METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/15	05/18											
ECG11 OP		05/15	05/18											
ECG13 OP		05/15	05/18											
ECG15 OP		05/15	05/18											
ECG16 OP		05/15	05/18											
ECGC OOF		05/15	05/18											
ECHG OOF		05/15	05/18											
ECSI OOF		05/15	05/18											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/15													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/15										
GWR THU	05/28			06/11										
GWT TUE	05/19			06/16										
GWW WED	05/27			06/10										
HMW MON	05/18			06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/16										
HWW WED	05/27			06/10	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/05										
HXE PUT	05/29			06/05										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON	05/18			06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 PUT				06/12										
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/22			06/05										
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17	07/15		09/16			12/16			
RWS THU	05/28			06/11										
SMW MON	05/18			06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/03										
TWS TUE	05/19			06/09										
WMG WED	05/20													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
MAY26												
4400	8.20	8.20	#8.20/*8.20	#8.20/*8.20	----	2.90 NEW	.0305	----	----	1	----	1 + 1
4555	41.00	41.00	#41.00/*41.00	#41.00/*41.00	----	34.00 NEW	.5208	----	----	1	----	1 + 1
4850	----	----	----	----	----	0.10 - 0.60	.0000	----	----	----	----	3 UNCH
TOTAL										2		5 + 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUN26												
2500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	1.00 - 1.00	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	2.90 - 2.20	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	4.20 - 3.00	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	5.60 - 3.80	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	33.70 - 8.90	----	----	----	----	----	6 UNCH
4600	----	----	----	----	----	37.90 - 11.80	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	79.90 - 7.90	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	96.10 - 7.10	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	110.30 - 6.30	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	12.40 - 7.60	----	----	----	----	----	1 UNCH
4720	165.50	165.50	#165.50/165.50	#165.50/165.50	----	171.70 - 2.80	----	----	----	2	----	0 - 2
4800	----	----	----	----	----	4.10 - 3.60	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	1.60 - 1.80	----	----	----	----	----	1 UNCH
5100	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.50 - 0.40	----	----	----	1	----	0 - 1
5875	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										3		28 - 3
JUL26												
3400	----	----	----	----	----	1192.50 - 3.70	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1132.80 - 3.70	----	----	----	----	----	1 UNCH
4150	----	----	----	#21.40B/----	----	21.00 - 1.80	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	25.90 - 2.10	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	40.00 - 2.90	----	----	----	----	----	1 UNCH
4500	101.00	101.00	101.00/84.80	101.00/84.80	----	94.80 - 3.90	----	----	----	2	----	3 UNCH
4600	----	----	----	----	----	139.80 - 3.70	----	----	----	----	----	2 UNCH
4600	121.00	121.00	#121.00/*121.00	121.00/*121.00	----	131.60 NEW	----	----	----	1	----	1 + 1
4700	----	----	----	----	----	89.60 - 6.10	----	----	----	----	----	1 UNCH
5000	25.00	25.00	25.00/*25.00	25.00/*25.00	----	25.60 - 2.50	----	----	----	1	----	3 + 1
5050	21.00	21.00	21.00/*21.00	21.00/*21.00	----	20.90 - 2.10	----	----	----	1	----	0 - 1
5100	15.10	15.10	#15.10/*15.10	#15.10/*15.10	----	17.10 NEW	----	----	----	1	----	1 + 1
5200	----	----	----	----	----	11.80 - 1.20	----	----	----	----	----	0 UNCH
5300	----	----	----	----	----	8.50 - 0.90	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	4.90 - 0.40	----	----	----	----	----	2 UNCH
TOTAL										6		21 + 2
AUG26												
4400	----	----	----	----	----	103.30 - 2.40	----	----	----	----	----	5 UNCH
TOTAL												5 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3700	----	----	----/1.10A	1.10B/1.10A	----	0.90 - 0.40	.0048	----	----	----	----	4 UNCH
3800	2.00	2.00	2.00/*1.30A	2.00/1.30A	----	1.20 - 0.50	.0070	----	----	2	----	9 + 1
3900	----	----	2.40B/1.70A	2.40B/1.70A	----	1.60 - 0.60	.0101	----	----	----	----	7 UNCH
4000	2.20	2.20	3.70B/2.10	3.70B/2.10	----	2.20 - 0.90	.0152	----	----	11	----	53 + 11
4100	3.80	3.80	6.10B/3.00A	6.10B/3.00A	----	3.10 - 1.30	.0234	----	----	2	----	10 UNCH
4150	6.30	6.30	#8.20B/3.60A	8.20B/3.60A	----	3.80 - 1.70	.0300	----	----	18	----	45 - 4
4175	----	----	#9.70B/4.00A	9.70B/4.00A	----	4.20 - 1.90	.0340	----	----	----	----	1 UNCH
4200	7.00	7.00	#11.30B/4.50A	11.30B/4.50A	----	4.80 - 2.10	.0395	----	----	8	----	15 UNCH
4250	15.50	15.50	16.50/5.70A	16.50/5.70A	----	6.30 - 2.60	.0535	----	----	2	----	7 + 1
4275	----	----	17.90B/6.70A	17.90B/6.70A	----	7.30 - 2.90	.0628	----	----	----	----	7 UNCH
4300	10.30	10.30	#20.90B/7.80A	20.90B/7.80A	----	8.50 - 3.30	.0739	----	----	3	----	17 + 1
4325	12.10	12.10	#24.60B/9.20A	24.60B/9.20A	----	10.10 - 3.60	.0881	----	----	9	----	10 + 9
4350	12.20	12.20	#28.80B/10.80A	28.80B/10.80A	----	11.90 - 4.20	.1044	----	----	10	50	66 + 49
4375	16.10	16.10	#33.90B/12.90A	33.90B/12.90A	----	14.30 - 4.60	.1250	----	----	2	----	15 + 2
4400	----	----	#39.80B/15.40A	39.80B/15.40A	----	17.20 - 5.10	.1493	----	----	----	----	135 UNCH
4425	----	----	#46.40B/18.60A	46.40B/18.60A	----	20.70 - 5.80	.1779	----	----	----	----	22 UNCH
4450	40.00	40.00	54.40B/22.60A	54.40B/22.60A	----	25.10 - 6.40	.2120	----	----	71	----	69 + 4
4475	41.40	41.40	#63.40B/27.30A	63.40B/27.30A	----	30.40 - 7.00	.2510	----	----	7	----	108 + 5
4500	67.00	67.00	#73.60B/32.80A	73.60B/32.80A	----	36.80 - 7.40	.2952	----	----	157	----	309 + 119
4525	65.00	65.00	#85.20B/39.20A	85.20B/39.20A	----	44.50 - 7.70	.3444	----	----	21	----	26 + 11
4550	62.00	62.00	#98.20B/46.90A	98.20B/46.90A	----	53.50 - 7.90	.3976	----	----	136	----	140 + 127
4575	----	----	#112.60B/56.00A	112.60B/56.00A	----	64.00 - 7.80	.4537	----	----	16	----	26 + 14
4600	----	----	#128.20B/66.40A	128.20B/66.40A	----	75.90 - 7.60	.5113	----	----	9	----	67 + 3
4625	----	----	#145.20B/78.20A	145.20B/78.20A	----	89.40 - 7.20	.5690	----	----	----	----	17 UNCH
4650	----	----	#163.30B/91.50A	163.30B/91.50A	----	104.40 - 6.60	.6252	----	----	----	----	10 UNCH
4675	----	----	#182.50B/106.30	182.50B/106.30A	----	120.90 - 5.90	.6784	----	----	----	----	34 UNCH
4700	----	----	#202.50B/122.50	#202.50B/122.50A	----	138.70 - 5.10	.7272	----	----	----	----	4 UNCH
4725	----	----	#223.50B/139.90	#223.50B/139.90A	----	157.80 - 4.20	.7715	----	----	----	----	1 UNCH
4750	195.30	195.30	#245.30B/158.40	#245.30B/158.40A	----	178.00 - 3.20	.8100	----	----	2	----	3 UNCH
4775	----	----	#267.50B/178.10	#267.50B/178.10A	----	199.00 - 2.50	.8431	----	----	----	----	14 UNCH
4800	----	----	#290.40B/198.90	#290.40B/198.90A	----	220.90 - 1.60	.8709	----	----	----	----	1 UNCH
4950	----	----	#433.70B/335.50	#433.70B/335.50A	----	361.90 + 1.60	.9590	----	----	----	----	1 UNCH
TOTAL										486	50	1253 + 353

OG5 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4550	----	----	117.30B/*71.40A	117.30B/*71.40A	----	95.30 - 11.60	.6021	----	----	2	----	0 - 2
4575	----	----	101.60B/*60.70A	101.60B/*60.70A	----	80.70 NEW	.5460	----	----	10	----	10 + 10
4600	----	----	86.90B/*51.30A	86.90B/*51.30A	----	67.70 - 11.30	.4883	----	----	38	----	62 + 35
4625	----	----	73.90B/*43.00A	73.90B/*43.00A	----	56.30 - 10.80	.4306	----	----	----	----	4 UNCH
4650	42.70	42.70	62.20B/*36.10A	62.20B/*36.10A	----	46.30 - 10.30	.3744	----	----	5	----	5 + 3
4675	34.70	34.70	51.90B/*30.00A	51.90B/*30.00A	----	37.80 NEW	.3213	----	----	12	----	12 + 12
4700	33.70	33.70	43.00B/*25.10A	43.00B/*25.10A	----	30.70 - 8.70	.2725	----	----	35	----	150 + 24
4725	22.30	22.30	35.50B/*20.90A	35.50B/*20.90A	----	24.70 - 7.90	.2281	----	----	3	----	26 + 3
4750	25.60	25.60	29.30B/*17.30A	29.30B/*17.30A	----	19.90 - 7.00	.1897	----	----	5	----	37 - 2
4775	19.10	19.10	24.00B/*13.80A	24.00B/*13.80A	----	16.00 - 6.20	.1565	----	----	33	----	54 + 33
4800	13.50	13.50	19.70B/*11.10A	19.70B/*11.10A	----	12.90 - 5.40	.1287	----	----	6	----	15 + 2
4825	10.00	10.00	16.20B/*8.90A	16.20B/*8.90A	----	10.40 - 4.60	.1054	----	----	28	----	43 + 24
4850	12.00	12.00	13.30B/*7.20	13.30B/*7.20	----	8.50 - 3.90	.0868	----	----	8	----	21 + 6
4875	10.50	10.50	11.00B/*5.90	11.00B/*5.90	----	6.90 - 3.40	.0710	----	----	21	----	28 + 20
4900	8.90	8.90	9.10B/*4.80	9.10B/*4.80	----	5.70 - 2.90	.0587	----	----	22	----	342 + 9
4925	6.60	6.60	7.60B/*4.00A	7.60B/*4.00A	----	4.70 - 2.60	.0484	----	----	3	----	175 + 2
4950	3.90	3.90	6.30B/*3.40A	6.30B/*3.40A	----	4.00 - 2.20	.0408	----	----	2	----	32 + 2
4975	5.50	5.50	5.60/*2.90A	5.60/*2.90A	----	3.30 - 2.00	.0336	----	----	3	----	14 + 2
5000	4.80	4.80	4.80/*2.50A	4.80/*2.50A	----	2.90 - 1.70	.0290	----	----	32	----	390 + 31
5025	----	----	----/*2.20A	3.80B/*2.20A	----	2.50 - 1.50	.0247	----	----	----	----	11 UNCH
5050	----	----	----/*2.00A	3.30B/*2.00A	----	2.10 - 1.40	.0206	----	----	----	----	14 UNCH
5075	----	----	----/1.80A	2.80B/1.80A	----	1.90 - 1.10	.0183	----	----	----	----	6 UNCH
5100	2.50	2.50	2.50/1.60A	2.50/1.60A	----	1.70 - 1.00	.0160	----	----	2	----	338 UNCH
5125	1.40	1.40	1.40/*1.40	2.10B/*1.40	----	1.50 - 0.90	.0139	----	----	1	----	6 UNCH
5200	----	----	----/*1.10A	1.40B/*1.10A	----	1.00 - 0.70	.0089	----	----	----	----	8 UNCH
5225	----	----	----/*1.00A	1.30B/*1.00A	----	0.90 - 0.60	.0079	----	----	----	----	1 UNCH
5250	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.50	.0077	----	----	----	----	3 UNCH
5300	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.40	.0058	----	----	----	----	11 UNCH
5400	----	----	----	0.60B/*0.90A	----	0.40 - 0.40	.0032	----	----	----	----	36 UNCH
5500	----	----	----	0.40B/*1.00A	----	0.30 - 0.30	.0022	----	----	----	----	1 UNCH
5600	----	----	----	----/1.00A	----	0.20 - 0.30	.0014	----	----	----	----	1 UNCH
5750	----	----	----	----/1.10A	----	0.10 - 0.30	.0006	----	----	----	----	3 UNCH
TOTAL										271		1859 + 214

OG4 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	17 UNCH
3700	----	----	----	0.20B/0.40A	----	0.10 - 0.30	.0003	----	----	----	----	4 UNCH
3750	----	----	----/*0.50A	0.30B/0.50A	----	0.20 - 0.40	.0007	----	----	----	----	1 UNCH
3800	----	----	----/*0.50A	0.40B/*0.50A	----	0.20 - 0.50	.0007	----	----	----	----	34 UNCH
3900	----	----	1.10B/*0.60A	1.10B/*0.60A	----	0.40 - 0.60	.0018	----	----	----	----	61 UNCH
4000	1.10	1.10	1.80B/*0.80A	1.80B/0.80A	----	0.60 - 0.70	.0032	----	----	4	----	21 + 1
4075	1.10	1.10	#2.80B/*1.00A	2.80B/1.00A	----	0.90 - 0.80	.0055	----	----	3	----	24 + 3
4100	2.70	2.70	3.20B/1.10A	3.20B/1.10A	----	1.00 - 0.90	.0064	----	----	1	----	6 + 1
4125	----	----	3.90B/*1.20A	3.90B/1.20A	----	1.10 - 1.00	.0074	----	----	----	----	33 UNCH
4130	----	----	----	#4.10B/*1.20A	----	1.10 NEW	.0075	----	----	2	----	2 + 2
4150	----	----	4.50B/*1.40A	4.50B/1.40A	----	1.20 - 1.20	.0085	----	----	1	----	30 UNCH
4175	5.50	5.50	5.50/1.50A	5.50/1.50A	----	1.40 - 1.30	.0105	----	----	1	----	5 + 1
4200	6.00	6.00	6.20B/1.70A	6.20B/1.70A	----	1.60 - 1.50	.0126	----	----	17	----	30 + 13
4225	----	----	7.50B/1.90A	7.50B/1.90A	----	1.90 - 1.70	.0158	----	----	----	----	6 UNCH
4235	1.90	1.90	#2.00/*1.90	#8.00B/*1.90	----	2.00 NEW	.0170	----	----	3	----	3 + 3
4250	6.90	6.90	8.80B/2.20A	8.80B/2.20A	----	2.20 - 2.00	.0193	----	----	28	----	34 + 19
4270	2.70	2.70	#2.70/*2.40A	#10.60B/*2.40A	----	2.50 NEW	.0229	----	----	1	----	1 + 1
4275	5.70	5.70	10.70B/2.50A	10.70B/2.50A	----	2.60 - 2.40	.0241	----	----	5	----	49 + 3
4285	2.80	2.80	#2.80/*2.70A	#11.90B/*2.70A	----	2.80 NEW	.0265	----	----	1	----	1 + 1
4300	5.50	5.50	13.40B/3.00A	13.40B/3.00A	----	3.10 - 2.90	.0303	----	----	55	----	111 + 50
4325	8.40	8.40	16.30B/3.60A	16.30B/3.60A	----	3.80 - 3.40	.0391	----	----	1	----	22 + 1
4340	4.60	4.60	#4.60/*4.10A	#18.10B/*4.10A	----	4.40 NEW	.0465	----	----	1	----	1 + 1
4345	4.70	4.70	#4.70/*4.20A	#19.30B/*4.20A	----	4.60 NEW	.0491	----	----	1	----	1 + 1
4350	19.40	19.40	20.00B/4.40A	20.00B/4.40A	----	4.80 - 3.90	.0517	----	----	33	50	65 + 20
4375	12.60	12.60	24.80B/5.40A	24.80B/5.40A	----	6.10 - 4.70	.0685	----	----	9	----	62 + 3
4395	----	----	----	#28.90B/*6.60A	----	7.30 NEW	.0850	----	----	2	----	2 + 2
4400	15.00	15.00	30.20B/6.70	30.20B/6.70	----	7.70 - 5.80	.0903	----	----	211	----	179 - 29
4410	----	----	----	#32.80B/*7.70A	----	8.60 NEW	.1019	----	----	1	----	1 + 1
4425	12.40	12.40	37.10B/9.00A	37.10B/9.00A	----	10.20 - 6.80	.1224	----	----	3	----	36 + 2
4430	11.40	11.40	#11.80/*9.50A	#38.30B/*9.50A	----	10.80 NEW	.1300	----	----	20	----	8 + 8
4445	----	----	----	#43.10B/*11.30A	----	12.90 NEW	.1562	----	----	1	----	1 + 1
4450	22.20	22.20	45.10B/12.00A	45.10B/12.00A	----	13.70 - 7.60	.1659	----	----	46	----	150 + 36
4470	32.00	32.00	#32.00/*14.90A	#52.90B/*14.90A	----	17.30 NEW	.2094	----	----	9	----	6 + 6
4475	49.50	49.50	54.90B/15.70A	54.90B/15.70A	----	18.40 - 8.30	.2219	----	----	13	----	18 + 6
4480	----	----	----	#56.50B/*16.60A	----	19.50 NEW	.2347	----	----	1	----	1 + 1
4485	23.80	23.80	#23.80/*23.80	#59.30B/*17.50A	----	20.60 NEW	.2477	----	----	2	----	2 + 2
4500	36.40	36.40	66.30B/20.50A	66.30B/20.50A	----	24.50 - 8.90	.2909	----	----	34	----	214 + 3
4515	44.50	44.50	#44.50/*24.00A	#74.10B/*24.00A	----	29.00 NEW	.3386	----	----	8	----	8 + 8
4525	30.80	30.80	80.00B/26.70A	80.00B/26.70A	----	32.50 - 9.20	.3730	----	----	5	----	59 + 1
4530	39.20	39.20	#39.20/*39.20	#82.40B/*28.10A	----	34.30 NEW	.3906	----	----	3	----	3 + 3
4540	56.40	56.40	#56.40/*31.20A	#89.00B/*31.20A	----	38.30 NEW	.4272	----	----	5	----	5 + 5
4550	60.00	60.00	95.60B/34.60A	95.60B/34.60A	----	42.60 - 9.10	.4648	----	----	17	----	201 - 1
4555	----	----	----	#98.80B/*36.40A	----	44.90 NEW	.4838	----	----	30	----	30 + 30
4560	44.10	44.10	#44.10/*44.10	#102.10B/*38.40A	----	47.30 NEW	.5030	----	----	1	----	1 + 1
4565	51.90	51.90	#51.90/*51.90	#105.70B/*40.40A	----	49.80 NEW	.5223	----	----	1	----	1 + 1
4570	47.40	47.40	#54.30/*42.50A	#109.30B/*42.50A	----	52.30 NEW	.5416	----	----	13	----	13 + 13
4575	53.60	53.60	113.00B/44.50A	113.00B/44.50A	----	55.00 - 8.70	.5609	----	----	1	----	15 + 1
4580	52.20	52.20	#52.20/*46.90A	#116.70B/*46.90A	----	57.80 NEW	.5800	----	----	8	----	8 + 8
4600	67.00	67.00	131.80B/56.90A	131.80B/56.90A	----	69.80 - 7.80	.6546	----	----	8	----	128 - 1
4620	90.30	90.30	#90.30/*68.40A	#148.10B/*68.40A	----	83.30 NEW	.7233	----	----	1	----	1 + 1
4625	----	----	152.20B/71.60A	152.20B/71.60A	----	86.80 - 6.60	.7391	----	----	----	----	26 UNCH
4640	119.00	119.00	#165.20B/*81.20	#165.20B/*81.20A	----	98.00 NEW	.7838	----	----	6	----	2 + 2
4650	----	----	173.70B/87.70A	173.70B/87.70A	----	105.80 - 5.20	.8108	----	----	----	----	6 UNCH
4675	----	----	196.30B/106.30A	196.30B/106.30A	----	126.50 - 3.80	.8678	----	----	----	----	57 UNCH
4700	----	----	#219.70B/126.00	#219.70B/126.00A	----	148.50 - 2.40	.9095	----	----	----	----	100 UNCH
4725	----	----	#243.40B/147.30	#243.40B/147.30A	----	171.40 - 1.20	.9395	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
MAY26												
4750	----	----	#267.50B/169.90	#267.50B/169.90A	----	195.00 - 0.10	.9587	----	----	----	----	1 UNCH
4775	----	----	#291.80B/193.00	#291.80B/193.00A	----	219.10 + 0.70	.9719	----	----	----	----	4 UNCH
4800	----	----	#316.30B/216.70	#316.30B/216.70A	----	243.50 + 1.40	.9805	----	----	----	----	1 UNCH
4850	----	----	----	219.20B/376.70A	----	292.90 + 2.40	.9902	----	----	----	----	2 UNCH
4875	----	----	----	245.30B/400.60A	----	317.70 + 2.70	.9928	----	----	----	----	1 UNCH
4900	----	----	356.80B/319.60A	356.80B/319.60A	----	342.50 + 2.90	.9942	----	----	----	----	3 UNCH
5000	----	----	#456.70B/419.00	#456.70B/419.00A	----	442.10 + 3.40	.9985	2	----	----	----	1 - 2
TOTAL										617	50	1931 + 233

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
MAY26												
4500	79.70	79.70	107.10B/*55.10A	107.10B/*55.10A	----	82.50 - 12.70	.7089	----	----	2	----	1 UNCH
4515	75.00	75.00	#75.00/*75.00	#95.80B/*48.20A	----	72.00 NEW	.6612	----	----	1	----	1 + 1
4525	74.00	74.00	88.40B/*43.80A	88.40B/*43.80A	----	65.50 - 13.00	.6268	----	----	9	----	17 UNCH
4550	57.30	57.30	71.40B/*34.20A	71.40B/*34.20A	----	50.60 - 13.00	.5350	----	----	38	----	108 + 31
4555	67.50	67.50	#68.40B/*67.50	#68.40B/*32.60A	----	47.90 NEW	.5160	----	----	2	----	2 + 2
4575	29.90	29.90	56.50B/*26.50A	56.50B/*26.50A	----	38.00 - 12.60	.4389	----	----	7	----	15 + 6
4580	----	----	----	#53.90B/*25.10A	----	35.80 NEW	.4198	----	----	1	----	1 + 1
4600	36.00	36.00	43.80B/*20.30A	43.80B/*20.30A	----	27.80 - 11.70	.3452	----	----	20	----	81 + 8
4610	----	----	----	#39.30B/*18.10A	----	24.40 NEW	.3101	----	----	1	----	1 + 1
4625	27.00	27.00	33.50B/*15.20	33.50B/*15.20	----	19.90 - 10.50	.2607	----	----	43	----	49 + 35
4630	19.10	19.10	#21.70/*19.10	#31.70B/*14.50A	----	18.50 NEW	.2449	----	----	20	----	20 + 20
4650	16.00	16.00	25.20B/*11.30A	25.20B/*11.30A	----	13.90 - 9.10	.1890	----	----	91	----	78 + 6
4660	13.40	13.40	#13.40/*13.40	#22.40B/*9.70A	----	12.00 NEW	.1647	----	----	1	----	1 + 1
4665	----	----	----	#21.10B/*9.00A	----	11.10 NEW	.1532	----	----	4	----	3 + 3
4675	----	----	18.70B/*7.70A	18.70B/*7.70A	----	9.50 - 7.70	.1320	----	----	2	----	52 UNCH
4680	----	----	----	#17.50B/*7.20A	----	8.80 NEW	.1225	----	----	1	----	1 + 1
4685	8.80	8.80	#8.80/*6.70A	#16.50B/*6.70A	----	8.20 NEW	.1140	----	----	2	----	1 + 1
4695	10.30	10.30	#10.30/*5.80A	#14.50B/*5.80A	----	7.00 NEW	.0975	----	----	2	----	2 + 2
4700	10.00	10.00	14.00/*5.30A	14.00/*5.30A	----	6.50 - 6.40	.0903	----	----	146	----	285 + 75
4710	----	----	----	#12.00B/*4.50A	----	5.60 NEW	.0774	----	----	3	----	3 + 3
4715	----	----	----	#11.30B/*4.20A	----	5.20 NEW	.0716	----	----	2	----	2 + 2
4725	8.00	8.00	10.00/*3.60	10.00/*3.60	----	4.40 - 5.20	.0603	----	----	43	----	57 + 25
4745	4.30	4.30	#4.30/*2.70A	#7.80B/*2.70A	----	3.30 NEW	.0442	----	----	2	----	2 + 2
4750	5.50	5.50	7.30B/*2.50A	7.30B/*2.50A	----	3.10 - 4.00	.0411	----	----	18	----	48 + 5
4755	3.00	3.00	#3.00/*2.40A	#6.80B/*2.40A	----	2.90 NEW	.0382	----	----	1	----	1 + 1
4765	2.50	2.50	#2.50/*2.10A	#6.00B/*2.10A	----	2.50 NEW	.0324	----	----	1	----	1 + 1
4770	4.10	4.10	#4.10/*2.00A	#5.70B/*2.00A	----	2.30 NEW	.0296	----	----	2	----	2 + 2
4775	1.90	1.90	1.90/*1.90	5.40B/*1.90	----	2.20 - 3.20	.0280	----	----	17	----	58 + 4
4780	2.40	2.40	#2.40/*2.40	#5.00B/*1.80A	----	2.10 NEW	.0264	----	----	23	----	23 + 23
4785	4.50	4.50	#4.50/*1.70A	#4.70B/*1.70A	----	1.90 NEW	.0238	----	----	4	----	4 + 4
4790	4.00	4.00	#4.00/*1.60A	#4.50B/*1.60A	----	1.80 NEW	.0223	----	----	3	----	3 + 3
4795	4.00	4.00	#4.00/*1.50A	#4.20B/*1.50A	----	1.70 NEW	.0208	----	----	5	----	5 + 5
4800	4.00	4.00	4.00/*1.40A	4.00/*1.40A	----	1.60 - 2.50	.0194	----	----	32	----	218 + 10
4805	3.80	3.80	#3.80/*1.40A	#3.80/*1.40A	----	1.50 NEW	.0180	----	----	3	----	1 + 1
4825	----	----	----/*1.20A	3.00B/*1.20A	----	1.20 - 2.00	.0137	----	----	----	----	502 UNCH
4830	2.50	2.50	#2.50/*1.10A	#2.80B/*1.10A	----	1.10 NEW	.0125	----	----	1	----	1 + 1
4850	2.20	2.20	2.20/*0.90A	2.30B/*0.90A	----	0.90 - 1.60	.0097	----	----	6	----	53 - 4
4875	----	----	----/*0.80A	1.70B/*0.80A	----	0.70 - 1.30	.0071	----	----	8	----	36 UNCH
4900	----	----	----/*0.60A	1.40B/*0.60A	----	0.60 - 1.10	.0057	----	----	----	----	136 UNCH
4925	----	----	----/*0.50A	1.10B/*0.50A	----	0.50 - 0.90	.0045	----	----	2	----	18 + 2
4950	0.80	0.80	0.80/*0.30	0.90B/*0.30	----	0.30 - 0.80	.0025	----	----	9	----	230 + 5
4975	0.40	0.40	0.40/*0.40	0.70B/*0.40	----	0.30 - 0.60	.0024	----	----	14	----	78 + 14
5000	0.80	0.80	0.80/*0.30A	0.80/*0.30A	----	0.20 - 0.60	.0015	----	----	4	----	58 + 3
5025	0.80	0.80	0.80/*0.30A	0.80/*0.30A	----	0.20 - 0.50	.0014	----	----	1	----	506 UNCH
5050	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.50	.0006	----	----	----	----	23 UNCH
5075	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.40	.0004	----	----	----	----	4 UNCH
5100	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0002	----	----	----	----	17 UNCH
5125	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	.0001	----	----	----	----	3 UNCH
5150	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	9 UNCH
5175	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	2 UNCH
5200	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	26 UNCH
5225	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
5300	----	----	----	----/*0.40A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5400	----	----	----	----/*0.50A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5500	----	----	----	----/0.80A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5600	----	----	----	----/0.80A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
6000	----	----	----	----/8.60A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										597		2887 + 306

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
MAY26												
3250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	3.10 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	8.10 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	13.10 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	18.10 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG3 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
4585	----	----	----	----	----	23.10	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	28.10	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	33.10	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	38.10	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	43.10	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	48.10	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	53.10	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	58.10	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	63.10	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	68.10	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	73.10	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	78.10	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	83.10	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	88.10	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	93.10	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	98.10	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	103.10	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	108.10	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	113.10	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	118.10	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	123.10	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	128.10	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	133.10	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	138.10	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	143.10	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	148.10	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	153.10	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	158.10	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	163.10	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	168.10	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	173.10	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	178.10	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	183.10	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	188.10	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	193.10	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	198.10	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	203.10	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	208.10	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	213.10	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	233.10	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	238.10	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	253.10	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	288.10	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	293.10	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	313.10	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	328.10	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	338.10	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	638.10	UNCH	----	----	----	----	----	0	UNCH
6250	----	----	----	----	----	1688.10	UNCH	----	----	----	----	----	0	UNCH
6500	----	----	----	----	----	1938.10	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0

OG3 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
3250	----	----	----	----	----	1311.90	UNCH	----	----	----	----	----	0	UNCH
3500	----	----	----	----	----	1061.90	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----	361.90	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----	311.90	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	161.90	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	111.90	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	61.90	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	56.90	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	41.90	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	31.90	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	26.90	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	21.90	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	16.90	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	11.90	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	6.90	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	1.90	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
6250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
6500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 PUT — GOLD OPTIONS — JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4325 ----	----	----	#44.00B/*27.50A	----	29.30 NEW	.1695	----	----	2	----	2 + 2
4400 40.50	40.50	#44.50/*40.50	#64.90B/*40.50	----	44.00 NEW	.2394	----	----	70	----	70 + 70
4500 77.90	77.90	#78.60/*77.90	#103.90B/*68.80A	----	70.80 NEW	.3564	----	----	25	----	25 + 25
4525 ----	----	----	#115.90B/*77.40A	----	80.30 NEW	.3911	----	----	1	----	1 + 1
TOTAL									98		98 + 98

OG1 PUT — GOLD OPTIONS — JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500 ----	----	----	1.20B/1.40A	----	1.10 - 0.30	.0053	----	----	----	----	23 UNCH
3750 ----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.50	.0111	----	----	----	----	9 UNCH
3800 ----	----	----/*2.50A	2.30B/2.50A	----	2.20 - 0.60	.0127	----	----	----	----	2 UNCH
4000 ----	----	----/4.20A	4.50B/4.20A	----	4.10 - 1.00	.0267	----	----	----	----	1 UNCH
4100 ----	----	9.70B/5.80A	9.70B/5.80A	----	6.10 - 1.40	.0417	----	----	----	----	2 UNCH
4200 9.10	9.10	#18.30B/9.00	#18.30B/9.00	----	9.60 - 2.30	.0678	----	----	2	----	3 + 1
4250 12.50	12.50	#22.80B/11.60A	#22.80B/11.60A	----	12.40 - 2.90	.0881	----	----	2	----	9 + 1
4275 14.30	14.30	#25.60B/13.30A	#25.60B/13.30A	----	14.30 - 3.20	.1013	----	----	1	----	15 + 1
4300 17.20	17.20	#29.70B/15.30A	#29.70B/15.30A	----	16.50 - 3.50	.1163	----	----	5	----	10 UNCH
4325 ----	----	#34.10B/17.60A	#34.10B/17.60A	----	19.00 - 4.00	.1333	----	----	----	----	15 UNCH
4350 21.00	21.00	#39.80B/20.50A	#39.80B/20.50A	----	22.10 - 4.30	.1533	----	----	10	----	13 + 10
4375 25.20	25.20	#46.60B/23.90A	#46.60B/23.90A	----	25.70 NEW	.1760	----	----	4	----	4 + 4
4400 27.50	27.50	#53.50B/27.50	#53.50B/27.50	----	30.00 - 5.20	.2018	----	----	14	----	52 + 14
4425 ----	----	#61.10B/32.30A	#61.10B/32.30A	----	35.00 - 5.60	.2307	----	----	----	----	15 UNCH
4450 50.50	50.50	#69.60B/37.50A	#69.60B/37.50A	----	40.90 - 5.90	.2628	----	----	23	----	24 + 23
4475 ----	----	#79.30B/43.40A	#79.30B/43.40A	----	47.60 - 6.30	.2977	----	----	1	----	3 + 1
4500 ----	----	#90.50B/50.20A	#90.50B/50.20A	----	55.30 - 6.60	.3353	----	----	1	----	3 + 1
4525 ----	----	#101.40B/57.90A	#101.40B/57.90A	----	64.10 - 6.70	.3754	----	----	----	----	1 UNCH
4575 ----	----	#125.10B/76.40A	#125.10B/76.40A	----	85.00 - 6.70	.4604	----	----	7	----	16 + 5
4600 ----	----	#139.90B/87.40A	#139.90B/87.40A	----	97.20 - 6.50	.5043	----	----	30	----	33 + 30
4650 ----	----	#171.50B/112.80	#171.50B/112.80A	----	125.10 - 5.80	.5911	----	----	----	----	1 UNCH
4700 ----	----	#208.00B/142.60	#208.00B/142.60A	----	157.50 - 4.80	.6728	----	----	----	----	22 UNCH
4750 ----	----	#247.80B/176.80	#247.80B/176.80A	----	194.00 - 3.50	.7446	----	----	----	----	28 UNCH
4775 ----	----	#268.70B/198.90	#268.70B/198.90A	----	213.50 - 3.00	.7763	----	----	2	----	11 UNCH
TOTAL									102		315 + 91

OG1 CALL — GOLD OPTIONS — JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4575 110.00	110.00	120.70B/*82.80A	120.70B/*82.80A	----	101.70 - 10.40	.5390	----	----	2	----	13 + 1
4600 88.70	88.70	107.00B/*73.00A	107.00B/*73.00A	----	89.00 NEW	.4952	----	----	31	----	31 + 31
4625 72.20	72.20	94.10B/*64.00A	94.10B/*64.00A	----	77.40 - 9.90	.4514	----	----	6	----	8 + 6
4650 61.50	61.50	82.20B/*56.00A	82.20B/*56.00A	----	67.00 NEW	.4083	----	----	1	----	1 + 1
4675 ----	----	71.60B/*48.10A	71.60B/*48.10A	----	57.70 - 9.00	.3666	----	----	----	----	2 UNCH
4700 44.60	44.60	62.20B/*42.30A	62.20B/*42.30A	----	49.40 - 8.60	.3267	----	----	10	----	28 + 10
4725 39.60	39.60	53.80B/*36.80A	53.80B/*36.80A	----	42.20 - 8.00	.2893	----	----	1	----	2 + 1
4750 ----	----	46.40B/*31.70A	46.40B/*31.70A	----	36.00 - 7.30	.2548	----	----	2	----	22 + 2
4775 37.00	37.00	39.80B/*27.20A	39.80B/*27.20A	----	30.60 - 6.70	.2232	----	----	9	----	21 + 1
4800 34.00	34.00	34.10B/*23.30A	34.10B/*23.30A	----	26.00 NEW	.1947	----	----	2	----	2 + 2
4825 ----	----	29.10B/*19.80A	29.10B/*19.80A	----	22.10 - 5.40	.1693	----	----	2	----	5 + 2
4850 23.70	23.70	24.80B/*16.80A	24.80B/*16.80A	----	18.70 - 4.90	.1464	----	----	392	----	263 - 128
4875 ----	----	21.20B/*14.40A	21.20B/*14.40A	----	15.90 - 4.40	.1266	----	----	----	----	1 UNCH
4900 18.00	18.00	18.10B/*12.30A	18.10B/*12.30A	----	13.60 - 3.80	.1097	----	----	3	----	7 UNCH
4950 ----	----	13.30B/*9.10A	13.30B/*9.10A	----	9.90 - 3.10	.0818	----	----	----	----	3 UNCH
5000 ----	----	9.90B/*6.90A	9.90B/*6.90A	----	7.40 - 2.40	.0617	----	----	----	----	1 UNCH
5200 ----	----	----/*3.00A	3.50B/*3.00A	----	2.90 - 1.00	.0235	----	----	----	----	1 UNCH
5225 ----	----	----/*2.80A	3.10B/*2.80A	----	2.60 - 0.90	.0209	----	----	----	----	1 UNCH
5250 ----	----	----/*2.60A	2.80B/*2.60A	----	2.40 - 0.80	.0191	----	----	----	----	1 UNCH
5300 ----	----	----/*2.20A	2.30B/*2.20A	----	2.10 - 0.60	.0163	----	----	----	----	3 UNCH
5400 ----	----	----/*1.80A	1.70B/*1.80A	----	1.60 - 0.40	.0119	----	----	----	----	1 UNCH
5600 ----	----	----	1.00B/*1.30A	----	1.00 - 0.10	.0068	----	----	----	----	1 UNCH
TOTAL									461		418 - 71

OG PUT — COMEX GOLD OPTIONS — JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1325 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
1375 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1755 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1955 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1965 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1975 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
2000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	607 UNCH
2005 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2010 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2015 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2020 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2025 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2030 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2050 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2085 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2100 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	101 UNCH
2105 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2110 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2130 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2170 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2180 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2195 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
JUN26														
2200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
2205	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
2220	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2230	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	25	UNCH
2235	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	21	UNCH
2240	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
2250	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
2315	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	40	UNCH
2330	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
2350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2380	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
2385	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2390	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2395	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	72	UNCH
2405	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2410	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
2415	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2420	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
2430	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2445	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	51	UNCH
2460	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2465	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
2475	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
2495	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1928	UNCH
2510	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	25	UNCH
2535	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2540	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
2565	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2580	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2590	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
2600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	189	UNCH
2645	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
2650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2685	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	26	UNCH
2695	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	427	UNCH
2730	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
2750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
2800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	768	UNCH
2805	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	223	UNCH
2810	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
2825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	56	UNCH
2830	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	25	UNCH
2850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
2865	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
2900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	157	UNCH
2905	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2915	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2930	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2935	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
2955	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
2970	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2975	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
2990	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2995	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
3000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1894	UNCH
3005	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	30	UNCH
3010	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3015	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	216	UNCH
3020	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
3035	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3045	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	56	UNCH
3050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	407	UNCH
3065	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
3070	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
3075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	30	UNCH
3080	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3085	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3095	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
3100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	512	UNCH
3105	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
3110	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
3120	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
3125	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
3130	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	26	UNCH
3140	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	147	UNCH
3155	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
3160	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
3170	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
3175	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
3180	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3185	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH
3190	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	18	UNCH
3195	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	12	UNCH
3200	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	1206	UNCH
3205	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	42	UNCH
3210	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	25	UNCH
3215	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	22	UNCH
3220	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	37	UNCH
3225	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	75	UNCH
3230	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10	UNCH	.0000	----	----	1	----	8 +	1
3235	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0000	----	----	1	----	26 +	1
3240	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH
3245	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	4	UNCH
3250	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10	UNCH	.0000	----	----	1	----	148	UNCH
3255	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	124	UNCH
3260	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	45	UNCH
3265	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	30	UNCH
3270	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	7	UNCH
3275	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	10	UNCH
3280	----	----	----	----/0.20A	----	0.10 -	0.10	.0000	----	----	----	----	12	UNCH
3290	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	37	UNCH
3295	----	----	----	----/0.30A	----	0.10 -	0.10	.0000	----	----	----	----	2	UNCH
3300	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	422	UNCH
3305	----	----	----	----/0.30A	----	0.10 -	0.10	.0000	----	----	----	----	1	UNCH
3310	----	----	----	----/*0.20A	----	0.10 -	0.10	.0000	----	----	----	----	7	UNCH
3315	----	----	----	----/0.40A	----	0.10 -	0.10	.0000	----	----	----	----	7	UNCH
3320	----	----	----	----/*0.20A	----	0.10 -	0.10	.0000	----	----	----	----	4	UNCH
3325	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	47	UNCH
3335	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	46	UNCH
3340	----	----	----	----/0.40A	----	0.10 -	0.10	.0000	----	----	----	----	22	UNCH
3345	----	----	----	----/0.40A	----	0.10 -	0.10	.0000	----	----	----	----	12	UNCH
3350	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	434	UNCH
3355	----	----	----	----/0.40A	----	0.10 -	0.10	.0000	----	----	----	----	17	UNCH
3360	----	----	----	----/0.40A	----	0.10 -	0.10	.0000	----	----	----	----	7	UNCH
3365	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0000	----	----	----	----	31	UNCH
3370	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0001	----	----	----	----	26	UNCH
3375	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0001	----	----	----	----	98	UNCH
3380	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0001	----	----	----	----	46	UNCH
3385	----	----	----	----/0.40A	----	0.10 -	0.10	.0001	----	----	----	----	6	UNCH
3390	----	----	----/*0.10A	----/*0.10A	----	0.10 -	0.10	.0001	----	----	----	----	59	UNCH
3395	----	----	----	----/0.40A	----	0.10 -	0.10	.0001	----	----	----	----	2	UNCH
3400	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 -	0.10	.0001	----	----	1	----	719 -	1
3405	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 -	0.10	.0001	----	----	----	----	66	UNCH
3410	----	----	----	0.10B/0.30A	----	0.10 -	0.10	.0001	----	----	----	----	7	UNCH
3415	----	----	----	0.10B/0.30A	----	0.10 -	0.20	.0001	----	----	----	----	3	UNCH
3420	----	----	----	0.10B/0.30A	----	0.10 -	0.20	.0002	----	----	----	----	18	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3425	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.20	.0002	----	----	----	----	25 UNCH
3430	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.20	.0002	----	----	1	----	40 + 1
3435	----	----	----	0.10B/0.30A	----	0.10 - 0.20	.0002	----	----	----	----	20 UNCH
3450	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.20	.0003	----	----	----	----	385 UNCH
3455	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	51 UNCH
3460	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	227 UNCH
3465	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	89 UNCH
3470	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	28 UNCH
3475	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0004	----	----	----	----	106 UNCH
3480	----	----	----/*0.30A	0.20B/0.30A	----	0.10 - 0.30	.0004	----	----	----	----	171 UNCH
3485	----	----	----/*0.30A	0.30B/0.30A	----	0.10 - 0.30	.0004	----	----	----	----	3 UNCH
3490	----	----	----/*0.30A	0.20B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	21 UNCH
3500	----	----	----/0.30A	0.40B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	1807 UNCH
3505	----	----	----/*0.30A	0.20B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	65 UNCH
3510	----	----	----/*0.30A	0.20B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	86 UNCH
3515	----	----	----/*0.30A	0.30B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	16 UNCH
3520	----	----	----/*0.30A	0.30B/0.30A	----	0.20 - 0.30	.0009	----	----	----	----	138 UNCH
3525	----	----	----/*0.30A	0.30B/0.30A	----	0.20 - 0.30	.0009	----	----	----	----	301 UNCH
3530	----	----	----/*0.30A	0.30B/0.30A	----	0.20 - 0.30	.0009	----	----	----	----	7 UNCH
3535	----	----	----/*0.30A	0.30B/0.30A	----	0.20 - 0.30	.0009	----	----	----	----	100 UNCH
3540	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.30	.0009	----	----	----	----	5 UNCH
3545	----	----	----/0.30A	0.40B/0.30A	----	0.20 - 0.30	.0009	----	----	----	----	22 UNCH
3550	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.30	.0009	----	----	----	----	417 UNCH
3555	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.30	.0009	----	----	----	----	2 UNCH
3560	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.40	.0009	----	----	----	----	89 UNCH
3565	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.40	.0009	----	----	----	----	41 UNCH
3570	----	----	----/0.40A	0.50B/0.40A	----	0.30 - 0.30	.0014	----	----	----	----	60 UNCH
3575	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0014	----	----	----	----	41 UNCH
3580	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0014	----	----	----	----	76 UNCH
3585	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0014	----	----	----	----	4 UNCH
3590	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0014	----	----	----	----	3 UNCH
3595	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.40	.0014	----	----	----	----	23 UNCH
3600	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.40	.0015	----	----	----	----	1799 UNCH
3610	----	----	----/*0.40A	0.50B/0.40A	----	0.30 - 0.40	.0015	----	----	----	----	4 UNCH
3615	----	----	----/0.40A	0.50B/0.40A	----	0.30 - 0.40	.0015	----	----	----	----	37 UNCH
3620	0.50	0.50	0.50/0.50	0.50/0.50	----	0.30 - 0.40	.0015	----	----	1	----	18 + 1
3625	----	----	----/0.50A	0.50B/0.50A	----	0.30 - 0.40	.0015	----	----	----	----	67 UNCH
3630	----	----	----/0.50A	0.50B/0.50A	----	0.30 - 0.40	.0015	----	----	----	----	87 UNCH
3635	----	----	----/0.50A	0.60B/0.50A	----	0.40 - 0.30	.0020	----	----	----	----	108 UNCH
3640	----	----	----/0.50A	0.60B/0.50A	----	0.40 - 0.40	.0020	----	----	----	----	24 UNCH
3645	----	----	----/0.50A	0.60B/0.50A	----	0.40 - 0.40	.0020	----	----	----	----	14 UNCH
3650	----	----	----/0.50A	0.60B/0.50A	----	0.40 - 0.40	.0020	----	----	----	----	700 UNCH
3655	----	----	----/0.40A	0.60B/0.40A	----	0.40 - 0.40	.0020	----	----	----	----	9 UNCH
3660	----	----	----/0.50A	0.60B/0.50A	----	0.40 - 0.40	.0020	----	----	----	----	1 UNCH
3665	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.40	.0021	----	----	----	----	39 UNCH
3670	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.40	.0021	----	----	----	----	31 UNCH
3675	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.40	.0021	----	----	----	----	46 UNCH
3680	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.50	.0021	----	----	----	----	18 UNCH
3685	----	----	----/0.50A	0.80B/0.50A	----	0.40 - 0.50	.0021	----	----	----	----	49 UNCH
3690	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.50	.0021	----	----	----	----	15 UNCH
3695	----	----	----/0.50A	0.90B/0.50A	----	0.50 - 0.40	.0026	----	----	----	----	19 UNCH
3700	----	----	----/0.60A	0.80B/0.60A	----	0.50 - 0.40	.0026	----	----	10	----	724 + 10
3705	----	----	----/0.60A	0.80B/0.60A	----	0.50 - 0.40	.0027	----	----	----	----	164 UNCH
3710	----	----	----/0.60A	0.90B/0.60A	----	0.50 - 0.40	.0027	----	----	----	----	80 UNCH
3715	----	----	----/0.60A	0.80B/0.60A	----	0.50 - 0.40	.0027	----	----	----	----	50 UNCH
3720	----	----	----/0.60A	0.90B/0.60A	----	0.50 - 0.50	.0027	----	----	----	----	4 UNCH
3725	----	----	----/0.60A	0.90B/0.60A	----	0.50 - 0.50	.0027	----	----	----	----	121 UNCH
3730	----	----	----/0.60A	0.90B/0.60A	----	0.50 - 0.50	.0027	----	----	----	----	20 UNCH
3735	----	----	----/0.60A	0.90B/0.60A	----	0.50 - 0.50	.0028	----	----	----	----	1 UNCH
3740	----	----	1.20B/0.60A	1.20B/0.60A	----	0.50 - 0.50	.0028	----	----	----	----	70 UNCH
3745	----	----	----/0.60A	1.00B/0.60A	----	0.50 - 0.50	.0028	----	----	----	----	20 UNCH
3750	----	----	----/0.70A	1.00B/0.70A	----	0.60 - 0.40	.0033	----	----	----	----	1329 UNCH
3755	----	----	----/0.70A	1.10B/0.70A	----	0.60 - 0.50	.0033	----	----	----	----	14 UNCH
3760	----	----	----/0.70A	1.10B/0.70A	----	0.60 - 0.50	.0034	----	----	----	----	33 UNCH
3765	----	----	----/0.70A	1.10B/0.70A	----	0.60 - 0.50	.0034	----	----	----	----	48 UNCH
3770	----	----	1.30B/0.70A	1.30B/0.70A	----	0.60 - 0.50	.0034	----	----	----	----	17 UNCH
3775	----	----	1.20B/0.70A	1.20B/0.70A	----	0.60 - 0.50	.0034	----	----	----	----	71 UNCH
3780	----	----	1.30B/0.70A	1.30B/0.70A	----	0.60 - 0.60	.0034	----	----	----	----	15 UNCH
3785	----	----	----/0.70A	1.20B/0.70A	----	0.60 - 0.60	.0035	----	----	----	----	7 UNCH
3790	----	----	1.40B/0.70A	1.40B/0.70A	----	0.60 - 0.60	.0035	----	----	----	----	259 UNCH
3795	----	----	1.40B/0.80A	1.40B/0.80A	----	0.60 - 0.60	.0035	----	----	----	----	83 UNCH
3800	1.10	1.10	1.30B/0.80A	1.30B/0.80A	----	0.60 - 0.60	.0035	----	----	11	----	2805 - 4
3805	----	----	1.50B/0.80A	1.50B/0.80A	----	0.60 - 0.70	.0036	----	----	----	----	71 UNCH
3810	----	----	1.40B/0.80A	1.40B/0.80A	----	0.60 - 0.70	.0036	----	----	----	----	45 UNCH
3815	----	----	1.50B/0.80A	1.50B/0.80A	----	0.70 - 0.60	.0041	----	----	----	----	40 UNCH
3820	----	----	1.40B/0.80A	1.40B/0.80A	----	0.70 - 0.60	.0042	----	----	----	----	18 UNCH
3825	----	----	----/0.80A	1.40B/0.80A	----	0.70 - 0.70	.0042	----	----	----	----	40 UNCH
3830	----	----	1.50B/0.80A	1.50B/0.80A	----	0.70 - 0.70	.0042	----	----	----	----	189 UNCH
3835	----	----	1.50B/0.80A	1.50B/0.80A	----	0.70 - 0.70	.0043	----	----	----	----	55 UNCH
3840	----	----	1.50B/0.80A	1.50B/0.80A	----	0.70 - 0.70	.0043	----	----	----	----	4 UNCH
3845	----	----	----/0.90A	1.50B/0.90A	----	0.70 - 0.80	.0043	----	----	----	----	1 UNCH
3850	----	----	1.60B/0.90A	1.60B/0.90A	----	0.70 - 0.80	.0044	----	----	----	----	721 UNCH
3855	----	----	1.60B/0.90A	1.60B/0.90A	----	0.70 - 0.80	.0044	----	----	----	----	73 UNCH
3860	----	----	1.80B/0.90A	1.80B/0.90A	----	0.70 - 0.80	.0044	----	----	----	----	29 UNCH
3865	----	----	1.90B/0.90A	1.90B/0.90A	----	0.80 - 0.80	.0050	----	----	----	----	19 UNCH
3870	----	----	1.90B/0.90A	1.90B/0.90A	----	0.80 - 0.80	.0050	----	----	----	----	16 UNCH
3875	----	----	1.90B/0.90A	1.90B/0.90A	----	0.80 - 0.80	.0051	----	----	----	----	161 UNCH
3880	----	----	2.00B/0.90A	2.00B/0.90A	----	0.80 - 0.80	.0051	----	----	----	----	25 UNCH
3885	----	----	1.90B/0.90A	1.90B/0.90A	----	0.80 - 0.80	.0052	----	----	----	----	13 UNCH
3890	1.10	1.10	2.00B/1.00A	2.00B/1.00A	----	0.90 - 0.80	.0058	----	----	1	----	50 + 1
3895	----	----	2.00B/1.00A	2.00B/1.00A	----	0.90 - 0.80	.0058	----	----	----	----	16 UNCH
3900	1.50	1.50	2.10B/1.00A	2.10B/1.00A	----	0.90 - 0.80	.0059	----	----	13	----	1240 + 1
3905	----	----	2.20B/1.00A	2.20B/1.00A	----	0.90 - 0.80	.0059	----	----	----	----	45 UNCH
3910	----	----	2.10B/1.00A	2.10B/1.00A	----	0.90 - 0.90	.0059	----	----	----	----	10 UNCH
3915	1.50	1.50	2.20B/1.00A	2.20B/1.00A	----	0.90 - 0.90	.0060	----	----	10	----	34 + 10
3920	----	----	2.20B/1.00A	2.20B/1.00A	----	0.90 - 0.90	.0060	----	----	----	----	34 UNCH
3925	----	----	2.30B/1.00A	2.30B/1.00A	----	1.00 - 0.90	.0067	----	----	----	----	54 UNCH
3930	----	----	2.40B/1.10A	2.40B/1.10A	----	1.00 - 0.90	.0067	----	----	----	----	23 UNCH
3935	1.30	1.30	2.40B/0.90	2.40B/0.90	----	1.00 - 0.90	.0068	----	----	12	----	39 + 12
3940	----	----	2.50B/1.10A	2.50B/1.10A	----	1.00 - 1.00	.0068	----	----	----	----	102 UNCH
3945	----	----	2.60B/1.10A	2.60B/1.10A	----	1.00 - 1.00	.0069	----	----	----	----	18 UNCH
3950	3.00	3.00	3.00/1.10A	3.00/1.10A	----	1.00 - 1.00	.0069	----	----	10	----	350 + 3
3955	----	----	2.60B/1.10A	2.60B/1.10A	----	1.00 - 1.10	.0070	----	----	----	----	13 UNCH
3960	----	----	2.70B/1.10A	2.70B/1.10A	----	1.10 - 1.00	.0077	----	----	----	----	40 UNCH
3965	1.20	1.20	2.80B/1.20	2.80B/1.20	----	1.10 - 1.00	.0077	----	----	5	----	26 + 3
3970	----	----	2.80B/1.20A	2.80B/1.20A	----	1.10 - 1.00	.0078	----	----	----	----	69 UNCH
3975	----	----	2.90B/1.20A	2.90B/1.20A	----	1.10 - 1.10	.0078	----	----	----	----	358 UNCH
3980	----	----	3.00B/1.20A	3.00B/1.20A	----	1.10 - 1.10	.0079	----	----	----	----	107 UNCH
3985	----	----	3.00B/1.20A	3.00B/1.20A	----	1.20 - 1.00	.0086	----	----	----	----	60 UNCH
3990	1.30	1.30	3.10B/1.30	3.10B/1.30	----	1.20 - 1.00	.0087	----	----	7	----	58 - 6
3995	----	----	3.20B/1.30A	3.20B/1.30A	----	1.20 - 1.10	.0087	----	----	----	----	175 UNCH
4000	2.80	2.80	3.70/1.30	3.70/1.30	----	1.20 - 1.10	.0088	----	----	191	----	4077 - 11
4005	2.90	2.90	3.30B/1.30A	3.30B/1.30A	----	1.30 - 1.00	.0095	----	----	1	----	64 UNCH
4010	1.40	1.40	3.40B/1.30A	3.40B/1.30A	----	1.30 - 1.00	.0096	----	----	12	----	76 + 11
4015	----	----	3.50B/1.40A	3.50B/1.40A	----	1.30 - 1.10	.0097	----	----	----	----	58 UNCH
4020	----	----	3.60B/1.40A	3.60B/1.40A	----	1.30 - 1.10	.0098	----	----	----	----	124 UNCH
4025	1.50	1.50	3.70B/1.40A	3.70B/1.40A	----	1.40 - 1.00	.0105	----	----	4	----	249 + 2
4030	----	----	3.90B/1.40A	3.90B/1.40A	----	1.40 - 1.10	.0106	----	----	----	----	51 UNCH
4035	----	----	4.00B/1.40A	4.00B/1.40A	----	1.40 - 1.10	.0107	----	----	----	----	58 UNCH
4040	----	----	4.00B/1.50A	4.00B/1.50A	----	1.40 - 1.10	.0108	----	----	1	----	94 UNCH
4045	----	----	4.20B/1.50A	4.20B/1.50A	----	1.50 - 1.10	.0115	----	----	----	----	42 UNCH
4050	----	----	4.30B/1.50A	4.30B/1.50A	----	1.50 - 1.10	.0116	----	----	26	----	1185 - 18
4055	----	----	4.40B/1.60A	4.40B/1.60A	----	1.50 - 1.20	.0117	----	----	----	----	37 UNCH
4060	1.80	1.80	4.50B/1.60A	4.50B/1.60A	----	1.50 - 1.20	.0119	----	----	7	----	92 - 6
4065	4.40	4.40	4.50B/1.60A	4.50B/1.60A	----	1.50 - 1.30	.0120	----	----	2	----	151 UNCH
4070	----	----	4.60B/1.60A	4.60B/1.60A	----	1.60 - 1.20	.0128	----	----	----	----	64 UNCH
4075	----	----	4.70B/1.70A	4.70B/1.70A	----	1.60 - 1.30	.0129	----	----	----	----	264 UNCH
4080	1.90	1.90	5.00B/1.70A	5.00B/1.70A	----	1.60 - 1.30	.0130	----	----	7	----	155 + 2
4085	2.80	2.80	5.10B/1.70A	5.10B/1.70A	----	1.60 - 1.40	.0131	----	----	6	----	261 - 4
4090	1.90	1.90	5.10B/1.80A	5.10B/1.80A	----	1.70 - 1.30	.0139	----	----	4	----	107 + 4
4095	----	----	5.40B/1.70A	5.40B/1.70A	----	1.70 - 1.40	.0141	----	----	----	----	2082 UNCH
4100	3.40	3.40	5.50B/1.80	5.50B/1.80	----	1.70 - 1.50	.0142	----	----	149	----	3089 - 112
4105	2.40	2.40	5.70B/1.80	5.70B/1.80	----	1.80 - 1.40	.0150	----	----	3	----	2067 UNCH
4110	----	----	5.80B/1.90A	5.80B/1.90A	----	1.80 - 1.50	.0152	----	----	----	----	154 UNCH
4115	----	----	6.00B/1.90A	6.00B/1.90A	----	1.80 - 1.60	.0154	----	----	----	----	506 UNCH
4120	----	----	6.20B/2.00A	6.20B/2.00A	----	1.90 - 1.60	.0162	----	----	----	----	85 UNCH
4125	6.20	6.20	6.40/2.00A	6.40/2.00A	----	1.90 - 1.60	.0164	----	----	24	----	390 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4130	----	----	6.60B/2.00A	6.60B/2.00A	----	2.00 - 1.60	.0173	----	----	----	----	53 UNCH
4135	----	----	6.80B/2.10A	6.80B/2.10A	----	2.00 - 1.70	.0174	----	----	----	----	49 UNCH
4140	2.50	2.50	6.80B/2.10A	6.80B/2.10A	----	2.10 - 1.70	.0184	----	----	4	----	51 + 1
4145	2.60	2.60	6.80B/2.20A	6.80B/2.20A	----	2.10 - 1.80	.0185	----	----	1	----	162 UNCH
4150	4.30	4.30	7.20B/2.20A	7.20B/2.20A	----	2.20 - 1.80	.0195	----	----	459	----	1654 + 291
4155	----	----	7.30B/2.20A	7.30B/2.20A	----	2.20 - 1.90	.0197	----	----	----	----	57 UNCH
4160	----	----	7.80B/2.30A	7.80B/2.30A	----	2.30 - 1.90	.0206	----	----	----	----	229 UNCH
4165	----	----	7.70B/2.30A	7.70B/2.30A	----	2.30 - 2.00	.0209	----	----	----	----	39 UNCH
4170	----	----	8.20B/2.40A	8.20B/2.40A	----	2.40 - 2.00	.0218	----	----	----	----	65 UNCH
4175	4.90	4.90	8.10B/2.50A	8.10B/2.50A	----	2.50 - 2.00	.0228	----	----	11	----	936 - 4
4180	----	----	8.30B/2.50A	8.30B/2.50A	----	2.50 - 2.10	.0231	----	----	----	----	126 UNCH
4185	4.80	4.80	8.50B/2.60A	8.50B/2.60A	----	2.60 - 2.20	.0241	----	----	1	----	27 UNCH
4190	3.10	3.10	8.80B/2.60A	8.80B/2.60A	----	2.70 - 2.20	.0251	----	----	4	----	47 - 1
4195	----	----	9.10B/2.70A	9.10B/2.70A	----	2.80 - 2.20	.0261	----	----	----	----	46 UNCH
4200	5.80	5.80	10.00/2.80	10.00/2.80	----	2.90 - 2.20	.0272	----	----	170	----	3460 + 1
4205	9.80	9.80	10.10B/2.90A	10.10B/2.90A	----	2.90 - 2.40	.0275	----	----	2	----	63 + 2
4210	----	----	10.40B/2.90A	10.40B/2.90A	----	3.00 - 2.40	.0286	----	----	----	----	470 UNCH
4215	----	----	10.40B/3.00A	10.40B/3.00A	----	3.10 - 2.40	.0297	----	----	----	----	55 UNCH
4220	3.60	3.60	11.10B/3.10A	11.10B/3.10A	----	3.20 - 2.50	.0308	----	----	4	----	192 + 2
4225	----	----	11.10B/3.20A	11.10B/3.20A	----	3.30 - 2.60	.0319	----	----	----	----	316 UNCH
4230	4.20	4.20	11.50B/3.30A	11.50B/3.30A	----	3.40 - 2.60	.0331	----	----	8	----	110 UNCH
4235	3.90	3.90	11.90B/3.40A	11.90B/3.40A	----	3.60 - 2.60	.0350	----	----	11	----	72 + 1
4240	4.40	4.40	12.50B/3.50A	12.50B/3.50A	----	3.70 - 2.70	.0362	----	----	1	----	105 + 1
4245	4.40	4.40	12.70B/3.60A	12.70B/3.60A	----	3.80 - 2.80	.0374	----	----	8	----	90 - 3
4250	8.10	8.10	13.40B/3.70A	13.40B/3.70A	----	3.90 - 2.90	.0387	----	----	32	----	1355 + 4
4255	5.00	5.00	14.00B/3.80A	14.00B/3.80A	----	4.10 - 2.90	.0407	----	----	7	----	277 + 6
4260	----	----	14.20B/3.90A	14.20B/3.90A	----	4.20 - 3.00	.0420	----	----	----	----	118 UNCH
4265	5.70	5.70	14.90B/4.00A	14.90B/4.00A	----	4.30 - 3.10	.0433	----	----	31	----	81 - 20
4270	5.40	5.40	15.30B/4.20A	15.30B/4.20A	----	4.50 - 3.20	.0454	----	----	4	----	89 UNCH
4275	15.30	15.30	16.00B/4.30A	16.00B/4.30A	----	4.70 - 3.20	.0475	----	----	22	----	165 + 10
4280	10.60	10.60	16.40B/4.40A	16.40B/4.40A	----	4.80 - 3.40	.0490	----	----	6	----	89 + 6
4285	7.00	7.00	17.00B/4.60A	17.00B/4.60A	----	5.00 - 3.50	.0512	----	----	4	----	57 - 3
4290	----	----	17.70B/4.70A	17.70B/4.70A	----	5.20 - 3.60	.0534	----	----	----	----	129 UNCH
4295	17.20	17.20	18.30B/4.90A	18.30B/4.90A	----	5.40 - 3.70	.0556	----	----	3	----	113 + 2
4300	10.90	10.90	19.20/5.00	19.20/5.00	----	5.60 - 3.80	.0580	----	----	578	----	3609 - 139
4305	----	----	19.50B/5.30A	19.50B/5.30A	----	5.80 - 3.90	.0603	----	----	----	----	108 UNCH
4310	----	----	20.00B/5.40A	20.00B/5.40A	----	6.00 - 4.00	.0627	----	----	----	----	95 UNCH
4315	6.60	6.60	21.20B/5.60A	21.20B/5.60A	----	6.20 - 4.20	.0651	----	----	4	----	61 + 2
4320	----	----	21.60B/5.80A	21.60B/5.80A	----	6.50 - 4.30	.0683	----	----	----	----	112 UNCH
4325	8.90	8.90	22.50B/6.10A	22.50B/6.10A	----	6.80 - 4.30	.0716	----	----	21	----	164 + 6
4330	----	----	23.20B/6.30A	23.20B/6.30A	----	7.00 - 4.50	.0742	----	----	----	----	403 UNCH
4335	7.90	7.90	24.40B/6.50A	24.40B/6.50A	----	7.30 - 4.60	.0775	----	----	5	----	88 + 2
4340	8.80	8.80	25.00B/6.80A	25.00B/6.80A	----	7.70 - 4.70	.0817	----	----	39	----	152 + 17
4345	10.40	10.40	26.00B/7.10A	26.00B/7.10A	----	8.00 - 4.80	.0852	----	----	31	----	88 + 14
4350	18.90	18.90	26.90B/7.40A	26.90B/7.40A	----	8.30 - 5.00	.0887	----	----	122	----	1065 + 66
4355	11.80	11.80	28.10B/7.70A	28.10B/7.70A	----	8.70 - 5.10	.0930	----	----	4	----	124 UNCH
4360	12.00	12.00	28.90B/8.00A	28.90B/8.00A	----	9.10 - 5.20	.0974	----	----	20	----	126 - 2
4365	10.40	10.40	30.20B/8.40A	30.20B/8.40A	----	9.50 - 5.30	.1018	----	----	16	----	118 + 7
4370	12.60	12.60	31.10B/8.70A	31.10B/8.70A	----	9.90 - 5.50	.1063	----	----	20	----	61 + 10
4375	29.00	29.00	32.00B/9.10A	32.00B/9.10A	----	10.40 - 5.50	.1115	----	----	16	----	517 + 5
4380	14.10	14.10	33.50B/9.50A	33.50B/9.50A	----	10.90 - 5.70	.1169	----	----	23	----	522 + 4
4385	12.50	12.50	34.70B/10.00A	34.70B/10.00A	----	11.40 - 5.80	.1223	----	----	3	----	98 + 2
4390	14.80	14.80	36.30B/10.40A	36.30B/10.40A	----	11.90 - 6.00	.1277	----	----	28	----	110 + 4
4395	13.50	13.50	37.30B/10.90A	37.30B/10.90A	----	12.50 - 6.10	.1339	----	----	46	----	98 - 3
4400	22.10	22.10	40.10/11.40A	40.10/11.40A	----	13.00 - 6.30	.1396	----	----	923	----	2313 + 174
4405	14.80	14.80	40.00B/12.00A	40.00B/12.00A	----	13.70 - 6.40	.1466	----	----	62	----	138 + 2
4410	26.30	26.30	41.40B/12.50A	41.40B/12.50A	----	14.30 - 6.60	.1531	----	----	33	----	428 + 1
4415	16.30	16.30	43.00B/13.20A	43.00B/13.20A	----	15.00 - 6.80	.1602	----	----	25	400	386 + 255
4420	16.70	16.70	44.80B/13.80A	44.80B/13.80A	----	15.70 - 6.90	.1675	----	----	34	----	113 - 4
4425	28.30	28.30	45.70B/14.50A	45.70B/14.50A	----	16.50 - 7.10	.1754	----	----	29	----	369 + 2
4430	18.20	18.20	47.70B/15.20A	47.70B/15.20A	----	17.30 - 7.20	.1834	----	----	14	----	100 UNCH
4435	19.00	19.00	49.20B/16.00A	49.20B/16.00A	----	18.20 - 7.30	.1921	----	----	17	----	104 + 3
4440	19.60	19.60	51.40B/16.80A	51.40B/16.80A	----	19.00 - 7.50	.2003	----	----	5	----	88 - 3
4445	23.40	23.40	53.10B/17.60A	53.10B/17.60A	----	20.00 - 7.60	.2097	----	----	5	----	75 + 1
4450	53.70	53.70	54.50B/18.40A	54.50B/18.40A	----	21.00 - 7.70	.2191	----	----	89	----	2842 - 7
4455	22.50	22.50	56.30B/19.40A	56.30B/19.40A	----	22.00 - 7.90	.2287	----	----	8	----	191 - 4
4460	26.50	26.50	58.30B/20.40A	58.30B/20.40A	----	23.10 - 8.00	.2389	----	----	2	----	237 - 1
4465	41.00	41.00	60.60B/21.30A	60.60B/21.30A	----	24.20 - 8.20	.2491	----	----	29	----	1505 - 9
4470	24.30	24.30	63.40B/22.30A	63.40B/22.30A	----	25.40 - 8.30	.2599	----	----	17	----	272 - 1
4475	27.10	27.10	64.60B/23.30A	64.60B/23.30A	----	26.60 - 8.40	.2708	----	----	5	----	205 + 1
4480	----	----	66.90B/24.40A	66.90B/24.40A	----	27.90 - 8.50	.2822	----	----	9	----	174 UNCH
4485	32.00	32.00	69.20B/25.50A	69.20B/25.50A	----	29.30 - 8.60	.2940	----	----	4	----	103 - 3
4490	65.00	65.00	72.50B/26.60A	72.50B/26.60A	----	30.70 - 8.70	.3060	----	----	5	----	286 - 2
4495	----	----	74.00B/27.80A	74.00B/27.80A	----	32.20 - 8.80	.3184	----	----	----	----	243 UNCH
4500	46.00	46.00	76.40B/29.00A	76.40B/29.00A	----	33.70 - 8.90	.3309	----	----	397	300	6603 - 493
4505	71.90	71.90	79.00B/30.30A	79.00B/30.30A	----	35.40 - 8.90	.3440	----	----	42	----	300 - 2
4510	75.00	75.00	81.80B/31.70A	81.80B/31.70A	----	37.00 - 9.00	.3570	----	----	18	----	135 + 9
4515	46.30	46.30	84.40B/33.20A	84.40B/33.20A	----	38.80 - 9.00	.3706	----	----	11	----	581 - 2
4520	38.60	38.60	87.20B/34.60A	87.20B/34.60A	----	40.60 - 9.00	.3842	----	----	3	----	205 + 2
4525	51.80	51.80	90.00B/36.20A	90.00B/36.20A	----	42.50 - 9.00	.3982	----	----	108	----	586 - 12
4530	----	----	93.00B/37.80A	93.00B/37.80A	----	44.50 - 9.00	.4123	----	----	----	----	351 UNCH
4535	61.80	61.80	96.00B/39.50A	96.00B/39.50A	----	46.50 - 9.00	.4266	----	----	12	----	204 - 1
4540	69.90	69.90	99.10B/41.20A	99.10B/41.20A	----	48.60 - 9.00	.4410	----	----	5	----	275 - 2
4545	66.60	66.60	102.30B/43.00A	102.30B/43.00A	----	50.80 - 9.00	.4556	----	----	13	----	138 + 2
4550	67.00	67.00	105.50B/44.80A	105.50B/44.80A	----	53.00 - 9.00	.4703	----	----	338	----	1365 - 79
4555	71.50	71.50	108.60B/46.80A	108.60B/46.80A	----	55.40 - 8.90	.4851	----	----	19	----	111 + 9
4560	73.70	73.70	111.90B/48.80A	111.90B/48.80A	----	57.80 - 8.90	.4999	----	----	7	----	134 - 3
4565	----	----	115.20B/50.90A	115.20B/50.90A	----	60.30 - 8.80	.5148	----	----	14	----	247 + 11
4570	60.30	60.30	118.80B/53.10A	118.80B/53.10A	----	62.90 - 8.60	.5297	----	----	43	----	194 - 15
4575	67.30	67.30	122.00B/55.30A	122.00B/55.30A	----	65.50 - 8.60	.5446	----	----	9	----	321 - 3
4580	76.80	76.80	125.50B/57.60A	125.50B/57.60A	----	68.20 - 8.50	.5595	----	----	6	----	252 - 3
4585	----	----	129.10B/59.90A	129.10B/59.90A	----	71.00 - 8.40	.5743	----	----	----	----	217 UNCH
4590	66.10	66.10	132.70B/62.50A	132.70B/62.50A	----	73.90 - 8.20	.5889	----	----	3	----	240 + 3
4595	77.80	77.80	136.30B/64.90A	136.30B/64.90A	----	76.90 - 8.00	.6034	----	----	69	----	76 - 24
4600	132.00	132.00	140.40B/67.50A	140.40B/67.50A	----	79.90 - 7.90	.6179	----	----	87	----	3728 UNCH
4605	----	----	143.80B/70.20A	143.80B/70.20A	----	83.00 - 7.80	.6321	----	----	----	----	128 UNCH
4610	----	----	147.70B/73.00A	147.70B/73.00A	----	86.20 - 7.60	.6461	----	----	----	----	216 UNCH
4615	----	----	151.50B/75.90A	151.50B/75.90A	----	89.40 - 7.40	.6598	----	----	2	----	61 + 1
4620	----	----	155.40B/78.60A	155.40B/78.60A	----	92.70 - 7.30	.6735	----	----	----	----	303 UNCH
4625	----	----	159.90B/81.80A	159.90B/81.80A	----	96.10 - 7.10	.6868	----	----	2	----	916 UNCH
4630	----	----	163.90B/84.80A	163.90B/84.80A	----	99.60 - 6.80	.7001	----	----	----	----	202 UNCH
4635	----	----	167.90B/87.90A	167.90B/87.90A	----	103.10 - 6.60	.7130	----	----	----	----	119 UNCH
4640	----	----	172.10B/91.20A	172.10B/91.20A	----	106.70 - 6.40	.7255	----	----	----	----	85 UNCH
4645	----	----	176.20B/94.30A	176.20B/94.30A	----	110.30 - 6.30	.7375	----	----	----	----	91 UNCH
4650	124.40	124.40	180.50B/97.60A	180.50B/97.60A	----	114.10 - 5.90	.7494	----	----	28	----	1522 - 1
4655	----	----	184.70B/101.10A	184.70B/101.10A	----	117.80 - 5.80	.7608	----	----	----	----	124 UNCH
4660	----	----	188.90B/104.40A	188.90B/104.40A	----	121.70 - 5.50	.7722	----	----	21	----	125 - 10
4665	----	----	193.30B/108.00A	193.30B/108.00A	----	125.60 - 5.30	.7830	----	----	----	----	28 UNCH
4670	123.70	123.70	197.60B/111.30A	197.60B/111.30A	----	129.50 - 5.10	.7932	----	----	21	----	264 - 10
4675	----	----	202.00B/114.90A	202.00B/114.90A	----	133.50 - 4.90	.8033	----	----	----	----	529 UNCH
4680	----	----	206.40B/118.70A	206.40B/118.70A	----	137.60 - 4.60	.8134	----	----	----	----	140 UNCH
4685	----	----	210.80B/122.30A	210.80B/122.30A	----	141.70 - 4.40	.8221	----	----	----	----	72 UNCH
4690	----	----	215.30B/126.10A	215.30B/126.10A	----	145.80 - 4.20	.8315	----	----	----	----	208 UNCH
4695	----	----	219.80B/129.90A	219.80B/129.90A	----	150.00 - 4.00	.8401	----	----	1	----	80 UNCH
4700	182.00	182.00	224.30B/133.80A	224.30B/133.80A	----	154.30 - 3.70	.8480	----	----	79	----	2486 - 36
4705	----	----	228.80B/138.00A	228.80B/138.00A	----	158.60 - 3.50	.8558	----	----	1	----	98 - 1
4710	----	----	233.40B/141.70A	233.40B/141.70A	----	162.90 - 3.30	.8636	----	----	----	----	71 UNCH
4715	----	----	238.00B/145.80A	238.00B/145.80A	----	167.30 - 3.00	.8705	----	----	----	----	83 UNCH
4720	----	----	242.60B/150.10A	242.60B/150.10A	----	171.70 - 2.80	.8774	----	----	2	----	169 + 1
4725	----	----	247.20B/154.00A	247.20B/154.00A	----	176.10 - 2.60	.8835	----	----	----	----	201 UNCH
4730	----	----	251.80B/158.20A	251.80B/158.20A	----	180.60 - 2.40	.8903	----	----	----	----	90 UNCH
4735	----	----	256.60B/162.40A	256.60B/162.40A	----	185.10 - 2.20	.8962	----	----	1	----	358 + 1
4740	----	----	261.30B/166.80A	261.30B/166.80A	----	189.70 - 1.90	.9012	----	----	----	----	141 UNCH
4745	----	----	266.00B/170.90A	266.00B/170.90A	----	194.20 - 1.80	.9062	----	----	1	----	86 + 1
4750	----	----	270.70B/175.30A	270.70B/175.30A	----	198.80 - 1.60	.9111	----	----	1	----	1054 - 1
4755	----	----	275.40B/179.60A	275.40B/179.60A	----	203.50 - 1.30	.9160	----	----	----	----	27 UNCH
4760	----	----	279.90B/184.10A	279.90B/184.10A	----	208.10 - 1.20	.9208	----	----	----	----	94 UNCH
4765	----	----	284.70B/188.40A	284.70B/188.40A	----	212.80 - 0.90	.9247	----	----	----	----	70 UNCH
4770	----	----	289.70B/193.00A	289.70B/193.00A	----	217.50 - 0.70	.9286	----	----	----	----	117 UNCH
4775	----	----	294.40B/197.40A	294.40B/197.40A	----	222.20 - 0.50	.9323	----	----	2	----	205 UNCH
4780	----	----	299.20B/202.00A	299.20B/202.00A	----	226.90 - 0.40	.9361	----	----	----	----	84 UNCH
4785	234.00	234.00	304.10B/206.40A	304.10B/206.40A	----	231.60 - 0.20	.9389	----	----	4	----	87 - 3
4790	----	----	308.90B/211.10A	308.90B/211.10A	----	236.40 UNCH	.9425	----	----	----	----	92 UNCH
4795	----	----	313.70B/215.70A	313.70B/215.70A	----	241.10 + 0.10	.9452	----	----	----	----	50 UNCH
4800	251.00	251.00	318.30B/220.30A	318.30B/220.30A	----	245.90 + 0.30	.9479	----	----	7	----	2806 - 2
4805	----	----	323.40B/224.80A	323.40B/224.80A	----	250.70 + 0.40	.9505	----	----	----	----	82 UNCH
4810	----	----	328.00B/229.70A	328.00B/229.70A	----	255.50 + 0.60	.9531	----	----	----	----	48 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4815	----	----	333.10B/234.20A	333.10B/234.20A	----	260.30 + 0.70	.9556	----	----	----	----	119 UNCH
4820	----	----	337.70B/238.80A	337.70B/238.80A	----	265.20 + 0.90	.9582	----	----	----	----	44 UNCH
4825	249.00	249.00	342.60B/243.60A	342.60B/243.60A	----	270.00 + 0.90	.9597	----	----	4	----	201 - 1
4830	----	----	347.70B/248.30A	347.70B/248.30A	----	274.80 + 1.00	.9622	----	----	----	----	122 UNCH
4835	----	----	352.50B/253.20A	352.50B/253.20A	----	279.70 + 1.10	.9636	----	----	1	----	30 UNCH
4840	----	----	357.40B/257.80A	357.40B/257.80A	----	284.60 + 1.30	.9660	----	----	----	----	46 UNCH
4845	----	----	362.10B/262.50A	362.10B/262.50A	----	289.40 + 1.30	.9675	----	----	----	----	23 UNCH
4850	----	----	367.20B/267.50A	367.20B/267.50A	----	294.30 + 1.40	.9688	----	----	----	----	574 UNCH
4855	311.20	311.20	372.10B/272.20A	372.10B/272.20A	----	299.20 + 1.50	.9702	----	----	1	----	316 + 1
4860	----	----	376.80B/277.10A	376.80B/277.10A	----	304.10 + 1.60	.9726	----	----	----	----	90 UNCH
4865	----	----	381.90B/281.90A	381.90B/281.90A	----	309.00 + 1.60	.9739	----	----	----	----	50 UNCH
4870	----	----	386.90B/286.50A	386.90B/286.50A	----	313.90 + 1.70	.9742	----	----	----	----	44 UNCH
4875	301.40	301.40	391.70B/291.40A	391.70B/291.40A	----	318.80 + 1.80	.9755	----	----	1	----	71 UNCH
4880	----	----	396.50B/296.40A	396.50B/296.40A	----	323.70 + 1.80	.9768	----	----	----	----	9 UNCH
4885	----	----	401.40B/301.10A	401.40B/301.10A	----	328.60 + 1.90	.9780	----	----	----	----	7 UNCH
4890	----	----	394.40B/305.90A	394.40B/305.90A	----	333.60 + 2.10	.9793	----	----	----	----	47 UNCH
4895	----	----	388.80B/311.00A	388.80B/311.00A	----	338.50 + 2.10	.9795	----	----	----	----	228 UNCH
4900	351.00	351.00	393.70B/315.70A	393.70B/315.70A	----	343.40 + 2.20	.9807	----	----	20	----	1704 + 20
4905	354.60	354.60	369.30B/320.60A	369.30B/320.60A	----	348.40 + 2.30	.9819	----	----	1	----	11 UNCH
4910	----	----	367.30B/331.00A	367.30B/331.00A	----	353.30 + 2.30	.9821	----	----	----	----	59 UNCH
4915	----	----	372.30B/335.90A	372.30B/335.90A	----	358.20 + 2.40	.9833	----	----	----	----	36 UNCH
4920	----	----	378.10B/339.70A	378.10B/339.70A	----	363.20 + 2.50	.9835	----	----	----	----	92 UNCH
4925	----	----	382.40B/340.60A	382.40B/340.60A	----	368.10 + 2.50	.9847	----	----	----	----	74 UNCH
4930	----	----	388.00B/349.60A	388.00B/349.60A	----	373.10 + 2.60	.9848	----	----	----	----	198 UNCH
4940	----	----	397.10B/360.50A	397.10B/360.50A	----	383.00 + 2.70	.9861	----	----	----	----	64 UNCH
4945	----	----	401.00B/365.40A	401.00B/365.40A	----	388.00 + 2.70	.9863	----	----	----	----	13 UNCH
4950	----	----	408.90B/368.20A	408.90B/368.20A	----	392.90 + 2.70	.9874	----	----	----	----	291 UNCH
4955	----	----	410.90B/375.30A	410.90B/375.30A	----	397.90 + 2.80	.9875	----	----	----	----	32 UNCH
4960	----	----	416.90B/380.20A	416.90B/380.20A	----	402.90 + 2.80	.9876	----	----	----	----	23 UNCH
4965	----	----	421.90B/385.20A	421.90B/385.20A	----	407.80 + 2.80	.9887	----	----	----	----	29 UNCH
4970	----	----	425.70B/390.10A	425.70B/390.10A	----	412.80 + 2.90	.9888	----	----	----	----	44 UNCH
4975	----	----	432.60B/394.00A	432.60B/394.00A	----	417.80 + 2.90	.9889	----	----	----	----	156 UNCH
4980	----	----	435.60B/400.00A	435.60B/400.00A	----	422.70 + 2.90	.9890	----	----	----	----	29 UNCH
4985	----	----	440.60B/404.90A	440.60B/404.90A	----	427.70 + 2.90	.9901	----	----	----	----	10 UNCH
4990	----	----	448.50B/407.70A	448.50B/407.70A	----	432.70 + 3.00	.9902	----	----	----	----	293 UNCH
4995	----	----	450.50B/414.90A	450.50B/414.90A	----	437.70 + 3.10	.9903	----	----	----	----	12 UNCH
5000	424.00	424.00	458.10B/417.70A	458.10B/417.70A	----	442.60 + 3.00	.9913	----	----	1	----	1844 - 1
5005	----	----	463.50B/422.60A	463.50B/422.60A	----	447.60 + 3.10	.9914	----	----	----	----	300 UNCH
5010	----	----	465.40B/429.70A	465.40B/429.70A	----	452.60 + 3.10	.9915	----	----	----	----	13 UNCH
5015	----	----	470.40B/434.70A	470.40B/434.70A	----	457.60 + 3.20	.9916	----	----	----	----	49 UNCH
5020	----	----	475.30B/439.70A	475.30B/439.70A	----	462.50 + 3.10	.9916	----	----	----	----	33 UNCH
5025	----	----	481.50B/444.60A	481.50B/444.60A	----	467.50 + 3.20	.9926	----	----	----	----	53 UNCH
5030	----	----	485.30B/449.60A	485.30B/449.60A	----	472.50 + 3.20	.9927	----	----	----	----	66 UNCH
5035	----	----	490.20B/454.60A	490.20B/454.60A	----	477.50 + 3.30	.9928	----	----	----	----	13 UNCH
5040	----	----	495.20B/459.50A	495.20B/459.50A	----	482.40 + 3.20	.9928	----	----	----	----	18 UNCH
5045	----	----	501.40B/464.50A	501.40B/464.50A	----	487.40 + 3.30	.9938	----	----	----	----	5 UNCH
5050	----	----	507.80B/467.30A	507.80B/467.30A	----	492.40 + 3.30	.9939	----	----	----	----	803 UNCH
5055	----	----	510.10B/474.50A	510.10B/474.50A	----	497.40 + 3.40	.9939	----	----	----	----	63 UNCH
5060	----	----	515.10B/479.40A	515.10B/479.40A	----	502.40 + 3.40	.9940	----	----	----	----	64 UNCH
5065	----	----	520.10B/484.40A	520.10B/484.40A	----	507.30 + 3.40	.9940	----	----	----	----	17 UNCH
5070	----	----	526.30B/489.40A	526.30B/489.40A	----	512.30 + 3.40	.9950	----	----	----	----	52 UNCH
5075	----	----	531.30B/494.40A	531.30B/494.40A	----	517.30 + 3.50	.9950	----	----	1	----	29 - 1
5080	----	----	535.00B/499.30A	535.00B/499.30A	----	522.30 + 3.50	.9951	----	----	1	----	31 - 1
5085	----	----	542.10B/503.20A	542.10B/503.20A	----	527.30 + 3.50	.9951	----	----	----	----	123 UNCH
5090	----	----	547.10B/508.20A	547.10B/508.20A	----	532.30 + 3.60	.9952	----	----	----	----	110 UNCH
5095	----	----	551.70B/513.20A	551.70B/513.20A	----	537.20 + 3.50	.9952	----	----	----	----	107 UNCH
5100	529.00	529.00	558.20B/517.10A	558.20B/517.10A	----	542.20 + 3.50	.9952	----	----	2	----	459 - 2
5105	----	----	561.20B/524.20A	561.20B/524.20A	----	547.20 + 3.50	.9962	----	----	----	----	37 UNCH
5110	----	----	566.20B/529.20A	566.20B/529.20A	----	552.20 + 3.60	.9962	----	----	----	----	74 UNCH
5115	----	----	569.90B/534.20A	569.90B/534.20A	----	557.20 + 3.60	.9962	----	----	----	----	14 UNCH
5120	----	----	574.90B/539.20A	574.90B/539.20A	----	562.20 + 3.60	.9963	----	----	----	----	25 UNCH
5125	----	----	582.00B/543.10A	582.00B/543.10A	----	567.20 + 3.60	.9963	----	----	----	----	192 UNCH
5130	----	----	584.90B/549.20A	584.90B/549.20A	----	572.20 + 3.70	.9963	----	----	----	----	25 UNCH
5135	----	----	589.80B/554.10A	589.80B/554.10A	----	577.10 + 3.60	.9964	----	----	----	----	37 UNCH
5140	----	----	594.80B/559.10A	594.80B/559.10A	----	582.10 + 3.60	.9973	3	----	----	----	11 - 3
5145	----	----	599.80B/564.10A	599.80B/564.10A	----	587.10 + 3.60	.9973	----	----	----	----	39 UNCH
5150	----	----	608.10B/566.90A	608.10B/566.90A	----	592.10 + 3.60	.9973	1	----	----	----	388 - 1
5155	----	----	609.80B/574.10A	609.80B/574.10A	----	597.10 + 3.60	.9974	----	----	----	----	37 UNCH
5160	----	----	614.80B/579.10A	614.80B/579.10A	----	602.10 + 3.60	.9974	----	----	----	----	70 UNCH
5165	----	----	619.80B/584.10A	619.80B/584.10A	----	607.10 + 3.70	.9974	----	----	----	----	47 UNCH
5170	----	----	627.40B/586.90A	627.40B/586.90A	----	612.10 + 3.70	.9974	1	----	----	----	506 - 1
5175	----	----	629.70B/594.00A	629.70B/594.00A	----	617.10 + 3.70	.9974	----	----	----	----	15 UNCH
5180	----	----	634.70B/599.00A	634.70B/599.00A	----	622.10 + 3.70	.9975	4	----	----	----	13 - 4
5185	----	----	639.70B/604.00A	639.70B/604.00A	----	627.10 + 3.70	.9975	----	----	----	----	22 UNCH
5190	----	----	644.70B/609.00A	644.70B/609.00A	----	632.10 + 3.70	.9975	2	----	----	----	3 - 2
5195	----	----	649.70B/614.00A	649.70B/614.00A	----	637.10 + 3.70	.9975	3	----	----	----	5 - 3
5200	645.00	645.00	657.30B/616.80A	657.30B/616.80A	----	642.10 + 3.70	.9975	101	----	25	----	498 - 83
5205	----	----	659.70B/624.00A	659.70B/624.00A	----	647.10 + 3.70	.9976	18	----	----	----	18 - 18
5210	----	----	664.60B/629.00A	664.60B/629.00A	----	652.10 + 3.70	.9985	1	----	----	----	67 - 1
5215	----	----	669.60B/634.00A	669.60B/634.00A	----	657.10 + 3.80	.9985	1	----	----	----	41 - 1
5220	----	----	676.80B/637.90A	676.80B/637.90A	----	662.00 + 3.70	.9985	28	----	----	----	160 - 28
5225	----	----	682.30B/642.80A	682.30B/642.80A	----	667.00 + 3.70	.9985	5	----	----	----	195 - 5
5230	----	----	684.60B/648.90A	684.60B/648.90A	----	672.00 + 3.70	.9985	3	----	----	----	4 - 3
5235	----	----	691.80B/652.80A	691.80B/652.80A	----	677.00 + 3.70	.9985	----	----	----	----	160 UNCH
5245	----	----	699.60B/663.90A	699.60B/663.90A	----	687.00 + 3.70	.9986	5	----	----	----	4 - 5
5250	----	----	707.90B/666.70A	707.90B/666.70A	----	692.00 + 3.70	.9986	69	----	----	----	306 - 69
5255	----	----	709.60B/673.90A	709.60B/673.90A	----	697.00 + 3.70	.9986	----	----	----	----	9 UNCH
5260	----	----	714.60B/678.90A	714.60B/678.90A	----	702.00 + 3.70	.9986	2	----	----	----	9 - 2
5265	----	----	719.50B/683.90A	719.50B/683.90A	----	707.00 + 3.80	.9986	----	----	----	----	5 UNCH
5270	----	----	724.50B/688.90A	724.50B/688.90A	----	712.00 + 3.80	.9986	5	----	----	----	19 - 5
5275	----	----	732.20B/692.80A	732.20B/692.80A	----	717.00 + 3.80	.9986	31	----	----	----	139 - 31
5280	----	----	734.50B/698.90A	734.50B/698.90A	----	722.00 + 3.80	.9986	2	----	----	----	65 - 2
5285	----	----	739.50B/703.90A	739.50B/703.90A	----	727.00 + 3.80	.9987	12	----	----	----	15 - 12
5290	----	----	----	----	----	732.00 + 3.80	.9987	----	----	----	----	2 UNCH
5300	----	----	757.30B/716.60A	757.30B/716.60A	----	742.00 + 3.80	.9987	130	----	----	----	402 - 130
5305	----	----	762.20B/722.70A	762.20B/722.70A	----	747.00 + 3.80	.9987	----	----	----	----	103 UNCH
5320	----	----	777.30B/737.70A	777.30B/737.70A	----	762.00 + 3.80	.9997	44	----	----	----	64 - 44
5325	----	----	----	----	----	767.00 + 3.80	.9997	1	----	----	----	0 - 1
5335	----	----	791.40B/753.80A	791.40B/753.80A	----	777.00 + 3.80	.9999	----	----	----	----	5 UNCH
5340	----	----	796.40B/758.80A	796.40B/758.80A	----	782.00 + 3.80	1.0000	40	----	----	----	12 - 40
5345	----	----	----	----	----	787.00 + 3.80	1.0000	1	----	----	----	0 - 1
5350	----	----	806.70B/767.70A	806.70B/767.70A	----	792.00 + 3.80	1.0000	34	----	----	----	68 - 34
5365	----	----	821.10B/783.80A	821.10B/783.80A	----	807.00 + 3.80	1.0000	4	----	----	----	0 - 4
5370	----	----	826.10B/788.80A	826.10B/788.80A	----	812.00 + 3.90	1.0000	26	----	----	----	3 - 26
5375	----	----	----	----	----	817.00 + 3.90	1.0000	1	----	----	----	0 - 1
5380	----	----	----	----	----	822.00 + 3.90	1.0000	2	----	----	----	0 - 2
5385	----	----	841.40B/803.80A	841.40B/803.80A	----	827.00 + 3.90	1.0000	----	----	----	----	10 UNCH
5390	----	----	----	----	----	832.00 + 3.90	1.0000	----	----	----	----	0 UNCH
5395	----	----	852.30B/812.70A	852.30B/812.70A	----	837.00 + 3.90	1.0000	88	----	----	----	35 - 88
5400	----	----	857.20B/816.60A	857.20B/816.60A	----	842.00 + 3.90	1.0000	381	----	----	----	60 - 381
5420	----	----	----	----	----	862.00 + 3.90	1.0000	----	----	----	----	0 UNCH
5425	----	----	----	----	----	867.00 + 3.90	1.0000	1	----	----	----	0 - 1
5430	----	----	886.10B/848.80A	886.10B/848.80A	----	872.00 + 3.90	1.0000	----	----	----	----	24 UNCH
5435	----	----	----	----	----	877.00 + 3.90	1.0000	----	----	----	----	0 UNCH
5490	----	----	946.40B/908.80A	946.40B/908.80A	----	932.00 + 3.90	1.0000	80	----	75	----	57 - 5
5500	----	----	----	----	----	942.00 + 3.90	1.0000	----	----	----	----	1 UNCH
5525	----	----	----	----	----	967.00 + 3.90	1.0000	----	----	----	----	2 UNCH
5590	----	----	1,044.60B/1,008	1044.60B/1008.80A	----	1032.00 + 3.90	1.0000	82	----	75	----	36 - 7
5600	----	----	----	----	----	1042.00 + 3.90	1.0000	2	----	----	----	0 - 2
10000	----	----	----	----	----	5442.00 + 3.90	1.0000	----	----	----	----	0 UNCH
TOTAL										5191	700	119271 - 1099
JUL26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2275	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	23 UNCH
2300	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	101 UNCH
2400	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
2500	----	----	----	0.20B/0.50A	----	0.20 - 0.10	.0006	----	----	----	----	192 UNCH
2550	0.20	0.20	0.30/0.20	0.30/0.20	----	0.30 UNCH	.0009	----	----	9	----	10 + 9
2575	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0010	----	----	----	----	1 UNCH
2600	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0010	----	----	----	----	13 UNCH
2620	----	----	----	0.30B/0.70A	----	0.30 - 0.10	.0010	----	----	----	----	1 UNCH
2650	0.30	0.30	0.30/0.30	0.30/0.30	----	0.40 UNCH	.0013	----	----	41	----	128 + 3
2670	----	----	----	0.30B/0.80A	----	0.40 - 0.10	.0013	----	----	----	----	10 UNCH
2675	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0013	----	----	----	----	66 UNCH
2680	----	----	----	0.40B/0.80A	----	0.40 - 0.10	.0013	----	----	----	----	10 UNCH
2700	----	----	----	0.40B/0.70A	----	0.40 - 0.10	.0013	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2705	----	----	----	0.40B/0.80A	----	0.50 UNCH	.0016	----	----	----	----	1 UNCH
2710	----	----	----	0.40B/0.80A	----	0.50 UNCH	.0016	----	----	----	----	7 UNCH
2730	----	----	----	0.40B/0.80A	----	0.50 - 0.10	.0017	----	----	----	----	1 UNCH
2750	----	----	----	0.50B/0.90A	----	0.50 - 0.10	.0017	----	----	----	----	21 UNCH
2775	----	----	----	0.50B/0.90A	----	0.60 - 0.10	.0020	----	----	----	----	1 UNCH
2785	----	----	----	0.50B/0.90A	----	0.60 - 0.10	.0020	----	----	----	----	2 UNCH
2800	----	----	----	0.60B/0.90A	----	0.60 - 0.10	.0020	----	----	----	----	9 UNCH
2850	----	----	----	0.70B/1.00A	----	0.70 - 0.10	.0024	----	----	----	----	4 UNCH
2860	----	----	----	0.70B/1.00A	----	0.70 - 0.10	.0024	----	----	----	----	6 UNCH
2885	----	----	----	0.80B/1.10A	----	0.80 - 0.10	.0028	----	----	----	----	14 UNCH
2890	----	----	----	0.80B/1.10A	----	0.80 - 0.10	.0028	----	----	----	----	60 UNCH
2895	----	----	----	0.80B/1.10A	----	0.80 - 0.10	.0028	----	----	----	----	18 UNCH
2900	----	----	----	0.80B/1.10A	----	0.80 - 0.10	.0028	----	----	----	----	19 UNCH
2905	----	----	----	0.80B/1.10A	----	0.80 - 0.20	.0028	----	----	----	----	19 UNCH
2915	0.90	0.90	0.90/0.90	0.90/0.90	----	0.90 NEW	.0031	----	----	1	----	1 + 1
2920	----	----	----	0.90B/1.10A	----	0.90 - 0.10	.0031	----	----	----	----	3 UNCH
2950	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0035	----	----	----	----	35 UNCH
2985	----	----	----	1.00B/1.30A	----	1.00 - 0.20	.0036	----	----	----	----	21 UNCH
2995	----	----	----	1.00B/1.30A	----	1.10 - 0.10	.0039	----	----	----	----	16 UNCH
3000	1.10	1.10	1.10/1.10	1.20B/1.10	----	1.10 - 0.10	.0039	----	----	1	----	67 + 1
3010	----	----	----	1.10B/1.30A	----	1.10 - 0.20	.0039	----	----	----	----	1 UNCH
3015	----	----	----	1.10B/1.30A	----	1.10 - 0.20	.0040	----	----	----	----	5 UNCH
3025	----	----	----	1.20B/1.40A	----	1.20 - 0.10	.0043	----	----	----	----	1 UNCH
3035	----	----	----	1.20B/1.40A	----	1.20 - 0.10	.0043	----	----	----	----	5 UNCH
3050	----	----	----	1.20B/1.40A	----	1.20 - 0.20	.0044	----	----	----	----	2 UNCH
3100	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0051	----	----	----	----	44 UNCH
3105	----	----	----	1.40B/1.60A	----	1.40 - 0.20	.0052	----	----	----	----	1 UNCH
3125	----	----	----	1.40B/1.60A	----	1.50 - 0.10	.0055	----	----	----	----	42 UNCH
3140	----	----	----	1.50B/1.70A	----	1.50 - 0.20	.0056	----	----	----	----	1 UNCH
3150	----	----	----	1.60B/1.70A	----	1.60 - 0.10	.0059	----	----	----	----	12 UNCH
3155	----	----	----	1.60B/1.70A	----	1.60 - 0.10	.0060	----	----	----	----	1 UNCH
3165	----	----	----	1.60B/1.80A	----	1.60 - 0.10	.0060	----	----	----	----	1 UNCH
3180	----	----	----	1.70B/1.80A	----	1.70 - 0.10	.0064	----	----	----	----	2 UNCH
3185	----	----	----	1.70B/1.80A	----	1.70 - 0.10	.0064	----	----	----	----	20 UNCH
3200	----	----	----	1.70B/1.90A	----	1.70 - 0.10	.0065	----	----	----	----	220 UNCH
3210	----	----	----	1.80B/1.90A	----	1.80 - 0.10	.0068	----	----	----	----	1 UNCH
3220	----	----	----	1.90B/1.90A	----	1.80 - 0.10	.0069	----	----	----	----	1 UNCH
3225	----	----	----	1.90B/1.90A	----	1.80 - 0.10	.0069	----	----	----	----	71 UNCH
3250	----	----	----	2.00B/2.00A	----	1.90 - 0.10	.0074	----	----	----	----	61 UNCH
3275	----	----	----	2.10B/2.10A	----	2.00 - 0.10	.0078	----	----	----	----	10 UNCH
3280	----	----	----	2.10B/2.20A	----	2.00 - 0.10	.0079	----	----	2	----	24 UNCH
3285	----	----	----	2.10B/2.20A	----	2.00 - 0.10	.0079	----	----	----	----	1 UNCH
3290	----	----	----	2.20B/2.20A	----	2.10 - 0.10	.0082	----	----	----	----	12 UNCH
3300	----	----	2.30B/----	2.30B/2.20A	----	2.10 - 0.10	.0083	----	----	----	----	83 UNCH
3320	----	----	----	2.30B/2.30A	----	2.20 - 0.10	.0088	----	----	----	----	28 UNCH
3325	----	----	----	2.30B/2.30A	----	2.20 - 0.10	.0088	----	----	----	----	147 UNCH
3335	----	----	----	2.40B/2.40A	----	2.20 - 0.20	.0089	----	----	----	----	87 UNCH
3340	----	----	----	2.40B/2.40A	----	2.30 - 0.10	.0092	----	----	----	----	1 UNCH
3350	----	----	2.50B/----	2.50B/2.40A	----	2.30 - 0.10	.0093	----	----	----	----	25 UNCH
3355	----	----	----	2.50B/2.50A	----	2.30 - 0.20	.0093	----	----	----	----	69 UNCH
3360	----	----	----	2.50B/2.50A	----	2.30 - 0.20	.0094	----	----	----	----	5 UNCH
3370	----	----	2.60B/----	2.60B/2.50A	----	2.40 - 0.10	.0098	----	----	----	----	9 UNCH
3380	----	----	----/2.50A	2.60B/2.50A	----	2.40 - 0.20	.0099	----	----	----	----	4 UNCH
3385	----	----	2.70B/2.50A	2.70B/2.50A	----	2.50 - 0.10	.0102	----	----	----	----	6 UNCH
3390	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.20	.0103	----	----	----	----	1 UNCH
3395	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.20	.0103	----	----	----	----	32 UNCH
3400	----	----	2.80B/2.50A	2.80B/2.50A	----	2.50 - 0.20	.0103	----	----	1	----	57 UNCH
3405	----	----	2.80B/2.60A	2.80B/2.60A	----	2.50 - 0.20	.0104	----	----	----	----	1 UNCH
3410	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.20	.0108	----	----	----	----	5 UNCH
3415	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.20	.0108	----	----	----	----	1 UNCH
3425	----	----	2.90B/2.60A	2.90B/2.60A	----	2.60 - 0.20	.0109	----	----	----	----	57 UNCH
3435	----	----	3.00B/2.70A	3.00B/2.70A	----	2.70 - 0.20	.0113	----	----	----	----	5 UNCH
3440	----	----	3.00B/2.70A	3.00B/2.70A	----	2.70 - 0.20	.0114	----	----	----	----	1 UNCH
3445	----	----	----/2.70A	3.00B/2.70A	----	2.70 - 0.30	.0114	----	----	----	----	2 UNCH
3450	----	----	3.10B/2.80A	3.10B/2.80A	----	2.80 - 0.20	.0118	----	----	----	----	132 UNCH
3455	----	----	3.10B/2.80A	3.10B/2.80A	----	2.80 - 0.20	.0119	----	----	----	----	10 UNCH
3460	----	----	3.10B/2.80A	3.10B/2.80A	----	2.80 - 0.20	.0119	----	----	----	----	10 UNCH
3465	----	----	3.20B/2.90A	3.20B/2.90A	----	2.80 - 0.30	.0120	----	----	----	----	142 UNCH
3475	----	----	3.20B/3.00A	3.20B/3.00A	----	2.90 - 0.20	.0124	----	----	----	----	128 UNCH
3480	----	----	----/3.00A	3.20B/3.00A	----	2.90 - 0.30	.0124	----	----	----	----	36 UNCH
3495	----	----	3.40B/3.10A	3.40B/3.10A	----	3.00 - 0.20	.0129	----	----	----	----	5 UNCH
3500	4.40	4.40	4.40/3.10A	4.40/3.10A	----	3.00 - 0.30	.0130	----	----	2	----	598 + 1
3505	----	----	3.40B/3.20A	3.40B/3.20A	----	3.10 - 0.20	.0134	----	----	----	----	9 UNCH
3510	----	----	3.80B/3.20A	3.80B/3.20A	----	3.10 - 0.20	.0135	----	----	----	----	5 UNCH
3515	----	----	3.60B/3.20A	3.60B/3.20A	----	3.10 - 0.30	.0135	----	----	----	----	8 UNCH
3520	----	----	3.50B/3.30A	3.50B/3.30A	----	3.10 - 0.30	.0136	----	----	----	----	5 UNCH
3525	----	----	3.60B/3.30A	3.60B/3.30A	----	3.20 - 0.20	.0140	----	----	----	----	3 UNCH
3530	----	----	3.60B/3.30A	3.60B/3.30A	----	3.20 - 0.30	.0140	----	----	----	----	168 UNCH
3535	----	----	3.70B/3.30A	3.70B/3.30A	----	3.20 - 0.30	.0141	----	----	----	----	31 UNCH
3545	----	----	3.80B/3.40A	3.80B/3.40A	----	3.30 - 0.30	.0146	----	----	----	----	256 UNCH
3550	----	----	4.00B/3.50A	4.00B/3.50A	----	3.30 - 0.30	.0146	----	----	----	----	165 UNCH
3555	----	----	3.90B/3.50A	3.90B/3.50A	----	3.40 - 0.30	.0151	----	----	----	----	1 UNCH
3565	----	----	4.00B/3.60A	4.00B/3.60A	----	3.50 - 0.20	.0155	----	----	----	----	2 UNCH
3575	----	----	4.10B/3.60A	4.10B/3.60A	----	3.50 - 0.30	.0157	----	----	----	----	1 UNCH
3580	----	----	4.20B/3.70A	4.20B/3.70A	----	3.60 - 0.30	.0161	----	----	1	----	6 + 1
3585	----	----	4.30B/3.70A	4.30B/3.70A	----	3.60 - 0.30	.0162	----	----	----	----	1 UNCH
3590	----	----	4.30B/3.70A	4.30B/3.70A	----	3.60 - 0.30	.0162	----	----	----	----	16 UNCH
3600	3.70	3.70	4.40B/3.70	4.40B/3.70	----	3.70 - 0.30	.0167	----	----	300	----	820 + 300
3605	----	----	4.50B/3.90A	4.50B/3.90A	----	3.80 - 0.30	.0172	----	----	----	----	7 UNCH
3610	----	----	4.60B/3.90A	4.60B/3.90A	----	3.80 - 0.30	.0172	----	----	----	----	2 UNCH
3615	----	----	4.70B/3.90A	4.70B/3.90A	----	3.90 - 0.30	.0177	----	----	----	----	2 UNCH
3620	----	----	4.70B/4.10A	4.70B/4.10A	----	3.90 - 0.30	.0178	----	----	----	----	12 UNCH
3625	----	----	4.80B/4.00A	4.80B/4.00A	----	4.00 - 0.30	.0182	----	----	----	----	41 UNCH
3630	----	----	5.20B/4.20A	5.20B/4.20A	----	4.00 - 0.30	.0183	----	----	----	----	11 UNCH
3635	----	----	4.90B/4.10A	4.90B/4.10A	----	4.10 - 0.30	.0187	----	----	----	----	3 UNCH
3640	----	----	5.00B/4.20A	5.00B/4.20A	----	4.10 - 0.30	.0188	----	----	----	----	6 UNCH
3645	----	----	5.10B/4.20A	5.10B/4.20A	----	4.20 - 0.30	.0192	----	----	----	----	1 UNCH
3650	----	----	5.20B/4.20A	5.20B/4.20A	----	4.20 - 0.30	.0193	----	----	----	----	87 UNCH
3655	----	----	5.20B/4.30A	5.20B/4.30A	----	4.30 - 0.30	.0198	----	----	----	----	6 UNCH
3660	----	----	5.60B/4.30A	5.60B/4.30A	----	4.30 - 0.30	.0199	----	----	----	----	22 UNCH
3665	----	----	5.40B/4.40A	5.40B/4.40A	----	4.40 - 0.30	.0203	----	----	----	----	2 UNCH
3670	----	----	5.50B/4.40A	5.50B/4.40A	----	4.40 - 0.40	.0204	----	----	----	----	111 UNCH
3675	----	----	5.60B/4.50A	5.60B/4.50A	----	4.50 - 0.30	.0209	----	----	----	----	4 UNCH
3680	----	----	5.70B/4.50A	5.70B/4.50A	----	4.50 - 0.40	.0210	----	----	----	----	5 UNCH
3685	----	----	5.80B/4.60A	5.80B/4.60A	----	4.60 - 0.30	.0214	----	----	----	----	12 UNCH
3690	----	----	5.80B/4.60A	5.80B/4.60A	----	4.70 - 0.30	.0219	----	----	----	----	50 UNCH
3695	----	----	5.90B/4.70A	5.90B/4.70A	----	4.70 - 0.40	.0220	----	----	----	----	142 UNCH
3700	5.00	5.00	6.50B/4.80A	6.50B/4.80A	----	4.80 - 0.30	.0224	----	----	1	----	466 UNCH
3705	----	----	6.10B/4.80A	6.10B/4.80A	----	4.90 - 0.30	.0229	----	----	----	----	21 UNCH
3715	----	----	6.30B/4.90A	6.30B/4.90A	----	5.00 - 0.30	.0235	----	----	----	----	30 UNCH
3720	----	----	6.40B/4.90A	6.40B/4.90A	----	5.00 - 0.40	.0236	----	----	----	----	18 UNCH
3725	----	----	6.50B/5.10A	6.50B/5.10A	----	5.10 - 0.40	.0241	----	----	----	----	7 UNCH
3730	----	----	6.60B/5.10A	6.60B/5.10A	----	5.20 - 0.30	.0246	----	----	----	----	3 UNCH
3735	----	----	6.80B/5.10A	6.80B/5.10A	----	5.30 - 0.30	.0250	----	----	----	----	30 UNCH
3740	----	----	6.80B/5.30A	6.80B/5.30A	----	5.30 - 0.40	.0252	----	----	----	----	20 UNCH
3750	6.00	6.00	7.00B/5.40A	7.00B/5.40A	----	5.50 - 0.30	.0261	----	----	6	----	533 - 5
3760	----	----	7.30B/5.40A	7.30B/5.40A	----	5.60 - 0.40	.0268	----	----	----	----	3 UNCH
3765	----	----	7.50B/5.50A	7.50B/5.50A	----	5.70 - 0.40	.0272	----	----	----	----	32 UNCH
3770	----	----	7.50B/5.70A	7.50B/5.70A	----	5.80 - 0.40	.0277	----	----	----	----	120 UNCH
3775	----	----	7.60B/5.80A	7.60B/5.80A	----	5.90 - 0.40	.0282	----	----	----	----	61 UNCH
3780	----	----	7.80B/5.70A	7.80B/5.70A	----	5.90 - 0.40	.0284	----	----	----	----	11 UNCH
3785	----	----	8.00B/5.80A	8.00B/5.80A	----	6.00 - 0.40	.0289	----	----	----	----	6 UNCH
3790	----	----	8.70B/6.00A	8.70B/6.00A	----	6.10 - 0.40	.0294	----	----	----	----	40 UNCH
3795	----	----	8.70B/6.10A	8.70B/6.10A	----	6.20 - 0.40	.0299	----	----	----	----	37 UNCH
3800	7.30	7.30	8.40B/6.20	8.40B/6.20	----	6.30 - 0.40	.0304	----	----	4	----	682 + 1
3810	----	----	8.70B/6.40A	8.70B/6.40A	----	6.40 - 0.50	.0311	----	----	----	----	16 UNCH
3815	----	----	8.90B/6.30A	8.90B/6.30A	----	6.50 - 0.50	.0316	----	----	----	----	14 UNCH
3820	----	----	9.00B/6.50A	9.00B/6.50A	----	6.60 - 0.50	.0322	----	----	----	----	10 UNCH
3825	----	----	9.20B/6.60A	9.20B/6.60A	----	6.70 - 0.50	.0327	----	----	----	----	11 UNCH
3830	----	----	9.80B/6.70A	9.80B/6.70A	----	6.80 - 0.50	.0332	----	----	----	----	24 UNCH
3835	----	----	9.50B/6.80A	9.50B/6.80A	----	6.90 - 0.50	.0338	----	----	----	----	1 UNCH
3840	----	----	9.70B/6.90A	9.70B/6.90A	----	7.00 - 0.50	.0343	----	----	----	----	33 UNCH
3845	----	----	10.40B/7.00A	10.40B/7.00A	----	7.10 - 0.60	.0348	----	----	----	----	12 UNCH
3850	----	----	10.70B/7.10A	10.70B/7.10A	----	7.20 - 0.60	.0354	----	----	15	----	235 + 14
3860	----	----	11.00B/7.30A	11.00B/7.30A	----	7.40 - 0.60	.0365	----	----	----	----	42 UNCH
3865	----	----	11.20B/7.40A	11.20B/7.40A	----	7.60 - 0.50	.0374	----	----	----	----	78 UNCH
3870	----	----	11.40B/7.50A	11.40B/7.50A	----	7.70 - 0.60	.0380	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3875	----	----	11.60B/7.60A	11.60B/7.60A	----	7.80 - 0.60	.0385	----	----	----	----	114 UNCH
3880	----	----	11.80B/7.70A	11.80B/7.70A	----	7.90 - 0.60	.0391	----	----	----	----	14 UNCH
3885	----	----	11.80B/7.90A	11.80B/7.90A	----	8.00 - 0.70	.0397	----	----	----	----	39 UNCH
3890	----	----	12.10B/8.00A	12.10B/8.00A	----	8.20 - 0.60	.0406	----	----	----	----	4 UNCH
3895	----	----	12.30B/8.10A	12.30B/8.10A	----	8.30 - 0.60	.0412	----	----	----	----	3 UNCH
3900	10.00	10.00	12.80B/8.20	12.80B/8.20	----	8.40 - 0.70	.0418	----	----	19	----	331 + 17
3905	----	----	12.70B/8.30A	12.70B/8.30A	----	8.50 - 0.70	.0424	----	----	----	----	28 UNCH
3910	----	----	13.00B/8.50A	13.00B/8.50A	----	8.70 - 0.70	.0433	----	----	----	----	54 UNCH
3920	9.40	9.40	13.60B/8.70A	13.60B/8.70A	----	9.00 - 0.70	.0449	----	----	2	----	14 + 2
3925	----	----	14.00B/8.90A	14.00B/8.90A	----	9.10 - 0.80	.0455	----	----	----	----	57 UNCH
3930	----	----	14.10B/9.00A	14.10B/9.00A	----	9.20 - 0.80	.0461	----	----	----	----	26 UNCH
3935	9.40	9.40	14.40B/9.10A	14.40B/9.10A	----	9.40 - 0.80	.0471	----	----	9	----	26 + 8
3940	----	----	14.40B/9.30A	14.40B/9.30A	----	9.60 - 0.80	.0481	----	----	----	----	27 UNCH
3945	9.50	9.50	14.90B/9.40	14.90B/9.40	----	9.70 - 0.80	.0487	----	----	9	----	27 + 5
3950	----	----	15.20B/9.60A	15.20B/9.60A	----	9.90 - 0.80	.0497	----	----	1	----	613 UNCH
3955	----	----	15.40B/9.70A	15.40B/9.70A	----	10.00 - 0.90	.0503	----	----	----	----	65 UNCH
3960	----	----	15.70B/9.90A	15.70B/9.90A	----	10.20 - 0.90	.0513	----	----	----	----	35 UNCH
3965	----	----	16.00B/10.00A	16.00B/10.00A	----	10.40 - 0.90	.0523	----	----	----	----	94 UNCH
3970	----	----	16.30B/10.20A	16.30B/10.20A	----	10.60 - 0.90	.0534	----	----	----	----	15 UNCH
3975	----	----	16.60B/10.40A	16.60B/10.40A	----	10.70 - 1.00	.0540	----	----	----	----	25 UNCH
3980	----	----	17.00B/10.60A	17.00B/10.60A	----	10.90 - 1.00	.0551	----	----	----	----	236 UNCH
3985	----	----	17.10B/10.70A	17.10B/10.70A	----	11.10 - 1.00	.0561	----	----	----	----	136 UNCH
3990	----	----	17.70B/10.90A	17.70B/10.90A	----	11.30 - 1.00	.0571	----	----	----	----	40 UNCH
3995	----	----	17.60B/11.10A	17.60B/11.10A	----	11.50 - 1.00	.0582	----	----	----	----	21 UNCH
4000	19.60	19.60	19.60/11.30A	19.60/11.30A	----	11.70 - 1.10	.0592	----	----	1001	----	2318 + 795
4005	----	----	18.80B/11.50A	18.80B/11.50A	----	11.90 - 1.10	.0603	----	----	----	----	154 UNCH
4010	----	----	19.10B/11.70A	19.10B/11.70A	----	12.20 - 1.00	.0617	----	----	----	----	6 UNCH
4015	----	----	19.10B/11.90A	19.10B/11.90A	----	12.40 - 1.10	.0627	----	----	----	----	63 UNCH
4020	----	----	19.90B/12.10A	19.90B/12.10A	----	12.60 - 1.10	.0638	----	----	----	----	120 UNCH
4025	----	----	20.10B/12.30A	20.10B/12.30A	----	12.80 - 1.20	.0649	----	----	----	----	22 UNCH
4030	----	----	20.20B/12.50A	20.20B/12.50A	----	13.10 - 1.10	.0663	----	----	----	----	52 UNCH
4035	----	----	20.50B/12.70A	20.50B/12.70A	----	13.30 - 1.20	.0674	----	----	----	----	3 UNCH
4040	----	----	20.90B/13.00A	20.90B/13.00A	----	13.60 - 1.20	.0689	----	----	----	----	9 UNCH
4045	----	----	21.80B/13.20A	21.80B/13.20A	----	13.80 - 1.30	.0700	----	----	----	----	22 UNCH
4050	----	----	22.20B/13.40A	22.20B/13.40A	----	14.10 - 1.20	.0714	----	----	5	----	439 + 5
4055	----	----	22.70B/13.70A	22.70B/13.70A	----	14.40 - 1.20	.0729	----	----	----	----	32 UNCH
4060	----	----	23.10B/13.90A	23.10B/13.90A	----	14.60 - 1.30	.0741	----	----	----	----	2 UNCH
4065	----	----	23.60B/14.20A	23.60B/14.20A	----	14.90 - 1.30	.0755	----	----	----	----	131 UNCH
4070	----	----	24.00B/14.50A	24.00B/14.50A	----	15.20 - 1.40	.0770	----	----	----	----	12 UNCH
4075	----	----	24.50B/14.70A	24.50B/14.70A	----	15.50 - 1.40	.0785	----	----	----	----	24 UNCH
4080	----	----	25.00B/15.00A	25.00B/15.00A	----	15.80 - 1.40	.0800	----	----	5	----	14 + 5
4085	----	----	25.40B/15.30A	25.40B/15.30A	----	16.10 - 1.50	.0815	----	----	1	----	15 + 1
4090	----	----	26.10B/15.60A	26.10B/15.60A	----	16.40 - 1.50	.0831	----	----	----	----	5 UNCH
4095	----	----	26.50B/15.80A	26.50B/15.80A	----	16.80 - 1.50	.0849	----	----	5	----	21 + 5
4100	20.90	20.90	27.10B/16.10A	27.10B/16.10A	----	17.10 - 1.50	.0865	----	----	123	----	1299 + 25
4105	----	----	27.80B/16.50A	27.80B/16.50A	----	17.40 - 1.60	.0880	----	----	2	----	12 - 1
4110	----	----	28.30B/16.80A	28.30B/16.80A	----	17.80 - 1.60	.0899	----	----	----	----	17 UNCH
4115	----	----	28.90B/17.10A	28.90B/17.10A	----	18.20 - 1.60	.0918	----	----	1	----	7 UNCH
4120	----	----	29.50B/17.40A	29.50B/17.40A	----	18.50 - 1.70	.0934	----	----	----	----	82 UNCH
4125	22.60	22.60	30.20B/17.80A	30.20B/17.80A	----	18.90 - 1.70	.0953	----	----	6	----	89 - 1
4130	19.70	19.70	30.90B/18.10A	30.90B/18.10A	----	19.30 - 1.70	.0972	----	----	1	----	91 UNCH
4135	----	----	31.40B/18.50A	31.40B/18.50A	----	19.70 - 1.70	.0991	----	----	----	----	29 UNCH
4140	----	----	32.10B/18.80A	32.10B/18.80A	----	20.10 - 1.80	.1011	----	----	----	----	36 UNCH
4145	----	----	32.70B/19.20A	32.70B/19.20A	----	20.50 - 1.80	.1030	----	----	----	----	239 UNCH
4150	31.00	31.00	33.40B/19.60A	33.40B/19.60A	----	21.00 - 1.80	.1053	----	----	7	----	143 + 6
4155	----	----	34.20B/20.00A	34.20B/20.00A	----	21.40 - 1.80	.1072	----	----	35	----	42 + 30
4160	----	----	34.90B/20.40A	34.90B/20.40A	----	21.90 - 1.80	.1095	----	----	1	----	10 + 1
4165	----	----	35.70B/20.80A	35.70B/20.80A	----	22.30 - 1.90	.1115	----	----	3	----	95 UNCH
4170	23.50	23.50	36.30B/21.20A	36.30B/21.20A	----	22.80 - 1.90	.1138	----	----	5	----	59 - 2
4175	----	----	37.20B/21.60A	37.20B/21.60A	----	23.30 - 1.90	.1161	----	----	----	----	47 UNCH
4180	----	----	37.90B/22.10A	37.90B/22.10A	----	23.80 - 2.00	.1184	----	----	2	----	32 UNCH
4185	----	----	38.70B/22.50A	38.70B/22.50A	----	24.30 - 2.00	.1208	----	----	----	----	16 UNCH
4190	25.50	25.50	39.60B/23.00A	39.60B/23.00A	----	24.80 - 2.10	.1231	----	----	11	----	141 + 6
4195	----	----	40.50B/23.40A	40.50B/23.40A	----	25.30 - 2.10	.1255	----	----	----	----	70 UNCH
4200	25.50	25.50	41.10B/23.90A	41.10B/23.90A	----	25.90 - 2.10	.1281	----	----	95	----	919 + 3
4205	----	----	42.10B/24.40A	42.10B/24.40A	----	26.40 - 2.20	.1305	----	----	----	----	64 UNCH
4210	----	----	43.00B/24.90A	43.00B/24.90A	----	27.00 - 2.20	.1332	----	----	----	----	94 UNCH
4215	27.90	27.90	43.80B/25.50A	43.80B/25.50A	----	27.60 - 2.20	.1359	----	----	50	----	57 + 12
4220	----	----	44.90B/26.00A	44.90B/26.00A	----	28.20 - 2.30	.1386	----	----	----	----	198 UNCH
4225	34.00	34.00	45.70B/26.50A	45.70B/26.50A	----	28.80 - 2.30	.1413	----	----	10	----	123 - 10
4230	30.10	30.10	46.60B/27.10A	46.60B/27.10A	----	29.50 - 2.30	.1443	----	----	10	----	35 + 10
4235	39.90	39.90	47.60B/27.70A	47.60B/27.70A	----	30.10 - 2.40	.1470	----	----	1	----	53 + 1
4240	32.00	32.00	48.60B/28.30A	48.60B/28.30A	----	30.80 - 2.40	.1500	----	----	1	----	101 UNCH
4245	----	----	49.40B/28.90A	49.40B/28.90A	----	31.40 - 2.50	.1528	----	----	----	----	8 UNCH
4250	50.50	50.50	50.70B/29.50A	50.70B/29.50A	----	32.10 - 2.50	.1558	----	----	43	50	1622 - 14
4255	38.30	38.30	51.70B/30.10A	51.70B/30.10A	----	32.90 - 2.50	.1591	----	----	25	----	36 + 25
4260	----	----	53.00B/30.80A	53.00B/30.80A	----	33.60 - 2.50	.1622	----	----	----	----	41 UNCH
4265	----	----	53.90B/31.40A	53.90B/31.40A	----	34.30 - 2.60	.1653	----	----	----	----	209 UNCH
4270	----	----	55.00B/32.10A	55.00B/32.10A	----	35.10 - 2.60	.1686	----	----	----	----	94 UNCH
4275	----	----	55.70B/32.80A	55.70B/32.80A	----	35.90 - 2.60	.1719	----	----	----	----	139 UNCH
4280	----	----	57.30B/33.50A	57.30B/33.50A	----	36.70 - 2.70	.1753	----	----	----	----	189 UNCH
4285	----	----	58.50B/34.30A	58.50B/34.30A	----	37.50 - 2.70	.1787	----	----	----	----	116 UNCH
4290	40.30	40.30	59.70B/35.00A	59.70B/35.00A	----	38.30 - 2.80	.1821	----	----	122	----	155 + 115
4295	41.20	41.20	61.00B/35.80A	61.00B/35.80A	----	39.20 - 2.80	.1857	----	----	2	----	24 + 1
4300	46.00	46.00	62.40B/36.50A	62.40B/36.50A	----	40.00 - 2.90	.1891	----	----	303	----	2155 + 121
4305	----	----	63.60B/37.30A	63.60B/37.30A	----	40.90 - 2.90	.1928	----	----	----	----	64 UNCH
4310	----	----	64.20B/38.20A	64.20B/38.20A	----	41.80 - 3.00	.1965	----	----	----	----	31 UNCH
4315	----	----	65.50B/39.00A	65.50B/39.00A	----	42.80 - 3.00	.2004	----	----	----	----	85 UNCH
4320	----	----	66.80B/39.80A	66.80B/39.80A	----	43.70 - 3.10	.2041	----	----	----	----	77 UNCH
4325	44.60	44.60	68.40B/40.70A	68.40B/40.70A	----	44.70 - 3.10	.2080	----	----	1	----	158 - 1
4330	----	----	69.60B/41.60A	69.60B/41.60A	----	45.70 - 3.10	.2119	----	----	3	----	40 + 3
4335	----	----	71.80B/42.50A	71.80B/42.50A	----	46.70 - 3.20	.2159	----	----	----	----	156 UNCH
4340	48.00	48.00	72.50B/43.40A	72.50B/43.40A	----	47.70 - 3.20	.2199	----	----	45	----	161 + 41
4345	----	----	74.30B/44.40A	74.30B/44.40A	----	48.80 - 3.20	.2241	----	----	----	----	14 UNCH
4350	57.50	57.50	76.10B/45.40A	76.10B/45.40A	----	49.90 - 3.30	.2283	----	----	315	----	800 + 132
4355	----	----	76.90B/46.40A	76.90B/46.40A	----	51.00 - 3.30	.2325	----	----	----	----	124 UNCH
4360	59.90	59.90	78.50B/47.40A	78.50B/47.40A	----	52.10 - 3.40	.2367	----	----	53	----	155 - 17
4365	----	----	80.00B/48.40A	80.00B/48.40A	----	53.30 - 3.40	.2411	----	----	----	----	36 UNCH
4370	----	----	81.60B/49.50A	81.60B/49.50A	----	54.50 - 3.40	.2455	----	----	----	----	140 UNCH
4375	----	----	83.20B/50.60A	83.20B/50.60A	----	55.70 - 3.40	.2500	----	----	13	----	36 - 10
4380	57.40	57.40	85.10B/51.70A	85.10B/51.70A	----	56.90 - 3.50	.2544	----	----	10	----	19 + 8
4385	----	----	86.80B/52.80A	86.80B/52.80A	----	58.20 - 3.50	.2591	----	----	----	----	68 UNCH
4390	68.50	68.50	88.50B/54.00A	88.50B/54.00A	----	59.50 - 3.50	.2637	----	----	30	----	68 + 24
4395	69.10	69.10	90.90B/55.20A	90.90B/55.20A	----	60.80 - 3.50	.2684	----	----	31	----	47 + 20
4400	77.00	77.00	92.60/56.40A	92.60/56.40A	----	62.10 - 3.60	.2731	----	----	336	----	1345 + 198
4405	----	----	93.90B/57.60A	93.90B/57.60A	----	63.50 - 3.60	.2779	----	----	----	----	30 UNCH
4410	93.60	93.60	95.60B/58.80A	95.60B/58.80A	----	64.90 - 3.60	.2828	----	----	18	----	51 + 8
4415	62.50	62.50	98.40B/60.10A	98.40B/60.10A	----	66.30 - 3.60	.2876	----	----	10	----	180 + 6
4420	64.70	64.70	99.10B/61.40A	99.10B/61.40A	----	67.70 - 3.70	.2925	----	----	1	----	105 UNCH
4425	----	----	101.90B/62.80A	101.90B/62.80A	----	69.20 - 3.70	.2976	----	----	1	----	47 UNCH
4430	----	----	104.00B/64.10A	104.00B/64.10A	----	70.70 - 3.70	.3026	----	----	----	----	287 UNCH
4435	----	----	105.10B/65.50A	105.10B/65.50A	----	72.20 - 3.70	.3077	----	----	----	----	11 UNCH
4440	----	----	106.90B/66.90A	106.90B/66.90A	----	73.80 - 3.70	.3129	----	----	----	----	264 UNCH
4445	----	----	109.10B/68.30A	109.10B/68.30A	----	75.40 - 3.70	.3181	----	----	----	----	154 UNCH
4450	100.00	100.00	110.90B/69.70A	110.90B/69.70A	----	77.00 - 3.70	.3233	----	----	8	----	1016 + 1
4455	----	----	114.00B/71.20A	114.00B/71.20A	----	78.60 - 3.80	.3285	----	----	----	----	19 UNCH
4460	----	----	114.90B/72.80A	114.90B/72.80A	----	80.30 - 3.80	.3338	----	----	----	----	256 UNCH
4465	81.90	81.90	117.00B/74.30A	117.00B/74.30A	----	82.00 - 3.80	.3392	----	----	12	----	94 - 3
4470	120.00	120.00	120.00/76.00A	120.00/76.00A	----	83.80 - 3.80	.3447	----	----	2	----	221 + 2
4475	----	----	121.50B/77.60A	121.50B/77.60A	----	85.50 - 3.80	.3501	----	----	23	----	57 + 18
4480	----	----	123.60B/79.20A	123.60B/79.20A	----	87.30 - 3.80	.3555	----	----	1	----	354 UNCH
4485	----	----	125.90B/80.90A	125.90B/80.90A	----	89.10 - 3.90	.3610	----	----	----	----	106 UNCH
4490	----	----	128.20B/82.50A	128.20B/82.50A	----	91.00 - 3.80	.3666	----	----	1	----	48 - 1
4495	103.00	103.00	130.60B/84.30A	130.60B/84.30A	----	92.90 - 3.80	.3722	----	----	31	----	121 + 29
4500	92.20	92.20	132.80B/86.00A	132.80B/86.00A	----	94.80 - 3.90	.3778	----	----	30	314	3974 + 49
4505	----	----	136.30B/87.80A	136.30B/87.80A	----	96.80 - 3.80	.3835	----	----	4	----	12 UNCH
4510	----	----	137.60B/89.70A	137.60B/89.70A	----	98.70 - 3.90	.3891	----	----	1	----	39 UNCH
4515	----	----	140.10B/91.50A	140.10B/91.50A	----	100.70 - 3.90	.3948	----	----	----	----	4 UNCH
4520	106.00	106.00	142.90B/93.40A	142.90B/93.40A	----	102.80 - 3.90	.4006	----	----	1	----	14 + 1
4525	----	----	146.30B/95.20A	146.30B/95.20A	----	104.90 - 3.90	.4064	----	----	41	----	566 + 24
4530	----	----	147.60B/97.20A	147.60B/97.20A	----	107.00 - 3.90	.4122	----	----	----	----	31 UNCH
4535	----	----	150.10B/99.20A	150.10B/99.20A	----	109.10 - 3.90	.4180	----	----	1	----	11 + 1
4540	----	----	152.70B/101.20A	152.70B/101.20A	----	111.30 - 3.90	.4238	----	----	1	----	91 - 1
4545	----	----	155.00B/103.20A	155.00B/103.20A	----	113.50 - 3.90	.4296	----	----	----	----	21 UNCH
4550	109.70	109.70	158.10B/105.30A	158.10B/105.30A	----	115.70 - 3.90	.4355	----	----	35	----	455 - 8
4555	----	----	160.70B/107.30A	160.70B/107.30A	----	118.00 - 3.90	.4414	----	----	----	----	24 UNCH
4560	----	----	163.50B/109.50A	163.50B/109.50A	----	120.30 - 3.80	.4473	----	----	----	----	78 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4565	127.00	127.00	166.20B/111.60A	166.20B/111.60A	----	122.60 - 3.90	.4532	----	----	2	----	116 UNCH
4570	129.40	129.40	168.60B/113.80A	168.60B/113.80A	----	125.00 - 3.80	.4591	----	----	1	----	28 + 1
4575	131.80	131.80	171.70B/116.00A	171.70B/116.00A	----	127.40 - 3.80	.4650	----	----	14	----	39 + 5
4580	----	----	174.50B/118.20A	174.50B/118.20A	----	129.80 - 3.80	.4709	----	----	2	----	20 UNCH
4585	----	----	177.30B/120.60A	177.30B/120.60A	----	132.20 - 3.80	.4769	----	----	----	----	18 UNCH
4590	----	----	180.10B/122.80A	180.10B/122.80A	----	134.70 - 3.80	.4828	----	----	5	----	24 + 3
4595	141.70	141.70	182.80B/125.20A	182.80B/125.20A	----	137.20 - 3.80	.4887	----	----	1	----	62 - 1
4600	142.10	142.10	186.20B/127.50A	186.20B/127.50A	----	139.80 - 3.70	.4947	----	----	12	----	1591 + 3
4605	----	----	189.10B/129.90A	189.10B/129.90A	----	142.40 - 3.60	.5006	----	----	85	----	85 + 68
4610	----	----	191.90B/132.40A	191.90B/132.40A	----	145.00 - 3.60	.5065	----	----	----	----	136 UNCH
4615	144.00	144.00	195.30B/134.80A	195.30B/134.80A	----	147.60 - 3.60	.5125	----	----	2	----	23 UNCH
4620	----	----	197.80B/137.30A	197.80B/137.30A	----	150.30 - 3.50	.5184	----	----	----	----	49 UNCH
4625	----	----	201.20B/140.00A	201.20B/140.00A	----	153.00 - 3.50	.5243	----	----	1	----	188 - 1
4630	----	----	204.20B/142.40A	204.20B/142.40A	----	155.80 - 3.30	.5302	----	----	----	----	17 UNCH
4635	----	----	207.50B/145.00A	207.50B/145.00A	----	158.50 - 3.40	.5361	----	----	----	----	169 UNCH
4640	----	----	210.80B/147.70A	210.80B/147.70A	----	161.30 - 3.30	.5419	----	----	----	----	156 UNCH
4645	----	----	213.50B/150.40A	213.50B/150.40A	----	164.20 - 3.20	.5478	----	----	----	----	24 UNCH
4650	----	----	217.00B/153.10A	217.00B/153.10A	----	167.10 - 3.10	.5537	----	----	----	----	424 UNCH
4655	----	----	220.00B/155.90A	220.00B/155.90A	----	170.00 - 3.00	.5594	----	----	----	----	12 UNCH
4660	----	----	223.30B/158.60A	223.30B/158.60A	----	172.90 - 3.00	.5653	----	----	44	----	105 - 21
4665	----	----	226.80B/161.40A	226.80B/161.40A	----	175.80 - 3.00	.5710	----	----	----	----	24 UNCH
4670	----	----	230.00B/164.30A	230.00B/164.30A	----	178.80 - 2.90	.5768	----	----	----	----	101 UNCH
4675	----	----	233.50B/167.20A	233.50B/167.20A	----	181.90 - 2.70	.5825	----	----	70	----	226 + 70
4680	----	----	236.90B/170.10A	236.90B/170.10A	----	184.90 - 2.70	.5882	----	----	----	----	132 UNCH
4685	----	----	240.20B/173.00A	240.20B/173.00A	----	188.00 - 2.60	.5939	----	----	----	----	8 UNCH
4690	----	----	243.90B/175.80A	243.90B/175.80A	----	191.10 - 2.60	.5996	----	----	----	----	60 UNCH
4695	----	----	247.30B/178.80A	247.30B/178.80A	----	194.30 - 2.50	.6052	----	----	----	----	201 UNCH
4700	----	----	251.00B/181.70A	251.00B/181.70A	----	197.50 - 2.40	.6107	----	----	1	----	734 UNCH
4705	----	----	254.40B/185.00A	254.40B/185.00A	----	200.70 - 2.30	.6163	----	----	----	----	32 UNCH
4710	----	----	257.90B/188.00A	257.90B/188.00A	----	203.90 - 2.30	.6218	----	----	----	----	128 UNCH
4715	198.00	198.00	261.50B/191.30A	261.50B/191.30A	----	207.20 - 2.20	.6272	----	----	1	----	122 - 1
4720	----	----	265.00B/194.40A	265.00B/194.40A	----	210.50 - 2.10	.6327	----	----	----	----	61 UNCH
4725	----	----	268.70B/197.50A	268.70B/197.50A	----	213.80 - 2.10	.6381	----	----	----	----	227 UNCH
4730	----	----	272.60B/200.70A	272.60B/200.70A	----	217.20 - 1.90	.6434	----	----	1	----	73 + 1
4735	----	----	276.10B/203.90A	276.10B/203.90A	----	220.60 - 1.90	.6487	----	----	----	----	40 UNCH
4740	----	----	280.00B/207.30A	280.00B/207.30A	----	224.00 - 1.80	.6541	----	----	1	----	123 + 1
4745	217.50	217.50	283.50B/210.40A	283.50B/210.40A	----	227.40 - 1.80	.6592	----	----	1	----	138 UNCH
4750	----	----	287.70B/213.60A	287.70B/213.60A	----	230.90 - 1.70	.6644	----	----	1	----	780 UNCH
4755	----	----	291.10B/217.00A	291.10B/217.00A	----	234.40 - 1.60	.6695	----	----	----	----	14 UNCH
4760	----	----	294.90B/220.40A	294.90B/220.40A	----	237.90 - 1.60	.6747	----	----	----	----	81 UNCH
4765	----	----	298.80B/223.70A	298.80B/223.70A	----	241.50 - 1.40	.6797	----	----	1	----	305 - 1
4770	----	----	302.90B/227.20A	302.90B/227.20A	----	245.00 - 1.50	.6847	----	----	----	----	12 UNCH
4775	----	----	306.80B/230.70A	306.80B/230.70A	----	248.60 - 1.40	.6897	----	----	----	----	55 UNCH
4780	----	----	310.70B/234.10A	310.70B/234.10A	----	252.30 - 1.20	.6946	----	----	----	----	39 UNCH
4785	----	----	314.20B/237.60A	314.20B/237.60A	----	255.90 - 1.20	.6994	----	----	----	----	119 UNCH
4790	----	----	318.20B/241.10A	318.20B/241.10A	----	259.60 - 1.10	.7042	----	----	----	----	3 UNCH
4795	----	----	322.50B/244.60A	322.50B/244.60A	----	263.30 - 1.10	.7090	----	----	----	----	80 UNCH
4800	----	----	326.50B/248.20A	326.50B/248.20A	----	267.00 - 1.00	.7136	----	----	31	----	1238 + 19
4805	----	----	330.10B/251.90A	330.10B/251.90A	----	270.80 - 0.90	.7184	----	----	----	----	22 UNCH
4810	----	----	334.50B/255.40A	334.50B/255.40A	----	274.50 - 0.90	.7230	----	----	----	----	11 UNCH
4815	----	----	338.20B/259.10A	338.20B/259.10A	----	278.30 - 0.90	.7275	----	----	----	----	28 UNCH
4820	----	----	342.30B/262.90A	342.30B/262.90A	----	282.20 - 0.70	.7319	----	----	----	----	207 UNCH
4825	----	----	346.40B/266.50A	346.40B/266.50A	----	286.00 - 0.70	.7365	----	----	----	----	33 UNCH
4830	----	----	350.40B/270.20A	350.40B/270.20A	----	289.90 - 0.60	.7408	----	----	----	----	5 UNCH
4835	----	----	354.60B/273.90A	354.60B/273.90A	----	293.80 - 0.50	.7452	----	----	----	----	24 UNCH
4840	----	----	358.90B/277.70A	358.90B/277.70A	----	297.70 - 0.50	.7495	----	----	----	----	10 UNCH
4845	----	----	362.80B/281.40A	362.80B/281.40A	----	301.60 - 0.50	.7536	----	----	----	----	63 UNCH
4850	----	----	367.30B/285.30A	367.30B/285.30A	----	305.50 - 0.40	.7579	----	----	----	----	298 UNCH
4855	----	----	371.60B/289.10A	371.60B/289.10A	----	309.50 - 0.40	.7620	----	----	----	----	11 UNCH
4860	----	----	375.70B/292.90A	375.70B/292.90A	----	313.50 - 0.30	.7661	----	----	----	----	8 UNCH
4865	----	----	379.60B/296.90A	379.60B/296.90A	----	317.50 - 0.20	.7702	----	----	----	----	30 UNCH
4870	----	----	384.00B/300.80A	384.00B/300.80A	----	321.60 - 0.10	.7740	----	----	----	----	319 UNCH
4875	----	----	388.30B/304.60A	388.30B/304.60A	----	325.60 - 0.10	.7779	----	----	----	----	71 UNCH
4880	----	----	392.50B/308.60A	392.50B/308.60A	----	329.70 UNCH	.7817	----	----	----	----	51 UNCH
4885	----	----	396.80B/312.60A	396.80B/312.60A	----	333.80 UNCH	.7855	----	----	----	----	12 UNCH
4890	----	----	401.10B/316.60A	401.10B/316.60A	----	337.90 + 0.10	.7893	----	----	----	----	9 UNCH
4895	----	----	405.40B/320.60A	405.40B/320.60A	----	342.00 + 0.10	.7931	----	----	----	----	48 UNCH
4900	----	----	409.80B/324.50A	409.80B/324.50A	----	346.20 + 0.20	.7966	----	----	----	----	254 UNCH
4905	----	----	414.10B/328.70A	414.10B/328.70A	----	350.40 + 0.30	.8001	----	----	----	----	53 UNCH
4910	----	----	418.50B/332.90A	418.50B/332.90A	----	354.50 + 0.30	.8037	----	----	----	----	2 UNCH
4915	----	----	422.80B/336.90A	422.80B/336.90A	----	358.70 + 0.30	.8072	----	----	----	----	118 UNCH
4920	----	----	427.10B/341.00A	427.10B/341.00A	----	363.00 + 0.50	.8107	----	----	----	----	22 UNCH
4925	----	----	431.70B/345.10A	431.70B/345.10A	----	367.20 + 0.50	.8139	----	----	----	----	11 UNCH
4930	----	----	436.10B/349.20A	436.10B/349.20A	----	371.50 + 0.60	.8171	----	----	----	----	52 UNCH
4935	----	----	440.50B/353.40A	440.50B/353.40A	----	375.70 + 0.60	.8206	----	----	----	----	4 UNCH
4940	----	----	444.90B/357.60A	444.90B/357.60A	----	380.00 + 0.70	.8238	----	----	----	----	11 UNCH
4950	----	----	453.80B/366.00A	453.80B/366.00A	----	388.60 + 0.70	.8299	----	----	----	----	106 UNCH
4975	----	----	476.30B/387.60A	476.30B/387.60A	----	410.40 + 1.00	.8444	----	----	----	----	2 UNCH
4980	----	----	480.90B/391.60A	480.90B/391.60A	----	414.80 + 1.00	.8473	----	----	----	----	6 UNCH
4985	----	----	485.30B/396.00A	485.30B/396.00A	----	419.30 + 1.20	.8501	----	----	----	----	104 UNCH
4990	----	----	489.90B/400.40A	489.90B/400.40A	----	423.70 + 1.20	.8529	----	----	----	----	2 UNCH
4995	----	----	494.50B/404.60A	494.50B/404.60A	----	428.10 + 1.20	.8554	----	----	----	----	12 UNCH
5000	----	----	499.00B/409.00A	499.00B/409.00A	----	432.60 + 1.30	.8579	----	----	----	----	545 UNCH
5005	----	----	503.60B/413.40A	503.60B/413.40A	----	437.10 + 1.30	.8607	----	----	----	----	12 UNCH
5010	----	----	508.30B/417.80A	508.30B/417.80A	----	441.50 + 1.30	.8632	----	----	----	----	9 UNCH
5015	----	----	512.80B/422.20A	512.80B/422.20A	----	446.00 + 1.30	.8657	----	----	----	----	20 UNCH
5020	----	----	517.40B/426.70A	517.40B/426.70A	----	450.50 + 1.40	.8678	----	----	----	----	5 UNCH
5025	----	----	521.90B/431.10A	521.90B/431.10A	----	455.10 + 1.50	.8703	----	----	----	----	150 UNCH
5030	----	----	526.60B/435.40A	526.60B/435.40A	----	459.60 + 1.50	.8727	----	----	----	----	8 UNCH
5035	----	----	531.30B/440.00A	531.30B/440.00A	----	464.10 + 1.50	.8748	----	----	----	----	37 UNCH
5040	----	----	#535.90B/444.30	535.90B/444.30A	----	468.70 + 1.60	.8772	----	----	----	----	10 UNCH
5045	----	----	540.60B/448.90A	540.60B/448.90A	----	473.20 + 1.60	.8793	----	----	----	----	5 UNCH
5050	----	----	545.40B/453.40A	545.40B/453.40A	----	477.80 + 1.70	.8814	----	----	----	----	79 UNCH
5055	----	----	550.00B/457.90A	550.00B/457.90A	----	482.40 + 1.80	.8835	----	----	----	----	3 UNCH
5065	----	----	559.10B/467.00A	559.10B/467.00A	----	491.50 + 1.80	.8876	----	----	----	----	11 UNCH
5075	----	----	568.70B/476.10A	568.70B/476.10A	----	500.80 + 1.90	.8917	----	----	----	----	6 UNCH
5080	----	----	#573.40B/480.70	573.40B/480.70A	----	505.40 + 1.90	.8937	----	----	----	----	2 UNCH
5085	----	----	578.00B/485.20A	578.00B/485.20A	----	510.00 + 2.00	.8954	----	----	----	----	21 UNCH
5090	----	----	582.60B/489.80A	582.60B/489.80A	----	514.60 + 2.00	.8974	----	----	----	----	6 UNCH
5095	----	----	587.30B/494.40A	587.30B/494.40A	----	519.30 + 2.10	.8991	----	----	----	----	42 UNCH
5100	577.10	577.10	592.30B/499.00A	592.30B/499.00A	----	523.90 + 2.00	.9011	----	----	1	----	106 UNCH
5105	----	----	596.90B/503.60A	596.90B/503.60A	----	528.60 + 2.10	.9027	----	----	----	----	22 UNCH
5110	----	----	601.50B/508.20A	601.50B/508.20A	----	533.30 + 2.20	.9044	----	----	----	----	16 UNCH
5115	----	----	606.30B/512.70A	606.30B/512.70A	----	538.00 + 2.20	.9060	----	----	----	----	37 UNCH
5120	----	----	611.10B/517.30A	611.10B/517.30A	----	542.60 + 2.20	.9076	----	----	----	----	13 UNCH
5125	----	----	615.80B/522.10A	615.80B/522.10A	----	547.30 + 2.20	.9092	----	----	----	----	37 UNCH
5130	----	----	620.50B/526.80A	620.50B/526.80A	----	552.00 + 2.30	.9109	----	----	----	----	23 UNCH
5135	----	----	625.20B/531.30A	625.20B/531.30A	----	556.70 + 2.30	.9125	----	----	----	----	9 UNCH
5140	----	----	630.30B/536.10A	630.30B/536.10A	----	561.40 + 2.30	.9141	----	----	----	----	19 UNCH
5145	----	----	#635.00B/540.90	#635.00B/540.90A	----	566.20 + 2.40	.9157	----	----	----	----	3 UNCH
5150	----	----	639.50B/545.60A	639.50B/545.60A	----	570.90 + 2.40	.9169	----	----	----	----	233 UNCH
5155	----	----	644.40B/550.10A	644.40B/550.10A	----	575.60 + 2.40	.9184	----	----	----	----	43 UNCH
5160	----	----	649.30B/554.80A	649.30B/554.80A	----	580.30 + 2.40	.9200	----	----	----	----	42 UNCH
5170	----	----	658.70B/564.10A	658.70B/564.10A	----	589.80 + 2.50	.9224	----	----	----	----	51 UNCH
5175	----	----	663.50B/568.90A	663.50B/568.90A	----	594.60 + 2.50	.9240	----	----	----	----	61 UNCH
5180	----	----	668.60B/573.70A	668.60B/573.70A	----	599.40 + 2.60	.9251	----	----	----	----	10 UNCH
5185	----	----	673.10B/578.20A	673.10B/578.20A	----	604.10 + 2.60	.9263	----	----	----	----	103 UNCH
5190	----	----	678.10B/583.30A	678.10B/583.30A	----	608.90 + 2.60	.9279	----	----	2	----	21 + 2
5200	596.00	596.00	687.90B/592.60A	687.90B/592.60A	----	618.40 + 2.60	.9302	----	----	6	----	54 - 6
5225	----	----	711.80B/616.50A	711.80B/616.50A	----	642.40 + 2.70	.9358	----	----	----	----	42 UNCH
5230	----	----	716.70B/621.40A	716.70B/621.40A	----	647.20 + 2.70	.9370	----	----	----	----	2 UNCH
5235	----	----	721.50B/626.00A	721.50B/626.00A	----	652.00 + 2.70	.9377	----	----	----	----	23 UNCH
5245	----	----	731.20B/635.50A	731.20B/635.50A	----	661.70 + 2.80	.9399	----	----	----	----	2 UNCH
5250	----	----	736.10B/640.30A	736.10B/640.30A	----	666.50 + 2.80	.9410	----	----	----	----	14 UNCH
5255	----	----	740.90B/645.20A	740.90B/645.20A	----	671.30 + 2.80	.9417	----	----	----	----	14 UNCH
5285	----	----	#770.20B/674.30	#770.20B/674.30A	----	700.40 + 2.90	.9470	----	----	----	----	2 UNCH
5290	----	----	775.20B/678.80A	775.20B/678.80A	----	705.20 + 2.90	.9481	----	----	----	----	4 UNCH
5295	----	----	#780.10B/683.90	#780.10B/683.90A	----	710.10 + 2.90	.9487	----	----	----	----	2 UNCH
5300	----	----	784.80B/688.70A	784.80B/688.70A	----	714.90 + 2.90	.9494	----	----	----	----	68 UNCH
5315	----	----	799.40B/703.20A	799.40B/703.20A	----	729.50 + 2.90	.9517	----	----	----	----	10 UNCH
5325	----	----	#809.40B/713.00	#809.40B/713.00A	----	739.30 + 3.00	.9534	----	----	----	----	2 UNCH
5350	----	----	833.90B/737.20A	833.90B/737.20A	----	763.70 + 3.10	.9565	----	----	----	----	8 UNCH
5375	----	----	807.10B/761.70A	807.10B/761.70A	----	788.20 + 3.20	.9600	----	----	----	----	8 UNCH
5390	----	----	822.20B/776.30A	822.20B/776.30A	----	802.90 + 3.20	.9614	----	----	----	----	5 UNCH
5400	----	----	831.50B/786.10A	831.50B/786.10A	----	812.70 + 3.20	.9626	----	----	----	----	602 UNCH
5410	----	----	----	----	----	822.50 + 3.20	.9638	----	----	----	----	1 UNCH
5440	----	----	----	----	----	852.00 + 3.30	.9668	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5475	----	----	900.30B/863.80A	900.30B/863.80A	----	886.50 + 3.40	.9695	----	----	----	----	7 UNCH
5500	----	----	925.00B/888.40A	925.00B/888.40A	----	911.20 + 3.40	.9713	----	----	----	----	4 UNCH
5505	----	----	----	----	----	916.10 + 3.40	.9719	----	----	----	----	1 UNCH
5510	----	----	----	----	----	921.10 + 3.50	.9725	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1508.30 + 3.60	.9917	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1533.30 + 3.70	.9918	----	----	----	----	2 UNCH
TOTAL										3645	364	47766 + 2163
AUG26												
2300	----	----	----	0.40B/0.90A	----	0.60 - 0.10	.0016	----	----	----	----	38 UNCH
2325	----	----	----	0.50B/0.90A	----	0.70 UNCH	.0018	----	----	----	----	1 UNCH
2350	----	----	----	0.50B/0.90A	----	0.70 UNCH	.0018	----	----	----	----	12 UNCH
2375	----	----	----	0.60B/1.00A	----	0.80 UNCH	.0021	----	----	----	----	7 UNCH
2400	----	----	----	0.60B/1.00A	----	0.80 UNCH	.0021	----	----	----	----	5 UNCH
2425	----	----	----	0.70B/1.10A	----	0.90 UNCH	.0024	----	----	----	----	1 UNCH
2475	----	----	----	0.80B/1.20A	----	1.00 UNCH	.0027	----	----	----	----	5 UNCH
2500	----	----	----	0.80B/1.20A	----	1.00 UNCH	.0027	----	----	----	----	112 UNCH
2570	----	----	----	1.00B/1.40A	----	1.20 UNCH	.0033	----	----	----	----	9 UNCH
2580	----	----	----	1.00B/1.50A	----	1.20 UNCH	.0033	----	----	----	----	1 UNCH
2590	----	----	----	1.00B/1.50A	----	1.20 - 0.10	.0034	----	----	----	----	2 UNCH
2600	----	----	----	1.10B/1.50A	----	1.30 UNCH	.0036	----	----	----	----	6 UNCH
2615	----	----	----	1.10B/1.60A	----	1.30 UNCH	.0036	----	----	----	----	1 UNCH
2625	----	----	----	1.20B/1.50A	----	1.30 - 0.10	.0037	----	----	----	----	2 UNCH
2640	----	----	----	1.20B/1.60A	----	1.40 UNCH	.0039	----	----	----	----	1 UNCH
2665	----	----	----	1.30B/1.70A	----	1.50 UNCH	.0042	----	----	----	----	1 UNCH
2685	----	----	----	1.40B/1.70A	----	1.50 UNCH	.0043	----	----	----	----	1 UNCH
2690	----	----	----	1.40B/1.80A	----	1.50 - 0.10	.0043	----	----	----	----	1 UNCH
2730	----	----	----	1.50B/1.90A	----	1.70 UNCH	.0049	----	----	----	----	1 UNCH
2740	----	----	----	1.50B/1.90A	----	1.70 UNCH	.0049	----	----	----	----	2 UNCH
2745	----	----	----	1.60B/1.90A	----	1.70 UNCH	.0049	----	----	----	----	1 UNCH
2750	----	----	----	1.60B/1.90A	----	1.70 - 0.10	.0049	----	----	----	----	4 UNCH
2800	----	----	----	1.70B/2.10A	----	1.90 UNCH	.0056	----	----	----	----	36 UNCH
2860	----	----	----	2.00B/2.30A	----	2.10 - 0.10	.0063	----	----	----	----	1 UNCH
2900	----	----	----	2.10B/2.50A	----	2.30 UNCH	.0070	----	----	----	----	2 UNCH
2950	----	----	----	2.30B/2.70A	----	2.50 UNCH	.0077	----	----	----	----	8 UNCH
2975	----	----	----	2.50B/2.80A	----	2.60 UNCH	.0081	----	----	----	----	1 UNCH
2980	----	----	----	2.50B/2.80A	----	2.60 UNCH	.0081	----	----	----	----	1 UNCH
3000	----	----	----	2.60B/2.80A	----	2.70 UNCH	.0084	----	----	----	----	270 UNCH
3005	----	----	----	2.60B/2.90A	----	2.70 UNCH	.0085	----	----	----	----	5 UNCH
3010	----	----	----	2.60B/2.90A	----	2.70 UNCH	.0085	----	----	----	----	1 UNCH
3015	----	----	----	2.60B/3.00A	----	2.70 UNCH	.0085	----	----	----	----	1 UNCH
3025	----	----	----	2.70B/3.00A	----	2.80 UNCH	.0088	----	----	----	----	5 UNCH
3040	----	----	----	2.80B/3.10A	----	2.80 UNCH	.0089	----	----	----	----	1 UNCH
3065	----	----	----	2.90B/3.20A	----	2.90 UNCH	.0093	----	----	----	----	1 UNCH
3090	----	----	----	3.00B/3.20A	----	3.00 UNCH	.0098	----	----	----	----	1 UNCH
3095	----	----	----	3.10B/3.30A	----	3.10 UNCH	.0101	----	----	----	----	1 UNCH
3100	----	----	----	3.10B/3.20A	----	3.10 UNCH	.0101	----	----	----	----	264 UNCH
3110	----	----	----	3.10B/3.30A	----	3.20 UNCH	.0104	----	----	----	----	15 UNCH
3115	----	----	----	3.20B/3.30A	----	3.20 UNCH	.0105	----	----	----	----	1 UNCH
3120	----	----	----	3.20B/3.30A	----	3.20 UNCH	.0105	----	----	----	----	29 UNCH
3130	----	----	----	3.30B/3.40A	----	3.30 UNCH	.0108	----	----	----	----	5 UNCH
3145	----	----	----	3.40B/3.50A	----	3.40 UNCH	.0112	----	----	----	----	1 UNCH
3150	----	----	----	3.40B/3.50A	----	3.40 UNCH	.0112	----	----	----	----	10 UNCH
3155	----	----	----	3.50B/3.60A	----	3.40 - 0.10	.0113	----	----	----	----	3 UNCH
3160	----	----	----	3.50B/3.60A	----	3.50 UNCH	.0116	----	----	----	----	1 UNCH
3165	----	----	3.70B/----	3.70B/3.70A	----	3.50 UNCH	.0116	----	----	----	----	141 UNCH
3170	----	----	----	3.60B/3.70A	----	3.50 - 0.10	.0117	----	----	----	----	2 UNCH
3175	----	----	----	3.60B/3.70A	----	3.60 UNCH	.0120	----	----	----	----	1 UNCH
3180	----	----	3.80B/----	3.80B/3.80A	----	3.60 UNCH	.0120	----	----	----	----	26 UNCH
3185	----	----	----	3.70B/3.80A	----	3.60 - 0.10	.0120	----	----	----	----	1 UNCH
3190	----	----	----	3.70B/3.90A	----	3.70 UNCH	.0123	----	----	----	----	883 UNCH
3195	----	----	----	3.80B/3.90A	----	3.70 - 0.10	.0124	----	----	----	----	1 UNCH
3200	----	----	----	3.80B/3.90A	----	3.70 - 0.10	.0124	----	----	----	----	532 UNCH
3235	----	----	4.20B/----	4.20B/4.20A	----	4.00 - 0.10	.0135	----	----	----	----	20 UNCH
3250	----	----	----	4.20B/4.30A	----	4.10 - 0.10	.0140	----	----	----	----	530 UNCH
3260	----	----	----	4.30B/4.40A	----	4.20 - 0.10	.0143	----	----	----	----	30 UNCH
3295	----	----	----	4.60B/4.60A	----	4.40 - 0.20	.0152	----	----	----	----	2 UNCH
3300	----	----	4.70B/----	4.70B/4.70A	----	4.50 - 0.10	.0156	----	----	----	----	263 UNCH
3310	----	----	4.80B/----	4.80B/4.70A	----	4.60 - 0.10	.0159	----	----	----	----	20 UNCH
3330	----	----	5.00B/----	5.00B/4.90A	----	4.70 - 0.20	.0165	----	----	----	----	2 UNCH
3350	----	----	5.20B/----	5.20B/5.10A	----	4.90 - 0.20	.0172	----	----	----	----	375 UNCH
3370	----	----	5.40B/----	5.40B/5.30A	----	5.10 - 0.20	.0181	----	----	----	----	1 UNCH
3375	----	----	5.50B/----	5.50B/5.30A	----	5.20 - 0.10	.0184	----	----	----	----	15 UNCH
3380	----	----	5.60B/----	5.60B/5.40A	----	5.20 - 0.20	.0185	----	----	----	----	1 UNCH
3390	----	----	5.70B/----	5.70B/5.50A	----	5.30 - 0.20	.0189	----	----	----	----	1 UNCH
3395	----	----	5.70B/5.50A	5.70B/5.50A	----	5.40 - 0.20	.0192	----	----	----	----	7 UNCH
3400	----	----	5.80B/----	5.80B/5.70A	----	5.50 - 0.10	.0196	----	----	----	----	47 UNCH
3405	----	----	6.00B/----	6.00B/5.80A	----	5.50 - 0.20	.0196	----	----	----	----	4 UNCH
3410	----	----	5.90B/----	5.90B/5.70A	----	5.60 - 0.10	.0200	----	----	----	----	1 UNCH
3450	----	----	6.60B/----	6.60B/6.20A	----	6.10 - 0.10	.0220	----	----	----	----	1 UNCH
3460	----	----	6.80B/6.30A	6.80B/6.30A	----	6.20 - 0.20	.0224	----	----	----	----	1 UNCH
3465	----	----	6.80B/----	6.80B/6.40A	----	6.30 - 0.10	.0228	----	----	----	----	6 UNCH
3470	----	----	7.00B/6.40A	7.00B/6.40A	----	6.30 - 0.20	.0229	----	----	----	----	1 UNCH
3485	----	----	7.20B/6.60A	7.20B/6.60A	----	6.50 - 0.20	.0237	----	----	----	----	1 UNCH
3495	----	----	7.40B/6.80A	7.40B/6.80A	----	6.70 - 0.20	.0245	----	----	----	----	1 UNCH
3500	----	----	7.50B/6.90A	7.50B/6.90A	----	6.80 - 0.20	.0248	----	----	----	----	820 UNCH
3505	----	----	7.80B/6.90A	7.80B/6.90A	----	6.80 - 0.20	.0249	----	----	----	----	1 UNCH
3510	----	----	7.90B/7.00A	7.90B/7.00A	----	6.90 - 0.20	.0253	----	----	----	----	50 UNCH
3520	----	----	8.10B/7.20A	8.10B/7.20A	----	7.10 - 0.20	.0261	----	----	----	----	210 UNCH
3525	----	----	8.20B/7.20A	8.20B/7.20A	----	7.20 - 0.20	.0264	----	----	----	----	60 UNCH
3535	----	----	8.40B/7.40A	8.40B/7.40A	----	7.30 - 0.20	.0269	----	----	----	----	1 UNCH
3545	----	----	8.70B/7.60A	8.70B/7.60A	----	7.50 - 0.20	.0277	----	----	----	----	9 UNCH
3550	----	----	8.80B/7.70A	8.80B/7.70A	----	7.60 - 0.20	.0281	----	----	----	----	119 UNCH
3560	----	----	9.00B/7.80A	9.00B/7.80A	----	7.80 - 0.20	.0289	----	----	----	----	1 UNCH
3570	----	----	9.30B/8.00A	9.30B/8.00A	----	8.00 - 0.20	.0296	----	----	----	----	32 UNCH
3575	----	----	9.40B/8.10A	9.40B/8.10A	----	8.10 - 0.20	.0300	----	----	----	----	20 UNCH
3585	----	----	9.70B/8.30A	9.70B/8.30A	----	8.30 - 0.20	.0308	----	----	----	----	50 UNCH
3600	----	----	10.10B/8.60A	10.10B/8.60A	----	8.60 - 0.20	.0320	----	----	2	----	696 + 2
3605	----	----	10.30B/8.70A	10.30B/8.70A	----	8.70 - 0.20	.0325	----	----	----	----	1 UNCH
3610	----	----	10.50B/8.80A	10.50B/8.80A	----	8.80 - 0.20	.0329	----	----	----	----	1 UNCH
3630	----	----	11.10B/9.30A	11.10B/9.30A	----	9.30 - 0.20	.0348	----	----	----	----	8 UNCH
3640	----	----	11.40B/9.50A	11.40B/9.50A	----	9.50 - 0.30	.0356	----	----	----	----	1 UNCH
3645	----	----	11.70B/9.60A	11.70B/9.60A	----	9.60 - 0.30	.0361	----	----	----	----	22 UNCH
3650	----	----	11.80B/9.70A	11.80B/9.70A	----	9.70 - 0.30	.0365	----	----	----	----	42 UNCH
3655	----	----	11.90B/9.90A	11.90B/9.90A	----	9.90 - 0.30	.0372	----	----	----	----	55 UNCH
3660	----	----	12.20B/10.00A	12.20B/10.00A	----	10.00 - 0.30	.0376	----	----	----	----	9 UNCH
3665	----	----	12.40B/10.10A	12.40B/10.10A	----	10.10 - 0.30	.0381	----	----	----	----	1 UNCH
3675	----	----	12.80B/10.40A	12.80B/10.40A	----	10.40 - 0.30	.0392	----	----	----	----	24 UNCH
3690	----	----	13.50B/10.80A	13.50B/10.80A	----	10.80 - 0.30	.0408	----	----	----	----	12 UNCH
3700	----	----	13.90B/11.00A	13.90B/11.00A	----	11.10 - 0.40	.0420	----	----	1	----	251 + 1
3705	----	----	14.10B/11.20A	14.10B/11.20A	----	11.30 - 0.30	.0427	----	----	----	----	21 UNCH
3715	----	----	14.60B/11.50A	14.60B/11.50A	----	11.60 - 0.30	.0439	----	----	----	----	30 UNCH
3725	----	----	15.00B/11.80A	15.00B/11.80A	----	11.90 - 0.40	.0451	----	----	----	----	4 UNCH
3730	----	----	15.20B/11.90A	15.20B/11.90A	----	12.10 - 0.30	.0458	----	----	----	----	11 UNCH
3735	----	----	15.50B/12.10A	15.50B/12.10A	----	12.20 - 0.40	.0463	----	----	----	----	1 UNCH
3740	----	----	15.70B/12.30A	15.70B/12.30A	----	12.40 - 0.40	.0470	----	----	----	----	8 UNCH
3745	----	----	16.00B/12.40A	16.00B/12.40A	----	12.60 - 0.40	.0478	----	----	----	----	1 UNCH
3750	----	----	16.20B/12.60A	16.20B/12.60A	----	12.80 - 0.40	.0485	----	----	----	----	79 UNCH
3755	----	----	16.50B/12.80A	16.50B/12.80A	----	12.90 - 0.50	.0490	----	----	----	----	1 UNCH
3760	----	----	16.70B/12.90A	16.70B/12.90A	----	13.10 - 0.40	.0498	----	----	----	----	1 UNCH
3765	----	----	17.00B/13.10A	17.00B/13.10A	----	13.30 - 0.40	.0505	----	----	----	----	100 UNCH
3770	----	----	17.50B/13.30A	17.50B/13.30A	----	13.50 - 0.40	.0513	----	----	----	----	4 UNCH
3775	----	----	17.80B/13.40A	17.80B/13.40A	----	13.70 - 0.40	.0520	----	----	----	----	13 UNCH
3790	----	----	18.40B/14.00A	18.40B/14.00A	----	14.30 - 0.50	.0543	----	----	----	----	6 UNCH
3795	----	----	18.80B/14.20A	18.80B/14.20A	----	14.50 - 0.50	.0551	----	----	----	----	83 UNCH
3800	----	----	19.20B/14.40A	19.20B/14.40A	----	14.70 - 0.50	.0559	----	----	102	----	401 - 69
3805	----	----	19.50B/14.60A	19.50B/14.60A	----	14.90 - 0.50	.0567	----	----	----	----	4 UNCH
3810	----	----	19.70B/14.80A	19.70B/14.80A	----	15.20 - 0.50	.0577	----	----	----	----	50 UNCH
3815	----	----	20.00B/15.00A	20.00B/15.00A	----	15.40 - 0.50	.0585	----	----	----	----	150 UNCH
3820	----	----	20.50B/15.20A	20.50B/15.20A	----	15.60 - 0.50	.0593	----	----	----	----	52 UNCH
3825	----	----	20.70B/15.40A	20.70B/15.40A	----	15.80 - 0.60	.0601	----	----	----	----	53 UNCH
3830	----	----	20.90B/15.70A	20.90B/15.70A	----	16.10 - 0.50	.0612	----	----	----	----	1 UNCH
3835	----	----	21.50B/15.90A	21.50B/15.90A	----	16.30 - 0.60	.0620	----	----	----	----	10 UNCH
3845	----	----	21.90B/16.40A	21.90B/16.40A	----	16.80 - 0.60	.0638	----	----	----	----	1 UNCH
3850	23.90	23.90	23.90/16.60A	23.90/16.60A	----	17.10 - 0.60	.0649	----	----	2	----	124 + 2
3855	----	----	22.90B/16.90A	22.90B/16.90A	----	17.30 - 0.60	.0657	----	----	----	----	7 UNCH
3870	----	----	24.30B/17.60A	24.30B/17.60A	----	18.10 - 0.70	.0687	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3875	----	----	24.80B/17.90A	24.80B/17.90A	----	18.40 - 0.70	.0698	----	----	----	----	10 UNCH
3880	----	----	25.30B/18.10A	25.30B/18.10A	----	18.70 - 0.70	.0709	----	----	----	----	340 UNCH
3885	----	----	25.70B/18.40A	25.70B/18.40A	----	19.00 - 0.70	.0720	----	----	----	----	89 UNCH
3890	----	----	26.10B/18.60A	26.10B/18.60A	----	19.30 - 0.70	.0731	----	----	----	----	73 UNCH
3895	----	----	26.50B/18.90A	26.50B/18.90A	----	19.60 - 0.70	.0742	----	----	----	----	1 UNCH
3900	25.00	25.00	26.80B/19.20A	26.80B/19.20A	----	19.90 - 0.70	.0753	----	----	8	----	679 + 7
3910	----	----	27.70B/19.90A	27.70B/19.90A	----	20.50 - 0.70	.0776	----	----	----	----	37 UNCH
3915	----	----	28.20B/20.20A	28.20B/20.20A	----	20.80 - 0.80	.0787	----	----	----	----	35 UNCH
3920	----	----	28.60B/20.50A	28.60B/20.50A	----	21.10 - 0.80	.0798	----	----	----	----	49 UNCH
3925	----	----	29.10B/20.70A	29.10B/20.70A	----	21.50 - 0.80	.0812	----	----	----	----	11 UNCH
3930	----	----	29.70B/21.10A	29.70B/21.10A	----	21.80 - 0.80	.0824	----	----	----	----	49 UNCH
3935	----	----	30.00B/21.30A	30.00B/21.30A	----	22.20 - 0.80	.0837	----	----	----	----	11 UNCH
3940	----	----	30.50B/21.60A	30.50B/21.60A	----	22.50 - 0.80	.0849	----	----	----	----	17 UNCH
3950	----	----	31.80B/22.30A	31.80B/22.30A	----	23.20 - 0.90	.0875	----	----	1	----	253 UNCH
3955	----	----	32.10B/22.60A	32.10B/22.60A	----	23.60 - 0.90	.0889	----	----	----	----	12 UNCH
3960	----	----	32.60B/23.00A	32.60B/23.00A	----	24.00 - 0.90	.0903	----	----	----	----	3 UNCH
3965	----	----	33.10B/23.30A	33.10B/23.30A	----	24.40 - 0.90	.0917	----	----	----	----	29 UNCH
3970	----	----	34.00B/23.70A	34.00B/23.70A	----	24.80 - 0.90	.0931	----	----	10	----	11 UNCH
3975	----	----	34.50B/24.10A	34.50B/24.10A	----	25.10 - 1.00	.0943	----	----	----	----	267 UNCH
3980	----	----	35.20B/24.40A	35.20B/24.40A	----	25.60 - 0.90	.0959	----	----	----	----	2251 UNCH
3985	----	----	35.60B/24.80A	35.60B/24.80A	----	26.00 - 0.90	.0974	----	----	----	----	2 UNCH
3990	----	----	36.30B/25.20A	36.30B/25.20A	----	26.40 - 1.00	.0988	----	----	----	----	45 UNCH
3995	----	----	36.80B/25.60A	36.80B/25.60A	----	26.80 - 1.00	.1003	----	----	----	----	5 UNCH
4000	35.00	35.00	37.60B/26.00A	37.60B/26.00A	----	27.30 - 1.00	.1019	----	----	70	----	1439 + 61
4005	----	----	38.10B/26.40A	38.10B/26.40A	----	27.70 - 1.00	.1034	----	----	----	----	6 UNCH
4010	----	----	38.60B/26.90A	38.60B/26.90A	----	28.20 - 1.00	.1051	----	----	----	----	82 UNCH
4015	----	----	39.50B/27.30A	39.50B/27.30A	----	28.60 - 1.10	.1066	----	----	----	----	2 UNCH
4020	----	----	39.90B/27.80A	39.90B/27.80A	----	29.10 - 1.00	.1083	----	----	----	----	3 UNCH
4025	----	----	40.70B/28.20A	40.70B/28.20A	----	29.60 - 1.00	.1100	----	----	----	----	101 UNCH
4030	----	----	41.50B/28.70A	41.50B/28.70A	----	30.10 - 1.00	.1117	----	----	----	----	52 UNCH
4035	----	----	42.00B/29.10A	42.00B/29.10A	----	30.50 - 1.10	.1132	----	----	----	----	19 UNCH
4040	----	----	42.60B/29.60A	42.60B/29.60A	----	31.10 - 1.10	.1151	----	----	----	----	25 UNCH
4045	----	----	43.60B/30.10A	43.60B/30.10A	----	31.60 - 1.10	.1168	----	----	----	----	30 UNCH
4050	----	----	44.20B/30.50A	44.20B/30.50A	----	32.10 - 1.10	.1186	----	----	----	----	315 UNCH
4055	----	----	44.90B/31.10A	44.90B/31.10A	----	32.60 - 1.20	.1203	----	----	----	----	16 UNCH
4065	----	----	46.30B/32.10A	46.30B/32.10A	----	33.70 - 1.20	.1240	----	----	----	----	5 UNCH
4070	----	----	47.20B/32.50A	47.20B/32.50A	----	34.30 - 1.20	.1260	----	----	----	----	5 UNCH
4075	----	----	48.00B/33.10A	48.00B/33.10A	----	34.90 - 1.20	.1280	----	----	----	----	12 UNCH
4080	----	----	48.80B/33.60A	48.80B/33.60A	----	35.40 - 1.30	.1297	----	----	----	----	10 UNCH
4085	----	----	49.60B/34.30A	49.60B/34.30A	----	36.00 - 1.30	.1317	----	----	----	----	42 UNCH
4090	----	----	50.40B/34.70A	50.40B/34.70A	----	36.70 - 1.20	.1339	----	----	----	----	204 UNCH
4095	----	----	51.40B/35.30A	51.40B/35.30A	----	37.30 - 1.30	.1359	----	----	----	----	83 UNCH
4100	43.00	43.00	52.10B/35.90A	52.10B/35.90A	----	37.90 - 1.30	.1379	----	----	76	----	493 + 76
4105	----	----	52.90B/36.50A	52.90B/36.50A	----	38.50 - 1.40	.1399	----	----	----	----	15 UNCH
4110	43.60	43.60	53.80B/37.10A	53.80B/37.10A	----	39.20 - 1.30	.1422	----	----	4	----	8 + 4
4115	----	----	54.70B/37.70A	54.70B/37.70A	----	39.90 - 1.30	.1444	----	----	----	----	17 UNCH
4120	----	----	55.40B/38.30A	55.40B/38.30A	----	40.50 - 1.40	.1464	----	----	----	----	123 UNCH
4125	----	----	56.60B/39.00A	56.60B/39.00A	----	41.20 - 1.40	.1487	----	----	----	----	6 UNCH
4130	----	----	57.50B/39.60A	57.50B/39.60A	----	41.90 - 1.50	.1509	----	----	----	----	16 UNCH
4135	----	----	58.50B/40.30A	58.50B/40.30A	----	42.60 - 1.50	.1532	----	----	----	----	57 UNCH
4140	----	----	59.50B/41.00A	59.50B/41.00A	----	43.40 - 1.40	.1556	----	----	----	----	2 UNCH
4145	----	----	60.50B/41.70A	60.50B/41.70A	----	44.10 - 1.50	.1579	----	----	----	----	27 UNCH
4150	51.00	51.00	61.60B/42.40A	61.60B/42.40A	----	44.90 - 1.50	.1603	----	----	4	----	1087 UNCH
4155	----	----	62.50B/43.10A	62.50B/43.10A	----	45.60 - 1.60	.1626	----	----	----	----	11 UNCH
4160	----	----	63.60B/43.70A	63.60B/43.70A	----	46.40 - 1.60	.1651	----	----	----	----	50 UNCH
4165	----	----	64.50B/44.40A	64.50B/44.40A	----	47.20 - 1.60	.1675	----	----	----	----	104 UNCH
4170	----	----	65.60B/45.20A	65.60B/45.20A	----	48.00 - 1.60	.1700	----	----	----	----	80 UNCH
4175	----	----	66.70B/45.90A	66.70B/45.90A	----	48.80 - 1.70	.1725	----	----	----	----	36 UNCH
4180	56.80	56.80	67.80B/46.70A	67.80B/46.70A	----	49.70 - 1.70	.1752	----	----	1	----	115 + 1
4185	----	----	68.40B/47.50A	68.40B/47.50A	----	50.50 - 1.70	.1777	----	----	----	----	50 UNCH
4190	----	----	70.00B/48.30A	70.00B/48.30A	----	51.40 - 1.70	.1804	----	----	----	----	140 UNCH
4195	----	----	71.20B/49.10A	71.20B/49.10A	----	52.30 - 1.70	.1830	----	----	----	----	218 UNCH
4200	58.80	58.80	71.90B/49.90A	71.90B/49.90A	----	53.20 - 1.80	.1857	----	----	115	----	388 - 24
4205	----	----	73.50B/50.70A	73.50B/50.70A	----	54.10 - 1.80	.1884	----	----	----	----	350 UNCH
4210	----	----	74.90B/51.70A	74.90B/51.70A	----	55.00 - 1.90	.1911	----	----	----	----	3 UNCH
4215	----	----	75.90B/52.40A	75.90B/52.40A	----	55.90 - 1.90	.1939	----	----	1	----	18 + 1
4220	----	----	77.20B/53.30A	77.20B/53.30A	----	56.90 - 1.90	.1967	----	----	1	----	13 + 1
4225	----	----	78.10B/54.20A	78.10B/54.20A	----	57.90 - 1.90	.1996	----	----	----	----	18 UNCH
4230	----	----	79.60B/55.10A	79.60B/55.10A	----	58.80 - 2.00	.2024	----	----	----	----	12 UNCH
4235	----	----	81.00B/56.00A	81.00B/56.00A	----	59.80 - 2.10	.2053	----	----	----	----	8 UNCH
4240	----	----	82.50B/57.10A	82.50B/57.10A	----	60.90 - 2.00	.2083	----	----	----	----	37 UNCH
4245	----	----	83.20B/57.90A	83.20B/57.90A	----	61.90 - 2.10	.2112	----	----	3	----	54 - 1
4250	71.10	71.10	84.30B/58.90A	84.30B/58.90A	----	63.00 - 2.00	.2143	----	----	5	200	1211 + 163
4255	----	----	86.40B/59.90A	86.40B/59.90A	----	64.00 - 2.10	.2172	----	----	----	----	890 UNCH
4260	65.70	65.70	87.10B/60.90A	87.10B/60.90A	----	65.10 - 2.20	.2203	----	----	23	----	30 + 19
4270	----	----	89.80B/63.00A	89.80B/63.00A	----	67.30 - 2.20	.2265	----	----	----	----	16 UNCH
4275	----	----	91.60B/64.00A	91.60B/64.00A	----	68.50 - 2.20	.2298	----	----	4	----	27 + 4
4280	----	----	93.40B/65.10A	93.40B/65.10A	----	69.70 - 2.20	.2330	----	----	----	----	68 UNCH
4285	----	----	95.00B/66.20A	95.00B/66.20A	----	70.80 - 2.30	.2361	----	----	----	----	173 UNCH
4290	----	----	96.50B/67.30A	96.50B/67.30A	----	72.00 - 2.30	.2394	----	----	----	----	62 UNCH
4295	77.00	77.00	97.50B/68.40A	97.50B/68.40A	----	73.20 - 2.30	.2427	----	----	2	----	2 UNCH
4300	99.00	99.00	99.50B/69.50A	99.50B/69.50A	----	74.50 - 2.30	.2461	----	----	129	----	1032 UNCH
4305	----	----	100.60B/70.70A	100.60B/70.70A	----	75.70 - 2.30	.2493	----	----	----	----	507 UNCH
4310	----	----	102.80B/71.90A	102.80B/71.90A	----	77.00 - 2.30	.2528	----	----	----	----	3 UNCH
4315	----	----	103.50B/73.10A	103.50B/73.10A	----	78.30 - 2.30	.2562	----	----	----	----	8 UNCH
4320	----	----	105.90B/74.30A	105.90B/74.30A	----	79.60 - 2.40	.2596	----	----	----	----	12 UNCH
4325	----	----	107.60B/75.50A	107.60B/75.50A	----	80.90 - 2.40	.2630	----	----	----	----	310 UNCH
4330	----	----	108.80B/76.80A	108.80B/76.80A	----	82.30 - 2.40	.2666	----	----	----	----	105 UNCH
4335	----	----	110.80B/78.00A	110.80B/78.00A	----	83.60 - 2.40	.2700	----	----	----	----	10 UNCH
4340	----	----	112.30B/79.30A	112.30B/79.30A	----	85.00 - 2.40	.2736	----	----	----	----	8 UNCH
4345	----	----	113.50B/80.60A	113.50B/80.60A	----	86.40 - 2.40	.2772	----	----	----	----	5 UNCH
4350	98.50	98.50	116.20B/81.90A	116.20B/81.90A	----	87.90 - 2.40	.2809	----	----	203	----	1109 - 112
4355	----	----	117.50B/83.30A	117.50B/83.30A	----	89.30 - 2.40	.2844	----	----	----	----	104 UNCH
4360	----	----	119.70B/84.60A	119.70B/84.60A	----	90.80 - 2.40	.2881	----	----	----	----	72 UNCH
4365	----	----	121.50B/86.10A	121.50B/86.10A	----	92.30 - 2.40	.2918	----	----	----	----	115 UNCH
4375	----	----	124.40B/88.90A	124.40B/88.90A	----	95.30 - 2.50	.2993	----	----	----	----	14 UNCH
4380	----	----	126.30B/90.30A	126.30B/90.30A	----	96.90 - 2.40	.3031	----	----	----	----	4 UNCH
4385	----	----	128.10B/91.70A	128.10B/91.70A	----	98.40 - 2.50	.3068	----	----	----	----	10 UNCH
4390	----	----	130.10B/93.20A	130.10B/93.20A	----	100.00 - 2.50	.3106	----	----	----	----	17 UNCH
4395	----	----	132.20B/94.70A	132.20B/94.70A	----	101.60 - 2.50	.3144	----	----	----	----	6 UNCH
4400	126.30	126.30	134.00B/96.20A	134.00B/96.20A	----	103.30 - 2.40	.3184	----	----	21	----	1958 + 13
4405	----	----	136.30B/97.80A	136.30B/97.80A	----	104.90 - 2.50	.3222	----	----	----	----	64 UNCH
4410	----	----	138.00B/99.40A	138.00B/99.40A	----	106.60 - 2.50	.3261	----	----	----	----	321 UNCH
4415	----	----	139.90B/100.90A	139.90B/100.90A	----	108.30 - 2.50	.3301	----	----	----	----	149 UNCH
4420	109.30	109.30	141.90B/102.60A	141.90B/102.60A	----	110.10 - 2.40	.3341	----	----	8	----	13 + 7
4425	----	----	143.80B/104.30A	143.80B/104.30A	----	111.80 - 2.40	.3380	----	----	----	----	20 UNCH
4430	----	----	146.20B/105.90A	146.20B/105.90A	----	113.60 - 2.40	.3420	----	----	----	----	35 UNCH
4435	----	----	148.20B/107.60A	148.20B/107.60A	----	115.40 - 2.40	.3461	----	----	1	----	8 + 1
4440	----	----	150.30B/109.20A	150.30B/109.20A	----	117.20 - 2.40	.3501	----	----	----	----	76 UNCH
4445	----	----	152.60B/111.00A	152.60B/111.00A	----	119.00 - 2.40	.3541	----	----	----	----	4 UNCH
4450	----	----	155.10B/112.60A	155.10B/112.60A	----	120.90 - 2.40	.3582	----	----	----	----	370 UNCH
4455	----	----	157.20B/114.40A	157.20B/114.40A	----	122.80 - 2.40	.3624	----	----	----	----	259 UNCH
4460	----	----	160.20B/116.20A	160.20B/116.20A	----	124.70 - 2.40	.3665	----	----	----	----	14 UNCH
4465	----	----	161.40B/118.10A	161.40B/118.10A	----	126.60 - 2.40	.3706	----	----	----	----	19 UNCH
4470	----	----	163.70B/119.90A	163.70B/119.90A	----	128.60 - 2.30	.3748	----	----	1	----	112 UNCH
4475	----	----	166.70B/121.60A	166.70B/121.60A	----	130.50 - 2.40	.3789	----	----	1	----	85 + 1
4480	134.10	134.10	168.30B/123.50A	168.30B/123.50A	----	132.50 - 2.40	.3831	----	----	1	----	144 - 1
4485	141.50	141.50	170.00B/125.40A	170.00B/125.40A	----	134.50 - 2.40	.3873	----	----	10	----	14 + 1
4490	----	----	173.80B/127.50A	173.80B/127.50A	----	136.60 - 2.30	.3915	----	----	----	----	7 UNCH
4495	----	----	175.40B/129.40A	175.40B/129.40A	----	138.70 - 2.30	.3957	----	----	----	----	33 UNCH
4500	149.00	149.00	178.70B/131.20A	178.70B/131.20A	----	140.80 - 2.30	.4000	----	----	12	----	1893 UNCH
4505	----	----	180.40B/133.20A	180.40B/133.20A	----	142.90 - 2.30	.4042	----	----	----	----	45 UNCH
4510	136.00	136.00	183.00B/135.40A	183.00B/135.40A	----	145.00 - 2.30	.4085	----	----	2	----	48 + 1
4515	140.50	140.50	185.30B/137.40A	185.30B/137.40A	----	147.20 - 2.30	.4128	----	----	1	----	4 + 1
4520	----	----	187.90B/139.30A	187.90B/139.30A	----	149.40 - 2.30	.4170	----	----	----	----	21 UNCH
4525	----	----	191.20B/141.40A	191.20B/141.40A	----	151.60 - 2.30	.4213	----	----	1	----	8 + 1
4530	----	----	192.90B/143.50A	192.90B/143.50A	----	153.80 - 2.30	.4256	----	----	----	----	8 UNCH
4535	----	----	195.50B/145.60A	195.50B/145.60A	----	156.10 - 2.20	.4299	----	----	----	----	91 UNCH
4540	----	----	199.10B/147.80A	199.10B/147.80A	----	158.30 - 2.30	.4343	----	----	----	----	38 UNCH
4545	----	----	201.60B/150.00A	201.60B/150.00A	----	160.70 - 2.20	.4386	----	----	----	----	21 UNCH
4550	175.00	175.00	202.60B/152.20A	202.60B/152.20A	----	163.00 - 2.20	.4429	----	----	3	----	237 + 2
4555	----	----	205.90B/154.40A	205.90B/154.40A	----	165.30 - 2.20	.4473	----	----	----	----	115 UNCH
4560	175.00	175.00	208.80B/156.80A	208.80B/156.80A	----	167.70 - 2.20	.4516	----	----	11	----	97 + 1
4565	169.00	169.00	211.30B/158.90A	211.30B/158.90A	----	170.10 - 2.20	.4560	----	----	2	----	4 - 2
4570	----	----	214.10B/161.20A	214.10B/161.20A	----	172.50 - 2.20	.4603	----	----	----	----	74 UNCH
4575	174.30	174.30	216.90B/163.60A	216.90B/163.60A	----	175.00 - 2.10	.4647	----	----	2	----	58 - 1
4580	179.50	179.50	219.80B/165.80A	219.80B/165.80A	----	177.50 - 2.10	.4690	----	----	9	----	195 + 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4585	----	----	220.20B/168.40A	220.20B/168.40A	----	180.00 - 2.10	.4734	----	----	----	----	4 UNCH
4590	182.40	182.40	223.30B/170.70A	223.30B/170.70A	----	182.50 - 2.10	.4777	----	----	12	----	35 + 3
4595	----	----	225.10B/173.10A	225.10B/173.10A	----	185.00 - 2.10	.4821	----	----	----	----	169 UNCH
4600	188.60	188.60	228.30B/175.60A	228.30B/175.60A	----	187.60 - 2.10	.4865	----	----	83	----	608 - 9
4605	198.10	198.10	231.50B/177.90A	231.50B/177.90A	----	190.20 - 2.00	.4908	----	----	1	----	126 UNCH
4610	----	----	233.50B/180.40A	233.50B/180.40A	----	192.80 - 2.00	.4952	----	----	----	----	9 UNCH
4615	----	----	237.80B/183.00A	237.80B/183.00A	----	195.50 - 1.90	.4995	----	----	----	----	2 UNCH
4620	----	----	240.20B/185.40A	240.20B/185.40A	----	198.10 - 2.00	.5039	----	----	----	----	41 UNCH
4625	----	----	243.00B/188.00A	243.00B/188.00A	----	200.80 - 2.00	.5082	----	----	----	----	270 UNCH
4630	----	----	244.50B/190.70A	244.50B/190.70A	----	203.50 - 1.90	.5125	----	----	----	----	53 UNCH
4635	----	----	246.40B/193.30A	246.40B/193.30A	----	206.30 - 1.90	.5169	----	----	----	----	128 UNCH
4640	----	----	249.10B/195.90A	249.10B/195.90A	----	209.00 - 1.90	.5212	----	----	7	----	318 - 7
4645	----	----	252.40B/198.50A	252.40B/198.50A	----	211.80 - 1.80	.5255	----	----	----	----	135 UNCH
4650	----	----	255.40B/201.10A	255.40B/201.10A	----	214.60 - 1.80	.5298	----	----	1	----	455 UNCH
4655	----	----	259.30B/203.90A	259.30B/203.90A	----	217.40 - 1.80	.5341	----	----	----	----	25 UNCH
4660	----	----	261.60B/206.80A	261.60B/206.80A	----	220.30 - 1.80	.5384	----	----	----	----	28 UNCH
4665	----	----	264.70B/209.40A	264.70B/209.40A	----	223.20 - 1.70	.5426	----	----	----	----	4 UNCH
4670	----	----	267.90B/212.30A	267.90B/212.30A	----	226.10 - 1.70	.5469	----	----	----	----	53 UNCH
4675	----	----	272.00B/215.10A	272.00B/215.10A	----	229.00 - 1.70	.5511	----	----	----	----	15 UNCH
4680	----	----	274.30B/217.90A	274.30B/217.90A	----	232.00 - 1.60	.5554	----	----	----	----	34 UNCH
4685	----	----	277.60B/220.60A	277.60B/220.60A	----	234.90 - 1.60	.5596	----	----	----	----	224 UNCH
4690	----	----	280.80B/223.60A	280.80B/223.60A	----	237.90 - 1.60	.5638	----	----	----	----	9 UNCH
4695	----	----	284.10B/226.50A	284.10B/226.50A	----	241.00 - 1.50	.5680	----	----	----	----	5 UNCH
4700	----	----	289.60B/229.30A	289.60B/229.30A	----	244.00 - 1.50	.5722	----	----	1	----	1035 + 1
4705	----	----	290.70B/232.40A	290.70B/232.40A	----	247.10 - 1.40	.5764	----	----	----	----	141 UNCH
4710	----	----	292.50B/235.20A	292.50B/235.20A	----	250.20 - 1.40	.5805	----	----	----	----	10 UNCH
4715	----	----	293.80B/238.30A	293.80B/238.30A	----	253.30 - 1.40	.5846	----	----	----	----	1 UNCH
4720	----	----	294.50B/241.30A	294.50B/241.30A	----	256.40 - 1.40	.5888	----	----	----	----	13 UNCH
4725	----	----	293.20B/244.20A	293.20B/244.20A	----	259.60 - 1.30	.5929	----	----	----	----	60 UNCH
4730	----	----	295.10B/247.30A	295.10B/247.30A	----	262.80 - 1.30	.5969	----	----	----	----	57 UNCH
4735	----	----	294.20B/250.50A	294.20B/250.50A	----	266.00 - 1.20	.6010	----	----	----	----	60 UNCH
4740	----	----	294.20B/253.50A	294.20B/253.50A	----	269.20 - 1.20	.6051	----	----	2	----	48 - 2
4745	----	----	293.40B/256.70A	293.40B/256.70A	----	272.50 - 1.10	.6091	----	----	----	----	35 UNCH
4750	----	----	295.80B/259.70A	295.80B/259.70A	----	275.70 - 1.20	.6131	----	----	----	----	181 UNCH
4755	----	----	296.60B/262.90A	296.60B/262.90A	----	279.00 - 1.10	.6170	----	----	----	----	27 UNCH
4760	----	----	297.40B/266.50A	297.40B/266.50A	----	282.40 - 1.00	.6210	----	----	----	----	8 UNCH
4765	----	----	298.60B/270.10A	298.60B/270.10A	----	285.70 - 1.00	.6249	----	----	----	----	7 UNCH
4770	----	----	302.40B/273.10A	302.40B/273.10A	----	289.10 - 0.90	.6287	----	----	----	----	263 UNCH
4775	----	----	306.00B/276.70A	306.00B/276.70A	----	292.50 - 0.90	.6326	----	----	----	----	172 UNCH
4780	----	----	309.40B/280.00A	309.40B/280.00A	----	295.90 - 0.80	.6365	----	----	2	----	19 - 1
4785	----	----	312.80B/283.20A	312.80B/283.20A	----	299.30 - 0.80	.6403	----	----	----	----	18 UNCH
4790	----	----	316.20B/286.60A	316.20B/286.60A	----	302.70 - 0.80	.6442	----	----	----	----	54 UNCH
4795	----	----	319.80B/289.40A	319.80B/289.40A	----	306.20 - 0.80	.6480	----	----	----	----	128 UNCH
4800	----	----	323.70B/293.30A	323.70B/293.30A	----	309.70 - 0.70	.6518	----	----	----	----	968 UNCH
4805	----	----	326.50B/296.60A	326.50B/296.60A	----	313.20 - 0.70	.6554	----	----	----	----	9 UNCH
4810	----	----	329.90B/300.00A	329.90B/300.00A	----	316.70 - 0.60	.6592	----	----	----	----	5 UNCH
4815	----	----	333.70B/303.40A	333.70B/303.40A	----	320.30 - 0.50	.6629	----	----	----	----	3 UNCH
4820	----	----	337.40B/306.80A	337.40B/306.80A	----	323.80 - 0.50	.6665	----	----	----	----	4 UNCH
4825	----	----	341.50B/310.20A	341.50B/310.20A	----	327.40 - 0.50	.6702	----	----	----	----	30 UNCH
4830	----	----	344.60B/313.80A	344.60B/313.80A	----	331.00 - 0.40	.6738	----	----	----	----	4 UNCH
4835	----	----	348.40B/317.40A	348.40B/317.40A	----	334.60 - 0.40	.6773	----	----	----	----	36 UNCH
4840	----	----	352.00B/320.80A	352.00B/320.80A	----	338.30 - 0.30	.6810	----	----	----	----	5 UNCH
4850	----	----	359.30B/327.90A	359.30B/327.90A	----	345.60 - 0.20	.6880	----	----	----	----	155 UNCH
4855	----	----	363.10B/331.50A	363.10B/331.50A	----	349.30 - 0.10	.6915	----	----	----	----	11 UNCH
4860	----	----	365.40B/335.10A	365.40B/335.10A	----	353.00 - 0.10	.6950	----	----	----	----	9 UNCH
4865	----	----	367.90B/338.70A	367.90B/338.70A	----	356.70 UNCH	.6983	----	----	----	----	12 UNCH
4870	----	----	371.50B/342.30A	371.50B/342.30A	----	360.40 UNCH	.7018	----	----	----	----	29 UNCH
4875	----	----	375.60B/345.90A	375.60B/345.90A	----	364.20 + 0.10	.7052	----	----	----	----	82 UNCH
4880	----	----	379.20B/349.60A	379.20B/349.60A	----	367.90 UNCH	.7085	----	----	----	----	126 UNCH
4885	----	----	383.00B/353.30A	383.00B/353.30A	----	371.70 + 0.10	.7119	----	----	----	----	8 UNCH
4890	----	----	386.80B/357.00A	386.80B/357.00A	----	375.50 + 0.10	.7151	----	----	----	----	6 UNCH
4895	----	----	390.70B/360.70A	390.70B/360.70A	----	379.30 + 0.20	.7184	----	----	----	----	6 UNCH
4900	----	----	395.30B/364.40A	395.30B/364.40A	----	383.20 + 0.30	.7216	----	----	----	----	422 UNCH
4905	----	----	398.60B/368.10A	398.60B/368.10A	----	387.00 + 0.30	.7249	----	----	----	----	29 UNCH
4910	----	----	402.50B/375.50A	402.50B/375.50A	----	390.90 + 0.30	.7281	----	----	----	----	23 UNCH
4920	----	----	410.60B/383.10A	410.60B/383.10A	----	398.70 + 0.40	.7343	----	----	----	----	3 UNCH
4925	----	----	414.30B/386.90A	414.30B/386.90A	----	402.60 + 0.40	.7375	----	----	----	----	53 UNCH
4930	----	----	----	324.10B/496.40A	----	406.50 + 0.40	.7405	----	----	----	----	1 UNCH
4950	----	----	434.30B/406.30A	434.30B/406.30A	----	422.40 + 0.60	.7525	----	----	----	----	31 UNCH
4955	----	----	----	344.20B/516.10A	----	426.40 + 0.60	.7554	----	----	----	----	1 UNCH
4980	----	----	----	364.90B/536.10A	----	446.70 + 0.80	.7696	----	----	----	----	1 UNCH
5000	489.00	489.00	489.00/445.30A	489.00/445.30A	----	463.20 + 1.00	.7804	----	----	1	----	327 + 1
5010	----	----	----	390.20B/560.50A	----	471.50 + 1.00	.7857	----	----	----	----	1 UNCH
5025	----	----	496.60B/466.80A	496.60B/466.80A	----	484.10 + 1.20	.7932	----	----	----	----	25 UNCH
5030	----	----	----	407.30B/577.10A	----	488.30 + 1.20	.7958	----	----	----	----	1 UNCH
5040	----	----	509.40B/479.20A	509.40B/479.20A	----	496.70 + 1.20	.8007	----	----	----	----	4 UNCH
5045	----	----	513.60B/483.40A	513.60B/483.40A	----	501.00 + 1.30	.8030	----	----	----	----	31 UNCH
5050	----	----	518.90B/486.60A	518.90B/486.60A	----	505.20 + 1.20	.8056	----	----	----	----	351 UNCH
5070	----	----	535.40B/504.50A	535.40B/504.50A	----	522.40 + 1.40	.8147	----	----	----	----	17 UNCH
5080	----	----	543.80B/513.00A	543.80B/513.00A	----	531.00 + 1.40	.8194	----	----	----	----	3 UNCH
5100	535.90	535.90	561.30B/530.10A	561.30B/530.10A	----	548.40 + 1.50	.8280	----	----	2	----	84 + 2
5120	----	----	----	486.80B/653.30A	----	565.90 + 1.60	.8363	----	----	----	----	2 UNCH
5180	----	----	----	540.70B/706.00A	----	619.40 + 1.90	.8588	----	----	----	----	1 UNCH
5200	----	----	650.80B/618.40A	650.80B/618.40A	----	637.50 + 2.00	.8654	----	----	----	----	113 UNCH
5265	----	----	----	618.40B/784.00A	----	697.20 + 2.30	.8848	----	----	----	----	1 UNCH
5300	----	----	743.10B/709.60A	743.10B/709.60A	----	729.80 + 2.60	.8938	----	----	----	----	3 UNCH
5355	----	----	----	666.10B/893.60A	----	781.50 + 2.80	.9063	----	----	----	----	1 UNCH
5400	----	----	837.20B/803.20A	837.20B/803.20A	----	824.10 + 2.90	.9153	----	----	----	----	76 UNCH
5460	----	----	----	----	----	881.50 + 3.00	.9257	----	----	----	----	1 UNCH
5500	----	----	933.00B/898.60A	933.00B/898.60A	----	920.00 + 3.10	.9317	----	----	----	----	3 UNCH
5530	----	----	----	----	----	949.00 + 3.10	.9356	----	----	----	----	1 UNCH
5575	----	----	----	----	----	992.70 + 3.10	.9410	----	----	----	----	2 UNCH
TOTAL										965	200	38609 + 157
SEP26												
2000	----	----	----/0.90A	0.30B/0.90A	----	0.60 - 0.50	.0013	----	----	----	----	1 UNCH
2350	----	----	----	0.90B/1.70A	----	1.30 - 0.30	.0031	----	----	----	----	37 UNCH
2375	----	----	----	1.00B/1.70A	----	1.30 - 0.30	.0031	----	----	----	----	5 UNCH
2400	----	----	----	1.00B/1.80A	----	1.40 - 0.20	.0034	----	----	----	----	1 UNCH
2500	----	----	----	1.30B/2.00A	----	1.70 - 0.10	.0042	----	----	----	----	4 UNCH
2600	----	----	----	1.70B/2.40A	----	2.00 UNCH	.0051	----	----	----	----	2 UNCH
2860	----	----	----	2.80B/3.40A	----	3.10 UNCH	.0085	----	----	1	----	1 + 1
2900	----	----	----	3.00B/3.60A	----	3.30 UNCH	.0092	----	----	2	----	3 + 2
2915	----	----	----	3.00B/3.70A	----	3.40 UNCH	.0095	----	----	----	----	2 UNCH
3000	----	----	----	3.60B/4.30A	----	3.90 - 0.10	.0112	----	----	----	----	3 UNCH
3145	----	----	----	4.80B/5.50A	----	5.10 - 0.20	.0151	----	----	----	----	15 UNCH
3150	----	----	----	4.90B/5.50A	----	5.20 - 0.10	.0154	----	----	----	----	2 UNCH
3200	----	----	----	5.40B/6.00A	----	5.70 - 0.20	.0171	----	----	----	----	1 UNCH
3270	----	----	----	6.40B/6.90A	----	6.60 - 0.10	.0200	----	----	----	----	15 UNCH
3300	----	----	----	6.80B/7.30A	----	7.00 - 0.10	.0214	----	----	----	----	1 UNCH
3400	----	----	----	8.60B/8.80A	----	8.70 - 0.10	.0269	----	----	----	----	1 UNCH
3475	----	----	----	10.10B/10.40A	----	10.30 - 0.10	.0322	----	----	----	----	2 UNCH
3480	----	----	----	10.20B/10.50A	----	10.40 - 0.10	.0326	----	----	----	----	780 UNCH
3500	----	----	----	10.70B/11.00A	----	10.90 - 0.10	.0342	----	----	----	----	26 UNCH
3525	----	----	----	11.40B/11.60A	----	11.50 - 0.10	.0362	----	----	----	----	2 UNCH
3550	----	----	----	12.10B/12.30A	----	12.20 - 0.10	.0385	----	----	----	----	5 UNCH
3565	----	----	----/12.70A	12.60B/12.70A	----	12.70 - 0.10	.0401	----	----	----	----	1 UNCH
3590	----	----	----/13.50A	13.40B/13.50A	----	13.50 - 0.10	.0426	----	----	----	----	2 UNCH
3600	----	----	----/13.80A	13.70B/13.80A	----	13.80 - 0.10	.0436	----	----	----	----	37 UNCH
3610	----	----	----/14.20A	14.20B/14.20A	----	14.10 - 0.20	.0447	----	----	----	----	7 UNCH
3625	----	----	----/14.70A	14.80B/14.70A	----	14.70 - 0.10	.0465	----	----	----	----	1 UNCH
3650	----	----	15.90B/15.60A	15.90B/15.60A	----	15.60 - 0.20	.0494	----	----	----	----	66 UNCH
3690	----	----	17.90B/17.20A	17.90B/17.20A	----	17.30 - 0.20	.0548	----	----	----	----	60 UNCH
3700	----	----	18.80B/17.70A	18.80B/17.70A	----	17.80 - 0.20	.0563	----	----	----	----	149 UNCH
3720	----	----	19.40B/18.60A	19.40B/18.60A	----	18.70 - 0.30	.0592	----	----	----	----	50 UNCH
3750	----	----	23.90B/20.00A	23.90B/20.00A	----	20.20 - 0.30	.0639	----	----	5	----	101 + 5
3755	----	----	24.20B/20.30A	24.20B/20.30A	----	20.50 - 0.30	.0648	----	----	----	----	312 UNCH
3775	----	----	24.30B/21.40A	24.30B/21.40A	----	21.60 - 0.40	.0683	----	----	----	----	1 UNCH
3800	26.00	26.00	27.20B/22.80A	27.20B/22.80A	----	23.10 - 0.40	.0729	----	----	50	----	85 + 44
3825	----	----	28.90B/24.30A	28.90B/24.30A	----	24.80 - 0.40	.0779	----	----	----	----	13 UNCH
3850	----	----	29.20B/26.00A	29.20B/26.00A	----	26.50 - 0.50	.0831	----	----	----	----	22 UNCH
3860	----	----	31.30B/26.70A	31.30B/26.70A	----	27.30 - 0.50	.0854	----	----	----	----	1 UNCH
3880	----	----	32.10B/28.20A	32.10B/28.20A	----	28.80 - 0.60	.0899	----	----	----	----	26 UNCH
3900	----	----	36.50B/29.70A	36.50B/29.70A	----	30.50 - 0.60	.0949	----	----	----	----	213 UNCH
3910	----	----	35.20B/30.60A	35.20B/30.60A	----	31.30 - 0.70	.0973	----	----	----	----	2 UNCH
3915	----	----	37.40B/31.00A	37.40B/31.00A	----	31.80 - 0.60	.0986	----	----	----	----	4 UNCH
3920	----	----	39.00B/31.40A	39.00B/31.40A	----	32.20 - 0.70	.0999	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3930	----	----	38.10B/32.30A	38.10B/32.30A	----	33.10 - 0.70	.1025	----	----	----	----	2 UNCH
3945	----	----	40.30B/33.60A	40.30B/33.60A	----	34.60 - 0.70	.1067	----	----	----	----	380 UNCH
3950	----	----	41.10B/34.10A	41.10B/34.10A	----	35.10 - 0.70	.1081	----	----	----	----	324 UNCH
3975	----	----	44.20B/36.50A	44.20B/36.50A	----	37.60 - 0.90	.1153	----	----	----	----	4 UNCH
3980	----	----	44.90B/37.00A	44.90B/37.00A	----	38.20 - 0.80	.1169	----	----	----	----	2 UNCH
3990	----	----	47.30B/38.10A	47.30B/38.10A	----	39.30 - 0.90	.1200	----	----	----	----	1 UNCH
4000	----	----	47.60B/39.10A	47.60B/39.10A	----	40.40 - 0.90	.1231	----	----	----	----	1204 UNCH
4005	----	----	48.40B/39.70A	48.40B/39.70A	----	41.00 - 0.90	.1247	----	----	----	----	1 UNCH
4020	----	----	51.70B/41.40A	51.70B/41.40A	----	42.80 - 1.00	.1297	----	----	----	----	14 UNCH
4030	----	----	52.80B/42.50A	52.80B/42.50A	----	44.00 - 1.00	.1330	----	----	----	----	3 UNCH
4040	----	----	54.80B/43.70A	54.80B/43.70A	----	45.30 - 1.10	.1365	----	----	----	----	10 UNCH
4050	----	----	56.30B/44.90A	56.30B/44.90A	----	46.60 - 1.10	.1400	----	----	----	----	44 UNCH
4055	----	----	57.20B/45.60A	57.20B/45.60A	----	47.30 - 1.10	.1419	----	----	----	----	1 UNCH
4065	----	----	57.60B/46.80A	57.60B/46.80A	----	48.70 - 1.10	.1456	----	----	----	----	5 UNCH
4070	----	----	59.70B/47.50A	59.70B/47.50A	----	49.40 - 1.20	.1474	----	----	----	----	10 UNCH
4080	----	----	61.40B/48.80A	61.40B/48.80A	----	50.80 - 1.20	.1512	----	----	----	----	6 UNCH
4085	----	----	61.20B/49.50A	61.20B/49.50A	----	51.60 - 1.20	.1532	----	----	----	----	76 UNCH
4090	----	----	63.40B/50.20A	63.40B/50.20A	----	52.30 - 1.30	.1551	----	----	----	----	2 UNCH
4100	----	----	64.00B/51.80A	64.00B/51.80A	----	53.80 - 1.30	.1590	----	----	----	----	154 UNCH
4110	----	----	67.00B/53.30A	67.00B/53.30A	----	55.40 - 1.30	.1631	----	----	----	----	1 UNCH
4115	----	----	68.00B/54.10A	68.00B/54.10A	----	56.20 - 1.40	.1652	----	----	----	----	28 UNCH
4130	----	----	69.80B/56.50A	69.80B/56.50A	----	58.70 - 1.40	.1715	----	----	----	----	20 UNCH
4135	----	----	71.00B/57.30A	71.00B/57.30A	----	59.60 - 1.40	.1737	----	----	----	----	3 UNCH
4150	----	----	74.10B/59.80A	74.10B/59.80A	----	62.20 - 1.50	.1803	----	----	----	----	21 UNCH
4165	----	----	77.20B/62.40A	77.20B/62.40A	----	64.90 - 1.60	.1870	----	----	2	----	1 - 2
4175	----	----	80.90B/64.20A	80.90B/64.20A	----	66.80 - 1.60	.1916	----	----	----	----	1 UNCH
4185	----	----	82.10B/66.00A	82.10B/66.00A	----	68.80 - 1.60	.1964	----	----	----	----	79 UNCH
4190	----	----	83.30B/66.90A	83.30B/66.90A	----	69.80 - 1.60	.1988	----	----	2	----	1 - 2
4200	----	----	86.10B/68.80A	86.10B/68.80A	----	71.80 - 1.70	.2037	----	----	----	----	227 UNCH
4205	----	----	87.00B/69.80A	87.00B/69.80A	----	72.90 - 1.60	.2062	----	----	----	----	10 UNCH
4210	----	----	89.20B/70.80A	89.20B/70.80A	----	73.90 - 1.70	.2086	----	----	----	----	3 UNCH
4220	----	----	90.80B/72.80A	90.80B/72.80A	----	76.10 - 1.70	.2137	----	----	----	----	113 UNCH
4225	----	----	93.20B/73.80A	93.20B/73.80A	----	77.20 - 1.70	.2163	----	----	----	----	2 UNCH
4230	----	----	94.40B/74.90A	94.40B/74.90A	----	78.30 - 1.70	.2189	----	----	----	----	29 UNCH
4240	----	----	97.20B/77.00A	97.20B/77.00A	----	80.50 - 1.80	.2240	----	----	----	----	106 UNCH
4245	----	----	98.60B/78.10A	98.60B/78.10A	----	81.70 NEW	.2267	----	----	1	----	1 + 1
4250	----	----	100.00B/79.10A	100.00B/79.10A	----	82.90 - 1.80	.2294	----	----	----	----	393 UNCH
4275	----	----	107.40B/84.90A	107.40B/84.90A	----	89.00 - 1.90	.2430	----	----	----	----	30 UNCH
4290	----	----	111.90B/88.60A	111.90B/88.60A	----	92.80 - 2.00	.2514	----	----	----	----	1 UNCH
4295	----	----	113.50B/89.80A	113.50B/89.80A	----	94.10 - 2.00	.2543	----	----	1	----	1 UNCH
4300	----	----	113.90B/90.90A	113.90B/90.90A	----	95.50 - 1.90	.2572	----	----	2	----	319 UNCH
4310	121.00	121.00	121.00/93.60A	121.00/93.60A	----	98.20 NEW	.2630	----	----	1	----	1 + 1
4320	105.70	105.70	121.70B/96.10A	121.70B/96.10A	----	100.90 - 2.10	.2688	----	----	10	----	168 + 10
4325	----	----	123.20B/97.50A	123.20B/97.50A	----	102.40 - 2.00	.2719	----	----	6	----	12 + 6
4345	106.30	106.30	128.30B/103.00A	128.30B/103.00A	----	108.20 - 2.10	.2840	----	----	1	----	17 + 1
4350	113.70	113.70	130.00B/104.50A	130.00B/104.50A	----	109.70 - 2.10	.2870	----	----	81	----	105 + 61
4360	----	----	133.30B/107.50A	133.30B/107.50A	----	112.70 - 2.10	.2932	----	----	----	----	1 UNCH
4365	----	----	135.80B/108.80A	135.80B/108.80A	----	114.30 - 2.10	.2963	----	----	----	----	6 UNCH
4375	----	----	138.70B/111.80A	138.70B/111.80A	----	117.50 - 2.10	.3027	----	----	----	----	55 UNCH
4380	----	----	140.10B/113.30A	140.10B/113.30A	----	119.10 - 2.10	.3058	----	----	----	----	95 UNCH
4390	----	----	143.70B/116.40A	143.70B/116.40A	----	122.40 - 2.10	.3123	----	----	----	----	41 UNCH
4395	----	----	145.80B/118.00A	145.80B/118.00A	----	124.00 - 2.10	.3155	----	----	----	----	41 UNCH
4400	136.60	136.60	148.50B/119.30A	148.50B/119.30A	----	125.70 - 2.10	.3187	----	----	5	----	857 + 5
4405	----	----	150.80B/121.10A	150.80B/121.10A	----	127.40 - 2.10	.3220	----	----	----	----	40 UNCH
4410	----	----	152.80B/122.70A	152.80B/122.70A	----	129.10 - 2.20	.3252	----	----	----	----	6 UNCH
4420	----	----	157.00B/126.30A	157.00B/126.30A	----	132.60 - 2.20	.3318	----	----	----	----	1 UNCH
4425	----	----	158.10B/127.70A	158.10B/127.70A	----	134.40 - 2.10	.3352	----	----	----	----	200 UNCH
4430	----	----	160.30B/129.60A	160.30B/129.60A	----	136.20 - 2.10	.3385	----	----	----	----	2 UNCH
4440	----	----	164.50B/132.90A	164.50B/132.90A	----	139.80 - 2.20	.3452	----	----	1	----	8 + 1
4445	----	----	166.40B/134.80A	166.40B/134.80A	----	141.70 - 2.10	.3486	----	----	----	----	1 UNCH
4450	----	----	168.30B/136.30A	168.30B/136.30A	----	143.60 - 2.10	.3520	----	----	----	----	460 UNCH
4470	----	----	180.30B/143.90A	180.30B/143.90A	----	151.20 - 2.10	.3656	----	----	----	----	2 UNCH
4475	----	----	180.70B/145.50A	180.70B/145.50A	----	153.20 - 2.10	.3691	----	----	----	----	3 UNCH
4485	----	----	184.70B/149.50A	184.70B/149.50A	----	157.20 - 2.10	.3760	----	----	----	----	1 UNCH
4490	----	----	187.80B/151.20A	187.80B/151.20A	----	159.20 - 2.10	.3795	----	----	----	----	50 UNCH
4495	----	----	189.80B/153.40A	189.80B/153.40A	----	161.30 - 2.00	.3830	----	----	----	----	2 UNCH
4500	----	----	192.10B/154.80A	192.10B/154.80A	----	163.40 - 2.00	.3865	----	----	----	----	504 UNCH
4510	----	----	196.10B/159.30A	196.10B/159.30A	----	167.60 - 2.00	.3935	----	----	10	----	11 + 10
4515	----	----	199.30B/161.10A	199.30B/161.10A	----	169.70 - 2.00	.3970	----	----	----	----	3 UNCH
4520	----	----	201.00B/163.10A	201.00B/163.10A	----	171.80 - 2.00	.4005	----	----	----	----	91 UNCH
4525	----	----	204.30B/165.40A	204.30B/165.40A	----	174.00 - 2.00	.4041	----	----	----	----	2 UNCH
4530	182.10	182.10	206.70B/167.50A	206.70B/167.50A	----	176.20 - 1.90	.4076	----	----	2	----	4 + 2
4540	----	----	210.00B/171.40A	210.00B/171.40A	----	180.60 - 1.90	.4147	----	----	----	----	3 UNCH
4550	----	----	216.10B/175.60A	216.10B/175.60A	----	185.10 - 1.90	.4219	----	----	1	----	352 UNCH
4560	----	----	220.50B/180.10A	220.50B/180.10A	----	189.70 - 1.80	.4290	----	----	----	----	30 UNCH
4565	----	----	222.90B/182.30A	222.90B/182.30A	----	192.10 - 1.70	.4326	----	----	----	----	75 UNCH
4570	----	----	225.50B/184.50A	225.50B/184.50A	----	194.40 - 1.80	.4362	----	----	----	----	4 UNCH
4575	----	----	229.70B/186.70A	229.70B/186.70A	----	196.80 - 1.70	.4398	----	----	----	----	16 UNCH
4580	----	----	234.60B/189.00A	234.60B/189.00A	----	199.20 - 1.70	.4434	----	----	----	----	1 UNCH
4585	----	----	237.70B/191.30A	237.70B/191.30A	----	201.60 - 1.70	.4470	----	----	----	----	7 UNCH
4595	----	----	240.90B/195.90A	240.90B/195.90A	----	206.40 - 1.70	.4542	----	----	----	----	2 UNCH
4600	----	----	240.10B/198.30A	240.10B/198.30A	----	208.90 - 1.60	.4578	----	----	3	----	58 + 2
4605	----	----	243.20B/200.60A	243.20B/200.60A	----	211.40 - 1.60	.4614	----	----	25	----	27 + 24
4610	----	----	245.90B/203.00A	245.90B/203.00A	----	213.90 - 1.50	.4650	----	----	----	----	5 UNCH
4615	----	----	248.90B/205.40A	248.90B/205.40A	----	216.40 - 1.50	.4686	----	----	----	----	4 UNCH
4620	----	----	253.10B/207.60A	253.10B/207.60A	----	219.00 - 1.50	.4723	----	----	----	----	428 UNCH
4625	----	----	254.10B/210.30A	254.10B/210.30A	----	221.60 - 1.40	.4759	----	----	----	----	14 UNCH
4630	----	----	257.30B/212.80A	257.30B/212.80A	----	224.10 - 1.40	.4795	----	----	----	----	2 UNCH
4635	----	----	259.70B/215.20A	259.70B/215.20A	----	226.70 - 1.40	.4831	----	----	----	----	1 UNCH
4645	----	----	265.40B/220.30A	265.40B/220.30A	----	232.00 - 1.30	.4903	----	----	----	----	1 UNCH
4650	----	----	268.30B/222.80A	268.30B/222.80A	----	234.70 - 1.30	.4938	----	----	1	----	8 - 1
4655	----	----	271.20B/225.40A	271.20B/225.40A	----	237.40 - 1.20	.4974	----	----	----	----	16 UNCH
4660	234.40	234.40	275.40B/227.90A	275.40B/227.90A	----	240.10 NEW	.5010	----	----	8	----	8 + 8
4665	----	----	277.10B/230.50A	277.10B/230.50A	----	242.80 - 1.20	.5046	----	----	----	----	2 UNCH
4670	----	----	280.50B/233.20A	280.50B/233.20A	----	245.60 - 1.10	.5082	----	----	----	----	26 UNCH
4675	----	----	283.50B/235.80A	283.50B/235.80A	----	248.30 NEW	.5117	----	----	7	----	7 + 7
4695	----	----	294.50B/246.50A	294.50B/246.50A	----	259.60 - 0.90	.5260	----	----	----	----	2 UNCH
4700	----	----	297.60B/249.30A	297.60B/249.30A	----	262.40 - 1.00	.5295	----	----	----	----	138 UNCH
4705	----	----	300.80B/252.00A	300.80B/252.00A	----	265.30 - 0.90	.5330	----	----	----	----	2 UNCH
4710	----	----	304.80B/254.90A	304.80B/254.90A	----	268.20 - 0.90	.5365	----	----	----	----	1 UNCH
4720	----	----	310.10B/260.50A	310.10B/260.50A	----	274.10 - 0.80	.5435	----	----	----	----	4 UNCH
4725	----	----	313.30B/263.20A	313.30B/263.20A	----	277.00 - 0.80	.5470	----	----	----	----	7 UNCH
4730	----	----	316.40B/266.10A	316.40B/266.10A	----	280.00 - 0.70	.5505	----	----	----	----	7 UNCH
4735	----	----	319.70B/268.90A	319.70B/268.90A	----	283.00 - 0.70	.5540	----	----	----	----	100 UNCH
4740	----	----	322.90B/271.80A	322.90B/271.80A	----	286.00 - 0.70	.5575	----	----	----	----	2 UNCH
4750	----	----	329.40B/277.80A	329.40B/277.80A	----	292.10 - 0.60	.5644	----	----	----	----	175 UNCH
4755	----	----	332.70B/280.90A	332.70B/280.90A	----	295.20 - 0.60	.5678	----	----	----	----	10 UNCH
4760	----	----	336.00B/283.70A	336.00B/283.70A	----	298.30 - 0.50	.5712	----	----	----	----	109 UNCH
4770	----	----	342.60B/289.80A	342.60B/289.80A	----	304.50 - 0.50	.5780	----	----	----	----	1 UNCH
4775	----	----	347.70B/292.80A	347.70B/292.80A	----	307.60 - 0.50	.5814	----	----	----	----	130 UNCH
4780	----	----	349.30B/295.80A	349.30B/295.80A	----	310.80 - 0.50	.5848	----	----	----	----	3 UNCH
4795	----	----	348.50B/305.10A	348.50B/305.10A	----	320.40 - 0.40	.5949	----	----	----	----	6 UNCH
4800	----	----	351.90B/308.00A	351.90B/308.00A	----	323.60 - 0.40	.5982	----	----	----	----	471 UNCH
4805	----	----	354.30B/311.50A	354.30B/311.50A	----	326.90 - 0.30	.6015	----	----	----	----	10 UNCH
4825	----	----	352.50B/324.20A	352.50B/324.20A	----	340.10 - 0.20	.6146	----	----	----	----	2 UNCH
4830	----	----	356.00B/327.00A	356.00B/327.00A	----	343.40 - 0.20	.6178	----	----	----	----	10 UNCH
4835	----	----	359.40B/331.00A	359.40B/331.00A	----	346.80 - 0.20	.6210	----	----	----	----	30 UNCH
4855	----	----	373.20B/344.40A	373.20B/344.40A	----	360.30 - 0.20	.6338	----	----	----	----	14 UNCH
4860	----	----	376.70B/347.80A	376.70B/347.80A	----	363.80 - 0.10	.6369	----	----	----	----	11 UNCH
4875	----	----	387.30B/357.90A	387.30B/357.90A	----	374.20 UNCH	.6463	----	----	----	----	8 UNCH
4885	----	----	394.50B/364.70A	394.50B/364.70A	----	381.20 UNCH	.6524	----	----	----	----	4 UNCH
4895	----	----	401.60B/371.70A	401.60B/371.70A	----	388.30 UNCH	.6585	----	----	----	----	1 UNCH
4900	380.20	380.20	405.30B/375.10A	405.30B/375.10A	----	391.90 + 0.10	.6615	----	----	10	----	25 + 9
4915	----	----	416.20B/385.60A	416.20B/385.60A	----	402.70 + 0.20	.6704	----	----	----	----	1 UNCH
4930	----	----	427.40B/396.10A	427.40B/396.10A	----	413.60 + 0.20	.6792	----	----	----	----	20 UNCH
4950	----	----	442.30B/410.70A	442.30B/410.70A	----	428.40 + 0.40	.6906	----	----	----	----	1 UNCH
4955	----	----	446.00B/414.40A	446.00B/414.40A	----	432.20 + 0.50	.6934	----	----	----	----	1 UNCH
4975	----	----	459.30B/429.00A	459.30B/429.00A	----	447.20 + 0.50	.7044	----	----	----	----	220 UNCH
5000	----	----	478.70B/447.70A	478.70B/447.70A	----	466.40 + 0.70	.7179	----	----	----	----	10 UNCH
5005	----	----	482.60B/451.40A	482.60B/451.40A	----	470.30 + 0.70	.7205	----	----	----	----	3 UNCH
5020	----	----	494.50B/465.40A	494.50B/465.40A	----	482.00 + 0.80	.7282	----	----	----	----	3 UNCH
5060	----	----	526.60B/496.40A	526.60B/496.40A	----	513.80 + 1.10	.7479	----	----	----	----	4 UNCH
5100	----	----	559.40B/528.30A	559.40B/528.30A	----	546.30 + 1.20	.7663	----	----	----	----	28 UNCH
5105	----	----	----	465.50B/642.20A	----	550.40 + 1.20	.7686	----	----	----	----	2 UNCH
5150	----	----	----	503.70B/679.30A	----	587.90 + 1.40	.7878	----	----	----	----	2 UNCH
5200	----	----	644.30B/611.30A	644.30B/611.30A	----	630.70 + 1.80	.8070	----	----	----	----	45 UNCH
5230	----	----	671.30B/636.30A	671.30B/636.30A	----	656.80 + 2.00	.8176	----	----	----	----	400 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
5300	----	----	733.30B/697.40A	733.30B/697.40A	----	718.20 + 1.90	.8413	----	----	----	----	300 UNCH
5400	----	----	823.00B/787.80A	823.00B/787.80A	----	809.00 + 2.40	.8679	----	----	----	----	100 UNCH
5420	----	----	841.50B/806.00A	841.50B/806.00A	----	827.50 + 2.50	.8725	----	----	----	----	80 UNCH
5450	----	----	----	772.90B/944.40A	----	855.40 + 2.80	.8790	----	----	----	----	1 UNCH
5500	----	----	915.80B/879.80A	915.80B/879.80A	----	902.10 + 3.10	.8892	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1383.80 + 3.60	.9488	----	----	----	----	2 UNCH
TOTAL										238		12105 + 195
OCT26												
2700	----	----	----	2.90B/3.70A	----	3.30 - 0.10	.0081	----	----	----	----	1 UNCH
2800	----	----	----	3.50B/4.30A	----	3.80 - 0.10	.0097	----	----	----	----	8 UNCH
2900	----	----	----	4.20B/5.00A	----	4.50 - 0.10	.0117	----	----	----	----	1 UNCH
3100	----	----	----	6.20B/7.10A	----	6.50 - 0.10	.0177	----	----	----	----	1 UNCH
3155	----	----	----	7.00B/7.90A	----	7.30 - 0.10	.0200	----	----	----	----	1 UNCH
3200	----	----	----	7.70B/8.50A	----	8.00 - 0.10	.0220	----	----	----	----	414 UNCH
3240	----	----	----	8.30B/9.20A	----	8.70 - 0.10	.0241	----	----	----	----	5 UNCH
3300	----	----	----	9.50B/10.40A	----	9.90 - 0.20	.0276	----	----	----	----	416 UNCH
3340	----	----	----	10.40B/11.30A	----	10.80 - 0.20	.0302	----	----	----	----	9 UNCH
3360	----	----	----	10.90B/11.70A	----	11.30 - 0.20	.0316	----	----	----	----	1 UNCH
3380	----	----	----	11.50B/12.20A	----	11.80 - 0.20	.0331	----	----	----	----	1 UNCH
3390	----	----	----	11.80B/12.50A	----	12.00 - 0.30	.0337	----	----	----	----	4 UNCH
3400	----	----	----	12.10B/12.80A	----	12.30 - 0.30	.0345	----	----	----	----	150 UNCH
3480	----	----	----	14.70B/15.20A	----	14.80 - 0.30	.0417	----	----	----	----	12 UNCH
3500	----	----	----	15.30B/15.90A	----	15.50 - 0.40	.0437	----	----	----	----	18 UNCH
3520	----	----	----	16.10B/16.70A	----	16.30 - 0.30	.0459	----	----	----	----	12 UNCH
3550	----	----	----/17.80A	17.40B/17.80A	----	17.50 - 0.40	.0493	----	----	----	----	25 UNCH
3600	----	----	----/20.10A	19.60B/20.10A	----	19.80 - 0.40	.0556	----	----	----	----	183 UNCH
3615	----	----	23.70B/20.80A	23.70B/20.80A	----	20.60 - 0.40	.0578	----	----	----	----	1 UNCH
3700	----	----	29.70B/25.50A	29.70B/25.50A	----	25.50 - 0.50	.0710	----	----	75	----	213 + 75
3715	----	----	30.90B/26.50A	30.90B/26.50A	----	26.50 - 0.50	.0737	----	----	----	----	196 UNCH
3750	----	----	33.90B/28.90A	33.90B/28.90A	----	29.00 - 0.50	.0802	----	----	----	----	19 UNCH
3770	----	----	34.70B/30.40A	34.70B/30.40A	----	30.60 - 0.50	.0843	----	----	----	----	1 UNCH
3785	----	----	37.30B/31.60A	37.30B/31.60A	----	31.80 - 0.50	.0874	----	----	----	----	1 UNCH
3800	----	----	38.80B/32.80A	38.80B/32.80A	----	33.10 - 0.50	.0907	----	----	----	----	18 UNCH
3805	----	----	39.30B/33.20A	39.30B/33.20A	----	33.50 - 0.60	.0918	----	----	----	----	1 UNCH
3820	----	----	41.10B/34.50A	41.10B/34.50A	----	34.90 - 0.50	.0953	----	----	----	----	1 UNCH
3865	----	----	45.30B/38.70A	45.30B/38.70A	----	39.30 - 0.60	.1063	----	----	----	----	2 UNCH
3870	----	----	45.80B/39.20A	45.80B/39.20A	----	39.80 - 0.60	.1075	----	----	----	----	1 UNCH
3875	----	----	47.20B/39.70A	47.20B/39.70A	----	40.40 - 0.50	.1089	----	----	----	----	12 UNCH
3885	----	----	48.50B/40.70A	48.50B/40.70A	----	41.50 - 0.50	.1116	----	----	----	----	5 UNCH
3890	----	----	49.20B/41.20A	49.20B/41.20A	----	42.00 - 0.60	.1129	----	----	----	----	2 UNCH
3895	----	----	49.20B/41.70A	49.20B/41.70A	----	42.60 - 0.50	.1143	----	----	----	----	2 UNCH
3900	----	----	49.90B/42.30A	49.90B/42.30A	----	43.10 - 0.60	.1156	----	----	----	----	23 UNCH
3920	----	----	52.70B/44.50A	52.70B/44.50A	----	45.50 - 0.60	.1213	----	----	----	----	28 UNCH
3930	----	----	54.80B/45.60A	54.80B/45.60A	----	46.70 - 0.60	.1242	----	----	----	----	2 UNCH
3940	----	----	56.30B/46.70A	56.30B/46.70A	----	47.90 - 0.60	.1271	----	----	----	----	65 UNCH
3950	----	----	57.80B/48.00A	57.80B/48.00A	----	49.20 - 0.60	.1301	----	----	----	----	2 UNCH
3965	----	----	59.60B/49.80A	59.60B/49.80A	----	51.10 - 0.70	.1347	----	----	----	----	1 UNCH
3975	----	----	62.00B/51.10A	62.00B/51.10A	----	52.50 - 0.70	.1379	----	----	----	----	5 UNCH
4000	55.00	55.00	65.80B/54.40A	65.80B/54.40A	----	56.00 - 0.80	.1460	----	----	76	----	447 + 73
4025	----	----	70.60B/57.90A	70.60B/57.90A	----	59.70 - 1.00	.1545	----	----	----	----	10 UNCH
4030	----	----	70.90B/58.60A	70.90B/58.60A	----	60.50 - 1.00	.1563	----	----	----	----	2 UNCH
4050	----	----	75.40B/61.90A	75.40B/61.90A	----	63.70 - 1.20	.1635	----	----	----	----	5 UNCH
4065	----	----	77.90B/64.30A	77.90B/64.30A	----	66.30 NEW	.1692	----	----	1	----	1 + 1
4070	----	----	78.60B/65.20A	78.60B/65.20A	----	67.10 - 1.30	.1711	----	----	----	----	31 UNCH
4075	----	----	79.90B/66.00A	79.90B/66.00A	----	68.00 - 1.30	.1730	----	----	1	----	1 + 1
4090	----	----	83.80B/68.50A	83.80B/68.50A	----	70.70 - 1.40	.1789	----	----	----	----	10 UNCH
4095	----	----	84.60B/69.40A	84.60B/69.40A	----	71.60 - 1.40	.1809	----	----	----	----	20 UNCH
4100	----	----	85.10B/70.20A	85.10B/70.20A	----	72.50 - 1.50	.1828	----	----	----	----	466 UNCH
4130	----	----	92.20B/75.80A	92.20B/75.80A	----	78.40 - 1.50	.1953	----	----	----	----	2 UNCH
4150	----	----	96.80B/79.80A	96.80B/79.80A	----	82.50 - 1.60	.2039	----	----	----	----	5 UNCH
4180	----	----	104.80B/86.00A	104.80B/86.00A	----	89.10 - 1.60	.2173	----	----	----	----	1 UNCH
4200	115.00	115.00	115.30/90.30A	115.30/90.30A	----	93.70 - 1.70	.2266	----	----	10	----	386 - 10
4220	----	----	115.60B/95.00A	115.60B/95.00A	----	98.60 - 1.70	.2362	----	----	----	----	5 UNCH
4235	----	----	121.00B/98.60A	121.00B/98.60A	----	102.40 - 1.80	.2435	----	----	----	----	1 UNCH
4250	----	----	124.80B/102.30A	124.80B/102.30A	----	106.30 - 1.90	.2510	----	----	----	----	72 UNCH
4265	----	----	129.80B/106.10A	129.80B/106.10A	----	110.30 - 1.90	.2586	----	----	----	----	200 UNCH
4270	----	----	131.60B/107.50A	131.60B/107.50A	----	111.70 - 1.90	.2612	----	----	----	----	229 UNCH
4280	----	----	134.60B/110.20A	134.60B/110.20A	----	114.50 - 2.00	.2663	----	----	----	----	196 UNCH
4300	116.80	116.80	141.50B/115.40A	141.50B/115.40A	----	120.30 - 2.00	.2769	----	----	1	----	617 + 1
4330	----	----	152.10B/124.60A	152.10B/124.60A	----	129.50 - 2.00	.2932	----	----	----	----	1 UNCH
4350	----	----	158.60B/130.60A	158.60B/130.60A	----	136.00 - 1.90	.3044	----	----	----	----	236 UNCH
4355	----	----	160.20B/132.10A	160.20B/132.10A	----	137.60 - 1.90	.3072	----	----	----	----	11 UNCH
4375	----	----	167.80B/138.50A	167.80B/138.50A	----	144.40 - 1.80	.3186	----	----	----	----	11 UNCH
4400	----	----	178.30B/146.60A	178.30B/146.60A	----	153.20 - 1.80	.3331	----	----	----	----	606 UNCH
4425	----	----	188.90B/155.80A	188.90B/155.80A	----	162.50 - 1.70	.3479	----	----	----	----	15 UNCH
4430	----	----	190.30B/157.60A	190.30B/157.60A	----	164.30 - 1.80	.3509	----	----	----	----	3 UNCH
4440	167.60	167.60	195.30B/161.60A	195.30B/161.60A	----	168.20 NEW	.3569	----	----	2	----	2 + 2
4450	200.00	200.00	203.10B/165.00A	203.10B/165.00A	----	172.10 - 1.70	.3629	----	----	11	----	36 + 10
4475	----	----	215.30B/175.00A	215.30B/175.00A	----	182.20 - 1.60	.3781	----	----	----	----	2 UNCH
4500	----	----	227.00B/184.60A	227.00B/184.60A	----	192.60 - 1.70	.3935	----	----	----	----	92 UNCH
4520	205.80	205.80	236.70B/193.30A	236.70B/193.30A	----	201.40 NEW	.4060	----	----	2	----	2 + 2
4550	----	----	251.80B/205.90A	251.80B/205.90A	----	214.90 - 1.70	.4248	----	----	----	----	1 UNCH
4560	----	----	256.40B/210.30A	256.40B/210.30A	----	219.60 - 1.60	.4311	----	----	----	----	78 UNCH
4570	228.60	228.60	262.20B/214.90A	262.20B/214.90A	----	224.40 NEW	.4374	----	----	2	----	2 + 2
4600	----	----	278.30B/228.70A	278.30B/228.70A	----	239.00 - 1.60	.4564	----	----	----	----	329 UNCH
4605	----	----	280.40B/231.30A	280.40B/231.30A	----	241.50 - 1.60	.4595	----	----	----	----	2 UNCH
4610	----	----	277.50B/233.70A	277.50B/233.70A	----	244.10 - 1.50	.4627	----	----	----	----	5 UNCH
4625	----	----	285.80B/241.10A	285.80B/241.10A	----	251.70 - 1.60	.4722	----	----	----	----	41 UNCH
4630	----	----	288.60B/243.50A	288.60B/243.50A	----	254.30 - 1.60	.4754	----	----	----	----	1 UNCH
4635	----	----	291.50B/246.00A	291.50B/246.00A	----	256.90 - 1.60	.4785	----	----	----	----	1 UNCH
4640	----	----	294.30B/248.60A	294.30B/248.60A	----	259.60 - 1.50	.4817	----	----	----	----	13 UNCH
4645	----	----	298.10B/251.10A	298.10B/251.10A	----	262.20 - 1.50	.4848	----	----	----	----	2 UNCH
4650	----	----	300.00B/253.70A	300.00B/253.70A	----	264.90 - 1.50	.4880	----	----	----	----	133 UNCH
4660	----	----	305.80B/258.80A	305.80B/258.80A	----	270.30 NEW	.4943	----	----	3	----	3 + 3
4670	----	----	311.70B/264.10A	311.70B/264.10A	----	275.80 - 1.40	.5005	----	----	----	----	3 UNCH
4675	281.10	281.10	314.70B/266.70A	314.70B/266.70A	----	278.50 - 1.40	.5037	----	----	5	----	5 + 4
4680	----	----	317.60B/269.40A	317.60B/269.40A	----	281.30 - 1.40	.5068	----	----	----	----	1 UNCH
4690	----	----	323.60B/274.80A	323.60B/274.80A	----	286.90 NEW	.5131	----	----	3	----	3 + 3
4700	----	----	329.70B/280.30A	329.70B/280.30A	----	292.60 - 1.30	.5193	----	----	----	----	84 UNCH
4715	----	----	338.80B/288.60A	338.80B/288.60A	----	301.20 - 1.20	.5285	----	----	----	----	3 UNCH
4750	----	----	360.90B/308.40A	360.90B/308.40A	----	322.00 - 1.00	.5500	----	----	----	----	175 UNCH
4755	----	----	364.10B/311.30A	364.10B/311.30A	----	325.00 - 1.00	.5530	----	----	----	----	168 UNCH
4775	----	----	377.10B/323.40A	377.10B/323.40A	----	337.30 - 0.90	.5650	----	----	----	----	26 UNCH
4780	----	----	381.40B/326.10A	381.40B/326.10A	----	340.40 - 0.90	.5680	----	----	----	----	1 UNCH
4800	----	----	393.70B/338.50A	393.70B/338.50A	----	353.00 - 0.80	.5799	----	----	----	----	101 UNCH
4805	----	----	397.10B/341.50A	397.10B/341.50A	----	356.20 - 0.70	.5828	----	----	----	----	1 UNCH
4810	----	----	400.50B/344.60A	400.50B/344.60A	----	359.40 - 0.70	.5857	----	----	----	----	9 UNCH
4815	----	----	405.70B/347.70A	405.70B/347.70A	----	362.70 - 0.60	.5886	----	----	----	----	42 UNCH
4820	----	----	407.30B/350.90A	407.30B/350.90A	----	365.90 - 0.60	.5915	----	----	----	----	3 UNCH
4835	----	----	406.90B/360.50A	406.90B/360.50A	----	375.70 - 0.50	.6002	----	----	----	----	3 UNCH
4845	----	----	412.40B/366.70A	412.40B/366.70A	----	382.30 - 0.50	.6059	----	----	----	----	20 UNCH
4850	----	----	409.70B/370.10A	409.70B/370.10A	----	385.70 - 0.40	.6087	----	----	----	----	80 UNCH
4875	----	----	414.40B/387.20A	414.40B/387.20A	----	402.60 - 0.20	.6227	----	----	----	----	1 UNCH
4900	----	----	432.00B/403.90A	432.00B/403.90A	----	419.80 - 0.10	.6364	----	----	----	----	81 UNCH
4910	----	----	439.00B/410.90A	439.00B/410.90A	----	426.80 - 0.10	.6419	----	----	----	----	1 UNCH
4920	----	----	446.10B/417.70A	446.10B/417.70A	----	433.80 - 0.10	.6472	----	----	----	----	1 UNCH
4925	----	----	449.80B/421.10A	449.80B/421.10A	----	437.40 UNCH	.6498	----	----	----	----	25 UNCH
4935	----	----	457.00B/428.10A	457.00B/428.10A	----	444.50 UNCH	.6551	----	----	----	----	5 UNCH
4965	----	----	479.00B/449.10A	479.00B/449.10A	----	466.20 + 0.10	.6707	----	----	----	----	13 UNCH
4980	----	----	490.00B/460.10A	490.00B/460.10A	----	477.20 + 0.10	.6782	----	----	----	----	1 UNCH
5000	----	----	505.20B/474.60A	505.20B/474.60A	----	492.10 + 0.20	.6881	----	----	----	----	47 UNCH
5010	----	----	512.70B/482.00A	512.70B/482.00A	----	499.60 + 0.20	.6930	----	----	----	----	1 UNCH
5050	----	----	541.10B/511.80A	541.10B/511.80A	----	530.10 + 0.30	.7117	----	----	----	----	25 UNCH
5150	----	----	----	521.90B/703.40A	----	609.90 + 1.20	.7543	----	----	----	----	1 UNCH
5200	----	----	662.80B/633.60A	662.80B/633.60A	----	651.20 + 1.50	.7733	----	----	----	----	100 UNCH
5230	----	----	----	589.20B/769.40A	----	676.50 + 1.80	.7840	----	----	----	----	1 UNCH
5250	----	----	705.30B/675.30A	705.30B/675.30A	----	693.50 + 1.90	.7910	----	----	----	----	75 UNCH
5300	----	----	748.40B/717.80A	748.40B/717.80A	----	736.50 + 2.00	.8074	----	----	----	----	9 UNCH
5425	----	----	----	761.90B/938.00A	----	846.80 + 2.30	.8427	----	----	----	----	1 UNCH
5455	----	----	886.20B/854.40A	886.20B/854.40A	----	873.90 + 2.40	.8498	----	----	----	----	40 UNCH
5495	----	----	----	825.40B/1001.30A	----	910.50 + 2.90	.8588	----	----	----	----	1 UNCH
5500	----	----	----	829.90B/1005.90A	----	915.10 + 2.90	.8599	----	----	----	----	1 UNCH
5600	----	----	----	922.20B/1098.70A	----	1007.50 + 3.00	.8796	----	----	----	----	1 UNCH
5700	----	----	----	1016.10B/1193.00A	----	1101.30 + 2.90	.8961	----	----	----	----	1 UNCH
TOTAL										192		7358 + 167
NOV26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
2750	----	----	----	4.00B/5.10A	----	4.50 - 0.10	.0105	----	----	----	----	1 UNCH
2800	----	----	----	4.40B/5.50A	----	4.90 - 0.10	.0116	----	----	----	----	8 UNCH
2900	----	----	----	5.40B/6.50A	----	5.90 UNCH	.0142	----	----	----	----	1 UNCH
3000	----	----	----	6.60B/7.70A	----	7.10 - 0.10	.0173	----	----	----	----	95 UNCH
3120	----	----	----	8.60B/9.60A	----	8.90 - 0.20	.0221	----	----	----	----	10 UNCH
3180	----	----	----	9.60B/10.80A	----	10.10 - 0.20	.0252	----	----	----	----	10 UNCH
3200	----	----	----	10.10B/11.20A	----	10.50 - 0.20	.0263	----	----	----	----	93 UNCH
3215	----	----	----	10.50B/11.60A	----	10.90 - 0.20	.0273	----	----	----	----	1 UNCH
3220	----	----	----	10.50B/11.70A	----	11.00 - 0.20	.0275	----	----	----	----	1 UNCH
3225	----	----	----	10.70B/11.80A	----	11.10 - 0.20	.0278	----	----	----	----	1 UNCH
3235	----	----	----	10.90B/12.00A	----	11.40 - 0.20	.0285	----	----	----	----	2 UNCH
3250	----	----	----	11.30B/12.40A	----	11.70 - 0.20	.0294	----	----	----	----	18 UNCH
3255	----	----	----	11.40B/12.50A	----	11.90 - 0.20	.0298	----	----	----	----	18 UNCH
3300	----	----	----	12.70B/13.80A	----	13.10 - 0.20	.0329	----	----	----	----	20 UNCH
3310	----	----	----	13.10B/14.10A	----	13.40 - 0.20	.0336	----	----	----	----	1 UNCH
3320	----	----	----	13.20B/14.30A	----	13.70 - 0.20	.0344	----	----	----	----	16 UNCH
3350	----	----	----	14.30B/15.30A	----	14.60 - 0.30	.0367	----	----	----	----	180 UNCH
3455	----	----	----	18.20B/19.30A	----	18.60 - 0.30	.0466	----	----	----	----	1 UNCH
3475	----	----	----	19.20B/20.20A	----	19.50 - 0.20	.0488	----	----	----	----	2 UNCH
3500	----	----	----	20.40B/21.30A	----	20.70 - 0.20	.0517	----	----	----	----	675 UNCH
3535	----	----	----	22.10B/23.00A	----	22.50 - 0.20	.0561	----	----	----	----	1 UNCH
3605	----	----	27.60B/----	27.60B/26.90A	----	26.60 - 0.20	.0658	----	----	----	----	1 UNCH
3690	----	----	34.50B/----	34.50B/32.80A	----	32.70 - 0.10	.0799	----	----	----	----	1 UNCH
3700	----	----	35.30B/33.40A	35.30B/33.40A	----	33.50 - 0.10	.0817	----	----	----	----	1 UNCH
3725	----	----	37.90B/35.50A	37.90B/35.50A	----	35.60 - 0.10	.0865	----	----	----	----	1 UNCH
3740	----	----	39.20B/36.60A	39.20B/36.60A	----	36.90 - 0.10	.0894	----	----	----	----	21 UNCH
3750	----	----	40.30B/37.50A	40.30B/37.50A	----	37.80 - 0.10	.0914	----	----	----	----	347 UNCH
3780	----	----	43.70B/40.20A	43.70B/40.20A	----	40.60 - 0.20	.0976	----	----	----	----	1 UNCH
3800	----	----	46.90B/42.40A	46.90B/42.40A	----	42.60 - 0.30	.1020	----	----	----	----	29 UNCH
3820	----	----	47.00B/44.60A	47.00B/44.60A	----	44.70 - 0.30	.1066	----	----	----	----	22 UNCH
3875	----	----	58.30B/50.60A	58.30B/50.60A	----	51.00 - 0.50	.1201	----	----	----	----	24 UNCH
3900	----	----	62.60B/53.30A	62.60B/53.30A	----	54.20 - 0.60	.1268	----	----	----	----	2 UNCH
3920	----	----	65.40B/55.90A	65.40B/55.90A	----	56.80 - 0.80	.1323	----	----	----	----	2 UNCH
3925	----	----	65.90B/56.60A	65.90B/56.60A	----	57.50 - 0.80	.1337	----	----	----	----	2 UNCH
3945	----	----	69.30B/59.30A	69.30B/59.30A	----	60.30 - 0.90	.1394	----	----	----	----	1 UNCH
3980	----	----	75.30B/64.20A	75.30B/64.20A	----	65.50 - 1.10	.1500	----	----	----	----	1 UNCH
4000	----	----	79.20B/67.20A	79.20B/67.20A	----	68.70 - 1.20	.1563	----	----	----	----	7 UNCH
4025	----	----	84.00B/71.40A	84.00B/71.40A	----	72.90 - 1.30	.1646	----	----	----	----	2 UNCH
4070	----	----	90.30B/79.30A	90.30B/79.30A	----	81.00 - 1.60	.1802	----	----	----	----	25 UNCH
4100	----	----	99.50B/84.80A	99.50B/84.80A	----	86.90 - 1.70	.1912	----	----	----	----	5 UNCH
4135	----	----	104.70B/92.10A	104.70B/92.10A	----	94.30 - 1.70	.2047	----	----	----	----	22 UNCH
4160	----	----	113.90B/97.40A	113.90B/97.40A	----	99.90 - 1.80	.2147	----	----	----	----	1 UNCH
4170	----	----	117.20B/99.70A	117.20B/99.70A	----	102.30 - 1.70	.2189	----	----	----	----	1 UNCH
4180	----	----	120.00B/102.00A	120.00B/102.00A	----	104.60 - 1.80	.2230	----	----	----	----	1 UNCH
4200	----	----	125.00B/106.70A	125.00B/106.70A	----	109.50 - 1.80	.2315	----	----	----	----	6 UNCH
4205	----	----	126.00B/107.90A	126.00B/107.90A	----	110.80 - 1.80	.2337	----	----	----	----	1 UNCH
4215	----	----	129.60B/110.30A	129.60B/110.30A	----	113.40 - 1.70	.2381	----	----	----	----	5 UNCH
4250	----	----	137.60B/119.10A	137.60B/119.10A	----	122.70 - 1.70	.2536	----	----	----	----	567 UNCH
4275	----	----	146.70B/126.00A	146.70B/126.00A	----	129.70 - 1.80	.2651	----	----	----	----	3 UNCH
4305	----	----	155.30B/134.40A	155.30B/134.40A	----	138.70 - 1.60	.2793	----	----	----	----	1 UNCH
4320	----	----	161.60B/139.00A	161.60B/139.00A	----	143.30 - 1.60	.2866	----	----	----	----	43 UNCH
4330	----	----	164.40B/142.10A	164.40B/142.10A	----	146.50 - 1.50	.2915	----	----	----	----	2 UNCH
4350	----	----	170.60B/148.30A	170.60B/148.30A	----	153.00 - 1.50	.3014	----	----	----	----	3 UNCH
4390	----	----	185.40B/161.30A	185.40B/161.30A	----	166.70 - 1.30	.3216	----	----	----	----	1 UNCH
4395	----	----	189.10B/163.00A	189.10B/163.00A	----	168.40 - 1.40	.3242	----	----	----	----	1 UNCH
4400	----	----	190.70B/164.70A	190.70B/164.70A	----	170.20 - 1.40	.3267	----	----	----	----	5 UNCH
4425	----	----	200.80B/173.60A	200.80B/173.60A	----	179.40 - 1.30	.3398	----	----	----	----	72 UNCH
4430	----	----	202.90B/175.30A	202.90B/175.30A	----	181.30 - 1.20	.3424	----	----	----	----	10 UNCH
4450	----	----	209.60B/182.70A	209.60B/182.70A	----	189.00 - 1.10	.3530	----	----	----	----	39 UNCH
4485	----	----	234.50B/196.00A	234.50B/196.00A	----	203.00 - 1.00	.3718	----	----	----	----	1 UNCH
4490	----	----	236.80B/198.20A	236.80B/198.20A	----	205.00 - 1.00	.3745	----	----	----	----	1 UNCH
4500	----	----	241.40B/202.00A	241.40B/202.00A	----	209.20 - 1.00	.3800	----	----	----	----	45 UNCH
4510	----	----	246.20B/206.00A	246.20B/206.00A	----	213.40 - 1.00	.3854	----	----	----	----	11 UNCH
4535	----	----	258.20B/216.50A	258.20B/216.50A	----	224.20 - 0.90	.3991	----	----	----	----	10 UNCH
4540	----	----	260.30B/218.60A	260.30B/218.60A	----	226.50 - 0.80	.4019	----	----	----	----	6 UNCH
4580	----	----	280.10B/236.20A	280.10B/236.20A	----	244.70 - 0.80	.4241	----	----	----	----	10 UNCH
4600	----	----	290.70B/245.50A	290.70B/245.50A	----	254.20 - 0.80	.4353	----	----	----	----	1 UNCH
4640	----	----	312.60B/264.60A	312.60B/264.60A	----	274.00 - 0.70	.4577	----	----	----	----	90 UNCH
4650	----	----	318.00B/269.50A	318.00B/269.50A	----	279.10 - 0.70	.4633	----	----	----	----	52 UNCH
4700	----	----	335.00B/295.10A	335.00B/295.10A	----	305.60 - 0.50	.4912	----	----	----	----	53 UNCH
4710	----	----	340.80B/300.30A	340.80B/300.30A	----	311.10 - 0.50	.4968	----	----	----	----	1 UNCH
4725	----	----	349.60B/308.40A	349.60B/308.40A	----	319.40 - 0.40	.5051	----	----	----	----	2 UNCH
4750	----	----	364.60B/322.00A	364.60B/322.00A	----	333.70 - 0.20	.5188	----	----	----	----	10 UNCH
4755	----	----	367.70B/324.90A	367.70B/324.90A	----	336.60 - 0.20	.5215	----	----	----	----	1 UNCH
4800	----	----	395.80B/350.60A	395.80B/350.60A	----	363.30 UNCH	.5458	----	----	----	----	12 UNCH
4820	----	----	408.60B/362.70A	408.60B/362.70A	----	375.50 + 0.10	.5565	----	----	----	----	1 UNCH
4840	----	----	421.70B/374.90A	421.70B/374.90A	----	388.00 + 0.20	.5670	----	----	----	----	2 UNCH
4845	----	----	425.00B/377.90A	425.00B/377.90A	----	391.10 + 0.20	.5697	----	----	----	----	10 UNCH
4850	----	----	428.30B/381.00A	428.30B/381.00A	----	394.30 + 0.30	.5722	----	----	----	----	8 UNCH
4900	----	----	456.90B/412.40A	456.90B/412.40A	----	426.70 + 0.40	.5979	----	----	----	----	12 UNCH
4915	----	----	457.00B/422.20A	457.00B/422.20A	----	436.60 + 0.30	.6054	----	----	----	----	3 UNCH
4935	----	----	461.20B/435.30A	461.20B/435.30A	----	450.10 + 0.20	.6153	----	----	----	----	25 UNCH
4950	----	----	471.60B/445.30A	471.60B/445.30A	----	460.40 + 0.30	.6226	----	----	----	----	11 UNCH
4960	----	----	478.60B/452.00A	478.60B/452.00A	----	467.30 + 0.30	.6275	----	----	----	----	2 UNCH
5000	----	----	506.70B/479.50A	506.70B/479.50A	----	495.40 + 0.30	.6464	----	----	----	----	255 UNCH
5020	----	----	521.20B/493.50A	521.20B/493.50A	----	509.80 + 0.50	.6556	----	----	----	----	30 UNCH
5055	----	----	547.10B/518.60A	547.10B/518.60A	----	535.30 + 0.60	.6713	----	----	----	----	8 UNCH
5200	----	----	----	546.40B/751.60A	----	646.80 + 1.20	.7304	----	----	----	----	81 UNCH
5395	----	----	----	709.80B/912.30A	----	808.80 + 1.80	.7947	----	----	----	----	6 UNCH
5400	----	----	----	714.20B/916.60A	----	813.10 + 1.80	.7961	----	----	----	----	6 UNCH
5760	----	----	----	1040.00B/1239.50A	----	1137.30 + 2.70	.8740	----	----	----	----	1 UNCH
5975	----	----	----	1242.70B/1443.60A	----	1340.40 + 3.30	.9028	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1364.30 + 3.40	.9053	----	----	----	----	1 UNCH
TOTAL												3203 0
DEC26												
1350	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
1375	----	----	----	----/12.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1500	----	----	----	0.20B/0.90A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1600	----	----	----	0.30B/1.30A	----	0.30 UNCH	.0006	----	----	----	----	190 UNCH
1700	----	----	0.60B/----	0.60B/1.50A	----	0.40 UNCH	.0008	----	----	----	----	200 UNCH
1845	----	----	----	0.30B/2.90A	----	0.70 - 0.10	.0014	----	----	----	----	55 UNCH
1900	----	----	----	0.50B/2.30A	----	0.90 UNCH	.0018	----	----	----	----	4 UNCH
2000	----	----	----	1.30B/2.80A	----	1.20 - 0.10	.0024	----	----	----	----	2 UNCH
2400	----	----	----	2.60B/3.80A	----	2.90 - 0.10	.0061	----	----	----	----	1 UNCH
2490	----	----	----	3.00B/4.40A	----	3.50 - 0.10	.0075	----	----	----	----	1 UNCH
2750	----	----	----	5.00B/6.60A	----	5.70 - 0.20	.0126	----	----	----	----	1 UNCH
2800	----	----	----	5.50B/7.20A	----	6.30 - 0.10	.0140	----	----	----	----	18 UNCH
2900	----	----	----	6.80B/8.50A	----	7.70 UNCH	.0173	----	----	----	----	24 UNCH
2925	----	----	----	7.10B/8.90A	----	8.00 - 0.10	.0181	----	----	----	----	300 UNCH
2975	----	----	----	7.90B/9.70A	----	8.80 - 0.10	.0200	----	----	----	----	400 UNCH
3000	----	----	----	8.40B/10.10A	----	9.30 UNCH	.0212	----	----	----	----	1356 UNCH
3160	----	----	----	11.80B/13.50A	----	12.70 - 0.20	.0293	----	----	----	----	2 UNCH
3175	----	----	----	12.20B/13.90A	----	13.10 - 0.20	.0303	----	----	----	----	1 UNCH
3250	----	----	----	14.70B/16.10A	----	15.40 - 0.20	.0356	----	----	----	----	20 UNCH
3300	----	----	----	16.60B/17.80A	----	17.20 - 0.10	.0397	----	----	----	----	7 UNCH
3400	----	----	----	20.90B/21.80A	----	21.40 - 0.10	.0492	----	----	----	----	1251 UNCH
3425	----	----	----	22.00B/23.00A	----	22.60 - 0.20	.0519	----	----	----	----	350 UNCH
3450	----	----	----	23.30B/24.30A	----	24.00 - 0.10	.0549	----	----	----	----	201 UNCH
3460	----	----	----	23.90B/24.90A	----	24.50 - 0.10	.0561	----	----	----	----	20 UNCH
3475	----	----	----	24.70B/25.70A	----	25.30 - 0.10	.0579	----	----	----	----	152 UNCH
3500	----	----	27.20B/----	27.20B/27.20A	----	26.80 - 0.10	.0611	----	----	----	----	1468 UNCH
3550	----	----	31.80B/----	31.80B/30.30A	----	30.00 - 0.20	.0681	----	----	----	----	18 UNCH
3565	----	----	32.10B/----	32.10B/31.40A	----	31.10 - 0.20	.0704	----	----	----	----	2 UNCH
3590	----	----	34.00B/----	34.00B/33.20A	----	32.90 - 0.20	.0742	----	----	----	----	1 UNCH
3600	----	----	34.80B/----	34.80B/33.90A	----	33.70 - 0.20	.0759	----	----	----	----	464 UNCH
3610	----	----	35.50B/----	35.50B/34.70A	----	34.50 - 0.20	.0775	----	----	----	----	3 UNCH
3650	----	----	39.00B/37.80A	39.00B/37.80A	----	37.80 - 0.30	.0844	----	----	----	----	201 UNCH
3660	----	----	40.20B/38.70A	40.20B/38.70A	----	38.60 - 0.40	.0861	----	----	----	----	5 UNCH
3670	----	----	41.00B/39.50A	41.00B/39.50A	----	39.50 - 0.40	.0880	----	----	----	----	1 UNCH
3690	----	----	42.70B/41.30A	42.70B/41.30A	----	41.40 - 0.40	.0918	----	----	----	----	1 UNCH
3700	----	----	44.00B/42.20A	44.00B/42.20A	----	42.30 - 0.50	.0937	----	----	----	----	279 UNCH
3710	----	----	44.90B/43.20A	44.90B/43.20A	----	43.30 - 0.50	.0957	----	----	----	----	37 UNCH
3720	----	----	46.50B/44.30A	46.50B/44.30A	----	44.30 - 0.50	.0977	----	----	----	----	1 UNCH
3725	----	----	47.00B/44.80A	47.00B/44.80A	----	44.80 - 0.50	.0987	----	----	----	----	6 UNCH
3750	----	----	51.70B/47.40A	51.70B/47.40A	----	47.40 - 0.60	.1040	----	----	----	----	166 UNCH
3760	----	----	50.80B/48.60A	50.80B/48.60A	----	48.50 - 0.60	.1062	----	----	----	----	184 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3780	----	----	57.50B/50.60A	57.50B/50.60A	----	50.70 - 0.70	.1105	----	----	----	----	1 UNCH
3800	----	----	59.60B/52.90A	59.60B/52.90A	----	53.10 - 0.70	.1152	----	----	----	----	149 UNCH
3810	54.00	54.00	60.80B/54.00	60.80B/54.00	----	54.30 - 0.70	.1176	----	----	7	----	56 UNCH
3850	----	----	66.80B/59.00A	66.80B/59.00A	----	59.40 - 0.80	.1274	----	----	----	----	24 UNCH
3880	----	----	70.90B/63.00A	70.90B/63.00A	----	63.60 - 0.80	.1353	----	----	----	----	1 UNCH
3900	66.90	66.90	75.20B/65.80A	75.20B/65.80A	----	66.50 - 0.80	.1408	----	----	7	----	1204 - 2
3920	----	----	78.30B/68.60A	78.30B/68.60A	----	69.50 - 0.90	.1463	----	----	----	----	50 UNCH
3925	----	----	79.20B/69.40A	79.20B/69.40A	----	70.30 - 0.90	.1478	----	----	----	----	252 UNCH
3930	----	----	80.10B/70.10A	80.10B/70.10A	----	71.10 - 0.90	.1493	----	----	----	----	2 UNCH
3950	----	----	84.50B/73.20A	84.50B/73.20A	----	74.30 - 1.00	.1551	----	----	----	----	27 UNCH
3965	----	----	84.00B/75.70A	84.00B/75.70A	----	76.80 - 1.00	.1596	----	----	----	----	50 UNCH
3975	----	----	89.10B/77.30A	89.10B/77.30A	----	78.60 - 0.90	.1628	----	----	----	----	192 UNCH
3980	79.20	79.20	90.30B/78.10A	90.30B/78.10A	----	79.50 - 0.90	.1644	----	----	16	----	242 + 10
4000	86.60	86.60	94.10B/81.30A	94.10B/81.30A	----	83.10 - 0.90	.1708	----	----	250	250	2235 + 79
4025	----	----	99.30B/86.10A	99.30B/86.10A	----	87.80 - 1.00	.1790	----	----	----	----	220 UNCH
4050	99.00	99.00	101.70B/90.80A	101.70B/90.80A	----	92.70 - 1.00	.1874	----	----	2	----	204 + 2
4070	----	----	108.90B/94.90A	108.90B/94.90A	----	96.90 - 1.00	.1945	----	----	----	----	8 UNCH
4090	----	----	114.40B/99.30A	114.40B/99.30A	----	101.20 - 1.00	.2017	----	----	----	----	1 UNCH
4100	----	----	113.80B/101.00A	113.80B/101.00A	----	103.40 - 1.00	.2053	----	----	----	----	386 UNCH
4130	----	----	124.80B/108.10A	124.80B/108.10A	----	110.40 - 0.90	.2166	----	----	----	----	2 UNCH
4150	----	----	130.00B/112.30A	130.00B/112.30A	----	115.20 - 1.00	.2243	----	----	----	----	21 UNCH
4160	----	----	132.70B/114.70A	132.70B/114.70A	----	117.70 - 1.00	.2283	----	----	----	----	252 UNCH
4170	----	----	131.20B/117.60A	131.20B/117.60A	----	120.30 - 0.90	.2323	----	----	----	----	2 UNCH
4175	----	----	132.60B/118.40A	132.60B/118.40A	----	121.60 - 0.90	.2343	----	----	----	----	60 UNCH
4200	----	----	144.30B/124.80A	144.30B/124.80A	----	128.20 - 0.90	.2445	----	----	----	----	1307 UNCH
4215	----	----	148.80B/128.70A	148.80B/128.70A	----	132.30 - 0.90	.2507	----	----	----	----	14 UNCH
4230	----	----	149.20B/132.90A	149.20B/132.90A	----	136.50 - 0.90	.2571	----	----	----	----	150 UNCH
4250	----	----	159.60B/138.30A	159.60B/138.30A	----	142.30 - 0.90	.2657	----	----	----	----	344 UNCH
4300	158.00	158.00	176.30B/153.10A	176.30B/153.10A	----	157.70 - 0.90	.2878	----	----	1	----	2344 + 1
4320	----	----	180.40B/159.40A	180.40B/159.40A	----	164.20 - 0.90	.2969	----	----	----	----	100 UNCH
4325	166.60	166.60	182.60B/161.00A	182.60B/161.00A	----	165.90 - 0.90	.2992	----	----	30	----	574 + 30
4340	----	----	187.50B/165.90A	187.50B/165.90A	----	170.90 - 0.90	.3061	----	----	----	----	82 UNCH
4350	----	----	191.00B/169.30A	191.00B/169.30A	----	174.40 - 0.90	.3108	----	----	----	----	151 UNCH
4365	----	----	196.30B/174.10A	196.30B/174.10A	----	179.60 - 0.90	.3178	----	----	----	----	390 UNCH
4375	----	----	203.20B/177.70A	203.20B/177.70A	----	183.20 - 0.90	.3226	----	----	----	----	5 UNCH
4385	----	----	204.60B/181.10A	204.60B/181.10A	----	186.80 - 0.90	.3273	----	----	----	----	75 UNCH
4390	----	----	207.50B/183.00A	207.50B/183.00A	----	188.70 - 0.90	.3298	----	----	----	----	200 UNCH
4400	----	----	211.50B/186.40A	211.50B/186.40A	----	192.40 - 0.90	.3346	----	----	----	----	290 UNCH
4425	----	----	222.00B/195.60A	222.00B/195.60A	----	201.90 - 0.90	.3467	----	----	----	----	9 UNCH
4430	----	----	223.50B/197.30A	223.50B/197.30A	----	203.80 - 0.90	.3491	----	----	----	----	10 UNCH
4435	----	----	226.20B/199.40A	226.20B/199.40A	----	205.80 - 0.90	.3516	----	----	----	----	14 UNCH
4450	----	----	232.40B/205.20A	232.40B/205.20A	----	211.70 - 0.90	.3590	----	----	----	----	260 UNCH
4470	----	----	240.10B/213.20A	240.10B/213.20A	----	219.90 - 0.80	.3689	----	----	----	----	1 UNCH
4475	----	----	249.80B/214.90A	249.80B/214.90A	----	221.90 - 0.90	.3714	----	----	----	----	8 UNCH
4500	----	----	263.70B/225.20A	263.70B/225.20A	----	232.50 - 0.80	.3840	----	----	----	----	1197 UNCH
4510	----	----	267.70B/229.50A	267.70B/229.50A	----	236.80 - 0.70	.3890	----	----	----	----	2 UNCH
4515	----	----	271.00B/231.40A	271.00B/231.40A	----	239.00 - 0.70	.3915	----	----	----	----	242 UNCH
4520	----	----	272.60B/233.50A	272.60B/233.50A	----	241.20 - 0.70	.3941	----	----	----	----	25 UNCH
4525	----	----	275.50B/235.70A	275.50B/235.70A	----	243.40 - 0.70	.3966	----	----	2	----	202 + 2
4530	----	----	278.00B/237.70A	278.00B/237.70A	----	245.60 - 0.70	.3992	----	----	----	----	20 UNCH
4535	----	----	279.90B/239.90A	279.90B/239.90A	----	247.80 - 0.70	.4017	----	----	----	----	102 UNCH
4540	----	----	282.40B/242.30A	282.40B/242.30A	----	250.10 - 0.60	.4043	----	----	----	----	1 UNCH
4550	----	----	287.50B/246.40A	287.50B/246.40A	----	254.60 - 0.60	.4094	----	----	----	----	9 UNCH
4555	----	----	289.80B/248.70A	289.80B/248.70A	----	256.90 - 0.60	.4119	----	----	----	----	50 UNCH
4580	----	----	302.40B/259.80A	302.40B/259.80A	----	268.50 - 0.60	.4247	----	----	----	----	50 UNCH
4585	----	----	305.20B/262.30A	305.20B/262.30A	----	270.90 - 0.50	.4273	----	----	----	----	325 UNCH
4600	----	----	313.10B/269.20A	313.10B/269.20A	----	278.10 - 0.50	.4350	----	----	----	----	705 UNCH
4620	----	----	323.50B/278.80A	323.50B/278.80A	----	287.90 - 0.50	.4453	----	----	----	----	50 UNCH
4625	----	----	326.20B/281.20A	326.20B/281.20A	----	290.40 - 0.40	.4479	----	----	2	----	34 UNCH
4640	312.00	312.00	334.20B/288.40A	334.20B/288.40A	----	298.00 - 0.40	.4557	----	----	1	----	101 + 1
4650	----	----	339.60B/293.20A	339.60B/293.20A	----	303.20 - 0.30	.4608	----	----	----	----	116 UNCH
4680	----	----	346.40B/309.00A	346.40B/309.00A	----	319.00 - 0.30	.4762	----	----	----	----	60 UNCH
4700	----	----	357.80B/319.30A	357.80B/319.30A	----	329.80 - 0.40	.4865	----	----	----	----	511 UNCH
4710	340.60	340.60	362.80B/324.70A	362.80B/324.70A	----	335.30 NEW	.4916	----	----	1	----	1 + 1
4715	344.50	344.50	365.70B/327.20A	365.70B/327.20A	----	338.10 NEW	.4941	----	----	15	----	15 + 15
4725	----	----	371.60B/332.70A	371.60B/332.70A	----	343.60 - 0.50	.4992	----	----	17	----	127 + 17
4750	----	----	386.50B/346.30A	386.50B/346.30A	----	357.80 - 0.50	.5118	----	----	----	----	63 UNCH
4790	----	----	411.00B/369.00A	411.00B/369.00A	----	381.10 - 0.50	.5318	----	----	----	----	60 UNCH
4795	----	----	414.10B/371.90A	414.10B/371.90A	----	384.10 - 0.50	.5343	----	----	----	----	1 UNCH
4800	394.00	394.00	417.30B/374.70A	417.30B/374.70A	----	387.10 - 0.50	.5368	----	----	1	----	348 UNCH
4810	----	----	423.60B/380.50A	423.60B/380.50A	----	393.10 - 0.50	.5417	----	----	----	----	56 UNCH
4815	----	----	426.70B/383.60A	426.70B/383.60A	----	396.20 - 0.40	.5442	----	----	----	----	10 UNCH
4820	----	----	430.80B/386.10A	430.80B/386.10A	----	399.20 - 0.50	.5466	----	----	----	----	20 UNCH
4825	----	----	433.10B/389.60A	433.10B/389.60A	----	402.30 - 0.40	.5491	----	----	----	----	112 UNCH
4830	----	----	436.40B/392.70A	436.40B/392.70A	----	405.40 - 0.40	.5515	----	----	----	----	6 UNCH
4835	----	----	440.50B/395.60A	440.50B/395.60A	----	408.50 - 0.40	.5540	----	----	----	----	125 UNCH
4850	----	----	450.30B/404.60A	450.30B/404.60A	----	417.80 - 0.50	.5612	----	----	----	----	13 UNCH
4875	----	----	465.90B/420.20A	465.90B/420.20A	----	433.70 - 0.40	.5732	----	----	----	----	16 UNCH
4880	----	----	469.20B/423.40A	469.20B/423.40A	----	436.90 - 0.40	.5755	----	----	----	----	12 UNCH
4900	----	----	482.70B/435.90A	482.70B/435.90A	----	449.90 - 0.40	.5850	----	----	----	----	110 UNCH
4925	----	----	498.20B/451.80A	498.20B/451.80A	----	466.30 - 0.40	.5966	----	----	----	----	237 UNCH
4930	----	----	499.40B/455.20A	499.40B/455.20A	----	469.60 - 0.40	.5989	----	----	----	----	1 UNCH
4935	----	----	500.70B/458.40A	500.70B/458.40A	----	473.00 - 0.30	.6012	----	----	----	----	2 UNCH
4940	----	----	499.20B/461.70A	499.20B/461.70A	----	476.30 - 0.40	.6035	----	----	----	----	29 UNCH
4950	----	----	499.70B/468.50A	499.70B/468.50A	----	483.00 - 0.40	.6081	----	----	----	----	24 UNCH
4975	----	----	511.10B/485.20A	511.10B/485.20A	----	500.00 - 0.30	.6194	----	----	----	----	43 UNCH
4980	----	----	514.50B/488.50A	514.50B/488.50A	----	503.40 - 0.40	.6216	----	----	----	----	5 UNCH
4995	----	----	525.10B/498.70A	525.10B/498.70A	----	513.80 - 0.30	.6282	----	----	----	----	32 UNCH
5000	----	----	528.60B/502.10A	528.60B/502.10A	----	517.30 - 0.30	.6304	----	----	----	----	445 UNCH
5020	----	----	542.80B/515.90A	542.80B/515.90A	----	531.30 - 0.30	.6391	----	----	----	----	8 UNCH
5025	----	----	546.40B/519.40A	546.40B/519.40A	----	534.90 - 0.20	.6412	----	----	----	----	210 UNCH
5035	----	----	553.60B/526.40A	553.60B/526.40A	----	542.00 - 0.20	.6455	----	----	----	----	8 UNCH
5050	----	----	564.50B/536.90A	564.50B/536.90A	----	552.70 - 0.20	.6518	----	----	----	----	201 UNCH
5070	----	----	578.90B/551.40A	578.90B/551.40A	----	567.20 - 0.10	.6602	----	----	----	----	1 UNCH
5075	----	----	582.90B/554.90A	582.90B/554.90A	----	570.90 UNCH	.6622	----	----	----	----	100 UNCH
5095	----	----	597.80B/569.20A	597.80B/569.20A	----	585.60 + 0.10	.6704	----	----	----	----	6 UNCH
5100	----	----	601.50B/572.90A	601.50B/572.90A	----	589.30 + 0.10	.6724	----	----	----	----	6 UNCH
5195	----	----	671.10B/643.90A	671.10B/643.90A	----	661.80 + 0.70	.7086	----	----	----	----	5 UNCH
5200	----	----	674.80B/647.70A	674.80B/647.70A	----	665.70 + 0.80	.7104	----	----	----	----	38 UNCH
5250	----	----	715.60B/690.50A	715.60B/690.50A	----	705.30 + 1.10	.7279	----	----	----	----	126 UNCH
5290	----	----	----	625.10B/854.00A	----	737.60 + 1.30	.7412	----	----	----	----	1 UNCH
5295	----	----	----	629.20B/858.10A	----	741.70 + 1.30	.7427	----	----	----	----	1 UNCH
5360	----	----	804.30B/779.70A	804.30B/779.70A	----	795.30 + 1.50	.7629	----	----	----	----	100 UNCH
5370	----	----	813.30B/788.00A	813.30B/788.00A	----	803.70 + 1.50	.7658	----	----	----	----	20 UNCH
5375	----	----	817.90B/792.20A	817.90B/792.20A	----	807.90 + 1.50	.7673	----	----	----	----	34 UNCH
5400	----	----	838.80B/813.10A	838.80B/813.10A	----	828.90 + 1.50	.7745	----	----	----	----	102 UNCH
5415	----	----	851.10B/825.80A	851.10B/825.80A	----	841.60 + 1.60	.7787	----	----	----	----	4 UNCH
5460	----	----	889.60B/864.10A	889.60B/864.10A	----	880.10 + 1.70	.7907	----	----	----	----	200 UNCH
5465	----	----	894.30B/868.40A	894.30B/868.40A	----	884.40 + 1.70	.7921	----	----	----	----	50 UNCH
5480	----	----	906.80B/881.20A	906.80B/881.20A	----	897.40 + 1.80	.7960	----	----	----	----	50 UNCH
5500	----	----	924.40B/898.50A	924.40B/898.50A	----	914.70 + 1.80	.8009	----	----	----	----	31 UNCH
5525	----	----	946.00B/920.30A	946.00B/920.30A	----	936.50 + 1.90	.8071	----	----	----	----	80 UNCH
5600	----	----	1,013.30B/984.9	1013.30B/984.90A	----	1002.80 + 2.30	.8240	----	----	----	----	252 UNCH
5900	----	----	1,284.40B/1,261	1284.40B/1261.10A	----	1277.70 + 3.10	.8758	----	----	----	----	125 UNCH
6000	----	----	1,377.60B/1,355	1377.60B/1355.70A	----	1371.90 + 3.10	.8885	----	----	----	----	40 UNCH
6500	----	----	1,854.80B/1,841	1854.80B/1841.80A	----	1853.90 + 3.50	.9303	----	----	----	----	4 UNCH
TOTAL										352	250	26898 + 156
JAN27												
2700	----	----	----	5.10B/7.10A	----	6.20 - 0.10	.0128	----	----	----	----	10 UNCH
2800	----	----	----	6.30B/8.50A	----	7.30 - 0.10	.0154	----	----	----	----	10 UNCH
3000	10.40	10.40	10.50B/10.40	10.50B/10.40	----	11.50 - 0.10	.0242	----	----	7	----	23 + 7
3500	----	----	34.80B/----	34.80B/32.90A	----	32.00 - 0.90	.0667	----	----	----	----	1 UNCH
3520	----	----	36.50B/34.30A	36.50B/34.30A	----	33.50 - 0.90	.0695	----	----	----	----	1 UNCH
3680	----	----	51.60B/47.50A	51.60B/47.50A	----	47.30 - 0.30	.0958	----	----	----	----	1 UNCH
3800	----	----	67.90B/----	67.90B/61.60A	----	61.10 - 0.10	.1207	----	----	----	----	1 UNCH
3825	----	----	70.40B/----	70.40B/64.70A	----	64.50 - 0.10	.1266	----	----	----	----	1 UNCH
3900	----	----	82.90B/75.40A	82.90B/75.40A	----	75.60 - 0.50	.1456	----	----	----	----	1 UNCH
3980	----	----	98.50B/88.70A	98.50B/88.70A	----	89.40 - 1.00	.1682	----	----	----	----	1 UNCH
4000	----	----	103.00B/92.40A	103.00B/92.40A	----	93.20 - 1.10	.1743	----	----	----	----	1 UNCH
4070	----	----	120.20B/106.40A	120.20B/106.40A	----	107.60 - 1.30	.1966	----	----	----	----	1 UNCH
4100	----	----	126.40B/112.90A	126.40B/112.90A	----	114.40 - 1.30	.2068	----	----	----	----	8 UNCH
4200	----	----	154.70B/137.20A	154.70B/137.20A	----	139.60 - 1.10	.2431	----	----	----	----	3 UNCH
4350	----	----	205.20B/181.90A	205.20B/181.90A	----	185.60 - 0.60	.3039	----	----	----	----	1 UNCH
4400	----	----	225.30B/198.90A	225.30B/198.90A	----	203.30 - 0.50	.3256	----	----	----	----	1 UNCH
4425	----	----	234.30B/207.90A	234.30B/207.90A	----	212.70 - 0.30	.3367	----	----	----	----	1500 UNCH
4500	----	----	267.80B/236.90A	267.80B/236.90A	----	242.50 - 0.10	.3707	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
4585	----	----	313.20B/273.30A	313.20B/273.30A	----	279.90 + 0.10	.4103	----	----	----	----	1 UNCH
4600	----	----	320.90B/280.10A	320.90B/280.10A	----	286.90 + 0.10	.4174	----	----	----	----	3 UNCH
4630	----	----	336.60B/294.00A	336.60B/294.00A	----	301.30 + 0.20	.4316	----	----	----	----	1 UNCH
4660	----	----	346.00B/308.50A	346.00B/308.50A	----	316.10 + 0.20	.4458	----	----	----	----	4 UNCH
4665	----	----	348.00B/310.90A	348.00B/310.90A	----	318.60 + 0.20	.4482	----	----	----	----	4 UNCH
4710	----	----	372.70B/333.70A	372.70B/333.70A	----	341.90 + 0.20	.4696	----	----	----	----	4 UNCH
4760	----	----	401.40B/360.20A	401.40B/360.20A	----	369.10 + 0.10	.4930	----	----	----	----	100 UNCH
4800	----	----	425.20B/382.10A	425.20B/382.10A	----	391.80 + 0.10	.5116	----	----	----	----	6 UNCH
4820	----	----	437.40B/393.50A	437.40B/393.50A	----	403.40 UNCH	.5208	----	----	----	----	6 UNCH
4860	----	----	462.40B/416.80A	462.40B/416.80A	----	427.40 - 0.10	.5390	----	----	----	----	1 UNCH
4960	----	----	528.10B/478.40A	528.10B/478.40A	----	490.70 - 0.30	.5830	----	----	----	----	42 UNCH
4980	----	----	541.80B/491.30A	541.80B/491.30A	----	504.00 - 0.20	.5914	----	----	----	----	10 UNCH
4990	----	----	547.20B/498.00A	547.20B/498.00A	----	510.70 - 0.20	.5957	----	----	----	----	1 UNCH
4995	----	----	548.30B/501.10A	548.30B/501.10A	----	514.00 - 0.20	.5978	----	----	----	----	1 UNCH
5000	----	----	549.70B/504.40A	549.70B/504.40A	----	517.40 - 0.20	.5998	----	----	----	----	2 UNCH
5050	----	----	560.90B/537.90A	560.90B/537.90A	----	551.80 UNCH	.6203	----	----	----	----	100 UNCH
5085	----	----	586.00B/562.00A	586.00B/562.00A	----	576.50 + 0.20	.6341	----	----	----	----	2 UNCH
5150	----	----	633.00B/608.00A	633.00B/608.00A	----	623.60 + 0.60	.6588	----	----	----	----	2 UNCH
5235	----	----	697.60B/670.70A	697.60B/670.70A	----	687.70 + 1.30	.6891	----	----	----	----	2 UNCH
5245	----	----	705.00B/678.20A	705.00B/678.20A	----	695.40 + 1.30	.6925	----	----	----	----	2 UNCH
5300	----	----	----/720.30A	730.50B/720.30A	----	738.40 + 1.80	.7106	----	----	----	----	44 UNCH
TOTAL										7		1906 + 7
FEB27												
2800	----	----	----	5.30B/10.00A	----	6.40 UNCH	.0140	----	----	----	----	4 UNCH
4000	----	----	115.20B/105.90A	115.20B/105.90A	----	105.90 - 0.90	.1840	----	----	----	----	1 UNCH
4070	----	----	132.20B/121.10A	132.20B/121.10A	----	121.50 - 0.70	.2062	----	----	----	----	2 UNCH
4200	----	----	169.10B/154.00A	169.10B/154.00A	----	155.50 - 0.10	.2516	----	----	----	----	50 UNCH
4300	----	----	202.60B/183.70A	202.60B/183.70A	----	186.50 + 0.50	.2899	----	----	----	----	1 UNCH
4500	----	----	285.40B/256.90A	285.40B/256.90A	----	261.90 + 1.10	.3735	----	----	----	----	1 UNCH
4600	----	----	339.70B/301.00A	339.70B/301.00A	----	306.90 + 1.10	.4176	----	----	----	----	17 UNCH
4650	----	----	357.90B/323.70A	357.90B/323.70A	----	331.20 + 0.90	.4399	----	----	----	----	1 UNCH
4655	----	----	360.60B/327.10A	360.60B/327.10A	----	333.70 + 0.90	.4421	----	----	----	----	1 UNCH
4660	----	----	363.30B/328.80A	363.30B/328.80A	----	336.20 + 0.80	.4444	----	----	----	----	435 UNCH
4665	----	----	365.90B/331.10A	365.90B/331.10A	----	338.70 + 0.80	.4466	----	----	----	----	3 UNCH
4750	----	----	413.40B/376.90A	413.40B/376.90A	----	383.50 + 0.20	.4845	----	----	----	----	1 UNCH
4755	----	----	416.30B/380.00A	416.30B/380.00A	----	386.30 + 0.20	.4867	----	----	----	----	1 UNCH
4775	----	----	428.00B/390.50A	428.00B/390.50A	----	397.40 + 0.10	.4955	----	----	----	----	1 UNCH
4785	----	----	433.90B/396.30A	433.90B/396.30A	----	403.00 UNCH	.4998	----	----	----	----	100 UNCH
4800	----	----	442.90B/404.40A	442.90B/404.40A	----	411.60 - 0.10	.5064	----	----	----	----	60 UNCH
4805	----	----	445.90B/407.50A	445.90B/407.50A	----	414.40 - 0.20	.5086	----	----	----	----	2 UNCH
4835	----	----	464.30B/424.20A	464.30B/424.20A	----	432.00 - 0.20	.5216	----	----	----	----	1 UNCH
4840	----	----	467.40B/427.10A	467.40B/427.10A	----	434.90 - 0.20	.5237	----	----	----	----	1 UNCH
4845	----	----	470.50B/430.10A	470.50B/430.10A	----	437.90 - 0.20	.5259	----	----	----	----	2 UNCH
4850	----	----	473.60B/432.90A	473.60B/432.90A	----	440.90 - 0.20	.5280	----	----	----	----	1 UNCH
4855	----	----	476.70B/436.20A	476.70B/436.20A	----	443.90 - 0.20	.5302	----	----	----	----	3 UNCH
4900	----	----	505.40B/462.80A	505.40B/462.80A	----	471.40 - 0.10	.5492	----	----	----	----	4 UNCH
4905	----	----	508.60B/465.90A	508.60B/465.90A	----	474.50 - 0.10	.5513	----	----	----	----	4 UNCH
4950	----	----	538.30B/493.80A	538.30B/493.80A	----	503.10 + 0.10	.5699	----	----	----	----	1 UNCH
4955	----	----	541.60B/496.90A	541.60B/496.90A	----	506.40 + 0.20	.5719	----	----	----	----	1 UNCH
5000	----	----	572.30B/525.90A	572.30B/525.90A	----	535.90 + 0.20	.5900	----	----	----	----	10 UNCH
5005	----	----	575.70B/529.10A	575.70B/529.10A	----	539.30 + 0.30	.5920	----	----	----	----	2 UNCH
5050	----	----	586.40B/559.20A	586.40B/559.20A	----	569.80 + 0.40	.6095	----	----	----	----	4 UNCH
5055	----	----	587.30B/562.60A	587.30B/562.60A	----	573.30 + 0.40	.6114	----	----	----	----	4 UNCH
5100	----	----	611.90B/593.20A	611.90B/593.20A	----	604.70 + 0.30	.6284	----	----	----	----	2 UNCH
5150	----	----	648.00B/628.40A	648.00B/628.40A	----	640.60 + 0.30	.6466	----	----	----	----	1 UNCH
5175	----	----	666.40B/646.30A	666.40B/646.30A	----	658.80 + 0.10	.6555	----	----	----	----	125 UNCH
5200	----	----	684.80B/664.40A	684.80B/664.40A	----	677.30 + 0.10	.6642	----	----	----	----	1 UNCH
5250	----	----	723.00B/701.40A	723.00B/701.40A	----	714.90 UNCH	.6809	----	----	----	----	10 UNCH
5355	----	----	----/781.60A	784.60B/781.60A	----	796.60 + 0.10	.7139	----	----	----	----	1 UNCH
5520	----	----	----	773.80B/1091.50A	----	931.20 + 0.70	.7592	----	----	----	----	300 UNCH
5530	----	----	----	782.20B/1099.90A	----	939.60 + 0.80	.7617	----	----	----	----	100 UNCH
5550	----	----	----	799.10B/1116.70A	----	956.40 + 0.90	.7665	----	----	----	----	65 UNCH
5565	----	----	----	811.90B/1129.40A	----	969.10 + 1.00	.7703	----	----	----	----	50 UNCH
TOTAL												1374 0
MAR27												
3750	----	----	72.70B/----	72.70B/70.80A	----	70.50 + 1.40	.1221	----	----	----	----	10 UNCH
3850	97.00	97.00	#99.00/85.60A	#99.00/85.60A	----	86.00 NEW	.1450	----	----	21	----	21 + 21
3900	99.00	99.00	#101.00B/92.00	#101.00B/92.00	----	94.70 + 2.00	.1575	----	----	7	----	11 + 7
4000	----	----	117.70B/----	117.70B/113.40A	----	114.20 + 2.20	.1847	----	----	----	----	6 UNCH
4070	----	----	133.20B/----	133.20B/129.30A	----	129.70 + 2.30	.2055	----	----	----	----	2 UNCH
4325	----	----	211.20B/----	211.20B/200.10A	----	201.10 + 1.60	.2927	----	----	----	----	10 UNCH
4370	----	----	230.40B/215.10A	230.40B/215.10A	----	216.40 + 1.20	.3098	----	----	----	----	250 UNCH
4525	----	----	#296.80B/274.10	#296.80B/274.10A	----	276.20 - 0.50	.3718	----	----	----	----	11 UNCH
4650	372.00	372.00	#372.00/328.90A	#372.00/328.90A	----	333.20 NEW	.4241	----	----	2	----	2 + 2
4660	----	----	357.80B/333.60A	357.80B/333.60A	----	338.10 - 1.60	.4283	----	----	----	----	24 UNCH
4710	380.00	380.00	384.20B/359.10A	384.20B/359.10A	----	363.50 NEW	.4495	----	----	4	----	4 + 4
4720	----	----	389.70B/364.10A	389.70B/364.10A	----	368.70 - 1.60	.4537	----	----	----	----	2 UNCH
4740	375.00	375.00	400.70B/374.30A	400.70B/374.30A	----	379.40 NEW	.4621	----	----	3	----	3 + 3
4750	----	----	406.20B/379.50A	406.20B/379.50A	----	384.80 - 1.40	.4663	----	----	----	----	15 UNCH
4810	----	----	440.60B/411.40A	440.60B/411.40A	----	418.20 - 1.00	.4913	----	----	----	----	21 UNCH
4850	----	----	#464.40B/433.60	#464.40B/433.60A	----	441.40 - 0.60	.5076	----	----	----	----	4 UNCH
4900	----	----	#495.10B/462.20	#495.10B/462.20A	----	471.20 - 0.30	.5278	----	----	----	----	2 UNCH
4905	----	----	#498.20B/465.20	#498.20B/465.20A	----	474.30 - 0.20	.5298	----	----	----	----	2 UNCH
5000	----	----	#559.80B/522.80	#559.80B/522.80A	----	533.60 + 0.10	.5671	----	----	----	----	75 UNCH
TOTAL										37		475 + 37
APR27												
4300	----	----	----	#105.90B/313.50A	----	219.60 + 26.60	.2922	----	----	----	----	150 UNCH
4900	----	----	----	#287.30B/691.60A	----	492.30 + 31.80	.5215	----	----	----	----	2 UNCH
4905	----	----	----	#280.00B/695.90A	----	495.20 + 31.80	.5234	----	----	----	----	2 UNCH
5000	----	----	----	#321.30B/771.80A	----	551.00 + 31.60	.5600	----	----	----	----	100 UNCH
5060	----	----	----	#357.70B/834.60A	----	593.60 + 31.30	.5802	----	----	----	----	25 UNCH
5200	----	----	----	421.40B/938.50A	----	694.10 + 30.50	.6255	----	----	----	----	15 UNCH
TOTAL												294 0
JUN27												
3625	----	----	----	----	----	101.60 - 0.70	.1312	----	----	----	----	450 UNCH
4900	----	----	----	----	----	559.10 - 0.10	.4885	----	----	----	----	1 UNCH
4905	----	----	----	----	----	562.00 - 0.10	.4900	----	----	----	----	1 UNCH
5085	----	----	----	----	----	671.20 UNCH	.5453	----	----	----	----	150 UNCH
TOTAL												602 0
DEC27												
3700	----	----	----	----	----	170.70 - 0.70	.1619	----	----	----	----	100 UNCH
3715	----	----	----	----	----	174.00 - 0.70	.1646	----	----	----	----	150 UNCH
3820	----	----	----	----	----	198.20 - 0.70	.1839	----	----	----	----	50 UNCH
4130	----	----	----	----	----	281.80 - 0.70	.2475	----	----	----	----	168 UNCH
4500	----	----	----	----	----	414.10 - 0.70	.3362	----	----	----	----	270 UNCH
4630	----	----	----	----	----	471.70 - 0.60	.3698	----	----	----	----	284 UNCH
4860	----	----	----	----	----	587.70 - 0.60	.4303	----	----	----	----	100 UNCH
5000	----	----	----	----	----	666.00 - 0.60	.4662	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1086.50 - 0.10	.6178	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1256.70 UNCH	.6634	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	667.90 - 0.70	.4543	----	----	----	----	1 UNCH
5100	----	----	----	----	----	725.30 - 0.70	.4786	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
1995	----	----	----	----	----	2563.00 - 3.90	1.0000	----	----	----	----	0 UNCH
2000	----	----	----	----	----	2558.00 - 3.90	1.0000	4651	----	4451	----	422 - 200
2005	----	----	----	----	----	2553.00 - 3.90	1.0000	----	----	----	----	0 UNCH
2795	----	----	----	----	----	1763.00 - 3.90	1.0000	----	----	----	----	0 UNCH
2800	----	----	1,768.20B/1,755	1768.20B/1755.50A	----	1758.00 - 3.90	1.0000	2205	----	2205	----	500 UNCH
2805	----	----	----	----	----	1753.00 - 3.90	1.0000	----	----	----	----	0 UNCH
3000	----	----	1,583.40B/1,541	1583.40B/1541.70A	----	1558.00 - 3.90	1.0000	2700	----	2300	----	0 - 400
3395	----	----	----	----	----	1163.00 - 3.90	1.0000	----	----	----	----	0 UNCH
3400	----	----	1,183.10B/1,142	1183.10B/1142.50A	----	1158.00 - 3.90	1.0000	1805	----	1805	----	615 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
3405	----	----	----	----	----	1153.00 - 3.90	1.0000	----	----	----	----	0 UNCH
3500	----	----	1,080.90B/1,045	1080.90B/1045.10A	----	1058.00 - 3.90	.9994	----	----	----	----	30 UNCH
3525	----	----	----	----	----	1033.00 - 4.00	.9993	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1008.00 - 4.00	.9993	----	----	----	----	1 UNCH
3585	----	----	997.10B/957.50A	997.10B/957.50A	----	973.00 - 4.10	.9987	----	----	----	----	100 UNCH
3600	----	----	982.10B/942.50A	982.10B/942.50A	----	958.00 - 4.10	.9987	----	----	----	----	80 UNCH
3635	----	----	946.10B/910.20A	946.10B/910.20A	----	923.10 - 4.10	.9981	2	----	----	----	55 - 2
3650	----	----	932.20B/893.10A	932.20B/893.10A	----	908.10 - 4.10	.9981	----	----	----	----	89 UNCH
3700	----	----	883.40B/842.70A	883.40B/842.70A	----	858.20 - 4.10	.9974	----	----	----	----	290 UNCH
3715	----	----	866.30B/829.00A	866.30B/829.00A	----	843.20 - 4.20	.9974	----	----	----	----	25 UNCH
3725	----	----	856.30B/820.30A	856.30B/820.30A	----	833.20 - 4.20	.9973	----	----	----	----	5 UNCH
3750	----	----	833.60B/792.70A	833.60B/792.70A	----	808.30 - 4.20	.9967	----	----	----	----	1051 UNCH
3755	----	----	826.40B/790.40A	826.40B/790.40A	----	803.30 - 4.20	.9967	----	----	----	----	15 UNCH
3785	----	----	796.50B/760.40A	796.50B/760.40A	----	773.30 - 4.30	.9965	----	----	----	----	9 UNCH
3790	----	----	----	----	----	768.30 - 4.30	.9965	----	----	----	----	1 UNCH
3800	----	----	783.70B/742.80A	783.70B/742.80A	----	758.30 - 4.40	.9965	----	----	----	----	519 UNCH
3835	----	----	----	----	----	723.40 - 4.50	.9957	----	----	----	----	1 UNCH
3840	----	----	----	----	----	718.40 - 4.50	.9957	----	----	----	----	1 UNCH
3850	----	----	733.90B/692.30A	733.90B/692.30A	----	708.40 - 4.50	.9956	----	----	----	----	290 UNCH
3875	----	----	706.80B/670.60A	706.80B/670.60A	----	683.50 - 4.60	.9949	----	----	----	----	60 UNCH
3895	----	----	----	----	----	663.60 - 4.50	.9941	----	----	----	----	1 UNCH
3900	----	----	684.00B/642.70A	684.00B/642.70A	----	658.60 - 4.60	.9941	----	----	----	----	363 UNCH
3925	----	----	657.00B/620.80A	657.00B/620.80A	----	633.70 - 4.60	.9933	----	----	----	----	4 UNCH
3950	----	----	632.10B/595.80A	632.10B/595.80A	----	608.70 - 4.80	.9930	----	----	----	----	14 UNCH
3975	----	----	608.30B/569.30A	608.30B/569.30A	----	583.80 - 4.90	.9921	----	----	----	----	106 UNCH
3990	----	----	----	----	----	568.90 - 4.80	.9912	----	----	----	----	1 UNCH
3995	----	----	587.30B/549.80A	587.30B/549.80A	----	563.90 - 4.90	.9912	----	----	----	----	5 UNCH
4000	----	----	584.50B/542.50A	584.50B/542.50A	----	559.00 - 4.80	.9911	----	----	----	----	859 UNCH
4005	----	----	577.30B/541.00A	577.30B/541.00A	----	554.00 - 4.80	.9904	----	----	----	----	10 UNCH
4010	----	----	----	----	----	549.00 - 4.90	.9903	----	----	----	----	1 UNCH
4020	----	----	----	----	----	539.10 - 4.80	.9901	----	----	----	----	2 UNCH
4025	----	----	557.40B/521.10A	557.40B/521.10A	----	534.10 - 4.90	.9894	----	----	----	----	51 UNCH
4030	----	----	----	----	----	529.10 - 4.90	.9893	----	----	----	----	1 UNCH
4040	----	----	524.80B/450.10A	524.80B/450.10A	----	519.20 - 4.90	.9891	----	----	----	----	1 UNCH
4050	----	----	533.70B/440.10A	533.70B/440.10A	----	509.20 - 4.90	.9882	----	----	----	----	184 UNCH
4060	----	----	522.70B/430.50A	522.70B/430.50A	----	499.30 - 4.90	.9880	----	----	----	----	25 UNCH
4070	----	----	512.70B/420.50A	512.70B/420.50A	----	489.30 - 5.00	.9871	----	----	----	----	10 UNCH
4075	----	----	507.80B/415.80A	507.80B/415.80A	----	484.30 - 5.10	.9870	----	----	----	----	64 UNCH
4090	----	----	492.90B/401.30A	492.90B/401.30A	----	469.40 - 5.20	.9859	----	----	----	----	34 UNCH
4100	----	----	485.10B/391.40A	485.10B/391.40A	----	459.50 - 5.20	.9856	----	----	----	----	682 UNCH
4105	----	----	478.00B/386.50A	478.00B/386.50A	----	454.50 - 5.30	.9848	----	----	----	----	50 UNCH
4110	----	----	471.30B/381.80A	471.30B/381.80A	----	449.60 - 5.20	.9847	----	----	----	----	2 UNCH
4115	----	----	468.10B/376.90A	468.10B/376.90A	----	444.60 - 5.30	.9845	----	----	----	----	5 UNCH
4125	----	----	459.30B/367.20A	459.30B/367.20A	----	434.70 - 5.40	.9835	----	----	----	----	95 UNCH
4135	----	----	449.70B/357.60A	449.70B/357.60A	----	424.80 - 5.50	.9824	----	----	----	----	16 UNCH
4150	----	----	435.60B/343.20A	435.60B/343.20A	----	409.90 - 5.70	.9804	----	----	----	----	263 UNCH
4155	----	----	430.00B/338.50A	430.00B/338.50A	----	405.00 - 5.70	.9801	----	----	----	----	5 UNCH
4170	----	----	415.20B/324.20A	415.20B/324.20A	----	390.20 - 5.80	.9780	----	----	----	----	51 UNCH
4175	----	----	410.30B/319.50A	410.30B/319.50A	----	385.20 - 5.90	.9770	----	----	----	----	61 UNCH
4195	----	----	390.60B/300.70A	390.60B/300.70A	----	365.60 - 6.00	.9737	----	----	----	----	1 UNCH
4200	343.00	343.00	386.50B/296.00A	386.50B/296.00A	----	360.60 - 6.10	.9726	----	----	4	----	2049 - 3
4210	340.00	340.00	376.60B/286.70A	376.60B/286.70A	----	350.80 - 6.20	.9712	----	----	11	----	1533 - 1
4220	----	----	370.50B/277.40A	370.50B/277.40A	----	341.00 - 6.30	.9690	----	----	----	----	84 UNCH
4225	----	----	365.60B/272.80A	365.60B/272.80A	----	336.10 - 6.40	.9679	----	----	----	----	15 UNCH
4235	----	----	355.80B/263.60A	355.80B/263.60A	----	326.40 - 6.40	.9648	----	----	----	----	6 UNCH
4240	----	----	350.90B/259.10A	350.90B/259.10A	----	321.50 - 6.50	.9636	----	----	----	----	53 UNCH
4245	----	----	346.00B/254.50A	346.00B/254.50A	----	316.60 - 6.60	.9624	----	----	----	----	263 UNCH
4250	----	----	341.20B/250.00A	341.20B/250.00A	----	311.70 - 6.70	.9611	----	----	----	----	921 UNCH
4255	----	----	336.30B/245.50A	336.30B/245.50A	----	306.90 - 6.70	.9591	----	----	----	----	6 UNCH
4260	----	----	331.40B/241.00A	331.40B/241.00A	----	302.00 - 6.80	.9578	----	----	----	----	1 UNCH
4265	----	----	326.60B/236.50A	326.60B/236.50A	----	297.20 - 6.90	.9565	----	----	----	----	87 UNCH
4270	----	----	321.70B/232.00A	321.70B/232.00A	----	292.30 - 7.00	.9544	----	----	----	----	10 UNCH
4280	----	----	312.00B/223.20A	312.00B/223.20A	----	282.60 - 7.20	.9508	----	----	----	----	1 UNCH
4285	----	----	307.20B/218.80A	307.20B/218.80A	----	277.80 - 7.30	.9486	----	----	----	----	1 UNCH
4300	----	----	292.80B/205.70A	292.80B/205.70A	----	263.40 - 7.60	.9418	----	----	----	----	2169 UNCH
4305	----	----	288.00B/201.40A	288.00B/201.40A	----	258.60 - 7.80	.9395	----	----	----	----	1 UNCH
4310	----	----	283.20B/197.60A	283.20B/197.60A	----	253.90 - 7.80	.9371	----	----	----	----	23 UNCH
4315	----	----	278.40B/193.30A	278.40B/193.30A	----	249.10 - 8.00	.9346	----	----	----	----	1 UNCH
4320	----	----	273.60B/189.00A	273.60B/189.00A	----	244.30 - 8.20	.9314	----	----	----	----	63 UNCH
4325	----	----	268.80B/184.50A	268.80B/184.50A	----	239.60 - 8.20	.9282	----	----	----	----	73 UNCH
4335	----	----	259.30B/176.20A	259.30B/176.20A	----	230.20 - 8.40	.9222	----	----	----	----	13 UNCH
4340	----	----	254.60B/172.40A	254.60B/172.40A	----	225.50 - 8.60	.9181	----	----	----	----	17 UNCH
4345	----	----	249.90B/168.00A	249.90B/168.00A	----	220.90 - 8.60	.9146	----	----	----	----	2 UNCH
4350	----	----	245.20B/164.10A	245.20B/164.10A	----	216.20 - 8.80	.9111	----	----	----	----	1456 UNCH
4355	----	----	240.50B/160.00A	240.50B/160.00A	----	211.60 - 8.90	.9067	----	----	----	----	129 UNCH
4360	----	----	235.80B/156.10A	235.80B/156.10A	----	207.00 - 9.00	.9024	----	----	----	----	42 UNCH
4365	----	----	231.20B/152.10A	231.20B/152.10A	----	202.40 - 9.10	.8979	----	----	----	----	4 UNCH
4370	----	----	226.40B/148.40A	226.40B/148.40A	----	197.80 - 9.30	.8934	----	----	----	----	3 UNCH
4375	----	----	221.90B/144.60A	221.90B/144.60A	----	193.30 - 9.40	.8882	----	----	----	----	107 UNCH
4380	203.50	203.50	217.30B/140.70A	217.30B/140.70A	----	188.80 - 9.50	.8829	----	----	1	----	341 UNCH
4385	----	----	212.60B/136.90A	212.60B/136.90A	----	184.30 - 9.60	.8775	----	----	----	----	3 UNCH
4390	----	----	208.20B/133.20A	208.20B/133.20A	----	179.80 - 9.80	.8720	----	----	----	----	16 UNCH
4395	----	----	203.70B/129.50A	203.70B/129.50A	----	175.40 - 9.90	.8658	----	----	----	----	10 UNCH
4400	162.60	162.60	199.10B/125.80A	199.10B/125.80A	----	170.90 - 10.20	.8601	----	----	20	----	1482 + 13
4410	----	----	190.20B/118.90A	190.20B/118.90A	----	162.20 - 10.50	.8467	----	----	----	----	39 UNCH
4415	----	----	185.80B/115.20A	185.80B/115.20A	----	157.90 - 10.60	.8395	----	----	----	----	176 UNCH
4420	----	----	181.40B/111.80A	181.40B/111.80A	----	153.60 - 10.80	.8322	----	----	----	----	3 UNCH
4425	----	----	177.10B/108.40A	177.10B/108.40A	----	149.40 - 10.90	.8243	----	----	----	----	274 UNCH
4430	----	----	172.70B/105.10A	172.70B/105.10A	----	145.20 - 11.10	.8163	----	----	----	----	24 UNCH
4435	----	----	168.40B/101.80A	168.40B/101.80A	----	141.10 - 11.20	.8076	----	----	----	----	21 UNCH
4440	----	----	164.10B/98.70A	164.10B/98.70A	----	137.00 - 11.30	.7994	----	----	----	----	20 UNCH
4445	----	----	159.80B/95.50A	159.80B/95.50A	----	132.90 - 11.50	.7900	----	----	----	----	5 UNCH
4450	100.40	100.40	155.60B/92.30A	155.60B/92.30A	----	128.90 - 11.60	.7806	----	----	10	----	492 - 3
4455	----	----	151.50B/89.30A	151.50B/89.30A	----	124.90 - 11.80	.7710	----	----	----	----	6 UNCH
4460	----	----	147.40B/*86.30A	147.40B/*86.30A	----	121.00 - 11.90	.7609	----	----	----	----	20 UNCH
4465	----	----	143.30B/*83.40A	143.30B/*83.40A	----	117.10 - 12.10	.7506	----	----	----	----	28 UNCH
4470	----	----	139.30B/*80.50A	139.30B/*80.50A	----	113.30 - 12.20	.7398	----	----	----	----	24 UNCH
4475	----	----	135.30B/*77.70A	135.30B/77.70A	----	109.60 - 12.30	.7289	----	----	----	----	21 UNCH
4480	----	----	131.40B/*75.00A	131.40B/*75.00A	----	105.90 - 12.40	.7175	----	----	----	----	59 UNCH
4485	----	----	127.50B/*72.20A	127.50B/*72.20A	----	102.20 - 12.50	.7057	----	----	----	----	11 UNCH
4490	88.00	88.00	123.60B/*69.60A	123.60B/*69.60A	----	98.70 - 12.50	.6937	----	----	1	----	80 - 1
4495	----	----	119.80B/*67.10A	119.80B/*67.10A	----	95.20 - 12.60	.6813	----	----	----	----	12 UNCH
4500	75.00	75.00	116.10B/64.60A	116.10B/64.60A	----	91.70 - 12.70	.6688	----	----	50	----	5480 + 2
4505	69.40	69.40	112.40B/*62.20A	112.40B/*62.20A	----	88.30 - 12.80	.6557	----	----	2	----	53 UNCH
4510	61.50	61.50	108.80B/*59.90A	108.80B/*59.90A	----	85.00 - 12.90	.6427	----	----	12	----	1477 UNCH
4515	63.10	63.10	105.20B/*57.50A	105.20B/*57.50A	----	81.80 - 12.80	.6291	----	----	1	----	99 UNCH
4520	60.70	60.70	101.70B/*55.30A	101.70B/*55.30A	----	78.60 - 12.90	.6155	----	----	1	----	103 UNCH
4525	59.40	59.40	98.40B/*53.20A	98.40B/*53.20A	----	75.50 - 12.90	.6016	----	----	11	----	420 - 1
4530	----	----	94.80B/*51.10A	94.80B/*51.10A	----	72.40 - 13.00	.5874	----	----	----	----	125 UNCH
4535	70.60	70.60	91.60B/*49.10A	91.60B/*49.10A	----	69.50 - 12.90	.5732	----	----	1	----	103 - 1
4540	73.50	73.50	88.20B/*47.20A	88.20B/*47.20A	----	66.60 - 12.90	.5587	----	----	5	----	123 + 1
4545	70.90	70.90	85.00B/*45.10A	85.00B/*45.10A	----	63.80 - 12.90	.5441	----	----	13	----	44 - 2
4550	59.50	59.50	82.10B/43.30A	82.10B/43.30A	----	61.00 - 12.90	.5294	----	----	38	50	599 + 11
4555	62.10	62.10	79.00B/*41.50A	79.00B/*41.50A	----	58.40 - 12.80	.5146	----	----	8	----	74 + 6
4560	62.00	62.00	76.00B/*39.90A	76.00B/*39.90A	----	55.80 - 12.80	.4998	----	----	10	----	186 + 7
4565	45.40	45.40	73.10B/*38.10A	73.10B/*38.10A	----	53.30 - 12.70	.4849	----	----	18	----	158 + 2
4570	50.10	50.10	70.10B/*36.50A	70.10B/*36.50A	----	50.90 - 12.60	.4700	----	----	10	----	64 - 5
4575	63.20	63.20	67.50B/*34.90A	67.50B/*34.90A	----	48.50 - 12.50	.4551	----	----	111	----	176 + 90
4580	40.30	40.30	64.80B/*33.40A	64.80B/*33.40A	----	46.20 - 12.40	.4402	----	----	25	----	76 - 5
4585	58.20	58.20	62.10B/*32.00A	62.10B/*32.00A	----	44.00 - 12.30	.4254	----	----	13	----	245 + 2
4590	34.00	34.00	59.70B/*30.60A	59.70B/*30.60A	----	41.90 - 12.20	.4108	----	----	6	----	235 + 4
4595	42.00	42.00	57.30B/*29.30A	57.30B/*29.30A	----	39.90 - 12.00	.3963	----	----	1	----	41 + 1
4600	29.70	29.70	55.00B/28.10A	55.00B/28.10A	----	37.90 - 11.80	.3818	----	----	441	314	5323 + 66
4605	31.10	31.10	52.60B/*26.80A	52.60B/*26.80A	----	36.00 - 11.70	.3676	----	----	1	----	157 - 1
4610	26.20	26.20	50.40B/*25.60A	50.40B/*25.60A	----	34.20 - 11.50	.3536	----	----	7	----	127 - 1
4615	33.60	33.60	48.10B/*24.50A	48.10B/*24.50A	----	32.50 - 11.30	.3399	----	----	35	----	38 - 23
4620	31.20	31.20	46.00B/*23.40A	46.00B/*23.40A	----	30.80 - 11.10	.3262	----	----	9	----	89 - 2
4625	34.50	34.50	44.00B/*22.30A	44.00B/*22.30A	----	29.20 - 10.90	.3129	----	----	112	200	427 + 149
4630	25.60	25.60	42.00B/*21.30A	42.00B/*21.30A	----	27.60 - 10.80	.2996	----	----	3	----	28 UNCH
4635	24.20	24.20	40.20B/*20.30A	40.20B/*20.30A	----	26.10 - 10.60	.2867	----	----	4	----	108 UNCH
4640	23.00	23.00	38.40B/*19.30A	38.40B/*19.30A	----	24.70 - 10.40	.2742	----	----	10	----	69 - 3
4645	33.90	33.90	36.60B/*18.60A	36.60B/*18.60A	----	23.40 - 10.10	.2622	----	----	17	----	20 - 4
4650	28.50	28.50	34.90B/*17.70A	34.90B/*17.70A	----	22.10 - 9.90	.2503	----	----	158	320	2785 + 204
4655	19.60	19.60	33.30B/*16.90A	33.30B/*16.90A	----	20.90 - 9.70	.2389	----	----	15	----	79 - 1
4660	17.30	17.30	31.80B/*15.90A	31.80B/*15.90A	----	19.70 - 9.50	.2275	----	----	88	----	139 + 7
4665	28.60	28.60	30.30B/*15.30A	30.30B/*15.30A	----	18.60 - 9.30	.2167	----	----	16	----	80 - 3
4670	16.90	16.90	28.90B/*14.60A	28.90B/*14.60A	----	17.60 - 9.00	.2065	----	----	16	----	172 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4675	23.40	23.40	27.50B/*13.80	27.50B/*13.80	----	16.60 - 8.80	.1964	----	----	14	----	728 - 6
4680	22.30	22.30	26.20B/*13.00	26.20B/*13.00	----	15.60 - 8.60	.1863	----	----	21	----	226 + 2
4685	23.60	23.60	25.00B/*12.40A	25.00B/*12.40A	----	14.80 - 8.30	.1776	----	----	6	----	76 UNCH
4690	13.10	13.10	23.80B/*11.70A	23.80B/*11.70A	----	13.90 - 8.10	.1682	----	----	35	----	168 UNCH
4695	21.60	21.60	22.60B/*11.00A	22.60B/*11.00A	----	13.10 - 7.90	.1596	----	----	20	----	101 + 8
4700	15.00	15.00	21.70/*10.40A	21.70/*10.40A	----	12.40 - 7.60	.1517	----	----	897	----	3550 + 60
4705	19.50	19.50	20.50B/*9.80A	20.50B/*9.80A	----	11.70 - 7.40	.1439	----	----	13	----	60 - 1
4710	18.00	18.00	19.50B/*9.20A	19.50B/*9.20A	----	11.00 - 7.20	.1362	----	----	6	----	88 - 1
4715	17.50	17.50	18.50B/*8.70A	18.50B/*8.70A	----	10.40 - 7.00	.1292	----	----	27	----	70 + 10
4720	13.50	13.50	17.60B/*8.20A	17.60B/*8.20A	----	9.80 - 6.80	.1223	----	----	20	----	343 + 3
4725	12.30	12.30	16.80B/*7.80	16.80B/*7.80	----	9.30 - 6.50	.1163	----	----	46	----	392 - 4
4730	8.50	8.50	16.00B/*7.30A	16.00B/*7.30A	----	8.70 - 6.40	.1095	----	----	10	----	82 - 2
4735	11.00	11.00	15.20B/*6.90A	15.20B/*6.90A	----	8.20 - 6.20	.1036	----	----	120	----	387 + 95
4740	7.50	7.50	14.50B/*6.50A	14.50B/*6.50A	----	7.80 - 5.90	.0985	----	----	19	----	79 + 2
4745	8.20	8.20	13.80B/*6.10A	13.80B/*6.10A	----	7.40 - 5.70	.0935	----	----	62	----	77 - 3
4750	10.30	10.30	13.10B/*5.80	13.10B/*5.80	----	7.00 - 5.50	.0886	----	----	271	----	2801 - 120
4755	10.80	10.80	12.70/*5.50A	12.70/*5.50A	----	6.60 - 5.30	.0838	----	----	59	----	136 - 11
4760	6.30	6.30	11.90B/*5.20A	11.90B/*5.20A	----	6.20 - 5.10	.0789	----	----	5	----	124 + 3
4765	10.80	10.80	11.30B/*4.90A	11.30B/*4.90A	----	5.90 - 4.90	.0750	----	----	24	----	101 + 8
4770	5.50	5.50	10.70B/*4.70A	10.70B/*4.70A	----	5.60 - 4.70	.0712	----	----	6	----	145 + 3
4775	8.10	8.10	10.20B/*4.40A	10.20B/*4.40A	----	5.30 - 4.50	.0674	----	----	17	----	273 + 7
4780	6.50	6.50	9.80B/*4.20A	9.80B/*4.20A	----	5.00 - 4.40	.0637	----	----	19	----	162 + 9
4785	8.80	8.80	9.30B/*4.00A	9.30B/*4.00A	----	4.80 - 4.10	.0609	----	----	33	----	93 + 28
4790	5.60	5.60	8.90B/*3.80A	8.90B/*3.80A	----	4.50 - 4.00	.0572	----	----	33	----	126 + 12
4795	5.20	5.20	8.40B/*3.60A	8.40B/*3.60A	----	4.30 - 3.80	.0545	----	----	7	----	74 + 3
4800	5.50	5.50	8.10B/*3.30	8.10B/*3.30	----	4.10 - 3.60	.0519	----	----	424	----	5273 - 224
4805	6.90	6.90	7.70B/*3.30A	7.70B/*3.30A	----	3.90 - 3.50	.0493	----	----	4	----	78 + 2
4810	4.80	4.80	7.30B/*3.10A	7.30B/*3.10A	----	3.70 - 3.40	.0467	----	----	8	----	82 + 5
4815	4.80	4.80	7.00B/*3.00A	7.00B/*3.00A	----	3.50 - 3.20	.0441	----	----	6	----	64 + 4
4820	6.00	6.00	6.70B/*2.90A	6.70B/*2.90A	----	3.30 - 3.20	.0416	----	----	33	----	326 - 12
4825	5.00	5.00	6.40B/*2.70A	6.40B/*2.70A	----	3.20 - 3.00	.0401	----	----	6	----	720 - 3
4830	5.60	5.60	6.10B/*2.60A	6.10B/*2.60A	----	3.00 - 2.90	.0376	----	----	14	----	298 + 10
4835	4.00	4.00	5.80B/*2.50A	5.80B/*2.50A	----	2.90 - 2.80	.0362	----	----	17	----	44 + 9
4840	3.40	3.40	3.40/*2.40A	5.50B/*2.40A	----	2.70 - 2.80	.0338	----	----	11	----	236 + 8
4845	3.20	3.20	3.20/*2.30A	5.30B/*2.30A	----	2.60 - 2.70	.0323	----	----	2	----	53 UNCH
4850	4.50	4.50	5.00/*2.20A	5.00/*2.20A	----	2.50 - 2.60	.0310	----	----	73	----	2197 + 54
4855	4.50	4.50	4.60/*2.10A	4.80B/*2.10A	----	2.40 - 2.50	.0296	----	----	21	----	434 UNCH
4860	4.20	4.20	4.20/*2.00A	4.60B/*2.00A	----	2.20 - 2.50	.0273	----	----	8	----	208 UNCH
4865	4.20	4.20	4.20/1.90A	4.40B/1.90A	----	2.10 - 2.40	.0259	----	----	25	----	87 + 11
4870	----	----	----/1.80A	4.20B/1.80A	----	2.10 - 2.20	.0256	----	----	----	----	59 UNCH
4875	3.80	3.80	3.80/1.80A	4.00B/1.80A	----	2.00 - 2.20	.0243	----	----	43	----	347 - 1
4880	3.40	3.40	3.90B/1.70	3.90B/1.70	----	1.90 - 2.10	.0231	----	----	43	----	128 + 4
4885	3.40	3.40	3.40/1.60A	3.70B/1.60A	----	1.80 - 2.10	.0218	----	----	2	----	211 - 1
4890	3.80	3.80	3.80/1.60A	3.80/1.60A	----	1.70 - 2.00	.0206	----	----	2	----	279 - 1
4895	2.10	2.10	2.10/1.50	3.40B/1.50	----	1.70 - 1.80	.0203	----	----	114	----	440 + 80
4900	3.00	3.00	3.30B/1.40A	3.30B/1.40A	----	1.60 - 1.80	.0191	----	----	188	----	3797 - 106
4905	3.00	3.00	3.00/1.40A	3.10B/1.40A	----	1.50 - 1.80	.0179	----	----	9	----	51 + 2
4910	----	----	----/1.40A	3.00B/1.40A	----	1.50 - 1.60	.0177	----	----	2	----	77 - 2
4915	----	----	----/1.30A	2.90B/1.30A	----	1.40 - 1.60	.0165	----	----	34	----	334 - 12
4920	----	----	----/1.30A	2.80B/1.30A	----	1.40 - 1.50	.0164	----	----	----	----	259 UNCH
4925	2.80	2.80	2.80/1.20A	2.80/1.20A	----	1.30 - 1.50	.0152	----	----	31	----	233 - 15
4930	3.00	3.00	3.00/1.20A	3.00/1.20A	----	1.30 - 1.40	.0150	----	----	4	----	261 - 1
4935	----	----	----/1.20A	2.50B/1.20A	----	1.30 - 1.30	.0149	----	----	----	----	117 UNCH
4940	----	----	----/1.20A	2.40B/1.20A	----	1.20 - 1.30	.0138	----	----	1	----	798 - 1
4945	1.20	1.20	1.20/1.10A	2.30B/1.10A	----	1.20 - 1.30	.0136	----	----	16	----	392 + 9
4950	2.00	2.00	2.30B/1.00	2.30B/1.00	----	1.10 - 1.30	.0125	----	----	6	----	1862 - 2
4955	----	----	----/1.10A	2.20B/1.10A	----	1.10 - 1.20	.0124	----	----	----	----	151 UNCH
4960	----	----	----/1.00A	2.10B/1.00A	----	1.10 - 1.20	.0123	----	----	----	----	399 UNCH
4965	1.90	1.90	1.90/1.00A	2.00B/1.00A	----	1.00 - 1.20	.0112	----	----	4	----	146 UNCH
4970	2.30	2.30	2.30/1.00A	2.30/1.00A	----	1.00 - 1.10	.0111	----	----	2	----	203 - 2
4975	----	----	----/1.00A	2.00B/1.00A	----	1.00 - 1.10	.0110	----	----	----	----	512 UNCH
4980	----	----	----/0.90A	1.80B/0.90A	----	1.00 - 1.00	.0109	----	----	----	----	231 UNCH
4985	----	----	----/0.90A	1.80B/0.90A	----	0.90 - 1.10	.0098	----	----	----	----	187 UNCH
4990	0.90	0.90	0.90/0.90	1.80B/0.90	----	0.90 - 1.00	.0097	----	----	8	----	916 - 5
4995	----	----	----/0.80A	1.70B/0.80A	----	0.90 - 1.00	.0096	----	----	----	----	156 UNCH
5000	1.80	1.80	1.90/0.70A	1.90/0.70A	----	0.80 - 1.00	.0086	----	----	75	----	7570 + 28
5005	----	----	----/0.80A	1.60B/0.80A	----	0.80 - 1.00	.0085	----	----	----	----	340 UNCH
5010	----	----	----/0.80A	1.50B/0.80A	----	0.80 - 0.90	.0085	----	----	----	----	206 UNCH
5015	----	----	----/0.70A	1.50B/0.70A	----	0.80 - 0.80	.0084	----	----	----	----	130 UNCH
5020	----	----	----/0.70A	1.40B/0.70A	----	0.80 - 0.80	.0083	----	----	----	----	569 UNCH
5025	----	----	----/0.70A	1.50B/0.70A	----	0.70 - 0.80	.0073	----	----	----	----	175 UNCH
5030	----	----	----/0.70A	1.30B/0.70A	----	0.70 - 0.80	.0073	----	----	----	----	179 UNCH
5035	----	----	----/0.70A	1.30B/0.70A	----	0.70 - 0.70	.0072	----	----	----	----	73 UNCH
5040	----	----	----/0.60A	1.20B/0.60A	----	0.70 - 0.70	.0071	----	----	----	----	272 UNCH
5045	0.50	0.50	0.50/0.50	1.20B/0.50	----	0.60 - 0.70	.0062	----	----	1	----	182 + 1
5050	1.70	1.70	1.70/*0.50A	1.70/*0.50A	----	0.60 - 0.70	.0061	----	----	13	----	1406 - 4
5055	----	----	----/0.60A	1.10B/0.60A	----	0.60 - 0.60	.0061	----	----	4	----	60 - 4
5060	----	----	----/0.60A	1.10B/0.60A	----	0.60 - 0.60	.0060	----	----	5	----	142 UNCH
5065	----	----	----/0.60A	1.10B/0.60A	----	0.60 - 0.50	.0060	----	----	1	----	35 - 1
5070	----	----	----/0.60A	1.00B/0.60A	----	0.50 - 0.60	.0050	----	----	----	----	147 UNCH
5075	1.00	1.00	1.00/0.60A	1.00/0.60A	----	0.50 - 0.60	.0050	----	----	1	----	798 + 1
5080	----	----	----/0.60A	1.00B/0.60A	----	0.50 - 0.50	.0049	----	----	8	----	425 - 8
5085	----	----	----/0.50A	1.00B/0.50A	----	0.50 - 0.50	.0049	----	----	----	----	230 UNCH
5090	----	----	----/0.50A	0.90B/0.50A	----	0.50 - 0.50	.0049	----	----	1	----	86 UNCH
5095	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.40	.0048	----	----	----	----	98 UNCH
5100	0.80	0.80	1.50/0.50	1.50/0.50	----	0.50 - 0.40	.0048	----	----	114	----	4916 - 100
5105	----	----	----/0.50A	0.90B/0.50A	----	0.40 - 0.50	.0039	----	----	2	----	55 - 1
5110	0.70	0.70	0.70/0.50A	0.90B/0.50A	----	0.40 - 0.50	.0039	----	----	3	----	136 - 2
5115	0.50	0.50	0.50/0.50	0.80B/0.50	----	0.40 - 0.40	.0038	----	----	31	----	186 - 1
5120	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.40	.0038	----	----	----	----	160 UNCH
5125	----	----	----/0.50A	0.80B/0.50A	----	0.40 - 0.40	.0038	----	----	2	----	319 UNCH
5130	----	----	----/0.40A	0.80B/0.40A	----	0.40 - 0.40	.0037	----	----	----	----	91 UNCH
5135	----	----	----/0.40A	0.80B/0.40A	----	0.40 - 0.40	.0037	----	----	----	----	80 UNCH
5140	----	----	0.80B/0.40A	0.80B/0.40A	----	0.30 - 0.40	.0028	----	----	----	----	144 UNCH
5145	----	----	----/0.40A	0.70B/0.40A	----	0.30 - 0.40	.0028	----	----	----	----	28 UNCH
5150	1.00	1.00	1.00/0.20	1.00/0.20	----	0.30 - 0.40	.0028	----	----	12	----	2259 - 11
5155	----	----	----/0.40A	0.70B/0.40A	----	0.30 - 0.40	.0028	----	----	----	----	41 UNCH
5160	----	----	----/0.40A	0.70B/0.40A	----	0.30 - 0.40	.0027	----	----	----	----	115 UNCH
5165	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.40	.0027	----	----	----	----	154 UNCH
5170	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.40	.0027	----	----	1	----	360 UNCH
5175	----	----	0.70B/0.40A	0.70B/0.40A	----	0.30 - 0.30	.0027	----	----	----	----	72 UNCH
5180	----	----	0.70B/*0.40A	0.70B/*0.40A	----	0.30 - 0.30	.0027	----	----	----	----	72 UNCH
5185	0.40	0.40	0.40/*0.30	0.60B/*0.30	----	0.30 - 0.30	.0027	----	----	73	----	120 - 17
5190	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.30	.0026	----	----	----	----	497 UNCH
5195	----	----	----/*0.30A	0.60B/*0.30A	----	0.30 - 0.30	.0026	----	----	----	----	525 UNCH
5200	0.50	0.50	0.60B/0.30A	0.60B/0.30A	----	0.30 - 0.30	.0026	----	----	30	----	6105 - 6
5205	----	----	----/*0.30A	0.60B/*0.30A	----	0.30 - 0.30	.0026	----	----	2	----	94 UNCH
5210	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.40	.0018	----	----	----	----	3074 UNCH
5215	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.40	.0017	----	----	----	----	90 UNCH
5220	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.40	.0017	----	----	----	----	215 UNCH
5225	----	----	0.60B/*0.30A	0.60B/*0.30A	----	0.20 - 0.30	.0017	----	----	32	----	771 - 32
5230	----	----	0.60B/*0.30A	0.60B/*0.30A	----	0.20 - 0.30	.0017	----	----	----	----	124 UNCH
5235	----	----	----/*0.30A	0.50B/*0.30A	----	0.20 - 0.30	.0017	----	----	----	----	280 UNCH
5240	----	----	----/*0.40A	0.50B/*0.40A	----	0.20 - 0.30	.0017	----	----	----	----	68 UNCH
5245	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.20 - 0.30	.0017	----	----	4	----	30 + 1
5250	----	----	----/0.40A	0.50B/0.40A	----	0.20 - 0.30	.0017	----	----	1	----	4371 UNCH
5255	----	----	----/0.30A	0.50B/0.30A	----	0.20 - 0.30	.0017	----	----	----	----	284 UNCH
5260	----	----	----/*0.40A	0.50B/*0.40A	----	0.20 - 0.30	.0016	----	----	----	----	374 UNCH
5265	----	----	----/*0.30A	0.50B/*0.30A	----	0.20 - 0.30	.0016	----	----	----	----	53 UNCH
5270	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.20 - 0.30	.0016	----	----	8	----	47 - 5
5275	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.30	.0016	----	----	4	----	128 - 4
5280	----	----	0.50B/*0.30A	0.50B/*0.30A	----	0.20 - 0.20	.0016	----	----	----	----	98 UNCH
5285	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0016	----	----	----	----	167 UNCH
5290	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0016	----	----	----	----	36 UNCH
5295	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0016	----	----	----	----	103 UNCH
5300	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0016	----	----	8	----	4334 - 8
5305	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0016	----	----	----	----	303 UNCH
5310	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0015	----	----	----	----	126 UNCH
5315	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.20	.0015	----	----	----	----	83 UNCH
5320	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.30	.0008	----	----	----	----	149 UNCH
5325	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.30	.0007	----	----	3	----	179 UNCH
5330	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0007	----	----	----	----	84 UNCH
5335	----	----	----/0.30A	0.30B/0.30A	----	0.10 - 0.30	.0006	----	----	----	----	26 UNCH
5340	----	----	----/0.30A	0.30B/0.30A	----	0.10 - 0.30	.0006	----	----	----	----	80 UNCH
5345	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0005	----	----	----	----	26 UNCH
5350	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0005	----	----	----	----	1975 UNCH
5355	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0005	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5360	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0004	----	----	----	----	63 UNCH
5365	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	13 UNCH
5370	----	----	----	0.30B/*0.30A	----	0.10 - 0.20	.0004	----	----	----	----	79 UNCH
5375	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	285 UNCH
5380	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	99 UNCH
5385	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	11 UNCH
5390	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	121 UNCH
5395	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0002	----	----	----	----	48 UNCH
5400	0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10 - 0.20	.0002	----	----	1	----	5108 UNCH
5405	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.20	.0002	----	----	----	----	84 UNCH
5410	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.20	.0002	----	----	7	----	37 + 7
5415	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0002	----	----	----	----	14 UNCH
5420	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0002	----	----	----	----	50 UNCH
5425	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	125 UNCH
5430	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	112 UNCH
5435	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	29 UNCH
5440	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	98 UNCH
5445	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	40 UNCH
5450	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	1490 UNCH
5455	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	185 UNCH
5460	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	130 UNCH
5465	----	----	----	0.20B/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	39 UNCH
5470	----	----	----	0.20B/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	38 UNCH
5475	----	----	----	0.20B/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	79 UNCH
5480	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	128 UNCH
5485	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	13 UNCH
5490	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	189 UNCH
5495	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	80 UNCH
5500	0.10	0.10	0.10/0.10	0.20B/0.10	----	0.10 - 0.20	.0000	----	----	2	----	5468 + 2
5505	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	16 UNCH
5510	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	185 UNCH
5515	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	38 UNCH
5520	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	31 UNCH
5525	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	173 UNCH
5530	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	39 UNCH
5535	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	13 UNCH
5540	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	291 UNCH
5545	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	19 UNCH
5550	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	772 UNCH
5555	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
5560	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	52 UNCH
5565	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	14 UNCH
5570	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	36 UNCH
5575	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	60 UNCH
5580	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	14 UNCH
5585	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	11 UNCH
5590	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	99 UNCH
5595	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	42 UNCH
5600	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0000	----	----	3	----	2366 + 1
5610	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	78 UNCH
5620	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	66 UNCH
5625	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	405 UNCH
5630	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	1	----	329 + 1
5640	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	74 UNCH
5650	----	----	----	0.10B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	730 UNCH
5660	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
5665	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	119 UNCH
5675	----	----	----	0.10B/0.30A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
5680	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
5690	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	180 UNCH
5700	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	2213 + 1
5710	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
5720	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
5725	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
5730	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	59 UNCH
5740	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	62 UNCH
5750	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	1691 UNCH
5760	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
5770	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
5775	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
5780	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
5790	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
5800	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	2881 UNCH
5810	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	264 UNCH
5820	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
5825	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	5	----	40 + 3
5830	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
5840	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
5850	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	15	----	472 + 15
5860	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5870	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	37 + 5
5875	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	15	----	211 + 15
5880	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
5890	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	139 UNCH
5900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1095 UNCH
5910	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5920	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
5930	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	57 UNCH
5940	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	195 UNCH
5960	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
5970	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
5980	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
5990	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
6000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5636 UNCH
6010	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
6020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
6030	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
6040	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
6050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	278 UNCH
6060	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
6070	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
6080	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
6090	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
6100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2409 UNCH
6110	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	67 UNCH
6120	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
6125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
6130	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
6140	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
6150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	520 UNCH
6160	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	134 UNCH
6170	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
6180	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
6190	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
6200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4272 UNCH
6210	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
6220	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
6230	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	73 UNCH
6240	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	----	----	----	4	----	23 + 2
6250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1321 UNCH
6260	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
6270	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	147 UNCH
6280	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
6290	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
6300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2450 UNCH
6310	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
6320	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
6330	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
6340	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
6350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
6360	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
6370	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
6380	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
6390	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
6400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	481 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
JUN26														
6410	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
6420	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
6430	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
6440	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
6450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	64	UNCH
6460	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	38	UNCH
6470	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
6480	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	28	UNCH
6490	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
6500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1049	UNCH
6525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
6550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	245	UNCH
6575	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
6600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	884	UNCH
6625	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	105	UNCH
6650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	40	UNCH
6675	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	48	UNCH
6700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1346	UNCH
6725	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	107	UNCH
6750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	134	UNCH
6775	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
6800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	235	UNCH
6825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
6850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
6875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
6900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	157	UNCH
6925	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	51	UNCH
6950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH
6975	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	21	UNCH
7000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	1	----	1840	UNCH
7025	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	53	UNCH
7050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	120	UNCH
7075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	30	UNCH
7100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	145	UNCH
7125	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	52	UNCH
7150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	59	UNCH
7175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
7200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	134	UNCH
7225	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	91	UNCH
7275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	150	UNCH
7325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
7350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
7375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
7400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	47	UNCH
7425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
7450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1355	UNCH
7525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	22	UNCH
7575	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
7600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	78	UNCH
7700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	65	UNCH
7750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
7800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	39	UNCH
7825	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1064	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	88	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	64	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	146	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	52	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	387	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	51	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	25	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	363	UNCH
10100	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
10300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
10400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
10500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
10700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
11000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	72	UNCH
11300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
11500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
11600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
11700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
11900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
12000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	406	UNCH
TOTAL											15526	884	180781 -	297
JUL26														
3300	----	----	----	----	----	1292.20	- 3.60	.9920	----	----	----	----	2	UNCH
3500	----	----	----	----	----	1093.00	- 3.80	.9870	----	----	----	----	1	UNCH
3600	----	----	1,016.40B/979.5	1016.40B/979.50A	----	993.70	- 3.80	.9831	----	----	----	----	24	UNCH
3650	----	----	966.80B/930.00A	966.80B/930.00A	----	944.20	- 3.80	.9805	----	----	----	----	10	UNCH
3670	----	----	947.00B/910.20A	947.00B/910.20A	----	924.40	- 3.90	.9794	----	----	----	----	3	UNCH
3700	----	----	917.40B/880.60A	917.40B/880.60A	----	894.80	- 3.90	.9773	----	----	----	----	119	UNCH
3735	----	----	#880.20B/792.20	880.20B/792.20A	----	860.20	- 3.90	.9746	----	----	----	----	1	UNCH
3775	----	----	848.40B/753.40A	848.40B/753.40A	----	820.90	- 3.90	.9714	----	----	----	----	4	UNCH
3800	----	----	823.90B/729.10A	823.90B/729.10A	----	796.30	- 4.00	.9692	----	----	----	----	2050	UNCH
3825	----	----	799.30B/704.90A	799.30B/704.90A	----	771.80	- 4.00	.9669	----	----	----	----	3	UNCH
3850	----	----	774.80B/680.90A	774.80B/680.90A	----	747.30	- 4.10	.9642	----	----	----	----	65	UNCH
3860	----	----	765.20B/670.90A	765.20B/670.90A	----	737.50	- 4.20	.9630	----	----	----	----	1	UNCH
3865	----	----	760.40B/666.10A	760.40B/666.10A	----	732.70	- 4.10	.9621	----	----	----	----	7	UNCH
3875	----	----	750.50B/656.70A	750.50B/656.70A	----	722.90	- 4.20	.9610	----	----	----	----	25	UNCH
3900	----	----	726.20B/632.80A	726.20B/632.80A	----	698.50	- 4.30	.9577	----	----	----	----	18	UNCH
3925	----	----	702.00B/608.90A	702.00B/608.90A	----	674.30	- 4.30	.9539	----	----	----	----	35	UNCH
3950	----	----	677.80B/585.10A	677.80B/585.10A	----	650.10	- 4.40	.9497	----	----	----	----	820	UNCH
3960	----	----	667.90B/575.70A	667.90B/575.70A	----	640.40	- 4.50	.9481	----	----	----	----	1	UNCH
4000	----	----	629.50B/538.60A	629.50B/538.60A	----	602.00	- 4.60	.9401	----	----	----	----	15	UNCH
4020	----	----	610.20B/520.10A	610.20B/520.10A	----	582.90	- 4.70	.9355	----	----	----	----	1	UNCH
4030	----	----	600.70B/510.70A	600.70B/510.70A	----	573.40	- 4.70	.9330	----	----	----	----	2	UNCH
4040	----	----	591.30B/501.70A	591.30B/501.70A	----	563.90	- 4.80	.9304	----	----	----	----	1	UNCH
4075	----	----	558.10B/470.00A	558.10B/470.00A	----	530.90	- 5.00	.9207	----	----	----	----	6	UNCH
4095	----	----	539.40B/452.20A	539.40B/452.20A	----	512.20	- 5.10	.9143	----	----	----	----	4	UNCH
4100	----	----	534.60B/447.70A	534.60B/447.70A	----	507.60	- 5.10	.9128	----	----	----	----	194	UNCH
4105	----	----	529.80B/443.30A	529.80B/443.30A	----	502.90	- 5.10	.9112	----	----	----	----	1	UNCH
4110	----	----	525.40B/439.10A	525.40B/439.10A	----	498.30	- 5.10	.9093	----	----	----	----	3	UNCH
4145	----	----	492.70B/408.50A	492.70B/408.50A	----	466.10	- 5.30	.8962	----	----	----	----	28	UNCH
4150	----	----	488.20B/404.20A	488.20B/404.20A	----	461.50	- 5.40	.8939	----	----	----	----	37	UNCH
4155	----	----	483.50B/400.00A	483.50B/400.00A	----	457.00	- 5.40	.8920	----	----	----	----	1	UNCH
4160	----	----	479.00B/395.50A	479.00B/395.50A	----	452.40	- 5.50	.8897	----	----	----	----	1	UNCH
4190	----	----	451.60B/370.40A	451.60B/370.40A	----	425.50	- 5.60	.8760	----	----	----	----	1	UNCH
4200	----	----	442.70B/362.20A	442.70B/362.20A	----	416.60	- 5.70	.8710	----	----	----	----	9	UNCH
4215	----	----	429.30B/349.80A	429.30B/349.80A	----	403.30	- 5.90	.8633	----	----	----	----	25	UNCH
4220	----	----	424.90B/345.80A	424.90B/345.80A	----	398.90	- 5.90	.8606	----	----	----	----	1	UNCH
4225	----	----	420.30B/341.50A	420.30B/341.50A	----	394.60	- 5.90	.8578	----	----	----	----	2	UNCH
4235	----	----	411.50B/333.70A	411.50B/333.70A	----	385.90	- 6.00	.8521	----	----	----	----	1	UNCH
4240	----	----	407.20B/329.70A	407.20B/329.70A	----	381.50	- 6.10	.8491	----	----	----	----	39	UNCH
4245	----	----	402.70B/325.80A	402.70B/325.80A	----	377.20	- 6.10	.8463	----	----	----	----	1	UNCH
4250	----	----	398.40B/321.70A	398.40B/321.70A	----	372.90	- 6.10	.8433	----	----	----	----	318	UNCH
4255	----	----	394.00B/317.90A	394.00B/317.90A	----	368.70	- 6.10	.8400	----	----	----	----	1	UNCH
4265	----	----	385.30B/309.90A	385.30B/309.90A	----	360.20	- 6.20	.8338	----	----	----	----	2	UNCH
4270	----	----	381.10B/306.10A	381.10B/306.10A	----	355.90	- 6.30	.8305	----	----	----	----	38	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4275	----	----	376.80B/302.60A	376.80B/302.60A	----	351.70 - 6.30	.8271	----	----	----	----	76 UNCH
4280	----	----	372.60B/298.50A	372.60B/298.50A	----	347.50 - 6.40	.8238	----	----	----	----	3 UNCH
4300	----	----	355.60B/283.50A	355.60B/283.50A	----	331.00 - 6.50	.8099	----	----	----	----	63 UNCH
4315	----	----	343.10B/272.40A	343.10B/272.40A	----	318.70 - 6.70	.7987	----	----	----	----	21 UNCH
4325	----	----	334.80B/265.20A	334.80B/265.20A	----	310.70 - 6.70	.7911	----	----	----	----	22 UNCH
4335	----	----	326.70B/258.00A	326.70B/258.00A	----	302.70 - 6.80	.7832	----	----	----	----	1 UNCH
4350	----	----	314.60B/247.50A	314.60B/247.50A	----	291.00 - 6.90	.7708	----	----	----	----	17 UNCH
4360	----	----	306.70B/240.60A	306.70B/240.60A	----	283.20 - 7.00	.7624	----	----	----	----	53 UNCH
4365	----	----	302.70B/237.30A	302.70B/237.30A	----	279.40 - 7.00	.7579	----	----	----	----	45 UNCH
4370	----	----	298.90B/233.90A	298.90B/233.90A	----	275.60 - 7.00	.7535	----	----	----	----	20 UNCH
4375	----	----	295.00B/230.50A	295.00B/230.50A	----	271.80 - 7.10	.7491	----	----	----	----	5 UNCH
4400	----	----	276.40B/214.00A	276.40B/214.00A	----	253.30 - 7.20	.7260	----	----	31	----	2305 UNCH
4410	----	----	268.30B/207.50A	268.30B/207.50A	----	246.10 - 7.30	.7162	----	----	----	----	4 UNCH
4415	----	----	264.70B/204.50A	264.70B/204.50A	----	242.50 - 7.30	.7114	----	----	----	----	39 UNCH
4420	----	----	260.90B/201.40A	260.90B/201.40A	----	239.00 - 7.30	.7065	----	----	----	----	5 UNCH
4425	----	----	257.30B/198.30A	257.30B/198.30A	----	235.50 - 7.30	.7015	----	----	----	----	16 UNCH
4430	----	----	253.70B/195.20A	253.70B/195.20A	----	232.00 - 7.30	.6964	----	----	----	----	2 UNCH
4445	----	----	243.00B/186.20A	243.00B/186.20A	----	221.70 - 7.40	.6810	----	----	----	----	30 UNCH
4450	----	----	239.50B/183.30A	239.50B/183.30A	----	218.30 - 7.50	.6757	----	----	----	----	256 UNCH
4455	----	----	235.90B/180.40A	235.90B/180.40A	----	215.00 - 7.40	.6705	----	----	----	----	2 UNCH
4460	----	----	232.60B/177.60A	232.60B/177.60A	----	211.70 - 7.40	.6652	----	----	----	----	2 UNCH
4475	----	----	222.30B/169.20A	222.30B/169.20A	----	202.00 - 7.40	.6489	----	----	----	----	2 UNCH
4480	----	----	218.90B/166.40A	218.90B/166.40A	----	198.80 - 7.40	.6435	----	----	----	----	36 UNCH
4485	----	----	215.60B/163.70A	215.60B/163.70A	----	195.60 - 7.50	.6380	----	----	----	----	1 UNCH
4490	----	----	212.50B/161.00A	212.50B/161.00A	----	192.50 - 7.50	.6324	----	----	----	----	20 UNCH
4500	----	----	206.00B/155.70A	206.00B/155.70A	----	186.30 - 7.50	.6212	----	----	1	----	969 UNCH
4505	----	----	202.70B/153.10A	202.70B/153.10A	----	183.30 - 7.50	.6155	----	----	----	----	2 UNCH
4510	----	----	199.80B/150.50A	199.80B/150.50A	----	180.30 - 7.50	.6098	----	----	----	----	75 UNCH
4515	----	----	196.70B/148.00A	196.70B/148.00A	----	177.30 - 7.60	.6041	----	----	----	----	210 UNCH
4520	----	----	193.50B/145.50A	193.50B/145.50A	----	174.40 - 7.50	.5984	----	----	----	----	188 UNCH
4525	----	----	190.50B/142.80A	190.50B/142.80A	----	171.50 - 7.50	.5926	----	----	----	----	129 UNCH
4530	----	----	187.40B/140.30A	187.40B/140.30A	----	168.60 - 7.50	.5868	----	----	----	----	5 UNCH
4535	----	----	184.40B/138.10A	184.40B/138.10A	----	165.70 - 7.60	.5810	----	----	----	----	19 UNCH
4540	----	----	181.40B/135.70A	181.40B/135.70A	----	162.90 - 7.60	.5752	----	----	----	----	56 UNCH
4550	158.90	158.90	175.50B/131.00A	175.50B/131.00A	----	157.40 - 7.50	.5635	----	----	1	----	10 UNCH
4555	----	----	172.60B/128.60A	172.60B/128.60A	----	154.70 - 7.50	.5576	----	----	----	----	2 UNCH
4560	----	----	169.70B/126.40A	169.70B/126.40A	----	152.00 - 7.50	.5517	----	----	----	----	51 UNCH
4565	----	----	167.00B/124.20A	167.00B/124.20A	----	149.30 - 7.60	.5458	----	----	----	----	24 UNCH
4570	----	----	164.30B/122.00A	164.30B/122.00A	----	146.70 - 7.50	.5399	----	----	----	----	4 UNCH
4575	115.60	115.60	161.40B/115.60	161.40B/115.60	----	144.10 - 7.50	.5340	----	----	16	----	131 + 6
4580	145.40	145.40	158.70B/117.60A	158.70B/117.60A	----	141.50 - 7.50	.5281	----	----	1	----	23 UNCH
4585	----	----	156.00B/115.50A	156.00B/115.50A	----	139.00 - 7.50	.5221	----	----	1	----	10 + 1
4590	141.00	141.00	153.30B/113.40A	153.30B/113.40A	----	136.50 - 7.50	.5162	----	----	2	----	18 UNCH
4595	131.50	131.50	150.70B/111.40A	150.70B/111.40A	----	134.10 - 7.40	.5103	----	----	1	----	16 + 1
4600	134.00	134.00	148.40B/109.30A	148.40B/109.30A	----	131.60 - 7.40	.5043	----	----	26	----	919 - 5
4605	135.50	135.50	145.70B/107.30A	145.70B/107.30A	----	129.20 - 7.30	.4984	----	----	86	----	83 + 74
4610	----	----	143.10B/105.30A	143.10B/105.30A	----	126.80 - 7.30	.4924	----	----	----	----	14 UNCH
4615	130.80	130.80	140.60B/103.40A	140.60B/103.40A	----	124.50 - 7.20	.4865	----	----	2	----	12 + 1
4620	----	----	138.00B/101.50A	138.00B/101.50A	----	122.20 - 7.20	.4806	----	----	----	----	35 UNCH
4625	----	----	135.70B/99.60A	135.70B/99.60A	----	119.90 - 7.20	.4747	----	----	4	----	103 - 1
4630	----	----	133.20B/97.70A	133.20B/97.70A	----	117.70 - 7.10	.4688	----	----	1	----	4 + 1
4635	----	----	130.90B/95.90A	130.90B/95.90A	----	115.50 - 7.00	.4629	----	----	----	----	123 UNCH
4640	----	----	128.60B/94.00A	128.60B/94.00A	----	113.30 - 7.00	.4570	----	----	----	----	236 UNCH
4645	----	----	126.30B/92.30A	126.30B/92.30A	----	111.20 - 6.80	.4512	----	----	----	----	19 UNCH
4650	112.90	112.90	124.10B/90.50A	124.10B/90.50A	----	109.00 - 6.90	.4453	----	----	20	----	1083 + 1
4655	----	----	121.70B/88.80A	121.70B/88.80A	----	107.00 - 6.70	.4396	----	----	----	----	18 UNCH
4660	98.00	98.00	119.50B/87.00A	119.50B/87.00A	----	104.90 - 6.70	.4337	----	----	50	----	61 - 28
4665	----	----	117.30B/85.40A	117.30B/85.40A	----	102.90 - 6.60	.4280	----	----	----	----	270 UNCH
4670	----	----	115.20B/83.70A	115.20B/83.70A	----	100.90 - 6.50	.4222	----	----	----	----	106 UNCH
4675	----	----	113.00B/82.10A	113.00B/82.10A	----	98.90 - 6.50	.4165	----	----	2	----	134 - 2
4680	----	----	110.90B/80.60A	110.90B/80.60A	----	97.00 - 6.40	.4108	----	----	1	----	141 + 1
4685	----	----	108.80B/78.90A	108.80B/78.90A	----	95.10 - 6.30	.4051	----	----	----	----	25 UNCH
4690	----	----	106.80B/77.50A	106.80B/77.50A	----	93.20 - 6.30	.3994	----	----	----	----	4 UNCH
4695	103.00	103.00	104.70B/*75.90A	104.70B/*75.90A	----	91.40 - 6.20	.3938	----	----	1	----	33 - 1
4700	99.00	99.00	102.80B/74.40A	102.80B/74.40A	----	89.60 - 6.10	.3883	----	----	485	----	1024 + 389
4705	----	----	100.80B/*73.00A	100.80B/*73.00A	----	87.80 - 6.10	.3827	----	----	----	----	2 UNCH
4710	86.20	86.20	98.90B/71.60A	98.90B/71.60A	----	86.10 - 6.00	.3772	----	----	1	----	120 - 1
4715	----	----	97.00B/*70.10A	97.00B/*70.10A	----	84.40 - 5.90	.3718	----	----	----	----	2 UNCH
4720	----	----	95.10B/68.80A	95.10B/68.80A	----	82.70 - 5.80	.3663	----	----	----	----	27 UNCH
4725	74.50	74.50	93.30B/67.40A	93.30B/67.40A	----	81.00 - 5.80	.3609	----	----	1	----	132 UNCH
4730	----	----	91.50B/66.20A	91.50B/66.20A	----	79.40 - 5.70	.3556	----	----	----	----	15 UNCH
4735	----	----	89.70B/*64.80A	89.70B/*64.80A	----	77.80 - 5.60	.3503	----	----	----	----	43 UNCH
4740	----	----	87.90B/*63.60A	87.90B/*63.60A	----	76.20 - 5.60	.3450	----	----	----	----	9 UNCH
4745	----	----	86.20B/*62.20A	86.20B/*62.20A	----	74.70 - 5.50	.3398	----	----	----	----	178 UNCH
4750	74.10	74.10	84.50B/*61.10A	84.50B/*61.10A	----	73.20 - 5.40	.3346	----	----	29	----	1167 + 7
4755	----	----	82.80B/*59.90A	82.80B/*59.90A	----	71.70 - 5.30	.3295	----	----	----	----	21 UNCH
4760	----	----	81.30B/*58.70A	81.30B/*58.70A	----	70.20 - 5.30	.3243	----	----	----	----	49 UNCH
4765	64.80	64.80	79.70B/*57.50A	79.70B/*57.50A	----	68.80 - 5.20	.3193	----	----	2	----	7 + 2
4770	----	----	78.00B/*56.20A	78.00B/*56.20A	----	67.40 - 5.10	.3143	----	----	----	----	73 UNCH
4775	66.20	66.20	76.50B/*55.30A	76.50B/*55.30A	----	66.00 - 5.10	.3094	----	----	3	----	159 + 2
4780	----	----	75.00B/*54.10A	75.00B/*54.10A	----	64.60 - 5.10	.3044	----	----	----	----	34 UNCH
4785	----	----	73.50B/*53.00A	73.50B/*53.00A	----	63.30 - 5.00	.2996	----	----	----	----	14 UNCH
4790	----	----	72.00B/*52.00A	72.00B/*52.00A	----	62.00 - 4.90	.2948	----	----	8	----	14 + 6
4795	----	----	70.60B/*50.90A	70.60B/*50.90A	----	60.70 - 4.80	.2900	----	----	1	----	90 UNCH
4800	65.00	65.00	69.10B/49.90A	69.10B/49.90A	----	59.50 - 4.70	.2854	----	----	193	200	2110 + 93
4805	----	----	67.80B/*49.00A	67.80B/*49.00A	----	58.20 - 4.70	.2807	----	----	----	----	61 UNCH
4810	66.00	66.00	66.40B/*48.00A	66.40B/*48.00A	----	57.00 - 4.60	.2761	----	----	1	----	38 + 1
4815	----	----	65.00B/*47.00A	65.00B/*47.00A	----	55.80 - 4.60	.2715	----	----	----	----	11 UNCH
4820	52.00	52.00	63.70B/*46.00A	63.70B/*46.00A	----	54.70 - 4.50	.2671	----	----	5	----	51 UNCH
4825	----	----	62.50B/*45.10A	62.50B/*45.10A	----	53.50 - 4.50	.2626	----	----	----	----	646 UNCH
4830	58.20	58.20	61.10B/*44.20A	61.10B/*44.20A	----	52.40 - 4.40	.2582	----	----	3	----	17 + 3
4835	----	----	59.90B/*43.30A	59.90B/*43.30A	----	51.30 - 4.30	.2539	----	----	----	----	21 UNCH
4840	----	----	58.70B/*42.50A	58.70B/*42.50A	----	50.20 - 4.30	.2496	----	----	----	----	187 UNCH
4845	55.30	55.30	57.50B/*41.70A	57.50B/*41.70A	----	49.20 - 4.20	.2455	----	----	3	----	69 - 1
4850	53.90	53.90	56.30B/*40.70A	56.30B/*40.70A	----	48.10 - 4.20	.2411	----	----	926	----	1557 + 742
4855	----	----	55.10B/*40.00A	55.10B/*40.00A	----	47.10 - 4.10	.2370	----	----	----	----	159 UNCH
4860	----	----	54.00B/*39.10A	54.00B/*39.10A	----	46.10 - 4.10	.2330	----	----	3	----	27 UNCH
4865	----	----	52.90B/*38.50A	52.90B/*38.50A	----	45.10 - 4.00	.2289	----	----	----	----	32 UNCH
4870	----	----	51.80B/*37.70A	51.80B/*37.70A	----	44.20 - 3.90	.2250	----	----	1	----	68 UNCH
4875	48.80	48.80	50.70B/*36.80A	50.70B/*36.80A	----	43.30 - 3.80	.2212	----	----	5	----	32 + 4
4880	40.00	40.00	49.70B/*35.00	49.70B/*35.00	----	42.40 - 3.70	.2174	----	----	10	----	91 + 5
4885	44.30	44.30	48.70B/*35.50A	48.70B/*35.50A	----	41.50 - 3.70	.2136	----	----	2	----	25 UNCH
4890	----	----	47.70B/*34.80A	47.70B/*34.80A	----	40.60 - 3.70	.2098	----	----	----	----	57 UNCH
4895	----	----	46.70B/*34.10A	46.70B/*34.10A	----	39.70 - 3.70	.2060	----	----	----	----	51 UNCH
4900	36.30	36.30	45.80B/33.30A	45.80B/33.30A	----	38.90 - 3.60	.2025	----	----	499	----	1830 + 123
4905	----	----	44.70B/*32.80A	44.70B/*32.80A	----	38.10 - 3.50	.1990	----	----	2	----	10 + 1
4910	----	----	43.90B/*32.10A	43.90B/*32.10A	----	37.30 - 3.40	.1954	----	----	----	----	147 UNCH
4915	----	----	43.00B/*31.40A	43.00B/*31.40A	----	36.50 - 3.40	.1919	----	----	----	----	61 UNCH
4920	37.30	37.30	42.10B/*30.70A	42.10B/*30.70A	----	35.70 - 3.40	.1884	----	----	74	----	72 + 59
4925	32.20	32.20	41.10B/*30.20A	41.10B/*30.20A	----	35.00 - 3.30	.1852	----	----	7	----	50 + 5
4930	----	----	40.30B/*29.50A	40.30B/*29.50A	----	34.30 - 3.20	.1820	----	----	----	----	66 UNCH
4935	----	----	39.60B/*28.90A	39.60B/*28.90A	----	33.50 - 3.20	.1785	----	----	11	----	641 - 1
4940	----	----	38.70B/*28.40A	38.70B/*28.40A	----	32.80 - 3.10	.1753	----	----	----	----	285 UNCH
4945	32.90	32.90	37.90B/*28.00A	37.90B/*28.00A	----	32.10 - 3.10	.1722	----	----	10	----	25 + 10
4950	34.30	34.30	37.10B/*27.40A	37.10B/*27.40A	----	31.50 - 3.00	.1693	----	----	31	----	323 + 19
4955	----	----	36.40B/*26.90A	36.40B/*26.90A	----	30.80 - 3.00	.1661	----	----	2	----	88 + 1
4960	----	----	35.60B/*26.40A	35.60B/*26.40A	----	30.20 - 2.90	.1632	----	----	43	----	225 - 17
4965	----	----	34.90B/*25.90A	34.90B/*25.90A	----	29.60 - 2.80	.1604	----	----	----	----	177 UNCH
4970	----	----	34.20B/*25.40A	34.20B/*25.40A	----	29.00 - 2.80	.1575	----	----	----	----	56 UNCH
4975	30.10	30.10	33.50B/*24.90A	33.50B/*24.90A	----	28.40 - 2.70	.1547	----	----	3	----	50 + 2
4980	----	----	32.80B/*24.50A	32.80B/*24.50A	----	27.80 - 2.70	.1519	----	----	----	----	31 UNCH
4985	----	----	32.10B/*24.00A	32.10B/*24.00A	----	27.20 - 2.70	.1490	----	----	----	----	55 UNCH
4990	----	----	31.50B/*23.30A	31.50B/*23.30A	----	26.60 - 2.70	.1462	----	----	----	----	37 UNCH
4995	24.50	24.50	30.70B/*23.10A	30.70B/*23.10A	----	26.10 - 2.60	.1437	----	----	22	----	64 + 20
5000	26.00	26.00	30.20B/22.60A	30.20B/22.60A	----	25.60 - 2.50	.1412	----	----	437	----	2959 + 88
5005	----	----	29.60B/*22.00A	29.60B/*22.00A	----	25.00 - 2.50	.1384	----	----	----	----	22 UNCH
5010	28.10	28.10	29.00B/*21.80A	29.00B/*21.80A	----	24.50 - 2.50	.1360	----	----	4	----	34 - 3
5015	----	----	28.40B/*21.40A	28.40B/*21.40A	----	24.00 - 2.40	.1335	----	----	----	----	84 UNCH
5020	----	----	27.80B/*21.00A	27.80B/*21.00A	----	23.60 - 2.30	.1314	----	----	1	----	11 UNCH
5025	----	----	27.30B/*20.50A	27.30B/*20.50A	----	23.10 - 2.30	.1289	----	----	202	----	258 + 184
5030	20.00	20.00	26.70B/*20.00	26.70B/*20.00	----	22.60 - 2.30	.1265	----	----	10	----	179 + 5
5035	----	----	26.20B/*19.90A	26.20B/*19.90A	----	22.20 - 2.20	.1244	----	----	2	----	57 UNCH
5040	----	----	25.60B/*19.50A	25.60B/*19.50A	----	21.70 - 2.20	.1220	----	----	----	----	21 UNCH
5045	----	----	25.10B/*19.20A	25.10B/*19.20A	----	21.30 - 2.10	.1199	----	----	----	----	13 UNCH
5050	20.60	20.60	24.60B/*18.70A	24.60B/*18.70A	----	20.90 - 2.10	.1178	----	----	16	----	337 + 9
5055	----	----	24.10B/*18.40A	24.10B/*18.40A	----	20.50 - 2.00	.1158	----	----	----	----	20 UNCH
5060	----	----	23.60B/*18.20A	23.60B/*18.20A	----	20.00 - 2.10	.1133	----	----	6	----	34 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5065	----	----	23.20B/*17.80A	23.20B/*17.80A	----	19.70 - 2.00	.1116	----	----	----	----	215 UNCH
5070	----	----	22.70B/*17.30A	22.70B/*17.30A	----	19.30 - 1.90	.1096	----	----	2	----	31 - 1
5075	21.70	21.70	22.30B/*17.20A	22.30B/*17.20A	----	18.90 - 1.90	.1076	----	----	5	----	155 UNCH
5080	----	----	21.80B/*16.90A	21.80B/*16.90A	----	18.50 - 1.90	.1055	----	----	4	----	118 UNCH
5085	----	----	21.40B/*16.80A	21.40B/*16.80A	----	18.20 - 1.80	.1039	----	----	----	----	43 UNCH
5090	17.30	17.30	21.00B/*16.10A	21.00B/*16.10A	----	17.80 - 1.80	.1018	----	----	26	----	39 + 24
5095	----	----	20.60B/*16.00A	20.60B/*16.00A	----	17.50 - 1.70	.1002	----	----	----	----	69 UNCH
5100	14.90	14.90	20.20B/*14.90	20.20B/*14.90	----	17.10 - 1.80	.0982	----	----	127	----	1644 - 1
5105	----	----	19.80B/*15.30A	19.80B/*15.30A	----	16.80 - 1.70	.0965	----	----	----	----	96 UNCH
5110	----	----	19.40B/*15.00A	19.40B/*15.00A	----	16.50 - 1.60	.0949	----	----	----	----	409 UNCH
5115	----	----	19.00B/*14.70A	19.00B/*14.70A	----	16.20 - 1.60	.0933	----	----	----	----	30 UNCH
5120	----	----	18.60B/*14.50A	18.60B/*14.50A	----	15.90 - 1.50	.0917	----	----	----	----	42 UNCH
5125	----	----	18.30B/*14.20A	18.30B/*14.20A	----	15.60 - 1.50	.0901	----	----	3	----	248 + 1
5130	----	----	17.90B/*14.00A	17.90B/*14.00A	----	15.30 - 1.50	.0885	----	----	----	----	42 UNCH
5135	----	----	17.60B/*13.80A	17.60B/*13.80A	----	15.00 - 1.50	.0869	----	----	----	----	171 UNCH
5140	----	----	17.30B/*13.60A	17.30B/*13.60A	----	14.70 - 1.50	.0853	----	----	----	----	70 UNCH
5145	----	----	16.90B/*13.30A	16.90B/*13.30A	----	14.40 - 1.50	.0837	----	----	----	----	79 UNCH
5150	14.10	14.10	16.60B/*13.20A	16.60B/*13.20A	----	14.20 - 1.40	.0825	----	----	15	300	2959 - 120
5155	----	----	16.30B/*12.90A	16.30B/*12.90A	----	13.90 - 1.40	.0809	----	----	3	----	17 - 3
5160	----	----	16.10B/*12.70A	16.10B/*12.70A	----	13.60 - 1.40	.0793	----	----	----	----	22 UNCH
5165	----	----	15.80B/*12.40A	15.80B/*12.40A	----	13.40 - 1.30	.0781	----	----	----	----	21 UNCH
5170	----	----	15.40B/*12.30A	15.40B/*12.30A	----	13.20 - 1.30	.0770	----	----	1	----	11 - 1
5175	----	----	15.10B/*12.10A	15.10B/*12.10A	----	12.90 - 1.30	.0754	----	----	1	----	76 + 1
5180	----	----	14.90B/*11.80A	14.90B/*11.80A	----	12.70 - 1.30	.0742	----	----	1	----	31 UNCH
5185	----	----	14.60B/*11.60A	14.60B/*11.60A	----	12.50 - 1.20	.0731	----	----	1	----	119 - 1
5190	----	----	14.30B/*11.50A	14.30B/*11.50A	----	12.20 - 1.30	.0715	----	----	----	----	16 UNCH
5195	----	----	14.10B/*11.30A	14.10B/*11.30A	----	12.00 - 1.20	.0704	----	----	----	----	38 UNCH
5200	12.60	12.60	14.00/*11.10A	14.00/*11.10A	----	11.80 - 1.20	.0692	----	----	31	320	2601 + 313
5205	----	----	13.60B/*10.90A	13.60B/*10.90A	----	11.60 - 1.20	.0681	----	----	----	----	48 UNCH
5210	----	----	13.30B/*10.70A	13.30B/*10.70A	----	11.40 - 1.20	.0670	----	----	----	----	56 UNCH
5215	----	----	13.10B/*10.50A	13.10B/*10.50A	----	11.20 - 1.10	.0658	----	----	----	----	46 UNCH
5220	----	----	12.90B/*10.30A	12.90B/*10.30A	----	11.00 - 1.10	.0647	----	----	----	----	46 UNCH
5225	----	----	12.60B/*10.20A	12.60B/*10.20A	----	10.80 - 1.10	.0636	----	----	----	----	90 UNCH
5230	----	----	12.40B/*10.00A	12.40B/*10.00A	----	10.60 - 1.10	.0625	----	----	1	----	86 UNCH
5235	----	----	12.20B/*9.80A	12.20B/*9.80A	----	10.50 - 1.00	.0618	----	----	----	----	30 UNCH
5240	----	----	12.00B/*9.70A	12.00B/*9.70A	----	10.30 - 1.10	.0607	----	----	----	----	114 UNCH
5245	----	----	11.80B/*9.50A	11.80B/*9.50A	----	10.10 - 1.10	.0596	----	----	----	----	67 UNCH
5250	11.60	11.60	11.60/*9.40A	11.60/*9.40A	----	9.90 - 1.10	.0585	----	----	7	----	821 + 1
5255	----	----	11.40B/*9.20A	11.40B/*9.20A	----	9.80 - 1.00	.0578	----	----	3	----	21 - 3
5260	----	----	11.20B/*9.10A	11.20B/*9.10A	----	9.60 - 1.00	.0567	----	----	----	----	150 UNCH
5265	----	----	11.00B/*8.90A	11.00B/*8.90A	----	9.50 - 1.00	.0560	----	----	----	----	13 UNCH
5270	8.80	8.80	10.80B/*8.80	10.80B/*8.80	----	9.30 - 1.00	.0549	----	----	3	----	30 + 2
5275	----	----	10.60B/*8.60A	10.60B/*8.60A	----	9.20 - 0.90	.0543	----	----	----	----	29 UNCH
5280	----	----	10.50B/*8.50A	10.50B/*8.50A	----	9.00 - 1.00	.0532	----	----	----	----	45 UNCH
5285	----	----	10.30B/*8.40A	10.30B/*8.40A	----	8.90 - 0.90	.0525	----	----	----	----	15 UNCH
5290	----	----	10.10B/*8.20A	10.10B/*8.20A	----	8.70 - 1.00	.0515	----	----	----	----	56 UNCH
5295	----	----	10.00B/*8.10A	10.00B/*8.10A	----	8.60 - 0.90	.0508	----	----	----	----	86 UNCH
5300	7.70	7.70	9.90/*7.70	9.90/*7.70	----	8.50 - 0.90	.0502	----	----	29	----	1203 - 7
5305	----	----	9.70B/*7.90A	9.70B/*7.90A	----	8.30 - 0.90	.0491	----	----	----	----	65 UNCH
5310	----	----	9.50B/*7.70A	9.50B/*7.70A	----	8.20 - 0.90	.0485	----	----	----	----	21 UNCH
5315	----	----	9.40B/*7.60A	9.40B/*7.60A	----	8.10 - 0.80	.0478	----	----	----	----	28 UNCH
5320	----	----	9.20B/*7.50A	9.20B/*7.50A	----	7.90 - 0.90	.0468	----	----	----	----	57 UNCH
5325	7.70	7.70	9.10B/*7.40A	9.10B/*7.40A	----	7.80 - 0.90	.0462	----	----	64	----	162 - 64
5330	----	----	8.90B/*7.30A	8.90B/*7.30A	----	7.70 - 0.80	.0455	----	----	----	----	13 UNCH
5335	7.50	7.50	8.80B/*7.20A	8.80B/*7.20A	----	7.60 - 0.80	.0449	----	----	2	----	11 + 1
5340	7.30	7.30	8.60B/*7.10A	8.60B/*7.10A	----	7.50 - 0.80	.0443	----	----	2	----	30 UNCH
5345	7.20	7.20	8.50B/*7.00A	8.50B/*7.00A	----	7.40 - 0.70	.0437	----	----	25	----	35 - 9
5350	7.10	7.10	8.40B/*7.00A	8.40B/*7.00A	----	7.30 - 0.70	.0431	----	----	2	----	1104 UNCH
5355	7.00	7.00	8.20B/*6.90A	8.20B/*6.90A	----	7.10 - 0.80	.0420	----	----	1	----	107 - 1
5360	8.00	8.00	8.10B/*6.80A	8.10B/*6.80A	----	7.00 - 0.80	.0414	----	----	1	----	330 + 1
5365	6.80	6.80	8.00B/*6.70A	8.00B/*6.70A	----	6.90 - 0.80	.0408	----	----	3	----	146 - 2
5370	----	----	7.90B/*6.60A	7.90B/*6.60A	----	6.80 - 0.80	.0402	----	----	1	----	25 - 1
5375	----	----	7.80B/*6.50A	7.80B/*6.50A	----	6.70 - 0.70	.0396	----	----	----	----	28 UNCH
5380	----	----	7.70B/*6.40A	7.70B/*6.40A	----	6.60 - 0.70	.0390	----	----	----	----	18 UNCH
5385	----	----	7.50B/*6.30A	7.50B/*6.30A	----	6.60 - 0.60	.0389	----	----	----	----	18 UNCH
5390	----	----	7.40B/*6.30A	7.40B/*6.30A	----	6.50 - 0.60	.0383	----	----	----	----	14 UNCH
5395	----	----	7.30B/*6.20A	7.30B/*6.20A	----	6.40 - 0.60	.0377	----	----	----	----	24 UNCH
5400	6.00	6.00	7.20B/*6.00	7.20B/*6.00	----	6.30 - 0.60	.0371	----	----	105	----	3512 + 99
5405	----	----	7.10B/*6.00A	7.10B/*6.00A	----	6.20 - 0.60	.0365	----	----	----	----	19 UNCH
5410	----	----	7.00B/*5.90A	7.00B/*5.90A	----	6.10 - 0.60	.0359	----	----	----	----	24 UNCH
5415	----	----	6.90B/*5.80A	6.90B/*5.80A	----	6.00 - 0.60	.0354	----	----	----	----	18 UNCH
5420	----	----	6.80B/*5.80A	6.80B/*5.80A	----	6.00 - 0.50	.0352	----	----	----	----	29 UNCH
5425	----	----	6.70B/*5.70A	6.70B/*5.70A	----	5.90 - 0.50	.0347	----	----	----	----	34 UNCH
5430	----	----	6.60B/*5.60A	6.60B/*5.60A	----	5.80 - 0.50	.0341	----	----	----	----	11 UNCH
5435	----	----	6.50B/*5.60A	6.50B/*5.60A	----	5.70 - 0.60	.0335	----	----	----	----	7 UNCH
5440	----	----	6.40B/*5.50A	6.40B/*5.50A	----	5.60 - 0.60	.0330	----	----	----	----	20 UNCH
5445	----	----	6.30B/*5.40A	6.30B/*5.40A	----	5.60 - 0.50	.0328	----	----	----	----	24 UNCH
5450	5.50	5.50	6.30B/*5.40A	6.30B/*5.40A	----	5.50 - 0.50	.0323	----	----	1	----	1167 - 1
5455	----	----	6.10B/*5.40A	6.10B/*5.40A	----	5.40 - 0.50	.0317	----	----	----	----	36 UNCH
5460	----	----	6.00B/*5.20A	6.00B/*5.20A	----	5.40 - 0.40	.0316	----	----	1	----	27 UNCH
5465	----	----	6.00B/*5.20A	6.00B/*5.20A	----	5.30 - 0.50	.0310	----	----	----	----	19 UNCH
5470	----	----	5.80B/*5.20A	5.80B/*5.20A	----	5.20 - 0.50	.0305	----	----	----	----	28 UNCH
5475	----	----	5.80B/*5.10A	5.80B/*5.10A	----	5.20 - 0.40	.0304	----	----	1	----	207 + 1
5480	----	----	5.70B/*5.10A	5.70B/*5.10A	----	5.10 - 0.40	.0298	----	----	----	----	5 UNCH
5485	----	----	5.70B/*5.00A	5.70B/*5.00A	----	5.00 - 0.50	.0293	----	----	----	----	16 UNCH
5490	----	----	5.60B/*4.90A	5.60B/*4.90A	----	5.00 - 0.40	.0292	----	----	1	----	19 UNCH
5495	----	----	5.50B/*4.90A	5.50B/*4.90A	----	4.90 - 0.40	.0286	----	----	----	----	7 UNCH
5500	5.00	5.00	5.50B/*4.60	5.50B/*4.60	----	4.90 - 0.40	.0285	----	----	26	----	2278 - 23
5505	----	----	5.40B/*4.70A	5.40B/*4.70A	----	4.80 - 0.40	.0280	----	----	----	----	15 UNCH
5510	----	----	5.30B/*4.70A	5.30B/*4.70A	----	4.70 - 0.40	.0274	----	----	----	----	13 UNCH
5515	----	----	5.20B/*4.70A	5.20B/*4.70A	----	4.70 - 0.40	.0273	----	----	----	----	18 UNCH
5520	----	----	5.20B/*4.60A	5.20B/*4.60A	----	4.60 - 0.40	.0268	----	----	----	----	38 UNCH
5525	----	----	5.10B/4.60A	5.10B/4.60A	----	4.60 - 0.40	.0267	----	----	----	----	91 UNCH
5530	4.60	4.60	5.00B/*4.50A	5.00B/*4.50A	----	4.50 - 0.40	.0261	----	----	2	----	25 UNCH
5535	----	----	5.00B/*4.50A	5.00B/*4.50A	----	4.50 - 0.40	.0261	----	----	----	----	12 UNCH
5540	4.30	4.30	4.90B/*4.30	4.90B/*4.30	----	4.40 - 0.40	.0255	----	----	1	----	16 UNCH
5545	----	----	4.80B/4.40A	4.80B/4.40A	----	4.40 - 0.30	.0254	----	----	----	----	16 UNCH
5550	----	----	4.80B/*4.30A	4.80B/*4.30A	----	4.30 - 0.40	.0249	----	----	2	----	204 UNCH
5555	----	----	4.80B/4.30A	4.80B/4.30A	----	4.30 - 0.30	.0248	----	----	----	----	35 UNCH
5560	----	----	4.70B/*4.20A	4.70B/*4.20A	----	4.20 - 0.40	.0243	----	----	----	----	23 UNCH
5565	----	----	4.60B/4.20A	4.60B/4.20A	----	4.20 - 0.30	.0242	----	----	----	----	12 UNCH
5570	----	----	4.60B/*4.10A	4.60B/*4.10A	----	4.10 - 0.40	.0237	----	----	----	----	4 UNCH
5575	----	----	4.50B/4.10A	4.50B/4.10A	----	4.10 - 0.30	.0236	----	----	----	----	31 UNCH
5580	----	----	4.50B/4.10A	4.50B/4.10A	----	4.10 - 0.30	.0235	----	----	----	----	7 UNCH
5585	----	----	4.50B/4.00A	4.50B/4.00A	----	4.00 - 0.40	.0230	----	----	----	----	19 UNCH
5590	----	----	----/4.00A	4.30B/4.00A	----	4.00 - 0.30	.0229	----	----	----	----	5 UNCH
5595	----	----	4.40B/3.90A	4.40B/3.90A	----	3.90 - 0.40	.0224	----	----	----	----	19 UNCH
5600	3.80	3.80	4.30B/*3.80	4.30B/*3.80	----	3.90 - 0.30	.0223	----	----	60	----	2143 + 9
5605	----	----	----/3.90A	4.20B/3.90A	----	3.80 - 0.40	.0218	----	----	----	----	33 UNCH
5610	----	----	4.20B/*3.80A	4.20B/*3.80A	----	3.80 - 0.30	.0217	----	----	----	----	10 UNCH
5615	----	----	----/*3.80A	4.10B/*3.80A	----	3.80 - 0.30	.0217	----	----	----	----	1 UNCH
5620	4.10	4.10	4.10/*3.70A	4.10/*3.70A	----	3.70 - 0.40	.0212	----	----	1	----	6 UNCH
5625	----	----	4.10B/*3.70A	4.10B/*3.70A	----	3.70 - 0.30	.0211	----	----	----	----	13 UNCH
5630	----	----	----/3.70A	4.00B/3.70A	----	3.70 - 0.30	.0210	----	----	----	----	6 UNCH
5635	----	----	----/*3.60A	4.00B/*3.60A	----	3.60 - 0.40	.0205	----	----	----	----	12 UNCH
5640	----	----	----/*3.60A	3.90B/*3.60A	----	3.60 - 0.30	.0204	----	----	----	----	8 UNCH
5650	----	----	----/*3.50A	3.80B/*3.50A	----	3.50 - 0.30	.0199	----	----	----	----	406 UNCH
5660	----	----	----/*3.50A	3.70B/*3.50A	----	3.40 - 0.40	.0193	----	----	----	----	7 UNCH
5670	----	----	----/*3.40A	3.70B/*3.40A	----	3.40 - 0.30	.0192	----	----	----	----	11 UNCH
5675	----	----	----/*3.40A	3.60B/*3.40A	----	3.30 - 0.40	.0187	----	----	----	----	7 UNCH
5680	----	----	----/*3.30A	3.60B/*3.30A	----	3.30 - 0.30	.0186	----	----	----	----	6 UNCH
5690	----	----	----/*3.30A	3.50B/*3.30A	----	3.30 - 0.30	.0185	----	----	----	----	21 UNCH
5700	----	----	----/*3.20A	3.40B/*3.20A	----	3.20 - 0.30	.0180	----	----	----	----	996 UNCH
5710	----	----	----/*3.20A	3.40B/*3.20A	----	3.10 - 0.40	.0174	----	----	----	----	22 UNCH
5720	----	----	----/*3.10A	3.30B/*3.10A	----	3.10 - 0.30	.0173	----	----	----	----	17 UNCH
5725	----	----	----/3.10A	3.30B/3.10A	----	3.10 - 0.30	.0173	----	----	----	----	56 UNCH
5730	----	----	----/*3.10A	3.20B/*3.10A	----	3.00 - 0.40	.0168	----	----	----	----	10 UNCH
5740	----	----	----/*3.00A	3.20B/*3.00A	----	3.00 - 0.30	.0167	----	----	----	----	9 UNCH
5750	3.40	3.40	3.40/*2.90A	3.40/*2.90A	----	2.90 - 0.30	.0161	----	----	25	----	992 UNCH
5760	----	----	----/2.90A	3.10B/2.90A	----	2.90 - 0.30	.0160	----	----	----	----	168 UNCH
5770	----	----	----/*2.90A	3.00B/*2.90A	----	2.80 - 0.30	.0155	----	----	----	----	4 UNCH
5775	----	----	----/*2.80A	3.00B/*2.80A	----	2.80 - 0.30	.0155	----	----	----	----	215 UNCH
5780	----	----	----/*2.80A	3.00B/*2.80A	----	2.80 - 0.30	.0154	----	----	----	----	2 UNCH
5790	----	----	----/*2.80A	3.00B/*2.80A	----	2.70 - 0.30	.0149	----	----	----	----	9 UNCH
5800	3.90	3.90	3.90/*2.70A	3.90/*2.70A	----	2.70 - 0.30	.0148	----	----	3	----	805 + 1
5810	----	----	----/*2.70A	2.90B/*2.70A	----	2.60 - 0.40	.0143	----	----	----	----	11 UNCH
5820	----	----	----/*2.70A	2.80B/*2.70A	----	2.60 - 0.30	.0142	----	----	----	----	208 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5825	----	----	----/*2.60A	2.70B/*2.60A	----	2.60 - 0.30	.0142	----	----	----	----	19 UNCH
5830	----	----	----/*2.60A	2.70B/*2.60A	----	2.60 - 0.30	.0141	----	----	----	----	1 UNCH
5840	----	----	----/*2.60A	2.70B/*2.60A	----	2.50 - 0.30	.0136	----	----	----	----	103 UNCH
5850	----	----	----/2.60A	2.60B/2.60A	----	2.50 - 0.30	.0136	----	----	----	----	109 UNCH
5860	----	----	----/*2.50A	2.60B/*2.50A	----	2.50 - 0.20	.0135	----	----	----	----	119 UNCH
5870	----	----	----/*2.50A	2.60B/*2.50A	----	2.40 - 0.30	.0130	----	----	----	----	16 UNCH
5875	----	----	----/*2.50A	2.50B/*2.50A	----	2.40 - 0.30	.0129	----	----	----	----	22 UNCH
5880	----	----	----/*2.50A	2.50B/*2.50A	----	2.40 - 0.30	.0129	----	----	----	----	11 UNCH
5890	----	----	----/*2.40A	2.50B/*2.40A	----	2.30 - 0.30	.0124	----	----	----	----	9 UNCH
5900	----	----	----/2.40A	2.40B/2.40A	----	2.30 - 0.30	.0123	----	----	----	----	430 UNCH
5910	----	----	----/*2.30A	2.40B/*2.30A	----	2.30 - 0.20	.0123	----	----	----	----	6 UNCH
5920	----	----	----/*2.30A	2.40B/*2.30A	----	2.20 - 0.30	.0118	----	----	----	----	19 UNCH
5925	----	----	----/*2.30A	2.40B/*2.30A	----	2.20 - 0.30	.0118	----	----	----	----	5 UNCH
5930	----	----	----/*2.30A	2.30B/*2.30A	----	2.20 - 0.30	.0117	----	----	----	----	4 UNCH
5940	----	----	----/*2.30A	2.30B/*2.30A	----	2.20 - 0.20	.0117	----	----	----	----	2 UNCH
5950	----	----	----/*2.20A	2.30B/*2.20A	----	2.20 - 0.20	.0116	----	----	----	----	43 UNCH
5960	----	----	----/*2.20A	2.20B/*2.20A	----	2.10 - 0.30	.0111	----	----	----	----	16 UNCH
5970	----	----	----/*2.10A	2.20B/*2.10A	----	2.10 - 0.30	.0111	----	----	----	----	55 UNCH
5980	----	----	----/*2.10A	2.20B/*2.10A	----	2.10 - 0.20	.0110	----	----	----	----	3 UNCH
5990	----	----	----/*2.10A	2.20B/*2.10A	----	2.10 - 0.20	.0110	----	----	----	----	76 UNCH
6000	2.00	2.00	2.00/*2.00	2.10B/*2.00	----	2.00 - 0.30	.0105	----	----	5	----	2205 - 3
6025	----	----	----/*2.00A	2.10B/*2.00A	----	2.00 - 0.20	.0104	----	----	----	----	34 UNCH
6050	----	----	----/*1.90A	2.00B/*1.90A	----	1.90 - 0.30	.0098	----	----	----	----	45 UNCH
6075	----	----	----/*1.90A	1.90B/*1.90A	----	1.90 - 0.20	.0097	----	----	----	----	713 UNCH
6100	----	----	----/*1.80A	1.90B/*1.80A	----	1.80 - 0.30	.0092	----	----	----	----	291 UNCH
6125	----	----	----/*1.80A	1.80B/*1.80A	----	1.80 - 0.20	.0091	----	----	----	----	59 UNCH
6150	----	----	----/*1.80A	1.80B/*1.80A	----	1.70 - 0.30	.0086	----	----	----	----	881 UNCH
6175	1.70	1.70	1.70/*1.70	1.70/*1.70	----	1.70 - 0.20	.0085	----	----	11	----	37 UNCH
6200	1.50	1.50	1.50/*1.50	1.70B/*1.50	----	1.60 - 0.30	.0080	----	----	1	----	551 UNCH
6225	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.30	.0075	----	----	----	----	20 UNCH
6250	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.30	.0074	----	----	----	----	392 UNCH
6275	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.30	.0069	----	----	----	----	3 UNCH
6300	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.30	.0069	----	----	----	----	339 UNCH
6325	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.20	.0068	----	----	----	----	29 UNCH
6350	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.30	.0063	----	----	----	----	26 UNCH
6375	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.20	.0063	----	----	----	----	37 UNCH
6400	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.30	.0058	----	----	----	----	171 UNCH
6425	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	.0057	----	----	----	----	17 UNCH
6450	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	.0057	----	----	----	----	48 UNCH
6475	----	----	----	1.30B/*1.30A	----	1.10 - 0.20	.0052	----	----	----	----	13 UNCH
6500	1.20	1.20	1.30B/*1.20	1.30B/*1.20	----	1.10 - 0.20	.0052	----	----	14	----	634 - 11
6525	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.20	.0052	----	----	----	----	132 UNCH
6550	1.40	1.40	1.40/*1.20A	1.40/*1.20A	----	1.00 - 0.20	.0047	----	----	10	----	11 + 4
6575	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.20	.0047	----	----	----	----	4 UNCH
6600	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.20	.0046	----	----	----	----	27 UNCH
6650	----	----	----	1.10B/*1.10A	----	0.90 - 0.20	.0042	----	----	----	----	16 UNCH
6675	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.20	.0041	----	----	----	----	1 UNCH
6700	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.20	.0041	----	----	----	----	127 UNCH
6775	----	----	----	0.90B/1.10A	----	0.90 - 0.10	.0040	----	----	----	----	1 UNCH
6800	----	----	----	0.90B/1.10A	----	0.80 - 0.20	.0036	----	----	----	----	201 UNCH
6825	----	----	----	0.90B/*1.00A	----	0.80 - 0.10	.0036	----	----	----	----	19 UNCH
6850	----	----	----	0.90B/1.10A	----	0.80 - 0.10	.0035	----	----	----	----	201 UNCH
6875	----	----	----	0.90B/1.10A	----	0.80 - 0.10	.0035	----	----	----	----	22 UNCH
6900	----	----	----	0.90B/*1.00A	----	0.80 - 0.10	.0035	----	----	----	----	19 UNCH
6925	----	----	----	0.80B/*1.00A	----	0.80 - 0.10	.0035	----	----	----	----	1 UNCH
6950	----	----	----	0.80B/*1.00A	----	0.80 UNCH	.0034	----	----	----	----	22 UNCH
6975	----	----	----	0.80B/*0.90A	----	0.80 UNCH	.0034	----	----	----	----	10 UNCH
7000	----	----	----	0.80B/*0.90A	----	0.80 UNCH	.0034	----	----	1	----	1443 + 1
7050	----	----	----	0.70B/*0.90A	----	0.70 - 0.10	.0030	----	----	----	----	18 UNCH
7075	----	----	----	0.70B/*0.90A	----	0.70 UNCH	.0030	----	----	----	----	13 UNCH
7100	----	----	----	0.70B/*0.80A	----	0.70 UNCH	.0029	----	----	----	----	28 UNCH
7125	----	----	----	0.70B/*0.80A	----	0.70 UNCH	.0029	----	----	----	----	1 UNCH
7150	----	----	----	0.60B/*0.80A	----	0.70 UNCH	.0029	----	----	----	----	20 UNCH
7175	----	----	----	0.60B/*0.80A	----	0.70 UNCH	.0029	----	----	----	----	1 UNCH
7200	----	----	----	0.60B/*0.80A	----	0.60 - 0.10	.0025	----	----	----	----	3 UNCH
7225	----	----	----	0.60B/*0.80A	----	0.60 UNCH	.0025	----	----	----	----	22 UNCH
7250	----	----	----	0.60B/*0.70A	----	0.60 UNCH	.0025	----	----	----	----	23 UNCH
7275	----	----	----	0.60B/*0.70A	----	0.60 UNCH	.0025	----	----	----	----	14 UNCH
7300	----	----	----	0.50B/*0.70A	----	0.60 UNCH	.0024	----	----	----	----	50 UNCH
7350	----	----	----	0.50B/*0.70A	----	0.60 UNCH	.0024	----	----	----	----	8 UNCH
7400	----	----	----	0.50B/*0.70A	----	0.50 UNCH	.0020	----	----	----	----	2 UNCH
7425	----	----	----	0.50B/*0.70A	----	0.50 UNCH	.0020	----	----	----	----	19 UNCH
7450	----	----	----	0.50B/*0.70A	----	0.50 UNCH	.0020	----	----	----	----	28 UNCH
7475	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0020	----	----	----	----	9 UNCH
7500	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0020	----	----	----	----	296 UNCH
7525	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0020	----	----	----	----	33 UNCH
7550	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0020	----	----	----	----	50 UNCH
7575	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0020	----	----	----	----	1 UNCH
7600	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0019	----	----	----	----	10 UNCH
7625	----	----	----	0.40B/*0.60A	----	0.50 UNCH	.0019	----	----	----	----	12 UNCH
7700	----	----	----	0.40B/*0.60A	----	0.40 - 0.10	.0016	----	----	----	----	11 UNCH
7725	----	----	----	0.40B/*0.60A	----	0.40 - 0.10	.0015	----	----	----	----	17 UNCH
7750	----	----	----	0.40B/*0.60A	----	0.40 - 0.10	.0015	----	----	----	----	6 UNCH
7775	----	----	----	0.40B/*0.60A	----	0.40 - 0.10	.0015	----	----	----	----	6 UNCH
7800	----	----	----	0.40B/*0.60A	----	0.40 - 0.10	.0015	----	----	----	----	5 UNCH
7825	----	----	----	0.30B/*0.60A	----	0.40 - 0.10	.0015	----	----	----	----	13 UNCH
7875	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0015	----	----	----	----	151 UNCH
7900	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0015	----	----	----	----	1 UNCH
8000	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0015	----	----	1	----	1067 + 1
8100	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0014	----	----	----	----	7 UNCH
8200	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0011	----	----	----	----	3 UNCH
8300	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	4 UNCH
8500	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	30 UNCH
8600	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0010	----	----	----	----	2 UNCH
8700	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0010	----	----	----	----	24 UNCH
8800	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0010	----	----	----	----	7 UNCH
9000	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.30 - 0.10	.0010	----	----	35	----	276 + 35
9200	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	11 UNCH
9300	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	4 UNCH
9400	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0009	----	----	----	----	141 UNCH
9500	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0009	----	----	----	----	66 UNCH
9900	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH
10000	0.20	0.20	0.20/0.20	0.20/0.20	----	0.30 UNCH	.0008	----	----	10	----	203 + 10
10100	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	12 UNCH
10500	----	----	----	----/0.20A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
10700	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
11000	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	103 UNCH
11200	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
11500	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	47 UNCH
11600	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	217 UNCH
TOTAL										3992	820	71211 + 2065
AUG26												
3200	----	----	1,413.80B/1,379	1413.80B/1379.20A	----	1392.30 - 3.60	.9880	----	----	----	----	3 UNCH
3350	----	----	1,264.90B/1,229	1264.90B/1229.90A	----	1243.20 - 3.70	.9828	----	----	----	----	125 UNCH
3400	----	----	1,216.70B/1,178	1216.70B/1178.80A	----	1193.60 - 3.80	.9804	----	----	----	----	400 UNCH
3500	----	----	1,116.70B/1,081	1116.70B/1081.50A	----	1094.90 - 3.70	.9749	----	----	----	----	46 UNCH
3505	----	----	1,111.70B/1,076	1111.70B/1076.50A	----	1090.00 - 3.70	.9748	----	----	----	----	4 UNCH
3520	----	----	1,097.00B/1,061	1097.00B/1061.80A	----	1075.20 - 3.80	.9736	----	----	----	----	65 UNCH
3550	----	----	1,068.70B/1,031	1068.70B/1031.00A	----	1045.70 - 3.80	.9715	----	----	----	----	310 UNCH
3600	----	----	1,021.30B/980.9	1021.30B/980.90A	----	996.70 - 3.80	.9674	----	----	----	----	1045 UNCH
3610	----	----	1,008.70B/973.5	1008.70B/973.50A	----	986.90 - 3.80	.9666	----	----	----	----	6 UNCH
3650	946.30	946.30	969.70B/934.60A	969.70B/934.60A	----	947.90 - 3.80	.9629	----	----	1	----	4 UNCH
3660	----	----	----	----	----	938.20 - 3.80	.9617	----	----	----	----	1 UNCH
3685	----	----	----	----	----	913.90 - 3.80	.9590	----	----	----	----	1 UNCH
3700	----	----	921.10B/886.10A	921.10B/886.10A	----	899.30 - 3.90	.9573	----	----	----	----	40 UNCH
3715	----	----	906.60B/871.60A	906.60B/871.60A	----	884.80 - 3.90	.9554	----	----	----	----	30 UNCH
3720	----	----	----	----	----	880.00 - 3.90	.9549	----	----	----	----	1 UNCH
3735	----	----	----	----	----	865.50 - 3.90	.9529	----	----	----	----	1 UNCH
3750	839.80	839.80	872.80B/837.90A	872.80B/837.90A	----	851.00 - 4.00	.9506	----	----	1	----	8 UNCH
3775	----	----	848.80B/814.00A	848.80B/814.00A	----	827.00 - 4.00	.9471	----	----	----	----	4 UNCH
3780	----	----	844.00B/809.20A	844.00B/809.20A	----	822.20 - 4.00	.9463	----	----	----	----	10 UNCH
3790	----	----	834.40B/799.60A	834.40B/799.60A	----	812.60 - 4.10	.9447	----	----	----	----	67 UNCH
3800	----	----	826.00B/788.80A	826.00B/788.80A	----	803.10 - 4.00	.9432	----	----	----	----	303 UNCH
3820	----	----	805.70B/771.10A	805.70B/771.10A	----	784.00 - 4.10	.9397	----	----	----	----	3 UNCH
3840	----	----	----	----	----	765.00 - 4.10	.9359	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3850	----	----	777.20B/742.70A	777.20B/742.70A	----	755.50 - 4.20	.9340	----	----	----	----	12 UNCH
3885	----	----	----	----	----	722.50 - 4.30	.9269	----	----	----	----	2 UNCH
3890	----	----	----	----	----	717.80 - 4.30	.9258	----	----	----	----	2 UNCH
3900	----	----	730.00B/695.80A	730.00B/695.80A	----	708.50 - 4.30	.9235	----	----	----	----	146 UNCH
3920	----	----	----	521.80B/787.10A	----	689.80 - 4.30	.9190	----	----	----	----	1 UNCH
3925	----	----	706.60B/672.60A	706.60B/672.60A	----	685.10 - 4.40	.9176	----	----	----	----	10 UNCH
3950	----	----	683.30B/649.60A	683.30B/649.60A	----	662.00 - 4.40	.9113	----	----	----	----	106 UNCH
3955	----	----	678.70B/645.00A	678.70B/645.00A	----	657.40 - 4.40	.9099	----	----	----	----	7 UNCH
3975	----	----	660.20B/626.70A	660.20B/626.70A	----	639.00 - 4.50	.9044	----	----	----	----	200 UNCH
3995	----	----	641.80B/608.60A	641.80B/608.60A	----	620.70 - 4.60	.8984	----	----	----	----	30 UNCH
4000	----	----	639.70B/601.90A	639.70B/601.90A	----	616.20 - 4.50	.8968	----	----	----	----	723 UNCH
4005	----	----	----	524.90B/689.30A	----	611.60 - 4.60	.8953	----	----	----	----	1 UNCH
4015	----	----	623.60B/590.60A	623.60B/590.60A	----	602.60 - 4.60	.8921	----	----	----	----	12 UNCH
4025	----	----	614.50B/581.70A	614.50B/581.70A	----	593.60 - 4.60	.8887	----	----	----	----	174 UNCH
4045	----	----	596.50B/563.90A	596.50B/563.90A	----	575.60 - 4.70	.8818	----	----	----	----	30 UNCH
4050	----	----	592.00B/559.50A	592.00B/559.50A	----	571.20 - 4.70	.8800	----	----	----	----	100 UNCH
4055	----	----	587.50B/554.20A	587.50B/554.20A	----	566.70 - 4.80	.8783	----	----	----	----	100 UNCH
4075	----	----	569.70B/537.60A	569.70B/537.60A	----	549.00 - 4.80	.8706	----	----	----	----	3 UNCH
4080	----	----	----	458.20B/622.30A	----	544.70 - 4.80	.8688	----	----	----	----	1 UNCH
4100	----	----	547.70B/516.00A	547.70B/516.00A	----	527.20 - 4.90	.8606	----	----	----	----	73 UNCH
4110	----	----	538.90B/506.40A	538.90B/506.40A	----	518.50 - 4.90	.8564	----	----	----	----	19 UNCH
4135	----	----	517.30B/486.00A	517.30B/486.00A	----	497.10 - 5.00	.8453	----	----	----	----	20 UNCH
4140	----	----	----	406.30B/571.30A	----	492.80 - 5.10	.8429	----	----	----	----	1 UNCH
4150	----	----	504.60B/472.50A	504.60B/472.50A	----	484.40 - 5.10	.8382	----	----	----	----	40 UNCH
4165	----	----	----	384.80B/550.90A	----	471.80 - 5.20	.8309	----	----	----	----	1 UNCH
4195	----	----	466.70B/436.90A	466.70B/436.90A	----	447.00 - 5.30	.8154	----	----	----	----	3 UNCH
4200	----	----	462.60B/432.70A	462.60B/432.70A	----	442.90 - 5.40	.8127	----	----	----	----	73 UNCH
4215	----	----	----	342.80B/511.00A	----	430.70 - 5.50	.8046	----	----	----	----	1 UNCH
4220	----	----	446.20B/416.80A	446.20B/416.80A	----	426.70 - 5.50	.8017	----	----	----	----	16 UNCH
4225	----	----	442.10B/413.00A	442.10B/413.00A	----	422.70 - 5.50	.7988	----	----	----	----	102 UNCH
4235	----	----	----	326.40B/495.40A	----	414.70 - 5.60	.7931	----	----	----	----	1 UNCH
4250	----	----	422.00B/393.50A	422.00B/393.50A	----	402.90 - 5.70	.7841	----	----	----	----	71 UNCH
4265	----	----	410.20B/381.90A	410.20B/381.90A	----	391.30 - 5.70	.7749	----	----	----	----	77 UNCH
4285	----	----	394.60B/366.90A	394.60B/366.90A	----	376.00 - 5.80	.7622	----	----	----	----	8 UNCH
4300	----	----	383.10B/351.20A	383.10B/351.20A	----	364.70 - 5.90	.7523	----	----	----	----	42 UNCH
4320	----	----	----	260.60B/431.90A	----	349.90 - 6.00	.7387	----	----	----	----	2 UNCH
4325	----	----	364.30B/337.60A	364.30B/337.60A	----	346.30 - 5.90	.7353	----	----	----	----	6 UNCH
4330	----	----	360.50B/329.50A	360.50B/329.50A	----	342.60 - 6.00	.7317	----	----	----	----	201 UNCH
4350	----	----	348.00B/288.50A	348.00B/288.50A	----	328.30 - 6.10	.7175	----	----	----	----	774 UNCH
4360	----	----	----/282.40A	319.20B/282.40A	----	321.30 - 6.10	.7102	----	----	----	----	1 UNCH
4375	----	----	328.00B/273.00A	328.00B/273.00A	----	310.90 - 6.10	.6990	----	----	----	----	3 UNCH
4385	----	----	321.00B/266.40A	321.00B/266.40A	----	304.10 - 6.10	.6915	----	----	----	----	100 UNCH
4390	----	----	318.00B/263.70A	318.00B/263.70A	----	300.70 - 6.10	.6877	----	----	----	----	1 UNCH
4400	----	----	313.90B/257.70A	313.90B/257.70A	----	294.00 - 6.10	.6799	----	----	----	----	327 UNCH
4420	----	----	300.30B/245.60A	300.30B/245.60A	----	280.90 - 6.10	.6642	----	----	----	----	50 UNCH
4425	----	----	297.00B/242.70A	297.00B/242.70A	----	277.70 - 6.10	.6602	----	----	----	----	5 UNCH
4440	----	----	287.00B/233.50A	287.00B/233.50A	----	268.10 - 6.10	.6482	----	----	----	----	1 UNCH
4450	----	----	280.60B/227.90A	280.60B/227.90A	----	261.90 - 6.00	.6400	----	----	----	----	7 UNCH
4455	----	----	277.30B/225.10A	277.30B/225.10A	----	258.80 - 6.10	.6359	----	----	----	----	2 UNCH
4460	----	----	274.20B/222.70A	274.20B/222.70A	----	255.70 - 6.10	.6318	----	----	----	----	5 UNCH
4465	----	----	271.20B/219.90A	271.20B/219.90A	----	252.70 - 6.00	.6277	----	----	----	----	9 UNCH
4470	----	----	268.00B/217.10A	268.00B/217.10A	----	249.70 - 6.00	.6235	----	----	----	----	7 UNCH
4475	----	----	264.90B/214.50A	264.90B/214.50A	----	246.70 - 6.00	.6194	----	----	----	----	31 UNCH
4485	----	----	258.70B/209.30A	258.70B/209.30A	----	240.70 - 6.10	.6110	----	----	----	----	5 UNCH
4490	----	----	255.50B/206.70A	255.50B/206.70A	----	237.80 - 6.00	.6067	----	----	----	----	1 UNCH
4500	200.00	200.00	251.00B/200.00	251.00B/200.00	----	232.00 - 6.00	.5983	----	----	9	----	813 + 1
4525	----	----	235.80B/189.40A	235.80B/189.40A	----	218.00 - 5.90	.5769	----	----	----	----	15 UNCH
4535	----	----	230.00B/183.60A	230.00B/183.60A	----	212.50 - 6.00	.5683	----	----	----	----	10 UNCH
4540	----	----	227.40B/181.70A	227.40B/181.70A	----	209.90 - 5.90	.5640	----	----	----	----	5 UNCH
4545	----	----	224.60B/179.40A	224.60B/179.40A	----	207.20 - 5.90	.5596	----	----	----	----	1 UNCH
4550	188.80	188.80	221.70B/176.80	221.70B/176.80	----	204.50 - 5.90	.5553	----	----	6	----	27 UNCH
4555	----	----	219.20B/174.90A	219.20B/174.90A	----	201.90 - 5.90	.5510	----	----	----	----	1 UNCH
4560	----	----	216.60B/172.40A	216.60B/172.40A	----	199.30 - 5.90	.5466	----	----	----	----	133 UNCH
4565	----	----	213.90B/170.40A	213.90B/170.40A	----	196.80 - 5.80	.5423	----	----	----	----	1 UNCH
4570	187.00	187.00	211.10B/168.10A	211.10B/168.10A	----	194.20 - 5.90	.5379	----	----	5	----	158 + 3
4575	----	----	208.50B/166.40A	208.50B/166.40A	----	191.70 - 5.80	.5336	----	----	6	----	49 + 6
4580	190.00	190.00	205.80B/163.60A	205.80B/163.60A	----	189.20 - 5.80	.5292	----	----	10	----	206 - 3
4585	----	----	203.20B/161.80A	203.20B/161.80A	----	186.70 - 5.80	.5248	----	----	----	----	2 UNCH
4590	184.00	184.00	200.60B/159.70A	200.60B/159.70A	----	184.30 - 5.70	.5205	----	----	8	----	71 + 5
4595	187.00	187.00	198.10B/157.10A	198.10B/157.10A	----	181.90 - 5.70	.5161	----	----	1	----	31 UNCH
4600	165.00	165.00	195.80B/155.50A	195.80B/155.50A	----	179.40 - 5.80	.5118	----	----	84	----	329 + 40
4605	----	----	193.00B/153.40A	193.00B/153.40A	----	177.10 - 5.70	.5074	----	----	----	----	4 UNCH
4610	----	----	190.50B/151.00A	190.50B/151.00A	----	174.70 - 5.70	.5031	----	----	1	----	4 + 1
4615	----	----	188.20B/148.80A	188.20B/148.80A	----	172.40 - 5.70	.4987	----	----	----	----	7 UNCH
4620	169.50	169.50	185.70B/147.20A	185.70B/147.20A	----	170.10 - 5.60	.4944	----	----	8	----	13 + 8
4625	166.20	166.20	183.20B/145.20A	183.20B/145.20A	----	167.80 - 5.60	.4900	----	----	14	----	24 + 11
4630	----	----	180.80B/143.40A	180.80B/143.40A	----	165.50 - 5.60	.4857	----	----	7	----	22 - 2
4640	----	----	176.10B/139.50A	176.10B/139.50A	----	161.10 - 5.60	.4771	----	----	----	----	17 UNCH
4645	----	----	173.80B/137.50A	173.80B/137.50A	----	158.90 - 5.50	.4727	----	----	----	----	1 UNCH
4650	134.50	134.50	171.90B/134.50	171.90B/134.50	----	156.70 - 5.50	.4684	----	----	12	----	280 + 1
4655	156.70	156.70	169.60B/133.90A	169.60B/133.90A	----	154.60 - 5.50	.4641	----	----	10	----	11 + 10
4660	----	----	167.20B/132.10A	167.20B/132.10A	----	152.50 - 5.40	.4599	----	----	----	----	17 UNCH
4665	146.00	146.00	165.10B/130.00A	165.10B/130.00A	----	150.40 - 5.40	.4556	----	----	10	----	24 + 9
4670	----	----	162.90B/128.50A	162.90B/128.50A	----	148.30 - 5.40	.4513	----	----	22	----	70 + 15
4675	159.70	159.70	160.70B/126.90A	160.70B/126.90A	----	146.30 - 5.40	.4471	----	----	2	----	40 UNCH
4680	----	----	158.60B/125.00A	158.60B/125.00A	----	144.30 - 5.30	.4429	----	----	----	----	7 UNCH
4685	----	----	156.50B/123.40A	156.50B/123.40A	----	142.30 - 5.30	.4386	----	----	----	----	200 UNCH
4690	----	----	154.30B/121.50A	154.30B/121.50A	----	140.30 - 5.30	.4344	----	----	----	----	14 UNCH
4695	----	----	152.30B/*119.90	152.30B/*119.90A	----	138.30 - 5.30	.4302	----	----	1	----	6 + 1
4700	135.00	135.00	150.20B/118.20A	150.20B/118.20A	----	136.40 - 5.20	.4260	----	----	15	250	3420 + 63
4705	----	----	148.10B/*116.90	148.10B/*116.90A	----	134.50 - 5.20	.4219	----	----	1	----	108 UNCH
4710	----	----	146.10B/114.90A	146.10B/114.90A	----	132.60 - 5.20	.4177	----	----	----	----	79 UNCH
4715	----	----	144.10B/*113.30	144.10B/*113.30A	----	130.80 - 5.10	.4136	----	----	----	----	1 UNCH
4720	----	----	142.10B/111.80A	142.10B/111.80A	----	128.90 - 5.10	.4095	----	----	----	----	62 UNCH
4725	----	----	140.20B/110.20A	140.20B/110.20A	----	127.10 - 5.10	.4054	----	----	----	----	34 UNCH
4730	----	----	138.30B/108.80A	138.30B/108.80A	----	125.40 - 4.90	.4014	----	----	----	----	61 UNCH
4735	----	----	136.40B/*107.30	136.40B/*107.30A	----	123.60 - 4.90	.3973	----	----	1	----	12 + 1
4740	122.60	122.60	134.40B/105.80A	134.40B/105.80A	----	121.80 - 5.00	.3932	----	----	3	----	9 + 1
4745	----	----	132.60B/*104.50	132.60B/*104.50A	----	120.10 - 4.90	.3892	----	----	----	----	70 UNCH
4750	118.00	118.00	130.90B/102.90A	130.90B/102.90A	----	118.40 - 4.90	.3852	----	----	103	----	445 + 100
4755	----	----	129.00B/*101.60	129.00B/*101.60A	----	116.80 - 4.80	.3813	----	----	----	----	59 UNCH
4760	----	----	127.20B/99.80A	127.20B/99.80A	----	115.10 - 4.80	.3773	----	----	----	----	43 UNCH
4765	----	----	125.40B/*97.90A	125.40B/*97.90A	----	113.50 - 4.70	.3734	----	----	----	----	11 UNCH
4770	----	----	123.70B/96.60A	123.70B/96.60A	----	111.90 - 4.60	.3695	----	----	----	----	258 UNCH
4775	----	----	121.90B/95.40A	121.90B/95.40A	----	110.30 - 4.60	.3656	----	----	----	----	131 UNCH
4780	----	----	120.20B/93.90A	120.20B/93.90A	----	108.70 - 4.60	.3617	----	----	----	----	22 UNCH
4785	----	----	118.50B/*92.70A	118.50B/*92.70A	----	107.20 - 4.50	.3580	----	----	----	----	15 UNCH
4790	----	----	116.90B/*91.30A	116.90B/*91.30A	----	105.60 - 4.60	.3541	----	----	----	----	33 UNCH
4795	----	----	115.20B/*90.20A	115.20B/*90.20A	----	104.10 - 4.50	.3503	----	----	----	----	124 UNCH
4800	105.00	105.00	113.70B/89.00A	113.70B/89.00A	----	102.60 - 4.50	.3465	----	----	11	25	2104 - 2
4805	----	----	112.00B/*87.60A	112.00B/*87.60A	----	101.20 - 4.40	.3429	----	----	----	----	16 UNCH
4810	105.00	105.00	110.50B/*86.20A	110.50B/*86.20A	----	99.70 - 4.40	.3391	----	----	1	----	18 + 1
4815	----	----	108.90B/*85.00A	108.90B/*85.00A	----	98.30 - 4.30	.3354	----	----	----	----	53 UNCH
4820	----	----	107.30B/*84.00A	107.30B/*84.00A	----	96.90 - 4.20	.3318	----	----	----	----	25 UNCH
4825	----	----	105.70B/82.50A	105.70B/82.50A	----	95.50 - 4.20	.3281	----	----	12	----	83 UNCH
4830	----	----	104.30B/*81.40A	104.30B/*81.40A	----	94.10 - 4.20	.3245	----	----	----	----	29 UNCH
4835	----	----	102.70B/*80.50A	102.70B/*80.50A	----	92.80 - 4.10	.3210	----	----	----	----	38 UNCH
4840	----	----	101.20B/*79.20A	101.20B/*79.20A	----	91.40 - 4.10	.3173	----	----	----	----	25 UNCH
4845	----	----	99.80B/*78.00A	99.80B/*78.00A	----	90.10 - 4.00	.3138	----	----	----	----	1 UNCH
4850	----	----	98.50B/77.20A	98.50B/77.20A	----	88.80 - 4.00	.3103	----	----	1	----	246 + 1
4860	----	----	95.60B/*74.70A	95.60B/*74.70A	----	86.20 - 3.90	.3033	----	----	----	----	29 UNCH
4865	81.30	81.30	94.20B/*73.90A	94.20B/*73.90A	----	85.00 - 3.80	.3000	----	----	2	----	13 + 2
4870	----	----	93.00B/*72.60A	93.00B/*72.60A	----	83.70 - 3.80	.2965	----	----	----	----	49 UNCH
4875	78.20	78.20	91.60B/71.50A	91.60B/71.50A	----	82.50 - 3.70	.2931	----	----	3	----	173 + 1
4880	----	----	90.20B/*70.70A	90.20B/*70.70A	----	81.30 - 3.70	.2898	----	----	----	----	142 UNCH
4885	----	----	88.90B/*69.80A	88.90B/*69.80A	----	80.10 - 3.60	.2864	----	----	----	----	44 UNCH
4890	----	----	87.60B/*68.80A	87.60B/*68.80A	----	79.00 - 3.50	.2832	----	----	----	----	9 UNCH
4895	----	----	86.50B/*67.60A	86.50B/*67.60A	----	77.80 - 3.50	.2799	----	----	----	----	63 UNCH
4900	78.00	78.00	85.30B/66.60A	85.30B/66.60A	----	76.70 - 3.50	.2767	----	----	27	105	704 + 105
4905	----	----	84.00B/*65.70A	84.00B/*65.70A	----	75.50 - 3.50	.2734	----	----	----	----	14 UNCH
4910	----	----	82.70B/*64.90A	82.70B/*64.90A	----	74.40 - 3.50	.2702	----	----	----	----	10 UNCH
4915	----	----	81.60B/*63.80A	81.60B/*63.80A	----	73.30 - 3.40	.2671	----	----	----	----	25 UNCH
4920	----	----	80.50B/*62.90A	80.50B/*62.90A	----	72.30 - 3.30	.2640	----	----	----	----	3 UNCH
4925	----	----	79.30B/62.00A	79.30B/62.00A	----	71.20 - 3.30	.2609	----	----	1	----	308 UNCH
4930	68.50	68.50	78.10B/*61.10A	78.10B/*61.10A	----	70.20 - 3.20	.2579	----	----	11	----	36 + 11
4935	----	----	77.00B/*60.30A	77.00B/*60.30A	----	69.20 - 3.20	.2549	----	----	----	----	1 UNCH
4940	----	----	75.90B/*59.60A	75.90B/*59.60A	----	68.10 - 3.20	.2517	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4945	----	----	74.80B/*58.80A	74.80B/*58.80A	----	67.10 - 3.20	.2487	----	----	----	50	73 + 50
4950	----	----	73.80B/57.90A	73.80B/57.90A	----	66.20 - 3.10	.2459	----	----	----	----	246 UNCH
4955	----	----	72.60B/*56.90A	72.60B/*56.90A	----	65.20 - 3.10	.2429	----	----	----	----	22 UNCH
4960	----	----	71.60B/*56.20A	71.60B/*56.20A	----	64.30 - 3.00	.2401	----	----	----	----	40 UNCH
4965	----	----	70.50B/*55.40A	70.50B/*55.40A	----	63.30 - 3.00	.2372	----	----	----	----	22 UNCH
4970	----	----	69.60B/*54.60A	69.60B/*54.60A	----	62.40 - 3.00	.2344	----	----	----	----	12 UNCH
4975	----	----	68.60B/54.10A	68.60B/54.10A	----	61.50 - 3.00	.2316	----	----	----	----	2 UNCH
4980	----	----	67.50B/*53.30A	67.50B/*53.30A	----	60.60 - 2.90	.2288	----	----	----	----	11 UNCH
4985	----	----	66.60B/*52.50A	66.60B/*52.50A	----	59.70 - 2.90	.2260	----	----	----	----	14 UNCH
4990	----	----	65.70B/*51.60A	65.70B/*51.60A	----	58.90 - 2.80	.2234	----	----	----	----	10 UNCH
4995	----	----	64.70B/*50.90A	64.70B/*50.90A	----	58.00 - 2.80	.2207	----	----	----	----	4 UNCH
5000	51.50	51.50	63.90B/50.20A	63.90B/50.20A	----	57.20 - 2.80	.2181	----	----	104	250	2013 + 159
5005	----	----	62.80B/*49.50A	62.80B/*49.50A	----	56.30 - 2.80	.2153	----	----	----	----	12 UNCH
5010	----	----	61.90B/*48.80A	61.90B/*48.80A	----	55.50 - 2.80	.2127	----	----	----	----	3 UNCH
5015	----	----	61.10B/*48.10A	61.10B/*48.10A	----	54.70 - 2.70	.2102	----	----	----	----	11 UNCH
5020	----	----	60.20B/*47.50A	60.20B/*47.50A	----	53.90 - 2.70	.2076	----	----	----	----	32 UNCH
5025	----	----	59.40B/*46.90A	59.40B/*46.90A	----	53.20 - 2.60	.2052	----	----	----	----	232 UNCH
5030	----	----	58.60B/*46.30A	58.60B/*46.30A	----	52.40 - 2.60	.2027	----	----	----	----	228 UNCH
5035	----	----	57.70B/*45.60A	57.70B/*45.60A	----	51.60 - 2.60	.2001	----	----	----	----	125 UNCH
5040	51.10	51.10	56.90B/*44.90A	56.90B/*44.90A	----	50.90 - 2.60	.1978	----	----	16	----	33 + 16
5045	----	----	56.10B/*44.40A	56.10B/*44.40A	----	50.20 - 2.50	.1954	----	----	----	----	22 UNCH
5050	51.40	51.40	55.30B/*43.80A	55.30B/*43.80A	----	49.40 - 2.60	.1929	----	----	25	----	330 + 21
5055	----	----	54.50B/*43.20A	54.50B/*43.20A	----	48.70 - 2.50	.1906	----	----	----	----	5 UNCH
5060	----	----	53.70B/*42.50A	53.70B/*42.50A	----	48.00 - 2.50	.1882	----	----	1	----	32 UNCH
5065	----	----	52.90B/*42.00A	52.90B/*42.00A	----	47.40 - 2.40	.1861	----	----	----	----	43 UNCH
5070	----	----	52.10B/*41.40A	52.10B/*41.40A	----	46.70 - 2.40	.1838	----	----	----	----	58 UNCH
5075	44.80	44.80	51.40B/*40.90A	51.40B/*40.90A	----	46.00 - 2.40	.1815	----	----	12	----	220 + 12
5080	----	----	50.70B/*40.30A	50.70B/*40.30A	----	45.30 - 2.40	.1792	----	----	----	----	21 UNCH
5085	----	----	50.00B/*39.80A	50.00B/*39.80A	----	44.70 - 2.30	.1771	----	----	----	----	160 UNCH
5090	----	----	49.30B/*39.20A	49.30B/*39.20A	----	44.10 - 2.30	.1750	----	----	2	----	1 - 1
5095	----	----	48.60B/*38.70A	48.60B/*38.70A	----	43.40 - 2.30	.1727	----	----	----	----	5 UNCH
5100	42.50	42.50	48.00B/*38.10A	48.00B/*38.10A	----	42.80 - 2.30	.1706	----	----	211	----	3019 + 109
5105	----	----	47.20B/*37.70A	47.20B/*37.70A	----	42.20 - 2.30	.1685	----	----	----	----	7 UNCH
5110	----	----	46.60B/*37.20A	46.60B/*37.20A	----	41.60 - 2.20	.1664	----	----	----	----	11 UNCH
5115	----	----	45.90B/*36.60A	45.90B/*36.60A	----	41.00 - 2.20	.1644	----	----	----	----	13 UNCH
5120	----	----	45.30B/*36.20A	45.30B/*36.20A	----	40.40 - 2.20	.1623	----	----	1	----	359 + 1
5125	----	----	44.70B/*35.70A	44.70B/*35.70A	----	39.90 - 2.10	.1605	----	----	----	----	163 UNCH
5130	----	----	44.00B/*35.30A	44.00B/*35.30A	----	39.30 - 2.10	.1584	----	----	----	----	1 UNCH
5135	----	----	43.40B/*34.70A	43.40B/*34.70A	----	38.70 - 2.20	.1564	----	----	----	----	21 UNCH
5140	38.50	38.50	42.80B/*34.40A	42.80B/*34.40A	----	38.20 - 2.10	.1545	----	----	14	----	24 + 12
5145	----	----	42.20B/*33.90A	42.20B/*33.90A	----	37.70 - 2.00	.1527	----	----	----	----	12 UNCH
5150	40.90	40.90	41.50B/*33.40A	41.50B/*33.40A	----	37.10 - 2.10	.1507	----	----	2	----	109 UNCH
5155	----	----	41.10B/*33.00A	41.10B/*33.00A	----	36.60 - 2.10	.1489	----	----	----	----	17 UNCH
5160	----	----	40.50B/*32.60A	40.50B/*32.60A	----	36.10 - 2.00	.1471	----	----	----	----	15 UNCH
5165	----	----	40.00B/*32.20A	40.00B/*32.20A	----	35.60 - 2.00	.1453	----	----	22	----	24 + 22
5170	----	----	39.40B/*31.80A	39.40B/*31.80A	----	35.10 - 2.00	.1435	----	----	----	----	6 UNCH
5175	----	----	38.90B/*31.30A	38.90B/*31.30A	----	34.60 - 2.00	.1417	----	----	----	----	361 UNCH
5185	----	----	37.80B/*30.60A	37.80B/*30.60A	----	33.70 - 1.90	.1383	----	----	----	----	2 UNCH
5190	----	----	37.30B/*30.20A	37.30B/*30.20A	----	33.20 - 1.90	.1366	----	----	----	----	12 UNCH
5195	----	----	36.80B/*29.80A	36.80B/*29.80A	----	32.80 - 1.80	.1350	----	----	----	----	42 UNCH
5200	32.20	32.20	36.50/*29.40A	36.50/*29.40A	----	32.30 - 1.90	.1332	----	----	119	----	3240 - 42
5205	----	----	35.80B/*29.10A	35.80B/*29.10A	----	31.90 - 1.80	.1317	----	----	----	----	6 UNCH
5210	----	----	35.30B/*28.80A	35.30B/*28.80A	----	31.50 - 1.70	.1302	----	----	----	----	8 UNCH
5215	----	----	34.90B/*28.40A	34.90B/*28.40A	----	31.00 - 1.80	.1284	----	----	----	----	15 UNCH
5220	----	----	34.40B/*28.10A	34.40B/*28.10A	----	30.60 - 1.80	.1269	----	----	55	----	181 + 52
5225	----	----	33.90B/*27.70A	33.90B/*27.70A	----	30.20 - 1.70	.1254	----	----	10	----	55 + 4
5230	----	----	33.50B/*27.40A	33.50B/*27.40A	----	29.80 - 1.70	.1239	----	----	----	----	11 UNCH
5235	----	----	33.10B/*27.00A	33.10B/*27.00A	----	29.40 - 1.70	.1224	----	----	----	----	20 UNCH
5240	----	----	32.60B/*26.60A	32.60B/*26.60A	----	29.10 - 1.60	.1212	----	----	----	----	17 UNCH
5245	----	----	32.20B/*26.30A	32.20B/*26.30A	----	28.70 - 1.60	.1197	----	----	----	----	17 UNCH
5250	27.50	27.50	31.80B/*26.10A	31.80B/*26.10A	----	28.30 - 1.60	.1182	----	----	35	----	743 - 4
5255	----	----	31.30B/*25.70A	31.30B/*25.70A	----	27.90 - 1.60	.1167	----	----	----	----	888 UNCH
5260	----	----	31.00B/*25.40A	31.00B/*25.40A	----	27.60 - 1.50	.1155	----	----	----	----	25 UNCH
5265	----	----	30.50B/*25.10A	30.50B/*25.10A	----	27.20 - 1.50	.1140	----	----	----	----	13 UNCH
5270	27.00	27.00	30.10B/*24.80A	30.10B/*24.80A	----	26.90 - 1.40	.1128	----	----	15	----	151 + 15
5275	----	----	29.70B/*24.60A	29.70B/*24.60A	----	26.60 - 1.40	.1116	----	----	----	----	21 UNCH
5280	29.10	29.10	29.30B/*24.20A	29.30B/*24.20A	----	26.20 - 1.40	.1101	----	----	1	----	207 UNCH
5285	----	----	29.00B/*24.00A	29.00B/*24.00A	----	25.90 - 1.40	.1089	----	----	----	----	32 UNCH
5290	----	----	28.60B/*23.80A	28.60B/*23.80A	----	25.60 - 1.30	.1077	----	----	----	----	22 UNCH
5295	----	----	28.10B/*23.40A	28.10B/*23.40A	----	25.20 - 1.40	.1062	----	----	----	----	6 UNCH
5300	23.00	23.00	27.90B/*23.00	27.90B/*23.00	----	24.90 - 1.30	.1050	----	----	82	----	1078 - 1
5305	----	----	27.50B/*22.90A	27.50B/*22.90A	----	24.60 - 1.30	.1038	----	----	----	----	17 UNCH
5310	----	----	27.20B/*22.60A	27.20B/*22.60A	----	24.30 - 1.30	.1026	----	----	----	----	107 UNCH
5320	----	----	26.50B/*22.10A	26.50B/*22.10A	----	23.70 - 1.20	.1003	----	----	----	----	17 UNCH
5325	----	----	26.20B/*21.90A	26.20B/*21.90A	----	23.40 - 1.20	.0991	----	----	5	----	27 - 2
5330	----	----	25.80B/*21.50A	25.80B/*21.50A	----	23.10 - 1.20	.0979	----	----	----	----	3 UNCH
5335	----	----	25.50B/*21.30A	25.50B/*21.30A	----	22.90 - 1.10	.0970	----	----	----	----	1 UNCH
5345	22.10	22.10	24.90B/*20.90A	24.90B/*20.90A	----	22.30 - 1.10	.0947	----	----	18	----	20 + 18
5350	----	----	24.60B/*20.70A	24.60B/*20.70A	----	22.00 - 1.10	.0935	----	----	----	----	8001 UNCH
5355	----	----	24.30B/*20.50A	24.30B/*20.50A	----	21.80 - 1.10	.0927	----	----	----	----	1 UNCH
5360	----	----	23.90B/*20.20A	23.90B/*20.20A	----	21.50 - 1.10	.0915	----	----	----	----	114 UNCH
5365	----	----	23.60B/*20.00A	23.60B/*20.00A	----	21.30 - 1.00	.0906	----	----	----	----	6 UNCH
5370	----	----	23.40B/*19.70A	23.40B/*19.70A	----	21.00 - 1.00	.0895	----	----	----	----	8006 UNCH
5375	----	----	23.10B/*19.60A	23.10B/*19.60A	----	20.80 - 1.00	.0886	----	----	----	----	256 UNCH
5380	----	----	22.80B/*19.30A	22.80B/*19.30A	----	20.50 - 1.00	.0875	----	----	32	----	38 + 32
5400	21.50	21.50	21.80/*18.60A	21.80/*18.60A	----	19.60 - 0.90	.0837	----	----	390	----	2405 - 217
5405	----	----	21.40B/*18.40A	21.40B/*18.40A	----	19.40 - 0.90	.0829	----	----	----	----	7 UNCH
5410	----	----	21.20B/*18.20A	21.20B/*18.20A	----	19.10 - 1.00	.0818	----	----	----	----	24 UNCH
5420	----	----	20.70B/*18.00A	20.70B/*18.00A	----	18.70 - 0.90	.0801	----	----	----	----	8 UNCH
5425	----	----	20.40B/*17.40A	20.40B/*17.40A	----	18.50 - 0.90	.0792	----	----	----	----	22 UNCH
5430	----	----	20.20B/*17.50A	20.20B/*17.50A	----	18.30 - 0.90	.0784	----	----	----	----	22 UNCH
5435	----	----	20.00B/*17.20A	20.00B/*17.20A	----	18.10 - 0.90	.0776	----	----	----	----	50 UNCH
5440	----	----	19.70B/*17.10A	19.70B/*17.10A	----	17.90 - 0.80	.0767	----	----	----	----	106 UNCH
5445	----	----	19.50B/*17.30A	19.50B/*17.30A	----	17.70 - 0.80	.0759	----	----	----	----	10 UNCH
5450	----	----	19.30B/*17.10A	19.30B/*17.10A	----	17.50 - 0.80	.0751	----	----	----	----	187 UNCH
5455	----	----	19.10B/*16.80A	19.10B/*16.80A	----	17.30 - 0.80	.0743	----	----	----	----	21 UNCH
5460	----	----	18.80B/*16.60A	18.80B/*16.60A	----	17.10 - 0.80	.0734	----	----	----	----	12 UNCH
5465	----	----	18.60B/*16.30A	18.60B/*16.30A	----	16.90 - 0.80	.0726	----	----	----	----	42 UNCH
5470	----	----	18.40B/*16.30A	18.40B/*16.30A	----	16.80 - 0.80	.0721	----	----	----	----	14 UNCH
5475	----	----	18.20B/*16.10A	18.20B/*16.10A	----	16.60 - 0.80	.0713	----	----	----	----	7 UNCH
5480	----	----	18.00B/*16.00A	18.00B/*16.00A	----	16.40 - 0.80	.0705	----	----	----	----	14 UNCH
5485	----	----	17.80B/*15.90A	17.80B/*15.90A	----	16.20 - 0.80	.0697	----	----	----	----	19 UNCH
5490	----	----	17.60B/*15.60A	17.60B/*15.60A	----	16.10 - 0.70	.0691	----	----	----	----	2 UNCH
5495	----	----	17.40B/*15.40A	17.40B/*15.40A	----	15.90 - 0.80	.0683	----	----	----	----	4 UNCH
5500	14.60	14.60	17.20B/14.60	17.20B/14.60	----	15.70 - 0.80	.0675	----	----	138	----	1498 + 57
5505	----	----	17.00B/*15.20A	17.00B/*15.20A	----	15.60 - 0.70	.0670	----	----	----	----	13 UNCH
5510	----	----	16.90B/*15.00A	16.90B/*15.00A	----	15.40 - 0.70	.0662	----	----	----	----	9 UNCH
5515	----	----	16.70B/*14.90A	16.70B/*14.90A	----	15.30 - 0.70	.0657	----	----	----	----	47 UNCH
5520	----	----	16.50B/*14.70A	16.50B/*14.70A	----	15.10 - 0.70	.0649	----	----	----	----	1 UNCH
5525	----	----	16.30B/*14.50A	16.30B/*14.50A	----	14.90 - 0.80	.0641	----	----	----	----	2236 UNCH
5530	----	----	16.20B/*14.40A	16.20B/*14.40A	----	14.80 - 0.70	.0636	----	----	----	----	1 UNCH
5535	----	----	16.00B/*14.40A	16.00B/*14.40A	----	14.70 - 0.70	.0632	----	----	----	----	12 UNCH
5540	----	----	15.80B/*14.20A	15.80B/*14.20A	----	14.50 - 0.70	.0624	----	----	----	----	9 UNCH
5545	----	----	15.70B/*13.90A	15.70B/*13.90A	----	14.40 - 0.70	.0619	----	----	----	----	20 UNCH
5550	----	----	15.50B/*13.80A	15.50B/*13.80A	----	14.20 - 0.70	.0611	----	----	1	----	130 + 1
5555	----	----	15.30B/*13.80A	15.30B/*13.80A	----	14.10 - 0.70	.0606	----	----	----	----	1 UNCH
5560	----	----	15.20B/*13.50A	15.20B/*13.50A	----	14.00 - 0.70	.0601	----	----	----	----	3 UNCH
5565	----	----	15.00B/*13.40A	15.00B/*13.40A	----	13.80 - 0.70	.0594	----	----	----	----	39 UNCH
5570	----	----	14.90B/*13.20A	14.90B/*13.20A	----	13.70 - 0.70	.0589	----	----	----	----	21 UNCH
5575	----	----	14.70B/*13.20A	14.70B/*13.20A	----	13.60 - 0.70	.0584	----	----	----	----	4 UNCH
5580	----	----	14.60B/*13.10A	14.60B/*13.10A	----	13.40 - 0.70	.0576	----	----	----	----	34 UNCH
5590	----	----	14.30B/*12.90A	14.30B/*12.90A	----	13.20 - 0.70	.0567	----	----	----	----	2 UNCH
5595	----	----	14.10B/*12.60A	14.10B/*12.60A	----	13.10 - 0.60	.0562	----	----	----	----	29 UNCH
5600	13.00	13.00	14.00B/*12.60A	14.00B/*12.60A	----	12.90 - 0.70	.0555	----	----	2	----	1200 - 2
5605	----	----	13.90B/*12.50A	13.90B/*12.50A	----	12.80 - 0.70	.0550	----	----	----	----	7 UNCH
5610	----	----	13.70B/*12.40A	13.70B/*12.40A	----	12.70 - 0.70	.0545	----	----	----	----	11 UNCH
5615	----	----	13.60B/*12.20A	13.60B/*12.20A	----	12.60 - 0.70	.0541	----	----	----	----	2 UNCH
5620	----	----	13.50B/*12.10A	13.50B/*12.10A	----	12.50 - 0.60	.0536	----	----	----	----	37 UNCH
5625	----	----	13.30B/*12.10A	13.30B/*12.10A	----	12.40 - 0.60	.0532	----	----	----	----	5 UNCH
5630	----	----	13.20B/*11.90A	13.20B/*11.90A	----	12.20 - 0.70	.0524	----	----	----	----	17 UNCH
5635	----	----	13.10B/*11.80A	13.10B/*11.80A	----	12.10 - 0.70	.0519	----	----	----	----	2 UNCH
5640	----	----	13.00B/*11.70A	13.00B/*11.70A	----	12.00 - 0.70	.0515	----	----	----	----	10 UNCH
5650	----	----	12.70B/*11.50A	12.70B/*11.50A	----	11.80 - 0.70	.0506	----	----	1	----	601 + 1
5660	----	----	12.50B/*11.30A	12.50B/*11.30A	----	11.60 - 0.60	.0497	----	----	----	----	33 UNCH
5670	----	----	12.30B/*11.20A	12.30B/*11.20A	----	11.40 - 0.60	.0488	----	----	----	----	10 UNCH
5675	----	----	12.20B/*11.10A	12.20B/*11.10A	----	11.30 - 0.60	.0484	----	----	----	----	4 UNCH
5680	----	----	12.00B/*10.90A	12.00B/*10.90A	----	11.20 - 0.60	.0479	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5690	----	----	11.80B/*10.80A	11.80B/*10.80A	----	11.00 - 0.60	.0471	----	----	----	----	16 UNCH
5700	----	----	11.60B/*10.50A	11.60B/*10.50A	----	10.80 - 0.60	.0462	----	----	----	----	1689 UNCH
5710	----	----	11.40B/*10.40A	11.40B/*10.40A	----	10.60 - 0.60	.0453	----	----	----	----	7 UNCH
5720	----	----	11.20B/*10.20A	11.20B/*10.20A	----	10.50 - 0.50	.0448	----	----	----	----	19 UNCH
5725	----	----	11.10B/*10.10A	11.10B/*10.10A	----	10.40 - 0.50	.0444	----	----	----	----	1 UNCH
5730	----	----	11.00B/*10.10A	11.00B/*10.10A	----	10.30 - 0.50	.0439	----	----	----	----	15 UNCH
5750	----	----	10.70B/*9.80A	10.70B/*9.80A	----	10.00 - 0.50	.0426	----	----	----	----	396 UNCH
5775	----	----	10.20B/*9.40A	10.20B/*9.40A	----	9.60 - 0.50	.0408	----	----	----	----	2 UNCH
5800	----	----	9.90B/*9.10A	9.90B/*9.10A	----	9.20 - 0.50	.0390	----	----	----	----	996 UNCH
5825	----	----	9.50B/*8.70A	9.50B/*8.70A	----	8.90 - 0.40	.0376	----	----	11	----	121 - 11
5850	----	----	9.10B/*8.50A	9.10B/*8.50A	----	8.50 - 0.50	.0359	----	----	----	----	166 UNCH
5875	----	----	8.80B/*8.20A	8.80B/*8.20A	----	8.30 - 0.40	.0349	----	----	----	----	26 UNCH
5900	----	----	8.50B/*7.90A	8.50B/*7.90A	----	8.00 - 0.40	.0335	----	----	----	----	1496 UNCH
5925	----	----	8.20B/*7.70A	8.20B/*7.70A	----	7.70 - 0.40	.0322	----	----	----	----	2 UNCH
5950	----	----	----/*7.50A	7.90B/*7.50A	----	7.50 - 0.40	.0312	----	----	----	----	12 UNCH
6000	7.40	7.40	7.60/7.10A	7.60/7.10A	----	7.10 - 0.40	.0293	----	----	171	----	1785 - 30
6100	----	----	----/*6.50A	6.70B/*6.50A	----	6.40 - 0.30	.0260	----	----	----	----	379 UNCH
6200	----	----	----/*5.90A	5.90B/*5.90A	----	5.80 - 0.40	.0232	----	----	----	----	1428 UNCH
6250	----	----	----/*5.60A	5.60B/*5.60A	----	5.60 - 0.30	.0221	----	----	----	----	3 UNCH
6300	----	----	----/*5.40A	5.30B/*5.40A	----	5.30 - 0.40	.0208	----	----	----	----	82 UNCH
6400	----	----	----/*5.10A	5.00B/*5.10A	----	4.90 - 0.30	.0189	----	----	----	----	54 UNCH
6500	5.00	5.00	5.00/4.70A	5.00/4.70A	----	4.60 - 0.30	.0174	----	----	1	----	892 UNCH
6600	----	----	----/*4.40A	4.20B/*4.40A	----	4.30 - 0.20	.0160	----	----	----	----	152 UNCH
6700	----	----	----	4.00B/*4.20A	----	4.00 - 0.20	.0147	----	----	----	----	241 UNCH
6800	----	----	----/*3.90A	3.70B/*3.90A	----	3.80 - 0.20	.0137	----	----	----	----	38 UNCH
6900	----	----	----	3.50B/*3.70A	----	3.60 - 0.10	.0128	----	----	----	----	31 UNCH
7000	----	----	----	3.30B/3.60A	----	3.40 - 0.10	.0119	----	----	121	----	506 + 75
7500	----	----	----/2.60A	2.50B/2.60A	----	2.70 UNCH	.0088	----	----	----	----	801 UNCH
8000	----	----	----	1.90B/2.30A	----	2.10 + 0.20	.0065	----	----	----	----	235 UNCH
8500	----	----	1.50B/----	1.50B/1.90A	----	1.70 + 0.30	.0050	----	----	11	----	85 UNCH
9000	----	----	----	1.10B/1.60A	----	1.30 + 0.20	.0037	----	----	----	----	17 UNCH
9500	----	----	----	0.80B/1.40A	----	1.10 + 0.20	.0031	----	----	----	----	124 UNCH
10000	1.00	1.00	1.40B/*1.00	1.40B/1.00	----	0.90 UNCH	.0024	----	----	28	----	100 + 6
TOTAL										2067	680	70706 + 743
SEP26												
3875	----	----	----	655.40B/873.40A	----	772.50 - 4.30	.9097	----	----	----	----	1 UNCH
3995	----	----	686.80B/651.30A	686.80B/651.30A	----	664.40 - 4.70	.8767	----	----	----	----	10 UNCH
4085	----	----	608.50B/574.30A	608.50B/574.30A	----	586.70 - 5.00	.8448	----	----	----	----	37 UNCH
4130	----	----	570.60B/536.70A	570.60B/536.70A	----	549.10 - 5.10	.8264	----	----	----	----	10 UNCH
4185	----	----	525.40B/492.90A	525.40B/492.90A	----	504.50 - 5.40	.8014	----	----	----	----	40 UNCH
4200	----	----	----	401.20B/575.50A	----	492.60 - 5.50	.7942	----	----	----	----	1 UNCH
4220	----	----	497.50B/465.80A	497.50B/465.80A	----	477.00 - 5.50	.7841	----	----	----	----	162 UNCH
4290	----	----	443.80B/414.10A	443.80B/414.10A	----	424.20 - 5.80	.7463	----	----	----	----	6 UNCH
4295	----	----	440.10B/410.50A	440.10B/410.50A	----	420.60 - 5.70	.7435	----	----	----	----	50 UNCH
4300	433.30	433.30	442.30/406.90A	442.30/406.90A	----	416.90 - 5.80	.7405	----	----	20	----	20 + 5
4320	----	----	421.70B/392.80A	421.70B/392.80A	----	402.60 - 5.80	.7289	----	----	----	----	162 UNCH
4375	----	----	379.70B/353.00A	379.70B/353.00A	----	364.50 - 5.90	.6950	----	----	----	----	1 UNCH
4390	----	----	374.20B/342.20A	374.20B/342.20A	----	354.50 - 5.90	.6854	----	----	----	----	202 UNCH
4425	----	----	350.70B/301.20A	350.70B/301.20A	----	331.80 - 5.90	.6625	----	----	----	----	1 UNCH
4495	----	----	306.80B/261.30A	306.80B/261.30A	----	289.20 - 5.90	.6146	----	----	----	----	18 UNCH
4500	----	----	303.80B/258.60A	303.80B/258.60A	----	286.30 - 5.90	.6111	----	----	----	----	12 UNCH
4505	----	----	300.70B/256.00A	300.70B/256.00A	----	283.40 - 5.90	.6076	----	----	----	----	2 UNCH
4510	----	----	297.80B/253.40A	297.80B/253.40A	----	280.60 - 5.80	.6041	----	----	----	----	2 UNCH
4515	----	----	294.80B/250.60A	294.80B/250.60A	----	277.70 - 5.90	.6006	----	----	----	----	2 UNCH
4520	----	----	291.90B/248.10A	291.90B/248.10A	----	274.90 - 5.80	.5971	----	----	----	----	1 UNCH
4545	----	----	278.70B/235.20A	278.70B/235.20A	----	261.20 - 5.70	.5793	----	----	----	----	16 UNCH
4550	----	----	275.90B/232.80A	275.90B/232.80A	----	258.50 - 5.70	.5757	----	----	----	----	225 UNCH
4560	----	----	270.60B/228.20A	270.60B/228.20A	----	253.10 - 5.70	.5685	----	----	----	----	2 UNCH
4565	----	----	267.70B/225.60A	267.70B/225.60A	----	250.50 - 5.60	.5650	----	----	----	----	2 UNCH
4570	----	----	265.00B/223.40A	265.00B/223.40A	----	247.90 - 5.60	.5614	----	----	----	----	2 UNCH
4575	----	----	262.40B/221.60A	262.40B/221.60A	----	245.30 - 5.60	.5578	----	----	----	----	2 UNCH
4580	----	----	259.90B/218.70A	259.90B/218.70A	----	242.70 - 5.60	.5542	----	----	----	----	4 UNCH
4585	----	----	257.30B/216.40A	257.30B/216.40A	----	240.20 - 5.50	.5506	----	----	----	----	3 UNCH
4590	----	----	254.60B/214.60A	254.60B/214.60A	----	237.60 - 5.60	.5470	----	----	----	----	1 UNCH
4600	----	----	249.30B/207.70A	249.30B/207.70A	----	232.60 - 5.50	.5398	----	----	----	----	54 UNCH
4605	----	----	246.70B/206.30A	246.70B/206.30A	----	230.20 - 5.40	.5362	----	----	25	----	35 + 25
4620	----	----	239.30B/200.50A	239.30B/200.50A	----	222.90 - 5.30	.5253	----	----	----	----	1 UNCH
4640	----	----	229.30B/190.70A	229.30B/190.70A	----	213.40 - 5.20	.5109	----	----	----	----	15 UNCH
4645	----	----	226.80B/190.90A	226.80B/190.90A	----	211.10 NEW	.5073	----	----	7	----	7 + 7
4650	----	----	224.40B/187.60A	224.40B/187.60A	----	208.80 - 5.10	.5037	----	----	1	----	1 UNCH
4655	199.70	199.70	221.90B/185.30A	221.90B/185.30A	----	206.50 NEW	.5001	----	----	2	----	2 + 2
4660	----	----	219.60B/183.70A	219.60B/183.70A	----	204.30 NEW	.4966	----	----	7	----	7 + 7
4675	----	----	212.60B/177.00A	212.60B/177.00A	----	197.60 - 5.00	.4858	----	----	----	----	4 UNCH
4680	----	----	210.30B/174.80A	210.30B/174.80A	----	195.40 - 5.00	.4823	----	----	----	----	1 UNCH
4700	----	----	201.30B/167.30A	201.30B/167.30A	----	186.90 - 4.80	.4681	----	----	1	----	240 + 1
4705	----	----	199.10B/165.30A	199.10B/165.30A	----	184.80 - 4.80	.4646	----	----	----	----	10 UNCH
4710	----	----	196.90B/163.50A	196.90B/163.50A	----	182.80 - 4.70	.4611	----	----	----	----	1 UNCH
4720	----	----	192.60B/160.20A	192.60B/160.20A	----	178.70 - 4.70	.4540	----	----	----	----	45 UNCH
4725	----	----	190.50B/158.80A	190.50B/158.80A	----	176.70 - 4.70	.4506	----	----	----	----	4 UNCH
4730	----	----	188.40B/156.60A	188.40B/156.60A	----	174.70 - 4.70	.4471	----	----	----	----	6 UNCH
4740	----	----	184.20B/153.30A	184.20B/153.30A	----	170.80 - 4.60	.4401	----	----	1	----	2 + 1
4745	----	----	182.20B/*151.80	182.20B/*151.80A	----	168.90 - 4.50	.4367	----	----	----	----	1 UNCH
4750	----	----	180.20B/150.00A	180.20B/150.00A	----	167.00 - 4.50	.4333	----	----	----	----	227 UNCH
4755	----	----	178.20B/*148.40	178.20B/*148.40A	----	165.10 - 4.50	.4298	----	----	----	----	10 UNCH
4760	----	----	176.20B/146.80A	176.20B/146.80A	----	163.20 - 4.50	.4264	----	----	----	----	23 UNCH
4770	----	----	172.30B/143.50A	172.30B/143.50A	----	159.50 - 4.40	.4196	----	----	----	----	3 UNCH
4775	----	----	170.50B/141.90A	170.50B/141.90A	----	157.70 - 4.40	.4162	----	----	----	----	266 UNCH
4780	----	----	168.40B/140.10A	168.40B/140.10A	----	155.90 - 4.40	.4128	----	----	----	----	8 UNCH
4785	----	----	166.50B/*138.30	166.50B/*138.30A	----	154.10 - 4.40	.4094	----	----	----	----	1 UNCH
4790	----	----	164.60B/137.00A	164.60B/137.00A	----	152.40 - 4.30	.4061	----	----	----	----	6 UNCH
4795	145.60	145.60	162.80B/*135.60	162.80B/*135.60A	----	150.60 - 4.30	.4028	----	----	2	----	2 UNCH
4800	----	----	161.10B/133.50A	161.10B/133.50A	----	148.90 - 4.30	.3995	----	----	160	----	1489 + 115
4810	----	----	157.20B/130.70A	157.20B/130.70A	----	145.50 - 4.20	.3929	----	----	----	----	4 UNCH
4835	----	----	147.80B/*123.30	147.80B/*123.30A	----	137.30 - 4.10	.3766	----	----	----	----	1 UNCH
4840	----	----	146.90B/*122.30	146.90B/*122.30A	----	135.70 - 4.10	.3734	----	----	----	----	4 UNCH
4850	----	----	143.50B/119.50A	143.50B/119.50A	----	132.60 - 4.00	.3671	----	----	----	----	64 UNCH
4860	----	----	139.50B/*115.70	139.50B/*115.70A	----	129.50 - 4.00	.3607	----	----	----	----	2 UNCH
4875	----	----	135.50B/114.50A	135.50B/114.50A	----	125.00 - 4.00	.3514	----	----	----	----	30 UNCH
4880	----	----	133.70B/*111.40	133.70B/*111.40A	----	123.60 - 3.90	.3483	----	----	----	----	2 UNCH
4885	----	----	132.30B/*110.30	132.30B/*110.30A	----	122.10 - 3.90	.3452	----	----	----	----	2 UNCH
4900	----	----	127.90B/106.50A	127.90B/106.50A	----	117.90 - 3.80	.3362	----	----	1	----	319 + 1
4905	----	----	126.20B/*105.40	126.20B/*105.40A	----	116.50 - 3.80	.3332	----	----	1	----	2 + 1
4920	----	----	122.00B/*101.80	122.00B/*101.80A	----	112.50 - 3.70	.3244	----	----	----	----	30 UNCH
4925	----	----	120.60B/100.50A	120.60B/100.50A	----	111.10 - 3.80	.3214	----	----	----	----	3 UNCH
4930	----	----	118.60B/*99.30A	118.60B/*99.30A	----	109.80 - 3.70	.3185	----	----	----	----	2 UNCH
4935	----	----	117.60B/*97.60A	117.60B/*97.60A	----	108.60 - 3.60	.3157	----	----	----	----	1 UNCH
4945	----	----	114.50B/*96.50A	114.50B/*96.50A	----	106.00 - 3.60	.3099	----	----	----	----	1 UNCH
4950	----	----	113.70B/94.90A	113.70B/94.90A	----	104.80 - 3.50	.3071	----	----	1	----	281 UNCH
4955	----	----	112.30B/*94.00A	112.30B/*94.00A	----	103.60 NEW	.3044	----	----	1	----	1 + 1
4960	----	----	111.10B/*92.70A	111.10B/*92.70A	----	102.30 - 3.50	.3015	----	----	----	----	10 UNCH
4965	----	----	109.30B/*92.00A	109.30B/*92.00A	----	101.10 - 3.50	.2987	----	----	----	----	2 UNCH
4970	106.80	106.80	108.40B/*90.80A	108.40B/*90.80A	----	100.00 - 3.40	.2961	----	----	1	----	1 + 1
4975	----	----	107.40B/89.50A	107.40B/89.50A	----	98.80 - 3.40	.2933	----	----	----	----	317 UNCH
5000	100.20	100.20	101.40B/84.80A	101.40B/84.80A	----	93.10 - 3.30	.2799	----	----	2	80	869 + 82
5005	----	----	99.90B/*83.60A	99.90B/*83.60A	----	92.00 - 3.30	.2773	----	----	----	----	1 UNCH
5010	----	----	98.90B/*82.90A	98.90B/*82.90A	----	91.00 - 3.20	.2748	----	----	----	----	10 UNCH
5050	----	----	90.20B/*75.60A	90.20B/*75.60A	----	82.80 - 3.00	.2547	----	----	----	----	300 UNCH
5075	----	----	84.80B/*71.70A	84.80B/*71.70A	----	78.10 - 2.90	.2429	----	----	----	----	1 UNCH
5100	----	----	80.40B/67.80A	80.40B/67.80A	----	73.70 - 2.70	.2315	----	----	20	----	407 + 19
5110	----	----	78.30B/*66.40A	78.30B/*66.40A	----	72.00 - 2.70	.2271	----	----	----	----	1 UNCH
5130	----	----	74.80B/*63.10A	74.80B/*63.10A	----	68.70 - 2.60	.2185	----	----	----	----	4 UNCH
5150	----	----	71.40B/*60.60A	71.40B/*60.60A	----	65.60 - 2.50	.2102	----	----	----	----	6 UNCH
5155	----	----	70.50B/*59.80A	70.50B/*59.80A	----	64.90 - 2.50	.2082	----	----	----	----	1 UNCH
5165	----	----	69.00B/*58.90A	69.00B/*58.90A	----	63.40 - 2.50	.2042	----	----	----	----	9 UNCH
5170	61.10	61.10	68.10B/*57.90A	68.10B/*57.90A	----	62.70 NEW	.2022	----	----	7	----	7 + 7
5175	----	----	67.50B/*57.30A	67.50B/*57.30A	----	62.00 - 2.40	.2003	----	----	----	----	15 UNCH
5200	----	----	63.90B/54.30A	63.90B/54.30A	----	58.70 - 2.20	.1910	----	----	2	----	440 + 2
5230	----	----	59.70B/*51.10A	59.70B/*51.10A	----	55.00 - 1.90	.1805	----	----	----	----	402 UNCH
5235	----	----	58.80B/*50.70A	58.80B/*50.70A	----	54.40 - 1.90	.1788	----	----	----	----	1 UNCH
5240	----	----	58.20B/*50.20A	58.20B/*50.20A	----	53.70 - 2.00	.1769	----	----	----	----	2 UNCH
5245	----	----	57.60B/*49.50A	57.60B/*49.50A	----	53.10 - 2.00	.1752	----	----	----	----	20 UNCH
5250	----	----	57.00B/*48.90A	57.00B/*48.90A	----	52.50 - 2.00	.1735	----	----	2	----	237 UNCH
5270	----	----	54.50B/*47.00A	54.50B/*47.00A	----	50.10 - 2.10	.1667	----	----	----	----	5 UNCH
5275	----	----	53.90B/*46.60A	53.90B/*46.60A	----	49.50 - 2.10	.1650	----	----	----	----	200 UNCH
5290	----	----	52.20B/*45.10A	52.20B/*45.10A	----	47.80 - 2.20	.1601	----	----	----	----	9 UNCH
5295	47.50	47.50	51.20B/*44.50A	51.20B/*44.50A	----	47.20 NEW	.1584	----	----	8	----	8 + 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 31

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5300	43.00	43.00	51.20B/*43.00	51.20B/*43.00	----	46.70 - 2.20	.1569	----	----	13	----	1000 - 9
5315	----	----	49.40B/*42.90A	49.40B/*42.90A	----	45.10 - 2.30	.1522	----	----	----	----	5 UNCH
5330	----	----	47.80B/*41.80A	47.80B/*41.80A	----	43.70 - 2.20	.1480	----	----	----	----	20 UNCH
5335	----	----	47.00B/*41.40A	47.00B/*41.40A	----	43.30 - 2.10	.1467	----	----	----	----	4 UNCH
5340	----	----	46.80B/*41.00A	46.80B/*41.00A	----	42.80 - 2.10	.1452	----	----	----	----	2 UNCH
5350	----	----	45.80B/*40.00A	45.80B/*40.00A	----	41.90 - 2.10	.1425	----	----	----	----	26 UNCH
5365	----	----	44.40B/*38.90A	44.40B/*38.90A	----	40.70 - 2.00	.1387	----	----	----	----	22 UNCH
5370	----	----	43.90B/*38.70A	43.90B/*38.70A	----	40.30 - 1.90	.1375	----	----	----	----	15 UNCH
5375	----	----	43.40B/*38.30A	43.40B/*38.30A	----	39.90 - 1.90	.1362	----	----	----	----	6 UNCH
5380	----	----	43.00B/*37.80A	43.00B/*37.80A	----	39.50 - 1.90	.1350	----	----	----	----	2 UNCH
5395	----	----	41.70B/*36.70A	41.70B/*36.70A	----	38.40 - 1.70	.1314	----	----	----	----	4 UNCH
5400	35.00	35.00	41.00B/*35.00	41.00B/*35.00	----	38.10 - 1.60	.1304	----	----	11	----	692 + 1
5420	----	----	39.40B/*35.10A	39.40B/*35.10A	----	36.70 - 1.40	.1259	----	----	----	----	83 UNCH
5425	----	----	39.00B/*34.70A	39.00B/*34.70A	----	36.30 - 1.40	.1247	----	----	----	----	50 UNCH
5440	----	----	37.90B/*34.10A	37.90B/*34.10A	----	35.30 - 1.30	.1214	----	----	----	----	1 UNCH
5450	----	----	37.00B/*33.30A	37.00B/*33.30A	----	34.70 - 1.20	.1194	----	----	----	----	29 UNCH
5455	33.40	33.40	36.80B/*33.10A	36.80B/*33.10A	----	34.40 - 1.10	.1184	----	----	8	----	18 + 8
5460	----	----	36.50B/*32.60A	36.50B/*32.60A	----	34.00 - 1.20	.1172	----	----	----	----	1 UNCH
5470	----	----	35.60B/*32.20A	35.60B/*32.20A	----	33.40 - 1.10	.1152	----	----	----	----	3 UNCH
5475	----	----	35.40B/*31.90A	35.40B/*31.90A	----	33.10 - 1.10	.1143	----	----	----	----	26 UNCH
5500	30.20	30.20	33.60B/*30.20	33.60B/*30.20	----	31.60 - 0.90	.1094	----	----	10	----	1398 - 10
5505	----	----	33.20B/*30.00A	33.20B/*30.00A	----	31.30 - 0.90	.1084	----	----	----	----	3 UNCH
5515	----	----	32.60B/*29.50A	32.60B/*29.50A	----	30.70 - 0.90	.1065	----	----	----	----	4 UNCH
5520	----	----	32.30B/*29.20A	32.30B/*29.20A	----	30.40 - 0.90	.1055	----	----	----	----	1 UNCH
5525	----	----	32.00B/*28.90A	32.00B/*28.90A	----	30.10 - 0.90	.1045	----	----	----	----	6 UNCH
5540	----	----	31.10B/*28.10A	31.10B/*28.10A	----	29.20 - 0.90	.1017	----	----	----	----	19 UNCH
5550	----	----	30.50B/*27.70A	30.50B/*27.70A	----	28.70 - 0.80	.1000	----	----	----	----	33 UNCH
5555	----	----	30.20B/*27.30A	30.20B/*27.30A	----	28.40 - 0.90	.0990	----	----	----	----	5 UNCH
5595	----	----	28.20B/*25.50A	28.20B/*25.50A	----	26.40 - 0.80	.0924	----	----	----	----	4 UNCH
5600	----	----	28.00B/*25.30A	28.00B/*25.30A	----	26.10 - 0.80	.0915	----	----	----	----	930 UNCH
5605	----	----	27.70B/*25.20A	27.70B/*25.20A	----	25.90 - 0.80	.0907	----	----	----	----	3 UNCH
5620	----	----	27.00B/*24.50A	27.00B/*24.50A	----	25.20 - 0.80	.0884	----	----	----	----	20 UNCH
5625	----	----	26.70B/*24.20A	26.70B/*24.20A	----	25.00 - 0.80	.0877	----	----	----	----	2 UNCH
5645	----	----	25.70B/*23.50A	25.70B/*23.50A	----	24.10 - 0.80	.0847	----	----	----	----	5 UNCH
5650	----	----	25.50B/*23.20A	25.50B/*23.20A	----	23.90 - 0.80	.0840	----	----	----	----	413 UNCH
5655	----	----	25.30B/*23.10A	25.30B/*23.10A	----	23.70 - 0.80	.0833	----	----	----	----	4 UNCH
5665	----	----	24.80B/*22.80A	24.80B/*22.80A	----	23.30 - 0.80	.0820	----	----	----	----	3 UNCH
5675	----	----	24.40B/*22.30A	24.40B/*22.30A	----	22.90 - 0.80	.0806	----	----	----	----	8 UNCH
5690	----	----	23.90B/*21.80A	23.90B/*21.80A	----	22.30 - 0.80	.0786	----	----	----	----	3 UNCH
5700	----	----	23.50B/*21.60A	23.50B/*21.60A	----	22.00 - 0.70	.0775	----	----	----	----	1054 UNCH
5710	----	----	23.10B/*21.20A	23.10B/*21.20A	----	21.60 - 0.80	.0762	----	----	----	----	2 UNCH
5730	----	----	22.30B/*20.70A	22.30B/*20.70A	----	21.00 - 0.70	.0740	----	----	----	----	2 UNCH
5750	----	----	21.60B/*20.00A	21.60B/*20.00A	----	20.30 - 0.80	.0716	----	----	----	----	192 UNCH
5760	----	----	20.90B/*19.70A	20.90B/*19.70A	----	20.00 - 0.80	.0705	----	----	----	----	1 UNCH
5770	----	----	20.60B/*19.50A	20.60B/*19.50A	----	19.70 - 0.80	.0695	----	----	----	----	2 UNCH
5775	----	----	20.50B/*19.20A	20.50B/*19.20A	----	19.60 - 0.70	.0690	----	----	----	----	162 UNCH
5800	----	----	19.70B/*18.50A	19.70B/*18.50A	----	18.90 - 0.70	.0665	----	----	----	----	651 UNCH
5850	----	----	----/*17.30A	18.30B/*17.30A	----	17.60 - 0.70	.0619	----	----	----	----	439 UNCH
5900	17.40	17.40	17.40/*16.30A	17.40/*16.30A	----	16.50 - 0.60	.0579	----	----	150	250	939 + 244
5950	----	----	----/*15.30A	16.00B/*15.30A	----	15.50 - 0.50	.0542	----	----	----	----	51 UNCH
6000	----	----	----/*14.50A	15.00B/*14.50A	----	14.60 - 0.50	.0508	----	----	100	----	1161 UNCH
6075	----	----	----/*13.40A	13.70B/*13.40A	----	13.40 - 0.40	.0464	----	----	----	----	1 UNCH
6100	----	----	----/*13.10A	13.30B/*13.10A	----	13.00 - 0.40	.0449	----	----	----	----	185 UNCH
6200	----	----	----/*11.90A	12.00B/*11.90A	----	11.80 - 0.30	.0403	----	----	----	----	243 UNCH
6300	----	----	----/*10.90A	11.00B/*10.90A	----	10.80 - 0.30	.0364	----	----	----	----	159 UNCH
6400	----	----	----/*10.10A	10.10B/*10.10A	----	10.00 - 0.30	.0333	----	----	----	----	228 UNCH
6500	9.80	9.80	9.80/*9.40A	9.80/*9.40A	----	9.30 - 0.30	.0305	----	----	1	----	542 + 1
6600	----	----	----	8.60B/*9.00A	----	8.80 - 0.10	.0284	----	----	----	----	25 UNCH
6650	----	----	----	8.40B/*8.80A	----	8.50 - 0.10	.0273	----	----	----	----	9 UNCH
6750	----	----	----	8.00B/*8.40A	----	8.10 UNCH	.0256	----	----	----	----	11 UNCH
6775	----	----	----	7.80B/*8.30A	----	7.90 - 0.10	.0249	----	----	----	----	1 UNCH
6800	----	----	----	7.70B/8.20A	----	7.80 - 0.10	.0245	----	----	----	----	128 UNCH
7000	----	----	----	7.00B/7.50A	----	6.90 - 0.10	.0212	----	----	102	----	94 - 31
8000	----	----	----	4.70B/5.20A	----	5.00 UNCH	.0135	----	----	1	----	125 + 1
TOTAL										668	330	18782 + 490
OCT26												
3600	----	----	1,057.90B/1,023	1057.90B/1023.80A	----	1036.50 - 4.10	.9430	----	----	----	----	12 UNCH
4300	----	----	459.20B/432.20A	459.20B/432.20A	----	441.10 - 5.80	.7202	----	----	----	----	102 UNCH
4400	----	----	393.50B/349.10A	393.50B/349.10A	----	374.90 - 5.60	.6639	----	----	----	----	8 UNCH
4405	----	----	390.10B/346.10A	390.10B/346.10A	----	371.80 - 5.60	.6610	----	----	----	----	2 UNCH
4480	----	----	343.70B/304.40A	343.70B/304.40A	----	326.70 - 5.50	.6158	----	----	----	----	1 UNCH
4500	----	----	332.20B/293.70A	332.20B/293.70A	----	315.30 - 5.50	.6035	----	----	----	----	3 UNCH
4515	----	----	323.60B/286.20A	323.60B/286.20A	----	307.00 - 5.50	.5941	----	----	----	----	1 UNCH
4550	290.60	290.60	305.50B/268.70A	305.50B/268.70A	----	288.10 - 5.50	.5722	----	----	1	----	1 - 1
4580	----	----	289.70B/254.70A	289.70B/254.70A	----	272.60 - 5.50	.5533	----	----	----	----	70 UNCH
4600	----	----	279.50B/245.60A	279.50B/245.60A	----	262.70 - 5.40	.5406	----	----	----	----	133 UNCH
4610	----	----	274.40B/237.10A	274.40B/237.10A	----	257.80 - 5.40	.5343	----	----	----	----	5 UNCH
4620	----	----	269.50B/232.80A	269.50B/232.80A	----	253.00 - 5.40	.5279	----	----	----	----	1 UNCH
4630	----	----	264.50B/230.30A	264.50B/230.30A	----	248.30 - 5.40	.5216	----	----	----	----	3 UNCH
4640	----	----	259.60B/225.60A	259.60B/225.60A	----	243.60 NEW	.5153	----	----	3	----	3 + 3
4650	----	----	254.90B/222.10A	254.90B/222.10A	----	239.10 - 5.30	.5090	----	----	----	----	297 UNCH
4655	----	----	252.40B/218.10A	252.40B/218.10A	----	236.80 NEW	.5058	----	----	3	----	3 + 3
4670	----	----	245.40B/212.20A	245.40B/212.20A	----	230.10 - 5.30	.4964	----	----	3	----	4 + 3
4675	----	----	243.00B/210.00A	243.00B/210.00A	----	227.90 - 5.30	.4933	----	----	----	----	1 UNCH
4690	----	----	236.20B/205.00A	236.20B/205.00A	----	221.40 - 5.30	.4839	----	----	----	----	4 UNCH
4695	----	----	234.00B/202.10A	234.00B/202.10A	----	219.30 - 5.20	.4808	----	----	----	----	2 UNCH
4700	----	----	231.80B/200.30A	231.80B/200.30A	----	217.20 - 5.20	.4777	----	----	----	----	147 UNCH
4710	----	----	227.30B/198.00A	227.30B/198.00A	----	213.10 - 5.10	.4715	----	----	----	----	1 UNCH
4715	----	----	225.20B/194.70A	225.20B/194.70A	----	211.00 - 5.10	.4684	----	----	----	----	2 UNCH
4730	----	----	218.80B/191.20A	218.80B/191.20A	----	204.90 - 5.10	.4592	----	----	----	----	2 UNCH
4735	----	----	216.50B/*189.20	216.50B/*189.20A	----	202.90 - 5.10	.4561	----	----	----	----	1 UNCH
4750	----	----	210.40B/182.20A	210.40B/182.20A	----	197.10 - 4.90	.4470	----	----	----	----	36 UNCH
4755	----	----	208.40B/*180.70	208.40B/*180.70A	----	195.20 - 4.90	.4440	----	----	----	----	69 UNCH
4775	----	----	200.40B/176.50A	200.40B/176.50A	----	187.70 - 4.80	.4320	----	----	----	----	25 UNCH
4785	----	----	196.50B/*170.90	196.50B/*170.90A	----	184.00 - 4.70	.4260	----	----	----	----	3 UNCH
4790	----	----	194.70B/171.60A	194.70B/171.60A	----	182.20 - 4.70	.4230	----	----	----	----	9 UNCH
4795	----	----	192.80B/*168.50	192.80B/*168.50A	----	180.40 - 4.70	.4201	----	----	----	----	3 UNCH
4800	----	----	190.90B/168.60A	190.90B/168.60A	----	178.60 - 4.70	.4171	----	----	----	----	493 UNCH
4805	----	----	189.00B/*162.00	189.00B/*162.00A	----	176.90 - 4.60	.4142	----	----	----	----	1 UNCH
4810	----	----	187.00B/162.30A	187.00B/162.30A	----	175.10 - 4.60	.4113	----	----	----	----	3 UNCH
4815	----	----	185.50B/*163.30	185.50B/*163.30A	----	173.40 - 4.60	.4084	----	----	----	----	36 UNCH
4820	----	----	183.50B/*161.40	183.50B/*161.40A	----	171.70 - 4.50	.4055	----	----	----	----	3 UNCH
4835	----	----	178.00B/*157.40	178.00B/*157.40A	----	166.70 - 4.40	.3969	----	----	----	----	1 UNCH
4845	----	----	174.70B/*153.90	174.70B/*153.90A	----	163.40 - 4.30	.3911	----	----	----	----	2 UNCH
4850	157.00	157.00	172.80B/152.70A	172.80B/152.70A	----	161.80 - 4.30	.3883	----	----	1	----	54 + 1
4860	----	----	169.50B/*147.00	169.50B/*147.00A	----	158.60 - 4.20	.3827	----	----	----	----	100 UNCH
4865	----	----	167.20B/*145.40	167.20B/*145.40A	----	157.00 - 4.20	.3799	----	----	----	----	2 UNCH
4870	150.00	150.00	165.60B/*147.20	165.60B/*147.20A	----	155.40 NEW	.3770	----	----	1	----	1 + 1
4880	----	----	162.40B/*143.00	162.40B/*143.00A	----	152.40 - 4.10	.3716	----	----	----	----	1 UNCH
4900	----	----	156.70B/136.60A	156.70B/136.60A	----	146.40 - 4.00	.3606	----	----	----	----	1427 UNCH
4905	----	----	154.70B/*137.50	154.70B/*137.50A	----	144.90 - 4.00	.3579	----	----	----	----	20 UNCH
4910	----	----	152.90B/*134.40	152.90B/*134.40A	----	143.40 - 4.10	.3552	----	----	----	----	1 UNCH
4925	----	----	148.90B/130.50A	148.90B/130.50A	----	139.20 - 3.90	.3472	----	----	----	----	18 UNCH
4935	----	----	145.70B/*127.50	145.70B/*127.50A	----	136.40 - 3.90	.3420	----	----	----	----	5 UNCH
4945	----	----	143.00B/*126.30	143.00B/*126.30A	----	133.60 - 4.00	.3367	----	----	----	----	3 UNCH
4950	----	----	141.70B/126.20A	141.70B/126.20A	----	132.30 - 3.90	.3342	----	----	----	----	868 UNCH
5000	102.60	102.60	128.10B/102.60	128.10B/102.60	----	119.50 - 3.80	.3090	----	----	2	----	1389 UNCH
5025	----	----	121.20B/*109.00	121.20B/*109.00A	----	113.60 - 3.80	.2970	----	----	----	----	2 UNCH
5050	----	----	115.80B/*103.10	115.80B/*103.10A	----	108.10 - 3.60	.2855	----	----	----	----	59 UNCH
5075	----	----	110.10B/*97.20A	110.10B/*97.20A	----	102.80 - 3.40	.2743	----	----	----	----	4 UNCH
5080	----	----	109.00B/*95.90A	109.00B/*95.90A	----	101.70 - 3.50	.2720	----	----	----	----	4 UNCH
5085	----	----	107.90B/*95.50A	107.90B/*95.50A	----	100.70 - 3.40	.2698	----	----	----	----	3 UNCH
5100	----	----	105.00B/92.80A	105.00B/92.80A	----	97.80 - 3.20	.2635	----	----	----	----	732 UNCH
5125	----	----	99.10B/*89.00A	99.10B/*89.00A	----	93.10 - 3.00	.2531	----	----	----	----	1 UNCH
5150	----	----	94.80B/*84.90A	94.80B/*84.90A	----	88.60 - 2.80	.2430	----	----	----	----	36 UNCH
5160	----	----	92.50B/*82.90A	92.50B/*82.90A	----	86.90 - 2.70	.2391	----	----	----	----	1 UNCH
5170	----	----	91.10B/*82.10A	91.10B/*82.10A	----	85.20 - 2.60	.2352	----	----	----	----	5 UNCH
5195	----	----	86.30B/*78.10A	86.30B/*78.10A	----	81.20 - 2.40	.2259	----	----	----	----	1 UNCH
5200	----	----	86.00B/77.10A	86.00B/77.10A	----	80.40 - 2.40	.2241	----	----	----	----	1572 UNCH
5205	----	----	84.70B/*76.20A	84.70B/*76.20A	----	79.60 - 2.40	.2222	----	----	----	----	1 UNCH
5250	71.40	71.40	78.20B/*70.10A	78.20B/*70.10A	----	73.00 - 2.20	.2065	----	----	3	----	524 UNCH
5255	----	----	76.80B/*69.00A	76.80B/*69.00A	----	72.30 - 2.10	.2048	----	----	----	----	1 UNCH
5300	58.00	58.00	70.90B/58.00	70.90B/58.00	----	66.30 - 2.10	.1902	----	----	1	----	994 + 1
5325	----	----	67.50B/*61.00A	67.50B/*61.00A	----	63.30 - 1.90	.1827	----	----	----	----	9 UNCH
5350	----	----	64.50B/*58.20A	64.50B/*58.20A	----	60.30 - 2.00	.1752	----	----	----	----	4 UNCH
5365	----	----	62.50B/*56.70A	62.50B/*56.70A	----	58.60 - 2.00	.1709	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5395	54.60	54.60	59.10B/*53.60A	59.10B/*53.60A	----	55.50 NEW	.1629	----	----	2	----	2 + 2
5400	58.40	58.40	58.90B/*53.20A	58.90B/53.20A	----	55.00 - 1.80	.1616	----	----	1	----	651 UNCH
5410	----	----	57.50B/*52.20A	57.50B/*52.20A	----	54.00 - 1.80	.1590	----	----	----	----	1 UNCH
5420	----	----	56.50B/*51.30A	56.50B/*51.30A	----	53.00 - 1.80	.1564	----	----	----	----	2 UNCH
5435	----	----	55.00B/*50.10A	55.00B/*50.10A	----	51.60 - 1.70	.1527	----	----	----	----	226 UNCH
5450	----	----	53.60B/*48.90A	53.60B/*48.90A	----	50.30 - 1.60	.1492	----	----	----	----	67 UNCH
5455	----	----	53.10B/*48.50A	53.10B/*48.50A	----	49.90 - 1.50	.1481	----	----	----	----	175 UNCH
5460	----	----	52.60B/*48.10A	52.60B/*48.10A	----	49.40 - 1.50	.1468	----	----	----	----	2 UNCH
5475	----	----	51.30B/*46.90A	51.30B/*46.90A	----	48.20 - 1.40	.1435	----	----	----	----	1 UNCH
5480	----	----	50.80B/*46.50A	50.80B/*46.50A	----	47.80 - 1.30	.1424	----	----	----	----	2 UNCH
5500	----	----	49.30B/*44.90A	49.30B/44.90A	----	46.20 - 1.20	.1381	----	----	301	----	1890 - 284
5545	----	----	45.60B/*41.90A	45.60B/*41.90A	----	42.90 - 1.00	.1289	----	----	----	----	5 UNCH
5550	----	----	45.10B/*41.50A	45.10B/*41.50A	----	42.60 - 0.90	.1280	----	----	----	----	280 UNCH
5575	----	----	43.30B/*39.90A	43.30B/*39.90A	----	40.90 - 0.90	.1233	----	----	----	----	3 UNCH
5590	38.90	38.90	42.30B/*38.90	42.30B/*38.90	----	39.90 - 1.00	.1205	----	----	3	----	7 + 3
5600	----	----	41.40B/*38.20A	41.40B/38.20A	----	39.20 - 1.10	.1186	----	----	----	----	293 UNCH
5610	----	----	40.60B/*37.80A	40.60B/*37.80A	----	38.60 - 1.10	.1169	----	----	----	----	1 UNCH
5615	----	----	40.30B/*37.50A	40.30B/*37.50A	----	38.30 - 1.10	.1160	----	----	----	----	5 UNCH
5640	----	----	38.70B/*35.90A	38.70B/*35.90A	----	36.70 - 1.30	.1116	----	----	----	----	2 UNCH
5650	----	----	38.00B/*35.50A	38.00B/*35.50A	----	36.10 - 1.30	.1099	----	----	----	----	401 UNCH
5655	----	----	37.80B/*35.10A	37.80B/*35.10A	----	35.90 - 1.20	.1092	----	----	----	----	2 UNCH
5660	----	----	37.50B/*34.90A	37.50B/*34.90A	----	35.60 - 1.30	.1084	----	----	----	----	1 UNCH
5675	----	----	36.70B/*34.10A	36.70B/*34.10A	----	34.80 - 1.20	.1061	----	----	----	----	3 UNCH
5700	----	----	35.30B/*32.70A	35.30B/*32.70A	----	33.50 - 1.20	.1023	----	----	----	----	190 UNCH
5710	----	----	34.90B/*32.40A	34.90B/*32.40A	----	33.00 - 1.10	.1008	----	----	----	----	5 UNCH
5720	----	----	34.40B/*31.90A	34.40B/*31.90A	----	32.60 - 1.00	.0996	----	----	----	----	75 UNCH
5750	----	----	32.90B/*30.40A	32.90B/*30.40A	----	31.20 - 0.90	.0955	----	----	----	----	854 UNCH
5775	----	----	31.70B/*29.50A	31.70B/*29.50A	----	30.20 - 0.70	.0924	----	----	----	----	52 UNCH
5800	----	----	30.50B/*28.60A	30.50B/*28.60A	----	29.20 - 0.60	.0894	----	----	----	----	543 UNCH
5825	----	----	29.40B/*27.50A	29.40B/*27.50A	----	28.20 - 0.60	.0864	----	----	----	----	1 UNCH
5850	----	----	28.40B/*26.60A	28.40B/*26.60A	----	27.30 - 0.50	.0837	----	----	----	----	2 UNCH
5875	----	----	27.40B/*25.80A	27.40B/*25.80A	----	26.40 - 0.60	.0809	----	----	----	----	1 UNCH
5900	----	----	26.50B/*25.10A	26.50B/*25.10A	----	25.60 - 0.50	.0785	----	----	----	----	274 UNCH
5925	----	----	25.70B/*24.30A	25.70B/*24.30A	----	24.80 - 0.50	.0760	----	----	----	----	2 UNCH
5950	----	----	24.80B/*23.70A	24.80B/*23.70A	----	24.00 - 0.60	.0736	----	----	----	----	1 UNCH
6000	----	----	----/*22.40A	22.90B/*22.40A	----	22.60 - 0.60	.0692	----	----	301	----	1814 - 238
6100	----	----	----/*20.40A	20.40B/*20.40A	----	20.30 - 0.50	.0619	----	----	----	----	66 UNCH
6200	----	----	----/*18.50A	18.10B/*18.50A	----	18.40 - 0.40	.0557	----	----	----	----	38 UNCH
6300	----	----	----/*17.00A	16.50B/*17.00A	----	16.80 - 0.40	.0505	----	----	----	----	883 UNCH
6400	----	----	----	15.20B/*15.90A	----	15.50 - 0.30	.0462	----	----	----	----	1910 UNCH
6500	----	----	----	14.00B/14.90A	----	14.40 - 0.40	.0424	----	----	----	----	4028 UNCH
6800	----	----	----	11.90B/*12.50A	----	12.10 - 0.40	.0344	----	----	----	----	1373 UNCH
6900	----	----	----	11.10B/*11.90A	----	11.50 - 0.40	.0323	----	----	----	----	1 UNCH
7000	----	----	----	10.70B/*11.50A	----	11.00 - 0.40	.0305	----	----	----	----	1584 UNCH
7500	----	----	----	8.50B/*10.00A	----	9.20 - 0.30	.0240	----	----	----	----	1 UNCH
8000	----	----	----	7.40B/9.00A	----	8.00 - 0.30	.0197	----	----	----	----	210 UNCH
8500	----	----	----	6.70B/*8.10A	----	7.30 - 0.10	.0171	----	----	----	----	208 UNCH
9000	----	----	----	6.20B/*7.30A	----	6.60 - 0.10	.0148	----	----	----	----	86 UNCH
9500	----	----	----	5.40B/*6.60A	----	6.00 - 0.10	.0130	----	----	----	----	10 UNCH
13000	----	----	----	1.80B/3.10A	----	2.40 - 0.10	.0047	----	----	----	----	25 UNCH
TOTAL										626		27595 - 506
NOV26												
4000	----	----	----	616.30B/812.50A	----	719.80 - 5.00	.8406	----	----	----	----	1 UNCH
4100	----	----	----	534.00B/733.50A	----	638.90 - 5.50	.8055	----	----	----	----	1 UNCH
4275	----	----	----	402.10B/605.50A	----	508.50 - 5.60	.7314	----	----	----	----	38 UNCH
4300	----	----	----	384.70B/588.30A	----	491.10 - 5.60	.7195	----	----	----	----	1 UNCH
4375	----	----	459.60B/430.40A	459.60B/430.40A	----	441.30 - 5.30	.6824	----	----	----	----	38 UNCH
4400	----	----	443.30B/414.80A	443.30B/414.80A	----	425.40 - 5.20	.6696	----	----	----	----	4 UNCH
4440	----	----	418.00B/372.70A	418.00B/372.70A	----	400.70 - 5.10	.6486	----	----	----	----	1 UNCH
4500	----	----	381.90B/339.90A	381.90B/339.90A	----	365.50 - 4.90	.6163	----	----	----	----	28 UNCH
4575	----	----	339.90B/301.80A	339.90B/301.80A	----	324.60 - 4.70	.5749	----	----	----	----	1 UNCH
4595	----	----	329.30B/292.50A	329.30B/292.50A	----	314.20 - 4.80	.5637	----	----	----	----	1 UNCH
4600	----	----	326.70B/290.20A	326.70B/290.20A	----	311.70 - 4.70	.5610	----	----	----	----	5 UNCH
4700	----	----	278.70B/242.90A	278.70B/242.90A	----	264.30 - 4.50	.5050	----	----	----	----	5 UNCH
4750	----	----	257.00B/223.30A	257.00B/223.30A	----	243.00 - 4.20	.4775	----	----	----	----	1 UNCH
4775	----	----	246.30B/214.20A	246.30B/214.20A	----	232.90 - 4.10	.4639	----	----	----	----	31 UNCH
4800	----	----	236.20B/204.10A	236.20B/204.10A	----	223.20 - 3.90	.4505	----	----	1	----	5 UNCH
4850	----	----	216.60B/189.70A	216.60B/189.70A	----	204.80 - 3.70	.4241	----	----	----	----	25 UNCH
4900	----	----	198.50B/175.90A	198.50B/175.90A	----	187.70 - 3.70	.3984	----	----	----	----	451 UNCH
4915	----	----	193.40B/*170.20	193.40B/*170.20A	----	182.90 - 3.70	.3909	----	----	----	----	1 UNCH
4925	----	----	190.00B/167.00A	190.00B/167.00A	----	179.70 - 3.70	.3859	----	----	----	----	1 UNCH
4935	----	----	186.70B/*164.30	186.70B/*164.30A	----	176.60 - 3.80	.3810	----	----	----	----	25 UNCH
4950	----	----	181.90B/160.00A	181.90B/160.00A	----	172.10 - 3.70	.3738	----	----	----	----	150 UNCH
4970	----	----	175.60B/*154.70	175.60B/*154.70A	----	166.20 - 3.70	.3642	----	----	----	----	10 UNCH
5000	167.00	167.00	167.00/146.80A	167.00/146.80A	----	157.70 - 3.60	.3501	----	----	10	----	94 + 5
5020	----	----	160.80B/*142.50	160.80B/*142.50A	----	152.20 - 3.60	.3408	----	----	----	----	30 UNCH
5050	----	----	152.50B/*135.30	152.50B/*135.30A	----	144.40 - 3.50	.3273	----	----	----	----	100 UNCH
5060	----	----	149.80B/*133.00	149.80B/*133.00A	----	141.90 - 3.40	.3230	----	----	----	----	2 UNCH
5080	----	----	144.60B/*128.60	144.60B/*128.60A	----	137.00 - 3.30	.3143	----	----	----	----	4 UNCH
5085	----	----	143.40B/*127.10	143.40B/*127.10A	----	135.80 - 3.30	.3121	----	----	----	----	4 UNCH
5150	----	----	128.10B/*114.00	128.10B/*114.00A	----	121.30 - 3.00	.2855	----	----	----	----	100 UNCH
5175	----	----	122.70B/*109.70	122.70B/*109.70A	----	116.10 - 2.90	.2757	----	----	----	----	12 UNCH
5180	----	----	121.70B/*108.80	121.70B/*108.80A	----	115.10 - 2.90	.2738	----	----	----	----	1 UNCH
5185	----	----	120.60B/*107.90	120.60B/*107.90A	----	114.10 - 2.90	.2718	----	----	----	----	1 UNCH
5200	----	----	117.50B/104.50A	117.50B/104.50A	----	111.20 - 2.80	.2662	----	----	----	----	31 UNCH
5230	----	----	111.60B/*100.00	111.60B/*100.00A	----	105.60 - 2.70	.2553	----	----	----	----	5 UNCH
5250	----	----	107.80B/*97.20A	107.80B/*97.20A	----	102.10 - 2.60	.2482	----	----	----	----	10 UNCH
5275	----	----	103.30B/*93.70A	103.30B/*93.70A	----	97.80 - 2.60	.2396	----	----	----	----	1 UNCH
5285	101.30	101.30	101.60B/*91.90A	101.60B/*91.90A	----	96.10 NEW	.2362	----	----	1	----	1 + 1
5300	----	----	99.10B/89.60A	99.10B/89.60A	----	93.70 - 2.50	.2313	----	----	----	----	395 UNCH
5325	----	----	95.00B/*86.00A	95.00B/*86.00A	----	89.90 - 2.40	.2233	----	----	----	----	1 UNCH
5330	----	----	94.20B/*85.20A	94.20B/*85.20A	----	89.10 - 2.50	.2217	----	----	----	----	1 UNCH
5370	----	----	88.20B/*80.40A	88.20B/*80.40A	----	83.40 - 2.30	.2096	----	----	----	----	5 UNCH
5400	----	----	83.90B/76.90A	83.90B/76.90A	----	79.40 - 2.20	.2010	----	----	----	----	17 UNCH
5420	----	----	81.20B/*74.30A	81.20B/*74.30A	----	76.80 - 2.20	.1953	----	----	----	----	14 UNCH
5450	----	----	77.40B/*71.40A	77.40B/*71.40A	----	73.20 - 2.10	.1873	----	----	----	----	454 UNCH
5460	----	----	76.10B/*69.90A	76.10B/*69.90A	----	72.00 - 2.20	.1847	----	----	----	----	10 UNCH
5500	----	----	71.40B/66.10A	71.40B/66.10A	----	67.60 - 2.10	.1747	----	----	----	----	84 UNCH
5530	----	----	68.10B/*63.20A	68.10B/*63.20A	----	64.50 - 2.00	.1677	----	----	----	----	1 UNCH
5535	----	----	67.60B/*62.60A	67.60B/*62.60A	----	64.00 - 2.00	.1665	----	----	----	----	1 UNCH
5540	----	----	67.00B/*62.20A	67.00B/*62.20A	----	63.50 - 2.00	.1654	----	----	----	----	1 UNCH
5545	----	----	66.60B/*61.80A	66.60B/*61.80A	----	63.10 - 1.90	.1643	----	----	----	----	1 UNCH
5550	----	----	66.00B/*61.30A	66.00B/*61.30A	----	62.60 - 1.90	.1632	----	----	----	----	3 UNCH
5555	----	----	65.50B/*60.80A	65.50B/*60.80A	----	62.10 - 1.90	.1621	----	----	----	----	3 UNCH
5560	----	----	65.00B/*60.40A	65.00B/*60.40A	----	61.60 - 1.90	.1609	----	----	----	----	4 UNCH
5565	----	----	64.50B/*59.90A	64.50B/*59.90A	----	61.20 - 1.90	.1599	----	----	----	----	8 UNCH
5570	----	----	64.00B/*59.50A	64.00B/*59.50A	----	60.70 - 1.90	.1588	----	----	----	----	20 UNCH
5575	----	----	63.50B/*59.10A	63.50B/*59.10A	----	60.20 - 1.90	.1576	----	----	----	----	84 UNCH
5600	----	----	61.20B/56.80A	61.20B/56.80A	----	58.00 - 1.80	.1524	----	----	----	----	44 UNCH
5650	----	----	56.70B/*52.90A	56.70B/*52.90A	----	53.90 - 1.70	.1426	----	----	----	----	1 UNCH
5655	----	----	56.30B/*52.40A	56.30B/*52.40A	----	53.50 - 1.70	.1417	----	----	----	----	1 UNCH
5660	----	----	55.90B/*52.20A	55.90B/*52.20A	----	53.20 - 1.60	.1409	----	----	----	----	1 UNCH
5665	----	----	55.40B/*51.80A	55.40B/*51.80A	----	52.80 - 1.60	.1399	----	----	----	----	1 UNCH
5670	----	----	55.00B/*51.50A	55.00B/*51.50A	----	52.40 - 1.60	.1389	----	----	----	----	2 UNCH
5675	----	----	54.60B/*51.20A	54.60B/*51.20A	----	52.00 - 1.70	.1380	----	----	----	----	2 UNCH
5680	----	----	54.20B/*50.80A	54.20B/*50.80A	----	51.70 - 1.60	.1372	----	----	----	----	39 UNCH
5685	----	----	53.80B/*50.40A	53.80B/*50.40A	----	51.30 - 1.60	.1363	----	----	----	----	5 UNCH
5690	----	----	53.40B/*50.10A	53.40B/*50.10A	----	50.90 - 1.60	.1353	----	----	----	----	18 UNCH
5695	----	----	53.00B/*49.80A	53.00B/*49.80A	----	50.60 - 1.60	.1345	----	----	----	----	15 UNCH
5700	----	----	52.70B/49.50A	52.70B/49.50A	----	50.20 - 1.60	.1336	----	----	----	----	53 UNCH
5710	----	----	51.90B/*48.80A	51.90B/*48.80A	----	49.50 - 1.60	.1319	----	----	----	----	1 UNCH
5800	----	----	45.70B/43.50A	45.70B/43.50A	----	43.90 - 1.30	.1178	----	----	----	----	80 UNCH
5825	----	----	44.30B/*42.00A	44.30B/*42.00A	----	42.50 - 1.20	.1142	----	----	----	----	2 UNCH
5900	----	----	40.20B/38.30A	40.20B/38.30A	----	38.70 - 1.00	.1044	----	----	----	----	1 UNCH
5925	----	----	39.00B/*37.30A	39.00B/*37.30A	----	37.60 - 0.90	.1014	----	----	----	----	4 UNCH
5975	----	----	36.70B/*35.20A	36.70B/*35.20A	----	35.40 - 0.90	.0957	----	----	----	----	3 UNCH
6000	35.00	35.00	35.50B/*33.00	35.50B/33.00	----	34.50 - 0.70	.0932	----	----	25	----	292 + 25
6100	----	----	31.70B/*31.00A	31.70B/31.00A	----	31.00 - 0.50	.0837	----	----	----	----	1 UNCH
6200	----	----	----/*28.10A	28.40B/28.10A	----	28.10 - 0.30	.0757	----	----	----	----	1 UNCH
6400	----	----	----	23.00B/23.90A	----	23.80 + 0.20	.0634	----	----	----	----	14 UNCH
6500	----	----	----	21.40B/22.40A	----	22.10 + 0.30	.0584	----	----	----	----	1155 UNCH
8000	----	----	----	11.50B/*13.30A	----	12.50 - 0.50	.0281	----	----	----	----	12 UNCH
9000	8.30	8.30	8.30/*8.30	8.80B/*8.30	----	10.70 - 0.30	.0218	----	----	20	----	28 + 20
20000	----	----	----	1.50B/3.70A	----	2.00 + 0.50	.0031	----	----	----	----	140 UNCH
TOTAL										57		4243 + 51
DEC26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
3550	----	----	----	----	----	1127.00 - 4.00	.9298	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1108.40 - 4.00	.9268	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1080.80 - 4.00	.9218	----	----	----	----	1 UNCH
3800	----	----	919.70B/890.60A	919.70B/890.60A	----	901.20 - 4.50	.8817	----	----	----	----	4 UNCH
3900	----	----	----	701.10B/917.80A	----	815.40 - 4.70	.8559	----	----	----	----	2 UNCH
4060	----	----	703.80B/675.80A	703.80B/675.80A	----	685.30 - 4.80	.8053	----	----	----	----	100 UNCH
4100	----	----	672.80B/645.10A	672.80B/645.10A	----	654.40 - 4.80	.7909	----	----	----	----	48 UNCH
4160	----	----	627.40B/600.40A	627.40B/600.40A	----	609.30 - 4.80	.7678	----	----	----	----	100 UNCH
4175	----	----	616.30B/589.50A	616.30B/589.50A	----	598.30 - 4.80	.7617	----	----	----	----	37 UNCH
4200	----	----	598.00B/571.50A	598.00B/571.50A	----	580.20 - 4.80	.7515	----	----	----	----	150 UNCH
4250	----	----	563.30B/535.60A	563.30B/535.60A	----	545.00 - 4.80	.7303	----	----	----	----	293 UNCH
4255	----	----	558.80B/533.20A	558.80B/533.20A	----	541.50 - 4.80	.7281	----	----	----	----	50 UNCH
4300	----	----	528.70B/499.50A	528.70B/499.50A	----	511.00 - 4.80	.7081	----	----	----	----	436 UNCH
4315	----	----	513.00B/489.80A	513.00B/489.80A	----	501.10 - 4.80	.7012	----	----	----	----	1 UNCH
4320	----	----	514.30B/486.50A	514.30B/486.50A	----	497.80 - 4.80	.6990	----	----	----	----	100 UNCH
4350	----	----	496.60B/467.30A	496.60B/467.30A	----	478.30 - 4.80	.6850	----	----	----	----	206 UNCH
4375	----	----	480.40B/451.70A	480.40B/451.70A	----	462.50 - 4.80	.6732	----	----	----	----	61 UNCH
4400	----	----	464.40B/418.30A	464.40B/418.30A	----	447.00 - 4.80	.6612	----	----	----	----	2 UNCH
4425	----	----	449.00B/404.00A	449.00B/404.00A	----	431.90 - 4.70	.6490	----	----	----	----	8 UNCH
4450	----	----	433.90B/390.40A	433.90B/390.40A	----	417.10 - 4.70	.6367	----	----	----	----	87 UNCH
4465	----	----	424.90B/382.30A	424.90B/382.30A	----	408.30 - 4.80	.6293	----	----	----	----	93 UNCH
4475	401.00	401.00	419.10B/376.70A	419.10B/376.70A	----	402.60 NEW	.6243	----	----	4	----	4 + 4
4485	398.00	398.00	413.10B/371.70A	413.10B/371.70A	----	396.90 NEW	.6193	----	----	3	----	3 + 3
4490	----	----	410.30B/368.80A	410.30B/368.80A	----	394.10 - 4.70	.6168	----	----	----	----	7 UNCH
4500	----	----	404.90B/363.80A	404.90B/363.80A	----	388.50 - 4.70	.6117	----	----	----	----	757 UNCH
4525	----	----	390.70B/350.90A	390.70B/350.90A	----	374.70 - 4.60	.5991	----	----	----	----	10 UNCH
4540	----	----	382.20B/343.40A	382.20B/343.40A	----	366.60 - 4.60	.5914	----	----	----	----	9 UNCH
4550	----	----	377.10B/338.50A	377.10B/338.50A	----	361.30 - 4.50	.5863	----	----	----	----	11 UNCH
4565	----	----	369.00B/331.20A	369.00B/331.20A	----	353.40 - 4.50	.5786	----	----	----	----	93 UNCH
4580	----	----	360.80B/324.00A	360.80B/324.00A	----	345.60 - 4.50	.5709	----	----	----	----	150 UNCH
4585	----	----	358.40B/321.60A	358.40B/321.60A	----	343.10 - 4.40	.5684	----	----	----	----	325 UNCH
4590	----	----	355.90B/319.30A	355.90B/319.30A	----	340.50 - 4.50	.5658	----	----	----	----	16 UNCH
4600	----	----	350.50B/314.60A	350.50B/314.60A	----	335.50 - 4.40	.5606	----	----	----	----	158 UNCH
4615	----	----	344.20B/307.80A	344.20B/307.80A	----	328.10 - 4.30	.5529	----	----	----	----	41 UNCH
4625	----	----	339.40B/303.30A	339.40B/303.30A	----	323.20 - 4.30	.5477	----	----	----	----	71 UNCH
4640	----	----	331.80B/296.40A	331.80B/296.40A	----	316.00 - 4.30	.5400	----	----	----	----	100 UNCH
4650	----	----	327.00B/292.00A	327.00B/292.00A	----	311.20 - 4.40	.5348	----	----	----	----	297 UNCH
4675	----	----	314.80B/276.50A	314.80B/276.50A	----	299.70 - 4.30	.5220	----	----	----	----	48 UNCH
4680	----	----	312.60B/274.60A	312.60B/274.60A	----	297.50 - 4.30	.5194	----	----	----	----	42 UNCH
4700	----	----	303.20B/266.00A	303.20B/266.00A	----	288.60 - 4.30	.5092	----	----	----	----	96 UNCH
4725	----	----	291.90B/256.70A	291.90B/256.70A	----	277.80 - 4.40	.4965	----	----	17	----	127 + 17
4730	----	----	289.80B/255.20A	289.80B/255.20A	----	275.60 - 4.40	.4939	----	----	----	----	2 UNCH
4750	----	----	281.20B/247.60A	281.20B/247.60A	----	267.30 - 4.40	.4838	----	----	----	----	239 UNCH
4775	----	----	270.60B/237.60A	270.60B/237.60A	----	257.10 - 4.40	.4713	----	----	----	----	2 UNCH
4780	----	----	268.80B/235.80A	268.80B/235.80A	----	255.10 - 4.50	.4688	----	----	----	----	2 UNCH
4790	----	----	264.30B/231.70A	264.30B/231.70A	----	251.20 - 4.40	.4638	----	----	----	----	1 UNCH
4795	----	----	262.30B/230.00A	262.30B/230.00A	----	249.20 - 4.50	.4613	----	----	----	----	9 UNCH
4800	----	----	260.60B/229.10A	260.60B/229.10A	----	247.30 - 4.40	.4589	----	----	----	----	381 UNCH
4810	----	----	256.30B/225.10A	256.30B/225.10A	----	243.40 - 4.50	.4539	----	----	1	----	58 + 1
4820	----	----	252.40B/221.80A	252.40B/221.80A	----	239.70 - 4.40	.4491	----	----	----	----	48 UNCH
4825	----	----	250.80B/220.00A	250.80B/220.00A	----	237.80 - 4.40	.4466	----	----	----	----	104 UNCH
4835	----	----	246.50B/216.40A	246.50B/216.40A	----	234.10 - 4.40	.4417	----	----	----	----	125 UNCH
4850	----	----	241.10B/212.90A	241.10B/212.90A	----	228.70 - 4.40	.4345	----	----	----	----	292 UNCH
4875	----	----	231.70B/205.10A	231.70B/205.10A	----	219.90 - 4.40	.4226	----	----	----	----	1 UNCH
4880	----	----	229.90B/204.30A	229.90B/204.30A	----	218.20 - 4.40	.4202	----	----	----	----	4 UNCH
4900	----	----	223.00B/197.50A	223.00B/197.50A	----	211.40 - 4.40	.4108	----	----	----	----	357 UNCH
4910	----	----	219.30B/*194.50	219.30B/*194.50A	----	208.10 - 4.40	.4061	----	----	2	----	4 + 2
4925	----	----	214.30B/190.30A	214.30B/190.30A	----	203.20 - 4.40	.3992	----	----	1	----	240 + 1
4950	----	----	206.10B/183.30A	206.10B/183.30A	----	195.20 - 4.40	.3877	----	----	----	----	103 UNCH
4975	----	----	198.00B/175.90A	198.00B/175.90A	----	187.50 - 4.40	.3764	----	----	----	----	50 UNCH
5000	----	----	190.30B/169.00A	190.30B/169.00A	----	180.20 - 4.30	.3655	----	----	----	----	2406 UNCH
5005	----	----	188.50B/*168.00	188.50B/*168.00A	----	178.70 - 4.30	.3632	----	----	----	----	4 UNCH
5025	----	----	182.90B/162.90A	182.90B/162.90A	----	173.10 - 4.20	.3546	----	----	----	----	218 UNCH
5050	----	----	175.90B/*156.90	175.90B/*156.90A	----	166.30 - 4.10	.3440	----	----	----	----	101 UNCH
5070	----	----	170.20B/*152.30	170.20B/*152.30A	----	161.00 - 4.10	.3357	----	----	----	----	13 UNCH
5075	----	----	169.10B/*150.80	169.10B/*150.80A	----	159.80 - 4.00	.3337	----	----	----	----	30 UNCH
5090	----	----	164.90B/*147.80	164.90B/*147.80A	----	156.00 - 3.90	.3276	----	----	----	----	17 UNCH
5100	----	----	162.70B/144.90A	162.70B/144.90A	----	153.50 - 3.90	.3236	----	----	----	----	349 UNCH
5125	----	----	156.00B/*139.90	156.00B/*139.90A	----	147.50 - 3.80	.3137	----	----	----	----	70 UNCH
5150	145.00	145.00	149.80B/*134.40	149.80B/*134.40A	----	141.80 - 3.60	.3041	----	----	1	----	12 + 1
5155	----	----	148.80B/*133.60	148.80B/*133.60A	----	140.70 - 3.50	.3022	----	----	----	----	4 UNCH
5160	----	----	146.80B/*132.60	146.80B/*132.60A	----	139.60 - 3.50	.3004	----	----	----	----	2 UNCH
5170	----	----	145.30B/*130.80	145.30B/*130.80A	----	137.40 - 3.50	.2966	----	----	----	----	4 UNCH
5175	----	----	144.60B/*129.30	144.60B/*129.30A	----	136.30 - 3.50	.2948	----	----	----	----	101 UNCH
5195	----	----	140.10B/*126.50	140.10B/*126.50A	----	132.10 - 3.30	.2875	----	----	----	----	5 UNCH
5200	----	----	138.70B/125.30A	138.70B/125.30A	----	131.10 - 3.30	.2857	----	----	----	----	1328 UNCH
5220	----	----	134.60B/*120.90	134.60B/*120.90A	----	127.10 - 3.10	.2786	----	----	----	----	6 UNCH
5245	----	----	129.60B/*117.00	129.60B/*117.00A	----	122.20 - 3.00	.2700	----	----	----	----	10 UNCH
5250	----	----	128.50B/*116.20	128.50B/*116.20A	----	121.30 - 3.00	.2683	----	----	----	----	343 UNCH
5255	----	----	126.40B/*114.90	126.40B/*114.90A	----	120.40 - 2.90	.2667	----	----	----	----	1 UNCH
5265	----	----	125.70B/*113.10	125.70B/*113.10A	----	118.50 - 2.90	.2633	----	----	----	----	5 UNCH
5275	----	----	123.60B/*111.70	123.60B/*111.70A	----	116.70 - 2.90	.2600	----	----	----	----	23 UNCH
5300	----	----	118.90B/108.40A	118.90B/108.40A	----	112.30 - 2.80	.2519	----	----	----	----	740 UNCH
5305	113.10	113.10	116.80B/*107.20	116.80B/*107.20A	----	111.40 NEW	.2502	----	----	2	----	2 + 2
5335	----	----	112.90B/*102.60	112.90B/*102.60A	----	106.50 - 2.60	.2410	----	----	----	----	21 UNCH
5340	----	----	110.70B/*102.00	110.70B/*102.00A	----	105.70 - 2.60	.2395	----	----	----	----	1 UNCH
5350	105.00	105.00	110.20B/*100.40	110.20B/*100.40A	----	104.10 - 2.60	.2365	----	----	17	----	461 + 2
5360	----	----	108.50B/*99.10A	108.50B/*99.10A	----	102.50 - 2.60	.2334	----	----	----	----	100 UNCH
5370	----	----	107.00B/*97.70A	107.00B/*97.70A	----	101.00 - 2.60	.2306	----	----	----	----	36 UNCH
5380	----	----	104.20B/*96.30A	104.20B/*96.30A	----	99.50 - 2.50	.2277	----	----	----	----	1 UNCH
5390	----	----	103.30B/*95.10A	103.30B/*95.10A	----	98.00 - 2.60	.2248	----	----	----	----	200 UNCH
5400	----	----	102.10B/93.40A	102.10B/93.40A	----	96.50 - 2.60	.2219	----	----	----	----	549 UNCH
5450	----	----	94.70B/*87.00A	94.70B/*87.00A	----	89.70 - 2.40	.2084	----	----	----	----	279 UNCH
5460	----	----	93.40B/*85.80A	93.40B/*85.80A	----	88.40 - 2.40	.2058	----	----	----	----	203 UNCH
5465	----	----	92.70B/*85.20A	92.70B/*85.20A	----	87.70 - 2.40	.2045	----	----	----	----	53 UNCH
5475	----	----	91.20B/*83.70A	91.20B/*83.70A	----	86.40 - 2.40	.2019	----	----	----	----	552 UNCH
5480	----	----	90.70B/*83.40A	90.70B/*83.40A	----	85.80 - 2.40	.2006	----	----	----	----	50 UNCH
5500	----	----	88.00B/80.70A	88.00B/80.70A	----	83.40 - 2.30	.1957	----	----	15	----	2988 + 5
5505	----	----	87.40B/*80.40A	87.40B/*80.40A	----	82.80 - 2.30	.1945	----	----	----	----	3 UNCH
5525	----	----	84.90B/*78.20A	84.90B/*78.20A	----	80.40 - 2.20	.1896	----	----	----	----	80 UNCH
5550	----	----	81.80B/*75.50A	81.80B/*75.50A	----	77.60 - 2.10	.1838	----	----	10	----	13 + 10
5570	----	----	79.50B/*73.40A	79.50B/*73.40A	----	75.50 - 1.90	.1794	----	----	----	----	198 UNCH
5575	----	----	79.10B/*72.80A	79.10B/*72.80A	----	74.90 - 2.00	.1782	----	----	----	----	10 UNCH
5600	----	----	76.40B/70.20A	76.40B/70.20A	----	72.40 - 1.80	.1729	----	----	----	----	2590 UNCH
5650	----	----	71.30B/*66.50A	71.30B/*66.50A	----	67.60 - 1.60	.1626	----	----	----	----	306 UNCH
5660	----	----	69.30B/*65.60A	69.30B/*65.60A	----	66.70 - 1.50	.1607	----	----	----	----	1 UNCH
5665	----	----	68.90B/*65.10A	68.90B/*65.10A	----	66.30 - 1.50	.1598	----	----	----	----	1 UNCH
5670	----	----	68.40B/*64.70A	68.40B/*64.70A	----	65.80 - 1.50	.1587	----	----	----	----	2 UNCH
5675	----	----	67.90B/*64.30A	67.90B/*64.30A	----	65.40 - 1.40	.1578	----	----	----	----	18 UNCH
5680	----	----	67.50B/*63.90A	67.50B/*63.90A	----	64.90 - 1.50	.1568	----	----	----	----	21 UNCH
5685	----	----	67.00B/*63.50A	67.00B/*63.50A	----	64.50 - 1.40	.1559	----	----	----	----	18 UNCH
5690	64.30	64.30	66.50B/*63.00A	66.50B/*63.00A	----	64.10 - 1.40	.1550	----	----	1	----	27 UNCH
5700	61.50	61.50	65.60B/61.50	65.60B/61.50	----	63.30 - 1.30	.1532	----	----	1	----	375 UNCH
5705	----	----	65.30B/*61.70A	65.30B/*61.70A	----	62.90 - 1.30	.1523	----	----	----	----	5 UNCH
5710	----	----	64.70B/*61.40A	64.70B/*61.40A	----	62.40 - 1.40	.1513	----	----	----	----	5 UNCH
5750	----	----	61.40B/*58.40A	61.40B/*58.40A	----	59.30 - 1.30	.1444	----	----	----	----	313 UNCH
5770	----	----	59.80B/*57.00A	59.80B/*57.00A	----	57.90 - 1.20	.1412	----	----	----	----	8 UNCH
5775	----	----	59.40B/*56.70A	59.40B/*56.70A	----	57.50 - 1.20	.1403	----	----	----	----	2 UNCH
5800	----	----	57.40B/55.00A	57.40B/55.00A	----	55.70 - 1.20	.1363	----	----	----	----	2103 UNCH
5810	----	----	56.70B/*54.40A	56.70B/*54.40A	----	55.10 - 1.10	.1348	----	----	----	----	56 UNCH
5825	----	----	55.60B/*53.30A	55.60B/*53.30A	----	54.10 - 1.10	.1325	----	----	----	----	4 UNCH
5850	----	----	53.80B/*51.80A	53.80B/*51.80A	----	52.50 - 1.10	.1289	----	----	----	----	51 UNCH
5875	----	----	52.20B/*50.40A	52.20B/*50.40A	----	51.00 - 1.10	.1254	----	----	----	----	9 UNCH
5900	50.70	50.70	51.40B/49.00A	51.40B/49.00A	----	49.50 - 1.10	.1219	----	----	15	----	1335 UNCH
5950	----	----	48.50B/*46.40A	48.50B/*46.40A	----	46.80 - 1.10	.1155	----	----	----	----	29 UNCH
6000	----	----	45.80B/44.10A	45.80B/44.10A	----	44.30 - 1.10	.1096	----	----	10	----	4987 - 10
6100	----	----	41.10B/39.90A	41.10B/39.90A	----	39.90 - 1.10	.0989	----	----	10	----	131 - 2
6150	----	----	----/*38.10A	39.00B/*38.10A	----	38.00 - 1.00	.0942	----	----	----	----	21 UNCH
6200	----	----	----/36.40A	37.00B/36.40A	----	36.20 - 1.00	.0898	----	----	----	----	3214 UNCH
6250	----	----	----/*35.00A	35.30B/*35.00A	----	34.60 - 0.90	.0857	----	----	----	----	76 UNCH
6300	----	----	----/33.70A	33.70B/33.70A	----	33.10 - 0.90	.0820	----	----	----	----	837 UNCH
6400	----	----	----/31.20A	30.30B/31.20A	----	30.40 - 0.90	.0751	----	----	----	----	686 UNCH
6500	----	----	----	27.80B/29.00A	----	28.20 - 0.80	.0693	----	----	----	----	5360 UNCH
6750	----	----	----	23.00B/*24.80A	----	23.80 - 0.80	.0577	----	----	----	----	104 UNCH
6775	----	----	----	22.50B/*24.50A	----	23.40 - 0.90	.0566	----	----	----	----	164 UNCH
6800	----	----	----	22.30B/*24.20A	----	23.10 - 0.80	.0558	----	----	----	----	1817 UNCH
6900	----	----	----	20.90B/23.00A	----	21.80 - 0.90	.0523	----	----	----	----	81 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
7000	----	----	----	19.80B/22.00A	----	20.80 - 0.90	.0494	----	----	----	----	4659 UNCH
7130	----	----	----	18.70B/*21.00A	----	19.70 - 0.90	.0462	----	----	----	----	200 UNCH
7175	----	----	----	18.30B/*20.70A	----	19.40 - 0.90	.0452	----	----	----	----	125 UNCH
7250	----	----	----	17.90B/*20.20A	----	18.90 - 0.90	.0437	----	----	----	----	108 UNCH
7500	17.00	17.00	17.00/17.00	17.00/17.00	----	17.70 - 0.70	.0397	----	----	1	----	118 UNCH
8000	----	----	----	15.40B/17.10A	----	16.10 - 0.50	.0341	----	----	40	----	1255 UNCH
8125	----	----	----	14.10B/*16.70A	----	15.70 - 0.50	.0329	----	----	----	----	801 UNCH
8500	----	----	----	12.90B/15.60A	----	14.60 - 0.50	.0296	----	----	----	----	170 UNCH
8630	----	----	----	12.60B/*15.40A	----	14.20 - 0.50	.0285	----	----	----	----	400 UNCH
8725	----	----	----	12.40B/*15.20A	----	14.00 - 0.50	.0279	----	----	----	----	250 UNCH
8775	----	----	----	13.30B/*15.00A	----	13.90 - 0.50	.0275	----	----	----	----	33 UNCH
9000	----	----	----	12.50B/14.80A	----	13.40 - 0.50	.0261	----	----	80	----	274 + 10
9500	----	----	----	11.10B/14.10A	----	12.70 - 0.40	.0238	----	----	----	----	303 UNCH
9900	----	----	----	10.70B/13.50A	----	12.40 - 0.20	.0225	----	----	----	----	17 UNCH
10000	----	----	----	12.00B/13.30A	----	12.30 - 0.20	.0222	----	----	40	----	9075 + 5
11000	----	----	----	9.90B/*11.80A	----	11.30 - 0.10	.0192	----	----	----	----	486 UNCH
13000	----	----	----/9.00A	7.50B/9.00A	----	9.00 - 0.20	.0142	----	----	----	----	642 UNCH
15000	6.80	6.80	6.80/6.20	6.80/6.20	----	6.50 - 0.30	.0100	----	----	31	----	22773 + 29
17000	----	----	----	4.20B/5.30A	----	4.50 - 0.20	.0068	----	----	----	----	26 UNCH
19000	----	----	----/*3.00A	2.20B/3.00A	----	3.10 UNCH	.0047	----	----	----	----	7 UNCH
20000	----	----	----	2.50B/2.80A	----	2.70 + 0.20	.0041	----	----	2	----	24678 UNCH
21000	----	----	----	1.50B/2.50A	----	2.20 + 0.10	.0033	----	----	----	----	31 UNCH
24000	----	----	----	0.40B/1.90A	----	1.40 + 0.10	.0021	----	----	----	----	32 UNCH
TOTAL										304		108981 + 80
JAN27												
4190	----	----	----	498.20B/758.40A	----	633.50 - 5.20	.7560	----	----	----	----	1 UNCH
4290	----	----	----/553.00A	547.10B/553.00A	----	564.00 - 4.90	.7164	----	----	----	----	1 UNCH
4300	----	----	----/546.40A	550.30B/546.40A	----	557.30 - 4.90	.7123	----	----	----	----	1 UNCH
4400	----	----	509.20B/483.20A	509.20B/483.20A	----	493.00 - 4.50	.6695	----	----	----	----	1 UNCH
4500	----	----	448.70B/*415.60	448.70B/*415.60A	----	433.80 - 4.20	.6243	----	----	----	----	1 UNCH
4600	----	----	395.20B/*365.20	395.20B/*365.20A	----	379.80 - 4.00	.5775	----	----	----	----	4 UNCH
4650	----	----	369.50B/*341.90	369.50B/*341.90A	----	354.80 - 3.90	.5539	----	----	----	----	2 UNCH
4700	----	----	346.00B/*319.90	346.00B/*319.90A	----	331.10 - 4.00	.5301	----	----	----	----	3 UNCH
4710	----	----	341.30B/*315.50	341.30B/*315.50A	----	326.60 - 3.90	.5254	----	----	----	----	3 UNCH
4750	----	----	323.00B/*294.10	323.00B/*294.10A	----	308.90 - 3.90	.5066	----	----	----	----	8 UNCH
4760	----	----	318.50B/*287.00	318.50B/*287.00A	----	304.60 - 4.00	.5019	----	----	----	----	101 UNCH
4800	----	----	301.10B/*272.30	301.10B/*272.30A	----	287.90 - 4.10	.4833	----	----	----	----	1 UNCH
4850	----	----	280.50B/*254.60	280.50B/*254.60A	----	268.20 - 4.30	.4605	----	----	----	----	1 UNCH
4875	----	----	270.80B/*244.10	270.80B/*244.10A	----	258.90 - 4.30	.4492	----	----	----	----	4 UNCH
4900	----	----	261.20B/*236.80	261.20B/*236.80A	----	249.90 - 4.30	.4381	----	----	----	----	10 UNCH
5000	----	----	226.50B/*209.00	226.50B/*209.00A	----	216.70 - 4.40	.3953	----	----	----	----	28 UNCH
5050	----	----	210.60B/*195.80	210.60B/*195.80A	----	201.80 - 4.20	.3749	----	----	----	----	100 UNCH
5100	----	----	196.10B/*182.60	196.10B/*182.60A	----	188.00 - 4.00	.3552	----	----	----	----	1 UNCH
5130	----	----	187.90B/*176.10	187.90B/*176.10A	----	180.20 - 3.80	.3439	----	----	----	----	1 UNCH
5195	----	----	171.20B/*159.10	171.20B/*159.10A	----	164.50 - 3.20	.3202	----	----	----	----	5 UNCH
5200	----	----	169.80B/*159.50	169.80B/*159.50A	----	163.30 - 3.20	.3184	----	----	----	----	1100 UNCH
5250	----	----	158.20B/*148.60	158.20B/*148.60A	----	152.30 - 2.80	.3012	----	----	----	----	7 UNCH
5300	----	----	147.40B/*137.80	147.40B/*137.80A	----	142.10 - 2.40	.2849	----	----	----	----	1 UNCH
5400	----	----	128.10B/*120.90	128.10B/*120.90A	----	123.80 - 1.90	.2545	----	----	----	----	2 UNCH
5450	----	----	119.50B/*113.00	119.50B/*113.00A	----	115.70 - 1.70	.2405	----	----	----	----	6 UNCH
5500	----	----	111.70B/*105.70	111.70B/*105.70A	----	108.20 - 1.50	.2273	----	----	----	----	60 UNCH
5550	----	----	104.60B/*98.70A	104.60B/*98.70A	----	101.20 - 1.40	.2148	----	----	----	----	4 UNCH
5820	----	----	74.30B/*70.90A	74.30B/*70.90A	----	72.10 - 1.10	.1595	----	----	----	----	6 UNCH
5850	----	----	71.60B/*68.50A	71.60B/*68.50A	----	69.60 - 1.10	.1545	----	----	----	----	3 UNCH
5900	----	----	67.50B/*64.80A	67.50B/*64.80A	----	65.80 - 1.00	.1467	----	----	----	----	5 UNCH
6000	60.00	60.00	60.20B/*58.40A	60.20B/*58.40A	----	58.90 - 1.00	.1324	----	----	50	----	253 - 4
6025	----	----	58.60B/*57.00A	58.60B/*57.00A	----	57.40 - 1.00	.1292	----	----	----	----	1 UNCH
6300	----	----	----/*44.40A	45.00B/*44.40A	----	44.20 - 0.80	.1002	----	----	----	----	2 UNCH
6500	----	----	----	37.40B/*38.10A	----	37.50 - 0.60	.0849	----	----	----	----	6 UNCH
20000	----	----	----	3.10B/6.60A	----	4.90 - 0.40	.0068	----	----	----	----	126 UNCH
TOTAL										50		1859 - 4
FEB27												
4500	----	----	464.80B/*435.20	464.80B/*435.20A	----	452.80 - 3.00	.6209	----	----	----	----	1 UNCH
4650	----	----	388.00B/*361.90	388.00B/*361.90A	----	374.80 - 3.20	.5545	----	----	----	----	1 UNCH
4700	----	----	363.90B/*340.30	363.90B/*340.30A	----	351.20 - 3.60	.5321	----	----	----	----	1 UNCH
4750	----	----	341.60B/*312.40	341.60B/*312.40A	----	328.90 - 4.00	.5099	----	----	----	----	36 UNCH
4785	----	----	326.30B/*298.90	326.30B/*298.90A	----	314.10 - 4.10	.4945	----	----	----	----	100 UNCH
4850	----	----	300.60B/*274.10	300.60B/*274.10A	----	288.10 - 4.30	.4664	----	----	----	----	36 UNCH
5000	----	----	245.70B/*229.10	245.70B/*229.10A	----	235.80 - 3.90	.4045	----	----	----	----	149 UNCH
5100	----	----	213.90B/*202.20	213.90B/*202.20A	----	206.30 - 3.80	.3662	----	----	----	----	148 UNCH
5175	----	----	193.60B/*183.50	193.60B/*183.50A	----	186.60 - 4.10	.3392	----	----	----	----	125 UNCH
5200	----	----	187.40B/*176.30	187.40B/*176.30A	----	180.50 - 4.10	.3306	----	----	----	----	3 UNCH
5250	----	----	175.20B/*166.10	175.20B/*166.10A	----	169.00 - 4.20	.3139	----	----	----	----	22 UNCH
5300	----	----	163.80B/*155.40	163.80B/*155.40A	----	158.20 - 4.30	.2979	----	----	----	----	50 UNCH
5375	----	----	148.30B/*141.20	148.30B/*141.20A	----	143.40 - 4.20	.2753	----	----	----	----	2 UNCH
5400	----	----	143.40B/*136.50	143.40B/*136.50A	----	138.90 - 4.10	.2681	----	----	----	----	1 UNCH
5500	----	----	126.00B/*120.30	126.00B/*120.30A	----	122.30 - 3.60	.2413	----	----	----	----	13 UNCH
5520	----	----	122.80B/*117.30	122.80B/*117.30A	----	119.20 - 3.50	.2362	----	----	----	----	300 UNCH
5530	----	----	----/*115.90A	121.20B/*115.90A	----	117.70 - 3.50	.2337	----	----	----	----	100 UNCH
5550	----	----	118.30B/*113.00	118.30B/*113.00A	----	114.90 - 3.30	.2289	----	----	----	----	82 UNCH
5600	----	----	----/*106.50A	111.00B/*106.50A	----	108.00 - 3.00	.2172	----	----	----	----	8 UNCH
6000	----	----	70.40B/*68.60A	70.40B/*68.60A	----	69.20 - 0.90	.1458	----	----	----	----	1301 UNCH
6025	----	----	68.60B/*67.10A	68.60B/*67.10A	----	67.50 - 0.90	.1425	----	----	----	----	4 UNCH
6100	----	----	63.50B/*62.40A	63.50B/*62.40A	----	62.80 - 0.60	.1331	----	----	----	----	4 UNCH
6300	----	----	----/*52.30A	52.90B/*52.30A	----	52.60 - 0.30	.1121	----	----	----	----	1 UNCH
6500	----	----	----	44.40B/*45.40A	----	44.90 - 0.20	.0958	----	----	----	----	1220 UNCH
6900	----	----	----	31.70B/*36.50A	----	34.20 - 0.50	.0724	----	----	----	----	533 UNCH
7000	----	----	----	29.60B/34.40A	----	32.30 - 0.60	.0681	----	----	----	----	550 UNCH
7100	----	----	----	27.50B/*32.40A	----	30.60 - 0.60	.0642	----	----	----	----	9 UNCH
7900	----	----	----	19.70B/*25.60A	----	22.80 UNCH	.0452	----	----	----	----	500 UNCH
8000	----	----	----	19.10B/*25.60A	----	22.30 + 0.20	.0438	----	----	----	----	695 UNCH
TOTAL												5995 0
MAR27												
4680	399.00	399.00	407.70B/*379.80	407.70B/*379.80A	----	396.50 NEW	.5570	----	----	2	----	2 + 2
4710	399.00	399.00	401.80/*366.60A	401.80/*366.60A	----	382.50 NEW	.5443	----	----	21	----	21 + 21
4995	----	----	279.80B/*257.70	279.80B/*257.70A	----	270.10 - 4.00	.4287	----	----	----	----	2 UNCH
5000	----	----	278.10B/*256.10	278.10B/*256.10A	----	268.40 - 4.00	.4268	----	----	----	----	101 UNCH
5010	----	----	274.60B/*253.10	274.60B/*253.10A	----	265.00 - 4.00	.4230	----	----	----	----	1 UNCH
5200	----	----	214.10B/*201.20	214.10B/*201.20A	----	208.00 - 4.00	.3540	----	----	----	----	3 UNCH
5500	148.00	148.00	148.00/*141.60A	148.00/*141.60A	----	144.60 - 2.50	.2648	----	----	1	----	68 + 1
5600	----	----	----/*126.70A	129.60B/*126.70A	----	129.00 - 1.90	.2405	----	----	----	----	1 UNCH
5650	131.00	131.00	133.00/*120.60A	133.00/*120.60A	----	122.00 - 1.70	.2293	----	----	2	----	17 - 2
5790	105.00	105.00	109.50/*103.60A	109.50/*103.60A	----	104.80 - 1.30	.2008	----	----	48	----	50 + 48
5820	104.00	104.00	104.00/*101.00A	104.00/*101.00A	----	101.50 - 1.30	.1953	----	----	1	----	2 + 1
5850	----	----	----/*97.90A	97.80B/*97.90A	----	98.40 - 1.20	.1899	----	----	----	----	253 UNCH
5900	----	----	----/*92.80A	92.30B/*92.80A	----	93.40 - 1.20	.1813	----	----	----	----	11 UNCH
6000	----	----	----/*84.00A	83.00B/*84.00A	----	84.40 - 1.10	.1655	----	----	----	----	2 UNCH
6500	----	----	----	52.40B/*55.00A	----	53.60 - 1.40	.1083	----	----	----	----	2 UNCH
TOTAL										75		536 + 71
APR27												
5000	----	----	----	131.10B/433.60A	----	286.20 + 27.50	.4334	----	----	----	----	100 UNCH
5060	----	----	----	111.70B/414.90A	----	270.10 + 27.20	.4132	----	----	----	----	25 UNCH
5600	----	----	----	46.10B/*251.60A	----	146.90 + 22.60	.2558	----	----	----	----	300 UNCH
6000	----	----	----	26.80B/175.00A	----	96.50 + 18.20	.1785	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
5085	----	----	----	----	----	360.00 - 3.70	.4468	----	----	----	----	150 UNCH
7000	----	----	----	----	----	59.60 - 1.00	.1042	----	----	----	----	3 UNCH
7500	----	----	----	----	----	41.20 - 0.60	.0741	----	----	----	----	450 UNCH
8000	30.30	30.30	30.30/*30.30	30.30/*30.30	----	30.30 - 0.30	.0551	----	----	1	----	2 + 1
9000	----	----	----	----	----	19.70 + 0.10	.0354	----	----	----	----	1 UNCH
10000	----	----	----	15.00B/----	----	15.40 + 0.20	.0266	----	----	----	----	3 UNCH
TOTAL										1		609 + 1
DEC27												
4860	----	----	----	----	----	601.30 - 3.60	.5583	----	----	----	----	100 UNCH
5000	----	----	----	----	----	544.70 - 3.50	.5224	----	----	----	----	50 UNCH
5650	----	----	----	----	----	337.70 - 2.90	.3716	----	----	----	----	200 UNCH
5700	----	----	----	----	----	325.50 - 2.80	.3614	----	----	----	----	150 UNCH
5800	----	----	----	----	----	302.30 - 2.70	.3417	----	----	----	----	200 UNCH
5880	----	----	----	----	----	285.10 - 2.60	.3266	----	----	----	----	125 UNCH
6300	----	----	----	----	----	211.20 - 2.30	.2572	----	----	----	----	18 UNCH
7500	----	----	----	----	----	101.90 - 1.50	.1365	----	----	----	----	170 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC27												
7800	----	----	----	----	----	88.20 - 1.30	.1192	----	----	----	----	284 UNCH
10000	48.00	48.00	48.00/48.00	48.00/48.00	----	44.30 - 0.80	.0590	----	----	1	----	102 UNCH
10500	----	----	----	----	----	39.90 - 0.80	.0526	----	----	----	----	10 UNCH
TOTAL										1		1409 0
DEC28												
5750	----	----	----	----	----	551.90 - 3.10	.4443	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
MAY26												
4420	----	----	----	----	----	0.00 - 2.60	----	----	----	----	----	0 - 1
4430	----	----	----	----	----	0.00 - 3.00	----	----	----	----	----	0 - 1
4440	----	----	----	----	----	0.00 - 3.40	----	----	----	----	----	0 - 1
4450	----	----	----	----	----	0.00 - 4.00	----	----	----	----	----	0 - 1
4525	----	----	----	----	----	0.00 - 14.70	----	----	----	----	----	0 - 1
TOTAL												0 - 5
JUN26												
4400	----	----	----	----/46.00A	----	19.90 - 5.50	.1636	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
MAY26												
3800	----	----	----/1.00A	1.20B/1.00A	----	0.80 - 0.50	.0046	----	----	----	----	1 UNCH
3900	----	----	1.00B/----	1.00B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
3900	----	----	----/*1.20A	1.70B/1.20A	----	1.00 - 0.70	.0064	----	----	----	----	2 UNCH
4000	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.30	.0000	----	----	----	----	3 UNCH
4100	----	----	1.10B/*0.40A	1.10B/*0.40A	----	0.20 - 0.60	.0005	----	----	----	----	1 UNCH
4125	----	----	#5.30B/2.30A	5.30B/2.30A	----	2.10 - 1.50	.0172	----	----	2	----	6 + 1
4150	----	----	1.60B/*0.60A	1.60B/*0.60A	----	0.30 - 0.70	.0009	----	----	----	----	1 UNCH
4150	4.70	4.70	6.10B/2.60A	6.10B/2.60A	----	2.40 - 1.70	.0201	----	----	25	----	11 - 19
4175	----	----	2.00B/*0.60A	2.00B/*0.60A	----	0.40 - 0.80	.0014	----	----	----	----	3 UNCH
4200	----	----	2.50B/*0.70A	2.50B/*0.70A	----	0.50 - 0.90	.0020	----	----	1	----	58 + 1
4200	4.00	4.00	8.60B/3.10A	8.60B/3.10A	----	3.10 - 2.10	.0273	----	----	24	----	25 + 24
4225	----	----	3.20B/*0.80A	3.20B/*0.80A	----	0.60 - 1.10	.0026	----	----	----	----	14 UNCH
4225	----	----	10.00B/3.50A	10.00B/3.50A	----	3.60 - 2.30	.0324	----	----	----	----	2 UNCH
4235	----	----	3.70B/*0.80A	3.70B/*0.80A	----	0.60 - 1.20	.0027	----	----	----	----	2 UNCH
4240	----	----	3.80B/*0.80A	3.80B/*0.80A	----	0.60 - 1.30	.0028	----	----	----	----	1 UNCH
4245	----	----	4.00B/*0.80A	4.00B/*0.80A	----	0.70 - 1.20	.0034	----	----	----	----	2 UNCH
4250	----	----	4.30B/*0.90A	4.30B/*0.90A	----	0.70 - 1.30	.0034	----	----	----	----	7 UNCH
4250	8.90	8.90	11.80B/3.90A	11.80B/3.90A	----	4.10 - 2.60	.0378	----	----	12	----	24 + 3
4260	----	----	4.80B/*1.00A	4.80B/*1.00A	----	0.70 - 1.40	.0036	----	----	----	----	1 UNCH
4265	----	----	5.10B/*0.90A	5.10B/*0.90A	----	0.80 - 1.40	.0042	----	----	----	----	1 UNCH
4275	----	----	13.90B/4.50A	13.90B/4.50A	----	4.80 - 3.00	.0452	----	----	----	----	13 UNCH
4295	----	----	6.80B/*1.10A	6.80B/*1.10A	----	1.00 - 1.80	.0061	----	----	----	----	1 UNCH
4300	----	----	16.50B/5.30A	16.50B/5.30A	----	5.70 - 3.30	.0545	----	----	----	----	1 UNCH
4300	9.10	9.10	9.10/*1.10A	9.10/*1.10A	----	1.00 - 1.90	.0062	----	----	3	----	24 + 2
4305	----	----	#7.70B/*1.20A	#7.70B/*1.20A	----	1.10 - 1.90	.0071	----	----	----	----	1 UNCH
4315	----	----	#8.50B/*1.30A	#8.50B/*1.30A	----	1.20 - 2.10	.0081	----	----	----	----	1 UNCH
4320	----	----	#8.80B/*1.40A	#8.80B/1.40A	----	1.20 - 2.20	.0083	----	----	----	----	1 UNCH
4325	----	----	9.30B/1.40A	9.30B/1.40A	----	1.30 - 2.30	.0092	----	----	----	----	15 UNCH
4325	----	----	19.70B/6.20A	19.70B/6.20A	----	6.80 - 3.80	.0660	----	----	----	----	20 UNCH
4330	5.50	5.50	#9.70B/*1.50A	#9.70B/1.50A	----	1.40 NEW	.0102	----	----	1	----	1 + 1
4345	5.70	5.70	#11.50B/*1.60A	#11.50B/1.60A	----	1.60 - 2.60	.0126	----	----	2	----	3 + 2
4350	6.30	6.30	12.00B/1.70A	12.00B/1.70A	----	1.60 - 2.80	.0129	----	----	3	----	106 UNCH
4350	12.40	12.40	23.60B/7.40A	23.60B/7.40A	----	8.20 - 4.20	.0805	----	----	60	----	61 + 60
4355	----	----	#12.70B/*1.80A	#12.70B/1.80A	----	1.70 - 2.90	.0141	----	----	----	----	1 UNCH
4360	----	----	#13.30B/*1.90A	#13.30B/1.90A	----	1.80 - 3.00	.0153	----	----	----	----	3 UNCH
4365	----	----	#13.90B/*1.90A	#13.90B/1.90A	----	1.90 - 3.20	.0166	----	----	----	----	1 UNCH
4375	2.10	2.10	15.50B/2.10	15.50B/2.10	----	2.20 - 3.40	.0203	----	----	1	----	15 + 1
4375	11.90	11.90	27.90B/9.00A	27.90B/9.00A	----	9.90 - 4.90	.0980	----	----	3	----	15 + 1
4380	2.80	2.80	#16.20B/*2.20A	#16.20B/2.20A	----	2.30 - 3.60	.0218	----	----	1	----	11 + 1
4385	9.90	9.90	#17.10B/*2.40A	#17.10B/2.40A	----	2.40 NEW	.0233	----	----	6	----	2 + 2
4390	----	----	#18.00B/*2.50A	#18.00B/2.50A	----	2.60 - 3.90	.0259	----	----	----	----	1 UNCH
4400	17.70	17.70	33.00B/10.90A	33.00B/10.90A	----	12.10 - 5.50	.1202	----	----	10	----	10 + 6
4400	17.60	17.60	19.90B/2.80A	19.90B/2.80A	----	2.90 - 4.30	.0305	----	----	3	----	22 - 1
4410	4.80	4.80	#21.90B/*3.10A	#21.90B/3.10A	----	3.30 - 4.70	.0366	----	----	3	----	3 + 2
4415	3.80	3.80	#23.20B/*3.20A	#23.20B/3.20A	----	3.50 - 4.90	.0398	----	----	2	----	5 UNCH
4420	14.00	14.00	#24.30B/*3.40A	#24.30B/3.40A	----	3.80 NEW	.0443	----	----	2	----	1 + 1
4425	4.40	4.40	25.60B/3.60A	25.60B/3.60A	----	4.10 - 5.30	.0489	----	----	2	----	13 UNCH
4425	22.70	22.70	39.40B/13.40A	39.40B/13.40A	----	15.00 - 6.10	.1481	----	----	51	----	54 + 47
4430	7.20	7.20	#26.90B/*3.80A	#26.90B/3.80A	----	4.40 - 5.50	.0538	----	----	3	----	4 + 3
4435	13.60	13.60	#28.40B/*4.10A	#28.40B/4.10A	----	4.70 NEW	.0589	----	----	100	----	100 + 100
4440	7.00	7.00	#29.80B/*4.30A	#29.80B/4.30A	----	5.10 NEW	.0653	----	----	1	----	1 + 1
4445	5.90	5.90	#31.40B/*4.60A	#31.40B/4.60A	----	5.50 - 6.20	.0719	----	----	1	----	4 UNCH
4450	8.80	8.80	33.00B/4.90A	33.00B/4.90A	----	5.90 - 6.50	.0789	----	----	7	----	26 + 4
4450	----	----	47.00B/16.70A	47.00B/16.70A	----	18.60 - 6.70	.1817	----	----	----	----	5 UNCH
4455	7.50	7.50	#34.60B/*5.30A	#34.60B/5.30A	----	6.40 NEW	.0873	----	----	1	----	1 + 1
4460	----	----	#36.40B/*5.70A	#36.40B/5.70A	----	6.90 - 7.10	.0960	----	----	2	----	3 UNCH
4465	9.10	9.10	#38.20B/*6.10A	#38.20B/6.10A	----	7.40 NEW	.1052	----	----	2	----	2 + 2
4470	----	----	#40.20B/*6.60A	#40.20B/6.60A	----	8.10 - 7.60	.1168	----	----	1	----	5 + 1
4475	20.50	20.50	42.30B/7.10A	42.30B/7.10A	----	8.70 - 7.90	.1278	----	----	25	----	108 + 4
4475	33.50	33.50	55.00B/20.80A	55.00B/20.80A	----	23.10 - 7.40	.2218	----	----	47	----	20 + 19
4480	----	----	#44.40B/*7.60A	#44.40B/7.60A	----	9.50 - 8.20	.1413	----	----	1	----	5 + 1
4490	----	----	#105.40B/*48.70	105.40B/*48.70A	----	79.10 NEW	.8299	----	----	1	----	1 + 1
4500	----	----	145.90B/*88.10A	145.90B/*88.10A	----	120.50 - 11.60	.7304	----	----	----	----	50 UNCH
4500	35.00	35.00	65.00B/25.50	65.00B/25.50	----	28.80 - 7.90	.2693	----	----	18	----	4 + 3
4500	29.20	29.20	54.10B/10.20A	54.10B/10.20A	----	13.10 - 9.20	.2044	----	----	94	----	112 + 54
4505	12.20	12.20	#56.50B/*11.00A	#56.50B/11.00A	----	14.20 - 9.50	.2234	----	----	1	----	1 UNCH
4510	----	----	#59.20B/*11.90A	#59.20B/11.90A	----	15.40 NEW	.2438	----	----	2	----	1 + 1
4515	----	----	#61.70B/*12.90A	#61.70B/12.90A	----	16.60 - 10.00	.2648	----	----	1	----	1 UNCH
4520	----	----	#64.90B/*13.90A	#64.90B/13.90A	----	18.00 - 10.20	.2879	----	----	----	----	1 UNCH
4525	37.00	37.00	68.10B/15.00A	68.10B/15.00A	----	19.50 - 10.30	.3121	----	----	32	----	36 + 23
4525	64.20	64.20	76.40B/*32.50A	76.40B/*32.50A	----	52.50 NEW	.6877	----	----	1	----	1 + 1
4525	52.50	52.50	76.50B/31.30A	76.50B/31.30A	----	35.70 - 8.40	.3233	----	----	15	----	17 + 15
4530	----	----	#72.60B/*30.50A	72.60B/*30.50A	----	49.10 - 14.40	.6623	----	----	1	----	1 UNCH
4530	20.40	20.40	#71.10B/*16.20A	#71.10B/16.20A	----	21.10 - 10.50	.3375	----	----	4	----	3 + 2
4535	22.20	22.20	#74.50B/*17.40A	#74.50B/17.40A	----	22.90 - 10.50	.3644	----	----	2	----	2 UNCH
4535	44.00	44.00	#68.80B/*28.80A	68.80B/*28.80A	----	45.80 - 14.50	.6355	----	----	2	----	2 + 1
4540	48.10	48.10	#65.10B/*27.00A	65.10B/*27.00A	----	42.70 NEW	.6081	----	----	1	----	1 + 1
4540	43.10	43.10	#77.60B/*18.70A	#77.60B/18.70A	----	24.70 - 10.60	.3918	----	----	3	----	4 + 3
4545	47.30	47.30	#81.00B/*20.10A	#81.00B/20.10A	----	26.70 - 10.70	.4203	----	----	2	----	21 UNCH
4545	40.40	40.40	#61.60B/*25.20A	61.60B/*25.20A	----	39.70 - 14.50	.5796	----	----	1	----	5 + 1
4550	37.50	37.50	58.20B/*23.70A	58.20B/*23.70A	----	36.70 - 14.70	.5505	----	----	1	----	27 + 1
4550	48.50	48.50	84.50B/21.60A	84.50B/21.60A	----	28.80 - 10.70	.4494	----	----	63	----	127 - 3
4550	42.70	42.70	89.50B/38.40A	89.50B/38.40A	----	44.20 - 8.60	.3836	----	----	5	----	30 + 5
4560	29.30	29.30	#51.40B/*20.80A	51.40B/*20.80A	----	31.30 NEW	.4907	----	----	2	----	1 + 1
4560	----	----	#91.70B/*25.00A	#91.70B/25.00A	----	33.30 NEW	.5091	----	----	5	----	5 + 5
4565	36.30	36.30	#48.30B/*19.40A	48.30B/*19.40A	----	28.80 - 14.50	.4605	----	----	3	----	1 UNCH
4570	----	----	#99.30B/28.80A	#99.30B/28.80A	----	38.40 - 10.50	.5697	----	----	2	----	5 + 2
4570	32.00	32.00	#45.40B/*18.10A	45.40B/*18.10A	----	26.40 - 14.40	.4302	----	----	7	----	6 + 3
4575	51.60	51.60	103.80B/46.90A	103.80B/46.90A	----	54.30 - 8.60	.4483	----	----	3	----	4 + 3
4575	67.80	67.80	92.30B/*52.10A	92.30B/*52.10A	----	71.10 - 12.30	.5513	----	----	19	----	15 + 8
4575	22.50	22.50	42.60B/*16.90A	42.60B/*16.90A	----	24.20 - 14.20	.4002	----	----	92	----	82 + 20
4575	36.70	36.70	103.20B/30.90A	103.20B/30.90A	----	41.20 - 10.30	.5996	----	----	50	----	60 + 50
4580	21.60	21.60	#39.60B/*15.80A	39.60B/*15.80A	----	22.10 - 14.00	.3707	----	----	1	----	4 + 1
4580	38.10	38.10	#107.00B/*33.10	#107.00B/33.10A	----	44.10 - 10.00	.6292	----	----	23	----	24 + 23
4585	----	----	#37.00B/*14.80A	37.00B/*14.80A	----	20.10 - 13.70	.3416	----	----	----	----	16 UNCH
4585	----	----	#111.10B/*35.40	#111.10B/35.40A	----	47.10 - 9.80	.6582	----	----	----	----	1 UNCH
4590	----	----	#115.10B/*37.80	#115.10B/37.80A	----	50.30 - 9.50	.6861	----	----	1	----	1 UNCH
4590	25.30	25.30	#34.60B/*13.70A	34.60B/*13.70A	----	18.30 - 13.40	.3138	----	----	20	----	15 + 14
4595	23.00	23.00	#32.20B/*12.40A	32.20B/*12.40A	----	16.60 - 13.10	.2868	----	----	25	----	23 + 21
4600	60.00	60.00	77.70B/*42.90A	77.70B/*42.90A	----	57.90 - 12.20	.4840	----	----	101	----	42 - 6
4600	----	----	123.40B/43.00A	123.40B/43.00A	----	57.00 - 8.90	.7391	----	----	13	----	58 + 2
4600	----	----	120.10B/57.00A	120.10B/57.00A	----	66.10 - 8.50	.5157	----	----	4	----	5 + 4
4600	23.70	23.70	29.90B/*11.10A	29.90B/*11.10A	----	15.00 - 12.80	.2607	----	----	39	----	331 + 22
4610	10.50	10.50	#25.90B/*9.00A	25.90B/*9.00A	----	12.20 NEW	.2129	----	----	5	----	2 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
MAY26												
4615	13.40	13.40	24.00B/*8.10A	24.00B/*8.10A	----	11.00 - 11.60	.1915	----	----	2	----	4 + 1
4620	18.00	18.00	#22.20B/*7.40A	22.20B/*7.40A	----	9.90 - 11.20	.1715	----	----	15	----	14 + 8
4625	10.10	10.10	20.70B/*6.50A	20.70B/*6.50A	----	8.90 - 10.70	.1531	----	----	3	----	3 + 2
4625	----	----	145.20B/58.10A	145.20B/58.10A	----	75.90 - 6.80	.8468	----	----	----	----	118 UNCH
4625	----	----	64.40B/*35.20A	64.40B/*35.20A	----	46.60 - 11.60	.4167	----	----	----	----	1 UNCH
4625	----	----	137.30B/68.70A	137.30B/68.70A	----	79.70 - 8.00	.5830	----	----	----	----	3 UNCH
4630	14.10	14.10	#19.90/*5.90A	19.90/*5.90A	----	8.00 - 10.20	.1363	----	----	115	----	73 + 70
4635	----	----	#154.10B/*65.00	#154.10B/65.00A	----	84.10 - 5.90	.8799	----	----	2	----	1 UNCH
4635	6.00	6.00	#17.60B/*5.30A	17.60B/*5.30A	----	7.10 - 9.80	.1200	----	----	12	----	11 + 8
4640	7.10	7.10	#16.20B/*4.70A	16.20B/*4.70A	----	6.40 NEW	.1065	----	----	2	----	2 + 2
4645	8.60	8.60	#14.90B/*4.20A	14.90B/*4.20A	----	5.70 - 8.90	.0935	----	----	6	----	5 + 2
4650	----	----	156.20B/82.10A	156.20B/82.10A	----	95.10 - 7.30	.6479	----	----	----	----	10 UNCH
4650	----	----	52.80B/*28.70A	52.80B/*28.70A	----	37.00 - 11.00	.3518	----	----	9	----	7 + 6
4650	97.40	97.40	168.00B/76.00A	168.00B/76.00A	----	97.10 - 4.40	.9177	----	----	2	----	11 + 1
4650	9.00	9.00	13.70B/*3.80A	13.70B/*3.80A	----	5.10 - 8.40	.0822	----	----	19	----	16 + 9
4655	----	----	#12.60B/*3.40A	12.60B/*3.40A	----	4.60 NEW	.0726	----	----	4	----	2 + 2
4660	4.70	4.70	#4.70/*3.10A	11.60B/*3.10A	----	4.10 - 7.50	.0634	----	----	3	----	3 + 2
4665	----	----	----/*2.80A	10.60B/*2.80A	----	3.60 - 7.10	.0545	----	----	----	----	2 UNCH
4670	----	----	----/*2.50A	9.70B/*2.50A	----	3.30 - 6.60	.0486	----	----	1	----	2 UNCH
4675	----	----	175.80B/97.30A	175.80B/97.30A	----	112.20 - 6.40	.7084	----	----	----	----	1 UNCH
4675	6.70	6.70	9.00B/*2.30A	9.00B/*2.30A	----	2.90 - 6.20	.0417	----	----	3	----	29 + 1
4675	----	----	191.90B/96.40A	191.90B/96.40A	----	119.90 - 2.30	.9581	----	----	----	----	2 UNCH
4675	----	----	42.80B/*23.30A	42.80B/*23.30A	----	29.00 - 10.10	.2913	----	----	----	----	1 UNCH
4680	3.60	3.60	#3.60/*2.10A	8.20B/*2.10A	----	2.60 NEW	.0364	----	----	3	----	3 + 3
4685	----	----	#201.50B/*105.0	#201.50B/105.00A	----	129.30 NEW	.9686	----	----	1	----	1 + 1
4685	----	----	----/*1.90A	7.50B/*1.90A	----	2.30 - 5.50	.0313	----	----	----	----	3 UNCH
4690	3.10	3.10	3.10/*1.70A	6.80B/*1.70A	----	2.10 - 5.10	.0277	----	----	1	----	6 + 1
4695	----	----	#211.30B/113.80	#211.30B/113.80A	----	138.90 - 0.80	.9756	----	----	----	----	1 UNCH
4695	3.00	3.00	#3.00/*1.50A	6.30B/*1.50A	----	1.90 NEW	.0243	----	----	1	----	1 + 1
4700	----	----	196.60B/113.90A	196.60B/113.90A	----	130.70 - 5.40	.7622	----	----	----	----	15 UNCH
4700	----	----	#216.20B/118.30	#216.20B/118.30A	----	143.70 - 0.50	.9788	----	----	----	----	27 UNCH
4700	26.00	26.00	34.40B/*18.90A	34.40B/*18.90A	----	22.60 - 9.10	.2375	----	----	4	----	14 + 3
4700	5.00	5.00	5.80B/*1.30	5.80B/*1.30	----	1.70 - 4.50	.0211	----	----	6	----	15 + 1
4710	----	----	#225.70B/127.40	#225.70B/127.40A	----	153.30 UNCH	.9836	----	----	----	----	25 UNCH
4720	3.00	3.00	#4.00/*1.00A	4.00/*1.00A	----	1.10 NEW	.0119	----	----	2	----	1 + 1
4720	----	----	#235.70B/*136.8	#235.70B/136.80A	----	163.10 + 0.60	.9880	----	----	1	----	3 UNCH
4725	----	----	#218.20B/131.90	#218.20B/131.90A	----	150.60 - 4.30	.8088	----	----	----	----	1 UNCH
4725	22.60	22.60	28.50/*15.10A	28.50/*15.10A	----	17.50 NEW	.1909	----	----	108	----	47 + 47
4725	----	----	----/*0.90A	3.70B/*0.90A	----	1.00 - 3.20	.0105	----	----	----	----	144 UNCH
4725	----	----	#240.60B/141.20	#240.60B/141.20A	----	168.00 + 0.80	.9894	----	----	1	----	2 UNCH
4730	----	----	#245.50B/*146.1	#245.50B/146.10A	----	172.90 + 1.00	.9908	----	----	----	----	1 UNCH
4730	2.50	2.50	3.40B/*0.80A	3.40B/*0.80A	----	0.90 - 3.00	.0091	----	----	3	----	4 + 3
4735	----	----	----/*0.80A	3.10B/*0.80A	----	0.80 NEW	.0078	----	----	3	----	3 + 3
4740	3.50	3.50	#3.50/*0.70A	3.50/*0.70A	----	0.70 NEW	.0065	----	----	1	----	1 + 1
4750	1.90	1.90	2.30B/*0.50A	2.30B/*0.50A	----	0.50 - 2.40	.0043	----	----	3	----	72 UNCH
4750	----	----	#265.20B/165.20	#265.20B/165.20A	----	192.50 + 1.60	.9957	----	----	1	----	2 + 1
4750	19.20	19.20	22.00B/*11.70A	22.00B/*11.70A	----	13.50 - 7.00	.1516	----	----	13	----	33 + 4
4755	----	----	----/*0.60A	2.10B/*0.60A	----	0.50 - 2.20	.0041	----	----	----	----	6 UNCH
4760	0.50	0.50	0.50/*0.50	1.90B/*0.50	----	0.40 - 2.10	.0031	----	----	1	----	5 + 1
4760	----	----	#274.90B/*175.0	#274.90B/175.00A	----	202.40 + 1.90	.9968	----	----	----	----	2 UNCH
4775	----	----	----/*0.40A	1.50B/*0.40A	----	0.30 - 1.70	.0021	----	----	----	----	55 UNCH
4775	17.10	17.10	17.60B/*9.00A	17.60B/*9.00A	----	10.40 - 6.00	.1194	----	----	4	----	30 + 3
4790	----	----	----/*0.40A	1.10B/*0.40A	----	0.20 - 1.40	.0012	----	----	----	----	1 UNCH
4800	----	----	----	171.00B/324.60A	----	242.10 + 2.60	.9988	----	----	----	----	1 UNCH
4800	1.30	1.30	1.30/*0.30A	1.30/*0.30A	----	0.20 - 1.20	.0011	----	----	1	----	30 + 1
4800	12.00	12.00	14.00B/*7.00A	14.00B/*7.00A	----	8.10 - 5.10	.0941	----	----	3	----	11 + 3
4825	----	----	----/*0.30A	0.60B/*0.30A	----	0.10 - 0.90	.0001	----	----	----	----	22 UNCH
4825	6.00	6.00	11.20B/*5.50A	11.20B/*5.50A	----	6.30 - 4.30	.0738	----	----	1	----	11 + 1
4825	----	----	----	196.90B/348.00A	----	267.10 + 3.10	.9999	----	----	----	----	1 UNCH
4850	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.60	.0000	----	----	----	----	42 UNCH
4850	----	----	8.90B/*4.40A	8.90B/*4.40A	----	5.00 - 3.60	.0585	----	----	----	----	3 UNCH
4875	----	----	7.10B/*3.50A	7.10B/*3.50A	----	4.00 - 3.00	.0465	----	----	1	----	3 UNCH
4875	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.40	.0000	----	----	----	----	3 UNCH
4900	----	----	#383.50B/284.70	#383.50B/284.70A	----	311.20 NEW	.9628	----	----	1	----	1 + 1
4900	5.30	5.30	5.70B/*2.90A	5.70B/*2.90A	----	3.20 - 2.50	.0370	----	----	3	----	6 UNCH
4900	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	----	----	----	----	----	26 UNCH
4925	----	----	----/*2.40A	4.70B/*2.40A	----	2.60 - 2.20	.0297	----	----	----	----	4 UNCH
4925	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	----	----	4 UNCH
4950	----	----	----	----/*0.40A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
4950	----	----	#432.60B/333.00	#432.60B/333.00A	----	360.10 NEW	.9752	----	----	1	----	1 + 1
4950	3.60	3.60	4.00B/*2.00A	4.00B/*2.00A	----	2.20 - 1.80	.0246	----	----	20	----	25 + 20
4975	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
4975	----	----	----/1.70A	3.10B/1.70A	----	1.80 - 1.60	.0199	----	----	5	----	11 + 2
4980	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5000	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
5000	----	----	----/1.50A	2.60B/1.50A	----	1.50 - 1.40	.0163	----	----	1	----	6 UNCH
5020	----	----	----	#392.80B/540.20A	----	462.10 + 4.00	1.0000	----	----	----	----	0 UNCH
5025	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5025	----	----	----	397.80B/545.20A	----	467.10 + 4.00	1.0000	----	----	----	----	0 UNCH
5050	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5075	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5100	1.70	1.70	1.70/1.00A	1.70/1.00A	----	0.70 - 0.80	.0071	----	----	10	----	18 + 10
5100	----	----	556.10B/518.80A	556.10B/518.80A	----	542.10 + 4.00	1.0000	2	----	----	----	0 - 2
5100	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
5125	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5125	----	----	----/0.90A	1.10B/0.90A	----	0.60 - 0.60	.0060	----	----	----	----	11 UNCH
5150	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5200	----	----	----/*0.70A	0.70B/*0.70A	----	0.30 - 0.50	.0029	----	----	----	----	9 UNCH
5200	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5225	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5250	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5250	----	----	----	0.60B/0.80A	----	0.20 - 0.40	.0018	----	----	----	----	2 UNCH
5300	----	----	----	----/1.00A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
5300	----	----	0.50B/----	0.50B/0.80A	----	0.20 - 0.20	.0017	----	----	----	----	6 UNCH
5400	----	----	----	----/0.90A	----	0.10 - 0.20	.0008	----	----	----	----	1 UNCH
5400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5500	----	----	----	----/*0.40A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
5600	----	----	----	----/8.80A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5600	----	----	----	----/0.90A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
TOTAL										1475		3251+ 780
JUN26												
3900	----	----	----/2.60A	2.40B/2.60A	----	2.00 - 1.00	.0131	----	----	----	----	7 UNCH
4000	----	----	----/3.40A	3.40B/3.40A	----	2.90 - 1.20	.0202	----	----	----	----	2 UNCH
4200	----	----	#20.90B/*13.20A	#20.90B/13.20A	----	12.90 - 1.80	.0833	----	----	----	----	1 UNCH
4200	----	----	#14.80B/7.20A	#14.80B/7.20A	----	7.40 - 2.40	.0563	----	----	----	----	1 UNCH
4250	----	----	#19.10B/9.30A	#19.10B/9.30A	----	9.80 - 2.80	.0751	----	----	----	----	2 UNCH
4250	----	----	#27.40B/*16.40A	#27.40B/16.40A	----	16.50 - 2.20	.1063	----	----	----	----	1 UNCH
4275	----	----	#31.70B/*18.60A	#31.70B/18.60A	----	18.80 - 2.50	.1204	----	----	----	----	1 UNCH
4275	----	----	#22.00B/10.70A	#22.00B/10.70A	----	11.30 - 3.20	.0868	----	----	----	----	1 UNCH
4300	----	----	#27.30B/12.30A	#27.30B/12.30A	----	13.10 - 3.50	.1006	----	----	----	----	2 UNCH
4325	----	----	#29.20B/14.40A	#29.20B/14.40A	----	15.20 - 4.00	.1166	----	----	----	----	1 UNCH
4375	----	----	#40.60B/19.80A	#40.60B/19.80A	----	21.00 - 4.80	.1580	----	----	----	----	8 UNCH
4400	----	----	#47.10B/23.20A	#47.10B/23.20A	----	24.80 - 5.30	.1838	----	----	----	----	1 UNCH
4450	----	----	#63.00B/31.80A	#63.00B/31.80A	----	34.70 NEW	.2462	----	----	----	200	200 + 200
4500	----	----	158.90B/*115.60	158.90B/*115.60A	----	140.00 - 10.40	.6766	----	----	----	----	2 UNCH
4550	----	----	#101.00B/59.50A	#101.00B/59.50A	----	66.40 - 7.00	.4114	----	----	----	----	2 UNCH
4575	79.20	79.20	#114.30B/69.00A	#114.30B/69.00A	----	77.20 NEW	.4585	----	----	8	----	8 + 8
4575	----	----	#135.60B/*89.20	#135.60B/89.20A	----	96.30 NEW	.4624	----	----	1	----	1 + 1
4575	----	----	#129.30B/*96.40	129.30B/*96.40A	----	113.10 NEW	.5369	----	----	1	----	1 + 1
4600	----	----	#129.10B/79.90A	#129.10B/79.90A	----	89.30 - 6.70	.5066	----	----	----	----	2 UNCH
4625	----	----	#143.30B/91.70A	#143.30B/91.70A	----	102.70 - 6.40	.5546	----	----	----	----	1 UNCH
4675	----	----	#178.40B/119.80	#178.40B/119.80A	----	133.20 - 5.50	.6472	----	----	----	----	1 UNCH
4700	----	----	54.50B/*36.00A	54.50B/*36.00A	----	42.20 - 8.60	.3094	----	----	1	----	2 + 1
4700	----	----	#197.40B/135.40	#197.40B/135.40A	----	150.30 - 4.90	.6901	----	----	----	----	1 UNCH
4775	----	----	#276.10B/*207.7	#276.10B/207.70A	----	222.30 NEW	.7478	----	----	2	----	2 + 2
4800	----	----	27.50B/*18.70A	27.50B/*18.70A	----	20.60 - 6.00	.1717	----	----	----	----	1 UNCH
4825	18.90	18.90	23.20B/*15.70A	23.20B/*15.70A	----	17.20 - 5.40	.1465	----	----	2	----	1 - 1
4850	----	----	19.40B/*13.20A	19.40B/*13.20A	----	14.40 - 4.80	.1249	----	----	----	----	1 UNCH
4900	----	----	----/*18.10A	24.00B/*18.10A	----	19.30 - 4.80	.1370	----	----	----	----	8 UNCH
4900	10.80	10.80	10.80/*9.60A	14.00B/*9.60A	----	10.10 - 3.90	.0901	----	----	1	----	4 + 1
4950	----	----	----/*6.90A	10.10B/*6.90A	----	7.30 - 3.00	.0659	----	----	----	----	1 UNCH
4950	----	----	----/*14.00A	18.10B/*14.00A	----	14.60 - 3.70	.1065	----	----	----	----	1 UNCH
4975	----	----	----/*6.10A	8.60B/*6.10A	----	6.20 - 2.60	.0562	----	----	----	----	1 UNCH
5000	10.40	10.40	#10.40/*10.40	13.50B/*10.40	----	11.30 NEW	.0837	----	----	1	----	1 + 1
5025	10.10	10.10	#12.40B/*9.80A	12.40B/*9.80A	----	10.00 NEW	.0744	----	----	2	----	2 + 2
5050	----	----	----/*4.00A	5.40B/*4.00A	----	4.10 - 1.70	.0368	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
5075	8.50	8.50	#8.50/*8.20A	9.60B/*8.20A	----	8.10 NEW	.0601	----	----	1	----	1 + 1
5150	----	----	----/*2.70A	3.10B/*2.70A	----	2.60 - 1.00	.0225	----	----	----	----	2 UNCH
TOTAL										20	200	277 + 217

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
4000	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 - 0.10	----	----	----	4	----	9 + 4
4100	0.50	0.50	0.70B/*0.30	0.70B/*0.30	----	0.10 - 0.30	----	----	----	3	----	3 + 2
4150	----	----	1.20B/*0.30A	1.20B/*0.30A	----	0.10 - 0.40	----	----	----	----	----	3 UNCH
4175	----	----	1.50B/*0.30A	1.50B/*0.30A	----	0.10 - 0.50	----	----	----	----	----	2 UNCH
4200	0.70	0.70	1.90B/*0.20A	1.90B/*0.20A	----	0.10 - 0.70	----	----	----	51	----	57 + 50
4230	0.20	0.20	2.50B/*0.20	2.50B/*0.20	----	0.10 - 0.90	.0000	----	----	4	----	5 + 4
4235	1.30	1.30	2.80B/*0.30A	2.80B/*0.30A	----	0.10 - 0.90	.0000	----	----	8	----	9 + 8
4240	0.40	0.40	2.90B/*0.20A	2.90B/*0.20A	----	0.10 - 1.00	.0000	----	----	15	----	16 + 15
4245	----	----	3.20B/*0.30A	3.20B/*0.30A	----	0.10 - 1.00	.0000	----	----	----	----	1 UNCH
4250	----	----	3.30B/*0.20A	3.30B/*0.20A	----	0.10 - 1.10	.0000	----	----	----	----	12 UNCH
4255	0.40	0.40	#3.50B/*0.20	#3.50B/*0.20	----	0.10 - 1.10	.0000	----	----	12	----	15 + 12
4260	0.20	0.20	3.50B/*0.20	3.50B/*0.20	----	0.10 - 1.20	.0000	----	----	1	----	7 + 1
4265	----	----	3.70B/*0.30A	3.70B/*0.30A	----	0.20 - 1.10	.0001	----	----	----	----	4 UNCH
4270	1.70	1.70	3.70B/*0.30A	3.70B/*0.30A	----	0.20 - 1.20	.0001	----	----	25	----	26 + 25
4275	0.40	0.40	4.10B/*0.30	4.10B/*0.30	----	0.20 - 1.20	.0001	----	----	14	----	14 + 13
4290	0.40	0.40	4.50B/*0.40	4.50B/*0.40	----	0.30 - 1.30	.0003	----	----	1	----	2 + 1
4295	2.40	2.40	4.80B/*0.40A	4.80B/*0.40A	----	0.30 - 1.40	.0003	----	----	1	----	5 + 1
4300	----	----	287.20B/*191.80	287.20B/*191.80A	----	258.30 NEW	.9996	----	----	2	----	2 + 2
4300	3.50	3.50	5.30B/*0.20	5.30B/*0.20	----	0.30 - 1.40	.0003	----	----	17	----	32 + 13
4305	----	----	5.20B/*0.40A	5.20B/*0.40A	----	0.30 - 1.50	.0003	----	----	----	----	5 UNCH
4310	----	----	#5.50B/*0.40A	#5.50B/*0.40A	----	0.40 - 1.50	.0005	----	----	2	----	3 - 1
4315	0.70	0.70	#6.00B/*0.50	#6.00B/*0.50	----	0.40 - 1.60	.0005	----	----	6	----	6 + 4
4320	----	----	#6.10B/*0.50A	#6.10B/*0.50A	----	0.40 - 1.60	.0006	----	----	2	----	1 UNCH
4325	0.30	0.30	6.30B/*0.30	6.30B/*0.30	----	0.40 - 1.70	.0006	----	----	8	----	18 + 7
4335	0.40	0.40	#7.10B/*0.40	#7.10B/*0.40	----	0.50 - 1.80	.0009	----	----	11	----	16 - 4
4340	----	----	#7.80B/*0.60A	#7.80B/*0.60A	----	0.50 - 2.00	.0009	----	----	----	----	1 UNCH
4345	0.90	0.90	#8.20B/*0.50A	#8.20B/*0.50A	----	0.50 - 2.10	.0009	----	----	3	----	3 + 1
4350	0.80	0.80	8.50B/*0.30	8.50B/*0.30	----	0.50 - 2.20	.0010	----	----	14	----	205 + 3
4355	0.90	0.90	#9.00B/*0.60A	#9.00B/*0.60A	----	0.50 - 2.30	.0010	----	----	1	----	23 + 1
4360	0.70	0.70	#9.70B/*0.70	#9.70B/*0.70	----	0.60 - 2.40	.0014	----	----	2	----	9 + 2
4365	----	----	#10.10B/*0.70A	#10.10B/*0.70A	----	0.60 - 2.50	.0014	----	----	1	----	2 + 1
4375	10.00	10.00	11.70B/*0.80A	11.70B/*0.80A	----	0.70 - 2.80	.0019	----	----	11	----	22 + 11
4380	7.30	7.30	#12.20B/*0.90A	#12.20B/*0.90A	----	0.70 - 3.00	.0020	----	----	4	----	5 + 2
4385	----	----	#13.00B/*0.90A	#13.00B/*0.90A	----	0.70 - 3.20	.0021	----	----	----	----	1 UNCH
4390	1.00	1.00	#13.80B/*0.90A	#13.80B/*0.90A	----	0.80 - 3.30	.0026	----	----	1	----	4 + 1
4395	4.50	4.50	#14.60B/*1.00A	#14.60B/*1.00A	----	0.80 - 3.50	.0028	----	----	2	----	4 + 1
4400	6.20	6.20	14.80B/*1.00	14.80B/*1.00	----	0.90 - 3.70	.0034	----	----	32	----	203 - 3
4405	1.10	1.10	#15.80B/*1.10	#15.80B/*1.10	----	1.00 - 3.90	.0041	----	----	2	----	4 + 1
4410	1.00	1.00	#16.70B/*1.00	#16.70B/*1.00	----	1.00 - 4.20	.0043	----	----	3	----	4 + 3
4415	1.30	1.30	#17.60B/*1.30	#17.60B/*1.30	----	1.10 - 4.40	.0051	----	----	1	----	3 UNCH
4420	----	----	#18.70B/*1.30A	#18.70B/*1.30A	----	1.20 NEW	.0060	----	----	3	----	1 + 1
4425	8.60	8.60	20.00B/*1.20	20.00B/*1.20	----	1.30 - 4.90	.0070	----	----	254	----	376 - 70
4430	9.50	9.50	#20.90B/*1.50A	#20.90B/*1.50A	----	1.40 NEW	.0081	----	----	8	----	2 + 2
4435	----	----	#23.00B/*1.60A	#23.00B/*1.60A	----	1.50 NEW	.0093	----	----	1	----	1 + 1
4440	10.10	10.10	#23.50B/*1.70	#23.50B/*1.70	----	1.70 - 5.80	.0115	----	----	42	----	45 + 35
4445	2.00	2.00	#25.00B/*1.90A	#25.00B/*1.90A	----	1.90 NEW	.0139	----	----	10	----	10 + 10
4450	11.00	11.00	26.20B/*2.00	26.20B/*2.00	----	2.00 - 6.50	.0156	----	----	136	----	118 + 84
4460	13.60	13.60	#29.40B/2.40A	#29.40B/2.40A	----	2.50 NEW	.0228	----	----	13	----	8 + 8
4465	5.80	5.80	#31.20B/2.60A	#31.20B/2.60A	----	2.80 NEW	.0275	----	----	3	----	3 + 3
4465	----	----	124.60B/*55.60A	124.60B/*55.60A	----	95.80 NEW	.9724	----	----	2	----	1 + 1
4475	----	----	115.00B/*49.70A	115.00B/*49.70A	----	86.40 NEW	.9613	----	----	1	----	1 + 1
4475	20.40	20.40	35.00B/3.00A	35.00B/3.00A	----	3.40 - 8.40	.0386	----	----	13	----	11 + 4
4480	34.80	34.80	#37.10B/3.30A	#37.10B/3.30A	----	3.80 NEW	.0462	----	----	24	----	22 + 22
4485	4.80	4.80	#39.30B/3.60A	#39.30B/3.60A	----	4.30 - 9.20	.0560	----	----	4	----	5 + 1
4490	6.00	6.00	#41.90B/3.90A	#41.90B/3.90A	----	4.80 NEW	.0667	----	----	48	----	23 + 23
4495	41.00	41.00	96.20B/*38.50A	96.20B/*38.50A	----	68.40 NEW	.9200	----	----	4	----	2 + 2
4495	12.60	12.60	#44.20B/4.30A	#44.20B/4.30A	----	5.40 - 10.10	.0799	----	----	9	----	8 + 7
4500	27.10	27.10	46.70B/4.80A	46.70B/4.80A	----	6.10 - 10.50	.0957	----	----	222	----	87 + 31
4500	----	----	91.90B/*36.00A	91.90B/*36.00A	----	64.10 - 14.30	.9042	----	----	12	----	6 + 4
4505	23.90	23.90	#49.30B/5.40A	#49.30B/5.40A	----	6.80 NEW	.1129	----	----	9	----	4 + 4
4510	32.00	32.00	#52.10B/5.90A	#52.10B/5.90A	----	7.70 - 11.30	.1344	----	----	39	----	15 + 12
4515	----	----	#54.70B/6.60A	#54.70B/6.60A	----	8.60 - 11.70	.1577	----	----	7	----	5 + 1
4515	----	----	78.30B/*29.30A	78.30B/*29.30A	----	51.60 NEW	.8422	----	----	1	----	1 + 1
4520	13.40	13.40	#58.00B/7.20A	#58.00B/7.20A	----	9.70 - 12.00	.1853	----	----	349	----	296 + 294
4520	45.30	45.30	74.00B/*27.20A	74.00B/*27.20A	----	47.70 NEW	.8146	----	----	5	----	3 + 3
4525	28.80	28.80	61.20B/8.00A	61.20B/8.00A	----	10.90 - 12.30	.2162	----	----	18	----	18 + 15
4525	39.20	39.20	70.00B/*25.30A	70.00B/*25.30A	----	43.90 NEW	.7837	----	----	2	----	2 + 2
4530	19.20	19.20	#64.50B/8.90A	#64.50B/8.90A	----	12.20 - 12.60	.2502	----	----	56	----	52 + 47
4530	30.00	30.00	65.60B/*23.40A	65.60B/*23.40A	----	40.20 NEW	.7497	----	----	6	----	1 + 1
4535	15.00	15.00	#67.70B/9.80A	#67.70B/9.80A	----	13.70 - 12.90	.2882	----	----	4	----	6 + 3
4540	30.00	30.00	57.70B/*20.10A	57.70B/*20.10A	----	33.30 NEW	.6708	----	----	8	----	4 + 4
4540	34.10	34.10	#71.10B/10.90A	#71.10B/10.90A	----	15.30 NEW	.3291	----	----	14	----	11 + 11
4545	36.70	36.70	53.70B/*18.60A	53.70B/*18.60A	----	30.20 NEW	.6261	----	----	7	----	6 + 6
4545	36.50	36.50	#74.60B/12.00A	#74.60B/12.00A	----	17.20 - 13.10	.3738	----	----	11	----	12 + 6
4550	31.30	31.30	78.30B/13.00	78.30B/13.00	----	19.10 - 13.20	.4200	----	----	66	----	93 + 31
4550	32.00	32.00	50.10B/*17.20A	50.10B/*17.20A	----	27.10 - 17.10	.5799	----	----	82	----	72 + 56
4555	38.00	38.00	#82.00B/14.70A	#82.00B/14.70A	----	21.30 - 13.20	.4686	----	----	24	----	15 + 14
4555	38.20	38.20	46.50B/*15.90A	46.50B/*15.90A	----	24.30 NEW	.5313	----	----	24	----	21 + 21
4560	28.40	28.40	42.90B/*14.60A	42.90B/*14.60A	----	21.70 NEW	.4819	----	----	56	----	48 + 48
4560	21.70	21.70	#85.80B/16.20A	#85.80B/16.20A	----	23.70 NEW	.5180	----	----	9	----	3 + 3
4565	25.40	25.40	#89.70B/17.90A	#89.70B/17.90A	----	26.30 - 12.80	.5675	----	----	8	----	4 + 3
4565	36.00	36.00	39.60B/*12.90A	39.60B/*12.90A	----	19.30 - 16.70	.4324	----	----	20	----	9 + 7
4570	23.00	23.00	#93.80B/19.70A	#93.80B/19.70A	----	29.00 - 12.60	.6166	----	----	2	----	4 + 2
4570	26.10	26.10	36.60B/*11.20A	36.60B/*11.20A	----	17.00 - 16.50	.3833	----	----	22	----	12 + 10
4575	29.00	29.00	97.80B/21.30	97.80B/21.30	----	32.00 - 12.20	.6635	----	----	11	----	5 + 3
4575	22.20	22.20	33.60B/*9.00	33.60B/*9.00	----	15.00 - 16.20	.3364	----	----	19	----	18 + 10
4580	24.00	24.00	30.70B/*8.50A	30.70B/*8.50A	----	13.10 - 15.80	.2912	----	----	32	----	22 + 19
4580	24.20	24.20	#102.00B/23.80A	#102.00B/23.80A	----	35.10 - 11.90	.7087	----	----	3	----	8 + 3
4585	13.00	13.00	28.00B/*7.20A	28.00B/*7.20A	----	11.40 - 15.30	.2491	----	----	42	----	24 - 6
4585	----	----	#106.30B/26.20A	#106.30B/26.20A	----	38.40 - 11.40	.7508	----	----	3	----	3 - 1
4590	15.10	15.10	25.50B/*6.30A	25.50B/*6.30A	----	9.90 - 14.80	.2108	----	----	28	----	18 + 17
4590	----	----	#110.60B/28.60A	#110.60B/28.60A	----	41.90 - 10.90	.7891	----	----	1	----	3 + 1
4595	----	----	#114.90B/31.30A	#114.90B/31.30A	----	45.60 - 10.30	.8231	----	----	----	----	12 UNCH
4595	7.60	7.60	23.20B/*5.40A	23.20B/*5.40A	----	8.60 - 14.20	.1768	----	----	13	----	10 + 8
4600	48.20	48.20	119.20B/34.00A	119.20B/34.00A	----	49.40 - 9.70	.8537	----	----	5	----	27 + 2
4600	15.00	15.00	21.20B/*4.60A	21.20B/*4.60A	----	7.40 - 13.60	.1461	----	----	227	----	184 + 131
4605	41.60	41.60	#123.70B/36.80A	#123.70B/36.80A	----	53.40 - 9.00	.8796	----	----	12	----	11 + 10
4605	9.50	9.50	19.20B/*4.00A	19.20B/*4.00A	----	6.40 - 12.90	.1203	----	----	21	----	43 + 19
4610	----	----	#128.20B/40.00A	#128.20B/40.00A	----	57.50 - 8.40	.9021	----	----	----	----	3 UNCH
4610	13.10	13.10	17.40B/*3.40A	17.40B/*3.40A	----	5.50 NEW	.0978	----	----	26	----	10 + 10
4615	73.10	73.10	#133.10B/43.30A	#133.10B/43.30A	----	61.70 - 7.70	.9214	----	----	5	----	8 + 4
4615	7.40	7.40	7.40/*2.90A	15.70B/*2.90A	----	4.70 NEW	.0785	----	----	15	----	8 + 8
4620	77.00	77.00	#137.70B/46.50A	#137.70B/46.50A	----	66.00 - 7.00	.9375	----	----	1	----	2 + 1
4620	6.90	6.90	14.20B/*2.50A	14.20B/*2.50A	----	4.00 - 11.00	.0624	----	----	20	----	15 + 9
4625	----	----	142.40B/50.00A	142.40B/50.00A	----	70.40 - 6.40	.9507	----	----	4	----	51 + 2
4625	6.30	6.30	12.80B/*2.10A	12.80B/*2.10A	----	3.40 - 10.30	.0492	----	----	23	----	19 + 18
4630	8.50	8.50	11.50B/*1.90A	11.50B/*1.90A	----	2.90 - 9.60	.0387	----	----	5	----	24 + 3
4630	----	----	#147.10B/53.80A	#147.10B/53.80A	----	74.90 NEW	.9612	----	----	1	----	1 + 1
4635	3.50	3.50	3.80/*1.60A	10.30B/*1.60A	----	2.50 - 8.90	.0306	----	----	9	----	8 + 6
4635	----	----	#151.80B/57.40A	#151.80B/57.40A	----	79.50 NEW	.9693	----	----	2	----	1 + 1
4640	6.60	6.60	9.20B/*1.40A	9.20B/*1.40A	----	2.10 - 8.30	.0235	----	----	9	----	9 + 2
4645	6.60	6.60	8.30B/*1.20A	8.30B/*1.20A	----	1.80 - 7.70	.0183	----	----	4	----	22 - 1
4650	5.80	5.80	7.40B/*1.10A	7.40B/*1.10A	----	1.50 - 7.20	.0137	----	----	46	----	81 + 20
4650	----	----	166.20B/69.70A	166.20B/69.70A	----	93.50 - 3.30	.9862	----	----	1	----	61 + 1
4655	5.20	5.20	6.60B/*1.00A	6.60B/*1.00A	----	1.30 - 6.60	.0108	----	----	13	----	38 + 4
4660	----	----	#175.90B/78.20A	#175.90B/78.20A	----	103.10 - 2.20	.9917	----	----	----	----	1 UNCH
4660	5.60	5.60	5.90B/*0.80A	5.90B/*0.80A	----	1.10 - 6.10	.0082	----	----	33	----	33 + 26
4665	----	----	#180.70B/82.60A	#180.70B/82.60A	----	107.90 NEW	.9940	----	----	4	----	4 + 4
4665	4.10	4.10	4.40/*0.70A	5.20B/*0.70A	----	0.90 - 5.70	.0059	----	----	17	----	18 + 14
4670	3.60	3.60	3.90/*0.60A	4.60B/*0.60A	----	0.80 - 5.20	.0048	----	----	4	----	37 + 4
4675	----	----	#190.50B/91.60A	#190.50B/91.60A	----	117.60 - 0.90	.9962	----	----	----	----	1 UNCH
4675	3.50	3.50	4.10B/*0.40	4.10B/*0.40	----	0.70 - 4.70	.0038	----	----	47	----	39 + 37
4680	2.20	2.20	3.70B/*0.40	3.70B/*0.40	----	0.50 NEW	.0022	----	----	15	----	13 + 13
4685	----	----	----/*0.40A	3.30B/*0.40A	----	0.40 - 4.10	.0015	----	----	----	----	1 UNCH
4690	2.50	2.50	2.50/*0.20	2.90B/*0.20	----	0.40 NEW	.0014	----	----	14	----	14 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3										
MAY26												
4700	----	----	#215.10B/115.00	#215.10B/115.00A	----	142.20 + 0.80	.9995	----	----	----	----	42 UNCH
4700	2.00	2.00	2.60/*0.10	2.60/*0.10	----	0.20 - 3.20	.0004	----	----	75	----	128 + 39
4710	----	----	#225.00B/124.40	#225.00B/124.40A	----	152.20 + 1.40	.9996	----	----	----	----	25 UNCH
4715	----	----	#229.80B/129.50	#229.80B/129.50A	----	157.10 + 1.50	.9999	----	----	----	----	1 UNCH
4715	----	----	----/*0.20A	1.60B/*0.20A	----	0.10 - 2.40	.0001	----	----	----	----	1 UNCH
4720	0.20	0.20	0.20/*0.20	1.40B/*0.20	----	0.10 NEW	.0000	----	----	10	----	10 + 10
4725	0.90	0.90	1.60/*0.20	1.60/*0.20	----	0.10 - 2.00	.0000	----	----	48	----	39 - 7
4725	----	----	#239.70B/139.20	#239.70B/139.20A	----	167.10 + 1.90	1.0000	1	----	1	----	1 - 1
4735	0.40	0.40	0.40/*0.20A	1.00B/*0.20A	----	0.10 - 1.70	.0000	----	----	2	----	22 + 1
4740	----	----	----/*0.20A	0.80B/*0.20A	----	0.10 - 1.50	.0000	----	----	2	----	8 + 2
4745	----	----	#259.70B/158.60	#259.70B/158.60A	----	187.10 + 2.60	1.0000	----	----	----	----	2 UNCH
4745	----	----	----/*0.20A	0.80B/*0.20A	----	0.10 - 1.40	.0000	----	----	----	----	2 UNCH
4750	----	----	#264.70B/163.50	#264.70B/163.50A	----	192.10 + 2.70	1.0000	----	----	1	----	1 UNCH
4750	0.60	0.60	0.60/*0.20	0.80B/*0.20	----	0.10 - 1.20	.0000	----	----	7	----	40 + 5
4755	0.80	0.80	0.80/*0.20A	0.80/*0.20A	----	0.10 - 1.10	----	----	----	4	----	5 + 3
4755	----	----	#269.70B/168.70	#269.70B/168.70A	----	197.10 + 2.80	1.0000	----	----	----	----	2 UNCH
4765	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	1 UNCH
4770	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.10 - 0.80	----	----	----	2	----	3 + 2
4775	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	20 UNCH
4780	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	1 UNCH
4795	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.50	----	----	----	----	----	13 UNCH
4800	----	----	260.60B/214.30A	260.60B/214.30A	----	242.10 + 3.50	1.0000	----	----	----	----	1 UNCH
4800	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.10 - 0.50	----	----	----	11	----	74 + 10
4820	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4825	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	28 UNCH
4840	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	0 UNCH
4845	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	26 UNCH
4850	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	8 UNCH
4875	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
4900	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
4905	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4925	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
4935	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4950	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
4975	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5000	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
5025	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5025	----	----	#485.50B/439.00	#485.50B/439.00A	----	467.10 + 4.00	1.0000	----	----	----	----	0 UNCH
5040	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5075	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	5 - 1
5100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5100	----	----	#560.50B/513.90	#560.50B/513.90A	----	542.10 + 4.00	1.0000	----	----	----	----	0 UNCH
5150	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5200	----	----	#660.50B/613.90	#660.50B/613.90A	----	642.10 + 4.00	1.0000	----	----	----	----	0 UNCH
5200	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5225	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5300	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										2822		3770 + 1436
JUN26												
3250	----	----	----	----/1.80A	----	0.20 - 0.30	.0009	----	----	----	----	2 UNCH
3700	----	----	----	0.80B/3.90A	----	2.20 + 0.20	.0117	----	----	----	----	3 UNCH
4000	----	----	#6.60B/----	#6.60B/6.70A	----	5.00 - 0.50	.0316	----	----	----	----	1 UNCH
4000	----	----	----/3.00A	3.60B/3.00A	----	2.50 - 1.40	.0178	----	----	----	----	1 UNCH
4100	----	----	6.90B/4.20A	6.90B/4.20A	----	3.90 - 1.80	.0294	----	----	----	----	2 UNCH
4150	----	----	9.40B/5.10A	9.40B/5.10A	----	4.90 - 2.10	.0380	----	----	----	----	2 UNCH
4175	----	----	#18.30B/*10.00A	#18.30B/10.00A	----	10.40 NEW	.0692	----	----	1	----	1 + 1
4175	----	----	10.70B/5.60A	10.70B/5.60A	----	5.60 - 2.30	.0438	----	----	----	----	1 UNCH
4200	----	----	#20.50B/*11.40A	#20.50B/11.40A	----	11.80 - 2.00	.0785	----	----	----	----	1 UNCH
4200	----	----	12.50B/6.30A	12.50B/6.30A	----	6.50 - 2.40	.0511	----	----	----	----	1 UNCH
4200	----	----	#25.50B/*17.40A	#25.50B/17.40A	----	17.40 - 2.20	.1011	----	----	----	----	2 UNCH
4225	----	----	#23.10B/12.90A	#23.10B/12.90A	----	13.40 NEW	.0891	----	----	2	----	2 + 2
4225	----	----	16.00B/7.10A	16.00B/7.10A	----	7.40 - 2.70	.0587	----	----	----	----	2 UNCH
4250	----	----	#26.60B/14.70A	#26.60B/14.70A	----	15.20 - 2.70	.1010	----	----	----	----	3 UNCH
4250	----	----	#33.10B/21.90A	#33.10B/21.90A	----	22.40 - 2.00	.1278	----	----	----	----	1 UNCH
4250	349.00	349.00	#386.40B/*319.9	386.40B/*319.90A	----	363.40 NEW	.8715	----	----	1	----	1 + 1
4275	----	----	#29.70B/16.70A	#29.70B/16.70A	----	17.40 - 3.10	.1149	----	----	1	----	7 + 1
4275	----	----	#36.90B/24.30A	#36.90B/24.30A	----	25.30 - 2.30	.1430	----	----	1	----	2 + 1
4300	309.00	309.00	342.10B/*279.50	342.10B/*279.50A	----	319.90 NEW	.8389	----	----	1	----	1 + 1
4300	----	----	24.70B/10.90A	24.70B/10.90A	----	11.50 - 3.50	.0924	----	----	----	----	1 UNCH
4300	----	----	#34.60B/19.20A	#34.60B/19.20A	----	20.00 - 3.40	.1310	----	----	3	----	4 + 2
4300	----	----	#42.60B/27.80A	#42.60B/27.80A	----	28.80 NEW	.1604	----	----	1	----	1 + 1
4350	----	----	32.70B/14.70A	32.70B/14.70A	----	15.90 - 4.30	.1268	----	----	----	----	4 UNCH
4350	----	----	#44.80B/25.50A	#44.80B/25.50A	----	26.40 - 4.20	.1692	----	----	----	----	5 UNCH
4375	----	----	#51.80B/29.30A	#51.80B/29.30A	----	30.60 - 4.40	.1926	----	----	----	----	2 UNCH
4375	----	----	38.00B/17.70A	38.00B/17.70A	----	18.80 - 4.80	.1486	----	----	----	----	1 UNCH
4400	----	----	44.30B/20.70A	44.30B/20.70A	----	22.30 - 5.30	.1739	----	----	----	----	1 UNCH
4400	----	----	#59.20B/33.90A	#59.20B/33.90A	----	35.30 NEW	.2181	----	----	3	----	3 + 3
4425	----	----	#67.00B/38.90A	#67.00B/38.90A	----	40.90 - 4.70	.2466	----	----	----	----	1 UNCH
4425	----	----	51.60B/24.60A	51.60B/24.60A	----	26.60 - 5.80	.2035	----	----	----	----	1 UNCH
4425	----	----	239.80B/*189.70	239.80B/*189.70A	----	220.90 NEW	.7243	----	----	2	----	1 + 1
4425	----	----	#76.90B/50.60A	#76.90B/50.60A	----	54.50 - 2.60	.2749	----	----	----	----	20 UNCH
4450	----	----	#75.70B/44.40A	#75.70B/44.40A	----	47.20 - 4.80	.2775	----	----	----	----	4 UNCH
4450	----	----	59.90B/29.10A	59.90B/29.10A	----	31.70 - 6.20	.2370	----	----	----	----	2 UNCH
4475	----	----	#85.40B/50.80A	#85.40B/50.80A	----	54.40 - 4.80	.3108	----	----	----	----	3 UNCH
4500	----	----	79.00B/40.50A	79.00B/40.50A	----	44.80 - 6.90	.3157	----	----	----	----	1 UNCH
4500	----	----	#96.40B/57.60A	#96.40B/57.60A	----	62.50 - 4.90	.3462	----	----	----	----	3 UNCH
4500	----	----	#114.20B/71.80A	#114.20B/71.80A	----	77.40 - 3.90	.3634	----	----	1	----	0 - 1
4525	----	----	#124.60B/80.60A	#124.60B/80.60A	----	86.90 - 4.30	.3960	----	----	----	----	3 UNCH
4550	97.50	97.50	123.90B/*82.50A	123.90B/*82.50A	----	104.20 NEW	.5916	----	----	2	----	1 + 1
4550	----	----	#130.80B/89.80A	#130.80B/89.80A	----	97.50 - 4.60	.4297	----	----	----	----	100 UNCH
4575	----	----	#130.10B/85.10A	#130.10B/85.10A	----	92.80 - 5.10	.4619	----	----	----	----	9 UNCH
4575	----	----	109.60B/*71.30A	109.60B/*71.30A	----	90.00 - 10.80	.5422	----	----	----	----	1 UNCH
4575	----	----	141.00B/*106.00	141.00B/*106.00A	----	125.80 - 8.40	.5353	----	----	----	----	1 UNCH
4600	----	----	95.00B/*62.00A	95.00B/*62.00A	----	77.10 - 10.60	.4917	----	----	----	----	4 UNCH
4600	----	----	125.50B/76.00A	125.50B/76.00A	----	85.30 - 6.90	.5078	----	----	----	----	25 UNCH
4600	----	----	#157.80B/111.70	#157.80B/111.70A	----	121.50 - 4.60	.4984	----	----	1	----	0 - 1
4600	100.00	100.00	128.00/*94.90A	128.00/*94.90A	----	113.30 NEW	.5008	----	----	162	----	60 + 60
4625	----	----	#158.90B/108.40	#158.90B/108.40A	----	118.20 - 5.30	.5425	----	----	1	----	9 + 1
4650	----	----	157.00B/101.40A	157.00B/101.40A	----	113.40 - 6.20	.6080	----	----	----	----	1 UNCH
4650	----	----	#174.20B/121.90	#174.20B/121.90A	----	132.60 - 5.20	.5822	----	----	1	----	0 - 1
4675	----	----	175.30B/115.90A	175.30B/115.90A	----	129.40 - 5.70	.6554	----	----	----	----	1 UNCH
4675	----	----	78.20B/*54.70A	78.20B/*54.70A	----	64.90 NEW	.3784	----	----	3	----	3 + 3
4675	----	----	60.10B/*38.60A	60.10B/*38.60A	----	46.30 - 9.40	.3441	----	----	----	----	1 UNCH
4675	----	----	#191.60B/136.20	#191.60B/136.20A	----	148.00 - 5.20	.6209	----	----	----	----	1 UNCH
4700	----	----	#209.90B/151.60	#209.90B/151.60A	----	164.40 - 5.10	.6581	----	----	----	----	1 UNCH
4700	----	----	50.90B/*33.20A	50.90B/*33.20A	----	38.60 NEW	.2995	----	----	1	----	1 + 1
4700	----	----	83.00B/*61.80A	83.00B/*61.80A	----	72.60 - 7.10	.3676	----	----	2	----	16 + 1
4725	----	----	42.90B/*28.40A	42.90B/*28.40A	----	32.00 - 8.20	.2583	----	----	----	----	1 UNCH
4725	----	----	60.10B/*42.40A	60.10B/*42.40A	----	48.90 - 8.60	.3062	----	----	----	----	0 UNCH
4750	----	----	235.40B/168.90A	235.40B/168.90A	----	184.50 - 3.70	.7787	----	----	----	----	1 UNCH
4750	----	----	50.80B/*37.00A	50.80B/*37.00A	----	42.30 - 8.30	.2734	----	----	----	----	3 UNCH
4775	----	----	257.00B/188.00A	257.00B/188.00A	----	204.80 - 3.00	.8117	----	----	----	----	2 UNCH
4775	----	----	----/*32.40A	43.60B/*32.40A	----	36.60 - 7.90	.2432	----	----	3	----	4 + 3
4775	----	----	29.90B/*19.70A	29.90B/*19.70A	----	21.80 - 6.80	.1879	----	----	1	----	1 UNCH
4800	----	----	----/*28.50A	38.30B/*28.50A	----	31.60 - 7.50	.2154	----	----	----	----	5 UNCH
4800	----	----	24.80B/*16.40A	24.80B/*16.40A	----	18.00 - 6.10	.1591	----	----	----	----	3 UNCH
4800	----	----	52.50B/*39.00A	52.50B/*39.00A	----	45.00 - 5.30	.2540	----	----	----	----	6 UNCH
4825	----	----	----/*24.80A	34.20B/*24.80A	----	27.30 NEW	.1903	----	----	2	----	0 UNCH
4850	----	----	40.30B/*31.20A	40.30B/*31.20A	----	35.20 - 4.60	.2076	----	----	----	----	6 UNCH
4850	17.00	17.00	17.30B/*11.50A	17.30B/*11.50A	----	12.40 - 4.80	.1136	----	----	1	----	3 + 1
4850	----	----	----/*21.70A	29.50B/*21.70A	----	23.60 NEW	.1678	----	----	2	----	0 UNCH
4875	----	----	14.60B/*9.70A	14.60B/*9.70A	----	10.30 - 4.20	.0956	----	----	----	----	1 UNCH
4900	----	----	----/*16.40A	22.10B/*16.40A	----	17.70 - 5.50	.1300	----	----	----	----	6 UNCH
4900	----	----	----/*8.10A	12.30B/*8.10A	----	8.60 - 3.70	.0806	----	----	----	----	3 UNCH
4925	----	----	----/*14.30A	19.20B/*14.30A	----	15.40 - 5.00	.1145	----	----	----	----	0 UNCH
4950	----	----	----/*12.40A	16.50B/*12.40A	----	13.40 - 4.50	.1007	----	----	----	----	1 UNCH
4950	----	----	----/*19.60A	24.50B/*19.60A	----	21.40 - 3.40	.1354	----	----	1	----	2 + 1
4975	----	----	22.20B/*17.60A	22.20B/*17.60A	----	18.80 - 3.20	.1209	----	----	1	----	4 + 1
5000	----	----	----/*9.70A	12.50B/*9.70A	----	10.10 - 3.70	.0774	----	----	----	----	1 UNCH
5000	----	----	----/*4.30A	6.20B/*4.30A	----	4.50 - 2.10	.0424	----	----	----	----	7 UNCH
5000	----	----	19.90B/*15.70A	19.90B/*15.70A	----	16.60 - 2.90	.1081	----	----	----	----	3 UNCH
5050	----	----	----/*3.40A	4.50B/*3.40A	----	3.30 - 1.70	.0310	----	----	----	----	0 UNCH
5050	----	----	----/*12.50A	15.30B/*12.50A	----	12.90 - 2.50	.0861	----	----	----	----	4 UNCH
5075	----	----	----/*3.10A	3.90B/*3.10A	----	2.90 - 1.50	.0270	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2
JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5100 ----	----	----/*6.40A	5.60B/*6.40A	----	5.80 - 2.50	.0457	----	----	----	----	1 UNCH
5250 ----	----	----	2.30B/*5.20A	----	2.60 - 1.50	.0209	----	----	----	----	2 UNCH
5500 ----	----	----	0.60B/*1.10A	----	0.70 - 0.20	.0052	----	----	----	----	3 UNCH
5500 ----	----	----	0.50B/*3.50A	----	0.90 - 0.70	.0070	----	----	----	----	1 UNCH
5600 ----	----	----	0.40B/*0.90A	----	0.50 - 0.30	.0036	----	----	----	----	3 UNCH
TOTAL									201		410+ 84

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250 ----	----	----	----/1.20A	----	0.30 - 0.30	.0011	----	----	----	----	1 UNCH
3500 ----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
3700 ----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.40	.0038	----	----	----	----	1 UNCH
3750 ----	----	----/*1.00A	1.00B/1.00A	----	0.80 NEW	.0045	----	----	1	----	1 + 1
3800 ----	----	----/*1.10A	1.30B/1.10A	----	0.90 NEW	.0053	----	----	2	----	2 + 2
4000 1.10	1.10	1.10/*0.50A	1.10/*0.50A	----	0.40 - 0.60	.0016	----	----	1	----	4 + 1
4000 ----	----	#3.10B/1.80A	3.10B/1.80A	----	1.70 NEW	.0120	----	----	1	----	1 + 1
4150 ----	----	2.70B/*0.90A	2.70B/*0.90A	----	0.80 - 1.00	.0046	----	----	----	----	4 UNCH
4175 ----	----	3.40B/1.10A	3.40B/1.10A	----	0.90 - 1.10	.0055	----	----	----	----	2 UNCH
4200 3.10	3.10	5.00/1.20A	5.00/1.20A	----	1.00 - 1.30	.0066	----	----	76	----	76 + 68
4200 ----	----	9.80B/3.80A	9.80B/3.80A	----	3.90 - 2.10	.0333	----	----	----	----	1 UNCH
4220 ----	----	#5.90B/*1.30A	#5.90B/*1.30A	----	1.10 - 1.40	.0077	----	----	----	----	1 UNCH
4225 ----	----	11.70B/4.20A	11.70B/4.20A	----	4.50 - 2.30	.0391	----	----	----	----	1 UNCH
4225 1.90	1.90	5.10B/1.30A	5.10B/1.30A	----	1.20 - 1.40	.0085	----	----	21	----	21 + 14
4250 5.40	5.40	13.60B/4.80A	13.60B/4.80A	----	5.10 - 2.70	.0453	----	----	2	----	5 UNCH
4250 1.30	1.30	6.60B/*1.30	6.60B/*1.30	----	1.40 - 1.60	.0107	----	----	25	----	26 + 22
4275 ----	----	8.10B/1.80A	8.10B/1.80A	----	1.70 - 1.90	.0140	----	----	----	----	25 UNCH
4300 ----	----	18.80B/6.50A	18.80B/6.50A	----	7.00 - 3.40	.0640	----	----	----	----	1 UNCH
4300 285.00	285.00	327.50B/*240.60	327.50B/*240.60A	----	298.60 - 7.00	.9357	----	----	1	----	0 - 1
4300 6.30	6.30	10.10B/2.10A	10.10B/2.10A	----	2.00 - 2.30	.0178	----	----	2	----	7 UNCH
4325 6.10	6.10	12.70B/2.50A	12.70B/2.50A	----	2.50 - 2.70	.0240	----	----	15	----	17 + 6
4325 ----	----	22.10B/7.70A	22.10B/7.70A	----	8.40 - 3.80	.0773	----	----	----	----	1 UNCH
4330 6.40	6.40	#13.20B/*2.60A	#13.20B/*2.60A	----	2.60 NEW	.0253	----	----	13	----	13 + 13
4350 ----	----	15.90B/3.00A	15.90B/3.00A	----	3.10 - 3.30	.0321	----	----	----	----	58 UNCH
4350 ----	----	26.20B/9.20A	26.20B/9.20A	----	10.00 NEW	.0927	----	----	2	----	1 + 1
4370 ----	----	#19.00B/*3.60A	#19.00B/*3.60A	----	3.80 NEW	.0417	----	----	1	----	1 + 1
4375 ----	----	19.90B/3.80A	19.90B/3.80A	----	4.00 - 4.10	.0445	----	----	19	----	21 + 18
4375 ----	----	31.00B/10.90A	31.00B/10.90A	----	12.10 - 4.80	.1122	----	----	----	----	6 UNCH
4390 8.80	8.80	#22.80B/*4.30A	#22.80B/*4.30A	----	4.70 NEW	.0545	----	----	20	----	20 + 20
4400 ----	----	25.00B/4.80A	25.00B/4.80A	----	5.30 - 4.90	.0630	----	----	7	----	18 + 6
4400 27.00	27.00	36.50B/13.20A	36.50B/13.20A	----	14.60 - 5.40	.1353	----	----	3	----	44 + 1
4410 ----	----	#27.20B/*5.30A	#27.20B/5.30A	----	5.90 - 5.40	.0720	----	----	----	----	1 UNCH
4420 6.50	6.50	#29.80B/*5.90A	#29.80B/5.90A	----	6.70 NEW	.0835	----	----	15	----	15 + 15
4425 10.10	10.10	31.50B/6.20A	31.50B/6.20A	----	7.10 - 6.00	.0895	----	----	5	----	6 + 5
4425 16.70	16.70	42.90B/16.10A	42.90B/16.10A	----	17.90 - 5.90	.1642	----	----	2	----	2 UNCH
4430 9.70	9.70	#32.60B/*6.60A	#32.60B/6.60A	----	7.60 NEW	.0966	----	----	1	----	1 + 1
4440 9.00	9.00	#35.80B/*7.50A	#35.80B/7.50A	----	8.70 - 6.50	.1123	----	----	2	----	3 + 2
4445 9.40	9.40	#37.60B/*7.90A	#37.60B/7.90A	----	9.20 NEW	.1200	----	----	1	----	1 + 1
4450 ----	----	50.80B/19.70A	50.80B/19.70A	----	21.90 - 6.50	.1980	----	----	----	----	1 UNCH
4450 10.80	10.80	38.90B/8.50A	38.90B/8.50A	----	9.90 - 7.00	.1297	----	----	4	----	72 + 2
4455 10.70	10.70	#40.80B/*9.00A	#40.80B/9.00A	----	10.50 NEW	.1388	----	----	1	----	1 + 1
4475 13.90	13.90	48.60B/11.40A	48.60B/11.40A	----	13.70 - 8.10	.1845	----	----	19	----	13 + 11
4475 ----	----	123.10B/*63.30A	123.10B/*63.30A	----	96.70 - 12.00	.8154	----	----	----	----	1 UNCH
4475 ----	----	59.30B/24.20A	59.30B/24.20A	----	26.90 - 7.00	.2380	----	----	----	----	1 UNCH
4480 15.50	15.50	#50.80B/*12.20A	#50.80B/12.20A	----	14.70 NEW	.1981	----	----	2	----	2 + 2
4485 18.50	18.50	#53.00B/*13.00A	#53.00B/13.00A	----	15.70 NEW	.2120	----	----	4	----	2 + 2
4495 ----	----	#57.80B/*14.70A	#57.80B/14.70A	----	17.90 - 8.90	.2422	----	----	4	----	4 + 2
4500 18.70	18.70	60.60B/15.70A	60.60B/15.70A	----	19.20 - 9.00	.2589	----	----	26	----	85 + 11
4500 39.90	39.90	69.40B/29.30A	69.40B/29.30A	----	33.00 - 7.50	.2838	----	----	1	----	7 UNCH
4500 ----	----	149.60B/*92.50A	149.60B/*92.50A	----	124.70 - 11.20	.7158	----	----	----	----	1 UNCH
4500 ----	----	102.30B/*49.90A	102.30B/*49.90A	----	77.10 - 12.90	.7409	----	----	----	----	5 UNCH
4505 55.00	55.00	#98.10B/*47.70A	98.10B/*47.70A	----	73.50 NEW	.7239	----	----	2	----	1 + 1
4510 21.40	21.40	#65.60B/*17.70A	#65.60B/17.70A	----	21.90 NEW	.2939	----	----	1	----	1 + 1
4515 39.60	39.60	#68.40B/*18.80A	#68.40B/18.80A	----	23.30 - 9.50	.3121	----	----	9	----	11 + 9
4520 41.60	41.60	#71.20B/*20.00A	#71.20B/20.00A	----	24.90 NEW	.3316	----	----	3	----	3 + 3
4525 29.00	29.00	74.10B/21.20A	74.10B/21.20A	----	26.50 - 9.70	.3514	----	----	2	----	3 UNCH
4525 ----	----	82.70B/*38.70A	82.70B/*38.70A	----	59.50 - 13.60	.6485	----	----	----	----	1 UNCH
4525 48.20	48.20	81.00B/35.50A	81.00B/35.50A	----	40.30 NEW	.3351	----	----	1	----	1 + 1
4535 ----	----	#80.30B/*24.00A	#80.30B/24.00A	----	30.10 - 9.80	.3932	----	----	----	----	1 UNCH
4535 ----	----	#75.40B/*34.90A	75.40B/*34.90A	----	53.10 - 13.70	.6067	----	----	----	----	3 UNCH
4540 45.00	45.00	#83.70B/*25.50A	#83.70B/25.50A	----	32.10 NEW	.4150	----	----	4	----	2 + 2
4540 ----	----	#72.00B/*33.00A	72.00B/*33.00A	----	50.10 - 13.70	.5849	----	----	----	----	2 UNCH
4545 44.20	44.20	#68.50B/*31.10A	68.50B/*31.10A	----	47.10 NEW	.5628	----	----	1	----	1 + 1
4545 51.00	51.00	#86.90B/*27.00A	#86.90B/27.00A	----	34.10 NEW	.4370	----	----	1	----	1 + 1
4550 59.90	59.90	65.20B/*29.50A	65.20B/*29.50A	----	44.30 - 13.70	.5403	----	----	11	----	12 + 11
4550 33.50	33.50	90.30B/28.70A	90.30B/28.70A	----	36.30 - 9.80	.4596	----	----	3	----	55 - 1
4550 50.90	50.90	94.10B/42.80A	94.10B/42.80A	----	49.10 - 8.10	.3915	----	----	2	----	4 UNCH
4550 ----	----	113.30B/*67.10A	113.30B/*67.10A	----	90.80 - 11.80	.6082	----	----	----	----	1 UNCH
4555 42.50	42.50	#62.00B/*27.90A	62.00B/*27.90A	----	41.50 NEW	.5175	----	----	18	----	18 + 18
4555 55.40	55.40	#93.60B/*30.40A	#93.60B/30.40A	----	38.50 NEW	.4823	----	----	24	----	24 + 24
4560 40.40	40.40	#97.10B/*32.30A	#97.10B/32.30A	----	40.90 NEW	.5053	----	----	1	----	1 + 1
4560 ----	----	#58.80B/*26.30A	58.80B/*26.30A	----	38.90 - 13.60	.4945	----	----	----	----	10 UNCH
4565 44.30	44.30	#100.80B/*34.20	#100.80B/34.20A	----	43.40 NEW	.5284	----	----	20	----	17 + 17
4565 ----	----	#55.90B/*24.80A	55.90B/*24.80A	----	36.40 - 13.50	.4714	----	----	6	----	8 + 6
4575 32.10	32.10	50.10B/*22.10A	50.10B/*22.10A	----	31.60 - 13.40	.4251	----	----	2	----	5 + 2
4575 43.30	43.30	108.10B/38.30A	108.10B/38.30A	----	48.60 - 9.50	.5748	----	----	6	----	40 + 5
4580 30.40	30.40	#47.30B/*20.80A	47.30B/*20.80A	----	29.40 NEW	.4021	----	----	16	----	16 + 16
4585 ----	----	#115.80B/*42.90	#115.80B/42.90A	----	54.40 NEW	.6201	----	----	2	----	1 + 1
4595 ----	----	39.60B/*17.30A	39.60B/*17.30A	----	23.50 - 12.60	.3354	----	----	----	----	1 UNCH
4600 27.00	27.00	37.20B/*16.30A	37.20B/*16.30A	----	21.80 - 12.30	.3144	----	----	11	----	162 + 7
4600 63.00	63.00	82.40B/*47.30A	82.40B/*47.30A	----	63.10 NEW	.4864	----	----	20	----	10 + 10
4600 57.30	57.30	127.70B/50.50A	127.70B/50.50A	----	63.70 - 8.50	.6854	----	----	6	----	16 + 4
4605 24.90	24.90	#35.00B/*15.40A	35.00B/*15.40A	----	20.10 NEW	.2935	----	----	2	----	2 + 2
4610 16.20	16.20	#33.10B/*14.40A	33.10B/*14.40A	----	18.50 NEW	.2732	----	----	1	----	1 + 1
4610 81.80	81.80	#135.90B/*56.10	#135.90B/56.10A	----	70.50 NEW	.7266	----	----	3	----	3 + 3
4615 18.30	18.30	#31.10B/*13.60A	31.10B/*13.60A	----	17.10 NEW	.2543	----	----	10	----	10 + 10
4620 18.60	18.60	#29.20B/*12.50A	29.20B/*12.50A	----	15.70 NEW	.2355	----	----	2	----	2 + 2
4625 ----	----	148.70B/65.30A	148.70B/65.30A	----	81.50 - 6.90	.7814	----	----	----	----	4 UNCH
4625 25.00	25.00	27.40B/*11.40A	27.40B/*11.40A	----	14.50 - 10.80	.2184	----	----	2	----	4 + 2
4630 ----	----	#25.70B/*10.60A	25.70B/*10.60A	----	13.30 - 10.50	.2015	----	----	1	----	2 + 1
4635 ----	----	#24.10B/*9.60A	24.10B/*9.60A	----	12.20 - 10.10	.1855	----	----	----	----	2 UNCH
4640 11.90	11.90	#22.50B/*8.80A	22.50B/*8.80A	----	11.20 NEW	.1707	----	----	20	----	20 + 20
4650 ----	----	19.70B/*7.40A	19.70B/*7.40A	----	9.40 - 9.00	.1435	----	----	5	----	16 UNCH
4650 ----	----	170.70B/82.30A	170.70B/82.30A	----	101.40 - 5.10	.8564	----	----	----	----	3 UNCH
4650 ----	----	159.60B/87.00A	159.60B/87.00A	----	100.00 - 6.90	.6351	----	----	----	----	5 UNCH
4660 9.60	9.60	#17.10B/*6.20A	17.10B/*6.20A	----	7.90 NEW	.1201	----	----	1	----	1 + 1
4665 6.40	6.40	#16.00B/*5.70A	16.00B/*5.70A	----	7.20 NEW	.1092	----	----	6	----	6 + 6
4670 ----	----	#14.90B/*5.20A	14.90B/*5.20A	----	6.60 NEW	.0996	----	----	5	----	5 + 5
4675 ----	----	13.90B/*4.70A	13.90B/*4.70A	----	6.10 - 7.20	.0913	----	----	1	----	3 UNCH
4675 ----	----	193.60B/101.50A	193.60B/101.50A	----	123.00 - 3.30	.9086	----	----	----	----	1 UNCH
4675 ----	----	47.50B/*26.80A	47.50B/*26.80A	----	33.60 - 9.80	.3081	----	----	----	----	1 UNCH
4675 ----	----	179.20B/101.90A	179.20B/101.90A	----	116.70 - 6.10	.6916	----	----	----	----	1 UNCH
4680 ----	----	12.90B/*4.30A	12.90B/*4.30A	----	5.60 - 6.80	.0832	----	----	4	----	1 UNCH
4685 9.60	9.60	#12.00B/*3.90A	12.00B/*3.90A	----	5.10 NEW	.0753	----	----	4	----	4 + 4
4690 ----	----	#11.20B/*3.60A	11.20B/*3.60A	----	4.70 NEW	.0687	----	----	2	----	2 + 2
4695 4.20	4.20	#10.40B/*3.30A	10.40B/*3.30A	----	4.30 NEW	.0623	----	----	3	----	3 + 3
4700 ----	----	38.80B/*22.00A	38.80B/*22.00A	----	26.80 - 8.90	.2569	----	----	----	----	1 UNCH
4700 ----	----	199.70B/118.20A	199.70B/118.20A	----	134.90 - 5.20	.7428	----	----	----	----	1 UNCH
4700 10.00	10.00	10.00/*3.10A	10.00/*3.10A	----	3.90 - 5.60	.0561	----	----	53	----	55 + 50
4700 ----	----	#217.70B/122.30	#217.70B/122.30A	----	145.90 - 1.60	.9438	----	----	----	----	6 UNCH
4710 3.30	3.30	#4.00/*2.60A	8.30B/*2.60A	----	3.30 NEW	.0463	----	----	2	----	2 + 2
4715 4.10	4.10	#7.80B/*2.40A	7.80B/*2.40A	----	3.10 NEW	.0428	----	----	1	----	1 + 1
4720 3.80	3.80	#3.80/*2.20A	7.20B/*2.20A	----	2.80 NEW	.0383	----	----	2	----	2 + 2
4725 ----	----	#241.80B/144.50	#241.80B/144.50A	----	169.60 - 0.20	.9648	----	----	----	----	2 UNCH
4725 ----	----	31.70B/*18.10A	31.70B/*18.10A	----	21.20 - 8.00	.2113	----	----	----	----	8 UNCH
4725 ----	----	----/*2.10A	6.70B/*2.10A	----	2.60 - 4.20	.0350	----	----	----	----	151 UNCH
4750 ----	----	257.30B/167.30A	257.30B/167.30A	----	193.70 + 0.80	.9786	----	----	----	----	1 UNCH
4750 3.50	3.50	4.70B/*1.50A	4.70B/*1.50A	----	1.70 - 3.20	.0213	----	----	7	----	36 + 4
4750 ----	----	25.70B/*14.50A	25.70B/*14.50A	----	16.70 - 7.10	.1720	----	----	----	----	153 UNCH
4750 ----	----	#242.90B/154.80	#242.90B/154.80A	----	174.80 - 3.30	.8277	----	----	----	----	1 UNCH
4760 2.40	2.40	#2.40/*1.30A	4.10B/*1.30A	----	1.50 NEW	.0181	----	----	3	----	3 + 3
4765 3.30	3.30	#3.30/*1.20	3.80B/*1.20	----	1.40 NEW	.0166	----	----	22	----	20 + 20
4770 ----	----	#274.10B/*186.4	#274.10B/186.40A	----	213.20 + 1.40	.9847	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
MAY26												
4770	3.10	3.10	#3.10/*1.10A	3.50B/*1.10A	----	1.30 NEW	.0152	----	----	1	----	1 + 1
4775	----	----	----/*1.10A	3.30B/*1.10A	----	1.20 - 2.40	.0138	----	----	1	----	6 UNCH
4775	----	----	#265.50B/174.80	#265.50B/174.80A	----	196.20 - 2.40	.8605	----	----	----	----	50 UNCH
4775	----	----	278.50B/191.00A	278.50B/191.00A	----	218.10 + 1.50	.9861	----	----	----	----	1 UNCH
4775	----	----	20.80B/*11.40A	20.80B/*11.40A	----	13.20 - 6.10	.1392	----	----	----	----	1 UNCH
4780	----	----	----/*1.00A	3.00B/*1.00A	----	1.10 - 2.30	.0124	----	----	----	----	1 UNCH
4800	----	----	----/*0.80A	2.30B/*0.80A	----	0.80 - 1.90	.0084	----	----	----	----	69 UNCH
4800	----	----	291.10B/215.20A	291.10B/215.20A	----	242.80 + 2.10	.9915	----	----	----	----	1 UNCH
4800	14.00	14.00	16.80B/*9.00A	16.80B/*9.00A	----	10.40 - 5.30	.1118	----	----	14	----	20 + 13
4800	----	----	#288.60B/195.90	#288.60B/195.90A	----	218.40 - 1.60	.8879	----	----	----	----	1 UNCH
4825	----	----	----/*0.60A	1.60B/*0.60A	----	0.60 - 1.50	.0057	----	----	----	----	116 UNCH
4825	12.00	12.00	13.60B/*7.10A	13.60B/*7.10A	----	8.20 NEW	.0895	----	----	4	----	4 + 4
4850	----	----	----	219.00B/376.70A	----	292.30 + 2.70	.9965	----	----	----	----	0 UNCH
4850	----	----	----/*0.50A	1.20B/*0.50A	----	0.40 - 1.20	.0035	----	----	----	----	35 UNCH
4850	10.80	10.80	11.10B/*5.70A	11.10B/*5.70A	----	6.60 - 3.90	.0723	----	----	28	----	33 + 28
4875	----	----	----/*0.40A	0.80B/*0.40A	----	0.30 - 1.00	.0024	----	----	----	----	4 UNCH
4875	4.70	4.70	9.00B/*4.60A	9.00B/*4.60A	----	5.30 NEW	.0582	----	----	1	----	1 + 1
4875	----	----	#360.00B/263.10	#360.00B/263.10A	----	288.30 + 0.50	.9415	----	----	----	----	1 UNCH
4900	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.80	.0014	----	----	1	----	51 - 1
4900	----	----	----	270.50B/424.20A	----	342.10 + 3.10	.9986	----	----	1	----	1 UNCH
4900	----	----	7.40B/*3.80A	7.40B/*3.80A	----	4.30 - 2.80	.0471	----	----	----	----	9 UNCH
4925	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.60	.0005	----	----	----	----	19 UNCH
4925	----	----	----	296.00B/448.40A	----	367.00 + 3.30	.9996	1	----	----	----	0 - 1
4925	----	----	6.10B/*3.10A	6.10B/*3.10A	----	3.50 - 2.50	.0382	----	----	----	----	1 UNCH
4950	----	----	----/*2.70A	5.00B/*2.70A	----	3.00 - 2.00	.0322	----	----	----	----	1 UNCH
4975	----	----	----/*2.30A	4.10B/*2.30A	----	2.50 - 1.80	.0265	----	----	----	----	2 UNCH
4975	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0001	----	----	----	----	3 UNCH
5000	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.10 - 0.20	.0000	----	----	1	----	21 UNCH
5000	----	----	----/*2.00A	3.50B/*2.00A	----	2.10 - 1.60	.0220	----	----	----	----	2 UNCH
5025	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	3 UNCH
5050	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	1	----	7 UNCH
5075	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5100	----	----	----	#471.50B/621.50A	----	542.00 + 3.90	1.0000	----	----	----	----	0 UNCH
5100	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5100	----	----	----/1.30A	1.80B/1.30A	----	1.20 - 0.80	.0117	----	----	----	----	5 UNCH
5125	----	----	----	----/*0.60A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5150	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.10 UNCH	----	----	----	2	----	6 UNCH
5150	----	----	----/1.10A	1.30B/1.10A	----	0.90 - 0.50	.0085	----	----	----	----	1 UNCH
5175	----	----	----	----/*0.50A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5200	----	----	----	----/*0.50A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5250	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5300	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5300	----	----	----	0.60B/0.90A	----	0.40 - 0.30	.0034	----	----	----	----	1 UNCH
5400	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
5750	----	----	----	----/1.20A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
TOTAL										688		2154 + 558
JUN26												
4000	----	----	----/3.70A	3.90B/3.70A	----	3.40 NEW	.0230	----	----	1	----	1 + 1
4375	----	----	#43.30B/21.90A	#43.30B/21.90A	----	23.20 - 4.80	.1668	----	----	----	----	1 UNCH
4400	----	----	#49.90B/25.50A	#49.90B/25.50A	----	27.30 - 5.20	.1928	----	----	----	----	1 UNCH
4425	----	----	#57.90B/29.60A	#57.90B/29.60A	----	32.10 - 5.60	.2221	----	----	----	----	6 UNCH
4450	----	----	#65.80B/34.60A	#65.80B/34.60A	----	37.80 - 5.80	.2549	----	----	----	----	6 UNCH
4475	----	----	#75.70B/40.20A	#75.70B/40.20A	----	44.30 - 6.20	.2906	----	----	----	----	2 UNCH
4500	----	----	#86.00B/46.80A	#86.00B/46.80A	----	51.80 - 6.40	.3294	----	----	1	----	41 + 1
4550	----	----	#104.60B/63.00A	#104.60B/63.00A	----	70.10 - 6.70	.4144	----	----	1	----	4 + 1
4575	----	----	#118.80B/72.60A	#118.80B/72.60A	----	81.00 - 6.60	.4595	----	----	----	----	1 UNCH
4600	70.00	70.00	102.60B/*69.00	102.60B/*69.00	----	84.90 NEW	.4941	----	----	100	----	40 + 40
4600	----	----	#132.70B/83.40A	#132.70B/83.40A	----	93.10 NEW	.5054	----	----	6	----	6 + 6
4600	----	----	#119.30B/*90.90	#119.30B/*90.90A	----	103.00 - 8.10	.4986	----	----	----	----	4 UNCH
4625	81.80	81.80	90.00B/*59.90A	90.00B/*59.90A	----	73.30 - 9.90	.4481	----	----	1	----	10 + 1
4650	80.00	80.00	#94.90B/*71.30A	#94.90B/*71.30A	----	80.80 NEW	.4235	----	----	14	----	14 + 14
4700	47.00	47.00	58.00B/*39.10A	58.00B/*39.10A	----	45.60 NEW	.3180	----	----	6	----	2 + 2
4750	----	----	42.30B/*28.80A	42.30B/*28.80A	----	32.60 NEW	.2439	----	----	4	----	2 + 2
4775	26.50	26.50	35.90B/*24.80A	35.90B/*24.80A	----	27.50 NEW	.2118	----	----	150	----	150 + 150
4800	----	----	30.30B/*21.00A	30.30B/*21.00A	----	23.20 NEW	.1833	----	----	2	----	2 + 2
4825	----	----	25.70B/*17.80A	25.70B/*17.80A	----	19.50 - 5.40	.1577	----	----	----	----	1 UNCH
4850	----	----	21.60B/*15.00A	21.60B/*15.00A	----	16.50 - 4.80	.1358	----	----	----	----	2 UNCH
4900	----	----	#25.50B/*19.70A	#25.50B/*19.70A	----	21.60 - 3.80	.1464	----	----	----	----	3 UNCH
4900	----	----	15.80B/*11.00A	15.80B/*11.00A	----	11.90 - 3.70	.1006	----	----	----	----	3 UNCH
5000	----	----	----/*6.10A	8.50B/*6.10A	----	6.40 - 2.30	.0555	----	----	----	----	1 UNCH
5025	----	----	----/*5.30A	7.30B/*5.30A	----	5.60 - 2.00	.0484	----	----	----	----	1 UNCH
5125	----	----	----/*3.30A	4.10B/*3.30A	----	3.30 - 1.30	.0283	----	----	----	----	1 UNCH
5400	----	----	----	1.30B/*1.60A	----	0.90 - 0.50	.0073	----	----	----	----	1 UNCH
TOTAL										286		306 + 220

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
MAY26												
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4150	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 19
4175	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 16
4200	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 20
4220	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4225	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 9
4230	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4235	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4240	----	----	0.60B/*0.10A	0.60B/*0.10A	----	0.00 NEW	----	----	----	15	----	0 UNCH
4250	0.40	0.40	0.90/*0.10	0.90/*0.10	----	0.00 - 0.50	----	----	----	19	----	0 - 5
4255	----	----	0.80B/*0.10A	0.80B/*0.10A	----	0.00 NEW	----	----	----	6	----	0 UNCH
4260	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.60	----	----	----	6	----	0 - 1
4265	0.10	0.10	1.00B/*0.10	1.00B/*0.10	----	0.00 - 0.60	----	----	----	1	----	0 - 1
4270	1.50	1.50	1.50/*0.10A	1.50/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 26
4275	----	----	1.20B/*0.20A	1.20B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 4
4280	0.10	0.10	1.20B/*0.10	1.20B/*0.10	----	0.00 - 0.70	----	----	----	4	----	0 - 4
4285	0.80	0.80	1.30B/*0.20A	1.30B/*0.20A	----	0.00 - 0.70	----	----	----	10	----	0 - 5
4290	----	----	1.30B/*0.20A	1.30B/*0.20A	----	0.00 - 0.70	----	----	----	2	----	0 - 4
4295	----	----	1.60B/*0.20A	1.60B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 4
4300	0.90	0.90	2.00/*0.20A	2.00/*0.20A	----	0.00 - 0.80	----	----	----	14	----	0 - 116
4305	0.90	0.90	1.90B/*0.20A	1.90B/*0.20A	----	0.00 - 0.80	----	----	----	3	----	0 - 2
4310	0.30	0.30	1.90B/*0.10A	1.90B/*0.10A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4315	1.30	1.30	2.20/*0.10A	2.20/*0.10A	----	0.00 - 0.90	----	----	----	2	----	0 - 1
4320	1.50	1.50	2.10B/*0.10A	2.10B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 3
4325	0.50	0.50	2.50B/*0.10A	2.50B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 8
4330	----	----	2.40B/*0.10A	2.40B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4335	1.50	1.50	2.60B/*0.10A	2.60B/*0.10A	----	0.00 - 1.10	----	----	----	1	----	0 - 2
4340	----	----	2.80B/*0.20A	2.80B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4345	----	----	3.10B/*0.10A	3.10B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 1
4350	1.40	1.40	3.50B/*0.10A	3.50B/*0.10A	----	0.00 - 1.20	----	----	----	16	----	0 - 46
4355	1.50	1.50	3.80B/*0.10A	3.80B/*0.10A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4360	1.30	1.30	3.90B/*0.10A	3.90B/*0.10A	----	0.00 - 1.30	----	----	----	22	----	0 - 20
4365	2.30	2.30	4.20B/*0.10A	4.20B/*0.10A	----	0.00 - 1.40	----	----	----	3	----	0 - 17
4370	1.40	1.40	4.50B/*0.10A	4.50B/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4375	1.50	1.50	4.90B/*0.20A	4.90B/*0.20A	----	0.00 - 1.60	----	----	----	2	----	0 - 5
4380	5.00	5.00	5.40B/*0.20A	5.40B/*0.20A	----	0.00 - 1.60	----	----	----	3	----	0 - 1
4385	----	----	5.80B/*0.20A	5.80B/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 2
4390	----	----	6.10B/*0.20A	6.10B/*0.20A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4395	2.00	2.00	6.90B/*0.30A	6.90B/*0.30A	----	0.00 - 1.90	----	----	----	3	----	0 - 3
4400	2.70	2.70	8.30/*0.20A	8.30/*0.20A	----	0.00 - 2.00	----	----	----	55	----	0 - 163
4405	0.20	0.20	8.30B/*0.20	8.30B/*0.20	----	0.00 - 2.20	----	----	----	3	----	0 - 10
4410	----	----	8.70B/*0.20A	8.70B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 1
4415	----	----	9.70B/*0.20A	9.70B/*0.20A	----	0.00 - 2.40	----	----	----	----	----	0 - 1
4420	10.50	10.50	10.50/*0.10	10.50/*0.10	----	0.00 - 2.60	----	----	----	12	----	0 - 21
4425	3.50	3.50	11.40B/*0.10A	11.40B/*0.10A	----	0.00 - 2.80	----	----	----	6	----	0 - 71
4430	6.20	6.20	#13.00/*0.20A	#13.00/*0.20A	----	0.00 - 3.00	----	----	----	8	----	0 - 12
4435	3.00	3.00	12.90B/*0.20A	12.90B/*0.20A	----	0.00 - 3.20	----	----	----	1	----	0 - 2
4440	5.10	5.10	14.00B/*0.20	14.00B/*0.20	----	0.00 - 3.40	----	----	----	34	----	0 - 15
4445	4.10	4.10	15.20B/*0.20A	15.20B/*0.20A	----	0.00 - 3.70	----	----	----	4	----	0 - 2
4450	----	----	137.30B/*55.60A	137.30B/*55.60A	----	108.00 - 7.80	----	1	----	5	----	0 - 4
4450	4.50	4.50	16.90B/*0.10	16.90B/*0.10	----	0.00 - 4.00	----	----	----	38	----	0 - 34
4455	----	----	132.30B/*52.10A	132.30B/*52.10A	----	103.00 - 8.20	----	4	----	2	----	0 - 3
4455	2.60	2.60	#17.90B/*0.20A	#17.90B/*0.20A	----	0.00 - 4.30	----	----	----	13	----	0 - 3
4460	----	----	#19.30B/*0.10A	#19.30B/*0.10A	----	0.00 - 4.70	----	----	----	15	----	0 - 47

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
MAY26												
4465	7.70	7.70	#20.90B/*0.20A	#20.90B/*0.20A	----	0.00 - 5.10	----	----	----	58	----	0 - 1
4470	12.70	12.70	#22.70B/*0.10A	#22.70B/*0.10A	----	0.00 - 5.50	----	----	----	20	----	0 - 20
4475	11.00	11.00	24.60B/*0.20	24.60B/*0.20	----	0.00 - 6.00	----	----	----	12	----	0 - 53
4475	----	----	112.10B/*39.20A	112.10B/*39.20A	----	83.00 - 9.90	----	1	----	----	----	0 - 1
4480	7.00	7.00	#26.70B/*0.20A	#26.70B/*0.20A	----	0.00 - 6.50	----	----	----	62	----	0 - 11
4485	10.50	10.50	#28.60B/*0.10	#28.60B/*0.10	----	0.00 - 7.10	----	----	----	8	----	0 - 8
4490	11.50	11.50	#31.00B/*0.10	#31.00B/*0.10	----	0.00 - 7.80	----	----	----	23	----	0 - 22
4495	----	----	92.40B/*28.00A	92.40B/*28.00A	----	63.00 NEW	----	1	----	2	----	0 UNCH
4495	13.40	13.40	#33.70B/*0.20A	#33.70B/*0.20A	----	0.00 - 8.50	----	----	----	48	----	0 - 1
4500	10.00	10.00	38.00/*0.10	38.00/*0.10	----	0.00 - 9.30	----	----	----	513	----	0 - 439
4500	25.00	25.00	87.50B/*25.00	87.50B/*25.00	----	58.00 - 13.20	----	11	----	17	----	0 - 1
4505	1.00	1.00	#38.70B/*0.20A	#38.70B/*0.20A	----	0.00 - 10.20	----	----	----	11	----	0 - 2
4510	13.50	13.50	#42.00B/*0.20A	#42.00B/*0.20A	----	0.00 - 11.20	----	----	----	35	----	0 - 83
4510	32.50	32.50	77.30B/*21.40A	77.30B/*21.40A	----	48.00 NEW	----	1	----	4	----	0 UNCH
4515	15.00	15.00	#45.20B/*0.10A	#45.20B/*0.10A	----	0.00 NEW	----	----	----	34	----	0 UNCH
4515	20.50	20.50	72.40B/*19.10A	72.40B/*19.10A	----	43.00 - 16.20	----	5	----	9	----	0 - 1
4520	17.60	17.60	#48.40B/*0.20A	#48.40B/*0.20A	----	0.00 - 13.50	----	----	----	30	----	0 - 2
4520	20.00	20.00	67.70B/*17.70A	67.70B/*17.70A	----	38.00 - 17.30	----	40	----	90	----	0 - 3
4525	14.70	14.70	51.80B/*0.20A	51.80B/*0.20A	----	0.00 - 14.70	----	----	----	109	----	0 - 14
4525	19.00	19.00	62.80B/*14.90A	62.80B/*14.90A	----	33.00 NEW	----	3	----	6	----	0 UNCH
4530	----	----	57.90B/*10.70A	57.90B/*10.70A	----	28.00 - 20.00	----	8	----	8	----	0 - 3
4530	19.50	19.50	#55.40B/*0.10A	#55.40B/*0.10A	----	0.00 - 16.10	----	----	----	32	----	0 - 5
4535	15.50	15.50	53.00B/*7.10A	53.00B/*7.10A	----	23.00 - 21.50	----	5	----	10	----	0 - 1
4535	15.80	15.80	#59.10B/*0.20A	#59.10B/*0.20A	----	0.00 - 17.70	----	----	----	19	----	0 - 57
4540	29.80	29.80	47.90B/*4.60A	47.90B/*4.60A	----	18.00 - 23.20	----	32	----	57	----	0 - 13
4540	16.00	16.00	#62.80B/*0.10	#62.80B/*0.10	----	0.00 - 19.30	----	----	----	58	----	0 - 9
4545	16.30	16.30	#66.50B/*0.10	#66.50B/*0.10	----	0.00 - 21.10	----	----	----	99	----	0 - 2
4545	13.80	13.80	43.20B/*2.60A	43.20B/*2.60A	----	13.00 - 25.00	----	29	----	51	----	0 - 5
4550	20.00	20.00	38.70B/*1.40A	38.70B/*1.40A	----	8.00 - 26.90	----	63	----	226	----	0 - 6
4550	31.20	31.20	70.80B/*0.10	70.80B/*0.10	----	0.00 - 23.00	----	----	----	236	----	0 - 88
4555	25.10	25.10	34.20B/*0.80A	34.20B/*0.80A	----	3.00 - 29.00	----	111	----	67	----	0 - 102
4555	29.70	29.70	#74.90B/*0.50A	#74.90B/*0.50A	----	0.00 - 25.10	----	----	----	13	----	0 - 4
4560	25.50	25.50	#79.20B/*2.50A	#79.20B/*2.50A	----	2.00 - 25.30	----	91	----	144	----	0 - 15
4560	19.00	19.00	29.50B/*0.20	29.50B/*0.20	----	0.00 - 29.20	----	----	----	108	----	0 - 13
4565	19.50	19.50	#83.50B/*3.40A	#83.50B/*3.40A	----	7.00 - 22.60	----	27	----	23	----	0 - 8
4565	21.00	21.00	25.50B/*0.20	25.50B/*0.20	----	0.00 - 26.50	----	----	----	131	----	0 - 63
4570	5.80	5.80	21.60B/*0.20	21.60B/*0.20	----	0.00 - 24.10	----	----	----	132	----	0 - 76
4570	24.90	24.90	#87.90B/4.50	#87.90B/4.50	----	12.00 - 20.20	----	36	----	46	----	0 - 4
4575	15.50	15.50	92.40B/6.30A	92.40B/6.30A	----	17.00 - 17.80	----	165	----	25	----	0 - 159
4575	5.00	5.00	18.00B/*0.10	18.00B/*0.10	----	0.00 - 21.70	----	----	----	249	----	0 - 12
4580	15.00	15.00	15.00/*0.10	15.00/*0.10	----	0.00 - 19.60	----	----	----	65	----	0 - 35
4580	17.00	17.00	#97.10B/8.10A	#97.10B/8.10A	----	22.00 - 15.70	----	21	----	18	----	0 - 13
4585	27.70	27.70	#101.80B/10.20A	#101.80B/10.20A	----	27.00 - 13.70	----	12	----	14	----	0 - 1
4585	7.90	7.90	12.90/*0.10	12.90/*0.10	----	0.00 - 17.60	----	----	----	56	----	0 - 96
4590	9.90	9.90	9.90/*0.20	11.20B/*0.20	----	0.00 - 15.70	----	----	----	56	----	0 - 11
4590	30.40	30.40	#106.30B/12.70A	#106.30B/12.70A	----	32.00 - 11.80	----	4	----	5	----	0 - 5
4595	11.00	11.00	11.00/*0.20A	11.00/*0.20A	----	0.00 - 14.10	----	----	----	34	----	0 - 9
4595	----	----	#111.10B/15.70A	#111.10B/15.70A	----	37.00 - 10.20	----	1	----	----	----	0 - 1
4600	50.20	50.20	115.90B/19.10A	115.90B/19.10A	----	42.00 - 8.60	----	76	----	20	----	0 - 77
4600	9.10	9.10	10.40/*0.10	10.40/*0.10	----	0.00 - 12.50	----	----	----	325	----	0 - 110
4605	6.20	6.20	6.60/*0.10A	7.40B/*0.10A	----	0.00 - 11.20	----	----	----	27	----	0 - 46
4605	----	----	#120.70B/22.60A	#120.70B/22.60A	----	47.00 - 7.20	----	4	----	1	----	0 - 4
4610	49.00	49.00	#125.40B/26.70A	#125.40B/26.70A	----	52.00 - 6.00	----	12	----	10	----	0 - 14
4610	2.50	2.50	3.60/*0.20A	6.40B/*0.20A	----	0.00 - 9.90	----	----	----	17	----	0 - 12
4615	----	----	#130.30B/30.90A	#130.30B/30.90A	----	57.00 - 4.90	----	17	----	1	----	0 - 18
4615	5.90	5.90	5.90/*0.20A	5.90/*0.20A	----	0.00 - 8.80	----	----	----	22	----	0 - 19
4620	74.60	74.60	#135.20B/35.00A	#135.20B/35.00A	----	62.00 - 3.90	----	7	----	10	----	0 - 10
4620	3.30	3.30	3.60/*0.20A	4.60B/*0.20A	----	0.00 - 7.80	----	----	----	103	----	0 - 26
4625	1.50	1.50	1.60/*0.20A	3.60B/*0.20A	----	0.00 - 6.90	----	----	----	40	----	0 - 35
4625	80.00	80.00	140.10B/39.70A	140.10B/39.70A	----	67.00 - 3.00	----	54	----	6	----	0 - 57
4630	0.90	0.90	1.20/*0.20A	3.00B/*0.20A	----	0.00 - 6.10	----	----	----	6	----	0 - 24
4630	----	----	#145.00B/44.40A	#145.00B/44.40A	----	72.00 - 2.20	----	10	----	1	----	0 - 10
4635	84.50	84.50	#149.90B/49.00A	#149.90B/49.00A	----	77.00 - 1.50	----	20	----	6	----	0 - 25
4635	2.80	2.80	2.80/*0.20A	2.80/*0.20A	----	0.00 - 5.50	----	----	----	6	----	0 - 108
4640	----	----	#154.70B/53.70A	#154.70B/53.70A	----	82.00 - 0.90	----	44	----	2	----	0 - 45
4640	2.30	2.30	2.30/*0.10	2.60B/*0.10	----	0.00 - 4.80	----	----	----	60	----	0 - 58
4645	----	----	----/*0.20A	1.90B/*0.20A	----	0.00 - 4.30	----	----	----	----	----	0 - 11
4645	----	----	#159.80B/58.80A	#159.80B/58.80A	----	87.00 - 0.40	----	4	----	----	----	0 - 4
4650	----	----	164.60B/63.40A	164.60B/63.40A	----	92.00 + 0.10	----	145	----	1	----	0 - 145
4650	0.70	0.70	1.60/*0.10	1.90B/*0.10	----	0.00 - 3.80	----	----	----	126	----	0 - 73
4655	0.40	0.40	0.40/*0.20A	1.60B/*0.20A	----	0.00 - 3.40	----	----	----	21	----	0 - 22
4655	108.50	108.50	#169.70B/68.30A	#169.70B/68.30A	----	97.00 + 0.50	----	20	----	4	----	0 - 22
4660	117.00	117.00	#174.70B/73.20A	#174.70B/73.20A	----	102.00 + 0.90	----	4	----	2	----	0 - 5
4660	1.60	1.60	1.60/*0.20	1.60/*0.20	----	0.00 - 3.00	----	----	----	5	----	0 - 36
4665	----	----	#179.50B/78.40A	#179.50B/78.40A	----	107.00 + 1.20	----	5	----	----	----	0 - 5
4665	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.00 - 2.70	----	----	----	6	----	0 - 7
4670	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 2.40	----	----	----	----	----	0 - 6
4670	----	----	#184.60B/83.10A	#184.60B/83.10A	----	112.00 + 1.50	----	3	----	5	----	0 - 8
4675	----	----	#189.40B/88.30A	#189.40B/88.30A	----	117.00 + 1.80	----	6	----	----	----	0 - 6
4675	0.20	0.20	0.20/*0.10	0.60B/*0.10	----	0.00 - 2.20	----	----	----	7	----	0 - 16
4680	----	----	#194.60B/93.10A	#194.60B/93.10A	----	122.00 + 2.00	----	2	----	----	----	0 - 2
4680	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.90	----	----	----	3	----	0 - 32
4685	----	----	#199.60B/98.00A	#199.60B/98.00A	----	127.00 + 2.20	----	27	----	----	----	0 - 27
4685	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.00 - 1.70	----	----	----	6	----	0 - 34
4690	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 31
4690	----	----	#204.50B/103.00	#204.50B/103.00A	----	132.00 + 2.40	----	2	----	1	----	0 - 2
4695	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 27
4700	----	----	#214.40B/113.20	#214.40B/113.20A	----	142.00 + 2.70	----	14	----	----	----	0 - 14
4700	0.60	0.60	0.90/*0.10	0.90/*0.10	----	0.00 - 1.30	----	----	----	24	----	0 - 86
4705	----	----	#219.50B/117.90	#219.50B/117.90A	----	147.00 + 2.80	----	----	----	----	----	0 UNCH
4705	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 1.10	----	----	----	1	----	0 - 30
4710	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 1.00	----	----	----	1	----	0 - 12
4710	----	----	#224.50B/122.90	#224.50B/122.90A	----	152.00 + 2.90	----	4	----	----	----	0 - 4
4715	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 7
4720	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 14
4720	----	----	#234.30B/132.90	#234.30B/132.90A	----	162.00 + 3.10	----	1	----	----	----	0 - 1
4725	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 12
4725	----	----	#239.30B/137.90	#239.30B/137.90A	----	167.00 + 3.20	----	3	----	----	----	0 - 3
4730	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 40
4735	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 0.60	----	----	----	2	----	0 - 2
4740	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 4
4750	----	----	#264.30B/163.10	#264.30B/163.10A	----	192.00 + 3.50	----	4	----	----	----	0 - 4
4750	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 58
4755	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4760	----	----	#274.40B/173.10	#274.40B/173.10A	----	202.00 + 3.60	----	1	----	----	----	0 - 1
4765	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 9
4770	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4775	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	1	----	0 - 57
4775	----	----	#289.40B/188.10	#289.40B/188.10A	----	217.00 + 3.70	----	1	----	----	----	0 - 1
4780	----	----	#294.40B/193.10	#294.40B/193.10A	----	222.00 + 3.70	----	2	----	1	----	0 - 2
4780	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
4785	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
4790	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4795	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 12
4800	----	----	#314.40B/213.10	#314.40B/213.10A	----	242.00 + 3.80	----	2	----	----	----	0 - 2
4800	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 70
4805	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4810	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4815	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4820	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4820	----	----	#334.40B/233.10	#334.40B/233.10A	----	262.00 + 3.80	----	----	----	----	----	0 UNCH
4825	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
4825	----	----	#339.40B/238.10	#339.40B/238.10A	----	267.00 + 3.80	----	1	----	----	----	0 - 1
4830	----	----	#344.40B/242.90	#344.40B/242.90A	----	272.00 + 3.80	----	2	----	2	----	0 - 2
4840	----	----	#354.40B/252.90	#354.40B/252.90A	----	282.00 + 3.80	----	1	----	1	----	0 - 1
4850	----	----	#364.40B/262.90	#364.40B/262.90A	----	292.00 + 3.80	----	1	----	----	----	0 - 1
4850	0.10	0.10	0.30/*0.10	0.30/*0.10	----	0.00 - 0.10	----	----	----	7	----	0 - 30
4855	----	----	#369.40B/267.90	#369.40B/267.90A	----	297.00 + 3.80	----	1	----	----	----	0 - 1
4855	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4875	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4875	----	----	#389.40B/287.90	#389.40B/287.90A	----	317.00 + 3.80	----	1	----	----	----	0 - 1
4885	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4900	----	----	#414.40B/312.80	#414.40B/312.80A	----	342.00 + 3.80	----	----	----	----	----	0 UNCH
4900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
4925	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4950	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 14
4975	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
MAY26												
5000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5010	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5070	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 2
5075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
5100	----	----	#614.40B/512.90	#614.40B/512.90A	----	542.00 + 3.90	----	----	----	----	----	0 UNCH
5125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
5200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5225	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5300	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5500	----	----	----	----/*0.40A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										4304		0 - 4197
JUN26												
3250	----	----	----	----/*1.30A	----	0.10 NEW	.0004	----	----	1	----	1 + 1
3500	----	----	----	0.50B/*1.30A	----	0.50 - 0.30	.0025	----	----	----	----	40 UNCH
3700	----	----	----	1.00B/1.40A	----	0.90 NEW	.0052	----	----	2	----	2 + 2
3750	3.70	3.70	#3.70/*3.50A	#3.70/*3.50A	----	3.30 - 1.50	.0174	----	----	1	----	6 + 1
3750	----	----	----	1.20B/1.50A	----	1.00 - 0.40	.0060	----	----	----	----	4 UNCH
3800	4.00	4.00	#4.20/*3.90A	#4.20/*3.90A	----	3.80 - 1.50	.0205	----	----	26	----	32 + 25
3800	----	----	----/*1.60A	1.40B/1.60A	----	1.20 - 0.50	.0074	----	----	----	----	1 UNCH
3900	----	----	----/*2.10A	1.90B/2.10A	----	1.70 - 0.50	.0112	----	----	----	----	2 UNCH
3900	5.70	5.70	#5.70/*5.20A	#5.70/*5.20A	----	5.10 - 1.40	.0287	----	----	1	----	4 + 1
4000	7.80	7.80	#9.90B/*7.10A	#9.90B/*7.10A	----	7.20 - 1.40	.0418	----	----	3	----	4 + 2
4000	----	----	----/2.60A	3.10B/2.60A	----	2.40 - 0.80	.0170	----	----	----	----	7 UNCH
4100	11.30	11.30	#15.40B/*10.20A	#15.40B/*10.20A	----	10.60 - 1.50	.0629	----	----	1	----	1 UNCH
4100	----	----	5.60B/3.60A	5.60B/3.60A	----	3.60 - 1.30	.0274	----	----	----	----	15 UNCH
4150	----	----	----	#19.40B/*12.60A	----	13.10 NEW	.0780	----	----	1	----	1 + 1
4150	----	----	8.20B/4.30A	8.20B/4.30A	----	4.40 - 1.80	.0348	----	----	----	----	3 UNCH
4150	----	----	#14.20B/8.20A	14.20B/8.20A	----	8.20 - 4.10	.0564	----	----	----	----	4 UNCH
4175	----	----	9.60B/4.90A	9.60B/4.90A	----	5.00 - 2.10	.0400	----	----	----	----	7 UNCH
4200	----	----	#26.40B/15.70A	#26.40B/15.70A	----	16.50 NEW	.0978	----	----	2	----	2 + 2
4200	----	----	11.10B/5.40A	11.10B/5.40A	----	5.70 - 2.40	.0462	----	----	1	----	21 + 1
4225	----	----	----	#28.50B/*17.50A	----	18.50 NEW	.1094	----	----	8	----	8 + 8
4225	----	----	14.40B/6.10A	14.40B/6.10A	----	6.50 - 2.60	.0533	----	----	----	----	5 UNCH
4250	----	----	#33.40B/19.70A	#33.40B/19.70A	----	20.90 - 2.40	.1228	----	----	----	----	2 UNCH
4250	----	----	15.50B/6.90A	15.50B/6.90A	----	7.50 - 2.90	.0621	----	----	----	----	4 UNCH
4275	25.60	25.60	#37.20B/22.30A	#37.20B/22.30A	----	23.70 - 2.50	.1379	----	----	2	----	3 + 2
4275	----	----	19.30B/8.00A	19.30B/8.00A	----	8.70 - 3.20	.0725	----	----	----	----	12 UNCH
4300	----	----	327.30B/*261.70	327.30B/*261.70A	----	301.60 - 7.20	.9145	----	----	----	----	1 UNCH
4300	16.00	16.00	21.20B/9.40A	21.20B/9.40A	----	10.20 - 3.50	.0852	----	----	1	----	26 UNCH
4300	----	----	#32.50B/17.40A	#32.50B/17.40A	----	18.30 - 4.40	.1243	----	----	----	----	5 UNCH
4325	31.80	31.80	#47.80B/28.40A	#47.80B/28.40A	----	30.50 - 2.90	.1733	----	----	26	----	36 + 26
4325	----	----	24.50B/11.00A	24.50B/11.00A	----	11.90 - 4.00	.0997	----	----	----	----	16 UNCH
4325	----	----	#37.10B/19.90A	#37.10B/19.90A	----	21.10 - 4.50	.1421	----	----	----	----	1 UNCH
4350	38.90	38.90	#53.80B/32.20A	#53.80B/32.20A	----	34.80 - 3.20	.1944	----	----	2	----	3 + 2
4350	----	----	28.90B/12.90A	28.90B/12.90A	----	14.00 - 4.50	.1172	----	----	----	----	18 UNCH
4350	----	----	#41.90B/23.40A	#41.90B/23.40A	----	24.50 - 4.60	.1627	----	----	----	----	3 UNCH
4375	44.30	44.30	#61.90B/36.60A	#61.90B/36.60A	----	39.70 NEW	.2174	----	----	1	----	1 + 1
4375	----	----	35.00B/15.30A	35.00B/15.30A	----	16.70 - 5.00	.1387	----	----	----	----	6 UNCH
4375	----	----	#49.10B/26.90A	#49.10B/26.90A	----	28.30 - 5.20	.1853	----	----	----	----	1 UNCH
4400	46.50	46.50	#68.70B/41.50A	#68.70B/41.50A	----	45.30 - 4.30	.2426	----	----	5	----	11 + 5
4400	25.00	25.00	41.00B/18.30A	41.00B/18.30A	----	19.90 - 5.50	.1636	----	----	2	456	471 + 454
4400	----	----	#56.70B/31.20A	#56.70B/31.20A	----	32.90 - 5.60	.2112	----	----	----	----	5 UNCH
4425	54.10	54.10	#76.70B/47.00A	#76.70B/47.00A	----	51.50 NEW	.2695	----	----	2	----	2 + 2
4425	----	----	48.00B/21.90A	48.00B/21.90A	----	23.80 - 6.10	.1927	----	----	----	----	5 UNCH
4425	----	----	#64.60B/36.00A	#64.60B/36.00A	----	38.20 - 5.90	.2399	----	----	----	----	32 UNCH
4450	62.40	62.40	#86.80B/53.30A	#86.80B/53.30A	----	58.50 - 4.30	.2984	----	----	1	----	7 + 1
4450	----	----	56.30B/26.30A	56.30B/26.30A	----	28.60 - 6.50	.2265	----	----	2	----	11 - 1
4450	----	----	206.10B/*157.70	206.10B/*157.70A	----	185.90 - 9.80	.7282	----	----	----	----	3 UNCH
4475	53.40	53.40	#82.40B/47.80A	#82.40B/47.80A	----	51.30 NEW	.3052	----	----	1	----	1 + 1
4475	40.90	40.90	65.20B/31.40A	65.20B/31.40A	----	34.30 - 7.00	.2647	----	----	25	----	48 + 23
4500	69.90	69.90	#111.50B/68.00A	#111.50B/68.00A	----	74.70 - 3.70	.3607	----	----	2	----	2 + 1
4500	----	----	154.20B/*114.10	154.20B/*114.10A	----	132.80 - 11.10	.6923	----	----	----	----	1 UNCH
4500	----	----	#93.00B/55.10A	#93.00B/55.10A	----	59.30 - 6.30	.3417	----	----	----	----	6 UNCH
4500	47.40	47.40	75.40B/37.20A	75.40B/37.20A	----	41.10 - 7.40	.3073	----	----	4	----	13 + 2
4525	----	----	87.80B/44.20A	87.80B/44.20A	----	49.10 - 7.70	.3539	----	----	----	----	3 UNCH
4525	----	----	137.10B/*91.20A	137.10B/*91.20A	----	115.80 - 11.40	.6457	----	----	----	----	1 UNCH
4525	----	----	#106.90B/63.30A	#106.90B/63.30A	----	68.20 - 6.40	.3801	----	----	----	----	2 UNCH
4550	----	----	#131.50B/86.00A	#131.50B/86.00A	----	94.50 - 3.40	.4285	----	----	4	----	10 + 4
4550	----	----	153.40B/*116.30	153.40B/*116.30A	----	136.20 - 7.10	.5707	----	----	----	----	1 UNCH
4550	----	----	97.00B/52.20A	97.00B/52.20A	----	58.40 - 7.80	.4037	----	----	----	----	9 UNCH
4550	102.40	102.40	120.20B/*78.70A	120.20B/*78.70A	----	100.10 NEW	.5958	----	----	2	----	2 + 2
4550	----	----	#112.90B/72.10A	#112.90B/72.10A	----	78.30 - 6.30	.4202	----	----	----	----	1 UNCH
4575	120.00	120.00	139.50B/*104.60	139.50B/*104.60A	----	122.60 - 7.10	.5356	----	----	2	----	2 - 1
4575	76.80	76.80	105.50B/*67.40A	105.50B/*67.40A	----	85.80 - 11.40	.5437	----	----	18	----	18 + 18
4575	----	----	#145.10B/96.40A	#145.10B/96.40A	----	105.90 - 3.30	.4636	----	----	----	----	5 UNCH
4575	----	----	110.20B/61.40A	110.20B/61.40A	----	69.00 - 7.80	.4559	----	----	----	----	7 UNCH
4600	----	----	#159.70B/110.30	#159.70B/110.30A	----	118.20 - 3.40	.4991	----	----	----	----	1 UNCH
4600	----	----	125.40B/72.00A	125.40B/72.00A	----	81.10 - 7.50	.5092	----	----	----	----	7 UNCH
4600	----	----	91.10B/*57.80A	91.10B/*57.80A	----	72.90 - 11.20	.4903	----	----	29	----	81 + 29
4625	----	----	78.00B/*50.00A	78.00B/*50.00A	----	61.40 - 10.90	.4370	----	----	----	100	103 + 100
4625	----	----	140.60B/84.00A	140.60B/84.00A	----	94.50 - 7.20	.5626	----	----	----	----	4 UNCH
4625	----	----	#155.60B/104.90	#155.60B/104.90A	----	114.90 - 6.10	.5448	----	----	----	----	1 UNCH
4650	----	----	66.90B/*41.90A	66.90B/*41.90A	----	51.30 - 10.40	.3849	----	----	----	----	7 UNCH
4650	----	----	158.10B/97.30A	158.10B/97.30A	----	109.40 - 6.70	.6147	----	----	----	----	6 UNCH
4650	----	----	#171.30B/118.30	#171.30B/118.30A	----	129.30 - 5.90	.5858	----	----	----	----	1 UNCH
4675	----	----	176.70B/111.90A	176.70B/111.90A	----	125.70 - 6.00	.6643	----	----	----	----	3 UNCH
4675	----	----	56.70B/*35.10A	56.70B/*35.10A	----	42.60 - 9.70	.3352	----	----	1	----	3 + 1
4675	----	----	75.00B/*51.80A	75.00B/*51.80A	----	61.70 - 9.50	.3736	----	----	----	----	3 UNCH
4700	----	----	82.10B/*62.00A	82.10B/*62.00A	----	69.10 - 7.30	.3626	----	----	----	----	10 UNCH
4700	----	----	#225.30B/165.50	#225.30B/165.50A	----	177.00 - 3.60	.6366	----	----	----	----	5 UNCH
4700	----	----	196.30B/128.10A	196.30B/128.10A	----	143.20 - 5.30	.7105	----	----	----	----	6 UNCH
4700	----	----	#207.20B/148.60	#207.20B/148.60A	----	161.40 - 5.40	.6639	----	----	----	----	2 UNCH
4700	32.50	32.50	47.70B/*30.00A	47.70B/*30.00A	----	35.20 - 8.90	.2891	----	----	4	----	101 + 4
4700	----	----	65.30B/*45.30A	65.30B/*45.30A	----	53.40 - 9.10	.3355	----	----	----	----	1 UNCH
4725	57.50	57.50	73.10B/*55.80A	73.10B/*55.80A	----	61.10 - 7.20	.3309	----	----	1	----	2 + 1
4725	----	----	216.70B/145.10A	216.70B/145.10A	----	161.90 - 4.50	.7527	----	----	----	----	1 UNCH
4725	28.50	28.50	40.00B/*25.40A	40.00B/*25.40A	----	28.90 - 8.20	.2468	----	----	1	----	11 + 1
4725	----	----	#226.40B/165.00	#226.40B/165.00A	----	178.90 - 5.10	.7000	----	----	----	----	1 UNCH
4750	28.10	28.10	33.30B/*20.80A	33.30B/*20.80A	----	23.60 - 7.40	.2088	----	----	2	----	8 + 1
4750	----	----	64.90B/*48.80A	64.90B/*48.80A	----	54.00 - 6.80	.3009	----	----	----	----	1 UNCH
4750	----	----	49.10B/*34.70A	49.10B/*34.70A	----	39.50 - 8.40	.2657	----	----	----	----	1 UNCH
4750	----	----	237.90B/167.50A	237.90B/167.50A	----	181.70 - 3.60	.7908	----	----	----	----	2 UNCH
4750	----	----	#246.40B/182.30	#246.40B/182.30A	----	197.40 - 4.70	.7337	----	----	----	----	1 UNCH
4775	----	----	27.60B/*16.90A	27.60B/*16.90A	----	19.30 - 6.50	.1758	----	----	----	----	1 UNCH
4800	----	----	50.70B/*38.30A	50.70B/*38.30A	----	41.90 - 6.10	.2462	----	----	----	----	6 UNCH
4800	----	----	282.10B/207.30A	282.10B/207.30A	----	223.70 - 2.00	.8528	----	----	----	----	1 UNCH
4800	22.50	22.50	22.80B/*13.80A	22.80B/*13.80A	----	15.70 - 5.80	.1468	----	----	1	----	15 - 1
4800	----	----	36.50B/*26.30A	36.50B/*26.30A	----	29.10 - 7.30	.2068	----	----	----	----	100 UNCH
4825	----	----	18.80B/*11.30A	18.80B/*11.30A	----	12.80 - 5.10	.1222	----	----	----	----	1 UNCH
4850	----	----	39.30B/*29.50A	39.30B/*29.50A	----	32.30 NEW	.1988	----	----	1	----	1 + 1
4850	9.40	9.40	15.50B/*9.20A	15.50B/*9.20A	----	10.50 - 4.40	.1018	----	----	1	----	13 UNCH
4850	----	----	----/*19.60A	27.00B/*19.60A	----	21.40 - 6.10	.1589	----	----	----	----	2 UNCH
4875	----	----	12.80B/*7.60A	12.80B/*7.60A	----	8.60 - 3.90	.0845	----	----	----	----	104 UNCH
4875	----	----	34.60B/*25.90A	34.60B/*25.90A	----	28.40 NEW	.1782	----	----	1	----	1 + 1
4900	----	----	30.30B/*22.80A	30.30B/*22.80A	----	24.90 - 4.40	.1593	----	----	----	----	3 UNCH
4900	7.40	7.40	10.80B/*6.30A	10.80B/*6.30A	----	7.10 - 3.40	.0703	----	----	4	----	49 + 4
4900	----	----	339.20B/295.20A	339.20B/295.20A	----	315.00 + 0.40	.9293	----	----	1	----	2 + 1
4900	----	----	----/*14.80A	20.00B/*14.80A	----	15.70 - 5.00	.1208	----	----	----	----	3 UNCH
4925	----	----	----/*5.30A	8.80B/*5.30A	----	5.90 - 2.90	.0587	----	----	----	----	4 UNCH
4950	----	----	23.60B/*17.70A	23.60B/*17.70A	----	19.30 - 3.40	.1272	----	----	----	----	6 UNCH
4950	----	----	----/*4.50A	7.50B/*4.50A	----	5.00 - 2.50	.0497	----	----	----	----	32 UNCH
4950	----	----	----/*11.10A	15.00B/*11.10A	----	11.60 - 4.00	.0916	----	----	----	----	5 UNCH
4975	----	----	----/*3.90A	6.20B/*3.90A	----	4.20 - 2.20	.0417	----	----	----	----	3 UNCH
5000	----	----	----/*3.40A	5.30B/*3.40A	----	3.60 - 1.90	.0356	----	----	1	----	22 UNCH
5000	----	----	18.20B/*14.00A	18.20B/*14.00A	----	15.00 - 2.70	.1013	----	----	----	----	1 UNCH
5000	----	----	----/*8.80A	11.30B/*8.80A	----	8.60 - 3.10	.0693	----	----	----	----	32 UNCH
5025	15.80	15.80	16.40B/*12.50A	16.40B/*12.50A	----	13.30 NEW	.0907	----	----	4	----	4 + 4
5025	----	----	----/*3.00A	4.50B/*3.00A	----	3.20 - 1.60	.0312	----	----	----	----	1 UNCH
5050	----	----	14.50B/*11.10A	14.50B/*11.10A	----	11.80 - 2.10	.0811	----	----	----	----	6 UNCH
5050	----	----	----/*6.90A	8.60B/*6.90A	----	6.40 - 2.40	.0523	----	----	----	----	5 UNCH
5050	----	----	----/*2.70A	3.70B/*2.70A	----	2.80 - 1.30	.0270	----	----	1	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
JUN26												
5075	----	----	----/*2.40A	3.30B/*2.40A	----	2.40 - 1.20	.0230	----	----	----	----	1 UNCH
5100	12.00	12.00	12.00/*9.00A	12.00/*9.00A	----	9.50 - 1.60	.0658	----	----	2	----	3 + 2
5100	----	----	----/*2.20A	2.80B/*2.20A	----	2.20 - 1.00	.0207	----	----	----	----	1 UNCH
5125	----	----	----/*2.00A	2.40B/*2.00A	----	2.00 - 0.80	.0185	----	----	----	----	2 UNCH
5150	----	----	----/*1.80A	2.10B/*1.80A	----	1.80 - 0.70	.0164	----	----	----	----	5 UNCH
5150	----	----	----/*4.80A	3.50B/*4.80A	----	3.50 - 1.70	.0293	----	----	----	----	2 UNCH
5175	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.60	.0145	----	----	----	----	3 UNCH
5200	----	----	----/*1.60A	1.60B/*1.60A	----	1.40 - 0.60	.0126	----	----	----	----	2 UNCH
5225	----	----	----/*1.50A	1.50B/*1.50A	----	1.30 - 0.50	.0114	----	----	----	----	4 UNCH
5250	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.50	.0104	----	----	----	----	4 UNCH
5250	----	----	----	1.90B/*4.50A	----	2.00 - 1.20	.0169	----	----	----	----	4 UNCH
5275	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.40	.0094	----	----	----	----	6 UNCH
5300	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.40	.0084	----	----	----	----	4 UNCH
5300	----	----	----	1.30B/*4.00A	----	1.60 - 0.90	.0134	----	----	----	----	5 UNCH
5325	----	----	----	1.00B/*1.30A	----	0.90 - 0.40	.0075	----	----	----	----	2 UNCH
5350	----	----	----/*1.20A	0.90B/*1.20A	----	0.80 - 0.50	.0066	----	----	----	----	6 UNCH
5400	----	----	----	0.70B/*1.10A	----	0.70 - 0.40	.0056	----	----	----	----	9 UNCH
5500	----	----	----	0.40B/*1.00A	----	0.50 - 0.30	.0038	----	----	----	----	2 UNCH
5600	----	----	----	0.20B/1.10A	----	0.40 - 0.30	.0029	----	----	----	----	1 UNCH
5700	----	----	----	----/1.10A	----	0.40 - 0.20	.0027	----	----	----	----	10 UNCH
5750	----	----	----/*2.00A	#1.70B/*2.00A	----	2.00 - 0.50	.0117	----	----	----	----	3 UNCH
5750	----	----	----	----/3.20A	----	0.30 - 0.30	.0020	----	----	----	----	12 UNCH
6000	----	----	----	----/2.60A	----	0.30 - 0.30	.0017	----	----	----	----	11 UNCH
TOTAL										204	556	1913 + 735

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
MAY26												
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	38.10 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	138.10 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
MAY26												
6750	0.195	0.195	0.290B/*0.167A	0.290B/0.167A	----	0.028 NEW	.0064	----	----	1	----	1 + 1
6800	0.450	0.450	0.450/*0.172A	0.450/0.172A	----	0.036 NEW	.0087	----	----	1	----	1 + 1
7100	----	----	0.901B/0.292A	0.901B/0.292A	----	0.151 - 0.196	.0458	----	----	----	----	1 UNCH
7200	0.375	0.375	1.187B/0.375	1.187B/0.375	----	0.236 - 0.238	.0747	----	----	2	----	4 + 2
7700	----	----	----/*1.384A	2.335B/*1.384A	----	2.008 - 0.542	.5556	----	----	----	----	2 UNCH
7810	1.908	1.908	#1.908/*1.121A	1.908/*1.121A	----	1.504 NEW	.4438	----	----	8	----	8 + 8
7820	1.775	1.775	#1.775/*1.775	2.582B/*1.775	----	2.220 NEW	.5660	----	----	3	----	3 + 3
7850	1.662	1.662	1.662/*1.035A	1.662/*1.035A	----	1.350 NEW	.4050	----	----	5	----	5 + 5
7900	1.200	1.200	1.422B/*0.907A	1.422B/*0.907A	----	1.176 NEW	.3588	----	----	1	----	1 + 1
8000	----	----	----	----	----	3.439 - 0.422	.7243	----	----	----	----	1 UNCH
8100	----	----	----/1.250A	1.663B/1.250A	----	1.385 - 0.466	.3133	----	----	----	----	0 UNCH
8150	----	----	----/*0.529A	0.555B/*0.529A	----	0.560 - 0.466	.1763	----	----	----	----	1 UNCH
8200	----	----	----	----	----	5.033 - 0.338	.8499	----	----	----	----	1 UNCH
8200	----	----	----/1.092A	1.360B/1.092A	----	1.125 - 0.441	.2649	----	----	----	----	1 UNCH
8250	----	----	----	----	----	5.461 - 0.314	.8732	----	----	----	----	2 UNCH
8250	----	----	----/*0.424A	0.361B/*0.424A	----	0.406 - 0.418	.1267	----	----	----	----	1 UNCH
8300	----	----	----	----/20.896A	----	6.464 - 0.306	.7779	----	----	----	----	1 UNCH
8350	----	----	----/0.920A	0.965B/0.920A	----	0.822 - 0.394	.2029	----	----	----	----	1 UNCH
8400	----	----	----	----/22.739A	----	7.291 - 0.273	.8148	----	----	----	----	2 UNCH
8500	----	----	----	----/24.648A	----	8.154 - 0.236	.8460	----	----	----	----	1 UNCH
8500	0.180	0.180	0.180/*0.180	0.180/*0.180	----	0.171 NEW	.0498	----	----	1	----	1 + 1
8550	----	----	----/0.667A	0.630B/0.667A	----	0.547 - 0.323	.1404	----	----	----	----	1 UNCH
8800	----	----	----	----/29.155A	----	10.889 - 0.135	.9106	----	----	1	----	1 UNCH
8900	----	----	----/*0.377A	0.291B/*0.377A	----	0.288 - 0.211	.0751	----	----	----	----	0 UNCH
9000	----	----	----/*0.328A	0.229B/*0.328A	----	0.245 - 0.185	.0636	----	----	----	----	8 UNCH
10000	----	----	----	0.014B/*0.164A	----	0.046 - 0.055	.0113	----	----	----	----	1 UNCH
TOTAL										23	0	50 + 22
JUN26												
7700	----	----	----/*2.988A	3.886B/*2.988A	----	3.765 - 0.488	.5427	----	----	----	----	2 UNCH
7750	----	----	#4.750B/3.461A	#4.750B/3.461A	----	3.574 - 0.386	.4803	----	----	----	----	1 UNCH
7850	----	----	#4.876B/3.985A	#4.876B/3.985A	----	4.116 - 0.383	.5262	----	----	----	----	2 UNCH
7900	----	----	5.020B/4.230A	5.020B/4.230A	----	4.405 - 0.379	.5488	----	----	----	----	1 UNCH
8000	2.500	2.500	2.830B/*2.107A	2.830B/*2.107A	----	2.467 NEW	.4069	----	----	2	----	2 + 2
8300	----	----	----	0.036B/*7.972A	----	3.988 + 1.370	.3990	----	----	----	----	6 UNCH
9500	0.770	0.770	#0.770/*0.770	#0.770/*0.770	----	1.565 NEW	.1860	----	----	1	----	1 + 1
TOTAL										3	0	15 + 3
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
MAY26												
6100	----	----	----	----/0.245A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6800	----	----	----	0.006B/0.100A	----	0.000 - 0.033	----	----	----	----	----	0 - 5
6850	0.100	0.100	0.100/0.100	0.100/0.100	----	0.000 - 0.045	----	----	----	1	----	0 - 5
7000	----	----	0.085B/----	0.085B/0.119A	----	0.000 - 0.067	----	----	----	----	----	0 - 95
7000	----	----	----	----	----	7.444 - 0.168	----	1	----	----	----	0 - 1
7100	0.200	0.200	0.200/*0.119A	0.200/*0.119A	----	0.000 - 0.090	----	----	----	2	----	0 - 2
7200	0.310	0.310	0.341B/*0.115	0.341B/*0.115	----	0.000 - 0.126	----	----	----	5	----	0 - 2
7250	----	----	0.419B/*0.112A	0.419B/*0.112A	----	0.000 - 0.150	----	----	----	----	----	0 - 1
7300	----	----	0.582B/*0.114A	0.582B/*0.114A	----	0.000 - 0.181	----	----	----	2	----	0 - 5
7340	----	----	----	#0.682B/*0.113A	----	0.000 UNCH	----	----	----	2	----	0 UNCH
7350	----	----	0.705B/*0.112A	0.705B/*0.112A	----	0.000 - 0.220	----	----	----	----	----	0 - 2
7400	0.712	0.712	0.925B/*0.115A	0.925B/*0.115A	----	0.000 - 0.269	----	----	----	8	----	0 - 82
7440	----	----	----	#1.076B/*0.116A	----	0.000 UNCH	----	----	----	2	----	0 UNCH
7450	0.400	0.400	1.113B/*0.115A	1.113B/*0.115A	----	0.000 NEW	----	----	----	8	----	0 UNCH
7500	0.900	0.900	1.419B/*0.001	1.419B/*0.001	----	0.000 - 0.412	----	----	----	9	----	0 - 15
7500	1.128	1.128	1.767/*1.128	1.767/*1.128	----	2.444 NEW	----	1	----	6	----	0 UNCH
7550	0.228	0.228	1.335B/*0.126A	1.335B/*0.126A	----	0.000 - 0.512	----	----	----	5	----	0 - 1
7550	1.100	1.100	1.100/*0.996A	1.291B/*0.996A	----	1.944 NEW	----	18	----	78	----	0 UNCH
7600	1.050	1.050	1.307B/*0.796A	1.307B/*0.796A	----	1.444 - 0.740	----	4	----	17	----	0 - 2
7600	0.190	0.190	1.314B/*0.100	1.314B/*0.100	----	0.000 - 0.637	----	----	----	6	----	0 - 2
7650	0.200	0.200	1.263B/*0.144A	1.263B/*0.144A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7650	----	----	----/*0.630A	1.181B/*0.630A	----	0.944 NEW	----	21	----	69	----	0 UNCH
7680	0.740	0.740	#1.203B/*0.211A	1.203B/*0.211A	----	0.000 - 0.899	----	----	----	1	----	0 - 1
7690	0.737	0.737	#1.209B/*0.219A	1.209B/*0.219A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7700	1.250	1.250	1.250/0.196A	1.250/0.196A	----	0.000 - 0.978	----	----	----	11	----	0 - 11
7700	0.300	0.300	0.984/*0.300	0.984/*0.300	----	0.444 - 1.081	----	40	----	157	----	0 - 62
7730	----	----	----/*0.251A	0.771B/*0.251A	----	0.144 NEW	----	1	----	2	----	0 UNCH
7750	0.501	0.501	0.675B/*0.232A	0.675B/*0.232A	----	0.000 - 1.246	----	----	----	36	----	0 - 30
7750	0.470	0.470	1.225B/*0.160	1.225B/*0.160	----	0.056 NEW	----	3	----	3	----	0 UNCH
7770	----	----	----/0.358A	1.206B/0.358A	----	0.256 - 1.042	----	1	----	----	----	0 - 1
7790	----	----	----/*0.148A	0.590B/*0.148A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7800	0.366	0.366	0.448/0.250	0.718B/0.250	----	0.556 NEW	----	23	----	23	----	0 UNCH
7800	0.280	0.280	0.762/*0.136A	0.762/*0.136A	----	0.000 - 1.004	----	----	----	59	----	0 - 44
7810	0.290	0.290	#0.972/*0.139A	0.972/*0.139A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7850	0.350	0.350	0.450/*0.138A	0.450/*0.138A	----	0.000 - 0.797	----	----	----	11	----	0 - 5
7850	----	----	----/0.678A	0.557B/0.678A	----	1.056 - 0.694	----	1	----	----	----	0 - 1
7890	----	----	----/*0.134A	0.175B/*0.134A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7900	0.220	0.220	0.295/*0.131A	0.295/*0.131A	----	0.000 - 0.625	----	----	----	7	----	0 - 10
7900	----	----	----	----	----	1.556 - 0.522	----	1	----	----	----	0 - 1
7950	----	----	----/*0.136A	0.068B/*0.136A	----	0.000 - 0.485	----	----	----	----	----	0 - 10
8000	2.300	2.300	2.300/2.300	2.300/2.300	----	2.556 - 0.269	----	6	----	5	----	0 - 4
8000	0.150	0.150	0.150/*0.125	0.150/*0.125	----	0.000 - 0.372	----	----	----	7	----	0 - 12
8020	----	----	----/*0.134A	0.009B/*0.134A	----	0.000 - 0.334	----	----	----	----	----	0 - 1
8050	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.000 - 0.284	----	----	----	1	----	0 - 1
8070	0.008	0.008	0.008/*0.008	0.008/*0.008	----	0.000 - 0.254	----	----	----	1	----	0 - 1
8100	----	----	----/*0.099A	0.002B/*0.099A	----	0.000 - 0.215	----	----	----	1	----	0 - 2
8120	----	----	----/*0.118A	0.002B/*0.118A	----	0.000 - 0.193	----	----	----	----	----	0 - 1
8130	----	----	----/*0.117A	0.002B/*0.117A	----	0.000 - 0.182	----	----	----	----	----	0 - 1
8200	0.055	0.055	0.058/*0.001	0.058/*0.001	----	0.000 NEW	----	----	----	10	----	0 UNCH
8250	----	----	----	----	----	5.056 + 0.010	----	2	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
MAY26												
8300	----	----	----	0.001B/*0.137A	----	0.000 - 0.072	----	----	----	----	----	0 - 1
8350	----	----	----	----/*0.137A	----	0.000 - 0.056	----	----	----	----	----	0 - 5
8400	----	----	----	----	----	6.556 + 0.061	----	1	----	----	----	0 - 1
8400	----	----	----	----/0.138A	----	0.000 - 0.043	----	----	----	----	----	0 - 2
8410	----	----	----	----/0.137A	----	0.000 - 0.041	----	----	----	----	----	0 - 1
8430	----	----	----	----/0.137A	----	0.000 - 0.038	----	----	----	----	----	0 - 1
8450	----	----	----	----	----	7.056 + 0.070	----	1	----	----	----	0 - 1
8450	----	----	----	----/*0.100A	----	0.000 - 0.034	----	----	----	----	----	0 - 1
8500	----	----	----	----	----	7.556 + 0.077	----	1	----	1	----	0 - 1
8500	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.027	----	----	----	2	----	0 - 3
8550	----	----	----	----	----	8.056 + 0.083	----	8	----	----	----	0 - 8
8600	----	----	----	----/0.157A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
8600	----	----	----	----	----	8.556 + 0.086	----	1	----	----	----	0 - 1
8650	----	----	----	----/0.168A	----	0.000 - 0.015	----	----	----	----	----	0 - 2
8700	----	----	----	----/0.179A	----	0.000 - 0.013	----	----	----	----	----	0 - 3
8720	----	----	----	----/0.183A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
8800	----	----	----	----	----	10.556 + 0.095	----	----	----	1	----	0 - 1
8880	----	----	----	----/0.210A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
8900	----	----	----	----/0.213A	----	0.000 - 0.008	----	----	----	----	----	0 - 8
8950	----	----	----	----/0.221A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
9000	----	----	----	----/*0.100A	----	0.000 - 0.007	----	----	----	----	----	0 - 51
9150	----	----	----	----/0.244A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9220	----	----	----	----/0.251A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9500	----	----	----	----/0.269A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9600	----	----	----	----/0.273A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
10000	----	----	----	----/0.284A	----	0.000 - 0.002	----	----	----	----	----	0 - 10
10250	----	----	----	----/0.288A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										566	0	0 - 534
JUN26												
5750	0.120	0.120	#0.120/*0.120	0.120/*0.120	----	0.054 NEW	.0113	----	----	1	----	1 + 1
6000	----	----	----	1.561B/35.278A	----	17.518 - 0.163	.9808	----	----	----	----	1 UNCH
6000	----	----	#0.429B/----	#0.429B/0.360A	----	0.259 + 0.061	.0447	----	----	----	----	2 UNCH
6500	----	----	0.527B/0.314A	0.527B/0.314A	----	0.235 - 0.115	.0526	----	----	----	----	5 UNCH
7050	----	----	1.635B/0.882A	1.635B/0.882A	----	0.776 - 0.205	.1632	----	----	----	----	1 UNCH
7200	1.114	1.114	2.209B/1.114	2.209B/1.114	----	1.098 NEW	.2182	----	----	1	----	1 + 1
7500	----	----	3.591B/1.960A	3.591B/1.960A	----	2.031 - 0.327	.3539	----	----	----	----	2 UNCH
7750	----	----	4.654B/2.993A	4.654B/2.993A	----	3.154 - 0.362	.4834	----	----	----	----	1 UNCH
7900	2.400	2.400	2.400/1.954A	2.811B/1.954A	----	2.434 NEW	.4383	----	----	1	----	1 + 1
7950	----	----	----/4.040A	4.464B/4.040A	----	4.293 - 0.361	.5869	----	----	----	----	1 UNCH
8000	----	----	----/4.315A	4.348B/4.315A	----	4.610 - 0.358	.6116	----	----	----	----	3 UNCH
8000	----	----	----	0.049B/9.492A	----	3.428 - 1.129	.4388	----	----	----	----	7 UNCH
8000	2.100	2.100	2.392B/1.719A	2.392B/1.719A	----	2.057 NEW	.3882	----	----	1	----	1 + 1
8100	2.470	2.470	#2.786B/*2.132A	2.786B/*2.132A	----	2.424 NEW	.3796	----	----	1	----	1 + 1
8200	----	----	----	----/17.896A	----	6.000 - 0.328	.7030	----	----	----	----	1 UNCH
8400	----	----	----	1.484B/14.560A	----	8.206 - 0.284	.7201	----	----	----	----	20 UNCH
8500	----	----	----	----/23.260A	----	8.396 - 0.255	.8101	----	----	----	----	1 UNCH
8500	----	----	----	0.001B/7.032A	----	2.031 - 1.032	.2913	----	----	----	----	16 UNCH
8600	----	----	----/0.809A	0.843B/0.809A	----	0.713 - 0.333	.1625	----	----	----	----	1 UNCH
8800	----	----	----/*1.104A	1.141B/*1.104A	----	1.012 - 0.294	.1819	----	----	----	----	13 UNCH
9050	----	----	----/*0.470A	0.353B/*0.470A	----	0.348 - 0.221	.0825	----	----	----	----	1 UNCH
9200	----	----	----	0.001B/3.802A	----	1.020 - 0.701	.1592	----	----	----	----	7 UNCH
9500	----	----	----/*0.276A	0.174B/*0.276A	----	0.197 - 0.144	.0459	----	----	----	----	1 UNCH
10250	----	----	----	0.040B/*0.189A	----	0.091 - 0.077	.0200	----	----	----	----	1 UNCH
TOTAL										5	0	90 + 5
SO CALL		COMEX SILVER OPTIONS										
JUN26												
4300	----	----	34.956B/33.937A	34.956B/33.937A	----	34.444 - 0.105	.9995	----	----	----	----	20 UNCH
4900	----	----	28.963B/27.943A	28.963B/27.943A	----	28.446 - 0.116	.9983	----	----	----	----	9 UNCH
5000	----	----	28.168B/26.783A	28.168B/26.783A	----	27.448 - 0.118	.9980	125	----	----	----	52 - 125
5025	----	----	27.716B/26.695A	27.716B/26.695A	----	27.198 - 0.119	.9980	----	----	----	----	6 UNCH
5050	----	----	27.467B/26.446A	27.467B/26.446A	----	26.949 - 0.120	.9978	----	----	----	----	1 UNCH
5200	----	----	26.154B/24.788A	26.154B/24.788A	----	25.452 - 0.123	.9972	----	----	----	----	79 UNCH
5225	----	----	25.841B/24.701A	25.841B/24.701A	----	25.202 - 0.123	.9970	----	----	----	----	4 UNCH
5275	----	----	25.343B/24.203A	25.343B/24.203A	----	24.703 - 0.125	.9968	----	----	----	----	7 UNCH
5300	----	----	24.976B/23.953A	24.976B/23.953A	----	24.454 - 0.124	.9966	----	----	----	----	3 UNCH
5325	----	----	24.726B/23.705A	24.726B/23.705A	----	24.205 - 0.126	.9964	----	----	----	----	5 UNCH
5350	----	----	24.477B/23.458A	24.477B/23.458A	----	23.955 - 0.126	.9964	----	----	----	----	7 UNCH
5400	----	----	23.979B/22.958A	23.979B/22.958A	----	23.457 - 0.127	.9960	----	----	----	----	2 UNCH
5425	----	----	23.731B/22.709A	23.731B/22.709A	----	23.207 - 0.128	.9960	----	----	----	----	9 UNCH
5500	----	----	23.184B/21.802A	23.184B/21.802A	----	22.460 - 0.129	.9953	----	----	----	----	335 UNCH
5525	----	----	22.735B/21.715A	22.735B/21.715A	----	22.211 - 0.130	.9951	----	----	----	----	1 UNCH
5600	----	----	21.988B/20.969A	21.988B/20.969A	----	21.464 - 0.132	.9945	----	----	----	----	7 UNCH
5675	----	----	21.243B/20.226A	21.243B/20.226A	----	20.717 - 0.133	.9938	----	----	----	----	3 UNCH
5700	----	----	21.194B/19.817A	21.194B/19.817A	----	20.469 - 0.134	.9933	----	----	----	----	56 UNCH
5725	----	----	20.746B/19.730A	20.746B/19.730A	----	20.219 - 0.135	.9933	----	----	----	----	10 UNCH
5750	----	----	20.497B/19.483A	20.497B/19.483A	----	19.971 - 0.136	.9928	----	----	----	----	13 UNCH
5775	----	----	20.249B/19.235A	20.249B/19.235A	----	19.722 - 0.137	.9926	----	----	----	----	1 UNCH
5800	----	----	20.001B/18.988A	20.001B/18.988A	----	19.474 - 0.138	.9921	----	----	----	----	2 UNCH
5825	----	----	19.753B/18.742A	19.753B/18.742A	----	19.225 - 0.138	.9919	----	----	----	----	1 UNCH
5850	----	----	19.504B/18.487A	19.504B/18.487A	----	18.977 - 0.139	.9914	----	----	----	----	9 UNCH
5900	----	----	19.008B/18.000A	19.008B/18.000A	----	18.480 - 0.141	.9907	----	----	----	----	4 UNCH
5925	----	----	18.761B/17.753A	18.761B/17.753A	----	18.233 - 0.141	.9900	----	----	----	----	17 UNCH
6000	----	----	18.267B/16.852A	18.267B/16.852A	----	17.490 - 0.143	.9885	----	----	----	----	399 UNCH
6025	----	----	17.768B/16.768A	17.768B/16.768A	----	17.241 - 0.144	.9882	----	----	----	----	7 UNCH
6050	----	----	17.520B/16.521A	17.520B/16.521A	----	16.993 - 0.145	.9876	----	----	----	----	4 UNCH
6075	----	----	17.441B/16.194A	17.441B/16.194A	----	16.745 - 0.146	.9871	----	----	----	----	30 UNCH
6100	----	----	17.025B/16.029A	17.025B/16.029A	----	16.497 - 0.148	.9866	----	----	----	----	16 UNCH
6200	----	----	16.285B/14.885A	16.285B/14.885A	----	15.506 - 0.155	.9842	----	----	----	----	101 UNCH
6225	----	----	15.788B/14.802A	15.788B/14.802A	----	15.259 - 0.157	.9834	----	----	----	----	1 UNCH
6250	----	----	15.541B/12.818A	15.541B/12.818A	----	15.011 - 0.159	.9828	----	----	----	----	4 UNCH
6300	----	----	15.140B/14.069A	15.140B/14.069A	----	14.517 - 0.164	.9811	----	----	----	----	4 UNCH
6400	----	----	14.309B/11.841A	14.309B/11.841A	----	13.533 - 0.172	.9768	----	----	----	----	110 UNCH
6425	----	----	13.989B/11.333A	13.989B/11.333A	----	13.287 - 0.175	.9757	----	----	----	----	25 UNCH
6450	----	----	13.642B/11.253A	13.642B/11.253A	----	13.041 - 0.179	.9745	----	----	----	----	5 UNCH
6475	----	----	13.397B/12.363A	13.397B/12.363A	----	12.796 - 0.182	.9730	----	----	----	----	7 UNCH
6500	----	----	13.152B/11.164A	13.152B/11.164A	----	12.551 - 0.185	.9716	----	----	----	----	13 UNCH
6625	----	----	11.975B/10.921A	11.975B/10.921A	----	11.333 - 0.207	.9624	----	----	----	----	10 UNCH
6700	----	----	11.131B/10.237A	11.131B/10.237A	----	10.609 - 0.222	.9550	----	----	----	----	1 UNCH
6725	----	----	10.891B/10.005A	10.891B/10.005A	----	10.369 - 0.228	.9521	----	----	----	----	1 UNCH
6750	----	----	10.651B/9.772A	10.651B/9.772A	----	10.130 - 0.234	.9490	----	----	----	----	3 UNCH
6800	----	----	10.174B/9.268A	10.174B/9.268A	----	9.654 - 0.248	.9424	----	----	1	----	9 UNCH
6850	----	----	9.701B/8.858A	9.701B/8.858A	----	9.181 - 0.263	.9348	----	----	----	----	5 UNCH
6900	----	----	9.227B/8.336A	9.227B/8.336A	----	8.713 - 0.280	.9259	----	----	----	----	16 UNCH
6925	----	----	8.994B/8.103A	8.994B/8.103A	----	8.481 - 0.288	.9209	----	----	----	----	9 UNCH
6975	----	----	8.531B/7.654A	8.531B/7.654A	----	8.021 - 0.307	.9100	----	----	----	----	7 UNCH
7000	----	----	8.596B/7.275A	8.596B/7.275A	----	7.793 - 0.316	.9042	----	----	1	----	129 - 1
7025	----	----	8.073B/7.320A	8.073B/7.320A	----	7.566 - 0.327	.8979	----	----	----	----	1 UNCH
7050	----	----	7.843B/7.107A	7.843B/7.107A	----	7.342 - 0.337	.8910	----	----	----	----	2 UNCH
7075	----	----	7.618B/6.896A	7.618B/6.896A	----	7.119 - 0.348	.8838	----	----	----	----	4 UNCH
7100	----	----	7.633B/6.528A	7.633B/6.528A	----	6.898 - 0.359	.8762	----	----	----	----	93 UNCH
7150	----	----	6.952B/6.279A	6.952B/6.279A	----	6.463 - 0.381	.8596	----	----	----	----	1 UNCH
7200	----	----	6.520B/5.881A	6.520B/5.881A	----	6.038 - 0.402	.8408	----	----	----	----	5 UNCH
7225	----	----	6.306B/5.682A	6.306B/5.682A	----	5.829 - 0.413	.8307	----	----	----	----	4 UNCH
7250	----	----	6.176B/5.286A	6.176B/5.286A	----	5.623 - 0.424	.8201	----	----	----	----	31 UNCH
7275	----	----	5.888B/4.271A	5.888B/4.271A	----	5.420 - 0.434	.8089	----	----	----	----	2 UNCH
7300	----	----	5.682B/4.002A	5.682B/4.002A	----	5.220 - 0.445	.7971	----	----	----	----	18 UNCH
7325	----	----	5.540B/3.508A	5.540B/3.508A	----	5.024 - 0.454	.7848	----	----	----	----	1 UNCH
7350	----	----	5.342B/3.376A	5.342B/3.376A	----	4.830 - 0.464	.7721	----	----	----	----	23 UNCH
7375	----	----	5.185B/3.234A	5.185B/3.234A	----	4.640 - 0.473	.7587	----	----	----	----	6 UNCH
7400	----	----	4.978B/3.109A	4.978B/3.109A	----	4.454 - 0.481	.7448	----	----	----	----	47 UNCH
7425	----	----	4.796B/3.004A	4.796B/3.004A	----	4.272 - 0.488	.7304	----	----	----	----	31 UNCH
7450	----	----	----/2.873A	4.575B/2.873A	----	4.095 - 0.493	.7154	----	----	----	----	15 UNCH
7475	2.713	2.713	4.389B/2.713	4.389B/2.713	----	3.921 - 0.499	.7001	----	----	2	----	1 - 2
7500	2.720	2.720	4.366B/2.580A	4.366B/2.580A	----	3.750 - 0.505	.6844	----	----	5	25	229 - 17
7525	2.400	2.400	4.035B/2.400	4.035B/2.400	----	3.585 - 0.508	.6681	----	----	8	----	10 - 2
7550	2.455	2.455	3.884B/2.360	3.884B/2.360	----	3.423 - 0.512	.6516	----	----	3	----	30 - 1
7575	2.334	2.334	3.693B/2.305A	3.693B/2.305A	----	3.267 - 0.514	.6346	----	----	2	----	6 + 1
7600	----	----	3.831B/2.157A	3.831B/2.157A	----	3.114 - 0.516	.6174	----	----	2	----	83 UNCH
7625	----	----	3.484B/2.102A	3.484B/2.102A	----	2.965 - 0.517	.6000	----	----	----	----	5 UNCH
7650	2.346	2.346	3.335B/2.012A	3.335B/2.012A	----	2.821 - 0.518	.5822	----	----	1	----	8 + 1
7675	----	----	----/1.950A	3.174B/1.950A	----	2.682 - 0.517	.5644	----	----	----	----	23 UNCH
7700	2.203	2.203	3.265B/1.798A	3.265B/1.798A	----	2.547 - 0.515	.5463	----	----	10	----	148 + 3
7725	2.607	2.607	3.078B/1.753A	3.078B/1.753A	----	2.417 - 0.513	.5282	----	----	1	----	12 + 1
7750	----	----	2.975B/1.673A	2.975B/1.673A	----	2.290 - 0.511	.5100	----	----	13	----	87 + 7
7775	----	----	2.823B/1.583A	2.823B/1.583A	----	2.168 - 0.509	.4917	----	----	----	----	5 UNCH
7800	1.500	1.500	2.705B/1.496A	2.705B/1.496A	----	2.050 - 0.506	.4735	----	----	92	----	184 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26		COMEX SILVER OPTIONS										
7825	----	----	2.562B/1.444A	2.562B/1.444A	----	1.937 - 0.502	.4554	----	----	----	----	19 UNCH
7850	----	----	2.427B/1.371A	2.427B/1.371A	----	1.828 - 0.498	.4373	----	----	----	----	3 UNCH
7875	2.100	2.100	2.324B/1.318A	2.324B/1.318A	----	1.723 - 0.494	.4194	----	----	1	----	5 + 1
7900	1.150	1.150	2.220B/1.150	2.220B/1.150	----	1.623 - 0.489	.4017	----	----	25	60	145 + 30
7925	----	----	2.105B/1.194A	2.105B/1.194A	----	1.527 - 0.484	.3841	----	----	----	----	14 UNCH
7950	1.968	1.968	1.992B/1.147A	1.992B/1.147A	----	1.437 - 0.478	.3670	----	----	34	----	37 + 21
7975	1.819	1.819	1.890B/1.095A	1.890B/1.095A	----	1.351 - 0.471	.3502	----	----	2	----	22 + 1
8000	1.340	1.340	1.809B/*0.816	1.809B/*0.816	----	1.268 - 0.466	.3336	----	----	168	----	715 + 12
8025	----	----	1.711B/0.996A	1.711B/0.996A	----	1.191 - 0.459	.3175	----	----	----	----	24 UNCH
8050	----	----	1.623B/0.940A	1.623B/0.940A	----	1.119 - 0.452	.3020	----	----	2	----	26 - 1
8075	----	----	1.538B/0.898A	1.538B/0.898A	----	1.050 - 0.445	.2869	----	----	----	----	5 UNCH
8100	0.750	0.750	1.482B/*0.750	1.482B/*0.750	----	0.986 - 0.438	.2723	----	----	43	----	163 + 8
8125	----	----	1.384B/0.806A	1.384B/0.806A	----	0.927 - 0.430	.2585	----	----	1	----	14 - 1
8150	0.713	0.713	1.311B/*0.713	1.311B/*0.713	----	0.870 - 0.423	.2449	----	----	9	----	64 + 1
8175	----	----	1.239B/*0.721A	1.239B/*0.721A	----	0.818 - 0.415	.2322	----	----	1	----	7 UNCH
8200	0.895	0.895	1.195B/*0.625	1.195B/*0.625	----	0.769 - 0.407	.2199	----	----	75	30	190 - 10
8225	0.889	0.889	1.109B/*0.654A	1.109B/*0.654A	----	0.722 - 0.401	.2081	----	----	7	----	61 - 5
8250	0.645	0.645	1.050B/*0.600	1.050B/*0.600	----	0.680 - 0.392	.1971	----	----	19	----	49 + 14
8275	0.793	0.793	0.990B/*0.583A	0.990B/*0.583A	----	0.640 - 0.384	.1865	----	----	2	----	39 UNCH
8300	0.615	0.615	0.963B/*0.535A	0.963B/*0.535A	----	0.603 - 0.376	.1765	----	----	73	----	142 - 5
8325	----	----	----/*0.520A	0.887B/*0.520A	----	0.568 - 0.368	.1670	----	----	----	----	11 UNCH
8350	0.666	0.666	0.843B/*0.491A	0.843B/*0.491A	----	0.535 - 0.360	.1579	----	----	3	----	24 UNCH
8375	----	----	----/*0.466A	0.792B/*0.466A	----	0.505 - 0.351	.1495	----	----	----	----	11 UNCH
8400	0.504	0.504	0.776B/*0.430	0.776B/*0.430	----	0.477 - 0.342	.1415	----	----	112	----	412 + 18
8425	----	----	----/*0.418A	0.709B/*0.418A	----	0.450 - 0.334	.1338	----	----	----	----	60 UNCH
8450	----	----	----/*0.399A	0.678B/*0.399A	----	0.425 - 0.326	.1266	----	----	----	----	26 UNCH
8475	----	----	----/*0.379A	0.640B/*0.379A	----	0.401 - 0.318	.1197	----	----	----	----	7 UNCH
8500	0.567	0.567	0.627/*0.317	0.627/*0.317	----	0.380 - 0.308	.1134	----	----	59	----	603 + 12
8525	----	----	----/*0.343A	0.576B/*0.343A	----	0.359 - 0.300	.1073	----	----	1	----	20 UNCH
8550	----	----	----/*0.326A	0.548B/*0.326A	----	0.340 - 0.290	.1016	----	----	----	----	17 UNCH
8575	----	----	----/*0.311A	0.517B/*0.311A	----	0.321 - 0.282	.0960	----	----	----	----	28 UNCH
8600	0.356	0.356	0.493B/*0.290A	0.493B/*0.290A	----	0.304 - 0.273	.0909	----	----	17	----	274 - 6
8625	----	----	----/*0.283A	0.464B/*0.283A	----	0.287 - 0.265	.0858	----	----	----	----	55 UNCH
8650	0.281	0.281	0.281/*0.281	0.445B/*0.281	----	0.272 - 0.256	.0813	----	----	3	----	8 - 1
8675	0.269	0.269	0.276/*0.268	0.421B/*0.268	----	0.258 - 0.247	.0770	----	----	32	----	63 - 1
8700	0.410	0.410	0.410/*0.190	0.410/*0.190	----	0.245 - 0.238	.0730	----	----	50	----	143 - 20
8725	0.379	0.379	0.379/*0.247	0.379/*0.247	----	0.233 - 0.230	.0693	----	----	2	----	28 - 1
8750	0.233	0.233	0.233/*0.233	0.360B/*0.233	----	0.221 - 0.222	.0656	----	----	1	----	51 - 1
8775	----	----	----/*0.246A	0.342B/*0.246A	----	0.210 - 0.213	.0623	----	----	----	----	16 UNCH
8800	0.325	0.325	0.326B/*0.183	0.326B/*0.183	----	0.200 - 0.205	.0591	----	----	76	----	93 - 7
8825	0.350	0.350	0.350/*0.232A	0.350/*0.232A	----	0.191 - 0.197	.0563	----	----	1	----	19 UNCH
8850	----	----	----/*0.224A	0.293B/*0.224A	----	0.182 - 0.190	.0535	----	----	----	----	36 UNCH
8875	----	----	----/*0.213A	0.276B/*0.213A	----	0.173 - 0.183	.0507	----	----	----	----	29 UNCH
8900	0.224	0.224	0.259B/*0.154	0.259B/*0.154	----	0.165 - 0.176	.0482	----	----	28	----	194 - 28
8925	----	----	----/*0.200A	0.239B/*0.200A	----	0.159 - 0.168	.0462	----	----	----	----	4 UNCH
8950	0.190	0.190	0.206B/*0.190	0.206B/*0.190	----	0.152 - 0.162	.0440	----	----	1	----	34 UNCH
8975	----	----	----/*0.173A	0.196B/*0.173A	----	0.146 - 0.155	.0421	----	----	----	----	42 UNCH
9000	0.230	0.230	0.275/*0.131A	0.275/*0.131A	----	0.140 - 0.149	.0402	----	----	65	50	754 - 60
9025	----	----	----/*0.176A	0.210B/*0.176A	----	0.135 - 0.143	.0385	----	----	----	----	22 UNCH
9050	0.206	0.206	0.211/*0.157A	0.211/*0.157A	----	0.130 - 0.137	.0369	----	----	2	----	29 + 2
9075	0.199	0.199	0.202/*0.149A	0.202/*0.149A	----	0.126 - 0.130	.0356	----	----	3	----	15 + 3
9100	0.149	0.149	0.187B/*0.104	0.187B/*0.104	----	0.121 - 0.125	.0340	----	----	19	----	408 - 12
9125	----	----	----/*0.157A	0.148B/*0.157A	----	0.117 - 0.120	.0327	----	----	----	----	6 UNCH
9150	0.100	0.100	0.180/*0.090	0.180/*0.090	----	0.114 - 0.114	.0316	----	----	30	----	289 + 17
9175	----	----	----/*0.154A	0.125B/*0.154A	----	0.110 - 0.109	.0303	----	----	----	----	28 UNCH
9200	0.135	0.135	0.147/*0.135	0.147/*0.135	----	0.107 - 0.104	.0293	----	----	20	----	192 - 16
9225	----	----	----/*0.146A	0.090B/*0.146A	----	0.103 - 0.100	.0281	----	----	----	----	22 UNCH
9250	0.150	0.150	0.150/*0.145A	0.150/*0.145A	----	0.100 - 0.096	.0271	----	----	12	----	126 + 11
9275	----	----	----/*0.138A	0.081B/*0.138A	----	0.098 - 0.091	.0264	----	----	----	----	12 UNCH
9300	0.163	0.163	0.163/*0.066	0.163/*0.066	----	0.095 - 0.087	.0254	----	----	41	----	102 - 6
9325	----	----	----/*0.132A	0.095B/*0.132A	----	0.092 - 0.083	.0245	----	----	----	----	4 UNCH
9350	----	----	----/*0.128A	0.094B/*0.128A	----	0.090 - 0.079	.0238	----	----	2	----	24 UNCH
9375	----	----	----/*0.131A	0.091B/*0.131A	----	0.087 - 0.076	.0229	----	----	----	----	25 UNCH
9400	----	----	----/*0.110A	0.072B/*0.110A	----	0.085 - 0.072	.0222	----	----	----	----	127 UNCH
9425	----	----	----/*0.124A	0.064B/*0.124A	----	0.083 - 0.068	.0215	----	----	----	----	57 UNCH
9450	0.073	0.073	0.090B/*0.073	0.090B/*0.073	----	0.081 - 0.065	.0209	----	----	9	----	16 + 7
9475	----	----	----/*0.119A	0.058B/*0.119A	----	0.079 - 0.062	.0202	----	----	----	----	19 UNCH
9500	0.100	0.100	0.100/*0.080	0.100/*0.080	----	0.077 - 0.059	.0196	----	----	11	----	1405 + 6
9525	----	----	----/*0.120A	0.054B/*0.120A	----	0.075 - 0.056	.0190	----	----	----	----	14 UNCH
9550	0.070	0.070	0.080/*0.070	0.080/*0.070	----	0.073 - 0.053	.0184	----	----	20	----	22 + 12
9575	----	----	----/*0.094A	0.048B/*0.094A	----	0.071 - 0.051	.0178	----	----	----	----	5 UNCH
9600	0.040	0.040	0.040/*0.040	0.052B/*0.040	----	0.070 - 0.047	.0174	----	----	6	----	55 - 2
9625	----	----	----/*0.087A	0.041B/*0.087A	----	0.068 - 0.045	.0168	----	----	----	----	10 UNCH
9650	----	----	----/*0.085A	0.040B/*0.085A	----	0.066 - 0.043	.0162	----	----	----	----	1 UNCH
9675	----	----	----/*0.100A	0.034B/*0.100A	----	0.065 - 0.041	.0159	----	----	----	----	10 UNCH
9700	----	----	----/*0.082A	0.031B/*0.082A	----	0.063 - 0.039	.0153	----	----	----	----	50 UNCH
9725	----	----	----/*0.080A	0.030B/*0.080A	----	0.061 - 0.038	.0148	----	----	----	----	7 UNCH
9750	----	----	----/*0.079A	0.047B/*0.079A	----	0.059 - 0.036	.0142	----	----	----	----	35 UNCH
9775	----	----	----/*0.076A	0.027B/*0.076A	----	0.058 - 0.034	.0139	----	----	----	----	1 UNCH
9800	----	----	----/*0.074A	0.050B/*0.074A	----	0.057 - 0.032	.0136	----	----	----	----	60 UNCH
9825	----	----	----/*0.074A	0.023B/*0.074A	----	0.056 - 0.030	.0132	----	----	----	----	6 UNCH
9850	----	----	----/*0.082A	0.026B/*0.082A	----	0.054 - 0.029	.0127	----	----	----	----	3 UNCH
9875	----	----	----/*0.075A	0.027B/*0.075A	----	0.053 - 0.028	.0124	----	----	----	----	18 UNCH
9900	----	----	----/*0.035A	0.040B/*0.035A	----	0.052 - 0.026	.0121	----	----	8	----	49 - 4
9925	----	----	----/*0.075A	0.024B/*0.075A	----	0.051 - 0.025	.0118	----	----	----	----	24 UNCH
9950	0.050	0.050	0.050/*0.050	0.051B/*0.050	----	0.050 - 0.023	.0115	----	----	4	----	11 UNCH
9975	----	----	----/*0.070A	0.023B/*0.070A	----	0.048 - 0.023	.0110	----	----	----	----	14 UNCH
10000	0.070	0.070	0.084/*0.034	0.084/*0.034	----	0.047 - 0.022	.0107	----	----	20	----	2269 - 2
10025	----	----	----	0.020B/*0.086A	----	0.045 - 0.022	.0102	----	----	----	----	13 UNCH
10050	----	----	----	0.018B/*0.085A	----	0.043 - 0.022	.0098	----	----	----	----	12 UNCH
10075	----	----	----	0.017B/*0.074A	----	0.042 - 0.021	.0095	----	----	----	----	12 UNCH
10100	0.026	0.026	0.026/*0.026	0.026/*0.026	----	0.041 - 0.021	.0092	----	----	1	----	218 + 1
10125	----	----	----	0.014B/*0.066A	----	0.039 - 0.021	.0088	----	----	----	----	2 UNCH
10150	----	----	----	0.013B/*0.068A	----	0.038 - 0.020	.0085	----	----	----	----	7 UNCH
10175	----	----	----	0.017B/*0.061A	----	0.037 - 0.020	.0082	----	----	----	----	1 UNCH
10200	----	----	----	0.013B/*0.060A	----	0.036 - 0.019	.0080	----	----	----	----	54 UNCH
10225	----	----	----	0.007B/*0.065A	----	0.035 - 0.019	.0077	----	----	----	----	1 UNCH
10250	----	----	----	0.003B/0.066A	----	0.033 - 0.020	.0073	----	----	----	----	13 UNCH
10275	----	----	----	0.004B/*0.074A	----	0.032 - 0.020	.0070	----	----	----	----	1 UNCH
10300	----	----	----	0.004B/*0.082A	----	0.032 - 0.018	.0070	----	----	----	----	23 UNCH
10350	----	----	----	0.005B/*0.072A	----	0.030 - 0.018	.0065	----	----	----	----	1 UNCH
10375	----	----	----	0.003B/0.091A	----	0.030 - 0.017	.0064	----	----	----	----	2 UNCH
10400	0.038	0.038	0.038/*0.030	0.038/*0.030	----	0.030 - 0.016	.0064	----	----	5	----	33 + 3
10425	----	----	----	0.003B/0.090A	----	0.027 - 0.018	.0058	----	----	----	----	1 UNCH
10450	----	----	----	0.005B/0.090A	----	0.027 - 0.017	.0057	----	----	----	----	5 UNCH
10475	----	----	----	0.005B/0.088A	----	0.026 - 0.017	.0055	----	----	----	----	4 UNCH
10500	----	----	----	0.005B/*0.055A	----	0.025 - 0.017	.0053	----	----	3	----	294 UNCH
10525	----	----	----	0.005B/0.086A	----	0.025 - 0.017	.0052	----	----	----	----	12 UNCH
10550	----	----	----	0.005B/*0.081A	----	0.024 - 0.017	.0050	----	----	----	----	2 UNCH
10575	----	----	----	0.005B/0.085A	----	0.023 - 0.017	.0048	----	----	----	----	4 UNCH
10600	----	----	----	----/*0.078A	----	0.023 - 0.016	.0048	----	----	----	----	25 UNCH
10625	----	----	----	----/0.081A	----	0.022 - 0.017	.0045	----	----	----	----	2 UNCH
10650	----	----	----	----/0.084A	----	0.022 - 0.016	.0045	----	----	----	----	2 UNCH
10675	----	----	----	----/0.088A	----	0.021 - 0.016	.0043	----	----	----	----	15 UNCH
10700	----	----	----	----/0.088A	----	0.021 - 0.016	.0043	----	----	----	----	103 UNCH
10750	----	----	----	----/0.087A	----	0.020 - 0.015	.0040	----	----	----	----	4 UNCH
10800	----	----	----	----/0.085A	----	0.019 - 0.015	.0038	----	----	----	----	20 UNCH
10825	----	----	----	----/0.085A	----	0.019 - 0.015	.0038	----	----	----	----	2 UNCH
10850	----	----	----	----/0.084A	----	0.018 - 0.015	.0036	----	----	----	----	12 UNCH
10875	----	----	----	----/0.084A	----	0.018 - 0.015	.0036	----	----	----	----	6 UNCH
10900	----	----	----	----/0.083A	----	0.018 - 0.014	.0035	----	----	----	----	26 UNCH
10925	----	----	----	----/0.082A	----	0.017 - 0.015	.0033	----	----	----	----	2 UNCH
10950	----	----	----	----/0.082A	----	0.017 - 0.014	.0033	----	----	----	----	4 UNCH
11000	----	----	----	----/0.040A	----	0.017 - 0.014	.0033	----	----	1	----	427 - 1
11025	----	----	----	----/0.072A	----	0.016 - 0.014	.0031	----	----	----	----	1 UNCH
11050	----	----	----	----/0.076A	----	0.016 - 0.014	.0031	----	----	----	----	5 UNCH
11075	----	----	----	----/0.073A	----	0.015 - 0.015	.0029	----	----	----	----	5 UNCH
11100	----	----	----	----/0.077A	----	0.015 - 0.014	.0028	----	----	----	----	3 UNCH
11125	----	----	----	----/0.080A	----	0.015 - 0.014	.0028	----	----	----	----	5 UNCH
11175	----	----	----	----/0.082A	----	0.014 - 0.014	.0026	----	----	----	----	3 UNCH
11200	----	----	----	----/0.082A	----	0.014 - 0.014	.0026	----	----	----	----	8 UNCH
11225	----	----	----	----/0.082A	----	0.014 - 0.014	.0026	----	----	----	----	3 UNCH
11250	----	----	----	----/0.086A	----	0.014 - 0.013	.0026	----	----	----	----	1 UNCH
11300	----	----	----	----/0.083A	----	0.013 - 0.014	.0024	----	----	----	----	3 UNCH
11325	----	----	----	----/0.082A	----	0.013 - 0.013	.0024	----	----	----	----	6 UNCH
11350	----	----	----	----/0.085A	----	0.013 - 0.013	.0024	----	----	----	----	3 UNCH
11375	----	----	----	----/0.085A	----	0.013 - 0.013	.0023	----	----	----	----	2 UNCH
11400	----	----	----	----/0.085A	----	0.013 - 0.013	.0023	----	----	----	----	163 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
11425	----	----	----	----/0.083A	----	0.012 - 0.013	.0022	----	----	----	----	12 UNCH
11450	----	----	----	----/0.091A	----	0.012 - 0.013	.0021	----	----	----	----	13 UNCH
11475	----	----	----	----/0.091A	----	0.012 - 0.013	.0021	----	----	----	----	8 UNCH
11500	----	----	----	----/0.089A	----	0.012 - 0.013	.0021	----	----	----	----	198 UNCH
11525	----	----	----	----/0.093A	----	0.012 - 0.013	.0021	----	----	----	----	8 UNCH
11550	----	----	----	----/0.093A	----	0.012 - 0.012	.0021	----	----	----	----	1 UNCH
11575	----	----	----	----/0.084A	----	0.011 - 0.013	.0019	----	----	----	----	4 UNCH
11600	----	----	----	----/0.087A	----	0.011 - 0.013	.0019	----	----	----	----	1 UNCH
11625	----	----	----	----/0.091A	----	0.011 - 0.013	.0019	----	----	----	----	21 UNCH
11675	----	----	----	----/0.093A	----	0.011 - 0.012	.0019	----	----	----	----	2 UNCH
11700	----	----	----	----/0.107A	----	0.011 - 0.012	.0019	----	----	----	----	38 UNCH
11725	----	----	----	----/0.106A	----	0.011 - 0.012	.0019	----	----	1	----	2 UNCH
11750	----	----	----	----/0.105A	----	0.010 - 0.013	.0017	----	----	----	----	15 UNCH
11775	----	----	----	----/0.104A	----	0.010 - 0.013	.0017	----	----	----	----	2 UNCH
11800	----	----	----	----/0.103A	----	0.010 - 0.013	.0017	----	----	----	----	38 UNCH
11825	----	----	----	----/0.102A	----	0.010 - 0.012	.0017	----	----	----	----	9 UNCH
11850	----	----	----	----/0.101A	----	0.010 - 0.012	.0017	----	----	----	----	5 UNCH
11875	----	----	----	----/0.100A	----	0.010 - 0.012	.0017	----	----	----	----	1 UNCH
11900	----	----	----	----/0.099A	----	0.010 - 0.012	.0016	----	----	----	----	14 UNCH
11925	----	----	----	----/0.098A	----	0.010 - 0.012	.0016	----	----	----	----	8 UNCH
11950	----	----	----	----/0.075A	----	0.010 - 0.012	.0016	----	----	----	----	6 UNCH
11975	----	----	----	----/0.096A	----	0.009 - 0.012	.0015	----	----	----	----	1 UNCH
12000	----	----	----	0.015B/0.025A	----	0.009 - 0.012	.0015	----	----	----	----	400 UNCH
12025	----	----	----	----/0.094A	----	0.009 - 0.012	.0015	----	----	----	----	11 UNCH
12050	----	----	----	----/0.094A	----	0.009 - 0.012	.0015	----	----	----	----	1 UNCH
12075	----	----	----	----/0.093A	----	0.009 - 0.012	.0014	----	----	----	----	1 UNCH
12100	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.009 - 0.012	.0014	----	----	2	----	31 + 2
12125	----	----	----	----/0.091A	----	0.009 - 0.012	.0014	----	----	----	----	1 UNCH
12200	----	----	----	----/0.089A	----	0.009 - 0.011	.0014	----	----	----	----	22 UNCH
12225	----	----	----	----/0.088A	----	0.008 - 0.012	.0013	----	----	----	----	7 UNCH
12275	----	----	----	----/0.087A	----	0.008 - 0.012	.0012	----	----	----	----	1 UNCH
12325	----	----	----	----/0.086A	----	0.008 - 0.011	.0012	----	----	----	----	4 UNCH
12350	----	----	----	----/0.085A	----	0.008 - 0.011	.0012	----	----	----	----	5 UNCH
12400	----	----	----	----/0.084A	----	0.008 - 0.011	.0012	----	----	----	----	23 UNCH
12425	----	----	----	----/0.083A	----	0.008 - 0.011	.0012	----	----	----	----	1 UNCH
12450	----	----	----	----/0.082A	----	0.008 - 0.011	.0012	----	----	----	----	9 UNCH
12475	----	----	----	----/0.084A	----	0.008 - 0.011	.0012	----	----	----	----	1 UNCH
12500	----	----	----	0.005B/*0.020A	----	0.007 - 0.012	.0011	----	----	----	----	92 UNCH
12525	----	----	----	----/0.082A	----	0.007 - 0.011	.0010	----	----	----	----	37 UNCH
12550	----	----	----	----/0.078A	----	0.007 - 0.011	.0010	----	----	----	----	6 UNCH
12575	----	----	----	----/0.098A	----	0.007 - 0.011	.0010	----	----	----	----	2 UNCH
12600	----	----	----	----/0.097A	----	0.007 - 0.011	.0010	----	----	----	----	9 UNCH
12650	----	----	----	----/0.096A	----	0.007 - 0.011	.0010	----	----	----	----	2 UNCH
12675	----	----	----	----/0.095A	----	0.007 - 0.011	.0010	----	----	----	----	2 UNCH
12700	----	----	----	----/0.094A	----	0.007 - 0.011	.0010	----	----	----	----	11 UNCH
12725	----	----	----	----/0.094A	----	0.007 - 0.010	.0010	----	----	----	----	2 UNCH
12750	----	----	----	----/0.094A	----	0.007 - 0.010	.0010	----	----	----	----	2 UNCH
12775	----	----	----	----/0.094A	----	0.007 - 0.010	.0010	----	----	----	----	9 UNCH
12800	----	----	----	----/0.093A	----	0.007 - 0.010	.0010	----	----	----	----	34 UNCH
12900	----	----	----	----/0.091A	----	0.006 - 0.011	.0008	----	----	----	----	6 UNCH
13000	----	----	----	----/0.020A	----	0.006 - 0.010	.0008	----	----	----	----	519 UNCH
13100	----	----	----	----/0.242A	----	0.006 - 0.010	.0008	----	----	----	----	4 UNCH
13200	----	----	----	----/0.245A	----	0.006 - 0.009	.0008	----	----	----	----	3 UNCH
13300	----	----	----	----/0.248A	----	0.005 - 0.010	.0007	----	----	----	----	4 UNCH
13400	----	----	----	----/0.250A	----	0.005 - 0.009	.0007	----	----	----	----	6 UNCH
13500	----	----	----	----/0.252A	----	0.005 - 0.009	.0007	----	----	----	----	31 UNCH
13600	----	----	----	----/0.254A	----	0.005 - 0.009	.0006	----	----	----	----	7 UNCH
13700	----	----	----	----/0.256A	----	0.004 - 0.009	.0005	----	----	----	----	5 UNCH
13800	----	----	----	----/0.258A	----	0.004 - 0.009	.0005	----	----	----	----	1 UNCH
13900	----	----	----	----/0.259A	----	0.004 - 0.008	.0005	----	----	----	----	3 UNCH
14000	----	----	----	----/*0.015A	----	0.004 - 0.008	.0005	----	----	----	----	337 UNCH
14200	----	----	----	----/0.264A	----	0.004 - 0.007	.0005	----	----	----	----	60 UNCH
14300	----	----	----	----/0.265A	----	0.003 - 0.008	.0003	----	----	----	----	1 UNCH
14400	----	----	----	----/0.265A	----	0.003 - 0.008	.0003	----	----	----	----	65 UNCH
14500	----	----	----	----/0.269A	----	0.003 - 0.007	.0003	----	----	----	----	31 UNCH
14600	----	----	----	----/0.269A	----	0.003 - 0.007	.0003	----	----	----	----	7 UNCH
14700	----	----	----	----/0.270A	----	0.003 - 0.007	.0003	----	----	----	----	11 UNCH
14800	----	----	----	----/0.271A	----	0.003 - 0.007	.0003	----	----	----	----	10 UNCH
14900	----	----	----	----/0.272A	----	0.003 - 0.006	.0003	----	----	----	----	6 UNCH
15000	----	----	----	----/0.011A	----	0.003 - 0.006	.0003	----	----	----	----	144 UNCH
15300	----	----	----	----/0.276A	----	0.002 - 0.006	.0002	----	----	----	----	2 UNCH
15400	----	----	----	----/0.276A	----	0.002 - 0.006	.0002	----	----	----	----	1 UNCH
15500	----	----	----	----/0.277A	----	0.002 - 0.006	.0002	----	----	----	----	6 UNCH
15600	----	----	----	----/0.278A	----	0.002 - 0.005	.0002	----	----	----	----	1 UNCH
15700	----	----	----	----/0.279A	----	0.002 - 0.005	.0002	----	----	----	----	1 UNCH
15800	----	----	----	----/0.279A	----	0.002 - 0.005	.0002	----	----	----	----	6 UNCH
15900	----	----	----	----/0.280A	----	0.002 - 0.005	.0002	----	----	----	----	8 UNCH
16000	----	----	----	----/0.283A	----	0.002 - 0.005	.0002	----	----	----	----	198 UNCH
16200	----	----	----	----/0.283A	----	0.001 - 0.005	.0001	----	----	----	----	36 UNCH
16400	----	----	----	----/0.283A	----	0.001 - 0.005	.0000	----	----	----	----	1 UNCH
16500	----	----	----	----/0.283A	----	0.001 - 0.005	.0000	----	----	----	----	30 UNCH
16600	----	----	----	----/0.284A	----	0.001 - 0.004	.0000	----	----	----	----	2 UNCH
16700	----	----	----	----/0.284A	----	0.001 - 0.004	.0000	----	----	----	----	7 UNCH
16800	----	----	----	----/0.285A	----	0.001 - 0.004	.0000	----	----	----	----	3 UNCH
17000	----	----	----	----/*0.014A	----	0.001 - 0.004	.0000	----	----	----	----	27 UNCH
17100	----	----	----	----/0.286A	----	0.001 - 0.004	.0000	----	----	----	----	5 UNCH
17200	----	----	----	----/0.286A	----	0.001 - 0.003	.0000	----	----	----	----	5 UNCH
17300	----	----	----	----/0.287A	----	0.001 - 0.003	.0000	----	----	----	----	11 UNCH
17400	----	----	----	----/0.287A	----	0.001 - 0.003	.0000	----	----	----	----	2 UNCH
17500	----	----	----	----/0.285A	----	0.001 - 0.003	.0000	----	----	----	----	63 UNCH
17700	----	----	----	----/0.288A	----	0.001 - 0.003	.0000	----	----	----	----	3 UNCH
17800	----	----	----	----/0.289A	----	0.001 - 0.003	.0000	----	----	----	----	3 UNCH
18000	----	----	----	----/0.290A	----	0.001 - 0.002	.0000	----	----	----	----	46 UNCH
18100	----	----	----	----/0.290A	----	0.001 - 0.002	.0000	----	----	----	----	2 UNCH
18300	----	----	----	----/0.290A	----	0.001 - 0.002	.0000	----	----	----	----	1 UNCH
18900	----	----	----	----/0.292A	----	0.001 - 0.002	----	----	----	----	----	1 UNCH
19000	----	----	----	----/*0.010A	----	0.001 - 0.001	----	----	----	----	----	229 UNCH
19500	----	----	----	----/0.293A	----	0.001 - 0.001	----	----	----	----	----	126 UNCH
19600	----	----	----	----/0.293A	----	0.001 - 0.001	----	----	----	----	----	2 UNCH
19900	----	----	----	----/0.294A	----	0.001 - 0.001	----	----	----	----	----	28 UNCH
20000	----	----	----	----/0.003A	----	0.001 - 0.001	----	----	----	----	----	235 UNCH
21000	----	----	----	----/0.286A	----	0.001 - 0.001	----	----	----	----	----	20 UNCH
23000	----	----	----	----/0.255A	----	0.001 - 0.001	----	----	----	----	----	14 UNCH
25000	----	----	----	----/0.226A	----	0.001 UNCH	----	----	----	----	----	302 UNCH
27000	----	----	----	----/0.217A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	31 UNCH
32000	----	----	----	----/0.206A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
35000	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	45 UNCH
TOTAL										1274	165	18569 - 154
JUL26												
2700	----	----	50.951B/50.049A	50.951B/50.049A	----	50.444 - 0.103	.9989	----	----	----	----	1 UNCH
4000	----	----	38.083B/37.042A	38.083B/37.042A	----	37.451 - 0.109	.9935	----	----	----	----	1 UNCH
4500	----	----	33.064B/31.965A	33.064B/31.965A	----	32.470 - 0.124	.9898	----	----	----	----	28 UNCH
4600	----	----	32.283B/30.874A	32.283B/30.874A	----	31.475 - 0.129	.9889	----	----	----	----	124 UNCH
4700	----	----	31.111B/30.081A	31.111B/30.081A	----	30.480 - 0.136	.9879	----	----	----	----	1 UNCH
4750	----	----	30.586B/29.587A	30.586B/29.587A	----	29.984 - 0.138	.9872	----	----	----	----	1 UNCH
4825	----	----	29.750B/28.847A	29.750B/28.847A	----	29.240 - 0.143	.9862	----	----	----	----	3 UNCH
4900	----	----	29.007B/28.109A	29.007B/28.109A	----	28.496 - 0.148	.9852	----	----	----	----	1 UNCH
4925	----	----	28.760B/27.808A	28.760B/27.808A	----	28.248 - 0.150	.9848	----	----	----	----	16 UNCH
5000	24.690	24.690	28.321B/24.420	28.321B/24.420	----	27.506 - 0.155	.9835	----	----	4	----	307 UNCH
5025	----	----	27.773B/26.882A	27.773B/26.882A	----	27.259 - 0.157	.9830	----	----	----	----	4 UNCH
5050	----	----	27.526B/26.637A	27.526B/26.637A	----	27.012 - 0.159	.9825	----	----	----	----	2 UNCH
5100	----	----	27.334B/25.949A	27.334B/25.949A	----	26.518 - 0.163	.9815	----	----	----	----	133 UNCH
5150	----	----	26.663B/25.576A	26.663B/25.576A	----	26.025 - 0.167	.9804	----	----	----	----	6 UNCH
5200	----	----	26.140B/25.060A	26.140B/25.060A	----	25.532 - 0.172	.9793	----	----	----	----	40 UNCH
5225	----	----	25.927B/24.839A	25.927B/24.839A	----	25.286 - 0.174	.9787	----	----	----	----	9 UNCH
5250	----	----	25.683B/24.684A	25.683B/24.684A	----	25.040 - 0.176	.9780	----	----	----	----	2 UNCH
5275	----	----	25.437B/24.442A	25.437B/24.442A	----	24.795 - 0.178	.9773	----	----	----	----	1 UNCH
5300	----	----	25.192B/24.099A	25.192B/24.099A	----	24.549 - 0.181	.9766	----	----	----	----	7 UNCH
5350	----	----	24.882B/23.519A	24.882B/23.519A	----	24.059 - 0.185	.9750	----	----	----	----	157 UNCH
5375	----	----	24.460B/23.474A	24.460B/23.474A	----	23.814 - 0.188	.9742	----	----	----	----	1 UNCH
5400	----	----	24.216B/23.152A	24.216B/23.152A	----	23.570 - 0.190	.9733	----	----	----	----	21 UNCH
5425	----	----	23.941B/22.876A	23.941B/22.876A	----	23.326 - 0.192	.9725	----	----	----	----	42 UNCH
5450	----	----	23.609B/22.753A	23.609B/22.753A	----	23.082 - 0.195	.9715	----	----	----	----	1 UNCH
5500	----	----	23.422B/22.078A	23.422B/22.078A	----	22.595 - 0.199	.9695	----	----	----	----	496 UNCH
5550	----	----	22.644B/21.796A	22.644B/21.796A	----	22.109 - 0.205	.9673	----	----	----	----	3 UNCH
5600	----	----	22.401B/21.125A	22.401B/21.125A	----	21.625 - 0.209	.9650	----	----	----	----	106 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26		COMEX SILVER OPTIONS										
5650	----	----	21.854B/20.720A	21.854B/20.720A	----	21.142 - 0.215	.9624	----	----	----	----	43 UNCH
5675	----	----	21.614B/20.478A	21.614B/20.478A	----	20.901 - 0.217	.9611	----	----	----	----	25 UNCH
5700	----	----	21.374B/20.238A	21.374B/20.238A	----	20.661 - 0.220	.9596	----	----	----	----	26 UNCH
5750	----	----	21.012B/19.707A	21.012B/19.707A	----	20.182 - 0.224	.9566	----	----	----	----	164 UNCH
5775	----	----	20.542B/19.667A	20.542B/19.667A	----	19.943 - 0.227	.9550	----	----	----	----	1 UNCH
5800	----	----	20.304B/19.280A	20.304B/19.280A	----	19.704 - 0.230	.9533	----	----	----	----	16 UNCH
5900	----	----	19.357B/18.288A	19.357B/18.288A	----	18.755 - 0.241	.9460	----	----	----	----	10 UNCH
5925	----	----	19.122B/16.548A	19.122B/16.548A	----	18.520 - 0.244	.9440	----	----	----	----	10 UNCH
5950	----	----	18.887B/16.614A	18.887B/16.614A	----	18.285 - 0.246	.9419	----	----	----	----	6 UNCH
5975	----	----	18.674B/16.250A	18.674B/16.250A	----	18.050 - 0.250	.9397	----	----	----	----	20 UNCH
6000	----	----	18.540B/16.255A	18.540B/16.255A	----	17.817 - 0.252	.9375	----	----	----	----	547 UNCH
6050	----	----	18.130B/16.350A	18.130B/16.350A	----	17.352 - 0.257	.9327	----	----	----	----	58 UNCH
6075	----	----	17.720B/16.184A	17.720B/16.184A	----	17.121 - 0.260	.9302	----	----	----	----	1 UNCH
6100	----	----	17.492B/16.190A	17.492B/16.190A	----	16.890 - 0.263	.9275	----	----	----	----	10 UNCH
6200	----	----	16.691B/15.577A	16.691B/15.577A	----	15.976 - 0.276	.9161	----	----	----	----	101 UNCH
6250	----	----	16.058B/15.254A	16.058B/15.254A	----	15.526 - 0.281	.9096	----	----	----	----	1 UNCH
6300	----	----	15.672B/14.879A	15.672B/14.879A	----	15.079 - 0.288	.9029	----	----	----	----	3 UNCH
6350	----	----	15.248B/14.445A	15.248B/14.445A	----	14.638 - 0.295	.8956	----	----	----	----	2 UNCH
6450	----	----	14.286B/13.597A	14.286B/13.597A	----	13.767 - 0.313	.8798	----	----	----	----	1 UNCH
6500	14.275	14.275	14.275/12.988A	14.275/12.988A	----	13.340 - 0.323	.8712	----	----	1	----	183 UNCH
6600	----	----	13.185B/12.173A	13.185B/12.173A	----	12.504 - 0.341	.8524	----	----	----	----	56 UNCH
6650	----	----	12.825B/11.740A	12.825B/11.740A	----	12.095 - 0.351	.8423	----	----	----	----	102 UNCH
6750	----	----	11.782B/10.952A	11.782B/10.952A	----	11.297 - 0.367	.8205	----	----	----	----	24 UNCH
6800	----	----	11.575B/10.573A	11.575B/10.573A	----	10.909 - 0.372	.8090	----	----	1	----	251 + 1
6825	----	----	11.297B/10.391A	11.297B/10.391A	----	10.718 - 0.374	.8030	----	----	----	----	6 UNCH
6850	----	----	11.049B/10.430A	11.049B/10.430A	----	10.529 - 0.375	.7969	----	----	----	----	1 UNCH
6875	----	----	10.805B/10.009A	10.805B/10.009A	----	10.342 - 0.376	.7907	----	----	----	----	16 UNCH
6900	----	----	10.960B/9.791A	10.960B/9.791A	----	10.156 - 0.376	.7844	----	----	----	----	99 UNCH
6950	----	----	10.330B/9.468A	10.330B/9.468A	----	9.791 - 0.376	.7715	----	----	----	----	26 UNCH
7000	----	----	10.226B/8.888A	10.226B/8.888A	----	9.435 - 0.374	.7581	----	----	1	----	153 UNCH
7025	----	----	9.919B/8.941A	9.919B/8.941A	----	9.260 - 0.374	.7513	----	----	----	----	125 UNCH
7050	----	----	9.522B/9.026A	9.522B/9.026A	----	9.088 - 0.373	.7444	----	----	----	----	1 UNCH
7100	----	----	9.218B/8.447A	9.218B/8.447A	----	8.748 - 0.374	.7304	----	----	----	----	6 UNCH
7150	----	----	9.000B/7.714A	9.000B/7.714A	----	8.418 - 0.373	.7159	----	----	----	----	100 UNCH
7200	----	----	8.541B/7.441A	8.541B/7.441A	----	8.097 - 0.373	.7012	----	----	----	----	12 UNCH
7225	----	----	8.427B/7.309A	8.427B/7.309A	----	7.940 - 0.373	.6938	----	----	----	----	1 UNCH
7250	----	----	8.388B/7.178A	8.388B/7.178A	----	7.785 - 0.372	.6863	----	----	----	----	171 UNCH
7300	----	----	8.084B/6.292A	8.084B/6.292A	----	7.482 - 0.371	.6711	----	----	----	----	104 UNCH
7325	----	----	7.929B/6.091A	7.929B/6.091A	----	7.335 - 0.368	.6635	----	----	----	----	113 UNCH
7350	----	----	----/6.225A	7.552B/6.225A	----	7.189 - 0.367	.6558	----	----	----	----	2 UNCH
7400	----	----	----/5.719A	7.256B/5.719A	----	6.905 - 0.363	.6403	----	----	----	----	15 UNCH
7425	----	----	----/5.856A	7.112B/5.856A	----	6.766 - 0.361	.6326	----	----	----	----	6 UNCH
7450	----	----	----/5.559A	6.969B/5.559A	----	6.631 - 0.357	.6247	----	----	----	----	14 UNCH
7475	----	----	----/5.673A	6.830B/5.673A	----	6.497 - 0.354	.6169	----	----	----	----	1 UNCH
7500	5.500	5.500	6.900B/5.282A	6.900B/5.282A	----	6.366 - 0.350	.6091	----	----	10	----	302 - 1
7525	----	----	----/5.454A	6.558B/5.454A	----	6.237 - 0.347	.6013	----	----	----	----	1 UNCH
7550	----	----	----/5.312A	6.426B/5.312A	----	6.110 - 0.344	.5935	----	----	----	----	7 UNCH
7575	----	----	----/5.025A	6.295B/5.025A	----	5.986 - 0.340	.5856	----	----	----	----	20 UNCH
7600	----	----	6.331B/4.911A	6.331B/4.911A	----	5.863 - 0.337	.5778	----	----	----	----	148 UNCH
7625	----	----	----/5.009A	6.060B/5.009A	----	5.743 - 0.334	.5700	----	----	----	----	1 UNCH
7650	----	----	6.028B/4.926A	6.028B/4.926A	----	5.626 - 0.330	.5622	----	----	----	----	20 UNCH
7675	----	----	5.991B/4.826A	5.991B/4.826A	----	5.510 - 0.327	.5545	----	----	----	----	16 UNCH
7700	5.575	5.575	6.084/4.543A	6.084/4.543A	----	5.398 - 0.321	.5467	----	----	4	----	134 + 2
7725	----	----	5.879B/4.633A	5.879B/4.633A	----	5.286 - 0.319	.5390	----	----	----	----	13 UNCH
7750	5.231	5.231	5.869B/4.395A	5.869B/4.395A	----	5.178 - 0.314	.5313	----	----	1	50	128 UNCH
7775	----	----	5.691B/4.455A	5.691B/4.455A	----	5.072 - 0.309	.5237	----	----	----	----	5 UNCH
7800	4.270	4.270	5.639B/4.199A	5.639B/4.199A	----	4.967 - 0.305	.5161	----	----	13	----	82 - 2
7850	----	----	5.356B/4.067A	5.356B/4.067A	----	4.765 - 0.295	.5011	----	----	----	----	17 UNCH
7900	4.287	4.287	5.205B/3.880A	5.205B/3.880A	----	4.571 - 0.285	.4863	----	----	21	----	101 - 3
7925	5.001	5.001	5.045B/3.956A	5.045B/3.956A	----	4.476 - 0.281	.4790	----	----	1	----	3 + 1
7950	----	----	4.940B/3.879A	4.940B/3.879A	----	4.384 - 0.276	.4717	----	----	----	----	1 UNCH
7975	4.712	4.712	4.843B/3.807A	4.843B/3.807A	----	4.294 - 0.271	.4645	----	----	1	----	4 UNCH
8000	4.180	4.180	4.946/3.588A	4.946/3.588A	----	4.206 - 0.266	.4574	----	----	32	26	665 + 39
8025	----	----	4.655B/3.664A	4.655B/3.664A	----	4.119 - 0.262	.4503	----	----	----	----	17 UNCH
8050	----	----	4.560B/3.482A	4.560B/3.482A	----	4.035 - 0.257	.4434	----	----	----	----	23 UNCH
8075	4.045	4.045	4.477B/3.418A	4.477B/3.418A	----	3.952 - 0.253	.4365	----	----	4	----	9 - 4
8100	3.202	3.202	4.441B/3.202	4.441B/3.202	----	3.871 - 0.249	.4296	----	----	14	----	86 UNCH
8150	----	----	4.211B/3.231A	4.211B/3.231A	----	3.714 - 0.241	.4162	----	----	----	----	18 UNCH
8175	----	----	4.140B/3.247A	4.140B/3.247A	----	3.639 - 0.237	.4096	----	----	----	----	2 UNCH
8200	3.050	3.050	4.099B/3.050	4.099B/3.050	----	3.565 - 0.233	.4030	----	----	8	----	203 + 8
8225	----	----	3.975B/3.142A	3.975B/3.142A	----	3.492 - 0.230	.3966	----	----	----	----	2 UNCH
8250	----	----	3.944B/3.016A	3.944B/3.016A	----	3.421 - 0.227	.3902	----	----	----	100	147 UNCH
8275	3.703	3.703	3.820B/3.005A	3.820B/3.005A	----	3.351 - 0.225	.3839	----	----	1	----	4 + 1
8300	----	----	3.795B/2.877A	3.795B/2.877A	----	3.284 - 0.222	.3777	----	----	----	----	481 UNCH
8325	----	----	3.676B/2.868A	3.676B/2.868A	----	3.218 - 0.219	.3716	----	----	----	----	4 UNCH
8350	----	----	3.597B/2.805A	3.597B/2.805A	----	3.153 - 0.217	.3656	----	----	----	----	21 UNCH
8375	2.605	2.605	3.590B/2.605	3.590B/2.605	----	3.089 - 0.216	.3596	----	----	11	----	50 UNCH
8400	2.500	2.500	3.481B/2.500	3.481B/2.500	----	3.028 - 0.213	.3538	----	----	2	----	40 - 1
8425	----	----	3.395B/2.652A	3.395B/2.652A	----	2.966 - 0.212	.3479	----	----	----	----	12 UNCH
8450	2.695	2.695	3.327B/2.615A	3.327B/2.615A	----	2.907 - 0.211	.3422	----	----	1	----	19 + 1
8475	----	----	3.266B/2.554A	3.266B/2.554A	----	2.849 - 0.209	.3366	----	----	----	----	1 UNCH
8500	2.700	2.700	3.251B/2.507A	3.251B/2.507A	----	2.792 - 0.208	.3310	----	----	37	----	897 + 2
8525	----	----	3.151B/2.454A	3.151B/2.454A	----	2.737 - 0.206	.3256	----	----	----	----	5 UNCH
8550	----	----	3.126B/2.407A	3.126B/2.407A	----	2.682 - 0.206	.3202	----	----	36	----	249 - 13
8575	----	----	3.032B/2.369A	3.032B/2.369A	----	2.629 - 0.205	.3149	----	----	----	----	7 UNCH
8600	----	----	3.008B/2.321A	3.008B/2.321A	----	2.576 - 0.205	.3096	----	----	1	----	102 + 1
8625	----	----	2.949B/2.277A	2.949B/2.277A	----	2.526 - 0.203	.3045	----	----	----	----	3 UNCH
8650	----	----	2.907B/2.237A	2.907B/2.237A	----	2.476 - 0.202	.2995	----	----	----	----	32 UNCH
8675	2.278	2.278	2.871B/2.200A	2.871B/2.200A	----	2.427 - 0.201	.2945	----	----	10	----	14 + 5
8700	----	----	2.818B/2.160A	2.818B/2.160A	----	2.380 - 0.200	.2896	----	----	3	----	157 + 2
8725	----	----	2.753B/2.123A	2.753B/2.123A	----	2.333 - 0.199	.2847	----	----	----	----	5 UNCH
8750	----	----	2.714B/2.086A	2.714B/2.086A	----	2.288 - 0.197	.2800	----	----	----	50	91 UNCH
8775	----	----	2.638B/2.044A	2.638B/2.044A	----	2.243 - 0.196	.2753	----	----	----	----	7 UNCH
8800	2.481	2.481	2.620B/2.014A	2.620B/2.014A	----	2.200 - 0.194	.2708	----	----	8	----	444 - 3
8825	2.205	2.205	2.530B/1.984A	2.530B/1.984A	----	2.156 - 0.194	.2662	----	----	4	----	4 + 1
8850	2.177	2.177	2.527B/1.945A	2.527B/1.945A	----	2.115 - 0.192	.2618	----	----	1	----	7 + 1
8875	----	----	2.453B/1.914A	2.453B/1.914A	----	2.074 - 0.191	.2574	----	----	----	----	1 UNCH
8900	----	----	2.407B/1.881A	2.407B/1.881A	----	2.034 - 0.190	.2531	----	----	----	----	137 UNCH
8925	----	----	2.370B/1.876A	2.370B/1.876A	----	1.995 - 0.188	.2488	----	----	----	----	8 UNCH
8950	----	----	2.323B/1.839A	2.323B/1.839A	----	1.957 - 0.186	.2447	----	----	----	----	28 UNCH
8975	----	----	2.279B/1.814A	2.279B/1.814A	----	1.919 - 0.185	.2406	----	----	----	----	1 UNCH
9000	1.905	1.905	2.330/1.690	2.330/1.690	----	1.883 - 0.183	.2366	----	----	72	----	1408 - 22
9050	----	----	2.149B/1.713A	2.149B/1.713A	----	1.812 - 0.181	.2287	----	----	----	----	12 UNCH
9075	----	----	2.115B/1.699A	2.115B/1.699A	----	1.777 - 0.180	.2249	----	----	----	----	1 UNCH
9100	----	----	2.112B/1.630A	2.112B/1.630A	----	1.744 - 0.178	.2211	----	----	----	----	34 UNCH
9125	----	----	2.047B/1.644A	2.047B/1.644A	----	1.711 - 0.177	.2174	----	----	----	----	1 UNCH
9150	2.060	2.060	2.060/1.578A	2.060/1.578A	----	1.679 - 0.176	.2138	----	----	1	----	2 UNCH
9175	----	----	1.983B/1.587A	1.983B/1.587A	----	1.648 - 0.174	.2103	----	----	----	----	5 UNCH
9200	2.000	2.000	2.000/1.526A	2.000/1.526A	----	1.617 - 0.173	.2068	----	----	10	----	87 + 1
9225	----	----	1.907B/1.515A	1.907B/1.515A	----	1.587 - 0.172	.2033	----	----	----	----	3 UNCH
9250	1.549	1.549	1.883B/1.487A	1.883B/1.487A	----	1.558 - 0.171	.2000	----	----	2	----	25 + 1
9275	----	----	1.862B/1.483A	1.862B/1.483A	----	1.530 - 0.169	.1967	----	----	----	----	1 UNCH
9300	1.502	1.502	1.821B/1.434A	1.821B/1.434A	----	1.502 - 0.168	.1935	----	----	7	----	709 - 3
9350	1.461	1.461	1.778B/1.393A	1.778B/1.393A	----	1.447 - 0.167	.1871	----	----	2	----	14 + 1
9375	1.429	1.429	1.732B/1.377A	1.732B/1.377A	----	1.420 - 0.167	.1840	----	----	21	----	22 + 20
9400	----	----	1.702B/1.345A	1.702B/1.345A	----	1.395 - 0.166	.1810	----	----	2	----	31 + 2
9425	----	----	1.666B/1.338A	1.666B/1.338A	----	1.370 - 0.165	.1780	----	----	----	----	5 UNCH
9450	----	----	1.648B/1.315A	1.648B/1.315A	----	1.345 - 0.165	.1751	----	----	----	----	78 UNCH
9475	----	----	1.616B/1.294A	1.616B/1.294A	----	1.321 - 0.164	.1722	----	----	----	----	5 UNCH
9500	1.195	1.195	1.596B/1.195	1.596B/1.195	----	1.298 - 0.163	.1694	----	----	23	----	973 + 5
9525	----	----	1.564B/1.244A	1.564B/1.244A	----	1.275 - 0.163	.1667	----	----	----	----	26 UNCH
9550	----	----	1.548B/1.239A	1.548B/1.239A	----	1.252 - 0.163	.1639	----	----	----	----	7 UNCH
9575	----	----	1.510B/1.209A	1.510B/1.209A	----	1.230 - 0.162	.1613	----	----	----	----	1 UNCH
9600	----	----	1.497B/1.177A	1.497B/1.177A	----	1.209 - 0.161	.1587	----	----	----	----	157 UNCH
9625	----	----	1.485B/1.175A	1.485B/1.175A	----	1.188 - 0.161	.1562	----	----	----	----	6 UNCH
9650	----	----	1.450B/1.136A	1.450B/1.136A	----	1.167 - 0.161	.1536	----	----	----	----	4 UNCH
9675	----	----	1.426B/1.128A	1.426B/1.128A	----	1.147 - 0.160	.1512	----	----	----	----	10 UNCH
9700	1.145	1.145	1.403B/1.098A	1.403B/1.098A	----	1.127 - 0.160	.1487	----	----	20	----	131 - 4
9725	----	----	1.370B/1.084A	1.370B/1.084A	----	1.108 - 0.159	.1464	----	----	----	----	3 UNCH
9750	----	----	1.361B/1.064A	1.361B/1.064A	----	1.089 - 0.159	.1441	----	----	----	----	107 UNCH
9775	----	----	1.346B/1.061A	1.346B/1.061A	----	1.069 - 0.160	.1417	----	----	----	----	31 UNCH
9800	----	----	1.323B/1.032A	1.323B/1.032A	----	1.051 - 0.159	.1394	----	----	----	52	221 + 52
9825	1.009	1.009	1.290B/1.009	1.290B/1.009	----	1.033 - 0.159	.1372	----	----	1	----	6 UNCH
9850	----	----	1.268B/1.011A	1.268B/1.011A	----	1.016 - 0.158	.1351	----	----	----	----	38 UNCH
9875	----	----	1.241B/0.990A	1.241B/0.990A	----	0.999 - 0.157	.1329	----	----	----	----	1 UNCH
9900	----	----	1.227B/0.970A	1.227B/0.970A	----	0.983 - 0.156	.1309	----	----	----	----	31 UNCH
9925	----	----	1.211B/0.946A	1.211B/0.946A	----	0.966 - 0.156	.1288	----	----	----	----	15 UNCH
9950	----	----	1.172B/0.932A	1.172B/0.932A	----	0.950 - 0.155	.1268	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
9975	----	----	1.124B/0.917A	1.124B/0.917A	----	0.935 - 0.154	.1249	----	----	----	----	4 UNCH
10000	0.900	0.900	1.152B/0.894	1.152B/0.894	----	0.919 - 0.154	.1229	----	----	49	----	1808 + 31
10025	----	----	1.140B/0.893A	1.140B/0.893A	----	0.904 - 0.153	.1210	----	----	----	----	2 UNCH
10050	----	----	1.106B/0.881A	1.106B/0.881A	----	0.890 - 0.151	.1192	----	----	----	----	2 UNCH
10075	----	----	1.116B/0.866A	1.116B/0.866A	----	0.876 - 0.150	.1174	----	----	----	----	21 UNCH
10100	----	----	1.069B/0.852A	1.069B/0.852A	----	0.861 - 0.149	.1155	----	----	----	----	113 UNCH
10125	----	----	1.074B/0.841A	1.074B/0.841A	----	0.848 - 0.147	.1138	----	----	----	----	4 UNCH
10150	----	----	1.066B/0.828A	1.066B/0.828A	----	0.834 - 0.147	.1120	----	----	----	----	32 UNCH
10200	0.805	0.805	1.035B/0.804A	1.035B/0.804A	----	0.808 - 0.144	.1087	----	----	2	----	118 UNCH
10250	----	----	1.003B/0.781A	1.003B/0.781A	----	0.783 - 0.141	.1054	----	----	----	----	24 UNCH
10275	0.810	0.810	0.987B/0.768A	0.987B/0.768A	----	0.771 - 0.140	.1039	----	----	3	----	7 UNCH
10300	----	----	0.974B/0.758A	0.974B/0.758A	----	0.759 - 0.139	.1023	----	----	----	----	6 UNCH
10325	----	----	0.960B/0.745A	0.960B/0.745A	----	0.746 - 0.139	.1007	----	----	----	----	1 UNCH
10350	0.920	0.920	0.950B/0.735A	0.950B/0.735A	----	0.735 - 0.137	.0992	----	----	1	----	2 + 1
10375	----	----	0.937B/0.726A	0.937B/0.726A	----	0.724 - 0.135	.0978	----	----	----	----	18 UNCH
10400	0.901	0.901	0.923B/0.716A	0.923B/0.716A	----	0.713 - 0.134	.0964	----	----	1	----	16 UNCH
10425	----	----	0.910B/0.704A	0.910B/0.704A	----	0.702 - 0.133	.0949	----	----	----	----	2 UNCH
10450	----	----	0.896B/0.696A	0.896B/0.696A	----	0.691 - 0.132	.0935	----	----	----	----	25 UNCH
10475	----	----	0.885B/0.685A	0.885B/0.685A	----	0.681 - 0.130	.0922	----	----	----	----	26 UNCH
10500	0.720	0.720	0.873B/0.676A	0.873B/0.676A	----	0.671 - 0.129	.0909	----	----	10	----	431 + 8
10525	----	----	0.861B/0.666A	0.861B/0.666A	----	0.661 - 0.127	.0895	----	----	----	----	2 UNCH
10550	----	----	0.849B/0.658A	0.849B/0.658A	----	0.651 - 0.126	.0882	----	----	----	----	10 UNCH
10575	----	----	0.837B/0.649A	0.837B/0.649A	----	0.642 - 0.124	.0870	----	----	----	----	1 UNCH
10600	----	----	0.824B/0.640A	0.824B/0.640A	----	0.633 - 0.123	.0858	----	----	----	----	52 UNCH
10625	----	----	0.814B/0.632A	0.814B/0.632A	----	0.623 - 0.122	.0845	----	----	----	----	2 UNCH
10675	----	----	0.792B/0.614A	0.792B/0.614A	----	0.606 - 0.119	.0822	----	----	----	----	9 UNCH
10700	----	----	0.781B/0.606A	0.781B/0.606A	----	0.597 - 0.118	.0810	----	----	1	----	65 + 1
10725	----	----	0.772B/0.600A	0.772B/0.600A	----	0.588 - 0.117	.0799	----	----	----	----	4 UNCH
10750	----	----	0.761B/0.592A	0.761B/0.592A	----	0.580 - 0.116	.0788	----	----	1	----	91 + 1
10775	----	----	0.750B/0.584A	0.750B/0.584A	----	0.572 - 0.115	.0777	----	----	----	----	9 UNCH
10800	----	----	0.740B/0.574A	0.740B/0.574A	----	0.564 - 0.114	.0766	----	----	----	----	35 UNCH
10875	----	----	0.712B/0.552A	0.712B/0.552A	----	0.541 - 0.110	.0735	----	----	----	----	15 UNCH
10900	----	----	0.702B/0.549A	0.702B/0.549A	----	0.534 - 0.109	.0726	----	----	----	----	6 UNCH
10925	----	----	0.691B/0.541A	0.691B/0.541A	----	0.526 - 0.109	.0715	----	----	----	----	1 UNCH
10950	----	----	0.684B/0.535A	0.684B/0.535A	----	0.519 - 0.108	.0706	----	----	----	----	1 UNCH
10975	0.710	0.710	0.710/0.529A	0.710/0.529A	----	0.512 - 0.107	.0696	----	----	1	----	2 + 1
11000	0.555	0.555	0.666B/0.518A	0.666B/0.518A	----	0.505 - 0.106	.0687	----	----	53	----	1467 + 26
11025	----	----	0.659B/0.513A	0.659B/0.513A	----	0.499 - 0.104	.0678	----	----	----	----	15 UNCH
11050	----	----	0.650B/0.508A	0.650B/0.508A	----	0.492 - 0.104	.0669	----	----	----	----	8 UNCH
11075	----	----	0.643B/0.503A	0.643B/0.503A	----	0.485 - 0.103	.0660	----	----	----	----	2 UNCH
11100	----	----	0.633B/0.493A	0.633B/0.493A	----	0.479 - 0.102	.0651	----	----	----	----	15 UNCH
11125	----	----	0.627B/0.492A	0.627B/0.492A	----	0.473 - 0.101	.0643	----	----	----	----	2 UNCH
11150	----	----	0.618B/0.485A	0.618B/0.485A	----	0.467 - 0.100	.0635	----	----	----	----	1 UNCH
11175	----	----	0.611B/0.478A	0.611B/0.478A	----	0.461 - 0.099	.0627	----	----	----	----	2 UNCH
11200	----	----	0.602B/0.472A	0.602B/0.472A	----	0.455 - 0.098	.0619	----	----	----	----	10 UNCH
11225	----	----	0.596B/0.478A	0.596B/0.478A	----	0.449 - 0.098	.0610	----	----	----	----	6 UNCH
11250	----	----	0.587B/0.475A	0.587B/0.475A	----	0.443 - 0.097	.0602	----	----	----	----	12 UNCH
11275	----	----	0.580B/0.473A	0.580B/0.473A	----	0.437 - 0.097	.0594	----	----	----	----	1 UNCH
11300	----	----	0.572B/0.469A	0.572B/0.469A	----	0.431 - 0.097	.0586	----	----	----	----	52 UNCH
11350	----	----	0.553B/0.459A	0.553B/0.459A	----	0.420 - 0.096	.0571	----	----	----	----	2 UNCH
11400	----	----	0.516B/----	0.516B/0.504A	----	0.410 - 0.094	.0557	----	----	----	----	21 UNCH
11425	----	----	0.533B/----	0.533B/0.499A	----	0.405 - 0.093	.0551	----	----	----	----	10 UNCH
11450	----	----	0.502B/----	0.502B/0.517A	----	0.400 - 0.093	.0544	----	----	----	----	4 UNCH
11500	----	----	0.492B/----	0.492B/0.489A	----	0.390 - 0.092	.0530	----	----	----	----	304 UNCH
11550	----	----	0.480B/0.467A	0.480B/0.467A	----	0.381 - 0.090	.0518	----	----	----	----	2 UNCH
11575	----	----	0.501B/----	0.501B/0.469A	----	0.376 - 0.090	.0511	----	----	----	----	11 UNCH
11600	----	----	0.468B/----	0.468B/0.473A	----	0.372 - 0.089	.0505	----	----	----	----	10 UNCH
11625	----	----	0.490B/----	0.490B/0.464A	----	0.368 - 0.088	.0499	----	----	----	----	3 UNCH
11650	0.380	0.380	0.380/0.380	0.449B/0.380	----	0.363 - 0.088	.0493	----	----	1	----	25 UNCH
11675	----	----	0.478B/----	0.478B/0.455A	----	0.359 - 0.087	.0487	----	----	----	----	23 UNCH
11700	----	----	0.449B/----	0.449B/0.449A	----	0.355 - 0.086	.0482	----	----	----	----	23 UNCH
11725	----	----	0.467B/----	0.467B/0.447A	----	0.351 - 0.085	.0476	----	----	----	----	22 UNCH
11750	----	----	0.446B/----	0.446B/0.455A	----	0.347 - 0.085	.0470	----	----	----	----	23 UNCH
11775	----	----	0.456B/----	0.456B/0.451A	----	0.343 - 0.084	.0465	----	----	----	----	23 UNCH
11800	----	----	----	0.418B/0.458A	----	0.339 - 0.083	.0459	----	----	----	----	3 UNCH
11875	----	----	----	0.375B/0.445A	----	0.328 - 0.081	.0444	----	----	----	----	2 UNCH
11900	----	----	----	0.374B/0.441A	----	0.324 - 0.081	.0438	----	----	----	----	2 UNCH
11925	----	----	----	0.370B/0.441A	----	0.320 - 0.081	.0433	----	----	----	----	1 UNCH
11950	----	----	----	0.362B/0.437A	----	0.317 - 0.080	.0429	----	----	----	----	1 UNCH
12000	0.332	0.332	0.374B/0.331	0.374B/0.331	----	0.310 - 0.079	.0419	----	----	4	----	548 UNCH
12150	----	----	----	0.322B/0.407A	----	0.291 - 0.075	.0392	----	----	----	----	1 UNCH
12200	----	----	----	0.314B/0.380A	----	0.284 - 0.075	.0383	----	----	----	----	14 UNCH
12225	----	----	----	0.310B/0.389A	----	0.281 - 0.074	.0379	----	----	----	----	16 UNCH
12250	----	----	----	0.305B/0.393A	----	0.279 - 0.073	.0376	----	----	----	----	8 UNCH
12275	----	----	----	0.301B/0.390A	----	0.276 - 0.072	.0371	----	----	----	----	1 UNCH
12300	----	----	----	0.334B/0.367A	----	0.273 - 0.072	.0367	----	----	----	----	13 UNCH
12325	----	----	----	0.293B/0.383A	----	0.270 - 0.072	.0363	----	----	----	----	1 UNCH
12375	----	----	----	0.328B/0.377A	----	0.265 - 0.070	.0356	----	----	----	----	2 UNCH
12425	----	----	----	0.322B/0.371A	----	0.259 - 0.070	.0348	----	----	----	----	3 UNCH
12450	----	----	----	0.272B/0.368A	----	0.257 - 0.069	.0345	----	----	----	----	1 UNCH
12475	----	----	----	0.269B/0.365A	----	0.254 - 0.069	.0341	----	----	----	----	3 UNCH
12500	0.320	0.320	0.320/0.320	0.320/0.320	----	0.252 - 0.068	.0338	----	----	10	----	128 + 10
12575	----	----	----	0.256B/0.353A	----	0.244 - 0.067	.0327	----	----	----	----	2 UNCH
12600	----	----	----	0.264B/0.350A	----	0.242 - 0.066	.0324	----	----	----	----	6 UNCH
12700	0.266	0.266	0.266/*0.266	0.266/0.266	----	0.233 - 0.064	.0311	----	----	3	----	72 + 1
12725	----	----	----	0.235B/0.339A	----	0.230 - 0.064	.0307	----	----	----	----	2 UNCH
12800	----	----	----	0.227B/0.330A	----	0.224 - 0.063	.0299	----	----	----	----	1 UNCH
13000	0.284	0.284	0.284/0.226	0.284/0.226	----	0.211 - 0.056	.0279	----	----	287	661	3776 + 927
14000	0.163	0.163	0.163/0.163	0.163/0.163	----	0.147 - 0.048	.0192	----	----	11	----	861 UNCH
14700	----	----	----	0.071B/0.201A	----	0.119 - 0.041	.0153	----	----	----	----	11 UNCH
15000	0.111	0.111	0.117/0.111	0.117/0.111	----	0.110 - 0.038	.0140	----	----	12	----	782 + 11
16000	0.078	0.078	0.092/0.077A	0.092/0.077A	----	0.070 - 0.047	.0090	----	----	278	661	3805 + 926
17000	----	----	----	0.022B/0.128A	----	0.067 - 0.028	.0082	----	----	----	----	22 UNCH
18000	----	----	----	0.003B/0.119A	----	0.054 - 0.024	.0065	----	----	----	----	259 UNCH
19000	----	----	----	----/0.125A	----	0.045 - 0.020	.0053	----	----	----	----	79 UNCH
20000	0.023	0.023	0.023/*0.023	0.023/*0.023	----	0.037 - 0.018	.0043	----	----	2	----	1178 UNCH
21000	----	----	----	----/0.147A	----	0.032 - 0.015	.0036	----	----	----	----	427 UNCH
24000	----	----	----	----/0.189A	----	0.028 - 0.003	.0029	----	----	----	----	131 UNCH
25000	0.020	0.020	0.020/*0.012	0.020/*0.012	----	0.015 - 0.012	.0016	----	----	40	----	410 + 14
27000	----	----	----	----/0.365A	----	0.011 - 0.009	.0012	----	----	----	----	5 UNCH
30000	0.025	0.025	0.025/*0.013	0.025/*0.013	----	0.010 - 0.004	.0010	----	----	30	----	53 + 30
32000	----	----	----	----/*0.022A	----	0.010 - 0.001	.0010	----	----	----	----	4 UNCH
35000	----	----	----	0.007B/0.010A	----	0.009 + 0.001	.0008	----	----	----	----	93 UNCH
TOTAL										1192	1600	31165 + 2079
AUG26												
5000	----	----	28.575B/27.355A	28.575B/27.355A	----	28.221 - 0.157	.9649	----	----	----	----	2 UNCH
5400	----	----	24.742B/23.614A	24.742B/23.614A	----	24.397 - 0.173	.9461	----	----	----	----	2 UNCH
5500	----	----	23.725B/22.702A	23.725B/22.702A	----	23.458 - 0.181	.9399	----	----	----	----	1 UNCH
6300	----	----	----/15.934A	16.578B/15.934A	----	16.420 - 0.234	.8545	----	----	----	----	7 UNCH
6450	----	----	----/14.786A	15.320B/14.786A	----	15.234 - 0.226	.8305	----	----	----	----	1 UNCH
6500	----	----	----/14.415A	14.930B/14.415A	----	14.850 - 0.222	.8219	----	----	----	----	2 UNCH
6600	----	----	----/13.692A	14.162B/13.692A	----	14.099 - 0.217	.8040	----	----	----	----	4 UNCH
6800	----	----	----/12.329A	12.793B/12.329A	----	12.672 - 0.210	.7656	----	----	----	----	7 UNCH
6875	----	----	----/11.844A	12.163B/11.844A	----	12.164 - 0.210	.7503	----	----	----	----	5 UNCH
7000	----	----	----/11.072A	11.320B/11.072A	----	11.349 - 0.216	.7241	----	----	131	----	132 + 131
7025	----	----	----/10.921A	11.156B/10.921A	----	11.191 - 0.217	.7187	----	----	----	----	5 UNCH
7050	----	----	----/10.774A	10.993B/10.774A	----	11.035 - 0.219	.7133	----	----	----	----	4 UNCH
7100	----	----	----/10.483A	10.675B/10.483A	----	10.728 - 0.222	.7024	----	----	----	----	2 UNCH
7200	----	----	----/9.773A	10.052B/9.773A	----	10.135 - 0.228	.6804	----	----	----	----	1 UNCH
7250	----	----	----/9.499A	9.763B/9.499A	----	9.849 - 0.229	.6692	----	----	----	----	3 UNCH
7300	----	----	----/9.232A	9.466B/9.232A	----	9.569 - 0.230	.6580	----	----	----	----	1 UNCH
7400	8.170	8.170	9.102B/7.973	9.102B/7.973	----	9.031 - 0.223	.6354	----	----	8	----	10 + 8
7425	----	----	----/8.183A	8.870B/8.183A	----	8.901 - 0.220	.6297	----	----	----	----	14 UNCH
7475	----	----	----/7.974A	8.707B/7.974A	----	8.646 - 0.212	.6184	----	----	----	----	6 UNCH
7500	----	----	9.063B/7.794A	9.063B/7.794A	----	8.521 - 0.208	.6127	----	----	169	----	235 + 164
7550	----	----	----/7.666A	8.416B/7.666A	----	8.276 - 0.201	.6014	----	----	----	----	4 UNCH
7600	----	----	----/7.395A	8.166B/7.395A	----	8.037 - 0.195	.5901	----	----	16	----	43 + 16
7625	----	----	----/7.379A	8.030B/7.379A	----	7.921 - 0.191	.5845	----	----	----	----	18 UNCH
7700	----	----	7.804B/7.024A	7.804B/7.024A	----	7.580 - 0.180	.5677	----	----	43	----	61 + 43
7725	----	----	7.721B/7.162A	7.721B/7.162A	----	7.470 - 0.176	.5621	----	----	----	----	7 UNCH
7750	----	----	7.733B/6.918A	7.733B/6.918A	----	7.362 - 0.173	.5565	----	----	----	----	4 UNCH
7800	7.791	7.791	7.791/6.667A	7.791/6.667A	----	7.149 - 0.169	.5455	----	----	123	----	123 + 109
7850	----	----	7.575B/6.573A	7.575B/6.573A	----	6.943 - 0.165	.5345	----	----	4	----	6 + 4
7900	7.000	7.000	7.368B/6.334A	7.368B/6.334A	----	6.743 - 0.162	.5237	----	----	41	----	41 + 40
7950	----	----	7.167B/6.250A	7.167B/6.250A	----	6.550 - 0.157	.5129	----	----	4	----	9 UNCH
7975	----	----	7.069B/6.174A	7.069B/6.174A	----	6.455 - 0.156	.5076	----	----	----	----	0 UNCH
8000	6.607	6.607	6.972B/6.023A	6.972B/6.023A	----	6.362 - 0.154	.5023	----	----	251	----	339 + 234

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
8050	----	----	6.782B/5.942A	6.782B/5.942A	----	6.180 - 0.150	.4919	----	----	----	----	4 UNCH
8100	----	----	6.598B/5.729A	6.598B/5.729A	----	6.003 - 0.147	.4815	----	----	5	----	21 + 5
8150	----	----	6.420B/5.658A	6.420B/5.658A	----	5.833 - 0.143	.4714	----	----	13	----	35 + 13
8200	----	----	6.246B/5.455A	6.246B/5.455A	----	5.667 - 0.139	.4613	----	----	----	----	8 UNCH
8225	----	----	6.161B/5.412A	6.161B/5.412A	----	5.587 - 0.136	.4564	----	----	----	----	2 UNCH
8250	5.470	5.470	6.077B/5.181A	6.077B/5.181A	----	5.507 - 0.135	.4515	----	----	16	----	209 + 1
8300	5.147	5.147	5.914B/5.147	5.914B/5.147	----	5.352 - 0.130	.4418	----	----	3	----	57 UNCH
8350	5.181	5.181	5.756B/5.084A	5.756B/5.084A	----	5.203 - 0.124	.4323	----	----	2	----	3 + 2
8375	----	----	5.679B/5.015A	5.679B/5.015A	----	5.130 - 0.121	.4276	----	----	----	----	1 UNCH
8400	5.270	5.270	5.604B/4.953A	5.604B/4.953A	----	5.058 - 0.118	.4229	----	----	1	----	22 + 1
8425	4.452	4.452	5.529B/4.452	5.529B/4.452	----	4.987 NEW	.4183	----	----	1	----	1 + 1
8450	4.393	4.393	5.455B/4.393	5.455B/4.393	----	4.918 - 0.113	.4137	----	----	1	----	17 UNCH
8475	4.335	4.335	5.383B/4.335	5.383B/4.335	----	4.849 NEW	.4092	----	----	2	----	2 + 2
8500	4.549	4.549	5.314B/4.549	5.314B/4.549	----	4.782 - 0.108	.4047	----	----	50	----	70 + 44
8550	----	----	5.183B/4.584A	5.183B/4.584A	----	4.651 - 0.103	.3959	----	----	----	----	16 UNCH
8600	----	----	5.049B/4.336A	5.049B/4.336A	----	4.524 - 0.098	.3872	----	----	41	----	292 + 37
8650	----	----	4.916B/3.965A	4.916B/3.965A	----	4.402 - 0.094	.3788	----	----	----	----	1 UNCH
8675	4.842	4.842	4.843B/3.914A	4.843B/3.914A	----	4.342 NEW	.3746	----	----	1	----	1 + 1
8700	----	----	4.791B/3.865A	4.791B/3.865A	----	4.283 - 0.091	.3704	----	----	3	20	31 UNCH
8750	----	----	4.670B/4.120A	4.670B/4.120A	----	4.169 - 0.088	.3624	----	----	1	----	8 + 1
8775	----	----	4.608B/4.029A	4.608B/4.029A	----	4.113 - 0.087	.3584	----	----	----	----	2 UNCH
8825	----	----	4.490B/3.941A	4.490B/3.941A	----	4.004 - 0.085	.3505	----	----	----	----	1 UNCH
8850	----	----	4.431B/3.903A	4.431B/3.903A	----	3.951 - 0.085	.3467	----	----	----	----	5 UNCH
8875	----	----	4.381B/3.814A	4.381B/3.814A	----	3.899 - 0.084	.3428	----	----	----	----	2 UNCH
8900	----	----	4.327B/3.826A	4.327B/3.826A	----	3.848 - 0.083	.3391	----	----	----	----	17 UNCH
8925	----	----	4.268B/3.715A	4.268B/3.715A	----	3.797 - 0.084	.3354	----	----	----	----	3 UNCH
8950	----	----	4.212B/3.720A	4.212B/3.720A	----	3.748 - 0.083	.3317	----	----	----	----	6 UNCH
8975	----	----	4.161B/3.639A	4.161B/3.639A	----	3.699 - 0.083	.3280	----	----	----	----	1 UNCH
9000	----	----	4.114B/3.615A	4.114B/3.615A	----	3.651 - 0.083	.3245	----	----	118	----	400 + 92
9025	----	----	4.061B/3.582A	4.061B/3.582A	----	3.604 - 0.083	.3209	----	----	----	----	2 UNCH
9050	----	----	4.005B/3.539A	4.005B/3.539A	----	3.557 - 0.084	.3174	----	----	----	----	11 UNCH
9075	----	----	3.960B/3.495A	3.960B/3.495A	----	3.512 - 0.083	.3139	----	----	----	----	2 UNCH
9100	----	----	3.910B/3.465A	3.910B/3.465A	----	3.467 - 0.084	.3105	----	----	2	----	91 + 2
9150	----	----	3.812B/3.378A	3.812B/3.378A	----	3.379 - 0.085	.3038	----	----	----	----	11 UNCH
9175	----	----	3.774B/3.329A	3.774B/3.329A	----	3.337 - 0.084	.3005	----	----	----	----	1 UNCH
9200	----	----	3.718B/3.296A	3.718B/3.296A	----	3.295 - 0.085	.2972	----	----	----	----	9 UNCH
9225	----	----	3.688B/3.251A	3.688B/3.251A	----	3.254 - 0.085	.2940	----	----	----	----	1 UNCH
9250	----	----	3.635B/3.215A	3.635B/3.215A	----	3.213 - 0.085	.2908	----	----	121	----	148 + 121
9275	----	----	3.599B/3.173A	3.599B/3.173A	----	3.173 - 0.085	.2877	----	----	----	----	1 UNCH
9300	----	----	3.543B/3.138A	3.543B/3.138A	----	3.134 - 0.085	.2846	----	----	----	----	6 UNCH
9350	----	----	3.461B/3.052A	3.461B/3.052A	----	3.057 - 0.086	.2785	----	----	----	----	1 UNCH
9375	----	----	3.419B/3.012A	3.419B/3.012A	----	3.020 - 0.085	.2755	----	----	----	----	1 UNCH
9400	----	----	3.381B/2.993A	3.381B/2.993A	----	2.983 - 0.086	.2726	----	----	----	----	133 UNCH
9450	----	----	3.302B/2.921A	3.302B/2.921A	----	2.911 - 0.086	.2668	----	----	----	----	20 UNCH
9500	3.280	3.280	3.280/2.848A	3.280/2.848A	----	2.841 - 0.086	.2611	----	----	21	----	54 + 3
9575	----	----	3.119B/2.758A	3.119B/2.758A	----	2.741 - 0.086	.2529	----	----	----	----	1 UNCH
9600	----	----	3.076B/2.719A	3.076B/2.719A	----	2.709 NEW	.2502	----	----	2	----	2 + 2
9625	3.036	3.036	3.037B/2.694A	3.037B/2.694A	----	2.677 NEW	.2476	----	----	1	----	1 + 1
9700	----	----	2.940B/2.600A	2.940B/2.600A	----	2.584 - 0.086	.2399	----	----	----	----	97 UNCH
9725	----	----	2.911B/2.560A	2.911B/2.560A	----	2.554 - 0.086	.2374	----	----	----	----	1 UNCH
9775	----	----	2.844B/2.456A	2.844B/2.456A	----	2.495 - 0.087	.2325	----	----	----	----	1 UNCH
9900	----	----	2.687B/2.371A	2.687B/2.371A	----	2.356 - 0.089	.2207	----	----	----	----	7 UNCH
9950	----	----	2.628B/2.325A	2.628B/2.325A	----	2.304 - 0.090	.2162	----	----	----	----	3 UNCH
10000	----	----	2.573B/2.294A	2.573B/2.294A	----	2.253 - 0.091	.2118	----	----	20	----	410 - 20
10200	----	----	2.365B/2.042A	2.365B/2.042A	----	2.064 - 0.098	.1954	----	----	----	----	4 UNCH
10250	----	----	2.322B/1.998A	2.322B/1.998A	----	2.020 - 0.100	.1915	----	----	----	----	3 UNCH
10275	1.929	1.929	2.296B/1.929	2.296B/1.929	----	1.998 - 0.101	.1896	----	----	1	----	21 + 1
10300	----	----	2.271B/1.955A	2.271B/1.955A	----	1.977 - 0.101	.1878	----	----	----	----	22 UNCH
10325	----	----	2.251B/1.934A	2.251B/1.934A	----	1.956 - 0.102	.1859	----	----	----	----	8 UNCH
10350	----	----	2.230B/1.913A	2.230B/1.913A	----	1.936 - 0.102	.1841	----	----	----	----	1 UNCH
10375	----	----	2.206B/1.892A	2.206B/1.892A	----	1.916 - 0.101	.1823	----	----	----	----	1 UNCH
10400	----	----	2.190B/1.872A	2.190B/1.872A	----	1.896 - 0.101	.1806	----	----	----	----	2 UNCH
10475	----	----	2.124B/1.813A	2.124B/1.813A	----	1.838 - 0.100	.1754	----	----	----	----	3 UNCH
10500	----	----	2.106B/1.794A	2.106B/1.794A	----	1.819 - 0.099	.1737	----	----	----	----	71 UNCH
10650	----	----	1.985B/1.684A	1.985B/1.684A	----	1.712 - 0.087	.1640	----	----	----	----	1 UNCH
10675	----	----	1.971B/1.667A	1.971B/1.667A	----	1.696 - 0.083	.1625	----	----	----	----	1 UNCH
10700	----	----	1.944B/1.650A	1.944B/1.650A	----	1.679 - 0.080	.1610	----	----	----	----	1 UNCH
10725	1.599	1.599	1.933B/1.599	1.933B/1.599	----	1.663 NEW	.1595	----	----	1	----	1 + 1
10775	----	----	1.892B/1.600A	1.892B/1.600A	----	1.630 - 0.070	.1565	----	----	----	----	3 UNCH
10800	----	----	1.880B/1.583A	1.880B/1.583A	----	1.615 - 0.066	.1551	----	----	----	----	4 UNCH
10825	----	----	1.856B/1.567A	1.856B/1.567A	----	1.599 - 0.064	.1537	----	----	----	----	3 UNCH
10875	----	----	1.821B/1.536A	1.821B/1.536A	----	1.569 - 0.058	.1509	----	----	----	----	5 UNCH
10925	----	----	1.787B/1.505A	1.787B/1.505A	----	1.539 - 0.055	.1481	----	----	----	----	4 UNCH
10975	----	----	1.753B/1.476A	1.753B/1.476A	----	1.511 - 0.053	.1455	----	----	----	----	1 UNCH
11000	----	----	1.739B/1.461A	1.739B/1.461A	----	1.497 - 0.053	.1442	----	----	104	----	424 + 94
11075	----	----	1.689B/1.419A	1.689B/1.419A	----	1.456 - 0.058	.1404	----	----	----	----	2 UNCH
11100	----	----	1.702B/1.406A	1.702B/1.406A	----	1.443 - 0.060	.1392	----	----	----	----	20 UNCH
11200	----	----	1.634B/1.354A	1.634B/1.354A	----	1.392 - 0.072	.1344	----	----	----	----	2 UNCH
11225	----	----	1.598B/1.341A	1.598B/1.341A	----	1.379 - 0.075	.1332	----	----	----	----	1 UNCH
11275	----	----	1.570B/1.316A	1.570B/1.316A	----	1.355 - 0.079	.1309	----	----	----	----	6 UNCH
11400	----	----	1.507B/1.256A	1.507B/1.256A	----	1.298 - 0.085	.1255	----	----	----	----	2 UNCH
11475	----	----	1.458B/1.222A	1.458B/1.222A	----	1.265 - 0.086	.1223	----	----	----	----	1 UNCH
11500	----	----	1.469B/1.211A	1.469B/1.211A	----	1.254 - 0.086	.1213	----	----	----	----	112 UNCH
11575	----	----	1.408B/1.179A	1.408B/1.179A	----	1.223 - 0.084	.1183	----	----	----	----	1 UNCH
11650	1.148	1.148	1.393B/1.147	1.393B/1.147	----	1.192 NEW	.1154	----	----	2	----	2 + 2
11700	----	----	1.368B/1.127A	1.368B/1.127A	----	1.171 - 0.081	.1134	----	----	----	----	2 UNCH
11850	----	----	1.280B/1.068A	1.280B/1.068A	----	1.106 - 0.079	.1075	----	----	----	----	1 UNCH
12000	----	----	1.217B/1.013A	1.217B/1.013A	----	1.043 - 0.076	.1018	----	----	----	----	36 UNCH
12025	----	----	1.230B/1.005A	1.230B/1.005A	----	1.032 - 0.076	.1008	----	----	----	----	52 UNCH
12050	----	----	1.217B/0.996A	1.217B/0.996A	----	1.022 - 0.075	.0999	----	----	----	----	208 UNCH
12100	----	----	1.189B/0.979A	1.189B/0.979A	----	1.001 - 0.075	.0980	----	----	----	----	1 UNCH
12500	----	----	1.042B/0.856A	1.042B/0.856A	----	0.853 - 0.068	.0844	----	----	----	----	156 UNCH
12700	----	----	0.969B/0.801A	0.969B/0.801A	----	0.795 - 0.065	.0789	----	----	----	----	1 UNCH
12725	----	----	0.974B/0.795A	0.974B/0.795A	----	0.788 - 0.065	.0783	----	----	----	----	1 UNCH
12775	0.762	0.762	0.958B/0.762	0.958B/0.762	----	0.774 NEW	.0769	----	----	13	----	13 + 13
12800	----	----	0.941B/0.776A	0.941B/0.776A	----	0.768 - 0.063	.0763	----	----	----	----	2 UNCH
13000	0.700	0.700	0.883B/0.700	0.883B/0.700	----	0.723 - 0.062	.0719	----	----	2	----	1815 UNCH
14000	----	----	0.639B/----	0.639B/0.637A	----	0.522 - 0.050	.0524	----	----	----	----	17 UNCH
15000	0.433	0.433	0.433/0.433	0.433/0.433	----	0.391 - 0.042	.0395	----	----	1	----	96 UNCH
16000	----	----	----	0.288B/0.417A	----	0.303 - 0.035	.0306	----	----	----	----	10 UNCH
17000	----	----	----/0.258A	0.204B/0.258A	----	0.240 - 0.030	.0242	----	----	----	----	1745 UNCH
18000	----	----	----	0.146B/0.294A	----	0.194 - 0.026	.0195	----	----	----	----	7 UNCH
19000	----	----	----	0.100B/0.253A	----	0.160 - 0.023	.0160	----	----	----	----	2 UNCH
20000	----	----	----	0.086B/0.165A	----	0.135 - 0.020	.0134	----	----	----	----	222 UNCH
25000	----	----	----	0.002B/0.151A	----	0.071 - 0.013	.0068	----	----	----	----	4 UNCH
27000	----	----	----	0.001B/3.187A	----	0.057 - 0.011	.0054	----	----	----	----	6 UNCH
30000	----	----	----	----/0.164A	----	0.045 - 0.009	.0041	----	----	----	----	14 UNCH
32000	----	----	----	0.014B/3.168A	----	0.034 - 0.008	.0031	----	----	----	----	3 UNCH
35000	----	----	----	0.008B/3.163A	----	0.024 - 0.006	.0022	----	----	----	----	4 UNCH
TOTAL										1339	20	8503 + 1169
SEP26												
5100	----	----	27.619B/26.824A	27.619B/26.824A	----	27.384 - 0.192	.9493	----	----	----	----	1 UNCH
5900	----	----	----/19.970A	20.430B/19.970A	----	20.399 - 0.129	.8752	----	----	----	----	2 UNCH
6000	----	----	----/19.183A	19.586B/19.183A	----	19.590 - 0.119	.8627	----	----	----	----	7 UNCH
6700	----	----	----/14.162A	14.274B/14.162A	----	14.424 - 0.126	.7574	----	----	----	----	1 UNCH
7000	----	----	----/12.219A	12.543B/12.219A	----	12.513 - 0.164	.7043	----	----	----	----	266 UNCH
7125	----	----	----/11.518A	11.803B/11.518A	----	11.775 - 0.184	.6812	----	----	----	----	75 UNCH
7300	----	----	----/9.627A	10.819B/9.627A	----	10.801 - 0.230	.6483	----	----	----	----	145 UNCH
7400	----	----	----/9.248A	10.430B/9.248A	----	10.277 - 0.265	.6293	----	----	----	----	104 UNCH
7500	----	----	----/9.394A	9.936B/9.394A	----	9.774 - 0.299	.6103	----	----	----	----	3 UNCH
7550	----	----	----/9.542A	9.681B/9.542A	----	9.532 - 0.313	.6008	----	----	----	----	2 UNCH
7700	----	----	----/8.908A	9.013B/8.908A	----	8.837 - 0.353	.5723	----	----	----	----	1 UNCH
7900	----	----	----/7.500A	8.186B/7.500A	----	7.989 - 0.394	.5349	----	----	----	----	2 UNCH
8000	8.000	8.000	8.000/7.271A	8.000/7.271A	----	7.597 - 0.411	.5167	----	----	167	----	196 - 73
8100	----	----	----/7.589A	7.428B/7.589A	----	7.227 - 0.424	.4988	----	----	1	----	9 UNCH
8200	----	----	----/7.219A	7.090B/7.219A	----	6.876 - 0.437	.4813	----	----	----	----	25 UNCH
8300	----	----	----/6.953A	6.760B/6.953A	----	6.544 - 0.450	.4642	----	----	1	----	2 + 1
8400	----	----	----/6.669A	6.446B/6.669A	----	6.231 - 0.462	.4476	----	----	----	----	10 UNCH
8500	6.314	6.314	6.314/5.971A	6.314/5.971A	----	5.936 - 0.472	.4315	----	----	2	----	239 UNCH
8600	5.899	5.899	5.902B/5.899	5.902B/5.899	----	5.656 - 0.484	.4158	----	----	4	----	64 + 1
8675	----	----	----/5.945A	5.624B/5.945A	----	5.458 - 0.491	.4045	----	----	----	----	5 UNCH
8700	5.837	5.837	5.837/5.561A	5.837/5.561A	----	5.394 - 0.493	.4007	----	----	2	----	104 + 2
8800	----	----	----	5.368B/5.652A	----	5.147 - 0.502	.3862	----	----	----	----	10 UNCH
8900	----	----	----	5.137B/5.428A	----	4.913 - 0.511	.3721	----	----	----	----	4 UNCH
8925	----	----	----	5.070B/5.402A	----	4.857 - 0.513	.3687	----	----	----	----	2 UNCH
8950	----	----	----	5.027B/5.321A	----	4.801 - 0.515	.3652	----	----	----	----	2 UNCH
9000	5.104	5.104	5.104/5.007A	5.104/5.007A	----	4.693 - 0.519	.3585	----	----	11	----	223 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
9025	----	----	----	4.854B/5.167A	----	4.641 -	0.519 .3553	----	----	----	----	4 UNCH
9100	----	----	----	4.733B/5.018A	----	4.487 -	0.524 .3456	----	----	----	----	12 UNCH
9400	----	----	----	4.172B/4.476A	----	3.935 -	0.537 .3096	----	----	----	----	20 UNCH
9500	4.297	4.297	4.327B/4.006	4.327B/4.006	----	3.772 -	0.539 .2986	----	----	4	32	264 UNCH
9600	----	----	----	3.944B/4.157A	----	3.618 -	0.539 .2881	----	----	----	----	25 UNCH
9750	----	----	----/3.936A	3.648B/3.936A	----	3.402 -	0.539 .2730	----	----	----	----	23 UNCH
9800	----	----	3.931B/3.825A	3.931B/3.825A	----	3.334 -	0.539 .2683	----	----	----	----	132 UNCH
9900	3.650	3.650	3.650/3.650	3.650/3.650	----	3.204 -	0.536 .2590	----	----	2	----	52 UNCH
10000	3.500	3.500	3.696B/3.500	3.696B/3.500	----	3.081 -	0.532 .2502	----	----	170	----	374 - 14
10100	----	----	3.581B/3.461A	3.581B/3.461A	----	2.964 -	0.528 .2417	----	----	----	----	56 UNCH
10200	----	----	----	3.369B/3.388A	----	2.854 -	0.521 .2336	----	----	----	----	28 UNCH
10300	----	----	----/3.254A	3.105B/3.254A	----	2.748 -	0.515 .2257	----	----	----	----	25 UNCH
10400	----	----	----/3.148A	2.855B/3.148A	----	2.647 -	0.508 .2182	----	----	----	----	0 UNCH
10500	----	----	----/3.046A	3.024B/3.046A	----	2.552 -	0.500 .2111	----	----	----	----	231 UNCH
10800	2.642	2.642	2.642/2.642	2.642/2.642	----	2.293 -	0.474 .1913	----	----	2	----	2 UNCH
11000	2.553	2.553	2.666B/2.553	2.666B/2.553	----	2.139 -	0.455 .1794	----	----	2	----	248 + 2
11100	----	----	----	2.381B/2.524A	----	2.066 -	0.447 .1738	----	----	----	----	3 UNCH
11300	----	----	2.403B/----	2.403B/2.376A	----	1.931 -	0.429 .1632	----	----	----	----	60 UNCH
11500	----	----	----	2.114B/2.243A	----	1.806 -	0.412 .1533	----	----	----	----	100 UNCH
12000	----	----	----	1.883B/1.991A	----	1.532 -	0.377 .1315	----	----	1	----	121 UNCH
12500	1.450	1.450	1.587B/1.444A	1.587B/1.444A	----	1.302 -	0.352 .1130	----	----	60	----	95 + 55
13000	----	----	----	1.160B/1.644A	----	1.115 -	0.327 .0977	----	----	----	----	202 UNCH
14000	----	----	----	0.732B/1.180A	----	0.837 -	0.278 .0744	----	----	----	----	275 UNCH
15000	0.970	0.970	0.970/0.750	0.970/0.750	----	0.751 -	0.129 .0646	----	----	2	----	425 UNCH
16000	----	----	----	0.647B/0.745A	----	0.509 -	0.198 .0459	----	----	----	----	17 UNCH
17000	----	----	----	0.505B/0.629A	----	0.410 -	0.167 .0371	----	----	----	----	27 UNCH
18000	----	----	----	0.399B/0.539A	----	0.337 -	0.141 .0305	----	----	----	----	5 UNCH
19000	----	----	----	0.310B/0.473A	----	0.281 -	0.121 .0254	----	----	----	----	14 UNCH
20000	----	----	----	0.247B/0.414A	----	0.236 -	0.107 .0213	----	----	----	----	308 UNCH
21000	----	----	----	0.196B/0.370A	----	0.202 -	0.095 .0182	----	----	----	----	1 UNCH
23000	----	----	----	0.120B/0.300A	----	0.152 -	0.070 .0137	----	----	----	----	44 UNCH
25000	----	----	----	0.074B/0.251A	----	0.118 -	0.056 .0105	----	----	----	----	39 UNCH
26000	----	----	----	0.054B/0.236A	----	0.106 -	0.051 .0094	----	----	----	----	1 UNCH
30000	----	----	----	0.008B/0.179A	----	0.072 -	0.043 .0063	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/3.230A	----	0.040 -	0.017 .0035	----	----	----	----	27 UNCH
TOTAL										431	32	4782 - 23
OCT26												
7000	----	----	----	13.636B/14.241A	----	13.730 -	0.357 .7089	----	----	----	----	2 UNCH
7100	----	----	----	13.099B/13.625A	----	13.155 -	0.376 .6920	----	----	----	----	1 UNCH
7500	----	----	----/11.447A	11.353B/11.447A	----	11.112 -	0.420 .6236	----	----	----	----	2 UNCH
7650	----	----	----/10.817A	10.667B/10.817A	----	10.449 -	0.422 .5982	----	----	----	----	1 UNCH
7875	----	----	----	9.472B/10.051A	----	9.553 -	0.409 .5611	----	----	----	----	2 UNCH
8000	----	----	----	9.227B/9.504A	----	9.104 -	0.393 .5412	----	----	----	----	4 UNCH
8075	----	----	----	8.742B/9.276A	----	8.851 -	0.381 .5297	----	----	----	----	1 UNCH
8275	----	----	----	8.048B/8.613A	----	8.232 -	0.336 .5001	----	----	----	----	2 UNCH
8500	----	----	----	7.515B/7.937A	----	7.624 -	0.270 .4692	----	----	----	----	1 UNCH
8700	----	----	----	6.951B/7.398A	----	7.154 -	0.198 .4439	----	----	----	----	4 UNCH
9000	----	----	----	6.204B/6.680A	----	6.552 -	0.076 .4098	----	----	----	----	1 UNCH
9100	----	----	----	5.974B/6.499A	----	6.375 -	0.034 .3993	----	----	----	----	73 UNCH
9500	5.300	5.300	5.300/5.300	5.300/5.300	----	5.762 +	0.140 .3619	----	----	1	----	121 + 1
10000	----	----	----	4.344B/4.878A	----	5.148 +	0.339 .3231	----	----	----	----	96 UNCH
10500	----	----	----	3.703B/4.221A	----	4.650 +	0.508 .2909	----	----	----	----	1 UNCH
11000	----	----	----	3.173B/3.707A	----	4.230 +	0.639 .2638	----	----	----	----	8 UNCH
11100	----	----	----	3.085B/3.584A	----	4.154 +	0.662 .2589	----	----	----	----	2 UNCH
11500	----	----	----	2.741B/3.231A	----	3.865 +	0.734 .2404	----	----	----	----	9 UNCH
11700	----	----	----	2.562B/3.087A	----	3.729 +	0.760 .2318	----	----	----	----	2 UNCH
12000	----	----	----	2.352B/2.853A	----	3.533 +	0.788 .2196	----	----	----	----	75 UNCH
13000	----	----	----	1.800B/2.341A	----	2.934 +	0.796 .1835	----	----	----	----	92 UNCH
14000	----	----	----	1.275B/2.003A	----	2.411 +	0.717 .1529	----	----	----	----	2 UNCH
15000	----	----	----	0.877B/1.649A	----	1.969 +	0.603 .1271	----	----	----	----	178 UNCH
16000	----	----	----	0.920B/1.582A	----	1.611 +	0.489 .1059	----	----	----	----	27 UNCH
17000	----	----	----	0.707B/0.996A	----	1.335 +	0.426 .0891	----	----	----	----	120 UNCH
18000	----	----	----	0.674B/0.867A	----	1.120 +	0.373 .0757	----	----	----	----	340 UNCH
20000	----	----	----	0.441B/0.680A	----	0.820 +	0.291 .0563	----	----	----	----	182 UNCH
TOTAL										1	0	1349 + 1
NOV26												
6500	----	----	----	17.398B/18.121A	----	18.316 +	0.443 .7644	----	----	----	----	1 UNCH
7000	----	----	----	14.392B/15.129A	----	15.130 +	0.221 .6968	----	----	----	----	14 UNCH
7100	----	----	----	13.843B/14.650A	----	14.542 +	0.162 .6825	----	----	----	----	14 UNCH
7500	----	----	----/11.486A	12.191B/11.486A	----	12.360 -	0.110 .6237	----	----	----	----	1 UNCH
7900	----	----	----	10.508B/10.983A	----	10.455 -	0.406 .5636	----	----	----	----	16 UNCH
8000	----	----	----	10.132B/10.608A	----	10.022 -	0.479 .5488	----	----	----	----	10 UNCH
8200	----	----	----	9.396B/9.955A	----	9.208 -	0.618 .5194	----	----	----	----	6 UNCH
9000	----	----	----	7.131B/7.804A	----	6.586 -	1.052 .4106	----	----	----	----	1 UNCH
9550	----	----	----	5.953B/6.681A	----	5.289 -	1.216 .3472	----	----	----	----	3 UNCH
9800	----	----	----	5.495B/6.274A	----	4.811 -	1.256 .3219	----	----	----	----	3 UNCH
10000	----	----	----	5.186B/5.964A	----	4.472 -	1.272 .3032	----	----	----	----	24 UNCH
11000	----	----	----	3.901B/4.666A	----	3.233 -	1.207 .2288	----	----	----	----	4 UNCH
12000	----	----	----	3.009B/3.733A	----	2.515 -	0.995 .1803	----	----	----	----	13 UNCH
12500	----	----	----	2.668B/3.337A	----	2.276 -	0.868 .1629	----	----	----	----	10 UNCH
13000	----	----	----	2.365B/3.035A	----	2.090 -	0.738 .1489	----	----	----	----	1 UNCH
14000	----	----	----	1.870B/2.595A	----	1.823 -	0.490 .1277	----	----	----	----	2 UNCH
15000	----	----	----	1.364B/2.285A	----	1.637 -	0.277 .1125	----	----	----	----	6 UNCH
16000	----	----	----	0.987B/2.084A	----	1.500 -	0.100 .1010	----	----	----	----	14 UNCH
17000	----	----	----	0.692B/1.461A	----	1.399 +	0.048 .0923	----	----	----	----	2 UNCH
20000	----	----	----	0.702B/0.972A	----	1.226 +	0.354 .0761	----	----	----	----	33 UNCH
21000	----	----	----	0.588B/0.873A	----	1.196 +	0.424 .0728	----	----	----	----	1 UNCH
30000	----	----	----	0.293B/0.442A	----	0.908 +	0.507 .0503	----	----	----	----	5 UNCH
TOTAL											0	184 0
DEC26												
3875	----	----	----	----	----	40.121 -	0.154 .9763	----	----	----	----	1 UNCH
5000	----	----	----	7.536B/51.744A	----	29.563 -	0.286 .9273	----	----	----	----	30 UNCH
5250	----	----	----	4.558B/50.057A	----	27.426 -	0.266 .9073	----	----	----	----	50 UNCH
5500	----	----	----	2.461B/50.339A	----	25.373 -	0.248 .8843	----	----	----	----	1 UNCH
6500	----	----	----	17.812B/18.821A	----	18.207 -	0.209 .7654	----	----	----	----	600 UNCH
6900	----	----	----	15.433B/16.489A	----	15.875 -	0.210 .7096	----	----	----	----	1 UNCH
6950	----	----	----	15.168B/16.220A	----	15.606 -	0.210 .7025	----	----	----	----	220 UNCH
7000	----	----	----	14.902B/15.955A	----	15.341 -	0.212 .6954	----	----	----	----	120 UNCH
7025	----	----	----	14.746B/15.888A	----	15.210 -	0.213 .6918	----	----	----	----	1 UNCH
7075	----	----	----	14.486B/15.568A	----	14.952 -	0.215 .6847	----	----	----	----	5 UNCH
7100	----	----	----	14.383B/15.504A	----	14.825 -	0.215 .6811	----	----	----	----	15 UNCH
7375	----	----	----	13.072B/14.125A	----	13.502 -	0.229 .6420	----	----	----	----	2 UNCH
7500	----	----	----/12.430A	12.860B/12.430A	----	12.945 -	0.237 .6243	----	----	----	----	18 UNCH
7575	----	----	----	12.188B/13.005A	----	12.625 -	0.241 .6139	----	----	----	----	1 UNCH
7750	----	----	----	11.826B/12.432A	----	11.914 -	0.251 .5897	----	----	----	----	2 UNCH
7800	----	----	----/11.766A	11.583B/11.766A	----	11.720 -	0.255 .5829	----	----	----	----	1 UNCH
7925	----	----	----	10.764B/11.888A	----	11.252 -	0.262 .5661	----	----	----	----	2 UNCH
8000	----	----	----	10.958B/11.501A	----	10.984 -	0.265 .5563	----	----	----	----	133 UNCH
8100	----	----	----	10.513B/11.195A	----	10.639 -	0.270 .5434	----	----	----	----	1 UNCH
8200	----	----	----	10.143B/10.878A	----	10.308 -	0.275 .5308	----	----	----	----	21 UNCH
8400	----	----	----	9.483B/10.265A	----	9.689 -	0.281 .5064	----	----	----	----	50 UNCH
8500	----	----	----	9.189B/10.025A	----	9.399 -	0.284 .4946	----	----	----	----	150 UNCH
8550	----	----	----	9.039B/9.890A	----	9.259 -	0.284 .4889	----	----	----	----	25 UNCH
8600	----	----	----	8.917B/9.758A	----	9.122 -	0.285 .4832	----	----	----	----	7 UNCH
8800	----	----	----	8.374B/9.226A	----	8.601 -	0.288 .4611	----	----	----	----	5 UNCH
8900	----	----	----	8.106B/8.998A	----	8.357 -	0.289 .4505	----	----	----	----	27 UNCH
8950	----	----	----	8.002B/8.894A	----	8.239 -	0.289 .4453	----	----	----	----	1 UNCH
9000	----	----	----	7.865B/8.762A	----	8.123 -	0.289 .4402	----	----	----	----	250 UNCH
9050	----	----	----	7.755B/8.648A	----	8.009 -	0.290 .4351	----	----	----	----	100 UNCH
9100	----	----	----	7.619B/8.563A	----	7.898 -	0.290 .4302	----	----	----	----	16 UNCH
9300	----	----	----	7.179B/8.107A	----	7.475 -	0.290 .4109	----	----	----	----	15 UNCH
9500	----	----	----	6.769B/7.757A	----	7.084 -	0.290 .3928	----	----	----	----	10 UNCH
9700	----	----	----	6.380B/7.369A	----	6.720 -	0.291 .3756	----	----	----	----	1 UNCH
9800	----	----	----	6.203B/7.214A	----	6.547 -	0.292 .3673	----	----	----	----	56 UNCH
9900	----	----	----	6.027B/7.024A	----	6.380 -	0.293 .3593	----	----	----	----	4 UNCH
10000	----	----	----	5.831B/6.859A	----	6.219 -	0.293 .3515	----	----	23	----	839 UNCH
10025	----	----	----	5.707B/6.796A	----	6.180 -	0.293 .3496	----	----	----	----	3 UNCH
10500	----	----	----	5.107B/6.139A	----	5.489 -	0.293 .3155	----	----	----	----	100 UNCH
10600	----	----	----	4.931B/5.963A	----	5.357 -	0.292 .3088	----	----	----	----	6 UNCH
10800	----	----	----	4.674B/5.749A	----	5.105 -	0.290 .2960	----	----	----	----	5 UNCH
11000	5.000	5.000	5.000/4.997A	5.000/4.997A	----	4.869 -	0.287 .2839	----	----	26	----	116 + 22
11350	----	----	----	4.056B/5.123A	----	4.490 -	0.281 .2643	----	----	----	----	5 UNCH
11400	----	----	----	4.009B/5.034A	----	4.439	NEW .2616	----	----	1	----	1 + 1
11600	----	----	----	3.813B/4.872A	----	4.243	NEW .2512	----	----	1	----	1 + 1
11800	----	----	----	3.653B/4.662A	----	4.058 -	0.273 .2414	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
12000	----	----	----	3.488B/4.484A	----	3.884 - 0.269	.2321	----	----	23	----	664 + 23
12200	----	----	----	3.309B/4.314A	----	3.720 - 0.264	.2233	----	----	----	----	1 UNCH
12500	----	----	----	3.110B/4.099A	----	3.491 - 0.258	.2108	----	----	----	----	51 UNCH
13000	----	----	----	2.744B/3.710A	----	3.149 - 0.248	.1919	----	----	----	----	383 UNCH
13500	----	----	----	2.489B/*3.431A	----	2.850 - 0.240	.1752	----	----	----	----	6 UNCH
14000	----	----	----	2.209B/2.847A	----	2.588 - 0.232	.1604	----	----	----	----	96 UNCH
14200	----	----	----	2.118B/3.026A	----	2.492 - 0.229	.1549	----	----	----	----	1 UNCH
15000	----	----	----	1.810B/2.779A	----	2.150 - 0.220	.1351	----	----	----	----	1854 UNCH
16000	----	----	----	1.301B/2.527A	----	1.804 - 0.208	.1148	----	----	----	----	1609 UNCH
17000	----	----	----	0.942B/2.360A	----	1.526 - 0.198	.0983	----	----	----	----	50 UNCH
18000	----	----	----	0.665B/2.025A	----	1.300 - 0.189	.0846	----	----	22	----	82 - 1
19000	----	----	----	0.446B/1.989A	----	1.115 - 0.181	.0733	----	----	----	----	1 UNCH
20000	----	----	----	0.403B/1.853A	----	0.962 - 0.174	.0638	----	----	----	----	435 UNCH
21000	----	----	----	0.752B/1.161A	----	0.836 - 0.166	.0559	----	----	----	----	4 UNCH
22000	----	----	----	0.653B/1.054A	----	0.732 - 0.159	.0492	----	----	----	----	1 UNCH
23000	0.800	0.800	0.800/*0.800	0.800/0.800	----	0.647 - 0.151	.0438	----	----	27	----	35 - 5
25000	----	----	----	0.407B/0.834A	----	0.518 - 0.135	.0353	----	----	----	----	235 UNCH
26000	0.600	0.600	0.600/*0.600	0.600/0.600	----	0.469 NEW	.0320	----	----	2	----	2 + 2
30000	----	----	----	0.184B/0.601A	----	0.342 - 0.093	.0233	----	----	----	----	110 UNCH
40000	----	----	----	0.250B/0.398A	----	0.227 - 0.027	.0148	----	----	----	----	24 UNCH
90000	----	----	----	0.010B/0.400A	----	0.095 - 0.013	.0055	----	----	----	----	2 UNCH
100000	----	----	----	0.007B/0.400A	----	0.091 - 0.013	.0052	----	----	----	----	5 UNCH
TOTAL										125	0	8694 + 43
JAN27												
7550	----	----	----	13.844B/14.466A	----	13.918 - 0.355	.6288	----	----	1	----	2 + 1
7650	----	----	----	13.371B/14.089A	----	13.483 - 0.373	.6158	----	----	----	----	5 UNCH
8300	----	----	----	10.948B/11.804A	----	11.229 - 0.253	.5371	----	----	----	----	22 UNCH
9000	----	----	----	8.945B/9.955A	----	9.375 - 0.122	.4646	----	----	----	----	1 UNCH
10000	----	----	----	6.847B/8.004A	----	7.311 - 0.126	.3788	----	----	1	----	6 + 1
11000	----	----	----	5.316B/6.639A	----	5.871 - 0.131	.3131	----	----	----	----	21 UNCH
12500	----	----	----	3.734B/5.042A	----	4.429 - 0.103	.2422	----	----	----	----	1 UNCH
13000	----	----	----	3.337B/4.687A	----	4.054 - 0.096	.2234	----	----	----	----	7 UNCH
14000	----	----	----	2.654B/3.992A	----	3.412 - 0.089	.1909	----	----	----	----	1 UNCH
14500	----	----	----	2.409B/3.733A	----	3.141 - 0.087	.1769	----	----	----	----	400 UNCH
15000	----	----	----	2.186B/3.441A	----	2.902 - 0.085	.1644	----	----	----	----	401 UNCH
TOTAL										2	0	867 + 2
FEB27												
7500	----	----	----	14.598B/15.369A	----	14.865 - 0.224	.6364	----	----	----	----	1 UNCH
8500	----	----	----	10.980B/11.972A	----	11.254 - 0.289	.5219	----	----	----	----	4 UNCH
9000	----	----	----	9.595B/10.676A	----	9.911 - 0.300	.4726	----	----	----	----	1 UNCH
9500	----	----	----	8.427B/9.632A	----	8.820 - 0.282	.4293	----	----	----	----	4 UNCH
10000	----	----	----	7.478B/8.732A	----	7.921 - 0.248	.3915	----	----	----	----	1 UNCH
30000	----	----	----	0.384B/1.007A	----	0.856 + 0.216	.0481	----	----	----	----	1 UNCH
TOTAL											0	12 0
MAR27												
8000	----	----	----	12.619B/13.828A	----	13.382 - 0.419	.5800	----	----	----	----	200 UNCH
9000	----	----	----	9.729B/11.657A	----	10.705 - 0.180	.4838	----	----	----	----	36 UNCH
9200	----	----	----	9.237B/11.186A	----	10.299 - 0.114	.4676	----	----	----	----	25 UNCH
13000	----	----	----	4.166B/5.850A	----	6.532 + 1.329	.2921	----	----	----	----	105 UNCH
14000	----	----	----	3.477B/5.097A	----	6.083 + 1.585	.2687	----	----	----	----	105 UNCH
15000	----	----	----	2.934B/4.484A	----	5.717 + 1.776	.2496	----	----	----	----	28 UNCH
16000	----	----	----	2.493B/3.980A	----	5.411 + 1.917	.2337	----	----	----	----	28 UNCH
30000	----	----	----/1.188A	0.518B/1.188A	----	3.508 + 2.316	.1379	----	----	----	----	2 UNCH
TOTAL											0	529 0
MAY27												
11000	----	----	----	----	----	8.343 - 0.112	.3704	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	60.665 - 0.124	.9961	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.349 - 0.121	.4533	----	----	----	----	1 UNCH
10300	----	----	----	----	----	10.835 - 0.120	.4356	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	43.089 - 0.144	.9264	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.679 - 0.088	.2412	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUN26												
2100	----	----	----	----/*0.001A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2350	----	----	----	----/0.007A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
2500	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	141 UNCH
2650	----	----	----	----/0.300A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
3000	----	----	----	----/0.055A	----	0.001 UNCH	----	----	----	----	----	246 UNCH
3075	----	----	----	----/0.055A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
3100	----	----	----	----/0.055A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
3150	----	----	----	----/0.055A	----	0.001 - 0.001	----	----	----	----	----	9 UNCH
3200	----	----	----	----/0.055A	----	0.001 - 0.001	----	----	----	----	----	4 UNCH
3325	----	----	----	----/0.054A	----	0.001 - 0.003	.0000	----	----	----	----	2 UNCH
3350	----	----	----	----/0.055A	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
3375	----	----	----	----/0.055A	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
3400	----	----	----	----/0.055A	----	0.001 - 0.003	.0000	----	----	----	----	17 UNCH
3500	----	----	----	----/0.055A	----	0.001 - 0.004	.0000	----	----	----	----	100 UNCH
3550	----	----	----	----/0.055A	----	0.001 - 0.004	.0000	----	----	----	----	5 UNCH
3575	----	----	----	----/0.055A	----	0.001 - 0.004	.0000	----	----	----	----	22 UNCH
3600	----	----	----	----/0.055A	----	0.001 - 0.004	.0000	----	----	----	----	6 UNCH
3650	----	----	----	----/0.055A	----	0.001 - 0.004	.0000	----	----	----	----	22 UNCH
3675	----	----	----	----/0.055A	----	0.001 - 0.005	.0000	----	----	----	----	1 UNCH
3700	----	----	----	----/0.055A	----	0.001 - 0.005	.0000	----	----	----	----	6 UNCH
3725	----	----	----	----/0.055A	----	0.001 - 0.005	.0000	----	----	----	----	15 UNCH
3800	----	----	----	----/0.056A	----	0.002 - 0.006	.0002	----	----	----	----	14 UNCH
3850	----	----	----	----/0.057A	----	0.002 - 0.006	.0002	----	----	----	----	2 UNCH
3900	----	----	----	----/0.056A	----	0.002 - 0.006	.0002	----	----	----	----	6 UNCH
3925	----	----	----	----/0.057A	----	0.002 - 0.006	.0002	----	----	----	----	3 UNCH
4000	----	----	----	----/0.025A	----	0.002 - 0.008	.0002	----	----	----	----	153 UNCH
4075	----	----	----	----/0.058A	----	0.003 - 0.008	.0003	----	----	----	----	1 UNCH
4100	----	----	----	----/0.059A	----	0.003 - 0.008	.0003	----	----	----	----	31 UNCH
4125	----	----	----	----/0.059A	----	0.003 - 0.008	.0003	----	----	----	----	5 UNCH
4150	----	----	----	----/0.060A	----	0.003 - 0.009	.0003	----	----	----	----	4 UNCH
4200	----	----	----	----/0.060A	----	0.004 - 0.009	.0004	----	----	----	----	26 UNCH
4225	----	----	----	----/0.061A	----	0.004 - 0.009	.0004	----	----	----	----	7 UNCH
4250	----	----	----	----/0.062A	----	0.004 - 0.009	.0004	----	----	----	----	5 UNCH
4275	----	----	----	----/0.062A	----	0.004 - 0.011	.0004	----	----	----	----	13 UNCH
4300	----	----	----	----/0.063A	----	0.004 - 0.011	.0004	----	----	----	----	7 UNCH
4350	----	----	----	----/0.064A	----	0.005 - 0.012	.0006	----	----	----	----	2 UNCH
4375	----	----	----	----/0.065A	----	0.005 - 0.012	.0006	----	----	----	----	3 UNCH
4400	----	----	----	----/0.066A	----	0.005 - 0.012	.0006	----	----	----	----	8 UNCH
4425	----	----	----	----/0.067A	----	0.005 - 0.012	.0006	----	----	----	----	1 UNCH
4500	----	----	----	----/0.069A	----	0.006 - 0.013	.0007	----	----	----	----	164 UNCH
4550	----	----	----	----/0.071A	----	0.007 - 0.014	.0009	----	----	----	----	2 UNCH
4600	----	----	----	----/0.073A	----	0.007 - 0.014	.0009	----	----	----	----	7 UNCH
4625	----	----	----	----/0.074A	----	0.007 - 0.016	.0009	----	----	----	----	12 UNCH
4650	----	----	----	----/0.075A	----	0.008 - 0.015	.0010	----	----	----	----	1 UNCH
4700	----	----	----	----/0.077A	----	0.008 - 0.017	.0011	----	----	----	----	2 UNCH
4725	----	----	----	----/0.078A	----	0.008 - 0.017	.0011	----	----	----	----	10 UNCH
4750	----	----	----	----/0.080A	----	0.009 - 0.016	.0012	----	----	----	----	3 UNCH
4800	----	----	----	0.001B/0.082A	----	0.010 - 0.018	.0014	----	----	----	----	27 UNCH
4850	----	----	----	0.001B/0.084A	----	0.011 - 0.019	.0015	----	----	----	----	3 UNCH
4875	----	----	----	0.001B/0.085A	----	0.011 - 0.019	.0016	----	----	----	----	15 UNCH
4900	----	----	----	0.001B/0.087A	----	0.011 - 0.019	.0016	----	----	----	----	170 UNCH
4975	----	----	----	0.001B/0.091A	----	0.012 - 0.021	.0018	----	----	----	----	1 UNCH
5000	0.040	0.040	0.040/0.025A	0.040/0.025A	----	0.013 - 0.022	.0019	----	----	1	----	1077 UNCH
5025	----	----	----	0.001B/0.094A	----	0.013 - 0.022	.0019	----	----	----	----	8 UNCH
5050	----	----	----	0.001B/0.096A	----	0.014 - 0.023	.0021	----	----	----	----	3 UNCH
5075	----	----	----	0.001B/0.097A	----	0.014 - 0.023	.0021	----	----	----	----	2 UNCH
5100	----	----	----	0.001B/0.099A	----	0.015 - 0.023	.0023	----	----	----	----	34 UNCH
5125	----	----	----	0.001B/0.101A	----	0.016 - 0.024	.0025	----	----	----	----	1 UNCH
5150	----	----	----	0.001B/0.103A	----	0.016 - 0.024	.0025	----	----	----	----	16 UNCH
5175	----	----	----	0.001B/0.105A	----	0.016 - 0.025	.0025	----	----	----	----	12 UNCH
5200	----	----	----	0.001B/0.107A	----	0.017 - 0.026	.0027	----	----	----	----	7 UNCH
5225	----	----	----	0.001B/0.110A	----	0.018 - 0.025	.0029	----	----	----	----	1 UNCH
5250	----	----	----	0.001B/0.112A	----	0.018 - 0.026	.0029	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
5275	----	----	----	0.001B/0.115A	----	0.019 - 0.027	.0031	----	----	----	----	17 UNCH
5300	----	----	----	0.001B/0.115A	----	0.020 - 0.027	.0033	----	----	----	----	14 UNCH
5325	----	----	----	0.001B/0.116A	----	0.021 - 0.028	.0035	----	----	----	----	10 UNCH
5350	----	----	----	0.001B/0.112A	----	0.021 - 0.028	.0035	----	----	----	----	12 UNCH
5375	----	----	----	0.001B/0.110A	----	0.022 - 0.028	.0037	----	----	----	----	10 UNCH
5400	----	----	----	0.001B/0.106A	----	0.023 - 0.029	.0039	----	----	----	----	24 UNCH
5425	----	----	----	0.001B/0.106A	----	0.023 - 0.030	.0039	----	----	----	----	4 UNCH
5450	----	----	----	0.001B/0.106A	----	0.025 - 0.030	.0043	----	----	----	----	2 UNCH
5475	----	----	----	0.001B/0.107A	----	0.025 - 0.031	.0043	----	----	----	----	13 UNCH
5500	----	----	----/0.051A	0.025B/0.051A	----	0.026 - 0.031	.0046	----	----	----	----	641 UNCH
5525	----	----	----	0.003B/0.109A	----	0.027 - 0.032	.0048	----	----	----	----	16 UNCH
5550	----	----	----	0.009B/0.108A	----	0.028 - 0.032	.0050	----	----	----	----	10 UNCH
5575	----	----	----	0.011B/0.105A	----	0.029 - 0.034	.0052	----	----	----	----	2 UNCH
5600	----	----	----	0.014B/0.105A	----	0.030 - 0.033	.0054	----	----	----	----	19 UNCH
5625	----	----	----	0.021B/0.097A	----	0.032 - 0.034	.0058	----	----	----	----	2 UNCH
5650	----	----	----	0.023B/0.100A	----	0.032 - 0.035	.0059	----	----	----	----	51 UNCH
5675	----	----	----	0.028B/0.086A	----	0.033 - 0.035	.0061	----	----	----	----	21 UNCH
5700	----	----	----	0.039B/0.100A	----	0.035 - 0.036	.0066	----	----	----	----	243 UNCH
5725	----	----	----	0.038B/0.094A	----	0.035 - 0.037	.0066	----	----	----	----	4 UNCH
5750	----	----	----	0.044B/0.095A	----	0.037 - 0.038	.0071	----	----	----	----	225 UNCH
5775	----	----	----	0.049B/0.090A	----	0.038 - 0.038	.0073	----	----	----	----	9 UNCH
5800	----	----	----	0.055B/0.093A	----	0.040 - 0.039	.0078	----	----	----	----	80 UNCH
5825	----	----	----	0.061B/0.093A	----	0.041 - 0.039	.0080	----	----	----	----	9 UNCH
5850	----	----	----	0.067B/0.101A	----	0.043 - 0.040	.0085	----	----	----	----	6 UNCH
5875	0.043	0.043	0.043/*0.043	0.074B/*0.043	----	0.045 - 0.041	.0089	----	----	2	----	12 - 2
5900	----	----	----	0.084B/0.104A	----	0.046 - 0.041	.0092	----	----	----	----	44 UNCH
5925	----	----	----	0.091B/0.104A	----	0.049 - 0.042	.0099	----	----	----	----	21 UNCH
5950	----	----	0.094B/----	0.094B/0.103A	----	0.050 - 0.042	.0102	----	----	----	----	6 UNCH
5975	0.091	0.091	0.102B/0.073	0.102B/0.073	----	0.052 - 0.044	.0107	----	----	6	----	9 + 6
6000	0.150	0.150	0.150/0.057A	0.150/0.057A	----	0.055 - 0.044	.0114	----	----	5	----	1000 + 4
6025	----	----	0.113B/*0.090A	0.113B/0.090A	----	0.056 - 0.045	.0117	----	----	----	----	31 UNCH
6050	----	----	0.119B/0.094A	0.119B/0.094A	----	0.058 - 0.046	.0123	----	----	----	----	141 UNCH
6075	----	----	0.126B/0.098A	0.126B/0.098A	----	0.060 - 0.047	.0128	----	----	----	----	31 UNCH
6100	----	----	0.144B/0.101A	0.144B/0.101A	----	0.062 - 0.049	.0133	----	----	20	----	86 - 20
6125	----	----	0.140B/0.112A	0.140B/0.112A	----	0.064 - 0.050	.0139	----	----	----	----	3 UNCH
6150	----	----	0.148B/0.115A	0.148B/0.115A	----	0.066 - 0.052	.0145	----	----	----	----	14 UNCH
6175	0.070	0.070	0.158B/*0.070	0.158B/*0.070	----	0.069 - 0.053	.0153	----	----	8	----	307 UNCH
6200	0.210	0.210	0.210/0.117A	0.210/0.117A	----	0.070 - 0.056	.0157	----	----	24	----	204 - 15
6225	----	----	0.228B/0.119A	0.228B/0.119A	----	0.073 - 0.058	.0165	----	----	----	----	8 UNCH
6250	----	----	0.240B/0.126A	0.240B/0.126A	----	0.075 - 0.060	.0171	----	----	----	----	69 UNCH
6275	----	----	0.253B/0.127A	0.253B/0.127A	----	0.078 - 0.062	.0180	----	----	----	----	3 UNCH
6300	0.105	0.105	0.280B/0.104A	0.280B/0.104A	----	0.081 - 0.064	.0188	----	----	1	----	141 UNCH
6325	----	----	0.295B/0.138A	0.295B/0.138A	----	0.085 - 0.066	.0199	----	----	----	----	18 UNCH
6350	----	----	0.311B/0.142A	0.311B/0.142A	----	0.088 - 0.068	.0208	----	----	----	----	29 UNCH
6375	----	----	0.329B/0.145A	0.329B/0.145A	----	0.092 - 0.071	.0219	----	----	----	----	14 UNCH
6400	0.120	0.120	0.350B/0.089A	0.350B/0.089A	----	0.096 - 0.073	.0231	----	----	2	----	209 + 2
6425	----	----	0.367B/0.150A	0.367B/0.150A	----	0.100 - 0.076	.0242	----	----	----	----	46 UNCH
6450	----	----	0.392B/0.157A	0.392B/0.157A	----	0.104 - 0.079	.0254	----	----	----	----	61 UNCH
6475	0.134	0.134	0.415B/*0.096	0.415B/0.096	----	0.109 - 0.082	.0269	----	----	63	----	91 + 11
6500	0.480	0.480	0.480/0.167A	0.480/0.167A	----	0.114 - 0.086	.0283	----	----	30	----	490 - 14
6525	----	----	0.462B/0.172A	0.462B/0.172A	----	0.120 - 0.089	.0300	----	----	----	----	37 UNCH
6550	0.400	0.400	0.542/0.140A	0.542/0.140A	----	0.126 - 0.093	.0317	----	----	213	----	128 - 105
6575	0.405	0.405	0.522B/0.176A	0.522B/0.176A	----	0.132 - 0.097	.0335	----	----	6	----	12 + 6
6600	0.450	0.450	0.583B/0.184A	0.583B/0.184A	----	0.139 - 0.101	.0355	----	----	9	----	136 - 1
6625	----	----	0.576B/0.195A	0.576B/0.195A	----	0.146 - 0.106	.0375	----	----	----	----	20 UNCH
6650	----	----	0.613B/0.205A	0.613B/0.205A	----	0.154 - 0.111	.0398	----	----	----	----	38 UNCH
6675	----	----	0.638B/0.211A	0.638B/0.211A	----	0.163 - 0.116	.0423	----	----	----	----	28 UNCH
6700	0.575	0.575	0.713B/0.174A	0.713B/0.174A	----	0.172 - 0.122	.0449	----	----	14	----	141 - 5
6725	0.567	0.567	0.717B/0.229A	0.717B/0.229A	----	0.182 - 0.127	.0478	----	----	1	----	39 UNCH
6750	0.600	0.600	0.750B/0.229A	0.750B/0.229A	----	0.193 - 0.133	.0509	----	----	1	----	52 UNCH
6775	----	----	0.793B/0.232A	0.793B/0.232A	----	0.203 - 0.141	.0539	----	----	----	----	3 UNCH
6800	0.320	0.320	0.875B/0.200	0.875B/0.200	----	0.216 - 0.147	.0575	----	----	8	----	93 - 1
6825	----	----	0.880B/0.252A	0.880B/0.252A	----	0.229 - 0.155	.0612	----	----	----	----	1 UNCH
6850	----	----	0.918B/0.255A	0.918B/0.255A	----	0.243 - 0.163	.0651	----	----	----	----	98 UNCH
6875	0.793	0.793	0.961B/0.257A	0.961B/0.257A	----	0.259 - 0.170	.0695	----	----	2	----	7 UNCH
6900	0.850	0.850	1.071B/0.270A	1.071B/0.270A	----	0.275 - 0.179	.0740	----	----	17	----	90 + 1
6925	1.029	1.029	1.070B/0.287A	1.070B/0.287A	----	0.293 - 0.187	.0790	----	----	2	----	13 - 2
6950	1.131	1.131	1.131/0.305A	1.131/0.305A	----	0.312 - 0.196	.0842	----	----	11	----	60 - 10
6975	----	----	1.183B/0.323A	1.183B/0.323A	----	0.333 - 0.205	.0899	----	----	----	----	9 UNCH
7000	0.569	0.569	1.312B/0.345A	1.312B/0.345A	----	0.354 - 0.215	.0957	----	----	139	----	1016 UNCH
7025	1.130	1.130	1.287B/0.365A	1.287B/0.365A	----	0.377 - 0.226	.1020	----	----	8	----	26 + 2
7050	----	----	1.363B/0.388A	1.363B/0.388A	----	0.403 - 0.235	.1089	----	----	----	----	55 UNCH
7075	----	----	1.454B/0.410A	1.454B/0.410A	----	0.430 - 0.246	.1160	----	----	----	----	50 UNCH
7100	1.543	1.543	1.600B/0.435A	1.600B/0.435A	----	0.459 - 0.257	.1237	----	----	19	----	97 + 11
7125	----	----	1.599B/0.461A	1.599B/0.461A	----	0.490 - 0.268	.1318	----	----	----	----	20 UNCH
7150	0.631	0.631	1.659B/0.489A	1.659B/0.489A	----	0.523 - 0.279	.1403	----	----	12	----	107 + 9
7175	----	----	1.759B/0.520A	1.759B/0.520A	----	0.559 - 0.290	.1494	----	----	1	----	60 + 1
7200	1.560	1.560	1.938B/0.554A	1.938B/0.554A	----	0.598 - 0.300	.1591	----	----	96	----	375 - 17
7225	----	----	1.874B/0.585A	1.874B/0.585A	----	0.639 - 0.311	.1692	----	----	----	----	10 UNCH
7250	1.350	1.350	2.024B/0.622A	2.024B/0.622A	----	0.682 - 0.323	.1798	----	----	15	----	92 - 11
7275	0.765	0.765	2.081B/0.663A	2.081B/0.663A	----	0.729 - 0.333	.1910	----	----	1	----	13 UNCH
7300	1.550	1.550	2.327B/0.710A	2.327B/0.710A	----	0.779 - 0.343	.2027	----	----	79	----	95 - 3
7325	----	----	2.296B/0.760A	2.296B/0.760A	----	0.833 - 0.352	.2151	----	----	----	----	18 UNCH
7350	1.370	1.370	2.377B/0.804A	2.377B/0.804A	----	0.888 - 0.363	.2278	----	----	1	----	42 UNCH
7375	----	----	2.531B/0.855A	2.531B/0.855A	----	0.949 - 0.370	.2412	----	----	----	----	32 UNCH
7400	2.454	2.454	2.826/0.911A	2.826/0.911A	----	1.013 - 0.378	.2551	----	----	72	----	108 UNCH
7425	2.939	2.939	2.939/0.974A	2.939/0.974A	----	1.080 - 0.386	.2694	----	----	27	----	54 + 13
7450	1.059	1.059	2.991B/1.032A	2.991B/1.032A	----	1.153 - 0.391	.2844	----	----	1	----	64 UNCH
7475	3.206	3.206	3.206/1.096A	3.206/1.096A	----	1.229 - 0.397	.2998	----	----	2	----	21 + 2
7500	1.850	1.850	3.287/1.169A	3.287/1.169A	----	1.308 - 0.403	.3155	----	----	50	----	562 + 13
7525	3.294	3.294	3.294/1.233A	3.294/1.233A	----	1.393 - 0.406	.3318	----	----	1	----	13 - 1
7550	2.569	2.569	3.380B/1.313A	3.380B/1.313A	----	1.480 - 0.410	.3483	----	----	7	----	22 + 1
7575	2.679	2.679	3.509B/1.388A	3.509B/1.388A	----	1.574 - 0.411	.3653	----	----	1	----	18 + 1
7600	2.100	2.100	3.690B/1.475A	3.690B/1.475A	----	1.671 - 0.413	.3825	----	----	46	----	121 + 20
7625	3.447	3.447	3.810B/1.563A	3.810B/1.563A	----	1.772 - 0.415	.3999	----	----	8	----	9 + 5
7650	2.200	2.200	3.845B/1.650	3.845B/1.650	----	1.878 - 0.415	.4176	----	----	84	----	66 + 49
7675	----	----	3.839B/1.748A	3.839B/1.748A	----	1.988 - 0.414	.4355	----	----	----	----	42 UNCH
7700	3.630	3.630	3.811B/1.853A	3.811B/1.853A	----	2.103 - 0.413	.4536	----	----	39	----	137 + 23
7725	----	----	3.749B/1.954A	3.749B/1.954A	----	2.223 - 0.410	.4717	----	----	----	----	32 UNCH
7750	3.047	3.047	3.769B/2.065A	3.769B/2.065A	----	2.346 - 0.408	.4899	----	----	3	----	11 UNCH
7775	----	----	3.724B/2.179A	3.724B/2.179A	----	2.474 - 0.405	.5081	----	----	----	----	37 UNCH
7800	3.400	3.400	4.500/2.291A	4.500/2.291A	----	2.606 - 0.402	.5264	----	----	23	----	105 + 10
7825	2.435	2.435	3.505B/2.419A	3.505B/2.419A	----	2.742 - 0.399	.5445	----	----	18	----	24 + 11
7850	2.925	2.925	3.478B/2.541A	3.478B/2.541A	----	2.883 - 0.395	.5626	----	----	1	----	36 - 1
7875	----	----	3.502B/2.682A	3.502B/2.682A	----	3.028 - 0.391	.5805	----	----	----	----	19 UNCH
7900	----	----	3.722B/2.818A	3.722B/2.818A	----	3.178 - 0.385	.5982	----	----	----	----	138 UNCH
7925	----	----	3.804B/2.980A	3.804B/2.980A	----	3.332 - 0.381	.6157	----	----	----	----	14 UNCH
7950	----	----	4.046B/3.100A	4.046B/3.100A	----	3.492 - 0.374	.6329	----	----	----	----	71 UNCH
7975	----	----	4.161B/3.264A	4.161B/3.264A	----	3.655 - 0.368	.6497	----	----	1	----	6 UNCH
8000	4.990	4.990	5.057B/3.443A	5.057B/3.443A	----	3.822 - 0.363	.6663	----	----	34	----	762 - 32
8025	----	----	4.578B/3.627A	4.578B/3.627A	----	3.995 - 0.356	.6824	----	----	----	----	125 UNCH
8050	----	----	4.671B/3.827A	4.671B/3.827A	----	4.172 - 0.349	.6979	----	----	1	----	18 UNCH
8075	----	----	4.807B/3.995A	4.807B/3.995A	----	4.354 - 0.341	.7130	----	----	----	----	2 UNCH
8100	----	----	5.146B/4.168A	5.146B/4.168A	----	4.539 - 0.335	.7276	----	----	----	----	115 UNCH
8125	----	----	5.243B/4.520A	5.243B/4.520A	----	4.730 - 0.326	.7414	----	----	----	----	11 UNCH
8150	----	----	5.454B/4.703A	5.454B/4.703A	----	4.923 - 0.319	.7549	----	----	----	----	14 UNCH
8175	----	----	5.668B/4.844A	5.668B/4.844A	----	5.121 - 0.311	.7677	----	----	----	----	48 UNCH
8200	----	----	7.042B/5.019A	7.042B/5.019A	----	5.321 - 0.304	.7800	----	----	----	----	152 UNCH
8225	----	----	6.040B/5.281A	6.040B/5.281A	----	5.525 - 0.296	.7918	----	----	----	----	12 UNCH
8250	----	----	6.291B/5.475A	6.291B/5.475A	----	5.733 - 0.287	.8028	----	----	----	----	44 UNCH
8275	----	----	6.503B/5.670A	6.503B/5.670A	----	5.942 - 0.280	.8134	----	----	----	----	42 UNCH
8300	----	----	7.891B/5.805A	7.891B/5.805A	----	6.155 - 0.272	.8234	----	----	----	----	29 UNCH
8325	----	----	6.856B/6.072A	6.856B/6.072A	----	6.370 - 0.263	.8329	----	----	----	----	2 UNCH
8350	----	----	7.154B/6.273A	7.154B/6.273A	----	6.587 - 0.255	.8420	----	----	----	----	30 UNCH
8375	----	----	7.310B/6.492A	7.310B/6.492A	----	6.807 - 0.246	.8504	----	----	----	----	19 UNCH
8400	----	----	7.677B/6.541A	7.677B/6.541A	----	7.028 - 0.238	.8584	----	----	----	----	117 UNCH
8425	----	----	7.902B/6.750A	7.902B/6.750A	----	7.251 - 0.230	.8661	----	----	----	----	64 UNCH
8450	----	----	7.978B/7.170A	7.978B/7.170A	----	7.477 - 0.220	.8733	----	----	----	----	22 UNCH
8475	----	----	8.200B/7.389A	8.200B/7.389A	----	7.702 - 0.213	.8802	----	----	----	----	4 UNCH
8500	8.000	8.000	8.594B/7.441A	8.594B/7.441A	----	7.931 - 0.203	.8865	----	----	2	----	187 UNCH
8525	----	----	8.660B/7.827A	8.660B/7.827A	----	8.160 - 0.195	.8926	----	----	----	----	3 UNCH
8550	----	----	8.892B/8.050A	8.892B/8.050A	----	8.390 - 0.186	.8983	----	----	----	----	3 UNCH
8575	----	----	9.124B/8.224A	9.124B/8.224A	----	8.621 - 0.178	.9039	----	----	----	----	23 UNCH
8600	----	----	9.366B/8.450A	9.366B/8.450A	----	8.854 - 0.168	.9090	----	----	----	----	19 UNCH
8625	8.500	8.500	9.594B/8.439A	9.594B/8.439A	----	9.088 - 0.159	.9140	----	----	2	----	21 UNCH
8650	----	----	9.829B/8.899A	9.829B/8.899A	----	9.322 - 0.151	.9186	----	----	----	----	9 UNCH
8675	----	----	10.066B/9.127A	10.066B/9.127A	----	9.558 - 0.142	.9229	----	----	----	----	22 UNCH
8700	----	----	10.463B/9.249A	10.463B/9.249A	----	9.795 - 0.133	.9269	----	----	----	----	59 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
8725	----	----	12.156B/9.586A	12.156B/9.586A	----	10.033 - 0.124	.9306	----	----	----	----	1 UNCH
8750	----	----	10.914B/9.692A	10.914B/9.692A	----	10.270 - 0.117	.9342	----	----	----	----	37 UNCH
8775	----	----	11.020B/10.050A	11.020B/10.050A	----	10.509 - 0.108	.9376	----	----	1	----	6 UNCH
8800	----	----	11.260B/10.284A	11.260B/10.284A	----	10.749 - 0.100	.9408	----	----	----	----	24 UNCH
8825	----	----	11.501B/10.518A	11.501B/10.518A	----	10.990 - 0.092	.9436	----	----	----	----	15 UNCH
8850	----	----	11.742B/10.753A	11.742B/10.753A	----	11.231 - 0.084	.9464	----	----	----	----	8 UNCH
8875	----	----	13.088B/11.027A	13.088B/11.027A	----	11.472 - 0.077	.9492	----	----	----	----	1 UNCH
8900	----	----	12.226B/11.227A	12.226B/11.227A	----	11.714 - 0.070	.9517	----	----	----	----	2 UNCH
8925	----	----	12.462B/11.502A	12.462B/11.502A	----	11.958 - 0.062	.9537	----	----	----	----	4 UNCH
8950	----	----	12.711B/11.703A	12.711B/11.703A	----	12.201 - 0.055	.9559	----	----	----	----	1 UNCH
8975	----	----	12.954B/11.942A	12.954B/11.942A	----	12.445 - 0.049	.9578	----	----	----	----	2 UNCH
9000	----	----	13.362B/12.009A	13.362B/12.009A	----	12.689 - 0.042	.9597	----	----	----	----	119 UNCH
9050	----	----	13.688B/12.662A	13.688B/12.662A	----	13.178 - 0.031	.9630	----	----	----	----	3 UNCH
9075	----	----	13.933B/12.977A	13.933B/12.977A	----	13.424 - 0.024	.9643	----	----	----	----	2 UNCH
9100	----	----	14.178B/13.213A	14.178B/13.213A	----	13.669 - 0.019	.9659	----	----	----	----	6 UNCH
9125	----	----	14.423B/13.460A	14.423B/13.460A	----	13.915 - 0.013	.9672	----	----	----	----	1 UNCH
9150	----	----	14.669B/13.588A	14.669B/13.588A	----	14.162 - 0.007	.9683	----	----	----	----	1 UNCH
9175	----	----	14.915B/13.945A	14.915B/13.945A	----	14.408 - 0.003	.9695	----	----	----	----	1 UNCH
9200	----	----	15.315B/13.904A	15.315B/13.904A	----	14.654 + 0.002	.9706	----	----	----	----	80 UNCH
9325	----	----	16.387B/15.406A	16.387B/15.406A	----	15.889 + 0.024	.9754	----	----	----	----	1 UNCH
9450	----	----	17.631B/16.631A	17.631B/16.631A	----	17.127 + 0.042	.9790	----	----	----	----	6 UNCH
9500	----	----	18.289B/16.831A	18.289B/16.831A	----	17.623 + 0.048	.9803	----	----	----	----	136 UNCH
9525	----	----	18.374B/17.295A	18.374B/17.295A	----	17.871 + 0.051	.9809	----	----	----	----	1 UNCH
9550	----	----	18.622B/17.615A	18.622B/17.615A	----	18.119 + 0.054	.9815	----	----	----	----	1 UNCH
9575	----	----	18.870B/17.856A	18.870B/17.856A	----	18.367 + 0.056	.9821	----	----	----	----	2 UNCH
9725	----	----	20.354B/19.296A	20.354B/19.296A	----	19.857 + 0.070	.9851	----	----	----	----	1 UNCH
9825	----	----	21.356B/20.260A	21.356B/20.260A	----	20.852 + 0.078	.9867	----	----	----	----	1 UNCH
9850	----	----	21.606B/20.584A	21.606B/20.584A	----	21.100 + 0.079	.9872	----	----	----	----	1 UNCH
9900	----	----	22.104B/21.005A	22.104B/21.005A	----	21.598 + 0.082	.9878	----	----	----	----	2 UNCH
9925	----	----	22.353B/21.253A	22.353B/21.253A	----	21.847 + 0.083	.9881	----	----	----	----	1 UNCH
9950	----	----	22.602B/21.487A	22.602B/21.487A	----	22.095 + 0.084	.9884	----	----	----	----	1 UNCH
10000	----	----	23.264B/21.822A	23.264B/21.822A	----	22.592 + 0.085	.9892	----	----	----	----	97 UNCH
10025	----	----	23.350B/22.247A	23.350B/22.247A	----	22.840 + 0.085	.9897	----	----	----	----	2 UNCH
10075	----	----	23.849B/22.730A	23.849B/22.730A	----	23.337 + 0.086	.9904	----	----	----	----	1 UNCH
10100	----	----	24.098B/23.070A	24.098B/23.070A	----	23.586 + 0.087	.9907	----	----	----	----	6 UNCH
10125	----	----	24.348B/23.319A	24.348B/23.319A	----	23.834 + 0.087	.9911	----	----	----	----	1 UNCH
10150	----	----	24.597B/23.563A	24.597B/23.563A	----	24.083 + 0.087	.9914	----	----	----	----	8 UNCH
10175	----	----	24.847B/23.740A	24.847B/23.740A	----	24.332 + 0.088	.9917	----	----	----	----	2 UNCH
10200	----	----	25.259B/23.870A	25.259B/23.870A	----	24.581 + 0.088	.9919	----	----	----	----	120 UNCH
10225	----	----	25.346B/24.315A	25.346B/24.315A	----	24.830 + 0.089	.9922	----	----	----	----	1 UNCH
10325	----	----	26.344B/25.312A	26.344B/25.312A	----	25.826 + 0.090	.9932	----	----	----	----	1 UNCH
10350	----	----	26.594B/25.561A	26.594B/25.561A	----	26.075 + 0.090	.9934	----	----	----	----	1 UNCH
10375	----	----	26.844B/25.810A	26.844B/25.810A	----	26.325 + 0.091	.9935	----	----	----	----	1 UNCH
10400	----	----	27.093B/26.060A	27.093B/26.060A	----	26.575 + 0.092	.9935	----	----	----	----	1 UNCH
10500	----	----	28.092B/27.057A	28.092B/27.057A	----	27.570 + 0.091	.9946	----	----	----	----	9 UNCH
10600	----	----	29.090B/28.055A	29.090B/28.055A	----	28.568 + 0.092	.9951	----	----	----	----	5 UNCH
10825	----	----	31.336B/30.301A	31.336B/30.301A	----	30.814 + 0.094	.9961	----	----	----	----	6 UNCH
10850	----	----	31.585B/30.551A	31.585B/30.551A	----	31.063 + 0.093	.9963	----	----	----	----	4 UNCH
10875	----	----	31.835B/30.800A	31.835B/30.800A	----	31.313 + 0.094	.9964	----	----	----	----	2 UNCH
10950	----	----	32.583B/31.550A	32.583B/31.550A	----	32.062 + 0.094	.9966	----	----	----	----	3 UNCH
11000	----	----	33.083B/32.049A	33.083B/32.049A	----	32.562 + 0.095	.9966	----	----	----	----	7 UNCH
11325	----	----	36.327B/35.296A	36.327B/35.296A	----	35.809 + 0.096	.9975	----	----	----	----	1 UNCH
11500	----	----	38.074B/37.045A	38.074B/37.045A	----	37.558 + 0.097	.9978	----	----	----	----	10 UNCH
11525	----	----	38.324B/37.294A	38.324B/37.294A	----	37.808 + 0.097	.9978	----	----	----	----	1 UNCH
11675	----	----	39.822B/38.793A	39.822B/38.793A	----	39.307 + 0.098	.9980	----	----	----	----	1 UNCH
11700	----	----	40.072B/39.043A	40.072B/39.043A	----	39.557 + 0.098	.9980	----	----	----	----	1 UNCH
12000	----	----	43.230B/41.840A	43.230B/41.840A	----	42.556 + 0.099	.9985	50	----	----	----	0 - 50
12025	----	----	43.317B/42.291A	43.317B/42.291A	----	42.806 + 0.099	.9985	----	----	----	----	1 UNCH
13000	----	----	53.058B/52.042A	53.058B/52.042A	----	52.556 + 0.102	.9991	----	----	----	----	5 UNCH
TOTAL										1241	0	14611 - 89
JUL26												
2000	----	----	----	----/0.020A	----	0.004 - 0.002	.0003	----	----	----	----	6 UNCH
2400	----	----	----	----/0.432A	----	0.007 - 0.003	.0006	----	----	----	----	10 UNCH
2650	----	----	----	----/0.093A	----	0.011 - 0.004	.0010	----	----	----	----	6 UNCH
2900	----	----	----	----/0.102A	----	0.015 - 0.006	.0015	----	----	----	----	2 UNCH
3000	----	----	----	----/0.106A	----	0.018 - 0.006	.0018	----	----	----	----	5 UNCH
3025	----	----	----	----/0.107A	----	0.018 - 0.006	.0018	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.121A	----	0.027 - 0.009	.0029	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.124A	----	0.029 - 0.009	.0031	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.128A	----	0.032 - 0.009	.0034	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.100A	----	0.033 - 0.009	.0036	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/0.126A	----	0.036 - 0.010	.0039	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.126A	----	0.040 - 0.011	.0045	----	----	----	----	94 UNCH
3800	----	----	----	0.001B/0.127A	----	0.045 - 0.012	.0051	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/0.151A	----	0.046 - 0.012	.0052	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/0.153A	----	0.047 - 0.012	.0053	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/0.157A	----	0.050 - 0.012	.0057	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/0.161A	----	0.052 - 0.013	.0060	----	----	----	----	1 UNCH
4000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.055 - 0.013	.0064	----	----	20	----	75 + 5
4075	----	----	----	0.001B/0.134A	----	0.058 - 0.015	.0068	----	----	----	----	16 UNCH
4100	----	----	----	0.001B/0.170A	----	0.059 - 0.016	.0070	----	----	----	----	6 UNCH
4175	----	----	----	0.001B/0.176A	----	0.062 - 0.018	.0075	----	----	----	----	9 UNCH
4200	----	----	----	0.001B/0.142A	----	0.063 - 0.019	.0076	----	----	----	----	27 UNCH
4225	----	----	----	0.001B/0.179A	----	0.064 - 0.020	.0078	----	----	----	----	1 UNCH
4250	----	----	----	0.001B/0.144A	----	0.065 - 0.021	.0080	----	----	----	----	21 UNCH
4300	----	----	----	0.055B/0.145A	----	0.068 - 0.022	.0084	----	----	----	----	98 UNCH
4325	----	----	----	0.001B/0.147A	----	0.069 - 0.023	.0086	----	----	----	----	17 UNCH
4375	----	----	----	0.001B/0.150A	----	0.071 - 0.026	.0089	----	----	----	----	32 UNCH
4400	----	----	----	0.060B/0.150A	----	0.072 - 0.027	.0091	----	----	----	----	29 UNCH
4450	----	----	----	0.004B/0.152A	----	0.075 - 0.029	.0096	----	----	----	----	4 UNCH
4475	----	----	----	0.014B/0.137A	----	0.076 - 0.030	.0098	----	----	----	----	16 UNCH
4500	----	----	----/0.092A	0.014B/0.092A	----	0.078 - 0.031	.0101	----	----	----	----	300 UNCH
4575	----	----	----	0.016B/0.136A	----	0.082 - 0.035	.0108	----	----	----	----	75 UNCH
4600	----	----	----	0.020B/0.138A	----	0.083 - 0.036	.0110	----	----	----	----	101 UNCH
4650	----	----	----	0.028B/0.144A	----	0.086 - 0.039	.0115	----	----	----	----	40 UNCH
4675	----	----	----	0.033B/0.146A	----	0.088 - 0.040	.0118	----	----	----	----	12 UNCH
4700	----	----	----	0.037B/0.149A	----	0.089 - 0.042	.0120	----	----	----	----	152 UNCH
4725	----	----	----	0.009B/0.152A	----	0.091 - 0.044	.0123	----	----	----	----	3 UNCH
4750	----	----	----	0.090B/0.155A	----	0.093 - 0.045	.0127	----	----	----	----	54 UNCH
4775	----	----	----	0.012B/0.158A	----	0.095 - 0.046	.0130	----	----	----	----	8 UNCH
4800	----	----	----/0.119A	0.056B/0.119A	----	0.097 - 0.048	.0133	----	----	----	----	15 UNCH
4825	----	----	----	0.062B/0.164A	----	0.099 - 0.049	.0137	----	----	----	----	26 UNCH
4850	----	----	----	0.018B/0.168A	----	0.101 - 0.051	.0140	----	----	----	----	2 UNCH
4875	----	----	----	0.074B/0.171A	----	0.103 - 0.053	.0143	----	----	----	----	23 UNCH
4900	----	----	----	0.100B/0.174A	----	0.105 - 0.055	.0147	----	----	----	----	168 UNCH
4975	----	----	----	0.030B/0.185A	----	0.112 - 0.060	.0159	----	----	----	----	2 UNCH
5000	0.110	0.110	0.110/0.110	0.117B/0.110	----	0.115 - 0.062	.0164	----	----	5	----	886 + 5
5025	----	----	----	0.036B/0.193A	----	0.118 - 0.064	.0168	----	----	----	----	1 UNCH
5050	----	----	----	0.119B/0.198A	----	0.121 - 0.065	.0173	----	----	----	----	16 UNCH
5075	----	----	----	0.052B/0.202A	----	0.124 - 0.067	.0178	----	----	----	----	11 UNCH
5100	----	----	----	0.138B/0.206A	----	0.127 - 0.069	.0183	----	----	----	----	178 UNCH
5150	----	----	----	0.068B/0.216A	----	0.134 - 0.073	.0195	----	----	----	----	5 UNCH
5175	----	----	----	0.072B/0.221A	----	0.136 - 0.077	.0199	----	----	----	----	5 UNCH
5200	----	----	----	0.171B/0.226A	----	0.140 - 0.078	.0205	----	----	----	----	108 UNCH
5225	----	----	----	0.089B/0.231A	----	0.144 - 0.080	.0212	----	----	----	----	9 UNCH
5250	----	----	----/*0.229A	0.177B/0.229A	----	0.148 - 0.083	.0218	----	----	----	----	225 UNCH
5275	----	----	----	0.101B/0.242A	----	0.153 - 0.084	.0226	----	----	----	----	2 UNCH
5300	----	----	----/0.237A	0.211B/0.237A	----	0.157 - 0.087	.0233	----	----	----	----	128 UNCH
5325	----	----	----	0.113B/0.255A	----	0.162 - 0.089	.0240	----	----	----	----	11 UNCH
5350	----	----	----/*0.248A	0.209B/0.248A	----	0.167 - 0.091	.0248	----	----	----	----	26 UNCH
5375	----	----	----/*0.252A	0.227B/0.252A	----	0.172 - 0.093	.0256	----	----	----	----	17 UNCH
5400	----	----	----/*0.263A	0.252B/0.263A	----	0.178 - 0.095	.0266	----	----	----	----	75 UNCH
5425	----	----	----/*0.269A	0.248B/0.269A	----	0.183 - 0.098	.0274	----	----	----	----	49 UNCH
5450	----	----	----/*0.275A	0.259B/0.275A	----	0.189 - 0.100	.0283	----	----	----	----	38 UNCH
5475	----	----	----/*0.278A	0.272B/0.278A	----	0.195 - 0.102	.0293	----	----	----	----	53 UNCH
5500	0.188	0.188	0.188/0.188	0.302B/0.188	----	0.202 - 0.104	.0303	----	----	1	----	1026 - 1
5525	----	----	----/0.291A	0.298B/0.291A	----	0.209 - 0.106	.0314	----	----	----	----	86 UNCH
5550	----	----	----/0.299A	0.311B/0.299A	----	0.216 - 0.109	.0325	----	----	----	----	18 UNCH
5575	----	----	----/0.330A	0.213B/0.330A	----	0.224 - 0.111	.0337	----	----	----	----	3 UNCH
5600	----	----	0.357B/0.315A	0.357B/0.315A	----	0.231 - 0.114	.0348	----	----	----	----	30 UNCH
5625	----	----	----/0.348A	0.240B/0.348A	----	0.240 - 0.116	.0362	----	----	----	----	23 UNCH
5650	----	----	0.374B/0.337A	0.374B/0.337A	----	0.248 - 0.119	.0374	----	----	----	----	29 UNCH
5675	----	----	0.390B/0.348A	0.390B/0.348A	----	0.257 - 0.121	.0388	----	----	----	----	45 UNCH
5700	0.300	0.300	0.426B/0.300	0.426B/0.300	----	0.267 - 0.123	.0403	----	----	2	----	304 UNCH
5725	----	----	----/0.390A	0.306B/0.390A	----	0.276 - 0.126	.0416	----	----	----	----	3 UNCH
5750	----	----	0.449B/0.387A	0.449B/0.387A	----	0.287 - 0.128	.0433	----	----	----	----	52 UNCH
5775	----	----	----/0.413A	0.345B/0.413A	----	0.298 - 0.130	.0449	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5800	----	----	0.511B/0.399A	0.511B/0.399A	----	0.309 - 0.133	.0465	----	----	----	----	27 UNCH
5825	----	----	----/0.437A	0.387B/0.437A	----	0.321 - 0.135	.0483	----	----	----	----	4 UNCH
5850	----	----	0.540B/0.435A	0.540B/0.435A	----	0.333 - 0.138	.0500	----	----	----	----	116 UNCH
5875	----	----	----/0.464A	0.435B/0.464A	----	0.346 - 0.140	.0519	----	----	----	----	3 UNCH
5900	----	----	----/0.478A	0.482B/0.478A	----	0.359 - 0.143	.0538	----	----	----	----	6 UNCH
5925	----	----	----/0.493A	0.478B/0.493A	----	0.373 - 0.146	.0558	----	----	----	----	2 UNCH
5950	----	----	----/0.509A	0.502B/0.509A	----	0.388 - 0.148	.0580	----	----	----	----	2 UNCH
5975	----	----	0.759B/0.472A	0.759B/0.472A	----	0.403 - 0.151	.0601	----	----	----	----	9 UNCH
6000	0.680	0.680	0.810B/0.404	0.810B/0.404	----	0.418 - 0.155	.0623	----	----	30	----	725 - 4
6050	----	----	0.863B/0.536A	0.863B/0.536A	----	0.453 - 0.159	.0672	----	----	----	----	12 UNCH
6100	----	----	0.941B/0.580A	0.941B/0.580A	----	0.490 - 0.165	.0723	----	----	1	----	296 + 1
6125	----	----	0.957B/0.605A	0.957B/0.605A	----	0.510 - 0.168	.0750	----	----	----	----	1 UNCH
6150	0.842	0.842	0.992B/0.600A	0.992B/0.600A	----	0.531 - 0.170	.0778	----	----	2	----	11 + 1
6175	----	----	1.057B/0.607A	1.057B/0.607A	----	0.553 - 0.173	.0808	----	----	----	----	11 UNCH
6200	----	----	1.101B/0.626A	1.101B/0.626A	----	0.575 - 0.176	.0838	----	----	12	----	119 + 11
6225	----	----	1.138B/0.650A	1.138B/0.650A	----	0.599 - 0.179	.0869	----	----	----	----	2 UNCH
6250	0.982	0.982	1.183B/0.675A	1.183B/0.675A	----	0.624 - 0.182	.0902	----	----	3	----	31 + 3
6275	----	----	1.179B/0.681A	1.179B/0.681A	----	0.649 - 0.186	.0935	----	----	----	----	2 UNCH
6300	0.720	0.720	1.271B/0.694A	1.271B/0.694A	----	0.676 - 0.189	.0969	----	----	25	----	283 + 25
6325	----	----	1.322B/0.716A	1.322B/0.716A	----	0.704 - 0.192	.1005	----	----	----	----	20 UNCH
6350	----	----	1.370B/0.745A	1.370B/0.745A	----	0.733 - 0.196	.1042	----	----	1	----	102 + 1
6375	1.030	1.030	1.412B/0.775A	1.412B/0.775A	----	0.762 - 0.201	.1079	----	----	10	----	16 + 10
6400	1.010	1.010	1.465B/0.806A	1.465B/0.806A	----	0.794 - 0.205	.1119	----	----	30	----	193 + 28
6425	----	----	1.524B/0.838A	1.524B/0.838A	----	0.826 - 0.210	.1158	----	----	----	----	15 UNCH
6450	----	----	1.559B/0.872A	1.559B/0.872A	----	0.860 - 0.214	.1200	----	----	3	----	10 + 3
6475	1.259	1.259	1.617B/0.909A	1.617B/0.909A	----	0.896 - 0.218	.1243	----	----	2	----	6 UNCH
6500	1.155	1.155	1.697B/0.943A	1.697B/0.943A	----	0.932 - 0.223	.1286	----	----	40	----	987 + 11
6525	----	----	1.711B/1.002A	1.711B/1.002A	----	0.971 - 0.227	.1332	----	----	----	----	1 UNCH
6550	1.070	1.070	1.815B/1.019A	1.815B/1.019A	----	1.010 - 0.232	.1378	----	----	2	----	66 + 2
6575	----	----	1.855B/1.059A	1.855B/1.059A	----	1.051 - 0.237	.1426	----	----	----	----	6 UNCH
6600	----	----	1.947B/1.100A	1.947B/1.100A	----	1.093 - 0.242	.1474	----	----	17	----	60 + 13
6650	1.184	1.184	2.085B/1.184	2.085B/1.184	----	1.183 - 0.251	.1576	----	----	3	----	133 + 3
6675	----	----	2.129B/1.233A	2.129B/1.233A	----	1.231 - 0.255	.1628	----	----	----	----	6 UNCH
6700	1.950	1.950	2.225B/1.281A	2.225B/1.281A	----	1.280 - 0.259	.1682	----	----	1	----	42 + 1
6725	----	----	2.275B/1.330A	2.275B/1.330A	----	1.331 - 0.262	.1737	----	----	----	----	2 UNCH
6750	----	----	2.372B/1.381A	2.372B/1.381A	----	1.383 - 0.266	.1793	----	----	----	----	38 UNCH
6775	----	----	2.436B/1.433A	2.436B/1.433A	----	1.437 - 0.270	.1850	----	----	----	----	4 UNCH
6800	1.480	1.480	2.540B/1.480	2.540B/1.480	----	1.493 - 0.272	.1908	----	----	1	----	314 UNCH
6825	----	----	2.594B/1.543A	2.594B/1.543A	----	1.551 - 0.275	.1968	----	----	----	----	5 UNCH
6850	----	----	2.705B/1.600A	2.705B/1.600A	----	1.612 - 0.275	.2029	----	----	----	----	14 UNCH
6875	----	----	2.789B/1.657A	2.789B/1.657A	----	1.674 - 0.275	.2091	----	----	1	----	87 + 1
6900	----	----	2.892B/1.715A	2.892B/1.715A	----	1.738 - 0.276	.2154	----	----	1	----	132 UNCH
6925	----	----	2.978B/1.779A	2.978B/1.779A	----	1.804 - 0.275	.2219	----	----	----	----	45 UNCH
6950	----	----	3.073B/1.841A	3.073B/1.841A	----	1.871 - 0.276	.2283	----	----	----	----	86 UNCH
6975	----	----	3.144B/1.906A	3.144B/1.906A	----	1.941 - 0.275	.2350	----	----	----	----	3 UNCH
7000	2.552	2.552	3.240B/1.972A	3.240B/1.972A	----	2.014 - 0.273	.2417	----	----	62	----	975 + 5
7025	----	----	3.353B/2.036A	3.353B/2.036A	----	2.088 - 0.273	.2485	----	----	----	----	173 UNCH
7050	----	----	3.445B/2.111A	3.445B/2.111A	----	2.165 - 0.272	.2554	----	----	----	----	5 UNCH
7075	----	----	3.507B/2.181A	3.507B/2.181A	----	2.243 - 0.273	.2624	----	----	----	----	3 UNCH
7100	----	----	3.653B/2.256A	3.653B/2.256A	----	2.323 - 0.273	.2695	----	----	22	----	51 - 5
7125	----	----	3.762B/2.333A	3.762B/2.333A	----	2.407 - 0.272	.2767	----	----	1	----	9 - 1
7150	2.520	2.520	3.918B/2.410A	3.918B/2.410A	----	2.492 - 0.273	.2839	----	----	6	----	108 + 5
7175	2.607	2.607	4.021B/2.492A	4.021B/2.492A	----	2.580 - 0.272	.2912	----	----	1	----	32 - 1
7200	3.500	3.500	4.141B/2.574A	4.141B/2.574A	----	2.670 - 0.272	.2986	----	----	15	----	113 - 5
7225	----	----	4.228B/2.665A	4.228B/2.665A	----	2.762 - 0.271	.3060	----	----	----	----	4 UNCH
7250	2.795	2.795	4.366B/2.745A	4.366B/2.745A	----	2.856 - 0.271	.3135	----	----	7	----	213 + 5
7275	----	----	4.447B/2.845A	4.447B/2.845A	----	2.953 - 0.270	.3211	----	----	----	----	3 UNCH
7300	----	----	4.617B/2.928A	4.617B/2.928A	----	3.052 - 0.269	.3287	----	----	2	----	51 UNCH
7325	----	----	4.691B/3.031A	4.691B/3.031A	----	3.154 - 0.267	.3363	----	----	----	----	3 UNCH
7350	----	----	4.821B/3.125A	4.821B/3.125A	----	3.258 - 0.265	.3440	----	----	----	----	8 UNCH
7375	----	----	4.949B/3.218A	4.949B/3.218A	----	3.364 - 0.263	.3517	----	----	----	----	118 UNCH
7400	4.500	4.500	5.140B/3.322A	5.140B/3.322A	----	3.471 - 0.262	.3595	----	----	2	----	99 UNCH
7425	----	----	5.234B/3.440A	5.234B/3.440A	----	3.582 - 0.259	.3673	----	----	----	----	8 UNCH
7450	4.095	4.095	5.422B/3.528A	5.422B/3.528A	----	3.696 - 0.255	.3751	----	----	6	----	73 + 5
7475	----	----	5.505B/3.655A	5.505B/3.655A	----	3.812 - 0.251	.3829	----	----	----	----	5 UNCH
7500	5.820	5.820	5.880/3.751A	5.880/3.751A	----	3.930 - 0.248	.3907	----	----	8	----	193 + 4
7525	----	----	5.853B/3.872A	5.853B/3.872A	----	4.049 - 0.246	.3985	----	----	----	----	25 UNCH
7550	----	----	6.018B/4.003A	6.018B/4.003A	----	4.172 - 0.242	.4064	----	----	----	----	19 UNCH
7575	----	----	6.090B/4.116A	6.090B/4.116A	----	4.297 - 0.238	.4142	----	----	----	----	1 UNCH
7600	----	----	6.274B/4.227A	6.274B/4.227A	----	4.424 - 0.235	.4220	----	----	3	----	13 + 1
7625	----	----	6.382B/4.356A	6.382B/4.356A	----	4.553 - 0.231	.4298	----	----	1	----	6 UNCH
7650	5.688	5.688	6.593B/4.484A	6.593B/4.484A	----	4.685 - 0.227	.4376	----	----	5	----	47 + 5
7675	5.702	5.702	6.733B/4.595A	6.733B/4.595A	----	4.818 - 0.224	.4454	----	----	11	----	35 + 4
7700	5.700	5.700	6.893B/4.724A	6.893B/4.724A	----	4.955 - 0.219	.4531	----	----	14	----	234 + 6
7725	5.123	5.123	7.040B/4.873A	7.040B/4.873A	----	5.093 - 0.216	.4608	----	----	1	----	15 + 1
7750	----	----	7.181B/4.999A	7.181B/4.999A	----	5.234 - 0.211	.4685	----	----	----	----	25 UNCH
7775	----	----	7.321B/5.136A	7.321B/5.136A	----	5.377 - 0.206	.4761	----	----	----	----	5 UNCH
7800	5.380	5.380	7.539B/5.261A	7.539B/5.261A	----	5.522 - 0.201	.4837	----	----	1	----	85 UNCH
7825	----	----	7.710B/5.407A	7.710B/5.407A	----	5.669 - 0.197	.4912	----	----	----	----	25 UNCH
7850	----	----	7.896B/5.580A	7.896B/5.580A	----	5.818 - 0.192	.4987	----	----	1	----	34 UNCH
7875	----	----	8.002B/5.720A	8.002B/5.720A	----	5.969 - 0.187	.5061	----	----	1	----	26 - 1
7900	7.586	7.586	8.160B/5.870A	8.160B/5.870A	----	6.122 - 0.182	.5135	----	----	8	----	28 - 7
7925	----	----	8.135B/6.037A	8.135B/6.037A	----	6.277 - 0.178	.5208	----	----	----	----	1 UNCH
7950	----	----	8.336B/6.187A	8.336B/6.187A	----	6.434 - 0.173	.5281	----	----	2	----	4 + 1
7975	----	----	8.488B/6.338A	8.488B/6.338A	----	6.593 - 0.168	.5353	----	----	----	----	6 UNCH
8000	8.232	8.232	8.668B/6.444A	8.668B/6.444A	----	6.754 - 0.163	.5424	----	----	6	----	270 - 2
8050	----	----	9.032B/6.803A	9.032B/6.803A	----	7.081 - 0.154	.5564	----	----	2	----	1 + 1
8075	----	----	9.216B/6.967A	9.216B/6.967A	----	7.248 - 0.149	.5634	----	----	----	----	10 UNCH
8100	8.945	8.945	9.402B/7.105A	9.402B/7.105A	----	7.416 - 0.145	.5702	----	----	4	----	48 - 1
8125	----	----	9.589B/7.290A	9.589B/7.290A	----	7.586 - 0.141	.5770	----	----	----	----	7 UNCH
8150	----	----	9.699B/7.460A	9.699B/7.460A	----	7.757 - 0.138	.5837	----	----	----	----	2 UNCH
8175	----	----	9.888B/7.622A	9.888B/7.622A	----	7.931 - 0.134	.5902	----	----	----	----	2 UNCH
8200	----	----	10.078B/7.792A	10.078B/7.792A	----	8.106 - 0.130	.5968	----	----	18	----	23 + 13
8225	----	----	10.269B/7.960A	10.269B/7.960A	----	8.283 - 0.127	.6032	----	----	----	----	17 UNCH
8250	----	----	10.463B/8.077A	10.463B/8.077A	----	8.462 - 0.123	.6096	----	----	----	----	89 UNCH
8275	----	----	10.657B/8.309A	10.657B/8.309A	----	8.641 - 0.121	.6159	----	----	----	----	15 UNCH
8300	----	----	10.853B/8.426A	10.853B/8.426A	----	8.823 - 0.118	.6221	----	----	----	----	130 UNCH
8325	----	----	11.050B/8.649A	11.050B/8.649A	----	9.006 - 0.115	.6282	----	----	----	----	1 UNCH
8350	----	----	9.955B/8.831A	9.955B/8.831A	----	9.190 - 0.113	.6342	----	----	----	----	20 UNCH
8375	----	----	10.145B/9.011A	10.145B/9.011A	----	9.375 - 0.112	.6402	----	----	----	----	4 UNCH
8400	----	----	10.337B/9.197A	10.337B/9.197A	----	9.563 - 0.109	.6461	----	----	----	----	13 UNCH
8425	----	----	10.531B/9.522A	10.531B/9.522A	----	9.751 - 0.108	.6519	----	----	----	----	4 UNCH
8450	----	----	10.725B/9.700A	10.725B/9.700A	----	9.941 - 0.106	.6576	----	----	----	----	33 UNCH
8475	----	----	10.921B/10.082A	10.921B/10.082A	----	10.133 - 0.104	.6632	----	----	----	----	1 UNCH
8500	----	----	11.117B/10.081A	11.117B/10.081A	----	10.325 - 0.103	.6688	----	----	----	----	167 UNCH
8525	----	----	11.315B/10.468A	11.315B/10.468A	----	10.519 - 0.102	.6742	----	----	----	----	4 UNCH
8550	----	----	11.196B/10.466A	11.196B/10.466A	----	10.713 - 0.101	.6796	----	----	----	----	37 UNCH
8575	----	----	11.124B/10.865A	11.124B/10.865A	----	10.909 - 0.100	.6849	----	----	----	----	1 UNCH
8600	----	----	11.653B/10.859A	11.653B/10.859A	----	11.106 - 0.100	.6902	----	----	18	----	77 + 8
8625	----	----	11.793B/11.057A	11.793B/11.057A	----	11.305 - 0.098	.6953	----	----	----	----	7 UNCH
8650	----	----	11.730B/11.450A	11.730B/11.450A	----	11.505 - 0.096	.7004	----	----	----	----	1 UNCH
8675	----	----	11.934B/11.645A	11.934B/11.645A	----	11.705 - 0.096	.7054	----	----	----	----	1 UNCH
8700	----	----	12.396B/11.656A	12.396B/11.656A	----	11.907 - 0.094	.7102	----	----	----	----	12 UNCH
8725	----	----	12.346B/12.044A	12.346B/12.044A	----	12.109 - 0.094	.7151	----	----	----	----	1 UNCH
8800	----	----	13.303B/12.426A	13.303B/12.426A	----	12.724 - 0.089	.7291	----	----	----	----	59 UNCH
8850	----	----	13.389B/13.002A	13.389B/13.002A	----	13.138 - 0.087	.7381	----	----	----	----	1 UNCH
8900	----	----	13.816B/13.412A	13.816B/13.412A	----	13.555 - 0.084	.7468	----	----	----	----	2 UNCH
8975	----	----	14.456B/14.039A	14.456B/14.039A	----	14.188 - 0.080	.7593	----	----	----	----	2 UNCH
9000	----	----	15.015B/14.024A	15.015B/14.024A	----	14.401 - 0.078	.7632	----	----	----	----	321 UNCH
9025	----	----	14.888B/14.457A	14.888B/14.457A	----	14.614 - 0.077	.7672	----	----	----	----	1 UNCH
9175	----	----	16.205B/15.734A	16.205B/15.734A	----	15.912 - 0.068	.7895	----	----	----	----	1 UNCH
9200	----	----	16.638B/15.897A	16.638B/15.897A	----	16.130 - 0.067	.7931	----	----	----	----	11 UNCH
9250	----	----	16.868B/16.382A	16.868B/16.382A	----	16.569 - 0.065	.7998	----	----	----	----	1 UNCH
9275	----	----	17.091B/16.590A	17.091B/16.590A	----	16.791 - 0.063	.8031	----	----	----	----	1 UNCH
9300	----	----	17.315B/16.808A	17.315B/16.808A	----	17.012 - 0.062	.8064	----	----	----	----	5 UNCH
9400	----	----	18.214B/17.748A	18.214B/17.748A	----	17.903 - 0.059	.8188	----	----	----	----	1 UNCH
9450	----	----	18.837B/18.118A	18.837B/18.118A	----	18.352 - 0.058	.8247	----	----	----	----	12 UNCH
9500	----	----	19.371B/18.455A	19.371B/18.455A	----	18.803 - 0.057	.8304	----	----	----	----	217 UNCH
9600	----	----	20.252B/19.352A	20.252B/19.352A	----	19.712 - 0.054	.8411	----	----	----	----	50 UNCH
9775	----	----	21.658B/21.126A	21.658B/21.126A	----	21.318 - 0.052	.8582	----	----	----	----	5 UNCH
9900	----	----	23.019B/22.237A	23.019B/22.237A	----	22.479 - 0.048	.8689	----	----	----	----	6 UNCH
9950	----	----	23.299B/22.664A	23.299B/22.664A	----	22.945 - 0.047	.8730	----	----	----	----	5 UNCH
10000	----	----	24.008B/22.951A	24.008B/22.951A	----	23.413 - 0.045	.8770	----	----	----	----	225 UNCH
10275	----	----	26.544B/25.754A	26.544B/25.754A	----	26.008 - 0.032	.8960	----	----	----	----	7 UNCH
10500	----	----	28.543B/27.892A	28.543B/27.892A	----	28.155 - 0.019	.9090	----	----	----	----	3 UNCH
10600	----	----	29.646B/28.842A	29.646B/28.842A	----	29.115 - 0.013	.9140	----	----	----	----	9 UNCH
10800	----	----	31.413B/30.752A	31.413B/30.752A	----	31.042 - 0.004	.9232	----	----	----	----	1 UNCH
11000	----	----	33.575B/32.470A	33.575B/32.470A	----	32.980 + 0.005	.9312	----	----	----	----	239 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
11300	----	----	37.115B/35.511A	37.115B/35.511A	----	35.902 + 0.015	.9412	----	----	----	----	10 UNCH
11500	----	----	38.220B/37.454A	38.220B/37.454A	----	37.858 + 0.020	.9468	----	----	----	----	1 UNCH
12000	----	----	43.287B/42.404A	43.287B/42.404A	----	42.773 + 0.035	.9580	----	----	----	----	19 UNCH
13000	----	----	53.023B/52.241A	53.023B/52.241A	----	52.667 + 0.059	.9719	----	----	----	----	5 UNCH
TOTAL										441	0	14199 + 160
AUG26												
3300	----	----	----	0.001B/0.238A	----	0.072 - 0.039	.0064	----	----	----	----	2 UNCH
3900	----	----	----	0.006B/0.181A	----	0.118 - 0.062	.0114	----	----	----	----	2 UNCH
4000	----	----	----/0.181A	0.017B/0.181A	----	0.127 - 0.066	.0125	----	----	----	----	1 UNCH
4175	----	----	----/*0.205A	0.033B/0.205A	----	0.145 - 0.074	.0146	----	----	----	----	1 UNCH
4300	----	----	----/*0.225A	0.047B/0.225A	----	0.163 - 0.076	.0166	----	----	----	----	1 UNCH
4350	----	----	----/*0.234A	0.053B/0.234A	----	0.171 - 0.076	.0175	----	----	----	----	1 UNCH
4375	----	----	----/*0.238A	0.056B/0.238A	----	0.176 - 0.076	.0181	----	----	----	----	160 UNCH
4400	----	----	----/*0.243A	0.060B/0.243A	----	0.180 - 0.076	.0185	----	----	----	----	1 UNCH
4500	----	----	----/*0.263A	0.075B/0.263A	----	0.199 - 0.075	.0206	----	----	----	----	2 UNCH
4600	----	----	----/*0.285A	0.092B/0.285A	----	0.220 - 0.074	.0229	----	----	----	----	4 UNCH
4625	----	----	----/*0.292A	0.097B/0.292A	----	0.225 - 0.073	.0235	----	----	----	----	1 UNCH
4700	----	----	----/*0.311A	0.112B/0.311A	----	0.242 - 0.072	.0254	----	----	----	----	1 UNCH
4775	----	----	----/*0.331A	0.129B/0.331A	----	0.261 - 0.071	.0276	----	----	----	----	1 UNCH
4800	0.285	0.285	0.285/0.285	0.285/0.285	----	0.267 - 0.072	.0282	----	----	1	----	11 UNCH
4825	----	----	----	0.141B/0.346A	----	0.274 - 0.071	.0290	----	----	----	----	1 UNCH
5000	----	----	----	0.198B/0.406A	----	0.326 - 0.070	.0349	----	----	1	----	18 + 1
5275	----	----	----	0.318B/0.529A	----	0.434 - 0.077	.0468	----	----	----	----	1 UNCH
5300	----	----	----	0.332B/0.542A	----	0.446 - 0.077	.0481	----	----	----	----	2 UNCH
5425	----	----	----	0.407B/0.614A	----	0.512 - 0.084	.0551	----	----	----	----	1 UNCH
5500	----	----	----	0.585B/0.662A	----	0.557 - 0.091	.0599	----	----	1	----	149 + 1
5675	----	----	----/0.793A	0.608B/0.793A	----	0.682 - 0.117	.0727	----	----	----	----	9 UNCH
5700	----	----	----/0.813A	0.687B/0.813A	----	0.703 - 0.120	.0748	----	----	----	----	2 UNCH
5750	----	----	----/0.855A	0.698B/0.855A	----	0.746 - 0.127	.0791	----	----	----	----	2 UNCH
5775	----	----	----/0.809A	0.768B/0.809A	----	0.769 - 0.130	.0813	----	----	----	----	2 UNCH
5800	----	----	----/0.860A	0.814B/0.860A	----	0.793 - 0.132	.0837	----	----	----	----	11 UNCH
5850	----	----	----/0.875A	0.846B/0.875A	----	0.844 - 0.137	.0886	----	----	----	----	3 UNCH
5875	----	----	----/0.877A	0.885B/0.877A	----	0.870 - 0.139	.0910	----	----	----	----	4 UNCH
5900	----	----	----/0.927A	0.957B/0.927A	----	0.898 - 0.141	.0937	----	----	----	----	5 UNCH
5950	----	----	----/0.992A	0.979B/0.992A	----	0.956 - 0.144	.0991	----	----	----	----	10 UNCH
6000	1.200	1.200	1.255B/1.055A	1.255B/1.055A	----	1.019 - 0.146	.1048	----	----	63	----	284 + 52
6050	----	----	----/1.116A	1.147B/1.116A	----	1.086 - 0.147	.1108	----	----	5	----	5 + 4
6100	----	----	----/1.184A	1.297B/1.184A	----	1.157 - 0.148	.1171	----	----	----	----	11 UNCH
6150	----	----	----/1.273A	1.336B/1.273A	----	1.233 - 0.148	.1236	----	----	8	----	9 + 8
6175	----	----	1.428B/1.312A	1.428B/1.312A	----	1.273 - 0.147	.1271	----	----	----	----	3 UNCH
6200	----	----	1.649B/1.351A	1.649B/1.351A	----	1.315 - 0.146	.1306	----	----	12	----	113 + 12
6225	----	----	----/1.364A	1.492B/1.364A	----	1.357 - 0.146	.1341	----	----	----	----	9 UNCH
6250	----	----	1.709B/1.425A	1.709B/1.425A	----	1.401 - 0.145	.1377	----	----	----	----	111 UNCH
6300	----	----	1.875B/1.533A	1.875B/1.533A	----	1.493 - 0.142	.1452	----	----	9	----	59 + 6
6350	----	----	1.786B/1.622A	1.786B/1.622A	----	1.590 - 0.139	.1530	----	----	8	----	16 + 8
6400	----	----	1.978B/1.728A	1.978B/1.728A	----	1.692 - 0.137	.1610	----	----	1	----	3 + 1
6425	----	----	1.967B/1.749A	1.967B/1.749A	----	1.745 - 0.136	.1651	----	----	----	----	6 UNCH
6450	----	----	2.044B/1.827A	2.044B/1.827A	----	1.800 - 0.134	.1693	----	----	8	----	17 + 8
6500	2.045	2.045	2.411B/1.870A	2.411B/1.870A	----	1.914 - 0.130	.1779	----	----	12	----	214 + 11
6525	----	----	2.264B/1.926A	2.264B/1.926A	----	1.973 - 0.128	.1822	----	----	----	----	2 UNCH
6550	----	----	2.339B/2.001A	2.339B/2.001A	----	2.033 - 0.127	.1866	----	----	----	----	2 UNCH
6575	----	----	2.416B/2.037A	2.416B/2.037A	----	2.095 - 0.126	.1911	----	----	----	----	1 UNCH
6600	2.261	2.261	2.737B/2.096A	2.737B/2.096A	----	2.159 - 0.124	.1957	----	----	16	----	57 + 6
6625	----	----	2.815B/2.154A	2.815B/2.154A	----	2.224 - 0.122	.2003	----	----	1	----	1 UNCH
6650	----	----	2.894B/2.242A	2.894B/2.242A	----	2.290 - 0.122	.2050	----	----	----	----	9 UNCH
6675	----	----	2.975B/2.280A	2.975B/2.280A	----	2.358 - 0.120	.2097	----	----	----	----	1 UNCH
6700	----	----	3.057B/2.435A	3.057B/2.435A	----	2.428 - 0.119	.2145	----	----	----	----	3 UNCH
6725	----	----	3.141B/2.410A	3.141B/2.410A	----	2.499 - 0.118	.2193	----	----	----	----	8 UNCH
6750	----	----	3.227B/2.584A	3.227B/2.584A	----	2.572 - 0.117	.2242	----	----	----	----	6 UNCH
6775	----	----	3.314B/2.552A	3.314B/2.552A	----	2.646 - 0.117	.2292	----	----	----	----	15 UNCH
6800	----	----	3.402B/2.732A	3.402B/2.732A	----	2.722 - 0.116	.2342	----	----	57	----	60 + 57
6825	----	----	3.493B/2.694A	3.493B/2.694A	----	2.799 - 0.117	.2392	----	----	----	----	9 UNCH
6850	----	----	3.585B/2.888A	3.585B/2.888A	----	2.879 - 0.116	.2443	----	----	----	----	2 UNCH
6900	----	----	3.776B/3.048A	3.776B/3.048A	----	3.042 - 0.117	.2546	----	----	----	----	6 UNCH
6950	----	----	3.977B/3.226A	3.977B/3.226A	----	3.212 - 0.119	.2650	----	----	----	----	28 UNCH
6975	----	----	4.080B/3.202A	4.080B/3.202A	----	3.299 - 0.121	.2703	----	----	----	----	6 UNCH
7000	3.523	3.523	4.185B/3.160A	4.185B/3.160A	----	3.388 - 0.122	.2757	----	----	126	----	174 + 69
7050	----	----	4.400B/3.598A	4.400B/3.598A	----	3.572 - 0.125	.2864	----	----	----	----	13 UNCH
7075	----	----	4.510B/3.554A	4.510B/3.554A	----	3.666 - 0.127	.2918	----	----	----	----	1 UNCH
7100	3.578	3.578	4.760B/3.578	4.760B/3.578	----	3.762 - 0.128	.2973	----	----	1	----	13 UNCH
7125	----	----	4.876B/3.741A	4.876B/3.741A	----	3.860 - 0.130	.3028	----	----	----	----	21 UNCH
7150	3.773	3.773	4.994B/3.773	4.994B/3.773	----	3.959 - 0.132	.3083	----	----	1	----	5 + 1
7175	3.872	3.872	5.114B/3.872	5.114B/3.872	----	4.061 NEW	.3138	----	----	2	----	2 + 2
7200	4.338	4.338	5.236B/3.920A	5.236B/3.920A	----	4.163 - 0.134	.3194	----	----	7	20	98 + 24
7225	----	----	5.359B/4.149A	5.359B/4.149A	----	4.268 - 0.135	.3250	----	----	----	----	2 UNCH
7275	4.284	4.284	5.611B/4.284	5.611B/4.284	----	4.483 NEW	.3362	----	----	8	----	8 + 8
7300	4.379	4.379	5.740B/4.379	5.740B/4.379	----	4.592 - 0.135	.3418	----	----	1	----	110 UNCH
7350	----	----	6.003B/4.886A	6.003B/4.886A	----	4.817 - 0.133	.3531	----	----	----	----	7 UNCH
7400	----	----	6.272B/5.117A	6.272B/5.117A	----	5.049 - 0.128	.3644	----	----	----	----	4 UNCH
7425	----	----	6.409B/5.017A	6.409B/5.017A	----	5.167 - 0.126	.3700	----	----	----	----	2 UNCH
7450	----	----	6.546B/5.303A	6.546B/5.303A	----	5.287 - 0.122	.3757	----	----	----	----	1 UNCH
7475	6.686	6.686	6.686/5.267A	6.686/5.267A	----	5.409 NEW	.3813	----	----	1	----	1 + 1
7500	----	----	6.827B/5.450A	6.827B/5.450A	----	5.533 - 0.113	.3870	----	----	1	----	133 UNCH
7525	----	----	6.971B/5.517A	6.971B/5.517A	----	5.658 - 0.110	.3927	----	----	----	----	1 UNCH
7550	----	----	7.116B/5.780A	7.116B/5.780A	----	5.785 - 0.106	.3983	----	----	----	----	13 UNCH
7575	----	----	7.263B/5.763A	7.263B/5.763A	----	5.913 - 0.103	.4040	----	----	----	----	1 UNCH
7600	----	----	7.412B/6.013A	7.412B/6.013A	----	6.044 - 0.099	.4096	----	----	1	----	6 + 1
7625	----	----	7.562B/6.017A	7.562B/6.017A	----	6.175 - 0.097	.4153	----	----	----	----	1 UNCH
7650	----	----	7.713B/6.312A	7.713B/6.312A	----	6.309 - 0.093	.4209	----	----	----	----	10 UNCH
7675	----	----	7.867B/6.280A	7.867B/6.280A	----	6.444 - 0.089	.4265	----	----	----	----	44 UNCH
7700	6.872	6.872	8.022B/6.475A	8.022B/6.475A	----	6.581 - 0.085	.4321	----	----	3	----	114 + 2
7725	----	----	8.178B/6.552A	8.178B/6.552A	----	6.719 - 0.081	.4377	----	----	----	----	7 UNCH
7800	----	----	8.655B/7.092A	8.655B/7.092A	----	7.144 - 0.074	.4543	----	----	----	----	26 UNCH
7850	----	----	8.982B/7.466A	8.982B/7.466A	----	7.436 - 0.069	.4652	----	----	----	----	18 UNCH
7900	----	----	9.311B/7.708A	9.311B/7.708A	----	7.733 - 0.065	.4761	----	----	----	----	5 UNCH
7950	----	----	9.646B/7.894A	9.646B/7.894A	----	8.036 - 0.062	.4868	----	----	----	----	60 UNCH
7975	----	----	9.815B/8.028A	9.815B/8.028A	----	8.190 - 0.060	.4921	----	----	----	----	1 UNCH
8000	10.149	10.149	10.149/8.196A	10.149/8.196A	----	8.346 - 0.058	.4974	----	----	11	----	295 + 6
8025	----	----	10.157B/8.343A	10.157B/8.343A	----	8.502 - 0.057	.5026	----	----	----	----	1 UNCH
8100	----	----	10.678B/8.919A	10.678B/8.919A	----	8.982 - 0.050	.5182	----	----	----	----	7 UNCH
8150	----	----	11.031B/9.232A	11.031B/9.232A	----	9.308 - 0.047	.5283	----	----	----	----	15 UNCH
8175	----	----	11.209B/9.290A	11.209B/9.290A	----	9.473 - 0.045	.5334	----	----	----	----	1 UNCH
8200	----	----	11.388B/9.563A	11.388B/9.563A	----	9.640 - 0.042	.5384	----	----	----	----	10 UNCH
8225	----	----	11.563B/9.622A	11.563B/9.622A	----	9.808 - 0.040	.5433	----	----	----	----	4 UNCH
8250	----	----	11.744B/9.902A	11.744B/9.902A	----	9.977 - 0.038	.5482	----	----	----	----	10 UNCH
8275	----	----	11.926B/9.999A	11.926B/9.999A	----	10.148 - 0.035	.5531	----	----	----	----	5 UNCH
8300	----	----	11.961B/10.239A	11.961B/10.239A	----	10.319 - 0.033	.5580	----	----	----	----	1 UNCH
8325	----	----	12.146B/10.352A	12.146B/10.352A	----	10.493 - 0.030	.5627	----	----	----	----	5 UNCH
8400	----	----	12.710B/10.929A	12.710B/10.929A	----	11.019 - 0.022	.5768	----	----	----	----	1 UNCH
8425	----	----	12.900B/11.082A	12.900B/11.082A	----	11.197 - 0.019	.5815	----	----	----	----	1 UNCH
8475	----	----	13.283B/11.441A	13.283B/11.441A	----	11.557 - 0.013	.5906	----	----	----	----	1 UNCH
8500	----	----	13.476B/11.629A	13.476B/11.629A	----	11.738 - 0.011	.5950	----	----	----	----	22 UNCH
8600	----	----	13.969B/12.381A	13.969B/12.381A	----	12.475 - 0.001	.6125	----	----	----	----	3 UNCH
8650	----	----	14.365B/12.751A	14.365B/12.751A	----	12.849 + 0.003	.6210	----	----	----	----	1 UNCH
8700	----	----	14.963B/13.145A	14.963B/13.145A	----	13.228 + 0.006	.6293	----	----	----	----	2 UNCH
8825	----	----	15.783B/----	15.783B/14.561A	----	14.193 + 0.013	.6492	----	----	----	----	4 UNCH
8850	----	----	15.619B/----	15.619B/14.510A	----	14.388 + 0.013	.6531	----	----	----	----	1 UNCH
8900	----	----	15.939B/----	15.939B/14.861A	----	14.782 + 0.014	.6606	----	----	----	----	24 UNCH
9000	----	----	16.355B/15.508A	16.355B/15.508A	----	15.580 + 0.015	.6753	----	----	----	----	97 UNCH
9025	----	----	16.328B/----	16.328B/16.158A	----	15.782 + 0.015	.6788	----	----	----	----	4 UNCH
9150	----	----	17.193B/----	17.193B/17.177A	----	16.801 + 0.014	.6960	----	----	----	----	4 UNCH
9175	----	----	17.405B/----	17.405B/17.321A	----	17.007 + 0.014	.6993	----	----	----	----	1 UNCH
9200	----	----	17.618B/----	17.618B/17.589A	----	17.214 + 0.014	.7025	----	----	----	----	1 UNCH
9225	----	----	17.829B/----	17.829B/17.443A	----	17.421 + 0.013	.7057	----	----	----	----	1 UNCH
9275	----	----	18.255B/----	18.255B/18.218A	----	17.838 + 0.013	.7121	----	----	----	----	5 UNCH
9300	----	----	18.468B/----	18.468B/18.422A	----	18.048 + 0.014	.7152	----	----	----	----	1 UNCH
9325	----	----	18.682B/----	18.682B/18.311A	----	18.258 + 0.013	.7182	----	----	----	----	11 UNCH
9350	----	----	18.894B/----	18.894B/18.660A	----	18.469 + 0.014	.7213	----	----	----	----	4 UNCH
9500	----	----	20.271B/19.709A	20.271B/19.709A	----	19.745 + 0.013	.7386	----	----	----	----	31 UNCH
9975	----	----	24.394B/----	24.394B/24.251A	----	23.910 + 0.010	.7857	----	----	----	----	1 UNCH
10000	----	----	24.668B/----	24.668B/24.143A	----	24.133 + 0.009	.7879	----	----	----	----	7 UNCH
10025	----	----	24.844B/----	24.844B/24.691A	----	24.357 + 0.008	.7901	----	----	----	----	1 UNCH
10175	----	----	26.200B/----	26.200B/25.709A	----	25.709 + 0.003	.8024	----	----	----	----	15 UNCH
TOTAL										366	20	2985 + 289
SEP26												
2500	----	----	----	0.001B/3.224A	----	0.004 - 0.007	.0004	----	----	----	----	60 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
3000	----	----	----	0.001B/3.307A	----	0.015 -	0.019 .0016	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/3.449A	----	0.044 -	0.042 .0047	----	----	----	----	74 UNCH
4000	----	----	----	0.077B/0.278A	----	0.111 -	0.087 .0114	----	----	----	----	45 UNCH
4500	----	----	----	0.187B/0.396A	----	0.199 -	0.139 .0208	----	----	----	----	12 UNCH
4525	----	----	----	0.195B/0.422A	----	0.208 -	0.139 .0216	----	----	----	----	3 UNCH
5000	----	----	----	0.407B/0.645A	----	0.459 -	0.110 .0441	----	----	----	----	237 UNCH
5100	----	----	----	0.471B/0.701A	----	0.534 -	0.106 .0504	----	----	----	----	1 UNCH
5400	----	----	----	0.723B/0.933A	----	0.817 -	0.088 .0732	----	----	----	----	1 UNCH
5475	----	----	----	0.802B/0.998A	----	0.902 -	0.082 .0797	----	----	----	----	3 UNCH
5500	----	----	----	0.830B/1.023A	----	0.932 -	0.080 .0820	----	----	----	----	232 UNCH
5600	----	----	----/1.129A	0.951B/1.129A	----	1.060 -	0.070 .0916	----	----	----	----	1 UNCH
5700	----	----	----/1.249A	1.087B/1.249A	----	1.201 -	0.059 .1018	----	----	----	----	7 UNCH
5800	----	----	----/1.378A	1.239B/1.378A	----	1.357 -	0.047 .1129	----	----	----	----	8 UNCH
5850	----	----	----/1.442A	1.290B/1.442A	----	1.440 -	0.042 .1186	----	----	----	----	1 UNCH
5900	----	----	----/1.547A	1.399B/1.547A	----	1.525 -	0.038 .1245	----	----	----	----	50 UNCH
6000	----	----	----/1.550A	1.720B/1.550A	----	1.711 -	0.028 .1370	----	----	----	----	664 UNCH
6050	----	----	----	1.443B/2.022A	----	1.809 -	0.025 .1434	----	----	----	----	15 UNCH
6200	----	----	2.217B/----	2.217B/2.302A	----	2.131 -	0.016 .1639	----	----	----	----	40 UNCH
6300	----	----	2.409B/2.321A	2.409B/2.321A	----	2.366 -	0.015 .1783	----	----	----	----	5 UNCH
6400	----	----	2.693B/2.550A	2.693B/2.550A	----	2.621 -	0.015 .1934	----	----	----	----	3 UNCH
6425	----	----	2.767B/----	2.767B/2.712A	----	2.687 -	0.016 .1973	----	----	----	----	3 UNCH
6500	2.800	2.800	3.152B/2.800	3.152B/2.800	----	2.894 -	0.019 .2091	----	----	1	----	57 + 1
6550	----	----	3.157B/----	3.157B/3.251A	----	3.039 -	0.021 .2172	----	----	----	----	15 UNCH
6800	3.775	3.775	4.037B/3.775	4.037B/3.775	----	3.836 -	0.044 .2595	----	----	3	----	10 + 2
6850	----	----	----	3.597B/4.254A	----	4.011	NEW .2683	----	----	2	----	2 + 2
6900	----	----	4.428B/----	4.428B/4.444A	----	4.191 -	0.057 .2773	----	----	----	----	3 UNCH
7000	4.908	4.908	4.973B/4.200	4.973B/4.200	----	4.569 -	0.071 .2954	----	----	106	----	93 + 44
7025	----	----	4.948B/----	4.948B/4.959A	----	4.667 -	0.074 .3000	----	----	----	----	1 UNCH
7100	----	----	5.285B/----	5.285B/5.265A	----	4.969 -	0.085 .3138	----	----	----	----	17 UNCH
7125	----	----	5.465B/----	5.465B/5.376A	----	5.072 -	0.089 .3184	----	----	----	----	25 UNCH
7175	----	----	5.610B/----	5.610B/5.583A	----	5.283 -	0.098 .3278	----	----	----	----	20 UNCH
7200	----	----	5.943B/5.250A	5.943B/5.250A	----	5.390 -	0.104 .3325	----	----	26	----	76 + 24
7300	----	----	6.622B/----	6.622B/6.079A	----	5.835 -	0.135 .3513	----	----	----	----	171 UNCH
7400	----	----	6.834B/----	6.834B/6.670A	----	6.303 -	0.171 .3703	----	----	26	----	26 + 1
7500	----	----	7.278B/----	7.278B/7.192A	----	6.792 -	0.204 .3894	----	----	----	----	3 UNCH
7550	----	----	7.553B/----	7.553B/7.442A	----	7.046 -	0.219 .3989	----	----	----	----	2 UNCH
7700	----	----	8.413B/----	8.413B/8.277A	----	7.840 -	0.258 .4274	----	----	----	----	9 UNCH
7800	----	----	9.112B/----	9.112B/8.796A	----	8.397 -	0.280 .4462	----	----	----	----	26 UNCH
7900	----	----	9.649B/----	9.649B/9.421A	----	8.976 -	0.299 .4647	----	----	----	----	1 UNCH
8000	10.461	10.461	10.968B/9.518	10.968B/9.518	----	9.577 -	0.314 .4830	----	----	5	----	93 UNCH
8100	----	----	10.967B/----	10.967B/10.681A	----	10.199 -	0.328 .5008	----	----	----	----	1 UNCH
8200	----	----	11.468B/----	11.468B/11.327A	----	10.840 -	0.341 .5183	----	----	----	----	1 UNCH
8300	----	----	12.377B/----	12.377B/11.980A	----	11.501 -	0.353 .5354	----	----	----	----	1 UNCH
8400	----	----	13.716B/----	13.716B/12.590A	----	12.180 -	0.365 .5520	----	----	----	----	42 UNCH
8500	----	----	14.239B/13.153A	14.239B/13.153A	----	12.877 -	0.376 .5682	----	----	----	----	228 UNCH
8700	----	----	15.585B/14.594A	15.585B/14.594A	----	14.320 -	0.397 .5989	----	----	----	----	101 UNCH
9000	17.814	17.814	17.985B/16.857A	17.985B/16.857A	----	16.598 -	0.420 .6411	----	----	2	----	74 UNCH
9300	----	----	20.105B/----	20.105B/19.430A	----	18.991 -	0.435 .6786	----	----	----	----	1 UNCH
9400	----	----	20.956B/----	20.956B/20.324A	----	19.811 -	0.438 .6901	----	----	----	----	15 UNCH
10150	----	----	27.463B/----	27.463B/26.712A	----	26.234 -	0.424 .7621	----	----	----	----	1 UNCH
10300	----	----	28.790B/----	28.790B/28.033A	----	27.565 -	0.413 .7739	----	----	----	----	1 UNCH
TOTAL										171	0	2603 + 74
OCT26												
2675	----	----	----	0.001B/3.332A	----	0.084 +	0.030 .0058	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.176 +	0.060 .0123	----	----	----	----	1 UNCH
4000	----	----	----	0.112B/0.393A	----	0.398 +	0.126 .0281	----	----	----	----	3 UNCH
4500	----	----	----	0.265B/0.578A	----	0.649 +	0.191 .0455	----	----	----	----	3 UNCH
5000	----	----	----	0.558B/0.871A	----	0.950 +	0.169 .0678	----	----	----	----	6 UNCH
5050	----	----	----	0.599B/0.909A	----	0.986 +	0.164 .0705	----	----	----	----	1 UNCH
5150	----	----	----	0.689B/0.992A	----	1.063 +	0.153 .0761	----	----	----	----	5 UNCH
6300	----	----	----	2.398B/3.156A	----	2.760 -	0.088 .1840	----	----	----	----	3 UNCH
6500	----	----	----/3.345A	2.944B/3.345A	----	3.284 -	0.142 .2118	----	----	----	----	123 UNCH
6800	----	----	----	3.947B/4.848A	----	4.239 -	0.220 .2579	----	----	----	----	2 UNCH
6850	----	----	----	4.135B/5.040A	----	4.420 -	0.231 .2659	----	----	----	----	1 UNCH
7000	----	----	----	4.732B/5.656A	----	4.997 -	0.263 .2907	----	----	----	----	85 UNCH
7225	----	----	----	5.726B/6.663A	----	5.970 -	0.301 .3288	----	----	----	----	87 UNCH
7500	----	----	----	7.095B/8.031A	----	7.332 -	0.325 .3760	----	----	----	----	33 UNCH
7600	----	----	----	7.651B/8.572A	----	7.874	NEW .3930	----	----	1	----	1 + 1
7700	----	----	----	8.258B/9.121A	----	8.440	NEW .4098	----	----	1	----	1 + 1
7950	----	----	----	9.762B/10.541A	----	9.956 -	0.304 .4505	----	----	----	----	10 UNCH
8000	----	----	----	10.094B/10.862A	----	10.276 -	0.296 .4583	----	----	----	----	2 UNCH
8200	----	----	----	11.431B/12.099A	----	11.607 -	0.258 .4886	----	----	----	----	6 UNCH
8375	----	----	----	12.456B/13.410A	----	12.836 -	0.211 .5136	----	----	----	----	1 UNCH
9100	----	----	----	18.066B/18.491A	----	18.441 +	0.065 .6003	----	----	----	----	1 UNCH
10000	----	----	----/25.550A	25.102B/25.550A	----	26.134 +	0.439 .6765	----	----	----	----	40 UNCH
TOTAL										2	0	423 + 2
NOV26												
4500	----	----	----	0.383B/0.770A	----	0.868 +	0.243 .0545	----	----	----	----	1 UNCH
4550	----	----	----	0.412B/0.802A	----	0.915 +	0.257 .0572	----	----	----	----	1 UNCH
4800	----	----	----	0.592B/0.974A	----	1.180 +	0.330 .0719	----	----	----	----	1 UNCH
5000	----	----	----	0.779B/1.151A	----	1.428 +	0.394 .0853	----	----	----	----	12 UNCH
5200	----	----	----	1.015B/1.365A	----	1.713 +	0.459 .1003	----	----	----	----	1 UNCH
5950	----	----	----	2.044B/2.920A	----	3.154 +	0.608 .1702	----	----	----	----	1 UNCH
6425	3.801	3.801	3.801/3.801	3.801/3.801	----	4.429	NEW .2257	----	----	1	----	1 + 1
6700	----	----	----	4.287B/5.356A	----	5.316 +	0.465 .2613	----	----	----	----	50 UNCH
7000	----	----	----	5.512B/6.638A	----	6.418 +	0.316 .3027	----	----	----	----	41 UNCH
7025	----	----	----	5.623B/6.767A	----	6.517 +	0.302 .3063	----	----	----	----	6 UNCH
7400	----	----	----	7.440B/8.596A	----	8.120 +	0.057 .3609	----	----	----	----	24 UNCH
7500	----	----	----	7.982B/9.115A	----	8.588 -	0.015 .3758	----	----	----	----	7 UNCH
7700	----	----	----	9.131B/10.217A	----	9.577 -	0.162 .4058	----	----	----	----	50 UNCH
8500	----	----	----	14.397B/15.286A	----	14.220 -	0.709 .5228	----	----	----	----	60 UNCH
9000	----	----	----	18.125B/18.860A	----	17.636 -	0.954 .5889	----	----	----	----	5 UNCH
9050	----	----	----	18.511B/19.243A	----	17.997 -	0.974 .5951	----	----	----	----	3 UNCH
10000	----	----	26.840B/----	26.840B/26.769A	----	25.414 -	1.170 .6964	----	----	----	----	1 UNCH
11000	----	----	----	34.516B/35.688A	----	34.079 -	1.098 .7707	----	----	----	----	1 UNCH
TOTAL										1	0	266 + 1
DEC26												
1500	----	----	----	----/0.050A	----	0.006 -	0.003 .0004	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/*0.080A	----	0.021 -	0.010 .0015	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.866A	----	0.043 -	0.018 .0033	----	----	----	----	32 UNCH
3000	----	----	----	0.002B/0.336A	----	0.085 -	0.032 .0066	----	----	----	----	93 UNCH
3100	----	----	----	0.002B/0.358A	----	0.096 -	0.037 .0075	----	----	----	----	1 UNCH
3150	----	----	----	0.002B/0.369A	----	0.108 -	0.040 .0083	----	----	----	----	1 UNCH
3500	----	----	----	0.058B/0.466A	----	0.208 -	0.066 .0152	----	----	----	----	45 UNCH
3850	----	----	----	0.151B/0.596A	----	0.313 -	0.090 .0228	----	----	----	----	1 UNCH
3925	----	----	----	0.177B/0.629A	----	0.340 -	0.096 .0247	----	----	----	----	1 UNCH
4000	----	----	----	0.205B/0.665A	----	0.368 -	0.102 .0267	----	----	----	----	75 UNCH
4500	----	----	----	0.473B/0.970A	----	0.631 -	0.152 .0448	----	----	----	----	35 UNCH
4600	----	----	----	0.548B/1.047A	----	0.700 -	0.163 .0495	----	----	----	----	4 UNCH
4800	----	----	----	0.734B/1.224A	----	0.856 -	0.187 .0598	----	----	----	----	241 UNCH
5000	----	----	----	0.964B/1.423A	----	1.056 -	0.202 .0723	----	----	----	----	378 UNCH
5250	----	----	----	1.330B/1.745A	----	1.410 -	0.179 .0923	----	----	----	----	50 UNCH
5300	----	----	----	1.414B/1.809A	----	1.490 -	0.174 .0966	----	----	----	----	250 UNCH
5400	----	----	----	1.595B/1.963A	----	1.659 -	0.166 .1057	----	----	----	----	100 UNCH
5500	----	----	----	1.719B/2.162A	----	1.842 -	0.158 .1152	----	----	----	----	229 UNCH
5600	----	----	----	1.495B/2.808A	----	2.039 -	0.151 .1252	----	----	----	----	8 UNCH
5650	----	----	----	1.621B/2.890A	----	2.143 -	0.148 .1303	----	----	----	----	12 UNCH
5800	----	----	----	2.030B/3.136A	----	2.479 -	0.140 .1465	----	----	----	----	2 UNCH
5950	----	----	----	2.383B/3.266A	----	2.853 -	0.133 .1638	----	----	----	----	5 UNCH
6000	----	----	----	2.506B/3.360A	----	2.986 -	0.131 .1697	----	----	----	----	135 UNCH
6200	----	----	----	3.057B/4.290A	----	3.565 -	0.123 .1945	----	----	----	----	13 UNCH
6300	----	----	----	3.364B/4.630A	----	3.882 -	0.121 .2074	----	----	----	----	25 UNCH
6500	----	----	----	4.500B/5.355A	----	4.575 -	0.116 .2341	----	----	----	----	737 UNCH
6650	----	----	----	4.615B/5.964A	----	5.146 -	0.114 .2547	----	----	----	----	5 UNCH
6725	----	----	----	4.912B/6.249A	----	5.447 -	0.114 .2652	----	----	----	----	4 UNCH
6750	----	----	----	5.014B/6.357A	----	5.550 -	0.114 .2687	----	----	----	----	6 UNCH
6800	----	----	----	5.216B/6.578A	----	5.760 -	0.114 .2757	----	----	----	----	79 UNCH
6850	----	----	----	5.427B/6.802A	----	5.974 -	0.114 .2828	----	----	----	----	78 UNCH
6900	----	----	----	5.641B/7.037A	----	6.193 -	0.115 .2899	----	----	----	----	1 UNCH
6950	----	----	----	5.862B/7.271A	----	6.416 -	0.117 .2970	----	----	----	----	121 UNCH
7000	----	----	----	6.083B/7.507A	----	6.645 -	0.118 .3041	----	----	----	----	230 UNCH
7075	----	----	----	6.430B/7.880A	----	6.996 -	0.120 .3148	----	----	----	----	20 UNCH
7100	----	----	----	6.548B/7.959A	----	7.115 -	0.122 .3183	----	----	----	----	2 UNCH
7200	----	----	----	7.032B/8.451A	----	7.605 -	0.125 .3326	----	----	----	----	14 UNCH
7250	----	----	----	7.308B/8.704A	----	7.856 -	0.128 .3397	----	----	----	----	48 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
7500	----	----	----	8.650B/10.001A	----	9.181 - 0.142	.3751	----	----	----	----	22 UNCH
7550	----	----	----	8.936B/10.251A	----	9.460 - 0.144	.3821	----	----	----	----	1 UNCH
7800	----	----	----	10.460B/11.698A	----	10.914 - 0.159	.4165	----	----	----	----	20 UNCH
7850	----	----	----	10.772B/11.993A	----	11.217 - 0.162	.4233	----	----	----	----	10 UNCH
7875	----	----	----	10.785B/12.284A	----	11.370 - 0.164	.4267	----	----	----	----	1 UNCH
7900	----	----	----	11.084B/12.261A	----	11.524 - 0.165	.4300	----	----	----	----	19 UNCH
8000	----	----	----	11.709B/12.880A	----	12.150 - 0.170	.4431	----	----	----	----	57 UNCH
8100	----	----	----	12.365B/13.533A	----	12.791 - 0.175	.4560	----	----	----	----	1 UNCH
8200	----	----	----	13.027B/14.172A	----	13.447 - 0.178	.4686	----	----	----	----	35 UNCH
8350	----	----	----	14.089B/15.157A	----	14.457 - 0.183	.4871	----	----	----	----	9 UNCH
8400	----	----	----	14.437B/15.500A	----	14.800 - 0.185	.4930	----	----	----	----	50 UNCH
8500	----	----	----	15.142B/16.189A	----	15.497 - 0.186	.5048	----	----	----	----	166 UNCH
8550	----	----	----	15.497B/16.535A	----	15.849 - 0.188	.5106	----	----	----	----	25 UNCH
8600	----	----	----	15.862B/16.883A	----	16.205 - 0.189	.5163	----	----	----	----	2 UNCH
8800	----	----	----	17.315B/18.300A	----	17.658 - 0.190	.5384	----	----	----	----	12 UNCH
8900	----	----	----	18.058B/19.001A	----	18.400 - 0.191	.5490	----	----	----	----	30 UNCH
9000	----	----	----	18.809B/19.770A	----	19.153 - 0.191	.5593	----	----	----	----	3 UNCH
9050	----	----	----	19.192B/20.121A	----	19.532 - 0.192	.5643	----	----	----	----	100 UNCH
9500	----	----	----	22.726B/23.587A	----	23.048 - 0.191	.6067	----	----	----	----	2 UNCH
9850	----	----	----	25.590B/26.373A	----	25.883 - 0.192	.6361	----	----	----	----	8 UNCH
9950	----	----	----	26.418B/27.186A	----	26.706 - 0.193	.6441	----	----	----	----	1 UNCH
10025	----	----	----	26.697B/28.180A	----	27.328 - 0.193	.6499	----	----	----	----	3 UNCH
10125	----	----	----	27.528B/29.012A	----	28.161 - 0.193	.6574	----	----	----	----	1 UNCH
10700	----	----	----	32.406B/33.847A	----	33.047 - 0.189	.6971	----	----	----	----	5 UNCH
10800	----	----	----	33.270B/34.557A	----	33.911 - 0.189	.7034	----	----	----	----	2 UNCH
11000	----	----	----	35.011B/36.462A	----	35.653 - 0.185	.7155	----	----	----	----	2 UNCH
11500	----	----	----	39.424B/40.869A	----	40.069 - 0.175	.7432	----	----	----	----	1 UNCH
12000	----	----	----	43.916B/45.342A	----	44.563 - 0.164	.7674	----	----	----	----	1 UNCH
12100	----	----	----	44.822B/46.240A	----	45.470 - 0.161	.7719	----	----	----	----	1 UNCH
12300	----	----	----	46.643B/48.069A	----	47.292 - 0.156	.7805	----	----	----	----	1 UNCH
15000	----	----	----	51.109B/94.671A	----	72.601 - 0.101	.8644	----	----	----	----	1 UNCH
19000	----	----	----	91.640B/132.217A	----	111.479 - 0.026	.9265	----	----	----	----	1 UNCH
TOTAL											0	3864 0
JAN27												
3800	----	----	----	0.138B/0.721A	----	0.317 - 0.010	.0222	----	----	----	----	1 UNCH
6500	----	----	----	4.278B/5.955A	----	5.181 - 0.017	.2354	----	----	----	----	1 UNCH
7000	----	----	----	6.445B/8.057A	----	7.215 - 0.091	.2989	----	----	2	----	35 UNCH
7100	----	----	----	6.922B/8.485A	----	7.661 - 0.122	.3118	----	----	----	----	20 UNCH
7125	----	----	----	6.914B/8.782A	----	7.775 - 0.130	.3151	----	----	----	----	1 UNCH
8600	----	----	----	16.134B/17.315A	----	16.686 - 0.073	.4946	----	----	----	----	1 UNCH
8850	----	----	----	17.976B/19.092A	----	18.498 - 0.034	.5201	----	----	1	----	9 - 1
TOTAL										3	0	68 - 1
FEB27												
6500	5.601	5.601	#5.601/*5.601	5.601/5.601	----	5.565 NEW	.2394	----	----	1	----	1 + 1
8150	----	----	----	13.649B/15.053A	----	14.238 - 0.160	.4395	----	----	----	----	10 UNCH
8225	----	----	----	13.838B/15.902A	----	14.721 - 0.167	.4478	----	----	----	----	10 UNCH
8250	----	----	----	14.309B/15.697A	----	14.884 - 0.169	.4506	----	----	----	----	10 UNCH
TOTAL										1	0	31 + 1
MAR27												
6500	----	----	----	5.174B/7.124A	----	5.964 - 0.210	.2430	----	----	----	----	20 UNCH
6825	----	----	----	6.592B/8.587A	----	7.286 - 0.296	.2812	----	----	----	----	2 UNCH
8100	----	----	----	13.605B/15.797A	----	14.429 - 0.303	.4300	----	----	----	----	6 UNCH
8300	----	----	----	14.912B/17.161A	----	15.783 - 0.265	.4508	----	----	----	----	50 UNCH
8500	----	----	----	16.259B/18.525A	----	17.187 - 0.221	.4705	----	----	----	----	3 UNCH
10500	----	----	----	31.640B/33.886A	----	33.300 + 0.496	.6153	----	----	----	----	10 UNCH
TOTAL											0	91 0
APR27												
4000	----	----	----	----	----	0.971 + 0.068	.0483	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	12.959 - 0.014	.3011	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
JUN26												
8000	2.490	2.490	3.012B/*2.231A	3.012B/*2.231A	----	2.590 NEW	.4117	----	----	10	----	10 + 10
8100	----	----	----/*2.011A	2.642B/*2.011A	----	2.265 - 0.453	.3717	----	----	----	----	110 UNCH
8600	1.400	1.400	1.500/*1.215A	1.500/*1.215A	----	1.172 NEW	.2142	----	----	2	----	1 + 1
9000	----	----	----/*0.811A	0.778B/*0.811A	----	0.716 - 0.242	.1364	----	----	----	----	110 UNCH
11500	----	----	----	0.027B/*0.192A	----	0.063 - 0.039	.0119	----	----	----	----	1 UNCH
TOTAL										12	0	232 + 11
SO1 PUT		SILVER OPTIONS										
JUN26												
6500	----	----	#0.747B/0.484A	#0.747B/0.484A	----	0.373 - 0.124	.0731	----	----	----	----	3 UNCH
TOTAL											0	3 0
SO3 CALL		SILVER OPTIONS										
MAY26												
7250	----	----	----	----	----	5.047 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	3.547 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	3.047 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	2.547 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	1.547 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.547 UNCH	----	----	----	----	----	0 UNCH
7720	----	----	----	----	----	0.347 UNCH	----	----	----	----	----	0 UNCH
7740	----	----	----	----	----	0.147 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.047 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7920	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8320	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8510	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8660	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
9000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
9100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
9320	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
9800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
SO3 PUT		SILVER OPTIONS										
MAY26												
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.453 UNCH	----	----	----	----	----	0 UNCH
7810	----	----	----	----	----	0.553 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.953 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	1.453 UNCH	----	----	----	----	----	0 UNCH
7920	----	----	----	----	----	1.653 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	1.953 UNCH	----	----	----	----	----	0 UNCH
7960	----	----	----	----	----	2.053 UNCH	----	----	----	----	----	0 UNCH
7970	----	----	----	----	----	2.153 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	2.453 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO3 PUT		SILVER OPTIONS												
MAY26														
8050	----	----	----	----	----	2.953	UNCH	----	----	----	----	----	0	UNCH
8100	----	----	----	----	----	3.453	UNCH	----	----	----	----	----	0	UNCH
8130	----	----	----	----	----	3.753	UNCH	----	----	----	----	----	0	UNCH
8150	----	----	----	----	----	3.953	UNCH	----	----	----	----	----	0	UNCH
8190	----	----	----	----	----	4.353	UNCH	----	----	----	----	----	0	UNCH
8200	----	----	----	----	----	4.453	UNCH	----	----	----	----	----	0	UNCH
8250	----	----	----	----	----	4.953	UNCH	----	----	----	----	----	0	UNCH
8300	----	----	----	----	----	5.453	UNCH	----	----	----	----	----	0	UNCH
8320	----	----	----	----	----	5.653	UNCH	----	----	----	----	----	0	UNCH
8350	----	----	----	----	----	5.953	UNCH	----	----	----	----	----	0	UNCH
8390	----	----	----	----	----	6.353	UNCH	----	----	----	----	----	0	UNCH
8400	----	----	----	----	----	6.453	UNCH	----	----	----	----	----	0	UNCH
8410	----	----	----	----	----	6.553	UNCH	----	----	----	----	----	0	UNCH
8440	----	----	----	----	----	6.853	UNCH	----	----	----	----	----	0	UNCH
8450	----	----	----	----	----	6.953	UNCH	----	----	----	----	----	0	UNCH
8460	----	----	----	----	----	7.053	UNCH	----	----	----	----	----	0	UNCH
8470	----	----	----	----	----	7.153	UNCH	----	----	----	----	----	0	UNCH
8480	----	----	----	----	----	7.253	UNCH	----	----	----	----	----	0	UNCH
8490	----	----	----	----	----	7.353	UNCH	----	----	----	----	----	0	UNCH
8500	----	----	----	----	----	7.453	UNCH	----	----	----	----	----	0	UNCH
8510	----	----	----	----	----	7.553	UNCH	----	----	----	----	----	0	UNCH
8550	----	----	----	----	----	7.953	UNCH	----	----	----	----	----	0	UNCH
8570	----	----	----	----	----	8.153	UNCH	----	----	----	----	----	0	UNCH
8600	----	----	----	----	----	8.453	UNCH	----	----	----	----	----	0	UNCH
8620	----	----	----	----	----	8.653	UNCH	----	----	----	----	----	0	UNCH
8630	----	----	----	----	----	8.753	UNCH	----	----	----	----	----	0	UNCH
8650	----	----	----	----	----	8.953	UNCH	----	----	----	----	----	0	UNCH
8700	----	----	----	----	----	9.453	UNCH	----	----	----	----	----	0	UNCH
8750	----	----	----	----	----	9.953	UNCH	----	----	----	----	----	0	UNCH
8760	----	----	----	----	----	10.053	UNCH	----	----	----	----	----	0	UNCH
8780	----	----	----	----	----	10.253	UNCH	----	----	----	----	----	0	UNCH
8800	----	----	----	----	----	10.453	UNCH	----	----	----	----	----	0	UNCH
8890	----	----	----	----	----	11.353	UNCH	----	----	----	----	----	0	UNCH
8950	----	----	----	----	----	11.953	UNCH	----	----	----	----	----	0	UNCH
TOTAL												0	0	0
SO4 CALL		SILVER OPTIONS												
MAY26														
7500	----	----	----/2.346A	2.757B/2.346A	----	3.439	- 0.475	.7186	----	----	1	----	2 +	1
7600	----	----	----/*1.929A	2.717B/*1.929A	----	2.776	- 0.504	.6389	----	----	----	----	1	UNCH
7700	2.050	2.050	2.050/*1.569A	2.681B/*1.569A	----	2.201	- 0.541	.5513	----	----	1	----	5 +	1
7800	1.371	1.371	2.211B/*1.336A	2.211B/*1.336A	----	1.709	- 0.560	.4613	----	----	20	----	21 +	18
7830	2.019	2.019	#2.028B/*2.019	#2.028B/*1.274A	----	1.577	NEW	.4345	----	----	3	----	3 +	3
7900	1.200	1.200	1.200/*1.118A	1.709B/*1.118A	----	1.300	- 0.561	.3738	----	----	1	----	4 +	1
7950	----	----	----/*1.042A	1.452B/*1.042A	----	1.125	- 0.555	.3323	----	----	----	----	2	UNCH
8000	1.229	1.229	1.278B/*0.820	1.278B/*0.820	----	0.970	- 0.544	.2933	----	----	6	----	8 +	3
8100	0.998	0.998	0.998/*0.660A	0.998/*0.660A	----	0.714	- 0.508	.2236	----	----	10	----	11 +	10
8200	----	----	----/*0.599A	0.688B/*0.599A	----	0.521	- 0.461	.1665	----	----	----	----	2	UNCH
8300	0.430	0.430	0.490B/*0.430	0.490B/*0.430	----	0.380	- 0.405	.1220	----	----	2	----	6 +	2
8500	----	----	----/*0.301A	0.240B/*0.301A	----	0.210	- 0.292	.0652	----	----	----	----	50	UNCH
8550	----	----	----/*0.290A	0.184B/*0.290A	----	0.184	- 0.265	.0562	----	----	----	----	27	UNCH
8600	----	----	----/*0.251A	0.166B/*0.251A	----	0.162	- 0.240	.0487	----	----	----	----	56	UNCH
8700	0.230	0.230	0.230/*0.203A	0.230/*0.203A	----	0.131	- 0.194	.0377	----	----	1	----	1	UNCH
8750	0.209	0.209	0.209/*0.195A	0.209/*0.195A	----	0.120	- 0.173	.0337	----	----	2	----	16	UNCH
8800	----	----	----/*0.181A	0.079B/*0.181A	----	0.110	- 0.154	.0301	----	----	----	----	8	UNCH
9000	----	----	----/0.160A	0.038B/0.160A	----	0.088	- 0.092	.0216	----	----	----	----	1	UNCH
9100	----	----	----/*0.142A	0.023B/*0.142A	----	0.082	- 0.068	.0191	----	----	----	----	3	UNCH
9200	----	----	----	0.007B/*0.135A	----	0.078	- 0.048	.0173	----	----	----	----	25	UNCH
9250	----	----	----	0.001B/*0.132A	----	0.077	- 0.039	.0166	----	----	----	----	20	UNCH
9300	----	----	----	0.001B/*0.129A	----	0.068	- 0.036	.0144	----	----	----	----	25	UNCH
9400	----	----	----	0.001B/*0.125A	----	0.052	- 0.032	.0107	----	----	----	----	10	UNCH
9500	----	----	----	0.001B/*0.122A	----	0.041	- 0.027	.0082	----	----	----	----	41	UNCH
9800	----	----	----	0.001B/*0.123A	----	0.019	- 0.017	.0034	----	----	----	----	1	UNCH
10000	----	----	----	----/0.130A	----	0.011	- 0.013	.0018	----	----	----	----	5	UNCH
10500	----	----	----	----/0.146A	----	0.003	- 0.006	.0004	----	----	----	----	3	UNCH
TOTAL											47	0	357 +	39
SO4 PUT		SILVER OPTIONS												
MAY26														
5500	0.030	0.030	0.030/*0.024	0.030/*0.024	----	0.002	NEW	.0002	----	----	10	----	5 +	5
6000	0.071	0.071	0.071/*0.071	0.071/*0.071	----	0.007	NEW	.0011	----	----	1	----	1 +	1
6600	----	----	0.267B/*0.174A	0.267B/0.174A	----	0.058	- 0.125	.0135	----	----	----	----	1	UNCH
6750	0.290	0.290	0.409B/*0.192A	0.409B/0.192A	----	0.095	NEW	.0238	----	----	1	----	1 +	1
6800	0.520	0.520	0.520/*0.205A	0.520/0.205A	----	0.112	NEW	.0287	----	----	1	----	1 +	1
6900	----	----	0.641B/0.247A	0.641B/0.247A	----	0.155	- 0.199	.0414	----	----	----	----	2	UNCH
7000	0.425	0.425	0.811B/0.240	0.811B/0.240	----	0.213	- 0.230	.0589	----	----	5	----	11 +	3
7200	1.000	1.000	1.381B/0.475	1.381B/0.475	----	0.402	- 0.294	.1159	----	----	3	----	4 +	2
7250	1.000	1.000	1.538B/0.568A	1.538B/0.568A	----	0.470	- 0.309	.1360	----	----	3	----	6 +	1
7300	----	----	1.741B/0.585A	1.741B/0.585A	----	0.548	- 0.325	.1589	----	----	----	----	2	UNCH
7350	----	----	1.899B/0.730A	1.899B/0.730A	----	0.639	- 0.338	.1849	----	----	----	----	1	UNCH
7400	0.700	0.700	2.167B/0.650	2.167B/0.650	----	0.743	- 0.351	.2140	----	----	3	----	1 +	1
7450	----	----	2.378B/0.940A	2.378B/0.940A	----	0.861	- 0.363	.2461	----	----	----	----	1	UNCH
7500	----	----	2.653B/1.021A	2.653B/1.021A	----	0.996	- 0.372	.2813	----	----	1	----	3	UNCH
7600	----	----	3.224B/1.309A	3.224B/1.309A	----	1.332	- 0.402	.3610	----	----	----	----	3	UNCH
7700	1.827	1.827	3.218B/1.658A	3.218B/1.658A	----	1.757	- 0.438	.4486	----	----	1	----	7 +	1
7750	----	----	3.162B/1.876A	3.162B/1.876A	----	2.001	- 0.449	.4936	----	----	----	----	10	UNCH
7760	1.873	1.873	#2.384/*1.873	#3.121B/*1.873	----	2.052	NEW	.5026	----	----	2	----	0	UNCH
7800	2.082	2.082	2.951B/2.082	2.951B/2.082	----	2.265	- 0.457	.5386	----	----	3	----	4 +	1
7820	2.069	2.069	#2.069/*2.039	#2.924B/*2.039	----	2.376	NEW	.5565	----	----	8	----	8 +	8
7900	----	----	----/2.601A	2.847B/2.601A	----	2.855	- 0.458	.6261	----	----	----	----	5	UNCH
8000	----	----	----	0.029B/9.570A	----	3.525	- 0.440	.7066	----	----	----	----	1	UNCH
8200	----	----	----	----/40.877A	----	5.075	- 0.357	.8334	----	----	----	----	3	UNCH
8250	----	----	----	----/42.589A	----	5.499	- 0.329	.8574	----	----	----	----	1	UNCH
8400	----	----	----	----/46.774A	----	6.833	- 0.243	.9112	----	----	----	----	0	UNCH
8480	----	----	----	----/*48.500A	----	7.575	NEW	.9306	----	----	1	----	1 +	1
8500	9.950	9.950	#9.950/9.950	#9.950/9.950	----	7.763	- 0.187	.9347	----	----	2	----	1	UNCH
8600	----	----	#10.697B/----	#10.697B/10.407A	----	8.716	- 0.134	.9512	----	----	----	----	1	UNCH
8700	----	----	11.059B/----	11.059B/13.254A	----	9.684	- 0.088	.9622	----	----	----	----	1	UNCH
TOTAL											45	0	86 +	26
SO5 CALL		SILVER OPTIONS												
MAY26														
7900	2.200	2.200	2.200/1.796A	2.626B/1.796A	----	2.232	NEW	.4305	----	----	1	----	1 +	1
8200	----	----	----/1.204A	1.529B/1.204A	----	1.299	- 0.430	.2822	----	----	----	----	1	UNCH
8300	----	----	----/1.059A	1.263B/1.059A	----	1.076	- 0.401	.2412	----	----	----	----	1	UNCH
8400	----	----	----/0.936A	1.041B/0.936A	----	0.890	- 0.371	.2049	----	----	----	----	2	UNCH
8600	0.755	0.755	0.755/*0.692A	0.755/*0.692A	----	0.611	- 0.309	.1464	----	----	2	----	3 +	1
8700	----	----	----/*0.615A	0.573B/*0.615A	----	0.508	- 0.280	.1234	----	----	----	----	2	UNCH
8800	----	----	----/*0.529A	0.468B/*0.529A	----	0.425	- 0.254	.1041	----	----	----	----	2	UNCH
8900	----	----	----/*0.458A	0.384B/*0.458A	----	0.359	- 0.228	.0883	----	----	----	----	0	UNCH
9200	----	----	----/*0.308A	0.216B/*0.308A	----	0.227	- 0.168	.0555	----	----	----	----	0	UNCH
9500	----	----	----/*0.233A	0.126B/*0.233A	----	0.156	- 0.125	.0371	----	----	----	----	1	UNCH
TOTAL											3	0	13 +	2
SO5 PUT		SILVER OPTIONS												
MAY26														
6700	0.350	0.350	#0.739B/0.350	0.739B/0.350	----	0.287	- 0.193	.0675	----	----	11	----	30 +	10
6900	----	----	#1.151B/0.573A	1.151B/0.573A	----	0.474	- 0.248	.1083	----	----	----	----	2	UNCH
7000	----	----	1.390B/0.695A	1.390B/0.695A	----	0.602	- 0.276	.1350	----	----	----	----	2	UNCH
7200	0.950	0.950	#2.075B/0.950	2.075B/0.950	----	0.952	NEW	.2033	----	----	1	----	1 +	1
7300	----	----	#2.479B/1.236A	2.479B/1.236A	----	1.185	- 0.354	.2453	----	----	----	----	1	UNCH
7400	----	----	#2.926B/1.494A	2.926B/1.494A	----	1.462	- 0.374	.2922	----	----	----	----	1	UNCH
8000	----	----	----/4.117A	4.101B/4.117A	----	4.426	- 0.374	.6224	----	----	----	----	2	UNCH
8300	----	----	----	----/20.419A	----	6.627	- 0.297	.7587	----	----	----	----	2	UNCH
8400	----	----	----	----/22.277A	----	7.440	- 0.266	.7949	----	----	----	----	5	UNCH
8500	----	----	----	----/24.013A	----	8.286	- 0.235	.8264	----	----	----	----	4	UNCH
TOTAL											12	0	50 +	11
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK												
MAY26														
6100	0.035	0.035	0.037/*0.035	0.037/*0.035	----	0.001	NEW	----	----	----	5	----	5 +	5
6400	----	----	0.048B/----	0.048B/0.118A	----	0.001	- 0.011	.0000	----	----	----	----	1	UNCH
6750	----	----	0.185B/----	0.185B/*0.119A	----	0.005	- 0.055	.0005	----	----	----	----	1	UNCH
6800	----	----	0.250B/----	0.250B/*0.118A	----	0.008	- 0.066	.0010	----	----	----	----	4	UNCH
6850	----	----	0.278B/----	0.278B/0.124A	----	0.011	- 0.079	.0016	----	----	----	----	1	UNCH
6850	----	----	0.825B/0.411A	0.825B/0.411A	----	0.281	- 0.220	.0731	----	----	----	----	1	UNCH
6900	0.480	0.480	0.480/*0.145A	0.480/0.145A	----	0.015	- 0.094	.0025	----	----	2	----	14	UNCH
6950	----	----	0.401B/----	0.401B/0.150A	----	0.022	- 0.110	.0042	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
7000	0.470	0.470	0.506B/*0.120	0.506B/*0.120	----	0.030 -	0.130 .0063	----	----	15	----	19 + 14
7200	0.200	0.200	0.965B/*0.200	0.965B/0.200	----	0.104 -	0.231 .0310	----	----	1	----	2 + 1
7200	0.790	0.790	1.826B/0.790	1.826B/0.790	----	0.716	NEW .1759	----	----	1	----	1 + 1
7250	----	----	1.090B/0.280A	1.090B/0.280A	----	0.139	NEW .0441	----	----	1	----	1 + 1
7300	0.330	0.330	1.287B/0.310A	1.287B/0.310A	----	0.185	NEW .0619	----	----	3	----	3 + 3
7350	----	----	1.436B/0.370A	1.436B/0.370A	----	0.242	NEW .0848	----	----	1	----	1 + 1
7400	----	----	1.672B/0.414A	1.672B/0.414A	----	0.314	NEW .1139	----	----	2	----	2 + 2
7450	1.000	1.000	1.882B/0.490	1.882B/0.490	----	0.403	NEW .1499	----	----	2	----	1 + 1
7500	----	----	2.162B/0.515A	2.162B/0.515A	----	0.512 -	0.410 .1932	----	----	----	----	1 UNCH
7600	0.782	0.782	2.554B/0.782	2.554B/0.782	----	0.809 -	0.454 .3024	----	----	4	----	4 + 3
7700	----	----	2.463B/1.050A	2.463B/1.050A	----	1.222 -	0.475 .4323	----	----	----	----	3 UNCH
7700	----	----	----/*1.144A	1.995B/*1.144A	----	1.666 -	0.578 .5676	----	----	----	----	5 UNCH
7750	----	----	----/*1.038A	1.858B/*1.038A	----	1.413 -	0.579 .5000	----	----	----	----	2 UNCH
7750	----	----	2.228B/1.300A	2.228B/1.300A	----	1.469 -	0.476 .4999	----	----	----	----	1 UNCH
7800	----	----	2.269B/1.495A	2.269B/1.495A	----	1.745 -	0.468 .5668	----	----	----	----	2 UNCH
7800	1.600	1.600	1.600/*0.895A	1.600/*0.895A	----	1.189	NEW .4332	----	----	2	----	0 UNCH
7880	----	----	----/*0.767A	1.154B/*0.767A	----	0.884 -	0.546 .3322	----	----	----	----	100 UNCH
7900	1.750	1.750	1.750/1.494A	2.271B/1.494A	----	1.860	NEW .4143	----	----	1	----	1 + 1
7900	----	----	----/1.999A	1.843B/1.999A	----	2.374	NEW .6911	----	----	2	----	2 + 2
7900	0.600	0.600	0.600/*0.600	1.086B/*0.600	----	0.818	NEW .3088	----	----	1	----	1 + 1
7930	----	----	----/*0.682A	0.952B/*0.682A	----	0.726 -	0.522 .2752	----	----	----	----	100 UNCH
8000	0.400	0.400	0.400/*0.400	0.728B/*0.400	----	0.543 -	0.480 .2054	----	----	2	----	11 + 1
8100	0.280	0.280	0.300/*0.280	0.438B/*0.280	----	0.347	NEW .1273	----	----	2	----	2 + 2
8100	----	----	----	----/17.073A	----	4.762 -	0.322 .7031	----	----	----	----	1 UNCH
8200	----	----	----	----	----	4.769 -	0.232 .9264	----	----	----	----	2 UNCH
8300	0.295	0.295	0.295/*0.213A	0.295/*0.213A	----	0.126 -	0.265 .0396	----	----	1	----	3 + 1
8320	----	----	----/*0.212A	0.110B/*0.212A	----	0.113 -	0.252 .0347	----	----	----	----	1 UNCH
8400	0.598	0.598	0.598/*0.598	0.754B/*0.598	----	0.625	NEW .1673	----	----	1	----	1 + 1
8400	----	----	#6.828B/----	#6.828B/7.463A	----	6.628 -	0.095 .9800	----	----	----	----	1 UNCH
8500	----	----	----/*0.148A	0.037B/*0.148A	----	0.039 -	0.147 .0092	----	----	----	----	1 UNCH
8650	----	----	----/*0.467A	0.389B/*0.467A	----	0.367 -	0.120 .1012	----	----	----	----	1 UNCH
8700	----	----	0.088B/----	0.088B/*0.121A	----	0.010 -	0.069 .0016	----	----	----	----	1 UNCH
8710	----	----	----	0.001B/0.120A	----	0.009 -	0.066 .0014	----	----	----	----	1 UNCH
8800	----	----	----	----/29.645A	----	10.818 +	0.039 .9251	----	----	----	----	1 UNCH
8800	----	----	----	0.001B/*0.117A	----	0.005 -	0.045 .0006	----	----	----	----	10 UNCH
8850	----	----	----	0.001B/*0.117A	----	0.003 -	0.037 .0003	----	----	----	----	40 UNCH
9000	----	----	----	0.001B/*0.120A	----	0.001 -	0.019 .0000	----	----	----	----	2 UNCH
9050	----	----	----	0.001B/*0.117A	----	0.001 -	0.015 .0000	----	----	----	----	3 UNCH
9100	----	----	----	0.001B/*0.117A	----	0.001 -	0.012 .0000	----	----	----	----	8 UNCH
9200	----	----	----	----/0.129A	----	0.001 -	0.008 ----	----	----	----	----	11 UNCH
9300	----	----	0.009B/----	0.009B/0.142A	----	0.001 -	0.005 ----	----	----	----	----	2 UNCH
9500	----	----	----	----/0.142A	----	0.001 -	0.002 ----	----	----	----	----	1 UNCH
10000	----	----	----	----/0.195A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
11000	----	----	----	----/0.255A	----	0.001	UNCH ----	----	----	----	----	17 UNCH
11000	----	----	----	----/0.130A	----	0.002 -	0.003 .0004	----	----	----	----	3 UNCH
TOTAL										49	0	405 + 41
JUN26												
8100	----	----	----/5.581A	4.498B/5.581A	----	5.547 -	0.350 .6425	----	----	----	----	4 UNCH
8500	----	----	----/*1.137A	1.272B/*1.137A	----	1.080 -	0.368 .2159	----	----	----	----	4 UNCH
9750	----	----	----/*0.316A	0.183B/*0.316A	----	0.225 -	0.141 .0474	----	----	----	----	5 UNCH
TOTAL											0	13 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
MAY26												
7000	0.069	0.069	0.289B/*0.069	0.289B/*0.069	----	0.011 -	0.082 .0004	----	----	1	----	21 + 1
7150	----	----	0.528B/*0.121A	0.528B/*0.121A	----	0.038	NEW .0039	----	----	2	----	1 + 1
7200	0.120	0.120	0.665B/*0.040	0.665B/*0.040	----	0.056 -	0.179 .0073	----	----	14	----	11 + 8
7250	----	----	0.769B/*0.147A	0.769B/0.147A	----	0.071 -	0.221 .0112	----	----	2	----	2 + 1
7300	----	----	0.964B/0.155A	0.964B/0.155A	----	0.091 -	0.270 .0173	----	----	2	----	1 UNCH
7390	----	----	----	#1.271B/*0.220A	----	0.145	NEW .0379	----	----	1	----	1 + 1
7400	0.600	0.600	1.330B/*0.213A	1.330B/0.213A	----	0.153	NEW .0413	----	----	7	----	5 + 5
7450	----	----	1.541B/0.264A	1.541B/0.264A	----	0.200 -	0.451 .0634	----	----	----	----	1 UNCH
7490	----	----	----	#1.742B/*0.298A	----	0.249	NEW .0887	----	----	1	----	1 + 1
7500	0.448	0.448	1.829B/0.301A	1.829B/0.301A	----	0.263	NEW .0963	----	----	1	----	1 + 1
7500	1.660	1.660	1.855B/*1.640A	1.855B/*1.640A	----	2.707	NEW .9036	----	----	1	----	1 + 1
7550	----	----	----/*1.447A	1.735B/*1.447A	----	2.291 -	0.688 .8561	----	----	----	----	0 UNCH
7600	----	----	1.975B/0.453A	1.975B/0.453A	----	0.459	NEW .2094	----	----	1	----	1 + 1
7700	1.150	1.150	1.150/*0.904A	1.553B/*0.904A	----	1.234	NEW .6036	----	----	122	----	122 + 122
7700	0.740	0.740	1.791B/0.712A	1.791B/0.712A	----	0.790	NEW .3963	----	----	5	----	5 + 5
7730	----	----	----/*0.858A	1.416B/*0.858A	----	1.066 -	0.810 .5371	----	----	----	----	1 UNCH
7740	1.000	1.000	1.793B/*0.872A	1.793B/0.872A	----	0.970	NEW .4854	----	----	3	----	3 + 3
7750	0.870	0.870	1.103/*0.813A	1.394B/*0.813A	----	0.964	NEW .4918	----	----	8	----	3 + 3
7750	0.749	0.749	1.769B/0.749	1.769B/0.749	----	1.020	NEW .5081	----	----	10	----	10 + 10
7800	0.755	0.755	1.000/*0.681A	1.217B/*0.681A	----	0.740 -	0.785 .3803	----	----	5	----	5 + 2
7850	----	----	----/1.330A	1.364B/1.330A	----	1.616 -	0.638 .7204	----	----	----	----	1 UNCH
7850	0.536	0.536	0.536/*0.501	0.920B/*0.501	----	0.560	NEW .2796	----	----	12	----	12 + 12
7900	----	----	----/1.567A	1.175B/1.567A	----	1.975 -	0.579 .8038	----	----	----	----	4 UNCH
7900	0.500	0.500	0.799B/*0.422A	0.799B/*0.422A	----	0.419 -	0.682 .1961	----	----	14	----	15 + 4
7920	----	----	----/*0.416A	0.610B/*0.416A	----	0.373	NEW .1684	----	----	1	----	1 + 1
7950	----	----	----	----	----	2.368	NEW .8675	----	----	2	----	2 + 2
7950	0.679	0.679	0.679/*0.260	0.679/*0.260	----	0.312	NEW .1324	----	----	12	----	5 + 5
8000	0.428	0.428	0.600/*0.200	0.600/*0.200	----	0.232 -	0.535 .0868	----	----	15	----	50 UNCH
8000	----	----	----	----	----	2.788 -	0.431 .9131	----	----	----	----	1 UNCH
8050	0.410	0.410	0.410/*0.190	0.410/*0.190	----	0.173	NEW .0558	----	----	2	----	2 + 2
8100	0.290	0.290	0.290/*0.194A	0.290/*0.194A	----	0.130	NEW .0355	----	----	1	----	1 + 1
8110	0.140	0.140	#0.140/*0.140	0.140/*0.140	----	0.123	NEW .0324	----	----	1	----	1 + 1
8130	0.230	0.230	#0.230/*0.193A	0.230/*0.193A	----	0.109	NEW .0267	----	----	1	----	1 + 1
8150	----	----	----/*0.179A	0.075B/*0.179A	----	0.098	NEW .0224	----	----	1	----	1 + 1
8200	----	----	----/*0.142A	0.051B/*0.142A	----	0.074 -	0.259 .0140	----	----	----	----	1 UNCH
8250	----	----	----/*0.131A	0.165B/*0.131A	----	0.057	NEW .0089	----	----	1	----	1 + 1
8300	----	----	----	4.077B/7.397A	----	5.594 -	0.068 .9953	----	----	----	----	1 UNCH
8400	----	----	----/*0.119A	0.001B/*0.119A	----	0.016 -	0.115 .0011	----	----	----	----	2 UNCH
8500	----	----	----	0.001B/*0.125A	----	0.007 -	0.072 .0002	----	----	----	----	1 UNCH
8560	----	----	----	0.001B/*0.124A	----	0.004 -	0.053 .0001	----	----	----	----	1 UNCH
8630	----	----	----	0.001B/*0.119A	----	0.002 -	0.037 .0000	----	----	----	----	2 UNCH
8660	----	----	----	0.001B/0.119A	----	0.001 -	0.032 .0000	----	----	----	----	1 UNCH
8700	----	----	----	----	----	9.557 +	0.080 .0000	----	----	----	----	4 UNCH
8700	----	----	----	0.001B/0.119A	----	0.001 -	0.025 ----	----	----	----	----	4 UNCH
8900	----	----	----	----/0.144A	----	0.001 -	0.007 ----	----	----	----	----	1 UNCH
9000	----	----	----	----/0.145A	----	0.001 -	0.003 ----	----	----	----	----	1 UNCH
9100	----	----	----	----/0.145A	----	0.001 -	0.001 ----	----	----	----	----	3 UNCH
9300	----	----	----	----/0.176A	----	0.001	UNCH ----	----	----	----	----	3 UNCH
10000	----	----	----	----/0.247A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
TOTAL										249	0	321 + 197
JUN26												
6500	0.400	0.400	0.568B/0.357A	0.568B/0.357A	----	0.281 -	0.186 .0598	----	----	2	----	2 + 1
7100	----	----	1.918B/1.042A	1.918B/1.042A	----	1.013 -	0.325 .1937	----	----	----	----	2 UNCH
7700	----	----	#4.647B/*3.397A	4.647B/*3.397A	----	4.135 -	0.458 .5431	----	----	----	----	3 UNCH
7800	----	----	#5.916B/4.117A	#5.916B/4.117A	----	4.242 -	0.353 .4978	----	----	----	----	1 UNCH
8000	----	----	----/4.497A	4.547B/4.497A	----	4.707 -	0.306 .6067	----	----	----	----	9 UNCH
8000	----	----	----/1.862A	2.537B/1.862A	----	2.155 -	0.409 .3932	----	----	----	----	4 UNCH
8100	----	----	----/*2.261A	2.901B/*2.261A	----	2.580 -	0.427 .3864	----	----	----	----	8 UNCH
8200	----	----	----/1.472A	1.849B/1.472A	----	1.551 -	0.349 .3051	----	----	----	----	4 UNCH
8500	----	----	----/*1.561A	1.781B/*1.561A	----	1.580 -	0.350 .2605	----	----	----	----	8 UNCH
8800	----	----	----/*0.747A	0.676B/0.747A	----	0.592 -	0.168 .1315	----	----	----	----	1 UNCH
9700	----	----	----/*0.542A	0.421B/*0.542A	----	0.434 -	0.128 .0789	----	----	----	----	11 UNCH
TOTAL										2	0	53 + 1

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
450	----	----	----	----/0.0070A	----	0.0000 -	0.0005 ----	----	----	----	----	0 - 4
600	----	----	----	----/*0.0045A	----	0.0000 -	0.0005 ----	----	----	----	----	0 - 1
600	----	----	0.3215B/0.2230A	0.3215B/0.2230A	----	0.3155 +	0.0200 ----	17	----	----	----	0 - 17
608	0.0045	0.0045	#0.0045/*0.0045	#0.0045/*0.0045	----	0.0000	NEW ----	----	----	1	----	0 UNCH
610	----	----	0.2215B/0.1315A	0.2215B/0.1315A	----	0.2155 +	0.0180 ----	1	----	----	----	0 - 1
615	0.0070	0.0070	0.0105B/*0.0045	0.0105B/*0.0045	----	0.0000 -	0.0065 ----	----	----	1	----	0 - 5
615	0.1585	0.1585	0.1715B/0.0920A	0.1715B/0.0920A	----	0.1655 +	0.0140 ----	5	----	1	----	0 - 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
618	0.0740	0.0740	#0.1415B/*0.068	0.1415B/*0.0680	----	0.1355 NEW	----	3	----	3	----	0 UNCH
620	----	----	0.1215B/0.0535A	0.1215B/0.0535A	----	0.1155 + 0.0060	----	1	----	----	----	0 - 1
621	----	----	#0.0320B/*0.006	#0.0320B/*0.006	----	0.0000 - 0.0165	----	----	----	----	----	0 - 1
622	----	----	#0.0370B/*0.006	#0.0370B/*0.006	----	0.0000 - 0.0185	----	----	----	2	----	0 - 3
625	----	----	0.0545B/*0.0050	0.0545B/*0.0050	----	0.0000 - 0.0265	----	----	----	----	----	0 - 5
627	0.0275	0.0275	#0.0680B/*0.007	#0.0680B/*0.007	----	0.0000 NEW	----	----	----	1	----	0 UNCH
628	0.0850	0.0850	#0.0850/*0.0005	#0.0850/*0.0005	----	0.0000 - 0.0375	----	----	----	1	----	0 - 2
628	0.0265	0.0265	0.0265/*0.0155A	0.0500B/*0.0155	----	0.0355 - 0.0170	----	2	----	1	----	0 - 3
629	0.0085	0.0085	#0.0835B/*0.000	#0.0835B/*0.000	----	0.0000 NEW	----	----	----	11	----	0 UNCH
630	0.0110	0.0110	0.0920B/*0.0075	0.0920B/*0.0075	----	0.0000 NEW	----	----	----	1	----	0 UNCH
630	0.0075	0.0075	0.0075/*0.0065	0.0370B/*0.0065	----	0.0155 - 0.0260	----	35	----	20	----	0 - 15
631	0.0100	0.0100	#0.1000B/*0.008	#0.1000B/*0.008	----	0.0000 NEW	----	----	----	2	----	0 UNCH
632	0.0060	0.0060	0.0060/*0.0060	0.0260B/*0.0060	----	0.0000 NEW	----	----	----	10	----	0 UNCH
634	----	----	----/*0.0070A	0.0165B/*0.0070	----	0.0000 - 0.0245	----	----	----	2	----	0 - 3
635	----	----	0.1365B/0.0295A	0.1365B/0.0295A	----	0.0345 - 0.0415	----	10	----	----	----	0 - 10
635	0.0040	0.0040	0.0050/*0.0005	0.0125B/*0.0005	----	0.0000 - 0.0215	----	----	----	8	----	0 - 6
637	0.0010	0.0010	0.0010/*0.0010	0.0060B/*0.0010	----	0.0000 NEW	----	----	----	2	----	0 UNCH
639	0.0010	0.0010	0.0010/*0.0010	0.0015B/*0.0010	----	0.0000 - 0.0115	----	----	----	2	----	0 - 1
640	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0000 - 0.0100	----	----	----	1	----	0 - 10
642	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0000 - 0.0075	----	----	----	3	----	0 - 3
643	----	----	----/*0.0045A	0.0005B/*0.0045	----	0.0000 - 0.0065	----	----	----	----	----	0 - 2
645	0.1600	0.1600	0.2330B/0.1285A	0.2330B/0.1285A	----	0.1345 - 0.0250	----	15	----	5	----	0 - 15
645	----	----	----	----/*0.0045A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 10
646	0.0020	0.0020	0.0020/*0.0010A	0.0020/*0.0010A	----	0.0000 - 0.0040	----	----	----	1	----	0 - 10
650	----	----	----	----/*0.0045A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 4
660	----	----	0.3820B/0.2785A	0.3820B/0.2785A	----	0.2845 - 0.0210	----	1	----	----	----	0 - 1
660	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0000 - 0.0005	----	----	----	5	----	0 - 9
665	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
675	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
678	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
700	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 15
TOTAL										84		0 - 173
JUN26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
500	----	----	----	----/0.0080A	----	0.0005 UNCH	.0022	----	----	----	----	5 UNCH
580	----	----	0.0350B/0.0270A	0.0350B/0.0270A	----	0.0235 - 0.0075	.1017	----	----	----	----	1 UNCH
595	----	----	0.0425B/0.0285A	0.0425B/0.0285A	----	0.0255 - 0.0095	.1301	----	----	----	----	1 UNCH
600	----	----	----/0.2820A	0.3340B/0.2820A	----	0.3475 + 0.0085	.8377	----	----	----	----	1 UNCH
630	----	----	0.1540B/0.1195A	0.1540B/0.1195A	----	0.1470 - 0.0035	.5288	----	----	----	----	1 UNCH
630	0.1985	0.1985	0.2235B/*0.1835	0.2235B/*0.1835	----	0.2115 NEW	.5278	----	----	7	----	7 + 7
635	0.2305	0.2305	#0.2895B/0.2220	#0.2895B/0.2220	----	0.2245 NEW	.5106	----	----	56	----	56 + 56
635	----	----	0.2565B/0.1910A	0.2565B/0.1910A	----	0.1930 - 0.0240	.5182	----	----	----	----	1 UNCH
640	0.0975	0.0975	0.1110B/0.0870A	0.1110B/0.0870A	----	0.1045 - 0.0060	.4139	----	----	2	----	6 UNCH
640	----	----	0.1800B/*0.1490	0.1800B/*0.1490	----	0.1700 - 0.0045	.4507	----	----	----	----	1 UNCH
650	----	----	#0.3940B/0.3200	#0.3940B/0.3200	----	0.3200 - 0.0245	.6195	----	----	----	----	3 UNCH
665	0.0350	0.0350	0.0350/0.0350	0.0460B/0.0350	----	0.0425 - 0.0055	.1956	----	----	25	----	14 - 11
675	----	----	----/0.0285A	0.0300B/0.0285A	----	0.0295 - 0.0040	.1404	----	----	----	----	1 UNCH
700	----	----	----/*0.0445A	0.0450B/*0.0445	----	0.0445 - 0.0020	.1449	----	----	----	----	29 UNCH
725	----	----	----	0.0020B/0.0095A	----	0.0050 - 0.0015	.0250	----	----	----	----	14 UNCH
775	----	----	----	0.0015B/0.0090A	----	0.0030 - 0.0010	.0130	----	----	----	----	1 UNCH
TOTAL										90		156 + 52
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/0.0085A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
595	----	----	0.3770B/0.2840A	0.3770B/0.2840A	----	0.3670 + 0.0155	.9901	----	----	----	----	1 UNCH
600	0.0120	0.0120	0.0120/*0.0115	0.0120/0.0115	----	0.0030 NEW	.0215	----	----	10	----	10 + 10
620	----	----	0.1200B/0.0725A	0.1200B/0.0725A	----	0.0720 - 0.0180	.3363	----	----	----	----	2 UNCH
635	----	----	0.1280B/0.0910A	0.1280B/0.0910A	----	0.0905 - 0.0300	.5825	----	----	----	----	1 UNCH
635	0.0530	0.0530	0.0530/0.0400A	0.0615B/0.0400A	----	0.0560 NEW	.4173	----	----	1	----	1 + 1
652	0.0100	0.0100	#0.0100/*0.0100	0.0170B/*0.0100	----	0.0125 NEW	.1027	----	----	10	----	10 + 10
662	0.0080	0.0080	#0.0080/*0.0080	0.0080/*0.0080	----	0.0045 NEW	.0337	----	----	3	----	3 + 3
670	----	----	----/*0.0255A	0.0265B/*0.0255	----	0.0260 - 0.0035	.1360	----	----	----	----	5 UNCH
690	----	----	----	----/0.0080A	----	0.0005 - 0.0010	.0004	----	----	----	----	25 UNCH
700	----	----	----	0.0040B/0.0110A	----	0.0075 - 0.0020	.0402	----	----	----	----	20 UNCH
725	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
TOTAL										24		89 + 24
JUN26												
630	----	----	#0.2135B/0.1500	#0.2135B/0.1500	----	0.1505 - 0.0235	.4715	----	----	----	----	8 UNCH
630	----	----	0.1755B/*0.1400	0.1755B/*0.1400	----	0.1660 - 0.0035	.5279	----	----	----	----	8 UNCH
TOTAL												16
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
590	----	----	----	----/*0.0080A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
610	0.0135	0.0135	0.0135/*0.0090A	0.0135/*0.0090A	----	0.0005 NEW	.0006	----	----	10	----	10 + 10
618	----	----	#0.0340B/*0.012	#0.0340B/*0.012	----	0.0040 - 0.0190	.0269	----	----	----	----	1 UNCH
620	----	----	0.0430B/*0.0100	0.0430B/*0.0100	----	0.0060 - 0.0220	.0493	----	----	----	----	1 UNCH
622	0.0135	0.0135	#0.0530B/*0.001	#0.0530B/*0.001	----	0.0085 NEW	.0826	----	----	22	----	20 + 20
624	0.0100	0.0100	#0.0640B/*0.008	#0.0640B/*0.008	----	0.0120 NEW	.1333	----	----	2	----	1 + 1
625	0.0380	0.0380	0.0700B/0.0180	0.0700B/0.0180	----	0.0145 - 0.0295	.1688	----	----	11	----	12 + 11
629	0.0330	0.0330	#0.0970B/*0.029	#0.0970B/0.0295	----	0.0275 NEW	.3538	----	----	1	----	1 + 1
630	----	----	0.1045B/0.0330A	0.1045B/0.0330A	----	0.0315 - 0.0340	.4086	----	----	----	----	7 UNCH
630	0.0320	0.0320	0.0320/0.0270A	0.0545B/0.0270A	----	0.0470 NEW	.5913	----	----	4	----	4 + 4
632	0.0315	0.0315	#0.1195B/*0.031	#0.1195B/0.0310	----	0.0410 NEW	.5239	----	----	3	----	3 + 3
635	0.0115	0.0115	0.0115/*0.0105	0.0305B/*0.0105	----	0.0230 NEW	.3050	----	----	10	----	10 + 10
637	0.0160	0.0160	0.0160/*0.0140A	0.0235B/*0.0140	----	0.0165 - 0.0145	.2084	----	----	1	----	2 - 1
640	0.0100	0.0100	0.0100/*0.0080	0.0150B/*0.0080	----	0.0095 NEW	.1031	----	----	14	----	14 + 14
650	----	----	0.2845B/0.1785A	0.2845B/0.1785A	----	0.1860 - 0.0280	.9942	----	----	----	----	1 UNCH
655	0.2850	0.2850	0.3335B/0.2275A	0.3335B/0.2275A	----	0.2350 - 0.0265	.9994	----	----	2	----	0 - 2
665	----	----	----	----/0.0075A	----	0.0005 - 0.0045	----	----	----	----	----	4 UNCH
680	----	----	----	----/0.0075A	----	0.0005 - 0.0010	----	----	----	----	----	0 UNCH
725	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
TOTAL										80		100 + 71
JUN26												
450	----	----	----	----/0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
550	----	----	#0.0170B/----	#0.0170B/0.0175	----	0.0105 - 0.0040	.0436	----	----	----	----	1 UNCH
590	----	----	#0.0800B/*0.059	#0.0800B/0.0590	----	0.0565 - 0.0130	.1872	----	----	----	----	1 UNCH
595	----	----	0.0720B/0.0505A	0.0720B/0.0505A	----	0.0480 - 0.0130	.1844	----	----	----	----	1 UNCH
600	0.0820	0.0820	0.0920/0.0610A	0.0920/0.0610A	----	0.0585 NEW	.2171	----	----	2	----	0 UNCH
615	----	----	0.1500B/0.1040A	0.1500B/0.1040A	----	0.1035 - 0.0205	.3361	----	----	----	----	1 UNCH
620	----	----	0.1760B/0.1240A	0.1760B/0.1240A	----	0.1235 - 0.0225	.3806	----	----	1	----	1 UNCH
635	0.2350	0.2350	#0.2935B/0.2280	#0.2935B/0.2280	----	0.2290 NEW	.5095	----	----	31	----	31 + 31
640	----	----	0.2980B/0.2290A	0.2980B/0.2290A	----	0.2305 - 0.0260	.5592	----	----	1	----	5 UNCH
670	0.0390	0.0390	0.0390/*0.0350	0.0425B/*0.0350	----	0.0405 NEW	.1791	----	----	5	----	5 + 5
670	----	----	----/0.0605A	0.0710B/0.0605A	----	0.0675 - 0.0040	.2335	----	----	----	----	107 UNCH
685	0.0220	0.0220	0.0220/*0.0220	0.0230B/*0.0220	----	0.0240 - 0.0030	.1109	----	----	1	----	3 + 1
750	----	----	----	----/0.0080A	----	0.0025 - 0.0005	.0122	----	----	----	----	10 UNCH
TOTAL										41		180 + 37
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
575	----	----	----	0.0065B/0.0120A	----	0.0055 - 0.0035	.0319	----	----	----	----	2 UNCH
585	----	----	----	----/0.0060A	----	0.0005 - 0.0005	.0000	----	----	----	----	13 UNCH
605	0.0125	0.0125	0.0125/*0.0085A	0.0125/0.0085A	----	0.0025 NEW	.0159	----	----	10	----	10 + 10
610	----	----	0.0200B/0.0100A	0.0200B/0.0100A	----	0.0045 - 0.0120	.0344	----	----	----	----	1 UNCH
619	----	----	#0.0515B/*0.021	#0.0515B/0.0210	----	0.0150 NEW	.1393	----	----	3	----	3 + 3
620	----	----	0.0565B/0.0230A	0.0565B/0.0230A	----	0.0170 - 0.0205	.1592	----	----	----	----	1 UNCH
630	----	----	----/0.0415A	0.0695B/0.0415A	----	0.0640 - 0.0085	.5574	----	----	----	----	35 UNCH
635	----	----	0.1060B/0.0780A	0.1060B/0.0780A	----	0.0985 - 0.0050	.4582	----	----	----	----	1 UNCH
635	----	----	----/0.0275A	0.0460B/0.0275A	----	0.0400 NEW	.3841	----	----	3	----	3 + 3
645	0.0105	0.0105	0.0105/*0.0080	0.0175B/*0.0080	----	0.0120 - 0.0115	.1175	----	----	10	----	10 + 10
650	----	----	0.2885B/0.1845A	0.2885B/0.1845A	----	0.1910 - 0.0295	.9429	----	----	----	----	1 UNCH
655	----	----	----/0.0360A	0.0455B/0.0360A	----	0.0415 - 0.0050	.2226	----	----	----	----	7 UNCH
660	----	----	----	0.0010B/*0.0070	----	0.0015 - 0.0050	.0092	----	----	----	----	6 UNCH
665	0.0255	0.0255	0.0255/*0.0220	0.0280B/*0.0220	----	0.0260 NEW	.1456	----	----	2	----	0 UNCH
TOTAL										28		98 + 26
JUN26												
465	----	----	----	----/0.0080A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
470	----	----	----	----/0.0080A	----	0.0005 UNCH	.0001	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
490	----	----	----	----/0.0080A	----	0.0005 UNCH	.0010	----	----	----	----	7 UNCH
500	----	----	----	----/0.0085A	----	0.0005 - 0.0005	.0023	----	----	----	----	1 UNCH
555	----	----	----	0.0060B/0.0110A	----	0.0065 - 0.0025	.0309	----	----	----	----	1 UNCH
595	----	----	----/0.3465A	0.3835B/0.3465A	----	0.3970 + 0.0100	.8511	----	----	----	----	5 UNCH
595	----	----	0.0510B/0.0350A	0.0510B/0.0350A	----	0.0320 - 0.0105	.1485	----	----	----	----	5 UNCH
600	----	----	----/0.2915A	0.3420B/0.2915A	----	0.3555 + 0.0080	.8177	----	----	----	----	1 UNCH
606	----	----	0.0850B/0.0545A	0.0850B/0.0545A	----	0.0530 - 0.0155	.2280	----	----	----	----	1 UNCH
610	----	----	0.2825B/0.2285A	0.2825B/0.2285A	----	0.2785 + 0.0035	.7361	----	----	----	----	8 UNCH
620	----	----	0.2155B/0.1735A	0.2155B/0.1735A	----	0.2130 - 0.0005	.6363	----	----	----	----	1 UNCH
636	----	----	0.2320B/0.1765A	0.2320B/0.1765A	----	0.1775 - 0.0250	.5352	----	----	----	----	1 UNCH
650	----	----	0.0920B/0.0745A	0.0920B/0.0745A	----	0.0860 - 0.0055	.3305	----	----	----	----	15 UNCH
650	0.1015	0.1015	0.1205B/*0.1015	0.1205B/*0.1015	----	0.1230 + 0.0030	.3691	----	----	1	----	0 - 1
660	----	----	----/0.0555A	0.0670B/0.0555A	----	0.0620 - 0.0060	.2518	----	----	----	----	8 UNCH
705	----	----	----/0.0170A	0.0125B/0.0170A	----	0.0140 - 0.0040	.0643	----	----	----	----	7 UNCH
710	----	----	----	0.0095B/0.0155A	----	0.0120 - 0.0035	.0553	----	----	1	----	2 UNCH
725	----	----	----	0.0050B/0.0115A	----	0.0075 - 0.0025	.0348	----	----	----	----	7 UNCH
750	----	----	----	----/0.0085A	----	0.0030 - 0.0020	.0143	----	----	2	----	4 UNCH
800	----	----	----	----/0.0085A	----	0.0005 - 0.0005	.0024	----	----	1	----	2 UNCH
TOTAL										5		90 - 1
JUL26												
460	----	----	----	----/0.0105A	----	0.0015 - 0.0005	.0049	----	----	----	----	23 UNCH
565	----	----	----/0.0450A	0.0445B/0.0450A	----	0.0380 NEW	.1101	----	----	6	----	6 + 6
568	----	----	----/0.0490A	0.0495B/0.0490A	----	0.0420 NEW	.1198	----	----	6	----	6 + 6
581	----	----	0.0750B/0.0685A	0.0750B/0.0685A	----	0.0615 - 0.0130	.1659	----	----	----	----	1 UNCH
585	----	----	----	----	----	0.5930 + 0.0065	.8164	----	----	----	----	6 UNCH
585	----	----	0.0845B/0.0760A	0.0845B/0.0760A	----	0.0690 - 0.0140	.1825	----	----	----	----	6 UNCH
600	----	----	0.4845B/0.4215A	0.4845B/0.4215A	----	0.4790 + 0.0025	.7450	----	----	----	----	12 UNCH
611	----	----	0.1760B/0.1455A	0.1760B/0.1455A	----	0.1395 - 0.0210	.3159	----	----	----	----	22 UNCH
612	----	----	----	----	----	0.3980 - 0.0010	.6772	----	----	----	----	5 UNCH
612	----	----	0.1805B/0.1490A	0.1805B/0.1490A	----	0.1430 - 0.0210	.3217	----	----	----	----	6 UNCH
613	----	----	0.1855B/0.1525A	0.1855B/0.1525A	----	0.1470 - 0.0210	.3278	----	----	----	----	3 UNCH
621	----	----	----/0.3075A	0.3385B/0.3075A	----	0.3450 - 0.0025	.6224	----	----	----	----	1 UNCH
625	----	----	0.3315B/0.2900A	0.3315B/0.2900A	----	0.3235 - 0.0035	.5975	----	----	----	----	22 UNCH
630	----	----	0.3060B/0.2690A	0.3060B/0.2690A	----	0.2985 - 0.0040	.5664	----	----	----	----	5 UNCH
650	----	----	0.2210B/0.1960A	0.2210B/0.1960A	----	0.2155 - 0.0040	.4475	----	----	----	----	5 UNCH
650	0.3950	0.3950	0.4050B/0.3410A	0.4050B/0.3410A	----	0.3390 - 0.0245	.5513	----	----	1	----	0 - 1
700	----	----	----/0.0900A	0.0920B/0.0900A	----	0.0945 - 0.0010	.2269	----	----	----	----	5 UNCH
710	----	----	----/*0.0780A	0.0770B/*0.0780	----	0.0795 - 0.0015	.1956	----	----	----	----	5 UNCH
TOTAL										13		139 + 11
AUG26												
599	----	----	----	----	----	0.5740 - 0.0055	.6947	----	----	----	----	10 UNCH
630	----	----	0.4150B/0.3715A	0.4150B/0.3715A	----	0.4070 - 0.0075	.5606	----	----	----	----	13 UNCH
630	----	----	0.3805B/0.3365A	0.3805B/0.3365A	----	0.3315 - 0.0280	.4375	----	----	----	----	15 UNCH
640	----	----	----/0.3340A	0.3705B/0.3340A	----	0.3635 - 0.0075	.5180	----	----	----	----	1 UNCH
650	----	----	----/0.3005A	0.3305B/0.3005A	----	0.3245 - 0.0070	.4769	----	----	----	----	16 UNCH
700	0.1620	0.1620	0.1620/0.1620	0.1825B/0.1620	----	0.1845 - 0.0025	.3050	----	----	1	----	0 - 1
750	----	----	----/0.1030A	0.1010B/0.1030A	----	0.1035 - 0.0005	.1872	----	----	----	----	2 UNCH
TOTAL										1		57 - 1
HX CALL		COMEX COPPER OPTIONS										
JUN26												
500	----	----	#1.3250B/1.2195	#1.3250B/1.2195	----	1.3170 + 0.0195	.9937	----	----	----	----	2 UNCH
510	----	----	#1.2255B/1.1200	#1.2255B/1.1200	----	1.2170 + 0.0190	.9932	----	----	1	----	1 UNCH
525	----	----	#1.0755B/0.9710	#1.0755B/0.9710	----	1.0675 + 0.0195	.9907	----	----	----	----	1 UNCH
535	----	----	#0.9760B/0.8715	#0.9760B/0.8715	----	0.9675 + 0.0190	.9898	----	----	----	----	2 UNCH
540	----	----	0.9280B/0.8220A	0.9280B/0.8220A	----	0.9175 + 0.0190	.9892	----	----	----	----	24 UNCH
545	----	----	0.8765B/0.7725A	0.8765B/0.7725A	----	0.8675 + 0.0190	.9887	----	----	----	----	2 UNCH
549	----	----	----	----	----	0.8275 + 0.0190	.9882	----	----	----	----	1 UNCH
550	----	----	0.8285B/0.7230A	0.8285B/0.7230A	----	0.8175 + 0.0190	.9880	----	----	----	----	5 UNCH
555	----	----	0.7770B/0.6735A	0.7770B/0.6735A	----	0.7680 + 0.0195	.9852	----	----	----	----	1 UNCH
556	----	----	----	----	----	0.7580 + 0.0190	.9850	----	----	----	----	1 UNCH
557	----	----	0.7385B/0.7185A	0.7385B/0.7185A	----	0.7480 + 0.0190	.9849	----	----	----	----	63 UNCH
559	----	----	----	----	----	0.7280 + 0.0190	.9845	----	----	----	----	4 UNCH
560	----	----	0.7285B/0.6245A	0.7285B/0.6245A	----	0.7180 + 0.0190	.9843	----	----	----	----	106 UNCH
562	----	----	----	----	----	0.6985 + 0.0195	.9817	----	----	----	----	1 UNCH
563	----	----	----	----	----	0.6885 + 0.0195	.9815	----	----	----	----	1 UNCH
565	----	----	0.6775B/0.5755A	0.6775B/0.5755A	----	0.6685 + 0.0195	.9810	----	----	----	----	2 UNCH
568	----	----	----	----	----	0.6390 + 0.0195	.9780	----	----	----	----	3 UNCH
569	----	----	----	----	----	0.6290 + 0.0195	.9777	----	----	----	----	2 UNCH
570	----	----	0.6290B/0.5275A	0.6290B/0.5275A	----	0.6190 + 0.0195	.9774	----	----	----	----	19 UNCH
574	----	----	----	----	----	0.5800 + 0.0195	.9737	----	----	----	----	3 UNCH
575	----	----	0.5805B/0.4790A	0.5805B/0.4790A	----	0.5700 + 0.0195	.9710	----	----	----	----	147 UNCH
579	----	----	----/0.4755A	0.3745B/0.4755A	----	0.5305 + 0.0185	.9668	----	----	----	----	3 UNCH
580	----	----	0.5305B/0.4310A	0.5305B/0.4310A	----	0.5210 + 0.0190	.9639	----	----	----	----	45 UNCH
581	----	----	----/0.4585A	0.3795B/0.4585A	----	0.5110 + 0.0185	.9634	----	----	----	----	1 UNCH
582	----	----	0.4910B/0.4475A	0.4910B/0.4475A	----	0.5015 + 0.0185	.9604	----	----	----	----	11 UNCH
583	----	----	----/0.4400A	0.3805B/0.4400A	----	0.4920 + 0.0185	.9598	----	----	----	----	1 UNCH
584	----	----	----/0.4290A	0.3825B/0.4290A	----	0.4820 + 0.0180	.9568	----	----	----	----	3 UNCH
585	----	----	0.4820B/0.3860A	0.4820B/0.3860A	----	0.4725 + 0.0180	.9538	----	----	----	----	11 UNCH
586	----	----	----/0.4125A	0.3840B/0.4125A	----	0.4630 + 0.0175	.9530	----	----	----	----	1 UNCH
587	----	----	----/0.4035A	0.3645B/0.4035A	----	0.4530 + 0.0170	.9498	----	----	----	----	3 UNCH
588	----	----	----/0.3945A	0.3555B/0.3945A	----	0.4435 + 0.0170	.9466	----	----	----	----	4 UNCH
589	----	----	----/0.3855A	0.3460B/0.3855A	----	0.4340 + 0.0165	.9434	----	----	----	----	1 UNCH
590	----	----	0.4335B/0.3405A	0.4335B/0.3405A	----	0.4245 + 0.0160	.9401	----	----	----	----	84 UNCH
591	----	----	0.4040B/0.3680A	0.4040B/0.3680A	----	0.4150 + 0.0160	.9368	----	----	----	----	10 UNCH
592	----	----	----/0.3595A	0.3760B/0.3595A	----	0.4055 + 0.0155	.9334	----	----	----	----	1 UNCH
593	----	----	----/0.3510A	0.3770B/0.3510A	----	0.3965 + 0.0155	.9299	----	----	----	----	2 UNCH
594	----	----	----/0.3425A	0.3615B/0.3425A	----	0.3870 + 0.0150	.9263	----	----	----	----	4 UNCH
595	----	----	0.3865B/0.2980A	0.3865B/0.2980A	----	0.3775 + 0.0140	.9205	----	----	----	----	128 UNCH
596	----	----	0.3570B/0.3255A	0.3570B/0.3255A	----	0.3685 + 0.0140	.9168	----	----	----	----	7 UNCH
597	----	----	----/0.3175A	0.3340B/0.3175A	----	0.3590 + 0.0130	.9109	----	----	----	----	1 UNCH
598	----	----	0.3385B/0.3080A	0.3385B/0.3080A	----	0.3500 + 0.0130	.9069	----	----	----	----	6 UNCH
599	----	----	----/0.3015A	0.3160B/0.3015A	----	0.3410 + 0.0125	.9009	----	----	----	----	4 UNCH
600	----	----	0.3420B/0.2585A	0.3420B/0.2585A	----	0.3320 + 0.0120	.8947	----	----	----	----	414 UNCH
601	----	----	----/0.2845A	0.2985B/0.2845A	----	0.3230 + 0.0115	.8885	----	----	----	----	1 UNCH
602	----	----	----/0.2780A	0.2895B/0.2780A	----	0.3140 + 0.0110	.8821	----	----	----	----	4 UNCH
603	----	----	----/0.2705A	0.2925B/0.2705A	----	0.3050 + 0.0105	.8738	----	----	----	----	10 UNCH
604	----	----	----/0.2630A	0.2830B/0.2630A	----	0.2965 + 0.0100	.8672	----	----	----	----	15 UNCH
605	----	----	0.2970B/0.2245A	0.2970B/0.2245A	----	0.2875 + 0.0095	.8587	----	----	----	----	212 UNCH
606	----	----	----/0.2485A	0.2650B/0.2485A	----	0.2790 + 0.0090	.8501	----	----	----	----	23 UNCH
607	----	----	----/0.2415A	0.2565B/0.2415A	----	0.2705 + 0.0085	.8414	----	----	----	----	61 UNCH
608	----	----	----/0.2220A	0.2480B/0.2220A	----	0.2625 + 0.0085	.8326	----	----	----	----	7 UNCH
609	----	----	----/0.2160A	0.2395B/0.2160A	----	0.2540 + 0.0080	.8237	----	----	----	----	11 UNCH
610	----	----	0.2540B/0.2070A	0.2540B/0.2070A	----	0.2460 + 0.0075	.8131	----	----	----	----	765 UNCH
611	----	----	----/0.1820A	0.2225B/0.1820A	----	0.2375 + 0.0070	.8024	----	----	----	----	9 UNCH
612	----	----	----/0.1760A	0.2145B/0.1760A	----	0.2300 + 0.0070	.7916	----	----	----	----	29 UNCH
613	----	----	----/0.1695A	0.2065B/0.1695A	----	0.2220 + 0.0060	.7807	----	----	----	----	56 UNCH
614	----	----	----/0.1635A	0.1985B/0.1635A	----	0.2145 + 0.0060	.7683	----	----	----	----	13 UNCH
615	----	----	0.2145B/0.1535A	0.2145B/0.1535A	----	0.2070 + 0.0055	.7559	----	----	----	----	228 UNCH
616	----	----	----/0.1480A	0.1830B/0.1480A	----	0.1995 + 0.0045	.7434	----	----	----	----	40 UNCH
617	----	----	----/0.1415A	0.1755B/0.1415A	----	0.1920 + 0.0040	.7307	----	----	----	----	19 UNCH
618	----	----	----/0.1380A	0.1685B/0.1380A	----	0.1850 + 0.0035	.7169	----	----	----	----	18 UNCH
619	----	----	----/0.1315A	0.1695B/0.1315A	----	0.1780 + 0.0030	.7030	----	----	----	----	19 UNCH
620	----	----	0.1770B/0.1245A	0.1770B/0.1245A	----	0.1710 + 0.0020	.6882	----	----	----	----	644 UNCH
621	----	----	0.1680B/0.1195A	0.1680B/0.1195A	----	0.1645 + 0.0015	.6742	----	----	----	----	30 UNCH
622	----	----	0.1615B/0.1140A	0.1615B/0.1140A	----	0.1580 + 0.0010	.6593	----	----	----	----	86 UNCH
623	----	----	0.1560B/0.1095A	0.1560B/0.1095A	----	0.1520 + 0.0010	.6437	----	----	----	----	31 UNCH
624	0.1165	0.1165	0.1510B/0.1045A	0.1510B/0.1045A	----	0.1455 UNCH	.6286	----	----	1	----	13 + 1
625	0.1120	0.1120	0.1470B/0.1005A	0.1470B/0.1005A	----	0.1395 - 0.0005	.6130	----	----	3	----	214 + 1
626	----	----	0.1420B/0.0960A	0.1420B/0.0960A	----	0.1340 - 0.0010	.5969	----	----	----	----	10 UNCH
627	0.0970	0.0970	0.1375B/0.0925A	0.1375B/0.0925A	----	0.1285 - 0.0015	.5809	----	----	2	----	29 - 2
628	----	----	0.1325B/0.0885A	0.1325B/0.0885A	----	0.1230 - 0.0020	.5649	----	----	----	----	23 UNCH
629	0.0955	0.0955	0.1270B/0.0845A	0.1270B/0.0845A	----	0.1175 - 0.0030	.5489	----	----	4	----	96 - 1
630	0.0900	0.0900	0.1220B/0.0810A	0.1220B/0.0810A	----	0.1125 - 0.0030	.5327	----	----	131	----	1059 - 81
631	----	----	0.1170B/0.0770A	0.1170B/0.0770A	----	0.1075 - 0.0035	.5166	----	----	----	----	140 UNCH
632	0.1025	0.1025	0.1125B/0.0740A	0.1125B/0.0740A	----	0.1030 - 0.0040	.5006	----	----	3	----	124 UNCH
635	----	----	0.0990B/0.0645A	0.0990B/0.0645A	----	0.0895 - 0.0055	.4529	----	----	1	----	380 - 1
639	----	----	0.0835B/0.0535A	0.0835B/0.0535A	----	0.0740 - 0.0065	.3919	----	----	----	----	60 UNCH
640	0.0565	0.0565	0.0795B/0.0510A	0.0795B/0.0510A	----	0.0705 - 0.0065	.3772	----	----	2	----	362 - 2
641	----	----	0.0760B/0.0485A	0.0760B/0.0485A	----	0.0675 - 0.0065	.3634	----	----	3	----	49 UNCH
644	0.0595	0.0595	0.0665B/0.0420A	0.0665B/0.0420A	----	0.0580 - 0.0070	.3218	----	----	2	----	20 - 1
645	----	----	0.0625B/0.0405A	0.0625B/0.0405A	----	0.0555 - 0.0065	.3094	----	----	----	----	138 UNCH
646	0.0410	0.0410	0.0600B/0.0385A	0.0600B/0.0385A	----	0.0530 - 0.0065	.2971	----	----	1	----	21 UNCH
649	----	----	----/*0.0325A	0.0515B/*0.0325	----	0.0455 - 0.0060	.2610	----	----	----	----	10 UNCH
650	0.0445	0.0445	0.0465/0.0310A	0.0490B/0.0310A	----	0.0435 - 0.0060	.2504	----	----	70	----	1153 + 2
651	----	----	----/*0.0295A	0.0470B/*0.0295	----	0.0415 - 0.0055	.2399	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
654	----	----	----/*0.0255A	0.0400B/*0.0255	----	0.0355 - 0.0055	.2091	----	----	3	----	61 - 2
655	----	----	----/0.0240A	0.0385B/0.0240A	----	0.0340 - 0.0050	.2004	----	----	10	----	1277 UNCH
656	----	----	----/*0.0230A	0.0365B/*0.0230	----	0.0325 - 0.0045	.1919	----	----	----	----	14 UNCH
659	----	----	----/*0.0195A	0.0310B/*0.0195	----	0.0280 - 0.0040	.1671	----	----	----	----	9 UNCH
660	0.0205	0.0205	0.0275/0.0190A	0.0295B/0.0190A	----	0.0265 - 0.0040	.1590	----	----	12	----	559 UNCH
661	----	----	----/*0.0175A	0.0280B/*0.0175	----	0.0250 - 0.0040	.1510	----	----	----	----	19 UNCH
665	----	----	----/0.0150A	0.0235B/0.0150A	----	0.0205 - 0.0035	.1248	----	----	3	----	268 UNCH
666	----	----	----/*0.0140A	0.0220B/*0.0140	----	0.0195 - 0.0035	.1189	----	----	----	----	38 UNCH
669	----	----	----/*0.0120A	0.0195B/*0.0120	----	0.0170 - 0.0030	.1036	----	----	----	----	19 UNCH
670	0.0145	0.0145	0.0145/0.0115A	0.0185B/0.0115A	----	0.0160 - 0.0030	.0980	----	----	151	----	1024 - 87
671	----	----	----/*0.0110A	0.0170B/*0.0110	----	0.0150 - 0.0035	.0924	----	----	----	----	9 UNCH
674	----	----	----/*0.0095A	0.0150B/*0.0095	----	0.0130 - 0.0030	.0800	----	----	----	----	12 UNCH
675	----	----	----/0.0090A	0.0145B/0.0090A	----	0.0125 - 0.0030	.0766	----	----	----	----	1231 UNCH
676	----	----	----/*0.0090A	0.0140B/*0.0090	----	0.0120 - 0.0030	.0734	----	----	----	----	20 UNCH
680	----	----	----/0.0080A	0.0115B/0.0080A	----	0.0095 - 0.0030	.0586	----	----	----	----	215 UNCH
684	----	----	----/*0.0070A	0.0090B/*0.0070	----	0.0080 - 0.0025	.0488	----	----	----	----	1 UNCH
685	----	----	----/0.0070A	0.0085B/0.0070A	----	0.0075 - 0.0030	.0459	----	----	1	----	504 UNCH
689	----	----	----/*0.0060A	0.0075B/*0.0060	----	0.0065 - 0.0025	.0391	----	----	----	----	15 UNCH
690	----	----	----/0.0060A	0.0070B/0.0060A	----	0.0060 - 0.0025	.0363	----	----	69	----	166 - 24
695	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0050 - 0.0020	.0296	----	----	----	----	76 UNCH
700	0.0040	0.0040	0.0040/0.0040	0.0045B/0.0040	----	0.0040 - 0.0020	.0234	----	----	1	----	1202 UNCH
705	0.0045	0.0045	0.0045/0.0040A	0.0045/0.0040A	----	0.0030 - 0.0020	.0175	----	----	1	----	573 - 1
710	0.0040	0.0040	0.0040/0.0025	0.0040/0.0025	----	0.0025 - 0.0020	.0142	----	----	13	----	110 UNCH
715	----	----	----/0.0035A	----/0.0035A	----	0.0020 - 0.0020	.0112	----	----	----	----	56 UNCH
720	----	----	----	----/0.0030A	----	0.0015 - 0.0015	.0083	----	----	----	----	126 UNCH
725	----	----	----	----/0.0030A	----	0.0015 - 0.0010	.0080	----	----	----	----	88 UNCH
730	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0053	----	----	----	----	32 UNCH
735	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0010 - 0.0005	.0051	----	----	3	----	41 UNCH
740	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0026	----	----	----	----	500 UNCH
745	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0018	----	----	----	----	1703 UNCH
750	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0012	----	----	----	----	194 UNCH
755	----	----	----	----/0.0030A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
760	----	----	----	----/0.0030A	----	0.0005 UNCH	.0005	----	----	----	----	6 UNCH
765	----	----	----	----/0.0030A	----	0.0005 UNCH	.0003	----	----	----	----	1512 UNCH
770	----	----	----	----/0.0035A	----	0.0005 UNCH	.0002	----	----	----	----	7 UNCH
775	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
780	----	----	----	----/0.0040A	----	0.0005 UNCH	.0001	----	----	----	----	278 UNCH
785	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
790	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	8 UNCH
795	----	----	----	----/0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	33 UNCH
800	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	152 UNCH
805	----	----	----	----/0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
810	----	----	----	----/0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
825	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
830	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
840	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
850	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
880	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
900	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
910	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
950	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
975	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										491		19598 - 198
JUL26												
500	----	----	1.3080B/1.2890A	1.3080B/1.2890A	----	1.3195 + 0.0190	.9790	----	----	----	----	10 UNCH
510	----	----	----	----	----	1.2210 NEW	.9737	----	----	1	----	1 + 1
520	----	----	----	----	----	1.1225 + 0.0175	.9680	----	----	----	----	2 UNCH
525	----	----	----	----	----	1.0740 + 0.0170	.9630	----	----	----	----	1 UNCH
530	----	----	1.0125B/0.9980A	1.0125B/0.9980A	----	1.0255 + 0.0165	.9579	----	----	----	----	6 UNCH
540	----	----	0.9160B/0.8550A	0.9160B/0.8550A	----	0.9300 + 0.0160	.9448	----	----	----	----	16 UNCH
545	----	----	----/0.8085A	0.8325B/0.8085A	----	0.8830 + 0.0155	.9356	----	----	----	----	1 UNCH
550	----	----	----/0.7630A	0.8205B/0.7630A	----	0.8360 + 0.0145	.9262	----	----	----	----	2 UNCH
555	----	----	0.7770B/0.7180A	0.7770B/0.7180A	----	0.7900 + 0.0135	.9144	----	----	----	----	116 UNCH
560	----	----	----/0.6725A	0.7295B/0.6725A	----	0.7445 + 0.0125	.9014	----	----	----	----	1 UNCH
570	----	----	0.6540B/0.5905A	0.6540B/0.5905A	----	0.6565 + 0.0105	.8698	----	----	----	----	157 UNCH
574	----	----	----/0.5585A	0.6090B/0.5585A	----	0.6225 + 0.0095	.8544	----	----	----	----	5 UNCH
575	----	----	----/0.5505A	0.6010B/0.5505A	----	0.6140 + 0.0095	.8505	----	----	----	----	19 UNCH
580	----	----	----/0.5125A	0.5595B/0.5125A	----	0.5725 + 0.0080	.8295	----	----	----	----	123 UNCH
585	----	----	0.5380B/0.4660A	0.5380B/0.4660A	----	0.5325 + 0.0070	.8061	----	----	----	----	318 UNCH
590	----	----	0.4895B/0.4310A	0.4895B/0.4310A	----	0.4935 + 0.0055	.7812	----	----	----	----	106 UNCH
591	----	----	----/0.4330A	0.4720B/0.4330A	----	0.4860 + 0.0050	.7758	----	----	----	----	3 UNCH
593	----	----	----/0.4200A	0.4570B/0.4200A	----	0.4715 + 0.0050	.7651	----	----	----	----	1 UNCH
594	----	----	----/0.4135A	0.4500B/0.4135A	----	0.4640 + 0.0045	.7597	----	----	----	----	2 UNCH
595	----	----	0.4630B/0.3980A	0.4630B/0.3980A	----	0.4565 + 0.0040	.7538	----	----	----	----	29 UNCH
597	----	----	----/0.3945A	0.4285B/0.3945A	----	0.4425 + 0.0040	.7425	----	----	----	----	1 UNCH
598	----	----	----/0.3880A	0.4215B/0.3880A	----	0.4355 + 0.0040	.7366	----	----	----	----	1 UNCH
599	----	----	----/0.3820A	0.4145B/0.3820A	----	0.4285 + 0.0035	.7307	----	----	----	----	2 UNCH
600	----	----	0.4290B/0.3670A	0.4290B/0.3670A	----	0.4215 + 0.0030	.7248	----	----	1	----	544 + 1
602	----	----	----/0.3640A	0.3950B/0.3640A	----	0.4080 + 0.0030	.7126	----	----	----	----	83 UNCH
603	----	----	----/0.3585A	0.3875B/0.3585A	----	0.4015 + 0.0030	.7063	----	----	----	----	3 UNCH
605	----	----	0.3950B/0.3385A	0.3950B/0.3385A	----	0.3885 + 0.0025	.6941	----	----	----	----	40 UNCH
610	----	----	0.3640B/0.3075A	0.3640B/0.3075A	----	0.3570 + 0.0015	.6618	----	----	----	----	317 UNCH
615	----	----	0.3350B/0.2835A	0.3350B/0.2835A	----	0.3280 + 0.0005	.6290	----	----	1	----	1630 - 1
620	----	----	0.3135B/0.2605A	0.3135B/0.2605A	----	0.3005 UNCH	.5957	----	----	----	----	210 UNCH
625	0.2510	0.2510	0.2885B/0.2390A	0.2885B/0.2390A	----	0.2755 - 0.0005	.5624	----	----	3	----	359 + 2
630	----	----	0.2650B/0.2185A	0.2650B/0.2185A	----	0.2520 - 0.0010	.5292	----	----	11	----	364 + 2
635	0.2100	0.2100	0.2425B/0.2000A	0.2425B/0.2000A	----	0.2300 - 0.0015	.4966	----	----	9	----	94 + 5
640	0.2040	0.2040	0.2225B/0.1825A	0.2225B/0.1825A	----	0.2100 - 0.0020	.4649	----	----	20	----	1555 + 7
645	----	----	0.2040B/0.1675A	0.2040B/0.1675A	----	0.1915 - 0.0025	.4341	----	----	----	----	377 UNCH
650	0.1515	0.1515	0.1860B/0.1505	0.1860B/0.1505	----	0.1745 - 0.0030	.4045	----	----	76	----	1549 + 30
655	0.1570	0.1570	0.1705B/0.1410A	0.1705B/0.1410A	----	0.1590 - 0.0030	.3763	----	----	3	----	306 - 1
660	0.1435	0.1435	0.1560B/0.1285A	0.1560B/0.1285A	----	0.1450 - 0.0030	.3495	----	----	3	230	1389 + 1
665	0.1340	0.1340	0.1420B/0.1180A	0.1420B/0.1180A	----	0.1325 - 0.0030	.3245	----	----	22	----	33 + 11
670	0.1195	0.1195	0.1295B/0.1080A	0.1295B/0.1080A	----	0.1205 - 0.0030	.3004	----	----	74	----	230 + 58
675	0.1080	0.1080	0.1185B/0.0995A	0.1185B/0.0995A	----	0.1100 - 0.0030	.2782	----	----	18	----	2322 + 16
680	0.0950	0.0950	0.1095B/0.0910A	0.1095B/0.0910A	----	0.1005 - 0.0030	.2574	----	----	7	----	142 + 4
685	----	----	0.1005B/0.0840A	0.1005B/0.0840A	----	0.0915 - 0.0030	.2377	----	----	----	----	47 UNCH
690	0.0790	0.0790	0.0925B/0.0770A	0.0925B/0.0770A	----	0.0835 - 0.0030	.2195	----	----	71	----	436 + 69
695	0.0755	0.0755	0.0850B/0.0705A	0.0850B/0.0705A	----	0.0765 - 0.0025	.2030	----	----	28	----	90 - 16
700	0.0610	0.0610	0.0785B/0.0610	0.0785B/0.0610	----	0.0700 - 0.0025	.1875	----	----	5	----	960 - 4
705	0.0615	0.0615	0.0720B/0.0600A	0.0720B/0.0600A	----	0.0640 - 0.0020	.1731	----	----	5	----	12 - 2
710	0.0575	0.0575	0.0660B/0.0520	0.0660B/0.0520	----	0.0590 - 0.0015	.1604	----	----	27	----	356 - 17
715	----	----	0.0605B/0.0510A	0.0605B/0.0510A	----	0.0540 - 0.0015	.1481	----	----	1	----	39 + 1
720	----	----	0.0560B/0.0470A	0.0560B/0.0470A	----	0.0500 - 0.0010	.1375	----	----	----	----	280 UNCH
725	----	----	0.0505B/0.0435A	0.0505B/0.0435A	----	0.0460 - 0.0010	.1272	----	----	1	----	1366 UNCH
730	----	----	0.0465B/0.0400A	0.0465B/0.0400A	----	0.0420 - 0.0010	.1172	----	----	1	----	258 - 1
735	0.0385	0.0385	#0.0435B/*0.037	0.0435B/*0.0370	----	0.0390 NEW	.1090	----	----	6	----	6 + 6
740	0.0365	0.0365	#0.0405B/*0.034	0.0405B/*0.0345	----	0.0360 - 0.0005	.1010	----	----	22	----	118 + 16
750	0.0310	0.0310	0.0345B/0.0290	0.0345B/0.0290	----	0.0305 - 0.0005	.0864	----	----	8	300	1480 - 4
760	0.0260	0.0260	0.0290B/*0.0255	0.0290B/*0.0255	----	0.0265 UNCH	.0751	----	----	10	----	65 + 8
770	----	----	0.0250B/*0.0220	0.0250B/*0.0220	----	0.0225 - 0.0005	.0643	----	----	----	----	21 UNCH
775	----	----	0.0230B/0.0210A	0.0230B/0.0210A	----	0.0210 - 0.0005	.0601	----	----	1	----	112 UNCH
780	0.0195	0.0195	0.0220B/0.0195	0.0220B/0.0195	----	0.0195 - 0.0005	.0559	----	----	2	----	44 + 2
800	0.0160	0.0160	0.0160/0.0150	0.0160/0.0150	----	0.0150 UNCH	.0429	----	----	8	----	2273 + 1
825	0.0115	0.0115	0.0115/0.0115	0.0115/0.0115	----	0.0115 + 0.0010	.0324	----	----	3	----	12 + 3
850	----	----	0.0090B/----	0.0090B/0.0100A	----	0.0095 + 0.0015	.0260	----	----	----	----	329 UNCH
875	0.0080	0.0080	0.0080/0.0080	0.0080/0.0080	----	0.0085 + 0.0020	.0223	----	----	1	----	5 + 1
900	----	----	----	0.0050B/0.0070A	----	0.0075 + 0.0025	.0190	----	----	----	----	2221 UNCH
925	----	----	----	0.0005B/0.0085A	----	0.0060 + 0.0025	.0151	----	----	----	----	16 UNCH
950	----	----	----	----/0.0080A	----	0.0045 + 0.0015	.0114	----	----	----	----	52 UNCH
975	0.0055	0.0055	0.0055/*0.0055	0.0055/0.0055	----	0.0030 + 0.0010	.0078	----	----	1	----	3 UNCH
1000	----	----	----	----/0.0060A	----	0.0020 + 0.0005	.0053	----	----	----	----	6 UNCH
TOTAL									530	450		23077 + 199
AUG26												
500	----	----	----	----	----	1.3880 + 0.0160	.9578	----	----	----	----	3 UNCH
550	----	----	----	----	----	0.9280 + 0.0065	.8779	----	----	----	----	3 UNCH
580	----	----	----/0.6200A	0.6740B/0.6200A	----	0.6880 + 0.0005	.7816	----	----	----	----	253 UNCH
585	----	----	0.6595B/0.5865A	0.6595B/0.5865A	----	0.6515 - 0.0005	.7621	----	----	----	----	11 UNCH
590	----	----	0.6250B/0.5540A	0.6250B/0.5540A	----	0.6165 - 0.0010	.7420	----	----	----	----	17 UNCH
595	----	----	0.5910B/0.5235A	0.5910B/0.5235A	----	0.5825 - 0.0020	.7210	----	----	----	----	1 UNCH
600	----	----	0.5590B/0.4940A	0.5590B/0.4940A	----	0.5500 - 0.0030	.6994	----	----	----	----	4 UNCH
610	----	----	0.4985B/0.4405A	0.4985B/0.4405A	----	0.4895 - 0.0045	.6544	----	----	----	----	1 UNCH
620	----	----	0.4435B/0.3880A	0.4435B/0.3880A	----	0.4345 - 0.0060	.6082	----	----	----	----	28 UNCH
625	----	----	0.4245B/0.3660A	0.4245B/0.3660A	----	0.4090 - 0.0065	.5850	----	----	5	----	87 - 5
630	----	----	0.3985B/0.3455A	0.3985B/0.3455A	----	0.3850 - 0.0065	.5619	----	----	----	----	6 UNCH
635	----	----	0.3755B/0.3260A	0.3755B/0.3260A	----	0.3625 - 0.0065	.5390	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
640	----	----	0.3505B/0.3075A	0.3505B/0.3075A	----	0.3410 - 0.0065	.5164	----	----	----	----	156 UNCH
650	----	----	0.3145B/0.2735A	0.3145B/0.2735A	----	0.3015 - 0.0060	.4725	----	----	----	50	643 + 50
655	----	----	0.2960B/0.2585A	0.2960B/0.2585A	----	0.2830 - 0.0065	.4513	----	----	----	----	459 UNCH
660	----	----	0.2775B/0.2445A	0.2775B/0.2445A	----	0.2660 - 0.0060	.4307	----	----	----	----	28 UNCH
665	----	----	0.2615B/0.2300A	0.2615B/0.2300A	----	0.2500 - 0.0055	.4107	----	----	----	----	1 UNCH
670	----	----	0.2460B/0.2160A	0.2460B/0.2160A	----	0.2350 - 0.0055	.3914	----	----	25	----	44 + 25
675	0.2230	0.2230	0.2315B/0.2040A	0.2315B/0.2040A	----	0.2210 - 0.0050	.3728	----	----	11	----	344 - 9
680	0.1945	0.1945	0.2170B/0.1920A	0.2170B/0.1920A	----	0.2080 - 0.0045	.3550	----	----	76	----	78 + 74
685	----	----	0.2040B/0.1815A	0.2040B/0.1815A	----	0.1955 - 0.0040	.3377	----	----	----	----	2 UNCH
690	----	----	0.1915B/0.1710A	0.1915B/0.1710A	----	0.1840 - 0.0035	.3213	----	----	----	----	53 UNCH
695	----	----	0.1780B/0.1610A	0.1780B/0.1610A	----	0.1730 - 0.0035	.3054	----	----	----	----	2 UNCH
700	----	----	0.1695B/0.1515A	0.1695B/0.1515A	----	0.1625 - 0.0035	.2901	----	----	136	----	1389 + 41
710	0.1425	0.1425	0.1490B/0.1350A	0.1490B/0.1350A	----	0.1440 - 0.0030	.2619	----	----	1	----	3 UNCH
720	0.1260	0.1260	0.1320B/0.1205A	0.1320B/0.1205A	----	0.1275 - 0.0025	.2361	----	----	2	----	4 + 2
725	----	----	0.1240B/0.1135A	0.1240B/0.1135A	----	0.1200 - 0.0025	.2241	----	----	1	----	326 + 1
730	----	----	0.1170B/0.1075A	0.1170B/0.1075A	----	0.1130 - 0.0020	.2127	----	----	----	----	3 UNCH
735	----	----	0.1100B/0.1010A	0.1100B/0.1010A	----	0.1065 - 0.0015	.2019	----	----	----	----	1 UNCH
750	0.0860	0.0860	0.0920B/0.0860	0.0920B/0.0860	----	0.0895 - 0.0005	.1730	----	----	45	50	538 + 42
775	----	----	0.0680B/0.0655A	0.0680B/0.0655A	----	0.0670 + 0.0010	.1333	----	----	----	----	160 UNCH
800	----	----	0.0505B/----	0.0505B/0.0500A	----	0.0505 + 0.0020	.1029	----	----	1	----	400 UNCH
825	----	----	0.0375B/----	0.0375B/0.0395A	----	0.0375 + 0.0015	.0785	----	----	----	----	2 UNCH
850	----	----	0.0275B/----	0.0275B/0.0325A	----	0.0280 + 0.0010	.0600	----	----	----	----	11 UNCH
900	----	----	----	0.0160B/0.0215A	----	0.0165 + 0.0005	.0363	----	----	----	----	71 UNCH
950	----	----	----	0.0095B/0.0160A	----	0.0120 UNCH	.0259	----	----	----	----	45 UNCH
975	----	----	----	0.0075B/0.0140A	----	0.0090 UNCH	.0198	----	----	----	----	6 UNCH
TOTAL									100	303		5185 + 221
SEP26												
495	----	----	----	----	----	1.4460 + 0.0125	.9430	----	----	----	----	2 UNCH
500	----	----	----	1.3540B/1.3945A	----	1.3990 + 0.0115	.9374	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.3065 + 0.0095	.9247	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.0855 + 0.0035	.8790	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.8445 - 0.0030	.7997	----	----	----	----	1 UNCH
575	----	----	0.7825B/0.7020A	0.7825B/0.7020A	----	0.7715 - 0.0050	.7674	----	----	----	----	100 UNCH
590	0.6700	0.6700	0.6825B/0.6085A	0.6825B/0.6085A	----	0.6700 NEW	.7146	----	----	5	----	5 + 5
595	----	----	0.6510B/0.5795A	0.6510B/0.5795A	----	0.6390 - 0.0075	.6961	----	----	----	----	5 UNCH
600	0.5995	0.5995	0.6210B/0.5530A	0.6210B/0.5530A	----	0.6090 - 0.0080	.6771	----	----	1	----	222 UNCH
610	0.5165	0.5165	0.5645B/0.5025A	0.5645B/0.5025A	----	0.5525 - 0.0090	.6387	----	----	1	----	32 + 1
615	----	----	0.5380B/0.4790A	0.5380B/0.4790A	----	0.5265 - 0.0090	.6193	----	----	----	----	9 UNCH
620	----	----	0.5125B/0.4570A	0.5125B/0.4570A	----	0.5010 - 0.0100	.5999	----	----	----	----	185 UNCH
625	----	----	0.4930B/0.4360A	0.4930B/0.4360A	----	0.4775 - 0.0100	.5806	----	----	----	----	632 UNCH
630	----	----	0.4695B/0.4160A	0.4695B/0.4160A	----	0.4545 - 0.0105	.5614	----	----	----	----	51 UNCH
635	----	----	0.4470B/0.3970A	0.4470B/0.3970A	----	0.4325 - 0.0110	.5425	----	----	----	----	1 UNCH
640	----	----	0.4270B/0.3790A	0.4270B/0.3790A	----	0.4120 - 0.0105	.5238	----	----	----	----	1002 UNCH
650	----	----	0.3855B/0.3440A	0.3855B/0.3440A	----	0.3730 - 0.0105	.4874	----	----	----	----	324 UNCH
655	----	----	0.3675B/0.3280A	0.3675B/0.3280A	----	0.3550 - 0.0100	.4698	----	----	----	----	4 UNCH
660	----	----	0.3495B/0.3130A	0.3495B/0.3130A	----	0.3380 - 0.0095	.4527	----	----	----	----	101 UNCH
665	----	----	0.3320B/0.2985A	0.3320B/0.2985A	----	0.3220 - 0.0085	.4360	----	----	----	----	1 UNCH
670	0.2715	0.2715	0.3160B/0.2715	0.3160B/0.2715	----	0.3065 - 0.0075	.4197	----	----	1	----	124 UNCH
675	----	----	0.2995B/0.2720A	0.2995B/0.2720A	----	0.2915 - 0.0070	.4037	----	----	----	----	525 UNCH
680	----	----	0.2845B/0.2595A	0.2845B/0.2595A	----	0.2775 - 0.0065	.3884	----	----	----	----	1392 UNCH
690	----	----	----/0.2355A	0.2565B/0.2355A	----	0.2515 - 0.0050	.3590	----	----	----	----	415 UNCH
700	----	----	----/0.2140A	0.2310B/0.2140A	----	0.2275 - 0.0040	.3312	----	----	----	----	6892 UNCH
710	----	----	----/0.1940A	0.2085B/0.1940A	----	0.2060 - 0.0030	.3054	----	----	----	----	1000 UNCH
715	----	----	----/0.1850A	0.1985B/0.1850A	----	0.1960 - 0.0030	.2931	----	----	----	----	1 UNCH
720	----	----	----/0.1760A	0.1885B/0.1760A	----	0.1865 - 0.0025	.2813	----	----	----	----	5 UNCH
725	----	----	0.1800B/0.1680A	0.1800B/0.1680A	----	0.1775 - 0.0020	.2699	----	----	----	----	87 UNCH
730	----	----	0.1710B/0.1600A	0.1710B/0.1600A	----	0.1690 - 0.0015	.2589	----	----	----	----	1 UNCH
740	----	----	----/*0.1455A	0.1535B/0.1455A	----	0.1535 UNCH	.2385	----	----	----	----	950 UNCH
750	0.1300	0.1300	0.1405/0.1270	0.1405/0.1270	----	0.1390 + 0.0005	.2191	----	----	80	----	213 - 38
775	----	----	0.1085B/0.1055A	0.1085B/0.1055A	----	0.1090 + 0.0020	.1775	----	----	200	----	5761 - 95
800	----	----	0.0840B/----	0.0840B/0.0845A	----	0.0860 + 0.0035	.1438	----	----	30	----	361 - 10
825	----	----	0.0660B/----	0.0660B/0.0690A	----	0.0680 + 0.0030	.1165	----	----	420	----	131 - 269
850	----	----	----	0.0520B/0.0560A	----	0.0545 + 0.0025	.0951	----	----	----	----	1 UNCH
875	----	----	----	0.0410B/0.0465A	----	0.0440 + 0.0020	.0779	----	----	----	----	1 UNCH
900	----	----	----	0.0325B/0.0385A	----	0.0355 + 0.0020	.0638	----	----	----	----	79 UNCH
975	----	----	----	0.0170B/0.0240A	----	0.0185 + 0.0005	.0348	----	----	----	----	12 UNCH
TOTAL										738		20636 - 406
OCT26												
500	----	----	----	----	----	1.5025 + 0.0110	.9234	----	----	----	----	2 UNCH
575	----	----	----/0.8375A	0.8845B/0.8375A	----	0.8865 - 0.0065	.7684	----	----	----	----	2 UNCH
600	----	----	0.7370B/0.6720A	0.7370B/0.6720A	----	0.7260 - 0.0095	.6907	----	----	----	----	41 UNCH
605	----	----	0.7080B/0.6450A	0.7080B/0.6450A	----	0.6970 - 0.0100	.6744	----	----	----	----	2 UNCH
615	----	----	----/0.5945A	0.6520B/0.5945A	----	0.6420 - 0.0105	.6415	----	----	----	----	5 UNCH
620	----	----	----/0.5705A	0.6260B/0.5705A	----	0.6155 - 0.0110	.6249	----	----	----	----	1 UNCH
625	----	----	----/0.5450A	0.6000B/0.5450A	----	0.5905 - 0.0110	.6084	----	----	----	----	11 UNCH
650	----	----	----/0.4425A	0.4870B/0.4425A	----	0.4790 - 0.0100	.5272	----	----	----	----	106 UNCH
665	----	----	----/0.3910A	0.4270B/0.3910A	----	0.4220 - 0.0085	.4810	----	----	----	----	1 UNCH
670	----	----	----/0.3760A	0.4085B/0.3760A	----	0.4045 - 0.0080	.4662	----	----	----	----	1 UNCH
675	----	----	----/0.3600A	0.3910B/0.3600A	----	0.3875 - 0.0075	.4516	----	----	----	----	77 UNCH
700	----	----	----/0.2970A	0.3110B/0.2970A	----	0.3105 - 0.0070	.3824	----	----	----	----	151 UNCH
740	----	----	----/0.2100A	0.2185B/0.2100A	----	0.2150 - 0.0065	.2872	----	----	----	----	10 UNCH
750	----	----	----/0.1945A	0.1955B/0.1945A	----	0.1970 - 0.0055	.2672	----	----	----	----	64 UNCH
775	----	----	----/0.1590A	0.1550B/0.1590A	----	0.1595 - 0.0020	.2233	----	----	----	----	84 UNCH
800	----	----	----/0.1280A	0.1285B/0.1280A	----	0.1305 + 0.0015	.1873	----	----	----	----	2 UNCH
825	----	----	----	0.1030B/0.1055A	----	0.1045 + 0.0005	.1549	----	----	----	----	1 UNCH
850	----	----	----	0.0830B/0.0880A	----	0.0845 + 0.0005	.1285	----	----	----	----	30 UNCH
875	----	----	----	0.0675B/0.0740A	----	0.0690 + 0.0005	.1071	----	----	----	----	3 UNCH
900	----	----	----	0.0545B/0.0630A	----	0.0565 UNCH	.0894	----	----	----	----	3 UNCH
975	----	----	----	0.0310B/0.0410A	----	0.0335 UNCH	.0547	----	----	----	----	7 UNCH
TOTAL												604
NOV26												
535	----	----	----	----	----	1.2275 + 0.0045	.8438	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.1495 + 0.0020	.8222	----	----	----	----	1 UNCH
580	----	----	0.9085B/0.8460A	0.9085B/0.8460A	----	0.9025 - 0.0055	.7345	----	----	----	----	2 UNCH
585	----	----	----/0.8165A	0.8770B/0.8165A	----	0.8705 - 0.0065	.7207	----	----	----	----	1 UNCH
595	----	----	----/0.7600A	0.8165B/0.7600A	----	0.8100 - 0.0080	.6925	----	----	----	----	2 UNCH
600	----	----	----/0.7330A	0.7875B/0.7330A	----	0.7810 - 0.0090	.6781	----	----	----	----	2 UNCH
610	----	----	----/0.6820A	0.7320B/0.6820A	----	0.7260 - 0.0100	.6489	----	----	----	----	14 UNCH
640	----	----	----/0.5465A	0.5850B/0.5465A	----	0.5815 - 0.0110	.5615	----	----	----	----	1 UNCH
650	----	----	----/0.5080A	0.5420B/0.5080A	----	0.5395 - 0.0105	.5331	----	----	----	----	1 UNCH
655	----	----	----/0.4895A	0.5215B/0.4895A	----	0.5195 - 0.0105	.5191	----	----	----	----	1 UNCH
665	----	----	----/0.4550A	0.4825B/0.4550A	----	0.4815 - 0.0100	.4917	----	----	----	----	1 UNCH
670	----	----	----/0.4385A	0.4640B/0.4385A	----	0.4635 - 0.0095	.4784	----	----	----	----	14 UNCH
675	----	----	----/0.4225A	0.4460B/0.4225A	----	0.4460 - 0.0090	.4652	----	----	----	----	61 UNCH
680	0.4090	0.4090	0.4090/0.4075A	0.4285B/0.4075A	----	0.4290 - 0.0090	.4522	----	----	1	----	1 UNCH
695	----	----	----/0.3640A	0.3795B/0.3640A	----	0.3820 - 0.0075	.4147	----	----	----	----	1 UNCH
700	----	----	----/0.3515A	0.3645B/0.3515A	----	0.3670 - 0.0075	.4025	----	----	----	----	24 UNCH
705	----	----	----/0.3385A	0.3495B/0.3385A	----	0.3530 - 0.0065	.3908	----	----	----	----	1 UNCH
725	----	----	----/0.2900A	0.2960B/0.2900A	----	0.3010 - 0.0050	.3458	----	----	----	----	48 UNCH
750	----	----	----/0.2395A	0.2390B/0.2395A	----	0.2470 - 0.0030	.2956	----	----	----	----	26 UNCH
800	----	----	----/0.1650A	0.1580B/0.1650A	----	0.1675 + 0.0020	.2144	----	----	1	----	1 UNCH
850	----	----	----	0.1055B/0.1165A	----	0.1155 + 0.0015	.1555	----	----	1	----	2 UNCH
900	----	----	----	0.0710B/0.0860A	----	0.0795 + 0.0005	.1121	----	----	----	----	1 UNCH
975	----	----	----	0.0400B/0.0580A	----	0.0450 UNCH	.0676	----	----	----	----	2 UNCH
TOTAL										3		209
DEC26												
520	----	----	----	----	----	1.3730 + 0.0070	.8565	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.3330 + 0.0055	.8474	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.2555 + 0.0035	.8276	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.1445 UNCH	.7951	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.1090 - 0.0010	.7838	----	----	----	----	1 UNCH
565	----	----	----/0.9860A	1.0415B/0.9860A	----	1.0405 - 0.0030	.7600	----	----	----	----	45 UNCH
575	----	----	----/0.9245A	0.9770B/0.9245A	----	0.9755 - 0.0050	.7353	----	----	----	----	123 UNCH
585	----	----	----/0.8665A	0.9155B/0.8665A	----	0.9135 - 0.0070	.7097	----	----	----	----	1 UNCH
590	----	----	----/0.8385A	0.8860B/0.8385A	----	0.8840 - 0.0080	.6966	----	----	----	----	200 UNCH
595	----	----	----/0.8115A	0.8570B/0.8115A	----	0.8555 - 0.0080	.6835	----	----	----	----	163 UNCH
600	----	----	----/0.7855A	0.8290B/0.7855A	----	0.8275 - 0.0090	.6702	----	----	----	----	598 UNCH
610	----	----	----/0.7355A	0.7755B/0.7355A	----	0.7740 - 0.0100	.6436	----	----	----	----	291 UNCH
620	----	----	----/0.6885A	0.7245B/0.6885A	----	0.7240 - 0.0105	.6168	----	----	----	----	414 UNCH
625	----	----	----/0.6635A	0.7000B/0.6635A	----	0.7000 - 0.0110	.6035	----	----	----	----	3 UNCH
630	----	----	----/0.6420A	0.6765B/0.6420A	----	0.6770 - 0.0110	.5902	----	----	----	----	391 UNCH
640	----	----	----/0.6000A	0.6310B/0.6000A	----	0.6325 - 0.0110	.5638	----	----	----	----	29 UNCH
650	----	----	----/0.5615A	0.5880B/0.5615A	----	0.5905 - 0.0110	.5378	----	----	----	----	744 UNCH
660	----	----	----/0.5255A	0.5475B/0.5255A	----	0.5505 - 0.0115	.5123	----	----	----	----	300 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
670	----	----	----/0.4900A	0.5095B/0.4900A	----	0.5135 - 0.0105	.4875	----	----	----	----	4 UNCH
675	----	----	----/0.4745A	0.4910B/0.4745A	----	0.4955 - 0.0105	.4753	----	----	----	----	17 UNCH
680	----	----	----/0.4585A	0.4735B/0.4585A	----	0.4780 - 0.0105	.4632	----	----	----	----	3 UNCH
700	----	----	----/0.4020A	0.4075B/0.4020A	----	0.4145 - 0.0085	.4171	----	----	----	----	909 UNCH
705	----	----	----/0.3880A	0.3925B/0.3880A	----	0.3995 - 0.0085	.4059	----	----	----	----	2 UNCH
725	----	----	----/0.3370A	0.3365B/0.3370A	----	0.3460 - 0.0060	.3638	----	----	----	----	102 UNCH
730	----	----	----/0.3255A	0.3240B/0.3255A	----	0.3340 - 0.0055	.3539	----	----	----	----	4 UNCH
750	----	----	----/0.2830A	0.2770B/0.2830A	----	0.2890 - 0.0035	.3160	----	----	----	----	426 UNCH
775	----	----	----/0.2380A	0.2275B/0.2380A	----	0.2415 - 0.0015	.2736	----	----	----	----	3 UNCH
800	----	----	----/0.2015A	0.1880B/0.2015A	----	0.2020 UNCH	.2363	----	----	----	----	165 UNCH
825	----	----	----	0.1560B/0.1715A	----	0.1695 + 0.0015	.2040	----	----	----	----	13 UNCH
850	----	----	----	0.1295B/0.1465A	----	0.1430 + 0.0010	.1763	----	----	----	----	304 UNCH
900	0.1190	0.1190	0.1190/0.1190	0.1190/0.1105A	----	0.1035 + 0.0005	.1326	----	----	1	----	644 + 1
925	----	----	----	0.0755B/0.0965A	----	0.0885 UNCH	.1153	----	----	----	----	6 UNCH
950	----	----	----	0.0630B/0.0855A	----	0.0760 UNCH	.1004	----	----	----	----	78 UNCH
975	----	----	----	0.0530B/0.0765A	----	0.0660 UNCH	.0882	----	----	----	----	13 UNCH
1000	----	----	----	0.0445B/0.0685A	----	0.0595 UNCH	.0794	----	----	----	----	2 UNCH
TOTAL										1		6125 + 1
JAN27												
500	----	----	----	----	----	1.6600 + 0.0160	.8734	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1825 UNCH	.1884	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	0.8880 + 0.0090	.6328	----	----	----	----	1 UNCH
TOTAL												1
MAR27												
680	----	----	----	----	----	0.6855 + 0.0060	.5115	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2060 + 0.0005	.1889	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUN26												
330	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	8 UNCH
355	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
370	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
380	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
400	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	33 UNCH
405	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
410	----	----	----	----/0.0070A	----	0.0005 UNCH	.0001	----	----	----	----	53 UNCH
420	----	----	----	----/0.0070A	----	0.0005 UNCH	.0002	----	----	----	----	9 UNCH
430	----	----	----	----/0.0050A	----	0.0005 - 0.0005	.0004	----	----	----	----	3 UNCH
435	----	----	----	----/0.0070A	----	0.0005 - 0.0005	.0006	----	----	----	----	2 UNCH
440	----	----	----	----/0.0045A	----	0.0005 - 0.0005	.0008	----	----	----	----	8 UNCH
445	----	----	----	----/0.0045A	----	0.0005 - 0.0010	.0012	----	----	----	----	8 UNCH
450	----	----	----	----/0.0045A	----	0.0010 - 0.0005	.0023	----	----	----	----	450 UNCH
455	----	----	----	----/0.0045A	----	0.0010 - 0.0010	.0024	----	----	----	----	42 UNCH
460	----	----	----	----/0.0045A	----	0.0010 - 0.0010	.0025	----	----	----	----	54 UNCH
465	----	----	----	----/0.0045A	----	0.0015 - 0.0010	.0037	----	----	----	----	878 UNCH
470	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0038	----	----	----	----	659 UNCH
475	----	----	----	----/0.0050A	----	0.0015 - 0.0015	.0040	----	----	----	----	155 UNCH
480	----	----	----	----/0.0050A	----	0.0015 - 0.0015	.0041	----	----	----	----	951 UNCH
485	----	----	----	----/0.0050A	----	0.0020 - 0.0010	.0055	----	----	----	----	63 UNCH
490	----	----	----	----/0.0050A	----	0.0020 - 0.0010	.0057	----	----	----	----	52 UNCH
495	----	----	----	----/0.0050A	----	0.0020 - 0.0015	.0059	----	----	----	----	35 UNCH
500	----	----	----	----/0.0055A	----	0.0020 - 0.0015	.0062	----	----	----	----	536 UNCH
505	----	----	----	0.0015B/0.0035A	----	0.0020 - 0.0015	.0064	----	----	----	----	517 UNCH
510	----	----	----	----/0.0055A	----	0.0020 - 0.0015	.0067	----	----	----	----	132 UNCH
515	----	----	----/0.0030A	0.0015B/0.0030A	----	0.0025 - 0.0010	.0084	----	----	----	----	37 UNCH
520	----	----	----	----/0.0040A	----	0.0025 - 0.0015	.0088	----	----	----	----	166 UNCH
523	----	----	----	----/0.0045A	----	0.0025 - 0.0015	.0090	----	----	----	----	71 UNCH
524	----	----	----	----/0.0050A	----	0.0025 - 0.0015	.0091	----	----	----	----	11 UNCH
525	----	----	----	----/0.0050A	----	0.0025 - 0.0015	.0092	----	----	----	----	2157 UNCH
526	----	----	----	----/0.0045A	----	0.0025 - 0.0015	.0093	----	----	----	----	5 UNCH
527	----	----	----	----/0.0050A	----	0.0025 - 0.0015	.0094	----	----	----	----	3 UNCH
528	----	----	----	----/0.0050A	----	0.0025 - 0.0015	.0095	----	----	----	----	5 UNCH
529	----	----	----	----/0.0060A	----	0.0025 - 0.0015	.0096	----	----	----	----	9 UNCH
530	----	----	----	----/0.0060A	----	0.0025 - 0.0015	.0097	----	----	----	----	140 UNCH
531	----	----	----	----/0.0060A	----	0.0025 - 0.0015	.0097	----	----	----	----	5 UNCH
532	----	----	----	----/0.0060A	----	0.0025 - 0.0015	.0098	----	----	----	----	15 UNCH
533	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0099	----	----	----	----	4 UNCH
534	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0100	----	----	----	----	11 UNCH
535	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0101	----	----	----	----	90 UNCH
536	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0102	----	----	----	----	1 UNCH
537	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0103	----	----	----	----	64 UNCH
538	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0104	----	----	----	----	10 UNCH
539	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0105	----	----	----	----	34 UNCH
540	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0107	----	----	----	----	158 UNCH
541	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0108	----	----	----	----	18 UNCH
542	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0109	----	----	----	----	25 UNCH
543	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0110	----	----	----	----	27 UNCH
544	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0111	----	----	----	----	30 UNCH
545	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0112	----	----	----	----	85 UNCH
546	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0114	----	----	----	----	29 UNCH
547	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0115	----	----	----	----	45 UNCH
548	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0116	----	----	----	----	56 UNCH
549	----	----	----	----/0.0065A	----	0.0025 - 0.0020	.0117	----	----	----	----	40 UNCH
550	0.0010	0.0010	0.0015B/*0.0010	0.0015B/*0.0010	----	0.0025 - 0.0020	.0119	----	----	2	----	1234 UNCH
551	----	----	----	----/0.0070A	----	0.0025 - 0.0020	.0120	----	----	----	----	117 UNCH
552	----	----	----	----/0.0070A	----	0.0025 - 0.0020	.0122	----	----	----	----	97 UNCH
553	----	----	----	----/0.0070A	----	0.0030 - 0.0015	.0143	----	----	----	----	26 UNCH
554	----	----	----	----/0.0065A	----	0.0030 - 0.0015	.0145	----	----	----	----	29 UNCH
555	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0030 - 0.0015	.0147	----	----	2	----	64 - 2
556	----	----	----	0.0025B/0.0060A	----	0.0030 - 0.0015	.0148	----	----	----	----	9 UNCH
557	----	----	----	0.0020B/0.0050A	----	0.0030 - 0.0015	.0150	----	----	----	----	68 UNCH
558	----	----	----	0.0030B/0.0045A	----	0.0030 - 0.0015	.0152	----	----	----	----	10 UNCH
559	----	----	----	0.0030B/0.0050A	----	0.0030 - 0.0015	.0154	----	----	----	----	7 UNCH
560	----	----	----	0.0035B/0.0045A	----	0.0030 - 0.0015	.0156	----	----	----	----	413 UNCH
561	----	----	----	0.0035B/0.0045A	----	0.0030 - 0.0015	.0158	----	----	----	----	3 UNCH
562	----	----	----	0.0040B/0.0045A	----	0.0035 - 0.0010	.0182	----	----	----	----	22 UNCH
563	----	----	----	0.0040B/0.0045A	----	0.0035 - 0.0010	.0184	----	----	----	----	1 UNCH
564	----	----	----	0.0040B/0.0045A	----	0.0035 - 0.0010	.0186	----	----	----	----	4 UNCH
565	----	----	----	0.0045B/0.0045A	----	0.0035 - 0.0010	.0189	----	----	----	----	221 UNCH
566	----	----	----	0.0045B/0.0045A	----	0.0035 - 0.0010	.0191	----	----	----	----	4 UNCH
567	----	----	----/0.0045A	0.0050B/0.0045A	----	0.0035 - 0.0015	.0194	----	----	----	----	12 UNCH
568	----	----	----/0.0045A	0.0050B/0.0045A	----	0.0040 - 0.0010	.0219	----	----	----	----	1 UNCH
569	----	----	0.0055B/----	0.0055B/0.0050A	----	0.0040 - 0.0010	.0222	----	----	----	----	27 UNCH
570	0.0045	0.0045	0.0060B/0.0045	0.0060B/0.0045	----	0.0040 - 0.0010	.0225	----	----	3	----	421 - 3
571	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0040 - 0.0015	.0229	----	----	----	----	30 UNCH
572	----	----	0.0060B/0.0050A	0.0060B/0.0050A	----	0.0045 - 0.0010	.0255	----	----	----	----	1 UNCH
573	0.0055	0.0055	0.0065B/0.0050A	0.0065B/0.0050A	----	0.0045 - 0.0010	.0258	----	----	100	----	125 + 99
574	----	----	0.0065B/0.0050A	0.0065B/0.0050A	----	0.0045 - 0.0015	.0262	----	----	----	----	14 UNCH
575	----	----	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0050 - 0.0010	.0289	----	----	----	----	131 UNCH
576	----	----	0.0075B/0.0055A	0.0075B/0.0055A	----	0.0050 - 0.0015	.0293	----	----	----	----	5 UNCH
577	----	----	0.0080B/0.0055A	0.0080B/0.0055A	----	0.0050 - 0.0015	.0298	----	----	----	----	10 UNCH
578	----	----	0.0090B/0.0055A	0.0090B/0.0055A	----	0.0055 - 0.0015	.0326	----	----	----	----	2 UNCH
579	----	----	0.0095B/0.0055A	0.0095B/0.0055A	----	0.0055 - 0.0015	.0331	----	----	----	----	17 UNCH
580	0.0065	0.0065	0.0100B/0.0060A	0.0100B/0.0060A	----	0.0060 - 0.0015	.0359	----	----	1	----	906 - 1
581	----	----	0.0105B/0.0060A	0.0105B/0.0060A	----	0.0060 - 0.0020	.0365	----	----	----	----	33 UNCH
582	0.0090	0.0090	0.0115B/0.0065A	0.0115B/0.0065A	----	0.0065 - 0.0020	.0394	----	----	1	----	14 UNCH
583	----	----	0.0125B/0.0065A	0.0125B/0.0065A	----	0.0065 - 0.0025	.0401	----	----	----	----	13 UNCH
584	----	----	0.0135B/0.0070A	0.0135B/0.0070A	----	0.0070 - 0.0025	.0431	----	----	----	----	22 UNCH
585	----	----	0.0140B/0.0070A	0.0140B/0.0070A	----	0.0075 - 0.0025	.0461	----	----	----	----	478 UNCH
586	----	----	0.0150B/0.0075A	0.0150B/0.0075A	----	0.0075 - 0.0030	.0469	----	----	----	----	7 UNCH
587	----	----	0.0165B/0.0080A	0.0165B/0.0080A	----	0.0080 - 0.0035	.0501	----	----	----	----	23 UNCH
588	----	----	0.0175B/0.0080A	0.0175B/0.0080A	----	0.0085 - 0.0035	.0533	----	----	----	----	4 UNCH
590	0.0105	0.0105	0.0190B/0.0090A	0.0190B/0.0090A	----	0.0095 - 0.0040	.0598	----	----	1	----	223 UNCH
591	----	----	0.0195B/0.0095A	0.0195B/0.0095A	----	0.0100 - 0.0045	.0631	----	----	----	----	13 UNCH
592	----	----	0.0210B/0.0100A	0.0210B/0.0100A	----	0.0105 - 0.0050	.0665	----	----	----	----	16 UNCH
593	----	----	0.0225B/0.0105A	0.0225B/0.0105A	----	0.0110 - 0.0055	.0700	----	----	----	----	43 UNCH
594	----	----	0.0235B/0.0115A	0.0235B/0.0115A	----	0.0115 - 0.0060	.0736	----	----	----	----	21 UNCH
595	----	----	0.0250B/0.0120A	0.0250B/0.0120A	----	0.0125 - 0.0060	.0794	----	----	25	----	147 + 18
596	----	----	0.0270B/0.0125A	0.0270B/0.0125A	----	0.0130 - 0.0070	.0831	----	----	----	----	28 UNCH
597	----	----	0.0285B/0.0135A	0.0285B/0.0135A	----	0.0140 - 0.0070	.0890	----	----	----	----	56 UNCH
598	0.0155	0.0155	0.0305B/0.0140	0.0305B/0.0140	----	0.0145 - 0.0080	.0929	----	----	2	----	33 + 1
599	----	----	0.0320B/0.0150A	0.0320B/0.0150A	----	0.0155 - 0.0085	.0990	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
600	0.0155	0.0155	0.0345B/0.0150	0.0345B/0.0150	----	0.0165 - 0.0090	.1052	----	----	32	----	331 + 19
601	0.0295	0.0295	0.0360B/0.0170A	0.0360B/0.0170A	----	0.0175 - 0.0095	.1114	----	----	1	----	54 + 1
602	0.0305	0.0305	0.0385B/0.0180A	0.0385B/0.0180A	----	0.0185 - 0.0100	.1178	----	----	1	----	16 + 1
603	----	----	0.0410B/0.0190A	0.0410B/0.0190A	----	0.0200 - 0.0105	.1261	----	----	----	----	18 UNCH
604	----	----	0.0435B/0.0205A	0.0435B/0.0205A	----	0.0210 - 0.0105	.1327	----	----	----	----	9 UNCH
605	0.0220	0.0220	0.0465B/0.0215A	0.0465B/0.0215A	----	0.0225 - 0.0110	.1412	----	----	41	----	222 + 32
606	----	----	0.0495B/0.0230A	0.0495B/0.0230A	----	0.0240 - 0.0110	.1498	----	----	----	----	23 UNCH
607	----	----	0.0525B/0.0240A	0.0525B/0.0240A	----	0.0255 - 0.0115	.1585	----	----	----	----	29 UNCH
608	----	----	0.0565B/0.0255A	0.0565B/0.0255A	----	0.0270 - 0.0120	.1673	----	----	----	----	27 UNCH
609	----	----	0.0590B/0.0275A	0.0590B/0.0275A	----	0.0285 - 0.0125	.1762	----	----	----	----	42 UNCH
610	----	----	0.0635B/0.0290A	0.0635B/0.0290A	----	0.0305 - 0.0130	.1868	----	----	3	----	168 UNCH
611	----	----	0.0670B/0.0305A	0.0670B/0.0305A	----	0.0325 - 0.0135	.1975	----	----	----	----	16 UNCH
612	----	----	0.0705B/0.0330A	0.0705B/0.0330A	----	0.0345 - 0.0140	.2083	----	----	----	----	27 UNCH
613	----	----	0.0745B/0.0350A	0.0745B/0.0350A	----	0.0365 - 0.0145	.2192	----	----	----	----	11 UNCH
614	----	----	0.0785B/0.0375A	0.0785B/0.0375A	----	0.0390 - 0.0150	.2316	----	----	----	----	46 UNCH
615	----	----	0.0830B/0.0395A	0.0830B/0.0395A	----	0.0415 - 0.0155	.2440	----	----	23	----	149 + 15
616	----	----	0.0875B/0.0420A	0.0875B/0.0420A	----	0.0440 - 0.0160	.2565	----	----	----	----	15 UNCH
617	----	----	0.0920B/0.0445A	0.0920B/0.0445A	----	0.0465 - 0.0165	.2692	----	----	----	----	42 UNCH
618	----	----	0.0965B/0.0475A	0.0965B/0.0475A	----	0.0495 - 0.0170	.2830	----	----	----	----	12 UNCH
619	----	----	0.1010B/0.0505A	0.1010B/0.0505A	----	0.0525 - 0.0175	.2969	----	----	----	----	27 UNCH
620	----	----	0.1065B/0.0535A	0.1065B/0.0535A	----	0.0560 - 0.0180	.3117	----	----	----	----	137 UNCH
621	----	----	0.1110B/0.0560A	0.1110B/0.0560A	----	0.0590 - 0.0190	.3257	----	----	----	----	21 UNCH
622	----	----	0.1170B/0.0595A	0.1170B/0.0595A	----	0.0625 - 0.0195	.3406	----	----	----	----	21 UNCH
623	0.1000	0.1000	0.1225B/0.0630A	0.1225B/0.0630A	----	0.0665 - 0.0200	.3562	----	----	2	----	29 UNCH
624	----	----	0.1280B/0.0665A	0.1280B/0.0665A	----	0.0700 - 0.0205	.3712	----	----	----	----	15 UNCH
625	0.1210	0.1210	0.1335B/0.0705	0.1335B/0.0705	----	0.0740 - 0.0215	.3869	----	----	95	----	102 + 66
626	----	----	0.1395B/0.0745A	0.1395B/0.0745A	----	0.0785 - 0.0215	.4030	----	----	----	----	40 UNCH
627	----	----	0.1455B/0.0785A	0.1455B/0.0785A	----	0.0830 - 0.0220	.4190	----	----	----	----	27 UNCH
628	----	----	0.1505B/0.0830A	0.1505B/0.0830A	----	0.0875 - 0.0225	.4350	----	----	----	----	16 UNCH
629	----	----	0.1570B/0.0870A	0.1570B/0.0870A	----	0.0920 - 0.0235	.4510	----	----	----	----	27 UNCH
630	0.1050	0.1050	0.1600B/0.0910A	0.1600B/0.0910A	----	0.0970 - 0.0235	.4671	----	----	6	----	148 + 2
631	----	----	0.1665B/0.0970A	0.1665B/0.0970A	----	0.1020 - 0.0240	.4833	----	----	----	----	38 UNCH
632	----	----	0.1735B/0.1015A	0.1735B/0.1015A	----	0.1075 - 0.0245	.4993	----	----	1	----	19 UNCH
635	----	----	0.1925B/0.1195A	0.1925B/0.1195A	----	0.1240 - 0.0260	.5470	----	----	----	----	57 UNCH
639	----	----	0.1870B/0.1445A	0.1870B/0.1445A	----	0.1485 - 0.0270	.6080	----	----	----	----	28 UNCH
640	----	----	0.2200B/0.1500A	0.2200B/0.1500A	----	0.1550 - 0.0270	.6226	----	----	----	----	22 UNCH
641	----	----	0.1910B/0.1585A	0.1910B/0.1585A	----	0.1620 - 0.0270	.6365	----	----	----	----	14 UNCH
644	----	----	----/0.1790A	0.2075B/0.1790A	----	0.1825 - 0.0275	.6781	----	----	----	----	5 UNCH
645	----	----	0.2715B/0.2035A	0.2715B/0.2035A	----	0.1900 - 0.0270	.6905	----	----	----	----	69 UNCH
646	----	----	----/0.2100A	0.2235B/0.2100A	----	0.1970 - 0.0270	.7028	----	----	----	----	6 UNCH
649	----	----	0.2485B/0.2395A	0.2485B/0.2395A	----	0.2200 - 0.0265	.7389	----	----	----	----	6 UNCH
650	----	----	0.3130B/0.2345A	0.3130B/0.2345A	----	0.2280 - 0.0260	.7495	----	----	----	----	42 UNCH
651	----	----	0.2655B/0.2550A	0.2655B/0.2550A	----	0.2355 - 0.0265	.7600	----	----	----	----	6 UNCH
654	----	----	0.2910B/0.2780A	0.2910B/0.2780A	----	0.2600 - 0.0255	.7908	----	----	----	----	7 UNCH
655	----	----	0.3575B/0.2635A	0.3575B/0.2635A	----	0.2685 - 0.0250	.7994	----	----	----	----	18 UNCH
656	----	----	0.3090B/0.2980A	0.3090B/0.2980A	----	0.2765 - 0.0255	.8079	----	----	----	----	2 UNCH
659	----	----	#0.3355B/0.3190	0.3355B/0.3190A	----	0.3020 - 0.0250	.8328	----	----	----	----	7 UNCH
660	----	----	0.4015B/0.3050A	0.4015B/0.3050A	----	0.3110 - 0.0245	.8409	----	----	----	----	26 UNCH
661	----	----	#0.3540B/0.3360	0.3540B/0.3360A	----	0.3195 - 0.0245	.8489	----	----	----	----	10 UNCH
665	----	----	0.4470B/0.3485A	0.4470B/0.3485A	----	0.3550 - 0.0240	.8751	----	----	----	----	46 UNCH
666	----	----	#0.4000B/0.3785	#0.4000B/0.3785	----	0.3640 - 0.0235	.8810	----	----	----	----	6 UNCH
670	----	----	0.4940B/0.3925A	0.4940B/0.3925A	----	0.4000 - 0.0240	.9019	----	----	----	----	23 UNCH
675	----	----	0.5410B/0.4395A	0.5410B/0.4395A	----	0.4465 - 0.0235	.9232	----	----	----	----	1 UNCH
700	----	----	0.7850B/0.6800A	0.7850B/0.6800A	----	0.6880 - 0.0225	.9765	----	----	----	----	1 UNCH
TOTAL										342		15578 + 248
JUL26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	84 UNCH
350	----	----	----	----/0.0045A	----	0.0005 UNCH	.0003	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0005 UNCH	.0006	----	----	----	----	1 UNCH
380	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0023	----	----	----	----	2 UNCH
390	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0025	----	----	----	----	6 UNCH
395	----	----	----	----/0.0050A	----	0.0010 - 0.0010	.0025	----	----	----	----	1 UNCH
400	----	----	----	----/0.0035A	----	0.0015 - 0.0010	.0037	----	----	----	----	586 UNCH
405	----	----	----	----/0.0055A	----	0.0015 - 0.0010	.0037	----	----	----	----	1 UNCH
415	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0050	----	----	----	----	52 UNCH
420	----	----	----	----/0.0030A	----	0.0020 - 0.0010	.0051	----	----	----	----	4 UNCH
425	----	----	----	0.0010B/0.0055A	----	0.0020 - 0.0015	.0053	----	----	----	----	51 UNCH
430	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0065	----	----	2	----	10 UNCH
435	----	----	----	----/0.0060A	----	0.0025 - 0.0015	.0067	----	----	----	----	5 UNCH
440	----	----	----	----/0.0060A	----	0.0030 - 0.0010	.0079	----	----	----	----	4 UNCH
445	----	----	----	----/0.0060A	----	0.0030 - 0.0010	.0082	----	----	----	----	3 UNCH
450	----	----	----	----/0.0065A	----	0.0035 - 0.0010	.0095	----	----	2	----	1905 UNCH
455	----	----	----/0.0035A	----/0.0035A	----	0.0035 - 0.0010	.0098	----	----	----	----	14 UNCH
460	----	----	----/0.0040A	----/0.0040A	----	0.0040 - 0.0010	.0112	----	----	----	----	6 UNCH
465	----	----	----	----/0.0070A	----	0.0040 - 0.0010	.0115	----	----	----	----	1 UNCH
470	----	----	----	----/0.0075A	----	0.0045 - 0.0010	.0130	----	----	----	----	3 UNCH
475	----	----	----	0.0040B/0.0075A	----	0.0045 - 0.0015	.0134	----	----	----	----	513 UNCH
480	----	----	----	0.0010B/0.0080A	----	0.0050 - 0.0015	.0150	----	----	----	----	79 UNCH
485	----	----	----	0.0005B/0.0085A	----	0.0055 - 0.0010	.0166	----	----	----	----	2 UNCH
490	----	----	----	0.0010B/0.0090A	----	0.0060 - 0.0015	.0184	----	----	----	----	542 UNCH
495	----	----	----	0.0020B/0.0095A	----	0.0060 - 0.0020	.0190	----	----	----	----	104 UNCH
500	----	----	----	0.0065B/0.0100A	----	0.0065 - 0.0020	.0209	----	----	1	----	3334 UNCH
505	----	----	----	0.0070B/0.0105A	----	0.0070 - 0.0025	.0228	----	----	----	----	3 UNCH
510	----	----	----/0.0100A	0.0080B/0.0100A	----	0.0080 - 0.0025	.0261	----	----	----	----	212 UNCH
515	----	----	----/0.0085A	0.0105B/0.0085A	----	0.0085 - 0.0030	.0283	----	----	----	----	3 UNCH
520	----	----	----/0.0100A	0.0120B/0.0100A	----	0.0095 - 0.0035	.0319	----	----	----	----	377 UNCH
525	0.0130	0.0130	0.0130/0.0110A	0.0145B/0.0110A	----	0.0110 - 0.0035	.0368	----	----	1	----	649 UNCH
530	0.0140	0.0140	0.0170B/0.0110	0.0170B/0.0110	----	0.0125 - 0.0040	.0419	----	----	46	----	3200 - 37
533	----	----	0.0185B/0.0140A	0.0185B/0.0140A	----	0.0135 - 0.0045	.0453	----	----	----	----	1 UNCH
534	----	----	0.0190B/0.0145A	0.0190B/0.0145A	----	0.0140 - 0.0045	.0468	----	----	----	----	2 UNCH
535	----	----	0.0195B/0.0145A	0.0195B/0.0145A	----	0.0145 - 0.0045	.0484	----	----	----	----	4 UNCH
536	----	----	0.0205B/0.0155A	0.0205B/0.0155A	----	0.0150 - 0.0045	.0499	----	----	----	----	5 UNCH
538	----	----	0.0220B/0.0160A	0.0220B/0.0160A	----	0.0155 - 0.0050	.0519	----	----	----	----	3 UNCH
539	----	----	0.0225B/0.0160A	0.0225B/0.0160A	----	0.0160 - 0.0050	.0535	----	----	----	----	2 UNCH
540	----	----	0.0235B/0.0165A	0.0235B/0.0165A	----	0.0165 - 0.0050	.0551	----	----	----	----	933 UNCH
541	----	----	0.0245B/0.0170A	0.0245B/0.0170A	----	0.0175 - 0.0050	.0578	----	----	----	----	2 UNCH
542	----	----	0.0255B/0.0175A	0.0255B/0.0175A	----	0.0180 - 0.0050	.0593	----	----	----	----	2 UNCH
543	----	----	0.0260B/0.0180A	0.0260B/0.0180A	----	0.0185 - 0.0050	.0610	----	----	----	----	3 UNCH
545	----	----	0.0280B/0.0195A	0.0280B/0.0195A	----	0.0195 - 0.0055	.0642	----	----	----	----	4 UNCH
546	----	----	0.0290B/0.0200A	0.0290B/0.0200A	----	0.0200 - 0.0055	.0659	----	----	----	----	3 UNCH
547	----	----	0.0300B/0.0205A	0.0300B/0.0205A	----	0.0210 - 0.0055	.0686	----	----	----	----	6 UNCH
548	----	----	0.0310B/0.0210A	0.0310B/0.0210A	----	0.0215 - 0.0060	.0702	----	----	----	----	17 UNCH
549	----	----	0.0320B/0.0215A	0.0320B/0.0215A	----	0.0220 - 0.0060	.0719	----	----	----	----	1 UNCH
550	0.0225	0.0225	0.0330B/0.0225	0.0330B/0.0225	----	0.0225 - 0.0065	.0736	----	----	1	----	1229 + 1
552	----	----	0.0350B/0.0240A	0.0350B/0.0240A	----	0.0240 - 0.0070	.0781	----	----	----	----	2 UNCH
553	----	----	0.0360B/0.0245A	0.0360B/0.0245A	----	0.0250 - 0.0070	.0808	----	----	----	----	2 UNCH
554	----	----	0.0375B/0.0255A	0.0375B/0.0255A	----	0.0255 - 0.0075	.0826	----	----	----	----	82 UNCH
555	----	----	0.0385B/0.0260A	0.0385B/0.0260A	----	0.0265 - 0.0075	.0854	----	----	2	----	95 + 1
556	----	----	0.0395B/0.0270A	0.0395B/0.0270A	----	0.0270 - 0.0080	.0872	----	----	----	----	65 UNCH
558	0.0410	0.0410	0.0420B/0.0285A	0.0420B/0.0285A	----	0.0290 - 0.0080	.0928	----	----	5	----	114 UNCH
559	----	----	0.0435B/0.0295A	0.0435B/0.0295A	----	0.0300 - 0.0080	.0956	----	----	----	----	9 UNCH
560	----	----	0.0435B/0.0305A	0.0435B/0.0305A	----	0.0310 - 0.0085	.0984	----	----	3	----	323 - 1
561	----	----	0.0445B/0.0315A	0.0445B/0.0315A	----	0.0320 - 0.0085	.1013	----	----	----	----	10 UNCH
562	----	----	0.0460B/0.0325A	0.0460B/0.0325A	----	0.0330 - 0.0085	.1041	----	----	----	----	2 UNCH
563	----	----	0.0475B/0.0335A	0.0475B/0.0335A	----	0.0340 - 0.0090	.1070	----	----	----	----	17 UNCH
565	0.0530	0.0530	0.0530/0.0355A	0.0530/0.0355A	----	0.0360 - 0.0095	.1127	----	----	1	----	17 - 1
566	0.0545	0.0545	0.0545/0.0370A	0.0545/0.0370A	----	0.0375 - 0.0095	.1165	----	----	2	----	32 + 2
567	----	----	0.0540B/0.0380A	0.0540B/0.0380A	----	0.0385 - 0.0100	.1195	----	----	----	----	13 UNCH
568	----	----	0.0555B/0.0390A	0.0555B/0.0390A	----	0.0400 - 0.0100	.1233	----	----	----	----	7 UNCH
569	----	----	0.0575B/0.0405A	0.0575B/0.0405A	----	0.0415 - 0.0100	.1271	----	----	----	----	11 UNCH
570	0.0430	0.0430	0.0590B/0.0415A	0.0590B/0.0415A	----	0.0425 - 0.0105	.1300	----	----	8	----	397 + 6
571	0.0500	0.0500	0.0610B/0.0430A	0.0610B/0.0430A	----	0.0440 - 0.0105	.1339	----	----	2	----	16 - 1
572	----	----	0.0630B/0.0445A	0.0630B/0.0445A	----	0.0455 - 0.0105	.1377	----	----	----	----	4 UNCH
573	----	----	0.0650B/0.0460A	0.0650B/0.0460A	----	0.0470 - 0.0110	.1416	----	----	----	----	2 UNCH
574	----	----	0.0675B/0.0475A	0.0675B/0.0475A	----	0.0485 - 0.0110	.1454	----	----	1	----	7 + 1
575	0.0500	0.0500	0.0695B/0.0490A	0.0695B/0.0490A	----	0.0500 - 0.0115	.1493	----	----	9	----	226 + 3
576	----	----	0.0715B/0.0505A	0.0715B/0.0505A	----	0.0515 - 0.0120	.1532	----	----	----	----	4 UNCH
577	----	----	0.0735B/0.0520A	0.0735B/0.0520A	----	0.0535 - 0.0115	.1578	----	----	----	----	2 UNCH
578	----	----	0.0760B/0.0540A	0.0760B/0.0540A	----	0.0550 - 0.0120	.1617	----	----	----	----	75 UNCH
579	----	----	0.0790B/0.0555A	0.0790B/0.0555A	----	0.0565 - 0.0125	.1657	----	----	----	----	2 UNCH
580	0.0615	0.0615	0.0815B/0.0570A	0.0815B/0.0570A	----	0.0585 - 0.0125	.1703	----	----	7	----	1862 UNCH
581	----	----	0.0840B/0.0590A	0.0840B/0.0590A	----	0.0605 - 0.0125	.1750	----	----	----	----	5 UNCH
582	----	----	0.0860B/0.0610A	0.0860B/0.0610A	----	0.0625 - 0.0130	.1797	----	----	----	----	30 UNCH
583	----	----	0.0890B/0.0630A	0.0890B/0.0630A	----	0.0640 - 0.0135	.1837	----	----	----	----	1 UNCH
584	----	----	0.0920B/0.0645A	0.0920B/0.0645A	----	0.0660 - 0.0135	.1884	----	----	1	----	2 + 1
585	----	----	0.0950B/0.0660A	0.0950B/0.0660A	----	0.0685 - 0.0135	.1937	----	----	3	----	868 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
586	----	----	0.0970B/0.0690A	0.0970B/0.0690A	----	0.0705 - 0.0140	.1984	----	----	----	----	8 UNCH
587	----	----	0.1005B/0.0705A	0.1005B/0.0705A	----	0.0725 - 0.0145	.2032	----	----	----	----	9 UNCH
588	----	----	0.1025B/0.0735A	0.1025B/0.0735A	----	0.0750 - 0.0145	.2085	----	----	----	----	4 UNCH
589	----	----	0.1055B/0.0755A	0.1055B/0.0755A	----	0.0770 - 0.0150	.2133	----	----	----	----	7 UNCH
590	0.0810	0.0810	0.1090B/0.0770A	0.1090B/0.0770A	----	0.0795 - 0.0150	.2186	----	----	23	----	911 + 12
592	----	----	0.1150B/0.0825A	0.1150B/0.0825A	----	0.0845 - 0.0155	.2294	----	----	----	----	4 UNCH
593	0.0890	0.0890	0.1175B/0.0855A	0.1175B/0.0855A	----	0.0870 - 0.0155	.2347	----	----	4	----	6 + 4
594	----	----	0.1205B/0.0880A	0.1205B/0.0880A	----	0.0895 - 0.0160	.2401	----	----	----	----	1 UNCH
595	----	----	0.1245B/0.0905A	0.1245B/0.0905A	----	0.0925 - 0.0160	.2460	----	----	----	----	200 UNCH
596	----	----	0.1280B/0.0935A	0.1280B/0.0935A	----	0.0950 - 0.0165	.2514	----	----	----	----	1 UNCH
597	----	----	0.1325B/0.0960A	0.1325B/0.0960A	----	0.0980 - 0.0165	.2573	----	----	----	----	33 UNCH
598	----	----	0.1355B/0.0990A	0.1355B/0.0990A	----	0.1010 - 0.0165	.2632	----	----	----	----	21 UNCH
599	----	----	0.1400B/0.1015A	0.1400B/0.1015A	----	0.1040 - 0.0170	.2691	----	----	----	----	28 UNCH
600	0.1100	0.1100	0.1440B/0.1045A	0.1440B/0.1045A	----	0.1070 - 0.0175	.2750	----	----	3	----	818 + 2
601	0.1130	0.1130	0.1480B/0.1080A	0.1480B/0.1080A	----	0.1100 - 0.0175	.2809	----	----	10	----	12 + 10
602	----	----	0.1520B/0.1110A	0.1520B/0.1110A	----	0.1135 - 0.0175	.2872	----	----	2	----	11 + 2
603	----	----	0.1565B/0.1145A	0.1565B/0.1145A	----	0.1170 - 0.0175	.2935	----	----	----	----	10 UNCH
605	0.1315	0.1315	0.1650B/0.1215A	0.1650B/0.1215A	----	0.1235 - 0.0185	.3057	----	----	2	----	148 UNCH
610	0.1450	0.1450	0.1880B/0.1390A	0.1880B/0.1390A	----	0.1425 - 0.0190	.3380	----	----	11	----	388 + 9
615	0.1670	0.1670	0.2135B/0.1595A	0.2135B/0.1595A	----	0.1630 - 0.0200	.3708	----	----	10	----	156 + 10
620	0.2405	0.2405	0.2405/0.1810A	0.2405/0.1810A	----	0.1855 - 0.0205	.4041	----	----	17	----	274 + 11
625	0.2740	0.2740	0.2740/0.2055A	0.2740/0.2055A	----	0.2100 - 0.0210	.4375	----	----	15	----	50 + 2
630	0.2450	0.2450	0.3000B/0.2305A	0.3000B/0.2305A	----	0.2365 - 0.0215	.4706	----	----	22	----	315 + 18
635	----	----	0.3315B/0.2590A	0.3315B/0.2590A	----	0.2645 - 0.0220	.5032	----	----	----	----	35 UNCH
640	----	----	0.3655B/0.2885A	0.3655B/0.2885A	----	0.2945 - 0.0220	.5349	----	----	----	----	54 UNCH
645	----	----	0.3945B/0.3215A	0.3945B/0.3215A	----	0.3255 - 0.0230	.5657	----	----	----	----	44 UNCH
650	----	----	0.4310B/0.3540A	0.4310B/0.3540A	----	0.3585 - 0.0230	.5953	----	----	----	----	122 UNCH
655	----	----	0.4680B/0.3915A	0.4680B/0.3915A	----	0.3930 - 0.0235	.6235	----	----	----	----	49 UNCH
660	----	----	0.5060B/0.4280A	0.5060B/0.4280A	----	0.4285 - 0.0235	.6503	----	----	----	----	11 UNCH
665	----	----	0.5455B/0.4650A	0.5455B/0.4650A	----	0.4655 - 0.0235	.6753	----	----	----	----	3 UNCH
670	----	----	0.5855B/0.5030A	0.5855B/0.5030A	----	0.5040 - 0.0235	.6994	----	----	----	----	68 UNCH
675	----	----	0.6265B/0.5420A	0.6265B/0.5420A	----	0.5430 - 0.0235	.7217	----	----	----	----	26 UNCH
700	----	----	0.8205B/0.7595A	0.8205B/0.7595A	----	0.7525 - 0.0225	.8123	----	----	----	----	2 UNCH
705	----	----	0.8655B/0.8035A	0.8655B/0.8035A	----	0.7965 - 0.0225	.8267	----	----	----	----	1 UNCH
TOTAL										216		22113 + 55
AUG26												
330	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0011	----	----	----	----	3 UNCH
405	----	----	----	----/0.0110A	----	0.0040 - 0.0005	.0084	----	----	----	----	3 UNCH
420	----	----	----	0.0005B/0.0120A	----	0.0050 - 0.0010	.0108	----	----	----	----	1 UNCH
440	----	----	----	0.0015B/0.0140A	----	0.0065 - 0.0015	.0146	----	----	----	----	5 UNCH
450	----	----	----	0.0015B/0.0150A	----	0.0080 - 0.0010	.0180	----	----	----	----	8 UNCH
460	----	----	----	0.0020B/0.0165A	----	0.0090 - 0.0020	.0207	----	----	----	----	3 UNCH
465	----	----	----	0.0075B/0.0165A	----	0.0100 - 0.0020	.0230	----	----	----	----	1 UNCH
470	----	----	----	0.0085B/0.0160A	----	0.0105 - 0.0025	.0245	----	----	----	----	2 UNCH
475	----	----	----	0.0095B/*0.0150	----	0.0115 - 0.0025	.0269	----	----	----	----	5 UNCH
480	----	----	----	0.0105B/*0.0155	----	0.0125 - 0.0030	.0294	----	----	----	----	7 UNCH
485	----	----	----/*0.0165A	0.0120B/*0.0165	----	0.0135 - 0.0035	.0320	----	----	----	----	1 UNCH
500	----	----	----/*0.0210A	0.0180B/0.0210A	----	0.0175 - 0.0050	.0419	----	----	----	----	9 UNCH
505	----	----	----/*0.0225A	0.0205B/0.0225A	----	0.0195 - 0.0055	.0466	----	----	----	----	1 UNCH
510	----	----	----/*0.0250A	0.0235B/0.0250A	----	0.0215 - 0.0065	.0514	----	----	----	----	1 UNCH
520	----	----	----/0.0290A	0.0320B/0.0290A	----	0.0265 - 0.0080	.0629	----	----	----	----	308 UNCH
525	----	----	----/0.0325A	0.0370B/0.0325A	----	0.0295 - 0.0095	.0697	----	----	----	----	1 UNCH
530	----	----	----/0.0360A	0.0415B/0.0360A	----	0.0335 - 0.0105	.0781	----	----	1	----	64 UNCH
535	----	----	----/0.0405A	0.0475B/0.0405A	----	0.0380 - 0.0115	.0874	----	----	----	----	8 UNCH
540	----	----	----/0.0455A	0.0540B/0.0455A	----	0.0435 - 0.0120	.0981	----	----	4	----	8 + 2
545	----	----	----/0.0510A	0.0615B/0.0510A	----	0.0495 - 0.0130	.1096	----	----	1	----	2 + 1
550	----	----	----/0.0580A	0.0700B/0.0580A	----	0.0560 - 0.0145	.1218	----	----	1	----	26 + 1
565	----	----	0.0995B/0.0825A	0.0995B/0.0825A	----	0.0815 - 0.0170	.1658	----	----	----	----	1 UNCH
570	----	----	0.1115B/0.0925A	0.1115B/0.0925A	----	0.0915 - 0.0180	.1822	----	----	----	----	5 UNCH
575	----	----	0.1240B/0.1035A	0.1240B/0.1035A	----	0.1030 - 0.0190	.1999	----	----	2	----	3 + 1
580	----	----	0.1385B/0.1125A	0.1385B/0.1125A	----	0.1150 - 0.0200	.2182	----	----	----	----	253 UNCH
585	0.1560	0.1560	0.1560/0.1295A	0.1560/0.1295A	----	0.1285 - 0.0205	.2376	----	----	1	----	8 UNCH
590	----	----	0.1725B/0.1440A	0.1725B/0.1440A	----	0.1430 - 0.0215	.2577	----	----	----	----	14 UNCH
600	----	----	0.2115B/0.1745A	0.2115B/0.1745A	----	0.1760 - 0.0235	.3003	----	----	----	----	627 UNCH
605	----	----	0.2340B/0.1960A	0.2340B/0.1960A	----	0.1950 - 0.0240	.3227	----	----	----	----	12 UNCH
620	----	----	0.3080B/0.2585A	0.3080B/0.2585A	----	0.2595 - 0.0260	.3915	----	----	----	----	29 UNCH
625	----	----	0.3360B/0.2830A	0.3360B/0.2830A	----	0.2840 - 0.0265	.4147	----	----	5	----	5 UNCH
630	----	----	0.3645B/0.3080A	0.3645B/0.3080A	----	0.3095 - 0.0270	.4378	----	----	----	----	4 UNCH
640	----	----	0.4260B/0.3630A	0.4260B/0.3630A	----	0.3645 - 0.0270	.4833	----	----	----	----	3 UNCH
660	----	----	0.5585B/0.4880A	0.5585B/0.4880A	----	0.4890 - 0.0260	.5691	----	----	----	----	2 UNCH
670	----	----	0.6285B/0.5560A	0.6285B/0.5560A	----	0.5575 - 0.0255	.6083	----	----	----	----	310 UNCH
TOTAL										15		1743 + 5
SEP26												
400	----	----	----	0.0015B/*0.0145	----	0.0065 - 0.0020	.0121	----	----	----	----	1 UNCH
440	----	----	----	0.0095B/0.0190A	----	0.0120 - 0.0035	.0232	----	----	----	----	4 UNCH
445	----	----	----	0.0105B/0.0180A	----	0.0125 - 0.0040	.0245	----	----	----	----	5 UNCH
450	----	----	----	0.0120B/0.0175A	----	0.0135 - 0.0040	.0266	----	----	----	----	805 UNCH
460	----	----	----/0.0195A	0.0145B/0.0195A	----	0.0155 - 0.0050	.0309	----	----	----	----	12 UNCH
470	----	----	----/*0.0220A	0.0180B/*0.0220	----	0.0185 - 0.0055	.0369	----	----	----	----	3 UNCH
475	----	----	----/*0.0235A	0.0200B/*0.0235	----	0.0200 - 0.0060	.0400	----	----	----	----	74 UNCH
480	----	----	----/*0.0250A	0.0225B/*0.0250	----	0.0215 - 0.0065	.0432	----	----	----	----	7 UNCH
485	----	----	----/*0.0275A	0.0255B/0.0275A	----	0.0235 - 0.0070	.0472	----	----	----	----	1 UNCH
490	----	----	----	0.0225B/0.0335A	----	0.0260 - 0.0075	.0519	----	----	----	----	11 UNCH
500	0.0500	0.0500	0.0500/*0.0395A	0.0500/0.0395A	----	0.0315 - 0.0090	.0623	----	----	1	----	627 UNCH
510	----	----	----/*0.0475A	0.0390B/0.0475A	----	0.0385 - 0.0110	.0750	----	----	----	----	2 UNCH
515	----	----	----/0.0505A	0.0450B/0.0505A	----	0.0430 - 0.0120	.0828	----	----	----	----	1 UNCH
520	----	----	----/0.0580A	0.0505B/0.0580A	----	0.0480 - 0.0130	.0911	----	----	----	----	6 UNCH
525	----	----	----/*0.0620A	0.0575B/0.0620A	----	0.0535 - 0.0145	.1002	----	----	----	----	327 UNCH
530	----	----	----/0.0685A	0.0645B/0.0685A	----	0.0595 - 0.0160	.1099	----	----	----	----	2 UNCH
535	----	----	----/0.0760A	0.0725B/0.0760A	----	0.0665 - 0.0170	.1206	----	----	----	----	350 UNCH
540	----	----	----/0.0785A	0.0885B/0.0785A	----	0.0740 - 0.0185	.1320	----	----	----	----	402 UNCH
550	----	----	----/0.0955A	0.1075B/0.0955A	----	0.0915 - 0.0205	.1571	----	----	----	----	45 UNCH
560	----	----	----/0.1160A	0.1300B/0.1160A	----	0.1120 - 0.0230	.1850	----	----	----	----	3 UNCH
565	----	----	----/0.1275A	0.1425B/0.1275A	----	0.1235 - 0.0240	.2000	----	----	----	----	1 UNCH
570	----	----	----/0.1395A	0.1570B/0.1395A	----	0.1365 - 0.0245	.2160	----	----	----	----	124 UNCH
575	----	----	----/0.1525A	0.1730B/0.1525A	----	0.1500 - 0.0255	.2323	----	----	200	----	362 + 110
580	----	----	----/0.1665A	0.1895B/0.1665A	----	0.1650 - 0.0260	.2494	----	----	----	----	687 UNCH
585	----	----	----/0.1840A	0.2075B/0.1840A	----	0.1805 - 0.0270	.2668	----	----	----	----	8 UNCH
590	----	----	0.2270B/0.1990A	0.2270B/0.1990A	----	0.1980 - 0.0275	.2851	----	----	----	----	360 UNCH
595	----	----	0.2475B/0.2185A	0.2475B/0.2185A	----	0.2160 - 0.0285	.3035	----	----	----	----	8 UNCH
600	0.2695	0.2695	0.2695/0.2370A	0.2695/0.2370A	----	0.2360 - 0.0285	.3225	----	----	422	----	1062 - 347
610	----	----	0.3170B/0.2795A	0.3170B/0.2795A	----	0.2790 - 0.0290	.3610	----	----	----	----	1100 UNCH
615	----	----	0.3430B/0.3035A	0.3430B/0.3035A	----	0.3020 - 0.0300	.3803	----	----	----	----	1 UNCH
620	----	----	0.3695B/0.3270A	0.3695B/0.3270A	----	0.3265 - 0.0305	.3997	----	----	----	----	1002 UNCH
625	----	----	0.3980B/0.3520A	0.3980B/0.3520A	----	0.3520 - 0.0310	.4190	----	----	----	----	1147 UNCH
630	----	----	0.4270B/0.3800A	0.4270B/0.3800A	----	0.3790 - 0.0310	.4382	----	----	----	----	3 UNCH
635	----	----	0.4575B/0.4060A	0.4575B/0.4060A	----	0.4070 - 0.0310	.4572	----	----	----	----	431 UNCH
650	----	----	0.5535B/0.4965A	0.5535B/0.4965A	----	0.4960 - 0.0310	.5122	----	----	----	----	82 UNCH
655	----	----	0.5875B/0.5265A	0.5875B/0.5265A	----	0.5280 - 0.0300	.5298	----	----	----	----	53 UNCH
660	----	----	0.6225B/0.5600A	0.6225B/0.5600A	----	0.5605 - 0.0295	.5470	----	----	----	----	1 UNCH
670	----	----	0.6915B/0.6260A	0.6915B/0.6260A	----	0.6280 - 0.0280	.5800	----	----	----	----	210 UNCH
685	----	----	0.8030B/0.7360A	0.8030B/0.7360A	----	0.7345 - 0.0260	.6263	----	----	----	----	11 UNCH
695	----	----	0.8800B/0.8100A	0.8800B/0.8100A	----	0.8090 - 0.0245	.6549	----	----	----	----	2 UNCH
700	----	----	0.9195B/0.8480A	0.9195B/0.8480A	----	0.8470 - 0.0240	.6684	----	----	----	----	7 UNCH
725	----	----	1.1230B/1.0450A	1.1230B/1.0450A	----	1.0455 - 0.0215	.7298	----	----	----	----	2 UNCH
TOTAL										623		9352 - 237
OCT26												
300	----	----	----	----/0.0110A	----	0.0020 UNCH	.0030	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/0.0165A	----	0.0080 - 0.0015	.0123	----	----	----	----	2 UNCH
400	----	----	----	0.0030B/0.0190A	----	0.0110 - 0.0015	.0175	----	----	----	----	1 UNCH
450	----	----	----	0.0165B/0.0290A	----	0.0205 - 0.0040	.0343	----	----	----	----	1 UNCH
470	----	----	----/*0.0325A	0.0255B/*0.0325	----	0.0280 - 0.0060	.0469	----	----	----	----	1 UNCH
475	----	----	----	0.0245B/0.0395A	----	0.0305 - 0.0065	.0509	----	----	----	----	3 UNCH
500	----	----	----/*0.0565A	0.0445B/0.0565A	----	0.0470 - 0.0105	.0763	----	----	----	----	60 UNCH
530	----	----	----/*0.0915A	0.0845B/0.0915A	----	0.0790 - 0.0180	.1215	----	----	----	----	1 UNCH
570	----	----	----/0.1750A	0.1785B/0.1750A	----	0.1615 - 0.0270	.2167	----	----	----	----	4 UNCH
600	----	----	0.2955B/0.2675A	0.2955B/0.2675A	----	0.2635 - 0.0305	.3089	----	----	----	----	13 UNCH
605	----	----	0.3175B/0.2880A	0.3175B/0.2880A	----	0.2840 - 0.0310	.3252	----	----	----	----	1 UNCH
745	----	----	1.2585B/1.1860A	1.2585B/1.1860A	----	1.1800 - 0.0265	.7225	----	----	----	----	1 UNCH
750	----	----	1.2855B/1.2385A	1.2855B/1.2385A	----	1.2205 - 0.0260	.7324	----	----	----	----	5 UNCH
TOTAL												94
NOV26												
400	----	----	----	0.0060B/*0.0275	----	0.0165 - 0.0015	.0235	----	----	----	----	10 UNCH
475	----	----	----	0.0390B/0.0560A	----	0.0445 - 0.0070	.0648	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 67

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
NOV26												
480	----	----	----	0.0435B/0.0595A	----	0.0485 - 0.0070	.0701	----	----	----	----	2 UNCH
500	----	----	----/0.0770A	0.0660B/0.0770A	----	0.0680 - 0.0100	.0948	----	----	----	----	16 UNCH
520	----	----	----/0.1030A	0.0975B/0.1030A	----	0.0955 - 0.0135	.1268	----	----	----	----	2 UNCH
550	----	----	----/0.1625A	0.1660B/0.1625A	----	0.1555 - 0.0200	.1886	----	----	----	----	1 UNCH
560	----	----	----/0.1885A	0.1950B/0.1885A	----	0.1815 - 0.0220	.2127	----	----	----	----	1 UNCH
590	----	----	----/0.2865A	0.3040B/0.2865A	----	0.2795 - 0.0285	.2928	----	----	----	----	1 UNCH
645	----	----	0.5870B/0.5485A	0.5870B/0.5485A	----	0.5435 - 0.0315	.4523	----	----	----	----	1 UNCH
735	----	----	1.2160B/1.1565A	1.2160B/1.1565A	----	1.1510 - 0.0245	.6746	----	----	----	----	2 UNCH
TOTAL												38
DEC26												
380	----	----	----	0.0035B/0.0320A	----	0.0175 - 0.0020	.0225	----	----	----	----	2 UNCH
385	----	----	----	0.0045B/0.0330A	----	0.0185 - 0.0020	.0239	----	----	----	----	1 UNCH
395	----	----	----	0.0070B/0.0350A	----	0.0205 - 0.0020	.0269	----	----	----	----	3 UNCH
400	----	----	----	0.0080B/0.0365A	----	0.0215 - 0.0025	.0284	----	----	----	----	18 UNCH
420	----	----	----	0.0145B/0.0420A	----	0.0270 - 0.0030	.0362	----	----	----	----	2 UNCH
460	----	----	----	0.0375B/0.0620A	----	0.0470 - 0.0055	.0624	----	----	----	----	2 UNCH
475	----	----	----	0.0515B/0.0740A	----	0.0595 - 0.0070	.0774	----	----	----	----	76 UNCH
480	----	----	----	0.0570B/0.0790A	----	0.0645 - 0.0075	.0831	----	----	----	----	16 UNCH
490	----	----	----	0.0700B/0.0905A	----	0.0755 - 0.0090	.0956	----	----	----	----	5 UNCH
500	----	----	----	0.0850B/0.1035A	----	0.0885 - 0.0110	.1097	----	----	----	----	103 UNCH
525	----	----	----/0.1445A	0.1335B/0.1445A	----	0.1310 - 0.0155	.1521	----	----	----	----	1 UNCH
540	----	----	----/0.1770A	0.1710B/0.1770A	----	0.1645 - 0.0185	.1824	----	----	----	----	3 UNCH
550	----	----	----/0.2025A	0.1995B/0.2025A	----	0.1905 - 0.0205	.2044	----	----	----	----	152 UNCH
560	----	----	----/0.2305A	0.2315B/0.2305A	----	0.2190 - 0.0230	.2274	----	----	----	----	300 UNCH
570	----	----	----/0.2630A	0.2670B/0.2630A	----	0.2510 - 0.0250	.2517	----	----	----	----	4 UNCH
580	----	----	----/0.2975A	0.3055B/0.2975A	----	0.2860 - 0.0270	.2768	----	----	----	----	22 UNCH
600	----	----	----/0.3775A	0.3925B/0.3775A	----	0.3670 - 0.0295	.3292	----	----	----	----	118 UNCH
630	----	----	0.5460B/0.5215A	0.5460B/0.5215A	----	0.5120 - 0.0320	.4093	----	----	----	----	18 UNCH
650	0.6400	0.6400	0.6625B/0.6310A	0.6625B/0.6310A	----	0.6230 NEW	.4617	----	----	1	----	1 + 1
750	----	----	1.3690B/1.3165A	1.3690B/1.3165A	----	1.3080 - 0.0245	.6835	----	----	----	----	1 UNCH
TOTAL										1		848 + 1
JAN27												
400	----	----	----	----	----	0.0455 - 0.0025	.0454	----	----	----	----	8 UNCH
800	2.0000	2.0000	#2.0000/1.9500	#2.0000/1.9500	----	1.7280 - 0.0185	.7058	----	----	2	----	1 - 1
TOTAL										2		9 - 1
FEB27												
400	----	----	----	----	----	0.0590 - 0.0030	.0535	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0245 - 0.0010	.0183	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	0.5270B/0.4270A	0.5270B/0.4270A	----	0.5165 + 0.0175	.9941	----	----	----	----	1 UNCH
605	0.2785	0.2785	0.2785/0.2415A	0.2785/0.2415A	----	0.3020 NEW	.8121	----	----	2	----	2 + 2
610	----	----	----	----	----	0.1950 UNCH	----	----	----	----	----	0 UNCH
610	----	----	0.2390B/0.1815A	0.2390B/0.1815A	----	0.2320 + 0.0060	.8780	----	----	----	----	5 UNCH
610	----	----	0.2640B/0.2095A	0.2640B/0.2095A	----	0.2625 + 0.0055	.7671	----	----	----	----	5 UNCH
615	----	----	----	----	----	0.1450 UNCH	----	----	----	----	----	0 UNCH
615	----	----	0.2300B/0.1790A	0.2300B/0.1790A	----	0.2260 + 0.0030	.7154	----	----	----	----	1 UNCH
620	----	----	----	----	----	0.0950 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----/0.1105A	0.1400B/0.1105A	----	0.1535 UNCH	.7366	----	----	----	----	5 UNCH
625	----	----	----	----	----	0.0450 UNCH	----	----	----	----	----	0 UNCH
625	----	----	0.1675B/0.1315A	0.1675B/0.1315A	----	0.1625 NEW	.5943	----	----	1	----	1 + 1
629	----	----	----	----	----	0.0050 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	0.0755	0.0755	0.0830/0.0670A	0.0960B/0.0670A	----	0.0920 - 0.0060	.5386	----	----	2	----	1 UNCH
630	0.1100	0.1100	0.1460B/0.1100	0.1460B/0.1100	----	0.1360 - 0.0050	.5296	----	----	11	----	12 + 9
632	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----/0.0510A	0.0730B/0.0510A	----	0.0685 - 0.0085	.4337	----	----	----	----	1 UNCH
635	----	----	0.1230B/*0.0940	0.1230B/0.0940A	----	0.1135 - 0.0060	.4656	----	----	1	----	2 + 1
636	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
638	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
639	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	0.0430	0.0430	0.0430/0.0385A	0.0540B/0.0385A	----	0.0505 - 0.0095	.3365	----	----	1	----	6 + 1
640	----	----	0.1035B/*0.0790	0.1035B/0.0790A	----	0.0945 - 0.0065	.4047	----	----	----	----	220 UNCH
642	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----/0.0295A	0.0385B/0.0295A	----	0.0365 - 0.0100	.2522	----	----	----	----	51 UNCH
647	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
648	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----/0.0230A	0.0265B/0.0230A	----	0.0260 - 0.0095	.1833	----	----	----	----	50 UNCH
652	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
655	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
655	----	----	----/0.0190A	0.0175B/0.0190A	----	0.0185 - 0.0090	.1307	----	----	----	----	50 UNCH
657	0.0110	0.0110	#0.0125B/*0.011	#0.0125B/*0.011	----	0.0160 NEW	.1130	----	----	10	----	10 + 10
660	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----/0.0155A	0.0115B/0.0155A	----	0.0130 - 0.0080	.0910	----	----	----	----	50 UNCH
660	----	----	----/*0.0405A	0.0485B/0.0405A	----	0.0450 - 0.0045	.2144	----	----	----	----	220 UNCH
665	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----/0.0135A	0.0080B/0.0135A	----	0.0090 - 0.0070	.0619	----	----	1	----	1 UNCH
675	----	----	----/*0.0090A	0.0020B/0.0090A	----	0.0045 - 0.0050	.0289	----	----	----	----	1 UNCH
680	----	----	----	0.0010B/*0.0080	----	0.0030 - 0.0040	.0185	----	----	----	----	5 UNCH
680	----	----	----/*0.0210A	0.0205B/*0.0210	----	0.0205 - 0.0030	.1036	----	----	----	----	2 UNCH
690	----	----	----	----/0.0065A	----	0.0015 - 0.0025	.0083	----	----	----	----	2 UNCH
725	----	----	----	----/*0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										29		705 + 24
JUN26												
620	----	----	----/*0.2005A	0.2275B/*0.2005	----	0.2260 NEW	.6265	----	----	1	----	1 + 1
630	0.1750	0.1750	0.1775B/*0.1570	0.1775B/*0.1570	----	0.1715 NEW	.5278	----	----	2	----	2 + 2
650	----	----	----/*0.0950A	0.1005B/*0.0950	----	0.1005 - 0.0040	.3475	----	----	----	----	0 UNCH
675	----	----	----/*0.0525A	0.0470B/*0.0525	----	0.0495 - 0.0040	.1890	----	----	----	----	5 UNCH
690	0.0280	0.0280	0.0300B/*0.0280	0.0300B/*0.0280	----	0.0325 - 0.0025	.1285	----	----	1	----	1 UNCH
700	----	----	----	0.0210B/*0.0275	----	0.0250 - 0.0015	.0999	----	----	----	----	1 UNCH
750	----	----	----	0.0050B/*0.0110	----	0.0065 - 0.0005	.0269	----	----	----	----	1 UNCH
TOTAL										4		11 + 3
HXE PUT		COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
575	----	----	----	0.0010B/0.0075A	----	0.0005 - 0.0025	.0023	----	----	----	----	4 UNCH
580	----	----	0.0155B/----	0.0155B/0.0145A	----	0.0105 - 0.0040	.0571	----	----	----	----	1 UNCH
590	----	----	----	0.0060B/0.0095A	----	0.0030 - 0.0060	.0195	----	----	----	----	1 UNCH
595	----	----	----/*0.0110A	0.0105B/0.0110A	----	0.0050 - 0.0075	.0337	----	----	----	----	1 UNCH
600	0.0170	0.0170	0.0170/0.0125	0.0170/0.0125	----	0.0075 - 0.0095	.0528	----	----	20	----	21 + 14
600	0.0430	0.0430	0.0500B/0.0300A	0.0500B/0.0300A	----	0.0290 NEW	.1504	----	----	1	----	1 + 1
620	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
620	0.0600	0.0600	0.0810B/0.0425A	0.0810B/0.0425A	----	0.0380 - 0.0205	.2632	----	----	2	----	35 + 2
620	0.1000	0.1000	0.1275B/0.0790A	0.1275B/0.0790A	----	0.0770 NEW	.3427	----	----	2	----	2 + 2
625	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
625	0.0775	0.0775	0.1085B/0.0585A	0.1085B/0.0585A	----	0.0545 - 0.0240	.3571	----	----	1	----	172 UNCH
630	----	----	----	----	----	0.0050 UNCH	----	----	----	----	----	0 UNCH
630	----	----	0.1405B/0.0795A	0.1405B/0.0795A	----	0.0765 - 0.0265	.4612	----	----	----	----	2 UNCH
633	----	----	----	----	----	0.0350 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0450 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0550 UNCH	----	----	----	----	----	0 UNCH
636	----	----	----	----	----	0.0650 UNCH	----	----	----	----	----	0 UNCH
639	----	----	----	----	----	0.0950 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.1050 UNCH	----	----	----	----	----	0 UNCH
640	----	----	0.2150B/0.1345A	0.2150B/0.1345A	----	0.1350 - 0.0300	.6633	----	----	----	----	43 UNCH
642	----	----	----	----	----	0.1250 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.1550 UNCH	----	----	----	----	----	0 UNCH
649	----	----	----	----	----	0.1950 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.2050 UNCH	----	----	----	----	----	0 UNCH
650	----	----	0.2995B/0.2065A	0.2995B/0.2065A	----	0.2105 - 0.0300	.8165	----	----	----	----	1 UNCH
653	----	----	----	----	----	0.2350 UNCH	----	----	----	----	----	0 UNCH
655	----	----	----	----	----	0.2550 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
MAY26												
658	----	----	----	----	----	0.2850 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----	----	----	0.3050 UNCH	----	----	----	----	----	0 UNCH
662	----	----	----	----	----	0.3250 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.3350 UNCH	----	----	----	----	----	0 UNCH
665	----	----	0.4390B/0.3370A	0.4390B/0.3370A	----	0.3435 - 0.0275	.9379	----	----	1	----	1 UNCH
665	----	----	0.4130B/0.3885A	0.4130B/0.3885A	----	0.3715 NEW	.8198	----	----	1	----	1 + 1
TOTAL										28		290 + 20
JUN26												
600	----	----	#0.0650B/0.0525	#0.0650B/0.0525	----	0.0520 - 0.0115	.2052	----	----	----	----	5 UNCH
620	----	----	#0.1430B/0.1110	#0.1430B/0.1110	----	0.1110 - 0.0220	.3730	----	----	----	----	34 UNCH
TOTAL												39

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	46.10B/*27.70A	46.10B/*27.70A	----	32.60 - 7.10	.6976	----	----	----	----	75 UNCH
1425	----	----	28.00B/*17.30A	28.00B/*17.30A	----	18.50 - 6.90	.4677	----	----	----	----	1 UNCH
1440	----	----	19.60B/*13.20A	19.60B/*13.20A	----	12.90 - 6.20	.3350	----	----	----	----	1 UNCH
1460	----	----	----/*9.40A	11.70B/*9.40A	----	8.20 - 5.00	.2033	----	----	----	----	25 UNCH
1500	----	----	----/*5.90A	4.00B/*5.90A	----	3.00 - 3.40	.0617	----	----	----	----	110 UNCH
1525	----	----	----	1.70B/*5.00A	----	1.50 - 2.60	.0259	----	----	----	----	5 UNCH
1530	----	----	----	1.30B/*4.80A	----	1.30 - 2.40	.0215	----	----	----	----	1 UNCH
1550	----	----	----	0.20B/*4.40A	----	0.80 - 1.80	.0112	----	----	----	----	94 UNCH
1575	----	----	----	----/*4.10A	----	0.30 - 1.30	.0032	----	----	----	----	15 UNCH
1600	----	----	----	----/*3.80A	----	0.20 - 0.80	.0017	----	----	----	----	49 UNCH
1650	----	----	----	----/*3.40A	----	0.10 - 0.30	.0000	----	----	----	----	67 UNCH
1700	----	----	----	----/*3.20A	----	0.10 - 0.10	----	----	----	----	----	32 UNCH
1750	----	----	----	----/*3.00A	----	0.10 UNCH	----	----	----	----	----	142 UNCH
1800	----	----	----	----/*2.90A	----	0.10 UNCH	----	----	----	----	----	112 UNCH
1850	----	----	----	----/*2.90A	----	0.10 UNCH	----	----	----	----	----	67 UNCH
1900	----	----	----	----/*2.90A	----	0.10 UNCH	----	----	----	----	----	64 UNCH
1925	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1950	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2000	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	108 UNCH
2100	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
2200	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2300	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
2400	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2500	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2700	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
3000	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3500	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL												1245 0
JUL26												
1440	----	----	72.10B/*59.70A	72.10B/*59.70A	----	68.50 - 0.60	.5344	----	----	----	----	1 UNCH
1500	----	----	46.80B/*41.10A	46.80B/*41.10A	----	46.10 - 0.20	.3977	----	----	----	----	10 UNCH
1550	----	----	----/*31.20A	33.10B/*31.20A	----	33.90 - 0.10	.3064	----	----	----	----	70 UNCH
1600	----	----	----/*24.50A	24.00B/*24.50A	----	25.60 - 0.10	.2370	----	----	----	----	50 UNCH
1720	----	----	----	12.40B/*15.50A	----	14.80 + 0.10	.1368	----	----	----	----	6 UNCH
1800	----	----	----	8.30B/*12.20A	----	9.90 + 0.10	.0931	----	----	----	----	49 UNCH
TOTAL												186 0
AUG26												
1600	----	----	----/*49.40A	50.90B/*49.40A	----	50.50 - 1.50	.3194	----	----	----	----	100 UNCH
1700	----	----	----/*36.90A	35.80B/*36.90A	----	36.50 - 1.30	.2348	----	----	----	----	20 UNCH
1800	----	----	----	26.10B/*28.60A	----	27.40 - 1.00	.1769	----	----	----	----	100 UNCH
1900	----	----	----	19.40B/*22.80A	----	20.60 - 0.90	.1341	----	----	----	----	400 UNCH
TOTAL												620 0
SEP26												
1400	----	----	141.40B/*129.10	141.40B/*129.10	----	137.40 - 2.30	.6015	----	----	----	----	75 UNCH
1575	----	----	----/*74.80A	77.70B/*74.80A	----	76.80 - 1.70	.3872	----	----	----	----	25 UNCH
1600	----	----	----/*69.70A	71.70B/*69.70A	----	71.30 - 1.50	.3633	----	----	----	----	150 UNCH
1625	----	----	----/*65.10A	66.20B/*65.10A	----	66.30 - 1.50	.3409	----	----	----	----	20 UNCH
1665	----	----	----/*58.70A	58.60B/*58.70A	----	59.20 - 1.40	.3084	----	----	----	----	9 UNCH
1700	----	----	----/*53.80A	52.80B/*53.80A	----	53.90 - 1.30	.2831	----	----	----	----	55 UNCH
1800	----	----	----	40.20B/*43.00A	----	41.90 - 1.10	.2238	----	----	----	----	6 UNCH
1875	----	----	----	33.30B/*37.00A	----	35.40 - 0.90	.1901	----	----	----	----	25 UNCH
1885	----	----	----	32.50B/*36.30A	----	34.60 - 1.00	.1860	----	----	----	----	100 UNCH
1900	----	----	----	31.40B/*35.30A	----	33.50 - 0.90	.1802	----	----	----	----	10 UNCH
2000	----	----	----	25.00B/*29.70A	----	27.50 - 0.70	.1479	----	----	----	----	30 UNCH
2100	----	----	----	20.00B/*25.30A	----	22.90 - 0.60	.1230	----	----	----	----	25 UNCH
2200	----	----	----	16.10B/*22.00A	----	19.30 - 0.50	.1035	----	----	----	----	5 UNCH
2400	----	----	----	10.50B/*17.10A	----	14.10 - 0.40	.0752	----	----	----	----	15 UNCH
2550	----	----	----	7.60B/*14.60A	----	11.40 - 0.30	.0606	----	----	----	----	50 UNCH
TOTAL												600 0
DEC26												
1800	----	----	----	----	----	63.10 - 14.50	.2803	----	----	----	----	50 UNCH
2000	----	----	----	----	----	42.40 - 12.10	.1943	----	----	----	----	1 UNCH
3000	----	----	----	----	----	11.30 - 5.30	.0525	----	----	----	----	1 UNCH
TOTAL												52 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1195	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	113 UNCH
1200	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
1250	----	----	----	----/*2.90A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1300	----	----	----	----/3.50A	----	0.20 - 0.40	.0024	----	----	----	----	135 UNCH
1325	----	----	----	0.30B/4.00A	----	0.80 - 0.60	.0138	----	----	----	----	18 UNCH
1335	----	----	----	1.50B/4.30A	----	1.20 - 0.80	.0232	----	----	----	----	1 UNCH
1350	7.10	7.10	8.00/*2.50	8.00/*2.50	----	2.20 - 1.00	.0485	----	----	11	----	9 - 3
1400	----	----	18.80B/11.90A	18.80B/11.90A	----	11.60 - 1.80	.3023	----	----	----	180	149 - 87
1440	----	----	----/26.00A	29.00B/26.00A	----	31.90 - 0.90	.6649	----	----	----	----	4 UNCH
1450	----	----	54.10B/31.60A	54.10B/31.60A	----	39.20 - 0.40	.7382	----	----	----	----	100 UNCH
1460	----	----	----	----	----	47.20 + 0.30	.7966	----	----	----	----	100 UNCH
1475	----	----	76.10B/48.80A	76.10B/48.80A	----	59.70 + 0.90	.8662	----	----	----	----	11 UNCH
1500	----	----	99.20B/68.90A	99.20B/68.90A	----	81.90 + 1.80	.9382	----	----	----	----	54 UNCH
1550	----	----	147.50B/114.70A	147.50B/114.70A	----	129.70 + 3.40	.9887	----	----	----	----	1 UNCH
1750	----	----	346.20B/312.00A	346.20B/312.00A	----	329.10 + 5.40	1.0000	----	----	----	----	1 UNCH
1900	----	----	496.10B/461.60A	496.10B/461.60A	----	479.10 + 5.40	1.0000	----	----	----	----	50 UNCH
TOTAL									180	11		762 - 90
JUL26												
1285	----	----	----	12.60B/14.60A	----	13.70 + 1.10	.1435	----	----	----	----	9 UNCH
1300	----	----	15.40B/----	15.40B/16.60A	----	16.10 + 1.20	.1651	----	----	----	----	165 UNCH
1400	----	----	48.40B/41.60A	48.40B/41.60A	----	44.40 + 2.10	.3674	----	----	----	----	31 UNCH
1450	----	----	76.50B/63.70A	76.50B/63.70A	----	69.20 + 2.70	.4896	----	----	----	----	30 UNCH
TOTAL												235 0
AUG26												
1400	----	----	#74.40B/68.00A	#74.40B/68.00A	----	69.30 + 1.00	.3899	----	----	----	----	1 UNCH
TOTAL												1 0
SEP26												
1300	----	----	----	49.50B/50.60A	----	50.10 + 0.50	.2615	----	----	----	----	40 UNCH
1375	----	----	83.00B/----	83.00B/79.80A	----	80.60 + 0.80	.3634	----	----	----	----	100 UNCH
1460	----	----	133.00B/124.70A	133.00B/124.70A	----	126.50 + 1.10	.4793	----	----	----	----	75 UNCH
1465	----	----	136.30B/127.70A	136.30B/127.70A	----	129.60 + 1.10	.4858	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO PUT		NYMEX PALLADIUM OPTIONS										
SEP26												
1550	----	----	196.80B/183.70A	196.80B/183.70A	----	187.30 + 1.50	.5866	----	----	----	----	100 UNCH
1575	----	----	216.10B/201.80A	216.10B/201.80A	----	206.00 + 1.60	.6124	----	----	----	----	25 UNCH
1650	----	----	277.10B/259.60A	277.10B/259.60A	----	265.40 + 1.80	.6796	----	----	----	----	50 UNCH
1925	----	----	524.50B/500.10A	524.50B/500.10A	----	508.90 + 2.40	.8285	----	----	----	----	75 UNCH
TOTAL												615 0
DEC26												
1400	----	----	----	----	----	118.40 NEW	.3772	----	----	----	150	150 + 150
1500	----	----	----	----	----	174.30 - 16.30	.4784	----	----	----	----	40 UNCH
TOTAL									150			190 + 150
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
MAY26												
1900	----	----	----	----	----	91.80 UNCH	----	----	----	----	----	0 UNCH
2000	----	----	42.50B/*29.20A	42.50B/*29.20A	----	30.30 - 11.30	.4108	----	----	----	----	20 UNCH
2050	----	----	----/*16.30A	24.40B/*16.30A	----	16.20 - 8.30	.2336	----	----	----	----	20 UNCH
2150	----	----	----/*6.20A	6.90B/*6.20A	----	4.60 - 3.70	.0628	----	----	----	----	10 UNCH
TOTAL												50 0
JUN26												
2100	----	----	----/*31.80A	41.60B/*31.80A	----	32.10 NEW	.2771	----	----	----	100	100 + 100
2200	----	----	----/*17.00A	21.80B/*17.00A	----	16.20 - 6.50	.1526	----	----	----	100	0 - 100
2300	----	----	----/*10.30A	11.50B/*10.30A	----	9.00 NEW	.0865	----	----	----	100	100 + 100
2400	----	----	----/*7.20A	6.10B/*7.20A	----	5.70 - 2.40	.0536	----	----	----	100	0 - 100
TOTAL									400			200 0
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	102.70B/71.40A	102.70B/71.40A	----	81.90 - 16.00	.9165	----	----	----	----	1 UNCH
1950	----	----	61.50B/*39.00A	61.50B/*39.00A	----	43.60 - 15.00	.6902	----	----	----	----	5 UNCH
2000	----	----	32.50B/*18.50A	32.50B/*18.50A	----	19.40 - 12.00	.3588	----	----	----	----	20 UNCH
2025	----	----	22.70B/*12.40A	22.70B/*12.40A	----	12.50 - 9.70	.2282	----	----	----	----	27 UNCH
2050	13.10	13.10	14.40/*8.40A	15.40B/*8.40A	----	8.00 - 7.50	.1376	----	----	25	----	96 + 25
2055	----	----	----/*7.80A	14.20B/*7.80A	----	7.40 - 7.00	.1247	----	----	----	----	150 UNCH
2060	----	----	----/*7.20A	13.10B/*7.20A	----	6.70 - 6.70	.1113	----	----	----	----	1 UNCH
2075	----	----	----/*6.00A	10.20B/*6.00A	----	5.10 - 5.60	.0799	----	----	----	----	15 UNCH
2085	----	----	----/*5.30A	8.60B/*5.30A	----	4.10 - 5.20	.0618	----	----	----	----	15 UNCH
2090	----	----	----/*5.10A	7.80B/*5.10A	----	3.80 - 4.90	.0558	----	----	----	----	15 UNCH
2095	----	----	----/*4.80A	7.20B/*4.80A	----	3.40 - 4.70	.0488	----	----	----	----	15 UNCH
2100	----	----	----/*4.60A	6.60B/*4.60A	----	3.10 - 4.50	.0434	----	----	----	----	155 UNCH
2120	----	----	----/*3.90A	4.50B/*3.90A	----	2.10 - 3.70	.0264	----	----	----	----	15 UNCH
2130	----	----	----/*3.60A	3.70B/*3.60A	----	1.70 - 3.40	.0201	----	----	----	----	55 UNCH
2135	----	----	----/*3.50A	3.30B/*3.50A	----	1.50 - 3.30	.0172	----	----	----	----	4 UNCH
2140	----	----	----/*3.40A	2.90B/*3.40A	----	1.40 - 3.10	.0156	----	----	----	----	15 UNCH
2145	----	----	----/*3.30A	2.60B/*3.30A	----	1.30 - 2.90	.0140	----	----	----	----	15 UNCH
2150	----	----	----/*3.20A	2.30B/*3.20A	----	1.10 - 2.80	.0115	----	----	----	----	67 UNCH
2165	----	----	----/*3.00A	1.60B/*3.00A	----	0.80 - 2.30	.0075	----	----	----	----	1 UNCH
2175	----	----	----	1.10B/*2.90A	----	0.60 - 2.10	.0052	----	----	----	----	12 UNCH
2180	----	----	----	1.00B/*2.80A	----	0.60 - 1.90	.0051	----	----	----	----	17 UNCH
2185	----	----	----	0.80B/*2.80A	----	0.50 - 1.80	.0040	----	----	----	----	12 UNCH
2190	----	----	----	0.60B/*2.70A	----	0.50 - 1.60	.0039	----	----	----	----	16 UNCH
2195	----	----	----	0.50B/*2.70A	----	0.40 - 1.60	.0030	----	----	----	----	12 UNCH
2200	----	----	----	0.30B/*2.70A	----	0.40 - 1.50	.0029	----	----	----	----	384 UNCH
2205	----	----	----	0.20B/*2.60A	----	0.30 - 1.40	.0020	----	----	----	----	12 UNCH
2210	----	----	----	0.10B/*2.60A	----	0.30 - 1.30	.0020	----	----	----	----	24 UNCH
2215	----	----	----	----/*2.50A	----	0.30 - 1.20	.0019	----	----	----	----	14 UNCH
2220	----	----	----	----/*2.50A	----	0.20 - 1.20	.0012	----	----	----	----	14 UNCH
2225	----	----	----	----/*2.50A	----	0.20 - 1.10	.0011	----	----	----	----	73 UNCH
2230	----	----	----	----/*2.40A	----	0.20 - 1.00	.0011	----	----	----	----	54 UNCH
2235	----	----	----	----/*2.40A	----	0.20 - 1.00	.0011	----	----	----	----	26 UNCH
2240	----	----	----	----/*2.40A	----	0.20 - 0.90	.0011	----	----	----	----	41 UNCH
2245	----	----	----	----/*2.30A	----	0.10 - 0.90	.0004	----	----	----	----	28 UNCH
2250	----	----	----	----/*2.30A	----	0.10 - 0.90	.0003	----	----	----	----	113 UNCH
2255	----	----	----	----/*2.30A	----	0.10 - 0.80	.0003	----	----	----	----	29 UNCH
2260	----	----	----	----/*2.20A	----	0.10 - 0.80	.0002	----	----	----	----	10 UNCH
2270	----	----	----	----/*2.20A	----	0.10 - 0.70	.0001	----	----	----	----	72 UNCH
2280	----	----	----	----/*2.20A	----	0.10 - 0.60	.0001	----	----	----	----	60 UNCH
2300	----	----	----	----/*2.10A	----	0.10 - 0.50	.0000	----	----	----	----	423 UNCH
2320	----	----	----	----/*2.00A	----	0.10 - 0.30	.0000	----	----	----	----	78 UNCH
2340	----	----	----	----/*2.00A	----	0.10 - 0.20	.0000	----	----	----	----	30 UNCH
2345	----	----	----	----/*2.00A	----	0.10 - 0.20	----	----	----	----	----	15 UNCH
2350	----	----	----	----/*1.90A	----	0.10 - 0.20	----	----	----	----	----	55 UNCH
2355	----	----	----	----/*1.90A	----	0.10 - 0.20	----	----	----	----	----	17 UNCH
2400	----	----	----	----/*1.80A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
2420	----	----	----	----/*1.80A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2450	----	----	----	----/*1.80A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2500	----	----	----	----/*1.70A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
2650	----	----	----	----/*1.70A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
2750	----	----	----	----/1.60A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										25		2453 + 25
JUL26												
1500	----	----	498.40B/462.00A	498.40B/462.00A	----	477.80 - 14.40	.9896	----	----	----	----	50 UNCH
1680	----	----	----	----	----	304.70 - 14.70	.9292	----	----	----	----	50 UNCH
1700	----	----	306.30B/272.60A	306.30B/272.60A	----	286.60 - 14.70	.9153	----	----	----	----	1 UNCH
1800	----	----	220.80B/191.30A	220.80B/191.30A	----	201.70 - 14.70	.8144	----	----	----	----	113 UNCH
1850	----	----	182.90B/156.90A	182.90B/156.90A	----	164.50 - 14.80	.7427	----	----	----	----	1 UNCH
1900	----	----	149.60B/127.40A	149.60B/127.40A	----	132.30 - 14.70	.6593	----	----	----	----	3 UNCH
1960	----	----	----/97.00A	105.40B/97.00A	----	100.40 - 14.20	.5534	----	----	----	----	23 UNCH
2000	----	----	97.80B/80.40A	97.80B/80.40A	----	82.50 - 13.90	.4839	----	----	51	----	137 - 24
2050	----	----	77.80B/62.30A	77.80B/62.30A	----	63.60 - 13.20	.4014	----	----	----	----	1 UNCH
2085	----	----	65.90B/51.90A	65.90B/51.90A	----	52.50 - 12.70	.3479	----	----	----	----	1 UNCH
2100	57.10	57.10	61.20B/47.70A	61.20B/47.70A	----	48.40 - 12.30	.3265	----	----	31	----	372 + 2
2150	----	----	----/*36.80A	47.80B/*36.80A	----	36.80 - 11.00	.2620	----	----	----	----	18 UNCH
2160	----	----	----/*34.90A	45.50B/*34.90A	----	34.90 - 10.60	.2506	----	----	----	----	1 UNCH
2170	----	----	----/*33.20A	43.20B/*33.20A	----	33.10 - 10.30	.2397	----	----	----	----	4 UNCH
2200	----	----	----/*28.50A	37.30B/*28.50A	----	28.30 - 9.40	.2094	----	----	50	----	458 UNCH
2250	21.00	21.00	21.00/*20.00	29.20B/*20.00	----	22.10 - 7.80	.1679	----	----	50	----	117 - 15
2300	22.60	22.60	22.60/*17.70A	23.00B/*17.70A	----	17.40 - 6.60	.1348	----	----	2	----	266 - 2
2350	----	----	----/*14.40A	18.30B/*14.40A	----	13.90 - 5.60	.1090	----	----	----	----	160 UNCH
2400	----	----	----/*12.00A	14.50B/*12.00A	----	11.30 - 4.70	.0890	----	----	----	----	974 UNCH
2450	----	----	----/*10.20A	11.60B/*10.20A	----	9.40 - 3.80	.0739	----	----	----	----	50 UNCH
2480	----	----	----/*9.40A	10.20B/*9.40A	----	8.40 - 3.50	.0661	----	----	----	----	50 UNCH
2500	----	----	----/*8.90A	9.30B/*8.90A	----	7.90 - 3.20	.0619	----	----	----	----	649 UNCH
2600	----	----	----/*7.10A	6.10B/*7.10A	----	5.80 - 2.30	.0448	----	----	----	----	361 UNCH
2650	----	----	----/*6.40A	5.10B/*6.40A	----	5.10 - 1.90	.0389	----	----	----	----	1 UNCH
2700	----	----	----/*5.90A	4.30B/*5.90A	----	4.50 - 1.70	.0339	----	----	----	----	112 UNCH
2800	----	----	----	3.00B/*5.10A	----	3.40 - 1.30	.0253	----	----	----	----	350 UNCH
2850	----	----	----	2.60B/*4.80A	----	3.00 - 1.30	.0222	----	----	----	----	58 UNCH
2900	----	----	----	2.20B/*4.50A	----	2.70 - 1.20	.0197	----	----	----	----	183 UNCH
3000	----	----	----	1.60B/*4.10A	----	2.20 - 1.00	.0157	----	----	----	----	574 UNCH
3100	----	----	----	1.10B/*3.70A	----	1.90 - 0.80	.0132	----	----	----	----	159 UNCH
3200	----	----	----	----/*4.90A	----	1.60 - 0.70	.0109	----	----	----	----	18 UNCH
3300	----	----	----	----/*4.60A	----	1.30 - 0.70	.0088	----	----	----	----	30 UNCH
3400	----	----	----	----/*4.40A	----	1.20 - 0.60	.0078	----	----	----	----	32 UNCH
3500	----	----	----	----/*4.20A	----	1.00 - 0.60	.0065	----	----	----	----	274 UNCH
3600	----	----	----	----/*4.10A	----	0.90 - 0.50	.0057	----	----	----	----	300 UNCH
3800	----	----	----	----/*2.40A	----	0.70 - 0.50	.0043	----	----	----	----	12 UNCH
3900	----	----	----	----/*2.30A	----	0.70 - 0.40	.0042	----	----	----	----	9 UNCH
4000	----	----	----	----/2.30A	----	0.60 - 0.40	.0035	----	----	----	----	219 UNCH
TOTAL										184		6191 - 39
AUG26												
1950	159.00	159.00	171.30B/152.50A	171.30B/152.50A	----	155.90 NEW	.5887	----	----	1	----	1 + 1
2000	----	----	148.00B/131.30A	148.00B/131.30A	----	133.30 - 13.70	.5291	----	----	----	----	0 UNCH
2050	110.80	110.80	127.60B/110.80	127.60B/110.80	----	113.90 NEW	.4722	----	----	25	----	25 + 25
2200	----	----	----/69.50A	80.60B/69.50A	----	69.10 - 11.90	.3230	----	----	----	----	15 UNCH
2225	----	----	----/64.10A	74.60B/64.10A	----	63.60 - 11.50	.3020	----	----	----	----	0 UNCH
2300	----	----	----/50.50A	59.10B/50.50A	----	50.10 - 9.80	.2472	----	----	66	----	331 - 7
2350	----	----	----/43.20A	50.70B/43.20A	----	42.80 - 8.90	.2159	----	----	----	----	15 UNCH
2400	----	----	----/37.20A	43.60B/37.20A	----	36.70 - 8.10	.1887	----	----	----	----	34 UNCH
2500	----	----	----/28.00A	32.40B/28.00A	----	27.50 - 6.50	.1453	----	----	116	----	184 - 64
2600	----	----	----/*21.70A	24.40B/*21.70A	----	21.10 - 5.10	.1133	----	----	----	----	545 UNCH
2750	----	----	----/*15.80A	16.30B/*15.80A	----	14.60 - 3.70	.0796	----	----	----	----	105 UNCH
3000	----	----	----/*10.60A	9.00B/*10.60A	----	8.50 - 2.50	.0468	----	----	50	----	54 UNCH
TOTAL										258		1309 - 45
OCT26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
OCT26												
1720	----	----	----	----	----	340.40 - 13.60	.7773	----	----	----	----	1 UNCH
1800	----	----	303.20B/279.80A	303.20B/279.80A	----	288.70 - 13.20	.7134	----	----	----	----	1 UNCH
1900	----	----	246.90B/227.20A	246.90B/227.20A	----	233.50 - 12.90	.6285	----	----	----	----	2 UNCH
2000	180.00	180.00	180.00/180.00	200.80B/180.00	----	188.50 - 12.60	.5442	----	----	6	----	2 - 6
2050	167.30	167.30	167.30/163.00	181.10B/163.00	----	169.40 - 12.40	.5041	----	----	3	----	6 UNCH
2100	----	----	----/149.90A	163.50B/149.90A	----	152.40 - 12.00	.4660	----	----	----	----	3 UNCH
2125	----	----	----/142.30A	155.30B/142.30A	----	144.50 - 11.80	.4477	----	----	----	----	12 UNCH
2135	----	----	----/139.30A	152.20B/139.30A	----	141.50 - 11.70	.4405	----	----	----	----	12 UNCH
2200	125.00	125.00	129.00/121.70A	133.30B/121.70A	----	123.20 - 11.40	.3960	----	----	6	----	136 UNCH
2250	----	----	----/109.70A	120.40B/109.70A	----	110.70 - 11.20	.3641	----	----	----	----	1 UNCH
2300	----	----	----/99.00A	108.80B/99.00A	----	99.40 - 11.10	.3343	----	----	----	----	7 UNCH
2375	----	----	----/84.90A	93.60B/84.90A	----	84.60 - 10.80	.2935	----	----	----	----	50 UNCH
2400	----	----	----/80.70A	89.00B/80.70A	----	80.20 - 10.70	.2809	----	----	----	----	256 UNCH
2500	----	----	----/66.10A	72.80B/66.10A	----	65.00 - 9.90	.2357	----	----	11	----	337 + 11
2600	56.00	56.00	56.00/54.50A	59.60B/54.50A	----	53.00 - 9.00	.1979	----	----	24	----	23 - 24
2635	----	----	----/51.00A	55.70B/51.00A	----	49.50 - 8.60	.1864	----	----	----	----	200 UNCH
2650	----	----	----/49.50A	54.00B/49.50A	----	48.00 - 8.50	.1816	----	----	----	----	25 UNCH
2700	----	----	----/45.10A	49.00B/45.10A	----	43.60 - 7.90	.1668	----	----	----	----	371 UNCH
2800	----	----	----/37.90A	40.50B/37.90A	----	36.00 - 7.00	.1407	----	----	----	----	40 UNCH
2850	----	----	----/*34.90A	36.90B/*34.90A	----	32.80 - 6.60	.1294	----	----	----	----	155 UNCH
2900	----	----	----/*32.20A	33.70B/*32.20A	----	29.90 - 6.20	.1191	----	----	----	----	210 UNCH
2950	----	----	----/*29.90A	30.80B/*29.90A	----	27.40 - 5.80	.1099	----	----	----	----	55 UNCH
3000	----	----	----/*27.80A	28.20B/*27.80A	----	25.00 - 5.60	.1012	----	----	11	----	190 + 3
3200	----	----	----/*21.60A	20.20B/*21.60A	----	18.00 - 4.30	.0745	----	----	----	----	10 UNCH
3500	----	----	----	13.00B/*16.10A	----	11.80 - 3.10	.0496	----	----	----	----	10 UNCH
4000	----	----	----	6.90B/*11.50A	----	7.60 - 2.30	.0312	----	----	----	----	5 UNCH
TOTAL										61		2120 - 16
JAN27												
2360	----	----	----	----	----	141.20 - 7.60	.3696	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1780	----	----	----	----/1.90A	----	0.10 - 0.20	.0001	----	----	----	----	2 UNCH
1800	----	----	----	----/2.10A	----	0.10 - 0.40	.0006	----	----	----	----	3 UNCH
1825	----	----	----	----/2.40A	----	0.40 - 0.70	.0040	----	----	----	----	103 UNCH
1850	----	----	----	1.00B/2.90A	----	1.00 - 1.00	.0130	----	----	----	----	44 UNCH
1865	----	----	----	2.20B/3.30A	----	1.70 - 1.20	.0251	----	----	----	----	15 UNCH
1870	----	----	----	2.80B/3.50A	----	1.90 - 1.40	.0291	----	----	----	----	15 UNCH
1875	----	----	----	3.40B/3.80A	----	2.30 - 1.40	.0364	----	----	----	----	39 UNCH
1880	----	----	----/*4.00A	4.00B/4.00A	----	2.60 - 1.50	.0425	----	----	----	----	73 UNCH
1885	----	----	4.70B/*4.30A	4.70B/4.30A	----	3.00 - 1.60	.0506	----	----	----	----	42 UNCH
1890	----	----	5.50B/4.70A	5.50B/4.70A	----	3.50 - 1.50	.0605	----	----	----	----	32 UNCH
1895	----	----	6.40B/5.10A	6.40B/5.10A	----	4.00 - 1.60	.0710	----	----	----	----	12 UNCH
1900	----	----	7.40B/5.50A	7.40B/5.50A	----	4.60 - 1.60	.0834	----	----	----	200	211 - 200
1905	----	----	8.50B/6.00A	8.50B/6.00A	----	5.20 - 1.60	.0964	----	----	----	----	39 UNCH
1910	----	----	9.80B/6.60A	9.80B/6.60A	----	5.90 - 1.60	.1115	----	----	----	----	39 UNCH
1915	----	----	11.10B/7.20A	11.10B/7.20A	----	6.70 - 1.60	.1286	----	----	----	----	54 UNCH
1920	----	----	12.60B/7.90A	12.60B/7.90A	----	7.70 - 1.50	.1490	----	----	----	----	44 UNCH
1925	----	----	14.30B/8.70A	14.30B/8.70A	----	8.80 - 1.40	.1712	----	----	----	----	27 UNCH
1930	----	----	16.20B/9.60A	16.20B/9.60A	----	10.00 - 1.30	.1952	----	----	----	----	42 UNCH
1935	----	----	18.20B/10.70A	18.20B/10.70A	----	11.30 - 1.20	.2209	----	----	----	----	42 UNCH
1940	----	----	20.30B/11.90A	20.30B/11.90A	----	12.80 - 1.00	.2490	----	----	----	----	30 UNCH
1950	----	----	25.10B/14.40A	25.10B/14.40A	----	16.20 - 0.60	.3097	----	----	----	----	137 UNCH
1955	----	----	27.70B/15.80A	27.70B/15.80A	----	18.00 - 0.50	.3414	----	----	----	----	30 UNCH
1960	----	----	30.40B/17.50A	30.40B/17.50A	----	20.10 - 0.20	.3749	----	----	----	----	15 UNCH
1965	----	----	33.30B/19.30A	33.30B/19.30A	----	22.30 UNCH	.4088	----	----	----	----	16 UNCH
1970	----	----	36.30B/21.20A	36.30B/21.20A	----	24.60 + 0.20	.4431	----	----	----	----	15 UNCH
1975	----	----	39.40B/23.30A	39.40B/23.30A	----	27.10 + 0.50	.4776	----	----	----	----	15 UNCH
1980	----	----	40.90B/25.60A	40.90B/25.60A	----	29.80 + 0.80	.5119	----	----	----	----	15 UNCH
1985	----	----	41.10B/28.00A	41.10B/28.00A	----	32.60 + 1.10	.5457	----	----	----	----	15 UNCH
1990	----	----	40.50B/30.50A	40.50B/30.50A	----	35.60 + 1.50	.5786	----	----	----	----	15 UNCH
1995	----	----	44.40B/33.20A	44.40B/33.20A	----	38.70 + 1.90	.6106	----	----	----	----	15 UNCH
2000	----	----	56.50B/36.10A	56.50B/36.10A	----	42.00 + 2.40	.6411	----	----	----	----	24 UNCH
2020	----	----	----	----	----	56.20 + 4.20	.7485	----	----	----	----	30 UNCH
2045	----	----	----	----	----	76.40 + 6.60	.8466	----	----	----	----	50 UNCH
2050	----	----	97.30B/70.30A	97.30B/70.30A	----	80.60 + 7.00	.8623	----	----	----	----	3 UNCH
2075	----	----	119.80B/90.60A	119.80B/90.60A	----	102.60 + 8.70	.9200	----	----	----	----	22 UNCH
2080	----	----	----	----	----	107.20 + 9.00	.9292	----	----	----	----	24 UNCH
2085	----	----	----	----	----	111.70 + 9.20	.9381	----	----	----	----	4 UNCH
2095	----	----	----	----	----	121.00 + 9.70	.9511	----	----	----	----	14 UNCH
2100	----	----	143.10B/112.00A	143.10B/112.00A	----	125.70 + 10.00	.9565	----	----	100	----	102 - 18
2115	----	----	----	----	----	139.90 + 10.60	.9702	----	----	----	----	23 UNCH
2140	----	----	----	----	----	164.00 + 11.40	.9843	----	----	----	----	2 UNCH
2145	----	----	----	----	----	168.80 + 11.40	.9859	----	----	----	----	14 UNCH
2150	----	----	191.30B/157.50A	191.30B/157.50A	----	173.70 + 11.70	.9884	----	----	----	----	1 UNCH
2200	----	----	240.40B/205.40A	240.40B/205.40A	----	222.90 + 12.90	.9970	----	----	----	----	10 UNCH
TOTAL									200	100		1519 - 218
JUL26												
1400	----	----	----	----/2.30A	----	0.30 UNCH	.0031	----	----	----	----	150 UNCH
1500	----	----	----	----/3.10A	----	1.00 - 0.20	.0103	----	----	----	----	153 UNCH
1550	----	----	----	0.90B/3.80A	----	1.80 - 0.30	.0181	----	----	----	----	200 UNCH
1600	----	----	----	2.50B/5.00A	----	3.40 - 0.30	.0324	----	----	----	----	324 UNCH
1650	----	----	----	5.20B/7.10A	----	5.80 - 0.40	.0530	----	----	----	----	1 UNCH
1680	----	----	----	7.80B/9.00A	----	8.00 - 0.40	.0706	----	----	----	----	50 UNCH
1700	----	----	----	10.00B/10.60A	----	9.80 - 0.40	.0845	----	----	----	----	278 UNCH
1710	----	----	----	11.20B/11.60A	----	10.80 - 0.40	.0921	----	----	----	----	1 UNCH
1725	----	----	13.30B/----	13.30B/13.10A	----	12.50 - 0.40	.1045	----	----	----	----	100 UNCH
1750	----	----	17.30B/----	17.30B/16.30A	----	15.80 - 0.40	.1279	----	----	----	----	50 UNCH
1800	28.00	28.00	28.00/24.80A	28.00/24.80A	----	24.70 - 0.40	.1854	----	----	1	----	388 + 1
1805	27.50	27.50	29.10B/25.80A	29.10B/25.80A	----	25.80 NEW	.1920	----	----	30	----	30 + 30
1825	----	----	34.70B/30.30A	34.70B/30.30A	----	30.50 - 0.50	.2196	----	----	----	----	30 UNCH
1850	----	----	42.80B/36.80A	42.80B/36.80A	----	37.40 - 0.50	.2571	----	----	----	----	40 UNCH
1900	----	----	63.10B/53.50A	63.10B/53.50A	----	55.10 - 0.30	.3405	----	----	----	----	241 UNCH
1950	88.00	88.00	88.40B/75.30A	88.40B/75.30A	----	77.90 UNCH	.4288	----	----	3	----	8 UNCH
2000	----	----	117.70B/101.80A	117.70B/101.80A	----	105.10 + 0.50	.5159	----	----	----	----	53 UNCH
2030	121.60	121.60	129.60B/119.30A	129.60B/119.30A	----	123.20 NEW	.5662	----	----	23	----	23 + 23
2035	125.20	125.20	128.20B/122.30A	128.20B/122.30A	----	126.30 NEW	.5743	----	----	46	----	46 + 46
2075	----	----	168.10B/148.00A	168.10B/148.00A	----	152.80 + 1.50	.6371	----	----	----	----	1 UNCH
2085	----	----	----	----	----	159.90 + 1.80	.6520	----	----	----	----	1 UNCH
2100	----	----	186.50B/165.10A	186.50B/165.10A	----	170.70 + 2.10	.6733	----	----	----	----	225 UNCH
2130	----	----	----	----	----	193.20 + 2.80	.7135	----	----	----	----	23 UNCH
2135	----	----	----	----	----	197.10 + 3.00	.7198	----	----	----	----	190 UNCH
2165	----	----	----	----	----	221.10 + 3.90	.7547	----	----	----	----	20 UNCH
2350	----	----	403.30B/372.70A	403.30B/372.70A	----	385.70 + 8.90	.8909	----	----	----	----	5 UNCH
2400	----	----	450.50B/418.90A	450.50B/418.90A	----	433.00 + 9.80	.9108	----	----	----	----	300 UNCH
TOTAL										103		2931 + 100
AUG26												
1600	----	----	----	12.00B/14.00A	----	13.60 - 0.20	.0806	----	----	----	----	1 UNCH
TOTAL												1 0
OCT26												
1300	----	----	----	5.20B/10.60A	----	7.80 - 0.10	.0346	----	----	----	----	4 UNCH
1500	22.00	22.00	22.00/22.00	22.00/22.00	----	21.90 + 0.30	.0902	----	----	1	----	21 + 1
1600	39.00	39.00	39.00/39.00	39.00/38.80A	----	37.10 + 0.70	.1407	----	----	2	----	28 - 1
1720	----	----	67.60B/----	67.60B/67.20A	----	66.50 + 1.30	.2223	----	----	----	----	2 UNCH
1820	----	----	105.30B/----	105.30B/102.00A	----	102.00 + 1.80	.3030	----	----	----	----	5 UNCH
1850	----	----	118.60B/----	118.60B/114.50A	----	114.70 + 1.90	.3284	----	----	----	----	200 UNCH
1950	----	----	170.10B/----	170.10B/163.00A	----	163.80 + 2.20	.4137	----	----	----	----	50 UNCH
2000	----	----	199.30B/----	199.30B/190.90A	----	192.10 + 2.40	.4554	----	----	----	----	1 UNCH
2100	----	----	263.40B/----	263.40B/252.50A	----	255.00 + 3.00	.5336	----	----	----	----	100 UNCH
2130	----	----	281.00B/----	281.00B/272.20A	----	275.40 + 3.20	.5555	----	----	----	----	41 UNCH
2135	----	----	280.30B/----	280.30B/275.60A	----	278.80 + 3.20	.5591	----	----	----	----	12 UNCH
2140	----	----	282.30B/----	282.30B/279.00A	----	282.30 + 3.30	.5626	----	----	----	----	12 UNCH
2200	328.00	328.00	334.10B/320.80A	334.10B/320.80A	----	324.90 + 3.50	.6036	----	----	1	----	0 - 1
2400	----	----	490.80B/473.90A	490.80B/473.90A	----	480.30 + 4.40	.7187	----	----	----	----	200 UNCH
2500	----	----	575.20B/556.80A	575.20B/556.80A	----	564.30 + 5.20	.7639	----	----	----	----	1 UNCH
3000	,029.00	1,029.00	1,035.70B/1,009	1,035.70B/1,009	----	1021.60 + 9.90	.8985	----	----	1	----	0 - 1
TOTAL										5		677 - 2
JAN27												
1500	----	----	----	----	----	55.90 + 1.20	.1436	----	----	----	----	40 UNCH
1800	----	----	----	----	----	144.40 + 3.20	.3056	----	----	----	----	1 UNCH
1900	----	----	----	----	----	190.20 NEW	.3695	----	----	----	100	100 + 100
2000	----	----	----	----	----	242.80 + 5.00	.4337	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
TOTAL									100			341 + 100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
JUN26	CALL			
OG		4550	0	50
OG		4600	0	314
OG		4625	0	200
OG		4650	0	320
TOTALS			0	884
JUL26	CALL			
OG		4800	0	200
OG		5150	0	300
OG		5200	0	320
TOTALS			0	820
AUG26	CALL			
OG		4700	0	250
OG		4800	0	25
OG		4900	0	105
OG		4945	0	50
OG		5000	0	250
TOTALS			0	680
SEP26	CALL			
OG		5000	0	80
OG		5900	0	250
TOTALS			0	330
OG PUT		COMEX GOLD OPTIONS		
JUN26	PUT			
OG		4415	0	400
OG		4500	0	300
TOTALS			0	700
JUL26	PUT			
OG		4250	0	50
OG		4500	0	314
TOTALS			0	364
AUG26	PUT			
OG		4250	0	200
TOTALS			0	200
DEC26	PUT			
OG		4000	0	250
TOTALS			0	250
SO CALL		COMEX SILVER OPTIONS		
JUN26	CALL			
SO		7500	0	25
SO		7900	0	60
SO		8200	0	30
SO		9000	0	50
TOTALS			0	165
JUL26	CALL			
SO		7750	0	50
SO		8000	0	26
SO		8250	0	100
SO		8750	0	50
SO		9800	0	52
SO		13000	0	661
SO		16000	0	661
TOTALS			0	1600
AUG26	CALL			
SO		8700	0	20
TOTALS			0	20
SEP26	CALL			
SO		9500	0	32
TOTALS			0	32
SO PUT		COMEX SILVER OPTIONS		
AUG26	PUT			
SO		7200	0	20
TOTALS			0	20
HX CALL		COMEX COPPER OPTIONS		
JUL26	CALL			
HX		660	0	230
HX		750	0	300
TOTALS			0	530
AUG26	CALL			
HX		650	0	50
HX		750	0	50
TOTALS			0	100
PO PUT		PLATINUM OPTIONS		
JUN26	PUT			
PO		1900	0	200
TOTALS			0	200
JAN27	PUT			
PO		1900	0	100
TOTALS			0	100
PAO PUT		NYMEX PALLADIUM OPTIONS		
JUN26	PUT			
PAO		1400	0	180
TOTALS			0	180
DEC26	PUT			
PAO		1400	0	150
TOTALS			0	150
OG4 PUT		GOLD OPTIONS		
MAY26	PUT			
OG4		4350	0	50
TOTALS			0	50
OG5 PUT		GOLD OPTIONS		
MAY26	PUT			
OG5		4350	0	50
TOTALS			0	50
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
SEP26	CALL			
HRO		120000	0	50
HRO		130000	0	100
TOTALS			0	150
OCT26	CALL			
HRO		120000	0	50
HRO		130000	0	100
TOTALS			0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1		
JUN26	PUT			
G1M		4400	0	456
TOTALS			0	456
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1		
JUN26	PUT			
G1W		4450	0	200
TOTALS			0	200
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1		
JUN26	CALL			
G1M		4625	0	100
TOTALS			0	100
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week1		
JUN26	CALL			
P1L		2100	0	100
P1L		2200	0	100
P1L		2300	0	100
P1L		2400	0	100
TOTALS			0	400

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.