

PG64

BULLETIN #104@

METALS OPTION PRODUCTS

Tue, Jun 02, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX ( OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

| METAL FUTURES CONTRACTS LAST TRADE DATES |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EXPIRATION:                              | MAY26 | JUN26 | JUN26 | JUN26 | JUL26 | AUG26 | SEP26 | OCT26 | NOV26 | DEC26 | JAN27 | FEB27 | MAR27 | APR27 |
| COO OPT                                  | 05/29 | 06/30 |       |       | 07/31 | 08/28 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |
| ECG10 OP                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECG11 OP                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECG13 OP                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECG15 OP                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECG16 OP                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECGC OOF                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECHG OOF                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| ECSI OOF                                 |       |       | 06/01 | 06/02 |       |       |       |       |       |       |       |       |       |       |
| EHO OPT                                  | 05/29 | 06/30 |       |       | 07/31 | 08/28 | 09/30 |       |       |       |       |       |       |       |
| FMG OPT                                  |       | 06/12 |       |       |       |       |       |       |       |       |       |       |       |       |
| FSO OPT                                  | 05/29 | 06/30 |       |       |       |       |       |       |       |       |       |       |       |       |
| GMW MON                                  |       | 06/29 |       |       |       |       |       |       |       |       |       |       |       |       |
| GWR THU                                  |       | 06/18 |       |       | 07/02 |       |       |       |       |       |       |       |       |       |
| GWT TUE                                  |       | 06/23 |       |       |       |       |       |       |       |       |       |       |       |       |
| GWV WED                                  |       | 06/24 |       |       |       |       |       |       |       |       |       |       |       |       |
| HMW MON                                  |       | 06/15 |       |       |       |       |       |       |       |       |       |       |       |       |
| HRO OPT                                  |       | 06/23 |       |       | 07/28 | 08/25 | 09/29 | 10/27 | 11/24 | 12/29 |       |       |       |       |
| HWR THU                                  |       | 06/18 |       |       | 07/02 |       |       |       |       |       |       |       |       |       |
| HWT TUE                                  |       | 06/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| HWV WED                                  |       | 06/24 |       |       | 07/01 | 08/05 | 09/02 |       |       |       |       |       |       |       |
| HX CALL                                  |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |       |
| HX PUT                                   |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |       |
| HXE CALL                                 |       | 06/26 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |
| HXE PUT                                  |       | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| LHO OPT                                  | 05/29 | 06/30 |       |       | 07/31 | 08/31 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |
| MMG MON                                  |       | 06/01 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG CALL                                  |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| OG PUT                                   |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| OG1 CALL                                 |       | 06/05 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG1 PUT                                  |       | 06/05 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG2 CALL                                 |       | 06/12 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |
| OG2 PUT                                  |       | 06/12 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |
| OG4 CALL                                 |       | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG4 PUT                                  |       | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| OMG OPT                                  |       |       |       |       | 06/25 | 07/28 |       | 09/24 |       | 11/24 |       |       |       |       |
| PAO CALL                                 |       |       |       |       | 06/17 | 07/15 | 08/19 |       |       | 11/18 |       |       |       |       |
| PAO PUT                                  |       |       |       |       | 06/17 | 07/15 | 08/19 |       |       | 11/18 |       |       |       |       |
| PLW OOF                                  |       | 06/12 |       |       |       |       |       |       |       |       |       |       |       |       |
| PO CALL                                  |       |       |       |       | 06/17 | 07/15 | 08/19 | 09/16 |       |       | 12/16 |       |       |       |
| PO PUT                                   |       |       |       |       | 06/17 | 07/15 | 08/19 | 09/16 |       |       | 12/16 |       |       |       |
| RWS THU                                  |       | 06/18 |       |       | 07/02 |       |       |       |       |       |       |       |       |       |
| SMW MON                                  |       | 06/22 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO CALL                                  |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| SO PUT                                   |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| SO1 CALL                                 |       | 06/05 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO1 PUT                                  |       | 06/05 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO2 CALL                                 |       | 06/12 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO2 PUT                                  |       | 06/12 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO4 CALL                                 |       | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO4 PUT                                  |       | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| SWW WED                                  |       | 06/24 |       |       |       |       |       |       |       |       |       |       |       |       |
| TWS TUE                                  |       | 06/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| WMG WED                                  |       | 06/03 |       |       |       |       |       |       |       |       |       |       |       |       |

| GOLD OPTIONS ON FUTURES |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
|-------------------------|------------------------------------|-----------------|--------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| GLOBEX<br>OPEN          | OPEN<br>OPEN                       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| WMG WED                 | MICRO GOLD WEEKLY WED OPTION WEEK1 |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| JUN26                   | ----                               | ----            | ----               | ----             | ----            | ----            | 12.00 - 17.60            | .2899 | ----          | ----                     | ----              | ----          | 2                |
| 4500                    |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               | 2                |
| TOTAL                   |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               | 0                |
| GLOBEX<br>OPEN          | OPEN<br>OPEN                       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| OMG OPT                 | MICRO GOLD OPTIONS                 |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| JUL26                   | ----                               | ----            | ----               | ----             | ----            | ----            | 1119.90 + 13.50          | ----  | ----          | ----                     | ----              | ----          | 1                |
| 3400                    | ----                               | ----            | ----               | ----             | ----            | ----            | 1060.00 + 13.50          | ----  | ----          | ----                     | ----              | ----          | 1                |
| 3460                    | ----                               | ----            | ----               | ----             | ----            | ----            | 14.40 - 5.40             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4200                    | ----                               | ----            | ----               | ----             | ----            | ----            | 22.00 - 7.60             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4275                    | ----                               | ----            | ----               | ----             | ----            | ----            | 25.50 - 8.40             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4300                    | ----                               | ----            | ----               | ----             | ----            | ----            | 83.70 - 14.60            | ----  | ----          | ----                     | ----              | ----          | 8                |
| 4500                    | ----                               | ----            | ----               | ----             | ----            | ----            | 109.00 - 15.20           | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4550                    | ----                               | ----            | ----               | ----             | ----            | ----            | 59.00 - 2.50             | ----  | ----          | ----                     | ----              | ----          | 3                |
| 4600                    | ----                               | ----            | ----               | ----             | ----            | ----            | 139.00 - 16.00           | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4600                    | ----                               | ----            | ----               | ----             | ----            | ----            | 31.50 - 2.90             | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4700                    | ----                               | ----            | ----               | ----             | ----            | ----            | 16.30 - 2.50             | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4800                    | ----                               | ----            | ----               | ----             | ----            | ----            | 5.40 - 1.10              | ----  | ----          | ----                     | ----              | ----          | 3                |
| 5000                    | ----                               | ----            | ----               | ----             | ----            | ----            | 2.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 3                |
| 5300                    | ----                               | ----            | ----               | ----             | ----            | ----            | 1.40 UNCH                | ----  | ----          | ----                     | ----              | ----          | 2                |
| 5500                    | ----                               | ----            | ----               | ----             | ----            | ----            |                          |       |               |                          |                   |               | 0                |
| TOTAL                   |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               | 32               |
| AUG26                   | ----                               | ----            | ----               | ----             | ----            | ----            | 96.20 - 12.10            | ----  | ----          | ----                     | ----              | ----          | 6                |
| 4400                    | ----                               | ----            | ----               | ----             | ----            | ----            | 163.70 - 13.60           | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4550                    | ----                               | ----            | ----               | ----             | ----            | ----            | 25.80 - 2.80             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4995                    | ----                               | ----            | ----               | ----             | ----            | ----            |                          |       |               |                          |                   |               | 9                |
| TOTAL                   |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               | 0                |
| OCT26                   | ----                               | ----            | ----               | ----             | ----            | ----            | 164.70 - 0.10            | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4680                    | ----                               | ----            | ----               | ----             | ----            | ----            |                          |       |               |                          |                   |               | 1                |
| TOTAL                   |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               | 0                |
| DEC26                   | ----                               | ----            | ----               | ----             | ----            | ----            | 14.60 - 1.50             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 3250                    | ----                               | ----            | ----               | ----             | ----            | ----            | 228.80 + 0.80            | ----  | ----          | ----                     | ----              | ----          | 10               |
| 4700                    | ----                               | ----            | ----               | ----             | ----            | ----            |                          |       |               |                          |                   |               | 11               |
| TOTAL                   |                                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               | 0                |
| GLOBEX<br>OPEN          | OPEN<br>OPEN                       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| OG4 PUT                 | GOLD OPTIONS                       |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| JUN26                   | ----                               | ----            | ----               | 0.30B/*1.00A     | ----            | ----            | 0.60 - 0.90              | .0028 | ----          | ----                     | ----              | ----          | 4                |
| 3250                    | ----                               | ----            | ----               | 1.00B/*1.20A     | ----            | ----            | 1.20 - 1.30              | .0063 | ----          | ----                     | ----              | ----          | 6                |
| 3500                    | ----                               | ----            | ----               | 2.80B/*3.00A     | ----            | ----            | 2.80 - 1.80              | .0173 | ----          | ----                     | ----              | ----          | 13               |
| 3800                    | ----                               | ----            | ----               | 4.00B/*4.10A     | ----            | ----            | 4.10 - 1.90              | .0264 | ----          | ----                     | ----              | ----          | 1                |
| 3900                    | ----                               | ----            | ----               | 6.00B/*5.80A     | ----            | ----            | 6.10 - 2.00              | .0408 | ----          | ----                     | ----              | ----          | 7                |
| 4000                    | ----                               | ----            | ----               | 7.60B/*7.30A     | ----            | ----            | 7.60 - 2.80              | .0515 | ----          | ----                     | ----              | ----          | 1                |
| 4050                    | ----                               | ----            | ----               | 8.50B/*8.00A     | ----            | ----            | 8.50 - 3.20              | .0579 | ----          | ----                     | ----              | ----          | 2                |
| 4075                    | ----                               | ----            | ----               | 9.60B/*9.00A     | ----            | ----            | 9.60 - 3.60              | .0656 | ----          | ----                     | 2                 | ----          | UNCH             |
| 4100                    | 9.20                               | 9.20            | 9.60B/*9.00A       | 11.10B/*10.10A   | ----            | ----            | 10.80 - 4.00             | .0740 | ----          | ----                     | ----              | ----          | 1                |
| 4125                    | ----                               | ----            | ----               | 12.80B/*11.30A   | ----            | ----            | 12.20 - 4.40             | .0838 | ----          | ----                     | 1                 | ----          | UNCH             |
| 4150                    | ----                               | ----            | ----               |                  | ----            | ----            | 15.70 - 5.30             | .1078 | ----          | ----                     | 1                 | ----          | UNCH             |
| 4200                    | 14.30                              | 14.30           | 14.30/14.30        | 16.90B/14.30     | ----            | ----            |                          |       |               |                          |                   |               |                  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.

| PG64     | BULLETIN #104@ |              |                 |                    |                         |                            |                          |         |       |               | METALS OPTION PRODUCTS   |                               |               |                  | Tue, Jun 02, 2026 |  |  |       | PG64 |
|----------|----------------|--------------|-----------------|--------------------|-------------------------|----------------------------|--------------------------|---------|-------|---------------|--------------------------|-------------------------------|---------------|------------------|-------------------|--|--|-------|------|
|          | GLOBAL<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |         | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL <sup>®</sup><br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |       |      |
| OG4 PUT  | GOLD OPTIONS   |              |                 |                    |                         |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |
| JUN26    |                |              |                 |                    |                         |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |
| 4225     | ----           | ----         | ----            | ----/*16.20A       | 19.60B/*16.20A          | ----                       | 18.00                    | - 5.90  | .1229 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 4250     | ----           | ----         | ----            | ----/18.40A        | 22.90B/18.40A           | ----                       | 20.70                    | - 6.50  | .1402 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 6     | UNCH |
| 4275     | ----           | ----         | ----            | ----/21.00A        | 26.40B/21.00A           | ----                       | 23.80                    | - 7.40  | .1596 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 5     | UNCH |
| 4300     | 28.00          | 28.00        |                 | 28.00/24.10A       | 31.30B/24.10A           | ----                       | 27.60                    | - 8.10  | .1822 | ----          | ----                     | 9                             | ----          |                  |                   |  |  | 20 +  | 2    |
| 4325     | ----           | ----         | ----            | ----/27.70A        | 36.00B/27.70A           | ----                       | 31.90                    | - 9.10  | .2072 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4350     | ----           | ----         | ----            | ----/31.80A        | 41.90B/31.80A           | ----                       | 37.00                    | - 10.00 | .2353 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 22    | UNCH |
| 4375     | 37.90          | 37.90        |                 | 37.90/36.90A       | 49.00B/36.90A           | ----                       | 42.90                    | NEW     | .2662 | ----          | ----                     | 15                            | ----          |                  |                   |  |  | 15 +  | 15   |
| 4400     | ----           | ----         | ----            | ----/42.40A        | 56.50B/42.40A           | ----                       | 49.60                    | - 11.70 | .2997 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4425     | ----           | ----         | ----            | ----/48.60A        | 65.30B/48.60A           | ----                       | 57.30                    | - 12.40 | .3359 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4450     | ----           | ----         | ----            | ----/55.90A        | 76.00B/55.90A           | ----                       | 66.00                    | - 13.10 | .3742 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 5     | UNCH |
| 4475     | 77.90          | 77.90        |                 | 80.30/64.10A       | 86.60B/64.10A           | ----                       | 75.80                    | - 13.60 | .4143 | ----          | ----                     | 90                            | ----          |                  |                   |  |  | 96 +  | 89   |
| 4500     | 72.50          | 72.50        |                 | 88.00/72.50        | 98.50B/72.50            | ----                       | 86.70                    | - 14.10 | .4558 | ----          | ----                     | 8                             | ----          |                  |                   |  |  | 12 +  | 4    |
| 4525     | 85.00          | 85.00        |                 | 85.00/83.20A       | 109.60B/83.20A          | ----                       | 98.80                    | - 14.40 | .4978 | ----          | ----                     | 7                             | ----          |                  |                   |  |  | 4     | UNCH |
| 4550     | ----           | ----         | ----            | ----/94.40A        | 123.60B/94.40A          | ----                       | 112.00                   | - 14.60 | .5399 | ----          | ----                     | 4                             | ----          |                  |                   |  |  | 9 -   | 1    |
| 4600     | ----           | ----         | ----            | ----/120.60A       | 154.80B/120.60A         | ----                       | 141.70                   | - 15.10 | .6219 | ----          | ----                     | 1                             | ----          |                  |                   |  |  | 7     | UNCH |
| 4625     | ----           | ----         | ----            | ----/134.80A       | 172.60B/134.80A         | ----                       | 158.20                   | - 15.30 | .6607 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 0     | UNCH |
| 4700     | ----           | ----         | ----            | ----/187.70A       | 228.20B/187.70A         | ----                       | 213.20                   | - 15.90 | .7634 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 4725     | ----           | ----         | ----            | ----/206.00A       | 248.50B/206.00A         | ----                       | 233.30                   | - 16.00 | .7921 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| TOTAL    |                |              |                 |                    |                         |                            |                          |         |       |               |                          | 138                           |               |                  |                   |  |  | 282 + | 108  |
|          | GLOBAL<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |         | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL <sup>®</sup><br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |       |      |
| OG4 CALL | GOLD OPTIONS   |              |                 |                    |                         |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |
| JUN26    |                |              |                 |                    |                         |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |
| 4300     | ----           | ----         | ----            | 283.90B/236.00A    | 283.90B/236.00A         | ----                       | 247.00                   | + 5.40  | .8171 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 4325     | ----           | ----         | ----            | 262.50B/216.00A    | 262.50B/216.00A         | ----                       | 226.40                   | + 4.50  | .7921 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 4400     | ----           | ----         | ----            | 202.10B/162.40A    | 202.10B/162.40A         | ----                       | 169.30                   | + 1.90  | .6996 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 4450     | ----           | ----         | ----            | 165.90B/130.30A    | 165.90B/130.30A         | ----                       | 135.80                   | + 0.50  | .6251 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 4475     | ----           | ----         | ----            | 149.30B/115.40A    | 149.30B/115.40A         | ----                       | 120.60                   | - 0.10  | .5850 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4500     | ----           | ----         | ----            | 133.70B/102.00A    | 133.70B/102.00A         | ----                       | 106.60                   | - 0.50  | .5436 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 12    | UNCH |
| 4525     | ----           | ----         | ----            | 125.60B/89.50A     | 125.60B/89.50A          | ----                       | 93.70                    | - 0.80  | .5015 | ----          | ----                     | 7                             | ----          |                  |                   |  |  | 16 +  | 1    |
| 4550     | ----           | ----         | ----            | 107.30B/78.30A     | 107.30B/78.30A          | ----                       | 82.00                    | - 1.00  | .4594 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4575     | ----           | ----         | ----            | 99.10B/68.20A      | 99.10B/68.20A           | ----                       | 71.30                    | - 1.30  | .4178 | ----          | ----                     | 1                             | ----          |                  |                   |  |  | 5 +   | 1    |
| 4600     | 63.30          | 63.30        |                 | 85.80B/59.10A      | 85.80B/59.10A           | ----                       | 61.80                    | - 1.50  | .3774 | ----          | ----                     | 9                             | ----          |                  |                   |  |  | 19 +  | 9    |
| 4625     | ----           | ----         | ----            | 74.70B/50.90A      | 74.70B/50.90A           | ----                       | 53.30                    | - 1.70  | .3387 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4650     | ----           | ----         | ----            | 67.20B/43.90A      | 67.20B/43.90A           | ----                       | 45.80                    | - 1.90  | .3020 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 3     | UNCH |
| 4700     | 33.70          | 33.70        |                 | 50.80B/32.30A      | 50.80B/32.30A           | ----                       | 33.50                    | - 2.30  | .2360 | ----          | ----                     | 2                             | ----          |                  |                   |  |  | 8 +   | 1    |
| 4725     | ----           | ----         | ----            | 44.00B/27.60A      | 44.00B/27.60A           | ----                       | 28.60                    | - 2.40  | .2072 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 4     | UNCH |
| 4750     | ----           | ----         | ----            | 37.90B/23.70A      | 37.90B/23.70A           | ----                       | 24.40                    | - 2.50  | .1814 | ----          | ----                     | 3                             | ----          |                  |                   |  |  | 5 +   | 3    |
| 4775     | ----           | ----         | ----            | 32.60B/20.30A      | 32.60B/20.30A           | ----                       | 20.80                    | - 2.50  | .1582 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4800     | 27.40          | 27.40        |                 | 28.10B/17.30A      | 28.10B/17.30A           | ----                       | 17.80                    | - 2.50  | .1379 | ----          | ----                     | 1                             | ----          |                  |                   |  |  | 14    | UNCH |
| 4825     | 22.90          | 22.90        |                 | 24.20B/14.90A      | 24.20B/14.90A           | ----                       | 15.30                    | NEW     | .1204 | ----          | ----                     | 10                            | ----          |                  |                   |  |  | 10 +  | 10   |
| 4850     | ----           | ----         | ----            | 20.80B/13.00A      | 20.80B/13.00A           | ----                       | 13.20                    | - 2.30  | .1051 | ----          | ----                     | 2                             | ----          |                  |                   |  |  | 8     | UNCH |
| 4875     | ----           | ----         | ----            | 18.00B/11.40A      | 18.00B/11.40A           | ----                       | 11.40                    | - 2.20  | .0918 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 2     | UNCH |
| 4900     | 14.40          | 14.40        |                 | 14.40/*10.00A      | 14.40/*10.00A           | ----                       | 9.90                     | - 2.10  | .0803 | ----          | ----                     | 1                             | ----          |                  |                   |  |  | 4     | UNCH |
| 4950     | 11.00          | 11.00        |                 | 11.00/*7.80A       | 11.00/*7.80A            | ----                       | 7.70                     | - 1.70  | .0627 | ----          | ----                     | 2                             | ----          |                  |                   |  |  | 4 +   | 1    |
| 4975     | ----           | ----         | ----            | 9.50B/*7.10A       | 9.50B/*7.10A            | ----                       | 6.80                     | - 1.60  | .0554 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 5000     | 6.70           | 6.70         |                 | 9.00B/*6.00        | 9.00B/*6.00             | ----                       | 6.10                     | - 1.40  | .0496 | ----          | ----                     | 7                             | ----          |                  |                   |  |  | 11 +  | 5    |
| 5050     | 5.00           | 5.00         |                 | #5.00/*5.00        | 5.80B/*5.00             | ----                       | 4.90                     | NEW     | .0396 | ----          | ----                     | 4                             | ----          |                  |                   |  |  | 4 +   | 4    |
| 5200     | 3.50           | 3.50         |                 | 3.50/*3.10         | 3.50/*3.10              | ----                       | 2.90                     | - 0.80  | .0224 | ----          | ----                     | 16                            | ----          |                  |                   |  |  | 23 +  | 16   |
| 5250     | ----           | ----         | ----            | ----/*2.80A        | 2.50B/*2.80A            | ----                       | 2.50                     | - 0.80  | .0190 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 5300     | ----           | ----         | ----            | ----/*2.50A        | 2.50B/*2.50A            | ----                       | 2.20                     | - 0.80  | .0164 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 18    | UNCH |
| 5400     | ----           | ----         | ----            | ----/*2.00A        | 1.70B/*2.00A            | ----                       | 1.70                     | - 1.00  | .0122 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 5500     | ----           | ----         | ----            | ----/*1.80A        | 1.30B/*1.80A            | ----                       | 1.40                     | - 1.00  | .0096 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 5750     | ----           | ----         | ----            | ----/*1.30A        | #0.70B/*1.30A           | ----                       | 1.00                     | - 1.00  | .0062 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| TOTAL    |                |              |                 |                    |                         |                            |                          |         |       |               |                          | 65                            |               |                  |                   |  |  | 187 + | 51   |
|          | GLOBAL<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |         | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL <sup>®</sup><br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |       |      |
| OG2 PUT  | GOLD OPTIONS   |              |                 |                    |                         |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |
| JUN26    |                |              |                 |                    |                         |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |
| 3250     | ----           | ----         | ----            | ----               | ----/0.90A              | ----                       | 0.20                     | UNCH    | .0008 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 5     | UNCH |
| 3500     | ----           | ----         | ----            | ----               | 0.40B/*0.70A            | ----                       | 0.60                     | UNCH    | .0028 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 10    | UNCH |
| 3600     | ----           | ----         | ----            | ----               | 0.20B/*0.80A            | ----                       | 0.70                     | UNCH    | .0036 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 3700     | ----           | ----         | ----            | ----/0.80A         | 0.50B/0.80A             | ----                       | 0.80                     | - 0.10  | .0046 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 1     | UNCH |
| 3750     | ----           | ----         | ----            | ----/*0.80A        | 0.70B/*0.80A            | ----                       | 0.80                     | - 0.30  | .0049 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 20    | UNCH |
| 3800     | ----           | ----         | ----            | ----/*1.00A        | 0.80B/*1.00A            | ----                       | 0.90                     | - 0.30  | .0058 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 9     | UNCH |
| 3900     | ----           | ----         | ----            | ----/*1.30A        | 1.20B/*1.30A            | ----                       | 1.20                     | - 0.60  | .0086 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 57    | UNCH |
| 4000     | 1.70           | 1.70         |                 | 1.70/*1.70         | 1.80B/*1.70             | ----                       | 1.70                     | - 1.00  | .0135 | ----          | ----                     | 2                             | ----          |                  |                   |  |  | 375   | UNCH |
| 4050     | 1.90           | 1.90         |                 | 2.10/*1.90         | 2.40B/*1.90             | ----                       | 2.20                     | - 1.30  | .0182 | ----          | ----                     | 2                             | ----          |                  |                   |  |  | 4 +   | 2    |
| 4100     | ----           | ----         | ----            | ----/*2.70A        | 3.30B/*2.70A            | ----                       | 2.80                     | - 1.70  | .0243 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 5     | UNCH |
| 4125     | ----           | ----         | ----            | ----/*3.00A        | 3.90B/*3.00A            | ----                       | 3.10                     | - 2.00  | .0277 | ----          | ----                     | 1                             | ----          |                  |                   |  |  | 2 -   | 1    |
| 4150     | ----           | ----         | ----            | ----/*3.40A        | 4.60B/*3.40A            | ----                       | 3.50                     | - 2.40  | .0321 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 56    | UNCH |
| 4200     | 4.50           | 4.50         |                 | 4.50/*4.40A        | 6.50B/*4.40A            | ----                       | 4.70                     | - 3.20  | .0449 | ----          | ----                     | 1                             | ----          |                  |                   |  |  | 13 +  | 1    |
| 4225     | 5.10           | 5.10         |                 | 5.10/*5.10         | 7.90B/*5.10             | ----                       | 5.50                     | - 3.70  | .0535 | ----          | ----                     | 21                            | ----          |                  |                   |  |  | 63 +  | 21   |
| 4250     | 7.30           | 7.30         |                 | 7.30/*5.80         | 9.50B/*5.80             | ----                       | 6.50                     | - 4.30  | .0643 | ----          | ----                     | 9                             | ----          |                  |                   |  |  | 58 +  | 7    |
| 4275     | ----           | ----         | ----            | ----/*7.00A        | 11.60B/*7.00A           | ----                       | 7.70                     | - 5.10  | .0774 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 37    | UNCH |
| 4300     | 8.50           | 8.50         |                 | 9.30/*8.00         | 14.10B/*8.00            | ----                       | 9.40                     | - 5.90  | .0950 | ----          | ----                     | 59                            | ----          |                  |                   |  |  | 211 + | 30   |
| 4325     | ----           | ----         | ----            | ----/*9.90A        | 17.20B/*9.90A           | ----                       | 11.50                    | - 6.90  | .1164 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 41    | UNCH |
| 4350     | 12.10          | 12.10        |                 | 13.40/*11.90A      | 21.20B/*11.90A          | ----                       | 14.20                    | - 8.00  | .1432 | ----          | ----                     | 4                             | ----          |                  |                   |  |  | 13 -  | 1    |
| 4375     | 18.00          | 18.00        |                 | 18.00/*14.50A      | 26.00B/*14.50A          | ----                       | 17.70                    | - 10.40 | .1762 | ----          | ----                     | 10                            | ----          |                  |                   |  |  | 76    | UNCH |
| 4400     | 28.20          | 28.20        |                 | 32.00B/*17.60A     | 32.00B/*17.60A          | ----                       | 22.10                    | - 10.40 | .2158 | ----          | ----                     | 115                           | ----          |                  |                   |  |  | 351 + | 91   |
| 4425     | ----           | ----         | ----            | ----/21.70A        | 39.30B/21.70A           | ----                       | 27.60                    | - 11.70 | .2624 | ----          | ----                     | ----                          | ----          |                  |                   |  |  | 115   | UNCH |
| 4450     | 32.70          | 32.70        |                 | 47.90B/26.80A      | 47.90B/26.80A           |                            |                          |         |       |               |                          |                               |               |                  |                   |  |  |       |      |

| BULLETIN #104@ |                |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |                          |       |               |                          |                   |               | Tue, Jun 02, 2026 |      | PG64 |  |
|----------------|----------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------|------|--|
|                | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |  |
| OG2 CALL       | GOLD OPTIONS   |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| JUN26          |                |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| 4950           | ----           | ----         |                 | 2.70B/*1.80A           | 2.70B/*1.80A     | ----            | ----            | 1.70 - 0.50              | .0178 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |  |
| 4975           | ----           | ----         |                 | 2.30B/*1.60A           | 2.30B/*1.60A     | ----            | ----            | 1.50 - 0.40              | .0154 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |  |
| 5000           | ----           | ----         |                 | 1.90B/*1.40A           | 1.90B/*1.40A     | ----            | ----            | 1.30 - 0.40              | .0131 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 5025           | ----           | ----         |                 | 1.60B/*1.30A           | 1.60B/*1.30A     | ----            | ----            | 1.20 - 0.30              | .0118 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 5050           | ----           | ----         |                 | 1.40B/*1.00A           | 1.40B/*1.00A     | ----            | ----            | 1.10 - 0.20              | .0105 | ----          | ----                     | ----              | ----          | 14                | UNCH |      |  |
| 5100           | ----           | ----         |                 | ----/*0.90A            | 1.10B/*0.90A     | ----            | ----            | 0.90 - 0.20              | .0083 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |  |
| 5300           | ----           | ----         |                 | ----                   | 0.50B/*0.80A     | ----            | ----            | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |  |
| TOTAL          |                |              |                 |                        |                  |                 |                 |                          |       |               |                          | 284               |               | 993+              | 91   |      |  |
| JUL26          |                |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| 4825           | ----           | ----         |                 | #42.30B/*29.20A        | #42.30B/*29.20A  | ----            | ----            | 30.00 - 3.20             | .1783 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4875           | 28.40          | 28.40        |                 | #33.70B/*23.30A        | #33.70B/*23.30A  | ----            | ----            | 23.80 - NEW              | .1457 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |      |  |
| 4900           | ----           | ----         |                 | #30.00B/*20.90A        | #30.00B/*20.90A  | ----            | ----            | 21.20 - 3.60             | .1315 | ----          | ----                     | 1                 | ----          | 4 +               | 1    |      |  |
| 4925           | ----           | ----         |                 | #26.60B/*18.90A        | #26.60B/*18.90A  | ----            | ----            | 19.00 - 3.40             | .1191 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |  |
| 4950           | 19.40          | 19.40        |                 | #23.80B/*16.90A        | #23.80B/*16.90A  | ----            | ----            | 17.00 - 3.20             | .1076 | ----          | ----                     | 50                | ----          | 51 +              | 50   |      |  |
| 5000           | 19.00          | 19.00        |                 | #19.40B/*13.80A        | #19.40B/*13.80A  | ----            | ----            | 13.70 - 2.70             | .0881 | ----          | ----                     | 52                | ----          | 53 +              | 52   |      |  |
| 5025           | ----           | ----         |                 | #16.80B/*12.50A        | #16.80B/*12.50A  | ----            | ----            | 12.20 - NEW              | .0792 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |      |  |
| TOTAL          |                |              |                 |                        |                  |                 |                 |                          |       |               |                          | 105               |               | 113+              | 105  |      |  |
|                | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |  |
| OG1 PUT        | GOLD OPTIONS   |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| JUN26          |                |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| 3250           | ----           | ----         |                 | ----                   | ----/0.60A       | ----            | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 3500           | ----           | ----         |                 | ----                   | ----/8.90A       | ----            | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 32                | UNCH |      |  |
| 3600           | ----           | ----         |                 | ----                   | ----/0.60A       | ----            | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 3700           | ----           | ----         |                 | ----                   | ----/0.30A       | ----            | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |  |
| 3750           | ----           | ----         |                 | ----                   | ----/0.30A       | ----            | ----            | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 14                | UNCH |      |  |
| 3800           | ----           | ----         |                 | ----                   | 0.10B/*0.30A     | ----            | ----            | 0.10 - 0.10              | .0000 | ----          | ----                     | ----              | ----          | 17                | UNCH |      |  |
| 3900           | ----           | ----         |                 | ----                   | ----/*0.30A      | ----            | ----            | 0.10 - 0.20              | .0003 | ----          | ----                     | ----              | ----          | 53                | UNCH |      |  |
| 4000           | ----           | ----         |                 | ----                   | 0.20B/*0.30A     | ----            | ----            | 0.20 - 0.30              | .0008 | ----          | ----                     | ----              | ----          | 102               | UNCH |      |  |
| 4050           | ----           | ----         |                 | ----                   | 0.30B/*0.40A     | ----            | ----            | 0.30 - 0.50              | .0014 | ----          | ----                     | ----              | ----          | 33                | UNCH |      |  |
| 4075           | ----           | ----         |                 | ----                   | 0.40B/*0.40A     | ----            | ----            | 0.40 - 0.50              | .0020 | ----          | ----                     | ----              | ----          | 32                | UNCH |      |  |
| 4100           | 0.50           | 0.50         |                 | 0.50/*0.50             | 0.50/*0.50       | ----            | ----            | 0.50 - 0.60              | .0027 | ----          | ----                     | 1                 | ----          | 21 -              | 1    |      |  |
| 4125           | ----           | ----         |                 | ----                   | 0.60B/*0.50A     | ----            | ----            | 0.60 - 0.70              | .0035 | ----          | ----                     | 2                 | ----          | 4 -               | 2    |      |  |
| 4150           | ----           | ----         |                 | ----                   | 0.80B/*0.60A     | ----            | ----            | 0.60 - 1.00              | .0038 | ----          | ----                     | ----              | ----          | 25                | UNCH |      |  |
| 4175           | ----           | ----         |                 | ----                   | 1.00B/*0.70A     | ----            | ----            | 0.70 - 1.10              | .0048 | ----          | ----                     | 2                 | ----          | 26 -              | 2    |      |  |
| 4200           | 1.90           | 1.90         |                 | 1.90/*0.80A            | 1.90/*0.80A      | ----            | ----            | 0.80 - 1.40              | .0059 | ----          | ----                     | 2                 | ----          | 49                | UNCH |      |  |
| 4210           | ----           | ----         |                 | ----                   | 1.40B/*0.80A     | ----            | ----            | 0.90 - 1.40              | .0069 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4225           | ----           | ----         |                 | ----                   | 1.60B/*0.90A     | ----            | ----            | 1.00 - 1.60              | .0081 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |  |
| 4230           | 1.30           | 1.30         |                 | #1.40/*1.00A           | 1.70B/*1.00A     | ----            | ----            | 1.00 - NEW               | .0082 | ----          | ----                     | 27                | ----          | 27 +              | 27   |      |  |
| 4250           | ----           | ----         |                 | ----                   | 2.20B/*1.10A     | ----            | ----            | 1.20 - 2.00              | .0105 | ----          | ----                     | 1                 | ----          | 30 -              | 1    |      |  |
| 4255           | ----           | ----         |                 | ----                   | 2.30B/*1.20A     | ----            | ----            | 1.20 - 2.10              | .0107 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4270           | ----           | ----         |                 | ----                   | 2.70B/*1.30A     | ----            | ----            | 1.40 - 2.30              | .0131 | ----          | ----                     | 3                 | ----          | 1 -               | 3    |      |  |
| 4275           | ----           | ----         |                 | ----                   | 2.90B/*1.40A     | ----            | ----            | 1.50 - 2.30              | .0143 | ----          | ----                     | ----              | ----          | 38                | UNCH |      |  |
| 4295           | ----           | ----         |                 | ----                   | 3.60B/*1.60A     | ----            | ----            | 1.80 - 2.80              | .0184 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4300           | 2.00           | 2.00         |                 | 2.00/*1.60A            | 3.80B/*1.60A     | ----            | ----            | 1.80 - 3.00              | .0188 | ----          | ----                     | 25                | ----          | 214 +             | 10   |      |  |
| 4315           | ----           | ----         |                 | ----                   | 4.60B/*2.00A     | ----            | ----            | 2.20 - 3.30              | .0241 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |  |
| 4325           | ----           | ----         |                 | ----                   | 5.10B/*2.20A     | ----            | ----            | 2.40 - 3.60              | .0272 | ----          | ----                     | 12                | ----          | 44                | UNCH |      |  |
| 4340           | ----           | ----         |                 | ----                   | 6.20B/*2.50A     | ----            | ----            | 2.80 - 4.20              | .0334 | ----          | ----                     | 12                | ----          | 18                | UNCH |      |  |
| 4350           | 3.10           | 3.10         |                 | 3.20/*2.70A            | 7.10B/*2.70A     | ----            | ----            | 3.20 - 4.60              | .0394 | ----          | ----                     | 45                | ----          | 294 -             | 19   |      |  |
| 4355           | ----           | ----         |                 | ----                   | 7.60B/*2.90A     | ----            | ----            | 3.40 - 4.90              | .0425 | ----          | ----                     | 3                 | ----          | 1 -               | 3    |      |  |
| 4360           | ----           | ----         |                 | ----                   | 8.10B/*3.10A     | ----            | ----            | 3.60 - 5.10              | .0457 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |  |
| 4365           | ----           | ----         |                 | ----                   | 8.60B/*3.30A     | ----            | ----            | 3.90 - 5.30              | .0502 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4370           | ----           | ----         |                 | ----                   | 9.10B/*3.50A     | ----            | ----            | 4.10 - 5.70              | .0537 | ----          | ----                     | 1                 | ----          | 2                 | UNCH |      |  |
| 4375           | 4.00           | 4.00         |                 | 4.00/*3.70A            | 9.70B/*3.70A     | ----            | ----            | 4.40 - 6.00              | .0584 | ----          | ----                     | 6                 | ----          | 79 -              | 1    |      |  |
| 4380           | 4.90           | 4.90         |                 | 4.90/*3.90A            | 10.40B/*3.90A    | ----            | ----            | 4.70 - 6.30              | .0632 | ----          | ----                     | 2                 | ----          | 17                | UNCH |      |  |
| 4385           | ----           | ----         |                 | ----                   | 11.10B/*4.20A    | ----            | ----            | 5.00 - 6.70              | .0682 | ----          | ----                     | 2                 | ----          | 8 -               | 2    |      |  |
| 4390           | ----           | ----         |                 | ----                   | 12.00B/*4.40A    | ----            | ----            | 5.40 - 7.00              | .0745 | ----          | ----                     | 2                 | ----          | 0 -               | 2    |      |  |
| 4395           | 5.20           | 5.20         |                 | #5.20/*4.70A           | 12.70B/*4.70A    | ----            | ----            | 5.80 - 7.30              | .0809 | ----          | ----                     | 2                 | ----          | 2                 | UNCH |      |  |
| 4400           | 10.00          | 10.00        |                 | 10.00/*4.90            | 13.50B/*4.90     | ----            | ----            | 6.20 - 7.70              | .0876 | ----          | ----                     | 148               | ----          | 355 -             | 13   |      |  |
| 4405           | ----           | ----         |                 | ----                   | 14.40B/*5.30A    | ----            | ----            | 6.60 - 8.20              | .0945 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4420           | ----           | ----         |                 | ----                   | 17.40B/*6.30A    | ----            | ----            | 8.20 - 9.50              | .1209 | ----          | ----                     | 3                 | ----          | 2 +               | 1    |      |  |
| 4425           | 7.90           | 7.90         |                 | 9.80/*6.70A            | 18.50B/*6.70A    | ----            | ----            | 8.80 - 9.90              | .1309 | ----          | ----                     | 15                | ----          | 352 +             | 4    |      |  |
| 4430           | 7.50           | 7.50         |                 | #7.50/*7.10A           | 19.80B/*7.10A    | ----            | ----            | 9.50 - NEW               | .1422 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |      |  |
| 4435           | ----           | ----         |                 | ----                   | 21.10B/*7.60A    | ----            | ----            | 10.20 - 10.90            | .1539 | ----          | ----                     | 2                 | ----          | 7 +               | 2    |      |  |
| 4440           | ----           | ----         |                 | ----                   | #22.50B/*8.10A   | ----            | ----            | 11.10 - 11.20            | .1676 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |  |
| 4450           | 13.00          | 13.00        |                 | 25.50B/*9.20A          | 25.50B/*9.20A    | ----            | ----            | 12.90 - 12.20            | .1962 | ----          | ----                     | 38                | ----          | 154 +             | 12   |      |  |
| 4460           | ----           | ----         |                 | 28.80B/*10.50A         | 28.80B/*10.50A   | ----            | ----            | 15.10 - 13.00            | .2294 | ----          | ----                     | 1                 | ----          | 2 +               | 1    |      |  |
| 4465           | 14.50          | 14.50        |                 | #30.60B/*11.30A        | 30.60B/*11.30A   | ----            | ----            | 16.40 - 13.30            | .2480 | ----          | ----                     | 1                 | ----          | 2 +               | 1    |      |  |
| 4470           | ----           | ----         |                 | 32.50B/*12.00A         | 32.50B/*12.00A   | ----            | ----            | 17.70 - 13.80            | .2668 | ----          | ----                     | 3                 | ----          | 5 +               | 3    |      |  |
| 4475           | 14.00          | 14.00        |                 | 34.50B/*12.90A         | 34.50B/*12.90A   | ----            | ----            | 19.10 - 14.20            | .2866 | ----          | ----                     | 13                | ----          | 49 +              | 9    |      |  |
| 4480           | 14.90          | 14.90        |                 | 36.60B/*13.80A         | 36.60B/*13.80A   | ----            | ----            | 20.60 - 14.50            | .3074 | ----          | ----                     | 5                 | ----          | 3 +               | 1    |      |  |
| 4485           | ----           | ----         |                 | #38.80B/*14.80A        | 38.80B/*14.80A   | ----            | ----            | 22.20 - NEW              | .3289 | ----          | ----                     | 2                 | ----          | 2 +               | 2    |      |  |
| 4490           | ----           | ----         |                 | #41.10B/*15.80A        | 41.10B/*15.80A   | ----            | ----            | 23.90 - NEW              | .3512 | ----          | ----                     | 2                 | ----          | 2 +               | 2    |      |  |
| 4500           | 23.30          | 23.30        |                 | 46.00B/*18.10A         | 46.00B/*18.10A   | ----            | ----            | 27.60 - 15.90            | .3979 |               |                          |                   |               |                   |      |      |  |



| BULLETIN #104@    |       |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       | Tue, Jun 02, 2026 |                          |                   |               | PG64             |      |
|-------------------|-------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|-------------------|--------------------------|-------------------|---------------|------------------|------|
| GLOBEX<br>OPEN    |       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES     | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| OG1 CALL<br>JUN26 |       | GOLD OPTIONS |                 |                        |                  |                    |               |                 |                          |       |                   |                          |                   |               |                  |      |
| 4585              | ----  | ----         |                 | #35.60B/*10.90A        | 35.60B/*10.90A   | ----               | ----          |                 | 13.00 - 4.00             | .2096 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 4590              | 14.40 | 14.40        |                 | #33.50B/*10.00A        | 33.50B/*10.00A   | ----               | ----          |                 | 12.00 NEW                | .1934 | ----              | ----                     | 2                 | ----          | 2 +              | 2    |
| 4595              | ----  | ----         |                 | #31.50B/*9.20A         | 31.50B/*9.20A    | ----               | ----          |                 | 11.00 - 3.80             | .1775 | ----              | ----                     | ----              | ----          | 9                | UNCH |
| 4600              | 24.00 | 24.00        |                 | 29.40B/8.40A           | 29.40B/8.40A     | ----               | ----          |                 | 10.10 - 3.70             | .1628 | ----              | ----                     | 47                | ----          | 98 -             | 12   |
| 4610              | ----  | ----         |                 | #25.70B/*7.10A         | 25.70B/*7.10A    | ----               | ----          |                 | 8.50 - 3.50              | .1364 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 4615              | 10.10 | 10.10        |                 | #23.80B/*6.60A         | 23.80B/*6.60A    | ----               | ----          |                 | 7.80 - 3.40              | .1246 | ----              | ----                     | 8                 | ----          | 16 +             | 8    |
| 4620              | ----  | ----         |                 | #22.40B/*5.90A         | 22.40B/*5.90A    | ----               | ----          |                 | 7.20 - 3.30              | .1142 | ----              | ----                     | ----              | ----          | 21               | UNCH |
| 4625              | ----  | ----         |                 | 20.90B/*5.40A          | 20.90B/*5.40A    | ----               | ----          |                 | 6.60 - 3.20              | .1041 | ----              | 5                        | ----              | ----          | 84 +             | 1    |
| 4630              | 14.50 | 14.50        |                 | #19.50B/*5.10A         | 19.50B/*5.10A    | ----               | ----          |                 | 6.00 - 3.10              | .0942 | ----              | 4                        | ----              | ----          | 7 +              | 4    |
| 4635              | ----  | ----         |                 | #18.10B/*4.60A         | 18.10B/*4.60A    | ----               | ----          |                 | 5.50 - 3.00              | .0856 | ----              | 2                        | ----              | ----          | 5 +              | 2    |
| 4640              | 11.80 | 11.80        |                 | #17.00B/*4.20A         | 17.00B/*4.20A    | ----               | ----          |                 | 5.10 - 2.90              | .0785 | ----              | 5                        | ----              | ----          | 6 +              | 5    |
| 4645              | ----  | ----         |                 | #15.70B/*3.90A         | 15.70B/*3.90A    | ----               | ----          |                 | 4.60 - 2.80              | .0704 | ----              | ----                     | ----              | ----          | 10               | UNCH |
| 4650              | 3.60  | 3.60         |                 | 14.60B/*3.60           | 14.60B/*3.60     | ----               | ----          |                 | 4.30 - 2.70              | .0649 | ----              | 12                       | ----              | ----          | 64 +             | 4    |
| 4655              | 5.50  | 5.50         |                 | #13.60B/*3.30A         | 13.60B/*3.30A    | ----               | ----          |                 | 3.90 NEW                 | .0583 | ----              | 3                        | ----              | ----          | 3 +              | 3    |
| 4660              | 4.90  | 4.90         |                 | #12.60B/*3.00A         | 12.60B/*3.00A    | ----               | ----          |                 | 3.60 NEW                 | .0531 | ----              | 4                        | ----              | ----          | 2 +              | 2    |
| 4665              | ----  | ----         |                 | #11.70B/*2.80A         | 11.70B/*2.80A    | ----               | ----          |                 | 3.30 - 2.40              | .0481 | ----              | 2                        | ----              | ----          | 3 +              | 2    |
| 4670              | ----  | ----         |                 | #10.90B/*2.70A         | 10.90B/*2.70A    | ----               | ----          |                 | 3.00 - 2.30              | .0432 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 4675              | 8.00  | 8.00         |                 | 10.10B/*2.50A          | 10.10B/*2.50A    | ----               | ----          |                 | 2.80 - 2.20              | .0397 | ----              | 10                       | ----              | ----          | 99 -             | 6    |
| 4680              | 8.20  | 8.20         |                 | #9.30B/*2.30A          | 9.30B/*2.30A     | ----               | ----          |                 | 2.60 NEW                 | .0363 | ----              | 2                        | ----              | ----          | 0                | UNCH |
| 4685              | ----  | ----         |                 | #8.70B/*2.10A          | 8.70B/*2.10A     | ----               | ----          |                 | 2.40 - 2.00              | .0330 | ----              | 1                        | ----              | ----          | 2 +              | 1    |
| 4695              | ----  | ----         |                 | 7.50B/*1.80A           | 7.50B/*1.80A     | ----               | ----          |                 | 2.00 - 1.90              | .0267 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 4700              | 6.20  | 6.20         |                 | 7.00B/*1.70A           | 7.00B/*1.70A     | ----               | ----          |                 | 1.90 - 1.80              | .0249 | ----              | 11                       | ----              | ----          | 157 -            | 1    |
| 4715              | ----  | ----         |                 | #5.70B/*1.40A          | 5.70B/*1.40A     | ----               | ----          |                 | 1.50 - 1.60              | .0187 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 4725              | 2.10  | 2.10         |                 | 4.90B/*1.20A           | 4.90B/*1.20A     | ----               | ----          |                 | 1.30 - 1.40              | .0157 | ----              | 6                        | ----              | ----          | 72               | UNCH |
| 4735              | ----  | ----         |                 | #4.10B/*1.10A          | 4.10B/*1.10A     | ----               | ----          |                 | 1.10 - 1.30              | .0128 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 4750              | 2.70  | 2.70         |                 | 3.40B/*0.90A           | 3.40B/*0.90A     | ----               | ----          |                 | 0.90 - 1.20              | .0099 | ----              | 3                        | ----              | ----          | 228              | UNCH |
| 4760              | ----  | ----         |                 | #3.00B/*0.80A          | 3.00B/*0.80A     | ----               | ----          |                 | 0.80 - 1.10              | .0085 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 4775              | ----  | ----         |                 | 2.40B/*0.70A           | 2.40B/*0.70A     | ----               | ----          |                 | 0.70 - 0.90              | .0070 | ----              | ----                     | ----              | ----          | 135              | UNCH |
| 4780              | ----  | ----         |                 |                        |                  |                    |               |                 |                          |       |                   |                          |                   |               |                  |      |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.





| PG64   |      | BULLETIN #104@     |              |                 |                    |                  |                 |                 |               |                 |                          | METALS OPTION PRODUCTS |               |                |                  |                   |               |      |      |                  |  | Tue, Jun 02, 2026 |  | PG64 |  |
|--------|------|--------------------|--------------|-----------------|--------------------|------------------|-----------------|-----------------|---------------|-----------------|--------------------------|------------------------|---------------|----------------|------------------|-------------------|---------------|------|------|------------------|--|-------------------|--|------|--|
|        |      | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>CLOSE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>VOLUME | OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |      |      | OPEN<br>INTEREST |  |                   |  |      |  |
| OG PUT |      | COMEX GOLD OPTIONS |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                |                  |                   |               |      |      |                  |  |                   |  |      |  |
| JUL26  |      |                    |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                |                  |                   |               |      |      |                  |  |                   |  |      |  |
| 3380   | ---- | ----               | ----         | ----            | ----/*0.80A        | 0.70B/*0.80A     | ----            | ----            | 0.70          | - 0.20          | .0036                    | ----                   | ----          | ----           | ----             | ----              | ----          | 4    | UNCH |                  |  |                   |  |      |  |
| 3385   | ---- | ----               | ----         | ----            | ----/*0.80A        | 0.70B/*0.80A     | ----            | ----            | 0.70          | - 0.20          | .0036                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3390   | ---- | ----               | ----         | ----            | ----/*0.80A        | 0.70B/*0.80A     | ----            | ----            | 0.70          | - 0.20          | .0036                    | ----                   | ----          | ----           | ----             | ----              | ----          | 2    | UNCH |                  |  |                   |  |      |  |
| 3395   | ---- | ----               | ----         | ----            | ----/*0.80A        | 0.70B/*0.80A     | ----            | ----            | 0.70          | - 0.20          | .0036                    | ----                   | ----          | ----           | ----             | ----              | ----          | 32   | UNCH |                  |  |                   |  |      |  |
| 3400   | ---- | ----               | ----         | ----            | ----/*0.80A        | 0.70B/*0.80A     | ----            | ----            | 0.80          | - 0.10          | .0041                    | ----                   | ----          | ----           | ----             | ----              | ----          | 63   | UNCH |                  |  |                   |  |      |  |
| 3405   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.70B/*0.90A     | ----            | ----            | 0.80          | - 0.20          | .0041                    | ----                   | ----          | ----           | ----             | ----              | ----          | 7    | UNCH |                  |  |                   |  |      |  |
| 3410   | 0.80 | 0.80               |              | 0.80            | /*0.80             | 0.80/*0.80       | ----            | ----            | 0.80          | - 0.20          | .0041                    | ----                   | ----          | ----           | ----             | 1                 | ----          | 6    | +    | 1                |  |                   |  |      |  |
| 3415   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.80B/*0.90A     | ----            | ----            | 0.80          | - 0.20          | .0041                    | ----                   | ----          | ----           | ----             | ----              | ----          | 1    | UNCH |                  |  |                   |  |      |  |
| 3420   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.80B/*0.90A     | ----            | ----            | 0.80          | - 0.20          | .0042                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3425   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.80B/*0.90A     | ----            | ----            | 0.80          | - 0.20          | .0042                    | ----                   | ----          | ----           | ----             | ----              | ----          | 57   | UNCH |                  |  |                   |  |      |  |
| 3435   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.80B/*0.90A     | ----            | ----            | 0.90          | - 0.20          | .0047                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3440   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.80B/*0.90A     | ----            | ----            | 0.90          | - 0.20          | .0047                    | ----                   | ----          | ----           | ----             | ----              | ----          | 7    | UNCH |                  |  |                   |  |      |  |
| 3445   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.80B/*0.90A     | ----            | ----            | 0.90          | - 0.20          | .0047                    | ----                   | ----          | ----           | ----             | ----              | ----          | 2    | UNCH |                  |  |                   |  |      |  |
| 3450   | ---- | ----               | ----         | ----            | ----/*0.90A        | 0.90B/*0.90A     | ----            | ----            | 0.90          | - 0.20          | .0047                    | ----                   | ----          | ----           | ----             | ----              | ----          | 133  | UNCH |                  |  |                   |  |      |  |
| 3455   | ---- | ----               | ----         | ----            | ----/*1.00A        | 0.90B/*1.00A     | ----            | ----            | 0.90          | - 0.20          | .0048                    | ----                   | ----          | ----           | ----             | ----              | ----          | 10   | UNCH |                  |  |                   |  |      |  |
| 3460   | ---- | ----               | ----         | ----            | ----/*1.00A        | 0.90B/*1.00A     | ----            | ----            | 0.90          | - 0.30          | .0048                    | ----                   | ----          | ----           | ----             | ----              | ----          | 10   | UNCH |                  |  |                   |  |      |  |
| 3465   | ---- | ----               | ----         | ----            | ----/*1.00A        | 0.90B/*1.00A     | ----            | ----            | 0.90          | - 0.30          | .0048                    | ----                   | ----          | ----           | ----             | ----              | ----          | 142  | UNCH |                  |  |                   |  |      |  |
| 3475   | ---- | ----               | ----         | ----            | ----/*1.00A        | 0.90B/*1.00A     | ----            | ----            | 1.00          | - 0.20          | .0053                    | ----                   | ----          | ----           | ----             | ----              | ----          | 128  | UNCH |                  |  |                   |  |      |  |
| 3480   | ---- | ----               | ----         | ----            | ----/*1.00A        | 0.90B/*1.00A     | ----            | ----            | 1.00          | - 0.30          | .0053                    | ----                   | ----          | ----           | ----             | ----              | ----          | 36   | UNCH |                  |  |                   |  |      |  |
| 3495   | ---- | ----               | ----         | ----            | ----/*1.10A        | 1.00B/*1.10A     | ----            | ----            | 1.00          | - 0.30          | .0054                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3500   | ---- | ----               | ----         | ----            | ----/1.10A         | 1.00B/1.10A      | ----            | ----            | 1.10          | - 0.20          | .0059                    | ----                   | ----          | ----           | ----             | ----              | ----          | 585  | UNCH |                  |  |                   |  |      |  |
| 3505   | ---- | ----               | ----         | ----            | ----/*1.10A        | 1.00B/*1.10A     | ----            | ----            | 1.10          | - 0.30          | .0059                    | ----                   | ----          | ----           | ----             | ----              | ----          | 9    | UNCH |                  |  |                   |  |      |  |
| 3510   | ---- | ----               | ----         | ----            | ----/*1.10A        | 1.00B/*1.10A     | ----            | ----            | 1.10          | - 0.30          | .0059                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3515   | ---- | ----               | ----         | ----            | ----/*1.10A        | 1.10B/*1.10A     | ----            | ----            | 1.10          | - 0.30          | .0060                    | ----                   | ----          | ----           | ----             | ----              | ----          | 8    | UNCH |                  |  |                   |  |      |  |
| 3520   | ---- | ----               | ----         | ----            | ----/*1.10A        | 1.10B/*1.10A     | ----            | ----            | 1.10          | - 0.30          | .0060                    | ----                   | ----          | ----           | ----             | ----              | ----          | 5    | UNCH |                  |  |                   |  |      |  |
| 3525   | ---- | ----               | ----         | ----            | ----/*1.20A        | 1.10B/*1.20A     | ----            | ----            | 1.20          | - 0.30          | .0065                    | ----                   | ----          | ----           | ----             | ----              | ----          | 8    | UNCH |                  |  |                   |  |      |  |
| 3530   | ---- | ----               | ----         | ----            | ----/*1.20A        | 1.10B/*1.20A     | ----            | ----            | 1.20          | - 0.30          | .0065                    | ----                   | ----          | ----           | ----             | ----              | ----          | 168  | UNCH |                  |  |                   |  |      |  |
| 3535   | ---- | ----               | ----         | ----            | ----/*1.20A        | 1.10B/*1.20A     | ----            | ----            | 1.20          | - 0.30          | .0065                    | ----                   | ----          | ----           | ----             | ----              | ----          | 31   | UNCH |                  |  |                   |  |      |  |
| 3545   | ---- | ----               | ----         | ----            | ----/*1.20A        | 1.20B/*1.20A     | ----            | ----            | 1.20          | - 0.40          | .0066                    | ----                   | ----          | ----           | ----             | ----              | ----          | 256  | UNCH |                  |  |                   |  |      |  |
| 3550   | ---- | ----               | ----         | ----            | ----/*1.20A        | 1.20B/*1.20A     | ----            | ----            | 1.30          | - 0.30          | .0071                    | ----                   | ----          | ----           | ----             | ----              | ----          | 175  | UNCH |                  |  |                   |  |      |  |
| 3555   | ---- | ----               | ----         | ----            | ----/*1.30A        | 1.20B/*1.30A     | ----            | ----            | 1.30          | - 0.30          | .0071                    | ----                   | ----          | ----           | ----             | ----              | ----          | 1    | UNCH |                  |  |                   |  |      |  |
| 3565   | ---- | ----               | ----         | ----            | ----/*1.30A        | 1.20B/*1.30A     | ----            | ----            | 1.30          | - 0.40          | .0072                    | ----                   | ----          | ----           | ----             | ----              | ----          | 2    | UNCH |                  |  |                   |  |      |  |
| 3575   | 1.30 | 1.30               |              | 1.30            | /*1.30             | 1.30/*1.30       | ----            | ----            | 1.40          | - 0.30          | .0077                    | ----                   | ----          | ----           | ----             | 3                 | ----          | 4    | +    | 3                |  |                   |  |      |  |
| 3580   | ---- | ----               | ----         | ----            | ----/*1.30A        | 1.30B/*1.30A     | ----            | ----            | 1.40          | - 0.40          | .0078                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3585   | ---- | ----               | ----         | ----            | ----/*1.40A        | 1.30B/*1.40A     | ----            | ----            | 1.40          | - 0.40          | .0078                    | ----                   | ----          | ----           | ----             | ----              | ----          | 1    | UNCH |                  |  |                   |  |      |  |
| 3590   | ---- | ----               | ----         | ----            | ----/*1.40A        | 1.40B/*1.40A     | ----            | ----            | 1.50          | - 0.30          | .0083                    | ----                   | ----          | ----           | ----             | ----              | ----          | 16   | UNCH |                  |  |                   |  |      |  |
| 3600   | ---- | ----               | ----         | ----            | ----/*1.40A        | 1.40B/*1.40A     | ----            | ----            | 1.50          | - 0.40          | .0084                    | ----                   | ----          | ----           | ----             | 18                | 1340          | UNCH |      |                  |  |                   |  |      |  |
| 3605   | ---- | ----               | ----         | ----            | ----/*1.40A        | 1.40B/*1.40A     | ----            | ----            | 1.50          | - 0.40          | .0084                    | ----                   | ----          | ----           | ----             | ----              | ----          | 12   | UNCH |                  |  |                   |  |      |  |
| 3610   | ---- | ----               | ----         | ----            | ----/*1.50A        | 1.40B/*1.50A     | ----            | ----            | 1.60          | - 0.40          | .0089                    | ----                   | ----          | ----           | ----             | ----              | ----          | 2    | UNCH |                  |  |                   |  |      |  |
| 3615   | ---- | ----               | ----         | ----            | ----/*1.50A        | 1.50B/*1.50A     | ----            | ----            | 1.60          | - 0.40          | .0090                    | ----                   | ----          | ----           | ----             | ----              | ----          | 2    | UNCH |                  |  |                   |  |      |  |
| 3620   | ---- | ----               | ----         | ----            | ----/*1.50A        | 1.50B/*1.50A     | ----            | ----            | 1.60          | - 0.40          | .0090                    | ----                   | ----          | ----           | ----             | ----              | ----          | 12   | UNCH |                  |  |                   |  |      |  |
| 3625   | ---- | ----               | ----         | ----            | ----/*1.50A        | 1.50B/*1.50A     | ----            | ----            | 1.60          | - 0.40          | .0091                    | ----                   | ----          | ----           | ----             | ----              | ----          | 41   | UNCH |                  |  |                   |  |      |  |
| 3630   | ---- | ----               | ----         | ----            | ----/*1.50A        | 1.60B/*1.50A     | ----            | ----            | 1.70          | - 0.40          | .0096                    | ----                   | ----          | ----           | ----             | ----              | ----          | 12   | UNCH |                  |  |                   |  |      |  |
| 3635   | ---- | ----               | ----         | ----            | ----/*1.60A        | 1.60B/*1.60A     | ----            | ----            | 1.70          | - 0.40          | .0096                    | ----                   | ----          | ----           | ----             | ----              | ----          | 3    | UNCH |                  |  |                   |  |      |  |
| 3640   | ---- | ----               | ----         | ----            | ----/*1.60A        | 1.60B/*1.60A     | ----            | ----            | 1.70          | - 0.40          | .0097                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3645   | ---- | ----               | ----         | ----            | ----/*1.60A        | 1.70B/*1.60A     | ----            | ----            | 1.70          | - 0.50          | .0097                    | ----                   | ----          | ----           | ----             | ----              | ----          | 1    | UNCH |                  |  |                   |  |      |  |
| 3650   | ---- | ----               | ----         | ----            | ----/1.70A         | 1.70B/1.70A      | ----            | ----            | 1.80          | - 0.40          | .0102                    | ----                   | ----          | ----           | ----             | ----              | ----          | 97   | UNCH |                  |  |                   |  |      |  |
| 3655   | ---- | ----               | ----         | ----            | ----/*1.70A        | 1.70B/*1.70A     | ----            | ----            | 1.80          | - 0.40          | .0103                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3660   | ---- | ----               | ----         | ----            | ----/*1.70A        | 1.80B/*1.70A     | ----            | ----            | 1.80          | - 0.50          | .0104                    | ----                   | ----          | ----           | ----             | ----              | ----          | 54   | UNCH |                  |  |                   |  |      |  |
| 3665   | ---- | ----               | ----         | ----            | ----/*1.70A        | 1.80B/*1.70A     | ----            | ----            | 1.90          | - 0.40          | .0109                    | ----                   | ----          | ----           | ----             | ----              | ----          | 6    | UNCH |                  |  |                   |  |      |  |
| 3670   | ---- | ----               | ----         | ----            | ----/1.80A         | 1.80B/1.80A      | ----            | ----            | 1.90          | - 0.50          | .0109                    | ----                   | ----          | ----           | ----             | ----              | ----          | 116  | UNCH |                  |  |                   |  |      |  |
| 3675   | 1.80 | 1.80               |              | 1.80            | /*1.80             | 1.80/*1.80       | ----            | ----            | 1.90          | - 0.50          | .0110                    | ----                   | ----          | ----           | ----             | 4                 | ----          | 19   | UNCH |                  |  |                   |  |      |  |
| 3680   | ---- | ----               | ----         | ----            | ----/*1.80A        | 1.90B/*1.80A     | ----            | ----            | 1.90          | - 0.50          | .0111                    | ----                   | ----          | ----           | ----             | ----              | ----          | 5    | UNCH |                  |  |                   |  |      |  |
| 3685   | ---- | ----               | ----         | ----            | ----/1.90A         | 1.90B/1.90A      | ----            | ----            | 2.00          | - 0.50          | .0116                    | ----                   | ----          | ----           | ----             | ----              | ----          | 18   | UNCH |                  |  |                   |  |      |  |
| 3690   | ---- | ----               | ----         | ----            | ----/*1.80A        | 1.90B/*1.80A     | ----            | ----            | 2.00          | - 0.50          | .0116                    | ----                   | ----          | ----           | ----             | ----              | ----          | 50   | UNCH |                  |  |                   |  |      |  |
| 3695   | ---- | ----               | ----         | ----            | ----/*1.90A        | 2.00B/*1.90A     | ----            | ----            | 2.00          | - 0.50          | .0117                    | ----                   | ----          | ----           | ----             | ----              | ----          | 143  | UNCH |                  |  |                   |  |      |  |
| 3700   | ---- | ----               | ----         | ----            | ----/*1.90A        | 2.10B/*1.90A     | ----            | ----            | 2.10          | - 0.50          | .0122                    | ----                   | ----          | ----           | ----             | 4                 | 543           | UNCH |      |                  |  |                   |  |      |  |
| 3705   | ---- | ----               | ----         | ----            | ----/*1.90A        | 2.00B/*1.90A     | ----            | ----            | 2.10          | - 0.50          | .0123                    | ----                   | ----          | ----           | ----             | ----              | ----          | 21   | UNCH |                  |  |                   |  |      |  |
| 3715   | ---- | ----               | ----         | ----            | ----/*2.00A        | 2.10B/*2.00A     | ----            | ----            | 2.20          | - 0.50          | .0129                    | ----                   | ----          | ----           | ----             | ----              | ----          | 30   | UNCH |                  |  |                   |  |      |  |
| 3720   | ---- | ----               | ----         | ----            | ----/*2.00A        | 2.10B/*2.00A     | ----            | ----            | 2.20          | - 0.50          | .0130                    | ----                   | ----          | ----           | ----             | ----              | ----          | 24   | UNCH |                  |  |                   |  |      |  |
| 3725   | ---- | ----               | ----         | ----            | ----/*2.00A        | 2.20B/*2.00A     | ----            | ----            | 2.20          | - 0.60          | .0131                    | ----                   | ----          | ----           | ----             | ----              | ----          | 167  | UNCH |                  |  |                   |  |      |  |
| 3730   | ---- | ----               | ----         | ----            | ----/*2.10A        | 2.20B/*2.10A     | ----            | ----            | 2.30          | - 0.50          | .0136                    | ----                   | ----          | ----           | ----             | ----              | ----          | 3    | UNCH |                  |  |                   |  |      |  |
| 3735   | ---- | ----               | ----         | ----            | ----/*2.10A        | 2.20B/*2.10A     | ----            | ----            | 2.30          | - 0.60          | .0137                    | ----                   | ----          | ----           | ----             | ----              | ----          | 30   | UNCH |                  |  |                   |  |      |  |
| 3740   | ---- | ----               | ----         | ----            | ----/*2.10A        | 2.30B/*2.10A     | ----            | ----            | 2.30          | - 0.60          | .0138                    | ----                   | ----          | ----           | ----             | ----              | ----          | 20   | UNCH |                  |  |                   |  |      |  |
| 3745   | ---- | ----               | ----         | ----            | ----/*2.10A        | 2.30B/*2.10A     | ----            | ----            | 2.40          | - 0.60          | .0143                    | ----                   | ----          | ----           | ----             | ----              | ----          | 1    | UNCH |                  |  |                   |  |      |  |
| 3750   | ---- | ----               | ----         | ----            | ----/*2.20A        | 2.30B/*2.20A     | ----            | ----            | 2.40          | - 0.60          | .0144                    | ----                   | ----          | ----           | ----             | ----              | ----          | 533  | UNCH |                  |  |                   |  |      |  |
| 3755   | ---- | ----               | ----         | ----            | ----/*2.20A        | 2.40B/*2.20A     | ----            | ----            | 2.50          | - 0.60          | .0150                    | ----                   | ----          | ----           | ----             | ----              | ----          | 2    | UNCH |                  |  |                   |  |      |  |
| 3760   | ---- | ----               | ----         | ----            | ----/*2.30A        | 2.40B/*2.30A     | ----            | ----            | 2.50          | - 0.60          | .0151                    | ----                   | ----          | ----           | ----             | ----              | ----          | 3    | UNCH |                  |  |                   |  |      |  |
| 3765   | ---- | ----               | ----         | ----            | ----/*2.30A        | 2.50B/*2.30A     | ----            | ----            | 2.50          | - 0.70          | .0152                    | ----                   | ----          | ----           | ----             | ----              | ----          | 32   | UNCH |                  |  |                   |  |      |  |
| 3770   | ---- | ----               | ----         | ----            | ----/*2.40A        | 2.60B/*2.40A     | ----            | ----            | 2.60          | - 0.60          | .0157                    | ----                   | ----          | ----           | ----             | ----              | ----          | 126  | UNCH |                  |  |                   |  |      |  |
| 3775   | ---- | ----               | ----         | ----            | ----/*2.40A        | 2.60B/*2.40A     | ----            | ----            | 2.60          | - 0.70          | .0158                    | ----                   | ----          | ----           | ----             | ----              | ----          | 94   | UNCH |                  |  |                   |  |      |  |
| 3780   | ---- | ----               | ----         | ----            | ----/*2.40A        | 2.60B/*2.40A     | ----            | ----            | 2.70          | - 0.60          | .0164                    | ----                   | ----          | ----           | ----             | ----              | ----          | 13   | UNCH |                  |  |                   |  |      |  |
| 3785   | ---- | ----               | ----         | ----            | ----/*2            |                  |                 |                 |               |                 |                          |                        |               |                |                  |                   |               |      |      |                  |  |                   |  |      |  |

| PG64   |       | BULLETIN #104@     |                              |                    |                            |                               |                          |         |       |               |                          | METALS OPTION PRODUCTS |               |                  |      |  |  |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------|-------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|---------|-------|---------------|--------------------------|------------------------|---------------|------------------|------|--|--|--|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|--|--|--|--|
|        |       | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |         | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME      | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| OG PUT |       | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |         |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| JUL26  |       |                    |                              |                    |                            |                               |                          |         |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4110   | 8.10  | 8.10               |                              | 9.10/*8.10         | 11.80B/*8.10               | ----                          | 9.20                     | - 3.40  | .0647 | ----          | ----                     | 16                     | ----          | 46 +             | 5    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4115   | 8.60  | 8.60               |                              | 9.70/*8.40A        | 12.10B/*8.40A              | ----                          | 9.40                     | - 3.50  | .0662 | ----          | ----                     | 20                     | ----          | 17 +             | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4120   | 9.50  | 9.50               |                              | 9.50/*8.50A        | 12.40B/*8.50A              | ----                          | 9.70                     | - 3.60  | .0682 | ----          | ----                     | 18                     | ----          | 108 +            | 13   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4125   | 9.90  | 9.90               |                              | 10.30/*8.70A       | 12.70B/*8.70A              | ----                          | 9.90                     | - 3.70  | .0698 | ----          | ----                     | 26                     | ----          | 96 +             | 6    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4130   | 9.40  | 9.40               |                              | 10.00/*9.00A       | 13.10B/*9.00A              | ----                          | 10.10                    | - 3.80  | .0713 | ----          | ----                     | 11                     | ----          | 105 +            | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4135   | 9.20  | 9.20               |                              | 10.70/*9.20        | 13.40B/*9.20               | ----                          | 10.40                    | - 3.90  | .0734 | ----          | ----                     | 16                     | ----          | 33               | UNCH |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4140   | 10.40 | 10.40              |                              | 11.10/*9.40A       | 13.80B/*9.40A              | ----                          | 10.60                    | - 4.00  | .0750 | ----          | ----                     | 9                      | ----          | 42 +             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4145   | 10.40 | 10.40              |                              | 11.40/*9.70A       | 14.10B/*9.70A              | ----                          | 10.90                    | - 4.10  | .0771 | ----          | ----                     | 16                     | ----          | 250 +            | 4    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4150   | 10.40 | 10.40              |                              | 10.90/*9.90        | 14.50B/*9.90               | ----                          | 11.20                    | - 4.20  | .0792 | ----          | ----                     | 55                     | ----          | 385 -            | 14   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4155   | 10.10 | 10.10              |                              | 10.10/*10.10       | 14.90B/*10.10              | ----                          | 11.50                    | - 4.30  | .0813 | ----          | ----                     | 5                      | ----          | 303 -            | 4    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4160   | 15.10 | 15.10              |                              | 16.30/*10.50A      | 16.30/*10.50A              | ----                          | 11.80                    | - 4.40  | .0834 | ----          | ----                     | 72                     | ----          | 69 +             | 13   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4165   | 15.10 | 15.10              |                              | 16.00/*10.70A      | 16.00/*10.70A              | ----                          | 12.00                    | - 4.60  | .0851 | ----          | ----                     | 35                     | ----          | 132 +            | 11   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4170   | 12.10 | 12.10              |                              | 12.90/*11.00A      | 16.10B/*11.00A             | ----                          | 12.40                    | - 4.60  | .0878 | ----          | ----                     | 52                     | ----          | 155 +            | 29   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4175   | 12.20 | 12.20              |                              | 12.20/*11.30A      | 16.60B/*11.30A             | ----                          | 12.70                    | - 4.70  | .0900 | ----          | ----                     | 16                     | ----          | 97 +             | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4180   | 13.00 | 13.00              |                              | 13.30/11.60A       | 17.20B/11.60A              | ----                          | 13.00                    | - 4.90  | .0922 | ----          | ----                     | 3                      | ----          | 40 +             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4185   | 12.00 | 12.00              |                              | 12.00/11.90A       | 17.50B/11.90A              | ----                          | 13.30                    | - 5.00  | .0944 | ----          | ----                     | 6                      | ----          | 40 +             | 5    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4190   | 13.20 | 13.20              |                              | 13.90/12.20A       | 18.00B/12.20A              | ----                          | 13.70                    | - 5.10  | .0971 | ----          | ----                     | 9                      | ----          | 145 -            | 4    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4195   | 14.00 | 14.00              |                              | 14.60/12.50A       | 18.50B/12.50A              | ----                          | 14.10                    | - 5.20  | .0999 | ----          | ----                     | 6                      | ----          | 82 +             | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4200   | ----  | ----               |                              | ----/12.80A        | 19.00B/12.80A              | ----                          | 14.40                    | - 5.40  | .1022 | ----          | ----                     | 235                    | ----          | 2043 +           | 4    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4205   | 15.50 | 15.50              |                              | 15.50/13.10A       | 19.50B/13.10A              | ----                          | 14.80                    | - 5.50  | .1049 | ----          | ----                     | 4                      | ----          | 83               | UNCH |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4210   | ----  | ----               |                              | ----/13.40A        | 20.10B/13.40A              | ----                          | 15.20                    | - 5.70  | .1077 | ----          | ----                     | ----                   | ----          | 98               | UNCH |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4215   | 14.50 | 14.50              |                              | 16.10/13.80A       | 20.60B/13.80A              | ----                          | 15.60                    | - 5.80  | .1106 | ----          | ----                     | 9                      | ----          | 68 -             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4220   | 16.10 | 16.10              |                              | 16.70/14.10A       | 21.20B/14.10A              | ----                          | 16.10                    | - 5.90  | .1138 | ----          | ----                     | 7                      | ----          | 227 +            | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4225   | 15.80 | 15.80              |                              | 15.80/14.50A       | 21.80B/14.50A              | ----                          | 16.50                    | - 6.10  | .1167 | ----          | ----                     | 5                      | ----          | 184 +            | 4    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4230   | 16.30 | 16.30              |                              | 16.30/14.90A       | 22.40B/14.90A              | ----                          | 17.00                    | - 6.20  | .1200 | ----          | ----                     | 4                      | ----          | 63 +             | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4235   | 16.70 | 16.70              |                              | 16.70/15.30A       | 23.10B/15.30A              | ----                          | 17.50                    | - 6.30  | .1234 | ----          | ----                     | 1                      | ----          | 63 +             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4240   | 16.10 | 16.10              |                              | 18.30/15.70A       | 23.70B/15.70A              | ----                          | 18.00                    | - 6.50  | .1267 | ----          | ----                     | 7                      | ----          | 126 +            | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4245   | 18.30 | 18.30              |                              | 18.30/16.10A       | 24.40B/16.10A              | ----                          | 18.50                    | - 6.70  | .1301 | ----          | ----                     | 4                      | ----          | 50 +             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4250   | 17.40 | 17.40              |                              | 19.20/16.50A       | 25.10B/16.50A              | ----                          | 19.00                    | - 6.80  | .1335 | ----          | ----                     | 68                     | ----          | 1530 -           | 26   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4255   | 18.00 | 18.00              |                              | 21.10/17.00A       | 25.80B/17.00A              | ----                          | 19.60                    | - 6.90  | .1374 | ----          | ----                     | 9                      | ----          | 38 -             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4260   | 20.20 | 20.20              |                              | 21.70/17.50A       | 26.50B/17.50A              | ----                          | 20.10                    | - 7.20  | .1409 | ----          | ----                     | 11                     | ----          | 158 -            | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4265   | 20.50 | 20.50              |                              | 21.90/17.90A       | 27.30B/17.90A              | ----                          | 20.70                    | - 7.30  | .1448 | ----          | ----                     | 28                     | ----          | 224 +            | 6    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4270   | 20.30 | 20.30              |                              | 21.80/18.40A       | 28.10B/18.40A              | ----                          | 21.30                    | - 7.50  | .1487 | ----          | ----                     | 36                     | ----          | 182 +            | 28   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4275   | 22.20 | 22.20              |                              | 23.10/18.90A       | 28.90B/18.90A              | ----                          | 22.00                    | - 7.60  | .1530 | ----          | ----                     | 18                     | ----          | 139 +            | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4280   | 20.50 | 20.50              |                              | 23.80/19.50A       | 29.70B/19.50A              | ----                          | 22.60                    | - 7.80  | .1570 | ----          | ----                     | 24                     | ----          | 197 -            | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4285   | 23.50 | 23.50              |                              | 24.50/20.00A       | 30.60B/20.00A              | ----                          | 23.30                    | - 8.00  | .1614 | ----          | ----                     | 27                     | ----          | 211 +            | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4290   | 22.80 | 22.80              |                              | 25.20/20.60A       | 31.40B/20.60A              | ----                          | 24.00                    | - 8.10  | .1659 | ----          | ----                     | 38                     | ----          | 170              | UNCH |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4295   | 24.40 | 24.40              |                              | 26.20/21.20A       | 32.40B/21.20A              | ----                          | 24.70                    | - 8.30  | .1703 | ----          | ----                     | 16                     | ----          | 110 +            | 7    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4300   | 29.90 | 29.90              |                              | 33.30B/21.50A      | 33.30B/21.50A              | ----                          | 25.50                    | - 8.40  | .1751 | ----          | ----                     | 289                    | ----          | 2631 +           | 51   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4305   | 24.70 | 24.70              |                              | 27.50/22.40A       | 34.30B/22.40A              | ----                          | 26.30                    | - 8.60  | .1800 | ----          | ----                     | 23                     | ----          | 109 +            | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4310   | 25.70 | 25.70              |                              | 28.40/23.00A       | 35.30B/23.00A              | ----                          | 27.10                    | - 8.70  | .1849 | ----          | ----                     | 26                     | ----          | 97 +             | 7    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4315   | 25.10 | 25.10              |                              | 29.20/23.70A       | 36.30B/23.70A              | ----                          | 27.90                    | - 8.90  | .1898 | ----          | ----                     | 30                     | ----          | 86 -             | 5    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4320   | 25.50 | 25.50              |                              | 29.90/24.30A       | 37.40B/24.30A              | ----                          | 28.80                    | - 9.10  | .1951 | ----          | ----                     | 19                     | ----          | 129 -            | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4325   | 25.90 | 25.90              |                              | 30.80/25.00        | 38.40B/25.00               | ----                          | 29.60                    | - 9.30  | .2001 | ----          | ----                     | 27                     | ----          | 143 -            | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4330   | 28.20 | 28.20              |                              | 30.50/25.70A       | 39.60B/25.70A              | ----                          | 30.60                    | - 9.40  | .2058 | ----          | ----                     | 22                     | ----          | 166 +            | 14   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4335   | 31.30 | 31.30              |                              | 32.10/26.50A       | 40.70B/26.50A              | ----                          | 31.50                    | - 9.60  | .2112 | ----          | ----                     | 8                      | ----          | 168 +            | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4340   | 29.80 | 29.80              |                              | 34.70/27.20A       | 41.90B/27.20A              | ----                          | 32.50                    | - 9.70  | .2169 | ----          | ----                     | 6                      | ----          | 166 -            | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4345   | 30.70 | 30.70              |                              | 33.60/28.00A       | 43.10B/28.00A              | ----                          | 33.50                    | - 9.90  | .2227 | ----          | ----                     | 3                      | ----          | 42 +             | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4350   | 31.50 | 31.50              |                              | 36.10/28.90A       | 44.40B/28.90A              | ----                          | 34.50                    | - 10.10 | .2284 | ----          | ----                     | 119                    | ----          | 1686 -           | 39   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4355   | 35.80 | 35.80              |                              | 35.90/29.70A       | 45.70B/29.70A              | ----                          | 35.60                    |         |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |







PRELIMINARY



| PG64   |      | BULLETIN #104@     |                              |                    |                            |                               |                          |        |       |               |                          | METALS OPTION PRODUCTS |               |                  |      |    |  |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------|------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|--------|-------|---------------|--------------------------|------------------------|---------------|------------------|------|----|--|--|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|--|--|--|--|
|        |      | GLOBAL<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |        | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME      | PNT<br>VOLUME | OPEN<br>INTEREST |      |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| OG PUT |      | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |        |       |               |                          |                        |               |                  |      |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| AUG26  |      |                    |                              |                    |                            |                               |                          |        |       |               |                          |                        |               |                  |      |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3090   | ---- | ----               | ----                         | ----/*2.00A        | 1.80B/*2.00A               | ----                          | 2.00                     | - 0.20 | .0073 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3095   | ---- | ----               | ----                         | ----/*2.00A        | 1.80B/*2.00A               | ----                          | 2.00                     | - 0.20 | .0074 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3100   | ---- | ----               | ----                         | ----/*2.00A        | 1.90B/*2.00A               | ----                          | 2.00                     | - 0.20 | .0074 | ----          | ----                     | ----                   | ----          | 259              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3110   | ---- | ----               | ----                         | ----/*2.10A        | 1.90B/*2.10A               | ----                          | 2.00                     | - 0.30 | .0075 | ----          | ----                     | ----                   | ----          | 15               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3115   | ---- | ----               | ----                         | ----/*2.10A        | 1.90B/*2.10A               | ----                          | 2.10                     | - 0.20 | .0078 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3120   | ---- | ----               | ----                         | ----/*2.10A        | 1.90B/*2.10A               | ----                          | 2.10                     | - 0.20 | .0078 | ----          | ----                     | ----                   | ----          | 29               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3125   | ---- | ----               | ----                         | ----/2.10A         | 2.00B/2.10A                | ----                          | 2.10                     | - 0.30 | .0078 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3130   | ---- | ----               | ----                         | ----/*2.10A        | 2.00B/*2.10A               | ----                          | 2.10                     | - 0.30 | .0079 | ----          | ----                     | ----                   | ----          | 5                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3145   | ---- | ----               | ----                         | ----/*2.20A        | 2.10B/*2.20A               | ----                          | 2.20                     | - 0.30 | .0083 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3150   | ---- | ----               | ----                         | ----/*2.20A        | 2.10B/*2.20A               | ----                          | 2.20                     | - 0.30 | .0083 | ----          | ----                     | ----                   | ----          | 10               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3155   | ---- | ----               | ----                         | ----/*2.20A        | 2.10B/*2.20A               | ----                          | 2.20                     | - 0.30 | .0083 | ----          | ----                     | ----                   | ----          | 3                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3160   | ---- | ----               | ----                         | ----/*2.30A        | 2.10B/*2.30A               | ----                          | 2.20                     | - 0.40 | .0084 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3165   | ---- | ----               | ----                         | ----/*2.30A        | 2.10B/*2.30A               | ----                          | 2.20                     | - 0.40 | .0084 | ----          | ----                     | ----                   | ----          | 141              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3170   | ---- | ----               | ----                         | ----/*2.30A        | 2.20B/*2.30A               | ----                          | 2.30                     | - 0.30 | .0087 | ----          | ----                     | ----                   | ----          | 2                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3175   | ---- | ----               | ----                         | ----/*2.30A        | 2.20B/*2.30A               | ----                          | 2.30                     | - 0.40 | .0088 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3180   | ---- | ----               | ----                         | ----/*2.40A        | 2.20B/*2.40A               | ----                          | 2.30                     | - 0.40 | .0088 | ----          | ----                     | ----                   | ----          | 26               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3185   | ---- | ----               | ----                         | ----/*2.40A        | 2.20B/*2.40A               | ----                          | 2.30                     | - 0.40 | .0088 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3190   | ---- | ----               | ----                         | ----/*2.40A        | 2.20B/*2.40A               | ----                          | 2.40                     | - 0.40 | .0092 | ----          | ----                     | ----                   | ----          | 883              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3195   | ---- | ----               | ----                         | ----/*2.40A        | 2.30B/*2.40A               | ----                          | 2.40                     | - 0.40 | .0092 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3200   | ---- | ----               | ----                         | ----/*2.50A        | 2.30B/*2.50A               | ----                          | 2.40                     | - 0.40 | .0092 | ----          | ----                     | ----                   | ----          | 510              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3235   | ---- | ----               | ----                         | ----/*2.60A        | 2.50B/*2.60A               | ----                          | 2.60                     | - 0.40 | .0101 | ----          | ----                     | ----                   | ----          | 20               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3250   | ---- | ----               | ----                         | ----/*2.70A        | 2.60B/*2.70A               | ----                          | 2.70                     | - 0.40 | .0105 | ----          | ----                     | ----                   | ----          | 521              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3260   | ---- | ----               | ----                         | ----/*2.80A        | 2.70B/*2.80A               | ----                          | 2.80                     | - 0.40 | .0109 | ----          | ----                     | ----                   | ----          | 30               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3280   | 3.00 | 3.00               | 3.00                         | /*2.90A            | 3.00/*2.90A                | ----                          | 2.90                     | NEW    | .0114 | ----          | ----                     | 30                     | ----          | 30               | +    | 30 |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3295   | ---- | ----               | ----                         | /*3.00A            | 2.80B/*3.00A               | ----                          | 3.00                     | - 0.40 | .0119 | ----          | ----                     | ----                   | ----          | 2                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3300   | ---- | ----               | ----                         | /*3.00A            | 2.90B/*3.00A               | ----                          | 3.10                     | - 0.30 | .0122 | ----          | ----                     | 1                      | ----          | 246              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3310   | ---- | ----               | ----                         | /*3.10A            | 2.90B/*3.10A               | ----                          | 3.10                     | - 0.40 | .0123 | ----          | ----                     | ----                   | ----          | 20               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3330   | ---- | ----               | ----                         | /*3.20A            | 3.10B/*3.20A               | ----                          | 3.30                     | - 0.40 | .0131 | ----          | ----                     | ----                   | ----          | 2                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3350   | ---- | ----               | ----                         | /*3.30A            | 3.20B/*3.30A               | ----                          | 3.40                     | - 0.50 | .0137 | ----          | ----                     | ----                   | ----          | 479              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3370   | ---- | ----               | ----                         | /*3.50A            | 3.40B/*3.50A               | ----                          | 3.50                     | - 0.60 | .0142 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3375   | ---- | ----               | ----                         | /*3.50A            | 3.40B/*3.50A               | ----                          | 3.60                     | - 0.50 | .0146 | ----          | ----                     | ----                   | ----          | 15               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3380   | ---- | ----               | ----                         | /*3.50A            | 3.40B/*3.50A               | ----                          | 3.60                     | - 0.60 | .0146 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3390   | ---- | ----               | ----                         | /*3.60A            | 3.50B/*3.60A               | ----                          | 3.70                     | - 0.60 | .0151 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3395   | ---- | ----               | ----                         | /*3.70A            | 3.60B/*3.70A               | ----                          | 3.70                     | - 0.70 | .0151 | ----          | ----                     | 13                     | ----          | 7                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3400   | ---- | ----               | ----                         | /*3.70A            | 3.60B/*3.70A               | ----                          | 3.80                     | - 0.60 | .0155 | ----          | ----                     | ----                   | ----          | 316              | +    | 7  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3405   | ---- | ----               | ----                         | /*3.70A            | 3.70B/*3.70A               | ----                          | 3.80                     | - 0.70 | .0156 | ----          | ----                     | ----                   | ----          | 24               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3410   | ---- | ----               | ----                         | /*3.80A            | 3.70B/*3.80A               | ----                          | 3.80                     | - 0.70 | .0156 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3430   | ---- | ----               | ----                         | /*3.90A            | 3.90B/*3.90A               | ----                          | 4.00                     | - 0.80 | .0166 | ----          | ----                     | ----                   | ----          | 20               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3450   | ---- | ----               | ----                         | /*4.10A            | 4.10B/*4.10A               | ----                          | 4.20                     | - 0.80 | .0175 | ----          | 4                        | ----                   | ----          | 6                | +    | 4  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3460   | ---- | ----               | ----                         | /*4.20A            | 4.20B/*4.20A               | ----                          | 4.20                     | - 0.90 | .0176 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3465   | ---- | ----               | ----                         | /*4.30A            | 4.20B/*4.30A               | ----                          | 4.30                     | - 0.90 | .0180 | ----          | ----                     | ----                   | ----          | 6                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3470   | ---- | ----               | ----                         | /*4.30A            | 4.30B/*4.30A               | ----                          | 4.30                     | - 1.00 | .0181 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3485   | ---- | ----               | ----                         | /*4.50A            | 4.50B/*4.50A               | ----                          | 4.50                     | - 1.00 | .0190 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3495   | ---- | ----               | ----                         | /*4.60A            | 4.60B/*4.60A               | ----                          | 4.60                     | - 1.00 | .0195 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3500   | 4.60 | 4.60               | 4.60                         | /*4.60             | 4.70B/*4.60                | ----                          | 4.60                     | - 1.10 | .0196 | ----          | 10                       | ----                   | ----          | 832              | +    | 1  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3505   | ---- | ----               | ----                         | /*4.70A            | 4.70B/*4.70A               | ----                          | 4.70                     | - 1.10 | .0200 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3510   | ---- | ----               | ----                         | /*4.70A            | 4.80B/*4.70A               | ----                          | 4.70                     | - 1.10 | .0201 | ----          | ----                     | ----                   | ----          | 50               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3520   | ---- | ----               | ----                         | /*4.80A            | 4.90B/*4.80A               | ----                          | 4.90                     | - 1.10 | .0209 | ----          | ----                     | ----                   | ----          | 210              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3525   | ---- | ----               | ----                         | /*4.80A            | 5.00B/*4.80A               | ----                          | 4.90                     | - 1.10 | .0210 | ----          | ----                     | ----                   | ----          | 61               | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3535   | ---- | ----               | ----                         | /*4.90A            | 5.20B/*4.90A               | ----                          | 5.00                     | - 1.20 | .0215 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3545   | ---- | ----               | ----                         | /*5.10A            | 5.30B/*5.10A               | ----                          | 5.20                     | - 1.10 | .0223 | ----          | ----                     | ----                   | ----          | 9                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3550   | 5.20 | 5.20               | 5.20                         | /*5.10A            | 5.40B/*5.10A               | ----                          | 5.20                     | - 1.20 | .0225 | ----          | 3                        | ----                   | ----          | 152              | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3560   | ---- | ----               | ----                         | /*5.20A            | 5.50B/*5.20A               | ----                          | 5.40                     | - 1.20 | .0233 | ----          | ----                     | ----                   | ----          | 1                | UNCH |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3565</ |      |                    |                              |                    |                            |                               |                          |        |       |               |                          |                        |               |                  |      |    |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |



| GLOBEX<br>OPEN |       | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|-------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG PUT         |       | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26          | ----  | ----                   | ----            | ----/22.20A        | 28.40B/22.20A              | ----                    | ----            | 24.30 - 5.20             | .1107 | ----          | ----                     | ----              | ----          | 340              | UNCH |
| 4050           | ----  | ----                   | ----            | ----/22.60A        | 29.00B/22.60A              | ----                    | ----            | 24.80 - 5.30             | .1128 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 4055           | ----  | ----                   | ----            | ----/23.00A        | 29.50B/23.00A              | ----                    | ----            | 25.20 - 5.40             | .1146 | ----          | ----                     | 1                 | ----          | 5                | UNCH |
| 4060           | ----  | ----                   | ----            | ----/23.40A        | 30.10B/23.40A              | ----                    | ----            | 25.70 - 5.50             | .1167 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4065           | ----  | ----                   | ----            | ----/23.80A        | 30.70B/23.80A              | ----                    | ----            | 26.20 - 5.50             | .1189 | ----          | ----                     | ----              | ----          | 54               | UNCH |
| 4070           | ----  | ----                   | ----            | ----/24.30A        | 31.20B/24.30A              | ----                    | ----            | 26.70 - 5.60             | .1210 | ----          | 4                        | ----              | ----          | 23               | +    |
| 4075           | 26.30 | 26.30                  | ----            | 26.30/24.70A       | 31.80B/24.70A              | ----                    | ----            | 27.20 - 5.70             | .1231 | ----          | 7                        | ----              | ----          | 19               | +    |
| 4080           | 26.80 | 26.80                  | ----            | 26.80/25.20A       | 32.40B/25.20A              | ----                    | ----            | 27.80 - 5.70             | .1255 | ----          | 10                       | ----              | ----          | 349              | +    |
| 4085           | ----  | ----                   | ----            | ----/25.70A        | 33.00B/25.70A              | ----                    | ----            | 28.30 - 5.80             | .1277 | ----          | ----                     | ----              | ----          | 208              | UNCH |
| 4090           | 27.80 | 27.80                  | ----            | 27.80/26.10A       | 33.70B/26.10A              | ----                    | ----            | 28.90 - 5.90             | .1301 | ----          | 5                        | ----              | ----          | 85               | +    |
| 4095           | 32.90 | 32.90                  | ----            | 34.40B/26.60A      | 34.40B/26.60A              | ----                    | ----            | 29.40 - 6.00             | .1323 | ----          | 6                        | ----              | ----          | 898              | +    |
| 4100           | ----  | ----                   | ----            | ----/27.10A        | 35.00B/27.10A              | ----                    | ----            | 30.00 - 6.10             | .1347 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 4105           | 30.10 | 30.10                  | ----            | 30.60/27.60A       | 35.80B/27.60A              | ----                    | ----            | 30.60 - 6.10             | .1372 | ----          | 15                       | ----              | ----          | 26               | +    |
| 4110           | 28.50 | 28.50                  | ----            | 31.20/28.10A       | 36.50B/28.10A              | ----                    | ----            | 31.20 - 6.20             | .1396 | ----          | 62                       | ----              | ----          | 62               | +    |
| 4115           | ----  | ----                   | ----            | ----/28.70A        | 37.10B/28.70A              | ----                    | ----            | 31.80 - 6.30             | .1421 | ----          | 2                        | ----              | ----          | 130              | +    |
| 4120           | 31.20 | 31.20                  | ----            | 31.20/29.20A       | 37.90B/29.20A              | ----                    | ----            | 32.40 - 6.40             | .1446 | ----          | 11                       | ----              | ----          | 26               | +    |
| 4125           | ----  | ----                   | ----            | ----/29.80A        | 38.60B/29.80A              | ----                    | ----            | 33.10 - 6.50             | .1473 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 4130           | ----  | ----                   | ----            | ----/30.30A        | 39.30B/30.30A              | ----                    | ----            | 33.70 - 6.60             | .1498 | ----          | 1                        | ----              | ----          | 64               | +    |
| 4135           | ----  | ----                   | ----            | ----/30.90A        | 40.20B/30.90A              | ----                    | ----            | 34.40 - 6.70             | .1525 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 4140           | ----  | ----                   | ----            | ----/31.50A        | 40.80B/31.50A              | ----                    | ----            | 35.10 - 6.80             | .1553 | ----          | 1                        | ----              | ----          | 45               | +    |
| 4145           | 35.80 | 35.80                  | ----            | 35.80/32.10A       | 41.80B/32.10A              | ----                    | ----            | 35.80 - 6.80             | .1581 | ----          | 4                        | ----              | ----          | 1147             | +    |
| 4150           | ----  | ----                   | ----            | ----/32.70A        | 42.50B/32.70A              | ----                    | ----            | 36.50 - 7.00             | .1609 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 4155           | ----  | ----                   | ----            | ----/33.40A        | 43.50B/33.40A              | ----                    | ----            | 37.20 - 7.10             | .1637 | ----          | 1                        | ----              | ----          | 53               | UNCH |
| 4160           | 38.00 | 38.00                  | ----            | 38.00/34.00A       | 44.20B/34.00A              | ----                    | ----            | 38.00 - 7.10             | .1667 | ----          | 1                        | ----              | ----          | 109              | +    |
| 4165           | ----  | ----                   | ----            | ----/34.70A        | 45.10B/34.70A              | ----                    | ----            | 38.70 - 7.30             | .1695 | ----          | 1                        | ----              | ----          | 83               | UNCH |
| 4170           | ----  | ----                   | ----            | ----/35.40A        | 45.90B/35.40A              | ----                    | ----            | 39.50 - 7.30             | .1726 | ----          | 1                        | ----              | ----          | 39               | UNCH |
| 4175           | ----  | ----                   | ----            | ----/36.00A        | 46.80B/36.00A              | ----                    | ----            | 40.30 - 7.40             | .1756 | ----          | 6                        | ----              | ----          | 125              | +    |
| 4180           | ----  | ----                   | ----            | ----/36.70A        | 47.70B/36.70A              | ----                    | ----            | 41.10 - 7.50             | .1787 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 4185           | ----  | ----                   | ----            | ----/37.40A        | 48.70B/37.40A              | ----                    | ----            | 41.90 - 7.70             | .1818 | ----          | 1                        | ----              | ----          | 144              | UNCH |
| 4190           | ----  | ----                   | ----            | ----/38.20A        | 49.70B/38.20A              | ----                    | ----            | 42.80 - 7.70             | .1851 | ----          | ----                     | ----              | ----          | 220              | UNCH |
| 4195           | 47.00 | 47.00                  | ----            | 50.60B/38.90A      | 50.60B/38.90A              | ----                    | ----            | 43.70 - 7.80             | .1884 | ----          | 41                       | ----              | ----          | 610              | -    |
| 4200           | ----  | ----                   | ----            | ----/39.70A        | 51.60B/39.70A              | ----                    | ----            | 44.50 - 8.00             | .1915 | ----          | ----                     | ----              | ----          | 347              | UNCH |
| 4205           | 44.90 | 44.90                  | ----            | 44.90/40.50A       | 52.80B/40.50A              | ----                    | ----            | 45.40 - 8.10             | .1949 | ----          | 1                        | ----              | ----          | 4                | -    |
| 4210           | ----  | ----                   | ----            | ----/41.30A        | 53.70B/41.30A              | ----                    | ----            | 46.40 - 8.10             | .1984 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 4215           | 44.60 | 44.60                  | ----            | 45.70/42.10A       | 54.70B/42.10A              | ----                    | ----            | 47.30 - 8.20             | .2018 | ----          | 131                      | ----              | ----          | 131              | +    |
| 4220           | 45.50 | 45.50                  | ----            | 45.50/42.90A       | 55.90B/42.90A              | ----                    | ----            | 48.30 - 8.30             | .2054 | ----          | 5                        | ----              | ----          | 51               | +    |
| 4225           | 46.40 | 46.40                  | ----            | 46.40/43.70A       | 57.20B/43.70A              | ----                    | ----            | 49.20 - 8.50             | .2088 | ----          | 1                        | ----              | ----          | 34               | +    |
| 4230           | ----  | ----                   | ----            | ----/44.60A        | 58.10B/44.60A              | ----                    | ----            | 50.20 - 8.60             | .2123 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4235           | ----  | ----                   | ----            | ----/45.50A        | 59.20B/45.50A              | ----                    | ----            | 51.30 - 8.60             | .2161 | ----          | ----                     | ----              | ----          | 39               | UNCH |
| 4240           | 51.70 | 51.70                  | ----            | 51.70/47.30A       | 61.60B/47.30A              | ----                    | ----            | 52.30 - 8.70             | .2197 | ----          | 43                       | ----              | ----          | 252              | UNCH |
| 4245           | ----  | ----                   | ----            | ----/48.20A        | 62.80B/48.20A              | ----                    | ----            | 53.40 - 8.80             | .2235 | ----          | ----                     | ----              | ----          | 1513             | +    |
| 4250           | ----  | ----                   | ----            | ----/49.20A        | 64.10B/49.20A              | ----                    | ----            | 54.40 - 9.00             | .2272 | ----          | ----                     | ----              | ----          | 891              | UNCH |
| 4255           | ----  | ----                   | ----            | ----/50.20A        | 65.50B/50.20A              | ----                    | ----            | 55.50 - 9.10             | .2310 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 4260           | 54.30 | 54.30                  | ----            | 54.40/51.20A       | 66.80B/51.20A              | ----                    | ----            | 56.70 - 9.10             | .2350 | ----          | 2                        | ----              | ----          | 3                | UNCH |
| 4265           | ----  | ----                   | ----            | ----/52.20A        | 67.80B/52.20A              | ----                    | ----            | 57.80 - 9.30             | .2389 | ----          | ----                     | ----              | ----          | 225              | UNCH |
| 4270           | 62.00 | 62.00                  | ----            | 62.00/54.30A       | 70.80B/54.30A              | ----                    | ----            | 59.00 - 9.30             | .2429 | ----          | ----                     | ----              | ----          | 27               | UNCH |
| 4275           | ----  | ----                   | ----            | ----/53.20A        | 69.20B/53.20A              | ----                    | ----            | 60.20 - 9.40             | .2469 | ----          | ----                     | ----              | ----          | 367              | UNCH |
| 4280           | ----  | ----                   | ----            | ----/55.40A        | 71.90B/55.40A              | ----                    | ----            | 61.40 - 9.60             | .2510 | ----          | 2                        | ----              | ----          | 177              | UNCH |
| 4285           | 74.10 | 74.10                  | ----            | 74.10/57.60A       | 74.70B/57.60A              | ----                    | ----            | 62.60 - 9.70             | .2551 | ----          | 1                        | ----              | ----          | 68               | +    |
| 4290           | 62.50 | 62.50                  | ----            | 63.80/58.70A       | 76.20B/58.70A              | ----                    | ----            | 63.90 - 9.80             | .2593 | ----          | 1                        | ----              | ----          | 4                | UNCH |
| 4295           | ----  | ----                   | ----            | ----/59.90A        | 77.60B/59.90A              | ----                    | ----            | 65.20 - 9.90             | .2635 | ----          | 228                      | ----              | ----          | 1256             | -    |
| 4300           | ----  | ----                   | ----            | ----/61.10A        | 79.30B/61.10A              | ----                    | ----            | 66.50 - 10.00            | .2678 | ----          | 13                       | ----              | ----          | 517              | +    |
| 4305           | ----  | ----                   | ----            | ----/62.30A        | 80.70B/62.30A              | ----                    | ----            | 67.80 - 10.10            | .2720 | ----          | 2                        | ----              | ----          | 10               | UNCH |
| 4310           | 65.30 | 65.30                  | ----            | 65.30/64.80A       | 83.80B/64.80A              | ----                    | ----            | 69.20 - 10.20            | .2764 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4315           | ----  | ----                   | ----            | ----/63.50A        | 82.40B/63.50A              | ----                    | ----            | 70.60 - 10.30            | .2809 | ----          | ----                     | ----              | ----          | 59               | UNCH |
| 4320           | ----  | ----                   | ----            | 87.50B/67.40A      | 87.50B/67.40A              | ----                    | ----            | 72.00 - 10.40            | .2853 | ----          | 5                        | ----              | ----          | 333              | UNCH |
| 4325           | ----  | ----                   | ----            | ----/66.10A        | 85.50B/66.10A              | ----                    | ----            | 73.40 - 10.60            | .2897 | ----          | 2                        | ----              | ----          | 129              | -    |
| 4330           | 77.00 | 77.00                  | ----            | 90.60B/70.00A      | 90.60B/70.00A              | ----                    | ----            | 74.90 - 10.60            | .2943 | ----          | ----                     | ----              | ----          | 12               | +    |
| 4335           | 77.00 | 77.00                  | ----            | 77.00/71.40A       | 92.10B/71.40A              | ----                    | ----            | 76.40 - 10.70            | .2989 | ----          | 2                        | ----              | ----          | 62               | UNCH |
| 4340           | 77.50 | 77.50                  | ----            | 93.90B/72.80A      | 93.90B/72.80A              | ----                    | ----            | 77.90 - 10.90            | .3035 | ----          | ----                     | ----              | ----          | 7                | +    |
| 4345           | 76.30 | 76.30                  | ----            | 95.70B/74.20A      | 95.70B/74.20A              | ----                    | ----            | 79.40 - 11.00            | .3081 | ----          | 25                       | ----              | ----          | 1164             | -    |
| 4350           | 82.40 | 82.40                  | ----            | 97.50B/75.60A      | 97.50B/75.60A              | ----                    | ----            | 81.00 - 11.10            | .3128 | ----          | 2                        | ----              | ----          | 109              | +    |
| 4355           | ----  | ----                   | ----            | 99.50B/77.10A      | 99.50B/77.10A              | ----                    | ----            | 82.60 - 11.20            | .3175 | ----          | 2                        | ----              | ----          | 72               | UNCH |
| 4360           | ----  | ----                   | ----            | 101.10B/78.60A     | 101.10B/78.60A             | ----                    | ----            | 84.20 - 11.30            | .3223 | ----          | 6                        | ----              | ----          | 121              | UNCH |
| 4365           | 85.90 | 85.90                  | ----            | 103.00B/80.10A     | 103.00B/80.10A             | ----                    | ----            | 85.80 - 11.40            | .3271 | ----          | 1                        | ----              | ----          | 3                | +    |
| 4370           | ----  | ----                   | ----            | 104.90B/81.70A     | 104.90B/81.70A             | ----                    | ----            | 87.50 - 11.50            | .3319 | ----          | ----                     | ----              | ----          | 44               | UNCH |
| 4375           | ----  | ----                   | ----            | 106.80B/83.20A     | 106.80B/83.20A             | ----                    | ----            | 89.20 - 11.60            | .3368 | ----          | 1                        | ----              | ----          | 5                | UNCH |
| 4380           | ----  | ----                   | ----            | 109.00B/84.90A     | 109.00B/84.90A             | ----                    | ----            | 90.90 - 11.70            | .3417 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4385           | ----  | ----                   | ----            | 110.80B/86.40A     | 110.80B/86.40A             | ----                    | ----            | 92.70 - 11.80            | .3467 | ----          | ----                     | ----              | ----          | 38               | UNCH |
| 4390           | ----  | ----                   | ----            | 112.80B/88.00A     | 112.80B/88.00A             | ----                    | ----            | 94.40 - 12.00            | .3516 | ----          | ----                     | ----              | ----          | 3                |      |

| PG64   |      | BULLETIN #104@     |              |                 |                    |                  |                    |               |                 |                          |        | METALS OPTION PRODUCTS |                          |                   |               |                  |     |      |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |
|--------|------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|--------|------------------------|--------------------------|-------------------|---------------|------------------|-----|------|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|
|        |      | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |     |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| OG PUT |      | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |     |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| AUG26  |      |                    |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |     |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4735   | ---- | ----               | ----         | ----            | 304.40B/254.80A    | 304.40B/254.80A  | ----               | ----          | ----            | 282.50                   | -16.20 | .7001                  | ----                     | ----              | ----          | ----             | 59  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4740   | ---- | ----               | ----         | ----            | 308.30B/258.30A    | 308.30B/258.30A  | ----               | ----          | ----            | 286.10                   | -16.30 | .7045                  | ----                     | ----              | ----          | ----             | 38  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4745   | ---- | ----               | ----         | ----            | 312.10B/261.70A    | 312.10B/261.70A  | ----               | ----          | ----            | 289.90                   | -16.30 | .7087                  | ----                     | ----              | ----          | ----             | 44  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4750   | ---- | ----               | ----         | ----            | 315.80B/265.30A    | 315.80B/265.30A  | ----               | ----          | ----            | 293.60                   | -16.40 | .7131                  | ----                     | ----              | ----          | ----             | 181 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4755   | ---- | ----               | ----         | ----            | 319.80B/268.80A    | 319.80B/268.80A  | ----               | ----          | ----            | 297.40                   | -16.40 | .7173                  | ----                     | ----              | ----          | ----             | 25  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4760   | ---- | ----               | ----         | ----            | 323.00B/272.70A    | 323.00B/272.70A  | ----               | ----          | ----            | 301.20                   | -16.40 | .7214                  | ----                     | ----              | ----          | ----             | 7   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4765   | ---- | ----               | ----         | ----            | 327.50B/275.90A    | 327.50B/275.90A  | ----               | ----          | ----            | 305.00                   | -16.40 | .7256                  | ----                     | ----              | ----          | ----             | 8   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4770   | ---- | ----               | ----         | ----            | 331.40B/279.40A    | 331.40B/279.40A  | ----               | ----          | ----            | 308.80                   | -16.50 | .7296                  | ----                     | ----              | ----          | ----             | 260 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4775   | ---- | ----               | ----         | ----            | 335.30B/283.00A    | 335.30B/283.00A  | ----               | ----          | ----            | 312.60                   | -16.60 | .7336                  | ----                     | ----              | ----          | ----             | 172 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4780   | ---- | ----               | ----         | ----            | 339.30B/286.70A    | 339.30B/286.70A  | ----               | ----          | ----            | 316.50                   | -16.50 | .7376                  | ----                     | ----              | ----          | ----             | 19  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4785   | ---- | ----               | ----         | ----            | 343.20B/290.30A    | 343.20B/290.30A  | ----               | ----          | ----            | 320.40                   | -16.60 | .7415                  | ----                     | ----              | ----          | ----             | 18  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4790   | ---- | ----               | ----         | ----            | 347.00B/294.00A    | 347.00B/294.00A  | ----               | ----          | ----            | 324.30                   | -16.60 | .7455                  | ----                     | ----              | ----          | ----             | 54  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4795   | ---- | ----               | ----         | ----            | 351.00B/297.60A    | 351.00B/297.60A  | ----               | ----          | ----            | 328.30                   | -16.50 | .7492                  | ----                     | ----              | ----          | ----             | 128 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4800   | ---- | ----               | ----         | ----            | 355.00B/301.50A    | 355.00B/301.50A  | ----               | ----          | ----            | 332.20                   | -16.60 | .7532                  | ----                     | ----              | ----          | ----             | 968 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4805   | ---- | ----               | ----         | ----            | 359.30B/305.40A    | 359.30B/305.40A  | ----               | ----          | ----            | 336.20                   | -16.60 | .7569                  | ----                     | ----              | ----          | ----             | 9   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4810   | ---- | ----               | ----         | ----            | 363.10B/309.10A    | 363.10B/309.10A  | ----               | ----          | ----            | 340.20                   | -16.60 | .7607                  | ----                     | ----              | ----          | ----             | 5   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4815   | ---- | ----               | ----         | ----            | 366.70B/312.90A    | 366.70B/312.90A  | ----               | ----          | ----            | 344.20                   | -16.60 | .7642                  | ----                     | ----              | ----          | ----             | 3   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4820   | ---- | ----               | ----         | ----            | 371.20B/316.80A    | 371.20B/316.80A  | ----               | ----          | ----            | 348.20                   | -16.60 | .7679                  | ----                     | ----              | ----          | ----             | 4   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4825   | ---- | ----               | ----         | ----            | 375.30B/320.30A    | 375.30B/320.30A  | ----               | ----          | ----            | 352.30                   | -16.50 | .7714                  | ----                     | ----              | ----          | ----             | 30  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4830   | ---- | ----               | ----         | ----            | 379.00B/324.60A    | 379.00B/324.60A  | ----               | ----          | ----            | 356.30                   | -16.60 | .7749                  | ----                     | ----              | ----          | ----             | 4   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4835   | ---- | ----               | ----         | ----            | 383.80B/328.10A    | 383.80B/328.10A  | ----               | ----          | ----            | 360.40                   | -16.60 | .7784                  | ----                     | ----              | ----          | ----             | 36  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4840   | ---- | ----               | ----         | ----            | 388.00B/332.60A    | 388.00B/332.60A  | ----               | ----          | ----            | 364.50                   | -16.60 | .7819                  | ----                     | ----              | ----          | ----             | 5   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4850   | ---- | ----               | ----         | ----            | 395.60B/339.70A    | 395.60B/339.70A  | ----               | ----          | ----            | 372.80                   | -16.50 | .7886                  | ----                     | 2                 | ----          | ----             | 156 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4855   | ---- | ----               | ----         | ----            | 400.20B/344.00A    | 400.20B/344.00A  | ----               | ----          | ----            | 376.90                   | -16.50 | .7918                  | ----                     | ----              | ----          | ----             | 11  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4860   | ---- | ----               | ----         | ----            | 404.70B/348.00A    | 404.70B/348.00A  | ----               | ----          | ----            | 381.10                   | -16.50 | .7950                  | ----                     | ----              | ----          | ----             | 9   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4865   | ---- | ----               | ----         | ----            | 408.90B/351.90A    | 408.90B/351.90A  | ----               | ----          | ----            | 385.30                   | -16.50 | .7983                  | ----                     | ----              | ----          | ----             | 12  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4870   | ---- | ----               | ----         | ----            | 412.50B/355.90A    | 412.50B/355.90A  | ----               | ----          | ----            | 389.50                   | -16.50 | .8015                  | ----                     | ----              | ----          | ----             | 29  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4875   | ---- | ----               | ----         | ----            | 417.10B/360.10A    | 417.10B/360.10A  | ----               | ----          | ----            | 393.70                   | -16.50 | .8047                  | ----                     | ----              | ----          | ----             | 82  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4880   | ---- | ----               | ----         | ----            | 421.00B/364.00A    | 421.00B/364.00A  | ----               | ----          | ----            | 397.90                   | -16.60 | .8076                  | ----                     | ----              | ----          | ----             | 127 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4885   | ---- | ----               | ----         | ----            | 425.30B/368.40A    | 425.30B/368.40A  | ----               | ----          | ----            | 402.20                   | -16.50 | .8108                  | ----                     | ----              | ----          | ----             | 8   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4890   | ---- | ----               | ----         | ----            | 429.60B/372.10A    | 429.60B/372.10A  | ----               | ----          | ----            | 406.50                   | -16.50 | .8137                  | ----                     | ----              | ----          | ----             | 6   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4895   | ---- | ----               | ----         | ----            | 434.60B/376.30A    | 434.60B/376.30A  | ----               | ----          | ----            | 410.70                   | -16.60 | .8167                  | ----                     | ----              | ----          | ----             | 6   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4900   | ---- | ----               | ----         | ----            | 438.20B/380.40A    | 438.20B/380.40A  | ----               | ----          | ----            | 415.00                   | -16.60 | .8196                  | ----                     | ----              | ----          | ----             | 431 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4905   | ---- | ----               | ----         | ----            | 443.00B/384.60A    | 443.00B/384.60A  | ----               | ----          | ----            | 419.30                   | -16.60 | .8225                  | ----                     | ----              | ----          | ----             | 29  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4910   | ---- | ----               | ----         | ----            | 447.60B/388.90A    | 447.60B/388.90A  | ----               | ----          | ----            | 423.60                   | -16.60 | .8251                  | ----                     | ----              | ----          | ----             | 23  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4920   | ---- | ----               | ----         | ----            | 456.30B/396.90A    | 456.30B/396.90A  | ----               | ----          | ----            | 432.30                   | -16.60 | .8307                  | ----                     | ----              | ----          | ----             | 3   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4925   | ---- | ----               | ----         | ----            | 460.70B/401.10A    | 460.70B/401.10A  | ----               | ----          | ----            | 436.70                   | -16.50 | .8333                  | ----                     | ----              | ----          | ----             | 57  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4930   | ---- | ----               | ----         | ----            | 464.90B/405.30A    | 464.90B/405.30A  | ----               | ----          | ----            | 441.00                   | -16.60 | .8359                  | ----                     | ----              | ----          | ----             | 11  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4950   | ---- | ----               | ----         | ----            | 482.80B/422.20A    | 482.80B/422.20A  | ----               | ----          | ----            | 458.70                   | -16.50 | .8463                  | ----                     | ----              | ----          | ----             | 31  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4955   | ---- | ----               | ----         | ----            | 486.50B/426.60A    | 486.50B/426.60A  | ----               | ----          | ----            | 463.10                   | -16.50 | .8486                  | ----                     | ----              | ----          | ----             | 1   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4965   | ---- | ----               | ----         | ----            | 496.20B/435.40A    | 496.20B/435.40A  | ----               | ----          | ----            | 472.00                   | -16.40 | .8534                  | ----                     | ----              | ----          | ----             | 1   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4980   | ---- | ----               | ----         | ----            | 508.90B/448.40A    | 508.90B/448.40A  | ----               | ----          | ----            | 485.40                   | -16.40 | .8602                  | ----                     | ----              | ----          | ----             | 1   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5000   | ---- | ----               | ----         | ----            | 527.40B/466.10A    | 527.40B/466.10A  | ----               | ----          | ----            | 503.50                   | -16.30 | .8689                  | ----                     | ----              | ----          | ----             | 331 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5010   | ---- | ----               | ----         | ----            | 536.50B/474.40A    | 536.50B/474.40A  | ----               | ----          | ----            | 512.60                   | -16.30 | .8730                  | ----                     | ----              | ----          | ----             | 1   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5025   | ---- | ----               | ----         | ----            | 549.90B/488.40A    | 549.90B/488.40A  | ----               | ----          | ----            | 526.30                   | -16.20 | .8787                  | ----                     | ----              | ----          | ----             | 25  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5030   | ---- | ----               | ----         | ----            | 554.80B/492.60A    | 554.80B/492.60A  | ----               | ----          | ----            | 530.90                   | -16.20 | .8806                  | ----                     | ----              | ----          | ----             | 1   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5040   | ---- | ----               | ----         | ----            | 563.60B/501.60A    | 563.60B/501.60A  | ----               | ----          | ----            | 540.10                   | -16.10 | .8844                  | ----                     | ----              | ----          | ----             | 4   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5045   | ---- | ----               | ----         | ----            | 568.60B/506.10A    | 568.60B/506.10A  | ----               | ----          | ----            | 544.70                   | -16.10 | .8863                  | ----                     | ----              | ----          | ----             | 31  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5050   | ---- | ----               | ----         | ----            | 572.90B/510.10A    | 572.90B/510.10A  | ----               | ----          | ----            | 549.30                   | -16.10 | .8878                  | ----                     | ----              | ----          | ----             | 351 | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5070   | ---- | ----               | ----         | ----            | 591.40B/528.20A    | 591.40B/528.20A  | ----               | ----          | ----            | 567.90                   | -16.00 | .8946                  | ----                     | ----              | ----          | ----             | 17  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5080   | ---- | ----               | ----         | ----            | 600.70B/537.50A    | 600.70B/537.50A  | ----               | ----          | ----            | 577.20                   | -16.00 | .8979                  | ----                     | ----              | ----          | ----             | 3   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5085   | ---- | ----               | ----         | ----            | 605.40B/541.90A    | 605.40B/541.90A  | ----               | ----          | ----            | 581.90                   | -16.00 | .8994                  | ----                     | ----              | ----          | ----             | 10  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5100   | ---- | ----               | ----         | ----            | 620.30B/555.90A    | 620.30B/555.90A  | ----               | ----          | ----            | 595.90                   | -16.00 | .9039                  | ----                     | ----              | ----          | ----             | 85  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5120   | ---- | ----               | ----         | ----            | 639.20B/574.70A    | 639.20B/574.70A  | ----               | ----          | ----            | 614.80                   | -15.90 | .9095                  | ----                     | ----              | ----          | ----             | 2   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5180   |      |                    |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |     |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |

| BULLETIN #104@ |       |                        |                 |                    |               |                            |                               |      |                          | METALS OPTION PRODUCTS |               |                          |                   |               |                  |      |      |   |  | Tue, Jun 02, 2026 |  | PG64 |
|----------------|-------|------------------------|-----------------|--------------------|---------------|----------------------------|-------------------------------|------|--------------------------|------------------------|---------------|--------------------------|-------------------|---------------|------------------|------|------|---|--|-------------------|--|------|
| GLOBEX<br>OPEN |       | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |               | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE |      | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |   |  |                   |  |      |
| OG PUT         |       | COMEX GOLD OPTIONS     |                 |                    |               |                            |                               |      |                          |                        |               |                          |                   |               |                  |      |      |   |  |                   |  |      |
| SEP26          |       |                        |                 |                    |               |                            |                               |      |                          |                        |               |                          |                   |               |                  |      |      |   |  |                   |  |      |
| 3875           | ----  | ----                   | ----            | ----               | /21.50A       | 23.20B/21.50A              | ----                          | ---- | 22.80                    | NEW                    | .0834         | ----                     | ----              | 3             | ----             | 3    | +    | 3 |  |                   |  |      |
| 3880           | ----  | ----                   | ----            | ----               | /21.80A       | 23.60B/21.80A              | ----                          | ---- | 23.10                    | - 3.70                 | .0845         | ----                     | ----              | ----          | 26               | UNCH |      |   |  |                   |  |      |
| 3890           | ----  | ----                   | ----            | ----               | /22.50A       | 24.30B/22.50A              | ----                          | ---- | 23.80                    | - 3.80                 | .0870         | ----                     | ----              | ----          | 2                | UNCH |      |   |  |                   |  |      |
| 3900           | ----  | ----                   | ----            | ----               | /23.10A       | 24.90B/23.10A              | ----                          | ---- | 24.50                    | - 4.00                 | .0895         | ----                     | 2                 | ----          | 315              | -    | 2    |   |  |                   |  |      |
| 3910           | ----  | ----                   | ----            | ----               | /23.80A       | 25.80B/23.80A              | ----                          | ---- | 25.30                    | - 4.00                 | .0922         | ----                     | ----              | ----          | 7                | UNCH |      |   |  |                   |  |      |
| 3915           | ----  | ----                   | ----            | ----               | /24.10A       | 26.20B/24.10A              | ----                          | ---- | 25.70                    | - 4.10                 | .0936         | ----                     | ----              | ----          | 4                | UNCH |      |   |  |                   |  |      |
| 3920           | ----  | ----                   | ----            | ----               | /24.50A       | 26.60B/24.50A              | ----                          | ---- | 26.10                    | - 4.10                 | .0950         | ----                     | ----              | ----          | 19               | UNCH |      |   |  |                   |  |      |
| 3930           | ----  | ----                   | ----            | ----               | /25.20A       | 27.40B/25.20A              | ----                          | ---- | 26.90                    | - 4.20                 | .0978         | ----                     | ----              | ----          | 2                | UNCH |      |   |  |                   |  |      |
| 3945           | ----  | ----                   | ----            | ----               | /26.40A       | 28.60B/26.40A              | ----                          | ---- | 28.10                    | - 4.40                 | .1020         | ----                     | ----              | ----          | 384              | UNCH |      |   |  |                   |  |      |
| 3950           | ----  | ----                   | ----            | ----               | /26.70A       | 29.10B/26.70A              | ----                          | ---- | 28.60                    | - 4.40                 | .1036         | ----                     | ----              | ----          | 325              | UNCH |      |   |  |                   |  |      |
| 3970           | ----  | ----                   | ----            | ----               | /28.40A       | 31.00B/28.40A              | ----                          | ---- | 30.40                    | - 4.70                 | .1098         | ----                     | ----              | ----          | 5                | UNCH |      |   |  |                   |  |      |
| 3975           | ----  | ----                   | ----            | ----               | /28.80A       | 31.50B/28.80A              | ----                          | ---- | 30.90                    | - 4.70                 | .1115         | ----                     | ----              | ----          | 44               | UNCH |      |   |  |                   |  |      |
| 3980           | ----  | ----                   | ----            | ----               | /29.30A       | 32.00B/29.30A              | ----                          | ---- | 31.40                    | - 4.80                 | .1131         | ----                     | ----              | ----          | 5                | UNCH |      |   |  |                   |  |      |
| 3985           | ----  | ----                   | ----            | ----               | /29.70A       | 32.50B/29.70A              | ----                          | ---- | 31.90                    | - 4.80                 | .1148         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 3990           | ----  | ----                   | ----            | ----               | /30.10A       | 33.10B/30.10A              | ----                          | ---- | 32.40                    | - 4.90                 | .1165         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 3995           | ----  | ----                   | ----            | ----               | /30.60A       | 33.50B/30.60A              | ----                          | ---- | 32.90                    | - 5.00                 | .1182         | ----                     | ----              | ----          | 9                | UNCH |      |   |  |                   |  |      |
| 4000           | 38.00 | 38.00                  |                 |                    | 38.00/31.10A  | 38.00/31.10A               | ----                          | ---- | 33.40                    | - 5.10                 | .1199         | ----                     | 2                 | ----          | 1411             | -    | 1    |   |  |                   |  |      |
| 4005           | ----  | ----                   | ----            | ----               | /31.60A       | 34.60B/31.60A              | ----                          | ---- | 33.90                    | - 5.20                 | .1216         | ----                     | ----              | ----          | 30               | UNCH |      |   |  |                   |  |      |
| 4015           | ----  | ----                   | ----            | ----               | /32.50A       | 35.70B/32.50A              | ----                          | ---- | 35.00                    | - 5.30                 | .1252         | ----                     | ----              | ----          | 29               | UNCH |      |   |  |                   |  |      |
| 4020           | ----  | ----                   | ----            | ----               | /33.10A       | 36.30B/33.10A              | ----                          | ---- | 35.60                    | - 5.30                 | .1271         | ----                     | ----              | ----          | 14               | UNCH |      |   |  |                   |  |      |
| 4025           | ----  | ----                   | ----            | ----               | /33.60A       | 36.90B/33.60A              | ----                          | ---- | 36.20                    | - 5.30                 | .1290         | ----                     | ----              | ----          | 10               | UNCH |      |   |  |                   |  |      |
| 4030           | ----  | ----                   | ----            | ----               | /34.10A       | 37.60B/34.10A              | ----                          | ---- | 36.70                    | - 5.50                 | .1308         | ----                     | ----              | ----          | 13               | UNCH |      |   |  |                   |  |      |
| 4040           | ----  | ----                   | ----            | ----               | /35.20A       | 38.80B/35.20A              | ----                          | ---- | 37.90                    | - 5.60                 | .1346         | ----                     | ----              | ----          | 19               | UNCH |      |   |  |                   |  |      |
| 4045           | ----  | ----                   | ----            | ----               | /35.70A       | 39.40B/35.70A              | ----                          | ---- | 38.50                    | - 5.70                 | .1366         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4050           | ----  | ----                   | ----            | ----               | /36.30A       | 40.00B/36.30A              | ----                          | ---- | 39.20                    | - 5.70                 | .1387         | ----                     | ----              | ----          | 107              | UNCH |      |   |  |                   |  |      |
| 4055           | ----  | ----                   | ----            | ----               | /36.80A       | 40.70B/36.80A              | ----                          | ---- | 39.80                    | - 5.80                 | .1407         | ----                     | ----              | ----          | 4                | UNCH |      |   |  |                   |  |      |
| 4060           | ----  | ----                   | ----            | ----               | /37.40A       | 41.50B/37.40A              | ----                          | ---- | 40.50                    | - 5.80                 | .1429         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4065           | 41.40 | 41.40                  |                 |                    | 42.10B/38.00A | 42.10B/38.00A              | ----                          | ---- | 41.10                    | - 5.90                 | .1449         | ----                     | 20                | ----          | 26               | +    | 20   |   |  |                   |  |      |
| 4070           | ----  | ----                   | ----            | ----               | /38.60A       | 42.80B/38.60A              | ----                          | ---- | 41.80                    | - 5.90                 | .1470         | ----                     | ----              | ----          | 13               | UNCH |      |   |  |                   |  |      |
| 4075           | ----  | ----                   | ----            | ----               | /39.20A       | 43.50B/39.20A              | ----                          | ---- | 42.50                    | - 6.00                 | .1492         | ----                     | ----              | ----          | 22               | UNCH |      |   |  |                   |  |      |
| 4080           | ----  | ----                   | ----            | ----               | /39.60A       | 44.20B/39.60A              | ----                          | ---- | 43.20                    | - 6.10                 | .1514         | ----                     | ----              | ----          | 7                | UNCH |      |   |  |                   |  |      |
| 4085           | ----  | ----                   | ----            | ----               | /40.50A       | 45.00B/40.50A              | ----                          | ---- | 43.90                    | - 6.10                 | .1536         | ----                     | ----              | ----          | 76               | UNCH |      |   |  |                   |  |      |
| 4090           | ----  | ----                   | ----            | ----               | /41.10A       | 45.70B/41.10A              | ----                          | ---- | 44.60                    | - 6.20                 | .1558         | ----                     | ----              | ----          | 38               | UNCH |      |   |  |                   |  |      |
| 4095           | ----  | ----                   | ----            | ----               | /41.80A       | 46.50B/41.80A              | ----                          | ---- | 45.30                    | NEW                    | .1580         | ----                     | 1                 | ----          | 1                | +    | 1    |   |  |                   |  |      |
| 4100           | 44.30 | 44.30                  |                 |                    | 47.20B/42.40A | 47.20B/42.40A              | ----                          | ---- | 46.00                    | - 6.40                 | .1602         | ----                     | 1                 | ----          | 185              | UNCH |      |   |  |                   |  |      |
| 4105           | ----  | ----                   | ----            | ----               | /43.10A       | 48.10B/43.10A              | ----                          | ---- | 46.80                    | - 6.50                 | .1626         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4110           | ----  | ----                   | ----            | ----               | /43.70A       | 48.80B/43.70A              | ----                          | ---- | 47.60                    | - 6.50                 | .1650         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4115           | 48.70 | 48.70                  |                 |                    | 49.70B/44.20A | 49.70B/44.20A              | ----                          | ---- | 48.40                    | - 6.50                 | .1674         | ----                     | 20                | ----          | 28               | UNCH |      |   |  |                   |  |      |
| 4120           | ----  | ----                   | ----            | ----               | /45.00A       | 50.40B/45.00A              | ----                          | ---- | 49.20                    | - 6.60                 | .1698         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4125           | ----  | ----                   | ----            | ----               | /45.70A       | 51.20B/45.70A              | ----                          | ---- | 50.00                    | - 6.70                 | .1723         | ----                     | ----              | ----          | 16               | UNCH |      |   |  |                   |  |      |
| 4130           | ----  | ----                   | ----            | ----               | /46.40A       | 52.20B/46.40A              | ----                          | ---- | 50.80                    | - 6.80                 | .1747         | ----                     | ----              | ----          | 21               | UNCH |      |   |  |                   |  |      |
| 4135           | ----  | ----                   | ----            | ----               | /47.20A       | 52.90B/47.20A              | ----                          | ---- | 51.60                    | - 6.90                 | .1772         | ----                     | ----              | ----          | 4                | UNCH |      |   |  |                   |  |      |
| 4140           | ----  | ----                   | ----            | ----               | /48.00A       | 53.80B/48.00A              | ----                          | ---- | 52.50                    | - 6.90                 | .1798         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4145           | ----  | ----                   | ----            | ----               | /48.70A       | 54.70B/48.70A              | ----                          | ---- | 53.30                    | - 7.10                 | .1822         | ----                     | ----              | 12            | ----             | 3    | UNCH |   |  |                   |  |      |
| 4150           | ----  | ----                   | ----            | ----               | /49.50A       | 55.60B/49.50A              | ----                          | ---- | 54.20                    | - 7.10                 | .1848         | ----                     | 12                | ----          | 40               | +    | 7    |   |  |                   |  |      |
| 4155           | ----  | ----                   | ----            | ----               | /50.20A       | 56.70B/50.20A              | ----                          | ---- | 55.10                    | - 7.20                 | .1875         | ----                     | ----              | ----          | 2                | UNCH |      |   |  |                   |  |      |
| 4160           | ----  | ----                   | ----            | ----               | /51.00A       | 57.60B/51.00A              | ----                          | ---- | 56.00                    | - 7.30                 | .1901         | ----                     | ----              | ----          | 27               | UNCH |      |   |  |                   |  |      |
| 4165           | ----  | ----                   | ----            | ----               | /51.80A       | 58.50B/51.80A              | ----                          | ---- | 57.00                    | - 7.30                 | .1929         | ----                     | ----              | ----          | 27               | UNCH |      |   |  |                   |  |      |
| 4170           | ----  | ----                   | ----            | ----               | /52.70A       | 59.40B/52.70A              | ----                          | ---- | 57.90                    | NEW                    | .1956         | ----                     | 1                 | ----          | 1                | +    | 1    |   |  |                   |  |      |
| 4175           | ----  | ----                   | ----            | ----               | /53.50A       | 60.50B/53.50A              | ----                          | ---- | 58.90                    | - 7.40                 | .1984         | ----                     | ----              | ----          | 2                | UNCH |      |   |  |                   |  |      |
| 4180           | ----  | ----                   | ----            | ----               | /54.40A       | 61.50B/54.40A              | ----                          | ---- | 59.80                    | - 7.50                 | .2011         | ----                     | ----              | ----          | 3                | UNCH |      |   |  |                   |  |      |
| 4185           | ----  | ----                   | ----            | ----               | /55.30A       | 62.50B/55.30A              | ----                          | ---- | 60.80                    | - 7.60                 | .2039         | ----                     | ----              | ----          | 79               | UNCH |      |   |  |                   |  |      |
| 4190           | ----  | ----                   | ----            | ----               | /56.20A       | 63.60B/56.20A              | ----                          | ---- | 61.80                    | - 7.70                 | .2067         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4195           | ----  | ----                   | ----            | ----               | /57.10A       | 64.60B/57.10A              | ----                          | ---- | 62.80                    | - 7.80                 | .2096         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4200           | ----  | ----                   | ----            | ----               | /58.00A       | 65.80B/58.00A              | ----                          | ---- | 63.90                    | - 7.80                 | .2126         | ----                     | ----              | ----          | 704              | UNCH |      |   |  |                   |  |      |
| 4205           | ----  | ----                   | ----            | ----               | /58.90A       | 67.00B/58.90A              | ----                          | ---- | 64.90                    | - 7.90                 | .2154         | ----                     | ----              | ----          | 10               | UNCH |      |   |  |                   |  |      |
| 4210           | ----  | ----                   | ----            | ----               | /59.90A       | 68.00B/59.90A              | ----                          | ---- | 66.00                    | - 8.00                 | .2184         | ----                     | ----              | ----          | 4                | UNCH |      |   |  |                   |  |      |
| 4215           | ----  | ----                   | ----            | ----               | /60.90A       | 69.20B/60.90A              | ----                          | ---- | 67.10                    | - 8.00                 | .2215         | ----                     | ----              | ----          | 50               | UNCH |      |   |  |                   |  |      |
| 4220           | ----  | ----                   | ----            | ----               | /61.90A       | 70.30B/61.90A              | ----                          | ---- | 68.20                    | - 8.10                 | .2245         | ----                     | ----              | ----          | 114              | UNCH |      |   |  |                   |  |      |
| 4225           | ----  | ----                   | ----            | ----               | /62.90A       | 71.50B/62.90A              | ----                          | ---- | 69.30                    | - 8.20                 | .2275         | ----                     | ----              | ----          | 3                | UNCH |      |   |  |                   |  |      |
| 4230           | ----  | ----                   | ----            | ----               | /63.90A       | 72.80B/63.90A              | ----                          | ---- | 70.50                    | - 8.20                 | .2307         | ----                     | ----              | ----          | 29               | UNCH |      |   |  |                   |  |      |
| 4235           | ----  | ----                   | ----            | ----               | /64.90A       | 74.00B/64.90A              | ----                          | ---- | 71.60                    | - 8.40                 | .2337         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4240           | ----  | ----                   | ----            | ----               | /66.00A       | 75.20B/66.00A              | ----                          | ---- | 72.80                    | - 8.40                 | .2369         | ----                     | ----              | ----          | 106              | UNCH |      |   |  |                   |  |      |
| 4245           | ----  | ----                   | ----            | ----               | /67.00A       | 76.50B/67.00A              | ----                          | ---- | 74.00                    | - 8.50                 | .2401         | ----                     | ----              | ----          | 1                | UNCH |      |   |  |                   |  |      |
| 4250           | 71.40 | 71.40                  |                 |                    | 71.40/68.10A  | 77.80B/68.10A              | ----                          | ---- | 75.20                    | - 8.60                 | .2433         | ----                     | 1                 | ----          | 755              | UNCH |      |   |  |                   |  |      |
| 4255           | ----  | ----                   | ----            | ----               | /69.20A       | 79.10B/69.20A              | ----                          | ---- | 76.50                    | - 8.60                 | .2466         | ----                     | ----              | ----          | 10               | UNCH |      |   |  |                   |  |      |
| 4260           | ----  | ----                   | ----            | ----               | /70.40A       | 80.50B/70.40A              | ----                          | ---- |                          |                        |               |                          |                   |               |                  |      |      |   |  |                   |  |      |



| BULLETIN #104@ |        |                    |                 |                    |                  |                    |               |                 |                          | METALS OPTION PRODUCTS |               |                          |                   |               |                  |      |        |     |  | Tue, Jun 02, 2026 |  | PG64 |
|----------------|--------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|------------------------|---------------|--------------------------|-------------------|---------------|------------------|------|--------|-----|--|-------------------|--|------|
| GLOBEX<br>OPEN |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |        |     |  |                   |  |      |
| OG PUT         |        | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |                  |      |        |     |  |                   |  |      |
| SEP26          |        |                    |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |                  |      |        |     |  |                   |  |      |
| 4645           | ----   | ----               | ----            | /218.20A           | 249.00B/218.20A  | ----               | ----          | ----            | 238.90 - 13.50           | .5569                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4650           | ----   | ----               | ----            | /221.00A           | 252.40B/221.00A  | ----               | ----          | ----            | 241.90 - 13.60           | .5611                  | ----          | ----                     | ----              | ----          | 12               | UNCH |        |     |  |                   |  |      |
| 4655           | ----   | ----               | ----            | /223.70A           | 255.20B/223.70A  | ----               | ----          | ----            | 245.00 - 13.60           | .5652                  | ----          | ----                     | ----              | ----          | 14               | UNCH |        |     |  |                   |  |      |
| 4660           | ----   | ----               | ----            | /226.50A           | 259.00B/226.50A  | ----               | ----          | ----            | 248.00 - 13.80           | .5693                  | ----          | ----                     | ----              | ----          | 7                | UNCH |        |     |  |                   |  |      |
| 4665           | ----   | ----               | ----            | /229.60A           | 262.20B/229.60A  | ----               | ----          | ----            | 251.00 - 13.90           | .5733                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 4670           | ----   | ----               | ----            | /232.10A           | 264.60B/232.10A  | ----               | ----          | ----            | 254.10 - 13.90           | .5774                  | ----          | ----                     | ----              | ----          | 26               | UNCH |        |     |  |                   |  |      |
| 4675           | ----   | ----               | ----            | /235.00A           | 267.80B/235.00A  | ----               | ----          | ----            | 257.20 - 14.00           | .5815                  | ----          | ----                     | ----              | ----          | 7                | UNCH |        |     |  |                   |  |      |
| 4685           | ----   | ----               | ----            | /240.70A           | 274.80B/240.70A  | ----               | ----          | ----            | 263.50 - 14.00           | .5894                  | ----          | ----                     | ----              | ----          | 8                | UNCH |        |     |  |                   |  |      |
| 4690           | ----   | ----               | ----            | /243.80A           | 277.50B/243.80A  | ----               | ----          | ----            | 266.60 - 14.10           | .5934                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 4695           | ----   | ----               | ----            | /246.60A           | 281.50B/246.60A  | ----               | ----          | ----            | 269.80 - 14.10           | .5974                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 4700           | ----   | ----               | ----            | /249.70A           | 284.10B/249.70A  | ----               | ----          | ----            | 273.00 - 14.20           | .6014                  | ----          | ----                     | ----              | ----          | 138              | UNCH |        |     |  |                   |  |      |
| 4705           | ----   | ----               | ----            | /252.60A           | 287.40B/252.60A  | ----               | ----          | ----            | 276.30 - 14.20           | .6053                  | ----          | ----                     | ----              | ----          | 13               | UNCH |        |     |  |                   |  |      |
| 4710           | ----   | ----               | ----            | /255.70A           | 290.70B/255.70A  | ----               | ----          | ----            | 279.50 - 14.20           | .6092                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4720           | ----   | ----               | ----            | /261.80A           | 293.30B/261.80A  | ----               | ----          | ----            | 286.10 - 14.30           | .6170                  | ----          | ----                     | ----              | ----          | 4                | UNCH |        |     |  |                   |  |      |
| 4725           | ----   | ----               | ----            | /265.00A           | 295.90B/265.00A  | ----               | ----          | ----            | 289.40 - 14.40           | .6208                  | ----          | ----                     | ----              | ----          | 7                | UNCH |        |     |  |                   |  |      |
| 4730           | ----   | ----               | ----            | /268.10A           | 299.20B/268.10A  | ----               | ----          | ----            | 292.70 - 14.40           | .6247                  | ----          | ----                     | ----              | ----          | 7                | UNCH |        |     |  |                   |  |      |
| 4735           | ----   | ----               | ----            | /271.30A           | 302.60B/271.30A  | ----               | ----          | ----            | 296.10 - 14.50           | .6285                  | ----          | ----                     | ----              | ----          | 100              | UNCH |        |     |  |                   |  |      |
| 4740           | ----   | ----               | ----            | /274.30A           | 306.00B/274.30A  | ----               | ----          | ----            | 299.50 - 14.50           | .6324                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 4750           | ----   | ----               | ----            | /280.80A           | 313.00B/280.80A  | ----               | ----          | ----            | 306.30 - 14.60           | .6399                  | ----          | ----                     | ----              | ----          | 175              | UNCH |        |     |  |                   |  |      |
| 4755           | ----   | ----               | ----            | /286.00A           | 316.30B/286.00A  | ----               | ----          | ----            | 309.70 - 14.70           | .6436                  | ----          | ----                     | ----              | ----          | 10               | UNCH |        |     |  |                   |  |      |
| 4760           | ----   | ----               | ----            | /289.10A           | 319.90B/289.10A  | ----               | ----          | ----            | 313.20 - 14.70           | .6472                  | ----          | ----                     | ----              | ----          | 109              | UNCH |        |     |  |                   |  |      |
| 4770           | ----   | ----               | ----            | /297.20A           | 326.90B/297.20A  | ----               | ----          | ----            | 320.20 - 14.70           | .6546                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4775           | ----   | ----               | ----            | /299.60A           | 330.50B/299.60A  | ----               | ----          | ----            | 323.70 - 14.80           | .6582                  | ----          | ----                     | ----              | ----          | 130              | UNCH |        |     |  |                   |  |      |
| 4780           | ----   | ----               | ----            | /304.00A           | 334.10B/304.00A  | ----               | ----          | ----            | 327.20 - 14.90           | .6619                  | ----          | ----                     | ----              | ----          | 3                | UNCH |        |     |  |                   |  |      |
| 4795           | ----   | ----               | ----            | /314.10A           | 344.90B/314.10A  | ----               | ----          | ----            | 338.00 - 14.90           | .6725                  | ----          | ----                     | ----              | ----          | 6                | UNCH |        |     |  |                   |  |      |
| 4800           | ----   | ----               | ----            | /317.30A           | 348.60B/317.30A  | ----               | ----          | ----            | 341.60 - 15.00           | .6760                  | ----          | ----                     | ----              | ----          | 474              | UNCH |        |     |  |                   |  |      |
| 4805           | ----   | ----               | ----            | /321.10A           | 352.20B/321.10A  | ----               | ----          | ----            | 345.20 - 15.00           | .6795                  | ----          | ----                     | ----              | ----          | 9                | UNCH |        |     |  |                   |  |      |
| 4825           | ----   | ----               | ----            | /335.20A           | 367.00B/335.20A  | ----               | ----          | ----            | 359.90 - 15.20           | .6932                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 4830           | ----   | ----               | ----            | /338.60A           | 370.90B/338.60A  | ----               | ----          | ----            | 363.60 - 15.20           | .6965                  | ----          | ----                     | ----              | ----          | 10               | UNCH |        |     |  |                   |  |      |
| 4835           | ----   | ----               | ----            | /342.30A           | 374.60B/342.30A  | ----               | ----          | ----            | 367.40 - 15.20           | .6999                  | ----          | ----                     | ----              | ----          | 30               | UNCH |        |     |  |                   |  |      |
| 4855           | ----   | ----               | ----            | /356.70A           | 389.90B/356.70A  | ----               | ----          | ----            | 382.50 - 15.30           | .7128                  | ----          | ----                     | ----              | ----          | 14               | UNCH |        |     |  |                   |  |      |
| 4860           | ----   | ----               | ----            | /360.50A           | 393.70B/360.50A  | ----               | ----          | ----            | 386.30 - 15.40           | .7161                  | ----          | ----                     | ----              | ----          | 11               | UNCH |        |     |  |                   |  |      |
| 4875           | ----   | ----               | ----            | /371.60A           | 405.40B/371.60A  | ----               | ----          | ----            | 397.90 - 15.40           | .7254                  | ----          | ----                     | ----              | ----          | 8                | UNCH |        |     |  |                   |  |      |
| 4885           | ----   | ----               | ----            | /378.90A           | 413.20B/378.90A  | ----               | ----          | ----            | 405.70 - 15.50           | .7316                  | ----          | ----                     | ----              | ----          | 4                | UNCH |        |     |  |                   |  |      |
| 4895           | ----   | ----               | ----            | /386.60A           | 421.00B/386.60A  | ----               | ----          | ----            | 413.50 - 15.60           | .7377                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4900           | ----   | ----               | ----            | /396.10A           | 425.10B/396.10A  | ----               | ----          | ----            | 417.50 - 15.50           | .7406                  | ----          | ----                     | ----              | ----          | 25               | UNCH |        |     |  |                   |  |      |
| 4915           | ----   | ----               | ----            | /429.00A           | 437.00B/429.00A  | ----               | ----          | ----            | 429.40 - 15.60           | .7494                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4930           | ----   | ----               | ----            | /419.30A           | 449.20B/419.30A  | ----               | ----          | ----            | 441.50 - 15.70           | .7578                  | ----          | ----                     | ----              | ----          | 20               | UNCH |        |     |  |                   |  |      |
| 4950           | ----   | ----               | ----            | /457.30A           | 465.50B/457.30A  | ----               | ----          | ----            | 457.80 - 15.70           | .7687                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4955           | ----   | ----               | ----            | /461.40A           | 469.60B/461.40A  | ----               | ----          | ----            | 461.90 - 15.70           | .7714                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 4975           | ----   | ----               | ----            | /455.20A           | 486.40B/455.20A  | ----               | ----          | ----            | 478.40 - 15.80           | .7817                  | ----          | ----                     | ----              | ----          | 220              | UNCH |        |     |  |                   |  |      |
| 5000           | ----   | ----               | ----            | /475.60A           | 507.40B/475.60A  | ----               | ----          | ----            | 499.40 - 15.90           | .7941                  | ----          | ----                     | ----              | ----          | 13               | UNCH |        |     |  |                   |  |      |
| 5005           | ----   | ----               | ----            | /479.70A           | 511.70B/479.70A  | ----               | ----          | ----            | 503.60 - 15.90           | .7966                  | ----          | ----                     | ----              | ----          | 3                | UNCH |        |     |  |                   |  |      |
| 5020           | ----   | ----               | ----            | /492.10A           | 524.50B/492.10A  | ----               | ----          | ----            | 516.40 - 15.90           | .8035                  | ----          | ----                     | ----              | ----          | 3                | UNCH |        |     |  |                   |  |      |
| 5060           | ----   | ----               | ----            | /525.80A           | 559.20B/525.80A  | ----               | ----          | ----            | 550.80 - 16.00           | .8212                  | ----          | ----                     | ----              | ----          | 4                | UNCH |        |     |  |                   |  |      |
| 5100           | ----   | ----               | ----            | /560.10A           | 594.40B/560.10A  | ----               | ----          | ----            | 585.90 - 15.90           | .8372                  | ----          | ----                     | ----              | ----          | 28               | UNCH |        |     |  |                   |  |      |
| 5105           | ----   | ----               | ----            | /589.80A           | 598.80B/589.80A  | ----               | ----          | ----            | 590.30 - 15.90           | .8390                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 5150           | ----   | ----               | ----            | /630.20A           | 639.20B/630.20A  | ----               | ----          | ----            | 630.60 - 15.70           | .8552                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 5200           | 682.50 | 682.50             | ----            | 684.70B/648.60A    | 684.70B/648.60A  | 684.70B/648.60A    | ----          | ----            | 676.00 - 15.70           | .8711                  | ----          | ----                     | 1                 | ----          | 45               | UNCH |        |     |  |                   |  |      |
| 5230           | ----   | ----               | ----            | /674.30A           | 712.60B/674.30A  | 712.60B/674.30A    | ----          | ----            | 703.60 - 15.70           | .8797                  | ----          | ----                     | ----              | ----          | 400              | UNCH |        |     |  |                   |  |      |
| 5300           | ----   | ----               | ----            | /738.70A           | 777.90B/738.70A  | 777.90B/738.70A    | ----          | ----            | 768.80 - 15.50           | .8970                  | ----          | ----                     | ----              | ----          | 300              | UNCH |        |     |  |                   |  |      |
| 5400           | ----   | ----               | ----            | /833.60A           | 872.80B/833.60A  | 872.80B/833.60A    | ----          | ----            | 863.50 - 15.20           | .9166                  | ----          | ----                     | ----              | ----          | 100              | UNCH |        |     |  |                   |  |      |
| 5420           | ----   | ----               | ----            | /852.60A           | 892.00B/852.60A  | 892.00B/852.60A    | ----          | ----            | 882.70 - 15.10           | .9202                  | ----          | ----                     | ----              | ----          | 80               | UNCH |        |     |  |                   |  |      |
| 5450           | ----   | ----               | ----            | /911.30A           | #920.80B/911.30A | #920.80B/911.30A   | ----          | ----            | 911.50 - 15.00           | .9248                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 5500           | ----   | ----               | ----            | /929.10A           | 969.10B/929.10A  | 969.10B/929.10A    | ----          | ----            | 959.70 - 14.80           | .9316                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 6000           | ----   | ----               | ----            | ----               | ----             | ----               | ----          | ----            | 1451.00 - 14.00          | .9683                  | ----          | ----                     | ----              | ----          | 3                | UNCH |        |     |  |                   |  |      |
| TOTAL          |        |                    |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |                  | 416  | 16489+ | 220 |  |                   |  |      |
| OCT26          |        |                    |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |                  |      |        |     |  |                   |  |      |
| 1500           | ----   | ----               | ----            | ----               | ----/0.80A       | ----               | ----          | ----            | 0.10 - UNCH              | .0002                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 2000           | ----   | ----               | ----            | ----               | 0.30B/1.00A      | ----               | ----          | ----            | 0.80 - 0.10              | .0017                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 2675           | ----   | ----               | ----            | ----               | 2.30B/*2.90A     | ----               | ----          | ----            | 2.70 - 0.10              | .0071                  | ----          | ----                     | ----              | ----          | 75               | UNCH |        |     |  |                   |  |      |
| 2700           | ----   | ----               | ----            | ----               | 2.40B/*3.00A     | ----               | ----          | ----            | 2.80 - 0.20              | .0074                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 2800           | ----   | ----               | ----            | ----               | 2.90B/*3.60A     | ----               | ----          | ----            | 3.40 - 0.10              | .0092                  | ----          | ----                     | ----              | ----          | 3                | UNCH |        |     |  |                   |  |      |
| 2900           | ----   | ----               | ----            | ----               | 3.60B/*4.20A     | ----               | ----          | ----            | 4.00 - 0.20              | .0111                  | ----          | ----                     | ----              | ----          | 3                | UNCH |        |     |  |                   |  |      |
| 3050           | ----   | ----               | ----            | /5.50A             | 4.90B/5.50A      | ----               | ----          | ----            | 5.40 - 0.30              | .0155                  | ----          | ----                     | ----              | ----          | 2                | UNCH |        |     |  |                   |  |      |
| 3100           | ----   | ----               | ----            | /6.00A             | 5.50B/6.00A      | ----               | ----          | ----            | 5.90 - 0.40              | .0171                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3155           | ----   | ----               | ----            | /6.70A             | 6.30B/6.70A      | ----               | ----          | ----            | 6.60 - 0.50              | .0194                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3190           | ----   | ----               | ----            | /7.10A             | 6.80B/7.10A      | ----               | ----          | ----            | 7.10 - 0.60              | .0210                  | ----          | ----                     | ----              | ----          | 14               | UNCH |        |     |  |                   |  |      |
| 3200           | ----   | ----               | ----            | /7.20A             | 6.90B/7.20A      | ----               | ----          | ----            | 7.20 - 0.60              | .0213                  | ----          | ----                     | ----              | ----          | 414              | UNCH |        |     |  |                   |  |      |
| 3240           | ----   | ----               | ----            | /7.80A             | 7.60B/7.80A      | ----               | ----          | ----            | 7.80 - 0.70              | .0233                  | ----          | ----                     | ----              | ----          | 5                | UNCH |        |     |  |                   |  |      |
| 3300           | ----   | ----               | ----            | /8.70A             | 8.60B/8.70A      | ----               | ----          | ----            | 8.80 - 0.90              | .0266                  | ----          | ----                     | ----              | ----          | 417              | UNCH |        |     |  |                   |  |      |
| 3340           | ----   | ----               | ----            | /9.50A             | 9.40B/9.50A      | ----               | ----          | ----            | 9.60 - 1.10              | .0291                  | ----          | ----                     | ----              | ----          | 9                | UNCH |        |     |  |                   |  |      |
| 3360           | ----   | ----               | ----            | /9.90A             | 9.80B/9.90A      | ----               | ----          | ----            | 10.00 - 1.20             | .0305                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3380           | ----   | ----               | ----            | /10.30A            | 10.30B/10.30A    | ----               | ----          | ----            | 10.50 - 1.20             | .0320                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3390           | ----   | ----               | ----            | /10.50A            | 10.50B/10.50A    | ----               | ----          | ----            | 10.70 - 1.30             | .0327                  | ----          | ----                     | ----              | ----          | 4                | UNCH |        |     |  |                   |  |      |
| 3400           | ----   | ----               | ----            | /10.70A            | 10.80B/10.70A    | ----               | ----          | ----            | 11.00 - 1.20             | .0336                  | ----          | ----                     | ----              | ----          | 150              | UNCH |        |     |  |                   |  |      |
| 3430           | ----   | ----               | ----            | /11.40A            | 11.50B/11.40A    | ----               | ----          | ----            | 11.70 - 1.40             | .0359                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3480           | ----   | ----               | ----            | /12.70A            | 12.90B/12.70A    | ----               | ----          | ----            | 13.10 - 1.60             | .0404                  | ----          | ----                     | ----              | ----          | 12               | UNCH |        |     |  |                   |  |      |
| 3500           | ----   | ----               | ----            | /13.30A            | 13.60B/13.30A    | ----               | ----          | ----            | 13.70 - 1.70             | .0424                  | ----          | ----                     | ----              | ----          | 30               | UNCH |        |     |  |                   |  |      |
| 3520           | ----   | ----               | ----            | /13.90A            | 14.20B/13.90A    | ----               | ----          | ----            | 14.30 - 1.90             | .0444                  | ----          | ----                     | ----              | ----          | 12               | UNCH |        |     |  |                   |  |      |
| 3530           | ----   | ----               | ----            | /14.30A            | 14.60B/14.30A    | ----               | ----          | ----            | 14.70 - 1.90             | .0456                  | ----          | ----                     | ----              | ----          | 5                | UNCH |        |     |  |                   |  |      |
| 3550           | ----   | ----               | ----            | /14.90A            | 15.30B/14.90A    | ----               | ----          | ----            | 15.40 - 2.00             | .0478                  | ----          | ----                     | ----              | ----          | 25               | UNCH |        |     |  |                   |  |      |
| 3600           | ----   | ----               | ----            | /16.70A            | 17.20B/16.70A    | ----               | ----          | ----            | 17.30 - 2.30             | .0539                  | ----          | ----                     | ----              | ----          | 174              | UNCH |        |     |  |                   |  |      |
| 3615           | ----   | ----               | ----            | /17.40A            | 17.90B/17.40A    | ----               | ----          | ----            | 17.90 - 2.40             | .0559                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3635           | ----   | ----               | ----            | /18.20A            | 18.80B/18.20A    | ----               | ----          | ----            | 18.80 - 2.60             | .0587                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3650           | ----   | ----               | ----            | /18.90A            | 19.50B/18.90A    | ----               | ----          | ----            | 19.50 - 2.70             | .0609                  | ----          | ----                     | 1                 | ----          | 1                | +    |        |     |  |                   |  |      |
| 3660           | ----   | ----               | ----            | /19.30A            | 20.00B/19.30A    | ----               | ----          | ----            | 20.00 - 2.70             | .0624                  | ----          | ----                     | ----              | ----          | 10               | UNCH |        |     |  |                   |  |      |
| 3670           | ----   | ----               | ----            | /19.80A            | 20.50B/19.80A    | ----               | ----          | ----            | 20.50 - 2.80             | .0640                  | ----          | ----                     | ----              | ----          | 20               | UNCH |        |     |  |                   |  |      |
| 3680           | ----   | ----               | ----            | /20.30A            | 21.00B/20.30A    | ----               | ----          | ----            | 21.10 - 2.80             | .0658                  | ----          | ----                     | ----              | ----          | 5                | UNCH |        |     |  |                   |  |      |
| 3695           | ----   | ----               | ----            | /21.10A            | 21.90B/21.10A    | ----               | ----          | ----            | 21.90 - 2.90             | .0683                  | ----          | ----                     | ----              | ----          | 1                | UNCH |        |     |  |                   |  |      |
| 3700           | ----   | ----               | ----            | /21.30A            | 22.10B/21.30A    | ----               | ----          | ----            | 22.10 - 3.00             | .0690                  | ----          | ----                     | ----              | ----          | 205              | UNCH |        |     |  |                   |  |      |
| 3715           | ----   | ----               | ----            | /22.10A            | 23.10B/22.10A    | ----               | ----          | ----            | 23.00 - 3.00             | .0717                  | ----          | ----                     | ----              | ----          | 196              | UNCH |        |     |  |                   |  |      |
| 3750           | ----   | ----               | ----            | /24.20A            | 25.30B           |                    |               |                 |                          |                        |               |                          |                   |               |                  |      |        |     |  |                   |  |      |



| PG64   |        | BULLETIN #104@     |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |      |      |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |
|--------|--------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|------|------|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|
|        |        | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| OG PUT |        | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| OCT26  |        |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4230   | ----   | ----               | ----         | ----            | /87.30A            | 97.40B/87.30A    | ----               | ----          | ----            | 95.20 - 8.70             | .2573 | ----                   | ----                     | ----              | ----          | ----             | 51   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4235   | ----   | ----               | ----         | ----            | /88.60A            | 98.80B/88.60A    | ----               | ----          | ----            | 96.50 - 8.80             | .2602 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4240   | ----   | ----               | ----         | ----            | /89.80A            | 100.30B/89.80A   | ----               | ----          | ----            | 97.90 - 8.90             | .2632 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4250   | ----   | ----               | ----         | ----            | /92.30A            | 103.00B/92.30A   | ----               | ----          | ----            | 100.60 - 9.10            | .2690 | ----                   | ----                     | ----              | ----          | ----             | 337  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4265   | ----   | ----               | ----         | ----            | /96.20A            | 107.30B/96.20A   | ----               | ----          | ----            | 104.90 - 9.30            | .2780 | ----                   | ----                     | ----              | ----          | ----             | 200  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4270   | ----   | ----               | ----         | ----            | /97.50A            | 108.80B/97.50A   | ----               | ----          | ----            | 106.40 - 9.30            | .2811 | ----                   | ----                     | ----              | ----          | ----             | 229  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4280   | ----   | ----               | ----         | ----            | /100.30A           | 111.90B/100.30A  | ----               | ----          | ----            | 109.40 - 9.40            | .2873 | ----                   | ----                     | ----              | ----          | ----             | 196  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4300   | ----   | ----               | ----         | ----            | /105.90A           | 118.20B/105.90A  | ----               | ----          | ----            | 115.50 - 9.80            | .2997 | ----                   | ----                     | ----              | ----          | ----             | 618  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4310   | ----   | ----               | ----         | ----            | /108.90A           | 121.50B/108.90A  | ----               | ----          | ----            | 118.70 - 9.90            | .3061 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4330   | ----   | ----               | ----         | ----            | /114.90A           | 128.10B/114.90A  | ----               | ----          | ----            | 125.30 - 10.20           | .3190 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4345   | ----   | ----               | ----         | ----            | /119.70A           | 133.60B/119.70A  | ----               | ----          | ----            | 130.50 - 10.30           | .3289 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4350   | ----   | ----               | ----         | ----            | /121.30A           | 135.40B/121.30A  | ----               | ----          | ----            | 132.30 - 10.30           | .3323 | ----                   | ----                     | ----              | ----          | ----             | 266  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4355   | ----   | ----               | ----         | ----            | /122.90A           | 137.00B/122.90A  | ----               | ----          | ----            | 134.00 - 10.50           | .3355 | ----                   | ----                     | ----              | ----          | ----             | 11   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4370   | ----   | ----               | ----         | ----            | /127.90A           | 142.50B/127.90A  | ----               | ----          | ----            | 139.50 - 10.60           | .3457 | ----                   | ----                     | ----              | ----          | ----             | 2    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4375   | ----   | ----               | ----         | ----            | /129.70A           | 144.60B/129.70A  | ----               | ----          | ----            | 141.30 - 10.70           | .3490 | ----                   | ----                     | ----              | ----          | ----             | 11   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4385   | ----   | ----               | ----         | ----            | /133.10A           | 148.50B/133.10A  | ----               | ----          | ----            | 145.10 - 10.70           | .3559 | ----                   | ----                     | ----              | ----          | ----             | 2    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4390   | ----   | ----               | ----         | ----            | /134.90A           | 150.30B/134.90A  | ----               | ----          | ----            | 147.00 - 10.80           | .3593 | ----                   | ----                     | ----              | ----          | ----             | 31   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4400   | ----   | ----               | ----         | ----            | /138.50A           | 154.50B/138.50A  | ----               | ----          | ----            | 150.90 - 10.90           | .3662 | ----                   | ----                     | ----              | ----          | ----             | 607  | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4405   | ----   | ----               | ----         | ----            | /140.30A           | 156.40B/140.30A  | ----               | ----          | ----            | 152.80 - 11.00           | .3696 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4410   | ----   | ----               | ----         | ----            | /142.20A           | 158.50B/142.20A  | ----               | ----          | ----            | 154.80 - 11.10           | .3731 | ----                   | ----                     | ----              | ----          | ----             | 49   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4415   | ----   | ----               | ----         | ----            | /144.00A           | 160.60B/144.00A  | ----               | ----          | ----            | 156.80 - 11.10           | .3766 | ----                   | ----                     | ----              | ----          | ----             | 5    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4420   | ----   | ----               | ----         | ----            | /145.90A           | 162.70B/145.90A  | ----               | ----          | ----            | 158.80 - 11.20           | .3801 | ----                   | ----                     | ----              | ----          | ----             | 11   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4425   | ----   | ----               | ----         | ----            | /147.70A           | 164.80B/147.70A  | ----               | ----          | ----            | 160.90 - 11.20           | .3836 | ----                   | ----                     | ----              | ----          | ----             | 16   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4430   | ----   | ----               | ----         | ----            | /149.70A           | 166.90B/149.70A  | ----               | ----          | ----            | 163.00 - 11.20           | .3871 | ----                   | ----                     | ----              | ----          | ----             | 4    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4440   | ----   | ----               | ----         | ----            | /153.60A           | 171.50B/153.60A  | ----               | ----          | ----            | 167.10 - 11.50           | .3942 | ----                   | ----                     | ----              | ----          | ----             | 2    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4445   | ----   | ----               | ----         | ----            | /155.50A           | 173.50B/155.50A  | ----               | ----          | ----            | 169.30 - 11.40           | .3977 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4450   | ----   | ----               | ----         | ----            | /157.60A           | 175.70B/157.60A  | ----               | ----          | ----            | 171.40 - 11.50           | .4013 | ----                   | ----                     | ----              | ----          | ----             | 64   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4465   | ----   | ----               | ----         | ----            | /163.60A           | 182.50B/163.60A  | ----               | ----          | ----            | 177.90 - 11.80           | .4120 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4475   | ----   | ----               | ----         | ----            | /167.90A           | 187.20B/167.90A  | ----               | ----          | ----            | 182.40 - 11.90           | .4191 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4480   | ----   | ----               | ----         | ----            | /170.00A           | 189.50B/170.00A  | ----               | ----          | ----            | 184.70 - 11.90           | .4227 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4490   | 189.30 | 189.30             | 189.30       | 189.30          | /174.20A           | 194.30B/174.20A  | ----               | ----          | ----            | 189.20 - 12.10           | .4299 | ----                   | ----                     | 2                 | ----          | 12               | +    | 2    |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4495   | ----   | ----               | ----         | ----            | /176.40A           | 196.70B/176.40A  | ----               | ----          | ----            | 191.60 - 12.10           | .4335 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4500   | ----   | ----               | ----         | ----            | /178.60A           | 199.10B/178.60A  | ----               | ----          | ----            | 193.90 - 12.20           | .4371 | ----                   | ----                     | ----              | ----          | ----             | 92   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4510   | ----   | ----               | ----         | ----            | /183.00A           | 204.30B/183.00A  | ----               | ----          | ----            | 198.70 - 12.20           | .4444 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4520   | ----   | ----               | ----         | ----            | /187.60A           | 209.10B/187.60A  | ----               | ----          | ----            | 203.50 - 12.40           | .4516 | ----                   | ----                     | ----              | ----          | ----             | 2    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4525   | ----   | ----               | ----         | ----            | /189.90A           | 211.60B/189.90A  | ----               | ----          | ----            | 205.90 - 12.50           | .4552 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4530   | 193.20 | 193.20             | 193.20       | 193.20          | /192.10A           | 214.10B/192.10A  | ----               | ----          | ----            | 208.40 - NEW             | .4589 | ----                   | ----                     | 1                 | ----          | 1                | +    | 1    |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4535   | ----   | ----               | ----         | ----            | /194.50A           | 216.70B/194.50A  | ----               | ----          | ----            | 210.90 - 12.50           | .4625 | ----                   | ----                     | ----              | ----          | ----             | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4545   | ----   | ----               | ----         | ----            | /199.30A           | 221.90B/199.30A  | ----               | ----          | ----            | 215.90 - 12.70           | .4698 | ----                   | ----                     | ----              | ----          | ----             | 2    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4550   | ----   | ----               | ----         | ----            | /201.60A           | 224.70B/201.60A  | ----               | ----          | ----            | 218.50 - 12.70           | .4734 | ----                   | ----                     | ----              | ----          | ----             | 5    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4555   | ----   | ----               | ----         | ----            | /204.10A           | 227.20B/204.10A  | ----               | ----          | ----            | 221.00 - 12.80           | .4770 | ----                   | ----                     | ----              | ----          | ----             | 9    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4560   | ----   | ----               | ----         | ----            | /206.50A           | 229.90B/206.50A  | ----               | ----          | ----            | 223.60 - 12.80           | .4807 | ----                   | ----                     | ----              | ----          | ----             | 78   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4565   | ----   | ----               | ----         | ----            | /208.90A           | 232.60B/208.90A  | ----               | ----          | ----            | 226.20 - 12.90           | .4843 | ----                   | ----                     | ----              | ----          | ----             | 16   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4570   | ----   | ----               | ----         | ----            | /211.30A           | 235.20B/211.30A  | ----               | ----          | ----            | 228.80 - 12.90           | .4879 | ----                   | ----                     | ----              | ----          | ----             | 9    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4580   | ----   | ----               | ----         | ----            | /216.40A           | 240.70B/216.40A  | ----               | ----          | ----            | 234.20 - 12.90           | .4951 | ----                   | ----                     | ----              | ----          | ----             | 6    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4585   | ----   | ----               | ----         | ----            | /218.90A           | 243.50B/218.90A  | ----               | ----          | ----            | 236.90 - 13.00           | .4987 | ----                   | ----                     | ----              | ----          | ----             | 3    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4595   | ----   | ----               | ----         | ----            | /224.00A           | 249.10B/224.00A  | ----               | ----          | ----            | 242.30 - 13.10           | .5059 | ----                   | ----                     | 6                 | ----          | 9                | +    | 6    |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4600   | ----   | ----               | ----         | ----            | /226.70A           | 251.90B/226.70A  | ----               | ----          | ----            | 245.00 - 13.20           | .5095 | ----                   | ----                     | ----              | ----          | 331              | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4605   | ----   | ----               | ----         | ----            | /229.20A           | 254.80B/229.20A  | ----               | ----          | ----            | 247.80 - 13.20           | .5131 | ----                   | ----                     | ----              | ----          | 5                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4610   | 247.10 | 247.10             | 247.10       | 247.10          | /231.50A           | 257.70B/231.50A  | ----               | ----          | ----            | 250.60 - 13.20           | .5167 | ----                   | 3                        | ----              | 14            | +                | 3    |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4615   | 246.30 | 246.30             | 246.30       | 246.30          | /234.20A           | 260.60B/234.20A  | ----               | ----          | ----            | 253.40 - 13.20           | .5203 | ----                   | 3                        | ----              | 12            | +                | 3    |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4620   | ----   | ----               | ----         | ----            | /236.70A           | 263.50B/236.70A  | ----               | ----          | ----            | 256.20 - 13.30           | .5239 | ----                   | ----                     | ----              | ----          | 9                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4625   | ----   | ----               | ----         | ----            | /239.50A           | 266.40B/239.50A  | ----               | ----          | ----            | 259.10 - 13.30           | .5274 | ----                   | ----                     | ----              | ----          | 48               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4630   | ----   | ----               | ----         | ----            | /242.20A           | 269.40B/242.20A  | ----               | ----          | ----            | 262.00 - 13.30           | .5309 | ----                   | ----                     | 6                 | ----          | 10               | -    | 3    |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4635   | ----   | ----               | ----         | ----            | /244.90A           | 272.30B/244.90A  | ----               | ----          | ----            | 264.90 - 13.30           | .5345 | ----                   | ----                     | ----              | ----          | 7                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4640   | ----   | ----               | ----         | ----            | /247.40A           | 275.30B/247.40A  | ----               | ----          | ----            | 267.80 - 13.30           | .5381 | ----                   | ----                     | ----              | ----          | 25               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |

| BULLETIN #104@ |      |                    |                 |                    |          |                   |                    |                     |      | METALS OPTION PRODUCTS   |       |       |               |                          |                   |               |                  |      |  | Tue, Jun 02, 2026 |  | PG64 |
|----------------|------|--------------------|-----------------|--------------------|----------|-------------------|--------------------|---------------------|------|--------------------------|-------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|-------------------|--|------|
| GLOBEX<br>OPEN |      | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |          | OPEN<br>HIGH/LOW  | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE RANGE |      | SETT.PRICE<br>& PT.CHGE. |       | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |                   |  |      |
| OG PUT         |      | COMEX GOLD OPTIONS |                 |                    |          |                   |                    |                     |      |                          |       |       |               |                          |                   |               |                  |      |  |                   |  |      |
| NOV26          |      |                    |                 |                    |          |                   |                    |                     |      |                          |       |       |               |                          |                   |               |                  |      |  |                   |  |      |
| 3900           | ---- | ----               | ----            | ----               | /47.40A  | 49.40B/47.40A     | ----               | ----                | ---- | 49.80 - 4.70             | .1294 | ----  | ----          | ----                     | ----              | ----          | 7                | UNCH |  |                   |  |      |
| 3920           | ---- | ----               | ----            | ----               | /49.70A  | 52.80B/49.70A     | ----               | ----                | ---- | 52.30 - 4.90             | .1353 | ----  | ----          | ----                     | ----              | ----          | 0                | UNCH |  |                   |  |      |
| 3925           | ---- | ----               | ----            | ----               | /50.40A  | 53.40B/50.40A     | ----               | ----                | ---- | 53.00 - 4.90             | .1369 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 3945           | ---- | ----               | ----            | ----               | /52.90A  | 56.30B/52.90A     | ----               | ----                | ---- | 55.70 - 5.10             | .1431 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3980           | ---- | ----               | ----            | ----               | /57.00A  | 61.50B/57.00A     | ----               | ----                | ---- | 60.80 - 5.40             | .1548 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4000           | ---- | ----               | ----            | ----               | /59.90A  | 64.80B/59.90A     | ----               | ----                | ---- | 63.90 - 5.70             | .1617 | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |                   |  |      |
| 4025           | ---- | ----               | ----            | ----               | /63.80A  | 69.00B/63.80A     | ----               | ----                | ---- | 68.00 - 5.90             | .1708 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4065           | ---- | ----               | ----            | ----               | /70.50A  | 76.40B/70.50A     | ----               | ----                | ---- | 75.20 - 6.30             | .1863 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4070           | ---- | ----               | ----            | ----               | /71.40A  | 77.40B/71.40A     | ----               | ----                | ---- | 76.10 - 6.40             | .1882 | ----  | ----          | ----                     | ----              | ----          | 25               | UNCH |  |                   |  |      |
| 4100           | ---- | ----               | ----            | ----               | /76.90A  | 83.20B/76.90A     | ----               | ----                | ---- | 82.10 - 6.60             | .2007 | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |                   |  |      |
| 4135           | ---- | ----               | ----            | ----               | /83.90A  | 91.00B/83.90A     | ----               | ----                | ---- | 89.60 - 7.00             | .2160 | ----  | ----          | ----                     | ----              | ----          | 22               | UNCH |  |                   |  |      |
| 4160           | ---- | ----               | ----            | ----               | /89.10A  | 96.90B/89.10A     | ----               | ----                | ---- | 95.30 - 7.30             | .2274 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4170           | ---- | ----               | ----            | ----               | /91.40A  | 99.40B/91.40A     | ----               | ----                | ---- | 97.70 - 7.40             | .2321 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4180           | ---- | ----               | ----            | ----               | /93.70A  | 102.00B/93.70A    | ----               | ----                | ---- | 100.10 - 7.50            | .2368 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4200           | ---- | ----               | ----            | ----               | /98.30A  | 107.30B/98.30A    | ----               | ----                | ---- | 105.20 - 7.70            | .2465 | ----  | ----          | ----                     | ----              | ----          | 7                | UNCH |  |                   |  |      |
| 4205           | ---- | ----               | ----            | ----               | /99.70A  | 108.70B/99.70A    | ----               | ----                | ---- | 106.50 - 7.80            | .2490 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4215           | ---- | ----               | ----            | ----               | /102.10A | 111.50B/102.10A   | ----               | ----                | ---- | 109.20 - 7.90            | .2540 | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |                   |  |      |
| 4250           | ---- | ----               | ----            | ----               | /111.00A | 121.70B/111.00A   | ----               | ----                | ---- | 118.90 - 8.40            | .2719 | ----  | ----          | ----                     | ----              | ----          | 567              | UNCH |  |                   |  |      |
| 4265           | ---- | ----               | ----            | ----               | /115.30A | 126.30B/115.30A   | ----               | ----                | ---- | 123.30 - 8.60            | .2798 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4275           | ---- | ----               | ----            | ----               | /118.00A | 129.40B/118.00A   | ----               | ----                | ---- | 126.30 - 8.70            | .2851 | ----  | ----          | ----                     | ----              | ----          | 23               | UNCH |  |                   |  |      |
| 4290           | ---- | ----               | ----            | ----               | /122.40A | 134.40B/122.40A   | ----               | ----                | ---- | 130.90 - 9.00            | .2932 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4300           | ---- | ----               | ----            | ----               | /125.20A | 137.60B/125.20A   | ----               | ----                | ---- | 134.00 - 9.20            | .2987 | ----  | ----          | ----                     | ----              | ----          | 100              | UNCH |  |                   |  |      |
| 4305           | ---- | ----               | ----            | ----               | /126.70A | 139.20B/126.70A   | ----               | ----                | ---- | 135.60 - 9.30            | .3014 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4320           | ---- | ----               | ----            | ----               | /131.30A | 144.40B/131.30A   | ----               | ----                | ---- | 140.50 - 9.60            | .3098 | ----  | ----          | ----                     | ----              | ----          | 43               | UNCH |  |                   |  |      |
| 4330           | ---- | ----               | ----            | ----               | /134.50A | 147.90B/134.50A   | ----               | ----                | ---- | 143.90 - 9.70            | .3154 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4340           | ---- | ----               | ----            | ----               | /137.70A | 151.50B/137.70A   | ----               | ----                | ---- | 147.30 - 9.90            | .3211 | ----  | ----          | ----                     | ----              | ----          | 6                | UNCH |  |                   |  |      |
| 4350           | ---- | ----               | ----            | ----               | /140.90A | 155.10B/140.90A   | ----               | ----                | ---- | 150.70 - 10.20           | .3268 | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |                   |  |      |
| 4390           | ---- | ----               | ----            | ----               | /154.40A | 170.30B/154.40A   | ----               | ----                | ---- | 165.30 - 11.00           | .3501 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4395           | ---- | ----               | ----            | ----               | /156.40A | 172.30B/156.40A   | ----               | ----                | ---- | 167.20 - 11.10           | .3531 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4400           | ---- | ----               | ----            | ----               | /158.00A | 174.30B/158.00A   | ----               | ----                | ---- | 169.10 - 11.20           | .3561 | ----  | ----          | ----                     | ----              | ----          | 6                | UNCH |  |                   |  |      |
| 4405           | ---- | ----               | ----            | ----               | /160.00A | 176.30B/160.00A   | ----               | ----                | ---- | 171.00 - 11.30           | .3590 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4425           | ---- | ----               | ----            | ----               | /167.20A | 184.80B/167.20A   | ----               | ----                | ---- | 178.90 - 11.60           | .3711 | ----  | ----          | ----                     | ----              | ----          | 72               | UNCH |  |                   |  |      |
| 4430           | ---- | ----               | ----            | ----               | /169.30A | 186.70B/169.30A   | ----               | ----                | ---- | 180.90 - 11.80           | .3741 | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |                   |  |      |
| 4450           | ---- | ----               | ----            | ----               | /177.00A | 195.30B/177.00A   | ----               | ----                | ---- | 189.20 - 12.00           | .3863 | ----  | ----          | ----                     | ----              | ----          | 39               | UNCH |  |                   |  |      |
| 4460           | ---- | ----               | ----            | ----               | /180.70A | 199.70B/180.70A   | ----               | ----                | ---- | 193.40 - NEW             | .3924 | ----  | ----          | ----                     | 2                 | ----          | 0                | UNCH |  |                   |  |      |
| 4485           | ---- | ----               | ----            | ----               | /191.20A | 211.00B/191.20A   | ----               | ----                | ---- | 204.30 - 12.40           | .4079 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4490           | ---- | ----               | ----            | ----               | /193.30A | 213.30B/193.30A   | ----               | ----                | ---- | 206.50 - 12.50           | .4110 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4500           | ---- | ----               | ----            | ----               | /197.40A | 218.20B/197.40A   | ----               | ----                | ---- | 211.00 - 12.60           | .4172 | ----  | ----          | ----                     | 2                 | ----          | 45               | UNCH |  |                   |  |      |
| 4510           | ---- | ----               | ----            | ----               | /201.50A | 222.70B/201.50A   | ----               | ----                | ---- | 215.60 - 12.60           | .4234 | ----  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |                   |  |      |
| 4535           | ---- | ----               | ----            | ----               | /213.00A | 234.90B/213.00A   | ----               | ----                | ---- | 227.40 - 12.60           | .4391 | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |                   |  |      |
| 4540           | ---- | ----               | ----            | ----               | /214.80A | 237.40B/214.80A   | ----               | ----                | ---- | 229.80 - 12.60           | .4422 | ----  | ----          | ----                     | ----              | ----          | 6                | UNCH |  |                   |  |      |
| 4555           | ---- | ----               | ----            | ----               | /221.60A | 245.00B/221.60A   | ----               | ----                | ---- | 237.20 - 12.50           | .4517 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4580           | ---- | ----               | ----            | ----               | /233.70A | 258.10B/233.70A   | ----               | ----                | ---- | 249.80 - 12.40           | .4674 | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |                   |  |      |
| 4590           | ---- | ----               | ----            | ----               | /238.90A | 263.30B/238.90A   | ----               | ----                | ---- | 254.90 - 12.40           | .4737 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4600           | ---- | ----               | ----            | ----               | /243.80A | 268.70B/243.80A   | ----               | ----                | ---- | 260.10 - 12.40           | .4800 | ----  | ----          | ----                     | ----              | ----          | 73               | UNCH |  |                   |  |      |
| 4610           | ---- | ----               | ----            | ----               | /248.90A | 274.10B/248.90A   | ----               | ----                | ---- | 265.40 - 12.40           | .4862 | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 4640           | ---- | ----               | ----            | ----               | /264.30A | 291.10B/264.30A   | ----               | ----                | ---- | 281.60 - 12.40           | .5050 | ----  | ----          | ----                     | ----              | ----          | 90               | UNCH |  |                   |  |      |
| 4645           | ---- | ----               | ----            | ----               | /266.90A | 293.70B/266.90A   | ----               | ----                | ---- | 284.40 - 12.40           | .5081 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4650           | ---- | ----               | ----            | ----               | /269.60A | 296.90B/269.60A   | ----               | ----                | ---- | 287.20 - 12.40           | .5112 | ----  | ----          | ----                     | ----              | ----          | 78               | UNCH |  |                   |  |      |
| 4655           | ---- | ----               | ----            | ----               | /272.30A | 299.50B/272.30A   | ----               | ----                | ---- | 290.00 - 12.40           | .5143 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4700           | ---- | ----               | ----            | ----               | /296.20A | 326.30B/296.20A   | ----               | ----                | ---- | 316.00 - 12.50           | .5419 | ----  | ----          | ----                     | ----              | ----          | 58               | UNCH |  |                   |  |      |
| 4710           | ---- | ----               | ----            | ----               | /302.10A | 332.40B/302.10A   | ----               | ----                | ---- | 322.00 - 12.50           | .5479 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4725           | ---- | ----               | ----            | ----               | /310.80A | 341.70B/310.80A   | ----               | ----                | ---- | 331.20 - 12.50           | .5569 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4750           | ---- | ----               | ----            | ----               | /325.70A | 358.30B/325.70A   | ----               | ----                | ---- | 346.70 - 12.70           | .5717 | ----  | ----          | ----                     | ----              | ----          | 20               | UNCH |  |                   |  |      |
| 4755           | ---- | ----               | ----            | ----               | /328.00A | 360.80B/328.00A   | ----               | ----                | ---- | 349.90 - 12.70           | .5747 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4800           | ---- | ----               | ----            | ----               | /358.50A | 391.20B/358.50A   | ----               | ----                | ---- | 379.00 - 13.00           | .6007 | ----  | ----          | ----                     | ----              | ----          | 13               | UNCH |  |                   |  |      |
| 4820           | ---- | ----               | ----            | ----               | /371.40A | 400.80B/371.40A   | ----               | ----                | ---- | 392.30 - 13.30           | .6120 | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4840           | ---- | ----               | ----            | ----               | /384.50A | 410.60B/384.50A   | ----               | ----                | ---- | 405.70 - 13.70           | .6232 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4845           | ---- | ----               | ----            | ----               | /387.70A | 414.00B/387.70A   | ----               | ----                | ---- | 409.20 - 13.60           | .6259 | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |                   |  |      |
| 4850           | ---- | ----               | ----            | ----               | /391.00A | 417.50B/391.00A   | ----               | ----                | ---- | 412.60 - 13.70           | .6286 | ----  | ----          | ----                     | ----              | ----          | 8                | UNCH |  |                   |  |      |
| 4900           | ---- | ----               | ----            | ----               | /425.00A | 452.90B/425.00A   | ----               | ----                | ---- | 447.70 - 14.30           | .6553 | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |  |                   |  |      |
| 4915           | ---- | ----               | ----            | ----               | /435.40A | 463.80B/435.40A   | ----               | ----                | ---- | 458.50 - 14.50           | .6630 | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |                   |  |      |
| 4935           | ---- | ----               | ----            | ----               | /449.60A | 478.50B/449.60A   | ----               | ----                | ---- | 473.20 - 14.60           | .6731 | ----  | ----          | ----                     | ----              | ----          | 25               | UNCH |  |                   |  |      |
| 4950           | ---- | ----               | ----            | ----               | /460.30A | 489.60B/460.30A   | ----               | ----                | ---- | 484.30 - 14.70           | .6805 | ----  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |                   |  |      |
| 4960           | ---- | ----               | ----            | ----               | /467.50A | 497.10B/467.50A   | ----               | ----                | ---- | 491.80 - 14.70           | .6853 | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 5000           | ---- | ----               | ----            | ----               | /496.80A | 524.60B/496.80A   | ----               | ----                | ---- | 522.20 - 14.80           | .7041 | ----  | ----          | ----                     | ----              | ----          | 255              | UNCH |  |                   |  |      |
| 5020           | ---- | ----               | ----            | ----               | /511.90A | 531.10B/511.90A</ |                    |                     |      |                          |       |       |               |                          |                   |               |                  |      |  |                   |  |      |

| PG64   |        | BULLETIN #104@     |                        |                 |                    |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |      |  |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |
|--------|--------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|--|-------------------|--|------|--|--|--|
|        |        | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |                   |  |      |  |  |  |
| OG PUT |        | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| DEC26  |        |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4025   | ----   | ----               | ----                   | ----            | /78.80A            | 85.00B/78.80A              | ----                    | ----            | 83.80 - 5.80             | .1874 | ----          | ----                     | ----              | ----          | 220              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4050   | ----   | ----               | ----                   | ----            | /83.40A            | 90.20B/83.40A              | ----                    | ----            | 88.80 - 6.00             | .1969 | ----          | ----                     | ----              | ----          | 216              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4060   | ----   | ----               | ----                   | ----            | /85.60A            | 92.20B/85.60A              | ----                    | ----            | 90.90 - NEW              | .2008 | ----          | ----                     | ----              | 100           | +                | 100  |  |  |  |  |  |                   |  |      |  |  |  |
| 4070   | ----   | ----               | ----                   | ----            | /87.50A            | 94.60B/87.50A              | ----                    | ----            | 93.00 - 6.10             | .2047 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4090   | ----   | ----               | ----                   | ----            | /91.70A            | 98.90B/91.70A              | ----                    | ----            | 97.50 - 6.20             | .2129 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4100   | ----   | ----               | ----                   | ----            | /93.60A            | 101.50B/93.60A             | ----                    | ----            | 99.70 - 6.30             | .2169 | ----          | ----                     | ----              | ----          | 396              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4130   | ----   | ----               | ----                   | ----            | /100.30A           | 108.60B/100.30A            | ----                    | ----            | 106.90 - 6.50            | .2297 | ----          | ----                     | ----              | ----          | 30               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4150   | ----   | ----               | ----                   | ----            | /105.00A           | 113.70B/105.00A            | ----                    | ----            | 111.90 - 6.60            | .2384 | ----          | ----                     | ----              | ----          | 93               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4160   | ----   | ----               | ----                   | ----            | /107.40A           | 116.40B/107.40A            | ----                    | ----            | 114.50 - 6.70            | .2429 | ----          | ----                     | ----              | ----          | 252              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4165   | ----   | ----               | ----                   | ----            | /108.70A           | 117.60B/108.70A            | ----                    | ----            | 115.80 - 6.80            | .2451 | ----          | ----                     | ----              | ----          | 28               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4170   | ----   | ----               | ----                   | ----            | /110.10A           | 118.70B/110.10A            | ----                    | ----            | 117.10 - 6.90            | .2473 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4175   | ----   | ----               | ----                   | ----            | /111.20A           | 120.30B/111.20A            | ----                    | ----            | 118.50 - 6.80            | .2497 | ----          | ----                     | ----              | ----          | 66               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4200   | 122.50 | 122.50             | 127.50B/117.50A        | 127.50B/117.50A | 127.50B/117.50A    | 127.50B/117.50A            | 125.40 - 7.10           | .2612           | 125.40 - 7.10            | .2612 | 133           | 1395 +                   | 52                | UNCH          |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4205   | ----   | ----               | ----                   | ----            | /118.90A           | 128.80B/118.90A            | ----                    | ----            | 126.80 - 7.20            | .2635 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4215   | ----   | ----               | ----                   | ----            | /121.60A           | 131.80B/121.60A            | ----                    | ----            | 129.70 - 7.30            | .2683 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4230   | ----   | ----               | ----                   | ----            | /125.80A           | 136.20B/125.80A            | ----                    | ----            | 134.10 - 7.50            | .2754 | ----          | ----                     | ----              | ----          | 150              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4235   | ----   | ----               | ----                   | ----            | /127.10A           | 137.80B/127.10A            | ----                    | ----            | 135.60 - 7.60            | .2779 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4250   | ----   | ----               | ----                   | ----            | /131.50A           | 142.50B/131.50A            | ----                    | ----            | 140.20 - 7.80            | .2852 | ----          | ----                     | 100               | 478 +         | 100              |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4265   | ----   | ----               | ----                   | ----            | /135.90A           | 147.10B/135.90A            | ----                    | ----            | 144.90 - 8.10            | .2926 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4290   | ----   | ----               | ----                   | ----            | /143.80A           | 155.10B/143.80A            | ----                    | ----            | 153.00 - 8.60            | .3052 | ----          | 401                      | 1                 | UNCH          |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4300   | 151.00 | 151.00             | 159.20B/146.70A        | 159.20B/146.70A | 159.20B/146.70A    | 159.20B/146.70A            | 156.40 - 8.70           | .3103           | 156.40 - 8.70            | .3103 | 401           | 2388 -                   | 323               | UNCH          |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4320   | ----   | ----               | ----                   | ----            | /153.20A           | 165.90B/153.20A            | ----                    | ----            | 163.30 - 9.10            | .3206 | ----          | ----                     | ----              | ----          | 124              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4325   | ----   | ----               | ----                   | ----            | /154.90A           | 167.90B/154.90A            | ----                    | ----            | 165.10 - 9.10            | .3232 | ----          | ----                     | ----              | ----          | 559              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4340   | ----   | ----               | ----                   | ----            | /160.00A           | 173.30B/160.00A            | ----                    | ----            | 170.40 - 9.50            | .3311 | ----          | ----                     | ----              | ----          | 82               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4350   | ----   | ----               | ----                   | ----            | /163.50A           | 177.10B/163.50A            | ----                    | ----            | 174.10 - 9.60            | .3364 | ----          | ----                     | ----              | ----          | 161              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4365   | ----   | ----               | ----                   | ----            | /168.70A           | 182.80B/168.70A            | ----                    | ----            | 179.70 - 9.90            | .3444 | ----          | ----                     | ----              | ----          | 195              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4375   | ----   | ----               | ----                   | ----            | /172.30A           | 186.70B/172.30A            | ----                    | ----            | 183.50 - 10.10           | .3498 | ----          | ----                     | 100               | 106 +         | 100              |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4385   | ----   | ----               | ----                   | ----            | /175.90A           | 190.70B/175.90A            | ----                    | ----            | 187.40 - 10.20           | .3552 | ----          | ----                     | ----              | ----          | 75               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4390   | ----   | ----               | ----                   | ----            | /177.80A           | 192.70B/177.80A            | ----                    | ----            | 189.30 - 10.30           | .3579 | ----          | ----                     | ----              | ----          | 200              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4400   | 189.40 | 189.40             | 189.40/181.50A         | 189.40/181.50A  | 189.40/181.50A     | 189.40/181.50A             | 193.30 - 10.40          | .3633           | 193.30 - 10.40           | .3633 | 3             | 327                      | UNCH              |               |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4425   | ----   | ----               | ----                   | ----            | /191.00A           | 207.40B/191.00A            | ----                    | ----            | 203.50 - 10.80           | .3771 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4430   | ----   | ----               | ----                   | ----            | /192.80A           | 209.50B/192.80A            | ----                    | ----            | 205.60 - 10.80           | .3799 | ----          | ----                     | ----              | ----          | 31               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4435   | ----   | ----               | ----                   | ----            | /194.90A           | 211.70B/194.90A            | ----                    | ----            | 207.70 - 10.90           | .3826 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4440   | ----   | ----               | ----                   | ----            | /196.90A           | 213.90B/196.90A            | ----                    | ----            | 209.80 - 10.90           | .3854 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4450   | ----   | ----               | ----                   | ----            | /200.90A           | 218.50B/200.90A            | ----                    | ----            | 214.10 - 11.00           | .3910 | ----          | 10                       | 269 +             | 9             |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4470   | ----   | ----               | ----                   | ----            | /209.20A           | 227.40B/209.20A            | ----                    | ----            | 222.80 - 11.30           | .4022 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4475   | ----   | ----               | ----                   | ----            | /211.20A           | 229.60B/211.20A            | ----                    | ----            | 225.00 - 11.40           | .4050 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4480   | ----   | ----               | ----                   | ----            | /213.30A           | 232.00B/213.30A            | ----                    | ----            | 227.30 - 11.30           | .4078 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4490   | ----   | ----               | ----                   | ----            | /217.60A           | 236.70B/217.60A            | ----                    | ----            | 231.80 - 11.50           | .4134 | ----          | ----                     | ----              | ----          | 17               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4500   | ----   | ----               | ----                   | ----            | /221.90A           | 241.40B/221.90A            | ----                    | ----            | 236.40 - 11.50           | .4191 | ----          | 4                        | 1236              | UNCH          |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4510   | ----   | ----               | ----                   | ----            | /226.20A           | 246.20B/226.20A            | ----                    | ----            | 241.10 - 11.60           | .4248 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4515   | ----   | ----               | ----                   | ----            | /228.50A           | 248.90B/228.50A            | ----                    | ----            | 243.40 - 11.70           | .4276 | ----          | ----                     | ----              | ----          | 247              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4520   | ----   | ----               | ----                   | ----            | /230.80A           | 251.30B/230.80A            | ----                    | ----            | 245.80 - 11.70           | .4304 | ----          | ----                     | ----              | ----          | 25               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4525   | ----   | ----               | ----                   | ----            | /233.00A           | 253.60B/233.00A            | ----                    | ----            | 248.20 - 11.70           | .4333 | ----          | ----                     | ----              | ----          | 240              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4530   | ----   | ----               | ----                   | ----            | /235.20A           | 256.00B/235.20A            | ----                    | ----            | 250.60 - 11.70           | .4361 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4535   | ----   | ----               | ----                   | ----            | /237.60A           | 258.80B/237.60A            | ----                    | ----            | 253.00 - 11.80           | .4390 | ----          | ----                     | ----              | ----          | 102              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4540   | ----   | ----               | ----                   | ----            | /239.90A           | 261.00B/239.90A            | ----                    | ----            | 255.40 - 11.90           | .4418 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4550   | ----   | ----               | ----                   | ----            | /244.50A           | 266.10B/244.50A            | ----                    | ----            | 260.40 - 11.80           | .4475 | ----          | ----                     | ----              | ----          | 19               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4555   | ----   | ----               | ----                   | ----            | /246.80A           | 268.70B/246.80A            | ----                    | ----            | 262.80 - 12.00           | .4504 | ----          | ----                     | ----              | ----          | 50               | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4570   | ----   | ----               | ----                   | ----            | /254.00A           | 276.60B/254.00A            | ----                    | ----            | 270.40 - 12.00           | .4589 | ----          | 3                        | 8 +               | 3             |                  |      |  |  |  |  |  |                   |  |      |  |  |  |
| 4575   | ----   | ----               | ----                   | ----            | /256.30A           | 279.10B/256.30A            | ----                    | ----            | 272.90 - 12.10           | .4618 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |      |  |  |  |
| 4580   | ----   | ----               | ----                   | ----            | /258.80A           | 281.70B/258.80A            | ----                    | ----            | 275.50 - 12.00           | .4646 | ----          | ----                     | ----              | ----          | 150              | UNCH |  |  |  |  |  |                   |  |      |  |  |  |

| PG64   |       | BULLETIN #104@     |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |      |      |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |
|--------|-------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|------|------|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|
|        |       | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| OG PUT |       | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| JAN27  |       |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 3980   |       |                    |              |                 | ---/82.00A         | 86.60B/82.00A    | ----               |               |                 | 86.50 - 6.00             | .1763 | ----                   | ----                     | ----              | ----          |                  | 1    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4000   | 87.30 | 87.30              |              |                 | 90.90B/85.50A      | 90.90B/85.50A    | ----               |               |                 | 90.30 - 6.20             | .1829 | ----                   | ----                     | 1                 | ----          | 4 +              | 1    |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4025   |       |                    |              |                 | ---/90.20A         | 95.90B/90.20A    | ----               |               |                 | 95.30 - 6.50             | .1914 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4070   |       |                    |              |                 | ---/99.30A         | 105.50B/99.30A   | ----               |               |                 | 104.90 - 6.90            | .2075 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4100   |       |                    |              |                 | ---/105.90A        | 112.40B/105.90A  | ----               |               |                 | 111.90 - 7.00            | .2189 | ----                   | ----                     | ----              | ----          | 8                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4200   |       |                    |              |                 | ---/130.50A        | 138.80B/130.50A  | ----               |               |                 | 137.90 - 7.70            | .2593 | ----                   | ----                     | ----              | ----          | 3                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4350   |       |                    |              |                 | ---/176.50A        | 188.10B/176.50A  | ----               |               |                 | 186.40 - 8.40            | .3275 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4400   |       |                    |              |                 | ---/194.50A        | 207.10B/194.50A  | ----               |               |                 | 205.30 - 8.60            | .3518 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4500   |       |                    |              |                 | ---/234.30A        | 250.40B/234.30A  | ----               |               |                 | 247.30 - 9.00            | .4021 | ----                   | ----                     | ----              | ----          | 3                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4575   |       |                    |              |                 | ---/268.00A        | 285.50B/268.00A  | ----               |               |                 | 282.60 - 9.30            | .4407 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4585   |       |                    |              |                 | ---/272.70A        | 291.00B/272.70A  | ----               |               |                 | 287.50 - 9.40            | .4459 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4600   |       |                    |              |                 | ---/279.90A        | 297.90B/279.90A  | ----               |               |                 | 295.10 - 9.40            | .4537 | ----                   | ----                     | ----              | ----          | 3                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4610   |       |                    |              |                 | ---/284.80A        | 303.00B/284.80A  | ----               |               |                 | 300.20 - 9.50            | .4588 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4620   |       |                    |              |                 | ---/289.70A        | 308.90B/289.70A  | ----               |               |                 | 305.30 - 9.60            | .4640 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4630   |       |                    |              |                 | ---/294.70A        | 313.80B/294.70A  | ----               |               |                 | 310.50 - 9.60            | .4692 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4650   |       |                    |              |                 | ---/304.80A        | 324.90B/304.80A  | ----               |               |                 | 321.10 - 9.80            | .4795 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4660   |       |                    |              |                 | ---/310.00A        | 330.30B/310.00A  | ----               |               |                 | 326.50 - 9.80            | .4846 | ----                   | ----                     | ----              | ----          | 4                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4665   |       |                    |              |                 | ---/312.60A        | 333.10B/312.60A  | ----               |               |                 | 329.20 - 9.80            | .4872 | ----                   | ----                     | ----              | ----          | 4                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4700   |       |                    |              |                 | ---/331.10A        | 350.20B/331.10A  | ----               |               |                 | 348.60 - 10.10           | .5051 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4710   |       |                    |              |                 | ---/336.60A        | 356.00B/336.60A  | ----               |               |                 | 354.30 - 10.10           | .5101 | ----                   | ----                     | ----              | ----          | 4                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4760   |       |                    |              |                 | ---/366.50A        | 385.80B/366.50A  | ----               |               |                 | 383.50 - 10.40           | .5352 | ----                   | ----                     | ----              | ----          | 100              | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4800   |       |                    |              |                 | ---/390.00A        | 410.60B/390.00A  | ----               |               |                 | 407.80 - 10.80           | .5550 | ----                   | ----                     | ----              | ----          | 6                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4820   |       |                    |              |                 | ---/402.10A        | 422.90B/402.10A  | ----               |               |                 | 420.30 - 11.00           | .5647 | ----                   | ----                     | ----              | ----          | 6                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4860   |       |                    |              |                 | ---/426.90A        | 449.00B/426.90A  | ----               |               |                 | 445.90 - 11.40           | .5837 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4960   |       |                    |              |                 | ---/492.70A        | 516.50B/492.70A  | ----               |               |                 | 513.40 - 12.50           | .6292 | ----                   | ----                     | ----              | ----          | 42               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4980   |       |                    |              |                 | ---/506.10A        | 530.80B/506.10A  | ----               |               |                 | 527.50 - 12.80           | .6380 | ----                   | ----                     | ----              | ----          | 9                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4990   |       |                    |              |                 | ---/513.00A        | 537.90B/513.00A  | ----               |               |                 | 534.60 - 12.90           | .6422 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4995   |       |                    |              |                 | ---/516.40A        | 541.40B/516.40A  | ----               |               |                 | 538.20 - 13.00           | .6444 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5000   |       |                    |              |                 | ---/520.00A        | 545.10B/520.00A  | ----               |               |                 | 541.70 - 13.10           | .6465 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5050   |       |                    |              |                 | ---/555.70A        | 581.70B/555.70A  | ----               |               |                 | 578.10 - 13.90           | .6672 | ----                   | ----                     | ----              | ----          | 100              | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5085   |       |                    |              |                 | ---/580.90A        | 608.00B/580.90A  | ----               |               |                 | 604.30 - 14.30           | .6811 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5150   |       |                    |              |                 | ---/629.50A        | 655.20B/629.50A  | ----               |               |                 | 654.10 - 15.30           | .7057 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5235   |       |                    |              |                 |                    | 603.00B/816.10A  | ----               |               |                 | 721.50 - 16.30           | .7353 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5245   |       |                    |              |                 |                    | 611.10B/824.10A  | ----               |               |                 | 729.60 - 16.40           | .7386 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5300   |       |                    |              |                 |                    | 656.30B/868.60A  | ----               |               |                 | 774.70 - 16.60           | .7559 | ----                   | ----                     | ----              | ----          | 44               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| TOTAL  |       |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          | 2                 |               | 676 +            | 2    |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| FEB27  |       |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 2800   | ----  | ----               |              |                 | ----               | 6.70B/11.80A     | ----               |               |                 | 9.60 - 0.70              | .0196 | ----                   | ----                     | ----              | ----          | 4                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 3400   |       |                    |              |                 | ----               | 26.30B/32.20A    | ----               |               |                 | 30.00 - 2.00             | .0626 | ----                   | ----                     | ----              | ----          | 11               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4000   |       |                    |              |                 | ---/98.50A         | 104.20B/98.50A   | ----               |               |                 | 103.60 - 6.40            | .1937 | ----                   | ----                     | ----              | ----          | 11               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4025   |       |                    |              |                 | ---/103.60A        | 109.80B/103.60A  | ----               |               |                 | 109.00 - 6.70            | .2021 | ----                   | ----                     | ----              | ----          | 35               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4070   |       |                    |              |                 | ---/113.60A        | 120.00B/113.60A  | ----               |               |                 | 119.30 - 7.20            | .2179 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4200   |       |                    |              |                 | ---/146.90A        | 155.40B/146.90A  | ----               |               |                 | 154.20 - 8.40            | .2681 | ----                   | ----                     | ----              | ----          | 50               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4330   |       |                    |              |                 | ---/187.50A        | 198.60B/187.50A  | ----               |               |                 | 197.20 - 9.50            | .3241 | ----                   | ----                     | ----              | ----          | 6                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4370   |       |                    |              |                 | ---/201.60A        | 214.20B/201.60A  | ----               |               |                 | 212.20 - 9.70            | .3422 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4400   |       |                    |              |                 | ---/212.80A        | 226.10B/212.80A  | ----               |               |                 | 223.90 - 10.10           | .3561 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4440   |       |                    |              |                 | ---/228.40A        | 242.60B/228.40A  | ----               |               |                 | 240.40 - 10.30           | .3749 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4500   |       |                    |              |                 | ---/253.30A        | 269.80B/253.30A  | ----               |               |                 | 266.80 - 10.60           | .4035 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4600   |       |                    |              |                 | ---/299.10A        | 318.90B/299.10A  | ----               |               |                 | 315.10 - 11.20           | .4519 | ----                   | ----                     | ----              | ----          | 17               | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4630   |       |                    |              |                 | ---/314.80A        | 335.00B/314.80A  | ----               |               |                 | 330.70 - 11.30           | .4664 | ----                   | ----                     | ----              | ----          | 9                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4635   |       |                    |              |                 | ---/316.40A        | 337.40B/316.40A  | ----               |               |                 | 333.40 - 11.30           | .4689 | ----                   | ----                     | ----              | ----          | 2                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4650   |       |                    |              |                 | ---/324.00A        | 345.60B/324.00A  | ----               |               |                 | 341.40 - 11.40           | .4761 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4655   |       |                    |              |                 | ---/326.60A        | 348.30B/326.60A  | ----               |               |                 | 344.10 - 11.40           | .4785 | ----                   | ----                     | ----              | ----          | 1                | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4660   |       |                    |              |                 | ---/329.30A        | 351.10B/329.30A  | ----               |               |                 | 346.80 - 11.40           | .4809 | ----                   | ----                     | ----              | ----          | 435              | UNCH |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 4665   |       |                    |              |                 | ---/331            |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |



| BULLETIN #104@ |                    |              |                 | METALS OPTION PRODUCTS |                   |                 |                 |                          |        |               |                          |                   |               | Tue, Jun 02, 2026 |      |                  |  | PG64 |  |
|----------------|--------------------|--------------|-----------------|------------------------|-------------------|-----------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|---------------|-------------------|------|------------------|--|------|--|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW  | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |                   |      | OPEN<br>INTEREST |  |      |  |
| OG PUT         | COMEX GOLD OPTIONS |              |                 |                        |                   |                 |                 |                          |        |               |                          |                   |               |                   |      |                  |  |      |  |
| JUN27          | ----               | ----         | ----            | ----                   | 1.00B/162.90A     | ----            | ----            | 79.60 - 2.00             | .1217  | ----          | ----                     | ----              | ----          | ----              | 450  | UNCH             |  |      |  |
| 3625           | ----               | ----         | ----            | ----                   | 180.10B/892.90A   | ----            | ----            | 524.70 - 7.60            | .5318  | ----          | ----                     | ----              | ----          | ----              | 1    | UNCH             |  |      |  |
| 4900           | ----               | ----         | ----            | ----                   | 180.50B/898.00A   | ----            | ----            | 527.80 - 7.60            | .5336  | ----          | ----                     | ----              | ----          | ----              | 1    | UNCH             |  |      |  |
| 4905           | ----               | ----         | ----            | ----                   | 183.10B/1146.80A  | ----            | ----            | 645.10 - 8.30            | .5963  | ----          | ----                     | ----              | ----          | ----              | 150  | UNCH             |  |      |  |
| 5085           | ----               | ----         | ----            | ----                   |                   |                 |                 |                          |        |               |                          |                   |               |                   | 606  | 0                |  |      |  |
| TOTAL          |                    |              |                 |                        |                   |                 |                 |                          |        |               |                          |                   |               |                   |      |                  |  |      |  |
| DEC27          | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 140.40 - 2.40            | .1554  | ----          | ----                     | ----              | ----          | ----              | 100  | UNCH             |  |      |  |
| 3700           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 143.10 - 2.40            | .1582  | ----          | ----                     | ----              | ----          | ----              | 150  | UNCH             |  |      |  |
| 3715           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 163.00 - 2.70            | .1781  | ----          | ----                     | ----              | ----          | ----              | 50   | UNCH             |  |      |  |
| 3820           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 236.00 - 3.70            | .2472  | ----          | ----                     | ----              | ----          | ----              | 168  | UNCH             |  |      |  |
| 4130           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 362.00 - 5.10            | .3495  | ----          | ----                     | ----              | ----          | ----              | 270  | UNCH             |  |      |  |
| 4500           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 418.60 - 5.60            | .3892  | ----          | ----                     | ----              | ----          | ----              | 284  | UNCH             |  |      |  |
| 4630           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 535.10 - 6.50            | .4606  | ----          | ----                     | ----              | ----          | ----              | 100  | UNCH             |  |      |  |
| 4860           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 615.90 - 7.10            | .5025  | ----          | ----                     | ----              | ----          | ----              | 50   | UNCH             |  |      |  |
| 5000           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 1068.00 - 9.20           | .6672  | ----          | ----                     | ----              | ----          | ----              | 200  | UNCH             |  |      |  |
| 5650           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 1250.10 - 9.70           | .7128  | ----          | ----                     | ----              | ----          | ----              | 200  | UNCH             |  |      |  |
| 5880           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            |                          |        |               |                          |                   |               |                   | 1572 | 0                |  |      |  |
| TOTAL          |                    |              |                 |                        |                   |                 |                 |                          |        |               |                          |                   |               |                   |      |                  |  |      |  |
| JAN28          | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 613.30 - 6.90            | .4883  | ----          | ----                     | ----              | ----          | ----              | 1    | UNCH             |  |      |  |
| 5000           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 674.00 - 7.30            | .5164  | ----          | ----                     | ----              | ----          | ----              | 1    | UNCH             |  |      |  |
| 5100           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            |                          |        |               |                          |                   |               |                   | 2    | 0                |  |      |  |
| TOTAL          |                    |              |                 |                        |                   |                 |                 |                          |        |               |                          |                   |               |                   |      |                  |  |      |  |
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW  | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |                   |      | OPEN<br>INTEREST |  |      |  |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                        |                   |                 |                 |                          |        |               |                          |                   |               |                   |      |                  |  |      |  |
| JUL26          | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 2519.90 + 13.60          | 1.0000 | 600           | ----                     | 600               | ----          | 0                 |      | UNCH             |  |      |  |
| 2000           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 1519.90 + 13.60          | 1.0000 | 100           | ----                     | 100               | ----          | 0                 |      | UNCH             |  |      |  |
| 3000           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 1219.90 + 13.60          | .9976  | ----          | ----                     | ----              | ----          | 2                 |      | UNCH             |  |      |  |
| 3300           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 1119.90 + 13.50          | .9963  | 12            | ----                     | 12                | ----          | 19                | -    | 1                |  |      |  |
| 3400           | ----               | ----         | ----            | 1,154.70B/----         | 1154.70B/1112.50A | ----            | ----            | 1020.10 + 13.40          | .9943  | ----          | ----                     | ----              | ----          | 5                 |      | UNCH             |  |      |  |
| 3500           | ----               | ----         | ----            | 1,055.00B/----         | 1055.00B/1012.60A | ----            | ----            | 920.50 + 13.30           | .9917  | ----          | ----                     | ----              | ----          | 24                |      | UNCH             |  |      |  |
| 3600           | ----               | ----         | ----            | 955.30B/----           | 955.30B/912.80A   | ----            | ----            | 870.70 + 13.20           | .9897  | ----          | ----                     | ----              | ----          | 10                |      | UNCH             |  |      |  |
| 3650           | ----               | ----         | ----            | 905.50B/----           | 905.50B/863.00A   | ----            | ----            | 850.80 + 13.20           | .9890  | ----          | ----                     | ----              | ----          | 3                 |      | UNCH             |  |      |  |
| 3670           | ----               | ----         | ----            | 885.70B/----           | 885.70B/843.00A   | ----            | ----            | 821.00 + 13.10           | .9877  | ----          | ----                     | ----              | ----          | 119               |      | UNCH             |  |      |  |
| 3700           | ----               | ----         | ----            | 855.80B/----           | 855.80B/813.20A   | ----            | ----            | 786.30 + 13.10           | .9862  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 3735           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 746.60 + 13.00           | .9840  | ----          | ----                     | ----              | ----          | 4                 |      | UNCH             |  |      |  |
| 3775           | ----               | ----         | ----            | 781.40B/----           | 781.40B/738.70A   | ----            | ----            | 721.80 + 12.90           | .9826  | ----          | ----                     | ----              | ----          | 2055              |      | UNCH             |  |      |  |
| 3800           | ----               | ----         | ----            | 759.90B/----           | 759.90B/712.70A   | ----            | ----            | 697.00 + 12.80           | .9810  | ----          | ----                     | ----              | ----          | 3                 |      | UNCH             |  |      |  |
| 3825           | ----               | ----         | ----            | 731.80B/----           | 731.80B/689.10A   | ----            | ----            | 672.30 + 12.70           | .9789  | ----          | ----                     | ----              | ----          | 65                |      | UNCH             |  |      |  |
| 3850           | ----               | ----         | ----            | 707.10B/----           | 707.10B/664.40A   | ----            | ----            | 662.40 + 12.60           | .9781  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 3860           | ----               | ----         | ----            | ----                   | ----              | ----            | ----            | 657.50 + 12.60           | .9775  | ----          | ----                     | ----              | ----          | 7                 |      | UNCH             |  |      |  |
| 3865           | ----               | ----         | ----            | 692.20B/----           | 692.20B/649.60A   | ----            | ----            | 647.60 + 12.60           | .9767  | ----          | ----                     | ----              | ----          | 25                |      | UNCH             |  |      |  |
| 3875           | ----               | ----         | ----            | 682.30B/----           | 682.30B/639.70A   | ----            | ----            | 622.90 + 12.40           | .9744  | ----          | ----                     | ----              | ----          | 18                |      | UNCH             |  |      |  |
| 3900           | ----               | ----         | ----            | 657.70B/----           | 657.70B/615.10A   | ----            | ----            | 598.30 + 12.20           | .9715  | ----          | ----                     | ----              | ----          | 35                |      | UNCH             |  |      |  |
| 3925           | ----               | ----         | ----            | 646.70B/574.90A        | 646.70B/574.90A   | ----            | ----            | 573.70 + 12.00           | .9684  | ----          | ----                     | ----              | ----          | 821               |      | UNCH             |  |      |  |
| 3950           | ----               | ----         | ----            | 622.50B/550.10A        | 622.50B/550.10A   | ----            | ----            | 563.90 + 12.00           | .9675  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 3960           | ----               | ----         | ----            | 612.30B/540.70A        | 612.30B/540.70A   | ----            | ----            | 524.80 + 11.60           | .9609  | ----          | ----                     | ----              | ----          | 29                |      | UNCH             |  |      |  |
| 4000           | ----               | ----         | ----            | 573.10B/501.90A        | 573.10B/501.90A   | ----            | ----            | 505.30 + 11.40           | .9572  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4020           | ----               | ----         | ----            | 553.80B/482.60A        | 553.80B/482.60A   | ----            | ----            | 485.80 + 11.10           | .9533  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4040           | ----               | ----         | ----            | 534.10B/463.40A        | 534.10B/463.40A   | ----            | ----            | 456.80 + 10.80           | .9460  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4070           | ----               | ----         | ----            | 505.10B/434.80A        | 505.10B/434.80A   | ----            | ----            | 452.00 + 10.70           | .9451  | ----          | ----                     | ----              | ----          | 6                 |      | UNCH             |  |      |  |
| 4075           | ----               | ----         | ----            | 500.30B/430.00A        | 500.30B/430.00A   | ----            | ----            | 432.80 + 10.50           | .9393  | ----          | ----                     | ----              | ----          | 4                 |      | UNCH             |  |      |  |
| 4095           | ----               | ----         | ----            | 481.20B/410.90A        | 481.20B/410.90A   | ----            | ----            | 428.00 + 10.40           | .9378  | ----          | ----                     | ----              | ----          | 194               |      | UNCH             |  |      |  |
| 4100           | ----               | ----         | ----            | 476.40B/406.00A        | 476.40B/406.00A   | ----            | ----            | 423.20 + 10.30           | .9363  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4105           | ----               | ----         | ----            | 471.20B/401.30A        | 471.20B/401.30A   | ----            | ----            | 418.40 + 10.20           | .9348  | ----          | ----                     | ----              | ----          | 3                 |      | UNCH             |  |      |  |
| 4110           | ----               | ----         | ----            | 466.60B/396.60A        | 466.60B/396.60A   | ----            | ----            | 413.70 + 10.20           | .9333  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4115           | ----               | ----         | ----            | 461.80B/392.10A        | 461.80B/392.10A   | ----            | ----            | 385.20 + 9.60            | .9224  | ----          | ----                     | ----              | ----          | 28                |      | UNCH             |  |      |  |
| 4145           | ----               | ----         | ----            | 433.20B/364.00A        | 433.20B/364.00A   | ----            | ----            | 380.40 + 9.40            | .9203  | ----          | ----                     | ----              | ----          | 37                |      | UNCH             |  |      |  |
| 4150           | ----               | ----         | ----            | 428.10B/359.60A        | 428.10B/359.60A   | ----            | ----            | 423.70B/355.10A          | .9182  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4155           | ----               | ----         | ----            | 423.70B/355.10A        | 423.70B/355.10A   | ----            | ----            | 371.00 + 9.20            | .9160  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4160           | ----               | ----         | ----            | 418.50B/350.20A        | 418.50B/350.20A   | ----            | ----            | 343.00 + 8.50            | .9023  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4190           | ----               | ----         | ----            | 390.50B/323.20A        | 390.50B/323.20A   | ----            | ----            | 333.80 + 8.30            | .8973  | ----          | ----                     | ----              | ----          | 9                 |      | UNCH             |  |      |  |
| 4200           | ----               | ----         | ----            | 381.00B/314.30A        | 381.00B/314.30A   | ----            | ----            | 320.00 + 7.80            | .8889  | ----          | ----                     | ----              | ----          | 25                |      | UNCH             |  |      |  |
| 4215           | ----               | ----         | ----            | 367.30B/301.10A        | 367.30B/301.10A   | ----            | ----            | 315.40 + 7.60            | .8856  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4220           | ----               | ----         | ----            | 362.90B/296.50A        | 362.90B/296.50A   | ----            | ----            | 310.90 + 7.50            | .8827  | ----          | ----                     | ----              | ----          | 2                 |      | UNCH             |  |      |  |
| 4225           | ----               | ----         | ----            | 358.00B/292.10A        | 358.00B/292.10A   | ----            | ----            | 301.80 + 7.20            | .8761  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4235           | ----               | ----         | ----            | 348.80B/283.40A        | 348.80B/283.40A   | ----            | ----            | 297.30 + 7.00            | .8727  | ----          | ----                     | ----              | ----          | 39                |      | UNCH             |  |      |  |
| 4240           | ----               | ----         | ----            | 344.30B/279.20A        | 344.30B/279.20A   | ----            | ----            | 292.90 + 6.90            | .8693  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4245           | ----               | ----         | ----            | 339.60B/274.60A        | 339.60B/274.60A   | ----            | ----            | 288.40 + 6.80            | .8659  | ----          | ----                     | ----              | ----          | 318               |      | UNCH             |  |      |  |
| 4250           | ----               | ----         | ----            | 335.20B/270.60A        | 335.20B/270.60A   | ----            | ----            | 284.00 + 6.60            | .8620  | ----          | ----                     | ----              | ----          | 1                 |      | UNCH             |  |      |  |
| 4255           | ----               | ----         | ----            | 330.90B/266.20A</      |                   |                 |                 |                          |        |               |                          |                   |               |                   |      |                  |  |      |  |

| PG64    |       | BULLETIN #104@     |                                 |                    |                            |                                  |                          |        |       |               |                          | METALS OPTION PRODUCTS |               |                  |      |  |  |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---------|-------|--------------------|---------------------------------|--------------------|----------------------------|----------------------------------|--------------------------|--------|-------|---------------|--------------------------|------------------------|---------------|------------------|------|--|--|--|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|--|--|--|--|
|         |       | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE<br>RANGE | SETT.PRICE<br>& PT.CHGE. |        | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME      | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| OG CALL |       | COMEX GOLD OPTIONS |                                 |                    |                            |                                  |                          |        |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| JUL26   |       |                    |                                 |                    |                            |                                  |                          |        |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4630    | 54.00 | 54.00              |                                 | 72.60B/46.30A      | 72.60B/46.30A              | ----                             | 49.10                    | - 2.80 | .3255 | ----          | ----                     | 28                     | ----          | 41 +             | 12   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4635    | 46.30 | 46.30              |                                 | 70.50B/44.80A      | 70.50B/44.80A              | ----                             | 47.60                    | - 2.80 | .3180 | ----          | ----                     | 3                      | ----          | 128              | UNCH |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4640    | 49.40 | 49.40              |                                 | 68.80B/43.50A      | 68.80B/43.50A              | ----                             | 46.20                    | - 2.80 | .3106 | ----          | ----                     | 7                      | ----          | 218 +            | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4645    | 46.80 | 46.80              |                                 | 66.80B/42.20A      | 66.80B/42.20A              | ----                             | 44.70                    | - 2.90 | .3030 | ----          | ----                     | 7                      | ----          | 47 +             | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4650    | 51.50 | 51.50              |                                 | 65.00B/40.90A      | 65.00B/40.90A              | ----                             | 43.40                    | - 2.80 | .2960 | ----          | ----                     | 68                     | 50            | 1420 +           | 47   |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4655    | 53.10 | 53.10              |                                 | 63.30B/39.50A      | 63.30B/39.50A              | ----                             | 42.00                    | - 2.90 | .2887 | ----          | ----                     | 8                      | ----          | 36 -             | 5    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4660    | 39.40 | 39.40              |                                 | 61.50B/38.30A      | 61.50B/38.30A              | ----                             | 40.70                    | - 2.90 | .2816 | ----          | ----                     | 8                      | ----          | 98 +             | 6    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4665    | 43.10 | 43.10              |                                 | 59.80B/37.10A      | 59.80B/37.10A              | ----                             | 39.40                    | - 3.00 | .2746 | ----          | ----                     | 8                      | ----          | 289 +            | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4670    | 45.60 | 45.60              |                                 | 58.10B/36.00A      | 58.10B/36.00A              | ----                             | 38.20                    | - 2.90 | .2679 | ----          | ----                     | 6                      | ----          | 135 -            | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4675    | 41.10 | 41.10              |                                 | 56.40B/34.80A      | 56.40B/34.80A              | ----                             | 37.00                    | - 2.90 | .2612 | ----          | ----                     | 2                      | ----          | 212 -            | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4680    | 40.50 | 40.50              |                                 | 55.00B/33.70A      | 55.00B/33.70A              | ----                             | 35.80                    | - 3.00 | .2545 | ----          | ----                     | 13                     | ----          | 176              | UNCH |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4685    | 38.10 | 38.10              |                                 | 53.40B/32.60A      | 53.40B/32.60A              | ----                             | 34.70                    | - 3.00 | .2481 | ----          | ----                     | 17                     | ----          | 28 +             | 2    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4690    | 42.40 | 42.40              |                                 | 51.90B/31.60A      | 51.90B/31.60A              | ----                             | 33.60                    | - 3.00 | .2417 | ----          | ----                     | 12                     | ----          | 23 -             | 3    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4695    | 33.20 | 33.20              |                                 | 50.30B/30.60A      | 50.30B/30.60A              | ----                             | 32.50                    | - 3.00 | .2353 | ----          | ----                     | 5                      | ----          | 41 +             | 1    |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4700    | 38.10 | 38.10              |                                 | 48.90B/29.60A      | 48.90B/29.60A              | ----                             | 31.50                    | - 2.90 | .2293 | ----          | 90                       | 60                     | 2121 +        | 48               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4705    | 35.80 | 35.80              |                                 | 47.50B/28.60       | 47.50B/28.60               | ----                             | 30.50                    | - 2.90 | .2233 | ----          | 9                        | ----                   | 46 +          | 3                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4710    | 31.10 | 31.10              |                                 | 46.20B/27.60A      | 46.20B/27.60A              | ----                             | 29.50                    | - 2.90 | .2173 | ----          | 20                       | ----                   | 208 +         | 11               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4715    | 32.90 | 32.90              |                                 | 44.80B/26.90A      | 44.80B/26.90A              | ----                             | 28.50                    | - 3.00 | .2114 | ----          | 5                        | ----                   | 21 +          | 1                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4720    | 40.70 | 40.70              |                                 | 43.50B/25.80       | 43.50B/25.80               | ----                             | 27.60                    | - 2.90 | .2058 | ----          | 70                       | ----                   | 78 -          | 7                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4725    | 30.80 | 30.80              |                                 | 42.20B/25.20A      | 42.20B/25.20A              | ----                             | 26.70                    | - 2.90 | .2002 | ----          | 8                        | ----                   | 165 -         | 5                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4730    | 36.70 | 36.70              |                                 | 40.90B/24.10       | 40.90B/24.10               | ----                             | 25.90                    | - 2.80 | .1950 | ----          | 78                       | ----                   | 121 +         | 43               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4735    | 27.80 | 27.80              |                                 | 39.80B/23.60A      | 39.80B/23.60A              | ----                             | 25.00                    | - 2.80 | .1894 | ----          | 26                       | ----                   | 81 +          | 4                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4740    | 30.60 | 30.60              |                                 | 38.70B/22.80A      | 38.70B/22.80A              | ----                             | 24.20                    | - 2.80 | .1843 | ----          | 14                       | ----                   | 33 +          | 1                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4745    | 25.30 | 25.30              |                                 | 37.40B/22.10A      | 37.40B/22.10A              | ----                             | 23.40                    | - 2.80 | .1791 | ----          | 44                       | ----                   | 220 +         | 19               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4750    | 26.50 | 26.50              |                                 | 36.40B/21.40A      | 36.40B/21.40A              | ----                             | 22.60                    | - 2.80 | .1740 | ----          | 279                      | ----                   | 2008 +        | 24               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4755    | 26.10 | 26.10              |                                 | 35.30B/20.70A      | 35.30B/20.70A              | ----                             | 21.90                    | - 2.70 | .1693 | ----          | 20                       | ----                   | 66 +          | 2                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4760    | 33.50 | 33.50              |                                 | 34.30B/19.80       | 34.30B/19.80               | ----                             | 21.20                    | - 2.60 | .1646 | ----          | 8                        | ----                   | 65 +          | 1                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4765    | 22.90 | 22.90              |                                 | 33.30B/19.40A      | 33.30B/19.40A              | ----                             | 20.50                    | - 2.60 | .1599 | ----          | 16                       | ----                   | 197 -         | 2                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4770    | 22.20 | 22.20              |                                 | 32.30B/18.80A      | 32.30B/18.80A              | ----                             | 19.80                    | - 2.60 | .1553 | ----          | 12                       | ----                   | 108 +         | 3                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4775    | 22.70 | 22.70              |                                 | 31.20B/18.10A      | 31.20B/18.10A              | ----                             | 19.10                    | - 2.70 | .1506 | ----          | 27                       | ----                   | 243 -         | 2                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4780    | 21.50 | 21.50              |                                 | 30.40B/17.60A      | 30.40B/17.60A              | ----                             | 18.50                    | - 2.60 | .1465 | ----          | 17                       | ----                   | 50 -          | 3                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4785    | 21.50 | 21.50              |                                 | 29.40B/17.00A      | 29.40B/17.00A              | ----                             | 17.90                    | - 2.60 | .1423 | ----          | 29                       | ----                   | 78 -          | 4                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4790    | 20.00 | 20.00              |                                 | 28.50B/16.50A      | 28.50B/16.50A              | ----                             | 17.30                    | - 2.60 | .1381 | ----          | 20                       | ----                   | 78 +          | 7                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4795    | 20.30 | 20.30              |                                 | 27.70B/16.00A      | 27.70B/16.00A              | ----                             | 16.80                    | - 2.50 | .1345 | ----          | 23                       | ----                   | 804 -         | 3                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4800    | 24.50 | 24.50              |                                 | 27.20/15.50A       | 27.20/15.50A               | ----                             | 16.30                    | - 2.50 | .1308 | ----          | 232                      | ----                   | 3327 +        | 29               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4805    | 20.60 | 20.60              |                                 | 26.00B/15.00A      | 26.00B/15.00A              | ----                             | 15.70                    | - 2.50 | .1267 | ----          | 20                       | ----                   | 303 -         | 3                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4810    | 19.00 | 19.00              |                                 | 25.30B/14.50A      | 25.30B/14.50A              | ----                             | 15.20                    | - 2.50 | .1231 | ----          | 16                       | ----                   | 83 +          | 2                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4815    | 16.50 | 16.50              |                                 | 24.50B/14.10       | 24.50B/14.10               | ----                             | 14.80                    | - 2.40 | .1200 | ----          | 8                        | ----                   | 52 +          | 4                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4820    | 15.70 | 15.70              |                                 | 23.80B/13.60A      | 23.80B/13.60A              | ----                             | 14.30                    | - 2.40 | .1164 | ----          | 8                        | ----                   | 64 +          | 4                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4825    | 16.90 | 16.90              |                                 | 23.10B/13.20A      | 23.10B/13.20A              | ----                             | 13.90                    | - 2.30 | .1133 | ----          | 13                       | ----                   | 670 -         | 4                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4830    | 15.80 | 15.80              |                                 | 22.40B/12.90       | 22.40B/12.90               | ----                             | 13.40                    | - 2.30 | .1098 | ----          | 13                       | ----                   | 104 +         | 7                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4835    | 14.20 | 14.20              |                                 | 21.70B/12.40A      | 21.70B/12.40A              | ----                             | 13.00                    | - 2.20 | .1068 | ----          | 9                        | ----                   | 72 -          | 5                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4840    | 13.80 | 13.80              |                                 | 21.10B/12.00A      | 21.10B/12.00A              | ----                             | 12.60                    | - 2.20 | .1037 | ----          | 110                      | ----                   | 325 +         | 67               |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4845    | 12.20 | 12.20              |                                 | 20.50B/11.70A      | 20.50B/11.70A              | ----                             | 12.20                    | - 2.20 | .1007 | ----          | 5                        | ----                   | 133 +         | 2                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4850    | 14.00 | 14.00              |                                 | 20.20/11.30A       | 20.20/11.30A               | ----                             | 11.90                    | - 2.10 | .0983 | ----          | 126                      | ----                   | 1964 +        | 7                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4855    | 12.20 | 12.20              |                                 | 19.30B/10.90A      | 19.30B/10.90A              | ----                             | 11.50                    | - 2.10 | .0953 | ----          | 7                        | ----                   | 243 +         | 4                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4860    | 12.10 | 12.10              |                                 | 18.80B/10.70A      | 18.80B/10.70A              | ----                             | 11.20                    | - 2.00 | .0929 | ----          | 13                       | ----                   | 97 +          | 7                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4865    | 10.70 | 10.70              |                                 | 18.20B/10.30A      | 18.20B/10.30A              | ----                             | 10.90                    | - 1.90 | .0905 | ----          | 3                        | ----                   | 104           | UNCH             |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4870    | ----  | ----               |                                 | 17.70B/10.10A      | 17.70B/10.10A              | ----                             | 10.50                    | - 2.00 | .0875 | ----          | ----                     | ----                   | 139           | UNCH             |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4875    | 12.20 | 12.20              |                                 | 17.10B/9.80A       | 17.10B/9.80A               | ----                             | 10.20                    | - 1.90 | .0852 | ----          | 20                       | ----                   | 100 -         | 1                |      |  |  |  |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |  |  |  |  |



| PG64    |      | BULLETIN #104@     |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |        |      |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |  |
|---------|------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|--------|------|--|--|--|-------------------|--|------|--|--|--|--|--|
|         |      | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |        |      |  |  |  |                   |  |      |  |  |  |  |  |
| OG CALL |      | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |        |      |  |  |  |                   |  |      |  |  |  |  |  |
| JUL26   |      |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |        |      |  |  |  |                   |  |      |  |  |  |  |  |
| 6825    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0005 | ----                   | ----                     | ----              | ----          | ----             | 19     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 6850    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0004 | ----                   | ----                     | ----              | ----          | ----             | 201    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 6875    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0004 | ----                   | ----                     | ----              | ----          | ----             | 22     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 6900    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0003 | ----                   | ----                     | ----              | ----          | ----             | 19     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 6925    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0003 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 6950    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0003 | ----                   | ----                     | ----              | ----          | ----             | 22     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 6975    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 - 0.10              | .0002 | ----                   | ----                     | ----              | ----          | ----             | 10     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7000    | ---- | ----               | ----         | ----            | ----               | ----             | /0.20A             | ----          | ----            | 0.10 - 0.10              | .0002 | ----                   | ----                     | ----              | ----          | ----             | 1470   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7025    | ---- | ----               | ----         | ----            | ----               | ----             | /0.30A             | ----          | ----            | 0.10 UNCH                | .0002 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7050    | ---- | ----               | ----         | ----            | ----               | ----             | /0.30A             | ----          | ----            | 0.10 UNCH                | .0002 | ----                   | ----                     | ----              | ----          | ----             | 18     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7075    | ---- | ----               | ----         | ----            | ----               | ----             | /0.30A             | ----          | ----            | 0.10 UNCH                | .0001 | ----                   | ----                     | ----              | ----          | ----             | 13     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7100    | ---- | ----               | ----         | ----            | ----               | ----             | /0.30A             | ----          | ----            | 0.10 UNCH                | .0001 | ----                   | ----                     | ----              | ----          | ----             | 28     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7125    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 UNCH                | .0001 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7150    | ---- | ----               | ----         | ----            | ----               | ----             | /0.30A             | ----          | ----            | 0.10 UNCH                | .0001 | ----                   | ----                     | ----              | ----          | ----             | 20     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7175    | ---- | ----               | ----         | ----            | ----               | ----             | /0.40A             | ----          | ----            | 0.10 UNCH                | .0001 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7200    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0001 | ----                   | ----                     | ----              | ----          | ----             | 3      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7225    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 22     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7250    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 23     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7275    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 14     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7300    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 50     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7350    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 8      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7400    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 2      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7425    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 19     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7450    | ---- | ----               | ----         | ----            | ----               | ----             | /*0.10A            | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 28     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7475    | ---- | ----               | ----         | ----            | ----               | ----             | /4.00A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 9      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7500    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 297    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7525    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 34     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7550    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 50     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7575    | ---- | ----               | ----         | ----            | ----               | ----             | /4.00A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7600    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 10     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7625    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 12     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7700    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 11     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7725    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 17     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7750    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 11     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7775    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 11     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7800    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 10     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7825    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | ----              | ----          | ----             | 18     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7875    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 166    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 7900    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 6      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8000    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 1116   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8100    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 7      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8200    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 3      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8300    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 4      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8500    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 40     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8600    | ---- | ----               | ----         | ----            | ----               | ----             | /6.60A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 2      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8700    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 24     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 8800    | ---- | ----               | ----         | ----            | ----               | ----             | /6.60A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 7      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 9000    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 340    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 9200    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 11     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 9300    | ---- | ----               | ----         | ----            | ----               | ----             | /6.20A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 4      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 9400    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 141    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 9500    | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 66     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 9900    | ---- | ----               | ----         | ----            | ----               | ----             | /6.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 5      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 10000   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 275    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 10100   | ---- | ----               | ----         | ----            | ----               | ----             | /1.00A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 12     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 10500   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 5      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 10700   | ---- | ----               | ----         | ----            | ----               | ----             | /5.90A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 5      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 11000   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 103    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 11200   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 13     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 11500   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 47     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 11600   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 50     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| 12000   | ---- | ----               | ----         | ----            | ----               | ----             | /0.10A             | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | ----             | 222    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |
| TOTAL   |      |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 4263          | 370              | 85719+ | 523  |  |  |  |                   |  |      |  |  |  |  |  |
| AUG26   |      |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |        |      |  |  |  |                   |  |      |  |  |  |  |  |
| 2000    | ---- | ----               | ----         | ----            | ----               | ----             | ----               | 2519.90       | + 13.60         | 1.0000                   | ----  | ----                   | ----                     | ----              | ----          | 0                | UNCH   |      |  |  |  |                   |  |      |  |  |  |  |  |
| 3200    | ---- | ----               | ----         | 1,353.50B/      | 1353.50B/1313.70A  | ----             | ----               | 1320.10       | + 13.50         | .9913                    | ----  |                        |                          |                   |               |                  |        |      |  |  |  |                   |  |      |  |  |  |  |  |



| PG64    |        | BULLETIN #104@     |                        |                 |                    |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |      |    |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |
|---------|--------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|----|--|--|--|--|-------------------|--|------|--|
|         |        | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |    |  |  |  |  |                   |  |      |  |
| OG CALL |        | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |    |  |  |  |  |                   |  |      |  |
| AUG26   |        |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |    |  |  |  |  |                   |  |      |  |
| 4385    | ----   | ----               | ----                   | ----            | 262.30B/215.20A    | 262.30B/215.20A            | ----                    | ----            | 225.20 + 1.80            | .6569 | ----          | ----                     | ----              | ----          | 100              | UNCH |    |  |  |  |  |                   |  |      |  |
| 4390    | ----   | ----               | ----                   | ----            | 258.30B/211.60A    | 258.30B/211.60A            | ----                    | ----            | 222.00 + 1.70            | .6519 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4400    | 220.00 | 220.00             | ----                   | ----            | 252.30B/206.10A    | 252.30B/206.10A            | ----                    | ----            | 215.60 + 1.50            | .6420 | ----          | ----                     | 1                 | ----          | 336              | UNCH |    |  |  |  |  |                   |  |      |  |
| 4420    | ----   | ----               | ----                   | ----            | 238.90B/193.40A    | 238.90B/193.40A            | ----                    | ----            | 203.20 + 1.10            | .6217 | ----          | ----                     | ----              | ----          | 58               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4425    | ----   | ----               | ----                   | ----            | 234.90B/191.00A    | 234.90B/191.00A            | ----                    | ----            | 200.10 + 0.90            | .6165 | ----          | ----                     | ----              | ----          | 12               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4430    | ----   | ----               | ----                   | ----            | 231.70B/188.40A    | 231.70B/188.40A            | ----                    | ----            | 197.10 + 0.80            | .6114 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4435    | ----   | ----               | ----                   | ----            | 228.70B/185.60A    | 228.70B/185.60A            | ----                    | ----            | 194.10 + 0.70            | .6062 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4440    | ----   | ----               | ----                   | ----            | 225.60B/183.10A    | 225.60B/183.10A            | ----                    | ----            | 191.20 + 0.70            | .6010 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4445    | ----   | ----               | ----                   | ----            | 222.40B/179.80A    | 222.40B/179.80A            | ----                    | ----            | 188.30 + 0.60            | .5957 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4450    | ----   | ----               | ----                   | ----            | 219.40B/177.20A    | 219.40B/177.20A            | ----                    | ----            | 185.40 + 0.50            | .5905 | ----          | ----                     | ----              | ----          | 23               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4455    | ----   | ----               | ----                   | ----            | 216.20B/174.60A    | 216.20B/174.60A            | ----                    | ----            | 182.50 + 0.40            | .5852 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4460    | ----   | ----               | ----                   | ----            | 213.00B/172.30A    | 213.00B/172.30A            | ----                    | ----            | 179.60 + 0.20            | .5799 | ----          | ----                     | ----              | ----          | 15               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4465    | ----   | ----               | ----                   | ----            | 210.10B/169.60A    | 210.10B/169.60A            | ----                    | ----            | 176.80 + 0.10            | .5746 | ----          | ----                     | ----              | ----          | 9                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4470    | ----   | ----               | ----                   | ----            | 207.40B/167.00A    | 207.40B/167.00A            | ----                    | ----            | 174.00 UNCH              | .5693 | ----          | ----                     | ----              | ----          | 19               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4475    | ----   | ----               | ----                   | ----            | 204.30B/164.40A    | 204.30B/164.40A            | ----                    | ----            | 171.30 UNCH              | .5639 | ----          | ----                     | ----              | ----          | 61               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4480    | ----   | ----               | ----                   | ----            | 201.40B/161.90A    | 201.40B/161.90A            | ----                    | ----            | 168.50 - 0.20            | .5586 | ----          | ----                     | ----              | ----          | 25               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4485    | ----   | ----               | ----                   | ----            | 198.40B/159.30A    | 198.40B/159.30A            | ----                    | ----            | 165.80 - 0.30            | .5532 | ----          | ----                     | ----              | ----          | 13               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4490    | ----   | ----               | ----                   | ----            | 195.60B/156.80A    | 195.60B/156.80A            | ----                    | ----            | 163.20 - 0.30            | .5478 | ----          | ----                     | ----              | ----          | 21               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4500    | 167.00 | 167.00             | ----                   | ----            | 189.90B/151.90A    | 189.90B/151.90A            | ----                    | ----            | 157.90 - 0.40            | .5370 | ----          | ----                     | 11                | ----          | 1382             | - 5  |    |  |  |  |  |                   |  |      |  |
| 4505    | ----   | ----               | ----                   | ----            | 187.60B/149.50A    | 187.60B/149.50A            | ----                    | ----            | 155.30 - 0.50            | .5316 | ----          | ----                     | ----              | ----          | 19               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4510    | ----   | ----               | ----                   | ----            | 184.90B/147.10A    | 184.90B/147.10A            | ----                    | ----            | 152.80 - 0.40            | .5262 | ----          | ----                     | ----              | ----          | 8                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4515    | ----   | ----               | ----                   | ----            | 182.10B/144.70A    | 182.10B/144.70A            | ----                    | ----            | 150.30 - 0.40            | .5208 | ----          | ----                     | 2                 | ----          | 18               | +    | 2  |  |  |  |  |                   |  |      |  |
| 4520    | ----   | ----               | ----                   | ----            | 179.30B/142.40A    | 179.30B/142.40A            | ----                    | ----            | 147.80 - 0.40            | .5154 | ----          | ----                     | ----              | ----          | 29               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4525    | 146.40 | 146.40             | ----                   | ----            | 176.60B/140.10A    | 176.60B/140.10A            | ----                    | ----            | 145.40 - 0.30            | .5100 | ----          | 11                       | ----              | ----          | 16               | +    | 6  |  |  |  |  |                   |  |      |  |
| 4530    | 149.80 | 149.80             | ----                   | ----            | 173.90B/137.90A    | 173.90B/137.90A            | ----                    | ----            | 143.00 - 0.20            | .5045 | ----          | 14                       | ----              | ----          | 26               | +    | 13 |  |  |  |  |                   |  |      |  |
| 4535    | ----   | ----               | ----                   | ----            | 171.30B/135.20A    | 171.30B/135.20A            | ----                    | ----            | 140.60 - 0.20            | .4991 | ----          | 6                        | ----              | ----          | 18               | +    | 6  |  |  |  |  |                   |  |      |  |
| 4540    | 145.50 | 145.50             | ----                   | ----            | 168.90B/133.40A    | 168.90B/133.40A            | ----                    | ----            | 138.30 - 0.10            | .4937 | ----          | 12                       | ----              | ----          | 43               | +    | 5  |  |  |  |  |                   |  |      |  |
| 4545    | 134.00 | 134.00             | ----                   | ----            | 166.40B/131.20A    | 166.40B/131.20A            | ----                    | ----            | 136.00 UNCH              | .4883 | ----          | 8                        | ----              | ----          | 17               | +    | 6  |  |  |  |  |                   |  |      |  |
| 4550    | 140.40 | 140.40             | ----                   | ----            | 163.80B/129.00A    | 163.80B/129.00A            | ----                    | ----            | 133.70 - 0.10            | .4829 | ----          | 22                       | ----              | ----          | 413              | +    | 13 |  |  |  |  |                   |  |      |  |
| 4555    | ----   | ----               | ----                   | ----            | 161.40B/126.70A    | 161.40B/126.70A            | ----                    | ----            | 131.40 - 0.20            | .4775 | ----          | 10                       | ----              | ----          | 24               | +    | 5  |  |  |  |  |                   |  |      |  |
| 4560    | ----   | ----               | ----                   | ----            | 158.90B/124.60A    | 158.90B/124.60A            | ----                    | ----            | 129.20 - 0.20            | .4722 | ----          | 25                       | ----              | ----          | 376              | +    | 8  |  |  |  |  |                   |  |      |  |
| 4565    | 144.60 | 144.60             | ----                   | ----            | 156.20B/122.40A    | 156.20B/122.40A            | ----                    | ----            | 127.00 - 0.30            | .4668 | ----          | 2                        | ----              | ----          | 20               | +    | 2  |  |  |  |  |                   |  |      |  |
| 4570    | 142.30 | 142.30             | ----                   | ----            | 153.90B/120.30A    | 153.90B/120.30A            | ----                    | ----            | 124.80 - 0.50            | .4614 | ----          | 1                        | ----              | ----          | 167              | +    | 1  |  |  |  |  |                   |  |      |  |
| 4575    | 149.00 | 149.00             | ----                   | ----            | 151.50B/118.20A    | 151.50B/118.20A            | ----                    | ----            | 122.60 - 0.70            | .4561 | ----          | 3                        | ----              | ----          | 46               | +    | 3  |  |  |  |  |                   |  |      |  |
| 4580    | 137.80 | 137.80             | ----                   | ----            | 149.10B/116.20A    | 149.10B/116.20A            | ----                    | ----            | 120.50 - 0.70            | .4507 | ----          | 6                        | ----              | ----          | 220              | +    | 1  |  |  |  |  |                   |  |      |  |
| 4585    | ----   | ----               | ----                   | ----            | 146.80B/114.10A    | 146.80B/114.10A            | ----                    | ----            | 118.40 - 0.80            | .4454 | ----          | ----                     | ----              | ----          | 7                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4590    | ----   | ----               | ----                   | ----            | 144.40B/112.00A    | 144.40B/112.00A            | ----                    | ----            | 116.40 - 0.90            | .4402 | ----          | 1                        | ----              | ----          | 77               | +    | 1  |  |  |  |  |                   |  |      |  |
| 4595    | ----   | ----               | ----                   | ----            | 142.10B/110.10A    | 142.10B/110.10A            | ----                    | ----            | 114.30 - 1.00            | .4348 | ----          | ----                     | ----              | ----          | 40               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4600    | 123.00 | 123.00             | ----                   | ----            | 140.00B/108.20A    | 140.00B/108.20A            | ----                    | ----            | 112.30 - 1.10            | .4296 | ----          | 127                      | ----              | ----          | 631              | +    | 22 |  |  |  |  |                   |  |      |  |
| 4605    | ----   | ----               | ----                   | ----            | 137.70B/106.20A    | 137.70B/106.20A            | ----                    | ----            | 110.40 - 1.10            | .4244 | ----          | ----                     | ----              | ----          | 6                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4610    | ----   | ----               | ----                   | ----            | 135.50B/104.40A    | 135.50B/104.40A            | ----                    | ----            | 108.40 - 1.20            | .4192 | ----          | ----                     | ----              | ----          | 21               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4615    | ----   | ----               | ----                   | ----            | 133.30B/102.60A    | 133.30B/102.60A            | ----                    | ----            | 106.50 - 1.30            | .4140 | ----          | ----                     | ----              | ----          | 39               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4620    | 108.00 | 108.00             | ----                   | ----            | 131.10B/100.70A    | 131.10B/100.70A            | ----                    | ----            | 104.60 - 1.30            | .4088 | ----          | 5                        | ----              | ----          | 16               | +    | 3  |  |  |  |  |                   |  |      |  |
| 4625    | ----   | ----               | ----                   | ----            | 129.10B/98.90A     | 129.10B/98.90A             | ----                    | ----            | 102.80 - 1.40            | .4037 | ----          | 4                        | ----              | ----          | 42               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4630    | 106.00 | 106.00             | ----                   | ----            | 126.90B/97.20A     | 126.90B/97.20A             | ----                    | ----            | 100.90 - 1.50            | .3985 | ----          | 3                        | ----              | ----          | 19               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4640    | ----   | ----               | ----                   | ----            | 122.60B/93.70A     | 122.60B/93.70A             | ----                    | ----            | 97.30 - 1.60             | .3884 | ----          | 1                        | ----              | ----          | 10               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4645    | ----   | ----               | ----                   | ----            | 120.70B/92.00A     | 120.70B/92.00A             | ----                    | ----            | 95.60 - 1.70             | .3834 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |  |  |  |  |                   |  |      |  |
| 4650    | 113.00 | 113.00             | ----                   | ----            | 118.60B/90.30A     | 118.60B/90.30A             | ----                    | ----            | 93.80 - 1.80             | .3783 | ----          | 10                       | ----              | ----          | 1038             | +    | 4  |  |  |  |  |                   |  |      |  |
| 4655    | ----   | ----               | ----                   | ----            | 116.70B/88.70A     | 116.70B/88.70A             | ----                    | ----            | 92.10 - 1.90             | .3733 | ----          | ----                     | ----              | ----          | 33               | UNCH |    |  |  |  |  |                   |  |      |  |
| 4660    | ----   | ----               | ----                   | ----            | 114.70B/87.10A     | 114.70B/87.10A             | ----                    | ----            | 90.50 - 1.80             | .3685 | ----          | ----                     | ----              | ----          | 22               | UNCH |    |  |  |  |  |                   |  |      |  |

| GLOBEX<br>OPEN |       | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|-------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |       | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26          |       |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 5100           | ----  | ----                   | ----            | 25.00B/17.70A      | 25.00B/17.70A              | ----                    | ----            | 18.00 - 2.50             | .0952 | ----          | ----                     | 10                | ----          | 4978             | UNCH |
| 5105           | ----  | ----                   | ----            | 24.60B/17.40A      | 24.60B/17.40A              | ----                    | ----            | 17.70 - 2.50             | .0937 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 5110           | ----  | ----                   | ----            | 24.20B/17.10A      | 24.20B/17.10A              | ----                    | ----            | 17.50 - 2.40             | .0926 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 5115           | 18.80 | 18.80                  | 18.80           | 23.80B/16.90A      | 23.80B/16.90A              | ----                    | ----            | 17.20 - 2.40             | .0911 | ----          | ----                     | 20                | ----          | 22 +             | 8    |
| 5120           | ----  | ----                   | ----            | 23.40B/16.60A      | 23.40B/16.60A              | ----                    | ----            | 16.90 - 2.50             | .0896 | ----          | ----                     | ----              | ----          | 361              | UNCH |
| 5125           | 18.20 | 18.20                  | 18.20           | 23.10B/16.40A      | 23.10B/16.40A              | ----                    | ----            | 16.70 - 2.40             | .0885 | ----          | 5                        | ----              | ----          | 351              | UNCH |
| 5130           | ----  | ----                   | ----            | 22.70B/16.10A      | 22.70B/16.10A              | ----                    | ----            | 16.40 - 2.40             | .0871 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5135           | ----  | ----                   | ----            | 22.40B/15.90A      | 22.40B/15.90A              | ----                    | ----            | 16.10 - 2.50             | .0857 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 5140           | ----  | ----                   | ----            | 22.00B/15.60A      | 22.00B/15.60A              | ----                    | ----            | 15.90 - 2.40             | .0846 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 5145           | ----  | ----                   | ----            | 21.70B/15.40A      | 21.70B/15.40A              | ----                    | ----            | 15.70 - 2.30             | .0835 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5150           | 19.40 | 19.40                  | 19.40           | 21.30B/15.20A      | 21.30B/15.20A              | ----                    | ----            | 15.40 - 2.40             | .0820 | ----          | ----                     | 10                | ----          | 128 +            | 5    |
| 5155           | ----  | ----                   | ----            | 21.00B/15.00A      | 21.00B/15.00A              | ----                    | ----            | 15.20 - 2.30             | .0810 | ----          | ----                     | ----              | ----          | 28               | UNCH |
| 5160           | ----  | ----                   | ----            | 20.70B/14.70A      | 20.70B/14.70A              | ----                    | ----            | 15.00 - 2.30             | .0799 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 5165           | ----  | ----                   | ----            | 20.40B/14.50A      | 20.40B/14.50A              | ----                    | ----            | 14.70 - 2.40             | .0785 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 5170           | ----  | ----                   | ----            | 20.10B/14.30A      | 20.10B/14.30A              | ----                    | ----            | 14.50 - 2.30             | .0774 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 5175           | ----  | ----                   | ----            | 19.80B/14.10A      | 19.80B/14.10A              | ----                    | ----            | 14.30 - 2.30             | .0764 | ----          | 1                        | ----              | ----          | 366 +            | 1    |
| 5180           | ----  | ----                   | ----            | 19.50B/13.90A      | 19.50B/13.90A              | ----                    | ----            | 14.10 - 2.30             | .0753 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5185           | ----  | ----                   | ----            | 19.20B/13.70A      | 19.20B/13.70A              | ----                    | ----            | 13.90 - 2.30             | .0743 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5190           | ----  | ----                   | ----            | 18.90B/13.50A      | 18.90B/13.50A              | ----                    | ----            | 13.70 - 2.20             | .0732 | ----          | ----                     | ----              | ----          | 33               | UNCH |
| 5195           | ----  | ----                   | ----            | 18.60B/13.30A      | 18.60B/13.30A              | ----                    | ----            | 13.50 - 2.20             | .0722 | ----          | ----                     | ----              | ----          | 42               | UNCH |
| 5200           | 17.40 | 17.40                  | 17.40           | 18.30B/13.20A      | 18.30B/13.20A              | ----                    | ----            | 13.30 - 2.20             | .0712 | ----          | ----                     | 164               | ----          | 4332 +           | 8    |
| 5205           | ----  | ----                   | ----            | 18.10B/13.00A      | 18.10B/13.00A              | ----                    | ----            | 13.10 - 2.20             | .0701 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5210           | 14.90 | 14.90                  | 14.90           | 17.80B/12.80A      | 17.80B/12.80A              | ----                    | ----            | 13.00 - 2.10             | .0695 | ----          | 6                        | ----              | ----          | 8                | UNCH |
| 5215           | 14.50 | 14.50                  | 14.50           | 17.50B/12.60A      | 17.50B/12.60A              | ----                    | ----            | 12.80 - 2.10             | .0685 | ----          | 6                        | ----              | ----          | 15               | UNCH |
| 5220           | ----  | ----                   | ----            | 17.30B/12.50A      | 17.30B/12.50A              | ----                    | ----            | 12.60 - 2.10             | .0674 | ----          | ----                     | ----              | ----          | 291              | UNCH |
| 5225           | ----  | ----                   | ----            | 17.00B/12.30A      | 17.00B/12.30A              | ----                    | ----            | 12.40 - 2.10             | .0664 | ----          | ----                     | ----              | ----          | 61               | UNCH |
| 5230           | ----  | ----                   | ----            | 16.80B/12.10A      | 16.80B/12.10A              | ----                    | ----            | 12.30 - 2.00             | .0658 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 5235           | ----  | ----                   | ----            | 16.60B/12.00A      | 16.60B/12.00A              | ----                    | ----            | 12.10 - 2.00             | .0648 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 5240           | ----  | ----                   | ----            | 16.30B/11.80A      | 16.30B/11.80A              | ----                    | ----            | 12.00 - 1.90             | .0641 | ----          | ----                     | ----              | ----          | 36               | UNCH |
| 5245           | ----  | ----                   | ----            | 16.10B/11.70A      | 16.10B/11.70A              | ----                    | ----            | 11.80 - 1.90             | .0631 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 5250           | ----  | ----                   | ----            | 15.90B/11.50A      | 15.90B/11.50A              | ----                    | ----            | 11.60 - 1.90             | .0621 | ----          | 4                        | ----              | ----          | 729 +            | 4    |
| 5255           | ----  | ----                   | ----            | 15.70B/11.40A      | 15.70B/11.40A              | ----                    | ----            | 11.50 - 1.80             | .0615 | ----          | ----                     | ----              | ----          | 905              | UNCH |
| 5260           | ----  | ----                   | ----            | 15.40B/11.20A      | 15.40B/11.20A              | ----                    | ----            | 11.40 - 1.80             | .0609 | ----          | ----                     | ----              | ----          | 36               | UNCH |
| 5265           | ----  | ----                   | ----            | 15.20B/11.10A      | 15.20B/11.10A              | ----                    | ----            | 11.20 - 1.80             | .0599 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 5270           | ----  | ----                   | ----            | 15.00B/11.00A      | 15.00B/11.00A              | ----                    | ----            | 11.10 - 1.70             | .0593 | ----          | 8                        | ----              | ----          | 160 +            | 8    |
| 5275           | ----  | ----                   | ----            | 14.80B/10.80A      | 14.80B/10.80A              | ----                    | ----            | 10.90 - 1.70             | .0583 | ----          | ----                     | 8                 | ----          | 16               | UNCH |
| 5280           | ----  | ----                   | ----            | 14.60B/10.70A      | 14.60B/10.70A              | ----                    | ----            | 10.80 - 1.70             | .0577 | ----          | ----                     | ----              | ----          | 207              | UNCH |
| 5285           | ----  | ----                   | ----            | 14.40B/10.60A      | 14.40B/10.60A              | ----                    | ----            | 10.70 - 1.60             | .0571 | ----          | ----                     | ----              | ----          | 32               | UNCH |
| 5290           | 13.80 | 13.80                  | 13.80           | 14.20B/10.50A      | 14.20B/10.50A              | ----                    | ----            | 10.50 - 1.70             | .0562 | ----          | 5                        | ----              | ----          | 24               | UNCH |
| 5295           | ----  | ----                   | ----            | 14.00B/10.30A      | 14.00B/10.30A              | ----                    | ----            | 10.40 - 1.60             | .0556 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5300           | 10.10 | 10.10                  | 10.10           | 13.80B/10.10       | 13.80B/10.10               | ----                    | ----            | 10.30 - 1.60             | .0550 | ----          | 34                       | ----              | ----          | 1198 +           | 30   |
| 5305           | ----  | ----                   | ----            | 13.70B/10.10A      | 13.70B/10.10A              | ----                    | ----            | 10.20 - 1.50             | .0544 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 5310           | ----  | ----                   | ----            | 13.50B/10.00A      | 13.50B/10.00A              | ----                    | ----            | 10.00 - 1.60             | .0534 | ----          | ----                     | ----              | ----          | 105              | UNCH |
| 5315           | ----  | ----                   | ----            | 13.30B/9.90A       | 13.30B/9.90A               | ----                    | ----            | 9.90 - 1.60              | .0528 | ----          | 1                        | ----              | ----          | 5                | UNCH |
| 5320           | ----  | ----                   | ----            | 13.10B/9.80A       | 13.10B/9.80A               | ----                    | ----            | 9.80 - 1.50              | .0523 | ----          | 8                        | ----              | ----          | 24 +             | 8    |
| 5325           | 9.70  | 9.70                   | 9.70            | 13.00B/9.70        | 13.00B/9.70                | ----                    | ----            | 9.70 - 1.50              | .0517 | ----          | 5                        | ----              | ----          | 33 +             | 5    |
| 5330           | ----  | ----                   | ----            | 12.80B/9.50A       | 12.80B/9.50A               | ----                    | ----            | 9.60 - 1.50              | .0511 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 5335           | ----  | ----                   | ----            | 12.60B/9.40A       | 12.60B/9.40A               | ----                    | ----            | 9.50 - 1.40              | .0505 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5340           | ----  | ----                   | ----            | 12.50B/9.30A       | 12.50B/9.30A               | ----                    | ----            | 9.40 - 1.40              | .0500 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5345           | ----  | ----                   | ----            | 12.30B/9.20A       | 12.30B/9.20A               | ----                    | ----            | 9.30 - 1.40              | .0494 | ----          | ----                     | ----              | ----          | 27               | UNCH |
| 5350           | ----  | ----                   | ----            | 12.20B/9.10A       | 12.20B/9.10A               | ----                    | ----            | 9.20 - 1.40              | .0489 | ----          | 1                        | ----              | 8010          | UNCH             |      |
| 5355           | ----  | ----                   | ----            | 12.00B/9.00A       | 12.00B/9.00A               | ----                    | ----            | 9.10 - 1.40              | .0483 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5360           | ----  | ----                   | ----            | 11.90B/8.90A       | 11.90B/8.90A               | ----                    | ----            | 9.00 - 1.40              | .0477 | ----          | ----                     | ----              | ----          | 114              | UNCH |
| 5365           | ----  | ----                   | ----            | 11.70B/8.80A       | 11.70B/8.80A               | ----                    | ----            | 8.90 - 1.30              | .0472 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 5370           | ----  | ----                   | ----            | 11.60B/8.80A       | 11.60B/8.80A               | ----                    | ----            | 8.80 - 1.30              | .0466 | ----          | ----                     | ----              | ----          | 8008             | UNCH |
| 5375           | ----  | ----                   | ----            | 11.40B/8.70A       | 11.40B/8.70A               | ----                    | ----            | 8.70 - 1.30              | .0461 | ----          | ----                     | ----              | ----          | 256              | UNCH |
| 5380           | ----  | ----                   | ----            | 11.30B/8.60A       | 11.30B/8.60A               | ----                    | ----            | 8.60 - 1.30              | .0455 | ----          | 2                        | ----              | ----          | 7                | +    |
| 5395           | 8.30  | 8.30                   | 8.30            | 10.90B/8.30        | 10.90B/8.30                | ----                    | ----            | 8.40 - 1.20              | .0443 | ----          | ----                     | 208               | ----          | 2577 +           | 89   |
| 5400           | 10.10 | 10.10                  | 10.10           | 10.80B/8.30A       | 10.80B/8.30A               | ----                    | ----            | 8.30 - 1.20              | .0438 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 5405           | ----  | ----                   | ----            | 10.60B/8.20A       | 10.60B/8.20A               | ----                    | ----            | 8.20 - 1.20              | .0432 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 5410           | ----  | ----                   | ----            | 10.50B/8.10A       | 10.50B/8.10A               | ----                    | ----            | 8.10 - 1.20              | .0427 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5415           | ----  | ----                   | ----            | 10.40B/8.00A       | 10.40B/8.00A               | ----                    | ----            | 8.00 - 1.20              | .0422 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 5420           | ----  | ----                   | ----            | 10.30B/7.90A       | 10.30B/7.90A               | ----                    | ----            | 8.00 - 1.20              | .0420 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 5425           | ----  | ----                   | ----            | 10.10B/7.90A       | 10.10B/7.90A               | ----                    | ----            | 7.90 - 1.20              | .0415 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 5430           | ----  | ----                   | ----            | 10.00B/7.80A       | 10.00B/7.80A               | ----                    | ----            | 7.80 - 1.20              | .0410 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 5435           | ----  | ----                   | ----            | 9.90B/7.70A        | 9.90B/7.70A                | ----                    | ----            | 7.70 - 1.20              | .0404 | ----          | ----                     | ----              | ----          | 105              | UNCH |
| 5440           | ----  | ----                   | ----            | 9.80B/7.60A        | 9.80B/7.60A                | ----                    | ----            | 7.70 - 1.10              | .0403 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 5445           | ----  | ----                   | ----            | 9.70B/7.60A        | 9.70B/7.60A                | ----                    | ----            | 7.60 - 1.10              | .0398 | ----          | ----                     | ----              | ----          | 228              | UNCH |
| 5450           | ----  | ----                   | ----            | 9.60B/7.50A        | 9.60B/7.50A                | ----                    | ----            | 7.50 - 1.10              | .0393 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 5455           | ----  | ----                   | ----            | 9.50B/7.40A        | 9.50B/7.40A                | ----                    | ----            | 7.40 - 1.20              | .0388 | ----          | ----                     | ----              | ----          | 42               | UNCH |
| 5460           | ----  | ----                   | ----            | 9.40B/7.40A        | 9.40B/7.40A                | ----                    | ----            | 7.40 - 1.10              | .0386 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 5465           | ----  | ----                   | ----            | 9.30B/7.30A        | 9.30B/7.30A                | ----                    | ----            | 7.30 - 1.10              | .0381 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 5470           | ----  | ----                   | ----            | 9.20B/7.20A        | 9.20B/7.20A                | ----                    | ----            | 7.20 - 1.10              | .0376 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 5475           | ----  | ----                   | ----            | 9.10B/7.20A        | 9.10B/7.20A                | ----                    | ----            | 7.20 - 1.00              | .0375 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 5480           | ----  | ----                   | ----            | 9.00B/7.10A        | 9.00B/7.10A                | ----                    | ----            | 7.10 - 1.10              | .0370 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5485           | ----  | ----                   | ----            | 8.90B/7.10A        | 8.90B/7.10A                | ----                    | ----            | 7.10 - 1.00              | .0369 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5490           | ----  | ----                   | ----            | 8.80B/7.00A        | 8.80B/7.00A                | ----                    | ----            | 7.00 - 1.00              | .0364 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 5495           | ----  | ----                   | ----            | 8.70B/6.90A        | 8.70B/6.90A                | ----                    | ----            | 6.90 - 1.00              | .0359 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5500           | 7.50  | 7.50                   | 7.50            | 8.60B/6.90A        | 8.60B/6.90A                | ----                    | ----            | 6.90 - 1.00              | .0357 | ----          | 141                      | ----              | ----          | 2192 +           | 65   |
| 5505           | ----  | ----                   | ----            | 8.50B/6.80A        | 8.50B/6.80A                | ----                    | ----            | 6.80 - 1.00              | .0352 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5510           | ----  | ----                   | ----            | 8.40B/6.80A        | 8.40B/6.80A                | ----                    | ----            | 6.80 - 0.90              | .0351 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 5515           | ----  | ----                   | ----            | 8.40B/6.70A        | 8.40B/6.70A                | ----                    | ----            | 6.70 - 1.00              | .0346 | ----          | ----                     | ----              | ----          | 41               | UNCH |
| 5520           | ----  | ----                   | ----            | 8.30B/6.70A        | 8.30B/6.70A                | ----                    | ----            | 6.60 - 1.00              | .0341 | ----          | 1                        | ----              | ----          | 5 +              | 1    |
| 5525           | ----  | ----                   | ----            | 8.20B/6.60A        | 8.20B/6.60A                | ----                    | ----            | 6.60 - 0.90              | .0340 | ----          | ----                     | ----              | ----          | 2236             | UNCH |
| 5530           | ----  | ----                   | ----            | 8.10B/6.60A        | 8.10B/6.60A                | ----                    | ----            | 6.50 - 1.00              | .0336 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5535           | ----  | ----                   | ----            | 8.00B/6.50A        | 8.00B/6.50A                | ----                    | ----            | 6.50 - 0.90              | .0334 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 5540           | ----  | ----                   | ----            | 7.90B/6.50A        | 7.90B/6.50A                | ----                    | ----            | 6.40 - 0.90              | .0330 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 5545           | ----  | ----                   | ----            | 7.90B/6.40A        | 7.90B/6.40A                | ----                    | ----            | 6.40 - 0.90              | .0329 | ----          | ----                     | ----              | ----          | 18</             |      |

| BULLETIN #104@ |        |                    |                 |                    |                 |                  |               |               |  | METALS OPTION PRODUCTS |                          |        |       |               |                          |                   |               |                  |       | Tue, Jun 02, 2026 |      | PG64 |
|----------------|--------|--------------------|-----------------|--------------------|-----------------|------------------|---------------|---------------|--|------------------------|--------------------------|--------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------|-------------------|------|------|
| GLOBEX<br>OPEN |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |                 | OPEN<br>HIGH/LOW | OUTCRY<br>LOW | OPEN<br>CLOSE |  | OUTCRY<br>RANGE        | SETT.PRICE<br>& PT.CHGE. |        | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |       |                   |      |      |
| OG CALL        |        | COMEX GOLD OPTIONS |                 |                    |                 |                  |               |               |  |                        |                          |        |       |               |                          |                   |               |                  |       |                   |      |      |
| AUG26          |        |                    |                 |                    |                 |                  |               |               |  |                        |                          |        |       |               |                          |                   |               |                  |       |                   |      |      |
| 7000           | 1.80   | 1.80               |                 | 1.80/1.80          | 1.90B/1.80      | ----             |               |               |  |                        | 1.90                     | UNCH   | .0072 | ----          | ----                     | 1                 | ----          |                  | 979   | +                 | 1    |      |
| 7500           | 1.30   | 1.30               |                 | 1.40/1.30          | 1.40/1.30       | ----             |               |               |  |                        | 1.40                     | - 0.10 | .0050 | ----          | ----                     | 3                 | ----          |                  | 801   |                   | UNCH |      |
| 8000           | ----   | ----               |                 | ----               | 0.80B/1.40A     | ----             |               |               |  |                        | 1.00                     | - 0.20 | .0034 | ----          | ----                     | ----              | ----          |                  | 634   |                   | UNCH |      |
| 8500           | ----   | ----               |                 | ----               | 0.50B/0.90A     | ----             |               |               |  |                        | 0.80                     | - 0.10 | .0026 | ----          | ----                     | 1                 | ----          |                  | 86    |                   | UNCH |      |
| 9000           | ----   | ----               |                 | -----/0.60A        | 0.30B/0.60A     | ----             |               |               |  |                        | 0.60                     | - 0.10 | .0019 | ----          | ----                     | ----              | ----          |                  | 23    |                   | UNCH |      |
| 9500           | ----   | ----               |                 | ----               | 0.20B/0.80A     | ----             |               |               |  |                        | 0.50                     | UNCH   | .0015 | ----          | ----                     | ----              | ----          |                  | 312   |                   | UNCH |      |
| 10000          | ----   | ----               |                 | ----               | 0.30B/0.50A     | ----             |               |               |  |                        | 0.50                     | +      | 0.20  | .0014         | ----                     | ----              | ----          |                  | 186   |                   | UNCH |      |
| TOTAL          |        |                    |                 |                    |                 |                  |               |               |  |                        |                          |        |       |               |                          | 2545              |               |                  | 89848 | +                 | 985  |      |
| SEP26          |        |                    |                 |                    |                 |                  |               |               |  |                        |                          |        |       |               |                          |                   |               |                  |       |                   |      |      |
| 3875           | ----   | ----               |                 | #695.50B/----      | 695.50B/686.10A | ----             |               |               |  |                        | 695.80                   | +      | 9.90  | .9152         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 3995           | ----   | ----               |                 | 617.10B/577.00A    | 617.10B/577.00A | ----             |               |               |  |                        | 586.40                   | +      | 8.60  | .8802         | ----                     | ----              | ----          |                  | 10    |                   | UNCH |      |
| 4085           | ----   | ----               |                 | 537.60B/499.00A    | 537.60B/499.00A | ----             |               |               |  |                        | 507.80                   | +      | 7.40  | .8447         | ----                     | ----              | ----          |                  | 37    |                   | UNCH |      |
| 4130           | ----   | ----               |                 | 499.30B/461.40A    | 499.30B/461.40A | ----             |               |               |  |                        | 470.00                   | +      | 6.80  | .8235         | ----                     | ----              | ----          |                  | 10    |                   | UNCH |      |
| 4185           | ----   | ----               |                 | 453.70B/417.00A    | 453.70B/417.00A | ----             |               |               |  |                        | 425.30                   | +      | 6.00  | .7942         | ----                     | ----              | ----          |                  | 40    |                   | UNCH |      |
| 4200           | ----   | ----               |                 | 413.10B/405.40A    | 413.10B/405.40A | ----             |               |               |  |                        | 413.40                   | +      | 5.70  | .7855         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4220           | ----   | ----               |                 | 425.50B/389.80A    | 425.50B/389.80A | ----             |               |               |  |                        | 397.90                   | +      | 5.50  | .7736         | ----                     | ----              | ----          |                  | 162   |                   | UNCH |      |
| 4290           | ----   | ----               |                 | 371.90B/338.20A    | 371.90B/338.20A | ----             |               |               |  |                        | 345.70                   | +      | 4.40  | .7280         | ----                     | ----              | ----          |                  | 6     |                   | UNCH |      |
| 4295           | ----   | ----               |                 | 368.20B/334.60A    | 368.20B/334.60A | ----             |               |               |  |                        | 342.10                   | +      | 4.30  | .7245         | ----                     | ----              | ----          |                  | 50    |                   | UNCH |      |
| 4300           | ----   | ----               |                 | 364.60B/331.10A    | 364.60B/331.10A | ----             |               |               |  |                        | 338.60                   | +      | 4.30  | .7210         | ----                     | ----              | ----          |                  | 18    |                   | UNCH |      |
| 4320           | ----   | ----               |                 | 350.00B/317.20A    | 350.00B/317.20A | ----             |               |               |  |                        | 324.50                   | +      | 3.90  | .7068         | ----                     | ----              | ----          |                  | 162   |                   | UNCH |      |
| 4375           | 296.90 | 296.90             |                 | 317.20B/280.90A    | 317.20B/280.90A | ----             |               |               |  |                        | 287.60                   | +      | 3.00  | .6654         | ----                     | 1                 | ----          |                  | 1     |                   | UNCH |      |
| 4390           | 288.90 | 288.90             |                 | 307.80B/270.80A    | 307.80B/270.80A | ----             |               |               |  |                        | 278.00                   | +      | 2.70  | .6537         | ----                     | 2                 | ----          |                  | 202   |                   | UNCH |      |
| 4400           | ----   | ----               |                 | 300.70B/264.80A    | 300.70B/264.80A | ----             |               |               |  |                        | 271.70                   | +      | 2.60  | .6458         | ----                     | ----              | ----          |                  | 8     |                   | UNCH |      |
| 4410           | ----   | ----               |                 | 294.00B/258.80A    | 294.00B/258.80A | ----             |               |               |  |                        | 265.50                   | +      | 2.40  | .6379         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4425           | ----   | ----               |                 | 284.30B/249.70A    | 284.30B/249.70A | ----             |               |               |  |                        | 265.30                   | +      | 2.10  | .6257         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4450           | ----   | ----               |                 | 268.70B/235.30A    | 268.70B/235.30A | ----             |               |               |  |                        | 256.30                   | +      | 2.10  | .6052         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4480           | ----   | ----               |                 | 250.90B/218.50A    | 250.90B/218.50A | ----             |               |               |  |                        | 241.60                   | +      | 1.80  | .5803         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4485           | ----   | ----               |                 | 248.40B/215.80A    | 248.40B/215.80A | ----             |               |               |  |                        | 224.60                   | +      | 1.40  | .5761         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4495           | ----   | ----               |                 | 245.80B/210.50A    | 245.80B/210.50A | ----             |               |               |  |                        | 221.90                   | +      | 1.30  | .5676         | ----                     | ----              | ----          |                  | 1     |                   | UNCH |      |
| 4500           | ----   | ----               |                 | 245.60B/207.90A    | 245.60B/207.90A | ----             |               |               |  |                        | 216.40                   | +      | 1.30  | .5634         | ----                     | ----              | ----          |                  | 110   |                   | UNCH |      |
| 4505           | ----   | ----               |                 | 243.00B/205.30A    | 243.00B/205.30A | ----             |               |               |  |                        | 213.80                   | +      | 1.30  | .5592         | ----                     | ----              | ----          |                  | 83    |                   | UNCH |      |
| 4510           | ----   | ----               |                 | 238.00B/202.70A    | 238.00B/202.70A | ----             |               |               |  |                        | 211.10                   | +      | 1.20  | .5549         | ----                     | ----              | ----          |                  | 21    |                   | UNCH |      |
| 4515           | ----   | ----               |                 | 235.30B/200.10A    | 235.30B/200.10A | ----             |               |               |  |                        | 208.50                   | +      | 1.20  | .5507         | ----                     | ----              | ----          |                  | 2     |                   | UNCH |      |
| 4520           | ----   | ----               |                 | 234.80B/197.60A    | 234.80B/197.60A | ----             |               |               |  |                        | 205.90                   | +      | 1.20  | .5465         | ----                     | ----              | ----          |                  | 2     |                   | UNCH |      |
| 4525           | 214.50 | 214.50             |                 | 232.40B/195.10A    | 232.40B/195.10A | ----             |               |               |  |                        | 203.30                   | +      | 1.20  | .5422         | ----                     | ----              | ----          |                  | 42    |                   | UNCH |      |
| 4530           | ----   | ----               |                 | 229.60B/192.60A    | 229.60B/192.60A | ----             |               |               |  |                        | 200.70                   | +      | 1.10  | .5380         | 7                        | ----              | ----          |                  | 7     |                   | UNCH |      |
| 4535           | ----   | ----               |                 | 226.90B/190.20A    | 226.90B/190.20A | ----             |               |               |  |                        | 198.20                   | +      | 1.20  | .5337         | ----                     | ----              | ----          |                  | 17    |                   | UNCH |      |
| 4540           | ----   | ----               |                 | 224.20B/187.70A    | 224.20B/187.70A | ----             |               |               |  |                        | 195.70                   | +      | 1.20  | .5294         | ----                     | ----              | ----          |                  | 7     |                   | UNCH |      |
| 4545           | ----   | ----               |                 | 221.60B/185.30A    | 221.60B/185.30A | ----             |               |               |  |                        | 193.20                   | +      | 1.20  | .5252         | ----                     | ----              | ----          |                  | 7     |                   | UNCH |      |
| 4550           | ----   | ----               |                 | 219.00B/183.00A    | 219.00B/183.00A | ----             |               |               |  |                        | 190.70                   | +      | 1.10  | .5209         | ----                     | ----              | ----          |                  | 15    |                   | UNCH |      |
| 4555           | ----   | ----               |                 | 216.30B/180.60A    | 216.30B/180.60A | ----             |               |               |  |                        | 188.30                   | +      | 1.20  | .5167         | ----                     | 100               | ----          |                  | 279   |                   | UNCH |      |
| 4560           | ----   | ----               |                 | 213.70B/178.30A    | 213.70B/178.30A | ----             |               |               |  |                        | 185.90                   | +      | 1.20  | .5124         | ----                     | ----              | ----          |                  | 100   | +                 | 93   |      |
| 4565           | ----   | ----               |                 | 211.20B/176.00A    | 211.20B/176.00A | ----             |               |               |  |                        | 183.50                   | +      | 1.20  | .5081         | ----                     | ----              | ----          |                  | 22    |                   | UNCH |      |
| 4570           | ----   | ----               |                 | 208.60B/173.60A    | 208.60B/173.60A | ----             |               |               |  |                        | 181.10                   | +      | 1.20  | .5039         | ----                     | ----              | ----          |                  | 13    |                   | UNCH |      |
| 4575           | ----   | ----               |                 | 206.10B/171.40A    | 206.10B/171.40A | ----             |               |               |  |                        | 178.80                   | +      | 1.20  | .4996         | ----                     | ----              | ----          |                  | 19    |                   | UNCH |      |
| 4580           | ----   | ----               |                 | 203.50B/169.20A    | 203.50B/169.20A | ----             |               |               |  |                        | 176.40                   | +      | 1.10  | .4954         | 7                        | ----              | ----          |                  | 68    | +                 | 6    |      |
| 4585           | ----   | ----               |                 | 201.10B/167.00A    | 201.10B/167.00A | ----             |               |               |  |                        | 174.10                   | +      | 1.10  | .4912         | ----                     | 10                | ----          |                  | 3     |                   | UNCH |      |
| 4590           | ----   | ----               |                 | 198.60B/164.80A    | 198.60B/164.80A | ----             |               |               |  |                        | 171.90                   | +      | 1.20  | .4869         | ----                     | ----              | ----          |                  | 31    | +                 | 9    |      |
| 4595           | ----   | ----               |                 | 196.20B/162.60A    | 196.20B/162.60A | ----             |               |               |  |                        | 169.60                   | +      | 1.10  | .4827         | ----                     | ----              | ----          |                  | 16    |                   | UNCH |      |
| 4600           | ----   | ----               |                 | 193.90B/160.50A    | 193.90B/160.50A | ----             |               |               |  |                        | 167.40                   | +      | 1.10  | .4785         | ----                     | 30                | ----          |                  | 33    | +                 | 26   |      |
| 4605           | ----   | ----               |                 | 191.50B/158.30A    | 191.50B/158.30A | ----             |               |               |  |                        | 165.20                   | +      | 1.00  | .4743         | ----                     | 135               | ----          |                  | 262   | +                 | 76   |      |
| 4610           | ----   | ----               |                 | 189.20B/156.30A    | 189.20B/156.30A | ----             |               |               |  |                        | 163.00                   | +      | 0.90  | .4701         | 7                        | ----              | ----          |                  | 44    | -                 | 3    |      |
| 4615           | 164.90 | 164.90             |                 | 186.90B/154.20A    | 186.90B/154.20A | ----             |               |               |  |                        | 160.80                   | +      | 0.90  | .4659         | ----                     | ----              | ----          |                  | 7     |                   | UNCH |      |
| 4620           | ----   | ----               |                 | 184.40B/152.10A    | 184.40B/152.10A | ----             |               |               |  |                        | 158.70                   | +      | 0.80  | .4617         | 2                        | ----              | ----          |                  | 4     | +                 | 2    |      |
| 4625           | ----   | ----               |                 | 181.90B/150.10A    | 181.90B/150.10A | ----             |               |               |  |                        | 156.60                   | +      | 0.80  | .4575         | ----                     | ----              | ----          |                  | 3     |                   | UNCH |      |
| 4630           | ----   | ----               |                 | 179.70B/148.00A    | 179.70B/148.00A | ----             |               |               |  |                        | 154.50                   | +      | 0.60  | .4534         | ----                     | ----              | ----          |                  | 7     |                   | UNCH |      |
| 4640           | ----   | ----               |                 | 175.20B/144.10A    | 175.20B/144.10A | ----             |               |               |  |                        | 152.40                   | +      | 0.50  | .4534         | ----                     | ----              | ----          |                  | 15    |                   | UNCH |      |
| 4645           | ----   | ----               |                 | 172.90B/142.20A    | 172.90B/142.20A | ----             |               |               |  |                        | 150.10                   | +      | 0.50  | .4451         | ----                     | ----              | ----          |                  | 11    |                   | UNCH |      |
| 4650           | ----   | ----               |                 | 170.70B/140.30A    | 170.70B/140.30A | ----             |               |               |  |                        | 148.40                   | +      | 0.30  | .4410         | ----                     | ----              | ----          |                  | 7     |                   | UNCH |      |
| 4655           | ----   | ----               |                 | 16                 |                 |                  |               |               |  |                        |                          |        |       |               |                          |                   |               |                  |       |                   |      |      |

| PG64    |       | BULLETIN #104@     |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |      |     |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |  |  |  |
|---------|-------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|------|-----|--|--|--|-------------------|--|------|--|--|--|--|
|         |       | GLOBAL<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |     |  |  |  |                   |  |      |  |  |  |  |
| OG CALL |       | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |     |  |  |  |                   |  |      |  |  |  |  |
| SEP26   |       |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |     |  |  |  |                   |  |      |  |  |  |  |
| 5190    | ----  | ----               |              |                 | 40.508/31.70A      | 40.508/31.70A    | ----               | ----          |                 | 32.30 - 2.30             | .1304 | ----                   | ----                     | ----              | ----          | 10004            | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5195    | ----  | ----               |              |                 | 39.908/31.40A      | 39.908/31.40A    | ----               | ----          |                 | 31.90 - 2.30             | .1289 | ----                   | ----                     | ----              | ----          | 50               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5200    | 32.60 | 32.60              |              |                 | 39.208/30.90A      | 39.208/30.90A    | ----               | ----          |                 | 31.50 - 2.30             | .1274 | ----                   | ----                     | 613               | ----          | 10619            | +    | 585 |  |  |  |                   |  |      |  |  |  |  |
| 5205    | ----  | ----               |              |                 | 38.708/30.60A      | 38.708/30.60A    | ----               | ----          |                 | 31.10 - 2.30             | .1260 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5215    | ----  | ----               |              |                 | 37.608/29.80A      | 37.608/29.80A    | ----               | ----          |                 | 30.40 - 2.20             | .1233 | ----                   | ----                     | ----              | ----          | 7                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5230    | ----  | ----               |              |                 | 36.608/28.70A      | 36.608/28.70A    | ----               | ----          |                 | 29.20 - 2.30             | .1189 | ----                   | ----                     | ----              | ----          | 402              | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5235    | ----  | ----               |              |                 | 36.108/28.40A      | 36.108/28.40A    | ----               | ----          |                 | 28.90 - 2.30             | .1177 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5240    | ----  | ----               |              |                 | 35.708/28.00A      | 35.708/28.00A    | ----               | ----          |                 | 28.50 - 2.30             | .1163 | ----                   | ----                     | ----              | ----          | 2                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5245    | ----  | ----               |              |                 | 35.108/27.70A      | 35.108/27.70A    | ----               | ----          |                 | 28.20 - 2.30             | .1151 | ----                   | ----                     | ----              | ----          | 23               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5250    | ----  | ----               |              |                 | 34.508/27.40A      | 34.508/27.40A    | ----               | ----          |                 | 27.80 - 2.30             | .1137 | ----                   | ----                     | ----              | ----          | 649              | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5270    | ----  | ----               |              |                 | 33.008/26.10A      | 33.008/26.10A    | ----               | ----          |                 | 26.50 - 2.20             | .1087 | ----                   | ----                     | ----              | ----          | 7                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5275    | ----  | ----               |              |                 | 31.708/25.80A      | 31.708/25.80A    | ----               | ----          |                 | 26.20 - 2.20             | .1076 | ----                   | ----                     | ----              | ----          | 201              | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5290    | ----  | ----               |              |                 | 30.708/24.90A      | 30.708/24.90A    | ----               | ----          |                 | 25.30 - 2.10             | .1041 | ----                   | ----                     | ----              | ----          | 9                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5295    | ----  | ----               |              |                 | 30.208/24.60A      | 30.208/24.60A    | ----               | ----          |                 | 25.00 - 2.10             | .1029 | ----                   | ----                     | ----              | ----          | 8                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5300    | ----  | ----               |              |                 | 29.908/24.40A      | 29.908/24.40A    | ----               | ----          |                 | 24.70 - 2.10             | .1018 | ----                   | ----                     | 4                 | ----          | 1012             | +    | 4   |  |  |  |                   |  |      |  |  |  |  |
| 5305    | ----  | ----               |              |                 | 29.508/24.10A      | 29.508/24.10A    | ----               | ----          |                 | 24.40 - 2.10             | .1006 | ----                   | ----                     | ----              | ----          | 11               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5310    | ----  | ----               |              |                 | 29.108/23.80A      | 29.108/23.80A    | ----               | ----          |                 | 24.10 - 2.10             | .0995 | ----                   | ----                     | ----              | ----          | 6                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5315    | ----  | ----               |              |                 | 28.808/23.60A      | 28.808/23.60A    | ----               | ----          |                 | 23.80 - 2.10             | .0983 | ----                   | ----                     | ----              | ----          | 5                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5325    | ----  | ----               |              |                 | 28.108/23.00A      | 28.108/23.00A    | ----               | ----          |                 | 23.30 - 2.00             | .0963 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5330    | ----  | ----               |              |                 | 27.808/22.80A      | 27.808/22.80A    | ----               | ----          |                 | 23.00 - 2.00             | .0952 | ----                   | ----                     | ----              | ----          | 20               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5335    | ----  | ----               |              |                 | 27.508/22.50A      | 27.508/22.50A    | ----               | ----          |                 | 22.80 - 1.90             | .0944 | ----                   | ----                     | ----              | ----          | 4                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5340    | ----  | ----               |              |                 | 27.108/22.30A      | 27.108/22.30A    | ----               | ----          |                 | 22.50 - 2.00             | .0932 | ----                   | ----                     | ----              | ----          | 7                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5350    | ----  | ----               |              |                 | 26.508/21.80A      | 26.508/21.80A    | ----               | ----          |                 | 22.00 - 1.90             | .0913 | ----                   | 100                      | ----              | ----          | 317              | -    | 34  |  |  |  |                   |  |      |  |  |  |  |
| 5355    | ----  | ----               |              |                 | 26.208/21.60A      | 26.208/21.60A    | ----               | ----          |                 | 21.80 - 1.90             | .0904 | ----                   | ----                     | ----              | ----          | 6                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5365    | ----  | ----               |              |                 | 25.608/21.10A      | 25.608/21.10A    | ----               | ----          |                 | 21.30 - 1.90             | .0884 | ----                   | ----                     | ----              | ----          | 22               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5370    | ----  | ----               |              |                 | 25.308/20.90A      | 25.308/20.90A    | ----               | ----          |                 | 21.10 - 1.80             | .0876 | ----                   | ----                     | ----              | ----          | 18               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5375    | ----  | ----               |              |                 | 25.008/20.70A      | 25.008/20.70A    | ----               | ----          |                 | 20.80 - 1.90             | .0865 | ----                   | ----                     | ----              | ----          | 5                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5380    | ----  | ----               |              |                 | 24.708/20.50A      | 24.708/20.50A    | ----               | ----          |                 | 20.60 - 1.80             | .0857 | ----                   | ----                     | ----              | ----          | 2                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5395    | ----  | ----               |              |                 | 23.908/19.80A      | 23.908/19.80A    | ----               | ----          |                 | 20.00 - 1.70             | .0832 | ----                   | ----                     | ----              | ----          | 4                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5400    | 24.90 | 24.90              |              |                 | 24.90/19.30        | 24.90/19.30      | ----               | ----          |                 | 19.80 - 1.70             | .0824 | ----                   | ----                     | 2                 | ----          | 2275             | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5420    | ----  | ----               |              |                 | 22.608/18.80A      | 22.608/18.80A    | ----               | ----          |                 | 18.90 - 1.70             | .0788 | ----                   | ----                     | ----              | ----          | 83               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5425    | ----  | ----               |              |                 | 22.408/18.70A      | 22.408/18.70A    | ----               | ----          |                 | 18.70 - 1.70             | .0780 | ----                   | ----                     | ----              | ----          | 50               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5435    | ----  | ----               |              |                 | 21.908/18.30A      | 21.908/18.30A    | ----               | ----          |                 | 18.40 NEW                | .0767 | ----                   | ----                     | 3                 | ----          | 3                | +    | 3   |  |  |  |                   |  |      |  |  |  |  |
| 5440    | ----  | ----               |              |                 | 21.608/18.10A      | 21.608/18.10A    | ----               | ----          |                 | 18.20 - 1.60             | .0759 | ----                   | ----                     | ----              | ----          | 15               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5450    | ----  | ----               |              |                 | 21.208/17.80A      | 21.208/17.80A    | ----               | ----          |                 | 17.80 - 1.60             | .0743 | ----                   | ----                     | ----              | ----          | 29               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5455    | ----  | ----               |              |                 | 21.008/17.60A      | 21.008/17.60A    | ----               | ----          |                 | 17.70 - 1.50             | .0738 | ----                   | ----                     | ----              | ----          | 39               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5460    | ----  | ----               |              |                 | 20.708/17.40A      | 20.708/17.40A    | ----               | ----          |                 | 17.50 - 1.50             | .0730 | ----                   | ----                     | ----              | ----          | 2                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5470    | ----  | ----               |              |                 | 20.308/17.10A      | 20.308/17.10A    | ----               | ----          |                 | 17.10 - 1.60             | .0714 | ----                   | ----                     | ----              | ----          | 3                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5475    | 20.00 | 20.00              |              |                 | 20.108/16.90A      | 20.108/16.90A    | ----               | ----          |                 | 17.00 - 1.50             | .0709 | ----                   | 1                        | ----              | ----          | 27               | +    | 1   |  |  |  |                   |  |      |  |  |  |  |
| 5490    | ----  | ----               |              |                 | 19.508/16.50A      | 19.508/16.50A    | ----               | ----          |                 | 16.50 - 1.40             | .0689 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5500    | ----  | ----               |              |                 | 19.108/16.20A      | 19.108/16.20A    | ----               | ----          |                 | 16.20 - 1.40             | .0676 | ----                   | 1                        | ----              | ----          | 3094             | +    | 1   |  |  |  |                   |  |      |  |  |  |  |
| 5505    | ----  | ----               |              |                 | 18.908/16.00A      | 18.908/16.00A    | ----               | ----          |                 | 16.10 - 1.30             | .0671 | ----                   | ----                     | ----              | ----          | 3                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5510    | ----  | ----               |              |                 | 18.708/15.90A      | 18.708/15.90A    | ----               | ----          |                 | 15.90 - 1.40             | .0663 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5515    | ----  | ----               |              |                 | 18.508/15.70A      | 18.508/15.70A    | ----               | ----          |                 | 15.80 - 1.30             | .0658 | ----                   | ----                     | ----              | ----          | 4                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5520    | ----  | ----               |              |                 | 18.308/15.60A      | 18.308/15.60A    | ----               | ----          |                 | 15.60 - 1.40             | .0651 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5525    | ----  | ----               |              |                 | 18.108/15.50A      | 18.108/15.50A    | ----               | ----          |                 | 15.50 - 1.30             | .0646 | ----                   | ----                     | ----              | ----          | 7                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5535    | ----  | ----               |              |                 | 17.708/15.20A      | 17.708/15.20A    | ----               | ----          |                 | 15.20 - 1.30             | .0634 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5540    | ----  | ----               |              |                 | 17.608/15.10A      | 17.608/15.10A    | ----               | ----          |                 | 15.10 - 1.20             | .0629 | ----                   | ----                     | ----              | ----          | 19               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5550    | ----  | ----               |              |                 | 17.208/14.80A      | 17.208/14.80A    | ----               | ----          |                 | 14.80 - 1.30             | .0617 | ----                   | 1                        | ----              | ----          | 46               | +    | 1   |  |  |  |                   |  |      |  |  |  |  |
| 5555    | ----  | ----               |              |                 | 17.108/14.70A      | 17.108/14.70A    | ----               | ----          |                 | 14.70 - 1.20             | .0612 | ----                   | ----                     | ----              | ----          | 5                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5560    | ----  | ----               |              |                 | 16.908/14.60A      | 16.908/14.60A    | ----               | ----          |                 | 14.60 - 1.20             | .0607 | ----                   | ----                     | ----              | ----          | 2                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5570    | ----  | ----               |              |                 | 16.608/14.30A      | 16.608/14.30A    | ----               | ----          |                 | 14.30 - 1.20             | .0595 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5575    | ----  | ----               |              |                 | 16.408/14.20A      | 16.408/14.20A    | ----               | ----          |                 | 14.20 - 1.20             | .0591 | ----                   | ----                     | ----              | ----          | 1                | UNCH |     |  |  |  |                   |  |      |  |  |  |  |
| 5590    | ----  | ----               |              |                 | 16.008/13.80A      | 16.008/13.80A    | ----               | ----          |                 | 13.80 - 1.20             | .0574 | ----                   | ----                     | ----              | ----          | 26               | UNCH |     |  |  |  |                   |  |      |  |  |  |  |



| PG64    |      | BULLETIN #104@     |                        |                 |                    |                            |                         |                 |                          |        |               | METALS OPTION PRODUCTS   |                   |               |                  |      |  |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |
|---------|------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|--|-------------------|--|------|--|
|         |      | GLOBAL<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |                   |  |      |  |
| OG CALL |      | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |        |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |
| OCT26   |      |                    |                        |                 |                    |                            |                         |                 |                          |        |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |
| 4710    | ---- | ----               | ----                   | ----            | 178.00B/150.00A    | 178.00B/150.00A            | ----                    | ----            | 153.70                   | - 0.20 | .4108         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4715    | ---- | ----               | ----                   | ----            | 176.10B/148.30A    | 176.10B/148.30A            | ----                    | ----            | 151.90                   | - 0.30 | .4074         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4725    | ---- | ----               | ----                   | ----            | 172.20B/144.90A    | 172.20B/144.90A            | ----                    | ----            | 148.40                   | - 0.40 | .4007         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4730    | ---- | ----               | ----                   | ----            | 170.40B/143.30A    | 170.40B/143.30A            | ----                    | ----            | 146.70                   | - 0.40 | .3974         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4735    | ---- | ----               | ----                   | ----            | 168.40B/141.60A    | 168.40B/141.60A            | ----                    | ----            | 145.00                   | - 0.40 | .3941         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4750    | ---- | ----               | ----                   | ----            | 162.90B/136.60A    | 162.90B/136.60A            | ----                    | ----            | 140.00                   | - 0.50 | .3842         | ----                     | ----              | ----          | 36               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4755    | ---- | ----               | ----                   | ----            | 161.00B/135.20A    | 161.00B/135.20A            | ----                    | ----            | 138.40                   | - 0.60 | .3809         | ----                     | ----              | ----          | 76               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4760    | ---- | ----               | ----                   | ----            | 159.20B/133.50A    | 159.20B/133.50A            | ----                    | ----            | 136.80                   | - 0.60 | .3777         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4765    | ---- | ----               | ----                   | ----            | 157.40B/132.00A    | 157.40B/132.00A            | ----                    | ----            | 135.20                   | - 0.60 | .3745         | ----                     | ----              | ----          | 21               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4775    | ---- | ----               | ----                   | ----            | 153.90B/129.00A    | 153.90B/129.00A            | ----                    | ----            | 132.10                   | - 0.70 | .3681         | ----                     | ----              | ----          | 25               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4785    | ---- | ----               | ----                   | ----            | 150.90B/126.00A    | 150.90B/126.00A            | ----                    | ----            | 129.00                   | - 0.80 | .3617         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4790    | ---- | ----               | ----                   | ----            | 148.90B/124.60A    | 148.90B/124.60A            | ----                    | ----            | 127.50                   | - 0.80 | .3586         | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4795    | ---- | ----               | ----                   | ----            | 147.20B/123.10A    | 147.20B/123.10A            | ----                    | ----            | 126.00                   | - 0.90 | .3554         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4800    | ---- | ----               | ----                   | ----            | 145.90B/121.60A    | 145.90B/121.60A            | ----                    | ----            | 124.50                   | - 0.90 | .3523         | ----                     | ----              | ----          | 499              | UNCH |  |  |  |  |  |                   |  |      |  |
| 4805    | ---- | ----               | ----                   | ----            | 144.30B/120.30A    | 144.30B/120.30A            | ----                    | ----            | 123.10                   | - 0.90 | .3493         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4810    | ---- | ----               | ----                   | ----            | 142.40B/118.90A    | 142.40B/118.90A            | ----                    | ----            | 121.60                   | - 1.00 | .3461         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4815    | ---- | ----               | ----                   | ----            | 140.80B/117.50A    | 140.80B/117.50A            | ----                    | ----            | 120.20                   | - 1.00 | .3431         | ----                     | ----              | ----          | 36               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4820    | ---- | ----               | ----                   | ----            | 139.40B/116.10A    | 139.40B/116.10A            | ----                    | ----            | 118.80                   | - 1.00 | .3401         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4825    | ---- | ----               | ----                   | ----            | 137.90B/114.80A    | 137.90B/114.80A            | ----                    | ----            | 117.40                   | - 1.10 | .3370         | ----                     | ----              | ----          | 105              | UNCH |  |  |  |  |  |                   |  |      |  |
| 4830    | ---- | ----               | ----                   | ----            | 136.40B/113.40A    | 136.40B/113.40A            | ----                    | ----            | 116.00                   | - 1.20 | .3340         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4835    | ---- | ----               | ----                   | ----            | 134.60B/112.10A    | 134.60B/112.10A            | ----                    | ----            | 114.70                   | - 1.10 | .3311         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4840    | ---- | ----               | ----                   | ----            | 133.10B/110.80A    | 133.10B/110.80A            | ----                    | ----            | 113.30                   | - 1.20 | .3281         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4845    | ---- | ----               | ----                   | ----            | 131.90B/109.50A    | 131.90B/109.50A            | ----                    | ----            | 112.00                   | - 1.30 | .3251         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4850    | ---- | ----               | ----                   | ----            | 130.40B/108.20A    | 130.40B/108.20A            | ----                    | ----            | 110.60                   | - 1.40 | .3221         | ----                     | ----              | ----          | 54               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4860    | ---- | ----               | ----                   | ----            | 127.50B/105.70A    | 127.50B/105.70A            | ----                    | ----            | 108.10                   | - 1.40 | .3164         | ----                     | ----              | ----          | 100              | UNCH |  |  |  |  |  |                   |  |      |  |
| 4865    | ---- | ----               | ----                   | ----            | 125.90B/104.50A    | 125.90B/104.50A            | ----                    | ----            | 106.80                   | - 1.50 | .3135         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4870    | ---- | ----               | ----                   | ----            | 124.60B/103.30A    | 124.60B/103.30A            | ----                    | ----            | 105.50                   | - 1.50 | .3106         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4880    | ---- | ----               | ----                   | ----            | 121.60B/100.90A    | 121.60B/100.90A            | ----                    | ----            | 103.10                   | - 1.60 | .3050         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4885    | ---- | ----               | ----                   | ----            | 120.50B/99.70A     | 120.50B/99.70A             | ----                    | ----            | 101.80                   | - 1.70 | .3021         | ----                     | ----              | ----          | 50               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4900    | ---- | ----               | ----                   | ----            | 116.40B/96.20A     | 116.40B/96.20A             | ----                    | ----            | 98.30                    | - 1.70 | .2939         | ----                     | ----              | ----          | 1431             | UNCH |  |  |  |  |  |                   |  |      |  |
| 4905    | ---- | ----               | ----                   | ----            | 115.00B/95.20A     | 115.00B/95.20A             | ----                    | ----            | 97.20                    | - 1.70 | .2912         | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4910    | ---- | ----               | ----                   | ----            | 113.70B/94.00A     | 113.70B/94.00A             | ----                    | ----            | 96.00                    | - 1.80 | .2884         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4925    | ---- | ----               | ----                   | ----            | 110.10B/90.80A     | 110.10B/90.80A             | ----                    | ----            | 92.70                    | - 1.80 | .2805         | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |      |  |
| 4935    | ---- | ----               | ----                   | ----            | 107.50B/88.70A     | 107.50B/88.70A             | ----                    | ----            | 90.60                    | - 1.80 | .2754         | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4945    | ---- | ----               | ----                   | ----            | 105.00B/86.60A     | 105.00B/86.60A             | ----                    | ----            | 88.50                    | - 1.90 | .2702         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4950    | ---- | ----               | ----                   | ----            | 103.80B/85.60A     | 103.80B/85.60A             | ----                    | ----            | 87.50                    | - 1.90 | .2677         | ----                     | ----              | ----          | 875              | UNCH |  |  |  |  |  |                   |  |      |  |
| 4970    | ---- | ----               | ----                   | ----            | 99.20B/81.80A      | 99.20B/81.80A              | ----                    | ----            | 83.50                    | - 2.00 | .2578         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4975    | ---- | ----               | ----                   | ----            | 98.30B/80.80A      | 98.30B/80.80A              | ----                    | ----            | 82.50                    | - 2.00 | .2553         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5000    | ---- | ----               | ----                   | ----            | 92.80B/76.30A      | 92.80B/76.30A              | ----                    | ----            | 77.90                    | - 2.10 | .2436         | ----                     | ----              | ----          | 1478             | UNCH |  |  |  |  |  |                   |  |      |  |
| 5025    | ---- | ----               | ----                   | ----            | 87.70B/72.10A      | 87.70B/72.10A              | ----                    | ----            | 73.50                    | - 2.20 | .2322         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5045    | ---- | ----               | ----                   | ----            | 83.90B/68.90A      | 83.90B/68.90A              | ----                    | ----            | 70.30                    | - 2.20 | .2236         | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5050    | ---- | ----               | ----                   | ----            | 82.90B/68.10A      | 82.90B/68.10A              | ----                    | ----            | 69.50                    | - 2.20 | .2215         | ----                     | ----              | ----          | 259              | UNCH |  |  |  |  |  |                   |  |      |  |
| 5055    | ---- | ----               | ----                   | ----            | 82.00B/67.30A      | 82.00B/67.30A              | ----                    | ----            | 68.70                    | - 2.30 | .2193         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5075    | ---- | ----               | ----                   | ----            | 78.40B/64.40A      | 78.40B/64.40A              | ----                    | ----            | 65.60                    | - 2.40 | .2110         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5080    | ---- | ----               | ----                   | ----            | 77.60B/63.60A      | 77.60B/63.60A              | ----                    | ----            | 64.90                    | - 2.30 | .2091         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5085    | ---- | ----               | ----                   | ----            | 76.70B/62.90A      | 76.70B/62.90A              | ----                    | ----            | 64.10                    | - 2.40 | .2069         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5100    | ---- | ----               | ----                   | ----            | 74.20B/60.80A      | 74.20B/60.80A              | ----                    | ----            | 62.00                    | - 2.40 | .2011         | ----                     | ----              | ----          | 789              | UNCH |  |  |  |  |  |                   |  |      |  |
| 5125    | ---- | ----               | ----                   | ----            | 70.20B/57.60A      | 70.20B/57.60A              | ----                    | ----            | 58.60                    | - 2.30 | .1917         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5140    | ---- | ----               | ----                   | ----            | 68.00B/55.70A      | 68.00B/55.70A              | ----                    | ----            | 56.60                    | - 2.30 | .1861         | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5150    | ---- | ----               | ----                   | ----            | 66.50B/54.50A      | 66.50B/54.50A              | ----                    | ----            | 55.40                    | - 2.20 | .1826         | ----                     | ----              | ----          | 36               | UNCH |  |  |  |  |  |                   |  |      |  |
| 5155    | ---- | ----               | ----                   | ----            | 65.70B/53.90A      | 65.70B/53.90A              | ----                    | ----            | 54.80                    | - 2.20 | .1809         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |  |
| 5160    | ---- | ----               | ----                   | ----            | 65.10B/53.30A      | 65.10B/53.30A              | ----                    | ----            | 54.20                    | - 2.20 | .1792         | ----                     | ----              | ----          |                  |      |  |  |  |  |  |                   |  |      |  |

| PG64    |       | BULLETIN #104@     |                        |                 |                    |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |      |   |  |  |  |  | Tue, Jun 02, 2026 |  | PG64 |  |
|---------|-------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|---|--|--|--|--|-------------------|--|------|--|
|         |       | GLOBAL<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |   |  |  |  |  |                   |  |      |  |
| OG CALL |       | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |   |  |  |  |  |                   |  |      |  |
| NOV26   |       |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |   |  |  |  |  |                   |  |      |  |
| 4650    | ----  | ----               | ----                   | ----            | 249.80B/219.50A    | 249.80B/219.50A            | ----                    | ----            | 223.50 + 0.90            | .4854 | ----          | ----                     | ----              | ----          | 32               | UNCH |   |  |  |  |  |                   |  |      |  |
| 4700    | ----  | ----               | ----                   | ----            | 226.80B/199.40A    | 226.80B/199.40A            | ----                    | ----            | 202.90 + 0.80            | .4547 | ----          | ----                     | ----              | ----          | 10               | UNCH |   |  |  |  |  |                   |  |      |  |
| 4750    | ----  | ----               | ----                   | ----            | 206.50B/180.90A    | 206.50B/180.90A            | ----                    | ----            | 184.20 + 0.70            | .4249 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 4775    | ----  | ----               | ----                   | ----            | 197.00B/172.50A    | 197.00B/172.50A            | ----                    | ----            | 175.40 + 0.50            | .4103 | ----          | ----                     | ----              | ----          | 31               | UNCH |   |  |  |  |  |                   |  |      |  |
| 4800    | ----  | ----               | ----                   | ----            | 187.60B/164.00A    | 187.60B/164.00A            | ----                    | ----            | 166.90 + 0.10            | .3959 | ----          | ----                     | ----              | ----          | 18               | UNCH |   |  |  |  |  |                   |  |      |  |
| 4850    | ----  | ----               | ----                   | ----            | 172.40B/148.50A    | 172.40B/148.50A            | ----                    | ----            | 151.10 - 0.50            | .3681 | ----          | ----                     | ----              | ----          | 25               | UNCH |   |  |  |  |  |                   |  |      |  |
| 4900    | ----  | ----               | ----                   | ----            | 156.70B/134.40A    | 156.70B/134.40A            | ----                    | ----            | 136.70 - 1.10            | .3414 | ----          | ----                     | ----              | ----          | 451              | UNCH |   |  |  |  |  |                   |  |      |  |
| 4915    | ----  | ----               | ----                   | ----            | 152.30B/130.50A    | 152.30B/130.50A            | ----                    | ----            | 132.70 - 1.20            | .3337 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 4925    | ----  | ----               | ----                   | ----            | 149.40B/128.00A    | 149.40B/128.00A            | ----                    | ----            | 130.10 - 1.30            | .3287 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 4935    | ----  | ----               | ----                   | ----            | 146.40B/125.50A    | 146.40B/125.50A            | ----                    | ----            | 127.50 - 1.40            | .3237 | ----          | ----                     | ----              | ----          | 25               | UNCH |   |  |  |  |  |                   |  |      |  |
| 4950    | ----  | ----               | ----                   | ----            | 142.30B/121.70A    | 142.30B/121.70A            | ----                    | ----            | 123.80 - 1.40            | .3163 | ----          | ----                     | ----              | ----          | 150              | UNCH |   |  |  |  |  |                   |  |      |  |
| 4970    | ----  | ----               | ----                   | ----            | 136.90B/117.10A    | 136.90B/117.10A            | ----                    | ----            | 119.00 - 1.50            | .3067 | ----          | ----                     | ----              | ----          | 10               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5000    | ----  | ----               | ----                   | ----            | 129.20B/110.30A    | 129.20B/110.30A            | ----                    | ----            | 112.20 - 1.60            | .2927 | ----          | ----                     | ----              | ----          | 98               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5020    | ----  | ----               | ----                   | ----            | 124.40B/106.00A    | 124.40B/106.00A            | ----                    | ----            | 107.90 - 1.60            | .2837 | ----          | ----                     | ----              | ----          | 30               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5050    | ----  | ----               | ----                   | ----            | 117.30B/100.20A    | 117.30B/100.20A            | ----                    | ----            | 101.70 - 1.70            | .2705 | ----          | ----                     | ----              | ----          | 100              | UNCH |   |  |  |  |  |                   |  |      |  |
| 5060    | ----  | ----               | ----                   | ----            | 115.10B/97.90A     | 115.10B/97.90A             | ----                    | ----            | 99.70 - 1.70             | .2662 | ----          | ----                     | ----              | ----          | 2                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5080    | ----  | ----               | ----                   | ----            | 110.80B/94.30A     | 110.80B/94.30A             | ----                    | ----            | 95.90 - 1.70             | .2579 | ----          | ----                     | ----              | ----          | 4                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5085    | ----  | ----               | ----                   | ----            | 109.80B/93.30A     | 109.80B/93.30A             | ----                    | ----            | 94.90 - 1.80             | .2558 | ----          | ----                     | ----              | ----          | 4                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5120    | ----  | ----               | ----                   | ----            | 102.70B/87.30A     | 102.70B/87.30A             | ----                    | ----            | 88.70 - 1.80             | .2419 | ----          | ----                     | ----              | ----          | 50               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5150    | ----  | ----               | ----                   | ----            | 97.00B/82.40A      | 97.00B/82.40A              | ----                    | ----            | 83.70 - 1.80             | .2305 | ----          | ----                     | ----              | ----          | 100              | UNCH |   |  |  |  |  |                   |  |      |  |
| 5175    | ----  | ----               | ----                   | ----            | 92.40B/78.60A      | 92.40B/78.60A              | ----                    | ----            | 79.70 - 1.90             | .2213 | ----          | ----                     | ----              | ----          | 12               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5180    | ----  | ----               | ----                   | ----            | 91.70B/77.80A      | 91.70B/77.80A              | ----                    | ----            | 79.00 - 1.90             | .2196 | ----          | ----                     | ----              | ----          | 5                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5185    | ----  | ----               | ----                   | ----            | 90.80B/77.10A      | 90.80B/77.10A              | ----                    | ----            | 78.20 - 1.90             | .2178 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5200    | 80.00 | 80.00              | ----                   | ----            | 88.30B/75.00A      | 88.30B/75.00A              | ----                    | ----            | 76.00 - 1.90             | .2126 | ----          | ----                     | 1                 | ----          | 31               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5230    | ----  | ----               | ----                   | ----            | 83.50B/71.00A      | 83.50B/71.00A              | ----                    | ----            | 71.80 - 2.00             | .2025 | ----          | ----                     | ----              | ----          | 5                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5250    | ----  | ----               | ----                   | ----            | 80.40B/68.40A      | 80.40B/68.40A              | ----                    | ----            | 69.20 - 1.90             | .1962 | ----          | ----                     | ----              | ----          | 11               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5275    | ----  | ----               | ----                   | ----            | 76.80B/65.30A      | 76.80B/65.30A              | ----                    | ----            | 66.00 - 2.00             | .1884 | ----          | ----                     | 1                 | ----          | 2                | +    | 1 |  |  |  |  |                   |  |      |  |
| 5285    | ----  | ----               | ----                   | ----            | 75.40B/64.20A      | 75.40B/64.20A              | ----                    | ----            | 64.80 - 2.00             | .1854 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5300    | ----  | ----               | ----                   | ----            | 73.40B/62.50A      | 73.40B/62.50A              | ----                    | ----            | 63.00 - 2.10             | .1809 | ----          | ----                     | ----              | ----          | 395              | UNCH |   |  |  |  |  |                   |  |      |  |
| 5325    | ----  | ----               | ----                   | ----            | 70.20B/59.80A      | 70.20B/59.80A              | ----                    | ----            | 60.20 - 2.10             | .1739 | ----          | ----                     | 1                 | ----          | 2                | +    | 1 |  |  |  |  |                   |  |      |  |
| 5330    | ----  | ----               | ----                   | ----            | 69.50B/59.30A      | 69.50B/59.30A              | ----                    | ----            | 59.70 - 2.00             | .1726 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5370    | ----  | ----               | ----                   | ----            | 64.80B/55.20A      | 64.80B/55.20A              | ----                    | ----            | 55.50 - 2.10             | .1618 | ----          | ----                     | ----              | ----          | 5                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5400    | ----  | ----               | ----                   | ----            | 61.50B/52.50A      | 61.50B/52.50A              | ----                    | ----            | 52.70 - 2.00             | .1545 | ----          | ----                     | ----              | ----          | 17               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5420    | ----  | ----               | ----                   | ----            | 59.40B/50.80A      | 59.40B/50.80A              | ----                    | ----            | 50.90 - 2.00             | .1497 | ----          | ----                     | ----              | ----          | 14               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5450    | ----  | ----               | ----                   | ----            | 56.30B/48.40A      | 56.30B/48.40A              | ----                    | ----            | 48.30 - 2.10             | .1428 | ----          | ----                     | ----              | ----          | 454              | UNCH |   |  |  |  |  |                   |  |      |  |
| 5460    | ----  | ----               | ----                   | ----            | 55.50B/47.50A      | 55.50B/47.50A              | ----                    | ----            | 47.50 - 2.10             | .1407 | ----          | ----                     | ----              | ----          | 10               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5500    | ----  | ----               | ----                   | ----            | 51.80B/45.00A      | 51.80B/45.00A              | ----                    | ----            | 44.40 - 2.10             | .1323 | ----          | ----                     | ----              | ----          | 86               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5530    | ----  | ----               | ----                   | ----            | 49.40B/43.00A      | 49.40B/43.00A              | ----                    | ----            | 42.30 - 2.00             | .1265 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5535    | ----  | ----               | ----                   | ----            | 49.00B/42.70A      | 49.00B/42.70A              | ----                    | ----            | 42.00 - 2.00             | .1256 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5540    | ----  | ----               | ----                   | ----            | 48.60B/42.30A      | 48.60B/42.30A              | ----                    | ----            | 41.60 - 2.10             | .1246 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5545    | ----  | ----               | ----                   | ----            | 48.20B/42.00A      | 48.20B/42.00A              | ----                    | ----            | 41.30 - 2.00             | .1237 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5550    | ----  | ----               | ----                   | ----            | 47.70B/41.70A      | 47.70B/41.70A              | ----                    | ----            | 41.00 - 2.00             | .1228 | ----          | ----                     | ----              | ----          | 3                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5555    | ----  | ----               | ----                   | ----            | 47.30B/41.40A      | 47.30B/41.40A              | ----                    | ----            | 40.60 - 2.10             | .1218 | ----          | ----                     | ----              | ----          | 3                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5560    | ----  | ----               | ----                   | ----            | 47.00B/41.10A      | 47.00B/41.10A              | ----                    | ----            | 40.30 - 2.00             | .1209 | ----          | ----                     | ----              | ----          | 4                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5565    | ----  | ----               | ----                   | ----            | 46.60B/40.70A      | 46.60B/40.70A              | ----                    | ----            | 40.00 - 2.00             | .1201 | ----          | ----                     | ----              | ----          | 8                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5570    | ----  | ----               | ----                   | ----            | 46.30B/40.40A      | 46.30B/40.40A              | ----                    | ----            | 39.70 - 2.00             | .1192 | ----          | ----                     | ----              | ----          | 20               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5575    | ----  | ----               | ----                   | ----            | 45.90B/40.10A      | 45.90B/40.10A              | ----                    | ----            | 39.40 - 2.00             | .1184 | ----          | ----                     | ----              | ----          | 86               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5600    | ----  | ----               | ----                   | ----            | 42.00B/38.70A      | 42.00B/38.70A              | ----                    | ----            | 37.90 - 2.00             | .1141 | ----          | ----                     | ----              | ----          | 44               | UNCH |   |  |  |  |  |                   |  |      |  |
| 5650    | ----  | ----               | ----                   | ----            | 38.80B/36.10A      | 38.80B/36.10A              | ----                    | ----            | 35.10 - 2.00             | .1061 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5655    | ----  | ----               | ----                   | ----            | 38.50B/35.60A      | 38.50B/35.60A              | ----                    | ----            | 34.90 - 1.90             | .1055 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5660    | ----  | ----               | ----                   | ----            | 38.20B/35.20A      | 38.20B/35.20A              | ----                    | ----            | 34.60 - 1.90             | .1047 | ----          | ----                     | ----              | ----          | 1                | UNCH |   |  |  |  |  |                   |  |      |  |
| 5665    | ----  | ----               | ----                   | ----            | 37.90B/35.10A      | 37.90B/35.10A              | ----                    | ----            | 34.40 - 1.90             | .1041 | ----          | ----                     | ----              | ----          |                  |      |   |  |  |  |  |                   |  |      |  |

| PG64    |        | BULLETIN #104@     |              |                 |                    |                  |                    |               |                 |                           |       | METALS OPTION PRODUCTS |                          |                   |               |        |      |       |      |                  |      | Tue, Jun 02, 2026 |      | PG64  |
|---------|--------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|---------------------------|-------|------------------------|--------------------------|-------------------|---------------|--------|------|-------|------|------------------|------|-------------------|------|-------|
|         |        | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |        |      |       |      | OPEN<br>INTEREST |      |                   |      |       |
| OG CALL |        | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                           |       |                        |                          |                   |               |        |      |       |      |                  |      |                   |      |       |
| DEC26   |        |                    |              |                 |                    |                  |                    |               |                 |                           |       |                        |                          |                   |               |        |      |       |      |                  |      |                   |      |       |
| 4810    | ----   | ----               | ----         | ----            | 210.80B/185.30A    | 210.80B/185.30A  | ----               | ----          | ----            | 188.60 + 0.70             | .4050 | ----                   | ----                     | ----              | ----          | ----   | 60   | UNCH  | ---- | ----             | 60   | UNCH              | ---- | ----  |
| 4815    | ----   | ----               | ----         | ----            | 207.20B/183.60A    | 207.20B/183.60A  | ----               | ----          | ----            | 186.90 + 0.70             | .4024 | ----                   | ----                     | ----              | ----          | ----   | 6    | UNCH  | ---- | ----             | 6    | UNCH              | ---- | ----  |
| 4820    | ----   | ----               | ----         | ----            | 207.30B/182.00A    | 207.30B/182.00A  | ----               | ----          | ----            | 185.30 + 0.70             | .3998 | ----                   | ----                     | ----              | ----          | ----   | 91   | UNCH  | ---- | ----             | 91   | UNCH              | ---- | ----  |
| 4825    | ----   | ----               | ----         | ----            | 205.50B/180.40A    | 205.50B/180.40A  | ----               | ----          | ----            | 183.60 + 0.70             | .3972 | ----                   | ----                     | ----              | ----          | ----   | 104  | UNCH  | ---- | ----             | 104  | UNCH              | ---- | ----  |
| 4835    | ----   | ----               | ----         | ----            | 201.90B/177.20A    | 201.90B/177.20A  | ----               | ----          | ----            | 180.40 + 0.70             | .3921 | ----                   | ----                     | ----              | ----          | ----   | 127  | UNCH  | ---- | ----             | 127  | UNCH              | ---- | ----  |
| 4850    | ----   | ----               | ----         | ----            | 196.90B/172.50A    | 196.90B/172.50A  | ----               | ----          | ----            | 175.60 + 0.60             | .3845 | ----                   | ----                     | ----              | 10            | 302 +  | 10   | 302 + | 10   | 302 +            | 10   | 302 +             | 10   | 302 + |
| 4875    | ----   | ----               | ----         | ----            | 188.60B/165.20A    | 188.60B/165.20A  | ----               | ----          | ----            | 168.00 + 0.70             | .3721 | ----                   | ----                     | ----              | ----          | ----   | 2    | UNCH  | ---- | ----             | 2    | UNCH              | ---- | ----  |
| 4880    | ----   | ----               | ----         | ----            | 187.00B/163.60A    | 187.00B/163.60A  | ----               | ----          | ----            | 166.50 + 0.70             | .3697 | ----                   | ----                     | ----              | ----          | ----   | 4    | UNCH  | ---- | ----             | 4    | UNCH              | ---- | ----  |
| 4895    | ----   | ----               | ----         | ----            | 182.10B/159.20A    | 182.10B/159.20A  | ----               | ----          | ----            | 162.10 + 0.60             | .3623 | ----                   | ----                     | ----              | ----          | ----   | 200  | UNCH  | ---- | ----             | 200  | UNCH              | ---- | ----  |
| 4900    | ----   | ----               | ----         | ----            | 180.60B/157.80A    | 180.60B/157.80A  | ----               | ----          | ----            | 160.60 + 0.60             | .3599 | ----                   | ----                     | ----              | ----          | ----   | 373  | UNCH  | ---- | ----             | 373  | UNCH              | ---- | ----  |
| 4905    | ----   | ----               | ----         | ----            | 179.10B/156.40A    | 179.10B/156.40A  | ----               | ----          | ----            | 159.20 + 0.60             | .3575 | ----                   | ----                     | ----              | ----          | ----   | 10   | UNCH  | ---- | ----             | 10   | UNCH              | ---- | ----  |
| 4910    | ----   | ----               | ----         | ----            | 177.50B/155.10A    | 177.50B/155.10A  | ----               | ----          | ----            | 157.80 + 0.60             | .3551 | ----                   | ----                     | ----              | ----          | ----   | 18   | UNCH  | ---- | ----             | 18   | UNCH              | ---- | ----  |
| 4925    | ----   | ----               | ----         | ----            | 173.00B/151.00A    | 173.00B/151.00A  | ----               | ----          | ----            | 153.60 + 0.60             | .3480 | ----                   | ----                     | ----              | ----          | ----   | 242  | UNCH  | ---- | ----             | 242  | UNCH              | ---- | ----  |
| 4950    | ----   | ----               | ----         | ----            | 165.70B/144.40A    | 165.70B/144.40A  | ----               | ----          | ----            | 146.90 + 0.50             | .3364 | ----                   | ----                     | ----              | ----          | ----   | 103  | UNCH  | ---- | ----             | 103  | UNCH              | ---- | ----  |
| 4955    | ----   | ----               | ----         | ----            | 164.10B/143.20A    | 164.10B/143.20A  | ----               | ----          | ----            | 145.60 + 0.50             | .3341 | ----                   | ----                     | ----              | ----          | ----   | 10   | UNCH  | ---- | ----             | 10   | UNCH              | ---- | ----  |
| 4960    | ----   | ----               | ----         | ----            | 162.70B/141.90A    | 162.70B/141.90A  | ----               | ----          | ----            | 144.30 + 0.50             | .3318 | ----                   | ----                     | ----              | ----          | ----   | 10   | UNCH  | ---- | ----             | 10   | UNCH              | ---- | ----  |
| 4975    | ----   | ----               | ----         | ----            | 158.50B/138.20A    | 158.50B/138.20A  | ----               | ----          | ----            | 140.50 + 0.40             | .3250 | ----                   | ----                     | ----              | ----          | ----   | 50   | UNCH  | ---- | ----             | 50   | UNCH              | ---- | ----  |
| 5000    | 148.00 | ----               | 148.00       | ----            | 151.90B/132.10A    | 151.90B/132.10A  | ----               | ----          | ----            | 134.40 + 0.30             | .3140 | ----                   | ----                     | 423               | 45            | 2434 - | 294  | 294   | 294  | 294              | 294  | 294               | 294  |       |
| 5005    | ----   | ----               | ----         | ----            | 150.60B/131.00A    | 150.60B/131.00A  | ----               | ----          | ----            | 133.20 + 0.20             | .3118 | ----                   | ----                     | ----              | ----          | ----   | 4    | UNCH  | ---- | ----             | 4    | UNCH              | ---- | ----  |
| 5020    | ----   | ----               | ----         | ----            | 146.80B/127.90A    | 146.80B/127.90A  | ----               | ----          | ----            | 129.70 + 0.10             | .3054 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5025    | ----   | ----               | ----         | ----            | 145.40B/126.50A    | 145.40B/126.50A  | ----               | ----          | ----            | 128.50 UNCH               | .3032 | ----                   | ----                     | ----              | ----          | ----   | 243  | UNCH  | ---- | ----             | 243  | UNCH              | ---- | ----  |
| 5045    | ----   | ----               | ----         | ----            | 140.50B/122.20A    | 140.50B/122.20A  | ----               | ----          | ----            | 124.10 - 0.10             | .2949 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5050    | ----   | ----               | ----         | ----            | 139.30B/121.10A    | 139.30B/121.10A  | ----               | ----          | ----            | 123.00 - 0.10             | .2928 | ----                   | ----                     | ----              | ----          | ----   | 119  | UNCH  | ---- | ----             | 119  | UNCH              | ---- | ----  |
| 5055    | ----   | ----               | ----         | ----            | 138.10B/120.10A    | 138.10B/120.10A  | ----               | ----          | ----            | 121.90 - 0.20             | .2908 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5070    | ----   | ----               | ----         | ----            | 134.60B/116.90A    | 134.60B/116.90A  | ----               | ----          | ----            | 118.70 - 0.30             | .2847 | ----                   | ----                     | ----              | ----          | ----   | 13   | UNCH  | ---- | ----             | 13   | UNCH              | ---- | ----  |
| 5075    | ----   | ----               | ----         | ----            | 133.40B/115.90A    | 133.40B/115.90A  | ----               | ----          | ----            | 117.70 - 0.30             | .2827 | ----                   | ----                     | ----              | ----          | ----   | 31   | UNCH  | ---- | ----             | 31   | UNCH              | ---- | ----  |
| 5090    | ----   | ----               | ----         | ----            | 129.90B/112.90A    | 129.90B/112.90A  | ----               | ----          | ----            | 114.60 - 0.50             | .2768 | ----                   | ----                     | ----              | ----          | ----   | 17   | UNCH  | ---- | ----             | 17   | UNCH              | ---- | ----  |
| 5100    | ----   | ----               | ----         | ----            | 127.80B/110.90A    | 127.80B/110.90A  | ----               | ----          | ----            | 112.70 - 0.50             | .2730 | ----                   | ----                     | ----              | ----          | ----   | 362  | UNCH  | ---- | ----             | 362  | UNCH              | ---- | ----  |
| 5115    | ----   | ----               | ----         | ----            | 124.60B/108.30A    | 124.60B/108.30A  | ----               | ----          | ----            | 109.70 - 0.80             | .2671 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5125    | ----   | ----               | ----         | ----            | 122.40B/106.30A    | 122.40B/106.30A  | ----               | ----          | ----            | 107.90 - 0.80             | .2635 | ----                   | ----                     | ----              | ----          | ----   | 70   | UNCH  | ---- | ----             | 70   | UNCH              | ---- | ----  |
| 5150    | ----   | ----               | ----         | ----            | 117.20B/101.80A    | 117.20B/101.80A  | ----               | ----          | ----            | 103.30 - 1.10             | .2543 | ----                   | ----                     | ----              | ----          | ----   | 22   | UNCH  | ---- | ----             | 22   | UNCH              | ---- | ----  |
| 5155    | ----   | ----               | ----         | ----            | 116.30B/100.90A    | 116.30B/100.90A  | ----               | ----          | ----            | 102.40 - 1.10             | .2525 | ----                   | ----                     | ----              | ----          | ----   | 4    | UNCH  | ---- | ----             | 4    | UNCH              | ---- | ----  |
| 5160    | ----   | ----               | ----         | ----            | 115.30B/100.10A    | 115.30B/100.10A  | ----               | ----          | ----            | 101.50 - 1.20             | .2506 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5170    | ----   | ----               | ----         | ----            | 113.40B/98.40A     | 113.40B/98.40A   | ----               | ----          | ----            | 99.80 - 1.30              | .2471 | ----                   | ----                     | ----              | ----          | ----   | 4    | UNCH  | ---- | ----             | 4    | UNCH              | ---- | ----  |
| 5175    | ----   | ----               | ----         | ----            | 112.30B/97.60A     | 112.30B/97.60A   | ----               | ----          | ----            | 98.90 - 1.40              | .2453 | ----                   | ----                     | ----              | ----          | ----   | 101  | UNCH  | ---- | ----             | 101  | UNCH              | ---- | ----  |
| 5195    | ----   | ----               | ----         | ----            | 108.70B/94.30A     | 108.70B/94.30A   | ----               | ----          | ----            | 95.60 - 1.50              | .2385 | ----                   | ----                     | ----              | ----          | ----   | 5    | UNCH  | ---- | ----             | 5    | UNCH              | ---- | ----  |
| 5200    | 99.50  | ----               | 99.50        | ----            | 107.70B/93.30A     | 107.70B/93.30A   | ----               | ----          | ----            | 94.80 - 1.60              | .2368 | ----                   | ----                     | 3                 | 1330          | UNCH   | 1330 | UNCH  | 1330 | UNCH             | 1330 | UNCH              | 1330 | UNCH  |
| 5220    | ----   | ----               | ----         | ----            | 104.20B/90.40A     | 104.20B/90.40A   | ----               | ----          | ----            | 91.60 - 1.80              | .2301 | ----                   | ----                     | ----              | ----          | ----   | 6    | UNCH  | ---- | ----             | 6    | UNCH              | ---- | ----  |
| 5225    | ----   | ----               | ----         | ----            | 103.30B/89.70A     | 103.30B/89.70A   | ----               | ----          | ----            | 90.90 - 1.80              | .2286 | ----                   | ----                     | ----              | ----          | ----   | 10   | UNCH  | ---- | ----             | 10   | UNCH              | ---- | ----  |
| 5245    | ----   | ----               | ----         | ----            | 99.90B/86.80A      | 99.90B/86.80A    | ----               | ----          | ----            | 87.80 - 2.00              | .2221 | ----                   | ----                     | ----              | ----          | ----   | 10   | UNCH  | ---- | ----             | 10   | UNCH              | ---- | ----  |
| 5250    | ----   | ----               | ----         | ----            | 99.00B/85.90A      | 99.00B/85.90A    | ----               | ----          | ----            | 87.10 - 2.00              | .2205 | ----                   | ----                     | ----              | ----          | ----   | 410  | UNCH  | ---- | ----             | 410  | UNCH              | ---- | ----  |
| 5255    | ----   | ----               | ----         | ----            | 98.20B/85.30A      | 98.20B/85.30A    | ----               | ----          | ----            | 86.40 - 2.00              | .2190 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5265    | ----   | ----               | ----         | ----            | 96.70B/83.90A      | 96.70B/83.90A    | ----               | ----          | ----            | 84.90 - 2.10              | .2158 | ----                   | ----                     | ----              | ----          | ----   | 5    | UNCH  | ---- | ----             | 5    | UNCH              | ---- | ----  |
| 5270    | ----   | ----               | ----         | ----            | 95.90B/83.30A      | 95.90B/83.30A    | ----               | ----          | ----            | 84.20 - 2.20              | .2143 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5275    | ----   | ----               | ----         | ----            | 95.10B/82.50A      | 95.10B/82.50A    | ----               | ----          | ----            | 83.50 - 2.20              | .2128 | ----                   | ----                     | ----              | ----          | ----   | 24   | UNCH  | ---- | ----             | 24   | UNCH              | ---- | ----  |
| 5280    | ----   | ----               | ----         | ----            | 94.30B/81.80A      | 94.30B/81.80A    | ----               | ----          | ----            | 82.80 - 2.20              | .2113 | ----                   | ----                     | ----              | ----          | ----   | 11   | UNCH  | ---- | ----             | 11   | UNCH              | ---- | ----  |
| 5285    | ----   | ----               | ----         | ----            | 93.50B/81.20A      | 93.50B/81.20A    | ----               | ----          | ----            | 82.20 - 2.20              | .2099 | ----                   | ----                     | ----              | ----          | ----   | 1    | UNCH  | ---- | ----             | 1    | UNCH              | ---- | ----  |
| 5290    | ----   | ----               | ----         | ----            | 92.60B/80.60A      | 92.60B/80.60A    | ----               | ----          | ----            | 81.50 - 2.20              | .2084 | ----                   | ----                     | ----              | ----          | ----   | 2    | UNCH  | ---- | ----             | 2    | UNCH              | ---- | ----  |
| 5295    | ----   | ----               | ----         | ----            | 92.00B/79.90A      | 92.00B/79.90A    | ----               | ----          | ----            | 80.80 - 2.30              | .2069 | ----                   | ----                     | ----              | ----          | ----   | 2    | UNCH  | ---- | ----             | 2    | UNCH              | ---- | ----  |
| 5300    | ----   | ----               | ----         | ----            | 91.20B/79.10A      | 91.20B/79.10A    | ----               | ----          | ----            | 80.10 - 2.30              | .2053 | ----                   | ----                     | ----              | 90            | 750    | UNCH | 750   | UNCH | 750              | UNCH | 750               | UNCH |       |
| 5305    | ----   | ----               | ----         | ----            | 90.50B/78.60A      | 90.50B/78.60A    |                    |               |                 |                           |       |                        |                          |                   |               |        |      |       |      |                  |      |                   |      |       |





| BULLETIN #104@ |                                     |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               | Tue, Jun 02, 2026 |      |  | PG64 |  |
|----------------|-------------------------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------|--|------|--|
|                | GLOBAL<br>OPEN                      | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |      |  |
| OG CALL        | COMEX GOLD OPTIONS                  |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| APR27          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| 5800           | ----                                | ----                         | ----/*94.00A       | 93.70B/*94.00A             | ----                          | 89.10 - 5.40             | .1787 | ----          | ----                     | ----              | ----          | 50                | UNCH |  |      |  |
| 5900           | ----                                | ----                         | ----/*85.10A       | 84.00B/*85.10A             | ----                          | 80.30 - 5.40             | .1626 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 5950           | ----                                | ----                         | ----/*81.20A       | 79.70B/*81.20A             | ----                          | 76.40 - NEW              | .1554 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |  |      |  |
| 6000           | ----                                | ----                         | ----/77.50A        | 75.70B/77.50A              | ----                          | 72.90 - 5.10             | .1487 | ----          | ----                     | 2                 | ----          | 150               | UNCH |  |      |  |
| TOTAL          |                                     |                              |                    |                            |                               |                          |       |               |                          | 6                 |               | 630 +             | 4    |  |      |  |
| JUN27          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| 5085           | ----                                | ----                         | ----               | 117.40B/437.30A            | ----                          | 261.40 + 4.60            | .3963 | ----          | ----                     | ----              | ----          | 150               | UNCH |  |      |  |
| 7000           | ----                                | ----                         | ----               | ----/125.70A               | ----                          | 41.00 + 0.80             | .0802 | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |      |  |
| 7500           | ----                                | ----                         | ----               | ----                       | ----                          | 30.10 + 0.60             | .0589 | ----          | ----                     | ----              | ----          | 450               | UNCH |  |      |  |
| 8000           | ----                                | ----                         | ----               | ----                       | ----                          | 24.00 + 0.40             | .0462 | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |      |  |
| 10000          | ----                                | ----                         | ----               | ----                       | ----                          | 17.30 + 0.30             | .0290 | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |      |  |
| TOTAL          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               | 608               | 0    |  |      |  |
| DEC27          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| 4860           | ----                                | ----                         | ----               | ----                       | ----                          | 478.70 + 6.30            | .5282 | ----          | ----                     | ----              | ----          | 100               | UNCH |  |      |  |
| 5000           | ----                                | ----                         | ----               | ----                       | ----                          | 424.50 + 5.70            | .4864 | ----          | ----                     | ----              | ----          | 50                | UNCH |  |      |  |
| 5650           | ----                                | ----                         | ----               | ----                       | ----                          | 247.80 + 3.80            | .3230 | ----          | ----                     | ----              | ----          | 200               | UNCH |  |      |  |
| 5700           | ----                                | ----                         | ----               | ----                       | ----                          | 238.00 + 3.70            | .3127 | ----          | ----                     | ----              | ----          | 150               | UNCH |  |      |  |
| 5800           | ----                                | ----                         | ----               | ----                       | ----                          | 219.80 + 3.60            | .2930 | ----          | ----                     | ----              | ----          | 200               | UNCH |  |      |  |
| 5880           | ----                                | ----                         | ----               | ----                       | ----                          | 206.30 + 3.40            | .2782 | ----          | ----                     | ----              | ----          | 125               | UNCH |  |      |  |
| 6300           | ----                                | ----                         | ----               | ----                       | ----                          | 149.80 + 2.90            | .2122 | ----          | ----                     | ----              | ----          | 18                | UNCH |  |      |  |
| 7500           | ----                                | ----                         | ----               | ----                       | ----                          | 69.70 + 2.70             | .1060 | ----          | ----                     | ----              | ----          | 170               | UNCH |  |      |  |
| 7800           | ----                                | ----                         | ----               | ----                       | ----                          | 59.80 + 2.60             | .0915 | ----          | ----                     | ----              | ----          | 284               | UNCH |  |      |  |
| 10000          | ----                                | ----                         | ----               | ----                       | ----                          | 29.70 + 3.10             | .0439 | ----          | ----                     | ----              | ----          | 103               | UNCH |  |      |  |
| 10500          | ----                                | ----                         | ----               | ----                       | ----                          | 26.60 + 2.80             | .0388 | ----          | ----                     | ----              | ----          | 10                | UNCH |  |      |  |
| TOTAL          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               | 1410              | 0    |  |      |  |
| DEC28          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| 5750           | ----                                | ----                         | ----               | ----                       | ----                          | 427.00 + 4.60            | .4030 | ----          | ----                     | ----              | ----          | 100               | UNCH |  |      |  |
| TOTAL          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               | 100               | 0    |  |      |  |
|                | GLOBAL<br>OPEN                      | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |      |  |
| MMG MON        | MICRO GOLD WEEKLY MONDAY OPTION WEE |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| JUN26          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| 4605           | ----                                | ----                         | ----               | ----                       | ----                          | 0.00 UNCH                | ---   | ----          | ----                     | ----              | ----          | 0                 | UNCH |  |      |  |
| TOTAL          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               | 0                 | 0    |  |      |  |
|                | GLOBAL<br>OPEN                      | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |      |  |
| GWW WED        | GOLD WEEKLY WEDNESDAY OPTION WEEK2  |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| JUN26          |                                     |                              |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |
| 3700           | ----                                | ----                         | ----               | 0.10B/0.80A                | ----                          | 0.30 - 0.30              | .0017 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 3800           | ----                                | ----                         | ----               | ----/*0.20A                | ----                          | 0.10 UNCH                | ---   | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |      |  |
| 3800           | ----                                | ----                         | ----               | 1.20B/*1.50A               | ----                          | 1.30 - 0.20              | .0088 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 3900           | ----                                | ----                         | ----/*0.90A        | 0.70B/*0.90A               | ----                          | 0.80 - 0.40              | .0056 | ----          | ----                     | ----              | ----          | 48                | UNCH |  |      |  |
| 3900           | ----                                | ----                         | ----/*0.20A        | ----                       | ----                          | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 19                | UNCH |  |      |  |
| 3900           | ----                                | ----                         | ----/*2.00A        | 1.80B/*2.00A               | ----                          | 1.90 NEW                 | .0137 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |  |      |  |
| 4000           | ----                                | ----                         | ----/*1.20A        | 1.10B/*1.20A               | ----                          | 1.10 - 0.80              | .0087 | ----          | ----                     | 3                 | ----          | 13 -              | 2    |  |      |  |
| 4000           | ----                                | ----                         | ----/*0.20A        | ----                       | ----                          | 0.10 UNCH                | ----  | ----          | ----                     | 2                 | ----          | 4 -               | 2    |  |      |  |
| 4000           | ----                                | ----                         | ----/*2.80A        | 2.70B/*2.80A               | ----                          | 2.80 - 0.80              | .0217 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 4075           | ----                                | ----                         | ----/*3.90A        | 3.90B/*3.90A               | ----                          | 4.00 - 1.40              | .0325 | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |      |  |
| 4100           | ----                                | ----                         | ----/*1.70A        | 1.90B/*1.70A               | ----                          | 1.80 - 1.30              | .0161 | ----          | ----                     | 3                 | ----          | 5 -               | 2    |  |      |  |
| 4100           | ----                                | ----                         | ----/*0.20A        | ----                       | ----                          | 0.10 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |      |  |
| 4125           | ----                                | ----                         | ----/*5.00A        | 5.10B/*5.00A               | ----                          | 5.10 - 2.20              | .0427 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 4150           | ----                                | ----                         | ----/*2.20A        | 2.80B/*2.20A               | ----                          | 2.20 - 1.90              | .0212 | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |      |  |
| 4150           | ----                                | ----                         | ----/*5.60A        | 5.80B/*5.60A               | ----                          | 5.90 - 2.60              | .0498 | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |      |  |
| 4175           | ----                                | ----                         | ----/*0.30A        | ----                       | ----                          | 0.10 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |      |  |
| 4195           | ----                                | ----                         | ----/*0.30A        | ----                       | ----                          | 0.10 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 10                | UNCH |  |      |  |
| 4200           | ----                                | ----                         | ----/*2.80A        | 4.20B/*2.80A               | ----                          | 3.00 - 2.50              | .0306 | ----          | ----                     | ----              | ----          | 12                | UNCH |  |      |  |
| 4200           | 0.30                                | 0.30                         | 0.30/*0.20A        | 0.30/*0.20A                | ----                          | 0.10 - 0.60              | ----  | ----          | ----                     | 4                 | ----          | 6 +               | 4    |  |      |  |
| 4225           | ----                                | ----                         | ----/*3.30A        | 5.20B/*3.30A               | ----                          | 3.50 - 3.00              | .0369 | ----          | ----                     | 2                 | ----          | 6 +               | 2    |  |      |  |
| 4225           | 0.40                                | 0.40                         | 0.40/*0.20A        | 0.40/*0.20A                | ----                          | 0.10 - 0.70              | ----  | ----          | ----                     | 1                 | ----          | 21 +              | 1    |  |      |  |
| 4250           | 0.20                                | 0.20                         | 0.20/*0.20         | 0.40B/*0.20                | ----                          | 0.10 - 0.90              | .0000 | ----          | ----                     | 12                | ----          | 14 +              | 11   |  |      |  |
| 4250           | ----                                | ----                         | ----/*9.70A        | 11.70B/*9.70A              | ----                          | 10.70 - 5.30             | .0930 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 4250           | 16.00                               | 16.00                        | 16.00/*15.70A      | 20.40B/*15.70A             | ----                          | 17.70 NEW                | .1281 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |  |      |  |
| 4260           | 0.40                                | 0.40                         | 0.40/*0.20A        | 0.50B/*0.20A               | ----                          | 0.10 NEW                 | .0000 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |  |      |  |
| 4275           | ----                                | ----                         | ----/*4.60A        | 8.00B/*4.60A               | ----                          | 5.00 - 4.30              | .0556 | ----          | ----                     | 2                 | ----          | 7 +               | 2    |  |      |  |
| 4275           | ----                                | ----                         | ----/*0.20A        | 0.60B/*0.20A               | ----                          | 0.20 - 1.00              | .0002 | ----          | ----                     | 3                 | ----          | 14 +              | 1    |  |      |  |
| 4275           | ----                                | ----                         | ----/18.10A        | 23.90B/18.10A              | ----                          | 20.50 - 7.20             | .1472 | ----          | ----                     | ----              | ----          | 10                | UNCH |  |      |  |
| 4275           | ----                                | ----                         | ----/*11.10A       | 14.30B/*11.10A             | ----                          | 12.60 - 6.20             | .1096 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 4295           | 0.80                                | 0.80                         | 0.80/*0.20         | 0.80/*0.20                 | ----                          | 0.20 - 1.30              | .0002 | ----          | ----                     | 5                 | ----          | 7 +               | 5    |  |      |  |
| 4300           | ----                                | ----                         | ----/*5.60A        | 10.00B/*5.60A              | ----                          | 6.20 - 5.00              | .0700 | ----          | ----                     | 2                 | ----          | 7 +               | 2    |  |      |  |
| 4300           | 0.30                                | 0.30                         | 0.30/*0.20A        | 0.90B/*0.20A               | ----                          | 0.30 - 1.30              | .0004 | ----          | ----                     | 2                 | ----          | 66                | UNCH |  |      |  |
| 4300           | ----                                | ----                         | ----/20.80A        | 28.10B/20.80A              | ----                          | 23.90 - 7.90             | .1694 | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |      |  |
| 4300           | ----                                | ----                         | ----/*13.00A       | 17.50B/*13.00A             | ----                          | 15.00 - 7.10             | .1299 | ----          | ----                     | ----              | ----          | 23                | UNCH |  |      |  |
| 4310           | 0.50                                | 0.50                         | 0.50/*0.20A        | 0.90B/*0.20A               | ----                          | 0.30 - 1.50              | .0004 | ----          | ----                     | 5                 | ----          | 5 +               | 2    |  |      |  |
| 4320           | 0.50                                | 0.50                         | 0.50/*0.20A        | 1.10B/*0.20A               | ----                          | 0.30 NEW                 | .0005 | ----          | ----                     | 9                 | ----          | 9 +               | 9    |  |      |  |
| 4320           | ----                                | ----                         | 249.50B/176.50A    | 249.50B/176.50A            | ----                          | 200.20 + 11.90           | .9995 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 4325           | ----                                | ----                         | ----/*6.80A        | 12.60B/*6.80A              | ----                          | 7.70 - 6.00              | .0883 | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |      |  |
| 4325           | 0.30                                | 0.30                         | 0.30/*0.20A        | 1.20B/*0.20A               | ----                          | 0.40 - 1.70              | .0008 | ----          | ----                     | 2                 | ----          | 62                | UNCH |  |      |  |
| 4325           | ----                                | ----                         | ----/*15.30A       | 21.30B/*15.30A             | ----                          | 17.90 - 8.20             | .1537 | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |      |  |
| 4330           | ----                                | ----                         | ----/*0.20A        | 1.30B/*0.20A               | ----                          | 0.40 - 1.80              | .0008 | ----          | ----                     | 38                | ----          | 16 -              | 22   |  |      |  |
| 4335           | 0.50                                | 0.50                         | 0.50/*0.20         | 1.40B/*0.20                | ----                          | 0.40 - 2.00              | .0008 | ----          | ----                     | 4                 | ----          | 17 +              | 4    |  |      |  |
| 4340           | 0.50                                | 0.50                         | 0.50/*0.20         | 1.60B/*0.20                | ----                          | 0.40 - 2.20              | .0009 | ----          | ----                     | 6                 | ----          | 7 +               | 5    |  |      |  |
| 4350           | ----                                | ----                         | ----/*8.30A        | 15.90B/*8.30A              | ----                          | 9.80 - 7.10              | .1128 | ----          | ----                     | ----              | ----          | 19                | UNCH |  |      |  |
| 4350           | 0.90                                | 0.90                         | 0.90/*0.30A        | 1.90B/*0.30A               | ----                          | 0.50 - 2.40              | .0013 | ----          | ----                     | 5                 | ----          | 24 +              | 2    |  |      |  |
| 4350           | ----                                | ----                         | ----/18.40A        | 26.00B/18.40A              | ----                          | 21.50 - 9.30             | .1821 | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |      |  |
| 4355           | 0.40                                | 0.40                         | 0.50/*0.30A        | 2.10B/*0.30A               | ----                          | 0.50 NEW                 | .0014 | ----          | ----                     | 3                 | ----          | 3 +               | 3    |  |      |  |
| 4360           | 2.70                                | 2.70                         | 2.70/*0.30A        | 2.70/*0.30A                | ----                          | 0.60 - 2.70              | .0019 | ----          | ----                     | 14                | ----          | 9 +               | 4    |  |      |  |
| 4365           | 0.40                                | 0.40                         | 0.40/*0.40         | 2.60B/*0.40                | ----                          | 0.60 NEW                 | .0020 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |  |      |  |
| 4370           | 0.80                                | 0.80                         | 0.80/*0.40A        | 2.80B/*0.40A               | ----                          | 0.70 NEW                 | .0026 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |  |      |  |
| 4375           | ----                                | ----                         |                    |                            |                               |                          |       |               |                          |                   |               |                   |      |  |      |  |

| BULLETIN #104@                                   |                              |                    |                         | METALS OPTION PRODUCTS     |                          |       |               |                          |                   | Tue, Jun 02, 2026 |                  |      |  | PG64 |  |
|--------------------------------------------------|------------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|--|------|--|
| GLOBEX<br>OPEN                                   | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |  |      |  |
| GWW WED JUN26 GOLD WEEKLY WEDNESDAY OPTION WEEK1 |                              |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |  |      |  |
| 4465                                             | ----                         | 107.40B/49.40A     | 107.40B/49.40A          | ----                       | 59.60 + 1.20             | .9200 | ----          | ----                     | ----              | ----              | 28               | UNCH |  |      |  |
| 4470                                             | 6.30                         | 19.60B/*3.70A      | 19.60B/*3.70A           | ----                       | 5.40 - 13.10             | .0982 | ----          | ----                     | 10                | ----              | 16 +             | 5    |  |      |  |
| 4470                                             | ----                         | 103.20B/46.10A     | 103.20B/46.10A          | ----                       | 55.30 + 0.50             | .9017 | ----          | ----                     | ----              | ----              | 6                | UNCH |  |      |  |
| 4475                                             | ----                         | 50.20B/26.10A      | 50.20B/26.10A           | ----                       | 34.80 - 14.80            | .3578 | ----          | ----                     | ----              | ----              | 53               | UNCH |  |      |  |
| 4475                                             | 4.40                         | 21.40B/*4.00A      | 21.40B/*4.00A           | ----                       | 6.20 - 13.90             | .1199 | ----          | 27                       | ----              | ----              | 27 +             | 17   |  |      |  |
| 4475                                             | ----                         | 98.60B/42.40A      | 98.60B/42.40A           | ----                       | 51.10 - 0.30             | .8800 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |  |
| 4475                                             | 73.00                        | 73.00/58.60A       | 81.30B/58.60A           | ----                       | 70.20 - 12.50            | .4102 | ----          | 1                        | ----              | ----              | 0 -              | 1    |  |      |  |
| 4475                                             | 44.90                        | 53.30/44.30        | 65.30B/44.30            | ----                       | 54.40 - 13.50            | .3942 | ----          | 148                      | ----              | ----              | 51 +             | 50   |  |      |  |
| 4480                                             | 19.00                        | 22.90B/*4.40A      | 22.90B/*4.40A           | ----                       | 7.00 - 14.70             | .1438 | ----          | 26                       | ----              | ----              | 20 +             | 18   |  |      |  |
| 4480                                             | ----                         | 93.50B/38.60A      | 93.50B/38.60A           | ----                       | 46.90 - 1.10             | .8561 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4485                                             | 6.90                         | 25.00B/*4.90A      | 25.00B/*4.90A           | ----                       | 8.00 - 15.50             | .1731 | ----          | 68                       | ----              | ----              | 92 +             | 59   |  |      |  |
| 4485                                             | ----                         | 89.10B/34.70A      | 89.10B/34.70A           | ----                       | 42.90 - 1.90             | .8268 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |  |
| 4490                                             | 7.10                         | 27.20B/*5.40A      | 27.20B/*5.40A           | ----                       | 9.20 - 16.20             | .2077 | ----          | 80                       | ----              | ----              | 38 -             | 1    |  |      |  |
| 4490                                             | ----                         | 84.70B/31.30A      | 84.70B/31.30A           | ----                       | 39.10 - 2.60             | .7922 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4495                                             | 6.90                         | 29.60B/*6.00A      | 29.60B/*6.00A           | ----                       | 10.50 - 16.90            | .2463 | ----          | 15                       | ----              | ----              | 15 +             | 12   |  |      |  |
| 4495                                             | 35.50                        | 80.30B/*28.00A     | 80.30B/28.00A           | ----                       | 35.40 - 3.30             | .7536 | ----          | 2                        | ----              | ----              | 3                | UNCH |  |      |  |
| 4500                                             | ----                         | 100.90B/58.50A     | 100.90B/58.50A          | ----                       | 64.40 - 2.30             | .5675 | ----          | ----                     | ----              | ----              | 86               | UNCH |  |      |  |
| 4500                                             | 33.00                        | 75.90B/24.90A      | 75.90B/24.90A           | ----                       | 31.90 - 4.00             | .7100 | ----          | 5                        | ----              | ----              | 7 +              | 3    |  |      |  |
| 4500                                             | 16.80                        | 32.10B/*6.70A      | 32.10B/*6.70A           | ----                       | 12.00 - 17.60            | .2899 | ----          | 202                      | ----              | ----              | 228 +            | 56   |  |      |  |
| 4500                                             | ----                         | 62.40B/33.10A      | 62.40B/33.10A           | ----                       | 44.50 - 15.90            | .4322 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4505                                             | 40.20                        | 71.50B/*22.00A     | 71.50B/22.00A           | ----                       | 28.60 - 4.60             | .6621 | ----          | 2                        | ----              | ----              | 5 +              | 2    |  |      |  |
| 4505                                             | 10.20                        | 35.10B/*7.40A      | 35.10B/*7.40A           | ----                       | 13.70 - 18.20            | .3378 | ----          | 41                       | ----              | ----              | 32 +             | 31   |  |      |  |
| 4510                                             | 11.60                        | 37.50B/*8.30A      | 37.50B/*8.30A           | ----                       | 15.60 NEW                | .3893 | ----          | 6                        | ----              | ----              | 4 +              | 4    |  |      |  |
| 4510                                             | 35.30                        | 67.40B/*19.30A     | 67.40B/19.30A           | ----                       | 25.50 - 5.10             | .6106 | ----          | 21                       | ----              | ----              | 18 +             | 14   |  |      |  |
| 4515                                             | 11.10                        | 40.90B/*9.20A      | 40.90B/*9.20A           | ----                       | 17.70 - 19.10            | .4436 | ----          | 20                       | ----              | ----              | 13 +             | 10   |  |      |  |
| 4515                                             | 22.60                        | 63.30B/16.90A      | 63.30B/16.90A           | ----                       | 22.60 - 5.50             | .5563 | ----          | 12                       | ----              | ----              | 9 +              | 5    |  |      |  |
| 4520                                             | 20.40                        | 44.10B/*10.30A     | 44.10B/*10.30A          | ----                       | 20.00 - 19.50            | .4995 | ----          | 19                       | ----              | ----              | 18 +             | 16   |  |      |  |
| 4520                                             | 19.10                        | 59.40B/14.80A      | 59.40B/14.80A           | ----                       | 19.90 - 5.90             | .5004 | ----          | 24                       | ----              | ----              | 16 +             | 14   |  |      |  |
| 4525                                             | ----                         | 75.60B/41.80A      | 75.60B/41.80A           | ----                       | 56.20 - 16.50            | .5103 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4525                                             | 16.60                        | 55.80B/12.80A      | 55.80B/12.80A           | ----                       | 17.40 - 6.20             | .4438 | ----          | 9                        | ----              | ----              | 15 +             | 6    |  |      |  |
| 4525                                             | 19.00                        | 47.40B/*11.50A     | 47.40B/*11.50A          | ----                       | 22.50 - 19.80            | .5560 | ----          | 64                       | ----              | ----              | 50 -             | 12   |  |      |  |
| 4525                                             | ----                         | 84.40B/46.10A      | 84.40B/46.10A           | ----                       | 51.10 - 3.00             | .4894 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |  |
| 4525                                             | ----                         | ----/62.20A        | 90.20B/62.20A           | ----                       | 76.70 - 14.50            | .5031 | ----          | 3                        | ----              | ----              | 7 +              | 1    |  |      |  |
| 4525                                             | ----                         | 99.70B/66.80A      | 99.70B/66.80A           | ----                       | 71.60 - 0.90             | .4964 | ----          | ----                     | ----              | ----              | 3                | UNCH |  |      |  |
| 4530                                             | 39.50                        | 52.10B/*10.90A     | 52.10B/*10.90A          | ----                       | 15.20 - 6.40             | .3884 | ----          | 19                       | ----              | ----              | 19 +             | 8    |  |      |  |
| 4530                                             | 15.10                        | 50.50B/*12.80A     | 50.50B/*12.80A          | ----                       | 25.30 - 20.00            | .6115 | ----          | 39                       | ----              | ----              | 24 +             | 23   |  |      |  |
| 4535                                             | 38.00                        | 54.50B/*14.30A     | 54.50B/*14.30A          | ----                       | 28.30 NEW                | .6647 | ----          | 12                       | ----              | ----              | 5 +              | 5    |  |      |  |
| 4535                                             | 32.40                        | 48.60B/*9.40A      | 48.60B/*9.40A           | ----                       | 13.20 - 6.50             | .3352 | ----          | 19                       | ----              | ----              | 17 +             | 14   |  |      |  |
| 4540                                             | 24.10                        | 58.20B/*15.80A     | 58.20B/*15.80A          | ----                       | 31.50 NEW                | .7147 | ----          | 7                        | ----              | ----              | 3 +              | 3    |  |      |  |
| 4540                                             | 16.00                        | 45.00B/*8.00A      | 45.00B/*8.00A           | ----                       | 11.40 - 6.50             | .2852 | ----          | 60                       | ----              | ----              | 64 +             | 9    |  |      |  |
| 4545                                             | 40.00                        | 61.50B/*17.60A     | 61.50B/*17.60A          | ----                       | 34.90 - 20.10            | .7606 | ----          | 12                       | ----              | ----              | 8 +              | 7    |  |      |  |
| 4545                                             | 31.80                        | 41.70B/*6.90A      | 41.70B/*6.90A           | ----                       | 9.80 NEW                 | .2393 | ----          | 52                       | ----              | ----              | 37 +             | 37   |  |      |  |
| 4550                                             | 61.90                        | 70.00B/35.70A      | 70.00B/35.70A           | ----                       | 39.80 NEW                | .4112 | ----          | 2                        | ----              | ----              | 2 +              | 2    |  |      |  |
| 4550                                             | 34.60                        | 65.80B/*19.40      | 65.80B/*19.40           | ----                       | 38.50 - 20.00            | .8017 | ----          | 8                        | 75                | ----              | 85 +             | 74   |  |      |  |
| 4550                                             | 20.00                        | 38.50B/*5.80A      | 38.50B/*5.80A           | ----                       | 8.40 - 6.40              | .1982 | ----          | 149                      | ----              | ----              | 191 +            | 39   |  |      |  |
| 4550                                             | 55.80                        | 91.60B/51.70A      | 91.60B/51.70A           | ----                       | 69.90 - 16.80            | .5885 | ----          | 2                        | ----              | ----              | 3 +              | 2    |  |      |  |
| 4550                                             | 71.70                        | 71.70/71.70        | 104.60B/71.70           | ----                       | 90.00 - 14.90            | .5584 | ----          | 4                        | ----              | ----              | 6 +              | 4    |  |      |  |
| 4555                                             | 25.00                        | 69.80B/*21.60A     | 69.80B/*21.60A          | ----                       | 42.20 NEW                | .8389 | ----          | 4                        | ----              | ----              | 1 +              | 1    |  |      |  |
| 4555                                             | 15.10                        | 35.70B/*4.90A      | 35.70B/*4.90A           | ----                       | 7.10 - 6.30              | .1610 | ----          | 46                       | ----              | ----              | 40 +             | 40   |  |      |  |
| 4560                                             | 38.00                        | 73.90B/*24.00A     | 73.90B/*24.00A          | ----                       | 46.20 - 19.70            | .8689 | ----          | 29                       | ----              | ----              | 26 +             | 26   |  |      |  |
| 4560                                             | 15.10                        | 32.80B/*4.20A      | 32.80B/*4.20A           | ----                       | 6.10 - 6.10              | .1310 | ----          | 35                       | ----              | ----              | 49 +             | 27   |  |      |  |
| 4565                                             | 23.00                        | 30.10B/*3.60A      | 30.10B/*3.60A           | ----                       | 5.20 - 5.80              | .1050 | ----          | 17                       | ----              | ----              | 19 +             | 15   |  |      |  |
| 4570                                             | ----                         | 82.20B/28.90A      | 82.20B/28.90A           | ----                       | 54.50 NEW                | .9168 | ----          | 7                        | ----              | ----              | 7 +              | 7    |  |      |  |
| 4570                                             | 17.40                        | 27.50B/*3.00A      | 27.50B/*3.00A           | ----                       | 4.40 - 5.60              | .0830 | ----          | 45                       | ----              | ----              | 69 +             | 14   |  |      |  |
| 4575                                             | ----                         | 108.80B/63.80A     | 108.80B/63.80A          | ----                       | 85.60 - 16.80            | .6626 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |  |
| 4575                                             | ----                         | 57.00B/27.40A      | 57.00B/27.40A           | ----                       | 30.60 - 3.10             | .3371 | ----          | ----                     | ----              | ----              | 9                | UNCH |  |      |  |
| 4575                                             | 14.00                        | 25.10B/*2.50A      | 25.10B/*2.50A           | ----                       | 3.70 - 5.30              | .0648 | ----          | 36                       | ----              | ----              | 96 -             | 3    |  |      |  |
| 4575                                             | ----                         | 86.40B/31.50A      | 86.40B/31.50A           | ----                       | 58.80 - 18.90            | .9351 | ----          | 20                       | ----              | ----              | 20               | UNCH |  |      |  |
| 4580                                             | 8.30                         | 22.80B/*2.10A      | 22.80B/*2.10A           | ----                       | 3.20 - 5.00              | .0516 | ----          | 29                       | ----              | ----              | 26 +             | 18   |  |      |  |
| 4580                                             | ----                         | 90.60B/34.20A      | 90.60B/34.20A           | ----                       | 63.30 - 18.60            | .9483 | ----          | 1                        | ----              | ----              | 2 +              | 1    |  |      |  |
| 4585                                             | 5.50                         | 20.70B/*1.80A      | 20.70B/*1.80A           | ----                       | 2.70 - 4.70              | .0399 | ----          | 7                        | ----              | ----              | 38 +             | 4    |  |      |  |
| 4590                                             | 6.10                         | 18.90B/*1.50A      | 18.90B/*1.50A           | ----                       | 2.30 - 4.40              | .0310 | ----          | 27                       | ----              | ----              | 61 +             | 8    |  |      |  |
| 4590                                             | ----                         | 99.50B/40.30A      | 99.50B/40.30A           | ----                       | 72.40 NEW                | .9689 | ----          | 1                        | ----              | ----              | 1 +              | 1    |  |      |  |
| 4595                                             | 14.10                        | 17.00B/*1.30A      | 17.00B/*1.30A           | ----                       | 1.90 - 4.20              | .0231 | ----          | 9                        | ----              | ----              | 8 +              | 1    |  |      |  |
| 4595                                             | ----                         | 104.50B/43.80A     | 104.50B/43.80A          | ----                       | 77.00 NEW                | .9768 | ----          | 1                        | ----              | ----              | 1 +              | 1    |  |      |  |
| 4600                                             | ----                         | 45.70B/20.80A      | 45.70B/20.80A           | ----                       | 23.20 - 3.10             | .2699 | ----          | 8                        | ----              | ----              | 124 +            | 8    |  |      |  |
| 4600                                             | 5.10                         | 15.10B/*1.00       | 15.10B/*1.00            | ----                       | 1.70 - 3.80              | .0188 | ----          | 82                       | ----              | ----              | 414 +            | 9    |  |      |  |
| 4600                                             | ----                         | 109.10B/47.20A     | 109.10B/47.20A          | ----                       | 81.80 - 17.40            | .9811 | ----          | 1                        | ----              | ----              | 18 +             | 1    |  |      |  |
| 4600                                             | 45.00                        | 65.30/38.30A       | 65.30/38.30A            | ----                       | 41.10 - 1.90             | .3357 | ----          | 120                      | ----              | ----              | 110 +            | 18   |  |      |  |
| 4600                                             | ----                         | 137.40B/99.40A     | 137.40B/99.40A          | ----                       | 121.10 - 15.40           | .6639 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4605                                             | 3.40                         | 13.70B/*0.90A      | 13.70B/*0.90A           | ----                       | 1.40 - 3.60              | .0139 | ----          | 5                        | ----              | ----              | 0 -              | 1    |  |      |  |
| 4610                                             | ----                         | 12.20B/*0.80A      | 12.20B/*0.80            |                            |                          |       |               |                          |                   |                   |                  |      |  |      |  |



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499

**Customer Service: (312) 930-1000**

**PRELIMINARY**



| PG64 BULLETIN #104@                              |                |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               | Tue, Jun 02, 2026 PG64   |                   |               |                  |      |
|--------------------------------------------------|----------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                                                  | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| GWN WED JUN26 GOLD WEEKLY WEDNESDAY OPTION WEEK2 |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| 5075                                             | ----           | ----         | ----            | ----                   | 0.70B/*0.80A     | ----               |               |                 | 0.50 - 0.30              | .0047 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5150                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----               |               |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5300                                             | ----           | ----         | ----            | ----                   | ----/*0.60A      | ----               |               |                 | 0.20 - 0.10              | .0015 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| TOTAL                                            |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          | 2483              | 200           | 5126+            | 1093 |
|                                                  | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| GWT TUE JUN26 GOLD WEEKLY TUESDAY OPTION Week1   |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| 3250                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 2    |
| 3500                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 3    |
| 3500                                             | ----           | ----         | ----            | ----                   | ----/*0.50A      | ----               |               |                 | 0.10 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3600                                             | ----           | ----         | ----            | ----                   | ----/*1.50A      | 1.00B/*1.50A       |               |                 | 1.30 - 0.70              | .0074 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 3700                                             | ----           | ----         | ----            | ----                   | ----/*0.70A      | ----/*0.70A        |               |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 3800                                             | ----           | ----         | ----            | ----                   | ----/*1.40A      | 1.00B/*1.40A       |               |                 | 1.30 - 0.60              | .0086 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3900                                             | ----           | ----         | ----            | ----                   | ----/0.10A       | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 1    |
| 3900                                             | ----           | ----         | ----            | ----                   | ----/*1.80A      | 1.50B/*1.80A       |               |                 | 1.80 NEW                 | .0130 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |
| 4000                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----/*0.10A        |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 2    |
| 4000                                             | ----           | ----         | ----            | ----                   | ----/*0.90A      | 0.70B/*0.90A       |               |                 | 0.80 - 0.60              | .0063 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4000                                             | ----           | ----         | ----            | ----                   | ----/*2.50A      | 2.30B/*2.50A       |               |                 | 2.50 - 1.20              | .0197 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4075                                             | ----           | ----         | ----            | ----                   | ----/*3.30A      | 3.30B/*3.30A       |               |                 | 3.50 - 1.60              | .0291 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4100                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 2    |
| 4100                                             | ----           | ----         | ----            | ----                   | ----/*6.90A      | 7.20B/*6.90A       |               |                 | 7.30 - 2.60              | .0540 | ----          | ----                     | 1                 | ----          | 3                | UNCH |
| 4100                                             | ----           | ----         | ----            | ----                   | ----/*1.30A      | 1.30B/*1.30A       |               |                 | 1.30 - 1.00              | .0117 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4125                                             | ----           | ----         | ----            | ----                   | ----/*4.20A      | 4.30B/*4.20A       |               |                 | 4.50 - 2.00              | .0386 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4125                                             | ----           | ----         | ----            | ----                   | ----/*7.70A      | 8.40B/*7.70A       |               |                 | 8.20 - 3.10              | .0612 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4125                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 10   |
| 4145                                             | ----           | ----         | ----            | ----                   | ----/0.10A       | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 6    |
| 4150                                             | ----           | ----         | ----            | ----                   | ----/*4.80A      | 5.00B/*4.80A       |               |                 | 5.10 - 2.40              | .0445 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4150                                             | ----           | ----         | ----            | ----                   | ----/*1.60A      | 1.90B/*1.60A       |               |                 | 1.70 - 1.40              | .0165 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 4150                                             | ----           | ----         | ----            | ----                   | ----/*0.10A      | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 6    |
| 4175                                             | ----           | ----         | ----            | ----                   | ----/*5.60A      | 6.40B/*5.60A       |               |                 | 5.80 - 2.80              | .0515 | ----          | ----                     | 4                 | ----          | 5 +              | 4    |
| 4175                                             | ----           | ----         | ----            | ----                   | ----/*9.90A      | 11.40B/*9.90A      |               |                 | 10.60 - 4.10             | .0799 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4175                                             | ----           | ----         | ----            | ----                   | ----/0.10A       | ----               |               |                 | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              | 3    |
| 4175                                             | ----           | ----         | ----            | ----                   | ----/*1.90A      | 2.40B/*1.90A       |               |                 | 1.90 - 1.70              | .0192 | ----          | ----                     | 2                 | ----          | 3 +              | 2    |
| 4200                                             | ----           | ----         | ----            | ----                   | ----/0.10A       | ----               |               |                 |                          |       |               |                          |                   |               |                  |      |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

| GLOBEX<br>OPEN                   |       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------------------------|-------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| GOLD WEEKLY TUESDAY OPTION week1 |       |              |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| JUN26                            | 9.00  | 9.00         |                 | 17.70B/*0.10       | 17.70B/*0.10     | ----            |               |                 | 0.00 - 16.70             | ----  | ----          | ----                     | 58                | ----          |                  | 0 -  |
| 4490                             | ----  | ----         |                 | 80.50B/25.40A      | 80.50B/25.40A    | ----            |               |                 | 29.90 - 3.10             | ----  | 1             | ----                     | 1                 | ----          |                  | 0 -  |
| 4490                             | 13.80 | 13.80        |                 | 20.00B/*0.10       | 20.00B/*0.10     | ----            |               |                 | 0.00 - 18.60             | ----  | ----          | ----                     | 44                | ----          |                  | 0 -  |
| 4495                             | ----  | ----         |                 | 75.60B/22.20A      | 75.60B/22.20A    | ----            |               |                 | 24.90 - 5.00             | ----  | 3             | ----                     | 5                 | ----          |                  | 0 -  |
| 4495                             | 18.70 | 18.70        |                 | 70.80B/17.20A      | 70.80B/17.20A    | ----            |               |                 | 19.90 - 7.10             | ----  | 76            | ----                     | 7                 | ----          |                  | 0 -  |
| 4500                             | 14.00 | 14.00        |                 | 22.50B/*0.10       | 22.50B/*0.10     | ----            |               |                 | 0.00 - 20.70             | ----  | ----          | ----                     | 148               | ----          |                  | 0 -  |
| 4500                             | ----  | ----         |                 | ----/67.00A        | 89.70B/67.00A    | ----            |               |                 | 78.10 - 12.10            | .4534 | ----          | 5                        | ----              |               | 3 +              |      |
| 4500                             | ----  | ----         |                 | 95.80B/53.10A      | 95.80B/53.10A    | ----            |               |                 | 59.10 - 1.80             | .5743 | ----          | ----                     | ----              |               | 5                | UNCH |
| 4500                             | ----  | ----         |                 | 111.20B/75.50A     | 111.20B/75.50A   | ----            |               |                 | 81.30 - 1.40             | .5534 | ----          | ----                     | ----              |               | 2                | UNCH |
| 4500                             | 27.50 | 27.50        |                 | 56.40B/*27.50      | 56.40B/*27.50    | ----            |               |                 | 39.20 - 15.40            | .4255 | ----          | 2                        | ----              |               | 21 +             | UNCH |
| 4500                             | ----  | ----         |                 | ----/51.00A        | 73.60B/51.00A    | ----            |               |                 | 61.40 - 15.00            | .4461 | ----          | ----                     | ----              |               | 8                | UNCH |
| 4505                             | 12.20 | 12.20        |                 | 66.20B/12.20       | 66.20B/12.20     | ----            |               |                 | 14.90 - 9.30             | ----  | 3             | 15                       | ----              |               | 0 -              | 4    |
| 4505                             | 1.90  | 1.90         |                 | 25.70B/*0.10A      | 25.70B/*0.10A    | ----            |               |                 | 0.00 - 22.90             | ----  | ----          | 51                       | ----              |               | 0 -              | 8    |
| 4510                             | 60.50 | 60.50        |                 | 61.70B/*7.20A      | 61.70B/*7.20A    | ----            |               |                 | 9.90 - 11.70             | ----  | 29            | 20                       | ----              |               | 0 -              | 36   |
| 4510                             | 17.00 | 17.00        |                 | 28.80B/*0.10       | 28.80B/*0.10     | ----            |               |                 | 0.00 - 25.30             | ----  | ----          | 246                      | ----              |               | 0 -              | 9    |
| 4515                             | 3.80  | 3.80         |                 | 31.90B/*0.10A      | 31.90B/*0.10A    | ----            |               |                 | 0.00 - 27.90             | ----  | ----          | 106                      | ----              |               | 0 -              | 5    |
| 4515                             | 20.50 | 20.50        |                 | 57.10B/*2.50       | 57.10B/*2.50     | ----            |               |                 | 4.90 - 14.30             | ----  | 8             | 7                        | ----              |               | 0 -              | 10   |
| 4520                             | 34.70 | 34.70        |                 | 52.60B/*0.50       | 52.60B/*0.50     | ----            |               |                 | 0.00 - 17.00             | ----  | ----          | 60                       | ----              |               | 0 -              | 20   |
| 4520                             | 10.00 | 10.00        |                 | 35.40B/*0.70       | 35.40B/*0.70     | ----            |               |                 | 0.10 - 30.60             | ----  | 24            | 41                       | ----              |               | 0 -              | 4    |
| 4525                             | 4.90  | 4.90         |                 | 39.00B/*1.30A      | 39.00B/*1.30A    | ----            |               |                 | 5.10 - 28.60             | ----  | 112           | 127                      | ----              |               | 0 -              | 114  |
| 4525                             | 20.50 | 20.50        |                 | 48.30B/*0.10A      | 48.30B/*0.10A    | ----            |               |                 | 0.00 - 15.00             | ----  | ----          | 45                       | ----              |               | 0 -              | 61   |
| 4525                             | ----  | ----         |                 | ----/77.30A        | 100.30B/77.30A   | ----            |               |                 | 90.10 - 12.50            | .4997 | ----          | ----                     | ----              |               | 0                | UNCH |
| 4525                             | ----  | ----         |                 | 70.20B/36.30A      | 70.20B/36.30A    | ----            |               |                 | 50.70 - 16.30            | .5129 | ----          | ----                     | ----              |               | 4                | UNCH |
| 4525                             | ----  | ----         |                 | ----/60.50A        | 86.70B/60.50A    | ----            |               |                 | 73.30 - 14.80            | .5041 | ----          | ----                     | ----              |               | 6                | UNCH |
| 4530                             | 11.50 | 11.50        |                 | 45.00/*0.10A       | 45.00/*0.10A     | ----            |               |                 | 0.00 - 13.10             | ----  | ----          | 77                       | ----              |               | 0 -              | 21   |
| 4530                             | 22.60 | 22.60        |                 | 42.60B/*2.40A      | 42.60B/*2.40A    | ----            |               |                 | 10.10 - 26.70            | ----  | 62            | 117                      | ----              |               | 0 -              | 9    |
| 4535                             | 7.50  | 7.50         |                 | 46.50B/*3.80       | 46.50B/*3.80     | ----            |               |                 | 15.10 - 25.00            | ----  | 45            | 64                       | ----              |               | 0 -              | 7    |
| 4535                             | 14.90 | 14.90        |                 | 39.70B/*0.10A      | 39.70B/*0.10A    | ----            |               |                 | 0.00 - 11.40             | ----  | ----          | 95                       | ----              |               | 0 -              | 10   |
| 4540                             | 7.50  | 7.50         |                 | 51.00B/*4.90A      | 51.00B/*4.90A    | ----            |               |                 | 20.10 - 23.50            | ----  | 46            | 69                       | ----              |               | 0 -              | 30   |
| 4540                             | 20.00 | 20.00        |                 | 35.90B/*0.10A      | 35.90B/*0.10A    | ----            |               |                 | 0.00 - 9.90              | ----  | ----          | 88                       | ----              |               | 0 -              | 22   |
| 4545                             | 19.60 | 19.60        |                 | 32.40B/*0.10       | 32.40B/*0.10     | ----            |               |                 | 0.00 - 8.60              | ----  | ----          | 32                       | ----              |               | 0 -              | 48   |
| 4545                             | 9.80  | 9.80         |                 | 54.90B/*6.30A      | 54.90B/*6.30A    | ----            |               |                 | 25.10 - 22.20            | ----  | 10            | 8                        | ----              |               | 0 -              | 3    |
| 4550                             | 7.00  | 7.00         |                 | 28.90B/*0.10A      | 28.90B/*0.10A    | ----            |               |                 | 0.00 - 7.40              | ----  | ----          | 206                      | ----              |               | 0 -              | 271  |
| 4550                             | ----  | ----         |                 | ----/88.20A        | 114.40B/88.20A   | ----            |               |                 | 103.30 - 13.20           | .5462 | ----          | ----                     | ----              |               | 1                | UNCH |
| 4550                             | 18.70 | 18.70        |                 | 59.50B/*7.70A      | 59.50B/*7.70A    | ----            |               |                 | 30.10 - 21.00            | ----  | 77            | 83                       | ----              |               | 5                | 44   |
| 4550                             | ----  | ----         |                 | 86.50B/46.10A      | 86.50B/46.10A    | ----            |               |                 | 64.50 - 16.80            | .6004 | ----          | ----                     | ----              |               | 5                | UNCH |
| 4550                             | ----  | ----         |                 | ----/70.70A        | 101.20B/70.70A   | ----            |               |                 | 86.70 - 14.60            | .5622 | ----          | 102                      | ----              |               | 102              | UNCH |
| 4550                             | ----  | ----         |                 | 81.70B/52.20A      | 81.70B/52.20A    | ----            |               |                 | 56.60 - 1.00             | .4374 | ----          | 1                        | ----              |               | 1                | UNCH |
| 4555                             | 11.80 | 11.80        |                 | 25.70B/*0.10A      | 25.70B/*0.10A    | ----            |               |                 | 0.00 - 6.40              | ----  | ----          | 18                       | ----              |               | 0 -              | 20   |
| 4555                             | 13.50 | 13.50        |                 | 63.90B/*9.70A      | 63.90B/*9.70A    | ----            |               |                 | 35.10 - 20.00            | ----  | 11            | 18                       | ----              |               | 0 -              | 2    |
| 4560                             | 16.70 | 16.70        |                 | 68.00B/*11.50      | 68.00B/*11.50    | ----            |               |                 | 40.10 - 19.20            | ----  | 4             | 16                       | ----              |               | 0 -              | 5    |
| 4560                             | 6.00  | 6.00         |                 | 24.80/*0.10        | 24.80/*0.10      | ----            |               |                 | 0.00 - 5.60              | ----  | ----          | 108                      | ----              |               | 0 -              | 27   |
| 4565                             | 16.80 | 16.80        |                 | 73.00B/*14.30A     | 73.00B/*14.30A   | ----            |               |                 | 45.10 - 18.40            | ----  | 7             | 5                        | ----              |               | 0 -              | 5    |
| 4565                             | 4.80  | 4.80         |                 | 19.80B/*0.10A      | 19.80B/*0.10A    | ----            |               |                 | 0.00 - 4.80              | ----  | ----          | 55                       | ----              |               | 0 -              | 5    |
| 4570                             | 6.80  | 6.80         |                 | 17.20B/*0.10       | 17.20B/*0.10     | ----            |               |                 | 0.00 - 4.10              | ----  | ----          | 98                       | ----              |               | 0 -              | 13   |
| 4570                             | 43.00 | 43.00        |                 | 77.60B/*17.10A     | 77.60B/*17.10A   | ----            |               |                 | 50.10 - 17.70            | ----  | 16            | 12                       | ----              |               | 0 -              | 16   |
| 4575                             | ----  | ----         |                 | 82.00B/*20.40A     | 82.00B/*20.40A   | ----            |               |                 | 55.10 - 17.20            | ----  | 16            | 1                        | ----              |               | 0 -              | 16   |
| 4575                             | 5.00  | 5.00         |                 | 14.90B/*0.10       | 14.90B/*0.10     | ----            |               |                 | 0.00 - 3.60              | ----  | ----          | 33                       | ----              |               | 0 -              | 29   |
| 4575                             | 52.50 | 52.50        |                 | 52.50/22.60A       | 52.50/22.60A     | ----            |               |                 | 25.50 - 3.30             | .3169 | ----          | 2                        | ----              |               | 130 +            | 1    |
| 4575                             | 57.40 | 57.40        |                 | 103.90B/57.40      | 103.90B/57.40    | ----            |               |                 | 80.60 - 16.90            | .6828 | ----          | 2                        | ----              |               | 6 +              | 1    |
| 4575                             | ----  | ----         |                 | 69.80B/42.90A      | 69.80B/42.90A    | ----            |               |                 | 46.50 - 1.30             | .3807 | ----          | ----                     | ----              |               | 2                | UNCH |
| 4575                             | ----  | ----         |                 | 117.10B/87.00A     | 117.10B/87.00A   | ----            |               |                 | 101.60 - 14.80           | .6189 | ----          | 1                        | ----              |               | 2                | UNCH |
| 4580                             | 4.80  | 4.80         |                 | 12.90B/*0.10       | 12.90B/*0.10     | ----            |               |                 | 0.00 - 3.10              | ----  | ----          | 33                       | ----              |               | 0 -              | 25   |
| 4580                             | ----  | ----         |                 | 87.00B/*24.10A     | 87.00B/*24.10A   | ----            |               |                 | 60.10 - 16.70            | ----  | 3             | ----                     | ----              |               | 0 -              | 3    |
| 4585                             | 3.60  | 3.60         |                 | 11.00B/*0.10       | 11.00B/*0.10     | ----            |               |                 | 0.00 - 2.60              | ----  | ----          | 34                       | ----              |               | 0 -              | 26   |
| 4585                             | ----  | ----         |                 | 91.70B/27.60A      | 91.70B/27.60A    | ----            |               |                 | 65.10 - 16.20            | ----  | 131           | ----                     | ----              |               | 0 -              | 131  |
| 4590                             | ----  | ----         |                 | 96.20B/30.90A      | 96.20B/30.90A    | ----            |               |                 | 70.10 - 15.90            | ----  | 4             | 1                        | ----              |               | 0 -              | 4    |
| 4590                             | 2.40  | 2.40         |                 | 9.30B/*0.10        | 9.30B/*0.10      | ----            |               |                 | 0.00 - 2.30              | ----  | ----          | 20                       | ----              |               | 0 -              | 7    |
| 4595                             | ----  | ----         |                 | 101.00B/34.40A     | 101.00B/34.40A   | ----            |               |                 | 75.10 - 15.60            | ----  | 1             | ----                     | ----              |               | 0 -              | 1    |
| 4595                             | 2.70  | 2.70         |                 | 7.80B/*0.10        | 7.80B/*0.10      | ----            |               |                 | 0.00 - 2.00              | ----  | ----          | 10                       | ----              |               | 0 -              | 31   |
| 4600                             | 1.00  | 1.00         |                 | 7.00/*0.10         | 7.00/*0.10       | ----            |               |                 | 0.00 - 1.70              | ----  | ----          | 85                       | ----              |               | 0 -              | 160  |
| 4600                             | ----  | ----         |                 | 106.20B/38.10A     | 106.20B/38.10A   | ----            |               |                 | 80.10 - 15.30            | ----  | 24            | 2                        | ----              |               | 0 -              | 25   |
| 4600                             | ----  | ----         |                 | ----/115.30A       | 146.10B/115.30A  | ----            |               |                 | 133.20 - 15.00           | .6364 | ----          | ----                     | ----              |               | 1                | UNCH |
| 4600                             | ----  | ----         |                 | 74.60B/50.60A      | 74.60B/50.60A    | ----            |               |                 | 53.30 - 1.40             | .3630 | ----          | 7                        | ----              |               | 1                | UNCH |
| 4600                             | ----  | ----         |                 | 123.10B/71.80A     | 123.10B/71.80A   | ----            |               |                 | 98.70 - 16.80            | .7548 | ----          | ----                     | ----              |               | 11 +             | UNCH |
| 4600                             | 26.80 | 26.80        |                 | 39.90B/16.60A      | 39.90B/16.60A    | ----            |               |                 | 18.70 - 3.20             | .2449 | ----          | 8                        | ----              |               | 198              | UNCH |
| 4600                             | ----  | ----         |                 | 58.40B/35.00A      | 58.40B/35.00A    | ----            |               |                 | 37.90 - 1.80             | .3269 | ----          | ----                     | ----              |               | 0 -              | 6    |
| 4605                             | ----  | ----         |                 | 5.30B/*0.10A       | 5.30B/*0.10A     | ----            |               |                 | 0.00 - 1.40              | ----  | ----          | 5                        | ----              |               | 0 -              | 4    |
| 4605                             | ----  | ----         |                 | 110.90B/42.20A     | 110.90B/42.20A   | ----            |               |                 | 85.10 - 15.00            | ----  | 4             | ----                     | ----              |               | 0 -              | 4    |
| 4610                             | ----  | ----         |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |



| PG64    |      | BULLETIN #104@                    |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |   |        |      |  |  | Tue, Jun 02, 2026 |  | PG64 |
|---------|------|-----------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|---|--------|------|--|--|-------------------|--|------|
|         |      | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |        |      |  |  |                   |  |      |
| GWT TUE |      | GOLD WEEKLY TUESDAY OPTION week4  |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |   |        |      |  |  |                   |  |      |
| JUN26   |      |                                   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |   |        |      |  |  |                   |  |      |
| 4775    | ---- | ----                              |              |                 | 23.70B/15.30A      | 23.70B/15.30A    | ----               | ----          | /*0.10A         | 15.70 - 2.60             | .1342 | ----                   | ----                     | ----              | ----          |                  |   | 4      | UNCH |  |  |                   |  |      |
| 4790    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 1    |  |  |                   |  |      |
| 4795    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 1    |  |  |                   |  |      |
| 4800    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 6    |  |  |                   |  |      |
| 4800    | ---- | ----                              |              |                 | 305.10B/231.30A    | 305.10B/231.30A  | ----               | ----          | ----            | 280.10 - 13.70           |       | ----                   | ----                     | ----              | ----          |                  |   | 0      | UNCH |  |  |                   |  |      |
| 4800    | 3.30 | 3.30                              |              |                 | 4.20B/*1.90A       | 4.20B/*1.90A     | ----               | ----          | ----            | 1.90 - 1.00              | .0248 | ----                   | ----                     | 1                 | ----          | 36 +             | 1 |        |      |  |  |                   |  |      |
| 4800    | ---- | ----                              |              |                 | 10.60B/6.70A       | 10.60B/6.70A     | ----               | ----          | ----            | 6.90 - 1.90              | .0734 | ----                   | ----                     | ----              | ----          |                  |   | 8      | UNCH |  |  |                   |  |      |
| 4805    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 1    |  |  |                   |  |      |
| 4825    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 5    |  |  |                   |  |      |
| 4825    | ---- | ----                              |              |                 | 330.10B/256.40A    | 330.10B/256.40A  | ----               | ----          | ----            | 305.10 - 13.70           |       | ----                   | ----                     | ----              | ----          |                  |   | 0      | UNCH |  |  |                   |  |      |
| 4825    | ---- | ----                              |              |                 | 3.20B/*1.50A       | 3.20B/*1.50A     | ----               | ----          | ----            | 1.50 - 0.80              | .0190 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 4825    | ---- | ----                              |              |                 | 8.80B/5.60A        | 8.80B/5.60A      | ----               | ----          | ----            | 5.70 - 1.60              | .0608 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 4850    | ---- | ----                              |              |                 | 13.90B/9.50A       | 13.90B/9.50A     | ----               | ----          | ----            | 9.50 - 2.10              | .0846 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 4850    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 4    |  |  |                   |  |      |
| 4850    | ---- | ----                              |              |                 | 7.00B/4.80A        | 7.00B/4.80A      | ----               | ----          | ----            | 4.80 - 1.30              | .0510 | ----                   | ----                     | ----              | ----          |                  |   | 6      | UNCH |  |  |                   |  |      |
| 4875    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 1    |  |  |                   |  |      |
| 4875    | ---- | ----                              |              |                 | 11.40B/*8.20A      | 11.40B/*8.20A    | ----               | ----          | ----            | 8.10 - 1.90              | .0727 | ----                   | ----                     | ----              | ----          |                  |   | 4      | UNCH |  |  |                   |  |      |
| 4875    | ---- | ----                              |              |                 | 5.80B/4.10A        | 5.80B/4.10A      | ----               | ----          | ----            | 4.10 - 1.00              | .0433 | ----                   | ----                     | 2                 | ----          | 4 +              | 2 |        |      |  |  |                   |  |      |
| 4900    | 0.10 | 0.10                              |              |                 | 0.10/*0.10         | 0.10/*0.10       | ----               | ----          | ----            | 0.00 - 0.10              |       | ----                   | ----                     | 1                 | ----          | 0 -              | 4 |        |      |  |  |                   |  |      |
| 4900    | ---- | ----                              |              |                 | 1.50B/*1.00A       | 1.50B/*1.00A     | ----               | ----          | ----            | 0.90 - 0.50              | .0103 | ----                   | ----                     | 2                 | ----          | 10 +             | 2 |        |      |  |  |                   |  |      |
| 4900    | ---- | ----                              |              |                 | 4.70B/*3.50A       | 4.70B/*3.50A     | ----               | ----          | ----            | 3.50 - 0.80              | .0366 | ----                   | ----                     | ----              | ----          |                  |   | 5      | UNCH |  |  |                   |  |      |
| 4925    | ---- | ----                              |              |                 | #430.10B/356.00    | #430.10B/356.00A | ----               | ----          | ----            | 405.10 - 13.70           |       | ----                   | ----                     | ----              | ----          |                  |   | 0      | UNCH |  |  |                   |  |      |
| 4950    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 2    |  |  |                   |  |      |
| 4950    | ---- | ----                              |              |                 | 7.10B/*5.60A       | 7.10B/*5.60A     | ----               | ----          | ----            | 5.30 - 1.30              | .0477 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 4950    | ---- | ----                              |              |                 | ----               | 0.90B/*0.80A     | ----               | ----          | ----            | 0.70 - 0.30              | .0074 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 4950    | ---- | ----                              |              |                 | ----               | 2.80B/*2.70A     | ----               | ----          | ----            | 2.70 - 0.40              | .0275 | ----                   | ----                     | 1                 | ----          | 2                |   |        | UNCH |  |  |                   |  |      |
| 4975    | ---- | ----                              |              |                 | ----               | 2.40B/*2.40A     | ----               | ----          | ----            | 2.40 - 0.20              | .0241 | ----                   | ----                     | 1                 | ----          | 4                |   |        | UNCH |  |  |                   |  |      |
| 5000    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 8    |  |  |                   |  |      |
| 5000    | ---- | ----                              |              |                 | ----               | 4.70B/*4.40A     | ----               | ----          | ----            | 4.10 - 1.10              | .0367 | ----                   | ----                     | ----              | ----          |                  |   | 3      | UNCH |  |  |                   |  |      |
| 5000    | ---- | ----                              |              |                 | ----               | 0.70B/*0.70A     | ----               | ----          | ----            | 0.60 - 0.20              | .0059 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 5000    | ---- | ----                              |              |                 | ----               | 2.10B/*2.20A     | ----               | ----          | ----            | 2.10 - 0.20              | .0208 | ----                   | ----                     | ----              | ----          |                  |   | 3      | UNCH |  |  |                   |  |      |
| 5025    | ---- | ----                              |              |                 | ----               | 4.50B/*3.90A     | ----               | ----          | ----            | 3.60 - 1.00              | .0321 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 5050    | ---- | ----                              |              |                 | ----               | 1.50B/*1.80A     | ----               | ----          | ----            | 1.70 + 0.10              | .0163 | ----                   | ----                     | ----              | ----          |                  |   | 4      | UNCH |  |  |                   |  |      |
| 5075    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 1    |  |  |                   |  |      |
| 5100    | ---- | ----                              |              |                 | ----               | 0.40B/*0.70A     | ----               | ----          | ----            | 0.40 - 0.10              | .0035 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 5200    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 2    |  |  |                   |  |      |
| 5200    | ---- | ----                              |              |                 | ----               | 1.70B/*2.20A     | ----               | ----          | ----            | 1.80 - 0.50              | .0151 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 5250    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 1    |  |  |                   |  |      |
| 5250    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.60A         | 0.30 UNCH                | .0022 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 5250    | ---- | ----                              |              |                 | #0.70B/----        | 0.70B/*1.20A     | ----               | ----          | ----            | 0.80 + 0.40              | .0068 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 5400    | ---- | ----                              |              |                 | ----               | 1.00B/1.50A      | ----               | ----          | ----            | 1.10 - 0.20              | .0084 | ----                   | ----                     | ----              | ----          |                  |   | 10     | UNCH |  |  |                   |  |      |
| 5500    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 3    |  |  |                   |  |      |
| 5500    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /0.50A          | 0.10 UNCH                | .0006 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 5500    | ---- | ----                              |              |                 | ----               | 0.70B/*1.40A     | ----               | ----          | ----            | 0.90 - 0.20              | .0065 | ----                   | ----                     | ----              | ----          |                  |   | 3      | UNCH |  |  |                   |  |      |
| 5600    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.10A         | 0.00 - 0.10              |       | ----                   | ----                     | ----              | ----          |                  |   | 0 -    | 3    |  |  |                   |  |      |
| TOTAL   |      |                                   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          | 3080              |               |                  |   | 2169 - | 3340 |  |  |                   |  |      |
|         |      | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |        |      |  |  |                   |  |      |
| GWR THU |      | GOLD WEEKLY THURSDAY OPTION week2 |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |   |        |      |  |  |                   |  |      |
| JUN26   |      |                                   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |   |        |      |  |  |                   |  |      |
| 3500    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /*0.70A         | 0.20 - 0.20              | .0010 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 3800    | ---- | ----                              |              |                 | ----               | ----             | ----               | ----          | /0.50A          | 0.10 UNCH                |       | ----                   | ----                     | ----              | ----          |                  |   | 3      | UNCH |  |  |                   |  |      |
| 3800    | ---- | ----                              |              |                 | ----               | /*1.80A          | 1.40B/*1.80A       | ----          | ----            | 1.70 - 0.80              | .0111 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 3900    | ---- | ----                              |              |                 | ----               | /*2.40A          | 2.10B/*2.40A       | ----          | ----            | 2.30 - 1.00              | .0161 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 4000    | ---- | ----                              |              |                 | ----               | /*0.30A          | ----               | ----          | /*0.30A         | 0.10 - 0.30              | .0001 | ----                   | ----                     | ----              | ----          |                  |   | 4      | UNCH |  |  |                   |  |      |
| 4000    | ---- | ----                              |              |                 | ----               | /*3.30A          | 3.20B/*3.30A       | ----          | ----            | 3.30 - 1.50              | .0249 | ----                   | ----                     | ----              | ----          |                  |   | 3      | UNCH |  |  |                   |  |      |
| 4050    | ---- | ----                              |              |                 | ----               | /*0.30A          | ----               | ----          | /*0.30A         | 0.20 - 0.40              | .0004 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 4050    | ---- | ----                              |              |                 | ----               | /*4.10A          | 4.10B/*4.10A       | ----          | ----            | 4.10 - 1.90              | .0319 | ----                   | ----                     | ----              | ----          |                  |   | 5      | UNCH |  |  |                   |  |      |
| 4075    | ---- | ----                              |              |                 | ----               | /*4.60A          | 4.60B/*4.60A       | ----          | ----            | 4.60 - 2.20              | .0363 | ----                   | ----                     | ----              | ----          |                  |   | 2      | UNCH |  |  |                   |  |      |
| 4075    | ---- | ----                              |              |                 | ----               | /*0.40A          | ----               | ----          | /*0.40A         | 0.30 - 0.40              | .0008 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 4075    | ---- | ----                              |              |                 | ----               | /*2.00A          | 2.10B/*2.00A       | ----          | ----            | 1.90 - 1.30              | .0165 | ----                   | ----                     | ----              | ----          |                  |   | 1      | UNCH |  |  |                   |  |      |
| 4100    | 2.40 | 2.40                              |              |                 | 2.40/*2.20A        | 2.50B/*2.20A     | ----               | ----          | ----            | 2.10 - 1.50              | .0188 | ----                   | ----                     | 3                 | ----          | 4 +              | 2 |        |      |  |  |                   |  |      |
| 4100    | ---- | ----                              |              |                 | ----               | /*0.30A          | 0.10B/*0.30A       | ----          | ----            | 0.30 - 0.50              | .0009 | ----                   | ----                     | ----              | ----          |                  |   |        |      |  |  |                   |  |      |

| GLOBEX OPEN                       |       | OPEN  | OUTCRY RANGE | GLOBEX HIGH/LOW | OPEN           | OUTCRY HIGH/LOW | OPEN | OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|-----------------------------------|-------|-------|--------------|-----------------|----------------|-----------------|------|--------------------|-----------------------|-------|------------|--------------------|----------------|------------|---------------|
| GOLD WEEKLY THURSDAY OPTION week1 |       |       |              |                 |                |                 |      |                    |                       |       |            |                    |                |            |               |
| JUN26                             |       |       |              |                 |                |                 |      |                    |                       |       |            |                    |                |            |               |
| 4475                              | ----  | ----  |              | 27.90B/*8.10A   | 27.90B/*8.10A  | ----            |      |                    | 12.60 - 14.30         | .2289 | ----       | ----               | 2              | ----       | 41 +          |
| 4475                              | ----  | ----  |              | 54.30B/29.80A   | 54.30B/29.80A  | ----            |      |                    | 39.00 - 14.20         | .3679 | ----       | ----               | ----           | 19         | UNCH          |
| 4480                              | 22.00 | 22.00 |              | 29.90B/*8.80A   | 29.90B/*8.80A  | ----            |      |                    | 13.80 - 14.90         | .2526 | ----       | ----               | 3              | 2 +        | 1             |
| 4485                              | 15.30 | 15.30 |              | 32.00B/*9.60A   | 32.00B/*9.60A  | ----            |      |                    | 15.20 NEW             | .2787 | ----       | ----               | 3              | 3 +        | 3             |
| 4490                              | 13.50 | 13.50 |              | 34.90B/*10.40A  | 34.90B/*10.40A | ----            |      |                    | 16.70 NEW             | .3063 | ----       | ----               | 3              | 3 +        | 3             |
| 4495                              | 31.80 | 31.80 |              | 36.70B/*11.30A  | 36.70B/*11.30A | ----            |      |                    | 18.30 - 16.40         | .3353 | ----       | ----               | 6              | 7 +        | 5             |
| 4500                              | ----  | ----  |              | 104.70B/63.00A  | 104.70B/63.00A | ----            |      |                    | 68.90 - 1.50          | .5629 | ----       | ----               | ----           | 1          | UNCH          |
| 4500                              | 21.90 | 21.90 |              | 39.10B/*12.20A  | 39.10B/*12.20A | ----            |      |                    | 20.10 - 16.70         | .3660 | ----       | 11                 | 37             | 37         | UNCH          |
| 4500                              | ----  | ----  |              | 66.50B/37.10A   | 66.50B/37.10A  | ----            |      |                    | 49.00 - 15.10         | .4368 | ----       | ----               | ----           | 2          | UNCH          |
| 4500                              | ----  | ----  |              | 118.80B/84.10A  | 118.80B/84.10A | ----            |      |                    | 89.20 - 1.30          | .5495 | ----       | ----               | ----           | 2          | UNCH          |
| 4500                              | 70.30 | 70.30 |              | 70.30/59.60A    | 82.20B/59.60A  | ----            |      |                    | 69.30 - 14.90         | .4500 | ----       | 2                  | 29             | 29 +       | 2             |
| 4500                              | ----  | ----  |              | 81.20B/33.50A   | 81.20B/33.50A  | ----            |      |                    | 40.00 - 3.10          | .6338 | ----       | 1                  | 8              | 8 +        | 1             |
| 4505                              | 21.00 | 21.00 |              | 41.80B/*13.40A  | 41.80B/*13.40A | ----            |      |                    | 22.00 NEW             | .3978 | ----       | 1                  | 1              | 1 +        | 1             |
| 4510                              | ----  | ----  |              | 44.50B/*14.60A  | 44.50B/*14.60A | ----            |      |                    | 24.10 NEW             | .4306 | ----       | 3                  | 3              | 3 +        | 3             |
| 4515                              | 25.30 | 25.30 |              | 47.70B/*15.80A  | 47.70B/*15.80A | ----            |      |                    | 26.30 NEW             | .4641 | ----       | 2                  | 2              | 2 +        | 2             |
| 4515                              | 30.10 | 30.10 |              | #69.40B/*25.80A | 69.40B/*25.80A | ----            |      |                    | 31.20 NEW             | .5358 | ----       | 1                  | 1              | 1 +        | 1             |
| 4520                              | 25.90 | 25.90 |              | 50.90B/*17.20A  | 50.90B/*17.20A | ----            |      |                    | 28.60 - 17.80         | .4980 | ----       | 10                 | 12             | 12 +       | 10            |
| 4520                              | ----  | ----  |              | #65.80B/*23.50A | 65.80B/*23.50A | ----            |      |                    | 28.50 NEW             | .5018 | ----       | ----               | ----           | 1          | UNCH          |
| 4525                              | 63.50 | 63.50 |              | 79.70B/45.70A   | 79.70B/45.70A  | ----            |      |                    | 60.80 - 15.70         | .5084 | ----       | 2                  | 41             | 41 -       | 2             |
| 4525                              | 58.60 | 58.60 |              | 62.20B/21.30A   | 62.20B/21.30A  | ----            |      |                    | 26.00 - 4.30          | .4676 | ----       | 3                  | 7              | 7 +        | 1             |
| 4525                              | ----  | ----  |              | 88.60B/50.50A   | 88.60B/50.50A  | ----            |      |                    | 55.70 - 2.20          | .4913 | ----       | ----               | ----           | 6          | UNCH          |
| 4525                              | 20.30 | 20.30 |              | 103.70B/71.70A  | 103.70B/71.70A | ----            |      |                    | 76.20 - 1.80          | .4976 | ----       | ----               | ----           | 20         | UNCH          |
| 4525                              | ----  | ----  |              | 54.00B/*18.00   | 54.00B/*18.00  | ----            |      |                    | 31.10 - 17.90         | .5322 | ----       | 3                  | 42             | 42         | UNCH          |
| 4525                              | ----  | ----  |              | ----            | /69.30A        | 94.70B/69.30A   | ---- |                    | 81.30 - 15.40         | .5019 | ----       | ----               | ----           | 20         | UNCH          |
| 4530                              | ----  | ----  |              | 57.20B/*20.10A  | 57.20B/*20.10A | ----            |      |                    | 33.80 - 18.00         | .5662 | ----       | 3                  | 4              | 4 +        | 3             |
| 4530                              | ----  | ----  |              | #58.80B/*19.30A | 58.80B/*19.30A | ----            |      |                    | 23.70 - 4.40          | .4336 | ----       | ----               | ----           | 8          | UNCH          |
| 4535                              | 37.00 | 37.00 |              | 60.40B/*21.80A  | 60.40B/*21.80A | ----            |      |                    | 36.60 - 18.10         | .5999 | ----       | 2                  | 1              | 1 -        | 1             |
| 4540                              | ----  | ----  |              | #52.10B/*15.90A | 52.10B/*15.90A | ----            |      |                    | 19.50 - 4.60          | .3672 | ----       | ----               | ----           | 1          | UNCH          |
| 4545                              | 33.60 | 33.60 |              | 67.50B/*25.60A  | 67.50B/*25.60A | ----            |      |                    | 42.80 - 18.20         | .6640 | ----       | 1                  | 2              | 2 +        | 1             |
| 4550                              | ----  | ----  |              | 95.40B/56.10A   | 95.40B/56.10A  | ----            |      |                    | 74.40 - 16.20         | .5799 | ----       | ----               | ----           | 80         | UNCH          |
| 4550                              | ----  | ----  |              | 46.10B/12.90A   | 46.10B/12.90A  | ----            |      |                    | 16.00 - 4.70          | .3055 | ----       | 1                  | 24             | 24 +       | 1             |
| 4550                              | ----  | ----  |              | ----            | /80.20A        | 109.10B/80.20A  | ---- |                    | 94.60 - 15.80         | .5539 | ----       | ----               | ----           | 1          | UNCH          |
| 4550                              | ----  | ----  |              | 89.80B/60.70A   | 89.80B/60.70A  | ----            |      |                    | 64.60 - 2.10          | .4457 | ----       | ----               | ----           | 4          | UNCH          |
| 4550                              | 37.10 | 37.10 |              | 71.00B/27.50A   | 71.00B/27.50A  | ----            |      |                    | 46.10 - 18.30         | .6944 | ----       | 5                  | 112            | 112 -      | 1             |
| 4555                              | ----  | ----  |              | 74.70B/*29.60A  | 74.70B/29.60A  | ----            |      |                    | 49.50 - 18.40         | .7235 | ----       | ----               | ----           | 1          | UNCH          |
| 4560                              | 11.50 | 11.50 |              | #40.30B/*10.20A | 40.30B/*10.20A | ----            |      |                    | 13.00 - 4.80          | .2494 | ----       | 2                  | 102            | 102 +      | 2             |
| 4560                              | ----  | ----  |              | 78.70B/31.70A   | 78.70B/31.70A  | ----            |      |                    | 53.10 - 18.40         | .7504 | ----       | ----               | ----           | 2          | UNCH          |
| 4565                              | ----  | ----  |              | #37.60B/*9.40A  | 37.60B/*9.40A  | ----            |      |                    | 11.70 NEW             | .2240 | ----       | ----               | ----           | 2          | UNCH          |
| 4570                              | 24.00 | 24.00 |              | #35.10B/*8.30A  | 35.10B/*8.30A  | ----            |      |                    | 10.50 - 4.70          | .2003 | ----       | 72                 | 57             | 57 +       | 56            |
| 4570                              | ----  | ----  |              | 86.90B/36.50A   | 86.90B/36.50A  | ----            |      |                    | 60.60 - 18.30         | .7996 | ----       | ----               | ----           | 2          | UNCH          |
| 4575                              | ----  | ----  |              | 61.10B/31.20A   | 61.10B/31.20A  | ----            |      |                    | 34.80 - 2.90          | .3509 | ----       | ----               | ----           | 4          | UNCH          |
| 4575                              | 54.30 | 54.30 |              | 91.00B/39.10A   | 91.00B/39.10A  | ----            |      |                    | 64.50 - 18.30         | .8216 | ----       | 3                  | 197            | 197 +      | 1             |
| 4575                              | 9.30  | 9.30  |              | 32.50B/*7.50A   | 32.50B/*7.50A  | ----            |      |                    | 9.40 - 4.70           | .1782 | ----       | 4                  | 14             | 14 +       | 3             |
| 4575                              | 52.30 | 52.30 |              | 79.30B/50.90A   | 79.30B/50.90A  | ----            |      |                    | 54.30 - 2.50          | .3947 | ----       | 1                  | 2              | 2 +        | 1             |
| 4580                              | 14.30 | 14.30 |              | #30.20B/*6.70A  | 30.20B/*6.70A  | ----            |      |                    | 8.40 NEW              | .1579 | ----       | 3                  | 101            | 101 +      | 101           |
| 4580                              | ----  | ----  |              | 95.10B/*41.70A  | 95.10B/41.70A  | ----            |      |                    | 68.50 - 18.20         | .8419 | ----       | ----               | ----           | 2          | UNCH          |
| 4590                              | 10.40 | 10.40 |              | #26.00B/*5.40A  | 26.00B/*5.40A  | ----            |      |                    | 6.70 - 4.40           | .1229 | ----       | 10                 | 10             | 10 +       | 8             |
| 4595                              | ----  | ----  |              | #24.10B/*4.80A  | 24.10B/*4.80A  | ----            |      |                    | 6.00 - 4.20           | .1082 | ----       | ----               | ----           | 1          | UNCH          |
| 4600                              | 27.00 | 27.00 |              | 49.50B/24.30A   | 49.50B/24.30A  | ----            |      |                    | 27.00 - 3.00          | .2876 | ----       | 4                  | 25             | 25 +       | 2             |
| 4600                              | ----  | ----  |              | 130.50B/81.70A  | 130.50B/81.70A | ----            |      |                    | 107.00 - 16.60        | .7121 | ----       | ----               | ----           | 21         | UNCH          |
| 4600                              | 16.10 | 16.10 |              | 22.30B/*4.30A   | 22.30B/*4.30A  | ----            |      |                    | 5.40 - 4.00           | .0955 | ----       | 10                 | 76             | 76 +       | 4             |
| 4600                              | ----  | ----  |              | 112.00B/54.00A  | 112.00B/54.00A | ----            |      |                    | 85.50 - 17.60         | .9044 | ----       | ----               | ----           | 11         | UNCH          |
| 4600                              | ----  | ----  |              | ----            | /109.30A       | 141.50B/109.30A | ---- |                    | 125.40 - 16.20        | .6534 | ----       | ----               | ----           | 2          | UNCH          |
| 4600                              | 51.10 | 51.10 |              | 67.70B/42.60A   | 67.70B/42.60A  | ----            |      |                    | 45.40 - 2.70          | .3461 | ----       | 4                  | 20             | 20 +       | 4             |
| 4610                              | 15.80 | 15.80 |              | #18.90B/*3.50A  | 18.90B/*3.50A  | ----            |      |                    | 4.30 - 3.70           | .0729 | ----       | 139                | 116            | 116 +      | 114           |
| 4615                              | 3.30  | 3.30  |              | #17.20B/*3.10A  | 17.20B/*3.10A  | ----            |      |                    | 3.90 NEW              | .0644 | ----       | 6                  | 3              | 3 +        | 3             |
| 4620                              | ----  | ----  |              | 15.80B/*2.80A   | 15.80B/*2.80A  | ----            |      |                    | 3.50 - 3.20           | .0563 | ----       | 2                  | 3              | 3 +        | 2             |
| 4625                              | ----  | ----  |              | 40.00B/18.70A   | 40.00B/18.70A  | ----            |      |                    | 20.70 - 3.10          | .2312 | ----       | 2                  | 4              | 4 +        | 1             |
| 4625                              | 13.70 | 13.70 |              | 14.70B/*2.60A   | 14.70B/*2.60A  | ----            |      |                    | 3.10 - 3.10           | .0486 | ----       | 5                  | 42             | 42 +       | 1             |
| 4625                              | ----  | ----  |              | 149.80B/97.20A  | 149.80B/97.20A | ----            |      |                    | 125.70 - 16.70        | .7685 | ----       | ----               | ----           | 1          | UNCH          |
| 4625                              | ----  | ----  |              | 134.80B/71.40A  | 134.80B/71.40A | ----            |      |                    | 108.20 - 16.70        | .9512 | ----       | ----               | ----           | 2          | UNCH          |
| 4630                              | ----  | ----  |              | 13.40B/*2.30A   | 13.40B/*2.30A  | ----            |      |                    | 2.80 - 2.90           | .0427 | ----       | 6                  | 6              | 6 +        | 2             |
| 4635                              | ----  | ----  |              | 12.30B/*2.10A   | 12.30B/*2.10A  | ----            |      |                    | 2.50 - 2.80           | .0370 | ----       | 3                  | 9              | 9 +        | 3             |
| 4640                              | ----  | ----  |              | #11.20B/*1.90A  | 11.20B/*1.90A  | ----            |      |                    | 2.30 - 2.60           | .0330 | ----       | 3                  | 2              | 2 +        | 1             |
| 4645                              | 10.00 | 10.00 |              | #10.30B/*1.70A  | 10.30B/*1.70A  | ----            |      |                    | 2.10 - 2.40           | .0291 | ----       | 1                  | 3              | 3 +        | 1             |
| 4650                              | ----  | ----  |              | 158.10B/91.30A  | 158.10B/91.30A | ----            |      |                    | 132.00 - 15.80        | .9743 | ----       | ----               | ----           | 2          | UNCH          |
| 4650                              | 15.80 | 15.80 |              | 31.90B/14.40A   | 31.90B/14.40A  | ----            |      |                    | 15.80 - 3.00          | .1832 | ----       | 5                  | 57             | 57 +       | 3             |
| 4650                              | 35.30 | 35.30 |              | 47.60B/29.30A   | 47.60B/29.30A  | ----            |      |                    | 31.20 - 3.00          | .2584 | ----       | 17                 | 18             | 18 +       | 17            |
| 4650                              | ----  | ----  |              | 9.40B/*1.60A    | 9.40B/*1.60A   | ----            |      |                    | 1.90 - 2.30           | .0255 | ----       | 3                  | 118            |            |               |



*CME Group, Inc.*

20 South Wacker Drive, Chicago, Illinois 60606-7499.

*Customer Service: (312) 930-1000*

**PRELIMINARY**



| G666 BULLETIN #104@ |      |                                   | METALS OPTION PRODUCTS |                    |                  |                    |               |                 |                          |       |               |                          | Tue, Jun 02, 2026 |               | PG64             |      |
|---------------------|------|-----------------------------------|------------------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| GLOBEX<br>OPEN      |      | OPEN<br>OPEN                      | OUTCRY<br>RANGE        | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| GWR THU             |      | GOLD WEEKLY THURSDAY OPTION Week1 |                        |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| JUL26               |      |                                   |                        |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| 4525                | ---- | ----                              |                        | #131.40B/101.40    | 131.40B/101.40A  | ----               |               |                 | 105.70 - 0.10            | .5037 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4550                | ---- | ----                              |                        | ----/*109.50A      | 136.00B/109.50A  | ----               |               |                 | 123.90 NEW               | .5328 | ----          | ----                     | 7                 | ----          | 7                | +    |
| 4575                | ---- | ----                              |                        | ----/*121.80A      | 150.80B/121.80A  | ----               |               |                 | 138.00 - 13.70           | .5697 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4675                | ---- | ----                              |                        | #65.80B/*47.50A    | 65.80B/*47.50A   | ----               |               |                 | 49.50 NEW                | .2938 | ----          | 1                        | ----              | ----          | 1                | +    |
| 4725                | ---- | ----                              |                        | #50.50B/*36.30A    | 50.50B/*36.30A   | ----               |               |                 | 37.80 NEW                | .2370 | ----          | 1                        | ----              | ----          | 1                | +    |
| 4775                | ---- | ----                              |                        | #38.80B/*27.80A    | 38.80B/*27.80A   | ----               |               |                 | 28.70 NEW                | .1888 | ----          | 1                        | ----              | ----          | 1                | +    |
| 4800                | ---- | ----                              |                        | #33.80B/*24.30A    | 33.80B/*24.30A   | ----               |               |                 | 25.00 - 2.20             | .1679 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4850                | ---- | ----                              |                        | #25.50B/*18.80A    | 25.50B/*18.80A   | ----               |               |                 | 19.00 - 2.40             | .1322 | ----          | 1                        | ----              | ----          | 3                | +    |
| 4875                | ---- | ----                              |                        | #22.50B/*16.80A    | 22.50B/*16.80A   | ----               |               |                 | 16.70 - 2.30             | .1176 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4900                | ---- | ----                              |                        | #19.60B/*14.90A    | 19.60B/*14.90A   | ----               |               |                 | 14.70 - 2.00             | .1046 | ----          | 1                        | ----              | ----          | 2                | UNCH |
| 4925                | ---- | ----                              |                        | #17.10B/*13.20A    | 17.10B/*13.20A   | ----               |               |                 | 13.00 - 1.70             | .0933 | ----          | 2                        | ----              | ----          | 1                | UNCH |
| 4950                | ---- | ----                              |                        | #15.00B/*11.70A    | 15.00B/*11.70A   | ----               |               |                 | 11.40 NEW                | .0827 | ----          | 1                        | ----              | ----          | 1                | +    |
| 5500                | 2.00 | 2.00                              |                        | #2.30/*2.00        | #2.30/*2.00      | ----               |               |                 | 1.00 NEW                 | .0075 | ----          | 2                        | ----              | ----          | 2                | +    |
| TOTAL               |      |                                   |                        |                    |                  |                    |               |                 |                          |       |               |                          | 40                |               | 73               | +    |
| GLOBEX<br>OPEN      |      | OPEN<br>OPEN                      | OUTCRY<br>RANGE        | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| GMW MON             |      | GOLD WEEKLY MONDAY OPTION WEEK2   |                        |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| JUN26               |      |                                   |                        |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| 3500                | ---- | ----                              |                        | ----               | ----/4.40A       | ----               |               |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3600                | ---- | ----                              |                        |                    | 0.30B/*0.90A     | ----               |               |                 | 0.50 - 0.30              | .0029 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3700                | ---- | ----                              |                        | ----/*1.00A        | 0.60B/*1.00A     | ----               |               |                 | 0.80 - 0.30              | .0050 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3750                | ---- | ----                              |                        | ----/*1.10A        | 0.70B/*1.10A     | ----               |               |                 | 1.00 - 0.30              | .0064 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 3800                | ---- | ----                              |                        |                    | ----/*0.60A      | ----               |               |                 | 0.20 - 0.20              | .0011 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 3800                | ---- | ----                              |                        | ----/*1.30A        | 0.80B/*1.30A     | ----               |               |                 | 1.10 - 0.40              | .0074 | ----          | ----                     | ----              | ----          | 32               | UNCH |
| 3800                | ---- | ----                              |                        | ----/*2.00A        | 1.80B/*2.00A     | ----               |               |                 | 2.10 - 0.80              | .0136 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3900                | ---- | ----                              |                        |                    | 0.10B/*0.80A     | ----               |               |                 | 0.30 - 0.30              | .0019 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3900                | ---- | ----                              |                        | ----/*1.60A        | 1.30B/*1.60A     | ----               |               |                 | 1.50 - 0.60              | .0110 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 3900                | ---- | ----                              |                        | ----/*2.80A        | 2.60B/*2.80A     | ----               |               |                 | 2.80 - 1.00              | .0194 | ----          | 2                        | ----              | ----          | 5                | +    |
| 4000                | ---- | ----                              |                        | ----/*0.70A        | 0.50B/*0.70A     | ----               |               |                 | 0.60 - 0.50              | .0045 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 4000                | ---- | ----                              |                        | ----/*2.10A        | 1.90B/*2.10A     | ----               |               |                 | 2.10 - 1.00              | .0169 | ----          | ----                     | ----              | ----          | 103              | UNCH |
| 4000                | ---- | ----                              |                        | ----/*3.90A        | 4.00B/*3.90A     | ----               |               |                 | 4.10 - 1.80              | .0301 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4050                | ---- | ----                              |                        | ----/*4.90A        | 5.00B/*4.90A     | ----               |               |                 | 5.10 NEW                 | .0383 | ----          | 2                        | ----              | ----          | 2                | +    |
| 4075                | 5.40 | 5.40                              |                        | 5.70B/*5.40        | 5.70B/*5.40      | ----               |               |                 | 5.7                      |       |               |                          |                   |               |                  |      |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.

| BULLETIN #104@ |                                 |              |                 |                    |                  |                    |               |                 |                           |         |               |                          |                   | METALS OPTION PRODUCTS |                  |      |      |  |  |  |  |  |  | Tue, Jun 02, 2026 |  |  |  | PG64 |
|----------------|---------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|---------------------------|---------|---------------|--------------------------|-------------------|------------------------|------------------|------|------|--|--|--|--|--|--|-------------------|--|--|--|------|
|                | GLOBEX<br>OPEN                  | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |      |  |  |  |  |  |  |                   |  |  |  |      |
| GMW MON        | GOLD WEEKLY MONDAY OPTION WEEK1 |              |                 |                    |                  |                    |               |                 |                           |         |               |                          |                   |                        |                  |      |      |  |  |  |  |  |  |                   |  |  |  |      |
| JUN26          |                                 |              |                 |                    |                  |                    |               |                 |                           |         |               |                          |                   |                        |                  |      |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4485           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 21.30                     | UNCH    | ----          | ----                     | ----              | ----                   | ----             | 0    | UNCH |  |  |  |  |  |  |                   |  |  |  |      |
| 4490           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | ----             | 0    | UNCH |  |  |  |  |  |  |                   |  |  |  |      |
| 4490           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 16.30                     | UNCH    | ----          | ----                     | ----              | ----                   | ----             | 0    | UNCH |  |  |  |  |  |  |                   |  |  |  |      |
| 4495           | ----                            | ----         | ----            | ----               | ----             | #49.70B/*22.70A    | ----          | ----            | 32.30                     | NEW     | .3984         | ----                     | 1                 | ----                   | 1 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4495           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 11.30                     | UNCH    | ----          | ----                     | ----              | ----                   | ----             | 0    | UNCH |  |  |  |  |  |  |                   |  |  |  |      |
| 4495           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | ----             | 0    | UNCH |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | 31.00                           | 31.00        |                 | 52.60B/*24.00A     | 52.60B/*24.00A   | ----               | ----          | ----            | 34.30                     | - 15.60 | .4174         | ----                     | 48                | ----                   | 128 +            | 13   |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | ----                            | ----         | ----            | 121.50B/89.50A     | 121.50B/89.50A   | ----               | ----          | ----            | 94.90                     | - 0.50  | .5471         | ----                     | ----              | ----                   | 3                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | 50.00                           | 50.00        |                 | 91.90B/48.30A      | 91.90B/48.30A    | ----               | ----          | ----            | 54.20                     | - 2.00  | .5823         | ----                     | 5                 | ----                   | 7 -              | 3    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | 85.20                           | 85.20        |                 | #90.00B/*83.60A    | #90.00B/*83.60A  | ----               | ----          | ----            | 92.50                     | NEW     | .4570         | ----                     | 60                | ----                   | 60 +             | 60   |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 6.30                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | ----                            | ----         | ----            | -----/61.60A       | 86.70B/61.60A    | ----               | ----          | ----            | 75.00                     | - 14.10 | .4523         | ----                     | ----              | ----                   | 4                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | ----                            | ----         | ----            | -----/45.90A       | 69.80B/45.90A    | ----               | ----          | ----            | 57.60                     | - 15.00 | .4438         | ----                     | ----              | ----                   | 14               | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4500           | ----                            | ----         | ----            | 107.60B/71.70A     | 107.60B/71.70A   | ----               | ----          | ----            | 77.40                     | - 1.50  | .5558         | ----                     | ----              | ----                   | 11               | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4505           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 1.30                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4505           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4510           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4510           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 3.70                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4515           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 8.70                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4515           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4520           | 42.00                           | 42.00        |                 | #43.00/*38.10A     | #78.20B/*38.10A  | ----               | ----          | ----            | 43.20                     | NEW     | .5039         | ----                     | 25                | ----                   | 25 +             | 25   |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4520           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 13.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4520           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | 53.00                           | 53.00        |                 | 74.60B/35.80A      | 74.60B/35.80A    | ----               | ----          | ----            | 40.70                     | - 3.00  | .4840         | ----                     | 8                 | ----                   | 6 +              | 5    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 18.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | 73.60                           | 73.60        |                 | 73.60/71.50A       | 97.00B/71.50A    | ----               | ----          | ----            | 86.90                     | - 14.70 | .5004         | ----                     | 1                 | ----                   | 1                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | 46.00                           | 46.00        |                 | 66.30B/32.00A      | 66.30B/32.00A    | ----               | ----          | ----            | 45.80                     | - 16.50 | .5157         | ----                     | 6                 | ----                   | 11 +             | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | ----                            | ----         | ----            | 113.10B/77.20A     | 113.10B/77.20A   | ----               | ----          | ----            | 81.90                     | - 1.10  | .4990         | ----                     | 1                 | ----                   | 0 -              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | ----                            | ----         | ----            | 92.00B/59.40A      | 92.00B/59.40A    | ----               | ----          | ----            | 64.20                     | NEW     | .4943         | ----                     | 9                 | ----                   | 9 +              | 9    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4525           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4530           | 46.50                           | 46.50        |                 | #46.50/*46.50      | #69.70B/*33.70A  | ----               | ----          | ----            | 48.40                     | NEW     | .5356         | ----                     | 1                 | ----                   | 1 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4530           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 23.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4530           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4535           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 28.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4535           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4540           | 44.70                           | 44.70        |                 | #44.70/*29.60A     | #65.40B/*29.60A  | ----               | ----          | ----            | 33.80                     | NEW     | .4246         | ----                     | 2                 | ----                   | 1 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4540           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 33.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4540           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4545           | 40.10                           | 40.10        |                 | #40.10/*40.10      | #79.20B/*39.60A  | ----               | ----          | ----            | 56.80                     | NEW     | .5947         | ----                     | 3                 | ----                   | 3 +              | 3    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4545           | 46.00                           | 46.00        |                 | #46.00/*27.70A     | #62.60B/*27.70A  | ----               | ----          | ----            | 31.70                     | NEW     | .4051         | ----                     | 2                 | ----                   | 1 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4545           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4545           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 38.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 43.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | 52.30                           | 52.30        |                 | 82.60B/41.70A      | 82.60B/41.70A    | ----               | ----          | ----            | 59.80                     | - 17.10 | .6140         | ----                     | 1                 | ----                   | 3 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | 47.00                           | 47.00        |                 | 59.90B/25.90A      | 59.90B/25.90A    | ----               | ----          | ----            | 29.70                     | - 3.50  | .3858         | ----                     | 2                 | ----                   | 4 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | ----                            | ----         | ----            | 99.00B/66.10A      | 99.00B/66.10A    | ----               | ----          | ----            | 70.10                     | - 1.60  | .4507         | ----                     | ----              | ----                   | 1                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | 68.00                           | 68.00        |                 | 82.10B/48.60A      | 82.10B/48.60A    | ----               | ----          | ----            | 52.60                     | - 1.90  | .4325         | ----                     | 2                 | ----                   | 110 -            | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4550           | ----                            | ----         | ----            | -----/65.50A       | 97.40B/65.50A    | ----               | ----          | ----            | 82.70                     | - 15.40 | .5671         | ----                     | ----              | ----                   | 25               | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4555           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4555           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 48.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4560           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4560           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 53.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4565           | 45.00                           | 45.00        |                 | #47.00/*21.20A     | #51.60B/*21.20A  | ----               | ----          | ----            | 24.30                     | NEW     | .3301         | ----                     | 4                 | ----                   | 2 +              | 2    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4565           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 58.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4565           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4570           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4570           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 63.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4575           | ----                            | ----         | ----            | 100.40B/53.50A     | 100.40B/53.50A   | ----               | ----          | ----            | 76.30                     | - 17.30 | .7044         | ----                     | ----              | ----                   | 3                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4575           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 68.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4575           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4575           | ----                            | ----         | ----            | 113.40B/77.90A     | 113.40B/77.90A   | ----               | ----          | ----            | 97.80                     | - 15.50 | .6270         | ----                     | ----              | ----                   | 5                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4575           | ----                            | ----         | ----            | 46.70B/18.50A      | 46.70B/18.50A    | ----               | ----          | ----            | 21.20                     | - 3.70  | .2954         | ----                     | 2                 | ----                   | 10 +             | 2    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4575           | ----                            | ----         | ----            | 66.90B/39.40A      | 66.90B/39.40A    | ----               | ----          | ----            | 42.70                     | - 2.00  | .3726         | ----                     | 13                | ----                   | 48 +             | 13   |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4580           | ----                            | ----         | ----            | ----               | #44.20B/*17.30A  | ----               | ----          | ----            | 19.80                     | NEW     | .2789         | ----                     | 1                 | ----                   | 1 +              | 1    |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4580           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 73.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4580           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4585           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 78.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4585           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4590           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4590           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 83.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4595           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                      | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4595           | ----                            | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 88.70                     | UNCH    | ----          | ----                     | ----              | ----                   | 0                | UNCH |      |  |  |  |  |  |  |                   |  |  |  |      |
| 4600           | 29.10                           | 29.10        |                 | 35.70B/13.10A      | 35.70B/13.10A    | ----               | ----          | ----            | 14.90                     | - 3.70  |               |                          |                   |                        |                  |      |      |  |  |  |  |  |  |                   |  |  |  |      |



| BULLETIN #104@            |       |                                     |              |                 |                    |                  |                    |               |                 | METALS OPTION PRODUCTS   |         |               |                          |                   |               |                  |      |      |  | Tue, Jun 02, 2026 |  | PG64 |
|---------------------------|-------|-------------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|---------|---------------|--------------------------|-------------------|---------------|------------------|------|------|--|-------------------|--|------|
|                           |       | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |                   |  |      |
| GMW MON                   |       | GOLD WEEKLY MONDAY OPTION WEEK1     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
| JUN26                     |       |                                     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
| 4725                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                     | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4730                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                     | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4735                      | 6.60  | 6.60                                |              |                 | #6.60/*2.30A       | #6.80B/*2.30A    | ----               | ----          | ----            | 2.40                     | NEW     | .0351         | ----                     | 1                 | ----          | 1                | +    | 1    |  |                   |  |      |
| 4750                      | ----  | ----                                | ----         | ----            | 5.70B/*1.90A       | 5.70B/*1.90A     | ----               | ----          | ----            | 2.10                     | - 1.30  | .0299         | ----                     | ----              | ----          | 33               | UNCH |      |  |                   |  |      |
| 4750                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                     | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4750                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 243.70                   | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4750                      | 25.80 | 25.80                               |              |                 | 28.20B/16.50A      | 28.20B/16.50A    | ----               | ----          | ----            | 16.90                    | - 2.90  | .1477         | ----                     | 3                 | ----          | 2                | -    | 3    |  |                   |  |      |
| 4750                      | ----  | ----                                | ----         | ----            | 257.80B/187.60A    | 257.80B/187.60A  | ----               | ----          | ----            | 232.10                   | - 14.90 | .9699         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4750                      | ----  | ----                                | ----         | ----            | 16.80B/8.30A       | 16.80B/8.30A     | ----               | ----          | ----            | 8.70                     | - 2.10  | .0963         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 4765                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                     | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4770                      | 4.10  | 4.10                                |              |                 | #4.10/*1.60A       | #4.40B/*1.60A    | ----               | ----          | ----            | 1.70                     | NEW     | .0235         | ----                     | 3                 | ----          | 3                | +    | 3    |  |                   |  |      |
| 4775                      | 3.00  | 3.00                                |              |                 | 4.10B/*1.60A       | 4.10B/*1.60A     | ----               | ----          | ----            | 1.60                     | - 1.00  | .0220         | ----                     | 1                 | ----          | 2                | +    | 1    |  |                   |  |      |
| 4775                      | ----  | ----                                | ----         | ----            | ----/236.70A       | 283.40B/236.70A  | ----               | ----          | ----            | 268.80                   | - 16.30 | .8738         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4775                      | ----  | ----                                | ----         | ----            | 13.40B/6.70A       | 13.40B/6.70A     | ----               | ----          | ----            | 7.00                     | - 1.90  | .0782         | ----                     | ----              | ----          | 0                | UNCH |      |  |                   |  |      |
| 4780                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                     | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4785                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 278.70                   | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4800                      | ----  | ----                                | ----         | ----            | 3.20B/*1.30A       | 3.20B/*1.30A     | ----               | ----          | ----            | 1.30                     | - 0.80  | .0171         | ----                     | ----              | ----          | 107              | UNCH |      |  |                   |  |      |
| 4800                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00                     | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4800                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 293.70                   | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4800                      | ----  | ----                                | ----         | ----            | 306.80B/235.20A    | 306.80B/235.20A  | ----               | ----          | ----            | 281.30                   | - 14.30 | .9827         | ----                     | ----              | ----          | 2                | UNCH |      |  |                   |  |      |
| 4800                      | ----  | ----                                | ----         | ----            | 10.40B/5.60A       | 10.40B/5.60A     | ----               | ----          | ----            | 5.70                     | - 1.60  | .0639         | ----                     | ----              | ----          | 4                | UNCH |      |  |                   |  |      |
| 4800                      | ----  | ----                                | ----         | ----            | 19.90B/11.70A      | 19.90B/11.70A    | ----               | ----          | ----            | 11.80                    | - 2.50  | .1069         | ----                     | ----              | ----          | 2                | UNCH |      |  |                   |  |      |
| 4825                      | ----  | ----                                | ----         | ----            | ----/259.60A       | 300.30B/259.60A  | ----               | ----          | ----            | 306.10                   | - 14.10 | .9860         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4825                      | ----  | ----                                | ----         | ----            | 2.40B/*1.10A       | 2.40B/*1.10A     | ----               | ----          | ----            | 1.10                     | - 0.60  | .0138         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4840                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 333.70                   | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4850                      | ----  | ----                                | ----         | ----            | 1.80B/*0.90A       | 1.80B/*0.90A     | ----               | ----          | ----            | 0.90                     | - 0.40  | .0109         | ----                     | ----              | ----          | 2                | UNCH |      |  |                   |  |      |
| 4850                      | ----  | ----                                | ----         | ----            | 14.10B/*8.50A      | 14.10B/*8.50A    | ----               | ----          | ----            | 8.50                     | - 1.90  | .0783         | ----                     | 1                 | ----          | 11               | UNCH |      |  |                   |  |      |
| 4850                      | ----  | ----                                | ----         | ----            | 6.80B/3.90A        | 6.80B/3.90A      | ----               | ----          | ----            | 3.90                     | - 1.20  | .0434         | ----                     | ----              | ----          | 12               | UNCH |      |  |                   |  |      |
| 4875                      | ----  | ----                                | ----         | ----            | 1.30B/*0.80A       | 1.30B/*0.80A     | ----               | ----          | ----            | 0.80                     | - 0.30  | .0092         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4875                      | ----  | ----                                | ----         | ----            | ----               | 281.30B/400.90A  | ----               | ----          | ----            | 355.80                   | - 13.80 | .9907         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4875                      | ----  | ----                                | ----         | ----            | 11.30B/*7.40A      | 11.30B/*7.40A    | ----               | ----          | ----            | 7.20                     | - 1.80  | .0668         | ----                     | 1                 | ----          | 1                | UNCH |      |  |                   |  |      |
| 4875                      | ----  | ----                                | ----         | ----            | 5.70B/3.40A        | 5.70B/3.40A      | ----               | ----          | ----            | 3.30                     | - 1.10  | .0364         | ----                     | ----              | ----          | 4                | UNCH |      |  |                   |  |      |
| 4900                      | ----  | ----                                | ----         | ----            | ----               | 306.90B/425.10A  | ----               | ----          | ----            | 380.70                   | - 13.80 | .9922         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4900                      | 1.60  | 1.60                                |              |                 | 1.60/*0.70A        | 1.60/*0.70A      | ----               | ----          | ----            | 0.70                     | - 0.20  | .0077         | ----                     | 1                 | ----          | 7                | UNCH |      |  |                   |  |      |
| 4900                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 393.70                   | UNCH    | ----          | ----                     | ----              | ----          |                  | 0    | UNCH |  |                   |  |      |
| 4900                      | ----  | ----                                | ----         | ----            | 4.10B/2.90A        | 4.10B/2.90A      | ----               | ----          | ----            | 2.80                     | - 0.90  | .0306         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 4925                      | ----  | ----                                | ----         | ----            | ----/2.60A         | 2.80B/2.60A      | ----               | ----          | ----            | 2.50                     | - 0.70  | .0268         | ----                     | ----              | ----          | 7                | UNCH |      |  |                   |  |      |
| 4950                      | ----  | ----                                | ----         | ----            | ----/*0.60A        | 0.60B/*0.60A     | ----               | ----          | ----            | 0.50                     | - 0.20  | .0051         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 4950                      | ----  | ----                                | ----         | ----            | 7.50B/*5.00A       | 7.50B/*5.00A     | ----               | ----          | ----            | 4.70                     | - 1.30  | .0435         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 4950                      | ----  | ----                                | ----         | ----            | ----/2.30A         | 2.50B/2.30A      | ----               | ----          | ----            | 2.20                     | - 0.60  | .0232         | ----                     | ----              | ----          | 11               | UNCH |      |  |                   |  |      |
| 4975                      | ----  | ----                                | ----         | ----            | ----/2.00A         | 2.00B/2.00A      | ----               | ----          | ----            | 1.90                     | - 0.60  | .0198         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 5000                      | ----  | ----                                | ----         | ----            | ----/*4.00A        | 4.40B/*4.00A     | ----               | ----          | ----            | 3.70                     | - 1.10  | .0338         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 5000                      | ----  | ----                                | ----         | ----            | ----               | 0.40B/*0.60A     | ----               | ----          | ----            | 0.40                     | - 0.20  | .0038         | ----                     | ----              | ----          | 32               | UNCH |      |  |                   |  |      |
| 5000                      | ----  | ----                                | ----         | ----            | ----/*1.80A        | 1.70B/*1.80A     | ----               | ----          | ----            | 1.70                     | - 0.50  | .0174         | ----                     | ----              | ----          | 11               | UNCH |      |  |                   |  |      |
| 5025                      | ----  | ----                                | ----         | ----            | ----/1.70A         | 1.50B/1.70A      | ----               | ----          | ----            | 1.50                     | - 0.50  | .0151         | ----                     | ----              | ----          | 4                | UNCH |      |  |                   |  |      |
| 5050                      | ----  | ----                                | ----         | ----            | ----               | 0.30B/*0.60A     | ----               | ----          | ----            | 0.30                     | - 0.10  | .0026         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 5050                      | ----  | ----                                | ----         | ----            | ----/*3.20A        | 3.10B/*3.20A     | ----               | ----          | ----            | 2.90                     | - 1.00  | .0262         | ----                     | ----              | ----          | 3                | UNCH |      |  |                   |  |      |
| 5050                      | ----  | ----                                | ----         | ----            | ----/*1.50A        | 1.30B/*1.50A     | ----               | ----          | ----            | 1.40                     | - 0.40  | .0137         | ----                     | ----              | ----          | 11               | UNCH |      |  |                   |  |      |
| 5100                      | ----  | ----                                | ----         | ----            | ----/*1.40A        | 1.10B/*1.40A     | ----               | ----          | ----            | 1.20                     | - 0.30  | .0113         | ----                     | ----              | ----          | 6                | UNCH |      |  |                   |  |      |
| 5150                      | ----  | ----                                | ----         | ----            | ----               | ----/*0.50A      | ----               | ----          | ----            | 0.10                     | - 0.10  | .0008         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 5250                      | ----  | ----                                | ----         | ----            | ----/*1.70A        | 1.20B/*1.70A     | ----               | ----          | ----            | 1.50                     | - 0.90  | .0123         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 5250                      | ----  | ----                                | ----         | ----            | ----/*0.50A        | ----             | ----               | ----          | ----            | 0.10                     | - 0.10  | .0001         | ----                     | ----              | ----          | 4                | UNCH |      |  |                   |  |      |
| 5300                      | ----  | ----                                | ----         | ----            | ----               | ----/*0.50A      | ----               | ----          | ----            | 0.10                     | UNCH    | .0000         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 5750                      | ----  | ----                                | ----         | ----            | ----               | ----/*0.60A      | ----               | ----          | ----            | 0.10                     | UNCH    | .0001         | ----                     | ----              | ----          | 3                | UNCH |      |  |                   |  |      |
| TOTAL                     |       |                                     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          | 504               |               | 2480 +           | 326  |      |  |                   |  |      |
|                           |       | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |                   |  |      |
| FMG OPT                   |       | MICRO GOLD WEEKLY FRI OPTION WEEK2  |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
| JUN26                     |       |                                     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
| 4400                      | 22.00 | 22.00                               |              |                 | #22.00/*22.00      | #22.00/*22.00    | ----               | ----          | ----            | 22.10                    | NEW     | .2158         | ----                     | 3                 | ----          | 3                | +    | 3    |  |                   |  |      |
| 4550                      | ----  | ----                                | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 23.10                    | - 3.80  | .3539         | ----                     | ----              | ----          | 2                | UNCH |      |  |                   |  |      |
| 4675                      | 4.50  | 4.50                                |              |                 | 4.50/*4.50         | 4.50/*4.50       | ----               | ----          | ----            | 2.80                     | - 2.20  | .0397         | ----                     | 3                 | ----          | 7                | +    | 3    |  |                   |  |      |
| TOTAL                     |       |                                     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          | 6                 |               | 12 +             | 6    |      |  |                   |  |      |
| SILVER OPTIONS ON FUTURES |       |                                     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
|                           |       | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |                   |  |      |
| RWS THU                   |       | SILVER WEEKLY THURSDAY OPTION week3 |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
| JUN26                     |       |                                     |              |                 |                    |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |
| 5500                      | ----  | ----                                | ----         | ----            | ----               | 0.004B/0.096A    | ----               | ----          | ----            | 0.010                    | - 0.008 | .0027         | ----                     | ----              | ----          | 5                | UNCH |      |  |                   |  |      |
| 6000                      | ----  | ----                                | ----         | ----            | ----               | ----/0.265A      | ----               | ----          | ----            | 0.001                    | - 0.003 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 6500                      | ----  | ----                                | ----         | ----            | ----               | ----/*0.090A     | ----               | ----          | ----            | 0.003                    | - 0.037 | .0003         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 6900                      | ----  | ----                                | ----         | ----            | ----/*0.117A       | 0.004B/*0.117A   | ----               | ----          | ----            | 0.020                    | - 0.112 | .0047         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 6900                      | 0.230 | 0.230                               |              |                 | 0.230/*0.230       | 0.230/*0.230     | ----               | ----          | ----            | 0.254                    | NEW     | .0857         | ----                     | 1                 | ----          | 1                | +    | 1    |  |                   |  |      |
| 7000                      | ----  | ----                                | ----         | ----            | ----/*0.808A       | 0.766B/*0.808A   | ----               | ----          | ----            | 0.739                    | - 0.269 | .1813         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 7000                      | ----  | ----                                | ----         | ----            | ----/*0.117A       | 0.005B/*0.117A   | ----               | ----          | ----            | 0.034                    | - 0.146 | .0100         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 7020                      | ----  | ----                                | ----         | ----            | ----/*0.122A       | 0.005B/*0.122A   | ----               | ----          | ----            | 0.037                    | NEW     | .0114         | ----                     | 1                 | ----          | 1                | +    | 1    |  |                   |  |      |
| 7050                      | ----  | ----                                | ----         | ----            | ----/*0.126A       | 0.006B/*0.126A   | ----               | ----          | ----            | 0.044                    | - 0.170 | .0145         | ----                     | ----              | ----          | 1                | UNCH |      |  |                   |  |      |
| 7100                      | 0.210 | 0.210                               |              |                 | 0.210/*0.092       | 0.210/*0.092     | ----               | ----          | ----            | 0.059                    | - 0.197 | .0215         | ----                     | 3                 | ----          | 4                | +    | 2    |  |                   |  |      |
| 7100                      | ----  | ----                                | ----         | ----            | ----/*0.988.       |                  |                    |               |                 |                          |         |               |                          |                   |               |                  |      |      |  |                   |  |      |



| BULLETIN #104@ |                                   |              |                 | METALS OPTION PRODUCTS |                  |                |                 |                          |       |               | Tue, Jun 02, 2026        |                   |               | PG64             |      |
|----------------|-----------------------------------|--------------|-----------------|------------------------|------------------|----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOS | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SMW MON        | SILVER WEEKLY MONDAY OPTION WEEK4 |              |                 |                        |                  |                |                 |                          |       |               |                          |                   |               |                  |      |
| JUN26          |                                   |              |                 |                        |                  |                |                 |                          |       |               |                          |                   |               |                  |      |
| 6000           | 0.100                             | 0.100        |                 | #0.100/*0.100          | 0.100/*0.100     |                | ----            | 0.100                    | NEW   | .0242         | ----                     | ----              | 2             | ----             | 2 +  |
| 6000           | ----                              | ----         | ----            | ----                   | 0.037B/*0.078A   | ----           | ----            | 0.039                    | -     | 0.033         | .0108                    | ----              | ----          | 2                |      |
| 6100           | ----                              | ----         | ----            | ----                   | 0.102B/0.175A    | ----           | ----            | 0.114                    | -     | 0.055         | .0283                    | ----              | ----          | 5                | UNCH |
| 6200           | ----                              | ----         | ----            | ----                   | 0.008B/*0.048A   | ----           | ----            | 0.018                    | -     | 0.005         | .0049                    | ----              | ----          | 3                | UNCH |
| 6300           | 0.160                             | 0.160        |                 | 0.163/*0.160           | 0.170B/*0.160    | ----           | ----            | 0.159                    | NEW   | .0409         | ----                     | 10                | ----          | 10 +             | 10   |
| 6500           | ----                              | ----         | ----            | ----                   | 0.025B/*0.064A   | ----           | ----            | 0.043                    | -     | 0.017         | .0136                    | ----              | ----          | 1                | UNCH |
| 7000           | 0.905                             | 0.905        |                 | 0.905/*0.891A          | 0.905/*0.891A    | ----           | ----            | 0.866                    | NEW   | .1964         | ----                     | 15                | ----          | 15 +             | 15   |
| 7000           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7050           | ----                              | ----         | ----            | ----                   | 0.604B/*0.560A   | ----           | ----            | 0.645                    | -     | 0.223         | .1772                    | ----              | ----          | 1                | UNCH |
| 7100           | ----                              | ----         | ----            | ----                   | 0.267B/*0.232A   | ----           | ----            | 0.264                    | -     | 0.204         | .1072                    | ----              | ----          | 5                | UNCH |
| 7200           | 0.310                             | 0.310        |                 | 0.310/*0.310           | 0.431B/*0.310    | ----           | ----            | 0.389                    | NEW   | .1577         | ----                     | 1                 | ----          | 1 +              | 1    |
| 7300           | ----                              | ----         | ----            | ----                   | 0.702B/*0.457A   | ----           | ----            | 0.577                    | -     | 0.329         | .2280                    | ----              | ----          | 1                | UNCH |
| 7350           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7380           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7400           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7400           | ----                              | ----         | ----            | ----                   | 0.604B/*0.560A   | 2.302B/*1.930A | ----            | 2.203                    | -     | 0.256         | .3951                    | ----              | ----          | 1                | UNCH |
| 7440           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.854                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7440           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7450           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7450           | ----                              | ----         | ----            | ----                   | 0.604B/*0.560A   | 1.250B/*0.779A | ----            | 1.029                    | -     | 0.407         | .3718                    | ----              | ----          | 3                | UNCH |
| 7460           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.754                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7480           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7490           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7500           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.354                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7500           | ----                              | ----         | ----            | ----                   | 0.604B/*0.560A   | ----           | ----            | 0.254                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7520           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7530           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.046                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7540           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7540           | ----                              | ----         | ----            | ----                   | 0.267B/*0.232A   | ----           | ----            | 0.146                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7550           | ----                              | ----         | ----            | ----                   | 0.431B/*0.310    | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7550           | ----                              | ----         | ----            | ----                   | 0.702B/*0.457A   | ----           | ----            | 0.246                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7560           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.346                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7570           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.446                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7590           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.646                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7590           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7600           | ----                              | ----         | ----            | ----                   | 0.604B/*0.560A   | 2.129B/1.174A  | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7600           | ----                              | ----         | ----            | ----                   | 0.267B/*0.232A   | 2.129B/1.174A  | ----            | 1.295                    | -     | 0.138         | .4586                    | ----              | ----          | 1                | UNCH |
| 7620           | ----                              | ----         | ----            | ----                   | 0.431B/*0.310    | ----           | ----            | 0.746                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7630           | ----                              | ----         | ----            | ----                   | 0.702B/*0.457A   | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7690           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 1.046                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7700           | 1.195                             | 1.195        |                 | 1.675B/*0.828A         | 1.675B/*0.828A   | ----           | ----            | 1.646                    | UNCH  | ----          | ----                     | 4                 | ----          | 1                | +    |
| 7700           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.915                    | NEW   | .3507         | ----                     | ----              | ----          | 0                | UNCH |
| 7700           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7750           | 1.200                             | 1.200        |                 | 1.397B/*0.692A         | 1.397B/*0.692A   | ----           | ----            | 1.746                    | UNCH  | ----          | ----                     | 1                 | ----          | 1                | +    |
| 7750           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.765                    | NEW   | .3021         | ----                     | ----              | ----          | 0                | UNCH |
| 7770           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 2.246                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7800           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7800           | ----                              | ----         | ----            | ----                   | 0.267B/*0.582A   | 1.209B/*0.582A | ----            | 0.639                    | -     | 0.118         | .2584                    | ----              | ----          | 1                | UNCH |
| 7850           | ----                              | ----         | ----            | ----                   | 0.983B/*0.486A   | 0.983B/*0.486A | ----            | 0.533                    | -     | 0.107         | .2195                    | ----              | ----          | 1                | UNCH |
| 7870           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7880           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 0.000                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 7900           | ----                              | ----         | ----            | 0.834B/*0.409A         | 0.834B/*0.409A   | ----           | ----            | 0.445                    | -     | 0.096         | .1856                    | ----              | ----          | 3                | UNCH |
| 7950           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 4.246                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 8000           | ----                              | ----         | ----            | 1.257B/*0.852A         | 1.257B/*0.852A   | ----           | ----            | 0.894                    | +     | 0.007         | .2444                    | ----              | ----          | 16               | UNCH |
| 8000           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 4.746                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 8000           | 0.470                             | 0.470        |                 | 1.832B/----            | 1.832B/1.455A    | ----           | ----            | 1.459                    | +     | 0.049         | .3026                    | ----              | ----          | 1                | UNCH |
| 8000           | ----                              | ----         | ----            | 0.567B/*0.298A         | 0.567B/*0.298A   | ----           | ----            | 0.313                    | NEW   | .1318         | ----                     | 13                | ----          | 13 +             | 13   |
| 8100           | ----                              | ----         | ----            | 0.389B/*0.224A         | 0.389B/*0.224A   | ----           | ----            | 0.225                    | -     | 0.056         | .0940                    | ----              | ----          | 1                | UNCH |
| 8200           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 6.746                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 8400           | ----                              | ----         | ----            | ----                   | 8.810B/7.365A    | 8.810B/7.365A  | ----            | 8.537                    | -     | 0.326         | .9627                    | ----              | ----          | 20               | UNCH |
| 8500           | 0.300                             | 0.300        |                 | 0.371B/*0.300          | 0.371B/*0.300    | ----           | ----            | 0.318                    | +     | 0.011         | .0935                    | ----              | 2             | 14               | -    |
| 8500           | ----                              | ----         | ----            | ----                   | ----             | ----           | ----            | 9.746                    | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 8800           | ----                              | ----         | ----            | ----                   | 0.030B/*0.064A   | ----           | ----            | 0.035                    | -     | 0.010         | .0117                    | ----              | ----          | 13               | UNCH |
| 9200           | ----                              | ----         | ----            | ----                   | 0.097B/*0.139A   | ----           | ----            | 0.119                    | +     | 0.009         | .0324                    | ----              | ----          | 7                | UNCH |
| TOTAL          |                                   |              |                 |                        |                  |                |                 |                          |       |               |                          | 48                | 0             | 161              | +    |
| SO CALL        | COMEX SILVER OPTIONS              |              |                 |                        |                  |                |                 |                          |       |               |                          |                   |               |                  |      |
| JUL26          |                                   |              |                 |                        |                  |                |                 |                          |       |               |                          |                   |               |                  |      |
| 2700           | ----                              | ----         | ----            | 49.755B/----           | 49.755B/48.362A  | ----           | ----            | 48.556                   | +     | 0.302         | .0000                    | ----              | ----          | 1                | UNCH |
| 4000           | ----                              | ----         | ----            | 36.729B/----           | 36.729B/35.287A  | ----           | ----            | 35.556                   | +     | 0.302         | .9980                    | ----              | ----          | 6                | UNCH |
| 4500           | ----                              | ----         | ----            | 31.760B/----           | 31.760B/30.359A  | ----           | ----            | 30.558                   | +     | 0.302         | .9959                    | ----              | 1             | 3                | +    |
| 4600           | ----                              | ----         | ----            | 30.791B/29.251A        | 30.791B/29.251A  | ----           | ----            | 29.560                   | +     | 0.302         | .9953                    | ----              | 2             | 33               | +    |
| 4825           | ----                              | ----         | ----            | 28.467B/----           | 28.467B/27.114A  | ----           | ----            | 27.316                   | +     | 0.301         | .9938                    | ----              | ----          | 3                | UNCH |
| 4900           | ----                              | ----         | ----            | 27.719B/----           | 27.719B/26.366A  | ----           | ----            | 26.568                   | +     | 0.300         | .9932                    | ----              | ----          | 1                | UNCH |
| 4925           | ----                              | ----         | ----            | 27.510B/----           | 27.510B/26.047A  | ----           | ----            | 26.319                   | +     | 0.300         | .9929                    | ----              | ----          | 16               | UNCH |
| 5000           | ----                              | ----         | ----            | 26.854B/25.233A        | 26.854B/25.233A  | ----           | ----            | 25.572                   | +     | 0.299         | .9923                    | ----              | ----          | 306              | UNCH |
| 5025           | ----                              | ----         | ----            | 26.473B/----           | 26.473B/25.121A  | ----           | ----            | 25.323                   | +     | 0.299         | .9920                    | ----              | ----          | 4                | UNCH |
| 5050           | ----                              | ----         | ----            | 26.223B/----           | 26.223B/24.872A  | ----           | ----            | 25.074                   | +     | 0.299         | .9918                    | ----              | ----          | 2                | UNCH |
| 5100           | ----                              | ----         | ----            | 25.809B/24.237A        | 25.809B/24.237A  | ----           | ----            | 24.576                   | +     | 0.298         | .9913                    | ----              | ----          | 133              | UNCH |
| 5150           | ----                              | ----         | ----            | 25.223B/----           | 25.223B/23.808A  | ----           | ----            | 24.078                   | +     | 0.297         | .9908                    | ----              | ----          | 6                | UNCH |
| 5200           | ----                              | ----         | ----            | 24.819B/23.273A        | 24.819B/23.273A  | ----           | ----            | 23.580                   | +     | 0.295         | .9903                    | ----              | ----          | 40               | UNCH |
| 5225           | ----                              | ----         | ----            | 24.520B/----           | 24.520B/23.062A  | ----           | ----            | 23.331                   | +     | 0.294         | .9901                    | ----              | ----          | 9                | UNCH |
| 5250           | ----                              | ----         | ----            | 24.231B/----           | 24.231B/22.881A  | ----           | ----            | 23.082                   | +     | 0.294         | .9898                    | ----              | ----          | 2</              |      |

| PG64    | BULLETIN #104@       |              |                 |                    | METALS OPTION PRODUCTS |                 |                 |                          |       |               | Tue, Jun 02, 2026        |                   |               |                  | PG64 |
|---------|----------------------|--------------|-----------------|--------------------|------------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                    |                        |                 |                 |                          |       |               |                          |                   |               |                  |      |
| JUL26   |                      |              |                 |                    |                        |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 7450    | ----                 | ----         | ----            | 4. 6528/3. 521A    | 4. 6528/3. 521A        | ----            | ----            | 3. 770 - 0. 002          | .5738 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 7475    | 4. 291               | 4. 291       | ----            | 4. 5058/3. 399A    | 4. 5058/3. 399A        | ----            | ----            | 3. 643 - 0. 005          | .5613 | ----          | ----                     | 1                 | ----          | 14               | UNCH |
| 7500    | 4.005                | 4. 005       | ----            | 4. 3718/3. 281A    | 4. 3718/3. 281A        | ----            | ----            | 3. 518 - 0. 009          | .5488 | ----          | ----                     | 5                 | ----          | 301 -            | 3    |
| 7525    | ----                 | ----         | ----            | 4. 2638/3. 169A    | 4. 2638/3. 169A        | ----            | ----            | 3. 396 - 0. 013          | .5363 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 7550    | ----                 | ----         | ----            | 4. 1488/3. 059A    | 4. 1488/3. 059A        | ----            | ----            | 3. 277 - 0. 017          | .5238 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7575    | 3. 900               | 3. 900       | ----            | 4. 0538/2. 952A    | 4. 0538/2. 952A        | ----            | ----            | 3. 161 - 0. 022          | .5113 | ----          | 20                       | 20                | ----          | 54 +             | 17   |
| 7600    | 3. 313               | 3. 313       | ----            | 3. 9558/2. 847A    | 3. 9558/2. 847A        | ----            | ----            | 3. 049 - 0. 026          | .4989 | ----          | 5                        | 5                 | ----          | 170 +            | 3    |
| 7625    | 3. 255               | 3. 255       | ----            | 3. 8068/2. 747A    | 3. 8068/2. 747A        | ----            | ----            | 2. 940 - 0. 030          | .4866 | ----          | 3                        | 3                 | ----          | 20 +             | 1    |
| 7650    | 3.098                | 3.098        | ----            | 3. 6828/2. 649A    | 3. 6828/2. 649A        | ----            | ----            | 2. 835 - 0. 033          | .4744 | ----          | 4                        | 4                 | ----          | 42 +             | 2    |
| 7675    | ----                 | ----         | ----            | 3. 5488/2. 555A    | 3. 5488/2. 555A        | ----            | ----            | 2. 733 - 0. 036          | .4623 | ----          | 1                        | 1                 | ----          | 21 -             | 1    |
| 7700    | 3. 620               | 3. 620       | ----            | 3. 620/2. 464A     | 3. 620/2. 464A         | ----            | ----            | 2. 636 - 0. 037          | .4504 | ----          | 18                       | 18                | ----          | 250 +            | 2    |
| 7725    | 2. 775               | 2. 775       | ----            | 3. 345/2. 378A     | 3. 345/2. 378A         | ----            | ----            | 2. 541 - 0. 039          | .4385 | ----          | 3                        | 3                 | ----          | 14               | UNCH |
| 7750    | 2. 785               | 2. 785       | ----            | 3. 1958/2. 293A    | 3. 1958/2. 293A        | ----            | ----            | 2. 450 - 0. 040          | .4269 | ----          | 1                        | 1                 | ----          | 171 +            | 1    |
| 7775    | 3. 215               | 3. 215       | ----            | 3. 215/2. 210A     | 3. 215/2. 210A         | ----            | ----            | 2. 362 - 0. 041          | .4154 | ----          | 3                        | 3                 | ----          | 10 +             | 2    |
| 7800    | 3.108                | 3.108        | ----            | 3. 108/2. 110      | 3. 108/2. 110          | ----            | ----            | 2. 276 - 0. 043          | .4040 | ----          | 10                       | 10                | ----          | 91 +             | 1    |
| 7825    | ----                 | ----         | ----            | 2. 8848/2. 054A    | 2. 8848/2. 054A        | ----            | ----            | 2. 194 - 0. 043          | .3929 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 7850    | 2. 901               | 2. 901       | ----            | 2. 901/1. 979A     | 2. 901/1. 979A         | ----            | ----            | 2. 114 - 0. 044          | .3819 | ----          | 1                        | 1                 | 30            | 52 +             | 30   |
| 7875    | 2. 602               | 2. 602       | ----            | 2. 7018/1. 906A    | 2. 7018/1. 906A        | ----            | ----            | 2. 037 - 0. 045          | .3711 | ----          | 12                       | 12                | ----          | 4 -              | 1    |
| 7900    | 1.852                | 1.852        | ----            | 2. 6168/1. 817     | 2. 6168/1. 817         | ----            | ----            | 1. 963 - 0. 045          | .3605 | ----          | 4                        | 4                 | ----          | 128 +            | 1    |
| 7925    | ----                 | ----         | ----            | 2. 5188/1. 770A    | 2. 5188/1. 770A        | ----            | ----            | 1. 891 - 0. 046          | .3501 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 7950    | ----                 | ----         | ----            | 2. 4328/1. 708A    | 2. 4328/1. 708A        | ----            | ----            | 1. 822 - 0. 046          | .3399 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 7975    | ----                 | ----         | ----            | 2. 3488/1. 645A    | 2. 3488/1. 645A        | ----            | ----            | 1. 756 - 0. 045          | .3300 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 8000    | 1.590                | 1. 590       | ----            | 2. 350/1. 586A     | 2. 350/1. 586A         | ----            | ----            | 1. 691 - 0. 046          | .3202 | ----          | ----                     | 168               | 90            | 943 +            | 87   |
| 8025    | ----                 | ----         | ----            | 2. 1868/1. 528A    | 2. 1868/1. 528A        | ----            | ----            | 1. 630 - 0. 045          | .3107 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 8050    | ----                 | ----         | ----            | 2. 1028/1. 473A    | 2. 1028/1. 473A        | ----            | ----            | 1. 570 - 0. 045          | .3014 | ----          | ----                     | ----              | ----          | 48               | UNCH |
| 8075    | ----                 | ----         | ----            | 2. 0408/1. 420A    | 2. 0408/1. 420A        | ----            | ----            | 1. 513 - 0. 044          | .2924 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 8100    | ----                 | ----         | ----            | 1. 9758/1. 370A    | 1. 9758/1. 370A        | ----            | ----            | 1. 458 - 0. 044          | .2835 | ----          | ----                     | ----              | ----          | 160              | UNCH |
| 8125    | ----                 | ----         | ----            | 1. 8948/1. 321A    | 1. 8948/1. 321A        | ----            | ----            | 1. 405 - 0. 043          | .2749 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8150    | 1.725                | 1. 725       | ----            | 1. 8318/1. 274A    | 1. 8318/1. 274A        | ----            | ----            | 1. 354 - 0. 043          | .2665 | ----          | 2                        | 2                 | ----          | 37 +             | 1    |
| 8175    | ----                 | ----         | ----            | 1. 7758/1. 229A    | 1. 7758/1. 229A        | ----            | ----            | 1. 305 - 0. 042          | .2583 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 8200    | 1.382                | 1. 382       | ----            | 1. 779/1. 185A     | 1. 779/1. 185A         | ----            | ----            | 1. 258 - 0. 041          | .2504 | ----          | 50                       | 50                | ----          | 220 +            | 14   |
| 8225    | ----                 | ----         | ----            | 1. 6468/1. 144A    | 1. 6468/1. 144A        | ----            | ----            | 1. 212 - 0. 041          | .2426 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 8250    | ----                 | ----         | ----            | 1. 5858/1. 104A    | 1. 5858/1. 104A        | ----            | ----            | 1. 169 - 0. 040          | .2351 | ----          | ----                     | ----              | ----          | 111              | UNCH |
| 8275    | ----                 | ----         | ----            | 1. 5328/1. 066A    | 1. 5328/1. 066A        | ----            | ----            | 1. 128 - 0. 038          | .2279 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 8300    | 1.300                | 1. 300       | ----            | 1. 5218/1. 029A    | 1. 5218/1. 029A        | ----            | ----            | 1. 088 - 0. 037          | .2208 | ----          | 11                       | 11                | ----          | 522              | UNCH |
| 8325    | ----                 | ----         | ----            | 1. 4378/0. 993A    | 1. 4378/0. 993A        | ----            | ----            | 1. 049 - 0. 036          | .2139 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 8350    | ----                 | ----         | ----            | 1. 3758/0. 959A    | 1. 3758/0. 959A        | ----            | ----            | 1. 013 - 0. 034          | .2073 | ----          | ----                     | ----              | ----          | 29               | UNCH |
| 8375    | ----                 | ----         | ----            | 1. 3378/0. 926A    | 1. 3378/0. 926A        | ----            | ----            | 0. 978 - 0. 033          | .2009 | ----          | ----                     | ----              | ----          | 55               | UNCH |
| 8400    | 1.337                | 1. 337       | ----            | 1. 337/0. 894A     | 1. 337/0. 894A         | ----            | ----            | 0. 944 - 0. 032          | .1947 | ----          | 122                      | 122               | ----          | 173 +            | 93   |
| 8425    | ----                 | ----         | ----            | 1. 2478/0. 864A    | 1. 2478/0. 864A        | ----            | ----            | 0. 912 - 0. 030          | .1887 | ----          | ----                     | ----              | ----          | 44               | UNCH |
| 8450    | ----                 | ----         | ----            | 1. 2018/0. 835A    | 1. 2018/0. 835A        | ----            | ----            | 0. 881 - 0. 029          | .1829 | ----          | ----                     | ----              | ----          | 38               | UNCH |
| 8475    | ----                 | ----         | ----            | 1. 1598/0. 808A    | 1. 1598/0. 808A        | ----            | ----            | 0. 851 - 0. 028          | .1773 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 8500    | 0.928                | 0. 928       | ----            | 1. 181/0. 782A     | 1. 181/0. 782A         | ----            | ----            | 0. 823 - 0. 026          | .1719 | ----          | 71                       | 71                | ----          | 1038 -           | 17   |
| 8525    | ----                 | ----         | ----            | 1. 0818/0. 755A    | 1. 0818/0. 755A        | ----            | ----            | 0. 795 - 0. 025          | .1666 | ----          | ----                     | ----              | ----          | 39               | UNCH |
| 8550    | ----                 | ----         | ----            | 1. 0428/0. 733A    | 1. 0428/0. 733A        | ----            | ----            | 0. 769 - 0. 024          | .1615 | ----          | ----                     | ----              | ----          | 195              | UNCH |
| 8575    | ----                 | ----         | ----            | 1. 0138/0. 709A    | 1. 0138/0. 709A        | ----            | ----            | 0. 744 - 0. 022          | .1566 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 8600    | ----                 | ----         | ----            | 0. 9728/0. 687A    | 0. 9728/0. 687A        | ----            | ----            | 0. 720 - 0. 021          | .1519 | ----          | ----                     | ----              | ----          | 439              | UNCH |
| 8625    | ----                 | ----         | ----            | 0. 9478/0. 663A    | 0. 9478/0. 663A        | ----            | ----            | 0. 697 - 0. 019          | .1473 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 8650    | 0.829                | 0. 829       | ----            | 0. 9098/0. 643A    | 0. 9098/0. 643A        | ----            | ----            | 0. 675 - 0. 018          | .1429 | ----          | 6                        | 6                 | ----          | 49               | UNCH |
| 8675    | ----                 | ----         | ----            | 0. 8878/0. 625A    | 0. 8878/0. 625A        | ----            | ----            | 0. 654 - 0. 016          | .1387 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 8700    | ----                 | ----         | ----            | 0. 8568/0. 605A    | 0. 8568/0. 605A        | ----            | ----            | 0. 634 - 0. 015          | .1347 | ----          | 13                       | 13                | ----          | 241              | UNCH |
| 8725    | ----                 | ----         | ----            | 0. 8308/0. 588A    | 0. 8308/0. 588A        | ----            | ----            | 0. 615 - 0. 013          | .1308 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 8750    | ----                 | ----         | ----            | 0. 8008/0. 570A    | 0. 8008/0. 570A        | ----            | ----            | 0. 596 - 0. 012          | .1269 | ----          | ----                     | ----              | ----          | 113              | UNCH |
| 8775    | ----                 | ----         | ----            | 0. 7778/0. 553A    | 0. 7778/0. 553A        | ----            | ----            | 0. 578 - 0. 011          | .1232 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 8800    | 0.613                | 0. 613       | ----            | 0. 7578/0. 538A    | 0. 7578/0. 538A        | ----            | ----            | 0. 561 - 0. 009          | .1197 | ----          | 3                        | 3                 | ----          | 260 -            | 1    |
| 8825    | ----                 | ----         | ----            | 0. 7308/0. 521A    | 0. 7308/0. 521A        | ----            | ----            | 0. 544 - 0. 009          | .1162 | ----          | 1                        | 1                 | ----          | 3 -              | 1    |
| 8850    | 0.660                | 0. 660       | ----            | 0. 7028/0. 505A    | 0. 7028/0. 505A        | ----            | ----            | 0. 529 - 0. 007          | .1130 | ----          | 1                        | 1                 | ----          | 11 +             | 1    |
| 8875    | ----                 | ----         | ----            | 0. 6868/0. 491A    | 0. 6868/0. 491A        | ----            | ----            | 0. 513 - 0. 006          | .1097 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 8900    | 0.538                | 0. 538       | ----            | 0. 6708/0. 476A    | 0. 6708/0. 476A        | ----            | ----            | 0. 499 - 0. 005          | .1067 | ----          | 5                        | 5                 | ----          | 149 -            | 5    |
| 8925    | ----                 | ----         | ----            | 0. 6478/0. 463A    | 0. 6478/0. 463A        | ----            | ----            | 0. 484 - 0. 005          | .1036 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 8950    | ----                 | ----         | ----            | 0. 6198/0. 452A    | 0. 6198/0. 452A        | ----            | ----            | 0. 471 - 0. 003          | .1008 | ----          | 1                        | 1                 | ----          | 38               | UNCH |
| 8975    | ----                 | ----         | ----            | 0. 6108/0. 439A    | 0. 6108/0. 439A        | ----            | ----            | 0. 458 - 0. 002          | .0981 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 9000    | 0.433                | 0. 433       | ----            | 0. 630/0. 420      | 0. 630/0. 420          | ----            | ----            | 0. 445 - 0. 002          | .0953 | ----          | 57                       | 57                | ----          | 1772 +           | 9    |
| 9025    | ----                 | ----         | ----            | 0. 5698/0. 418A    | 0. 5698/0. 418A        | ----            | ----            | 0. 433 - 0. 001          | .0927 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 9050    | 0.496                | 0. 496       | ----            | 0. 5458/0. 407A    | 0. 5458/0. 407A        | ----            | ----            | 0. 421 - 0. 001          | .0902 | ----          | 2                        | 2                 | ----          | 28 +             | 2    |
| 9075    | ----                 | ----         | ----            | 0. 5308/0. 395A    | 0. 5308/0. 395A        | ----            | ----            | 0. 410 - UNCH            | .0878 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 9100    | 0.384                | 0. 384       | ----            | 0. 5208/0. 382A    | 0. 5208/0. 382A        | ----            | ----            | 0. 399 - UNCH            | .0854 | ----          | 8                        | 8                 | ----          | 67 +             | 2    |
| 9125    | ----                 | ----         | ----            | 0. 5068/0. 375A    | 0. 5068/0. 375A        | ----            | ----            | 0. 389 + 0. 001          | .0833 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 9150    | ----                 | ----         | ----            | 0. 4838/0. 365A    | 0. 4838/0. 365A        | ----            | ----            | 0. 379 + 0. 002          | .0811 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 9175    | ----                 | ----         | ----            | 0. 4718/0. 357A    | 0. 4718/0. 357A        | ----            | ----            | 0. 369 + 0. 002          | .0789 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 9200    | 0.401                | 0. 401       | ----            | 0. 4598/0. 346A    | 0. 4598/0. 346A        | ----            | ----            | 0. 360 + 0. 003          | .0769 | ----          | 2                        | 2                 | ----          | 75               | UNCH |
| 9225    | ----                 | ----         | ----            | 0. 4508/0. 340A    | 0. 4508/0. 340A        | ----            | ----            | 0. 351 + 0. 003          | .0750 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 9250    | ----                 | ----         | ----            | 0. 4318/0. 331A    | 0. 4318/0. 331A        | ----            | ----            | 0. 342 + 0. 003          | .0730 | ----          | ----                     | ----              | ----          | 27               | UNCH |
| 9275    | ----                 | ----         | ----            | 0. 4178/0. 324A    | 0. 4178/0. 324A        | ----            | ----            | 0. 333 + 0. 003          | .0711 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 9300    | ----                 | ----         | ----            | 0. 4088/0. 318A    | 0. 4088/0. 318A        | ----            | ----            | 0. 325 + 0. 003          | .0693 | ----          | ----                     | ----              | ----          | 540              | UNCH |
| 9325    | ----                 | ----         | ----            | 0. 3948/0. 312A    | 0. 3948/0. 312A        | ----            | ----            | 0. 317 + 0. 004          | .0676 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 9350    | ----                 | ----         | ----            | 0. 3838/0. 303A    | 0. 3838/0. 303A        | ----            | ----            | 0. 310 + 0. 004          | .0660 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 9375    | ----                 | ----         | ----            | 0. 3728/0. 296A    | 0. 3728/0. 296A        | ----            | ----            | 0. 302 + 0. 004          | .0643 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 9400    | ----                 | ----         | ----            | 0. 3658/----       | 0. 3658/----           | ----            | ----            | 0. 295 + 0. 004          | .0627 | ----          | 1                        | 1                 | ----          | 44 -             | 1    |
| 9425    | ----                 | ----         | ----            | 0. 3518/----       | 0. 3518/----           | ----            | ----            | 0. 288 + 0. 004          | .0612 | ----          | ----                     | ----              | ----          | 8                | UNCH |

|         | BULLETIN #104@       |              |                 |                    | METALS OPTION PRODUCTS |                 |               |                 |                          |       |               | Tue, Jun 02, 2026        |                   |               |                  | PG64 |
|---------|----------------------|--------------|-----------------|--------------------|------------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                    |                        |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| JUL26   |                      |              |                 |                    |                        |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| 11000   | ----                 | ----         | ----            | 0.103B/*0.096A     | 0.103B/*0.096A         | ----            | 0.099         | UNCH            | .0188                    | ----  | ----          | ----                     | ----              | ----          | 1318             | UNCH |
| 11025   | ----                 | ----         | ----            | 0.101B/*0.094A     | 0.101B/*0.094A         | ----            | 0.098         | UNCH            | .0186                    | ----  | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 11050   | ----                 | ----         | ----            | 0.100B/*0.093A     | 0.100B/*0.093A         | ----            | 0.097         | UNCH            | .0184                    | ----  | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 11075   | ----                 | ----         | ----            | 0.098B/*0.092A     | 0.098B/*0.092A         | ----            | 0.096         | UNCH            | .0181                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11100   | ----                 | ----         | ----            | 0.097B/*0.091A     | 0.097B/*0.091A         | ----            | 0.094         | UNCH            | .0178                    | ----  | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 11125   | 0.101                | 0.101        | ----            | 0.101/*0.090A      | 0.101/*0.090A          | ----            | 0.093         | UNCH            | .0175                    | ----  | ----          | ----                     | 2                 | ----          | 7                | +    |
| 11150   | ----                 | ----         | ----            | 0.093B/*0.088A     | 0.093B/*0.088A         | ----            | 0.092         | UNCH            | .0173                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11175   | ----                 | ----         | ----            | 0.093B/*0.087A     | 0.093B/*0.087A         | ----            | 0.091         | UNCH            | .0171                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11200   | 0.097                | 0.097        | ----            | 0.097/*0.086A      | 0.097/*0.086A          | ----            | 0.090         | UNCH            | .0169                    | ----  | ----          | ----                     | 2                 | ----          | 15               | -    |
| 11225   | 0.096                | 0.096        | ----            | 0.096/*0.085A      | 0.096/*0.085A          | ----            | 0.089         | UNCH            | .0166                    | ----  | ----          | 2                        | ----              | ----          | 6                | UNCH |
| 11250   | ----                 | ----         | ----            | 0.089B/*0.084A     | 0.089B/*0.084A         | ----            | 0.087         | -               | 0.001                    | .0163 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 11275   | ----                 | ----         | ----            | 0.088B/*0.083A     | 0.088B/*0.083A         | ----            | 0.086         | -               | 0.001                    | .0160 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11300   | ----                 | ----         | ----            | 0.087B/*0.083A     | 0.087B/*0.083A         | ----            | 0.085         | -               | 0.001                    | .0158 | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 11325   | ----                 | ----         | ----            | 0.086B/*0.083A     | 0.086B/*0.083A         | ----            | 0.084         | -               | 0.001                    | .0156 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11350   | ----                 | ----         | ----            | 0.085B/*0.081A     | 0.085B/*0.081A         | ----            | 0.083         | -               | 0.001                    | .0154 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11400   | ----                 | ----         | ----            | -----/*0.080A      | 0.081B/*0.080A         | ----            | 0.081         | -               | 0.001                    | .0150 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 11425   | ----                 | ----         | ----            | -----/*0.078A      | 0.080B/*0.078A         | ----            | 0.080         | -               | 0.001                    | .0148 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 11450   | ----                 | ----         | ----            | -----/*0.076A      | 0.079B/*0.076A         | ----            | 0.079         | -               | 0.001                    | .0146 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 11500   | 0.098                | 0.098        | ----            | 0.098/*0.077A      | 0.098/*0.077A          | ----            | 0.077         | -               | 0.001                    | .0141 | ----          | ----                     | 5                 | ----          | 1228             | UNCH |
| 11550   | ----                 | ----         | ----            | -----/*0.075A      | 0.075B/*0.075A         | ----            | 0.075         | -               | 0.001                    | .0137 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 11575   | ----                 | ----         | ----            | -----/*0.074A      | 0.074B/*0.074A         | ----            | 0.075         | UNCH            | .0137                    | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 11600   | ----                 | ----         | ----            | -----/*0.074A      | 0.073B/*0.074A         | ----            | 0.074         | -               | 0.001                    | .0135 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 11625   | ----                 | ----         | ----            | -----/*0.073A      | 0.072B/*0.073A         | ----            | 0.073         | -               | 0.001                    | .0133 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 11650   | ----                 | ----         | ----            | -----/*0.072A      | 0.072B/*0.072A         | ----            | 0.072         | -               | 0.001                    | .0131 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 11675   | ----                 | ----         | ----            | -----/*0.071A      | 0.070B/*0.071A         | ----            | 0.071         | -               | 0.001                    | .0129 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11700   | ----                 | ----         | ----            | -----/*0.070A      | 0.069B/*0.070A         | ----            | 0.070         | -               | 0.001                    | .0127 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11725   | ----                 | ----         | ----            | -----/*0.070A      | 0.068B/*0.070A         | ----            | 0.070         | -               | 0.001                    | .0127 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 11750   | ----                 | ----         | ----            | -----/*0.069A      | 0.067B/*0.069A         | ----            | 0.069         | -               | 0.001                    | .0125 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11775   | ----                 | ----         | ----            | -----/*0.067A      | 0.066B/*0.067A         | ----            | 0.068         | -               | 0.001                    | .0123 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11800   | ----                 | ----         | ----            | -----              | 0.066B/*0.068A         | ----            | 0.067         | -               | 0.001                    | .0121 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 11875   | ----                 | ----         | ----            | -----/*0.065A      | 0.063B/*0.065A         | ----            | 0.065         | -               | 0.001                    | .0116 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11900   | ----                 | ----         | ----            | -----              | 0.062B/*0.065A         | ----            | 0.064         | -               | 0.001                    | .0115 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11925   | ----                 | ----         | ----            | -----/*0.064A      | 0.062B/*0.064A         | ----            | 0.064         | -               | 0.001                    | .0114 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11950   | ----                 | ----         | ----            | -----/*0.063A      | 0.061B/*0.063A         | ----            | 0.063         | -               | 0.001                    | .0112 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12000   | 0.061                | 0.061        | ----            | 0.061/0.061        | 0.061/0.061            | ----            | 0.062         | -               | 0.001                    | .0110 | ----          | ----                     | 2                 | ----          | 546              | +    |
| 12150   | ----                 | ----         | ----            | -----              | 0.055B/*0.059A         | ----            | 0.058         | -               | 0.001                    | .0102 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12200   | ----                 | ----         | ----            | -----/*0.057A      | 0.054B/*0.057A         | ----            | 0.057         | -               | 0.001                    | .0100 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 12225   | ----                 | ----         | ----            | -----              | 0.053B/*0.057A         | ----            | 0.056         | -               | 0.001                    | .0098 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 12250   | ----                 | ----         | ----            | -----/*0.056A      | 0.053B/*0.056A         | ----            | 0.056         | -               | 0.001                    | .0098 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 12275   | ----                 | ----         | ----            | -----              | 0.052B/*0.056A         | ----            | 0.055         | -               | 0.001                    | .0096 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12300   | ----                 | ----         | ----            | -----/*0.055A      | 0.052B/*0.055A         | ----            | 0.054         | -               | 0.002                    | .0094 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 12325   | ----                 | ----         | ----            | -----              | 0.051B/*0.055A         | ----            | 0.054         | -               | 0.001                    | .0094 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12375   | ----                 | ----         | ----            | -----              | 0.050B/*0.054A         | ----            | 0.053         | -               | 0.001                    | .0092 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 12400   | ----                 | ----         | ----            | -----/*0.053A      | 0.049B/*0.053A         | ----            | 0.052         | -               | 0.002                    | .0090 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12425   | ----                 | ----         | ----            | -----              | 0.047B/*0.054A         | ----            | 0.052         | -               | 0.001                    | .0090 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 12450   | ----                 | ----         | ----            | -----/*0.052A      | 0.048B/*0.052A         | ----            | 0.051         | -               | 0.002                    | .0088 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12475   | ----                 | ----         | ----            | -----              | 0.047B/*0.053A         | ----            | 0.051         | -               | 0.001                    | .0088 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 12500   | ----                 | ----         | ----            | -----/*0.051A      | 0.047B/*0.051A         | ----            | 0.050         | -               | 0.002                    | .0086 | ----          | ----                     | ----              | ----          | 101              | UNCH |
| 12575   | ----                 | ----         | ----            | -----              | 0.045B/*0.050A         | ----            | 0.049         | -               | 0.001                    | .0084 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 12600   | ----                 | ----         | ----            | -----/*0.049A      | 0.043B/*0.049A         | ----            | 0.049         | -               | 0.001                    | .0084 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 12700   | ----                 | ----         | ----            | -----              | 0.041B/*0.049A         | ----            | 0.047         | -               | 0.001                    | .0080 | ----          | ----                     | ----              | ----          | 74               | UNCH |
| 12725   | ----                 | ----         | ----            | -----              | 0.042B/*0.047A         | ----            | 0.046         | -               | 0.001                    | .0078 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 12800   | ----                 | ----         | ----            | -----              | 0.039B/*0.047A         | ----            | 0.045         | -               | 0.001                    | .0076 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 13000   | ----                 | ----         | ----            | -----              | 0.038B/0.043A          | ----            | 0.042         | -               | 0.001                    | .0070 | ----          | 2                        | ----              | ----          | 2659             | +    |
| 14000   | 0.030                | 0.030        | ----            | 0.030/0.030        | 0.030/0.030            | ----            | 0.030         | -               | 0.001                    | .0048 | ----          | 7                        | ----              | ----          | 856              | UNCH |
| 14700   | ----                 | ----         | ----            | -----              | 0.014B/*0.029A         | ----            | 0.024         | -               | 0.001                    | .0037 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 15000   | ----                 | ----         | ----            | -----              | 0.018B/0.028A          | ----            | 0.021         | -               | 0.002                    | .0032 | ----          | 3                        | ----              | ----          | 805              | +    |
| 16000   | ----                 | ----         | ----            | -----/*0.018A      | -----                  | ----            | 0.015         | -               | 0.001                    | .0022 | ----          | ----                     | ----              | ----          | 3797             | UNCH |
| 17000   | ----                 | ----         | ----            | -----/0.022A       | -----                  | ----            | 0.011         | -               | 0.001                    | .0016 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 18000   | ----                 | ----         | ----            | -----/0.020A       | -----                  | ----            | 0.008         | -               | 0.001                    | .0011 | ----          | ----                     | ----              | ----          | 259              | UNCH |
| 19000   | ----                 | ----         | ----            | -----/*0.020A      | -----                  | ----            | 0.005         | -               | 0.002                    | .0007 | ----          | ----                     | ----              | ----          | 79               | UNCH |
| 20000   | 0.001                | 0.001        | ----            | 0.001/*0.001       | 0.001/*0.001           | ----            | 0.004         | -               | 0.001                    | .0005 | ----          | 2                        | ----              | ----          | 1220             | UNCH |
| 21000   | ----                 | ----         | ----            | -----/0.266A       | -----                  | ----            | 0.003         | -               | 0.001                    | .0004 | ----          | ----                     | ----              | ----          | 427              | UNCH |
| 24000   | ----                 | ----         | ----            | -----              | 0.001B/*0.011A         | ----            | 0.002         | -               | 0.001                    | .0002 | ----          | ----                     | ----              | ----          | 131              | UNCH |
| 25000   | ----                 | ----         | ----            | -----              | -----/0.288A           | ----            | 0.002         | -               | 0.001                    | .0002 | ----          | ----                     | ----              | ----          | 407              | UNCH |
| 27000   | ----                 | ----         | ----            | -----              | -----/0.291A           | ----            | 0.002         | UNCH            | .0002                    | ----  | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 30000   | ----                 | ----         | ----            | -----              | -----/*0.005A          | ----            | 0.001         | -               | 0.001                    | .0001 | ----          | ----                     | ----              | ----          | 54               | UNCH |
| 32000   | ----                 | ----         | ----            | -----              | -----/0.295A           | ----            | 0.001         | -</             |                          |       |               |                          |                   |               |                  |      |



| BULLETIN #104@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               |                          |                   | Tue, Jun 02, 2026 |                  |      |  | PG64 |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|--|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |  |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |  |      |
| AUG26          |                      |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |  |      |
| 8800           | ----                 | ----                      | 2.3788/1.955A      | 2.3788/1.955A           | ----                       | 2.037 +                  | 0.037 | .2523         | ----                     | ----              | ----              | 20               | UNCH |  |      |
| 8825           | ----                 | ----                      | 2.3448/1.927A      | 2.3448/1.927A           | ----                       | 1.999 +                  | 0.036 | .2482         | ----                     | ----              | ----              | 10               | UNCH |  |      |
| 8850           | ----                 | ----                      | 2.3008/1.887A      | 2.3008/1.887A           | ----                       | 1.961 +                  | 0.034 | .2442         | ----                     | ----              | ----              | 10               | UNCH |  |      |
| 8875           | ----                 | ----                      | 2.2608/1.856A      | 2.2608/1.856A           | ----                       | 1.924 +                  | 0.032 | .2402         | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 8900           | 2.153                | 2.153                     | 2.2238/1.819A      | 2.2238/1.819A           | ----                       | 1.888 +                  | 0.031 | .2363         | ----                     | 2                 | ----              | 20 +             | 1    |  |      |
| 8925           | ----                 | ----                      | 2.1798/1.792A      | 2.1798/1.792A           | ----                       | 1.853 +                  | 0.030 | .2324         | ----                     | ----              | ----              | 3                | UNCH |  |      |
| 8950           | ----                 | ----                      | 2.1398/1.754A      | 2.1398/1.754A           | ----                       | 1.819 +                  | 0.029 | .2287         | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 8975           | ----                 | ----                      | 2.1018/1.731A      | 2.1018/1.731A           | ----                       | 1.785 +                  | 0.027 | .2249         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9000           | 1.720                | 1.720                     | 2.0678/1.692A      | 2.0678/1.692A           | ----                       | 1.752 +                  | 0.026 | .2213         | ----                     | 135               | ----              | 1060 +           | 127  |  |      |
| 9025           | ----                 | ----                      | 2.0298/1.671A      | 2.0298/1.671A           | ----                       | 1.720 +                  | 0.025 | .2177         | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 9050           | ----                 | ----                      | 1.9948/1.636A      | 1.9948/1.636A           | ----                       | 1.689 +                  | 0.024 | .2142         | ----                     | 1                 | ----              | 13 +             | 1    |  |      |
| 9075           | ----                 | ----                      | 1.9608/1.613A      | 1.9608/1.613A           | ----                       | 1.629 +                  | 0.024 | .2108         | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 9100           | ----                 | ----                      | 1.9298/1.577A      | 1.9298/1.577A           | ----                       | 1.659 +                  | 0.023 | .2074         | ----                     | ----              | ----              | 34               | UNCH |  |      |
| 9150           | ----                 | ----                      | 1.8628/1.525A      | 1.8628/1.525A           | ----                       | 1.573 +                  | 0.022 | .2009         | ----                     | ----              | ----              | 11               | UNCH |  |      |
| 9175           | ----                 | ----                      | 1.8298/1.509A      | 1.8298/1.509A           | ----                       | 1.545 +                  | 0.021 | .1977         | ----                     | 1                 | ----              | 2 +              | 1    |  |      |
| 9200           | 1.756                | 1.756                     | 1.8028/1.473A      | 1.8028/1.473A           | ----                       | 1.519 +                  | 0.022 | .1946         | ----                     | 9                 | ----              | 16 +             | 7    |  |      |
| 9225           | ----                 | ----                      | 1.7678/1.459A      | 1.7678/1.459A           | ----                       | 1.493 +                  | 0.021 | .1916         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9250           | ----                 | ----                      | 1.7368/1.425A      | 1.7368/1.425A           | ----                       | 1.468 +                  | 0.021 | .1886         | ----                     | ----              | ----              | 174              | UNCH |  |      |
| 9275           | ----                 | ----                      | 1.7088/1.411A      | 1.7088/1.411A           | ----                       | 1.443 +                  | 0.020 | .1857         | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 9300           | ----                 | ----                      | 1.6848/1.377A      | 1.6848/1.377A           | ----                       | 1.420 +                  | 0.021 | .1829         | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 9350           | ----                 | ----                      | 1.6268/1.335A      | 1.6268/1.335A           | ----                       | 1.374 +                  | 0.021 | .1774         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9400           | ----                 | ----                      | 1.5768/1.291A      | 1.5768/1.291A           | ----                       | 1.331 +                  | 0.021 | .1721         | ----                     | ----              | ----              | 133              | UNCH |  |      |
| 9450           | ----                 | ----                      | 1.5228/1.249A      | 1.5228/1.249A           | ----                       | 1.290 +                  | 0.021 | .1671         | ----                     | 1                 | ----              | 8                | UNCH |  |      |
| 9475           | 1.373                | 1.373                     | 1.4978/1.241A      | 1.4978/1.241A           | ----                       | 1.270 +                  | 0.021 | .1646         | ----                     | 1                 | ----              | 29 +             | 1    |  |      |
| 9500           | 1.421                | 1.421                     | 1.4778/1.212A      | 1.4778/1.212A           | ----                       | 1.251 +                  | 0.022 | .1623         | ----                     | 129               | ----              | 204 +            | 60   |  |      |
| 9550           | 1.433                | 1.433                     | 1.433/1.175A       | 1.433/1.175A            | ----                       | 1.213 +                  | 0.021 | .1576         | ----                     | 2                 | ----              | 18 -             | 1    |  |      |
| 9575           | ----                 | ----                      | 1.4038/1.165A      | 1.4038/1.165A           | ----                       | 1.195 +                  | 0.021 | .1553         | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 9600           | ----                 | ----                      | 1.3858/1.139A      | 1.3858/1.139A           | ----                       | 1.177 +                  | 0.021 | .1531         | ----                     | 1                 | ----              | 3 +              | 1    |  |      |
| 9625           | 1.247                | 1.247                     | 1.3568/1.133A      | 1.3568/1.133A           | ----                       | 1.160 +                  | 0.022 | .1509         | ----                     | 1                 | ----              | 27 +             | 1    |  |      |
| 9700           | ----                 | ----                      | 1.2998/1.076A      | 1.2998/1.076A           | ----                       | 1.109 +                  | 0.021 | .1446         | ----                     | ----              | ----              | 100              | UNCH |  |      |
| 9725           | ----                 | ----                      | 1.2748/1.065A      | 1.2748/1.065A           | ----                       | 1.092 +                  | 0.020 | .1425         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9750           | ----                 | ----                      | 1.2548/1.046A      | 1.2548/1.046A           | ----                       | 1.076 +                  | 0.019 | .1404         | ----                     | ----              | ----              | 19               | UNCH |  |      |
| 9775           | ----                 | ----                      | 1.2358/1.032A      | 1.2358/1.032A           | ----                       | 1.060 +                  | 0.019 | .1384         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9800           | ----                 | ----                      | 1.2068/1.013A      | 1.2068/1.013A           | ----                       | 1.044 +                  | 0.018 | .1364         | ----                     | ----              | ----              | 26               | UNCH |  |      |
| 9850           | ----                 | ----                      | 1.1758/0.987A      | 1.1758/0.987A           | ----                       | 1.013 +                  | 0.017 | .1326         | ----                     | ----              | ----              | 16               | UNCH |  |      |
| 9875           | ----                 | ----                      | 1.1608/0.972A      | 1.1608/0.972A           | ----                       | 0.998 +                  | 0.016 | .1307         | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 9900           | ----                 | ----                      | 1.1448/0.959A      | 1.1448/0.959A           | ----                       | 0.983 +                  | 0.015 | .1288         | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 9925           | ----                 | ----                      | 1.1248/0.943A      | 1.1248/0.943A           | ----                       | 0.967 +                  | 0.013 | .1269         | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 9950           | ----                 | ----                      | 1.1028/0.934A      | 1.1028/0.934A           | ----                       | 0.953 +                  | 0.013 | .1251         | ----                     | ----              | ----              | 3                | UNCH |  |      |
| 9975           | ----                 | ----                      | 1.0908/0.921A      | 1.0908/0.921A           | ----                       | 0.938 +                  | 0.011 | .1232         | ----                     | ----              | ----              | 10               | UNCH |  |      |
| 10000          | 1.050                | 1.050                     | 1.0698/0.910A      | 1.0698/0.910A           | ----                       | 0.924 +                  | 0.010 | .1215         | ----                     | 7                 | ----              | 517 +            | 4    |  |      |
| 10025          | ----                 | ----                      | 1.0578/0.894A      | 1.0578/0.894A           | ----                       | 0.911 +                  | 0.010 | .1198         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10075          | ----                 | ----                      | 1.0268/0.872A      | 1.0268/0.872A           | ----                       | 0.888 +                  | 0.012 | .1168         | ----                     | ----              | ----              | 15               | UNCH |  |      |
| 10100          | ----                 | ----                      | 1.0128/0.863A      | 1.0128/0.863A           | ----                       | 0.877 +                  | 0.014 | .1153         | ----                     | ----              | ----              | 3                | UNCH |  |      |
| 10125          | ----                 | ----                      | 0.9978/0.849A      | 0.9978/0.849A           | ----                       | 0.867 +                  | 0.016 | .1139         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10150          | ----                 | ----                      | 0.9818/0.837A      | 0.9818/0.837A           | ----                       | 0.857 +                  | 0.018 | .1126         | ----                     | ----              | ----              | 8                | UNCH |  |      |
| 10175          | ----                 | ----                      | 0.9678/0.827A      | 0.9678/0.827A           | ----                       | 0.847 +                  | 0.020 | .1112         | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 10200          | ----                 | ----                      | 0.9588/0.815A      | 0.9588/0.815A           | ----                       | 0.837 +                  | 0.021 | .1098         | ----                     | 2                 | ----              | 35 +             | 2    |  |      |
| 10225          | 0.858                | 0.858                     | 0.9408/0.804A      | 0.9408/0.804A           | ----                       | 0.826                    | NEW   | .1084         | ----                     | 1                 | ----              | 1 +              | 1    |  |      |
| 10250          | 0.846                | 0.846                     | 0.9258/0.795A      | 0.9258/0.795A           | ----                       | 0.815 +                  | 0.022 | .1070         | ----                     | 1                 | ----              | 2 -              | 1    |  |      |
| 10275          | 0.835                | 0.835                     | 0.9128/0.784A      | 0.9128/0.784A           | ----                       | 0.803 +                  | 0.020 | .1055         | ----                     | 1                 | ----              | 21               | UNCH |  |      |
| 10300          | 0.824                | 0.824                     | 0.9008/0.774A      | 0.9008/0.774A           | ----                       | 0.791 +                  | 0.019 | .1040         | ----                     | 1                 | ----              | 33 +             | 1    |  |      |
| 10325          | ----                 | ----                      | 0.8878/0.762A      | 0.8878/0.762A           | ----                       | 0.778 +                  | 0.017 | .1024         | ----                     | ----              | ----              | 11               | UNCH |  |      |
| 10350          | ----                 | ----                      | 0.8758/0.758A      | 0.8758/0.758A           | ----                       | 0.766 +                  | 0.015 | .1009         | ----                     | ----              | ----              | 6                | UNCH |  |      |
| 10375          | ----                 | ----                      | 0.8648/0.742A      | 0.8648/0.742A           | ----                       | 0.754 +                  | 0.013 | .0994         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10400          | ----                 | ----                      | 0.8518/0.735A      | 0.8518/0.735A           | ----                       | 0.742 +                  | 0.011 | .0980         | ----                     | ----              | ----              | 12               | UNCH |  |      |
| 10475          | ----                 | ----                      | 0.8188/0.705A      | 0.8188/0.705A           | ----                       | 0.710 +                  | 0.008 | .0939         | ----                     | ----              | ----              | 6                | UNCH |  |      |
| 10500          | ----                 | ----                      | 0.8078/0.701A      | 0.8078/0.701A           | ----                       | 0.700 +                  | 0.008 | .0927         | ----                     | 1                 | ----              | 102 +            | 1    |  |      |
| 10600          | 0.764                | 0.764                     | 0.7668/0.672A      | 0.7668/0.672A           | ----                       | 0.669 +                  | 0.012 | .0884         | ----                     | 1                 | ----              | 4 +              | 1    |  |      |
| 10650          | ----                 | ----                      | 0.7478/0.655A      | 0.7478/0.655A           | ----                       | 0.656 +                  | 0.016 | .0865         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10675          | ----                 | ----                      | 0.7368/0.644A      | 0.7368/0.644A           | ----                       | 0.649 +                  | 0.017 | .0856         | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 10700          | ----                 | ----                      | 0.7268/0.641A      | 0.7268/0.641A           | ----                       | 0.643 +                  | 0.019 | .0847         | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 10725          | ----                 | ----                      | 0.7198/0.628A      | 0.7198/0.628A           | ----                       | 0.636 +                  | 0.020 | .0837         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10775          | ----                 | ----                      | 0.7008/0.616A      | 0.7008/0.616A           | ----                       | 0.623 +                  | 0.022 | .0819         | ----                     | ----              | ----              | 3                | UNCH |  |      |
| 10800          | ----                 | ----                      | 0.6928/0.613A      | 0.6928/0.613A           | ----                       | 0.616 +                  | 0.022 | .0810         | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 10825          | ----                 | ----                      | 0.6828/0.606A      | 0.6828/0.606A           | ----                       | 0.609 +                  | 0.023 | .0800         | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 10875          | ----                 | ----                      | 0.6518/0.599A      | 0.6518/0.599A           | ----                       | 0.595 +                  | 0.023 | .0782         | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 10900          | ----                 | ----                      | 0.6438/0.592A      | 0.6438/0.592A           | ----                       | 0.588 +                  | 0.023 | .0772         | ----                     | ----              | ----              | 6                | UNCH |  |      |
| 10925          | ----                 | ----                      | 0.6368/0.586A      | 0.6368/0.586A           | ----                       | 0.582 +                  | 0.023 | .0764         | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 10950          | ----                 | ----                      | 0.6288/0.580A      | 0.6288/0.580A           | ----                       | 0.575 +                  | 0.023 | .0755         | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10975          | ----                 | ----                      | 0.6218/0.573A      | 0.6218/0.573A           | ----                       | 0.568 +                  | 0.022 | .0746         | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 11000          | 0.575                | 0.575                     | 0.6138/0.568A      | 0.6138/0.568A           | ----                       | 0.562 +                  | 0.023 | .0738         | ----                     | 21                | ----              | 589              | UNCH |  |      |
| 11075          | ----                 | ----                      | 0.5938/0.551A      | 0.5938/0.551A           | ----                       | 0.543 +                  | 0.022 | .0712         |                          |                   |                   |                  |      |  |      |

| BULLETIN #104@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                           |            |               |                          |                   | Tue, Jun 02, 2026 |                  |      | PG64 |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|------------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA      | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |            |               |                          |                   |                   |                  |      |      |
| SEP26          |                      |                           |                    |                         |                            |                           |            |               |                          |                   |                   |                  |      |      |
| 8500           | 3.325                | 3.325                     | 3.980B/*3.325      | 3.980B/*3.325           | ----                       | 3.838 + 0.069             | .3587      | ----          | ----                     | 26                | ----              | 248              | UNCH |      |
| 8600           | ----                 | ----                      | 3.741B/----        | 3.741B/3.814A           | ----                       | 3.626 + 0.065             | .3421      | ----          | ----                     | ----              | ----              | 76               | UNCH |      |
| 8675           | ----                 | ----                      | 3.580B/----        | 3.580B/3.659A           | ----                       | 3.477 + 0.062             | .3301      | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 8700           | ----                 | ----                      | 3.529B/----        | 3.529B/3.619A           | ----                       | 3.429 + 0.061             | .3262      | ----          | ----                     | ----              | ----              | 104              | UNCH |      |
| 8800           | ----                 | ----                      | 3.328B/----        | 3.328B/3.428A           | ----                       | 3.245 + 0.056             | .3112      | ----          | ----                     | ----              | ----              | 13               | UNCH |      |
| 8900           | ----                 | ----                      | 3.146B/----        | 3.146B/3.253A           | ----                       | 3.075 + 0.053             | .2970      | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 8925           | ----                 | ----                      | 3.105B/----        | 3.105B/3.211A           | ----                       | 3.034 + 0.052             | .2935      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8950           | ----                 | ----                      | 3.053B/----        | 3.053B/3.172A           | ----                       | 2.994 + 0.051             | .2901      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 9000           | 3.058                | 3.058                     | 3.058/3.058        | 3.058/3.058             | ----                       | 2.915 + 0.049             | .2834      | ----          | ----                     | 1                 | ----              | 225 +            | 1    |      |
| 9025           | ----                 | ----                      | 2.924B/----        | 2.924B/3.048A           | ----                       | 2.877 + 0.048             | .2801      | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 9100           | ----                 | ----                      | 2.802B/----        | 2.802B/2.938A           | ----                       | 2.766 + 0.046             | .2706      | ----          | ----                     | ----              | ----              | 12               | UNCH |      |
| 9150           | ----                 | ----                      | 2.733B/----        | 2.733B/2.859A           | ----                       | 2.695 + 0.044             | .2644      | ----          | ----                     | ----              | ----              | 16               | UNCH |      |
| 9200           | ----                 | ----                      | 2.655B/----        | 2.655B/2.792A           | ----                       | 2.626 + 0.042             | .2584      | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 9300           | ----                 | ----                      | 2.514B/----        | 2.514B/2.655A           | ----                       | 2.495 + 0.040             | .2468      | ----          | ----                     | ----              | ----              | 28               | UNCH |      |
| 9400           | ----                 | ----                      | 2.383B/----        | 2.383B/2.529A           | ----                       | 2.370 + 0.037             | .2358      | ----          | ----                     | ----              | ----              | 20               | UNCH |      |
| 9500           | ----                 | ----                      | 2.248B/----        | 2.248B/2.411A           | ----                       | 2.252 + 0.034             | .2252      | ----          | ----                     | ----              | 34                | 359 +            | 34   |      |
| 9600           | ----                 | ----                      | 2.133B/----        | 2.133B/2.302A           | ----                       | 2.141 + 0.032             | .2152      | ----          | ----                     | ----              | ----              | 37               | UNCH |      |
| 9750           | ----                 | ----                      | 1.972B/----        | 1.972B/2.150A           | ----                       | 1.982 + 0.028             | .2009      | ----          | ----                     | ----              | ----              | 23               | UNCH |      |
| 9800           | ----                 | ----                      | 1.923B/----        | 1.923B/2.103A           | ----                       | 1.932 + 0.028             | .1963      | ----          | ----                     | ----              | ----              | 130              | UNCH |      |
| 9900           | ----                 | ----                      | 1.826B/----        | 1.826B/2.012A           | ----                       | 1.833 + 0.025             | .1874      | ----          | ----                     | ----              | ----              | 85               | UNCH |      |
| 10000          | ----                 | ----                      | 1.736B/----        | 1.736B/1.927A           | ----                       | 1.739 + 0.024             | .1788      | ----          | ----                     | ----              | ----              | 424              | UNCH |      |
| 10025          | ----                 | ----                      | 1.719B/----        | 1.719B/1.908A           | ----                       | 1.715 + 0.023             | .1766      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 10050          | ----                 | ----                      | 1.694B/----        | 1.694B/1.887A           | ----                       | 1.692 + 0.022             | .1746      | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 10100          | ----                 | ----                      | 1.657B/----        | 1.657B/1.847A           | ----                       | 1.647 + 0.022             | .1705      | ----          | ----                     | ----              | ----              | 54               | UNCH |      |
| 10125          | ----                 | ----                      | 1.637B/----        | 1.637B/1.828A           | ----                       | 1.625 + 0.022             | .1684      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 10200          | ----                 | ----                      | 1.579B/----        | 1.579B/1.773A           | ----                       | 1.560 + 0.020             | .1625      | ----          | ----                     | ----              | ----              | 54               | UNCH |      |
| 10300          | ----                 | ----                      | 1.501B/----        | 1.501B/1.701A           | ----                       | 1.482 + 0.019             | .1552      | ----          | ----                     | ----              | ----              | 52               | UNCH |      |
| 10500          | ----                 | ----                      | 1.367B/----        | 1.367B/1.589A           | ----                       | 1.345 + 0.016             | .1419      | ----          | ----                     | ----              | ----              | 233              | UNCH |      |
| 10800          | ----                 | ----                      | 1.184B/----        | 1.184B/1.437A           | ----                       | 1.182 + 0.013             | .1255      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 11000          | 1.080                | 1.080                     | 1.229B/*1.063      | 1.229B/*1.063           | ----                       | 1.095 + 0.011             | .1164      | ----          | ----                     | 3                 | ----              | 246              | UNCH |      |
| 11100          | ----                 | ----                      | ----               | 1.023B/1.305A           | ----                       | 1.057 + 0.010             | .1123      | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 11300          | ----                 | ----                      | ----               | 0.931B/1.232A           | ----                       | 0.988 + 0.009             | .1048      | ----          | ----                     | ----              | ----              | 60               | UNCH |      |
| 11500          | ----                 | ----                      | ----               | 0.858B/1.008A           | ----                       | 0.928 + 0.008             | .0982      | ----          | ----                     | ----              | ----              | 109              | UNCH |      |
| 12000          | ----                 | ----                      | 0.826B/----        | 0.826B/0.849A           | ----                       | 0.800 + 0.005             | .0841      | ----          | ----                     | ----              | ----              | 128              | UNCH |      |
| 12500          | ----                 | ----                      | 0.693B/----        | 0.693B/0.740A           | ----                       | 0.689 + 0.003             | .0722      | ----          | ----                     | ----              | ----              | 96               | UNCH |      |
| 12700          | ----                 | ----                      | 0.648B/----        | 0.648B/0.702A           | ----                       | 0.648                     | NEW .0679  | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |
| 12775          | ----                 | ----                      | 0.633B/----        | 0.633B/0.688A           | ----                       | 0.634                     | NEW .0664  | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |
| 12800          | ----                 | ----                      | 0.628B/----        | 0.628B/0.683A           | ----                       | 0.629 + 0.002             | .0658      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 13000          | ----                 | ----                      | ----               | 0.589B/0.648A           | ----                       | 0.592 + 0.002             | .0620      | ----          | ----                     | ----              | ----              | 204              | UNCH |      |
| 14000          | ----                 | ----                      | ----               | 0.435B/0.504A           | ----                       | 0.440                     | UNCH .0461 | ----          | ----                     | ----              | ----              | 239              | UNCH |      |
| 15000          | ----                 | ----                      | ----               | 0.327B/0.407A           | ----                       | 0.339 - 0.006             | .0354      | ----          | ----                     | ----              | ----              | 426              | UNCH |      |
| 16000          | 0.254                | 0.254                     | 0.254/*0.254       | 0.254/*0.254            | ----                       | 0.271 + 0.006             | .0281      | ----          | ----                     | 1                 | ----              | 17 +             | 1    |      |
| 17000          | ----                 | ----                      | ----               | 0.204B/0.281A           | ----                       | 0.224 + 0.017             | .0230      | ----          | ----                     | ----              | ----              | 27               | UNCH |      |
| 18000          | ----                 | ----                      | ----               | 0.164B/0.240A           | ----                       | 0.190 + 0.026             | .0193      | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 19000          | ----                 | ----                      | 0.134B/----        | 0.134B/0.208A           | ----                       | 0.164 + 0.033             | .0165      | ----          | ----                     | ----              | ----              | 14               | UNCH |      |
| 20000          | ----                 | ----                      | 0.131B/----        | 0.131B/0.181A           | ----                       | 0.144 + 0.037             | .0143      | ----          | ----                     | ----              | ----              | 311              | UNCH |      |
| 21000          | 0.135                | 0.135                     | 0.135/*0.135       | 0.135/*0.135            | ----                       | 0.128 + 0.040             | .0125      | ----          | ----                     | 10                | ----              | 11 +             | 10   |      |
| 23000          | ----                 | ----                      | ----               | 0.061B/*0.130A          | ----                       | 0.105 + 0.043             | .0100      | ----          | ----                     | ----              | ----              | 44               | UNCH |      |
| 25000          | 0.070                | 0.070                     | 0.080/*0.070       | 0.080/*0.070            | ----                       | 0.091 + 0.037             | .0085      | ----          | ----                     | 38                | ----              | 77 +             | 38   |      |
| 26000          | ----                 | ----                      | ----               | 0.001B/2.926A           | ----                       | 0.087 + 0.035             | .0080      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 30000          | ----                 | ----                      | ----               | 0.015B/2.827A           | ----                       | 0.079 + 0.030             | .0068      | ----          | ----                     | ----              | ----              | 18               | UNCH |      |
| 35000          | 0.045                | 0.045                     | 0.045/*0.045       | 0.045/0.035A            | ----                       | 0.043 + 0.017             | .0038      | ----          | ----                     | 1                 | ----              | 28 +             | 1    |      |
| TOTAL          |                      |                           |                    |                         |                            |                           |            |               |                          | 94                | 34                | 5275 +           | 97   |      |
| OCT26          |                      |                           |                    |                         |                            |                           |            |               |                          |                   |                   |                  |      |      |
| 7000           | ----                 | ----                      | 11.394B/----       | 11.394B/11.346A         | ----                       | 10.967 + 0.097            | .6968      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7100           | ----                 | ----                      | 10.814B/----       | 10.814B/10.770A         | ----                       | 10.409 + 0.103            | .6754      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7500           | ----                 | ----                      | 8.737B/----        | 8.737B/8.571A           | ----                       | 8.443 + 0.071             | .5898      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7650           | ----                 | ----                      | 8.089B/7.746A      | 8.089B/7.746A           | ----                       | 7.800 + 0.035             | .5584      | ----          | ----                     | 1                 | ----              | 2 +              | 1    |      |
| 7775           | ----                 | ----                      | 7.879B/7.253A      | 7.879B/7.253A           | ----                       | 7.315 + 0.036             | .5330      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7825           | 7.268                | 7.268                     | 7.716B/7.071A      | 7.716B/7.071A           | ----                       | 7.132                     | NEW .5231  | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |
| 7875           | ----                 | ----                      | 7.491B/6.896A      | 7.491B/6.896A           | ----                       | 6.956 + 0.051             | .5133      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8000           | ----                 | ----                      | 7.102B/6.377A      | 7.102B/6.377A           | ----                       | 6.533 + 0.065             | .4895      | ----          | ----                     | ----              | ----              | 38               | UNCH |      |
| 8075           | ----                 | ----                      | 6.800B/----        | 6.800B/6.233A           | ----                       | 6.290 + 0.064             | .4756      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 8275           | ----                 | ----                      | 6.137B/5.645A      | 6.137B/5.645A           | ----                       | 5.685 + 0.039             | .4399      | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8500           | ----                 | ----                      | 5.603B/4.997A      | 5.603B/4.997A           | ----                       | 5.088 + 0.015             | .4027      | ----          | ----                     | ----              | ----              | 16               | UNCH |      |
| 8550           | ----                 | ----                      | 5.448B/4.874A      | 5.448B/4.874A           | ----                       | 4.968 + 0.014             | .3949      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 8700           | ----                 | ----                      | 5.106B/4.540A      | 5.106B/4.540A           | ----                       | 4.631 + 0.015             | .3725      | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 8900           | 4.442                | 4.442                     | 4.634B/4.142A      | 4.634B/4.142A           | ----                       | 4.229 + 0.024             | .3449      | ----          | ----                     | 1                 | ----              | 18 +             | 1    |      |
| 9000           | ----                 | ----                      | 4.457B/3.976A      | 4.457B/3.976A           | ----                       | 4.044 + 0.026             | .3319      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 9100           | ----                 | ----                      | 4.252B/3.793A      | 4.252B/3.793A           | ----                       | 3.869 + 0.028             | .3195      | ----          | ----                     | ----              | ----              | 23               | UNCH |      |
| 9500           | ----                 | ----                      | 3.576B/3.189A      | 3.576B/3.189A           | ----                       | 3.267 + 0.037             | .2751      | ----          | ----                     | ----              | ----              | 124              | UNCH |      |
| 9700           | ----                 | ----                      | 3.280B/2.937A      | 3.280B/2.937A           | ----                       | 3.014 + 0.041             | .2558      | ----          | ----                     | ----              | ----              | 70               | UNCH |      |
| 9900           | ----                 | ----                      | 3.009B/2.710A      | 3.009B/2.710A           | ----                       | 2.785 + 0.044             | .2381      | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 10000          | ----                 | ----                      | 2.894B/2.609A      | 2.894B/2.609A           | ----                       | 2.678 + 0.043             | .2298      | ----          | ----                     | 8                 | ----              | 98 +             | 8    |      |
| 10100          | 2.664                | 2.664                     | 2.797B/2.508A      | 2.797B/2.508A           | ----                       | 2.575                     | NEW .2217  | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |
| 10275          | ----                 | ----                      | 2.618              |                         |                            |                           |            |               |                          |                   |                   |                  |      |      |

| BULLETIN #104@ |                |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               | Tue, Jun 02, 2026        |                   |               |                  | PG64 |  |
|----------------|----------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
|                | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
| SO CALL        |                | COMEX SILVER OPTIONS      |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| NOV26          |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 9050           | ----           | ----                      | 4.900B/----        | 4.900B/5.302A           | ----                       | 4.931 + 0.079            | .3561 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 9550           | ----           | ----                      | 4.030B/----        | 4.030B/4.487A           | ----                       | 4.092 + 0.064            | .3033 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 9800           | ----           | ----                      |                    | 3.669B/4.129A           | ----                       | 3.742 + 0.058            | .2804 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 10000          | ----           | ----                      |                    | 3.409B/3.871A           | ----                       | 3.490 + 0.053            | .2635 | ----          | ----                     | ----              | ----          | 27               | UNCH |  |
| 11000          | ----           | ----                      |                    | 2.418B/2.874A           | ----                       | 2.525 + 0.035            | .1963 | ----          | ----                     | ----              | ----          | 94               | UNCH |  |
| 12000          | ----           | ----                      |                    | 1.773B/2.217A           | ----                       | 1.899 + 0.023            | .1502 | ----          | ----                     | ----              | ----          | 13               | UNCH |  |
| 12500          | ----           | ----                      |                    | 1.520B/1.999A           | ----                       | 1.669 + 0.020            | .1328 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 13000          | ----           | ----                      |                    | 1.294B/1.834A           | ----                       | 1.477 + 0.018            | .1180 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 14000          | ----           | ----                      |                    | 0.948B/1.546A           | ----                       | 1.179 + 0.014            | .0947 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 15000          | ----           | ----                      |                    | 0.943B/1.063A           | ----                       | 0.961 + 0.012            | .0774 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 16000          | ----           | ----                      |                    | 0.769B/0.902A           | ----                       | 0.796 + 0.009            | .0642 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 17000          | ----           | ----                      |                    | 0.629B/0.774A           | ----                       | 0.666 + 0.005            | .0539 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 20000          | ----           | ----                      |                    | 0.373B/0.530A           | ----                       | 0.417 - 0.005            | .0338 | ----          | ----                     | ----              | ----          | 33               | UNCH |  |
| 21000          | ----           | ----                      |                    | 0.319B/0.476A           | ----                       | 0.374 + 0.001            | .0301 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 25000          | 0.270          | 0.270                     | 0.270/*0.270       | 0.270/*0.270            | ----                       | 0.290 + 0.092            | .0223 | ----          | ----                     | 4                 | ----          | 4 +              | 4    |  |
| 30000          | ----           | ----                      | ----               | 0.093B/0.236A           | ----                       | 0.155 + 0.022            | .0122 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| TOTAL          |                |                           |                    |                         |                            |                          |       |               |                          | 4                 | 0             | 343 +            | 4    |  |
| DEC26          |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 3875           | ----           | ----                      | ----               | ----                    | ----                       | 38.208 + 0.309           | .9834 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 5000           | ----           | ----                      | ----               | 8.367B/47.170A          | ----                       | 27.428 + 0.282           | .9381 | ----          | ----                     | ----              | ----          | 30               | UNCH |  |
| 5250           | ----           | ----                      | ----               | 6.150B/44.864A          | ----                       | 25.179 + 0.272           | .9198 | ----          | ----                     | ----              | ----          | 50               | UNCH |  |
| 5500           | ----           | ----                      | ----               | 2.574B/44.708A          | ----                       | 23.010 + 0.263           | .8973 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 6500           | ----           | ----                      | 15.710B/----       | 15.710B/16.012A         | ----                       | 15.471 + 0.212           | .7641 | ----          | ----                     | ----              | ----          | 600              | UNCH |  |
| 6900           | ----           | ----                      | 13.258B/----       | 13.258B/13.613A         | ----                       | 13.081 + 0.189           | .6967 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 6950           | ----           | ----                      | 12.990B/----       | 12.990B/13.342A         | ----                       | 12.809 + 0.186           | .6880 | ----          | ----                     | ----              | ----          | 220              | UNCH |  |
| 7000           | ----           | ----                      | 12.711B/----       | 12.711B/13.077A         | ----                       | 12.543 + 0.183           | .6794 | ----          | ----                     | ----              | ----          | 120              | UNCH |  |
| 7025           | ----           | ----                      | 12.567B/----       | 12.567B/12.933A         | ----                       | 12.413 + 0.182           | .6750 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 7075           | ----           | ----                      | 12.301B/----       | 12.301B/12.682A         | ----                       | 12.156 + 0.179           | .6663 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 7100           | ----           | ----                      | 12.170B/----       | 12.170B/12.563A         | ----                       | 12.029 + 0.177           | .6620 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 7375           | ----           | ----                      | 10.822B/----       | 10.822B/11.254A         | ----                       | 10.732 + 0.161           | .6145 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 7500           | ----           | ----                      | 10.272B/----       | 10.272B/10.687A         | ----                       | 10.195 + 0.154           | .5932 | ----          | ----                     | ----              | ----          | 18               | UNCH |  |
| 7575           | ----           | ----                      | 10.234B/----       | 10.234B/10.411A         | ----                       | 9.888 + 0.150            | .5806 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 7750           | ----           | ----                      | 9.244B/----        | 9.244B/9.743A           | ----                       | 9.214 + 0.141            | .5519 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 7800           | ----           | ----                      | 9.054B/----        | 9.054B/9.556A           | ----                       | 9.032 + 0.139            | .5439 | ----          | ----                     | ----              | ----          | 37               | UNCH |  |
| 7925           | ----           | ----                      | 8.600B/----        | 8.600B/9.120A           | ----                       | 8.596 + 0.133            | .5243 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 8000           | ----           | ----                      | 8.341B/----        | 8.341B/8.874A           | ----                       | 8.346 + 0.128            | .5128 | ----          | ----                     | ----              | ----          | 134              | UNCH |  |
| 8100           | ----           | ----                      | 8.009B/----        | 8.009B/8.546A           | ----                       | 8.028 + 0.124            | .4978 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 8200           | ----           | ----                      | 7.660B/----        | 7.660B/8.243A           | ----                       | 7.726 + 0.120            | .4833 | ----          | ----                     | ----              | ----          | 21               | UNCH |  |
| 8400           | ----           | ----                      | 7.108B/----        | 7.108B/7.722A           | ----                       | 7.163 + 0.110            | .4553 | ----          | ----                     | ----              | ----          | 50               | UNCH |  |
| 8500           | ----           | ----                      | 6.837B/----        | 6.837B/7.460A           | ----                       | 6.903 + 0.107            | .4420 | ----          | ----                     | ----              | ----          | 165              | UNCH |  |
| 8550           | ----           | ----                      | 6.707B/----        | 6.707B/7.296A           | ----                       | 6.777 + 0.105            | .4355 | ----          | ----                     | ----              | ----          | 25               | UNCH |  |
| 8600           | ----           | ----                      | 6.580B/----        | 6.580B/7.211A           | ----                       | 6.654 + 0.103            | .4291 | ----          | ----                     | ----              | ----          | 47               | UNCH |  |
| 8800           | ----           | ----                      | 6.100B/----        | 6.100B/6.746A           | ----                       | 6.193 + 0.096            | .4046 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 8900           | 6.500          | 6.500                     | 6.500/*6.000       | 6.500/*6.000            | ----                       | 5.978 + 0.092            | .3929 | ----          | ----                     | 5                 | ----          | 30 +             | 3    |  |
| 8950           | ----           | ----                      | 5.770B/6.420A      | 5.770B/6.420A           | ----                       | 5.875 + 0.090            | .3872 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 9000           | ----           | ----                      | 5.665B/6.317A      | 5.665B/6.317A           | ----                       | 5.774 + 0.089            | .3816 | ----          | ----                     | ----              | ----          | 249              | UNCH |  |
| 9050           | ----           | ----                      | 5.563B/6.216A      | 5.563B/6.216A           | ----                       | 5.675 + 0.087            | .3761 | ----          | ----                     | ----              | ----          | 100              | UNCH |  |
| 9100           | ----           | ----                      | 5.463B/6.117A      | 5.463B/6.117A           | ----                       | 5.579 + 0.086            | .3707 | ----          | ----                     | ----              | ----          | 16               | UNCH |  |
| 9300           | ----           | ----                      | 5.067B/5.740A      | 5.067B/5.740A           | ----                       | 5.215 + 0.079            | .3499 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 9500           | ----           | ----                      | 4.726B/5.400A      | 4.726B/5.400A           | ----                       | 4.883 + 0.074            | .3306 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 9700           | ----           | ----                      | 4.427B/5.087A      | 4.427B/5.087A           | ----                       | 4.579 + 0.068            | .3126 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 9800           | ----           | ----                      | 4.280B/4.940A      | 4.280B/4.940A           | ----                       | 4.437 + 0.066            | .3040 | ----          | ----                     | ----              | ----          | 74               | UNCH |  |
| 9900           | ----           | ----                      | 4.133B/4.798A      | 4.133B/4.798A           | ----                       | 4.301 + 0.064            | .2958 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 10000          | ----           | ----                      | 3.996B/4.662A      | 3.996B/4.662A           | ----                       | 4.171 + 0.062            | .2878 | ----          | ----                     | ----              | ----          | 855              | UNCH |  |
| 10025          | ----           | ----                      | 3.971B/4.630A      | 3.971B/4.630A           | ----                       | 4.139 + 0.061            | .2858 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 10500          | ----           | ----                      | 3.412B/4.065A      | 3.412B/4.065A           | ----                       | 3.594 + 0.051            | .2518 | ----          | ----                     | ----              | ----          | 103              | UNCH |  |
| 10600          | ----           | ----                      | 3.307B/3.959A      | 3.307B/3.959A           | ----                       | 3.492 + 0.049            | .2453 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 10800          | ----           | ----                      | 3.110B/3.759A      | 3.110B/3.759A           | ----                       | 3.300 + 0.046            | .2330 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 11000          | ----           | ----                      | 2.929B/3.574A      | 2.929B/3.574A           | ----                       | 3.123 + 0.044            | .2215 | ----          | ----                     | ----              | ----          | 210              | UNCH |  |
| 11350          | ----           | ----                      | 2.646B/3.304A      | 2.646B/3.304A           | ----                       | 2.843 + 0.039            | .2032 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 11400          | ----           | ----                      | 2.608B/3.265A      | 2.608B/3.265A           | ----                       | 2.806 + 0.039            | .2007 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 11600          | ----           | ----                      | 2.465B/3.116A      | 2.465B/3.116A           | ----                       | 2.664 + 0.036            | .1913 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 11800          | ----           | ----                      | 2.331B/2.955A      | 2.331B/2.955A           | ----                       | 2.532 + 0.034            | .1824 | ----          | ----                     | ----              | ----          | 27               | UNCH |  |
| 12000          | ----           | ----                      | 2.208B/2.849A      | 2.208B/2.849A           | ----                       | 2.409 + 0.031            | .1741 | ----          | ----                     | ----              | ----          | 570              | UNCH |  |
| 12200          | ----           | ----                      | 2.091B/2.705A      | 2.091B/2.705A           | ----                       | 2.295 + 0.030            | .1663 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 12300          | ----           | ----                      | 2.036B/2.669A      | 2.036B/2.669A           | ----                       | 2.240 + 0.028            | .1626 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 12500          | ----           | ----                      | 1.932B/2.559A      | 1.932B/2.559A           | ----                       | 2.137 + 0.027            | .1555 | ----          | ----                     | ----              | ----          | 47               | UNCH |  |
| 12800          | ----           | ----                      | 1.789B/2.415A      | 1.789B/2.415A           | ----                       | 1.995 + 0.025            | .1457 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 13000          | ----           | ----                      | 1.697B/2.334A      | 1.697B/2.334A           | ----                       | 1.908 + 0.023            | .1396 | ----          | ----                     | ----              | ----          | 384              | UNCH |  |
| 13500          | ----           | ----                      | 1.468B/2.160A      | 1.468B/2.160A           | ----                       | 1.713 + 0.020            | .1259 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 14000          | ----           | ----                      | 1.274B/1.983A      | 1.274B/1.983A           | ----                       | 1.546 + 0.017            | .1141 | ----          | ----                     | ----              | ----          | 96               | UNCH |  |
| 14200          | ----           | ----                      | 1.201B/1.949A      | 1.201B/1.949A           | ----                       | 1.486 + 0.016            | .1098 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 15000          | ----           | ----                      | 1.135B/1.447A      | 1.135B/1.447A           | ----                       | 1.278 + 0.013            | .0948 | ----          | ----                     | ----              | ----          | 1834             | UNCH |  |
| 16000          | ----           | ----                      | 1.037B/1.210A      | 1.037B/1.210A           | ----                       | 1.075 + 0.010            | .0799 | ----          | ----                     | ----              | ----          | 1609             | UNCH |  |
| 17000          | ----           | ----                      | 0.864B/1.049A      | 0.864B/1.049A           |                            |                          |       |               |                          |                   |               |                  |      |  |



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

| BULLETIN #104@ |                      |              |                 |                    |                  |                    |                |                 |                          | METALS OPTION PRODUCTS |               |                          |                   |               | Tue, Jun 02, 2026 |      |   | PG64 |
|----------------|----------------------|--------------|-----------------|--------------------|------------------|--------------------|----------------|-----------------|--------------------------|------------------------|---------------|--------------------------|-------------------|---------------|-------------------|------|---|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE  | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |   |      |
| SO CALL        | COMEX SILVER OPTIONS |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               | 0                 | 1    | 0 |      |
| TOTAL          |                      |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               |                   |      |   |      |
| JUL27          |                      |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               |                   |      |   |      |
| 2000           | ----                 | ----         |                 | ----               | ----             | ----               | ----           |                 | 58.892 +                 | 0.316                  | .9970         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 10000          | ----                 | ----         |                 | ----               | ----             | ----               | ----           |                 | 10.073 +                 | 0.111                  | .4293         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 10300          | ----                 | ----         |                 | ----               | ----             | ----               | ----           |                 | 9.587 +                  | 0.105                  | .4114         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| TOTAL          |                      |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               | 0                 | 3    | 0 |      |
| DEC27          |                      |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               |                   |      |   |      |
| 4000           | ----                 | ----         |                 | ----               | ----             | ----               | ----           |                 | 41.099 +                 | 0.285                  | .9301         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 20000          | ----                 | ----         |                 | ----               | ----             | ----               | ----           |                 | 6.359 +                  | 0.054                  | .2352         | ----                     | ----              | ----          | 25                | UNCH |   |      |
| TOTAL          |                      |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               | 0                 | 26   | 0 |      |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               |                   |      |   |      |
| JUL26          |                      |              |                 |                    |                  |                    |                |                 |                          |                        |               |                          |                   |               |                   |      |   |      |
| 2000           | ----                 | ----         |                 | ----               | ----             | /0.005A            | ----           |                 | 0.001                    |                        |               | ----                     | ----              | ----          | 6                 | UNCH |   |      |
| 2400           | ----                 | ----         |                 | ----               | ----             | /0.298A            | ----           |                 | 0.001                    | UNCH                   | ----          | ----                     | ----              | ----          | 10                | UNCH |   |      |
| 2650           | ----                 | ----         |                 | ----               | ----             | /0.034A            | ----           |                 | 0.001                    | UNCH                   | .0000         | ----                     | ----              | ----          | 6                 | UNCH |   |      |
| 2900           | ----                 | ----         |                 | ----               | ----             | /0.035A            | ----           |                 | 0.001                    | UNCH                   | .0000         | ----                     | ----              | ----          | 2                 | UNCH |   |      |
| 3000           | ----                 | ----         |                 | ----               | ----             | /0.007A            | ----           |                 | 0.001                    | UNCH                   | .0001         | ----                     | ----              | ----          | 6                 | UNCH |   |      |
| 3025           | ----                 | ----         |                 | ----               | ----             | /0.035A            | ----           |                 | 0.001                    | UNCH                   | .0001         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 3175           | ----                 | ----         |                 | ----               | ----             | /0.035A            | ----           |                 | 0.002                    | UNCH                   | .0002         | ----                     | ----              | ----          | 10                | UNCH |   |      |
| 3275           | ----                 | ----         |                 | ----               | ----             | /0.008A            | ----           |                 | 0.002                    | UNCH                   | .0002         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 3350           | ----                 | ----         |                 | ----               | ----             | /0.037A            | ----           |                 | 0.003                    | UNCH                   | .0004         | ----                     | ----              | ----          | 2                 | UNCH |   |      |
| 3400           | ----                 | ----         |                 | ----               | ----             | /0.038A            | ----           |                 | 0.003                    | UNCH                   | .0004         | ----                     | ----              | ----          | 55                | UNCH |   |      |
| 3475           | ----                 | ----         |                 | ----               | ----             | /0.039A            | ----           |                 | 0.004                    | UNCH                   | .0005         | ----                     | ----              | ----          | 5                 | UNCH |   |      |
| 3500           | ----                 | ----         |                 | ----               | ----             | /*0.008A           | ----           |                 | 0.004                    | UNCH                   | .0005         | ----                     | ----              | ----          | 4                 | UNCH |   |      |
| 3600           | ----                 | ----         |                 | ----               | ----             | /0.041A            | ----           |                 | 0.006                    | UNCH                   | .0008         | ----                     | ----              | ----          | 12                | UNCH |   |      |
| 3700           | ----                 | ----         |                 | ----               | ----             | /*0.011A           | ----           |                 | 0.007                    | UNCH                   | .0010         | ----                     | ----              | ----          | 94                | UNCH |   |      |
| 3800           | ----                 | ----         |                 | ----               | ----             | /0.046A            | ----           |                 | 0.009                    | UNCH                   | .0013         | ----                     | ----              | ----          | 25                | UNCH |   |      |
| 3825           | ----                 | ----         |                 | ----               | ----             | /0.047A            | ----           |                 | 0.010 +                  | 0.001                  | .0014         | ----                     | ----              | ----          | 8                 | UNCH |   |      |
| 3850           | ----                 | ----         |                 | ----               | ----             | /0.047A            | ----           |                 | 0.010                    | UNCH                   | .0014         | ----                     | ----              | ----          | 3                 | UNCH |   |      |
| 3900           | ----                 | ----         |                 | ----               | ----             | /0.049A            | ----           |                 | 0.011                    | UNCH                   | .0016         | ----                     | ----              | ----          | 11                | UNCH |   |      |
| 3950           | ----                 | ----         |                 | ----               | ----             | /0.051A            | ----           |                 | 0.012                    | UNCH                   | .0017         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 4000           | 0.012                | 0.012        |                 | 0.012/*0.012       | 0.012/*0.012     | 0.013              | 0.012          |                 | 0.013                    | UNCH                   | .0019         | ----                     | 1                 | ----          | 97                | UNCH |   |      |
| 4075           | ----                 | ----         |                 | ----               | ----             | /0.056A            | ----           |                 | 0.015 +                  | 0.001                  | .0022         | ----                     | ----              | ----          | 16                | UNCH |   |      |
| 4100           | ----                 | ----         |                 | ----               | ----             | /0.057A            | ----           |                 | 0.015                    | UNCH                   | .0022         | ----                     | ----              | ----          | 6                 | UNCH |   |      |
| 4175           | ----                 | ----         |                 | ----               | ----             | /0.060A            | ----           |                 | 0.017                    | UNCH                   | .0026         | ----                     | ----              | ----          | 9                 | UNCH |   |      |
| 4200           | ----                 | ----         |                 | ----               | ----             | /*0.018A           | ----           |                 | 0.017                    | UNCH                   | .0026         | ----                     | ----              | ----          | 27                | UNCH |   |      |
| 4225           | ----                 | ----         |                 | ----               | ----             | /0.062A            | ----           |                 | 0.018                    | UNCH                   | .0027         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 4250           | ----                 | ----         |                 | ----               | ----             | /0.063A            | ----           |                 | 0.018                    | UNCH                   | .0028         | ----                     | ----              | ----          | 21                | UNCH |   |      |
| 4300           | ----                 | ----         |                 | ----               | ----             | /0.065A            | ----           |                 | 0.019                    | UNCH                   | .0030         | ----                     | ----              | ----          | 98                | UNCH |   |      |
| 4325           | ----                 | ----         |                 | ----               | ----             | /0.066A            | ----           |                 | 0.020                    | UNCH                   | .0031         | ----                     | ----              | ----          | 17                | UNCH |   |      |
| 4375           | ----                 | ----         |                 | ----               | ----             | /0.068A            | ----           |                 | 0.021                    | UNCH                   | .0033         | ----                     | ----              | ----          | 32                | UNCH |   |      |
| 4400           | ----                 | ----         |                 | ----               | ----             | /0.070A            | ----           |                 | 0.022                    | UNCH                   | .0035         | ----                     | ----              | ----          | 34                | UNCH |   |      |
| 4450           | ----                 | ----         |                 | ----               | ----             | /0.072A            | ----           |                 | 0.023 -                  | 0.001                  | .0037         | ----                     | ----              | ----          | 4                 | UNCH |   |      |
| 4475           | ----                 | ----         |                 | ----               | ----             | /0.073A            | ----           |                 | 0.024                    | UNCH                   | .0039         | ----                     | ----              | ----          | 16                | UNCH |   |      |
| 4500           | ----                 | ----         |                 | ----               | 0.010B/0.025A    | 0.025              | 0.010B/0.025A  |                 | 0.025                    | UNCH                   | .0040         | ----                     | ----              | ----          | 302               | UNCH |   |      |
| 4575           | ----                 | ----         |                 | ----               | ----             | /0.079A            | ----           |                 | 0.027 -                  | 0.001                  | .0044         | ----                     | ----              | ----          | 75                | UNCH |   |      |
| 4600           | ----                 | ----         |                 | ----               | ----             | /0.081A            | ----           |                 | 0.028                    | UNCH                   | .0046         | ----                     | ----              | ----          | 101               | UNCH |   |      |
| 4650           | ----                 | ----         |                 | ----               | ----             | /0.084A            | ----           |                 | 0.029 -                  | 0.001                  | .0049         | ----                     | ----              | ----          | 40                | UNCH |   |      |
| 4675           | ----                 | ----         |                 | ----               | ----             | /0.086A            | ----           |                 | 0.030 -                  | 0.001                  | .0050         | ----                     | ----              | ----          | 12                | UNCH |   |      |
| 4700           | ----                 | ----         |                 | ----               | ----             | /0.087A            | ----           |                 | 0.031 -                  | 0.001                  | .0052         | ----                     | 2                 | ----          | 154               | UNCH |   |      |
| 4725           | ----                 | ----         |                 | ----               | ----             | /0.088A            | ----           |                 | 0.032 -                  | 0.001                  | .0054         | ----                     | ----              | ----          | 3                 | UNCH |   |      |
| 4750           | ----                 | ----         |                 | ----               | ----             | /0.081A            | ----           |                 | 0.032 -                  | 0.002                  | .0055         | ----                     | 2                 | ----          | 57                | +    |   |      |
| 4775           | ----                 | ----         |                 | ----               | 0.001B/0.090A    | 0.033              | 0.001B/0.090A  |                 | 0.033                    | 0.002                  | .0057         | ----                     | ----              | ----          | 8                 | UNCH |   |      |
| 4800           | ----                 | ----         |                 | ----               | 0.001B/0.042A    | 0.034              | 0.001B/0.042A  |                 | 0.034                    | 0.002                  | .0059         | ----                     | ----              | ----          | 15                | UNCH |   |      |
| 4825           | ----                 | ----         |                 | ----               | 0.001B/0.093A    | 0.035              | 0.001B/0.093A  |                 | 0.035                    | 0.002                  | .0061         | ----                     | ----              | ----          | 26                | UNCH |   |      |
| 4850           | ----                 | ----         |                 | ----               | 0.001B/0.095A    | 0.036              | 0.001B/0.095A  |                 | 0.036                    | 0.002                  | .0063         | ----                     | ----              | ----          | 2                 | UNCH |   |      |
| 4875           | ----                 | ----         |                 | ----               | 0.001B/0.096A    | 0.037              | 0.001B/0.096A  |                 | 0.037                    | 0.003                  | .0065         | ----                     | ----              | ----          | 23                | UNCH |   |      |
| 4900           | ----                 | ----         |                 | ----               | 0.001B/0.097A    | 0.038              | 0.001B/0.097A  |                 | 0.038                    | 0.003                  | .0067         | ----                     | ----              | ----          | 170               | UNCH |   |      |
| 4975           | ----                 | ----         |                 | ----               | 0.030B/*0.047A   | 0.041              | 0.030B/*0.047A |                 | 0.041                    | 0.004                  | .0074         | ----                     | ----              | ----          | 2                 | UNCH |   |      |
| 5000           | 0.040                | 0.040        |                 | 0.045/*0.040       | 0.045/*0.040     | 0.042              | 0.045/*0.040   |                 | 0.042                    | 0.004                  | .0076         | ----                     | 37                | ----          | 974               | +    |   |      |
| 5025           | ----                 | ----         |                 | ----               | 0.032B/*0.048A   | 0.043              | 0.032B/*0.048A |                 | 0.043                    | 0.004                  | .0078         | ----                     | ----              | ----          | 1                 | UNCH |   |      |
| 5050           | ----                 | ----         |                 | ----               | 0.033B/*0.049A   | 0.044              | 0.033B/*0.049A |                 | 0.044                    | 0.005                  | .0081         | ----                     | ----              | ----          | 16                | UNCH |   |      |
| 5075           | ----                 | ----         |                 | ----               | 0.034B/*0.050A   | 0.045              | 0.034B/*0.050A |                 | 0.045                    | 0.005                  | .0083         | ----                     | ----              | ----          | 11                | UNCH |   |      |
| 5100           | ----                 | ----         |                 | ----               | /*0.050A         | 0.046              | 0.045B/*0.050A |                 | 0.046                    | 0.006                  | .0086         | ----                     | ----              | ----          | 178               | UNCH |   |      |
| 5150           | ----                 | ----         |                 | ----               | /*0.053A         | 0.048              | 0.038B/*0.053A |                 | 0.048                    | 0.007                  | .0090         | ----                     | ----              | ----          | 5                 | UNCH |   |      |
| 5175           | ----                 | ----         |                 | ----               | /*0.054A         | 0.049              | 0.039B/*0.054A |                 | 0.049                    | 0.008                  | .0093         | ----                     | ----              | ----          | 5                 | UNCH |   |      |
| 5200           | ----                 | ----         |                 | ----               | /*0.054A         | 0.050              | 0.040B/*0.054A |                 | 0.050                    | 0.009                  | .0096         | ----                     | ----              | ----          | 109               | UNCH |   |      |
| 5225           | ----                 | ----         |                 | ----               | /*0.055A         | 0.051              | 0.041B/*0.055A |                 | 0.051                    | 0.009                  | .0098         | ----                     | ----              | ----          | 9                 | UNCH |   |      |
| 5250           | ----                 | ----         |                 | ----               | /*0.057A         | 0.052              | 0.042B/*0.057A |                 | 0.052                    | 0.010                  | .0101         | ----                     | ----              | ----          | 225               | UNCH |   |      |
| 5275           | ----                 | ----         |                 | ----               | /*0.058A         | 0.054              | 0.044B/*0.058A |                 | 0.054                    | 0.010                  | .0105         | ----                     | ----              | ----          | 2                 | UNCH |   |      |
| 5300           | 0.035                | 0.035        |                 | 0.045B/*0.035      | 0.045B/*0.035    | 0.055              | 0.045B/*0.035  |                 | 0.055                    | 0.011                  | .0108         | ----                     | 4                 | ----          | 127               | +    |   |      |
| 5325           | ----                 | ----         |                 | ----               | /*0.061A         | 0.056              | 0.046B/*0.061A |                 | 0.056                    | 0.012                  | .0111         | ----                     | ----              | ----          | 11                | UNCH |   |      |
| 5350           | ----                 | ----         |                 | ----               | /*0.062A         | 0.058              | 0.048B/*0.062A |                 | 0.058                    | 0.012                  | .0115         | ----                     | ----              | ----          | 26                | UNCH |   |      |
| 5375           | ----                 | ----         |                 | ----               | /*0.063A         | 0.059              | 0.050B/*0.063A |                 | 0.059                    | 0.014                  | .0118         | ----                     | ----              | ----          | 17                | UNCH |   |      |
| 5400           | ----                 | ----         |                 | ----               | /*0.065A         | 0.061              | 0.051B/*0.065A |                 | 0.061                    | 0.014                  | .0123         | ----                     | ----              | ----          | 76                | UNCH |   |      |
| 5425           | ----                 | ----         |                 | ----               | /*0.066A         | 0.062              | 0.053B/*0.066A |                 | 0.062                    | 0.015                  | .0126         | ----                     | ----              | ----          | 49                | UNCH |   |      |
| 5450           | ----                 | ----         |                 | ----               | /*0.068A         | 0.064              | 0.055B/*0.068A |                 | 0.064                    | 0.016                  | .0131         | ----                     | ----              | ----          | 38                | UNCH |   |      |
| 5475           | ----                 | ----         |                 | ----               | /*0.069A         | 0.065              | 0.057B/*0.069A |                 | 0.065                    | 0.017                  | .0134         | ----                     | ----              | ----          | 53                | UNCH |   |      |
| 5500           | ----                 | ----         |                 | ----               | /0.070A          | 0.067              | 0.060B/0.070A  |                 | 0.                       |                        |               |                          |                   |               |                   |      |   |      |





| BULLETIN #104@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Tue, Jun 02, 2026 |                  |      |  | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|--|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |  |      |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |
| JUL26          |                      |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |
| 6975           | 0.913                | 0.913        |                 | 1.114B/*0.864A         | 1.114B/*0.864A   | ----               | 1.037         | -               | 0.226                    | .2085 | ----          | ----                     | 2                 | ----              | 11               | +    |  |      |
| 7000           | 0.979                | 0.979        |                 | 1.178B/0.917A          | 1.178B/0.917A    | ----               | 1.096         | -               | 0.231                    | .2181 | ----          | ----                     | 64                | ----              | 1073             | -    |  |      |
| 7025           | 1.020                | 1.020        |                 | 1.246B/0.965A          | 1.246B/0.965A    | ----               | 1.158         | -               | 0.237                    | .2279 | ----          | ----                     | 6                 | ----              | 215              | +    |  |      |
| 7050           | ----                 | ----         |                 | ----/1.019A            | 1.317B/1.019A    | ----               | 1.223         | -               | 0.242                    | .2381 | ----          | ----                     | ----              | ----              | 10               | UNCH |  |      |
| 7075           | ----                 | ----         |                 | ----/1.075A            | 1.389B/1.075A    | ----               | 1.291         | -               | 0.248                    | .2484 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 7100           | 1.155                | 1.155        |                 | 1.466B/1.131A          | 1.466B/1.131A    | ----               | 1.362         | -               | 0.253                    | .2591 | ----          | 45                       | ----              | ----              | 77               | -    |  |      |
| 7125           | ----                 | ----         |                 | ----/1.193A            | 1.546B/1.193A    | ----               | 1.437         | -               | 0.257                    | .2700 | ----          | ----                     | ----              | ----              | 13               | UNCH |  |      |
| 7150           | ----                 | ----         |                 | ----/1.254A            | 1.630B/1.254A    | ----               | 1.515         | -               | 0.262                    | .2811 | ----          | 23                       | ----              | ----              | 180              | +    |  |      |
| 7175           | ----                 | ----         |                 | ----/1.316A            | 1.717B/1.316A    | ----               | 1.596         | -               | 0.267                    | .2924 | ----          | ----                     | ----              | ----              | 33               | UNCH |  |      |
| 7200           | 1.650                | 1.650        |                 | 1.814B/1.388A          | 1.814B/1.388A    | ----               | 1.681         | -               | 0.270                    | .3039 | ----          | 10                       | ----              | ----              | 169              | UNCH |  |      |
| 7225           | ----                 | ----         |                 | ----/1.454A            | 1.900B/1.454A    | ----               | 1.769         | -               | 0.274                    | .3156 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 7250           | 1.777                | 1.777        |                 | 1.996B/1.528           | 1.996B/1.528     | ----               | 1.861         | -               | 0.278                    | .3275 | ----          | 11                       | ----              | ----              | 193              | -    |  |      |
| 7275           | ----                 | ----         |                 | ----/1.605A            | 2.097B/1.605A    | ----               | 1.956         | -               | 0.281                    | .3395 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 7300           | 1.957                | 1.957        |                 | 1.957/1.685A           | 2.217B/1.685A    | ----               | 2.055         | -               | 0.284                    | .3516 | ----          | 9                        | ----              | ----              | 82               | +    |  |      |
| 7325           | ----                 | ----         |                 | ----/1.768A            | 2.309B/1.768A    | ----               | 2.157         | -               | 0.287                    | .3638 | ----          | ----                     | ----              | ----              | 14               | UNCH |  |      |
| 7350           | 2.013                | 2.013        |                 | 2.420B/1.856A          | 2.420B/1.856A    | ----               | 2.262         | -               | 0.291                    | .3762 | ----          | 1                        | ----              | ----              | 11               | +    |  |      |
| 7375           | ----                 | ----         |                 | ----/1.945A            | 2.538B/1.945A    | ----               | 2.371         | -               | 0.293                    | .3886 | ----          | ----                     | ----              | ----              | 121              | -    |  |      |
| 7400           | 2.610                | 2.610        |                 | 2.680/2.038A           | 2.680/2.038A     | ----               | 2.483         | -               | 0.297                    | .4010 | ----          | 13                       | ----              | ----              | 138              | -    |  |      |
| 7425           | 2.300                | 2.300        |                 | 2.777B/2.136A          | 2.777B/2.136A    | ----               | 2.598         | -               | 0.300                    | .4135 | ----          | 4                        | ----              | ----              | 29               | +    |  |      |
| 7450           | ----                 | ----         |                 | ----/2.233A            | 2.906B/2.233A    | ----               | 2.716         | -               | 0.304                    | .4260 | ----          | ----                     | ----              | ----              | 95               | UNCH |  |      |
| 7475           | ----                 | ----         |                 | ----/2.338A            | 3.035B/2.338A    | ----               | 2.838         | -               | 0.307                    | .4385 | ----          | ----                     | ----              | ----              | 13               | UNCH |  |      |
| 7500           | 3.146                | 3.146        |                 | 3.146/2.443A           | 3.168B/2.443A    | ----               | 2.963         | -               | 0.310                    | .4511 | ----          | 16                       | ----              | ----              | 217              | +    |  |      |
| 7525           | ----                 | ----         |                 | ----/2.553A            | 3.302B/2.553A    | ----               | 3.091         | -               | 0.314                    | .4636 | ----          | ----                     | ----              | ----              | 26               | UNCH |  |      |
| 7550           | 3.120                | 3.120        |                 | 3.441B/2.663A          | 3.441B/2.663A    | ----               | 3.221         | -               | 0.319                    | .4761 | ----          | 1                        | ----              | ----              | 37               | +    |  |      |
| 7575           | 3.240                | 3.240        |                 | 3.588/2.779A           | 3.588/2.779A     | ----               | 3.355         | -               | 0.323                    | .4885 | ----          | 3                        | ----              | ----              | 28               | UNCH |  |      |
| 7600           | 3.440                | 3.440        |                 | 3.729B/2.901A          | 3.729B/2.901A    | ----               | 3.492         | -               | 0.327                    | .5009 | ----          | 3                        | ----              | ----              | 46               | UNCH |  |      |
| 7625           | 3.570                | 3.570        |                 | 3.878B/3.024A          | 3.878B/3.024A    | ----               | 3.632         | -               | 0.332                    | .5132 | ----          | 5                        | ----              | ----              | 39               | +    |  |      |
| 7650           | 3.717                | 3.717        |                 | 4.030B/3.150A          | 4.030B/3.150A    | ----               | 3.777         | -               | 0.334                    | .5254 | ----          | 2                        | ----              | ----              | 69               | +    |  |      |
| 7675           | 3.849                | 3.849        |                 | 4.186B/3.271           | 4.186B/3.271     | ----               | 3.925         | -               | 0.337                    | .5375 | ----          | 2                        | ----              | ----              | 38               | +    |  |      |
| 7700           | 3.710                | 3.710        |                 | 4.344B/3.405A          | 4.344B/3.405A    | ----               | 4.077         | -               | 0.339                    | .5495 | ----          | 10                       | ----              | ----              | 241              | +    |  |      |
| 7725           | 3.526                | 3.526        |                 | 4.505B/3.526           | 4.505B/3.526     | ----               | 4.232         | -               | 0.340                    | .5613 | ----          | 1                        | ----              | ----              | 36               | +    |  |      |
| 7750           | 3.663                | 3.663        |                 | 4.650B/3.663           | 4.650B/3.663     | ----               | 4.390         | -               | 0.342                    | .5730 | ----          | 1                        | ----              | ----              | 25               | +    |  |      |
| 7775           | 3.805                | 3.805        |                 | 4.806B/3.805           | 4.806B/3.805     | ----               | 4.551         | -               | 0.343                    | .5845 | ----          | 2                        | ----              | ----              | 6                | +    |  |      |
| 7800           | 3.943                | 3.943        |                 | 4.982B/3.943           | 4.982B/3.943     | ----               | 4.716         | -               | 0.343                    | .5958 | ----          | 5                        | ----              | ----              | 107              | -    |  |      |
| 7825           | ----                 | ----         |                 | ----/4.121A            | 5.142B/4.121A    | ----               | 4.883         | -               | 0.344                    | .6070 | ----          | ----                     | ----              | ----              | 27               | UNCH |  |      |
| 7850           | ----                 | ----         |                 | ----/4.266A            | 5.316B/4.266A    | ----               | 5.052         | -               | 0.346                    | .6180 | ----          | ----                     | ----              | ----              | 35               | UNCH |  |      |
| 7875           | ----                 | ----         |                 | ----/4.420A            | 5.496B/4.420A    | ----               | 5.225         | -               | 0.346                    | .6288 | ----          | ----                     | ----              | ----              | 26               | UNCH |  |      |
| 7900           | ----                 | ----         |                 | ----/4.584A            | 5.675B/4.584A    | ----               | 5.400         | -               | 0.346                    | .6393 | ----          | ----                     | ----              | ----              | 30               | UNCH |  |      |
| 7925           | ----                 | ----         |                 | ----/4.785A            | 5.855B/4.785A    | ----               | 5.578         | -               | 0.347                    | .6497 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 7950           | ----                 | ----         |                 | ----/4.951A            | 6.040B/4.951A    | ----               | 5.759         | -               | 0.346                    | .6599 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 7975           | ----                 | ----         |                 | ----/5.117A            | 6.228B/5.117A    | ----               | 5.942         | -               | 0.346                    | .6698 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 8000           | 6.200                | 6.200        |                 | 6.418B/5.269A          | 6.418B/5.269A    | ----               | 6.127         | -               | 0.346                    | .6796 | ----          | 2                        | ----              | ----              | 273              | -    |  |      |
| 8050           | ----                 | ----         |                 | ----/5.628A            | 6.806B/5.628A    | ----               | 6.505         | -               | 0.346                    | .6984 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8075           | ----                 | ----         |                 | ----/5.805A            | 7.003B/5.805A    | ----               | 6.697         | -               | 0.345                    | .7075 | ----          | ----                     | ----              | ----              | 10               | UNCH |  |      |
| 8100           | ----                 | ----         |                 | ----/5.983A            | 7.204B/5.983A    | ----               | 6.891         | -               | 0.345                    | .7163 | ----          | ----                     | ----              | ----              | 48               | UNCH |  |      |
| 8125           | ----                 | ----         |                 | ----/6.170A            | 7.402B/6.170A    | ----               | 7.088         | -               | 0.344                    | .7250 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 8150           | ----                 | ----         |                 | ----/6.352A            | 7.605B/6.352A    | ----               | 7.286         | -               | 0.344                    | .7334 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 8175           | ----                 | ----         |                 | ----/6.538A            | 7.810B/6.538A    | ----               | 7.487         | -               | 0.343                    | .7415 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8200           | ----                 | ----         |                 | ----/6.728A            | 8.016B/6.728A    | ----               | 7.689         | -               | 0.343                    | .7495 | ----          | ----                     | ----              | ----              | 23               | UNCH |  |      |
| 8225           | ----                 | ----         |                 | ----/6.917A            | 8.224B/6.917A    | ----               | 7.894         | -               | 0.341                    | .7573 | ----          | ----                     | ----              | ----              | 17               | UNCH |  |      |
| 8250           | ----                 | ----         |                 | ----/7.107A            | 8.434B/7.107A    | ----               | 8.100         | -               | 0.340                    | .7648 | ----          | ----                     | ----              | ----              | 90               | UNCH |  |      |
| 8275           | ----                 | ----         |                 | ----/7.305A            | 8.646B/7.305A    | ----               | 8.308         | -               | 0.339                    | .7720 | ----          | ----                     | ----              | ----              | 15               | UNCH |  |      |
| 8300           | ----                 | ----         |                 | 8.860B/7.499A          | 8.860B/7.499A    | ----               | 8.518         | -               | 0.338                    | .7790 | ----          | ----                     | ----              | ----              | 130              | UNCH |  |      |
| 8325           | ----                 | ----         |                 | 9.073B/7.699A          | 9.073B/7.699A    | ----               | 8.729         | -               | 0.337                    | .7860 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8350           | ----                 | ----         |                 | 9.289B/7.903A          | 9.289B/7.903A    | ----               | 8.942         | -               | 0.335                    | .7925 | ----          | ----                     | ----              | ----              | 20               | UNCH |  |      |
| 8375           | ----                 | ----         |                 | 9.506B/8.102A          | 9.506B/8.102A    | ----               | 9.156         | -               | 0.335                    | .7989 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8400           | ----                 | ----         |                 | 9.725B/8.306A          | 9.725B/8.306A    | ----               | 9.372         | -               | 0.333                    | .8052 | ----          | ----                     | ----              | ----              | 13               | UNCH |  |      |
| 8425           | ----                 | ----         |                 | 9.945B/8.512A          | 9.945B/8.512A    | ----               | 9.589         | -               | 0.332                    | .8111 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8450           | ----                 | ----         |                 | 10.166B/8.719A         | 10.166B/8.719A   | ----               | 9.808         | -               | 0.330                    | .8169 | ----          | ----                     | ----              | ----              | 33               | UNCH |  |      |
| 8475           | ----                 | ----         |                 | 10.388B/8.929A         | 10.388B/8.929A   | ----               | 10.028        | -               | 0.329                    | .8226 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8500           | ----                 | ----         |                 | 10.612B/9.139A         | 10.612B/9.139A   | ----               | 10.249        | -               | 0.327                    | .8280 | ----          | ----                     | ----              | ----              | 168              | UNCH |  |      |
| 8525           | ----                 | ----         |                 | 10.836B/9.352A         | 10.836B/9.352A   | ----               | 10.472        | -               | 0.325                    | .8333 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8550           | ----                 | ----         |                 | 11.062B/9.568A         | 11.062B/9.568A   | ----               | 10.695        | -               | 0.324                    | .8384 | ----          | ----                     | ----              | ----              | 37               | UNCH |  |      |
| 8575           | ----                 | ----         |                 | 11.288B/9.784A         | 11.288B/9.784A   | ----               | 10.920        | -               | 0.322                    | .8432 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8600           | ----                 | ----         |                 | 11.516B/9.999A         | 11.516B/9.999A   | ----               | 11.145        | -               | 0.321                    | .8480 | ----          | ----                     | ----              | ----              | 75               | UNCH |  |      |
| 8625           | ----                 | ----         |                 | 11.745B/10.218A        | 11.745B/10.218A  | ----               | 11.372        | -               | 0.320                    | .8525 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 8650           | ----                 | ----         |                 | 11.976B/10.437A        | 11.976B/10.437A  | ----               | 11.600        | -               | 0.318                    | .8569 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8675           | ----                 | ----         |                 | 12.202B/10.657A        | 12.202B/10.657A  | ----               | 11.828        | -               | 0.317                    | .8611 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8700           | ----                 | ----         |                 | 12.433B/10.878A        | 12.433B/10.878A  | ----               | 12.058        | -               | 0.315                    | .8652 | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |
| 8725           | ----                 | ----         |                 | 12.671B/11.100A        | 12.671B/11.100A  | ----               | 12.288        | -               | 0.314                    | .8691 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8800           | ----                 | ----         |                 | 13.366B/11.774A        | 13.366B/11.774A  | ----               | 12.983        | -               | 0.310                    | .8802 | ----          | ----                     | ----              | ----              | 59               | UNCH |  |      |
| 8850           | ----                 | ----         |                 | 13.839B/12.227A        | 13.839B/12.227A  | ----               | 13.450        | -               | 0.308                    | .8869 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8900           | ----                 | ----         |                 | 14.311B/12.684A        | 14.311B/12.684A  | ----               | 13.919        | -               | 0.306                    | .8931 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 8975           | ----                 | ----         |                 | 15.018B/13.375A        | 15.018B/13.375A  | ----               | 14.627        | -               | 0.303                    | .9018 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 9000           | ----                 | ----         |                 | 15.261B/13.607A        | 15.261B/13.607A  | ----               | 14.864        | -               | 0.303                    | .9045 | ----          | ----                     | ----              | ----              | 320              | UNCH |  |      |
| 9025           | ----                 | ----         |                 | 15.499B/13.840A        | 15.499B/13.840A  | ----               | 15.102        | -               | 0.302                    | .9071 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9175           | ----                 | ----         |                 | 16.939B/15.252A        | 16.939B/15.252A  | ----               | 16.536        | -               | 0.298                    | .9209 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9200           | ----                 | ----         |                 | 17.181B/15.489A        | 17.181B/15.489A  | ----               | 16.776        | -               | 0.298                    | .9229 | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |
| 9250           | ----                 | ----         |                 | 17.664B/15.962A        | 17.664B/15.962A  | ----               | 17.258        | -               | 0.297                    | .9268 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9275           | ----                 | ----         |                 | 17.906B/16.200A        | 17.906B/16.200A  | ----               | 17.499        | -               | 0.297                    | .9288 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9300           | ----                 | ----         |                 | 18.144B/16.433A        | 18.144B/16.433A  | ----               | 17.741        | -               | 0.296                    | .9305 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 9400           | ----                 | ----         |                 | 19.116B/17.390A        | 19.116B/17.390A  | ----               | 18.710        | -               | 0.296                    | .9371 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9450           | ----                 | ----         |                 | 19.604B/17.871A        | 19.604B/17.871A  | ----               | 19.195        | -               | 0.296                    | .9400 | ----          | ----                     | ----              | ----              | 12               | UNCH |  |      |
| 9500           | ----                 | ----         |                 | 20.092B/18.353A        | 20.092B/18.353A  | ----               | 19.682        | -               | 0.296                    | .9429 | ----          | ----                     | ----              | ----              | 217              | UNCH |  |      |
| 9600           | ----                 | ----         |                 | 21.071B/19.321A        | 21.071B/19.321A  | ----               | 20.659        | -               | 0.295                    | .9479 | ----          | ----                     | ----              | ----              | 50               | UNCH |  |      |
| 9775           | ----                 | ----         |                 | 22.794B/21.033A        | 22.794B/21.033A  | ----               | 22.374        | -               | 0.296                    | .9554 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 9900           | ----                 | ----         |                 | 24.025B/22.255A        | 24.025B/22.255A  | ----               | 23.603        | -               | 0.296                    | .9597 | ----          | ----                     | ----              | ----              | 6                | UNCH |  |      |
| 9950           | ----                 | ----         |                 | 24.518B/22.745A        | 24.518B/22.745A  | ----               | 24.095        | -               | 0.297                    | .9615 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 10000          | ----                 | ----         |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |

| BULLETIN #104@ |                      |                              |                    | METALS OPTION PRODUCTS     |                               |                          |         |               | Tue, Jun 02, 2026        |                   |               | PG64             |      |     |
|----------------|----------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|---------|---------------|--------------------------|-------------------|---------------|------------------|------|-----|
|                | GLOBEX<br>OPEN       | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |     |
| SO PUT         | COMEX SILVER OPTIONS |                              |                    |                            |                               |                          |         |               |                          |                   |               |                  |      |     |
| AUG26          |                      |                              |                    |                            |                               |                          |         |               |                          |                   |               |                  |      |     |
| 6125           | ----                 | ----                         | ----/*0.568A       | 0.599B/*0.568A             | ----                          | 0.598                    | - 0.114 | .0888         | ----                     | ----              | ----          | 5                | UNCH |     |
| 6150           | ----                 | ----                         | ----/*0.591A       | 0.623B/*0.591A             | ----                          | 0.623                    | - 0.117 | .0921         | ----                     | 11                | ----          | 40               | +    | 11  |
| 6175           | ----                 | ----                         | ----/*0.603A       | 0.653B/*0.603A             | ----                          | 0.648                    | - 0.121 | .0955         | ----                     | ----              | ----          | 17               | UNCH |     |
| 6200           | ----                 | ----                         | ----/*0.632A       | 0.679B/*0.632A             | ----                          | 0.675                    | - 0.124 | .0990         | ----                     | ----              | ----          | 133              | UNCH |     |
| 6225           | ----                 | ----                         | ----/*0.654A       | 0.709B/*0.654A             | ----                          | 0.703                    | - 0.127 | .1027         | ----                     | ----              | ----          | 10               | UNCH |     |
| 6250           | ----                 | ----                         | ----/*0.684A       | 0.741B/*0.684A             | ----                          | 0.732                    | - 0.131 | .1064         | ----                     | 1                 | ----          | 113              | UNCH |     |
| 6275           | ----                 | ----                         | ----/*0.707A       | 0.765B/*0.707A             | ----                          | 0.763                    | - 0.134 | .1104         | ----                     | ----              | ----          | 2                | UNCH |     |
| 6300           | 0.735                | 0.735                        | 0.808B/*0.735      | 0.808B/*0.735              | ----                          | 0.795                    | - 0.137 | .1144         | ----                     | 1                 | ----          | 158              | +    | 1   |
| 6325           | ----                 | ----                         | ----/*0.767A       | 0.833B/*0.767A             | ----                          | 0.828                    | - 0.140 | .1185         | ----                     | ----              | ----          | 1                | UNCH |     |
| 6350           | ----                 | ----                         | ----/*0.799A       | 0.876B/*0.799A             | ----                          | 0.862                    | - 0.144 | .1228         | ----                     | 5                 | ----          | 39               | +    | 5   |
| 6375           | ----                 | ----                         | ----/*0.832A       | 0.907B/*0.832A             | ----                          | 0.898                    | - 0.148 | .1272         | ----                     | ----              | ----          | 1                | UNCH |     |
| 6400           | ----                 | ----                         | ----/*0.867A       | 0.944B/*0.867A             | ----                          | 0.935                    | - 0.151 | .1317         | ----                     | ----              | ----          | 97               | UNCH |     |
| 6425           | ----                 | ----                         | ----/*0.903A       | 0.989B/*0.903A             | ----                          | 0.974                    | - 0.155 | .1363         | ----                     | ----              | ----          | 9                | UNCH |     |
| 6450           | ----                 | ----                         | ----/*0.940A       | 1.039B/*0.940A             | ----                          | 1.014                    | - 0.159 | .1411         | ----                     | 5                 | ----          | 43               | +    | 5   |
| 6475           | ----                 | ----                         | ----/*0.978A       | 1.076B/*0.978A             | ----                          | 1.056                    | - 0.162 | .1460         | ----                     | ----              | ----          | 1                | UNCH |     |
| 6500           | 1.010                | 1.010                        | 1.125B/*1.009A     | 1.125B/*1.009A             | ----                          | 1.099                    | - 0.167 | .1510         | ----                     | 3                 | ----          | 174              | +    | 3   |
| 6525           | ----                 | ----                         | ----/*1.060A       | 1.168B/*1.060A             | ----                          | 1.144                    | - 0.171 | .1562         | ----                     | ----              | ----          | 1                | UNCH |     |
| 6550           | ----                 | ----                         | ----/*1.099A       | 1.225B/*1.099A             | ----                          | 1.191                    | - 0.175 | .1615         | ----                     | ----              | ----          | 3                | UNCH |     |
| 6575           | ----                 | ----                         | ----/*1.146A       | 1.273B/*1.146A             | ----                          | 1.240                    | - 0.178 | .1669         | ----                     | 1                 | ----          | 51               | UNCH |     |
| 6600           | 1.197                | 1.197                        | 1.331B/*1.165A     | 1.331B/*1.165A             | ----                          | 1.290                    | - 0.183 | .1724         | ----                     | 4                 | ----          | 130              | +    | 3   |
| 6625           | ----                 | ----                         | ----/*1.242A       | 1.380B/*1.242A             | ----                          | 1.342                    | - 0.187 | .1781         | ----                     | 1                 | ----          | 3                | +    | 1   |
| 6650           | 1.415                | 1.415                        | 1.415/*1.259A      | 1.442B/*1.259A             | ----                          | 1.397                    | - 0.191 | .1839         | ----                     | 5                 | ----          | 15               | +    | 4   |
| 6675           | ----                 | ----                         | ----/*1.335A       | 1.499B/*1.335A             | ----                          | 1.453                    | - 0.196 | .1899         | ----                     | ----              | ----          | 1                | UNCH |     |
| 6700           | 1.450                | 1.450                        | 1.563B/*1.359A     | 1.563B/*1.359A             | ----                          | 1.511                    | - 0.200 | .1959         | ----                     | 42                | ----          | 55               | +    | 28  |
| 6725           | ----                 | ----                         | ----/*1.444A       | 1.624B/*1.444A             | ----                          | 1.571                    | - 0.204 | .2021         | ----                     | ----              | ----          | 11               | UNCH |     |
| 6750           | ----                 | ----                         | ----/*1.468A       | 1.694B/*1.468A             | ----                          | 1.633                    | - 0.207 | .2083         | ----                     | ----              | ----          | 11               | UNCH |     |
| 6775           | ----                 | ----                         | ----/1.552A        | 1.762B/*1.552A             | ----                          | 1.698                    | - 0.208 | .2148         | ----                     | ----              | ----          | 16               | UNCH |     |
| 6800           | 1.643                | 1.643                        | 1.823B/*1.582A     | 1.823B/*1.582A             | ----                          | 1.764                    | - 0.211 | .2213         | ----                     | 4                 | ----          | 165              | UNCH |     |
| 6825           | ----                 | ----                         | ----/1.681A        | 1.902B/*1.681A             | ----                          | 1.833                    | - 0.213 | .2279         | ----                     | ----              | ----          | 10               | UNCH |     |
| 6850           | ----                 | ----                         | ----/1.705A        | 1.979B/*1.705A             | ----                          | 1.905                    | - 0.216 | .2347         | ----                     | ----              | ----          | 2                | UNCH |     |
| 6875           | 1.817                | 1.817                        | 2.057B/*1.806A     | 2.057B/*1.806A             | ----                          | 1.979                    | - 0.219 | .2416         | ----                     | 129               | ----          | 130              | +    | 128 |
| 6900           | ----                 | ----                         | ----/1.841A        | 2.134B/*1.841A             | ----                          | 2.055                    | - 0.222 | .2485         | ----                     | ----              | ----          | 22               | UNCH |     |
| 6925           | ----                 | ----                         | ----/1.939A        | 2.214B/*1.939A             | ----                          | 2.134                    | - 0.225 | .2556         | ----                     | ----              | ----          | 1                | UNCH |     |
| 6950           | ----                 | ----                         | ----/1.987A        | 2.296B/*1.987A             | ----                          | 2.215                    | - 0.227 | .2628         | ----                     | ----              | ----          | 32               | UNCH |     |
| 6975           | ----                 | ----                         | ----/2.082A        | 2.388B/*2.082A             | ----                          | 2.299                    | - 0.229 | .2700         | ----                     | ----              | ----          | 9                | UNCH |     |
| 7000           | 2.350                | 2.350                        | 2.482B/*2.128A     | 2.482B/*2.128A             | ----                          | 2.386                    | - 0.230 | .2774         | ----                     | 3                 | ----          | 408              | -    | 3   |
| 7025           | ----                 | ----                         | ----/2.234A        | 2.566B/*2.234A             | ----                          | 2.475                    | - 0.232 | .2848         | ----                     | ----              | ----          | 1                | UNCH |     |
| 7050           | ----                 | ----                         | ----/2.301A        | 2.662B/*2.301A             | ----                          | 2.567                    | - 0.232 | .2923         | ----                     | ----              | ----          | 14               | UNCH |     |
| 7075           | ----                 | ----                         | ----/2.393A        | 2.756B/*2.393A             | ----                          | 2.661                    | - 0.233 | .2998         | ----                     | ----              | ----          | 12               | UNCH |     |
| 7100           | ----                 | ----                         | ----/2.466A        | 2.860B/*2.466A             | ----                          | 2.757                    | - 0.234 | .3074         | ----                     | 1                 | ----          | 23               | UNCH |     |
| 7125           | ----                 | ----                         | ----/2.561A        | 2.956B/*2.561A             | ----                          | 2.856                    | - 0.234 | .3150         | ----                     | ----              | ----          | 20               | UNCH |     |
| 7150           | ----                 | ----                         | ----/2.644A        | 3.062B/*2.644A             | ----                          | 2.958                    | - 0.234 | .3227         | ----                     | ----              | ----          | 5                | UNCH |     |
| 7175           | ----                 | ----                         | ----/2.739A        | 3.162B/*2.739A             | ----                          | 3.061                    | - 0.235 | .3304         | ----                     | 1                 | ----          | 10               | UNCH |     |
| 7200           | ----                 | ----                         | ----/2.808A        | 3.289B/*2.808A             | ----                          | 3.168                    | - 0.234 | .3381         | ----                     | ----              | ----          | 106              | UNCH |     |
| 7225           | ----                 | ----                         | ----/2.927A        | 3.389B/*2.927A             | ----                          | 3.276                    | - 0.235 | .3459         | ----                     | ----              | ----          | 11               | UNCH |     |
| 7250           | 3.115                | 3.115                        | 3.501B/*3.010A     | 3.501B/*3.010A             | ----                          | 3.387                    | - 0.235 | .3537         | ----                     | 16                | ----          | 40               | +    | 5   |
| 7275           | ----                 | ----                         | ----/3.124A        | 3.605B/*3.124A             | ----                          | 3.500                    | - 0.235 | .3615         | ----                     | ----              | ----          | 10               | UNCH |     |
| 7300           | ----                 | ----                         | ----/3.201A        | 3.733B/*3.201A             | ----                          | 3.616                    | - 0.234 | .3693         | ----                     | ----              | ----          | 110              | UNCH |     |
| 7325           | 3.327                | 3.327                        | 3.824B/*3.326      | 3.824B/*3.326              | ----                          | 3.733                    | - 0.235 | .3771         | ----                     | 2                 | ----          | 2                | +    | 1   |
| 7350           | ----                 | ----                         | ----/3.431A        | 3.973B/*3.431A             | ----                          | 3.853                    | - 0.236 | .3849         | ----                     | 5                 | ----          | 16               | +    | 5   |
| 7375           | 3.561                | 3.561                        | 4.101B/*3.544A     | 4.101B/*3.544A             | ----                          | 3.975                    | - NEW   | .3927         | ----                     | 1                 | ----          | 1                | +    | 1   |
| 7400           | 3.666                | 3.666                        | 4.211B/*3.647A     | 4.211B/*3.647A             | ----                          | 4.099                    | - 0.237 | .4005         | ----                     | 6                 | ----          | 31               | +    | 5   |
| 7425           | 3.774                | 3.774                        | 4.357B/*3.769A     | 4.357B/*3.769A             | ----                          | 4.225                    | - 0.238 | .4083         | ----                     | 1                 | ----          | 2                | UNCH |     |
| 7450           | 3.884                | 3.884                        | 4.489B/*3.880A     | 4.489B/*3.880A             | ----                          | 4.354                    | - 0.238 | .4161         | ----                     | 1                 | ----          | 1                | UNCH |     |
| 7475           | ----                 | ----                         | ----/4.001A        | 4.598B/*4.001A             | ----                          | 4.484                    | - 0.240 | .4238         | ----                     | ----              | ----          | 6                | UNCH |     |
| 7500           | ----                 | ----                         | ----/4.095A        | 4.761B/*4.095A             | ----                          | 4.616                    | - 0.242 | .4316         | ----                     | 5                 | ----          | 112              | +    | 5   |
| 7525           | ----                 | ----                         | ----/4.244A        | 4.871B/*4.244A             | ----                          | 4.750                    | - 0.245 | .4393         | ----                     | ----              | ----          | 11               | UNCH |     |
| 7550           | ----                 | ----                         | ----/4.364A        | 5.013B/*4.364A             | ----                          | 4.886                    | - 0.247 | .4470         | ----                     | ----              | ----          | 18               | UNCH |     |
| 7575           | ----                 | ----                         | ----/4.494A        | 5.178B/*4.494A             | ----                          | 5.024                    | - 0.250 | .4546         | ----                     | ----              | ----          | 2                | UNCH |     |
| 7600           | 5.420                | 5.420                        | 5.420/*4.622A      | 5.420/*4.622A              | ----                          | 5.164                    | - 0.253 | .4622         | ----                     | 1                 | ----          | 7                | UNCH |     |
| 7625           | ----                 | ----                         | ----/4.753A        | 5.463B/*4.753A             | ----                          | 5.306                    | - 0.256 | .4698         | ----                     | ----              | ----          | 16               | UNCH |     |
| 7650           | ----                 | ----                         | ----/4.874A        | 5.619B/*4.874A             | ----                          | 5.449                    | - 0.261 | .4773         | ----                     | ----              | ----          | 32               | UNCH |     |
| 7675           | ----                 | ----                         | ----/5.011A        | 5.761B/*5.011A             | ----                          | 5.595                    | - 0.264 | .4848         | ----                     | ----              | ----          | 44               | UNCH |     |
| 7700           | 6.012                | 6.012                        | 6.012/*5.141A      | 6.012/*5.141A              | ----                          | 5.742                    | - 0.268 | .4923         | ----                     | 1                 | ----          | 163              | UNCH |     |
| 7725           | ----                 | ----                         | ----/5.275A        | 6.083B/*5.275A             | ----                          | 5.891                    | - 0.272 | .4997         | ----                     | ----              | ----          | 56               | UNCH |     |
| 7750           | ----                 | ----                         | ----/5.432A        | 6.239B/*5.432A             | ----                          | 6.042                    | - 0.276 | .5070         | ----                     | ----              | ----          | 1                | UNCH |     |
| 7775           | ----                 | ----                         | ----/5.574A        | 6.395B/*5.574A             | ----                          | 6.195                    | - 0.280 | .5143         | ----                     | ----              | ----          | 1                | UNCH |     |
| 7800           | ----                 | ----                         | ----/5.715A        | 6.560B/*5.715A             | ----                          | 6.351                    | - 0.282 | .5215         | ----                     | ----              | ----          | 28               | UNCH |     |
| 7825           | ----                 | ----                         | ----/5.862A        | 6.718B/*5.862A             | ----                          | 6.508                    | - 0.285 | .5287         | ----                     | ----              | ----          | 1                | UNCH |     |
| 7850           | ----                 | ----                         | ----/6.025A        | 6.883B/*6.025A             | ----                          | 6.667                    | - 0.287 | .5358         | ----                     | ----              | ----          | 18               | UNCH |     |
| 7875           | ----                 | ----                         | ----/6.180A        | 7.048B/*6.180A             | ----                          | 6.828                    | - 0.289 | .5428         | ----                     | ----              | ----          | 1                | UNCH |     |
| 7900           | 6.311                | 6.311                        | 7.219B/*6.311      | 7.219B/*6.311              | ----                          | 6.991                    | - 0.290 | .5498         | ----                     | 1                 | ----          | 11               | +    | 1   |
| 7925           | ----                 | ----                         | ----/6.479A        | 7.385B/*6.479A             | ----                          | 7.156                    | - 0.291 | .5567         | ----                     | ----              | ----          | 2                | UNCH |     |
| 7950           | ----                 | ----                         | ----/6.611A        | 7.565B/*6.611A             | ----                          | 7.322                    | - 0.293 | .5635         | ----                     | ----              | ----          | 61               | UNCH |     |
| 7975           | ----                 | ----                         | ----/6.790A        | 7.706B/*6.790A             | ----                          | 7.491                    | - 0.292 | .5703         | ----                     | ----              | ----          | 2                | UNCH |     |
| 8000           | ----                 | ----                         | ----/6.925A        | 7.909B/*6.925A             | ----                          | 7.662                    | - 0.292 | .5770         | ----                     | ----              | ----          | 295              | UNCH |     |
| 8025           | ----                 | ----                         | ----/7.126A        | 8.055B/*7.126A             | ----                          | 7.834                    | - 0.292 | .5836         | ----                     | ----              | ----          | 1                | UNCH |     |
| 8050           | 7.620                | 7.620                        | 8.251B/*7.275A     | 8.251B/*7.275A             | ----                          | 8.008                    | - NEW   | .5900         | ----                     | 1                 | ----          | 1                | +    | 1   |
| 8100           | ----                 | ----                         | ----/7.607A        | 8.589B/*7.607A             | ----                          | 8.361                    | - 0.289 | .6028         | ----                     | ----              | ----          | 10               | UNCH |     |
| 8125           | ----                 | ----                         | ----/7.775A        | 8.773B/*7.775A             | ----                          | 8.540                    | - 0.288 | .6091         | ----                     | ----              | ----          | 1                | UNCH |     |
| 8150           | ----                 | ----                         | ----/7.944A        | 8.951B/*7.944A             | ----                          | 8.721                    | - 0.286 | .6153         | ----                     | ----              | ----          | 14               | UNCH |     |
| 8175           | ----                 | ----                         | ----/8.116A        | 9.052B/*8.116A             | ----                          | 8.904                    | - 0.284 | .6214         | ----                     | ----              | ----          | 1                | UNCH |     |
| 8200           | ----                 | ----                         | ----/8.288A        | 9.253B/*8.288A             | ----                          | 9.088                    | - 0.282 | .6274         | ----                     | ----              | ----          | 10               | UNCH |     |
| 8225           | ----                 | ----                         | ----/8.466A        | 9.503B/*8.466A             | ----                          | 9.273                    | - 0.281 | .6333         | ----                     | ----              | ----          | 4                | UNCH |     |
| 8250           | ----                 | ----                         | ----/8.638A        | 9.691B/*8.638A             | ----                          | 9.460                    | - 0.279 | .6391         | ----                     | ----              | ----          | 10               | UNCH |     |
| 8275           | ----                 | ----                         | ----/8.820A        | 9.884B/*8.820A             | ----                          | 9.649                    | - 0.276 | .6448         | ----                     | ----              | ----          | 5                | UNCH |     |
| 8300           | ----                 | ----                         | ----/9.002A        | 10.080B/*9.002A            | ----</                        |                          |         |               |                          |                   |               |                  |      |     |

| BULLETIN #104@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |                          |       |               | Tue, Jun 02, 2026        |                   |               |                  | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| SEP26          |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 6100           | ----                 | ----         | ----            | /*1.069A               | 0.942B/*1.069A   | ----            | ----            | 1.085 -                  | 0.122 | .1228         | ----                     | ----              | ----          | 4                | UNCH |
| 6200           | ----                 | ----         | ----            | /*1.215A               | 1.090B/*1.215A   | ----            | ----            | 1.242 -                  | 0.134 | .1379         | ----                     | ----              | ----          | 40               | UNCH |
| 6300           | ----                 | ----         | ----            | /*1.381A               | 1.301B/*1.381A   | ----            | ----            | 1.420 -                  | 0.146 | .1544         | ----                     | ----              | ----          | 5                | UNCH |
| 6400           | ----                 | ----         | ----            | /*1.542A               | 1.416B/*1.542A   | ----            | ----            | 1.621 -                  | 0.160 | .1722         | ----                     | ----              | ----          | 8                | UNCH |
| 6425           | ----                 | ----         | ----            | /*1.723A               | 1.468B/1.723A    | ----            | ----            | 1.675 -                  | 0.164 | .1769         | ----                     | ----              | ----          | 3                | UNCH |
| 6450           | ----                 | ----         | ----            | /1.781A                | 1.522B/1.781A    | ----            | ----            | 1.730 -                  | 0.168 | .1816         | ----                     | ----              | ----          | 1                | UNCH |
| 6500           | ----                 | ----         | ----            | /*1.786A               | 1.680B/*1.786A   | ----            | ----            | 1.847 -                  | 0.175 | .1914         | ----                     | ----              | ----          | 156              | UNCH |
| 6550           | ----                 | ----         | ----            | /2.003A                | 1.758B/2.003A    | ----            | ----            | 1.970 -                  | 0.183 | .2014         | ----                     | ----              | ----          | 15               | UNCH |
| 6700           | ----                 | ----         | ----            | /*2.393A               | 2.171B/*2.393A   | ----            | ----            | 2.385 -                  | 0.209 | .2336         | ----                     | ----              | ----          | 5                | UNCH |
| 6750           | ----                 | ----         | ----            | /*2.541A               | 2.323B/*2.541A   | ----            | ----            | 2.539 -                  | 0.217 | .2449         | ----                     | ----              | ----          | 1                | UNCH |
| 6800           | 2.610                | 2.610        |                 | 2.610/2.610            | 2.610/2.610      | ----            | ----            | 2.702 -                  | 0.224 | .2564         | ----                     | 1                 | ----          | 20               | +    |
| 6850           | ----                 | ----         | ----            | /*2.856A               | 2.651B/2.856A    | ----            | ----            | 2.872 -                  | 0.232 | .2682         | ----                     | ----              | ----          | 2                | UNCH |
| 6900           | ----                 | ----         | ----            | /3.024A                | 2.853B/3.024A    | ----            | ----            | 3.051 -                  | 0.238 | .2802         | ----                     | ----              | ----          | 24               | UNCH |
| 7000           | ----                 | ----         | ----            | /3.250A                | 3.630B/3.250A    | ----            | ----            | 3.436 -                  | 0.247 | .3046         | ----                     | ----              | ----          | 147              | UNCH |
| 7025           | ----                 | ----         | ----            | /3.483A                | 3.312B/3.483A    | ----            | ----            | 3.537 -                  | 0.250 | .3108         | ----                     | ----              | ----          | 1                | UNCH |
| 7100           | ----                 | ----         | ----            | /3.783A                | 3.654B/3.783A    | ----            | ----            | 3.855 -                  | 0.253 | .3296         | ----                     | 1                 | ----          | 18               | UNCH |
| 7125           | ----                 | ----         | ----            | /3.885A                | 3.727B/3.885A    | ----            | ----            | 3.965 -                  | 0.254 | .3359         | ----                     | ----              | ----          | 25               | UNCH |
| 7175           | ----                 | ----         | ----            | /4.098A                | 3.952B/4.098A    | ----            | ----            | 4.192 -                  | 0.254 | .3485         | ----                     | ----              | ----          | 20               | UNCH |
| 7200           | 3.963                | 3.963        |                 | 3.963/3.963            | 4.124B/3.963     | ----            | ----            | 4.308 -                  | 0.255 | .3548         | ----                     | 2                 | ----          | 77               | UNCH |
| 7300           | ----                 | ----         | ----            | /4.666A                | 4.610B/4.666A    | ----            | ----            | 4.795 -                  | 0.253 | .3801         | ----                     | ----              | ----          | 171              | UNCH |
| 7400           | ----                 | ----         | ----            | /5.156A                | 5.124B/5.156A    | ----            | ----            | 5.315 -                  | 0.248 | .4053         | ----                     | ----              | ----          | 26               | UNCH |
| 7500           | ----                 | ----         | ----            | /5.677A                | 5.651B/5.677A    | ----            | ----            | 5.865 -                  | 0.242 | .4301         | ----                     | ----              | ----          | 17               | UNCH |
| 7550           | ----                 | ----         | ----            | /5.960A                | 5.878B/5.960A    | ----            | ----            | 6.150 -                  | 0.239 | .4423         | ----                     | ----              | ----          | 44               | UNCH |
| 7600           | ----                 | ----         | ----            | /6.237A                | 6.219B/6.237A    | ----            | ----            | 6.443 -                  | 0.236 | .4545         | ----                     | ----              | ----          | 26               | UNCH |
| 7650           | ----                 | ----         | ----            | /6.518A                | 6.458B/6.518A    | ----            | ----            | 6.743 -                  | 0.232 | .4664         | ----                     | 15                | ----          | 20               | +    |
| 7700           | ----                 | ----         | ----            | /6.795A                | 6.815B/6.795A    | ----            | ----            | 7.049 -                  | 0.228 | .4782         | ----                     | ----              | ----          | 9                | UNCH |
| 7775           | ----                 | ----         | ----            | /7.256A                | 7.218B/7.256A    | ----            | ----            | 7.519 -                  | 0.225 | .4956         | ----                     | ----              | ----          | 5                | UNCH |
| 7800           | ----                 | ----         | ----            | /7.392A                | 7.438B/7.392A    | ----            | ----            | 7.679 -                  | 0.223 | .5013         | ----                     | ----              | ----          | 26               | UNCH |
| 7900           | ----                 | ----         | ----            | /8.000A                | 8.087B/8.000A    | ----            | ----            | 8.331 -                  | 0.220 | .5236         | ----                     | ----              | ----          | 1                | UNCH |
| 8000           | ----                 | ----         | ----            | /8.615A                | 8.762B/8.615A    | ----            | ----            | 9.005 -                  | 0.218 | .5452         | ----                     | ----              | ----          | 94               | UNCH |
| 8100           | ----                 | ----         | ----            | /9.266A                | 9.459B/9.266A    | ----            | ----            | 9.699 -                  | 0.219 | .5660         | ----                     | ----              | ----          | 1                | UNCH |
| 8200           | ----                 | ----         | ----            | /9.936A                | 10.083B/9.936A   | ----            | ----            | 10.413 -                 | 0.220 | .5860         | ----                     | ----              | ----          | 1                | UNCH |
| 8300           | ----                 | ----         | ----            | /10.617A               | 10.806B/10.617A  | ----            | ----            | 11.145 -                 | 0.223 | .6052         | ----                     | ----              | ----          | 1                | UNCH |
| 8400           | ----                 | ----         | ----            | /11.278A               | 11.551B/11.278A  | ----            | ----            | 11.894 -                 | 0.227 | .6235         | ----                     | ----              | ----          | 42               | UNCH |
| 8500           | ----                 | ----         | ----            | /12.242A               | 12.325B/12.242A  | ----            | ----            | 12.660 -                 | 0.231 | .6410         | ----                     | ----              | ----          | 228              | UNCH |
| 8700           | ----                 | ----         | ----            | /13.765A               | 13.960B/13.765A  | ----            | ----            | 14.239 -                 | 0.239 | .6735         | ----                     | ----              | ----          | 101              | UNCH |
| 9000           | ----                 | ----         | ----            | /15.923A               | 16.328B/15.923A  | ----            | ----            | 16.708 -                 | 0.250 | .7163         | ----                     | ----              | ----          | 74               | UNCH |
| 9300           | ----                 | ----         | ----            | /18.735A               | 18.876B/18.735A  | ----            | ----            | 19.269 -                 | 0.260 | .7529         | ----                     | ----              | ----          | 1                | UNCH |
| 9400           | ----                 | ----         | ----            | /19.603A               | 19.744B/19.603A  | ----            | ----            | 20.140 -                 | 0.262 | .7639         | ----                     | ----              | ----          | 15               | UNCH |
| 10150          | ----                 | ----         | ----            |                        | 18.806B/35.204A  | ----            | ----            | 26.834 -                 | 0.278 | .8333         | ----                     | ----              | ----          | 1                | UNCH |
| 10300          | ----                 | ----         | ----            |                        | 20.201B/36.739A  | ----            | ----            | 28.206 -                 | 0.280 | .8446         | ----                     | ----              | ----          | 1                | UNCH |
| 11000          | ----                 | ----         | ----            |                        | 26.375B/43.795A  | ----            | ----            | 34.791 -                 | 0.288 | .8834         | ----                     | ----              | ----          | 1                | UNCH |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          | 52                | 0             | 3125             | +    |
| OCT26          |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 2675           | ----                 | ----         | ----            | ----                   | ---/2.852A       | ----            | ----            | 0.047 -                  | 0.011 | .0038         | ----                     | ----              | ----          | 8                | UNCH |
| 3250           | ----                 | ----         | ----            |                        | 0.001B/0.500A    | 0.001B/0.500A   | ----            | 0.079 -                  | 0.019 | .0070         | ----                     | ----              | ----          | 1                | UNCH |
| 4000           | ----                 | ----         | ----            | /*0.175A               | 0.063B/*0.175A   | ----            | ----            | 0.143 -                  | 0.034 | .0142         | ----                     | ----              | ----          | 3                | UNCH |
| 4500           | ----                 | ----         | ----            | /*0.268A               | 0.143B/*0.268A   | ----            | ----            | 0.221 -                  | 0.052 | .0232         | ----                     | ----              | ----          | 3                | UNCH |
| 5000           | ----                 | ----         | ----            | /*0.434A               | 0.298B/*0.434A   | ----            | ----            | 0.374 -                  | 0.079 | .0399         | ----                     | ----              | ----          | 6                | UNCH |
| 5050           | ----                 | ----         | ----            | /*0.457A               | 0.321B/*0.457A   | ----            | ----            | 0.396 -                  | 0.083 | .0423         | ----                     | ----              | ----          | 1                | UNCH |
| 5150           | ----                 | ----         | ----            | /*0.506A               | 0.370B/*0.506A   | ----            | ----            | 0.445 -                  | 0.091 | .0474         | ----                     | ----              | ----          | 5                | UNCH |
| 6250           | 1.660                | 1.660        |                 | 1.741B/*1.660          | 1.741B/*1.660    | ----            | ----            | 1.779 -                  | NEW   | .1614         | ----                     | 5                 | ----          | 5                | +    |
| 6300           | ----                 | ----         | ----            | /*1.775A               | 1.851B/*1.775A   | ----            | ----            | 1.890 -                  | 0.143 | .1695         | ----                     | ----              | ----          | 15               | UNCH |
| 6400           | ----                 | ----         | ----            | /*1.993A               | 2.089B/*1.993A   | ----            | ----            | 2.127 -                  | NEW   | .1862         | ----                     | 5                 | ----          | 5                | +    |
| 6500           | ----                 | ----         | ----            | /*2.250A               | 2.349B/*2.250A   | ----            | ----            | 2.385 -                  | 0.170 | .2038         | ----                     | ----              | ----          | 174              | UNCH |
| 6625           | ----                 | ----         | ----            | /*2.600A               | 2.712B/*2.600A   | ----            | ----            | 2.740 -                  | 0.188 | .2269         | ----                     | ----              | ----          | 1                | UNCH |
| 6650           | ----                 | ----         | ----            | /*2.646A               | 2.791B/*2.646A   | ----            | ----            | 2.816 -                  | 0.191 | .2316         | ----                     | ----              | ----          | 36               | UNCH |
| 6700           | ----                 | ----         | ----            | /*2.819A               | 2.954B/*2.819A   | ----            | ----            | 2.973 -                  | 0.197 | .2413         | ----                     | ----              | ----          | 70               | UNCH |
| 6725           | ----                 | ----         | ----            | /*2.899A               | 3.036B/*2.899A   | ----            | ----            | 3.054 -                  | 0.199 | .2462         | ----                     | ----              | ----          | 1                | UNCH |
| 6750           | ----                 | ----         | ----            | /*2.970A               | 3.120B/*2.970A   | ----            | ----            | 3.136 -                  | 0.202 | .2512         | ----                     | ----              | ----          | 1                | UNCH |
| 6800           | ----                 | ----         | ----            | /*3.141A               | 3.297B/*3.141A   | ----            | ----            | 3.307 -                  | 0.207 | .2612         | ----                     | ----              | ----          | 2                | UNCH |
| 6850           | ----                 | ----         | ----            | /3.309A                | 3.480B/3.309A    | ----            | ----            | 3.486 -                  | 0.209 | .2714         | ----                     | ----              | ----          | 1                | UNCH |
| 7000           | ----                 | ----         | ----            | /3.833A                | 4.151B/3.833A    | ----            | ----            | 4.073 -                  | 0.209 | .3028         | ----                     | ----              | ----          | 89               | UNCH |
| 7025           | ----                 | ----         | ----            | /*3.969A               | 4.177B/3.969A    | ----            | ----            | 4.178 -                  | 0.208 | .3081         | ----                     | ----              | ----          | 1                | UNCH |
| 7050           | ----                 | ----         | ----            | /4.035A                | 4.282B/4.035A    | ----            | ----            | 4.286 -                  | 0.206 | .3135         | ----                     | 1                 | ----          | 1                | UNCH |
| 7075           | ----                 | ----         | ----            | /*4.168A               | 4.391B/4.168A    | ----            | ----            | 4.395 -                  | NEW   | .3188         | ----                     | 1                 | ----          | 1                | +    |
| 7225           | ----                 | ----         | ----            | /*4.815A               | 5.157B/4.815A    | ----            | ----            | 5.090 -                  | 0.197 | .3511         | ----                     | ----              | ----          | 87               | UNCH |
| 7300           | ----                 | ----         | ----            | /5.124A                | 5.443B/5.124A    | ----            | ----            | 5.460 -                  | 0.199 | .3672         | ----                     | ----              | ----          | 8                | UNCH |
| 7350           | ----                 | ----         | ----            | /5.369A                | 5.801B/5.369A    | ----            | ----            | 5.714 -                  | 0.202 | .3780         | ----                     | ----              | ----          | 1                | UNCH |
| 7500           | ----                 | ----         | ----            | /6.154A                | 6.608B/6.154A    | ----            | ----            | 6.506 -                  | 0.235 | .4099         | ----                     | ----              | ----          | 28               | UNCH |
| 7600           | ----                 | ----         | ----            | /6.676A                | 7.178B/6.676A    | ----            | ----            | 7.062 -                  | 0.261 | .4308         | ----                     | ----              | ----          | 13               | UNCH |
| 7650           | ----                 | ----         | ----            | /6.972A                | 7.473B/6.972A    | ----            | ----            | 7.350 -</                |       |               |                          |                   |               |                  |      |





|        | BULLETIN #104@       |              |                 |                    | METALS OPTION PRODUCTS |                    |               |                 |                          | Tue, Jun 02, 2026 |               |                          |                   | PG64          |                  |
|--------|----------------------|--------------|-----------------|--------------------|------------------------|--------------------|---------------|-----------------|--------------------------|-------------------|---------------|--------------------------|-------------------|---------------|------------------|
|        | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA             | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| SO PUT | COMEX SILVER OPTIONS |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| DEC26  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 6800   | ----                 | ----         | ----            | ----               | 4.269B/4.958A          | ----               | ----          | ----            | 4.802 -                  | 0.110             | .2856         | ----                     | ----              | ----          | 79               |
| 6850   | ----                 | ----         | ----            | ----               | 4.474B/5.162A          | ----               | ----          | ----            | 5.012 -                  | 0.113             | .2942         | ----                     | ----              | ----          | 78               |
| 6900   | ----                 | ----         | ----            | ----/5.060A        | 4.683B/5.060A          | ----               | ----          | ----            | 5.229 -                  | 0.115             | .3028         | ----                     | ----              | ----          | 1                |
| 6950   | ----                 | ----         | ----            | ----               | 4.900B/5.588A          | ----               | ----          | ----            | 5.451 -                  | 0.118             | .3114         | ----                     | ----              | 100           | 22 -             |
| 7000   | ----                 | ----         | ----            | ----               | 5.122B/5.809A          | ----               | ----          | ----            | 5.679 -                  | 0.121             | .3201         | ----                     | ----              | ----          | 230              |
| 7075   | ----                 | ----         | ----            | ----/*6.151A       | 5.467B/6.151A          | ----               | ----          | ----            | 6.032 -                  | 0.125             | .3331         | ----                     | ----              | ----          | 20               |
| 7100   | ----                 | ----         | ----            | ----/6.267A        | 5.585B/6.267A          | ----               | ----          | ----            | 6.152 -                  | 0.127             | .3375         | ----                     | ----              | ----          | 2                |
| 7200   | ----                 | ----         | ----            | ----/6.748A        | 6.068B/6.748A          | ----               | ----          | ----            | 6.648 -                  | 0.133             | .3548         | ----                     | ----              | ----          | 14               |
| 7250   | ----                 | ----         | ----            | ----/6.997A        | 6.319B/6.997A          | ----               | ----          | ----            | 6.905 -                  | 0.136             | .3635         | ----                     | ----              | ----          | 48               |
| 7500   | ----                 | ----         | ----            | ----/8.319A        | 7.657B/8.319A          | ----               | ----          | ----            | 8.267 -                  | 0.149             | .4062         | ----                     | ----              | ----          | 22               |
| 7550   | ----                 | ----         | ----            | ----/8.598A        | 7.940B/8.598A          | ----               | ----          | ----            | 8.554 -                  | 0.153             | .4147         | ----                     | ----              | ----          | 1                |
| 7800   | ----                 | ----         | ----            | ----/10.067A       | 9.422B/10.067A         | ----               | ----          | ----            | 10.064 -                 | 0.166             | .4556         | ----                     | ----              | ----          | 20               |
| 7850   | ----                 | ----         | ----            | ----/10.375A       | 9.733B/10.375A         | ----               | ----          | ----            | 10.380 -                 | 0.168             | .4635         | ----                     | ----              | ----          | 10               |
| 7875   | ----                 | ----         | ----            | ----/10.534A       | 9.890B/10.534A         | ----               | ----          | ----            | 10.540 -                 | 0.169             | .4674         | ----                     | ----              | ----          | 1                |
| 7900   | ----                 | ----         | ----            | ----/10.691A       | 10.050B/10.691A        | ----               | ----          | ----            | 10.700 -                 | 0.171             | .4713         | ----                     | ----              | ----          | 19               |
| 8000   | ----                 | ----         | ----            | ----/11.324A       | 10.703B/11.324A        | ----               | ----          | ----            | 11.353 -                 | 0.175             | .4867         | ----                     | ----              | ----          | 58               |
| 8100   | ----                 | ----         | ----            | ----/11.981A       | 11.371B/11.981A        | ----               | ----          | ----            | 12.022 -                 | 0.180             | .5017         | ----                     | ----              | ----          | 1                |
| 8200   | ----                 | ----         | ----            | ----/12.656A       | 12.055B/12.656A        | ----               | ----          | ----            | 12.706 -                 | 0.185             | .5162         | ----                     | ----              | ----          | 35               |
| 8350   | ----                 | ----         | ----            | ----/13.680A       | 13.101B/13.680A        | ----               | ----          | ----            | 13.760 -                 | 0.191             | .5373         | ----                     | ----              | ----          | 9                |
| 8400   | ----                 | ----         | ----            | ----/14.040A       | 13.457B/14.040A        | ----               | ----          | ----            | 14.119 -                 | 0.193             | .5441         | ----                     | ----              | ----          | 50               |
| 8500   | ----                 | ----         | ----            | ----/14.755A       | 14.181B/14.755A        | ----               | ----          | ----            | 14.845 -                 | 0.197             | .5574         | ----                     | ----              | ----          | 166              |
| 8550   | ----                 | ----         | ----            | ----/15.106A       | 14.551B/15.106A        | ----               | ----          | ----            | 15.213 -                 | 0.199             | .5640         | ----                     | ----              | ----          | 25               |
| 8600   | ----                 | ----         | ----            | ----/15.482A       | 14.920B/15.482A        | ----               | ----          | ----            | 15.584 -                 | 0.201             | .5704         | ----                     | ----              | ----          | 2                |
| 8800   | ----                 | ----         | ----            | ----/16.963A       | 16.436B/16.963A        | ----               | ----          | ----            | 17.098 -                 | 0.208             | .5949         | ----                     | ----              | ----          | 12               |
| 8900   | ----                 | ----         | ----            | ----/17.724A       | 17.206B/17.724A        | ----               | ----          | ----            | 17.871 -                 | 0.212             | .6066         | ----                     | ----              | ----          | 30               |
| 9000   | ----                 | ----         | ----            | ----/18.509A       | 17.981B/18.509A        | ----               | ----          | ----            | 18.655 -                 | 0.215             | .6179         | ----                     | ----              | ----          | 3                |
| 9050   | ----                 | ----         | ----            | ----/18.898A       | 18.382B/18.898A        | ----               | ----          | ----            | 19.050 -                 | 0.217             | .6234         | ----                     | ----              | ----          | 100              |
| 9500   | ----                 | ----         | ----            | ----/22.510A       | 22.356B/22.510A        | ----               | ----          | ----            | 22.705 -                 | 0.230             | .6689         | ----                     | ----              | ----          | 2                |
| 9850   | ----                 | ----         | ----            | ----/25.422A       | 24.983B/25.422A        | ----               | ----          | ----            | 25.651 -                 | 0.239             | .6997         | ----                     | ----              | ----          | 8                |
| 9950   | ----                 | ----         | ----            | ----/26.270A       | 25.845B/26.270A        | ----               | ----          | ----            | 26.507 -                 | 0.241             | .7078         | ----                     | ----              | ----          | 1                |
| 10025  | ----                 | ----         | ----            | ----/26.897A       | 26.477B/26.897A        | ----               | ----          | ----            | 27.153 -                 | 0.243             | .7137         | ----                     | ----              | ----          | 3                |
| 10125  | ----                 | ----         | ----            | ----/27.769A       | 27.342B/27.769A        | ----               | ----          | ----            | 28.018 -                 | 0.245             | .7213         | ----                     | ----              | ----          | 1                |
| 10700  | ----                 | ----         | ----            | ----/32.803A       | 32.446B/32.803A        | ----               | ----          | ----            | 33.089 -                 | 0.256             | .7604         | ----                     | ----              | ----          | 5                |
| 10800  | ----                 | ----         | ----            | ----/33.695A       | 33.321B/33.695A        | ----               | ----          | ----            | 33.986 -                 | 0.257             | .7665         | ----                     | ----              | ----          | 2                |
| 11000  | ----                 | ----         | ----            | ----/35.486A       | 35.147B/35.486A        | ----               | ----          | ----            | 35.789 -                 | 0.261             | .7780         | ----                     | ----              | ----          | 2                |
| 11500  | ----                 | ----         | ----            | ----/40.025A       | 39.598B/40.025A        | ----               | ----          | ----            | 40.355 -                 | 0.268             | .8037         | ----                     | ----              | ----          | 1                |
| 12000  | ----                 | ----         | ----            | ----               | 27.472B/62.978A        | ----               | ----          | ----            | 44.991 -                 | 0.273             | .8255         | ----                     | ----              | ----          | 1                |
| 12100  | ----                 | ----         | ----            | ----               | 28.293B/63.975A        | ----               | ----          | ----            | 45.925 -                 | 0.274             | .8294         | ----                     | ----              | ----          | 1                |
| 12300  | ----                 | ----         | ----            | ----               | 30.101B/65.991A        | ----               | ----          | ----            | 47.800 -                 | 0.276             | .8370         | ----                     | ----              | ----          | 1                |
| 15000  | ----                 | ----         | ----            | ----               | 55.423B/92.546A        | ----               | ----          | ----            | 73.701 -                 | 0.293             | .9049         | ----                     | ----              | ----          | 1                |
| 19000  | ----                 | ----         | ----            | ----               | 94.070B/132.521A       | ----               | ----          | ----            | 113.112 -                | 0.304             | .9486         | ----                     | ----              | ----          | 1                |
| TOTAL  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   | 100           | 3767 -           |
| JAN27  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 3800   | ----                 | ----         | ----            | ----               | 0.113B/*0.367A         | ----               | ----          | ----            | 0.255 -                  | 0.009             | .0199         | ----                     | ----              | ----          | 1                |
| 6500   | ----                 | ----         | ----            | ----               | 3.427B/4.386A          | ----               | ----          | ----            | 4.075 -                  | 0.092             | .2353         | ----                     | ----              | ----          | 2                |
| 6925   | ----                 | ----         | ----            | ----               | 5.103B/6.053A          | ----               | ----          | ----            | 5.771 -                  | 0.114             | .3009         | ----                     | ----              | ----          | 24               |
| 7000   | ----                 | ----         | ----            | ----               | 5.435B/6.395A          | ----               | ----          | ----            | 6.110 -                  | 0.119             | .3127         | ----                     | ----              | ----          | 35               |
| 7100   | ----                 | ----         | ----            | ----               | 5.896B/6.848A          | ----               | ----          | ----            | 6.582 -                  | 0.124             | .3286         | ----                     | ----              | ----          | 20               |
| 7125   | ----                 | ----         | ----            | ----               | 6.015B/6.967A          | ----               | ----          | ----            | 6.703 -                  | 0.126             | .3325         | ----                     | ----              | ----          | 1                |
| 8600   | ----                 | ----         | ----            | ----/15.938A       | 15.080B/15.938A        | ----               | ----          | ----            | 15.866 -                 | 0.193             | .5441         | ----                     | ----              | ----          | 1                |
| 8850   | ----                 | ----         | ----            | ----/17.768A       | 16.947B/17.768A        | ----               | ----          | ----            | 17.725 -                 | 0.203             | .5730         | ----                     | ----              | ----          | 9                |
| TOTAL  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   | 0             | 93               |
| FEB27  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 6500   | ----                 | ----         | ----            | ----               | 3.895B/4.923A          | ----               | ----          | ----            | 4.577 -                  | 0.093             | .2427         | ----                     | ----              | ----          | 1                |
| 8150   | ----                 | ----         | ----            | ----               | 12.556B/13.541A        | ----               | ----          | ----            | 13.361 -                 | 0.172             | .4789         | ----                     | ----              | ----          | 10               |
| 8225   | ----                 | ----         | ----            | ----/14.040A       | 13.059B/14.040A        | ----               | ----          | ----            | 13.870 -                 | 0.175             | .4884         | ----                     | ----              | ----          | 10               |
| 8250   | ----                 | ----         | ----            | ----/14.207A       | 13.227B/14.207A        | ----               | ----          | ----            | 14.042 -                 | 0.175             | .4915         | ----                     | ----              | ----          | 10               |
| TOTAL  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   | 0             | 31               |
| MAR27  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 5500   | ----                 | ----         | ----            | ----               | 1.468B/2.601A          | ----               | ----          | ----            | 2.149 -                  | 0.059             | .1280         | ----                     | ----              | ----          | 1                |
| 6000   | ----                 | ----         | ----            | ----               | 2.708B/3.743A          | ----               | ----          | ----            | 3.377 -                  | 0.049             | .1837         | ----                     | ----              | ----          | 50               |
| 6500   | ----                 | ----         | ----            | ----/*4.999A       | 4.345B/*4.999A         | ----               | ----          | ----            | 5.135 -                  | 0.010             | .2495         | ----                     | ----              | ----          | 20               |
| 6825   | ----                 | ----         | ----            | ----               | 5.712B/6.790A          | ----               | ----          | ----            | 6.542 +                  | 0.005             | .2945         | ----                     | ----              | ----          | 2                |
| 7500   | ----                 | ----         | ----            | ----               | 9.131B/10.213A         | ----               | ----          | ----            | 10.054 +                 | 0.012             | .3877         | ----                     | ----              | ----          | 3                |
| 8100   | ----                 | ----         | ----            | ----               | 12.818B/13.880A        | ----               | ----          | ----            | 13.803 +                 | 0.020             | .4645         | ----                     | ----              | ----          | 6                |
| 8300   | ----                 | ----         | ----            | ----               | 14.166B/15.214A        | ----               | ----          | ----            | 15.161 +                 | 0.017             | .4880         | ----                     | ----              | ----          | 50               |
| 8500   | ----                 | ----         | ----            | ----               | 15.558B/16.597A        | ----               | ----          | ----            | 16.566 +                 | 0.012             | .5104         | ----                     | ----              | ----          | 3                |
| 8975   | ----                 | ----         | ----            | ----/20.054A       | 19.042B/20.054A        | ----               | ----          | ----            | 20.066 -                 | 0.013             | .5593         | ----                     | ----              | ----          | 1                |
| 10500  | ----                 | ----         | ----            | ----/32.335A       | 31.438B/32.335A        | ----               | ----          | ----            | 32.468 -                 | 0.115             | .6795         | ----                     | ----              | ----          | 10               |
| TOTAL  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   | 0             | 146              |
| APR27  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 4000   | ----                 | ----         | ----            | ----               | 0.344B/*0.678A         | ----               | ----          | ----            | 0.531 -                  | 0.020             | .0346         | ----                     | ----              | ----          | 1                |
| 8725   | 18.336               | 18.336       | 18.336          | 18.336/*18.336     | 18.336/*18.336         | ----               | ----          | ----            | 18.540 +                 | 0.024             | .5177         | ----                     | 1                 | ----          | 3 +              |
| TOTAL  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          | 1                 | 0             | 4 +              |
| DEC27  |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 7175   | ----                 | ----         | ----            | ----               | ----                   | ----               | ----          | ----            | 12.546 -                 | 0.115             | .3157         | ----                     | ----              | ----          | 25               |
| TOTAL  |                      |              |                 |                    |                        |                    |               |                 |                          |                   | </            |                          |                   |               |                  |



| PG64     | BULLETIN #104@ |                           |                    |                         |                            |                           |   |       |               |                          | METALS OPTION PRODUCTS |               |      |                  |   |  |  |  |  |  | Tue, Jun 02, 2026 |  |  |  | PG64 |         |
|----------|----------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|---|-------|---------------|--------------------------|------------------------|---------------|------|------------------|---|--|--|--|--|--|-------------------|--|--|--|------|---------|
|          | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. |   | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME      | PNT<br>VOLUME |      | OPEN<br>INTEREST |   |  |  |  |  |  |                   |  |  |  |      |         |
| S01 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| JUN26    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| 7400     | 0.510          | 0.510                     | 0.510/*0.459A      | 0.881B/*0.459A          | ----                       | 0.633                     | - | 0.398 | .2787         | ----                     | ----                   | 4             | ---- | 9                | - |  |  |  |  |  |                   |  |  |  |      | 1       |
| 7450     | 0.700          | 0.700                     | 0.700/*0.563A      | 1.061B/*0.563A          | ----                       | 0.799                     | - | 0.425 | .3426         | ----                     | ----                   | 1             | ---- | 5                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7480     | 0.917          | 0.917                     | #0.917/*0.638A     | 1.200B/*0.638A          | ----                       | 0.915                     |   | NEW   | .3839         | ----                     | ----                   | 2             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 2       |
| 7500     | ----           | ----                      | ----/*0.687A       | 1.328B/*0.687A          | ----                       | 0.999                     | - | 0.447 | .4122         | ----                     | ----                   | 1             | ---- | 13               |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7550     | ----           | ----                      | ----/*0.839A       | 1.564B/*0.839A          | ----                       | 1.235                     | - | 0.461 | .4846         | ----                     | ----                   | ----          | ---- | 17               |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7600     | 1.060          | 1.060                     | 1.060/1.016A       | 1.768B/1.016A           | ----                       | 1.506                     | - | 0.469 | .5567         | ----                     | ----                   | 3             | ---- | 9                | + |  |  |  |  |  |                   |  |  |  |      | 2       |
| 7610     | 1.199          | 1.199                     | #1.783B/*1.056A    | 1.783B/*1.056A          | ----                       | 1.564                     |   | NEW   | .5708         | ----                     | ----                   | 1             | ---- | 0                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7650     | 1.400          | 1.400                     | 2.047B/1.218A      | 2.047B/1.218A           | ----                       | 1.811                     | - | 0.471 | .6255         | ----                     | ----                   | 2             | ---- | 2                | - |  |  |  |  |  |                   |  |  |  |      | 1       |
| 7700     | ----           | ----                      | ----/1.450A        | 2.387B/1.450A           | ----                       | 2.149                     | - | 0.466 | .6888         | ----                     | ----                   | ----          | ---- | 13               |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7750     | ----           | ----                      | ----/1.715A        | 2.782B/1.715A           | ----                       | 2.515                     | - | 0.458 | .7447         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8000     | ----           | ----                      | ----/3.522A        | 5.001B/3.522A           | ----                       | 4.649                     | - | 0.394 | .9143         | ----                     | ----                   | ----          | ---- | 3                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8600     | ----           | ----                      | ----/9.286A        | 10.732B/9.286A          | ----                       | 10.485                    | - | 0.319 | .9888         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| TOTAL    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        | 40            |      | 0                |   |  |  |  |  |  |                   |  |  |  |      | 262 + 9 |
| S02 CALL | SILVER OPTIONS |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| JUN26    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| 7500     | ----           | ----                      | 3.245B/2.250A      | 3.245B/2.250A           | ----                       | 2.439                     | - | 0.071 | .5565         | ----                     | ----                   | ----          | ---- | 11               |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7600     | ----           | ----                      | 2.850B/1.796A      | 2.850B/1.796A           | ----                       | 1.955                     | - | 0.085 | .4795         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7700     | 1.508          | 1.508                     | 2.321B/1.428A      | 2.321B/1.428A           | ----                       | 1.551                     | - | 0.090 | .4050         | ----                     | ----                   | 1             | ---- | 11               | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 7900     | ----           | ----                      | 1.462B/*0.886A     | 1.462B/*0.886A          | ----                       | 0.958                     | - | 0.076 | .2751         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8000     | 1.017          | 1.017                     | 1.131B/*0.704A     | 1.131B/*0.704A          | ----                       | 0.750                     | - | 0.064 | .2227         | ----                     | ----                   | 1             | ---- | 6                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8050     | ----           | ----                      | 0.975B/*0.627A     | 0.975B/*0.627A          | ----                       | 0.664                     | - | 0.058 | .1998         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8100     | ----           | ----                      | 0.875B/*0.558A     | 0.875B/*0.558A          | ----                       | 0.589                     | - | 0.052 | .1792         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8200     | ----           | ----                      | 0.668B/*0.445A     | 0.668B/*0.445A          | ----                       | 0.464                     | - | 0.043 | .1436         | ----                     | ----                   | ----          | ---- | 15               |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8250     | ----           | ----                      | 0.572B/0.402A      | 0.572B/0.402A           | ----                       | 0.414                     | - | 0.038 | .1287         | ----                     | ----                   | ----          | ---- | 6                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8300     | 0.535          | 0.535                     | 0.535/*0.361A      | 0.535/*0.361A           | ----                       | 0.369                     | - | 0.035 | .1152         | ----                     | ----                   | 1             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 8400     | 0.432          | 0.432                     | 0.432/*0.299A      | 0.432/*0.299A           | ----                       | 0.297                     | - | 0.029 | .0929         | ----                     | ----                   | 1             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 8500     | 0.327          | 0.327                     | 0.327/*0.250A      | 0.327/*0.250A           | ----                       | 0.241                     |   | NEW   | .0753         | ----                     | ----                   | 10            | ---- | 10               | + |  |  |  |  |  |                   |  |  |  |      | 10      |
| 8700     | ----           | ----                      | 0.200B/*0.181A     | 0.200B/*0.181A          | ----                       | 0.166                     | - | 0.020 | .0509         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 9000     | 0.090          | 0.090                     | 0.090/*0.090       | 0.109B/*0.090           | ----                       | 0.105                     | - | 0.013 | .0306         | ----                     | ----                   | 1             | ---- | 5                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 10000    | ----           | ----                      | ----               | 0.029B/*0.056A          | ----                       | 0.045                     | + | 0.013 | .0105         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| TOTAL    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        | 15            |      | 0                |   |  |  |  |  |  |                   |  |  |  |      | 77 + 13 |
| S02 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| JUN26    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| 5250     | ----           | ----                      | ----               | ----/0.210A             | ----                       | 0.007                     | - | 0.004 | .0015         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 6400     | 0.100          | 0.100                     | 0.100/*0.100       | 0.100/*0.100            | ----                       | 0.096                     |   | NEW   | .0277         | ----                     | ----                   | 2             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 2       |
| 6600     | ----           | ----                      | ----/*0.154A       | 0.142B/*0.154A          | ----                       | 0.153                     | - | 0.085 | .0460         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 6700     | 0.192          | 0.192                     | 0.192/*0.192       | 0.192/*0.192            | ----                       | 0.198                     |   | NEW   | .0603         | ----                     | ----                   | 1             | ---- | 1                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 6750     | 0.180          | 0.180                     | 0.214B/*0.180      | 0.214B/*0.180           | ----                       | 0.225                     | - | 0.121 | .0689         | ----                     | ----                   | 1             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 6800     | 0.200          | 0.200                     | 0.250B/*0.200      | 0.250B/*0.200           | ----                       | 0.258                     | - | 0.134 | .0791         | ----                     | ----                   | 1             | ---- | 1                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 6850     | 0.242          | 0.242                     | 0.242/*0.239       | 0.291B/*0.239           | ----                       | 0.297                     |   | NEW   | .0910         | ----                     | ----                   | 5             | ---- | 5                | + |  |  |  |  |  |                   |  |  |  |      | 5       |
| 6900     | ----           | ----                      | ----/*0.311A       | 0.340B/*0.311A          | ----                       | 0.342                     | - | 0.165 | .1046         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7000     | 0.470          | 0.470                     | 0.470/*0.398A      | 0.470/*0.398A           | ----                       | 0.456                     | - | 0.202 | .1378         | ----                     | ----                   | 2             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 7100     | 0.603          | 0.603                     | 0.603/*0.518A      | 0.639B/*0.518A          | ----                       | 0.613                     |   | NEW   | .1806         | ----                     | ----                   | 2             | ---- | 2                | + |  |  |  |  |  |                   |  |  |  |      | 2       |
| 7200     | 0.600          | 0.600                     | 0.600/*0.600       | 0.905B/*0.600           | ----                       | 0.824                     |   | NEW   | .2337         | ----                     | ----                   | 1             | ---- | 1                | + |  |  |  |  |  |                   |  |  |  |      | 1       |
| 7300     | ----           | ----                      | ----/*0.874A       | 1.240B/*0.874A          | ----                       | 1.100                     | - | 0.318 | .2966         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 7450     | ----           | ----                      | ----/*1.296A       | 1.842B/*1.296A          | ----                       | 1.657                     |   | NEW   | .4050         | ----                     | ----                   | ----          | 50   | 50               | + |  |  |  |  |  |                   |  |  |  |      | 50      |
| 7700     | ----           | ----                      | ----/*2.349A       | 3.118B/*2.349A          | ----                       | 2.994                     | - | 0.391 | .5949         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| TOTAL    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        | 15            |      | 50               |   |  |  |  |  |  |                   |  |  |  |      | 73 + 64 |
| S04 CALL | SILVER OPTIONS |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| JUN26    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      |                  |   |  |  |  |  |  |                   |  |  |  |      |         |
| 7800     | ----           | ----                      | #3.230B/----       | 3.230B/2.623A           | ----                       | 2.584                     | - | 0.016 | .4334         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8000     | ----           | ----                      | #2.477B/----       | 2.477B/2.012A           | ----                       | 1.947                     | - | 0.018 | .3489         | ----                     | ----                   | ----          | ---- | 4                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8200     | ----           | ----                      | #1.851B/----       | 1.851B/1.565A           | ----                       | 1.472                     | - | 0.015 | .2772         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 8300     | ----           | ----                      | #1.599B/----       | 1.599B/1.385A           | ----                       | 1.284                     | - | 0.013 | .2465         | ----                     | ----                   | ----          | ---- | 1                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| 9000     | ----           | ----                      | #0.579B/----       | 0.579B/0.639A           | ----                       | 0.542                     | + | 0.002 | .1107         | ----                     | ----                   | ----          | ---- | 2                |   |  |  |  |  |  |                   |  |  |  |      | UNCH    |
| TOTAL    |                |                           |                    |                         |                            |                           |   |       |               |                          |                        |               |      | 0                |   |  |  |  |  |  |                   |  |  |  |      |         |

| PG64    | BULLETIN #104@                     |                           |                    |                         | METALS OPTION PRODUCTS     |                          |         |               | Tue, Jun 02, 2026        |                   |               |                  | PG64 |
|---------|------------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|---------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN                     | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| TWS TUE | SILVER WEEKLY TUESDAY OPTION week1 |                           |                    |                         |                            |                          |         |               |                          |                   |               |                  |      |
| JUN26   |                                    |                           |                    |                         |                            |                          |         |               |                          |                   |               |                  |      |
| 7100    | ----                               | ----                      | ----               | ----/*0.064A            | ----                       | 0.000                    | - 0.029 | ----          | ----                     | ----              | ----          | 0 -              | 3    |
| 7100    | 0.270                              | 0.270                     | 0.270/*0.270       | 0.326B/*0.270           | ----                       | 0.278                    | NEW     | .1130         | ----                     | 1                 | ----          | 1 +              | 1    |
| 7150    | ----                               | ----                      | ----               | 0.001B/*0.072A          | ----                       | 0.000                    | - 0.044 | ----          | ----                     | ----              | ----          | 0 -              | 1    |
| 7200    | ----                               | ----                      | ----               | 0.001B/*0.077A          | ----                       | 0.000                    | - 0.060 | ----          | ----                     | ----              | ----          | 0 -              | 10   |
| 7250    | 0.150                              | 0.150                     | 0.150/*0.088A      | 0.150/*0.088A           | ----                       | 0.000                    | NEW     | ----          | ----                     | 10                | ----          | 0                | UNCH |
| 7300    | ----                               | ----                      | ----/*0.094A       | 0.001B/*0.094A          | ----                       | 0.000                    | - 0.135 | ----          | ----                     | 10                | ----          | 0 -              | 11   |
| 7300    | ----                               | ----                      | ----/*1.233A       | 1.450B/*1.233A          | ----                       | 1.326                    | - 0.333 | .3154         | ----                     | ----              | ----          | 1                | UNCH |
| 7300    | 0.566                              | 0.566                     | 0.566/*0.566       | 0.814B/*0.566           | ----                       | 0.628                    | NEW     | .2386         | ----                     | 1                 | ----          | 1 +              | 1    |
| 7320    | ----                               | ----                      | ----               | ----                    | ----                       | 2.356                    | + 0.142 | ----          | 1                        | ----              | 1             | 0 -              | 2    |
| 7350    | ----                               | ----                      | 0.250B/*0.107A     | 0.250B/*0.107A          | ----                       | 0.000                    | - 0.208 | ----          | 10                       | ----              | ----          | 0 -              | 5    |
| 7360    | 0.200                              | 0.200                     | 0.200/*0.106A      | 0.200/*0.106A           | ----                       | 0.000                    | NEW     | ----          | 1                        | ----              | ----          | 0                | UNCH |
| 7380    | 0.004                              | 0.004                     | 0.004/*0.004       | 0.081B/*0.004           | ----                       | 0.000                    | - 0.269 | ----          | 1                        | ----              | ----          | 0 -              | 1    |
| 7400    | 0.790                              | 0.790                     | 0.790/*0.790       | 1.189B/*0.790           | ----                       | 0.930                    | NEW     | .3289         | ----                     | 4                 | ----          | 4 +              | 4    |
| 7400    | 0.120                              | 0.120                     | 0.120/*0.045       | 0.153B/*0.045           | ----                       | 0.000                    | - 0.317 | ----          | 2                        | ----              | ----          | 0 -              | 11   |
| 7450    | 0.250                              | 0.250                     | 0.250/*0.099A      | 0.293B/*0.099A          | ----                       | 0.000                    | - 0.470 | ----          | 2                        | ----              | ----          | 0 -              | 8    |
| 7500    | ----                               | ----                      | ----/*0.030A       | 0.545B/*0.030A          | ----                       | 0.000                    | - 0.672 | ----          | 3                        | ----              | ----          | 0 -              | 21   |
| 7500    | ----                               | ----                      | ----               | 0.777B/0.973A           | ----                       | 0.556                    | - 0.370 | ----          | 1                        | ----              | ----          | 0 -              | 1    |
| 7530    | 0.050                              | 0.050                     | 0.050/*0.050       | 0.628B/*0.050           | ----                       | 0.000                    | NEW     | ----          | 1                        | ----              | ----          | 0                | UNCH |
| 7550    | 0.240                              | 0.240                     | 0.240/*0.098A      | 0.687B/*0.098A          | ----                       | 0.000                    | NEW     | ----          | 1                        | ----              | ----          | 0                | UNCH |
| 7550    | 1.699                              | 1.699                     | 1.699/1.370A       | 1.880B/1.370A           | ----                       | 1.584                    | NEW     | .4841         | ----                     | 5                 | ----          | 5 +              | 5    |
| 7550    | 0.605                              | 0.605                     | 1.055B/*0.055      | 1.055B/*0.055           | ----                       | 0.056                    | - 0.624 | 12            | 3                        | ----              | ----          | 0 -              | 10   |
| 7580    | ----                               | ----                      | 0.657B/*0.360A     | 0.657B/*0.360A          | ----                       | 0.000                    | - 0.557 | ----          | ----                     | ----              | ----          | 0 -              | 3    |
| 7600    | 0.515                              | 0.515                     | 1.055/*0.015       | 1.055/*0.015            | ----                       | 0.000                    | - 0.485 | ----          | 10                       | ----              | ----          | 0 -              | 1    |
| 7600    | 0.250                              | 0.250                     | 0.450/*0.115       | 0.698B/*0.115           | ----                       | 0.444                    | - 0.787 | 24            | 16                       | ----              | ----          | 0 -              | 20   |
| 7600    | 1.450                              | 1.450                     | 1.450/1.300        | 2.148B/1.300            | ----                       | 1.858                    | NEW     | .5363         | 3                        | ----              | ----          | 1 +              | 1    |
| 7620    | ----                               | ----                      | 0.635B/*0.192A     | 0.635B/*0.192A          | ----                       | 0.000                    | - 0.420 | ----          | ----                     | ----              | ----          | 0 -              | 2    |
| 7650    | ----                               | ----                      | ----/*2.545A       | 2.705B/*2.545A          | ----                       | 2.907                    | - 0.383 | .5491         | ----                     | ----              | ----          | 1                | UNCH |
| 7650    | 0.090                              | 0.090                     | 0.782B/*0.060A     | 0.782B/*0.060A          | ----                       | 0.000                    | NEW     | ----          | 11                       | ----              | ----          | 0                | UNCH |
| 7650    | 1.850                              | 1.850                     | 1.850/1.771A       | 2.189B/1.771A           | ----                       | 2.160                    | NEW     | .5867         | 2                        | ----              | ----          | 2 +              | 2    |
| 7650    | 0.475                              | 0.475                     | 0.925/*0.401       | 0.925/*0.401            | ----                       | 0.944                    | - 0.639 | 1             | 6                        | ----              | ----          | 0 -              | 1    |
| 7650    | 1.750                              | 1.750                     | 2.067B/1.260A      | 2.067B/1.260A           | ----                       | 1.216                    | NEW     | .4131         | 2                        | ----              | ----          | 2 +              | 2    |
| 7690    | 0.635                              | 0.635                     | 0.635/*0.072A      | 0.635/*0.072A           | ----                       | 0.000                    | NEW     | ----          | 1                        | ----              | ----          | 0                | UNCH |
| 7700    | 0.500                              | 0.500                     | 0.634B/*0.011      | 0.634B/*0.011           | ----                       | 0.000                    | - 0.228 | ----          | 29                       | ----              | ----          | 0 -              | 1    |
| 7700    | ----                               | ----                      | 1.820B/1.075A      | 1.820B/1.075A           | ----                       | 1.043                    | - 0.160 | .3654         | ----                     | ----              | ----          | 9                | UNCH |
| 7710    | 0.004                              | 0.004                     | 0.509B/*0.004      | 0.509B/*0.004           | ----                       | 0.000                    | - 0.210 | ----          | 1                        | ----              | ----          | 0 -              | 1    |
| 7750    | ----                               | ----                      | 2.298B/----        | 2.298B/1.703A           | ----                       | 1.582                    | - 0.083 | .3852         | ----                     | ----              | ----          | 1                | UNCH |
| 7750    | 0.139                              | 0.139                     | 0.520/0.112A       | 0.520/0.112A            | ----                       | 0.000                    | - 0.150 | ----          | 5                        | ----              | ----          | 0 -              | 15   |
| 7800    | 0.158                              | 0.158                     | 0.301/*0.092A      | 0.301/*0.092A           | ----                       | 0.000                    | - 0.097 | ----          | 13                       | ----              | ----          | 0 -              | 114  |
| 7800    | ----                               | ----                      | ----/2.506A        | 2.814B/2.506A           | ----                       | 3.207                    | - 0.449 | .7192         | ----                     | ----              | ----          | 1                | UNCH |
| 7830    | ----                               | ----                      | 0.095B/----        | 0.095B/*0.093A          | ----                       | 0.000                    | - 0.073 | ----          | ----                     | ----              | ----          | 0 -              | 17   |
| 7850    | 0.200                              | 0.200                     | 0.200/*0.037A      | 0.200/*0.037A           | ----                       | 0.000                    | - 0.060 | ----          | 1                        | ----              | ----          | 0 -              | 1    |
| 7880    | ----                               | ----                      | ----               | 0.017B/0.084A           | ----                       | 0.000                    | - 0.045 | ----          | ----                     | ----              | ----          | 0 -              | 1    |
| 7900    | 1.200                              | 1.200                     | 1.200/*0.616A      | 1.200/*0.616A           | ----                       | 0.562                    | NEW     | .2121         | 7                        | ----              | ----          | 6 +              | 6    |
| 7900    | ----                               | ----                      | 0.090B/*0.030A     | 0.090B/*0.030A          | ----                       | 0.000                    | - 0.037 | ----          | 1                        | ----              | ----          | 0 -              | 100  |
| 7990    | ----                               | ----                      | ----               | ----                    | ----                       | 4.344                    | - 0.316 | ----          | 1                        | ----              | ----          | 0 -              | 1    |
| 8000    | ----                               | ----                      | ----               | ----                    | ----                       | 4.444                    | - 0.315 | ----          | 9                        | ----              | ----          | 0 -              | 9    |
| 8000    | 0.015                              | 0.015                     | 0.020B/*0.015      | 0.020B/*0.015           | ----                       | 0.000                    | - 0.013 | ----          | 2                        | ----              | ----          | 0 -              | 21   |
| 8100    | ----                               | ----                      | 0.474B/*0.379A     | 0.474B/*0.379A          | ----                       | 0.314                    | - 0.077 | .1198         | ----                     | ----              | ----          | 11               | UNCH |
| 8110    | 0.002                              | 0.002                     | #0.002/*0.002      | 0.002/*0.002            | ----                       | 0.000                    | NEW     | ----          | 1                        | ----              | ----          | 0                | UNCH |
| 8200    | ----                               | ----                      | ----               | ----/0.045A             | ----                       | 0.000                    | - 0.002 | ----          | ----                     | ----              | ----          | 0 -              | 4    |
| 8200    | 0.250                              | 0.250                     | 0.323B/*0.250      | 0.323B/*0.250           | ----                       | 0.241                    | NEW     | .0908         | 4                        | ----              | ----          | 4 +              | 4    |
| 8250    | ----                               | ----                      | ----/*0.041A       | ----                    | ----                       | 0.000                    | - 0.001 | ----          | ----                     | ----              | ----          | 0 -              | 2    |
| 8350    | ----                               | ----                      | ----               | ----/*0.041A            | ----                       | 0.000                    | - 0.001 | ----          | ----                     | ----              | ----          | 0 -              | 1    |
| 8500    | ----                               | ----                      | ----               | ----                    | ----                       | 9.444                    | - 0.303 | ----          | 1                        | ----              | ----          | 0 -              | 1    |
| 8500    | ----                               | ----                      | ----/9.249A        | 8.947B/9.249A           | ----                       | 9.560                    | NEW     | .9574         | 1                        | ----              | ----          | 1 +              | 1    |
| 8500    | 0.155                              | 0.155                     | 0.155/*0.155       | 0.155/*0.155            | ----                       | 0.121                    | - 0.014 | .0425         | 3                        | ----              | ----          | 5 +              | 2    |
| 8500    | ----                               | ----                      | ----/*0.041A       | ----                    | ----                       | 0.000                    | - 0.001 | ----          | ----                     | ----              | ----          | 0 -              | 4    |
| 8800    | ----                               | ----                      | ----               | ----/32.190A            | ----                       | 12.498                   | NEW     | .9802         | 1                        | ----              | ----          | 1 +              | 1    |
| 9000    | ----                               | ----                      | ----               | 0.005B/*0.117A          | ----                       | 0.040                    | - 0.008 | .0125         | ----                     | ----              | ----          | 3                | UNCH |
| 9700    | ----                               | ----                      | ----               | ----/*0.080A            | ----                       | 0.016                    | - 0.006 | .0040         | ----                     | ----              | ----          | 11               | UNCH |
| TOTAL   |                                    |                           |                    |                         |                            |                          |         |               |                          | 181               | 0             | 76 -             | 401  |

| COPPER OPTIONS ON FUTURES |                                   |                           |                    |                         |                            |                          |          |               |                          |                   |               |                  |      |  |
|---------------------------|-----------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|----------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
|                           | GLOBEX<br>OPEN                    | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA    | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
| HMW MON<br>JUN26          | COPPER WEEKLY MONDAY OPTION WEEK2 |                           |                    |                         |                            |                          |          |               |                          |                   |               |                  |      |  |
| 500                       | ----                              | ----                      | ----               | ----/0.0035A            | ----                       | 0.0005                   | UNCH     | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 575                       | ----                              | ----                      | ----               | ----/*0.0075A           | ----                       | 0.0025                   | - 0.0015 | .0120         | ----                     | ----              | ----          | 1                | UNCH |  |
| 580                       | ----                              | ----                      | ----               | ----/*0.0040A           | ----                       | 0.0005                   | UNCH     | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 600                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.5525                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 610                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.4525                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 610                       | ----                              | ----                      | 0.5905B/0.4405A    | 0.5905B/0.4405A         | ----                       | 0.5770                   | + 0.1220 | .9990         | ----                     | ----              | ----          | 1                | UNCH |  |
| 625                       | ----                              | ----                      | ----/*0.0065A      | 0.0045B/*0.0065         | ----                       | 0.0015                   | - 0.0080 | .0125         | ----                     | ----              | ----          | 10               | UNCH |  |
| 630                       | ----                              | ----                      | 0.3785B/----       | 0.3785B/0.3275A         | ----                       | 0.3945                   | + 0.1040 | .8942         | ----                     | ----              | ----          | 7                | UNCH |  |
| 630                       | 0.0220                            | 0.0220                    | 0.0220/*0.0180A    | 0.0360B/*0.0180         | ----                       | 0.0185                   | - 0.0200 | .1054         | ----                     | 5                 | ----          | 12 +             | 5    |  |
| 635                       | ----                              | ----                      | ----/*0.0235A      | 0.0490B/*0.0235         | ----                       | 0.0240                   | - 0.0270 | .1344         | ----                     | ----              | ----          | 56               | UNCH |  |
| 635                       | 0.0080                            | 0.0080                    | 0.0080/*0.0075A    | 0.0165B/*0.0075         | ----                       | 0.0040                   | - 0.0160 | .0356         | ----                     | 10                | ----          | 11 +             | 10   |  |
| 637                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 637                       | 0.0075                            | 0.0075                    | #0.0075/*0.0075    | #0.0075/*0.0075         | ----                       | 0.0055                   | NEW      | .0479         | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 639                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.1625                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 640                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.1525                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 640                       | ----                              | ----                      | 0.2925B/0.2095A    | 0.2925B/0.2095A         | ----                       | 0.3080                   | + 0.0895 | .8271         | ----                     | ----              | ----          | 1                | UNCH |  |
| 640                       | ----                              | ----                      | ----/*0.0115A      | 0.0280B/*0.0115         | ----                       | 0.0075                   | - 0.0230 | .0651         | ----                     | ----              | ----          | 3                | UNCH |  |
| 641                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.1425                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 642                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.1325                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 645                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 648                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 650                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 650                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0525                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 650                       | ----                              | ----                      | 0.2385B/0.1525A    | 0.2385B/0.1525A         | ----                       | 0.2330                   | + 0.0750 | .7272         | ----                     | ----              | ----          | 7                | UNCH |  |
| 650                       | ----                              | ----                      | 0.2045B/0.1100A    | 0.2045B/0.1100A         | ----                       | 0.1980                   | + 0.0815 | .8299         | ----                     | ----              | ----          | 2                | UNCH |  |
| 650                       | ----                              | ----                      | 0.1070B/*0.0550    | 0.1070B/*0.0550         | ----                       | 0.0565                   | - 0.0490 | .2724         | ----                     | ----              | ----          | 3                | UNCH |  |
| 650                       | 0.0225                            | 0.0225                    | 0.0225/*0.0210A    | 0.0635B/*0.0210         | ----                       | 0.0215                   | NEW      | .1699         | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 651                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 651                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0425                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 654                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 655                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 655                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0025                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 657                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 660                       | ----                              | ----                      | ----               | ----                    | ----                       | 0.0000                   | UNCH     | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 660                       | ----                              | ----                      | 0.1200B/0.0660A    | 0.1200B/0.0660A         | ----                       | 0.1265                   | + 0.0585 | .6601         | ----                     | ----              | ----          | 2                | UNCH |  |
| 665                       | ----                              | ----                      | ----/*0.0685A      | 0.1345B/*0.0685         | ----                       | 0.0710                   | - 0.0760 | .4398         | ----                     | ----              | ----          | 3                | UNCH |  |
| 685                       | 0.0180                            | 0.0180                    | 0.0265B/0.0180     | 0.0265B/0.0165A         | ----                       | 0.0270                   | NEW      | .2014         | ----                     | 10                | ----          | 10 +             | 10   |  |
| 690                       | ----                              | ----                      | 0.0165B/----       | 0.0165B/0.0140A         | ----                       | 0.0185                   | + 0.0105 | .1429         | ----                     | ----              | ----          | 1                | UNCH |  |
| 775                       | ----                              | ----                      | ----               | ----/*0.0035A           | ----                       | 0.0005                   | UNCH     | .0000         | ----                     | ----              | ----          | 2                | UNCH |  |
| TOTAL                     |                                   |                           |                    |                         |                            |                          |          |               |                          | 27                |               | 149 +            | 27   |  |
| HWR THU<br>JUN26          | COPPER WEEKLY THURSDAY OPT week3  |                           |                    |                         |                            |                          |          |               |                          |                   |               |                  |      |  |
| 500                       | ----                              | ----                      | ----               | ----/0.0060A            | ----                       | 0.0005                   | UNCH     | .0003         | ----                     | ----              | ----          | 1                | UNCH |  |
| 575                       | ----                              | ----                      | ----               | ----/*0.0050A           | ----                       | 0.0005                   | UNCH     | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 600                       | ----                              | ----                      | ----/*0.0100A      | 0.0100B/*0.0100         | ----                       | 0.0090                   | - 0.0045 | .0435         | ----                     | ----              | ----          | 1                | UNCH |  |
| 610                       | ----                              | ----                      | ----/*0.0075A      | 0.0045B/*0.0075         | ----                       | 0.0035                   | - 0.0055 | .0221         | ----                     | ----              | ----          | 10               | UNCH |  |
| 615                       | ----                              | ----                      | ----               | ----/*0.0055A           | ----                       | 0.0005                   | UNCH     | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 620                       | ----                              | ----                      | ----/*0.0095A      | 0.0110B/*0.0095         | ----                       | 0.0065                   | - 0.0090 | .0417         | ----                     | ----              | ----          | 1                | UNCH |  |
| 620                       | ----                              | ----                      | ----/*0.0185A      | 0.0310B/*0.0185         | ----                       | 0.0185                   | - 0.0155 | .0914         | ----                     | ----              | ----          | 1                | UNCH |  |
| 625                       | ----                              | ----                      | ----/*0.0110A      | 0.0165B/*0.0110         | ----                       | 0.0090                   | - 0.0115 | .0576         | ----                     | ----              | ----          | 20               | UNCH |  |
| 625                       | ----                              | ----                      | ----/*0.0225A      | 0.0410B/*0.0225         | ----                       | 0.0230                   | - 0.0205 | .1124         | ----                     | ----              | ----          | 3                | UNCH |  |
| 628                       | ----                              | ----                      | ----               | 0.0005B/0.0060A         | ----                       | 0.0005                   | - 0.0025 | .0000         | ----                     | ----              | ----          | 2                | UNCH |  |
| 630                       | 0.0145                            | 0.0145                    | 0.0145/*0.0130A    | 0.0255B/*0.0130         | ----                       | 0.0125                   | NEW      | .0791         | ----                     | 10                | ----          | 10 +             | 10   |  |
| 630                       | ----                              | ----                      | #0.3795B/----      | #0.3795B/0.3075         | ----                       | 0.3885                   | + 0.1080 | .9206         | ----                     | ----              | ----          | 1                | UNCH |  |
| 630                       | ----                              | ----                      | ----               | 0.0010B/0.0060A         | ----                       | 0.0005                   | - 0.0035 | .0000         | ----                     | ----              | ----          | 8                | UNCH |  |
| 630                       | ----                              | ----                      | 0.3900B/0.2435A    | 0.3900B/0.2435A         | ----                       | 0.3770                   | + 0.1205 | .0000         | ----                     | ----              | ----          | 9                | UNCH |  |
| 635                       | 0.0165                            | 0.0165                    | 0.0165/*0.0165     | 0.0360B/*0.0165         | ----                       | 0.0170                   | - 0.0215 | .1063         | ----                     | 1                 | ----          | 20               | UNCH |  |
| 635                       | ----                              | ----                      | #0.3540B/0.2620    | #0.3540B/0.2620         | ----                       | 0.3640                   | + 0.0920 | .8261         | ----                     | ----              | ----          | 1                | UNCH |  |
| 640                       | ----                              | ----                      | ----/*0.0230A      | 0.0505B/*0.0230         | ----                       | 0.0230                   | - 0.0295 | .1412         | ----                     | ----              | ----          | 78               | UNCH |  |
| 640                       | ----                              | ----                      | #0.2900B/0.1970    | #0.2900B/0.1970         | ----                       | 0.2990                   | + 0.0940 | .8585         | ----                     | ----              | ----          | 42               | UNCH |  |
| 640                       | 0.0095                            | 0.0095                    | 0.0095/*0.0070A    | 0.0095/*0.0070A         | ----                       | 0.0005                   | - 0.0135 | .0027         | ----                     | 30                | ----          | 40 +             | 30   |  |
| 645                       | ----                              | ----                      | #0.2500B/0.1665    | #0.2500B/0.1665         | ----                       | 0.2580                   | + 0.0855 | .8131         | ----                     | ----              | ----          | 9                | UNCH |  |
| 649                       | ----                              | ----                      | ----/*0.0090A      | 0.0350B/*0.0090         | ----                       | 0.0045                   | - 0.0335 | .0394         | ----                     | ----              | ----          | 1                | UNCH |  |
| 649                       | ----                              | ----                      | #0.1830B/0.0930    | #0.1830B/0.0930         | ----                       | 0.1910                   | + 0.0905 | .9605         | ----                     | ----              | ----          | 1                | UNCH |  |





| BULLETIN #104@                              |                |                              |                    | METALS OPTION PRODUCTS     |                               |  |                          |          |       |               |                          |                   |               | Tue, Jun 02, 2026 |       | PG64             |
|---------------------------------------------|----------------|------------------------------|--------------------|----------------------------|-------------------------------|--|--------------------------|----------|-------|---------------|--------------------------|-------------------|---------------|-------------------|-------|------------------|
|                                             | GLOBEX<br>OPEN | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE |  | SETT.PRICE<br>& PT.CHGE. |          | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |                   |       | OPEN<br>INTEREST |
| HWW WED COPPER WEEKLY WEDNESDAY OPTION WEEK |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| JUN26                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| 667                                         | 0.0360         | 0.0360                       | 0.1430B/*0.0355    | 0.1430B/*0.0355            | ----                          |  | 0.0365                   | NEW      | .4610 | ----          | ----                     | 3                 | ----          |                   |       | 3 +              |
| 668                                         | 0.0390         | 0.0390                       | #0.0435B/0.0385    | #0.0435B/0.0165            | ----                          |  | 0.0380                   | NEW      | .4822 | ----          | ----                     | 5                 | ----          |                   |       | 5 +              |
| 670                                         | 0.1580         | 0.1580                       | 0.2395B/*0.1540    | 0.2395B/*0.1540            | ----                          |  | 0.1590                   | NEW      | .5154 | ----          | ----                     | 65                | ----          |                   |       | 65 +             |
| 672                                         | 0.0180         | 0.0180                       | #0.0265B/0.0180    | #0.0265B/0.0130            | ----                          |  | 0.0230                   | NEW      | .2772 | ----          | ----                     | 1                 | ----          |                   |       | 1 +              |
| 675                                         | 0.0075         | 0.0075                       | 0.0170B/0.0075     | 0.0170B/*0.0060            | ----                          |  | 0.0155                   | + 0.0095 | .1661 | ----          | ----                     | 10                | ----          |                   |       | 11 +             |
| 680                                         | ----           | ----                         | 0.0060B/----       | 0.0060B/0.0075A            | ----                          |  | 0.0075                   | + 0.0045 | .0590 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 680                                         | ----           | ----                         | #0.0585B/----      | 0.0585B/0.0330A            | ----                          |  | 0.0575                   | + 0.0280 | .3213 | ----          | ----                     | ----              | ----          |                   |       | 3                |
| 695                                         | 0.0170         | 0.0170                       | 0.0230B/0.0165     | 0.0230B/0.0160A            | ----                          |  | 0.0250                   | NEW      | .1568 | ----          | ----                     | 10                | ----          |                   |       | 10 +             |
| 700                                         | ----           | ----                         | 0.0160B/----       | 0.0160B/0.0130A            | ----                          |  | 0.0190                   | + 0.0095 | .1212 | ----          | ----                     | 1                 | ----          |                   |       | 2 +              |
| 705                                         | ----           | ----                         | ----               | ----/0.0035A               | ----                          |  | 0.0005                   | UNCH     | ----  | ----          | ----                     | ----              | ----          |                   |       | 7                |
| 710                                         | ----           | ----                         | ----               | ----/*0.0035A              | ----                          |  | 0.0005                   | UNCH     | ----  | ----          | ----                     | ----              | ----          |                   |       | 2                |
| 725                                         | ----           | ----                         | ----               | ----/0.0035A               | ----                          |  | 0.0005                   | UNCH     | ----  | ----          | ----                     | ----              | ----          |                   |       | 7                |
| 725                                         | ----           | ----                         | 0.0150B/----       | 0.0150B/0.0135A            | ----                          |  | 0.0180                   | + 0.0065 | .0882 | ----          | ----                     | ----              | ----          |                   |       | 14               |
| 750                                         | ----           | ----                         | ----               | ----/*0.0030A              | ----                          |  | 0.0005                   | UNCH     | ----  | ----          | ----                     | ----              | ----          |                   |       | 4                |
| 800                                         | ----           | ----                         | ----               | ----/0.0050A               | ----                          |  | 0.0005                   | UNCH     | ----  | ----          | ----                     | ----              | ----          |                   |       | 2                |
| TOTAL                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          | 260               |               |                   | 618 + | 236              |
| JUL26                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| 460                                         | ----           | ----                         | ----               | ----/*0.0060A              | ----                          |  | 0.0005                   | UNCH     | .0007 | ----          | ----                     | ----              | ----          |                   |       | 23               |
| 510                                         | ----           | ----                         | ----               | ----/0.0080A               | ----                          |  | 0.0025                   | UNCH     | .0079 | ----          | ----                     | ----              | ----          |                   |       | 19               |
| 565                                         | ----           | ----                         | ----               | 0.0055B/*0.0100            | ----                          |  | 0.0085                   | - 0.0015 | .0298 | ----          | ----                     | ----              | ----          |                   |       | 6                |
| 568                                         | ----           | ----                         | ----               | 0.0060B/*0.0105            | ----                          |  | 0.0090                   | - 0.0015 | .0318 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 581                                         | ----           | ----                         | ----/*0.0130A      | 0.0110B/*0.0130            | ----                          |  | 0.0115                   | - 0.0030 | .0423 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 585                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 0.8970                   | + 0.1195 | .9518 | ----          | ----                     | ----              | ----          |                   |       | 6                |
| 585                                         | ----           | ----                         | ----/*0.0140A      | 0.0130B/*0.0140            | ----                          |  | 0.0130                   | - 0.0035 | .0477 | ----          | ----                     | ----              | ----          |                   |       | 6                |
| 592                                         | ----           | ----                         | ----/*0.0165A      | 0.0175B/*0.0165            | ----                          |  | 0.0160                   | - 0.0050 | .0586 | ----          | ----                     | 1                 | ----          |                   |       | 1                |
| 600                                         | ----           | ----                         | #0.7390B/----      | #0.7390B/0.6615            | ----                          |  | 0.7550                   | + 0.1155 | .9250 | ----          | ----                     | ----              | ----          |                   |       | 12               |
| 600                                         | ----           | ----                         | ----/*0.0205A      | 0.0245B/*0.0205            | ----                          |  | 0.0205                   | - 0.0075 | .0744 | ----          | ----                     | 1                 | ----          |                   |       | 1                |
| 611                                         | ----           | ----                         | ----/*0.0280A      | 0.0385B/*0.0280            | ----                          |  | 0.0295                   | - 0.0120 | .1042 | ----          | ----                     | ----              | ----          |                   |       | 22               |
| 612                                         | ----           | ----                         | #0.6285B/----      | #0.6285B/0.5595            | ----                          |  | 0.6450                   | + 0.1100 | .8920 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| 612                                         | ----           | ----                         | ----/*0.0290A      | 0.0400B/*0.0290            | ----                          |  | 0.0305                   | - 0.0125 | .1074 | ----          | ----                     | ----              | ----          |                   |       | 6                |
| 613                                         | ----           | ----                         | ----/*0.0300A      | 0.0420B/*0.0300            | ----                          |  | 0.0315                   | - 0.0130 | .1106 | ----          | ----                     | ----              | ----          |                   |       | 3                |
| 621                                         | ----           | ----                         | #0.5505B/----      | #0.5505B/0.4880            | ----                          |  | 0.5665                   | + 0.1045 | .8574 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 622                                         | ----           | ----                         | ----/*0.0405A      | 0.0595B/*0.0405            | ----                          |  | 0.0435                   | - 0.0185 | .1462 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| 625                                         | ----           | ----                         | 0.5175B/----       | 0.5175B/0.4580A            | ----                          |  | 0.5330                   | + 0.1015 | .8391 | ----          | ----                     | ----              | ----          |                   |       | 22               |
| 630                                         | ----           | ----                         | 0.4775B/0.3845A    | 0.4775B/0.3845A            | ----                          |  | 0.4930                   | + 0.0980 | .8138 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| 635                                         | ----           | ----                         | ----/*0.0650A      | 0.0980B/*0.0650            | ----                          |  | 0.0690                   | - 0.0290 | .2133 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| 645                                         | ----           | ----                         | 0.3870B/0.2905A    | 0.3870B/0.2905A            | ----                          |  | 0.3825                   | + 0.0845 | .7222 | ----          | ----                     | ----              | ----          |                   |       | 0                |
| 650                                         | ----           | ----                         | 0.3530B/0.2630A    | 0.3530B/0.2630A            | ----                          |  | 0.3500                   | + 0.0800 | .6878 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| 675                                         | ----           | ----                         | 0.2195B/0.1555A    | 0.2195B/0.1555A            | ----                          |  | 0.2165                   | + 0.0590 | .5057 | ----          | ----                     | ----              | ----          |                   |       | 0                |
| 680                                         | ----           | ----                         | 0.1980B/0.1385A    | 0.1980B/0.1385A            | ----                          |  | 0.1950                   | + 0.0550 | .4701 | ----          | ----                     | ----              | ----          |                   |       | 0                |
| 680                                         | 0.2435         | 0.2435                       | 0.3300B/*0.2435    | 0.3300B/*0.2435            | ----                          |  | 0.2590                   | NEW      | .5291 | ----          | ----                     | 20                | ----          |                   |       | 20 +             |
| 690                                         | 0.1540         | 0.1540                       | 0.1590B/0.1540     | 0.1590B/0.1095A            | ----                          |  | 0.1575                   | NEW      | .4020 | ----          | ----                     | 11                | ----          |                   |       | 11 +             |
| 700                                         | ----           | ----                         | 0.1275B/----       | 0.1275B/0.0855A            | ----                          |  | 0.1260                   | + 0.0420 | .3391 | ----          | ----                     | ----              | ----          |                   |       | 6                |
| 710                                         | ----           | ----                         | 0.1000B/----       | 0.1000B/0.0665A            | ----                          |  | 0.1000                   | + 0.0355 | .2825 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| TOTAL                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          | 33                |               |                   | 202 + | 31               |
| AUG26                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| 559                                         | ----           | ----                         | ----/*0.0370A      | 0.0320B/*0.0370            | ----                          |  | 0.0335                   | NEW      | .0748 | ----          | ----                     | 1                 | ----          |                   |       | 1 +              |
| 599                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 0.8260                   | + 0.1050 | .8329 | ----          | ----                     | ----              | ----          |                   |       | 10               |
| 606                                         | ----           | ----                         | ----/*0.0980A      | 0.1140B/*0.0980            | ----                          |  | 0.0980                   | NEW      | .1885 | ----          | ----                     | 1                 | ----          |                   |       | 1 +              |
| 630                                         | ----           | ----                         | 0.6060B/0.5035A    | 0.6060B/0.5035A            | ----                          |  | 0.6005                   | + 0.0910 | .7175 | ----          | ----                     | ----              | ----          |                   |       | 13               |
| 630                                         | ----           | ----                         | ----/*0.1640A      | 0.1960B/*0.1640            | ----                          |  | 0.1665                   | - 0.0315 | .2809 | ----          | ----                     | ----              | ----          |                   |       | 15               |
| 640                                         | ----           | ----                         | 0.5425B/0.4475A    | 0.5425B/0.4475A            | ----                          |  | 0.5380                   | + 0.0860 | .6745 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 650                                         | ----           | ----                         | 0.4840B/0.3960A    | 0.4840B/0.3960A            | ----                          |  | 0.4810                   | + 0.0810 | .6305 | ----          | ----                     | ----              | ----          |                   |       | 14               |
| TOTAL                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          | 2                 |               |                   | 55 +  | 2                |
| SEP26                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| 550                                         | ----           | ----                         | ----/*0.0485A      | 0.0425B/*0.0485            | ----                          |  | 0.0450                   | - 0.0060 | .0808 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 750                                         | ----           | ----                         | #0.2255B/----      | #0.2255B/0.1830            | ----                          |  | 0.2300                   | + 0.0510 | .3225 | ----          | ----                     | ----              | ----          |                   |       | 2                |
| TOTAL                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   | 3     |                  |
| HX CALL COMEX COPPER OPTIONS                |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| JUL26                                       |                |                              |                    |                            |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |
| 500                                         | ----           | ----                         | 1.6640B/----       | 1.6640B/1.6460A            | ----                          |  | 1.6770                   | + 0.1240 | .9936 | 1             | ----                     | ----              | ----          |                   |       | 8 -              |
| 510                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 1.5770                   | + 0.1235 | .9932 | 1             | ----                     | ----              | ----          |                   |       | 0 -              |
| 520                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 1.4775                   | + 0.1240 | .9914 | 1             | ----                     | ----              | ----          |                   |       | 1 -              |
| 525                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 1.4275                   | + 0.1235 | .9911 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 530                                         | ----           | ----                         | 1.3650B/----       | 1.3650B/1.3465A            | ----                          |  | 1.3780                   | + 0.1240 | .9893 | ----          | ----                     | ----              | ----          |                   |       | 6                |
| 540                                         | ----           | ----                         | 1.2655B/----       | 1.2655B/1.2470A            | ----                          |  | 1.2785                   | + 0.1235 | .9870 | ----          | ----                     | ----              | ----          |                   |       | 18               |
| 545                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 1.2290                   | + 0.1235 | .9851 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 550                                         | ----           | ----                         | ----               | ----                       | ----                          |  | 1.1795                   | + 0.1235 | .9830 | ----          | ----                     | ----              | ----          |                   |       | 2                |
| 555                                         | ----           | ----                         | 1.1170B/----       | 1.1170B/1.0985A            | ----                          |  | 1.1300                   | + 0.1235 | .9809 | ----          | ----                     | ----              | ----          |                   |       | 116              |
| 560                                         | 1.0900         | 1.0900                       | 1.0900/1.0900      | 1.0900/1.0900              | ----                          |  | 1.0805                   | + 0.1230 | .9801 | ----          | ----                     | 1                 | ----          |                   |       | 2 +              |
| 570                                         | ----           | ----                         | 0.9835B/----       | 0.9835B/0.9350A            | ----                          |  | 0.9815                   | + 0.1225 | .9736 | ----          | ----                     | ----              | ----          |                   |       | 157              |
| 574                                         | ----           | ----                         | 0.9295B/----       | 0.9295B/0.9115A            | ----                          |  | 0.9425                   | + 0.1225 | .9711 | ----          | ----                     | ----              | ----          |                   |       | 5                |
| 575                                         | 0.9000         | 0.9000                       | 0.9195B/0.9000     | 0.9195B/0.8995A            | ----                          |  | 0.9325                   | + 0.1220 | .9693 | ----          | ----                     | 1                 | ----          |                   |       | 18               |
| 580                                         | ----           | ----                         | 0.8705B/----       | 0.8705B/0.8525A            | ----                          |  | 0.8835                   | + 0.1215 | .9648 | ----          | ----                     | ----              | ----          |                   |       | 123              |
| 585                                         | ----           | ----                         | 0.8415B/0.7135A    | 0.8415B/0.7135A            | ----                          |  | 0.8350                   | + 0.1210 | .9600 | ----          | ----                     | ----              | ----          |                   |       | 318              |
| 590                                         | ----           | ----                         | 0.7730B/----       | 0.7730B/0.6670A            | ----                          |  | 0.7865                   | + 0.1200 | .9535 | ----          | ----                     | ----              | ----          |                   |       | 103              |
| 591                                         | ----           | ----                         | 0.6740B/0.6570A    | 0.6740B/0.6570A            | ----                          |  | 0.7765                   | + 0.1190 | .9515 | ----          | ----                     | ----              | ----          |                   |       | 3                |
| 593                                         | ----           | ----                         | 0.6810B/----       | 0.6810B/0.6385A            | ----                          |  | 0.7575                   | + 0.1190 | .9490 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 594                                         | ----           | ----                         | 0.6915B/----       | 0.6915B/0.6405A            | ----                          |  | 0.7480                   | + 0.1190 | .9470 | ----          | ----                     | ----              | ----          |                   |       | 2                |
| 595                                         | ----           | ----                         | 0.7245B/----       | 0.7245B/0.6200A            | ----                          |  | 0.7385                   | + 0.1185 | .9450 | ----          | ----                     | ----              | ----          |                   |       | 29               |
| 597                                         | ----           | ----                         | 0.6905B/----       | 0.6905B/0.6025A            | ----                          |  | 0.7195                   | + 0.1180 | .9410 | ----          | ----                     | ----              | ----          |                   |       | 1                |
| 598                                         | ----           | ----                         | 0.6885B/----       | 0.6885B                    |                               |  |                          |          |       |               |                          |                   |               |                   |       |                  |





| BULLETIN #104@ |                      |                              | METALS OPTION PRODUCTS |                            |                               |                          |       |               |                          |                   |               |                  | Tue, Jun 02, 2026 |  |  | PG64 |
|----------------|----------------------|------------------------------|------------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------------------|--|--|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |      |
| HX CALL        | COMEX COPPER OPTIONS |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| NOV26          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| 585            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.1295 + 0.1030          | .8059 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 595            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.0575 + 0.1000          | .7818 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |
| 600            | ----                 | ----                         | 0.9585B/0.9185A        | 0.9585B/0.9185A            | ----                          | 1.0230 + 0.0985          | .7694 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |
| 610            | ----                 | ----                         | 0.9565B/0.8555A        | 0.9565B/0.8555A            | ----                          | 0.9560 + 0.0955          | .7436 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |      |
| 640            | ----                 | ----                         | 0.7740B/0.6860A        | 0.7740B/0.6860A            | ----                          | 0.7750 + 0.0860          | .6611 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 650            | ----                 | ----                         | 0.7200B/0.6360A        | 0.7200B/0.6360A            | ----                          | 0.7215 + 0.0830          | .6328 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 655            | ----                 | ----                         | 0.6940B/0.6120A        | 0.6940B/0.6120A            | ----                          | 0.6960 + 0.0820          | .6186 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 660            | ----                 | ----                         | 0.6685B/0.5890A        | 0.6685B/0.5890A            | ----                          | 0.6710 + 0.0805          | .6045 | ----          | ----                     | ----              | ----          | 20               | UNCH              |  |  |      |
| 665            | ----                 | ----                         | 0.6440B/0.5665A        | 0.6440B/0.5665A            | ----                          | 0.6470 + 0.0790          | .5903 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 670            | ----                 | ----                         | 0.6205B/0.5450A        | 0.6205B/0.5450A            | ----                          | 0.6235 + 0.0775          | .5762 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |      |
| 675            | ----                 | ----                         | 0.6015B/0.5240A        | 0.6015B/0.5240A            | ----                          | 0.6010 + 0.0765          | .5622 | ----          | ----                     | ----              | ----          | 62               | UNCH              |  |  |      |
| 680            | ----                 | ----                         | 0.5795B/----           | 0.5795B/0.5040A            | ----                          | 0.5790 + 0.0750          | .5482 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 695            | ----                 | ----                         | 0.5170B/----           | 0.5170B/0.4470A            | ----                          | 0.5175 + 0.0710          | .5072 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 700            | ----                 | ----                         | 0.4975B/----           | 0.4975B/0.4295A            | ----                          | 0.4985 + 0.0700          | .4939 | ----          | ----                     | ----              | ----          | 27               | UNCH              |  |  |      |
| 705            | ----                 | ----                         | 0.4780B/----           | 0.4780B/0.4120A            | ----                          | 0.4800 + 0.0690          | .4807 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 725            | ----                 | ----                         | 0.4080B/----           | 0.4080B/0.3500A            | ----                          | 0.4120 + 0.0640          | .4300 | ----          | ----                     | ----              | ----          | 48               | UNCH              |  |  |      |
| 740            | ----                 | ----                         | 0.3620B/----           | 0.3620B/0.3100A            | ----                          | 0.3670 + 0.0605          | .3943 | ----          | ----                     | ----              | ----          | 20               | UNCH              |  |  |      |
| 750            | ----                 | ----                         | 0.3340B/----           | 0.3340B/0.2860A            | ----                          | 0.3395 + 0.0575          | .3716 | ----          | ----                     | ----              | ----          | 26               | UNCH              |  |  |      |
| 800            | ----                 | ----                         | 0.2215B/----           | 0.2215B/0.1900A            | ----                          | 0.2285 + 0.0440          | .2722 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 850            | ----                 | ----                         | 0.1475B/----           | 0.1475B/0.1290A            | ----                          | 0.1565 + 0.0330          | .1982 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |
| 900            | ----                 | ----                         | 0.1000B/----           | 0.1000B/0.0915A            | ----                          | 0.1095 + 0.0250          | .1449 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 975            | ----                 | ----                         | 0.0585B/----           | 0.0585B/0.0590A            | ----                          | 0.0675 + 0.0165          | .0932 | ----          | ----                     | ----              | ----          | 4                | UNCH              |  |  |      |
| TOTAL          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               | 255              |                   |  |  |      |
| DEC26          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| 520            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.6815 + 0.1140          | .9066 | ----          | ----                     | 1                 | ----          | 0 -              | 1                 |  |  |      |
| 525            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.6380 + 0.1135          | .9001 | ----          | ----                     | ----              | ----          | 123              | UNCH              |  |  |      |
| 535            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.5520 + 0.1115          | .8858 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 550            | ----                 | ----                         | ----                   | 1.0010B/----               | ----                          | 1.4285 + 0.1085          | .8611 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |
| 555            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.3885 + 0.1075          | .8518 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 565            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.3110 + 0.1055          | .8325 | ----          | ----                     | ----              | ----          | 45               | UNCH              |  |  |      |
| 575            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.2365 + 0.1030          | .8117 | ----          | ----                     | ----              | ----          | 123              | UNCH              |  |  |      |
| 585            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.1650 + 0.1005          | .7897 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 590            | ----                 | ----                         | -----/1.0285A          | 1.0240B/1.0285A            | ----                          | 1.1300 + 0.0990          | .7784 | ----          | ----                     | ----              | ----          | 200              | UNCH              |  |  |      |
| 595            | ----                 | ----                         | 1.0385B/0.9960A        | 1.0385B/0.9960A            | ----                          | 1.0965 + 0.0980          | .7667 | ----          | ----                     | ----              | ----          | 163              | UNCH              |  |  |      |
| 600            | ----                 | ----                         | 1.0490B/0.9650A        | 1.0490B/0.9650A            | ----                          | 1.0630 + 0.0960          | .7548 | ----          | ----                     | ----              | ----          | 618              | UNCH              |  |  |      |
| 610            | ----                 | ----                         | 0.9955B/0.9045A        | 0.9955B/0.9045A            | ----                          | 0.9990 + 0.0935          | .7305 | ----          | ----                     | ----              | ----          | 200              | UNCH              |  |  |      |
| 620            | ----                 | ----                         | 0.9340B/0.8470A        | 0.9340B/0.8470A            | ----                          | 0.9380 + 0.0905          | .7055 | ----          | ----                     | ----              | ----          | 366              | UNCH              |  |  |      |
| 625            | ----                 | ----                         | 0.9045B/0.8190A        | 0.9045B/0.8190A            | ----                          | 0.9085 + 0.0890          | .6930 | ----          | 1                        | ----              | ----          | 38 -             | 1                 |  |  |      |
| 630            | ----                 | ----                         | 0.8755B/----           | 0.8755B/0.7920A            | ----                          | 0.8795 + 0.0875          | .6802 | ----          | 300                      | ----              | ----          | 310 -            | 81                |  |  |      |
| 635            | ----                 | ----                         | 0.8470B/----           | 0.8470B/0.7660A            | ----                          | 0.8515 + 0.0860          | .6674 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 640            | ----                 | ----                         | 0.8200B/----           | 0.8200B/0.7405A            | ----                          | 0.8245 + 0.0850          | .6545 | ----          | ----                     | ----              | ----          | 29               | UNCH              |  |  |      |
| 650            | 0.7460               | 0.7460                       | 0.7670B/0.7385         | 0.7670B/0.6910A            | ----                          | 0.7720 + 0.0825          | .6287 | ----          | ----                     | 379               | ----          | 493 -            | 306               |  |  |      |
| 655            | ----                 | ----                         | 0.7415B/----           | 0.7415B/0.6675A            | ----                          | 0.7470                   | NEW   | .6157         | ----                     | 10                | ----          | 10 +             | 10                |  |  |      |
| 660            | ----                 | ----                         | 0.7170B/----           | 0.7170B/0.6450A            | ----                          | 0.7225 + 0.0800          | .6028 | ----          | 300                      | ----              | ----          | 300              | UNCH              |  |  |      |
| 670            | ----                 | ----                         | 0.6695B/----           | 0.6695B/0.6010A            | ----                          | 0.6755 + 0.0775          | .5770 | ----          | ----                     | ----              | ----          | 4                | UNCH              |  |  |      |
| 675            | ----                 | ----                         | 0.6470B/----           | 0.6470B/0.5805A            | ----                          | 0.6530 + 0.0760          | .5642 | ----          | ----                     | ----              | ----          | 17               | UNCH              |  |  |      |
| 680            | ----                 | ----                         | 0.6250B/----           | 0.6250B/0.5600A            | ----                          | 0.6310 + 0.0745          | .5514 | ----          | 660                      | ----              | ----          | 663 +            | 660               |  |  |      |
| 690            | ----                 | ----                         | 0.5830B/----           | 0.5830B/0.5215A            | ----                          | 0.5895 + 0.0725          | .5262 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 700            | ----                 | ----                         | 0.5435B/----           | 0.5435B/0.4855A            | ----                          | 0.5500 + 0.0695          | .5016 | ----          | 300                      | 588               | ----          | 1798 +           | 888               |  |  |      |
| 705            | ----                 | ----                         | 0.5245B/----           | 0.5245B/0.4680A            | ----                          | 0.5315 + 0.0685          | .4895 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |
| 710            | ----                 | ----                         | 0.5060B/----           | 0.5060B/0.4515A            | ----                          | 0.5130 + 0.0670          | .4775 | ----          | ----                     | ----              | ----          | 50               | UNCH              |  |  |      |
| 725            | ----                 | ----                         | 0.4545B/----           | 0.4545B/0.4050A            | ----                          | 0.4620 + 0.0635          | .4426 | ----          | ----                     | ----              | ----          | 129              | UNCH              |  |  |      |
| 730            | ----                 | ----                         | 0.4385B/----           | 0.4385B/0.3905A            | ----                          | 0.4460 + 0.0620          | .4313 | ----          | ----                     | ----              | ----          | 4                | UNCH              |  |  |      |
| 750            | ----                 | ----                         | 0.3795B/----           | 0.3795B/0.3370A            | ----                          | 0.3875 + 0.0575          | .3882 | ----          | ----                     | ----              | ----          | 381              | UNCH              |  |  |      |
| 775            | ----                 | ----                         | 0.3160B/----           | 0.3160B/0.2815A            | ----                          | 0.3250 + 0.0520          | .3388 | ----          | ----                     | ----              | ----          | 211              | UNCH              |  |  |      |
| 800            | 0.2620               | 0.2620                       | 0.2700/0.2620          | 0.2700/0.2355A             | ----                          | 0.2725 + 0.0465          | .2946 | ----          | 7                        | ----              | ----          | 164 +            | 2                 |  |  |      |
| 825            | ----                 | ----                         | 0.2190B/----           | 0.2190B/0.1980A            | ----                          | 0.2285 + 0.0395          | .2554 | ----          | ----                     | 40                | ----          | 64 +             | 15                |  |  |      |
| 850            | ----                 | ----                         | 0.1825B/----           | 0.1825B/0.1675A            | ----                          | 0.1935 + 0.0350          | .2220 | ----          | ----                     | ----              | ----          | 239              | UNCH              |  |  |      |
| 900            | ----                 | ----                         | 0.1280B/----           | 0.1280B/0.1225A            | ----                          | 0.1410 + 0.0270          | .1685 | ----          | ----                     | ----              | ----          | 657              | UNCH              |  |  |      |
| 925            | ----                 | ----                         | 0.1080B/----           | 0.1080B/0.1065A            | ----                          | 0.1215 + 0.0240          | .1475 | ----          | ----                     | ----              | ----          | 6                | UNCH              |  |  |      |
| 950            | ----                 | ----                         | 0.0915B/----           | 0.0915B/0.0930A            | ----                          | 0.1055 + 0.0215          | .1297 | ----          | ----                     | ----              | ----          | 114              | UNCH              |  |  |      |
| 975            | ----                 | ----                         | 0.0780B/----           | 0.0780B/0.0825A            | ----                          | 0.0920 + 0.0190          | .1143 | ----          | ----                     | ----              | ----          | 13               | UNCH              |  |  |      |
| 1000           | ----                 | ----                         | 0.0670B/----           | 0.0670B/0.0735A            | ----                          | 0.0810 + 0.0170          | .1014 | ----          | 628                      | 1958              | ----          | 5                | UNCH              |  |  |      |
| TOTAL          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               | 7546 +           | 1186              |  |  |      |
| JAN27          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| 500            | ----                 | ----                         | ----                   | ----                       | ----                          | 1.9555 + 0.1180          | .9252 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 900            | ----                 | ----                         | #0.1660B/----          | #0.1660B/0.1840            | ----                          | 0.1850 + 0.0210          | .1995 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| TOTAL          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               | 2                |                   |  |  |      |
| FEB27          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| 620            | ----                 | ----                         | #1.0540B/----          | #1.0540B/1.0610            | ----                          | 1.0675 + 0.0905          | .7108 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |
| 750            | 0.5020               | 0.5020                       | #0.5035B/*0.496        | #0.5035B/*0.496            | ----                          | 0.5040                   | NEW   | .4306         | ----                     | 20                | ----          | 20 +             | 20                |  |  |      |
| TOTAL          |                      |                              |                        |                            |                               |                          |       |               |                          | 20                |               | 21 +             | 20                |  |  |      |
| MAR27          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| 680            | ----                 | ----                         | #0.7770B/----          | #0.7770B/*0.792            | ----                          | 0.7955 + 0.0740          | .5776 | ----          | ----                     | ----              | ----          | 30               | UNCH              |  |  |      |
| 950            | ----                 | ----                         | ----                   | 0.1645B/0.1890A            | ----                          | 0.1975 + 0.0140          | .1911 | ----          | ----                     | ----              | ----          | 3                | UNCH              |  |  |      |
| TOTAL          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               | 33               |                   |  |  |      |
| HX PUT         | COMEX COPPER OPTIONS |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| JUL26          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |
| 330            | ----                 | ----                         | ----                   | ----/*0.0015A              | ----                          | 0.0005                   | UNCH  | .0000         | ----                     | ----              | ----          | 84               | UNCH              |  |  |      |
| 350            | ----                 | ----                         | ----                   | ----/0.0010A               | ----                          | 0.0005                   | UNCH  | .0000         | ----                     | ----              | ----          | 5                | UNCH              |  |  |      |
| 360            |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |                   |  |  |      |



| GLOBEX<br>OPEN       |        | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |     |
|----------------------|--------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|-----|
| COMEX COPPER OPTIONS |        |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |     |
| JUL26                |        |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |     |
| 558                  | ----   | ----                         | ----/*0.0050A      | 0.0055B/*0.0050            | ----                          | 0.0050 - 0.0010          | .0195 | ----          | ----                     | ----              | ----          | 104              |     |
| 559                  | ----   | ----                         | ----/*0.0055A      | 0.0055B/*0.0055            | ----                          | 0.0050 - 0.0010          | .0196 | ----          | ----                     | ----              | ----          | 9                |     |
| 560                  | 0.0060 | 0.0060                       | 0.0060/*0.0055A    | 0.0060/*0.0055A            | ----                          | 0.0050 - 0.0015          | .0198 | ----          | ----                     | 3                 | ----          | 317              |     |
| 561                  | ----   | ----                         | ----/*0.0055A      | 0.0060B/*0.0055            | ----                          | 0.0055 - 0.0010          | .0215 | ----          | ----                     | ----              | ----          | 7                |     |
| 562                  | ----   | ----                         | ----/*0.0055A      | 0.0060B/*0.0055            | ----                          | 0.0055 - 0.0010          | .0216 | ----          | ----                     | ----              | ----          | 2                |     |
| 563                  | ----   | ----                         | ----/*0.0055A      | 0.0060B/*0.0055            | ----                          | 0.0055 - 0.0015          | .0218 | ----          | ----                     | ----              | ----          | 17               |     |
| 564                  | ----   | ----                         | ----/*0.0060A      | 0.0060B/*0.0060            | ----                          | 0.0055 - 0.0015          | .0220 | ----          | ----                     | ----              | ----          | 5                |     |
| 565                  | 0.0070 | 0.0070                       | 0.0070/*0.0060A    | 0.0070/*0.0060A            | ----                          | 0.0055 - 0.0015          | .0222 | ----          | 5                        | ----              | ----          | 11 -             |     |
| 566                  | ----   | ----                         | ----/*0.0060A      | 0.0065B/*0.0060            | ----                          | 0.0060 - 0.0015          | .0239 | ----          | ----                     | ----              | ----          | 14               |     |
| 567                  | ----   | ----                         | ----/*0.0060A      | 0.0065B/*0.0060            | ----                          | 0.0060 - 0.0015          | .0241 | ----          | ----                     | ----              | ----          | 14               |     |
| 568                  | ----   | ----                         | ----/*0.0065A      | 0.0070B/*0.0065            | ----                          | 0.0060 - 0.0015          | .0243 | ----          | ----                     | ----              | ----          | 7                |     |
| 569                  | ----   | ----                         | ----/*0.0065A      | 0.0070B/*0.0065            | ----                          | 0.0060 - 0.0020          | .0245 | ----          | ----                     | ----              | ----          | 12               |     |
| 570                  | 0.0070 | 0.0070                       | 0.0075/*0.0065A    | 0.0075/*0.0065A            | ----                          | 0.0065 - 0.0015          | .0263 | ----          | 7                        | ----              | ----          | 308 -            |     |
| 571                  | ----   | ----                         | ----/*0.0065A      | 0.0075B/*0.0065            | ----                          | 0.0065 - 0.0020          | .0265 | ----          | ----                     | ----              | ----          | 27               |     |
| 572                  | ----   | ----                         | ----/*0.0070A      | 0.0075B/*0.0070            | ----                          | 0.0070 - 0.0015          | .0283 | ----          | 1                        | ----              | ----          | 5                |     |
| 573                  | ----   | ----                         | ----/*0.0070A      | 0.0080B/*0.0070            | ----                          | 0.0070 - 0.0015          | .0285 | ----          | ----                     | ----              | ----          | 18               |     |
| 574                  | ----   | ----                         | ----/*0.0070A      | 0.0080B/*0.0070            | ----                          | 0.0070 - 0.0020          | .0288 | ----          | ----                     | ----              | ----          | 16               |     |
| 575                  | 0.0085 | 0.0085                       | 0.0085/*0.0075A    | 0.0085/*0.0075A            | ----                          | 0.0075 - 0.0015          | .0305 | ----          | 20                       | ----              | ----          | 270              |     |
| 576                  | ----   | ----                         | ----/*0.0075A      | 0.0085B/*0.0075            | ----                          | 0.0075 - 0.0020          | .0308 | ----          | ----                     | ----              | ----          | 24               |     |
| 577                  | ----   | ----                         | ----/*0.0075A      | 0.0085B/*0.0075            | ----                          | 0.0080 - 0.0015          | .0326 | ----          | ----                     | ----              | ----          | 6                |     |
| 578                  | ----   | ----                         | ----/*0.0080A      | 0.0090B/*0.0080            | ----                          | 0.0080 - 0.0020          | .0329 | ----          | 2                        | ----              | ----          | 40 -             |     |
| 579                  | ----   | ----                         | ----/*0.0080A      | 0.0090B/*0.0080            | ----                          | 0.0080 - 0.0020          | .0332 | ----          | ----                     | ----              | ----          | 28               |     |
| 580                  | 0.0095 | 0.0095                       | 0.0095/*0.0080A    | 0.0095/*0.0080A            | ----                          | 0.0085 - 0.0020          | .0350 | ----          | 28                       | ----              | ----          | 1947 -           |     |
| 581                  | ----   | ----                         | ----/*0.0085A      | 0.0100B/*0.0085            | ----                          | 0.0085 - 0.0025          | .0354 | ----          | ----                     | ----              | ----          | 25               |     |
| 582                  | ----   | ----                         | ----/*0.0085A      | 0.0105B/*0.0085            | ----                          | 0.0090 - 0.0025          | .0372 | ----          | ----                     | ----              | ----          | 48               |     |
| 583                  | ----   | ----                         | ----/*0.0085A      | 0.0110B/*0.0085            | ----                          | 0.0090 - 0.0025          | .0376 | ----          | ----                     | ----              | ----          | 44               |     |
| 584                  | ----   | ----                         | ----/*0.0090A      | 0.0110B/*0.0090            | ----                          | 0.0095 - 0.0025          | .0394 | ----          | ----                     | ----              | ----          | 9                |     |
| 585                  | 0.0110 | 0.0110                       | 0.0110/*0.0090A    | 0.0110/*0.0090A            | ----                          | 0.0095 - 0.0030          | .0398 | ----          | 30                       | ----              | ----          | 916              |     |
| 586                  | ----   | ----                         | ----/*0.0095A      | 0.0110B/*0.0095            | ----                          | 0.0100 - 0.0030          | .0417 | ----          | ----                     | ----              | ----          | 42               |     |
| 587                  | ----   | ----                         | ----/*0.0095A      | 0.0115B/*0.0095            | ----                          | 0.0100 - 0.0035          | .0421 | ----          | ----                     | ----              | ----          | 15               |     |
| 588                  | ----   | ----                         | ----/*0.0100A      | 0.0120B/*0.0100            | ----                          | 0.0105 - 0.0035          | .0440 | ----          | ----                     | ----              | ----          | 29               |     |
| 589                  | ----   | ----                         | ----/*0.0100A      | 0.0125B/*0.0100            | ----                          | 0.0110 - 0.0035          | .0459 | ----          | ----                     | ----              | ----          | 44               |     |
| 590                  | 0.0125 | 0.0125                       | 0.0125/*0.0100     | 0.0135B/*0.0100            | ----                          | 0.0110 - 0.0045          | .0464 | ----          | 28                       | ----              | ----          | 944 -            |     |
| 591                  | ----   | ----                         | ----/*0.0105A      | 0.0140B/*0.0105            | ----                          | 0.0115 - 0.0045          | .0484 | ----          | ----                     | ----              | ----          | 25               |     |
| 592                  | ----   | ----                         | ----/*0.0110A      | 0.0145B/*0.0110            | ----                          | 0.0120 - 0.0045          | .0503 | ----          | 1                        | ----              | ----          | 13               |     |
| 593                  | 0.0135 | 0.0135                       | 0.0135/*0.0110A    | 0.0150B/*0.0110            | ----                          | 0.0120 - 0.0050          | .0508 | ----          | 3                        | ----              | ----          | 53 +             |     |
| 594                  | ----   | ----                         | ----/*0.0115A      | 0.0150B/*0.0115            | ----                          | 0.0125 - 0.0055          | .0528 | ----          | ----                     | ----              | ----          | 22               |     |
| 595                  | ----   | ----                         | ----/*0.0120A      | 0.0165B/*0.0120            | ----                          | 0.0130 - 0.0055          | .0548 | ----          | 2                        | ----              | ----          | 229              |     |
| 596                  | ----   | ----                         | ----/*0.0125A      | 0.0175B/*0.0125            | ----                          | 0.0135 - 0.0055          | .0569 | ----          | 1                        | ----              | ----          | 12               |     |
| 597                  | ----   | ----                         | ----/*0.0130A      | 0.0175B/*0.0130            | ----                          | 0.0140 - 0.0060          | .0589 | ----          | ----                     | ----              | ----          | 52               |     |
| 598                  | ----   | ----                         | ----/*0.0130A      | 0.0190B/*0.0130            | ----                          | 0.0145 - 0.0060          | .0610 | ----          | ----                     | ----              | ----          | 42               |     |
| 599                  | ----   | ----                         | ----/*0.0135A      | 0.0195B/*0.0135            | ----                          | 0.0150 - 0.0065          | .0630 | ----          | ----                     | ----              | ----          | 78               |     |
| 600                  | 0.0165 | 0.0165                       | 0.0185/*0.0140A    | 0.0215B/*0.0140            | ----                          | 0.0155 - 0.0070          | .0651 | ----          | 97                       | 50                | ----          | 1177 +           |     |
| 601                  | 0.0180 | 0.0180                       | 0.0180/*0.0145A    | 0.0215B/*0.0145            | ----                          | 0.0160 - 0.0070          | .0672 | ----          | 4                        | ----              | ----          | 48 +             |     |
| 602                  | ----   | ----                         | ----/*0.0150A      | 0.0235B/*0.0150            | ----                          | 0.0165 - 0.0075          | .0694 | ----          | ----                     | ----              | ----          | 28               |     |
| 603                  | ----   | ----                         | ----/*0.0150A      | 0.0230B/*0.0150            | ----                          | 0.0175 - 0.0075          | .0729 | ----          | ----                     | ----              | ----          | 39               |     |
| 605                  | ----   | ----                         | ----/*0.0160A      | 0.0255B/*0.0160            | ----                          | 0.0185 - 0.0090          | .0773 | ----          | ----                     | ----              | ----          | 249              |     |
| 610                  | 0.0300 | 0.0300                       | 0.0300/*0.0195A    | 0.0325B/*0.0195            | ----                          | 0.0225 - 0.0110          | .0926 | ----          | 36                       | ----              | ----          | 576 -            |     |
| 615                  | 0.0245 | 0.0245                       | 0.0250/*0.0235A    | 0.0410B/*0.0235            | ----                          | 0.0275 - 0.0140          | .1110 | ----          | 7                        | ----              | ----          | 204 +            |     |
| 620                  | 0.0515 | 0.0515                       | 0.0515/*0.0290A    | 0.0515/*0.0290A            | ----                          | 0.0335 - 0.0180          | .1323 | ----          | 84                       | ----              | ----          | 411 +            |     |
| 625                  | 0.0495 | 0.0495                       | 0.0640B/*0.0355    | 0.0640B/*0.0355            | ----                          | 0.0410 - 0.0225          | .1574 | ----          | 57                       | 210               | ----          | 501 +            |     |
| 630                  | 0.0630 | 0.0630                       | 0.0780B/*0.0435    | 0.0780B/*0.0435            | ----                          | 0.0500 - 0.0275          | .1859 | ----          | 139                      | ----              | ----          | 336 -            |     |
| 635                  | 0.0660 | 0.0660                       | 0.0955B/*0.0540    | 0.0955B/*0.0540            | ----                          | 0.0610 - 0.0330          | .2183 | ----          | 89                       | ----              | ----          | 295 +            |     |
| 640                  | 0.0835 | 0.0835                       | 0.1150B/*0.0665    | 0.1150B/*0.0665            | ----                          | 0.0740 - 0.0385          | .2540 | ----          | 76                       | ----              | ----          | 203 +            |     |
| 645                  | 0.0995 | 0.0995                       | 0.1375B/*0.0825    | 0.1375B/*0.0825            | ----                          | 0.0900 - 0.0440          | .2934 | ----          | 83                       | ----              | ----          | 168 +            |     |
| 650                  | 0.1610 | 0.1610                       | 0.1620B/*0.0990    | 0.1620B/*0.0990            | ----                          | 0.1080 - 0.0490          | .3345 | ----          | 173                      | ----              | ----          | 206 +            |     |
| 655                  | 0.1790 | 0.1790                       | 0.1885B/*0.1190    | 0.1885B/*0.1190            | ----                          | 0.1285 - 0.0540          | .3771 | ----          | 8                        | ----              | ----          | 177 +            |     |
| 660                  | 0.2060 | 0.2060                       | 0.2170B/*0.1420    | 0.2170B/*0.1420            | ----                          | 0.1510 - 0.0590          | .4201 | ----          | 109                      | ----              | ----          | 100 +            |     |
| 665                  | 0.2080 | 0.2080                       | 0.2475B/*0.1670    | 0.2475B/*0.1670            | ----                          | 0.1760 - 0.0630          | .4633 | ----          | 15                       | ----              | ----          | 13 +             |     |
| 670                  | 0.2060 | 0.2060                       | 0.2765B/*0.1915    | 0.2765B/*0.1915            | ----                          | 0.2030 - 0.0675          | .5059 | ----          | 37                       | ----              | ----          | 78 +             |     |
| 675                  | ----   | ----                         | 0.3105B/*0.2220    | 0.3105B/*0.2220            | ----                          | 0.2320 - 0.0715          | .5476 | ----          | ----                     | ----              | ----          | 26               |     |
| 690                  | ----   | ----                         | ----/*0.3195A      | 0.4115B/*0.3195            | ----                          | 0.3300 - NEW             | .6632 | ----          | 1                        | ----              | ----          | 1 +              |     |
| 700                  | ----   | ----                         | ----/*0.3945A      | 0.4845B/*0.3945            | ----                          | 0.4040 - 0.0915          | .7298 | ----          | ----                     | ----              | ----          | 1                |     |
| 705                  | ----   | ----                         | ----/*0.4335A      | 0.5280B/*0.4335            | ----                          | 0.4430 - 0.0950          | .7592 | ----          | ----                     | ----              | ----          | 1                |     |
| TOTAL                |        |                              |                    |                            |                               |                          |       |               |                          | 260               | 1157          | 24648 +          | 679 |
| AUG26                |        |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |     |
| 330                  | ----   | ----                         | ----               | ----/0.0055A               | ----                          | 0.0005                   | UNCH  | .0005         | ----                     | ----              | ----          | 3                |     |
| 405                  | ----   | ----                         | ----               | ----/*0.0055A              | ----                          | 0.0025 + 0.0005          | .0049 | ----          | ----                     | ----              | ----          | 3                |     |
| 420                  | ----   | ----                         | ----               | 0.0005B/*0.0060            | ----                          | 0.0030                   | UNCH  | .0061         | ----                     | ----              | ----          | 1                |     |
| 440                  | ----   | ----                         | ----               | 0.0015B/*0.0070            | ----                          | 0.0040                   | UNCH  | .0084         | ----                     | ----              | ----          | 5                |     |
| 450                  | ----   | ----                         | ----               | 0.0020B/*0.0075            | ----                          | 0.0050 + 0.0005          | .0105 | ----          | ----                     | ----              | ----          | 8                |     |
| 460                  | ----   | ----                         | ----               | 0.0025B/0.0085A            | ----                          | 0.0055                   | UNCH  | .0119         | ----                     | ----              | ----          | 3                |     |
| 465                  | ----   | ----                         | ----               | 0.0030B/0.0090A            | ----                          | 0.0060                   | UNCH  | .0130         | ----                     | ----              | ----          | 1                |     |
| 470                  | ----   | ----                         | ----               | 0.0035B/*0.0090            | ----                          | 0.0065                   | UNCH  | .0142         | ----                     | ----              | ----          | 3                |     |
| 475                  | ----   | ----                         | ----               | 0.0040B/0.0095A            | ----                          | 0.0065 - 0.0005          | .0146 | ----          | ----                     | ----              | ----          | 15               |     |
| 480                  | ----   | ----                         | ----               | 0.0040B/0.0100A            | ----                          | 0.0070 - 0.0005          | .0158 | ----          | ----                     | ----              | ----          | 8                |     |
| 485                  | ----   | ----                         | ----               | 0.0050B/0.0110A            | ----                          | 0.0075 - 0.0010          | .0171 | ----          | ----                     | ----              | ----          | 1                |     |
| 490                  | ----   | ----                         | ----               | 0.0055B/0.0110A            | ----                          | 0.0080 - 0.0010          | .0184 | ----          | ----                     | ----              | ----          | 1                |     |
| 500                  | ----   | ----                         | ----               | 0.0065B/0.0115A            | ----                          | 0.0095 - 0.0010          | .0221 | ----          | 2                        | ----              | ----          | 11               |     |
| 505                  | ----   | ----                         | ----               | 0.0070B/0.0130A            | ----                          | 0.0100 - 0.0010          | .0236 | ----          | ----                     | ----              | ----          | 1                |     |
| 510                  | ----   | ----                         | ----               | 0.0080B/0.0135A            | ----                          | 0.0105 - 0.0015          | .0251 | ----          | ----                     | ----              | ----          | 2                |     |
| 520                  | ----   | ----                         | ----/*0.0120A      | 0.0110B/*0.0120            | ----                          | 0.0125 - 0.0015          | .0302 | ----          | ----                     | ----              | ----          | 308              |     |
| 525                  | ----   | ----                         | ----/*0.0125A      | 0.0120B/*0.01              |                               |                          |       |               |                          |                   |               |                  |     |

| BULLETIN #104@    |                      |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               |                  |       | Tue, Jun 02, 2026 |  | PG64 |
|-------------------|----------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------|-------------------|--|------|
|                   | GLOBEX<br>OPEN       | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |       |                   |  |      |
| HX PUT<br>SEP26   | COMEX COPPER OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 560               | ----                 | ----                         | ----/*0.0550A      | 0.0625B/*0.0550            | ----                          | 0.0570 - 0.0085          | .1039 | ----          | ----                     | ----              | ----          | 5                | UNCH  |                   |  |      |
| 565               | ----                 | ----                         | ----/*0.0610A      | 0.0695B/*0.0610            | ----                          | 0.0630 - 0.0095          | .1134 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 570               | ----                 | ----                         | ----/*0.0670A      | 0.0780B/*0.0670            | ----                          | 0.0700 - 0.0105          | .1240 | ----          | ----                     | ----              | ----          | 124              | UNCH  |                   |  |      |
| 575               | ----                 | ----                         | ----/*0.0745A      | 0.0870B/*0.0745            | ----                          | 0.0775 - 0.0115          | .1351 | ----          | ----                     | ----              | ----          | 406              | UNCH  |                   |  |      |
| 580               | ----                 | ----                         | ----/*0.0825A      | 0.0965B/*0.0825            | ----                          | 0.0855 - 0.0125          | .1468 | ----          | ----                     | ----              | ----          | 686              | UNCH  |                   |  |      |
| 585               | ----                 | ----                         | ----/*0.0905A      | 0.1075B/*0.0905            | ----                          | 0.0945 - 0.0140          | .1594 | ----          | ----                     | 1                 | ----          | 9 +              | 1     |                   |  |      |
| 590               | ----                 | ----                         | ----/*0.0995A      | 0.1195B/*0.0995            | ----                          | 0.1045 - 0.0150          | .1729 | ----          | ----                     | 6                 | ----          | 370 +            | 1     |                   |  |      |
| 595               | ----                 | ----                         | 0.1320B/*0.1110    | 0.1320B/*0.1110            | ----                          | 0.1155 - 0.0160          | .1872 | ----          | ----                     | ----              | ----          | 8                | UNCH  |                   |  |      |
| 600               | 0.1350               | 0.1350                       | 0.1460B/*0.1215    | 0.1460B/*0.1215            | ----                          | 0.1275 - 0.0175          | .2023 | ----          | ----                     | 1                 | ----          | 1608             | UNCH  |                   |  |      |
| 610               | 0.1545               | 0.1545                       | 0.1775B/*0.1470    | 0.1775B/*0.1470            | ----                          | 0.1545 - 0.0210          | .2342 | ----          | ----                     | 101               | ----          | 1401 +           | 101   |                   |  |      |
| 615               | ----                 | ----                         | 0.1950B/*0.1620    | 0.1950B/*0.1620            | ----                          | 0.1695 - 0.0230          | .2511 | ----          | ----                     | 1                 | ----          | 2 +              | 1     |                   |  |      |
| 620               | ----                 | ----                         | 0.2135B/*0.1770    | 0.2135B/*0.1770            | ----                          | 0.1860 - 0.0250          | .2686 | ----          | ----                     | ----              | ----          | 1002             | UNCH  |                   |  |      |
| 625               | 0.2080               | 0.2080                       | 0.2330B/*0.1935    | 0.2330B/*0.1935            | ----                          | 0.2030 - 0.0280          | .2863 | ----          | ----                     | 3                 | ----          | 1154 +           | 3     |                   |  |      |
| 630               | ----                 | ----                         | 0.2535B/*0.2120    | 0.2535B/*0.2120            | ----                          | 0.2215 - 0.0305          | .3045 | ----          | ----                     | ----              | ----          | 59               | UNCH  |                   |  |      |
| 635               | 0.2490               | 0.2490                       | 0.2760B/*0.2300    | 0.2760B/*0.2300            | ----                          | 0.2410 - 0.0330          | .3229 | ----          | ----                     | 26                | ----          | 528 +            | 25    |                   |  |      |
| 640               | ----                 | ----                         | 0.2985B/*0.2500    | 0.2985B/*0.2500            | ----                          | 0.2615 - 0.0355          | .3416 | ----          | ----                     | 9                 | ----          | 401 -            | 9     |                   |  |      |
| 645               | ----                 | ----                         | 0.3230B/*0.2725    | 0.3230B/*0.2725            | ----                          | 0.2835 - 0.0370          | .3605 | ----          | ----                     | ----              | ----          | 38               | UNCH  |                   |  |      |
| 650               | ----                 | ----                         | 0.3485B/*0.2950    | 0.3485B/*0.2950            | ----                          | 0.3060 - 0.0395          | .3794 | ----          | ----                     | ----              | ----          | 83               | UNCH  |                   |  |      |
| 655               | ----                 | ----                         | 0.3750B/*0.3185    | 0.3750B/*0.3185            | ----                          | 0.3300 - 0.0415          | .3984 | ----          | ----                     | ----              | ----          | 53               | UNCH  |                   |  |      |
| 660               | 0.3860               | 0.3860                       | 0.4025B/*0.3425    | 0.4025B/*0.3425            | ----                          | 0.3550 - 0.0435          | .4173 | ----          | ----                     | 1                 | ----          | 0 -              | 1     |                   |  |      |
| 670               | ----                 | ----                         | 0.4605B/*0.3955    | 0.4605B/*0.3955            | ----                          | 0.4085 - 0.0470          | .4549 | ----          | ----                     | ----              | ----          | 211              | UNCH  |                   |  |      |
| 685               | 0.4835               | 0.4835                       | 0.5545B/*0.4810    | 0.5545B/*0.4810            | ----                          | 0.4955 - 0.0525          | .5095 | ----          | ----                     | 3                 | ----          | 14 +             | 3     |                   |  |      |
| 690               | ----                 | ----                         | 0.5880B/*0.5135    | 0.5880B/*0.5135            | ----                          | 0.5265 - 0.0545          | .5272 | ----          | ----                     | ----              | ----          | 0                | UNCH  |                   |  |      |
| 695               | ----                 | ----                         | 0.6215B/*0.5435    | 0.6215B/*0.5435            | ----                          | 0.5585 - 0.0560          | .5443 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 700               | ----                 | ----                         | 0.6525B/*0.5760    | 0.6525B/*0.5760            | ----                          | 0.5910 - 0.0580          | .5612 | ----          | ----                     | ----              | ----          | 7                | UNCH  |                   |  |      |
| 710               | 0.6600               | 0.6600                       | 0.7245B/*0.6450    | 0.7245B/*0.6450            | ----                          | 0.6585 - NEW             | .5938 | ----          | ----                     | 2                 | ----          | 1 +              | 1     |                   |  |      |
| 725               | ----                 | ----                         | 0.8375B/*0.7530    | 0.8375B/*0.7530            | ----                          | 0.7655 - 0.0660          | .6395 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   | 160           | 11151 +          | 132   |                   |  |      |
| OCT26             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 300               | ----                 | ----                         | ----/0.0080A       | ----                       | ----                          | 0.0015 + 0.0005          | .0021 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 320               | 0.0020               | 0.0020                       | #0.0020/*0.0020    | 0.0020/*0.0020             | ----                          | 0.0020 - UNCH            | .0029 | ----          | ----                     | 3                 | ----          | 3 +              | 3     |                   |  |      |
| 345               | 0.0035               | 0.0035                       | #0.0035/*0.0035    | 0.0035/*0.0035             | ----                          | 0.0040 - NEW             | .0056 | ----          | ----                     | 1                 | ----          | 1 +              | 1     |                   |  |      |
| 375               | ----                 | ----                         | 0.0040B/*0.0060    | 0.0040B/*0.0060            | ----                          | 0.0060 - UNCH            | .0087 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 400               | ----                 | ----                         | 0.0035B/*0.0140    | 0.0035B/*0.0140            | ----                          | 0.0090 + 0.0005          | .0131 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 430               | 0.0110               | 0.0110                       | 0.0110/*0.0110     | 0.0110/*0.0110             | ----                          | 0.0130 - UNCH            | .0196 | ----          | ----                     | 10                | ----          | 10 +             | 10    |                   |  |      |
| 450               | ----                 | ----                         | 0.0100B/0.0210A    | 0.0100B/0.0210A            | ----                          | 0.0155 - 0.0010          | .0242 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 470               | ----                 | ----                         | 0.0140B/*0.0220    | 0.0140B/*0.0220            | ----                          | 0.0190 - 0.0020          | .0306 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 475               | ----                 | ----                         | 0.0150B/*0.0230    | 0.0150B/*0.0230            | ----                          | 0.0200 - 0.0025          | .0325 | ----          | ----                     | 3                 | ----          | 2 -              | 1     |                   |  |      |
| 500               | 0.0310               | 0.0310                       | 0.0320/*0.0305A    | 0.0320/*0.0305A            | ----                          | 0.0280 - 0.0030          | .0460 | ----          | ----                     | 8                 | ----          | 28 +             | 8     |                   |  |      |
| 530               | ----                 | ----                         | ----/*0.0470A      | 0.0430B/*0.0470            | ----                          | 0.0465 - 0.0035          | .0741 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 535               | ----                 | ----                         | ----/*0.0510A      | 0.0475B/*0.0510            | ----                          | 0.0505 - NEW             | .0800 | ----          | ----                     | 3                 | ----          | 3 +              | 3     |                   |  |      |
| 550               | ----                 | ----                         | ----/*0.0655A      | 0.0650B/*0.0655            | ----                          | 0.0660 - NEW             | .1015 | ----          | ----                     | 1                 | ----          | 1 +              | 1     |                   |  |      |
| 570               | ----                 | ----                         | ----/*0.0930A      | 0.0980B/*0.0930            | ----                          | 0.0940 - 0.0110          | .1374 | ----          | ----                     | 1                 | ----          | 5 +              | 1     |                   |  |      |
| 590               | 0.1340               | 0.1340                       | 0.1350/*0.1315A    | 0.1495B/*0.1315            | ----                          | 0.1335 - NEW             | .1826 | ----          | ----                     | 2                 | ----          | 2 +              | 2     |                   |  |      |
| 600               | ----                 | ----                         | ----/*0.1560A      | 0.1775B/*0.1560            | ----                          | 0.1580 - 0.0210          | .2083 | ----          | ----                     | ----              | ----          | 13               | UNCH  |                   |  |      |
| 605               | ----                 | ----                         | ----/*0.1690A      | 0.1935B/*0.1690            | ----                          | 0.1715 - 0.0230          | .2219 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 650               | ----                 | ----                         | 0.3760B/*0.3300    | 0.3760B/*0.3300            | ----                          | 0.3370 - 0.0380          | .3592 | ----          | ----                     | ----              | ----          | 10               | UNCH  |                   |  |      |
| 655               | 0.3840               | 0.3840                       | 0.4010B/*0.3525    | 0.4010B/*0.3525            | ----                          | 0.3600 - NEW             | .3753 | ----          | ----                     | 1                 | ----          | 1 +              | 1     |                   |  |      |
| 700               | 0.6040               | 0.6040                       | 0.6040/*0.5940A    | 0.6585B/*0.5940            | ----                          | 0.6065 - NEW             | .5168 | ----          | ----                     | 24                | ----          | 24 +             | 24    |                   |  |      |
| 745               | ----                 | ----                         | 0.9825B/*0.9000    | 0.9825B/*0.9000            | ----                          | 0.9120 - 0.0660          | .6401 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 750               | 0.9745               | 0.9745                       | 0.9745/*0.9365A    | 1.0100B/*0.9365            | ----                          | 0.9485 - 0.0680          | .6523 | ----          | ----                     | 5                 | ----          | 5                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   | 62            | 117 +            | 53    |                   |  |      |
| NOV26             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 400               | ----                 | ----                         | ----               | 0.0070B/*0.0200            | ----                          | 0.0135 - UNCH            | .0178 | ----          | ----                     | ----              | ----          | 10               | UNCH  |                   |  |      |
| 475               | ----                 | ----                         | ----               | 0.0230B/*0.0345            | ----                          | 0.0295 - 0.0015          | .0425 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 480               | ----                 | ----                         | ----               | 0.0250B/*0.0370            | ----                          | 0.0315 - 0.0015          | .0454 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 500               | 0.0460               | 0.0460                       | 0.0460/0.0460      | 0.0460/0.0460              | ----                          | 0.0415 - 0.0030          | .0596 | ----          | ----                     | 5                 | ----          | 12 -             | 3     |                   |  |      |
| 520               | ----                 | ----                         | ----/*0.0615A      | 0.0535B/*0.0615            | ----                          | 0.0565 - 0.0055          | .0794 | ----          | ----                     | ----              | ----          | 4                | UNCH  |                   |  |      |
| 550               | ----                 | ----                         | ----/*0.0960A      | 0.0975B/*0.0960            | ----                          | 0.0935 - 0.0095          | .1227 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 560               | ----                 | ----                         | ----/*0.1120A      | 0.1175B/*0.1120            | ----                          | 0.1100 - 0.0120          | .1406 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 580               | 0.1610               | 0.1610                       | 0.1610/*0.1520A    | 0.1660B/*0.1520            | ----                          | 0.1520 - 0.0175          | .1822 | ----          | ----                     | 2                 | ----          | 0 -              | 2     |                   |  |      |
| 590               | ----                 | ----                         | ----/*0.1770A      | 0.1945B/*0.1770            | ----                          | 0.1780 - 0.0195          | .2056 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 645               | ----                 | ----                         | ----/*0.3720A      | 0.4115B/*0.3720            | ----                          | 0.3770 - 0.0365          | .3525 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 700               | 0.6625               | 0.6625                       | 0.6625/*0.6625     | 0.7220B/*0.6625            | ----                          | 0.6715 - NEW             | .5057 | ----          | ----                     | 24                | ----          | 24 +             | 24    |                   |  |      |
| 735               | ----                 | ----                         | 0.9620B/*0.8905    | 0.9620B/*0.8905            | ----                          | 0.9005 - 0.0600          | .5936 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   | 31            | 60 +             | 19    |                   |  |      |
| DEC26             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 380               | ----                 | ----                         | ----               | 0.0045B/0.0240A            | ----                          | 0.0140 - 0.0005          | .0170 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 385               | ----                 | ----                         | ----               | 0.0050B/0.0250A            | ----                          | 0.0150 - UNCH            | .0182 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 395               | ----                 | ----                         | ----               | 0.0065B/0.0265A            | ----                          | 0.0165 - 0.0005          | .0203 | ----          | ----                     | ----              | ----          | 3                | UNCH  |                   |  |      |
| 400               | ----                 | ----                         | ----               | 0.0075B/0.0275A            | ----                          | 0.0175 - UNCH            | .0216 | ----          | ----                     | ----              | ----          | 18               | UNCH  |                   |  |      |
| 420               | ----                 | ----                         | ----               | 0.0110B/0.0310A            | ----                          | 0.0210 - 0.0005          | .0266 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 460               | ----                 | ----                         | ----               | 0.0225B/*0.0415            | ----                          | 0.0325 - 0.0010          | .0425 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 475               | ----                 | ----                         | ----               | 0.0290B/*0.0480            | ----                          | 0.0390 - 0.0020          | .0511 | ----          | ----                     | ----              | ----          | 76               | UNCH  |                   |  |      |
| 480               | ----                 | ----                         | ----               | 0.0320B/*0.0505            | ----                          | 0.0415 - 0.0025          | .0544 | ----          | ----                     | ----              | ----          | 12               | UNCH  |                   |  |      |
| 490               | ----                 | ----                         | ----               | 0.0390B/*0.0565            | ----                          | 0.0475 - 0.0035          | .0620 | ----          | ----                     | ----              | ----          | 5                | UNCH  |                   |  |      |
| 500               | ----                 | ----                         | ----               | 0.0475B/0.0635A            | ----                          | 0.0545 - 0.0045          | .0706 | ----          | ----                     | ----              | ----          | 104              | UNCH  |                   |  |      |
| 520               | ----                 | ----                         | ----               | 0.0700B/*0.0820            | ----                          | 0.0740 - 0.0070          | .0929 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| 525               | ----                 | ----                         | ----/*0.0875A      | 0.0770B/*0.0875            | ----                          | 0.0800 - 0.0080          | .0995 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 540               | ----                 | ----                         | ----/*0.1075A      | 0.1015B/*0.1075            | ----                          | 0.1010 - 0.0110          | .1214 | ----          | ----                     | ----              | ----          | 3                | UNCH  |                   |  |      |
| 545               | ----                 | ----                         | ----/*0.1155A      | 0.1110B/*0.1155            | ----                          | 0.1095 - 0.0120          | .1298 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 550               | ----                 | ----                         | ----/*0.1240A      | 0.1210B/*0.1240            | ----                          | 0.1185 - 0.0130          | .1384 | ----          | ----                     | ----              | ----          | 79               | UNCH  |                   |  |      |
| 560               | ----                 | ----                         | ----/*0.1430A      | 0.1435B/*0.1430            | ----                          | 0.1390 - 0.0145          | .1572 | ----          | ----                     | ----              | ----          | 300              | UNCH  |                   |  |      |
| 570               | ----                 | ----                         | ----/*0.1650A      | 0.1690B/*0.1650            | ----                          | 0.1620 - 0.0170          | .1773 | ----          | ----                     | ----              | ----          | 5                | UNCH  |                   |  |      |
| 575               | 0.1735               | 0.1735                       | 0.1735/*0.1735     | 0.1825B/*0.1735            | ----                          | 0.1745 - 0.0180          | .1878 | ----          | ----                     | 1                 | ----          | 21 +             | 1     |                   |  |      |
| 580               | 0.1855               | 0.1855                       | 0.1855/*0.1855     | 0.1975B/*0.1855            | ----                          | 0.1880 - 0.0190          | .1987 | ----          | ----                     | 1                 | ----          | 22 +             | 1     |                   |  |      |
| 600               | 0.2400               | 0.2400                       | 0.2400/*0.2400     | 0.2640B/*0.2400            | ----                          | 0.2485 - 0.0245          | .2447 | ----          | ----                     | 3                 | 40            | 241 +            | 43    |                   |  |      |
| 630               | ----                 | ----                         | ----/*0.3615A      | 0.3865B/*0.3615            | ----                          | 0.3615 - 0.0330          | .3193 | ----          | ----                     | ----              | ----          | 18               | UNCH  |                   |  |      |
| 650               | 0.4655               | 0.4655                       | 0.4655/*0.4505A    | 0.4820B/*0.4505            | ----                          | 0.4510 - 0.0385          | .3708 | ----          | ----                     | 12                | ----          | 12 +             | 8     |                   |  |      |
| 665               | 0.5260               | 0.5260                       | 0.5260/*0.5250A    | 0.5615B/*0.5250            | ----                          | 0.5260 - 0.0420          | .4096 | ----          | ----                     | 1                 | ----          | 0 -              | 1     |                   |  |      |
| 670               | ----                 | ----                         | ----/*0.5510A      | 0.5890B/*0.5510            | ----                          | 0.5520 - 0.0435          | .4225 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 750               | ----                 | ----                         | ----/*1.0500A      | 1.1150B/*1.0500            | ----                          | 1.0540 - 0.0635          | .6113 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   | 40            | 18               | 932 + | 52                |  |      |
| JAN27             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 400               | ----                 | ----                         | ----               | 0.0080B/*0.0340            | ----                          | 0.0210 - UNCH            | .0239 | ----          | ----                     | ----              | ----          | 8                | UNCH  |                   |  |      |
| 800               | ----                 | ----                         | ----/*1.4065A      | 1.3985B/*1.4065            | ----                          | 1.4050 - 0.0825          | .6710 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  | 9     |                   |  |      |
| FEB27             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 400               | ----                 | ----                         | ----               | 0.0095B/*0.0400            | ----                          | 0.0250 - 0.0045          | .0270 | ----          | ----                     | ----              | ----          | 2                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  | 2     |                   |  |      |
| MAR27             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 275               | ----                 | ----                         | ----               | 0.0060B/0.0215A            | ----                          | 0.0085 - 0.0035          | .0077 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| TOTAL             |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  | 1     |                   |  |      |
| HXE CALL<br>JUN26 | COPPER OPTIONS       |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |       |                   |  |      |
| 550               | ----                 | ----                         | ----               | ----                       | ----                          | 1.2365 + 0.1225          | .9935 | ----          | ----                     | ----              | ----          | 1                | UNCH  |                   |  |      |
| 620               | 0.4420               | 0.4420                       | #0.4530B/0.4420    | #0.4530B/0.3925            | ----                          | 0.4850 + 0.1145          | .9459 | ----          | ----                     | 1                 | ----          | 4                | UNCH  |                   |  |      |
| 630               | ----                 | ----                         | 0.3910B/0.2470A    | 0.3910B/0.2470A            | ----                          | 0.3790 + 0.1175          | .9816 | ----          | ----                     | ----              | ----          | 3                | UNCH  |                   |  |      |
| 630               | ----                 | ----                         | #0.3570B/----      | #0.3570B/0.3100            | ----                          | 0.3910 + 0.1065          | .9094 | ----          |                          |                   |               |                  |       |                   |  |      |



| PG64                         | BULLETIN #104@ |                        |                 |                   |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                  |               |      |                  |  |  |  |      |  | Tue, Jun 02, 2026 |  |  |  | PG64 |
|------------------------------|----------------|------------------------|-----------------|-------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|------------------|---------------|------|------------------|--|--|--|------|--|-------------------|--|--|--|------|
|                              | LOBEX<br>OPEN  | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST |  |  |  |      |  |                   |  |  |  |      |
| HXE CALL                     |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| JUN26                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| 725                          | ----           | ----                   | ----            | 0.0065B/----      | 0.0065B/0.0095A            | ----                    | ----            | 0.0090 + 0.0040          | .0519 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 750                          | ----           | ----                   | ----            | -----/0.0040A     | -----/0.0040A              | ----                    | ----            | 0.0005 UNCH              | ----  | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 750                          | ----           | ----                   | ----            | #0.0250B/----     | #0.0250B/0.0185            | ----                    | ----            | 0.0275 + 0.0120          | .1009 | ----          | ----                     | ----             | ----          | ---- | 3                |  |  |  | UNCH |  |                   |  |  |  |      |
| TOTAL                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          | 43               |               |      | 387 +            |  |  |  | 40   |  |                   |  |  |  |      |
| JUL26                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| 750                          | ----           | ----                   | ----            | #0.0630B/----     | #0.0630B/0.0445            | ----                    | ----            | 0.0660 + 0.0235          | .1718 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| TOTAL                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      | 1                |  |  |  |      |  |                   |  |  |  |      |
| HXE PUT                      |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| JUN26                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| 500                          | ----           | ----                   | ----            | ----              | -----/0.0065A              | ----                    | ----            | 0.0005 UNCH              | .0003 | ----          | ----                     | ----             | ----          | ---- | 26               |  |  |  | UNCH |  |                   |  |  |  |      |
| 560                          | ----           | ----                   | ----            | ----              | 0.0010B/0.0030A            | ----                    | ----            | 0.0020 UNCH              | .0042 | ----          | ----                     | ----             | ----          | ---- | 11               |  |  |  | UNCH |  |                   |  |  |  |      |
| 600                          | ----           | ----                   | ----            | ----              | -----/0.0045A              | ----                    | ----            | 0.0020 - 0.0010          | .0069 | ----          | ----                     | ----             | ----          | ---- | 105              |  |  |  | UNCH |  |                   |  |  |  |      |
| 600                          | ----           | ----                   | ----            | ----              | 0.0025B/*0.0085            | ----                    | ----            | 0.0030 - 0.0040          | .0174 | ----          | ----                     | ----             | ----          | ---- | 11               |  |  |  | UNCH |  |                   |  |  |  |      |
| 600                          | ----           | ----                   | ----            | -----/0.0145A     | 0.0165B/*0.0145            | ----                    | ----            | 0.0140 - 0.0060          | .0573 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 605                          | ----           | ----                   | ----            | ----              | 0.0040B/*0.0085            | ----                    | ----            | 0.0040 - 0.0045          | .0234 | ----          | ----                     | ----             | ----          | ---- | 10               |  |  |  | UNCH |  |                   |  |  |  |      |
| 610                          | ----           | ----                   | ----            | ----              | -----/0.0050A              | ----                    | ----            | 0.0020 - 0.0015          | .0081 | ----          | ----                     | ----             | ----          | ---- | 15               |  |  |  | UNCH |  |                   |  |  |  |      |
| 610                          | 0.0075         | 0.0075                 |                 | 0.0075/*0.0075    | 0.0075/*0.0075             | ----                    | ----            | 0.0050 - 0.0060          | .0299 | ----          | ----                     | 20               |               |      | 22 +             |  |  |  | 17   |  |                   |  |  |  |      |
| 615                          | ----           | ----                   | ----            | ----              | -----/0.0050A              | ----                    | ----            | 0.0020 - 0.0020          | .0089 | ----          | ----                     | ----             | ----          | ---- | 5                |  |  |  | UNCH |  |                   |  |  |  |      |
| 620                          | ----           | ----                   | ----            | ----              | 0.0005B/*0.0055            | ----                    | ----            | 0.0020 - 0.0030          | .0099 | ----          | ----                     | ----             | ----          | ---- | 34               |  |  |  | UNCH |  |                   |  |  |  |      |
| 620                          | ----           | ----                   | ----            | -----/0.0105A     | 0.0145B/*0.0105            | ----                    | ----            | 0.0090 - 0.0095          | .0538 | ----          | ----                     | ----             | ----          | ---- | 10               |  |  |  | UNCH |  |                   |  |  |  |      |
| 624                          | ----           | ----                   | ----            | -----/0.0050A     | 0.0015B/*0.0050            | ----                    | ----            | 0.0025 - 0.0035          | .0133 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 625                          | 0.0050         | 0.0050                 |                 | 0.0050/*0.0050    | 0.0050/*0.0050             | ----                    | ----            | 0.0025 - 0.0040          | .0136 | ----          | ----                     | 5                |               |      | 2 -              |  |  |  | 4    |  |                   |  |  |  |      |
| 625                          | 0.0150         | 0.0150                 |                 | 0.0150/*0.0120A   | 0.0210B/*0.0120            | ----                    | ----            | 0.0115 - 0.0130          | .0693 | ----          | ----                     | 12               |               |      | 10 +             |  |  |  | 8    |  |                   |  |  |  |      |
| 630                          | ----           | ----                   | ----            | -----/0.0060A     | 0.0025B/*0.0060            | ----                    | ----            | 0.0030 NEW               | .0182 | ----          | ----                     | 1                |               |      | 1 +              |  |  |  | 1    |  |                   |  |  |  |      |
| 635                          | ----           | ----                   | ----            | -----/0.0060A     | 0.0080B/*0.0060            | ----                    | ----            | 0.0035 - 0.0100          | .0240 | ----          | ----                     | 1                |               |      | 35               |  |  |  | UNCH |  |                   |  |  |  |      |
| 635                          | ----           | ----                   | ----            | -----/0.0200A     | 0.0425B/*0.0200            | ----                    | ----            | 0.0195 - 0.0240          | .1168 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 640                          | ----           | ----                   | ----            | -----/0.0070A     | 0.0170B/*0.0070            | ----                    | ----            | 0.0050 - 0.0160          | .0380 | ----          | ----                     | ----             | ----          | ---- | 5                |  |  |  | UNCH |  |                   |  |  |  |      |
| 645                          | 0.0125         | 0.0125                 |                 | 0.0125/*0.0080    | 0.0315B/*0.0080            | ----                    | ----            | 0.0075 - 0.0255          | .0624 | ----          | ----                     | 16               |               |      | 19 +             |  |  |  | 15   |  |                   |  |  |  |      |
| 650                          | 0.0215         | 0.0215                 |                 | 0.0515B/*0.0115   | 0.0515B/*0.0115            | ----                    | ----            | 0.0120 NEW               | .1062 | ----          | ----                     | 25               |               |      | 25 +             |  |  |  | 25   |  |                   |  |  |  |      |
| 655                          | 0.0370         | 0.0370                 |                 | 0.0775B/*0.0225   | 0.0775B/*0.0225            | ----                    | ----            | 0.0205 - 0.0525          | .1825 | ----          | ----                     | 1                |               |      | 6 +              |  |  |  | 2    |  |                   |  |  |  |      |
| 660                          | 0.1150         | 0.1150                 |                 | 0.1150/*0.0365A   | 0.1150/*0.0365A            | ----                    | ----            | 0.0350 - 0.0670          | .2939 | ----          | ----                     | 1                |               |      | 11               |  |  |  | UNCH |  |                   |  |  |  |      |
| 675                          | ----           | ----                   | ----            | 0.2260B/*0.1115   | 0.2260B/*0.1115            | ----                    | ----            | 0.1135 - 0.1015          | .6797 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| TOTAL                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          | 83               |               |      | 367 +            |  |  |  | 64   |  |                   |  |  |  |      |
| ALUMINIUM OPTIONS ON FUTURES |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
|                              | LOBEX<br>OPEN  | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST |  |  |  |      |  |                   |  |  |  |      |
| PLATINUM OPTIONS ON FUTURES  |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
|                              | LOBEX<br>OPEN  | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST |  |  |  |      |  |                   |  |  |  |      |
| PAO CALL                     |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| JUL26                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| 1390                         | ----           | ----                   | ----            | 60.70B/41.90A     | 60.70B/41.90A              | ----                    | ----            | 45.20 - 0.90             | .5242 | ----          | ----                     | ----             | ----          | ---- | 4                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1400                         | ----           | ----                   | ----            | 55.70B/37.90A     | 55.70B/37.90A              | ----                    | ----            | 40.60 NEW                | .4871 | ----          | ----                     | ----             | 75            |      | 75 +             |  |  |  | 75   |  |                   |  |  |  |      |
| 1440                         | ----           | ----                   | ----            | 37.30B/25.60A     | 37.30B/25.60A              | ----                    | ----            | 26.40 - 2.50             | .3507 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1450                         | ----           | ----                   | ----            | 33.60B/*23.30A    | 33.60B/*23.30A             | ----                    | ----            | 23.70 - 2.70             | .3210 | ----          | ----                     | ----             | ----          | ---- | 5                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1500                         | ----           | ----                   | ----            | 20.40B/*15.30A    | 20.40B/*15.30A             | ----                    | ----            | 14.30 - 3.20             | .2045 | ----          | ----                     | ----             | ----          | ---- | 10               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1550                         | ----           | ----                   | ----            | 12.80B/*10.50A    | 12.80B/*10.50A             | ----                    | ----            | 8.90 - 3.10              | .1301 | ----          | ----                     | ----             | ----          | ---- | 76               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1600                         | ----           | ----                   | ----            | -----/7.70A       | 8.30B/*7.70A               | ----                    | ----            | 5.70 - 2.90              | .0838 | ----          | ----                     | ----             | 75            |      | 135 +            |  |  |  | 50   |  |                   |  |  |  |      |
| 1720                         | ----           | ----                   | ----            | ----              | 2.40B/*4.70A               | ----                    | ----            | 2.30 - 1.70              | .0326 | ----          | ----                     | ----             | ----          | ---- | 6                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1800                         | ----           | ----                   | ----            | ----              | 0.70B/*4.00A               | ----                    | ----            | 1.20 - 1.10              | .0168 | ----          | ----                     | ----             | ----          | ---- | 49               |  |  |  | UNCH |  |                   |  |  |  |      |
| TOTAL                        |                |                        |                 |                   |                            |                         |                 |                          |       |               | 150                      |                  |               |      | 361 +            |  |  |  | 125  |  |                   |  |  |  |      |
| AUG26                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| 1500                         | ----           | ----                   | ----            | 46.70B/39.00A     | 46.70B/39.00A              | ----                    | ----            | 39.30 - 1.50             | .3235 | ----          | ----                     | ----             | ----          | ---- | 10               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1550                         | ----           | ----                   | ----            | 35.60B/30.70A     | 35.60B/30.70A              | ----                    | ----            | 30.20 - 2.00             | .2564 | ----          | ----                     | ----             | ----          | ---- | 10               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1600                         | ----           | ----                   | ----            | 27.70B/24.60A     | 27.70B/24.60A              | ----                    | ----            | 23.60 - 2.10             | .2043 | ----          | ----                     | ----             | ----          | ---- | 100              |  |  |  | UNCH |  |                   |  |  |  |      |
| 1700                         | ----           | ----                   | ----            | 17.50B/16.50A     | 17.50B/16.50A              | ----                    | ----            | 14.90 - 2.10             | .1320 | ----          | ----                     | ----             | ----          | ---- | 20               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1800                         | ----           | ----                   | ----            | -----/11.70A      | 11.30B/*11.70A             | ----                    | ----            | 9.90 - 2.00              | .0883 | ----          | ----                     | ----             | ----          | ---- | 100              |  |  |  | UNCH |  |                   |  |  |  |      |
| 1900                         | ----           | ----                   | ----            | ----              | 7.10B/*8.90A               | ----                    | ----            | 6.70 - 1.60              | .0600 | ----          | ----                     | ----             | ----          | ---- | 400              |  |  |  | UNCH |  |                   |  |  |  |      |
| TOTAL                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      | 640              |  |  |  | 0    |  |                   |  |  |  |      |
| SEP26                        |                |                        |                 |                   |                            |                         |                 |                          |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |
| 1275                         | ----           | ----                   | ----            | 177.40B/156.60A   | 177.40B/156.60A            | ----                    | ----            | 162.80 + 5.20            | .7229 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1300                         | ----           | ----                   | ----            | 160.90B/141.80A   | 160.90B/141.80A            | ----                    | ----            | 147.30 + 4.70            | .6840 | ----          | ----                     | ----             | ----          | ---- | 1                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1400                         | ----           | ----                   | ----            | 107.40B/----      | 107.40B/94.90A             | ----                    | ----            | 96.90 + 2.80             | .5236 | ----          | ----                     | ----             | ----          | ---- | 75               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1450                         | ----           | ----                   | ----            | 87.20B/----       | 87.20B/77.60A              | ----                    | ----            | 78.30 + 1.80             | .4485 | ----          | ----                     | ----             | ----          | ---- | 50               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1575                         | ----           | ----                   | ----            | 51.60B/----       | 51.60B/47.60A              | ----                    | ----            | 46.90 - 0.30             | .2969 | ----          | ----                     | ----             | ----          | ---- | 25               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1600                         | ----           | ----                   | ----            | 46.60B/----       | 46.60B/43.50A              | ----                    | ----            | 42.50 - 0.60             | .2730 | ----          | ----                     | 36               |               |      | 180 +            |  |  |  | 27   |  |                   |  |  |  |      |
| 1625                         | ----           | ----                   | ----            | 42.10B/----       | 42.10B/39.80A              | ----                    | ----            | 38.60 - 0.90             | .2511 | ----          | ----                     | ----             | ----          | ---- | 20               |  |  |  | UNCH |  |                   |  |  |  |      |
| 1665                         | ----           | ----                   | ----            | 36.10B/----       | 36.10B/34.70A              | ----                    | ----            | 33.20 - 1.30             | .2199 | ----          | ----                     | ----             | ----          | ---- | 9                |  |  |  | UNCH |  |                   |  |  |  |      |
| 1700                         | ----           | ----                   | ----            | 31.70B/----       | 31.70B/31.00A              | ----                    | ----            | 29.20 -                  |       |               |                          |                  |               |      |                  |  |  |  |      |  |                   |  |  |  |      |

| BULLETIN #104@ |                                     |              |                 | METALS OPTION PRODUCTS |                  |                 |                          |       |               |                          | Tue, Jun 02, 2026 |               | PG64             |      |
|----------------|-------------------------------------|--------------|-----------------|------------------------|------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| PAO PUT        | NYMEX PALLADIUM OPTIONS             |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |
| DEC26          |                                     |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |
| 1400           | ----                                | ----         |                 | ----                   | ----             |                 | 143.50 + 8.70            | .4347 | ----          | ----                     | ----              | ----          | 150              | UNCH |
| 1500           | ----                                | ----         |                 | ----                   | ----             |                 | 204.90 + 6.80            | .5347 | ----          | ----                     | ----              | ----          | 40               | UNCH |
| TOTAL          |                                     |              |                 |                        |                  |                 |                          |       |               |                          |                   |               | 290              | 0    |
| PLW OOF        | PLATINUM WEEKLY FRIDAY OPTION week2 |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |
| JUN26          |                                     |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |
| 1850           | 12.20                               | 12.20        |                 | 12.20/*11.90A          | 16.30B/*11.90A   | ----            | 14.50 NEW                | .1957 | ----          | ----                     | 7                 | ----          | 7 +              | 7    |
| 1900           | ----                                | ----         |                 | ----/*9.10A            | 15.70B/*9.10A    | ----            | 12.10 - 9.30             | .2385 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 1925           | ----                                | ----         |                 | ----/14.00A            | 25.60B/14.00A    | ----            | 21.00 - 11.50            | .3803 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 1925           | ----                                | ----         |                 | 67.80B/----            | 67.80B/37.10A    | ----            | 39.30 + 3.40             | .6196 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 1950           | ----                                | ----         |                 | ----/21.40A            | 39.00B/21.40A    | ----            | 33.60 - 12.90            | .5341 | ----          | ----                     | ----              | ----          | 53               | UNCH |
| 1950           | ----                                | ----         |                 | 67.50B/----            | 67.50B/44.50A    | ----            | 45.90 + 3.20             | .4893 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 1950           | ----                                | ----         |                 | 50.00B/----            | 50.00B/25.60A    | ----            | 26.90 + 2.00             | .4658 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 2000           | ----                                | ----         |                 | 23.90B/----            | 23.90B/11.20A    | ----            | 10.80 - 0.20             | .2070 | ----          | ----                     | ----              | ----          | 41               | UNCH |
| 2100           | 7.50                                | 7.50         |                 | 14.10B/*7.50           | 14.10B/*7.50     | ----            | 8.50 NEW                 | .1205 | ----          | ----                     | 26                | ----          | 26 +             | 26   |
| 2100           | ----                                | ----         |                 | 3.00B/----             | 3.00B/*3.10A     | ----            | 1.40 - 0.60              | .0219 | ----          | ----                     | ----              | ----          | 100              | UNCH |
| 2300           | ----                                | ----         |                 | ----                   | ----/*1.80A      | ----            | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 100              | UNCH |
| TOTAL          |                                     |              |                 |                        |                  |                 |                          |       |               |                          | 33                | ----          | 368 +            | 33   |
| PO CALL        | PLATINUM OPTIONS                    |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |
| JUL26          |                                     |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |
| 1500           | ----                                | ----         |                 | 481.50B/----           | 481.50B/435.90A  | ----            | 443.30 + 14.90           | .9999 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 1680           | ----                                | ----         |                 | ----                   | ----             | ----            | 264.40 + 13.80           | .9787 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 1700           | ----                                | ----         |                 | 282.70B/----           | 282.70B/238.30A  | ----            | 245.00 + 13.40           | .9701 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 1800           | ----                                | ----         |                 | 188.40B/----           | 188.40B/147.90A  | ----            | 153.30 + 10.30           | .8694 | ----          | ----                     | ----              | ----          | 113              | UNCH |
| 1850           | ----                                | ----         |                 | 145.60B/----           | 145.60B/109.20A  | ----            | 113.30 + 8.00            | .7702 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 1900           | ----                                | ----         |                 | 107.30B/----           | 107.30B/77.20A   | ----            | 80.10 + 6.00             | .6384 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 1925           | ----                                | ----         |                 | 90.50B/----            | 90.50B/63.90A    | ----            | 66.30 + 5.10             | .5669 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 1930           | ----                                | ----         |                 | 63.20B/----            | 63.20B/61.50A    | ----            | 63.80 + 5.00             | .5524 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 1935           | ----                                | ----         |                 | 63.00B/----            | 63.00B/59.10A    | ----            | 61.30 + 4.80             | .5380 | ----          | ----                     | ----              | ----          | 33               | UNCH |
| 1945           | ----                                | ----         |                 | 63.40B/----            | 63.40B/54.50A    | ----            | 56.60 + 4.60             | .5094 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 1950           | ----                                | ----         |                 | 75.50B/----            | 75.50B/52.40A    | ----            | 54.30 + 4.40             | .4951 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 1960           | ----                                | ----         |                 | 63.30B/----            | 63.30B/48.20A    | ----            | 49.90 + 4.00             | .4669 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 1965           | ----                                | ----         |                 | 63.50B/----            | 63.50B/46.20A    | ----            | 47.80 + 3.80             | .4529 | ----          | ----                     | ----              | ----          | 56               | UNCH |
| 1970           | ----                                | ----         |                 | 63.90B/----            | 63.90B/44.30A    | ----            | 45.80 + 3.70             | .4392 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 1975           | ----                                | ----         |                 | 62.20B/----            | 62.20B/42.40A    | ----            | 43.90 + 3.60             | .4256 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 1980           | ----                                | ----         |                 | 59.80B/----            | 59.80B/40.60A    | ----            | 42.00 + 3.40             | .4121 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 2000           | 45.00                               | 45.00        |                 | 50.70B/34.00           | 50.70B/34.00     | ----            | 35.00 + 2.70             | .3597 | ----          | ----                     | 135               | ----          | 360 +            | 57   |
| 2005           | ----                                | ----         |                 | 48.50B/----            | 48.50B/32.60A    | ----            | 33.50 + 2.60             | .3475 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2010           | ----                                | ----         |                 | 46.50B/----            | 46.50B/31.20A    | ----            | 31.90 + 2.40             | .3349 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2015           | ----                                | ----         |                 | 44.50B/----            | 44.50B/29.80A    | ----            | 30.50 + 2.30             | .3231 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2020           | ----                                | ----         |                 | 42.60B/----            | 42.60B/28.50A    | ----            | 29.10 + 2.10             | .3114 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2025           | 34.90                               | 34.90        |                 | 40.70B/27.20A          | 40.70B/27.20A    | ----            | 27.70 + 1.90             | .2996 | ----          | ----                     | 22                | ----          | 37 +             | 22   |
| 2030           | ----                                | ----         |                 | 38.90B/----            | 38.90B/26.00A    | ----            | 26.40 + 1.80             | .2884 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2035           | ----                                | ----         |                 | 37.20B/----            | 37.20B/24.90A    | ----            | 25.20 + 1.70             | .2776 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2050           | 22.40                               | 22.40        |                 | 32.40B/21.60A          | 32.40B/21.60A    | ----            | 21.80 + 1.30             | .2465 | ----          | ----                     | 5                 | ----          | 6 +              | 5    |
| 2065           | ----                                | ----         |                 | 28.10B/----            | 28.10B/19.10A    | ----            | 18.80 + 1.00             | .2178 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 2085           | ----                                | ----         |                 | 23.20B/----            | 23.20B/16.00A    | ----            | 15.40 + 0.60             | .1837 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 2090           | ----                                | ----         |                 | 22.10B/----            | 22.10B/15.30A    | ----            | 14.70 + 0.50             | .1763 | ----          | ----                     | ----              | ----          | 34               | UNCH |
| 2095           | ----                                | ----         |                 | 21.10B/----            | 21.10B/14.60A    | ----            | 14.00 + 0.50             | .1689 | ----          | ----                     | ----              | ----          | 45               | UNCH |
| 2100           | ----                                | ----         |                 | 20.10B/----            | 20.10B/14.00A    | ----            | 13.30 + 0.40             | .1615 | ----          | ----                     | ----              | ----          | 400              | UNCH |
| 2105           | ----                                | ----         |                 | 19.10B/----            | 19.10B/13.30A    | ----            | 12.70 + 0.30             | .1549 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 2110           | ----                                | ----         |                 | 18.20B/----            | 18.20B/12.80A    | ----            | 12.10 + 0.30             | .1483 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 2115           | ----                                | ----         |                 | 17.30B/----            | 17.30B/12.20A    | ----            | 11.50 + 0.20             | .1418 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 2120           | ----                                | ----         |                 | 16.50B/----            | 16.50B/11.70A    | ----            | 10.90 + 0.10             | .1353 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2125           | ----                                | ----         |                 | 15.70B/----            | 15.70B/11.20A    | ----            | 10.40 + 0.10             | .1296 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2150           | ----                                | ----         |                 | 12.30B/----            | 12.30B/9.10A     | ----            | 8.20 - 0.10              | .1040 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 2160           | ----                                | ----         |                 | 11.10B/----            | 11.10B/8.40A     | ----            | 7.40 - 0.20              | .0947 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2170           | ----                                | ----         |                 | 10.00B/----            | 10.00B/7.80A     | ----            | 6.80 - 0.20              | .0872 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 2200           | ----                                | ----         |                 | 7.30B/----             | 7.30B/6.30A      | ----            | 5.10 - 0.30              | .0664 | ----          | ----                     | ----              | ----          | 461              | UNCH |
| 2250           | ----                                | ----         |                 | 4.20B/----             | 4.20B/4.70A      | ----            | 3.50 - 0.30              | .0452 | ----          | ----                     | ----              | ----          | 117              | UNCH |
| 2275           | ----                                | ----         |                 | ----                   | 3.10B/4.20A      | ----            | 2.90 - 0.30              | .0373 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 2300           | ----                                | ----         |                 | ----                   | 2.30B/3.80A      | ----            | 2.50 - 0.30              | .0317 | ----          | ----                     | ----              | ----          | 255              | UNCH |
| 2350           | ----                                | ----         |                 | ----                   | 1.20B/3.30A      | ----            | 1.90 - 0.20              | .0234 | ----          | ----                     | ----              | ----          | 160              | UNCH |
| 2400           | ----                                | ----         |                 | ----                   | 0.60B/2.90A      | ----            | 1.30 - 0.20              | .0159 | ----          | ----                     | ----              | ----          | 904              | UNCH |
| 2450           | ----                                | ----         |                 | ----                   | 0.30B/*2.60A     | ----            | 1.00 - 0.10              | .0119 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 2480           | ----                                | ----         |                 | ----                   | 0.10B/2.50A      | ----            | 0.80 - 0.20              | .0095 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 2500           | ----                                | ----         |                 | ----/2.40A             | ----             | ----            | 0.70 - 0.20              | .0083 | ----          | ----                     | ----              | ----          | 649              | UNCH |
| 2600           | ----                                | ----         |                 | ----/2.10A             | ----             | ----            | 0.40 - 0.10              | .0045 | ----          | ----                     | ----              | ----          | 360              | UNCH |
| 2650           | ----                                | ----         |                 | ----/2.00A             | ----             | ----            | 0.30 - 0.10              | .0033 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2700           | ----                                | ----         |                 | ----/1.90A             | ----             | ----            | 0.30 - 0.10              | .0032 | ----          | ----                     | ----              | ----          | 111              | UNCH |
| 2800           | ----                                | ----         |                 | ----/1.80A             | ----             | ----            | 0.20 UNCH                | .0020 | ----          | ----                     | ----              | ----          | 350              | UNCH |
| 2850           | ----                                | ----         |                 | ----/*1.70A            | ----             | ----            | 0.10 - 0.10              | .0010 | ----          | ----                     | ----              | ----          | 58               | UNCH |
| 2900           | ----                                | ----         |                 | ----/1.70A             | ----             | ----            | 0.10 UNCH                | .0006 | ----          | ----                     | ----              | ----          | 183              | UNCH |
| 3000           | ----                                | ----         |                 | ----/*1.60A            | ----             | ----            | 0.10 UNCH                | .0002 | ----          | ----                     | ----              | ----          | 574              | UNCH |
| 3100           | ----                                | ----         |                 | ----/1.60A             | ----             | ----            | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 159              | UNCH |
| 3200           | ----                                | ----         |                 | ----/*2.60A            | ----             | ----            | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 3300           | ----                                | ----         |                 | ----/2.60A             | ----             | ----            | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 3400           | ----                                | ----         |                 | ----/2.60A             | ----             | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 32               | UNCH |
| 3500           | ----                                | ----         |                 | ----/*2.50A            | ----             | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 274              | UNCH |
| 3600           | ----                                | ----         |                 | ----/2.50A             | ----             | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 300              | UNCH |
| 3800           | ----                                | ----         |                 | ----/1.40A             | ----             | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 3900           | ----                                | ----         |                 | ----/1.40A             | ----             | ----            | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4000           |                                     |              |                 |                        |                  |                 |                          |       |               |                          |                   |               |                  |      |

| PG64    | BULLETIN #104@   |                           |                    |                         |                            |                          |       |               |                          |                   | METALS OPTION PRODUCTS |                  |      |  | Tue, Jun 02, 2026 |  |  |  | PG64 |
|---------|------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|------------------------|------------------|------|--|-------------------|--|--|--|------|
|         | GLOBEX<br>OPEN   | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |  |                   |  |  |  |      |
| PO CALL | PLATINUM OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| JAN27   | ----             | ----                      | ----               | ----                    | ----                       | 114.10 - 3.60            | .3336 | ----          | ----                     | ----              | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 2360    |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        | 100              | 0    |  |                   |  |  |  |      |
| TOTAL   |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| PO PUT  | PLATINUM OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| JUL26   | ----             | ----                      | ----               | ----                    | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----                   | 150              | UNCH |  |                   |  |  |  |      |
| 1400    | ----             | ----                      | ----               | ----                    | ----/1.40A                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----                   | 153              | UNCH |  |                   |  |  |  |      |
| 1500    | ----             | ----                      | ----               | ----                    | ----/*1.50A                | 0.10 - 0.10              | .0001 | ----          | ----                     | ----              | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| 1550    | ----             | ----                      | ----               | ----                    | ----/*1.60A                | 0.20 - 0.30              | .0032 | ----          | ----                     | ----              | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 1590    | ----             | ----                      | ----               | ----                    | ----/1.80A                 | 0.30 - 0.30              | .0047 | ----          | ----                     | ----              | ----                   | 324              | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                      | ----               | ----                    | ----/1.90A                 | 0.50 - 0.50              | .0079 | ----          | ----                     | ----              | ----                   | 25               | UNCH |  |                   |  |  |  |      |
| 1630    | ----             | ----                      | ----               | ----                    | ----/2.10A                 | 0.50 - 0.60              | .0080 | ----          | ----                     | ----              | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 1635    | ----             | ----                      | ----               | ----                    | ----/2.20A                 | 0.80 - 0.70              | .0124 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1650    | ----             | ----                      | ----               | ----                    | ----/2.30A                 | 1.40 - 1.10              | .0212 | ----          | ----                     | ----              | ----                   | 50               | UNCH |  |                   |  |  |  |      |
| 1680    | ----             | ----                      | ----               | ----                    | 0.50B/*2.90A               | 2.00 - 1.50              | .0298 | ----          | ----                     | ----              | ----                   | 278              | UNCH |  |                   |  |  |  |      |
| 1700    | ----             | ----                      | ----/*3.30A        | ----                    | 1.20B/*3.30A               | 2.40 - 1.70              | .0354 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1710    | ----             | ----                      | ----/*3.60A        | ----                    | 1.70B/*3.60A               | 3.10 - 2.00              | .0449 | ----          | ----                     | ----              | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 1725    | ----             | ----                      | ----/*4.10A        | ----                    | 2.50B/*4.10A               | 4.70 - 2.80              | .0658 | ----          | ----                     | ----              | ----                   | 61               | UNCH |  |                   |  |  |  |      |
| 1750    | ----             | ----                      | ----/*5.20A        | ----                    | 4.50B/*5.20A               | 10.20 - 4.50             | .1305 | ----          | ----                     | ----              | ----                   | 391              | UNCH |  |                   |  |  |  |      |
| 1800    | ----             | ----                      | ----/*9.10A        | ----                    | 11.10B/*9.10A              | 10.90 - 4.80             | .1384 | ----          | ----                     | ----              | ----                   | 45               | UNCH |  |                   |  |  |  |      |
| 1805    | ----             | ----                      | ----/*9.70A        | ----                    | 12.00B/*9.70A              | 11.70 - 5.00             | .1470 | ----          | ----                     | ----              | ----                   | 15               | UNCH |  |                   |  |  |  |      |
| 1810    | ----             | ----                      | ----/*10.30A       | ----                    | 12.90B/*10.30A             | 12.60 - 5.20             | .1564 | ----          | ----                     | ----              | ----                   | 45               | UNCH |  |                   |  |  |  |      |
| 1815    | ----             | ----                      | ----/10.90A        | ----                    | 14.00B/10.90A              | 13.50 - 5.50             | .1657 | ----          | ----                     | 1                 | ----                   | 31 +             | 1    |  |                   |  |  |  |      |
| 1820    | 13.00            | 13.00                     | 13.00/*11.00A      | ----                    | 15.00B/*11.00A             | 14.40 - 5.70             | .1751 | ----          | ----                     | ----              | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 1825    | ----             | ----                      | ----/12.20A        | ----                    | 16.10B/12.20A              | 15.50 - 5.90             | .1858 | ----          | ----                     | ----              | ----                   | 15               | UNCH |  |                   |  |  |  |      |
| 1830    | ----             | ----                      | ----/13.00A        | ----                    | 17.20B/13.00A              | 16.50 - 6.20             | .1959 | ----          | ----                     | ----              | ----                   | 15               | UNCH |  |                   |  |  |  |      |
| 1835    | ----             | ----                      | ----/13.80A        | ----                    | 18.40B/13.80A              | 17.70 - 6.40             | .2071 | ----          | ----                     | ----              | ----                   | 15               | UNCH |  |                   |  |  |  |      |
| 1840    | ----             | ----                      | ----/14.60A        | ----                    | 19.60B/14.60A              | 20.10 - 6.90             | .2296 | ----          | ----                     | ----              | ----                   | 42               | UNCH |  |                   |  |  |  |      |
| 1850    | ----             | ----                      | ----/16.40A        | ----                    | 22.30B/16.40A              | 22.90 NEW                | .2541 | ----          | ----                     | 32                | ----                   | 32 +             | 32   |  |                   |  |  |  |      |
| 1860    | 19.70            | 19.70                     | 19.70/18.30A       | ----                    | 25.40B/18.30A              | 25.90 NEW                | .2794 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |                   |  |  |  |      |
| 1870    | 21.50            | 21.50                     | 21.50/20.50A       | ----                    | 28.60B/20.50A              | 36.90 - 8.90             | .3615 | ----          | ----                     | 1                 | 60                     | 445              | UNCH |  |                   |  |  |  |      |
| 1900    | 37.00            | 37.00                     | 37.00/28.30A       | ----                    | 39.90B/28.30A              | 45.70 - 9.50             | .4187 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 1920    | ----             | ----                      | ----/34.80A        | ----                    | 49.30B/34.80A              | 61.00 - 10.50            | .5047 | ----          | ----                     | ----              | ----                   | 8                | UNCH |  |                   |  |  |  |      |
| 1950    | ----             | ----                      | ----/46.60A        | ----                    | 65.10B/46.60A              | 78.60 - 11.60            | .5878 | ----          | ----                     | ----              | ----                   | 48               | UNCH |  |                   |  |  |  |      |
| 1980    | ----             | ----                      | ----/60.90A        | ----                    | 70.90B/60.90A              | 85.00 - 11.90            | .6143 | ----          | ----                     | ----              | ----                   | 23               | UNCH |  |                   |  |  |  |      |
| 1990    | ----             | ----                      | ----/66.20A        | ----                    | 71.20B/66.20A              | 91.70 - 12.10            | .6401 | ----          | ----                     | ----              | ----                   | 53               | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                      | ----/71.80A        | ----                    | 96.70B/71.80A              | 102.10 - 12.60           | .6768 | ----          | ----                     | ----              | ----                   | 25               | UNCH |  |                   |  |  |  |      |
| 2015    | ----             | ----                      | ----               | ----                    | ----                       | 113.00 - 13.10           | .7115 | ----          | ----                     | ----              | ----                   | 23               | UNCH |  |                   |  |  |  |      |
| 2030    | ----             | ----                      | ----               | ----                    | ----                       | 116.80 - 13.20           | .7223 | ----          | ----                     | ----              | ----                   | 46               | UNCH |  |                   |  |  |  |      |
| 2035    | ----             | ----                      | ----               | ----                    | ----                       | 148.60 - 14.10           | .7998 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 2075    | ----             | ----                      | ----/121.40A       | ----                    | 155.20B/121.40A            | 157.00 - 14.20           | .8161 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 2085    | ----             | ----                      | ----               | ----                    | ----                       | 169.80 - 14.50           | .8384 | ----          | ----                     | ----              | ----                   | 225              | UNCH |  |                   |  |  |  |      |
| 2100    | ----             | ----                      | ----/140.80A       | ----                    | 176.80B/140.80A            | 196.40 - 14.80           | .8760 | ----          | ----                     | ----              | ----                   | 23               | UNCH |  |                   |  |  |  |      |
| 2130    | ----             | ----                      | ----               | ----                    | ----                       | 200.90 - 14.90           | .8816 | ----          | ----                     | ----              | ----                   | 190              | UNCH |  |                   |  |  |  |      |
| 2135    | ----             | ----                      | ----               | ----                    | ----                       | 228.50 - 15.10           | .9090 | ----          | ----                     | ----              | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 2165    | ----             | ----                      | ----               | ----                    | ----                       | 408.20 - 15.10           | .9765 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |                   |  |  |  |      |
| 2350    | ----             | ----                      | ----/371.30A       | ----                    | 415.70B/371.30A            | 457.60 - 15.10           | .9840 | ----          | ----                     | ----              | ----                   | 300              | UNCH |  |                   |  |  |  |      |
| 2400    | ----             | ----                      | ----/420.60A       | ----                    | 465.30B/420.60A            |                          |       | ----          | 60                       | 35                | ----                   | 3548 +           | 34   |  |                   |  |  |  |      |
| TOTAL   |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| AUG26   | ----             | ----                      | ----               | ----                    | ----                       | 5.40 - 1.50              | .0471 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                      | ----/*6.40A        | ----                    | 4.30B/*6.40A               | 33.00 - 5.40             | .2199 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1800    | ----             | ----                      | ----/28.90A        | ----                    | 34.00B/28.90A              | 48.40 NEW                | .2926 | ----          | ----                     | ----              | 100                    | 100 +            | 100  |  |                   |  |  |  |      |
| 1850    | ----             | ----                      | ----/41.70A        | ----                    | 50.10B/41.70A              | 121.60 - 8.90            | .5318 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                      | ----/104.70A       | ----                    | 125.10B/104.70A            |                          |       | ----          | 100                      | ----              | ----                   | 103 +            | 100  |  |                   |  |  |  |      |
| TOTAL   |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| SEP26   | ----             | ----                      | ----               | ----                    | ----                       | 78.90 - 6.50             | .3300 | ----          | ----                     | ----              | ----                   | 16               | UNCH |  |                   |  |  |  |      |
| 1850    | ----             | ----                      | ----/*70.80A       | ----                    | 80.10B/*70.80A             |                          |       | ----          | ----                     | ----              | ----                   | 16               | 0    |  |                   |  |  |  |      |
| TOTAL   |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| OCT26   | ----             | ----                      | ----               | ----                    | ----                       | 4.20 - 0.40              | .0234 | ----          | ----                     | ----              | ----                   | 4                | UNCH |  |                   |  |  |  |      |
| 1300    | ----             | ----                      | ----               | ----                    | 2.10B/*6.60A               | 14.00 - 1.40             | .0729 | ----          | ----                     | ----              | ----                   | 22               | UNCH |  |                   |  |  |  |      |
| 1500    | ----             | ----                      | ----               | ----                    | 12.30B/15.40A              | 26.50 - 2.50             | .1257 | ----          | ----                     | ----              | ----                   | 28               | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                      | ----/26.20A        | ----                    | 25.40B/26.20A              | 48.00 - 4.20             | .2014 | ----          | ----                     | ----              | ----                   | 50               | UNCH |  |                   |  |  |  |      |
| 1700    | ----             | ----                      | ----/45.00A        | ----                    | 47.50B/45.00A              | 53.60 - 4.50             | .2189 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 1720    | ----             | ----                      | ----/50.00A        | ----                    | 53.30B/50.00A              | 88.60 - 6.00             | .3145 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |                   |  |  |  |      |
| 1820    | ----             | ----                      | ----/81.40A        | ----                    | 89.20B/81.40A              | 101.50 - 6.30            | .3449 | ----          | ----                     | ----              | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| 1850    | ----             | ----                      | ----/93.10A        | ----                    | 102.30B/93.10A             | 108.30 NEW               | .3601 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |                   |  |  |  |      |
| 1865    | 101.00           | 101.00                    | 109.30B/99.30A     | ----                    | 109.30B/99.30A             | 151.90 - 7.30            | .4461 | ----          | ----                     | ----              | ----                   | 50               | UNCH |  |                   |  |  |  |      |
| 1950    | ----             | ----                      | ----/139.30A       | ----                    | 153.60B/139.30A            | 181.30 - 8.00            | .4948 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                      | ----/166.50A       | ----                    | 183.40B/166.50A            | 247.20 - 9.70            | .5843 | ----          | ----                     | ----              | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 2100    | ----             | ----                      | ----/228.40A       | ----                    | 250.00B/228.40A            | 268.60 - 10.10           | .6087 | ----          | ----                     | ----              | ----                   | 41               | UNCH |  |                   |  |  |  |      |
| 2130    | ----             | ----                      | ----               | ----                    | ----                       | 272.20 - 10.20           | .6127 | ----          | ----                     | ----              | ----                   | 12               | UNCH |  |                   |  |  |  |      |
| 2135    | ----             | ----                      | ----               | ----                    | ----                       | 275.90 - 10.20           | .6166 | ----          | ----                     | ----              | ----                   | 12               | UNCH |  |                   |  |  |  |      |
| 2140    | ----             | ----                      | ----               | ----                    | ----                       | 483.90 - 12.30           | .7811 | ----          | ----                     | ----              | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| 2400    | ----             | ----                      | ----/457.00A       | ----                    | 488.60B/457.00A            | 571.50 - 12.80           | .8253 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 2500    | ----             | ----                      | ----/542.60A       | ----                    | 576.60B/542.60A            |                          |       | ----          | ----                     | 1                 | ----                   | 729 +            | 1    |  |                   |  |  |  |      |
| TOTAL   |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| JAN27   | ----             | ----                      | ----               | ----                    | ----                       | 37.90 - 19.60            | .1246 | ----          | ----                     | ----              | ----                   | 40               | UNCH |  |                   |  |  |  |      |
| 1500    | ----             | ----                      | ----               | ----                    | ----                       | 124.90 - 26.20           | .3137 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1800    | ----             | ----                      | ----               | ----                    | ----                       | 173.60 - 25.70           | .3886 | ----          | ----                     | ----              | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 1900    | ----             | ----                      | ----               | ----                    | ----                       | 231.40 - 23.00           | .4610 | ----          | ----                     | ----              | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                      | ----               | ----                    | ----                       |                          |       | ----          | ----                     | ----              | ----                   | 341              | 0    |  |                   |  |  |  |      |
| TOTAL   |                  |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |

| OPTIONS EOO'S AND BLOCKS                                   |  |              |            |              |
|------------------------------------------------------------|--|--------------|------------|--------------|
| PRODUCT                                                    |  | STRIKE PRICE | EEO VOLUME | BLOCK VOLUME |
| OG CALL JUL26 CALL COMEX GOLD OPTIONS                      |  |              |            |              |
| OG                                                         |  | 4600         | 0          | 100          |
| OG                                                         |  | 4650         | 0          | 50           |
| OG                                                         |  | 4700         | 0          | 60           |
| OG                                                         |  | 4900         | 0          | 60           |
| OG                                                         |  | 5350         | 0          | 100          |
| TOTALS                                                     |  |              | 0          | 370          |
| DEC26 CALL                                                 |  |              |            |              |
| OG                                                         |  | 4850         | 0          | 10           |
| OG                                                         |  | 5000         | 0          | 45           |
| OG                                                         |  | 5300         | 0          | 90           |
| OG                                                         |  | 6500         | 0          | 270          |
| TOTALS                                                     |  |              | 0          | 415          |
| FEB27 CALL                                                 |  |              |            |              |
| OG                                                         |  | 5350         | 0          | 10           |
| TOTALS                                                     |  |              | 0          | 10           |
| OG PUT JUL26 PUT COMEX GOLD OPTIONS                        |  |              |            |              |
| OG                                                         |  | 4360         | 0          | 250          |
| OG                                                         |  | 4480         | 0          | 150          |
| OG                                                         |  | 4500         | 0          | 380          |
| TOTALS                                                     |  |              | 0          | 780          |
| AUG26 PUT                                                  |  |              |            |              |
| OG                                                         |  | 3900         | 0          | 200          |
| TOTALS                                                     |  |              | 0          | 200          |
| DEC26 PUT                                                  |  |              |            |              |
| OG                                                         |  | 4060         | 0          | 100          |
| OG                                                         |  | 4250         | 0          | 100          |
| OG                                                         |  | 4375         | 0          | 100          |
| OG                                                         |  | 4450         | 0          | 10           |
| TOTALS                                                     |  |              | 0          | 310          |
| SO CALL JUL26 CALL COMEX SILVER OPTIONS                    |  |              |            |              |
| SO                                                         |  | 7850         | 0          | 30           |
| SO                                                         |  | 8000         | 0          | 90           |
| TOTALS                                                     |  |              | 0          | 120          |
| SEP26 CALL                                                 |  |              |            |              |
| SO                                                         |  | 9500         | 0          | 34           |
| TOTALS                                                     |  |              | 0          | 34           |
| SO PUT DEC26 PUT COMEX SILVER OPTIONS                      |  |              |            |              |
| SO                                                         |  | 6950         | 0          | 100          |
| TOTALS                                                     |  |              | 0          | 100          |
| HX CALL JUL26 CALL COMEX COPPER OPTIONS                    |  |              |            |              |
| HX                                                         |  | 660          | 0          | 25           |
| HX                                                         |  | 675          | 0          | 25           |
| HX                                                         |  | 750          | 0          | 50           |
| TOTALS                                                     |  |              | 0          | 100          |
| SEP26 CALL                                                 |  |              |            |              |
| HX                                                         |  | 700          | 0          | 1000         |
| TOTALS                                                     |  |              | 0          | 1000         |
| DEC26 CALL                                                 |  |              |            |              |
| HX                                                         |  | 700          | 0          | 588          |
| HX                                                         |  | 825          | 0          | 40           |
| TOTALS                                                     |  |              | 0          | 628          |
| HX PUT JUL26 PUT COMEX COPPER OPTIONS                      |  |              |            |              |
| HX                                                         |  | 600          | 0          | 50           |
| HX                                                         |  | 625          | 0          | 210          |
| TOTALS                                                     |  |              | 0          | 260          |
| DEC26 PUT                                                  |  |              |            |              |
| HX                                                         |  | 600          | 0          | 40           |
| TOTALS                                                     |  |              | 0          | 40           |
| PO PUT JUL26 PUT PLATINUM OPTIONS                          |  |              |            |              |
| PO                                                         |  | 1900         | 0          | 60           |
| TOTALS                                                     |  |              | 0          | 60           |
| AUG26 PUT                                                  |  |              |            |              |
| PO                                                         |  | 1850         | 0          | 100          |
| TOTALS                                                     |  |              | 0          | 100          |
| PAO CALL JUL26 CALL NYMEX PALLADIUM OPTIONS                |  |              |            |              |
| PAO                                                        |  | 1400         | 0          | 75           |
| PAO                                                        |  | 1600         | 0          | 75           |
| TOTALS                                                     |  |              | 0          | 150          |
| PAO PUT SEP26 PUT NYMEX PALLADIUM OPTIONS                  |  |              |            |              |
| PAO                                                        |  | 1200         | 0          | 50           |
| TOTALS                                                     |  |              | 0          | 50           |
| SO2 PUT JUN26 PUT SILVER OPTIONS                           |  |              |            |              |
| SO2                                                        |  | 7450         | 0          | 50           |
| TOTALS                                                     |  |              | 0          | 50           |
| SWW WED JUN26 W1S CALL SILVER WEEKLY WEDNESDAY OPTION WEEK |  |              |            |              |
| W1S                                                        |  | 7730         | 0          | 30           |
| TOTALS                                                     |  |              | 0          | 30           |
| GWW WED JUN26 G1W PUT GOLD WEEKLY WEDNESDAY OPTION WEEK1   |  |              |            |              |
| G1W                                                        |  | 4550         | 0          | 75           |
| TOTALS                                                     |  |              | 0          | 75           |
| GWW WED JUN26 G2W CALL GOLD WEEKLY WEDNESDAY OPTION WEEK2  |  |              |            |              |
| G2W                                                        |  | 4625         | 0          | 125          |
| TOTALS                                                     |  |              | 0          | 125          |
| COO OPT OCT26 PUT COBALT METAL (FASTMARKETS) APO           |  |              |            |              |
| COO                                                        |  | 2400         | 0          | 50           |
| TOTALS                                                     |  |              | 0          | 50           |



PRELIMINARY

| PG64 BULLETIN #104@ |      | METALS OPTION PRODUCTS            |   | Tue, Jun 02, 2026 PG64 |  |
|---------------------|------|-----------------------------------|---|------------------------|--|
| NOV26               | PUT  |                                   | 0 | 50                     |  |
| COO                 |      | 2400                              | 0 | 50                     |  |
| TOTALS              |      |                                   | 0 | 50                     |  |
| DEC26               | PUT  |                                   | 0 | 50                     |  |
| COO                 |      | 2400                              | 0 | 50                     |  |
| TOTALS              |      |                                   | 0 | 50                     |  |
| COO OPT             |      | COBALT METAL (FASTMARKETS) APO    |   |                        |  |
| OCT26               | CALL |                                   | 0 | 50                     |  |
| COO                 |      | 2900                              | 0 | 50                     |  |
| TOTALS              |      |                                   | 0 | 50                     |  |
| NOV26               | CALL |                                   | 0 | 50                     |  |
| COO                 |      | 2900                              | 0 | 50                     |  |
| TOTALS              |      |                                   | 0 | 50                     |  |
| DEC26               | CALL |                                   | 0 | 50                     |  |
| COO                 |      | 2900                              | 0 | 50                     |  |
| TOTALS              |      |                                   | 0 | 50                     |  |
| GWR THU             |      | GOLD WEEKLY THURSDAY OPTION week1 |   |                        |  |
| JUN26               | CALL |                                   | 0 | 100                    |  |
| GIR                 |      | 4580                              | 0 | 100                    |  |
| TOTALS              |      |                                   | 0 | 100                    |  |