

PG64

BULLETIN # 99@

METALS OPTION PRODUCTS

Tue, May 26, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/22	05/26											
ECG11 OP		05/22	05/26											
ECG13 OP		05/22	05/26											
ECG15 OP		05/22	05/26											
ECG16 OP		05/22	05/26											
ECGC OOF		05/22	05/26											
ECHG OOF		05/22	05/26											
ECSI OOF		05/22	05/26											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/29													
FSO OPT	05/29			06/30										
GMW MON				06/22										
GWR THU	05/28			06/18										
GWT TUE				06/23										
GWV WED	05/27			06/17										
HMW MON				06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/18										
HWT TUE				06/16										
HWW WED	05/27			06/17										
HX CALL				05/26	07/01	08/05								
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/12										
HXE PUT	05/29			06/12										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL				06/12										
OG2 PUT				06/12										
OG4 CALL	05/22			06/26										
OG4 PUT	05/22			06/26										
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28				11/24				
PAO CALL				06/17	07/15	08/19				11/18				
PAO PUT				06/17	07/15	08/19				11/18				
PLW OOF	05/29			06/05										
PO CALL				06/17	07/15	08/19	09/16			12/16				
PO PUT				06/17	07/15	08/19	09/16			12/16				
RWS THU	05/28			06/18										
SMW MON				06/22										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO2 CALL				06/12										
SO2 PUT				06/12										
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/10										
TWS TUE				06/16										
WMG WED	05/27													

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED MAY26 MICRO GOLD WEEKLY WED OPTION WEEK4														
4300	----	----	----	----	----	----	0.20 - 2.30	.0002	----	----	----	----	1	UNCH
4475	6.10	6.10	#6.10/*6.10	#6.10/*6.10	----	----	4.70 - NEW	.0736	----	----	1	----	1 +	1
4525	60.00	60.00	#60.00/60.00	#60.00/60.00	----	----	25.80 - 29.60	.6104	----	----	1	----	1	UNCH
4605	25.30	25.30	#25.30/*25.30	#25.30/*25.30	----	----	2.50 - NEW	.0340	----	----	1	----	1 +	1
TOTAL											3		4 +	2
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT JUN26 MICRO GOLD OPTIONS														
2500	----	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
3950	----	----	----	----	/30.00A	----	0.00 - 0.30	----	----	----	----	----	0 -	1
4200	----	----	----	----	----	----	0.00 - 1.20	----	----	----	----	----	0 -	1
4260	----	----	----	----	----	----	0.00 - 1.70	----	----	----	----	----	0 -	1
4300	----	----	----	----	----	----	0.00 - 2.20	----	----	----	----	----	0 -	4
4400	----	----	----	----	----	----	0.00 - 5.00	----	----	----	----	----	0 -	1
4500	15.00	15.00	15.00/*1.00	15.00/*1.00	----	----	0.00 - 20.20	----	----	----	2	----	0 -	4
4600	----	----	7.20B/----	7.20B/45.00A	----	----	0.00 - 7.10	----	----	----	----	----	0 -	1
4600	----	----	97.00B/----	97.00B/----	----	----	97.70 + 13.90	----	1	----	----	----	0 -	1
4625	99.00	99.00	99.00/99.00	99.00/99.00	----	----	122.70 + 16.20	----	----	----	1	----	0 -	1
4700	----	----	----	----	----	----	0.00 - 1.90	----	----	----	----	----	0 -	1
4800	----	----	----	----	----	----	0.00 - 1.00	----	----	----	----	----	0 -	1
4900	----	----	----	----	----	----	0.00 - 0.60	----	----	----	----	----	0 -	1
5875	----	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
TOTAL											3		0 -	21
JUL26														
3400	----	----	----	----	----	----	1135.40 - 21.50	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----	----	1075.60 - 21.50	----	----	----	----	----	1	UNCH
4150	13.30	13.30	13.30/13.30	13.30/13.30	----	----	15.60 - 1.00	----	----	----	1	----	0 -	1
4200	----	----	----	----	----	----	19.80 - 0.90	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	----	32.90 - 0.50	----	----	----	----	----	1	UNCH
4500	69.00	69.00	69.00/65.00A	69.00/65.00A	----	----	92.10 + 2.90	----	----	----	1	----	4 +	1
4550	106.00	106.00	#106.00/*106.00	#106.00/*106.00	----	----	116.10 - NEW	----	----	----	1	----	1 +	1
4600	----	----	----	----	----	----	79.50 - 15.00	----	----	----	----	----	1	UNCH
4600	----	----	----	----	----	----	144.30 + 6.40	----	----	----	----	----	2	UNCH
4700	----	----	----	----	----	----	47.30 - 10.50	----	----	----	----	----	1	UNCH
4800	----	----	----	----	----	----	27.50 - 6.90	----	----	----	----	----	2	UNCH
5000	----	----	----	----	----	/35.00A	9.80 - 2.80	----	----	----	----	----	3	UNCH
5300	----	----	----	----	2.50B/----	----	3.20 - 0.90	----	----	----	----	----	3	UNCH
5500	----	----	----	----	----	----	2.00 - 0.60	----	----	----	----	----	2	UNCH
TOTAL											3		23 +	1
AUG26														
4400	----	----	----	----	----	----	99.30 + 2.00	----	----	----	----	----	5	UNCH
4550	139.00	139.00	#139.00/139.00	#139.00/139.00	----	----	164.90 - NEW	----	----	----	1	----	1 +	1
4995	34.00	34.00	#34.00/*34.00	#34.00/*34.00	----	----	32.50 - NEW	----	----	----	1	----	1 +	1
TOTAL											2		7 +	2
DEC26														
4700	----	----	-----/242.00A	-----/242.00A	----	----	239.20 - 13.90	----	----	----	----	----	9	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT
IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64	
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST						
OMG OPT	MICRO GOLD OPTIONS																		
TOTAL														9 0					
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST						
OG5 PUT	GOLD OPTIONS																		
MAY26																			
3700	0.10	0.10	0.10/*0.10	0.10/*0.10			0.10 - 0.30	.0000			3		24	UNCH					
3750			----/*0.30A	0.10B/*0.30A			0.10 - NEW	.0001			25		25	+					
3800	0.70	0.70	0.70/*0.20	0.70/*0.20			0.10 - 0.50	.0002			6		15	-					
3900	0.40	0.40	0.40/*0.30A	0.40/*0.30A			0.20 - 0.60	.0006			27		37	+					
4000	0.50	0.50	0.50/*0.30	0.60B/*0.30			0.40 - 0.80	.0016			22		108	-					
4100			----/*0.60A	0.80B/*0.60A			0.60 - 1.10	.0032			---		12	UNCH					
4135	0.80	0.80	#0.80/*0.70A	#0.90B/*0.70A			0.70 - NEW	.0041			3		3	+					
4150	0.90	0.90	0.90/*0.70	1.00B/*0.70			0.80 - 1.20	.0049			5		31	+					
4165	0.80	0.80	#0.80/*0.80	#1.10B/*0.80			0.80 - NEW	.0051			1		1	+					
4175	1.00	1.00	1.20B/*0.90A	1.20B/*0.90A			0.90 - 1.40	.0059			2		3	UNCH					
4190	1.00	1.00	#1.00/*0.90A	#1.30B/*0.90A			1.00 - NEW	.0069			1		1	+					
4195	0.90	0.90	#1.30B/*0.90	#1.30B/*0.90			1.00 - NEW	.0070			1		1	+					
4200	1.20	1.20	1.50/*0.90	1.50/*0.90			1.00 - 1.50	.0071			27		52	+					
4205				#1.40B/*1.00A			1.00 - NEW	.0072			2		2	+					
4210	1.10	1.10	#1.10/*1.00A	#1.40B/*1.00A			1.10 - NEW	.0080			1		1	+					
4225			----/*1.10A	1.60B/*1.10A			1.20 - 1.60	.0091			---		4	UNCH					
4250	1.50	1.50	1.50/*1.20A	1.80B/*1.20A			1.30 - 1.90	.0108			3		28	UNCH					
4275			----/*1.40A	2.20B/*1.40A			1.60 - 2.10	.0143			1		37	-					
4300	1.80	1.80	2.50/*1.70A	2.70B/*1.70A			1.90 - 2.40	.0185			48		145	+					
4310	2.20	2.20	#2.20/*1.90A	#2.90B/*1.90A			2.00 - NEW	.0202			2		2	+					
4320				#3.20B/*2.10A			2.20 - NEW	.0230			2		0	UNCH					
4325			----/*2.10A	3.40B/*2.10A			2.30 - 2.70	.0245			---		15	UNCH					
4330				#3.50B/*2.20A			2.40 - NEW	.0260			10		5	+					
4350	3.20	3.20	4.30B/*2.60	4.30B/*2.60			2.90 - 3.10	.0336			52		237	+					
4355	3.20	3.20	#3.20/*3.20	#4.50B/*2.80A			3.10 - NEW	.0365			7		7	+					
4360				#4.70B/*2.90A			3.20 - NEW	.0384			56		19	+					
4365	3.00	3.00	#5.00B/*3.00	#5.00B/*3.00			3.40 - NEW	.0414			4		0	UNCH					
4370	4.00	4.00	#4.00/*4.00	#5.20B/*3.10A			3.60 - NEW	.0446			1		1	+					
4375	4.60	4.60	5.50B/*3.20A	5.50B/*3.20A			3.80 - 3.50	.0478			10		38	+					
4385	5.20	5.20	#5.20/*5.20	#6.20B/*3.40A			4.30 - NEW	.0557			6		6	+					
4395				#7.00B/*3.70A			4.80 - NEW	.0642			2		2	+					
4400	6.40	6.40	8.20/*3.80	8.20/*3.80			5.10 - 4.10	.0692			231		390	+					
4415	5.50	5.50	#5.50/*5.50	#8.70B/*4.30A			6.20 - NEW	.0876			1		1	+					
4420	4.20	4.20	9.30B/*4.20	9.30B/*4.20			6.60 - NEW	.0945			166		96	+					
4425	5.60	5.60	9.90B/*4.70	9.90B/*4.70			7.10 - 4.60	.1027			34		63	+					
4430	10.00	10.00	#10.00/*10.00	#10.50B/*4.90A			7.60 - NEW	.1111			3		3	+					
4435	10.60	10.60	#11.30B/*10.60	#11.30B/*5.20A			8.20 - NEW	.1208			4		3	+					
4440				#12.10B/*5.40A			8.80 - NEW	.1308			25		5	+					
4445	8.90	8.90	#13.00B/*8.90	#13.00B/*5.70A			9.40 - NEW	.1412			22		22	+					
4450	10.60	10.60	14.10B/*6.00A	14.10B/*6.00A			10.10 - 5.00	.1529			66		115	+					
4460	12.90	12.90	#16.20B/*11.50	#16.20B/*6.60A			11.70 - NEW	.1791			3		3	+					
4465	12.10	12.10	#17.50B/*12.10	#17.50B/*7.00A			12.60 - NEW	.1937			11		11	+					
4470	12.70	12.70	#18.80B/*12.70	#18.80B/*7.30A			13.60 - NEW	.2094			4		3	+					
4475	8.60	8.60	20.30B/*7.80A	20.30B/*7.80A			14.60 - 5.10	.2256			193		206	+					
4480				#21.70B/*8.20A			15.80 - NEW	.2437			55		20	+					
4485	10.50	10.50	#23.40B/*8.70A	#23.40B/*8.70A			17.00 - NEW	.2622			13		7	+					
4490	18.90	18.90	#18.90/*17.60	#25.10B/*9.20A			18.30 - NEW	.2818			3		3	+					
4495	12.20	12.20	#27.00B/*9.70A	#27.00B/*9.70A			19.70 - NEW	.3025			9		6	+					
4500	16.00	16.00	29.00B/*10.30A	29.00B/*10.30A			21.20 - 4.80	.3241			131		512	+					
4505	26.00	26.00	#31.10B/*26.00	#31.10B/*11.00A			22.90 - NEW	.3470			1		1	+					
4510	28.80	28.80	#33.30B/*28.80	#33.30B/*11.70A			24.60 - NEW	.3702			13		2	+					
4515				#35.60B/*12.40A			26.40 - NEW	.3943			1		1	+					
4520	32.10	32.10	#37.90B/*32.10	#37.90B/*13.20A			28.40 - NEW	.4192			4		3	+					
4525	23.10	23.10	40.40B/*14.00A	40.40B/*14.00A			30.50 - 3.60	.4446			236		164	+					
4530	16.90	16.90	#43.20B/*14.90A	#43.20B/*14.90A			32.70 - NEW	.4704			16		11	+					
4535	20.20	20.20	#45.90B/*16.00A	#45.90B/*16.00A			35.10 - NEW	.4966			68		61	+					
4540	34.00	34.00	#48.80B/*34.00	#48.80B/*17.00A			37.60 - NEW	.5228			22		22	+					
4545	40.60	40.60	#51.90B/*35.00	#51.90B/*18.10A			40.20 - NEW	.5490			57		49	+					
4550	27.50	27.50	55.20B/*19.30A	55.20B/*19.30A			42.90 - 1.50	.5751			139		312	+					
4560	25.00	25.00	#61.80B/*22.00A	#61.80B/*22.00A			48.70 - NEW	.6265			40		40	+					
4575	36.50	36.50	72.70B/27.30	72.70B/27.30			58.40 + 1.30	.6988			15		35	-					
4580				#76.50B/*29.20A			61.90 - NEW	.7210			2		2	+					
4595	41.00	41.00	#88.50B/*35.00A	#88.50B/*35.00A			72.90 - NEW	.7816			4		4	+					
4600	45.00	45.00	92.80B/37.30A	92.80B/37.30A			76.80 + 4.60	.8005			8		72	+					
4610	64.30	64.30	#101.10B/*64.00	#101.10B/*42.30A			84.80 - NEW	.8327			8		5	+					
4615				#105.60B/*44.80A			89.00 - NEW	.8478			1		1	+					
4625	91.00	91.00	114.50B/50.20A	114.50B/50.20A			97.50 + 8.00	.8740			1		18	+					
4630			137.30B/65.70A	137.30B/65.70A			119.80 + 11.00	.9224			---		10	UNCH					
4660				#146.80B/*72.40A			129.00 - NEW	.9367			5		5	+					
4675			161.20B/83.20A	161.20B/83.20A			143.10 + 13.50	.9528			---		35	UNCH					
4700	158.30	158.30	185.30B/103.30A	185.30B/103.30A			167.10 + 15.40	.9692			2		8	+					
4725			209.90B/124.30A	209.90B/124.30A			191.50 + 16.80	.9795			---		1	UNCH					
4750			230.40B/146.50A	230.40B/146.50A			216.20 + 17.90	.9860			---		3	UNCH					
4775			255.10B/169.60A	255.10B/169.60A			240.90 + 18.60	.9894			---		15	UNCH					
4800			252.70B/193.20A	252.70B/193.20A			265.70 + 19.20	.9922			1		2	+					
4805				#257.60B/*197.90A			270.70 - NEW	.9923			1		1	+					
4850			----/241.20A	265.10B/241.20A			315.50 + 20.00	.9950			---		1	UNCH					
4850				379.60B/297.60A			365.40 + 20.50	.9972			---		3	UNCH					
4900							415.20 + 20.60	.9982			---		1	UNCH					
4950				345.60B/434.10A							---		3219	+					
TOTAL											1949			808					
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST						
OG5 CALL	GOLD OPTIONS																		
MAY26																			
4335				#280.10B/*184.70A			202.50 - NEW	.9723			1		1	+					
4375	227.80	227.80	241.00B/*146.50	241.00B/*146.50A			163.80 - 24.80	.9521			1		1	-					
4450			169.40B/*80.70A	169.40B/*80.70A			95.10 - 26.30	.8470			---		1	UNCH					
4475			146.50B/*61.90A	146.50B/*61.90A			74.60 - NEW	.7742			2		1	+					
4500			124.50B/*45.50A	124.50B/*45.50A			56.20 - 26.10	.6758			3		3	+					
4520	46.40	46.40	#46.40/*34.50A	#107.70B/*34.50A			43.40 - NEW	.5806			2		0	UNCH					
4525	93.00	93.00	103.60B/*32.10A	103.60B/*32.10A			40.50 - 25.00	.5552			9		16	+					
4535				#95.70B/*27.70A			35.10 - NEW	.5033			37		35	+					
4545	39.30	39.30	#39.30/*23.60A	#88.00B/*23.60A			30.20 - NEW	.4508			56		49	+					
4550	75.00	75.00	84.20B/*21.80A	84.20B/*21.80A			27.90 - 22.90	.4247			34		92	+					
4565	43.00	43.00	#43.00/*17.10A	#73.60B/*17.10A			21.90 - NEW	.3489			1		1	+					
4570	18.90	18.90	#18.90/*15.70A	#70.20B/*15.70A			20.10 - NEW	.3247			4		4	+					
4575	59.60	59.60	66.80B/*14.40A	66.80B/*14.40A			18.40 - 20.10	.3011			26		119	-					
4580	18.00	18.00	#18.00/*13.30A	#63.70B/*13.30A			16.90 - NEW	.2789			2		2	+					
4585	18.40	18.40	#18.50/*12.20A	#60.60B/*12.20A			15.50 - NEW	.2576			30		30	+					
4590	13.00	13.00	#13.00/*11.20A	#57.90B/*11.20A			14.20 - NEW	.2374			1		1	+					
4595				#54.9															

PG64	BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64																																																																																																																																																																																																																																																													
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																																																																																																																																																																																																																																																																								
OG5 CALL																GOLD OPTIONS	MAY26	4800	4820	4825	4850	4875	4880	4890	4900	4925	4950	4975	5000	5025	5050	5075	5100	5125	5175	5200	5225	5300	5400	5500	5600	5750	TOTAL																																																																																																																																																																																																																																											
	4.00	4.00	2.70	2.70	2.00	2.00	1.30	1.30	0.40	2.60	2.60	0.70	0.80	0.80	0.50																													0.70	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40	0.10	0.40

PG64	BULLETIN # 99@				METALS OPTION PRODUCTS								Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG4 CALL																	
MAY26																	
4450	----	----		----	----	----			73.20	UNCH	----	----	----	----	0	UNCH	
4455	----	----		----	----	----			68.20	UNCH	----	----	----	----	0	UNCH	
4460	----	----		----	----	----			63.20	UNCH	----	----	----	----	0	UNCH	
4465	----	----		----	----	----			58.20	UNCH	----	----	----	----	0	UNCH	
4470	----	----		----	----	----			53.20	UNCH	----	----	----	----	0	UNCH	
4475	----	----		----	----	----			48.20	UNCH	----	----	----	----	0	UNCH	
4480	----	----		----	----	----			43.20	UNCH	----	----	----	----	0	UNCH	
4485	----	----		----	----	----			38.20	UNCH	----	----	----	----	0	UNCH	
4490	----	----		----	----	----			33.20	UNCH	----	----	----	----	0	UNCH	
4495	----	----		----	----	----			28.20	UNCH	----	----	----	----	0	UNCH	
4500	----	----		----	----	----			23.20	UNCH	----	----	----	----	0	UNCH	
4505	----	----		----	----	----			18.20	UNCH	----	----	----	----	0	UNCH	
4510	----	----		----	----	----			13.20	UNCH	----	----	----	----	0	UNCH	
4515	----	----		----	----	----			8.20	UNCH	----	----	----	----	0	UNCH	
4520	----	----		----	----	----			3.20	UNCH	----	----	----	----	0	UNCH	
4525	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4530	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4535	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4540	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4545	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4550	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4555	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4560	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4565	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4570	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4575	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4580	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4585	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4590	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4595	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4600	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4605	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4610	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4615	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4625	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4630	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4635	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4640	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4650	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4660	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4665	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4675	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4680	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4690	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4700	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4705	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4715	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4750	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4755	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
4775	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
5400	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
5500	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
5600	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
5750	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
6000	----	----		----	----	----			0.00	UNCH	----	----	----	----	0	UNCH	
TOTAL															0	0	
JUN26																	
4300	264.00	264.00		#264.00/*255.50	#288.60B/*255.50A	----			268.40	NEW	.8039	----	1	----	1 +	1	
4475	152.70	152.70		#159.10B/*134.5	#159.10B/*134.50A	----			143.00	NEW	.5983	----	1	----	1 +	1	
4550	112.10	112.10		#116.50B/*96.60	#116.50B/*96.60A	----			103.20	NEW	.4896	----	1	----	1 +	1	
4850	----	----		----	#26.20B/*21.30A	----			22.00	NEW	.1475	----	1	----	1 +	1	
4950	----	----		----	#16.00B/*13.20A	----			13.30	NEW	.0934	----	1	----	1 +	1	
5000	12.00	12.00		#12.00/*11.10A	#12.40B/*11.10A	----			10.70	NEW	.0757	----	1	----	1 +	1	
5400	----	----		----	#1.30B/*4.90A	----			4.60	NEW	.0277	----	2	----	1 +	1	
5750	----	----		----	#0.20B/*3.40A	----			3.80	NEW	.0191	----	2	----	1 +	1	
TOTAL													10		8 +	8	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG2 PUT																	
JUN26																	
3500	----	----		----/*0.90A	0.80B/*0.90A	----			1.00 - 0.50	.0051	----	----	----	----	6	UNCH	
3600	----	----		----/*1.50A	1.10B/*1.50A	----			1.30 - 0.50	.0070	----	----	----	----	1	UNCH	
3700	----	----		----/*1.90A	1.40B/*1.90A	----			1.60 - 0.70	.0093	----	----	----	----	1	UNCH	
3800	----	----		----/*2.30A	1.90B/*2.30A	----			2.00 - NEW	.0125	----	2	----	2 +	2		
3900	----	----		----/*2.90A	2.60B/*2.90A	----			2.60 - 1.00	.0176	----	56	----	56 +	55		
4000	----	----		----/*3.90A	3.60B/*3.90A	----			3.60 - 1.20	.0262	----	----	----	307	UNCH		
4100	----	----		----/*5.50A	5.80B/*5.50A	----			5.50 - 1.40	.0423	----	----	----	1	UNCH		
4125	----	----		----/*6.00A	6.40B/*6.00A	----			6.20 - 1.40	.0483	----	----	----	2	UNCH		
4150	----	----		----/*6.80A	7.50B/*6.80A	----			7.00 - 1.60	.0551	----	56	----	56 +	53		
4200	----	----		----/*8.20A	10.00B/*8.20A	----			9.20 - 1.70	.0734	----	----	----	7	UNCH		
4225	----	----		----/*9.70A	11.40B/*9.70A	----			10.60 - 1.80	.0849	----	----	----	14	UNCH		
4250	----	----		----/*10.10A	13.50B/*10.10A	----			12.30 - 1.90	.0986	----	----	----	20	UNCH		
4275	----	----		----/*11.40A	15.90B/*11.40A	----			14.40 - 1.90	.1151	----	1	----	26 +	1		
4300	----	----		----/*13.20A	18.80B/*13.20A	----			16.90 -								

BULLETIN # 99@				METALS OPTION PRODUCTS							Tue, May 26, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT JUN26	GOLD OPTIONS														
3500	----	----	----	----/*0.60A	0.30B/*0.60A	----	----	----	0.60 - 0.20	.0028	----	----	----	----	25 UNCH
3700	1.10	1.10		1.10/*0.80A	1.10/*0.80A	----	----	----	0.90 NEW	.0050	----	----	2	----	2 + 2
3750	----	----	----	----/*1.10A	0.90B/*1.10A	----	----	----	1.00 - 0.40	.0058	----	----	----	----	9 UNCH
3800	1.10	1.10		1.10/*1.10	1.10/*1.10	----	----	----	1.10 - 0.50	.0068	----	----	11	----	11 + 9
3900	1.80	1.80		1.80/*1.60A	1.80/*1.60A	----	----	----	1.40 - 0.70	.0095	----	----	5	----	7 + 5
4000	2.10	2.10		2.10/*1.90	2.10/*1.90	----	----	----	1.90 - 0.90	.0144	----	----	90	----	89 + 86
4100	----	----	----	----/*2.80A	3.00B/*2.80A	----	----	----	2.70 - 1.30	.0229	----	----	2	----	1 - 1
4150	3.20	3.20		3.80B/*3.20	3.80B/*3.20	----	----	----	3.40 NEW	.0304	----	----	4	----	4 + 4
4175	----	----	----	----/*3.70A	4.30B/*3.70A	----	----	----	3.90 NEW	.0356	----	----	25	----	25 + 25
4200	----	----	----	----/*4.10A	5.00B/*4.10A	----	----	----	4.40 - 1.80	.0413	----	----	----	----	10 UNCH
4225	5.20	5.20		5.20/*4.60A	5.80B/*4.60A	----	----	----	5.10 - 1.90	.0488	----	----	2	----	2 + 1
4250	5.30	5.30		6.90B/*4.90A	6.90B/*4.90A	----	----	----	6.00 - 2.00	.0584	----	----	4	----	16 + 1
4275	5.70	5.70		8.20B/*5.30	8.20B/*5.30	----	----	----	7.10 - 2.20	.0702	----	----	2	----	34 + 2
4300	7.00	7.00		10.00/*6.40	10.00/*6.40	----	----	----	8.40 - 2.50	.0844	----	----	19	----	44 + 19
4325	7.70	7.70		11.90B/*7.70	11.90B/*7.70	----	----	----	10.20 - 2.70	.1031	----	----	10	----	34 + 6
4350	12.30	12.30		14.70B/*9.00A	14.70B/*9.00A	----	----	----	12.50 - 2.80	.1264	----	----	73	----	93 + 53
4375	12.10	12.10		18.30B/*10.70A	18.30B/*10.70A	----	----	----	15.50 - 2.90	.1556	----	----	12	----	33 + 12
4400	14.90	14.90		22.80B/*12.80A	22.80B/*12.80A	----	----	----	19.20 - 3.10	.1905	----	----	63	----	103 + 2
4425	----	----	----	28.60B/*15.60A	28.60B/*15.60A	----	----	----	24.00 - 3.00	.2329	----	----	----	----	51 UNCH
4450	23.00	23.00		35.60B/*19.00	35.60B/*19.00	----	----	----	30.00 - 2.70	.2824	----	----	12	----	38 + 6
4475	23.50	23.50		44.10B/23.30A	44.10B/23.30A	----	----	----	37.30 - 2.40	.3384	----	----	3	----	14 + 1
4500	37.20	37.20		54.40B/28.80A	54.40B/28.80A	----	----	----	46.30 - 1.60	.4005	----	----	52	----	210 + 14
4525	----	----	----	66.40B/35.30A	66.40B/35.30A	----	----	----	57.00 - 0.50	.4664	----	----	45	----	26 + 25
4550	50.50	50.50		80.00B/43.20A	80.00B/43.20A	----	----	----	69.40 + 0.80	.5340	----	----	146	----	175 - 10
4575	64.00	64.00		97.00/52.50A	97.00/52.50A	----	----	----	83.70 + 2.50	.6006	----	----	17	----	17 + 5
4600	----	----	----	112.80B/63.30A	112.80B/63.30A	----	----	----	99.70 + 4.30	.6636	----	----	----	----	35 UNCH
4625	----	----	----	131.30B/75.90A	131.30B/75.90A	----	----	----	117.30 + 6.30	.7214	----	----	----	----	13 UNCH
4650	----	----	----	151.30B/89.20A	151.30B/89.20A	----	----	----	136.30 + 8.30	.7729	----	----	----	----	3 UNCH
4700	170.00	170.00		194.30B/123.20A	194.30B/123.20A	----	----	----	177.90 + 12.00	.8528	----	----	1	----	24 + 1
4750	----	----	----	240.10B/161.30A	240.10B/161.30A	----	----	----	222.90 + 15.00	.9071	----	----	----	----	29 UNCH
4775	----	----	----	263.60B/182.00A	263.60B/182.00A	----	----	----	246.20 + 16.10	.9254	----	----	----	----	11 UNCH
4850	----	----	----	336.10B/248.40A	336.10B/248.40A	----	----	----	318.20 NEW	.9609	----	----	2	----	2 + 2
TOTAL													602		1190 + 270
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL JUN26	GOLD OPTIONS														
4500	----	----	----	140.60B/*71.40A	140.60B/*71.40A	----	----	----	81.30 - 22.90	.5992	----	----	20	----	20 + 19
4525	----	----	----	122.00B/*58.40A	122.00B/*58.40A	----	----	----	67.00 - 21.90	.5333	----	----	25	----	35 + 25
4550	92.50	92.50		106.50/*47.30A	106.50/*47.30A	----	----	----	54.40 - 20.60	.4657	----	----	5	----	63 + 3
4575	40.50	40.50		89.30B/*37.80A	89.30B/*37.80A	----	----	----	43.70 - 18.90	.3991	----	----	2	----	23 + 2
4600	66.00	66.00		75.50B/*30.00A	75.50B/*30.00A	----	----	----	34.80 - 17.00	.3361	----	----	6	----	25 + 1
4625	24.10	24.10		62.80B/*23.60A	62.80B/*23.60A	----	----	----	27.40 - 15.10	.2782	----	----	3	----	37 + 3
4650	20.10	20.10		51.60B/*18.50A	51.60B/*18.50A	----	----	----	21.40 - 13.10	.2268	----	----	13	----	18 + 13
4675	35.10	35.10		42.30B/*14.60A	42.30B/*14.60A	----	----	----	16.70 - 11.20	.1830	----	----	40	----	40 + 35
4700	30.00	30.00		35.00/*11.50A	35.00/*11.50A	----	----	----	13.10 - 9.40	.1469	----	----	44	----	51 + 11
4725	15.00	15.00		27.50B/*9.10A	27.50B/*9.10A	----	----	----	10.20 - 7.90	.1167	----	----	11	----	50 + 10
4750	10.50	10.50		22.00B/*7.20A	22.00B/*7.20A	----	----	----	8.00 - 6.50	.0927	----	----	8	----	72 + 5
4775	----	----	----	17.50B/*5.90A	17.50B/*5.90A	----	----	----	6.40 - 5.30	.0743	----	----	1	----	21 UNCH
4800	12.00	12.00		15.30/*4.80A	15.30/*4.80A	----	----	----	5.10 - 4.40	.0593	----	----	70	----	40 + 35
4825	6.40	6.40		11.10B/*4.00A	11.10B/*4.00A	----	----	----	4.10 - 3.70	.0475	----	----	2	----	7 + 2
4850	----	----	----	9.40B/*3.30A	9.40B/*3.30A	----	----	----	3.40 - 3.00	.0389	----	----	1	----	283 + 1
4875	4.10	4.10		7.30B/*2.80A	7.30B/*2.80A	----	----	----	2.80 - 2.60	.0317	----	----	1	----	2 - 1
4900	----	----	----	5.90B/*2.50A	5.90B/*2.50A	----	----	----	2.40 - 2.10	.0267	----	----	----	----	19 UNCH
4950	----	----	----	4.30B/*1.90A	4.30B/*1.90A	----	----	----	1.80 - 1.60	.0192	----	----	----	----	3 UNCH
5000	3.30	3.30		3.30/*1.60A	3.30/*1.60A	----	----	----	1.40 - 1.20	.0143	----	----	1	----	13 + 1
5050	----	----	----	2.30B/*1.30A	2.30B/*1.30A	----	----	----	1.10 - 1.00	.0108	----	----	----	----	1 UNCH
5100	----	----	----	----/*1.10A	1.70B/*1.10A	----	----	----	1.00 - 0.70	.0092	----	----	1	----	2 + 1
5200	----	----	----	----/*0.90A	1.20B/*0.90A	----	----	----	0.80 - 0.40	.0067	----	----	1	----	2 + 1
5225	----	----	----	----/*1.00A	1.10B/*1.00A	----	----	----	0.70 - 0.50	.0058	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.90A	1.00B/*0.90A	----	----	----	0.60 - 0.50	.0049	----	----	----	----	1 UNCH
5300	----	----	----	----/*0.90A	0.80B/*0.90A	----	----	----	0.50 - 0.50	.0039	----	----	2	----	4 + 1
5400	----	----	----	----/*0.80A	0.50B/*0.80A	----	----	----	0.40 - 0.50	.0029	----	----	----	----	1 UNCH
5600	----	----	----	----	----/*0.60A	----	----	----	0.20 - 0.30	.0013	----	----	----	----	1 UNCH
TOTAL													257		835 + 168
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT JUN26	COMEX GOLD OPTIONS														
1325	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 15
1375	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0

BULLETIN # 99@		METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS													
JUN26														
2200	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 9
2205	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
2220	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2230	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 25
2235	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 21
2240	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 6
2250	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2300	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 13
2315	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 40
2330	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 9
2350	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2380	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 14
2385	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2390	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2395	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2400	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 72
2405	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2410	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 6
2415	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2420	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2425	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 23
2430	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2445	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2450	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 51
2460	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2465	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
2475	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 3
2495	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2500	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1928
2510	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 2
2525	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 25
2535	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2540	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2550	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 50
2565	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2580	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2590	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 13
2600	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 189
2645	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 10
2650	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2685	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 26
2695	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 2
2700	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 427
2730	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 35
2750	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 6
2800	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 768
2805	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 223
2810	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 18
2825	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 56
2830	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 25
2850	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 32
2865	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 2
2875	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
2900	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 157
2905	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2915	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2930	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
2935	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2950	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 24
2955	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 8
2970	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 2
2975	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 10
2990	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
2995	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 6
3000	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1894
3005	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 30
3010	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 8
3015	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 216
3020	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 35
3035	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
3045	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 - 56
3050	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 407
3065	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
3070	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
3075	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 30
3080	----	----	----	----	/9.00A	----		0.00 - 0.10	----	----	----	----	----	0 - 8
3085	----	----	----	----	/9.00A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
3095	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 42
3100	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 512
3105	----	----	----	----	/9.00A	----		0.00 - 0.10	----	----	----	----	----	0 - 13
3110	----	----	----	----	/9.00A	----		0.00 - 0.10	----	----	----	----	----	0 - 11
3120	----	----	----	----	/8.90A	----		0.00 - 0.10	----	----	----	----	----	0 - 13
3125	----	----	----	----	/8.90A	----		0.00 - 0.10	----	----	----	----	----	0 - 13
3130	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 26
3140	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
3150	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 147
3155	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 16
3160	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 16
3170	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 6
3175	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 13
3180	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 5
3185	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 6
3190	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 - 18
3195	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 - 12
3200	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 1206
3205	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 42
3210	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 25
3215	----	----	----	----	/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 22
3220	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 37
3225	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 80
3230	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 8
3235	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 26
3240	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 2
3245	----	----	----	----	/8.90A	----		0.00 - 0.10	----	----	----	----	----	0 - 4
3250	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 156
3255	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 - 128
3260	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 45
3265	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 30
3270	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
3275	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 10
3280	----	----	----	----	/8.40A	----		0.00 - 0.10	----	----	----	----	----	0 - 12
3290	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 37
3295	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 2
3300	----	----	----	----	/0.50A	----		0.00 - 0.10	----	----	----	----	----	0 - 422
3305	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 1
3310	----	----	----	----	/8.40A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
3315	----	----	----	----	/8.80A	----		0.00 - 0.10	----	----	----	----	----	0 - 7
3320	----	----	----	----	/8.40A	----		0.00 - 0.10	----	----	----	----	----	0 - 4
3325	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----	0

PG64		BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
JUN26																								
3425	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	30							
3430	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	45							
3435	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	20							
3450	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	385							
3455	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	51							
3460	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	227							
3465	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	94							
3470	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	36							
3475	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	116							
3480	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	181							
3485	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3							
3490	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	21							
3500	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1786							
3505	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	70							
3510	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	91							
3515	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	16							
3520	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	148							
3525	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	316							
3530	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	7							
3535	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	100							
3540	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5							
3545	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	22							
3550	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	433							
3555	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2							
3560	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	94							
3565	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	41							
3570	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	65							
3575	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	46							
3580	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	81							
3585	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4							
3590	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3							
3595	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	23							
3600	0.10	0.10		0.10/0.10		0.10/0.10	0.10/0.10	----	----	0.00 - 0.10	----	----	----	2	----	0 -	1854							
3610	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4							
3615	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	38							
3620	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	18							
3625	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	67							
3630	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	87							
3635	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	108							
3640	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	24							
3645	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	13							
3650	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	725							
3655	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	9							
3660	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1							
3665	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	39							
3670	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	31							
3675	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	111							
3680	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	20							
3685	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	49							
3690	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	15							
3695	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	19							
3700	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	888							
3705	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	164							
3710	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	81							
3715	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	51							
3720	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4							
3725	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	146							
3730	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	20							
3735	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1							
3740	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	70							
3745	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	20							
3750	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1329							
3755	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	14							
3760	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	34							
3765	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	48							
3770	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	17							
3775	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	145							
3780	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	15							
3785	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	7							
3790	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	259							
3795	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	83							
3800	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	100	----	0 -	2815							
3805	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	71							
3810	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	45							
3815	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	40							
3820	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	29							
3825	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	40							
3830	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	192							
3835	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	56							
3840	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4							
3845	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1							
3850	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	711							
3855	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	73							
3860	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	29							
3865	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	20							
3870	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	16							
3875	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	161							
3880	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	25							
3885	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	14							
3890	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	55							
3895	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	19							
3900	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	1289							
3905	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	45							
3910	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	10							
3915	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	52							
3920	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	36							
3925	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	54							
3930	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	23							
3935	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	28							
3940	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	119							
3945	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	22							
3950	0.10	0.10		0.10/0.10		0.10/0.10	0.10/0.10	----	----	0.00 - 0.30	----	----	----	2	----	0 -	330							
3955	----	----	----																					



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

GLOBEX				OPEN OUTCRY				GLOBEX				OPEN OUTCRY				SETT.PRICE				DELTA				EXER				OPEN				GLOBEX®				PNT				OPEN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
OPEN				OPEN RANGE				HIGH/LOW				HIGH/LOW				CLOSE RANGE				& PT.CHGE.								CISES				OUTCRY VOLUME				VOLUME				VOLUME				INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
OG PUT				COMEX GOLD OPTIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
JUN26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4130	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----</

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
JUN26																
4815	----	----	----	313.90B/236.70A	313.90B/236.70A	----	----	----	312.70 + 20.00	----	118	----	1	----	0 -	119
4820	----	----	----	318.90B/241.70A	318.90B/241.70A	----	----	----	317.70 + 20.00	----	44	----	1	----	0 -	44
4825	----	----	----	323.90B/246.70A	323.90B/246.70A	----	----	----	322.70 + 20.10	----	201	----	2	----	0 -	201
4830	----	----	----	328.90B/251.70A	328.90B/251.70A	----	----	----	327.70 + 20.10	----	121	----	----	----	0 -	121
4835	----	----	----	333.90B/256.70A	333.90B/256.70A	----	----	----	332.70 + 20.10	----	29	----	1	----	0 -	30
4840	----	----	----	338.90B/261.60A	338.90B/261.60A	----	----	----	337.70 + 20.20	----	46	----	----	----	0 -	46
4845	----	----	----	343.90B/266.60A	343.90B/266.60A	----	----	----	342.70 + 20.20	----	23	----	----	----	0 -	23
4850	335.00	----	335.00	348.90B/271.60A	348.90B/271.60A	----	----	----	347.70 + 20.20	----	514	----	5	----	0 -	516
4855	----	----	----	353.90B/276.00A	353.90B/276.00A	----	----	----	352.70 + 20.20	----	317	----	----	----	0 -	317
4860	----	----	----	358.90B/281.60A	358.90B/281.60A	----	----	----	357.70 + 20.30	----	90	----	----	----	0 -	90
4865	----	----	----	363.90B/286.60A	363.90B/286.60A	----	----	----	362.70 + 20.30	----	50	----	----	----	0 -	50
4870	----	----	----	368.90B/291.50A	368.90B/291.50A	----	----	----	367.70 + 20.30	----	44	----	----	----	0 -	44
4875	----	----	----	373.90B/296.50A	373.90B/296.50A	----	----	----	372.70 + 20.30	----	71	----	----	----	0 -	71
4880	----	----	----	378.90B/301.60A	378.90B/301.60A	----	----	----	377.70 + 20.40	----	7	----	----	----	0 -	8
4885	----	----	----	383.90B/306.60A	383.90B/306.60A	----	----	----	382.70 + 20.40	----	7	----	----	----	0 -	7
4890	----	----	----	388.90B/310.90A	388.90B/310.90A	----	----	----	387.70 + 20.40	----	47	----	----	----	0 -	47
4895	----	----	----	393.90B/316.50A	393.90B/316.50A	----	----	----	392.70 + 20.40	----	228	----	----	----	0 -	228
4900	----	----	----	398.90B/321.50A	398.90B/321.50A	----	----	----	397.70 + 20.40	----	1694	----	2	----	0 -	1696
4905	----	----	----	403.90B/326.60A	403.90B/326.60A	----	----	----	402.70 + 20.40	----	11	----	----	----	0 -	11
4910	----	----	----	408.90B/331.50A	408.90B/331.50A	----	----	----	407.70 + 20.50	----	57	----	----	----	0 -	59
4915	----	----	----	413.90B/336.40A	413.90B/336.40A	----	----	----	412.70 + 20.50	----	36	----	----	----	0 -	36
4920	----	----	----	418.90B/341.40A	418.90B/341.40A	----	----	----	417.70 + 20.50	----	92	----	1	----	0 -	92
4925	----	----	----	423.90B/346.40A	423.90B/346.40A	----	----	----	422.70 + 20.50	----	74	----	----	----	0 -	74
4930	----	----	----	428.90B/351.40A	428.90B/351.40A	----	----	----	427.70 + 20.50	----	198	----	----	----	0 -	198
4940	----	----	----	438.90B/361.50A	438.90B/361.50A	----	----	----	437.70 + 20.50	----	64	----	----	----	0 -	64
4945	----	----	----	443.90B/366.50A	443.90B/366.50A	----	----	----	442.70 + 20.60	----	13	----	----	----	0 -	13
4950	442.00	----	442.00	448.90B/370.90A	448.90B/370.90A	----	----	----	447.70 + 20.60	----	291	----	2	----	0 -	291
4955	----	----	----	453.90B/375.90A	453.90B/375.90A	----	----	----	452.70 + 20.60	----	18	----	----	----	0 -	18
4960	----	----	----	458.90B/381.50A	458.90B/381.50A	----	----	----	457.70 + 20.60	----	23	----	----	----	0 -	23
4965	----	----	----	463.90B/386.50A	463.90B/386.50A	----	----	----	462.70 + 20.60	----	23	----	1	----	0 -	24
4970	----	----	----	468.90B/391.50A	468.90B/391.50A	----	----	----	467.70 + 20.60	----	44	----	----	----	0 -	44
4975	----	----	----	473.90B/396.50A	473.90B/396.50A	----	----	----	472.70 + 20.60	----	156	----	----	----	0 -	156
4980	----	----	----	478.90B/401.50A	478.90B/401.50A	----	----	----	477.70 + 20.60	----	24	----	----	----	0 -	24
4985	----	----	----	483.90B/406.50A	483.90B/406.50A	----	----	----	482.70 + 20.70	----	10	----	----	----	0 -	10
4990	----	----	----	488.90B/411.50A	488.90B/411.50A	----	----	----	487.70 + 20.70	----	292	----	----	----	0 -	292
4995	----	----	----	493.90B/416.50A	493.90B/416.50A	----	----	----	492.70 + 20.70	----	12	----	----	----	0 -	12
5000	440.00	----	440.00	498.90B/421.40A	498.90B/421.40A	----	----	----	497.70 + 20.70	----	1755	----	5	----	0 -	1759
5005	----	----	----	503.90B/426.40A	503.90B/426.40A	----	----	----	502.70 + 20.70	----	299	----	----	----	0 -	299
5010	----	----	----	508.90B/431.40A	508.90B/431.40A	----	----	----	507.70 + 20.70	----	13	----	----	----	0 -	13
5015	----	----	----	513.90B/436.40A	513.90B/436.40A	----	----	----	512.70 + 20.70	----	43	----	----	----	0 -	43
5020	----	----	----	518.90B/441.40A	518.90B/441.40A	----	----	----	517.70 + 20.70	----	21	----	----	----	0 -	21
5025	----	----	----	523.90B/446.40A	523.90B/446.40A	----	----	----	522.70 + 20.70	----	52	----	----	----	0 -	52
5030	----	----	----	528.90B/451.40A	528.90B/451.40A	----	----	----	527.70 + 20.70	----	62	----	----	----	0 -	62
5035	----	----	----	533.90B/456.40A	533.90B/456.40A	----	----	----	532.70 + 20.70	----	11	----	----	----	0 -	11
5040	----	----	----	538.90B/461.40A	538.90B/461.40A	----	----	----	537.70 + 20.70	----	13	----	----	----	0 -	13
5045	----	----	----	543.90B/466.40A	543.90B/466.40A	----	----	----	542.70 + 20.80	----	3	----	----	----	0 -	3
5050	----	----	----	548.90B/471.40A	548.90B/471.40A	----	----	----	547.70 + 20.80	----	785	----	----	----	0 -	785
5055	----	----	----	553.90B/476.40A	553.90B/476.40A	----	----	----	552.70 + 20.80	----	61	----	----	----	0 -	61
5060	----	----	----	558.90B/481.40A	558.90B/481.40A	----	----	----	557.70 + 20.80	----	36	----	----	----	0 -	36
5065	----	----	----	563.90B/486.40A	563.90B/486.40A	----	----	----	562.70 + 20.80	----	17	----	----	----	0 -	17
5070	----	----	----	568.90B/491.40A	568.90B/491.40A	----	----	----	567.70 + 20.80	----	47	----	----	----	0 -	47
5075	----	----	----	573.90B/496.40A	573.90B/496.40A	----	----	----	572.70 + 20.80	----	23	----	4	----	0 -	27
5080	----	----	----	578.90B/501.40A	578.90B/501.40A	----	----	----	577.70 + 20.80	----	17	----	2	----	0 -	17
5085	----	----	----	583.90B/505.80A	583.90B/505.80A	----	----	----	582.70 + 20.80	----	114	----	----	----	0 -	114
5090	----	----	----	588.90B/510.80A	588.90B/510.80A	----	----	----	587.70 + 20.80	----	108	----	----	----	0 -	108
5095	----	----	----	593.90B/515.80A	593.90B/515.80A	----	----	----	592.70 + 20.80	----	65	----	----	----	0 -	65
5100	589.00	----	589.00	598.90B/520.80A	598.90B/520.80A	----	----	----	597.70 + 20.80	----	318	----	4	----	0 -	317
5105	----	----	----	603.90B/525.80A	603.90B/525.80A	----	----	----	602.70 + 20.80	----	17	----	----	----	0 -	17
5110	----	----	----	608.90B/530.80A	608.90B/530.80A	----	----	----	607.70 + 20.80	----	54	----	----	----	0 -	54
5115	----	----	----	613.90B/536.40A	613.90B/536.40A	----	----	----	612.70 + 20.80	----	2	----	----	----	0 -	2
5120	----	----	----	618.90B/541.40A	618.90B/541.40A	----	----	----	617.70 + 20.80	----	2	----	----	----	0 -	2
5125	----	----	----	623.90B/546.40A	623.90B/546.40A	----	----	----	622.70 + 20.80	----	159	----	----	----	0 -	159
5130	----	----	----	628.90B/551.40A	628.90B/551.40A	----	----	----	627.70 + 20.80	----	7	----	----	----	0 -	7
5135	----	----	----	633.90B/556.40A	633.90B/556.40A	----	----	----	632.70 + 20.80	----	1	----	----	----	0 -	1
5140	----	----	----	638.90B/561.40A	638.90B/561.40A	----	----	----	637.70 + 20.80	----	11	----	----	----	0 -	11
5150	----	----	----	648.90B/571.40A	648.90B/571.40A	----	----	----	647.70 + 20.90	----	223	----	----	----	0 -	223
5155	----	----	----	653.90B/576.40A	653.90B/576.40A	----	----	----	652.70 + 20.90	----	----	----	----	----	0	UNCH
5160	----	----	----	658.90B/581.40A	658.90B/581.40A	----	----	----	657.70 + 20.90	----	6	----	----	----	0 -	6
5165	----	----	----	663.90B/586.40A	663.90B/586.40A	----	----	----	662.70 + 20.90	----	15	----	----	----	0 -	15
5170	----	----	----	668.90B/591.40A	668.90B/591.40A	----	----	----	667.70 + 20.90	----	503	----	----	----	0 -	503
5175	----	----	----	673.90B/596.40A	673.90B/596.40A	----	----	----	672.70 + 20.90	----	10	----	----	----	0 -	10
5180	----	----	----	678.90B/601.40A	678.90B/601.40A	----	----	----	677.70 + 20.90	----	10	----	----	----	0 -	10
5185	----	----	----	683.90B/606.40A	683.90B/606.40A	----	----	----	682.70 + 20.90	----	2	----	----	----	0 -	2
5195	----	----	----	693.90B/616.40A	693.90B/616.40A	----	----	----	692.70 + 20.90	----	5	----	----	----	0 -	5
5200	----	----	----	698.90B/621.40A	698.90B/621.40A	----	----	----	697.70 + 20.90	----	288	----	----	----	0 -	288
5205	----	----	----	703.90B/626.40A	703.90B/626.40A	----	----	----	702.70 + 20.90	----	11	----	----	----	0 -	11
5210	----	----	----	708.90B/631.40A	708.90B/631.40A	----	----	----	707.70 + 20.90	----	55	----	----	----	0 -	55
5215	----	----	----	713.90B/636.40A	713.90B/636.40A	----	----	----	712.70 + 20.90	----	----	----	----	----	0	UNCH
5220	----	----	----	718.90B/641.40A	718.90B/641.40A	----	----	----	717.70 + 20.90	----	18	----	----	----	0 -	18
5225	----	----	----	723.90B/646.40A	723.90B/646.40A	----	----	----	722.70 + 20.90	----	31	----	----	----	0 -	31
5230	----	----	----	728.90B/651.40A	728.90B/651.40A	----	----	----	727.70 + 20.90	----	----	----	----	----	0	UNCH
5235	----	----	----	733.90B/656.20A	733.90B/656.20A	----	----	----	732.70 + 20.90	----	131	----	----	----	0 -	131
5245	----	----	----	743.90B/666.40A	743.90B/666.40A	----	----	----	742.70 + 20.90	----	3	----	----	----	0 -	3
5250	----	----	----	748.90B/671.40A	748.90B/671.40A	----	----	----	747.70 + 20.90	----	73	----	1	----	0 -	73
5255	----	----	----	753.90B/676.40A	753.90B/676.40A	----	----	----	752.70 + 20.90	----	----	----	----	----	0	UNCH
5260	----	----														

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
COMEX GOLD OPTIONS																
JUL26																
2915	----	----	----	0.50B/*0.70A	----	----	0.50 - 0.10	.0019	----	----	----	----	1	UNCH		
2920	----	----	----	0.40B/*0.70A	----	----	0.50 - 0.10	.0019	----	----	----	----	3	UNCH		
2950	----	----	----	0.50B/*0.70A	----	----	0.50 - 0.20	.0019	----	----	----	----	35	UNCH		
2985	----	----	----	0.50B/*0.80A	----	----	0.60 - 0.20	.0023	----	----	----	----	21	UNCH		
2995	----	----	----	0.50B/*0.80A	----	----	0.60 - 0.20	.0024	----	----	----	----	16	UNCH		
3000	----	----	----	0.60B/*0.80A	----	----	0.60 - 0.20	.0024	----	----	----	----	68	UNCH		
3010	----	----	----	0.60B/*0.80A	----	----	0.60 - 0.20	.0024	----	----	----	----	1	UNCH		
3015	----	----	----	0.60B/*0.90A	----	----	0.60 - 0.20	.0024	----	----	----	----	5	UNCH		
3025	----	----	----	0.60B/*0.90A	----	----	0.70 - 0.10	.0028	----	----	----	----	1	UNCH		
3035	----	----	----	0.60B/*0.90A	----	----	0.70 - 0.20	.0028	----	----	----	----	5	UNCH		
3050	----	----	----	0.70B/*0.90A	----	----	0.70 - 0.20	.0028	----	----	----	----	2	UNCH		
3060	0.70	0.70	0.70/*0.70	0.70/*0.70	----	----	0.70 - 0.20	.0028	----	----	3	----	24 +	3		
3100	0.70	0.70	0.80/*0.70	0.80/*0.70	----	----	0.80 - 0.20	.0033	----	----	6	----	61 -	1		
3105	----	----	----/*1.00A	0.80B/*1.00A	----	----	0.80 - 0.30	.0033	----	----	----	----	5	UNCH		
3110	----	----	----/*1.00A	0.80B/*1.00A	----	----	0.90 - 0.20	.0036	----	----	----	----	1	UNCH		
3125	----	----	----/*1.00A	0.90B/*1.00A	----	----	0.90 - 0.20	.0037	----	----	3	----	42	UNCH		
3140	----	----	----/*1.00A	0.90B/*1.00A	----	----	0.90 - 0.30	.0037	----	----	----	----	1	UNCH		
3150	----	----	----/*1.10A	0.90B/*1.10A	----	----	1.00 - 0.20	.0041	----	----	----	----	12	UNCH		
3155	----	----	----/*1.10A	0.90B/*1.10A	----	----	1.00 - 0.20	.0041	----	----	----	----	1	UNCH		
3165	----	----	----/*1.10A	0.90B/*1.10A	----	----	1.00 - 0.20	.0041	----	----	----	----	1	UNCH		
3180	----	----	----/*1.00A	1.00B/*1.00A	----	----	1.00 - 0.30	.0042	----	----	----	----	2	UNCH		
3185	1.00	1.00	1.00/*1.00	1.00/*1.00	----	----	1.10 - 0.20	.0046	----	----	2	----	22 +	2		
3200	----	----	----/*1.20A	1.10B/*1.20A	----	----	1.10 - 0.20	.0046	----	----	3	----	217 -	3		
3210	----	----	----/*1.20A	1.00B/*1.20A	----	----	1.10 - 0.30	.0046	----	----	----	----	1	UNCH		
3220	----	----	----/*1.30A	1.10B/*1.30A	----	----	1.20 - 0.20	.0050	----	----	----	----	1	UNCH		
3225	----	----	----/*1.30A	1.10B/*1.30A	----	----	1.20 - 0.20	.0051	----	----	----	----	71	UNCH		
3250	1.30	1.30	1.30/*1.20	1.30/*1.20	----	----	1.20 - 0.30	.0052	----	----	52	----	108 +	41		
3275	----	----	----/*1.40A	1.20B/*1.40A	----	----	1.30 - 0.30	.0056	----	----	----	----	10	UNCH		
3280	----	----	----/*1.40A	1.30B/*1.40A	----	----	1.30 - 0.30	.0057	----	----	----	----	24	UNCH		
3285	----	----	----/*1.40A	1.30B/*1.40A	----	----	1.30 - 0.30	.0057	----	----	----	----	1	UNCH		
3290	1.50	1.50	1.50/1.50	1.50/1.50	----	----	1.40 - 0.20	.0061	----	----	1	----	11 -	1		
3300	----	----	----/*1.50A	1.30B/*1.50A	----	----	1.40 - 0.20	.0061	----	----	----	----	103	UNCH		
3320	----	----	----/*1.60A	1.40B/*1.60A	----	----	1.50 - 0.20	.0066	----	----	----	----	28	UNCH		
3325	----	----	----/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	.0066	----	----	----	----	147	UNCH		
3335	----	----	----/*1.60A	1.40B/*1.60A	----	----	1.50 - 0.30	.0067	----	----	----	----	87	UNCH		
3340	----	----	----/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.30	.0067	----	----	----	----	1	UNCH		
3350	----	----	----/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.30	.0067	----	----	----	----	25	UNCH		
3355	----	----	----/*1.70A	1.50B/*1.70A	----	----	1.60 - 0.30	.0071	----	----	----	----	69	UNCH		
3360	----	----	----/*1.70A	1.50B/*1.70A	----	----	1.60 - 0.30	.0072	----	----	----	----	5	UNCH		
3370	----	----	----/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.30	.0072	----	----	----	----	9	UNCH		
3375	----	----	----/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.30	.0073	----	----	----	----	4	UNCH		
3380	----	----	----/*1.80A	1.60B/*1.80A	----	----	1.70 - 0.20	.0077	----	----	----	----	4	UNCH		
3385	----	----	----/*1.70A	1.60B/*1.70A	----	----	1.70 - 0.30	.0077	----	----	----	----	6	UNCH		
3390	----	----	----/*1.80A	1.70B/*1.80A	----	----	1.70 - 0.30	.0077	----	----	----	----	2	UNCH		
3395	----	----	----/*1.80A	1.70B/*1.80A	----	----	1.70 - 0.30	.0078	----	----	----	----	32	UNCH		
3400	----	----	----/*1.80A	1.80B/*1.80A	----	----	1.70 - 0.30	.0078	----	----	----	----	59	UNCH		
3405	----	----	----/*1.90A	1.70B/*1.90A	----	----	1.70 - 0.40	.0078	----	----	----	----	1	UNCH		
3410	----	----	----/*1.90A	1.70B/*1.90A	----	----	1.80 - 0.30	.0082	----	----	----	----	5	UNCH		
3415	----	----	----/*1.90A	1.80B/*1.90A	----	----	1.80 - 0.30	.0083	----	----	----	----	1	UNCH		
3425	----	----	----/*1.90A	1.80B/*1.90A	----	----	1.80 - 0.30	.0083	----	----	----	----	57	UNCH		
3435	----	----	----/*2.00A	1.80B/*2.00A	----	----	1.90 - 0.30	.0088	----	----	----	----	5	UNCH		
3440	----	----	----/*2.00A	1.90B/*2.00A	----	----	1.90 - 0.30	.0088	----	----	----	----	1	UNCH		
3445	----	----	----/*2.00A	1.90B/*2.00A	----	----	1.90 - 0.30	.0089	----	----	----	----	2	UNCH		
3450	----	----	----/*2.00A	1.90B/*2.00A	----	----	1.90 - 0.30	.0089	----	----	----	----	132	UNCH		
3455	----	----	----/*2.10A	1.90B/*2.10A	----	----	2.00 - 0.30	.0093	----	----	----	----	10	UNCH		
3460	----	----	----/*2.10A	2.00B/*2.10A	----	----	2.00 - 0.30	.0094	----	----	----	----	10	UNCH		
3465	----	----	----/*2.10A	2.00B/*2.10A	----	----	2.00 - 0.30	.0094	----	----	----	----	142	UNCH		
3475	----	----	----/*2.10A	2.00B/*2.10A	----	----	2.10 - 0.30	.0099	----	----	----	----	128	UNCH		
3480	----	----	----/*2.10A	2.10B/*2.10A	----	----	2.10 - 0.30	.0099	----	----	----	----	36	UNCH		
3495	----	----	----/*2.20A	2.10B/*2.20A	----	----	2.20 - 0.30	.0104	----	----	----	----	5	UNCH		
3500	2.20	2.20	2.20/2.20	2.20/2.20	----	----	2.20 - 0.30	.0105	----	----	3	----	586 -	2		
3505	----	----	----/*2.20A	2.20B/*2.20A	----	----	2.20 - 0.30	.0105	----	----	----	----	9	UNCH		
3510	----	----	----/*2.30A	2.20B/*2.30A	----	----	2.20 - 0.30	.0106	----	----	----	----	5	UNCH		
3515	----	----	----/*2.30A	2.20B/*2.30A	----	----	2.30 - 0.30	.0110	----	----	----	----	8	UNCH		
3520	----	----	----/*2.30A	2.30B/*2.30A	----	----	2.30 - 0.30	.0111	----	----	----	----	5	UNCH		
3525	----	----	----/*2.40A	2.30B/*2.40A	----	----	2.30 - 0.30	.0111	----	----	----	----	3	UNCH		
3530	----	----	----/*2.40A	2.30B/*2.40A	----	----	2.30 - 0.30	.0112	----	----	----	----	168	UNCH		
3535	----	----	----/*2.40A	2.30B/*2.40A	----	----	2.40 - 0.30	.0116	----	----	----	----	31	UNCH		
3545	----	----	----/*2.40A	2.40B/*2.40A	----	----	2.40 - 0.30	.0117	----	----	----	----	256	UNCH		
3550	----	----	----/*2.50A	2.40B/*2.50A	----	----	2.50 - 0.30	.0122	----	----	----	----	165	UNCH		
3555	----	----	----/*2.50A	2.50B/*2.50A	----	----	2.50 - 0.30	.0122	----	----	----	----	1	UNCH		
3565	----	----	----/*2.50A	2.50B/*2.50A	----	----	2.50 - 0.30	.0124	----	----	----	----	2	UNCH		
3575	----	----	----/*2.60A	2.60B/*2.60A	----	----	2.60 - 0.30	.0129	----	----	----	----	1	UNCH		
3580	----	----	----/*2.60A	2.60B/*2.60A	----	----	2.60 - 0.30	.0129	----	----	----	----	6	UNCH		
3585	----	----	----/*2.60A	2.60B/*2.60A	----	----	2.70 - 0.30	.0134	----	----	----	----	1	UNCH		
3590	----	----	----/*2.60A	2.70B/*2.60A	----	----	2.70 - 0.30	.0135	----	----	----	----	16	UNCH		
3600	3.10	3.10	3.10/*2.60	3.10/*2.60	----	----	2.80 - 0.30	.0140	----	----	14	----	835 +	6		
3605	----	----	----/*2.80A	2.80B/*2.80A	----	----	2.80 - 0.30	.0140	----	----	----	----	7	UNCH		
3610	----	----	----/*2.80A	2.80B/*2.80A	----	----	2.80 - 0.30	.0141	----	----	----	----	2	UNCH		
3615	----	----	----/*2.80A	2.80B/*2.80A	----	----	2.80 - 0.40	.0142	----	----	----	----	2	UNCH		
3620	----	----	----/*2.80A	2.90B/*2.80A	----	----	2.90 - 0.30	.0147	----	----	----	----	12	UNCH		
3625	----	----	----/*2.90A	3.00B/*2.90A	----	----	2.90 - 0.40	.0147	----	----	----	----	41	UNCH		
3630	3.10	3.10	3.10/*2.90A	3.10/*2.90A	----	----	2.90 - 0.40	.0148	----	----	1	----	12 +	1		
3635	----	----	----/*2.90A	3.00B/*2.90A	----	----	3.00 - 0.30	.0153	----	----	----	----	3	UNCH		
3640	----	----	----/*3.00A	3.00B/*3.00A	----	----	3.00 - 0.40	.0154	----	----	----	----	6	UNCH		
3645	3.00	3.00	3.20B/*3.00	3.20B/*3.00	----	----	3.00 - 0.40	.0154	----	----	1	----	2	UNCH		
3650	3.10	3.10	3.10/*3.00A	3.10/*3.00A	----	----	3.10 - 0.30	.0159	----	----	1	----	89 +	1		
3655	----	----	----/*3.10A	3.10B/*3.10A	----	----	3.10 - 0.40	.0160	----	----	----	----	6	UNCH		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
JUL26																
3925	----	----	----	----/*5.80A	6.90B/*5.80A	----	----	----	6.40 - 0.70	.0377	----	----	----	----	82	UNCH
3930	----	----	----	----/*5.80A	7.00B/*5.80A	----	----	----	6.50 - 0.70	.0383	----	----	----	----	26	UNCH
3935	----	----	----	----/*5.90A	7.10B/*5.90A	----	----	----	6.60 - 0.80	.0390	----	----	----	----	28	UNCH
3940	7.30	7.30	7.30	7.30/*6.00A	7.30/*6.00A	----	----	----	6.70 - 0.80	.0397	----	15	15	----	40 +	15
3945	6.60	6.60	6.60	6.60/*6.10A	7.40B/*6.10A	----	----	----	6.80 - 0.80	.0404	----	4	4	----	43 +	1
3950	7.00	7.00	7.00	7.50B/*6.20A	7.50B/*6.20A	----	----	----	6.90 - 0.80	.0411	----	33	33	----	618 -	5
3955	----	----	----	----/*6.30A	7.60B/*6.30A	----	----	----	7.10 - 0.80	.0422	----	9	9	----	56 -	9
3960	----	----	----	----/*6.40A	7.80B/*6.40A	----	----	----	7.20 - 0.80	.0429	----	----	----	----	35	UNCH
3965	----	----	----	----/*6.50A	7.90B/*6.50A	----	----	----	7.30 - 0.80	.0436	----	----	----	----	96	UNCH
3970	----	----	----	----/*6.60A	8.00B/*6.60A	----	----	----	7.40 - 0.90	.0444	----	11	11	----	18	UNCH
3975	8.50	8.50	8.50	8.50/*6.70A	8.50/*6.70A	----	----	----	7.60 - 0.80	.0455	----	9	9	----	33 +	8
3980	----	----	----	----/*6.80A	8.30B/*6.80A	----	----	----	7.70 - 0.80	.0463	----	3	3	----	239	UNCH
3985	7.80	7.80	7.80	8.80/*6.90A	8.80/*6.90A	----	----	----	7.80 - 0.90	.0470	----	36	36	----	158 +	22
3990	7.90	7.90	7.90	8.60B/*7.00A	8.60B/*7.00A	----	----	----	8.00 - 0.80	.0482	----	4	4	----	44 +	4
3995	7.50	7.50	7.50	8.90/*7.10A	8.90/*7.10A	----	----	----	8.10 - 0.90	.0489	----	8	8	----	27 +	6
4000	8.40	8.40	8.40	9.30/*6.90	9.30/*6.90	----	----	----	8.30 - 0.90	.0501	----	626	626	----	3892 +	400
4005	9.10	9.10	9.10	9.50/*7.30A	9.50/*7.30A	----	----	----	8.40 - 0.90	.0509	----	32	32	----	171 +	18
4010	7.20	7.20	7.20	9.40/*7.20	9.40/*7.20	----	----	----	8.60 - 0.90	.0521	----	43	43	----	50 +	42
4015	8.20	8.20	8.20	9.50B/*7.60A	9.50B/*7.60A	----	----	----	8.80 - 0.90	.0533	----	18	18	----	70 +	7
4020	9.10	9.10	9.10	9.70B/*7.70A	9.70B/*7.70A	----	----	----	8.90 - 0.90	.0541	----	16	16	----	122 +	2
4025	8.50	8.50	8.50	9.90B/*7.80A	9.90B/*7.80A	----	----	----	9.10 - 0.90	.0554	----	56	56	----	75 +	53
4030	9.60	9.60	9.60	10.10B/*7.90A	10.10B/*7.90A	----	----	----	9.30 - 0.90	.0566	----	17	17	----	66 +	10
4035	9.60	9.60	9.60	10.30B/*8.10A	10.30B/*8.10A	----	----	----	9.50 - 0.90	.0579	----	1	1	----	4 +	1
4040	9.00	9.00	9.00	10.50B/*8.20A	10.50B/*8.20A	----	----	----	9.70 - 0.90	.0591	----	13	13	----	22 +	13
4045	----	----	----	----/*8.40A	10.70B/*8.40A	----	----	----	9.90 - 0.90	.0604	----	----	----	----	22	UNCH
4050	9.00	9.00	9.00	11.00B/*8.50A	11.00B/*8.50A	----	----	----	10.10 - 0.90	.0617	----	256	256	----	383 -	63
4055	10.60	10.60	10.60	11.20B/*8.70A	11.20B/*8.70A	----	----	----	10.30 - 0.90	.0630	----	18	18	----	45 +	13
4060	----	----	----	----/*8.80A	11.40B/*8.80A	----	----	----	10.50 - 0.90	.0643	----	----	----	----	2	UNCH
4065	----	----	----	----/*9.00A	11.70B/*9.00A	----	----	----	10.70 - 1.00	.0656	----	----	----	----	132	UNCH
4070	----	----	----	12.00B/*9.10A	12.00B/*9.10A	----	----	----	10.90 - 1.00	.0669	----	1	1	----	12 -	1
4075	----	----	----	12.20B/*9.30A	12.20B/*9.30A	----	----	----	11.20 - 0.90	.0687	----	1	1	----	29 +	1
4080	10.80	10.80	10.80	12.50B/*9.50A	12.50B/*9.50A	----	----	----	11.40 - 1.00	.0700	----	16	16	----	28 +	14
4085	----	----	----	12.80B/*9.60A	12.80B/*9.60A	----	----	----	11.60 - 1.00	.0714	----	1	1	----	14 +	1
4090	----	----	----	13.00B/*9.80A	13.00B/*9.80A	----	----	----	11.90 - 1.00	.0731	----	2	2	----	5	UNCH
4095	----	----	----	13.40B/*10.00A	13.40B/*10.00A	----	----	----	12.20 - 1.00	.0749	----	----	----	----	22	UNCH
4100	11.50	11.50	11.50	13.70B/*10.10	13.70B/*10.10	----	----	----	12.40 - 1.00	.0763	----	352	352	----	1293 +	45
4105	----	----	----	14.00B/*10.40A	14.00B/*10.40A	----	----	----	12.70 - 1.00	.0781	----	----	----	----	12	UNCH
4110	----	----	----	14.30B/*10.60A	14.30B/*10.60A	----	----	----	13.00 - 1.00	.0800	----	----	----	----	18	UNCH
4115	----	----	----	14.60B/*10.80A	14.60B/*10.80A	----	----	----	13.30 - 1.00	.0818	----	----	----	----	7	UNCH
4120	----	----	----	14.90B/*11.00A	14.90B/*11.00A	----	----	----	13.60 - 1.00	.0837	----	----	----	----	82	UNCH
4125	13.80	13.80	13.80	15.30B/*11.20A	15.30B/*11.20A	----	----	----	13.90 - 1.00	.0855	----	1	1	----	89 -	1
4130	12.30	12.30	12.30	15.60B/*11.50A	15.60B/*11.50A	----	----	----	14.20 - 1.00	.0874	----	2	2	----	95 +	1
4135	----	----	----	16.00B/*11.70A	16.00B/*11.70A	----	----	----	14.50 - 1.00	.0893	----	----	----	----	32	UNCH
4140	13.40	13.40	13.40	16.40B/*11.90A	16.40B/*11.90A	----	----	----	14.90 - 1.00	.0916	----	5	5	----	39 -	1
4145	12.80	12.80	12.80	16.70B/*12.20A	16.70B/*12.20A	----	----	----	15.20 - 1.00	.0935	----	4	4	----	237 -	4
4150	14.00	14.00	14.00	17.10B/*12.40	17.10B/*12.40	----	----	----	15.60 - 1.00	.0958	----	28	28	----	316 +	6
4155	14.90	14.90	14.90	17.60B/*12.70A	17.60B/*12.70A	----	----	----	15.90 - 1.00	.0978	----	4	4	----	43 -	4
4160	----	----	----	18.00B/*13.00A	18.00B/*13.00A	----	----	----	16.30 - 1.00	.1002	----	1	1	----	15 -	1
4165	----	----	----	18.40B/*13.20A	18.40B/*13.20A	----	----	----	16.70 - 1.00	.1025	----	----	----	----	95	UNCH
4170	13.80	13.80	13.80	18.90B/*13.50A	18.90B/*13.50A	----	----	----	17.10 - 1.00	.1049	----	4	4	----	68	UNCH
4175	----	----	----	19.30B/*13.30	19.30B/*13.30	----	----	----	17.50 - 1.00	.1073	----	22	22	----	80 +	1
4180	----	----	----	19.80B/*14.10A	19.80B/*14.10A	----	----	----	17.90 - 1.00	.1098	----	1	1	----	33	UNCH
4185	----	----	----	20.30B/*14.40A	20.30B/*14.40A	----	----	----	18.40 - 1.00	.1126	----	----	----	----	22	UNCH
4190	----	----	----	20.70B/*14.70A	20.70B/*14.70A	----	----	----	18.80 - 1.00	.1150	----	2	2	----	143	UNCH
4195	15.80	15.80	15.80	21.30B/*15.00A	21.30B/*15.00A	----	----	----	19.30 - 1.00	.1179	----	2	2	----	70	UNCH
4200	18.00	18.00	18.00	21.80B/*15.40A	21.80B/*15.40A	----	----	----	19.80 - 0.90	.1207	----	136	136	----	1131 -	4
4205	16.70	16.70	16.70	22.30B/*15.70A	22.30B/*15.70A	----	----	----	20.30 - 0.90	.1236	----	1	1	----	65 +	1
4210	17.40	17.40	17.40	22.90B/*16.10A	22.90B/*16.10A	----	----	----	20.80 - 0.90	.1265	----	2	2	----	95 +	1
4215	----	----	----	23.50B/*16.40A	23.50B/*16.40A	----	----	----	21.30 - 0.90	.1294	----	----	----	----	57	UNCH
4220	----	----	----	24.10B/*16.80A	24.10B/*16.80A	----	----	----	21.80 - 0.90	.1323	----	5	5	----	213 +	3
4225	----	----	----	24.70B/*17.20A	24.70B/*17.20A	----	----	----	22.40 - 0.90	.1356	----	10	10	----	113 -	1
4230	----	----	----	25.30B/*17.60A	25.30B/*17.60A	----	----	----	22.90 - 0.90	.1386	----	----	----	----	56	UNCH
4235	----	----	----	26.00B/*18.00A	26.00B/*18.00A	----	----	----	23.50 - 0.90	.1420	----	----	----	----	54	UNCH
4240	19.00	19.00	19.00	26.60B/*18.40A	26.60B/*18.40A	----	----	----	24.10 - 0.90	.1453	----	1	1	----	109 -	1
4245	20.00	20.00	20.00	27.30B/*18.90A	27.30B/*18.90A	----	----	----	24.80 - 0.80	.1490	----	36	36	----	46 +	34
4250	19.90	19.90	19.90	28.10B/*19.30A	28.10B/*19.30A	----	----	----	25.40 - 0.80	.1524	----	92	92	----	1562 +	42
4255	----	----	----	28.80B/*19.80A	28.80B/*19.80A	----	----	----	26.00 - 0.90	.1558	----	1	1	----	38	UNCH
4260	----	----	----	29.50B/*20.20A	29.50B/*20.20A	----	----	----	26.70 - 0.80	.1596	----	1	1	----	42 -	1
4265	21.40	21.40	21.40	30.40B/*20.70A	30.40B/*20.70A	----	----	----	27.40 - 0.80	.1634	----	3	3	----	209	UNCH
4270	----	----	----	31.00B/*21.20A	31.00B/*21.20A	----	----	----	28.10 - 0.80	.1672	----	----	----	----	95	UNCH
4275	----	----	----	31.90B/*21.90A	31.90B/*21.90A	----	----	----	28.90 - 0.70	.1713	----	2	2	----	117	UNCH
4280	31.30	31.30	31.30	32.70B/*22.30A	32.70B/*22.30A	----	----	----	29.60 - 0.70	.1752	----	3	3	----	189	UNCH
4285	30.00	30.00	30.00	33.60B/*22.90A	33.60B/*22.90A	----	----	----	30.40 - 0.70	.1793	----	1	1	----	117 +	1
4290	----	----	----	34.50B/*23.40A	34.50B/*23.40A	----	----	----	31.20 - 0.60	.1835	----	7	7	----	179 -	1
4295	30.60	30.60	30.60	35.40B/*24.10A	35.40B/*24.10A	----	----	----	32.00 - 0.60	.1878	----	4	4	----	24 -	1
4300	25.40	25.40	25.40	36.50B/*24.60A	36.50B/*24.60A	----	----	----	32.90 - 0.50	.1923	----	367	367	50	2575 -	92
4305	----	----	----	37.30B/*25.20A	37.30B/*25.20A	----	----	----	33.70 - 0.60	.1966	----	----	----	----	62	UNCH
4310	26.70	26.70	26.70	38.30B/*25.90A	38.30B/*25.90A	----	----	----	34.60 - 0.50	.2011	----	1	1	----	84 -	1
4315	36.40	36.40	36.40	39.30B/*26.50A	39.30B/*26.50A	----	----	----	35.50 - 0.50	.2057	----	3	3	----	87 -	2
4320	----	----	----	40.40B/*27.20A	40.40B/*27.20A	----	----	----	36.50 - 0.40	.2106	----	----	----	----	76	UNCH
4325	29.30	29.30	29.30	41.40B/*27.80A	41.40B/*27.80A	----	----	----	37.50 - 0.30	.2155	----	4	4	----	115 -	1
4330	----	----	----	42.50B/*28.60A	42.50B/*28.60A	----	----	----	38.50 - 0.30	.2204	----	28	28	----	69 +	28
4335	----	----	----	43.70B/*29.30A	43.70B/*29.30A	----	----	----	39.50 - 0.20	.2254	----	----	----	----	156	UNCH
4340	----	----	----	44.90B/*30.00A	44.90B/*30.00A	----	----	----	40.50 - 0.20	.2304	----	9	9	----	162 +	1
4345																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
JUL26																
4610	----	----	----	162.60B/112.70A	162.60B/112.70A	----	----	----	150.40 + 6.80	.5981	----	----	2	----	136	UNCH
4615	----	----	----	165.80B/115.30A	165.80B/115.30A	----	----	----	153.60 + 7.10	.6051	----	----	----	----	23	UNCH
4620	----	----	----	169.10B/118.90A	169.10B/118.90A	----	----	----	156.70 + 7.30	.6122	----	----	3	----	50	+
4625	----	----	----	172.40B/121.40A	172.40B/121.40A	----	----	----	159.90 + 7.60	.6192	----	----	50	----	177	-
4630	----	----	----	175.80B/124.10A	175.80B/124.10A	----	----	----	163.10 + 7.80	.6260	----	----	----	----	17	UNCH
4635	----	----	----	179.20B/126.60A	179.20B/126.60A	----	----	----	166.40 + 8.10	.6329	----	----	----	----	169	UNCH
4640	----	----	----	182.50B/129.20A	182.50B/129.20A	----	----	----	169.70 + 8.30	.6397	----	----	----	----	156	UNCH
4645	----	----	----	186.10B/132.00A	186.10B/132.00A	----	----	----	173.10 + 8.60	.6466	----	----	5	----	23	UNCH
4650	139.70	139.70	----	189.60B/134.80A	189.60B/134.80A	----	----	----	176.40 + 8.80	.6532	----	----	4	----	434	+
4655	----	----	----	192.80B/137.70A	192.80B/137.70A	----	----	----	179.80 + 9.00	.6599	----	----	1	----	13	UNCH
4660	----	----	----	196.60B/140.60A	196.60B/140.60A	----	----	----	183.30 + 9.30	.6664	----	----	----	----	105	UNCH
4665	----	----	----	200.20B/143.50A	200.20B/143.50A	----	----	----	186.70 + 9.50	.6728	----	----	1	----	24	UNCH
4670	----	----	----	203.60B/146.20A	203.60B/146.20A	----	----	----	190.20 + 9.70	.6793	----	----	----	----	101	UNCH
4675	----	----	----	207.50B/149.60A	207.50B/149.60A	----	----	----	193.80 + 10.00	.6858	----	----	1	----	227	+
4680	----	----	----	211.20B/152.70A	211.20B/152.70A	----	----	----	197.30 + 10.10	.6920	----	----	18	----	151	+
4685	----	----	----	214.60B/155.50A	214.60B/155.50A	----	----	----	200.90 + 10.30	.6983	----	----	----	----	8	UNCH
4690	----	----	----	218.70B/158.70A	218.70B/158.70A	----	----	----	204.50 + 10.50	.7045	----	----	----	----	60	UNCH
4695	----	----	----	222.40B/161.90A	222.40B/161.90A	----	----	----	208.20 + 10.70	.7105	----	----	----	----	201	UNCH
4700	165.00	165.00	----	226.30B/164.40A	226.30B/164.40A	----	----	----	211.90 + 10.90	.7166	----	----	45	----	751	+
4705	----	----	----	230.10B/168.20A	230.10B/168.20A	----	----	----	215.60 + 11.10	.7226	----	----	----	----	32	UNCH
4710	----	----	----	234.00B/171.40A	234.00B/171.40A	----	----	----	219.30 + 11.20	.7283	----	----	----	----	128	UNCH
4715	----	----	----	237.90B/174.60A	237.90B/174.60A	----	----	----	223.10 + 11.40	.7343	----	----	1	----	122	UNCH
4720	----	----	----	241.80B/177.90A	241.80B/177.90A	----	----	----	226.90 + 11.50	.7398	----	----	1	----	61	UNCH
4725	----	----	----	245.80B/181.20A	245.80B/181.20A	----	----	----	230.70 + 11.60	.7455	----	----	----	----	227	UNCH
4730	----	----	----	249.80B/184.50A	249.80B/184.50A	----	----	----	234.60 + 11.80	.7510	----	----	----	----	73	UNCH
4735	239.90	239.90	----	253.80B/187.90A	253.80B/187.90A	----	----	----	238.50 + 12.00	.7564	----	----	1	----	40	UNCH
4740	----	----	----	257.70B/191.30A	257.70B/191.30A	----	----	----	242.50 + 12.30	.7616	----	----	----	----	123	UNCH
4745	----	----	----	261.70B/194.70A	261.70B/194.70A	----	----	----	246.50 + 12.50	.7668	----	----	----	----	138	UNCH
4750	251.70	251.70	----	265.80B/198.20A	265.80B/198.20A	----	----	----	250.60 + 12.80	.7716	----	----	1	----	778	UNCH
4755	----	----	----	269.70B/201.60A	269.70B/201.60A	----	----	----	254.60 + 12.90	.7764	----	----	----	----	14	UNCH
4760	----	----	----	274.10B/205.20A	274.10B/205.20A	----	----	----	258.70 + 13.20	.7812	----	----	----	----	81	UNCH
4765	----	----	----	278.20B/208.70A	278.20B/208.70A	----	----	----	262.80 + 13.40	.7860	----	----	----	----	305	UNCH
4770	----	----	----	282.10B/212.30A	282.10B/212.30A	----	----	----	267.00 + 13.70	.7908	----	----	----	----	12	UNCH
4775	----	----	----	286.60B/215.90A	286.60B/215.90A	----	----	----	271.10 + 13.80	.7956	----	----	----	----	55	UNCH
4780	----	----	----	290.80B/219.60A	290.80B/219.60A	----	----	----	275.20 + 14.00	.8000	----	----	----	----	39	UNCH
4785	----	----	----	295.10B/223.30A	295.10B/223.30A	----	----	----	279.30 + 14.10	.8048	----	----	1	----	118	-
4790	----	----	----	299.10B/227.00A	299.10B/227.00A	----	----	----	283.50 + 14.30	.8092	----	----	----	----	3	UNCH
4795	----	----	----	303.50B/230.70A	303.50B/230.70A	----	----	----	287.70 + 14.40	.8136	----	----	1	----	80	UNCH
4800	244.00	244.00	----	307.90B/234.40A	307.90B/234.40A	----	----	----	291.90 + 14.50	.8179	----	----	8	----	1246	+
4805	----	----	----	312.20B/238.30A	312.20B/238.30A	----	----	----	296.10 + 14.70	.8223	----	----	----	----	22	UNCH
4810	----	----	----	316.30B/242.10A	316.30B/242.10A	----	----	----	300.30 + 14.70	.8263	----	----	----	----	11	UNCH
4815	----	----	----	320.80B/246.00A	320.80B/246.00A	----	----	----	304.60 + 14.90	.8303	----	----	----	----	28	UNCH
4820	----	----	----	325.30B/249.80A	325.30B/249.80A	----	----	----	308.90 + 15.00	.8343	----	----	----	----	207	UNCH
4825	----	----	----	329.70B/253.80A	329.70B/253.80A	----	----	----	313.20 + 15.10	.8383	----	----	----	----	33	UNCH
4830	----	----	----	333.90B/257.70A	333.90B/257.70A	----	----	----	317.60 + 15.30	.8419	----	----	----	----	5	UNCH
4835	----	----	----	338.40B/261.70A	338.40B/261.70A	----	----	----	321.90 + 15.40	.8459	----	----	----	----	24	UNCH
4840	----	----	----	342.80B/265.60A	342.80B/265.60A	----	----	----	326.30 + 15.50	.8494	----	----	10	----	10	UNCH
4845	----	----	----	347.30B/269.70A	347.30B/269.70A	----	----	----	330.70 + 15.60	.8530	----	----	10	----	63	UNCH
4850	312.00	312.00	----	351.70B/273.70A	351.70B/273.70A	----	----	----	335.10 + 15.70	.8562	----	----	2	----	300	+
4855	----	----	----	356.20B/277.80A	356.20B/277.80A	----	----	----	339.60 + 15.90	.8597	----	----	----	----	11	UNCH
4860	----	----	----	360.70B/281.80A	360.70B/281.80A	----	----	----	344.10 + 16.10	.8628	----	----	----	----	8	UNCH
4865	----	----	----	365.20B/285.90A	365.20B/285.90A	----	----	----	348.50 + 16.10	.8659	----	----	----	----	30	UNCH
4870	----	----	----	369.70B/290.10A	369.70B/290.10A	----	----	----	353.00 + 16.20	.8690	----	----	----	----	319	UNCH
4875	----	----	----	374.30B/294.20A	374.30B/294.20A	----	----	----	357.50 + 16.40	.8721	----	----	----	----	71	UNCH
4880	----	----	----	378.90B/298.40A	378.90B/298.40A	----	----	----	362.10 + 16.60	.8752	----	----	1	----	52	UNCH
4885	----	----	----	383.30B/302.60A	383.30B/302.60A	----	----	----	366.60 + 16.60	.8779	----	----	----	----	12	UNCH
4890	----	----	----	387.90B/306.80A	387.90B/306.80A	----	----	----	371.10 + 16.70	.8805	----	----	----	----	9	UNCH
4895	----	----	----	392.60B/311.10A	392.60B/311.10A	----	----	----	375.70 + 16.90	.8835	----	----	----	----	48	UNCH
4900	327.30	327.30	----	397.20B/315.30A	397.20B/315.30A	----	----	----	380.30 + 17.00	.8861	----	----	6	----	258	+
4905	----	----	----	401.70B/319.50A	401.70B/319.50A	----	----	----	384.90 + 17.10	.8887	----	----	----	----	53	UNCH
4910	----	----	----	406.50B/323.90A	406.50B/323.90A	----	----	----	389.50 + 17.20	.8913	----	----	----	----	4	UNCH
4915	----	----	----	411.00B/328.20A	411.00B/328.20A	----	----	----	394.10 + 17.30	.8939	----	----	----	----	118	UNCH
4920	----	----	----	415.70B/332.60A	415.70B/332.60A	----	----	----	398.70 + 17.40	.8960	----	----	----	----	22	UNCH
4925	----	----	----	420.30B/336.90A	420.30B/336.90A	----	----	----	403.30 + 17.50	.8985	----	----	----	----	11	UNCH
4930	----	----	----	425.10B/341.30A	425.10B/341.30A	----	----	----	408.00 + 17.60	.9006	----	----	----	----	52	UNCH
4935	----	----	----	429.80B/345.70A	429.80B/345.70A	----	----	----	412.60 + 17.70	.9031	----	----	----	----	4	UNCH
4940	----	----	----	434.40B/350.10A	434.40B/350.10A	----	----	----	417.30 + 17.80	.9052	----	----	----	----	11	UNCH
4950	363.70	363.70	----	443.80B/359.00A	443.80B/359.00A	----	----	----	426.60 + 17.90	.9093	----	----	4	----	110	+
4955	----	----	----	467.40B/381.40A	467.40B/381.40A	----	----	----	450.10 + 18.30	.9139	----	----	----	----	2	UNCH
4960	----	----	----	472.30B/385.90A	472.30B/385.90A	----	----	----	454.90 + 18.50	.9213	----	----	----	----	6	UNCH
4965	----	----	----	477.00B/390.50A	477.00B/390.50A	----	----	----	459.60 + 18.50	.9228	----	----	----	----	104	UNCH
4970	----	----	----	481.80B/395.00A	481.80B/395.00A	----	----	----	464.30 + 18.50	.9248	----	----	----	----	2	UNCH
4975	----	----	----	486.60B/399.60A	486.60B/399.60A	----	----	----	469.10 + 18.60	.9263	----	----	----	----	12	UNCH
4980	----	----	----	491.30B/404.20A	491.30B/404.20A	----	----	----	473.80 + 18.60	.9282	----	----	----	----	544	UNCH
4985	----	----	----	496.10B/408.80A	496.10B/408.80A	----	----	----	478.60 + 18.70	.9297	----	----	----	----	12	UNCH
4990	----	----	----	500.90B/413.40A	500.90B/413.40A	----	----	----	483.40 + 18.80	.9316	----	----	----	----	8	UNCH
5000	----	----	----	505.70B/418.00A	505.70B/418.00A	----	----	----	488.10 + 18.80	.9330	----	----	----	----	19	UNCH
5010	----	----	----	510.50B/422.60A	510.50B/422.60A	----	----	----	492.90 + 18.90	.9345	----	----	----	----	5	UNCH
5015	----	----	----	515.30B/427.30A	515.30B/427.30A	----	----	----	497.70 + 18.90	.9359	----	----	----	----	150	UNCH
5020	----	----	----	520.10B/431.90A	520.10B/431.90A	----	----	----	502.50 + 19.00	.9373	----	----	----	----	8	UNCH
5025	----	----	----	525.00B/436.60A	525.00B/436.60A	----	----	----	507.30 + 19.00	.9387	----	----	----	----	37	UNCH
5030	----	----	----	529.90B/441.20A	529.90B/441.20A	----	----	----	512.10 + 19.10	.9401	----	----	----	----	10	UNCH
5035	----	----	----	534.60B/445.90A	534.60B/445.90A	----	----	----	516.90							



GLOBEX			OPEN			OUTCRY			GLOBEX			OPEN			OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN					
OPEN			OPEN			RANGE			HIGH/LOW			HIGH/LOW			CLOSE			RANGE			& PT.CHGE.						CISES			VOLUME			VOLUME			VOLUME			INTEREST		
OG PUT			COMEX			GOLD			OPTIONS																																
AUG26																																									
2325	----	----	----	----	----	0.40B/*0.60A	----	----	----	----	0.50	-	0.10	.0014	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH									
2350	----	----	----	----	----	0.40B/*0.60A	----	----	----	----	0.50	-	0.10	.0014	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	22	UNCH										
2375	----	----	----	----	----	0.40B/*0.70A	----	----	----	----	0.50	-	0.10	.0014	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	7	UNCH										
2400	----	----	----	----	----	0.40B/*0.70A	----	----	----	----	0.60	-	0.10	.0017	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH										
2425	----	----	----	----	----	0.50B/*0.70A	----	----	----	----	0.60	-	0.10	.0017	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2475	----	----	----	----	----	0.50B/*0.80A	----	----	----	----	0.70	-	0.10	.0020	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH										
2500	----	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	----	----	0.70	-	0.20	.0021	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	112	UNCH										
2570	----	----	----	----	----	0.90B/*1.00A	----	----	----	----	0.90	-	0.10	.0027	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	9	UNCH										
2580	----	----	----	----	----	0.70B/*1.00A	----	----	----	----	0.90	-	0.10	.0027	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2590	----	----	----	----	----/*1.00A	0.70B/*1.00A	----	----	----	----	0.90	-	0.20	.0027	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH										
2600	----	----	----	----	----/*1.00A	0.80B/*1.00A	----	----	----	----	0.90	-	0.20	.0027	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	6	UNCH										
2615	----	----	----	----	----	0.80B/*1.10A	----	----	----	----	1.00	-	0.10	.0030	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2625	----	----	----	----	----	0.90B/1.10A	----	----	----	----	1.00	-	0.10	.0030	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH										
2640	----	----	----	----	----/*1.10A	0.90B/*1.10A	----	----	----	----	1.00	-	0.20	.0031	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2665	----	----	----	----	----/*1.20A	1.00B/*1.20A	----	----	----	----	1.10	-	0.20	.0034	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2685	----	----	----	----	----/*1.20A	1.10B/*1.20A	----	----	----	----	1.20	-	0.10	.0037	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2690	----	----	----	----	----	1.10B/*1.30A	----	----	----	----	1.20	-	0.10	.0037	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2730	----	----	----	----	----/*1.40A	1.20B/*1.40A	----	----	----	----	1.30	-	0.20	.0040	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2740	----	----	----	----	----/*1.40A	1.20B/*1.40A	----	----	----	----	1.30	-	0.20	.0041	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH										
2745	----	----	----	----	----/*1.40A	1.20B/*1.40A	----	----	----	----	1.30	-	0.20	.0041	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2750	----	----	----	----	----/1.40A	1.20B/1.40A	----	----	----	----	1.30	-	0.20	.0041	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	4	UNCH										
2800	----	----	----	----	----/1.50A	1.40B/1.50A	----	----	----	----	1.50	-	0.20	.0047	----	----	----	----	----	----	----	----	----	----	5	----	----	----	44	+	5										
2860	----	----	----	----	----/*1.70A	1.50B/*1.70A	----	----	----	----	1.70	-	0.10	.0055	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH										
2875	1.50	1.50	1.50	1.50	1.60B/*1.50	1.60B/*1.50	----	----	----	----	1.70	NEW	.0055	----	----	----	----	----	----	----	----	----	----	2	----	----	----	2	+	2	UNCH										
2900	----	----	----	----	----/*1.90A	1.70B/*1.90A	----	----	----	----	1.80	-	0.20	.0059	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH										
2950	----	----	----	----	----/*2.00A	1.90B/*2.00A	----	----	----	----	2.00	-	0.10	.0066	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	8	UNCH										
2965	----	----	----	----	----/2.00A	1.90B/2.00A	----	----	----	----	2.00	-	0.20	.0067	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2975	----	----	----	----	----/2.10A	1.90B/2.10A	----	----	----	----	2.10	-	0.10	.0070	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
2980	----	----	----	----	----	1.90B/*2.20A	----	----	----	----	2.10	-	0.10	.0070	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3000	----	----	----	----	----/*2.00A	2.00B/*2.00A	----	----	----	----	2.10	-	0.20	.0071	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	273	UNCH										
3005	----	----	----	----	----	2.00B/*2.30A	----	----	----	----	2.20	-	0.10	.0074	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH										
3010	----	----	----	----	----/*2.30A	2.00B/*2.30A	----	----	----	----	2.20	-	0.20	.0075	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3015	----	----	----	----	----/*2.30A	2.10B/*2.30A	----	----	----	----	2.20	-	0.20	.0075	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3025	----	----	----	----	----	2.10B/*2.40A	----	----	----	----	2.20	-	0.20	.0075	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH										
3040	----	----	----	----	----/*2.40A	2.20B/*2.40A	----	----	----	----	2.30	-	0.20	.0079	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3065	----	----	----	----	----/*2.50A	2.30B/*2.50A	----	----	----	----	2.40	-	0.20	.0083	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3090	----	----	----	----	----/*2.60A	2.40B/*2.60A	----	----	----	----	2.50	-	0.20	.0087	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3095	----	----	----	----	----/*2.60A	2.40B/*2.60A	----	----	----	----	2.50	-	0.20	.0088	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3100	----	----	----	----	----	2.40B/*2.70A	----	----	----	----	2.50	-	0.20	.0088	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	265	UNCH										
3110	----	----	----	----	----/*2.70A	2.50B/*2.70A	----	----	----	----	2.60	-	0.20	.0091	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	15	UNCH										
3115	----	----	----	----	----/*2.70A	2.50B/*2.70A	----	----	----	----	2.60	-	0.20	.0092	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3120	----	----	----	----	----	2.50B/*2.80A	----	----	----	----	2.60	-	0.20	.0092	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	29	UNCH										
3130	----	----	----	----	----/*2.80A	2.60B/*2.80A	----	----	----	----	2.70	-	0.20	.0096	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH										
3145	----	----	----	----	----/*2.90A	2.70B/*2.90A	----	----	----	----	2.80	-	0.20	.0099	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3150	----	----	----	----	----/*2.90A	2.70B/*2.90A	----	----	----	----	2.80	-	0.20	.0100	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	10	UNCH										
3155	----	----	----	----	----/*2.90A	2.70B/*2.90A	----	----	----	----	2.80	-	0.20	.0100	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	3	UNCH										
3160	----	----	----	----	----/*2.90A	2.70B/*2.90A	----	----	----	----	2.80	-	0.20	.0103	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3165	----	----	----	----	----/*2.90A	2.90B/*2.90A	----	----	----	----	2.90	-	0.20	.0104	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	141	UNCH										
3170	----	----	----	----	----/3.00A	2.80B/3.00A	----	----	----	----	2.90	-	0.20	.0104	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH										
3175	----	----	----	----	----/*3.00A	2.80B/*3.00A	----	----	----	----	2.90	-	0.20	.0105	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3180	----	----	----	----	----/*3.00A	2.80B/*3.00A	----	----	----	----	3.00	-	0.20	.0108	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26	UNCH										
3185	----	----	----	----	----/*3.10A	2.90B/*3.10A	----	----	----	----	3.00	-	0.20	.0108	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3190	----	----	----	----	----/*3.10A	2.90B/*3.10A	----	----	----	----	3.00	-	0.20	.0109	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	883	UNCH										
3195	----	----	----	----	----/*3.10A	2.90B/*3.10A	----	----	----	----	3.10	-	0.20	.0112	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3200	----	----	----	----	----/3.10A	3.00B/3.10A	----	----	----	----	3.10	-	0.20	.0112	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	532	UNCH										
3235	----	----	----	----	----/*3.30A	3.20B/*3.30A	----	----	----	----	3.30	-	0.20	.0121	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	20	UNCH										
3250	----	----	----	----	----/*3.40A	3.30B/*3.40A	----	----	----	----	3.40	-	0.20	.0125	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	530	UNCH										
3260	----	----	----	----	----/*3.50A	3.40B/*3.50A	----	----	----	----	3.50	-	0.20	.0129	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	30	UNCH										
3295	----	----	----	----	----/*3.70A	3.60B/*3.70A	----	----	----	----	3.70	-	0.20	.0139	----	----	----	----	----	----	----	----	----	----	----	1	----	----	2	-	1										
3300	3.30	3.30	3.30	3.30	3.60/*3.30	3.60/*3.30	----	----	----	----	3.80	-	0.20	.0142	----	----	----	----																							

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
AUG26																	
3900	14.00	14.00		17.10B/*14.00	17.10B/*14.00	----	----	----	16.30 - 0.60	.0706	----	----	2	320	1060 +	320	
3910	----	----		17.80B/14.70A	17.80B/14.70A	----	----	----	16.80 - 0.70	.0728	----	----	----	----	37	UNCH	
3915	----	----		18.10B/14.90A	18.10B/14.90A	----	----	----	17.10 - 0.60	.0740	----	----	----	----	35	UNCH	
3920	----	----		18.40B/15.20A	18.40B/15.20A	----	----	----	17.40 - 0.60	.0753	----	----	----	----	49	UNCH	
3925	----	----		18.70B/15.40A	18.70B/15.40A	----	----	----	17.70 - 0.60	.0766	----	----	----	----	11	UNCH	
3930	----	----		19.10B/15.60A	19.10B/15.60A	----	----	----	18.00 - 0.60	.0778	----	----	----	----	49	UNCH	
3935	----	----		19.40B/15.90A	19.40B/15.90A	----	----	----	18.30 - 0.60	.0791	----	----	----	----	12	UNCH	
3940	----	----		19.70B/16.10A	19.70B/16.10A	----	----	----	18.60 - 0.60	.0804	----	----	----	----	17	UNCH	
3950	19.60	19.60		20.40B/16.60A	20.40B/16.60A	----	----	----	19.20 - 0.60	.0830	----	----	3	----	254	UNCH	
3955	----	----		20.70B/16.80A	20.70B/16.80A	----	----	----	19.50 - 0.60	.0843	----	----	----	----	12	UNCH	
3960	----	----		21.10B/17.10A	21.10B/17.10A	----	----	----	19.90 - 0.60	.0859	----	----	----	----	3	UNCH	
3965	----	----		21.50B/17.40A	21.50B/17.40A	----	----	----	20.20 - 0.60	.0872	----	----	----	----	29	UNCH	
3970	----	----		21.80B/17.60A	21.80B/17.60A	----	----	----	20.60 - 0.50	.0888	----	----	----	----	11	UNCH	
3975	----	----		22.20B/17.90A	22.20B/17.90A	----	----	----	20.90 - 0.60	.0901	----	----	----	----	267	UNCH	
3980	----	----		22.60B/18.20A	22.60B/18.20A	----	----	----	21.30 - 0.50	.0918	----	----	----	----	2251	UNCH	
3985	----	----		23.00B/18.50A	23.00B/18.50A	----	----	----	21.70 - 0.50	.0934	----	----	----	----	4	UNCH	
3990	----	----		23.40B/18.80A	23.40B/18.80A	----	----	----	22.00 - 0.60	.0947	----	----	----	----	45	UNCH	
3995	22.20	22.20		23.80B/19.10A	23.80B/19.10A	----	----	----	22.40 - 0.50	.0964	----	----	4	9	9	UNCH	
4000	19.70	19.70		24.20B/19.40A	24.20B/19.40A	----	----	----	22.80 - 0.50	.0980	----	20	----	----	1280 +	7	
4005	----	----		24.70B/19.70A	24.70B/19.70A	----	----	----	23.20 - 0.50	.0997	----	----	----	----	6	UNCH	
4010	----	----		25.00B/20.00A	25.00B/20.00A	----	----	----	23.60 - 0.50	.1013	----	----	----	----	95	UNCH	
4015	----	----		25.60B/20.40A	25.60B/20.40A	----	----	----	24.10 - 0.40	.1032	----	1	----	----	3 +	1	
4020	----	----		26.00B/20.70A	26.00B/20.70A	----	----	----	24.50 - 0.40	.1049	----	----	----	----	3	UNCH	
4025	----	----		26.50B/21.10A	26.50B/21.10A	----	----	----	24.90 - 0.50	.1066	----	180	----	----	283 +	180	
4030	----	----		26.90B/21.40A	26.90B/21.40A	----	----	----	25.40 - 0.40	.1085	----	----	----	----	52	UNCH	
4035	----	----		27.50B/21.70A	27.50B/21.70A	----	----	----	25.80 - 0.40	.1102	----	----	----	----	22	UNCH	
4040	----	----		28.00B/22.10A	28.00B/22.10A	----	----	----	26.30 - 0.40	.1122	----	----	----	----	25	UNCH	
4045	----	----		28.30B/22.50A	28.30B/22.50A	----	----	----	26.80 - 0.40	.1141	----	----	----	----	32	UNCH	
4050	----	----		29.00B/22.90A	29.00B/22.90A	----	----	----	27.20 - 0.40	.1159	----	1	----	----	317	UNCH	
4055	----	----		29.50B/23.30A	29.50B/23.30A	----	----	----	27.70 - 0.40	.1178	----	----	----	----	20	UNCH	
4060	----	----		30.00B/23.60A	30.00B/23.60A	----	----	----	28.20 - 0.40	.1198	----	----	----	----	12	UNCH	
4065	----	----		30.60B/24.00A	30.60B/24.00A	----	----	----	28.80 - 0.30	.1221	----	----	----	----	1	UNCH	
4070	----	----		31.10B/24.50A	31.10B/24.50A	----	----	----	29.30 - 0.30	.1241	----	1	----	----	54 +	1	
4075	----	----		31.60B/24.90A	31.60B/24.90A	----	----	----	29.80 - 0.30	.1261	----	----	----	----	18	UNCH	
4080	----	----		32.10B/25.30A	32.10B/25.30A	----	----	----	30.40 - 0.30	.1284	----	1	----	----	11	UNCH	
4085	----	----		32.70B/25.70A	32.70B/25.70A	----	----	----	30.90 - 0.30	.1304	----	----	----	----	339	UNCH	
4090	----	----		33.40B/26.20A	33.40B/26.20A	----	----	----	31.50 - 0.30	.1327	----	6	----	----	208 +	3	
4095	----	----		34.10B/26.70A	34.10B/26.70A	----	----	----	32.10 - 0.20	.1350	----	----	----	----	84	UNCH	
4100	28.30	28.30		35.00B/26.90	35.00B/26.90	----	----	----	32.70 - 0.20	.1373	----	15	----	----	749 +	6	
4105	----	----		35.40B/27.60A	35.40B/27.60A	----	----	----	33.30 - 0.20	.1396	----	----	----	----	15	UNCH	
4110	----	----		36.00B/28.10A	36.00B/28.10A	----	----	----	33.90 - 0.20	.1419	----	----	----	----	11	UNCH	
4115	----	----		36.60B/28.60A	36.60B/28.60A	----	----	----	34.50 - 0.20	.1442	----	----	----	----	17	UNCH	
4120	----	----		37.30B/29.10A	37.30B/29.10A	----	----	----	35.20 - 0.10	.1468	----	2	----	----	125 +	2	
4125	----	----		38.00B/29.60A	38.00B/29.60A	----	----	----	35.80 - 0.20	.1491	----	6	----	----	12 +	5	
4130	----	----		38.80B/30.10A	38.80B/30.10A	----	----	----	36.50 - 0.10	.1517	----	----	----	----	16	UNCH	
4135	----	----		39.50B/30.60A	39.50B/30.60A	----	----	----	37.20 - 0.10	.1543	----	----	----	----	62	UNCH	
4140	36.50	36.50		40.30B/31.20A	40.30B/31.20A	----	----	----	37.80 - 0.10	.1567	----	9	----	----	9 +	7	
4145	----	----		41.10B/31.80A	41.10B/31.80A	----	----	----	38.60 UNCH	.1595	----	----	----	----	42	UNCH	
4150	37.20	37.20		42.00B/32.40A	42.00B/32.40A	----	----	----	39.30 UNCH	.1621	----	21	----	----	1115 +	19	
4155	----	----		42.70B/33.00A	42.70B/33.00A	----	----	----	40.00 - 0.10	.1647	----	----	----	----	23	UNCH	
4160	----	----		43.50B/33.60A	43.50B/33.60A	----	----	----	40.80 UNCH	.1676	----	----	----	----	53	UNCH	
4165	----	----		44.30B/34.20A	44.30B/34.20A	----	----	----	41.50 UNCH	.1702	----	2	----	----	107 +	2	
4170	----	----		45.10B/34.80A	45.10B/34.80A	----	----	----	42.30 UNCH	.1731	----	----	----	----	80	UNCH	
4175	----	----		46.00B/35.40A	46.00B/35.40A	----	----	----	43.10 UNCH	.1760	----	----	----	----	36	UNCH	
4180	----	----		46.90B/36.10A	46.90B/36.10A	----	----	----	43.90 UNCH	.1789	----	----	----	----	115	UNCH	
4185	----	----		47.80B/36.70A	47.80B/36.70A	----	----	----	44.80 + 0.10	.1819	----	----	----	----	50	UNCH	
4190	----	----		48.70B/37.30A	48.70B/37.30A	----	----	----	45.60 + 0.10	.1849	----	----	----	----	142	UNCH	
4195	45.30	45.30		49.70B/38.10A	49.70B/38.10A	----	----	----	46.50 + 0.20	.1880	----	3	----	----	217 -	1	
4200	44.60	44.60		50.70B/38.70A	50.70B/38.70A	----	----	----	47.40 + 0.20	.1911	----	79	----	----	453 +	37	
4205	----	----		51.60B/39.50A	51.60B/39.50A	----	----	----	48.20 + 0.10	.1940	----	----	----	----	321	UNCH	
4210	----	----		52.40B/40.10A	52.40B/40.10A	----	----	----	49.20 + 0.30	.1974	----	----	----	----	4	UNCH	
4215	----	----		53.40B/40.80A	53.40B/40.80A	----	----	----	50.10 + 0.30	.2005	----	3	----	----	21 +	3	
4220	----	----		54.50B/41.60A	54.50B/41.60A	----	----	----	51.00 + 0.20	.2037	----	----	----	----	16	UNCH	
4225	----	----		55.50B/42.40A	55.50B/42.40A	----	----	----	52.00 + 0.30	.2070	----	2	----	----	47 +	2	
4230	----	----		56.70B/43.20A	56.70B/43.20A	----	----	----	53.00 + 0.30	.2104	----	----	----	----	14	UNCH	
4235	----	----		57.70B/44.00A	57.70B/44.00A	----	----	----	54.00 + 0.40	.2138	----	----	----	----	8	UNCH	
4240	----	----		58.90B/44.80A	58.90B/44.80A	----	----	----	55.00 + 0.40	.2172	----	1	----	----	39 +	1	
4245	----	----		59.90B/45.60A	59.90B/45.60A	----	----										



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA		EXER		OPEN	GLOBEX®		PNT	OPEN		
OPEN		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE	RANGE				& PT.CHGE.			CISES		VOLUME	VOLUME	VOLUME		INTEREST		
OG PUT		COMEX GOLD OPTIONS																						
AUG26																								
4595	177.50	177.50		200.60B/155.90A	200.60B/155.90A	----						189.40	+	6.20	.5428	----	----		1	----		169	UNCH	
4600	169.80	169.80		203.70B/158.10A	203.70B/158.10A	----						192.30	+	6.40	.5478	----	----		4	----		653	+	
4605				206.40B/160.90A	206.40B/160.90A	----						195.20	+	6.50	.5528	----	----			120	----		82	-
4610	169.10	169.10		209.50B/163.10A	209.50B/163.10A	----						198.10	+	6.60	.5578	----	----		2	----		52	+	
4615				212.60B/166.40A	212.60B/166.40A	----						201.10	+	6.80	.5627	----	----			----		3	UNCH	
4620				215.60B/169.10A	215.60B/169.10A	----						204.10	+	7.00	.5677	----	----			----		41	UNCH	
4625				218.70B/170.90A	218.70B/170.90A	----						207.10	+	7.10	.5726	----	----			----		270	UNCH	
4630				221.80B/174.60A	221.80B/174.60A	----						210.10	+	7.20	.5775	----	----			----		53	UNCH	
4635	182.60	182.60		225.10B/177.00A	225.10B/177.00A	----						213.20	+	7.40	.5824	----	----		1	----		129	+	
4640				228.30B/179.80A	228.30B/179.80A	----						216.20	+	7.50	.5872	----	----			----		315	UNCH	
4645				231.40B/182.40A	231.40B/182.40A	----						219.40	+	7.70	.5921	----	----			----		135	UNCH	
4650	190.30	190.30		234.70B/185.20A	234.70B/185.20A	----						222.50	+	7.80	.5969	----	----		2	----		440	+	
4655				237.90B/187.90A	237.90B/187.90A	----						225.70	+	8.00	.6016	----	----			----		30	UNCH	
4660				241.20B/190.70A	241.20B/190.70A	----						228.90	+	8.10	.6064	----	----			----		28	UNCH	
4665				243.80B/193.60A	243.80B/193.60A	----						232.10	+	8.30	.6112	----	----			----		4	UNCH	
4670				247.60B/196.40A	247.60B/196.40A	----						235.30	+	8.40	.6159	----	----			----		53	UNCH	
4675				250.50B/199.30A	250.50B/199.30A	----						238.60	+	8.60	.6206	----	----			----		15	UNCH	
4680				254.40B/202.10A	254.40B/202.10A	----						241.90	+	8.70	.6252	----	----			----		34	UNCH	
4685				257.80B/205.00A	257.80B/205.00A	----						245.20	+	8.80	.6298	----	----			----		224	UNCH	
4690				260.80B/207.90A	260.80B/207.90A	----						248.50	+	8.90	.6345	----	----			----		9	UNCH	
4695				264.20B/210.80A	264.20B/210.80A	----						251.90	+	9.10	.6390	----	----			----		5	UNCH	
4700				268.20B/213.80A	268.20B/213.80A	----						255.30	+	9.30	.6436	----	----		7	----		1032	+	
4705				271.90B/216.80A	271.90B/216.80A	----						258.70	+	9.40	.6480	----	----			----		151	UNCH	
4710				274.70B/219.90A	274.70B/219.90A	----						262.20	+	9.60	.6526	----	----			----		10	UNCH	
4715				278.20B/222.90A	278.20B/222.90A	----						265.60	+	9.70	.6570	----	----			----		1	UNCH	
4720				281.90B/226.00A	281.90B/226.00A	----						269.10	+	9.80	.6613	----	----			----		13	UNCH	
4725				285.90B/229.30A	285.90B/229.30A	----						272.60	+	10.00	.6657	----	----		1	----		60	UNCH	
4730				289.60B/232.30A	289.60B/232.30A	----						276.20	+	10.20	.6700	----	----			----		57	UNCH	
4735				293.20B/236.20A	293.20B/236.20A	----						279.70	+	10.20	.6744	----	----			----		60	UNCH	
4740	263.00	263.00		297.20B/239.50A	297.20B/239.50A	----						283.30	+	10.40	.6787	----	----			12	----	38	-	
4745	286.40	286.40		300.50B/242.70A	300.50B/242.70A	----						286.90	+	10.50	.6828	----	----		6	----		33	-	
4750				304.20B/245.80A	304.20B/245.80A	----						290.60	+	10.70	.6871	----	----			----		181	UNCH	
4755				307.90B/249.20A	307.90B/249.20A	----						294.20	+	10.80	.6912	----	----			----		27	UNCH	
4760				311.30B/252.40A	311.30B/252.40A	----						297.90	+	11.00	.6953	----	----			----		8	UNCH	
4765				315.00B/255.70A	315.00B/255.70A	----						301.60	+	11.10	.6994	----	----			----		8	UNCH	
4770				319.50B/259.00A	319.50B/259.00A	----						305.30	+	11.20	.7035	----	----			----		263	UNCH	
4775				323.00B/262.40A	323.00B/262.40A	----						309.00	+	11.30	.7075	----	----			----		172	UNCH	
4780				326.90B/265.70A	326.90B/265.70A	----						312.80	+	11.50	.7114	----	----			----		19	UNCH	
4785				330.90B/269.10A	330.90B/269.10A	----						316.60	+	11.70	.7153	----	----			----		18	UNCH	
4790				334.80B/272.50A	334.80B/272.50A	----						320.40	+	11.80	.7192	----	----			----		54	UNCH	
4795	323.80	323.80		338.70B/275.90A	338.70B/275.90A	----						324.20	+	11.90	.7232	----	----		6	----		128	UNCH	
4800				342.30B/279.40A	342.30B/279.40A	----						328.00	+	12.00	.7269	----	----			----		969	UNCH	
4805				345.90B/282.80A	345.90B/282.80A	----						331.90	+	12.20	.7306	----	----			----		9	UNCH	
4810				349.80B/286.30A	349.80B/286.30A	----						335.70	+	12.20	.7344	----	----			----		5	UNCH	
4815				353.80B/289.80A	353.80B/289.80A	----						339.60	+	12.40	.7381	----	----			----		3	UNCH	
4820				357.80B/293.30A	357.80B/293.30A	----						343.50	+	12.50	.7418	----	----			----		4	UNCH	
4825				361.80B/296.90A	361.80B/296.90A	----						347.50	+	12.70	.7453	----	----			----		30	UNCH	
4830				365.80B/300.50A	365.80B/300.50A	----						351.40	+	12.80	.7490	----	----			----		4	UNCH	
4835				369.80B/304.00A	369.80B/304.00A	----						355.40	+	12.90	.7525	----	----			----		36	UNCH	
4840				373.90B/307.70A	373.90B/307.70A	----						359.40	+	13.10	.7561	----	----			----		5	UNCH	
4850				382.00B/315.00A	382.00B/315.00A	----						367.40	+	13.30	.7629	----	----			----		155	UNCH	
4855				386.10B/318.60A	386.10B/318.60A	----						371.40	+	13.40	.7663	----	----			----		11	UNCH	
4860				390.20B/322.40A	390.20B/322.40A	----						375.50	+	13.50	.7696	----	----			----		9	UNCH	
4865				394.40B/326.10A	394.40B/326.10A	----						379.50	+	13.60	.7729	----	----			----		12	UNCH	
4870				398.50B/330.00A	398.50B/330.00A	----						383.60	+	13.70	.7762	----	----			----		29	UNCH	
4875				402.70B/333.60A	402.70B/333.60A	----						387.70	+	13.90	.7794	----	----			----		82	UNCH	
4880				406.80B/337.30A	406.80B/337.30A	----						391.80	+	14.00	.7825	----	----		1	----		127	+	
4885				411.00B/341.10A	411.00B/341.10A	----						395.90	+	14.00	.7857	----	----			----		8	UNCH	
4890				415.20B/345.00A	415.20B/345.00A	----						400.10	+	14.20	.7888	----	----			----		6	UNCH	
4895				419.40B/348.80A	419.40B/348.80A	----						404.20	+	14.30	.7918	----	----			----		6	UNCH	
4900				423.70B/352.70A	423.70B/352.70A	----						408.40	+	14.40	.7948	----	----			----		431	UNCH	
4905				427.90B/356.60A	427.90B/356.60A	----						412.60	+	14.50	.7978	----	----			----		29	UNCH	
4910				432.20B/360.40A	432.20B/360.40A	----						416.80	+	14.60	.8008	----	----			----		23	UNCH	
4920				440.70B/368.30A	440.70B/368.30A	----						425.30	+	14.90	.8066	----	----			----		3	UNCH	
4925				445.00B/372.30A	445.00B/372.30A	----						429.50	+	14.90	.8093	----	----			----		57	UNCH	
4930				449.20B/376.20A	449.20B/376.20A	----						433.80	+	15.10	.8121	----	----			----		1	UNCH	
4950				466.70B/392.50A	466.70B/392.50A	----						451.00	+	15.50	.8230	----	----			----		31	UNCH	
4955				471.00B/396.30A	471.00B/396.30A	----						455.30	+	15.60	.8255	----	----			----		1	UNCH	
4965				479.80B/404.70A	479.80B/404.70A	----						464.00	NEW		.8307	----	----		1	----		1	+	
4980				493.00B/417.00A	493.00B/417.00A	----						477.10	+	16.00	.8380	----	----			----		1	UNCH	
5000	493.50	493.50		510.90B/433.60A	510.90B/433.60A	----						494.80	+	16.30	.8474	----	----		1	----		331	UNCH	
5010				519.80B/442.10A	519.80B/442.10A	----						503.70	+	16.50	.8517	----	----			----		1	UNCH	
5025				533.40B/454.80A	533.40B/454.80A</																			

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX GOLD OPTIONS																	
OG PUT																	
SEP26																	
3825	----	----	----	22.10B/20.50A	22.10B/20.50A	----	----	----	21.20 - 0.20	.0746	----	----	----	----	13	UNCH	
3850	----	----	----	23.70B/21.80A	23.70B/21.80A	----	----	----	22.80 - 0.20	.0800	----	----	----	----	25	UNCH	
3860	----	----	----	24.40B/22.00A	24.40B/22.00A	----	----	----	23.50 - 0.10	.0824	----	----	1	----	2	+	
3880	----	----	----	25.90B/22.80A	25.90B/22.80A	----	----	----	24.90 - 0.10	.0871	----	----	----	----	26	UNCH	
3900	----	----	----	27.50B/24.00A	27.50B/24.00A	----	----	----	26.40 - 0.10	.0921	----	----	1	----	215	UNCH	
3910	----	----	----	28.40B/24.70A	28.40B/24.70A	----	----	----	27.20 - 0.10	.0948	----	----	----	----	2	UNCH	
3915	----	----	----	28.80B/25.10A	28.80B/25.10A	----	----	----	27.60 - 0.10	.0961	----	----	----	----	4	UNCH	
3920	----	----	----	29.20B/25.50A	29.20B/25.50A	----	----	----	28.00 - 0.20	.0975	----	----	----	----	14	UNCH	
3930	----	----	----	30.10B/26.20A	30.10B/26.20A	----	----	----	28.80 - 0.20	.1002	----	----	----	----	2	UNCH	
3945	----	----	----	31.50B/27.30A	31.50B/27.30A	----	----	----	30.20 - 0.10	.1047	----	----	----	----	380	UNCH	
3950	----	----	----	32.10B/27.80A	32.10B/27.80A	----	----	----	30.60 - 0.20	.1060	----	----	----	----	4	UNCH	
3975	----	----	----	34.60B/29.80A	34.60B/29.80A	----	----	----	33.00 - 0.20	.1138	----	----	----	----	2	UNCH	
3980	----	----	----	35.30B/30.20A	35.30B/30.20A	----	----	----	33.50 - 0.20	.1154	----	----	----	----	2	UNCH	
3990	----	----	----	36.30B/31.10A	36.30B/31.10A	----	----	----	34.60 - 0.20	.1188	----	----	----	----	1	UNCH	
4000	34.60	34.60	----	37.40B/32.00A	37.40B/32.00A	----	----	----	35.70 - 0.10	.1223	----	----	9	----	1175	UNCH	
4005	----	----	----	38.00B/32.40A	38.00B/32.40A	----	----	----	36.20 - 0.20	.1239	----	----	----	----	1	UNCH	
4020	----	----	----	39.70B/33.80A	39.70B/33.80A	----	----	----	37.90 - 0.20	.1292	----	----	----	----	14	UNCH	
4030	----	----	----	40.90B/34.90A	40.90B/34.90A	----	----	----	39.10 - 0.20	.1329	----	----	----	----	13	UNCH	
4040	----	----	----	42.30B/36.00A	42.30B/36.00A	----	----	----	40.40 - 0.10	.1369	----	----	----	----	10	UNCH	
4050	----	----	----	43.70B/37.00A	43.70B/37.00A	----	----	----	41.60 - 0.20	.1406	----	----	----	----	44	UNCH	
4055	----	----	----	44.30B/37.60A	44.30B/37.60A	----	----	----	42.30 - 0.10	.1427	----	----	----	----	1	UNCH	
4060	----	----	----	45.20B/38.10A	45.20B/38.10A	----	----	----	43.00 - 0.10	.1448	----	----	----	----	1	UNCH	
4065	----	----	----	45.80B/38.70A	45.80B/38.70A	----	----	----	43.60 - 0.10	.1467	----	----	----	----	5	UNCH	
4070	44.80	44.80	----	46.50B/39.40A	46.50B/39.40A	----	----	----	44.30 - 0.10	.1487	----	----	9	----	12	+	
4080	----	----	----	48.00B/40.50A	48.00B/40.50A	----	----	----	45.70 - 0.10	.1529	----	----	----	----	6	UNCH	
4085	----	----	----	48.90B/41.20A	48.90B/41.20A	----	----	----	46.50 UNCH	.1552	----	----	----	----	76	UNCH	
4090	----	----	----	49.60B/41.80A	49.60B/41.80A	----	----	----	47.20 UNCH	.1573	----	----	8	----	10	+	
4100	49.20	49.20	----	51.30B/42.90A	51.30B/42.90A	----	----	----	48.70 UNCH	.1617	----	----	12	----	175	+	
4110	----	----	----	52.80B/44.20A	52.80B/44.20A	----	----	----	50.20 UNCH	.1662	----	----	----	----	1	UNCH	
4115	----	----	----	53.80B/45.00A	53.80B/45.00A	----	----	----	51.00 UNCH	.1685	----	----	----	----	28	UNCH	
4125	----	----	----	55.50B/45.80A	55.50B/45.80A	----	----	----	52.70 + 0.10	.1733	----	----	----	----	14	UNCH	
4130	----	----	----	56.40B/46.50A	56.40B/46.50A	----	----	----	53.50 + 0.10	.1756	----	----	----	----	20	UNCH	
4135	----	----	----	57.30B/47.10A	57.30B/47.10A	----	----	----	54.40 + 0.10	.1781	----	----	----	----	3	UNCH	
4150	----	----	----	60.10B/49.20A	60.10B/49.20A	----	----	----	57.00 + 0.20	.1855	----	----	----	----	31	UNCH	
4165	----	----	----	62.80B/51.40A	62.80B/51.40A	----	----	----	59.70 + 0.20	.1931	----	----	1	----	2	+	
4175	----	----	----	64.70B/53.00A	64.70B/53.00A	----	----	----	61.60 + 0.20	.1983	----	----	----	----	1	UNCH	
4180	----	----	----	65.70B/54.00A	65.70B/54.00A	----	----	----	62.60 NEW	.2010	----	----	1	----	1	+	
4185	----	----	----	67.10B/54.90A	67.10B/54.90A	----	----	----	63.60 + 0.30	.2037	----	----	----	----	79	UNCH	
4190	----	----	----	67.90B/55.70A	67.90B/55.70A	----	----	----	64.60 + 0.30	.2065	----	----	----	----	1	UNCH	
4200	----	----	----	70.30B/57.50A	70.30B/57.50A	----	----	----	66.70 + 0.40	.2120	----	----	----	----	247	UNCH	
4205	----	----	----	71.50B/58.30A	71.50B/58.30A	----	----	----	67.70 + 0.40	.2148	----	----	----	----	10	UNCH	
4210	----	----	----	72.60B/59.30A	72.60B/59.30A	----	----	----	68.80 + 0.50	.2176	----	----	----	----	3	UNCH	
4220	----	----	----	74.90B/61.10A	74.90B/61.10A	----	----	----	71.00 + 0.60	.2234	----	----	----	----	113	UNCH	
4225	----	----	----	75.90B/62.00A	75.90B/62.00A	----	----	----	72.10 + 0.60	.2263	----	----	----	----	2	UNCH	
4230	----	----	----	77.30B/63.10A	77.30B/63.10A	----	----	----	73.30 + 0.70	.2293	----	----	----	----	29	UNCH	
4240	----	----	----	79.70B/65.10A	79.70B/65.10A	----	----	----	75.60 + 0.70	.2353	----	----	----	----	106	UNCH	
4245	----	----	----	80.60B/66.00A	80.60B/66.00A	----	----	----	76.80 + 0.80	.2383	----	----	----	----	1	UNCH	
4250	----	----	----	82.30B/66.90A	82.30B/66.90A	----	----	----	78.00 + 0.80	.2414	----	----	----	----	393	UNCH	
4270	83.60	83.60	----	87.50B/71.30A	87.50B/71.30A	----	----	----	82.90 NEW	.2538	----	----	29	----	28	+	
4275	----	----	----	88.90B/72.30A	88.90B/72.30A	----	----	----	84.20 + 1.00	.2570	----	----	----	----	30	UNCH	
4285	----	----	----	91.60B/74.50A	91.60B/74.50A	----	----	----	86.90 + 1.10	.2635	----	----	----	----	13	UNCH	
4290	----	----	----	92.90B/75.50A	92.90B/75.50A	----	----	----	88.20 + 1.20	.2667	----	----	----	----	1	UNCH	
4295	----	----	----	94.40B/76.60A	94.40B/76.60A	----	----	----	89.60 + 1.20	.2701	----	----	----	----	3	UNCH	
4300	95.10	95.10	----	95.90B/77.90A	95.90B/77.90A	----	----	----	91.00 + 1.30	.2734	----	----	22	----	311	+	
4310	----	----	----	98.50B/80.20A	98.50B/80.20A	----	----	----	93.80 + 1.40	.2801	----	----	----	----	7	UNCH	
4315	----	----	----	100.40B/81.40A	100.40B/81.40A	----	----	----	95.20 + 1.40	.2835	----	----	----	----	70	UNCH	
4320	----	----	----	102.00B/82.70A	102.00B/82.70A	----	----	----	96.70 + 1.50	.2869	----	----	----	----	168	UNCH	
4325	----	----	----	103.50B/84.00A	103.50B/84.00A	----	----	----	98.20 + 1.60	.2904	----	----	----	----	9	UNCH	
4340	----	----	----	108.30B/87.80A	108.30B/87.80A	----	----	----	102.70 + 1.70	.3008	----	----	----	----	50	UNCH	
4345	----	----	----	109.90B/89.10A	109.90B/89.10A	----	----	----	104.30 + 1.80	.3044	----	----	----	----	17	UNCH	
4350	----	----	----	111.50B/90.50A	111.50B/90.50A	----	----	----	105.90 + 1.90	.3079	----	----	1	----	141	+	
4360	----	----	----	114.70B/93.20A	114.70B/93.20A	----	----	----	109.10 + 2.00	.3151	----	----	----	----	1	UNCH	
4365	----	----	----	116.70B/94.70A	116.70B/94.70A	----	----	----	110.70 + 2.00	.3187	----	----	----	----	6	UNCH	
4375	----	----	----	120.20B/97.40A	120.20B/97.40A	----	----	----	114.10 + 2.20	.3261	----	----	----	----	55	UNCH	
4380	----	----	----	121.90B/98.90A	121.90B/98.90A	----	----	----	115.80 + 2.30	.3297	----	----	----	----	95	UNCH	
4385	----	----	----	123.50B/100.40A	123.50B/100.40A	----	----	----	117.50 + 2.30	.3334	----	----	----	----	2	UNCH	
4390	----	----	----	125.40B/101.80A	125.40B/101.80A	----	----	----	119.20 + 2.30	.3371	----	----	----	----	41	UNCH	
4395	----	----	----	127.40B/103.30A	127.40B/103.30A	----	----	----	121.00 + 2.40	.3409	----	----	----	----	42	UNCH	
4400	----	----	----	129.40B/104.70A	129.40B/104.70A	----	----	----	122.80 + 2.50	.3447	----	----	----	----	853	UNCH	
4405	----	----	----	131.10B/106.40A	131.10B/106.40A	----	----	----	124.60 + 2.60	.3485	----	----	----	----	40	UNCH	
4410	----	----	----	133.00B/108.00A	133.00B/108.00A	----	----	----	126.40 + 2.60	.3522	----	----	----	----	1	UNCH	
4420	----	----	----	136.70B/111.10A	136.70B/111.10A	----	----	----	130.10 + 2.70	.3599	----	----	----	----	1	UNCH	
4425	----	----	----	138.80B/112.70A	138.80B/112.70A	----	----	----	132.00 + 2.80	.3637	----	----	----	----	200	UNCH	
4430	----	----	----	140.60B/114.40A	140.60B/114.40A	----	----	----	133.90 + 2.90	.3676	----	----	----	----	2	UNCH	
4440	----	----	----	145.00B/117.80A	145.00B/117.80A	----	----	----	137.80 + 3.00	.3754	----	----	----	----	8	UNCH	
4445	----	----	----	147.10B/119.40A	147.10B/119.40A	----	----	----	139.80 + 3.10	.3793	----	----	2	----	5	+	
4450	----	----	----	149.40B/121.10A	149.40B/121.10A	----	----	----	141.80 + 3.20	.3832	----	----	----	----	448	+	
4455	----	----	----	151.30B/122.80A	151.30B/122.80A	----	----	----	143.80 + 3.20	.3871	----	----	----	----	4	UNCH	
4470	----	----	----	157.70B/128.20A	157.70B/128.20A	----	----	----	150.00 + 3.50	.3990	----	----	----	----	4	UNCH	
4475	----	----	----	159.80B/130.10A	159.80B/130.10A	----	----	----	152.10 + 3.50	.4030	----	----	----	----	3	UNCH	
4485	----	----	----	164.40B/133.70A	164.40B/133.70A	----	----	----	156.40 + 3.70	.4110	----	----	2	----	6	+	
4490	----	----	----	166.70B/135.70A	166.70B/135.70A	----	----	----	158.60 + 3.80	.4150	----	----	----	----	50	UNCH	
4495	----	----	----	169.00B/137.60A	169.00B/137.60A	----	----	----	160.80 + 3.90	.4191	----	----	----	----	2	UNCH	
4500	140.00	140.00	----	171.50B/139.50A	171.50B/139.50A	----	----	----	163.00 + 3.90	.4231	----	----	10	----	611	+	
4510	----	----	----	176.10B/143.30A	176.10B/143.30A	----	----	----	167.60 + 4.20	.4312	----	----	----	----	11	UNCH	
4515	----	----	----	178.50B/145.50A	178.50B/145.50A	----	----	----	169.90 + 4.30	.4352	----	----	----	----	3	UNCH	
4520	----	----	----	180.80B/147.50A	180.80B/147.50A	----	----	----	172.20 + 4.30	.4393	----	----	----	----	91	UNCH	
4525	----	----	----	183.20B/149.50A	183.20B/149.50A												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
OG PUT																
SEP26																
4855	----	----	----	388.90B/362.60A	388.90B/362.60A	----	----	----	377.60 + 12.00	.6942	----	----	----	----	14	UNCH
4860	----	----	----	392.90B/366.20A	392.90B/366.20A	----	----	----	381.30 + 12.10	.6973	----	----	----	----	11	UNCH
4875	----	----	----	404.30B/377.20A	404.30B/377.20A	----	----	----	392.60 + 12.40	.7069	----	----	----	----	8	UNCH
4885	----	----	----	412.10B/384.50A	412.10B/384.50A	----	----	----	400.20 + 12.60	.7130	----	----	----	----	4	UNCH
4895	----	----	----	400.50B/392.00A	400.50B/392.00A	----	----	----	407.90 + 12.90	.7191	----	----	----	----	1	UNCH
4900	----	----	----	423.70B/395.70A	423.70B/395.70A	----	----	----	411.70 + 12.90	.7221	----	----	----	----	25	UNCH
4915	----	----	----	----	339.60B/470.80A	----	----	----	423.40 + 13.30	.7309	----	----	----	----	1	UNCH
4930	----	----	----	447.50B/----	447.50B/431.20A	----	----	----	435.10 + 13.50	.7397	----	----	----	----	20	UNCH
4950	----	----	----	----	367.70B/497.00A	----	----	----	451.00 + 13.90	.7507	----	----	----	----	1	UNCH
4955	----	----	----	----	371.70B/500.80A	----	----	----	455.00 + 13.90	.7535	----	----	----	----	1	UNCH
4975	----	----	----	484.10B/----	484.10B/466.90A	----	----	----	471.20 + 14.30	.7642	----	----	----	----	220	UNCH
5000	----	----	----	504.80B/----	504.80B/487.20A	----	----	----	491.70 + 14.70	.7769	----	----	----	----	10	UNCH
5005	----	----	----	508.80B/----	508.80B/491.30A	----	----	----	495.90 + 14.90	.7795	----	----	----	----	3	UNCH
5020	----	----	----	521.40B/----	521.40B/503.70A	----	----	----	508.40 + 15.10	.7868	----	----	----	----	3	UNCH
5060	----	----	----	555.70B/----	555.70B/537.10A	----	----	----	542.20 + 15.70	.8050	----	----	----	----	4	UNCH
5100	----	----	----	590.50B/----	590.50B/571.30A	----	----	----	576.80 + 16.30	.8216	----	----	----	----	28	UNCH
5105	----	----	----	----	500.20B/619.80A	----	----	----	581.10 + 16.30	.8238	----	----	----	----	2	UNCH
5150	----	----	----	----	540.70B/657.40A	----	----	----	620.80 + 16.90	.8407	----	----	----	----	2	UNCH
5200	----	----	----	679.30B/----	679.30B/659.60A	----	----	----	665.60 + 17.50	.8576	----	----	----	----	45	UNCH
5230	----	----	----	707.40B/----	707.40B/686.10A	----	----	----	692.80 + 17.80	.8667	----	----	----	----	400	UNCH
5300	----	----	----	772.20B/----	772.20B/750.20A	----	----	----	757.20 + 18.60	.8857	----	----	----	----	300	UNCH
5400	----	----	----	865.40B/----	865.40B/844.50A	----	----	----	851.10 + 19.30	.9072	----	----	----	----	100	UNCH
5420	----	----	----	884.40B/----	884.40B/863.50A	----	----	----	870.00 + 19.40	.9110	----	----	----	----	80	UNCH
5450	----	----	----	----	790.10B/927.20A	----	----	----	898.60 + 19.50	.9164	----	----	----	----	1	UNCH
5500	----	----	----	960.60B/----	960.60B/940.10A	----	----	----	946.50 + 19.80	.9241	----	----	----	----	3	UNCH
6000	----	----	----	----	----	----	----	----	1436.10 + 21.10	.9657	----	----	----	----	2	UNCH
TOTAL													165	50	13141+	135
OCT26																
1500	----	----	----	----	-----/0.80A	----	----	----	0.10 UNCH	.0002	----	----	----	----	1	UNCH
2700	----	----	----	----	2.50B/3.20A	----	----	----	2.80 - 0.10	.0074	----	----	----	----	1	UNCH
2800	----	----	----	----	3.00B/3.80A	----	----	----	3.20 - 0.20	.0087	----	----	----	----	8	UNCH
2900	----	----	----	----	3.70B/4.50A	----	----	----	3.80 - 0.20	.0106	----	----	----	----	2	UNCH
3100	----	----	----	----	5.40B/6.40A	----	----	----	5.60 - 0.10	.0163	----	----	----	----	1	UNCH
3155	----	----	----	----	6.40B/7.10A	----	----	----	6.30 - 0.10	.0181	----	----	----	----	1	UNCH
3190	----	----	----	6.90B/----	6.90B/7.50A	----	----	----	6.80 UNCH	.0201	----	----	----	----	4	UNCH
3200	----	----	----	7.10B/----	7.10B/7.60A	----	----	----	7.00 UNCH	.0207	----	----	----	----	414	UNCH
3240	----	----	----	----	7.60B/8.20A	----	----	----	7.60 UNCH	.0226	----	----	----	----	5	UNCH
3300	----	----	----	8.70B/----	8.70B/9.30A	----	----	----	8.70 + 0.10	.0261	----	----	----	----	416	UNCH
3340	----	----	----	9.50B/----	9.50B/10.00A	----	----	----	9.60 + 0.20	.0289	----	----	----	----	9	UNCH
3360	----	----	----	10.00B/----	10.00B/10.40A	----	----	----	10.00 + 0.20	.0302	----	----	----	----	1	UNCH
3380	----	----	----	10.40B/----	10.40B/10.80A	----	----	----	10.50 + 0.30	.0317	----	----	----	----	1	UNCH
3390	----	----	----	10.70B/----	10.70B/11.10A	----	----	----	10.70 + 0.20	.0324	----	----	----	----	4	UNCH
3400	----	----	----	10.90B/----	10.90B/11.30A	----	----	----	11.00 + 0.30	.0333	----	----	----	----	150	UNCH
3480	----	----	----	13.20B/----	13.20B/13.50A	----	----	----	13.30 + 0.40	.0404	----	----	----	----	12	UNCH
3500	----	----	----	13.80B/----	13.80B/14.10A	----	----	----	13.90 + 0.40	.0423	----	----	----	----	20	UNCH
3520	----	----	----	14.50B/----	14.50B/14.80A	----	----	----	14.60 + 0.40	.0445	----	----	----	----	12	UNCH
3530	----	----	----	14.90B/----	14.90B/15.20A	----	----	----	15.00 NEW	.0457	----	----	5	----	5	+
3550	----	----	----	15.70B/----	15.70B/15.90A	----	----	----	15.70 + 0.40	.0479	----	----	----	----	25	UNCH
3600	----	----	----	17.70B/----	17.70B/17.90A	----	----	----	17.80 + 0.50	.0543	----	----	----	----	175	UNCH
3615	----	----	----	18.40B/----	18.40B/18.50A	----	----	----	18.50 + 0.60	.0564	----	----	----	----	1	UNCH
3680	----	----	----	21.80B/----	21.80B/21.80A	----	----	----	21.80 + 0.60	.0663	----	----	5	----	5	+
3700	23.30	23.30	23.30	23.30/22.90A	23.30/22.90A	----	----	----	22.90 + 0.60	.0696	----	----	1	----	213	UNCH
3715	----	----	----	24.00B/----	24.00B/23.60A	----	----	----	23.80 + 0.60	.0723	----	----	----	----	196	UNCH
3750	----	----	----	26.50B/----	26.50B/25.90A	----	----	----	26.10 + 0.60	.0790	----	----	----	----	19	UNCH
3770	----	----	----	28.00B/----	28.00B/27.30A	----	----	----	27.50 + 0.60	.0831	----	----	----	----	1	UNCH
3785	----	----	----	29.10B/----	29.10B/28.30A	----	----	----	28.60 + 0.60	.0863	----	----	----	----	1	UNCH
3800	----	----	----	30.30B/----	30.30B/29.60A	----	----	----	29.70 + 0.60	.0895	----	----	4	----	22	+
3805	----	----	----	30.80B/----	30.80B/29.90A	----	----	----	30.10 + 0.60	.0907	----	----	----	----	1	UNCH
3820	----	----	----	32.00B/----	32.00B/31.10A	----	----	----	31.40 + 0.70	.0943	----	----	----	----	1	UNCH
3865	----	----	----	36.30B/----	36.30B/35.10A	----	----	----	35.40 + 0.60	.1056	----	----	----	----	2	UNCH
3870	----	----	----	36.60B/----	36.60B/35.50A	----	----	----	35.90 + 0.60	.1069	----	----	----	----	1	UNCH
3875	----	----	----	37.40B/----	37.40B/36.00A	----	----	----	36.30 + 0.50	.1082	----	----	----	----	12	UNCH
3885	----	----	----	38.40B/----	38.40B/37.00A	----	----	----	37.40 + 0.60	.1111	----	----	----	----	5	UNCH
3890	----	----	----	39.00B/----	39.00B/37.50A	----	----	----	37.90 + 0.60	.1125	----	----	----	----	2	UNCH
3895	----	----	----	39.60B/----	39.60B/38.00A	----	----	----	38.40 + 0.60	.1139	----	----	----	----	2	UNCH
3900	----	----	----	40.10B/----	40.10B/38.60A	----	----	----	38.90 + 0.60	.1153	----	----	----	----	23	UNCH
3920	----	----	----	42.40B/----	42.40B/40.70A	----	----	----	41.10 + 0.60	.1212	----	----	----	----	28	UNCH
3930	----	----	----	43.80B/----	43.80B/41.70A	----	----	----	42.30 + 0.70	.1244	----	----	----	----	2	UNCH
3940	----	----	----	44.90B/----	44.90B/42.80A	----	----	----	43.40 + 0.60	.1274	----	----	----	----	65	UNCH
3950	----	----	----	46.10B/43.90A	46.10B/43.90A	----	----	----	44.70 + 0.70	.1308	----	----	----	----	2	UNCH
3965	----	----	----	48.20B/45.60A	48.20B/45.60A	----	----	----	46.60 + 0.70	.1358	----	----	----	----	1	UNCH
3975	----	----	----	49.60B/46.70A	49.60B/46.70A	----	----	----	47.90 + 0.70	.1392	----	----	----	----	5	UNCH
4000	----	----	----	53.30B/49.80A	53.30B/49.80A	----	----	----	51.30 + 0.70	.1480	----	----	----	----	447	UNCH
4025	----	----	----	57.10B/53.10A	57.10B/53.10A	----	----	----	55.00 + 0.70	.1574	----	----	----	----	10	UNCH
4030	----	----	----	57.90B/53.80A	57.90B/53.80A	----	----	----	55.70 + 0.60	.1593	----	----	----	----	2	UNCH
4050	----	----	----	61.40B/56.10A	61.40B/56.10A	----	----	----	58.90 + 0.70	.1672	----	----	----	----	5	UNCH
4065	----	----														

PG64		BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
OCT26																								
4750	----	----			342.50B/303.60A	342.50B/303.60A	----	----		332.50 + 9.60	.5989	----	----	----	----		175	UNCH						
4755	----	----			345.80B/306.60A	345.80B/306.60A	----	----		335.80 + 9.80	.6021	----	----	----	----		168	UNCH						
4775	----	----			359.10B/318.90A	359.10B/318.90A	----	----		349.00 + 10.20	.6149	----	----	----	----		26	UNCH						
4780	----	----			362.70B/322.00A	362.70B/322.00A	----	----		352.40 + 10.40	.6180	----	----	----	----		1	UNCH						
4800	----	----			376.30B/334.60A	376.30B/334.60A	----	----		365.90 + 10.80	.6305	----	----	----	----		101	UNCH						
4805	----	----			379.90B/337.70A	379.90B/337.70A	----	----		369.30 + 10.90	.6336	----	----	----	----		1	UNCH						
4810	----	----			383.30B/341.00A	383.30B/341.00A	----	----		372.80 + 11.00	.6366	----	----	----	----		9	UNCH						
4815	----	----			386.80B/344.20A	386.80B/344.20A	----	----		376.20 + 11.10	.6397	----	----	----	----		42	UNCH						
4820	----	----			390.30B/347.40A	390.30B/347.40A	----	----		379.70 + 11.20	.6427	----	----	----	----		3	UNCH						
4835	----	----			401.00B/357.20A	401.00B/357.20A	----	----		390.30 + 11.60	.6517	----	----	----	----		3	UNCH						
4845	----	----			408.20B/363.90A	408.20B/363.90A	----	----		397.40 + 11.80	.6576	----	----	----	----		20	UNCH						
4850	----	----			412.00B/367.20A	412.00B/367.20A	----	----		401.00 + 11.90	.6606	----	----	----	----		80	UNCH						
4875	----	----			430.30B/384.10A	430.30B/384.10A	----	----		419.10 + 12.30	.6749	----	----	----	----		1	UNCH						
4900	411.00	----	411.00		448.80B/410.30A	448.80B/410.30A	----	----		437.60 + 12.70	.6888	----	----	25	----		71	-						
4910	----	----			456.40B/430.90A	456.40B/430.90A	----	----		445.10 + 12.80	.6943	----	----	----	----		1	UNCH						
4920	----	----			458.20B/438.20A	458.20B/438.20A	----	----		452.60 + 12.90	.6996	----	----	----	----		1	UNCH						
4925	----	----			458.20B/441.90A	458.20B/441.90A	----	----		456.40 + 13.00	.7023	----	----	----	----		25	UNCH						
4935	----	----			465.60B/449.30A	465.60B/449.30A	----	----		464.00 + 13.00	.7076	----	----	----	----		5	UNCH						
4965	----	----			----/471.90A	473.10B/471.90A	----	----		487.30 + 13.40	.7229	----	----	----	----		13	UNCH						
4980	----	----			----	413.00B/548.50A	----	----		499.00 + 13.50	.7303	----	----	----	----		1	UNCH						
5000	----	----			----	429.00B/563.60A	----	----		514.90 + 13.80	.7400	----	----	----	----		47	UNCH						
5010	----	----			----	437.10B/571.20A	----	----		522.90 + 14.00	.7446	----	----	----	----		1	UNCH						
5050	----	----			----	469.90B/602.10A	----	----		555.40 + 14.60	.7627	----	----	----	----		25	UNCH						
5150	----	----			----	555.10B/682.00A	----	----		639.30 + 15.80	.8031	----	----	----	----		1	UNCH						
5200	----	----			----	599.10B/723.40A	----	----		682.60 + 16.20	.8207	----	----	----	----		100	UNCH						
5230	----	----			----	625.90B/748.70A	----	----		708.90 + 16.40	.8304	----	----	----	----		1	UNCH						
5250	----	----			----	643.90B/765.70A	----	----		726.60 + 16.50	.8367	----	----	----	----		75	UNCH						
5300	----	----			----	689.20B/808.60A	----	----		771.50 + 17.10	.8511	----	----	----	----		9	UNCH						
5425	----	----			----	803.60B/919.40A	----	----		886.00 + 18.70	.8810	----	----	----	----		1	UNCH						
5455	----	----			----	831.50B/946.90A	----	----		914.00 + 19.10	.8870	----	----	----	----		40	UNCH						
5495	----	----			----	869.00B/984.00A	----	----		951.50 + 19.40	.8945	----	----	----	----		1	UNCH						
5500	----	----			----	873.70B/988.60A	----	----		956.20 + 19.50	.8955	----	----	----	----		1	UNCH						
5600	----	----			----	951.00B/1082.40A	----	----		1051.10 + 20.10	.9113	----	----	----	----		1	UNCH						
5700	----	----			----	----	----	----		1147.10 + 20.40	.9241	----	----	----	----		1	UNCH						
TOTAL														92			7532	+						
NOV26																								
2750	----	----			----	2.90B/5.20A	----	----		4.00 - 0.10	.0099	----	----	----	----		1	UNCH						
2800	----	----			----	3.20B/5.60A	----	----		4.30 - 0.10	.0108	----	----	----	----		8	UNCH						
2900	----	----			----	4.00B/6.50A	----	----		5.20 UNCH	.0133	----	----	----	----		1	UNCH						
3000	----	----			----	5.10B/7.00A	----	----		6.20 - 0.10	.0162	----	----	----	----		95	UNCH						
3120	----	----			----	6.70B/9.40A	----	----		7.90 UNCH	.0210	----	----	----	----		10	UNCH						
3180	----	----			----	7.80B/10.70A	----	----		9.00 UNCH	.0240	----	----	----	----		10	UNCH						
3200	----	----			----	8.10B/11.10A	----	----		9.40 UNCH	.0252	----	----	----	----		93	UNCH						
3215	----	----			----	8.40B/11.30A	----	----		9.70 UNCH	.0260	----	----	----	----		1	UNCH						
3220	----	----			----	8.50B/11.40A	----	----		9.80 UNCH	.0263	----	----	----	----		1	UNCH						
3225	----	----			----	8.60B/11.50A	----	----		9.90 UNCH	.0266	----	----	----	----		1	UNCH						
3235	----	----			----	8.90B/11.80A	----	----		10.20 + 0.10	.0273	----	----	----	----		2	UNCH						
3250	----	----			----	9.20B/12.20A	----	----		10.50 + 0.10	.0282	----	----	----	----		18	UNCH						
3255	----	----			----	9.30B/12.20A	----	----		10.60 + 0.10	.0285	----	----	----	----		18	UNCH						
3300	----	----			----	10.40B/13.30A	----	----		11.70 + 0.10	.0315	----	----	----	----		43	UNCH						
3310	----	----			----	10.70B/13.60A	----	----		12.00 + 0.10	.0323	----	----	----	----		1	UNCH						
3320	----	----			----	10.90B/14.00A	----	----		12.30 + 0.10	.0331	----	----	----	----		16	UNCH						
3350	----	----			----	11.80B/14.80A	----	----		13.10 + 0.10	.0354	----	----	----	----		180	UNCH						
3455	----	----			----	15.40B/18.30A	----	----		16.70 UNCH	.0452	----	----	----	----		1	UNCH						
3475	----	----			----	16.20B/19.10A	----	----		17.50 UNCH	.0473	----	----	----	----		2	UNCH						
3500	18.30	----	18.30		18.30/18.30	18.30/18.30	----	----		18.60 + 0.10	.0502	----	----	1	----		681	UNCH						
3535	----	----			----	19.00B/21.80A	----	----		20.20 UNCH	.0545	----	----	----	----		1	UNCH						
3605	----	----			----	22.80B/25.40A	----	----		24.00 UNCH	.0644	----	----	----	----		1	UNCH						
3690	----	----			----	29.50B/30.00A	----	----		29.50 - 0.10	.0785	----	----	----	----		1	UNCH						
3700	----	----			30.40B/----	30.40B/30.70A	----	----		30.20 - 0.10	.0803	----	----	----	----		1	UNCH						
3725	----	----			32.40B/----	32.40B/32.80A	----	----		32.20 - 0.10	.0853	----	----	----	----		1	UNCH						
3740	----	----			33.70B/----	33.70B/33.70A	----	----		33.40 - 0.10	.0883	----	----	----	----		21	UNCH						
3750	----	----			34.50B/----	34.50B/34.60A	----	----		34.20 - 0.10	.0903	----	----	----	----		347	UNCH						
3780	----	----			37.20B/----	37.20B/37.10A	----	----		36.90 - 0.10	.0969	----	----	----	----		1	UNCH						
3800	----	----			39.10B/----	39.10B/39.20A	----	----		38.80 - 0.10	.1015	----	----	----	----		32	UNCH						
3820	----	----			41.40B/----	41.40B/41.10A	----	----		40.80 - 0.10	.1063	----	----	----	----		22	UNCH						
3875	----	----			47.80B/----	47.80B/47.00A	----	----		46.90 + 0.10	.1207	----	----	----	----		24	UNCH						
3900	----	----			51.50B/----	51.50B/49.90A	----	----		50.00 + 0.20	.1278	----	----	----	----		7	UNCH						
3920	----	----			54.20B/----	54.20B/52.40A	----	----		52.60 + 0.30	.1337	----	----	----	----		2	UNCH						
3925	----	----			54.90B/----	54.90B/53.10A	----	----		53.20 + 0.20	.1352	----	----	----	----		2	UNCH						
3945	----	----			57.80B/55.60A	57.80B/55.60A	----	----		56.00 + 0.30	.1414	----	----	----	----		1	UNCH						
3980	----	----			63.10B/57.00A	63.10B/57.00A	----	----		61.20 + 0.50	.1529	----	----	----	----		1	UNCH						
4000	----	----			66.40B/59.40A	66.40B/59.40A	----	----		64.40 + 0.60	.1599	----	----	----	----		7	UNCH						
4025	----	----			70.80B/62.70A	70.80B/62.70A	----	----		68.60 + 0.80	.1689	----	----	----	----		2	UNCH						
4070	----	----			79.20B/69.90A	79.20B/69.90A	----	----		76.80 + 1.00	.1860	----	----	----	----		25	UNCH						
4100	----	----			85.50B/75.10A	85.50B/75.10A	----	----		82.80 + 1.20	.1982	----	----	----	----		5	UNCH						
4135	----	----			93.20B/81.70A	93.20B/81.70A	----	----		90.30 + 1.40	.2131	----	----	----	----		22	UNCH						
4160	----	----			99.20B/86.70A	99.20B/86.70A	----	----		96.10 + 1.70	.2243	----	----	----	----		1	UNCH						
4170	----	----			101.60B/88.80A	101.60B/88.80A	----	----		98.50 + 1.70	.2289	----	----	----	----		1	UNCH						
4180	----	----			104.10B/90.90A	104.10B/90.90A	----	----		100.90 + 1.80	.2335	----	----	----	----		1	UNCH						
4200	108.50	----	108.50		109.30B/95.30A	109.30B/95.30A	----	----		106.00 + 1.90	.2429	----	----	1	----		5	-						
4205	----	----			110.60B/96.50A	110.60B/96.50A	----	----		107.30 + 2.00	.2453	----	----	----	----		1	UNCH						
4215	----	----			113.40B/98.80A	113.40B/98.80A	----	----		109.90 + 2.00	.2501	----	----	----	----		5	UNCH						
4250	----	----			123.30B/107.60A	123.30B/107.60A	----	----		119.50 + 2.20	.2675	----	----	----	----		567	UNCH						
4275	----	----			130.90B/114.20A	130.90B/114.20A	----	----		126.80 + 2.30	.2803	----	----	----	----		23	UNCH						
4290	----	----			135.50B/118.10A	135.50B/118.10A	----	----		131.40 + 2.40	.2882	----	----	----	----		1	UNCH						
4300	----	----			138.70B/120.90A	138.70B/120.90A	----	----		134.50 + 2.50	.2935	----	----	----	----		100	UNCH						
4305	----	----			140.40B/122.30A	140.40B/122.30A	----	----		136.10 + 2.50	.2962	----	----	----	----		1	UNCH						
4320	----	----			145.50B/126.60A	145.50B/126.60A	----	----		140.90 + 2.60														

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
DEC26																
1350	----	----	----	----	----/0.50A	----	----	0.10	UNCH	----	----	----	----	16	UNCH	
1375	----	----	----	----	----/14.20A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
1500	----	----	----	----	----/0.90A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
1600	----	----	----	----	----/1.20A	----	----	0.20	UNCH	----	----	----	----	190	UNCH	
1700	----	----	----	----	0.30B/1.60A	----	----	0.30	UNCH	----	----	----	----	200	UNCH	
1845	----	----	----	----	0.50B/2.10A	----	----	0.60	UNCH	----	----	----	----	55	UNCH	
1900	----	----	----	----	0.50B/2.20A	----	----	0.80 +	0.10	----	----	----	----	4	UNCH	
2000	----	----	----	----	0.60B/2.50A	----	----	1.00	UNCH	----	----	1	----	2	UNCH	
2400	----	----	----	----	1.70B/4.00A	----	----	2.60 +	0.20	----	----	----	----	1	UNCH	
2490	----	----	----	----	2.10B/4.40A	----	----	3.20 +	0.30	----	----	----	----	1	UNCH	
2750	----	----	----	----	3.80B/6.40A	----	----	5.20 +	0.30	----	----	----	----	1	UNCH	
2800	----	----	----	----	4.40B/6.90A	----	----	5.70 +	0.30	----	----	----	----	18	UNCH	
2900	----	----	----	----	6.10B/8.20A	----	----	6.70 +	0.20	----	----	----	----	26	UNCH	
2925	----	----	----	----	5.90B/8.60A	----	----	7.00 +	0.20	----	----	----	----	300	UNCH	
2975	----	----	----	----	6.40B/9.30A	----	----	7.70 +	0.20	----	----	----	----	400	UNCH	
3000	----	----	----	8.00B/-----	8.00B/9.00A	----	----	8.10 +	0.20	----	----	1	----	1361 +	1	
3100	----	----	----	----	8.70B/11.70A	----	----	10.10 +	0.30	----	----	1	----	2 +	1	
3160	----	----	----	----	9.80B/13.10A	----	----	11.50 +	0.30	----	----	----	----	2	UNCH	
3175	----	----	----	----	10.30B/13.40A	----	----	11.90 +	0.30	----	----	----	----	1	UNCH	
3250	----	----	----	----	12.70B/15.60A	----	----	14.00 +	0.40	----	----	----	----	20	UNCH	
3300	----	----	----	----	13.90B/17.20A	----	----	15.60 +	0.40	----	----	----	----	529	UNCH	
3400	----	----	----	----	18.00B/21.00A	----	----	19.40 +	0.40	----	----	----	----	1251	UNCH	
3425	----	----	----	----	18.90B/22.20A	----	----	20.50 +	0.40	----	----	----	----	350	UNCH	
3450	----	----	----	----	20.10B/23.30A	----	----	21.70 +	0.40	----	----	----	----	201	UNCH	
3460	----	----	----	----	20.70B/23.80A	----	----	22.20 +	0.40	----	----	----	----	20	UNCH	
3475	----	----	----	----	21.50B/24.60A	----	----	22.90 +	0.30	----	----	----	----	152	UNCH	
3500	----	----	----	----	22.90B/26.00A	----	----	24.30 +	0.40	----	----	----	----	1478	UNCH	
3550	----	----	----	27.00B/-----	27.00B/28.90A	----	----	27.30 +	0.50	----	----	----	----	18	UNCH	
3565	----	----	----	28.00B/-----	28.00B/29.70A	----	----	28.20 +	0.40	----	----	----	----	2	UNCH	
3590	----	----	----	30.00B/-----	30.00B/30.80A	----	----	30.00 +	0.50	----	----	----	----	1	UNCH	
3600	----	----	----	30.80B/-----	30.80B/31.60A	----	----	30.70 +	0.50	----	----	10	----	535 +	10	
3610	----	----	----	31.50B/-----	31.50B/32.10A	----	----	31.40 +	0.50	----	----	----	----	3	UNCH	
3650	----	----	----	34.70B/-----	34.70B/35.10A	----	----	34.50 +	0.60	----	----	----	----	201	UNCH	
3660	----	----	----	35.60B/-----	35.60B/36.00A	----	----	35.40 +	0.70	----	----	----	----	5	UNCH	
3670	----	----	----	36.40B/-----	36.40B/36.70A	----	----	36.20 +	0.70	----	----	----	----	1	UNCH	
3690	----	----	----	38.30B/-----	38.30B/38.40A	----	----	38.00 +	0.70	----	----	----	----	1	UNCH	
3700	----	----	----	38.90B/-----	38.90B/39.50A	----	----	38.90 +	0.70	----	----	----	----	280	UNCH	
3710	----	----	----	39.80B/-----	39.80B/40.20A	----	----	39.80 +	0.70	----	----	----	----	37	UNCH	
3720	----	----	----	40.50B/-----	40.50B/41.30A	----	----	40.80 +	0.70	----	----	----	----	1	UNCH	
3725	----	----	----	41.00B/-----	41.00B/41.80A	----	----	41.30 +	0.80	----	----	----	----	6	UNCH	
3750	----	----	----	43.70B/-----	43.70B/44.30A	----	----	43.80 +	0.70	----	----	----	----	166	UNCH	
3760	----	----	----	44.80B/-----	44.80B/45.30A	----	----	44.80 +	0.70	----	----	----	----	184	UNCH	
3780	----	----	----	47.10B/-----	47.10B/47.50A	----	----	47.00 +	0.70	----	----	----	----	1	UNCH	
3785	----	----	----	48.00B/-----	48.00B/48.00A	----	----	47.60 +	0.80	----	----	----	----	10	UNCH	
3800	42.70	42.70	----	49.90B/42.70	49.90B/42.70	49.90B/42.70	----	49.30 +	0.70	----	----	3	----	151	UNCH	
3805	----	----	----	50.30B/-----	50.30B/50.30A	50.30B/50.30A	----	49.90 +	0.70	----	----	----	----	11	UNCH	
3810	----	----	----	50.80B/-----	50.80B/50.80A	50.80B/50.80A	----	50.50 +	0.70	----	----	----	----	56	UNCH	
3850	----	----	----	56.80B/-----	56.80B/55.70A	56.80B/55.70A	----	55.50 +	0.70	----	----	----	----	24	UNCH	
3880	----	----	----	61.10B/-----	61.10B/59.50A	61.10B/59.50A	----	59.60 +	0.80	----	----	----	----	1	UNCH	
3900	----	----	----	64.10B/-----	64.10B/62.20A	64.10B/62.20A	----	62.50 +	0.80	----	----	2	----	1206	UNCH	
3920	----	----	----	67.20B/64.30A	67.20B/64.30A	67.20B/64.30A	----	65.50 +	0.80	----	----	----	----	50	UNCH	
3925	----	----	----	68.00B/65.00A	68.00B/65.00A	68.00B/65.00A	----	66.30 +	0.80	----	----	----	----	255	UNCH	
3930	----	----	----	68.90B/65.70A	68.90B/65.70A	68.90B/65.70A	----	67.00 +	0.80	----	----	----	----	2	UNCH	
3950	----	----	----	72.20B/68.80A	72.20B/68.80A	72.20B/68.80A	----	70.30 +	0.90	----	----	----	----	27	UNCH	
3965	----	----	----	74.80B/71.10A	74.80B/71.10A	74.80B/71.10A	----	72.80 +	0.90	----	----	----	----	50	UNCH	
3975	----	----	----	76.60B/73.30A	76.60B/73.30A	76.60B/73.30A	----	74.50 +	0.90	----	----	----	----	192	UNCH	
3980	73.50	73.50	----	77.40B/73.50	77.40B/73.50	77.40B/73.50	----	75.40 +	1.00	----	----	4	----	261	UNCH	
4000	----	----	----	81.20B/-----	81.20B/78.10A	81.20B/78.10A	----	79.00 +	1.00	----	----	----	----	2409	UNCH	
4025	----	----	----	86.20B/82.50A	86.20B/82.50A	86.20B/82.50A	----	83.80 +	1.20	----	----	----	----	220	UNCH	
4050	----	----	----	91.40B/86.10A	91.40B/86.10A	91.40B/86.10A	----	88.80 +	1.30	----	----	----	----	207	UNCH	
4070	----	----	----	95.70B/90.00A	95.70B/90.00A	95.70B/90.00A	----	93.00 +	1.50	----	----	----	----	8	UNCH	
4090	----	----	----	100.30B/94.90A	100.30B/94.90A	100.30B/94.90A	----	97.30 +	1.50	----	----	----	----	1	UNCH	
4100	----	----	----	102.50B/96.20A	102.50B/96.20A	102.50B/96.20A	----	99.60 +	1.60	----	----	----	----	398	UNCH	
4130	----	----	----	109.90B/102.90A	109.90B/102.90A	109.90B/102.90A	----	106.60 +	1.70	----	----	----	----	2	UNCH	
4150	----	----	----	115.00B/107.90A	115.00B/107.90A	115.00B/107.90A	----	111.60 +	1.90	----	----	----	----	93	UNCH	
4160	----	----	----	117.60B/110.20A	117.60B/110.20A	117.60B/110.20A	----	114.10 +	1.90	----	----	----	----	252	UNCH	
4170	----	----	----	120.20B/112.40A	120.20B/112.40A	120.20B/112.40A	----	116.70 +	2.00	----	----	----	----	60	UNCH	
4175	----	----	----	121.60B/113.80A	121.60B/113.80A	121.60B/113.80A	----	118.00 +	2.00	----	----	----	----	1321	UNCH	
4200	113.00	113.00	----	128.60B/112.70A	128.60B/112.70A	128.60B/112.70A	----	124.80 +	2.20	----	----	70	----	14	UNCH	
4215	----	----	----	132.90B/123.90A	132.90B/123.90A	132.90B/123.90A	----	129.00 +	2.20	----	----	----	----	150	UNCH	
4230	----	----	----	137.30B/127.90A	137.30B/127.90A	137.30B/127.90A	----	133.40 +	2.40	----	----	----	----	344	UNCH	
4250	----	----	----	143.60B/133.20A	143.60B/133.20A	143.60B/133.20A	----	139.40 +	2.50	----	----	----	----	10	UNCH	
4265	----	----	----	148.20B/137.60A	148.20B/137.60A	148.20B/137.60A	----	144.00 +	2.50	----	----	----	----	2570	UNCH	
4300	----	----	----	160.00B/147.90A	160.00B/147.90A	160.00B/147.90A	----	155.30 +	2.70	----	----	----	----	100	UNCH	
4320	----	----	----	166.80B/153.90A	166.80B/153.90A	166.80B/153.90A	----	162.00 +	2.70	----	----	----	----	559	UNCH	
4325	----	----	----	168.60B/155.60A	168.60B/155.60A	168.60B/155.60A	----	163.80 +	2.80	----	----	----	----	82	UNCH	
4340	----	----	----	174.10B/160.40A	174.10B/160.40A	174.10B/160.40A	----	169.00 +	2.80	----	----	----	----	3247	UNCH	
4350	----	----	----	177.80B/163.60A	177.80B/163.60A	177.80B/163.60A	----	172.60 +	2.90	----	----	----	----	3299	UNCH	
4365	----	----	----	183.40B/168.70A	183.40B/168.70A	183.40B/168.70A	----	178.10 +	3.10	----	----	----	----	390	UNCH	
4375	----	----	----	187.30B/172.10A	187.30B/172.10A	187.30B/172.10A	----	181.80 +	3.10	----	----	----	----	6	UNCH	
4385	----	----	----	191.20B/175.60A	191.20B/175.60A	191.20B/175.60A	----	185.60 +	3.30	----	----	----	----	75	UNCH	
4390	----	----	----	193.10B/177.40A	193.10B/177.40A	193.10B/177.40A	----	187.60 +	3.40	----	----	----	----	200	UNCH	
4400	----	----	----	197.20B/180.80A	197.20B/180.80A	197.20B/180.80A	----	191.50 +	3.50	----	----	----	----	290	UNCH	
4425	----	----	----	207.30B/190.00A	207.30B/190.00A	207.30B/190.00A	----	201.50 +	3.90	----	----	----	----	9	UNCH	
4430	----	----	----	209.50B/192.00A	209.50B/192.00A	209.50B/192.00A	----	203.50 +	4.00	----	----	----	----	10	UNCH	
4435	----	----	----	211.70B/193.90A	211.70B/193.90A	211.70B/193.90A	----	205.60 +	4.10	----	----	----	----	14	UNCH	
4440	212.50	212.50	----	213.80B/195.80A	213.80B/195.80A	213.80B/195.80A	----	207.60	NEW	----	----	2	----	2 +	2	
4450	----	----	----	218.10B/199.60A	218.10B/199.60A	218.10B/199.60A	----	211.80 +	4.30	----	----	----	----	260	UNCH	
4470	----	----	----	226.80B/207.40A	226.80B/207.40A	226.80B/207.40A	----	220.40 +	4.70	----	----	----	----	1	UNCH	
4475	----	----	----	229.00B/209.40A	229.00B/209.40A	229.00B/209.40A	----	222.60 +	4.80	----	----	----	----	9	UNCH	
4480	----	----	----	231.20B/211.60A	231.20B/211.60A	231.20B/211.60A	----	224.80 +	4.90	----	----	----	----	1	UNCH	
4500	210.00	210.00	----	240.30B/210.00	240.30B/210.00	240.30B/210.00	----	233.70 +	5.20	----	----	52	100	1260 +	50	
4510	----	----	----	245.00B/223.70A	245.00B/223.70A	245.00B/223.70A	----									

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																	
DEC26	----	----																
4950	----	----		509.50B/473.90A	509.50B/473.90A	----			499.10 + 11.80	.6495	----	----	----	----	24	UNCH		
4975	----	----		527.70B/484.60A	527.70B/484.60A	----			517.20 + 12.30	.6609	----	----	----	----	43	UNCH		
4980	----	----		531.40B/487.60A	531.40B/487.60A	----			520.90 + 12.50	.6632	----	----	----	----	5	UNCH		
4995	----	----		542.50B/----	542.50B/519.10A	----			531.90 + 12.80	.6698	----	----	----	----	32	UNCH		
5000	----	----		546.20B/----	546.20B/522.80A	----			535.60 + 12.90	.6720	----	----	----	----	445	UNCH		
5020	----	----		561.20B/----	561.20B/537.30A	----			550.60 + 13.40	.6807	----	----	----	----	8	UNCH		
5025	----	----		565.00B/----	565.00B/541.10A	----			554.30 + 13.40	.6828	----	----	----	----	210	UNCH		
5035	----	----		572.60B/----	572.60B/548.30A	----			561.90 + 13.60	.6871	----	----	----	----	8	UNCH		
5050	----	----		584.00B/----	584.00B/559.40A	----			573.20 + 13.80	.6934	----	----	----	----	201	UNCH		
5070	----	----		598.70B/574.30A	598.70B/574.30A	----			588.60 + 14.20	.7016	----	----	----	----	1	UNCH		
5075	----	----		595.90B/578.10A	595.90B/578.10A	----			592.40 + 14.20	.7036	----	----	----	----	100	UNCH		
5095	----	----		608.50B/593.20A	608.50B/593.20A	----			607.90 + 14.50	.7116	----	----	----	----	6	UNCH		
5100	----	----		611.20B/597.00A	611.20B/597.00A	----			611.80 + 14.60	.7136	----	----	----	----	6	UNCH		
5195	----	----		----	580.80B/755.10A	----			687.70 + 15.60	.7490	----	----	----	----	5	UNCH		
5200	----	----		----	584.90B/759.00A	----			691.80 + 15.70	.7508	----	----	----	----	38	UNCH		
5250	----	----		----	626.70B/798.70A	----			733.00 + 16.00	.7676	----	----	----	----	126	UNCH		
5290	----	----		----	660.50B/831.10A	----			766.50 + 16.30	.7804	----	----	----	----	1	UNCH		
5295	----	----		----	664.80B/835.10A	----			770.70 + 16.30	.7819	----	----	----	----	1	UNCH		
5360	----	----		----	721.10B/888.70A	----			826.20 + 16.50	.8011	----	----	----	----	100	UNCH		
5370	----	----		----	729.90B/897.10A	----			834.80 + 16.50	.8039	----	----	----	----	20	UNCH		
5375	----	----		----	734.30B/901.30A	----			839.20 + 16.60	.8053	----	----	----	----	34	UNCH		
5400	----	----		----	756.40B/922.30A	----			860.90 + 16.70	.8122	----	----	----	----	102	UNCH		
5415	----	----		----	769.70B/935.00A	----			874.00 + 16.70	.8160	----	----	----	----	4	UNCH		
5460	----	----		----	810.00B/973.50A	----			913.70 + 17.00	.8272	----	----	----	----	200	UNCH		
5465	----	----		----	814.60B/977.70A	----			918.10 + 17.00	.8286	----	----	----	----	50	UNCH		
5480	----	----		----	828.20B/990.70A	----			931.50 + 17.10	.8321	----	----	----	----	50	UNCH		
5500	----	----		----	846.20B/1008.00A	----			949.40 + 17.30	.8366	----	----	----	----	31	UNCH		
5525	----	----		----	869.10B/1029.80A	----			971.80 + 17.40	.8421	----	----	----	----	80	UNCH		
5600	----	----		----	937.30B/1096.10A	----			1040.00 + 18.10	.8574	----	----	----	----	252	UNCH		
5900	----	----		----	1217.60B/1374.10A	----			1320.80 + 19.80	.9027	----	----	----	----	125	UNCH		
6000	----	----		----	1293.20B/1469.70A	----			1416.60 + 20.10	.9135	----	----	----	----	40	UNCH		
6500	----	----		----	----	----			1905.10 + 21.90	.9456	----	----	----	----	4	UNCH		
TOTAL													214	100	28433+	132		
JAN27																		
2700	----	----		----	3.40B/8.00A	----			5.40 UNCH	.0119	----	----	----	----	11	UNCH		
2800	----	----		----	4.40B/9.10A	----			6.40 UNCH	.0144	----	----	----	----	10	UNCH		
3000	10.10	10.10		10.10/10.10	10.10/10.10	----			10.30 + 0.10	.0231	----	----	1	----	36 +	1		
3500	----	----		----	26.60B/32.50A	----			29.30 + 0.40	.0656	----	----	----	----	1	UNCH		
3520	----	----		----	29.60B/32.70A	----			30.60 + 0.30	.0684	----	----	----	----	1	UNCH		
3680	----	----		----	42.70B/45.00A	----			43.50 + 0.60	.0952	----	----	----	----	1	UNCH		
3800	----	----		58.80B/----	58.80B/58.90A	----			57.00 + 1.00	.1216	----	----	----	----	1	UNCH		
3825	----	----		62.20B/----	62.20B/61.30A	----			60.40 + 0.80	.1280	----	----	----	----	1	UNCH		
3850	----	----		65.80B/----	65.80B/64.70A	----			63.90 + 0.80	.1345	----	----	----	----	5	UNCH		
3900	----	----		73.60B/68.90A	73.60B/68.90A	----			71.70 + 0.30	.1486	----	----	----	----	1	UNCH		
3980	----	----		87.90B/80.40A	87.90B/80.40A	----			85.80 + 0.30	.1732	----	----	----	----	1	UNCH		
4000	----	----		91.80B/83.80A	91.80B/83.80A	----			89.70 + 0.50	.1798	----	----	----	----	3	UNCH		
4025	----	----		96.90B/88.30A	96.90B/88.30A	----			94.80 + 0.80	.1883	----	----	----	----	2	UNCH		
4070	----	----		106.80B/97.00A	106.80B/97.00A	----			104.40 + 1.00	.2042	----	----	----	----	1	UNCH		
4100	----	----		113.90B/103.40A	113.90B/103.40A	----			111.30 + 1.20	.2153	----	----	----	----	8	UNCH		
4200	----	----		140.50B/126.70A	140.50B/126.70A	----			137.00 + 1.60	.2549	----	----	----	----	3	UNCH		
4350	----	----		189.60B/170.10A	189.60B/170.10A	----			184.60 + 2.70	.3214	----	----	----	----	1	UNCH		
4400	----	----		208.60B/186.90A	208.60B/186.90A	----			203.00 + 3.20	.3452	----	----	----	----	1	UNCH		
4425	----	----		218.60B/195.50A	218.60B/195.50A	----			212.80 + 3.50	.3573	----	----	1500	----	UNCH			
4500	----	----		250.60B/224.60A	250.60B/224.60A	----			244.20 + 4.50	.3945	----	----	----	----	3	UNCH		
4585	----	----		291.00B/260.60A	291.00B/260.60A	----			283.60 + 5.60	.4377	----	----	----	----	1	UNCH		
4600	----	----		298.60B/267.40A	298.60B/267.40A	----			290.90 + 5.80	.4453	----	----	----	----	3	UNCH		
4610	----	----		303.60B/272.10A	303.60B/272.10A	----			295.90 + 5.90	.4505	----	----	----	----	1	UNCH		
4620	----	----		308.80B/276.70A	308.80B/276.70A	----			301.00 + 6.10	.4556	----	----	----	----	1	UNCH		
4630	----	----		314.00B/281.40A	314.00B/281.40A	----			306.10 + 6.30	.4607	----	----	----	----	1	UNCH		
4650	313.00	313.00		324.30B/291.10A	324.30B/291.10A	----			316.50 + 6.60	.4709	----	2	----	----	2 +	2		
4660	----	----		329.70B/295.80A	329.70B/295.80A	----			321.70 + 6.60	.4760	----	----	----	----	4	UNCH		
4665	----	----		332.40B/298.40A	332.40B/298.40A	----			324.40 + 6.70	.4786	----	----	----	----	4	UNCH		
4710	----	----		355.10B/321.10A	355.10B/321.10A	----			348.90 + 7.30	.5013	----	----	----	----	4	UNCH		
4760	----	----		384.30B/347.60A	384.30B/347.60A	----			377.50 + 7.90	.5263	----	----	100	----	UNCH			
4800	----	----		408.70B/379.80A	408.70B/379.80A	----			401.40 + 8.50	.5460	----	----	----	----	6	UNCH		
4820	----	----		421.00B/391.30A	421.00B/391.30A	----			413.60 + 8.60	.5557	----	----	----	----	6	UNCH		
4860	----	----		446.80B/415.00A	446.80B/415.00A	----			438.70 + 9.10	.5748	----	----	----	----	1	UNCH		
4960	----	----		514.00B/477.90A	514.00B/47													

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS																
MAR27																	
4200	----	----		163.10B/150.10A	163.10B/150.10A	----	----	159.70	+ 3.50	.2586	----	----	----	----	----	525	UNCH
4325	----	----		204.30B/186.80A	204.30B/186.80A	----	----	200.40	+ 4.90	.3080	----	----	----	----	----	10	UNCH
4370	----	----		220.80B/201.40A	220.80B/201.40A	----	----	216.60	+ 5.20	.3266	----	----	----	----	----	250	UNCH
4500	----	----		274.30B/249.90A	274.30B/249.90A	----	----	268.40	+ 5.70	.3827	----	----	----	----	----	6	UNCH
4525	----	----		285.20B/260.00A	285.20B/260.00A	----	----	279.20	+ 5.70	.3937	----	----	----	----	----	11	UNCH
4650	----	----		345.90B/315.20A	345.90B/315.20A	----	----	338.00	+ 6.10	.4500	----	----	----	----	----	2	UNCH
4660	----	----		346.70B/320.20A	346.70B/320.20A	----	----	343.00	+ 6.20	.4545	----	----	----	----	----	24	UNCH
4680	----	----		357.20B/329.90A	357.20B/329.90A	----	----	353.30	+ 6.40	.4636	----	----	----	----	----	1	UNCH
4710	----	----		373.40B/344.50A	373.40B/344.50A	----	----	369.10	+ 6.70	.4771	----	----	----	----	----	4	UNCH
4720	----	----		378.80B/349.60A	378.80B/349.60A	----	----	374.50	+ 6.80	.4816	----	----	----	----	----	2	UNCH
4740	----	----		390.00B/370.50A	390.00B/370.50A	----	----	385.50	+ 7.20	.4906	----	----	----	----	----	3	UNCH
4750	----	----		395.60B/375.40A	395.60B/375.40A	----	----	391.00	+ 7.30	.4950	----	----	----	----	----	15	UNCH
4810	----	----		430.20B/408.30A	430.20B/408.30A	----	----	425.50	+ 8.50	.5215	----	----	----	----	----	22	UNCH
4850	420.80	420.80		454.40B/420.80	454.40B/420.80	----	----	449.60	+ 9.40	.5388	----	----	----	1	----	5 +	1
4900	----	----		485.70B/459.80A	485.70B/459.80A	----	----	480.80	+ 10.50	.5600	----	----	----	----	----	2	UNCH
4905	----	----		488.90B/463.10A	488.90B/463.10A	----	----	484.00	+ 10.70	.5620	----	----	----	----	----	2	UNCH
5000	----	----		551.60B/522.10A	551.60B/522.10A	----	----	546.80	+ 12.60	.6004	----	----	----	----	----	75	UNCH
TOTAL														1		1534+	1
APR27																	
4300	----	----		----	102.80B/307.50A	----	----	252.30	+ 53.70	.3151	----	----	----	----	----	150	UNCH
4500	----	----		----	149.30B/417.50A	----	----	340.50	+ 65.70	.3879	----	----	----	----	----	1	UNCH
4900	----	----		----	288.60B/666.00A	----	----	560.80	+ 75.10	.5324	----	----	----	----	----	2	UNCH
4905	----	----		----	291.30B/672.00A	----	----	563.90	+ 75.10	.5341	----	----	----	----	----	2	UNCH
5000	----	----		----	317.70B/778.50A	----	----	624.20	+ 74.30	.5662	----	----	----	----	----	100	UNCH
5060	----	----		----	352.10B/794.80A	----	----	663.80	+ 73.30	.5859	----	----	----	----	----	25	UNCH
5200	----	----		----	443.80B/910.70A	----	----	760.10	+ 69.60	.6299	----	----	----	----	----	15	UNCH
TOTAL																295	0
JUN27																	
3625	----	----		----	----/*134.30A	----	----	106.30	+ 1.60	.1387	----	----	----	----	----	450	UNCH
4900	----	----		----	#186.10B/809.20A	----	----	582.20	+ 9.00	.5086	----	----	----	----	----	1	UNCH
4905	----	----		----	#180.60B/*813.40A	----	----	585.20	+ 9.10	.5102	----	----	----	----	----	1	UNCH
5085	----	----		----	#243.20B/*936.30A	----	----	697.60	+ 10.30	.5657	----	----	----	----	----	150	UNCH
TOTAL																602	0
DEC27																	
3700	----	----		----	----	----	----	177.10	+ 2.50	.1693	----	----	----	----	----	100	UNCH
3715	----	----		----	----	----	----	180.50	+ 2.50	.1721	----	----	----	----	----	150	UNCH
3820	----	----		----	----	----	----	205.60	+ 2.80	.1922	----	----	----	----	----	50	UNCH
4130	----	----		----	----	----	----	292.40	+ 4.10	.2583	----	----	----	----	----	168	UNCH
4500	----	----		----	----	----	----	429.30	+ 6.00	.3499	----	----	----	----	----	270	UNCH
4630	----	----		----	----	----	----	488.50	+ 6.70	.3843	----	----	----	----	----	284	UNCH
4860	----	----		----	----	----	----	607.80	+ 8.00	.4458	----	----	----	----	----	100	UNCH
5000	----	----		----	----	----	----	688.00	+ 8.80	.4821	----	----	----	----	----	50	UNCH
5650	----	----		----	----	----	----	1117.30	+ 12.50	.6337	----	----	----	----	----	200	UNCH
5880	----	----		----	----	----	----	1290.40	+ 13.70	.6788	----	----	----	----	----	200	UNCH
TOTAL																1572	0
JAN28																	
5000	----	----		----	----	----	----	689.20	+ 8.50	.4694	----	----	----	----	----	1	UNCH
5100	----	----		----	----	----	----	748.00	+ 9.10	.4939	----	----	----	----	----	1	UNCH
TOTAL																2	0
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																
JUN26																	
1500	----	----		3,078.70B/*3,00	3078.70B/3001.10A	----	----	3002.30	NEW	----	----	20	----	300	----	0	UNCH
1995	----	----		2,583.70B/2,506	2583.70B/2506.10A	----	----	2507.30	- 20.90	----	----	----	----	----	----	0	UNCH
2000	2520.00	2520.00		2,578.70B/2,501	2578.70B/2501.10A	----	----	2502.30	- 20.90	----	1377	----	1567	----	----	0 -	422
2005	----	----		2,573.70B/2,496	2573.70B/2496.10A	----	----	2497.30	- 20.90	----	----	----	----	----	----	0	UNCH
2795	----	----		1,783.70B/1,706	1783.70B/1706.10A	----	----	1707.30	- 20.90	----	----	----	----	----	----	0	UNCH
2800	----	----		1,778.70B/1,701	1778.70B/1701.10A	----	----	1702.30	- 20.90	----	510	----	----	----	----	0 -	510
2805	----	----		1,773.70B/1,696	1773.70B/1696.10A	----	----	1697.30	- 20.90	----	----	----	----	----	----	0	UNCH
3000	----	----		1,578.70B/1,501	1578.70B/1501.10A	----	----	1502.30	- 20.90	----	----	----	----	----	----	0	UNCH
3345	1161.50	1161.50		1,233.70B/1,156	1233.70B/1156.10A	----	----	1157.30	- 20.90	----	3	----	3	----	----	0	UNCH
3395	----	----		1,183.70B/1,106	1183.70B/1106.10A	----	----	1107.30	- 20.90	----	----	----	----	----	----	0	UNCH
3400	----	----		1,178.70B/1,101	1178.70B/1101.10A	----	----	1102.30	- 20.90	----	1395	----	815	----	----	0 -	615
3405	----	----		1,173.70B/1,096	1173.70B/1096.10A	----	----	1097.30	- 20.90	----	----	----	----	----	----	0	UNCH
3500	----	----		1,078.70B/1,001	1078.70B/1001.10A	----	----	1002.30	- 20.90	----	30	----	----	----	----	0 -	30
3525	----	----		1,053.70B/976.1	1053.70B/976.10A	----	----	977.30	- 20.90	----	1	----	----	----	----	0 -	1
3550	----	----		1,028.70B/951.1	1028.70B/951.10A	----	----	952.30	- 20.90	----	1	----	----	----	----	0 -	1
3585	----	----		993.70B/916.10A	993.70B/916.10A	----	----	917.30	- 20.90	----	100	----	----	----	----	0 -	100
3600	----	----		978.70B/901.10A	978.70B/901.10A	----	----	902.30	- 20.90	----	63	----	39	----	----	0 -	26
3635	----	----		943.70B/866.10A	943.70B/866.10A	----	----	867.30	- 20.90	----	----	----	----	----	----	0	UNCH
3650	----																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL																COMEX GOLD OPTIONS	
JUN26																	
4335	----	----		245.20B/166.00A	245.20B/166.00A	----			167.30 - 23.80	----	13	----	----	----	0 -	13	
4340	----	----		240.20B/161.00A	240.20B/161.00A	----			162.30 - 23.90	----	17	----	----	----	0 -	17	
4345	----	----		235.30B/156.00A	235.30B/156.00A	----			157.30 - 24.00	----	2	----	----	----	0 -	2	
4350	----	----		230.30B/151.00A	230.30B/151.00A	----			152.30 - 24.10	----	1457	----	----	----	0 -	1457	
4355	----	----		225.40B/146.10A	225.40B/146.10A	----			147.30 - 24.20	----	129	----	----	----	0 -	129	
4360	----	----		220.50B/141.10A	220.50B/141.10A	----			142.30 - 24.30	----	42	----	----	----	0 -	42	
4365	----	----		215.50B/136.10A	215.50B/136.10A	----			137.30 - 24.50	----	3	----	----	----	0 -	3	
4370	----	----		210.60B/131.10A	210.60B/131.10A	----			132.30 - 24.60	----	3	----	----	----	0 -	3	
4375	----	----		205.70B/126.10A	205.70B/126.10A	----			127.30 - 24.80	----	106	----	----	----	0 -	106	
4380	----	----		200.80B/121.10A	200.80B/121.10A	----			122.30 - 25.00	----	341	----	----	----	0 -	341	
4385	----	----		195.90B/116.10A	195.90B/116.10A	----			117.30 - 25.20	----	4	----	----	----	0 -	4	
4390	----	----		191.00B/111.10A	191.00B/111.10A	----			112.30 - 25.40	----	16	----	----	----	0 -	16	
4395	----	----		186.10B/106.10A	186.10B/106.10A	----			107.30 - 25.60	----	10	----	----	----	0 -	10	
4400	----	----		181.20B/101.10A	181.20B/101.10A	----			102.30 - 25.90	----	1463	----	28	----	0 -	1484	
4405	----	----		176.40B/96.00A	176.40B/96.00A	----			97.30 - 26.20	----	1	----	----	----	0 -	1	
4410	----	----		171.50B/91.10A	171.50B/91.10A	----			92.30 - 26.50	----	39	----	----	----	0 -	39	
4415	----	----		166.60B/86.10A	166.60B/86.10A	----			87.30 - 26.80	----	176	----	1	----	0 -	177	
4420	----	----		161.80B/81.00A	161.80B/81.00A	----			82.30 - 27.10	----	3	----	----	----	0 -	3	
4425	----	----		157.00B/76.00A	157.00B/76.00A	----			77.30 - 27.50	----	274	----	----	----	0 -	274	
4430	----	----		152.10B/*71.00A	152.10B/*71.00A	----			72.30 - 27.90	----	24	----	----	----	0 -	24	
4435	----	----		147.30B/*66.00A	147.30B/*66.00A	----			67.30 - 28.40	----	21	----	----	----	0 -	21	
4440	----	----		142.50B/*61.00A	142.50B/*61.00A	----			62.30 - 28.90	----	16	----	1	----	0 -	16	
4445	----	----		137.70B/*56.00A	137.70B/*56.00A	----			57.30 - 29.50	----	5	----	----	----	0 -	5	
4450	116.30	116.30		133.00B/51.00A	133.00B/51.00A	----			52.30 - 30.10	----	482	----	7	----	0 -	484	
4455	----	----		128.20B/*46.00A	128.20B/*46.00A	----			47.30 - 30.80	----	13	----	----	----	0 -	13	
4460	----	----		123.50B/*41.10A	123.50B/*41.10A	----			42.30 - 31.60	----	22	----	----	----	0 -	22	
4465	----	----		118.80B/*36.20A	118.80B/*36.20A	----			37.30 - 32.40	----	30	----	----	----	0 -	30	
4470	31.10	31.10		114.10B/*31.10	114.10B/*31.10	----			32.30 - 33.30	----	23	----	1	----	0 -	23	
4475	34.90	34.90		109.40B/*26.50A	109.40B/*26.50A	----			27.30 - 34.30	----	27	----	2	----	0 -	26	
4480	----	----		104.80B/*21.70A	104.80B/*21.70A	----			22.30 - 35.50	----	60	----	4	----	0 -	62	
4485	29.50	29.50		100.20B/*17.20A	100.20B/*17.20A	----			17.30 - 36.70	----	16	----	2	----	0 -	17	
4490	----	----		95.70B/*12.60A	95.70B/*12.60A	----			12.30 - 38.00	----	88	----	2	----	0 -	88	
4495	27.00	27.00		91.20B/*7.70A	91.20B/*7.70A	----			7.30 - 39.50	----	37	----	6	----	0 -	39	
4500	65.00	65.00		86.80B/*3.00A	86.80B/*3.00A	----			2.30 - 41.10	----	5805	----	101	----	0 -	5805	
4505	55.00	55.00		82.50B/*0.10A	82.50B/*0.10A	----			0.00 - 40.20	----	----	----	167	----	0 -	76	
4510	14.40	14.40		78.10B/*0.10A	78.10B/*0.10A	----			0.00 - 37.00	----	----	----	145	----	0 -	1425	
4515	13.60	13.60		73.80B/*0.10A	73.80B/*0.10A	----			0.00 - 34.10	----	----	----	102	----	0 -	194	
4520	29.00	29.00		69.70B/*0.10A	69.70B/*0.10A	----			0.00 - 31.30	----	----	----	157	----	0 -	174	
4525	48.20	48.20		65.60B/*0.10A	65.60B/*0.10A	----			0.00 - 28.70	----	----	----	221	----	0 -	498	
4530	63.90	63.90		63.90/*0.10	63.90/*0.10	----			0.00 - 26.20	----	----	----	235	----	0 -	238	
4535	39.50	39.50		57.90B/*0.10	57.90B/*0.10	----			0.00 - 23.90	----	----	----	65	----	0 -	97	
4540	52.10	52.10		54.00B/*0.10A	54.00B/*0.10A	----			0.00 - 21.80	----	----	----	135	----	0 -	141	
4545	7.00	7.00		50.30B/*0.10A	50.30B/*0.10A	----			0.00 - 19.80	----	----	----	122	----	0 -	87	
4550	27.80	27.80		48.50/*0.10	48.50/*0.10	----			0.00 - 18.00	----	----	----	459	----	0 -	731	
4555	31.40	31.40		43.80B/*0.10	43.80B/*0.10	----			0.00 - 16.40	----	----	----	108	----	0 -	124	
4560	30.00	30.00		40.60B/*0.10A	40.60B/*0.10A	----			0.00 - 14.90	----	----	----	171	----	0 -	189	
4565	22.70	22.70		37.70B/*0.10	37.70B/*0.10	----			0.00 - 13.50	----	----	----	158	----	0 -	158	
4570	21.20	21.20		34.80B/*0.10	34.80B/*0.10	----			0.00 - 12.30	----	----	----	179	----	0 -	179	
4575	14.80	14.80		32.30/*0.10	32.30/*0.10	----			0.00 - 11.10	----	----	----	254	----	0 -	281	
4580	22.50	22.50		29.70B/*0.10	29.70B/*0.10	----			0.00 - 10.10	----	----	----	257	----	0 -	389	
4585	26.80	26.80		27.30B/*0.10A	27.30B/*0.10A	----			0.00 - 9.20	----	----	----	42	----	0 -	238	
4590	14.90	14.90		26.00/*0.10	26.00/*0.10	----			0.00 - 8.40	----	----	----	182	----	0 -	284	
4595	9.00	9.00		23.10B/*0.10A	23.10B/*0.10A	----			0.00 - 7.70	----	----	----	31	----	0 -	78	
4600	8.10	8.10		24.00/*0.10	24.00/*0.10	----			0.00 - 7.10	----	----	----	943	----	0 -	4399	
4605	9.20	9.20		19.30B/*0.10	19.30B/*0.10	----			0.00 - 6.50	----	----	----	40	----	0 -	178	
4610	19.80	19.80		19.80/*0.10A	19.80/*0.10A	----			0.00 - 6.00	----	----	----	80	----	0 -	215	
4615	15.20	15.20		15.90B/*0.10	15.90B/*0.10	----			0.00 - 5.50	----	----	----	40	----	0 -	189	
4620	9.00	9.00		14.40B/*0.10A	14.40B/*0.10A	----			0.00 - 5.10	----	----	----	91	----	0 -	173	
4625	6.40	6.40		13.20B/*0.10A	13.20B/*0.10A	----			0.00 - 4.70	----	----	----	42	----	0 -	745	
4630	11.10	11.10		12.00B/*0.10	12.00B/*0.10	----			0.00 - 4.40	----	----	----	137	----	0 -	417	
4635	10.00	10.00		11.00B/*0.10A	11.00B/*0.10A	----			0.00 - 4.10	----	----	----	32	----	0 -	179	
4640	6.50	6.50		10.10B/*0.10	10.10B/*0.10	----			0.00 - 3.80	----	----	----	27	----	0 -	70	
4645	3.20	3.20		9.20B/*0.10A	9.20B/*0.10A	----			0.00 - 3.50	----	----	----	10	----	0 -	30	
4650	5.00	5.00		9.00/*0.10	9.00/*0.10	----			0.00 - 3.30	----	----	----	218	----	0 -	2964	
4655	7.00	7.00		7.50B/*0.10A	7.50B/*0.10A	----			0.00 - 3.10	----	----	----	4	----	0 -	100	
4660	6.60	6.60		6.80B/*0.10A	6.80B/*0.10A	----			0.00 - 2.90	----	----	----	8	----	0 -	165	
4665	2.10	2.10		6.30B/*0.10A	6.30B/*0.10A	----			0.00 - 2.70	----	----	----	10	----	0 -	70	
4670																	

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
JUN26	----	----	----	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5770	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5775	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5780	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5790	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5800	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5810	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5820	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5825	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5830	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5840	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5850	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5860	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5870	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5875	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5880	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5890	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5900	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5910	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5920	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5930	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5940	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5950	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5960	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5970	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5980	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
5990	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6000	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6010	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6020	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6030	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6040	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6050	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6060	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6070	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6080	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6090	----	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6100	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6110	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6120	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6125	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6130	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6140	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6150	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6160	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6170	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6180	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6190	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6200	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6210	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6220	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6230	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6240	----	----	----	----	----	----/3.00A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6250	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6260	----	----	----	----	----	----/8.80A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6270	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6280	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6290	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6300	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6310	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6320	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6330	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6340	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6350	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6360	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6370	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6380	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6390	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6400	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6410	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6420	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6430	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6440	----	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6450	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6460	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6470	----	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6480	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6490	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6500	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6525	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6550	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6575	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6600	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6625	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6650	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6675	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6700	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6725	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6750	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6775	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6800	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6825	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6850	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6875	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6900	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6925	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6950	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
6975	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7000	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7025	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7050	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7075	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7100	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7125	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7150	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7175	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7200	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7225	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7250	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7275	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7300	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7325	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7350	----	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -			
7375	----	----	----	----	----													

BULLETIN # 99@														METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL	COMEX GOLD OPTIONS																									
JUN26																										
9100	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	11											
9200	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	51											
9300	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	11											
9400	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	25											
9500	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	23											
9600	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	27											
9700	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	20											
9800	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	17											
9900	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	27											
10000	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	363											
10100	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2											
10300	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3											
10400	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2											
10500	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1											
10700	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4											
11000	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	72											
11300	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	12											
11500	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	300	----	0 -	1											
11600	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5											
11700	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	15											
11900	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2											
12000	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	202	----	0 -	406											
TOTAL												9377	230	0 -	180543											
JUL26																										
3300	----	----	----	----	----	----	----	1235.20 - 21.40	.9942	----	----	----	----	2	UNCH											
3500	----	----	----	----	----	----	----	1035.80 - 21.50	.9895	----	----	----	----	1	UNCH											
3600	----	----	----	1,004.40B/921.6	1004.40B/921.60A	----	----	936.40 - 21.50	.9859	----	----	----	----	24	UNCH											
3650	----	----	----	954.70B/871.90A	954.70B/871.90A	----	----	886.70 - 21.60	.9840	----	----	----	----	10	UNCH											
3670	----	----	----	934.90B/852.10A	934.90B/852.10A	----	----	866.90 - 21.60	.9832	----	----	----	----	3	UNCH											
3700	----	----	----	905.10B/822.30A	905.10B/822.30A	----	----	837.10 - 21.60	.9818	----	----	----	----	119	UNCH											
3735	----	----	----	----	----	----	----	802.40 - 21.70	.9798	----	----	----	----	1	UNCH											
3775	----	----	----	830.80B/748.20A	830.80B/748.20A	----	----	762.80 - 21.80	.9772	----	----	----	----	4	UNCH											
3800	----	----	----	808.70B/721.90A	808.70B/721.90A	----	----	738.10 - 21.80	.9752	----	----	1	----	2051 +	1											
3825	----	----	----	781.30B/698.90A	781.30B/698.90A	----	----	713.40 - 21.90	.9732	----	----	----	----	3	UNCH											
3850	----	----	----	756.70B/674.30A	756.70B/674.30A	----	----	688.80 - 21.90	.9710	----	----	----	----	65	UNCH											
3860	----	----	----	----	----	----	----	679.00 - 21.80	.9698	----	----	----	----	7	UNCH											
3865	----	----	----	741.90B/659.60A	741.90B/659.60A	----	----	674.00 - 21.90	.9692	----	----	----	----	1	UNCH											
3875	----	----	----	732.00B/649.80A	732.00B/649.80A	----	----	664.20 - 21.90	.9684	----	----	----	----	25	UNCH											
3900	----	----	----	715.80B/625.30A	715.80B/625.30A	----	----	639.70 - 21.90	.9652	----	----	----	----	18	UNCH											
3925	----	----	----	691.30B/600.90A	691.30B/600.90A	----	----	615.20 - 22.00	.9619	----	----	----	----	35	UNCH											
3950	580.00	580.00		666.80B/575.00A	666.80B/575.00A	----	----	590.80 - 22.00	.9585	----	----	3	----	820	UNCH											
3960	----	----	----	657.00B/563.60A	657.00B/563.60A	----	----	581.00 - 22.10	.9566	----	----	----	----	1	UNCH											
4000	524.20	524.20		617.90B/524.20	617.90B/524.20	----	----	542.20 - 22.10	.9494	----	----	2	----	13 -	2											
4020	----	----	----	598.50B/505.60A	598.50B/505.60A	----	----	522.90 - 22.10	.9453	----	----	----	----	1	UNCH											
4030	500.50	500.50		588.70B/496.00A	588.70B/496.00A	----	----	513.30 - 22.10	.9428	----	----	2	----	0 -	2											
4040	----	----	----	579.10B/486.40A	579.10B/486.40A	----	----	503.60 - 22.20	.9403	----	----	----	----	1	UNCH											
4070	----	----	----	550.10B/457.80A	550.10B/457.80A	----	----	474.90 - NEW	.9325	----	1	----	----	1 +	1											
4075	----	----	----	545.30B/453.00A	545.30B/453.00A	----	----	470.20 - 22.20	.9308	----	----	----	----	6	UNCH											
4095	----	----	----	526.00B/434.10A	526.00B/434.10A	----	----	451.20 - 22.20	.9245	----	----	----	----	4	UNCH											
4100	----	----	----	521.20B/429.50A	521.20B/429.50A	----	----	446.50 - 22.20	.9231	----	----	----	----	194	UNCH											
4105	----	----	----	516.50B/424.80A	516.50B/424.80A	----	----	441.80 - 22.20	.9212	----	----	----	----	1	UNCH											
4110	----	----	----	511.70B/420.10A	511.70B/420.10A	----	----	437.00 - 22.30	.9194	----	----	----	----	3	UNCH											
4145	----	----	----	478.40B/387.60A	478.40B/387.60A	----	----	404.30 - 22.30	.9058	----	----	----	----	28	UNCH											
4150	----	----	----	473.70B/383.00A	473.70B/383.00A	----	----	399.70 - 22.30	.9035	----	----	----	----	37	UNCH											
4155	----	----	----	468.90B/378.50A	468.90B/378.50A	----	----	395.10 - 22.20	.9015	----	----	----	----	1	UNCH											
4160	----	----	----	464.20B/373.90A	464.20B/373.90A	----	----	390.50 - 22.20	.8992	----	----	----	----	1	UNCH											
4190	----	----	----	436.10B/346.70A	436.10B/346.70A	----	----	363.00 - 22.30	.8843	----	----	----	----	1	UNCH											
4200	----	----	----	426.80B/337.80A	426.80B/337.80A	----	----	354.00 - 22.20	.8786	----	----	----	----	9	UNCH											
4215	----	----	----	412.90B/324.50A	412.90B/324.50A	----	----	340.50 - 22.20	.8699	----	----	----	----	25	UNCH											
4220	----	----	----	408.30B/320.10A	408.30B/320.10A	----	----	336.10 - 22.20	.8670	----	----	----	----	1	UNCH											
4225	----	----	----	403.70B/315.70A	403.70B/315.70A	----	----	331.70 - 22.10	.8637	----	----	----	----	2	UNCH											
4235	----	----	----	394.50B/307.00A	394.50B/307.00A	----	----	322.80 - 22.20	.8573	----	----	----	----	1	UNCH											
4240	----	----	----	390.00B/302.70A	390.00B/302.70A	----	----	318.40 - 22.20	.8540	----	----	----	----	39	UNCH											
4245	----	----	----	385.50B/298.30A	385.50B/298.30A	----	----	314.10 - 22.10	.8503	----	----	----	----	1	UNCH											
4250	----	----	----	380.90B/294.00A	380.90B/294.00A	----	----	309.70 - 22.10	.8469	----	----	----	----	318	UNCH											
4255	----	----	----	376.30B/289.80A	376.30B/289.80A	----	----	305.40 - 22.10	.8434	----	----	----	----	1	UNCH											
4265	----	----	----	367.30B/281.40A	367.30B/281.40A	----	----	296.80 - 22.00	.8359	----	----	----	----	2	UNCH											
4270	----	----	----	362.90B/277.20A	362.90B/277.20A	----	----	292.50 - 22.00	.8321	----	----	----	----	38	UNCH											
4275	----	----	----	358.50B/272.90A	358.50B/272.90A	----	----	288.20 - 22.00	.8279	----	----	----	----	76	UNCH											
4280	----	----	----	354.00B/268.80A	354.00B/268.80A	----	----	284.00 - 22.00	.8241	----	----	----	----	3	UNCH											
4300	----	----	----	336.30B/252.50A	336.30B/252.50A	----	----	267.30 - 21.80	.8070	----	----	----	----	81	UNCH											
4315	----	----	----	323.30B/240.50A	323.30B/240.50A	----	----	255.00 - 21.70	.7935	----	----	----	----	21	UNCH											
4325	----	----	----	314.60B/232.60A	314.60B/232.60A	----	----	246.90 - 21.70	.7837	----	----	----	----	22	UNCH											
4335	----	----	----	306.10B/224.90A	306.10B/224.90A	----	----	239.00 - 21.50	.7738	----	----	----	----	17	UNCH											
4350	----	----	----	293.40B/213.50A	293.40B/213.50A	----	----	227.30 - 21.40	.7583	----	----	----	----	17	UNCH											
4360	----	----	----	285.10B/206.10A	285.10B/206.10A	----	----	219.60 - 21.30	.7475	----	----	----	----	53	UNCH											
4365	----	----	----	280.90B/202.40A	280.90B/202.40A	----	----	215.80 - 21.20	.7420	----	----	----	----	45	UNCH											
4370	----	----	----	276.80B/198.80A	276.80B/198.80A	----	----	212.10 - 21.10	.7362	----	----	----	----	20	UNCH											
4375	----	----	----	272.70B/195.10A	272.70B/195.10A	----	----	208.30 - 21.10	.7306	----	----	----	----	5	UNCH											
4400	238.10	238.10		252.50B/177.60A	252.50B/177.60A	----	----	190.20 - 20.70	.7004	----	3	----	----	2308	5											
4410	----	----	----	244.70B/170.90A	244.70B/170.90A	----	----	183.20 - 20.50	.6880	----	----	----	----	4	UNCH											
4415	----	----	----	240.90B/167.60A	240.90B/167.60A	----	----	179.80 - 20.40	.6815	----	----	----	----	39	UNCH											
4420	----	----	----	237.00B/164.30A	237.00B/164.30A	----	----	176.40 - 20.30	.6750	----	----	----	----	5	UNCH											
4425	----	----	----	233.00B/161.00A	233.00B/161.00A	----	----	173.00 - 20.20	.6684	----	----	----	----	16	UNCH											
4430	----	----	----	229.40B/157.90A	229.40B/157.90A	----	----	169.70 - 20.10	.6619	----	----	----	----	12	UNCH											
4445	----	----	----	218.10B/148.50A	218.10B/148.50A	----	----	159.90 - 19.80	.6416	----	----	----	----	30	UNCH											
4450	----	----	----	214.40B/145.40A	214.40B/145.40A	----	----	156.70 - 19.70	.6347	----	----	----	----	256	UNCH											
4455	----	----	----	210.80B/142.30A	210.80B/142.30A	----	----	153.60 - 19.50	.6277	----	----	----	----	2	UNCH											
4460	----	----	----	207.20B/139.40A	207.20B/139.40A	----	----	150.50 - 19.40	.6208	----	----	----	----	2	UNCH											
4465	----	----	----	203.60B/136.50A	203.60B/136.50A	----	----	147.40 - 19.30	.6137	----	----	----	----	2	UNCH											
4475	----	----	----	196.50B/130.70A	196.50B/130.70A	----	----	141.40 - 19.00	.5995	----	----	----	----	11	UNCH											
4480	----	----	----	193.00B/127.80A	193.00B/127.80A	----	----	138.40 - 19.00	.5923	----	----	----	----	36	UNCH											
4485	----	----	----	189.50B/125.20A	189.50B/125.20A	----	----	135.50 - 18.80	.5851	----	----	----	----	2	UNCH											
4490	----	----	----	186.10B/122.50A																						

BULLETIN # 99@		METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
JUL26														
4710	----	----	73.60B/*40.80A	73.60B/*40.80A	----	44.80 - 10.10	.2709	----	----	----	----	124	UNCH	
4715	50.70	50.70	72.00B/*39.70A	72.00B/*39.70A	----	43.50 - 10.10	.2649	----	----	1	----	3 +	1	
4720	45.70	45.70	70.00B/*38.60A	70.00B/*38.60A	----	42.40 - 9.80	.2594	----	----	5	----	25 -	2	
4725	48.10	48.10	68.50B/*37.60A	68.50B/*37.60A	----	41.20 - 9.70	.2537	----	----	7	----	134 +	4	
4730	----	----	66.80B/*36.50A	66.80B/*36.50A	----	40.10 - 9.50	.2482	----	----	----	----	18	UNCH	
4735	----	----	64.90B/*35.60A	64.90B/*35.60A	----	39.00 - 9.40	.2428	----	----	----	----	46	UNCH	
4740	----	----	63.70B/*34.60A	63.70B/*34.60A	----	38.00 - 9.10	.2376	----	----	----	----	11	UNCH	
4745	----	----	62.10B/*33.70A	62.10B/*33.70A	----	37.00 - 8.90	.2325	----	----	----	----	178	UNCH	
4750	53.70	53.70	60.60/*32.70A	60.60/*32.70A	----	36.10 - 8.70	.2276	----	308	200	1323 +	75		
4755	41.90	41.90	59.00B/*31.80A	59.00B/*31.80A	----	35.20 - 8.40	.2228	----	40	----	----	64 +	32	
4760	46.40	46.40	57.60B/*31.00A	57.60B/*31.00A	----	34.30 - 8.20	.2180	----	7	----	----	61 +	6	
4765	37.70	37.70	56.30B/*30.10A	56.30B/*30.10A	----	33.40 - 8.00	.2132	----	53	----	----	228 +	1	
4770	41.10	41.10	54.80B/*29.30A	54.80B/*29.30A	----	32.50 - 7.80	.2084	----	3	----	----	102	UNCH	
4775	----	----	53.40B/*28.50A	53.40B/*28.50A	----	31.60 - 7.70	.2037	----	6	----	----	168 +	4	
4780	----	----	52.10B/*27.80A	52.10B/*27.80A	----	30.80 - 7.40	.1992	----	----	----	----	41	UNCH	
4785	34.00	34.00	50.60B/*27.00A	50.60B/*27.00A	----	29.90 - 7.30	.1945	----	15	----	----	41 +	14	
4790	----	----	49.50B/*26.30A	49.50B/*26.30A	----	29.10 - 7.20	.1901	----	----	----	----	22	UNCH	
4795	33.70	33.70	48.30B/*25.60A	48.30B/*25.60A	----	28.30 - 7.00	.1857	----	1	----	----	88 -	1	
4800	41.10	41.10	47.10B/24.90A	47.10B/24.90A	----	27.50 - 6.90	.1813	----	580	185	2866 +	340		
4805	----	----	45.80B/*24.30A	45.80B/*24.30A	----	26.70 - 6.80	.1769	----	10	300	364 +	284		
4810	41.70	41.70	44.70B/*23.60A	44.70B/*23.60A	----	26.00 - 6.70	.1729	----	7	----	----	44 +	1	
4815	----	----	43.60B/*23.00A	43.60B/*23.00A	----	25.30 - 6.50	.1689	----	3	----	----	23 +	2	
4820	36.60	36.60	42.50B/*22.40A	42.50B/*22.40A	----	24.60 - 6.40	.1649	----	5	----	----	58 +	1	
4825	36.10	36.10	41.40B/*21.80A	41.40B/*21.80A	----	23.90 - 6.30	.1610	----	12	----	----	639 +	1	
4830	----	----	40.30B/*21.20A	40.30B/*21.20A	----	23.30 - 6.10	.1574	----	----	----	----	67	UNCH	
4835	34.90	34.90	39.30B/*20.60A	39.30B/*20.60A	----	22.60 - 6.10	.1534	----	5	----	----	36	UNCH	
4840	22.20	22.20	38.30B/*20.10A	38.30B/*20.10A	----	22.00 - 6.00	.1498	----	81	----	----	216 +	31	
4845	21.30	21.30	37.10B/*19.50A	37.10B/*19.50A	----	21.40 - 5.80	.1463	----	2	----	----	73	UNCH	
4850	33.70	33.70	36.30B/*19.00A	36.30B/*19.00A	----	20.90 - 5.70	.1431	----	177	50	1829 +	169		
4855	19.00	19.00	35.40B/*18.50A	35.40B/*18.50A	----	20.30 - 5.60	.1396	----	4	----	----	165 +	2	
4860	22.40	22.40	34.40B/*18.00A	34.40B/*18.00A	----	19.80 - 5.40	.1365	----	1	----	----	27	UNCH	
4865	----	----	33.60B/*17.60A	33.60B/*17.60A	----	19.30 - 5.30	.1334	----	1	----	----	32	UNCH	
4870	29.60	29.60	32.80B/*17.10A	32.80B/*17.10A	----	18.80 - 5.20	.1303	----	11	----	----	85 +	3	
4875	----	----	31.90B/*16.70A	31.90B/*16.70A	----	18.30 - 5.10	.1272	----	10	----	----	45	UNCH	
4880	----	----	31.00B/*16.20A	31.00B/*16.20A	----	17.80 - 5.00	.1241	----	----	----	----	105	UNCH	
4885	17.30	17.30	30.20B/*15.80A	30.20B/*15.80A	----	17.40 - 4.80	.1215	----	3	----	----	31 +	2	
4890	----	----	29.50B/*15.40A	29.50B/*15.40A	----	17.00 - 4.70	.1189	----	----	----	----	57	UNCH	
4895	16.20	16.20	28.70B/*15.00A	28.70B/*15.00A	----	16.50 - 4.60	.1158	----	1	----	----	52 +	1	
4900	24.60	24.60	28.00B/14.60A	28.00B/14.60A	----	16.10 - 4.50	.1132	----	764	20	2755 +	394		
4905	21.10	21.10	27.30B/*14.30A	27.30B/*14.30A	----	15.70 - 4.40	.1106	----	2	----	----	11	UNCH	
4910	14.00	14.00	26.50B/*13.90A	26.50B/*13.90A	----	15.30 - 4.30	.1081	----	20	----	----	166 +	17	
4915	----	----	25.90B/*13.60A	25.90B/*13.60A	----	14.90 - 4.20	.1055	----	----	----	----	61	UNCH	
4920	13.20	13.20	25.10B/*13.20	25.10B/*13.20	----	14.60 - 4.00	.1034	----	1	----	----	72	UNCH	
4925	14.00	14.00	24.30B/*12.90A	24.30B/*12.90A	----	14.20 - 4.00	.1008	----	13	----	----	55 +	12	
4930	12.70	12.70	23.90B/*12.60A	23.90B/*12.60A	----	13.90 - 3.80	.0988	----	13	----	----	79 +	13	
4935	12.70	12.70	23.10B/*12.30A	23.10B/*12.30A	----	13.50 - 3.80	.0962	----	8	----	----	649 +	8	
4940	12.40	12.40	22.70B/*12.00A	22.70B/*12.00A	----	13.20 - 3.70	.0942	----	8	----	----	297 +	8	
4945	----	----	22.10B/*11.70A	22.10B/*11.70A	----	12.90 - 3.50	.0921	----	----	----	----	26	UNCH	
4950	15.20	15.20	21.60B/*11.40A	21.60B/*11.40A	----	12.60 - 3.40	.0901	----	56	----	----	308	UNCH	
4955	----	----	21.20B/*11.20A	21.20B/*11.20A	----	12.20 - 3.50	.0876	----	----	----	----	88	UNCH	
4960	12.00	12.00	20.50B/*10.90A	20.50B/*10.90A	----	11.90 - 3.40	.0856	----	58	----	----	271 +	47	
4965	14.30	14.30	20.00B/*10.60A	20.00B/*10.60A	----	11.70 - 3.20	.0841	----	20	----	----	197 +	20	
4970	10.70	10.70	19.30B/*10.40A	19.30B/*10.40A	----	11.40 - 3.20	.0821	----	5	----	----	59 +	1	
4975	----	----	19.10B/*10.20A	19.10B/*10.20A	----	11.10 - 3.10	.0801	----	3	----	----	53 +	3	
4980	----	----	18.30B/*9.90A	18.30B/*9.90A	----	10.80 - 3.10	.0781	----	----	----	----	32	UNCH	
4985	----	----	18.00B/*9.70A	18.00B/*9.70A	----	10.60 - 3.00	.0766	----	----	----	----	65	UNCH	
4990	----	----	17.40B/*9.50A	17.40B/*9.50A	----	10.30 - 3.00	.0747	----	4	----	----	60 -	2	
4995	10.00	10.00	17.10B/*9.30A	17.10B/*9.30A	----	10.10 - 2.80	.0732	----	2	----	----	70 +	1	
5000	15.30	15.30	17.00/*8.90	17.00/*8.90	----	9.80 - 2.80	.0713	----	1714	----	3641 -	609		
5005	----	----	16.40B/*8.90A	16.40B/*8.90A	----	9.60 - 2.80	.0698	----	----	----	----	40	UNCH	
5010	14.80	14.80	15.60B/*8.70A	15.60B/*8.70A	----	9.30 - 2.80	.0679	----	4	----	----	34	UNCH	
5015	14.70	14.70	15.60B/*8.50A	15.60B/*8.50A	----	9.10 - 2.70	.0664	----	3	----	----	92	UNCH	
5020	----	----	14.90B/*8.30A	14.90B/*8.30A	----	8.90 - 2.60	.0650	----	1	----	----	29 -	1	
5025	14.50	14.50	14.50/*8.10A	14.50/*8.10A	----	8.70 - 2.60	.0636	----	40	----	----	372 +	39	
5030	----	----	14.20B/*8.00A	14.20B/*8.00A	----	8.50 - 2.50	.0622	----	----	----	----	211	UNCH	
5035	----	----	13.90B/*7.80A	13.90B/*7.80A	----	8.30 - 2.50	.0608	----	----	----	----	62	UNCH	
5040	----	----	13.50B/*7.60A	13.50B/*7.60A	----	8.10 - 2.50	.0594	----	----	----	----	21	UNCH	
5045	----	----	13.20B/*7.50A	13.20B/*7.50A	----	7.90 - 2.40	.0580	----	----	----	----	13	UNCH	
5050	12.10	12.10	12.90B/*7.30	12.90B/*7.30	----	7.80 - 2.30	.0571	----	23	----	----	252 +	9	
5055	12.50	12.50	12.90B/*7.20A	12.90B/*7.20A	----	7.60 - 2.30	.0558	----	1	----	----	21	UNCH	
5060	----	----	12.60B/*7.00											

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS															
JUL26																	
5395	----	----	3.80B/*2.50A	3.80B/*2.50A	----	2.50	- 0.70	.0173	----	----	----	----	24	UNCH			
5400	3.70	3.70	3.90B/*2.50	3.90B/*2.50	----	2.50	- 0.70	.0172	----	----	97	----	3316	- 42			
5405	----	----	3.80B/*2.50A	3.80B/*2.50A	----	2.40	- 0.70	.0166	----	----	----	----	19	UNCH			
5410	----	----	3.80B/*2.50A	3.80B/*2.50A	----	2.40	- 0.70	.0165	----	----	----	----	24	UNCH			
5415	----	----	3.60B/*2.40A	3.60B/*2.40A	----	2.40	- 0.70	.0165	----	----	----	----	18	UNCH			
5420	----	----	3.80B/*2.40A	3.80B/*2.40A	----	2.30	- 0.70	.0159	----	----	----	----	29	UNCH			
5425	----	----	3.50B/*2.40A	3.50B/*2.40A	----	2.30	- 0.70	.0158	----	----	2	----	34	UNCH			
5430	----	----	3.50B/*2.40A	3.50B/*2.40A	----	2.30	- 0.70	.0157	----	----	----	----	11	UNCH			
5435	----	----	3.50B/*2.30A	3.50B/*2.30A	----	2.30	- 0.60	.0157	----	----	----	----	7	UNCH			
5440	----	----	3.40B/*2.30A	3.40B/*2.30A	----	2.20	- 0.70	.0151	----	----	----	----	20	UNCH			
5445	----	----	3.40B/*2.30A	3.40B/*2.30A	----	2.20	- 0.70	.0150	----	----	----	----	24	UNCH			
5450	----	----	3.50B/*2.30A	3.50B/*2.30A	----	2.20	- 0.60	.0150	----	----	3	----	1167	UNCH			
5455	----	----	3.40B/*2.20A	3.40B/*2.20A	----	2.20	- 0.60	.0149	----	----	----	----	36	UNCH			
5460	----	----	3.30B/*2.20A	3.30B/*2.20A	----	2.10	- 0.70	.0143	----	----	----	----	27	UNCH			
5465	----	----	3.30B/*2.20A	3.30B/*2.20A	----	2.10	- 0.60	.0143	----	----	----	----	19	UNCH			
5470	----	----	3.20B/*2.20A	3.20B/*2.20A	----	2.10	- 0.60	.0142	----	----	----	----	28	UNCH			
5475	----	----	3.20B/*2.20A	3.20B/*2.20A	----	2.10	- 0.60	.0141	----	----	----	----	207	UNCH			
5480	----	----	3.10B/*2.10A	3.10B/*2.10A	----	2.10	- 0.60	.0141	----	----	----	----	5	UNCH			
5485	----	----	3.20B/*2.10A	3.20B/*2.10A	----	2.00	- 0.60	.0135	----	----	----	----	16	UNCH			
5490	----	----	3.10B/*2.10A	3.10B/*2.10A	----	2.00	- 0.60	.0135	----	----	----	----	19	UNCH			
5495	----	----	3.00B/*2.10A	3.00B/*2.10A	----	2.00	- 0.60	.0134	----	----	----	----	7	UNCH			
5500	3.60	3.60	3.60/*2.00	3.60/*2.00	----	2.00	- 0.60	.0134	----	----	99	----	2236	+ 6			
5505	----	----	3.00B/*2.10A	3.00B/*2.10A	----	2.00	- 0.50	.0133	----	----	----	----	15	UNCH			
5510	----	----	2.90B/*2.00A	2.90B/*2.00A	----	1.90	- 0.60	.0127	----	----	----	----	13	UNCH			
5515	----	----	2.90B/*2.00A	2.90B/*2.00A	----	1.90	- 0.60	.0127	----	----	----	----	18	UNCH			
5520	----	----	2.90B/*2.00A	2.90B/*2.00A	----	1.90	- 0.60	.0126	----	----	----	----	38	UNCH			
5525	----	----	2.90B/*2.00A	2.90B/*2.00A	----	1.90	- 0.50	.0126	----	----	----	----	91	UNCH			
5530	----	----	2.80B/*2.00A	2.80B/*2.00A	----	1.90	- 0.50	.0125	----	----	----	----	25	UNCH			
5535	----	----	2.80B/*2.00A	2.80B/*2.00A	----	1.80	- 0.60	.0120	----	----	----	----	12	UNCH			
5540	----	----	2.80B/*1.90A	2.80B/*1.90A	----	1.80	- 0.60	.0119	----	----	----	----	16	UNCH			
5545	----	----	2.70B/*1.90A	2.70B/*1.90A	----	1.80	- 0.50	.0119	----	----	----	----	16	UNCH			
5550	----	----	2.70B/*1.90A	2.70B/*1.90A	----	1.80	- 0.50	.0118	----	----	10	----	195	- 9			
5555	----	----	2.70B/*1.90A	2.70B/*1.90A	----	1.80	- 0.50	.0118	----	----	----	----	35	UNCH			
5560	----	----	2.70B/*1.90A	2.70B/*1.90A	----	1.80	- 0.50	.0118	----	----	----	----	23	UNCH			
5565	----	----	2.60B/*1.90A	2.60B/*1.90A	----	1.80	- 0.50	.0117	----	----	----	----	12	UNCH			
5570	----	----	2.60B/*1.90A	2.60B/*1.90A	----	1.70	- 0.50	.0111	----	----	----	----	4	UNCH			
5575	----	----	2.60B/*1.80A	2.60B/*1.80A	----	1.70	- 0.50	.0111	----	----	----	----	31	UNCH			
5580	----	----	2.60B/*1.80A	2.60B/*1.80A	----	1.70	- 0.50	.0111	----	----	----	----	7	UNCH			
5585	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.70	- 0.50	.0110	----	----	----	----	19	UNCH			
5590	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.70	- 0.50	.0110	----	----	----	----	5	UNCH			
5595	----	----	2.60B/*1.80A	2.60B/*1.80A	----	1.70	- 0.40	.0110	----	----	----	----	19	UNCH			
5600	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.70	- 0.40	.0109	----	----	11	----	2130	- 11			
5605	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.60	- 0.50	.0104	----	----	----	----	32	UNCH			
5610	----	----	2.40B/*1.70A	2.40B/*1.70A	----	1.60	- 0.50	.0103	----	----	----	----	10	UNCH			
5615	----	----	2.40B/*1.70A	2.40B/*1.70A	----	1.60	- 0.50	.0103	----	----	----	----	1	UNCH			
5620	----	----	2.40B/*1.70A	2.40B/*1.70A	----	1.60	- 0.50	.0103	----	----	----	----	6	UNCH			
5625	----	----	2.40B/*1.70A	2.40B/*1.70A	----	1.60	- 0.40	.0102	----	----	----	----	13	UNCH			
5630	----	----	2.30B/*1.70A	2.30B/*1.70A	----	1.60	- 0.40	.0102	----	----	----	----	6	UNCH			
5635	----	----	2.30B/*1.70A	2.30B/*1.70A	----	1.60	- 0.40	.0102	----	----	----	----	12	UNCH			
5640	----	----	2.30B/*1.70A	2.30B/*1.70A	----	1.60	- 0.40	.0101	----	----	----	----	8	UNCH			
5650	----	----	2.30B/*1.60A	2.30B/*1.60A	----	1.50	- 0.50	.0095	----	----	----	----	402	UNCH			
5660	----	----	2.20B/*1.60A	2.20B/*1.60A	----	1.50	- 0.40	.0095	----	----	----	----	7	UNCH			
5670	----	----	2.20B/*1.60A	2.20B/*1.60A	----	1.50	- 0.40	.0094	----	----	----	----	11	UNCH			
5675	----	----	2.10B/*1.60A	2.10B/*1.60A	----	1.50	- 0.40	.0094	----	----	----	----	7	UNCH			
5680	----	----	2.10B/*1.60A	2.10B/*1.60A	----	1.50	- 0.40	.0094	----	----	----	----	6	UNCH			
5690	----	----	2.10B/*1.50A	2.10B/*1.50A	----	1.40	- 0.40	.0088	----	----	----	----	21	UNCH			
5700	----	----	2.10B/*1.50A	2.10B/*1.50A	----	1.40	- 0.40	.0087	----	----	----	----	996	UNCH			
5710	----	----	2.00B/*1.50A	2.00B/*1.50A	----	1.40	- 0.40	.0087	----	----	----	----	22	UNCH			
5720	----	----	2.00B/*1.50A	2.00B/*1.50A	----	1.40	- 0.30	.0086	----	----	1	----	17	UNCH			
5725	----	----	2.00B/*1.50A	2.00B/*1.50A	----	1.40	- 0.30	.0086	----	----	9	----	56	UNCH			
5730	----	----	2.00B/*1.50A	2.00B/*1.50A	----	1.40	- 0.30	.0086	----	----	----	----	10	UNCH			
5740	----	----	1.90B/*1.40A	1.90B/*1.40A	----	1.30	- 0.40	.0080	----	----	----	----	9	UNCH			
5750	2.50	2.50	2.50/*1.40A	2.50/*1.40A	----	1.30	- 0.40	.0080	----	----	50	----	1026	+ 44			
5760	----	----	1.90B/*1.40A	1.90B/*1.40A	----	1.30	- 0.30	.0079	----	----	----	----	168	UNCH			
5770	----	----	1.80B/*1.40A	1.80B/*1.40A	----	1.30	- 0.30	.0079	----	----	1	----	4	UNCH			
5775	----	----	1.80B/*1.40A	1.80B/*1.40A	----	1.30	- 0.30	.0079	----	----	9	----	215	UNCH			
5780	----	----	1.80B/*1.30A	1.80B/*1.30A	----	1.30	- 0.30	.0078	----	----	----	----	6	UNCH			
5790	----	----	1.80B/*1.30A	1.80B/*1.30A	----	1.20	- 0.40	.0073	----	----	----	----	9	UNCH			
5800	1.20	1.20	1.80B/*1.20	1.80B/*1.20	----	1.20	- 0.30	.0073	----	----	3	----	804	UNCH			
5810	----	----	1.70B/*1.30A	1.70B/*1.30A	----	1.20	- 0.30	.0072	----	----	----	----	11	UNCH			
5820	----	----	1.70B/*1.30A	1.70B/*1.30A	----	1.20	- 0.30	.0072	----	----	----	----	208	UNCH			
5825	----	----	1.70B/*1.30A	1.70B/*1.30A	----	1.20	- 0.30	.0072	----	----	----	----	19	UNCH			
5830	----	----	1.70B/*1.30A	1.70B/*1.30A	----	1.20	- 0.30	.0071	----	----	----	----	1	UNCH			
5840	----	----	1.70B/*1.20A	1.70B/*1.20A	----	1.10	- 0.30	.0066	----	----	----	----	103	UNCH			
5850	----	----	1.60B/*1.20A	1.60B/*1.20A	----	1.10	- 0.30	.0066	----	----	----	----	112	UNCH			
5860	1.50	1.50	1.60B/*1.20A	1.60B/*1.20A	----	1.10	- 0.30	.0065	----	----	27	----	162	+ 27			
5870	----	----	1.60B/*1.20A	1.60B/*1.20A	----	1.10	- 0.30	.0065	----	----	----	----	16	UNCH			
5875	----	----	1.60B/*1.20A	1.60B/*1.20A	----	1.10	- 0.30	.0065	----	----	----	----	22	UNCH			
5880	----	----	1.60B/*1.20A	1.60B/*1.20A	----	1.10	- 0.30	.0065	----	----	----	----	11	UNCH			
5890	----	----	1.50B/*1.20A	1.50B/*1.20A	----	1.10	- 0.20	.0064	----	----	----	----	9	UNCH			
5900	1.10	1.10	1.50B/*1.00	1.50B/*1.00	----	1.00	- 0.30	.0059	----	----	6	----	435	+ 5			
5910	----	----	1.50B/*1.10A	1.50B/*1.10A	----	1.00	- 0.30	.0059	----	----	----	----	6	UNCH			
5920	----	----	1.50B/*1.10A	1.50B/*1.10A	----	1.00	- 0.30	.0058	----	----	----	----	19	UNCH			
5925	----	----	1.50B/*1.10A	1.50B/*1.10A	----	1.00	- 0.30	.0058	----	----	----	----	5	UNCH			
5930	----	----	1.40B/*1.10A	1.40B/*1.10A	----	1.00	- 0.20	.0058	----	----	----	----	4	UNCH			
5940	----	----	1.40B/*1.10A	1.40B/*1.10A	----	1.00	- 0.20	.0058	----	----	----	----	2	UNCH			
5950	----	----	1.40B/*1.10A	1.40B/*1.10A	----	1.00	- 0.20	.0058	----	----	----	----	43	UNCH			
5960	----	----	1.40B/*1.10A	1.40B/*1.10A	----	0.90	- 0.30	.0052	----	----	----	----	16	UNCH			
5970	----	----	1.40B/*1.10A	1.40B/*1.10A	----	0.90	- 0.30	.0052	----	----	----	----	55	UNCH			
5980	----	----	1.30B/*1.10A	1.30B/*1.10A	----	0.90	- 0.30	.0052	----	----	----	----	3	UNCH			
5990	----	----	1.30B/*1.00A	1.30B/*1.00A	----	0.90	- 0.20	.0052	----	----	----	----	76	UNCH			
6000	1.70	1.70	1.70/1.00	1.70/1.00	----	0.90	- 0.20	.0051	----	----	47	----	2194	+ 30			
6025	----	----	1.30B/*1.00A	1.30B/*1.00A	----	0.90	- 0.20	.0051	----	----	----	----	34	UNCH			
6050	----	----	1.20B/*1.00A	1.20B/*1.00A	----	0.80	- 0.20	.0045	----	----	----	----	45	UNCH			
6075	----	----	1.20B/*0.90A	1.20B/*0.90A	----	0.80	- 0.20	.0045	----	----	----	----	713	UNCH			
6100	----	----	1.10B/*0.90A	1.10B/*0.90A	----	0.80	- 0.20	.0044	----	----	----	----	290	UNCH			
6125	----	----	1.00B/----	1.00B/*0.90A	----	0.70	- 0.20	.0039	----	----	----	----	59	UNCH			
6150	----	----	1.00B/----	1.00B/*0.90A	----	0.70	- 0.20	.0039	----	----	----	----	881	UNCH			
6175	----	----	----/*0.80A	0.90B/*0.80A	----	0.70	- 0.20	.0038	----	----	12	----	37	UNCH			
6200	0.90	0.90	1.00B/*0.70	1.00B/*0.70													

BULLETIN # 99@														METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST							
OG CALL		COMEX GOLD OPTIONS																											
JUL26																													
7225	----	----	----	----/*0.30A	0.20B/*0.30A	----	----	----	----	0.20	-	0.20	.0009	----	----	----	----	----	----	----	----	22	UNCH						
7250	----	----	----	----	0.20B/*0.30A	----	----	----	----	0.20	-	0.10	.0009	----	----	----	----	----	----	----	----	23	UNCH						
7275	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.20	-	0.10	.0009	----	----	----	----	----	----	----	----	14	UNCH						
7300	----	----	----	----	0.20B/*0.30A	----	----	----	----	0.20	-	0.10	.0009	----	----	----	----	----	----	----	----	50	UNCH						
7350	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.10	-	0.20	.0004	----	----	----	----	----	----	----	----	8	UNCH						
7400	----	----	----	----	0.20B/*0.30A	----	----	----	----	0.10	-	0.20	.0003	----	----	----	----	----	----	----	----	2	UNCH						
7425	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.10	-	0.20	.0003	----	----	----	----	----	----	----	----	19	UNCH						
7450	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.10	-	0.20	.0003	----	----	----	----	----	----	----	----	28	UNCH						
7475	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.10	-	0.20	.0002	----	----	----	----	----	----	----	----	9	UNCH						
7500	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	----	----	----	----	0.10	-	0.20	.0002	----	----	----	----	3	----	----	----	297	UNCH						
7525	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.10	-	0.10	.0002	----	----	----	----	----	----	----	----	34	UNCH						
7550	----	----	----	----	0.10B/*0.20A	----	----	----	----	0.10	-	0.10	.0002	----	----	----	----	----	----	----	----	50	UNCH						
7575	----	----	----	----	0.10B/*0.20A	----	----	----	----	0.10	-	0.10	.0002	----	----	----	----	----	----	----	----	1	UNCH						
7600	----	----	----	----	0.10B/*0.20A	----	----	----	----	0.10	-	0.10	.0001	----	----	----	----	----	----	----	----	10	UNCH						
7625	----	----	----	----	0.10B/*0.20A	----	----	----	----	0.10	-	0.10	.0001	----	----	----	----	----	----	----	----	12	UNCH						
7700	----	----	----	----	0.10B/0.30A	----	----	----	----	0.10	-	0.10	.0001	----	----	----	----	----	----	----	----	11	UNCH						
7725	----	----	----	----	0.10B/*0.20A	----	----	----	----	0.10	-	0.10	.0001	----	----	----	----	----	----	----	----	17	UNCH						
7750	----	----	----	----	0.10B/*0.20A	----	----	----	----	0.10	-	0.10	.0001	----	----	----	----	----	----	----	----	6	UNCH						
7775	----	----	----	----	0.10B/*0.30A	----	----	----	----	0.10	-	0.10	.0001	----	----	----	----	----	----	----	----	6	UNCH						
7800	----	----	----	----	---/*0.30A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	5	UNCH						
7825	----	----	----	----	---/*0.30A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	13	UNCH						
7875	----	----	----	----	---/*0.30A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	151	UNCH						
7900	----	----	----	----	---/*0.30A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	1	UNCH						
8000	0.20	0.20	0.20/*0.20	0.20/*0.20	0.20/*0.20	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	10	----	----	----	1098 +	7						
8100	----	----	----	----	---/*0.20A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	7	UNCH						
8200	----	----	----	----	---/*0.20A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	3	UNCH						
8300	----	----	----	----	---/*0.20A	----	----	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	4	UNCH						
8500	----	----	----	----	---/*0.20A	----	----	----	----	0.10	UNCH	.0000	----	----	----	----	----	----	----	----	----	30	UNCH						
8600	----	----	----	----	---/*0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	2	UNCH						
8700	----	----	----	----	---/*0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	24	UNCH						
8800	----	----	----	----	---/*0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	7	UNCH						
9000	----	----	----	----	---/*0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	340	UNCH						
9200	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	11	UNCH						
9300	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	4	UNCH						
9400	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	141	UNCH						
9500	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	66	UNCH						
9900	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	5	UNCH						
10000	----	----	----	----	---/*0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	275	UNCH						
10100	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	12	UNCH						
10500	----	----	----	----	---/0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	5	UNCH						
10700	----	----	----	----	---/0.20A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	5	UNCH						
11000	----	----	----	----	---/0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	103	UNCH						
11200	----	----	----	----	---/*0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	13	UNCH						
11500	----	----	----	----	---/0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	47	UNCH						
11600	----	----	----	----	---/0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	50	UNCH						
12000	----	----	----	----	---/0.10A	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	----	----	----	----	222	UNCH						
TOTAL																8354		955		78547 +		1418							
AUG26																													
3200	----	----	----	1,401.90B/1.321	1401.90B/1321.90A	----	----	----	----	1335.30	-	21.40	.9892	----	----	----	----	----	----	----	----	8	UNCH						
3300	----	----	----	1,302.50B/1.222	1302.50B/1222.20A	----	----	----	----	1235.80	-	21.40	.9860	----	----	----	----	----	----	----	----	10	UNCH						
3350	----	----	----	1,252.80B/1.172	1252.80B/1172.40A	----	----	----	----	1186.10	-	21.50	.9845	----	----	----	----	----	----	----	----	160	UNCH						
3400	----	----	----	1,203.20B/1.121	1203.20B/1121.50A	----	----	----	----	1136.50	-	21.50	.9822	----	----	----	----	----	----	----	----	420	UNCH						
3500	----	----	----	1,104.30B/1.023	1104.30B/1023.70A	----	----	----	----	1037.50	-	21.50	.9773	----	----	----	----	----	----	----	----	46	UNCH						
3505	----	----	----	1,099.40B/1.018	1099.40B/1018.80A	----	----	----	----	1032.60	-	21.50	.9769	----	----	----	----	----	----	----	----	4	UNCH						
3520	----	----	----	1,084.60B/1.004	1084.60B/1004.00A	----	----	----	----	1017.80	-	21.50	.9760	----	----	----	----	----	----	----	----	65	UNCH						
3550	----	----	----	1,056.50B/973.3	1056.50B/973.30A	----	----	----	----	988.20	-	21.60	.9741	----	----	----	----	----	----	----	----	310	UNCH						
3600	----	----	----	1,008.60B/923.1	1008.60B/923.10A	----	----	----	----	939.00	-	21.60	.9706	----	----	----	----	----	----	----	----	1045	UNCH						
3610	----	----	----	995.90B/915.40A	995.90B/915.40A	----	----	----	----	929.10	-	21.70	.9697	----	----	----	----	----	----	----	----	6	UNCH						
3650	----	----	----	956.60B/876.20A	956.60B/876.																								

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
AUG26															
4525	----	----	----	210.00B/153.20A	210.00B/153.20A	----	----	162.20	- 16.80		----	----	----	10	UNCH
4530	157.20	157.20		206.90B/150.90A	206.90B/150.90A	----	----	159.70	- 16.60		----	1	----	10 +	1
4535	----	----	----	204.40B/148.50A	204.40B/148.50A	----	----	157.20	- 16.60		----	----	----	10	UNCH
4540	----	----	----	201.70B/146.10A	201.70B/146.10A	----	----	154.70	- 16.50		1	----	----	6 +	1
4545	----	----	----	199.50B/143.80A	199.50B/143.80A	----	----	152.30	- 16.40		6	----	----	12 +	6
4550	170.40	170.40		197.10B/141.60A	197.10B/141.60A	----	----	149.90	- 16.30		86	----	----	106 +	69
4555	----	----	----	194.20B/139.20A	194.20B/139.20A	----	----	147.60	- 16.10		----	----	----	6	UNCH
4560	----	----	----	191.80B/137.20A	191.80B/137.20A	----	----	145.30	- 15.90		4	----	----	366	UNCH
4565	177.00	177.00		188.90B/134.90A	188.90B/134.90A	----	----	143.00	- 15.80		2	----	----	2 +	1
4570	161.90	161.90		186.20B/132.70A	186.20B/132.70A	----	----	140.70	- 15.70		5	----	----	165 +	1
4575	161.40	161.40		183.70B/130.60A	183.70B/130.60A	----	----	138.40	- 15.60		11	----	----	59 +	9
4580	155.10	155.10		180.90B/128.40A	180.90B/128.40A	----	----	136.20	- 15.50		5	----	----	209 +	2
4585	154.30	154.30		178.30B/126.50A	178.30B/126.50A	----	----	134.00	- 15.40		5	----	----	6 +	4
4590	----	----	----	175.90B/124.40A	175.90B/124.40A	----	----	131.90	- 15.20		----	----	----	72	UNCH
4595	147.90	147.90		173.30B/122.40A	173.30B/122.40A	----	----	129.70	- 15.10		1	----	----	36	UNCH
4600	156.60	156.60		170.80B/120.10	170.80B/120.10	----	----	127.60	- 15.00		21	----	----	387	UNCH
4605	150.80	150.80		167.90B/118.40A	167.90B/118.40A	----	----	125.60	- 14.70		2	----	----	6 +	2
4610	141.80	141.80		165.80B/116.50A	165.80B/116.50A	----	----	123.50	- 14.70		1	----	----	4 +	1
4615	----	----	----	163.40B/114.60A	163.40B/114.60A	----	----	121.50	- 14.50		----	----	----	39	UNCH
4620	152.40	152.40		160.90B/112.70A	160.90B/112.70A	----	----	119.50	- 14.40		4	----	----	13 -	1
4625	145.10	145.10		158.20B/110.80A	158.20B/110.80A	----	----	117.50	- 14.20		1	----	----	33 +	1
4630	139.80	139.80		156.50B/108.90A	156.50B/108.90A	----	----	115.60	- 14.10		1	----	----	15	UNCH
4640	----	----	----	151.90B/105.40A	151.90B/105.40A	----	----	111.80	- 13.80		----	----	----	10	UNCH
4645	----	----	----	149.60B/103.50A	149.60B/103.50A	----	----	109.90	- 13.70		----	----	----	1	UNCH
4650	140.20	140.20		147.00B/101.90A	147.00B/101.90A	----	----	108.10	- 13.50		32	----	----	546 +	27
4655	----	----	----	145.20B/100.10A	145.20B/100.10A	----	----	106.30	- 13.30		29	----	----	33 +	21
4660	----	----	----	142.80B/98.40A	142.80B/98.40A	----	----	104.50	- 13.20		1	----	----	31 +	1
4665	----	----	----	140.80B/96.80A	140.80B/96.80A	----	----	102.70	- 13.10		----	----	----	24	UNCH
4670	102.90	102.90		138.70B/95.20A	138.70B/95.20A	----	----	101.00	- 12.90		10	----	----	80 +	10
4675	101.20	101.20		135.60B/93.50A	135.60B/93.50A	----	----	99.30	- 12.80		38	----	----	87 +	26
4680	124.70	124.70		134.40B/92.00A	134.40B/92.00A	----	----	97.60	- 12.70		4	----	----	36 +	2
4685	----	----	----	132.40B/90.40A	132.40B/90.40A	----	----	96.00	- 12.50		----	----	----	202	UNCH
4690	----	----	----	130.30B/88.90A	130.30B/88.90A	----	----	94.30	- 12.40		2	----	----	41 +	2
4695	----	----	----	128.30B/*87.40A	128.30B/*87.40A	----	----	92.70	- 12.20		----	----	----	7	UNCH
4700	118.50	118.50		126.40B/85.90A	126.40B/85.90A	----	----	91.10	- 12.10		534	----	----	4087 +	503
4705	91.40	91.40		124.30B/*84.40A	124.30B/*84.40A	----	----	89.60	- 11.90		1	----	----	114 +	1
4710	92.30	92.30		122.40B/83.00A	122.40B/83.00A	----	----	88.00	- 11.80		14	----	----	77	UNCH
4715	----	----	----	120.50B/*81.60A	120.50B/*81.60A	----	----	86.50	- 11.70		----	----	----	2	UNCH
4720	114.60	114.60		118.60B/80.20A	118.60B/80.20A	----	----	85.10	- 11.40		506	----	----	554 +	489
4725	101.50	101.50		116.80B/78.80A	116.80B/78.80A	----	----	83.60	- 11.30		4	----	----	62	UNCH
4730	----	----	----	115.00B/*77.50A	115.00B/*77.50A	----	----	82.20	- 11.20		----	----	----	63	UNCH
4735	83.60	83.60		113.10B/*76.10A	113.10B/*76.10A	----	----	80.70	- 11.10		6	----	----	7 -	6
4740	79.90	79.90		111.30B/*74.80A	111.30B/*74.80A	----	----	79.30	- 11.00		2	----	----	23 +	1
4745	----	----	----	109.60B/*73.50A	109.60B/*73.50A	----	----	78.00	- 10.80		----	----	----	84	UNCH
4750	85.90	85.90		107.80B/72.20A	107.80B/72.20A	----	----	76.60	- 10.70		13	----	----	447 +	2
4755	----	----	----	106.10B/*71.00A	106.10B/*71.00A	----	----	75.30	- 10.50		----	----	----	59	UNCH
4760	80.50	80.50		103.80B/*69.80A	103.80B/*69.80A	----	----	74.00	- 10.40		47	----	----	46 -	6
4765	----	----	----	102.70B/*68.50A	102.70B/*68.50A	----	----	72.70	- 10.30		----	----	----	11	UNCH
4770	----	----	----	101.10B/*67.30A	101.10B/*67.30A	----	----	71.40	- 10.20		----	----	----	258	UNCH
4775	73.90	73.90		99.60B/*66.20A	99.60B/*66.20A	----	----	70.20	- 10.00		1	----	----	132 +	1
4780	----	----	----	98.00B/*65.10A	98.00B/*65.10A	----	----	69.00	- 9.90		1	----	----	14	UNCH
4785	70.00	70.00		96.40B/*64.00A	96.40B/*64.00A	----	----	67.80	- 9.70		176	----	----	175 +	164
4790	72.40	72.40		94.60B/*62.80A	94.60B/*62.80A	----	----	66.60	- 9.60		1	----	----	34 +	1
4795	61.90	61.90		93.30B/*61.70A	93.30B/*61.70A	----	----	65.40	- 9.50		3	----	----	127 +	3
4800	83.00	83.00		90.90B/60.60A	90.90B/60.60A	----	----	64.30	- 9.40		650	----	----	2792 +	227
4805	64.40	64.40		90.20B/*59.60A	90.20B/*59.60A	----	----	63.20	- 9.20		1	----	----	16	UNCH
4810	----	----	----	88.70B/*58.60A	88.70B/*58.60A	----	----	62.10	- 9.10		----	----	----	15	UNCH
4815	----	----	----	87.40B/*57.60A	87.40B/*57.60A	----	----	61.00	- 9.00		----	----	----	55	UNCH
4820	61.30	61.30		85.90B/*56.40A	85.90B/*56.40A	----	----	59.90	- 8.90		501	----	----	520 +	495
4825	60.20	60.20		84.50B/*55.60A	84.50B/*55.60A	----	----	58.90	- 8.70		1	----	----	92	UNCH
4830	----	----	----	83.20B/*54.60A	83.20B/*54.60A	----	----	57.80	- 8.70		----	----	----	64	UNCH
4835	----	----	----	81.80B/*53.70A	81.80B/*53.70A	----	----	56.80	- 8.50		----	----	----	38	UNCH
4840	----	----	----	80.60B/*52.80A	80.60B/*52.80A	----	----	55.80	- 8.40		----	----	----	25	UNCH
4845	----	----	----	78.90B/*51.80A	78.90B/*51.80A	----	----	54.90	- 8.20		----	----	----	1	UNCH
4850	60.80	60.80		77.90B/*50.80A	77.90B/*50.80A	----	----	53.90	- 8.10		46	----	----	293 +	40
4860	----	----	----	75.30B/*49.20A	75.30B/*49.20A	----	----	52.00	- 7.90		1	----	----	30 +	1
4865	59.30	59.30		74.10B/*48.30A	74.10B/*48.30A	----	----	51.10	- 7.80		1	----	----	14	UNCH
4870	----	----	----	72.70B/*47.50A	72.70B/*47.50A	----	----	50.20	- 7.70		----	----	----	49	UNCH
4875	----	----	----	71.50B/*46.70A	71.50B/*46.70A	----	----	49.30	- 7.60		----	----	----	174	UNCH
4880	----	----	----	70.40B/*45.90A	70.40B/*45.90A	----	----	48.50	- 7.40		----	----	----	142	UNCH
4885	----	----	----	69.20B/*45.10A	69.20B/*45.10A	----	----	47.60	- 7.30		----	----	----	49	UNCH
4890	----	----	----	68.00B/*44.30A	68.00B/*44.30A	----	----	46.80	- 7.20		----	----	----	9	UNCH
4895	----	----	----	66.90B/*43.50A	66.90B/*43.50A	----	----	46.00	- 7.00		----	----	----	63	UNCH
4900	64.00	64.00		66.30B/42.70A	66.30B/42.70A	----	----	45.20	- 6.90		496	----	----	1179 +	415
4905	----	----	----	64.70B/*42.10A	64.70B/*42.10A	----	----	44.40	- 6.80		----	----	----	14	UNCH
4910	----	----	----	63.80B/*41.30A	63.80B/*41.30A	----	----	43.60	- 6.80		----	----	----	14	UNCH
4915	----	----	----	62.70B/*40.70A	62.70B/*40.70A	----	----	42.80	- 6.70		1	----	----	26 +	1
4920	44.90	44.90		61.70B/*40.10A	61.70B/*40.10A	----	----	42.10	- 6.50		4	----	----	16 +	4
4925	39.20	39.20		60.60B/*39.20	60.60B/*39.20	----	----	41.40	- 6.40		6	----	----	308 +	1
4930	----	----	----	59.60B/*38.60A	59.60B/*38.60A	----	----	40.70	- 6.30		1	----	----	41 +	1
4935	----	----	----	58.60B/*38.00A	58.60B/*38.00A	----	----	39.90	- 6.30		----	----	----	5	UNCH
4940	55.00	55.00		57.60B/*37.30A	57.60B/*37.30A	----	----	39.30	- 6.10		2	----	----	46	UNCH
4945	----	----	----	56.50B/*36.80A	56.50B/*36.80A	----	----	38.60	- 6.00		1	----	----	83 +	1
4950	----	----	----	55.70B/*36.00A	55.70B/*36.00A	----	----	37.90	- 6.00		72	----	----	546 +	5
4955	----	----	----	54.80B/*35.50A	54.80B/*35.50A	----	----	37.30	- 5.80		----	----	----	37 -	UNCH
4960	43.00	43.00		53.90B/*35.00A	53.90B/*35.00A	----	----	36.60	- 5.80		6	----	----	23	UNCH
4965	----	----	----	53.00B/*34.30A	53.00B/*34.30A	----	----	36.00	- 5.70		----	----	----	17	UNCH
4970	----	----	----	52.00B/*33.70A	52.00B/*33.70A	----	----	35.40	- 5.60		----	----	----	9 +	5
4975	----	----	----	51.20B/*33.20A	51.20B/*33.20A	----	----	34.80	- 5.50		7	----	----	14	UNCH
4980	----	----	----	50.30B/*32.60A	50.30B/*32.60A	----	----	34.20	- 5.40		----	----	----	10	UNCH
4985	----</														

PG64		BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST					
OG CALL		COMEX GOLD OPTIONS																						
AUG26																								
5220	----	----			23.10B/*15.40A	23.10B/*15.40A	----	----	----	15.90 - 2.70	.0800	----	----	----	----	----			291		UNCH			
5225	----	----			22.90B/*15.40A	22.90B/*15.40A	----	----	----	15.70 - 2.60	.0790	----	----	----	----	----			55		UNCH			
5230	----	----			22.40B/*15.10A	22.40B/*15.10A	----	----	----	15.50 - 2.50	.0780	----	----	----	----	----			11		UNCH			
5235	----	----			22.10B/*14.90A	22.10B/*14.90A	----	----	----	15.20 - 2.60	.0767	----	----	----	----	----			20		UNCH			
5240	----	----			21.70B/*14.70A	21.70B/*14.70A	----	----	----	15.00 - 2.50	.0757	----	----	----	----	----			34		UNCH			
5245	----	----			21.40B/*14.50A	21.40B/*14.50A	----	----	----	14.80 - 2.50	.0747	----	----	----	----	----			17		UNCH			
5250	20.10	20.10			21.20B/*14.30A	21.20B/*14.30A	----	----	----	14.60 - 2.50	.0738	----	----	----	106	----			691	-	52			
5255	----	----			20.80B/*14.10A	20.80B/*14.10A	----	----	----	14.40 - 2.40	.0728	----	----	----	----	----			905		UNCH			
5260	19.30	19.30			20.70B/*13.80A	20.70B/*13.80A	----	----	----	14.20 - 2.40	.0718	----	----	----	1	----			34		UNCH			
5265	----	----			20.20B/*13.70A	20.20B/*13.70A	----	----	----	14.00 - 2.40	.0708	----	----	----	----	----			13		UNCH			
5270	----	----			19.90B/*13.50A	19.90B/*13.50A	----	----	----	13.80 - 2.30	.0699	----	----	----	----	----			151		UNCH			
5275	----	----			19.60B/*13.40A	19.60B/*13.40A	----	----	----	13.60 - 2.30	.0689	----	----	----	----	----			16		UNCH			
5280	----	----			19.40B/*13.10A	19.40B/*13.10A	----	----	----	13.50 - 2.20	.0683	----	----	----	----	----			207		UNCH			
5285	----	----			19.10B/*13.00A	19.10B/*13.00A	----	----	----	13.30 - 2.20	.0673	----	----	----	----	----			32		UNCH			
5290	----	----			18.80B/*12.90A	18.80B/*12.90A	----	----	----	13.10 - 2.20	.0664	----	----	----	----	----			22		UNCH			
5295	----	----			18.60B/*12.60A	18.60B/*12.60A	----	----	----	12.90 - 2.20	.0654	----	----	----	----	----			6		UNCH			
5300	----	----			18.40B/*12.50A	18.40B/*12.50A	----	----	----	12.80 - 2.10	.0648	----	----	----	99	----			1172	+	12			
5305	----	----			18.10B/*12.40A	18.10B/*12.40A	----	----	----	12.60 - 2.10	.0639	----	----	----	----	----			17		UNCH			
5310	----	----			17.90B/*12.10A	17.90B/*12.10A	----	----	----	12.40 - 2.10	.0630	----	----	----	----	----			107		UNCH			
5320	----	----			17.40B/*11.90A	17.40B/*11.90A	----	----	----	12.10 - 2.10	.0614	----	----	----	----	----			17		UNCH			
5325	----	----			17.20B/*11.80A	17.20B/*11.80A	----	----	----	12.00 - 2.00	.0608	----	----	----	----	----			27		UNCH			
5330	----	----			17.00B/*11.50A	17.00B/*11.50A	----	----	----	11.80 - 2.00	.0599	----	----	----	----	----			18		UNCH			
5335	----	----			16.70B/*11.50A	16.70B/*11.50A	----	----	----	11.70 - 1.90	.0593	----	----	----	----	----			1		UNCH			
5345	----	----			16.30B/*11.20A	16.30B/*11.20A	----	----	----	11.40 - 1.90	.0578	----	----	----	----	----			34		UNCH			
5350	14.70	14.70			16.10B/*11.10A	16.10B/*11.10A	----	----	----	11.30 - 1.80	.0573	----	----	----	2	----			8002		UNCH			
5355	----	----			15.90B/*10.80A	15.90B/*10.80A	----	----	----	11.10 - 1.90	.0564	----	----	----	----	----			1		UNCH			
5360	----	----			15.70B/*10.80A	15.70B/*10.80A	----	----	----	11.00 - 1.80	.0558	----	----	----	----	----			114		UNCH			
5365	----	----			15.50B/*10.70A	15.50B/*10.70A	----	----	----	10.90 - 1.80	.0552	----	----	----	----	----			6		UNCH			
5370	----	----			15.30B/*10.60A	15.30B/*10.60A	----	----	----	10.70 - 1.80	.0543	----	----	----	----	----			8008		UNCH			
5375	----	----			15.10B/*10.50A	15.10B/*10.50A	----	----	----	10.60 - 1.80	.0538	----	----	----	----	----			256		UNCH			
5380	----	----			14.50B/*10.40A	14.50B/*10.40A	----	----	----	10.50 - 1.70	.0532	----	----	----	----	----			38		UNCH			
5395	10.10	10.10			13.90B/*9.90A	13.90B/*9.90A	----	----	----	10.10 - 1.70	.0512	----	----	----	1	----			4	+	1			
5400	----	----			13.80B/*9.80A	13.80B/*9.80A	----	----	----	10.00 - 1.70	.0507	----	----	----	5	----			2395		UNCH			
5405	----	----			13.60B/*9.80A	13.60B/*9.80A	----	----	----	9.90 - 1.60	.0502	----	----	----	----	----			7		UNCH			
5410	----	----			13.60B/*9.70A	13.60B/*9.70A	----	----	----	9.80 - 1.60	.0496	----	----	----	----	----			24		UNCH			
5420	----	----			13.10B/*9.40A	13.10B/*9.40A	----	----	----	9.60 - 1.60	.0486	----	----	----	----	----			8		UNCH			
5425	----	----			12.90B/*9.30A	12.90B/*9.30A	----	----	----	9.50 - 1.50	.0480	----	----	----	----	----			22		UNCH			
5430	----	----			12.80B/*9.20A	12.80B/*9.20A	----	----	----	9.40 - 1.50	.0475	----	----	----	----	----			22		UNCH			
5435	----	----			12.80B/*9.10A	12.80B/*9.10A	----	----	----	9.20 - 1.60	.0466	----	----	----	----	----			50		UNCH			
5440	----	----			12.50B/*9.00A	12.50B/*9.00A	----	----	----	9.10 - 1.60	.0461	----	----	----	----	----			105		UNCH			
5445	----	----			12.30B/*8.90A	12.30B/*8.90A	----	----	----	9.10 - 1.50	.0460	----	----	----	----	----			10		UNCH			
5450	10.40	10.40			12.20B/*8.80A	12.20B/*8.80A	----	----	----	9.00 - 1.40	.0454	----	----	----	62	----			246	+	55			
5455	----	----			12.00B/*8.80A	12.00B/*8.80A	----	----	----	8.90 - 1.40	.0449	----	----	----	----	----			22		UNCH			
5460	----	----			11.90B/*8.70A	11.90B/*8.70A	----	----	----	8.80 - 1.40	.0444	----	----	----	----	----			12		UNCH			
5465	----	----			11.80B/*8.60A	11.80B/*8.60A	----	----	----	8.70 - 1.40	.0439	----	----	----	----	----			42		UNCH			
5470	----	----			11.70B/*8.50A	11.70B/*8.50A	----	----	----	8.60 - 1.40	.0434	----	----	----	----	----			14		UNCH			
5475	----	----			11.50B/*8.40A	11.50B/*8.40A	----	----	----	8.50 - 1.40	.0429	----	----	----	----	----			7		UNCH			
5480	----	----			11.40B/*8.30A	11.40B/*8.30A	----	----	----	8.40 - 1.40	.0424	----	----	----	----	----			14		UNCH			
5485	----	----			11.20B/*8.20A	11.20B/*8.20A	----	----	----	8.30 - 1.40	.0419	----	----	----	----	----			19		UNCH			
5490	----	----			11.20B/*8.10A	11.20B/*8.10A	----	----	----	8.20 - 1.40	.0414	----	----	----	----	----			2		UNCH			
5495	----	----			11.10B/*8.10A	11.10B/*8.10A	----	----	----	8.10 - 1.40	.0409	----	----	----	----	----			4		UNCH			
5500	12.00	12.00			12.00/*8.00A	12.00/*8.00A	----	----	----	8.10 - 1.30	.0407	----	----	----	367	----			1651	+	154			
5505	8.40	8.40			10.80B/*7.90A	10.80B/*7.90A	----	----	----	8.00 - 1.30	.0402	----	----	----	5	----			13		UNCH			
5510	----	----			10.70B/*7.80A	10.7																		

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS											
SEP26												
4485	249.00	249.00	267.20B/227.80A	267.20B/227.80A	----	237.80	NEW	.5868	----	1	----	1 +
4495	----	----	267.90B/222.40A	267.90B/222.40A	----	232.30	- 17.60	.5787	----	----	----	18 UNCH
4500	----	----	267.20B/219.60A	267.20B/219.60A	----	229.60	- 17.50	.5747	----	----	----	12 UNCH
4505	----	----	263.40B/217.10A	263.40B/217.10A	----	226.80	- 17.50	.5706	----	----	----	2 UNCH
4510	----	----	260.50B/214.60A	260.50B/214.60A	----	224.20	- 17.30	.5666	----	----	----	2 UNCH
4515	----	----	257.50B/211.90A	257.50B/211.90A	----	221.50	- 17.30	.5625	----	----	----	2 UNCH
4520	239.00	239.00	254.60B/209.40A	254.60B/209.40A	----	218.80	- 17.20	.5585	1	----	2 +	2 UNCH
4540	----	----	244.90B/199.60A	244.90B/199.60A	----	208.50	- 16.80	.5422	----	----	----	2 UNCH
4545	215.40	215.40	242.40B/197.10A	242.40B/197.10A	----	206.00	- 16.70	.5381	4	----	16	UNCH
4550	----	----	242.50B/194.70A	242.50B/194.70A	----	203.50	- 16.60	.5340	----	----	275	UNCH
4560	204.60	204.60	236.50B/189.80A	236.50B/189.80A	----	198.50	- 16.50	.5258	2	----	21 -	1 UNCH
4565	202.10	202.10	237.80B/187.60A	237.80B/187.60A	----	196.10	- 16.30	.5217	4	----	6 +	1 UNCH
4570	199.70	199.70	237.80B/185.30A	237.80B/185.30A	----	193.70	- 16.20	.5176	2	----	19	UNCH
4575	197.20	197.20	235.10B/183.00A	235.10B/183.00A	----	191.30	- 16.10	.5135	4	----	53 -	1 UNCH
4580	----	----	232.50B/180.70A	232.50B/180.70A	----	188.90	- 16.00	.5095	----	2	3	UNCH
4585	200.00	200.00	229.70B/178.30A	229.70B/178.30A	----	186.50	- 16.00	.5054	----	----	22 +	1 UNCH
4590	201.00	201.00	227.10B/176.20A	227.10B/176.20A	----	184.20	- 15.80	.5013	18	----	16 +	15 UNCH
4600	188.60	188.60	222.00B/171.80A	222.00B/171.80A	----	179.60	- 15.60	.4931	14	----	143 +	6 UNCH
4605	----	----	219.60B/169.60A	219.60B/169.60A	----	177.40	- 15.50	.4891	----	----	7	UNCH
4610	----	----	217.00B/167.50A	217.00B/167.50A	----	175.20	- 15.30	.4851	----	----	2	UNCH
4615	----	----	214.50B/165.40A	214.50B/165.40A	----	173.00	- 15.20	.4810	----	----	7	UNCH
4620	----	----	211.70B/163.30A	211.70B/163.30A	----	170.80	- 15.10	.4770	----	----	2	UNCH
4625	----	----	209.60B/161.20A	209.60B/161.20A	----	168.60	- 15.00	.4729	----	----	3	UNCH
4630	159.70	159.70	206.80B/159.10A	206.80B/159.10A	----	166.50	- 14.90	.4689	2	----	8	UNCH
4640	----	----	202.10B/155.10A	202.10B/155.10A	----	162.30	- 14.60	.4609	1	----	16 +	1 UNCH
4645	----	----	199.80B/153.10A	199.80B/153.10A	----	160.20	- 14.50	.4569	----	----	7	UNCH
4650	----	----	197.20B/151.20A	197.20B/151.20A	----	158.10	- 14.40	.4529	----	----	1	UNCH
4655	----	----	195.50B/149.20A	195.50B/149.20A	----	156.10	- 14.30	.4489	----	----	7	UNCH
4660	----	----	193.20B/147.30A	193.20B/147.30A	----	154.10	- 14.10	.4449	----	----	2	UNCH
4665	----	----	190.80B/145.30A	190.80B/145.30A	----	152.10	- 14.00	.4410	----	----	3	UNCH
4675	----	----	186.60B/141.70A	186.60B/141.70A	----	148.20	- 13.80	.4331	----	----	4	UNCH
4680	----	----	184.30B/139.80A	184.30B/139.80A	----	146.30	- 13.60	.4292	----	----	1	UNCH
4690	----	----	179.90B/136.20A	179.90B/136.20A	----	142.50	- 13.40	.4214	----	----	2	UNCH
4700	156.00	156.00	175.60B/132.40A	175.60B/132.40A	----	138.80	- 13.20	.4137	20	----	295 +	17 UNCH
4705	----	----	173.40B/130.90A	173.40B/130.90A	----	137.00	- 13.00	.4099	----	----	10	UNCH
4710	----	----	171.30B/129.30A	171.30B/129.30A	----	135.20	- 12.90	.4060	----	----	1	UNCH
4720	----	----	167.20B/125.70A	167.20B/125.70A	----	131.70	- 12.60	.3985	----	----	45	UNCH
4725	----	----	165.20B/124.10A	165.20B/124.10A	----	129.90	- 12.60	.3946	----	----	7	UNCH
4730	----	----	163.10B/122.40A	163.10B/122.40A	----	128.20	- 12.50	.3909	----	----	6	UNCH
4740	----	----	159.10B/119.20A	159.10B/119.20A	----	124.90	- 12.20	.3835	----	----	3	UNCH
4745	----	----	157.10B/*117.60	157.10B/*117.60A	----	123.20	- 12.10	.3797	2	----	5 +	2 UNCH
4750	----	----	155.10B/116.00A	155.10B/116.00A	----	121.60	- 11.90	.3761	----	----	227	UNCH
4755	----	----	153.30B/*114.50	153.30B/*114.50A	----	120.00	- 11.80	.3724	----	----	10	UNCH
4760	----	----	151.40B/112.90A	151.40B/112.90A	----	118.40	- 11.70	.3688	----	----	23	UNCH
4770	----	----	147.50B/109.90A	147.50B/109.90A	----	115.20	- 11.50	.3615	----	----	3	UNCH
4775	117.70	117.70	145.20B/108.30A	145.20B/108.30A	----	113.70	- 11.40	.3580	20	----	266	UNCH
4780	----	----	143.90B/107.00A	143.90B/107.00A	----	112.20	- 11.20	.3544	----	----	11	UNCH
4785	----	----	142.00B/*105.50	142.00B/*105.50A	----	110.70	- 11.10	.3509	2	----	5 +	2 UNCH
4790	----	----	139.80B/104.10A	139.80B/104.10A	----	109.20	- 11.00	.3473	----	----	6	UNCH
4795	109.10	109.10	138.00B/*102.90	138.00B/*102.90A	----	107.80	- 10.90	.3439	2	----	4 +	2 UNCH
4800	109.90	109.90	136.30B/101.30A	136.30B/101.30A	----	106.30	- 10.80	.3404	51	----	1151 -	3 UNCH
4805	106.20	106.20	134.50B/*100.20	134.50B/*100.20A	----	104.90	NEW	.3370	2	----	2 +	2 UNCH
4810	----	----	132.80B/98.60A	132.80B/98.60A	----	103.50	- 10.60	.3335	----	----	4	UNCH
4815	----	----	131.10B/*97.50A	131.10B/*97.50A	----	102.10	- 10.50	.3301	----	----	12	UNCH
4825	----	----	127.80B/94.70A	127.80B/94.70A	----	99.40	- 10.20	.3234	----	----	16	UNCH
4835	----	----	124.30B/*92.30A	124.30B/*92.30A	----	96.70	- 10.00	.3167	----	----	1	UNCH
4840	90.90	90.90	122.70B/*90.90	122.70B/*90.90	----	95.40	- 9.90	.3134	38	----	41 +	36 UNCH
4850	----	----	119.80B/88.40A	119.80B/88.40A	----	92.90	- 9.70	.3070	----	----	75	UNCH
4860	----	----	116.60B/*86.40A	116.60B/*86.40A	----	90.40	- 9.50	.3006	----	----	2	UNCH
4870	91.00	91.00	113.60B/*84.10A	113.60B/*84.10A	----	87.90	NEW	.2942	2	----	2 +	2 UNCH
4875	----	----	112.40B/82.60A	112.40B/82.60A	----	86.70	- 9.30	.2910	----	----	30	UNCH
4880	100.10	100.10	110.70B/*81.50A	110.70B/*81.50A	----	85.60	- 9.10	.2880	2	----	5 +	2 UNCH
4885	----	----	109.00B/*80.70A	109.00B/*80.70A	----	84.40	- 9.00	.2849	----	----	2	UNCH
4900	----	----	105.20B/*77.20A	105.20B/*77.20A	----	81.00	- 8.70	.2758	----	----	452 +	17 UNCH
4905	80.40	80.40	103.70B/*76.50A	103.70B/*76.50A	----	79.90	- 8.60	.2728	17	----	23 +	21 UNCH
4915	----	----	101.20B/*74.00A	101.20B/*74.00A	----	77.80	- 8.40	.2670	----	----	50	UNCH
4920	90.20	90.20	99.90B/*73.10A	99.90B/*73.10A	----	76.70	- 8.30	.2641	1	----	66 -	1 UNCH
4925	----	----	98.60B/*72.10A	98.60B/*72.10A	----	75.70	- 8.20	.2612	1	----	103 +	1 UNCH
4930	----	----	97.20B/*71.50A	97.20B/*71.50A	----	74.60	- 8.20	.2583	----	----	2	UNCH
4935	----	----	96.10B/*70.50A	96.10B/*70.50A	----	73.60	- 8.10	.2555	----	----	1	UNCH
4945	----	----	93.40B/*68.60A	93.40B/*68.60A	----	71.60	- 7.90	.2499	1	----	2 +	1 UNCH
4950	82.00	82.00	92.20B/*67.20A	92.20B/*67.20A	----	70.70	- 7.70	.2472	4	----	285 +	4 UNCH
4955	----	----	91.10B/*66.70A	91.10B/*66.70A	----	69.70	- 7.70	.2445	----	----	1	UNCH
4960	72.10	72.10	89.90B/*65.60A	89.90B/*65.60A	----	68.80	- 7.50	.2418	1	----	48 +	1 UNCH
4965	----	----	88.70B/*64.90A	88.70B/*64.90A	----	67.80	- 7.50	.2390	1	----	3 +	1 UNCH
4970	68.00	68.00	87.80B/*63.90A	87.80B/*63.90A	----	66.90	- 7.40	.2364	1	----	1	UNCH
4975	68.90	68.90	86.70B/*62.90A	86.70B/*62.90A	----	66.00	- 7.30	.2338	12	----	325 +	8 UNCH
4985	77.30	77.30	84.50B/*61.60A	84.50B/*61.60A	----	64.20	NEW	.2286	1	----	1 +	1 UNCH
5000	85.80	85.80	85.80/*58.90A	85.80/*58.90A	----	61.70	- 6.90	.2211	4	----	872 +	1 UNCH
5005	----	----	80.10B/*58.10A	80.10B/*58.10A	----	60.80	- 6.90	.2185	----	----	3	UNCH
5010	----	----	79.00B/*57.30A	79.00B/*57.30A	----	60.00	- 6.80	.2161	----	----	10	UNCH
5050	61.00	61.00	71.20B/*51.40A	71.20B/*51.40A	----	53.90	- 6.10	.1975	18	----	342 +	4 UNCH
5070	51.00	51.00	67.60B/*48.80A	67.60B/*48.80A	----	51.10	- 5.90	.1888	1	----	6 +	1 UNCH
5075	----	----	66.80B/*48.30A	66.80B/*48.30A	----	50.50	- 5.70	.1868	----	----	1	UNCH
5080	----	----	65.80B/*47.50A	65.80B/*47.50A	----	49.80	- 5.70	.1846	----	----	9	UNCH
5100	52.00	52.00	62.50B/*45.10A	62.50B/*45.10A	----	47.30	- 5.40	.1765	9	----	385 +	8 UNCH
5105	48.80	48.80	61.40B/*44.60A	61.40B/*44.60A	----	46.60	NEW	.1744	4	----	4 +	4 UNCH
5110	----	----	60.70B/*44.10A	60.70B/*44.10A	----	46.00	- 5.30	.1724	----	----	1	UNCH
5130	----	----	57.80B/*41.90A	57.80B/*41.90A	----	43.70	- 5.10	.1649	----	----	4	UNCH
5140	44.50	44.50	56.10B/*41.00A	56.10B/*41.00A	----	42.60	NEW	.1612	4	----	4 +	4 UNCH
5150	----	----	54.70B/*39.80A	54.70B/*39.80A	----	41.50	- 4.90	.1576	----	----	390	UNCH
5155	----	----	53.90B/*39.40A	53.90B/*39.40A	----	41.00	- 4.80	.1559	----	----	1	UNCH
5160	----	----	53.30B/*39.10A	53.30B/*39.10A	----	40.50	NEW	.1542	2	----	2 +	2 UNCH
5165	----	----	52.70B/*38.50A	52.70B/*38.50A	----	40.00	- 4.60	.1525	----	----	13	UNCH
5170	----	----	51.80B/*38.00A	51.80B/*38.00A	----	39.40	- 4.70	.1506	----	----	7	UNCH
5175	----	----	51.30B/*37.60A	51.30B/*37.60A	----	38.90	- 4.60	.1489	----	----	15	UNCH
5190	----	----	49.30B/*36.30A	49.30B/*36.30A	----	37.50	- 4.40	.1441	----	----	5004	UNCH
5200	48.00	48.00	48.10B/*35.30A	48.10B/*35.30A	----	36.50	- 4.40	.1407	2	----	5019 +	1 UNCH
5230	----											

BULLETIN # 99@														METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
OG CALL	COMEX GOLD OPTIONS																											
SEP26																												
5590	----	----	----	19.00B/*15.40A	19.00B/*15.40A	----	----	15.70 - 1.60	.0634	----	----	----	----	29	UNCH	4												
5595	----	----	----	17.80B/*15.30A	17.80B/*15.30A	----	----	15.50 - 1.60	.0627	----	----	----	----	4	UNCH	930												
5600	----	----	----	17.10B/*15.10A	17.10B/*15.10A	----	----	15.40 - 1.60	.0622	----	----	----	----	3	UNCH	3												
5605	----	----	----	----/*15.00A	16.70B/*15.00A	----	----	15.30 - 1.50	.0618	----	----	----	----	2	UNCH	3												
5620	----	----	----	----/*14.60A	16.20B/*14.60A	----	----	14.90 - 1.50	.0601	----	----	----	----	20	UNCH	2												
5625	----	----	----	----/*14.60A	16.20B/*14.60A	----	----	14.80 - 1.40	.0597	----	----	----	----	5	UNCH	2												
5645	----	----	----	----/*14.00A	15.70B/*14.00A	----	----	14.30 - 1.40	.0576	----	----	----	----	1	UNCH	1												
5650	13.90	13.90		13.90/*13.90	15.60B/*13.90	----	----	14.20 - 1.40	.0572	----	----	1	----	744	+	1												
5655	----	----	----	----/*13.90A	15.40B/*13.90A	----	----	14.10 - 1.30	.0568	----	----	----	----	4	UNCH	4												
5665	13.50	13.50		13.50/*13.50	15.20B/*13.50	----	----	13.80 - 1.40	.0556	----	----	1	----	3	-	1												
5675	----	----	----	----/*13.40A	14.90B/*13.40A	----	----	13.60 - 1.30	.0548	----	----	----	----	8	UNCH	1												
5690	----	----	----	----/*13.10A	14.50B/*13.10A	----	----	13.30 - 1.30	.0535	----	----	----	----	3	UNCH	8												
5700	15.50	15.50		15.50/*12.90A	15.50/*12.90A	----	----	13.10 - 1.20	.0527	----	----	1	----	1011	UNCH	1												
5710	----	----	----	----/*12.70A	14.00B/*12.70A	----	----	12.90 - 1.20	.0518	----	----	----	----	2	UNCH	3												
5730	----	----	----	----/*12.40A	13.60B/*12.40A	----	----	12.50 - 1.20	.0502	----	----	----	----	2	UNCH	2												
5750	----	----	----	----/*12.00A	13.10B/*12.00A	----	----	12.10 - 1.20	.0485	----	----	----	----	193	UNCH	1												
5760	----	----	----	----/*11.80A	12.90B/*11.80A	----	----	12.00 - 1.10	.0480	----	----	----	----	1	UNCH	2												
5770	----	----	----	----/*11.70A	12.70B/*11.70A	----	----	11.80 - 1.10	.0472	----	----	----	----	2	UNCH	1												
5775	----	----	----	----/*11.60A	12.60B/*11.60A	----	----	11.70 - 1.10	.0468	----	----	----	----	162	UNCH	1												
5800	----	----	----	----/*11.20A	12.20B/*11.20A	----	----	11.30 - 1.00	.0451	----	----	----	----	646	UNCH	1												
5850	14.00	14.00		14.00/*10.50A	14.00/*10.50A	----	----	10.60 - 0.90	.0420	----	----	12	----	448	+	9												
5900	----	----	----	----/*9.90A	10.60B/*9.90A	----	----	9.90 - 0.90	.0391	----	----	----	----	818	UNCH	1												
5950	----	----	----	----/*9.40A	10.00B/*9.40A	----	----	9.40 - 0.80	.0368	----	----	----	----	51	UNCH	1												
6000	9.00	9.00		9.00/*8.90A	9.50B/*8.90A	----	----	8.90 - 0.80	.0346	----	----	1	----	1351	+	1												
6075	----	----	----	----/*8.30A	8.70B/*8.30A	----	----	8.20 - 0.80	.0316	----	----	----	----	1	UNCH	1												
6100	----	----	----	----/*8.10A	8.50B/*8.10A	----	----	8.00 - 0.80	.0307	----	----	----	----	185	UNCH	1												
6200	----	----	----	----/*7.40A	7.60B/*7.40A	----	----	7.30 - 0.70	.0276	----	----	----	----	243	UNCH	1												
6300	----	----	----	----/*6.80A	7.00B/*6.80A	----	----	6.70 - 0.70	.0249	----	----	----	----	159	UNCH	1												
6400	----	----	----	----/*6.30A	6.20B/*6.30A	----	----	6.20 - 0.70	.0227	----	----	----	----	228	UNCH	1												
6500	----	----	----	----/*5.90A	5.80B/*5.90A	----	----	5.80 - 0.60	.0209	----	----	----	----	541	UNCH	1												
6600	----	----	----	----/*5.90A	5.40B/*5.90A	----	----	5.40 - 0.70	.0192	----	----	----	----	27	UNCH	1												
6650	----	----	----	----/*5.70A	5.30B/*5.70A	----	----	5.30 - 0.60	.0186	----	----	----	----	9	UNCH	1												
6750	----	----	----	----/*5.40A	5.00B/*5.40A	----	----	5.10 - 0.50	.0176	----	----	----	----	11	UNCH	1												
6775	----	----	----	----/*5.30A	4.80B/*5.30A	----	----	5.00 - 0.60	.0172	----	----	----	----	1	UNCH	1												
6800	----	----	----	----/*5.20A	4.70B/*5.20A	----	----	5.00 - 0.50	.0171	----	----	----	----	128	UNCH	1												
7000	----	----	----	----/*4.90A	4.30B/*4.90A	----	----	4.60 - 0.50	.0152	----	----	3	----	98	+	2												
8000	----	----	----	----/3.50A	3.00B/3.50A	----	----	3.30 - 0.30	.0095	----	----	----	----	125	UNCH	2												
TOTAL													2339	33609+		2063												
OCT26																												
3600	----	----	----	----	671.30B/781.40A	----	----	978.40 - 20.90	.9445	----	----	----	----	12	UNCH	1												
3900	----	----	----	----	389.70B/370.20A	----	----	700.60 - 20.80	.8826	----	----	----	----	40	UNCH	1												
4300	----	----	----	-----/370.20A	389.70B/370.20A	----	----	381.40 - 19.00	.7026	----	----	----	----	102	UNCH	1												
4400	----	----	----	335.80B/306.40A	335.80B/306.40A	----	----	317.00 - 18.20	.6387	----	----	----	----	8	UNCH	1												
4405	----	----	----	332.70B/303.50A	332.70B/303.50A	----	----	314.00 - 18.20	.6353	----	----	----	----	2	UNCH	1												
4480	----	----	----	310.80B/260.80A	310.80B/260.80A	----	----	270.80 - 17.30	.5841	----	----	----	----	1	UNCH	1												
4500	----	----	----	299.60B/250.20A	299.60B/250.20A	----	----	260.00 - 17.10	.5702	----	----	----	----	3	UNCH	1												
4515	----	----	----	291.00B/242.50A	291.00B/242.50A	----	----	252.10 - 16.80	.5597	----	----	----	----	1	UNCH	1												
4545	----	----	----	275.10B/227.80A	275.10B/227.80A	----	----	236.90 - 16.30	.5386	----	----	----	----	2	UNCH	1												
4550	----	----	----	272.30B/225.40A	272.30B/225.40A	----	----	234.40 - 16.20	.5351	----	----	----	----	1	UNCH	1												
4560	230.10	230.10		267.10B/220.70A	267.10B/220.70A	----	----	229.50 - NEW	.5281	----	----	1	----	1	+	1												
4565	----	----	----	264.30B/218.40A	264.30B/218.40A	----	----	227.10 - 15.90	.5246	----	----	----	----	1	UNCH	1												
4570	----	----	----	261.70B/216.10A	261.70B/216.10A	----	----	224.70 - 15.80	.5210	----	----	----	----	3	UNCH	1												
4575	----	----	----	259.10B/213.90A	259.10B/213.90A	----	----	222.30 - 15.70	.5175	----	----	----	----	3	UNCH	1												
4580	----	----	----	256.50B/211.70A	256.50B/211.70A	----	----	219.90 - 15.70	.5140	----	----	----	----	70	UNCH	1												
4585	218.40	218.40		254.10B/209.30A	254.10B/209.30A	----	----	217.60 - NEW	.5105	----	----	1	----	1	+	1												
4590	----	----	----	251.50B/207.00A	251.50B/207.00A	----	----	215.30 - 15.40	.5070	----	----	----	----	6	UNCH	1												
4595	----	----	----	248.90B/204.90A	248.90B/204.90A	----	----	213.00 - 15.30	.5035	----	----	----	----	3	UNCH	1												
4600	215.10	215.10		246.50B/202.70A	246.50B/202.70A	----	----	210.70 - 15.20	.5000	----	----	12	----	108	UNCH	1												
4605	216.70	216.70		243.90B/200.60A	243.90B/200.60A	----	----	208.40 - 15.20	.4965	----	----	6	----	9	+	6												
4610	----	----	----	241.50B/198.40A	241.50B/198.40A	----	----	206.20 - 15.00	.4930	----	----	----	----	15	UNCH	1												
4615	----	----	----	239.10B/196.20A	239.10B/196.20A	----	----	204.00 - 14.90	.4895	----	----	----	----	9	UNCH	1												
4620	217.90	217.90		236.70B/194.10A	236.70B/194.10A	----	----	201.80 - 14.80	.4860	----	----	6	----	15	+	2												
4625	----	----	----	234.30B/192.10A	234.30B/192.10A	----	----	199.60 - 14.70	.4825	----	----	----	----	5	UNCH	1												
4630	----	----	----	231.90B/190.00A	231.90B/190.00A	----	----	197.40 - 14.60	.4790	----	----	----	----	3	UNCH	1												
4635	200.00	200.00		229.30B/188.00A	229.30B/188.00A	----	----	195.30 - 14.50	.4756	----	----	1	----	5	+	1												
4640	----	----	----	227.10B/185.90A	227.10B/185.90A	----	----	193.20 - 14.40	.4721	----	----	----	----	4	UNCH	1												
4645	----	----	----	224.90B/183.80A	224.90B/183.80A	----	----	191.10 - 14.20	.4687	----	----	----	----	1	UNCH	1												
4650	----	----	----	221.90B/181.90A	221.90B/181.90A	----	----	189.00 - 14.10	.4652	----	----	1	----	299	+	1												
4655	----	----	----	220.10B/179.90A	220.10B/179.90A	----	----	186.90 - 14.10	.4618	----	----	----	----	3	UNCH	1												
4670	----	----	----	213.40B/174.10A	213.40B/174.10A	----	----	180.80 - 13.70	.4515	----	----	----	----	4	UNCH	1												
4675	----	----	----	213.70B/172.20A	213.70B/172.20A	----	----	178.80 - 13.60	.4481	----	----	1	----	2	+	1												
4690	----	----	----	207.20B/166.50A	207.20B/166.50A	----	----	173.00 - 13.20	.4379	----	----	----	----	4	UNCH	1												
4695	----	----	----	204.90B/164.60A	204.90B/164.60A	----	----	171.10 - 13.10	.4346	----	----	----	----	2	UNCH	1												
4700	----	----	----	201.40B/162.90A	201.40B/162.90A	----	----	169.20 - 13.00	.4312	----	----	----	----	168	UNCH	1												
4710	----	----	----	198.60B/159.20A	198.60B/159.20A	----	----	165.40 - 12.80	.4245	----	----	----	----	2	UNCH	1												
4715	----	----	----	196.00B/157.40A	196.00B/157.40A	----	----	163.60 - 12.70	.4212	----	----	----	----	2	UNCH	1												
4725	----	----	----	191.10B/154.00A	191.10B/154.00A	----	----	160.00 - 12.40	.4146	----	----	----	----	1	UNCH	1												
4730	----	----	----	190.50B/152.40A	190.50B/152.40A	----	----	158.20 - 12.30	.4113	----	----	----	----	2	UNCH	1												
4735	----	----	----	187.90B/*150.60	187.90B/*150.60A	----	----	156.40 - 12.20	.4080	----	----	----	----	1	UNCH	1												
4750	152.00	152.00		182.70B/145.60A	182.70B/145.60A	----	----	151.20 - 11.90	.3983	----	----	5	----	36	UNCH	1												
4755	----	----	----	181.00B/*143.90	181.00B/*143.90A	----	----	149.50 - 11.80	.3950	----	----	----	----	76	+	5												
4760	----	----	----	178.80B/142.40A	178.80B/142.40A	----	----	147.90 - 11.60	.3919	----	----	----	----	1	UNCH	1												
4765	----	----	----	177.10B/*140.80	177.10B/*140.80A	----	----	146.20 - 11.50	.3887	----	----	----	----	21	UNCH	1												
4775	----	----	----	172.30B/137.70A	172.30B/137.70A	----	----	142.90 - 11.30	.3823	----	----	----	----	25	UNCH	1												
4785	----	----	----	169.20B/*134.60	169.20B/*134.60A	----	----	139.70 - 11.10	.3760	----	----	----	----	3	UNCH	1												
4790	----	----	----	167.30B/133.10A	167.30B/133.10A	----	----	138.10 - 11.00	.3729	----	----	----	----	9	UNCH	1												
4795	----	----	----	165.80B/*131.60	165.80B/*131.60A	----	----	136.60 - 10.90	.3698	----	----	----	----	3	UNCH	1												
4800	----	----	----	164.20B/130.20A	164.20B/130.20A	----	----	135.00 - 10.80	.3667	----	----	----	----	494	UNCH	1												
4805	----																											

BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS																					
DEC26																							
2500		----	----	----	----	----	----	----	----	2101.20	NEW	.9973	1	----	----	422	----	421	+	421	+	421	+
3000		----	----	----	----	----	----	----	----	1601.40	NEW	.9813	----	----	----	1	----	1	+	1	+	1	+
3550		----	----	----	----	----	----	----	----	1068.10	- 21.50	.9311	----	----	----	----	----	2	----	2	----	2	----
3570		----	----	----	----	----	----	----	----	1049.50	- 21.50	.9280	----	----	----	----	----	1	----	1	----	1	UNCH
3600		----	----	----	----	----	----	----	----	1021.70	- 21.40	.9230	----	----	----	----	----	1	----	1	----	1	UNCH
3800		----	----	----	----	791.20B/940.00A	----	----	----	841.30	- 21.20	.8811	----	----	----	----	----	4	----	4	----	4	UNCH
3900		----	----	----	----	704.20B/853.90A	----	----	----	755.30	- 21.10	.8535	----	----	----	----	----	2	----	2	----	2	UNCH
4060		----	----	----	----	570.00B/727.10A	----	----	----	625.20	- 20.50	.7987	----	----	----	----	100	----	100	----	100	UNCH	
4100		----	----	----	----	537.60B/697.00A	----	----	----	594.40	- 20.20	.7828	----	----	----	----	48	----	48	----	48	UNCH	
4160		----	----	----	----	490.50B/653.10A	----	----	----	549.60	- 19.90	.7575	----	----	----	----	100	----	100	----	100	UNCH	
4175		----	----	----	----	479.00B/642.40A	----	----	----	538.70	- 19.80	.7509	----	----	----	----	37	----	37	----	37	UNCH	
4200		----	----	----	----	460.10B/624.80A	----	----	----	520.80	- 19.60	.7396	----	----	----	----	150	----	150	----	150	UNCH	
4250		----	----	----	-----/474.30A	469.70B/474.30A	----	----	----	485.90	- 19.40	.7161	----	----	----	----	293	----	293	----	293	UNCH	
4255		----	----	----	-----/471.10A	470.10B/471.10A	----	----	----	482.50	- 19.40	.7137	----	----	----	----	50	----	50	----	50	UNCH	
4300		----	----	----	471.90B/441.60A	471.90B/441.60A	----	----	----	452.50	- 19.20	.6916	----	----	----	----	436	----	436	----	436	UNCH	
4315		----	----	----	462.00B/432.00A	462.00B/432.00A	----	----	----	442.70	- 19.10	.6840	----	----	----	----	1	----	1	----	1	UNCH	
4320		----	----	----	458.70B/428.90A	458.70B/428.90A	----	----	----	439.50	- 19.10	.6815	----	----	----	----	100	----	100	----	100	UNCH	
4350		----	----	----	-----/410.20A	439.30B/410.20A	----	----	----	420.50	- 18.90	.6661	----	----	----	----	206	----	206	----	206	UNCH	
4375		----	----	----	-----/395.00A	423.60B/395.00A	----	----	----	405.00	- 18.70	.6530	----	----	----	----	61	----	61	----	61	UNCH	
4400		----	----	----	-----/380.30A	408.20B/380.30A	----	----	----	390.00	- 18.30	.6397	----	----	----	----	2	----	2	----	2	UNCH	
4425		----	----	----	-----/365.90A	393.20B/365.90A	----	----	----	375.30	- 18.00	.6262	----	----	----	----	8	----	8	----	8	UNCH	
4450		----	----	----	378.70B/351.80A	378.70B/351.80A	----	----	----	361.00	- 17.50	.6127	----	----	----	----	87	----	87	----	87	UNCH	
4465		----	----	----	376.10B/343.20A	376.10B/343.20A	----	----	----	352.60	- 17.30	.6044	----	----	----	----	93	----	93	----	93	UNCH	
4475		----	----	----	377.10B/337.00A	377.10B/337.00A	----	----	----	347.10	- 17.10	.5989	----	11	----	15	+	11	+	11	+	11	UNCH
4485		----	----	----	377.00B/331.70A	377.00B/331.70A	----	----	----	341.60	- 16.90	.5934	----	----	----	----	3	----	3	----	3	UNCH	
4490		----	----	----	377.00B/329.10A	377.00B/329.10A	----	----	----	338.90	- 16.80	.5906	----	----	----	----	7	----	7	----	7	UNCH	
4500		----	----	----	371.10B/323.80A	371.10B/323.80A	----	----	----	333.60	- 16.60	.5851	----	----	----	----	770	----	770	----	770	UNCH	
4525		----	----	----	357.10B/311.00A	357.10B/311.00A	----	----	----	320.40	- 16.20	.5712	----	----	----	----	20	----	20	----	20	UNCH	
4540		----	----	----	348.90B/303.50A	348.90B/303.50A	----	----	----	312.70	- 15.90	.5628	----	----	----	----	9	----	9	----	9	UNCH	
4550		----	----	----	343.50B/298.60A	343.50B/298.60A	----	----	----	307.70	- 15.70	.5572	----	----	----	----	13	----	13	----	13	UNCH	
4565		----	----	----	335.50B/291.40A	335.50B/291.40A	----	----	----	300.20	- 15.40	.5488	----	----	----	----	93	----	93	----	93	UNCH	
4575		----	----	----	330.20B/286.70A	330.20B/286.70A	----	----	----	295.30	- 15.30	.5431	----	----	----	----	1	----	1	----	1	UNCH	
4580		----	----	----	327.60B/284.30A	327.60B/284.30A	----	----	----	292.90	- 15.20	.5403	----	----	----	----	150	----	150	----	150	UNCH	
4585		----	----	----	325.00B/282.00A	325.00B/282.00A	----	----	----	290.50	- 15.10	.5375	----	----	----	----	325	----	325	----	325	UNCH	
4590		----	----	----	322.50B/279.60A	322.50B/279.60A	----	----	----	288.10	- 15.00	.5347	----	----	----	----	18	----	18	----	18	UNCH	
4600		----	----	----	317.30B/274.90A	317.30B/274.90A	----	----	----	283.30	- 14.90	.5291	----	----	----	----	162	----	162	----	162	UNCH	
4610		----	----	----	313.60B/270.40A	313.60B/270.40A	----	----	----	278.70	- 14.70	.5235	----	----	----	----	3	----	3	----	3	UNCH	
4615		----	----	----	313.00B/268.20A	313.00B/268.20A	----	----	----	276.30	- 14.70	.5207	----	----	----	----	41	----	41	----	41	UNCH	
4620		----	----	----	307.50B/265.90A	307.50B/265.90A	----	----	----	274.00	- 14.60	.5179	----	3	----	5	+	3	+	3	+	3	UNCH
4625		----	----	----	305.10B/263.70A	305.10B/263.70A	----	----	----	271.70	- 14.60	.5151	----	----	----	----	71	----	71	----	71	UNCH	
4630		----	----	----	302.60B/261.50A	302.60B/261.50A	----	----	----	269.50	- 14.40	.5123	----	----	----	----	3	----	3	----	3	UNCH	
4640		----	----	----	297.80B/257.30A	297.80B/257.30A	----	----	----	265.00	- 14.30	.5067	----	----	----	----	103	----	103	----	103	UNCH	
4650		----	----	----	292.70B/252.90A	292.70B/252.90A	----	----	----	260.50	- 14.30	.5012	----	11	----	299	+	1	+	1	+	1	UNCH
4675		----	----	----	281.00B/242.50A	281.00B/242.50A	----	----	----	249.70	- 14.10	.4873	----	----	----	----	58	----	58	----	58	UNCH	
4680		----	----	----	278.90B/240.40A	278.90B/240.40A	----	----	----	247.50	- 14.10	.4846	----	----	----	----	42	----	42	----	42	UNCH	
4700		----	----	----	269.70B/232.30A	269.70B/232.30A	----	----	----	239.20	- 13.90	.4736	----	----	----	----	95	----	95	----	95	UNCH	
4725		----	----	----	259.60B/222.60A	259.60B/222.60A	----	----	----	229.10	- 13.80	.4600	----	----	----	----	127	----	127	----	127	UNCH	
4730		----	----	----	257.10B/220.70A	257.10B/220.70A	----	----	----	227.10	- 13.80	.4572	----	----	----	----	2	----	2	----	2	UNCH	
4750		----	----	----	257.10B/213.30A	257.10B/213.30A	----	----	----	219.40	- 13.60	.4465	----	----	----	----	240	----	240	----	240	UNCH	
4775		----	----	----	246.60B/204.30A	246.60B/204.30A	----	----	----	210.10	- 13.40	.4332	----	----	----	----	2	----	2	----	2	UNCH	
4780		----	----	----	244.70B/202.60A	244.70B/202.60A	----	----	----	208.20	- 13.40	.4305	----	----	----	----	3	----	3	----	3	UNCH	
4790		----	----	----	240.50B/199.10A	240.50B/199.10A	----	----	----	204.60	- 13.30	.4253	----	----	----	----	1	----	1	----	1	UNCH	
4795		----	----	----	238.60B/*197.30	238.60B/*197.30A	----	----	----	202.90	- 13.20	.4227	----	----	----	----	9	----	9	----	9	UNCH	
4800		----	----	----	233.80B/195.60A	233.80B/195.60A	----	----	----	201.10	- 13.20	.4201	----	----	----	----	622	----	622	----	622	UNCH	
4810		----	----	----	232.70B/192.20A	232.70B/192.20A	----	----	----	197.60	- 13.10	.4149	----	----	----	----	59	----	59	----	59	UNCH	
4820		206.50	206.50	----	228.90B/188.90A	228.90B/188.90A	----	----	----	194.20	- 12.90	.4097	----	50	----	91	+	43	+	43	+	43	UNCH
4825		----	----	----	226.90B/187.30A	226.90B/187.30A	----	----	----	192.50	- 12.90	.4071	----	----	----	----	104	----	104	----	104	UNCH	
4835		----	----	----	223.10B/184.00A	223.10B/184.00A	----	----	----	189.20	- 12.70	.4021	----	----	----	----	125	----	125	----	125	UNCH	
4850		----	----	----	217.50B/179.30A	217.50B/179.30A	----	----	----	184.30	- 12.40	.3945	----	----	----	----	292	----	292	----	292	UNCH	
4875		----	----	----	208.60B/171.70A	208.60B/171.70A	----	----	----	176.50	- 11.90	.3821	----	1	----	2	+	1	+	1	+	1	UNCH
4880		----	----	----	206.70B/*170.20	206.70B/*170.20A	----	----	----	175.00	- 11.80	.3797	----	----	----	4	----	4	----	4	----	4	UNCH
4900		----	----	----	199.90B/164.30A	199.90B/164.30A	----	----	----	169.00	- 11.30	.3699	----	----	----	----	358	----	358	----	358	UNCH	
4905		176.70	176.70	----	190.30B/*163.00	190.30B/*163.00A	----	----	----	167.50	- NEW	.3675	----	10	----	10	+	10	+	10	+	10	UNCH
4910		175.20	175.20	----	193.10B/*161.50	193.10B/*161.50A	----	----	----	166.10	- 11.10	.3652	----	10	----	16	+	10	+	10	+	10	UNCH
4925		----	----	----	188.20B/157.30A	188.20B/157.30A	----	----	----	161.80	- 10.80	.3580	----	----	----	----	241	----	241	----	241	UNCH	
4950		----	----	----	175.90B/150.60A	175.90B/150.60A	----	----	----	155.00	- 10.10	.3465	----	----	----	----	103	----	103	----	103	UNCH	
4955		----	----	----	174.60B/*149.30	174.60B/*149.30A	----	----	----	153.60	- 10.10	.3442	----	----	----	----	10	----	10	----	10	UNCH	
4960		----	----	----	173.30B/*148.00	173.30B/*148.00A	----	----	----	152.30	- 10.00	.3419	----	----	----	----	10	----	10	----	10	UNCH	
4975		----	----	----	168.80B/144.20A	168.80B/144.20A	----	----	----	148.40	- 9.60	.3351	----	----	----	----	50	----	50	----	50	UNCH	
5000		166.00	166.00	----	175.00/138.00A	175.00/138.00A	----	----	----	142.10	- 9.10	.3241	----	75	270	2700	+	4	+	4	+	4	UNCH
5005		----	----	----	159.90B/*137.1																		

	BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																
DEC26																	
5680	----	----	53.00B/*46.90A	53.00B/*46.90A	----	46.70 - 3.60	.1260	----	----	----	----	21	UNCH				
5685	----	----	52.60B/*46.60A	52.60B/*46.60A	----	46.40 - 3.50	.1252					18	UNCH				
5690	----	----	52.10B/*46.30A	52.10B/*46.30A	----	46.10 - 3.40	.1244					27	UNCH				
5700	----	----	51.50B/*45.80A	51.50B/*45.80A	----	45.40 - 3.40	.1227			1	----	375	UNCH				
5705	----	----	51.00B/*45.50A	51.00B/*45.50A	----	45.10 - 3.40	.1220			----	----	5	UNCH				
5710	----	----	50.80B/*45.20A	50.80B/*45.20A	----	44.80 - 3.30	.1212			----	----	5	UNCH				
5750	----	----	48.00B/*42.90A	48.00B/*42.90A	----	42.40 - 3.10	.1151			2	----	315	- 1				
5770	----	----	46.60B/*41.90A	46.60B/*41.90A	----	41.30 - 3.00	.1123			----	----	8	UNCH				
5775	----	----	46.10B/*41.60A	46.10B/*41.60A	----	41.00 - 3.00	.1115			----	----	2	UNCH				
5800	44.20	44.20	44.20/*40.40A	44.20/*40.40A	----	39.60 - 3.00	.1080			52	----	2062	- 51				
5810	----	----	42.40B/*39.90A	42.40B/*39.90A	----	39.10 - 2.90	.1067			----	----	56	UNCH				
5825	----	----	41.30B/*39.20A	41.30B/*39.20A	----	38.40 - 2.80	.1048			----	----	4	UNCH				
5850	----	----	40.20B/*38.10A	40.20B/*38.10A	----	37.10 - 2.80	.1015			----	----	51	UNCH				
5875	----	----	39.30B/*37.00A	39.30B/*37.00A	----	36.00 - 2.70	.0986			----	----	9	UNCH				
5900	38.60	38.60	38.60/*36.00A	38.60/*36.00A	----	34.90 - 2.60	.0957			304	----	1249	- 85				
5950	----	----	35.60B/*34.10A	35.60B/*34.10A	----	32.90 - 2.40	.0903			----	----	27	UNCH				
6000	34.30	34.30	34.30/*32.40A	34.30/*32.40A	----	31.00 - 2.40	.0852			326	----	5872	+ 250				
6100	----	----	30.00B/*29.50A	30.00B/*29.50A	----	28.00 - 1.90	.0768			----	----	130	UNCH				
6150	----	----	----/*28.20A	27.40B/*28.20A	----	26.70 - 1.70	.0731			----	----	29	UNCH				
6200	----	----	----/*27.00A	26.00B/*27.00A	----	25.60 - 1.50	.0699			----	----	3207	UNCH				
6250	----	----	----	24.70B/*26.00A	----	24.60 - 1.30	.0669			----	----	76	UNCH				
6300	----	----	----	23.50B/*25.00A	----	23.60 - 1.10	.0640			----	----	837	UNCH				
6400	----	----	----	21.50B/*23.30A	----	22.00 - 0.80	.0591			----	----	686	UNCH				
6500	----	----	----	19.90B/21.90A	----	20.60 - 0.60	.0548			1	----	5671	UNCH				
6750	----	----	----	16.70B/19.30A	----	17.90 - 0.40	.0464			----	----	105	UNCH				
6775	----	----	----	16.60B/19.10A	----	17.60 - 0.50	.0456			----	----	164	UNCH				
6800	----	----	----	16.40B/*18.90A	----	17.40 - 0.50	.0449			----	----	1817	UNCH				
6900	----	----	----	15.50B/*18.10A	----	16.60 - 0.50	.0424			5	----	75	- 5				
7000	----	----	----	14.80B/17.50A	----	15.90 - 0.50	.0402			32	----	4662	+ 30				
7130	----	----	----	14.00B/*16.80A	----	15.10 - 0.60	.0376			----	----	200	UNCH				
7175	----	----	----	13.80B/*16.60A	----	14.90 - 0.60	.0369			----	----	125	UNCH				
7250	----	----	----	13.40B/*16.30A	----	14.60 - 0.60	.0358			----	----	108	UNCH				
7500	13.20	13.20	13.20/*13.20	13.20/13.20	----	13.70 - 0.60	.0326			1	----	123	- 1				
8000	----	----	----	11.00B/14.10A	----	12.50 - 0.50	.0280			26	----	1512	+ 25				
8125	----	----	----	10.80B/*13.80A	----	12.30 - 0.40	.0271			----	----	801	UNCH				
8500	----	----	----	10.10B/13.10A	----	11.60 - 0.30	.0247			----	----	170	UNCH				
8630	----	----	----	9.90B/*12.90A	----	11.40 - 0.30	.0239			----	----	400	UNCH				
8725	----	----	----	9.70B/*12.80A	----	11.20 - 0.40	.0233			----	----	250	UNCH				
8775	----	----	----	10.40B/*12.70A	----	11.10 - 0.40	.0230			----	----	33	UNCH				
9000	----	----	----	11.00B/12.40A	----	10.90 - 0.40	.0221			3	----	277	+ 3				
9500	----	----	----	8.60B/11.60A	----	10.40 - 0.80	.0203			----	----	303	UNCH				
9900	----	----	----	8.10B/11.10A	----	10.00 - 1.00	.0189			----	----	17	UNCH				
10000	10.00	10.00	10.00/9.80	10.00/9.80	----	9.90 - 1.00	.0186			320	----	10591	+ 317				
11000	----	----	----	6.80B/*9.60A	----	8.30 - 0.40	.0150			----	----	560	UNCH				
13000	----	----	----	4.80B/*7.30A	----	6.10 - 0.40	.0103			1	----	643	+ 1				
15000	4.50	4.50	4.70B/*4.50	4.70B/*4.50	----	4.80 - 0.50	.0078			52	----	23353	+ 50				
17000	----	----	----	2.20B/4.30A	----	3.60 + 0.20	.0057			----	----	27	UNCH				
19000	----	----	----	1.40B/3.40A	----	2.60 + 0.80	.0041			3	----	6	- 1				
20000	2.00	2.00	2.00/2.00	2.00/2.00	----	2.30 + 1.00	.0036			993	----	26430	+ 976				
21000	----	----	----	----/2.50A	----	1.90 + 0.80	.0030			----	----	31	UNCH				
24000	----	----	----	0.60B/2.00A	----	1.10 + 0.50	.0017			----	----	32	UNCH				
TOTAL										2944	270	116084+	2055				
JAN27																	
4190	----	----	----	496.60B/695.30A	----	574.60 - 20.50	.7448			----	----	1	UNCH				
4290	----	----	----/*495.20A	518.20B/*495.20A	----	506.00 - 19.90	.7015			----	----	1	UNCH				
4300	----	----	----/488.90A	516.30B/488.90A	----	499.40 - 19.80	.6970			----	----	1	UNCH				
4400	----	----	----/*427.10A	452.50B/*427.10A	----	436.50 - 18.90	.6500			----	----	1	UNCH				
4500	----	----	403.30B/*370.70	403.30B/*370.70A	----	379.20 - 17.70	.6006			----	----	1	UNCH				
4600	----	----	360.80B/*319.10	360.80B/*319.10A	----	327.60 - 16.30	.5498			----	----	4	UNCH				
4650	313.00	313.00	340.20B/*296.20	340.20B/*296.20A	----	303.90 - 15.60	.5242			4	----	2	UNCH				
4700	----	----	316.00B/*274.40	316.00B/*274.40A	----	281.60 - 14.90	.4988			----	----	2	UNCH				
4710	----	----	311.50B/*270.40	311.50B/*270.40A	----	277.30 - 14.80	.4938			----	----	3	UNCH				
4750	----	----	293.50B/*254.20	293.50B/*254.20A	----	260.70 - 14.30	.4738			----	----	8	UNCH				
4760	----	----	288.20B/*250.40	288.20B/*250.40A	----	256.70 - 14.20	.4688			----	----	101	UNCH				
4800	----	----	278.50B/*235.30	278.50B/*235.30A	----	241.20 - 13.70	.4492			----	----	2	UNCH				
4850	----	----	258.30B/*217.80	258.30B/*217.80A	----	222.90 - 13.20	.4251			----	----	1	UNCH				
4875	213.00	213.00	248.70B/*209.40	248.70B/*209.40A	----	214.30 - 12.90	.4134			1	----	4	UNCH				
4900	----	----	239.50B/*201.50	239.50B/*201.50A	----	206.00 - 12.70	.4018			----	----	10	UNCH				
4935	212.00	212.00	227.00B/*190.60	227.00B/*190.60A	----	194.90 NEW	.3859			1	----	1	+				
4945	----	----	223.60B/*187.70	223.60B/*187.70A	----	191.80 - 12.30	.3814			----	----	1	UNCH				
4960	----	----	218.40B/*183.30	218.40B/*183.30A	----	187.30 - 12.10	.3747			----	----	1	UNCH				
5000	----	----	204.60B/*172.20	204.60B/*172.20A	----	175.80 - 11.70	.3574			----	----	28	UNCH				
5050	----	----	189.20B/*159.30	189.20B/*159.30A	----	162.30 - 11.30	.3365			----	----	100	UNCH				
5100	----	----	175.30B/*147.40	175.30B/*147.40A	----	150.00 - 10.80	.3165			----	----	1	UNCH				
5130	----	----	167.40B/*140.70	167.40B/*140.70A	----	143.10 - 10.40	.3051			----	----	1	UNCH				
5195	----	----	151.60B/*127.30	151.60B/*127.30A	----	129.20 - 9.90	.2813										

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026			PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL [®] VOLUME	PNT VOLUME		OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																	
MAR27																		
4670	----	----	----	381.80B/*345.30	381.80B/*345.30A	----	----	----	349.90 - 16.50	.5348	----	----	----	----	1		UNCH	
4680	----	----	----	376.90B/*340.80	376.90B/*340.80A	----	----	----	345.30 - 16.30	.5303	----	----	----	----	2		UNCH	
4710	----	----	----	362.50B/*328.40	362.50B/*328.40A	----	----	----	331.70 - 16.00	.5168	----	----	----	----	21		UNCH	
4800	336.20	336.20		336.20/*290.50A	336.20/*290.50A	----	----	----	293.90 NEW	.4768	----	----	3	----	3	+	UNCH	
4820	----	----	----	318.30B/*282.90	318.30B/*282.90A	----	----	----	286.20 - 14.00	.4681	----	----	----	----	20		UNCH	
4995	----	----	----	257.80B/*223.70	257.80B/*223.70A	----	----	----	226.50 - 10.30	.3957	----	----	----	----	2		UNCH	
5000	----	----	----	256.10B/*222.30	256.10B/*222.30A	----	----	----	225.00 - 10.20	.3937	----	----	----	----	102		UNCH	
5010	----	----	----	252.60B/*219.20	252.60B/*219.20A	----	----	----	222.00 - 10.00	.3898	----	----	----	----	1		UNCH	
5200	----	----	----	195.60B/*170.20	195.60B/*170.20A	----	----	----	172.90 - 7.20	.3214	----	----	----	----	3		UNCH	
5500	----	----	----	132.20B/*115.70	132.20B/*115.70A	----	----	----	116.60 - 5.30	.2335	----	----	----	----	535		UNCH	
5600	----	----	----	116.50B/*102.60	116.50B/*102.60A	----	----	----	102.70 - 4.90	.2097	----	----	----	----	7		UNCH	
5650	----	----	----	109.60B/*96.70A	109.60B/*96.70A	----	----	----	96.50 - 4.80	.1988	----	----	----	----	17		UNCH	
5700	----	----	----	103.20B/*91.10A	103.20B/*91.10A	----	----	----	90.90 - 4.50	.1887	----	----	----	----	8		UNCH	
5790	----	----	----	92.60B/*82.20A	92.60B/*82.20A	----	----	----	81.80 - 4.20	.1719	----	----	----	----	50		UNCH	
5820	----	----	----	89.50B/*79.40A	89.50B/*79.40A	----	----	----	79.10 - 4.00	.1668	----	----	----	----	2		UNCH	
5850	----	----	----	86.50B/*77.00A	86.50B/*77.00A	----	----	----	76.50 - 3.90	.1618	----	----	----	----	253		UNCH	
5900	----	----	----	81.90B/*73.00A	81.90B/*73.00A	----	----	----	72.40 - 3.70	.1539	----	----	----	----	11		UNCH	
6000	----	----	----	73.10B/*66.20A	73.10B/*66.20A	----	----	----	65.30 - 3.20	.1399	----	----	----	----	2		UNCH	
6500	----	----	----	----	42.30B/*44.70A	----	----	----	41.90 - 1.50	.0910	----	----	----	----	526		UNCH	
TOTAL													3		1566+		3	
APR27																		
5000	----	----	----	----	103.80B/375.20A	----	----	----	303.10 + 51.60	.4273	----	----	----	----	100		UNCH	
5060	----	----	----	----	92.40B/349.20A	----	----	----	283.80 + 50.50	.4077	----	----	----	----	25		UNCH	
5600	----	----	----	----	77.00B/161.50A	----	----	----	153.00 + 30.40	.2557	----	----	----	----	300		UNCH	
5900	----	----	----	----	55.50B/105.00A	----	----	----	106.40 + 16.70	.1915	----	----	----	----	1		UNCH	
6000	----	----	----	----	51.10B/100.50A	----	----	----	94.00 + 12.50	.1731	----	----	----	----	151		UNCH	
TOTAL															577		0	
JUN27																		
5085	----	----	----	----	#29.80B/*474.90A	----	----	----	329.90 - 12.50	.4266	----	----	----	----	150		UNCH	
7000	----	----	----	----	----/*110.90A	----	----	----	52.90 - 2.90	.0955	----	----	----	----	3		UNCH	
7500	----	----	----	----	----/*232.20A	----	----	----	36.90 - 2.00	.0682	----	----	----	----	450		UNCH	
8000	----	----	----	----	----	----	----	----	27.70 - 1.30	.0514	----	----	----	----	2		UNCH	
9000	----	----	----	----	----	----	----	----	19.00 - 0.50	.0343	----	----	----	----	1		UNCH	
10000	----	----	----	----	----	----	----	----	15.80 - 0.10	.0271	----	----	----	----	3		UNCH	
TOTAL															609		0	
DEC27																		
4860	----	----	----	----	----	----	----	----	566.20 - 14.90	.5429	----	----	----	----	100		UNCH	
5000	----	----	----	----	----	----	----	----	511.50 - 14.10	.5067	----	----	----	----	50		UNCH	
5650	----	----	----	----	----	----	----	----	313.10 - 10.50	.3561	----	----	----	----	200		UNCH	
5700	----	----	----	----	----	----	----	----	301.40 - 10.20	.3459	----	----	----	----	150		UNCH	
5800	----	----	----	----	----	----	----	----	279.40 - 9.70	.3264	----	----	----	----	200		UNCH	
5880	----	----	----	----	----	----	----	----	263.10 - 9.30	.3116	----	----	----	----	125		UNCH	
6300	----	----	----	----	----	----	----	----	193.50 - 7.50	.2435	----	----	----	----	18		UNCH	
7500	----	----	----	----	----	----	----	----	91.90 - 4.30	.1271	----	----	----	----	170		UNCH	
7800	----	----	----	----	----	----	----	----	79.20 - 3.90	.1106	----	----	----	----	284		UNCH	
10000	45.00	45.00		45.00/45.00	45.00/45.00	----	----	----	39.40 - 2.10	.0541	----	----	1	----	103		UNCH	
10500	----	----	----	----	----	----	----	----	35.50 - 1.90	.0483	----	----	----	1	10		UNCH	
TOTAL															1410		0	
DEC28																		
5750	----	----	----	----	----	----	----	----	524.70 - 11.30	.4329	----	----	----	----	100		UNCH	
TOTAL															100		0	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL [®] VOLUME	PNT VOLUME		OPEN INTEREST		
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE																	
JUN26																		
4400	----	----	----	----	----/*24.00A	----	----	----	7.90 - 4.10	.1103	----	----	----	----	1		UNCH	
TOTAL															1		0	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL [®] VOLUME	PNT VOLUME		OPEN INTEREST		
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK4																	
MAY26																		
3800	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	1		UNCH	
3900	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.10 - 0.20	----	----	----	----	----	2		UNCH	
4000	0.10	0.10		0.10/*0.10	0.10/*0.10	----	----	----	0.10 - 0.30	----	----	1	----	----	4		UNCH	
4125	----	----	----	----/*0.30A	0.10B/*0.30A	----	----	----	0.10 - 0.80	----	----	2	----	----	5	-	2	
4150	0.30	0.30		0.30/*0.10	0.30/*0.10	----	----	----	0.10 - 0.90	----	----	8	----	----	15	-	3	
4175	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	----	0.10 - 1.10	----	----	2	----	----	2		UNCH	
4200	0.30	0.30		0.30/*0.10	0.40B/*0.10	----	----	----	0.10 - 1.30	----	----	16	----	----	26	-	1	
4210	0.20	0.20		#0.20/*0.20	0.40B/*0.20	----	----	----	0.10 NEW	----	----	2	----	----	2	+	2	
4215	0.20	0.20		#0.20/*0.20	0.40B/*0.20	----	----	----	0.10 NEW	----	----	1	----	----	1	+	1	
4225	----	----	----	----/*0.20A	0.40B/*0.20A	----	----	----	0.10 - 1.50	----	----	----	----	----	8		UNCH	
4240	0.20	0.20		0.20/*0.20	0.60B/*0.20	----	----	----	0.10 - 1.60	.0000	----	5	----	----	6	+	5	
4245	----	----	----	----/*0.20A	0.60B/*0.20A	----	----	----	0.10 - 1.70	.0000	----	----	----	----	1		UNCH	
4250	0.60	0.60		0.60/*0.20A	0.70B/*0.20A	----	----	----	0.10 - 1.80	.0000	----	36	----	----	52	+	30	
4265	0.40	0.40		#0.40/*0.20A	0.90B/*0.20A	----	----	----	0.10 NEW	.0000	----	3	----	----	3	+	3	
4275	----	----	----	----/*0.20A	1.10B/*0.20A	----	----	----	0.10 - 2.10	.0000	----	----	----	----	16		UNCH	
4280	----																	

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK4												
MAY26												
4530	81.00	81.00	#92.70B/*15.00A	92.70B/*15.00A	----	22.90 - 29.20	.5568	----	----	11	----	11
4530	9.40	9.40	28.30B/*6.50	28.30B/*6.50	----	17.90 NEW	.4431	----	----	68	----	34
4535	22.00	22.00	31.40B/*7.40A	31.40B/*7.40A	----	20.10 - 7.40	.4984	----	----	5	----	13
4535	48.40	48.40	#88.50B/*13.20A	88.50B/*13.20A	----	20.10 NEW	.5015	----	----	10	----	8
4540	12.00	12.00	34.60B/*7.90	34.60B/*7.90	----	22.60 - 6.80	.5545	----	----	82	----	43
4540	28.40	28.40	#84.30B/*11.40A	84.30B/*11.40A	----	17.60 NEW	.4454	----	----	38	----	24
4545	11.00	11.00	38.20B/*8.70A	38.20B/*8.70A	----	25.20 NEW	.6106	----	----	22	----	6
4545	26.00	26.00	#80.20B/*9.90A	80.20B/*9.90A	----	15.20 NEW	.3893	----	----	34	----	16
4550	47.50	47.50	76.20B/*8.50A	76.20B/*8.50A	----	13.20 - 26.90	.3359	----	----	166	25	146
4550	17.00	17.00	41.90B/*9.70A	41.90B/*9.70A	----	28.20 - 5.50	.6640	----	----	135	----	112
4555	22.60	22.60	45.70B/*10.50A	45.70B/*10.50A	----	31.30 NEW	.7152	----	----	13	----	6
4555	24.80	24.80	#72.30B/*7.40	72.30B/*7.40	----	11.30 - 26.10	.2847	----	----	141	----	146
4560	23.50	23.50	49.70B/*11.50A	49.70B/*11.50A	----	34.70 NEW	.7614	----	----	16	----	16
4560	26.00	26.00	#68.40B/*6.40A	68.40B/*6.40A	----	9.70 - 25.10	.2385	----	----	102	----	62
4565	----	----	53.80B/*12.60A	53.80B/*12.60A	----	38.30 - 2.70	.8027	----	----	3	----	11
4565	53.00	53.00	#64.60B/*5.30	64.60B/*5.30	----	8.30 - 24.10	.1972	----	----	107	----	101
4570	16.60	16.60	58.20B/*13.70A	58.20B/*13.70A	----	42.10 NEW	.8386	----	----	8	----	3
4570	44.60	44.60	#61.00B/*4.80A	61.00B/*4.80A	----	7.10 - 23.00	.1613	----	----	21	----	28
4575	15.50	15.50	62.60B/*15.00A	62.60B/*15.00A	----	46.10 - 0.40	.8687	----	----	6	----	9
4575	42.60	42.60	57.40B/*3.90	57.40B/*3.90	----	6.10 - 21.80	.1312	----	----	120	----	119
4580	17.50	17.50	67.00B/*16.40A	67.00B/*16.40A	----	50.20 NEW	.8947	----	----	5	----	2
4580	37.00	37.00	#54.00B/*3.60A	54.00B/*3.60A	----	5.20 - 20.70	.1052	----	----	28	----	32
4585	----	----	71.60B/*18.00A	71.60B/*18.00A	----	54.50 + 1.90	.9150	----	----	4	----	11
4585	34.50	34.50	#50.70B/*3.10A	50.70B/*3.10A	----	4.50 - 19.50	.0849	----	----	5	----	12
4590	----	----	76.20B/*20.10A	76.20B/*20.10A	----	58.80 + 3.00	.9333	----	----	----	10	UNCH
4590	34.50	34.50	#47.40B/*2.70A	47.40B/*2.70A	----	3.80 - 18.40	.0666	----	----	22	----	9
4595	32.60	32.60	#44.50B/*2.40A	44.50B/*2.40A	----	3.30 - 17.20	.0533	----	----	64	----	40
4595	31.00	31.00	80.90B/*22.20A	80.90B/*22.20A	----	63.30 + 4.20	.9466	----	----	53	----	19
4600	34.00	34.00	85.50B/*23.30	85.50B/*23.30	----	67.90 + 5.40	.9568	----	----	26	----	19
4600	28.80	28.80	41.60B/*2.00	41.60B/*2.00	----	2.90 - 16.10	.0430	----	----	125	----	220
4605	23.30	23.30	#39.20B/*1.90A	39.20B/*1.90A	----	2.50 NEW	.0340	----	----	46	----	30
4605	----	----	90.30B/*26.60A	90.30B/*26.60A	----	72.50 NEW	.9659	----	----	11	----	7
4610	29.40	29.40	95.10B/*28.80A	95.10B/*28.80A	----	77.20 NEW	.9725	----	----	5	----	5
4610	33.30	33.30	#36.50B/*1.70A	36.50B/*1.70A	----	2.20 - 14.00	.0273	----	----	60	----	27
4615	27.50	27.50	#33.80B/*1.50A	33.80B/*1.50A	----	2.00 - 12.90	.0228	----	----	132	----	19
4615	40.60	40.60	#100.00B/*31.40	100.00B/*31.40A	----	82.00 NEW	.9771	----	----	36	----	8
4620	21.40	21.40	#33.90/*1.40	33.90/*1.40	----	1.70 - 12.10	.0176	----	----	51	----	10
4625	----	----	109.70B/36.80A	109.70B/36.80A	----	91.50 + 10.20	.9858	----	----	----	4	UNCH
4625	15.10	15.10	29.10B/*1.10	29.10B/*1.10	----	1.50 - 11.20	.0141	----	----	140	----	104
4630	18.80	18.80	#27.10B/*1.00	27.10B/*1.00	----	1.40 - 10.30	.0121	----	----	105	----	44
4630	----	----	#114.60B/*39.90	114.60B/*39.90A	----	96.40 NEW	.9878	----	----	1	----	1
4635	15.50	15.50	#25.10B/*1.00A	25.10B/*1.00A	----	1.20 - 9.60	.0094	----	----	62	----	51
4640	85.50	85.50	#124.40B/*46.80	124.40B/*46.80A	----	106.10 NEW	.9920	----	----	2	----	2
4640	21.00	21.00	#23.20B/*0.90A	23.20B/*0.90A	----	1.10 - 8.90	.0079	----	----	15	----	17
4645	----	----	#21.40B/*0.80A	21.40B/*0.80A	----	1.00 NEW	.0066	----	----	3	----	3
4650	15.10	15.10	19.70B/*0.70	19.70B/*0.70	----	0.90 - 7.60	.0054	----	----	38	----	25
4650	----	----	134.20B/53.80A	134.20B/53.80A	----	115.90 + 13.80	.9945	----	----	----	10	UNCH
4655	10.40	10.40	#18.20B/*0.60A	18.20B/*0.60A	----	0.80 NEW	.0043	----	----	1	----	1
4660	10.70	10.70	#16.80B/*0.50	16.80B/*0.50	----	0.70 - 6.60	.0034	----	----	7	----	16
4670	75.00	75.00	#154.00B/*69.10	154.00B/*69.10A	----	135.60 NEW	.9974	----	----	2	----	1
4670	----	----	#14.20B/*0.40A	14.20B/*0.40A	----	0.60 - 5.70	.0025	----	----	3	----	4
4675	----	----	158.90B/73.20A	158.90B/73.20A	----	140.60 + 16.20	.9975	----	----	----	1	UNCH
4675	7.80	7.80	12.90B/*0.40A	12.90B/*0.40A	----	0.60 - 5.20	.0024	----	----	27	----	43
4680	2.00	2.00	#12.00B/*0.40A	12.00B/*0.40A	----	0.50 NEW	.0017	----	----	2	----	2
4685	2.00	2.00	#10.90B/*0.30A	10.90B/*0.30A	----	0.50 NEW	.0017	----	----	4	----	2
4690	5.50	5.50	10.20B/*0.30A	10.20B/*0.30A	----	0.40 - 4.30	.0011	----	----	7	----	18
4695	4.70	4.70	9.20B/*0.30A	9.20B/*0.30A	----	0.40 - 4.00	.0011	----	----	14	----	8
4700	5.40	5.40	8.80/*0.20	8.80/*0.20	----	0.30 - 3.80	.0007	----	----	60	----	40
4700	----	----	183.80B/95.40A	183.80B/95.40A	----	165.30 + 17.60	.9993	----	----	----	15	UNCH
4705	1.10	1.10	#7.80B/*0.20A	7.80B/*0.20A	----	0.30 NEW	.0006	----	----	1	----	1
4715	4.00	4.00	#6.60B/*0.20A	6.60B/*0.20A	----	0.20 - 3.20	.0003	----	----	27	----	17
4720	4.00	4.00	#6.10B/*0.20A	6.10B/*0.20A	----	0.20 - 3.00	.0003	----	----	1	----	3
4725	----	----	208.80B/118.40A	208.80B/118.40A	----	190.20 + 18.60	.9997	----	----	----	1	UNCH
4725	3.30	3.30	5.60B/*0.20A	5.60B/*0.20A	----	0.20 - 2.80	.0003	----	----	93	----	90
4730	1.40	1.40	5.20B/*0.20A	5.20B/*0.20A	----	0.10 NEW	.0001	----	----	2	----	2
4740	2.30	2.30	4.50B/*0.20A	4.50B/*0.20A	----	0.10 NEW	.0000	----	----	38	----	27
4745	0.40	0.40	#3.90B/*0.20	3.90B/*0.20	----	0.10 NEW	.0000	----	----	4	----	4
4750	2.80	2.80	3.80B/*0.20A	3.80B/*0.20A	----	0.10 - 2.20	.0000	----	----	104	----	117
4750	----	----	233.70B/142.20A	233.70B/142.20A	----	215.10 NEW	1.0000	----	----	1	----	1
4760	2.40	2.40	#3.30B/*0.20A	3.30B/*0.20A	----	0.10 NEW	.0000	----	----	33	----	31
4775	1.60	1.60	2.50B/*0.20A	2.50B/*0.20A	----	0.10 - 1.70	----	----	----	11	----	36
4785	0.20	0.20	#2.30B/*0.20	2.30B/*0.20	----	0.10 NEW	----	----	----	1	----	1
4790	1.20	1.20	#2.10B/*0.20A	2.10B/*0.20A	----	0.10 NEW	----	----	----	1	----	1
4800	----	----	283.70B/190.70A	283.70B/190.70A	----	265.10 NEW	1.0000	----	----	1	----	1
4800	1.50	1.50	1.80B/*0.20A	1.80B/*0.20A	----	0.10 - 1.40	----	----	----	63	----	66
4805	----	----	#288.70B/*195.6	288.70B/*195.60A	----	270.10 NEW	1.0000	----	----	1	----	1
4825	1.20	1.20	1.40B/*0.10	1.40B/*0.10	----	0.10 - 1.20	----	----	----	30	----	29
4835	0.20	0.20	#0.20/*0.20	1.10B/*0.20	----	0.10 NEW	----	----	----	2	----	2
4845	----	----	----	1.00B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	1
4850	----	----	----	0.90B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	3
4875	----	----	----	0.70B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	7
4900	----	----	----	0.60B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	1
4900	----	----	#383.60B/----	383.60B/358.80A	----	365.10 + 20.80	1.0000	----	----	----	----	UNCH
4920	----	----	#403.60B/----	403.60B/*378.80A	----	385.10 NEW	1.0000	----	----	1	----	1
4925	----	----	----	0.50B/*0.20A	----	0.10 - 0.60	----	----	----	----	4	UNCH
4925	----	----	#408.60B/----	408.60B/383.80A	----	390.10 NEW	1.0000	----	----	1	----	1
4950	----	----	#433.50B/----	433.50B/408.80A	----	415.10 + 21.00	1.0000	----	----	----	1	UNCH
4950	----	----	----	0.40B/*0.20A	----	0.10 - 0.50	----	----	----	5	----	8
4975	----	----	----	0.30B/*0.20A	----	0.10 - 0.50	----	----	----	2	----	9
5000	----	----	----	0.20B/*0.20A	----	0.10 - 0.40	----	----	----	2	----	7
5000	395.00	395.00	#483.50B/395.00	483.50B/395.00	----	465.10 NEW	1.0000	----	----	2	----	0
5010	----	----	----	0.20B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	UNCH
5030	----	----	----	0.20B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	0
5100	----	----	----	----	----	0.10 - 0.20	----	----	----	----	----	14
5125	----	----	----	----	----	0.10 - 0.10	----	----	----	11	----	11
5200	----	----	----	----	----	0.10 UNCH	----	----	----	9	----	UNCH
5250	----	----	----	----	----	0.10 UNCH	----	----	----	2	----	UNCH
5300	----	----	----	----	----	0.10 UNCH	----	----	----	6	----	UNCH
5400	----	----	----	----	----	0.10 UNCH	----	----	----	1	----	UNCH
5500	----	----	----	----	----	0.10 UNCH	----	----	----	3	----	UNCH
5600	----	----	----	----	----	0.10 UNCH	----	----	----	1	----	UNCH
TOTAL												
4329 25 4099+ 1735												
JUN26												
3800	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.80 NEW	.0047	----	----	2	----	2
3900	----	----	----	1.00B/*1.20A	----	1.00 - 0.60	.0066	----	----	----	----	19
4000	----	----	----	1.40B/*1.50A	----	1.30 - 0.80	.0098	----	----	----	----	3
4000	----	----	----	2.70B/*3.20A	----	2.80 NEW	.0212	----	----	3	----	3
4100	----	----	----	4.30B/*4.50A	----	4.20 - 1.40	.0343	----	----	3	----	3
4175												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY WEDNESDAY OPTION WEEK3																	
JUN26																	
4475	----	----		72.30B/*45.90A	72.30B/*45.90A	----	----		65.60 + 2.00	.3858	----	----	----	----		1	UNCH
4475	----	----		55.90B/*32.70A	55.90B/32.70A	----	----		49.20 - 0.60	.3637	----	----	1	----		2 +	1
4500	24.40	24.40		45.00B/*21.80A	45.00B/*21.80A	----	----		37.20 - 2.30	.3843	----	----	10	----		159 +	8
4500	----	----		134.20B/*62.20A	134.20B/*62.20A	----	----		72.20 - 23.60	.6154	----	----	----	----		3	UNCH
4500	----	----		83.20B/*53.10A	83.20B/*53.10A	----	----		75.80 NEW	.4284	----	3	----	----		3 +	3
4500	----	----		66.50B/*38.80A	66.50B/38.80A	----	----		58.60 NEW	.4155	----	1	----	----		1 +	1
4525	----	----		57.00B/27.50A	57.00B/27.50A	----	----		47.50 - 1.20	.4622	----	1	----	----		54 +	1
4525	----	----		95.50B/*61.50A	95.50B/*61.50A	----	----		86.80 + 3.40	.4721	----	4	----	----		1	UNCH
4550	54.10	54.10		97.30B/*38.10A	97.30B/*38.10A	----	----		45.00 - 21.10	.4568	----	1	----	----		8 +	1
4550	57.40	57.40		70.90B/34.70A	70.90B/34.70A	----	----		60.00 + 0.30	.5429	----	1	----	----		3 +	1
4550	----	----		108.90B/*70.80A	108.90B/*70.80A	----	----		98.80 NEW	.5167	----	7	----	----		5 +	5
4575	47.30	47.30		86.90B/43.60A	86.90B/43.60A	----	----		74.60 + 2.20	.6219	----	3	----	----		11 +	3
4575	74.90	74.90		81.10B/*29.10A	81.10B/*29.10A	----	----		34.60 NEW	.3778	----	29	----	----		28 +	28
4575	----	----		121.70B/*80.90A	121.70B/*80.90A	----	----		112.30 NEW	.5612	----	4	----	----		0	UNCH
4575	----	----		106.40B/*64.50A	106.40B/64.50A	----	----		95.80 + 3.20	.5799	----	----	----	----		7	UNCH
4575	----	----		93.60B/*50.40A	93.60B/*50.40A	----	----		55.90 - 18.10	.4196	----	----	----	----		9	UNCH
4600	60.80	60.80		104.90B/54.30A	104.90B/54.30A	----	----		91.20 + 4.40	.6952	----	3	----	----		35 +	1
4600	58.50	58.50		66.90B/*22.10A	66.90B/*22.10A	----	----		26.20 - 17.10	.3045	----	6	----	----		35 +	5
4600	----	----		81.50B/*41.60A	81.50B/*41.60A	----	----		46.30 NEW	.3665	----	----	----	100		100 +	100
4600	----	----		137.20B/*93.30A	137.20B/*93.30A	----	----		127.10 NEW	.6048	----	4	----	----		2 +	2
4625	----	----		124.40B/66.80A	124.40B/66.80A	----	----		109.60 + 6.60	.7594	----	1	----	----		3	UNCH
4625	----	----		54.50B/*16.70A	54.50B/*16.70A	----	----		19.70 - 14.80	.2403	----	3	----	----		5 -	1
4650	19.10	19.10		43.60B/*12.60A	43.60B/*12.60A	----	----		14.70 - 12.50	.1861	----	3	----	----		5 +	3
4650	47.50	47.50		#79.30B/*42.00A	#79.30B/*42.00A	----	----		45.80 NEW	.3137	----	9	----	----		9 +	9
4675	30.10	30.10		34.50B/*9.50A	34.50B/*9.50A	----	----		11.00 - 10.40	.1427	----	13	----	----		12 +	11
4675	----	----		167.40B/98.00A	167.40B/98.00A	----	----		150.90 + 11.10	.8570	----	----	----	----		1	UNCH
4675	----	----		53.30B/*23.20A	53.30B/*23.20A	----	----		25.40 NEW	.2288	----	2	----	----		2 +	2
4700	----	----		190.10B/116.00A	190.10B/116.00A	----	----		173.20 + 13.00	.8907	----	----	----	----		1	UNCH
4700	23.00	23.00		27.00B/*7.20A	27.00B/*7.20A	----	----		8.30 - 8.40	.1090	----	7	----	----		102 +	1
4725	----	----		21.00B/*5.50A	21.00B/*5.50A	----	----		6.30 - 6.80	.0831	----	5	----	----		8 +	2
4725	----	----		213.50B/134.60A	213.50B/134.60A	----	----		196.10 NEW	.9167	----	1	----	----		1 +	1
4750	----	----		#44.20B/*22.10A	#44.20B/*22.10A	----	----		24.40 NEW	.1869	----	1	----	----		1 +	1
4775	----	----		12.60B/*3.50A	12.60B/*3.50A	----	----		3.80 - 4.40	.0493	----	1	----	----		1	UNCH
4775	----	----		265.60B/208.10A	265.60B/208.10A	----	----		251.00 + 15.10	.8883	----	----	----	----		2	UNCH
4775	----	----		25.50B/*10.60A	25.50B/*10.60A	----	----		11.20 - 6.40	.1113	----	----	----	----		1	UNCH
4800	11.00	11.00		11.00/*2.90A	11.00/*2.90A	----	----		3.00 - 3.60	.0384	----	15	----	----		9 +	4
4800	----	----		21.20B/*8.60A	21.20B/*8.60A	----	----		9.20 NEW	.0926	----	3	----	----		3 +	3
4800	----	----		#32.30B/*16.00A	32.30B/*16.00A	----	----		17.50 - 5.10	.1402	----	1	----	----		2 +	1
4825	----	----		7.80B/*2.40A	7.80B/*2.40A	----	----		2.40 - 2.90	.0301	----	----	----	----		1	UNCH
4825	----	----		17.40B/*7.30A	17.40B/*7.30A	----	----		7.60 - 4.70	.0771	----	2	----	----		2	UNCH
4850	----	----		6.20B/*2.10A	6.20B/*2.10A	----	----		2.00 - 2.40	.0245	----	----	----	----		1	UNCH
4850	----	----		14.30B/*6.30A	14.30B/*6.30A	----	----		6.40 NEW	.0650	----	1	----	----		1 +	1
4875	4.50	4.50		4.70B/*1.80A	4.70B/*1.80A	----	----		1.70 - 2.00	.0202	----	1	----	----		2	UNCH
4875	----	----		#20.30B/*10.30A	20.30B/*10.30A	----	----		10.80 - 3.50	.0905	----	----	----	----		1	UNCH
4900	----	----		3.80B/*1.50A	3.80B/*1.50A	----	----		1.50 - 1.60	.0172	----	----	----	----		4	UNCH
4900	----	----		10.20B/*4.70A	10.20B/*4.70A	----	----		4.50 - 3.00	.0458	----	----	----	----		7	UNCH
4950	----	----		2.60B/*1.30A	2.60B/*1.30A	----	----		1.10 - 1.20	.0120	----	----	----	----		2	UNCH
4950	----	----		6.20B/*3.60A	6.20B/*3.60A	----	----		3.30 - 2.30	.0332	----	----	----	----		3	UNCH
4975	----	----		2.20B/*1.20A	2.20B/*1.20A	----	----		1.00 - 1.00	.0105	----	1	----	----		0 -	1
5000	----	----		1.90B/*1.10A	1.90B/*1.10A	----	----		0.90 - 0.90	.0092	----	----	----	----		1	UNCH
5000	----	----		----/*2.90A	3.70B/*2.90A	----	----		2.50 - 1.80	.0247	----	----	----	----		1	UNCH
5025	----	----		----/*2.60A	3.10B/*2.60A	----	----		2.20 - 1.60	.0215	----	----	----	----		2	UNCH
5050	----	----		----/*0.90A	1.40B/*0.90A	----	----		0.70 - 0.80	.0068	----	----	----	----		2	UNCH
5075	----	----		----/*2.10A	2.20B/*2.10A	----	----		1.70 - 1.30	.0163	----	----	----	----		1	UNCH
5150	----	----		----/*0.80A	0.90B/*0.80A	----	----		0.50 - 0.50	.0043	----	----	----	----		2	UNCH
TOTAL													190	100	1210 +	226	
GOLD WEEKLY TUESDAY OPTION Week1																	
JUN26																	
3250	----	----		----/*0.60	0.80/*0.60	----	----		0.10 UNCH	.0000	----	----	----	----		2	UNCH
3500	0.80	0.80		#0.80/*0.60	0.80/*0.60	----	----		0.10 NEW	.0004	----	----	3	----		3 +	3
3600	----	----		----/*3.10A	1.50B/*3.10A	----	----		2.80 - 0.80	.0139	----	----	----	----		3	UNCH
3700	----	----		----/*1.40A	0.90B/*1.40A	----	----		1.00 - 0.50	.0060	----	----	----	----		3	UNCH
3800	----	----		----/*3.20A	1.90B/*3.20A	----	----		2.40 - 1.00	.0149	----	----	----	----		1	UNCH
4000	----	----		----/*1.30A	1.10B/*1.30A	----	----		1.00 - 0.90	.0074	----	1	----	----		2 +	1
4000	----	----		----/*2.80A	2.30B/*2.80A	----	----		2.20 - 1.00	.0174	----	----	----	----		1	UNCH
4100	----	----		----/*1.50A	1.60B/*1.50A	----	----		1.50 - 1.10	.0128	----	----	----	----		2	UNCH
4100	----	----		----/*9.90A	10.90B/*9.90A	----	----		11.10 - 0.90	.0709	----	----	----	----		3	UNCH
4125	----	----		----/*10.50A	12.50B/*10.50A	----	----		12.50 NEW	.0798	----	1	----	----		1 +	1
4150	8.90	8.90		8.90/*8.30A	9.20B/*8.30A	----	----		8.70 NEW	.0649	----	1	----	----		1 +	1
4150	----	----		----/*1.80A	2.00B/*1.80A	----	----		1.80 - 1.30	.0167	----	2	----	----		4 +	2
4175	----	----		----/*8.90A	10.70B/*8.90A	----	----		9.90 - 1.00	.0742	----	----	----	----		1	UNCH
4175	----	----		----/*12.80A	15.80B/*12.80A	----	----		15.70 - 0.50	.1004	----	----	----	----		2	UNCH
4175	----	----		----/*2.00A	2.30B/*2.00A	----	----		2.00 - 1.40	.0193	----	----	----	----		3	UNCH
4175	----	----		----/*5.10A	5.40B/*5.10A	----	----		5.10 - 1.70	.0455	----	----	----	----		1	UNCH
4200	----	----		----/*2.30A	2.60B/*2.30A	----	----		2.30 - 1.50	.0231	----	----	----	----		2	UNCH
4200	----	----		----/*10.40A	12.20B/*10.40A	----	----		11.30 - 1.10	.0849	----	----	----	----		3	UNCH
4200	----	----		18.30B/*14.10A	18.30B/*14.10A	----	----		17.70 NEW	.1129	----	1	----	----		1 +	1
4200	----	----		----/*5.80A	6.50B/*5.80A	----	----		5.90 - 1.90	.0533	----	----	----	----		1	UNCH
4225	----	----		----/*2.60A	3.10B/*2.60A	----	----		2.60 - 1.70	.0272	----	2	----	----		5 +	2
4225	----	----		----/*6.70A	7.70B/*6.70A	----	----		7.00 - 1.90	.0636	----	1	----	----		3 +	1
4250	----	----		356.80B/*286.00	356.80B/*286.00A	----	----		299.60 - 22.60	.8867	----	----	----	----		1	UNCH
4250	----	----		----/*2.90A	3.60B/*2.90A	----	----		3.00 NEW	.0326	----	1	----	----		1 +	1
4250	----	----		----/*12.30A	16.40B/*12.30A	----	----		15.10 - 1.30	.1128	----	4	----	----		4 +	3
4250	----	----		24.10B/*17.80A	24.10B/*17.80A	----	----		22.50 - 0.20	.1427	----	----	----	----		1	UNCH
4250	----	----		----/*7.40A	9.20B/*7.40A	----	----		8.20 - 2.10	.0751	----	1	----	----		3	UNCH
4275	----	----		19.10B/*13.80A	19.10B/*13.80A	----	----		17.50 - 1.40	.1300	----	1	----	----		3 +	1
4275	----	----		----/*3.30A	4.30B/*3.30A	----	----		3.50 - 2.10	.0396	----	2	----	----		12 +	2
4275	24.90	24.90		27.70B/*20.50A	27.70B/*20.50A	----	----		25.30 - 0 -								

BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64		
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE		GOLD WEEKLY TUESDAY OPTION week1																						
JUN26																								
4575	----	----			77.00B/*24.80A	77.00B/*24.80A	----	----	----	29.90 - 19.70	.3634	----	----	----	----		1	UNCH						
4575	----	----			82.70B/39.30A	82.70B/39.30A	----	----	----	69.90 + 1.70	.6363				1	----	1 +	1						
4575	----	----			118.40B/77.80A	118.40B/77.80A	----	----	----	109.10 + 3.40	.5643			----	----		1	UNCH						
4575	----	----			106.60B/*63.60A	106.60B/*63.60A	----	----	----	69.10 - 18.00	.4351			----	----		1	UNCH						
4575	61.60	61.60			87.10B/*46.30A	87.10B/*46.30A	----	----	----	51.80 NEW	.4138			2	----	0	UNCH							
4575	----	----			102.50B/61.30A	102.50B/61.30A	----	----	----	91.80 + 3.20	.5858			----	----	5	UNCH							
4600	90.50	90.50			94.50B/*54.40A	94.50B/*54.40A	----	----	----	59.40 - 16.40	.3904			105	----	376 +	20							
4600	109.80	109.80			109.80/*68.80A	109.80/*68.80A	----	----	----	74.30 NEW	.4099			11	----	5 +	5							
4600	----	----			101.10B/49.80A	101.10B/49.80A	----	----	----	87.00 + 4.20	.7155			1	----	23	UNCH							
4600	----	----			146.60B/*104.20	146.60B/*104.20A	----	----	----	139.10 + 6.90	.5893			----	----	1	UNCH							
4600	21.00	21.00			62.80B/*18.30A	62.80B/*18.30A	----	----	----	22.00 - 17.20	.2842			9	----	62 +	3							
4600	43.00	43.00			77.20B/*38.00A	77.20B/*38.00A	----	----	----	42.40 NEW	.3578			1	----	1 +	1							
4625	90.00	90.00			102.20B/*60.30A	102.20B/*60.30A	----	----	----	65.10 NEW	.3729			3	----	2 +	2							
4625	----	----			135.60B/89.70A	135.60B/89.70A	----	----	----	124.40 + 6.50	.6940			----	----	2	UNCH							
4625	18.10	18.10			50.30B/*13.40A	50.30B/*13.40A	----	----	----	16.00 - 14.60	.2165			3	----	3 +	3							
4625	----	----			70.00B/*30.90A	70.00B/*30.90A	----	----	----	34.50 - 14.90	.3056			----	----	150	UNCH							
4650	12.30	12.30			39.60B/*9.80A	39.60B/*9.80A	----	----	----	11.60 - 12.10	.1619			9	----	14 +	9							
4650	----	----			142.60B/77.30A	142.60B/77.30A	----	----	----	126.50 + 9.30	.8378			----	----	1	UNCH							
4650	----	----			76.40B/*39.50A	76.40B/*39.50A	----	----	----	43.10 - 13.40	.3071			----	----	1	UNCH							
4675	----	----			198.00B/*149.10	198.00B/*149.10A	----	----	----	189.10 + 10.80	.6956			----	----	1	UNCH							
4675	----	----			165.10B/93.60A	165.10B/93.60A	----	----	----	148.30 + 11.60	.8803			1	----	2 +	1							
4675	----	----			30.70B/*7.20A	30.70B/*7.20A	----	----	----	8.40 - 9.80	.1194			4	----	4 +	1							
4675	----	----			175.10B/124.10A	175.10B/124.10A	----	----	----	162.30 + 9.90	.7838			----	----	1	UNCH							
4675	----	----			49.80B/*20.60A	49.80B/*20.60A	----	----	----	22.50 - 11.50	.2158			3	----	3 -	1							
4700	17.20	17.20			23.60B/*5.30A	23.60B/*5.30A	----	----	----	6.10 - 7.90	.0874			26	----	17 +	14							
4700	----	----			57.00B/*28.50A	57.00B/*28.50A	----	----	----	30.40 - 10.90	.2336			1	----	16	UNCH							
4700	----	----			196.30B/141.30A	196.30B/141.30A	----	----	----	182.90 + 11.50	.8205			----	----	1	UNCH							
4700	25.90	25.90			41.40B/*16.60A	41.40B/*16.60A	----	----	----	18.10 - 9.90	.1791			4	----	4 +	2							
4725	----	----			48.80B/*24.10A	48.80B/*24.10A	----	----	----	25.40 NEW	.2018			2	----	1 +	1							
4725	----	----			17.90B/*4.10A	17.90B/*4.10A	----	----	----	4.50 - 6.30	.0642			1	----	4 +	1							
4725	22.00	22.00			34.10B/*13.30A	34.10B/*13.30A	----	----	----	14.60 - 8.40	.1480			3	----	3 +	3							
4725	----	----			212.00B/131.30A	212.00B/131.30A	----	----	----	194.40 + 15.10	.9356			1	----	1 +	1							
4750	----	----			41.50B/*20.60A	41.50B/*20.60A	----	----	----	21.20 - 8.60	.1734			2	----	22 +	1							
4750	3.60	3.60			13.60B/*3.00	13.60B/*3.00	----	----	----	3.40 - 5.00	.0478			9	----	6 +	4							
4750	----	----			236.10B/152.20A	236.10B/152.20A	----	----	----	218.30 + 16.40	.9520			----	----	1	UNCH							
4750	----	----			28.00B/*10.90A	28.00B/*10.90A	----	----	----	11.80 - 7.10	.1219			----	----	2	UNCH							
4775	----	----			10.40B/*2.60A	10.40B/*2.60A	----	----	----	2.60 - 4.00	.0358			1	----	3 +	1							
4775	45.00	45.00			250.70B/174.20A	250.70B/174.20A	----	----	----	242.50 + 17.50	.9640			----	----	2	UNCH							
4775	----	----			47.10B/*26.00A	47.10B/*26.00A	----	----	----	27.70 NEW	.1904			4	----	4 +	4							
4775	----	----			23.00B/*8.70A	23.00B/*8.70A	----	----	----	9.60 - 5.90	.1005			3	----	24 -	1							
4800	9.00	9.00			275.20B/196.80A	275.20B/196.80A	----	----	----	266.90 NEW	.9729			5	----	2 +	2							
4800	----	----			9.00/*2.10A	9.00/*2.10A	----	----	----	2.00 - 3.30	.0270			2	----	6 +	2							
4800	----	----			30.20B/*15.00A	30.20B/*15.00A	----	----	----	15.20 - 6.40	.1289			2	----	8 +	2							
4800	----	----			18.80B/*7.30A	18.80B/*7.30A	----	----	----	7.90 - 4.90	.0833			2	----	28	UNCH							
4825	----	----			299.70B/220.70A	299.70B/220.70A	----	----	----	291.50 NEW	.9789			1	----	1 +	1							
4825	----	----			25.60B/*12.50A	25.60B/*12.50A	----	----	----	13.10 - 5.40	.1120			1	----	2 +	1							
4850	4.20	4.20			4.80B/*1.50A	4.80B/*1.50A	----	----	----	1.30 - 2.30	.0165			2	----	4	UNCH							
4850	----	----			21.80B/*10.80A	21.80B/*10.80A	----	----	----	11.30 - 4.60	.0973			----	----	6	UNCH							
4850	----	----			30.90B/*17.20A	30.90B/*17.20A	----	----	----	18.00 - 4.40	.1310			----	----	1	UNCH							
4875	----	----			27.10B/*15.00A	27.10B/*15.00A	----	----	----	15.60 - 4.00	.1153			----	----	4	UNCH							
4875	----	----			3.70B/*1.40A	3.70B/*1.40A	----	----	----	1.10 - 1.90	.0134			----	----	1	UNCH							
4900	----	----			15.70B/*8.20A	15.70B/*8.20A	----	----	----	8.50 - 3.30	.0738			----	----	4	UNCH							
4900	----	----			2.80B/*1.20A	2.80B/*1.20A	----	----	----	0.90 - 1.60	.0106			----	----	4	UNCH							
4900	3.80	3.80			8.10B/*3.80	8.10B/*3.80	----	----	----	3.90 - 2.40	.0409													

BULLETIN # 99@				METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
GWR THU	GOLD WEEKLY THURSDAY OPTION week4															
MAY26																
4520	----	----		#31.40B/*9.70A	31.40B/*9.70A	----	22.20	- 5.20	.3979	----	----		11	----		9 +
4525	----	----		34.00B/*10.30A	34.00B/*10.30A	----	24.20	- 4.90	.4303	----	----		2	----		29
4525	----	----		100.60B/*25.70A	100.60B/*25.70A	----	34.20	- 26.30	.5696	----	----		----	----		5
4530	12.30	12.30		#36.60B/*11.30A	36.60B/*11.30A	----	26.40	NEW	.4636	----	----	29	----	----		21 +
4535	29.80	29.80		#39.50B/*12.00A	39.50B/*12.00A	----	28.70	NEW	.4973	----	----	4	----	----		4 +
4540	22.40	22.40		#42.60B/*13.00A	42.60B/*13.00A	----	31.10	- 3.70	.5315	----	----	55	----	----		55 +
4540	35.60	35.60		#88.50B/*19.30A	#88.50B/*19.30A	----	26.10	NEW	.4684	----	----	15	----	----		15 +
4545	34.50	34.50		#45.70B/*13.90A	45.70B/*13.90A	----	33.80	NEW	.5654	----	----	4	----	----		4 +
4550	37.50	37.50		49.00B/*15.00A	49.00B/*15.00A	----	36.50	- 2.60	.5994	----	----	17	----	----		20 +
4550	30.60	30.60		81.00B/*15.80A	81.00B/*15.80A	----	21.50	- 24.00	.4005	----	----	90	----	----		94 +
4555	33.80	33.80		#77.00B/*14.20A	#77.00B/*14.20A	----	19.50	- 23.30	.3677	----	----	8	----	----		32 +
4555	----	----		#52.50B/*16.20A	52.50B/*16.20A	----	39.50	NEW	.6322	----	----	1	----	----		1 +
4560	22.00	22.00		#56.10B/*17.40A	56.10B/*17.40A	----	42.50	NEW	.6648	----	----	7	----	----		4 +
4560	31.90	31.90		#73.30B/*12.60	#73.30B/*12.60	----	17.50	- 22.80	.3350	----	----	23	----	----		8 +
4565	----	----		59.90B/*18.80A	59.90B/*18.80A	----	45.80	- 0.60	.6954	----	----	4	----	----		4 +
4565	28.50	28.50		#69.70B/*11.50A	#69.70B/*11.50A	----	15.80	NEW	.3045	----	----	2	----	----		2 +
4570	----	----		63.70B/*20.30A	63.70B/*20.30A	----	49.20	+ 0.10	.7248	----	----	----	----	----		1
4570	33.10	33.10		#66.10B/*10.30A	#66.10B/*10.30A	----	14.20	- 21.30	.2751	----	----	11	----	----		11 +
4575	26.00	26.00		62.90B/*9.40A	62.90B/*9.40A	----	12.70	- 20.60	.2470	----	----	16	----	----		60 +
4575	38.50	38.50		67.80B/*21.90A	67.80B/*21.90A	----	52.70	+ 0.80	.7529	----	----	4	----	----		56 +
4580	14.00	14.00		#59.60B/*8.50A	#59.60B/*8.50A	----	11.40	NEW	.2213	----	----	2	----	----		0
4580	27.00	27.00		#71.80B/*23.60A	71.80B/*23.60A	----	56.40	NEW	.7785	----	----	2	----	----		2 +
4585	11.00	11.00		#56.40B/*7.70A	#56.40B/*7.70A	----	10.10	NEW	.1962	----	----	11	----	----		11 +
4590	11.70	11.70		#53.80B/*6.80A	#53.80B/*6.80A	----	9.10	NEW	.1750	----	----	1	----	----		1 +
4590	----	----		#80.20B/*27.30A	80.20B/*27.30A	----	64.10	NEW	.8249	----	----	1	----	----		1 +
4600	38.00	38.00		47.70B/*5.60A	47.70B/*5.60A	----	7.20	- 16.60	.1359	----	----	96	----	----		104 +
4600	36.00	36.00		88.80B/31.50A	88.80B/31.50A	----	72.20	NEW	.8640	----	----	4	----	----		3 +
4605	----	----		#45.80B/*5.00A	#45.80B/*5.00A	----	6.40	- 15.80	.1191	----	----	----	----	----		3
4610	41.00	41.00		#43.80B/*4.50A	#43.80B/*4.50A	----	5.70	NEW	.1043	----	----	60	----	----		22 +
4610	52.00	52.00		#97.90B/*36.30A	97.90B/*36.30A	----	80.70	NEW	.8955	----	----	2	----	----		1 +
4615	5.00	5.00		#41.20B/*4.10A	#41.20B/*4.10A	----	5.10	- 14.20	.0915	----	----	6	----	----		2 -
4620	----	----		#38.70B/*3.70A	#38.70B/*3.70A	----	4.60	- 13.40	.0806	----	----	5	----	----		5 +
4625	32.30	32.30		36.30B/*3.40A	36.30B/*3.40A	----	4.10	- 12.70	.0702	----	----	6	----	----		8
4640	69.20	69.20		#126.00B/*53.60A	#126.00B/*53.60A	----	108.00	+ 10.90	.9526	----	----	4	----	----		7 +
4640	30.70	30.70		#30.70/*2.50A	#30.70/*2.50A	----	3.00	NEW	.0473	----	----	2	----	----		0
4650	----	----		135.50B/60.20A	135.50B/60.20A	----	117.40	+ 12.00	.9642	----	----	----	----	----		5
4650	18.00	18.00		25.90B/*2.10A	25.90B/*2.10A	----	2.40	- 9.40	.0357	----	----	3	----	----		2 +
4675	12.60	12.60		18.20B/*1.40A	18.20B/*1.40A	----	1.60	- 6.80	.0201	----	----	63	----	----		60 +
4675	----	----		159.90B/79.00A	159.90B/79.00A	----	141.60	+ 14.60	.9798	----	----	1	----	----		1
4695	----	----		#13.70B/*1.10A	#13.70B/*1.10A	----	1.10	- 5.40	.0121	----	----	----	----	----		1
4700	9.70	9.70		12.70B/*0.90	12.70B/*0.90	----	1.10	- 5.00	.0117	----	----	20	----	----		59 -
4700	----	----		184.50B/99.40A	184.50B/99.40A	----	166.10	+ 16.50	.9882	----	----	----	----	----		1
4715	1.60	1.60		#10.20B/*0.70A	#10.20B/*0.70A	----	0.90	NEW	.0087	----	----	2	----	----		2 +
4725	1.40	1.40		8.80B/*0.60A	8.80B/*0.60A	----	0.80	- 3.70	.0072	----	----	2	----	----		13 +
4735	1.50	1.50		#7.60B/*0.50A	#7.60B/*0.50A	----	0.70	NEW	.0059	----	----	2	----	----		2 +
4750	4.80	4.80		6.30B/*0.40A	6.30B/*0.40A	----	0.60	- 2.90	.0046	----	----	6	----	----		158 +
4750	----	----		234.10B/144.10A	234.10B/144.10A	----	215.60	+ 18.60	.9953	----	----	1	----	----		1
4775	----	----		4.50B/*0.30A	4.50B/*0.30A	----	0.50	- 2.20	.0033	----	----	1	----	----		3 -
4775	----	----		259.00B/167.80A	259.00B/167.80A	----	240.50	+ 19.30	.9966	----	----	----	----	----		50
4800	----	----		3.00B/*0.30A	3.00B/*0.30A	----	0.40	- 1.80	.0023	----	----	----	----	----		41
4800	----	----		283.80B/191.90A	283.80B/191.90A	----	265.40	+ 19.80	.9976	----	----	----	----	----		1
4825	1.80	1.80		2.20B/*0.40A	2.20B/*0.40A	----	0.30	- 1.50	.0015	----	----	1	----	----		5
4830	----	----		#2.00B/*0.30A	2.00B/*0.30A	----	0.30	- 1.40	.0015	----	----	----	----	----		2
4850	----	----		1.60B/*0.30A	1.60B/*0.30A	----	0.20	- 1.30	.0008	----	----	----	----	----		36
4855	1.00	1.00		#1.50B/*0.30A	1.50B/*0.30A	----	0.20	NEW	.0008	----	----	1	----	----		1 +
4875	----	----		----/*0.30A	1.20B/*0.30A	----	0.10	- 1.20	.0003	----	----	----	----	----		1
4875	----	----		268.30B/362.70A	268.30B/362.70A	----	340.10	+ 20.40	.9997	----	----	----	----	----		1
4900	2.60	2.60		2.60/*0.30A	2.60/*0.30A	----	0.10	- 1.00	.0001	----	----	1	----	----		9
4925	----	----		----/*0.30A	0.90B/*0.30A	----	0.10	- 0.90	.0000	----	----	----	----	----		1
4950	----	----		----/*0.30A	0.70B/*0.30A	----	0.10	- 0.70	.0000	----	----	----	----	----		17
4970	0.70	0.70		#0.70/*0.40A	0.70/*0.40A	----	0.10	NEW	.0000	----	----	7	----	----		7 +
4975	----	----		----/*0.40A	0.60B/*0.40A	----	0.10	- 0.70	.0000	----	----	----	----	----		4
4990	0.50	0.50		#0.50/*0.30A	0.50/*0.30A	----	0.10	NEW	----	----	----	1	----	----		1 +
5000	----	----		----/*0.30A	0.50B/*0.30A	----	0.10	- 0.60	----	----	----	----	----	----		2
5100	----	----		----/*0.30A	----	----	0.10	- 0.30	----	----	----	----	----	----		5
5150	----	----		----	----/*0.30A	----	0.10	- 0.20	----	----	----	----	----	----		1
5200	----	----		----	----/*0.30A	----	0.10	- 0.10	----	----	----	----	----	----		1
5300	----	----		----												

BULLETIN # 99@				METALS OPTION PRODUCTS								Tue, May 26, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU GOLD WEEKLY THURSDAY OPTION week2														
JUN26														
4900	----	----	11.40B/*5.50A	11.40B/*5.50A	----	----	----	5.40 - 3.20	.0526	----	----	----	----	3
4925	----	----	#16.50B/*9.70A	#16.50B/*9.70A	----	----	----	9.60 - 2.10	.0772	----	----	----	----	14
4950	----	----	7.60B/*4.20A	7.60B/*4.20A	----	----	----	4.00 - 2.40	.0387	----	----	2	----	2 +
4975	----	----	#11.20B/*8.90A	#11.20B/*8.90A	----	----	----	7.40 NEW	.0599	----	----	2	----	2 +
5000	1.40	1.40	2.40B/*1.30A	2.40B/*1.30A	----	----	----	1.20 - 1.00	.0122	----	----	1	----	2 +
5000	----	----	#9.60B/----	#9.60B/*8.10A	----	----	----	6.50 NEW	.0528	----	----	2	----	2 +
5025	----	----	2.10B/*1.20A	2.10B/*1.20A	----	----	----	1.10 - 0.90	.0109	----	----	----	----	1
5125	----	----	-----/*0.90A	1.30B/*0.90A	----	----	----	0.60 - 0.70	.0055	----	----	----	----	1
5400	----	----	----	0.30B/*0.70A	----	----	----	0.10 - 0.20	.0007	----	----	----	----	1
TOTAL												328		1226+ 257
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1														
JUN26														
3250	----	----	----	-----/5.00A	----	----	----	0.10 UNCH	----	----	----	----	----	1
3500	----	----	----	-----/0.70A	----	----	----	0.10 - 0.10	.0000	----	----	----	----	40
3500	----	----	----	-----/*1.70A	0.30B/*0.90A	----	----	0.60 NEW	.0031	----	----	1	----	1 +
3600	----	----	----	-----/2.10A	1.20B/*1.70A	----	----	1.30 NEW	.0072	----	----	1	----	1 +
3700	0.90	0.90	0.90/*0.40A	0.90/*0.40A	----	----	----	0.10 - 0.40	.0005	----	----	1	----	3 +
3700	----	----	-----/2.10A	1.50B/*2.10A	----	----	----	1.60 NEW	.0095	----	----	1	----	1 +
3750	----	----	-----/0.50A	-----/0.50A	----	----	----	0.20 - 0.40	.0010	----	----	----	----	4
3750	----	----	-----/2.30A	1.80B/*2.30A	----	----	----	1.90 - 0.70	.0116	----	----	----	----	6
3800	----	----	----	1.00B/*1.50A	----	----	----	1.20 - 0.30	.0078	----	----	----	----	9
3800	----	----	-----/0.50A	0.30B/*0.50A	----	----	----	0.20 - 0.50	.0011	----	----	----	----	2
3800	----	----	-----/2.50A	2.10B/*2.50A	----	----	----	2.10 - 0.80	.0133	----	2	----	----	32
3900	----	----	-----/5.30A	3.90B/*5.30A	----	----	----	4.60 - 1.40	.0285	----	----	----	----	3
3900	----	----	-----/3.30A	2.80B/*3.30A	----	----	----	2.80 - 1.00	.0190	----	----	----	----	4
3900	2.10	2.10	2.10/*1.80A	2.10/*1.80A	----	----	----	1.60 - 0.50	.0114	----	1	----	----	2 +
3900	----	----	-----/0.60A	0.50B/*0.60A	----	----	----	0.50 - 0.70	.0031	----	----	----	----	1
4000	0.60	0.60	0.60/*0.60	0.70B/*0.60	----	----	----	0.60 - 1.00	.0044	----	1	----	----	22 +
4000	----	----	-----/7.20A	6.50B/*7.20A	----	----	----	6.20 - 1.50	.0406	----	----	----	----	1
4000	----	----	-----/4.50A	4.00B/*4.50A	----	----	----	3.90 - 1.30	.0283	----	2	----	103	UNCH
4000	----	----	-----/2.50A	2.00B/*2.50A	----	----	----	2.20 - 0.80	.0171	----	1	----	26 +	1
4100	1.30	1.30	1.30/*1.20A	1.30/*1.20A	----	----	----	1.00 - 1.20	.0085	----	----	30	42 +	27
4100	10.50	10.50	10.50/*9.30A	10.50/*9.30A	----	----	----	9.40 - 1.30	.0634	----	5	----	6 +	5
4100	----	----	-----/3.40A	3.00B/*3.40A	----	----	----	3.20 - 1.30	.0274	----	----	----	20	UNCH
4100	----	----	-----/6.00A	6.30B/*6.00A	----	----	----	6.00 - 1.60	.0457	----	----	----	1	UNCH
4150	----	----	-----/1.30A	1.40B/*1.30A	----	----	----	1.20 - 1.40	.0111	----	----	----	3	UNCH
4150	13.50	13.50	13.50/*10.80A	13.50/*10.80A	----	----	----	12.30 - 0.90	.0824	----	5	----	7 +	5
4150	----	----	-----/7.50A	8.50B/*7.50A	----	----	----	7.70 - 1.70	.0596	----	----	----	1	UNCH
4175	----	----	-----/1.50A	1.60B/*1.50A	----	----	----	1.40 - 1.50	.0136	----	----	----	7	UNCH
4175	----	----	-----/11.90A	14.50B/*11.90A	----	----	----	14.10 - 0.70	.0939	----	----	----	1	UNCH
4175	----	----	-----/8.40A	9.80B/*8.40A	----	----	----	8.80 - 1.80	.0684	----	----	----	1	UNCH
4200	2.90	2.90	2.90/*1.60A	2.90/*1.60A	----	----	----	1.60 - 1.70	.0162	----	5	----	24 +	1
4200	12.50	12.50	16.50B/*12.50	16.50B/*12.50	----	----	----	16.10 - 0.70	.1067	----	1	----	22 +	1
4200	----	----	-----/9.10A	11.40B/*9.10A	----	----	----	10.10 - 1.90	.0788	----	1	----	4 +	1
4225	----	----	-----/10.00A	13.00B/*10.00A	----	----	----	11.70 - 1.90	.0912	----	----	----	8	UNCH
4225	----	----	-----/1.80A	2.20B/*1.80A	----	----	----	1.80 - 1.90	.0192	----	----	6	UNCH	2
4235	----	----	----	#2.30B/*1.90A	----	----	----	1.90 NEW	.0206	----	2	----	2 +	2
4250	----	----	-----/2.10A	2.60B/*2.10A	----	----	----	2.10 - 2.10	.0234	----	----	----	4	UNCH
4250	----	----	-----/6.90A	8.10B/*6.90A	----	----	----	7.10 NEW	.0677	----	1	----	1 +	1
4250	----	----	-----/11.10A	15.30B/*11.10A	----	----	----	13.60 - 2.00	.1058	----	2	----	4 +	1
4270	1.90	1.90	#1.90/*1.90	#2.90B/*1.90	----	----	----	2.40 NEW	.0278	----	2	----	2 +	2
4275	8.70	8.70	9.70B/*7.30A	9.70B/*7.30A	----	----	----	8.40 - 2.40	.0808	----	2	----	3 +	2
4275	----	----	-----/2.40A	3.00B/*2.40A	----	----	----	2.50 - 2.40	.0292	----	1	----	13	UNCH
4275	----	----	-----/12.60A	17.90B/*12.60A	----	----	----	15.90 - 2.00	.1229	----	----	----	3	UNCH
4300	3.50	3.50	3.70B/*2.70	3.70B/*2.70	----	----	----	3.00 - 2.70	.0367	----	63	----	75 -	2
4300	22.00	22.00	30.00B/*21.70A	30.00B/*21.70A	----	----	----	27.20 - 0.90	.1752	----	11	----	10 +	9
4300	11.70	11.70	11.70/*8.20A	11.70/*8.20A	----	----	----	10.10 - 2.50	.0974	----	1	----	6 +	1
4300	20.00	20.00	20.90B/*14.40A	20.90B/*14.40A	----	----	----	18.70 - 1.90	.1430	----	6	----	17 +	5
4300	----	----	314.90B/220.30A	314.90B/220.30A	----	----	----	237.90 - 24.00	.9631	----	----	----	1	UNCH
4325	----	----	-----/3.30A	4.80B/*3.30A	----	----	----	3.70 - 2.90	.0472	----	3	----	16	UNCH
4325	----	----	-----/9.50A	14.10B/*9.50A	----	----	----	12.20 - 2.60	.1175	----	----	----	1	UNCH
4325	----	----	24.80B/*16.90A	24.80B/*16.90A	----	----	----	22.00 - 1.80	.1661	----	----	----	36	UNCH
4335	----	----	----	#5.10B/*3.50A	----	----	----	4.10 NEW	.0529	----	1	----	1 +	1
4350	----	----	-----/11.10A	17.20B/*11.10A	----	----	----	14.80 - 2.70	.1418	----	----	----	4	UNCH
4350	5.70	5.70	5.90B/*3.90A	5.90B/*3.90A	----	----	----	4.70 - 3.20	.0621	----	7	----	38 +	6
4350	----	----	29.30B/*18.80A	29.30B/*18.80A	----	----	----	25.90 - 1.80	.1924	----	2	----	3 -	1
4360	4.00	4.00	#6.70B/*4.00	#6.70B/*4.00	----	----	----	5.20 NEW	.0696	----	1	----	1 +	1
4375	----	----	21.30B/*13.20A	21.30B/*13.20A	----	----	----	18.10 - 2.70	.1714	----	----	----	36	UNCH
4375	32.00	32.00	34.60B/*21.70A	34.60B/*21.70A	----	----	----	30.60 - 1.60	.2226	----	7	----	8 +	7
4375	----	----	-----/4.60A	7.70B/*4.60A	----	----	----	6.00 - 3.60	.0820	----	----	----	7	UNCH
4380	8.40	8.40	#8.40/*6.60	#8.40/*4.80A	----	----	----	6.30 NEW	.0866	----	7	----	7 +	7
4390	7.30	7.30	#9.00B/*7.30	#9.00B/*5.20A	----	----	----	7.10 NEW	.0982	----	9	----	9 +	9
4395	8.50	8.50	#9.60B/*7.70	#9.60B/*5.40A	----	----	----	7.50 NEW	.1042	----	7	----	7 +	7
4400	34.20	34.20	40.80B/25.30A	40.80B/25.30A	----	----	----	36.20 - 1.40	.2565	----	----	14	25 +	14
4400	20.80	20.80	27.20B/*15.10A	27.20B/*15.10A	----	----	----	22.30 - 2.70	.2070	----	2	----	31 +	2
4400	6.60	6.60	10.40B/*5.60A	10.40B/*5.60A	----	----	----	7.90 - 4.10	.1103	----	11	478 +	2	2
4405	8.60	8.60	#10.80B/*8.60	#10.80B/*5.80A	----	----	----	8.40 NEW	.1175	----	1	----	1 +	1
4410	9.10	9.10	#11.50B/*9.10	#11.50B/*6.10A	----	----	----	8.90 NEW	.1248	----	2	----	2 +	2
4415	8.60	8.60	#12.50B/*8.60	#12.50B/*6.30A	----	----	----	9.40 NEW	.1323	----	3	----	3 +	3
4420	10.20	10.20	#13.00B/*10.20	#13.00B/*6.60A	----	----	----	10.00 NEW	.1408	----	1	----	1 +	1
4425	27.00	27.00	32.20B/*18.20A	32.20B/*18.20A	----	----	----	27.50 - 2.50	.2486	----	8	----	48 +	8
4425	----	----	48.20B/29.70A	48.20B/29.70A	----	----	----	42.70 - 1.10	.2939	----	3	----	5 +	3
4425	----	----	-----/6.90A	14.10B/*6.90A	----	----	----	10.70 - 4.50	.1503	----	8	----	20 +	8
4430	11.40	11.40	#14.80B/*11.40	#14.80B/*7.20A	----	----	----	11.30 NEW	.1592	----	1	----	1 +	1
4440	12.80	12.80	#16.80B/*12.80	#16.80B/*7.90A	----	----	----	12.90 NEW	.1807	----	1	----	1 +	1
4450	8.80	8.80	19.40B/*8.00	19.40B/*8.00	----	----	----	14.60 - 4.80	.2038	----	30	----	38 +	5
4450	----	----	56.60B/34.80A	56.60B/34.80A	----	----	----	50.30 - 0.70	.3347	----	----	----	16	UNCH
4450	31.90	31.90	39.70B/*22.10A	39.70B/*22.10A	----	----	----	33.90 - 2.20	.2963	----	16	----	16 +	16
4450	----	----	167.80B/*108.10	167.80B/*108.10A	----	----	----	118.80 - 23.50	.7033	----	----	3	UNCH	3
4450	----	----	186.70B/*125.10	186.70B/*125.10A	----	----	----	135.20 - 22.00	.6648	----	----	11	UNCH	11
4455	9.60	9.60	#20.50B/*9.10A	#20.50B/*9.10A	----	----	----	15.50 NEW	.2160	----	1	----	1 +	1
4470	25.50	25.50	#25.50/*19.80	#25.50/*10.70A	----	----	----	18.80 NEW	.2577	----	4	----	4 +	4
4475	13.10	13.10	26.60B/*11.30A	26.60B/*11.30A	----	----	----	20.10 - 4.80	.2732	----	2	----	97 -	2
4475	----	----	48.50B/26.80A	48.50B/26.80A	----	----	----	41.70 - 1.60	.3496	----	----	----	1	UNCH
4485	15.00	15.00	#29.60B/*12.50A	#29.60B/*12.50A	----	----	----	22.80 NEW	.3053	----	6	----	5 +	5
4495	----	----	-----/13.30B	#132.30B/*55.20A	----	----	----	65.90 NEW	.6597	----	3	----	3 +	3
4500	18.40	18.40	35.60B/*14.60A	35.60B/*14.60A	----	----	----	27.60 - 4.30	.3582	----	66	----	72 +	54
4500	50.00	50.00	59.00B/32.40A	59.00B/										

PG64

BULLETIN # 99@

METALS OPTION PRODUCTS

Tue, May 26, 2026

PG64

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26				GOLD WEEKLY MONDAY OPTON WEEK1											
4615	----	----	----	----	#50.40B/*11.50A	----	14.10	NEW	.2128	----	----	----	1	----	1 +
4620	----	----	----	----	#48.30B/*10.70A	----	13.10	NEW	.1992	----	----	----	1	----	1 +
4620	----	----	----	----	#113.50B/*53.90A	----	98.00	NEW	.8005	----	----	----	1	----	1 +
4625	----	----	----	46.00B/*9.90A	46.00B/*9.90A	----	12.10	- 14.00	.1858	----	----	6	----	117 +	4
4625	----	----	----	132.60B/84.40A	132.60B/84.40A	----	121.20	+ 6.30	.7049	----	----	----	----	1	UNCH
4625	----	----	----	117.90B/56.80A	117.90B/56.80A	----	102.10	+ 7.50	.8140	----	----	----	----	4	UNCH
4630	8.60	8.60	8.60	#8.60/*8.60	#43.40B/*8.60	----	11.30	NEW	.1741	----	----	9	----	9 +	9
4645	----	----	----	----	#37.10B/*7.50A	----	9.00	NEW	.1409	----	----	4	----	2 +	2
4650	----	----	----	140.00B/72.40A	140.00B/72.40A	----	123.30	+ 10.30	.8681	----	----	----	----	6	UNCH
4650	34.60	34.60	34.60	35.10B/*7.00A	35.10B/*7.00A	----	8.40	- 11.10	.1317	----	----	81	----	98 +	30
4650	----	----	----	152.10B/102.00A	152.10B/102.00A	----	139.80	+ 8.10	.7544	----	----	----	----	1	UNCH
4650	----	----	----	56.00B/*22.50A	56.00B/*22.50A	----	24.90	- 13.30	.2452	----	----	----	----	2	UNCH
4660	----	----	----	----	#31.40B/*6.10A	----	7.20	NEW	.1137	----	----	5	----	3 +	3
4670	----	----	----	----	#158.20B/*85.90A	----	141.20	NEW	.9005	----	----	2	----	2 +	2
4670	7.00	7.00	7.00	#7.00/*5.30A	#28.00B/*5.30A	----	6.30	NEW	.0993	----	----	1	----	1 +	1
4675	18.80	18.80	18.80	26.70B/*5.00A	26.70B/*5.00A	----	5.80	- 8.90	.0917	----	----	5	----	11 +	4
4675	39.80	39.80	39.80	46.40B/*18.00A	46.40B/*18.00A	----	19.80	- 11.50	.2023	----	----	3	----	5 +	2
4675	----	----	----	163.00B/89.50A	163.00B/89.50A	----	145.80	+ 12.60	.9081	----	----	3	----	4 +	1
4675	----	----	----	62.90B/*31.10A	62.90B/*31.10A	----	33.80	NEW	.2610	----	----	1	----	1 +	1
4700	17.00	17.00	17.00	19.90B/*3.70A	19.90B/*3.70A	----	4.10	- 7.10	.0642	----	----	8	----	136 -	3
4700	----	----	----	186.70B/107.80A	186.70B/107.80A	----	169.10	+ 14.50	.9356	----	----	----	----	3	UNCH
4700	----	----	----	38.10B/*14.50A	38.10B/*14.50A	----	15.60	- 9.90	.1648	----	----	----	----	6	UNCH
4700	----	----	----	194.30B/138.50A	194.30B/138.50A	----	180.40	+ 11.50	.8348	----	----	----	----	2	UNCH
4700	----	----	----	53.90B/*26.20A	53.90B/*26.20A	----	28.30	- 10.40	.2259	----	----	----	----	10	UNCH
4700	----	----	----	205.80B/158.30A	205.80B/158.30A	----	193.00	+ 11.00	.7736	----	----	----	----	5	UNCH
4705	----	----	----	----	#191.40B/*112.30A	----	173.80	NEW	.9392	----	----	1	----	1 +	1
4720	----	----	----	----	#15.70B/*2.90A	----	3.20	NEW	.0491	----	----	4	----	2 +	2
4725	----	----	----	210.70B/127.90A	210.70B/127.90A	----	192.90	+ 15.80	.9539	----	----	1	----	1	UNCH
4725	----	----	----	216.60B/157.20A	216.60B/157.20A	----	202.10	+ 13.00	.8662	----	----	----	----	1	UNCH
4725	----	----	----	31.20B/*11.40A	31.20B/*11.40A	----	12.30	- 8.50	.1334	----	----	----	----	2	UNCH
4725	23.70	23.70	23.70	45.90B/*22.00A	45.90B/*22.00A	----	23.70	- 9.20	.1947	----	----	5	----	6 +	4
4725	12.00	12.00	12.00	14.70B/*2.80A	14.70B/*2.80A	----	3.00	- 5.60	.0459	----	----	65	----	81 +	15
4730	5.00	5.00	5.00	#5.00/*2.60A	#13.80B/*2.60A	----	2.80	NEW	.0426	----	----	1	----	1 +	1
4750	----	----	----	226.90B/149.30A	226.90B/149.30A	----	217.20	+ 17.00	.9659	----	----	----	----	2	UNCH
4750	21.00	21.00	21.00	25.30B/*9.30A	25.30B/*9.30A	----	9.80	- 7.10	.1082	----	----	11	----	26 +	9
4750	1.90	1.90	1.90	10.90B/*1.90	10.90B/*1.90	----	2.30	- 4.40	.0339	----	----	11	----	9	UNCH
4750	----	----	----	239.30B/176.90A	239.30B/176.90A	----	224.60	+ 14.30	.8915	----	----	----	----	1	UNCH
4750	----	----	----	38.90B/*18.70A	38.90B/*18.70A	----	19.80	- 8.10	.1669	----	----	3	----	5 +	3
4750	----	----	----	51.70B/*28.10A	51.70B/*28.10A	----	29.70	- 7.70	.2072	----	----	1	----	2 +	1
4775	----	----	----	8.20B/*1.80A	8.20B/*1.80A	----	1.80	- 3.50	.0255	----	----	1	----	1 -	1
4775	----	----	----	20.60B/*7.40A	20.60B/*7.40A	----	7.80	- 6.00	.0873	----	----	----	----	1	UNCH
4775	----	----	----	276.20B/*220.40	276.20B/*220.40A	----	265.00	+ 14.60	.8170	----	----	----	----	1	UNCH
4800	----	----	----	16.70B/*6.30A	16.70B/*6.30A	----	6.30	- 5.00	.0710	----	----	----	----	100	UNCH
4800	----	----	----	38.90B/*21.00A	38.90B/*21.00A	----	21.90	- 6.10	.1601	----	----	2	----	2 +	1
4800	----	----	----	257.10B/194.80A	257.10B/194.80A	----	266.30	+ 18.60	.9808	----	----	----	----	1	UNCH
4800	----	----	----	27.60B/*13.20A	27.60B/*13.20A	----	14.00	- 6.10	.1225	----	----	----	----	1	UNCH
4800	4.70	4.70	4.70	6.10B/*1.40A	6.10B/*1.40A	----	1.40	- 2.90	.0191	----	----	123	----	56 +	40
4825	----	----	----	4.70B/*1.20A	4.70B/*1.20A	----	1.20	- 2.30	.0156	----	----	----	----	1	UNCH
4850	3.50	3.50	3.50	3.70B/*1.00A	3.70B/*1.00A	----	1.00	- 1.90	.0124	----	----	5	----	13	UNCH
4850	----	----	----	29.10B/*15.90A	29.10B/*15.90A	----	16.40	- 4.80	.1238	----	----	2	----	2	UNCH
4850	10.10	10.10	10.10	10.90B/*4.40A	10.90B/*4.40A	----	4.10	- 3.70	.0466	----	----	1	----	3 +	1
4850	----	----	----	19.80B/*9.40A	19.80B/*9.40A	----	10.00	- 4.60	.0897	----	----	1	----	2	UNCH
4875	----	----	----	2.80B/*0.90A	2.80B/*0.90A	----	0.80	- 1.60	.0095	----	----	58	----	128 +	24
4875	----	----	----	----/286.50A	296.40B/286.50A	----	343.10	NEW	.9613	----	----	1	----	1 +	1
4875	----	----	----	16.90B/*8.40A	16.90B/*8.40A	----	8.60	- 3.80	.0775	----	----	----	----	1	UNCH
4875	----	----	----	25.10B/*13.90A	25.10B/*13.90A	----	14.20	- 4.40	.1087	----	----	----	----	1	UNCH
4900	----	----	----	2.20B/*0.80A	2.20B/*0.80A	----	0.60	- 1.50	.0069	----	----	----	----	49	UNCH
4900	----	----	----	----	291.90B/392.70A	----	365.50	+ 20.10	.9930	----	----	----	----	2	UNCH
4900	5.10	5.10	5.10	6.90B/*3.30A	6.90B/*3.30A	----	2.90	- 2.70	.0324	----	----	1	----	4 +	1
4900	----	----	----	14.10B/*7.20A	14.10B/*7.20A	----	7.40	- 3.20	.0669	----	----	1	----	4	UNCH
4925	----	----	----	12.40B/*6.30A	12.40B/*6.30A	----	6.40	NEW	.0580	----	----	2	----	2 +	2
4925	0.60	0.60	0.60	0.60/*0.60	1.70B/*0.60	----	0.50	- 1.30	.0055	----	----	1	----	5 +	1
4935	----	----	----	----	#1.60B/*0.80A	----	0.50	NEW	.0054	----	----	1	----	1 +	1
4950	----	----	----	----/*0.70A	1.50B/*0.70A	----	0.40	- 1.20	.0043	----	----	----	----	32	UNCH
4950	----	----	----	4.90B/*2.60A	4.90B/*2.60A	----	2.10	- 2.00	.0229	----	----	----	----	5	UNCH
4950	----	----	----	9.60B/*5.50A	9.60B/*5.50A	----	5.50	- 2.40	.0500	----	----	----	----	11	UNCH
4975	----	----	----	----/*0.60A	1.30B/*0.60A	----	0.40	- 1.00	.0041	----	----	2	----	5 +	2
5000	12.50	12.50	12.50	12.50/*8.60	12.50/*8.60	----	7.40	NEW	.0584	----	----	2	----	1 +	1
5000	----	----	----	7.10B/*4.30A	7.10B/*4.30A	----	4.30	- 1.70	.0387	----	----	----	----	1	UNCH
5000	----	----	----	----/2.00A	2.30B/*2.00A	----	1.60	- 1.50	.0169	----	----	----	----	32	UNCH
5000	----	----	----	----/*0.60A	1.10B/*0.60A	----	0.30	- 1.00	.0029	----	----	----	----	31	UNCH
5025	----	----	----	----/*0.50A	1.00B/*0.50A	----	0.30	- 0.80	.0028	----	----	----	----	1	UNCH
5025	----	----	----	6.60B/*3.90A	6.60B/*3.90A	----	3.80	- 1.50	.0340	----	----	----	----	4	UNCH
5050	----	----	----	----/1.70A	1.60B/*1.70A	----	1.30	- 1.20	.0132	----	----	----	----	5	UNCH
5050	----	----	----	----/*0.50A	0.80B/*0.50A	----	0.20	- 0.80	.0018	----	----	1	----	29 +	1
5050	----														



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 99@										METALS OPTION PRODUCTS					Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
RWS THU	SILVER WEEKLY THURSDAY OPTION week4																
MAY26																	
8100	0.169	0.169	0.612B/*0.167A	0.612B/*0.167A	----	0.128 -	0.244 .0491	----	----	1	----	1 +	1				
8150	-----	-----	0.447B/*0.168A	0.447B/*0.168A	----	0.108 -	0.215 .0384	----	----	----	----	5	UNCH				
8200	0.384	0.384	0.384/*0.138A	0.384/*0.138A	----	0.093 -	0.189 .0306	----	----	1	----	2 +	1				
8250	0.097	0.097	0.097/*0.097	0.237B/*0.097	----	0.082 -	0.166 .0250	----	----	2	----	5	UNCH				
8300	-----	-----	-----	5.139B/9.772A	----	6.466 -	0.550 .9792	----	----	----	----	1	UNCH				
8400	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.061 -	NEW .0151	----	----	1	----	1 +	1				
8400	-----	-----	-----	-----	----	7.453 -	0.516 .9849	----	----	----	----	2	UNCH				
8500	-----	-----	-----	5.962B/13.606A	----	8.430 -	0.494 .9920	----	----	----	----	1	UNCH				
8600	0.068	0.068	0.068/*0.068	0.068/*0.068	----	0.023 -	NEW .0041	----	----	1	----	1 +	1				
8800	-----	-----	-----	-----	----	11.402 -	0.455 .9986	----	----	----	----	1	UNCH				
9000	-----	-----	-----	0.001B/*0.068A	----	0.004 -	0.039 .0003	----	----	----	----	10	UNCH				
10000	-----	-----	-----	-----/0.247A	----	0.001 -	0.004 .----	----	----	----	----	1	UNCH				
TOTAL										53	0	157 +	45				
JUN26																	
6600	0.139	0.139	0.139/*0.139	0.139/*0.139	----	0.131 -	0.117 .0370	----	----	1	----	0 -	1				
7000	-----	-----	-----/0.405A	0.322B/0.405A	----	0.400 -	0.231 .1134	----	----	----	----	1	UNCH				
7100	0.540	0.540	0.540/0.511A	0.540/0.511A	----	0.528 -	NEW .1475	----	----	1	----	1 +	1				
7200	0.775	0.775	0.775/0.662A	0.775/0.662A	----	0.694 -	NEW .1897	----	----	1	----	1 +	1				
7600	-----	-----	-----/2.503A	2.530B/2.503A	----	2.550 -	NEW .5591	----	----	1	----	1 +	1				
7600	-----	-----	---/*2.374A	2.946B/*2.374A	----	2.689 -	0.517 .4478	----	----	----	----	25	UNCH				
7700	-----	-----	---/*3.339A	#3.683B/*3.339A	----	3.475 -	NEW .5059	----	----	----	104	104 +	104				
7750	-----	-----	-----/2.269A	2.697B/2.269A	----	2.720 -	0.591 .5527	----	----	----	----	1	UNCH				
7850	-----	-----	-----/2.747A	3.296B/2.747A	----	3.334 -	0.621 .6243	----	----	----	----	2	UNCH				
7900	-----	-----	-----/2.979A	3.454B/2.979A	----	3.669 -	0.631 .6581	----	----	----	----	1	UNCH				
7950	-----	-----	2.111B/*1.229A	2.111B/*1.229A	----	1.130 -	NEW .3099	----	2	----	----	2 +	2				
8000	-----	-----	#2.733B/*1.825A	#2.733B/*1.825A	----	1.717 -	0.210 .3453	----	----	----	----	3	UNCH				
8000	-----	-----	1.931B/*1.090A	1.931B/*1.090A	----	0.998 -	0.237 .2799	----	----	----	----	3	UNCH				
8300	-----	-----	#1.676B/*1.182A	#1.676B/*1.182A	----	1.081 -	0.170 .2317	----	----	----	----	4	UNCH				
8850	-----	-----	-----/0.253A	0.227B/*0.253A	----	0.161 -	0.113 .0475	----	----	----	----	1	UNCH				
9500	-----	-----	-----	0.266B/*0.284A	----	0.220 -	0.064 .0492	----	----	----	----	1	UNCH				
TOTAL										6	104	151 +	108				
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2																
JUN26																	
5250	-----	-----	-----	-----/0.150A	----	0.008 -	0.003 .0017	----	----	----	----	15	UNCH				
5750	-----	-----	-----	-----/0.200A	----	0.001 -	0.007 .0000	----	----	----	----	1	UNCH				
6000	-----	-----	-----/0.164A	0.068B/*0.164A	----	0.131 -	0.048 .0280	----	----	----	----	2	UNCH				
6000	-----	-----	-----	-----	----	16.606 +	0.398 .9995	----	----	----	----	1	UNCH				
6500	-----	-----	-----	0.004B/*0.084A	----	0.015 -	0.060 .0049	----	----	----	----	8	UNCH				
7000	-----	-----	---/*0.185A	0.210B/*0.185A	----	0.150 -	0.228 .0555	----	----	----	----	4	UNCH				
7050	-----	-----	---/*0.196A	0.269B/*0.196A	----	0.188 -	0.257 .0693	----	----	----	----	1	UNCH				
7100	0.295	0.295	0.330B/*0.225A	0.330B/*0.225A	----	0.229 -	NEW .0846	----	1	----	----	1 +	1				
7200	0.500	0.500	0.500/*0.312A	0.500/*0.312A	----	0.335 -	0.356 .1234	----	1	----	----	2 +	1				
7300	-----	-----	-----/1.067A	1.263B/1.067A	----	1.211 -	0.325 .2709	----	----	----	----	1	UNCH				
7430	0.748	0.748	#0.748/*0.684A	#1.102B/*0.684A	----	0.777 -	NEW .2690	----	6	----	----	6 +	6				
7490	0.930	0.930	#0.930/*0.843A	#1.338B/*0.843A	----	0.957 -	NEW .3210	----	75	----	----	75 +	75				
7500	-----	-----	-----/0.826A	1.388B/0.826A	----	0.991 -	0.572 .3302	----	----	----	----	22	UNCH				
7500	-----	-----	---/*2.317A	2.276B/*2.317A	----	2.596 -	0.165 .6697	----	1	----	----	3 -	1				
7600	-----	-----	2.283B/*1.785A	2.283B/*1.785A	----	1.984 -	0.222 .5722	----	----	----	----	5	UNCH				
7700	-----	-----	2.379B/*1.312A	2.379B/*1.312A	----	1.480 -	0.260 .4695	----	----	----	----	9	UNCH				
7750	-----	-----	-----/1.749A	2.410B/1.749A	----	2.162 -	0.678 .5809	----	----	----	----	1	UNCH				
7800	1.730	1.730	2.304B/*0.937A	2.304B/*0.937A	----	1.083 -	0.277 .3706	----	6	----	----	8 +	6				
7850	-----	-----	2.143B/*0.786A	2.143B/*0.786A	----	0.921 -	0.278 .3250	----	----	----	----	3	UNCH				
7900	-----	-----	1.905B/*0.662A	1.905B/*0.662A	----	0.781 -	0.276 .2828	----	1	----	----	3 +	1				
7950	2.580	2.580	3.269B/2.580	3.269B/2.580	----	3.554 -	0.675 .7552	----	6	----	----	7 +	6				
8000	1.200	1.200	1.429B/*0.473A	1.429B/*0.473A	----	0.560 -	0.260 .2105	----	12	----	----	9 +	7				
8000	-----	-----	#3.537B/*2.541A	#3.537B/*2.541A	----	2.535 -	0.094 .3893	----	----	----	----	1	UNCH				
8000	-----	-----	-----/2.979A	3.704B/2.979A	----	3.952 -	0.665 .7894	----	----	----	----	3	UNCH				
8000	2.500	2.500	#3.000B/*1.850	#3.000B/*1.850	----	2.067 -	0.086 .3666	----	12	----	----	19 +	12				
8100	0.315	0.315	1.044B/*0.315	1.044B/*0.315	----	0.400 -	0.236 .1537	----	4	----	----	8 +	4				
8100	-----	-----	1.909B/*1.179A	1.909B/*1.179A	----	1.099 -	0.152 .2684	----	----	----	----	1	UNCH				
8200	-----	-----	-----/19.648A	-----	----	5.678 -	0.614 .8888	----	----	----	----	1	UNCH				
8400	-----	-----	-----/20.257A	-----	----	7.994 -	0.549 .8408	----	----	----	----	20	UNCH				
8500	-----	-----	7.470B/9.461A	-----	----	8.493 -	0.533 .9607	----	----	----	----	1	UNCH				
8500	-----	-----	1.431B/*1.078A	1.431B/*1.078A	----	1.013 -	0.105 .2014	----	----	----	----	16	UNCH				
8600	-----	-----	0.196B/*0.163A	0.196B/*0.163A	----	0.071 -	0.107 .0267	----	----	----	----	1	UNCH				
8700	-----	-----	0.158B/-----	0.158B/*0.147A	----	0.049 -	0.089 .0181	----	----	----	----	1	UNCH				
8800	-----	-----	0.421B/*0.374A	0.421B/*0.374A	----	0.301 -	0.108 .0805	----	----	----	----	13	UNCH				
9050	-----	-----	-----	0.026B/*0.107A	----	0.015 -	0.048 .0050	----	----	----	----	1	UNCH				
9200	-----	-----	-----/0.477A	0.473B/*0.477A	----	0.420 -	0.083 .0877	----	----	----	----	7	UNCH				
9500	-----	-----	-----	0.001B/*0.077A	----	0.005 -	0.025 .0014	----	----	----	----	1	UNCH				
10250	-----	-----	-----	-----/0.079A	----	0.001 -	0.011 .0001	----	----	----	----	1	UNCH				
TOTAL										125	0	282 +	118				
SO CALL	COMEX SILVER OPTIONS																
JUN26																	
4300	-----	-----	-----	-----	----	33.606 +	0.407 .----	20	----	----	----	0 -	20				
5000	-----	-----	-----	-----	----	26.606 +	0.402 .----	22	----	----	----	0 -	22				
5025	-----	-----	-----	-----	----	26.356 +	0.402 .----	6	----	----	----	0 -	6				
5200	-----	-----	-----	-----	----	24.606 +	0.402 .----	2	----	----	----	0 -	2				
5300	-----	-----	-----	-----	----	23.606 +	0.402 .----	----	----	----	----	0	UNCH				
5500	-----	-----	22.609B/-----	22.609B/22.950A	----	21.606 +	0.402 .----	329	----	----	----	0 -	329				
5700	-----	-----	21.324B/-----	21.324B/20.981A	----	1											



BULLETIN # 99@				METALS OPTION PRODUCTS						Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUN26														
7560	----	----	#2.796B/*0.650A	#2.796B/*0.650A	----	1.006 - 0.438	----	1	----	----	----	0 -	1	
7575	----	----	2.655B/*0.572A	2.655B/*0.572A	----	0.856 - 0.499	----	6	----	1	----	0 -	7	
7590	----	----	#2.499B/*0.502A	#2.499B/*0.502A	----	0.706 - 0.562	----	4	----	4	----	0 -	4	
7600	2.800	2.800	3.315/*0.208	3.315/*0.208	----	0.606 - 0.607	----	110	----	43	----	0 -	108	
7625	----	----	2.262B/*0.174A	2.262B/*0.174A	----	0.356 - 0.726	----	17	----	----	----	0 -	17	
7630	----	----	#2.219B/*0.152A	#2.219B/*0.152A	----	0.306 - 0.751	----	4	----	1	----	0 -	3	
7640	----	----	#2.143B/*0.117A	#2.143B/*0.117A	----	0.206 - 0.802	----	5	----	4	----	0 -	3	
7650	0.470	0.470	2.058B/*0.046	2.058B/*0.046	----	0.106 - 0.855	----	32	----	116	----	0 -	16	
7660	0.160	0.160	1.610B/*0.057A	1.610B/*0.057A	----	0.006 - NEW	----	1	----	3	----	0	UNCH	
7670	----	----	1.893B/*0.042A	1.893B/*0.042A	----	0.000 - 0.871	----	----	----	----	----	0 -	1	
7675	0.493	0.493	1.914B/*0.020A	1.914B/*0.020A	----	0.000 - 0.850	----	----	----	132	----	0 -	29	
7680	----	----	1.197B/*0.030A	1.197B/*0.030A	----	0.000 - NEW	----	----	----	5	----	0	UNCH	
7690	0.217	0.217	1.769B/*0.025A	1.769B/*0.025A	----	0.000 - 0.789	----	----	----	27	----	0 -	4	
7700	1.716	1.716	1.810B/*0.010	1.810B/*0.010	----	0.000 - 0.750	----	----	----	180	----	0 -	172	
7710	----	----	1.610B/*0.021A	1.610B/*0.021A	----	0.000 - 0.713	----	----	----	2	----	0 -	2	
7720	1.610	1.610	1.610/*0.017A	1.610/*0.017A	----	0.000 - 0.677	----	----	----	2	----	0 -	1	
7725	0.511	0.511	1.621B/*0.001A	1.621B/*0.001A	----	0.000 - 0.660	----	----	----	25	----	0 -	58	
7740	----	----	1.289B/*0.015A	1.289B/*0.015A	----	0.000 - 0.611	----	----	----	----	----	0 -	1	
7750	1.200	1.200	1.439B/*0.003A	1.439B/*0.003A	----	0.000 - 0.580	----	----	----	93	----	0 -	119	
7760	----	----	1.155B/*0.015A	1.155B/*0.015A	----	0.000 - 0.550	----	----	----	3	----	0 -	16	
7770	0.937	0.937	1.266B/*0.014A	1.266B/*0.014A	----	0.000 - 0.523	----	----	----	7	----	0 -	1	
7775	0.906	0.906	1.357B/*0.005	1.357B/*0.005	----	0.000 - 0.509	----	----	----	16	----	0 -	22	
7780	0.145	0.145	1.338B/*0.014A	1.338B/*0.014A	----	0.000 - NEW	----	----	----	2	----	0	UNCH	
7790	----	----	1.334B/*0.014A	1.334B/*0.014A	----	0.000 - 0.471	----	----	----	1	----	0 -	1	
7800	0.405	0.405	1.820/*0.006	1.820/*0.006	----	0.000 - 0.447	----	----	----	348	----	0 -	215	
7810	----	----	#1.280B/*0.014A	1.280B/*0.014A	----	0.000 - 0.425	----	----	----	----	----	0 -	1	
7820	0.881	0.881	#1.285B/*0.015A	1.285B/*0.015A	----	0.000 - 0.403	----	----	----	2	----	0	5	
7825	0.706	0.706	1.284B/*0.014A	1.284B/*0.014A	----	0.000 - 0.393	----	----	----	4	----	0 -	24	
7830	1.114	1.114	#1.575/*0.015A	#1.575/*0.015A	----	0.000 - NEW	----	----	----	273	----	0	UNCH	
7850	1.125	1.125	1.248B/*0.015A	1.248B/*0.015A	----	0.000 - 0.346	----	----	----	29	----	0 -	24	
7860	----	----	#1.356B/*0.013A	#1.356B/*0.013A	----	0.000 - 0.330	----	----	----	----	----	0 -	1	
7870	0.580	0.580	#1.335B/*0.014A	#1.335B/*0.014A	----	0.000 - NEW	----	----	----	2	----	0	UNCH	
7875	0.535	0.535	1.314B/*0.015A	1.314B/*0.015A	----	0.000 - 0.306	----	----	----	25	----	0 -	21	
7880	----	----	#1.293B/*0.016A	#1.293B/*0.016A	----	0.000 - 0.298	----	----	----	----	----	0 -	1	
7890	----	----	#1.228B/*0.015A	#1.228B/*0.015A	----	0.000 - 0.284	----	----	----	----	----	0 -	1	
7900	1.344	1.344	1.344/*0.016A	1.344/*0.016A	----	0.000 - 0.271	----	----	----	113	----	0 -	182	
7910	1.206	1.206	#1.218B/*0.015A	#1.218B/*0.015A	----	0.000 - 0.258	----	----	----	2	----	0 -	1	
7925	0.437	0.437	1.021B/*0.014A	1.021B/*0.014A	----	0.000 - 0.240	----	----	----	12	----	0 -	21	
7950	0.315	0.315	0.970B/*0.013A	0.970B/*0.013A	----	0.000 - 0.214	----	----	----	20	----	0 -	41	
7975	----	----	0.742B/*0.020A	0.742B/*0.020A	----	0.000 - 0.190	----	----	----	1	----	0 -	22	
7980	0.034	0.034	0.749B/*0.021A	0.749B/*0.021A	----	0.000 - 0.186	----	----	----	1	----	0 -	1	
8000	0.669	0.669	0.800/*0.004	0.800/*0.004	----	0.000 - 0.170	----	----	----	149	----	0 -	915	
8025	0.156	0.156	0.671B/*0.005	0.671B/*0.005	----	0.000 - 0.152	----	----	----	23	----	0 -	25	
8030	----	----	#0.662B/*0.021A	0.662B/*0.021A	----	0.000 - 0.148	----	----	----	----	----	0 -	1	
8040	0.180	0.180	#0.628B/*0.021A	0.628B/*0.021A	----	0.000 - NEW	----	----	----	2	----	0	UNCH	
8050	0.650	0.650	0.650/*0.010	0.650/*0.010	----	0.000 - 0.136	----	----	----	63	----	0 -	28	
8075	0.121	0.121	0.533B/*0.016A	0.533B/*0.016A	----	0.000 - 0.122	----	----	----	5	----	0 -	6	
8100	0.449	0.449	0.464B/*0.021A	0.464B/*0.021A	----	0.000 - 0.109	----	----	----	84	----	0 -	162	
8110	----	----	0.434B/*0.020A	0.434B/*0.020A	----	0.000 - 0.105	----	----	----	1	----	0 -	2	
8125	----	----	0.401B/*0.020A	0.401B/*0.020A	----	0.000 - 0.099	----	----	----	1	----	0 -	14	
8130	0.100	0.100	0.395B/*0.020A	0.395B/*0.020A	----	0.000 - 0.097	----	----	----	1	----	0 -	1	
8150	0.110	0.110	0.348B/*0.010A	0.348B/*0.010A	----	0.000 - 0.089	----	----	----	33	----	0 -	72	
8175	0.063	0.063	0.310B/*0.012	0.310B/*0.012	----	0.000 - 0.081	----	----	----	2	----	0 -	7	
8180	0.055	0.055	0.299B/*0.010	0.299B/*0.010	----	0.000 - NEW	----	----	----	2	----	0	UNCH	
8200	0.150	0.150	0.279/*0.002	0.279/*0.002	----	0.000 - 0.074	----	----	----	99	----	0 -	254	
8210	----	----	0.259B/*0.017A	0.259B/*0.017A	----	0.000 - 0.071	----	----	----	----	----	0 -	2	
8225	----	----	0.232B/*0.018A	0.232B/*0.018A	----	0.000 - 0.068	----	----	----	----	----	0 -	41	
8240	0.010	0.010	0.222B/*0.010	0.222B/*0.010	----	0.000 - 0.065	----	----	----	2	----	0 -	3	
8250	0.050	0.050	0.201B/*0.005	0.201B/*0.005	----	0.000 - 0.063	----	----	----	13	----	0 -	59	
8275	0.040	0.040	0.179B/*0.017A	0.179B/*0.017A	----	0.000 - 0.058	----	----	----	1	----	0 -	59	
8300	0.056	0.056	0.179B/*0.008	0.179B/*0.008	----	0.000 - 0.054	----	----	----	46	----	0 -	145	
8325	0.021	0.021	0.131B/*0.010	0.131B/*0.010	----	0.000 - 0.051	----	----	----	14	----	0 -	12	
8350	----	----	0.112B/*0.013A	0.112B/*0.013A	----	0.000 - 0.049	----	----	----	----	----	0 -	22	
8375	----	----	0.097B/*0.018A	0.097B/*0.018A	----	0.000 - 0.046	----	----	----	----	----	0 -	11	
8400	0.021	0.021	0.083B/*0.008	0.083B/*0.008	----	0.000 - 0.044	----	----	----	69	----	0 -	487	
8425	----	----	0.071B/*0.015A	0.071B/*0.015A	----	0.000 - 0.042	----	----	----	----	----	0 -	62	
8450	0.003	0.003	0.060B/*0.003	0.060B/*0.003	----	0.000 - 0.039	----	----	----	5	----	0 -	27	
8475	0.010	0.010	0.045B/*0.010	0.045B/*0.010	----	0.000 - 0.037	----	----	----	5	----	0 -	12	
8500	0.060	0.060	0.075/*0.001	0.075/*0.001	----	0.000 - 0.035	----	----	----	12	----	0 -	1383	
8525	----	----	0.008B/0.041A	0.008B/0.041A	----	0.000 - 0.033	----	----	----	----	----	0 -	20	
8550	----	----	0.007B/*0.001A	0.007B/*0.001A	----	0.000 - 0.031	----	----	----	----	----	0 -	18	
8575	0.030	0.030	0.031B/0.030	0.031B/0.030	----	0.000 - 0.029	----	----	----	1	----	0 -	30	
8600	0.025	0.025	0.025/*0.020	0.027B/*0.020										

PG64	BULLETIN # 99@		METALS OPTION PRODUCTS							Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
19500	----	----	----	----/0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 126
19600	----	----	----	----/*0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
19900	----	----	----	----/*0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 28
20000	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 235
21000	----	----	----	----/*0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 20
23000	----	----	----	----/*0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
25000	----	----	----	----/0.003A	----	0.000 - 0.001	----	----	----	----	----	0 - 302
27000	----	----	----	----/*0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
30000	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 31
32000	----	----	----	----/0.046A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
35000	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 45
TOTAL										2333	0	0 - 20654
JUL26												
2700	----	----	51.342B/49.049A	51.342B/49.049A	----	49.606 + 0.407	.9997	2	----	2	----	1 UNCH
4000	----	----	38.288B/36.046A	38.288B/36.046A	----	36.608 + 0.404	.9956	----	----	----	----	7 UNCH
4500	----	----	33.325B/31.054A	33.325B/31.054A	----	31.612 + 0.403	.9941	----	----	----	----	2 UNCH
4600	----	----	32.468B/29.967A	32.468B/29.967A	----	30.614 + 0.402	.9935	----	6	----	130 +	6
4700	----	----	31.330B/29.064A	31.330B/29.064A	----	29.617 + 0.402	.9927	----	----	----	----	1 UNCH
4750	----	----	30.831B/28.567A	30.831B/28.567A	----	29.119 + 0.401	.9923	----	----	----	----	1 UNCH
4825	----	----	30.084B/27.821A	30.084B/27.821A	----	28.373 + 0.401	.9914	----	----	----	----	3 UNCH
4900	----	----	29.337B/27.076A	29.337B/27.076A	----	27.627 + 0.400	.9905	----	----	----	----	1 UNCH
4925	----	----	29.088B/26.827A	29.088B/26.827A	----	27.379 + 0.400	.9903	----	----	----	----	16 UNCH
5000	27.369	27.369	28.482B/25.989A	28.482B/25.989A	----	26.634 + 0.399	.9892	----	1	----	306 -	1
5025	----	----	28.188B/25.834A	28.188B/25.834A	----	26.385 + 0.398	.9890	----	----	----	----	4 UNCH
5050	----	----	27.939B/25.586A	27.939B/25.586A	----	26.137 + 0.398	.9886	----	----	----	----	2 UNCH
5100	----	----	27.487B/24.997A	27.487B/24.997A	----	25.641 + 0.398	.9878	----	----	----	133	6 UNCH
5150	----	----	26.850B/24.595A	26.850B/24.595A	----	25.145 + 0.398	.9869	----	----	----	----	6 UNCH
5200	----	----	26.429B/24.047A	26.429B/24.047A	----	24.650 + 0.399	.9861	----	----	----	----	9 UNCH
5225	----	----	26.200B/23.852A	26.200B/23.852A	----	24.402 + 0.398	.9856	----	----	----	----	40 UNCH
5250	----	----	25.952B/23.605A	25.952B/23.605A	----	24.155 + 0.399	.9851	----	----	----	----	2 UNCH
5275	----	----	25.704B/23.357A	25.704B/23.357A	----	23.907 + 0.399	.9846	----	----	----	----	1 UNCH
5300	----	----	25.456B/23.110A	25.456B/23.110A	----	23.660 + 0.399	.9841	----	----	----	----	7 UNCH
5350	----	----	25.038B/22.522A	25.038B/22.522A	----	23.165 + 0.398	.9830	----	----	----	157	UNCH
5375	----	----	24.713B/22.370A	24.713B/22.370A	----	22.918 + 0.398	.9824	----	----	----	----	1 UNCH
5400	----	----	24.465B/22.124A	24.465B/22.124A	----	22.671 + 0.398	.9818	----	----	----	21	UNCH
5425	----	----	24.282B/21.825A	24.282B/21.825A	----	22.425 + 0.398	.9812	----	----	----	42	UNCH
5450	----	----	23.953B/21.630A	23.953B/21.630A	----	22.178 + 0.397	.9806	----	----	----	1	UNCH
5500	----	----	23.553B/21.043A	23.553B/21.043A	----	21.685 + 0.396	.9792	----	----	----	496	UNCH
5550	----	----	22.965B/20.646A	22.965B/20.646A	----	21.193 + 0.394	.9778	----	----	----	3	UNCH
5600	----	----	22.566B/20.061A	22.566B/20.061A	----	20.701 + 0.390	.9761	----	----	----	106	UNCH
5650	----	----	22.060B/19.619A	22.060B/19.619A	----	20.210 + 0.386	.9743	----	----	----	43	UNCH
5675	----	----	21.814B/19.375A	21.814B/19.375A	----	19.965 + 0.384	.9735	----	----	----	25	UNCH
5700	----	----	21.568B/19.131A	21.568B/19.131A	----	19.720 + 0.382	.9725	----	----	----	26	UNCH
5750	----	----	21.090B/18.596A	21.090B/18.596A	----	19.231 + 0.377	.9703	----	----	----	164	UNCH
5775	----	----	20.750B/18.449A	20.750B/18.449A	----	18.987 + 0.374	.9692	----	----	----	1	UNCH
5800	----	----	20.506B/18.196A	20.506B/18.196A	----	18.744 + 0.372	.9680	----	----	----	16	UNCH
5900	----	----	19.528B/17.228A	19.528B/17.228A	----	17.772 + 0.359	.9627	----	----	----	10	UNCH
5925	----	----	19.284B/16.992A	19.284B/16.992A	----	17.529 + 0.355	.9612	----	----	----	10	UNCH
5950	----	----	19.042B/16.755A	19.042B/16.755A	----	17.288 + 0.352	.9597	----	----	----	6	UNCH
5975	----	----	18.798B/16.507A	18.798B/16.507A	----	17.046 + 0.347	.9581	----	----	----	20	UNCH
6000	----	----	18.650B/16.187A	18.650B/16.187A	----	16.806 + 0.344	.9564	----	----	----	547	UNCH
6050	17.000	17.000	18.179B/15.711A	18.179B/15.711A	----	16.325 + 0.335	.9528	----	3	----	58	UNCH
6075	----	----	17.830B/15.571A	17.830B/15.571A	----	16.086 + 0.330	.9507	----	----	----	1	UNCH
6100	----	----	17.589B/15.320A	17.589B/15.320A	----	15.847 + 0.326	.9487	----	----	----	10	UNCH
6200	----	----	16.738B/14.300A	16.738B/14.300A	----	14.899 + 0.306	.9395	----	----	----	101	UNCH
6250	----	----	16.154B/13.935A	16.154B/13.935A	----	14.429 + 0.296	.9342	----	----	----	1	UNCH
6300	----	----	15.682B/13.477A	15.682B/13.477A	----	13.963 + 0.285	.9283	----	----	----	3	UNCH
6350	----	----	15.212B/13.022A	15.212B/13.022A	----	13.500 + 0.273	.9219	----	----	----	2	UNCH
6400	----	----	14.281B/12.130A	14.281B/12.130A	----	12.587 + 0.248	.9073	----	----	----	1	UNCH
6450	----	----	13.916B/11.592A	13.916B/11.592A	----	12.138 + 0.235	.8990	----	----	----	182	UNCH
6600	----	----	13.004B/10.732A	13.004B/10.732A	----	11.257 + 0.208	.8803	----	----	----	56	UNCH
6650	----	----	12.578B/10.317A	12.578B/10.317A	----	10.826 + 0.195	.8699	----	----	----	102	UNCH
6750	----	----	11.600B/9.551A	11.600B/9.551A	----	9.984 + 0.166	.8467	----	----	----	24	UNCH
6800	----	----	11.315B/9.104A	11.315B/9.104A	----	9.574 + 0.152	.8339	----	----	----	251	UNCH
6825	----	----	10.963B/8.838A	10.963B/8.838A	----	9.372 + 0.144	.8272	----	----	----	6	UNCH
6850	----	----	10.752B/8.627A	10.752B/8.627A	----	9.172 + 0.137	.8204	----	----	----	1	UNCH
6875	----	----	10.551B/8.432A	10.551B/8.432A	----	8.975 + 0.130	.8133	----	----	----	16	UNCH
6900	----	----	10.469B/8.260A	10.469B/8.260A	----	8.779 + 0.122	.8061	----	----	----	99	UNCH
6950	----	----	9.995B/7.899A	9.995B/7.899A	----	8.395 + 0.108	.7911	----	----	----	26	UNCH
7000	7.950	7.950	9.654B/7.512A	9.654B/7.512A	----	8.021 + 0.093	.7754	----	4	----	154 +	1
7025	----	----	9.372B/7.352A	9.372B/7.352A	----	7.837 + 0.086	.7672	----	----	----	125	UNCH
7050	----	----	9.134B/7.169A	9.134B/7.169A	----	7.656 + 0.078	.7590	----	----	----	1	UNCH
7100	----	----	8.604B/6.849A	8.604B/6.849A	----	7.301 + 0.063	.7419	----	----	----	10	UNCH
7150	----	----	8.416B/6.494A	8.416B/6.494A	----	6.957 + 0.049	.7243	----	----	----	100	UNCH
7200	----	----	7.891B/6.194A	7.891B/6.194A	----	6.623 + 0.034	.7062	----	----	----	12	UNCH
7225	----	----	7.726B/6.040A	7.726B/6.040A	----	6.461 + 0.027	.6969	----	----	----	1	UNCH
7250	----	----	7.729B/5.869A	7.729B/5.869A	----	6.301 + 0.020	.6876	----	----	----	169	UNCH
7300	6.068	6.068	7.378B/5.575A	7.378B/5.575A	----	5.989 + 0.006	.6686	----	2	----	104	UNCH
7325	----	----	7.219B/5.449A	7.219B/5.449A	----	5.837 + 0.002	.6590	----	----	----	113	UNCH
7350	----	----	6.897B/5.320A	6.897B/5.320A	----	5.688 + 0.009	.6493	----	----	----	2	UNCH
7400	----	----	6.573B/5.052A	6.573B/5.052A	----	5.399 + 0.022	.6297	----	----	----	20	UNCH
7425	----	----	6.411B/4.871A	6.411B/4.871A	----	5.259 + 0.028	.6198	----	----	----	6	UNCH
7450	----	----	6.257B/4.742A	6.257B/4.742A	----	5.121 + 0.035	.6099	----	----	----	16	UNCH
7475	----	----	6.122B/4.621A	6.122B/4.621A	----	4.986 + 0.042	.5999	----	----	----	5	UNCH
7500	4.939	4.939	6.111B/4.497A	6.111B/4.497A	----	4.854 + 0.049	.5900	----	6	----	309 -	6
7525	----	----	5.844B/4.382A	5.844B/4.382A	----	4.725 + 0.055	.5800	----	1	----	3 +	1
7550	----	----	5.687B/4.265A	5.687B/4.265A	----	4.598 + 0.062	.5700	----	----	----	7	UNCH
7575	----	----	5.537B/4.153A	5.537B/4.153A	----	4.474 + 0.068	.5601	----	----	----	33	UNCH
7600	5.318	5.318	5.537B/4.043A	5.537B/4.043A	----	4.353 + 0.074	.5501	----	4	----	153 -	2
7625	3.957	3.957	5.227B/3.936A	5.227B/3.936A	----	4.235 + 0.080	.5402	----	1	----	15 +	1
7650	3.891	3.891	5.273B/3.832A	5.273B/3.832A	----	4.120 + 0.085	.5302	----	1	----	39 +	1
7675	4.354	4.354	5.142B/3.731A	5.142B/3.731A	----	4.007 + 0.091	.5204	----	3	----	21 +	3
7700	5.450	5.450	5.450/3.631A	5.450/3.631A	----	3.898 + 0.096	.5106	----	64	----	210 +	53
7725	----	----	5.218B/3.535A	5.218B/3.535A	----	3.792 + 0.100	.5008	----	----	----	13	UNCH
7750	4.650	4.650	5.157B/3.441A	5.157B/3.441A	----	3.689 + 0.103	.4912	----	5	----	170 +	1
7775	4.014	4.014	5.081B/3.350A	5.081B/3.350A	----	3.589 + 0.106	.4816	----	1	----	8 +	1
7800	4.206	4.206	5.022B/3.260A	5.022B/3.260A	----	3.491 + 0.109	.4721	----	19	----	83	UNCH
7825	----	----	4.885B/3.173A	4.885B/3.173A	----	3.397 + 0.111	.4627	----	----	----	1	UNCH

	BULLETIN # 99@				METALS OPTION PRODUCTS				Tue, May 26, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
8875	1.160	1.160	1.752B/*1.054A	1.752B/*1.054A	----	1.127 - 0.107	.1833	----	----	1	----	1	UNCH	
8900	1.549	1.549	1.705B/*1.026A	1.705B/*1.026A	----	1.102 - 0.104	.1794	----	----	10	----	145 + 3		
8925	----	----	1.671B/*1.006A	1.671B/*1.006A	----	1.077 - 0.102	.1756	----	----	----	----	8 UNCH		
8950	----	----	1.630B/*0.982A	1.630B/*0.982A	----	1.052 - 0.100	.1718	----	----	----	----	28 UNCH		
8975	1.015	1.015	1.603B/*0.961A	1.603B/*0.961A	----	1.029 - 0.097	.1682	----	1	----	----	2 + 1		
9000	1.445	1.445	1.556B/0.938A	1.556B/0.938A	----	1.006 - 0.095	.1647	----	581	----	----	1472 - 92		
9025	----	----	1.524B/*0.920A	1.524B/*0.920A	----	0.984 - 0.092	.1612	----	----	----	----	1 UNCH		
9050	----	----	1.489B/*0.895A	1.489B/*0.895A	----	0.962 - 0.091	.1578	----	1	----	----	14 + 1		
9075	----	----	1.464B/*0.880A	1.464B/*0.880A	----	0.941 - 0.088	.1545	----	1	----	----	2 + 1		
9100	1.212	1.212	1.421B/*0.855A	1.421B/*0.855A	----	0.920 - 0.087	.1513	----	22	----	----	49 + 12		
9125	----	----	1.402B/*0.842A	1.402B/*0.842A	----	0.900 - 0.085	.1481	----	1	----	----	2 UNCH		
9150	0.881	0.881	1.361B/*0.815	1.361B/*0.815	----	0.881 - 0.082	.1451	----	7	----	----	8 + 6		
9175	----	----	1.341B/*0.805A	1.341B/*0.805A	----	0.862 - 0.081	.1421	----	----	----	----	5 UNCH		
9200	1.105	1.105	1.300B/*0.785A	1.300B/*0.785A	----	0.843 - 0.079	.1391	----	5	----	----	69 UNCH		
9225	----	----	1.283B/*0.773A	1.283B/*0.773A	----	0.825 - 0.077	.1362	----	2	----	----	3 - 1		
9250	0.974	0.974	1.246B/*0.751A	1.246B/*0.751A	----	0.807 - 0.076	.1334	----	3	----	----	30 + 3		
9275	----	----	1.226B/*0.741A	1.226B/*0.741A	----	0.790 - 0.074	.1307	----	----	----	----	1 UNCH		
9300	1.099	1.099	1.193B/*0.725A	1.193B/*0.725A	----	0.773 - 0.073	.1280	----	18	----	----	537 + 6		
9350	0.741	0.741	1.145B/*0.694A	1.145B/*0.694A	----	0.740 - 0.071	.1227	----	12	----	----	22 + 8		
9375	----	----	1.118B/*0.682A	1.118B/*0.682A	----	0.725 - 0.069	.1203	----	----	----	----	22 UNCH		
9400	1.007	1.007	1.095B/*0.667A	1.095B/*0.667A	----	0.710 - 0.068	.1179	----	6	----	----	43 + 2		
9425	----	----	1.079B/*0.655A	1.079B/*0.655A	----	0.695 - 0.067	.1155	----	----	----	----	5 UNCH		
9450	0.957	0.957	1.049B/*0.643A	1.049B/*0.643A	----	0.680 - 0.066	.1131	----	3	----	----	83 + 1		
9475	----	----	1.038B/*0.630A	1.038B/*0.630A	----	0.666 - 0.065	.1108	----	----	----	----	6 UNCH		
9500	0.920	0.920	1.005B/*0.619A	1.005B/*0.619A	----	0.653 - 0.063	.1087	----	112	----	----	825 - 24		
9525	0.903	0.903	0.994B/*0.605A	0.994B/*0.605A	----	0.639 - 0.063	.1064	----	3	----	----	25 + 1		
9550	0.885	0.885	0.975B/*0.595A	0.975B/*0.595A	----	0.626 - 0.062	.1043	----	1	----	----	7 + 1		
9575	----	----	0.954B/*0.583A	0.954B/*0.583A	----	0.614 - 0.060	.1023	----	----	----	----	1 UNCH		
9600	0.794	0.794	0.925B/*0.571A	0.925B/*0.571A	----	0.601 - 0.059	.1002	----	28	----	----	166 - 10		
9625	----	----	0.915B/*0.561A	0.915B/*0.561A	----	0.589 - 0.058	.0983	----	----	----	----	7 UNCH		
9650	----	----	0.893B/*0.551A	0.893B/*0.551A	----	0.578 - 0.057	.0964	----	----	----	----	4 UNCH		
9675	----	----	0.878B/*0.540A	0.878B/*0.540A	----	0.566 - 0.056	.0945	----	----	----	----	10 UNCH		
9700	0.700	0.700	0.850B/*0.528A	0.850B/*0.528A	----	0.555 - 0.055	.0927	----	1	----	----	131 + 1		
9725	----	----	0.843B/*0.520A	0.843B/*0.520A	----	0.545 - 0.053	.0910	----	----	----	----	3 UNCH		
9750	----	----	0.829B/*0.511A	0.829B/*0.511A	----	0.534 - 0.053	.0892	----	1	----	----	110 UNCH		
9775	----	----	0.811B/*0.502A	0.811B/*0.502A	----	0.524 - 0.052	.0875	----	----	----	----	31 UNCH		
9800	0.558	0.558	0.784B/*0.492A	0.784B/*0.492A	----	0.514 - 0.051	.0858	----	47	42	----	268 + 38		
9825	----	----	0.779B/*0.485A	0.779B/*0.485A	----	0.504 - 0.050	.0842	----	----	----	----	6 UNCH		
9850	----	----	0.753B/*0.474A	0.753B/*0.474A	----	0.495 - 0.049	.0827	----	----	----	----	38 UNCH		
9875	----	----	0.735B/*0.470A	0.735B/*0.470A	----	0.486 - 0.048	.0811	----	----	----	----	1 UNCH		
9900	----	----	0.721B/*0.459A	0.721B/*0.459A	----	0.477 - 0.047	.0796	----	----	----	----	32 UNCH		
9925	----	----	0.714B/*0.451A	0.714B/*0.451A	----	0.468 - 0.046	.0781	----	----	----	----	15 UNCH		
9950	----	----	0.692B/*0.444A	0.692B/*0.444A	----	0.460 - 0.045	.0768	----	----	----	----	13 UNCH		
9975	----	----	0.678B/0.436A	0.678B/0.436A	----	0.452 - 0.043	.0754	----	----	----	----	4 UNCH		
10000	0.650	0.650	0.774/0.420	0.774/0.420	----	0.444 - 0.042	.0741	----	61	----	----	1818 + 10		
10025	----	----	0.651B/*0.422A	0.651B/*0.422A	----	0.436 - 0.042	.0727	----	----	----	----	2 UNCH		
10050	----	----	0.638B/*0.415A	0.638B/*0.415A	----	0.429 - 0.040	.0715	----	----	----	----	2 UNCH		
10075	----	----	0.624B/*0.408A	0.624B/*0.408A	----	0.421 - 0.040	.0702	----	----	----	----	21 UNCH		
10100	0.510	0.510	0.612B/*0.399A	0.612B/*0.399A	----	0.414 - 0.038	.0690	----	2	----	----	116 + 1		
10125	----	----	0.600B/*0.393A	0.600B/*0.393A	----	0.407 - 0.037	.0678	----	----	----	----	3 UNCH		
10150	----	----	0.587B/*0.387A	0.587B/*0.387A	----	0.400 - 0.037	.0666	----	----	----	----	30 UNCH		
10200	0.425	0.425	0.564B/*0.374A	0.564B/*0.374A	----	0.387 - 0.035	.0643	----	1	----	----	120 UNCH		
10250	----	----	0.459B/*0.363A	0.459B/*0.363A	----	0.375 - 0.032	.0623	----	1	----	----	22 UNCH		
10275	0.448	0.448	0.451B/*0.357A	0.451B/*0.357A	----	0.369 - 0.031	.0612	----	1	----	----	8 + 1		
10300	----	----	0.521B/*0.351A	0.521B/*0.351A	----	0.363 - 0.030	.0602	----	----	----	----	6 UNCH		
10325	----	----	0.435B/*0.344A	0.435B/*0.344A	----	0.357 - 0.030	.0592	----	----	----	----	1 UNCH		
10375	0.350	0.350	0.420B/*0.335A	0.420B/*0.335A	----	0.346 - 0.028	.0573	----	3	----	----	20 + 2		
10400	----	----	0.482B/*0.329A	0.482B/*0.329A	----	0.340 - 0.028	.0563	----	----	----	----	15 UNCH		
10425	----	----	0.405B/*0.324A	0.405B/*0.324A	----	0.335 - 0.027	.0554	----	----	----	----	2 UNCH		
10450	----	----	0.398B/*0.317A	0.398B/*0.317A	----	0.330 - 0.026	.0545	----	----	----	----	25 UNCH		
10475	----	----	0.391B/*0.313A	0.391B/*0.313A	----	0.325 - 0.025	.0537	----	----	----	----	26 UNCH		
10500	----	----	0.386B/0.309A	0.386B/0.309A	----	0.320 - 0.024	.0528	----	----	----	----	622 UNCH		
10525	----	----	0.437B/*0.304A	0.437B/*0.304A	----	0.315 - 0.024	.0520	----	----	----	----	2 UNCH		
10550	----	----	0.371B/*0.298A	0.371B/*0.298A	----	0.310 - 0.023	.0511	----	----	----	----	10 UNCH		
10575	----	----	0.365B/*0.295A	0.365B/*0.295A	----	0.305 - 0.023	.0503	----	----	----	----	1 UNCH		
10600	----	----	0.359B/*0.290A	0.359B/*0.290A	----	0.301 - 0.022	.0495	----	----	----	----	54 UNCH		
10625	----	----	0.353B/*0.286A	0.353B/*0.286A	----	0.296 - 0.022	.0487	----	----	----	----	2 UNCH		
10650	----	----	0.347B/*0.282A	0.347B/*0.282A	----	0.292 - 0.021	.0480	----	----	----	----	2 UNCH		
10675	----	----	0.341B/*0.276A	0.341B/*0.276A	----	0.287 - 0.021	.0472	----	----	----	----	10 UNCH		
10700	----	----	0.335											



BULLETIN # 99@			METALS OPTION PRODUCTS							Tue, May 26, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
JUL26														
18000	----	----	----	0.016B/0.033A	----	0.017 - 0.005	.0023	----	----	----	----	258	UNCH	
19000	----	----	----	----/ *0.025A	----	0.014 - 0.005	.0018	----	----	----	----	79	UNCH	
20000	----	----	----	0.005B/0.019A	----	0.012 - 0.004	.0015	----	----	14	----	1216 +	14	
21000	----	----	----	----/ *0.023A	----	0.011 - 0.003	.0014	----	----	----	----	427	UNCH	
24000	----	----	----	----/ *0.020A	----	0.008 - 0.001	.0009	----	----	----	----	131	UNCH	
25000	----	----	----	----/0.017A	----	0.007 - 0.001	.0008	----	----	----	----	408	UNCH	
27000	----	----	----	----/ *0.015A	----	0.006 - 0.001	.0006	----	----	----	----	5	UNCH	
30000	----	----	----	----/0.014A	----	0.004 - 0.001	.0004	----	----	----	----	54	UNCH	
32000	----	----	----	----/0.012A	----	0.004 - 0.001	.0004	----	----	----	----	4	UNCH	
35000	----	----	----	0.003B/0.006A	----	0.003 - 0.001	.0003	----	----	----	----	108	UNCH	
TOTAL										1817	42	31705 +	166	
AUG26														
5000	----	----	29.003B/----	29.003B/26.878A	----	27.281 + 0.403	.9760	----	----	----	----	2	UNCH	
5400	----	----	25.075B/----	25.075B/23.066A	----	23.397 + 0.380	.9605	----	----	----	----	2	UNCH	
5500	----	----	24.117B/----	24.117B/22.130A	----	22.437 + 0.370	.9553	----	----	----	----	1	UNCH	
6300	----	----	16.495B/14.654A	16.495B/14.654A	----	15.113 + 0.234	.8772	----	----	----	----	7	UNCH	
6450	----	----	15.211B/----	15.211B/13.727A	----	13.862 + 0.201	.8521	----	----	----	----	1	UNCH	
6500	----	----	14.800B/----	14.800B/13.331A	----	13.455 + 0.190	.8431	----	----	----	----	2	UNCH	
6600	----	----	13.986B/----	13.986B/12.542A	----	12.659 + 0.170	.8237	----	----	----	----	2	UNCH	
6800	----	----	12.396B/10.730A	12.396B/10.730A	----	11.150 + 0.133	.7807	----	----	----	----	7	UNCH	
6875	----	----	11.827B/10.206A	11.827B/10.206A	----	10.616 + 0.117	.7629	----	----	----	----	5	UNCH	
7000	----	----	11.129B/9.361A	11.129B/9.361A	----	9.769 + 0.092	.7319	----	----	----	----	132	UNCH	
7025	----	----	10.724B/9.249A	10.724B/9.249A	----	9.606 + 0.087	.7256	----	----	----	----	5	UNCH	
7050	----	----	10.550B/9.099A	10.550B/9.099A	----	9.445 + 0.082	.7191	----	----	----	----	4	UNCH	
7100	----	----	10.231B/8.798A	10.231B/8.798A	----	9.128 + 0.072	.7060	----	----	----	----	2	UNCH	
7200	----	----	9.572B/8.227A	9.572B/8.227A	----	8.520 + 0.054	.6794	----	----	----	----	1	UNCH	
7250	----	----	9.246B/8.035A	9.246B/8.035A	----	8.230 + 0.044	.6659	----	----	----	----	3	UNCH	
7300	----	----	8.952B/7.757A	8.952B/7.757A	----	7.949 + 0.031	.6522	----	----	----	----	1	UNCH	
7400	----	----	8.356B/7.219A	8.356B/7.219A	----	7.415 + 0.004	.6247	----	----	----	----	3	UNCH	
7425	----	----	8.243B/6.981A	8.243B/6.981A	----	7.286 - 0.003	.6178	----	----	----	----	14	UNCH	
7475	----	----	7.968B/6.729A	7.968B/6.729A	----	7.034 - 0.016	.6041	----	----	----	----	6	UNCH	
7500	----	----	7.960B/6.619A	7.960B/6.619A	----	6.910 - 0.022	.5972	----	----	8	----	234 +	4	
7550	----	----	7.572B/6.325A	7.572B/6.325A	----	6.668 - 0.031	.5835	----	----	----	----	4	UNCH	
7600	----	----	7.447B/6.100A	7.447B/6.100A	----	6.434 - 0.038	.5698	----	----	----	----	43	UNCH	
7625	----	----	7.323B/6.000A	7.323B/6.000A	----	6.319 - 0.041	.5630	----	----	----	----	18	UNCH	
7650	----	----	7.202B/5.891A	7.202B/5.891A	----	6.208 - 0.043	.5563	----	----	----	----	1	UNCH	
7700	----	----	6.965B/5.693A	6.965B/5.693A	----	5.992 - 0.045	.5428	----	----	----	----	71	UNCH	
7725	----	----	6.856B/5.590A	6.856B/5.590A	----	5.888 - 0.045	.5361	----	----	----	----	7	UNCH	
7750	----	----	6.848B/5.494A	6.848B/5.494A	----	5.785 - 0.047	.5295	----	----	1	----	5	UNCH	
7800	----	----	6.818B/5.306A	6.818B/5.306A	----	5.583 - 0.052	.5163	----	----	5	----	129	UNCH	
7825	----	----	6.659B/5.216A	6.659B/5.216A	----	5.485 - 0.055	.5098	----	----	----	----	1	UNCH	
7850	----	----	6.544B/5.125A	6.544B/5.125A	----	5.388 - 0.058	.5033	----	----	----	----	15	UNCH	
7900	----	----	6.366B/4.957A	6.366B/4.957A	----	5.201 - 0.064	.4905	----	----	----	----	43	UNCH	
7925	----	----	6.218B/4.874A	6.218B/4.874A	----	5.110 - 0.068	.4842	----	----	----	----	2	UNCH	
7950	----	----	6.112B/4.788A	6.112B/4.788A	----	5.020 - 0.071	.4779	----	----	----	----	16	UNCH	
8000	5.500	5.500	6.199B/4.629A	6.199B/4.629A	----	4.846 - 0.078	.4655	----	----	21	----	573 +	6	
8025	----	----	5.799B/4.554A	5.799B/4.554A	----	4.762 - 0.081	.4594	----	----	----	----	1	UNCH	
8050	----	----	5.700B/4.475A	5.700B/4.475A	----	4.679 - 0.084	.4533	----	----	1	----	5 +	1	
8100	5.282	5.282	5.537B/4.325A	5.537B/4.325A	----	4.519 - 0.089	.4414	----	----	8	----	32 +	8	
8125	----	----	5.403B/4.254A	5.403B/4.254A	----	4.441 - 0.091	.4355	----	----	----	----	1	UNCH	
8150	----	----	5.312B/4.183A	5.312B/4.183A	----	4.365 - 0.093	.4297	----	----	----	----	35	UNCH	
8175	----	----	5.217B/4.116A	5.217B/4.116A	----	4.290 - 0.095	.4240	----	----	1	----	2 +	1	
8200	----	----	5.171B/4.047A	5.171B/4.047A	----	4.217 - 0.096	.4183	----	----	----	----	6	UNCH	
8225	----	----	5.037B/4.011A	5.037B/4.011A	----	4.145 - 0.098	.4127	----	----	----	----	2	UNCH	
8250	----	----	4.992B/3.913A	4.992B/3.913A	----	4.075 - 0.099	.4071	----	----	----	----	247	UNCH	
8300	----	----	4.823B/3.787A	4.823B/3.787A	----	3.940 - 0.100	.3963	----	----	----	----	53	UNCH	
8350	----	----	4.618B/3.663A	4.618B/3.663A	----	3.810 - 0.101	.3857	----	----	----	----	3	UNCH	
8375	----	----	4.538B/3.606A	4.538B/3.606A	----	3.747 - 0.101	.3804	----	----	----	----	1	UNCH	
8400	3.525	3.525	4.499B/3.520	4.499B/3.520	----	3.686 - 0.101	.3753	----	----	5	----	22	UNCH	
8425	----	----	4.382B/3.497A	4.382B/3.497A	----	3.628 - 0.099	.3703	----	----	----	----	1	UNCH	
8450	----	----	4.305B/3.434A	4.305B/3.434A	----	3.572 - 0.096	.3655	----	----	5	----	22 +	5	
8475	----	----	4.231B/3.381A	4.231B/3.381A	----	3.516 - 0.094	.3606	----	----	----	----	2	UNCH	
8500	3.625	3.625	4.223B/3.325A	4.223B/3.325A	----	3.460 - 0.094	.3558	----	----	25	----	108 +	9	
8550	----	----	4.018B/3.221A	4.018B/3.221A	----	3.348 - 0.096	.3462	----	----	5	----	21 +	5	
8600	3.503	3.503	3.950B/3.122A	3.950B/3.122A	----	3.240 - 0.099	.3368	----	----	6	----	190 -	1	
8650	----	----	3.751B/3.027A	3.751B/3.027A	----	3.136 - 0.101	.3277	----	----	----	----	1	UNCH	
8675	----	----	3.688B/2.979A	3.688B/2.979A	----	3.087 - 0.101	.3233	----	----	----	----	1	UNCH	
8700	----	----	3.668B/2.934A	3.668B/2.934A	----	3.038 - 0.102	.3190	----	----	----	----	31	UNCH	
8750	----	----	3.537B/2.845A	3.537B/2.845A	----	2.944 - 0.103	.3104	----	----	5	----	45 +	5	
8775	----	----	3.446B/2.801A	3.446B/2.801A	----	2.899 - 0.103	.3063	----	----	----	----	2	UNCH	
8800	----	----	3.428B/2.759A	3.428B/2.759A	----	2.855 - 0.102	.3022	----	----	----	----	4	UNCH	
8825	----	----	3.331B/2.718A	3.331B/2.718A	----	2.811 - 0.103	.2982	----	----	----	----	10	UNCH	
8850	----	----	3.276B/2.677A	3.276B/2.677A	----	2.769 - 0.102	.2942	----	----	5	----	10 +	5	
8875	----	----	3.221B/2.637A	3.221B/2.637A	----	2.728 - 0.101	.2904	----	----	----	----	2	UNCH	

BULLETIN # 99@				METALS OPTION PRODUCTS					Tue, May 26, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
AUG26														
11225	----	----	----/0.824A	0.867B/0.824A	----	0.866 - 0.010	.0974	----	----	----	----	1	UNCH	
11250	----	----	----/0.814A	0.859B/0.814A	----	0.858 - 0.008	.0965	----	----	----	----	3	UNCH	
11275	----	----	----/0.807A	0.849B/0.807A	----	0.849 - 0.007	.0955	----	----	----	----	7	UNCH	
11400	----	----	----/0.766A	0.809B/0.766A	----	0.809 - 0.001	.0910	----	----	----	----	2	UNCH	
11475	----	----		0.785B/0.742A	----	0.785 + 0.001	.0883	----	----	----	----	1	UNCH	
11500	----	----		0.776B/0.735A	----	0.777 + 0.002	.0874	----	----	----	131	UNCH		
11575	----	----		0.754B/0.714A	----	0.753 + 0.002	.0848	----	----	----	----	1	UNCH	
11650	----	----		0.731B/0.692A	----	0.729 + 0.001	.0822	----	----	----	----	2	UNCH	
11700	----	----		0.718B/0.680A	----	0.714 UNCH	.0805	----	----	----	----	2	UNCH	
11850	----	----		0.676B/0.641A	----	0.670 - 0.003	.0757	----	----	----	----	1	UNCH	
12000	0.570	0.570		0.639B/0.570	----	0.633 - 0.002	.0716	----	----	1	----	43	UNCH	
12025	----	----		0.632B/0.601A	----	0.627 - 0.002	.0709	----	----	----	----	52	UNCH	
12050	----	----		0.625B/0.593A	----	0.622 - 0.001	.0703	----	----	----	----	208	UNCH	
12100	----	----		0.614B/*0.581A	----	0.611 UNCH	.0690	----	----	----	----	1	UNCH	
12300	0.568	0.568		0.568/*0.543A	----	0.571 + 0.004	.0644	----	----	38	----	34 +	24	
12500	0.525	0.525		0.567/0.520	----	0.535 + 0.008	.0602	----	----	6	----	148 +	3	
12550	0.525	0.525		0.525/*0.520	----	0.526 NEW	.0592	----	----	4	----	2 +	2	
12700	----	----		0.460B/0.532A	----	0.501 + 0.010	.0563	----	----	----	----	1	UNCH	
12725	----	----		0.456B/0.528A	----	0.497 + 0.010	.0559	----	----	----	----	1	UNCH	
12775	----	----		0.447B/0.520A	----	0.489 + 0.010	.0550	----	----	----	----	13	UNCH	
12800	----	----		0.477B/0.516A	----	0.485 + 0.010	.0545	----	----	----	----	2	UNCH	
13000	0.450	0.450		0.485/*0.430	----	0.454 + 0.009	.0510	----	----	1711	----	3190 +	1376	
14000	0.330	0.330		0.332/*0.321	----	0.326 - 0.007	.0366	----	----	3	----	18	UNCH	
15000	0.222	0.222		0.222/*0.222	----	0.236 - 0.023	.0266	----	----	1	----	96	UNCH	
16000	0.170	0.170		0.170/*0.170	----	0.174 - 0.031	.0196	----	----	1	----	10	UNCH	
17000	0.140	0.140		0.155/*0.118A	----	0.129 - 0.034	.0146	----	----	1578	----	3178 +	1432	
18000	0.096	0.096		0.096/*0.096	----	0.094 - 0.035	.0107	----	----	1	----	8 +	1	
19000	----	----		0.049B/*0.123A	----	0.067 - 0.036	.0077	----	----	----	----	2	UNCH	
20000	0.100	0.100		0.100/*0.070	----	0.048 - 0.035	.0056	----	----	8	----	245 +	2	
25000	----	----		----/*0.040A	----	0.022 - 0.019	.0024	----	----	2	----	21	UNCH	
27000	----	----		----/2.770A	----	0.017 - 0.015	.0018	----	----	----	----	6	UNCH	
30000	----	----		----/2.764A	----	0.013 - 0.012	.0014	----	----	----	----	14	UNCH	
32000	----	----			0.007B/2.762A	0.010 - 0.010	.0010	----	----	----	----	3	UNCH	
35000	----	----			0.005B/*0.030A	0.006 - 0.006	.0006	----	----	----	----	4	UNCH	
TOTAL										3801	0	12135 +	3046	
SEP26														
5100	----	----	----		----	26.461 + 0.374	.9560	----	----	----	----	1	UNCH	
5900	----	----	----		9.247B/26.293A	19.117 + 0.334	.8941	----	----	----	----	2	UNCH	
6000	----	----	----		8.450B/25.215A	18.274 + 0.345	.8813	----	----	----	----	7	UNCH	
6700	----	----	----		12.402B/13.158A	12.802 + 0.243	.7687	----	----	----	----	1	UNCH	
7000	----	----	----		10.464B/11.210A	10.900 + 0.241	.7052	----	----	----	----	268	UNCH	
7125	----	----	----		9.738B/10.442A	10.174 + 0.227	.6779	----	----	----	----	75	UNCH	
7300	----	----	----		8.797B/9.342A	9.223 + 0.192	.6390	----	----	----	----	145	UNCH	
7400	----	----	----		8.303B/8.863A	8.718 + 0.169	.6167	----	----	----	----	104	UNCH	
7500	----	----	----/8.050A		8.052B/8.050A	8.240 + 0.143	.5945	----	----	----	----	3	UNCH	
7550	----	----	----		7.621B/8.003A	8.012 + 0.130	.5835	----	----	----	----	2	UNCH	
7700	----	----		7.869B/-----	7.869B/7.529A	7.369 + 0.091	.5508	----	----	----	----	1	UNCH	
7900	6.424	6.424		7.371B/6.424	7.371B/6.424	6.607 + 0.042	.5088	----	----	1	----	2 +	1	
8000	5.950	5.950		7.083B/5.950	7.083B/5.950	6.266 + 0.025	.4888	----	----	24	----	222 +	20	
8100	6.080	6.080		6.572B/6.080	6.572B/6.080	5.949 + 0.013	.4694	----	----	2	----	14 +	2	
8200	----	----	----	6.207B/-----	6.207B/5.823A	5.653 + 0.005	.4508	----	----	----	----	25	UNCH	
8300	----	----	----	5.864B/-----	5.864B/5.546A	5.377 UNCH	.4329	----	----	----	----	2	UNCH	
8400	----	----	----	5.543B/-----	5.543B/5.287A	5.119 - 0.002	.4157	----	----	----	----	10	UNCH	
8500	----	----	----	5.368B/-----	5.368B/4.954A	4.877 - 0.003	.3993	----	----	----	----	247	UNCH	
8600	----	----	----	5.084B/-----	5.084B/4.726A	4.649 - 0.004	.3835	----	----	----	----	76	UNCH	
8675	----	----	----	4.682B/-----	4.682B/4.644A	4.485 - 0.006	.3721	----	----	----	----	5	UNCH	
8700	----	----	----	4.818B/-----	4.818B/4.535A	4.432 - 0.006	.3683	----	----	----	----	104	UNCH	
8800	----	----	----	4.447B/-----	4.447B/4.381A	4.227 - 0.009	.3538	----	----	----	----	13	UNCH	
8900	----	----	----	4.214B/-----	4.214B/4.183A	4.032 - 0.013	.3398	----	----	----	----	4	UNCH	
8925	----	----	----	4.080B/-----	4.080B/4.134A	3.985 - 0.014	.3364	----	----	----	----	2	UNCH	
8950	----	----	----	4.024B/-----	4.024B/4.089A	3.939 - 0.015	.3330	----	----	----	----	2	UNCH	
9000	4.300	4.300		4.300/3.967A	4.300/3.967A	3.848 - 0.017	.3264	----	----	15	----	230	UNCH	
9025	----	----	----	3.864B/-----	3.864B/3.952A	3.803 - 0.019	.3231	----	----	----	----	4	UNCH	
9100	----	----	----	3.788B/-----	3.788B/3.821A	3.673 - 0.022	.3136	----	----	----	----	12	UNCH	
9200	----	----	----	3.595B/-----	3.595B/3.656A	3.507 - 0.027	.3012	----	----	----	----	4	UNCH	
9400	----	----	----	3.243B/-----	3.243B/3.355A	3.202 - 0.037	.2782	----	----	----	----	20	UNCH	
9500	----	----	----	3.197B/-----	3.197B/3.216A	3.062 - 0.041	.2674	----	----	----	28	306 +	28	
9600	----	----	----	2.930B/3.086A	2.930B/3.086A	2.929 - 0.045	.2571	----	----	----	----	37	UNCH	
9750	----	----	----	2.644B/2.900A	2.644B/2.900A	2.744 - 0.050	.2425	----	----	----	----	23	UNCH	
9800	----	----	----	2.765B/2.845A	2.765B/2.845A	2.686 - 0.052	.2379	----	----	----	----	132	UNCH	
9900	----	----	----	2.634B/-----	2.634B/2.734A	2.574 - 0.054	.2290	----	----	3	----	85 -	2	
10000	2.457	2.457		2.507B/2.411	2.507B/2.411	2.469 - 0.056	.2205	----	----	17	25	433 +	22	
10100	----	----	----	2.393B/2.530A	2.393B/2.530A	2.369 - 0.058	.2123	----	----	----	----	54	UNCH	
10200	----	----	----	2.173B/2.434A	2.173B/2.434A	2.275 - 0.058	.2046	----	----	----	----	54	UNCH	
10300	----	----	----	2.071B/2.345A	2.071B/2.345A	2.187 - 0.058	.1972	----	----	----	----	52	UNCH	
10500	----	----	----	1.983B/2.180A	1.983B/2.180A	2.024 - 0.056	.1835	----	----	----	----	231	UNCH	
10800	----	----	----	1.624B/1.962A	1.624B/1.962A	1.814 - 0.049	.1654	----	----	----	----	2	UNCH	
11														

BULLETIN # 99@				METALS OPTION PRODUCTS							Tue, May 26, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
NOV26														
8200	----	----	----	7.484B/8.467A	----	7.985 - 0.013	.4970	----	----	----	----	6	UNCH	
9000	----	----	----	5.495B/6.407A	----	5.921 - 0.056	.3910	----	----	----	----	60	UNCH	
9550	----	----	----	4.520B/5.386A	----	4.896 - 0.073	.3327	----	----	----	----	3	UNCH	
9800	----	----	----	4.152B/4.994A	----	4.507 - 0.078	.3097	----	----	----	----	3	UNCH	
10000	----	----	----	4.001B/4.715A	----	4.225 - 0.081	.2926	----	----	----	----	24	UNCH	
11000	----	----	----	2.843B/3.591A	----	3.102 - 0.089	.2223	----	----	----	----	94	UNCH	
12000	----	----	----	2.136B/2.815A	----	2.326 - 0.088	.1712	----	----	----	----	13	UNCH	
12500	----	----	----	1.865B/2.517A	----	2.033 - 0.086	.1513	----	----	----	----	10	UNCH	
13000	----	----	----	1.615B/2.299A	----	1.790 - 0.084	.1344	----	----	----	----	1	UNCH	
14000	----	----	----	1.172B/1.966A	----	1.420 - 0.078	.1078	----	----	----	----	2	UNCH	
15000	----	----	----	1.037B/1.365A	----	1.159 - 0.072	.0885	----	----	----	----	6	UNCH	
16000	----	----	----	0.880B/1.167A	----	0.972 - 0.067	.0743	----	----	----	----	14	UNCH	
17000	----	----	----	0.789B/1.015A	----	0.835 - 0.062	.0637	----	----	----	----	2	UNCH	
20000	----	----	----	0.450B/0.688A	----	0.474 - 0.045	.0373	----	----	----	----	33	UNCH	
21000	----	----	----	0.380B/0.615A	----	0.395 - 0.040	.0314	----	----	----	----	1	UNCH	
30000	----	----	----	0.092B/0.292A	----	0.142 - 0.020	.0113	----	----	----	----	5	UNCH	
TOTAL											0	333		
DEC26														
3875	----	----	----	----	----	39.275 + 0.411	.9811	----	----	----	----	1	UNCH	
5000	----	----	----	8.239B/40.224A	----	28.568 + 0.332	.9349	----	----	----	----	30	UNCH	
5250	----	----	----	-----/38.026A	----	26.369 + 0.306	.9156	----	----	----	----	50	UNCH	
5500	----	----	----	-----/35.819A	----	24.246 + 0.279	.8930	----	----	----	----	1	UNCH	
6500	----	----	----	16.089B/17.378A	----	16.788 + 0.158	.7683	----	----	----	----	600	UNCH	
6900	----	----	----	13.679B/14.965A	----	14.370 + 0.111	.7068	----	----	----	----	1	UNCH	
6950	----	----	----	13.398B/14.688A	----	14.091 + 0.105	.6989	----	----	----	----	220	UNCH	
7000	----	----	----	13.127B/14.417A	----	13.817 + 0.099	.6909	----	----	----	----	120	UNCH	
7025	----	----	----	12.999B/14.283A	----	13.682 + 0.096	.6870	----	----	----	----	1	UNCH	
7075	----	----	----	12.735B/14.019A	----	13.417 + 0.091	.6790	----	----	----	----	5	UNCH	
7100	----	----	----	12.605B/13.889A	----	13.286 + 0.088	.6750	----	----	----	----	15	UNCH	
7375	----	----	----	11.273B/12.549A	----	11.940 + 0.060	.6310	----	----	----	----	2	UNCH	
7500	----	----	----	10.720B/11.877A	----	11.384 + 0.048	.6113	----	----	----	----	18	UNCH	
7575	----	----	----	10.678B/11.331A	----	11.067 + 0.041	.5995	----	----	----	----	1	UNCH	
7750	----	----	----	9.862B/10.675A	----	10.371 + 0.025	.5725	----	----	----	----	2	UNCH	
7800	----	----	----	9.514B/10.733A	----	10.183 + 0.021	.5649	----	----	----	----	1	UNCH	
7925	----	----	----	9.419B/10.317A	----	9.732 + 0.012	.5464	----	----	----	----	2	UNCH	
8000	----	----	----	8.807B/10.052A	----	9.473 + 0.006	.5356	----	----	1	----	134 +	1	
8100	----	----	----	8.479B/9.719A	----	9.142 - 0.001	.5214	----	----	----	----	1	UNCH	
8200	----	----	----	8.167B/9.399A	----	8.824 - 0.008	.5075	----	----	1	----	21	UNCH	
8400	----	----	----	7.588B/8.806A	----	8.227 - 0.020	.4808	----	----	----	----	50	UNCH	
8500	----	----	----	7.319B/8.529A	----	7.948 - 0.025	.4680	----	----	15	----	165 +	15	
8550	----	----	----	7.189B/8.395A	----	7.812 - 0.028	.4617	----	----	----	----	25	UNCH	
8600	----	----	----	7.063B/8.264A	----	7.679 - 0.031	.4555	----	----	----	----	7	UNCH	
8800	----	----	----	6.586B/7.770A	----	7.176 - 0.040	.4314	----	----	----	----	5	UNCH	
8900	----	----	----	6.364B/7.540A	----	6.940 - 0.045	.4199	----	----	----	----	27	UNCH	
8950	----	----	----	6.257B/7.428A	----	6.826 - 0.047	.4143	----	----	----	----	1	UNCH	
9000	----	----	----	6.153B/7.319A	----	6.714 - 0.049	.4088	----	----	----	----	250	UNCH	
9050	----	----	----	6.049B/7.213A	----	6.605 - 0.050	.4033	----	----	----	----	100	UNCH	
9100	----	----	----	5.950B/7.108A	----	6.498 - 0.052	.3979	----	----	----	----	16	UNCH	
9300	----	----	----	5.572B/6.712A	----	6.092 - 0.059	.3772	----	----	----	----	15	UNCH	
9500	----	----	-----/5.771A	5.225B/5.771A	----	5.721 - 0.064	.3578	----	----	----	----	10	UNCH	
9700	----	----	----	4.907B/6.013A	----	5.380 - 0.069	.3396	----	----	----	----	1	UNCH	
9800	----	----	----	4.758B/5.854A	----	5.221 - 0.071	.3309	----	----	2	----	72 +	2	
9900	----	----	----	4.615B/5.701A	----	5.067 - 0.074	.3225	----	----	2	----	5 +	1	
10000	----	----	----	4.476B/5.552A	----	4.921 - 0.074	.3144	----	----	4	----	853 +	2	
10025	----	----	----	4.443B/5.512A	----	4.885 - 0.075	.3124	----	----	----	----	3	UNCH	
10500	----	----	----	3.866B/4.896A	----	4.269 - 0.082	.2774	----	----	----	----	100	UNCH	
10600	----	----	----	3.757B/4.777A	----	4.154 - 0.082	.2707	----	----	----	----	6	UNCH	
10800	----	----	----	3.551B/4.554A	----	3.935 - 0.084	.2579	----	----	----	----	5	UNCH	
11000	----	----	----	3.359B/4.338A	----	3.731 - 0.086	.2459	----	----	----	30	182 +	30	
11350	----	----	----	3.055B/4.012A	----	3.408 - 0.088	.2265	----	----	----	----	5	UNCH	
11400	----	----	----	3.017B/3.968A	----	3.365 - 0.088	.2239	----	----	----	----	1	UNCH	
11600	----	----	----	2.861B/3.797A	----	3.200 - 0.089	.2139	----	----	----	----	1	UNCH	
11800	----	----	----	2.716B/3.636A	----	3.046 - 0.089	.2045	----	----	----	----	25	UNCH	
12000	----	----	----	2.580B/3.486A	----	2.901 - 0.090	.1955	----	----	----	----	569	UNCH	
12200	----	----	----	2.453B/3.344A	----	2.766 - 0.089	.1872	----	----	----	----	1	UNCH	
12500	----	----	----	2.275B/3.146A	----	2.579 - 0.088	.1754	----	----	----	----	51	UNCH	
13000	----	----	----	2.015B/2.856A	----	2.302 - 0.086	.1579	----	----	----	----	383	UNCH	
13500	----	----	----	1.786B/*2.624A	----	2.064 - 0.081	.1426	----	----	----	----	6	UNCH	
14000	----	----	----	1.540B/2.452A	----	1.857 - 0.075	.1292	----	----	----	----	96	UNCH	
14200	----	----	----	1.447B/2.387A	----	1.782 - 0.072	.1243	----	----	----	----	1	UNCH	
15000	----	----	----	1.144B/2.166A	----	1.518 - 0.061	.1069	----	----	----	----	1854	UNCH	
16000	----	----	----	0.839B/1.929A	----	1.257 - 0.045	.0894	----	----	----	----	1609	UNCH	
17000	----	----	----	0.862B/1.347A	----	1.053 - 0.028	.0755	----	----	----	----	50	UNCH	
18000	----	----	----	0.873B/1.169A	----	0.893 - 0.013	.0644	----	----	----	----	82	UNCH	
19000	----	----	----	0.726B/1.036A	----	0.768 + 0.003	.0557	----	----	----	----	1	UNCH	
20000	1.000	1.000	1.000/0.925A	1.000/0.925A	----	0.670 + 0.017	.0487	----	----	2	----	437 +	2	
21000	----	----	----	0.524B/0.834A	----	0.594 + 0.017	.0432	----	----	----	----	4	UNCH	
22000	----	----	----	0.444B/0.756A	----	0.534 + 0.017	.0387	----	----	----	----	1	UNCH	
23000	----	----	----	0.386B/0.690A	----	0.488 + 0.019	.0352	----	----	----	----	35	UNCH	
25000	0.460	0.460	0.510/0.460	0.510/0										

PG64	BULLETIN # 99@				METALS OPTION PRODUCTS						Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC27															
4000	----	----		----	----		----	----	42.038 + 0.421	.9316	----	----	----	----	1
20000	----	----		----	----		----	----	6.774 + 0.040	.2440	----	----	----	----	25
TOTAL														0	26
SO PUT	COMEX SILVER OPTIONS														
JUN26															
2100	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
2350	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
2500	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
2650	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3000	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3075	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3100	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3150	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3200	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3325	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3350	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3375	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3400	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3500	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3550	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3575	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3600	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3650	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3675	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3700	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3725	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3800	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3850	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3900	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
3925	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4000	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4075	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4100	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4125	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4150	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4200	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4225	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4250	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4275	----	----		----	----	----	----	----	0.000 - 0.001	----	----	----	----	----	0 -
4300	----	----		----	----	----	----	----	0.000 - 0.002	----	----	----	----	----	0 -
4350	----	----		----	----	----	----	----	0.000 - 0.002	----	----	----	----	----	0 -
4375	----	----		----	----	----	----	----	0.000 - 0.002	----	----	----	----	----	0 -
4400	----	----		----	----	----	----	----	0.000 - 0.002	----	----	----	----	----	0 -
4425	----	----		----	----	----	----	----	0.000 - 0.002	----	----	----	----	----	0 -
4500	----	----		----	----	----	----	----	0.000 - 0.003	----	----	----	----	----	365
4550	----	----		----	----	----	----	----	0.000 - 0.004	----	----	----	----	----	0 -
4600	----	----		----	----	----	----	----	0.000 - 0.004	----	----	----	----	----	0 -
4625	----	----		----	----	----	----	----	0.000 - 0.004	----	----	----	----	----	0 -
4650	----	----		----	----	----	----	----	0.000 - 0.005	----	----	----	----	----	0 -
4700	----	----		----	----	----	----	----	0.000 - 0.005	----	----	----	----	----	0 -
4725	----	----		----	----	----	----	----	0.000 - 0.005	----	----	----	----	----	0 -
4750	----	----		----	----	----	----	----	0.000 - 0.006	----	----	----	----	----	0 -
4800	----	----		----	----	----	----	----	0.000 - 0.007	----	----	----	----	----	0 -
4850	----	----		----	----	----	----	----	0.000 - 0.008	----	----	----	----	----	0 -
4875	----	----		----	----	----	----	----	0.000 - 0.008	----	----	----	----	----	0 -
4900	----	----		----	----	----	----	----	0.000 - 0.009	----	----	----	----	----	0 -
4975	----	----		----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5000	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	3	----	0 -
5025	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5050	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5075	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5100	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5125	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5150	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5175	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5200	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5225	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5250	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5275	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5300	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5325	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5350	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5375	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5400	0.032	0.032	0.032/*0.020A	0.032/*0.020A	0.032/*0.020A	0.032/*0.020A	0.032/*0.020A	0.032/*0.020A	0.000 - 0.010	----	----	----	3	----	0 -
5425	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5450	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5475	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5500	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5525	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5550	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5575	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5600	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5625	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5650	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5675	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5700	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5725	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5750	----	----	----	----	----	----	----	----	0.000 - 0.010	----	----	----	----	----	0 -
5775															

	BULLETIN # 99@			METALS OPTION PRODUCTS							Tue, May 26, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
JUN26															
6950	----	----	----	---/*0.032A	---/*0.032A	----	----	----	0.000 - 0.053	----	----	----	----	----	0 - 59
6975	----	----	----	---/*0.033A	---/*0.033A	----	----	----	0.000 - 0.057	----	----	----	----	----	0 - 12
6980	----	----	----	---/*0.033A	---/*0.033A	----	----	----	0.000 - 0.058	----	----	----	----	----	0 - 2
6990	----	----	----	---/*0.036A	0.002B/*0.036A	----	----	----	0.000 - 0.060	----	----	----	----	----	0 - 5
7000	0.015	0.015	0.015	0.015/*0.001	0.015/*0.001	----	----	----	0.000 - 0.062	----	----	----	9	----	0 - 993
7025	----	----	----	---/*0.016A	0.002B/*0.016A	----	----	----	0.000 - 0.067	----	----	----	----	----	0 - 26
7050	----	----	----	---/*0.016A	0.003B/*0.016A	----	----	----	0.000 - 0.074	----	----	----	----	----	0 - 52
7075	----	----	----	---/*0.021A	0.007B/*0.021A	----	----	----	0.000 - 0.083	----	----	----	----	----	0 - 50
7100	0.040	0.040	0.040	0.040/*0.010	0.040/*0.010	----	----	----	0.000 - 0.093	----	----	----	10	----	0 - 114
7125	----	----	----	---/*0.010A	0.009B/*0.010A	----	----	----	0.000 - 0.104	----	----	----	----	----	0 - 33
7150	0.045	0.045	0.045	0.045/*0.015A	0.045/*0.015A	----	----	----	0.000 - 0.117	----	----	----	2	----	0 - 109
7170	----	----	----	---/*0.001A	0.011B/*0.001A	----	----	----	0.000 - 0.130	----	----	----	----	----	0 - 4
7175	----	----	----	---/*0.012A	0.010B/*0.012A	----	----	----	0.000 - 0.133	----	----	----	----	----	0 - 60
7200	0.040	0.040	0.040	0.040/*0.001	0.040/*0.001	----	----	----	0.000 - 0.150	----	----	----	46	----	0 - 322
7225	----	----	----	---/*0.013A	0.007B/*0.013A	----	----	----	0.000 - 0.169	----	----	----	----	----	0 - 12
7240	----	----	----	---/*0.013A	0.006B/*0.013A	----	----	----	0.000 - 0.182	----	----	----	----	----	0 - 1
7250	----	----	----	---/*0.002A	0.007B/*0.002A	----	----	----	0.000 - 0.191	----	----	----	----	----	0 - 84
7270	0.010	0.010	0.010	0.010/*0.008	0.016B/*0.008	----	----	----	0.000 - 0.210	----	----	----	4	----	0 - 4
7275	----	----	----	---/*0.013A	0.008B/*0.013A	----	----	----	0.000 - 0.215	----	----	----	----	----	0 - 13
7300	0.025	0.025	0.025	0.035/*0.001A	0.035/*0.001A	----	----	----	0.000 - 0.242	----	----	----	67	----	0 - 111
7320	----	----	----	---/*0.014A	0.022B/*0.014A	----	----	----	0.000 - 0.266	----	----	----	----	0	UNCH
7325	----	----	----	---/*0.014A	0.025B/*0.014A	----	----	----	0.000 - 0.273	----	----	----	----	----	0 - 19
7340	----	----	----	---/*0.015A	0.044B/*0.015A	----	----	----	0.000 - 0.293	----	----	----	----	----	0 - 1
7350	0.023	0.023	0.023	0.055B/*0.001A	0.055B/*0.001A	----	----	----	0.000 - 0.308	----	----	----	32	----	0 - 42
7370	----	----	----	---/*0.014A	0.075B/*0.014A	----	----	----	0.000 - 0.339	----	----	----	----	----	0 - 1
7375	0.030	0.030	0.030	0.071B/*0.013A	0.071B/*0.013A	----	----	----	0.000 - 0.347	----	----	----	1	----	0 - 45
7380	----	----	----	---/*0.013A	0.076B/*0.013A	----	----	----	0.000 - 0.356	----	----	----	----	----	0 - 4
7400	0.200	0.200	0.200	0.200/*0.001A	0.200/*0.001A	----	----	----	0.000 - 0.392	----	----	----	154	----	0 - 191
7420	----	----	----	---/*0.012A	0.111B/*0.012A	----	----	----	0.000 - 0.433	----	----	----	----	----	0 - 5
7425	----	----	----	---/*0.012A	0.120B/*0.012A	----	----	----	0.000 - 0.443	----	----	----	----	----	0 - 52
7450	0.070	0.070	0.070	0.181B/*0.001A	0.181B/*0.001A	----	----	----	0.000 - 0.501	----	----	----	34	----	0 - 64
7460	----	----	----	---/*0.012A	0.181B/*0.012A	----	----	----	0.000 - 0.526	----	----	----	----	----	0 - 2
7470	----	----	----	---/*0.013A	0.201B/*0.013A	----	----	----	0.000 - 0.552	----	----	----	10	----	0 - 10
7475	0.011	0.011	0.011	0.011/*0.005	0.208B/*0.005	----	----	----	0.000 - 0.565	----	----	----	12	----	0 - 25
7480	0.065	0.065	0.065	0.065/*0.014A	0.225B/*0.014A	----	----	----	0.000 - NEW	----	----	----	2	----	0 UNCH
7500	0.169	0.169	0.169	0.507/*0.001A	0.507/*0.001A	----	----	----	0.000 - 0.637	----	----	----	293	----	0 - 503
7510	0.052	0.052	0.052	0.302B/*0.015A	0.302B/*0.015A	----	----	----	0.000 - 0.669	----	----	----	12	----	0 - 10
7520	----	----	----	---/*0.016A	0.335B/*0.016A	----	----	----	0.000 - 0.701	----	----	----	10	----	0 - 6
7525	0.095	0.095	0.095	0.354B/*0.011	0.354B/*0.011	----	----	----	0.000 - 0.718	----	----	----	19	----	0 - 16
7530	----	----	----	---/*0.016A	0.364B/*0.016A	----	----	----	0.000 - NEW	----	----	----	1	----	0 UNCH
7540	----	----	----	---/*0.017A	0.402B/*0.017A	----	----	----	0.000 - 0.770	----	----	----	----	----	0 - 1
7550	0.154	0.154	0.154	0.434B/*0.017A	0.434B/*0.017A	----	----	----	0.000 - 0.807	----	----	----	54	----	0 - 43
7560	----	----	----	---/*0.018A	0.466B/*0.018A	----	----	----	0.000 - 0.845	----	----	----	----	----	0 - 2
7570	0.098	0.098	0.098	0.484B/*0.017A	0.484B/*0.017A	----	----	----	0.000 - 0.885	----	----	----	1	----	0 - 1
7575	0.168	0.168	0.168	0.541B/*0.016A	0.541B/*0.016A	----	----	----	0.000 - 0.906	----	----	----	22	----	0 - 15
7580	0.120	0.120	0.120	0.536B/*0.017A	0.536B/*0.017A	----	----	----	0.000 - 0.927	----	----	----	2	----	0 - 1
7590	----	----	----	---/*0.018A	0.595B/*0.018A	----	----	----	0.000 - 0.970	----	----	----	4	----	0 - 4
7600	0.406	0.406	0.406	0.644B/*0.001	0.644B/*0.001	----	----	----	0.000 - 1.014	----	----	----	226	----	0 - 114
7610	0.200	0.200	0.200	0.662B/*0.024A	0.662B/*0.024A	----	----	----	0.000 - 1.060	----	----	----	8	----	0 - 1
7620	----	----	----	---/*0.032A	0.738B/*0.032A	----	----	----	0.000 - 1.108	----	----	----	----	----	0 - 1
7625	0.246	0.246	0.246	0.818B/*0.020A	0.818B/*0.020A	----	----	----	0.000 - 1.133	----	----	----	77	----	0 - 9
7630	----	----	----	---/*0.051A	0.759B/*0.051A	----	----	----	0.000 - 1.158	----	----	----	1	----	0 - 1
7640	----	----	----	---/*0.077A	0.818B/*0.077A	----	----	----	0.000 - NEW	----	----	----	4	----	0 UNCH
7650	0.350	0.350	0.350	0.932B/*0.001A	0.932B/*0.001A	----	----	----	0.000 - 1.262	----	----	----	190	----	0 - 31
7660	----	----	----	---/*0.143A	0.949B/*0.143A	----	----	----	0.000 - 1.316	----	----	----	2	----	0 - 2
7670	0.270	0.270	0.270	0.440/*0.197A	0.971B/*0.197A	----	----	----	0.094 - 1.278	----	1	----	8	----	0 - 1
7675	----	----	----	---/*0.212A	0.980B/*0.212A	----	----	----	0.144 - 1.257	----	54	----	11	----	0 - 45
7680	----	----	----	---/*0.232A	0.998B/*0.232A	----	----	----	0.194 - 1.236	----	17	----	2	----	0 - 17
7690	----	----	----	---/*0.251A	0.988B/*0.251A	----	----	----	0.294 - 1.195	----	1	----	----	----	0 - 1
7700	0.600	0.600	0.600	1.015B/*0.225	1.015B/*0.225	----	----	----	0.394 - 1.157	----	155	----	106	----	0 - 126
7710	----	----	----	---/*0.292A	1.004B/*0.292A	----	----	----	0.494 - 1.119	----	1	----	----	----	0 - 1
7720	0.338	0.338	0.338	1.009B/*0.314A	1.009B/*0.314A	----	----	----	0.594 - NEW	----	1	----	2	----	0 UNCH
7725	0.535	0.535	0.535	1.048B/*0.270	1.048B/*0.270	----	----	----	0.644 - 1.067	----	56	----	49	----	0 - 34
7740	----	----	----	---/*0.367A	1.112B/*0.367A	----	----	----	0.794 - 1.017	----	2	----	----	----	0 - 2
7750	0.550	0.550	0.550	1.558B/*0.391A	1.558B/*0.391A	----	----	----	0.894 - 0.986	----	16	----	30	----	0 - 20
7775	0.910	0.910	0.910												

	BULLETIN # 99@				METALS OPTION PRODUCTS						Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
JUN26															
10950	----	----		----	----		----		32.894 -	0.407	----	2	----	----	0 -
11325	----	----		----	----		----		36.644 -	0.407	----	1	----	----	0 -
13000	----	----		----	----		----		53.394 -	0.407	----	5	----	----	0 -
TOTAL													1762	0	14468
JUL26															
2000	----	----		----	----	/*0.007A	----		0.001	UNCH	.0000	----	----	----	6
2400	----	----		----	----	./0.293A	----		0.001 -	0.001	.0001	----	----	----	10
2650	----	----		----	----	./0.049A	----		0.003 -	0.001	.0003	----	----	----	6
2900	----	----		----	----	./0.052A	----		0.005 -	0.002	.0005	----	----	----	2
3000	----	----		----	----	/*0.004A	----		0.006 -	0.003	.0007	----	----	----	6
3025	----	----		----	----	./0.053A	----		0.006 -	0.003	.0007	----	----	----	1
3175	0.013	0.013		0.013/*0.013	0.013/*0.013	0.009	NEW	.0010	0.012 -	0.005	.0014	----	10	----	10 +
3350	0.006	0.006		0.006/*0.006	0.006/*0.006	0.012 -	0.005	.0014	0.013 -	0.006	.0015	----	1	----	2 +
3400	----	----		----	----	./0.062A	----		0.013 -	0.006	.0015	----	----	----	55
3475	----	----		----	----	./0.065A	----		0.015 -	0.006	.0018	----	----	----	5
3500	----	----		----	0.015B/*0.025A	0.016 -	0.006	.0019	0.016 -	0.006	.0019	----	----	----	4
3600	----	----		----	----	./0.070A	----		0.018 -	0.008	.0022	----	----	----	12
3700	----	----		----	----	./0.074A	----		0.021 -	0.008	.0026	----	----	----	94
3800	----	----		----	----	/*0.030A	----		0.025 -	0.010	.0031	----	----	----	25
3825	----	----		----	----	./0.081A	----		0.026 -	0.010	.0033	----	----	----	8
3850	----	----		----	----	./0.082A	----		0.027 -	0.010	.0034	----	----	----	3
3900	----	----		----	----	./0.085A	----		0.029 -	0.010	.0037	----	----	----	11
3950	----	----		----	----	./0.089A	----		0.031 -	0.011	.0039	----	----	----	1
4000	0.040	0.040		0.040/*0.020	0.040/*0.020	0.034 -	0.011	.0043	0.034 -	0.011	.0043	----	20	----	85 +
4075	----	----		----	0.001B/0.098A	0.034 -	0.011	.0045	0.034 -	0.011	.0045	----	----	----	16
4100	----	----		----	0.001B/0.100A	0.035 -	0.011	.0046	0.035 -	0.011	.0046	----	----	----	9
4175	----	----		----	0.001B/0.106A	0.035 -	0.011	.0047	0.035 -	0.011	.0047	----	----	----	27
4200	----	----		----	0.001B/0.107A	0.035 -	0.011	.0048	0.035 -	0.011	.0048	----	----	----	1
4225	----	----		----	0.001B/0.109A	0.036 -	0.010	.0049	0.036 -	0.010	.0049	----	----	----	21
4250	----	----		----	0.001B/0.111A	0.036 -	0.011	.0050	0.036 -	0.011	.0050	----	----	----	98
4300	----	----		----	0.010B/0.115A	0.037 -	0.010	.0051	0.037 -	0.010	.0052	----	----	----	17
4325	----	----		----	0.001B/0.116A	0.037 -	0.011	.0053	0.037 -	0.011	.0053	----	----	----	32
4375	----	----		----	0.001B/0.119A	0.038 -	0.010	.0055	0.038 -	0.011	.0056	----	----	----	4
4400	----	----		----	0.001B/0.121A	0.039 -	0.010	.0058	0.039 -	0.011	.0058	----	----	----	16
4450	----	----		----	0.025B/*0.056A	0.039 -	0.011	.0058	0.039 -	0.011	.0058	----	1	----	301 +
4475	----	----		----	0.026B/*0.057A	0.041 -	0.011	.0062	0.041 -	0.011	.0062	----	----	----	75
4500	0.025	0.025		0.026B/*0.025	0.026B/*0.025	0.042 -	0.010	.0064	0.042 -	0.010	.0064	----	6	----	101
4575	----	----		----	0.031B/*0.056A	0.044 -	0.010	.0068	0.044 -	0.010	.0068	----	----	----	40
4600	----	----		----	0.038B/*0.056A	0.045 -	0.010	.0070	0.045 -	0.010	.0070	----	----	----	12
4650	----	----		----	0.039B/*0.057A	0.046 -	0.010	.0072	0.046 -	0.010	.0072	----	2	----	154 +
4675	----	----		----	/*0.050A	0.047 -	0.011	.0074	0.047 -	0.011	.0074	----	----	----	3
4700	----	----		----	0.041B/*0.059A	0.048 -	0.011	.0076	0.048 -	0.011	.0076	----	----	----	55
4725	----	----		----	0.042B/*0.060A	0.050 -	0.011	.0079	0.048 -	0.011	.0079	----	----	----	8
4750	----	----		----	0.043B/*0.063A	0.051 -	0.011	.0081	0.050 -	0.011	.0081	----	----	----	15
4775	----	----		----	0.044B/0.063A	0.053 -	0.011	.0085	0.051 -	0.011	.0085	----	----	----	26
4800	----	----		----	0.045B/*0.064A	0.054 -	0.012	.0087	0.053 -	0.011	.0087	----	----	----	2
4825	----	----		----	0.047B/*0.067A	0.056 -	0.012	.0090	0.054 -	0.012	.0087	----	----	----	23
4850	----	----		----	0.048B/*0.068A	0.058 -	0.012	.0094	0.056 -	0.012	.0090	----	----	----	167
4875	----	----		----	/*0.068A	0.058 -	0.012	.0094	0.058 -	0.012	.0094	----	----	----	2
4900	----	----		----	0.050B/*0.068A	0.063 -	0.013	.0103	0.058 -	0.012	.0094	----	----	----	2
4975	----	----		----	0.054B/*0.074A	0.065 -	0.013	.0107	0.063 -	0.013	.0103	----	22	----	953 +
5000	0.081	0.081		0.081/0.060	0.081/0.060	0.066 -	0.014	.0109	0.065 -	0.013	.0107	----	----	----	1
5025	----	----		----	/*0.075A	0.068 -	0.014	.0113	0.066 -	0.014	.0109	----	----	----	16
5050	----	----		----	0.057B/*0.075A	0.070 -	0.014	.0117	0.068 -	0.014	.0113	----	----	----	11
5075	----	----		----	0.059B/*0.079A	0.072 -	0.014	.0120	0.070 -	0.014	.0117	----	----	----	178
5100	----	----		----	0.061B/*0.080A	0.077 -	0.013	.0130	0.072 -	0.014	.0120	----	----	----	5
5150	----	----		----	0.062B/*0.081A	0.079 -	0.013	.0134	0.077 -	0.013	.0130	----	----	----	5
5175	----	----		----	0.066B/*0.084A	0.081 -	0.014	.0138	0.079 -	0.013	.0134	----	----	----	109 +
5200	0.095	0.095		0.097/*0.080	0.097/*0.080	0.084 -	0.013	.0143	0.081 -	0.014	.0138	----	22	----	9
5225	----	----		----	/*0.092A	0.086 -	0.013	.0147	0.084 -	0.013	.0143	----	----	----	225
5250	----	----		----	0.072B/*0.092A	0.089 -	0.012	.0153	0.086 -	0.013	.0147	----	----	----	2
5275	----	----		----	0.076B/*0.093A	0.091 -	0.013	.0157	0.089 -	0.012	.0153	----	----	----	124 -
5300	----	----		----	0.079B/*0.095A	0.094 -	0.013	.0163	0.091 -	0.013	.0157	----	4	----	11
5325	----	----		----	0.080B/0.097A	0.097 -	0.012	.0169	0.094 -	0.013	.0163	----	----	----	26
5350	----	----		----	0.083B/*0.100A	0.099 -	0.012	.0175	0.097 -	0.012	.0169	----	----	----	17
5375	----	----		----	0.087B/*0.102A	0.100 -	0.012	.0175	0.099 -	0.012	.0175	----	----	----	75
5400	----	----		----	0.089B/*0.105A	0.103 -	0.013	.0180	0.100 -	0.012	.0175	----	----	----	49
5425	----	----		----	0.092B/*0.106A	0.106 -	0.013	.0186	0.103 -	0.013	.0180	----	----	----	38
5450	----	----		----	0.096B/*0.109A	0.109 -	0.014	.0193	0.106 -	0.013	.0186	----	----	----	53
5475	----	----		----	0.099B/*0.111A	0.112 -	0.015	.0199	0.109 -	0.014	.0193	----	----	----	61
5500	0.080	0.080		0.120/*0.080	0.120/*0										



BULLETIN # 99@				METALS OPTION PRODUCTS						Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUL26														
7175	2.167	2.167	2.199B/1.569A	2.199B/1.569A	----	1.945	- 0.366	.2845	----	3	----	33	-	
7200	1.745	1.745	2.294B/1.620	2.294B/1.620	----	2.029	- 0.373	.2936	----	20	----	128	+	
7225	----	----	-----/1.706A	2.388B/1.706A	----	2.116	- 0.380	.3029	----	----	----	4	UNCH	
7250	2.294	2.294	2.294/1.774A	2.488B/1.774A	----	2.205	- 0.387	.3122	----	4	----	202	-	
7275	----	----	-----/1.852A	2.589B/1.852A	----	2.297	- 0.394	.3217	----	----	----	3	UNCH	
7300	1.989	1.989	2.695B/1.914A	2.695B/1.914A	----	2.392	- 0.401	.3312	----	16	----	70	-	
7325	2.500	2.500	2.500/2.007A	2.803B/2.007A	----	2.490	- 0.408	.3409	----	1	----	14	-	
7350	2.863	2.863	2.915B/2.088A	2.915B/2.088A	----	2.590	- 0.415	.3506	----	1	----	9	+	
7375	----	----	-----/2.160A	3.028B/2.160A	----	2.694	- 0.421	.3604	----	1	----	118	+	
7400	2.352	2.352	3.145B/2.247A	3.145B/2.247A	----	2.800	- 0.428	.3702	----	10	----	125	-	
7425	2.970	2.970	2.980/2.351A	3.266B/2.351A	----	2.909	- 0.435	.3801	----	4	----	12	+	
7450	2.976	2.976	3.389B/2.436A	3.389B/2.436A	----	3.020	- 0.442	.3899	----	8	----	96	+	
7475	2.636	2.636	3.515B/2.513	3.515B/2.513	----	3.135	- 0.448	.3999	----	34	----	13	+	
7500	2.800	2.800	3.645B/2.629A	3.645B/2.629A	----	3.252	- 0.455	.4099	----	66	----	199	-	
7525	----	----	-----/2.735A	3.776B/2.735A	----	3.372	- 0.461	.4198	----	----	----	26	UNCH	
7550	----	----	-----/2.844A	3.910B/2.844A	----	3.495	- 0.468	.4298	----	----	----	33	UNCH	
7575	----	----	-----/2.963A	4.048B/2.963A	----	3.620	- 0.474	.4398	----	6	----	7	+	
7600	3.750	3.750	4.188B/3.064A	4.188B/3.064A	----	3.749	- 0.480	.4497	----	4	----	27	+	
7625	3.960	3.960	4.035/3.185A	4.331B/3.185A	----	3.880	- 0.486	.4597	----	30	----	40	+	
7650	3.513	3.513	4.476B/3.285A	4.476B/3.285A	----	4.014	- 0.491	.4696	----	11	----	71	+	
7675	4.165	4.165	4.625B/3.404A	4.625B/3.404A	----	4.151	- 0.497	.4795	----	1	----	36	+	
7700	3.870	3.870	4.775B/3.535A	4.775B/3.535A	----	4.291	- 0.501	.4893	----	7	----	235	+	
7725	----	----	-----/3.648A	4.929B/3.648A	----	4.434	- 0.506	.4990	----	21	----	35	+	
7750	----	----	-----/3.779A	5.084B/3.779A	----	4.581	- 0.508	.5087	----	1	----	23	+	
7775	4.737	4.737	5.243B/3.914A	5.243B/3.914A	----	4.730	- 0.512	.5182	----	1	----	5	UNCH	
7800	4.221	4.221	5.403B/4.032A	5.403B/4.032A	----	4.882	- 0.514	.5278	----	16	----	103	+	
7825	4.775	4.775	5.566B/4.172A	5.566B/4.172A	----	5.036	- 0.517	.5371	----	1	----	25	UNCH	
7850	----	----	5.731B/4.308A	5.731B/4.308A	----	5.193	- 0.519	.5465	----	1	----	35	+	
7875	----	----	5.899B/4.448A	5.899B/4.448A	----	5.353	- 0.521	.5557	----	----	----	26	UNCH	
7900	----	----	6.068B/4.589A	6.068B/4.589A	----	5.514	- 0.524	.5648	----	1	----	28	+	
7925	----	----	6.206B/4.731A	6.206B/4.731A	----	5.677	- 0.527	.5738	----	----	----	4	UNCH	
7950	----	----	6.380B/4.899A	6.380B/4.899A	----	5.842	- 0.530	.5827	----	----	----	5	UNCH	
7975	----	----	-----/5.041A	6.522B/5.041A	----	6.010	- 0.533	.5915	----	----	----	5	UNCH	
8000	5.807	5.807	6.733B/5.179A	6.733B/5.179A	----	6.179	- 0.536	.6002	----	3	----	275	+	
8050	6.142	6.142	7.106B/5.522A	7.106B/5.522A	----	6.526	- 0.540	.6171	----	1	----	1	UNCH	
8075	----	----	7.288B/5.681A	7.288B/5.681A	----	6.703	- 0.542	.6254	----	----	----	10	UNCH	
8100	----	----	7.473B/5.822A	7.473B/5.822A	----	6.882	- 0.543	.6335	----	----	----	48	UNCH	
8125	----	----	7.637B/6.004A	7.637B/6.004A	----	7.064	- 0.544	.6415	----	----	----	7	UNCH	
8150	----	----	7.826B/6.168A	7.826B/6.168A	----	7.249	- 0.543	.6493	----	----	----	2	UNCH	
8175	----	----	8.017B/6.334A	8.017B/6.334A	----	7.436	- 0.542	.6569	----	2	----	4	+	
8200	----	----	8.210B/6.505A	8.210B/6.505A	----	7.625	- 0.540	.6643	----	1	----	23	UNCH	
8225	----	----	8.404B/6.676A	8.404B/6.676A	----	7.816	- 0.539	.6716	----	----	----	17	UNCH	
8250	----	----	8.611B/6.848A	8.611B/6.848A	----	8.008	- 0.538	.6788	----	----	----	89	UNCH	
8275	----	----	8.789B/7.105A	8.789B/7.105A	----	8.202	- 0.537	.6859	----	----	----	15	UNCH	
8300	----	----	8.991B/7.293A	8.991B/7.293A	----	8.396	- 0.537	.6929	----	2	----	130	UNCH	
8325	----	----	9.180B/7.639A	9.180B/7.639A	----	8.592	- 0.537	.6997	----	----	----	1	UNCH	
8350	----	----	9.387B/7.821A	9.387B/7.821A	----	8.790	- 0.536	.7064	----	----	----	20	UNCH	
8375	----	----	9.577B/7.882A	9.577B/7.882A	----	8.988	- 0.537	.7130	----	----	----	4	UNCH	
8400	----	----	9.780B/8.065A	9.780B/8.065A	----	9.188	- 0.537	.7194	----	----	----	13	UNCH	
8425	----	----	9.992B/8.255A	9.992B/8.255A	----	9.390	- 0.537	.7258	----	----	----	4	UNCH	
8450	----	----	10.209B/8.478A	10.209B/8.478A	----	9.594	- 0.536	.7319	----	----	----	33	UNCH	
8475	----	----	10.416B/8.654A	10.416B/8.654A	----	9.799	- 0.535	.7379	----	----	----	1	UNCH	
8500	----	----	10.631B/8.783A	10.631B/8.783A	----	10.006	- 0.534	.7438	----	11	----	168	+	
8525	----	----	10.838B/9.043A	10.838B/9.043A	----	10.214	- 0.532	.7494	----	----	----	4	UNCH	
8550	----	----	11.050B/9.148A	11.050B/9.148A	----	10.424	- 0.530	.7550	----	----	----	37	UNCH	
8575	----	----	11.264B/9.433A	11.264B/9.433A	----	10.634	- 0.529	.7605	----	----	----	1	UNCH	
8600	----	----	11.481B/9.475A	11.481B/9.475A	----	10.846	- 0.528	.7657	----	----	----	77	UNCH	
8625	----	----	11.673B/9.838A	11.673B/9.838A	----	11.059	- 0.526	.7710	----	----	----	7	UNCH	
8650	----	----	11.915B/10.038A	11.915B/10.038A	----	11.272	- 0.525	.7761	----	----	----	1	UNCH	
8675	----	----	12.123B/10.256A	12.123B/10.256A	----	11.487	- 0.524	.7811	----	----	----	1	UNCH	
8700	----	----	12.326B/10.459A	12.326B/10.459A	----	11.703	- 0.522	.7859	----	----	----	12	UNCH	
8725	----	----	12.561B/10.673A	12.561B/10.673A	----	11.920	- 0.521	.7906	----	----	----	1	UNCH	
8800	----	----	13.141B/11.101A	13.141B/11.101A	----	12.577	- 0.515	.8041	----	----	----	59	UNCH	
8850	----	----	-----/11.727A	13.461B/11.727A	----	13.020	- 0.511	.8125	----	----	----	1	UNCH	
8900	----	----	-----/12.153A	13.908B/12.153A	----	13.467	- 0.506	.8204	----	----	----	2	UNCH	
8975	----	----	-----/12.797A	14.586B/12.797A	----	14.142	- 0.500	.8316	----	----	----	2	UNCH	
9000	----	----	14.943B/12.837A	14.943B/12.837A	----	14.369	- 0.497	.8352	----	----	----	321	UNCH	
9025	----	----	-----/13.235A	15.041B/13.235A	----	14.596	- 0.495	.8386	----	----	----	1	UNCH	
9175	----	----	-----/14.612A	16.425B/14.612A	----	15.971	- 0.482	.8578	----	----	----	1	UNCH	
9200	----	----	16.732B/14.836A	16.732B/14.836A	----	16.202	- 0.481	.8607	----	----	----	11	UNCH	
9250	----	----	-----/15.288A	17.124B/15.288A	----	16.665	- 0.477	.8664	----	----	----	1	UNCH	
9275	----	----	-----/15.515A	17.358B/15.515A	----	16.897	- 0.476	.8692	----	----	----	1	UNCH	
9300	----	----	-----/15.742A	17.593B/15.742A	----	17.130								



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 99@				METALS OPTION PRODUCTS							Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS														
AUG26															
6500	1.350	1.350		1.350/1.283A	1.372B/1.283A	----	----	1.328 - 0.226	.1567	----	----	5	----	198	UNCH
6525	----	----	----	----/1.328A	1.403B/1.328A	----	----	1.376 - 0.231	.1614	----	----	----	----	2	UNCH
6550	----	----	----	----/1.368A	1.513B/1.368A	----	----	1.426 - 0.235	.1662	----	----	----	----	2	UNCH
6575	----	----	----	----/1.423A	1.513B/1.423A	----	----	1.476 - 0.240	.1710	----	----	----	----	1	UNCH
6600	----	----	----	----/1.466A	1.642B/1.466A	----	----	1.529 - 0.244	.1760	----	----	3	----	64	UNCH
6625	----	----	----	----/1.524A	1.619B/1.524A	----	----	1.583 - 0.249	.1811	----	----	----	----	1	UNCH
6650	----	----	----	----/1.570A	1.703B/1.570A	----	----	1.638 - 0.254	.1862	----	----	----	----	9	UNCH
6675	----	----	----	----/1.631A	1.744B/1.631A	----	----	1.696 - 0.258	.1915	----	----	----	----	1	UNCH
6700	----	----	----	----/1.681A	1.824B/1.681A	----	----	1.755 - 0.263	.1968	----	----	----	----	3	UNCH
6725	----	----	----	----/1.746A	1.870B/1.746A	----	----	1.816 - 0.268	.2022	----	----	----	----	8	UNCH
6750	----	----	----	----/1.799A	1.953B/1.799A	----	----	1.879 - 0.272	.2078	----	----	----	----	6	UNCH
6775	----	----	----	----/1.868A	2.006B/1.868A	----	----	1.943 - 0.278	.2134	----	----	----	----	15	UNCH
6800	----	----	----	----/1.883A	2.174B/1.883A	----	----	2.010 - 0.283	.2191	----	----	----	----	82	UNCH
6825	----	----	----	----/1.999A	2.244B/1.999A	----	----	2.079 - 0.288	.2249	----	----	----	----	10	UNCH
6850	----	----	----	----/2.058A	2.321B/2.058A	----	----	2.150 - 0.293	.2308	----	----	----	----	2	UNCH
6900	----	----	----	----/2.199A	2.484B/2.199A	----	----	2.299 - 0.302	.2429	----	----	4	----	10	+
6950	----	----	----	----/2.323A	2.650B/2.323A	----	----	2.456 - 0.312	.2552	----	----	----	----	28	UNCH
6975	----	----	----	----/2.420A	2.670B/2.420A	----	----	2.537 - 0.318	.2615	----	----	----	----	6	UNCH
7000	2.450	2.450		2.825B/2.300	2.825B/2.300	----	----	2.621 - 0.322	.2678	----	----	53	----	211	UNCH
7050	----	----	----	----/2.648A	2.938B/2.648A	----	----	2.794 - 0.332	.2807	----	----	----	----	13	UNCH
7075	----	----	----	----/2.722A	3.104B/2.722A	----	----	2.883 - 0.337	.2872	----	----	----	----	1	UNCH
7100	----	----	----	----/2.806A	3.213B/2.806A	----	----	2.975 - 0.341	.2937	----	----	----	----	18	UNCH
7125	----	----	----	----/2.884A	3.228B/2.884A	----	----	3.068 - 0.346	.3003	----	----	----	----	21	UNCH
7150	----	----	----	----/2.969A	3.329B/2.969A	----	----	3.164 - 0.350	.3069	----	----	----	----	6	UNCH
7175	----	----	----	----/3.062A	3.429B/3.062A	----	----	3.262 - 0.354	.3136	----	----	----	----	9	UNCH
7200	----	----	----	----/2.960A	3.621B/2.960A	----	----	3.362 - 0.359	.3203	----	----	5	----	99	UNCH
7225	----	----	----	----/3.277A	3.724B/3.277A	----	----	3.464 - 0.365	.3271	----	----	----	----	11	UNCH
7250	----	----	----	----/3.336A	3.832B/3.336A	----	----	3.569 - 0.370	.3339	----	----	----	----	9	UNCH
7275	----	----	----	----/3.428A	3.909B/3.428A	----	----	3.677 - 0.375	.3407	----	----	----	----	10	UNCH
7300	----	----	----	----/3.430A	4.058B/3.430A	----	----	3.786 - 0.382	.3475	----	----	----	----	121	UNCH
7350	----	----	----	----/3.739A	4.302B/3.739A	----	----	4.012 - 0.396	.3613	----	----	----	----	8	UNCH
7400	----	----	----	----/3.981A	4.544B/3.981A	----	----	4.247 - 0.409	.3750	----	----	----	----	11	UNCH
7425	----	----	----	----/4.036A	4.670B/4.036A	----	----	4.367 - 0.416	.3819	----	----	----	----	1	UNCH
7450	----	----	----	----/4.143A	4.815B/4.143A	----	----	4.489 - 0.422	.3888	----	----	----	----	1	UNCH
7475	----	----	----	----/4.254A	4.929B/4.254A	----	----	4.612 - 0.428	.3957	----	----	----	----	1	UNCH
7500	----	----	----	----/4.273A	5.062B/4.273A	----	----	4.737 - 0.434	.4025	----	----	6	----	134	UNCH
7525	----	----	----	----/4.481A	5.197B/4.481A	----	----	4.864 - 0.439	.4094	----	----	----	----	1	UNCH
7550	----	----	----	----/4.598A	5.332B/4.598A	----	----	4.993 - 0.443	.4163	----	----	----	----	18	UNCH
7575	----	----	----	----/4.716A	5.310B/4.716A	----	----	5.123 - 0.447	.4231	----	----	----	----	1	UNCH
7600	----	----	----	----/4.832A	5.612B/4.832A	----	----	5.256 - 0.450	.4299	----	----	----	----	6	UNCH
7625	----	----	----	----/4.954A	5.771B/4.954A	----	----	5.390 - 0.453	.4367	----	----	----	----	1	UNCH
7650	4.947	4.947		5.897B/4.947	5.897B/4.947	----	----	5.527 - 0.455	.4435	----	----	1	----	16	+
7675	----	----	----	----/5.163A	6.045B/5.163A	----	----	5.667 - 0.456	.4502	----	----	----	----	44	UNCH
7700	----	----	----	----/5.236A	6.193B/5.236A	----	----	5.809 - 0.457	.4569	----	----	14	80	162	+
7725	----	----	----	----/5.363A	6.360B/5.363A	----	----	5.953 - 0.458	.4636	----	----	----	----	56	UNCH
7750	----	----	----	----/5.635A	6.524B/5.635A	----	----	6.099 - 0.459	.4703	----	----	----	----	1	UNCH
7775	----	----	----	----/5.720A	6.644B/5.720A	----	----	6.246 - 0.461	.4769	----	----	----	----	2	UNCH
7800	----	----	----	----/5.808A	6.821B/5.808A	----	----	6.395 - 0.463	.4834	----	----	----	----	25	UNCH
7825	----	----	----	----/6.009A	6.979B/6.009A	----	----	6.545 - 0.467	.4899	----	----	----	----	1	UNCH
7850	----	----	----	----/6.148A	7.152B/6.148A	----	----	6.698 - 0.469	.4964	----	----	----	----	18	UNCH
7900	----	----	----	----/6.412A	7.447B/6.412A	----	----	7.008 - 0.475	.5092	----	----	----	----	9	UNCH
7925	6.625	6.625		7.640B/6.555A	7.640B/6.555A	----	----	7.165 - 0.479	.5156	----	----	1	----	2	+
7950	----	----	----	----/6.629A	7.792B/6.629A	----	----	7.324 - 0.483	.5218	----	----	----	----	61	UNCH
7975	----	----	----	----/6.873A	7.939B/6.873A	----	----	7.485 - 0.486	.5281	----	----	----	----	2	UNCH
8000	7.334	7.334		7.334/6.941A	8.128B/6.941A	----	----	7.648 - 0.489	.5342	----	----	5	----	296	UNCH
8025	----	----	----	----/7.149A	8.285B/7.149A	----	----	7.812 - 0.493	.5404	----	----	----	----	1	UNCH
8100	----	----	----	8.822B/7.608A	8.822B/7.608A	----	----	8.316 - 0.499	.5583	----	----	----	----	10	UNCH
8150	----	----	----	----/7.920A	9.163B/7.920A	----	----	8.659 - 0.504	.5700	----	----	----	----	15	UNCH
8175	----	----	----	9.344B/8.080A	9.344B/8.080A	----	----	8.833 - 0.506	.5758	----	----	----	----	1	UNCH
8200	----	----	----	9.526B/8.240A	9.526B/8.240A	----	----	9.009 - 0.507	.5814	----	----	----	----	10	UNCH
8225	----	----	----	----/8.401A	9.677B/8.401A	----	----	9.186 - 0.508	.5871	----	----	----	----	4	UNCH
8250	----	----	----	----/8.574A	9.823B/8.574A	----	----	9.365 - 0.509	.5926	----	----	----	----	10	UNCH
8275	----	----	----	----/8.731A	9.963B/8.731A	----	----	9.545 - 0.510	.5981	----	----	----	----	5	UNCH
8300	----	----	----	----/8.898A	10.063B/8.898A	----	----	9.726 - 0.511	.6035	----	----	----	----	1	UNCH
8325	----	----	----	----/9.059A	10.249B/9.059A	----	----	9.909 - 0.511	.6088	----	----	----	----	5	UNCH
8400	----	----	----	----/9.579A	10.661B/9.579A	----	----	10.468 - 0.511	.6244	----	----	----	----	1	UNCH
8425	----	----	----	----/9.749A	11.014B/9.749A	----	----	10.659 - 0.508	.6294	----	----	----	----	1	UNCH
8475	----	----	----	----/10.102A	11.403B/10.102A	----	----	11.045 - 0.503	.6392	----	----	----	----	1	UNCH
8500	----	----	----	----/10.303A	11.707B/10.303A	----	----	11.237 - 0.503	.6440	----	----	----	----	22	UNCH
8600	----	----	----	----/11.004A	12.393B/11.004A	----	----	12.012 - 0.508	.6629	----	----	----	----	3	UNCH
8650	----	----	----	----/11.817A	12.791B/11.817A	----	----								



BULLETIN # 99@			METALS OPTION PRODUCTS							Tue, May 26, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT		COMEX SILVER OPTIONS												
SEP26														
8100	----	----	----/9.320A	9.526B/9.320A	----	9.737 - 0.397	.5302	----	----	----	----	1	UNCH	
8200	----	----	----/9.998A	10.264B/9.998A	----	10.434 - 0.405	.5489	----	----	----	----	1	UNCH	
8300	----	----	----/10.669A	10.989B/10.669A	----	11.152 - 0.409	.5668	----	----	----	----	1	UNCH	
8400	----	----	----/11.304A	11.732B/11.304A	----	11.887 - 0.411	.5839	----	----	----	----	42	UNCH	
8500	----	----	----/11.975A	12.490B/11.975A	----	12.637 - 0.413	.6004	----	----	----	----	228	UNCH	
8700	----	----	----/13.404A	14.017B/13.404A	----	14.179 - 0.415	.6314	----	----	----	----	101	UNCH	
9000	----	----	----/16.551A	16.355B/16.551A	----	16.574 - 0.425	.6733	----	----	----	----	74	UNCH	
9300	----	----	----/19.159A	18.662B/19.159A	----	19.057 - 0.440	.7102	----	----	----	----	1	UNCH	
9400	----	----	----/19.393A	19.507B/19.393A	----	19.903 - 0.443	.7215	----	----	----	----	15	UNCH	
10150	----	----	----/26.652A	26.086B/26.652A	----	26.478 - 0.463	.7913	----	----	----	----	1	UNCH	
10300	----	----	----/28.017A	27.017B/28.017A	----	27.835 - 0.463	.8025	----	----	----	----	1	UNCH	
TOTAL										34	0	2897 +	6	
OCT26														
2675	----	----	----	0.001B/2.874A	----	0.063 - 0.015	.0047	----	----	----	----	8	UNCH	
3250	----	----	----	0.001B/0.500A	----	0.104 - 0.022	.0085	----	----	----	----	1	UNCH	
4000	----	----	----	0.083B/*0.249A	----	0.180 - 0.036	.0164	----	----	----	----	3	UNCH	
4500	----	----	----	0.190B/0.372A	----	0.271 - 0.050	.0260	----	----	----	----	3	UNCH	
5000	----	----	----	0.381B/*0.569A	----	0.441 - 0.074	.0431	----	----	----	----	6	UNCH	
5050	----	----	----	0.407B/*0.597A	----	0.465 - 0.077	.0454	----	----	----	----	1	UNCH	
5150	----	----	----	0.466B/*0.656A	----	0.518 - 0.084	.0505	----	----	----	----	5	UNCH	
6300	----	----	----	1.874B/2.194A	----	1.943 - 0.237	.1643	----	----	----	----	3	UNCH	
6500	----	----	----	2.234B/2.783A	----	2.431 - 0.277	.1963	----	----	----	----	124	UNCH	
6800	----	----	----	3.163B/3.729A	----	3.366 - 0.320	.2504	----	----	----	----	2	UNCH	
6850	----	----	----	3.342B/3.910A	----	3.544 - 0.328	.2599	----	----	----	----	1	UNCH	
7000	----	----	----	3.918B/4.490A	----	4.113 - 0.356	.2890	----	----	----	----	89	UNCH	
7025	----	----	----	4.019B/4.591A	----	4.212 - 0.363	.2939	----	1	----	----	1	UNCH	
7050	----	----	----	4.119B/4.695A	----	4.314 - NEW	.2988	----	1	----	----	1 +	1	
7225	----	----	----/5.470A	4.886B/5.470A	----	5.068 - 0.409	.3336	----	----	----	----	87	UNCH	
7500	----	----	----/6.846A	6.256B/6.846A	----	6.442 - 0.445	.3889	----	----	----	----	28	UNCH	
7600	----	----	----/7.393A	6.821B/7.393A	----	7.001 - 0.445	.4087	----	----	----	----	13	UNCH	
7700	----	----	----/7.965A	7.412B/7.965A	----	7.589 - 0.440	.4282	----	----	----	----	1	UNCH	
7950	----	----	----/9.490A	8.976B/9.490A	----	9.156 - 0.429	.4747	----	----	----	----	10	UNCH	
8000	----	----	----/9.812A	9.340B/9.812A	----	9.482 - 0.430	.4837	----	----	----	----	2	UNCH	
8200	----	----	----/11.147A	10.664B/11.147A	----	10.819 - 0.451	.5182	----	----	----	----	6	UNCH	
8375	----	----	----/12.371A	11.744B/12.371A	----	12.033 - 0.484	.5469	----	----	----	----	1	UNCH	
9100	----	----	----/17.916A	17.509B/17.916A	----	17.508 - 0.641	.6493	----	----	----	----	1	UNCH	
10000	----	----	----/25.511A	24.791B/25.511A	----	25.099 - 0.649	.7404	----	----	----	----	40	UNCH	
TOTAL										2	0	437 +	1	
NOV26														
4500	----	----	----	0.274B/0.516A	----	0.304 - 0.052	.0282	----	----	----	----	1	UNCH	
4550	----	----	----	0.294B/*0.539A	----	0.327 - 0.056	.0302	----	----	----	----	1	UNCH	
4800	----	----	----	0.415B/*0.663A	----	0.465 - 0.072	.0416	----	----	----	----	1	UNCH	
5000	----	----	----	0.542B/*0.787A	----	0.607 - 0.087	.0530	----	----	----	----	12	UNCH	
5200	----	----	----	0.707B/*0.939A	----	0.781 - 0.104	.0664	----	----	----	----	1	UNCH	
5400	----	----	----	0.912B/*1.129A	----	0.996 - 0.123	.0823	----	----	----	----	6	UNCH	
5600	----	----	----/*1.363A	1.182B/*1.363A	----	1.256 - 0.144	.1007	----	----	----	----	6	UNCH	
5950	----	----	----	1.483B/2.164A	----	1.846 - 0.184	.1394	----	----	----	----	1	UNCH	
6425	----	----	----	2.608B/3.308A	----	3.028 - 0.245	.2061	----	----	----	----	1	UNCH	
6700	----	----	----/4.219A	3.480B/4.219A	----	3.956 - 0.281	.2508	----	----	----	----	50	UNCH	
7000	----	----	----/5.417A	4.658B/5.417A	----	5.163 - 0.319	.3021	----	----	----	----	41	UNCH	
7025	----	----	----/5.527A	4.765B/5.527A	----	5.272 - 0.323	.3064	----	----	----	----	6	UNCH	
7400	----	----	----/7.345A	6.565B/7.345A	----	7.080 - 0.365	.3718	----	----	----	----	24	UNCH	
7500	----	----	----/7.883A	7.101B/7.883A	----	7.616 - 0.375	.3891	----	----	----	----	7	UNCH	
7700	8.650	8.650	8.650/8.650	8.650/8.650	----	8.752 - 0.394	.4232	----	1	----	----	51 +	1	
8500	----	----	----/14.335A	13.677B/14.335A	----	14.023 - 0.452	.5454	----	----	----	----	60	UNCH	
9000	----	----	----/18.127A	17.503B/18.127A	----	17.773 - 0.475	.6085	----	----	----	----	5	UNCH	
9050	----	----	----/18.520A	17.942B/18.520A	----	18.164 - 0.476	.6143	----	----	----	----	3	UNCH	
10000	----	----	----/26.390A	25.505B/26.390A	----	25.973 - 0.498	.7069	----	----	----	----	1	UNCH	
11000	----	----	----/35.226A	34.303B/35.226A	----	34.759 - 0.504	.7773	----	----	1	0	279 +	1	
TOTAL										1	0	279 +	1	
DEC26														
1500	----	----	----	----/0.050A	----	0.003 - 0.001	.0002	----	----	----	----	180	UNCH	
2000	----	----	----	----/0.100A	----	0.012 - 0.003	.0009	----	----	----	----	10	UNCH	
2500	----	----	----	0.001B/3.306A	----	0.025 - 0.006	.0021	----	----	----	----	32	UNCH	
3000	----	----	----	0.001B/3.444A	----	0.052 - 0.011	.0046	----	----	----	----	93	UNCH	
3100	----	----	----	0.001B/3.492A	----	0.060 - 0.013	.0053	----	----	----	----	1	UNCH	
3150	----	----	----	0.015B/0.260A	----	0.068 - 0.014	.0059	----	----	----	----	1	UNCH	
3500	----	----	----	0.054B/*0.312A	----	0.140 - 0.025	.0116	----	----	----	----	45	UNCH	
3850	----	----	----	0.120B/*0.401A	----	0.218 - 0.036	.0180	----	----	----	----	1	UNCH	
3925	----	----	----	0.138B/*0.424A	----	0.238 - 0.039	.0196	----	----	----	----	1	UNCH	
4000	----	----	----	0.157B/0.449A	----	0.260 - 0.042	.0214	----	----	----	----	75	UNCH	
4500	----	----	----	0.347B/0.667A	----	0.469 - 0.066	.0378	----	----	----	----	35	UNCH	
4600	----	----	----	0.401B/*0.718A	----	0.524 - 0.072	.0421	----	----	----	----	4	UNCH	
4800	----	----	----	0.529B/*0.852A	----	0.654 - 0.085	.0519	----	----	----	----	241	UNCH	
5000	----	----	----	0.692B/1.006A	----	0.838 - 0.102	.0646	----	----	----	----	378	UNCH	
5250	----	----	----/*1.246A	0.955B/*1.246A	----	1.134 - 0.124	.0840	----	----	----	----	50	UNCH	
5300	----	----	----/*1.306A	1.016B/*1.306A	----	1.201 - 0.129	.0882	----	----	----	----	250	UNCH	
5400	----	----	----/*1.425A	1.150B/*1.425A	----	1.343 - 0.139	.0971	----	----	----	----	100	UNCH	
5500	----	----	----/*1.558A	1.299B/*1.558A	----	1.497 - 0.150	.1065	----	----	----	----	229	UNCH	
5600	----	----	----	1.062B/2.072A	----	1.665 - 0.161	.1165	----	----	----	----	8	UNCH	
5650	----	----	----	1										

	BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
SO PUT	COMEX SILVER OPTIONS																						
JAN27																							
6500	----	----	----	----	3.591B/4.788A	----		4.314 -	0.271	.2304	----	----	----	----				1	UNCH				
6925	----	----	----	----	5.210B/6.498A	----		5.971 -	0.305	.2910	----	----	----	----				24	UNCH				
7000	----	----	----	----	5.567B/6.838A	----		6.302 -	0.313	.3020	----	----	----	----				35	UNCH				
7100	----	----	----	----	6.094B/7.306A	----		6.763 -	0.325	.3167	----	----	----	----				20	UNCH				
7125	----	----	----	----	6.105B/7.427A	----		6.882 -	0.328	.3204	----	----	----	----				1	UNCH				
8600	----	----	----	-----/16.455A	15.398B/16.455A	----		15.885 -	0.723	.5206	----	----	----	----				1	UNCH				
8850	----	----	----	-----/18.287A	17.203B/18.287A	----		17.694 -	0.739	.5488	----	----	----	----				9	UNCH				
TOTAL																	0	92	0				
FEB27																							
6500	----	----	----	----	4.061B/5.343A	----		4.676 -	0.316	.2354	----	----	----	----				1	UNCH				
8150	----	----	----	----	12.819B/14.060A	----		13.323 -	0.574	.4602	----	----	----	----				10	UNCH				
8225	----	----	----	----	13.018B/14.561A	----		13.828 -	0.588	.4693	----	----	----	----				10	UNCH				
8250	----	----	----	----	13.497B/14.729A	----		13.998 -	0.592	.4723	----	----	----	----				10	UNCH				
TOTAL																	0	31	0				
MAR27																							
5500	----	----	----	----	1.591B/2.956A	----		2.375 -	0.177	.1298	----	----	----	----				1	UNCH				
6000	----	----	----	----	2.881B/4.127A	----		3.548 -	0.226	.1809	----	----	----	----				50	UNCH				
6500	----	----	----	----	4.520B/5.878A	----		5.259 -	0.280	.2423	----	----	----	----				20	UNCH				
6825	----	----	----	----	5.829B/7.259A	----		6.638 -	0.312	.2848	----	----	----	----				2	UNCH				
8100	----	----	----	----	13.071B/14.411A	----		13.645 -	0.414	.4483	----	----	----	----				6	UNCH				
8300	----	----	----	----	14.425B/15.749A	----		14.979 -	0.425	.4713	----	----	----	----				50	UNCH				
8500	----	----	----	----	15.881B/17.135A	----		16.367 -	0.436	.4932	----	----	----	----				3	UNCH				
8975	19.279	19.279		19.279/19.279	19.279/19.279	----		19.854 -	NEW	.5407	----	----	1	----				1 +	1				
10500	----	----	----	----	31.603B/32.846A	----		32.258 -	0.498	.6564	----	----	----	----				10	UNCH				
TOTAL																	1	143 +	1				
APR27																							
4000	----	----	----	----	0.379B/0.858A	----		0.556 -	0.092	.0348	----	----	----	----				1	UNCH				
TOTAL																	0	1	0				
DEC27																							
7175	----	----	----	----	----	----		12.409 -	0.200	.3078	----	----	----	----				25	UNCH				
TOTAL																	0	25	0				
S01 CALL	SILVER OPTIONS																						
JUN26																							
7500	----	----	----	-----/3.199A	3.083B/3.199A	----		3.259 -	0.152	.6257	----	----	----	----				15	UNCH				
7550	----	----	----	-----/2.974A	3.093B/2.974A	----		2.960 -	0.177	.5919	----	----	----	----				15	UNCH				
7850	1.750	1.750		2.835B/*1.698A	2.835B/*1.698A	----		1.578 -	NEW	.3851	----	----	2	----				2 +	2				
8000	----	----	----	2.144B/*1.252A	2.144B/*1.252A	----		1.136 -	0.250	.2956	----	----	3	----				13 +	3				
8100	1.118	1.118		1.744B/*1.037A	1.744B/*1.037A	----		0.914 -	0.235	.2453	----	----	1	----				111 +	1				
8300	1.000	1.000		1.126B/*0.641	1.126B/*0.641	----		0.603 -	0.193	.1675	----	----	19	----				162 +	2				
8500	1.000	1.000		1.000/*0.488A	1.000/*0.488A	----		0.412 -	NEW	.1153	----	----	5	----				5 +	5				
8600	----	----	----	0.548B/*0.396A	0.548B/*0.396A	----		0.346 -	0.130	.0965	----	----	----	----				3	UNCH				
9000	0.200	0.200		0.271B/*0.200	0.271B/*0.200	----		0.172 -	0.090	.0470	----	----	1	----				111 +	1				
9500	----	----	----	----	0.094B/*0.158A	----		0.080 -	0.065	.0208	----	----	----	----				160	UNCH				
11500	----	----	----	-----/0.089A	----	----		0.007 -	0.017	.0014	----	----	----	----				1	UNCH				
TOTAL																	31	0	598 +				
S01 PUT	SILVER OPTIONS																						
JUN26																							
6500	----	----	----	-----/0.174A	0.075B/*0.174A	----		0.118 -	0.080	.0323	----	----	----	----				3	UNCH				
6700	0.200	0.200		0.200/*0.198	0.200/*0.198	----		0.228 -	0.121	.0608	----	----	18	----				11 +	6				
7000	----	----	----	-----/0.484A	0.427B/0.484A	----		0.488 -	0.253	.1285	----	----	----	----				26	UNCH				
7100	0.640	0.640		0.640/0.569A	0.640/0.569A	----		0.626 -	NEW	.1626	----	----	21	----				20 +	20				
7150	----	----	----	-----/0.706A	0.685B/*0.706A	----		0.709 -	0.343	.1824	----	----	----	----				1	UNCH				
7200	0.885	0.885		0.885/0.764A	0.885/0.764A	----		0.803 -	0.375	.2041	----	----	16	----				9 +	4				
7250	----	----	----	-----/0.877A	0.942B/0.877A	----		0.909 -	0.406	.2278	----	----	----	----				1	UNCH				
7300	----	----	----	-----/0.954A	1.118B/0.954A	----		1.027 -	0.439	.2534	----	----	4	----				4 +	3				
7350	0.950	0.950		0.950/0.950	1.261B/0.950	----		1.160 -	NEW	.2810	----	----	1	----				1 +	1				
7400	----	----	----	-----/1.090A	1.473B/1.090A	----		1.308 -	0.502	.3105	----	----	----	----				1	UNCH				
7450	----	----	----	-----/1.349A	1.648B/1.349A	----		1.472 -	NEW	.3416	----	----	6	----				2 +	2				
7500	----	----	----	-----/1.464A	1.893B/1.464A	----		1.654 -	0.560	.3742	----	----	9	----				3 +	2				
7550	----	----	----	-----/1.654A	2.098B/1.654A	----		1.855 -	0.584	.4080	----	----	----	----				17	UNCH				
7600	----	----	----	-----/1.808A	2.377B/1.808A	----		2.074 -	NEW	.4426	----	----	2	----				0	UNCH				
7650	----	----	----	-----/2.027A	2.619B/2.027A	----		2.314 -	NEW	.4777	----	----	2	----				2 +	2				
7700	1.797	1.797		2.934B/1.797	2.934B/1.797	----		2.574 -	NEW	.5129	----	----	16	----				13 +	13				
TOTAL																	95	0	114 +				
S02 CALL	SILVER OPTIONS																						
JUN26																							
7650	----	----	----	4.052B/3.215A	4.052B/3.215A	----		3.130 -	0.167	.5251	----	----	----	----				1	UNCH				
8000	2.400	2.400		2.872B/*1.925A	2.872B/*1.925A	----		1.835 -	NEW	.3529	----	----	1	----				1 +	1				
8100	----	----	----	2.471B/*1.674A	2.471B/*1.674A	----		1.583 -	NEW	.3120	----	----	1	----				1 +	1				
9000	0.436	0.436		0.573B/*0.436	0.573B/*0.436	----		0.464 -	NEW	.1001	----	----	5	----				5 +	5				
10000	0.136	0.136		#0.140/*0.136	0.167B/*0.136	----		0.136 -	NEW	.0296	----	----	2	----				2 +	2				
TOTAL																	9	0	10 +				
S02 PUT	SILVER OPTIONS																						
JUN26																							
5250	0.028	0.028		#0.028/*0.028	#0.028/*0.028	----		0.022 -	NEW	.0045	----	----	2	----				2 +	2				
7700	----	----	----	-----/2.905A	3.631B/*2.905A	----		3.293 -	NEW	.5012	----	----	1	----				1 +	1				
TOTAL																							



BULLETIN # 99@				METALS OPTION PRODUCTS								Tue, May 26, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
S05 CALL																	
SILVER OPTIONS																	
MAY26																	
7500	----	----	----/*2.081A	2.045B/*2.081A	----	2.349 -	0.208	.7079	----	----	1	----	1	UNCH			
7550	----	----	----/*1.799A	1.952B/*1.799A	----	2.016 -	0.247	.6500	----	----	----	5	UNCH				
7600	1.900	1.900	1.999B/*1.494A	1.999B/*1.494A	----	1.710	NEW	.5874	----	----	2	----	1 +	1			
7650	1.290	1.290	2.023B/*1.250A	2.023B/*1.250A	----	1.432 -	0.317	.5219	----	----	1	----	17 +	1			
7680	1.427	1.427	#1.427/*1.136A	#2.035B/*1.136A	----	1.281	NEW	.4818	----	----	4	----	4 +	4			
7700	----	----	2.007B/*1.025A	2.007B/*1.025A	----	1.185 -	0.343	.4551	----	----	----	13	UNCH				
7750	0.898	0.898	2.026B/*0.837A	2.026B/*0.837A	----	0.970 -	0.361	.3893	----	----	17	----	17 +	7			
7800	0.750	0.750	2.009B/*0.676A	2.009B/*0.676A	----	0.785 -	0.372	.3266	----	----	1	----	2 +	1			
7820	2.300	2.300	#2.300/*0.630A	#2.300/*0.630A	----	0.719	NEW	.3028	----	----	7	----	7 +	7			
7850	----	----	1.904B/*0.536A	1.904B/*0.536A	----	0.630 -	0.374	.2691	----	----	----	10	UNCH				
7900	0.490	0.490	1.660B/*0.434A	1.660B/*0.434A	----	0.503 -	0.368	.2182	----	----	1	----	3 +	1			
7950	----	----	1.380B/*0.362A	1.380B/*0.362A	----	0.401 -	0.354	.1747	----	----	----	1	UNCH				
8000	0.955	0.955	1.181B/*0.295A	1.181B/*0.295A	----	0.320 -	0.335	.1387	----	96	----	48 -	35				
8100	1.152	1.152	1.152/*0.212A	1.152/*0.212A	----	0.210	NEW	.0874	----	1	----	1 +	1				
8150	0.300	0.300	0.637B/*0.182A	0.637B/*0.182A	----	0.173 -	0.260	.0698	----	14	----	28 +	14				
8200	0.805	0.805	0.805/*0.157A	0.805/*0.157A	----	0.146 -	0.233	.0568	----	28	----	32 +	28				
8250	----	----	0.402B/*0.165A	0.402B/*0.165A	----	0.124 -	0.209	.0463	----	----	----	5	UNCH				
8300	0.210	0.210	0.334B/*0.169A	0.334B/*0.169A	----	0.108 -	0.186	.0386	----	2	----	1 -	2				
8400	0.260	0.260	0.260/*0.149A	0.260/*0.149A	----	0.086 -	0.146	.0281	----	1	----	3 +	1				
8500	0.200	0.200	0.200/*0.082	0.200/*0.082	----	0.073 -	0.113	.0218	----	89	----	52 -	32				
8600	0.105	0.105	0.105/*0.105	0.125B/*0.105	----	0.065 -	0.087	.0177	----	2	----	3	UNCH				
8700	----	----	----/*0.114A	0.079B/*0.114A	----	0.060 -	0.065	.0151	----	----	----	2	UNCH				
8800	----	----	----/*0.102A	0.047B/*0.102A	----	0.050 -	0.053	.0117	----	----	----	2	UNCH				
8850	----	----	----	0.022B/*0.097A	----	0.043 -	0.051	.0097	----	----	----	1	UNCH				
9500	----	----	----/*0.030A	0.001B/*0.030A	----	0.008 -	0.028	.0011	----	----	----	4	UNCH				
TOTAL											268	0	264 -	2			
S05 PUT																	
SILVER OPTIONS																	
MAY26																	
6200	----	----	----	----/0.063A	----	0.001 -	0.019	.0000	----	----	----	3	UNCH				
6500	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.004 -	0.063	.0007	----	----	2	----	0 -	2			
6700	----	----	----/*0.087A	0.006B/*0.087A	----	0.015 -	0.121	.0036	----	----	----	30	UNCH				
6800	----	----	----/*0.101A	0.004B/*0.101A	----	0.024 -	0.154	.0064	----	----	----	2	UNCH				
6900	----	----	----/0.122A	0.024B/0.122A	----	0.040 -	0.195	.0120	----	----	----	20	UNCH				
7000	----	----	----/*0.100A	0.122B/*0.100A	----	0.066 -	0.245	.0220	----	----	----	7	UNCH				
7200	0.255	0.255	0.380/*0.207A	0.380/*0.207A	----	0.182 -	0.378	.0702	----	103	----	100 +	93				
7250	0.350	0.350	0.415B/*0.246A	0.415B/*0.246A	----	0.235 -	0.415	.0924	----	1	----	4 +	1				
7300	0.300	0.300	0.518B/*0.289A	0.518B/*0.289A	----	0.301 -	0.454	.1200	----	83	----	93 +	81				
7350	----	----	----/*0.347A	0.645B/*0.347A	----	0.383 -	0.494	.1536	----	----	----	2	UNCH				
7400	0.750	0.750	0.800/*0.423A	0.800/*0.423A	----	0.482 -	0.534	.1934	----	10	----	7 +	5				
7450	0.971	0.971	0.981/0.522A	0.981/0.522A	----	0.602	NEW	.2397	----	6	----	6 +	6				
7500	0.600	0.600	1.150B/0.600	1.150B/0.600	----	0.744 -	0.615	.2920	----	69	----	69 +	59				
7550	----	----	----/0.783A	1.371B/0.783A	----	0.910 -	0.655	.3499	----	----	----	7	UNCH				
7600	1.000	1.000	1.620B/0.894A	1.620B/0.894A	----	1.104 -	0.691	.4125	----	7	----	18 +	3				
7610	1.424	1.424	#1.424/*1.424	#1.649B/*0.987A	----	1.146	NEW	.4254	----	5	----	5 +	5				
7630	1.521	1.521	#1.521/*1.521	#1.749B/*1.049A	----	1.234	NEW	.4515	----	15	----	15 +	15				
7640	----	----	----	#1.804B/*1.081A	----	1.280	NEW	.4648	----	10	----	10 +	10				
7650	1.362	1.362	1.362/1.113A	1.825B/1.113A	----	1.326 -	0.723	.4780	----	13	----	16 +	13				
7660	1.526	1.526	#1.526/*1.526	#1.811B/*1.146A	----	1.375	NEW	.4914	----	5	----	5 +	5				
7670	1.571	1.571	#1.571/*1.571	#1.846B/*1.181A	----	1.424	NEW	.5047	----	15	----	15 +	15				
7700	1.800	1.800	1.800/1.264A	2.010B/1.264A	----	1.579 -	0.750	.5448	----	3	----	19 -	2				
7750	----	----	----/1.486A	2.080B/1.486A	----	1.863 -	0.769	.6106	----	----	----	2	UNCH				
7870	1.952	1.952	#2.502B/*1.952	#2.502B/*1.952	----	2.669	NEW	.7521	----	6	----	6 +	6				
7950	3.446	3.446	3.446/2.450A	3.446/2.450A	----	3.294	NEW	.8252	----	1	----	1 +	1				
8000	----	----	----/2.725A	3.031B/2.725A	----	3.713 -	0.741	.8612	----	----	----	2	UNCH				
8100	----	----	----	----/41.795A	----	4.603	NEW	.9125	----	1	----	1 +	1				
8300	----	----	----/6.816A	#6.588B/6.816A	----	6.501 -	0.590	.9613	----	----	----	2	UNCH				
8400	----	----	----/7.693A	7.036B/7.693A	----	7.479 -	0.550	.9718	----	----	----	5	UNCH				
8500	----	----	----/8.651A	6.032B/8.651A	----	8.465 -	0.517	.9782	----	----	----	4	UNCH				
8600	----	----	----/8.911A	6.384B/8.911A	----	9.457 -	0.490	.9822	----	----	----	1	UNCH				
TOTAL											355	0	477 +	315			
SWW WED																	
SILVER WEEKLY WEDNESDAY OPTION WEEK																	
MAY26																	
6750	----	----	----	----/*0.097A	----	0.001 -	0.073	----	----	----	----	1	UNCH				
6800	----	----	----	0.001B/*0.103A	----	0.001 -	0.082	----	----	1	----	0 -	1				
6850	----	----	----	0.001B/*0.107A	----	0.001 -	0.093	----	----	----	----	1	UNCH				
6900	----	----	----	0.001B/*0.112A	----	0.001 -	0.106	.0000	----	1	----	0 -	1				
7100	----	----	----/*0.127A	0.003B/*0.127A	----	0.007 -	0.185	.0003	----	----	----	2	UNCH				
7150	----	----	----/*0.117A	0.003B/*0.117A	----	0.012 -	0.214	.0009	----	1	----	3	UNCH				
7200	----	----	----/*0.118A	0.040B/*0.118A	----	0.019 -	0.251	.0021	----	----	----	1	UNCH				
7250	----	----	----/*0.126A	0.005B/*0.126A	----	0.031	NEW	.0049	----	1	----	1 +	1				
7300	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.049	NEW	.0105	----	10	----	10 +	10				
7350	----	----	----	----	----	3.183 +	0.006	.9778	----	----	----	1	UNCH				
7400	0.240	0.240	0.240/*0.142A	0.240/*0.142A	----	0.122	NEW	.0439	----	2	----	2 +	2				
7430	----	----	----/*0.178A	0.255B/*0.178A	----	0.158	NEW	.0642	----	6	----	5 +	5				
7480	----	----	----/*0.222A	0.401B/*0.222A	----	0.228	NEW	.1105	----	6	----	5 +	5				
7500	0.377	0.377	0.508B/*0.200A	0.508B/*0.200A	----	0.266 -	0.611	.1366	----	4	----	5 +	3				
7540	0.339	0.339	0.339/*0.310A	0.634B/*0.310A	----	0.362	NEW	.2032	----	1	----	1 +	1				
7550	----	----	----/1.705A	1.065B/1.705A	----	1.497 -	0.268	.7769	----	----	----	4	UNCH				
7600	----	----	----/*1.089A	0.978B/*1.089A	----	1.170 -	0.318	.6629	----	----	----	2	UNCH				
7600	0.540	0.540	0.540/*0.420A	0.934B/*0.420A	----	0.564	NEW	.3370	----	1	----	1 +	1				
7610	1.125	1.125	#1.125/*0.472A	1.125/*0.472A	----	0.605	NEW	.3623	----	2	----	2 +	2				
7680	0.724	0.724	#0.724/*0.680A	1.036B/*0.680A	----	0.751	NEW	.4523	----	1	----	1 +	1				
7700	0.580	0.580	1.062B/*0.569A	1.062B/*0.569A	----	0.665 -	0.367	.4003	----	6	----	6 +	5				
7740	----	----	----/*0.887A	1.042B/*0.887A	----	1.308	NEW	.6968	----	1	----	1 +	1				
7750	0.380	0.380	1.076B/*0.379A	1.076B/*0.379A	----	0.481 -	0.371	.2808	----	13	----	10 +	8				
7800	0.180	0.180	1.059B/*0.180	1.059B/*0.180	----	0.338	NEW	.1832	----	5	----	5 +	5				
7820	1.155	1.155	#1.383B/*1.155	1.383B/*1.155	----	1.886	NEW	.8483	----	1	----	1 +	1				
7850	0.180	0.180	1.095B/*0.180	1.095B/*0.180	----	0.232	NEW	.1115	----	1	----	1 +	1				
7900	0.169	0.169	1.068B/*0.165A	1.068B/*0.165A	----	0.159 -	0.313	.0649	----	1	----	2 +	1				
7950																	

PG64	BULLETIN # 99@											METALS OPTION PRODUCTS				Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
TWS TUE	SILVER WEEKLY TUESDAY OPTION week1																	
JUN26																		
8000	----	----	----	3.188A	3.867B	3.188A	----	----	4.038 -	0.715	.7716	----	----	----	9	UNCH		
8100	----	----	----	2.031B/*1.307A	2.031B/*1.307A	----	----	----	1.287 -	0.128	.2870	----	----	----	11	UNCH		
8200	----	----	----	0.897B/*0.498A	0.897B/*0.498A	----	----	----	0.329 -	0.256	.1239	----	----	----	4	UNCH		
8250	----	----	----	0.738B/*0.464A	0.738B/*0.464A	----	----	----	0.278	NEW	.1055	----	2	----	2 +	2		
8500	----	----	----	0.940B/*0.719A	0.940B/*0.719A	----	----	----	0.608 -	0.123	.1499	----	----	----	3	UNCH		
8500	0.230	0.230		0.315B/*0.230	0.315B/*0.230	----	----	----	0.124	NEW	.0471	----	4	----	4 +	4		
9000	0.500	0.500		0.500/*0.354A	0.500/*0.354A	----	----	----	0.271	NEW	.0684	----	3	----	3 +	3		
9700	----	----	----	----/*0.186A	0.119B/*0.186A	----	----	----	0.126 -	0.062	.0297	----	----	----	11	UNCH		
TOTAL													52	0	136 +	48		

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
HMW MON JUN26	COPPER WEEKLY MONDAY OPTION WEEK1													
450	----	----	----	----/0.0050A	----	0.0005	UNCH	----	----	----	----		14	UNCH
500	----	----	----	----/*0.0050A	----	0.0005	UNCH	----	----	----	----		5	UNCH
500	----	----	----	----/0.0065A	----	0.0005 - 0.0005	.0002	----	----	----	----		14	UNCH
575	----	----	----/*0.0135A	0.0125B/*0.0135	----	0.0110 - 0.0075	.0527	----	----	----	----		1	UNCH
580	----	----	----/*0.0100A	0.0065B/*0.0100	----	0.0060 - 0.0060	.0347	----	----	----	----		1	UNCH
595	----	----	----/*0.0070A	0.0020B/*0.0070	----	0.0020 - 0.0090	.0154	----	----	----	----		1	UNCH
600	----	----	0.4850B/0.3780A	0.4850B/0.3780A	----	0.3995 + 0.0075	.9792	----	----	----	----		1	UNCH
610	----	----	0.3875B/0.2830A	0.3875B/0.2830A	----	0.3030	NEW .9475	----	----	1	----		1	+
613	0.0125	0.0125	#0.0125/*0.0045	#0.0125/*0.0045	----	0.0080	NEW .0698	----	----	2	----		1	+
616	0.0140	0.0140	#0.0140/*0.0060	#0.0140/*0.0060	----	0.0105	NEW .0916	----	----	2	----		1	+
618	0.0160	0.0160	#0.0160/*0.0140	#0.0160/*0.0140	----	0.0125	NEW .1089	----	----	10	----		10	+
630	----	----	0.2755B/0.2055A	0.2755B/0.2055A	----	0.2055 - 0.0125	.6134	----	----	----	----		7	UNCH
635	----	----	----/*0.1210A	0.1535B/*0.1210	----	0.1315 - 0.0315	.4384	----	----	----	----		56	UNCH
635	----	----	----/*0.0880A	0.1155B/*0.0880	----	0.0965 - 0.0345	.4258	----	----	----	----		1	UNCH
640	0.0650	0.0650	0.1305B/0.0650	0.1305B/0.0650	----	0.0735 - 0.0215	.4984	----	----	1	----		5	-
640	0.0605	0.0605	0.0935B/*0.0590	0.0935B/*0.0590	----	0.0765	NEW .5013	----	----	1	----		1	+
640	----	----	0.2135B/0.1520A	0.2135B/0.1520A	----	0.1545 - 0.0130	.5085	----	----	----	----		1	UNCH
650	0.0600	0.0600	0.0790B/0.0375A	0.0790B/0.0375A	----	0.0365 - 0.0210	.2877	----	----	2	----		5	+
650	----	----	----/0.1915A	0.2410B/0.1915A	----	0.2165 - 0.0315	.5915	----	----	----	----		3	UNCH
660	0.0185	0.0185	0.0445B/0.0175A	0.0445B/0.0175A	----	0.0165	NEW .1411	----	----	2	----		2	+
665	0.0200	0.0200	0.0320B/0.0135A	0.0320B/0.0135A	----	0.0110 - 0.0150	.0953	----	----	10	----		24	+
675	----	----	----/*0.0085A	0.0150B/*0.0085	----	0.0050 - 0.0115	.0425	----	----	----	----		1	UNCH
725	----	----	----	----/0.0050A	----	0.0005 - 0.0010	.0002	----	----	----	----		14	UNCH
775	----	----	----	----/0.0075A	----	0.0005 - 0.0010	.0026	----	----	----	----		1	UNCH
TOTAL										31			171	+
HWR THU MAY26	COPPER WEEKLY THURSDAY OPT week4													
600	----	----	----	0.0010B/*0.0080	----	0.0005 - 0.0065	.0000	----	----	----	----		1	UNCH
610	----	----	----/*0.0080A	0.0010B/*0.0080	----	0.0005 - 0.0120	.0014	----	----	1	----		1	UNCH
618	----	----	----/*0.0085A	0.0045B/*0.0085	----	0.0020 - 0.0185	.0156	----	----	----	----		20	UNCH
620	0.0005	0.0005	0.0005/*0.0005	0.0065B/*0.0005	----	0.0025 - 0.0210	.0215	----	----	2	----		2	UNCH
625	0.0100	0.0100	0.0100/*0.0100	0.0140B/*0.0100	----	0.0060	NEW .0624	----	----	10	----		10	+
635	0.0300	0.0300	0.0300/*0.0250A	0.0430B/*0.0250	----	0.0280	NEW .3129	----	----	1	----		1	+
636	0.0335	0.0335	#0.0335/*0.0280	0.0470B/*0.0280	----	0.0320	NEW .3510	----	----	2	----		2	+
637	0.0415	0.0415	#0.0510B/*0.031	0.0510B/*0.0310	----	0.0360	NEW .3893	----	----	1	----		1	+
638	----	----	#0.1140B/*0.054	#0.1140B/*0.054	----	0.0575 - 0.0265	.5709	----	----	----	----		2	UNCH
639	0.0485	0.0485	#0.0485/*0.0355	0.0600B/*0.0355	----	0.0450	NEW .4687	----	----	1	----		1	+
640	0.0540	0.0540	0.1085B/0.0470A	0.1085B/0.0470A	----	0.0475	NEW .4911	----	----	1	----		1	+
641	0.0575	0.0575	#0.0575/*0.0410	0.0710B/*0.0410	----	0.0555	NEW .5487	----	----	1	----		1	+
650	----	----	0.0560B/0.0190A	0.0560B/0.0190A	----	0.0150 - 0.0260	.1624	----	----	----	----		1	UNCH
658	0.0430	0.0430	#0.0430/*0.0100	#0.0430/*0.0100	----	0.0050	NEW .0456	----	----	4	----		2	+
662	----	----	#0.0205B/*0.008	#0.0205B/*0.008	----	0.0025 - 0.0160	.0198	----	----	----	----		20	UNCH
670	----	----	----/*0.0075A	0.0080B/*0.0075	----	0.0010 - 0.0100	.0056	----	----	----	----		5	UNCH
680	----	----	----	0.0010B/0.0075A	----	0.0005 - 0.0055	.0001	----	----	----	----		2	UNCH
685	----	----	----	0.0010B/0.0070A	----	0.0005 - 0.0035	.0000	----	----	----	----		1	UNCH
700	----	----	----	----/*0.0065A	----	0.0005 - 0.0010	----	----	----	----	----		20	UNCH
TOTAL										24			94	+
JUN26														
575	----	----	----	0.0020B/*0.0090	----	0.0025 - 0.0045	.0152	----	----	----	----		1	UNCH
625	----	----	----/*0.0720A	0.0940B/*0.0720	----	0.0770 - 0.0300	.3212	----	----	----	----		20	UNCH
625	0.1255	0.1255	#0.1255/*0.1045	0.1255/*0.1045A	----	0.1060	NEW .3494	----	----	2	----		2	+
630	----	----	#0.2635B/0.1935	0.2635B/0.1935	----	0.1930 - 0.0140	.6227	----	----	----	----		1	UNCH
630	----	----	----/*0.0550A	0.0745B/*0.0550	----	0.0605 - 0.0325	.3371	----	----	----	----		8	UNCH
630	----	----	0.2285B/0.1535A	0.2285B/0.1535A	----	0.1575 - 0.0145	.6626	----	----	----	----		8	UNCH
635	0.1155	0.1155	0.1155/*0.1095A	0.1395B/*0.1095	----	0.1185	NEW .4346	----	----	20	----		20	+
640	0.1410	0.1410	0.1415/*0.1305A	0.1665B/*0.1305	----	0.1435	NEW .4924	----	----	78	----		78	+
640	0.1475	0.1475	#0.2000B/0.1385	#0.2000B/0.1385	----	0.1410	NEW .5071	----	----	37	----		37	+
645	0.1250	0.1250	#0.1725B/0.1175	#0.1725B/0.1175	----	0.1195	NEW .4506	----	----	9	----		9	+
TOTAL										146			184	+
HMT TUE JUN26	COPPER WEEKLY TUESDAY OPTION week1													
450	----	----	----	----/0.0060A	----	0.0005	UNCH	----	----	----	----		14	UNCH
500	----	----	----	----/0.0070A	----	0.0005	UNCH	.0002	----	----	----		14	UNCH
550	----	----	----	0.0050B/*0.0100	----	0.0040 - 0.0035	.0193	----	----	----	----		1	UNCH
590	----	----	----/*0.0235A	0.0275B/*0.0235	----	0.0220 - 0.0130	.1002	----	----	----	----		1	UNCH
595	----	----	----/*0.0160A	0.0180B/*0.0160	----	0.0140 - 0.0130	.0790	----	----	----	----		1	UNCH
610	----	----	----/*0.0300A	0.0390B/*0.0300	----	0.0295 - 0.0210	.1593	----	----	----	----		1	UNCH
615	----	----	----/*0.0375A	0.0500B/*0.0375	----	0.0385 - 0.0240	.2005	----	----	----	----		1	UNCH
620	----	----	----/*0.0475A	0.0630B/*0.0475	----	0.0505 - 0.0265	.2499	----	----	----	----		1	UNCH
625	----	----	0.2865B/0.2080A	0.2865B/0.2080A	----	0.2120 - 0.0110	.6945	----	----	----	----		1	UNCH
630	----	----	0.2500B/0.1790A	0.2500B/0.1790A	----	0.1800 - 0.0130	.6334	----	----	----	----		1	UNCH
635	----	----	----/*0.1290A	0.1585B/*0.1290	----	0.1375 - 0.0320	.4398	----	----	----	----		31	UNCH
640	0.1675	0.1675	#0.2195B/0.1585	0.2195B/0.1585A	----	0.1605	NEW .5090	----	----	20	----		20	+
640	----	----	----/*0.1150A	0.1505B/*0.1150	----	0.1295 - 0.0335	.4939	----	----	----	----		6	UNCH
650	----	----	0.1325B/0.0855A	0.1325B/0.0855A	----	0.0865	NEW .3825	----	----	2	----		2	+
670	----	----	0.0290B/*0.0145	0.0290B/*0.0145	----	0.0110 - 0.0155	.0869	----	----	----	----		5	UNCH
670	----	----	0.0650B/0.0380A	0.0650B/0.0380A	----	0.0375 - 0.0135	.1922	----	----	2	----		47	UNCH
685	----	----	----/*0.0085A	0.0100B/*0.0085	----	0.0040 - 0.0100	.0308	----	----	----	----		3	UNCH
750	----	----	----	----/0.0065A	----	0.0005	UNCH	.0000	----	----	----		10	UNCH
TOTAL										24			160	+
HMW WED MAY26	COPPER WEEKLY WEDNESDAY OPTON WEEK													
575	----	----	----	----/*0.0055A	----	0.0005	UNCH	----	----	----	----		2	UNCH
600	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0005 - 0.0045	----	----	----	5	----		5	UNCH
603	----	----	----	0.0005B/*0.0065	----	0.0005 - 0.0055	----	----	----	----	----		1	UNCH
614	----	----	----/*0.0065A	0.0010B/*0.0065	----	0.0005 - 0.0120	.0000	----	----	1	----		1	UNCH
620	----	----	----/*0.0070A	0.0020B/*0.0070	----	0.0005 - 0.0175	.0003	----	----	----	----		20	UNCH
625	0.0020	0.0020	0.0020/*0.0020	0.0050B/*0.0020	----	0.0015	NEW .0074	----	----	2	----		2	+
630	0.0090	0.0090	0.0090/*0.0090	0.0135B/*0.0090	----	0.0045	NEW .0440	----	----	10	----		10	+
630	----	----	0.1875B/0.0855A	0.1875B/0.0855A	----	0.1015 - 0.0145	.9559	----	----	----	----		6	UNCH
632	0.0030	0.0030	#0.0030/*0.0030	0.0185B/*0.0030	----	0.0075	NEW .0896	----	----	2	----		0	UNCH
633	0.0120	0.0120	#0.0120/*0.0045	0.0215B/*0.0045	----	0.0090	NEW .1172	----	----	2	----		0	UNCH
635	0.0130	0.0130	0.0155/*0.0130	0.0285B/*0.0130	----	0.0140	NEW .2037	----	----	29	----		29	+
635	----	----	0.1410B/0.0535A	0.1410B/0.0535A	----	0.0610 - 0.0235	.7962	----	----	----	----		1	UNCH
636	0.0150	0.0150	#0.0150/*0.0135	0.0325B/*0.0135	----	0.0170	NEW .2567	----	----	2	----		2	+
637	0.0305	0.0305	#0.0370B/*0.018	0.0370B/*0.0180	----	0.0205	NEW .3165	----	----	1	----		1	+
637	0.0500	0.0500	#0.1150B/*0.044	#0.1150B/*0.044	----	0.0475 - 0.0270	.6834	----	----	2	----		3	+
638	0.0330	0.0330	#0.0420B/*0.020	0.0420B/*0.0205	----	0.0245								

BULLETIN # 99@				METALS OPTION PRODUCTS							Tue, May 26, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COPPER WEEKLY WEDNESDAY OPTION WEEK														
HWW WED JUN26														
595	----	----	----/*0.0100A	0.0065B/*0.0100	----	0.0060 - 0.0095	.0404	----	----	----	----	5	UNCH	
600	----	----	0.4795B/0.3840A	0.4795B/0.3840A	----	0.4050 + 0.0070	.9450	----	----	----	----	1	UNCH	
606	----	----	----/*0.0130A	0.0140B/*0.0130	----	0.0110 - 0.0150	.0772	----	----	----	----	1	UNCH	
610	----	----	0.3850B/0.2930A	0.3850B/0.2930A	----	0.3110 + 0.0005	.9010	----	----	----	----	8	UNCH	
614	0.0175	0.0175	0.0175/*0.0175	0.0250B/*0.0175	----	0.0185 NEW	.1286	----	----	1	----	1 +	1	
620	----	----	0.2960B/0.2120A	0.2960B/0.2120A	----	0.2245 - 0.0065	.8120	----	----	----	----	1	UNCH	
625	0.0450	0.0450	0.0525/*0.0325	0.0525/*0.0325	----	0.0390 - 0.0280	.2504	----	----	101	----	160 +	100	
636	----	----	----/*0.0665A	0.0935B/*0.0665	----	0.0770 - 0.0350	.4271	----	----	----	----	1	UNCH	
640	----	----	0.1505B/0.0915A	0.1505B/0.0915A	----	0.0935 - 0.0185	.5015	----	1	----	----	3 +	1	
640	0.1325	0.1325	0.1325/*0.1225A	0.1590B/*0.1225	----	0.1370 NEW	.4932	----	1	----	----	1 +	1	
650	----	----	0.0980B/0.0545A	0.0980B/0.0545A	----	0.0535 - 0.0210	.3318	----	----	----	----	15	UNCH	
660	----	----	0.0615B/0.0310A	0.0615B/0.0310A	----	0.0295 - 0.0195	.1998	----	----	----	----	8	UNCH	
660	----	----	#0.1020B/0.0645	0.1020B/0.0645A	----	0.0640 - 0.0155	.2885	----	----	----	----	5	UNCH	
675	----	----	0.0270B/0.0150A	0.0270B/0.0150A	----	0.0115 - 0.0145	.0828	----	1	----	----	3 +	1	
705	----	----	----	0.0030B/0.0080A	----	0.0015 - 0.0055	.0106	----	----	----	----	7	UNCH	
710	----	----	----	0.0020B/0.0075A	----	0.0010 - 0.0045	.0070	----	----	----	----	2	UNCH	
725	----	----	----	0.0010B/0.0080A	----	0.0005 - 0.0025	.0020	----	----	----	----	7	UNCH	
725	----	----	----/0.0180A	#0.0235B/0.0180	----	0.0160 - 0.0075	.0658	----	----	----	----	14	UNCH	
750	----	----	----	----/0.0070A	----	0.0005 - 0.0005	.0001	----	----	----	----	4	UNCH	
800	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	2	UNCH	
TOTAL										105		277 +	104	
JUL26														
460	----	----	----	----/0.0075A	----	0.0005 - 0.0005	.0014	----	----	----	----	23	UNCH	
565	----	----	----/*0.0240A	0.0175B/*0.0240	----	0.0190 - 0.0070	.0665	----	----	----	----	6	UNCH	
568	----	----	----/*0.0260A	0.0200B/*0.0260	----	0.0205 - 0.0080	.0718	----	----	----	----	6	UNCH	
581	----	----	----/*0.0360A	0.0335B/*0.0360	----	0.0310 - 0.0115	.1053	----	----	----	----	1	UNCH	
585	----	----	----	----	----	0.6410 + 0.0055	.8805	----	----	----	----	6	UNCH	
585	----	----	----/*0.0405A	0.0385B/*0.0405	----	0.0355 - 0.0125	.1187	----	----	----	----	6	UNCH	
592	----	----	----/*0.0490A	0.0495B/*0.0490	----	0.0450 - 0.0145	.1457	----	----	----	----	1	UNCH	
600	----	----	----	----	----	0.5145 + 0.0010	.8173	----	----	----	----	12	UNCH	
600	----	----	----/*0.0620A	0.0650B/*0.0620	----	0.0585 - 0.0175	.1819	----	----	----	----	1	UNCH	
611	----	----	----/*0.0850A	0.0935B/*0.0850	----	0.0835 - 0.0210	.2421	----	----	----	----	22	UNCH	
612	----	----	----	----	----	0.4220 - 0.0030	.7511	----	----	----	----	5	UNCH	
612	----	----	----/*0.0875A	0.0965B/*0.0875	----	0.0860 - 0.0215	.2479	----	----	----	----	6	UNCH	
613	----	----	----/*0.0900A	0.0995B/*0.0900	----	0.0885 - 0.0220	.2538	----	----	----	----	3	UNCH	
621	----	----	----	----	----	0.3600 - 0.0055	.6933	----	----	----	----	1	UNCH	
622	0.1280	0.1280	0.1310B/*0.1165	0.1310B/*0.1165	----	0.1170 NEW	.3126	----	5	----	----	5 +	5	
625	----	----	0.4090B/0.3355A	0.4090B/0.3355A	----	0.3345 - 0.0065	.6657	----	----	----	----	22	UNCH	
630	----	----	0.3760B/0.3065A	0.3760B/0.3065A	----	0.3045 - 0.0080	.6302	----	----	----	----	5	UNCH	
635	0.1820	0.1820	0.1885B/0.1665A	0.1885B/0.1665A	----	0.1700 NEW	.4049	----	5	----	----	5 +	5	
650	----	----	0.2630B/0.2095A	0.2630B/0.2095A	----	0.2060 - 0.0100	.4862	----	----	----	----	5	UNCH	
655	----	----	0.2390B/0.1900A	0.2390B/0.1900A	----	0.1860 - 0.0105	.4517	----	----	----	----	0	UNCH	
675	----	----	0.1590B/0.1270A	0.1590B/0.1270A	----	0.1225 - 0.0110	.3275	----	----	----	----	0	UNCH	
700	----	----	0.0930B/0.0765A	0.0930B/0.0765A	----	0.0715 - 0.0110	.2093	----	----	----	----	5	UNCH	
710	----	----	0.0755B/0.0630A	0.0755B/0.0630A	----	0.0580 - 0.0105	.1740	----	----	----	----	5	UNCH	
720	----	----	#0.0615B/0.0525	0.0615B/0.0525A	----	0.0470 - 0.0095	.1442	----	----	10	----	152 +	10	
TOTAL														
AUG26														
599	----	----	----	----	----	0.6045 + 0.0010	.7405	----	----	----	----	10	UNCH	
630	----	----	0.4810B/0.4200A	0.4810B/0.4200A	----	0.4180 - 0.0035	.5991	----	----	----	----	13	UNCH	
630	----	----	---/0.2545A	0.2760B/0.2545A	----	0.2620 - 0.0215	.3991	----	----	----	----	15	UNCH	
640	----	----	0.4275B/0.3730A	0.4275B/0.3730A	----	0.3690 - 0.0045	.5520	----	----	----	----	1	UNCH	
650	----	----	0.3785B/0.3300A	0.3785B/0.3300A	----	0.3255 - 0.0050	.5058	----	----	----	----	14	UNCH	
TOTAL												53		
COMEX COPPER OPTIONS														
HX CALL JUN26														
500	----	----	#1.4805B/1.3715	#1.4805B/1.3715	----	1.3970 + 0.0180	----	2	----	----	----	0 -	2	
510	----	----	#1.3805B/1.2715	#1.3805B/1.2715	----	1.2970 + 0.0175	----	1	----	----	----	0 -	1	
525	----	----	#1.2305B/1.1215	#1.2305B/1.1215	----	1.1470 + 0.0175	----	1	----	----	----	0 -	1	
535	----	----	#1.1305B/1.0215	#1.1305B/1.0215	----	1.0470 + 0.0170	----	1	----	----	----	0 -	1	
540	----	----	1.0805B/0.9715A	1.0805B/0.9715A	----	0.9970 + 0.0170	----	2	----	2	----	0 -	2	
545	----	----	#1.0305B/0.9215	#1.0305B/0.9215	----	0.9470 + 0.0170	----	2	----	----	----	0 -	2	
549	----	----	#0.9905B/0.8815	#0.9905B/0.8815	----	0.9070 + 0.0170	----	1	----	----	----	0 -	1	
550	----	----	0.9805B/0.8715A	0.9805B/0.8715A	----	0.8970 + 0.0170	----	2	----	2	----	0 -	4	
555	----	----	0.9305B/0.8215A	0.9305B/0.8215A	----	0.8470 + 0.0165	----	1	----	----	----	0 -	1	
556	----	----	#0.9205B/0.8115	#0.9205B/0.8115	----	0.8370 + 0.0165	----	1	----	----	----	0 -	1	
557	----	----	0.9110B/0.8015A	0.9110B/0.8015A	----	0.8270 + 0.0165	----	63	----	----	----	0 -	63	
559	----	----	#0.8905B/0.7815	#0.8905B/0.7815	----	0.8070 + 0.0165	----	4	----	----	----	0 -	4	
560	----	----	0.8820B/0.7715A	0.8820B/0.7715A	----	0.7970 + 0.0165	----	106	----	----	----	0 -	106	
562	----	----	#0.8605B/0.7515	#0.8605B/0.7515	----	0.7770 + 0.0165	----	1	----	----	----	0 -	1	
563	----	----	#0.8505B/0.7415	#0.8505B/0.7415	----	0.7670 + 0.0165	----	1	----	----	----	0 -	1	
565	----	----	0.8305B/0.7215A	0.8305B/0.7215A	----	0.7470 + 0.0160	----	2	----	----	----	0 -	2	
568	----	----	#0.8005B/0.6915	#0.8005B/0.6915	----	0.7170 + 0.0160	----	3	----	----	----	0 -	3	
569	----	----	#0.7905B/0.6815	#0.7905B/0.6815	----	0.7070 + 0.0160	----	2	----	----	----	0 -	2	
570	----	----	0.7820B/0.6715A	0.7820B/0.6715A	----	0.6970 + 0.0160	----	19	----	----	----	0 -	19	
574	----	----	#0.7405B/0.6315	#0.7405B/0.6315	----	0.6570 + 0.0155	----	3	----	----	----	0 -	3	
575	----	----	0.7330B/0.6215A	0.7330B/0.6215A	----	0.6470 + 0.0155	----	142	----	----	----	0 -		

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX COPPER OPTIONS													
JUN26													
638	----	----	#0.1080B/*0.016	#0.1080B/*0.016	----	0.0170	NEW	----	1	----	1	0	
639	----	----	0.0995B/*0.0095	0.0995B/*0.0095	----	0.0070	- 0.0435	64	----	2	----	0	
640	0.0750	0.0750	0.0925/*0.0030	0.0925/*0.0030		0.0000	- 0.0465		177	----	----	333	
641	0.0170	0.0170	0.0820B/*0.0005	0.0820B/*0.0005		0.0000	- 0.0425		15	----	----	50	
642	0.0750	0.0750	#0.0750/*0.0005	#0.0750/*0.0005		0.0000	- 0.0385		5	----	----	3	
643	0.0320	0.0320	#0.0650B/*0.000	#0.0650B/*0.000		0.0000	- 0.0355		2	----	----	0	
644	0.0065	0.0065	0.0605B/*0.0005	0.0605B/*0.0005		0.0000	- 0.0325		3	----	----	37	
645	0.0025	0.0025	0.0570B/*0.0025	0.0570B/*0.0025		0.0000	- 0.0295		39	----	----	195	
646	----	----	0.0525B/*0.0015	0.0525B/*0.0015		0.0000	- 0.0270		2	----	----	58	
648	0.0005	0.0005	#0.0435B/*0.000	#0.0435B/*0.000		0.0000	NEW		2	----	----	0	
649	----	----	0.0390B/*0.0030	0.0390B/*0.0030		0.0000	- 0.0205		----	----	----	11	
650	0.0290	0.0290	0.0350B/*0.0010	0.0350B/*0.0010		0.0000	- 0.0190		100	----	----	1128	
651	----	----	0.0320B/*0.0005	0.0320B/*0.0005		0.0000	- 0.0175		6	----	----	23	
652	----	----	0.0190B/*0.0020	0.0190B/*0.0020		0.0000	- 0.0160		----	----	----	0	
654	0.0010	0.0010	0.0140B/*0.0010	0.0140B/*0.0010		0.0000	- 0.0135		1	----	----	73	
655	0.0070	0.0070	0.0095/*0.0020A	0.0125B/*0.0020		0.0000	- 0.0125		13	----	----	1286	
656	0.0080	0.0080	0.0080/*0.0005	0.0100B/*0.0005		0.0000	- 0.0115		4	----	----	18	
657	----	----	0.0160B/*0.0010	0.0160B/*0.0010		0.0000	- 0.0105		----	----	----	0	
659	0.0030	0.0030	0.0120B/*0.0020	0.0120B/*0.0020		0.0000	- 0.0090		2	----	----	16	
660	0.0040	0.0040	0.0105B/*0.0010	0.0105B/*0.0010		0.0000	- 0.0085		13	----	----	452	
661	----	----	0.0095B/*0.0020	0.0095B/*0.0020		0.0000	- 0.0080		----	----	----	0	
662	----	----	0.0080B/*0.0010	0.0080B/*0.0010		0.0000	- 0.0075		----	----	----	0	
663	----	----	----/*0.0010A	0.0070B/*0.0010		0.0000	- 0.0070		----	----	----	0	
664	----	----	----/*0.0015A	0.0060B/*0.0015		0.0000	- 0.0065		----	----	----	0	
665	0.0020	0.0020	0.0020/*0.0015A	0.0050B/*0.0015		0.0000	- 0.0065		14	----	----	270	
666	0.0020	0.0020	0.0020/*0.0015A	0.0040B/*0.0015		0.0000	- 0.0060		21	----	----	33	
667	----	----	----/*0.0010A	0.0035B/*0.0010		0.0000	- 0.0055		----	----	----	0	
669	----	----	----/*0.0010A	0.0025B/*0.0010		0.0000	- 0.0050		----	----	----	0	
670	----	----	----/*0.0010A	0.0020B/*0.0010		0.0000	- 0.0050		68	----	----	1024	
671	0.0040	0.0040	0.0040/*0.0010A	0.0040/*0.0010A		0.0000	- 0.0045		2	----	----	17	
672	----	----	----/*0.0010A	0.0015B/*0.0010		0.0000	- 0.0045		----	----	----	0	
673	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0040		----	----	----	0	
674	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0040		----	----	----	0	
675	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0040		6	----	----	1233	
676	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0040		----	----	----	0	
678	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0035		----	----	----	0	
679	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0035		----	----	----	0	
680	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010		0.0000	- 0.0035		4	----	----	220	
684	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0030		----	----	----	0	
685	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0030		----	----	----	0	
689	----	----	----/0.0020A	----/0.0020A		0.0000	- 0.0025		----	----	----	0	
690	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0025		1	----	----	165	
691	----	----	----/0.0020A	----/0.0020A		0.0000	- 0.0025		----	----	----	0	
692	0.0010	0.0010	#0.0010/*0.0010	0.0010/*0.0010		0.0000	NEW		2	----	----	0	
695	----	----	----/0.0015A	----/0.0015A		0.0000	- 0.0025		----	----	----	0	
700	----	----	----/*0.0010A	----/*0.0010A		0.0000	- 0.0025		----	----	----	0	
705	----	----	----/0.0010A	----/0.0010A		0.0000	- 0.0020		----	----	----	0	
710	----	----	----/0.0010A	----/0.0010A		0.0000	- 0.0020		4	----	----	110	
715	----	----	----/0.0010A	----/0.0010A		0.0000	- 0.0020		----	----	----	0	
720	----	----	----/0.0010A	----/0.0010A		0.0000	- 0.0015		----	----	----	0	
725	----	----	----	----/0.0010A		0.0000	- 0.0010		----	----	----	0	
730	----	----	----	----/0.0010A		0.0000	- 0.0010		----	----	----	0	
735	----	----	----	----/0.0020A		0.0000	- 0.0005		----	----	----	0	
740	----	----	----	----/0.0035A		0.0000	- 0.0005		----	----	----	0	
745	----	----	----	----/0.0035A		0.0000	- 0.0005		----	----	----	0	
750	----	----	----	----/0.0020A		0.0000	- 0.0005		----	----	----	0	
755	----	----	----	----/0.0030A		0.0000	- 0.0005		----	----	----	0	
760	----	----	----	----/0.0035A		0.0000	- 0.0005		----	----	----	0	
765	----	----	----	----/0.0030A		0.0000	- 0.0005		----	----	----	0	
770	----	----	----	----/0.0030A		0.0000	- 0.0005		----	----	----	0	
775	----	----	----	----/0.0035A		0.0000	- 0.0005		----	----	----	0	
780	----	----	----	----/0.0035A		0.0000	- 0.0005		----	----	----	0	
785	----	----	----	----/0.0020A		0.0000	- 0.0005		----	----	----	0	
790	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
795	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
800	----	----	----	----/*0.0005A		0.0000	- 0.0005		----	----	----	0	
805	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
810	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
825	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
830	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
840	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
850	----	----	----	----/0.0010A		0.0000	- 0.0005		----	----	----	0	
880	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
900	----	----	----	----/0.0010A		0.0000	- 0.0005		----	----	----	0	
910	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
950	----	----	----	----/0.0050A		0.0000	- 0.0005		----	----	----	0	
975	----	----	----	----/0.0010A		0.0000	- 0.0005		----	----	----	0	
TOTAL										762		0	19441
JUL26													
500	1.3800	1.3800	1.4665B/1.3800	1.4665B/1.3800	----	1.3980	+ 0.0165	.9892	----	2	----	11 +	
510	----	----	----	----	----	1.2990	+ 0.0165	.9855	----	----	----	1	
520	----	----	----	----	----	1.2000	+ 0.0160	.9815	----	----	----	2	
525	----	----	----	----	----	1.1510	+ 0.0160	.9780	----	----	----	1	
530	----	----	1.1700B/----	1.1700B/1.1110A		1.1020	+ 0.0155	.9757	----	----	----	6	
540	----	----	1.0720B/----	1.0720B/1.0135A		1.0040	+ 0.0145	.9665	----	2	----	18 +	
545	----	----	----	----	----	0.9555	+ 0.0145	.9624	----	1	----	1	
550	----	----	----	0.7735B/----		0.9070	+ 0.0135	.9566	----	2	4 +	2	
555	----	----	0.9270B/----	0.9270B/0.8695A		0.8585	+ 0.0125	.9493	----	1	116	1	
560	0.8500	0.8500	0.8500/0.8500	0.8500/0.8500		0.8105	+ 0.0115	.9416	----	1	----	1	
570	----	----	0.7950B/----	0.7950B/0.7140A		0.7160	+ 0.0085	.9227	----	----	157	1	
574	----	----	0.7480B/----	0.7480B/0.6810A		0.6785	+ 0.0070	.9133	----	----	5	1	
575	----	----	0.7390B/----	0.7390B/0.6780A		0.6690	+ 0.0065	.9112	----	----	19	1	
580	----	----	0.6930B/----	0.6930B/0.6260A		0.6235	+ 0.0045	.8958	----	----	123	1	
585	----	----	0.6625B/0.5755A	0.6625B/0.5755A		0.5785	+ 0.0025	.8787	----	----	318	1	
590	0.5600	0.5600	0.6045B/0.5390A	0.6045B/0.5390A		0.5350	+ 0.0005	.8590	1	----	105	-	
591	----	----	0.5445B/----	0.5445B/0.5300A		0.5265	+ 0.0005	.8544	----	3	----	3	
593	----	----	0.5275B/----	0.5275B/0.5140A		0.5095	+ 0.0005	.8451	----	2	----	1	
594	----	----	0.5270B/----	0.5270B/0.5115A		0.5010	+ 0.0005	.8404	----	7	----	2	
595	----	----	0.5615B/----	0.5615B/0.4965A		0.4925	+ 0.0010	.8357	----	29	----	1	
597	----	----	0.4945B/----	0.4945B/0.4805A		0.4760	+ 0.0020	.8254	----	1	----	1	
598	----	----	0.4860B/----	0.4860B/0.4720A		0.4680	+ 0.0020	.8198	----	2	----	1	
599	----	----	0.4780B/----	0.4780B/0.4640A		0.4600	+ 0.0025	.8141	----	2	----	1	
600	0.5145	0.5145	0.5350B/0.4495A	0.5350B/0.4495A		0.4515	+ 0.0030	.8093	2	543	----	1	
602	----	----	0.5040B/----	0.5040B/0.4395A		0.4360	+ 0.0035	.7972	----	83	----	1	
603	----	----	0.4460B/----	0.4460B/0.4330A		0.4280	+ 0.0040	.7915	----	3	----	1	
605	0.4200	0.4200	0.4800B/0.4055A	0.4800B/0.4055A		0.4125	+ 0.0050	.7793	1	41 +	----	1	
610	----	----	0.4560B/0.3705A	0.4560B/0.3705A		0.3755	+ 0.0070	.7468	----	320	----	1	
615	----	----	0.4235B/0.3380A	0.4235B/0.3380A		0.3400	+ 0.0095	.7112	362	1420	----	1	
620	0.3150	0.3150	0.3880B/0.3055A	0.3880B/0.3055A		0.3075	+ 0.0105	.6736	92	251 +	43	1	
625	0.2875	0.2875	0.3555B/0.2750A	0.3555B/0.2750A		0.2770	+ 0.0120	.6345	3	358	----	1	
630	----	----	0.3220B/0.2460A	0.3220B/0.2460A		0.2485	+ 0.0130	.5940	8	384	----	1	
635	0.2900	0.2900	0.2910B/0.2170	0.2910B/0.2170		0.2230	+ 0.0130	.5534	2	104	----	1	
640	0.2550	0.2550	0.2660B/0.1970A	0.2660B/0.1970A		0.1995	+ 0.0130	.5130	29</				



GLOBEX			OPEN OUTCRY		GLOBEX		OPEN OUTCRY		OPEN OUTCRY		SETT.PRICE				OPEN		GLOBEX®		PNT		OPEN		
OPEN			OPEN RANGE		HIGH/LOW		HIGH/LOW		CLOSE RANGE		& PT.CHGE.		DELTA		EXER		VOLUME		VOLUME		INTEREST		
HXX CALL			COMEX COPPER OPTIONS																				
JUL26																							
775	----	----	0.0190B/0.0140A		0.0190B/0.0140A		----			0.0130 - 0.0055		.0435		----	----	2		----	108 -		2		
780	----	----	----/0.0130A		0.0175B/0.0130A		----			0.0120 - 0.0055		.0401		----	----	----		----	41		UNCH		
800	----	----	----/0.0105A		0.0135B/0.0105A		----			0.0095 - 0.0040		.0310		----	----	12		----	2388 +		2		
825	0.0100	0.0100	0.0100/0.0085A		0.0100/0.0085A		----			0.0070 - 0.0035		.0223		----	----	2		----	13 +		1		
850	0.0105	0.0105	0.0105/0.0085A		0.0105/0.0085A		----			0.0055 - 0.0030		.0170		----	----	1		----	329 +		1		
875	----	----	----		0.0030B/0.0075A		----			0.0045 - 0.0030		.0134		----	----	----		----	6		UNCH		
900	0.0050	0.0050	0.0050/0.0050		0.0050/0.0050		----			0.0040 - 0.0025		.0114		----	----	3		----	2151		UNCH		
925	----	----	----		0.0010B/0.0065A		----			0.0030 - 0.0020		.0085		----	----	----		----	16		UNCH		
950	----	----	----		0.0005B/0.0045A		----			0.0020 - 0.0015		.0057		----	----	2		----	51 -		1		
975	----	----	----		----/0.0040A		----			0.0015 - 0.0010		.0043		----	----	----		----	18		UNCH		
1000	----	----	----		0.0005B/0.0020A		----			0.0010 - 0.0005		.0029		----	----	----		----	6		UNCH		
TOTAL																	25	1946			24656+	44	
AUG26																							
500	----	----	#1.5005B/----		#1.5005B/1.4700		----			1.4645 + 0.0160		.9683		----	----	----		----	8		UNCH		
550	----	----	----		----		----			0.9890 + 0.0100		.9108		----	----	----		----	3		UNCH		
580	----	----	0.7965B/----		0.7965B/0.7380A		----			0.7305 + 0.0040		.8288		----	----	----		----	253		UNCH		
585	----	----	0.7175B/----		0.7175B/0.7315A		----			0.6910 + 0.0030		.8109		----	----	----		----	11		UNCH		
590	----	----	0.6780B/----		0.6780B/0.6940A		----			0.6525 + 0.0020		.7914		----	----	----		----	17		UNCH		
595	----	----	----		----		----			0.6155 + 0.0015		.7709		----	----	----		----	1		UNCH		
600	----	----	0.6290B/0.5730A		0.6290B/0.5730A		----			0.5795 + 0.0005		.7493		----	----	----		----	4		UNCH		
610	----	----	0.5855B/0.5085A		0.5855B/0.5085A		----			0.5120 - 0.0010		.7032		----	----	1		----	2 +		1		
620	----	----	0.5205B/0.4475A		0.5205B/0.4475A		----			0.4505 - 0.0025		.6544		----	----	----		----	28		UNCH		
625	----	----	0.4895B/0.4215A		0.4895B/0.4215A		----			0.4215 - 0.0035		.6293		----	----	----		----	87		UNCH		
630	----	----	0.4600B/0.3945A		0.4600B/0.3945A		----			0.3945 - 0.0040		.6038		----	----	----		----	63		UNCH		
635	0.3805	0.3805	0.4320B/0.3685A		0.4320B/0.3685A		----			0.3690 - 0.0045		.5784		----	----	2		----	3		UNCH		
640	0.3915	0.3915	0.4060B/0.3400		0.4060B/0.3400		----			0.3445 - 0.0055		.5530		----	----	16		----	161 +		1		
645	0.3390	0.3390	0.3800B/0.3165		0.3800B/0.3165		----			0.3220 - 0.0055		.5279		----	----	4		----	3 +		2		
650	0.3020	0.3020	0.3585B/0.2990A		0.3585B/0.2990A		----			0.3005 - 0.0060		.5031		----	----	80		----	817 +		30		
655	----	----	0.3350B/0.2785A		0.3350B/0.2785A		----			0.2805 - 0.0060		.4788		----	----	----		----	459		UNCH		
660	0.2670	0.2670	0.3120B/0.2595A		0.3120B/0.2595A		----			0.2620 - 0.0060		.4552		----	----	101		----	110 +		82		
665	----	----	0.2950B/0.2415A		0.2950B/0.2415A		----			0.2440 - 0.0065		.4320		----	----	----		----	1		UNCH		
670	----	----	0.2750B/0.2250A		0.2750B/0.2250A		----			0.2275 - 0.0070		.4097		----	----	----		350	----	421 +		350	
675	----	----	0.2560B/0.2100A		0.2560B/0.2100A		----			0.2125 - 0.0065		.3883		----	----	1		----	1354 +		1		
680	----	----	0.2390B/0.1950A		0.2390B/0.1950A		----			0.1980 - 0.0070		.3676		----	----	----		----	126		UNCH		
685	----	----	0.2225B/0.1815A		0.2225B/0.1815A		----			0.1840 - 0.0075		.3473		----	----	----		----	2		UNCH		
690	----	----	0.2075B/0.1690A		0.2075B/0.1690A		----			0.1715 - 0.0075		.3282		----	----	1		----	222 +		1		
695	----	----	0.1935B/0.1570A		0.1935B/0.1570A		----			0.1595 - 0.0075		.3097		----	----	----		----	2		UNCH		
700	0.1900	0.1900	0.1900/0.1445		0.1900/0.1445		----			0.1480 - 0.0080		.2917		----	----	12		----	3479		UNCH		
710	----	----	0.1565B/0.1265A		0.1565B/0.1265A		----			0.1280 - 0.0085		.2589		----	----	100		----	103 +		100		
720	----	----	0.1355B/0.1100A		0.1355B/0.1100A		----			0.1105 - 0.0090		.2290		----	----	----		----	6		UNCH		
725	----	----	0.1265B/0.1025A		0.1265B/0.1025A		----			0.1030 - 0.0090		.2156		----	----	----		----	1325		UNCH		
730	----	----	0.1175B/0.0955A		0.1175B/0.0955A		----			0.0960 - 0.0090		.2028		----	----	----		----	3		UNCH		
735	----	----	0.1100B/0.0895A		0.1100B/0.0895A		----			0.0895 - 0.0090		.1908		----	----	----		----	1		UNCH		
750	0.0780	0.0780	0.0905B/0.0730A		0.0905B/0.0730A		----			0.0730 - 0.0085		.1592		----	----	22		----	572 -		17		
775	----	----	0.0650B/0.0535A		0.0650B/0.0535A		----			0.0530 - 0.0080		.1186		----	----	2		----	162 +		2		
800	0.0505	0.0505	0.0505/0.0405A		0.0505/0.0405A		----			0.0395 - 0.0070		.0897		----	----	4		----	404 +		3		
825	----	----	0.0355B/0.0310A		0.0355B/0.0310A		----			0.0300 - 0.0050		.0688		----	----	----		----	2		UNCH		
850	0.0235	0.0235	0.0235/0.0235		0.0240B/0.0235		----			0.0230 - 0.0030		.0531		----	----	2		----	13 +		2		
875	0.0210	0.0210	0.0210/0.0200A		0.0210/0.0200A		----			0.0180 - 0.0015		.0416		----	----	2		----	14 +		2		
900	----	----	----		0.0140B/0.0165A		----			0.0145		.0334		----	----	15		----	142 +		15		
925	----	----	----		0.0105B/0.0145A		----			0.0120		.0274		----	----	----		----	1		UNCH		
950	0.0100	0.0100	0.0100/*0.0100		0.0100/0.0100		----			0.0100 - 0.0005		.0226		----	----	1		----	56		UNCH		
975	----	----	----		0.0060B/0.0115A		----			0.0075 - 0.0005		.0172		----	----	15		----	59 +		15		
TOTAL																	350	381			10500+	590	
SEP26																							
495	----	----	----		----		----			1.5205 + 0.0155		.9555		----	----	----		----	2		UNCH		
500	----	----	1.5045B/----		1.5045B/1.5095A		----			1.4725 + 0.0150		.9513		----	----	----		----	5		UNCH		
510	----	----	----		----		----			1.3775 + 0.0140		.9419		----	----	----		----	2		UNCH		
535	----	----	----		----		----			1.1470 + 0.0105		.9061		----	----	----		----	1		UNCH		
565	----	----	----		----		----			0.8915 + 0.0055		.8358		----	----	----		----	1		UNCH		
575	----	----	0.8395B/----		0.8395B/0.8545A		----			0.8135 + 0.0035		.8056		----	----	----		----	100		UNCH		
590	----	----	0.7405B/0.6965A		0.7405B/0.6965A		----			0.7045 + 0.0010		.7536		----	----	----		----	5		UNCH		
595	----	----	0.7430B/0.6640A		0.7430B/0.6640A		----			0.6705 + 0.0005		.7350		----	----	----		----	5		UNCH		
600	----	----	0.7100B/0.6325A		0.7100B/0.6325A		----			0.6380		.7158		----	----	----		----	222		UNCH		
610	----	----	0.6440B/0.5730A		0.6440B/0.5730A		----			0.5760 - 0.0015		.6762		----	----	----		----	31		UNCH		
615	----	----	0.6135B/0.5450A		0.6135B/0.5450A		----			0.5470 - 0.0020		.6558		----	----	----		----	9		UNCH		
620	----	----	0.5850B/0.5185A		0.5850B/0.5185A		----			0.5195 - 0.0025		.6354		----	----	----		----	187		UNCH		
625	----	----	0.5580B/0.4920A		0.5580B/0.4920A		----			0.4930 - 0.0030		.6147		----	----	----		----	632		UNCH		
630	----	----	0.5280B/0.4680A		0.5280B/0.4680A		----			0.4675 - 0.0035		.5942		----	----	----		----	51		UNCH		
635	----	----	0.5020B/0.4425A		0.5020B/0.4425A		----			0.4430 - 0.0040		.5736		----	----	----		----	66		UNCH		
640	0.4360	0.4360	0.4805B/0.4180A		0.4805B/0.4180A		----			0.4200 - 0.0040		.5533		----	----	51		----	1052 +		50		
645	----	----	0.4530B/0.3970A		0.4530B/0.3970A		----			0.3980		.5331		----	----	----		200	----	200 +		200	
650	----	----	0.4335B/0.3755A		0.4335B/0.3755A		----			0.3775 - 0.0045		.5132		----	----	4		----	326		UNCH		
655	----	----	0.4080B/0.3560A		0.4080B/0.3560A		----			0.3575 - 0.0045		.4937		----	----	----		----	4		UNCH		
660	----	----	0.3870B/0.3375A		0.3870B/0.3375A		----			0.3385 - 0.0050		.4758		----	----	----		----	101		UNCH		
665	----	----	0.3665B/0.3200A		0.3665B/0.3200A		----			0.3205 - 0.0050		.4558		----	----	----		----	1		UNCH		
670	----	----	0.3475B/0.3030A		0.3475B/0.3030A		----			0.3035 - 0.0055		.4375		----	----	15		----	139 +		15		
675	----	----	0.3325B/0.2855A		0.3325B/0.2855A		----			0.2875 - 0.0055		.4198		----	----	50		----	575 +		50		
680	----	----	0.3150B/0.2700A		0.3150B/0.2700A		----			0.2720 - 0.0055		.4024		----	----	----		----	1392		UNCH		
690	0.2720	0.2720	0.2825B/0.2420A		0.2825B/0.2420A		----			0.2435 - 0.0060		.3693		----	----	1		----	455		UNCH		
695	0.2290	0.2																					

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN # 99@			METALS OPTION PRODUCTS										Tue, May 26, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HX CALL COMEX COPPER OPTIONS																
NOV26																
665	----	----	0.5295B/----	0.5295B/0.4885A	----	0.4850 - 0.0010	.5095	----	----	----	----	1	UNCH			
670	----	----	0.5085B/----	0.5085B/0.4690A	----	0.4655 - 0.0010	.4951	----	----	----	----	14	UNCH			
675	----	----	0.4880B/----	0.4880B/0.4505A	----	0.4465 - 0.0015	.4808	----	----	----	----	61	UNCH			
680	----	----	0.4685B/----	0.4685B/0.4325A	----	0.4285 - 0.0020	.4667	----	----	----	----	1	UNCH			
695	----	----	0.4135B/----	0.4135B/0.3825A	----	0.3780 - 0.0030	.4260	----	----	----	----	1	UNCH			
700	----	----	0.3965B/----	0.3965B/0.3670A	----	0.3625 - 0.0030	.4129	----	----	----	----	27	UNCH			
705	----	----	0.3805B/----	0.3805B/0.3520A	----	0.3470 - 0.0040	.3999	----	----	----	----	1	UNCH			
725	----	----	0.3205B/----	0.3205B/0.2985A	----	0.2925 - 0.0050	.3511	----	----	----	----	48	UNCH			
740	----	----	0.2815B/----	0.2815B/0.2640A	----	0.2570 - 0.0060	.3175	----	----	----	----	1	UNCH			
750	----	----	0.2580B/----	0.2580B/0.2435A	----	0.2360 - 0.0060	.2966	----	----	----	----	26	UNCH			
800	----	----	0.1670B/----	0.1670B/0.1620A	----	0.1545 - 0.0070	.2093	----	----	----	----	1	UNCH			
850	----	----	0.1095B/----	0.1095B/0.1110A	----	0.1040 - 0.0050	.1483	----	----	----	----	2	UNCH			
900	----	----	----	0.0735B/0.0795A	----	0.0720 - 0.0015	.1064	----	----	----	----	1	UNCH			
975	----	----	0.0425B/----	0.0425B/0.0530A	----	0.0445 + 0.0040	.0677	----	----	2	----	4 +	2			
TOTAL										2	----	216 +	2			
DEC26										2	----					
520	----	----	----	----	----	1.4255 + 0.0085	.8784	----	----	----	----	1	UNCH			
525	----	----	----	----	----	1.3840 + 0.0080	.8698	----	----	----	----	123	UNCH			
535	----	----	----	----	----	1.3030 + 0.0070	.8513	----	----	----	----	1	UNCH			
550	----	----	----	1.0010B/----	----	1.1870 + 0.0050	.8202	----	----	----	----	2	UNCH			
555	----	----	----	----	----	1.1495 + 0.0045	.8089	----	----	----	----	1	UNCH			
565	----	----	----	----	----	1.0780 + 0.0035	.7855	----	----	----	----	45	UNCH			
575	----	----	----	----	----	1.0090 + 0.0025	.7609	----	----	----	----	123	UNCH			
585	----	----	1.0035B/----	1.0035B/0.9425A	----	0.9440 + 0.0025	.7351	----	----	----	----	1	UNCH			
590	----	----	0.9710B/----	0.9710B/0.9120A	----	0.9125 + 0.0020	.7219	----	----	----	----	200	UNCH			
595	----	----	0.9395B/----	0.9395B/0.8820A	----	0.8820 + 0.0020	.7085	----	----	----	----	163	UNCH			
600	----	----	0.9085B/----	0.9085B/0.8530A	----	0.8520 + 0.0015	.6950	----	----	----	----	597	UNCH			
610	----	----	0.8490B/----	0.8490B/0.7970A	----	0.7945 + 0.0010	.6676	----	----	----	----	291	UNCH			
620	----	----	0.7925B/----	0.7925B/0.7445A	----	0.7405 + 0.0010	.6398	----	----	----	----	414	UNCH			
625	----	----	0.7655B/----	0.7655B/0.7190A	----	0.7145 + 0.0005	.6259	----	----	----	----	39	UNCH			
630	----	----	0.7390B/----	0.7390B/0.6945A	----	0.6895 + 0.0005	.6119	----	----	----	----	391	UNCH			
635	----	----	0.7130B/----	0.7130B/0.6705A	----	0.6650 + 0.0005	.5980	----	----	----	----	1	UNCH			
640	----	----	0.6880B/----	0.6880B/0.6475A	----	0.6410 UNCH	.5841	----	----	----	----	29	UNCH			
650	----	----	0.6405B/----	0.6405B/0.6035A	----	0.5960 UNCH	.5564	----	----	1	----	745 +	1			
660	----	----	0.5950B/----	0.5950B/0.5615A	----	0.5535 - 0.0005	.5292	----	----	----	----	300	UNCH			
670	----	----	0.5525B/----	0.5525B/0.5225A	----	0.5135 - 0.0010	.5025	----	----	----	----	4	UNCH			
675	----	----	0.5320B/----	0.5320B/0.5035A	----	0.4945 - 0.0015	.4894	----	----	----	----	17	UNCH			
680	----	----	0.5125B/----	0.5125B/0.4850A	----	0.4760 - 0.0020	.4764	----	----	----	----	3	UNCH			
690	----	----	0.4750B/----	0.4750B/0.4510A	----	0.4410 - 0.0025	.4510	----	----	----	----	1	UNCH			
700	0.4050	0.4050	0.4395B/0.4050	0.4395B/0.4050	----	0.4085 - 0.0030	.4265	----	1	----	----	910 -	1			
705	----	----	0.4230B/----	0.4230B/0.4035A	----	0.3930 - 0.0035	.4145	----	----	----	----	2	UNCH			
725	----	----	0.3615B/----	0.3615B/0.3480A	----	0.3365 - 0.0045	.3689	----	----	----	----	129	UNCH			
730	----	----	0.3470B/----	0.3470B/0.3350A	----	0.3235 - 0.0050	.3580	----	----	----	----	4	UNCH			
750	----	----	0.2960B/----	0.2960B/0.2885A	----	0.2765 - 0.0060	.3169	----	----	----	----	426	UNCH			
775	----	----	0.2420B/----	0.2420B/0.2395A	----	0.2270 - 0.0070	.2710	----	----	210	----	211 +	208			
800	----	----	0.1985B/----	0.1985B/0.1995A	----	0.1880 - 0.0070	.2318	----	----	----	----	162	UNCH			
825	----	----	0.1635B/----	0.1635B/0.1675A	----	0.1565 - 0.0065	.1983	----	----	----	----	49	UNCH			
850	----	----	0.1350B/0.1415A	0.1350B/0.1415A	----	0.1305 - 0.0060	.1696	----	----	----	----	304	UNCH			
900	----	----	0.0935B/0.1040A	0.0935B/0.1040A	----	0.0915 - 0.0055	.1242	----	----	----	----	645	UNCH			
925	----	----	0.0780B/0.0910A	0.0780B/0.0910A	----	0.0775 - 0.0050	.1069	----	----	----	----	6	UNCH			
950	----	----	0.0655B/0.0800A	0.0655B/0.0800A	----	0.0660 - 0.0045	.0923	----	----	----	----	104	UNCH			
975	----	----	0.0555B/0.0710A	0.0555B/0.0710A	----	0.0565 - 0.0040	.0800	----	----	----	----	13	UNCH			
1000	----	----	0.0475B/0.0635A	0.0475B/0.0635A	----	0.0505 - 0.0035	.0714	----	----	1	----	4 +	1			
TOTAL									210	3	----	6461 +	209			
JAN27																
500	----	----	----	----	----	1.7005 + 0.0135	.9005	----	----	----	----	1	UNCH			
900	----	----	----	----	-----/154.0177A	0.1435 - 0.0015	.1656	----	----	----	----	1	UNCH			
TOTAL												2				
FEB27																
620	----	----	----	----	----	0.8820 + 0.0065	.6533	----	----	----	----	1	UNCH			
TOTAL												1				
MAR27																
680	----	----	----	-----/154.3486A	----	0.6480 + 0.0040	.5181	----	----	----	----	30	UNCH			
950	----	----	----	-----/154.0194A	----	0.1625 - 0.0010	.1655	----	----	----	----	3	UNCH			
TOTAL												33				
HX PUT COMEX COPPER OPTIONS																
JUN26																
330	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	8			
355	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	10			
370	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1			
380	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1			
400	----	----	----	-----/0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	33			
405	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1			
410	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	53			
420	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	9			
430	----	----	----	-----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	3			
435	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	2			
440	----	----	----	-----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	8			
445	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	8			
450	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	450			
455	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	42			
460	----	----	----	-----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	54			
465	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	878			
470	----	----	----	-----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	659			
475	----	----	----	-----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	155			
480	----	----	----	-----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	951			
485	----	----	----	-----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	63			
490	----	----</														

PG64		BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
HX PUT JUN26		COMEX COPPER OPTIONS																						
562	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	----	0 -	22								
563	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	----	0 -	1								
564	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	----	0 -	4								
565	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	1	0 -	221									
566	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	0 -	4									
567	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	0 -	14									
568	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	0 -	1									
569	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	0 -	27									
570	----	----	----	----	----	----	----	----	0.0000 - 0.0020	----	----	----	----	0 -	421									
571	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	30									
572	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	1									
573	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	125									
574	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	14									
575	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	136									
576	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	5									
577	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	10									
578	----	----	----	----	----	----	----	----	0.0000 - 0.0025	----	----	----	----	0 -	2									
579	----	----	----	----	----	----	----	----	0.0000 - 0.0030	----	----	----	----	0 -	19									
580	----	----	----	----	----	----	----	----	0.0000 - 0.0030	----	----	----	----	0 -	876									
581	----	----	----	----	----	----	----	----	0.0000 - 0.0030	----	----	----	----	0 -	34									
582	----	----	----	----	----	----	----	----	0.0000 - 0.0030	----	----	----	----	0 -	13									
583	----	----	----	----	----	----	----	----	0.0000 - 0.0030	----	----	----	2	0 -	16									
584	0.0010	0.0010			0.0010/*0.0010	0.0010/*0.0010			0.0000 - 0.0030	----	----	2	0 -	22										
585	----	----	----	----	----	----	----	----	0.0000 - 0.0035	----	----	----	----	0 -	451									
586	----	----	----	----	----	----	----	----	0.0000 - 0.0035	----	----	----	----	0 -	15									
587	----	----	----	----	----	----	----	----	0.0000 - 0.0035	----	----	----	----	0 -	24									
588	----	----	----	----	----	----	----	----	0.0000 - 0.0035	----	----	----	----	0 -	16									
589	----	----	----	----	----	----	----	----	0.0000 - 0.0035	----	----	----	----	0 -	4									
590	----	----	----	----	----	----	----	----	0.0000 - 0.0040	----	----	----	----	0 -	173									
591	----	----	----	----	----	----	----	----	0.0000 - 0.0040	----	----	----	----	0 -	19									
592	0.0020	0.0020			0.0020/*0.0020	0.0025B/*0.0020			0.0000 - 0.0040	----	----	6	0 -	17										
593	0.0040	0.0040			0.0040/*0.0030	0.0040/*0.0030			0.0000 - 0.0040	----	----	28	0 -	43										
594	----	----	----	----	----	----	----	----	0.0000 - 0.0045	----	----	----	----	0 -	21									
595	----	----	----	----	----	----	----	----	0.0000 - 0.0045	----	----	----	----	0 -	146									
596	0.0025	0.0025			0.0025/*0.0010A	0.0025/*0.0010A			0.0000 - 0.0045	----	7	0 -	28											
597	----	----	----	----	----	----	----	----	0.0000 - 0.0050	----	----	----	----	0 -	58									
598	----	----	----	----	----	----	----	----	0.0000 - 0.0050	----	----	----	----	0 -	33									
599	0.0025	0.0025			0.0025/*0.0025	0.0025/*0.0025			0.0000 - 0.0050	----	6	0 -	42											
600	0.0005	0.0005			0.0005/*0.0005	0.0030B/*0.0005			0.0000 - 0.0055	----	2	0 -	347											
601	0.0025	0.0025			0.0035B/*0.0025	0.0035B/*0.0025			0.0000 - 0.0055	----	18	0 -	58											
602	----	----	----	----	----	----	----	----	0.0000 - 0.0055	----	----	----	----	0 -	16									
603	----	----	----	----	----	----	----	----	0.0000 - 0.0060	----	1	0 -	22											
604	----	----	----	----	----	----	----	----	0.0000 - 0.0060	----	----	----	----	0 -	10									
605	----	----	----	----	----	----	----	----	0.0000 - 0.0065	----	----	----	----	0 -	216									
606	0.0035	0.0035			0.0045/*0.0010A	0.0045/*0.0010A			0.0000 - 0.0065	----	31	0 -	24											
607	----	----	----	----	----	----	----	----	0.0000 - 0.0070	----	1	0 -	29											
608	----	----	----	----	----	----	----	----	0.0000 - 0.0070	----	----	----	----	0 -	27									
609	----	----	----	----	----	----	----	----	0.0000 - 0.0075	----	----	----	----	0 -	42									
610	0.0050	0.0050			0.0050/*0.0005	0.0050/*0.0005			0.0000 - 0.0075	----	4	0 -	373											
611	----	----	----	----	----	----	----	----	0.0000 - 0.0080	----	----	----	----	0 -	16									
612	0.0040	0.0040			0.0045/*0.0030A	0.0045/*0.0030A			0.0000 - 0.0080	----	20	0 -	27											
613	----	----	----	----	----	----	----	----	0.0000 - 0.0085	----	----	----	----	0 -	30									
614	----	----	----	----	----	----	----	----	0.0000 - 0.0090	----	----	----	----	0 -	46									
615	----	----	----	----	----	----	----	----	0.0000 - 0.0090	----	1	0 -	286											
616	----	----	----	----	----	----	----	----	0.0000 - 0.0095	----	----	----	----	0 -	16									
617	----	----	----	----	----	----	----	----	0.0000 - 0.0100	----	----	----	----	0 -	45									
618	----	----	----	----	----	----	----	----	0.0000 - 0.0105	----	1	0 -	16											
619	0.0050	0.0050			0.0050/*0.0035A	0.0050/*0.0035A			0.0000 - 0.0110	----	3	0 -	29											
620	----	----	----	----	----	----	----	----	0.0000 - 0.0115	----	----	----	----	0 -	377									
621	----	----	----	----	----	----	----	----	0.0000 - 0.0120	----	1	0 -	23											
622	0.0050	0.0050			0.0050/*0.0010A	0.0050/*0.0010A			0.0000 - 0.0130	----	9	0 -	26											
623	0.0030	0.0030			0.0030/*0.0010A	0.0040B/*0.0010			0.0000 - 0.0140	----	5	0 -	29											
624	0.0030	0.0030			0.0030/*0.0020A	0.0045B/*0.0020			0.0000 - 0.0150	----	1	0 -	15											
625	0.0010	0.0010			0.0010/*0.0010	0.0055B/*0.0010			0.0000 - 0.0160	----	5	0 -	216											
626	0.0035	0.0035			0.0035/*0.0015A	0.0055B/*0.0015			0.0000 - 0.0175	----	3	0 -	40											
627	----	----	----	----	----	----	----	----	0.0000 - 0.0195	----	----	----	----	0 -	29									
628	----	----	----	----	----	----	----	----	0.0000 - 0.0210	----	5	0 -	19											
629	----	----	----	----	----	----	----	----	0.0000 - 0.0235	----	----	----	----	0 -	29									
630	0.0105	0.0105			0.0105/*0.0005A	0.0105/*0.0005A			0.0000 - 0.0255	----	21	0 -	105											
631	0.0045	0.0045			0.0045/*0.0035	0.0105B/*0.0035			0.0000 - 0.0285	----	6	0 -	39											
632	0.0040	0.0040			0.0045/*0.0015A	0.0130B/*0.0015			0.0000 - 0.0315	----	13	0 -	24											
633	----	----	----	----	----	----	----	----	0.0000 - 0.0345	----	----	----	----	0 -	1									
634	0.0090	0.0090			0.0090/*0.0040A	0.0180B/*0.0040			0.0000 - NEW	----	5	0	UNCH											
635	0.0155	0.0155			0.0210/*0.0005	0.0210/*0.0005			0.0000 - 0.0425	----	55	0 -	131											
636	0.0185	0.0185			0.0235B/*0.0005	0.0235B/*0.0005			0.0000 - 0.0465	----	2	0 -	1											
637	0.0300	0.0300			0.0300/*0.0005A	0.0300/*0.0005A			0.0000 - 0.0515	----	8	0 -	2											
</																								

BULLETIN # 99@			METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
HX PUT SEP26	COMEX COPPER OPTIONS														
500	----	----	----/*0.0255A	0.0220B/*0.0255	----	0.0230 - 0.0035	.0484	----	----	1	----	627	UNCH		
510	----	----	----/*0.0300A	0.0275B/*0.0300	----	0.0275 - 0.0045	.0578	----	----	----	----	2	UNCH		
515	----	----	----/*0.0330A	0.0310B/*0.0330	----	0.0305 - 0.0050	.0637	----	----	----	----	1	UNCH		
520	----	----	----/*0.0365A	0.0345B/*0.0365	----	0.0340 - 0.0055	.0704	----	----	1	----	7 +	1		
525	----	----	----/*0.0400A	0.0385B/*0.0400	----	0.0375 - 0.0065	.0772	----	----	----	----	327	UNCH		
530	----	----	----/*0.0440A	0.0430B/*0.0440	----	0.0420 - 0.0065	.0853	----	----	----	----	2	UNCH		
535	----	----	----/*0.0485A	0.0485B/*0.0485	----	0.0465 - 0.0080	.0936	----	----	----	----	350	UNCH		
540	----	----	----/*0.0540A	0.0545B/*0.0540	----	0.0520 - 0.0085	.1032	----	----	----	----	403	UNCH		
545	----	----	----/*0.0600A	0.0610B/*0.0600	----	0.0580 - 0.0095	.1135	----	----	----	----	1	UNCH		
550	----	----	----/*0.0665A	0.0685B/*0.0665	----	0.0645 - 0.0105	.1245	----	----	----	----	101	UNCH		
560	0.0880	0.0880	0.0880/*0.0820A	0.0880/*0.0820A	----	0.0805 - 0.0120	.1498	----	2	----	----	5 +	2		
565	----	----	----/*0.0910A	0.0955B/*0.0910	----	0.0900 - 0.0125	.1639	----	----	----	----	1	UNCH		
570	----	----	----/*0.1010A	0.1065B/*0.1010	----	0.1000 - 0.0135	.1786	----	----	----	----	124	UNCH		
575	----	----	----/*0.1110A	0.1180B/*0.1110	----	0.1110 - 0.0145	.1941	----	----	----	----	162	UNCH		
580	----	----	----/0.1230A	0.1315B/0.1230A	----	0.1235 - 0.0155	.2108	----	----	----	----	686	UNCH		
585	----	----	----/0.1360A	0.1455B/0.1360A	----	0.1370 - 0.0160	.2282	----	----	----	----	8	UNCH		
590	0.1675	0.1675	0.1675/0.1495A	0.1675/0.1495A	----	0.1515 - 0.0170	.2461	----	32	----	----	369 +	9		
595	----	----	----/0.1660A	0.1775B/0.1660A	----	0.1670 - 0.0175	.2646	----	----	----	----	8	UNCH		
600	0.1890	0.1890	0.1955B/0.1800A	0.1955B/0.1800A	----	0.1840 - 0.0185	.2839	----	35	----	----	1180 +	73		
610	----	----	----/0.2150A	0.2355B/0.2150A	----	0.2215 - 0.0195	.3235	----	----	----	----	1100	UNCH		
615	----	----	----/0.2375A	0.2570B/0.2375A	----	0.2425 - 0.0200	.3439	----	----	----	----	1	UNCH		
620	----	----	----/0.2540A	0.2800B/0.2540A	----	0.2640 - 0.0205	.3643	----	----	----	----	1002	UNCH		
625	----	----	----/0.2750A	0.3040B/0.2750A	----	0.2875 - 0.0205	.3850	----	----	----	----	1147	UNCH		
630	----	----	----/0.3015A	0.3290B/0.3015A	----	0.3115 - 0.0215	.4055	----	----	----	----	3	UNCH		
635	----	----	----/0.3210A	0.3550B/0.3210A	----	0.3370 - 0.0215	.4260	----	----	----	----	496	UNCH		
640	----	----	----/0.3500A	0.3825B/0.3500A	----	0.3635 - 0.0220	.4464	----	50	----	----	51 +	50		
645	----	----	----/0.3755A	0.4105B/0.3755A	----	0.3915 - 0.0220	.4666	----	----	----	----	37	UNCH		
650	----	----	----/0.4020A	0.4400B/0.4020A	----	0.4200 - 0.0225	.4865	----	----	----	----	83	UNCH		
655	----	----	----/0.4295A	0.4680B/0.4295A	----	0.4500 - 0.0225	.5060	----	----	----	----	53	UNCH		
660	----	----	----/0.4580A	0.5015B/0.4580A	----	0.4805 - 0.0230	.5252	----	----	----	----	1	UNCH		
670	----	----	----/0.5155A	0.5645B/0.5155A	----	0.5450 - 0.0230	.5622	----	----	----	----	210	UNCH		
685	----	----	----/0.6150A	0.6675B/0.6150A	----	0.6475 - 0.0235	.6140	----	----	----	----	11	UNCH		
695	----	----	----/0.6830A	0.7405B/0.6830A	----	0.7200 - 0.0235	.6461	----	----	----	----	2	UNCH		
700	----	----	----/0.7185A	0.7780B/0.7185A	----	0.7570 - 0.0240	.6614	----	----	----	----	7	UNCH		
725	----	----	----/0.9050A	0.9745B/0.9050A	----	0.9520 - 0.0250	.7304	----	----	----	----	2	UNCH		
TOTAL										125		9490 +	132		
OCT26															
300	----	----	----	----/*0.0085A	----	0.0015 - UNCH	.0023	----	----	----	----	1	UNCH		
375	----	----	----	0.0040B/*0.0130	----	0.0065 - 0.0010	.0102	----	----	----	----	2	UNCH		
400	----	----	----	0.0035B/*0.0160	----	0.0090 - 0.0010	.0146	----	----	----	----	1	UNCH		
450	----	----	----	0.0110B/*0.0215	----	0.0160 - 0.0020	.0278	----	----	----	----	1	UNCH		
470	----	----	----	0.0170B/*0.0255	----	0.0210 - 0.0025	.0371	----	----	----	----	1	UNCH		
475	----	----	----	0.0165B/*0.0305	----	0.0230 - 0.0025	.0405	----	----	----	----	3	UNCH		
500	----	----	----	0.0290B/*0.0415	----	0.0340 - 0.0045	.0598	----	----	----	----	20	UNCH		
530	----	----	----/*0.0665A	0.0565B/*0.0665	----	0.0595 - 0.0080	.0994	----	----	----	----	1	UNCH		
570	----	----	----/0.1330A	0.1280B/0.1330A	----	0.1275 - 0.0135	.1871	----	----	----	----	4	UNCH		
600	----	----	----/0.2125A	0.2250B/0.2125A	----	0.2145 - 0.0170	.2773	----	----	----	----	13	UNCH		
605	----	----	----/0.2300A	0.2430B/0.2300A	----	0.2325 - 0.0175	.2938	----	----	----	----	1	UNCH		
745	----	----	----/1.0485A	1.1140B/1.0485A	----	1.0925 - 0.0255	.7204	----	----	----	----	5	UNCH		
750	----	----	----/1.0975A	1.1435B/1.0975A	----	1.1330 - 0.0255	.7313	----	----	----	----	54	UNCH		
TOTAL															
NOV26															
400	----	----	----	0.0060B/*0.0220	----	0.0135 - 0.0015	.0197	----	----	----	----	10	UNCH		
475	----	----	----	0.0275B/*0.0420	----	0.0335 - 0.0040	.0522	----	----	----	----	2	UNCH		
480	----	----	----	0.0305B/*0.0450	----	0.0365 - 0.0045	.0565	----	----	----	----	2	UNCH		
500	----	----	----	0.0510B/*0.0590A	----	0.0510 - 0.0060	.0770	----	----	----	----	16	UNCH		
520	----	----	----/*0.0795A	0.0685B/*0.0795	----	0.0725 - 0.0075	.1050	----	2	----	----	4 +	2		
550	----	----	----/*0.1280A	0.1210B/*0.1280	----	0.1220 - 0.0110	.1622	----	----	----	----	1	UNCH		
560	----	----	----/0.1500A	0.1455B/0.1500A	----	0.1445 - 0.0120	.1855	----	----	----	----	1	UNCH		
590	----	----	----/0.2330A	0.2380B/0.2330A	----	0.2315 - 0.0155	.2650	----	----	----	----	1	UNCH		
645	----	----	----/0.4625A	0.4850B/0.4625A	----	0.4740 - 0.0175	.4304	----	----	----	----	1	UNCH		
735	----	----	----/1.0250A	1.0785B/1.0250A	----	1.0625 - 0.0225	.6711	----	----	2	----	40 +	2		
TOTAL										2					
DEC26															
380	----	----	----	0.0040B/0.0260A	----	0.0145 - 0.0010	.0191	----	----	----	----	2	UNCH		
385	----	----	----	0.0045B/*0.0270	----	0.0155 - 0.0010	.0205	----	----	----	----	1	UNCH		
395	----	----	----	0.0065B/0.0285A	----	0.0170 - 0.0015	.0228	----	----	----	----	3	UNCH		
400	----	----	----	0.0075B/*0.0295	----	0.0180 - 0.0015	.0243	----	----	----	----	18	UNCH		
420	----	----	----	0.0115B/*0.0335	----	0.0220 - 0.0020	.0305	----	----	----	----	2	UNCH		
460	----	----	----	0.0270B/*0.0480	----	0.0365 - 0.0035	.0514	----	----	----	----	2	UNCH		
475	----	----	----	0.0365B/*0.0570	----	0.0455 - 0.0045	.0634	----	----	----	----	76	UNCH		
480	----	----	----	0.0405B/*0.0605	----	0.0490 - 0.0050	.0680	----	----	----	----	16	UNCH		
490	----	----	----	0.0495B/*0.0685	----	0.0575 - 0.0055	.0787	----	----	----	----	5	UNCH		
500	----	----	----	0.0600B/*0.0785	----	0.0675 - 0.0070	.0909	----	----	----	----	103	UNCH		
520	----	----	----	0.0880B/*0.1045	----	0.0945 - NEW	.1211	----	1	----	----	1 +	1		
525	----	----	----	0.0960B/*0.1125	----	0.1025 - 0.0095	.1297	----	----	----	----	1	UNCH		
540	----	----	----/*0.1395A	0.1255B/*0.1395	----	0.1305 - 0.0115	.1581	----	----	----	----	3	UNCH		
545	----	----	----/*0.1500A	0.1365B/0.1500A	----	0.1415 - 0.0120	.1686	----	----	----	----	1	UNCH		
550	0.1525	0.1525	0.1525/*0.1525	0.1525/*											

BULLETIN # 99@			METALS OPTION PRODUCTS								Tue, May 26, 2026			PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
HXE CALL		COPPER OPTIONS													
JUN26															
620	----	----	0.2550B/0.2260A	0.2550B/0.2260A	----	0.2355	- 0.0085	.7790	----	----	----	----	1	UNCH	
630	----	----	0.2365B/0.1620A	0.2365B/0.1620A	----	0.1655	- 0.0140	.6511	----	----	----	----	2	UNCH	
630	----	----	#0.2695B/0.1995	#0.2695B/0.1995	----	0.1995	- 0.0110	.6179	----	----	----	----	2	UNCH	
640	0.1065	0.1065	0.1685B/0.1065	0.1685B/0.1065	----	0.1105	- 0.0170	.5037	----	----	1	----	2	UNCH	
645	0.1325	0.1325	#0.1795B/0.1240	#0.1795B/0.1240	----	0.1265	NEW	.4541	----	----	16	----	16	+	
650	----	----	#0.1565B/0.1060	#0.1565B/0.1060	----	0.1075	- 0.0140	.4025	----	----	----	----	1	UNCH	
655	----	----	0.0950B/0.0560A	0.0950B/0.0560A	----	0.0555	NEW	.2984	----	----	1	----	1	+	
660	----	----	0.0775B/0.0440A	0.0775B/0.0440A	----	0.0435	- 0.0170	.2431	----	----	1	----	0	-	
670	----	----	0.0500B/0.0270A	0.0500B/0.0270A	----	0.0265	- 0.0150	.1565	----	----	----	----	2	UNCH	
675	----	----	0.0395B/0.0220A	0.0395B/0.0220A	----	0.0210	- 0.0135	.1254	----	----	----	----	5	UNCH	
680	----	----	0.0310B/*0.0180	0.0310B/*0.0180	----	0.0165	- 0.0125	.0996	----	----	----	----	1	UNCH	
680	----	----	0.0630B/0.0380A	0.0630B/0.0380A	----	0.0375	- 0.0150	.1687	----	----	----	----	1	UNCH	
690	----	----	----/*0.0130A	0.0190B/*0.0130	----	0.0100	- 0.0105	.0614	----	----	----	----	1	UNCH	
690	----	----	0.0450B/0.0280A	0.0450B/0.0280A	----	0.0265	- 0.0130	.1229	----	----	----	----	4	UNCH	
700	----	----	----/*0.0105A	0.0110B/*0.0105	----	0.0065	- 0.0085	.0394	----	----	----	----	1	UNCH	
700	----	----	0.0330B/*0.0210	0.0330B/0.0210A	----	0.0190	- 0.0115	.0897	----	----	----	----	1	UNCH	
725	----	----	----/*0.0125A	0.0145B/*0.0125	----	0.0090	- 0.0080	.0427	----	----	----	----	1	UNCH	
750	----	----	----	0.0005B/0.0075A	----	0.0005	- 0.0025	.0028	----	----	----	----	1	UNCH	
TOTAL											19		43	+	
HXE PUT		COPPER OPTIONS													
MAY26															
580	----	----	----	0.0005B/*0.0065	----	0.0010	- 0.0040	.0039	----	----	----	----	1	UNCH	
600	----	----	----/*0.0070A	0.0015B/*0.0070	----	0.0040	- 0.0070	.0225	----	----	----	----	21	UNCH	
605	----	----	----/*0.0070A	0.0030B/*0.0070	----	0.0055	- 0.0080	.0337	----	----	----	----	31	UNCH	
610	----	----	----/*0.0075A	0.0040B/*0.0075	----	0.0060	- 0.0110	.0415	----	----	----	----	22	UNCH	
612	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
615	----	----	----/*0.0080A	0.0080B/*0.0080	----	0.0065	- 0.0160	.0518	----	----	----	----	10	UNCH	
618	0.0120	0.0120	#0.0120/*0.0020	#0.0120/*0.0020	----	0.0075	NEW	.0645	----	----	2	----	0	UNCH	
620	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
620	0.0150	0.0150	0.0150/*0.0100	0.0150/*0.0100	----	0.0085	- 0.0225	.0765	----	----	12	----	10	+	
628	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
630	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
630	0.0200	0.0200	0.0200/*0.0200	0.0370B/*0.0200	----	0.0230	- 0.0360	.2225	----	----	15	----	25	+	
632	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
633	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
634	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
635	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
636	0.0460	0.0460	#0.0460/*0.0460	#0.0585B/*0.036	----	0.0435	NEW	.3845	----	----	1	----	1	+	
637	0.0460	0.0460	#0.0460/*0.0460	#0.0630B/*0.039	----	0.0480	NEW	.4145	----	----	1	----	1	+	
640	----	----	----	----	----	0.0210	UNCH	----	----	----	----	----	0	UNCH	
640	0.0670	0.0670	0.0670/*0.0475A	0.0785B/*0.0475	----	0.0630	NEW	.5047	----	----	1	----	1	+	
665	----	----	----	----	----	0.2710	UNCH	----	----	----	----	----	0	UNCH	
665	----	----	----/0.1910A	0.2840B/0.1910A	----	0.2580	- 0.0330	.9568	----	----	----	----	1	UNCH	
TOTAL											32		124	+	
JUN26															
560	----	----	----	0.0010B/0.0080A	----	0.0015	- 0.0025	.0084	----	----	----	----	1	UNCH	
600	----	----	----/*0.0140A	0.0165B/*0.0140	----	0.0130	- 0.0140	.0791	----	----	----	----	5	UNCH	
600	----	----	----/*0.0275A	0.0345B/*0.0275	----	0.0270	- 0.0165	.1291	----	----	----	----	10	UNCH	
610	----	----	----/*0.0410A	0.0535B/*0.0410	----	0.0425	- 0.0215	.1925	----	----	----	----	5	UNCH	
620	0.0480	0.0480	0.0480/*0.0365A	0.0500B/*0.0365	----	0.0385	- 0.0270	.2207	----	----	5	----	39	+	
620	----	----	----/*0.0630A	0.0825B/*0.0630	----	0.0665	- 0.0265	.2777	----	----	----	----	10	UNCH	
625	0.0700	0.0700	0.0700/*0.0475A	0.0700/*0.0475A	----	0.0515	NEW	.2804	----	----	3	----	3	+	
625	0.1005	0.1005	0.1005/*0.0775A	0.1005/*0.0775A	----	0.0830	NEW	.3281	----	----	2	----	2	+	
635	----	----	----/*0.1160A	0.1465B/*0.1160	----	0.1250	- 0.0300	.4366	----	----	----	----	5	UNCH	
TOTAL											10		80	+	
ALUMINIUM OPTIONS ON FUTURES															
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
PLATINUM OPTIONS ON FUTURES															
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL		NYMEX PALLADIUM OPTIONS													
JUL26															
1390	----	----	72.30B/----	72.30B/65.20A	----	64.40	+ 9.00	.5747	----	----	----	----	4	UNCH	
1440	----	----	51.60B/----	51.60B/44.90A	----	42.50	+ 4.00	.4303	----	----	----	----	1	UNCH	
1500	----	----	32.90B/----	32.90B/29.20A	----	26.30	+ 0.20	.2899	----	----	----	----	10	UNCH	
1550	----	----	23.20B/----	23.20B/21.50A	----	18.50	+ 1.10	.2092	----	----	----	----	76	UNCH	
1600	----	----	16.80B/----	16.80B/*16.40A	----	13.60	- 1.40	.1542	----	----	----	----	85	UNCH	
1720	----	----	----	8.20B/*9.70A	----	6.80	- 1.90	.0768	----	----	----	----	6	UNCH	
1800	----	----	----	5.00B/*7.40A	----	4.10	- 1.80	.0469	----	----	----	----	49	UNCH	
TOTAL													231	0	
AUG26															
1500	45.40	45.40	58.70B/*45.40	58.70B/*45.40	----	47.00	NEW	.3594	----	----	10	----	10	+	
1550	39.00	39.00	47.30B/*39.00	47.30B/*39.00	----	37.00	NEW	.2908	----	----	10	----	10	+	
1600	----	----	38.50B/*32.80A	38.50B/*32.80A	----	29.60	- 3.50	.2365	----	----	----	----	100	UNCH	
1700	----	----	26.30B/*23.10A	26.30B/*23.10A	----	19.90	- 3.50	.1609	----	----	----	----	20	UNCH	
1800	----	----	18.40B/----	18.40B/*17.10A	----	14.00	- 3.10	.1132	----	----	----	----	100	UNCH	
1900	----	----	12.90B/----	12.90B/*13.10A	----	9.90	- 2.80	.0804	----	----	----	----	400	UNCH	
TOTAL											20		640	+	
SEP26															
1275	168.50	168.50	185.40B/168.50	185.40B/168.50	----	171.40	+ 13.70	.7516	----	----	1	----	1	UNCH	
1300	----	----	168.70B/----	168.70B/157.00A	----	155.30	+ 12.20	.7124	----	----	----	----	1	UNCH	
1400	----	----	115.10B/----	115.10B/106.20A	----	102.80	+ 6.40	.5489	----	----	----	----	75	UNCH	
1450	----	----	95.10B/----	95.10B/87.60A	----	83.30	+ 3.70	.4714	----	----	----	----	50	UNCH	
1575	----	----	59.90B/----	59.90B/55.00A	----	50.70	- 0.80	.3150	----	----	----	----	25	UNCH	
1600	----	----	54.80B/----	54.80B/50.40A	----	46.30	- 1.20	.2908	----	----	----	----	151	UNCH	
1625	----	----	50.30B/----	50.30B/*46.40A	----	42.30	- 1.60	.2685	----	----	----	----	20	UNCH	
1665	----	----	43.80B/----	43.80B/*41.00A	----	36.90	- 1.90	.2371	----	----	----	----	9	UNCH	
1700	----	----	39.10B/----	39.10B/*37.00A	----	32.90	- 2.10	.2132	----	----	----	----	60	UNCH	
1800	----	----	28.60B/----	28.60B/*28.30A	----	24.30	- 2.20	.1598	----	----	----	----	11	UNCH	
1875	----	----	22.90B/----	22.90B/*23.70A	----	19.60	- 2.20	.1300	----	----	----	----	25	UNCH	
1885	----	----	22.30B/----	22.30B/*23.20A	----	19.10	- 2.20	.1267	----	----	----	----	100	UNCH	
1900	----	----	21.30B/----	21.30B/*22.40A	----	18.30	- 2.20	.1216	----	----	----	----	21	UNCH	
2000	----	----	----	16.10B/*18.30A	----	14.20	- 2.20	.0946	----	----	----	----	35	UNCH	
2100	----	----	----	12.20B/15.20A	----	11.40	- 2.00	.0757	----	----	----	----	30	UNCH	
2200	----	----	----	9.30B/*13.00A	----	9.30	- 1.90	.0614	----	----	----	----	5	UNCH	
2400	----	----	----	5.40B/*10.20A	----	6.50	- 1.60	.0424	----	----	----	----	15	UNCH	
2550	----	----	----	3.40B/*8.90A	----	5.00	- 1.40	.0324	----	----	----	----	50	UNCH	
TOTAL											1		684	0	
DEC26															
1800	----	----	----	----	----	46.20	+ 4.20	.2324	----	----	----	----	50	UNCH	
2000	----	----	----	----	----	29.90	+ 2.60	.1547	----	----	----	----	1	UNCH	
3000	----	----	----	----	----	7.20	+ 0.40	.0373	----	----	----	----	1	UNCH	
TOTAL													52	0	
PAO PUT		NYMEX PALLADIUM OPTIONS													
JUL26															
1200	----	----	----	3.00B/7.30A	----	3.40	- 3.30	.0498	----	----	----	----	4	UNCH	
1285	----	----	----/15.00A	13.50B/15.00A	----	13.20	- 8.30	.1623	----	----	----	----	9	UNCH	
1300	----	----	----/17.50A	16.70B/17.50A	----	16.10	- 9.50	.1916	----	----	----	----	165	UNCH	
1400	----	----	----/48.40A	54.10B/48.40A	----	50.50	- 19.80	.4548	----	----	----	----	31	UNCH	
1450	----	----	----/75.60A	85.20B/75.60A	----	80.20	- 24.50	.5962	----	----	----	----	30	UNCH	
TOTAL												</			

PG64	BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
PAO PUT	NYMEX PALLADIUM OPTIONS																								
SEP26																									
1200	----	----	----	----/*22.40A	19.70B/22.40A	----	----	18.80 - 9.40	.1445	----	----	----	----	5	UNCH										
1250	----	----	----	----/32.50A	31.80B/32.50A	----	----	30.80 - 12.40	.2109	----	----	----	----	6	UNCH										
1300	----	----	----	----/47.40A	48.80B/47.40A	----	----	47.20 - 15.30	.2873	----	----	----	----	43	UNCH										
1375	----	----	----	----/79.60A	84.30B/79.60A	----	----	80.60 - 19.70	.4101	----	----	----	----	100	UNCH										
1460	----	----	----	----/128.90A	136.80B/128.90A	----	----	130.80 - 24.30	.5428	----	----	----	----	75	UNCH										
1465	----	----	----	----/132.10A	140.30B/132.10A	----	----	134.20 - 24.40	.5501	----	----	----	----	150	UNCH										
1550	----	----	----	----/192.00A	202.80B/192.00A	----	----	196.00 - 27.70	.6580	----	----	----	----	100	UNCH										
1575	----	----	----	----/211.20A	222.50B/211.20A	----	----	215.80 - 28.30	.6847	----	----	----	----	25	UNCH										
1650	----	----	----	----/272.40A	284.80B/272.40A	----	----	278.50 - 29.30	.7514	----	----	----	----	50	UNCH										
1925	----	----	----	----/522.30A	535.10B/522.30A	----	----	530.50 - 29.60	.8859	----	----	----	----	75	UNCH										
TOTAL														629	0										
DEC26																									
1300	----	----	----	----	----	----	----	81.60 - 9.30	.3094	----	----	----	----	100	UNCH										
1400	----	----	----	----	----	----	----	126.70 - 12.10	.4207	----	----	----	----	150	UNCH										
1500	----	----	----	----	----	----	----	187.40 - 14.70	.5276	----	----	----	----	40	UNCH										
TOTAL														290	0										
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION Week5																								
MAY26																									
1850	----	----	----	----/*4.40A	3.00B/*4.40A	----	----	2.90 - 5.70	.0548	----	----	----	----	7	UNCH										
1950	24.00	24.00		29.40B/23.50A	29.40B/23.50A	----	----	NEW	.4834	----	----	2	----	2 +	2										
2000	----	----	----	28.00B/*13.90A	28.00B/*13.90A	----	----	12.80 - 4.60	.2428	----	----	----	----	11	UNCH										
TOTAL														20 +	2										
JUN26																									
1925	----	----	----	----/31.70A	35.90B/31.70A	----	----	35.70 - 12.30	.3965	----	----	----	----	26	UNCH										
1950	----	----	----	----/41.50A	48.20B/41.50A	----	----	47.70 - 13.40	.4826	----	----	----	----	53	UNCH										
1950	----	----	----	70.00B/49.60A	70.00B/49.60A	----	----	49.30 - 1.50	.5173	----	----	----	----	2	UNCH										
2000	----	----	----	45.40B/30.60A	45.40B/30.60A	----	----	29.70 - 2.80	.3546	----	----	----	----	20	UNCH										
2100	----	----	----	16.60B/*11.30A	16.60B/*11.30A	----	----	9.90 - 2.60	.1364	----	----	----	----	100	UNCH										
2300	----	----	----	----	0.90B/*3.50A	----	----	1.40 - 1.10	.0189	----	----	----	----	100	UNCH										
TOTAL														301	0										
PO CALL	PLATINUM OPTIONS																								
JUL26																									
1500	----	----	----	480.40B/----	480.40B/449.80A	----	----	451.60 + 11.80	.9972	----	----	----	----	50	UNCH										
1680	----	----	----	----	----	----	----	275.00 + 9.40	.9548	----	----	----	----	50	UNCH										
1700	----	----	----	286.00B/----	286.00B/254.50A	----	----	256.20 + 8.80	.9420	----	----	----	----	1	UNCH										
1800	----	----	----	195.70B/----	195.70B/166.90A	----	----	167.80 + 4.90	.8349	----	----	----	----	113	UNCH										
1850	----	----	----	156.60B/----	156.60B/128.70A	----	----	129.20 + 2.30	.7468	----	----	----	----	1	UNCH										
1900	----	----	----	120.30B/96.20A	120.30B/96.20A	----	----	96.40 + 0.10	.6384	----	----	----	----	3	UNCH										
1935	----	----	----	----/77.20A	76.20B/77.20A	----	----	77.10 - 1.20	.5564	----	----	----	----	23	UNCH										
1945	----	----	----	77.10B/72.30A	77.10B/72.30A	----	----	72.20 - 1.40	.5328	----	----	----	----	1	UNCH										
1960	----	----	----	85.30B/65.50A	85.30B/65.50A	----	----	65.20 - 1.80	.4976	----	----	----	----	3	UNCH										
1965	----	----	----	82.70B/63.30A	82.70B/63.30A	----	----	63.00 - 1.90	.4859	----	----	----	----	56	UNCH										
1970	----	----	----	80.20B/61.20A	80.20B/61.20A	----	----	60.90 - 2.00	.4744	----	----	----	----	2	UNCH										
1975	----	----	----	77.70B/59.20A	77.70B/59.20A	----	----	58.80 - 2.10	.4629	----	----	----	----	11	UNCH										
1980	----	----	----	75.30B/57.20A	75.30B/57.20A	----	----	56.80 - 2.20	.4516	----	----	----	----	2	UNCH										
2000	----	----	----	66.30B/49.80A	66.30B/49.80A	----	----	49.20 - 2.60	.4071	----	----	----	----	247	UNCH										
2050	----	----	----	47.40B/34.80A	47.40B/34.80A	----	----	33.90 - 3.00	.3061	----	----	----	----	1	UNCH										
2085	----	----	----	37.00B/27.00A	37.00B/27.00A	----	----	25.90 - 3.10	.2461	----	----	----	----	31	UNCH										
2090	27.50	27.50		35.70B/26.00A	35.70B/26.00A	----	----	24.90 - 3.10	.2382	----	----	4	----	34 +	4										
2095	----	----	----	34.40B/25.10A	34.40B/25.10A	----	----	24.00 - 3.00	.2308	----	----	----	----	45	UNCH										
2100	----	----	----	33.20B/24.20A	33.20B/24.20A	----	----	23.10 - 3.00	.2235	----	----	----	----	425	UNCH										
2105	----	----	----	32.00B/*23.30A	32.00B/*23.30A	----	----	22.20 - 3.00	.2162	----	----	----	----	30	UNCH										
2110	----	----	----	30.80B/*22.50A	30.80B/*22.50A	----	----	21.30 - 3.00	.2089	----	----	----	----	31	UNCH										
2115	----	----	----	29.70B/*21.70A	29.70B/*21.70A	----	----	20.50 - 3.00	.2022	----	----	----	----	30	UNCH										
2120	----	----	----	28.70B/*20.90A	28.70B/*20.90A	----	----	19.70 - 3.00	.1955	----	----	----	----	15	UNCH										
2125	----	----	----	28.00B/*20.20A	28.00B/*20.20A	----	----	19.00 - 2.90	.1893	----	----	----	----	15	UNCH										
2150	----	----	----	22.80B/*16.80A	22.80B/*16.80A	----	----	15.60 - 2.70	.1596	----	----	----	----	18	UNCH										
2160	----	----	----	21.10B/*15.70A	21.10B/*15.70A	----	----	14.40 - 2.70	.1488	----	----	----	----	1	UNCH										
2170	----	----	----	19.60B/*14.60A	19.60B/*14.60A	----	----	13.30 - 2.60	.1387	----	----	----	----	4	UNCH										
2200	----	----	----	15.50B/*11.90A	15.50B/*11.90A	----	----	10.50 - 2.40	.1122	----	----	----	----	460	UNCH										
2250	----	----	----	10.20B/*8.60A	10.20B/*8.60A	----	----	7.10 - 2.00	.0784	----	----	----	----	117	UNCH										
2300	----	----	----	6.70B/*6.50A	6.70B/*6.50A	----	----	5.00 - 1.60	.0559	----	----	----	----	255	UNCH										
2350	----	----	----	4.10B/*5.30A	4.10B/*5.30A	----	----	3.70 - 1.20	.0413	----	----	----	----	160	UNCH										
2400	----	----	----	2.60B/*4.50A	2.60B/*4.50A	----	----	2.80 - 1.00	.0311	----	----	----	----	904	UNCH										
2450	----	----	----	1.60B/*4.00A	1.60B/*4.00A	----	----	2.20 - 0.90	.0241	----	----	----	----	50	UNCH										
2480	----	----	----	1.20B/*3.80A	1.20B/*3.80A	----	----	1.90 - 0.90	.0206	----	----	----	----	50	UNCH										
2500	----	----	----	1.00B/*3.60A	1.00B/*3.60A	----	----	1.80 - 0.80	.0193	----	----	----	----	649	UNCH										
2600	----	----	----	0.30B/*3.10A	0.30B/*3.10A	----	----	1.20 - 0.70	.0124	----	----	----	----	361	UNCH										
2650	----	----	----	0.10B/*2.90A	0.10B/*2.90A	----	----	1.00 - 0.70	.0102	----	----	----	----	1	UNCH										
2700	----	----	----	----/*2.80A	----	----	----	0.90 - 0.50	.0089	----	----	----	----	112	UNCH										
2800	----	----	----	----/*1.00A	----	----	----	0.60 - 0.40	.0058	----	----	----	----	350	UNCH										
2850	----	----	----	----/*2.40A	----	----	----	0.50 - 0.40	.0048	----	----	----	----	58	UNCH										
2900	----	----	----	----/*2.30A	----	----	----	0.40 - 0.40	.0038	----	----	----													

PG64	BULLETIN # 99@										METALS OPTION PRODUCTS										Tue, May 26, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
PO CALL	PLATINUM OPTIONS																						
TOTAL											30		2432 +	20									
JAN27	----	----	----	----	----	128.40	+ 2.90	.3515	----	----	----	----	100	UNCH									
2360													100	0									
TOTAL																							
PO PUT	PLATINUM OPTIONS																						
JUL26	----	----	----	----	----	0.10	UNCH	.0001	----	----	----	----	150	UNCH									
1400				----	----	0.20	- 0.30	.0027	----	----	----	----	153	UNCH									
1500				----	----	0.50	- 0.60	.0067	----	----	----	----	200	UNCH									
1550				----	----	1.20	- 1.10	.0153	----	----	----	----	324	UNCH									
1600				----	----	1.50B/*4.30A	2.50	- 1.90	.0306	----	----	----	1	UNCH									
1650			----	----	----	0.10B/*3.20A	1.20	- 1.10	.0153	----	----	----	324	UNCH									
1680			----	----	----	2.90B/5.40A	3.80	- 2.60	.0451	----	----	----	50	UNCH									
1700			----	----	----	4.10B/6.40A	5.00	- 3.10	.0579	----	----	----	278	UNCH									
1710			----	----	----	4.80B/7.00A	5.80	- 3.30	.0659	----	----	----	1	UNCH									
1725			----	----	----	6.10B/8.10A	7.00	- 3.80	.0781	----	----	----	100	UNCH									
1750			----	----	----	8.80B/10.30A	9.40	- 4.70	.1017	----	----	----	50	UNCH									
1800			----	----	----	16.50B/16.90A	16.40	- 7.10	.1649	----	----	----	391	UNCH									
1805			----	----	----	17.50B/17.80A	17.40	- 7.20	.1730	----	----	----	45	UNCH									
1810			----	----	----	18.40B/18.70A	18.30	- 7.50	.1807	----	----	----	15	UNCH									
1815			----	----	----	19.50B/19.60A	19.30	- 7.80	.1889	----	----	----	30	UNCH									
1820			----	----	----	20.60B/20.60A	20.40	- 8.00	.1975	----	----	----	30	UNCH									
1825			----	----	----	21.80B/21.60A	21.50	- 8.30	.2062	----	----	----	55	UNCH									
1830			----	----	----	22.90B/22.60A	22.60	- 8.60	.2149	----	----	----	15	UNCH									
1835			----	----	----	24.20B/23.70A	23.80	- 8.90	.2240	----	----	----	15	UNCH									
1840			----	----	----	25.50B/24.90A	25.10	- 9.10	.2336	----	----	----	15	UNCH									
1850			----	----	----	28.20B/27.30A	27.80	- 9.60	.2531	----	----	----	40	UNCH									
1900	41.00	41.00	41.00	41.00	41.00	45.30B/41.00	44.90	- 11.80	.3615	----	4	----	244 +	2									
1950				62.30A	68.70B/62.30A	68.20	- 13.40	.4789	----	----	----	----	8	UNCH									
1980				77.20A	85.10B/77.20A	85.10	- 14.10	.5483	----	----	----	----	48	UNCH									
1990				82.60A	88.70B/82.60A	91.20	- 14.30	.5707	----	----	----	----	23	UNCH									
2000				88.20A	98.40B/88.20A	97.50	- 14.40	.5928	----	----	----	----	53	UNCH									
2015				98.80A	95.00B/98.80A	107.40	- 14.60	.6247	----	----	----	----	25	UNCH									
2030				----	----	117.70	- 14.80	.6552	----	----	----	----	23	UNCH									
2035				----	----	121.20	- 14.80	.6652	----	----	----	----	46	UNCH									
2075			136.80A	152.60B/136.80A	151.20	- 14.90	.7376	----	----	----	----	----	1	UNCH									
2085			----	----	159.10	- 14.90	.7538	----	----	----	----	----	1	UNCH									
2100			155.30A	172.80B/155.30A	171.20	- 14.80	.7764	----	----	----	----	----	225	UNCH									
2130			----	----	196.30	- 14.70	.8172	----	----	----	----	----	23	UNCH									
2135			----	----	200.60	- 14.70	.8233	----	----	----	----	----	190	UNCH									
2165			----	----	226.90	- 14.40	.8564	----	----	----	----	----	20	UNCH									
2350			376.10A	403.50B/376.10A	401.50	- 13.00	.9585	----	----	----	----	----	5	UNCH									
2400			423.80A	452.70B/423.80A	450.60	- 12.80	.9688	----	----	----	----	----	300	UNCH									
TOTAL											4		3193 +	2									
AUG26	----	----	9.20A	7.00B/9.20A	7.60	- 3.90	.0584	----	----	----	----	----	1	UNCH									
2000			120.90A	127.80B/120.90A	124.70	- 17.50	.5134	----	----	----	----	----	1	UNCH									
TOTAL													2	0									
SEP26	78.40	78.40	78.40	78.40	78.40	80.80	NEW	.3247	----	----	16	----	16 +	16									
1850			78.40	86.40B/78.20					----	----	16	----	16 +	16									
TOTAL																							
OCT26	----	----	----	3.40B/*8.00A	----	5.10	- 2.20	.0266	----	----	----	----	4	UNCH									
1300			18.50A	15.50B/18.50A	----	15.90	- 5.60	.0776	----	----	----	----	21	UNCH									
1500			30.70A	29.50B/30.70A	----	28.70	- 8.80	.1290	----	----	----	----	28	UNCH									
1600			51.10A	52.10B/51.10A	----	49.90	- 12.60	.2012	----	----	----	----	50	UNCH									
1700			56.40A	57.90B/56.40A	----	55.40	- 13.30	.2179	----	----	----	----	2	UNCH									
1720			89.60A	93.40B/89.60A	----	89.60	- 17.00	.3096	----	----	----	----	5	UNCH									
1820			106.00	106.00	106.00	101.90A	102.20	- 17.90	.3389	----	10	----	200	UNCH									
1850			150.10A	156.30B/150.10A	----	151.60	- 20.60	.4373	----	----	----	----	50	UNCH									
1950			178.30A	185.20B/178.30A	----	180.50	- 21.40	.4850	----	----	----	----	1	UNCH									
2000			241.90A	249.70B/241.90A	----	245.40	- 22.00	.5732	----	----	----	----	100	UNCH									
2100			----	----	----	266.40	- 22.10	.5975	----	----	----	----	41	UNCH									
2130			----	----	----	270.00	- 22.10	.6015	----	----	----	----	12	UNCH									
2135			----	----	----	273.60	- 22.10	.6054	----	----	----	----	12	UNCH									
2140			469.80A	481.70B/469.80A	----	479.80	- 21.00	.7694	----	----	----	----	200	UNCH									
2400			554.40A	567.70B/554.40A	----	566.80	- 20.30	.8142	----	----	----	----	1	UNCH									
2500									----	----													
TOTAL											10		727	0									
JAN27	----	----	----	----	----	56.40	- 3.70	.1485	----	----	----	----	40	UNCH									
1500			----	----	----	147.40	- 6.80	.3177	----	----	----	----	1	UNCH									
1800			----	----	----	194.30	- 7.90	.3838	----	----	----	----	100	UNCH									
1900			----	----	----	248.20	- 8.90	.4498	----	----	----	----	200	UNCH									
2000									----	----	----	----	341	0									
TOTAL																							

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4700	0	230
TOTALS			0	230
JUL26 CALL				
OG		4600	0	120
OG		4650	0	80
OG		4750	0	200
OG		4800	0	185
OG		4805	0	300
OG		4850	0	50
OG		4900	0	20
TOTALS			0	955
DEC26 CALL				
OG		5000	0	270
TOTALS			0	270
OG PUT COMEX GOLD OPTIONS				
JUL26	PUT			
OG		4300	0	50
OG		4350	0	320
OG		4360	0	600
OG		4400	0	50
OG		4410	0	600
OG		4500	0	600
OG		4520	0	100
OG		4525	0	300
TOTALS			0	2620
AUG26 PUT				
OG		3900	0	320
TOTALS			0	320
SEP26 PUT				
OG		4585	0	50
TOTALS			0	50
DEC26 PUT				
OG		4500	0	100
TOTALS			0	100
SO CALL COMEX SILVER OPTIONS				
JUL26	CALL			
SO		9800	0	42
TOTALS			0	42
SEP26 CALL				
SO		9500	0	28
SO		10000	0	25
TOTALS			0	53
OCT26 CALL				
SO		9100	0	50
TOTALS			0	50
DEC26 CALL				
SO		11000	0	30
TOTALS			0	30
SO PUT COMEX SILVER OPTIONS				
JUL26	PUT			
SO		6500	0	42
TOTALS			0	42
AUG26 PUT				
SO		7700	0	80
TOTALS			0	80
HX CALL COMEX COPPER OPTIONS				
JUL26	CALL			
HX		645	0	25
TOTALS			0	25
AUG26 CALL				
HX		670	0	350
TOTALS			0	350
SEP26 CALL				
HX		645	0	200
HX		705	0	400
TOTALS			0	600
DEC26 CALL				
HX		775	0	210
TOTALS			0	210
HX PUT COMEX COPPER OPTIONS				
JUL26	PUT			
HX		635	0	25
TOTALS			0	25
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JUL26	PUT			
HRO		112500	0	150
TOTALS			0	150
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK4				
MAY26	CALL			
G4W		4550	0	25
TOTALS			0	25
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2				
JUN26	CALL			
G2W		4600	0	100
TOTALS			0	100
COO OPT COBALT METAL (FASTMARKETS) APO				
AUG26	CALL			
COO		2750	0	60
TOTALS			0	60
OCT26 CALL				
COO		3000	0	50
TOTALS			0	50
NOV26 CALL				
COO		3000	0	50
TOTALS			0	50
DEC26 CALL				
COO		3000	0	50
TOTALS			0	50
RWS THU SILVER WEEKLY THURSDAY OPTION week3				
JUN26	CALL			

PG64	BULLETIN # 99@		METALS OPTION PRODUCTS	Tue, May 26, 2026	PG64
R3S	7700	0	104		
TOTALS		0	104		