METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/22	04/23											
ECG11 OP		04/22	04/23											
ECG13 OP		04/22	04/23											
ECG15 OP		04/22	04/23											
ECG16 OP		04/22	04/23											
ECGC OOF		04/22	04/23											
ECHG OOF		04/22	04/23											
ECSI OOF		04/22	04/23											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/24			05/01										
FSO OPT	04/30			05/29	06/30									
GMW MON				05/18	06/01									
GWR THU	04/30			05/14										
GWT TUE	04/28			05/19										
GWW WED	04/29			05/13										
HMW MON				05/18	06/01									
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28			05/05										
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/08										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL				05/15										
OG3 PUT				05/15										
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL					05/20	06/17		08/19			11/18			
PAO PUT					05/20	06/17		08/19			11/18			
PAW OOF	04/24													
PLW OOF	04/24			05/01										
PO CALL					05/20	06/17			09/16			12/16		
PO PUT					05/20	06/17			09/16			12/16		
RWS THU	04/30			05/07										
SMW MON				05/18	06/01									
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO2 PUT				05/08										
SO3 CALL				05/15										
SO3 PUT				05/15										
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29			05/06										
TWS TUE	04/28			05/19										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	0.40 + 0.30	----	----	----	----	----	4 UNCH
4200	----	----	----	----	----	1.10 + 0.60	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	475.30 - 28.20	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	277.80 - 27.40	----	----	----	----	----	1 UNCH
4500	----	----	----	----/*5.00A	----	5.50 + 2.20	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	229.50 - 26.70	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	12.80 + 4.40	----	----	----	----	----	3 UNCH
4725	----	----	----	----	----	44.10 + 11.80	----	----	----	----	----	1 UNCH
4770	----	----	----	----	----	68.60 + 16.90	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	89.80 + 20.40	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	13.80 - 8.60	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	179.00 + 27.60	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	3.10 - 1.40	----	----	----	----	----	2 UNCH
4910	----	----	----	----	----	2.80 - 1.10	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	1.30 - 0.10	----	----	----	----	----	1 UNCH
5050	----	----	----	----	----	326.80 + 29.00	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	0.30 - 0.10	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL												35 0
JUN26												
2500	----	----	----	----	----	0.20 UNCH	----	----	----	----	----	2 UNCH
4200	----	----	----	----	----	18.00 + 3.70	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	22.40 + 4.60	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	25.90 + 5.20	----	----	----	----	----	2 UNCH
4500	----	----	----	----	----	56.60 + 9.30	----	----	----	----	----	5 UNCH
4600	----	----	----	----	----	83.30 + 11.00	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	91.90 + 11.80	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	99.20 + 12.40	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	145.50 - 15.50	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	62.20 - 9.50	----	----	----	----	----	2 UNCH
5000	41.00	41.00	#41.00/*41.00	41.00/*41.00	----	38.70 NEW	----	----	----	1	----	1 + 1
5100	----	----	----	----/*41.00A	----	24.10 - 4.90	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	7.50 - 1.40	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	2.70 - 0.30	----	----	----	----	----	1 UNCH
TOTAL										1		27 + 1
JUL26												
3400	----	----	----	----	----	1361.20 - 28.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1301.80 - 28.70	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	35.30 + 4.50	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	47.70 + 5.70	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	87.50 + 8.50	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	117.20 + 9.60	----	----	----	----	----	2 UNCH
TOTAL												7 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3800	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
4025	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4050	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
4125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
4175	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4200	0.10	0.10	0.30B/*0.10	0.30B/*0.10	----	0.10 UNCH	----	----	----	4	----	8 UNCH
4210	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4225	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4235	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4250	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4255	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4275	----	----	0.30B/----	0.30B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
4280	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
4290	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.10	----	----	----	1	----	11 + 1
4300	0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10 - 0.10	.0000	----	----	2	----	23 + 1
4310	----	----	0.60B/----	0.60B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	8 UNCH
4315	----	----	0.60B/----	0.60B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4320	0.10	0.10	0.60B/*0.10	0.60B/*0.10	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4325	----	----	0.70B/*0.20A	0.70B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
4330	0.30	0.30	0.70B/*0.20A	0.70B/*0.20A	----	0.10 - 0.20	.0000	----	----	1	----	10 + 1
4340	----	----	0.80B/*0.20A	0.80B/*0.20A	----	0.20 - 0.10	.0001	----	----	----	----	4 UNCH
4345	----	----	0.90B/*0.20A	0.90B/*0.20A	----	0.20 - 0.10	.0001	----	----	----	----	1 UNCH
4350	0.20	0.20	0.90B/0.20	0.90B/0.20	----	0.20 - 0.10	.0001	----	----	11	----	41 + 6
4355	----	----	0.90B/*0.20A	0.90B/*0.20A	----	0.20 - 0.10	.0001	----	----	----	----	10 UNCH
4365	----	----	1.10B/*0.20A	1.10B/*0.20A	----	0.20 - 0.20	.0001	----	----	----	----	3 UNCH
4370	0.20	0.20	1.10B/*0.20	1.10B/*0.20	----	0.20 NEW	.0001	----	----	1	----	1 + 1
4375	----	----	1.10B/*0.20A	1.10B/*0.20A	----	0.20 - 0.20	.0001	----	----	----	----	3 UNCH
4380	1.10	1.10	1.10/*0.30A	1.10/*0.30A	----	0.30 - 0.10	.0002	----	----	7	----	7 + 2
4385	----	----	1.20B/*0.30A	1.20B/*0.30A	----	0.30 - 0.10	.0002	----	----	17	----	30 + 17
4395	0.30	0.30	1.20B/*0.20A	1.20B/*0.20A	----	0.30 - 0.20	.0002	----	----	9	----	9 + 2
4400	1.20	1.20	1.20/*0.20	1.20/*0.20	----	0.30 - 0.20	.0002	----	----	36	----	102 + 9
4410	----	----	1.20B/*0.30A	1.20B/*0.30A	----	0.40 - 0.10	.0004	----	----	----	----	39 UNCH
4415	0.40	0.40	1.30B/*0.30A	1.30B/*0.30A	----	0.40 - 0.20	.0004	----	----	1	----	17 + 1
4420	----	----	1.40B/*0.30A	1.40B/*0.30A	----	0.40 - 0.20	.0004	----	----	----	----	5 UNCH
4425	0.30	0.30	1.50/*0.20	1.50/*0.20	----	0.50 - 0.10	.0005	----	----	5	----	25 + 4
4430	0.80	0.80	1.50B/*0.20	1.50B/*0.20	----	0.50 NEW	.0006	----	----	10	----	10 + 10
4435	0.20	0.20	1.60B/*0.20	1.60B/*0.20	----	0.50 NEW	.0006	----	----	1	----	1 + 1
4450	0.70	0.70	1.90B/*0.30A	1.90B/*0.30A	----	0.70 - 0.10	.0011	----	----	12	----	45 + 11
4455	----	----	2.10B/*0.30A	2.10B/*0.30A	----	0.70 - 0.10	.0011	----	----	----	----	1 UNCH
4460	0.80	0.80	2.20B/*0.30A	2.20B/*0.30A	----	0.80 UNCH	.0014	----	----	6	----	6 + 4
4470	----	----	2.60B/*0.30A	2.60B/*0.30A	----	0.90 UNCH	.0017	----	----	----	----	1 UNCH
4475	1.10	1.10	2.50B/*0.40A	2.50B/*0.40A	----	0.90 - 0.10	.0018	----	----	3	----	30 + 3
4480	----	----	2.80B/*0.40A	2.80B/*0.40A	----	1.00 UNCH	.0021	----	----	3	----	8 UNCH
4485	----	----	3.00B/*0.40A	3.00B/*0.40A	----	1.10 UNCH	.0025	----	----	----	----	1 UNCH
4490	0.70	0.70	3.30B/*0.40A	3.30B/*0.40A	----	1.10 UNCH	.0026	----	----	9	----	34 + 7
4495	----	----	3.40B/*0.40A	3.40B/*0.40A	----	1.20 UNCH	.0030	----	----	----	----	1 UNCH
4500	1.20	1.20	3.70B/*0.40A	3.70B/*0.40A	----	1.30 + 0.10	.0035	----	----	48	----	205 + 32
4505	----	----	3.90B/*0.50A	3.90B/*0.50A	----	1.40 + 0.10	.0039	----	----	----	----	50 UNCH
4510	0.80	0.80	4.10B/*0.50A	4.10B/*0.50A	----	1.50 + 0.20	.0045	----	----	11	----	12 + 11
4515	0.80	0.80	4.40B/*0.50A	4.40B/*0.50A	----	1.60 + 0.20	.0050	----	----	10	----	13 + 10
4520	0.90	0.90	4.60B/*0.60	4.60B/*0.60	----	1.70 + 0.20	.0056	----	----	26	----	31 + 24
4525	2.20	2.20	4.90B/*0.60A	4.90B/*0.60A	----	1.80 + 0.20	.0063	----	----	37	----	149 - 1
4530	0.60	0.60	5.30B/*0.50	5.30B/*0.50	----	1.90 + 0.30	.0070	----	----	7	----	7 + 5
4535	1.00	1.00	5.60B/*0.70A	5.60B/*0.70A	----	2.00 NEW	.0077	----	----	8	----	8 + 8
4540	1.10	1.10	5.90B/*0.70A	5.90B/*0.70A	----	2.10 + 0.30	.0085	----	----	9	----	39 + 3
4545	----	----	6.40B/*0.80A	6.40B/*0.80A	----	2.30 + 0.40	.0099	----	----	----	----	7 UNCH
4550	3.10	3.10	6.70B/*0.80A	6.70B/*0.80A	----	2.50 + 0.50	.0114	----	----	35	----	96 + 16
4555	----	----	7.10B/*0.90A	7.10B/*0.90A	----	2.60 + 0.50	.0124	----	----	1	----	13 + 1
4560	3.30	3.30	7.60B/*0.90A	7.60B/*0.90A	----	2.80 + 0.60	.0141	----	----	36	----	40 + 35
4565	4.00	4.00	8.10B/*1.00	8.10B/*1.00	----	3.00 + 0.70	.0159	----	----	22	----	25 + 20
4570	1.00	1.00	8.60B/*1.00	8.60B/*1.00	----	3.20 + 0.70	.0178	----	----	3	----	5 + 2
4575	2.50	2.50	9.20B/*1.10	9.20B/*1.10	----	3.40 + 0.80	.0199	----	----	36	----	73 + 8
4580	2.20	2.20	9.80B/*1.00	9.80B/*1.00	----	3.70 + 0.90	.0229	----	----	8	----	24 + 7
4585	----	----	10.50B/*1.20A	10.50B/*1.20A	----	3.90 + 1.00	.0253	----	----	4	----	29 + 1
4590	2.70	2.70	11.10B/*1.30	11.10B/*1.30	----	4.20 + 1.10	.0287	----	----	3	----	7 + 2
4595	2.50	2.50	11.80B/*1.40A	11.80B/*1.40A	----	4.50 + 1.20	.0323	----	----	5	----	11 + 4
4600	6.00	6.00	12.60B/*1.40	12.60B/*1.40	----	4.80 + 1.30	.0361	----	----	141	----	447 + 88
4605	2.60	2.60	13.40B/*1.60A	13.40B/*1.60A	----	5.20 + 1.50	.0411	----	----	7	----	5 + 5
4610	5.00	5.00	14.30B/*1.70A	14.30B/*1.70A	----	5.50 + 1.60	.0456	----	----	16	----	11 + 2
4615	4.50	4.50	15.20B/*1.90A	15.20B/*1.90A	----	5.90 + 1.70	.0513	----	----	3	----	13 UNCH
4620	5.20	5.20	16.20B/*2.00A	16.20B/*2.00A	----	6.40 + 1.90	.0582	----	----	39	----	49 + 35
4625	10.00	10.00	17.30B/*2.20A	17.30B/*2.20A	----	6.80 + 2.00	.0648	----	----	436	----	127 + 116
4630	3.60	3.60	18.40B/*2.30A	18.40B/*2.30A	----	7.30 + 2.20	.0727	----	----	29	----	36 + 10
4635	3.70	3.70	19.60B/*2.50A	19.60B/*2.50A	----	7.80 + 2.30	.0812	----	----	7	----	11 + 3
4640	5.60	5.60	20.90B/*2.70A	20.90B/*2.70A	----	8.40 + 2.60	.0913	----	----	77	----	50 + 20
4645	5.00	5.00	22.30B/*3.00A	22.30B/*3.00A	----	9.00 + 2.70	.1021	----	----	2	----	34 + 1
4650	11.50	11.50	23.80B/*3.20A	23.80B/*3.20A	----	9.60 + 2.90	.1136	----	----	242	----	334 + 36
4655	7.40	7.40	25.30B/*3.50A	25.30B/*3.50A	----	10.30 + 3.10	.1269	----	----	13	----	11 + 6
4660	9.20	9.20	26.90B/*3.90A	26.90B/*3.90A	----	11.10 + 3.40	.1421	----	----	19	----	27 + 9
4665	7.20	7.20	28.60B/*4.20A	28.60B/*4.20A	----	11.90 + 3.60	.1582	----	----	5	----	22 + 3
4670	6.50	6.50	30.40B/*4.60A	30.40B/*4.60A	----	12.80 + 3.90	.1764	----	----	54	----	43 + 29
4675	9.30	9.30	32.50B/*5.00A	32.50B/*5.00A	----	13.80 + 4.20	.1965	----	----	124	----	95 + 36
4680	17.50	17.50	34.50B/*5.40A	34.50B/*5.40A	----	14.80 + 4.40	.2180	----	----	40	----	32 + 13
4685	16.80	16.80	36.70B/*6.00A	36.70B/*6.00A	----	15.90 + 4.70	.2416	----	----	23	----	9 + 3
4690	10.00	10.00	38.80B/*6.50A	38.80B/*6.50A	----	17.20 + 5.10	.2680	----	----	35	----	32 + 20
4695	7.20	7.20	41.30B/*7.20	41.30B/*7.20	----	18.50 + 5.50	.2959	----	----	29	----	23 + 20
4700	14.00	14.00	43.90B/*7.80A	43.90B/*7.80A	----	19.90 + 5.90	.3259	----	----	363	----	216 + 40
4705	17.00	17.00	46.70B/*8.70A	46.70B/*8.70A	----	21.50 + 6.30	.3585	----	----	14	----	7 + 4
4710	11.90	11.90	49.70B/*9.50A	49.70B/*9.50A	----	23.20 + 6.80	.3929	----	----	72	----	44 + 40
4715	21.50	21.50	52.60B/*10.50A	52.60B/*10.50A	----	25.10 + 7.40	.4292	----	----	70	----	39 + 37
4720	33.20	33.20	55.80B/*11.50A	55.80B/*11.50A	----	27.00 + 7.90	.4667	----	----	67	----	63 + 22
4725	30.10	30.10	59.10B/*12.60A	59.10B/*12.60A	----	29.20 + 8.50	.5056	----	----	336	----	88 - 140
4730	28.60	28.60	62.50B/14.10A	62.50B/14.10A	----	31.50 + 9.20	.5453	----	----	57	----	91 + 5
4735	23.40	23.40	66.00B/15.60A	66.00B/15.60A	----	34.00 + 9.90	.5851	----	----	6	----	24 + 2
4740	31.10	31.10	69.40B/17.10A	69.40B/17.10A	----	36.70 + 10.70	.6245	----	----	26	----	47 - 3
4745	39.70	39.70	73.40B/19.00A	73.40B/19.00A	----	39.50 + 11.50	.6634	----	----	2	----	14 + 1
4750	37.90	37.90	77.20B/20.80A	77.20B/20.80A	----	42.50 + 12.40	.7008	----	----	31	----	80 + 7
4755	28.30	28.30	81.30B/22.90A	81.30B/22.90A	----	45.70 + 13.30	.7362	----	----	6	----	13 + 3
4760	42.10	42.10	85.40B/25.10A	85.40B/25.10A	----	49.00 + 14.10	.7699	----	----	2	----	36 - 1
4765	32.10	32.10	89.40B/27.60A	89.40B/27.60A	----	52.50 + 15.00	.8007	----	----	2	----	15 + 2
4770	----	----	93.60B/30.20A	93.60B/30.20A	----	56.20 + 16.00	.8283	----	----	3	----	71 + 3
4775	36.60	36.60	98.10B/33.70A	98.10B/33.70A	----	60.00 + 16.90	.8534	----	----	12	----	25 + 1
4780	----	----	102.30B/36.60A	102.30B/36.60A	----	63.90 + 17.80	.8761	----	----	7	----	42 + 7
4785	----	----	106.90B/39.90A	106.90B/39.90A	----	67.90 + 18.60	.8963	----	----	4	----	8 + 3
4790	----	----	111.40B/43.40A	111.40B/43.40A	----	72.10 + 19.50	.9128	----	----	----	----	6 UNCH
4795	----	----	116.00B/47.20A	116.00B/47.20A	----	76.40 + 20.40	.9269	----	----	----	----	71 UNCH
4800	----	----	120.60B/50.90A	120.60B/50.90A	----	80.70 + 21.20	.9399	----	----	18	----	107 - 1
4805	----	----	125.30B/54.90A	125.30B/54.90A	----	85.20 + 22.00	.9495	----	----	2	----	23 - 2
4810	----	----	129.80B/59.00A	129.80B/59.00A	----	89.70 + 22.70	.9584	----	----	----	----	24 UNCH
4815	----	----	134.70B/62.20A	134.70B/62.20A	----	94.20 + 23.20	.9664	----	----	----	----	2 UNCH
4820	----	----	139.40B/65.80A	139.40B/65.80A	----	98.90 + 23.90	.9716	----	----	7	----	41 - 6
4825	----	----	144.20B/69.40A	144.20B/69.40A	----	103.50 + 24.40	.9773	----	----	----	----	87 UNCH
4830	82.50	82.50	149.00B/73.10A	149.00B/73.10A	----	108.20 + 24.90	.9815	----	----	1	----	36 UNCH
4835	----	----	153.90B/77.10A	153.90B/77.10A	----	113.00 + 25.40	.9843	----	----	----	----	20 UNCH
4840	----	----	158.70B/81.10A	158.70B/81.10A	----	117.80 + 25.80	.9869	----	----	1	----	15 UNCH
4850	101.00	101.00	168.50B/89.40A	168.50B/89.40A	----	127.40 + 26.40	.9914	----	----	3	----	12 - 2
4855	----	----	173.40B/93.70A	173.40B/93.70A	----	132.20 + 26.70	.9933	----	----	----	----	2 UNCH
4865	----	----	183.10B/102.50A	183.10B/102.50A	----	141.90 + 27.10	.9958	----	----	----	----	4 UNCH
4870	----	----	188.10B/107.00A	188.10B/107.00A	----	146.80 + 27.30	.9966	----	----	----	----	1 UNCH
4875	----	----	193.00B/111.50A	193.00B/111.50A	----	151.70 + 27.40	.9973	----	----	----	----	12 UNCH
4880	----	----	197.90B/116.20A	197.90B/116.20A	----	156.60 + 27.50	.9979	----	----	----	----	0 - 1
4900	206.90	206.90	217.80B/135.00A	217.80B/135.00A	----	176.40 + 28.00	.9990	----	----	10	----	12 - 2
4905	----	----	222.80B/139.70A	222.80B/139.70A	----	181.30 + 28.00	.9994	----	----	3	----	4 + 3
4910	----	----	227.70B/144.50A	227.70B/144.50A	----	186.30 + 28.10	.9994	----	----	----	----	1 UNCH
4915	----	----	232.70B/149.60A	232.70B/149.60A	----	191.20 + 28.10	.9994	----	----	----	----	1 UNCH
4920	----	----	237.70B/154.20A	237.70B/154.20A	----	196.20 + 28.20	.9997	----	----	1	----	1 - 1
4940	----	----	257.50B/173.70A	257.50B/173.70A	----	216.10 + 28.40	.9997	----	----	----	----	1 UNCH
4995	----	----	312.40B/237.60A	312.40B/237.60A	----	271.10 + 28.70	1.0000	----	----	----	----	2 - 4
5000	----	----	317.40B/242.40A	317.40B/242.40A	----	276.10 + 28.70	1.0000	----	----	6	----	6 UNCH
5075	----	----	392.30B/317.50A	392.30B/317.50A	----	351.10 + 29.00	1.0000	----	----	----	----	0 - 1
5200	----	----	517.30B/442.30A	517.30B/442.30A	----	476.10 + 29.00	1.0000	----	----	----	----	1 UNCH
TOTAL										2922		4286 + 741

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4225	465.60	465.60	532.60B/457.80A	532.60B/457.80A	----	499.10 NEW	1.0000	----	----	1	----	0 UNCH
4540	----	----	229.70B/*149.30	229.70B/*149.30A	----	186.10 - 28.70	.9914	----	----	----	----	1 UNCH
4550	----	----	220.00B/140.10A	220.00B/140.10A	----	176.40 - 28.60	.9885	----	----	----	----	1 UNCH
4600	----	----	171.30B/*96.20A	171.30B/*96.20A	----	128.80 - 27.70	.9638	----	----	----	----	2 UNCH
4620	----	----	152.10B/*80.00A	152.10B/*80.00A	----	110.40 - 27.10	.9417	----	----	----	----	1 UNCH
4625	----	----	147.40B/*76.10A	147.40B/*76.10A	----	105.80 - 27.00	.9351	----	----	----	----	1 UNCH
4650	103.30	103.30	123.80B/*57.20A	123.80B/*57.20A	----	83.60 - 26.10	.8863	----	----	6	----	7 - 4
4655	----	----	119.50B/*53.80A	119.50B/*53.80A	----	79.30 - 25.90	.8730	----	----	----	----	4 UNCH
4675	----	----	101.60B/*41.00A	101.60B/*41.00A	----	62.80 - 24.80	.8034	----	----	----	----	1 UNCH
4680	----	----	97.10B/*38.10A	97.10B/*38.10A	----	58.80 - 24.60	.7819	----	----	1	----	2 UNCH
4685	----	----	92.80B/*35.30A	92.80B/*35.30A	----	54.90 NEW	.7583	----	----	3	----	1 + 1
4690	----	----	88.50B/*32.70A	88.50B/*32.70A	----	51.20 - 23.80	.7319	----	----	2	----	6 + 1
4695	----	----	84.30B/*30.20A	84.30B/*30.20A	----	47.50 NEW	.7040	----	----	1	----	1 + 1
4700	61.20	61.20	80.40B/*27.90A	80.40B/*27.90A	----	43.90 - 23.10	.6740	----	----	60	----	35 + 18
4705	32.00	32.00	76.10B/*25.70A	76.10B/*25.70A	----	40.50 - 22.70	.6414	----	----	2	----	4 UNCH
4710	29.70	29.70	72.00B/*23.60A	72.00B/*23.60A	----	37.20 - 22.20	.6070	----	----	6	----	9 + 1
4715	25.70	25.70	68.10B/*21.60A	68.10B/*21.60A	----	34.10 - 21.60	.5707	----	----	34	----	33 + 31
4720	25.20	25.20	64.60B/*19.70A	64.60B/*19.70A	----	31.00 - 21.10	.5332	----	----	10	----	9 + 8
4725	28.80	28.80	60.70B/*17.90A	60.70B/*17.90A	----	28.20 - 20.40	.4942	----	----	29	----	12 + 10
4730	31.00	31.00	57.20B/*15.90A	57.20B/*15.90A	----	25.50 - 19.80	.4546	----	----	15	----	14 + 11
4735	41.30	41.30	53.10B/*14.10A	53.10B/*14.10A	----	23.00 NEW	.4148	----	----	8	----	2 + 2
4740	27.60	27.60	49.90B/*12.50A	49.90B/*12.50A	----	20.70 - 18.30	.3754	----	----	50	----	22 + 9
4745	27.10	27.10	46.40B/*10.90A	46.40B/*10.90A	----	18.50 - 17.50	.3365	----	----	59	----	21 + 8
4750	24.30	24.30	43.30B/*9.50A	43.30B/*9.50A	----	16.50 - 16.60	.2991	----	----	114	----	64 + 46
4755	22.80	22.80	40.60B/*8.40A	40.60B/*8.40A	----	14.70 - 15.70	.2637	----	----	70	----	28 + 26
4760	15.10	15.10	37.60B/*7.40A	37.60B/*7.40A	----	13.00 - 14.90	.2300	----	----	50	----	56 + 24
4765	34.40	34.40	35.30B/*6.40A	35.30B/*6.40A	----	11.50 - 14.00	.1992	----	----	15	----	14 + 2
4770	10.10	10.10	32.30B/*5.50A	32.30B/*5.50A	----	10.20 - 13.00	.1716	----	----	112	----	143 + 61
4775	15.00	15.00	29.70B/*4.80A	29.70B/*4.80A	----	9.00 - 12.10	.1465	----	----	106	----	46 + 18
4780	10.10	10.10	27.20B/*4.20A	27.20B/*4.20A	----	7.90 - 11.20	.1238	----	----	46	----	52 + 43
4785	5.80	5.80	24.90B/*3.40	24.90B/*3.40	----	6.90 - 10.40	.1036	----	----	31	----	24 + 10
4790	7.00	7.00	22.80B/*3.20A	22.80B/*3.20A	----	6.10 - 9.50	.0871	----	----	17	----	45 + 8
4795	8.40	8.40	20.90B/*2.80A	20.90B/*2.80A	----	5.40 - 8.60	.0730	----	----	13	----	9 + 4
4800	13.00	13.00	20.10/*2.40	20.10/*2.40	----	4.70 - 7.90	.0600	----	----	206	----	167 + 74
4805	6.70	6.70	17.10B/*2.20	17.10B/*2.20	----	4.20 - 7.00	.0503	----	----	52	----	59 + 34
4810	10.00	10.00	15.30B/*2.00A	15.30B/*2.00A	----	3.70 - 6.40	.0415	----	----	146	----	112 + 30
4815	5.80	5.80	13.90B/*1.60	13.90B/*1.60	----	3.20 - 5.80	.0335	----	----	38	----	20 + 11
4820	2.80	2.80	12.60B/*1.60A	12.60B/*1.60A	----	2.90 - 5.10	.0283	----	----	36	----	35 - 9
4825	10.00	10.00	11.30B/*1.20	11.30B/*1.20	----	2.50 - 4.60	.0226	----	----	83	----	173 + 1
4830	9.60	9.60	10.00B/*1.20A	10.00B/*1.20A	----	2.20 - 4.10	.0184	----	----	50	----	113 + 5
4835	2.20	2.20	9.10B/*1.00A	9.10B/*1.00A	----	2.00 - 3.70	.0155	----	----	10	----	15 + 7
4840	6.00	6.00	8.10B/*0.80	8.10B/*0.80	----	1.80 - 3.20	.0130	----	----	29	----	31 + 11
4845	1.40	1.40	7.30B/*0.80A	7.30B/*0.80A	----	1.60 - 2.90	.0106	----	----	25	----	25 + 17
4850	1.10	1.10	6.50B/*0.70	6.50B/*0.70	----	1.40 - 2.60	.0085	----	----	68	----	107 + 15
4855	1.00	1.00	5.90B/*0.60A	5.90B/*0.60A	----	1.20 - 2.40	.0066	----	----	8	----	16 + 4
4860	2.00	2.00	5.10B/*0.50A	5.10B/*0.50A	----	1.10 - 2.10	.0056	----	----	3	----	12 - 1
4865	----	----	4.60B/*0.40A	4.60B/*0.40A	----	0.90 - 2.00	.0041	----	----	----	----	4 UNCH
4870	0.80	0.80	4.20B/*0.40A	4.20B/*0.40A	----	0.80 - 1.80	.0033	----	----	48	----	36 + 21
4875	2.00	2.00	3.60B/*0.30	3.60B/*0.30	----	0.70 - 1.60	.0026	----	----	6	----	25 + 1
4880	----	----	3.40B/*0.30A	3.40B/*0.30A	----	0.60 - 1.50	.0020	----	----	----	----	21 UNCH
4885	----	----	3.00B/*0.30A	3.00B/*0.30A	----	0.50 - 1.40	.0015	----	----	----	----	14 UNCH
4890	0.40	0.40	2.70B/*0.30A	2.70B/*0.30A	----	0.50 - 1.20	.0014	----	----	12	----	26 + 2
4895	0.40	0.40	2.50B/*0.20A	2.50B/*0.20A	----	0.40 - 1.20	.0010	----	----	2	----	35 + 2
4900	0.30	0.30	2.30B/*0.20	2.30B/*0.20	----	0.40 - 1.00	.0009	----	----	13	----	305 - 3
4905	0.30	0.30	2.10B/*0.20A	2.10B/*0.20A	----	0.30 - 1.00	.0006	----	----	1	----	7 + 1
4910	----	----	1.80B/*0.20A	1.80B/*0.20A	----	0.30 - 0.90	.0006	----	----	----	----	22 UNCH
4915	----	----	1.70B/*0.20A	1.70B/*0.20A	----	0.30 - 0.80	.0005	----	----	2	----	7 - 1
4920	0.60	0.60	1.50B/*0.20A	1.50B/*0.20A	----	0.20 - 0.80	.0003	----	----	9	----	30 + 4
4925	0.80	0.80	1.40B/*0.20	1.40B/*0.20	----	0.20 - 0.80	.0002	----	----	56	----	69 + 56
4930	0.40	0.40	1.20B/*0.10A	1.20B/*0.10A	----	0.20 - 0.70	.0002	----	----	2	----	207 - 1
4935	0.50	0.50	1.10B/*0.10A	1.10B/*0.10A	----	0.20 - 0.60	.0002	----	----	16	----	20 + 4
4940	0.20	0.20	1.00B/*0.10A	1.00B/*0.10A	----	0.20 - 0.60	.0002	----	----	1	----	16 + 1
4945	----	----	0.90B/*0.10A	0.90B/*0.10A	----	0.10 - 0.60	.0000	----	----	----	----	9 UNCH
4950	1.30	1.30	1.30/*0.20	1.30/*0.20	----	0.10 - 0.60	.0000	----	----	19	----	276 - 6
4955	----	----	----/*0.20A	0.70B/*0.20A	----	0.10 - 0.60	.0000	----	----	----	----	8 UNCH
4960	----	----	0.70B/*0.20A	0.70B/*0.20A	----	0.10 - 0.50	.0000	----	----	----	----	7 UNCH
4965	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.10 - 0.50	.0000	----	----	1	----	4 UNCH
4970	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 0.50	.0000	----	----	----	----	18 UNCH
4975	----	----	----/*0.10A	0.50B/*0.10A	----	0.10 - 0.40	.0000	----	----	----	----	197 UNCH
4980	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.40	.0000	----	----	----	----	12 UNCH
4985	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	5 UNCH
4990	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.40	----	----	----	----	----	30 UNCH
4995	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.30	----	----	----	----	----	51 UNCH
5000	1.10	1.10	1.20/*0.10	1.20/*0.10	----	0.10 - 0.30	----	----	----	22	----	340 - 2
5005	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.30	----	----	----	----	----	27 UNCH
5010	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	49 UNCH
5015	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	64 UNCH
5020	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	73 UNCH
5025	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	130 UNCH
5030	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.20	----	----	----	1	----	96 UNCH
5050	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10 - 0.10	----	----	----	2	----	176 UNCH
5060	----	----	----	----/*0.20A	----	0.10 NEW	----	----	----	2	----	2 + 2
5075	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
5100	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	----	----	----	2	----	96 - 1
5120	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
5135	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5150	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	148 UNCH
5175	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5200	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	188 UNCH
5225	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5250	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
5265	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5275	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5300	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	78 UNCH
5305	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5325	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
5350	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
5400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
5450	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	68 UNCH
5500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										1834		4819 + 618

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
MAY26												
3900	----	----	#4.80B/----	#4.80B/*4.40A	----	4.30 + 0.70	.0213	----	----	----	----	1 UNCH
4000	----	----	#6.70B/----	#6.70B/*5.50A	----	5.80 + 1.10	.0299	----	----	----	----	1 UNCH
4100	----	----	#9.70B/----	#9.70B/*7.10A	----	8.10 + 1.70	.0430	----	----	----	----	3 UNCH
4200	11.50	11.50	#14.60B/11.50	#14.60B/*9.60A	----	11.60 NEW	.0630	----	----	50	----	50 + 50
4300	16.90	16.90	#22.10B/16.90	#22.10B/13.80A	----	17.10 + 3.30	.0940	----	----	10	----	12 + 10
4350	16.50	16.50	#27.30B/16.50	#27.30B/16.50	----	21.00 NEW	.1155	----	----	1	----	1 + 1
4400	26.00	26.00	34.20B/21.20A	34.20B/21.20A	----	25.90 + 4.30	.1419	----	----	3	----	4 + 3
4450	----	----	#42.70B/26.40A	#42.70B/26.40A	----	32.40 + 5.10	.1752	----	----	1	----	2 + 1
4500	----	----	#53.40B/33.60A	#53.40B/33.60A	----	40.60 NEW	.2155	----	----	1	----	1 + 1
4550	----	----	#66.50B/42.60A	#66.50B/42.60A	----	51.10 + 7.00	.2638	----	----	----	----	2 UNCH
4575	51.00	51.00	#74.10B/48.20A	#74.10B/48.20A	----	57.40 + 7.60	.2911	----	----	1	----	3 + 1
4625	----	----	#91.70B/61.00A	#91.70B/61.00A	----	72.30 + 9.20	.3514	----	----	----	----	1 UNCH
4650	----	----	#101.90B/68.60A	#101.90B/68.60A	----	81.10 + 10.20	.3842	----	----	----	----	16 UNCH
4675	----	----	#112.90B/77.00A	#112.90B/77.00A	----	90.80 + 11.20	.4183	----	----	----	----	1 UNCH
4700	125.00	125.00	#125.00/86.30A	#125.00/86.30A	----	101.50 NEW	.4535	----	----	2	----	2 + 2
4725	117.30	117.30	#137.80B/96.40A	#137.80B/96.40A	----	113.20 NEW	.4895	----	----	7	----	6 + 6
4775	----	----	#166.40B/119.90	#166.40B/119.90A	----	139.50 + 16.10	.5618	----	----	----	----	1 UNCH
4800	----	----	#182.10B/133.20	#182.10B/133.20A	----	154.00 + 17.20	.5974	----	----	----	----	14 UNCH
TOTAL										76		121 + 75

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4450	----	----	332.00B/*287.90	332.00B/*287.90A	----	305.90 - 23.90	.8242	----	----	----	----	1 UNCH
4650	----	----	175.50B/*140.40	175.50B/*140.40A	----	155.00 - 18.70	.6152	----	----	----	----	12 UNCH
4750	----	----	116.50B/*90.40A	116.50B/*90.40A	----	99.90 - 14.10	.4737	----	----	----	----	8 UNCH
4800	----	----	90.90B/*71.00A	90.90B/*71.00A	----	78.20 - 11.70	.4020	----	----	----	----	12 UNCH
4900	----	----	----/*42.10A	53.20B/*42.10A	----	45.70 - 7.90	.2709	----	----	----	----	1 UNCH
4950	27.40	27.40	27.40/*27.40	39.90B/*27.40	----	34.40 - 6.40	.2161	----	----	3	----	3 UNCH
5000	----	----	----/*24.30A	29.70B/*24.30A	----	25.80 - 5.20	.1702	----	----	1	----	13 + 1
5025	----	----	----/*20.90A	25.50B/*20.90A	----	22.40 - 4.70	.1507	----	----	----	----	1 UNCH
5050	----	----	----/*18.50A	21.70B/*18.50A	----	19.50 - 4.20	.1333	----	----	1	----	3 + 1
5100	----	----	----/*13.50A	16.10B/*13.50A	----	14.90 - 3.30	.1045	----	----	2	----	4 + 2
5125	----	----	----/*11.90A	13.90B/*11.90A	----	13.10 - 2.90	.0927	----	----	----	----	1 UNCH
5150	----	----	----/*10.60A	11.90B/*10.60A	----	11.60 - 2.60	.0826	----	----	----	----	1 UNCH
5400	----	----	----/*4.50A	3.70B/*4.50A	----	3.80 - 0.80	.0274	----	----	----	----	1 UNCH
5500	----	----	----	2.50B/*3.60A	----	2.60 - 0.50	.0185	----	----	----	----	1 UNCH
TOTAL										7		62 + 4

OG2 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	1.50	1.50	#1.70B/1.50	#1.70B/1.50	----	1.70 + 0.30	.0083	----	----	1	----	2 + 1
3900	----	----	#2.80B/----	#2.80B/2.40A	----	2.70 + 0.70	.0141	----	----	----	----	1 UNCH
4000	3.60	3.60	#4.10B/3.60	#4.10B/2.90A	----	3.70 + 1.00	.0203	----	----	2	----	4 + 2
4100	----	----	#6.00B/----	6.00B/*3.70A	----	5.10 + 1.40	.0295	----	----	3	----	3 + 1
4200	6.60	6.60	9.40B/*5.30A	9.40B/*5.30A	----	7.20 + 1.80	.0439	----	----	1	----	6 + 1
4250	----	----	#11.90B/*6.50A	11.90B/*6.50A	----	8.80 NEW	.0547	----	----	2	----	2 + 2
4275	----	----	#13.20B/*7.20A	#13.20B/*7.20A	----	9.70 NEW	.0609	----	----	2	----	2 + 2
4300	11.10	11.10	#14.80B/*8.10A	14.80B/*8.10A	----	10.80 + 2.50	.0683	----	----	1	----	2 + 1
4350	----	----	#19.00B/10.10A	19.00B/10.10A	----	13.50 + 3.00	.0864	----	----	----	----	3 UNCH
4375	----	----	#21.40B/11.40A	21.40B/11.40A	----	15.20 + 3.30	.0976	----	----	----	----	2 UNCH
4400	----	----	#24.30B/12.90A	24.30B/12.90A	----	17.20 + 3.70	.1105	----	----	3	----	9 + 3
4425	----	----	#27.60B/14.60A	27.60B/14.60A	----	19.50 + 4.20	.1251	----	----	----	----	2 UNCH
4450	18.30	18.30	#31.20B/16.60A	31.20B/16.60A	----	22.20 + 4.70	.1419	----	----	2	----	7 + 2
4475	26.80	26.80	#35.40B/18.90A	35.40B/18.90A	----	25.30 NEW	.1609	----	----	50	----	50 + 50
4500	29.50	29.50	#40.10B/21.60A	40.10B/21.60A	----	29.00 + 6.00	.1826	----	----	61	----	51 + 36
4525	35.40	35.40	#45.60B/24.80A	45.60B/24.80A	----	33.10 + 6.60	.2064	----	----	150	----	150 + 149
4550	----	----	#51.70B/28.50A	51.70B/28.50A	----	37.90 + 7.40	.2331	----	----	----	----	6 UNCH
4575	----	----	58.70B/33.00A	58.70B/33.00A	----	43.40 + 8.30	.2626	----	----	1	----	2 + 1
4600	39.00	39.00	66.40B/37.90A	66.40B/37.90A	----	49.60 + 9.10	.2948	----	----	25	----	22 - 19
4650	----	----	84.60B/50.10A	84.60B/50.10A	----	64.40 + 10.70	.3669	----	----	1	----	8 UNCH
4700	91.50	91.50	107.30B/66.00	107.30B/66.00	----	83.20 + 12.50	.4485	----	----	9	----	11 + 4
4725	----	----	119.70B/76.00A	119.70B/76.00A	----	94.30 + 13.50	.4919	----	----	----	----	10 UNCH
4750	----	----	133.90B/87.00A	133.90B/87.00A	----	106.70 + 14.60	.5361	----	----	----	----	1 UNCH
4775	----	----	149.50B/98.80A	149.50B/98.80A	----	120.30 + 15.70	.5802	----	----	----	----	13 UNCH
4800	----	----	165.60B/112.20A	165.60B/112.20A	----	135.30 + 17.00	.6234	----	----	----	----	16 UNCH
4825	----	----	183.40B/127.40A	183.40B/127.40A	----	151.50 + 18.40	.6649	----	----	----	----	1 UNCH
4850	----	----	#201.80B/143.40	#201.80B/143.40A	----	168.80 + 19.70	.7042	----	----	----	----	1 UNCH
4900	----	----	#241.50B/177.60	#241.50B/177.60A	----	206.20 + 21.70	.7746	----	----	----	----	1 UNCH
4975	----	----	#306.30B/235.10	#306.30B/235.10A	----	268.50 + 24.10	.8566	----	----	----	----	2 UNCH
TOTAL										314		390 + 236

OG2 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4450	----	----	333.50B/*265.70	333.50B/*265.70A	----	295.90 - 24.20	.8576	----	----	----	----	2 UNCH
4500	247.00	247.00	289.20B/*225.10	289.20B/*225.10A	----	252.70 NEW	.8170	----	----	2	----	2 + 2
4550	----	----	246.30B/*186.80	246.30B/*186.80A	----	211.70 - 21.50	.7664	----	----	----	----	1 UNCH
4575	----	----	225.30B/*168.70	225.30B/*168.70A	----	192.20 - 20.70	.7369	----	----	----	----	1 UNCH
4700	----	----	134.20B/*92.00A	134.20B/*92.00A	----	107.20 - 16.40	.5510	----	----	----	----	6 UNCH
4725	----	----	119.20B/*80.10A	119.20B/*80.10A	----	93.30 - 15.50	.5076	----	----	----	----	16 UNCH
4775	----	----	91.30B/*59.60A	91.30B/*59.60A	----	69.40 - 13.20	.4193	----	----	----	----	14 UNCH
4800	60.00	60.00	79.40B/*51.10A	79.40B/*51.10A	----	59.40 - 11.90	.3762	----	----	1	----	2 + 1
4875	----	----	50.10B/*31.40A	50.10B/*31.40A	----	36.20 NEW	.2587	----	----	1	----	1 + 1
4900	28.20	28.20	42.60B/*26.50A	42.60B/*26.50A	----	30.40 - 7.30	.2249	----	----	3	----	13 + 1
4925	23.10	23.10	35.80B/*22.20A	35.80B/*22.20A	----	25.50 - 6.30	.1945	----	----	4	----	7 + 4
4950	30.00	30.00	30.10B/*18.60A	30.10B/*18.60A	----	21.30 - 5.60	.1671	----	----	6	----	22 + 6
5000	14.10	14.10	21.40B/*13.10A	21.40B/*13.10A	----	14.90 - 4.20	.1222	----	----	14	----	16 + 10
5025	----	----	18.00B/*11.10A	18.00B/*11.10A	----	12.50 - 3.70	.1042	----	----	----	----	1 UNCH
5050	9.10	9.10	14.90B/*9.10	14.90B/*9.10	----	10.50 - 3.30	.0887	----	----	3	----	5 + 3
5100	----	----	10.50B/*7.00A	10.50B/*7.00A	----	7.70 - 2.40	.0658	----	----	----	----	4 UNCH
5150	----	----	----/*5.40A	7.60B/*5.40A	----	5.80 - 1.80	.0495	----	----	----	----	4 UNCH
5200	4.60	4.60	4.60/*4.20A	5.50B/*4.20A	----	4.40 - 1.50	.0374	----	----	1	----	6 + 1
5250	3.30	3.30	3.30/*3.30	4.00B/*3.30	----	3.50 - 1.10	.0293	----	----	1	----	5 UNCH
5275	3.60	3.60	3.60/*3.10A	3.60/*3.10A	----	3.10 - 1.00	.0258	----	----	1	----	1 UNCH
5300	2.90	2.90	2.90/*2.90	3.00B/*2.90	----	2.80 - 0.80	.0231	----	----	1	----	3 UNCH
TOTAL										38		132 + 29

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	0.70B/----	0.70B/0.90A	----	0.70 + 0.40	.0032	----	----	----	----	2 UNCH
3800	----	----	#0.90B/----	#0.90B/0.90A	----	0.90 + 0.50	.0042	----	----	5	----	10 + 5
3900	----	----	1.30B/----	1.30B/1.10A	----	1.30 + 0.40	.0065	----	----	2	----	6 + 2
4000	1.50	1.50	1.80B/1.40A	1.80B/1.40A	----	1.80 + 0.60	.0098	----	----	1	----	5 + 1
4100	1.70	1.70	2.90B/*1.70	2.90B/*1.70	----	2.30 + 0.60	.0138	----	----	3	----	11 + 2
4125	----	----	3.20B/----	3.20B/2.00A	----	2.50 + 0.70	.0154	----	----	----	----	6 UNCH
4150	----	----	3.60B/----	3.60B/2.20A	----	2.70 + 0.70	.0171	----	----	----	----	1 UNCH
4175	----	----	4.10B/----	4.10B/2.30A	----	3.00 + 0.80	.0193	----	----	----	----	2 UNCH
4200	----	----	4.50B/----	4.50B/2.50A	----	3.30 + 0.90	.0218	----	----	----	----	4 UNCH
4250	3.00	3.00	5.70B/*2.90A	5.70B/*2.90A	----	4.00 + 1.10	.0277	----	----	41	----	44 + 14
4300	4.50	4.50	7.60B/*3.50A	7.60B/*3.50A	----	5.10 + 1.40	.0367	----	----	12	----	36 UNCH
4325	5.60	5.60	8.70B/4.00A	8.70B/4.00A	----	5.80 + 1.70	.0424	----	----	1	----	12 UNCH
4335	6.40	6.40	9.20B/4.10A	9.20B/4.10A	----	6.10 NEW	.0450	----	----	1	----	1 + 1
4345	----	----	9.70B/4.30A	9.70B/4.30A	----	6.40 + 1.80	.0475	----	----	----	----	2 UNCH
4350	----	----	9.90B/4.50A	9.90B/4.50A	----	6.60 + 1.90	.0491	----	----	----	----	20 UNCH
4375	7.90	7.90	11.50B/*5.00A	11.50B/5.00A	----	7.50 + 2.10	.0569	----	----	1	----	10 - 1
4400	7.80	7.80	13.40B/5.70A	13.40B/5.70A	----	8.70 + 2.50	.0668	----	----	25	----	48 + 25
4420	----	----	15.10B/6.30A	15.10B/6.30A	----	9.70 NEW	.0754	----	----	1	----	1 + 1
4425	----	----	15.60B/6.50A	15.60B/6.50A	----	10.00 NEW	.0779	----	----	1	----	1 + 1
4450	----	----	18.10B/7.50A	18.10B/7.50A	----	11.60 + 3.30	.0914	----	----	18	----	169 + 13
4455	8.50	8.50	18.70B/7.70A	18.70B/7.70A	----	12.00 + 3.50	.0946	----	----	1	----	0 - 1
4460	----	----	19.30B/8.00A	19.30B/8.00A	----	12.30 + 3.50	.0973	----	----	----	----	1 UNCH
4475	----	----	21.20B/8.70A	21.20B/8.70A	----	13.50 NEW	.1073	----	----	1	----	1 + 1
4480	----	----	21.90B/9.00A	21.90B/9.00A	----	13.90 + 3.90	.1108	----	----	----	----	5 UNCH
4485	----	----	22.60B/9.30A	22.60B/9.30A	----	14.40 + 4.00	.1147	----	----	----	----	1 UNCH
4490	----	----	23.30B/9.60A	23.30B/9.60A	----	14.80 + 4.10	.1183	----	----	----	----	20 UNCH
4495	14.10	14.10	24.00B/9.90A	24.00B/9.90A	----	15.30 NEW	.1223	----	----	1	----	1 + 1
4500	12.00	12.00	24.90B/10.00	24.90B/10.00	----	15.80 + 4.40	.1264	----	----	70	----	136 + 36
4510	----	----	26.60B/10.90A	26.60B/10.90A	----	16.90 + 4.70	.1352	----	----	----	----	1 UNCH
4515	16.10	16.10	27.50B/11.30A	27.50B/11.30A	----	17.40 NEW	.1395	----	----	1	----	1 + 1
4520	11.80	11.80	28.40B/11.70A	28.40B/11.70A	----	18.00 NEW	.1443	----	----	5	----	5 + 5
4535	20.90	20.90	31.30B/12.90A	31.30B/12.90A	----	19.90 + 5.40	.1594	----	----	1	----	3 + 1
4540	----	----	32.30B/13.40A	32.30B/13.40A	----	20.60 + 5.50	.1649	----	----	----	----	1 UNCH
4545	22.50	22.50	33.10B/13.90A	33.10B/13.90A	----	21.30 + 5.70	.1704	----	----	17	----	16 + 15
4550	20.00	20.00	34.40B/14.10A	34.40B/14.10A	----	22.00 + 5.80	.1760	----	----	22	----	97 + 19
4560	16.40	16.40	36.60B/15.40A	36.60B/15.40A	----	23.50 + 6.10	.1878	----	----	2	----	63 + 1
4575	19.80	19.80	39.90B/17.10A	39.90B/17.10A	----	26.10 + 6.80	.2074	----	----	1	----	3 + 1
4580	32.50	32.50	41.10B/17.80A	41.10B/17.80A	----	27.00 NEW	.2142	----	----	1	----	1 + 1
4585	27.60	27.60	42.30B/18.40A	42.30B/18.40A	----	28.00 NEW	.2215	----	----	10	----	10 + 10
4595	35.70	35.70	45.00B/19.90A	45.00B/19.90A	----	30.00 + 7.60	.2362	----	----	1	----	21 + 1
4600	24.00	24.00	46.50B/20.60A	46.50B/20.60A	----	31.10 + 7.90	.2440	----	----	64	----	116 + 50
4605	----	----	47.90B/21.40A	47.90B/21.40A	----	32.20 + 8.10	.2519	----	----	----	----	5 UNCH
4610	31.00	31.00	49.40B/22.10A	49.40B/22.10A	----	33.30 + 8.30	.2598	----	----	10	----	18 + 8
4620	35.00	35.00	52.70B/23.90A	52.70B/23.90A	----	35.70 + 8.80	.2766	----	----	1	----	11 UNCH
4625	25.00	25.00	54.30B/24.90A	54.30B/24.90A	----	36.90 + 9.00	.2851	----	----	13	----	13 + 10
4630	----	----	56.00B/25.80A	56.00B/25.80A	----	38.20 + 9.30	.2940	----	----	----	----	81 UNCH
4635	----	----	57.70B/26.80A	57.70B/26.80A	----	39.50 + 9.50	.3029	----	----	----	----	72 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4640	----	----	59.40B/27.80A	59.40B/27.80A	----	40.80 + 9.70	.3120	----	----	----	----	71 UNCH
4650	35.40	35.40	63.20B/29.90A	63.20B/29.90A	----	43.60 + 10.10	.3309	----	----	325	----	229 + 196
4660	51.30	51.30	67.20B/32.40A	67.20B/32.40A	----	46.50 + 10.40	.3504	----	----	1	----	8 + 1
4665	43.40	43.40	69.20B/33.60A	69.20B/33.60A	----	48.00 NEW	.3604	----	----	8	----	4 + 4
4670	54.30	54.30	71.30B/34.90A	71.30B/34.90A	----	49.60 + 10.80	.3708	----	----	1	----	3 + 1
4675	56.00	56.00	73.50B/36.30A	73.50B/36.30A	----	51.20 + 11.00	.3812	----	----	1	----	8 + 1
4680	57.80	57.80	75.70B/37.60A	75.70B/37.60A	----	52.90 + 11.20	.3919	----	----	1	----	2 + 1
4690	61.00	61.00	80.50B/40.60A	80.50B/40.60A	----	56.40 NEW	.4138	----	----	2	----	2 + 2
4700	55.00	55.00	85.40B/43.70A	85.40B/43.70A	----	60.20 + 12.00	.4364	----	----	28	----	61 + 18
4705	----	----	87.60B/45.40A	87.60B/45.40A	----	62.30 NEW	.4480	----	----	1	----	1 + 1
4710	48.80	48.80	90.20B/47.10A	90.20B/47.10A	----	64.40 NEW	.4596	----	----	2	----	1 + 1
4715	----	----	92.90B/48.90A	92.90B/48.90A	----	66.60 + 12.90	.4714	----	----	1	----	1 + 1
4720	67.00	67.00	95.60B/50.60A	95.60B/50.60A	----	68.80 + 13.20	.4833	----	----	1	----	3 + 1
4725	----	----	98.40B/52.50A	98.40B/52.50A	----	71.20 + 13.60	.4952	----	----	----	----	13 UNCH
4730	73.80	73.80	101.20B/54.60A	101.20B/54.60A	----	73.60 NEW	.5072	----	----	34	----	10 + 10
4735	69.00	69.00	104.10B/56.50A	104.10B/56.50A	----	76.00 + 14.20	.5192	----	----	5	----	17 + 3
4740	----	----	107.00B/58.60A	107.00B/58.60A	----	78.50 + 14.60	.5313	----	----	6	----	6 + 5
4750	76.00	76.00	113.10B/63.00A	113.10B/63.00A	----	83.70 + 15.20	.5555	----	----	3	----	16 UNCH
4755	----	----	116.00B/65.30A	116.00B/65.30A	----	86.40 + 15.60	.5675	----	----	1	----	13 + 1
4760	----	----	119.40B/67.40A	119.40B/67.40A	----	89.20 + 16.00	.5795	----	----	----	----	7 UNCH
4775	----	----	129.20B/74.80A	129.20B/74.80A	----	97.80 + 16.90	.6154	----	----	----	----	1 UNCH
4785	----	----	136.10B/80.10A	136.10B/80.10A	----	103.80 + 17.50	.6389	----	----	----	----	4 UNCH
4790	----	----	139.50B/82.90A	139.50B/82.90A	----	106.90 + 17.80	.6506	----	----	3	----	7 - 1
4800	----	----	146.80B/88.80A	146.80B/88.80A	----	113.40 + 18.50	.6735	----	----	----	----	46 UNCH
4805	----	----	150.40B/91.90A	150.40B/91.90A	----	116.60 NEW	.6847	----	----	1	----	1 + 1
4825	----	----	165.60B/104.50A	165.60B/104.50A	----	130.40 + 19.90	.7279	----	----	----	----	1 UNCH
4830	----	----	169.50B/107.80A	169.50B/107.80A	----	134.00 + 20.20	.7382	----	----	----	----	4 UNCH
4835	----	----	173.10B/111.20A	173.10B/111.20A	----	137.70 + 20.50	.7481	----	----	----	----	1 UNCH
4840	----	----	177.10B/114.60A	177.10B/114.60A	----	141.40 + 20.80	.7580	----	----	----	----	7 UNCH
4850	----	----	185.70B/121.40A	185.70B/121.40A	----	149.00 + 21.30	.7773	----	----	----	----	1 UNCH
4880	----	----	210.90B/142.40A	210.90B/142.40A	----	172.90 + 22.90	.8278	----	----	----	----	3 UNCH
4890	206.80	206.80	219.60B/149.90A	219.60B/149.90A	----	181.20 + 23.30	.8422	----	----	10	----	0 - 10
4895	----	----	224.00B/153.60A	224.00B/153.60A	----	185.50 + 23.60	.8494	----	----	----	----	1 UNCH
4900	----	----	228.50B/156.90A	228.50B/156.90A	----	189.80 + 23.90	.8560	----	----	----	----	2 UNCH
4910	----	----	237.40B/164.80A	237.40B/164.80A	----	198.40 + 24.20	.8683	----	----	----	----	1 UNCH
4935	----	----	260.10B/185.00A	260.10B/185.00A	----	220.70 + 25.30	.8956	----	----	----	----	1 UNCH
4950	----	----	274.10B/197.80A	274.10B/197.80A	----	234.40 + 25.90	.9089	----	----	----	----	1 UNCH
5000	----	----	321.70B/241.80A	321.70B/241.80A	----	281.10 + 27.00	.9427	----	----	----	----	5 UNCH
5050	----	----	364.00B/288.30A	364.00B/288.30A	----	329.20 + 27.60	.9636	----	----	----	----	2 UNCH
5200	----	----	492.60B/----	492.60B/490.00A	----	477.10 + 28.50	.9876	----	----	----	----	3 UNCH
TOTAL										769		1662 + 461

OG1 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625	----	----	169.20B/*113.00	169.20B/*113.00A	----	135.80 - 20.00	.7146	----	----	----	----	1 UNCH
4655	----	----	145.10B/*93.90A	145.10B/*93.90A	----	114.00 NEW	.6592	----	----	1	----	1 + 1
4665	----	----	138.00B/*88.00A	138.00B/*88.00A	----	107.00 - 18.30	.6393	----	----	----	----	1 UNCH
4700	----	----	112.70B/*69.10A	112.70B/*69.10A	----	84.20 - 17.00	.5633	----	----	20	----	20 + 19
4720	67.40	67.40	99.70B/*59.70A	99.70B/*59.70A	----	72.80 - 15.80	.5165	----	----	13	----	12 + 11
4730	----	----	94.10B/*55.30A	94.10B/*55.30A	----	67.60 - 15.00	.4925	----	----	25	----	30 + 25
4735	----	----	90.90B/*53.20A	90.90B/*53.20A	----	65.00 - 14.70	.4805	----	----	----	----	5 UNCH
4740	----	----	87.90B/*51.10A	87.90B/*51.10A	----	62.50 NEW	.4684	----	----	6	----	5 + 5
4745	----	----	85.20B/*49.10A	85.20B/*49.10A	----	60.10 - 14.10	.4564	----	----	----	----	5 UNCH
4750	50.40	50.40	82.20B/*47.20A	82.20B/*47.20A	----	57.70 - 13.80	.4442	----	----	1	----	16 + 1
4755	----	----	79.40B/*45.30A	79.40B/*45.30A	----	55.40 - 13.40	.4322	----	----	----	----	22 UNCH
4760	55.00	55.00	76.40B/*43.50A	76.40B/*43.50A	----	53.20 - 13.00	.4202	----	----	3	----	23 + 2
4770	----	----	71.10B/*40.00A	71.10B/*40.00A	----	48.90 - 12.40	.3962	----	----	1	----	3 + 1
4775	----	----	68.70B/*38.30A	68.70B/*38.30A	----	46.80 - 12.10	.3843	----	----	----	----	12 UNCH
4780	----	----	66.20B/*36.70A	66.20B/*36.70A	----	44.80 - 11.80	.3724	----	----	----	----	4 UNCH
4785	----	----	63.80B/*35.20A	63.80B/*35.20A	----	42.90 - 11.40	.3608	----	----	----	----	9 UNCH
4790	----	----	61.30B/*33.70A	61.30B/*33.70A	----	41.00 - 11.20	.3491	----	----	----	----	1 UNCH
4800	53.00	53.00	56.80B/*30.90A	56.80B/*30.90A	----	37.40 - 10.60	.3262	----	----	43	----	54 + 35
4810	39.90	39.90	52.50B/*28.20A	52.50B/*28.20A	----	34.10 NEW	.3040	----	----	10	----	10 + 10
4815	----	----	50.00B/*27.00A	50.00B/*27.00A	----	32.50 - 9.70	.2931	----	----	4	----	2 + 1
4820	27.80	27.80	48.30B/*25.80A	48.30B/*25.80A	----	31.00 - 9.30	.2824	----	----	4	----	4 + 3
4825	----	----	46.00B/*24.40A	46.00B/*24.40A	----	29.50 - 9.10	.2718	----	----	11	----	13 + 8
4830	24.90	24.90	44.40B/*23.20A	44.40B/*23.20A	----	28.10 - 8.80	.2615	----	----	8	----	7 + 2
4835	----	----	42.60B/*21.90A	42.60B/*21.90A	----	26.80 - 8.50	.2516	----	----	1	----	36 UNCH
4840	22.30	22.30	40.80B/*20.70A	40.80B/*20.70A	----	25.50 - 8.20	.2417	----	----	54	----	36 + 17
4845	----	----	39.00B/*19.50A	39.00B/*19.50A	----	24.20 - 8.00	.2318	----	----	----	----	7 UNCH
4850	22.00	22.00	37.40B/*18.40A	37.40B/*18.40A	----	23.00 - 7.70	.2224	----	----	11	----	21 + 9
4860	22.50	22.50	33.90B/*16.40A	33.90B/*16.40A	----	20.80 - 7.20	.2045	----	----	4	----	4 + 3
4865	20.30	20.30	32.40B/*15.50A	32.40B/*15.50A	----	19.80 NEW	.1960	----	----	10	----	10 + 10
4870	----	----	31.40B/*14.60A	31.40B/*14.60A	----	18.80 - 6.70	.1876	----	----	6	----	1 - 5
4875	13.80	13.80	29.80B/*13.80	29.80B/*13.80	----	17.90 - 6.40	.1798	----	----	10	----	6 + 3
4880	19.00	19.00	28.30B/*13.00A	28.30B/*13.00A	----	17.00 NEW	.1719	----	----	4	----	4 + 4
4885	13.40	13.40	27.10B/*12.30A	27.10B/*12.30A	----	16.20 NEW	.1647	----	----	8	----	6 + 6
4890	17.10	17.10	25.80B/*11.60A	25.80B/*11.60A	----	15.40 - 5.60	.1575	----	----	1	----	3 + 1
4895	16.70	16.70	24.60B/*10.90A	24.60B/*10.90A	----	14.60 - 5.40	.1503	----	----	1	----	2 + 1
4900	11.00	11.00	23.60B/*10.50A	23.60B/*10.50A	----	13.90 - 5.20	.1438	----	----	67	----	56 + 15
4905	----	----	22.50B/*9.70A	22.50B/*9.70A	----	13.20 - 4.90	.1373	----	----	----	----	25 UNCH
4910	12.80	12.80	21.50B/*9.30A	21.50B/*9.30A	----	12.60 - 4.70	.1314	----	----	9	----	5 + 1
4915	----	----	20.40B/*8.80A	20.40B/*8.80A	----	11.90 - 4.60	.1250	----	----	----	----	51 UNCH
4920	12.50	12.50	19.60B/*8.40A	19.60B/*8.40A	----	11.40 NEW	.1199	----	----	5	----	5 + 5
4925	10.30	10.30	18.70B/*7.90A	18.70B/*7.90A	----	10.80 - 4.10	.1141	----	----	1	----	23 + 1
4930	----	----	17.70B/*7.50A	17.70B/*7.50A	----	10.30 - 3.90	.1091	----	----	1	----	10 + 1
4935	----	----	16.80B/*7.10A	16.80B/*7.10A	----	9.80 - 3.70	.1041	----	----	----	----	50 UNCH
4940	----	----	16.10B/*6.80A	16.10B/*6.80A	----	9.40 - 3.50	.0999	----	----	----	----	5 UNCH
4945	6.40	6.40	15.10B/*6.40	15.10B/*6.40	----	8.90 - 3.40	.0950	----	----	3	----	4 + 3
4950	6.10	6.10	14.30B/*6.10	14.30B/*6.10	----	8.50 - 3.20	.0908	----	----	63	----	58 - 3
4955	8.40	8.40	13.70B/*5.90A	13.70B/*5.90A	----	8.10 - 3.00	.0867	----	----	4	----	5 + 4
4960	----	----	13.10B/*5.60A	13.10B/*5.60A	----	7.70 - 2.90	.0826	----	----	----	----	20 UNCH
4965	----	----	12.50B/*5.40A	12.50B/*5.40A	----	7.40 - 2.70	.0793	----	----	1	----	4 + 1
4975	----	----	11.30B/*4.80A	11.30B/*4.80A	----	6.70 - 2.50	.0720	----	----	46	----	23 + 19
4980	5.80	5.80	10.80B/*4.60A	10.80B/*4.60A	----	6.40 - 2.40	.0688	----	----	1	----	5 UNCH
4990	----	----	9.80B/*4.20A	9.80B/*4.20A	----	5.80 - 2.20	.0625	----	----	----	----	5 UNCH
4995	----	----	9.40B/*4.10A	9.40B/*4.10A	----	5.50 - 2.10	.0594	----	----	----	----	2 UNCH
5000	5.60	5.60	8.90B/*4.00A	8.90B/*4.00A	----	5.30 - 2.00	.0571	----	----	2	----	27 UNCH
5010	----	----	8.00B/*3.70A	8.00B/*3.70A	----	4.80 - 1.90	.0518	----	----	----	----	2 UNCH
5020	6.60	6.60	7.30B/*3.50A	7.30B/*3.50A	----	4.40 - 1.70	.0473	----	----	1	----	31 - 1
5025	----	----	6.90B/*3.40A	6.90B/*3.40A	----	4.20 - 1.70	.0452	----	----	----	----	36 UNCH
5050	3.60	3.60	5.40B/*2.90A	5.40B/*2.90A	----	3.40 - 1.40	.0362	----	----	2	----	24 UNCH
5075	2.80	2.80	4.30B/*2.60A	4.30B/*2.60A	----	2.80 - 1.10	.0294	----	----	4	----	19 + 4
5100	2.30	2.30	3.40B/*2.20A	3.40B/*2.20A	----	2.40 - 0.90	.0247	----	----	39	----	352 + 32
5125	2.00	2.00	2.00/*1.90A	2.70B/*1.90A	----	2.00 - 0.80	.0203	----	----	14	----	15 + 13
5150	1.70	1.70	1.70/*1.70	2.20B/*1.70	----	1.70 - 0.70	.0169	----	----	10	----	36 + 2
5175	----	----	----/*1.50A	1.80B/*1.50A	----	1.50 - 0.60	.0145	----	----	----	----	8 UNCH
5200	1.10	1.10	1.10/*1.00	1.50B/*1.00	----	1.30 - 0.50	.0123	----	----	2	----	28 UNCH
5225	----	----	----/*1.30A	1.20B/*1.30A	----	1.20 - 0.40	.0110	----	----	3	----	26 - 3
5250	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.20	.0106	----	----	----	----	31 UNCH
5275	----	----	----/*1.20A	0.90B/*1.20A	----	1.10 - 0.20	.0095	----	----	20	----	30 UNCH
5325	----	----	----	0.70B/*1.00A	----	0.80 - 0.20	.0067	----	----	----	----	1 UNCH
5400	----	----	----	0.50B/1.00A	----	0.60 - 0.10	.0047	----	----	----	----	11 UNCH
5600	----	----	----	----/*1.00A	----	0.30 - 0.10	.0020	----	----	----	----	4 UNCH
TOTAL										558		1433 + 267

OG PUT — COMEX GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
MAY26														
2250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
2275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	156	UNCH
2325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
2350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	122	UNCH
2400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
2420	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
2450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
2485	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
2495	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	75	UNCH
2500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
2505	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2520	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	102	UNCH
2540	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2560	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
2580	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
2590	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	114	UNCH
2615	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2620	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
2660	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2685	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	34	UNCH
2705	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2715	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2725	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
2730	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
2755	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
2770	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
2785	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	21	UNCH
2790	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	88	UNCH
2815	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
2820	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
2845	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2850	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2870	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
2895	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	39	UNCH
2900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	348	UNCH
2905	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
2910	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
2930	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	28	UNCH
2940	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
2950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	302	UNCH
2980	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2995	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
3000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	140	UNCH
3005	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3010	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3020	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3040	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	52	UNCH
3045	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH
3055	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3065	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3070	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	66	UNCH
3080	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3090	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3095	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	308	UNCH
3105	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3115	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3120	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	41	UNCH
3125	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3130	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3135	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3140	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
3155	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
3160	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
3170	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3185	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
3200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	268	UNCH
3205	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3210	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3220	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3225	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
3235	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3245	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
3255	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3260	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	21	UNCH
3265	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
3270	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	22	UNCH
3280	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3290	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	40	UNCH
3295	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	592	UNCH
3305	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	60	UNCH
3310	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3315	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3320	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3325	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3330	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3335	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
3340	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3345	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	53	UNCH
3360	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
3370	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	75	UNCH
3375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	54	UNCH
3380	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3385	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
3390	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3395	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
3400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	196	UNCH
3405	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3415	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	118	UNCH
3420	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3425	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
3430	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	21	UNCH
3435	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	101	UNCH
3440	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3445	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	33	UNCH
3450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	49	UNCH
3455	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	44	UNCH
3460	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	142	UNCH
3465	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
3470	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	76	UNCH
3475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	94	UNCH
3480	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	84	UNCH
3485	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	60	UNCH
3490	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	52	UNCH
3495	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	54	UNCH
3500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1428	UNCH
3505	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
3510	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
3515	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	82	UNCH
3520	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	128	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3530	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
3535	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	158 UNCH
3540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3545	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	67 UNCH
3550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	362 UNCH
3555	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
3560	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3565	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3570	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	96 UNCH
3580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3585	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
3595	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
3600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1026 UNCH
3605	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	61 UNCH
3610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3615	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	130 UNCH
3620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	138 UNCH
3625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
3630	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
3635	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
3640	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
3645	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	430 UNCH
3655	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
3660	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
3665	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
3680	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	118 UNCH
3685	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
3690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
3695	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	73 UNCH
3700	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1359 UNCH
3705	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
3710	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
3715	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	28 UNCH
3720	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
3725	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
3730	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	55 UNCH
3735	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	38 UNCH
3740	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3745	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	39 UNCH
3750	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	391 UNCH
3755	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3760	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	49 UNCH
3765	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	5	----	102 + 5
3770	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
3775	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	279 UNCH
3780	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	33 UNCH
3785	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	27 UNCH
3790	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	28 UNCH
3795	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
3800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	34	----	1476 UNCH
3805	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	74 UNCH
3810	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
3815	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	53 UNCH
3820	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	788 UNCH
3825	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	113 UNCH
3830	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
3835	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
3840	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	51 UNCH
3845	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	36 UNCH
3850	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	2988 UNCH
3855	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	41 UNCH
3860	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH
3865	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	21 UNCH
3870	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	38 UNCH
3875	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	45 UNCH
3880	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	.0002	----	----	----	----	39 UNCH
3885	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	82 UNCH
3890	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	12 UNCH
3895	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	75 UNCH
3900	0.20	0.20	0.30/0.20	0.30/0.20	----	0.10 UNCH	.0002	----	----	2	----	1780 UNCH
3905	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	.0003	----	----	----	----	27 UNCH
3910	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	.0003	----	----	----	----	135 UNCH
3915	----	----	0.20B/----	0.20B/0.20A	----	0.20 + 0.10	.0007	----	----	----	----	38 UNCH
3920	----	----	0.20B/----	0.20B/0.20A	----	0.20 + 0.10	.0007	----	----	----	----	208 UNCH
3925	----	----	0.30B/----	0.30B/0.20A	----	0.20 + 0.10	.0007	----	----	----	----	84 UNCH
3930	0.30	0.30	0.40B/0.30	0.40B/0.20A	----	0.20 + 0.10	.0007	----	----	1	----	62 + 1
3935	----	----	0.20B/----	0.20B/0.20A	----	0.20 + 0.10	.0007	----	----	----	----	16 UNCH
3940	----	----	0.40B/----	0.40B/0.20A	----	0.20 + 0.10	.0007	----	----	----	----	37 UNCH
3945	----	----	0.40B/----	0.40B/0.20A	----	0.20 + 0.10	.0007	----	----	----	----	24 UNCH
3950	0.30	0.30	0.40B/0.30	0.40B/0.20A	----	0.20 + 0.10	.0007	----	----	8	----	147 + 7
3955	----	----	0.40B/----	0.40B/0.20A	----	0.30 + 0.20	.0011	----	----	----	----	59 UNCH
3960	----	----	0.50B/----	0.50B/0.30A	----	0.30 + 0.20	.0011	----	----	----	----	14 UNCH
3965	----	----	0.50B/----	0.50B/0.30A	----	0.30 + 0.20	.0011	----	----	----	----	85 UNCH
3970	----	----	0.50B/----	0.50B/0.30A	----	0.30 + 0.20	.0011	----	----	----	----	44 UNCH
3975	----	----	0.50B/----	0.50B/0.30A	----	0.30 + 0.20	.0011	----	----	----	----	40 UNCH
3980	----	----	0.50B/----	0.50B/0.30A	----	0.30 + 0.20	.0011	----	----	----	----	141 UNCH
3985	----	----	0.60B/----	0.60B/0.30A	----	0.30 + 0.20	.0012	----	----	----	----	51 UNCH
3990	----	----	0.60B/----	0.60B/0.20A	----	0.30 + 0.20	.0012	----	----	----	----	24 UNCH
3995	----	----	0.60B/----	0.60B/0.20A	----	0.40 + 0.30	.0016	----	----	----	----	26 UNCH
4000	0.50	0.50	0.60B/0.30	0.60B/0.30	----	0.40 + 0.30	.0016	----	----	34	----	3001 - 16
4005	----	----	0.60B/----	0.60B/0.30A	----	0.40 + 0.30	.0016	----	----	----	----	236 UNCH
4010	----	----	0.60B/----	0.60B/0.30A	----	0.40 + 0.30	.0016	----	----	----	----	61 UNCH
4015	----	----	0.70B/----	0.70B/0.30A	----	0.40 + 0.30	.0016	----	----	----	----	53 UNCH
4020	----	----	0.70B/----	0.70B/0.30A	----	0.40 + 0.30	.0016	----	----	----	----	92 UNCH
4025	----	----	0.70B/----	0.70B/0.30A	----	0.40 + 0.20	.0017	----	----	----	----	106 UNCH
4030	----	----	0.70B/----	0.70B/0.30A	----	0.40 + 0.20	.0017	----	----	----	----	39 UNCH
4035	----	----	0.80B/----	0.80B/0.30A	----	0.40 + 0.20	.0017	----	----	----	----	33 UNCH
4040	----	----	0.80B/----	0.80B/0.30A	----	0.40 + 0.20	.0017	----	----	----	----	61 UNCH
4045	0.50	0.50	0.80B/0.50	0.80B/0.30A	----	0.50 + 0.30	.0021	----	----	18	----	206 - 5
4050	----	----	0.80B/----	0.80B/*0.20A	----	0.50 + 0.30	.0022	----	----	----	----	1314 UNCH
4055	----	----	0.80B/----	0.80B/0.30A	----	0.50 + 0.30	.0022	----	----	----	----	145 UNCH
4060	----	----	0.90B/----	0.90B/0.30A	----	0.50 + 0.30	.0022	----	----	----	----	26 UNCH
4065	----	----	0.90B/----	0.90B/0.30A	----	0.50 + 0.30	.0022	----	----	----	----	28 UNCH
4070	----	----	0.90B/----	0.90B/0.40A	----	0.50 + 0.30	.0022	----	----	----	----	106 UNCH
4075	----	----	0.90B/----	0.90B/0.40A	----	0.50 + 0.30	.0023	----	----	----	----	133 UNCH
4080	----	----	1.00B/----	1.00B/0.40A	----	0.60 + 0.40	.0027	----	----	----	----	150 UNCH
4085	----	----	1.00B/----	1.00B/0.40A	----	0.60 + 0.40	.0028	----	----	----	----	753 UNCH
4090	----	----	1.00B/----	1.00B/0.40A	----	0.60 + 0.30	.0028	----	----	----	----	218 UNCH
4095	----	----	1.00B/----	1.00B/0.40A	----	0.60 + 0.30	.0028	----	----	----	----	155 UNCH
4100	0.20	0.20	1.10B/*0.20	1.10B/*0.20	----	0.60 + 0.30	.0028	----	----	11	----	1520 + 9
4105	----	----	1.10B/----	1.10B/0.40A	----	0.60 + 0.30	.0029	----	----	----	----	218 UNCH
4110	----	----	1.10B/----	1.10B/0.40A	----	0.70 + 0.40	.0033	----	----	----	----	67 UNCH
4115	----	----	1.20B/----	1.20B/0.40A	----	0.70 + 0.40	.0034	----	----	----	----	44 UNCH
4120	----	----	1.20B/----	1.20B/0.40A	----	0.70 + 0.40	.0034	----	----	----	----	131 UNCH
4125	----	----	1.20B/----	1.20B/0.40A	----	0.70 + 0.40	.0034	----	----	----	----	209 UNCH
4130	----	----	1.20B/----	1.20B/0.40A	----	0.70 + 0.40	.0035	----	----	----	----	843 UNCH
4135	----	----	1.30B/----	1.30B/0.40A	----	0.80 + 0.50	.0040	----	----	----	----	82 UNCH
4140	----	----	1.30B/----	1.30B/0.50A	----	0.80 + 0.40	.0040	----	----	----	----	26 UNCH
4145	----	----	1.30B/----	1.30B/0.50A	----	0.80 + 0.40	.0041	----	----	----	----	100 UNCH
4150	----	----	1.40B/----	1.40B/0.50A	----	0.80 + 0.40	.0041	----	----	----	----	506 UNCH
4155	----	----	1.40B/----	1.40B/0.50A	----	0.90 + 0.50	.0046	----	----	----	----	43 UNCH
4160	----	----	1.40B/----	1.40B/0.50A	----	0.90 + 0.50	.0047	----	----	----	----	28 UNCH
4165	----	----	1.50B/----	1.50B/0.50A	----	0.90 + 0.50	.0047	----	----	----	----	66 UNCH
4170	1.10	1.10	1.50B/1.10	1.50B/0.50A	----	0.90 + 0.50	.0048	----	----	20	----	82 + 8
4175	----	----	1.50B/----	1.50B/0.50A	----	1.00 + 0.60	.0053	----	----	----	----	201 UNCH
4180	----	----	1.60B/----	1.60B/0.60A	----	1.00 + 0.60	.0054	----	----	----	----	283 UNCH
4185	----	----	1.60B/----	1.60B/0.60A	----	1.00 + 0.50	.0054	----	----	----	----	357 UNCH
4190	----	----	1.60B/----	1.60B/0.60A	----	1.00 + 0.50	.0055	----	----	----	----	86 UNCH
4195	----	----	1.70B/----	1.70B/0.60A	----	1.10 + 0.60	.0061	----	----	----	----	113 UNCH
4200	0.90	0.90	1.50/0.60	1.50/0.60	----	1.10 + 0.60	.0061	----	----	25	----	2915 + 3
4205	----	----	1.80B/----	1.80B/0.60A	----	1.10 + 0.60	.0062	----	----	----	----	200 UNCH
4210	----	----	1.80B/----	1.80B/0.70A	----	1.20 + 0.70	.0068	----	----	1	----	88 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4215	----	----	1.80B/----	1.80B/0.70A	----	1.20 + 0.70	.0069	----	----	----	----	179 UNCH
4220	----	----	1.90B/----	1.90B/0.70A	----	1.20 + 0.70	.0069	----	----	----	----	20 UNCH
4225	----	----	1.90B/----	1.90B/0.70A	----	1.30 + 0.70	.0075	----	----	----	----	199 UNCH
4230	0.70	0.70	2.00B/0.70	2.00B/0.70	----	1.30 + 0.70	.0076	----	----	6	----	142 - 6
4235	----	----	2.10B/----	2.10B/0.70A	----	1.30 + 0.70	.0077	----	----	----	----	59 UNCH
4240	----	----	2.10B/----	2.10B/0.70A	----	1.40 + 0.80	.0083	----	----	----	----	160 UNCH
4245	----	----	2.20B/----	2.20B/0.80A	----	1.40 + 0.80	.0084	----	----	1	----	50 - 1
4250	0.80	0.80	2.20B/0.80	2.20B/0.80	----	1.40 + 0.80	.0085	----	----	4	----	838 + 2
4255	----	----	2.30B/----	2.30B/0.80A	----	1.50 + 0.90	.0092	----	----	6	----	36 - 5
4260	----	----	2.40B/----	2.40B/0.80A	----	1.50 + 0.90	.0093	----	----	----	----	105 UNCH
4265	----	----	2.40B/----	2.40B/0.80A	----	1.60 + 0.90	.0099	----	----	----	----	68 UNCH
4270	----	----	2.50B/----	2.50B/0.80A	----	1.60 + 0.90	.0100	----	----	----	----	118 UNCH
4275	----	----	2.60B/----	2.60B/0.90A	----	1.60 + 0.90	.0102	----	----	4	----	140 + 4
4280	1.90	1.90	2.60B/1.90	2.60B/0.90A	----	1.70 + 1.00	.0109	----	----	10	----	126 + 6
4285	----	----	2.70B/----	2.70B/0.90A	----	1.70 + 1.00	.0110	----	----	----	----	254 UNCH
4290	----	----	2.80B/----	2.80B/0.90A	----	1.80 + 1.00	.0117	----	----	----	----	113 UNCH
4295	----	----	2.80B/----	2.80B/0.90A	----	1.80 + 1.00	.0118	----	----	----	----	35 UNCH
4300	1.00	1.00	2.90B/1.00	2.90B/1.00	----	1.80 + 1.00	.0120	----	----	43	----	2982 - 41
4305	----	----	3.00B/----	3.00B/1.00A	----	1.90 + 1.10	.0127	----	----	----	----	58 UNCH
4310	----	----	3.00B/----	3.00B/1.00A	----	1.90 + 1.00	.0129	----	----	----	----	72 UNCH
4315	2.20	2.20	3.10B/2.20	3.10B/1.10A	----	2.00 + 1.10	.0136	----	----	1	----	23 + 1
4320	----	----	3.20B/----	3.20B/1.10A	----	2.00 + 1.10	.0138	----	----	----	----	67 UNCH
4325	2.00	2.00	3.30B/2.00	3.30B/1.10A	----	2.10 + 1.10	.0146	----	----	2	----	196 UNCH
4330	----	----	3.30B/----	3.30B/1.10A	----	2.10 + 1.10	.0147	----	----	----	----	275 UNCH
4335	----	----	3.50B/----	3.50B/1.20A	----	2.20 + 1.20	.0156	----	----	----	----	40 UNCH
4340	2.10	2.10	3.60B/2.10	3.60B/1.20A	----	2.20 + 1.10	.0158	----	----	1	----	145 UNCH
4345	----	----	3.70B/----	3.70B/1.20A	----	2.20 + 1.10	.0159	----	----	----	----	347 UNCH
4350	2.10	2.10	3.80B/2.10	3.80B/1.30A	----	2.30 + 1.10	.0168	----	----	1	----	1024 UNCH
4355	1.60	1.60	3.90B/1.30A	3.90B/1.30A	----	2.40 + 1.20	.0177	----	----	2	----	80 UNCH
4360	1.90	1.90	4.00B/1.90	4.00B/1.30A	----	2.40 + 1.20	.0179	----	----	2	----	351 UNCH
4365	----	----	4.20B/----	4.20B/1.30A	----	2.50 + 1.20	.0188	----	----	----	----	39 UNCH
4370	----	----	4.30B/----	4.30B/1.40A	----	2.50 + 1.20	.0190	----	----	----	----	882 UNCH
4375	1.80	1.80	4.40B/1.80	4.40B/1.40A	----	2.60 + 1.20	.0199	----	----	14	----	114 UNCH
4380	----	----	4.50B/----	4.50B/1.40A	----	2.60 + 1.20	.0202	----	----	----	----	81 UNCH
4385	1.90	1.90	4.60B/1.90	4.60B/1.50A	----	2.70 + 1.20	.0212	----	----	54	----	394 UNCH
4390	----	----	4.80B/----	4.80B/1.50A	----	2.80 + 1.30	.0221	----	----	----	----	95 UNCH
4395	1.80	1.80	5.00B/1.50A	5.00B/1.50A	----	2.90 + 1.30	.0231	----	----	1	----	60 UNCH
4400	2.40	2.40	5.10B/1.50	5.10B/1.50	----	2.90 + 1.20	.0235	----	----	415	----	4100 - 78
4405	1.90	1.90	5.30B/1.60A	5.30B/1.60A	----	3.00 + 1.30	.0245	----	----	3	----	32 + 3
4410	2.00	2.00	5.50B/1.60A	5.50B/1.60A	----	3.10 + 1.30	.0255	----	----	1	----	108 + 1
4415	----	----	5.70B/1.70A	5.70B/1.70A	----	3.20 + 1.40	.0266	----	----	----	----	128 UNCH
4420	----	----	5.90B/1.70A	5.90B/1.70A	----	3.30 + 1.40	.0277	----	----	----	----	135 UNCH
4425	2.50	2.50	6.10B/1.80A	6.10B/1.80A	----	3.40 + 1.40	.0288	----	----	13	----	609 - 13
4430	4.20	4.20	6.30B/1.80A	6.30B/1.80A	----	3.50 + 1.50	.0300	----	----	2	----	112 UNCH
4435	3.90	3.90	6.50B/1.90A	6.50B/1.90A	----	3.60 + 1.50	.0312	----	----	4	----	304 - 3
4440	3.00	3.00	6.70B/1.90A	6.70B/1.90A	----	3.70 + 1.50	.0324	----	----	58	----	337 + 57
4445	----	----	7.00B/2.00A	7.00B/2.00A	----	3.80 + 1.60	.0336	----	----	----	----	125 UNCH
4450	3.00	3.00	7.20B/2.00A	7.20B/2.00A	----	3.90 + 1.60	.0349	----	----	629	300	1297 + 553
4455	----	----	7.50B/2.10A	7.50B/2.10A	----	4.10 + 1.70	.0369	----	----	----	----	238 UNCH
4460	----	----	7.80B/2.20A	7.80B/2.20A	----	4.20 + 1.70	.0382	----	----	----	----	61 UNCH
4465	4.60	4.60	8.00B/*2.20A	8.00B/*2.20A	----	4.30 + 1.80	.0396	----	----	3	----	52 + 1
4470	4.20	4.20	8.40B/*2.30A	8.40B/*2.30A	----	4.50 + 1.90	.0418	----	----	2	----	114 - 1
4475	4.00	4.00	8.70B/2.40A	8.70B/2.40A	----	4.60 + 1.90	.0432	----	----	11	----	971 + 9
4480	6.70	6.70	9.00B/*2.40A	9.00B/*2.40A	----	4.80 + 2.00	.0454	----	----	52	----	136 - 45
4485	4.90	4.90	9.40B/*2.50A	9.40B/*2.50A	----	5.00 + 2.10	.0477	----	----	1	----	48 UNCH
4490	----	----	9.80B/*2.60A	9.80B/*2.60A	----	5.20 + 2.20	.0501	----	----	----	----	236 UNCH
4495	----	----	10.20B/*2.70A	10.20B/*2.70A	----	5.30 + 2.20	.0517	----	----	4	----	63 UNCH
4500	4.80	4.80	11.00/*2.50	11.00/*2.50	----	5.50 + 2.20	.0542	----	----	243	----	2095 - 60
4505	----	----	11.10B/*2.80A	11.10B/*2.80A	----	5.80 + 2.40	.0574	----	----	----	----	39 UNCH
4510	6.50	6.50	11.50B/*2.90A	11.50B/*2.90A	----	6.00 + 2.40	.0600	----	----	6	----	104 - 1
4515	5.80	5.80	12.10B/*3.00A	12.10B/*3.00A	----	6.20 + 2.50	.0627	----	----	1	----	63 + 1
4520	8.40	8.40	12.60B/*3.00	12.60B/*3.00	----	6.40 + 2.50	.0654	----	----	55	----	181 + 8
4525	5.40	5.40	13.20B/3.30A	13.20B/3.30A	----	6.70 + 2.70	.0690	----	----	39	----	860 - 13
4530	6.50	6.50	13.70B/3.40A	13.70B/3.40A	----	7.00 + 2.80	.0726	----	----	4	----	98 + 1
4535	6.10	6.10	14.30B/*3.50A	14.30B/*3.50A	----	7.20 + 2.80	.0756	----	----	1	----	141 UNCH
4540	4.20	4.20	15.00B/*3.60A	15.00B/*3.60A	----	7.50 + 2.90	.0794	----	----	8	----	54 + 1
4545	6.50	6.50	15.60B/*3.70A	15.60B/*3.70A	----	7.90 + 3.00	.0840	----	----	2	----	77 + 1
4550	8.80	8.80	16.20B/3.90A	16.20B/3.90A	----	8.20 + 3.10	.0881	----	----	932	600	1792 + 916
4555	9.60	9.60	17.00B/*4.00A	17.00B/*4.00A	----	8.50 + 3.20	.0922	----	----	13	----	37 + 1
4560	----	----	17.70B/4.20A	17.70B/4.20A	----	8.90 + 3.30	.0972	----	----	----	----	90 UNCH
4565	10.70	10.70	18.40B/4.40A	18.40B/4.40A	----	9.30 + 3.40	.1023	----	----	10	----	159 + 9
4570	9.70	9.70	19.20B/4.60A	19.20B/4.60A	----	9.70 + 3.50	.1075	----	----	4	----	185 - 3
4575	8.50	8.50	20.00B/4.80A	20.00B/4.80A	----	10.20 + 3.70	.1136	----	----	24	----	225 UNCH
4580	10.00	10.00	21.00B/5.00A	21.00B/5.00A	----	10.60 + 3.80	.1191	----	----	39	----	168 + 13
4585	----	----	21.90B/5.20A	21.90B/5.20A	----	11.10 + 3.90	.1255	----	----	----	----	50 UNCH
4590	6.40	6.40	22.80B/5.50A	22.80B/5.50A	----	11.60 + 4.00	.1321	----	----	1	----	101 UNCH
4595	7.90	7.90	23.70B/5.70A	23.70B/5.70A	----	12.20 + 4.30	.1395	----	----	3	----	79 UNCH
4600	13.30	13.30	24.80B/6.00	24.80B/6.00	----	12.80 + 4.40	.1471	----	----	584	----	2864 + 136
4605	11.90	11.90	25.90B/6.30A	25.90B/6.30A	----	13.40 + 4.60	.1549	----	----	48	----	110 + 14
4610	14.10	14.10	27.00B/6.60A	27.00B/6.60A	----	14.00 + 4.70	.1629	----	----	13	----	226 - 2
4615	----	----	28.30B/7.00A	28.30B/7.00A	----	14.70 + 4.90	.1717	----	----	----	----	99 UNCH
4620	8.20	8.20	29.60B/7.40A	29.60B/7.40A	----	15.50 + 5.20	.1814	----	----	21	----	212 + 5
4625	----	----	30.90B/7.80A	30.90B/7.80A	----	16.20 + 5.40	.1907	----	----	124	----	285 - 6
4630	16.70	16.70	32.30B/8.20A	32.30B/8.20A	----	17.00 + 5.60	.2008	----	----	2	----	814 - 2
4635	12.60	12.60	33.70B/8.70A	33.70B/8.70A	----	17.90 + 5.90	.2118	----	----	120	----	478 - 41
4640	19.80	19.80	35.20B/9.20A	35.20B/9.20A	----	18.80 + 6.10	.2230	----	----	32	----	159 + 16
4645	19.70	19.70	36.80B/9.70A	36.80B/9.70A	----	19.80 + 6.40	.2351	----	----	12	----	59 + 9
4650	21.20	21.20	38.40B/10.30A	38.40B/10.30A	----	20.80 + 6.60	.2474	----	----	541	200	1215 + 102
4655	22.50	22.50	40.10B/10.90A	40.10B/10.90A	----	21.80 + 6.80	.2600	----	----	59	----	264 + 9
4660	12.50	12.50	41.80B/11.60A	41.80B/11.60A	----	22.90 + 7.10	.2734	----	----	4	----	208 UNCH
4665	15.80	15.80	43.50B/12.30A	43.50B/12.30A	----	24.10 + 7.40	.2875	----	----	3	----	90 - 1
4670	30.30	30.30	45.40B/13.00A	45.40B/13.00A	----	25.30 + 7.60	.3020	----	----	72	----	248 + 13
4675	27.80	27.80	47.50B/13.80A	47.50B/13.80A	----	26.60 + 7.90	.3172	----	----	163	----	403 + 54
4680	25.80	25.80	49.50B/14.70A	49.50B/14.70A	----	28.00 + 8.30	.3332	----	----	69	----	261 - 12
4685	22.70	22.70	51.90B/15.70A	51.90B/15.70A	----	29.40 + 8.50	.3494	----	----	58	----	129 + 3
4690	29.90	29.90	54.00B/16.70A	54.00B/16.70A	----	30.90 + 8.80	.3664	----	----	25	----	207 + 6
4695	24.90	24.90	56.10B/17.70A	56.10B/17.70A	----	32.50 + 9.20	.3840	----	----	9	----	106 - 2
4700	30.00	30.00	58.60B/18.80A	58.60B/18.80A	----	34.20 + 9.60	.4021	----	----	323	200	2064 + 57
4705	33.80	33.80	61.40B/20.00A	61.40B/20.00A	----	36.00 + 10.00	.4208	----	----	2	----	49 + 1
4710	36.00	36.00	64.10B/21.30A	64.10B/21.30A	----	37.90 + 10.40	.4400	----	----	69	----	259 + 28
4715	43.50	43.50	66.90B/22.70A	66.90B/22.70A	----	39.80 + 10.80	.4595	----	----	12	----	137 + 5
4720	43.90	43.90	70.00B/24.20A	70.00B/24.20A	----	41.90 + 11.30	.4795	----	----	23	300	341 - 300
4725	33.00	33.00	72.80B/25.70A	72.80B/25.70A	----	44.10 + 11.80	.4999	----	----	437	----	243 + 125
4730	41.30	41.30	75.90B/27.30A	75.90B/27.30A	----	46.30 + 12.20	.5205	----	----	14	----	149 - 5
4735	48.20	48.20	79.00B/29.10A	79.00B/29.10A	----	48.70 + 12.70	.5413	----	----	8	----	38 + 2
4740	43.00	43.00	82.20B/30.90A	82.20B/30.90A	----	51.20 + 13.30	.5622	----	----	11	----	111 - 6
4745	47.00	47.00	85.60B/32.90A	85.60B/32.90A	----	53.80 + 13.90	.5832	----	----	20	----	62 + 9
4750	46.60	46.60	88.90B/34.80A	88.90B/34.80A	----	56.60 + 14.50	.6040	----	----	271	----	837 + 47
4755	51.70	51.70	92.50B/37.10A	92.50B/37.10A	----	59.40 + 15.10	.6248	----	----	1	----	205 - 1
4760	50.00	50.00	96.00B/39.10A	96.00B/39.10A	----	62.30 + 15.60	.6456	----	----	2	----	132 - 1
4765	50.80	50.80	99.70B/41.60A	99.70B/41.60A	----	65.40 + 16.30	.6657	----	----	101	----	132 + 59
4770	47.40	47.40	103.60B/44.10A	103.60B/44.10A	----	68.60 + 16.90	.6854	----	----	5	----	108 UNCH
4775	----	----	107.30B/46.80A	107.30B/46.80A	----	71.80 + 17.40	.7047	----	----	43	----	379 - 37
4780	----	----	111.20B/49.90A	111.20B/49.90A	----	75.20 + 18.00	.7234	----	----	9	----	101 - 7
4785	----	----	115.30B/53.10A	115.30B/53.10A	----	78.70 + 18.60	.7422	----	----	1	----	108 - 1
4790	----	----	119.40B/56.10A	119.40B/56.10A	----	82.30 + 19.20	.7597	----	----	----	----	373 UNCH
4795	----	----	123.50B/59.30A	123.50B/59.30A	----	86.00 + 19.80	.7764	----	----	2	----	59 UNCH
4800	95.00	95.00	127.50B/62.70A	127.50B/62.70A	----	89.80 + 20.40	.7924	----	----	10	----	1701 - 5
4805	----	----	131.90B/66.10A	131.90B/66.10A	----	93.70 + 21.00	.8074	----	----	2	----	62 UNCH
4810	82.50	82.50	136.10B/69.50A	136.10B/69.50A	----	97.70 + 21.50	.8216	----	----	5	----	420 UNCH
4815	----	----	140.60B/73.10A	140.60B/73.10A	----	101.70 + 22.00	.8346	----	----	----	----	52 UNCH
4820	----	----	145.00B/76.90A	145.00B/76.90A	----	105.90 + 22.60	.8476	----	----	----	----	182 UNCH
4825	124.00	124.00	149.50B/80.60A	149.50B/80.60A	----	110.10 + 23.10	.8594	----	----	7	----	235 - 7
4830	----	----	154.00B/84.40A	154.00B/84.40A	----	114.40 + 23.60	.8701	----	----	1	----	80 - 1
4835	----	----	158.50B/88.20A	158.50B/88.20A	----	118.70 + 24.00	.8807	----	----	7	----	162 - 1
4840	----	----	163.10B/91.80A	163.10B/91.80A	----	123.10 + 24.40	.8900	----	----	----	----	134 UNCH
4845	----	----	167.70B/95.40A	167.70B/95.40A	----	127.60 + 24.90	.8982	----	----	----	----	78 UNCH
4850	----	----	172.30B/99.20A	172.30B/99.20A	----	132.10 + 25.20	.9062	----	----	50	----	1090 - 16
4855	----	----	177.00B/103.00A	177.00B/103.00A	----	136.60 + 25.50	.9129	----	----	----	----	143 UNCH
4860	----	----	181.60B/107.10A	181.60B/107.10A	----	141.20 + 25.80	.9194	----	----	----	----	42 UNCH
4865	----	----	186.40B/110.70A	186.40B/110.70A	----	145.90 + 26.20	.9258	----	----	----	----	84 UNCH
4870	----	----	191.10B/114.70A	191.10B/114.70A	----	150.50 + 26.40	.9310	----	----	1	----	250 UNCH
4875	----	----	196.00B/118.80A	196.00B/118.80A	----	155.20 + 26.70	.9360	----	----	11	----	366 + 6
4880	----	----	200.80B/123.00A	200.80B/123.00A	----	159.90 + 26.90	.9409	----	----	----	----	107 UNCH
4885	----	----	205.60B/127.20A	205.60B/127.20A	----	164.70 + 27.10	.9456	----	----	----	----	24 UNCH
4890	----	----	210.40B/131.50A	210.40B/131.50A	----	169.40 + 27.30	.9491	----	----	----	----	64 UNCH
4895	----	----	215.20B/135.80A	215.20B/135.80A	----	174.20 + 27.50	.9525	----	----	1	----	92 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4900	187.70	187.70	220.10B/140.20A	220.10B/140.20A	----	179.00 + 27.60	.9558	----	----	10	----	1036 - 1
4905	----	----	224.90B/144.60A	224.90B/144.60A	----	183.90 + 27.80	.9591	----	----	----	----	53 UNCH
4910	----	----	229.90B/149.10A	229.90B/149.10A	----	188.70 + 27.90	.9611	----	----	----	----	90 UNCH
4915	----	----	234.80B/153.60A	234.80B/153.60A	----	193.60 + 28.10	.9641	----	----	1	----	29 - 1
4920	----	----	239.70B/158.20A	239.70B/158.20A	----	198.40 + 28.10	.9660	----	----	1	----	148 - 1
4925	----	----	244.60B/162.70A	244.60B/162.70A	----	203.30 + 28.20	.9678	----	----	----	----	73 UNCH
4930	----	----	249.50B/167.30A	249.50B/167.30A	----	208.20 + 28.30	.9695	----	----	----	----	50 UNCH
4935	----	----	254.40B/172.00A	254.40B/172.00A	----	213.10 + 28.40	.9712	----	----	----	----	54 UNCH
4940	----	----	259.20B/176.70A	259.20B/176.70A	----	218.00 + 28.40	.9729	----	----	----	----	14 UNCH
4945	----	----	264.20B/181.40A	264.20B/181.40A	----	222.90 + 28.50	.9745	----	----	10	----	41 - 7
4950	----	----	269.10B/186.30A	269.10B/186.30A	----	227.90 + 28.60	.9760	----	----	2	----	753 UNCH
4955	----	----	273.90B/191.10A	273.90B/191.10A	----	232.80 + 28.60	.9775	----	----	----	----	83 UNCH
4960	----	----	279.00B/195.80A	279.00B/195.80A	----	237.70 + 28.70	.9790	----	----	----	----	132 UNCH
4965	273.00	273.00	284.00B/200.40A	284.00B/200.40A	----	242.60 + 28.70	.9794	----	----	24	----	15 - 10
4970	----	----	288.90B/205.40A	288.90B/205.40A	----	247.50 + 28.70	.9808	----	----	----	----	4 UNCH
4975	----	----	293.90B/210.00A	293.90B/210.00A	----	252.40 + 28.70	.9822	----	----	18	----	90 + 1
4980	----	----	298.80B/214.80A	298.80B/214.80A	----	257.40 + 28.80	.9825	----	----	----	----	57 UNCH
4985	----	----	303.70B/219.80A	303.70B/219.80A	----	262.30 + 28.80	.9838	----	----	----	----	126 UNCH
4990	----	----	308.70B/224.50A	308.70B/224.50A	----	267.30 + 28.80	.9840	----	----	1	----	31 - 1
4995	----	----	313.60B/229.70A	313.60B/229.70A	----	272.30 + 28.90	.9853	----	----	----	----	222 UNCH
5000	256.00	256.00	318.60B/234.40A	318.60B/234.40A	----	277.20 + 28.90	.9855	----	----	10	----	1117 - 2
5005	----	----	323.60B/239.40A	323.60B/239.40A	----	282.20 + 28.90	.9858	----	----	----	----	41 UNCH
5010	----	----	328.50B/244.00A	328.50B/244.00A	----	287.10 + 28.90	.9870	----	----	----	----	14 UNCH
5015	----	----	333.50B/248.90A	333.50B/248.90A	----	292.10 + 29.00	.9871	----	----	----	----	23 UNCH
5020	----	----	338.40B/253.80A	338.40B/253.80A	----	297.10 + 29.00	.9883	----	----	----	----	24 UNCH
5025	----	----	343.50B/258.70A	343.50B/258.70A	----	302.00 + 29.00	.9885	----	----	1	----	155 UNCH
5030	----	----	348.40B/263.80A	348.40B/263.80A	----	307.00 + 29.00	.9886	----	----	----	----	22 UNCH
5035	----	----	353.20B/268.80A	353.20B/268.80A	----	311.90 + 29.00	.9897	----	----	----	----	13 UNCH
5040	----	----	352.50B/283.80A	352.50B/283.80A	----	316.90 + 29.00	.9899	----	----	----	----	134 UNCH
5045	----	----	355.90B/289.00A	355.90B/289.00A	----	321.90 + 29.00	.9900	----	----	----	----	28 UNCH
5050	----	----	363.90B/294.50A	363.90B/294.50A	----	326.80 + 29.00	.9911	----	----	----	----	433 UNCH
5055	----	----	367.40B/298.70A	367.40B/298.70A	----	331.80 + 29.00	.9912	----	----	----	----	106 UNCH
5060	----	----	372.30B/304.00A	372.30B/304.00A	----	336.80 + 29.00	.9913	----	----	----	----	84 UNCH
5065	----	----	375.80B/308.90A	375.80B/308.90A	----	341.70 + 29.00	.9923	----	----	----	----	54 UNCH
5070	----	----	382.30B/313.90A	382.30B/313.90A	----	346.70 + 29.00	.9924	----	----	----	----	171 UNCH
5075	----	----	385.70B/319.00A	385.70B/319.00A	----	351.70 + 29.00	.9925	----	----	9	----	47 + 1
5080	----	----	392.20B/323.60A	392.20B/323.60A	----	356.70 + 29.00	.9926	----	----	----	----	85 UNCH
5085	----	----	397.20B/328.60A	397.20B/328.60A	----	361.60 + 28.90	.9936	----	----	----	----	116 UNCH
5090	----	----	400.70B/333.80A	400.70B/333.80A	----	366.60 + 29.00	.9937	----	----	----	----	23 UNCH
5095	----	----	405.60B/339.00A	405.60B/339.00A	----	371.60 + 29.00	.9937	----	----	----	----	18 UNCH
5100	----	----	413.60B/343.00A	413.60B/343.00A	----	376.60 + 29.00	.9938	----	----	----	----	379 UNCH
5105	----	----	415.60B/348.80A	415.60B/348.80A	----	381.60 + 29.00	.9939	----	----	----	----	57 UNCH
5110	----	----	423.50B/357.50A	423.50B/357.50A	----	386.50 + 28.90	.9948	----	----	----	----	285 UNCH
5115	----	----	425.50B/----	425.50B/363.40A	----	391.50 + 29.00	.9949	----	----	----	----	23 - 1
5120	----	----	430.50B/----	430.50B/368.30A	----	396.50 + 29.00	.9949	----	----	----	----	16 - 3
5125	----	----	436.90B/----	436.90B/372.90A	----	401.50 + 29.00	.9950	----	----	----	----	88 UNCH
5130	----	----	441.90B/----	441.90B/377.90A	----	406.50 + 29.00	.9950	----	----	----	----	119 - 1
5135	----	----	446.90B/----	446.90B/382.90A	----	411.40 + 28.90	.9959	----	----	----	----	95 UNCH
5140	----	----	450.40B/----	450.40B/388.30A	----	416.40 + 29.00	.9959	----	----	----	----	22 - 1
5145	----	----	455.40B/----	455.40B/393.30A	----	421.40 + 29.00	.9960	----	----	----	----	42 - 2
5150	----	----	463.30B/----	463.30B/397.40A	----	426.40 + 29.00	.9960	----	----	----	----	303 - 68
5155	----	----	465.30B/----	465.30B/403.30A	----	431.40 + 29.00	.9961	----	----	----	----	8 - 1
5160	----	----	470.30B/----	470.30B/408.30A	----	436.30 + 28.90	.9969	----	----	----	----	29 - 2
5165	----	----	475.30B/----	475.30B/413.30A	----	441.30 + 29.00	.9969	----	----	----	----	46 - 1
5170	----	----	481.70B/----	481.70B/417.90A	----	446.30 + 29.00	.9970	----	----	----	----	142 - 13
5175	----	----	485.20B/----	485.20B/423.30A	----	451.30 + 29.00	.9970	----	----	----	----	28 - 3
5180	----	----	491.70B/----	491.70B/427.80A	----	456.30 + 29.00	.9970	----	----	----	----	76 UNCH
5185	----	----	----	351.70B/582.90A	----	461.30 + 29.00	.9971	----	----	----	----	2 UNCH
5190	----	----	500.10B/----	500.10B/438.30A	----	466.30 + 29.00	.9971	----	----	----	----	9 - 1
5195	----	----	505.20B/----	505.20B/443.30A	----	471.20 + 28.90	.9979	----	----	----	----	25 UNCH
5200	----	----	513.20B/446.40A	513.20B/446.40A	----	476.20 + 28.90	.9979	----	----	----	----	394 - 30
5205	----	----	515.10B/----	515.10B/453.20A	----	481.20 + 29.00	.9979	----	----	----	----	18 - 1
5210	----	----	520.10B/----	520.10B/458.20A	----	486.20 + 29.00	.9979	----	----	----	----	9 UNCH
5215	----	----	525.00B/----	525.00B/463.20A	----	491.20 + 29.00	.9980	----	----	----	----	5 UNCH
5220	----	----	530.10B/----	530.10B/468.20A	----	496.20 + 29.00	.9980	----	----	----	----	9 UNCH
5225	----	----	535.10B/----	535.10B/473.20A	----	501.20 + 29.00	.9980	----	----	----	----	59 UNCH
5230	----	----	540.00B/----	540.00B/478.20A	----	506.20 + 29.00	.9980	----	----	----	----	10 UNCH
5235	----	----	545.00B/----	545.00B/483.20A	----	511.20 + 29.00	.9980	----	----	----	----	69 - 2
5240	----	----	550.00B/----	550.00B/488.20A	----	516.20 + 29.00	.9981	----	----	----	----	40 - 3
5245	----	----	554.90B/----	554.90B/493.20A	----	521.10 + 28.90	.9981	----	----	----	----	13 UNCH
5250	----	----	563.00B/----	563.00B/497.30A	----	526.10 + 28.90	.9988	----	----	----	----	326 - 65
5255	----	----	565.00B/----	565.00B/503.20A	----	531.10 + 28.90	.9988	----	----	----	----	0 - 4
5260	----	----	569.90B/----	569.90B/508.20A	----	536.10 + 29.00	.9988	----	----	----	----	11 UNCH
5265	----	----	574.90B/----	574.90B/513.20A	----	541.10 + 29.00	.9988	----	----	----	----	1 - 6
5270	----	----	579.90B/----	579.90B/518.20A	----	546.10 + 29.00	.9988	----	----	----	----	15 - 3
5275	----	----	586.40B/----	586.40B/522.70A	----	551.10 + 29.00	.9989	----	----	----	----	75 - 103
5280	----	----	589.80B/----	589.80B/528.20A	----	556.10 + 29.00	.9989	----	----	----	----	0 - 6
5290	----	----	----	458.30B/686.30A	----	566.10 + 29.00	.9989	----	----	----	----	2 UNCH
5295	----	----	604.80B/----	604.80B/543.20A	----	571.10 + 29.00	.9989	----	----	----	----	0 - 5
5300	585.00	585.00	611.30B/585.00	611.30B/547.70A	----	576.10 + 29.00	.9989	----	----	1	----	71 - 30
5305	----	----	614.80B/----	614.80B/553.20A	----	581.10 + 29.00	.9989	----	----	----	----	10 - 20
5310	----	----	619.80B/----	619.80B/558.20A	----	586.10 + 29.00	.9989	----	----	----	----	32 UNCH
5315	----	----	----	483.50B/711.10A	----	591.10 + 29.00	.9989	----	----	----	----	1 UNCH
5320	----	----	629.80B/----	629.80B/568.20A	----	596.10 + 29.00	.9990	----	----	----	----	24 UNCH
5325	----	----	634.80B/----	634.80B/573.20A	----	601.10 + 29.00	.9990	----	----	----	----	50 UNCH
5330	----	----	639.80B/----	639.80B/578.20A	----	606.10 + 29.00	.9990	----	----	----	----	12 - 15
5335	----	----	----	503.70B/730.80A	----	611.10 + 29.00	.9990	----	----	----	----	1 UNCH
5340	----	----	649.70B/----	649.70B/588.30A	----	616.10 + 29.00	.9990	----	----	----	----	0 - 10
5350	----	----	659.70B/----	659.70B/598.30A	----	626.00 + 28.90	.9997	----	----	----	----	30 - 6
5360	----	----	669.70B/----	669.70B/608.30A	----	636.00 + 29.00	.9998	----	----	----	----	2 - 9
5365	----	----	----	533.90B/760.50A	----	641.00 + 29.00	.9999	----	----	----	----	0 UNCH
5370	----	----	679.70B/----	679.70B/618.30A	----	646.00 + 29.00	.9999	----	----	----	----	32 UNCH
5375	----	----	684.70B/----	684.70B/623.30A	----	651.00 + 29.00	1.0000	----	----	----	----	13 - 19
5380	----	----	689.70B/----	689.70B/628.30A	----	656.00 + 29.00	1.0000	----	----	----	----	0 - 3
5385	----	----	694.70B/----	694.70B/633.30A	----	661.00 + 29.00	1.0000	----	----	----	----	15 UNCH
5390	----	----	----	559.10B/785.30A	----	666.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5395	----	----	----	564.10B/790.30A	----	671.00 + 29.00	1.0000	----	----	----	----	1 UNCH
5400	----	----	709.70B/----	709.70B/648.30A	----	676.00 + 29.00	1.0000	----	----	----	----	53 UNCH
5410	----	----	719.70B/----	719.70B/658.30A	----	686.00 + 29.00	1.0000	----	----	----	----	55 UNCH
5420	----	----	729.70B/----	729.70B/668.30A	----	696.00 + 29.00	1.0000	----	----	----	----	4 UNCH
5425	----	----	734.70B/----	734.70B/673.30A	----	701.00 + 29.00	1.0000	----	----	----	----	31 UNCH
5435	----	----	----	604.40B/830.20A	----	711.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5445	----	----	----	614.50B/840.20A	----	721.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5450	----	----	759.70B/----	759.70B/698.30A	----	726.00 + 29.00	1.0000	----	----	----	----	9 UNCH
5475	----	----	----	644.60B/870.30A	----	751.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5490	----	----	799.70B/----	799.70B/738.20A	----	766.00 + 29.00	1.0000	----	----	----	----	3 UNCH
5500	----	----	809.70B/----	809.70B/748.20A	----	776.00 + 29.00	1.0000	----	----	----	----	19 UNCH
5515	----	----	----	684.90B/910.40A	----	791.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5520	----	----	----	689.90B/915.40A	----	796.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5530	----	----	----	699.90B/925.40A	----	806.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5535	----	----	----	705.00B/930.40A	----	811.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5540	----	----	----	710.00B/935.40A	----	816.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5550	----	----	----	719.90B/945.40A	----	826.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5600	----	----	----	769.80B/995.60A	----	876.00 + 29.00	1.0000	----	----	----	----	0 UNCH
5890	----	----	----	1058.90B/1286.30A	----	1166.00 + 29.00	1.0000	----	----	----	----	0 UNCH
TOTAL										6390	1,600	95222 + 1125
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
JUN26														
1690	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1695	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1700	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1725	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1735	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1740	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1745	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1750	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
1755	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1775	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1780	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1785	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1795	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
1800	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
1815	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1820	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1855	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1875	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
1900	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
1905	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
1915	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
1920	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1950	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
1955	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH
1965	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	10	UNCH
1975	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	85	UNCH
2000	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	603	UNCH
2005	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2010	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2015	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	7	UNCH
2020	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2025	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	40	UNCH
2030	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	13	UNCH
2050	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	20	UNCH
2085	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	15	UNCH
2100	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	90	UNCH
2105	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2130	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2170	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
2180	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH
2195	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
2200	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	9	UNCH
2205	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	7	UNCH
2220	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	1	UNCH
2230	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	25	UNCH
2235	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	21	UNCH
2240	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	6	UNCH
2250	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	5	UNCH
2300	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	13	UNCH
2315	----	----	----	----/0.30A	----	0.10	UNCH	.0002	----	----	----	----	40	UNCH
2330	----	----	----	----/0.30A	----	0.10	UNCH	.0002	----	----	----	----	9	UNCH
2350	----	----	----	----/0.30A	----	0.10	UNCH	.0002	----	----	----	----	1	UNCH
2380	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	9	UNCH
2385	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	1	UNCH
2390	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	1	UNCH
2395	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	1	UNCH
2400	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	71	UNCH
2405	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	1	UNCH
2410	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	6	UNCH
2415	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	1	UNCH
2420	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	5	UNCH
2425	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	23	UNCH
2430	----	----	----	----/0.40A	----	0.20	UNCH	.0005	----	----	----	----	1	UNCH
2445	----	----	----	----/0.40A	----	0.20	UNCH	.0006	----	----	----	----	5	UNCH
2450	----	----	----	----/0.40A	----	0.20	UNCH	.0006	----	----	----	----	51	UNCH
2460	----	----	----	----/0.40A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH
2465	----	----	----	----/0.40A	----	0.20	UNCH	.0006	----	----	----	----	7	UNCH
2475	----	----	----	----/0.40A	----	0.20	UNCH	.0006	----	----	----	----	3	UNCH
2495	----	----	----	----/0.50A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH
2500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.20	UNCH	.0006	----	----	1	----	1924 +	1
2510	----	----	----	----/0.50A	----	0.20	UNCH	.0006	----	----	----	----	2	UNCH
2525	----	----	----	----/0.50A	----	0.20	UNCH	.0006	----	----	----	----	25	UNCH
2535	----	----	----	----/0.50A	----	0.20	UNCH	.0006	----	----	----	----	5	UNCH
2540	----	----	----	----/0.50A	----	0.30	+ 0.10	.0009	----	----	----	----	5	UNCH
2550	----	----	----	----/0.50A	----	0.30	+ 0.10	.0009	----	----	----	----	50	UNCH
2565	----	----	----	0.10B/0.50A	----	0.30	UNCH	.0009	----	----	----	----	5	UNCH
2580	----	----	----	0.10B/0.50A	----	0.30	UNCH	.0009	----	----	----	----	5	UNCH
2590	----	----	----	0.10B/0.50A	----	0.30	UNCH	.0009	----	----	----	----	8	UNCH
2600	0.10	0.10	0.10/0.10	0.10/0.10	----	0.30	UNCH	.0009	----	----	1	----	187 +	1
2645	----	----	----	0.10B/0.40A	----	0.30	UNCH	.0009	----	----	----	----	10	UNCH
2650	----	----	----	0.10B/0.40A	----	0.30	UNCH	.0009	----	----	----	----	1	UNCH
2695	----	----	----	0.20B/0.50A	----	0.40	+ 0.10	.0012	----	----	----	----	2	UNCH
2700	----	----	----	0.20B/0.50A	----	0.40	+ 0.10	.0012	----	----	----	----	427	UNCH
2730	----	----	----	0.20B/0.50A	----	0.40	UNCH	.0012	----	----	----	----	5	UNCH
2750	----	----	----	0.20B/0.50A	----	0.40	UNCH	.0013	----	----	----	----	1	UNCH
2800	----	----	----	0.30B/0.60A	----	0.50	+ 0.10	.0016	----	----	----	----	751	UNCH
2805	----	----	----	0.30B/0.60A	----	0.50	+ 0.10	.0016	----	----	----	----	223	UNCH
2810	----	----	----	0.30B/0.60A	----	0.50	+ 0.10	.0016	----	----	----	----	39	UNCH
2825	----	----	----	0.30B/0.60A	----	0.50	UNCH	.0016	----	----	----	----	56	UNCH
2830	----	----	----	0.30B/0.60A	----	0.50	UNCH	.0016	----	----	----	----	25	UNCH
2850	----	----	----	0.40B/0.60A	----	0.60	+ 0.10	.0019	----	----	----	----	22	UNCH
2875	----	----	----	0.40B/0.70A	----	0.60	UNCH	.0020	----	----	----	----	7	UNCH
2900	----	----	----	0.50B/0.70A	----	0.60	UNCH	.0020	----	----	----	----	155	UNCH
2905	----	----	----	0.50B/0.70A	----	0.70	+ 0.10	.0023	----	----	----	----	5	UNCH
2915	----	----	----	0.50B/0.70A	----	0.70	+ 0.10	.0023	----	----	----	----	1	UNCH
2930	----	----	----	0.60B/0.80A	----	0.70	UNCH	.0023	----	----	----	----	1	UNCH
2935	----	----	----	0.60B/0.80A	----	0.70	UNCH	.0023	----	----	----	----	3	UNCH
2950	----	----	----	0.60B/0.80A	----	0.80	+ 0.10	.0026	----	----	----	----	24	UNCH
2970	----	----	----	0.60B/0.80A	----	0.80	UNCH	.0027	----	----	----	----	2	UNCH
2975	----	----	----	0.60B/0.90A	----	0.80	UNCH	.0027	----	----	----	----	9	UNCH
2990	----	----	----	0.70B/0.90A	----	0.80	UNCH	.0027	----	----	----	----	5	UNCH
2995	----	----	----	0.70B/0.90A	----	0.90	+ 0.10	.0030	----	----	----	----	6	UNCH
3000	0.70	0.70	1.00/0.70	1.00/0.70	----	0.90	+ 0.10	.0030	----	----	2	----	1673	UNCH
3005	----	----	----	0.70B/0.90A	----	0.90	+ 0.10	.0030	----	----	----	----	30	UNCH
3010	----	----	----	0.70B/0.90A	----	0.90	UNCH	.0030	----	----	----	----	8	UNCH
3015	----	----	----	0.70B/0.90A	----	0.90	UNCH	.0030	----	----	----	----	215	UNCH
3020	----	----	----	0.70B/0.90A	----	0.90	UNCH	.0030	----	----	----	----	35	UNCH
3035	----	----	1.00B/----	1.00B/1.10A	----	1.00	+ 0.10	.0034	----	----	----	----	1	UNCH
3050	----	----	----	0.80B/1.10A	----	1.00	UNCH	.0034	----	----	----	----	389	UNCH
3065	----	----	----	1.00B/1.10A	----	1.00	UNCH	.0034	----	----	----	----	7	UNCH
3070	----	----	----	1.00B/1.10A	----	1.00	UNCH	.0034	----	----	----	----	6	UNCH
3075	----	----	1.10B/----	1.10B/1.10A	----	1.10	+ 0.10	.0037	----	----	----	----	10	UNCH
3080	----	----	1.10B/----	1.10B/1.20A	----	1.10	+ 0.10	.0038	----	----	----	----	8	UNCH
3095	----	----	----	1.10B/1.20A	----	1.10	UNCH	.0038	----	----	----	----	42	UNCH
3100	1.50	1.50	1.50/1.50	1.50/1.20A	----	1.10	UNCH	.0038	----	----	1	----	367 -	1
3105	----	----	1.20B/----	1.20B/1.20A	----	1.10	UNCH	.0038	----	----	----	----	13	UNCH
3110	----	----	1.20B/----	1.20B/1.20A	----	1.20	+ 0.10	.0041	----	----	----	----	10	UNCH
3120	----	----	1.20B/----	1.20B/1.20A	----	1.20	+ 0.10	.0041	----	----	----	----	13	UNCH
3125	----	----	1.20B/----	1.20B/1.20A	----	1.20	+ 0.10	.0042	----	----	----	----	13	UNCH
3130	----	----	----	1.20B/1.20A	----	1.20	UNCH	.0042	----	----	----	----	26	UNCH
3140	----	----	1.30B/----	1.30B/1.20A	----	1.20	UNCH	.0042	----	----	----	----	5	UNCH
3150	----	----	1.30B/----	1.30B/1.20A	----	1.30	+ 0.10	.0045	----	----	----	----	147	UNCH
3155	----	----	1.30B/----	1.30B/1.20A	----	1.30	+ 0.10	.0045	----	----	----	----	16	UNCH
3160	----	----	1.30B/----	1.30B/1.30A	----	1.30	+ 0.10	.0046	----	----	----	----	5	UNCH
3170	----	----	1.40B/----	1.40B/1.30A	----	1.30	UNCH	.0046	----	----	----	----	6	UNCH
3175	----	----	1.40B/----	1.40B/1.30A	----	1.40	+ 0.10	.0049	----	----	----	----	12	UNCH
3180	----	----	1.40B/----	1.40B/1.30A	----	1.40	+ 0.10	.0049	----	----	----	----	5	UNCH
3185	----	----	1.40B/----	1.40B/1.30A	----	1.40	+ 0.10	.0049	----	----	----	----	6	UNCH
3190	----	----	1.50B/----	1.50B/1.40A	----	1.40	+ 0.10	.0050	----	----	----	----	18	UNCH
3195	----	----	1.50B/----	1.50B/1.40A	----	1.40	+ 0.10	.0050	----	----	----	----	12	UNCH
3200	----	----	1.50B/----	1.50B/1.40A	----	1.40	UNCH	.0050	----	----	----	----	296	UNCH
3205	----	----	1.50B/----	1.50B/1.40A	----	1.50	+ 0.10	.0053	----	----	----	----	42	UNCH
3210	----	----	1.50B/----	1.50B/1.40A	----	1.50	+ 0.10	.0053	----	----	----	----	15	UNCH
3215	----	----	1.60B/----	1.60B/1.50A	----	1.50	+ 0.10	.0053	----	----	----	----	22	UNCH
3220	----	----	1.50B/----	1.50B/1.50A	----	1.50	+ 0.10	.0054	----	----	----	----	22	UNCH
3225	----	----	1.60B/----	1.60B/1.50A	----	1.50	+ 0.10	.0054	----	----	----	----	65	UNCH
3235	----	----	1.60B/----	1.60B/1.50A	----	1.60	+ 0.10	.0057	----	----	----	----	24	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3250	----	----	1.70B/----	1.70B/1.60A	----	1.60 + 0.10	.0058	----	----	----	----	147 UNCH
3255	----	----	1.80B/----	1.80B/1.60A	----	1.60 + 0.10	.0058	----	----	----	----	122 UNCH
3260	1.60	1.60	2.00/1.60	2.00/1.60	----	1.70 + 0.20	.0061	----	----	45	----	45 + 44
3265	----	----	1.80B/----	1.80B/1.60A	----	1.70 + 0.10	.0061	----	----	----	----	20 UNCH
3270	----	----	1.80B/----	1.80B/1.60A	----	1.70 + 0.10	.0062	----	----	----	----	7 UNCH
3280	----	----	1.90B/----	1.90B/1.70A	----	1.70 + 0.10	.0062	----	----	----	----	13 UNCH
3290	----	----	1.90B/----	1.90B/1.70A	----	1.80 + 0.20	.0065	----	----	----	----	37 UNCH
3300	1.80	1.80	1.90B/1.80	1.90B/1.70A	----	1.80 + 0.10	.0066	----	----	1	----	373 UNCH
3305	----	----	2.00B/----	2.00B/1.80A	----	1.80 + 0.10	.0066	----	----	----	----	1 UNCH
3310	----	----	1.90B/----	1.90B/1.80A	----	1.90 + 0.20	.0069	----	----	----	----	7 UNCH
3315	----	----	2.00B/----	2.00B/1.80A	----	1.90 + 0.20	.0070	----	----	----	----	7 UNCH
3320	----	----	2.00B/----	2.00B/1.80A	----	1.90 + 0.20	.0070	----	----	----	----	4 UNCH
3325	----	----	2.10B/----	2.10B/1.80A	----	1.90 + 0.10	.0070	----	----	----	----	47 UNCH
3335	----	----	2.10B/----	2.10B/1.90A	----	2.00 + 0.20	.0074	----	----	----	----	46 UNCH
3340	----	----	2.10B/----	2.10B/1.90A	----	2.00 + 0.20	.0074	----	----	----	----	22 UNCH
3345	----	----	2.10B/----	2.10B/1.90A	----	2.00 + 0.20	.0074	----	----	----	----	12 UNCH
3350	----	----	2.10B/----	2.10B/1.90A	----	2.00 + 0.10	.0075	----	----	----	----	407 UNCH
3355	----	----	2.20B/----	2.20B/2.00A	----	2.10 + 0.20	.0078	----	----	----	----	17 UNCH
3360	----	----	2.20B/----	2.20B/2.00A	----	2.10 + 0.20	.0078	----	----	----	----	7 UNCH
3365	----	----	2.30B/----	2.30B/2.00A	----	2.10 + 0.20	.0078	----	----	----	----	31 UNCH
3370	----	----	2.30B/----	2.30B/2.00A	----	2.10 + 0.20	.0079	----	----	----	----	26 UNCH
3375	----	----	2.30B/----	2.30B/2.00A	----	2.20 + 0.20	.0082	----	----	----	----	98 UNCH
3380	----	----	2.30B/----	2.30B/2.10A	----	2.20 + 0.20	.0082	----	----	----	----	46 UNCH
3385	----	----	2.40B/----	2.40B/2.10A	----	2.20 + 0.20	.0083	----	----	----	----	6 UNCH
3390	----	----	2.40B/----	2.40B/2.10A	----	2.20 + 0.20	.0083	----	----	----	----	59 UNCH
3395	----	----	2.40B/----	2.40B/2.10A	----	2.30 + 0.30	.0086	----	----	----	----	1 UNCH
3400	2.30	2.30	2.50B/2.30	2.50B/2.10A	----	2.30 + 0.20	.0087	----	----	1	----	742 UNCH
3405	----	----	2.50B/----	2.50B/2.20A	----	2.30 + 0.20	.0087	----	----	----	----	66 UNCH
3410	----	----	2.50B/----	2.50B/2.20A	----	2.30 + 0.20	.0087	----	----	----	----	7 UNCH
3415	----	----	2.60B/----	2.60B/2.20A	----	2.40 + 0.30	.0091	----	----	----	----	3 UNCH
3420	----	----	2.60B/----	2.60B/2.20A	----	2.40 + 0.30	.0091	----	----	----	----	18 UNCH
3425	----	----	2.60B/----	2.60B/2.30A	----	2.40 + 0.20	.0091	----	----	----	----	25 UNCH
3430	----	----	2.70B/----	2.70B/2.30A	----	2.50 + 0.30	.0095	----	----	----	----	10 UNCH
3435	----	----	2.70B/----	2.70B/2.30A	----	2.50 + 0.30	.0095	----	----	----	----	20 UNCH
3450	2.60	2.60	2.80B/2.60	2.80B/2.40A	----	2.60 + 0.30	.0099	----	----	10	----	407 - 6
3455	----	----	2.80B/----	2.80B/2.40A	----	2.60 + 0.30	.0100	----	----	----	----	51 UNCH
3460	----	----	2.90B/----	2.90B/2.40A	----	2.60 + 0.30	.0100	----	----	----	----	50 UNCH
3465	----	----	2.90B/----	2.90B/2.40A	----	2.70 + 0.40	.0104	----	----	----	----	89 UNCH
3470	----	----	2.90B/----	2.90B/2.50A	----	2.70 + 0.30	.0104	----	----	----	----	28 UNCH
3475	----	----	3.00B/----	3.00B/2.50A	----	2.70 + 0.30	.0104	----	----	----	----	241 UNCH
3480	----	----	3.00B/----	3.00B/2.50A	----	2.80 + 0.40	.0108	----	----	----	----	171 UNCH
3485	----	----	3.00B/----	3.00B/2.50A	----	2.80 + 0.40	.0108	----	----	----	----	3 UNCH
3490	----	----	3.10B/----	3.10B/2.60A	----	2.80 + 0.30	.0109	----	----	----	----	21 UNCH
3500	----	----	3.10B/----	3.10B/2.60A	----	2.90 + 0.40	.0113	----	----	----	----	1797 UNCH
3505	----	----	3.20B/----	3.20B/2.70A	----	2.90 + 0.30	.0113	----	----	----	----	65 UNCH
3510	----	----	3.20B/----	3.20B/2.70A	----	3.00 + 0.40	.0117	----	----	----	----	61 UNCH
3515	----	----	3.20B/----	3.20B/2.70A	----	3.00 + 0.40	.0117	----	----	----	----	16 UNCH
3520	----	----	3.30B/----	3.30B/2.70A	----	3.00 + 0.40	.0118	----	----	----	----	138 UNCH
3525	----	----	3.30B/----	3.30B/2.80A	----	3.10 + 0.40	.0121	----	----	----	----	301 UNCH
3530	----	----	3.30B/----	3.30B/2.80A	----	3.10 + 0.40	.0122	----	----	----	----	7 UNCH
3535	----	----	3.30B/----	3.30B/2.80A	----	3.10 + 0.40	.0122	----	----	----	----	100 UNCH
3540	----	----	3.40B/----	3.40B/2.80A	----	3.20 + 0.40	.0126	----	----	----	----	5 UNCH
3545	----	----	3.40B/----	3.40B/2.90A	----	3.20 + 0.40	.0126	----	----	----	----	20 UNCH
3550	3.40	3.40	3.40/2.80A	3.40/2.80A	----	3.20 + 0.40	.0127	----	----	1	----	418 UNCH
3555	----	----	3.50B/----	3.50B/2.90A	----	3.30 + 0.50	.0130	----	----	----	----	2 UNCH
3560	----	----	3.50B/----	3.50B/3.00A	----	3.30 + 0.40	.0131	----	----	----	----	89 UNCH
3565	----	----	3.60B/----	3.60B/3.00A	----	3.30 + 0.40	.0132	----	----	----	----	41 UNCH
3570	----	----	3.60B/----	3.60B/3.00A	----	3.40 + 0.50	.0135	----	----	----	----	60 UNCH
3575	----	----	3.60B/----	3.60B/3.00A	----	3.40 + 0.40	.0136	----	----	----	----	40 UNCH
3580	----	----	3.70B/----	3.70B/3.10A	----	3.50 + 0.50	.0139	----	----	----	----	76 UNCH
3585	----	----	3.70B/----	3.70B/3.10A	----	3.50 + 0.50	.0140	----	----	----	----	2 UNCH
3590	----	----	3.70B/----	3.70B/3.10A	----	3.50 + 0.40	.0141	----	----	----	----	3 UNCH
3595	----	----	3.80B/----	3.80B/3.20A	----	3.60 + 0.50	.0144	----	----	----	----	23 UNCH
3600	3.50	3.50	3.90B/3.50	3.90B/3.20A	----	3.60 + 0.50	.0145	----	----	152	----	1655 UNCH
3610	----	----	3.90B/----	3.90B/3.20A	----	3.70 + 0.50	.0149	----	----	----	----	3 UNCH
3615	----	----	3.90B/----	3.90B/3.30A	----	3.70 + 0.50	.0150	----	----	----	----	37 UNCH
3620	----	----	4.00B/----	4.00B/3.30A	----	3.80 + 0.50	.0154	----	----	----	----	11 UNCH
3625	----	----	4.00B/----	4.00B/3.30A	----	3.80 + 0.50	.0154	----	----	----	----	67 UNCH
3630	----	----	4.10B/----	4.10B/3.40A	----	3.80 + 0.50	.0155	----	----	----	----	86 UNCH
3635	----	----	4.10B/----	4.10B/3.40A	----	3.90 + 0.50	.0159	----	----	----	----	107 UNCH
3640	----	----	4.20B/----	4.20B/3.40A	----	3.90 + 0.50	.0160	----	----	----	----	24 UNCH
3645	----	----	4.20B/----	4.20B/3.50A	----	4.00 + 0.60	.0163	----	----	----	----	13 UNCH
3650	----	----	4.20B/----	4.20B/3.50A	----	4.00 + 0.50	.0164	----	----	18	----	555 UNCH
3655	4.00	4.00	4.30B/4.00	4.30B/3.50A	----	4.00 + 0.50	.0165	----	----	5	----	7 + 5
3660	----	----	4.30B/----	4.30B/3.60A	----	4.10 + 0.60	.0169	----	----	----	----	1 UNCH
3665	4.10	4.10	4.40B/4.10	4.40B/3.60A	----	4.10 + 0.50	.0170	----	----	5	----	15 UNCH
3670	----	----	4.40B/----	4.40B/3.60A	----	4.20 + 0.60	.0173	----	----	----	----	31 UNCH
3675	4.30	4.30	4.50B/4.30	4.50B/3.70A	----	4.20 + 0.50	.0174	----	----	1	----	46 + 1
3680	----	----	4.60B/----	4.60B/3.70A	----	4.30 + 0.60	.0178	----	----	----	----	18 UNCH
3685	----	----	4.60B/----	4.60B/3.80A	----	4.30 + 0.60	.0179	----	----	----	----	51 UNCH
3690	----	----	4.70B/----	4.70B/3.80A	----	4.30 + 0.50	.0180	----	----	----	----	7 UNCH
3695	----	----	4.80B/----	4.80B/3.80A	----	4.40 + 0.60	.0184	----	----	----	----	19 UNCH
3700	----	----	4.80B/----	4.80B/3.90A	----	4.40 + 0.60	.0185	----	----	29	----	825 - 11
3705	----	----	4.80B/----	4.80B/3.90A	----	4.50 + 0.60	.0189	----	----	----	----	124 UNCH
3710	----	----	4.90B/----	4.90B/3.90A	----	4.50 + 0.60	.0190	----	----	----	----	79 UNCH
3715	----	----	5.00B/----	5.00B/4.00A	----	4.60 + 0.60	.0194	----	----	----	----	46 UNCH
3720	----	----	5.20B/----	5.20B/4.00A	----	4.60 + 0.60	.0194	----	----	----	----	2 UNCH
3725	----	----	5.20B/----	5.20B/4.10A	----	4.70 + 0.70	.0199	----	----	----	----	91 UNCH
3730	----	----	5.20B/----	5.20B/4.10A	----	4.70 + 0.60	.0199	----	----	----	----	18 UNCH
3740	----	----	5.40B/----	5.40B/4.20A	----	4.80 + 0.60	.0205	----	----	----	----	65 UNCH
3745	----	----	5.40B/----	5.40B/4.20A	----	4.90 + 0.70	.0209	----	----	----	----	19 UNCH
3750	----	----	5.60B/----	5.60B/4.30A	----	4.90 + 0.70	.0210	----	----	1	----	1324 UNCH
3755	----	----	5.60B/----	5.60B/4.30A	----	5.00 + 0.70	.0214	----	----	12	----	14 + 11
3760	----	----	5.60B/----	5.60B/4.30A	----	5.00 + 0.70	.0215	----	----	----	----	23 UNCH
3765	----	----	5.80B/----	5.80B/4.40A	----	5.10 + 0.70	.0219	----	----	----	----	48 UNCH
3770	----	----	5.80B/----	5.80B/4.40A	----	5.20 + 0.80	.0223	----	----	----	----	10 UNCH
3775	----	----	5.90B/----	5.90B/4.50A	----	5.20 + 0.70	.0224	----	----	----	----	39 UNCH
3780	----	----	6.00B/----	6.00B/4.50A	----	5.30 + 0.80	.0229	----	----	----	----	15 UNCH
3785	----	----	6.00B/----	6.00B/4.60A	----	5.30 + 0.80	.0230	----	----	----	----	7 UNCH
3790	5.80	5.80	6.20B/5.80	6.20B/4.60A	----	5.40 + 0.80	.0234	----	----	1	----	259 + 1
3795	6.10	6.10	6.30B/6.10	6.30B/4.60A	----	5.50 + 0.90	.0239	----	----	1	----	57 + 1
3800	5.60	5.60	6.30B/4.50	6.30B/4.50	----	5.50 + 0.80	.0240	----	----	23	----	1354 + 6
3805	----	----	6.40B/----	6.40B/4.70A	----	5.60 + 0.90	.0244	----	----	----	----	68 UNCH
3810	----	----	6.40B/----	6.40B/4.80A	----	5.60 + 0.80	.0245	----	----	----	----	13 UNCH
3815	----	----	6.60B/----	6.60B/4.80A	----	5.70 + 0.90	.0250	----	----	----	----	38 UNCH
3820	----	----	6.60B/----	6.60B/4.90A	----	5.80 + 0.90	.0254	----	----	----	----	10 UNCH
3825	----	----	6.70B/----	6.70B/4.90A	----	5.80 + 0.90	.0255	----	----	----	----	38 UNCH
3830	----	----	6.90B/----	6.90B/5.00A	----	5.90 + 0.90	.0260	----	----	----	----	185 UNCH
3835	----	----	7.00B/----	7.00B/5.00A	----	6.00 + 1.00	.0265	----	----	----	----	55 UNCH
3840	----	----	7.00B/----	7.00B/5.10A	----	6.10 + 1.00	.0269	----	----	----	----	3 UNCH
3845	6.90	6.90	7.10B/5.10A	7.10B/5.10A	----	6.10 NEW	.0270	----	----	1	----	1 + 1
3850	5.20	5.20	7.20B/5.20	7.20B/5.20	----	6.20 + 1.00	.0275	----	----	2	----	689 UNCH
3855	5.50	5.50	7.30B/5.30A	7.30B/5.30A	----	6.30 + 1.00	.0280	----	----	2	----	73 + 1
3860	----	----	7.40B/----	7.40B/5.30A	----	6.40 + 1.10	.0284	----	----	----	----	27 UNCH
3865	----	----	7.50B/----	7.50B/5.40A	----	6.40 + 1.00	.0286	----	----	----	----	19 UNCH
3870	----	----	7.60B/5.40A	7.60B/5.40A	----	6.50 + 1.00	.0290	----	----	----	----	16 UNCH
3875	----	----	7.80B/----	7.80B/5.50A	----	6.60 + 1.10	.0295	----	----	----	----	163 UNCH
3880	----	----	7.80B/----	7.80B/5.60A	----	6.70 + 1.10	.0300	----	----	----	----	15 UNCH
3885	----	----	8.00B/----	8.00B/5.60A	----	6.80 + 1.20	.0305	----	----	----	----	12 UNCH
3890	----	----	8.10B/----	8.10B/5.70A	----	6.80 + 1.10	.0306	----	----	----	----	45 UNCH
3895	6.00	6.00	8.20B/5.80A	8.20B/5.80A	----	6.90 + 1.10	.0311	----	----	1	----	17 + 1
3900	6.20	6.20	8.30B/5.80A	8.30B/5.80A	----	7.00 + 1.20	.0316	----	----	14	----	1129 + 1
3905	6.40	6.40	8.40B/5.90A	8.40B/5.90A	----	7.10 + 1.20	.0321	----	----	1	----	45 UNCH
3910	5.80	5.80	8.60B/5.80	8.60B/5.80	----	7.20 + 1.20	.0326	----	----	1	----	9 + 1
3915	6.20	6.20	8.70B/6.00A	8.70B/6.00A	----	7.30 + 1.20	.0331	----	----	2	----	24 UNCH
3920	----	----	8.80B/----	8.80B/6.10A	----	7.40 + 1.30	.0336	----	----	----	----	33 UNCH
3925	----	----	8.90B/----	8.90B/6.20A	----	7.50 + 1.30	.0341	----	----	----	----	51 UNCH
3930	----	----	9.10B/----	9.10B/6.30A	----	7.60 + 1.30	.0346	----	----	----	----	23 UNCH
3935	----	----	9.30B/----	9.30B/6.40A	----	7.70 + 1.30	.0351	----	----	----	----	28 UNCH
3940	6.40	6.40	9.40B/6.40	9.40B/6.40	----	7.80 + 1.30	.0356	----	----	7	----	101 + 1
3945	6.50	6.50	9.50B/6.50	9.50B/6.50	----	7.90 + 1.40	.0362	----	----	7	----	18 - 7
3950	6.60	6.60	9.70B/6.60	9.70B/6.60	----	8.00 + 1.40	.0367	----	----	2	----	319 + 2
3955	6.50	6.50	9.80B/6.50	9.80B/6.50	----	8.10 + 1.40	.0372	----	----	1	----	10 - 1
3960	----	----	10.00B/----	10.00B/6.80A	----	8.30 + 1.50	.0381	----	----	----	----	35 UNCH
3965	----	----	10.10B/----	10.10B/6.90A	----	8.40 + 1.50	.0386	----	----	----	----	19 UNCH
3970	----	----	10.30B/----	10.30B/7.00A	----	8.50 + 1.50	.0391	----	----	----	----	58 UNCH
3975	----	----	10.40B/----	10.40B/7.10A	----	8.60 + 1.50	.0397	----	----	1	----	337 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3980	----	----	10.60B/----	10.60B/7.20A	----	8.70 + 1.50	.0402	----	----	----	----	31 UNCH
3985	----	----	10.80B/----	10.80B/7.30A	----	8.90 + 1.60	.0411	----	----	----	----	28 UNCH
3990	----	----	11.00B/----	11.00B/7.40A	----	9.00 + 1.60	.0416	----	----	----	----	19 UNCH
3995	----	----	11.20B/----	11.20B/7.50A	----	9.10 + 1.60	.0422	----	----	----	----	144 UNCH
4000	8.80	8.80	11.30B/7.60A	11.30B/7.60A	----	9.30 + 1.70	.0431	----	----	320	----	4046 + 126
4005	----	----	11.50B/----	11.50B/7.70A	----	9.40 + 1.70	.0437	----	----	----	----	34 UNCH
4010	----	----	11.70B/----	11.70B/7.80A	----	9.50 + 1.70	.0442	----	----	----	----	42 UNCH
4015	----	----	11.90B/----	11.90B/7.90A	----	9.70 + 1.80	.0451	----	----	----	----	17 UNCH
4020	9.50	9.50	12.10B/9.50	12.10B/8.00A	----	9.80 + 1.80	.0457	----	----	28	----	190 - 25
4025	----	----	12.30B/8.10A	12.30B/8.10A	----	10.00 + 1.80	.0466	----	----	----	----	212 UNCH
4030	----	----	12.50B/8.20A	12.50B/8.20A	----	10.10 + 1.80	.0472	----	----	----	----	17 UNCH
4035	----	----	12.70B/----	12.70B/8.40A	----	10.30 + 1.90	.0481	----	----	----	----	45 UNCH
4040	----	----	12.90B/----	12.90B/8.50A	----	10.50 + 2.00	.0490	----	----	----	----	76 UNCH
4045	----	----	13.10B/8.60A	13.10B/8.60A	----	10.60 + 1.90	.0497	----	----	----	----	2 UNCH
4050	----	----	13.40B/8.70A	13.40B/8.70A	----	10.80 + 2.00	.0506	----	----	14	----	1185 UNCH
4055	----	----	13.60B/----	13.60B/8.90A	----	11.00 + 2.10	.0515	----	----	----	----	20 UNCH
4060	11.50	11.50	13.80B/11.50	13.80B/9.00A	----	11.10 + 2.10	.0521	----	----	2	----	92 + 1
4065	----	----	14.00B/9.10A	14.00B/9.10A	----	11.30 + 2.10	.0531	----	----	----	----	123 UNCH
4070	----	----	14.30B/----	14.30B/9.30A	----	11.50 + 2.20	.0540	----	----	----	----	67 UNCH
4075	9.50	9.50	14.50B/9.40A	14.50B/9.40A	----	11.70 + 2.20	.0550	----	----	7	----	268 + 6
4080	----	----	14.70B/9.50A	14.70B/9.50A	----	11.90 + 2.30	.0560	----	----	6	----	106 + 6
4085	11.00	11.00	15.00B/9.70A	15.00B/9.70A	----	12.10 + 2.30	.0569	----	----	20	----	63 + 2
4090	----	----	15.30B/9.80A	15.30B/9.80A	----	12.30 + 2.40	.0579	----	----	----	----	116 UNCH
4095	----	----	15.50B/10.00A	15.50B/10.00A	----	12.50 + 2.40	.0589	----	----	----	----	69 UNCH
4100	12.10	12.10	15.80B/10.00	15.80B/10.00	----	12.70 + 2.50	.0599	----	----	316	----	2241 - 53
4105	----	----	16.10B/10.30A	16.10B/10.30A	----	12.90 + 2.50	.0609	----	----	----	----	85 UNCH
4110	----	----	16.30B/10.50A	16.30B/10.50A	----	13.10 + 2.50	.0619	----	----	----	----	146 UNCH
4115	11.10	11.10	16.60B/10.60A	16.60B/10.60A	----	13.30 + 2.60	.0629	----	----	1	----	458 + 1
4120	11.30	11.30	16.90B/10.80A	16.90B/10.80A	----	13.60 + 2.70	.0642	----	----	2	----	55 - 1
4125	11.50	11.50	17.20B/11.00	17.20B/11.00	----	13.80 + 2.70	.0653	----	----	5	----	371 + 1
4130	----	----	17.50B/11.10A	17.50B/11.10A	----	14.10 + 2.80	.0666	----	----	----	----	24 UNCH
4135	12.00	12.00	17.90B/11.30A	17.90B/11.30A	----	14.30 + 2.80	.0676	----	----	2	----	34 UNCH
4140	12.10	12.10	18.10B/11.50A	18.10B/11.50A	----	14.50 + 2.80	.0687	----	----	1	----	25 UNCH
4145	12.20	12.20	18.50B/11.70A	18.50B/11.70A	----	14.80 + 2.90	.0700	----	----	1	----	255 + 1
4150	17.00	17.00	18.80B/11.90A	18.80B/11.90A	----	15.10 + 3.00	.0714	----	----	30	----	551 + 8
4155	----	----	19.20B/12.10A	19.20B/12.10A	----	15.30 + 3.00	.0725	----	----	----	----	24 UNCH
4160	12.10	12.10	19.50B/12.10	19.50B/12.10	----	15.60 + 3.10	.0739	----	----	1	----	87 + 1
4165	13.50	13.50	19.90B/12.50A	19.90B/12.50A	----	15.90 + 3.20	.0752	----	----	10	----	24 UNCH
4170	12.80	12.80	20.30B/12.70A	20.30B/12.70A	----	16.20 + 3.30	.0766	----	----	1	----	49 UNCH
4175	----	----	20.60B/12.90A	20.60B/12.90A	----	16.40 + 3.30	.0777	----	----	----	----	911 UNCH
4180	13.90	13.90	21.00B/13.10A	21.00B/13.10A	----	16.70 + 3.40	.0792	----	----	3	----	123 UNCH
4185	13.50	13.50	21.40B/13.40A	21.40B/13.40A	----	17.00 + 3.40	.0806	----	----	7	----	26 + 7
4190	13.40	13.40	21.80B/13.40	21.80B/13.40	----	17.30 + 3.50	.0820	----	----	28	----	32 - 12
4195	----	----	22.20B/13.80A	22.20B/13.80A	----	17.70 + 3.60	.0837	----	----	----	----	38 UNCH
4200	16.50	16.50	23.00/13.70	23.00/13.70	----	18.00 + 3.70	.0852	----	----	619	----	2855 - 54
4205	----	----	23.00B/14.30A	23.00B/14.30A	----	18.30 + 3.70	.0867	----	----	----	----	59 UNCH
4210	----	----	23.50B/14.60A	23.50B/14.60A	----	18.60 + 3.80	.0881	----	----	----	----	394 UNCH
4215	19.80	19.80	23.90B/14.80A	23.90B/14.80A	----	19.00 + 3.90	.0899	----	----	5	----	14 + 5
4220	----	----	24.30B/15.10A	24.30B/15.10A	----	19.30 + 3.90	.0914	----	----	----	----	196 UNCH
4225	16.30	16.30	24.80B/15.40A	24.80B/15.40A	----	19.70 + 4.10	.0932	----	----	101	----	354 + 97
4230	----	----	25.30B/15.60A	25.30B/15.60A	----	20.00 + 4.10	.0947	----	----	----	----	71 UNCH
4235	17.00	17.00	25.70B/15.90A	25.70B/15.90A	----	20.40 + 4.20	.0965	----	----	7	----	59 + 6
4240	20.30	20.30	26.30B/16.20A	26.30B/16.20A	----	20.80 + 4.30	.0983	----	----	2	----	59 + 2
4245	----	----	26.80B/16.50A	26.80B/16.50A	----	21.20 + 4.40	.1001	----	----	1	----	51 UNCH
4250	20.80	20.80	27.30B/16.80A	27.30B/16.80A	----	21.60 + 4.50	.1020	----	----	15	----	823 + 3
4255	17.40	17.40	27.80B/17.10A	27.80B/17.10A	----	22.00 + 4.50	.1038	----	----	2	----	40 + 1
4260	----	----	28.30B/17.40A	28.30B/17.40A	----	22.40 + 4.60	.1057	----	----	----	----	108 UNCH
4265	----	----	28.90B/17.80A	28.90B/17.80A	----	22.80 + 4.70	.1075	----	----	----	----	35 UNCH
4270	----	----	29.40B/18.10A	29.40B/18.10A	----	23.20 + 4.70	.1094	----	----	----	----	51 UNCH
4275	----	----	30.00B/18.40A	30.00B/18.40A	----	23.60 + 4.80	.1113	----	----	6	----	126 + 6
4280	----	----	30.60B/18.80A	30.60B/18.80A	----	24.10 + 4.90	.1135	----	----	3	----	82 UNCH
4285	21.80	21.80	31.10B/19.20A	31.10B/19.20A	----	24.50 + 4.90	.1154	----	----	25	----	50 + 22
4290	21.40	21.40	31.70B/19.50A	31.70B/19.50A	----	25.00 + 5.10	.1176	----	----	2	----	105 UNCH
4295	24.60	24.60	32.30B/19.90A	32.30B/19.90A	----	25.50 + 5.20	.1198	----	----	1	----	31 - 1
4300	25.00	25.00	32.90B/20.30A	32.90B/20.30A	----	25.90 + 5.20	.1218	----	----	932	300	3087 + 759
4305	24.50	24.50	33.50B/20.70A	33.50B/20.70A	----	26.40 + 5.30	.1240	----	----	7	----	79 + 3
4310	26.20	26.20	34.20B/21.10A	34.20B/21.10A	----	26.90 + 5.30	.1263	----	----	2	----	56 + 2
4315	22.70	22.70	34.80B/21.50A	34.80B/21.50A	----	27.40 + 5.40	.1285	----	----	5	----	52 UNCH
4320	----	----	35.50B/21.90A	35.50B/21.90A	----	27.90 + 5.50	.1308	----	----	----	----	85 UNCH
4325	25.90	25.90	36.20B/22.30A	36.20B/22.30A	----	28.50 + 5.60	.1334	----	----	37	----	100 + 29
4330	----	----	36.90B/22.80A	36.90B/22.80A	----	29.00 + 5.70	.1357	----	----	----	----	500 UNCH
4335	30.00	30.00	37.70B/23.20A	37.70B/23.20A	----	29.60 + 5.80	.1382	----	----	1	----	68 + 1
4340	29.40	29.40	38.40B/23.70A	38.40B/23.70A	----	30.10 + 5.80	.1406	----	----	1	----	117 UNCH
4345	24.80	24.80	39.10B/24.10A	39.10B/24.10A	----	30.70 + 5.90	.1432	----	----	1	----	53 + 1
4350	----	----	39.90B/24.60A	39.90B/24.60A	----	31.30 + 6.00	.1458	----	----	3	----	833 - 1
4355	----	----	40.60B/25.10A	40.60B/25.10A	----	31.90 + 6.10	.1484	----	----	----	----	82 UNCH
4360	27.60	27.60	41.40B/25.60A	41.40B/25.60A	----	32.50 + 6.20	.1511	----	----	15	----	86 UNCH
4365	27.90	27.90	42.20B/26.20A	42.20B/26.20A	----	33.20 + 6.30	.1540	----	----	6	----	71 + 2
4370	28.70	28.70	43.00B/26.70A	43.00B/26.70A	----	33.80 + 6.40	.1567	----	----	5	----	41 UNCH
4375	29.30	29.30	43.90B/27.20A	43.90B/27.20A	----	34.50 + 6.50	.1596	----	----	5	----	528 UNCH
4380	29.90	29.90	44.70B/27.80A	44.70B/27.80A	----	35.10 + 6.60	.1623	----	----	1	----	509 + 1
4385	----	----	45.50B/28.30A	45.50B/28.30A	----	35.80 + 6.70	.1653	----	----	----	----	133 UNCH
4390	----	----	46.40B/28.90A	46.40B/28.90A	----	36.50 + 6.80	.1683	----	----	1	----	79 + 1
4395	----	----	47.40B/29.50A	47.40B/29.50A	----	37.30 + 6.90	.1715	----	----	----	----	97 UNCH
4400	39.40	39.40	48.20B/30.10A	48.20B/30.10A	----	38.00 + 7.00	.1745	----	----	1090	----	3075 - 365
4405	----	----	49.20B/30.80A	49.20B/30.80A	----	38.80 + 7.20	.1778	----	----	----	----	132 UNCH
4410	----	----	50.10B/31.40A	50.10B/31.40A	----	39.60 + 7.30	.1810	----	----	7	----	104 - 1
4415	----	----	51.10B/32.10A	51.10B/32.10A	----	40.30 + 7.30	.1841	----	----	----	----	98 UNCH
4420	----	----	52.10B/32.70A	52.10B/32.70A	----	41.20 + 7.50	.1876	----	----	8	----	142 - 1
4425	41.50	41.50	53.10B/33.40A	53.10B/33.40A	----	42.00 + 7.60	.1909	----	----	317	----	404 + 229
4430	----	----	54.20B/34.10A	54.20B/34.10A	----	42.80 + 7.70	.1943	----	----	2	----	101 + 1
4435	----	----	55.20B/34.80A	55.20B/34.80A	----	43.70 + 7.80	.1978	----	----	----	----	95 UNCH
4440	36.40	36.40	56.30B/35.50A	56.30B/35.50A	----	44.60 + 8.00	.2014	----	----	14	----	46 + 9
4445	44.20	44.20	57.40B/36.30A	57.40B/36.30A	----	45.50 + 8.10	.2050	----	----	10	----	64 + 9
4450	39.80	39.80	58.50B/37.10A	58.50B/37.10A	----	46.40 + 8.20	.2086	----	----	34	----	1250 - 16
4455	----	----	59.60B/37.90A	59.60B/37.90A	----	47.40 + 8.40	.2124	----	----	----	----	67 UNCH
4460	----	----	60.80B/38.70A	60.80B/38.70A	----	48.30 + 8.50	.2161	----	----	3	----	32 UNCH
4465	45.90	45.90	61.90B/39.50A	61.90B/39.50A	----	49.30 + 8.60	.2199	----	----	2	----	15 UNCH
4470	44.10	44.10	63.10B/40.40A	63.10B/40.40A	----	50.30 + 8.70	.2238	----	----	16	----	67 - 11
4475	----	----	64.40B/41.20A	64.40B/41.20A	----	51.30 + 8.80	.2277	----	----	13	----	171 + 10
4480	----	----	65.60B/42.10A	65.60B/42.10A	----	52.30 + 8.90	.2316	----	----	----	----	105 UNCH
4485	----	----	66.90B/42.90A	66.90B/42.90A	----	53.30 + 9.00	.2356	----	----	7	----	61 - 3
4490	----	----	68.10B/43.90A	68.10B/43.90A	----	54.40 + 9.10	.2397	----	----	86	----	166 + 76
4495	----	----	69.50B/44.80A	69.50B/44.80A	----	55.50 + 9.20	.2439	----	----	8	----	83 UNCH
4500	52.60	52.60	70.80B/45.70A	70.80B/45.70A	----	56.60 + 9.30	.2480	----	----	1334	1100	5410 + 915
4505	----	----	72.20B/46.70A	72.20B/46.70A	----	57.70 + 9.40	.2522	----	----	6	----	273 + 3
4510	67.30	67.30	73.50B/47.70A	73.50B/47.70A	----	58.80 + 9.50	.2564	----	----	1	----	48 UNCH
4515	68.60	68.60	74.90B/48.70A	74.90B/48.70A	----	60.00 + 9.60	.2608	----	----	2	260	475 + 212
4520	----	----	76.40B/49.80A	76.40B/49.80A	----	61.10 + 9.60	.2651	----	----	9	----	150 - 1
4525	----	----	77.90B/50.90A	77.90B/50.90A	----	62.30 + 9.70	.2695	----	----	37	----	164 + 29
4530	54.10	54.10	79.30B/51.90A	79.30B/51.90A	----	63.50 + 9.70	.2740	----	----	126	----	258 + 119
4535	----	----	80.80B/53.00A	80.80B/53.00A	----	64.80 + 9.80	.2786	----	----	----	----	107 UNCH
4540	----	----	82.40B/54.10A	82.40B/54.10A	----	66.00 + 9.90	.2831	----	----	----	----	314 UNCH
4545	65.70	65.70	83.90B/55.20A	83.90B/55.20A	----	67.30 + 9.90	.2878	----	----	20	----	81 + 3
4550	----	----	85.50B/56.40A	85.50B/56.40A	----	68.60 + 10.00	.2925	----	----	46	----	974 + 13
4555	----	----	87.10B/57.60A	87.10B/57.60A	----	69.90 + 10.00	.2972	----	----	----	----	55 UNCH
4560	67.20	67.20	88.80B/58.90A	88.80B/58.90A	----	71.30 + 10.10	.3021	----	----	55	----	124 + 31
4565	67.90	67.90	90.40B/60.10A	90.40B/60.10A	----	72.70 + 10.20	.3070	----	----	51	----	211 + 8
4570	----	----	92.10B/61.40A	92.10B/61.40A	----	74.10 + 10.30	.3119	----	----	----	----	174 UNCH
4575	68.60	68.60	93.80B/62.70A	93.80B/62.70A	----	75.60 + 10.40	.3169	----	----	63	----	307 + 60
4580	----	----	95.60B/64.00A	95.60B/64.00A	----	77.10 + 10.60	.3220	----	----	----	----	219 UNCH
4585	----	----	97.40B/65.30A	97.40B/65.30A	----	78.60 + 10.70	.3271	----	----	----	----	135 UNCH
4590	----	----	99.20B/66.70A	99.20B/66.70A	----	80.10 + 10.70	.3322	----	----	----	----	177 UNCH
4595	----	----	101.00B/68.10A	101.00B/68.10A	----	81.70 + 10.90	.3375	----	----	----	----	87 UNCH
4600	79.10	79.10	102.80B/69.50A	102.80B/69.50A	----	83.30 + 11.00	.3427	----	----	277	200	2145 - 92
4605	79.80	79.80	104.70B/71.00A	104.70B/71.00A	----	85.00 + 11.20	.3481	----	----	2	----	111 UNCH
4610	----	----	106.60B/72.40A	106.60B/72.40A	----	86.70 + 11.40	.3535	----	----	1	----	212 UNCH
4615	----	----	108.60B/73.90A	108.60B/73.90A	----	88.40 + 11.50	.3589	----	----	----	----	56 UNCH
4620	83.50	83.50	110.50B/75.50A	110.50B/75.50A	----	90.10 + 11.60	.3644	----	----	3	----	188 + 1
4625	----	----	112.50B/77.00A	112.50B/77.00A	----	91.90 + 11.80	.3699	----	----	100	----	513 + 59
4630	84.80	84.80	114.60B/78.60A	114.60B/78.60A	----	93.70 + 12.00	.3754	----	----	3	----	148 + 3
4635	91.10	91.10	116.60B/80.20A	116.60B/80.20A	----	95.50 + 12.10	.3810	----	----	33	----	48 + 21
4640	89.00	89.00	118.80B/81.90A	118.80B/81.90A	----	97.40 + 12.30	.3867	----	----	5	----	61 + 1
4645	89.80	89.80	120.80B/83.60A	120.80B/83.60A	----	99.20 + 12.40	.3923	----	----	4	----	76 - 1
4650	111.00	111.00	123.10B/85.30A	123.10B/85.30A	----	101.10 + 12.50	.3980	----	----	60	400	1656 + 401
4655	----	----	125.20B/87.00A	125.20B/87.00A	----	103.00 + 12.60	.4037	----	----	----	----	46 UNCH
4660	----	----	127.50B/88.80A	127.50B/88.80A	----	105.00 + 12.80	.4095	----	----	----	----	108 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4665	97.40	97.40	129.60B/90.60A	129.60B/90.60A	----	106.90 + 12.80	.4152	----	----	1	----	19 + 1
4670	----	----	131.90B/92.40A	131.90B/92.40A	----	108.90 + 12.90	.4210	----	----	----	----	257 UNCH
4675	101.10	101.10	134.30B/94.10A	134.30B/94.10A	----	110.90 + 12.90	.4269	----	----	52	----	423 + 11
4680	----	----	136.70B/96.10A	136.70B/96.10A	----	113.00 + 13.10	.4328	----	----	2	----	100 UNCH
4685	101.90	101.90	139.10B/97.90A	139.10B/97.90A	----	115.10 + 13.20	.4387	----	----	1	----	65 UNCH
4690	----	----	141.50B/100.00A	141.50B/100.00A	----	117.20 + 13.20	.4447	----	----	117	----	196 + 117
4695	----	----	143.90B/102.00A	143.90B/102.00A	----	119.40 + 13.40	.4506	----	----	2	----	74 UNCH
4700	123.00	123.00	146.40B/104.00A	146.40B/104.00A	----	121.60 + 13.50	.4566	----	----	115	100	1944 + 145
4705	----	----	148.90B/105.90A	148.90B/105.90A	----	123.80 + 13.50	.4627	----	----	----	----	94 UNCH
4710	128.00	128.00	151.50B/108.00A	151.50B/108.00A	----	126.10 + 13.70	.4687	----	----	9	----	51 + 8
4715	----	----	153.60B/110.10A	153.60B/110.10A	----	128.40 + 13.80	.4748	----	----	2	----	55 + 2
4720	132.60	132.60	156.20B/112.40A	156.20B/112.40A	----	130.70 + 13.80	.4809	----	----	14	----	132 + 6
4725	----	----	159.00B/114.60A	159.00B/114.60A	----	133.10 + 14.00	.4870	----	----	1	----	149 UNCH
4730	----	----	161.70B/116.70A	161.70B/116.70A	----	135.50 + 14.10	.4931	----	----	----	----	87 UNCH
4735	130.70	130.70	164.40B/118.90A	164.40B/118.90A	----	138.00 + 14.30	.4992	----	----	2	200	218 + 151
4740	130.50	130.50	167.00B/121.20A	167.00B/121.20A	----	140.50 + 14.40	.5053	----	----	6	----	88 - 1
4745	142.60	142.60	169.90B/123.60A	169.90B/123.60A	----	143.00 + 14.50	.5114	----	----	1	----	7 + 1
4750	135.60	135.60	172.70B/125.90A	172.70B/125.90A	----	145.60 + 14.70	.5176	----	----	82	----	935 + 5
4755	135.00	135.00	175.50B/128.40A	175.50B/128.40A	----	148.20 + 14.90	.5236	----	----	4	----	25 + 4
4760	134.60	134.60	178.50B/130.70A	178.50B/130.70A	----	150.80 + 15.00	.5298	----	----	7	----	69 - 1
4765	140.10	140.10	181.20B/133.20A	181.20B/133.20A	----	153.50 + 15.20	.5359	----	----	12	----	67 + 3
4770	140.00	140.00	184.30B/135.70A	184.30B/135.70A	----	156.20 + 15.40	.5420	----	----	2	----	97 UNCH
4775	143.30	143.30	187.10B/138.00A	187.10B/138.00A	----	159.00 + 15.60	.5481	----	----	7	----	192 UNCH
4780	----	----	190.10B/140.60A	190.10B/140.60A	----	161.80 + 15.80	.5542	----	----	----	----	68 UNCH
4785	----	----	193.30B/143.30A	193.30B/143.30A	----	164.60 + 16.00	.5602	----	----	----	----	102 UNCH
4790	149.50	149.50	196.30B/146.00A	196.30B/146.00A	----	167.40 + 16.10	.5663	----	----	8	----	70 + 2
4795	----	----	199.50B/148.60A	199.50B/148.60A	----	170.30 + 16.30	.5723	----	----	----	----	56 UNCH
4800	172.00	172.00	202.60B/151.20A	202.60B/151.20A	----	173.20 + 16.50	.5784	----	----	404	----	2984 + 373
4805	----	----	205.80B/153.90A	205.80B/153.90A	----	176.20 + 16.70	.5843	----	----	----	----	83 UNCH
4810	----	----	209.00B/156.80A	209.00B/156.80A	----	179.10 + 16.80	.5903	----	----	----	----	46 UNCH
4815	----	----	212.20B/159.60A	212.20B/159.60A	----	182.10 + 17.00	.5963	----	----	----	----	119 UNCH
4820	----	----	215.50B/162.50A	215.50B/162.50A	----	185.20 + 17.30	.6023	----	----	----	----	37 UNCH
4825	----	----	218.80B/165.30A	218.80B/165.30A	----	188.20 + 17.40	.6082	----	----	----	----	204 UNCH
4830	----	----	222.20B/168.20A	222.20B/168.20A	----	191.30 + 17.50	.6141	----	----	----	----	124 UNCH
4835	----	----	225.40B/170.90A	225.40B/170.90A	----	194.40 + 17.70	.6200	----	----	----	----	32 UNCH
4840	----	----	228.70B/174.10A	228.70B/174.10A	----	197.50 + 17.80	.6259	----	----	----	----	36 UNCH
4845	----	----	232.20B/177.00A	232.20B/177.00A	----	200.70 + 17.90	.6317	----	----	----	----	15 UNCH
4850	----	----	235.60B/179.80A	235.60B/179.80A	----	203.90 + 18.10	.6375	----	----	41	----	601 - 1
4855	----	----	239.10B/182.80A	239.10B/182.80A	----	207.10 + 18.20	.6432	----	----	----	----	305 UNCH
4860	----	----	242.60B/186.40A	242.60B/186.40A	----	210.40 + 18.30	.6490	----	----	----	----	91 UNCH
4865	----	----	246.10B/189.60A	246.10B/189.60A	----	213.70 + 18.50	.6547	----	----	----	----	50 UNCH
4870	----	----	249.60B/192.80A	249.60B/192.80A	----	217.00 + 18.60	.6603	----	----	----	----	44 UNCH
4875	----	----	253.20B/195.90A	253.20B/195.90A	----	220.40 + 18.70	.6659	----	----	----	----	71 UNCH
4880	----	----	256.80B/199.00A	256.80B/199.00A	----	223.80 + 18.90	.6714	----	----	----	----	7 UNCH
4885	----	----	260.30B/202.20A	260.30B/202.20A	----	227.20 + 19.00	.6768	----	----	----	----	7 UNCH
4890	----	----	264.10B/205.50A	264.10B/205.50A	----	230.70 + 19.20	.6822	----	----	----	----	48 UNCH
4895	----	----	267.80B/208.30A	267.80B/208.30A	----	234.20 + 19.30	.6877	----	----	----	----	213 UNCH
4900	222.60	222.60	271.50B/211.90A	271.50B/211.90A	----	237.80 + 19.50	.6931	----	----	3	----	1711 - 1
4905	----	----	275.20B/215.30A	275.20B/215.30A	----	241.30 + 19.60	.6983	----	----	----	----	11 UNCH
4910	----	----	279.00B/218.60A	279.00B/218.60A	----	244.90 + 19.70	.7035	----	----	----	----	57 UNCH
4915	----	----	282.80B/221.60A	282.80B/221.60A	----	248.50 + 19.90	.7086	----	----	----	----	37 UNCH
4920	----	----	286.60B/224.80A	286.60B/224.80A	----	252.20 + 20.10	.7138	----	----	----	----	92 UNCH
4925	----	----	290.20B/228.40A	290.20B/228.40A	----	255.90 + 20.20	.7188	----	----	----	----	74 UNCH
4930	----	----	294.30B/232.00A	294.30B/232.00A	----	259.60 + 20.40	.7239	----	----	----	----	199 UNCH
4940	----	----	302.10B/238.60A	302.10B/238.60A	----	267.00 + 20.50	.7337	----	----	----	----	64 UNCH
4945	----	----	305.70B/242.50A	305.70B/242.50A	----	270.80 + 20.70	.7386	----	----	----	----	13 UNCH
4950	----	----	310.00B/245.60A	310.00B/245.60A	----	274.60 + 20.80	.7434	----	----	----	----	290 UNCH
4955	----	----	314.00B/249.20A	314.00B/249.20A	----	278.40 + 20.90	.7480	----	----	----	----	31 UNCH
4960	----	----	318.00B/252.80A	318.00B/252.80A	----	282.30 + 21.10	.7528	----	----	----	----	23 UNCH
4965	----	----	322.00B/256.60A	322.00B/256.60A	----	286.20 + 21.20	.7574	----	----	----	----	26 UNCH
4970	----	----	326.20B/260.50A	326.20B/260.50A	----	290.10 + 21.30	.7620	----	----	----	----	44 UNCH
4975	----	----	330.10B/263.90A	330.10B/263.90A	----	294.00 + 21.40	.7663	----	----	----	----	156 UNCH
4980	----	----	334.20B/267.60A	334.20B/267.60A	----	297.90 + 21.50	.7709	----	----	----	----	28 UNCH
4985	----	----	338.30B/271.30A	338.30B/271.30A	----	301.90 + 21.60	.7752	----	----	----	----	10 UNCH
4990	----	----	342.60B/275.20A	342.60B/275.20A	----	305.90 + 21.70	.7795	----	----	----	----	293 UNCH
4995	----	----	346.70B/278.90A	346.70B/278.90A	----	309.90 + 21.80	.7839	----	----	----	----	11 UNCH
5000	----	----	350.90B/282.70A	350.90B/282.70A	----	314.00 + 22.00	.7879	----	----	----	----	1850 UNCH
5005	----	----	354.90B/286.50A	354.90B/286.50A	----	318.00 + 22.00	.7920	----	----	----	----	302 UNCH
5010	----	----	359.20B/290.30A	359.20B/290.30A	----	322.10 + 22.20	.7960	----	----	----	----	13 UNCH
5015	----	----	363.40B/294.20A	363.40B/294.20A	----	326.20 + 22.30	.8000	----	----	----	----	49 UNCH
5020	----	----	367.60B/298.10A	367.60B/298.10A	----	330.40 + 22.40	.8038	----	----	----	----	31 UNCH
5025	----	----	372.00B/301.90A	372.00B/301.90A	----	334.50 + 22.50	.8078	----	----	----	----	53 UNCH
5030	----	----	376.30B/306.00A	376.30B/306.00A	----	338.70 + 22.60	.8115	----	----	2	----	66 - 2
5035	----	----	380.60B/309.80A	380.60B/309.80A	----	342.90 + 22.70	.8153	----	----	----	----	13 UNCH
5040	----	----	385.00B/313.90A	385.00B/313.90A	----	347.10 + 22.80	.8187	----	----	----	----	18 UNCH
5045	----	----	389.10B/317.80A	389.10B/317.80A	----	351.40 + 23.00	.8224	----	----	----	----	5 UNCH
5050	----	----	393.60B/322.00A	393.60B/322.00A	----	355.60 + 23.10	.8258	----	----	3	----	803 - 3
5055	----	----	398.00B/325.90A	398.00B/325.90A	----	359.90 + 23.20	.8292	----	----	----	----	63 UNCH
5060	----	----	402.40B/330.00A	402.40B/330.00A	----	364.20 + 23.30	.8326	----	----	----	----	64 UNCH
5065	----	----	406.80B/334.10A	406.80B/334.10A	----	368.50 + 23.40	.8360	----	----	----	----	17 UNCH
5070	----	----	411.10B/338.30A	411.10B/338.30A	----	372.80 + 23.50	.8394	----	----	----	----	52 UNCH
5075	----	----	415.50B/342.40A	415.50B/342.40A	----	377.20 + 23.60	.8425	----	----	----	----	28 UNCH
5080	----	----	420.00B/346.60A	420.00B/346.60A	----	381.60 + 23.80	.8455	----	----	----	----	29 UNCH
5085	----	----	424.40B/350.80A	424.40B/350.80A	----	385.90 + 23.80	.8485	----	----	----	----	123 UNCH
5090	----	----	429.00B/355.00A	429.00B/355.00A	----	390.30 + 23.90	.8516	----	----	----	----	111 UNCH
5095	----	----	433.50B/359.20A	433.50B/359.20A	----	394.70 + 24.00	.8546	----	----	----	----	127 UNCH
5100	----	----	438.00B/363.40A	438.00B/363.40A	----	399.20 + 24.20	.8576	----	----	----	----	465 UNCH
5105	----	----	442.50B/367.70A	442.50B/367.70A	----	403.60 + 24.20	.8603	----	----	----	----	38 UNCH
5110	----	----	446.90B/372.00A	446.90B/372.00A	----	408.10 + 24.40	.8633	----	----	----	----	74 UNCH
5115	----	----	451.40B/376.20A	451.40B/376.20A	----	412.50 + 24.40	.8659	----	----	----	----	14 UNCH
5120	----	----	456.10B/380.50A	456.10B/380.50A	----	417.00 + 24.50	.8686	----	----	----	----	25 UNCH
5125	----	----	460.50B/384.90A	460.50B/384.90A	----	421.50 + 24.60	.8712	----	----	----	----	192 UNCH
5130	----	----	465.10B/389.20A	465.10B/389.20A	----	426.00 + 24.70	.8738	----	----	----	----	26 UNCH
5135	----	----	469.80B/393.60A	469.80B/393.60A	----	430.50 + 24.70	.8761	----	----	----	----	37 UNCH
5140	----	----	474.40B/397.80A	474.40B/397.80A	----	435.10 + 24.90	.8787	----	----	----	----	14 UNCH
5145	----	----	479.00B/402.20A	479.00B/402.20A	----	439.60 + 24.90	.8809	----	----	----	----	39 UNCH
5150	----	----	483.70B/406.70A	483.70B/406.70A	----	444.20 + 25.00	.8835	----	----	----	----	389 UNCH
5155	----	----	488.10B/411.20A	488.10B/411.20A	----	448.80 + 25.10	.8857	----	----	----	----	38 UNCH
5160	----	----	492.80B/415.60A	492.80B/415.60A	----	453.30 + 25.10	.8879	----	----	----	----	70 UNCH
5165	----	----	497.60B/420.10A	497.60B/420.10A	----	457.90 + 25.20	.8901	----	----	----	----	47 UNCH
5170	----	----	502.00B/424.50A	502.00B/424.50A	----	462.50 + 25.30	.8923	----	----	----	----	504 UNCH
5175	----	----	506.90B/428.90A	506.90B/428.90A	----	467.20 + 25.50	.8942	----	----	----	----	15 UNCH
5180	----	----	511.50B/433.40A	511.50B/433.40A	----	471.80 + 25.50	.8963	----	----	----	----	19 UNCH
5185	----	----	516.10B/438.00A	516.10B/438.00A	----	476.40 + 25.50	.8985	----	----	----	----	22 UNCH
5190	----	----	520.70B/442.40A	520.70B/442.40A	----	481.10 + 25.70	.9003	----	----	----	----	5 UNCH
5195	----	----	525.40B/447.00A	525.40B/447.00A	----	485.70 + 25.70	.9021	----	----	----	----	8 UNCH
5200	----	----	530.10B/451.60A	530.10B/451.60A	----	490.40 + 25.80	.9042	----	----	----	----	611 UNCH
5205	----	----	534.80B/456.00A	534.80B/456.00A	----	495.10 + 25.90	.9060	----	----	----	----	36 UNCH
5210	----	----	539.70B/460.60A	539.70B/460.60A	----	499.70 + 25.90	.9077	----	----	----	----	68 UNCH
5215	----	----	544.40B/465.30A	544.40B/465.30A	----	504.40 + 25.90	.9095	----	----	----	----	42 UNCH
5220	----	----	549.00B/469.90A	549.00B/469.90A	----	509.10 + 26.00	.9112	----	----	----	----	188 UNCH
5225	----	----	553.80B/474.40A	553.80B/474.40A	----	513.80 + 26.10	.9129	----	----	----	----	200 UNCH
5230	----	----	558.70B/479.10A	558.70B/479.10A	----	518.50 + 26.10	.9142	----	----	----	----	7 UNCH
5235	----	----	563.30B/483.70A	563.30B/483.70A	----	523.30 + 26.20	.9159	----	----	----	----	160 UNCH
5240	----	----	568.00B/488.20A	568.00B/488.20A	----	528.00 NEW	.9176	----	----	2	----	2 + 2
5245	----	----	572.80B/493.00A	572.80B/493.00A	----	532.70 + 26.30	.9189	----	----	----	----	9 UNCH
5250	----	----	577.50B/497.50A	577.50B/497.50A	----	537.50 + 26.40	.9206	----	----	2	----	333 - 2
5255	----	----	582.50B/502.20A	582.50B/502.20A	----	542.20 + 26.40	.9219	----	----	----	----	9 UNCH
5260	----	----	587.20B/506.80A	587.20B/506.80A	----	547.00 + 26.50	.9236	----	----	----	----	11 UNCH
5265	----	----	592.00B/511.50A	592.00B/511.50A	----	551.70 + 26.50	.9248	----	----	----	----	5 UNCH
5270	----	----	596.70B/516.30A	596.70B/516.30A	----	556.50 + 26.60	.9261	----	----	----	----	24 UNCH
5275	----	----	601.50B/520.80A	601.50B/520.80A	----	561.30 + 26.70	.9278	----	----	----	----	170 UNCH
5280	----	----	606.30B/525.70A	606.30B/525.70A	----	566.00 + 26.60	.9290	----	----	----	----	67 UNCH
5285	----	----	611.10B/530.40A	611.10B/530.40A	----	570.80 + 26.70	.9302	----	----	----	----	27 UNCH
5290	----	----	610.70B/535.20A	610.70B/535.20A	----	575.60 + 26.80	.9315	----	----	----	----	2 UNCH
5300	595.00	595.00	620.30B/544.50A	620.30B/544.50A	----	585.20 + 26.80	.9339	----	----	1	----	562 + 1
5305	----	----	625.90B/549.10A	625.90B/549.10A	----	590.00 + 26.90	.9351	----	----	1	----	103 - 1
5320	----	----	639.60B/563.40A	639.60B/563.40A	----	604.40 + 27.00	.9383	----	----	----	----	108 UNCH
5325	----	----	645.30B/568.20A	645.30B/568.20A	----	609.30 + 27.10	.9395	----	----	----	----	1 UNCH
5335	----	----	654.90B/577.70A	654.90B/577.70A	----	618.90 + 27.10	.9414	----	----	----	----	5 UNCH
5340	----	----	659.00B/582.50A	659.00B/582.50A	----	623.70 + 27.10	.9426	----	----	----	----	52 UNCH
5345	----	----	664.60B/587.30A	664.60B/587.30A	----	628.60 + 27.20	.9433	----	----	----	----	2 UNCH
5350	----	----	668.70B/592.20A	668.70B/592.20A	----	633.40 + 27.20	.9445	----	----	----	----	109 UNCH
5365	----	----	683.30B/606.40A	683.30B/606.40A	----	648.00 + 27.40	.9470	----	----	----	----	4 UNCH
5370	----	----	689.00B/611.20A	689.00B/611.20A	----	652.80 + 27.30	.9482	----	----	----	----	37 UNCH
5375	----	----	693.80B/616.10A	693.80B/616.10A	----	657.70 + 27.40	.9489	----	----	----	----	1 UNCH
5380	----	----	697.90B/620.90A	697.90B/620.90A	----	662.60 + 27.50	.9496	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5385	----	----	703.60B/625.70A	703.60B/625.70A	----	667.40 + 27.40	.9507	----	----	----	----	10 UNCH
5390	----	----	708.50B/630.50A	708.50B/630.50A	----	672.30 + 27.50	.9514	----	----	----	----	2 UNCH
5395	----	----	713.30B/635.40A	713.30B/635.40A	----	677.20 + 27.60	.9521	----	----	----	----	156 UNCH
5400	692.10	692.10	717.40B/640.20A	717.40B/640.20A	----	682.10 + 27.60	.9528	----	----	1	----	445 + 1
5420	----	----	735.40B/659.60A	735.40B/659.60A	----	701.60 + 27.70	.9554	----	----	----	----	10 UNCH
5425	----	----	741.60B/664.40A	741.60B/664.40A	----	706.50 + 27.70	.9561	----	----	----	----	1 UNCH
5430	----	----	745.20B/669.30A	745.20B/669.30A	----	711.40 + 27.80	.9568	----	----	----	----	30 UNCH
5435	----	----	750.10B/674.10A	750.10B/674.10A	----	716.30 + 27.80	.9574	----	----	----	----	10 UNCH
5440	----	----	755.00B/679.00A	755.00B/679.00A	----	721.20 + 27.80	.9581	----	----	1	----	20 UNCH
5470	----	----	784.40B/708.30A	784.40B/708.30A	----	750.70 + 28.00	.9614	----	----	----	----	1 UNCH
5490	----	----	805.50B/727.80A	805.50B/727.80A	----	770.30 + 28.10	.9635	----	----	----	----	166 UNCH
5500	----	----	814.00B/740.00A	814.00B/740.00A	----	780.20 + 28.20	.9647	----	----	----	----	52 UNCH
5525	----	----	838.50B/764.60A	838.50B/764.60A	----	804.80 + 28.20	.9668	----	----	----	----	2 UNCH
5575	----	----	887.90B/813.70A	887.90B/813.70A	----	854.20 + 28.40	.9713	----	----	----	----	2 UNCH
5590	----	----	902.80B/828.50A	902.80B/828.50A	----	869.00 + 28.40	.9721	----	----	----	----	77 UNCH
5595	----	----	907.70B/833.40A	907.70B/833.40A	----	873.90 + 28.40	.9727	----	----	----	----	1 UNCH
5600	888.90	888.90	912.70B/838.30A	912.70B/838.30A	----	878.90 + 28.40	.9728	----	----	1	----	9 + 1
5640	----	----	952.40B/877.90A	952.40B/877.90A	----	918.50 + 28.50	.9755	----	----	----	----	9 UNCH
5800	----	----	1,108.80B/----	1108.80B/1049.40A	----	1077.40 + 28.70	.9825	----	----	----	----	6 UNCH
6000	----	----	1,307.90B/----	1307.90B/1248.70A	----	1276.60 + 28.80	.9885	----	----	----	----	4 UNCH
6100	----	----	1,407.60B/----	1407.60B/1348.00A	----	1376.30 + 28.90	.9905	----	----	----	----	0 - 3
TOTAL										7733	2,560	96823 + 3548
JUL26												
2275	----	----	----	0.20B/0.70A	----	0.40 UNCH	.0010	----	----	----	----	21 UNCH
2300	----	----	----	0.20B/0.80A	----	0.40 - 0.10	.0010	----	----	----	----	96 UNCH
2400	----	----	----	0.30B/0.90A	----	0.60 UNCH	.0015	----	----	----	----	2 UNCH
2500	----	----	----	0.40B/1.00A	----	0.70 - 0.10	.0018	----	----	----	----	194 UNCH
2575	----	----	----	0.60B/1.20A	----	0.90 UNCH	.0024	----	----	----	----	1 UNCH
2600	----	----	----	0.70B/1.20A	----	0.90 UNCH	.0024	----	----	----	----	12 UNCH
2620	----	----	----	0.70B/1.30A	----	1.00 UNCH	.0027	----	----	----	----	1 UNCH
2650	----	----	----	0.80B/1.30A	----	1.00 UNCH	.0027	----	----	----	----	51 UNCH
2670	----	----	----	0.80B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	10 UNCH
2675	----	----	----	0.80B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	10 UNCH
2680	----	----	----	0.80B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	10 UNCH
2700	----	----	----	0.90B/1.50A	----	1.10 UNCH	.0030	----	----	----	----	3 UNCH
2705	----	----	----	0.90B/1.50A	----	1.20 UNCH	.0033	----	----	1	----	1 UNCH
2710	----	----	----	0.90B/1.50A	----	1.20 UNCH	.0033	----	----	----	----	7 UNCH
2730	----	----	----	0.90B/1.50A	----	1.20 UNCH	.0033	----	----	----	----	1 UNCH
2750	----	----	----	1.00B/1.60A	----	1.30 UNCH	.0036	----	----	----	----	19 UNCH
2785	----	----	----	1.30B/1.70A	----	1.40 UNCH	.0039	----	----	----	----	2 UNCH
2800	----	----	----	1.30B/1.70A	----	1.40 UNCH	.0039	----	----	----	----	6 UNCH
2850	----	----	----	1.50B/1.90A	----	1.60 UNCH	.0045	----	----	----	----	3 UNCH
2860	----	----	----	1.50B/1.90A	----	1.60 UNCH	.0046	----	----	----	----	5 UNCH
2890	----	----	----	1.60B/2.00A	----	1.70 UNCH	.0049	----	----	----	----	60 UNCH
2895	----	----	----	1.60B/2.00A	----	1.80 + 0.10	.0051	----	----	----	----	18 UNCH
2900	----	----	----	1.70B/2.00A	----	1.80 + 0.10	.0052	----	----	----	----	18 UNCH
2905	----	----	----	1.70B/2.00A	----	1.80 UNCH	.0052	----	----	----	----	19 UNCH
2920	----	----	----	1.70B/2.10A	----	1.90 + 0.10	.0055	----	----	----	----	3 UNCH
2950	----	----	----	1.90B/2.20A	----	2.00 + 0.10	.0058	----	----	----	----	52 UNCH
2985	2.20	2.20	2.20/2.20	2.20/2.20	----	2.10 UNCH	.0062	----	----	10	----	21 + 10
2995	----	----	----	2.10B/2.40A	----	2.20 + 0.10	.0064	----	----	----	----	16 UNCH
3000	----	----	----	2.10B/2.40A	----	2.20 + 0.10	.0065	----	----	----	----	63 UNCH
3010	----	----	----	2.10B/2.40A	----	2.30 + 0.10	.0067	----	----	----	----	1 UNCH
3015	----	----	----	2.20B/2.40A	----	2.30 + 0.10	.0068	----	----	----	----	5 UNCH
3025	----	----	----	2.20B/2.50A	----	2.30 UNCH	.0068	----	----	----	----	1 UNCH
3035	----	----	----	2.20B/2.50A	----	2.40 + 0.10	.0071	----	----	----	----	5 UNCH
3050	----	----	2.50B/----	2.50B/2.60A	----	2.50 + 0.10	.0074	----	----	----	----	1 UNCH
3100	----	----	2.80B/----	2.80B/2.80A	----	2.70 + 0.10	.0081	----	----	----	----	43 UNCH
3105	----	----	2.80B/----	2.80B/2.80A	----	2.70 + 0.10	.0081	----	----	----	----	1 UNCH
3125	----	----	2.90B/----	2.90B/2.90A	----	2.90 + 0.20	.0087	----	----	----	----	42 UNCH
3140	----	----	3.00B/----	3.00B/3.00A	----	3.00 + 0.20	.0091	----	----	----	----	1 UNCH
3150	----	----	3.10B/----	3.10B/3.00A	----	3.00 + 0.10	.0091	----	----	----	----	12 UNCH
3155	----	----	3.10B/----	3.10B/3.10A	----	3.00 + 0.10	.0091	----	----	----	----	1 UNCH
3200	----	----	3.40B/----	3.40B/3.30A	----	3.30 + 0.10	.0102	----	----	----	----	113 UNCH
3210	----	----	3.50B/----	3.50B/3.30A	----	3.40 + 0.20	.0105	----	----	----	----	1 UNCH
3220	----	----	3.50B/----	3.50B/3.40A	----	3.50 + 0.20	.0108	----	----	----	----	1 UNCH
3225	----	----	3.60B/----	3.60B/3.40A	----	3.50 + 0.20	.0108	----	----	----	----	70 UNCH
3250	----	----	3.70B/----	3.70B/3.60A	----	3.70 + 0.20	.0115	----	----	3	----	62 + 1
3275	----	----	3.90B/----	3.90B/3.80A	----	3.80 + 0.20	.0119	----	----	----	----	10 UNCH
3280	----	----	4.00B/----	4.00B/3.80A	----	3.90 + 0.20	.0122	----	----	----	----	10 UNCH
3290	----	----	4.10B/----	4.10B/3.80A	----	4.00 + 0.30	.0125	----	----	----	----	11 UNCH
3300	----	----	4.20B/----	4.20B/3.90A	----	4.00 + 0.20	.0126	----	----	----	----	70 UNCH
3320	----	----	4.30B/----	4.30B/4.10A	----	4.20 + 0.30	.0133	----	----	----	----	1 UNCH
3325	----	----	4.30B/----	4.30B/4.10A	----	4.20 + 0.20	.0133	----	----	----	----	147 UNCH
3335	----	----	4.40B/----	4.40B/4.20A	----	4.30 + 0.30	.0137	----	----	----	----	86 UNCH
3340	----	----	4.50B/----	4.50B/4.20A	----	4.40 + 0.30	.0140	----	----	----	----	1 UNCH
3350	----	----	4.60B/----	4.60B/4.30A	----	4.50 + 0.40	.0143	----	----	----	----	24 UNCH
3355	----	----	4.60B/----	4.60B/4.30A	----	4.50 + 0.30	.0144	----	----	----	----	69 UNCH
3360	----	----	4.70B/----	4.70B/4.40A	----	4.50 + 0.30	.0144	----	----	----	----	4 UNCH
3370	----	----	4.80B/----	4.80B/4.40A	----	4.60 + 0.30	.0148	----	----	----	----	9 UNCH
3380	----	----	4.90B/----	4.90B/4.50A	----	4.70 + 0.30	.0151	----	----	----	----	2 UNCH
3385	----	----	4.90B/----	4.90B/4.60A	----	4.80 + 0.40	.0154	----	----	----	----	4 UNCH
3390	----	----	5.00B/----	5.00B/4.60A	----	4.80 + 0.30	.0155	----	----	----	----	1 UNCH
3395	----	----	5.10B/----	5.10B/4.60A	----	4.90 + 0.40	.0158	----	----	----	----	31 UNCH
3400	----	----	5.10B/----	5.10B/4.70A	----	4.90 + 0.40	.0158	----	----	----	----	50 UNCH
3410	----	----	5.20B/----	5.20B/4.80A	----	5.00 + 0.40	.0162	----	----	----	----	5 UNCH
3425	----	----	5.40B/----	5.40B/4.90A	----	5.20 + 0.40	.0169	----	----	----	----	56 UNCH
3435	----	----	5.50B/----	5.50B/5.00A	----	5.30 + 0.40	.0172	----	----	----	----	5 UNCH
3445	----	----	5.60B/----	5.60B/5.10A	----	5.40 + 0.40	.0176	----	----	----	----	1 UNCH
3450	----	----	5.60B/----	5.60B/5.10A	----	5.40 + 0.40	.0177	----	----	----	----	134 UNCH
3455	----	----	5.70B/----	5.70B/5.20A	----	5.50 + 0.50	.0180	----	----	----	----	10 UNCH
3460	----	----	5.80B/----	5.80B/5.20A	----	5.50 + 0.40	.0181	----	----	----	----	10 UNCH
3465	----	----	5.90B/----	5.90B/5.30A	----	5.60 + 0.50	.0184	----	----	----	----	143 UNCH
3475	----	----	6.00B/----	6.00B/5.40A	----	5.70 + 0.50	.0188	----	----	----	----	140 UNCH
3480	----	----	6.10B/----	6.10B/5.40A	----	5.80 + 0.50	.0191	----	----	----	----	36 UNCH
3495	----	----	6.30B/----	6.30B/5.60A	----	6.00 + 0.50	.0198	----	----	----	----	5 UNCH
3500	----	----	6.40B/----	6.40B/5.60A	----	6.00 + 0.50	.0199	----	----	2	----	589 UNCH
3505	----	----	6.50B/----	6.50B/5.70A	----	6.10 + 0.50	.0202	----	----	----	----	9 UNCH
3510	----	----	6.50B/----	6.50B/5.70A	----	6.10 + 0.50	.0203	----	----	----	----	5 UNCH
3515	----	----	6.60B/----	6.60B/5.80A	----	6.20 + 0.50	.0206	----	----	----	----	6 UNCH
3525	----	----	6.80B/----	6.80B/5.90A	----	6.30 + 0.50	.0210	----	----	----	----	3 UNCH
3530	----	----	6.90B/----	6.90B/5.90A	----	6.40 + 0.50	.0213	----	----	----	----	168 UNCH
3535	----	----	6.90B/----	6.90B/5.90A	----	6.50 + 0.60	.0217	----	----	----	----	31 UNCH
3545	----	----	7.10B/----	7.10B/6.10A	----	6.60 + 0.60	.0221	----	----	----	----	256 UNCH
3550	----	----	7.20B/----	7.20B/6.20A	----	6.70 + 0.60	.0224	----	----	----	----	163 UNCH
3555	----	----	7.30B/----	7.30B/6.20A	----	6.80 + 0.60	.0227	----	----	----	----	1 UNCH
3565	----	----	7.40B/----	7.40B/6.30A	----	6.90 + 0.60	.0232	----	----	----	----	2 UNCH
3575	----	----	7.60B/----	7.60B/6.50A	----	7.00 + 0.60	.0236	----	----	----	----	1 UNCH
3580	----	----	7.70B/----	7.70B/6.60A	----	7.10 + 0.60	.0239	----	----	----	----	5 UNCH
3590	----	----	7.90B/----	7.90B/6.70A	----	7.30 + 0.70	.0246	----	----	----	----	16 UNCH
3600	----	----	8.20B/----	8.20B/6.80A	----	7.40 + 0.60	.0251	----	----	1	----	140 + 1
3605	----	----	8.20B/----	8.20B/6.90A	----	7.50 + 0.70	.0254	----	----	----	----	5 UNCH
3610	----	----	8.20B/----	8.20B/6.90A	----	7.60 + 0.70	.0258	----	----	----	----	1 UNCH
3620	----	----	8.40B/----	8.40B/7.00A	----	7.80 + 0.80	.0265	----	----	----	----	12 UNCH
3625	----	----	8.60B/----	8.60B/7.10A	----	7.90 + 0.80	.0268	----	----	----	----	11 UNCH
3630	----	----	8.60B/7.10A	8.60B/7.10A	----	7.90 + 0.70	.0269	----	----	----	----	10 UNCH
3635	----	----	8.70B/7.20A	8.70B/7.20A	----	8.00 + 0.70	.0273	----	----	----	----	3 UNCH
3640	----	----	8.80B/----	8.80B/7.30A	----	8.10 + 0.80	.0276	----	----	----	----	6 UNCH
3645	----	----	8.80B/7.30A	8.80B/7.30A	----	8.20 + 0.80	.0280	----	----	----	----	1 UNCH
3650	----	----	8.90B/7.40A	8.90B/7.40A	----	8.30 + 0.80	.0283	----	----	----	----	99 UNCH
3655	----	----	9.00B/7.50A	9.00B/7.50A	----	8.40 + 0.80	.0287	----	----	----	----	7 UNCH
3660	----	----	9.20B/7.60A	9.20B/7.60A	----	8.50 + 0.80	.0291	----	----	----	----	22 UNCH
3665	----	----	9.40B/7.60A	9.40B/7.60A	----	8.60 + 0.90	.0294	----	----	----	----	2 UNCH
3670	----	----	9.40B/7.70A	9.40B/7.70A	----	8.70 + 0.90	.0298	----	----	----	----	111 UNCH
3675	----	----	9.50B/7.80A	9.50B/7.80A	----	8.80 + 0.90	.0302	----	----	----	----	4 UNCH
3680	----	----	9.60B/7.90A	9.60B/7.90A	----	8.90 + 0.90	.0305	----	----	----	----	5 UNCH
3685	----	----	9.80B/8.00A	9.80B/8.00A	----	9.00 + 0.90	.0309	----	----	----	----	12 UNCH
3690	----	----	9.80B/8.10A	9.80B/8.10A	----	9.10 + 0.90	.0313	----	----	----	----	50 UNCH
3695	----	----	10.00B/8.20A	10.00B/8.20A	----	9.20 + 0.90	.0317	----	----	----	----	141 UNCH
3700	----	----	10.30B/8.20A	10.30B/8.20A	----	9.30 + 1.00	.0320	----	----	----	----	439 UNCH
3705	----	----	10.30B/8.30A	10.30B/8.30A	----	9.40 + 1.00	.0324	----	----	----	----	20 UNCH
3715	----	----	10.60B/8.50A	10.60B/8.50A	----	9.60 + 1.00	.0332	----	----	----	----	30 UNCH
3720	----	----	10.80B/8.60A	10.80B/8.60A	----	9.70 + 1.00	.0336	----	----	----	----	18 UNCH
3725	----	----	10.80B/8.70A	10.80B/8.70A	----	9.80 + 1.00	.0340	----	----	----	----	5 UNCH
3730	----	----	11.00B/8.80A	11.00B/8.80A	----	10.00 + 1.10	.0346	----	----	----	----	3 UNCH
3735	----	----	11.20B/8.90A	11.20B/8.90A	----	10.10 + 1.10	.0350	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 15

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3740	----	----	11.20B/9.00A	11.20B/9.00A	----	10.20 + 1.10	.0354	----	----	----	----	20 UNCH
3750	----	----	11.60B/9.20A	11.60B/9.20A	----	10.40 + 1.10	.0362	----	----	2	----	543 UNCH
3760	----	----	11.80B/9.40A	11.80B/9.40A	----	10.70 + 1.20	.0372	----	----	----	----	2 UNCH
3765	----	----	12.10B/9.50A	12.10B/9.50A	----	10.80 + 1.20	.0376	----	----	----	----	32 UNCH
3770	----	----	12.00B/9.60A	12.00B/9.60A	----	10.90 + 1.20	.0380	----	----	----	----	120 UNCH
3775	----	----	12.40B/9.70A	12.40B/9.70A	----	11.10 + 1.30	.0387	----	----	----	----	61 UNCH
3780	----	----	12.40B/----	12.40B/9.90A	----	11.20 + 1.30	.0391	----	----	----	----	1 UNCH
3785	----	----	12.60B/10.00A	12.60B/10.00A	----	11.30 + 1.20	.0395	----	----	----	----	6 UNCH
3790	----	----	12.80B/10.10A	12.80B/10.10A	----	11.50 + 1.30	.0402	----	----	----	----	40 UNCH
3795	----	----	13.20B/10.20A	13.20B/10.20A	----	11.60 + 1.30	.0406	----	----	----	----	36 UNCH
3800	----	----	13.10B/10.30A	13.10B/10.30A	----	11.80 + 1.40	.0413	----	----	----	----	695 UNCH
3810	----	----	13.60B/----	13.60B/10.60A	----	12.10 + 1.50	.0424	----	----	----	----	16 UNCH
3815	----	----	13.80B/10.70A	13.80B/10.70A	----	12.20 + 1.40	.0428	----	----	----	----	14 UNCH
3820	----	----	13.90B/10.80A	13.90B/10.80A	----	12.30 + 1.40	.0432	----	----	----	----	10 UNCH
3825	----	----	14.10B/10.90A	14.10B/10.90A	----	12.50 + 1.50	.0439	----	----	----	----	9 UNCH
3830	----	----	14.30B/11.10A	14.30B/11.10A	----	12.70 + 1.50	.0446	----	----	----	----	24 UNCH
3835	----	----	14.40B/11.20A	14.40B/11.20A	----	12.80 + 1.50	.0450	----	----	----	----	1 UNCH
3840	----	----	14.60B/----	14.60B/11.40A	----	13.00 + 1.60	.0457	----	----	----	----	33 UNCH
3845	----	----	15.00B/11.50A	15.00B/11.50A	----	13.10 + 1.50	.0461	----	----	----	----	13 UNCH
3850	12.50	12.50	15.00B/11.60A	15.00B/11.60A	----	13.30 + 1.60	.0468	----	----	2	----	207 + 2
3860	----	----	15.50B/11.90A	15.50B/11.90A	----	13.60 + 1.60	.0480	----	----	----	----	29 UNCH
3870	----	----	15.80B/12.20A	15.80B/12.20A	----	14.00 + 1.70	.0494	----	----	----	----	1 UNCH
3875	----	----	16.30B/----	16.30B/12.40A	----	14.20 + 1.80	.0501	----	----	----	----	108 UNCH
3880	----	----	16.30B/12.50A	16.30B/12.50A	----	14.30 + 1.70	.0505	----	----	----	----	14 UNCH
3885	----	----	16.50B/----	16.50B/12.70A	----	14.50 + 1.80	.0513	----	----	----	----	6 UNCH
3890	----	----	16.70B/----	16.70B/12.90A	----	14.70 + 1.80	.0520	----	----	----	----	4 UNCH
3895	----	----	17.10B/----	17.10B/13.00A	----	14.90 + 1.90	.0527	----	----	----	----	2 UNCH
3900	----	----	17.30B/----	17.30B/13.20A	----	15.10 + 1.90	.0534	----	----	1	----	313 UNCH
3905	----	----	17.60B/13.30A	17.60B/13.30A	----	15.30 + 1.90	.0541	----	----	----	----	12 UNCH
3910	----	----	17.80B/----	17.80B/13.50A	----	15.50 + 2.00	.0549	----	----	----	----	54 UNCH
3920	----	----	18.40B/----	18.40B/13.90A	----	15.90 + 2.00	.0563	----	----	----	----	9 UNCH
3925	----	----	18.60B/----	18.60B/14.10A	----	16.10 + 2.00	.0570	----	----	----	----	49 UNCH
3930	----	----	18.90B/----	18.90B/14.20A	----	16.30 + 2.10	.0578	----	----	----	----	32 UNCH
3935	----	----	19.10B/----	19.10B/14.40A	----	16.50 + 2.10	.0585	----	----	----	----	7 UNCH
3940	----	----	19.60B/14.50A	19.60B/14.50A	----	16.70 + 2.10	.0593	----	----	----	----	25 UNCH
3945	----	----	20.00B/14.70A	20.00B/14.70A	----	17.00 + 2.20	.0603	----	----	----	----	21 UNCH
3950	----	----	20.10B/14.80A	20.10B/14.80A	----	17.20 + 2.20	.0610	----	----	1	----	601 + 1
3955	----	----	20.50B/15.00A	20.50B/15.00A	----	17.40 + 2.20	.0618	----	----	----	----	56 UNCH
3960	----	----	20.70B/15.20A	20.70B/15.20A	----	17.70 + 2.30	.0628	----	----	----	----	19 UNCH
3965	----	----	21.10B/15.40A	21.10B/15.40A	----	17.90 + 2.30	.0635	----	----	----	----	94 UNCH
3970	----	----	21.30B/15.60A	21.30B/15.60A	----	18.10 + 2.30	.0643	----	----	----	----	6 UNCH
3975	----	----	21.50B/15.80A	21.50B/15.80A	----	18.40 + 2.40	.0653	----	----	----	----	22 UNCH
3980	----	----	21.90B/16.10A	21.90B/16.10A	----	18.60 + 2.40	.0661	----	----	----	----	4 UNCH
3985	----	----	22.40B/16.30A	22.40B/16.30A	----	18.90 + 2.40	.0671	----	----	----	----	136 UNCH
3990	----	----	22.60B/16.50A	22.60B/16.50A	----	19.10 + 2.40	.0679	----	----	----	----	41 UNCH
3995	----	----	22.80B/16.70A	22.80B/16.70A	----	19.40 + 2.50	.0689	----	----	----	----	20 UNCH
4000	18.50	18.50	23.20B/16.60	23.20B/16.60	----	19.70 + 2.60	.0699	----	----	56	----	1092 + 28
4005	----	----	23.50B/17.10A	23.50B/17.10A	----	19.90 + 2.50	.0707	----	----	----	----	155 UNCH
4010	----	----	23.90B/17.40A	23.90B/17.40A	----	20.20 + 2.60	.0718	----	----	----	----	3 UNCH
4015	----	----	24.20B/17.60A	24.20B/17.60A	----	20.50 + 2.60	.0728	----	----	----	----	59 UNCH
4020	----	----	24.50B/17.90A	24.50B/17.90A	----	20.80 + 2.70	.0738	----	----	----	----	91 UNCH
4025	----	----	24.90B/18.10A	24.90B/18.10A	----	21.10 + 2.70	.0749	----	----	----	----	19 UNCH
4030	----	----	25.20B/18.40A	25.20B/18.40A	----	21.40 + 2.80	.0759	----	----	----	----	50 UNCH
4035	----	----	25.60B/18.60A	25.60B/18.60A	----	21.70 + 2.80	.0770	----	----	----	----	3 UNCH
4040	----	----	26.00B/18.80A	26.00B/18.80A	----	22.00 + 2.80	.0781	----	----	1	----	2 + 1
4045	----	----	26.30B/19.10A	26.30B/19.10A	----	22.30 + 2.90	.0791	----	----	----	----	20 UNCH
4050	----	----	26.80B/19.30A	26.80B/19.30A	----	22.60 + 2.90	.0802	----	----	----	----	49 UNCH
4055	----	----	27.10B/19.60A	27.10B/19.60A	----	22.90 + 2.90	.0813	----	----	----	----	32 UNCH
4060	----	----	27.60B/19.90A	27.60B/19.90A	----	23.20 + 2.90	.0823	----	----	1	----	2 + 1
4065	----	----	28.00B/20.20A	28.00B/20.20A	----	23.60 + 3.00	.0836	----	----	----	----	8 UNCH
4070	----	----	28.40B/20.50A	28.40B/20.50A	----	23.90 + 3.00	.0847	----	----	----	----	10 UNCH
4075	----	----	28.80B/20.80A	28.80B/20.80A	----	24.30 + 3.10	.0860	----	----	----	----	14 UNCH
4080	----	----	29.20B/21.00A	29.20B/21.00A	----	24.60 + 3.10	.0871	----	----	----	----	9 UNCH
4085	----	----	29.70B/21.30A	29.70B/21.30A	----	25.00 + 3.20	.0885	----	----	----	----	13 UNCH
4090	----	----	30.00B/21.60A	30.00B/21.60A	----	25.30 + 3.20	.0896	----	----	1	----	5 + 1
4095	----	----	30.50B/22.00A	30.50B/22.00A	----	25.70 + 3.20	.0909	----	----	----	----	4 UNCH
4100	----	----	31.00B/22.30A	31.00B/22.30A	----	26.10 + 3.30	.0922	----	----	7	100	1039 + 106
4105	----	----	31.40B/22.60A	31.40B/22.60A	----	26.50 + 3.40	.0936	----	----	----	----	9 UNCH
4110	----	----	31.90B/22.90A	31.90B/22.90A	----	26.90 + 3.40	.0949	----	----	----	----	15 UNCH
4115	----	----	32.60B/23.30A	32.60B/23.30A	----	27.30 + 3.50	.0963	----	----	----	----	8 UNCH
4120	----	----	32.80B/23.60A	32.80B/23.60A	----	27.70 + 3.50	.0976	----	----	----	----	8 UNCH
4125	----	----	33.30B/23.90A	33.30B/23.90A	----	28.10 + 3.60	.0990	----	----	----	----	83 UNCH
4130	----	----	33.90B/24.30A	33.90B/24.30A	----	28.50 + 3.60	.1004	----	----	----	----	65 UNCH
4135	----	----	34.40B/24.70A	34.40B/24.70A	----	28.90 + 3.60	.1017	----	----	----	----	7 UNCH
4140	----	----	34.90B/25.00A	34.90B/25.00A	----	29.40 + 3.70	.1033	----	----	----	----	44 UNCH
4145	----	----	35.40B/25.40A	35.40B/25.40A	----	29.80 + 3.70	.1047	----	----	----	----	242 UNCH
4150	----	----	35.90B/25.80A	35.90B/25.80A	----	30.30 + 3.90	.1063	----	----	----	----	155 UNCH
4155	----	----	36.50B/26.20A	36.50B/26.20A	----	30.70 + 3.90	.1077	----	----	----	----	5 UNCH
4160	----	----	37.00B/26.50A	37.00B/26.50A	----	31.20 + 3.90	.1093	----	----	----	----	3 UNCH
4165	----	----	37.60B/26.90A	37.60B/26.90A	----	31.70 + 4.00	.1109	----	----	----	----	69 UNCH
4170	----	----	38.20B/27.30A	38.20B/27.30A	----	32.20 + 4.10	.1126	----	----	----	----	1 UNCH
4175	----	----	38.70B/27.80A	38.70B/27.80A	----	32.70 + 4.20	.1142	----	----	----	----	43 UNCH
4180	----	----	39.40B/28.20A	39.40B/28.20A	----	33.20 + 4.20	.1158	----	----	----	----	4 UNCH
4185	----	----	39.80B/28.60A	39.80B/28.60A	----	33.70 + 4.30	.1174	----	----	----	----	13 UNCH
4190	----	----	40.60B/29.00A	40.60B/29.00A	----	34.20 + 4.30	.1191	----	----	----	----	129 UNCH
4195	----	----	41.10B/29.50A	41.10B/29.50A	----	34.70 + 4.40	.1207	----	----	----	----	65 UNCH
4200	33.40	33.40	41.70B/29.90A	41.70B/29.90A	----	35.30 + 4.50	.1226	----	----	132	----	581 - 43
4205	----	----	42.40B/30.40A	42.40B/30.40A	----	35.80 + 4.50	.1243	----	----	----	----	6 UNCH
4210	----	----	43.10B/30.80A	43.10B/30.80A	----	36.40 + 4.70	.1261	----	----	----	----	67 UNCH
4215	----	----	43.60B/31.30A	43.60B/31.30A	----	36.90 + 4.70	.1278	----	----	----	----	39 UNCH
4220	----	----	44.30B/31.80A	44.30B/31.80A	----	37.50 + 4.80	.1297	----	----	----	----	196 UNCH
4225	----	----	45.00B/32.30A	45.00B/32.30A	----	38.10 + 4.90	.1316	----	----	1	----	38 UNCH
4230	----	----	45.60B/32.80A	45.60B/32.80A	----	38.70 + 5.00	.1334	----	----	----	----	16 UNCH
4235	----	----	46.30B/33.30A	46.30B/33.30A	----	39.30 + 5.00	.1353	----	----	----	----	42 UNCH
4240	----	----	47.00B/33.80A	47.00B/33.80A	----	39.90 + 5.10	.1372	----	----	----	----	37 UNCH
4245	----	----	47.80B/34.30A	47.80B/34.30A	----	40.50 + 5.10	.1391	----	----	----	----	2 UNCH
4250	41.90	41.90	48.40B/34.90A	48.40B/34.90A	----	41.10 + 5.20	.1411	----	----	47	----	1150 + 30
4255	----	----	49.10B/35.40A	49.10B/35.40A	----	41.70 + 5.20	.1430	----	----	----	----	3 UNCH
4260	----	----	49.90B/35.90A	49.90B/35.90A	----	42.30 + 5.30	.1449	----	----	2	----	19 + 1
4265	----	----	50.60B/36.50A	50.60B/36.50A	----	43.00 + 5.40	.1470	----	----	----	----	12 UNCH
4270	40.20	40.20	51.40B/37.00A	51.40B/37.00A	----	43.60 + 5.40	.1490	----	----	2	----	7 + 2
4275	40.90	40.90	52.20B/37.60A	52.20B/37.60A	----	44.30 + 5.50	.1511	----	----	11	----	85 + 10
4280	----	----	53.00B/38.20A	53.00B/38.20A	----	45.00 + 5.60	.1533	----	----	1	----	50 UNCH
4285	40.00	40.00	53.70B/38.80A	53.70B/38.80A	----	45.60 + 5.60	.1552	----	----	2	----	101 UNCH
4290	----	----	54.50B/39.40A	54.50B/39.40A	----	46.30 + 5.60	.1574	----	----	1	----	33 UNCH
4295	----	----	55.40B/40.00A	55.40B/40.00A	----	47.00 + 5.70	.1596	----	----	----	----	20 UNCH
4300	51.70	51.70	56.30B/40.70A	56.30B/40.70A	----	47.70 + 5.70	.1617	----	----	102	----	869 - 88
4305	----	----	57.10B/41.30A	57.10B/41.30A	----	48.40 + 5.80	.1639	----	----	----	----	9 UNCH
4310	----	----	58.00B/42.00A	58.00B/42.00A	----	49.20 + 5.90	.1663	----	----	----	----	12 UNCH
4315	----	----	58.90B/42.70A	58.90B/42.70A	----	49.90 + 5.90	.1685	----	----	----	----	60 UNCH
4320	----	----	59.70B/43.30A	59.70B/43.30A	----	50.60 + 5.90	.1707	----	----	----	----	5 UNCH
4325	----	----	60.70B/44.00A	60.70B/44.00A	----	51.40 + 6.00	.1730	----	----	----	----	80 UNCH
4330	----	----	61.50B/44.70A	61.50B/44.70A	----	52.20 + 6.10	.1754	----	----	----	----	23 UNCH
4335	----	----	62.50B/45.40A	62.50B/45.40A	----	53.00 + 6.10	.1778	----	----	----	----	111 UNCH
4340	----	----	63.40B/46.20A	63.40B/46.20A	----	53.80 + 6.20	.1802	----	----	----	----	114 UNCH
4345	----	----	64.30B/46.90A	64.30B/46.90A	----	54.60 + 6.20	.1827	----	----	----	----	12 UNCH
4350	----	----	65.30B/47.60A	65.30B/47.60A	----	55.40 + 6.30	.1851	----	----	----	----	426 UNCH
4355	----	----	66.30B/48.40A	66.30B/48.40A	----	56.20 + 6.30	.1875	----	----	----	----	124 UNCH
4360	----	----	67.30B/49.20A	67.30B/49.20A	----	57.10 + 6.40	.1901	----	----	----	----	104 UNCH
4365	----	----	68.30B/49.90A	68.30B/49.90A	----	57.90 + 6.40	.1926	----	----	----	----	29 UNCH
4370	----	----	69.40B/50.70A	69.40B/50.70A	----	58.80 + 6.50	.1952	----	----	----	----	139 UNCH
4375	----	----	70.40B/51.50A	70.40B/51.50A	----	59.70 + 6.50	.1978	----	----	----	----	27 UNCH
4380	----	----	71.40B/52.30A	71.40B/52.30A	----	60.60 + 6.60	.2004	----	----	----	----	6 UNCH
4385	----	----	72.60B/53.20A	72.60B/53.20A	----	61.50 + 6.60	.2031	----	----	----	----	52 UNCH
4390	----	----	73.70B/54.00A	73.70B/54.00A	----	62.50 + 6.70	.2059	----	----	----	----	2 UNCH
4395	----	----	74.80B/54.90A	74.80B/54.90A	----	63.40 + 6.70	.2085	----	----	----	----	26 UNCH
4400	----	----	76.00B/55.70A	76.00B/55.70A	----	64.40 + 6.80	.2113	----	----	88	----	971 + 32
4405	70.10	70.10	77.10B/56.70A	77.10B/56.70A	----	65.40 + 6.90	.2142	----	----	11	----	26 + 11
4410	----	----	78.30B/57.50A	78.30B/57.50A	----	66.40 + 7.00	.2170	----	----	1	----	16 UNCH
4415	----	----	79.40B/58.40A	79.40B/58.40A	----	67.50 + 7.10	.2200	----	----	----	----	8 UNCH
4420	----	----	80.50B/59.40A	80.50B/59.40A	----	68.50 + 7.10	.2228	----	----	----	----	16 UNCH
4425	----	----	81.70B/60.30A	81.70B/60.30A	----	69.60 + 7.30	.2258	----	----	----	----	37 UNCH
4430	75.50	75.50	82.80B/61.30A	82.80B/61.30A	----	70.60 + 7.30	.2287	----	----	11	----	168 + 11
4435	----	----	84.20B/62.20A	84.20B/62.20A	----	71.70 + 7.30	.2317	----	----	1	----	2 + 1
4440	----	----	85.30B/63.20A	85.30B/63.20A	----	72.80 + 7.40	.2347	----	----	----	----	37 UNCH
4445	----	----	86.60B/64.20A	86.60B/64.20A	----	74.00 + 7.60	.2378	----	----	----	----	152 UNCH
4450	----	----	88.00B/65.20A	88.00B/65.20A	----	75.10 + 7.60	.2409	----	----	1	----	644 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4455	----	----	89.30B/66.30A	89.30B/66.30A	----	76.30 + 7.70	.2440	----	----	----	----	19 UNCH
4460	----	----	90.50B/67.30A	90.50B/67.30A	----	77.50 + 7.80	.2472	----	----	----	----	102 UNCH
4465	71.90	71.90	92.00B/68.40A	92.00B/68.40A	----	78.70 + 7.90	.2504	----	----	12	----	28 UNCH
4470	77.50	77.50	93.20B/69.50A	93.20B/69.50A	----	79.90 + 8.00	.2536	----	----	18	----	28 + 18
4475	----	----	94.80B/70.60A	94.80B/70.60A	----	81.10 + 8.00	.2568	----	----	----	----	37 UNCH
4480	----	----	96.20B/71.80A	96.20B/71.80A	----	82.30 + 8.10	.2600	----	----	----	----	140 UNCH
4485	----	----	97.60B/72.90A	97.60B/72.90A	----	83.60 + 8.20	.2633	----	----	----	----	50 UNCH
4490	----	----	98.90B/74.00A	98.90B/74.00A	----	84.90 + 8.30	.2667	----	----	13	----	29 - 10
4495	----	----	100.30B/75.20A	100.30B/75.20A	----	86.20 + 8.40	.2700	----	----	----	----	3 UNCH
4500	83.70	83.70	101.90B/76.40A	101.90B/76.40A	----	87.50 + 8.50	.2734	----	----	44	----	1202 - 1
4505	----	----	103.40B/77.60A	103.40B/77.60A	----	88.80 + 8.50	.2768	----	----	----	----	6 UNCH
4510	----	----	104.90B/78.90A	104.90B/78.90A	----	90.10 + 8.50	.2801	----	----	----	----	8 UNCH
4515	----	----	106.40B/80.20A	106.40B/80.20A	----	91.50 + 8.60	.2836	----	----	----	----	5 UNCH
4520	----	----	108.00B/81.40A	108.00B/81.40A	----	92.80 + 8.60	.2870	----	----	----	----	11 UNCH
4525	----	----	109.60B/82.70A	109.60B/82.70A	----	94.20 + 8.70	.2905	----	----	----	----	87 UNCH
4530	----	----	111.20B/84.00A	111.20B/84.00A	----	95.60 + 8.80	.2941	----	----	----	----	8 UNCH
4535	----	----	112.70B/85.30A	112.70B/85.30A	----	97.00 + 8.80	.2976	----	----	----	----	5 UNCH
4540	----	----	114.50B/86.60A	114.50B/86.60A	----	98.50 + 8.90	.3012	----	----	----	----	90 UNCH
4545	----	----	116.00B/88.00A	116.00B/88.00A	----	99.90 + 8.90	.3048	----	----	----	----	20 UNCH
4550	106.40	106.40	117.70B/89.40A	117.70B/89.40A	----	101.40 + 9.00	.3084	----	----	3	----	70 + 2
4555	----	----	119.40B/90.80A	119.40B/90.80A	----	102.90 + 9.10	.3121	----	----	----	----	16 UNCH
4560	----	----	121.10B/92.20A	121.10B/92.20A	----	104.40 + 9.10	.3158	----	----	----	----	28 UNCH
4565	----	----	122.90B/93.60A	122.90B/93.60A	----	106.00 + 9.20	.3195	----	----	----	----	105 UNCH
4570	----	----	124.70B/95.10A	124.70B/95.10A	----	107.50 + 9.20	.3232	----	----	----	----	8 UNCH
4575	115.00	115.00	126.40B/96.50A	126.40B/96.50A	----	109.10 + 9.30	.3270	----	----	13	----	19 + 7
4580	----	----	128.30B/98.00A	128.30B/98.00A	----	110.70 + 9.40	.3308	----	----	----	----	5 UNCH
4585	108.90	108.90	130.10B/99.50A	130.10B/99.50A	----	112.30 + 9.40	.3346	----	----	3	----	8 + 1
4590	----	----	131.80B/101.20A	131.80B/101.20A	----	113.90 + 9.50	.3384	----	----	----	----	9 UNCH
4595	----	----	133.70B/102.80A	133.70B/102.80A	----	115.60 + 9.60	.3423	----	----	----	----	49 UNCH
4600	----	----	135.60B/104.20A	135.60B/104.20A	----	117.20 + 9.60	.3461	----	----	318	----	1277 - 317
4605	----	----	137.60B/105.90A	137.60B/105.90A	----	118.90 + 9.60	.3500	----	----	----	----	2 UNCH
4610	----	----	139.40B/107.60A	139.40B/107.60A	----	120.70 + 9.80	.3540	----	----	----	----	134 UNCH
4615	----	----	141.30B/109.20A	141.30B/109.20A	----	122.40 + 9.80	.3579	----	----	----	----	13 UNCH
4620	----	----	143.30B/110.80A	143.30B/110.80A	----	124.20 + 9.90	.3619	----	----	----	----	47 UNCH
4625	----	----	145.30B/112.60A	145.30B/112.60A	----	125.90 + 9.90	.3659	----	----	----	----	35 UNCH
4630	----	----	147.30B/114.20A	147.30B/114.20A	----	127.80 + 10.00	.3699	----	----	----	----	13 UNCH
4635	----	----	149.50B/115.90A	149.50B/115.90A	----	129.60 + 10.10	.3740	----	----	----	----	123 UNCH
4640	----	----	151.50B/117.70A	151.50B/117.70A	----	131.50 + 10.20	.3781	----	----	----	----	155 UNCH
4645	----	----	153.50B/119.60A	153.50B/119.60A	----	133.30 + 10.20	.3821	----	----	----	----	12 UNCH
4650	----	----	155.60B/121.30A	155.60B/121.30A	----	135.30 + 10.30	.3863	----	----	70	----	262 UNCH
4655	----	----	157.90B/123.10A	157.90B/123.10A	----	137.20 + 10.40	.3904	----	----	----	----	2 UNCH
4660	----	----	160.20B/124.80A	160.20B/124.80A	----	139.20 + 10.50	.3945	----	----	----	----	62 UNCH
4665	----	----	162.20B/126.80A	162.20B/126.80A	----	141.10 + 10.50	.3987	----	----	----	----	23 UNCH
4670	----	----	164.40B/128.50A	164.40B/128.50A	----	143.20 + 10.70	.4029	----	----	----	----	101 UNCH
4675	----	----	166.80B/130.60A	166.80B/130.60A	----	145.20 + 10.70	.4071	----	----	----	----	156 UNCH
4680	----	----	169.10B/132.40A	169.10B/132.40A	----	147.30 + 10.80	.4113	----	----	----	----	26 UNCH
4685	----	----	171.30B/134.40A	171.30B/134.40A	----	149.40 + 10.90	.4155	----	----	----	----	7 UNCH
4690	----	----	173.60B/136.40A	173.60B/136.40A	----	151.50 + 11.00	.4198	----	----	----	----	12 UNCH
4695	----	----	176.00B/138.40A	176.00B/138.40A	----	153.70 + 11.20	.4240	----	----	1	----	179 + 1
4700	143.20	143.20	178.10B/140.30A	178.10B/140.30A	----	155.90 + 11.30	.4283	----	----	327	----	683 - 83
4705	----	----	180.60B/142.30A	180.60B/142.30A	----	158.10 + 11.40	.4326	----	----	----	----	9 UNCH
4710	----	----	183.10B/144.40A	183.10B/144.40A	----	160.30 + 11.50	.4369	----	----	----	----	126 UNCH
4715	----	----	185.50B/146.60A	185.50B/146.60A	----	162.60 + 11.60	.4412	----	----	----	----	4 UNCH
4720	----	----	187.70B/148.70A	187.70B/148.70A	----	164.90 + 11.70	.4455	----	----	----	----	10 UNCH
4725	----	----	190.40B/150.80A	190.40B/150.80A	----	167.20 + 11.80	.4498	----	----	----	----	205 UNCH
4730	----	----	192.90B/152.90A	192.90B/152.90A	----	169.60 + 12.00	.4542	----	----	----	----	51 UNCH
4735	162.20	162.20	195.40B/155.10A	195.40B/155.10A	----	172.00 + 12.10	.4585	----	----	15	----	17 + 6
4740	164.80	164.80	197.80B/157.30A	197.80B/157.30A	----	174.40 + 12.30	.4628	----	----	1	----	114 - 1
4745	----	----	200.40B/159.50A	200.40B/159.50A	----	176.80 + 12.40	.4672	----	----	----	----	121 UNCH
4750	180.00	180.00	202.40B/161.70A	202.40B/161.70A	----	179.20 + 12.50	.4715	----	----	86	----	400 - 77
4755	----	----	205.00B/164.20A	205.00B/164.20A	----	181.70 + 12.60	.4759	----	----	----	----	12 UNCH
4760	----	----	207.60B/166.50A	207.60B/166.50A	----	184.20 + 12.80	.4802	----	----	----	----	29 UNCH
4765	----	----	210.30B/168.70A	210.30B/168.70A	----	186.70 + 12.90	.4846	----	----	1	----	305 + 1
4770	----	----	213.00B/171.10A	213.00B/171.10A	----	189.30 + 13.10	.4889	----	----	1	----	10 + 1
4775	----	----	215.70B/173.40A	215.70B/173.40A	----	191.80 + 13.10	.4933	----	----	2	----	46 UNCH
4780	----	----	218.40B/175.80A	218.40B/175.80A	----	194.40 + 13.30	.4976	----	----	----	----	31 UNCH
4785	----	----	221.10B/178.30A	221.10B/178.30A	----	197.00 + 13.40	.5020	----	----	----	----	75 UNCH
4790	----	----	223.90B/180.60A	223.90B/180.60A	----	199.60 + 13.60	.5063	----	----	----	----	3 UNCH
4795	----	----	226.70B/183.20A	226.70B/183.20A	----	202.20 + 13.70	.5107	----	----	----	----	137 UNCH
4800	200.40	200.40	229.50B/185.40A	229.50B/185.40A	----	204.80 + 13.80	.5151	----	----	10	----	1283 UNCH
4805	----	----	232.40B/188.20A	232.40B/188.20A	----	207.50 + 13.90	.5194	----	----	----	----	4 UNCH
4810	----	----	235.20B/190.60A	235.20B/190.60A	----	210.20 + 14.10	.5238	----	----	----	----	8 UNCH
4815	----	----	238.10B/193.20A	238.10B/193.20A	----	212.90 + 14.20	.5281	----	----	----	----	27 UNCH
4820	----	----	241.20B/195.80A	241.20B/195.80A	----	215.60 + 14.30	.5324	----	----	----	----	206 UNCH
4825	----	----	244.10B/198.40A	244.10B/198.40A	----	218.30 + 14.40	.5368	----	----	----	----	33 UNCH
4830	----	----	247.00B/201.10A	247.00B/201.10A	----	221.10 + 14.60	.5411	----	----	----	----	2 UNCH
4835	----	----	250.00B/203.70A	250.00B/203.70A	----	223.80 + 14.60	.5455	----	----	----	----	21 UNCH
4840	----	----	253.00B/206.30A	253.00B/206.30A	----	226.60 + 14.70	.5498	----	----	----	----	10 UNCH
4845	----	----	256.10B/209.10A	256.10B/209.10A	----	229.50 + 14.90	.5541	----	----	20	----	74 + 3
4850	----	----	259.10B/211.90A	259.10B/211.90A	----	232.30 + 15.00	.5584	----	----	----	----	299 UNCH
4855	----	----	262.20B/214.80A	262.20B/214.80A	----	235.20 + 15.10	.5627	----	----	----	----	8 UNCH
4860	----	----	265.20B/217.40A	265.20B/217.40A	----	238.10 + 15.20	.5670	----	----	----	----	1 UNCH
4865	----	----	268.40B/220.40A	268.40B/220.40A	----	241.00 + 15.30	.5713	----	----	----	----	27 UNCH
4870	----	----	271.60B/223.10A	271.60B/223.10A	----	244.00 + 15.40	.5755	----	----	----	----	319 UNCH
4875	----	----	274.70B/226.00A	274.70B/226.00A	----	247.00 + 15.50	.5798	----	----	----	----	71 UNCH
4880	----	----	277.90B/228.90A	277.90B/228.90A	----	250.00 + 15.60	.5841	----	----	1	----	48 UNCH
4885	----	----	281.10B/231.70A	281.10B/231.70A	----	253.00 + 15.70	.5883	----	----	----	----	12 UNCH
4890	----	----	284.10B/234.60A	284.10B/234.60A	----	256.10 + 15.90	.5925	----	----	----	----	9 UNCH
4895	----	----	287.70B/237.60A	287.70B/237.60A	----	259.20 + 16.00	.5967	----	----	----	----	48 UNCH
4900	290.00	290.00	290.70B/240.60A	290.70B/240.60A	----	262.30 + 16.10	.6009	----	----	1	----	243 + 1
4905	----	----	294.20B/243.60A	294.20B/243.60A	----	265.50 + 16.20	.6050	----	----	----	----	54 UNCH
4910	----	----	297.30B/246.70A	297.30B/246.70A	----	268.60 + 16.30	.6091	----	----	----	----	2 UNCH
4915	----	----	300.90B/249.60A	300.90B/249.60A	----	271.80 + 16.40	.6132	----	----	----	----	118 UNCH
4920	----	----	304.20B/253.10A	304.20B/253.10A	----	275.00 + 16.50	.6173	----	----	----	----	22 UNCH
4925	----	----	307.40B/256.20A	307.40B/256.20A	----	278.30 + 16.60	.6214	----	----	----	----	11 UNCH
4930	----	----	311.10B/259.30A	311.10B/259.30A	----	281.50 + 16.70	.6255	----	----	----	----	52 UNCH
4935	----	----	314.20B/262.30A	314.20B/262.30A	----	284.80 + 16.80	.6295	----	----	----	----	4 UNCH
4940	----	----	317.70B/265.40A	317.70B/265.40A	----	288.20 + 17.00	.6335	----	----	----	----	11 UNCH
4950	301.70	301.70	324.80B/272.00A	324.80B/272.00A	----	294.80 + 17.10	.6414	----	----	4	----	106 UNCH
4975	----	----	342.40B/289.40A	342.40B/289.40A	----	311.90 + 17.70	.6609	----	----	----	----	2 UNCH
4980	----	----	346.10B/292.70A	346.10B/292.70A	----	315.40 + 17.80	.6648	----	----	----	----	6 UNCH
4985	----	----	349.60B/295.60A	349.60B/295.60A	----	318.90 + 17.90	.6686	----	----	----	----	104 UNCH
4990	----	----	353.40B/299.50A	353.40B/299.50A	----	322.40 + 18.00	.6723	----	----	----	----	2 UNCH
4995	----	----	357.00B/302.80A	357.00B/302.80A	----	326.00 + 18.20	.6760	----	----	----	----	12 UNCH
5000	316.00	316.00	360.00B/305.70A	360.00B/305.70A	----	329.50 + 18.20	.6799	----	----	1	----	543 UNCH
5005	----	----	358.90B/309.80A	358.90B/309.80A	----	333.10 + 18.40	.6836	----	----	----	----	12 UNCH
5010	----	----	360.30B/313.30A	360.30B/313.30A	----	336.70 + 18.50	.6872	----	----	----	----	9 UNCH
5015	----	----	364.00B/316.30A	364.00B/316.30A	----	340.30 + 18.60	.6909	----	----	----	----	20 UNCH
5020	----	----	367.80B/320.30A	367.80B/320.30A	----	344.00 + 18.80	.6944	----	----	----	----	5 UNCH
5025	----	----	371.50B/323.20A	371.50B/323.20A	----	347.60 + 18.80	.6981	----	----	----	----	150 UNCH
5030	----	----	375.30B/327.40A	375.30B/327.40A	----	351.30 + 19.00	.7017	----	----	----	----	8 UNCH
5035	----	----	379.10B/330.50A	379.10B/330.50A	----	355.00 + 19.10	.7051	----	----	----	----	37 UNCH
5040	----	----	382.90B/334.40A	382.90B/334.40A	----	358.70 + 19.20	.7087	----	----	----	----	10 UNCH
5045	----	----	386.80B/338.20A	386.80B/338.20A	----	362.40 + 19.30	.7123	----	----	----	----	5 UNCH
5050	----	----	390.60B/341.20A	390.60B/341.20A	----	366.20 + 19.40	.7157	----	----	----	----	78 UNCH
5055	----	----	394.50B/345.30A	394.50B/345.30A	----	369.90 + 19.50	.7191	----	----	----	----	3 UNCH
5065	----	----	402.30B/353.00A	402.30B/353.00A	----	377.50 + 19.70	.7259	----	----	----	----	11 UNCH
5075	----	----	410.10B/364.90A	410.10B/364.90A	----	385.20 + 19.90	.7326	----	----	----	----	6 UNCH
5080	----	----	399.90B/----	399.90B/383.20A	----	389.00 + 20.00	.7358	----	----	----	----	2 UNCH
5085	----	----	418.10B/372.50A	418.10B/372.50A	----	392.90 + 20.10	.7391	----	----	----	----	21 UNCH
5090	----	----	422.00B/376.30A	422.00B/376.30A	----	396.80 + 20.20	.7423	----	----	----	----	6 UNCH
5095	----	----	426.00B/380.10A	426.00B/380.10A	----	400.70 + 20.30	.7455	----	----	----	----	42 UNCH
5100	----	----	430.10B/384.00A	430.10B/384.00A	----	404.60 + 20.40	.7486	----	----	----	----	106 UNCH
5105	----	----	434.10B/387.80A	434.10B/387.80A	----	408.50 + 20.50	.7518	----	----	----	----	22 UNCH
5110	----	----	438.10B/391.70A	438.10B/391.70A	----	412.50 + 20.60	.7549	----	----	----	----	16 UNCH
5115	----	----	442.20B/395.60A	442.20B/395.60A	----	416.50 + 20.70	.7580	----	----	----	----	37 UNCH
5120	----	----	446.30B/399.50A	446.30B/399.50A	----	420.50 + 20.80	.7610	----	----	----	----	14 UNCH
5125	----	----	450.30B/403.40A	450.30B/403.40A	----	424.50 + 20.90	.7641	----	----	----	----	37 UNCH
5130	----	----	454.40B/407.40A	454.40B/407.40A	----	428.50 + 21.00	.7670	----	----	----	----	23 UNCH
5135	----	----	458.60B/411.30A	458.60B/411.30A	----	432.50 + 21.00	.7700	----	----	----	----	9 UNCH
5140	----	----	462.70B/415.30A	462.70B/415.30A	----	436.60 + 21.20	.7729	----	----	----	----	19 UNCH
5145	----	----	452.10B/----	452.10B/434.60A	----	440.60 + 21.20	.7757	----	----	----	----	2 UNCH
5150	----	----	471.00B/423.30A	471.00B/423.30A	----	444.70 + 21.30	.7786	----	----	----	----	233 UNCH
5155	----	----	475.20B/424.80A	475.20B/424.80A	----	448.80 + 21.40	.7814	----	----	----	----	42 UNCH
5160	----	----	479.30B/----	479.30B/431.40A	----	452.90 + 21.50	.7843	----	----	----	----	42 UNCH
5170	----	----	487.70B/----	487.70B/439.50A	----	461.10 + 21.60	.7898	----	----	----	----	51 UNCH
5175	----	----	492.00B/----	492.00B/443.60A	----	465.30 + 21.70	.7924	----	----	----	----	61 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5180	----	----	496.20B/----	496.20B/447.70A	----	469.50 + 21.80	.7951	----	----	----	----	10 UNCH
5185	----	----	500.40B/----	500.40B/451.80A	----	473.60 + 21.80	.7977	----	----	----	----	103 UNCH
5190	----	----	504.70B/453.40A	504.70B/453.40A	----	477.80 + 21.90	.8004	----	----	----	----	19 UNCH
5200	525.00	525.00	525.00/461.70A	525.00/461.70A	----	486.30 + 22.20	.8056	----	----	1	----	57 UNCH
5225	----	----	534.90B/482.60A	534.90B/482.60A	----	507.50 + 22.50	.8179	----	----	----	----	42 UNCH
5230	----	----	524.00B/----	524.00B/505.60A	----	511.80 + 22.50	.8203	----	----	----	----	2 UNCH
5235	----	----	543.60B/491.10A	543.60B/491.10A	----	516.10 + 22.60	.8224	----	----	----	----	23 UNCH
5245	----	----	537.00B/----	537.00B/518.50A	----	524.80 + 22.80	.8270	----	----	----	----	2 UNCH
5250	----	----	556.70B/503.90A	556.70B/503.90A	----	529.10 + 22.90	.8294	----	----	----	----	14 UNCH
5255	----	----	561.10B/508.20A	561.10B/508.20A	----	533.50 + 23.00	.8315	----	----	----	----	14 UNCH
5285	----	----	572.50B/----	572.50B/553.40A	----	559.80 + 23.40	.8444	----	----	----	----	2 UNCH
5290	----	----	592.00B/538.70A	592.00B/538.70A	----	564.20 + 23.40	.8463	----	----	----	----	4 UNCH
5295	----	----	581.50B/----	581.50B/562.30A	----	568.70 + 23.60	.8484	----	----	----	----	2 UNCH
5300	----	----	601.00B/547.40A	601.00B/547.40A	----	573.10 + 23.60	.8503	----	----	1	----	68 + 1
5315	----	----	614.50B/560.70A	614.50B/560.70A	----	586.50 + 23.80	.8561	----	----	----	----	10 UNCH
5325	----	----	608.40B/----	608.40B/589.00A	----	595.50 + 24.00	.8596	----	----	----	----	1 UNCH
5350	----	----	646.40B/591.90A	646.40B/591.90A	----	618.10 + 24.30	.8686	----	----	----	----	8 UNCH
5375	----	----	669.40B/614.50A	669.40B/614.50A	----	640.90 + 24.60	.8767	----	----	----	----	7 UNCH
5390	----	----	683.30B/628.20A	683.30B/628.20A	----	654.60 + 24.70	.8814	----	----	----	----	5 UNCH
5400	----	----	696.60B/636.30A	696.60B/636.30A	----	663.90 + 24.90	.8842	----	----	----	----	602 UNCH
5410	----	----	686.40B/----	686.40B/666.50A	----	673.10 + 25.00	.8873	----	----	----	----	1 UNCH
5440	----	----	714.40B/----	714.40B/694.40A	----	701.00 + 25.40	.8954	----	----	----	----	1 UNCH
5475	----	----	762.80B/706.70A	762.80B/706.70A	----	733.80 + 25.70	.9040	----	----	1	----	7 + 1
5500	----	----	786.50B/730.20A	786.50B/730.20A	----	757.30 + 25.90	.9098	----	----	----	----	3 UNCH
5505	----	----	775.70B/----	775.70B/755.50A	----	762.10 + 26.00	.9107	----	----	----	----	1 UNCH
5510	----	----	780.40B/----	780.40B/760.20A	----	766.80 + 26.00	.9119	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1343.00 + 28.50	.9715	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1367.80 + 28.50	.9725	----	----	----	----	2 UNCH
TOTAL										1471	100	31806 - 327
AUG26												
2300	----	----	----	0.50B/1.50A	----	0.80 UNCH	.0019	----	----	----	----	36 UNCH
2325	----	----	----	0.50B/1.70A	----	0.90 UNCH	.0021	----	----	----	----	1 UNCH
2350	----	----	----	0.70B/1.80A	----	0.90 - 0.10	.0021	----	----	----	----	2 UNCH
2375	----	----	----	0.80B/1.90A	----	1.00 UNCH	.0024	----	----	----	----	7 UNCH
2400	----	----	----	0.80B/1.80A	----	1.10 UNCH	.0026	----	----	----	----	5 UNCH
2425	----	----	----	0.90B/1.90A	----	1.20 UNCH	.0028	----	----	----	----	1 UNCH
2475	----	----	----	0.90B/1.90A	----	1.30 - 0.10	.0031	----	----	----	----	5 UNCH
2500	----	----	----	1.00B/2.00A	----	1.40 - 0.10	.0034	----	----	----	----	7 UNCH
2570	----	----	----	1.40B/2.20A	----	1.70 UNCH	.0041	----	----	----	----	9 UNCH
2580	----	----	----	1.50B/2.20A	----	1.70 - 0.10	.0041	----	----	----	----	1 UNCH
2590	----	----	----	1.50B/2.30A	----	1.70 - 0.10	.0042	----	----	----	----	2 UNCH
2600	----	----	----	1.50B/2.30A	----	1.80 UNCH	.0044	----	----	----	----	6 UNCH
2615	----	----	----	1.60B/2.30A	----	1.80 UNCH	.0044	----	----	----	----	1 UNCH
2625	----	----	----	1.60B/2.40A	----	1.80 - 0.10	.0044	----	----	----	----	2 UNCH
2640	----	----	----	1.70B/2.40A	----	1.90 UNCH	.0047	----	----	----	----	1 UNCH
2665	----	----	----	1.80B/2.50A	----	2.00 UNCH	.0050	----	----	----	----	1 UNCH
2685	----	----	----	1.80B/2.60A	----	2.00 UNCH	.0050	----	----	----	----	1 UNCH
2690	----	----	----	1.90B/2.40A	----	2.10 + 0.10	.0052	----	----	----	----	1 UNCH
2730	----	----	----	2.10B/2.60A	----	2.20 + 0.10	.0056	----	----	----	----	1 UNCH
2745	----	----	----	2.20B/2.60A	----	2.30 + 0.10	.0058	----	----	----	----	1 UNCH
2750	----	----	----	2.20B/2.70A	----	2.30 + 0.10	.0058	----	----	----	----	4 UNCH
2800	----	----	----	2.40B/2.90A	----	2.50 + 0.10	.0064	----	----	----	----	33 UNCH
2860	----	----	----	2.60B/3.10A	----	2.80 + 0.10	.0073	----	----	----	----	1 UNCH
2950	----	----	----	3.10B/3.40A	----	3.40 + 0.20	.0090	----	----	----	----	8 UNCH
3000	----	----	3.60B/----	3.60B/3.80A	----	3.70 + 0.20	.0099	----	----	----	----	262 UNCH
3005	----	----	3.70B/----	3.70B/3.80A	----	3.70 + 0.20	.0099	----	----	----	----	5 UNCH
3010	----	----	3.70B/----	3.70B/3.80A	----	3.80 + 0.20	.0102	----	----	----	----	1 UNCH
3015	----	----	3.80B/----	3.80B/3.90A	----	3.80 + 0.20	.0102	----	----	----	----	1 UNCH
3025	----	----	3.80B/----	3.80B/3.90A	----	3.90 + 0.20	.0105	----	----	----	----	5 UNCH
3040	----	----	3.90B/----	3.90B/4.00A	----	4.00 + 0.20	.0108	----	----	----	----	1 UNCH
3065	----	----	4.20B/----	4.20B/4.20A	----	4.20 + 0.30	.0114	----	----	----	----	1 UNCH
3090	----	----	4.30B/----	4.30B/4.40A	----	4.40 + 0.30	.0120	----	----	----	----	1 UNCH
3095	----	----	4.40B/----	4.40B/4.40A	----	4.40 + 0.30	.0120	----	----	----	----	1 UNCH
3100	4.50	4.50	4.50/4.50	4.50/4.50	----	4.40 + 0.20	.0121	----	----	2	----	139 + 2
3110	----	----	4.60B/----	4.60B/4.50A	----	4.50 + 0.30	.0123	----	----	----	----	15 UNCH
3120	----	----	4.60B/----	4.60B/4.60A	----	4.60 + 0.30	.0126	----	----	----	----	29 UNCH
3130	----	----	4.70B/----	4.70B/4.70A	----	4.70 + 0.30	.0129	----	----	----	----	5 UNCH
3145	----	----	4.90B/----	4.90B/4.80A	----	4.80 + 0.30	.0133	----	----	----	----	1 UNCH
3150	----	----	4.90B/----	4.90B/4.90A	----	4.90 + 0.40	.0135	----	----	----	----	10 UNCH
3155	----	----	5.00B/----	5.00B/4.90A	----	4.90 + 0.30	.0136	----	----	----	----	3 UNCH
3160	----	----	5.10B/----	5.10B/5.00A	----	5.00 + 0.40	.0138	----	----	----	----	1 UNCH
3165	----	----	5.10B/----	5.10B/5.00A	----	5.00 + 0.40	.0139	----	----	1	----	141 + 1
3170	----	----	5.20B/----	5.20B/5.00A	----	5.10 + 0.40	.0141	----	----	----	----	1 UNCH
3180	----	----	5.30B/----	5.30B/5.10A	----	5.20 + 0.40	.0144	----	----	----	----	25 UNCH
3185	----	----	5.30B/----	5.30B/5.20A	----	5.20 + 0.40	.0145	----	----	----	----	1 UNCH
3190	----	----	5.30B/----	5.30B/5.20A	----	5.30 + 0.50	.0147	----	----	----	----	881 UNCH
3195	----	----	5.40B/----	5.40B/5.20A	----	5.30 + 0.40	.0148	----	----	----	----	1 UNCH
3200	----	----	5.50B/----	5.50B/5.30A	----	5.40 + 0.50	.0150	----	----	----	----	406 UNCH
3250	----	----	6.10B/----	6.10B/5.80A	----	5.90 + 0.50	.0166	----	----	----	----	405 UNCH
3260	----	----	6.30B/----	6.30B/5.90A	----	6.00 + 0.50	.0169	----	----	----	----	30 UNCH
3300	----	----	6.80B/----	6.80B/6.30A	----	6.50 + 0.50	.0185	----	----	----	----	164 UNCH
3350	----	----	7.60B/----	7.60B/6.90A	----	7.20 + 0.60	.0206	----	----	----	----	375 UNCH
3370	----	----	8.00B/----	8.00B/7.20A	----	7.50 + 0.60	.0216	----	----	----	----	1 UNCH
3375	----	----	8.10B/----	8.10B/7.20A	----	7.60 + 0.70	.0218	----	----	----	----	15 UNCH
3380	----	----	8.10B/----	8.10B/7.30A	----	7.70 + 0.70	.0221	----	----	----	----	1 UNCH
3390	----	----	8.30B/----	8.30B/7.50A	----	7.80 + 0.60	.0225	----	----	----	----	1 UNCH
3400	----	----	8.60B/----	8.60B/7.60A	----	8.00 + 0.70	.0231	----	----	1	----	23 UNCH
3405	----	----	8.60B/----	8.60B/7.70A	----	8.10 + 0.70	.0234	----	----	----	----	4 UNCH
3450	----	----	9.60B/----	9.60B/8.40A	----	8.90 + 0.80	.0258	----	----	----	----	1 UNCH
3465	----	----	9.90B/----	9.90B/8.60A	----	9.20 + 0.80	.0268	----	----	----	----	6 UNCH
3470	----	----	10.00B/----	10.00B/8.70A	----	9.30 + 0.80	.0271	----	----	----	----	1 UNCH
3495	----	----	10.60B/----	10.60B/9.10A	----	9.80 + 0.80	.0286	----	----	----	----	1 UNCH
3500	8.80	8.80	10.70B/8.80	10.70B/8.80	----	9.90 + 0.80	.0289	----	----	3	----	821 - 2
3505	----	----	10.90B/----	10.90B/9.30A	----	10.00 + 0.80	.0292	----	----	----	----	1 UNCH
3510	----	----	10.90B/----	10.90B/9.40A	----	10.10 + 0.80	.0296	----	----	----	----	50 UNCH
3520	----	----	11.20B/----	11.20B/9.60A	----	10.40 + 0.90	.0304	----	----	----	----	210 UNCH
3525	----	----	11.40B/----	11.40B/9.70A	----	10.50 + 0.90	.0307	----	----	----	----	60 UNCH
3545	----	----	12.00B/----	12.00B/10.10A	----	10.90 + 0.80	.0320	----	----	----	----	9 UNCH
3550	----	----	12.10B/----	12.10B/10.20A	----	11.10 + 0.90	.0326	----	----	----	----	118 UNCH
3570	----	----	12.70B/----	12.70B/10.70A	----	11.60 + 1.00	.0341	----	----	----	----	32 UNCH
3575	----	----	12.90B/----	12.90B/10.80A	----	11.70 + 0.90	.0344	----	----	----	----	20 UNCH
3585	----	----	13.20B/----	13.20B/11.00A	----	12.00 + 1.00	.0353	----	----	----	----	50 UNCH
3600	----	----	13.70B/----	13.70B/11.40A	----	12.40 + 1.00	.0365	----	----	1	----	455 - 1
3610	----	----	14.00B/11.60A	14.00B/11.60A	----	12.70 + 1.00	.0374	----	----	----	----	1 UNCH
3630	----	----	14.80B/12.10A	14.80B/12.10A	----	13.30 + 1.10	.0393	----	----	----	----	8 UNCH
3645	----	----	15.20B/12.60A	15.20B/12.60A	----	13.70 + 1.00	.0405	----	----	----	----	22 UNCH
3650	----	----	15.40B/12.70A	15.40B/12.70A	----	13.90 + 1.10	.0411	----	----	----	----	40 UNCH
3655	----	----	15.60B/12.70A	15.60B/12.70A	----	14.10 + 1.10	.0417	----	----	----	----	55 UNCH
3660	----	----	15.70B/13.00A	15.70B/13.00A	----	14.20 + 1.10	.0420	----	----	----	----	9 UNCH
3665	----	----	15.90B/13.10A	15.90B/13.10A	----	14.40 + 1.10	.0426	----	----	----	----	1 UNCH
3675	----	----	16.40B/13.40A	16.40B/13.40A	----	14.70 + 1.10	.0436	----	----	----	----	24 UNCH
3690	----	----	17.00B/13.90A	17.00B/13.90A	----	15.20 + 1.10	.0451	----	----	----	----	13 UNCH
3700	----	----	17.40B/14.20A	17.40B/14.20A	----	15.60 + 1.20	.0463	----	----	----	----	219 UNCH
3705	----	----	17.60B/14.40A	17.60B/14.40A	----	15.80 + 1.20	.0468	----	----	----	----	20 UNCH
3715	----	----	18.20B/14.70A	18.20B/14.70A	----	16.20 + 1.30	.0480	----	----	----	----	30 UNCH
3725	----	----	18.70B/15.00A	18.70B/15.00A	----	16.60 + 1.30	.0492	----	----	----	----	4 UNCH
3730	----	----	18.80B/15.20A	18.80B/15.20A	----	16.80 + 1.30	.0498	----	----	----	----	10 UNCH
3750	----	----	19.50B/15.90A	19.50B/15.90A	----	17.60 + 1.40	.0522	----	----	----	----	83 UNCH
3765	----	----	20.30B/16.50A	20.30B/16.50A	----	18.20 + 1.40	.0540	----	----	----	----	100 UNCH
3770	----	----	20.70B/16.60A	20.70B/16.60A	----	18.50 + 1.50	.0548	----	----	----	----	4 UNCH
3775	----	----	20.90B/16.90A	20.90B/16.90A	----	18.70 + 1.50	.0555	----	----	----	----	12 UNCH
3790	----	----	22.00B/17.50A	22.00B/17.50A	----	19.40 + 1.50	.0575	----	----	----	----	2 UNCH
3795	----	----	22.20B/17.80A	22.20B/17.80A	----	19.60 + 1.50	.0582	----	----	----	----	81 UNCH
3800	----	----	22.50B/17.90A	22.50B/17.90A	----	19.80 + 1.50	.0588	----	----	----	----	323 UNCH
3805	----	----	22.80B/18.20A	22.80B/18.20A	----	20.10 + 1.60	.0596	----	----	----	----	4 UNCH
3810	----	----	23.10B/18.40A	23.10B/18.40A	----	20.30 + 1.50	.0603	----	----	----	----	50 UNCH
3815	----	----	23.50B/18.70A	23.50B/18.70A	----	20.60 + 1.60	.0611	----	----	----	----	150 UNCH
3820	----	----	23.70B/18.90A	23.70B/18.90A	----	20.80 + 1.60	.0617	----	----	----	----	52 UNCH
3825	----	----	24.00B/19.10A	24.00B/19.10A	----	21.10 + 1.60	.0626	----	----	----	----	51 UNCH
3835	----	----	24.70B/19.60A	24.70B/19.60A	----	21.60 + 1.70	.0641	----	----	----	----	10 UNCH
3850	----	----	25.50B/20.30A	25.50B/20.30A	----	22.40 + 1.70	.0664	----	----	----	----	87 UNCH
3855	----	----	26.00B/20.50A	26.00B/20.50A	----	22.70 + 1.80	.0673	----	----	----	----	3 UNCH
3875	----	----	27.30B/21.60A	27.30B/21.60A	----	23.90 + 1.90	.0707	----	----	----	----	10 UNCH
3880	----	----	27.70B/21.90A	27.70B/21.90A	----	24.20 + 1.90	.0716	----	----	----	----	299 UNCH
3885	----	----	28.00B/22.10A	28.00B/22.10A	----	24.50 + 1.90	.0724	----	----	----	----	10 UNCH
3890	----	----	28.40B/22.40A	28.40B/22.40A	----	24.80 + 2.00	.0733	----	----	----	----	73 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3900	----	----	28.60B/23.00A	28.60B/23.00A	----	25.40 + 2.00	.0751	----	----	----	----	305 UNCH
3910	----	----	29.40B/23.50A	29.40B/23.50A	----	26.10 + 2.10	.0770	----	----	----	----	1 UNCH
3920	----	----	30.10B/24.00A	30.10B/24.00A	----	26.80 + 2.20	.0790	----	----	----	----	12 UNCH
3925	----	----	30.80B/24.40A	30.80B/24.40A	----	27.10 + 2.20	.0799	----	----	----	----	10 UNCH
3930	----	----	31.10B/24.70A	31.10B/24.70A	----	27.40 + 2.20	.0808	----	----	----	----	49 UNCH
3935	----	----	31.50B/24.90A	31.50B/24.90A	----	27.80 + 2.20	.0819	----	----	----	----	11 UNCH
3940	----	----	32.40B/25.10A	32.40B/25.10A	----	28.10 + 2.20	.0828	----	----	----	----	2 UNCH
3950	----	----	33.30B/25.70A	33.30B/25.70A	----	28.90 + 2.40	.0850	----	----	----	----	248 UNCH
3955	----	----	33.80B/26.00A	33.80B/26.00A	----	29.20 + 2.30	.0859	----	----	----	----	10 UNCH
3960	----	----	34.20B/26.40A	34.20B/26.40A	----	29.60 + 2.40	.0870	----	----	----	----	1 UNCH
3965	----	----	34.60B/26.70A	34.60B/26.70A	----	30.00 + 2.40	.0881	----	----	----	----	25 UNCH
3975	----	----	35.60B/27.40A	35.60B/27.40A	----	30.80 + 2.50	.0903	----	----	----	----	267 UNCH
3980	----	----	36.00B/27.80A	36.00B/27.80A	----	31.20 + 2.60	.0914	----	----	----	----	45 UNCH
3985	----	----	36.50B/28.10A	36.50B/28.10A	----	31.60 + 2.60	.0926	----	----	----	----	2 UNCH
3990	----	----	36.90B/28.50A	36.90B/28.50A	----	32.00 + 2.60	.0937	----	----	1	----	44 UNCH
3995	----	----	37.50B/28.90A	37.50B/28.90A	----	32.40 + 2.60	.0948	----	----	----	----	4 UNCH
4000	----	----	37.90B/29.30A	37.90B/29.30A	----	32.80 + 2.70	.0959	----	----	----	----	1316 UNCH
4005	----	----	38.40B/29.70A	38.40B/29.70A	----	33.20 + 2.70	.0971	----	----	----	----	3 UNCH
4010	----	----	38.80B/30.00A	38.80B/30.00A	----	33.70 + 2.80	.0984	----	----	----	----	78 UNCH
4025	----	----	40.40B/31.20A	40.40B/31.20A	----	35.00 + 2.90	.1020	----	----	----	----	101 UNCH
4030	----	----	40.80B/31.60A	40.80B/31.60A	----	35.50 + 3.00	.1033	----	----	----	----	50 UNCH
4040	----	----	42.00B/32.50A	42.00B/32.50A	----	36.40 + 3.00	.1058	----	----	----	----	25 UNCH
4045	----	----	42.60B/32.90A	42.60B/32.90A	----	36.90 + 3.10	.1072	----	----	----	----	30 UNCH
4050	----	----	43.10B/33.30A	43.10B/33.30A	----	37.30 + 3.00	.1083	----	----	----	----	300 UNCH
4065	----	----	44.40B/34.60A	44.40B/34.60A	----	38.80 + 3.20	.1124	----	----	----	----	4 UNCH
4075	----	----	45.90B/35.50A	45.90B/35.50A	----	39.80 + 3.20	.1151	----	----	----	----	5 UNCH
4080	----	----	46.40B/36.00A	46.40B/36.00A	----	40.40 + 3.30	.1166	----	----	----	----	6 UNCH
4085	----	----	46.90B/36.40A	46.90B/36.40A	----	40.90 + 3.40	.1180	----	----	----	----	28 UNCH
4095	----	----	48.20B/37.40A	48.20B/37.40A	----	42.00 + 3.50	.1209	----	----	----	----	4 UNCH
4100	37.50	37.50	48.90B/37.40	48.90B/37.40	----	42.50 + 3.50	.1223	----	----	100	----	136 + 45
4110	----	----	50.30B/38.90A	50.30B/38.90A	----	43.70 + 3.60	.1254	----	----	----	----	1 UNCH
4115	----	----	50.90B/39.40A	50.90B/39.40A	----	44.20 + 3.60	.1268	----	----	----	----	6 UNCH
4120	----	----	51.60B/40.00A	51.60B/40.00A	----	44.80 + 3.70	.1284	----	----	----	----	1 UNCH
4130	----	----	52.60B/41.00A	52.60B/41.00A	----	46.00 + 3.80	.1315	----	----	----	----	5 UNCH
4135	----	----	53.20B/41.60A	53.20B/41.60A	----	46.60 + 3.80	.1331	----	----	----	----	54 UNCH
4140	----	----	54.50B/42.10A	54.50B/42.10A	----	47.20 + 3.80	.1347	----	----	----	----	1 UNCH
4145	----	----	54.70B/42.70A	54.70B/42.70A	----	47.90 + 4.00	.1364	----	----	----	----	20 UNCH
4150	----	----	55.40B/43.30A	55.40B/43.30A	----	48.50 + 4.00	.1380	----	----	----	----	360 UNCH
4160	----	----	57.10B/44.40A	57.10B/44.40A	----	49.80 + 4.10	.1414	----	----	----	----	66 UNCH
4165	----	----	57.80B/45.00A	57.80B/45.00A	----	50.40 + 4.10	.1430	----	----	----	----	101 UNCH
4170	----	----	58.40B/45.60A	58.40B/45.60A	----	51.10 + 4.20	.1447	----	----	----	----	77 UNCH
4175	----	----	59.20B/46.20A	59.20B/46.20A	----	51.80 + 4.20	.1465	----	----	----	----	25 UNCH
4180	47.30	47.30	60.00B/46.80A	60.00B/46.80A	----	52.50 + 4.30	.1483	----	----	2	----	93 + 2
4185	----	----	61.00B/47.40A	61.00B/47.40A	----	53.20 + 4.40	.1500	----	----	----	----	41 UNCH
4190	----	----	61.80B/48.10A	61.80B/48.10A	----	53.90 + 4.40	.1518	----	----	----	----	141 UNCH
4195	----	----	62.40B/48.70A	62.40B/48.70A	----	54.60 + 4.50	.1536	----	----	----	----	143 UNCH
4200	----	----	63.30B/49.40A	63.30B/49.40A	----	55.30 + 4.50	.1554	----	----	----	----	224 UNCH
4205	57.20	57.20	64.40B/50.00A	64.40B/50.00A	----	56.00 + 4.50	.1572	----	----	306	----	306 + 286
4215	----	----	65.90B/51.40A	65.90B/51.40A	----	57.50 + 4.60	.1609	----	----	----	----	18 UNCH
4220	----	----	66.60B/52.00A	66.60B/52.00A	----	58.30 + 4.70	.1629	----	----	----	----	12 UNCH
4225	----	----	67.50B/52.80A	67.50B/52.80A	----	59.00 + 4.70	.1647	----	----	----	----	1 UNCH
4230	----	----	68.70B/53.50A	68.70B/53.50A	----	59.80 + 4.80	.1667	----	----	----	----	10 UNCH
4235	----	----	69.40B/54.20A	69.40B/54.20A	----	60.60 + 4.80	.1686	----	----	----	----	1 UNCH
4245	----	----	71.00B/55.70A	71.00B/55.70A	----	62.20 + 4.90	.1726	----	----	----	----	32 UNCH
4250	59.30	59.30	72.00B/56.40A	72.00B/56.40A	----	63.10 + 5.10	.1747	----	----	14	----	399 - 1
4255	----	----	73.30B/57.20A	73.30B/57.20A	----	63.90 + 5.10	.1767	----	----	----	----	883 UNCH
4260	----	----	73.80B/57.90A	73.80B/57.90A	----	64.70 + 5.10	.1787	----	----	----	----	8 UNCH
4270	----	----	76.20B/59.50A	76.20B/59.50A	----	66.50 + 5.30	.1830	----	----	----	----	3 UNCH
4275	----	----	76.90B/60.30A	76.90B/60.30A	----	67.30 + 5.30	.1850	----	----	----	----	12 UNCH
4280	----	----	77.70B/61.10A	77.70B/61.10A	----	68.20 + 5.30	.1871	----	----	50	----	50 + 50
4285	----	----	78.80B/61.90A	78.80B/61.90A	----	69.10 + 5.40	.1893	----	----	----	----	170 UNCH
4290	----	----	80.10B/62.80A	80.10B/62.80A	----	70.00 + 5.40	.1914	----	----	----	----	2 UNCH
4295	----	----	80.80B/63.60A	80.80B/63.60A	----	71.00 + 5.60	.1937	----	----	----	----	2 UNCH
4300	75.00	75.00	82.30B/64.40A	82.30B/64.40A	----	71.90 + 5.60	.1959	----	----	59	----	524 UNCH
4305	----	----	83.10B/65.40A	83.10B/65.40A	----	72.80 + 5.60	.1981	----	----	----	----	101 UNCH
4310	69.50	69.50	84.10B/66.30A	84.10B/66.30A	----	73.80 + 5.70	.2004	----	----	2	----	2 + 1
4315	----	----	85.20B/67.10A	85.20B/67.10A	----	74.80 + 5.80	.2027	----	----	----	----	8 UNCH
4320	----	----	86.30B/67.90A	86.30B/67.90A	----	75.80 + 5.80	.2050	----	----	----	----	5 UNCH
4325	----	----	87.60B/68.80A	87.60B/68.80A	----	76.70 + 5.80	.2072	----	----	----	----	287 UNCH
4330	----	----	88.70B/69.80A	88.70B/69.80A	----	77.80 + 6.00	.2096	----	----	----	----	103 UNCH
4335	----	----	89.90B/70.80A	89.90B/70.80A	----	78.80 + 6.00	.2120	----	----	----	----	1 UNCH
4340	----	----	90.80B/71.60A	90.80B/71.60A	----	79.80 + 6.00	.2143	----	----	----	----	2 UNCH
4350	----	----	93.50B/73.60A	93.50B/73.60A	----	81.90 + 6.10	.2191	----	----	----	----	672 UNCH
4355	----	----	94.50B/74.50A	94.50B/74.50A	----	83.00 + 6.20	.2216	----	----	----	----	2 UNCH
4360	----	----	95.50B/75.50A	95.50B/75.50A	----	84.10 + 6.30	.2240	----	----	----	----	61 UNCH
4365	----	----	96.90B/76.50A	96.90B/76.50A	----	85.20 + 6.30	.2265	----	----	----	----	100 UNCH
4375	----	----	99.20B/78.60A	99.20B/78.60A	----	87.40 + 6.40	.2315	----	----	----	----	8 UNCH
4380	----	----	100.70B/79.60A	100.70B/79.60A	----	88.50 + 6.40	.2340	----	----	----	----	1 UNCH
4385	----	----	102.00B/80.70A	102.00B/80.70A	----	89.70 + 6.50	.2366	----	----	----	----	8 UNCH
4390	----	----	103.20B/81.80A	103.20B/81.80A	----	90.90 + 6.60	.2392	----	----	1	----	16 + 1
4395	----	----	104.60B/82.80A	104.60B/82.80A	----	92.10 + 6.70	.2418	----	----	----	----	2 UNCH
4400	----	----	106.20B/84.00A	106.20B/84.00A	----	93.20 + 6.70	.2443	----	----	2	----	959 UNCH
4405	----	----	106.90B/85.10A	106.90B/85.10A	----	94.50 + 6.80	.2471	----	----	----	----	12 UNCH
4410	----	----	108.60B/86.20A	108.60B/86.20A	----	95.70 + 6.90	.2497	----	----	----	----	1 UNCH
4415	----	----	110.00B/87.40A	110.00B/87.40A	----	96.90 + 6.90	.2523	----	----	----	130	136 + 130
4420	----	----	111.30B/88.50A	111.30B/88.50A	----	98.20 + 7.00	.2551	----	----	----	----	2 UNCH
4425	----	----	112.80B/89.70A	112.80B/89.70A	----	99.40 + 7.00	.2577	----	----	----	----	3 UNCH
4430	93.60	93.60	113.90B/90.90A	113.90B/90.90A	----	100.70 + 7.10	.2605	----	----	12	----	24 + 12
4435	----	----	115.50B/92.10A	115.50B/92.10A	----	102.00 + 7.10	.2632	----	----	----	----	6 UNCH
4440	----	----	117.00B/93.30A	117.00B/93.30A	----	103.30 + 7.20	.2660	----	----	12	----	49 + 12
4445	----	----	118.40B/94.50A	118.40B/94.50A	----	104.70 + 7.30	.2689	----	----	----	----	1 UNCH
4450	----	----	120.10B/95.80A	120.10B/95.80A	----	106.00 + 7.30	.2716	----	----	----	----	329 UNCH
4455	107.70	107.70	121.40B/97.10A	121.40B/97.10A	----	107.40 + 7.40	.2745	----	----	230	----	230 + 229
4460	----	----	122.90B/98.30A	122.90B/98.30A	----	108.70 + 7.40	.2773	----	----	----	----	4 UNCH
4465	----	----	124.40B/99.90A	124.40B/99.90A	----	110.10 + 7.50	.2802	----	----	----	----	18 UNCH
4470	----	----	126.00B/101.30A	126.00B/101.30A	----	111.50 + 7.50	.2831	----	----	----	----	118 UNCH
4475	----	----	127.40B/102.70A	127.40B/102.70A	----	113.00 + 7.70	.2860	----	----	----	----	36 UNCH
4480	----	----	129.20B/104.10A	129.20B/104.10A	----	114.40 + 7.70	.2889	----	----	----	----	143 UNCH
4485	----	----	130.70B/105.30A	130.70B/105.30A	----	115.80 + 7.70	.2918	----	----	----	----	12 UNCH
4490	----	----	132.40B/106.60A	132.40B/106.60A	----	117.30 + 7.80	.2948	----	----	----	----	3 UNCH
4495	----	----	133.90B/108.10A	133.90B/108.10A	----	118.80 + 7.90	.2978	----	----	1	----	25 + 1
4500	----	----	136.00B/109.40A	136.00B/109.40A	----	120.30 + 8.00	.3008	----	----	----	----	1301 UNCH
4505	----	----	137.20B/111.00A	137.20B/111.00A	----	121.80 + 8.00	.3038	----	----	----	----	28 UNCH
4510	----	----	139.00B/112.40A	139.00B/112.40A	----	123.40 + 8.10	.3069	----	----	----	----	31 UNCH
4515	----	----	140.60B/113.90A	140.60B/113.90A	----	124.90 + 8.10	.3099	----	----	1	----	3 UNCH
4520	116.00	116.00	142.30B/115.40A	142.30B/115.40A	----	126.50 + 8.20	.3130	----	----	3	----	15 + 3
4525	----	----	144.00B/116.90A	144.00B/116.90A	----	128.10 + 8.30	.3161	----	----	1	----	1 UNCH
4535	----	----	147.60B/119.80A	147.60B/119.80A	----	131.30 + 8.40	.3223	----	----	----	----	10 UNCH
4540	----	----	149.30B/121.40A	149.30B/121.40A	----	133.00 + 8.50	.3255	----	----	----	----	14 UNCH
4545	----	----	151.10B/123.00A	151.10B/123.00A	----	134.60 + 8.60	.3286	----	----	----	----	21 UNCH
4550	----	----	153.00B/124.50A	153.00B/124.50A	----	136.30 + 8.70	.3318	----	----	----	----	10 UNCH
4555	----	----	154.80B/126.10A	154.80B/126.10A	----	138.00 + 8.70	.3350	----	----	----	----	124 UNCH
4560	----	----	156.70B/127.80A	156.70B/127.80A	----	139.70 + 8.80	.3382	----	----	----	----	15 UNCH
4565	----	----	158.50B/129.50A	158.50B/129.50A	----	141.40 + 8.80	.3414	----	----	----	----	2 UNCH
4570	----	----	160.40B/131.00A	160.40B/131.00A	----	143.20 + 8.90	.3446	----	----	----	----	30 UNCH
4575	----	----	162.30B/132.60A	162.30B/132.60A	----	145.00 + 9.10	.3479	----	----	----	----	11 UNCH
4580	138.70	138.70	164.30B/134.30A	164.30B/134.30A	----	146.70 + 9.00	.3511	----	----	9	----	174 + 8
4585	----	----	166.20B/136.00A	166.20B/136.00A	----	148.50 + 9.10	.3544	----	----	----	----	4 UNCH
4590	----	----	168.10B/137.70A	168.10B/137.70A	----	150.40 + 9.30	.3577	----	----	----	----	10 UNCH
4600	----	----	172.50B/141.10A	172.50B/141.10A	----	154.10 + 9.40	.3643	----	----	----	----	492 UNCH
4605	----	----	174.20B/142.90A	174.20B/142.90A	----	156.00 + 9.50	.3677	----	----	----	----	6 UNCH
4610	----	----	176.30B/144.90A	176.30B/144.90A	----	157.90 + 9.60	.3710	----	----	----	----	2 UNCH
4615	----	----	178.30B/146.70A	178.30B/146.70A	----	159.80 + 9.60	.3744	----	----	----	----	2 UNCH
4620	----	----	180.50B/148.40A	180.50B/148.40A	----	161.70 + 9.70	.3777	----	----	----	----	14 UNCH
4625	----	----	182.50B/150.10A	182.50B/150.10A	----	163.70 + 9.80	.3811	----	----	----	----	202 UNCH
4640	----	----	189.10B/155.60A	189.10B/155.60A	----	169.70 + 10.00	.3913	----	----	1	----	306 + 1
4645	----	----	191.10B/157.60A	191.10B/157.60A	----	171.80 + 10.20	.3948	----	----	----	----	131 UNCH
4650	----	----	193.60B/159.50A	193.60B/159.50A	----	173.80 + 10.20	.3982	----	----	2	----	387 + 2
4660	----	----	197.80B/163.80A	197.80B/163.80A	----	178.00 + 10.40	.4051	----	----	25	----	24 + 23
4665	----	----	200.10B/165.60A	200.10B/165.60A	----	180.10 + 10.40	.4086	----	----	----	----	4 UNCH
4670	----	----	202.30B/167.60A	202.30B/167.60A	----	182.30 + 10.60	.4120	----	----	----	----	3 UNCH
4675	----	----	204.70B/169.60A	204.70B/169.60A	----	184.40 + 10.60	.4155	----	----	----	----	4 UNCH
4680	----	----	207.00B/171.60A	207.00B/171.60A	----	186.60 + 10.70	.4190	----	----	1	----	8 + 1
4685	----	----	209.30B/173.60A	209.30B/173.60A	----	188.80 + 10.80	.4225	----	----	----	----	22 UNCH
4700	192.20	192.20	216.50B/179.80A	216.50B/179.80A	----	195.60 + 11.10	.4330	----	----	158	----	317 + 9
4705	----	----	218.90B/182.10A	218.90B/182.10A	----	197.90 + 11.20	.4366	----	----	----	----	52 UNCH
4710	----	----	221.40B/184.40A	221.40B/184.40A	----	200.20 + 11.30	.4401	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4715	----	----	223.90B/186.90A	223.90B/186.90A	----	202.50 + 11.40	.4436	----	----	----	----	1 UNCH
4720	----	----	226.30B/188.60A	226.30B/188.60A	----	204.80 + 11.40	.4472	----	----	----	----	10 UNCH
4725	----	----	228.80B/190.90A	228.80B/190.90A	----	207.20 + 11.60	.4507	----	----	----	----	30 UNCH
4730	----	----	231.30B/193.60A	231.30B/193.60A	----	209.60 + 11.70	.4543	----	----	----	----	1 UNCH
4735	----	----	233.80B/195.50A	233.80B/195.50A	----	212.00 + 11.80	.4578	----	----	----	----	59 UNCH
4740	----	----	236.40B/197.70A	236.40B/197.70A	----	214.40 + 11.90	.4614	----	----	----	----	41 UNCH
4745	----	----	239.00B/200.00A	239.00B/200.00A	----	216.90 + 12.00	.4649	----	----	----	----	24 UNCH
4750	----	----	241.70B/202.40A	241.70B/202.40A	----	219.30 + 12.10	.4685	----	----	----	----	166 UNCH
4755	----	----	244.30B/204.70A	244.30B/204.70A	----	221.80 + 12.20	.4720	----	----	----	----	7 UNCH
4760	----	----	246.90B/207.70A	246.90B/207.70A	----	224.30 + 12.30	.4756	----	----	----	----	1 UNCH
4775	241.10	241.10	255.00B/214.30A	255.00B/214.30A	----	232.00 + 12.80	.4863	----	----	7	----	79 UNCH
4780	----	----	257.60B/216.80A	257.60B/216.80A	----	234.60 + 12.90	.4898	----	----	----	----	16 UNCH
4785	----	----	260.40B/219.40A	260.40B/219.40A	----	237.20 + 13.00	.4934	----	----	----	----	18 UNCH
4790	----	----	263.20B/222.40A	263.20B/222.40A	----	239.80 NEW	.4969	----	----	3	50	53 + 53
4795	----	----	265.90B/224.90A	265.90B/224.90A	----	242.40 + 13.20	.5005	----	----	----	100	101 + 99
4800	255.10	255.10	269.00B/226.60A	269.00B/226.60A	----	245.10 + 13.30	.5040	----	----	23	----	829 - 21
4805	----	----	271.70B/229.80A	271.70B/229.80A	----	247.80 + 13.50	.5076	----	----	----	----	2 UNCH
4810	----	----	274.50B/231.90A	274.50B/231.90A	----	250.50 + 13.60	.5111	----	----	----	----	5 UNCH
4815	263.00	263.00	277.10B/235.10A	277.10B/235.10A	----	253.20 NEW	.5147	----	----	2	----	2 + 2
4820	----	----	280.00B/236.90A	280.00B/236.90A	----	255.90 + 13.70	.5182	----	----	----	----	4 UNCH
4825	----	----	282.80B/239.60A	282.80B/239.60A	----	258.70 + 13.90	.5217	----	----	25	----	30 + 25
4835	----	----	288.80B/245.20A	288.80B/245.20A	----	264.30 + 14.10	.5288	----	----	----	----	36 UNCH
4840	----	----	291.70B/247.60A	291.70B/247.60A	----	267.10 + 14.20	.5323	----	----	----	----	15 UNCH
4850	----	----	297.90B/253.20A	297.90B/253.20A	----	272.80 + 14.30	.5393	----	----	----	----	154 UNCH
4855	----	----	300.70B/255.80A	300.70B/255.80A	----	275.70 + 14.40	.5428	----	----	----	----	11 UNCH
4860	----	----	303.80B/258.50A	303.80B/258.50A	----	278.50 + 14.40	.5463	----	----	----	----	9 UNCH
4865	----	----	306.80B/261.40A	306.80B/261.40A	----	281.50 + 14.60	.5498	----	----	----	----	12 UNCH
4870	----	----	309.80B/264.40A	309.80B/264.40A	----	284.40 + 14.60	.5532	----	----	----	----	28 UNCH
4875	----	----	313.20B/267.00A	313.20B/267.00A	----	287.30 + 14.70	.5567	----	----	----	----	82 UNCH
4880	----	----	316.20B/270.00A	316.20B/270.00A	----	290.30 + 14.80	.5602	----	----	----	----	125 UNCH
4885	----	----	319.10B/272.80A	319.10B/272.80A	----	293.30 + 14.90	.5636	----	----	----	----	8 UNCH
4890	----	----	322.40B/275.80A	322.40B/275.80A	----	296.30 + 14.90	.5670	----	----	----	----	3 UNCH
4900	----	----	328.80B/281.50A	328.80B/281.50A	----	302.40 + 15.10	.5739	----	----	----	----	375 UNCH
4905	----	----	332.00B/284.60A	332.00B/284.60A	----	305.50 + 15.20	.5773	----	----	----	----	29 UNCH
4910	----	----	335.30B/287.70A	335.30B/287.70A	----	308.50 + 15.30	.5807	----	----	----	----	22 UNCH
4920	----	----	341.60B/293.50A	341.60B/293.50A	----	314.80 + 15.50	.5875	----	----	----	----	3 UNCH
4925	----	----	344.90B/296.80A	344.90B/296.80A	----	317.90 + 15.60	.5908	----	----	----	----	50 UNCH
4930	----	----	348.10B/300.10A	348.10B/300.10A	----	321.10 + 15.70	.5942	----	----	----	----	1 UNCH
4950	----	----	361.50B/312.00A	361.50B/312.00A	----	333.90 + 16.10	.6075	----	----	----	----	31 UNCH
4955	----	----	364.80B/315.80A	364.80B/315.80A	----	337.20 + 16.20	.6108	----	----	----	----	1 UNCH
4980	----	----	382.00B/331.80A	382.00B/331.80A	----	353.70 + 16.70	.6270	----	----	----	----	1 UNCH
5000	----	----	395.80B/344.80A	395.80B/344.80A	----	367.20 + 17.10	.6398	----	----	----	----	323 UNCH
5010	----	----	402.90B/351.60A	402.90B/351.60A	----	374.10 + 17.30	.6461	----	----	----	----	1 UNCH
5025	----	----	413.80B/361.60A	413.80B/361.60A	----	384.50 + 17.60	.6553	----	----	----	----	25 UNCH
5030	----	----	417.50B/365.10A	417.50B/365.10A	----	388.00 + 17.60	.6584	----	----	----	----	1 UNCH
5040	----	----	424.90B/371.90A	424.90B/371.90A	----	395.10 + 17.80	.6645	----	----	----	----	4 UNCH
5045	----	----	428.40B/375.50A	428.40B/375.50A	----	398.60 + 17.90	.6675	----	----	----	----	31 UNCH
5050	----	----	432.00B/379.00A	432.00B/379.00A	----	402.20 + 18.00	.6705	----	----	----	----	351 UNCH
5070	----	----	447.00B/392.90A	447.00B/392.90A	----	416.70 + 18.40	.6823	----	----	----	----	17 UNCH
5080	----	----	449.80B/400.10A	449.80B/400.10A	----	424.00 + 18.50	.6881	----	----	----	----	3 UNCH
5100	----	----	461.60B/414.60A	461.60B/414.60A	----	438.80 + 18.80	.6995	----	----	----	----	83 UNCH
5120	----	----	444.70B/429.40A	444.70B/429.40A	----	453.90 + 19.10	.7105	----	----	----	----	2 UNCH
5180	----	----	----	362.50B/649.90A	----	500.60 + 20.20	.7416	----	----	----	----	1 UNCH
5195	----	----	----	374.80B/661.50A	----	512.60 + 20.50	.7489	----	----	----	----	2 UNCH
5200	----	----	540.80B/495.60A	540.80B/495.60A	----	516.60 + 20.50	.7513	----	----	----	----	112 UNCH
5265	----	----	----	434.10B/716.80A	----	569.90 + 21.60	.7807	----	----	----	----	1 UNCH
5300	----	----	624.30B/----	624.30B/577.20A	----	599.30 + 22.10	.7951	----	----	----	----	3 UNCH
5355	----	----	----	513.50B/790.80A	----	646.40 + 22.80	.8161	----	----	----	----	1 UNCH
5400	----	----	711.60B/----	711.60B/662.90A	----	685.70 + 23.30	.8316	----	----	----	----	76 UNCH
5460	----	----	----	609.20B/880.20A	----	739.10 + 23.90	.8505	----	----	----	----	1 UNCH
5500	----	----	801.60B/----	801.60B/751.90A	----	775.20 + 24.20	.8618	----	----	----	----	3 UNCH
5530	----	----	----	673.00B/943.00A	----	802.60 + 24.60	.8696	----	----	----	----	1 UNCH
5575	----	----	----	714.60B/984.50A	----	844.00 + 24.90	.8803	----	----	----	----	2 UNCH
TOTAL										1061	280	24498 + 973
SEP26												
2350	----	----	----	0.10B/7.80A	----	1.10 UNCH	.0025	----	----	----	----	55 UNCH
2375	----	----	----	0.10B/7.90A	----	1.20 + 0.10	.0027	----	----	----	----	4 UNCH
2400	----	----	----	0.10B/7.90A	----	1.20 UNCH	.0028	----	----	----	----	1 UNCH
2500	----	----	1.60B/----	1.60B/2.90A	----	1.60 + 0.10	.0037	----	----	----	----	4 UNCH
2600	----	----	2.00B/----	2.00B/3.00A	----	2.00 + 0.10	.0047	----	----	----	----	2 UNCH
3000	----	----	----	4.70B/5.20A	----	4.90 + 0.20	.0121	----	----	----	----	2 UNCH
3145	----	----	6.30B/----	6.30B/6.60A	----	6.60 + 0.40	.0166	----	----	----	----	15 UNCH
3150	----	----	----	6.30B/6.60A	----	6.70 + 0.40	.0169	----	----	----	----	2 UNCH
3200	----	----	7.10B/----	7.10B/7.20A	----	7.40 + 0.40	.0187	----	----	----	----	1 UNCH
3270	----	----	8.10B/----	8.10B/8.20A	----	8.60 + 0.60	.0219	----	----	----	----	15 UNCH
3300	----	----	8.70B/----	8.70B/8.80A	----	9.10 + 0.60	.0233	----	----	----	----	1 UNCH
3475	----	----	13.40B/----	13.40B/12.40A	----	13.10 + 1.00	.0340	----	----	----	----	2 UNCH
3480	----	----	13.50B/----	13.50B/12.40A	----	13.20 + 1.00	.0343	----	----	----	----	780 UNCH
3500	11.70	11.70	14.20B/11.70	14.20B/11.70	----	13.80 + 1.00	.0358	----	----	2	----	21 + 2
3525	----	----	15.30B/----	15.30B/13.90A	----	14.60 + 1.10	.0379	----	----	----	----	2 UNCH
3550	----	----	16.10B/----	16.10B/14.70A	----	15.40 NEW	.0401	----	----	3	----	3 + 3
3565	----	----	16.30B/----	16.30B/15.00A	----	15.90 + 1.20	.0414	----	----	----	----	1 UNCH
3610	----	----	18.20B/----	18.20B/16.50A	----	17.50 + 1.30	.0456	----	----	----	----	1 UNCH
3625	----	----	18.90B/----	18.90B/16.90A	----	18.10 + 1.30	.0472	----	----	----	----	1 UNCH
3650	----	----	20.00B/----	20.00B/18.00A	----	19.10 + 1.40	.0498	----	----	----	----	66 UNCH
3690	----	----	22.00B/----	22.00B/19.90A	----	20.90 + 1.50	.0545	----	----	----	----	60 UNCH
3700	----	----	22.70B/----	22.70B/20.30A	----	21.40 + 1.50	.0558	----	----	3	----	147 + 3
3720	----	----	23.80B/----	23.80B/21.30A	----	22.40 + 1.60	.0583	----	----	----	----	50 UNCH
3750	----	----	26.20B/----	26.20B/22.80A	----	23.90 + 1.60	.0622	----	----	----	----	80 UNCH
3755	----	----	26.80B/----	26.80B/23.10A	----	24.20 + 1.60	.0630	----	----	----	----	310 UNCH
3800	----	----	30.10B/----	30.10B/25.50A	----	26.90 + 1.80	.0697	----	----	----	----	2 UNCH
3850	----	----	32.80B/28.00A	32.80B/28.00A	----	30.20 + 1.90	.0780	----	----	----	----	20 UNCH
3880	----	----	35.20B/30.00A	35.20B/30.00A	----	32.40 + 2.00	.0834	----	----	----	----	26 UNCH
3900	----	----	36.90B/31.40A	36.90B/31.40A	----	34.00 + 2.10	.0873	----	----	----	----	211 UNCH
3910	----	----	38.10B/32.20A	38.10B/32.20A	----	34.80 + 2.10	.0892	----	----	----	----	2 UNCH
3920	----	----	39.10B/33.00A	39.10B/33.00A	----	35.60 + 2.10	.0912	----	----	----	----	14 UNCH
3930	----	----	40.10B/33.80A	40.10B/33.80A	----	36.50 + 2.20	.0933	----	----	----	----	2 UNCH
3945	----	----	41.70B/35.00A	41.70B/35.00A	----	37.80 + 2.20	.0965	----	----	----	----	380 UNCH
3950	----	----	42.10B/35.30A	42.10B/35.30A	----	38.30 + 2.20	.0976	----	----	----	----	324 UNCH
4000	----	----	47.80B/40.30A	47.80B/40.30A	----	43.20 + 2.50	.1091	----	----	----	----	895 UNCH
4005	----	----	48.50B/40.60A	48.50B/40.60A	----	43.70 + 2.50	.1103	----	----	----	----	1 UNCH
4020	----	----	50.40B/42.10A	50.40B/42.10A	----	45.30 + 2.60	.1140	----	----	----	----	14 UNCH
4030	----	----	51.70B/43.10A	51.70B/43.10A	----	46.40 + 2.60	.1166	----	----	----	----	2 UNCH
4050	----	----	54.50B/45.10A	54.50B/45.10A	----	48.70 + 2.80	.1218	----	----	----	----	47 UNCH
4080	----	----	58.80B/48.60A	58.80B/48.60A	----	52.40 + 3.00	.1302	----	----	----	----	4 UNCH
4085	----	----	59.50B/49.10A	59.50B/49.10A	----	53.00 + 3.00	.1315	----	----	----	----	76 UNCH
4100	----	----	61.30B/50.90A	61.30B/50.90A	----	55.00 + 3.20	.1360	----	----	----	----	22 UNCH
4130	----	----	65.80B/54.50A	65.80B/54.50A	----	59.10 + 3.40	.1450	----	----	----	----	20 UNCH
4135	----	----	66.60B/55.10A	66.60B/55.10A	----	59.80 + 3.40	.1466	----	----	----	----	3 UNCH
4150	----	----	69.10B/57.10A	69.10B/57.10A	----	62.00 + 3.50	.1513	----	----	----	----	4 UNCH
4185	----	----	75.10B/61.90A	75.10B/61.90A	----	67.40 + 3.80	.1630	----	----	----	----	76 UNCH
4200	----	----	77.70B/64.10A	77.70B/64.10A	----	69.80 + 3.90	.1681	----	----	----	----	113 UNCH
4220	----	----	81.50B/67.20A	81.50B/67.20A	----	73.20 + 4.10	.1752	----	----	----	----	113 UNCH
4225	----	----	82.50B/67.90A	82.50B/67.90A	----	74.10 + 4.20	.1771	----	----	----	----	3 UNCH
4230	----	----	83.50B/68.90A	83.50B/68.90A	----	75.00 + 4.30	.1789	----	----	----	----	1 UNCH
4240	----	----	85.30B/70.50A	85.30B/70.50A	----	76.80 + 4.40	.1827	----	----	----	----	56 UNCH
4250	----	----	87.40B/72.20A	87.40B/72.20A	----	78.60 + 4.40	.1864	----	----	----	----	88 UNCH
4300	----	----	98.10B/81.10A	98.10B/81.10A	----	88.40 + 5.00	.2062	----	----	----	----	90 UNCH
4320	----	----	102.80B/85.10A	102.80B/85.10A	----	92.60 + 5.20	.2145	----	----	----	----	152 UNCH
4350	----	----	110.10B/91.30A	110.10B/91.30A	----	99.30 + 5.50	.2275	----	----	----	----	20 UNCH
4365	----	----	113.90B/94.70A	113.90B/94.70A	----	102.80 + 5.70	.2342	----	----	----	----	5 UNCH
4390	----	----	120.50B/100.20A	120.50B/100.20A	----	108.80 + 5.90	.2455	----	----	----	----	16 UNCH
4400	----	----	123.30B/102.70A	123.30B/102.70A	----	111.30 + 6.00	.2502	----	----	----	----	36 UNCH
4410	----	----	126.10B/105.20A	126.10B/105.20A	----	113.90 + 6.20	.2550	----	----	----	----	6 UNCH
4420	----	----	128.90B/107.80A	128.90B/107.80A	----	116.50 + 6.30	.2598	----	----	----	----	1 UNCH
4430	----	----	131.80B/110.10A	131.80B/110.10A	----	119.20 + 6.40	.2646	----	----	----	----	2 UNCH
4440	----	----	134.80B/112.70A	134.80B/112.70A	----	121.90 + 6.50	.2695	----	----	----	----	7 UNCH
4450	----	----	137.80B/115.30A	137.80B/115.30A	----	124.70 + 6.60	.2745	----	----	----	----	430 UNCH
4475	----	----	145.60B/122.10A	145.60B/122.10A	----	131.80 + 6.80	.2871	----	----	----	----	3 UNCH
4490	----	----	150.40B/126.40A	150.40B/126.40A	----	136.30 + 7.00	.2949	----	----	----	----	50 UNCH
4500	----	----	153.70B/129.30A	153.70B/129.30A	----	139.30 + 7.00	.3001	----	----	----	----	453 UNCH
4520	----	----	160.60B/135.00A	160.60B/135.00A	----	145.60 + 7.20	.3108	----	----	----	----	91 UNCH
4550	----	----	171.20B/144.70A	171.20B/144.70A	----	155.40 + 7.40	.3271	----	----	----	----	350 UNCH
4560	----	----	175.00B/147.90A	175.00B/147.90A	----	158.80 + 7.50	.3326	----	----	----	----	6 UNCH
4580	----	----	182.50B/154.70A	182.50B/154.70A	----	165.70 + 7.60	.3438	----	----	----	----	1 UNCH
4585	----	----	184.40B/156.40A	184.40B/156.40A	----	167.50 + 7.60	.3466	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4620	178.60	178.60	198.50B/168.80A	198.50B/168.80A	----	180.40 + 7.80	.3667	----	----	2	----	502 + 2
4625	----	----	200.50B/170.70A	200.50B/170.70A	----	182.30 + 7.80	.3696	----	----	----	----	1 UNCH
4650	----	----	211.20B/180.10A	211.20B/180.10A	----	192.10 + 8.00	.3843	----	----	----	----	2 UNCH
4655	----	----	213.20B/182.00A	213.20B/182.00A	----	194.10 + 8.00	.3873	----	----	----	----	3 UNCH
4700	----	----	233.70B/200.10A	233.70B/200.10A	----	213.20 + 8.50	.4144	----	----	----	----	76 UNCH
4705	----	----	235.90B/202.10A	235.90B/202.10A	----	215.40 + 8.60	.4174	----	----	----	----	2 UNCH
4710	----	----	238.40B/204.40A	238.40B/204.40A	----	217.60 + 8.60	.4205	----	----	----	----	1 UNCH
4725	----	----	245.60B/210.90A	245.60B/210.90A	----	224.50 + 9.00	.4297	----	----	----	----	1 UNCH
4730	----	----	248.00B/213.10A	248.00B/213.10A	----	226.80 + 9.10	.4327	----	----	----	----	5 UNCH
4740	----	----	252.80B/217.60A	252.80B/217.60A	----	231.50 + 9.30	.4389	----	----	----	----	2 UNCH
4750	----	----	257.80B/221.90A	257.80B/221.90A	----	236.30 + 9.50	.4450	----	----	----	----	151 UNCH
4760	----	----	262.80B/226.40A	262.80B/226.40A	----	241.20 + 9.80	.4512	----	----	----	----	100 UNCH
4775	----	----	270.70B/233.50A	270.70B/233.50A	----	248.70 + 10.30	.4604	----	----	----	----	18 UNCH
4780	----	----	273.20B/235.80A	273.20B/235.80A	----	251.30 + 10.50	.4635	----	----	----	----	2 UNCH
4800	264.00	264.00	283.90B/245.60A	283.90B/245.60A	----	261.60 + 11.20	.4758	----	----	1	----	470 + 1
4825	----	----	297.50B/257.90A	297.50B/257.90A	----	275.00 + 12.10	.4912	----	----	----	----	2 UNCH
4835	----	----	303.20B/262.90A	303.20B/262.90A	----	280.50 + 12.50	.4972	----	----	----	----	30 UNCH
4855	276.40	276.40	314.40B/273.40A	314.40B/273.40A	----	291.70 NEW	.5094	----	----	14	----	14 + 14
4875	----	----	326.10B/284.20A	326.10B/284.20A	----	303.00 + 13.90	.5215	----	----	----	----	4 UNCH
4885	----	----	332.00B/289.40A	332.00B/289.40A	----	308.80 + 14.20	.5275	----	----	----	----	4 UNCH
4895	----	----	338.00B/294.90A	338.00B/294.90A	----	314.60 + 14.40	.5335	----	----	----	----	1 UNCH
4900	----	----	340.90B/297.70A	340.90B/297.70A	----	317.50 + 14.50	.5365	----	----	----	----	3 UNCH
4930	----	----	359.40B/314.90A	359.40B/314.90A	----	335.20 + 15.00	.5544	----	----	----	----	20 UNCH
4950	----	----	372.00B/326.50A	372.00B/326.50A	----	347.20 + 15.20	.5662	----	----	----	----	1 UNCH
4975	----	----	388.10B/341.60A	388.10B/341.60A	----	362.60 + 15.40	.5808	----	----	----	----	210 UNCH
5000	----	----	404.70B/357.10A	404.70B/357.10A	----	378.50 + 15.70	.5952	----	----	----	----	10 UNCH
5005	----	----	407.90B/360.20A	407.90B/360.20A	----	381.70 + 15.80	.5981	----	----	----	----	3 UNCH
5020	----	----	418.10B/369.60A	418.10B/369.60A	----	391.40 + 15.90	.6065	----	----	----	----	3 UNCH
5060	----	----	445.80B/395.90A	445.80B/395.90A	----	418.30 + 16.60	.6286	----	----	----	----	4 UNCH
5100	----	----	474.30B/422.90A	474.30B/422.90A	----	446.10 + 17.30	.6498	----	----	----	----	28 UNCH
5105	----	----	478.00B/426.40A	478.00B/426.40A	----	449.70 + 17.40	.6524	----	----	----	----	2 UNCH
5150	489.30	489.30	511.30B/458.10A	511.30B/458.10A	----	482.20 NEW	.6752	----	----	2	----	2 + 2
5200	----	----	527.90B/494.50A	527.90B/494.50A	----	519.50 + 18.90	.6992	----	----	----	----	45 UNCH
5230	----	----	529.20B/517.00A	529.20B/517.00A	----	542.40 + 19.20	.7131	----	----	----	----	400 UNCH
5300	----	----	----	455.10B/749.10A	----	597.40 + 20.10	.7433	----	----	----	----	300 UNCH
5400	----	----	----	539.70B/829.40A	----	679.30 + 21.10	.7820	----	----	----	----	100 UNCH
5420	----	----	----	557.10B/845.90A	----	696.10 + 21.20	.7890	----	----	----	----	80 UNCH
5450	----	----	----	583.50B/870.80A	----	721.60 + 21.50	.7991	----	----	----	----	1 UNCH
5500	----	----	----	628.10B/912.90A	----	764.80 + 21.90	.8149	----	----	----	----	3 UNCH
6000	----	----	----	962.20B/1453.00A	----	1225.60 + 25.60	.9142	----	----	----	----	2 UNCH
TOTAL										27		8473 + 27
OCT26												
2700	----	----	----	1.70B/5.00A	----	2.70 - 0.40	.0064	----	----	----	----	1 UNCH
2800	----	----	----	2.10B/5.60A	----	3.50 - 0.50	.0083	----	----	----	----	3 UNCH
2900	----	----	----	2.90B/6.60A	----	4.40 - 0.50	.0106	----	----	----	----	1 UNCH
3100	----	----	----	5.70B/9.20A	----	6.80 - 0.60	.0166	----	----	----	----	1 UNCH
3155	----	----	----	6.50B/10.20A	----	7.90 - 0.30	.0192	----	----	----	----	1 UNCH
3200	----	----	----	7.40B/10.80A	----	9.00 UNCH	.0217	----	----	----	----	414 UNCH
3240	----	----	----	8.40B/11.80A	----	10.20 + 0.40	.0244	----	----	----	----	5 UNCH
3300	----	----	----	10.10B/13.10A	----	12.40 + 1.30	.0291	----	----	----	----	415 UNCH
3340	----	----	----	10.70B/14.10A	----	14.10 + 2.00	.0327	----	----	----	----	9 UNCH
3360	----	----	----	11.80B/14.80A	----	15.00 + 2.30	.0346	----	----	----	----	1 UNCH
3380	----	----	----	12.30B/15.30A	----	15.80 + 2.60	.0363	----	----	----	----	1 UNCH
3390	----	----	----	12.60B/15.40A	----	16.20 + 2.70	.0372	----	----	----	----	4 UNCH
3400	----	----	----	12.80B/15.90A	----	16.60 + 2.80	.0381	----	----	----	----	150 UNCH
3480	----	----	----	15.90B/18.60A	----	18.90 + 2.50	.0439	----	----	----	----	12 UNCH
3500	----	----	----	17.00B/19.40A	----	19.40 + 2.20	.0453	----	----	----	----	10 UNCH
3520	----	----	----	17.70B/20.10A	----	19.90 + 2.00	.0467	----	----	----	----	12 UNCH
3550	----	----	----	19.20B/21.40A	----	20.60 + 1.40	.0488	----	----	----	----	25 UNCH
3600	----	----	21.90B/----	21.90B/23.50A	----	22.30 + 0.80	.0532	----	----	----	----	177 UNCH
3615	----	----	22.70B/----	22.70B/23.40A	----	22.90 + 0.70	.0548	----	----	----	----	1 UNCH
3700	----	----	30.50B/----	30.50B/28.10A	----	27.40 + 0.30	.0654	----	----	----	----	135 UNCH
3715	----	----	31.30B/----	31.30B/29.30A	----	28.40 + 0.30	.0676	----	----	----	----	196 UNCH
3750	----	----	33.60B/30.30A	33.60B/30.30A	----	30.80 + 0.40	.0730	----	----	----	----	19 UNCH
3770	----	----	34.40B/----	34.40B/31.90A	----	32.30 + 0.50	.0763	----	----	----	----	1 UNCH
3785	----	----	35.30B/----	35.30B/32.90A	----	33.40 + 0.50	.0788	----	----	----	----	1 UNCH
3800	----	----	36.90B/33.90A	36.90B/33.90A	----	34.60 + 0.50	.0814	----	----	----	----	20 UNCH
3805	----	----	37.20B/34.20A	37.20B/34.20A	----	35.00 + 0.60	.0823	----	----	----	----	1 UNCH
3865	----	----	43.10B/39.10A	43.10B/39.10A	----	40.10 + 0.80	.0935	----	----	----	----	2 UNCH
3870	----	----	43.70B/39.50A	43.70B/39.50A	----	40.60 + 0.80	.0945	----	----	----	----	1 UNCH
3875	----	----	44.30B/40.10A	44.30B/40.10A	----	41.00 + 0.80	.0954	----	----	----	----	12 UNCH
3885	----	----	45.30B/----	45.30B/41.50A	----	42.00 + 0.90	.0975	----	----	----	----	5 UNCH
3890	----	----	46.00B/----	46.00B/41.90A	----	42.40 + 0.80	.0985	----	----	----	----	2 UNCH
3895	----	----	46.50B/----	46.50B/42.40A	----	42.90 + 0.90	.0995	----	----	----	----	2 UNCH
3900	----	----	47.10B/----	47.10B/42.90A	----	43.40 + 0.90	.1006	----	----	----	----	22 UNCH
3920	----	----	49.40B/----	49.40B/44.80A	----	45.40 + 1.00	.1049	----	----	----	----	28 UNCH
3930	----	----	50.80B/----	50.80B/45.70A	----	46.40 + 1.00	.1070	----	----	----	----	2 UNCH
3940	----	----	52.00B/----	52.00B/46.70A	----	47.40 + 1.00	.1092	----	----	----	----	65 UNCH
3950	----	----	53.30B/----	53.30B/47.80A	----	48.50 + 1.10	.1115	----	----	----	----	2 UNCH
3975	----	----	56.70B/----	56.70B/50.50A	----	51.30 + 1.20	.1174	----	----	----	----	5 UNCH
4000	----	----	60.20B/----	60.20B/53.10A	----	54.30 + 1.40	.1236	----	----	----	----	406 UNCH
4030	----	----	65.00B/----	65.00B/56.60A	----	58.20 + 1.60	.1315	----	----	----	----	2 UNCH
4035	----	----	65.80B/----	65.80B/57.40A	----	58.90 + 1.70	.1329	----	----	----	----	1 UNCH
4050	----	----	67.50B/----	67.50B/59.20A	----	61.00 + 1.80	.1371	----	----	----	----	5 UNCH
4070	----	----	70.60B/61.70A	70.60B/61.70A	----	63.90 + 2.00	.1428	----	----	----	----	24 UNCH
4100	----	----	75.60B/65.90A	75.60B/65.90A	----	68.50 + 2.30	.1518	----	----	----	----	314 UNCH
4130	----	----	80.80B/70.40A	80.80B/70.40A	----	73.50 + 2.70	.1613	----	----	----	----	2 UNCH
4135	----	----	81.70B/71.30A	81.70B/71.30A	----	74.30 + 2.70	.1628	----	----	----	----	1 UNCH
4150	----	----	84.50B/73.50A	84.50B/73.50A	----	77.00 + 2.90	.1678	----	----	----	----	5 UNCH
4200	83.10	83.10	94.40B/82.20A	94.40B/82.20A	----	86.30 + 3.50	.1850	----	----	3	----	282 + 3
4220	----	----	98.60B/85.70A	98.60B/85.70A	----	90.20 + 3.60	.1921	----	----	----	----	5 UNCH
4235	----	----	101.90B/88.70A	101.90B/88.70A	----	93.30 + 3.80	.1976	----	----	----	----	1 UNCH
4250	----	----	105.20B/91.50A	105.20B/91.50A	----	96.40 + 3.90	.2032	----	----	----	----	72 UNCH
4265	----	----	108.70B/94.50A	108.70B/94.50A	----	99.60 + 4.00	.2089	----	----	----	----	200 UNCH
4270	----	----	109.80B/95.60A	109.80B/95.60A	----	100.70 + 4.10	.2108	----	----	----	----	226 UNCH
4280	----	----	112.00B/97.70A	112.00B/97.70A	----	102.90 + 4.10	.2147	----	----	----	----	196 UNCH
4300	----	----	117.20B/102.00A	117.20B/102.00A	----	107.40 + 4.20	.2225	----	----	----	----	476 UNCH
4330	----	----	124.60B/108.70A	124.60B/108.70A	----	114.30 + 4.20	.2346	----	----	----	----	1 UNCH
4350	----	----	130.20B/113.40A	130.20B/113.40A	----	119.10 + 4.20	.2429	----	----	----	----	210 UNCH
4355	----	----	131.60B/114.70A	131.60B/114.70A	----	120.30 + 4.20	.2449	----	----	----	----	11 UNCH
4375	----	----	137.00B/119.50A	137.00B/119.50A	----	125.30 + 4.10	.2535	----	----	----	----	10 UNCH
4400	----	----	144.60B/126.00A	144.60B/126.00A	----	131.70 + 4.00	.2643	----	----	----	----	302 UNCH
4420	----	----	150.40B/131.40A	150.40B/131.40A	----	137.10 + 3.90	.2732	----	----	----	----	5 UNCH
4430	----	----	153.80B/134.20A	153.80B/134.20A	----	139.80 + 3.80	.2777	----	----	----	----	3 UNCH
4450	----	----	160.10B/139.80A	160.10B/139.80A	----	145.50 + 3.70	.2870	----	----	----	----	26 UNCH
4500	----	----	177.10B/154.80A	177.10B/154.80A	----	160.60 + 3.40	.3108	----	----	----	----	91 UNCH
4600	----	----	215.30B/189.00A	215.30B/189.00A	----	196.20 + 3.90	.3622	----	----	----	----	352 UNCH
4610	----	----	219.20B/192.80A	219.20B/192.80A	----	200.20 + 4.10	.3675	----	----	----	----	5 UNCH
4625	----	----	225.80B/198.50A	225.80B/198.50A	----	206.40 + 4.40	.3756	----	----	----	----	40 UNCH
4640	----	----	232.20B/204.30A	232.20B/204.30A	----	212.80 NEW	.3838	----	----	13	----	13 + 13
4675	----	----	247.90B/218.50A	247.90B/218.50A	----	228.40 + 5.80	.4030	----	----	----	----	1 UNCH
4680	----	----	250.30B/220.70A	250.30B/220.70A	----	230.70 + 6.00	.4057	----	----	----	----	1 UNCH
4700	----	----	259.70B/229.20A	259.70B/229.20A	----	240.10 + 6.70	.4168	----	----	----	----	64 UNCH
4750	----	----	284.10B/251.60A	284.10B/251.60A	----	264.70 + 8.70	.4444	----	----	----	----	173 UNCH
4775	----	----	297.10B/263.40A	297.10B/263.40A	----	277.50 + 9.70	.4583	----	----	----	----	1 UNCH
4780	----	----	299.60B/265.90A	299.60B/265.90A	----	280.10 + 9.90	.4610	----	----	----	----	1 UNCH
4800	----	----	310.30B/275.60A	310.30B/275.60A	----	290.70 + 10.90	.4721	----	----	----	----	100 UNCH
4845	----	----	335.10B/298.50A	335.10B/298.50A	----	315.10 + 12.90	.4968	----	----	----	----	17 UNCH
4850	----	----	338.00B/301.10A	338.00B/301.10A	----	317.90 + 13.10	.4995	----	----	----	----	80 UNCH
4875	----	----	352.40B/314.40A	352.40B/314.40A	----	331.80 + 13.80	.5131	----	----	----	----	1 UNCH
4900	----	----	367.30B/328.20A	367.30B/328.20A	----	346.00 + 14.20	.5267	----	----	----	----	131 UNCH
4910	----	----	373.30B/333.80A	373.30B/333.80A	----	351.80 + 14.30	.5321	----	----	----	----	1 UNCH
4920	----	----	379.30B/339.40A	379.30B/339.40A	----	357.60 + 14.40	.5374	----	----	----	----	1 UNCH
4925	----	----	382.40B/342.30A	382.40B/342.30A	----	360.50 + 14.30	.5401	----	----	----	----	25 UNCH
4935	----	----	388.60B/348.00A	388.60B/348.00A	----	366.50 + 14.50	.5454	----	----	----	----	5 UNCH
4965	----	----	407.40B/365.70A	407.40B/365.70A	----	384.60 NEW	.5614	----	----	13	----	13 + 13
4980	----	----	417.10B/374.70A	417.10B/374.70A	----	393.90 + 14.70	.5692	----	----	----	----	1 UNCH
5000	----	----	430.00B/386.90A	430.00B/386.90A	----	406.50 + 14.90	.5796	----	----	----	----	47 UNCH
5010	----	----	436.70B/393.20A	436.70B/393.20A	----	412.90 + 15.00	.5846	----	----	----	----	1 UNCH
5050	----	----	463.50B/418.50A	463.50B/418.50A	----	439.10 + 15.60	.6048	----	----	----	----	25 UNCH
5150	----	----	534.60B/486.00A	534.60B/486.00A	----	508.60 + 17.60	.6523	----	----	----	----	1 UNCH
5200	----	----	571.80B/521.70A	571.80B/521.70A	----	545.00 + 18.40	.6746	----	----	----	----	100 UNCH
5230	----	----	594.50B/543.60A	594.50B/543.60A	----	567.40 + 18.80	.6875	----	----	----	----	2 UNCH
5250	----	----	599.70B/558.40A	599.70B/558.40A	----	582.50 + 19.00	.6959	----	----	----	----	75 UNCH
5300	----	----	601.70B/596.30A	601.70B/596.30A	----	620.90 + 19.40	.7161	----	----	----	----	6 UNCH
5425	----	----	----	571.90B/879.70A	----	721.10 + 20.40	.7618	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 21

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
5455	----	----	----	597.50B/904.10A	----	746.00 + 20.60	.7717	----	----	----	----	40 UNCH
5495	----	----	----	632.10B/937.00A	----	779.70 + 21.00	.7842	----	----	----	----	1 UNCH
5500	----	----	----	636.50B/941.10A	----	783.90 + 21.10	.7857	----	----	----	----	1 UNCH
5600	----	----	----	725.30B/1025.40A	----	870.30 + 22.10	.8136	----	----	----	----	1 UNCH
5700	----	----	----	816.50B/1111.90A	----	959.10 + 23.10	.8376	----	----	----	----	1 UNCH
TOTAL										29		5969 + 29
NOV26												
2750	----	----	----	2.00B/6.50A	----	4.10 - 0.30	.0090	----	----	----	----	1 UNCH
2800	----	----	----	2.60B/7.10A	----	4.60 - 0.40	.0101	----	----	----	----	8 UNCH
2900	----	----	----	3.50B/8.20A	----	5.80 - 0.40	.0128	----	----	----	----	1 UNCH
3000	----	----	----	4.90B/9.60A	----	7.30 - 0.30	.0162	----	----	----	----	95 UNCH
3120	----	----	----	7.20B/12.10A	----	9.60 - 0.10	.0212	----	----	----	----	10 UNCH
3180	----	----	----	8.50B/13.50A	----	10.90 - 0.10	.0242	----	----	----	----	10 UNCH
3200	----	----	----	9.00B/14.00A	----	11.40 - 0.10	.0252	----	----	----	----	93 UNCH
3215	----	----	----	9.50B/14.20A	----	11.80 UNCH	.0261	----	----	----	----	1 UNCH
3220	----	----	----	9.70B/14.20A	----	11.90 - 0.10	.0264	----	----	----	----	1 UNCH
3225	----	----	----	10.00B/14.70A	----	12.00 - 0.10	.0266	----	----	----	----	1 UNCH
3235	----	----	----	10.20B/15.00A	----	12.30 UNCH	.0272	----	----	----	----	2 UNCH
3250	----	----	----	10.50B/15.40A	----	12.70 UNCH	.0281	----	----	----	----	18 UNCH
3255	----	----	----	10.70B/15.50A	----	12.90 UNCH	.0285	----	----	----	----	18 UNCH
3300	----	----	----	12.10B/16.60A	----	14.20 + 0.10	.0314	----	----	----	----	20 UNCH
3310	----	----	----	12.60B/17.00A	----	14.50 + 0.10	.0321	----	----	----	----	1 UNCH
3320	----	----	----	12.90B/17.40A	----	14.80 + 0.10	.0327	----	----	----	----	16 UNCH
3350	----	----	----	13.90B/18.40A	----	15.90 + 0.20	.0351	----	----	----	----	180 UNCH
3455	----	----	----	18.40B/22.00A	----	20.00 + 0.30	.0439	----	----	----	----	1 UNCH
3475	----	----	----	19.50B/23.30A	----	20.90 + 0.40	.0458	----	----	----	----	2 UNCH
3500	----	----	----	20.90B/24.20A	----	22.10 + 0.40	.0483	----	----	----	----	655 UNCH
3535	----	----	----	22.90B/25.90A	----	23.90 + 0.50	.0520	----	----	----	----	3 UNCH
3690	----	----	36.50B/----	36.50B/33.60A	----	33.90 + 1.00	.0723	----	----	----	----	1 UNCH
3725	----	----	39.20B/----	39.20B/36.30A	----	36.60 + 1.10	.0777	----	----	----	----	1 UNCH
3740	----	----	40.30B/----	40.30B/37.40A	----	37.80 + 1.10	.0800	----	----	----	----	21 UNCH
3750	----	----	41.30B/----	41.30B/37.90A	----	38.70 + 1.20	.0818	----	----	----	----	150 UNCH
3780	----	----	44.10B/----	44.10B/40.30A	----	41.30 + 1.20	.0868	----	----	----	----	1 UNCH
3800	44.00	44.00	46.20B/41.90A	46.20B/41.90A	----	43.20 + 1.30	.0905	----	----	3	----	26 + 1
3820	----	----	48.20B/----	48.20B/44.30A	----	45.10 + 1.40	.0941	----	----	----	----	20 UNCH
3875	----	----	54.40B/----	54.40B/50.20A	----	50.90 + 1.60	.1051	----	----	----	----	24 UNCH
3980	----	----	68.10B/----	68.10B/61.70A	----	63.70 + 2.00	.1286	----	----	----	----	1 UNCH
4000	----	----	71.20B/64.20A	71.20B/64.20A	----	66.50 + 2.20	.1336	----	----	----	----	3 UNCH
4100	----	----	87.80B/78.00A	87.80B/78.00A	----	81.90 + 2.70	.1604	----	----	----	----	2 UNCH
4160	----	----	99.10B/88.40A	99.10B/88.40A	----	92.60 + 3.10	.1785	----	----	----	----	1 UNCH
4170	----	----	101.80B/90.20A	101.80B/90.20A	----	94.50 + 3.10	.1816	----	----	----	----	1 UNCH
4200	----	----	107.50B/95.80A	107.50B/95.80A	----	100.40 + 3.30	.1913	----	----	----	----	5 UNCH
4205	----	----	108.80B/96.80A	108.80B/96.80A	----	101.40 + 3.40	.1929	----	----	----	----	1 UNCH
4215	----	----	110.70B/98.80A	110.70B/98.80A	----	103.50 + 3.50	.1963	----	----	----	----	5 UNCH
4275	----	----	125.40B/111.30A	125.40B/111.30A	----	116.60 + 3.90	.2170	----	----	----	----	3 UNCH
4305	----	----	132.60B/118.10A	132.60B/118.10A	----	123.80 NEW	.2280	----	----	1	----	1 + 1
4320	----	----	136.70B/121.70A	136.70B/121.70A	----	127.50 + 4.40	.2337	----	----	----	----	43 UNCH
4330	----	----	139.30B/124.10A	139.30B/124.10A	----	130.00 NEW	.2374	----	----	2	----	2 + 2
4350	----	----	144.70B/129.00A	144.70B/129.00A	----	135.20 + 4.70	.2452	----	----	----	----	3 UNCH
4400	----	----	159.40B/142.00A	159.40B/142.00A	----	148.90 + 5.20	.2651	----	----	----	----	3 UNCH
4425	----	----	167.10B/149.00A	167.10B/149.00A	----	156.20 + 5.50	.2754	----	----	----	----	72 UNCH
4430	164.50	164.50	168.90B/150.40A	168.90B/150.40A	----	157.70 NEW	.2775	----	----	10	----	10 + 10
4450	----	----	174.90B/156.20A	174.90B/156.20A	----	163.90 + 5.80	.2860	----	----	----	----	39 UNCH
4500	----	----	192.00B/171.50A	192.00B/171.50A	----	180.10 + 6.40	.3078	----	----	1	----	45 UNCH
4510	----	----	195.60B/174.70A	195.60B/174.70A	----	183.50 NEW	.3122	----	----	10	----	10 + 10
4535	----	----	204.90B/183.00A	204.90B/183.00A	----	192.20 NEW	.3235	----	----	10	----	10 + 10
4540	----	----	206.50B/184.70A	206.50B/184.70A	----	194.00 NEW	.3258	----	----	6	----	6 + 6
4580	----	----	222.20B/198.60A	222.20B/198.60A	----	208.80 + 7.50	.3442	----	----	----	----	10 UNCH
4640	----	----	246.80B/221.10A	246.80B/221.10A	----	232.30 + 8.10	.3725	----	----	----	----	90 UNCH
4700	----	----	273.30B/245.50A	273.30B/245.50A	----	256.90 + 8.00	.4015	----	----	----	----	2 UNCH
4725	----	----	285.20B/256.20A	285.20B/256.20A	----	267.50 + 7.80	.4137	----	----	----	----	2 UNCH
4800	----	----	322.40B/290.70A	322.40B/290.70A	----	302.60 + 8.30	.4511	----	----	----	----	7 UNCH
4840	----	----	343.90B/310.30A	343.90B/310.30A	----	324.40 + 10.00	.4709	----	----	----	----	2 UNCH
4845	----	----	346.60B/312.80A	346.60B/312.80A	----	327.20 NEW	.4734	----	----	10	----	10 + 10
4850	----	----	349.30B/315.40A	349.30B/315.40A	----	330.00 NEW	.4759	----	----	6	----	6 + 6
4900	----	----	377.40B/341.50A	377.40B/341.50A	----	358.60 + 12.40	.5002	----	----	10	----	12 + 10
4915	----	----	385.70B/349.50A	385.70B/349.50A	----	367.10 + 12.70	.5075	----	----	----	----	3 UNCH
4935	----	----	397.60B/360.60A	397.60B/360.60A	----	378.60 + 13.10	.5172	----	----	----	----	25 UNCH
4950	----	----	406.70B/369.00A	406.70B/369.00A	----	387.20 + 13.30	.5244	----	----	----	----	11 UNCH
4960	----	----	412.90B/374.60A	412.90B/374.60A	----	393.00 + 13.30	.5293	----	----	----	----	2 UNCH
5000	----	----	437.40B/397.80A	437.40B/397.80A	----	416.90 + 13.90	.5483	----	----	----	----	256 UNCH
5020	----	----	450.30B/409.80A	450.30B/409.80A	----	429.10 + 14.00	.5578	----	----	----	----	30 UNCH
5055	----	----	473.00B/431.20A	473.00B/431.20A	----	451.10 + 14.50	.5740	----	----	----	----	8 UNCH
5200	----	----	572.90B/526.50A	572.90B/526.50A	----	548.60 + 16.20	.6377	----	----	----	----	81 UNCH
5395	----	----	681.50B/669.70A	681.50B/669.70A	----	694.20 + 18.40	.7121	----	----	----	----	6 UNCH
5400	----	----	683.90B/673.40A	683.90B/673.40A	----	698.10 + 18.40	.7139	----	----	----	----	6 UNCH
5760	----	----	----	834.60B/1173.40A	----	999.20 + 21.80	.8159	----	----	----	----	1 UNCH
5975	----	----	----	1031.60B/1363.50A	----	1192.80 + 23.60	.8573	----	----	----	----	1 UNCH
6000	----	----	----	1054.60B/1386.60A	----	1215.80 + 23.80	.8613	----	----	----	----	1 UNCH
TOTAL										69		2219 + 66
DEC26												
1350	----	----	----	----/1.10A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/17.70A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1500	----	----	----	----/2.00A	----	0.20 UNCH	.0003	----	----	----	----	1 UNCH
1600	----	----	----	----/2.70A	----	0.30 UNCH	.0005	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/3.50A	----	0.50 + 0.10	.0009	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/20.40A	----	0.70 + 0.10	.0013	----	----	----	----	50 UNCH
1900	----	----	----	0.10B/20.70A	----	0.90 + 0.20	.0017	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/21.30A	----	1.10 + 0.10	.0021	----	----	----	----	2 UNCH
2400	----	----	----	0.70B/4.60A	----	3.10 + 0.40	.0060	----	----	----	----	1 UNCH
2490	----	----	----	1.30B/5.10A	----	3.80 + 0.50	.0074	----	----	----	----	1 UNCH
2750	----	----	----	2.60B/7.80A	----	6.70 + 1.00	.0131	----	----	----	----	1 UNCH
2800	----	----	----	3.20B/7.60A	----	7.40 + 1.10	.0145	----	----	----	----	8 UNCH
2900	----	----	----	6.00B/10.10A	----	9.00 + 1.20	.0178	----	----	----	----	19 UNCH
2925	----	----	----	5.10B/10.40A	----	9.50 + 1.30	.0188	----	----	----	----	300 UNCH
2975	----	----	----	6.10B/11.40A	----	10.40 + 1.40	.0207	----	----	----	----	400 UNCH
3000	----	----	----	6.40B/12.00A	----	11.00 + 1.50	.0218	----	----	----	----	1356 UNCH
3160	----	----	----	10.40B/15.80A	----	14.90 + 1.80	.0298	----	----	----	----	2 UNCH
3175	----	----	----	10.90B/16.10A	----	15.30 + 1.80	.0306	----	----	----	----	1 UNCH
3190	----	----	----	11.30B/16.60A	----	15.70 + 1.70	.0314	----	----	----	----	5 UNCH
3250	----	----	----	13.30B/18.60A	----	17.60 + 1.80	.0353	----	----	----	----	15 UNCH
3300	----	----	----	15.40B/20.20A	----	19.30 + 1.70	.0388	----	----	----	----	7 UNCH
3400	----	----	----	20.00B/24.40A	----	23.30 + 1.60	.0468	----	----	----	----	1610 UNCH
3425	----	----	----	21.40B/25.80A	----	24.50 + 1.60	.0492	----	----	----	----	350 UNCH
3450	----	----	----	22.80B/26.80A	----	25.70 + 1.50	.0516	----	----	----	----	201 UNCH
3460	----	----	----	23.40B/27.60A	----	26.20 + 1.50	.0525	----	----	----	----	20 UNCH
3475	----	----	----	24.30B/28.30A	----	26.90 + 1.40	.0540	----	----	----	----	152 UNCH
3500	----	----	----	25.90B/29.70A	----	28.30 + 1.40	.0567	----	----	----	----	1457 UNCH
3550	----	----	32.00B/----	32.00B/32.70A	----	31.20 + 1.30	.0623	----	----	----	----	18 UNCH
3565	----	----	33.30B/----	33.30B/33.60A	----	32.10 + 1.20	.0641	----	----	----	----	2 UNCH
3590	----	----	35.00B/----	35.00B/35.20A	----	33.70 + 1.10	.0672	----	----	----	----	1 UNCH
3600	----	----	36.10B/----	36.10B/35.90A	----	34.40 + 1.10	.0685	----	----	----	----	356 UNCH
3610	----	----	36.90B/----	36.90B/36.60A	----	35.10 + 1.00	.0698	----	----	----	----	3 UNCH
3650	----	----	39.60B/----	39.60B/37.70A	----	38.10 + 1.00	.0754	----	----	----	----	201 UNCH
3660	----	----	39.70B/----	39.70B/38.50A	----	38.90 + 1.00	.0769	----	----	----	----	5 UNCH
3670	----	----	40.60B/----	40.60B/39.40A	----	39.70 + 1.00	.0784	----	----	----	----	1 UNCH
3690	----	----	42.30B/----	42.30B/40.90A	----	41.40 + 1.00	.0815	----	----	----	----	1 UNCH
3700	----	----	43.60B/----	43.60B/41.70A	----	42.20 + 0.90	.0830	----	----	----	----	269 UNCH
3710	----	----	44.50B/----	44.50B/42.60A	----	43.10 + 0.90	.0846	----	----	----	----	37 UNCH
3720	----	----	45.30B/----	45.30B/43.50A	----	44.00 + 0.90	.0863	----	----	----	----	1 UNCH
3725	----	----	46.20B/----	46.20B/43.90A	----	44.50 + 1.00	.0872	----	----	----	----	6 UNCH
3750	----	----	48.40B/----	48.40B/46.30A	----	46.80 + 0.90	.0913	----	----	----	----	166 UNCH
3760	----	----	49.50B/----	49.50B/47.60A	----	47.80 + 0.90	.0931	----	----	----	----	184 UNCH
3780	----	----	51.80B/----	51.80B/50.10A	----	49.90 + 1.00	.0968	----	----	----	----	1 UNCH
3800	----	----	54.00B/----	54.00B/52.10A	----	52.00 + 1.00	.1005	----	----	----	----	73 UNCH
3810	----	----	55.10B/----	55.10B/53.10A	----	53.10 + 1.00	.1024	----	----	----	----	56 UNCH
3850	----	----	60.20B/----	60.20B/57.30A	----	57.70 + 1.10	.1104	----	----	----	----	24 UNCH
3880	----	----	64.40B/----	64.40B/60.60A	----	61.40 + 1.20	.1167	----	----	----	----	1 UNCH
3900	----	----	67.20B/----	67.20B/62.90A	----	64.00 + 1.30	.1211	----	----	----	----	1206 UNCH
3925	----	----	71.00B/65.90A	71.00B/65.90A	----	67.40 + 1.40	.1268	----	----	----	----	205 UNCH
3930	----	----	71.80B/66.60A	71.80B/66.60A	----	68.10 + 1.40	.1279	----	----	----	----	2 UNCH
3950	----	----	75.10B/69.20A	75.10B/69.20A	----	70.90 + 1.40	.1326	----	----	----	----	27 UNCH
3975	----	----	79.50B/72.50A	79.50B/72.50A	----	74.60 + 1.50	.1387	----	----	----	----	190 UNCH
3980	72.80	72.80	80.30B/72.80	80.30B/72.80	----	75.40 + 1.60	.1400	----	----	3	----	142 + 3
4000	----	----	83.40B/76.00A	83.40B/76.00A	----	78.50 + 1.70	.1450	----	----	----	----	1711 UNCH
4025	----	----	88.40B/79.60A	88.40B/79.60A	----	82.50 + 1.70	.1514	----	----	----	----	220 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4050	----	----	92.90B/83.30A	92.90B/83.30A	----	86.70 + 1.80	.1581	----	----	----	----	200 UNCH
4070	----	----	96.60B/86.80A	96.60B/86.80A	----	90.20 + 1.90	.1636	----	----	----	----	5 UNCH
4090	----	----	99.80B/90.30A	99.80B/90.30A	----	93.80 + 2.00	.1692	----	----	----	----	1 UNCH
4100	----	----	102.50B/91.50A	102.50B/91.50A	----	95.70 + 2.10	.1721	----	----	----	----	385 UNCH
4130	----	----	107.70B/97.50A	107.70B/97.50A	----	101.40 + 2.20	.1809	----	----	----	----	2 UNCH
4160	----	----	115.00B/102.50A	115.00B/102.50A	----	107.50 + 2.40	.1901	----	----	----	----	252 UNCH
4170	----	----	116.50B/105.30A	116.50B/105.30A	----	109.60 + 2.50	.1932	----	----	----	----	2 UNCH
4175	----	----	118.40B/105.70A	118.40B/105.70A	----	110.60 + 2.40	.1948	----	----	----	----	60 UNCH
4200	----	----	123.90B/110.70A	123.90B/110.70A	----	116.00 + 2.60	.2028	----	----	----	----	657 UNCH
4215	----	----	127.60B/113.80A	127.60B/113.80A	----	119.40 + 2.70	.2077	----	----	----	----	14 UNCH
4250	----	----	136.00B/121.70A	136.00B/121.70A	----	127.50 + 2.90	.2194	----	----	----	----	344 UNCH
4300	----	----	150.00B/133.50A	150.00B/133.50A	----	139.90 + 3.20	.2369	----	----	----	----	2102 UNCH
4320	----	----	155.20B/138.40A	155.20B/138.40A	----	145.20 + 3.40	.2441	----	----	----	----	100 UNCH
4325	----	----	156.70B/139.80A	156.70B/139.80A	----	146.50 + 3.40	.2459	----	----	----	----	300 UNCH
4340	----	----	160.90B/143.80A	160.90B/143.80A	----	150.60 + 3.50	.2515	----	----	----	----	79 UNCH
4350	----	----	163.70B/146.40A	163.70B/146.40A	----	153.30 + 3.60	.2552	----	----	----	----	151 UNCH
4365	----	----	168.20B/150.60A	168.20B/150.60A	----	157.60 + 3.70	.2609	----	----	----	----	245 UNCH
4375	----	----	170.70B/154.20A	170.70B/154.20A	----	160.40 + 3.80	.2647	----	----	----	----	2 UNCH
4385	----	----	174.30B/156.20A	174.30B/156.20A	----	163.30 + 3.80	.2685	----	----	----	----	75 UNCH
4390	----	----	175.80B/157.60A	175.80B/157.60A	----	164.80 + 3.90	.2704	----	----	----	----	14 UNCH
4400	----	----	179.00B/160.10A	179.00B/160.10A	----	167.80 + 4.00	.2743	----	----	----	----	120 UNCH
4425	----	----	187.10B/167.50A	187.10B/167.50A	----	175.40 + 4.20	.2842	----	----	----	----	9 UNCH
4435	----	----	190.30B/171.00A	190.30B/171.00A	----	178.50 + 4.20	.2882	----	----	----	----	14 UNCH
4450	----	----	195.50B/175.50A	195.50B/175.50A	----	183.30 + 4.40	.2942	----	----	----	----	260 UNCH
4475	----	----	204.10B/183.20A	204.10B/183.20A	----	191.50 + 4.60	.3044	----	----	----	----	8 UNCH
4500	----	----	213.30B/191.20A	213.30B/191.20A	----	200.00 + 4.90	.3148	----	----	----	----	1206 UNCH
4510	----	----	216.30B/195.70A	216.30B/195.70A	----	203.50 + 5.00	.3191	----	----	----	----	2 UNCH
4515	----	----	218.70B/196.80A	218.70B/196.80A	----	205.20 + 5.00	.3212	----	----	----	----	242 UNCH
4520	----	----	220.60B/198.20A	220.60B/198.20A	----	207.00 + 5.10	.3233	----	----	----	----	25 UNCH
4525	----	----	222.50B/200.00A	222.50B/200.00A	----	208.80 + 5.20	.3254	----	----	----	----	200 UNCH
4530	----	----	224.40B/201.70A	224.40B/201.70A	----	210.60 + 5.20	.3275	----	----	----	----	20 UNCH
4535	----	----	226.40B/203.40A	226.40B/203.40A	----	212.40 + 5.30	.3297	----	----	----	----	102 UNCH
4540	----	----	227.90B/206.10A	227.90B/206.10A	----	214.20 + 5.30	.3318	----	----	----	----	1 UNCH
4550	----	----	232.20B/208.70A	232.20B/208.70A	----	217.90 + 5.40	.3361	----	----	----	----	4 UNCH
4555	----	----	234.00B/210.50A	234.00B/210.50A	----	219.70 + 5.40	.3383	----	----	----	----	50 UNCH
4580	----	----	244.30B/220.00A	244.30B/220.00A	----	229.20 + 5.80	.3492	----	----	----	----	50 UNCH
4585	----	----	246.20B/221.90A	246.20B/221.90A	----	231.10 + 5.80	.3514	----	----	----	----	325 UNCH
4600	----	----	252.50B/227.50A	252.50B/227.50A	----	237.00 + 6.00	.3580	----	----	----	----	515 UNCH
4620	----	----	260.80B/234.90A	260.80B/234.90A	----	245.00 + 6.30	.3669	----	----	----	----	50 UNCH
4625	----	----	262.90B/237.40A	262.90B/237.40A	----	247.00 + 6.30	.3691	----	----	----	----	24 UNCH
4640	----	----	269.40B/243.10A	269.40B/243.10A	----	253.20 + 6.50	.3758	----	----	----	----	100 UNCH
4650	----	----	273.90B/247.20A	273.90B/247.20A	----	257.40 + 6.60	.3803	----	----	----	----	112 UNCH
4680	----	----	287.40B/259.70A	287.40B/259.70A	----	270.20 + 7.00	.3939	----	----	----	----	60 UNCH
4690	----	----	291.70B/264.50A	291.70B/264.50A	----	274.70 + 7.20	.3985	----	----	----	----	1 UNCH
4700	268.10	268.10	297.00B/268.10	297.00B/268.10	----	279.10 + 7.30	.4031	----	----	7	----	517 - 5
4750	----	----	320.70B/290.80A	320.70B/290.80A	----	302.30 + 8.00	.4261	----	----	----	----	68 UNCH
4790	----	----	340.90B/309.70A	340.90B/309.70A	----	322.00 + 8.70	.4447	----	----	----	----	60 UNCH
4800	----	----	346.10B/314.50A	346.10B/314.50A	----	327.10 + 8.90	.4493	----	----	2	----	302 UNCH
4810	----	----	351.30B/319.40A	351.30B/319.40A	----	332.20 + 9.00	.4539	----	----	2	----	56 UNCH
4815	----	----	354.10B/322.00A	354.10B/322.00A	----	334.80 + 9.10	.4563	----	----	----	----	10 UNCH
4820	----	----	356.50B/324.10A	356.50B/324.10A	----	337.40 + 9.20	.4586	----	----	----	----	20 UNCH
4825	----	----	359.50B/327.00A	359.50B/327.00A	----	340.00 + 9.30	.4609	----	----	----	----	112 UNCH
4850	----	----	372.80B/339.60A	372.80B/339.60A	----	353.30 + 9.70	.4724	----	----	----	----	13 UNCH
4880	----	----	389.50B/355.20A	389.50B/355.20A	----	369.70 + 10.20	.4862	----	----	----	----	11 UNCH
4900	----	----	400.70B/365.60A	400.70B/365.60A	----	381.00 + 10.60	.4953	----	----	----	----	110 UNCH
4925	----	----	415.30B/379.10A	415.30B/379.10A	----	395.30 + 11.00	.5066	----	----	----	----	137 UNCH
4950	----	----	429.90B/393.20A	429.90B/393.20A	----	409.90 + 11.40	.5178	----	----	----	----	24 UNCH
4975	----	----	445.50B/407.30A	445.50B/407.30A	----	424.80 + 11.80	.5289	----	----	----	----	43 UNCH
4980	----	----	448.40B/410.40A	448.40B/410.40A	----	427.90 + 12.00	.5311	----	----	----	----	5 UNCH
4995	----	----	457.90B/419.20A	457.90B/419.20A	----	437.00 + 12.20	.5377	----	----	----	----	32 UNCH
5000	444.60	444.60	460.80B/422.00A	460.80B/422.00A	----	440.00 + 12.20	.5399	----	----	1	----	445 UNCH
5020	----	----	473.50B/433.60A	473.50B/433.60A	----	452.40 + 12.50	.5486	----	----	----	----	8 UNCH
5025	----	----	476.60B/436.90A	476.60B/436.90A	----	455.50 + 12.60	.5508	----	----	----	----	210 UNCH
5035	----	----	483.10B/442.70A	483.10B/442.70A	----	461.70 + 12.70	.5551	----	----	----	----	8 UNCH
5050	----	----	492.70B/451.90A	492.70B/451.90A	----	471.20 + 12.90	.5616	----	----	----	----	201 UNCH
5070	----	----	505.40B/464.60A	505.40B/464.60A	----	483.90 + 13.10	.5701	----	----	----	----	1 UNCH
5075	----	----	509.10B/467.30A	509.10B/467.30A	----	487.10 + 13.20	.5722	----	----	----	----	100 UNCH
5095	----	----	522.10B/480.00A	522.10B/480.00A	----	500.10 + 13.40	.5806	----	----	----	----	6 UNCH
5100	----	----	525.60B/483.50A	525.60B/483.50A	----	503.30 + 13.40	.5827	----	----	----	----	6 UNCH
5195	----	----	590.80B/546.20A	590.80B/546.20A	----	567.20 + 14.40	.6214	----	----	----	----	5 UNCH
5200	----	----	594.30B/549.60A	594.30B/549.60A	----	570.70 + 14.40	.6234	----	----	----	----	38 UNCH
5250	----	----	630.40B/584.10A	630.40B/584.10A	----	605.90 + 14.90	.6428	----	----	----	----	126 UNCH
5290	----	----	659.90B/612.70A	659.90B/612.70A	----	634.80 + 15.30	.6578	----	----	----	----	1 UNCH
5295	----	----	663.40B/616.40A	663.40B/616.40A	----	638.40 + 15.30	.6596	----	----	----	----	1 UNCH
5360	----	----	713.00B/663.90A	713.00B/663.90A	----	686.80 + 15.90	.6828	----	----	----	----	100 UNCH
5370	----	----	720.80B/671.40A	720.80B/671.40A	----	694.40 + 16.00	.6862	----	----	----	----	20 UNCH
5375	----	----	724.60B/675.20A	724.60B/675.20A	----	698.20 + 16.10	.6879	----	----	----	----	34 UNCH
5400	----	----	743.60B/694.10A	743.60B/694.10A	----	717.40 + 16.40	.6963	----	----	----	----	102 UNCH
5415	----	----	747.50B/705.50A	747.50B/705.50A	----	729.00 + 16.60	.7012	----	----	----	----	4 UNCH
5460	----	----	783.30B/740.20A	783.30B/740.20A	----	764.30 + 17.10	.7156	----	----	----	----	200 UNCH
5465	----	----	787.30B/744.20A	787.30B/744.20A	----	768.30 + 17.20	.7172	----	----	----	----	50 UNCH
5480	----	----	799.30B/760.00A	799.30B/760.00A	----	780.20 + 17.40	.7219	----	----	----	----	50 UNCH
5500	----	----	815.50B/776.50A	815.50B/776.50A	----	796.20 + 17.70	.7279	----	----	----	----	31 UNCH
5525	----	----	835.90B/796.60A	835.90B/796.60A	----	816.40 + 18.00	.7353	----	----	----	----	80 UNCH
5600	----	----	900.90B/856.30A	900.90B/856.30A	----	878.00 + 19.10	.7564	----	----	----	----	252 UNCH
5900	----	----	1,157.90B/----	1157.90B/1117.40A	----	1137.70 + 22.10	.8243	----	----	----	----	125 UNCH
6000	----	----	1,247.40B/----	1247.40B/1207.80A	----	1227.80 + 22.60	.8420	----	----	----	----	40 UNCH
6500	----	----	1,710.70B/----	1710.70B/1679.40A	----	1695.20 + 24.30	.9044	----	----	----	----	4 UNCH
TOTAL										15		23737 - 2
JAN27												
2800	----	----	----	0.80B/*11.30A	----	8.10 + 0.80	.0153	----	----	----	----	10 UNCH
3000	----	----	----	3.90B/17.20A	----	11.60 + 0.60	.0223	----	----	----	----	3 UNCH
3500	----	----	----	30.30B/38.30A	----	34.20 + 2.70	.0625	----	----	----	----	1 UNCH
3520	----	----	34.80B/----	34.80B/39.60A	----	35.70 + 2.80	.0650	----	----	----	----	1 UNCH
3680	----	----	48.90B/----	48.90B/48.00A	----	49.40 + 3.70	.0877	----	----	----	----	1 UNCH
3800	----	----	62.50B/----	62.50B/61.80A	----	61.90 + 3.50	.1080	----	----	----	----	1 UNCH
3825	----	----	65.80B/----	65.80B/64.70A	----	64.80 + 3.40	.1126	----	----	----	----	1 UNCH
3900	----	----	76.30B/----	76.30B/74.00A	----	74.30 + 3.00	.1275	----	----	----	----	1 UNCH
3980	----	----	89.00B/----	89.00B/84.40A	----	86.00 + 2.80	.1454	----	----	----	----	1 UNCH
4000	----	----	92.50B/----	92.50B/87.20A	----	89.20 + 2.80	.1501	----	----	----	----	1 UNCH
4350	----	----	174.50B/161.40A	174.50B/161.40A	----	166.30 + 4.20	.2538	----	----	----	----	1 UNCH
4400	----	----	189.90B/175.50A	189.90B/175.50A	----	180.90 + 4.50	.2715	----	----	----	----	1 UNCH
4500	----	----	223.80B/206.90A	223.80B/206.90A	----	213.20 + 5.10	.3089	----	----	----	----	2 UNCH
4585	----	----	256.20B/236.90A	256.20B/236.90A	----	244.20 + 5.80	.3424	----	----	----	----	1 UNCH
4600	----	----	262.40B/242.50A	262.40B/242.50A	----	250.10 + 6.00	.3485	----	----	----	----	3 UNCH
4630	----	----	275.00B/254.10A	275.00B/254.10A	----	262.00 + 6.30	.3607	----	----	----	----	1 UNCH
4660	----	----	287.90B/266.10A	287.90B/266.10A	----	274.50 + 6.70	.3731	----	----	----	----	4 UNCH
4665	----	----	289.90B/268.20A	289.90B/268.20A	----	276.60 + 6.80	.3752	----	----	----	----	4 UNCH
4710	----	----	310.30B/287.10A	310.30B/287.10A	----	296.20 + 7.40	.3940	----	----	----	----	2 UNCH
4760	----	----	333.60B/309.20A	333.60B/309.20A	----	319.20 + 8.30	.4152	----	----	----	----	100 UNCH
4800	----	----	353.70B/327.80A	353.70B/327.80A	----	338.50 + 9.10	.4322	----	----	----	----	6 UNCH
4820	----	----	363.60B/337.40A	363.60B/337.40A	----	348.50 + 9.60	.4408	----	----	----	----	6 UNCH
4860	----	----	384.60B/357.10A	384.60B/357.10A	----	369.10 + 10.60	.4578	----	----	----	----	1 UNCH
4980	----	----	452.10B/421.00A	452.10B/421.00A	----	435.40 + 13.20	.5082	----	----	----	----	10 UNCH
4990	----	----	457.70B/426.60A	457.70B/426.60A	----	441.20 + 13.30	.5124	----	----	----	----	1 UNCH
4995	----	----	460.80B/429.50A	460.80B/429.50A	----	444.20 + 13.50	.5144	----	----	----	----	1 UNCH
5000	----	----	463.70B/432.30A	463.70B/432.30A	----	447.10 + 13.50	.5165	----	----	----	----	3 UNCH
5050	----	----	494.10B/461.50A	494.10B/461.50A	----	477.10 + 14.30	.5368	----	----	----	----	100 UNCH
5085	----	----	516.40B/482.50A	516.40B/482.50A	----	498.70 + 14.60	.5509	----	----	----	----	2 UNCH
5150	----	----	558.30B/522.70A	558.30B/522.70A	----	540.20 + 15.00	.5764	----	----	----	----	2 UNCH
5235	----	----	615.00B/578.50A	615.00B/578.50A	----	597.10 + 15.40	.6084	----	----	----	----	2 UNCH
5245	----	----	619.00B/585.30A	619.00B/585.30A	----	603.90 + 15.30	.6121	----	----	----	----	2 UNCH
5300	----	----	658.80B/623.10A	658.80B/623.10A	----	642.40 + 15.60	.6318	----	----	----	----	4 UNCH
TOTAL												280 0
FEB27												
4000	----	----	101.40B/----	101.40B/97.90A	----	101.20 + 4.40	.1591	----	----	----	----	1 UNCH
4600	----	----	278.10B/260.50A	278.10B/260.50A	----	266.40 + 5.00	.3513	----	----	----	----	17 UNCH
4650	----	----	299.40B/280.40A	299.40B/280.40A	----	287.20 + 5.60	.3710	----	----	----	----	1 UNCH
4655	----	----	301.30B/282.50A	301.30B/282.50A	----	289.30 + 5.60	.3730	----	----	----	----	1 UNCH
4660	----	----	303.80B/284.60A	303.80B/284.60A	----	291.40 + 5.70	.3750	----	----	----	----	435 UNCH
4665	----	----	305.70B/286.60A	305.70B/286.60A	----	293.60 + 5.80	.3770	----	----	----	----	3 UNCH
4750	----	----	345.10B/323.70A	345.10B/323.70A	----	332.10 + 6.80	.4111	----	----	----	----	1 UNCH
4755	----	----	347.80B/326.00A	347.80B/326.00A	----	334.50 + 6.90	.4131	----	----	----	----	1 UNCH
4775	----	----	357.60B/335.30A	357.60B/335.30A	----	344.10 + 7.20	.4212	----	----	----	----	1 UNCH
4800	----	----	370.10B/347.10A	370.10B/347.10A	----	356.30 + 7.60	.4314	----	----	----	----	100 UNCH
4835	----	----	388.10B/364.00A	388.10B/364.00A	----	373.90 + 8.10	.4456	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27												
4840	----	----	390.40B/366.50A	390.40B/366.50A	----	376.50 + 8.20	.4477	----	----	----	----	1 UNCH
5000	----	----	480.20B/451.60A	480.20B/451.60A	----	464.40 + 10.80	.5118	----	----	----	----	10 UNCH
5005	----	----	483.10B/454.50A	483.10B/454.50A	----	467.30 + 10.90	.5138	----	----	----	----	2 UNCH
5100	----	----	541.80B/510.60A	541.80B/510.60A	----	525.00 + 12.00	.5504	----	----	----	----	2 UNCH
5150	----	----	574.10B/541.60A	574.10B/541.60A	----	556.80 + 12.30	.5691	----	----	----	----	1 UNCH
5175	----	----	590.50B/557.60A	590.50B/557.60A	----	573.10 + 12.50	.5783	----	----	----	----	125 UNCH
5200	----	----	607.50B/573.80A	607.50B/573.80A	----	589.70 + 12.80	.5874	----	----	----	----	1 UNCH
5355	----	----	707.60B/----	707.60B/686.40A	----	697.60 + 14.10	.6406	----	----	----	----	1 UNCH
5520	----	----	833.40B/----	833.40B/807.40A	----	821.50 + 15.70	.6911	----	----	----	----	300 UNCH
5530	----	----	841.30B/----	841.30B/815.00A	----	829.30 + 15.90	.6940	----	----	----	----	100 UNCH
5550	----	----	857.10B/----	857.10B/830.40A	----	844.90 + 16.00	.6996	----	----	----	----	65 UNCH
5565	----	----	861.60B/----	861.60B/841.90A	----	856.70 + 16.20	.7037	----	----	----	----	50 UNCH
TOTAL												1220 0
MAR27												
5000	----	----	----	218.10B/722.20A	----	468.10 + 55.90	.4940	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	2.10B/338.40A	----	217.70 + 7.30	.2568	----	----	----	----	150 UNCH
5000	----	----	----	67.80B/810.30A	----	529.80 + 14.00	.4823	----	----	----	----	100 UNCH
5060	----	----	----	80.00B/862.20A	----	563.50 NEW	.5019	----	----	----	25	25 + 25
TOTAL											25	275 + 25
DEC27												
3700	----	----	----	----	----	155.70 + 4.50	.1437	----	----	----	----	100 UNCH
3715	----	----	----	----	----	158.70 + 4.50	.1461	----	----	----	----	150 UNCH
3820	----	----	----	----	----	180.60 + 5.10	.1633	----	----	----	----	50 UNCH
4130	----	----	----	----	----	256.40 + 6.90	.2205	----	----	----	----	168 UNCH
4500	----	----	----	----	----	377.30 + 9.50	.3014	----	----	----	----	270 UNCH
4630	----	----	----	----	----	430.40 + 10.50	.3326	----	----	----	----	284 UNCH
4860	----	----	----	----	----	538.40 + 12.30	.3893	----	----	----	----	100 UNCH
5000	----	----	----	----	----	611.60 + 13.40	.4241	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1007.30 + 18.40	.5746	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1168.60 + 20.10	.6215	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	615.60 + 13.20	.4143	----	----	----	----	1 UNCH
5100	----	----	----	----	----	669.60 + 14.00	.4382	----	----	----	----	1 UNCH
TOTAL												2 0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3400	----	----	----	1203.10B/1431.30A	----	1324.00 - 29.00	1.0000	----	----	----	----	1 UNCH
3600	----	----	----/1,090.10A	1139.30B/1090.10A	----	1124.00 - 29.00	1.0000	----	----	----	----	10 UNCH
3700	----	----	----/990.00A	1048.70B/990.00A	----	1024.00 - 29.00	1.0000	----	----	----	----	11 UNCH
3800	919.60	919.60	919.60/919.60	919.60/919.60	----	924.00 - 29.00	1.0000	----	----	1	----	0 - 1
3840	----	----	----	764.30B/990.30A	----	884.00 - 29.00	1.0000	----	----	----	----	0 UNCH
3855	----	----	----	749.50B/975.50A	----	869.00 - 29.00	1.0000	----	----	----	----	2 UNCH
3870	----	----	----	734.40B/960.70A	----	854.00 NEW	1.0000	----	----	20	----	0 UNCH
3875	----	----	----/814.80A	876.50B/814.80A	----	849.00 - 29.00	1.0000	----	----	40	----	40 UNCH
3880	----	----	----	724.40B/950.90A	----	844.00 NEW	1.0000	----	----	20	----	0 UNCH
3885	----	----	----	719.60B/945.90A	----	839.00 NEW	1.0000	----	----	5	----	0 UNCH
3890	----	----	----	714.50B/941.00A	----	834.00 - 29.00	1.0000	----	----	23	----	0 UNCH
3895	----	----	----/794.90A	856.50B/794.90A	----	829.00 - 29.00	1.0000	----	----	10	----	9 UNCH
3900	----	----	----/789.90A	851.50B/789.90A	----	824.00 - 29.00	.9999	----	----	46	----	46 UNCH
3905	----	----	----	699.50B/926.30A	----	819.00 NEW	.9999	----	----	5	----	0 UNCH
3910	----	----	----	694.60B/921.30A	----	814.00 NEW	.9999	----	----	23	----	0 UNCH
3945	----	----	----	659.70B/887.00A	----	779.10 NEW	.9994	----	----	20	----	0 UNCH
3950	769.80	769.80	801.50B/740.00A	801.50B/740.00A	----	774.10 - 28.90	.9994	----	----	43	----	76 + 37
3955	----	----	----	649.90B/877.30A	----	769.10 NEW	.9989	----	----	20	----	0 UNCH
3960	----	----	----/730.10A	791.60B/730.10A	----	764.10 - 28.90	.9989	----	----	----	----	8 - 3
3975	----	----	----/715.10A	776.60B/715.10A	----	749.20 - 28.80	.9989	----	----	----	----	13 UNCH
3980	----	----	----/708.60A	772.10B/708.60A	----	744.20 - 28.80	.9989	----	----	----	----	97 UNCH
3995	----	----	----/695.20A	756.60B/695.20A	----	729.20 - 28.80	.9984	----	----	----	----	62 UNCH
4000	----	----	----/688.70A	752.00B/688.70A	----	724.20 - 28.80	.9984	----	----	----	----	135 UNCH
4005	----	----	----/685.20A	746.60B/685.20A	----	719.20 - 28.80	.9984	----	----	----	----	30 UNCH
4015	----	----	----/675.20A	736.60B/675.20A	----	709.20 - 28.80	.9984	----	----	----	----	5 UNCH
4020	----	----	----/670.30A	731.60B/670.30A	----	704.30 - 28.70	.9983	----	----	----	----	14 UNCH
4025	----	----	----	580.00B/810.10A	----	699.30 - 28.70	.9983	----	----	----	----	1 UNCH
4050	----	----	----/638.90A	702.10B/638.90A	----	674.30 - 28.70	.9978	----	----	----	----	176 UNCH
4070	----	----	----/620.50A	681.70B/620.50A	----	654.40 - 28.70	.9977	----	----	----	----	25 UNCH
4075	----	----	----/615.50A	676.70B/615.50A	----	649.40 - 28.70	.9977	----	----	----	----	22 UNCH
4090	----	----	----	514.30B/746.50A	----	634.40 - 28.70	.9972	----	----	----	----	1 UNCH
4100	----	----	----/590.60A	651.70B/590.60A	----	624.50 - 28.60	.9971	----	----	----	----	46 UNCH
4105	----	----	----/585.70A	646.70B/585.70A	----	619.50 - 28.60	.9971	----	----	----	----	10 UNCH
4115	----	----	----	488.70B/722.60A	----	609.50 - 28.60	.9966	----	----	----	----	0 UNCH
4120	----	----	----/567.80A	633.00B/567.80A	----	604.60 - 28.60	.9965	----	----	----	----	350 UNCH
4125	----	----	----	478.60B/713.10A	----	599.60 - 28.60	.9965	----	----	----	----	1 UNCH
4130	----	----	----/560.80A	621.80B/560.80A	----	594.60 - 28.60	.9965	----	----	----	----	11 UNCH
4135	----	----	----/555.80A	616.80B/555.80A	----	589.60 - 28.60	.9959	----	----	----	----	3 UNCH
4145	----	----	----	458.30B/694.10A	----	579.70 - 28.50	.9959	----	----	----	----	1 UNCH
4150	----	----	----/538.00A	602.70B/538.00A	----	574.70 - 28.50	.9958	----	----	----	----	255 UNCH
4155	----	----	----	448.00B/684.70A	----	569.70 - 28.50	.9953	----	----	----	----	1 UNCH
4165	----	----	----/526.10A	586.90B/526.10A	----	559.80 - 28.50	.9952	----	----	----	----	3 UNCH
4170	----	----	----/521.10A	581.90B/521.10A	----	554.80 - 28.50	.9951	----	----	----	----	24 UNCH
4175	----	----	----/516.10A	576.90B/516.10A	----	549.80 - 28.50	.9946	----	----	----	----	3 UNCH
4180	----	----	----/509.70A	572.30B/509.70A	----	544.80 - 28.50	.9945	----	----	----	----	123 UNCH
4185	----	----	----/506.20A	566.90B/506.20A	----	539.90 - 28.40	.9945	----	----	----	----	3 UNCH
4190	----	----	----/501.20A	561.90B/501.20A	----	534.90 - 28.40	.9944	----	----	----	----	18 UNCH
4200	----	----	----/488.40A	553.00B/488.40A	----	525.00 - 28.30	.9938	----	----	----	----	822 UNCH
4205	----	----	----/479.40A	547.00B/479.40A	----	520.00 - 28.30	.9937	----	----	----	----	4 UNCH
4210	----	----	----/474.50A	542.00B/474.50A	----	515.00 - 28.40	.9931	----	----	----	----	23 UNCH
4220	----	----	----/464.70A	532.00B/464.70A	----	505.10 - 28.30	.9930	----	----	----	----	7 UNCH
4240	----	----	----/444.80A	512.10B/444.80A	----	485.20 - 28.20	.9916	----	----	----	----	21 UNCH
4245	----	----	----/439.90A	491.50B/439.90A	----	480.30 - 28.20	.9915	----	----	----	----	2 UNCH
4250	----	----	----/434.90A	503.00B/434.90A	----	475.30 - 28.20	.9914	----	----	----	----	277 UNCH
4255	----	----	----/430.00A	497.50B/430.00A	----	470.30 - 28.20	.9907	----	----	----	----	103 UNCH
4260	----	----	----/425.00A	492.20B/425.00A	----	465.40 - 28.10	.9906	----	----	----	----	8 UNCH
4265	----	----	----/420.20A	487.20B/420.20A	----	460.40 - 28.10	.9899	----	----	----	----	13 UNCH
4270	----	----	----/415.20A	482.30B/415.20A	----	455.50 - 28.00	.9898	----	----	----	----	29 UNCH
4275	----	----	----/410.20A	477.30B/410.20A	----	450.50 - 28.10	.9897	----	----	----	----	14 UNCH
4280	----	----	----/405.30A	456.70B/405.30A	----	445.50 - 28.10	.9890	----	----	----	----	1 UNCH
4285	----	----	----/400.30A	467.40B/400.30A	----	440.60 - 28.00	.9889	----	----	----	----	4 UNCH
4290	----	----	----/395.50A	462.40B/395.50A	----	435.60 - 28.00	.9882	----	----	----	----	44 UNCH
4295	----	----	----/390.50A	441.80B/390.50A	----	430.70 - 27.90	.9881	----	----	----	----	2 UNCH
4300	----	----	453.80B/385.70A	453.80B/385.70A	----	425.70 - 28.00	.9879	----	----	----	----	1117 UNCH
4305	----	----	----/380.60A	431.90B/380.60A	----	420.80 - 27.90	.9872	----	----	----	----	2 UNCH
4315	----	----	442.10B/370.90A	442.10B/370.90A	----	410.80 - 28.00	.9862	----	----	----	----	3 UNCH
4325	----	----	432.40B/361.00A	432.40B/361.00A	----	400.90 - 27.90	.9853	----	----	----	----	562 UNCH
4330	----	----	427.20B/356.10A	427.20B/356.10A	----	396.00 - 27.90	.9851	----	----	----	----	26 UNCH
4335	----	----	422.50B/351.20A	422.50B/351.20A	----	391.00 - 27.90	.9843	----	----	----	----	1 UNCH
4340	----	----	419.70B/346.30A	419.70B/346.30A	----	386.10 - 27.80	.9841	----	----	----	----	4 UNCH
4345	----	----	421.80B/341.40A	421.80B/341.40A	----	381.10 - 27.90	.9839	----	----	----	----	2 UNCH
4350	----	----	416.80B/336.60A	416.80B/336.60A	----	376.20 - 27.80	.9831	----	----	----	----	249 UNCH
4355	----	----	414.40B/331.80A	414.40B/331.80A	----	371.20 - 27.90	.9822	----	----	----	----	40 UNCH
4360	----	----	409.60B/326.90A	409.60B/326.90A	----	366.30 - 27.80	.9820	----	----	----	----	349 UNCH
4365	----	----	404.50B/321.90A	404.50B/321.90A	----	361.40 - 27.80	.9811	----	----	----	----	5 UNCH
4370	----	----	399.70B/317.10A	399.70B/317.10A	----	356.40 - 27.80	.9808	----	----	----	----	75 UNCH
4375	----	----	394.60B/312.20A	394.60B/312.20A	----	351.50 - 27.80	.9799	----	----	----	----	34 UNCH
4380	----	----	389.80B/307.40A	389.80B/307.40A	----	346.50 - 27.80	.9796	----	----	----	----	12 UNCH
4385	----	----	384.70B/302.50A	384.70B/302.50A	----	341.60 - 27.80	.9787	----	----	----	----	4 UNCH
4390	----	----	379.90B/297.70A	379.90B/297.70A	----	336.70 - 27.70	.9777	----	----	----	----	10 UNCH
4395	----	----	374.80B/292.80A	374.80B/292.80A	----	331.80 - 27.70	.9767	----	----	----	----	5 UNCH
4400	342.00	342.00	370.00B/288.00A	370.00B/288.00A	----	326.80 - 27.70	.9764	----	----	1	----	1635 + 1
4405	----	----	364.90B/283.20A	364.90B/283.20A	----	321.90 - 27.70	.9754	----	----	----	----	16 UNCH
4410	----	----	359.80B/278.40A	359.80B/278.40A	----	317.00 - 27.70	.9743	----	----	----	----	44 UNCH
4415	----	----	355.40B/273.60A	355.40B/273.60A	----	312.10 - 27.60	.9732	----	----	----	----	35 UNCH
4420	----	----	350.20B/268.80A	350.20B/268.80A	----	307.20 - 27.60	.9721	----	----	----	----	50 UNCH
4425	----	----	345.40B/264.00A	345.40B/264.00A	----	302.30 - 27.50	.9710	----	----	----	----	75 UNCH
4430	----	----	340.30B/259.20A	340.30B/259.20A	----	297.40 - 27.50	.9699	----	----	----	----	16 UNCH
4435	----	----	335.40B/254.40A	335.40B/254.40A	----	292.50 - 27.50	.9687	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4440	----	----	330.30B/249.70A	330.30B/249.70A	----	287.60 - 27.40	.9675	----	----	----	----	60 UNCH
4445	----	----	325.40B/244.90A	325.40B/244.90A	----	282.70 - 27.40	.9662	----	----	----	----	7 UNCH
4450	----	----	320.70B/240.20A	320.70B/240.20A	----	277.80 - 27.40	.9650	----	----	----	----	270 UNCH
4455	----	----	315.80B/235.50A	315.80B/235.50A	----	273.00 - 27.30	.9629	----	----	----	----	44 UNCH
4460	252.10	252.10	310.60B/230.80A	310.60B/230.80A	----	268.10 - 27.20	.9616	----	----	2	----	27 UNCH
4465	----	----	305.70B/226.10A	305.70B/226.10A	----	263.20 - 27.20	.9602	----	----	----	----	20 UNCH
4470	----	----	301.10B/221.40A	301.10B/221.40A	----	258.40 - 27.10	.9581	----	----	----	----	53 UNCH
4475	----	----	296.00B/216.90A	296.00B/216.90A	----	253.60 - 27.00	.9566	----	----	----	----	39 UNCH
4480	----	----	291.10B/212.10A	291.10B/212.10A	----	248.70 - 27.00	.9544	----	----	----	----	117 UNCH
4485	----	----	286.10B/207.50A	286.10B/207.50A	----	243.90 - 26.90	.9521	----	----	----	----	23 UNCH
4490	----	----	281.50B/202.90A	281.50B/202.90A	----	239.10 - 26.80	.9498	----	----	----	----	19 UNCH
4495	----	----	276.60B/198.30A	276.60B/198.30A	----	234.30 - 26.70	.9481	----	----	----	----	16 UNCH
4500	----	----	271.50B/193.90A	271.50B/193.90A	----	229.50 - 26.70	.9457	----	----	1	----	1268 UNCH
4505	----	----	266.90B/189.20A	266.90B/189.20A	----	224.70 - 26.60	.9424	----	----	----	----	29 UNCH
4510	----	----	262.00B/184.70A	262.00B/184.70A	----	219.90 - 26.60	.9398	----	----	----	----	46 UNCH
4515	----	----	257.00B/180.40A	257.00B/180.40A	----	215.10 - 26.50	.9372	----	----	----	----	16 UNCH
4520	----	----	252.30B/175.90A	252.30B/175.90A	----	210.40 - 26.40	.9344	----	----	----	----	20 UNCH
4525	----	----	247.50B/171.50A	247.50B/171.50A	----	205.60 - 26.40	.9309	----	----	----	----	23 UNCH
4530	----	----	242.30B/166.90A	242.30B/166.90A	----	200.90 - 26.20	.9272	----	----	----	----	37 UNCH
4535	----	----	237.50B/162.70A	237.50B/162.70A	----	196.20 - 26.10	.9243	----	----	----	----	30 UNCH
4540	----	----	232.70B/158.30A	232.70B/158.30A	----	191.50 - 26.10	.9205	----	----	----	----	20 UNCH
4545	----	----	227.80B/153.90A	227.80B/153.90A	----	186.80 - 26.00	.9158	----	----	----	----	4 UNCH
4550	----	----	223.10B/149.50A	223.10B/149.50A	----	182.10 - 25.90	.9118	----	----	----	----	365 UNCH
4555	----	----	218.60B/145.30A	218.60B/145.30A	----	177.50 - 25.80	.9076	----	----	----	----	31 UNCH
4560	----	----	213.90B/141.20A	213.90B/141.20A	----	172.90 - 25.60	.9027	----	----	----	----	35 UNCH
4565	----	----	209.10B/136.80A	209.10B/136.80A	----	168.30 - 25.50	.8975	----	----	----	----	49 UNCH
4570	----	----	204.10B/132.70A	204.10B/132.70A	----	163.70 - 25.40	.8923	----	----	----	----	205 UNCH
4575	----	----	199.70B/128.50A	199.70B/128.50A	----	159.10 - 25.30	.8862	----	----	----	----	69 UNCH
4580	----	----	194.90B/124.40A	194.90B/124.40A	----	154.60 - 25.20	.8807	----	----	----	----	6 UNCH
4585	----	----	190.30B/120.40A	190.30B/120.40A	----	150.10 - 25.00	.8743	----	----	----	----	100 UNCH
4590	----	----	185.40B/116.30A	185.40B/116.30A	----	145.60 - 24.90	.8677	----	----	----	----	130 UNCH
4595	----	----	181.00B/112.20A	181.00B/112.20A	----	141.10 - 24.80	.8603	----	----	----	----	31 UNCH
4600	135.90	135.90	176.40B/108.50A	176.40B/108.50A	----	136.70 - 24.60	.8527	----	----	3	----	2667 - 1
4605	----	----	171.80B/104.50A	171.80B/104.50A	----	132.30 - 24.40	.8449	----	----	----	----	302 UNCH
4610	----	----	167.10B/100.90A	167.10B/100.90A	----	128.00 - 24.20	.8370	----	----	----	----	76 UNCH
4615	----	----	162.70B/97.10A	162.70B/97.10A	----	123.70 - 24.00	.8281	----	----	----	----	20 UNCH
4620	----	----	158.20B/93.30A	158.20B/93.30A	----	119.40 - 23.80	.8184	----	----	----	----	25 UNCH
4625	----	----	153.60B/89.60A	153.60B/89.60A	----	115.20 - 23.60	.8091	----	----	----	----	117 UNCH
4630	----	----	149.20B/85.90A	149.20B/85.90A	----	111.00 - 23.40	.7990	----	----	----	----	39 UNCH
4635	----	----	144.80B/82.50A	144.80B/82.50A	----	106.90 - 23.10	.7880	----	----	----	----	229 UNCH
4640	105.60	105.60	140.40B/78.40A	140.40B/78.40A	----	102.80 - 22.90	.7768	----	----	1	----	46 + 1
4645	----	----	135.80B/75.10A	135.80B/75.10A	----	98.70 - 22.70	.7648	----	----	----	----	6 UNCH
4650	----	----	131.70B/71.80A	131.70B/71.80A	----	94.70 - 22.40	.7525	----	----	----	----	581 UNCH
4655	----	----	127.50B/68.30A	127.50B/68.30A	----	90.80 - 22.10	.7399	----	----	----	----	222 UNCH
4660	----	----	123.30B/65.20A	123.30B/65.20A	----	86.90 - 21.90	.7265	----	----	----	----	146 UNCH
4665	----	----	119.10B/*62.00A	119.10B/*62.00A	----	83.10 - 21.60	.7123	----	----	----	----	51 UNCH
4670	----	----	114.90B/58.90A	114.90B/58.90A	----	79.30 - 21.30	.6978	----	----	----	----	118 UNCH
4675	----	----	110.80B/55.80A	110.80B/55.80A	----	75.60 - 21.00	.6826	----	----	----	----	86 UNCH
4680	----	----	106.80B/53.00A	106.80B/53.00A	----	72.00 - 20.70	.6667	----	----	----	----	160 UNCH
4685	62.90	62.90	102.90B/*50.20A	102.90B/*50.20A	----	68.40 - 20.40	.6504	----	----	4	----	159 UNCH
4690	64.50	64.50	99.00B/47.50A	99.00B/47.50A	----	64.90 - 20.10	.6334	----	----	8	----	50 + 8
4695	53.00	53.00	95.20B/*45.00A	95.20B/*45.00A	----	61.50 - 19.80	.6158	----	----	2	----	53 UNCH
4700	55.00	55.00	91.30B/42.50A	91.30B/42.50A	----	58.20 - 19.40	.5977	----	----	87	----	2196 - 17
4705	49.00	49.00	87.70B/*40.20A	87.70B/*40.20A	----	55.00 - 19.00	.5790	----	----	18	----	305 - 2
4710	42.20	42.20	84.00B/*37.90A	84.00B/*37.90A	----	51.90 - 18.60	.5598	----	----	22	----	226 + 21
4715	45.40	45.40	80.40B/*35.70A	80.40B/*35.70A	----	48.80 - 18.20	.5403	----	----	1	----	73 UNCH
4720	42.40	42.40	76.90B/*33.50A	76.90B/*33.50A	----	45.90 - 17.70	.5203	----	----	26	----	265 - 1
4725	45.80	45.80	73.10B/*31.50A	73.10B/*31.50A	----	43.10 - 17.20	.4999	----	----	55	----	154 + 16
4730	43.30	43.30	70.00B/*29.60A	70.00B/*29.60A	----	40.30 - 16.80	.4793	----	----	6	----	68 - 1
4735	40.60	40.60	66.40B/*27.70A	66.40B/*27.70A	----	37.70 - 16.20	.4585	----	----	5	----	25 + 1
4740	49.50	49.50	63.20B/*25.90A	63.20B/*25.90A	----	35.20 - 15.70	.4376	----	----	11	----	172 - 2
4745	39.80	39.80	60.80B/*24.20A	60.80B/*24.20A	----	32.80 - 15.10	.4166	----	----	18	----	40 + 10
4750	49.90	49.90	57.50B/*22.30A	57.50B/*22.30A	----	30.60 - 14.50	.3958	----	----	459	----	998 - 179
4755	47.00	47.00	54.60B/*20.00A	54.60B/*20.00A	----	28.40 - 13.90	.3750	----	----	15	----	65 + 3
4760	27.90	27.90	51.80B/*18.00A	51.80B/*18.00A	----	26.30 - 13.40	.3542	----	----	5	----	98 - 1
4765	----	----	49.00B/*16.20A	49.00B/*16.20A	----	24.40 - 12.70	.3341	----	----	1	----	60 UNCH
4770	18.40	18.40	46.30B/*14.40A	46.30B/*14.40A	----	22.60 - 12.10	.3144	----	----	36	----	105 + 21
4775	37.50	37.50	43.80B/*12.70A	43.80B/*12.70A	----	20.90 - 11.50	.2952	----	----	129	----	317 + 93
4780	13.70	13.70	41.30B/*11.10A	41.30B/*11.10A	----	19.30 - 10.90	.2764	----	----	19	----	66 - 3
4785	21.40	21.40	39.10B/*9.60A	39.10B/*9.60A	----	17.70 - 10.40	.2577	----	----	57	----	88 + 44
4790	20.10	20.10	36.60B/*8.50A	36.60B/*8.50A	----	16.30 - 9.80	.2401	----	----	106	----	230 + 96
4795	9.50	9.50	34.60B/*7.40A	34.60B/*7.40A	----	15.00 - 9.20	.2234	----	----	5	----	85 + 5
4800	26.00	26.00	33.00/*6.40A	33.00/*6.40A	----	13.80 - 8.60	.2074	----	----	2943	340	2564 - 516
4805	7.40	7.40	30.60B/*5.60A	30.60B/*5.60A	----	12.70 - 8.10	.1924	----	----	21	----	80 + 14
4810	6.60	6.60	28.70B/*4.70A	28.70B/*4.70A	----	11.70 - 7.50	.1783	----	----	334	----	749 + 111
4815	5.80	5.80	26.80B/*4.10A	26.80B/*4.10A	----	10.80 - 6.90	.1652	----	----	14	----	40 - 1
4820	6.30	6.30	24.90B/*3.60A	24.90B/*3.60A	----	9.90 - 6.40	.1523	----	----	105	----	258 - 10
4825	21.10	21.10	23.40B/*3.10A	23.40B/*3.10A	----	9.10 - 5.90	.1404	----	----	61	----	292 - 3
4830	9.30	9.30	21.60B/*2.70A	21.60B/*2.70A	----	8.40 - 5.40	.1297	----	----	31	----	103 + 9
4835	10.10	10.10	20.20B/*2.40A	20.20B/*2.40A	----	7.70 - 5.00	.1192	----	----	13	----	79 + 6
4840	5.00	5.00	18.90B/*2.10A	18.90B/*2.10A	----	7.10 - 4.60	.1098	----	----	127	----	209 + 92
4845	4.50	4.50	17.60B/*1.90A	17.60B/*1.90A	----	6.60 - 4.20	.1016	----	----	55	----	190 + 22
4850	12.40	12.40	16.30B/*1.00	16.30B/*1.00	----	6.10 - 3.80	.0937	----	----	2451	----	1493 - 1220
4855	3.50	3.50	14.80B/*1.60A	14.80B/*1.60A	----	5.70 - 3.40	.0869	----	----	62	----	162 + 12
4860	14.00	14.00	14.00/*1.30	14.00/*1.30	----	5.30 - 3.10	.0804	----	----	28	----	182 + 12
4865	5.10	5.10	12.80B/*1.40A	12.80B/*1.40A	----	4.90 - 2.80	.0740	----	----	124	----	201 + 32
4870	5.50	5.50	11.90B/*1.30A	11.90B/*1.30A	----	4.60 - 2.50	.0688	----	----	11	----	198 - 3
4875	6.20	6.20	11.00B/*1.10	11.00B/*1.10	----	4.30 - 2.30	.0638	----	----	152	----	388 - 50
4880	1.50	1.50	10.20B/*1.20A	10.20B/*1.20A	----	4.00 - 2.10	.0590	----	----	52	----	131 + 25
4885	5.00	5.00	9.50B/*1.20A	9.50B/*1.20A	----	3.70 - 1.90	.0542	----	----	21	----	68 + 7
4890	1.00	1.00	8.60B/*1.00	8.60B/*1.00	----	3.50 - 1.70	.0507	----	----	11	----	89 UNCH
4895	2.50	2.50	7.90B/*1.10A	7.90B/*1.10A	----	3.30 - 1.50	.0473	----	----	5	----	120 + 3
4900	6.00	6.00	7.30B/*0.60	7.30B/*0.60	----	3.10 - 1.40	.0440	----	----	1311	----	2135 + 284
4905	2.50	2.50	6.80B/*1.00A	6.80B/*1.00A	----	2.90 - 1.20	.0408	----	----	19	----	50 - 2
4910	0.80	0.80	6.40B/*0.80	6.40B/*0.80	----	2.80 - 1.10	.0388	----	----	4	----	100 UNCH
4915	----	----	5.90B/*0.90A	5.90B/*0.90A	----	2.60 - 1.00	.0357	----	----	----	----	198 UNCH
4920	0.80	0.80	5.40B/*0.80	5.40B/*0.80	----	2.50 - 0.90	.0339	----	----	6	----	167 - 2
4925	2.30	2.30	4.90B/*0.80A	4.90B/*0.80A	----	2.40 - 0.80	.0321	----	----	28	----	415 - 5
4930	1.90	1.90	4.70B/*0.80A	4.70B/*0.80A	----	2.30 - 0.70	.0303	----	----	2	----	254 + 1
4935	----	----	4.30B/*0.80A	4.30B/*0.80A	----	2.20 - 0.60	.0286	----	----	----	----	61 UNCH
4940	----	----	4.00B/*0.80A	4.00B/*0.80A	----	2.10 - 0.60	.0270	----	----	----	----	26 UNCH
4945	----	----	3.70B/*0.80A	3.70B/*0.80A	----	2.00 - 0.50	.0254	----	----	----	----	88 UNCH
4950	4.00	4.00	4.00/*0.80A	4.00/*0.80A	----	1.90 - 0.50	.0238	----	----	161	----	1410 - 4
4955	1.80	1.80	3.20B/*0.80A	3.20B/*0.80A	----	1.80 - 0.40	.0223	----	----	5	----	38 UNCH
4960	----	----	3.00B/*0.80A	3.00B/*0.80A	----	1.70 - 0.40	.0209	----	----	----	----	46 UNCH
4965	----	----	2.80B/*0.80A	2.80B/*0.80A	----	1.70 - 0.30	.0205	----	----	----	----	63 UNCH
4970	----	----	2.60B/*0.80A	2.60B/*0.80A	----	1.60 - 0.30	.0191	----	----	4	----	59 - 4
4975	----	----	2.40B/*0.80A	2.40B/*0.80A	----	1.50 - 0.30	.0177	----	----	7	----	287 UNCH
4980	----	----	2.20B/*0.80A	2.20B/*0.80A	----	1.50 - 0.20	.0174	----	----	----	----	229 UNCH
4985	----	----	2.10B/*0.80A	2.10B/*0.80A	----	1.40 - 0.20	.0161	----	----	----	----	178 UNCH
4990	----	----	2.00B/*0.80A	2.00B/*0.80A	----	1.40 - 0.10	.0158	----	----	----	----	62 UNCH
4995	----	----	1.90B/*0.80A	1.90B/*0.80A	----	1.30 - 0.20	.0146	----	----	----	----	138 UNCH
5000	2.40	2.40	2.40/*0.40A	2.40/*0.40A	----	1.30 - 0.10	.0143	----	----	421	----	3378 - 88
5005	----	----	1.70B/*0.70A	1.70B/*0.70A	----	1.30 UNCH	.0141	----	----	----	----	31 UNCH
5010	1.00	1.00	1.70B/*0.70A	1.70B/*0.70A	----	1.20 - 0.10	.0129	----	----	1	----	123 - 1
5015	0.60	0.60	1.60B/*0.60	1.60B/*0.60	----	1.20 UNCH	.0127	----	----	2	----	66 UNCH
5020	0.80	0.80	1.50B/*0.70A	1.50B/*0.70A	----	1.10 - 0.10	.0116	----	----	1	----	90 UNCH
5025	1.00	1.00	1.50B/*0.60A	1.50B/*0.60A	----	1.10 UNCH	.0114	----	----	20	----	287 - 4
5030	----	----	1.40B/*0.60A	1.40B/*0.60A	----	1.10 UNCH	.0112	----	----	1	----	324 - 1
5035	----	----	1.40B/*0.60A	1.40B/*0.60A	----	1.00 UNCH	.0101	----	----	----	----	33 UNCH
5040	0.70	0.70	1.30B/*0.60A	1.30B/*0.60A	----	1.00 UNCH	.0100	----	----	1	----	190 + 1
5045	----	----	1.30B/*0.60A	1.30B/*0.60A	----	1.00 UNCH	.0099	----	----	----	----	925 UNCH
5050	0.70	0.70	1.20B/*0.50	1.20B/*0.50	----	0.90 UNCH	.0088	----	----	85	----	1695 - 5
5055	----	----	1.20B/*0.50A	1.20B/*0.50A	----	0.90 UNCH	.0087	----	----	----	----	87 UNCH
5060	----	----	1.10B/*0.50A	1.10B/*0.50A	----	0.90 UNCH	.0086	----	----	----	----	93 UNCH
5065	----	----	1.10B/*0.50A	1.10B/*0.50A	----	0.80 - 0.10	.0076	----	----	----	----	25 UNCH
5070	----	----	1.10B/*0.50A	1.10B/*0.50A	----	0.80 UNCH	.0075	----	----	----	----	65 UNCH
5075	----	----	1.00B/*0.40A	1.00B/*0.40A	----	0.80 UNCH	.0074	----	----	1	----	67 - 1
5080	----	----	1.00B/*0.40A	1.00B/*0.40A	----	0.80 UNCH	.0073	----	----	----	----	322 UNCH
5085	----	----	0.90B/*0.40A	0.90B/*0.40A	----	0.70 - 0.10	.0063	----	----	----	----	328 UNCH
5090	----	----	0.90B/*0.40A	0.90B/*0.40A	----	0.70 - 0.10	.0062	----	----	----	----	345 UNCH
5095	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.70 UNCH	.0062	----	----	----	----	28 UNCH
5100	0.60	0.60	0.80B/*0.40A	0.80B/*0.40A	----	0.70 UNCH	.0061	----	----	14	----	2295 - 1
5105	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.70 UNCH	.0060	----	----	----	----	76 UNCH
5110	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.10	.0051	----	----	----	----	455 UNCH
5115	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.10	.0051	----	----	----	----	97 UNCH
5120	0.30	0.30	0.70B/*0.30	0.70B/*0.30	----	0.60 UNCH	.0050	----	----	2	----	48 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5125	----	----	----/*0.40A	0.60B/*0.40A	----	0.60 UNCH	.0049	----	----	2	----	450 - 2
5130	----	----	----/*0.40A	0.60B/*0.40A	----	0.60 UNCH	.0049	----	----	1	----	90 - 1
5135	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.10	.0040	----	----	----	----	183 UNCH
5140	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.10	.0040	----	----	----	----	261 UNCH
5145	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 UNCH	.0040	----	----	----	----	77 UNCH
5150	0.40	0.40	0.40/0.40	0.50B/0.40	----	0.50 UNCH	.0039	----	----	2	----	1465 UNCH
5155	----	----	----/0.40A	0.50B/0.40A	----	0.50 UNCH	.0039	----	----	----	----	90 UNCH
5160	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.10	.0031	----	----	----	----	289 UNCH
5165	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.10	.0030	----	----	----	----	67 UNCH
5170	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.10	.0030	----	----	----	----	205 UNCH
5175	----	----	----/0.30A	0.40B/0.30A	----	0.40 UNCH	.0030	----	----	----	----	270 UNCH
5180	----	----	----/0.30A	0.40B/0.30A	----	0.40 UNCH	.0029	----	----	----	----	45 UNCH
5185	----	----	----/0.30A	0.40B/0.30A	----	0.40 UNCH	.0029	----	----	----	----	38 UNCH
5190	----	----	----/0.30A	0.40B/0.30A	----	0.40 UNCH	.0029	----	----	----	----	344 UNCH
5195	----	----	----/0.30A	0.40B/0.30A	----	0.30 - 0.10	.0021	----	----	----	----	38 UNCH
5200	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	2530 UNCH
5205	----	----	----	----/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	29 UNCH
5210	----	----	----	----/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	54 UNCH
5215	----	----	----	----/0.40A	----	0.30 UNCH	.0020	----	----	----	----	64 UNCH
5220	----	----	----	----/0.40A	----	0.30 UNCH	.0020	----	----	----	----	272 UNCH
5225	0.20	0.20	0.20/0.20	0.20/0.20	----	0.30 UNCH	.0020	----	----	30	----	184 UNCH
5230	----	----	----	----/0.40A	----	0.30 UNCH	.0020	----	----	----	----	46 UNCH
5235	----	----	----	----/0.40A	----	0.30 UNCH	.0020	----	----	----	----	73 UNCH
5240	----	----	----	----/0.40A	----	0.30 UNCH	.0020	----	----	----	----	93 UNCH
5245	----	----	----	----/0.30A	----	0.30 UNCH	.0019	----	----	----	----	58 UNCH
5250	----	----	----	----/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	1858 UNCH
5255	----	----	----	----/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	9 UNCH
5260	----	----	----	----/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	120 UNCH
5265	----	----	----	----/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	62 UNCH
5270	----	----	----	----/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	95 UNCH
5275	----	----	----	----/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	202 UNCH
5280	----	----	----	----/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	287 UNCH
5285	----	----	----	----/0.30A	----	0.20 UNCH	.0012	----	----	----	----	35 UNCH
5290	----	----	----	----/0.30A	----	0.20 UNCH	.0012	----	----	----	----	65 UNCH
5295	----	----	----	----/0.30A	----	0.20 UNCH	.0012	----	----	----	----	69 UNCH
5300	----	----	----	----/0.30A	----	0.20 UNCH	.0011	----	----	4	----	2045 - 4
5305	----	----	----	----/0.30A	----	0.20 UNCH	.0011	----	----	----	----	48 UNCH
5310	----	----	----	----/0.30A	----	0.20 UNCH	.0011	----	----	----	----	36 UNCH
5315	----	----	----	----/0.30A	----	0.20 UNCH	.0011	----	----	----	----	35 UNCH
5320	----	----	----	----/0.20A	----	0.20 UNCH	.0011	----	----	----	----	362 UNCH
5325	----	----	----	----/0.20A	----	0.20 UNCH	.0011	----	----	----	----	110 UNCH
5330	----	----	----	----/0.30A	----	0.20 UNCH	.0011	----	----	----	----	42 UNCH
5335	----	----	----	----/0.30A	----	0.20 UNCH	.0011	----	----	----	----	243 UNCH
5340	----	----	----	----/0.20A	----	0.20 UNCH	.0011	----	----	----	----	134 UNCH
5345	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	65 UNCH
5350	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	1	----	824 UNCH
5355	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	29 UNCH
5360	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0004	----	----	----	----	106 UNCH
5365	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	33 UNCH
5370	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	125 UNCH
5375	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	403 UNCH
5380	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	77 UNCH
5385	----	----	----	----/*0.10A	----	0.10 UNCH	.0002	----	----	----	----	117 UNCH
5390	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	100 UNCH
5395	----	----	----	----/*0.10A	----	0.10 UNCH	.0002	----	----	----	----	39 UNCH
5400	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0002	----	----	1	----	2639 + 1
5405	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	63 UNCH
5410	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	155 UNCH
5415	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	35 UNCH
5420	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	143 UNCH
5425	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	100 UNCH
5430	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	22 UNCH
5435	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	15 UNCH
5440	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	62 UNCH
5445	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	116 UNCH
5450	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	542 UNCH
5455	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	153 UNCH
5460	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
5465	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	38 UNCH
5470	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	253 UNCH
5475	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
5480	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
5485	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	41 UNCH
5490	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
5495	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	52 UNCH
5500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	2	----	3998 - 1
5505	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	92 UNCH
5510	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	64 UNCH
5515	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
5520	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	204 UNCH
5525	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	1	----	85 UNCH
5530	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	65 UNCH
5535	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
5540	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	27 UNCH
5545	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
5550	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	854 UNCH
5555	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
5560	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	28 UNCH
5565	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	46 UNCH
5570	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	556 UNCH
5575	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	238 UNCH
5580	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	139 UNCH
5585	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5590	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	93 UNCH
5595	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
5600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2955 UNCH
5610	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	462 UNCH
5620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	137 UNCH
5625	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	261 UNCH
5630	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	151 UNCH
5640	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	552 UNCH
5650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	703 UNCH
5660	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	262 UNCH
5670	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
5675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
5680	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	94 UNCH
5690	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	178 UNCH
5700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1830 UNCH
5710	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
5720	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
5725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	431 UNCH
5730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	120 UNCH
5740	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	55 UNCH
5750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	309 UNCH
5760	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	63 UNCH
5770	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	70 UNCH
5780	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
5790	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
5800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	989 UNCH
5810	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
5820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
5825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	112 UNCH
5830	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	138 UNCH
5840	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	89 UNCH
5850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	330 UNCH
5860	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	68 UNCH
5870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
5875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	123 UNCH
5880	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5890	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
5900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	773 UNCH
5910	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	61 UNCH
5920	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	113 UNCH
5930	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	136 UNCH
5940	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	59 UNCH
5950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	377 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 26

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
5960	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	45	UNCH
5970	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
5980	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	136	UNCH
5990	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
6000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3496	UNCH
6025	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	86	UNCH
6050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	103	UNCH
6075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
6100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	527	UNCH
6125	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	48	UNCH
6150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	132	UNCH
6175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	128	UNCH
6200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	374	UNCH
6225	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	138	UNCH
6250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	278	UNCH
6275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	34	UNCH
6300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	274	UNCH
6325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	148	UNCH
6350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	203	UNCH
6375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
6400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	333	UNCH
6425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
6450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	49	UNCH
6475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	68	UNCH
6500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1575	UNCH
6525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
6550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	75	UNCH
6575	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
6600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	71	UNCH
6625	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	38	UNCH
6650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	57	UNCH
6675	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	29	UNCH
6700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	381	UNCH
6725	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	101	UNCH
6750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	64	UNCH
6775	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
6800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	616	UNCH
6825	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
6850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
6875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
6900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	553	UNCH
6925	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
6950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	34	UNCH
6975	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
7000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	823	UNCH
7025	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	402	UNCH
7050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	33	UNCH
7075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	86	UNCH
7100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	106	UNCH
7125	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
7150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	26	UNCH
7175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
7200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	97	UNCH
7225	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
7275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
7300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
7325	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7350	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
7400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
7450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
7475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	350	UNCH
7525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
7575	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
7625	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7650	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7675	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	36	UNCH
7700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	77	UNCH
7725	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
7775	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
7825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	39	UNCH
7975	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1098	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	54	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1081	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
8400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	332	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	53	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	767	UNCH
15000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	133	UNCH
TOTAL											10140	340	101771 -	1151
JUN26														
1995	----	----	----/2,723.90A	2730.70B/2723.90A	----	2729.00	- 29.00	1.0000	----	----	400	----	0	UNCH
2000	----	----	----/2,689.80A	2751.60B/2689.80A	----	2724.00	- 29.00	1.0000	----	----	2062	----	422	UNCH
2005	----	----	----/2,713.90A	2720.70B/2713.90A	----	2719.00	- 29.00	1.0000	----	----	400	----	0	UNCH
2795	----	----	----	----	----	1929.00	- 29.00	.9997	----	----	100	----	0	UNCH
2800	----	----	----/1,888.70A	1952.50B/1888.70A	----	1924.00	- 29.00	.9997	----	----	1068	----	500 -	200
2805	----	----	----	----	----	1919.00	- 29.00	.9997	----	----	100	----	0	UNCH
2995	----	----	----/1,723.30A	1720.80B/1723.30A	----	1729.00	- 29.00	.9978	----	----	150	----	0	UNCH
3000	----	----	----/1,689.10A	1752.30B/1689.10A	----	1724.00	- 29.00	.9978	----	----	666	----	400	UNCH
3005	----	----	----/1,713.30A	1710.80B/1713.30A	----	1719.00	- 29.00	.9978	----	----	150	----	0	UNCH
3400	----	----	----/1,289.00A	1352.80B/1289.00A	----	1324.60	- 28.80	.9915	----	----	96	----	705 +	80
3500	----	----	----/1,193.30A	1252.50B/1193.30A	----	1225.10	- 28.70	.9887	----	----	----	----	57	UNCH
3525	----	----	----	----	----	1200.20	- 28.70	.9879	----	----	----	----	1	UNCH
3550	----	----	----	----	----	1175.40	- 28.60	.9873	----	----	----	----	1	UNCH
3580	----	----	----/1,113.90A	1172.40B/1113.90A	----	1145.60	- 28.60	.9860	----	----	----	----	18	UNCH
3585	----	----	----/1,108.90A	1167.40B/1108.90A	----	1140.70	- 28.50	.9859	----	----	----	----	100	UNCH
3600	----	----	----/1,094.00A	1152.50B/1094.00A	----	1125.80	- 28.50	.9854	----	----	----	----	214	UNCH
3635	----	----	----/1,059.40A	1118.20B/1059.40A	----	1091.00	- 28.60	.9840	----	----	----	----	60	UNCH
3650	----	----	----/1,044.50A	1102.80B/1044.50A	----	1076.20	- 28.50	.9834	----	----	----	----	143	UNCH
3665	----	----	----/1,029.70A	1088.00B/1029.70A	----	1061.30	- 28.50	.9829	----	----	----	----	3	UNCH
3700	1004.00	1004.00	1,025.00/993.20	1053.70B/993.20A	----	1026.60	- 28.40	.9813	----	----	4	----	389 -	3
3715	----	----	----/977.20A	1038.30B/977.20A	----	1011.80	- 28.30	.9804	----	----	----	----	25	UNCH
3725	----	----	----/968.70A	1028.40B/968.70A	----	1001.90	- 28.30	.9799	----	----	----	----	212	UNCH
3750	966.90	966.90	969.00/942.00A	1005.10B/942.00A	----	977.20	- 28.20	.9788	----	----	3	----	1109 -	3
3755	----	----	----/939.10A	998.70B/939.10A	----	972.20	- 28.30	.9784	----	----	----	----	15	UNCH
3785	----	----	----/909.60A	969.00B/909.60A	----	942.60	- 28.20	.9767	----	----	----	----	170	UNCH
3790	----	----	----/904.80A	946.40B/904.80A	----	937.60	- 28.20	.9763	----	----	----	----	1	UNCH
3800	----	----	968.40B/892.80A	968.40B/892.80A	----	927.80	- 28.10	.9757	----	----	----	----	545	UNCH
3835	----	----	933.80B/853.40A	933.80B/853.40A	----	893.20	- 28.10	.9732	----	----	----	----	1	UNCH
3840	----	----	928.90B/848.50A	928.90B/848.50A	----	888.30	- 28.00	.9727	----	----	----	----	21	UNCH
3850	----	----	919.00B/838.80A	919.00B/838.80A	----	878.50	- 28.00	.9721	----	----	----	----	322	UNCH
3875	----	----	894.40B/814.70A	894.40B/814.70A	----	853.90	- 27.90	.9701	----	----	----	----	60	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
3895	----	----	874.70B/794.70A	874.70B/794.70A	----	834.20 - 27.90	.9685	----	----	----	----	1 UNCH
3900	----	----	869.70B/790.30A	869.70B/790.30A	----	829.30 - 27.80	.9680	----	----	----	----	363 UNCH
3925	----	----	845.10B/765.60A	845.10B/765.60A	----	804.80 - 27.70	.9655	----	----	----	----	4 UNCH
3950	----	----	820.60B/741.20A	820.60B/741.20A	----	780.40 - 27.60	.9629	----	----	----	----	14 UNCH
3975	----	----	796.10B/717.10A	796.10B/717.10A	----	756.00 - 27.40	.9599	----	----	----	----	106 UNCH
3990	----	----	781.40B/702.70A	781.40B/702.70A	----	741.40 - 27.40	.9579	----	----	----	----	1 UNCH
3995	----	----	776.50B/697.70A	776.50B/697.70A	----	736.50 - 27.40	.9573	----	----	----	----	5 UNCH
4000	----	----	773.90B/693.00A	773.90B/693.00A	----	731.70 - 27.30	.9564	----	----	1	----	860 - 1
4005	----	----	769.10B/688.10A	769.10B/688.10A	----	726.80 - 27.30	.9558	----	----	----	----	10 UNCH
4010	----	----	764.20B/683.80A	764.20B/683.80A	----	722.00 - 27.20	.9553	----	----	----	----	1 UNCH
4020	----	----	754.40B/674.20A	754.40B/674.20A	----	712.30 - 27.10	.9538	----	----	----	----	2 UNCH
4025	----	----	749.50B/669.00A	749.50B/669.00A	----	707.40 - 27.20	.9529	----	----	----	----	51 UNCH
4030	----	----	744.70B/664.10A	744.70B/664.10A	----	702.60 - 27.10	.9523	----	----	----	----	1 UNCH
4040	----	----	734.90B/654.70A	734.90B/654.70A	----	692.90 - 27.00	.9504	----	----	----	----	1 UNCH
4050	----	----	725.20B/645.10A	725.20B/645.10A	----	683.30 - 26.90	.9489	----	----	----	----	185 UNCH
4060	----	----	715.50B/636.00A	715.50B/636.00A	----	673.60 - 26.90	.9473	----	----	----	----	25 UNCH
4070	----	----	705.70B/626.00A	705.70B/626.00A	----	664.00 - 26.80	.9454	----	----	----	----	10 UNCH
4075	----	----	700.90B/621.40A	700.90B/621.40A	----	659.20 - 26.70	.9444	----	----	----	----	64 UNCH
4090	----	----	686.30B/607.20A	686.30B/607.20A	----	644.80 - 26.60	.9415	----	----	----	----	34 UNCH
4100	----	----	676.70B/597.70A	676.70B/597.70A	----	635.30 - 26.40	.9395	----	----	----	----	682 UNCH
4105	----	----	671.80B/593.10A	671.80B/593.10A	----	630.50 - 26.40	.9385	----	----	----	----	50 UNCH
4110	----	----	667.00B/588.40A	667.00B/588.40A	----	625.70 - 26.40	.9375	----	----	----	----	2 UNCH
4115	----	----	662.10B/583.70A	662.10B/583.70A	----	620.90 - 26.40	.9365	----	----	----	----	5 UNCH
4125	----	----	652.40B/574.30A	652.40B/574.30A	----	611.40 - 26.20	.9341	----	----	----	----	95 UNCH
4135	----	----	642.90B/565.30A	642.90B/565.30A	----	601.90 - 26.10	.9317	----	----	----	----	16 UNCH
4150	----	----	628.50B/551.00A	628.50B/551.00A	----	587.70 - 25.90	.9280	----	----	----	----	263 UNCH
4155	----	----	623.70B/546.20A	623.70B/546.20A	----	583.00 - 25.80	.9269	----	----	----	----	5 UNCH
4170	----	----	609.40B/532.80A	609.40B/532.80A	----	568.80 - 25.70	.9227	----	----	----	----	51 UNCH
4175	----	----	604.60B/527.70A	604.60B/527.70A	----	564.10 - 25.60	.9216	----	----	----	----	61 UNCH
4195	----	----	585.40B/509.40A	585.40B/509.40A	----	545.40 - 25.30	.9156	----	----	----	----	1 UNCH
4200	----	----	580.80B/504.90A	580.80B/504.90A	----	540.70 - 25.30	.9141	----	----	----	----	2077 UNCH
4210	----	----	571.30B/495.70A	571.30B/495.70A	----	531.40 - 25.10	.9112	----	----	----	----	1576 UNCH
4220	----	----	561.90B/486.70A	561.90B/486.70A	----	522.10 - 25.00	.9079	----	----	----	----	84 UNCH
4225	----	----	557.00B/482.10A	557.00B/482.10A	----	517.50 - 24.80	.9061	----	----	----	----	15 UNCH
4235	----	----	547.60B/473.10A	547.60B/473.10A	----	508.20 - 24.70	.9028	----	----	----	----	6 UNCH
4240	----	----	542.90B/468.60A	542.90B/468.60A	----	503.60 - 24.60	.9010	----	----	----	----	53 UNCH
4245	----	----	538.20B/464.00A	538.20B/464.00A	----	499.00 - 24.60	.8992	----	----	----	----	263 UNCH
4250	----	----	533.70B/459.60A	533.70B/459.60A	----	494.40 - 24.50	.8973	----	----	----	----	922 UNCH
4255	----	----	528.90B/455.10A	528.90B/455.10A	----	489.80 - 24.40	.8955	----	----	----	----	6 UNCH
4260	----	----	524.30B/450.70A	524.30B/450.70A	----	485.20 - 24.40	.8936	----	----	----	----	1 UNCH
4265	----	----	519.70B/446.20A	519.70B/446.20A	----	480.60 - 24.30	.8917	----	----	----	----	87 UNCH
4270	----	----	514.90B/441.90A	514.90B/441.90A	----	476.10 - 24.20	.8899	----	----	----	----	11 UNCH
4280	----	----	505.70B/432.90A	505.70B/432.90A	----	467.00 - 24.00	.8858	----	----	----	----	1 UNCH
4285	----	----	501.00B/428.50A	501.00B/428.50A	----	462.40 - 24.00	.8839	----	----	----	----	1 UNCH
4300	----	----	487.30B/415.50A	487.30B/415.50A	----	448.80 - 23.80	.8775	----	----	----	----	2117 UNCH
4305	----	----	482.60B/411.00A	482.60B/411.00A	----	444.30 - 23.70	.8752	----	----	----	----	1 UNCH
4310	----	----	478.00B/406.80A	478.00B/406.80A	----	439.90 - 23.50	.8730	----	----	----	----	23 UNCH
4315	----	----	473.40B/402.30A	473.40B/402.30A	----	435.40 - 23.50	.8707	----	----	----	----	1 UNCH
4320	----	----	469.00B/398.00A	469.00B/398.00A	----	430.90 - 23.40	.8684	----	----	----	----	62 UNCH
4325	----	----	464.30B/393.80A	464.30B/393.80A	----	426.40 - 23.40	.8659	----	----	----	----	72 UNCH
4335	----	----	455.20B/385.60A	455.20B/385.60A	----	417.60 - 23.10	.8610	----	----	----	----	13 UNCH
4340	----	----	450.70B/381.00A	450.70B/381.00A	----	413.10 - 23.10	.8586	----	----	----	----	17 UNCH
4345	----	----	446.20B/376.70A	446.20B/376.70A	----	408.70 - 23.00	.8560	----	----	----	----	2 UNCH
4350	----	----	441.70B/372.80A	441.70B/372.80A	----	404.30 - 22.90	.8534	----	----	----	----	1457 UNCH
4355	----	----	437.20B/368.30A	437.20B/368.30A	----	399.90 - 22.80	.8508	----	----	----	----	129 UNCH
4360	----	----	432.80B/364.10A	432.80B/364.10A	----	395.60 - 22.70	.8481	----	----	----	----	42 UNCH
4365	----	----	428.30B/360.20A	428.30B/360.20A	----	391.20 - 22.60	.8452	----	----	----	----	4 UNCH
4370	----	----	423.90B/355.70A	423.90B/355.70A	----	386.90 - 22.50	.8425	----	----	----	----	3 UNCH
4375	----	----	419.40B/351.50A	419.40B/351.50A	----	382.60 - 22.40	.8396	----	----	----	----	106 UNCH
4380	----	----	415.10B/347.40A	415.10B/347.40A	----	378.20 - 22.40	.8369	----	----	----	----	341 UNCH
4385	----	----	410.70B/343.60A	410.70B/343.60A	----	373.90 - 22.30	.8339	----	----	----	----	3 UNCH
4390	----	----	406.30B/339.50A	406.30B/339.50A	----	369.70 - 22.10	.8309	----	----	----	----	16 UNCH
4395	----	----	401.90B/335.40A	401.90B/335.40A	----	365.40 - 22.00	.8277	----	----	----	----	10 UNCH
4400	----	----	397.50B/331.00A	397.50B/331.00A	----	361.20 - 21.90	.8247	----	----	3	----	1456 - 3
4410	----	----	388.70B/323.10A	388.70B/323.10A	----	352.70 - 21.70	.8182	----	----	----	----	39 UNCH
4415	----	----	384.40B/318.90A	384.40B/318.90A	----	348.50 - 21.60	.8151	----	----	----	----	176 UNCH
4420	----	----	380.10B/315.10A	380.10B/315.10A	----	344.40 - 21.40	.8116	----	----	----	----	3 UNCH
4425	----	----	375.80B/310.90A	375.80B/310.90A	----	340.20 - 21.30	.8083	----	----	----	----	274 UNCH
4430	----	----	371.50B/307.10A	371.50B/307.10A	----	336.10 - 21.10	.8049	----	----	----	----	19 UNCH
4435	----	----	367.30B/303.10A	367.30B/303.10A	----	331.90 - 21.10	.8014	----	----	----	----	20 UNCH
4440	----	----	363.00B/299.30A	363.00B/299.30A	----	327.80 - 21.00	.7978	----	----	----	----	20 UNCH
4445	----	----	358.80B/295.40A	358.80B/295.40A	----	323.70 - 20.90	.7942	----	----	----	----	5 UNCH
4450	----	----	354.60B/291.60A	354.60B/291.60A	----	319.70 - 20.70	.7906	----	----	----	----	497 UNCH
4455	----	----	350.40B/287.60A	350.40B/287.60A	----	315.60 - 20.60	.7867	----	----	----	----	6 UNCH
4460	----	----	346.30B/283.90A	346.30B/283.90A	----	311.60 - 20.40	.7831	----	----	----	----	20 UNCH
4465	----	----	342.10B/280.00A	342.10B/280.00A	----	307.60 - 20.30	.7792	----	----	----	----	18 UNCH
4470	----	----	338.00B/276.20A	338.00B/276.20A	----	303.60 - 20.20	.7753	----	----	----	----	24 UNCH
4475	----	----	333.90B/272.30A	333.90B/272.30A	----	299.60 - 20.10	.7714	----	----	----	----	22 UNCH
4480	----	----	329.70B/268.70A	329.70B/268.70A	----	295.60 - 20.00	.7675	----	----	----	----	59 UNCH
4485	----	----	325.70B/265.00A	325.70B/265.00A	----	291.70 - 19.90	.7636	----	----	----	----	6 UNCH
4490	----	----	321.60B/261.30A	321.60B/261.30A	----	287.80 - 19.80	.7594	----	----	----	----	51 UNCH
4495	----	----	317.60B/257.60A	317.60B/257.60A	----	283.90 - 19.70	.7553	----	----	----	----	6 UNCH
4500	297.00	297.00	313.50B/254.10A	313.50B/254.10A	----	280.00 - 19.60	.7511	----	----	3	----	4366 + 1
4505	----	----	309.50B/250.30A	309.50B/250.30A	----	276.10 - 19.50	.7469	----	----	----	----	49 UNCH
4510	----	----	305.50B/246.70A	305.50B/246.70A	----	272.20 - 19.50	.7427	----	----	----	----	1475 UNCH
4515	----	----	301.60B/243.10A	301.60B/243.10A	----	268.40 - 19.40	.7383	----	----	----	----	93 UNCH
4520	----	----	297.50B/239.50A	297.50B/239.50A	----	264.60 - 19.30	.7340	----	----	----	----	51 UNCH
4525	----	----	293.70B/236.00A	293.70B/236.00A	----	260.80 - 19.20	.7296	----	----	----	----	232 UNCH
4530	----	----	289.70B/232.60A	289.70B/232.60A	----	257.00 - 19.20	.7251	----	----	----	----	13 UNCH
4535	----	----	285.80B/229.20A	285.80B/229.20A	----	253.20 - 19.20	.7205	----	----	----	----	12 UNCH
4540	----	----	281.90B/225.60A	281.90B/225.60A	----	249.50 - 19.10	.7160	----	----	----	----	78 UNCH
4545	----	----	278.10B/222.10A	278.10B/222.10A	----	245.80 - 19.00	.7113	----	----	----	----	32 UNCH
4550	----	----	274.30B/218.70A	274.30B/218.70A	----	242.10 - 18.90	.7066	----	----	----	----	219 UNCH
4555	----	----	270.50B/215.10A	270.50B/215.10A	----	238.50 - 18.80	.7019	----	----	----	----	9 UNCH
4560	----	----	266.60B/211.60A	266.60B/211.60A	----	234.90 - 18.70	.6970	----	----	----	----	158 UNCH
4565	----	----	263.00B/208.30A	263.00B/208.30A	----	231.30 - 18.60	.6922	----	----	----	----	104 UNCH
4570	----	----	259.00B/205.00A	259.00B/205.00A	----	227.70 - 18.60	.6872	----	----	----	----	35 UNCH
4575	----	----	255.70B/201.80A	255.70B/201.80A	----	224.20 - 18.50	.6822	----	----	----	----	65 UNCH
4580	----	----	252.10B/198.50A	252.10B/198.50A	----	220.70 - 18.40	.6771	----	----	----	----	8 UNCH
4585	----	----	248.40B/195.20A	248.40B/195.20A	----	217.20 - 18.30	.6720	----	----	----	----	15 UNCH
4590	----	----	244.60B/192.10A	244.60B/192.10A	----	213.80 - 18.10	.6669	----	----	----	----	79 UNCH
4595	----	----	241.10B/189.10A	241.10B/189.10A	----	210.40 - 18.00	.6616	----	----	----	----	13 UNCH
4600	219.50	219.50	237.50B/185.90A	237.50B/185.90A	----	207.00 - 17.90	.6564	----	----	31	----	5148 - 23
4605	----	----	234.00B/182.80A	234.00B/182.80A	----	203.70 - 17.70	.6510	----	----	----	----	153 UNCH
4610	----	----	230.50B/179.80A	230.50B/179.80A	----	200.40 - 17.50	.6456	----	----	----	----	3 UNCH
4615	----	----	227.00B/176.60A	227.00B/176.60A	----	197.10 - 17.40	.6402	----	----	----	----	3 UNCH
4620	----	----	223.40B/173.60A	223.40B/173.60A	----	193.80 - 17.30	.6348	----	----	----	----	20 UNCH
4625	----	----	220.20B/170.70A	220.20B/170.70A	----	190.60 - 17.10	.6292	----	----	----	----	196 UNCH
4630	----	----	216.80B/167.80A	216.80B/167.80A	----	187.40 - 17.00	.6237	----	----	----	----	55 UNCH
4635	----	----	213.40B/164.80A	213.40B/164.80A	----	184.30 - 16.80	.6181	----	----	----	----	6 UNCH
4640	----	----	209.60B/161.90A	209.60B/161.90A	----	181.10 - 16.70	.6124	----	----	----	----	21 UNCH
4645	----	----	206.20B/159.10A	206.20B/159.10A	----	178.00 - 16.50	.6068	----	----	----	----	13 UNCH
4650	----	----	203.30B/156.20A	203.30B/156.20A	----	174.90 - 16.40	.6011	----	----	----	100	905 - 100
4655	----	----	199.80B/153.50A	199.80B/153.50A	----	171.80 - 16.30	.5954	----	----	----	----	29 UNCH
4660	----	----	196.80B/150.70A	196.80B/150.70A	----	168.80 - 16.20	.5896	----	----	----	----	25 UNCH
4665	----	----	193.30B/148.00A	193.30B/148.00A	----	165.80 - 16.10	.5839	----	----	----	----	2 UNCH
4670	----	----	190.40B/145.30A	190.40B/145.30A	----	162.80 - 16.00	.5781	----	----	----	----	151 UNCH
4675	----	----	187.30B/142.60A	187.30B/142.60A	----	159.80 - 15.90	.5722	----	----	----	----	511 UNCH
4680	----	----	183.90B/140.00A	183.90B/140.00A	----	156.90 - 15.80	.5663	----	----	----	----	235 UNCH
4685	----	----	181.30B/137.30A	181.30B/137.30A	----	154.00 - 15.70	.5604	----	----	----	----	32 UNCH
4690	----	----	177.80B/134.80A	177.80B/134.80A	----	151.10 - 15.70	.5544	----	----	----	----	38 UNCH
4695	----	----	175.10B/132.30A	175.10B/132.30A	----	148.30 - 15.60	.5485	----	----	----	----	51 UNCH
4700	158.00	158.00	172.50B/129.80A	172.50B/129.80A	----	145.50 - 15.50	.5425	----	----	172	----	3305 + 69
4705	----	----	169.60B/127.30A	169.60B/127.30A	----	142.70 - 15.40	.5364	----	----	----	----	13 UNCH
4710	----	----	166.70B/124.90A	166.70B/124.90A	----	140.00 - 15.30	.5304	----	----	----	----	15 UNCH
4715	----	----	163.80B/122.50A	163.80B/122.50A	----	137.30 - 15.20	.5243	----	----	2	----	17 + 2
4720	----	----	160.90B/120.10A	160.90B/120.10A	----	134.70 - 15.10	.5182	----	----	----	----	231 UNCH
4725	136.00	136.00	158.00B/117.80A	158.00B/117.80A	----	132.10 - 14.90	.5121	----	----	5	----	331 UNCH
4730	----	----	155.20B/115.50A	155.20B/115.50A	----	129.50 - 14.80	.5060	----	----	----	----	43 UNCH
4735	----	----	152.20B/113.20A	152.20B/113.20A	----	127.00 - 14.70	.4999	----	----	2	200	238 + 150
4740	120.60	120.60	149.50B/111.00A	149.50B/111.00A	----	124.50 - 14.60	.4938	----	----	9	----	39 UNCH
4745	117.10	117.10	146.80B/108.80A	146.80B/108.80A	----	122.10 - 14.40	.4877	----	----	5	----	16 + 2
4750	123.00	123.00	144.30B/106.60A	144.30B/106.60A	----	119.60 - 14.30	.4816	----	----	47	----	2103 - 9
4755	112.50	112.50	141.70B/104.50A	141.70B/104.50A	----	117.30 - 14.00	.4755	----	----	1	----	106 - 1
4760	----	----	139.20B/102.40A	139.20B/102.40A	----	114.90 - 13.90	.4693	----	----	----	----	62 UNCH
4765	----	----	136.30B/100.30A	136.30B/100.30A	----	112.60 - 13.70	.4632	----	----	----	----	67 UNCH
4770	----	----	133.70B/98.20A	133.70B/98.20A	----	110.40 - 13.50	.4571	----	----	----	----	54 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4775	----	----	131.40B/96.20A	131.40B/96.20A	----	108.10 - 13.40	.4510	----	----	66	----	196 - 9
4780	109.30	109.30	128.60B/94.20A	128.60B/94.20A	----	105.90 - 13.20	.4449	----	----	2	----	130 + 2
4785	103.10	103.10	126.30B/*92.30A	126.30B/*92.30A	----	103.80 - 12.90	.4389	----	----	2	----	42 UNCH
4790	102.50	102.50	123.90B/*90.40A	123.90B/*90.40A	----	101.60 - 12.80	.4328	----	----	8	----	43 + 6
4795	112.60	112.60	121.40B/*88.50A	121.40B/*88.50A	----	99.50 - 12.60	.4268	----	----	3	----	48 + 1
4800	110.00	110.00	119.10B/86.60A	119.10B/86.60A	----	97.40 - 12.40	.4207	----	----	476	600	3702 + 440
4805	----	----	116.80B/*84.80A	116.80B/*84.80A	----	95.40 - 12.20	.4148	----	----	20	----	29 + 20
4810	101.50	101.50	114.70B/*83.00A	114.70B/*83.00A	----	93.40 - 12.00	.4088	----	----	5	----	80 + 5
4815	----	----	112.40B/*81.20A	112.40B/*81.20A	----	91.40 - 11.90	.4028	----	----	----	----	89 UNCH
4820	----	----	110.20B/*79.50A	110.20B/*79.50A	----	89.40 - 11.70	.3968	----	----	----	----	75 UNCH
4825	----	----	108.00B/77.80A	108.00B/77.80A	----	87.50 - 11.50	.3909	----	----	10	500	677 + 475
4830	----	----	105.70B/*76.10A	105.70B/*76.10A	----	85.60 - 11.40	.3850	----	----	----	----	108 UNCH
4835	----	----	103.50B/*74.50A	103.50B/*74.50A	----	83.70 - 11.30	.3791	----	----	----	----	5 UNCH
4840	80.80	80.80	101.40B/*72.90A	101.40B/*72.90A	----	81.80 - 11.20	.3732	----	----	32	----	60 + 9
4845	----	----	99.50B/*71.30A	99.50B/*71.30A	----	80.00 - 11.00	.3674	----	----	----	----	21 UNCH
4850	80.00	80.00	97.30B/69.70A	97.30B/69.70A	----	78.20 - 10.90	.3616	----	----	90	----	1731 - 44
4855	----	----	95.20B/*68.20A	95.20B/*68.20A	----	76.50 - 10.70	.3559	----	----	----	----	282 UNCH
4860	79.30	79.30	93.40B/*66.70A	93.40B/*66.70A	----	74.70 - 10.70	.3501	----	----	2	----	62 - 1
4865	83.80	83.80	91.40B/*65.30A	91.40B/*65.30A	----	73.00 - 10.50	.3444	----	----	1	----	55 UNCH
4870	76.90	76.90	89.50B/*63.80A	89.50B/*63.80A	----	71.40 - 10.40	.3388	----	----	11	----	30 + 11
4875	77.00	77.00	87.70B/62.40A	87.70B/62.40A	----	69.80 - 10.20	.3333	----	----	19	----	121 + 11
4880	----	----	85.80B/*61.00A	85.80B/*61.00A	----	68.20 - 10.10	.3277	----	----	----	----	73 UNCH
4885	----	----	84.00B/*59.70A	84.00B/*59.70A	----	66.70 - 9.90	.3223	----	----	----	----	262 UNCH
4890	----	----	82.20B/*58.30A	82.20B/*58.30A	----	65.20 - 9.70	.3169	----	----	----	----	296 UNCH
4895	----	----	80.50B/*57.00A	80.50B/*57.00A	----	63.70 - 9.60	.3115	----	----	----	----	214 UNCH
4900	77.50	77.50	78.80B/55.80A	78.80B/55.80A	----	62.20 - 9.50	.3061	----	----	88	----	4191 - 44
4905	61.00	61.00	76.70B/*54.50A	76.70B/*54.50A	----	60.80 - 9.30	.3008	----	----	1	----	19 - 1
4910	----	----	75.10B/*53.30A	75.10B/*53.30A	----	59.40 - 9.20	.2956	----	----	4	----	34 - 1
4915	61.50	61.50	73.40B/*52.10A	73.40B/*52.10A	----	58.10 - 9.00	.2906	----	----	5	----	262 UNCH
4920	61.00	61.00	71.80B/*50.90A	71.80B/*50.90A	----	56.70 - 8.90	.2853	----	----	10	----	121 + 10
4925	----	----	70.50B/49.80A	70.50B/49.80A	----	55.40 - 8.80	.2803	----	----	----	----	103 UNCH
4930	58.40	58.40	68.80B/*48.60A	68.80B/*48.60A	----	54.10 - 8.60	.2753	----	----	8	----	209 + 3
4935	57.90	57.90	67.20B/*47.50A	67.20B/*47.50A	----	52.90 - 8.40	.2704	----	----	10	----	18 + 7
4940	----	----	65.90B/*46.50A	65.90B/*46.50A	----	51.60 - 8.40	.2654	----	----	----	----	103 UNCH
4945	49.50	49.50	64.50B/*45.40A	64.50B/*45.40A	----	50.40 - 8.20	.2606	----	----	59	----	261 + 46
4950	51.00	51.00	63.00B/44.40A	63.00B/44.40A	----	49.20 - 8.10	.2558	----	----	67	----	1365 UNCH
4955	50.50	50.50	61.60B/*43.40A	61.60B/*43.40A	----	48.10 - 8.00	.2512	----	----	50	----	74 + 40
4960	----	----	60.20B/*42.40A	60.20B/*42.40A	----	46.90 - 7.90	.2464	----	----	----	260	390 + 195
4965	----	----	58.90B/*41.40A	58.90B/*41.40A	----	45.80 - 7.80	.2418	----	----	----	----	38 UNCH
4970	----	----	57.40B/*40.40A	57.40B/*40.40A	----	44.70 - 7.70	.2372	----	----	----	----	144 UNCH
4975	----	----	56.20B/*39.40A	56.20B/*39.40A	----	43.70 - 7.50	.2329	----	----	----	----	331 UNCH
4980	----	----	55.00B/*38.40A	55.00B/*38.40A	----	42.60 - 7.40	.2283	----	----	4	----	148 UNCH
4985	45.20	45.20	53.40B/*37.50A	53.40B/*37.50A	----	41.60 - 7.30	.2240	----	----	9	----	117 + 1
4990	42.00	42.00	52.50B/*36.60A	52.50B/*36.60A	----	40.60 - 7.20	.2196	----	----	12	----	982 - 1
4995	41.10	41.10	51.30B/*35.70A	51.30B/*35.70A	----	39.60 - 7.10	.2153	----	----	2	----	101 + 2
5000	38.30	38.30	50.10B/34.90A	50.10B/34.90A	----	38.70 - 7.00	.2113	----	----	1139	600	7283 + 216
5005	----	----	48.90B/*34.00A	48.90B/*34.00A	----	37.80 - 6.80	.2072	----	----	----	----	301 UNCH
5010	36.50	36.50	47.70B/*33.20A	47.70B/*33.20A	----	36.90 - 6.70	.2032	----	----	7	----	190 + 3
5015	----	----	46.50B/*32.40A	46.50B/*32.40A	----	36.00 - 6.70	.1992	----	----	----	----	77 UNCH
5020	----	----	45.40B/*31.60A	45.40B/*31.60A	----	35.20 - 6.50	.1954	----	----	----	----	470 UNCH
5025	----	----	44.40B/*30.90A	44.40B/*30.90A	----	34.30 - 6.40	.1914	----	----	2	----	112 UNCH
5030	----	----	43.20B/*30.10A	43.20B/*30.10A	----	33.50 - 6.30	.1877	----	----	2	----	125 UNCH
5035	33.30	33.30	42.60B/*29.40A	42.60B/*29.40A	----	32.70 - 6.20	.1839	----	----	10	----	58 UNCH
5040	----	----	41.40B/*28.70A	41.40B/*28.70A	----	32.00 - 6.00	.1805	----	----	----	----	233 UNCH
5045	32.30	32.30	40.50B/*28.00A	40.50B/*28.00A	----	31.20 - 6.00	.1768	----	----	29	----	147 + 22
5050	30.20	30.20	39.50B/*27.30A	39.50B/*27.30A	----	30.50 - 5.80	.1734	----	----	86	----	1684 + 57
5055	27.10	27.10	38.60B/*26.70A	38.60B/*26.70A	----	29.80 - 5.70	.1700	----	----	2	----	61 UNCH
5060	30.50	30.50	37.70B/*26.10A	37.70B/*26.10A	----	29.10 - 5.60	.1666	----	----	3	----	106 + 1
5065	27.80	27.80	36.80B/*25.50A	36.80B/*25.50A	----	28.40 - 5.50	.1632	----	----	5	----	40 - 4
5070	29.60	29.60	36.00B/*24.90A	36.00B/*24.90A	----	27.70 - 5.50	.1598	----	----	1	----	82 UNCH
5075	29.20	29.20	35.10B/*24.30A	35.10B/*24.30A	----	27.10 - 5.30	.1568	----	----	5	----	748 + 1
5080	27.10	27.10	34.30B/*23.70A	34.30B/*23.70A	----	26.50 - 5.20	.1537	----	----	14	----	362 - 2
5085	----	----	33.50B/*23.20A	33.50B/*23.20A	----	25.90 - 5.10	.1507	----	----	----	----	196 UNCH
5090	----	----	32.80B/*22.60A	32.80B/*22.60A	----	25.30 - 5.00	.1477	----	----	2	----	71 + 1
5095	----	----	32.00B/*22.10A	32.00B/*22.10A	----	24.70 - 4.90	.1447	----	----	----	----	68 UNCH
5100	23.50	23.50	31.30B/21.60A	31.30B/21.60A	----	24.10 - 4.90	.1417	----	----	687	----	5229 + 152
5105	----	----	30.50B/*21.10A	30.50B/*21.10A	----	23.60 - 4.70	.1390	----	----	----	----	39 UNCH
5110	----	----	29.80B/*20.70A	29.80B/*20.70A	----	23.00 - 4.70	.1360	----	----	2	----	106 + 2
5115	22.60	22.60	28.90B/*20.20A	28.90B/*20.20A	----	22.50 - 4.60	.1334	----	----	17	----	135 + 9
5120	----	----	28.50B/*19.70A	28.50B/*19.70A	----	22.00 - 4.50	.1307	----	----	----	----	132 UNCH
5125	----	----	27.80B/*19.30A	27.80B/*19.30A	----	21.50 - 4.40	.1281	----	----	1	----	307 - 1
5130	----	----	26.90B/*18.90A	26.90B/*18.90A	----	21.00 - 4.30	.1255	----	----	4	----	53 + 2
5135	----	----	26.50B/*18.50A	26.50B/*18.50A	----	20.60 - 4.20	.1232	----	----	----	----	60 UNCH
5140	----	----	25.70B/*18.10A	25.70B/*18.10A	----	20.10 - 4.10	.1206	----	----	----	----	141 UNCH
5145	19.10	19.10	25.10B/*17.70A	25.10B/*17.70A	----	19.70 - 4.00	.1184	----	----	1	----	15 + 1
5150	20.20	20.20	24.50B/*17.30A	24.50B/*17.30A	----	19.20 - 4.00	.1158	----	----	237	100	2513 - 184
5155	----	----	24.00B/*16.90A	24.00B/*16.90A	----	18.80 - 3.90	.1136	----	----	4	----	31 UNCH
5160	19.20	19.20	23.40B/*16.60A	23.40B/*16.60A	----	18.40 - 3.80	.1114	----	----	1	----	109 UNCH
5165	----	----	23.10B/*16.20A	23.10B/*16.20A	----	18.00 - 3.70	.1092	----	----	----	----	165 UNCH
5170	17.50	17.50	22.40B/*15.90A	22.40B/*15.90A	----	17.60 - 3.70	.1070	----	----	1	----	358 UNCH
5175	21.80	21.80	21.90B/*15.50A	21.90B/*15.50A	----	17.30 - 3.50	.1052	----	----	5	----	39 + 5
5180	22.00	22.00	22.00/*15.20A	22.00/*15.20A	----	16.90 - 3.50	.1030	----	----	2	----	62 + 1
5185	----	----	21.00B/*14.90A	21.00B/*14.90A	----	16.50 - 3.50	.1008	----	----	----	----	113 UNCH
5190	----	----	20.50B/*14.60A	20.50B/*14.60A	----	16.20 - 3.30	.0990	----	----	----	----	500 UNCH
5195	----	----	20.00B/*14.30A	20.00B/*14.30A	----	15.90 - 3.20	.0973	----	----	2	----	505 UNCH
5200	14.70	14.70	19.60B/14.00A	19.60B/14.00A	----	15.50 - 3.20	.0951	----	----	169	----	6387 - 4
5205	14.90	14.90	19.20B/*13.70A	19.20B/*13.70A	----	15.20 - 3.20	.0934	----	----	1	----	16 UNCH
5210	----	----	18.70B/*13.50A	18.70B/*13.50A	----	14.90 - 3.10	.0916	----	----	1	----	3053 UNCH
5215	----	----	18.30B/*13.20A	18.30B/*13.20A	----	14.60 - 3.00	.0899	----	----	----	----	78 UNCH
5220	----	----	17.90B/*12.90A	17.90B/*12.90A	----	14.30 - 3.00	.0882	----	----	----	----	202 UNCH
5225	----	----	17.60B/*12.70A	17.60B/*12.70A	----	14.00 - 2.90	.0865	----	----	1	500	784 + 499
5230	----	----	17.20B/*12.40A	17.20B/*12.40A	----	13.80 - 2.80	.0852	----	----	----	----	108 UNCH
5235	13.00	13.00	16.80B/*12.20A	16.80B/*12.20A	----	13.50 - 2.80	.0834	----	----	2	----	154 UNCH
5240	13.20	13.20	16.50B/*12.00A	16.50B/*12.00A	----	13.20 - 2.70	.0818	----	----	1	----	66 - 1
5245	12.40	12.40	16.00B/*11.70A	16.00B/*11.70A	----	13.00 - 2.60	.0805	----	----	1	----	23 - 1
5250	14.30	14.30	15.80B/*11.50A	15.80B/*11.50A	----	12.70 - 2.60	.0788	----	----	63	----	4298 + 19
5255	----	----	15.40B/*11.30A	15.40B/*11.30A	----	12.50 - 2.50	.0775	----	----	----	----	70 UNCH
5260	----	----	15.00B/*11.10A	15.00B/*11.10A	----	12.20 - 2.50	.0758	----	----	6	----	412 + 2
5265	----	----	14.70B/*10.90A	14.70B/*10.90A	----	12.00 - 2.50	.0746	----	----	----	----	49 UNCH
5270	11.70	11.70	14.40B/*10.70A	14.40B/*10.70A	----	11.80 - 2.40	.0733	----	----	3	----	50 - 1
5275	11.50	11.50	14.10B/*10.50A	14.10B/*10.50A	----	11.50 - 2.40	.0717	----	----	3	----	127 UNCH
5280	----	----	13.80B/*10.30A	13.80B/*10.30A	----	11.30 - 2.40	.0704	----	----	----	----	99 UNCH
5285	----	----	13.50B/*10.10A	13.50B/*10.10A	----	11.10 - 2.30	.0692	----	----	----	----	167 UNCH
5290	----	----	13.20B/*9.90A	13.20B/*9.90A	----	10.90 - 2.20	.0680	----	----	1	----	35 UNCH
5295	10.50	10.50	13.00B/*9.80A	13.00B/*9.80A	----	10.70 - 2.20	.0668	----	----	41	----	97 UNCH
5300	11.30	11.30	11.30/9.60A	12.70B/9.60A	----	10.50 - 2.20	.0656	----	----	593	50	5145 - 233
5305	----	----	----/*9.40A	12.40B/*9.40A	----	10.30 - 2.10	.0644	----	----	----	----	304 UNCH
5310	----	----	----/*9.20A	12.20B/*9.20A	----	10.10 - 2.10	.0632	----	----	----	----	125 UNCH
5315	----	----	----/*9.10A	12.00B/*9.10A	----	10.00 - 2.00	.0624	----	----	----	----	82 UNCH
5320	----	----	----/*9.00A	11.70B/*9.00A	----	9.80 - 2.00	.0612	----	----	----	----	140 UNCH
5325	----	----	----/*8.80A	11.50B/*8.80A	----	9.60 - 2.00	.0600	----	----	----	----	162 UNCH
5330	9.40	9.40	9.40/*8.70A	11.20B/*8.70A	----	9.40 - 2.00	.0589	----	----	1	----	84 UNCH
5335	----	----	----/*8.50A	11.00B/*8.50A	----	9.30 - 1.90	.0581	----	----	----	----	26 UNCH
5340	----	----	----/*8.40A	10.80B/*8.40A	----	9.10 - 1.90	.0570	----	----	----	----	72 UNCH
5345	9.30	9.30	9.30/*8.20A	10.60B/*8.20A	----	9.00 - 1.80	.0562	----	----	1	----	24 UNCH
5350	9.00	9.00	9.00/*8.10A	10.40B/*8.10A	----	8.80 - 1.80	.0551	----	----	61	----	1911 - 3
5355	----	----	----/*8.00A	10.20B/*8.00A	----	8.70 - 1.70	.0544	----	----	----	----	24 UNCH
5360	----	----	----/*7.90A	10.00B/*7.90A	----	8.50 - 1.70	.0532	----	----	----	----	64 UNCH
5365	----	----	----/*7.70A	9.80B/*7.70A	----	8.40 - 1.70	.0525	----	----	----	----	13 UNCH
5370	----	----	----/*7.60A	9.60B/*7.60A	----	8.20 - 1.70	.0514	----	----	----	----	79 UNCH
5375	----	----	----/*7.50A	9.40B/*7.50A	----	8.10 - 1.60	.0507	----	----	----	----	269 UNCH
5380	----	----	----/*7.40A	9.30B/*7.40A	----	8.00 - 1.60	.0500	----	----	----	----	98 UNCH
5385	----	----	----/*7.30A	9.10B/*7.30A	----	7.80 - 1.60	.0488	----	----	----	----	10 UNCH
5390	----	----	----/*7.20A	8.90B/*7.20A	----	7.70 - 1.50	.0482	----	----	5	----	121 UNCH
5395	----	----	----/*7.10A	8.80B/*7.10A	----	7.60 - 1.50	.0475	----	----	----	----	48 UNCH
5400	8.80	8.80	8.80/6.90A	8.80/6.90A	----	7.50 - 1.40	.0468	----	----	209	----	5397 + 13
5405	----	----	----/*6.80A	8.50B/*6.80A	----	7.40 - 1.40	.0461	----	----	----	----	87 UNCH
5410	7.60	7.60	7.60/*6.70A	8.30B/*6.70A	----	7.30 - 1.40	.0455	----	----	5	----	28 + 2
5415	----	----	----/*6.60A	8.20B/*6.60A	----	7.20 - 1.30	.0448	----	----	----	----	12 UNCH
5420	----	----	----/*6.50A	8.00B/*6.50A	----	7.10 - 1.30	.0442	----	----	----	----	43 UNCH
5425	6.90	6.90	6.90/*6.50A	7.90B/*6.50A	----	7.00 - 1.30	.0435	----	----	2	----	125 + 1
5430	6.50	6.50	6.50/*6.40A	7.70B/*6.40A	----	6.90 - 1.20	.0429	----	----	2	----	103 UNCH
5435	----	----	----/*6.30A	7.60B/*6.30A	----	6.80 - 1.20	.0422	----	----	----	----	18 UNCH
5440	----	----	----/*6.20A	7.50B/*6.20A	----	6.70 - 1.20	.0416	----	----	----	----	95 UNCH
5445	----	----	----/*6.10A	7.30B/*6.10A	----	6.60 - 1.20	.0409	----	----	----	----	40 UNCH
5450	6.60	6.60	6.60/*6.00A	7.20B/*6.00A	----	6.50 - 1.10	.0403	----	----	2	----	1567 UNCH
5455	6.70	6.70	6.90/*5.90A	7.10B/*5.90A	----	6.40 - 1.10	.0397	----	----	132	----	175 + 132

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5460	7.40	7.40	7.50/*5.90A	7.50/*5.90A	----	6.30 - 1.10	.0390	----	----	17	----	129 UNCH
5465	----	----	----/*5.80A	6.90B/*5.80A	----	6.20 - 1.10	.0384	----	----	----	----	38 UNCH
5470	----	----	----/*5.70A	6.70B/*5.70A	----	6.20 - 1.00	.0382	----	----	----	----	35 UNCH
5475	----	----	----/*5.60A	6.60B/*5.60A	----	6.10 - 1.00	.0376	----	----	13	----	84 + 9
5480	----	----	----/*5.50A	6.50B/*5.50A	----	6.00 - 1.00	.0370	----	----	----	----	47 UNCH
5485	----	----	----/*5.50A	6.40B/*5.50A	----	5.90 - 1.00	.0364	----	----	----	----	9 UNCH
5490	----	----	----/*5.40A	6.40B/*5.40A	----	5.90 - 0.90	.0362	----	----	----	----	178 UNCH
5495	----	----	----/*5.30A	6.30B/*5.30A	----	5.80 - 0.90	.0356	----	----	----	----	73 UNCH
5500	5.60	5.60	6.20B/5.30	6.20B/5.30	----	5.70 - 0.90	.0350	----	----	198	----	7160 + 99
5505	5.50	5.50	5.50/*5.20A	6.00B/*5.20A	----	5.60 - 0.90	.0344	----	----	2	----	15 + 2
5510	----	----	----/*5.10A	6.00B/*5.10A	----	5.60 - 0.80	.0343	----	----	----	----	185 UNCH
5515	----	----	----/*5.10A	5.90B/*5.10A	----	5.50 - 0.80	.0337	----	----	----	----	39 UNCH
5520	----	----	----/*5.00A	5.80B/*5.00A	----	5.40 - 0.90	.0331	----	----	----	----	26 UNCH
5525	5.30	5.30	5.30/*5.00A	5.70B/*5.00A	----	5.40 - 0.80	.0329	----	----	4	----	165 - 4
5530	----	----	----/*4.90A	5.60B/*4.90A	----	5.30 - 0.80	.0323	----	----	----	----	39 UNCH
5535	----	----	----/*4.80A	5.50B/*4.80A	----	5.20 - 0.80	.0318	----	----	----	----	8 UNCH
5540	----	----	----/*4.80A	5.50B/*4.80A	----	5.20 - 0.70	.0316	----	----	----	----	291 UNCH
5545	----	----	----/*4.70A	5.40B/*4.70A	----	5.10 - 0.80	.0310	----	----	----	----	19 UNCH
5550	----	----	----/*4.70A	5.30B/*4.70A	----	5.00 - 0.80	.0305	----	----	7	----	782 + 4
5555	----	----	----/*4.60A	5.20B/*4.60A	----	5.00 - 0.70	.0303	----	----	----	----	4 UNCH
5560	----	----	----/*4.60A	5.10B/*4.60A	----	4.90 - 0.70	.0298	----	----	----	----	52 UNCH
5565	----	----	----/*4.50A	5.10B/*4.50A	----	4.90 - 0.70	.0296	----	----	----	----	14 UNCH
5570	----	----	----/*4.50A	5.00B/*4.50A	----	4.80 - 0.70	.0291	----	----	----	----	28 UNCH
5575	----	----	----/*4.40A	4.90B/*4.40A	----	4.70 - 0.70	.0285	----	----	----	----	60 UNCH
5580	----	----	----/*4.40A	4.90B/*4.40A	----	4.70 - 0.70	.0284	----	----	----	----	13 UNCH
5585	----	----	----/*4.30A	4.80B/*4.30A	----	4.60 - 0.70	.0278	----	----	----	----	11 UNCH
5590	----	----	----/*4.30A	4.70B/*4.30A	----	4.60 - 0.70	.0277	----	----	----	----	95 UNCH
5595	----	----	----/*4.20A	4.70B/*4.20A	----	4.50 - 0.70	.0271	----	----	----	----	39 UNCH
5600	4.30	4.30	4.30/*4.20A	4.60B/*4.20A	----	4.50 - 0.60	.0270	----	----	56	----	2410 - 15
5610	----	----	----/*4.10A	4.50B/*4.10A	----	4.40 - 0.60	.0264	----	----	----	----	73 UNCH
5620	----	----	----/*4.00A	4.40B/*4.00A	----	4.30 - 0.60	.0257	----	----	----	----	59 UNCH
5625	----	----	----/*4.00A	4.30B/*4.00A	----	4.20 - 0.60	.0252	----	----	----	----	405 UNCH
5630	----	----	----/*4.00A	4.30B/*4.00A	----	4.20 - 0.60	.0251	----	----	----	----	228 UNCH
5640	4.10	4.10	4.10/*3.90A	4.20B/*3.90A	----	4.10 - 0.60	.0244	----	----	21	----	79 - 5
5650	----	----	----/*3.80A	4.10B/*3.80A	----	4.00 - 0.60	.0238	----	----	3	----	743 - 2
5660	----	----	----/*3.70A	4.00B/*3.70A	----	3.90 - 0.60	.0232	----	----	----	----	43 UNCH
5665	----	----	----/*3.70A	3.90B/*3.70A	----	3.90 - 0.50	.0231	----	----	----	----	5 UNCH
5670	----	----	----/*3.70A	3.90B/*3.70A	----	3.90 - 0.50	.0230	----	----	----	----	119 UNCH
5675	----	----	----/*3.60A	3.80B/*3.60A	----	3.80 - 0.50	.0225	----	----	----	----	22 UNCH
5680	----	----	----/*3.60A	3.80B/*3.60A	----	3.80 - 0.50	.0224	----	----	----	----	47 UNCH
5690	----	----	----/*3.50A	3.70B/*3.50A	----	3.70 - 0.50	.0218	----	----	----	----	163 UNCH
5700	3.50	3.50	3.50/*3.30	3.60B/*3.30	----	3.60 - 0.50	.0212	----	----	19	----	1964 - 10
5710	----	----	----/*3.40A	3.60B/*3.40A	----	3.60 - 0.50	.0210	----	----	----	----	41 UNCH
5720	----	----	----/*3.40A	3.50B/*3.40A	----	3.50 - 0.50	.0204	----	----	----	----	18 UNCH
5725	----	----	----/*3.30A	3.50B/*3.30A	----	3.50 - 0.40	.0204	----	----	----	----	36 UNCH
5730	----	----	----/*3.30A	3.40B/*3.30A	----	3.50 - 0.40	.0203	----	----	----	----	60 UNCH
5740	----	----	----/*3.20A	3.30B/*3.20A	----	3.40 - 0.40	.0197	----	----	----	----	61 UNCH
5750	2.90	2.90	2.90/*2.90	3.30B/*2.90	----	3.40 - 0.40	.0196	----	----	2	----	1703 UNCH
5760	----	----	----/*3.10A	3.20B/*3.10A	----	3.30 - 0.40	.0190	----	----	----	----	18 UNCH
5770	----	----	----/*3.10A	3.10B/*3.10A	----	3.20 - 0.40	.0184	----	----	----	----	32 UNCH
5775	3.00	3.00	3.10/*3.00	3.10/*3.00	----	3.20 - 0.40	.0184	----	----	2	----	167 - 1
5780	----	----	----/*3.00A	3.10B/*3.00A	----	3.20 - 0.40	.0183	----	----	----	----	219 UNCH
5790	3.20	3.20	3.20/*3.00A	3.20/*3.00A	----	3.10 - 0.40	.0177	----	----	1	----	11 UNCH
5800	3.00	3.00	3.00/*2.90A	3.20B/*2.90A	----	3.10 - 0.30	.0176	----	----	29	----	3225 - 8
5810	----	----	----/*2.90A	2.90B/*2.90A	----	3.00 - 0.40	.0171	----	----	----	----	260 UNCH
5820	----	----	----/*2.90A	2.90B/*2.90A	----	3.00 - 0.30	.0170	----	----	----	----	35 UNCH
5825	----	----	----/*2.80A	2.80B/*2.80A	----	3.00 - 0.30	.0169	----	----	1	----	37 UNCH
5830	----	----	----/*2.80A	2.80B/*2.80A	----	2.90 - 0.40	.0164	----	----	----	----	17 UNCH
5840	----	----	----/*2.80A	2.80B/*2.80A	----	2.90 - 0.30	.0163	----	----	----	----	22 UNCH
5850	----	----	----/*2.70A	2.70B/*2.70A	----	2.80 - 0.30	.0158	----	----	16	----	456 - 11
5860	----	----	----/*2.70A	2.70B/*2.70A	----	2.80 - 0.30	.0157	----	----	----	----	24 UNCH
5870	----	----	----/*2.70A	2.60B/*2.70A	----	2.70 - 0.30	.0151	----	----	----	----	32 UNCH
5875	----	----	----/*2.70A	2.60B/*2.70A	----	2.70 - 0.30	.0151	----	----	----	----	196 UNCH
5880	----	----	----/*2.60A	2.60B/*2.60A	----	2.70 - 0.30	.0150	----	----	----	----	17 UNCH
5890	----	----	----/*2.60A	2.50B/*2.60A	----	2.60 - 0.30	.0145	----	----	----	----	138 UNCH
5900	2.70	2.70	2.70/*2.30	2.70/*2.30	----	2.60 - 0.30	.0144	----	----	103	----	1374 - 7
5910	----	----	----/*2.50A	2.40B/*2.50A	----	2.50 - 0.30	.0139	----	----	----	----	12 UNCH
5920	----	----	----/*2.50A	2.40B/*2.50A	----	2.50 - 0.30	.0138	----	----	----	----	40 UNCH
5930	----	----	----/*2.50A	2.30B/*2.50A	----	2.50 - 0.30	.0137	----	----	----	----	58 UNCH
5940	----	----	----/*2.40A	2.30B/*2.40A	----	2.40 - 0.30	.0132	----	----	----	----	5 UNCH
5950	----	----	----/*2.40A	2.30B/*2.40A	----	2.40 - 0.30	.0132	----	----	----	----	170 UNCH
5960	----	----	----/*2.30A	2.30B/*2.30A	----	2.40 - 0.30	.0131	----	----	----	----	46 UNCH
5970	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.30	.0126	----	----	----	----	35 UNCH
5980	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.30	.0125	----	----	----	----	22 UNCH
5990	----	----	----/*2.20A	2.20B/*2.20A	----	2.30 - 0.30	.0124	----	----	----	----	13 UNCH
6000	2.30	2.30	2.50/*2.00	2.50/*2.00	----	2.20 - 0.30	.0119	----	----	9	----	5637 + 4
6010	----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.30	.0119	----	----	----	----	10 UNCH
6020	----	----	----/*2.10A	2.00B/*2.10A	----	2.20 - 0.30	.0118	----	----	----	----	23 UNCH
6030	----	----	----/*2.10A	2.10B/*2.10A	----	2.10 - 0.30	.0113	----	----	----	----	31 UNCH
6040	2.00	2.00	2.00/*2.00	2.00/*2.00	----	2.10 - 0.30	.0112	----	----	1	----	24 - 1
6050	----	----	----/*2.00A	1.90B/*2.00A	----	2.10 - 0.20	.0112	----	----	----	----	281 UNCH
6060	----	----	----/*2.00A	1.90B/*2.00A	----	2.10 - 0.20	.0111	----	----	----	----	32 UNCH
6070	----	----	----/*1.90A	1.90B/*1.90A	----	2.00 - 0.20	.0106	----	----	----	----	34 UNCH
6080	----	----	----/*1.90A	1.80B/*1.90A	----	2.00 - 0.20	.0106	----	----	----	----	10 UNCH
6090	----	----	----/*1.90A	1.80B/*1.90A	----	2.00 - 0.20	.0105	----	----	----	----	26 UNCH
6100	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.20	.0101	----	----	----	----	2412 UNCH
6110	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.20	.0100	----	----	----	----	65 UNCH
6120	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.10	.0100	----	----	----	----	11 UNCH
6125	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.10	.0099	----	----	----	----	16 UNCH
6130	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.10	.0099	----	----	----	----	10 UNCH
6140	----	----	----/*1.90A	1.70B/*1.90A	----	1.80 - 0.20	.0094	----	----	----	----	9 UNCH
6150	----	----	----	1.70B/*1.90A	----	1.80 - 0.10	.0094	----	----	----	----	506 UNCH
6160	----	----	----	1.60B/*1.90A	----	1.80 - 0.10	.0093	----	----	----	----	138 UNCH
6170	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.10	.0093	----	----	----	----	17 UNCH
6180	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.10	.0093	----	----	----	----	75 UNCH
6190	----	----	----	1.60B/*1.80A	----	1.80 UNCH	.0092	----	----	----	----	2 UNCH
6200	----	----	----	1.60B/*1.80A	----	1.80 UNCH	.0092	----	----	----	----	4278 UNCH
6210	----	----	----	1.50B/*1.80A	----	1.70 - 0.10	.0087	----	----	----	----	53 UNCH
6220	----	----	----	1.50B/*1.80A	----	1.70 - 0.10	.0087	----	----	----	----	7 UNCH
6230	----	----	----	1.50B/*1.70A	----	1.70 UNCH	.0086	----	----	----	----	67 UNCH
6240	----	----	----/*1.60A	1.40B/*1.60A	----	1.70 UNCH	.0086	----	----	----	----	21 UNCH
6250	----	----	----	1.40B/*1.70A	----	1.70 UNCH	.0085	----	----	----	----	1323 UNCH
6260	----	----	----	1.40B/*1.70A	----	1.70 UNCH	.0085	----	----	----	----	8 UNCH
6270	----	----	----	1.40B/*1.70A	----	1.70 UNCH	.0085	----	----	----	----	146 UNCH
6280	----	----	----	1.40B/*1.60A	----	1.60 UNCH	.0080	----	----	----	----	12 UNCH
6290	----	----	----/*1.50A	1.30B/*1.50A	----	1.60 UNCH	.0080	----	----	----	----	19 UNCH
6300	----	----	----	1.30B/*1.60A	----	1.60 UNCH	.0080	----	----	----	----	2450 UNCH
6310	----	----	----/*1.50A	1.30B/*1.50A	----	1.60 UNCH	.0079	----	----	----	----	2 UNCH
6320	----	----	----	1.30B/*1.50A	----	1.50 UNCH	.0075	----	----	----	----	24 UNCH
6330	----	----	----	1.30B/*1.50A	----	1.50 UNCH	.0074	----	----	----	----	33 UNCH
6340	----	----	----	1.30B/*1.50A	----	1.50 UNCH	.0074	----	----	----	----	36 UNCH
6350	----	----	----	1.20B/*1.50A	----	1.50 UNCH	.0074	----	----	----	----	17 UNCH
6360	----	----	----	1.20B/*1.50A	----	1.50 UNCH	.0073	----	----	----	----	2 UNCH
6370	----	----	----	1.20B/*1.50A	----	1.40 UNCH	.0069	----	----	----	----	4 UNCH
6380	----	----	----	1.20B/*1.50A	----	1.40 UNCH	.0069	----	----	----	----	8 UNCH
6390	----	----	----	1.20B/*1.50A	----	1.40 UNCH	.0069	----	----	----	----	1 UNCH
6400	----	----	----	1.20B/*1.40A	----	1.40 UNCH	.0068	----	----	----	----	482 UNCH
6410	----	----	----	1.10B/*1.40A	----	1.30 - 0.10	.0064	----	----	----	----	8 UNCH
6420	----	----	----	1.10B/*1.40A	----	1.30 UNCH	.0064	----	----	----	----	3 UNCH
6430	1.50	1.50	1.50/1.50	1.50/*1.30A	----	1.30 UNCH	.0063	----	----	3	----	33 + 3
6440	----	----	----	1.10B/*1.40A	----	1.30 UNCH	.0063	----	----	----	----	2 UNCH
6450	1.20	1.20	1.20/*1.20	1.20/*1.20	----	1.30 UNCH	.0063	----	----	1	----	64 UNCH
6460	----	----	----	1.00B/1.40A	----	1.20 - 0.10	.0059	----	----	----	----	36 UNCH
6470	----	----	----	1.00B/*1.30A	----	1.20 UNCH	.0058	----	----	----	----	9 UNCH
6480	----	----	----	1.00B/*1.30A	----	1.20 UNCH	.0058	----	----	----	----	21 UNCH
6490	----	----	----	1.00B/*1.30A	----	1.20 UNCH	.0058	----	----	----	----	17 UNCH
6500	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.20 UNCH	.0058	----	----	2	----	1112 UNCH
6525	----	----	----	1.00B/1.30A	----	1.10 - 0.10	.0053	----	----	----	----	21 UNCH
6550	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0053	----	----	1	----	209 UNCH
6575	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0052	----	----	----	----	7 UNCH
6600	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0048	----	----	----	----	880 UNCH
6625	----	----	----	0.80B/*1.10A	----	1.00 UNCH	.0047	----	----	----	----	105 UNCH
6650	----	----	----	0.80B/1.10A	----	1.00 UNCH	.0047	----	----	----	----	40 UNCH
6675	----	----	----	0.80B/1.20A	----	1.00 UNCH	.0046	----	----	----	----	48 UNCH
6700	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.90 UNCH	.0042	----	----	1	----	1346 - 1
6725	----	----	----	0.70B/*1.00A	----	0.90 UNCH	.0042	----	----	----	----	107 UNCH
6750	----	----	----	0.70B/1.00A	----	0.90 UNCH	.0041	----	----	----	----	134 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6775	----	----	----	0.70B/1.00A	----	0.90 UNCH	.0041	----	----	----	----	13 UNCH
6800	----	----	----	0.70B/*0.90A	----	0.90 + 0.10	.0041	----	----	----	----	239 UNCH
6825	----	----	----	0.60B/*0.90A	----	0.90 + 0.10	.0040	----	----	----	----	10 UNCH
6850	----	----	----	0.60B/*0.80A	----	0.80 UNCH	.0036	----	----	----	----	26 UNCH
6875	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0036	----	----	----	----	3 UNCH
6900	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0035	----	----	----	----	157 UNCH
6925	----	----	----	0.50B/*0.80A	----	0.80 + 0.10	.0035	----	----	----	----	51 UNCH
6950	----	----	----	0.50B/*0.70A	----	0.80 + 0.10	.0035	----	----	----	----	27 UNCH
6975	----	----	----	0.50B/*0.70A	----	0.80 + 0.10	.0035	----	----	----	----	21 UNCH
7000	----	----	----	0.50B/*0.70A	----	0.80 + 0.10	.0034	----	----	----	----	1851 UNCH
7025	----	----	----	0.50B/*0.70A	----	0.80 + 0.10	.0034	----	----	----	----	33 UNCH
7050	----	----	----	0.50B/*0.70A	----	0.70 + 0.10	.0030	----	----	----	----	5 UNCH
7075	----	----	----	0.50B/0.70A	----	0.70 + 0.10	.0030	----	----	----	----	8 UNCH
7100	----	----	----	0.50B/0.70A	----	0.70 + 0.10	.0030	----	----	----	----	145 UNCH
7125	----	----	----	0.40B/0.70A	----	0.70 + 0.10	.0030	----	----	----	----	52 UNCH
7150	----	----	----	0.40B/*0.60A	----	0.70 + 0.10	.0029	----	----	----	----	59 UNCH
7175	----	----	----	0.40B/0.60A	----	0.70 + 0.20	.0029	----	----	----	----	3 UNCH
7200	----	----	----	0.40B/0.70A	----	0.60 + 0.10	.0025	----	----	----	----	134 UNCH
7225	----	----	----	0.40B/0.70A	----	0.60 + 0.10	.0025	----	----	----	----	2 UNCH
7250	----	----	----	0.40B/0.60A	----	0.60 + 0.10	.0025	----	----	----	----	91 UNCH
7275	----	----	----	0.40B/0.60A	----	0.60 + 0.10	.0025	----	----	----	----	1 UNCH
7300	----	----	----	0.40B/0.60A	----	0.60 + 0.10	.0025	----	----	----	----	150 UNCH
7325	----	----	----	0.30B/0.60A	----	0.60 + 0.10	.0024	----	----	----	----	14 UNCH
7350	----	----	----	0.30B/0.60A	----	0.60 + 0.10	.0024	----	----	----	----	3 UNCH
7375	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0021	----	----	----	----	20 UNCH
7400	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0020	----	----	----	----	46 UNCH
7425	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0020	----	----	----	----	20 UNCH
7450	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0020	----	----	----	----	5 UNCH
7475	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0020	----	----	----	----	8 UNCH
7500	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0020	----	----	----	----	1355 UNCH
7525	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0020	----	----	----	----	22 UNCH
7575	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0020	----	----	----	----	8 UNCH
7600	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	48 UNCH
7700	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	45 UNCH
7750	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	12 UNCH
7800	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	39 UNCH
7825	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0019	----	----	----	----	1 UNCH
7875	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0018	----	----	----	----	31 UNCH
7900	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0018	----	----	----	----	2 UNCH
7950	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0018	----	----	----	----	2 UNCH
8000	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 + 0.10	.0018	----	----	1	----	923 - 1
8100	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0018	----	----	----	----	4 UNCH
8200	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0017	----	----	----	----	89 UNCH
8300	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0017	----	----	----	----	64 UNCH
8500	----	----	----	0.20B/0.40A	----	0.50 + 0.10	.0016	----	----	----	----	146 UNCH
8600	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0016	----	----	----	----	52 UNCH
8800	----	----	----	0.10B/0.40A	----	0.40 UNCH	.0013	----	----	----	----	32 UNCH
8900	----	----	----	0.10B/0.40A	----	0.40 UNCH	.0013	----	----	----	----	15 UNCH
9000	0.30	0.30	0.30/0.30	0.30/0.30	----	0.40 + 0.10	.0012	----	----	28	----	306 + 28
9100	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	11 UNCH
9200	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	51 UNCH
9300	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	11 UNCH
9400	----	----	----	----/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	25 UNCH
9500	----	----	----	----/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	23 UNCH
9600	0.50	0.50	0.50/*0.40A	0.50/0.40A	----	0.30 UNCH	.0009	----	----	1	----	27 + 1
9700	----	----	----	----/0.40A	----	0.30 UNCH	.0009	----	----	----	----	20 UNCH
9800	----	----	----	----/0.30A	----	0.30 UNCH	.0009	----	----	----	----	17 UNCH
9900	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0008	----	----	----	----	24 UNCH
10000	0.20	0.20	0.20/0.20	0.20/0.20	----	0.30 + 0.10	.0008	----	----	70	----	363 + 70
10100	----	----	----	----/0.30A	----	0.30 + 0.10	.0008	----	----	----	----	2 UNCH
10300	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	3 UNCH
10400	----	----	----	----/0.30A	----	0.20 + 0.10	.0005	----	----	----	----	2 UNCH
10500	----	----	----	----/0.30A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
10700	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	4 UNCH
11000	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	72 UNCH
11300	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	12 UNCH
11500	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
11600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
11700	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
11900	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	406 UNCH
TOTAL										10745	2,910	169935 + 2005
JUL26												
3500	----	----	----/1,247.20A	1268.30B/1247.20A	----	1262.20 - 28.70	.9800	----	----	----	----	1 UNCH
3600	----	----	----/1,133.70A	1189.30B/1133.70A	----	1163.60 - 28.50	.9746	----	----	----	----	24 UNCH
3650	----	----	----/1,084.70A	1140.00B/1084.70A	----	1114.50 - 28.30	.9712	----	----	----	----	10 UNCH
3670	----	----	----/1,065.20A	1120.30B/1065.20A	----	1094.80 - 28.40	.9697	----	----	----	----	3 UNCH
3700	----	----	----/1,035.90A	1090.90B/1035.90A	----	1065.50 - 28.20	.9674	----	----	----	----	119 UNCH
3735	----	----	----/1,017.60A	1037.30B/1017.60A	----	1031.30 - 28.10	.9644	----	----	----	----	1 UNCH
3775	----	----	----/963.20A	1017.50B/963.20A	----	992.30 - 27.90	.9607	----	----	----	----	4 UNCH
3800	----	----	----/934.90A	994.20B/934.90A	----	968.00 - 27.80	.9580	----	----	----	----	2050 UNCH
3825	----	----	----/915.10A	968.80B/915.10A	----	943.80 - 27.70	.9554	----	----	----	----	3 UNCH
3850	----	----	----/891.10A	944.50B/891.10A	----	919.60 - 27.60	.9524	----	----	----	----	65 UNCH
3860	----	----	----/896.50A	916.10B/896.50A	----	910.00 - 27.50	.9512	----	----	----	----	1 UNCH
3865	----	----	----/876.80A	930.00B/876.80A	----	905.20 - 27.40	.9505	----	----	----	----	7 UNCH
3875	----	----	----/867.20A	920.30B/867.20A	----	895.50 - 27.40	.9491	----	----	----	----	25 UNCH
3900	----	----	----/843.50A	896.10B/843.50A	----	871.50 - 27.30	.9457	----	----	----	----	18 UNCH
3925	----	----	----/819.80A	872.10B/819.80A	----	847.60 - 27.10	.9421	----	----	----	----	35 UNCH
3950	----	----	----/792.00A	849.10B/792.00A	----	823.70 - 27.00	.9381	----	----	----	----	820 UNCH
3960	----	----	----/800.40A	820.40B/800.40A	----	814.20 - 26.90	.9363	----	----	----	----	1 UNCH
4000	----	----	----/749.40A	800.40B/749.40A	----	776.30 - 26.60	.9291	----	----	----	----	16 UNCH
4020	----	----	----/744.00A	763.70B/744.00A	----	757.50 - 26.40	.9251	----	----	----	----	1 UNCH
4030	----	----	----/734.70A	754.30B/734.70A	----	748.10 - 26.40	.9230	----	----	----	----	2 UNCH
4040	----	----	----/725.30A	745.00B/725.30A	----	738.70 - 26.30	.9209	----	----	----	----	1 UNCH
4075	----	----	----/680.40A	729.50B/680.40A	----	706.10 - 26.00	.9128	----	----	----	----	6 UNCH
4095	----	----	----/662.20A	710.80B/662.20A	----	687.60 - 25.90	.9080	----	----	----	----	4 UNCH
4100	----	----	----/657.70A	706.20B/657.70A	----	683.00 - 25.80	.9066	----	----	----	----	194 UNCH
4105	----	----	----/665.30A	684.70B/665.30A	----	678.40 - 25.80	.9053	----	----	----	----	1 UNCH
4110	----	----	----/648.60A	696.80B/648.60A	----	673.80 - 25.70	.9039	----	----	----	----	3 UNCH
4145	----	----	----/617.30A	664.50B/617.30A	----	641.90 - 25.30	.8941	----	----	----	----	28 UNCH
4150	----	----	----/612.80A	659.90B/612.80A	----	637.40 - 25.20	.8925	----	----	----	----	37 UNCH
4155	----	----	----/620.20A	639.00B/620.20A	----	632.80 - 25.20	.8911	----	----	----	----	1 UNCH
4160	----	----	----/615.70A	634.50B/615.70A	----	628.30 - 25.10	.8895	----	----	----	----	1 UNCH
4190	----	----	----/588.50A	607.40B/588.50A	----	601.40 - 24.70	.8797	----	----	----	----	1 UNCH
4200	----	----	----/568.90A	614.20B/568.90A	----	592.50 - 24.60	.8761	----	----	----	----	8 UNCH
4215	----	----	----/555.90A	600.70B/555.90A	----	579.20 - 24.40	.8709	----	----	----	----	25 UNCH
4220	----	----	----/562.30A	580.70B/562.30A	----	574.80 - 24.30	.8690	----	----	----	----	1 UNCH
4225	----	----	----/557.90A	576.30B/557.90A	----	570.40 - 24.20	.8671	----	----	----	----	2 UNCH
4235	----	----	----/549.20A	567.50B/549.20A	----	561.60 - 24.10	.8634	----	----	----	----	1 UNCH
4240	----	----	----/534.40A	578.30B/534.40A	----	557.30 - 24.00	.8614	----	----	----	----	39 UNCH
4245	----	----	----/540.20A	558.70B/540.20A	----	552.90 - 23.90	.8595	----	----	----	----	1 UNCH
4250	----	----	----/523.80A	569.80B/523.80A	----	548.50 - 23.90	.8576	----	----	----	----	316 UNCH
4255	----	----	----/531.80A	549.90B/531.80A	----	544.20 - 23.80	.8557	----	----	----	----	1 UNCH
4265	----	----	----/523.20A	541.20B/523.20A	----	535.50 - 23.70	.8516	----	----	----	----	2 UNCH
4270	----	----	----/508.90A	551.70B/508.90A	----	531.10 - 23.70	.8497	----	----	----	----	38 UNCH
4275	----	----	----/504.70A	547.30B/504.70A	----	526.80 - 23.60	.8475	----	----	----	----	76 UNCH
4280	----	----	----/500.50A	542.90B/500.50A	----	522.50 - 23.50	.8454	----	----	----	----	3 UNCH
4300	----	----	----/483.80A	525.50B/483.80A	----	505.30 - 23.30	.8369	----	----	----	----	63 UNCH
4315	----	----	----/471.50A	512.70B/471.50A	----	492.60 - 23.10	.8302	----	----	----	----	21 UNCH
4325	----	----	----/463.30A	504.10B/463.30A	----	484.10 - 23.10	.8256	----	----	----	----	22 UNCH
4335	----	----	----/464.00A	481.50B/464.00A	----	475.70 - 23.00	.8208	----	----	----	----	1 UNCH
4350	----	----	----/443.10A	482.80B/443.10A	----	463.20 - 22.80	.8135	----	----	----	----	10 UNCH
4360	----	----	----/435.20A	474.40B/435.20A	----	454.90 - 22.70	.8085	----	----	----	----	53 UNCH
4365	----	----	----/431.20A	470.30B/431.20A	----	450.80 - 22.70	.8060	----	----	----	----	45 UNCH
4370	----	----	----/427.20A	466.10B/427.20A	----	446.70 - 22.60	.8034	----	----	----	----	20 UNCH
4375	----	----	----/423.30A	461.90B/423.30A	----	442.70 - 22.50	.8008	----	----	----	----	5 UNCH
4400	----	----	----/400.00A	442.30B/400.00A	----	422.50 - 22.20	.7872	----	----	----	----	2267 UNCH
4410	----	----	----/396.20A	433.20B/396.20A	----	414.50 - 22.10	.7816	----	----	----	----	4 UNCH
4415	----	----	----/392.40A	429.10B/392.40A	----	410.60 - 22.00	.7786	----	----	----	----	39 UNCH
4420	----	----	----/388.60A	425.10B/388.60A	----	406.60 - 21.90	.7757	----	----	----	----	5 UNCH
4425	----	----	----/384.90A	421.10B/384.90A	----	402.70 - 21.80	.7727	----	----	----	----	16 UNCH
4430	----	----	----/387.90A	404.30B/387.90A	----	398.80 - 21.80	.7699	----	----	----	----	1 UNCH
4445	----	----	----/370.00A	405.10B/370.00A	----	387.20 - 21.50	.7607	----	----	----	----	30 UNCH
4450	----	----	----/364.30A	401.60B/364.30A	----	383.40 - 21.40	.7576	----	----	----	----	255 UNCH
4455	----	----	----/368.90A	384.80B/368.90A	----	379.60 - 21.30	.7545	----	----	----	----	2 UNCH
4460	----	----	----/365.10A	381.00B/365.10A	----	375.80 - 21.20	.7513	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4475	----	----	----/347.20A	369.50B/347.20A	----	364.50 - 21.00	.7417	----	----	----	----	2 UNCH
4480	----	----	----/343.70A	377.90B/343.70A	----	360.70 - 21.00	.7385	----	----	----	----	25 UNCH
4490	----	----	----/330.60A	370.20B/330.60A	----	353.30 - 20.80	.7318	----	----	----	----	9 UNCH
4500	----	----	----/323.60A	363.60B/323.60A	----	346.00 - 20.60	.7251	----	----	----	----	968 UNCH
4505	----	----	----/320.10A	347.20B/320.10A	----	342.30 - 20.60	.7217	----	----	----	----	2 UNCH
4510	----	----	----/316.60A	355.10B/316.60A	----	338.70 - 20.50	.7183	----	----	----	----	45 UNCH
4515	----	----	----/313.40A	351.40B/313.40A	----	335.00 - 20.50	.7148	----	----	----	----	200 UNCH
4520	----	----	----/309.90A	348.90B/309.90A	----	331.40 - 20.40	.7114	----	----	----	----	188 UNCH
4525	----	----	----/306.50A	347.90B/306.50A	----	327.80 - 20.40	.7079	----	----	----	----	129 UNCH
4530	----	----	----/301.80A	340.40B/301.80A	----	324.30 - 20.20	.7044	----	----	----	----	5 UNCH
4535	----	----	----/298.50A	336.70B/298.50A	----	320.70 - 20.20	.7009	----	----	----	----	14 UNCH
4540	----	----	----/295.10A	337.00B/295.10A	----	317.20 - 20.10	.6972	----	----	----	----	54 UNCH
4550	----	----	----/288.50A	323.30B/288.50A	----	310.20 - 20.00	.6900	----	----	----	----	10 UNCH
4560	----	----	----/282.00A	320.20B/282.00A	----	303.20 - 19.90	.6827	----	----	----	----	2 UNCH
4565	----	----	----/278.80A	318.10B/278.80A	----	299.80 - 19.80	.6789	----	----	----	----	1 UNCH
4570	285.00	285.00	316.50B/275.60A	316.50B/275.60A	----	296.30 - 19.80	.6752	----	----	1	----	2 UNCH
4575	----	----	313.10B/272.30A	313.10B/272.30A	----	292.90 - 19.80	.6715	----	----	----	----	128 UNCH
4580	----	----	309.50B/269.20A	309.50B/269.20A	----	289.60 - 19.60	.6677	----	----	----	----	1 UNCH
4600	----	----	295.90B/256.80A	295.90B/256.80A	----	276.20 - 19.50	.6523	----	----	----	----	342 UNCH
4605	----	----	292.40B/253.60A	292.40B/253.60A	----	273.00 - 19.30	.6484	----	----	----	----	10 UNCH
4610	----	----	----/250.70A	289.00B/250.70A	----	269.70 - 19.30	.6444	----	----	----	----	6 UNCH
4635	----	----	272.80B/235.70A	272.80B/235.70A	----	253.80 - 18.90	.6245	----	----	----	----	84 UNCH
4640	----	----	----/232.80A	269.40B/232.80A	----	250.70 - 18.90	.6204	----	----	----	----	239 UNCH
4645	----	----	----/230.00A	266.20B/230.00A	----	247.60 - 18.80	.6163	----	----	----	----	14 UNCH
4650	----	----	----/227.20A	263.10B/227.20A	----	244.50 - 18.70	.6122	----	----	----	----	257 UNCH
4655	----	----	----/224.20A	260.00B/224.20A	----	241.50 - 18.60	.6081	----	----	----	----	18 UNCH
4660	----	----	257.10B/221.40A	257.10B/221.40A	----	238.40 - 18.60	.6039	----	----	----	----	20 UNCH
4665	----	----	----/218.70A	254.00B/218.70A	----	235.50 - 18.50	.5998	----	----	----	----	268 UNCH
4670	----	----	----/216.00A	250.80B/216.00A	----	232.50 - 18.40	.5955	----	----	----	----	105 UNCH
4675	----	----	249.30B/213.10A	249.30B/213.10A	----	229.60 - 18.30	.5914	----	----	----	----	129 UNCH
4680	----	----	----/210.40A	244.70B/210.40A	----	226.70 - 18.20	.5871	----	----	----	----	10 UNCH
4685	----	----	----/207.70A	241.70B/207.70A	----	223.80 - 18.10	.5829	----	----	----	----	11 UNCH
4695	----	----	236.30B/202.40A	236.30B/202.40A	----	218.10 - 17.90	.5744	----	----	----	----	23 UNCH
4700	----	----	233.80B/199.80A	233.80B/199.80A	----	215.30 - 17.90	.5701	----	----	10	----	593 UNCH
4710	----	----	234.50B/194.60A	234.50B/194.60A	----	209.90 - 17.50	.5615	----	----	----	----	117 UNCH
4720	----	----	229.30B/189.60A	229.30B/189.60A	----	204.50 - 17.30	.5529	----	----	----	----	9 UNCH
4725	----	----	226.20B/187.00A	226.20B/187.00A	----	201.80 - 17.20	.5486	----	----	----	----	52 UNCH
4730	----	----	223.80B/184.50A	223.80B/184.50A	----	199.20 - 17.10	.5443	----	----	----	----	3 UNCH
4740	----	----	218.20B/179.60A	218.20B/179.60A	----	194.10 - 16.80	.5356	----	----	----	----	1 UNCH
4745	----	----	215.50B/177.20A	215.50B/177.20A	----	191.50 - 16.70	.5312	----	----	----	----	177 UNCH
4750	183.20	183.20	212.80B/174.90A	212.80B/174.90A	----	189.00 - 16.50	.5269	----	----	150	----	1144 + 76
4755	182.40	182.40	210.00B/172.50A	210.00B/172.50A	----	186.50 - 16.40	.5225	----	----	1	----	17 + 1
4760	----	----	207.30B/170.20A	207.30B/170.20A	----	184.00 - 16.30	.5182	----	----	----	----	47 UNCH
4770	183.70	183.70	202.00B/165.50A	202.00B/165.50A	----	179.10 - 16.00	.5095	----	----	1	----	70 + 1
4775	----	----	198.90B/163.30A	198.90B/163.30A	----	176.70 - 15.90	.5051	----	----	1	----	150 UNCH
4780	----	----	196.30B/161.00A	196.30B/161.00A	----	174.30 - 15.70	.5008	----	----	----	----	31 UNCH
4785	----	----	193.80B/158.80A	193.80B/158.80A	----	171.90 - 15.60	.4964	----	----	----	----	12 UNCH
4790	----	----	191.30B/156.50A	191.30B/156.50A	----	169.50 - 15.50	.4921	----	----	----	----	2 UNCH
4795	----	----	188.80B/154.40A	188.80B/154.40A	----	167.20 - 15.40	.4877	----	----	----	----	89 UNCH
4800	164.40	164.40	186.20B/152.20A	186.20B/152.20A	----	164.80 - 15.30	.4834	----	----	2	----	1739 + 1
4805	168.50	168.50	183.70B/150.10A	183.70B/150.10A	----	162.50 - 15.20	.4790	----	----	25	----	29 + 25
4810	----	----	181.30B/148.00A	181.30B/148.00A	----	160.20 - 15.00	.4747	----	----	----	----	33 UNCH
4815	----	----	178.80B/145.90A	178.80B/145.90A	----	157.90 - 14.90	.4703	----	----	----	----	1 UNCH
4820	156.80	156.80	176.40B/143.90A	176.40B/143.90A	----	155.70 - 14.80	.4660	----	----	3	----	23 - 1
4825	161.70	161.70	174.10B/141.70A	174.10B/141.70A	----	153.40 - 14.70	.4616	----	----	6	----	647 + 5
4830	----	----	171.70B/139.80A	171.70B/139.80A	----	151.20 - 14.60	.4573	----	----	----	----	12 UNCH
4835	150.40	150.40	169.70B/137.80A	169.70B/137.80A	----	149.00 - 14.40	.4529	----	----	2	----	18 + 2
4840	----	----	167.00B/135.80A	167.00B/135.80A	----	146.90 - 14.30	.4487	----	----	----	----	6 UNCH
4845	----	----	164.80B/133.90A	164.80B/133.90A	----	144.70 - 14.20	.4443	----	----	----	----	61 UNCH
4850	----	----	162.50B/132.00A	162.50B/132.00A	----	142.60 - 14.10	.4400	----	----	110	----	420 + 42
4855	----	----	160.60B/130.00A	160.60B/130.00A	----	140.50 - 14.00	.4357	----	----	----	----	7 UNCH
4860	----	----	158.00B/128.10A	158.00B/128.10A	----	138.40 - 13.90	.4314	----	----	----	----	13 UNCH
4865	145.00	145.00	155.80B/126.20A	155.80B/126.20A	----	136.40 - 13.70	.4271	----	----	11	----	32 - 1
4870	----	----	153.70B/124.50A	153.70B/124.50A	----	134.40 - 13.60	.4229	----	----	----	----	68 UNCH
4875	----	----	151.50B/122.70A	151.50B/122.70A	----	132.40 - 13.50	.4186	----	----	----	----	17 UNCH
4880	----	----	149.40B/120.80A	149.40B/120.80A	----	130.40 - 13.40	.4144	----	----	6	----	62 - 6
4885	----	----	147.30B/119.10A	147.30B/119.10A	----	128.50 - 13.30	.4102	----	----	2	----	13 + 2
4890	----	----	145.40B/117.40A	145.40B/117.40A	----	126.60 - 13.20	.4060	----	----	----	----	3 UNCH
4895	----	----	143.20B/115.70A	143.20B/115.70A	----	124.70 - 13.10	.4018	----	----	----	----	9 UNCH
4900	----	----	141.30B/114.00A	141.30B/114.00A	----	122.80 - 13.00	.3976	----	----	60	----	872 - 30
4905	----	----	139.30B/112.20A	139.30B/112.20A	----	121.00 - 12.90	.3934	----	----	----	----	9 UNCH
4910	----	----	137.10B/110.60A	137.10B/110.60A	----	119.20 - 12.80	.3893	----	----	----	----	106 UNCH
4915	----	----	135.20B/109.00A	135.20B/109.00A	----	117.40 - 12.70	.3852	----	----	----	----	36 UNCH
4920	----	----	133.20B/107.40A	133.20B/107.40A	----	115.70 - 12.50	.3812	----	----	5	----	9 UNCH
4925	----	----	131.50B/105.80A	131.50B/105.80A	----	113.90 - 12.50	.3770	----	----	----	----	40 UNCH
4930	113.70	113.70	129.50B/104.20A	129.50B/104.20A	----	112.20 - 12.40	.3730	----	----	4	----	65 + 2
4935	----	----	127.80B/102.70A	127.80B/102.70A	----	110.50 - 12.30	.3689	----	----	----	----	605 UNCH
4940	----	----	125.70B/101.10A	125.70B/101.10A	----	108.90 - 12.10	.3650	----	----	----	----	176 UNCH
4945	----	----	124.00B/99.60A	124.00B/99.60A	----	107.20 - 12.00	.3610	----	----	----	----	11 UNCH
4950	----	----	122.10B/98.10A	122.10B/98.10A	----	105.60 - 11.90	.3570	----	----	2	----	186 UNCH
4955	----	----	120.30B/*96.60A	120.30B/*96.60A	----	104.00 - 11.80	.3531	----	----	----	----	72 UNCH
4960	----	----	118.70B/95.20A	118.70B/95.20A	----	102.40 - 11.70	.3491	----	----	----	----	16 UNCH
4965	----	----	116.80B/*93.80A	116.80B/*93.80A	----	100.90 - 11.50	.3453	----	----	----	----	173 UNCH
4970	----	----	115.10B/92.30A	115.10B/92.30A	----	99.30 - 11.50	.3413	----	----	----	----	8 UNCH
4975	----	----	113.40B/90.90A	113.40B/90.90A	----	97.80 - 11.40	.3375	----	----	----	----	42 UNCH
4980	----	----	111.70B/89.60A	111.70B/89.60A	----	96.30 - 11.30	.3337	----	----	----	----	3 UNCH
4985	----	----	110.10B/*88.10A	110.10B/*88.10A	----	94.80 - 11.20	.3299	----	----	----	----	27 UNCH
4990	----	----	108.60B/*86.90A	108.60B/*86.90A	----	93.40 - 11.00	.3261	----	----	----	----	15 UNCH
4995	94.40	94.40	107.00B/*85.60A	107.00B/*85.60A	----	92.00 - 10.90	.3224	----	----	16	----	36 + 16
5000	89.00	89.00	105.20B/84.30A	105.20B/84.30A	----	90.50 - 10.80	.3186	----	----	2	----	2677 + 2
5005	----	----	103.60B/*83.00A	103.60B/*83.00A	----	89.10 - 10.70	.3149	----	----	----	----	18 UNCH
5010	----	----	102.10B/*81.70A	102.10B/*81.70A	----	87.80 - 10.50	.3113	----	----	----	----	35 UNCH
5015	----	----	100.70B/*80.50A	100.70B/*80.50A	----	86.40 - 10.50	.3076	----	----	----	----	29 UNCH
5020	----	----	99.00B/*79.30A	99.00B/*79.30A	----	85.10 - 10.30	.3041	----	----	----	----	7 UNCH
5025	----	----	97.70B/*78.10A	97.70B/*78.10A	----	83.70 - 10.30	.3004	----	----	----	----	34 UNCH
5030	----	----	96.10B/*76.80A	96.10B/*76.80A	----	82.40 - 10.20	.2968	----	----	----	----	42 UNCH
5035	----	----	94.60B/*75.70A	94.60B/*75.70A	----	81.20 - 10.00	.2934	----	----	----	----	60 UNCH
5040	----	----	93.20B/*74.50A	93.20B/*74.50A	----	79.90 - 9.90	.2898	----	----	----	----	2 UNCH
5045	----	----	91.80B/*73.40A	91.80B/*73.40A	----	78.60 - 9.80	.2862	----	----	----	----	3 UNCH
5050	79.20	79.20	90.50B/*72.30A	90.50B/*72.30A	----	77.40 - 9.70	.2828	----	----	4	----	134 - 1
5055	----	----	89.00B/*71.20A	89.00B/*71.20A	----	76.20 - 9.60	.2794	----	----	----	----	8 UNCH
5060	----	----	87.50B/*70.10A	87.50B/*70.10A	----	75.00 - 9.50	.2760	----	----	----	----	8 UNCH
5065	----	----	86.30B/*69.00A	86.30B/*69.00A	----	73.80 - 9.40	.2726	----	----	----	----	209 UNCH
5070	----	----	85.00B/*68.00A	85.00B/*68.00A	----	72.70 - 9.20	.2694	----	----	----	----	22 UNCH
5075	72.00	72.00	83.70B/*66.90A	83.70B/*66.90A	----	71.50 - 9.20	.2660	----	----	1	----	51 + 1
5080	----	----	82.40B/*65.90A	82.40B/*65.90A	----	70.40 - 9.10	.2627	----	----	----	----	79 UNCH
5085	----	----	81.00B/*64.90A	81.00B/*64.90A	----	69.30 - 9.00	.2595	----	----	----	----	34 UNCH
5090	----	----	79.90B/*63.90A	79.90B/*63.90A	----	68.20 - 8.90	.2562	----	----	----	----	2 UNCH
5095	----	----	78.60B/*63.00A	78.60B/*63.00A	----	67.10 - 8.80	.2530	----	----	----	----	38 UNCH
5100	67.20	67.20	77.40B/61.90A	77.40B/61.90A	----	66.10 - 8.70	.2499	----	----	1	----	958 - 1
5105	----	----	76.30B/*61.00A	76.30B/*61.00A	----	65.00 - 8.60	.2467	----	----	----	----	61 UNCH
5110	----	----	75.00B/*60.10A	75.00B/*60.10A	----	64.00 - 8.50	.2436	----	----	----	----	14 UNCH
5115	----	----	73.90B/*59.10A	73.90B/*59.10A	----	63.00 - 8.40	.2406	----	----	----	----	27 UNCH
5120	----	----	72.70B/*58.20A	72.70B/*58.20A	----	62.00 - 8.30	.2375	----	----	----	----	38 UNCH
5125	----	----	71.70B/*57.40A	71.70B/*57.40A	----	61.00 - 8.30	.2345	----	----	----	----	231 UNCH
5130	----	----	70.50B/*56.50A	70.50B/*56.50A	----	60.10 - 8.10	.2316	----	----	----	----	13 UNCH
5135	----	----	69.40B/*55.60A	69.40B/*55.60A	----	59.10 - 8.10	.2286	----	----	----	----	155 UNCH
5140	----	----	68.20B/*54.60A	68.20B/*54.60A	----	58.20 - 8.00	.2257	----	----	----	----	57 UNCH
5145	----	----	67.40B/*53.90A	67.40B/*53.90A	----	57.30 - 7.90	.2228	----	----	----	----	49 UNCH
5150	56.50	56.50	66.30B/*52.90A	66.30B/*52.90A	----	56.40 - 7.80	.2200	----	----	1	----	788 UNCH
5155	----	----	65.20B/*52.40A	65.20B/*52.40A	----	55.50 - 7.70	.2171	----	----	----	----	4 UNCH
5160	----	----	64.20B/*51.60A	64.20B/*51.60A	----	54.60 - 7.60	.2143	----	----	----	----	12 UNCH
5165	----	----	63.20B/*50.80A	63.20B/*50.80A	----	53.80 - 7.50	.2117	----	----	5	----	7 + 3
5170	----	----	62.20B/*50.10A	62.20B/*50.10A	----	52.90 - 7.50	.2088	----	----	----	----	6 UNCH
5175	52.20	52.20	61.30B/*49.30A	61.30B/*49.30A	----	52.10 - 7.40	.2062	----	----	1	----	55 UNCH
5180	----	----	60.30B/*48.60A	60.30B/*48.60A	----	51.30 - 7.30	.2035	----	----	----	----	14 UNCH
5185	----	----	59.40B/*47.70A	59.40B/*47.70A	----	50.50 - 7.20	.2009	----	----	----	----	118 UNCH
5190	----	----	58.40B/*47.10A	58.40B/*47.10A	----	49.70 - 7.10	.1983	----	----	----	----	2 UNCH
5195	----	----	57.50B/*46.30A	57.50B/*46.30A	----	48.90 - 7.10	.1956	----	----	----	----	41 UNCH
5200	50.00	50.00	56.80B/*45.20A	56.80B/*45.20A	----	48.10 - 7.00	.1930	----	----	399	300	1355 - 219
5205	----	----	55.80B/*44.90A	55.80B/*44.90A	----	47.40 - 6.90	.1906	----	----	----	----	9 UNCH
5210	----	----	54.90B/*44.20A	54.90B/*44.20A	----	46.70 - 6.80	.1882	----	----	----	----	42 UNCH
5215	47.10	47.10	54.00B/*43.60A	54.00B/*43.60A	----	45.90 - 6.80	.1856	----	----	17	----	27 + 17
5220	----	----	53.30B/*42.90A	53.30B/*42.90A	----	45.20 - 6.70	.1832	----	----	----	----	17 UNCH
5225	----	----	52.50B/*41.90A	52.50B/*41.90A	----	44.50 - 6.60	.1808	----	----	68	----	69 + 66
5230	44.00	44.00	51.70B/*41.20A	51.70B/*41.20A	----	43.80 - 6.60	.1784	----	----	2	----	68 - 2
5235	----	----	50.90B/*40.50A	50.90B/*40.50A	----	43.20 - 6.40	.1762	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5240	----	----	50.10B/*40.10A	50.10B/*40.10A	----	42.50 - 6.40	.1738	----	----	5	----	119 - 5
5245	----	----	49.30B/*39.20A	49.30B/*39.20A	----	41.90 - 6.30	.1717	----	----	----	----	61 UNCH
5250	41.50	41.50	48.60B/*38.60A	48.60B/*38.60A	----	41.20 - 6.30	.1693	----	----	2	----	640 UNCH
5255	39.70	39.70	47.70B/*38.20A	47.70B/*38.20A	----	40.60 - 6.20	.1672	----	----	2	----	14 - 1
5260	----	----	47.10B/*37.60A	47.10B/*37.60A	----	40.00 - 6.10	.1650	----	----	----	----	150 UNCH
5265	----	----	46.40B/*37.10A	46.40B/*37.10A	----	39.40 - 6.00	.1629	----	----	----	----	4 UNCH
5270	----	----	45.70B/*36.50A	45.70B/*36.50A	----	38.80 - 5.90	.1607	----	----	----	----	16 UNCH
5275	----	----	45.00B/*35.90A	45.00B/*35.90A	----	38.20 - 5.90	.1586	----	----	----	----	19 UNCH
5280	----	----	44.30B/*35.40A	44.30B/*35.40A	----	37.60 - 5.80	.1565	----	----	----	----	5 UNCH
5285	----	----	43.60B/*34.90A	43.60B/*34.90A	----	37.00 - 5.80	.1544	----	----	----	----	19 UNCH
5290	----	----	42.90B/*34.30A	42.90B/*34.30A	----	36.50 - 5.70	.1525	----	----	----	----	43 UNCH
5295	----	----	42.30B/*34.00A	42.30B/*34.00A	----	35.90 - 5.60	.1504	----	----	----	----	79 UNCH
5300	37.60	37.60	41.60B/*33.30A	41.60B/*33.30A	----	35.40 - 5.50	.1485	----	----	7	----	1362 UNCH
5305	33.70	33.70	41.00B/*32.80A	41.00B/*32.80A	----	34.90 - 5.40	.1466	----	----	1	----	63 UNCH
5310	34.90	34.90	40.20B/*32.30A	40.20B/*32.30A	----	34.40 - 5.40	.1447	----	----	3	----	7 + 3
5315	34.50	34.50	39.80B/*31.90A	39.80B/*31.90A	----	33.80 - 5.40	.1426	----	----	13	----	26 + 13
5320	----	----	39.00B/*31.50A	39.00B/*31.50A	----	33.30 - 5.30	.1408	----	----	----	----	58 UNCH
5325	----	----	38.50B/*30.90A	38.50B/*30.90A	----	32.90 - 5.20	.1392	----	----	1	----	181 UNCH
5330	----	----	37.80B/*30.40A	37.80B/*30.40A	----	32.40 - 5.10	.1373	----	----	----	----	13 UNCH
5335	----	----	37.40B/*30.20A	37.40B/*30.20A	----	31.90 - 5.10	.1355	----	----	----	----	3 UNCH
5340	----	----	36.80B/*29.50A	36.80B/*29.50A	----	31.40 - 5.00	.1336	----	----	----	----	30 UNCH
5345	----	----	36.10B/*29.20A	36.10B/*29.20A	----	31.00 - 4.90	.1321	----	----	----	----	42 UNCH
5350	30.00	30.00	35.60B/*28.70A	35.60B/*28.70A	----	30.50 - 4.90	.1302	----	----	27	----	654 + 7
5355	----	----	35.10B/*28.30A	35.10B/*28.30A	----	30.10 - 4.80	.1286	----	----	----	----	108 UNCH
5360	----	----	34.70B/*27.90A	34.70B/*27.90A	----	29.70 - 4.70	.1271	----	----	----	----	328 UNCH
5365	27.40	27.40	34.20B/*27.40	34.20B/*27.40	----	29.20 - 4.70	.1252	----	----	1	----	146 - 1
5370	----	----	33.60B/*27.10A	33.60B/*27.10A	----	28.80 - 4.60	.1237	----	----	----	----	24 UNCH
5375	----	----	33.20B/*26.70A	33.20B/*26.70A	----	28.40 - 4.60	.1221	----	----	----	----	10 UNCH
5380	28.10	28.10	32.60B/*26.30A	32.60B/*26.30A	----	28.00 - 4.50	.1206	----	----	2	----	8 UNCH
5385	----	----	32.20B/*26.00A	32.20B/*26.00A	----	27.60 - 4.40	.1190	----	----	----	----	16 UNCH
5390	----	----	31.70B/*25.60A	31.70B/*25.60A	----	27.20 - 4.40	.1175	----	----	----	----	13 UNCH
5395	----	----	31.30B/*25.30A	31.30B/*25.30A	----	26.80 - 4.40	.1159	----	----	----	----	24 UNCH
5400	----	----	30.80B/*24.90A	30.80B/*24.90A	----	26.50 - 4.20	.1146	----	----	59	----	2955 - 18
5405	----	----	30.40B/*24.50A	30.40B/*24.50A	----	26.10 - 4.20	.1131	----	----	----	----	10 UNCH
5410	----	----	----/*24.20A	29.90B/*24.20A	----	25.70 - 4.20	.1116	----	----	3	----	23 + 3
5415	----	----	----/*23.90A	29.30B/*23.90A	----	25.40 - 4.10	.1103	----	----	2	----	16 - 2
5420	----	----	----/*23.50A	28.90B/*23.50A	----	25.00 - 4.10	.1088	----	----	12	----	27 + 11
5425	----	----	----/*23.20A	28.50B/*23.20A	----	24.70 - 4.00	.1075	----	----	----	----	27 UNCH
5430	----	----	----/*22.90A	28.20B/*22.90A	----	24.40 - 3.90	.1063	----	----	----	----	11 UNCH
5435	----	----	----/*22.60A	27.80B/*22.60A	----	24.00 - 3.90	.1048	----	----	----	----	6 UNCH
5440	----	----	----/*22.30A	27.30B/*22.30A	----	23.70 - 3.80	.1035	----	----	----	----	10 UNCH
5445	23.90	23.90	23.90/*22.00A	26.90B/*22.00A	----	23.40 - 3.80	.1023	----	----	16	----	24 + 16
5450	----	----	----/*21.70A	26.60B/*21.70A	----	23.10 - 3.70	.1011	----	----	----	----	1187 UNCH
5455	----	----	----/*21.40A	26.30B/*21.40A	----	22.80 - 3.60	.0998	----	----	----	----	36 UNCH
5460	----	----	----/*21.30A	25.90B/*21.30A	----	22.50 - 3.60	.0986	----	----	----	----	23 UNCH
5465	----	----	----/*20.80A	25.40B/*20.80A	----	22.20 - 3.50	.0974	----	----	----	----	18 UNCH
5470	----	----	----/*20.70A	25.20B/*20.70A	----	21.90 - 3.50	.0962	----	----	12	----	27 - 6
5475	----	----	----/*20.30A	24.70B/*20.30A	----	21.60 - 3.50	.0950	----	----	----	----	206 UNCH
5480	----	----	----/*20.00A	24.50B/*20.00A	----	21.30 - 3.50	.0937	----	----	----	----	5 UNCH
5485	----	----	----/*19.80A	24.00B/*19.80A	----	21.00 - 3.40	.0925	----	----	----	----	9 UNCH
5490	----	----	----/*19.50A	23.70B/*19.50A	----	20.80 - 3.30	.0916	----	----	----	----	18 UNCH
5495	----	----	----/*19.30A	23.40B/*19.30A	----	20.50 - 3.30	.0904	----	----	----	----	4 UNCH
5500	22.60	22.60	22.60/18.70	23.10B/18.70	----	20.20 - 3.30	.0892	----	----	406	----	3218 - 80
5505	----	----	----/*18.80A	22.80B/*18.80A	----	20.00 - 3.20	.0883	----	----	----	----	6 UNCH
5510	----	----	----/*18.70A	22.60B/*18.70A	----	19.70 - 3.20	.0871	----	----	----	----	13 UNCH
5515	----	----	----/*18.40A	22.30B/*18.40A	----	19.50 - 3.10	.0862	----	----	----	----	17 UNCH
5520	----	----	----/*18.10A	22.00B/*18.10A	----	19.20 - 3.10	.0850	----	----	----	----	11 UNCH
5525	----	----	----/*18.00A	21.60B/*18.00A	----	19.00 - 3.10	.0841	----	----	----	----	90 UNCH
5530	----	----	----/*17.80A	21.30B/*17.80A	----	18.80 - 3.00	.0832	----	----	----	----	23 UNCH
5535	----	----	----/*17.60A	21.10B/*17.60A	----	18.50 - 3.00	.0821	----	----	----	----	12 UNCH
5540	----	----	----/*17.40A	20.80B/*17.40A	----	18.30 - 3.00	.0812	----	----	----	----	16 UNCH
5545	----	----	----/*17.10A	20.60B/*17.10A	----	18.10 - 2.90	.0803	----	----	----	----	17 UNCH
5550	----	----	----/*16.80A	20.20B/*16.80A	----	17.90 - 2.90	.0794	----	----	10	----	202 + 1
5555	----	----	----/*16.60A	20.00B/*16.60A	----	17.60 - 2.90	.0783	----	----	----	----	25 UNCH
5560	----	----	----/*16.50A	19.80B/*16.50A	----	17.40 - 2.90	.0774	----	----	----	----	23 UNCH
5565	----	----	----/*16.30A	19.50B/*16.30A	----	17.20 - 2.80	.0765	----	----	----	----	12 UNCH
5570	----	----	----/*16.10A	19.20B/*16.10A	----	17.00 - 2.80	.0756	----	----	----	----	4 UNCH
5575	----	----	----/*16.00A	19.00B/*16.00A	----	16.80 - 2.80	.0748	----	----	6	----	31 - 6
5580	----	----	----/*15.80A	18.80B/*15.80A	----	16.60 - 2.70	.0739	----	----	----	----	7 UNCH
5585	----	----	----/*15.50A	18.50B/*15.50A	----	16.40 - 2.70	.0731	----	----	----	----	19 UNCH
5590	----	----	----/*15.30A	18.30B/*15.30A	----	16.20 - 2.70	.0722	----	----	----	----	5 UNCH
5595	----	----	----/*15.20A	18.10B/*15.20A	----	16.00 - 2.70	.0714	----	----	----	----	19 UNCH
5600	16.00	16.00	16.30/*15.10A	17.80B/*15.10A	----	15.90 - 2.60	.0708	----	----	47	----	2237 - 2
5605	----	----	----/*14.80A	17.70B/*14.80A	----	15.70 - 2.60	.0700	----	----	----	----	32 UNCH
5610	----	----	----/*14.70A	17.40B/*14.70A	----	15.50 - 2.50	.0691	----	----	----	----	5 UNCH
5620	----	----	----/*14.30A	16.80B/*14.30A	----	15.20 - 2.40	.0677	----	----	----	----	5 UNCH
5625	----	----	----/*14.20A	16.60B/*14.20A	----	15.00 - 2.40	.0669	----	----	----	----	9 UNCH
5630	----	----	----/*14.10A	16.40B/*14.10A	----	14.80 - 2.50	.0661	----	----	----	----	5 UNCH
5635	----	----	----/*13.90A	16.20B/*13.90A	----	14.70 - 2.40	.0655	----	----	----	----	12 UNCH
5640	----	----	----/*13.80A	16.00B/*13.80A	----	14.50 - 2.40	.0647	----	----	----	----	8 UNCH
5650	----	----	----/*13.50A	15.60B/*13.50A	----	14.20 - 2.30	.0634	----	----	107	----	444 - 64
5660	----	----	----/*13.20A	15.30B/*13.20A	----	13.90 - 2.30	.0620	----	----	----	----	7 UNCH
5670	----	----	----/*13.00A	14.90B/*13.00A	----	13.60 - 2.20	.0607	----	----	----	----	11 UNCH
5675	----	----	----/*12.80A	14.70B/*12.80A	----	13.40 - 2.30	.0599	----	----	----	----	6 UNCH
5680	12.50	12.50	12.50/*12.50	14.60B/*12.50	----	13.30 - 2.20	.0594	----	----	1	----	6 UNCH
5690	----	----	----/*12.40A	14.20B/*12.40A	----	13.00 - 2.20	.0581	----	----	----	----	21 UNCH
5700	----	----	----/*12.20A	13.90B/*12.20A	----	12.80 - 2.10	.0571	----	----	2	----	963 UNCH
5710	----	----	----/*12.00A	13.60B/*12.00A	----	12.50 - 2.10	.0558	----	----	----	----	12 UNCH
5720	----	----	----/*11.80A	13.30B/*11.80A	----	12.30 - 2.00	.0548	----	----	----	----	17 UNCH
5725	----	----	----/*11.60A	13.10B/*11.60A	----	12.10 - 2.00	.0540	----	----	----	----	57 UNCH
5730	----	----	----/*11.50A	13.00B/*11.50A	----	12.00 - 2.00	.0535	----	----	----	----	9 UNCH
5740	----	----	----/*11.30A	12.70B/*11.30A	----	11.80 - 1.90	.0526	----	----	----	----	9 UNCH
5750	----	----	----/*11.10A	12.40B/*11.10A	----	11.60 - 1.80	.0516	----	----	----	----	974 UNCH
5760	----	----	----/*10.90A	12.10B/*10.90A	----	11.30 - 1.90	.0504	----	----	----	----	168 UNCH
5770	----	----	----/*10.70A	11.90B/*10.70A	----	11.10 - 1.80	.0495	----	----	----	----	4 UNCH
5775	----	----	----/*10.60A	11.80B/*10.60A	----	11.00 - 1.80	.0490	----	----	----	----	216 UNCH
5780	----	----	----/*10.50A	11.60B/*10.50A	----	10.90 - 1.80	.0485	----	----	----	----	2 UNCH
5790	----	----	----/*10.30A	11.40B/*10.30A	----	10.70 - 1.70	.0476	----	----	----	----	10 UNCH
5800	----	----	----/*10.20A	11.20B/*10.20A	----	10.50 - 1.70	.0467	----	----	10	----	779 - 8
5810	----	----	----/*10.00A	10.90B/*10.00A	----	10.30 - 1.70	.0458	----	----	----	----	11 UNCH
5820	----	----	----/*9.80A	10.70B/*9.80A	----	10.20 - 1.60	.0452	----	----	----	----	207 UNCH
5825	----	----	----/*9.70A	10.60B/*9.70A	----	10.10 - 1.50	.0448	----	----	----	----	19 UNCH
5830	----	----	----/*9.70A	10.50B/*9.70A	----	10.00 - 1.50	.0443	----	----	----	----	1 UNCH
5840	----	----	----/*9.50A	10.30B/*9.50A	----	9.80 - 1.50	.0434	----	----	----	----	102 UNCH
5850	----	----	----/*9.30A	10.10B/*9.30A	----	9.70 - 1.40	.0429	----	----	----	----	109 UNCH
5860	----	----	----/*9.50A	9.90B/*9.50A	----	9.50 - 1.40	.0420	----	----	----	----	80 UNCH
5870	----	----	----/*9.30A	9.70B/*9.30A	----	9.30 - 1.40	.0411	----	----	----	----	9 UNCH
5875	----	----	----/*9.20A	9.60B/*9.20A	----	9.30 - 1.30	.0410	----	----	----	----	22 UNCH
5880	----	----	----/*9.10A	9.50B/*9.10A	----	9.20 - 1.30	.0406	----	----	----	----	11 UNCH
5890	----	----	----/*9.00A	9.30B/*9.00A	----	9.00 - 1.40	.0397	----	----	----	----	9 UNCH
5900	----	----	----/*8.70A	9.10B/*8.70A	----	8.90 - 1.30	.0392	----	----	----	----	428 UNCH
5910	----	----	----/*8.80A	9.00B/*8.80A	----	8.80 - 1.20	.0386	----	----	----	----	6 UNCH
5920	----	----	----/*8.60A	8.80B/*8.60A	----	8.60 - 1.20	.0378	----	----	----	----	25 UNCH
5925	----	----	----/*8.60A	8.70B/*8.60A	----	8.60 - 1.20	.0377	----	----	----	----	6 UNCH
5940	----	----	----/*8.40A	8.50B/*8.40A	----	8.40 - 1.10	.0367	----	----	----	----	2 UNCH
5950	----	----	----/*8.40A	8.40B/*8.40A	----	8.20 - 1.20	.0359	----	----	----	----	4 UNCH
5960	----	----	----/*8.10A	8.20B/*8.10A	----	8.10 - 1.10	.0354	----	----	----	----	15 UNCH
5970	----	----	----/*8.20A	8.10B/*8.20A	----	8.00 - 1.10	.0349	----	----	----	----	55 UNCH
5980	----	----	----/*8.10A	7.90B/*8.10A	----	7.90 - 1.00	.0344	----	----	----	----	3 UNCH
5990	----	----	----/*8.00A	7.80B/*8.00A	----	7.80 - 1.00	.0339	----	----	----	----	70 UNCH
6000	8.00	8.00	8.00/7.50	8.00/7.50	----	7.70 - 1.00	.0334	----	----	8	----	2465 + 3
6025	----	----	----/*7.60A	7.40B/*7.60A	----	7.40 - 1.00	.0320	----	----	----	----	29 UNCH
6050	----	----	----/*7.40A	7.20B/*7.40A	----	7.20 - 0.90	.0310	----	----	1	----	40 UNCH
6075	----	----	----/*6.90A	6.90B/*6.90A	----	6.90 - 0.90	.0297	----	----	----	----	90 UNCH
6100	----	----	----/*6.70A	6.60B/*6.70A	----	6.70 - 0.90	.0287	----	----	20	----	301 + 18
6125	----	----	----/*6.70A	6.40B/*6.70A	----	6.50 - 0.80	.0277	----	----	----	----	60 UNCH
6150	----	----	----/*6.40A	6.20B/*6.40A	----	6.30 - 0.80	.0268	----	----	----	----	881 UNCH
6175	----	----	----/*6.20A	6.00B/*6.20A	----	6.20 - 0.70	.0261	----	----	----	----	39 UNCH
6200	----	----	----/*6.20A	5.80B/*6.20A	----	6.00 - 0.70	.0252	----	----	----	----	561 UNCH
6225	----	----	----/*6.00A	5.60B/*6.00A	----	5.80 - 0.70	.0243	----	----	----	----	20 UNCH
6250	----	----	----/*5.90A	5.50B/*5.90A	----	5.70 - 0.60	.0237	----	----	----	----	392 UNCH
6275	----	----	----/*5.70A	5.30B/*5.70A	----	5.50 - 0.60	.0229	----	----	----	----	3 UNCH
6300	----	----	----/*5.60A	5.10B/*5.60A	----	5.40 - 0.60	.0223	----	----	----	----	336 UNCH
6325	----	----	----/*5.40A	5.00B/*5.40A	----	5.20 - 0.60	.0214	----	----	----	----	34 UNCH
6350	----	----	----/*5.30A	4.90B/*5.30A	----	5.10 - 0.50	.0209	----	----	----	----	32 UNCH
6375	----	----	----/*5.20A	4.70B/*5.20A	----	5.00 - 0.50	.0204	----	----	----	----	37 UNCH
6400	----	----	----/*5.10A	4.60B/*5.10A	----	4.90 - 0.40	.0199	----	----	----	----	183 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
6425	----	----	----/*5.00A	4.50B/*5.00A	----	4.80 - 0.40	.0194	----	----	----	----	17 UNCH
6450	----	----	----/*4.90A	4.40B/*4.90A	----	4.70 - 0.40	.0189	----	----	----	----	48 UNCH
6475	----	----	----/*4.80A	4.30B/*4.80A	----	4.60 - 0.30	.0184	----	----	----	----	14 UNCH
6500	----	----	----/4.60A	4.10B/4.60A	----	4.50 - 0.30	.0179	----	----	305	----	853 - 92
6525	----	----	----/*4.60A	4.00B/*4.60A	----	4.40 - 0.30	.0175	----	----	----	----	132 UNCH
6550	----	----	----/*4.40A	4.10B/*4.40A	----	4.30 - 0.30	.0170	----	----	----	----	5 UNCH
6575	----	----	----/*4.40A	3.90B/*4.40A	----	4.20 - 0.30	.0165	----	----	----	----	4 UNCH
6600	----	----	----/*4.30A	3.80B/*4.30A	----	4.10 - 0.30	.0161	----	----	1	----	26 UNCH
6650	----	----	----/*4.10A	3.60B/*4.10A	----	3.90 - 0.30	.0152	----	----	----	----	16 UNCH
6675	----	----	----/*4.00A	3.60B/*4.00A	----	3.90 - 0.20	.0151	----	----	----	----	1 UNCH
6700	----	----	----/*3.90A	3.50B/*3.90A	----	3.80 - 0.20	.0147	----	----	----	----	127 UNCH
6775	----	----	----	3.30B/*3.80A	----	3.60 - 0.20	.0137	----	----	----	----	1 UNCH
6800	----	----	----/*3.60A	3.20B/*3.60A	----	3.50 - 0.20	.0133	----	----	----	----	201 UNCH
6825	----	----	----	3.10B/*3.60A	----	3.40 - 0.20	.0129	----	----	----	----	19 UNCH
6850	----	----	----/*3.50A	3.10B/*3.50A	----	3.40 - 0.20	.0128	----	----	----	----	201 UNCH
6875	----	----	----	3.00B/*3.50A	----	3.30 - 0.20	.0124	----	----	----	----	22 UNCH
6900	----	----	----	3.00B/*3.40A	----	3.20 - 0.20	.0120	----	----	----	----	19 UNCH
6925	----	----	----	2.90B/*3.40A	----	3.20 - 0.20	.0119	----	----	----	----	1 UNCH
6950	----	----	----	2.80B/*3.30A	----	3.10 - 0.20	.0115	----	----	----	----	22 UNCH
6975	----	----	----	2.90B/*3.30A	----	3.10 - 0.20	.0115	----	----	----	----	10 UNCH
7000	----	----	----	2.70B/3.20A	----	3.00 - 0.20	.0111	----	----	----	----	818 UNCH
7050	----	----	----	2.60B/*3.10A	----	2.90 - 0.20	.0106	----	----	----	----	18 UNCH
7075	----	----	----	2.60B/*3.10A	----	2.90 - 0.10	.0106	----	----	----	----	13 UNCH
7100	----	----	----	2.50B/*3.00A	----	2.80 - 0.20	.0102	----	----	----	----	28 UNCH
7125	----	----	----	2.50B/*3.00A	----	2.80 - 0.10	.0101	----	----	----	----	1 UNCH
7150	----	----	----	2.40B/*2.90A	----	2.70 - 0.20	.0098	----	----	----	----	19 UNCH
7175	----	----	----	2.40B/*2.90A	----	2.70 - 0.10	.0097	----	----	----	----	1 UNCH
7200	----	----	----	2.40B/*2.80A	----	2.60 - 0.20	.0094	----	----	----	----	3 UNCH
7225	----	----	----	2.40B/*2.80A	----	2.60 - 0.10	.0093	----	----	----	----	22 UNCH
7250	----	----	----	2.30B/*2.80A	----	2.50 - 0.20	.0089	----	----	----	----	23 UNCH
7275	----	----	----	2.20B/*2.70A	----	2.50 - 0.20	.0089	----	----	----	----	14 UNCH
7300	----	----	----	2.20B/*2.70A	----	2.40 - 0.20	.0085	----	----	----	----	42 UNCH
7350	----	----	----	2.10B/*2.60A	----	2.40 - 0.10	.0084	----	----	----	----	8 UNCH
7400	----	----	----	2.00B/*2.50A	----	2.30 - 0.20	.0081	----	----	----	----	2 UNCH
7425	----	----	----	2.00B/*2.50A	----	2.20 - 0.20	.0077	----	----	----	----	19 UNCH
7450	----	----	----	2.00B/*2.50A	----	2.20 - 0.20	.0077	----	----	----	----	16 UNCH
7475	----	----	----	1.90B/*2.40A	----	2.20 - 0.10	.0076	----	----	----	----	9 UNCH
7500	----	----	----	1.90B/2.40A	----	2.10 - 0.20	.0073	----	----	----	----	301 UNCH
7525	----	----	----	1.80B/*2.40A	----	2.10 - 0.20	.0073	----	----	----	----	33 UNCH
7550	----	----	----	1.80B/*2.30A	----	2.10 - 0.10	.0072	----	----	----	----	50 UNCH
7575	----	----	----	1.80B/*2.30A	----	2.00 - 0.20	.0069	----	----	----	----	1 UNCH
7600	----	----	----/*1.90A	1.80B/*1.90A	----	2.00 - 0.20	.0069	----	----	----	----	10 UNCH
7625	----	----	----	1.70B/*2.20A	----	2.00 - 0.10	.0068	----	----	----	----	12 UNCH
7700	----	----	----	1.60B/*2.10A	----	1.90 - 0.10	.0064	----	----	----	----	11 UNCH
7725	----	----	----	1.60B/*2.10A	----	1.80 - 0.20	.0061	----	----	----	----	11 UNCH
7750	----	----	----	1.60B/*2.10A	----	1.80 - 0.20	.0061	----	----	----	----	6 UNCH
7775	----	----	----	1.50B/*2.10A	----	1.80 - 0.20	.0061	----	----	----	----	5 UNCH
7800	----	----	----	1.50B/*2.10A	----	1.70 - 0.20	.0057	----	----	----	----	5 UNCH
7825	----	----	----	1.50B/*2.00A	----	1.70 - 0.20	.0057	----	----	----	----	13 UNCH
7875	----	----	----	1.50B/*2.00A	----	1.70 - 0.10	.0057	----	----	5	----	151 + 5
7900	----	----	----	1.50B/*1.90A	----	1.60 - 0.20	.0054	----	----	----	----	1 UNCH
8000	----	----	----	1.30B/1.80A	----	1.50 - 0.20	.0050	----	----	2	----	589 UNCH
8100	----	----	----	1.30B/*1.70A	----	1.50 - 0.10	.0049	----	----	----	----	7 UNCH
8300	----	----	----	1.10B/*1.50A	----	1.30 - 0.20	.0042	----	----	----	----	4 UNCH
8500	1.10	1.10	1.10/*1.00	1.10/1.00	----	1.20 - 0.20	.0038	----	----	37	----	43 + 37
8600	----	----	----/*1.00A	0.90B/*1.00A	----	1.20 - 0.10	.0037	----	----	----	----	1 UNCH
8700	----	----	----	0.80B/*1.40A	----	1.10 - 0.20	.0034	----	----	----	----	25 UNCH
8800	----	----	----	0.80B/*1.30A	----	1.10 - 0.10	.0033	----	----	----	----	7 UNCH
9000	----	----	----	0.70B/1.20A	----	1.00 - 0.10	.0030	----	----	3	----	223 - 1
9200	----	----	----	0.60B/*1.10A	----	0.90 - 0.10	.0027	----	----	----	----	11 UNCH
9300	----	----	----	0.60B/*1.10A	----	0.90 - 0.10	.0026	----	----	----	----	4 UNCH
9400	----	----	----	0.50B/*1.00A	----	0.90 UNCH	.0026	----	----	----	----	141 UNCH
9500	----	----	----	0.50B/1.00A	----	0.80 - 0.10	.0023	----	----	----	----	66 UNCH
9900	----	----	----	0.40B/0.90A	----	0.70 UNCH	.0020	----	----	----	----	5 UNCH
10000	----	----	----	0.40B/0.90A	----	0.70 UNCH	.0019	----	----	----	----	173 UNCH
10100	----	----	----	0.40B/0.90A	----	0.60 - 0.10	.0017	----	----	----	----	12 UNCH
11000	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0011	----	----	----	----	88 UNCH
11200	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0010	----	----	----	----	13 UNCH
11500	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	47 UNCH
11600	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	50 UNCH
12000	----	----	----	0.10B/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	217 UNCH
TOTAL										2058	300	56696 - 168
AUG26												
3400	----	----	----	----	----	1362.30 - 28.60	.9768	----	----	----	----	1 UNCH
3500	----	----	----/1,235.90A	1285.10B/1235.90A	----	1264.10 - 28.40	.9706	----	----	----	----	46 UNCH
3505	----	----	----/1,231.00A	1280.20B/1231.00A	----	1259.20 - 28.40	.9703	----	----	----	----	4 UNCH
3520	----	----	----/1,216.30A	1265.50B/1216.30A	----	1244.50 - 28.40	.9691	----	----	----	----	65 UNCH
3550	----	----	----/1,184.70A	1240.70B/1184.70A	----	1215.20 - 28.30	.9669	----	----	----	----	310 UNCH
3600	----	----	----/1,133.90A	1192.70B/1133.90A	----	1166.50 - 28.20	.9628	----	----	----	----	1045 UNCH
3610	----	----	----/1,129.00A	1177.80B/1129.00A	----	1156.80 - 28.20	.9618	----	----	----	----	6 UNCH
3650	----	----	----/1,090.60A	1139.00B/1090.60A	----	1118.00 - 28.10	.9581	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1108.40 - 28.00	.9571	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1084.20 - 28.00	.9544	----	----	----	----	1 UNCH
3700	----	----	----/1,042.70A	1090.60B/1042.70A	----	1069.80 - 27.90	.9528	----	----	----	----	40 UNCH
3715	----	----	----/1,028.40A	1076.20B/1028.40A	----	1055.40 - 27.90	.9510	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1050.60 - 27.90	.9504	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1036.20 - 27.80	.9486	----	----	----	----	1 UNCH
3750	----	----	----/995.20A	1042.50B/995.20A	----	1021.80 - 27.80	.9467	----	----	----	----	8 UNCH
3775	----	----	----/971.60A	1018.60B/971.60A	----	998.00 - 27.60	.9434	----	----	----	----	4 UNCH
3780	----	----	----/966.90A	1013.90B/966.90A	----	993.20 - 27.70	.9428	----	----	----	----	10 UNCH
3790	----	----	----/957.40A	1004.30B/957.40A	----	983.70 - 27.60	.9413	----	----	----	----	67 UNCH
3800	----	----	----/945.70A	998.80B/945.70A	----	974.20 - 27.60	.9400	----	----	----	----	303 UNCH
3820	----	----	----/929.30A	975.70B/929.30A	----	955.20 - 27.50	.9370	----	----	----	----	3 UNCH
3840	----	----	----	----	----	936.30 - 27.40	.9338	----	----	----	----	1 UNCH
3850	----	----	----/901.40A	947.20B/901.40A	----	926.90 - 27.40	.9323	----	----	----	----	12 UNCH
3885	----	----	----	----	----	894.10 - 27.10	.9262	----	----	----	----	2 UNCH
3890	----	----	----	----	----	889.40 - 27.10	.9253	----	----	----	----	2 UNCH
3900	----	----	----/855.10A	900.20B/855.10A	----	880.10 - 27.00	.9235	----	----	----	----	146 UNCH
3920	----	----	----	----	----	861.40 - 27.00	.9195	----	----	----	----	1 UNCH
3925	----	----	----/832.20A	876.80B/832.20A	----	856.80 - 26.90	.9186	----	----	----	----	10 UNCH
3950	----	----	----/809.30A	853.50B/809.30A	----	833.70 - 26.70	.9135	----	----	----	----	106 UNCH
3955	----	----	----/804.80A	848.80B/804.80A	----	829.00 - 26.70	.9126	----	----	----	----	7 UNCH
3975	----	----	----/786.70A	830.30B/786.70A	----	810.70 - 26.50	.9081	----	----	----	----	200 UNCH
3995	----	----	----/768.60A	811.90B/768.60A	----	792.40 - 26.40	.9036	----	----	----	----	30 UNCH
4000	----	----	----/759.60A	811.80B/759.60A	----	787.80 - 26.40	.9024	----	----	----	----	683 UNCH
4005	----	----	----	628.10B/915.00A	----	783.20 - 26.40	.9013	----	----	----	----	1 UNCH
4015	----	----	----/750.70A	793.50B/750.70A	----	774.20 - 26.20	.8988	----	----	----	----	12 UNCH
4025	----	----	----/741.70A	784.50B/741.70A	----	765.10 - 26.20	.8963	----	----	----	----	174 UNCH
4045	----	----	----/723.90A	769.40B/723.90A	----	747.00 - 26.00	.8911	----	----	----	----	30 UNCH
4050	----	----	----/719.50A	761.70B/719.50A	----	742.50 - 26.00	.8900	----	----	----	----	100 UNCH
4055	----	----	----/715.00A	757.20B/715.00A	----	738.00 - 26.00	.8886	----	----	----	----	100 UNCH
4075	----	----	----/697.40A	739.10B/697.40A	----	720.20 - 25.70	.8831	----	----	----	----	3 UNCH
4080	----	----	----	572.40B/848.60A	----	715.70 - 25.70	.8816	----	----	----	----	1 UNCH
4100	----	----	----/675.50A	716.70B/675.50A	----	698.00 - 25.50	.8759	----	----	----	----	73 UNCH
4110	----	----	----/666.80A	710.80B/666.80A	----	689.10 - 25.50	.8728	----	----	----	----	19 UNCH
4135	----	----	----/645.20A	685.60B/645.20A	----	667.20 - 25.20	.8651	----	----	----	----	20 UNCH
4140	----	----	----	519.00B/797.20A	----	662.90 - 25.10	.8635	----	----	----	----	1 UNCH
4150	----	----	----/632.30A	672.40B/632.30A	----	654.20 - 25.00	.8601	----	----	----	----	40 UNCH
4165	----	----	----	497.20B/776.40A	----	641.20 - 24.90	.8551	----	----	----	----	1 UNCH
4195	----	----	----/594.20A	633.20B/594.20A	----	615.50 - 24.60	.8445	----	----	----	----	3 UNCH
4200	----	----	----/590.00A	628.90B/590.00A	----	611.20 - 24.60	.8427	----	----	----	----	75 UNCH
4215	----	----	----	454.00B/736.20A	----	598.60 - 24.30	.8371	----	----	----	----	1 UNCH
4220	----	----	----/573.40A	611.90B/573.40A	----	594.30 - 24.30	.8351	----	----	----	----	16 UNCH
4225	----	----	----/569.20A	610.60B/569.20A	----	590.10 - 24.30	.8333	----	----	----	----	102 UNCH
4235	----	----	----	436.30B/720.40A	----	581.80 - 24.10	.8294	----	----	----	----	1 UNCH
4250	----	----	----/548.80A	586.50B/548.80A	----	569.30 - 24.00	.8233	----	----	----	----	71 UNCH
4265	----	----	----/536.70A	576.80B/536.70A	----	556.90 - 23.80	.8171	----	----	----	----	77 UNCH
4285	----	----	----/520.70A	560.20B/520.70A	----	540.60 - 23.60	.8087	----	----	----	----	8 UNCH
4300	----	----	----/508.90A	545.00B/508.90A	----	528.40 - 23.50	.8020	----	----	----	----	42 UNCH
4320	----	----	----	363.10B/654.90A	----	512.40 - 23.20	.7929	----	----	----	----	2 UNCH
4325	----	----	----/489.40A	524.70B/489.40A	----	508.50 - 23.10	.7907	----	----	----	----	6 UNCH
4330	----	----	----/485.60A	520.70B/485.60A	----	504.50 - 23.10	.7883	----	----	----	----	201 UNCH
4350	----	----	----/466.30A	508.40B/466.30A	----	488.80 - 22.80	.7788	----	----	----	----	774 UNCH
4360	----	----	----	330.00B/625.10A	----	481.00 - 22.70	.7738	----	----	----	----	1 UNCH
4375	----	----	----/451.60A	485.00B/451.60A	----	469.40 - 22.60	.7664	----	----	----	----	3 UNCH
4385	----	----	----/444.30A	477.20B/444.30A	----	461.80 - 22.40	.7613	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4390	----	----	----	305.90B/603.10A	----	458.00 - 22.40	.7586	----	----	----	----	1 UNCH
4400	----	----	----/431.30A	468.90B/431.30A	----	450.40 - 22.30	.7535	----	----	----	----	325 UNCH
4420	----	----	----/419.00A	450.40B/419.00A	----	435.50 - 22.00	.7427	----	----	----	----	50 UNCH
4425	----	----	----/415.40A	446.70B/415.40A	----	431.80 - 22.00	.7401	----	----	----	----	5 UNCH
4440	----	----	----/398.40A	391.80B/398.40A	----	420.80 - 21.80	.7318	----	----	----	----	1 UNCH
4450	----	----	----/391.60A	428.00B/391.60A	----	413.50 - 21.70	.7262	----	----	1	----	6 UNCH
4455	----	----	----/387.90A	391.90B/387.90A	----	409.90 - 21.60	.7233	----	----	----	----	2 UNCH
4460	----	----	----/384.50A	420.70B/384.50A	----	406.30 - 21.60	.7205	----	----	----	----	5 UNCH
4465	----	----	----/381.00A	417.00B/381.00A	----	402.80 - 21.40	.7176	----	----	----	----	9 UNCH
4470	----	----	----/377.80A	413.40B/377.80A	----	399.20 - 21.40	.7147	----	----	----	----	7 UNCH
4475	----	----	----/374.40A	409.80B/374.40A	----	395.70 - 21.30	.7117	----	----	----	----	29 UNCH
4485	----	----	----/367.60A	402.60B/367.60A	----	388.60 - 21.20	.7059	----	----	----	----	5 UNCH
4490	----	----	----/364.40A	386.60B/364.40A	----	385.10 - 21.20	.7029	----	----	----	----	1 UNCH
4500	----	----	----/357.60A	395.50B/357.60A	----	378.20 - 21.00	.6970	----	----	----	----	846 UNCH
4535	----	----	----/334.90A	374.70B/334.90A	----	354.40 - 20.60	.6754	----	----	----	----	10 UNCH
4540	----	----	----/331.90A	371.30B/331.90A	----	351.10 - 20.50	.6723	----	----	----	----	5 UNCH
4545	----	----	----/328.70A	367.90B/328.70A	----	347.80 - 20.40	.6691	----	----	----	----	1 UNCH
4550	----	----	----/325.20A	364.50B/325.20A	----	344.50 - 20.40	.6660	----	----	----	----	22 UNCH
4555	----	----	----/322.30A	361.10B/322.30A	----	341.30 - 20.20	.6628	----	----	----	----	1 UNCH
4560	----	----	----/319.30A	357.70B/319.30A	----	338.00 - 20.20	.6596	----	----	----	----	5 UNCH
4565	----	----	----/316.20A	354.40B/316.20A	----	334.80 - 20.10	.6564	----	----	----	----	1 UNCH
4575	----	----	----/310.20A	347.80B/310.20A	----	328.40 - 19.90	.6498	----	----	----	----	41 UNCH
4580	----	----	----/307.10A	344.60B/307.10A	----	325.20 - 19.90	.6466	----	----	----	----	200 UNCH
4585	----	----	----/304.10A	341.20B/304.10A	----	322.00 - 19.90	.6433	----	----	----	----	2 UNCH
4590	----	----	----/301.10A	338.10B/301.10A	----	318.90 - 19.80	.6400	----	----	----	----	16 UNCH
4595	----	----	----/298.20A	334.70B/298.20A	----	315.80 - 19.70	.6367	----	----	----	----	2 UNCH
4600	----	----	----/295.20A	331.60B/295.20A	----	312.70 - 19.60	.6334	----	----	----	----	100 UNCH
4605	----	----	----/292.50A	328.30B/292.50A	----	309.60 - 19.50	.6300	----	----	----	----	1 UNCH
4620	----	----	----/283.50A	318.80B/283.50A	----	300.50 - 19.30	.6200	----	----	----	----	4 UNCH
4625	----	----	----/280.40A	315.70B/280.40A	----	297.50 - 19.20	.6166	----	----	----	----	11 UNCH
4630	----	----	----/277.70A	312.60B/277.70A	----	294.50 - 19.10	.6132	----	----	----	----	10 UNCH
4640	----	----	----/272.20A	306.60B/272.20A	----	288.60 - 19.00	.6064	----	----	----	----	1 UNCH
4650	----	----	----/266.50A	300.50B/266.50A	----	282.80 - 18.80	.5995	----	----	----	----	145 UNCH
4660	----	----	----/261.40A	294.40B/261.40A	----	277.10 - 18.60	.5926	----	----	----	----	2 UNCH
4670	----	----	----/255.90A	288.40B/255.90A	----	271.40 - 18.40	.5856	----	----	----	----	3 UNCH
4675	----	----	----/253.00A	285.60B/253.00A	----	268.60 - 18.40	.5822	----	----	----	----	36 UNCH
4690	249.70	249.70	249.70/245.50A	276.90B/245.50A	----	260.30 NEW	.5717	----	----	1	----	1 + 1
4700	258.90	258.90	273.60B/239.20A	273.60B/239.20A	----	254.90 - 17.90	.5646	----	----	13	----	1629 + 11
4705	----	----	----/237.40A	268.90B/237.40A	----	252.20 - 17.80	.5611	----	----	----	----	20 UNCH
4710	----	----	----/234.80A	266.10B/234.80A	----	249.60 - 17.70	.5576	----	----	----	----	17 UNCH
4720	----	----	----/230.00A	260.70B/230.00A	----	244.30 - 17.50	.5505	----	----	----	----	29 UNCH
4725	----	----	----/227.70A	258.30B/227.70A	----	241.70 - 17.40	.5470	----	----	----	----	2 UNCH
4730	----	----	----/225.10A	255.20B/225.10A	----	239.20 - 17.30	.5434	----	----	----	----	3 UNCH
4735	----	----	----/222.90A	252.30B/222.90A	----	236.60 - 17.20	.5399	----	----	----	----	2 UNCH
4745	228.70	228.70	247.10B/217.90A	247.10B/217.90A	----	231.60 NEW	.5328	----	----	10	----	10 + 10
4750	----	----	----/215.50A	245.00B/215.50A	----	229.10 - 16.80	.5292	----	----	----	----	180 UNCH
4760	----	----	----/210.90A	239.40B/210.90A	----	224.10 - 16.60	.5221	----	----	----	----	10 UNCH
4770	224.00	224.00	224.00/206.00A	234.30B/206.00A	----	219.30 - 16.40	.5150	----	----	10	----	28 + 10
4775	----	----	----/204.10A	231.50B/204.10A	----	216.90 - 16.20	.5114	----	----	----	----	11 UNCH
4780	----	----	----/201.80A	229.20B/201.80A	----	214.50 - 16.10	.5078	----	----	----	----	10 UNCH
4790	----	----	----/197.70A	224.20B/197.70A	----	209.80 NEW	.5007	----	----	3	----	3 + 3
4795	----	----	----/195.20A	221.90B/195.20A	----	207.50 - 15.80	.4972	----	----	----	100	106 + 99
4800	209.30	209.30	209.30/192.80A	219.20B/192.80A	----	205.20 - 15.60	.4936	----	----	11	----	1622 UNCH
4805	----	----	----/191.10A	216.80B/191.10A	----	202.90 NEW	.4901	----	----	10	----	6 + 6
4810	----	----	----/188.80A	214.50B/188.80A	----	200.70 - 15.40	.4866	----	----	6	----	15 + 6
4815	----	----	----/186.70A	212.20B/186.70A	----	198.40 - 15.30	.4830	----	----	----	----	3 UNCH
4820	----	----	----/184.70A	209.70B/184.70A	----	196.20 - 15.20	.4795	----	----	----	----	22 UNCH
4825	----	----	----/182.50A	208.10B/182.50A	----	194.00 - 15.10	.4760	----	----	25	----	33 + 22
4830	----	----	----/180.50A	206.20B/180.50A	----	191.80 - 15.00	.4724	----	----	----	----	17 UNCH
4835	----	----	210.30B/178.30A	210.30B/178.30A	----	189.60 - 15.00	.4689	----	----	----	----	38 UNCH
4840	184.00	184.00	207.90B/176.40A	207.90B/176.40A	----	187.50 - 14.80	.4654	----	----	10	----	25 + 10
4850	----	----	203.50B/172.60A	203.50B/172.60A	----	183.30 - 14.60	.4584	----	----	----	----	62 UNCH
4860	----	----	199.10B/168.60A	199.10B/168.60A	----	179.10 - 14.50	.4514	----	----	----	----	28 UNCH
4865	----	----	197.00B/166.70A	197.00B/166.70A	----	177.00 - 14.50	.4479	----	----	----	----	10 UNCH
4870	----	----	194.80B/165.00A	194.80B/165.00A	----	175.00 - 14.40	.4444	----	----	----	----	13 UNCH
4875	----	----	187.90B/162.90A	187.90B/162.90A	----	173.00 - 14.30	.4410	----	----	----	----	146 UNCH
4880	168.00	168.00	190.50B/161.20A	190.50B/161.20A	----	171.00 - 14.20	.4375	----	----	1	----	146 UNCH
4885	----	----	188.40B/159.10A	188.40B/159.10A	----	169.00 - 14.20	.4341	----	----	----	----	7 UNCH
4890	----	----	186.30B/157.40A	186.30B/157.40A	----	167.10 - 14.00	.4306	----	----	----	----	9 UNCH
4895	----	----	184.20B/155.80A	184.20B/155.80A	----	165.20 - 13.90	.4272	----	----	----	----	31 UNCH
4900	166.50	166.50	177.60B/153.40A	177.60B/153.40A	----	163.20 - 13.90	.4238	----	----	4	----	545 UNCH
4905	----	----	179.30B/152.00A	179.30B/152.00A	----	161.30 - 13.80	.4204	----	----	----	----	15 UNCH
4910	----	----	178.20B/150.20A	178.20B/150.20A	----	159.50 - 13.70	.4170	----	----	----	----	7 UNCH
4920	----	----	----/147.00A	169.10B/147.00A	----	155.80 - 13.50	.4102	----	----	----	----	3 UNCH
4925	----	----	----/145.20A	167.20B/145.20A	----	154.00 - 13.40	.4069	----	----	----	----	125 UNCH
4930	----	----	170.10B/144.10A	170.10B/144.10A	----	152.20 - 13.30	.4035	----	----	----	----	1 UNCH
4935	----	----	----/142.40A	163.40B/142.40A	----	150.40 - 13.20	.4002	----	----	----	----	1 UNCH
4940	----	----	----/140.70A	161.60B/140.70A	----	148.60 - 13.10	.3968	----	----	23	----	23 + 22
4945	137.00	137.00	137.00/137.00	159.60B/137.00	----	146.90 - 13.00	.3936	----	----	1	----	23 UNCH
4950	----	----	----/137.20A	157.80B/137.20A	----	145.10 - 12.90	.3902	----	----	1	----	65 UNCH
4955	----	----	156.50B/135.40A	156.50B/135.40A	----	143.40 - 12.80	.3869	----	----	----	----	22 UNCH
4960	----	----	----/133.90A	153.10B/133.90A	----	141.70 - 12.70	.3837	----	----	----	----	18 UNCH
4965	----	----	----/*132.30A	151.30B/*132.30A	----	140.10 - 12.50	.3804	----	----	----	----	22 UNCH
4975	----	----	----/129.80A	147.80B/129.80A	----	136.80 - 12.30	.3740	----	----	----	----	2 UNCH
4980	----	----	----/*127.80A	146.20B/*127.80A	----	135.10 - 12.30	.3707	----	----	----	----	3 UNCH
4985	128.70	128.70	128.70/*126.10A	144.20B/*126.10A	----	133.50 - 12.20	.3675	----	----	10	----	14 + 10
4990	127.00	127.00	146.10B/*124.80	146.10B/*124.80A	----	131.90 - 12.10	.3643	----	----	2	----	4 + 1
4995	----	----	----/*123.30A	140.80B/*123.30A	----	130.40 - 11.90	.3612	----	----	----	----	3 UNCH
5000	135.00	135.00	137.50/121.20A	139.30B/121.20A	----	128.80 - 11.90	.3580	----	----	36	300	1337 - 143
5005	122.10	122.10	122.10/*120.60A	137.80B/*120.60A	----	127.30 - 11.80	.3549	----	----	1	----	10 UNCH
5015	----	----	----/*117.80A	134.60B/*117.80A	----	124.20 - 11.60	.3486	----	----	----	----	3 UNCH
5020	117.90	117.90	117.90/*116.90A	132.80B/*116.90A	----	122.70 NEW	.3455	----	----	1	----	1 + 1
5025	----	----	----/114.90A	131.30B/114.90A	----	121.30 - 11.40	.3425	----	----	----	----	100 UNCH
5030	----	----	----/*114.10A	129.70B/*114.10A	----	119.80 - 11.40	.3394	----	----	----	----	2 UNCH
5035	----	----	----/*112.40A	128.10B/*112.40A	----	118.40 - 11.20	.3363	----	----	----	----	10 UNCH
5040	----	----	----/*111.10A	126.60B/*111.10A	----	116.90 - 11.20	.3332	----	----	----	----	3 UNCH
5045	----	----	----/*109.80A	125.20B/*109.80A	----	115.50 - 11.10	.3302	----	----	----	----	22 UNCH
5050	109.10	109.10	109.10/108.50A	123.50B/108.50A	----	114.10 - 11.10	.3272	----	----	1	----	143 + 1
5055	108.80	108.80	108.80/*107.60A	122.10B/*107.60A	----	112.80 - 10.90	.3243	----	----	1	----	1 UNCH
5060	106.20	106.20	106.20/*106.10A	120.70B/*106.10A	----	111.40 - 10.90	.3213	----	----	1	----	11 + 1
5065	----	----	----/*104.70A	119.30B/*104.70A	----	110.10 - 10.70	.3184	----	----	----	----	43 UNCH
5070	104.80	104.80	104.80/*103.30A	117.90B/*103.30A	----	108.70 - 10.70	.3154	----	----	1	----	7 + 1
5075	----	----	----/102.30A	116.60B/102.30A	----	107.40 - 10.60	.3126	----	----	----	----	204 UNCH
5080	----	----	----/*101.00A	115.10B/*101.00A	----	106.10 - 10.60	.3097	----	----	----	----	21 UNCH
5090	99.70	99.70	99.70/*99.10A	112.40B/*99.10A	----	103.60 - 10.40	.3040	----	----	1	----	1 UNCH
5100	108.00	108.00	109.70B/96.10A	109.70B/96.10A	----	101.10 - 10.20	.2984	----	----	7	----	1541 + 7
5105	----	----	----/*95.60A	108.50B/*95.60A	----	99.90 - 10.10	.2956	----	----	----	----	2 UNCH
5110	105.40	105.40	105.40/*94.00A	107.20B/*94.00A	----	98.70 - 10.00	.2928	----	----	3	----	7 + 3
5115	93.50	93.50	93.50/*92.90A	105.70B/*92.90A	----	97.50 - 10.00	.2901	----	----	1	----	5 + 1
5120	92.40	92.40	92.40/*92.20A	104.60B/*92.20A	----	96.30 NEW	.2873	----	----	1	----	1 + 1
5125	----	----	----/90.80A	103.20B/90.80A	----	95.20 - 9.80	.2847	----	----	----	----	20 UNCH
5130	89.80	89.80	89.80/*89.80	102.20B/*89.80	----	94.00 - 9.70	.2819	----	----	1	----	2 + 1
5135	88.90	88.90	88.90/*88.90	100.80B/*88.90	----	92.90 NEW	.2793	----	----	1	----	1 + 1
5140	87.90	87.90	87.90/*87.90	99.70B/*87.90	----	91.80 - 9.50	.2767	----	----	1	----	3 + 1
5145	----	----	----/*86.50A	98.60B/*86.50A	----	90.70 - 9.50	.2740	----	----	----	----	14 UNCH
5150	85.70	85.70	85.70/85.50A	97.40B/85.50A	----	89.60 - 9.40	.2714	----	----	1	----	88 UNCH
5155	91.10	91.10	91.10/*84.30A	96.30B/*84.30A	----	88.60 - 9.20	.2689	----	----	14	----	18 + 14
5160	83.60	83.60	83.60/*83.30A	94.90B/*83.30A	----	87.50 - 9.20	.2663	----	----	1	----	7 + 1
5165	----	----	----/*83.00A	94.00B/*83.00A	----	86.50 - 9.10	.2638	----	----	----	----	2 UNCH
5170	----	----	----/*81.50A	92.80B/*81.50A	----	85.40 - 9.00	.2612	----	----	----	----	6 UNCH
5175	----	----	----/*81.10A	91.70B/*81.10A	----	84.40 - 8.90	.2588	----	----	----	----	1 UNCH
5185	----	----	----/*79.20A	89.40B/*79.20A	----	82.40 - 8.80	.2538	----	----	----	----	2 UNCH
5190	----	----	----/*77.70A	88.30B/*77.70A	----	81.50 - 8.60	.2515	----	----	----	----	4 UNCH
5195	----	----	----/*76.70A	87.30B/*76.70A	----	80.50 - 8.60	.2490	----	----	----	----	12 UNCH
5200	----	----	----/75.40A	86.40B/75.40A	----	79.50 - 8.50	.2466	----	----	152	130	2735 + 118
5205	----	----	----/*75.60A	85.30B/*75.60A	----	78.60 - 8.40	.2442	----	----	----	----	1 UNCH
5210	----	----	----/*74.00A	84.30B/*74.00A	----	77.70 - 8.30	.2419	----	----	----	----	8 UNCH
5215	----	----	----/*73.20A	83.30B/*73.20A	----	76.80 - 8.20	.2396	----	----	----	----	14 UNCH
5220	----	----	----/*72.30A	82.20B/*72.30A	----	75.90 - 8.10	.2373	----	----	----	----	29 UNCH
5225	----	----	----/*71.40A	81.30B/*71.40A	----	75.00 - 8.10	.2350	----	----	----	----	46 UNCH
5230	----	----	----/*70.60A	80.30B/*70.60A	----	74.10 - 8.00	.2327	----	----	----	----	10 UNCH
5235	----	----	----/*69.80A	79.20B/*69.80A	----	73.20 - 7.90	.2304	----	----	----	----	10 UNCH
5240	----	----	----/*68.90A	78.50B/*68.90A	----	72.40 - 7.80	.2283	----	----	----	----	16 UNCH
5245	----	----	----/*68.10A	77.50B/*68.10A	----	71.50 - 7.80	.2260	----	----	----	----	12 UNCH
5250	71.60	71.60	76.70B/*67.20A	76.70B/*67.20A	----	70.70 - 7.70	.2238	----	----	10	----	479 UNCH
5255	----	----	----/*66.30A	75.70B/*66.30A	----	69.90 - 7.60	.2217	----	----	----	----	888 UNCH
5260	----	----	----/*65.70A	75.00B/*65.70A	----	69.00 - 7.60	.2194	----	----	----	----	24 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5265	----	----	----/*65.00A	74.10B/*65.00A	----	68.20 - 7.50	.2173	----	----	----	----	11 UNCH
5270	----	----	----/*64.20A	73.10B/*64.20A	----	67.40 - 7.40	.2152	----	----	----	----	18 UNCH
5275	----	----	----/*63.50A	72.20B/*63.50A	----	66.60 - 7.40	.2131	----	----	----	----	17 UNCH
5280	----	----	----/*62.70A	71.40B/*62.70A	----	65.90 - 7.20	.2111	----	----	----	----	6 UNCH
5285	66.30	66.30	66.30/*62.00A	70.50B/*62.00A	----	65.10 - 7.20	.2090	----	----	1	----	32 + 1
5290	65.50	65.50	65.70/*61.30A	69.70B/*61.30A	----	64.30 - 7.10	.2069	----	----	16	----	16 + 10
5295	----	----	----/*60.60A	68.80B/*60.60A	----	63.60 - 7.00	.2049	----	----	----	----	6 UNCH
5300	66.50	66.50	66.50/59.60A	68.10B/59.60A	----	62.90 - 6.90	.2030	----	----	5	----	865 UNCH
5305	----	----	----/*59.20A	67.20B/*59.20A	----	62.10 - 6.90	.2009	----	----	----	----	6 UNCH
5310	----	----	----/*58.50A	66.40B/*58.50A	----	61.40 - 6.80	.1989	----	----	----	----	105 UNCH
5320	----	----	----/*57.10A	64.90B/*57.10A	----	60.00 - 6.70	.1951	----	----	----	----	9 UNCH
5325	60.10	60.10	60.10/*56.40A	64.20B/*56.40A	----	59.30 - 6.60	.1931	----	----	9	----	20 + 9
5330	----	----	----/*55.80A	63.50B/*55.80A	----	58.60 - 6.60	.1912	----	----	----	----	3 UNCH
5335	----	----	----/*55.80A	62.80B/*55.80A	----	57.90 - 6.50	.1893	----	----	----	----	1 UNCH
5345	----	----	----/*54.40A	61.30B/*54.40A	----	56.60 - 6.40	.1856	----	----	----	----	2 UNCH
5350	----	----	----/*53.10A	60.50B/*53.10A	----	55.90 - 6.40	.1837	----	----	----	----	6000 UNCH
5355	----	----	----/*53.30A	59.90B/*53.30A	----	55.30 - 6.30	.1820	----	----	----	----	1 UNCH
5360	----	----	----/*52.10A	59.10B/*52.10A	----	54.70 - 6.20	.1803	----	----	----	----	110 UNCH
5370	----	----	----/*50.60A	57.80B/*50.60A	----	53.40 - 6.10	.1766	----	----	----	----	6001 UNCH
5375	----	----	----/*50.30A	57.10B/*50.30A	----	52.80 - 6.10	.1749	----	----	----	----	4 UNCH
5380	53.10	53.10	53.10/*50.20A	56.40B/*50.20A	----	52.20 - 6.00	.1732	----	----	2	----	3 + 2
5400	55.40	55.40	55.40/47.00	55.40/47.00	----	49.90 - 5.70	.1665	----	----	9	----	2122 + 6
5405	----	----	----/*47.60A	53.30B/*47.60A	----	49.30 - 5.70	.1648	----	----	----	----	7 UNCH
5410	----	----	----/*47.00A	52.60B/*47.00A	----	48.70 - 5.70	.1631	----	----	----	----	6 UNCH
5420	----	----	----/*45.80A	51.60B/*45.80A	----	47.60 - 5.60	.1599	----	----	----	----	8 UNCH
5435	----	----	----/*44.30A	49.80B/*44.30A	----	46.00 - 5.50	.1552	----	----	----	----	2 UNCH
5440	----	----	----/*43.80A	49.20B/*43.80A	----	45.50 - 5.40	.1537	----	----	----	----	105 UNCH
5445	----	----	----/*43.30A	48.60B/*43.30A	----	45.00 - 5.40	.1522	----	----	----	----	3 UNCH
5450	44.80	44.80	44.80/*42.90A	48.10B/*42.90A	----	44.50 - 5.30	.1507	----	----	12	----	123 + 8
5460	41.50	41.50	47.10B/*41.50	47.10B/*41.50	----	43.50 - 5.20	.1478	----	----	10	----	15 + 2
5465	----	----	----/*41.50A	46.50B/*41.50A	----	43.00 - 5.20	.1463	----	----	----	----	29 UNCH
5470	----	----	----/*41.00A	46.00B/*41.00A	----	42.60 - 5.10	.1450	----	----	----	----	4 UNCH
5475	----	----	----/*40.50A	45.50B/*40.50A	----	42.10 - 5.10	.1435	----	----	----	----	2 UNCH
5480	----	----	----/*40.10A	45.00B/*40.10A	----	41.60 - 5.10	.1420	----	----	----	----	14 UNCH
5485	----	----	----/*39.70A	44.50B/*39.70A	----	41.20 - 5.00	.1408	----	----	----	----	2 UNCH
5490	----	----	----/*39.40A	44.00B/*39.40A	----	40.70 - 5.00	.1393	----	----	----	----	2 UNCH
5495	----	----	----/*39.00A	43.50B/*39.00A	----	40.30 - 4.90	.1380	----	----	----	----	4 UNCH
5500	40.00	40.00	43.00B/37.10	43.00B/37.10	----	39.80 - 4.90	.1366	----	----	17	----	1240 UNCH
5505	----	----	----/*38.10A	42.60B/*38.10A	----	39.40 - 4.80	.1353	----	----	----	----	10 UNCH
5510	----	----	----/*37.80A	42.10B/*37.80A	----	39.00 - 4.80	.1340	----	----	----	----	8 UNCH
5515	----	----	----/*37.30A	41.70B/*37.30A	----	38.50 - 4.80	.1326	----	----	----	----	2 UNCH
5520	----	----	----/*36.60A	41.20B/*36.60A	----	38.10 - 4.70	.1313	----	----	----	----	1 UNCH
5525	37.30	37.30	37.30/*36.10A	40.70B/*36.10A	----	37.70 - 4.70	.1301	----	----	3	----	29 UNCH
5530	----	----	----/*35.60A	40.30B/*35.60A	----	37.30 - 4.60	.1288	----	----	----	----	1 UNCH
5535	----	----	----/*35.20A	39.80B/*35.20A	----	36.90 - 4.60	.1276	----	----	----	----	12 UNCH
5540	----	----	----/*34.90A	39.40B/*34.90A	----	36.50 - 4.60	.1263	----	----	----	----	1 UNCH
5545	----	----	----/*34.50A	39.00B/*34.50A	----	36.10 - 4.50	.1251	----	----	----	----	2 UNCH
5550	----	----	----/*34.20A	38.60B/*34.20A	----	35.70 - 4.50	.1239	----	----	----	----	127 UNCH
5555	----	----	----/*33.90A	38.20B/*33.90A	----	35.40 - 4.40	.1228	----	----	----	----	1 UNCH
5560	----	----	----/*33.40A	39.10B/*33.40A	----	35.00 - 4.40	.1216	----	----	----	----	3 UNCH
5565	----	----	----/*33.30A	37.30B/*33.30A	----	34.60 - 4.40	.1204	----	----	----	----	5 UNCH
5570	----	----	----/*32.90A	36.90B/*32.90A	----	34.30 - 4.30	.1194	----	----	----	----	3 UNCH
5575	----	----	----/*32.60A	36.50B/*32.60A	----	33.90 - 4.30	.1181	----	----	----	----	3 UNCH
5580	----	----	----/*32.20A	36.10B/*32.20A	----	33.50 - 4.30	.1169	----	----	----	----	17 UNCH
5590	----	----	----/*31.60A	35.40B/*31.60A	----	32.90 - 4.10	.1149	----	----	----	----	1 UNCH
5595	----	----	----/*31.30A	35.00B/*31.30A	----	32.50 - 4.10	.1137	----	----	----	----	3 UNCH
5600	----	----	----/31.00A	34.60B/31.00A	----	32.20 - 4.10	.1127	----	----	4	----	1104 UNCH
5610	31.60	31.60	31.60/*30.40A	33.90B/*30.40A	----	31.50 - 4.00	.1105	----	----	9	----	11 + 9
5615	----	----	----/*30.10A	33.50B/*30.10A	----	31.20 - 4.00	.1095	----	----	----	----	1 UNCH
5620	----	----	----/*29.80A	33.10B/*29.80A	----	30.90 - 3.90	.1085	----	----	----	----	2 UNCH
5635	----	----	----/*28.90A	32.10B/*28.90A	----	30.00 - 3.80	.1055	----	----	----	----	2 UNCH
5640	----	----	----/*28.60A	31.70B/*28.60A	----	29.70 - 3.80	.1046	----	----	----	----	3 UNCH
5650	----	----	----/*28.10A	31.00B/*28.10A	----	29.10 - 3.70	.1026	----	----	1	----	600 + 1
5660	----	----	----/*27.60A	30.50B/*27.60A	----	28.50 - 3.70	.1007	----	----	----	----	18 UNCH
5670	----	----	----/*27.00A	29.80B/*27.00A	----	28.00 - 3.50	.0990	----	----	----	----	10 UNCH
5675	----	----	----/*26.80A	29.50B/*26.80A	----	27.70 - 3.50	.0980	----	----	----	----	4 UNCH
5680	----	----	----/*26.50A	29.20B/*26.50A	----	27.40 - 3.50	.0970	----	----	----	----	4 UNCH
5690	----	----	----/*26.10A	28.70B/*26.10A	----	26.90 - 3.40	.0953	----	----	----	----	16 UNCH
5700	----	----	----/25.50A	28.10B/25.50A	----	26.40 - 3.40	.0936	----	----	----	----	1682 UNCH
5710	----	----	----/*25.00A	27.50B/*25.00A	----	25.90 - 3.30	.0920	----	----	----	----	7 UNCH
5720	----	----	----/*24.40A	27.00B/*24.40A	----	25.40 - 3.30	.0903	----	----	----	----	13 UNCH
5725	----	----	----/*24.20A	26.70B/*24.20A	----	25.20 - 3.20	.0896	----	----	----	----	1 UNCH
5730	----	----	----/*24.00A	26.50B/*24.00A	----	25.00 - 3.10	.0889	----	----	----	----	15 UNCH
5750	----	----	----/*23.20A	25.50B/*23.20A	----	24.10 - 3.00	.0858	----	----	----	----	300 UNCH
5775	----	----	----/*22.10A	24.50B/*22.10A	----	23.00 - 2.90	.0821	----	----	----	----	2 UNCH
5800	----	----	----/21.10A	23.80B/21.10A	----	22.10 - 2.70	.0789	----	----	----	----	1030 UNCH
5825	----	----	----/*20.30A	22.70B/*20.30A	----	21.10 - 2.70	.0755	----	----	----	----	120 UNCH
5850	----	----	----/*19.40A	21.80B/*19.40A	----	20.30 - 2.50	.0726	----	----	----	----	165 UNCH
5875	----	----	----/*19.30A	20.90B/*19.30A	----	19.50 - 2.40	.0697	----	----	----	----	26 UNCH
5900	----	----	----/18.60A	20.10B/18.60A	----	18.80 - 2.20	.0672	----	----	----	----	1495 UNCH
5925	----	----	----/*18.00A	19.30B/*18.00A	----	18.10 - 2.10	.0647	----	----	----	----	2 UNCH
5950	----	----	----/*17.20A	18.60B/*17.20A	----	17.40 - 2.10	.0622	----	----	----	----	2 UNCH
6000	----	----	----/15.70A	17.30B/15.70A	----	16.20 - 1.90	.0578	----	----	----	----	1681 UNCH
6100	----	----	----/14.20A	15.00B/14.20A	----	14.30 - 1.50	.0506	----	----	----	----	373 UNCH
6200	----	----	----/12.80A	13.30B/12.80A	----	12.70 - 1.30	.0446	----	----	8	----	1483 + 7
6300	----	----	----/11.60A	11.90B/11.60A	----	11.40 - 1.00	.0396	----	----	----	----	85 UNCH
6400	----	----	----/10.60A	10.80B/10.60A	----	10.30 - 0.90	.0354	----	----	----	----	65 UNCH
6500	9.30	9.30	9.30/9.30	9.80B/9.30	----	9.40 - 0.70	.0320	----	----	2	----	718 + 2
6600	----	----	----/9.00A	9.00B/9.00A	----	8.70 - 0.60	.0292	----	----	----	----	150 UNCH
6700	----	----	----/8.40A	8.30B/8.40A	----	8.00 - 0.60	.0266	----	----	----	----	254 UNCH
6800	----	----	----/7.80A	7.70B/7.80A	----	7.50 - 0.50	.0245	----	----	----	----	50 UNCH
6900	----	----	----/7.40A	7.20B/7.40A	----	7.00 - 0.50	.0226	----	----	----	----	2 UNCH
7000	----	----	----/7.00A	6.70B/7.00A	----	6.60 - 0.50	.0210	----	----	1	----	630 + 1
7500	----	----	----/5.40A	5.00B/5.40A	----	5.10 - 0.50	.0153	----	----	9	----	737 - 1
8000	----	----	----/4.30A	3.90B/4.30A	----	4.10 - 0.40	.0117	----	----	1	----	166 UNCH
8500	----	----	----/3.60A	3.10B/3.60A	----	3.40 - 0.30	.0092	----	----	----	----	90 UNCH
9000	----	----	----	2.60B/3.00A	----	2.90 - 0.10	.0076	----	----	----	----	9 UNCH
9500	2.50	2.50	2.50/2.50	2.50/2.50	----	2.60 UNCH	.0065	----	----	1	----	69 UNCH
10000	----	----	----/2.10A	1.90B/2.10A	----	2.20 UNCH	.0054	----	----	----	----	98 UNCH
TOTAL										498	530	50684 + 277
SEP26												
3875	----	----	----	----	----	943.40 - 27.40	.9157	----	----	----	----	1 UNCH
3995	----	----	----	688.00B/970.50A	----	834.60 - 26.80	.8899	----	----	----	----	10 UNCH
4085	----	----	----	608.10B/892.30A	----	755.40 - 26.30	.8662	----	----	----	----	37 UNCH
4130	----	----	----	569.20B/855.40A	----	716.80 - 25.90	.8526	----	----	----	----	10 UNCH
4185	----	----	----	521.90B/811.40A	----	670.50 - 25.40	.8346	----	----	----	----	37 UNCH
4200	----	----	----	508.90B/799.60A	----	658.00 - 25.30	.8294	----	----	----	----	1 UNCH
4220	----	----	----	491.70B/783.90A	----	641.60 - 25.10	.8222	----	----	----	----	162 UNCH
4290	----	----	----	432.50B/730.30A	----	585.20 - 24.40	.7952	----	----	----	----	6 UNCH
4295	----	----	----	428.30B/726.60A	----	581.30 - 24.30	.7932	----	----	----	----	50 UNCH
4300	----	----	----	424.20B/722.80A	----	577.40 - 24.20	.7912	----	----	----	----	13 UNCH
4320	----	----	----	407.80B/707.90A	----	561.70 - 24.10	.7828	----	----	----	----	162 UNCH
4375	----	----	----	364.00B/667.80A	----	519.70 - 23.40	.7586	----	----	----	----	1 UNCH
4390	----	----	----	352.40B/657.10A	----	508.50 - 23.30	.7517	----	----	----	----	202 UNCH
4425	----	----	----	325.70B/632.40A	----	482.80 - 22.90	.7351	----	----	----	----	1 UNCH
4495	----	----	----/412.40A	439.20B/412.40A	----	433.40 - 22.20	.6997	----	----	----	----	18 UNCH
4500	----	----	----/409.20A	439.70B/409.20A	----	430.00 - 22.10	.6970	----	----	----	----	5 UNCH
4505	----	----	----/406.00A	440.00B/406.00A	----	426.50 - 22.20	.6944	----	----	----	----	2 UNCH
4510	----	----	----/402.70A	439.60B/402.70A	----	423.10 - 22.10	.6917	----	----	----	----	2 UNCH
4515	----	----	----/399.50A	438.20B/399.50A	----	419.80 - 22.00	.6891	----	----	----	----	2 UNCH
4545	----	----	----/380.40A	420.10B/380.40A	----	399.80 - 21.80	.6728	----	----	----	----	16 UNCH
4550	----	----	----/377.20A	416.80B/377.20A	----	396.50 - 21.80	.6701	----	----	----	----	222 UNCH
4560	----	----	----/371.10A	410.10B/371.10A	----	390.00 - 21.70	.6645	----	----	----	----	2 UNCH
4565	----	----	----/368.10A	406.80B/368.10A	----	386.70 - 21.70	.6617	----	----	----	----	2 UNCH
4570	----	----	----/365.10A	403.50B/365.10A	----	383.50 - 21.70	.6589	----	----	----	----	2 UNCH
4575	----	----	----/361.90A	400.30B/361.90A	----	380.30 - 21.60	.6561	----	----	----	----	2 UNCH
4580	----	----	----/358.80A	397.00B/358.80A	----	377.10 - 21.60	.6533	----	----	----	----	2 UNCH
4585	----	----	----/356.00A	393.80B/356.00A	----	373.90 - 21.60	.6505	----	----	----	----	2 UNCH
4590	----	----	----/352.90A	390.50B/352.90A	----	370.80 - 21.50	.6476	----	----	----	----	2 UNCH
4600	----	----	----/347.00A	384.10B/347.00A	----	364.50 - 21.50	.6419	----	----	----	----	53 UNCH
4650	----	----	----/318.30A	353.10B/318.30A	----	334.20 - 21.20	.6127	----	----	----	----	1 UNCH
4675	----	----	----/304.70A	338.20B/304.70A	----	319.70 - 21.00	.5978	----	----	----	----	1 UNCH
4680	----	----	----/301.90A	335.30B/301.90A	----	316.80 - 21.00	.5948	----	----	----	----	1 UNCH
4700	----	----	----/291.40A	323.80B/291.40A	----	305.70 - 20.70	.5827	----	----	----	----	117 UNCH
4705	----	----	----/288.80A	320.90B/288.80A	----	303.00 - 20.60	.5796	----	----	----	----	10 UNCH
4710	----	----	----/286.30A	318.10B/286.30A	----	300.20 - 20.60	.5766	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4720	----	----	----/281.10A	312.60B/281.10A	----	294.90 - 20.30	.5704	----	----	----	----	45 UNCH
4725	----	----	----/278.40A	309.80B/278.40A	----	292.20 - 20.30	.5674	----	----	----	----	2 UNCH
4730	----	----	----/276.10A	307.00B/276.10A	----	289.60 - 20.10	.5643	----	----	----	----	5 UNCH
4750	----	----	----/266.10A	296.30B/266.10A	----	279.30 - 19.70	.5520	----	----	----	----	43 UNCH
4770	----	----	----/256.60A	285.60B/256.60A	----	269.40 - 19.00	.5397	----	----	----	----	2 UNCH
4775	----	----	----/254.20A	283.10B/254.20A	----	266.90 - 18.90	.5366	----	----	----	----	184 UNCH
4780	----	----	----/252.00A	280.30B/252.00A	----	264.50 - 18.80	.5335	----	----	----	----	7 UNCH
4795	257.40	257.40	257.40/244.90A	272.70B/244.90A	----	257.40 NEW	.5243	----	----	2	----	2 + 2
4800	----	----	----/242.80A	270.20B/242.80A	----	255.10 - 18.00	.5212	----	----	----	----	941 UNCH
4840	----	----	----/225.10A	250.80B/225.10A	----	237.10 - 16.50	.4967	----	----	----	----	2 UNCH
4850	226.50	226.50	226.50/220.90A	246.10B/220.90A	----	232.80 - 16.20	.4907	----	----	2	----	24 + 2
4860	----	----	----/216.70A	241.50B/216.70A	----	228.50 - 15.80	.4846	----	----	----	----	2 UNCH
4875	----	----	----/210.70A	234.70B/210.70A	----	222.20 - 15.30	.4756	----	----	----	----	30 UNCH
4885	----	----	----/206.70A	230.30B/206.70A	----	218.00 - 15.10	.4695	----	----	----	----	2 UNCH
4900	----	----	----/200.80A	223.60B/200.80A	----	211.90 - 14.70	.4606	----	----	----	----	260 UNCH
4920	----	----	----/193.20A	215.10B/193.20A	----	203.80 - 14.40	.4486	----	----	----	----	30 UNCH
4925	----	----	----/191.30A	213.10B/191.30A	----	201.80 - 14.40	.4456	----	----	----	----	2 UNCH
4930	----	----	----/189.60A	211.20B/189.60A	----	199.90 - 14.20	.4427	----	----	----	----	2 UNCH
4950	198.30	198.30	198.30/182.50A	203.00B/182.50A	----	192.10 - 14.00	.4309	----	----	7	----	192 + 7
4965	----	----	----/177.30A	197.30B/177.30A	----	186.40 - 14.00	.4221	----	----	----	----	1 UNCH
4975	----	----	----/173.90A	193.20B/173.90A	----	182.80 - 13.80	.4163	----	----	----	----	314 UNCH
5000	180.00	180.00	184.00B/165.60A	184.00B/165.60A	----	173.80 - 13.60	.4019	----	----	8	300	527 - 134
5005	----	----	----/163.90A	182.10B/163.90A	----	172.10 - 13.50	.3990	----	----	----	----	1 UNCH
5050	----	----	----/150.10A	166.60B/150.10A	----	157.30 - 12.80	.3740	----	----	----	----	1 UNCH
5075	----	----	----/142.90A	158.40B/142.90A	----	149.70 - 12.40	.3605	----	----	----	----	1 UNCH
5100	----	----	----/136.10A	150.70B/136.10A	----	142.40 - 12.00	.3473	----	----	----	----	241 UNCH
5110	----	----	----/133.50A	147.70B/133.50A	----	139.60 - 11.80	.3422	----	----	----	----	1 UNCH
5150	----	----	----/123.30A	136.30B/123.30A	----	128.90 - 11.20	.3220	----	----	----	----	3 UNCH
5155	----	----	----/*122.30A	134.80B/*122.30A	----	127.60 - 11.10	.3195	----	----	----	----	1 UNCH
5200	----	----	----/111.70A	123.10B/111.70A	----	116.70 - 10.40	.2981	----	----	----	----	373 UNCH
5230	----	----	----/*105.40A	115.90B/*105.40A	----	109.80 - 10.10	.2842	----	----	----	----	400 UNCH
5235	----	----	----/*104.40A	114.80B/*104.40A	----	108.70 - 10.00	.2820	----	----	----	----	1 UNCH
5245	----	----	----/*102.30A	112.60B/*102.30A	----	106.60 - 9.80	.2776	----	----	----	----	20 UNCH
5250	----	----	----/*101.40A	111.30B/*101.40A	----	105.50 - 9.80	.2753	----	----	----	----	200 UNCH
5300	----	----	----/92.00A	100.50B/92.00A	----	95.40 - 9.20	.2541	----	----	----	----	1013 UNCH
5330	----	----	----/*86.80A	94.80B/*86.80A	----	89.80 - 8.90	.2419	----	----	----	----	20 UNCH
5335	----	----	----/*86.00A	93.70B/*86.00A	----	88.90 - 8.80	.2399	----	----	----	----	1 UNCH
5350	----	----	----/*83.50A	90.90B/*83.50A	----	86.20 - 8.70	.2340	----	----	----	----	1 UNCH
5370	----	----	----/*80.40A	87.50B/*80.40A	----	82.80 - 8.60	.2264	----	----	----	----	15 UNCH
5375	----	----	----/*79.60A	86.60B/*79.60A	----	82.00 - 8.50	.2246	----	----	----	----	2 UNCH
5400	----	----	----/75.90A	82.40B/75.90A	----	78.00 - 8.30	.2155	----	----	----	----	294 UNCH
5420	----	----	----/*73.10A	79.10B/*73.10A	----	75.00 - 8.10	.2085	----	----	----	----	80 UNCH
5425	----	----	----/*72.40A	78.30B/*72.40A	----	74.30 - 8.00	.2069	----	----	----	----	50 UNCH
5450	----	----	----/*69.00A	74.50B/*69.00A	----	70.70 - 7.90	.1985	----	----	----	----	5 UNCH
5460	----	----	----/*67.90A	73.10B/*67.90A	----	69.30 - 7.90	.1951	----	----	----	----	1 UNCH
5475	----	----	----/*66.00A	71.00B/*66.00A	----	67.40 - 7.70	.1905	----	----	----	----	2 UNCH
5500	----	----	----/63.10A	67.70B/63.10A	----	64.20 - 7.50	.1828	----	----	357	----	1099 - 228
5505	----	----	----/*62.50A	67.10B/*62.50A	----	63.60 - 7.50	.1813	----	----	----	----	3 UNCH
5520	----	----	----/*60.80A	65.10B/*60.80A	----	61.90 - 7.30	.1770	----	----	----	----	1 UNCH
5525	----	----	----/*60.30A	64.40B/*60.30A	----	61.30 - 7.30	.1756	----	----	1	----	2 UNCH
5540	----	----	----/*58.70A	62.60B/*58.70A	----	59.60 - 7.20	.1713	----	----	----	----	15 UNCH
5600	----	----	----/52.50A	56.00B/52.50A	----	53.30 - 6.60	.1553	----	----	----	----	1002 UNCH
5605	----	----	----/*52.10A	55.50B/*52.10A	----	52.80 - 6.60	.1541	----	----	----	----	3 UNCH
5625	----	----	----/*50.40A	53.40B/*50.40A	----	50.90 - 6.30	.1492	----	----	1	----	2 UNCH
5650	----	----	----/*48.40A	51.00B/*48.40A	----	48.60 - 6.10	.1432	----	----	----	----	414 UNCH
5665	----	----	----/*47.30A	49.80B/*47.30A	----	47.40 - 5.80	.1399	----	----	----	----	3 UNCH
5675	----	----	----/*46.50A	49.00B/*46.50A	----	46.60 - 5.70	.1378	----	----	----	----	8 UNCH
5700	43.50	43.50	43.50/43.50	46.70B/43.50	----	44.70 - 5.30	.1326	----	----	1	----	1060 UNCH
5730	----	----	----/*42.80A	44.10B/*42.80A	----	42.50 - 5.00	.1266	----	----	----	----	2 UNCH
5750	----	----	----/*40.70A	42.60B/*40.70A	----	41.10 - 4.80	.1228	----	----	----	----	173 UNCH
5760	----	----	----/*40.00A	41.80B/*40.00A	----	40.50 - 4.60	.1210	----	----	----	----	1 UNCH
5800	----	----	----/37.70A	39.00B/37.70A	----	37.90 - 4.30	.1138	----	----	700	----	524 - 295
5850	----	----	----/*35.00A	35.90B/*35.00A	----	34.90 - 4.20	.1055	----	----	----	----	435 UNCH
5900	----	----	----/32.60A	33.20B/32.60A	----	32.20 - 4.10	.0978	----	----	----	----	543 UNCH
5950	----	----	----/*30.40A	30.40B/*30.40A	----	29.80 - 4.00	.0909	----	----	----	----	51 UNCH
6000	----	----	----/28.60A	28.10B/28.60A	----	27.60 - 4.00	.0845	----	----	----	----	1103 UNCH
6100	----	----	----/24.90A	24.10B/24.90A	----	24.10 - 3.70	.0740	----	----	350	----	185 - 177
6200	----	----	----/22.90A	21.10B/22.90A	----	21.30 - 3.40	.0653	----	----	3	----	232 + 3
6300	----	----	----/20.30A	18.80B/20.30A	----	19.20 - 3.00	.0585	----	----	----	----	159 UNCH
6400	----	----	----/18.60A	16.80B/18.60A	----	17.30 - 2.70	.0525	----	----	3	----	215 + 3
6500	----	----	----/17.10A	15.40B/17.10A	----	15.70 - 2.40	.0473	----	----	----	----	540 UNCH
6600	----	----	----/*16.00A	13.90B/*16.00A	----	14.10 - 2.50	.0424	----	----	----	----	25 UNCH
6650	----	----	----/*15.40A	13.20B/*15.40A	----	13.40 - 2.50	.0402	----	----	----	----	5 UNCH
6750	----	----	----/*14.30A	12.20B/*14.30A	----	12.20 - 2.40	.0364	----	----	----	----	11 UNCH
6775	----	----	----/*14.00A	12.00B/*14.00A	----	11.90 - 2.50	.0355	----	----	----	----	1 UNCH
6800	----	----	----/*13.90A	11.80B/*13.90A	----	11.70 - 2.40	.0348	----	----	----	----	127 UNCH
7000	----	----	----	10.30B/*12.50A	----	10.10 - 2.20	.0296	----	----	----	----	100 UNCH
TOTAL										1435	300	14548 - 817
OCT26												
3600	----	----	----	----	----	1206.20 - 28.60	.9453	----	----	----	----	12 UNCH
4300	----	----	----	434.90B/751.10A	----	595.40 - 24.90	.7742	----	----	----	----	102 UNCH
4400	----	----	----	358.50B/680.60A	----	520.70 - 25.20	.7323	----	----	----	----	8 UNCH
4405	----	----	----/498.50A	485.20B/498.50A	----	517.10 - 25.20	.7301	----	----	----	----	2 UNCH
4480	----	----	----/448.60A	483.10B/448.60A	----	464.20 - 25.70	.6955	----	----	----	----	1 UNCH
4500	----	----	----/435.80A	473.90B/435.80A	----	450.70 - 25.70	.6857	----	----	----	----	3 UNCH
4515	----	----	----/426.50A	463.90B/426.50A	----	440.70 - 25.80	.6783	----	----	----	----	1 UNCH
4550	----	----	----/404.90A	441.00B/404.90A	----	418.00 - 25.80	.6605	----	----	----	----	1 UNCH
4580	----	----	----/387.20A	421.80B/387.20A	----	399.40 - 25.50	.6449	----	----	----	----	70 UNCH
4600	----	----	----/375.50A	409.40B/375.50A	----	387.40 - 25.20	.6343	----	----	----	----	134 UNCH
4610	----	----	----/369.90A	403.30B/369.90A	----	381.50 - 25.10	.6289	----	----	----	----	5 UNCH
4620	----	----	----/364.30A	397.20B/364.30A	----	375.80 - 24.80	.6235	----	----	----	----	1 UNCH
4630	----	----	----/358.70A	391.20B/358.70A	----	370.10 - 24.60	.6181	----	----	----	----	3 UNCH
4650	----	----	----/347.60A	379.30B/347.60A	----	358.90 - 24.10	.6072	----	----	----	----	1 UNCH
4670	----	----	----/336.80A	367.70B/336.80A	----	348.10 - 23.50	.5962	----	----	----	----	1 UNCH
4675	----	----	----/334.20A	364.80B/334.20A	----	345.40 - 23.40	.5935	----	----	----	----	1 UNCH
4690	----	----	----/326.60A	356.30B/326.60A	----	337.50 - 22.90	.5852	----	----	----	----	1 UNCH
4700	----	----	----/321.20A	350.70B/321.20A	----	332.40 - 22.50	.5797	----	----	----	----	5 UNCH
4710	----	----	----/316.10A	345.20B/316.10A	----	327.30 - 22.10	.5741	----	----	----	----	1 UNCH
4715	----	----	----/313.60A	342.60B/313.60A	----	324.80 - 21.90	.5714	----	----	----	----	2 UNCH
4750	----	----	----/296.40A	323.90B/296.40A	----	307.60 - 20.50	.5520	----	----	----	----	1 UNCH
4755	----	----	----/294.00A	321.20B/294.00A	----	305.20 - 20.30	.5492	----	----	----	----	1 UNCH
4800	----	----	----/273.40A	298.40B/273.40A	----	284.20 - 18.20	.5243	----	----	----	----	325 UNCH
4845	----	----	----/253.40A	276.80B/253.40A	----	264.10 - 16.20	.4997	----	----	----	----	2 UNCH
4850	----	----	----/250.90A	274.60B/250.90A	----	261.90 - 16.10	.4969	----	----	----	----	53 UNCH
4865	----	----	----/245.60A	270.20B/245.60A	----	255.40 - 15.60	.4887	----	----	----	----	2 UNCH
4880	----	----	----/238.60A	261.10B/238.60A	----	249.00 - 15.30	.4806	----	----	----	----	1 UNCH
4900	234.00	234.00	234.00/231.30A	252.40B/231.30A	----	240.60 - 15.00	.4698	----	----	20	----	1298 + 20
4905	238.40	238.40	238.50/229.60A	250.20B/229.60A	----	238.60 NEW	.4671	----	----	20	----	20 + 20
4910	----	----	----/227.40A	248.10B/227.40A	----	236.50 - 14.90	.4644	----	----	----	----	1 UNCH
4925	----	----	----/221.90A	241.90B/221.90A	----	230.50 - 14.70	.4563	----	----	----	----	18 UNCH
4935	----	----	----/217.80A	237.80B/217.80A	----	226.50 - 14.70	.4510	----	----	----	----	5 UNCH
4945	----	----	----/214.50A	233.70B/214.50A	----	222.60 - 14.70	.4457	----	----	----	----	3 UNCH
4950	----	----	----/212.90A	231.70B/212.90A	----	220.60 - 14.70	.4430	----	----	----	----	8 UNCH
5000	----	----	----/195.00A	212.50B/195.00A	----	202.20 - 14.30	.4169	----	----	----	----	1340 UNCH
5025	----	----	----/187.50A	203.50B/187.50A	----	193.70 - 13.90	.4042	----	----	----	----	2 UNCH
5050	----	----	----/179.70A	194.80B/179.70A	----	185.40 - 13.60	.3917	----	----	----	----	57 UNCH
5075	----	----	----/172.10A	186.40B/172.10A	----	177.60 - 13.10	.3795	----	----	----	----	2 UNCH
5080	----	----	----/170.60A	184.80B/170.60A	----	176.10 - 13.00	.3771	----	----	----	----	3 UNCH
5085	----	----	----/169.20A	183.20B/169.20A	----	174.60 - 12.80	.3747	----	----	----	----	3 UNCH
5100	----	----	----/164.80A	178.40B/164.80A	----	170.10 - 12.60	.3675	----	----	----	----	802 UNCH
5125	----	----	----/157.90A	170.70B/157.90A	----	162.90 - 12.10	.3557	----	----	----	----	1 UNCH
5150	----	----	----/151.20A	163.30B/151.20A	----	156.00 - 11.60	.3442	----	----	----	----	1 UNCH
5160	----	----	----/148.60A	160.50B/148.60A	----	153.30 - 11.50	.3397	----	----	----	----	1 UNCH
5170	155.00	155.00	155.00/146.10A	157.70B/146.10A	----	150.70 - 11.20	.3353	----	----	5	----	5 UNCH
5200	----	----	----/138.70A	149.50B/138.70A	----	143.00 - 10.80	.3220	----	----	----	----	1086 UNCH
5250	----	----	----/*127.30A	136.90B/*127.30A	----	131.00 - 10.20	.3008	----	----	----	----	522 UNCH
5255	----	----	----/*126.30A	135.60B/*126.30A	----	129.80 - 10.20	.2987	----	----	----	----	2 UNCH
5300	----	----	----/116.90A	125.20B/116.90A	----	119.90 - 9.80	.2806	----	----	5	----	939 + 1
5325	----	----	----/*112.10A	119.80B/*112.10A	----	114.70 - 9.60	.2709	----	----	----	----	1 UNCH
5350	----	----	----/*107.50A	114.60B/*107.50A	----	109.80 NEW	.2616	----	----	4	----	4 + 4
5365	----	----	----/*104.80A	111.70B/*104.80A	----	106.90 - 9.30	.2560	----	----	----	----	1 UNCH
5400	----	----	----/98.90A	105.00B/98.90A	----	100.60 - 9.00	.2436	----	----	----	----	458 UNCH
5410	----	----	----/*97.20A	103.20B/*97.20A	----	98.80 - 9.00	.2401	----	----	1	----	1 UNCH
5435	----	----	----/*93.30A	98.80B/*93.30A	----	94.60 - 8.90	.2317	----	----	----	----	226 UNCH
5450	----	----	----/*91.00A	96.30B/*91.00A	----	92.20 - 8.70	.2268	----	----	----	----	66 UNCH
5455	----	----	----/*90.30A	95.40B/*90.30A	----	91.50 - 8.60	.2253	----	----	----	----	175 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5475	----	----	----/*87.40A	92.20B/*87.40A	----	88.40 - 8.50	.2189	----	----	----	----	1 UNCH
5500	----	----	----/83.90A	88.30B/83.90A	----	84.80 - 8.20	.2114	----	----	----	----	2001 UNCH
5530	----	----	----/*80.00A	83.90B/*80.00A	----	80.60 - 8.00	.2025	----	----	----	----	1 UNCH
5545	----	----	----/*78.10A	81.80B/*78.10A	----	78.70 - 7.80	.1983	----	----	----	----	5 UNCH
5550	----	----	----/*77.50A	81.10B/*77.50A	----	78.00 - 7.80	.1969	----	----	----	----	100 UNCH
5590	----	----	----/*72.80A	75.80B/*72.80A	----	73.10 - 7.40	.1861	----	----	----	----	4 UNCH
5600	----	----	----/71.70A	74.60B/71.70A	----	72.00 - 7.20	.1836	----	----	----	----	198 UNCH
5610	----	----	----/*70.60A	73.40B/*70.60A	----	70.80 - 7.20	.1810	----	----	----	----	1 UNCH
5615	----	----	----/*70.10A	72.80B/*70.10A	----	70.30 - 7.10	.1798	----	----	----	----	5 UNCH
5650	----	----	----/*66.40A	68.70B/*66.40A	----	66.50 - 6.70	.1713	----	----	----	----	401 UNCH
5655	----	----	----/*65.90A	68.20B/*65.90A	----	66.00 - 6.70	.1701	----	----	----	----	2 UNCH
5660	----	----	----/*65.40A	67.60B/*65.40A	----	65.50 - 6.60	.1690	----	----	----	----	1 UNCH
5675	----	----	----/*64.00A	65.90B/*64.00A	----	64.00 - 6.50	.1655	----	----	----	----	3 UNCH
5700	----	----	----/61.70A	63.30B/61.70A	----	61.50 - 6.30	.1598	----	----	----	----	20 UNCH
5710	----	----	----/*60.80A	62.30B/*60.80A	----	60.60 - 6.20	.1577	----	----	----	----	5 UNCH
5720	----	----	----/*59.50A	61.40B/*59.50A	----	59.70 - 6.10	.1556	----	----	----	----	75 UNCH
5750	----	----	----/*57.20A	59.20B/*57.20A	----	57.00 - 5.90	.1493	----	----	----	----	1 UNCH
5775	----	----	----/*55.40A	56.30B/*55.40A	----	54.90 - 5.70	.1443	----	----	----	----	50 UNCH
5800	53.00	53.00	54.40B/50.70	54.40B/50.70	----	52.90 - 5.50	.1396	----	----	3	----	411 - 1
5875	----	----	----/*48.80A	48.20B/*48.80A	----	47.40 - 5.00	.1262	----	----	----	----	1 UNCH
5900	46.30	46.30	46.30/46.10A	46.40B/46.10A	----	45.80 - 4.80	.1223	----	----	1	----	132 - 1
5925	----	----	----/*44.70A	44.70B/*44.70A	----	44.20 - 4.70	.1183	----	----	----	----	1 UNCH
5950	----	----	----/*43.20A	43.00B/*43.20A	----	42.70 - 4.60	.1146	----	----	----	----	1 UNCH
6000	----	----	----/40.60A	40.50B/40.60A	----	39.90 - 4.50	.1075	----	----	----	----	3157 UNCH
6100	----	----	----/36.00A	35.50B/36.00A	----	35.20 - 4.20	.0953	----	----	----	----	66 UNCH
6200	----	----	----/32.40A	31.30B/32.40A	----	31.30 - 4.00	.0849	----	----	----	----	38 UNCH
6300	----	----	----/31.10A	26.60B/31.10A	----	28.30 - 3.50	.0766	----	----	----	----	756 UNCH
6400	----	----	----/28.10A	23.80B/28.10A	----	25.90 - 2.90	.0697	----	----	----	----	1910 UNCH
6500	24.00	24.00	24.00/22.50	24.00/22.50	----	23.90 - 2.30	.0639	----	----	4	----	4739 UNCH
6800	----	----	----	16.30B/*21.20A	----	19.80 - 0.50	.0513	----	----	----	----	1385 UNCH
6900	----	----	----	15.30B/*20.20A	----	18.80 - 0.10	.0482	----	----	----	----	1 UNCH
7000	----	----	----	14.20B/*19.40A	----	17.90 + 0.30	.0453	----	----	----	----	1583 UNCH
8000	----	----	----	9.10B/*13.90A	----	12.00 + 0.20	.0276	----	----	----	----	211 UNCH
8500	----	----	----	7.90B/*12.40A	----	10.30 - 0.10	.0228	----	----	----	----	208 UNCH
9000	----	----	----	6.80B/10.90A	----	9.00 - 0.20	.0192	----	----	----	----	69 UNCH
9500	----	----	----	5.60B/*9.70A	----	8.00 - 0.10	.0165	----	----	----	----	10 UNCH
13000	3.20	3.20	3.20/3.20	3.20/3.20	----	4.80 + 0.70	.0084	----	----	4	----	20 + 4
TOTAL										67		25364 + 47
NOV26												
4000	----	----	----	712.40B/1047.00A	----	884.90 - 27.40	.8632	----	----	----	----	1 UNCH
4100	----	----	----	627.70B/967.50A	----	801.20 - 26.90	.8361	----	----	----	----	1 UNCH
4275	----	----	----	483.10B/836.10A	----	662.80 - 25.50	.7791	----	----	----	----	38 UNCH
4300	----	----	----	463.50B/818.20A	----	644.00 - 25.30	.7699	----	----	----	----	1 UNCH
4375	----	----	----	406.60B/765.80A	----	589.20 - 24.60	.7410	----	----	----	----	38 UNCH
4400	----	----	----	388.30B/748.80A	----	571.50 - 24.30	.7309	----	----	----	----	1 UNCH
4440	----	----	----/524.70A	532.10B/524.70A	----	543.90 - 23.80	.7142	----	----	----	----	1 UNCH
4500	----	----	----/486.00A	523.50B/486.00A	----	504.00 - 23.00	.6881	----	----	----	----	25 UNCH
4600	----	----	----/425.80A	459.30B/425.80A	----	441.70 - 21.70	.6422	----	----	----	----	1 UNCH
4750	----	----	----/345.40A	375.20B/345.40A	----	355.70 - 21.80	.5696	----	----	----	----	1 UNCH
4775	----	----	----/333.00A	362.20B/333.00A	----	342.60 - 21.80	.5571	----	----	----	----	31 UNCH
4800	----	----	----/321.40A	349.50B/321.40A	----	330.50 - 21.20	.5446	----	----	----	----	2 UNCH
4850	----	----	----/298.60A	325.40B/298.60A	----	308.60 - 19.00	.5199	----	----	----	----	28 UNCH
4900	----	----	----/277.50A	301.90B/277.50A	----	287.90 - 17.10	.4955	----	----	----	----	451 UNCH
4915	----	----	----/271.60A	295.30B/271.60A	----	281.60 - 16.80	.4882	----	----	----	----	1 UNCH
4925	----	----	----/267.60A	291.40B/267.60A	----	277.50 - 16.50	.4834	----	----	----	----	1 UNCH
4935	----	----	----/263.50A	287.10B/263.50A	----	273.30 - 16.40	.4785	----	----	----	----	25 UNCH
4950	----	----	----/257.90A	280.30B/257.90A	----	267.20 - 16.20	.4713	----	----	----	----	150 UNCH
4970	257.10	257.10	257.10/250.10A	272.30B/250.10A	----	259.10 NEW	.4617	----	----	10	----	10 + 10
5000	----	----	----/239.60A	259.90B/239.60A	----	247.50 - 15.70	.4474	----	----	----	----	84 UNCH
5020	----	----	----/232.20A	252.60B/232.20A	----	240.00 - 15.50	.4380	----	----	----	----	30 UNCH
5060	----	----	----/218.90A	237.30B/218.90A	----	225.70 - 15.00	.4195	----	----	----	----	2 UNCH
5080	----	----	----/212.40A	227.80B/212.40A	----	218.90 - 14.70	.4104	----	----	----	----	4 UNCH
5085	----	----	----/210.70A	228.40B/210.70A	----	217.20 - 14.70	.4081	----	----	----	----	4 UNCH
5175	----	----	----/183.90A	198.90B/183.90A	----	189.00 - 13.70	.3687	----	----	----	----	2 UNCH
5200	----	----	----/177.10A	191.30B/177.10A	----	181.90 - 13.30	.3582	----	----	----	----	26 UNCH
5250	----	----	----/164.20A	177.10B/164.20A	----	168.40 - 12.80	.3379	----	----	----	----	9 UNCH
5300	----	----	----/152.40A	164.00B/152.40A	----	155.90 - 12.30	.3184	----	----	----	----	27 UNCH
5330	----	----	----/145.70A	156.50B/145.70A	----	148.90 - 11.90	.3072	----	----	----	----	1 UNCH
5370	----	----	----/137.20A	147.30B/137.20A	----	140.10 - 11.50	.2927	----	----	----	----	5 UNCH
5400	----	----	----/131.20A	140.50B/131.20A	----	133.80 - 11.20	.2822	----	----	----	----	17 UNCH
5420	----	----	----/*127.40A	136.40B/*127.40A	----	129.80 - 11.00	.2754	----	----	----	----	14 UNCH
5450	----	----	----/*121.80A	130.30B/*121.80A	----	124.10 - 10.70	.2655	----	----	----	----	925 UNCH
5460	----	----	----/*120.00A	128.20B/*120.00A	----	122.20 - 10.60	.2623	----	----	----	----	10 UNCH
5500	----	----	----/113.20A	120.70B/113.20A	----	115.10 - 10.20	.2497	----	----	----	----	79 UNCH
5550	----	----	----/*105.50A	111.90B/*105.50A	----	106.80 - 9.70	.2347	----	----	----	----	1 UNCH
5600	----	----	----/98.20A	103.80B/98.20A	----	99.10 - 9.30	.2206	----	----	----	----	43 UNCH
5680	----	----	----/*87.90A	92.20B/*87.90A	----	88.20 - 8.60	.1998	----	----	----	----	39 UNCH
5700	----	----	----/85.60A	89.50B/85.60A	----	85.70 - 8.40	.1949	----	----	----	----	45 UNCH
5710	----	----	----/*84.40A	88.20B/*84.40A	----	84.40 - 8.40	.1924	----	----	----	----	1 UNCH
5800	----	----	----/74.90A	77.40B/74.90A	----	74.40 - 7.60	.1724	----	----	----	----	80 UNCH
5825	----	----	----/*72.60A	74.70B/*72.60A	----	71.80 - 7.50	.1672	----	----	----	----	2 UNCH
5900	----	----	----/65.80A	67.30B/65.80A	----	65.00 - 6.80	.1529	----	----	----	----	1 UNCH
5925	----	----	----/*64.00A	65.00B/*64.00A	----	62.90 - 6.60	.1485	----	----	----	----	4 UNCH
5975	----	----	----/*60.70A	60.90B/*60.70A	----	59.00 - 6.30	.1401	----	----	----	----	3 UNCH
6000	----	----	----/59.20A	58.90B/59.20A	----	57.20 - 6.10	.1361	----	----	----	----	231 UNCH
6100	----	----	----/52.00A	51.50B/52.00A	----	50.80 - 5.30	.1218	----	----	----	----	1 UNCH
6200	----	----	----/46.60A	46.10B/46.60A	----	45.60 - 4.50	.1098	----	----	----	----	1 UNCH
6400	----	----	----/38.30A	37.10B/38.30A	----	37.70 - 3.20	.0908	----	----	----	----	13 UNCH
6500	33.00	33.00	33.00/33.00	33.70B/33.00	----	34.60 - 2.70	.0832	----	----	3	----	1164 + 2
8000	----	----	----	12.90B/*19.30A	----	16.10 - 0.70	.0347	----	----	----	----	11 UNCH
9000	----	----	----	9.90B/15.90A	----	12.50 + 0.30	.0249	----	----	1	----	8 UNCH
20000	----	----	----	----/2.20A	----	1.70 - 0.20	.0027	----	----	----	----	138 UNCH
TOTAL										14		3832 + 12
DEC26												
3550	----	----	----	----	----	1295.60 - 28.60	.9356	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1276.90 - 28.60	.9331	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1249.00 - 28.60	.9292	----	----	----	----	1 UNCH
3800	----	----	----/1,048.50A	1084.70B/1048.50A	----	1067.40 - 28.60	.8964	----	----	----	----	4 UNCH
3900	----	----	----	793.90B/1155.20A	----	980.10 - 28.30	.8754	----	----	----	----	2 UNCH
4060	----	----	----/829.00A	862.90B/829.00A	----	846.10 - 27.60	.8352	----	----	----	----	100 UNCH
4100	----	----	----/797.20A	830.30B/797.20A	----	813.70 - 27.40	.8238	----	----	----	----	48 UNCH
4160	----	----	----/750.20A	782.40B/750.20A	----	766.20 - 27.10	.8057	----	----	----	----	100 UNCH
4175	----	----	----/738.60A	770.60B/738.60A	----	754.50 - 27.00	.8010	----	----	----	----	37 UNCH
4200	----	----	----/719.60A	751.10B/719.60A	----	735.20 - 26.90	.7930	----	----	----	----	150 UNCH
4250	----	----	----/679.80A	714.20B/679.80A	----	697.30 - 26.60	.7763	----	----	----	----	293 UNCH
4255	----	----	----/678.70A	709.00B/678.70A	----	693.60 - 26.50	.7745	----	----	----	----	50 UNCH
4300	----	----	----/643.70A	676.90B/643.70A	----	660.40 - 26.20	.7587	----	----	----	----	436 UNCH
4315	----	----	----	452.80B/839.80A	----	649.50 - 26.10	.7533	----	----	----	----	1 UNCH
4320	----	----	----/632.20A	661.00B/632.20A	----	645.90 - 26.10	.7514	----	----	----	----	100 UNCH
4350	----	----	----/611.30A	639.30B/611.30A	----	624.50 - 25.90	.7403	----	----	----	----	206 UNCH
4375	----	----	----/594.30A	621.60B/594.30A	----	606.90 - 25.70	.7308	----	----	----	----	61 UNCH
4400	----	----	----/570.70A	567.40B/570.70A	----	589.60 - 25.50	.7211	----	----	----	----	2 UNCH
4425	----	----	----/554.30A	587.10B/554.30A	----	572.60 - 25.30	.7112	----	----	----	----	8 UNCH
4450	----	----	----/538.20A	570.20B/538.20A	----	555.90 - 25.00	.7011	----	----	----	----	87 UNCH
4465	----	----	----/528.70A	566.80B/528.70A	----	546.00 - 24.90	.6950	----	----	----	----	93 UNCH
4490	----	----	----/513.20A	550.40B/513.20A	----	529.70 - 24.70	.6846	----	----	----	----	7 UNCH
4500	----	----	----/507.00A	543.80B/507.00A	----	523.30 - 24.50	.6804	----	----	----	----	757 UNCH
4525	----	----	----/491.70A	527.70B/491.70A	----	507.40 - 24.30	.6699	----	----	----	----	5 UNCH
4540	----	----	----/482.90A	518.20B/482.90A	----	498.10 - 24.10	.6634	----	----	----	----	9 UNCH
4550	----	----	----/476.80A	511.90B/476.80A	----	491.90 - 24.00	.6591	----	----	----	----	1 UNCH
4565	----	----	----/468.10A	502.60B/468.10A	----	482.70 - 23.90	.6526	----	----	----	----	93 UNCH
4580	----	----	----/459.40A	493.40B/459.40A	----	473.70 - 23.60	.6460	----	----	----	----	150 UNCH
4585	----	----	----/456.60A	490.30B/456.60A	----	470.70 - 23.60	.6439	----	----	----	----	325 UNCH
4590	----	----	----/453.70A	487.30B/453.70A	----	467.70 - 23.50	.6417	----	----	----	----	15 UNCH
4600	----	----	----/448.10A	481.20B/448.10A	----	461.70 - 23.50	.6372	----	----	----	----	145 UNCH
4615	----	----	----/439.80A	472.30B/439.80A	----	452.90 - 23.30	.6306	----	----	----	----	41 UNCH
4625	----	----	----/433.80A	466.30B/433.80A	----	447.20 - 23.10	.6261	----	----	----	----	71 UNCH
4640	----	----	----/425.60A	457.60B/425.60A	----	438.60 - 22.90	.6193	----	----	----	----	100 UNCH
4650	----	----	----/420.30A	451.80B/420.30A	----	432.90 - 22.80	.6148	----	----	----	----	302 UNCH
4700	----	----	----/393.90A	423.70B/393.90A	----	405.40 - 22.20	.5921	----	----	----	----	97 UNCH
4750	----	----	----/368.50A	397.40B/368.50A	----	379.40 - 21.40	.5690	----	----	----	----	211 UNCH
4780	----	----	----/354.90A	381.50B/354.90A	----	364.50 - 21.00	.5551	----	----	----	----	2 UNCH
4795	----	----	----/347.00A	374.20B/347.00A	----	357.30 - 20.70	.5481	----	----	----	----	6 UNCH
4800	355.00	355.00	355.00/345.00A	371.50B/345.00A	----	354.90 - 20.60	.5458	----	----	1	200	375 + 199
4810	----	----	----/340.40A	366.50B/340.40A	----	350.20 - 20.40	.5412	----	----	----	----	56 UNCH
4820	----	----	----/335.70A	361.60B/335.70A	----	345.60 - 20.20	.5365	----	----	----	----	49 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4825	----	----	----/333.50A	359.10B/333.50A	----	343.30 - 20.10	.5342	----	----	----	----	104 UNCH
4850	347.00	347.00	348.00/322.50A	348.00/322.50A	----	332.00 - 19.70	.5227	----	----	11	----	296 + 5
4875	----	----	----/312.60A	335.40B/312.60A	----	321.00 - 19.30	.5112	----	----	----	----	1 UNCH
4880	----	----	----/310.10A	333.10B/310.10A	----	318.90 - 19.10	.5090	----	----	----	----	4 UNCH
4900	----	----	----/301.20A	324.20B/301.20A	----	310.40 - 18.80	.4999	----	----	----	----	353 UNCH
4925	311.70	311.70	312.20/291.10A	313.40B/291.10A	----	300.10 - 18.40	.4886	----	----	12	----	138 + 12
4950	301.20	301.20	301.20/281.30A	302.90B/281.30A	----	290.10 - 18.00	.4774	----	----	2	----	103 UNCH
4975	----	----	----/272.20A	292.30B/272.20A	----	280.40 - 17.60	.4663	----	----	----	----	50 UNCH
5000	276.40	276.40	276.40/263.70A	282.60B/263.70A	----	271.00 - 17.20	.4553	----	----	183	200	2307 + 94
5005	----	----	----/261.10A	280.80B/261.10A	----	269.10 - 17.20	.4531	----	----	----	----	4 UNCH
5025	----	----	----/253.80A	273.00B/253.80A	----	261.80 - 16.90	.4444	----	----	----	----	218 UNCH
5050	----	----	----/245.40A	263.60B/245.40A	----	252.90 - 16.60	.4336	----	----	----	----	101 UNCH
5070	----	----	----/238.50A	256.30B/238.50A	----	246.00 - 16.30	.4251	----	----	----	----	13 UNCH
5075	----	----	----/236.90A	254.50B/236.90A	----	244.20 - 16.30	.4230	----	----	----	----	30 UNCH
5090	----	----	----/232.30A	249.20B/232.30A	----	239.20 - 16.00	.4167	----	----	1	----	14 + 1
5100	----	----	----/229.00A	245.60B/229.00A	----	235.80 - 16.00	.4125	----	----	----	300	316 + 183
5150	----	----	----/214.50A	228.80B/214.50A	----	219.70 - 15.50	.3919	----	----	----	----	1 UNCH
5155	----	----	----/212.50A	227.50B/212.50A	----	218.20 - 15.40	.3899	----	----	----	----	4 UNCH
5175	----	----	----/206.90A	221.10B/206.90A	----	212.10 - 15.20	.3818	----	----	----	----	100 UNCH
5195	----	----	----/201.40A	215.10B/201.40A	----	206.10 - 15.10	.3739	----	----	----	----	5 UNCH
5200	----	----	----/199.90A	213.20B/199.90A	----	204.60 - 15.10	.3719	----	----	----	----	1306 UNCH
5245	----	----	----/188.10A	200.10B/188.10A	----	191.90 NEW	.3545	----	----	2	----	2 + 2
5250	----	----	----/186.50A	198.90B/186.50A	----	190.60 - 14.60	.3526	----	----	----	----	337 UNCH
5255	----	----	----/185.70A	197.60B/185.70A	----	189.20 - 14.60	.3507	----	----	----	----	1 UNCH
5265	----	----	----/183.00A	194.50B/183.00A	----	186.50 NEW	.3469	----	----	1	----	1 + 1
5275	----	----	----/180.00A	192.00B/180.00A	----	183.90 - 14.40	.3432	----	----	----	----	20 UNCH
5300	----	----	----/174.40A	185.10B/174.40A	----	177.50 - 14.10	.3340	----	----	----	----	340 UNCH
5350	----	----	----/162.70A	172.60B/162.70A	----	165.40 - 13.60	.3163	----	----	----	----	457 UNCH
5360	----	----	----/160.50A	170.20B/160.50A	----	163.00 - 13.60	.3127	----	----	----	----	100 UNCH
5370	----	----	----/158.40A	167.90B/158.40A	----	160.80 - 13.50	.3094	----	----	----	----	36 UNCH
5400	160.90	160.90	160.90/152.10A	160.90/152.10A	----	154.20 - 13.10	.2993	----	----	2	300	1692 + 2
5460	----	----	----/*139.90A	147.80B/*139.90A	----	141.90 - 12.40	.2800	----	----	----	----	200 UNCH
5465	----	----	----/*139.40A	147.10B/*139.40A	----	140.90 - 12.40	.2785	----	----	----	----	50 UNCH
5480	----	----	----/*136.50A	144.00B/*136.50A	----	138.00 - 12.20	.2738	----	----	----	----	50 UNCH
5500	140.00	140.00	140.20/132.90A	140.20/132.90A	----	134.30 - 11.90	.2678	----	----	331	----	2730 + 129
5525	----	----	----/*128.70A	135.40B/*128.70A	----	129.80 - 11.60	.2605	----	----	----	----	80 UNCH
5550	----	----	----/*124.30A	130.80B/*124.30A	----	125.50 - 11.20	.2533	----	----	----	----	3 UNCH
5600	120.10	120.10	120.80/116.50A	122.30B/116.50A	----	117.30 - 10.50	.2395	----	----	3	200	2352 + 203
5650	----	----	----/*109.10A	114.40B/*109.10A	----	109.80 - 9.80	.2266	----	----	----	----	250 UNCH
5660	----	----	----/*108.00A	112.50B/*108.00A	----	108.40 - 9.70	.2241	----	----	----	----	1 UNCH
5675	----	----	----/*105.70A	110.40B/*105.70A	----	106.30 - 9.50	.2204	----	----	----	----	8 UNCH
5680	----	----	----/*105.30A	109.60B/*105.30A	----	105.60 - 9.40	.2192	----	----	----	----	1 UNCH
5685	----	----	----/*104.40A	109.00B/*104.40A	----	104.90 - 9.40	.2179	----	----	----	----	18 UNCH
5690	----	----	----/*104.00A	108.20B/*104.00A	----	104.30 - 9.30	.2168	----	----	----	----	7 UNCH
5700	----	----	----/102.30A	106.80B/102.30A	----	102.90 - 9.20	.2144	----	----	----	----	375 UNCH
5705	----	----	----/*101.80A	106.10B/*101.80A	----	102.30 - 9.10	.2132	----	----	----	----	5 UNCH
5710	----	----	----/*101.20A	105.30B/*101.20A	----	101.60 - 9.10	.2120	----	----	----	----	5 UNCH
5750	----	----	----/*96.20A	100.10B/*96.20A	----	96.50 - 8.70	.2028	----	----	225	----	301 - 30
5770	----	----	----/*94.10A	97.60B/*94.10A	----	94.10 - 8.50	.1984	----	----	----	----	8 UNCH
5775	----	----	----/*93.60A	96.90B/*93.60A	----	93.60 - 8.40	.1975	----	----	----	----	2 UNCH
5800	----	----	----/90.50A	94.10B/90.50A	----	90.70 - 8.20	.1921	----	----	1	200	1655 + 200
5810	----	----	----/*89.30A	92.60B/*89.30A	----	89.60 - 8.10	.1901	----	----	----	----	56 UNCH
5825	----	----	----/*88.10A	90.90B/*88.10A	----	87.90 - 8.10	.1869	----	----	----	----	4 UNCH
5850	----	----	----/*85.50A	88.20B/*85.50A	----	85.20 - 8.00	.1819	----	----	----	----	51 UNCH
5875	----	----	----/*82.70A	85.40B/*82.70A	----	82.70 - 7.80	.1771	----	----	----	----	9 UNCH
5900	82.50	82.50	82.50/80.10A	82.90B/80.10A	----	80.20 - 7.70	.1724	----	----	4	----	1267 + 3
5950	----	----	----/*76.10A	77.60B/*76.10A	----	75.50 - 7.50	.1634	----	----	----	----	27 UNCH
6000	75.00	75.00	75.00/70.40A	75.00/70.40A	----	71.20 - 7.30	.1549	----	----	569	----	5332 - 231
6100	----	----	----/65.30A	65.20B/65.30A	----	63.40 - 7.00	.1395	----	----	----	----	40 UNCH
6150	----	----	----/*62.30A	61.30B/*62.30A	----	59.80 - 7.00	.1323	----	----	----	----	1 UNCH
6200	----	----	----/58.30A	57.60B/58.30A	----	56.60 - 6.80	.1257	----	----	1	----	3201 UNCH
6250	----	----	----/*55.50A	54.50B/*55.50A	----	53.50 - 6.80	.1194	----	----	----	----	20 UNCH
6300	----	----	----/53.00A	51.50B/53.00A	----	50.80 - 6.60	.1137	----	----	----	----	1047 UNCH
6400	----	----	----/48.30A	47.60B/48.30A	----	45.80 - 6.40	.1031	----	----	----	----	703 UNCH
6500	42.50	42.50	42.50/42.10A	43.00B/42.10A	----	41.70 - 6.00	.0942	----	----	230	220	5170 + 70
6750	----	----	----/*38.60A	33.70B/*38.60A	----	34.30 - 4.40	.0771	----	----	----	----	100 UNCH
6775	----	----	----	33.00B/*38.00A	----	33.70 - 4.30	.0757	----	----	----	----	163 UNCH
6800	----	----	----	31.40B/*37.40A	----	33.10 - 4.20	.0743	----	----	----	----	1817 UNCH
6900	----	----	----	29.10B/*35.40A	----	31.10 - 3.50	.0695	----	----	----	----	12 UNCH
7000	----	----	----	27.00B/33.40A	----	29.40 - 3.00	.0652	----	----	293	----	4181 + 134
7130	----	----	----	24.80B/*31.40A	----	27.50 - 2.40	.0605	----	----	----	----	200 UNCH
7175	----	----	----	24.00B/*30.80A	----	26.90 - 2.20	.0589	----	----	----	----	125 UNCH
7250	----	----	----	23.00B/*29.80A	----	25.90 - 2.10	.0565	----	----	----	----	113 UNCH
7500	----	----	----	20.00B/27.10A	----	23.30 - 1.60	.0498	----	----	----	----	109 UNCH
8000	19.30	19.30	19.30/19.20	19.30/19.20	----	19.90 - 1.10	.0407	----	----	152	----	782 + 145
8125	----	----	----	15.90B/*22.40A	----	19.30 - 1.00	.0390	----	----	----	----	801 UNCH
8500	----	----	----	14.30B/21.20A	----	17.80 - 0.90	.0349	----	----	----	----	170 UNCH
8630	----	----	----	14.00B/*20.70A	----	17.40 - 0.90	.0337	----	----	----	----	400 UNCH
8725	----	----	----	13.50B/*20.40A	----	17.10 - 0.90	.0328	----	----	----	----	250 UNCH
9000	15.00	15.00	16.00/15.00	16.00/15.00	----	16.40 - 0.90	.0308	----	----	22	----	205 + 12
9500	14.00	14.00	14.00/14.00	14.00/14.00	----	15.40 - 0.80	.0278	----	----	4	----	287 UNCH
9900	----	----	----/*14.50A	13.50B/*14.50A	----	14.70 - 0.90	.0258	----	----	----	----	17 UNCH
10000	13.60	13.60	14.50/13.50	14.50/13.50	----	14.50 - 0.90	.0253	----	----	206	----	8285 + 86
11000	----	----	----	8.40B/14.90A	----	12.90 - 0.80	.0213	----	----	18	----	397 + 10
13000	----	----	----	8.50B/11.30A	----	10.00 - 0.30	.0154	----	----	54	----	407 + 3
15000	6.80	6.80	7.00/6.80	7.00/6.80	----	7.20 UNCH	.0108	----	----	392	----	19748 + 319
17000	----	----	----	4.20B/6.00A	----	4.90 + 0.20	.0073	----	----	----	----	27 UNCH
19000	----	----	----	----/26.30A	----	3.30 + 0.20	.0049	----	----	----	----	7 UNCH
20000	2.70	2.70	2.80/2.50	2.80/2.50	----	2.70 + 0.20	.0040	----	----	51	----	20535 + 15
21000	----	----	2.00B/----	2.00B/2.20A	----	2.10 + 0.20	.0032	----	----	----	----	28 UNCH
24000	----	----	----	----/1.80A	----	1.80 + 0.20	.0026	----	----	----	----	31 UNCH
TOTAL										2771	1,620	97279 + 1567
JAN27												
4190	----	----	----	571.20B/996.70A	----	788.40 - 26.70	.7934	----	----	----	----	1 UNCH
4290	----	----	----	493.40B/926.20A	----	714.00 - 26.10	.7616	----	----	----	----	1 UNCH
4300	----	----	----	485.90B/919.30A	----	706.80 - 26.00	.7582	----	----	----	----	1 UNCH
4400	----	----	----/621.20A	603.30B/621.20A	----	636.60 - 25.50	.7233	----	----	----	----	1 UNCH
4650	----	----	----/470.70A	493.30B/470.70A	----	480.10 - 23.40	.6255	----	----	----	----	1 UNCH
4750	----	----	----/418.40A	442.60B/418.40A	----	426.10 - 21.80	.5835	----	----	----	----	5 UNCH
4760	----	----	----/413.30A	438.00B/413.30A	----	420.90 - 21.70	.5793	----	----	----	----	100 UNCH
4800	----	----	----/393.90A	416.70B/393.90A	----	401.00 - 20.80	.5622	----	----	----	----	1 UNCH
4850	----	----	----/371.10A	392.00B/371.10A	----	377.20 - 19.70	.5409	----	----	----	----	1 UNCH
4875	----	----	----/359.70A	380.50B/359.70A	----	365.80 - 19.10	.5302	----	----	----	----	4 UNCH
4900	----	----	----/348.80A	368.60B/348.80A	----	354.70 - 18.50	.5197	----	----	----	----	9 UNCH
5000	----	----	----/308.30A	325.00B/308.30A	----	313.10 - 16.40	.4780	----	----	----	----	27 UNCH
5050	----	----	----/290.00A	304.90B/290.00A	----	294.00 - 15.70	.4576	----	----	----	----	100 UNCH
5100	----	----	----/272.30A	286.50B/272.30A	----	275.90 - 15.20	.4377	----	----	----	----	1 UNCH
5120	----	----	----/265.60A	278.80B/265.60A	----	269.00 - 15.10	.4298	----	----	----	----	1 UNCH
5195	----	----	----/241.80A	253.20B/241.80A	----	244.30 - 14.80	.4011	----	----	----	----	5 UNCH
5250	----	----	----/226.00A	236.20B/226.00A	----	227.70 - 14.60	.3808	----	----	----	----	7 UNCH
5300	212.80	212.80	212.80/212.40A	221.20B/212.40A	----	213.60 - 14.40	.3629	----	----	1	----	2 + 1
5400	----	----	----/187.70A	194.50B/187.70A	----	188.10 - 13.60	.3292	----	----	----	----	2 UNCH
5500	----	----	----/*166.30A	171.20B/*166.30A	----	166.00 - 12.50	.2982	----	----	----	----	24 UNCH
5550	----	----	----/*156.60A	160.70B/*156.60A	----	156.00 - 12.00	.2837	----	----	----	----	1 UNCH
5820	----	----	----/*115.20A	115.10B/*115.20A	----	113.20 - 9.20	.2169	----	----	----	----	6 UNCH
5850	----	----	----/*111.50A	111.00B/*111.50A	----	109.40 - 9.00	.2106	----	----	----	----	3 UNCH
5900	----	----	----/*105.60A	104.60B/*105.60A	----	103.40 - 8.50	.2005	----	----	----	----	5 UNCH
6000	----	----	----/*94.90A	93.00B/*94.90A	----	92.50 - 7.80	.1819	----	----	----	----	205 UNCH
6025	----	----	----/*92.50A	90.40B/*92.50A	----	90.00 - 7.60	.1775	----	----	----	----	1 UNCH
6300	----	----	----/*71.90A	67.10B/*71.90A	----	67.00 - 5.80	.1363	----	----	----	----	2 UNCH
20000	----	----	2.90B/----	2.90B/4.00A	----	4.00 + 1.70	.0057	----	----	----	----	60 UNCH
TOTAL										1		577 + 1
FEB27												
5000	333.00	333.00	333.00/*327.10A	337.70B/*327.10A	----	330.60 - 19.10	.4821	----	----	1	----	2 + 1
5100	----	----	----/*290.70A	299.20B/*290.70A	----	293.10 - 18.00	.4435	----	----	----	----	1 UNCH
5175	----	----	----/*266.20A	272.60B/*266.20A	----	267.70 - 17.40	.4157	----	----	----	----	125 UNCH
5300	----	----	----/*230.50A	233.60B/*230.50A	----	230.10 - 16.50	.3717	----	----	----	----	50 UNCH
5375	235.00	235.00	235.00/*211.20A	235.00/*211.20A	----	210.30 - 15.80	.3471	----	----	1	----	2 + 1
5400	----	----	----/*205.50A	206.90B/*205.50A	----	204.10 - 15.60	.3392	----	----	----	----	1 UNCH
5520	----	----	----/*179.40A	179.10B/*179.40A	----	177.20 - 14.30	.3034	----	----	----	----	300 UNCH
5530	----	----	----/*177.40A	176.80B/*177.40A	----	175.10 - 14.30	.3005	----	----	----	----	100 UNCH
5550	----	----	----/*173.50A	172.70B/*173.50A	----	171.10 - 14.00	.2950	----	----	----	----	65 UNCH
5600	----	----	----/*164.20A	162.70B/*164.20A	----	161.50 - 13.50	.2815	----	----	----	----	1 UNCH
6000	----	----	----/*109.20A	103.40B/*109.20A	----	104.20 - 9.40	.1941	----	----	----	----	72 UNCH
6025	----	----	----/*106.70A	100.40B/*106.70A	----	101.50 - 9.20	.1897	----	----	----	----	4 UNCH
6100	----	----	----/*99.30A	92.60B/*99.30A	----	94.00 - 8.70	.1772	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
6300	----	----	----/*83.00A	75.70B/*83.00A	----	77.50 - 7.10	.1488	----	----	----	----	1 UNCH
6500	----	----	----/*69.90A	62.40B/*69.90A	----	65.10 - 5.70	.1263	----	----	----	----	110 UNCH
6900	----	----	----	45.20B/*53.00A	----	49.50 - 2.80	.0959	----	----	----	----	532 UNCH
7000	----	----	----	41.80B/*49.90A	----	46.90 - 2.10	.0904	----	----	----	----	385 UNCH
7100	----	----	----	38.80B/*47.10A	----	44.60 - 1.50	.0856	----	----	----	----	9 UNCH
7900	----	----	----	16.10B/43.30A	----	26.60 + 0.40	.0514	----	----	----	----	500 UNCH
8000	----	----	----	15.00B/42.30A	----	24.70 + 0.40	.0480	----	----	----	----	500 UNCH
TOTAL										2		2764 + 2
MAR27												
4210	----	----	----	475.20B/1168.60A	----	803.00 - 20.10	.7924	----	----	----	----	1 UNCH
5000	----	----	----	112.00B/652.90A	----	367.10 + 25.10	.4993	----	----	----	----	75 UNCH
5500	----	----	----	29.00B/269.00A	----	212.80 + 17.40	.3336	----	----	----	----	67 UNCH
5650	----	----	----	20.00B/190.00A	----	180.60 + 13.20	.2930	----	----	----	----	15 UNCH
6000	----	----	----	18.50B/245.90A	----	128.00 + 8.00	.2186	----	----	----	----	2 UNCH
6500	----	----	----	3.90B/168.00A	----	86.20 + 5.90	.1510	----	----	----	----	1 UNCH
TOTAL												161 0
APR27												
5000	----	----	----	#299.00B/765.60A	----	429.10 - 16.70	.5104	----	----	----	----	100 UNCH
5060	----	----	----	----/*721.00A	----	404.10 NEW	.4908	----	----	----	25	25 + 25
5600	----	----	----	----/*433.40A	----	242.90 - 11.30	.3370	----	----	----	----	300 UNCH
6000	----	----	----	----/306.20A	----	172.80 - 8.70	.2540	----	----	----	----	151 UNCH
TOTAL											25	576 + 25
JUN27												
9500	----	----	----	----	----	18.10 - 1.20	.0317	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	705.20 - 20.70	.5988	----	----	----	----	100 UNCH
5000	----	----	----	----	----	643.40 - 19.60	.5639	----	----	----	----	50 UNCH
5650	----	----	----	----	----	411.80 - 14.70	.4141	----	----	----	----	200 UNCH
5700	----	----	----	----	----	397.60 - 14.30	.4036	----	----	----	----	150 UNCH
5800	----	----	----	----	----	370.70 - 13.60	.3833	----	----	----	----	200 UNCH
5880	----	----	----	----	----	350.50 - 13.20	.3676	----	----	----	----	125 UNCH
6300	----	----	----	----	----	262.60 - 10.60	.2940	----	----	----	----	18 UNCH
7500	----	----	----	----	----	189.70 - 7.50	.2015	----	----	----	----	170 UNCH
7800	----	----	----	----	----	184.80 - 7.10	.1910	----	----	----	----	284 UNCH
10000	----	----	----	----	----	130.50 - 4.90	.1259	----	----	----	----	100 UNCH
10500	----	----	----	----	----	115.60 - 4.40	.1123	----	----	----	----	10 UNCH
TOTAL												1407 0
DEC28												
5750	----	----	----	----	----	631.20 - 16.70	.4747	----	----	----	----	50 UNCH
TOTAL												50 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4000	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.20	.0042	----	----	----	----	3 UNCH
4200	1.40	1.40	2.80B/*1.40	2.80B/*1.40	----	2.00 + 0.70	.0131	----	----	1	----	13 + 1
4250	----	----	3.60B/----	3.60B/1.80A	----	2.50 + 0.90	.0173	----	----	----	----	12 UNCH
4275	----	----	#4.10B/----	#4.10B/*1.90A	----	2.90 + 1.10	.0206	----	----	----	----	2 UNCH
4300	----	----	467.10B/*387.90	467.10B/*387.90A	----	427.00 - 27.90	.9763	----	----	----	----	1 UNCH
4300	----	----	4.70B/----	4.70B/*2.10A	----	3.20 + 1.10	.0235	----	----	----	----	1 UNCH
4350	----	----	6.40B/*2.50A	6.40B/*2.50A	----	4.20 + 1.50	.0326	----	----	----	----	1 UNCH
4400	----	----	----	----	----	353.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	10.30B/*3.70A	10.30B/*3.70A	----	6.50 NEW	.0546	----	----	1	----	1 + 1
4450	----	----	12.10B/*4.30A	12.10B/*4.30A	----	7.50 + 2.60	.0647	----	----	----	----	3 UNCH
4465	----	----	----	----	----	288.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	7.30	7.30	14.50B/*5.00A	14.50B/*5.00A	----	8.80 + 3.00	.0777	----	----	2	----	3 + 2
4480	----	----	15.00B/*5.20A	15.00B/*5.20A	----	9.10 + 3.20	.0807	----	----	----	----	1 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	7.90	7.90	15.50B/*5.30A	15.50B/*5.30A	----	9.40 NEW	.0838	----	----	1	----	1 + 1
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	10.50	10.50	16.60B/*5.70A	16.60B/*5.70A	----	10.10 NEW	.0906	----	----	1	----	1 + 1
4500	8.20	8.20	17.30B/*5.90A	17.30B/*5.90A	----	10.40 + 3.60	.0938	----	----	46	----	56 + 45
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4505	13.00	13.00	17.80B/*6.10A	17.80B/*6.10A	----	10.80 NEW	.0977	----	----	1	----	1 + 1
4510	11.70	11.70	18.50B/*6.30A	18.50B/*6.30A	----	11.20 NEW	.1016	----	----	2	----	2 + 2
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	7.60	7.60	19.40B/*6.50A	19.40B/*6.50A	----	11.60 NEW	.1056	----	----	7	----	6 + 6
4520	11.10	11.10	20.10B/*6.80A	20.10B/*6.80A	----	12.00 + 4.10	.1096	----	----	2	----	1 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530	10.10	10.10	21.70B/*7.30A	21.70B/*7.30A	----	12.90 NEW	.1185	----	----	1	----	1 + 1
4535	8.50	8.50	22.30B/*7.60A	22.30B/7.60A	----	13.30 NEW	.1228	----	----	2	----	2 + 2
4550	----	----	24.90B/8.50A	24.90B/8.50A	----	14.90 + 5.00	.1384	----	----	----	----	1 UNCH
4550	----	----	----	----	----	203.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	11.30	11.30	26.80B/9.10A	26.80B/9.10A	----	16.00 NEW	.1494	----	----	2	----	2 + 2
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	183.00 UNCH	----	----	----	----	----	0 UNCH
4575	15.10	15.10	29.90B/10.30A	29.90B/10.30A	----	17.90 + 5.80	.1680	----	----	1	----	3 + 1
4575	----	----	----	----	----	178.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	13.20	13.20	31.00B/10.70A	31.00B/10.70A	----	18.60 NEW	.1747	----	----	1	----	1 + 1
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	168.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	28.80	28.80	33.30B/11.70A	33.30B/11.70A	----	20.00 NEW	.1885	----	----	1	----	1 + 1
4595	20.40	20.40	34.50B/12.10A	34.50B/12.10A	----	20.80 NEW	.1961	----	----	10	----	10 + 10
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	16.10	16.10	35.80B/12.70A	35.80B/12.70A	----	21.60 + 6.70	.2038	----	----	2	----	32 + 1
4600	----	----	----	----	----	153.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	22.20	22.20	37.00B/13.20A	37.00B/13.20A	----	22.50 NEW	.2121	----	----	2	----	2 + 2
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	38.30B/13.80A	38.30B/13.80A	----	23.40 + 7.20	.2205	----	----	----	----	7 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	39.70B/14.40A	39.70B/14.40A	----	24.30 + 7.40	.2290	----	----	----	----	1 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	164.70B/*104.90	164.70B/*104.90A	----	129.20 NEW	.7616	----	----	1	----	1 + 1
4620	24.80	24.80	41.10B/15.10A	41.10B/15.10A	----	25.30 NEW	.2381	----	----	4	----	4 + 4
4625	----	----	----	----	----	128.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	44.00B/16.50A	44.00B/16.50A	----	27.40 + 8.10	.2571	----	----	----	----	1 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	27.00	27.00	47.30B/18.00A	47.30B/18.00A	----	29.60 NEW	.2771	----	----	1	----	1 + 1
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	50.80B/19.80A	50.80B/19.80A	----	32.00 + 9.10	.2984	----	----	----	----	17 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	103.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	52.50B/20.70A	52.50B/20.70A	----	33.30 NEW	.3096	----	----	2	----	2 + 2
4660	32.30	32.30	54.40B/21.70A	54.40B/21.70A	----	34.70 NEW	.3213	----	----	7	----	5 + 5
4660	----	----	----	----	----	93.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	34.00	34.00	56.50B/22.70A	56.50B/22.70A	----	36.10 NEW	.3331	----	----	5	----	1 + 1
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	40.20	40.20	58.40B/23.70A	58.40B/23.70A	----	37.60 NEW	.3454	----	----	6	----	4 + 4
4670	----	----	----	----	----	83.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	36.70	36.70	60.60B/24.90A	60.60B/24.90A	----	39.10 NEW	.3578	----	----	14	----	12 + 12
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	78.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	33.90	33.90	62.80B/26.10A	62.80B/26.10A	----	40.70 NEW	.3706	----	----	7	----	5 + 5
4680	----	----	----	----	----	73.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	34.60	34.60	65.30B/27.30A	65.30B/27.30A	----	42.40 NEW	.3838	----	----	16	----	14 + 14
4685	----	----	----	----	----	68.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	108.10B/*61.20A	108.10B/*61.20A	----	78.10 - 17.50	.6027	----	----	----	----	1 UNCH
4690	----	----	----	----	----	63.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	70.00B/29.90A	70.00B/29.90A	----	45.90 + 11.80	.4107	----	----	----	----	10 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	53.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	72.10B/31.30A	72.10B/31.30A	----	47.70 + 12.10	.4245	----	----	2	----	53 + 2
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	48.00 UNCH	----	----	----	----	----	0 UNCH
4705	46.70	46.70	74.70B/32.90A	74.70B/32.90A	----	49.70 NEW	.4387	----	----	1	----	1 + 1
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	57.40	57.40	80.00B/36.10A	80.00B/36.10A	----	53.80 + 13.20	.4676	----	----	44	----	47 + 44
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	38.00 UNCH	----	----	----	----	----	0 UNCH
4720	59.70	59.70	82.80B/37.60A	82.80B/37.60A	----	55.90 + 13.50	.4823	----	----	67	----	66 + 64
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	33.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	28.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	23.00 UNCH	----	----	----	----	----	0 UNCH
4730	49.50	49.50	80.90B/*42.70A	80.90B/*42.70A	----	54.50 - 14.70	.4876	----	----	190	----	39 + 38
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	50.00	50.00	91.70B/43.20A	91.70B/43.20A	----	62.90 + 14.70	.5273	----	----	2	----	2 + 1
4735	----	----	----	----	----	18.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	94.70B/45.10A	94.70B/45.10A	----	65.40 + 15.10	.5424	----	----	6	----	5 + 4
4740	----	----	75.20B/*38.80A	75.20B/*38.80A	----	49.40 NEW	.4573	----	----	6	----	5 + 5
4740	----	----	----	----	----	13.00 UNCH	----	----	----	----	----	0 UNCH
4745	90.90	90.90	97.90B/47.20A	97.90B/47.20A	----	67.90 + 15.40	.5577	----	----	3	----	45 UNCH
4745	----	----	72.20B/*36.90A	72.20B/*36.90A	----	46.90 - 13.60	.4421	----	----	----	----	20 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	8.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	101.00B/49.30A	101.00B/49.30A	----	70.60 + 15.90	.5728	----	----	2	----	28 + 1
4750	39.00	39.00	69.10B/*35.10A	69.10B/*35.10A	----	44.60 - 13.10	.4269	----	----	1	----	61 UNCH
4750	----	----	----	----	----	3.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	104.40B/51.70A	104.40B/51.70A	----	73.30 + 16.20	.5880	----	----	----	----	9 UNCH
4755	----	----	----	----	----	2.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	66.20B/*33.40A	66.20B/*33.40A	----	42.30 - 12.80	.4117	----	----	----	----	14 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	7.00 UNCH	----	----	----	----	----	0 UNCH
4760	61.00	61.00	63.40B/*31.70A	63.40B/*31.70A	----	40.10 - 12.40	.3966	----	----	1	----	5 + 1
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	12.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	58.20B/*28.60A	58.20B/*28.60A	----	36.00 - 11.60	.3668	----	----	1	----	2 + 1
4770	----	----	114.60B/58.70A	114.60B/58.70A	----	82.00 + 17.50	.6330	----	----	----	----	1 UNCH
4770	----	----	----	----	----	17.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	22.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	27.00 UNCH	----	----	----	----	----	0 UNCH
4780	30.10	30.10	53.10B/*25.60A	53.10B/*25.60A	----	32.20 - 10.80	.3375	----	----	62	----	63 + 62
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	32.00 UNCH	----	----	----	----	----	0 UNCH
4785	35.40	35.40	50.70B/*24.00A	50.70B/*24.00A	----	30.40 NEW	.3232	----	----	4	----	3 + 3
4790	----	----	----	----	----	37.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	42.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	136.90B/76.00A	136.90B/76.00A	----	101.50 + 19.80	.7176	----	----	----	----	2 UNCH
4800	39.00	39.00	43.50B/*19.30A	43.50B/*19.30A	----	25.60 - 9.10	.2821	----	----	3	----	158 UNCH
4800	----	----	----	----	----	47.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	41.70B/*18.00A	41.70B/*18.00A	----	24.10 - 8.80	.2688	----	----	----	----	4 UNCH
4805	----	----	----	----	----	52.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	57.00 UNCH	----	----	----	----	----	0 UNCH
4810	21.40	21.40	39.30B/*16.60A	39.30B/*16.60A	----	22.70 NEW	.2560	----	----	2	----	2 + 2
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	37.70B/*15.40A	37.70B/*15.40A	----	21.40 NEW	.2437	----	----	8	----	4 + 4
4815	----	----	----	----	----	62.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	152.70B/89.10A	152.70B/89.10A	----	116.10 + 21.40	.7683	----	----	----	----	1 UNCH
4820	15.70	15.70	35.80B/*14.20A	35.80B/*14.20A	----	20.10 - 7.60	.2315	----	----	1	----	2 + 1
4820	----	----	----	----	----	67.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	34.20B/*13.10A	34.20B/*13.10A	----	19.00 - 7.20	.2203	----	----	4	----	5 + 4
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	72.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	32.30B/*12.10A	32.30B/*12.10A	----	17.80 - 6.90	.2086	----	----	2	----	2 + 1
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	77.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	82.00 UNCH	----	----	----	----	----	0 UNCH
4840	16.00	16.00	29.00B/*10.40A	29.00B/*10.40A	----	15.80 - 6.20	.1877	----	----	8	----	13 + 8
4840	----	----	----	----	----	87.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	27.40B/*9.60A	27.40B/*9.60A	----	14.80 - 5.90	.1774	----	----	----	----	11 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	15.40	15.40	26.00B/*8.80A	26.00B/*8.80A	----	14.00 - 5.50	.1684	----	----	1	----	3 UNCH
4850	----	----	----	----	----	97.00 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	24.60B/*8.30A	24.60B/*8.30A	----	13.10 - 5.30	.1588	----	----	----	----	3 UNCH
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	23.00B/*7.50A	23.00B/*7.50A	----	12.30 - 5.00	.1500	----	----	1	----	11 + 1
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	----	----	----	112.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	21.90B/*7.00A	21.90B/*7.00A	----	11.60 - 4.70	.1420	----	----	----	----	3 UNCH
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	20.60B/*6.50A	20.60B/*6.50A	----	10.90 - 4.40	.1340	----	----	----	----	1 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	117.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	19.40B/*6.10A	19.40B/*6.10A	----	10.30 - 4.10	.1269	----	----	2	----	1 UNCH
4875	----	----	----	----	----	122.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	18.30B/*5.70A	18.30B/*5.70A	----	9.70 - 3.80	.1198	----	----	4	----	5 UNCH
4880	----	----	----	----	----	127.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	----	----	----	132.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	3.80	3.80	16.20B/*3.80	16.20B/*3.80	----	8.60 - 3.40	.1067	----	----	15	----	18 + 15
4890	----	----	----	----	----	137.00 UNCH	----	----	----	----	----	0 UNCH
4895	----	----	15.30B/*4.60A	15.30B/*4.60A	----	8.10 - 3.20	.1007	----	----	----	----	1 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	14.20B/*4.20A	14.20B/*4.20A	----	7.60 - 3.00	.0947	----	----	----	----	133 UNCH
4900	----	----	----	----	----	147.00 UNCH	----	----	----	----	----	0 UNCH
4905	6.60	6.60	13.60B/*4.00A	13.60B/*4.00A	----	7.20 - 2.80	.0896	----	----	2	----	30 + 1
4905	----	----	----	----	----	152.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	232.60B/156.00A	232.60B/156.00A	----	192.70 + 26.40	.9151	----	----	----	----	1 UNCH
4910	----	----	12.50B/*3.80A	12.50B/*3.80A	----	6.80 - 2.60	.0846	----	----	1	----	26 UNCH
4915	----	----	12.10B/*3.60A	12.10B/*3.60A	----	6.40 - 2.40	.0797	----	----	----	----	1 UNCH
4915	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----	----	----	167.00 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	10.50B/*3.10A	10.50B/*3.10A	----	5.70 - 2.20	.0709	----	----	----	----	5 UNCH
4930	----	----	9.90B/*3.00A	9.90B/*3.00A	----	5.40 - 2.00	.0671	----	----	----	----	3 UNCH
4930	----	----	----	----	----	177.00 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	8.80B/*2.70A	8.80B/*2.70A	----	4.80 - 1.80	.0595	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4945	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950	----	----	7.80B/*2.50A	7.80B/*2.50A	----	4.40 - 1.50	.0540	----	----	1	----	37 UNCH
4955	----	----	275.60B/195.40A	275.60B/195.40A	----	235.00 + 27.50	.9494	----	----	----	----	1 UNCH
4955	----	----	----	----	----	202.00 UNCH	----	----	----	----	----	0 UNCH
4960	----	----	----	----	----	207.00 UNCH	----	----	----	----	----	0 UNCH
4960	----	----	6.90B/*2.40A	6.90B/*2.40A	----	3.90 - 1.40	.0477	----	----	----	----	1 UNCH
4965	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4970	----	----	6.10B/*2.20A	6.10B/*2.20A	----	3.60 - 1.20	.0435	----	----	----	----	5 UNCH
4975	----	----	----	----	----	222.00 UNCH	----	----	----	----	----	0 UNCH
4980	----	----	5.50B/*2.00A	5.50B/*2.00A	----	3.20 - 1.10	.0385	----	----	1	----	1 UNCH
4995	----	----	311.90B/232.50A	311.90B/232.50A	----	273.70 + 28.10	.9667	----	----	----	----	2 UNCH
5000	1.90	1.90	4.30B/*1.90	4.30B/*1.90	----	2.70 - 0.90	.0318	----	----	10	----	13 UNCH
5000	----	----	----	----	----	247.00 UNCH	----	----	----	----	----	0 UNCH
5025	----	----	3.20B/*1.60A	3.20B/*1.60A	----	2.20 NEW	.0251	----	----	1	----	1 + 1
5025	----	----	----	----	----	272.00 UNCH	----	----	----	----	----	0 UNCH
5050	----	----	2.40B/*1.50A	2.40B/*1.50A	----	1.80 - 0.50	.0199	----	----	----	----	4 UNCH
5075	----	----	----/*1.30A	1.80B/*1.30A	----	1.50 - 0.40	.0161	----	----	1	----	3 + 1
5100	----	----	----/*1.20A	1.40B/*1.20A	----	1.30 - 0.30	.0134	----	----	3	----	3 + 1
5150	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.20	.0087	----	----	----	----	10 UNCH
5175	----	----	----	0.70B/*1.00A	----	0.80 - 0.10	.0075	----	----	----	----	2 UNCH
5200	----	----	----	0.60B/*0.90A	----	0.70 - 0.10	.0063	----	----	----	----	120 UNCH
5225	----	----	----	0.50B/*0.80A	----	0.60 - 0.10	.0053	----	----	----	----	1 UNCH
TOTAL										612		1373 + 397
MAY26												
3500	1.70	1.70	#1.70/*1.70	#1.70/*1.70	----	1.00 NEW	.0044	----	----	16	----	16 + 16
4300	----	----	#19.00B/----	#19.00B/*11.60A	----	13.50 + 2.20	.0807	----	----	----	----	2 UNCH
4300	----	----	#11.70B/*5.90A	11.70B/*5.90A	----	8.40 + 2.20	.0568	----	----	----	----	1 UNCH
4400	----	----	19.80B/9.80A	19.80B/9.80A	----	13.70 + 3.40	.0952	----	----	----	----	126 UNCH
4500	----	----	34.10B/16.90A	34.10B/16.90A	----	23.50 + 5.30	.1632	----	----	----	----	1 UNCH
4525	----	----	#54.10B/33.70A	#54.10B/33.70A	----	40.90 NEW	.2280	----	----	2	----	0 UNCH
4550	----	----	44.80B/22.80A	44.80B/22.80A	----	31.30 + 6.60	.2137	----	----	----	----	81 UNCH
4575	----	----	#68.10B/43.10A	#68.10B/43.10A	----	52.70 + 8.40	.2827	----	----	----	----	2 UNCH
4575	----	----	51.40B/26.60A	51.40B/26.60A	----	36.20 + 7.40	.2440	----	----	----	----	3 UNCH
4600	44.00	44.00	58.90B/31.10A	58.90B/31.10A	----	41.90 + 8.30	.2777	----	----	50	----	54 + 50
4605	45.40	45.40	60.50B/32.10A	60.50B/32.10A	----	43.10 NEW	.2848	----	----	25	----	25 + 25
4610	41.80	41.80	62.20B/33.10A	62.20B/33.10A	----	44.40 NEW	.2921	----	----	1	----	1 + 1
4615	----	----	63.90B/34.20A	63.90B/34.20A	----	45.70 + 8.80	.2996	----	----	----	----	2 UNCH
4625	----	----	67.40B/36.40A	67.40B/36.40A	----	48.50 + 9.20	.3150	----	----	----	----	2 UNCH
4630	43.70	43.70	69.20B/37.50A	69.20B/37.50A	----	50.00 NEW	.3229	----	----	1	----	1 + 1
4650	----	----	76.80B/42.60A	76.80B/42.60A	----	56.10 + 10.30	.3555	----	----	----	----	26 UNCH
4655	----	----	78.90B/43.90A	78.90B/43.90A	----	57.80 + 10.50	.3641	----	----	----	----	152 UNCH
4665	----	----	83.10B/46.70A	83.10B/46.70A	----	61.20 + 10.90	.3814	----	----	----	----	1 UNCH
4670	----	----	85.20B/48.20A	85.20B/48.20A	----	63.00 + 11.20	.3902	----	----	----	----	13 UNCH
4700	----	----	#118.10B/79.80A	#118.10B/79.80A	----	96.50 + 13.90	.4524	----	----	----	----	1 UNCH
4700	----	----	99.30B/57.90A	99.30B/57.90A	----	74.80 + 12.70	.4452	----	----	----	----	70 UNCH
4705	----	----	101.80B/59.70A	101.80B/59.70A	----	76.90 + 12.90	.4546	----	----	----	----	1 UNCH
4750	----	----	126.20B/78.40A	126.20B/78.40A	----	98.50 + 15.30	.5417	----	----	----	----	1 UNCH
4750	----	----	#145.00B/100.90	#145.00B/100.90A	----	120.80 + 16.40	.5281	----	----	----	----	1 UNCH
4760	----	----	132.30B/83.10A	132.30B/83.10A	----	103.90 + 15.90	.5611	----	----	----	----	10 UNCH
4770	----	----	138.60B/87.90A	138.60B/87.90A	----	109.40 + 16.30	.5805	----	----	----	----	1 UNCH
4770	----	----	84.50B/*55.00A	84.50B/*55.00A	----	63.50 - 12.60	.4191	----	----	----	----	1 UNCH
4800	----	----	70.10B/*44.90A	70.10B/*44.90A	----	51.50 - 11.00	.3620	----	----	62	----	102 + 62
4810	49.90	49.90	65.70B/*41.90A	65.70B/*41.90A	----	47.90 NEW	.3435	----	----	1	----	1 + 1
4840	----	----	53.80B/*33.20A	53.80B/*33.20A	----	38.40 NEW	.2908	----	----	4	----	4 + 4
4845	38.70	38.70	51.80B/*31.90A	51.80B/*31.90A	----	37.00 NEW	.2825	----	----	1	----	1 + 1
4850	----	----	195.40B/135.90A	195.40B/135.90A	----	161.40 + 20.50	.7254	----	----	----	----	9 UNCH
4850	----	----	49.60B/*30.70A	49.60B/*30.70A	----	35.60 - 8.40	.2742	----	----	----	----	51 UNCH
4900	----	----	34.60B/*20.60A	34.60B/*20.60A	----	24.00 - 6.30	.1996	----	----	----	----	3 UNCH
4900	----	----	----/*37.20A	46.80B/*37.20A	----	41.50 - 6.20	.2599	----	----	1	----	4 UNCH
4925	----	----	28.50B/*16.90A	28.50B/*16.90A	----	19.70 - 5.30	.1688	----	----	----	----	80 UNCH
4950	----	----	----/*27.80A	33.60B/*27.80A	----	30.40 - 5.10	.2031	----	----	2	----	3 UNCH
4950	----	----	23.40B/*13.80A	23.40B/*13.80A	----	16.10 - 4.50	.1417	----	----	4	----	4 UNCH
4955	----	----	22.50B/*13.20A	22.50B/*13.20A	----	15.50 - 4.40	.1369	----	----	----	----	1 UNCH
5000	11.60	11.60	15.60B/*9.10	15.60B/*9.10	----	10.80 NEW	.0989	----	----	20	----	1 + 1
5000	----	----	----/*20.30A	23.80B/*20.30A	----	21.80 - 4.60	.1546	----	----	----	----	2 UNCH
5015	----	----	13.80B/*8.30A	13.80B/*8.30A	----	9.70 - 2.90	.0893	----	----	----	----	1 UNCH
5025	----	----	12.70B/*7.70A	12.70B/*7.70A	----	8.90 - 2.80	.0826	----	----	----	----	1 UNCH
5050	----	----	10.40B/*6.50A	10.40B/*6.50A	----	7.40 - 2.40	.0692	----	----	----	----	2 UNCH
5075	----	----	----/*12.70A	14.70B/*12.70A	----	14.00 - 3.20	.1041	----	----	----	----	1 UNCH
5075	----	----	8.70B/*5.50A	8.70B/*5.50A	----	6.30 - 1.90	.0589	----	----	1	----	2 UNCH
5100	----	----	----/*11.20A	12.50B/*11.20A	----	12.20 - 2.80	.0915	----	----	1	----	1 UNCH
5150	----	----	----/*3.70A	4.70B/*3.70A	----	3.90 - 1.20	.0362	----	----	----	----	1 UNCH
5175	----	----	----/*3.30A	3.80B/*3.30A	----	3.40 - 1.10	.0313	----	----	----	----	1 UNCH
5200	----	----	----/*3.00A	3.10B/*3.00A	----	3.10 - 0.80	.0281	----	----	----	----	1 UNCH
5250	----	----	----/*5.90A	5.40B/*5.90A	----	5.70 - 1.50	.0437	----	----	----	----	1 UNCH
5250	----	----	----/*2.50A	2.40B/*2.50A	----	2.50 - 0.60	.0220	----	----	----	----	3 UNCH
TOTAL										192		876 + 162

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4000	----	----	0.70B/----	0.70B/0.60A	----	0.50 + 0.20	.0024	----	----	----	----	1 UNCH
4200	2.00	2.00	2.00/2.00	2.00/1.20A	----	1.50 + 0.70	.0093	----	----	1	----	104 UNCH
4250	----	----	2.70B/----	2.70B/1.30A	----	2.00 + 0.90	.0133	----	----	----	----	1 UNCH
4300	1.50	1.50	3.60B/1.50	3.60B/1.50	----	2.50 + 1.00	.0179	----	----	1	----	3 UNCH
4325	----	----	4.20B/----	4.20B/*1.70A	----	2.80 + 1.10	.0208	----	----	----	----	2 UNCH
4340	----	----	#4.60B/*1.80A	#4.60B/*1.80A	----	3.00 NEW	.0228	----	----	3	----	3 + 3
4350	2.30	2.30	4.90B/*1.90A	4.90B/*1.90A	----	3.20 + 1.20	.0246	----	----	1	----	12 + 1
4375	----	----	5.80B/*2.20A	5.80B/*2.20A	----	3.60 + 1.30	.0288	----	----	----	----	10 UNCH
4400	3.30	3.30	6.90B/*2.40A	6.90B/*2.40A	----	4.10 + 1.50	.0341	----	----	3	----	34 UNCH
4410	----	----	#7.40B/*2.60A	#7.40B/*2.60A	----	4.30 + 1.50	.0364	----	----	----	----	3 UNCH
4425	----	----	8.20B/*2.80A	8.20B/*2.80A	----	4.70 + 1.60	.0407	----	----	----	----	10 UNCH
4440	5.50	5.50	#9.20B/*2.90	#9.20B/*2.90	----	5.20 NEW	.0459	----	----	17	----	17 + 17
4450	----	----	9.80B/*3.20A	9.80B/*3.20A	----	5.60 + 2.00	.0500	----	----	----	----	8 UNCH
4455	4.80	4.80	#10.20B/*3.30A	#10.20B/*3.30A	----	5.80 + 2.10	.0521	----	----	1	----	35 UNCH
4465	4.80	4.80	#10.90B/*3.50A	#10.90B/*3.50A	----	6.20 NEW	.0564	----	----	1	----	1 + 1
4475	5.80	5.80	11.70B/3.70A	11.70B/3.70A	----	6.60 + 2.30	.0609	----	----	4	----	4 + 1
4480	6.90	6.90	12.20B/*3.80A	12.20B/*3.80A	----	6.90 NEW	.0639	----	----	1	----	1 + 1
4485	5.20	5.20	12.60B/*4.00A	12.60B/*4.00A	----	7.10 + 2.50	.0663	----	----	2	----	11 + 1
4490	7.20	7.20	13.10B/*4.10A	13.10B/*4.10A	----	7.30 NEW	.0687	----	----	1	----	1 + 1
4495	8.00	8.00	13.60B/*4.20A	13.60B/*4.20A	----	7.60 NEW	.0719	----	----	1	----	1 + 1
4500	4.30	4.30	14.10B/*4.30	14.10B/*4.30	----	7.80 + 2.60	.0744	----	----	4	----	20 + 4
4505	10.50	10.50	14.70B/*4.50A	14.70B/*4.50A	----	8.10 + 2.70	.0777	----	----	2	----	10 + 2
4510	8.70	8.70	15.30B/*4.70A	15.30B/*4.70A	----	8.40 NEW	.0811	----	----	4	----	4 + 4
4515	8.60	8.60	15.90B/*4.80A	15.90B/*4.80A	----	8.70 NEW	.0845	----	----	3	----	3 + 3
4520	7.50	7.50	16.50B/*5.00A	16.50B/*5.00A	----	9.00 NEW	.0880	----	----	1	----	1 + 1
4525	6.80	6.80	17.10B/*5.20A	17.10B/*5.20A	----	9.40 NEW	.0922	----	----	3	----	3 + 3
4530	6.50	6.50	17.80B/*5.40A	17.80B/*5.40A	----	9.90 + 3.40	.0972	----	----	4	----	6 + 4
4535	7.30	7.30	18.50B/*5.60A	18.50B/*5.60A	----	10.40 NEW	.1022	----	----	3	----	3 + 3
4540	10.50	10.50	19.20B/*5.80A	19.20B/*5.80A	----	10.80 + 3.70	.1067	----	----	3	----	20 + 3
4545	10.90	10.90	19.90B/*6.00A	19.90B/*6.00A	----	11.40 NEW	.1125	----	----	2	----	2 + 2
4550	13.00	13.00	20.70B/*6.30A	20.70B/*6.30A	----	11.90 + 4.20	.1177	----	----	11	----	10 + 9
4555	11.80	11.80	21.50B/*6.50A	21.50B/*6.50A	----	12.40 NEW	.1231	----	----	2	----	2 + 2
4560	7.00	7.00	22.30B/*6.80A	22.30B/*6.80A	----	13.00 NEW	.1292	----	----	1	----	1 + 1
4570	----	----	24.10B/*7.30A	24.10B/*7.30A	----	14.20 + 5.10	.1416	----	----	----	----	1 UNCH
4575	11.60	11.60	25.10B/7.60A	25.10B/7.60A	----	14.80 + 5.30	.1480	----	----	1	----	3 + 1
4580	23.50	23.50	26.20B/8.00A	26.20B/8.00A	----	15.50 + 5.50	.1550	----	----	4	----	3 + 2
4585	8.90	8.90	27.10B/8.30A	27.10B/8.30A	----	16.10 + 5.70	.1617	----	----	4	----	4 UNCH
4590	9.30	9.30	28.30B/8.70A	28.30B/8.70A	----	16.80 NEW	.1690	----	----	4	----	2 + 2
4600	11.50	11.50	30.60B/9.50A	30.60B/9.50A	----	18.30 + 6.40	.1845	----	----	7	----	22 + 5
4610	26.80	26.80	33.00B/10.40A	33.00B/10.40A	----	19.90 NEW	.2012	----	----	2	----	2 + 2
4615	----	----	34.30B/10.90A	34.30B/10.90A	----	20.70 + 7.00	.2098	----	----	7	----	15 + 7
4620	19.40	19.40	35.70B/11.40A	35.70B/11.40A	----	21.60 + 7.30	.2190	----	----	1	----	18 UNCH
4625	21.00	21.00	38.00/12.00A	38.00/12.00A	----	22.50 NEW	.2284	----	----	762	----	560 + 560
4630	21.40	21.40	38.70B/12.60A	38.70B/12.60A	----	23.40 + 7.70	.2380	----	----	5	----	6 + 1
4635	20.00	20.00	40.30B/13.20A	40.30B/13.20A	----	24.40 NEW	.2482	----	----	1	----	1 + 1
4640	18.20	18.20	41.90B/13.80A	41.90B/13.80A	----	25.40 + 8.10	.2586	----	----	7	----	16 + 2
4645	----	----	43.50B/14.50A	43.50B/14.50A	----	26.50 + 8.40	.2697	----	----	----	----	1 UNCH
4650	----	----	45.20B/15.20A	45.20B/15.20A	----	27.60 + 8.60	.2809	----	----	----	----	15 UNCH
4655	27.30	27.30	46.90B/16.00A	46.90B/16.00A	----	28.80 + 8.90	.2927	----	----	83	----	81 + 79
4660	----	----	48.80B/16.90A	48.80B/16.90A	----	30.00 + 9.10	.3048	----	----	----	----	1 UNCH
4665	30.40	30.40	50.60B/17.80A	50.60B/17.80A	----	31.30 NEW	.3174	----	----	60	----	60 + 60
4670	31.60	31.60	52.60B/18.80A	52.60B/18.80A	----	32.60 + 9.60	.3303	----	----	1	----	321 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
APR26												
4675	----	----	54.60B/19.70A	54.60B/19.70A	----	34.00 + 9.90	.3437	----	----	----	----	2 UNCH
4675	----	----	115.50B/*63.60A	115.50B/*63.60A	----	83.00 - 19.10	.6561	----	----	----	----	100 UNCH
4680	35.50	35.50	56.80B/20.70A	56.80B/20.70A	----	35.50 + 10.20	.3575	----	----	18	----	5 - 4
4685	37.00	37.00	59.00B/21.80A	59.00B/21.80A	----	37.00 + 10.50	.3717	----	----	11	----	14 - 2
4690	39.00	39.00	61.30B/23.00A	61.30B/23.00A	----	38.60 + 10.80	.3863	----	----	2	----	5 + 1
4695	58.80	58.80	99.80B/*52.80A	99.80B/*52.80A	----	69.30 NEW	.5984	----	----	1	----	1 + 1
4695	34.10	34.10	64.10B/24.20A	64.10B/24.20A	----	40.30 NEW	.4013	----	----	2	----	2 + 2
4700	42.00	42.00	66.20B/25.50A	66.20B/25.50A	----	42.00 + 11.30	.4166	----	----	85	----	60 + 44
4705	43.50	43.50	68.80B/26.90A	68.80B/26.90A	----	43.80 + 11.60	.4323	----	----	30	----	23 + 12
4710	47.00	47.00	71.30B/28.40A	71.30B/28.40A	----	45.70 + 12.00	.4484	----	----	81	----	74 + 64
4710	----	----	89.30B/*45.60A	89.30B/*45.60A	----	59.70 - 17.00	.5514	----	----	23	----	11 - 3
4715	50.30	50.30	85.80B/*43.40A	85.80B/*43.40A	----	56.70 NEW	.5350	----	----	7	----	4 + 4
4715	47.50	47.50	74.00B/29.90A	74.00B/29.90A	----	47.70 + 12.30	.4648	----	----	50	----	45 + 41
4720	51.00	51.00	76.90B/31.50A	76.90B/31.50A	----	49.80 + 12.70	.4814	----	----	64	----	38 + 31
4720	51.00	51.00	82.40B/*41.20A	82.40B/*41.20A	----	53.80 - 16.30	.5184	----	----	10	----	4 + 3
4725	36.50	36.50	79.80B/33.00	79.80B/33.00	----	51.90 + 13.00	.4983	----	----	155	----	30 + 22
4725	----	----	78.70B/*39.10A	78.70B/*39.10A	----	50.90 - 16.00	.5015	----	----	9	----	7 UNCH
4730	41.00	41.00	75.30B/*37.10A	75.30B/*37.10A	----	48.20 - 15.60	.4844	----	----	4	----	2 + 1
4730	44.00	44.00	82.90B/34.90A	82.90B/34.90A	----	54.20 + 13.40	.5154	----	----	31	----	6 + 5
4735	46.00	46.00	85.90B/36.80A	85.90B/36.80A	----	56.50 + 13.80	.5327	----	----	46	----	18 + 15
4735	----	----	72.10B/*35.10A	72.10B/*35.10A	----	45.50 - 15.20	.4671	----	----	----	----	4 UNCH
4740	59.50	59.50	89.00B/38.70A	89.00B/38.70A	----	59.00 + 14.20	.5500	----	----	5	----	10 + 1
4740	48.20	48.20	69.60B/*33.20A	69.60B/*33.20A	----	43.00 - 14.80	.4498	----	----	5	----	4 + 3
4745	44.40	44.40	66.70B/*31.40A	66.70B/*31.40A	----	40.50 - 14.40	.4323	----	----	1	----	10 + 1
4750	34.80	34.80	63.50B/*29.70A	63.50B/*29.70A	----	38.20 - 13.90	.4150	----	----	232	----	94 + 84
4750	64.80	64.80	95.40B/42.80A	95.40B/42.80A	----	64.20 + 15.10	.5848	----	----	1	----	25 UNCH
4755	----	----	98.80B/45.10A	98.80B/45.10A	----	66.90 + 15.50	.6023	----	----	4	----	21 + 1
4755	44.50	44.50	60.60B/*28.10A	60.60B/*28.10A	----	35.90 - 13.50	.3975	----	----	29	----	26 + 10
4760	46.30	46.30	58.00B/*26.50A	58.00B/*26.50A	----	33.80 - 13.00	.3804	----	----	4	----	3 + 2
4760	----	----	102.20B/47.20A	102.20B/47.20A	----	69.70 + 15.90	.6194	----	----	----	----	9 UNCH
4765	31.50	31.50	55.10B/*24.80A	55.10B/*24.80A	----	31.70 - 12.50	.3631	----	----	129	----	51 + 12
4770	76.00	76.00	109.30B/52.10A	109.30B/52.10A	----	75.70 + 16.90	.6534	----	----	4	----	20 - 4
4770	39.70	39.70	52.40B/*22.90A	52.40B/*22.90A	----	29.80 - 12.00	.3464	----	----	11	----	45 - 5
4775	----	----	113.00B/54.70A	113.00B/54.70A	----	78.90 + 17.50	.6701	----	----	----	----	5 UNCH
4775	----	----	50.00B/*20.90A	50.00B/*20.90A	----	27.90 - 11.60	.3297	----	----	5	----	6 UNCH
4780	----	----	116.80B/57.40A	116.80B/57.40A	----	82.10 + 17.90	.6866	----	----	4	----	12 UNCH
4780	25.00	25.00	47.50B/*19.30A	47.50B/*19.30A	----	26.10 - 11.10	.3132	----	----	21	----	11 + 2
4785	30.40	30.40	45.00B/*17.80A	45.00B/*17.80A	----	24.50 NEW	.2975	----	----	12	----	5 + 5
4790	20.80	20.80	42.60B/*16.30A	42.60B/*16.30A	----	22.90 - 10.10	.2819	----	----	5	----	14 + 2
4790	----	----	124.40B/63.80A	124.40B/63.80A	----	88.90 + 19.00	.7179	----	----	6	----	6 - 2
4795	20.10	20.10	40.50B/*14.80A	40.50B/*14.80A	----	21.40 - 9.60	.2667	----	----	1	----	3 + 1
4795	----	----	128.00B/66.90A	128.00B/66.90A	----	92.40 + 19.50	.7330	----	----	----	----	2 UNCH
4800	----	----	132.30B/69.90A	132.30B/69.90A	----	96.00 + 19.90	.7477	----	----	----	----	13 UNCH
4800	17.40	17.40	38.20B/*13.60A	38.20B/*13.60A	----	20.00 - 9.10	.2521	----	----	81	----	87 + 62
4805	15.70	15.70	35.90B/*12.30A	35.90B/*12.30A	----	18.70 - 8.60	.2381	----	----	26	----	35 + 18
4810	----	----	34.40B/*11.20A	34.40B/*11.20A	----	17.50 - 8.10	.2247	----	----	----	----	71 UNCH
4810	----	----	140.60B/76.60A	140.60B/76.60A	----	103.40 + 20.90	.7751	----	----	----	----	1 UNCH
4815	23.00	23.00	32.50B/*10.10A	32.50B/*10.10A	----	16.30 - 7.70	.2114	----	----	33	----	41 + 30
4815	----	----	144.60B/79.80A	144.60B/79.80A	----	107.30 + 21.40	.7884	----	----	----	----	4 UNCH
4820	----	----	148.80B/83.50A	148.80B/83.50A	----	111.20 + 21.80	.8010	----	----	----	----	1 UNCH
4820	19.00	19.00	30.70B/*9.20A	30.70B/*9.20A	----	15.20 - 7.20	.1988	----	----	58	----	59 + 56
4825	16.10	16.10	28.60B/*8.40A	28.60B/*8.40A	----	14.20 - 6.80	.1870	----	----	8	----	14 + 8
4830	25.10	25.10	27.20B/*7.60A	27.20B/*7.60A	----	13.30 - 6.30	.1760	----	----	12	----	39 - 2
4830	----	----	157.50B/90.60A	157.50B/90.60A	----	119.20 + 22.60	.8238	----	----	----	----	9 UNCH
4835	13.80	13.80	25.60B/*7.10A	25.60B/*7.10A	----	12.40 - 5.90	.1650	----	----	2	----	1 - 1
4835	----	----	161.80B/94.10A	161.80B/94.10A	----	123.30 + 23.00	.8348	----	----	----	----	2 UNCH
4840	12.00	12.00	24.00B/*6.40A	24.00B/*6.40A	----	11.60 - 5.50	.1550	----	----	1	----	25 + 1
4840	----	----	166.10B/97.80A	166.10B/97.80A	----	127.50 + 23.40	.8448	----	----	----	----	3 UNCH
4845	12.60	12.60	22.60B/*5.80A	22.60B/*5.80A	----	10.80 - 5.20	.1450	----	----	5	----	15 + 1
4850	7.50	7.50	21.20B/*5.20A	21.20B/*5.20A	----	10.10 - 4.90	.1360	----	----	27	----	51 + 24
4855	----	----	19.90B/*4.90A	19.90B/*4.90A	----	9.40 - 4.60	.1271	----	----	----	----	1 UNCH
4860	11.40	11.40	18.40B/*4.50A	18.40B/*4.50A	----	8.80 - 4.30	.1191	----	----	8	----	10 - 1
4860	----	----	184.10B/111.90A	184.10B/111.90A	----	144.70 + 24.70	.8807	----	----	----	----	1 UNCH
4865	----	----	188.70B/115.70A	188.70B/115.70A	----	149.20 + 25.10	.8886	----	----	----	----	2 UNCH
4870	8.40	8.40	16.20B/*3.80A	16.20B/*3.80A	----	7.70 - 3.70	.1044	----	----	3	----	8 UNCH
4875	7.80	7.80	15.10B/*3.50A	15.10B/*3.50A	----	7.20 - 3.40	.0976	----	----	2	----	8 UNCH
4880	5.50	5.50	14.30B/*3.20A	14.30B/*3.20A	----	6.70 - 3.30	.0909	----	----	4	----	24 + 1
4885	----	----	13.20B/*3.00A	13.20B/*3.00A	----	6.30 - 3.00	.0853	----	----	----	----	3 UNCH
4890	----	----	211.90B/135.80A	211.90B/135.80A	----	171.80 + 26.20	.9200	----	----	----	----	8 UNCH
4890	----	----	12.50B/*2.80A	12.50B/*2.80A	----	5.90 - 2.80	.0798	----	----	----	----	15 UNCH
4895	----	----	11.50B/*2.60A	11.50B/*2.60A	----	5.50 - 2.70	.0743	----	----	----	----	6 UNCH
4900	----	----	221.30B/144.00A	221.30B/144.00A	----	181.10 + 26.50	.9299	----	----	1	----	2 + 1
4900	5.10	5.10	10.70B/*2.50A	10.70B/*2.50A	----	5.20 - 2.40	.0699	----	----	5	----	67 UNCH
4905	4.50	4.50	10.00B/*2.40A	10.00B/*2.40A	----	4.90 - 2.30	.0656	----	----	1	----	2 + 1
4910	----	----	9.40B/*2.30A	9.40B/*2.30A	----	4.60 - 2.10	.0614	----	----	----	----	1 UNCH
4915	----	----	8.70B/*2.20A	8.70B/*2.20A	----	4.30 - 2.00	.0573	----	----	----	----	14 UNCH
4920	----	----	8.20B/*2.10A	8.20B/*2.10A	----	4.10 - 1.80	.0542	----	----	1	----	9 UNCH
4925	----	----	7.70B/*2.00A	7.70B/*2.00A	----	3.80 - 1.80	.0502	----	----	----	----	13 UNCH
4930	3.80	3.80	7.20B/*1.80A	7.20B/*1.80A	----	3.60 - 1.60	.0472	----	----	4	----	6 - 2
4935	----	----	6.80B/*1.80A	6.80B/*1.80A	----	3.40 - 1.50	.0444	----	----	----	----	1 UNCH
4940	1.30	1.30	6.40B/*1.30	6.40B/*1.30	----	3.20 - 1.40	.0415	----	----	7	----	8 + 3
4950	1.20	1.20	5.50B/*1.20	5.50B/*1.20	----	2.90 - 1.20	.0371	----	----	6	----	16 UNCH
4955	----	----	5.10B/*1.60A	5.10B/*1.60A	----	2.80 - 1.10	.0354	----	----	----	----	1 UNCH
4960	1.40	1.40	4.80B/*1.30	4.80B/*1.30	----	2.60 - 1.10	.0328	----	----	4	----	3 + 1
4965	----	----	4.50B/*1.50A	4.50B/*1.50A	----	2.50 - 1.00	.0312	----	----	----	----	1 UNCH
4970	2.60	2.60	4.20B/*1.10	4.20B/*1.10	----	2.40 - 0.90	.0297	----	----	9	----	103 - 1
4970	----	----	286.90B/207.30A	286.90B/207.30A	----	248.30 + 28.10	.9701	----	----	----	----	2 UNCH
4975	2.40	2.40	4.00B/*1.40A	4.00B/*1.40A	----	2.30 NEW	.0282	----	----	17	----	17 + 17
4980	----	----	3.70B/*1.40A	3.70B/*1.40A	----	2.20 - 0.80	.0268	----	----	----	----	6 UNCH
5000	1.40	1.40	2.90B/*1.30A	2.90B/*1.30A	----	1.80 - 0.60	.0213	----	----	69	----	209 + 60
5010	1.40	1.40	2.50B/*1.00A	2.50B/*1.00A	----	1.70 - 0.50	.0197	----	----	51	----	49 - 5
5020	----	----	336.10B/255.10A	336.10B/255.10A	----	297.40 + 28.50	.9827	----	----	----	----	2 UNCH
5020	----	----	2.20B/*1.10A	2.20B/*1.10A	----	1.50 - 0.50	.0172	----	----	----	----	101 UNCH
5025	----	----	341.10B/262.80A	341.10B/262.80A	----	302.40 + 28.60	.9829	----	----	----	----	2 UNCH
5025	1.40	1.40	2.10B/*1.10A	2.10B/*1.10A	----	1.50 - 0.40	.0169	----	----	35	----	32 + 11
5050	1.30	1.30	1.30/*1.00A	1.50B/*1.00A	----	1.20 - 0.40	.0130	----	----	1	----	32 UNCH
5075	0.90	0.90	0.90/*0.90	1.10B/*0.90	----	1.00 - 0.30	.0104	----	----	5	----	8 + 5
5100	1.10	1.10	1.10/*0.80A	1.10/*0.80A	----	0.80 - 0.30	.0080	----	----	1	----	1 - 1
5150	----	----	----/*0.60A	0.40B/*0.60A	----	0.60 - 0.20	.0055	----	----	----	----	19 UNCH
5200	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.40 - 0.10	.0034	----	----	2	----	52 - 1
5225	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0024	----	----	----	----	8 UNCH
5300	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0014	----	----	2	----	24 UNCH
5325	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 UNCH	.0014	----	----	2	----	0 - 2
5350	----	----	----	----/*0.40A	----	0.10 - 0.10	.0006	----	----	----	----	19 UNCH
5400	----	----	#713.30B/645.70	#713.30B/645.70A	----	676.00 + 29.00	1.0000	----	----	----	----	1 UNCH
TOTAL										2630		3704 + 1425
MAY26												
4250	----	----	#13.90B/----	#13.90B/*9.10A	----	11.80 + 3.10	.0680	----	----	----	----	20 UNCH
4300	----	----	#17.50B/*10.60A	#17.50B/*10.60A	----	14.20 + 3.50	.0831	----	----	----	----	20 UNCH
4300	----	----	10.40B/*5.10A	10.40B/*5.10A	----	7.20 + 1.90	.0505	----	----	----	----	2 UNCH
4350	6.50	6.50	13.30B/6.50	13.30B/6.50	----	9.20 + 2.40	.0658	----	----	1	----	2 + 1
4400	----	----	#28.00B/16.60A	#28.00B/16.60A	----	21.30 + 4.20	.1267	----	----	----	----	1 UNCH
4400	----	----	17.70B/*8.50A	17.70B/*8.50A	----	12.00 + 3.20	.0869	----	----	----	----	1 UNCH
4425	----	----	20.20B/*9.70A	20.20B/9.70A	----	13.70 + 3.50	.0998	----	----	----	----	1 UNCH
4450	----	----	#35.60B/21.30A	#35.60B/21.30A	----	26.80 + 4.90	.1585	----	----	----	----	3 UNCH
4450	----	----	23.50B/11.10A	23.50B/11.10A	----	15.80 + 4.10	.1153	----	----	----	----	50 UNCH
4500	22.00	22.00	31.30B/14.90A	31.30B/14.90A	----	21.10 + 5.20	.1535	----	----	2	----	13 + 2
4500	40.00	40.00	#55.30B/*39.50A	#55.30B/39.50A	----	47.40 NEW	.2306	----	----	1	----	1 + 1
4525	----	----	#51.30B/31.40A	#51.30B/31.40A	----	38.50 + 6.30	.2220	----	----	----	----	1 UNCH
4550	----	----	41.60B/20.30A	41.60B/20.30A	----	28.50 + 6.70	.2042	----	----	----	----	1 UNCH
4600	33.50	33.50	54.60B/28.00A	54.60B/28.00A	----	38.70 + 8.50	.2694	----	----	14	----	8 + 7
4610	35.30	35.30	57.80B/29.90A	57.80B/29.90A	----	41.10 NEW	.2842	----	----	10	----	10 + 10
4625	----	----	62.90B/33.00A	62.90B/33.00A	----	45.10 + 9.50	.3077	----	----	----	----	2 UNCH
4650	----	----	#91.90B/59.50A	#91.90B/59.50A	----	72.50 + 11.00	.3762	----	----	----	----	1 UNCH
4650	43.90	43.90	72.20B/38.90A	72.20B/38.90A	----	52.50 + 10.50	.3497	----	----	30	----	25 + 14
4675	----	----	82.70B/45.70A	82.70B/45.70A	----	61.00 + 11.60	.3950	----	----	----	----	2 UNCH
4690	----	----	89.60B/50.40A	89.60B/50.40A	----	66.60 + 12.10	.4236	----	----	----	----	10 UNCH
4700	----	----	#114.70B/76.50A	#114.70B/76.50A	----	92.80 + 13.60	.4515	----	----	----	----	1 UNCH
4700	59.00	59.00	94.50B/53.80A	94.50B/53.80A	----	70.70 + 12.70	.4432	----	----	28	----	38 + 24
4705	----	----	97.00B/55.60A	97.00B/55.60A	----	72.80 + 12.90	.4532	----	----	----	----	1 UNCH
4715	----	----	101.80B/59.30A	101.80B/59.30A	----	77.10 + 13.30	.4732	----	----	----	----	10 UNCH
4720	----	----	104.40B/61.10A	104.40B/61.10A	----	79.40 + 13.60	.4834	----	----	----	----	9 UNCH
4725	----	----	107.10B/63.10A	107.10B/63.10A	----	81.70 + 13.80	.4936	----	----	----	----	1 UNCH
4750	----	----	#141.60B/97.50A	#141.60B/97.50A	----	116.80 + 16.00	.5302	----	----	----	----	1 UNCH
4750	67.00	67.00	91.10B/*58.00	91.10B/*58.00	----	68.20 NEW	.4546	----	----	210	----	63 + 63
4750	----	----	121.60B/73.80A	121.60B/73.80A	----	94.10 + 15.10	.5450	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4765	----	----	130.90B/80.90A	130.90B/80.90A	----	102.30 + 16.00	.5759	----	----	----	----	30 UNCH
4765	----	----	83.00B/*52.60A	83.00B/*52.60A	----	61.30 - 13.00	.4237	----	----	----	----	30 UNCH
4770	----	----	79.60B/*50.70A	79.60B/*50.70A	----	59.20 - 12.60	.4135	----	----	----	----	50 UNCH
4795	----	----	67.50B/*42.40A	67.50B/*42.40A	----	49.20 - 11.10	.3632	----	----	----	----	1 UNCH
4800	----	----	65.80B/*40.90A	65.80B/*40.90A	----	47.40 - 10.80	.3534	----	----	----	----	34 UNCH
4800	----	----	154.30B/99.60A	154.30B/99.60A	----	123.30 + 18.20	.6462	----	----	----	----	20 UNCH
4820	----	----	168.80B/112.00A	168.80B/112.00A	----	136.40 + 19.30	.6847	----	----	----	----	30 UNCH
4820	----	----	56.90B/*35.00A	56.90B/*35.00A	----	40.50 - 9.70	.3149	----	----	----	----	31 UNCH
4825	----	----	#189.70B/137.60	#189.70B/137.60A	----	160.20 + 18.80	.6475	----	----	----	----	1 UNCH
4825	----	----	54.90B/*33.50A	54.90B/*33.50A	----	38.90 - 9.40	.3055	----	----	----	----	1 UNCH
4830	----	----	52.90B/*32.20A	52.90B/*32.20A	----	37.40 NEW	.2964	----	----	1	----	1 + 1
4850	49.00	49.00	49.00/*46.60A	60.20B/*46.60A	----	51.00 - 9.30	.3153	----	----	1	----	2 + 1
4850	----	----	201.80B/153.20A	201.80B/153.20A	----	176.80 + 19.70	.6842	----	----	----	----	1 UNCH
4850	----	----	45.20B/*27.30A	45.20B/*27.30A	----	31.80 - 8.20	.2613	----	----	----	----	4 UNCH
4875	----	----	37.30B/*22.00A	37.30B/*22.00A	----	25.80 - 7.20	.2210	----	----	----	----	0 UNCH
4900	----	----	30.40B/*17.90A	30.40B/*17.90A	----	20.70 - 6.20	.1844	----	----	----	----	14 UNCH
4900	----	----	233.70B/167.40A	233.70B/167.40A	----	196.50 + 22.70	.8152	----	----	----	----	1 UNCH
4905	----	----	29.30B/*17.10A	29.30B/*17.10A	----	19.80 - 6.00	.1777	----	----	----	----	4 UNCH
4935	----	----	22.80B/*13.20A	22.80B/*13.20A	----	15.20 - 5.00	.1415	----	----	----	----	10 UNCH
4950	----	----	----/*25.50A	31.90B/*25.50A	----	27.00 - 5.90	.1910	----	----	----	----	1 UNCH
4950	----	----	20.20B/*11.60A	20.20B/*11.60A	----	13.30 - 4.50	.1259	----	----	1	----	6 UNCH
4965	----	----	17.50B/*10.10A	17.50B/*10.10A	----	11.70 NEW	.1121	----	----	4	----	2 + 2
4970	----	----	16.80B/*9.70A	16.80B/*9.70A	----	11.20 - 3.90	.1077	----	----	----	----	1 UNCH
4990	10.50	10.50	14.30B/*8.30A	14.30B/*8.30A	----	9.60 NEW	.0930	----	----	1	----	1 + 1
5000	----	----	----/*18.60A	22.80B/*18.60A	----	19.50 - 4.70	.1449	----	----	----	----	1 UNCH
5000	----	----	12.90B/*7.70A	12.90B/*7.70A	----	8.80 - 3.10	.0859	----	----	1	----	38 + 1
5020	----	----	10.90B/*6.60A	10.90B/*6.60A	----	7.60 NEW	.0744	----	----	1	----	1 + 1
5050	6.80	6.80	8.40B/*5.30A	8.40B/*5.30A	----	6.10 - 2.00	.0599	----	----	2	----	3 UNCH
5075	----	----	6.90B/*4.50A	6.90B/*4.50A	----	5.20 - 1.60	.0508	----	----	----	----	3 UNCH
5100	----	----	----/*19.60A	17.40B/*19.60A	----	17.50 NEW	.1163	----	----	1	----	1 + 1
5150	----	----	----/*3.10A	3.60B/*3.10A	----	3.40 - 0.80	.0322	----	----	1	----	1 UNCH
5175	----	----	----/*7.10A	6.50B/*7.10A	----	6.40 - 2.70	.0524	----	----	----	----	1 UNCH
5200	----	----	----/*2.60A	2.40B/*2.60A	----	2.80 - 0.40	.0256	----	----	----	----	1 UNCH
TOTAL										310		625 + 130

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4000	----	----	1.40B/----	1.40B/1.20A	----	1.40 + 0.60	.0075	----	----	----	----	5 UNCH
4100	1.50	1.50	2.20B/1.50	2.20B/1.50	----	1.90 + 0.70	.0113	----	----	151	----	151 + 150
4200	----	----	3.60B/----	3.60B/2.00A	----	2.70 + 0.90	.0178	----	----	----	----	5 UNCH
4225	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 115
4240	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 200
4245	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 63
4250	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 300
4250	----	----	4.60B/----	4.60B/*2.30A	----	3.40 NEW	.0235	----	----	2	----	2 + 2
4325	----	----	7.10B/*3.10A	7.10B/*3.10A	----	4.80 + 1.50	.0357	----	----	----	----	1 UNCH
4340	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4345	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4350	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4355	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4360	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4375	----	----	396.90B/*318.10	396.90B/*318.10A	----	355.00 - 27.10	.9515	----	----	----	----	1 UNCH
4375	----	----	9.60B/*4.00A	9.60B/*4.00A	----	6.20 + 1.90	.0483	----	----	----	----	2 UNCH
4380	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4395	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 33
4400	----	----	11.20B/*4.60A	11.20B/*4.60A	----	7.20 + 2.20	.0571	----	----	----	----	2 UNCH
4400	----	----	372.60B/*294.70	372.60B/*294.70A	----	331.00 - 26.80	.9427	----	----	----	----	31 UNCH
4410	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4425	----	----	13.10B/*5.20A	13.10B/*5.20A	----	8.40 + 2.60	.0677	----	----	----	----	16 UNCH
4430	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.10	----	----	----	28	----	0 - 2
4445	----	----	----	0.10B/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4450	----	----	15.50B/*6.00A	15.50B/*6.00A	----	9.70 + 2.90	.0796	----	----	----	----	1 UNCH
4455	----	----	----	0.10B/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4460	----	----	----	0.10B/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4470	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4475	----	----	18.20B/*7.00A	18.20B/7.00A	----	11.40 + 3.40	.0948	----	----	1	----	3 UNCH
4475	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4480	----	----	18.90B/7.20A	18.90B/7.20A	----	11.80 + 3.60	.0983	----	----	----	----	1 UNCH
4480	0.20	0.20	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 5
4485	----	----	19.50B/7.50A	19.50B/7.50A	----	12.20 + 3.70	.1018	----	----	----	----	1 UNCH
4485	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4490	----	----	20.20B/7.70A	20.20B/7.70A	----	12.60 + 3.80	.1054	----	----	1	----	1 UNCH
4490	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4495	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4500	18.50	18.50	21.50B/8.20A	21.50B/8.20A	----	13.50 + 4.10	.1133	----	----	15	----	21 + 12
4500	0.40	0.40	0.60/*0.10A	0.60/*0.10A	----	0.00 - 0.40	----	----	----	4	----	0 - 116
4505	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4510	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4515	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 20
4520	----	----	24.60B/9.50A	24.60B/9.50A	----	15.40 + 4.50	.1302	----	----	----	----	1 UNCH
4520	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4525	----	----	25.40B/9.80A	25.40B/9.80A	----	16.00 + 4.80	.1352	----	----	1	----	3 + 1
4525	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4530	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4535	----	----	27.20B/10.50A	27.20B/10.50A	----	17.10 + 5.00	.1449	----	----	1	----	101 + 1
4535	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4540	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 3
4545	----	----	29.00B/11.30A	29.00B/11.30A	----	18.30 + 5.30	.1554	----	----	----	----	2 UNCH
4550	----	----	29.90B/11.70A	29.90B/11.70A	----	19.00 + 5.50	.1612	----	----	4	----	14 + 3
4550	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 0.70	----	----	----	12	----	0 - 15
4555	----	----	31.00B/12.20A	31.00B/12.20A	----	19.60 NEW	.1666	----	----	1	----	1 + 1
4555	----	----	0.90B/*0.10A	0.90B/*0.10A	----	0.00 - 0.70	----	----	----	2	----	0 - 9
4560	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 14
4565	----	----	1.20B/*0.10A	1.20B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 3
4570	16.10	16.10	34.20B/13.60A	34.20B/13.60A	----	21.80 NEW	.1852	----	----	1	----	1 + 1
4570	0.10	0.10	1.30B/*0.10	1.30B/*0.10	----	0.00 - 0.80	----	----	----	1	----	0 - 4
4575	20.00	20.00	35.40B/14.10A	35.40B/14.10A	----	22.60 + 6.30	.1919	----	----	6	----	19 + 6
4575	0.50	0.50	1.40B/*0.10A	1.40B/*0.10A	----	0.00 - 0.90	----	----	----	3	----	0 - 65
4580	0.80	0.80	1.50B/*0.10A	1.50B/*0.10A	----	0.00 - 0.90	----	----	----	6	----	0 - 3
4585	----	----	37.80B/15.30A	37.80B/15.30A	----	24.30 NEW	.2059	----	----	1	----	1 + 1
4585	----	----	1.70B/*0.10A	1.70B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 2
4590	1.00	1.00	1.80B/*0.10A	1.80B/*0.10A	----	0.00 - 1.00	----	----	----	5	----	0 - 1
4595	----	----	2.00B/*0.10A	2.00B/*0.10A	----	0.00 - 1.10	----	----	----	2	----	0 - 4
4600	----	----	41.90B/17.20A	41.90B/17.20A	----	27.00 + 7.30	.2282	----	----	1	----	10 + 1
4600	----	----	186.50B/*125.80	186.50B/*125.80A	----	151.00 - 21.60	.7716	----	----	----	----	50 UNCH
4600	1.50	1.50	2.50/*0.10A	2.50/*0.10A	----	0.00 - 1.20	----	----	----	62	----	0 - 111
4605	25.50	25.50	43.30B/17.80A	43.30B/17.80A	----	28.00 NEW	.2362	----	----	1	----	1 + 1
4605	----	----	2.40B/*0.10A	2.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 3
4610	----	----	2.80B/*0.10A	2.80B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 2
4615	27.50	27.50	46.30B/19.30A	46.30B/19.30A	----	30.10 + 8.00	.2529	----	----	2	----	2 + 2
4615	----	----	154.40B/*89.90A	154.40B/*89.90A	----	109.00 - 30.40	----	----	----	1	----	0 - 1
4615	3.20	3.20	3.20/*0.10A	3.20/*0.10A	----	0.00 - 1.40	----	----	----	4	----	0 - 2
4620	----	----	47.90B/20.10A	47.90B/20.10A	----	31.20 + 8.20	.2615	----	----	----	----	1 UNCH
4620	----	----	3.40B/*0.10A	3.40B/*0.10A	----	0.00 - 1.50	----	----	----	3	----	0 - 34
4625	2.70	2.70	3.80B/*0.10	3.80B/*0.10	----	0.00 - 1.60	----	----	----	12	----	0 - 185
4630	----	----	51.10B/21.80A	51.10B/21.80A	----	33.50 + 8.60	.2795	----	----	----	----	2 UNCH
4630	2.00	2.00	4.10B/*0.20	4.10B/*0.20	----	0.00 - 1.80	----	----	----	8	----	0 - 6
4635	----	----	4.70B/*0.20A	4.70B/*0.20A	----	0.00 - 1.90	----	----	----	1	----	0 - 15
4640	4.10	4.10	5.20B/*0.20A	5.20B/*0.20A	----	0.00 - 2.10	----	----	----	21	----	0 - 21
4645	----	----	56.20B/24.60A	56.20B/24.60A	----	37.40 + 9.40	.3087	----	----	----	----	1 UNCH
4645	4.90	4.90	5.70B/*0.20A	5.70B/*0.20A	----	0.00 - 2.30	----	----	----	1	----	0 - 10
4650	35.00	35.00	58.20B/25.60A	58.20B/25.60A	----	38.70 NEW	.3186	----	----	1	----	1 + 1
4650	104.20	104.20	145.30B/*91.80A	145.30B/*91.80A	----	112.70 - 19.40	.6811	----	----	2	----	1 UNCH
4650	4.10	4.10	6.40B/*0.10	6.40B/*0.10	----	0.00 - 2.50	----	----	----	87	----	0 - 64
4655	----	----	7.00B/*0.20A	7.00B/*0.20A	----	0.00 - 2.70	----	----	----	2	----	0 - 3
4660	----	----	62.00B/27.80A	62.00B/27.80A	----	41.60 + 10.00	.3396	----	----	----	----	100 UNCH
4660	53.00	53.00	110.20B/*49.50A	110.20B/*49.50A	----	64.00 NEW	----	----	----	2	----	0 UNCH
4660	6.00	6.00	7.90B/*0.10	7.90B/*0.10	----	0.00 - 3.00	----	----	----	29	----	0 - 33
4665	5.10	5.10	8.80B/*0.20A	8.80B/*0.20A	----	0.00 - 3.30	----	----	----	25	----	0 - 20
4670	----	----	66.10B/30.20A	66.10B/30.20A	----	44.80 + 10.60	.3617	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
APR26												
4670	8.80	8.80	9.70B/*0.20A	9.70B/*0.20A	----	0.00 - 3.60	----	----	----	23	----	0 - 38
4675	42.00	42.00	96.20B/*37.20A	96.20B/*37.20A	----	49.00 NEW	----	----	----	4	----	0 UNCH
4675	10.00	10.00	10.90B/*0.20	10.90B/*0.20	----	0.00 - 4.00	----	----	----	70	----	0 - 69
4680	10.00	10.00	12.20B/*0.10A	12.20B/*0.10A	----	0.00 - 4.40	----	----	----	38	----	0 - 19
4680	44.80	44.80	91.50B/*33.50A	91.50B/*33.50A	----	44.00 NEW	----	----	----	2	----	0 UNCH
4685	6.40	6.40	13.50B/*0.10	13.50B/*0.10	----	0.00 - 4.90	----	----	----	16	----	0 - 21
4690	42.00	42.00	75.10B/35.40A	75.10B/35.40A	----	51.70 NEW	.4081	----	----	10	----	6 + 6
4690	8.50	8.50	15.00B/*0.10	15.00B/*0.10	----	0.00 - 5.40	----	----	----	104	----	0 - 60
4695	15.20	15.20	16.60B/*0.10	16.60B/*0.10	----	0.00 - 6.00	----	----	----	33	----	0 - 6
4700	55.70	55.70	80.30B/38.60A	80.30B/38.60A	----	55.50 + 12.30	.4325	----	----	44	----	46 + 27
4700	----	----	107.90B/*63.90A	107.90B/*63.90A	----	79.50 NEW	.5673	----	----	1	----	1 + 1
4700	----	----	73.00B/*21.60A	73.00B/*21.60A	----	24.00 - 35.70	----	----	----	1	----	0 - 6
4700	10.00	10.00	18.40B/*0.10	18.40B/*0.10	----	0.00 - 6.70	----	----	----	177	----	0 - 162
4705	66.50	66.50	104.60B/*61.50A	104.60B/*61.50A	----	76.50 NEW	.5548	----	----	6	----	6 + 6
4705	----	----	68.50B/*18.50A	68.50B/*18.50A	----	19.00 - 36.50	----	----	----	----	----	0 - 2
4705	4.30	4.30	20.30B/*0.10A	20.30B/*0.10A	----	0.00 - 7.50	----	----	----	15	----	0 - 14
4710	----	----	84.90B/41.70A	84.90B/41.70A	----	59.50 + 12.80	.4574	----	----	26	----	27 + 24
4710	16.40	16.40	64.00B/*13.60A	64.00B/*13.60A	----	14.00 NEW	----	----	----	8	----	0 UNCH
4710	16.00	16.00	22.50B/*0.10	22.50B/*0.10	----	0.00 - 8.40	----	----	----	47	----	0 - 17
4715	11.50	11.50	24.80B/*0.30	24.80B/*0.30	----	0.00 - 9.40	----	----	----	31	----	0 - 18
4715	27.90	27.90	59.60B/*9.50A	59.60B/*9.50A	----	9.00 NEW	----	----	----	17	----	0 UNCH
4720	----	----	90.30B/45.30A	90.30B/45.30A	----	63.90 + 13.50	.4830	----	----	----	----	1 UNCH
4720	17.40	17.40	27.70B/*0.10A	27.70B/*0.10A	----	0.00 - 10.50	----	----	----	148	----	0 - 12
4720	20.70	20.70	55.40B/*4.90A	55.40B/*4.90A	----	4.00 - 39.50	----	----	----	76	----	0 UNCH
4725	16.60	16.60	31.00B/*0.30A	31.00B/*0.30A	----	1.00 - 10.70	----	----	----	96	----	0 - 63
4725	36.00	36.00	51.20B/*0.50	51.20B/*0.50	----	0.00 - 39.70	----	----	----	57	----	0 - 1
4730	----	----	96.00B/49.00A	96.00B/49.00A	----	68.50 + 14.10	.5090	----	----	----	----	1 UNCH
4730	25.00	25.00	47.10B/*0.10	47.10B/*0.10	----	0.00 - 36.10	----	----	----	24	----	0 - 23
4730	16.10	16.10	34.40B/*0.20	34.40B/*0.20	----	6.00 - 7.10	----	----	----	87	----	0 - 20
4735	----	----	99.10B/50.90A	99.10B/50.90A	----	70.90 + 14.40	.5221	----	----	----	----	1 UNCH
4735	25.20	25.20	42.90B/*0.30A	42.90B/*0.30A	----	0.00 - 32.60	----	----	----	24	----	0 - 1
4735	13.50	13.50	38.30B/*0.20	38.30B/*0.20	----	11.00 - 3.60	----	----	----	120	----	0 - 79
4740	23.00	23.00	42.40B/*0.60	42.40B/*0.60	----	16.00 - 0.30	----	----	----	94	----	0 - 17
4740	37.00	37.00	39.10B/*0.10A	39.10B/*0.10A	----	0.00 - 29.30	----	----	----	81	----	0 - 10
4745	40.00	40.00	46.40B/*1.30A	46.40B/*1.30A	----	21.00 + 2.80	----	----	----	89	----	0 - 123
4745	34.90	34.90	35.40B/*0.10A	35.40B/*0.10A	----	0.00 - 26.20	----	----	----	87	----	0 - 3
4750	88.90	88.90	108.20B/57.30A	108.20B/57.30A	----	78.50 + 15.30	.5616	----	----	3	----	65 - 1
4750	12.50	12.50	31.60B/*0.10	31.60B/*0.10	----	0.00 - 23.30	----	----	----	133	----	0 - 12
4750	60.00	60.00	76.90B/*42.30A	76.90B/*42.30A	----	52.50 - 13.70	.4381	----	----	2	----	20 + 1
4750	22.60	22.60	50.90B/*2.40A	50.90B/*2.40A	----	26.00 + 5.70	----	----	----	165	----	0 - 94
4755	3.40	3.40	28.60B/*0.20A	28.60B/*0.20A	----	0.00 - 20.50	----	----	----	54	----	0 - 5
4755	----	----	111.30B/59.60A	111.30B/59.60A	----	81.20 + 15.70	.5748	----	----	----	----	16 UNCH
4755	46.80	46.80	74.20B/*40.50A	74.20B/*40.50A	----	50.20 - 13.30	.4249	----	----	60	----	78 + 60
4755	25.40	25.40	55.20B/*4.70A	55.20B/*4.70A	----	31.00 + 8.50	----	----	----	28	----	0 - 8
4760	----	----	71.20B/*38.70A	71.20B/*38.70A	----	48.00 - 13.00	.4119	----	----	----	----	17 UNCH
4760	----	----	114.60B/61.80A	114.60B/61.80A	----	84.00 + 16.00	.5879	----	----	----	----	28 UNCH
4760	22.00	22.00	59.80B/*7.60A	59.80B/*7.60A	----	36.00 + 11.00	----	----	----	9	----	0 - 4
4760	15.00	15.00	25.80B/*0.10	25.80B/*0.10	----	0.00 - 18.00	----	----	----	314	----	0 - 64
4765	10.00	10.00	22.60B/*0.20	22.60B/*0.20	----	0.00 - 15.70	----	----	----	71	----	0 - 66
4765	24.90	24.90	64.70B/*11.80A	64.70B/*11.80A	----	41.00 + 13.30	----	----	----	6	----	0 - 13
4770	61.70	61.70	66.20B/*35.40A	66.20B/*35.40A	----	43.70 - 12.30	.3857	----	----	2	----	1 UNCH
4770	20.50	20.50	20.50/*0.20A	20.50/*0.20A	----	0.00 - 13.60	----	----	----	43	----	0 - 23
4770	34.60	34.60	69.50B/15.60A	69.50B/15.60A	----	46.00 + 15.40	----	----	----	9	----	0 - 2
4775	37.50	37.50	63.50B/*33.80A	63.50B/*33.80A	----	41.70 NEW	.3728	----	----	1	----	1 + 1
4775	26.20	26.20	74.30B/20.00A	74.30B/20.00A	----	51.00 + 17.40	----	----	----	14	----	0 - 58
4775	18.00	18.00	18.00/*0.10	18.00/*0.10	----	0.00 - 11.60	----	----	----	73	----	0 - 17
4780	8.10	8.10	15.40B/*0.10	15.40B/*0.10	----	0.00 - 9.90	----	----	----	98	----	0 - 64
4780	36.10	36.10	78.90B/24.80A	78.90B/24.80A	----	56.00 + 19.10	----	----	----	17	----	0 - 21
4785	10.60	10.60	13.20B/*0.20A	13.20B/*0.20A	----	0.00 - 8.40	----	----	----	28	----	0 - 7
4785	----	----	83.80B/29.60A	83.80B/29.60A	----	61.00 + 20.60	----	----	----	9	----	0 - 8
4790	----	----	56.10B/*29.40A	56.10B/*29.40A	----	36.10 NEW	.3350	----	----	1	----	1 + 1
4790	63.90	63.90	88.90B/34.40A	88.90B/34.40A	----	66.00 + 21.90	----	----	----	3	----	0 - 3
4790	11.50	11.50	11.50/*0.20A	11.50/*0.20A	----	0.00 - 7.10	----	----	----	124	----	0 - 126
4795	----	----	53.80B/*27.90A	53.80B/*27.90A	----	34.30 NEW	.3225	----	----	1	----	1 + 1
4795	1.00	1.00	9.90B/*0.20A	9.90B/*0.20A	----	0.00 - 6.00	----	----	----	14	----	0 - 23
4800	----	----	98.50B/41.00A	98.50B/41.00A	----	76.00 + 23.90	----	----	----	6	----	0 - 29
4800	28.80	28.80	51.40B/*25.50	51.40B/*25.50	----	32.70 NEW	.3106	----	----	93	----	84 + 84
4800	9.40	9.40	9.40/*0.10	9.40/*0.10	----	0.00 - 5.10	----	----	----	202	----	0 - 160
4805	1.20	1.20	7.10B/*0.20A	7.10B/*0.20A	----	0.00 - 4.30	----	----	----	13	----	0 - 29
4805	----	----	103.70B/44.50A	103.70B/44.50A	----	81.00 + 24.70	----	----	----	2	----	0 - 24
4810	----	----	46.90B/*23.70A	46.90B/*23.70A	----	29.50 NEW	.2868	----	----	1	----	1 + 1
4810	----	----	108.40B/48.40A	108.40B/48.40A	----	86.00 + 25.30	----	----	----	1	----	0 - 2
4810	3.20	3.20	6.10B/*0.20A	6.10B/*0.20A	----	0.00 - 3.70	----	----	----	19	----	0 - 39
4815	1.00	1.00	5.10B/*0.20A	5.10B/*0.20A	----	0.00 - 3.20	----	----	----	10	----	0 - 23
4820	----	----	4.30B/*0.20A	4.30B/*0.20A	----	0.00 - 2.80	----	----	----	----	----	0 - 66
4820	----	----	158.10B/96.10A	158.10B/96.10A	----	122.50 + 20.00	.7357	----	----	----	----	1 UNCH
4820	65.70	65.70	118.30B/56.70A	118.30B/56.70A	----	96.00 + 26.20	----	----	----	1	----	0 - 4
4825	----	----	161.60B/99.40A	161.60B/99.40A	----	126.20 + 20.40	.7468	----	----	----	----	1 UNCH
4825	3.50	3.50	3.70B/*0.20A	3.70B/*0.20A	----	0.00 - 2.50	----	----	----	8	----	0 - 49
4830	----	----	39.50B/*18.50A	39.50B/*18.50A	----	23.90 - 8.40	.2422	----	----	----	----	4 UNCH
4830	1.00	1.00	3.00B/*0.20A	3.00B/*0.20A	----	0.00 - 2.20	----	----	----	2	----	0 - 18
4830	81.00	81.00	128.50B/65.40A	128.50B/65.40A	----	106.00 + 26.80	----	----	----	1	----	0 - 25
4835	3.00	3.00	3.00/*0.20A	3.00/*0.20A	----	0.00 - 2.00	----	----	----	11	----	0 - 15
4835	----	----	133.30B/70.10A	133.30B/70.10A	----	111.00 + 27.00	----	----	----	7	----	0 - 7
4840	----	----	36.00B/*16.30A	36.00B/*16.30A	----	21.50 NEW	.2217	----	----	2	----	2 + 2
4840	----	----	174.20B/109.90A	174.20B/109.90A	----	137.50 + 21.30	.7780	----	----	----	----	3 UNCH
4840	----	----	138.40B/74.70A	138.40B/74.70A	----	116.00 + 27.20	----	----	----	----	----	0 - 1
4840	0.50	0.50	2.20B/*0.10A	2.20B/*0.10A	----	0.00 - 1.80	----	----	----	8	----	0 - 12
4845	----	----	143.30B/79.40A	143.30B/79.40A	----	121.00 + 27.40	----	----	----	----	----	0 - 22
4845	2.20	2.20	2.20/*0.10A	2.20/*0.10A	----	0.00 - 1.60	----	----	----	17	----	0 - 16
4850	14.30	14.30	32.90B/*14.30	32.90B/*14.30	----	19.30 - 7.20	.2024	----	----	88	----	86 + 78
4850	----	----	148.30B/84.10A	148.30B/84.10A	----	126.00 + 27.50	----	----	----	4	----	0 - 9
4850	0.60	0.60	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 1.50	----	----	----	29	----	0 - 113
4855	----	----	31.30B/*13.50A	31.30B/*13.50A	----	18.30 - 6.80	.1933	----	----	----	----	2 UNCH
4855	0.30	0.30	0.30/*0.10A	1.30B/*0.10A	----	0.00 - 1.30	----	----	----	1	----	0 - 12
4860	----	----	29.80B/*12.50A	29.80B/*12.50A	----	17.30 - 6.60	.1842	----	----	1	----	3 UNCH
4860	----	----	158.40B/93.70A	158.40B/93.70A	----	136.00 + 27.80	----	----	----	----	----	0 - 1
4860	0.80	0.80	1.10B/*0.10A	1.10B/*0.10A	----	0.00 - 1.20	----	----	----	53	----	0 - 65
4865	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.10	----	----	----	1	----	0 - 46
4865	----	----	28.40B/*11.80A	28.40B/*11.80A	----	16.40 - 6.30	.1757	----	----	----	----	1 UNCH
4870	----	----	26.80B/*11.00A	26.80B/*11.00A	----	15.60 - 6.00	.1679	----	----	----	----	10 UNCH
4870	130.20	130.20	168.40B/103.40A	168.40B/103.40A	----	146.00 + 28.00	----	----	----	7	----	0 - 15
4870	1.00	1.00	1.00/*0.20	1.00/*0.20	----	0.00 - 1.00	----	----	----	152	----	0 - 222
4875	11.10	11.10	25.80B/*10.30A	25.80B/*10.30A	----	14.70 - 5.80	.1595	----	----	1	----	5 + 1
4875	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.00 - 0.90	----	----	----	1	----	0 - 9
4880	----	----	178.20B/113.10A	178.20B/113.10A	----	156.00 + 28.20	----	----	----	2	----	0 - 1
4880	13.00	13.00	24.30B/*9.90A	24.30B/*9.90A	----	13.90 - 5.50	.1517	----	----	2	----	10 + 2
4880	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 9
4885	----	----	23.00B/*9.30A	23.00B/*9.30A	----	13.20 - 5.20	.1447	----	----	----	----	2 UNCH
4885	0.60	0.60	0.60/*0.10A	0.60/*0.10A	----	0.00 - 0.70	----	----	----	10	----	0 - 2
4890	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 21
4890	10.90	10.90	21.90B/*8.50A	21.90B/*8.50A	----	12.50 - 5.00	.1376	----	----	7	----	18 UNCH
4895	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 13
4900	----	----	198.30B/132.80A	198.30B/132.80A	----	176.00 + 28.50	----	----	----	----	----	0 - 2
4900	21.00	21.00	21.00/*7.70A	21.00/*7.70A	----	11.20 - 4.60	.1244	----	----	6	----	14 + 5
4900	0.70	0.70	0.70/*0.10A	0.70/*0.10A	----	0.00 - 0.50	----	----	----	3	----	0 - 177
4905	----	----	203.10B/137.80A	203.10B/137.80A	----	181.00 + 28.50	----	----	----	3	----	0 - 9
4905	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 0.50	----	----	----	15	----	0 - 81
4905	----	----	18.80B/*7.30A	18.80B/*7.30A	----	10.60 - 4.30	.1182	----	----	----	----	1 UNCH
4910	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 20
4915	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.40	----	----	----	2	----	0 - 4
4915	----	----	213.20B/147.70A	213.20B/147.70A	----	191.00 + 28.60	----	----	----	----	----	0 - 1
4915	5.80	5.80	16.90B/*5.80	16.90B/*5.80	----	9.50 - 4.00	.1067	----	----	1	----	2 + 1
4920	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 7
4920	4.90	4.90	16.10B/*4.90	16.10B/*4.90	----	9.00 - 3.80	.1013	----	----	1	----	5 + 1
4925	5.10	5.10	15.30B/*5.10	15.30B/*5.10	----	8.50 - 3.60	.0960	----	----	1	----	1 + 1
4925	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 34
4930	8.70	8.70	14.40B/*5.50A	14.40B/*5.50A	----	8.10 NEW	.0915	----	----	5	----	5 + 5
4935	----	----	233.00B/167.60A	233.00B/167.60A	----	211.00 + 28.80	----	----	----	----	----	0 - 1
4935	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4935	5.70	5.70	13.50B/*5.20A	13.50B/*5.20A	----	7.70 - 3.20	.0871	----	----	15	----	15 + 12
4940	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	5	----	0 - 7
4940	----	----	12.90B/*5.00A	12.90B/*5.00A	----	7.30 - 3.10	.0827	----	----	1	----	1 UNCH
4945	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 11
4945	----	----	12.30B/*4.80A	12.30B/*4.80A	----	6.90 - 2.90	.0783	----	----	----	----	1 UNCH
4950	6.40	6.40	11.60B/*4.50A	11.60B/*4.50A	----	6.60 - 2.70	.0748	----	----	4	----	9 + 4
4950	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 17

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4955	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 7
4960	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 9
4960	----	----	10.50B/*4.20A	10.50B/*4.20A	----	5.90 - 2.50	.0671	----	----	1	----	5 + 1
4965	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 2
4965	----	----	10.00B/*4.00A	10.00B/*4.00A	----	5.70 - 2.30	.0645	----	----	----	----	1 UNCH
4970	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 205
4970	3.10	3.10	9.50B/*3.10	9.50B/*3.10	----	5.40 - 2.20	.0611	----	----	1	----	1 UNCH
4975	----	----	9.00B/*3.60A	9.00B/*3.60A	----	5.10 - 2.20	.0578	----	----	----	----	8 UNCH
4975	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4985	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4995	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4995	----	----	7.20B/*3.10A	7.20B/*3.10A	----	4.30 - 1.70	.0482	----	----	----	----	0 UNCH
5000	3.00	3.00	6.90B/*3.00	6.90B/*3.00	----	4.10 - 1.60	.0459	----	----	6	----	9 - 1
5000	----	----	320.50B/239.80A	320.50B/239.80A	----	279.90 + 27.40	.9539	----	----	----	----	2 UNCH
5000	----	----	298.00B/232.30A	298.00B/232.30A	----	276.00 + 28.90	----	----	----	----	----	0 - 2
5000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
5005	----	----	6.60B/*2.90A	6.60B/*2.90A	----	3.90 - 1.50	.0436	----	----	----	----	4 UNCH
5005	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5010	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 200
5020	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5020	3.50	3.50	5.60B/*2.70A	5.60B/*2.70A	----	3.40 NEW	.0377	----	----	2	----	2 + 2
5025	----	----	5.30B/*2.60A	5.30B/*2.60A	----	3.30 - 1.20	.0364	----	----	----	----	10 UNCH
5025	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5030	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5040	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5050	----	----	4.10B/*2.20A	4.10B/*2.20A	----	2.70 - 1.00	.0292	----	----	1	----	2 + 1
5050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 58
5075	2.50	2.50	3.20B/*1.90A	3.20B/*1.90A	----	2.30 - 0.70	.0242	----	----	3	----	7 + 3
5075	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5125	----	----	----/*1.50A	2.00B/*1.50A	----	1.60 - 0.50	.0161	----	----	----	----	49 UNCH
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5150	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 NEW	.0137	----	----	2	----	2 + 2
5200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5200	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.40	.0094	----	----	----	----	32 UNCH
5225	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5225	----	----	----/1.10A	0.80B/1.10A	----	0.90 - 0.30	.0082	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5400	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5400	----	----	----	0.10B/1.10A	----	0.30 - 0.10	.0023	----	----	----	----	1 UNCH
5500	----	----	----	----/1.00A	----	0.20 - 0.10	.0014	----	----	----	----	1 UNCH
5600	----	----	----	----/0.90A	----	0.10 - 0.10	.0006	----	----	----	----	1 UNCH
TOTAL										4299		1308 - 4510
MAY26												
4325	11.70	11.70	#15.00B/11.70	#15.00B/8.20A	----	10.70 NEW	.0706	----	----	1	----	1 + 1
4400	----	----	#22.00B/11.40A	#22.00B/11.40A	----	15.40 + 3.70	.1029	----	----	5	----	7 + 5
4425	----	----	#25.00B/12.90A	#25.00B/12.90A	----	17.50 + 4.10	.1170	----	----	----	----	2 UNCH
4450	----	----	#40.30B/24.70A	#40.30B/24.70A	----	30.80 + 5.40	.1707	----	----	----	----	10 UNCH
4475	----	----	#32.50B/16.80A	#32.50B/16.80A	----	22.90 + 5.20	.1521	----	----	----	----	3 UNCH
4500	27.60	27.60	#37.00B/19.30A	#37.00B/19.30A	----	26.20 + 5.70	.1731	----	----	150	----	151 + 150
4550	25.50	25.50	#48.20B/25.40	#48.20B/25.40	----	34.50 NEW	.2236	----	----	50	----	50 + 50
4550	----	----	#63.60B/40.60A	#63.60B/40.60A	----	49.10 + 7.60	.2598	----	----	----	----	10 UNCH
4575	----	----	#54.90B/29.60A	#54.90B/29.60A	----	39.60 + 7.80	.2533	----	----	----	----	1 UNCH
4600	----	----	#79.30B/51.70A	#79.30B/51.70A	----	62.00 + 9.00	.3167	----	----	----	----	150 UNCH
4625	45.60	45.60	#71.30B/39.80A	#71.30B/39.80A	----	52.30 NEW	.3222	----	----	50	----	50 + 50
4650	----	----	80.90B/46.10A	80.90B/46.10A	----	60.00 NEW	.3612	----	----	12	----	12 + 12
4650	----	----	#98.50B/65.70A	#98.50B/65.70A	----	77.90 + 10.30	.3814	----	----	----	----	4 UNCH
4700	78.00	78.00	103.40B/61.70A	103.40B/61.70A	----	78.80 NEW	.4469	----	----	10	----	5 + 5
4720	78.50	78.50	116.80B/*78.50	116.80B/*78.50	----	91.60 NEW	.5163	----	----	1	----	1 + 1
4730	95.20	95.20	111.30B/*75.10A	111.30B/*75.10A	----	86.40 NEW	.4979	----	----	4	----	4 + 4
4750	----	----	99.90B/*66.60A	99.90B/*66.60A	----	76.40 NEW	.4607	----	----	----	200	200 + 200
4765	96.20	96.20	139.30B/89.20A	139.30B/89.20A	----	110.50 NEW	.5667	----	----	50	----	50 + 50
4770	----	----	142.30B/91.70A	142.30B/91.70A	----	113.30 NEW	.5760	----	----	10	----	10 + 10
4775	----	----	86.70B/*56.70A	86.70B/*56.70A	----	65.20 - 12.60	.4144	----	----	----	----	1 UNCH
4775	----	----	145.50B/94.30A	145.50B/94.30A	----	116.10 + 16.30	.5852	----	----	----	----	50 UNCH
4815	----	----	172.60B/116.80A	172.60B/116.80A	----	140.70 + 18.30	.6570	----	----	----	----	1 UNCH
4825	----	----	63.20B/*40.80A	63.20B/*40.80A	----	46.40 - 10.20	.3252	----	----	----	----	50 UNCH
4830	----	----	#183.50B/126.00	#183.50B/126.00A	----	150.70 + 19.00	.6828	----	----	----	----	4 UNCH
4845	----	----	#194.70B/135.80	#194.70B/135.80A	----	161.10 + 19.70	.7073	----	----	----	----	5 UNCH
4845	----	----	55.70B/*35.20A	55.70B/*35.20A	----	40.30 - 9.20	.2922	----	----	----	----	11 UNCH
4850	50.00	50.00	53.90B/*34.00A	53.90B/*34.00A	----	38.90 - 9.00	.2843	----	----	13	----	201 + 1
4850	----	----	#198.50B/139.30	#198.50B/139.30A	----	164.70 + 20.00	.7152	----	----	5	----	9 + 4
4900	40.00	40.00	40.00/*23.20A	40.00/*23.20A	----	26.90 NEW	.2118	----	----	3	----	3 + 3
4925	23.20	23.20	31.60B/*19.30A	31.60B/*19.30A	----	22.30 NEW	.1810	----	----	50	----	50 + 50
4925	----	----	----/*34.50A	42.40B/*34.50A	----	36.60 - 7.50	.2336	----	----	1	----	11 UNCH
4955	----	----	25.20B/*15.30A	25.20B/*15.30A	----	17.80 - 5.00	.1490	----	----	----	----	9 UNCH
4970	----	----	22.50B/*13.70A	22.50B/*13.70A	----	16.00 - 4.40	.1354	----	----	----	----	18 UNCH
4985	----	----	20.10B/*12.30A	20.10B/*12.30A	----	14.30 NEW	.1225	----	----	1	----	1 + 1
5000	----	----	----/*22.00A	26.10B/*22.00A	----	23.80 - 5.00	.1626	----	----	----	----	150 UNCH
5000	----	----	17.90B/*11.00A	17.90B/*11.00A	----	12.80 - 3.70	.1108	----	----	1	----	10 + 1
5015	----	----	15.90B/*10.00A	15.90B/*10.00A	----	11.50 NEW	.1003	----	----	6	----	3 + 3
5025	----	----	14.80B/*9.20A	14.80B/*9.20A	----	10.70 - 3.20	.0938	----	----	----	----	1 UNCH
5025	----	----	----/*19.40A	22.30B/*19.40A	----	20.60 - 4.40	.1434	----	----	----	----	10 UNCH
5125	----	----	----/*5.10A	6.90B/*5.10A	----	5.70 - 1.70	.0505	----	----	----	----	1 UNCH
5200	5.00	5.00	5.00/*3.50A	5.00/*3.50A	----	3.80 - 1.10	.0332	----	----	1	----	2 + 1
5250	----	----	----/*3.00A	2.80B/*3.00A	----	3.00 - 0.90	.0258	----	----	----	----	1 UNCH
5275	----	----	----/*2.70A	2.40B/*2.70A	----	2.70 NEW	.0229	----	----	6	----	3 + 3
5400	----	----	----	1.30B/*2.00A	----	1.40 - 0.50	.0116	----	----	----	----	1 UNCH
TOTAL										430	200	1327 + 605

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3800	0.80	0.80	#1.00B/*0.80	#1.00B/*0.80	----	1.20 NEW	.0060	----	----	4	----	4 + 4
3900	----	----	3.20B/----	3.20B/3.20A	----	3.40 + 0.70	.0174	----	----	----	----	6 UNCH
3900	----	----	1.60B/----	1.60B/1.50A	----	1.60 + 0.40	.0086	----	----	----	----	3 UNCH
4000	5.30	5.30	5.30/*5.30	5.30/*5.30	----	4.30 + 0.90	.0242	----	----	1	----	2 + 1
4100	----	----	#3.60B/----	3.60B/*2.30A	----	2.90 + 0.60	.0181	----	----	----	----	30 UNCH
4100	----	----	#8.20B/----	#8.20B/9.40A	----	7.20 + 1.40	.0399	----	----	----	----	3 UNCH
4200	----	----	5.40B/*3.00A	5.40B/*3.00A	----	4.10 + 0.90	.0277	----	----	----	----	1 UNCH
4200	----	----	#14.90B/----	#14.90B/12.60A	----	11.80 + 2.10	.0642	----	----	----	----	2 UNCH
4200	----	----	#10.40B/----	10.40B/*6.80A	----	6.80 + 0.40	.0429	----	----	----	----	1 UNCH
4225	----	----	6.20B/*3.30A	6.20B/*3.30A	----	4.60 + 1.10	.0315	----	----	----	----	1 UNCH
4250	----	----	7.00B/*3.60A	7.00B/*3.60A	----	5.10 + 1.20	.0355	----	----	----	----	3 UNCH
4250	----	----	12.70B/----	12.70B/8.20A	----	8.60 + 0.80	.0547	----	----	----	----	2 UNCH
4300	----	----	15.80B/----	15.80B/9.80A	----	11.00 + 1.40	.0702	----	----	1	----	6 UNCH
4300	4.40	4.40	9.10B/*4.40	9.10B/*4.40	----	6.30 + 1.50	.0453	----	----	1	----	19 + 1
4300	----	----	#22.80B/----	#22.80B/17.10A	----	19.00 + 3.90	.1008	----	----	----	----	1 UNCH
4325	----	----	18.10B/10.60A	18.10B/10.60A	----	12.50 + 1.80	.0796	----	----	----	----	2 UNCH
4325	----	----	#25.50B/----	#25.50B/18.70A	----	21.20 + 4.50	.1119	----	----	----	----	4 UNCH
4350	----	----	20.60B/11.80A	20.60B/11.80A	----	14.20 + 2.20	.0903	----	----	----	----	17 UNCH
4350	5.60	5.60	12.00B/5.60	12.00B/5.60	----	8.00 + 1.90	.0592	----	----	1	----	3 + 1
4350	----	----	#28.40B/----	#28.40B/20.90A	----	23.60 + 5.00	.1241	----	----	----	----	1 UNCH
4360	5.90	5.90	12.70B/5.90	12.70B/5.90	----	8.40 NEW	.0625	----	----	1	----	1 + 1
4370	6.20	6.20	13.30B/6.20	13.30B/6.20	----	8.90 + 2.20	.0663	----	----	1	----	2 + 1
4375	----	----	23.50B/13.20A	23.50B/13.20A	----	16.10 + 2.60	.1022	----	----	----	----	1 UNCH
4375	----	----	13.80B/6.40A	13.80B/6.40A	----	9.10 + 2.20	.0681	----	----	----	----	1 UNCH
4375	----	----	#31.60B/----	#31.60B/23.00A	----	26.20 + 5.50	.1372	----	----	----	----	3 UNCH
4385	6.70	6.70	14.60B/6.70	14.60B/6.70	----	9.60 NEW	.0721	----	----	1	----	1 + 1
4400	----	----	25.90B/14.90A	25.90B/14.90A	----	18.20 + 3.00	.1154	----	----	----	----	6 UNCH
4400	----	----	15.90B/7.30A	15.90B/7.30A	----	10.40 + 2.60	.0785	----	----	----	----	89 UNCH
4400	----	----	#35.30B/----	#35.30B/25.20A	----	29.10 + 5.90	.1516	----	----	----	----	10 UNCH
4410	8.20	8.20	16.70B/7.70A	16.70B/7.70A	----	11.00 NEW	.0833	----	----	3	----	3 + 3
4420	----	----	17.70B/8.20A	17.70B/8.20A	----	11.60 + 2.80	.0882	----	----	----	----	1 UNCH
4450	----	----	33.10B/19.30A	33.10B/19.30A	----	23.40 + 3.80	.1472	----	----	1	----	2 UNCH
4450	10.90	10.90	21.30B/9.70A	21.30B/9.70A	----	13.70 NEW	.1050	----	----	3	----	3 + 3
4460	----	----	22.60B/10.30A	22.60B/10.30A	----	14.60 + 3.60	.1118	----	----	----	----	2 UNCH
4475	----	----	37.40B/21.70A	37.40B/21.70A	----	26.70 + 4.30	.1666	----	----	----	----	10 UNCH
4475	----	----	24.80B/11.20A	24.80B/11.20A	----	15.90 + 3.80	.1221	----	----	----	----	1 UNCH
4475	----	----	48.80B/----	48.80B/34.70A	----	39.60 + 6.90	.2030	----	----	----	----	4 UNCH
4485	----	----	39.40B/22.90A	39.40B/22.90A	----	28.20 + 4.60	.1751	----	----	----	----	11 UNCH
4490	----	----	40.40B/24.00A	40.40B/24.00A	----	28.90 + 4.70	.1792	----	----	----	----	2 UNCH
4500	----	----	42.40B/25.30A	42.40B/25.30A	----	30.60 + 5.00	.1885	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON MAY26		GOLD WEEKLY MONDAY OPTION WEEK1										
4500	23.00	23.00	28.70B/13.00A	28.70B/13.00A	----	18.50 + 4.40	.1421	----	----	2	----	15 + 2
4500	----	----	54.30B/----	54.30B/38.70A	----	44.00 + 7.30	.2235	----	----	----	----	5 UNCH
4505	----	----	43.30B/25.80A	43.30B/25.80A	----	31.40 + 5.10	.1931	----	----	----	----	1 UNCH
4505	----	----	29.80B/13.40A	29.80B/13.40A	----	19.10 + 4.50	.1465	----	----	----	----	1 UNCH
4520	----	----	46.80B/28.00A	46.80B/28.00A	----	34.10 + 5.60	.2078	----	----	----	----	1 UNCH
4525	22.00	22.00	33.40B/15.20A	33.40B/15.20A	----	21.60 NEW	.1653	----	----	1	----	1 + 1
4525	----	----	60.50B/----	60.50B/43.00A	----	49.00 + 7.70	.2461	----	----	----	----	2 UNCH
4540	----	----	51.80B/31.10A	51.80B/31.10A	----	38.00 + 6.30	.2286	----	----	----	----	1 UNCH
4540	32.40	32.40	36.40B/16.70A	36.40B/16.70A	----	23.70 + 5.40	.1809	----	----	1	----	2 + 1
4550	----	----	38.60B/17.80A	38.60B/17.80A	----	25.30 + 5.80	.1923	----	----	----	----	15 UNCH
4550	----	----	54.40B/32.80A	54.40B/32.80A	----	40.10 + 6.60	.2396	----	----	----	----	2 UNCH
4550	52.10	52.10	67.30B/47.90A	67.30B/47.90A	----	54.60 + 8.10	.2705	----	----	1	----	2 UNCH
4555	----	----	55.90B/33.70A	55.90B/33.70A	----	41.20 + 6.80	.2453	----	----	----	----	1 UNCH
4555	----	----	39.80B/18.50A	39.80B/18.50A	----	26.10 + 5.90	.1981	----	----	----	----	1 UNCH
4565	----	----	58.70B/35.50A	58.70B/35.50A	----	43.50 + 7.20	.2570	----	----	----	----	1 UNCH
4570	----	----	60.00B/36.50A	60.00B/36.50A	----	44.70 + 7.40	.2630	----	----	----	----	2 UNCH
4575	----	----	74.60B/----	74.60B/53.50A	----	60.90 + 8.60	.2970	----	----	----	----	3 UNCH
4580	----	----	45.40B/21.80A	45.40B/21.80A	----	30.60 + 6.80	.2298	----	----	2	----	2 UNCH
4590	----	----	48.40B/23.30A	48.40B/23.30A	----	32.70 + 7.20	.2439	----	----	----	----	2 UNCH
4600	53.50	53.50	69.50B/42.40A	69.50B/42.40A	----	52.50 + 8.60	.3010	----	----	30	----	32 + 30
4600	----	----	51.20B/24.90A	51.20B/24.90A	----	34.90 + 7.60	.2585	----	----	7	----	7 + 3
4600	----	----	82.80B/----	82.80B/59.70A	----	68.20 + 9.40	.3256	----	----	----	----	31 UNCH
4605	----	----	52.60B/25.80A	52.60B/25.80A	----	36.00 NEW	.2660	----	----	1	----	1 + 1
4610	----	----	72.90B/45.10A	72.90B/45.10A	----	55.30 + 8.90	.3143	----	----	----	----	2 UNCH
4610	----	----	54.20B/26.60A	54.20B/26.60A	----	37.20 + 8.00	.2738	----	----	1	----	1 UNCH
4620	----	----	76.50B/47.60A	76.50B/47.60A	----	58.30 + 9.30	.3281	----	----	----	----	2 UNCH
4620	----	----	57.50B/28.60A	57.50B/28.60A	----	39.70 + 8.40	.2898	----	----	1	----	4 + 1
4635	----	----	62.70B/31.70A	62.70B/31.70A	----	43.70 + 9.10	.3150	----	----	1	----	1 UNCH
4650	46.40	46.40	68.30B/35.20A	68.30B/35.20A	----	48.10 + 9.70	.3418	----	----	1	----	13 UNCH
4650	----	----	153.60B/*102.90	153.60B/*102.90A	----	122.10 - 19.20	.6579	----	----	----	----	1 UNCH
4655	47.90	47.90	70.30B/36.40A	70.30B/36.40A	----	49.70 NEW	.3511	----	----	1	----	1 + 1
4660	----	----	92.30B/58.80A	92.30B/58.80A	----	71.50 + 10.80	.3866	----	----	----	----	2 UNCH
4665	----	----	74.30B/39.00A	74.30B/39.00A	----	53.00 + 10.50	.3701	----	----	----	----	2 UNCH
4670	----	----	76.50B/40.40A	76.50B/40.40A	----	54.70 NEW	.3797	----	----	12	----	12 + 12
4685	----	----	83.20B/44.70A	83.20B/44.70A	----	60.20 + 11.60	.4097	----	----	----	----	2 UNCH
4690	----	----	105.80B/68.80A	105.80B/68.80A	----	83.10 + 12.00	.4338	----	----	----	----	4 UNCH
4690	----	----	124.80B/*80.30A	124.80B/*80.30A	----	96.10 - 17.10	.5797	----	----	----	----	3 UNCH
4690	----	----	85.60B/46.40A	85.60B/46.40A	----	62.10 + 11.90	.4199	----	----	----	----	3 UNCH
4695	----	----	108.30B/70.60A	108.30B/70.60A	----	85.10 + 12.20	.4418	----	----	----	----	1 UNCH
4695	----	----	121.10B/*77.70A	121.10B/*77.70A	----	93.00 NEW	.5694	----	----	1	----	1 + 1
4700	----	----	110.70B/72.40A	110.70B/72.40A	----	87.20 + 12.30	.4499	----	----	----	----	9 UNCH
4700	----	----	117.30B/*75.20A	117.30B/*75.20A	----	90.10 - 16.50	.5589	----	----	----	----	1 UNCH
4700	65.90	65.90	90.50B/49.60A	90.50B/49.60A	----	66.10 + 12.40	.4407	----	----	50	----	159 + 50
4700	113.30	113.30	123.80B/92.40A	123.80B/92.40A	----	106.30 + 13.60	.4545	----	----	2	----	3 + 2
4705	----	----	114.70B/*72.80A	114.70B/*72.80A	----	87.20 - 16.20	.5484	----	----	----	----	1 UNCH
4705	----	----	92.40B/51.30A	92.40B/51.30A	----	68.20 + 12.70	.4513	----	----	----	----	11 UNCH
4710	----	----	95.00B/53.10A	95.00B/53.10A	----	70.30 NEW	.4619	----	----	1	----	1 + 1
4715	----	----	107.60B/*68.00A	107.60B/*68.00A	----	81.50 NEW	.5270	----	----	1	----	1 + 1
4720	----	----	104.50B/*65.70A	104.50B/*65.70A	----	78.80 - 15.40	.5163	----	----	----	----	1 UNCH
4720	----	----	100.30B/56.80A	100.30B/56.80A	----	74.80 + 13.60	.4834	----	----	----	----	0 UNCH
4725	----	----	123.60B/82.10A	123.60B/82.10A	----	98.50 + 13.40	.4913	----	----	----	----	2 UNCH
4730	----	----	126.40B/84.40A	126.40B/84.40A	----	100.90 + 13.60	.4997	----	----	----	----	20 UNCH
4730	----	----	99.30B/*61.30A	99.30B/*61.30A	----	73.40 - 14.90	.4945	----	----	----	----	5 UNCH
4740	----	----	131.90B/88.70A	131.90B/88.70A	----	105.90 + 14.10	.5164	----	----	----	----	5 UNCH
4740	----	----	111.50B/64.90A	111.50B/64.90A	----	84.30 + 14.70	.5270	----	----	----	----	1 UNCH
4745	----	----	114.50B/67.00A	114.50B/67.00A	----	86.90 + 15.00	.5380	----	----	----	----	1 UNCH
4750	----	----	102.60B/*76.90A	102.60B/*76.90A	----	85.10 - 14.30	.4662	----	----	----	----	8 UNCH
4750	----	----	137.70B/93.30A	137.70B/93.30A	----	111.00 + 14.60	.5332	----	----	----	----	5 UNCH
4750	----	----	87.70B/*53.10A	87.70B/*53.10A	----	63.50 NEW	.4506	----	----	1	----	1 + 1
4750	----	----	117.50B/69.20A	117.50B/69.20A	----	89.50 NEW	.5490	----	----	1	----	1 + 1
4750	----	----	150.60B/114.10A	150.60B/114.10A	----	130.30 + 15.40	.5236	----	----	----	----	2 UNCH
4755	----	----	84.80B/*51.10A	84.80B/*51.10A	----	61.20 - 13.30	.4396	----	----	----	----	50 UNCH
4760	----	----	124.20B/74.10A	124.20B/74.10A	----	94.90 + 15.90	.5710	----	----	----	----	2 UNCH
4765	----	----	79.30B/*47.50A	79.30B/*47.50A	----	56.70 NEW	.4177	----	----	1	----	1 + 1
4765	----	----	127.00B/76.30A	127.00B/76.30A	----	97.60 NEW	.5819	----	----	1	----	1 + 1
4770	----	----	76.70B/*45.70A	76.70B/*45.70A	----	54.50 - 12.50	.4067	----	----	----	----	4 UNCH
4775	----	----	133.50B/81.20A	133.50B/81.20A	----	103.40 + 16.80	.6038	----	----	6	----	11 UNCH
4775	----	----	74.20B/*44.00A	74.20B/*44.00A	----	52.40 - 12.20	.3958	----	----	----	----	31 UNCH
4775	----	----	106.80B/*87.10A	106.80B/*87.10A	----	92.60 - 12.90	.4408	----	----	----	----	1 UNCH
4790	----	----	66.70B/*39.10A	66.70B/*39.10A	----	46.50 - 11.30	.3637	----	----	1	----	51 + 1
4795	----	----	147.50B/92.10A	147.50B/92.10A	----	115.60 + 18.00	.6466	----	----	----	----	11 UNCH
4800	----	----	168.90B/118.70A	168.90B/118.70A	----	139.50 + 16.90	.6163	----	----	----	----	3 UNCH
4800	----	----	76.90B/*58.10A	76.90B/*58.10A	----	63.60 - 12.00	.3832	----	----	----	----	101 UNCH
4800	80.00	80.00	95.10B/*78.50A	95.10B/*78.50A	----	81.70 - 12.30	.4060	----	----	1	----	13 + 1
4800	----	----	62.10B/*36.20A	62.10B/*36.20A	----	42.80 - 10.80	.3426	----	----	----	----	5 UNCH
4800	95.20	95.20	151.10B/95.10A	151.10B/95.10A	----	118.70 + 18.20	.6570	----	----	1	----	1 UNCH
4800	----	----	180.30B/139.80A	180.30B/139.80A	----	157.50 + 16.60	.5933	----	----	----	----	2 UNCH
4805	----	----	59.90B/*34.80A	59.90B/*34.80A	----	41.10 - 10.40	.3324	----	----	----	----	4 UNCH
4810	----	----	71.70B/*54.80A	71.70B/*54.80A	----	59.90 - 11.50	.3671	----	----	----	----	1 UNCH
4815	----	----	69.60B/*53.20A	69.60B/*53.20A	----	58.10 - 11.30	.3591	----	----	----	----	1 UNCH
4820	----	----	182.70B/130.50A	182.70B/130.50A	----	152.20 + 17.90	.6481	----	----	----	----	2 UNCH
4820	----	----	67.50B/*51.60A	67.50B/*51.60A	----	56.40 - 11.00	.3514	----	----	----	----	1 UNCH
4825	----	----	169.50B/110.80A	169.50B/110.80A	----	135.50 + 19.60	.7074	----	----	----	----	1 UNCH
4825	----	----	51.30B/*29.60A	51.30B/*29.60A	----	34.60 - 9.40	.2922	----	----	----	----	6 UNCH
4825	----	----	84.20B/*69.50A	84.20B/*69.50A	----	71.70 - 11.80	.3716	----	----	----	----	1 UNCH
4830	----	----	49.40B/*28.40A	49.40B/*28.40A	----	33.20 - 9.00	.2829	----	----	12	----	14 + 12
4835	----	----	47.70B/*27.10A	47.70B/*27.10A	----	31.70 - 8.80	.2731	----	----	4	----	3 + 3
4845	----	----	43.80B/*24.80A	43.80B/*24.80A	----	29.00 - 8.30	.2547	----	----	1	----	3 + 1
4850	----	----	----/*43.20A	56.30B/*43.20A	----	46.70 - 9.70	.3056	----	----	----	----	2 UNCH
4850	----	----	42.30B/*23.70A	42.30B/*23.70A	----	27.80 - 8.00	.2461	----	----	----	----	13 UNCH
4850	----	----	214.10B/169.40A	214.10B/169.40A	----	188.50 NEW	.6609	----	----	1	----	1 + 1
4855	----	----	40.50B/*22.60A	40.50B/*22.60A	----	26.60 - 7.80	.2375	----	----	1	----	2 + 1
4860	----	----	38.90B/*21.60A	38.90B/*21.60A	----	25.40 NEW	.2288	----	----	1	----	1 + 1
4870	----	----	213.60B/162.50A	213.60B/162.50A	----	186.80 + 20.20	.7225	----	----	1	----	2 UNCH
4870	20.00	20.00	35.90B/*19.80A	35.90B/*19.80A	----	23.20 NEW	.2125	----	----	6	----	4 + 4
4875	----	----	----/*55.20A	65.20B/*55.20A	----	54.80 - 10.40	.3064	----	----	----	----	2 UNCH
4875	----	----	232.30B/185.70A	232.30B/185.70A	----	205.50 + 18.60	.6929	----	----	----	----	1 UNCH
4880	----	----	----/*35.80A	46.20B/*35.80A	----	38.50 - 8.30	.2633	----	----	1	----	1 UNCH
4880	----	----	33.00B/*18.00A	33.00B/*18.00A	----	21.20 NEW	.1970	----	----	2	----	0 UNCH
4900	----	----	237.30B/187.10A	237.30B/187.10A	----	209.50 + 21.50	.7622	----	----	----	----	1 UNCH
4900	----	----	----/*31.50A	40.40B/*31.50A	----	33.80 - 7.50	.2373	----	----	----	----	18 UNCH
4900	15.00	15.00	27.90B/*15.00	27.90B/*15.00	----	17.60 - 5.80	.1684	----	----	12	----	39 + 4
4900	----	----	251.20B/202.90A	251.20B/202.90A	----	223.50 + 19.40	.7228	----	----	----	----	1 UNCH
4905	----	----	26.50B/*14.20A	26.50B/*14.20A	----	16.80 - 5.60	.1617	----	----	----	----	2 UNCH
4910	----	----	25.40B/*13.60A	25.40B/*13.60A	----	16.10 - 5.40	.1557	----	----	4	----	4 UNCH
4915	----	----	24.60B/*13.00A	24.60B/*13.00A	----	15.30 - 5.30	.1491	----	----	----	----	1 UNCH
4920	----	----	23.30B/*12.30A	23.30B/*12.30A	----	14.60 - 5.10	.1431	----	----	----	----	4 UNCH
4925	----	----	22.30B/*11.80A	22.30B/*11.80A	----	14.00 - 4.90	.1377	----	----	----	----	4 UNCH
4930	----	----	21.30B/*11.20A	21.30B/*11.20A	----	13.40 - 4.70	.1324	----	----	3	----	1 UNCH
4950	----	----	----/*23.00A	28.50B/*23.00A	----	24.30 - 5.60	.1806	----	----	----	----	5 UNCH
4950	12.30	12.30	18.00B/*9.30A	18.00B/*9.30A	----	11.10 - 4.10	.1118	----	----	9	----	40 + 6
4950	----	----	----/*38.50A	43.20B/*38.50A	----	36.90 - 7.40	.2240	----	----	1	----	4 + 1
4960	10.70	10.70	16.50B/*8.70A	16.50B/*8.70A	----	10.20 - 3.80	.1033	----	----	1	----	2 + 1
4960	----	----	----/*21.60A	26.70B/*21.60A	----	22.80 - 5.20	.1709	----	----	----	----	5 UNCH
4970	----	----	15.00B/*7.80A	15.00B/*7.80A	----	9.30 - 3.50	.0949	----	----	----	----	1 UNCH
4975	----	----	14.30B/*7.50A	14.30B/*7.50A	----	8.90 - 3.40	.0910	----	----	----	----	1 UNCH
4980	----	----	13.70B/*7.10A	13.70B/*7.10A	----	8.50 - 3.30	.0872	----	----	----	----	1 UNCH
4985	----	----	13.10B/*6.90A	13.10B/*6.90A	----	8.20 - 3.10	.0841	----	----	----	----	1 UNCH
4995	----	----	318.70B/----	318.70B/264.10A	----	288.70 NEW	.8597	----	----	1	----	1 + 1
5000	14.50	14.50	15.00/*14.50	19.80B/*14.50	----	17.60 - 4.00	.1362	----	----	4	----	4 + 1
5000	10.60	10.60	11.50B/*6.20A	11.50B/*6.20A	----	7.20 - 2.80	.0743	----	----	2	----	4 UNCH
5000	----	----	322.60B/246.00A	322.60B/246.00A	----	282.90 + 26.10	.9254	----	----	----	----	1 UNCH
5000	----	----	----/*29.90A	32.50B/*29.90A	----	28.70 - 5.30	.1807	----	----	----	----	7 UNCH
5005	----	----	10.90B/*5.90A	10.90B/*5.90A	----	6.90 - 2.70	.0713	----	----	----	----	3 UNCH
5010	----	----	10.40B/*5.70A	10.40B/*5.70A	----	6.60 - 2.60	.0683	----	----	----	----	29 UNCH
5020	----	----	9.50B/*5.30A	9.50B/*5.30A	----	6.10 - 2.40	.0632	----	----	----	----	4 UNCH
5025	----	----	----/*13.30A	16.60B/*13.30A	----	15.00 - 3.40	.1180	----	----	6	----	4 + 3
5025	----	----	346.10B/----	346.10B/290.50A	----	315.50 NEW	.8815	----	----	1	----	1 + 1
5025	----	----	9.10B/*5.10A	9.10B/*5.10A	----	5.80 - 2.40	.0603	----	----	----	----	1 UNCH
5050	----	----	7.30B/*4.20A	7.30B/*4.20A	----	4.80 - 1.90	.0498	----	----	----	----	1 UNCH
5050	----	----	----/*23.70A	24.20B/*23.70A	----	21.90 - 4.40	.1433	----	----	----	----	3 UNCH
5075	----	----	----/*10.10A	11.60B/*10.10A	----	11.00 - 2.40	.0886	----	----	----	----	1 UNCH
5075	----	----	5.90B/*3.60A	5.90B/*3.60A	----	4.00 - 1.60	.0413	----	----	----	----	2 UNCH
5100	----	----	4.80B/*3.10A	4.80B/*3.10A	----	3.40 - 1.30	.0348	----	----	----	----	5 UNCH
5100	----	----	----/*8.80A	9.50B/*8.80A	----	9.50 - 2.10	.0771	----	----	1	----	4 + 1
5100	----	----	----/*18.60A	18.20B/*18.60A	----	17.00 - 3.40	.1141	----	----	----	----	3 UNCH
5125	----	----	----/*2.60A	3.80B/*2.60A	----	2.90 - 1.10	.0293	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 47

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
MAY26												
5125	----	----	----/*7.90A	8.10B/*7.90A	----	8.30 - 1.70	.0675	----	----	----	----	3 UNCH
5150	8.30	8.30	8.30/*8.30	13.60B/*8.30	----	13.20 - 2.90	.0905	----	----	1	----	3 UNCH
5175	3.70	3.70	3.70/*2.10A	3.70/*2.10A	----	2.20 - 0.70	.0216	----	----	2	----	0 - 2
5200	----	----	----/*1.90A	2.10B/*1.90A	----	2.00 - 0.60	.0192	----	----	1	----	3 + 1
5200	----	----	----/*12.20A	10.10B/*12.20A	----	10.50 - 2.30	.0727	----	----	----	----	4 UNCH
5200	5.60	5.60	5.60/*5.60	5.60/*5.60	----	5.70 - 1.10	.0462	----	----	2	----	92 UNCH
5200	----	----	471.90B/----	471.90B/459.40A	----	485.60 + 26.70	.9268	----	----	----	----	1 UNCH
5225	----	----	----/*5.20A	4.30B/*5.20A	----	5.10 - 0.90	.0412	----	----	----	----	1 UNCH
5250	----	----	----/*4.70A	3.80B/*4.70A	----	4.60 - 0.80	.0369	----	----	----	----	9 UNCH
5275	----	----	----/*4.30A	3.30B/*4.30A	----	4.20 NEW	.0334	----	----	3	----	3 + 3
5300	----	----	----	3.90B/*8.80A	----	6.80 - 1.60	.0476	----	----	----	----	1 UNCH
5500	----	----	----	1.20B/*5.60A	----	3.10 - 0.80	.0215	----	----	----	----	1 UNCH
TOTAL										232		1382 + 173
JUN26												
3500	----	----	----	0.10B/14.00A	----	0.10 NEW	.0006	----	----	2	----	2 + 2
3750	----	----	----	0.10B/16.70A	----	0.90 NEW	.0054	----	----	4	----	4 + 4
3900	----	----	----	0.10B/*19.00A	----	2.50 NEW	.0142	----	----	2	----	2 + 2
4100	----	----	#15.00B/----	#15.00B/*17.20A	----	8.40 + 0.10	.0436	----	----	----	----	4 UNCH
4200	24.40	24.40	#24.40/*24.40	#24.40/17.40A	----	14.50 NEW	.0713	----	----	1	----	1 + 1
4300	----	----	#31.30B/----	#31.30B/24.00A	----	25.40 + 3.70	.1149	----	----	1	----	3 + 1
4350	----	----	#37.70B/----	#37.70B/*28.50A	----	29.40 NEW	.1340	----	----	1	----	1 + 1
4400	----	----	#45.60B/----	#45.60B/34.00A	----	37.00 + 4.10	.1630	----	----	2	----	1 UNCH
4450	----	----	#54.80B/----	#54.80B/40.90A	----	46.40 NEW	.1967	----	----	1	----	1 + 1
4475	----	----	#60.10B/----	#60.10B/44.80A	----	51.50 NEW	.2146	----	----	2	----	2 + 2
4500	----	----	#65.80B/----	#65.80B/49.20A	----	56.80 + 7.60	.2332	----	----	1	----	1 UNCH
4525	----	----	#72.10B/*54.00A	#72.10B/54.00A	----	62.30 + 8.10	.2525	----	----	4	----	2 UNCH
4550	----	----	#78.80B/*59.40A	#78.80B/59.40A	----	68.30 + 8.50	.2729	----	----	3	----	4 + 2
4575	----	----	#86.20B/*65.20A	#86.20B/65.20A	----	74.60 NEW	.2942	----	----	2	----	0 UNCH
4625	----	----	#103.00B/*78.60	#103.00B/78.60A	----	88.70 NEW	.3403	----	----	2	----	0 UNCH
4750	----	----	#157.50B/123.70	#157.50B/123.70A	----	135.70 NEW	.4737	----	----	1	----	1 + 1
4800	----	----	#184.50B/146.90	#184.50B/146.90A	----	160.50 + 10.50	.5314	----	----	----	----	1 UNCH
4850	----	----	----/*96.40A	114.20B/*96.40A	----	99.20 - 16.80	.4106	----	----	----	----	0 UNCH
5025	----	----	----/*48.90A	54.50B/*48.90A	----	49.30 NEW	.2409	----	----	1	----	1 + 1
5100	----	----	----/*36.60A	38.80B/*36.60A	----	36.40 NEW	.1869	----	----	1	----	1 + 1
5125	----	----	----/*33.40A	34.50B/*33.40A	----	33.00 NEW	.1717	----	----	1	----	1 + 1
5175	----	----	----/*27.60A	27.20B/*27.60A	----	27.10 - 3.90	.1444	----	----	----	----	3 UNCH
5225	----	----	----/*22.90A	21.40B/*22.90A	----	22.50 NEW	.1220	----	----	1	----	1 + 1
5275	----	----	----/*19.20A	17.00B/*19.20A	----	18.80 - 1.30	.1033	----	----	----	----	3 UNCH
TOTAL										33		40 + 21

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK4										
APR26												
4630	----	----	----	3.50B/----	----	7.30 + 2.20	.0727	----	----	----	----	1 UNCH
4800	----	----	----	----	----	4.70 - 7.90	.0600	----	----	----	----	1 UNCH
TOTAL												2 0
MAY26												
4800	119.00	119.00	#119.00/*119.00	#119.00/119.00	----	113.40 NEW	.6735	----	----	1	----	1 + 1
TOTAL										1		1+ 1

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
APR26												
5000	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6100	----	----	----	----/*0.080A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6450	----	----	----	----/0.082A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6775	----	----	----	----/*0.084A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6850	----	----	----	----/*0.081A	----	0.000 - 0.001	----	----	----	----	----	0 - 25
6900	----	----	0.375B/----	0.375B/0.371A	----	0.341 + 0.142	.0953	----	----	1	----	2 + 1
7000	----	----	0.521B/----	0.521B/0.447A	----	0.467 NEW	.1281	----	----	1	----	1 + 1
7000	----	----	----	----/*0.080A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7000	----	----	----	----	----	5.504 - 2.458	----	----	----	----	----	0 - 1
7100	----	----	0.714B/----	0.714B/0.542A	----	0.629 + 0.271	.1684	----	----	----	----	1 UNCH
7200	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.000 - 0.009	----	----	----	10	----	0 - 3
7300	0.750	0.750	1.284B/0.750	1.284B/0.750	----	1.093 NEW	.2736	----	----	1	----	1 + 1
7300	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.021	----	----	----	2	----	0 - 2
7350	----	----	0.040B/----	0.040B/*0.106A	----	0.000 - 0.030	----	----	----	----	----	0 - 5
7400	0.140	0.140	0.221B/*0.107A	0.221B/*0.107A	----	0.000 - 0.045	----	----	----	1	----	0 - 1
7420	0.275	0.275	0.281B/*0.106A	0.281B/*0.106A	----	0.000 NEW	----	----	----	10	----	0 UNCH
7425	0.276	0.276	0.302B/*0.006	0.302B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7450	----	----	0.336B/----	0.336B/*0.108A	----	0.000 - 0.067	----	----	----	----	----	0 - 1
7490	0.280	0.280	0.348B/*0.126A	0.348B/*0.126A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7500	1.633	1.633	2.130B/1.633	2.130B/1.243A	----	1.793 NEW	.4077	----	----	4	----	4 + 4
7500	0.350	0.350	0.525/*0.005	0.525/*0.005	----	0.000 NEW	----	----	----	9	----	0 UNCH
7550	0.040	0.040	0.452B/*0.020	0.452B/*0.020	----	0.000 - 0.144	----	----	----	4	----	0 - 2
7600	1.922	1.922	2.382B/1.922	2.382B/1.536A	----	2.248 + 0.956	.4815	----	----	3	----	4 + 3
7600	0.251	0.251	0.296/*0.251	0.556B/*0.251	----	0.000 NEW	----	----	----	4	----	0 UNCH
7600	0.502	0.502	0.573B/*0.242A	0.573B/*0.242A	----	0.496 + 0.286	----	----	----	1	----	0 - 2
7680	0.300	0.300	#0.300/*0.040	0.467B/*0.040	----	0.000 NEW	----	----	----	2	----	0 UNCH
7700	0.755	0.755	0.755/0.623A	0.755/0.623A	----	1.496 NEW	----	----	----	1	----	0 UNCH
7700	0.407	0.407	0.407/*0.001	0.469B/*0.001	----	0.000 - 1.393	----	----	----	2	----	0 - 4
7725	0.175	0.175	0.175/*0.075	0.466B/*0.075	----	0.000 NEW	----	----	----	14	----	0 UNCH
7750	0.955	0.955	0.955/0.825A	0.955/0.825A	----	1.996 NEW	----	----	----	2	----	0 UNCH
7750	0.050	0.050	0.060/*0.050	0.474B/*0.050	----	0.000 NEW	----	----	----	40	----	0 UNCH
7800	0.500	0.500	0.755/*0.104A	0.755/*0.104A	----	0.000 - 0.785	----	----	----	3	----	0 - 2
7820	0.501	0.501	0.501/*0.105A	0.501/*0.105A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7825	0.500	0.500	0.500/*0.107A	0.500/*0.107A	----	0.000 NEW	----	----	----	10	----	0 UNCH
7830	0.158	0.158	0.158/*0.006	0.451B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7850	0.115	0.115	0.115/*0.108A	0.345B/*0.108A	----	0.000 - 0.558	----	----	----	2	----	0 - 9
7900	0.202	0.202	0.202/*0.099A	0.202/*0.099A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7925	----	----	----/*0.113A	0.067B/*0.113A	----	0.000 - 0.312	----	----	----	----	----	0 - 2
8000	----	----	----/*0.974A	1.485B/*0.974A	----	0.847 - 0.786	.2432	----	----	----	----	2 UNCH
8000	----	----	----/0.118A	0.001B/0.118A	----	0.000 - 0.157	----	----	----	----	----	0 - 8
8000	----	----	3.126B/----	3.126B/4.017A	----	4.785 + 1.681	.7567	----	----	----	----	1 UNCH
8070	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.000 - 0.075	----	----	----	1	----	0 - 1
8100	----	----	----/*0.776A	1.098B/*0.776A	----	0.639 - 0.637	.1910	----	----	----	----	1 UNCH
8200	----	----	----	----/*0.083A	----	0.000 - 0.015	----	----	----	----	----	0 - 7
8250	----	----	----	----	----	6.996 + 2.449	----	----	----	----	----	0 - 15
8500	----	----	----	----/*0.080A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9000	----	----	----	----/*0.083A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										136	0	17 - 87
MAY26												
8000	1.700	1.700	1.700/*1.632A	2.261B/*1.632A	----	1.612 NEW	.3235	----	----	5	----	5 + 5
TOTAL										5	0	5 + 5
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
MAY26												
5500	----	----	----	0.001B/0.178A	----	0.099 + 0.028	.0178	----	----	----	----	17 UNCH
6600	----	----	0.237B/----	0.237B/0.304A	----	0.276 + 0.104	.0675	----	----	----	----	1 UNCH
7200	0.850	0.850	1.238B/0.845A	1.238B/0.845A	----	1.075 NEW	.2457	----	----	1	----	1 + 1
7425	1.500	1.500	2.051B/1.500	2.051B/1.345A	----	1.822 NEW	.3711	----	----	1	----	1 + 1
7600	2.331	2.331	2.765B/2.331	2.765B/1.840A	----	2.621 NEW	.4795	----	----	15	----	15 + 15
7625	----	----	3.506B/----	3.506B/2.726A	----	3.389 + 0.969	.4883	----	----	----	----	1 UNCH
7800	2.726	2.726	3.245/*2.475A	3.245/*2.475A	----	2.416 NEW	.4250	----	----	2	----	1 + 1
7900	----	----	----/*2.165A	2.857B/*2.165A	----	2.042 - 1.177	.3774	----	----	----	----	4 UNCH
7900	----	----	----/*2.748A	3.384B/*2.748A	----	2.666 - 1.206	.4056	----	----	----	----	1 UNCH
7900	----	----	4.134B/----	4.134B/3.953A	----	4.978 + 1.288	.6225	----	----	----	----	4 UNCH
7975	----	----	3.905B/----	3.905B/4.292A	----	4.947 + 1.627	.6998	----	----	----	----	2 UNCH
8000	----	----	3.921B/----	3.921B/4.489A	----	5.131 + 1.661	.7124	----	----	----	----	2 UNCH
8000	----	----	----/*1.897A	2.615B/*1.897A	----	1.719 - 1.063	.3322	----	----	10	----	50 + 10
8500	----	----	----/*0.999A	1.096B/*0.999A	----	0.715 - 0.591	.1615	----	----	10	----	50 + 10
TOTAL										39	0	150 + 38

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
JUN26												
7950	----	----	----	0.435B/13.253A	----	7.317 + 1.231	.5669	----	----	----	----	1 UNCH
8000	----	----	----	0.754B/13.601A	----	7.660 + 1.265	.5804	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3850	----	----	----	----	----	37.004 - 2.457	.0000	----	----	13	----	0 UNCH
3875	----	----	----/36.135A	38.068B/36.135A	----	36.754 - 2.457	.0000	----	----	30	----	50 UNCH
3900	----	----	----	----	----	36.504 - 2.457	.0000	----	----	13	----	0 UNCH
3975	----	----	----	----	----	35.754 - 2.457	.0000	----	----	13	----	0 UNCH
4000	----	----	----/34.885A	36.818B/34.885A	----	35.504 - 2.457	.0000	----	----	26	----	53 UNCH
4025	----	----	----	----	----	35.254 - 2.457	.0000	----	----	13	----	0 UNCH
4075	----	----	----	----	----	34.754 - 2.457	.0000	----	----	12	----	0 UNCH
4100	----	----	----/33.885A	35.818B/33.885A	----	34.504 - 2.457	.0000	----	----	24	----	50 UNCH
4125	----	----	----	----	----	34.254 - 2.457	.0000	----	----	12	----	0 UNCH
4175	----	----	----	----	----	33.754 - 2.457	.0000	----	----	25	----	0 UNCH
4200	----	----	----/32.885A	34.818B/32.885A	----	33.504 - 2.457	.0000	----	----	50	----	116 UNCH
4225	----	----	----	----	----	33.254 - 2.457	.0000	----	----	25	----	0 UNCH
4600	----	----	----/28.975A	30.730B/28.975A	----	29.504 - 2.457	.9999	----	----	----	----	20 UNCH
4650	----	----	----/28.385A	30.319B/28.385A	----	29.004 - 2.457	.9999	----	----	----	----	71 UNCH
4675	----	----	----/28.225A	29.979B/28.225A	----	28.754 - 2.457	.9999	----	----	----	----	10 UNCH
4800	----	----	----/27.094A	28.724B/27.094A	----	27.504 - 2.457	.9998	----	----	----	----	4 UNCH
4900	----	----	----/26.094A	27.725B/26.094A	----	26.504 - 2.457	.9998	----	----	----	----	1 UNCH
5000	----	----	----/24.929A	26.773B/24.929A	----	25.504 - 2.458	.9997	----	----	----	----	40 UNCH
5250	----	----	----/22.476A	24.236B/22.476A	----	23.006 - 2.458	.9994	----	----	----	----	11 UNCH
5300	----	----	----/21.888A	23.821B/21.888A	----	22.506 - 2.459	.9992	----	----	----	----	76 UNCH
5350	----	----	----/21.593A	23.228B/21.593A	----	22.007 - 2.459	.9992	----	----	----	----	5 UNCH
5400	----	----	----/20.854A	22.822B/20.854A	----	21.507 - 2.459	.9991	----	----	----	----	53 UNCH
5425	----	----	----	----	----	21.257 - 2.459	.9991	----	----	----	----	0 UNCH
5450	----	----	----/20.357A	22.323B/20.357A	----	21.007 - 2.460	.9991	----	----	----	----	50 UNCH
5500	----	----	----/19.850A	21.823B/19.850A	----	20.508 - 2.459	.9989	----	----	----	----	179 UNCH
5525	----	----	----/19.735A	21.489B/19.735A	----	20.258 - 2.460	.9989	----	----	----	----	5 - 19
5550	----	----	----/19.489A	21.239B/19.489A	----	20.009 - 2.459	.9987	----	----	----	----	6 - 2
5600	----	----	----/18.858A	20.824B/18.858A	----	19.509 - 2.459	.9987	----	----	----	----	109 - 1
5625	----	----	----/18.740A	20.492B/18.740A	----	19.260 - 2.459	.9985	----	----	----	----	6 - 2
5650	----	----	----/18.419A	20.278B/18.419A	----	19.010 - 2.459	.9985	----	----	----	----	31 UNCH
5675	----	----	----/18.229A	19.993B/18.229A	----	18.760 - 2.459	.9985	----	----	----	----	6 UNCH
5700	----	----	----/17.993A	19.744B/17.993A	----	18.511 - 2.459	.9983	----	----	----	----	1 - 8
5750	----	----	----/17.495A	19.244B/17.495A	----	18.011 - 2.460	.9982	----	----	----	----	8 - 7
5775	----	----	----/17.346A	18.984B/17.346A	----	17.762 - 2.459	.9981	----	----	----	----	0 - 1
5800	----	----	----/17.097A	18.734B/17.097A	----	17.512 - 2.459	.9980	----	----	----	----	1 UNCH
5825	----	----	----/16.747A	18.496B/16.747A	----	17.263 - 2.459	.9978	----	----	----	----	11 UNCH
5850	----	----	----/16.599A	18.235B/16.599A	----	17.013 - 2.459	.9978	----	----	----	----	2 UNCH
5900	----	----	----/15.858A	17.830B/15.858A	----	16.515 - 2.458	.9976	----	----	----	----	124 UNCH
5925	----	----	----/15.851A	17.487B/15.851A	----	16.265 - 2.459	.9973	----	----	----	----	1 UNCH
5950	----	----	----/15.502A	17.250B/15.502A	----	16.016 - 2.458	.9971	----	----	----	----	15 UNCH
6000	14.700	14.700	14.700/14.700	16.832B/14.700	----	15.517 - 2.458	.9968	----	----	1	----	220 UNCH
6050	----	----	----/14.608A	16.241B/14.608A	----	15.019 - 2.457	.9964	----	----	----	----	1 UNCH
6075	----	----	----/14.119A	16.085B/14.119A	----	14.770 - 2.457	.9963	----	----	----	----	122 UNCH
6100	----	----	----/14.012A	15.755B/14.012A	----	14.520 - 2.458	.9960	----	----	----	----	8 UNCH
6125	----	----	----/13.864A	15.494B/13.864A	----	14.271 - 2.457	.9958	----	----	----	----	1 UNCH
6150	----	----	----/13.617A	15.245B/13.617A	----	14.022 - 2.457	.9955	----	----	----	----	3 UNCH
6175	----	----	----/13.340A	14.997B/13.340A	----	13.773 - 2.457	.9952	----	----	----	----	1 UNCH
6200	----	----	----/12.882A	14.840B/12.882A	----	13.525 - 2.456	.9949	----	----	----	----	59 UNCH
6225	----	----	----/12.635A	14.591B/12.635A	----	13.276 - 2.456	.9946	----	----	----	----	69 UNCH
6250	----	----	----/12.600A	14.253B/12.600A	----	13.027 - 2.455	.9941	----	----	----	----	3 UNCH
6275	----	----	----/12.354A	14.002B/12.354A	----	12.779 - 2.454	.9937	----	----	----	----	4 UNCH
6300	----	----	----/12.039A	13.766B/12.039A	----	12.530 - 2.454	.9932	----	----	----	----	24 UNCH
6325	----	----	----/11.862A	13.508B/11.862A	----	12.282 - 2.453	.9928	----	----	----	----	3 UNCH
6350	----	----	----/11.548A	13.269B/11.548A	----	12.033 - 2.454	.9922	----	----	----	----	7 UNCH
6375	----	----	----/11.223A	13.055B/11.223A	----	11.785 - 2.453	.9916	----	----	----	----	48 UNCH
6400	----	----	----/10.915A	12.853B/10.915A	----	11.537 - 2.452	.9912	----	----	----	----	62 UNCH
6425	----	----	----/10.813A	12.525B/10.813A	----	11.289 - 2.451	.9903	----	----	----	----	6 UNCH
6450	----	----	----/10.635A	12.268B/10.635A	----	11.042 - 2.450	.9897	----	----	----	----	4 UNCH
6475	----	----	----/10.322A	12.025B/10.322A	----	10.794 - 2.449	.9890	----	----	----	----	6 UNCH
6500	----	----	----/10.037A	11.862B/10.037A	----	10.547 - 2.448	.9880	----	----	----	----	162 UNCH
6525	----	----	----/9.801A	11.569B/9.801A	----	10.299 - 2.447	.9870	----	----	----	----	28 UNCH
6550	----	----	----/9.596A	11.288B/9.596A	----	10.053 - 2.445	.9859	----	----	----	----	8 UNCH
6575	----	----	----/9.418A	11.032B/9.418A	----	9.806 - 2.444	.9848	----	----	----	----	3 UNCH
6600	----	----	----/9.110A	10.794B/9.110A	----	9.559 - 2.443	.9837	----	----	----	----	9 UNCH
6625	----	----	----/8.866A	10.543B/8.866A	----	9.313 - 2.441	.9823	----	----	----	----	7 UNCH
6650	----	----	----/8.616A	10.294B/8.616A	----	9.068 - 2.439	.9806	----	----	----	----	6 UNCH
6675	----	----	----/8.449A	10.046B/8.449A	----	8.822 - 2.437	.9790	----	----	----	----	1 UNCH
6700	----	----	----/8.098A	9.888B/8.098A	----	8.577 - 2.435	.9771	----	----	----	----	169 UNCH
6750	----	----	----/7.660A	9.320B/7.660A	----	8.089 - 2.429	.9729	----	----	----	----	10 UNCH
6800	----	----	----/7.041A	8.909B/7.041A	----	7.603 - 2.422	.9675	----	----	----	----	56 UNCH
6825	----	----	----/6.804A	8.665B/6.804A	----	7.360 - 2.419	.9644	----	----	----	----	107 UNCH
6850	----	----	----/6.806A	8.332B/6.806A	----	7.118 - 2.416	.9611	----	----	----	----	1 UNCH
6875	----	----	----/6.571A	8.089B/6.571A	----	6.877 - 2.411	.9574	----	----	----	----	1 UNCH
6900	----	----	----/6.104A	7.937B/6.104A	----	6.637 - 2.407	.9536	----	----	----	----	195 UNCH
6925	----	----	----/6.013A	7.623B/6.013A	----	6.398 - 2.401	.9490	----	----	----	----	12 UNCH
6950	----	----	----/5.883A	7.365B/5.883A	----	6.160 - 2.395	.9440	----	----	----	----	5 UNCH
7000	----	----	----/5.206A	6.975B/5.206A	----	5.687 - 2.382	.9325	----	----	8	----	440 + 3
7025	----	----	----/5.125A	6.658B/5.125A	----	5.454 - 2.373	.9256	----	----	----	----	11 UNCH
7050	----	----	----/4.848A	6.474B/4.848A	----	5.222 - 2.364	.9180	----	----	----	----	26 UNCH
7075	----	----	----/4.695A	6.397B/4.695A	----	4.992 - 2.354	.9095	----	----	----	----	6 UNCH
7100	----	----	----/4.440A	6.027B/4.440A	----	4.764 - 2.343	.8999	----	----	----	----	64 UNCH
7125	----	----	----/4.371A	6.200B/4.371A	----	4.540 - 2.329	.8894	----	----	----	----	4 UNCH
7150	----	----	----/4.170A	6.106B/4.170A	----	4.318 - 2.314	.8775	----	----	----	----	2 UNCH
7175	----	----	----/3.885A	5.258B/3.885A	----	4.100 - 2.297	.8646	----	----	----	----	13 UNCH
7200	3.000	3.000	5.111B/3.000	5.111B/3.000	----	3.886 - 2.277	.8502	----	----	1	----	52 UNCH
7225	----	----	----/3.514A	4.814B/3.514A	----	3.676 - 2.255	.8343	----	----	----	----	8 UNCH
7250	----	----	----/3.287A	4.666B/3.287A	----	3.470 - 2.231	.8171	----	----	----	----	62 UNCH
7275	----	----	----/3.215A	4.366B/3.215A	----	3.270 - 2.203	.7982	----	----	----	----	2 UNCH
7300	----	----	----/2.934A	4.232B/2.934A	----	3.075 - 2.172	.7779	----	----	----	----	142 UNCH
7325	----	----	----/2.434A	3.944B/2.434A	----	2.885 - 2.139	.7562	----	----	----	----	3 UNCH
7350	----	----	----/2.285A	3.817B/2.285A	----	2.702 - 2.101	.7330	----	----	----	----	51 UNCH
7375	----	----	----/*2.057A	3.620B/*2.057A	----	2.525 - 2.061	.7083	----	----	----	----	86 UNCH
7400	1.761	1.761	3.386B/*1.761	3.386B/*1.761	----	2.354 - 2.017	.6824	----	----	3	----	45 + 2
7425	----	----	----/*1.742A	3.177B/*1.742A	----	2.190 - 1.970	.6554	----	----	----	----	7 UNCH
7450	----	----	----/*1.623A	2.991B/*1.623A	----	2.033 - 1.920	.6274	----	----	----	----	15 UNCH
7460	----	----	----/*1.558A	1.925B/*1.558A	----	1.973 NEW	.6160	----	----	1	----	1 + 1
7475	2.239	2.239	2.239/*1.483A	2.811B/*1.483A	----	1.884 - 1.865	.5986	----	----	1	----	7 + 1
7480	2.207	2.207	#2.230B/*1.460A	2.230B/*1.460A	----	1.855 NEW	.5927	----	----	1	----	1 + 1
7490	1.436	1.436	#2.674B/*1.412A	2.674B/*1.412A	----	1.798 NEW	.5810	----	----	2	----	0 UNCH
7500	1.268	1.268	2.690B/1.268	2.690B/1.268	----	1.742 - 1.808	.5691	----	----	23	----	403 - 7
7520	----	----	----/*1.285A	2.647B/*1.285A	----	1.633 NEW	.5453	----	----	1	----	1 + 1
7525	----	----	----/*1.254A	2.612B/*1.254A	----	1.607 - 1.748	.5393	----	----	----	----	16 UNCH
7530	1.464	1.464	2.578B/*1.230A	2.578B/*1.230A	----	1.581 - 1.735	.5332	----	----	1	----	4 - 1
7535	----	----	----/*1.214A	2.542B/*1.214A	----	1.555 - 1.723	.5272	----	----	----	----	2 UNCH
7540	----	----	----/*1.189A	2.508B/*1.189A	----	1.529 - 1.711	.5212	----	----	----	----	1 UNCH
7545	----	----	----/*1.173A	2.471B/*1.173A	----	1.504 - 1.698	.5152	----	----	----	----	2 UNCH
7550	2.050	2.050	2.438B/*1.147A	2.438B/*1.147A	----	1.479 - 1.685	.5092	----	----	10	----	14 UNCH
7555	----	----	----/*1.125A	2.403B/*1.125A	----	1.454 - 1.673	.5032	----	----	5	----	7 + 5
7565	1.100	1.100	2.353B/*1.087A	2.353B/*1.087A	----	1.406 - 1.646	.4911	----	----	4	----	1 + 1
7570	----	----	----/*1.067A	2.345B/*1.067A	----	1.382 - 1.633	.4851	----	----	----	----	3 UNCH
7575	1.400	1.400	2.312B/*1.048A	2.312B/*1.048A	----	1.359 - 1.619	.4791	----	----	2	----	11 UNCH
7585	----	----	----/*1.007A	2.247B/*1.007A	----	1.313 - 1.593	.4671	----	----	----	----	2 UNCH
7590	----	----	----/*0.989A	2.215B/*0.989A	----	1.290 - 1.580	.4611	----	----	----	----	1 UNCH
7595	----	----	----/*0.971A	2.183B/*0.971A	----	1.268 - 1.566	.4552	----	----	----	----	2 UNCH
7600	1.518	1.518	1.518/*0.949A	2.148B/*0.949A	----	1.246 - 1.552	.4492	----	----	24	50	132 + 32
7605	----	----	----/*0.930A	2.119B/*0.930A	----	1.224 - 1.538	.4433	----	----	2	----	2 UNCH
7615	----	----	----/*0.907A	2.058B/*0.907A	----	1.181 - 1.511	.4315	----	----	----	----	2 UNCH
7620	----	----	----/*0.877A	2.028B/*0.877A	----	1.160 - 1.497	.4256	----	----	----	----	2 UNCH
7625	----	----	----/*0.860A	1.996B/*0.860A	----	1.140 - 1.483	.4198	----	----	----	----	13 UNCH
7630	----	----	----/*0.842A	1.966B/*0.842A	----	1.120 - 1.468	.4139	----	----	----	----	1 UNCH
7635	----	----	----/*0.824A	1.935B/*0.824A	----	1.099 - 1.455	.4081	----	----	----	----	3 UNCH
7640	1.382	1.382	1.906B/*0.808A	1.906B/*0.808A	----	1.080 - 1.440	.4024	----	----	2	----	4 + 1
7645	1.338	1.338	1.878B/*0.794A	1.878B/*0.794A	----	1.060 - 1.426	.3966	----	----	1	----	10 - 1
7650	1.280	1.280	1.847B/*0.785A	1.847B/*0.785A	----	1.041 - 1.412	.3909	----	----	10	----	31 UNCH
7655	----	----	----/*0.761A	1.817B/*0.761A	----	1.022 - 1.398	.3852	----	----	----	----	8 UNCH
7660	----	----	----/*0.746A	1.857B/*0.746A	----	1.003 - 1.384	.3795	----	----	----	----	28 UNCH
7665	----	----	----/*0.729A	1.826B/*0.729A	----	0.985 - 1.369	.3739	----	----	----	----	13 UNCH
7675	1.599	1.599	1.599/*0.702A	1.770B/*0.702A	----	0.949 - 1.340	.3627	----	----	11	----	13 + 9
7680	----	----	----/*0.687A	1.785B/*0.687A	----	0.931 - 1.326	.3572	----	----	----	----	4 UNCH
7685	----	----	----/*0.672A	1.755B/*0.672A	----	0.914 - 1.311	.3517	----	----	----	----	5 UNCH
7690	----	----	----/*0.659A	1.838B/*0.659A	----	0.896 - 1.297	.3462	----	----	3	----	3 UNCH
7695	1.586	1.586	1.586/*0.644A	1.821B/*0.644A	----	0.879 - 1.283	.3407	----	----	2	----	6 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7700	1.526	1.526	1.526/*0.628A	1.897B/*0.628A	----	0.863 - 1.268	.3354	----	----	146	----	162 - 23
7705	1.530	1.530	1.530/*0.617A	2.000B/*0.617A	----	0.846 - 1.254	.3300	----	----	1	----	5 + 1
7710	1.401	1.401	1.401/*0.604A	1.968B/*0.604A	----	0.830 - 1.239	.3247	----	----	1	----	2 UNCH
7715	----	----	----/*0.612A	1.936B/*0.612A	----	0.814 - 1.225	.3195	----	----	----	----	5 UNCH
7720	1.454	1.454	1.454/*0.587A	1.894B/*0.587A	----	0.799 - 1.209	.3143	----	----	2	----	3 + 1
7725	1.438	1.438	1.438/*0.565A	1.874B/*0.565A	----	0.783 - 1.195	.3091	----	----	2	----	15 - 1
7735	----	----	----/*0.542A	1.812B/*0.542A	----	0.753 - 1.166	.2989	----	----	----	----	1 UNCH
7740	1.284	1.284	1.284/*0.532A	1.784B/*0.532A	----	0.738 - 1.152	.2938	----	----	1	----	2 UNCH
7745	----	----	----/*0.523A	1.769B/*0.523A	----	0.724 - 1.137	.2889	----	----	----	----	3 UNCH
7750	0.850	0.850	1.380/*0.511A	1.770B/*0.511A	----	0.710 - 1.122	.2840	----	----	14	----	14 + 2
7755	----	----	----/*0.498A	1.732B/*0.498A	----	0.696 - 1.108	.2791	----	----	----	----	1 UNCH
7760	----	----	----/*0.487A	1.704B/*0.487A	----	0.682 - 1.094	.2743	----	----	----	----	2 UNCH
7765	----	----	----/*0.475A	1.674B/*0.475A	----	0.668 - 1.080	.2694	----	----	----	----	1 UNCH
7770	----	----	----/*0.465A	1.639B/*0.465A	----	0.655 - 1.065	.2647	----	----	----	----	1 UNCH
7775	----	----	----/*0.454A	1.614B/*0.454A	----	0.642 - 1.051	.2600	----	----	----	----	4 UNCH
7780	----	----	----/*0.444A	1.585B/*0.444A	----	0.629 - 1.036	.2554	----	----	----	----	1 UNCH
7785	----	----	----/*0.434A	1.552B/*0.434A	----	0.616 - 1.022	.2507	----	----	----	----	1 UNCH
7790	----	----	----/*0.424A	1.540B/*0.424A	----	0.604 - 1.008	.2463	----	----	----	----	4 UNCH
7795	0.652	0.652	0.652/*0.415A	1.498B/*0.415A	----	0.591 - 0.994	.2417	----	----	1	----	2 UNCH
7800	1.060	1.060	1.165/*0.405A	1.486B/*0.405A	----	0.579 - 0.980	.2372	----	----	35	----	110 - 5
7805	----	----	----/*0.396A	1.435B/*0.396A	----	0.567 - 0.966	.2328	----	----	----	----	7 UNCH
7810	1.098	1.098	1.098/*0.387A	1.414B/*0.387A	----	0.556 - 0.952	.2286	----	----	4	----	3 + 2
7815	----	----	----/*0.379A	1.387B/*0.379A	----	0.544 - 0.938	.2242	----	----	----	----	3 UNCH
7820	----	----	----/*0.370A	1.361B/*0.370A	----	0.533 - 0.924	.2200	----	----	----	----	2 UNCH
7825	----	----	----/*0.362A	1.327B/*0.362A	----	0.522 - 0.910	.2159	----	----	1	----	5 + 1
7830	----	----	----/*0.353A	1.300B/*0.353A	----	0.511 - 0.897	.2117	----	----	----	----	0 UNCH
7835	----	----	----/*0.345A	1.274B/*0.345A	----	0.500 - 0.883	.2076	----	----	----	----	1 UNCH
7840	----	----	----/*0.337A	1.271B/*0.337A	----	0.489 - 0.870	.2035	----	----	----	----	3 UNCH
7845	----	----	----/*0.329A	1.223B/*0.329A	----	0.479 - 0.856	.1996	----	----	----	----	3 UNCH
7850	----	----	----/*0.321A	1.201B/*0.321A	----	0.469 - 0.843	.1957	----	----	2	----	35 UNCH
7855	0.506	0.506	0.506/*0.314A	1.172B/*0.314A	----	0.459 - 0.829	.1918	----	----	2	----	9 UNCH
7860	----	----	----/*0.307A	1.152B/*0.307A	----	0.449 - 0.816	.1879	----	----	----	----	5 UNCH
7865	----	----	----/*0.300A	1.120B/*0.300A	----	0.439 - 0.803	.1841	----	----	----	----	1 UNCH
7870	0.320	0.320	0.320/*0.294A	1.099B/*0.294A	----	0.430 - 0.790	.1805	----	----	1	----	2 + 1
7875	----	----	----/*0.287A	1.076B/*0.287A	----	0.421 - 0.777	.1769	----	----	----	----	46 UNCH
7880	0.577	0.577	0.577/*0.281A	1.052B/*0.281A	----	0.412 - 0.764	.1733	----	----	7	----	7 + 6
7890	----	----	----/*0.269A	1.006B/*0.269A	----	0.394 - 0.739	.1662	----	----	----	----	1 UNCH
7895	----	----	----/*0.263A	0.984B/*0.263A	----	0.385 - 0.726	.1626	----	----	----	----	7 UNCH
7900	0.480	0.480	0.480/*0.257A	1.006B/*0.257A	----	0.377 - 0.713	.1594	----	----	176	----	139 + 83
7905	----	----	----/*0.252A	0.942B/*0.252A	----	0.369 - 0.701	.1561	----	----	----	----	4 UNCH
7910	----	----	----/*0.246A	0.920B/*0.246A	----	0.361 - 0.688	.1528	----	----	----	----	4 UNCH
7915	0.243	0.243	0.625/*0.241A	0.899B/*0.241A	----	0.353 - 0.676	.1496	----	----	5	----	5 + 1
7920	----	----	----/*0.236A	0.878B/*0.236A	----	0.345 - 0.665	.1464	----	----	----	----	3 UNCH
7925	0.403	0.403	0.403/*0.231A	0.857B/*0.231A	----	0.337 - 0.653	.1431	----	----	1	----	16 UNCH
7930	----	----	----/*0.226A	0.844B/*0.226A	----	0.330 - 0.641	.1402	----	----	----	----	3 UNCH
7935	----	----	----/*0.222A	0.826B/*0.222A	----	0.322 - 0.630	.1370	----	----	----	----	2 UNCH
7940	----	----	----/*0.217A	0.801B/*0.217A	----	0.315 - 0.618	.1341	----	----	----	----	6 UNCH
7945	----	----	----/*0.213A	0.776B/*0.213A	----	0.308 - 0.606	.1311	----	----	----	----	6 UNCH
7950	0.350	0.350	0.350/*0.208A	0.756B/*0.208A	----	0.301 - 0.595	.1282	----	----	2	----	34 - 1
7955	----	----	----/*0.204A	0.738B/*0.204A	----	0.295 - 0.583	.1256	----	----	----	----	9 UNCH
7960	----	----	----/*0.200A	0.719B/*0.200A	----	0.288 - 0.573	.1228	----	----	----	----	15 UNCH
7965	----	----	----/*0.196A	0.701B/*0.196A	----	0.282 - 0.561	.1202	----	----	----	----	2 UNCH
7970	----	----	----/*0.192A	0.683B/*0.192A	----	0.275 - 0.551	.1173	----	----	----	----	15 UNCH
7975	0.335	0.335	0.376/*0.188A	0.666B/*0.188A	----	0.269 - 0.540	.1148	----	----	4	----	15 - 2
7980	----	----	----/*0.185A	0.644B/*0.185A	----	0.263 - 0.530	.1122	----	----	----	----	11 UNCH
7985	----	----	----/*0.181A	0.631B/*0.181A	----	0.257 - 0.519	.1097	----	----	----	----	3 UNCH
7990	0.182	0.182	0.182/*0.178A	0.624B/*0.178A	----	0.252 - 0.508	.1074	----	----	1	----	14 UNCH
7995	0.178	0.178	0.178/*0.174A	0.597B/*0.174A	----	0.246 - 0.499	.1049	----	----	3	----	26 + 3
8000	0.405	0.405	0.578B/*0.170	0.578B/*0.170	----	0.241 - 0.488	.1027	----	----	40	30	1277 + 27
8005	----	----	----/*0.168A	0.574B/*0.168A	----	0.235 - 0.479	.1002	----	----	----	----	26 UNCH
8010	----	----	----/*0.165A	0.559B/*0.165A	----	0.230 - 0.469	.0980	----	----	----	----	34 UNCH
8015	----	----	----/*0.161A	0.547B/*0.161A	----	0.225 - 0.459	.0958	----	----	----	----	25 UNCH
8020	----	----	----/*0.181A	0.528B/*0.181A	----	0.220 - 0.450	.0937	----	----	----	----	14 UNCH
8025	----	----	----/*0.178A	0.508B/*0.178A	----	0.215 - 0.440	.0915	----	----	----	----	33 UNCH
8030	----	----	----/*0.176A	0.494B/*0.176A	----	0.210 - 0.431	.0894	----	----	----	----	28 UNCH
8035	----	----	----/*0.172A	0.480B/*0.172A	----	0.206 - 0.422	.0875	----	----	----	----	4 UNCH
8040	0.221	0.221	0.221/*0.170A	0.468B/*0.170A	----	0.201 - 0.413	.0854	----	----	1	----	3 + 1
8045	----	----	----/*0.167A	0.454B/*0.167A	----	0.197 - 0.404	.0836	----	----	----	----	2 UNCH
8050	0.350	0.350	0.350/*0.167A	0.441B/*0.167A	----	0.193 - 0.395	.0818	----	----	2	----	61 UNCH
8055	----	----	----/*0.167A	0.432B/*0.167A	----	0.188 - 0.387	.0797	----	----	----	----	3 UNCH
8060	----	----	----/*0.168A	0.420B/*0.168A	----	0.184 - 0.379	.0779	----	----	----	----	1 UNCH
8065	0.191	0.191	0.191/*0.166A	0.407B/*0.166A	----	0.180 - 0.371	.0762	----	----	2	----	7 + 2
8070	0.188	0.188	0.188/*0.163	0.395B/*0.163	----	0.176 - 0.363	.0744	----	----	2	----	4 + 2
8075	----	----	----/*0.161A	0.373B/*0.161A	----	0.173 - 0.354	.0730	----	----	----	----	11 UNCH
8080	----	----	----/*0.158A	0.362B/*0.158A	----	0.169 - 0.346	.0712	----	----	----	----	2 UNCH
8085	----	----	----/*0.154A	0.357B/*0.154A	----	0.165 - 0.339	.0695	----	----	----	----	1 UNCH
8090	0.159	0.159	0.159/*0.152A	0.346B/*0.152A	----	0.162 - 0.331	.0681	----	----	1	----	21 UNCH
8095	----	----	----/*0.147A	0.335B/*0.147A	----	0.158 - 0.324	.0664	----	----	----	----	13 UNCH
8100	0.169	0.169	0.169/*0.144A	0.348B/*0.144A	----	0.155 - 0.316	.0650	----	----	168	----	372 + 60
8105	0.166	0.166	0.166/*0.141A	0.304B/*0.141A	----	0.152 - 0.309	.0636	----	----	1	----	2 UNCH
8110	0.164	0.164	0.164/*0.138A	0.304B/*0.138A	----	0.149 - 0.302	.0622	----	----	1	----	2 - 1
8115	0.162	0.162	0.162/*0.136A	0.291B/*0.136A	----	0.146 - 0.295	.0609	----	----	1	----	4 - 1
8125	0.154	0.154	0.154/*0.128A	0.269B/*0.128A	----	0.140 - 0.282	.0582	----	----	1	----	3 UNCH
8140	----	----	----/*0.117A	0.249B/*0.117A	----	0.132 - 0.262	.0545	----	----	----	----	4 UNCH
8150	----	----	----/*0.113A	0.237B/*0.113A	----	0.127 - 0.250	.0523	----	----	----	----	14 UNCH
8170	----	----	----/*0.105A	0.216B/*0.105A	----	0.117 - 0.228	.0478	----	----	----	----	3 UNCH
8175	0.108	0.108	0.208B/*0.103A	0.208B/*0.103A	----	0.115 - 0.223	.0468	----	----	6	----	17 + 5
8195	----	----	----/*0.104A	0.193B/*0.104A	----	0.107 - 0.202	.0431	----	----	----	----	1 UNCH
8200	0.090	0.090	0.141/*0.087	0.201B/*0.087	----	0.105 - 0.198	.0422	----	----	9	----	136 - 4
8205	----	----	----/*0.104A	0.188B/*0.104A	----	0.103 - 0.193	.0413	----	----	----	----	1 UNCH
8210	----	----	----/*0.103A	0.186B/*0.103A	----	0.101 - 0.189	.0404	----	----	----	----	2 UNCH
8215	----	----	----/*0.103A	0.180B/*0.103A	----	0.100 - 0.184	.0399	----	----	1	----	0 - 1
8220	----	----	----/*0.105A	0.175B/*0.105A	----	0.098 - 0.180	.0390	----	----	----	----	2 UNCH
8225	----	----	----/*0.105A	0.173B/*0.105A	----	0.096 - 0.176	.0381	----	----	----	----	3 UNCH
8235	----	----	----/*0.106A	0.165B/*0.106A	----	0.093 - 0.167	.0367	----	----	----	----	1 UNCH
8240	----	----	----/*0.103A	0.169B/*0.103A	----	0.092 - 0.163	.0362	----	----	----	----	2 UNCH
8250	0.085	0.085	0.085/*0.085	0.164B/*0.085	----	0.089 - 0.156	.0348	----	----	10	----	157 - 6
8255	----	----	----/*0.103A	0.160B/*0.103A	----	0.087 - 0.153	.0339	----	----	----	----	4 UNCH
8260	0.080	0.080	0.080/*0.080	0.156B/*0.080	----	0.086 - 0.149	.0334	----	----	1	----	1 UNCH
8265	----	----	----/*0.105A	0.156B/*0.105A	----	0.085 - 0.145	.0329	----	----	----	----	2 UNCH
8270	----	----	----/*0.101A	0.181B/*0.101A	----	0.083 - 0.142	.0321	----	----	----	----	10 UNCH
8275	----	----	----/*0.102A	0.179B/*0.102A	----	0.082 - 0.139	.0316	----	----	----	----	6 UNCH
8280	----	----	----/*0.097A	0.172B/*0.097A	----	0.081 - 0.135	.0311	----	----	----	----	17 UNCH
8285	----	----	----/*0.098A	0.170B/*0.098A	----	0.080 - 0.132	.0306	----	----	----	----	1 UNCH
8290	----	----	----/*0.092A	0.166B/*0.092A	----	0.079 - 0.129	.0301	----	----	----	----	17 UNCH
8295	----	----	----/*0.090A	0.163B/*0.090A	----	0.078 - 0.126	.0296	----	----	----	----	2 UNCH
8300	0.100	0.100	0.100/*0.070	0.171B/*0.070	----	0.076 - 0.124	.0288	----	----	77	----	140 - 2
8310	----	----	----/*0.088A	0.156B/*0.088A	----	0.074 - 0.119	.0279	----	----	----	----	8 UNCH
8325	----	----	----/*0.094A	0.147B/*0.094A	----	0.072 - 0.110	.0268	----	----	----	----	5 UNCH
8330	----	----	----/*0.085A	0.112B/*0.085A	----	0.071 - 0.108	.0263	----	----	----	----	1 UNCH
8335	----	----	----/*0.085A	0.107B/*0.085A	----	0.070 - 0.106	.0259	----	----	----	----	2 UNCH
8340	----	----	----/*0.084A	0.107B/*0.084A	----	0.069 - 0.103	.0254	----	----	----	----	32 UNCH
8345	----	----	----/*0.084A	0.105B/*0.084A	----	0.068 - 0.101	.0250	----	----	----	----	16 UNCH
8350	----	----	----/*0.083A	0.103B/*0.083A	----	0.067 - 0.099	.0246	----	----	5	----	38 + 4
8360	----	----	----/*0.081A	0.099B/*0.081A	----	0.066 - 0.095	.0240	----	----	----	----	9 UNCH
8365	----	----	----/*0.081A	0.097B/*0.081A	----	0.065 - 0.093	.0236	----	----	----	----	1 UNCH
8370	----	----	----/*0.081A	0.096B/*0.081A	----	0.064 - 0.092	.0231	----	----	----	----	5 UNCH
8375	----	----	----/*0.079A	0.094B/*0.079A	----	0.063 - 0.090	.0227	----	----	----	----	7 UNCH
8395	----	----	----/*0.079A	0.087B/*0.079A	----	0.061 - 0.083	.0216	----	----	----	----	1 UNCH
8400	----	----	----/*0.073A	0.086B/*0.073A	----	0.060 - 0.081	.0212	----	----	25	----	152 - 15
8410	----	----	----/*0.081A	0.083B/*0.081A	----	0.059 - 0.078	.0207	----	----	----	----	3 UNCH
8415	0.040	0.040	0.040/*0.040	0.082B/*0.040	----	0.058 - 0.077	.0203	----	----	1	----	2 UNCH
8420	----	----	----/*0.075A	0.080B/*0.075A	----	0.058 - 0.075	.0202	----	----	----	----	5 UNCH
8425	----	----	----/*0.074A	0.079B/*0.074A	----	0.057 - 0.075	.0198	----	----	----	----	6 UNCH
8430	----	----	----/*0.079A	0.078B/*0.079A	----	0.057 - 0.073	.0197	----	----	----	----	2 UNCH
8435	----	----	----/*0.067A	0.077B/*0.067A	----	0.056 - 0.072	.0193	----	----	----	----	2 UNCH
8440	----	----	----/*0.075A	0.076B/*0.075A	----	0.056 - 0.070	.0192	----	----	----	----	1 UNCH
8450	0.069	0.069	0.069/*0.067A	0.073B/*0.067A	----	0.055 - 0.068	.0187	----	----	1	----	169 UNCH
8455	0.110	0.110	0.110/*0.068A	0.110/*0.068A	----	0.054 - 0.068	.0184	----	----	1	----	2 - 1
8460	----	----	----/*0.066A	0.071B/*0.066A	----	0.054 - 0.066	.0183	----	----	----	----	1 UNCH
8475	0.067	0.067	0.067/*0.067	0.067/*0.067	----	0.052 - 0.064	.0174	----	----	1	----	4 UNCH
8480	----	----	----/*0.073A	0.058B/*0.073A	----	0.052 - 0.063	.0173	----	----	----	----	1 UNCH
8485	----	----	----/*0.070A	0.052B/*0.070A	----	0.052 - 0.062	.0173	----	----	----	----	1 UNCH
8490	----	----	----/*0.066A	0.053B/*0.066A	----	0.051 - 0.061	.0169	----	----	----	----	2 UNCH
8500	0.040	0.040	0.040/*0.040	0.042B/*0.040	----	0.050 - 0.060	.0165	----	----	17	----	915 + 3
8505	----	----	----/*0.066A	0.043B/*0.066A	----	0.050 - 0.059	.0164	----	----	----	----	5 UNCH
8510	----	----	----/*0.071A	0.043B/*0.071A	----	0.050 - 0.058	.0163	----	----	----	----	2 UNCH
8515	----	----	----/*0.064A	0.042B/*0.064A	----	0.049 - 0.058	.0159	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8525	----	----	----/*0.066A	0.046B/*0.066A	----	0.049 - 0.056	.0158	----	----	----	----	22 UNCH
8530	----	----	----/*0.062A	0.046B/*0.062A	----	0.048 - 0.056	.0155	----	----	----	----	1 UNCH
8535	----	----	----/*0.062A	0.041B/*0.062A	----	0.048 - 0.055	.0154	----	----	----	----	1 UNCH
8540	----	----	----/*0.063A	0.042B/*0.063A	----	0.048 - 0.054	.0153	----	----	----	----	14 UNCH
8545	----	----	----/*0.069A	0.040B/*0.069A	----	0.047 - 0.054	.0150	----	----	----	----	4 UNCH
8550	0.040	0.040	0.040/*0.040	0.048B/*0.040	----	0.047 - 0.053	.0149	----	----	2	----	11 - 2
8565	----	----	----/*0.064A	0.042B/*0.064A	----	0.046 - 0.051	.0144	----	----	----	----	10 UNCH
8575	----	----	----/*0.076A	0.043B/*0.076A	----	0.046 - 0.049	.0143	----	----	----	----	34 UNCH
8580	----	----	----/*0.057A	0.043B/*0.057A	----	0.045 - 0.049	.0140	----	----	----	----	1 UNCH
8590	----	----	----/*0.069A	0.041B/*0.069A	----	0.045 - 0.048	.0139	----	----	----	----	1 UNCH
8595	----	----	----/*0.065A	0.039B/*0.065A	----	0.045 - 0.047	.0138	----	----	----	----	4 UNCH
8600	0.060	0.060	0.060/*0.030	0.061B/*0.030	----	0.044 - 0.047	.0135	----	----	12	----	437 - 2
8605	----	----	----/*0.066A	0.039B/*0.066A	----	0.044 - 0.046	.0134	----	----	----	----	9 UNCH
8615	----	----	----/*0.065A	0.035B/*0.065A	----	0.044 - 0.044	.0133	----	----	----	----	1 UNCH
8620	----	----	----/*0.066A	0.037B/*0.066A	----	0.044 - 0.043	.0133	----	----	----	----	5 UNCH
8625	----	----	----/*0.061A	0.038B/*0.061A	----	0.043 - 0.043	.0129	----	----	----	----	3 UNCH
8630	----	----	----/*0.066A	0.038B/*0.066A	----	0.043 - 0.042	.0129	----	----	----	----	2 UNCH
8635	----	----	----/*0.067A	0.037B/*0.067A	----	0.043 - 0.041	.0128	----	----	----	----	1 UNCH
8640	----	----	----/*0.065A	0.035B/*0.065A	----	0.043 - 0.040	.0128	----	----	----	----	1 UNCH
8650	----	----	----/*0.065A	0.035B/*0.065A	----	0.042 - 0.040	.0124	----	----	----	----	9 UNCH
8660	----	----	----/*0.066A	0.034B/*0.066A	----	0.042 - 0.038	.0123	----	----	----	----	1 UNCH
8670	----	----	----/*0.066A	0.033B/*0.066A	----	0.042 - 0.036	.0122	----	----	----	----	1 UNCH
8675	----	----	----/*0.062A	0.033B/*0.062A	----	0.041 - 0.036	.0119	----	----	----	----	1 UNCH
8695	----	----	----/*0.062A	0.033B/*0.062A	----	0.041 - 0.033	.0117	----	----	----	----	2 UNCH
8700	----	----	----/*0.045A	0.033B/*0.045A	----	0.040 - 0.033	.0114	----	----	----	----	146 UNCH
8705	----	----	----/*0.062A	0.030B/*0.062A	----	0.040 - 0.032	.0114	----	----	----	----	21 UNCH
8725	----	----	----/*0.062A	0.027B/*0.062A	----	0.038 - 0.031	.0107	----	----	----	----	2 UNCH
8750	----	----	----/*0.060A	0.029B/*0.060A	----	0.036 - 0.029	.0100	----	----	----	----	76 UNCH
8775	----	----	----	0.027B/*0.065A	----	0.034 - 0.028	.0093	----	----	----	----	17 UNCH
8800	0.045	0.045	0.045/*0.040	0.045/*0.040	----	0.033 - 0.026	.0089	----	----	28	----	674 - 1
8850	----	----	----	0.022B/*0.058A	----	0.030 - 0.023	.0079	----	----	----	----	3 UNCH
8875	----	----	----	0.021B/*0.055A	----	0.028 - 0.023	.0072	----	----	----	----	10 UNCH
8900	0.040	0.040	0.044/*0.030A	0.044/*0.030A	----	0.027 - 0.021	.0069	----	----	14	----	96 - 5
8925	----	----	----	0.017B/*0.057A	----	0.026 - 0.020	.0065	----	----	----	----	8 UNCH
8950	----	----	----	0.018B/*0.055A	----	0.025 - 0.019	.0062	----	----	----	----	80 UNCH
8975	----	----	----	0.016B/*0.054A	----	0.024 - 0.018	.0059	----	----	----	----	25 UNCH
9000	0.020	0.020	0.020/*0.015	0.020/*0.015	----	0.023 - 0.018	.0055	----	----	7	----	1201 - 1
9025	----	----	----	0.014B/*0.048A	----	0.022 - 0.017	.0052	----	----	----	----	23 UNCH
9050	----	----	----	0.015B/*0.046A	----	0.021 - 0.017	.0049	----	----	----	----	29 UNCH
9075	----	----	----	0.012B/*0.048A	----	0.021 - 0.016	.0048	----	----	----	----	6 UNCH
9100	----	----	----	0.010B/*0.047A	----	0.020 - 0.016	.0046	----	----	1	----	76 - 1
9125	----	----	----	0.007B/*0.047A	----	0.019 - 0.016	.0043	----	----	----	----	5 UNCH
9150	----	----	----	0.006B/*0.045A	----	0.019 - 0.015	.0042	----	----	----	----	29 UNCH
9175	----	----	----	0.006B/*0.046A	----	0.018 - 0.015	.0039	----	----	----	----	8 UNCH
9200	----	----	----	0.001B/0.057A	----	0.018 - 0.014	.0039	----	----	----	----	155 UNCH
9225	----	----	----	0.001B/*0.055A	----	0.017 - 0.015	.0036	----	----	----	----	17 UNCH
9250	----	----	----	----/*0.053A	----	0.017 - 0.014	.0036	----	----	----	----	37 UNCH
9275	----	----	----	----/*0.051A	----	0.017 - 0.014	.0035	----	----	----	----	29 UNCH
9300	----	----	----	----/0.049A	----	0.016 - 0.014	.0033	----	----	----	----	151 UNCH
9325	----	----	----	----/*0.047A	----	0.016 - 0.013	.0032	----	----	----	----	6 UNCH
9350	----	----	----/*0.022A	----/*0.022A	----	0.015 - 0.013	.0030	----	----	----	----	48 UNCH
9375	----	----	----	----/*0.043A	----	0.015 - 0.012	.0030	----	----	----	----	13 UNCH
9400	----	----	----	----/0.041A	----	0.014 - 0.012	.0027	----	----	----	----	53 UNCH
9425	----	----	----	----/*0.039A	----	0.014 - 0.012	.0027	----	----	----	----	8 UNCH
9450	----	----	----	----/*0.038A	----	0.013 - 0.012	.0025	----	----	----	----	21 UNCH
9475	----	----	----	----/*0.036A	----	0.013 - 0.011	.0024	----	----	----	----	17 UNCH
9500	0.020	0.020	0.020/*0.015A	0.020/*0.015A	----	0.013 - 0.010	.0024	----	----	9	----	790 + 4
9525	----	----	----	----/*0.034A	----	0.012 - 0.011	.0022	----	----	----	----	21 UNCH
9550	----	----	----	----/*0.033A	----	0.012 - 0.010	.0022	----	----	----	----	30 UNCH
9575	----	----	----	----/*0.032A	----	0.011 - 0.011	.0020	----	----	----	----	4 UNCH
9600	----	----	----	----/*0.031A	----	0.011 - 0.010	.0019	----	----	----	----	118 UNCH
9625	----	----	----	----/*0.030A	----	0.011 - 0.010	.0019	----	----	----	----	6 UNCH
9650	----	----	----	----/*0.029A	----	0.011 - 0.009	.0019	----	----	----	----	15 UNCH
9675	----	----	----	----/*0.029A	----	0.010 - 0.010	.0017	----	----	----	----	13 UNCH
9700	----	----	----	----/*0.028A	----	0.010 - 0.009	.0017	----	----	----	----	67 UNCH
9725	----	----	----	----/*0.028A	----	0.010 - 0.009	.0017	----	----	----	----	8 UNCH
9750	----	----	----	----/*0.027A	----	0.009 - 0.009	.0015	----	----	----	----	63 UNCH
9775	----	----	----	----/*0.027A	----	0.009 - 0.009	.0015	----	----	----	----	2 UNCH
9800	----	----	----	----/*0.027A	----	0.009 - 0.008	.0015	----	----	----	----	98 UNCH
9825	----	----	----/*0.014A	----/*0.014A	----	0.009 - 0.008	.0014	----	----	----	----	12 UNCH
9850	----	----	----	----/*0.026A	----	0.008 - 0.008	.0013	----	----	----	----	30 UNCH
9875	----	----	----	----/*0.026A	----	0.008 - 0.008	.0012	----	----	----	----	11 UNCH
9900	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.008 - 0.007	.0012	----	----	2	----	239 - 2
9925	----	----	----	----/*0.025A	----	0.008 - 0.007	.0012	----	----	----	----	2 UNCH
9950	----	----	----	----/*0.025A	----	0.007 - 0.008	.0010	----	----	----	----	21 UNCH
9975	----	----	----	----/*0.025A	----	0.007 - 0.007	.0010	----	----	----	----	2 UNCH
10000	0.020	0.020	0.020/0.014	0.020/0.014	----	0.007 - 0.007	.0010	----	----	4	----	1047 - 2
10025	----	----	----	----/*0.024A	----	0.007 - 0.007	.0010	----	----	----	----	2 UNCH
10050	----	----	----	----/*0.024A	----	0.007 - 0.006	.0010	----	----	----	----	23 UNCH
10075	----	----	----	----/*0.024A	----	0.006 - 0.007	.0008	----	----	----	----	4 UNCH
10100	----	----	----	----/*0.024A	----	0.006 - 0.007	.0008	----	----	----	----	63 UNCH
10125	----	----	----	----/*0.024A	----	0.006 - 0.006	.0008	----	----	----	----	1 UNCH
10175	----	----	----	----/*0.024A	----	0.006 - 0.006	.0008	----	----	----	----	1 UNCH
10200	----	----	----	----/*0.024A	----	0.006 - 0.005	.0008	----	----	----	----	28 UNCH
10225	----	----	----	----/*0.023A	----	0.006 - 0.005	.0008	----	----	----	----	1 UNCH
10250	----	----	----	----/*0.023A	----	0.005 - 0.006	.0007	----	----	----	----	5 UNCH
10275	----	----	----	----/*0.023A	----	0.005 - 0.006	.0006	----	----	----	----	4 UNCH
10300	----	----	----	----/*0.023A	----	0.005 - 0.005	.0006	----	----	----	----	204 UNCH
10305	----	----	----	----/*0.023A	----	0.005 - 0.005	.0006	----	----	----	----	2 UNCH
10325	----	----	----	----/*0.023A	----	0.005 - 0.005	.0006	----	----	----	----	1 UNCH
10350	----	----	----	----/*0.024A	----	0.005 - 0.005	.0006	----	----	----	----	2 UNCH
10375	----	----	----	----/*0.023A	----	0.005 - 0.005	.0006	----	----	----	----	1 UNCH
10400	----	----	----	----/*0.023A	----	0.005 - 0.005	.0006	----	----	----	----	29 UNCH
10425	----	----	----	----/*0.023A	----	0.005 - 0.004	.0006	----	----	----	----	19 UNCH
10450	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	4 UNCH
10480	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	2 UNCH
10485	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	2 UNCH
10490	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	1 UNCH
10500	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	282 UNCH
10515	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	7 UNCH
10520	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	2 UNCH
10550	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	2 UNCH
10555	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	1 UNCH
10560	0.009	0.009	0.009/0.009	0.009/0.009	----	0.004 - 0.005	.0005	----	----	21	----	26 - 1
10570	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	1 UNCH
10575	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	1 UNCH
10580	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	1 UNCH
10595	----	----	----	----/*0.023A	----	0.004 - 0.005	.0005	----	----	----	----	2 UNCH
10600	----	----	----	----/*0.023A	----	0.004 - 0.004	.0005	----	----	----	----	23 UNCH
10605	----	----	----	----/*0.023A	----	0.004 - 0.004	.0005	----	----	----	----	5 UNCH
10610	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10615	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10625	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10630	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10650	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10655	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10670	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10675	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	3 UNCH
10680	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	7 UNCH
10685	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10690	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10700	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	93 UNCH
10720	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10725	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	3 UNCH
10750	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10755	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10760	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	10 UNCH
10765	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	10 UNCH
10770	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10800	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	21 UNCH
10825	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10835	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	1 UNCH
10850	----	----	----	----/*0.023A	----	0.004 - 0.004	.0004	----	----	----	----	12 UNCH
10855	----	----	----	----/*0.023A	----	0.003 - 0.005	.0003	----	----	----	----	3 UNCH
10875	----	----	----	----/*0.023A	----	0.003 - 0.005	.0003	----	----	----	----	2 UNCH
10900	----	----	----	----/*0.023A	----	0.003 - 0.005	.0003	----	----	----	----	40 UNCH
10925	----	----	----	----/*0.023A	----	0.003 - 0.005	.0003	----	----	----	----	5 UNCH
10950	----	----	----	----/*0.023A	----	0.003 - 0.004	.0003	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL COMEX SILVER OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
10975	----	----	----	----/*0.023A	----	0.003 - 0.004	.0003	----	----	----	----	9 UNCH
11000	0.015	0.015	0.015/0.010A	0.015/0.010A	----	0.003 - 0.004	.0003	----	----	1	----	695 UNCH
11025	----	----	----	----/*0.023A	----	0.003 - 0.004	.0003	----	----	----	----	5 UNCH
11050	----	----	----	----/*0.023A	----	0.003 - 0.004	.0003	----	----	----	----	2 UNCH
11075	----	----	----	----/*0.023A	----	0.003 - 0.004	.0003	----	----	----	----	1 UNCH
11100	----	----	----	----/*0.023A	----	0.003 - 0.004	.0003	----	----	----	----	59 UNCH
11125	----	----	----	----/*0.023A	----	0.003 - 0.003	.0003	----	----	----	----	3 UNCH
11150	----	----	----	----/*0.023A	----	0.003 - 0.003	.0003	----	----	----	----	2 UNCH
11200	----	----	----	----/*0.023A	----	0.003 - 0.003	.0003	----	----	----	----	262 UNCH
11225	----	----	----	----/*0.023A	----	0.003 - 0.003	.0003	----	----	----	----	40 UNCH
11240	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	2 UNCH
11245	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	2 UNCH
11250	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	22 UNCH
11255	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	1 UNCH
11260	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	1 UNCH
11265	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	1 UNCH
11275	----	----	----	----/*0.023A	----	0.002 - 0.004	.0002	----	----	----	----	1 UNCH
11290	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	1 UNCH
11300	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	93 UNCH
11305	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	1 UNCH
11315	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	1 UNCH
11325	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	8 UNCH
11335	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	2 UNCH
11345	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	1 UNCH
11350	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	4 UNCH
11365	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	1 UNCH
11370	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	2 UNCH
11380	----	----	----	----/*0.023A	----	0.002 - 0.003	.0002	----	----	----	----	3 UNCH
11385	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	1 UNCH
11400	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	10 UNCH
11450	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	41 UNCH
11455	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	1 UNCH
11465	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	1 UNCH
11475	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	1 UNCH
11480	----	----	----	----/*0.023A	----	0.002 - 0.003	.0001	----	----	----	----	1 UNCH
11485	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	2 UNCH
11500	----	----	----	----/0.023A	----	0.002 - 0.002	.0001	----	----	----	----	238 UNCH
11505	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	2 UNCH
11515	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	2 UNCH
11525	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	7 UNCH
11530	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	10 UNCH
11540	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	10 UNCH
11550	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	22 UNCH
11570	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11575	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11595	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11600	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	43 UNCH
11615	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11625	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	2 UNCH
11630	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11640	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11650	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	2 UNCH
11665	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11685	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11690	----	----	----	----/*0.023A	----	0.002 - 0.002	.0001	----	----	----	----	1 UNCH
11700	----	----	----	----/0.038A	----	0.001 - 0.003	.0000	----	----	----	----	85 UNCH
11705	----	----	----	----/0.038A	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
11725	----	----	----	----/0.041A	----	0.001 - 0.003	.0000	----	----	----	----	6 UNCH
11730	----	----	----	----/0.041A	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
11750	----	----	----	----/0.053A	----	0.001 - 0.002	.0000	----	----	----	----	5 UNCH
11775	----	----	----	----/0.198A	----	0.001 - 0.002	.0000	----	----	----	----	2 UNCH
11800	----	----	----	----/0.198A	----	0.001 - 0.002	.0000	----	----	----	----	61 UNCH
11825	----	----	----	----/0.198A	----	0.001 - 0.002	.0000	----	----	----	----	2 UNCH
11850	----	----	----	----/0.199A	----	0.001 - 0.002	.0000	----	----	----	----	3 UNCH
11900	----	----	----	----/0.199A	----	0.001 - 0.002	.0000	----	----	----	----	86 UNCH
11925	----	----	----	----/0.199A	----	0.001 - 0.002	.0000	----	----	----	----	2 UNCH
11950	----	----	----	----/0.200A	----	0.001 - 0.002	.0000	----	----	----	----	5 UNCH
11975	----	----	----	----/0.200A	----	0.001 - 0.002	.0000	----	----	----	----	4 UNCH
12000	0.024	0.024	0.024/*0.010A	0.024/*0.010A	----	0.001 - 0.002	.0000	----	----	3	----	838 UNCH
12025	----	----	----	----/0.200A	----	0.001 - 0.002	.0000	----	----	----	----	1 UNCH
12050	----	----	----	----/0.200A	----	0.001 - 0.002	.0000	----	----	----	----	1 UNCH
12075	----	----	----	----/0.201A	----	0.001 - 0.002	.0000	----	----	----	----	1 UNCH
12100	----	----	----	----/0.201A	----	0.001 - 0.002	.0000	----	----	----	----	17 UNCH
12125	----	----	----	----/0.201A	----	0.001 - 0.001	.0000	----	----	----	----	1 UNCH
12150	----	----	----	----/0.201A	----	0.001 - 0.001	.0000	----	----	----	----	13 UNCH
12175	----	----	----	----/0.201A	----	0.001 - 0.001	.0000	----	----	----	----	1 UNCH
12200	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	3 UNCH
12225	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	2 UNCH
12250	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	3 UNCH
12300	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	118 UNCH
12350	----	----	----	----/0.203A	----	0.001 - 0.001	.0000	----	----	----	----	2 UNCH
12375	----	----	----	----/0.203A	----	0.001 - 0.001	.0000	----	----	----	----	1 UNCH
12400	----	----	----	----/0.203A	----	0.001 - 0.001	.0000	----	----	----	----	12 UNCH
12450	----	----	----	----/0.203A	----	0.001 - 0.001	.0000	----	----	----	----	5 UNCH
12500	----	----	----	----/*0.015A	----	0.001 - 0.001	.0000	----	----	----	----	331 UNCH
12525	----	----	----	----/0.204A	----	0.001 - 0.001	.0000	----	----	----	----	2 UNCH
12550	----	----	----	----/0.204A	----	0.001 - 0.001	.0000	----	----	----	----	3 UNCH
12600	----	----	----	----/0.204A	----	0.001 - 0.001	.0000	----	----	----	----	31 UNCH
12650	----	----	----	----/0.204A	----	0.001 - 0.001	----	----	----	----	----	3 UNCH
12675	----	----	----	----/0.204A	----	0.001 - 0.001	----	----	----	----	----	3 UNCH
12700	----	----	----	----/0.204A	----	0.001 - 0.001	----	----	----	----	----	5 UNCH
12725	----	----	----	----/0.204A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
12775	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
12800	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	30 UNCH
12900	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	72 UNCH
13000	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	282 UNCH
13100	----	----	----	----/0.206A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
13200	----	----	----	----/0.206A	----	0.001 UNCH	----	----	----	----	----	44 UNCH
13300	----	----	----	----/0.207A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
13400	----	----	----	----/0.207A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
13500	----	----	----	----/0.207A	----	0.001 UNCH	----	----	----	----	----	64 UNCH
13600	----	----	----	----/0.206A	----	0.001 UNCH	----	----	----	----	----	19 UNCH
13700	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	76 UNCH
13800	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	39 UNCH
13900	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
14000	----	----	----	----/*0.010A	----	0.001 UNCH	----	----	----	----	----	400 UNCH
14100	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	27 UNCH
14200	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	41 UNCH
14300	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
14400	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	13 UNCH
14500	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	291 UNCH
14600	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	55 UNCH
14700	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
14800	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	62 UNCH
14900	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
15000	----	----	----	----/0.009A	----	0.001 UNCH	----	----	----	----	----	450 UNCH
15100	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
15200	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
15300	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
15500	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	115 UNCH
15600	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
15700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	19 UNCH
15800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
15900	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
16000	----	----	----	----/0.200A	----	0.001 UNCH	----	----	----	----	----	721 UNCH
16100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
16200	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
16300	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
16400	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
16500	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	56 UNCH
16600	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
16700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
16800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
16900	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	67 UNCH
17000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	67 UNCH
17100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
17200	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
17300	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
17400	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
17500	----	----	----	----/*0.004A	----	0.001 UNCH	----	----	----	----	----	96 UNCH
17600	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
17700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
17800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
17900	----	----	----	----/0.207A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
18000	----	----	----	----/0.050A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
18100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
18200	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
18300	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
18400	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
18500	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
18700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
18800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
18900	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
19000	----	----	----	----/0.004A	----	0.001 UNCH	----	----	----	----	----	51 UNCH
19100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	74 UNCH
19200	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	130 UNCH
19300	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
19400	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	66 UNCH
19500	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	86 UNCH
19700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
19800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
19900	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
20000	----	----	----	----/*0.001A	----	0.001 UNCH	----	----	----	----	----	382 UNCH
21000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
22000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
23000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
24000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
25000	0.003	0.003	0.003/0.002A	0.003/0.002A	----	0.001 UNCH	----	----	----	1	----	94 UNCH
TOTAL										1267	80	23951 + 138
JUN26												
4300	----	----	----/32.333A	34.507B/32.333A	----	33.103 - 2.445	.9886	----	----	----	----	20 UNCH
4850	----	----	----/26.887A	29.039B/26.887A	----	27.641 - 2.432	.9823	----	----	----	----	7 UNCH
4900	----	----	----/26.388A	28.542B/26.388A	----	27.145 - 2.431	.9815	----	----	----	----	9 UNCH
5000	----	----	----/25.353A	27.556B/25.353A	----	26.153 - 2.430	.9799	----	----	----	----	367 UNCH
5025	----	----	----/25.165A	27.300B/25.165A	----	25.905 - 2.430	.9795	----	----	----	----	6 UNCH
5050	----	----	----/24.923A	27.032B/24.923A	----	25.658 - 2.429	.9791	----	----	----	----	1 UNCH
5200	----	----	----/23.404A	25.575B/23.404A	----	24.174 - 2.426	.9761	----	----	----	----	79 UNCH
5225	----	----	----/23.211A	25.298B/23.211A	----	23.927 - 2.426	.9755	----	----	----	----	4 UNCH
5275	----	----	----/22.719A	24.810B/22.719A	----	23.434 - 2.424	.9743	----	----	----	----	7 UNCH
5300	----	----	----/22.484A	24.559B/22.484A	----	23.188 - 2.423	.9736	----	----	----	----	3 UNCH
5325	----	----	----/22.243A	24.313B/22.243A	----	22.942 - 2.422	.9730	----	----	----	----	5 UNCH
5350	----	----	----/21.995A	24.067B/21.995A	----	22.696 - 2.422	.9723	----	----	----	----	7 UNCH
5400	----	----	----/21.603A	23.576B/21.603A	----	22.204 - 2.421	.9708	----	----	----	----	2 UNCH
5425	----	----	----/21.275A	23.331B/21.275A	----	21.959 - 2.419	.9700	----	----	----	----	9 UNCH
5500	22.083	22.083	22.083/20.502A	22.633B/20.502A	----	21.224 - 2.417	.9673	----	----	3	----	344 + 3
5525	----	----	----/20.412A	22.353B/20.412A	----	20.980 - 2.416	.9664	----	----	----	----	2 UNCH
5600	----	----	----/19.703A	21.622B/19.703A	----	20.248 - 2.414	.9632	----	----	----	----	7 UNCH
5625	----	----	----/19.376A	21.379B/19.376A	----	20.005 - 2.412	.9620	----	----	----	----	11 UNCH
5675	----	----	----/19.000A	20.894B/19.000A	----	19.520 - 2.409	.9595	----	----	----	----	3 UNCH
5700	----	----	----/18.604A	20.686B/18.604A	----	19.278 - 2.408	.9582	----	----	----	----	56 UNCH
5725	----	----	----/18.434A	20.409B/18.434A	----	19.036 - 2.406	.9568	----	----	----	----	10 UNCH
5750	----	----	----/18.294A	20.167B/18.294A	----	18.795 - 2.404	.9554	----	----	----	----	13 UNCH
5775	----	----	----/18.060A	19.925B/18.060A	----	18.555 - 2.402	.9538	----	----	----	----	1 UNCH
5800	----	----	----/17.827A	19.685B/17.827A	----	18.315 - 2.399	.9522	----	----	----	----	2 UNCH
5825	----	----	----/17.595A	19.444B/17.595A	----	18.075 - 2.397	.9505	----	----	----	----	1 UNCH
5850	----	----	----/17.363A	19.207B/17.363A	----	17.836 - 2.394	.9487	----	----	----	----	9 UNCH
5900	----	----	----/16.901A	18.723B/16.901A	----	17.360 - 2.387	.9450	----	----	----	----	4 UNCH
5925	----	----	----/16.671A	18.494B/16.671A	----	17.123 - 2.383	.9429	----	----	----	----	17 UNCH
6000	----	----	----/15.825A	17.809B/15.825A	----	16.416 - 2.371	.9362	----	----	----	----	401 UNCH
6025	----	----	----/15.761A	17.544B/15.761A	----	16.182 - 2.366	.9338	----	----	----	----	7 UNCH
6050	----	----	----/15.536A	17.297B/15.536A	----	15.949 - 2.360	.9312	----	----	----	----	4 UNCH
6075	----	----	----/15.173A	17.081B/15.173A	----	15.716 - 2.355	.9286	----	----	----	----	30 UNCH
6100	----	----	----/15.088A	16.836B/15.088A	----	15.485 - 2.349	.9258	----	----	----	----	16 UNCH
6200	----	----	----/14.028A	15.931B/14.028A	----	14.571 - 2.320	.9133	----	----	----	----	101 UNCH
6225	----	----	----/13.989A	15.659B/13.989A	----	14.345 - 2.311	.9099	----	----	----	----	1 UNCH
6250	----	----	----/13.773A	15.427B/13.773A	----	14.120 - 2.303	.9063	----	----	----	----	4 UNCH
6300	----	----	----/13.345A	14.968B/13.345A	----	13.675 - 2.284	.8987	----	----	----	----	4 UNCH
6400	----	----	----/12.308A	14.643B/12.308A	----	12.800 - 2.241	.8818	----	----	----	----	110 UNCH
6425	----	----	----/12.161A	13.861B/12.161A	----	12.585 - 2.228	.8773	----	----	----	----	25 UNCH
6450	----	----	----/12.091A	13.615B/12.091A	----	12.371 - 2.216	.8726	----	----	----	----	5 UNCH
6475	----	----	----/11.798A	13.392B/11.798A	----	12.158 - 2.204	.8677	----	----	----	----	7 UNCH
6500	----	----	----/11.603A	13.169B/11.603A	----	11.948 - 2.190	.8628	----	----	----	----	13 UNCH
6625	----	----	----/10.603A	12.076B/10.603A	----	10.916 - 2.120	.8358	----	----	----	----	10 UNCH
6700	----	----	----/10.113A	11.454B/10.113A	----	10.316 - 2.075	.8180	----	----	----	----	1 UNCH
6725	----	----	----/9.926A	11.248B/9.926A	----	10.120 - 2.059	.8118	----	----	----	----	1 UNCH
6750	----	----	----/9.741A	11.042B/9.741A	----	9.925 - 2.043	.8055	----	----	----	----	3 UNCH
6800	----	----	----/9.283A	10.626B/9.283A	----	9.540 - 2.011	.7924	----	----	----	----	6 UNCH
6850	----	----	----/9.022A	10.235B/9.022A	----	9.164 - 1.977	.7789	----	----	----	----	5 UNCH
6900	----	----	----/8.559A	9.837B/8.559A	----	8.794 - 1.944	.7649	----	----	----	----	16 UNCH
6925	----	----	----/8.389A	9.646B/8.389A	----	8.613 - 1.926	.7576	----	----	----	----	9 UNCH
6975	----	----	----/8.053A	9.267B/8.053A	----	8.256 - 1.891	.7429	----	----	----	----	7 UNCH
7000	----	----	----/7.821A	9.132B/7.821A	----	8.080 - 1.874	.7353	----	----	----	----	126 UNCH
7025	----	----	----/7.845A	8.900B/7.845A	----	7.907 - 1.855	.7277	----	----	----	----	1 UNCH
7050	----	----	----/7.684A	8.716B/7.684A	----	7.736 - 1.837	.7199	----	----	----	----	1 UNCH
7075	----	----	----/7.427A	8.536B/7.427A	----	7.567 - 1.819	.7120	----	----	----	----	4 UNCH
7100	----	----	----/6.951A	8.408B/6.951A	----	7.401 - 1.800	.7040	----	----	----	----	97 UNCH
7150	----	----	----/6.639A	8.003B/6.639A	----	7.075 - 1.762	.6878	----	----	----	----	1 UNCH
7225	----	----	----/6.160A	7.494B/6.160A	----	6.604 - 1.702	.6628	----	----	----	----	1 UNCH
7250	----	----	----/6.014A	7.356B/6.014A	----	6.452 - 1.682	.6543	----	----	----	----	31 UNCH
7275	----	----	----/5.872A	7.165B/5.872A	----	6.302 - 1.662	.6458	----	----	----	----	2 UNCH
7300	----	----	----/5.547A	7.006B/5.547A	----	6.155 - 1.641	.6372	----	----	----	----	11 UNCH
7350	5.530	5.530	6.691B/5.250	6.691B/5.250	----	5.868 NEW	.6198	----	----	4	----	0 UNCH
7375	----	----	----/5.211A	6.536B/5.211A	----	5.729 - 1.577	.6111	----	----	----	----	4 UNCH
7400	5.400	5.400	6.384B/5.055A	6.384B/5.055A	----	5.592 - 1.556	.6023	----	----	2	----	4 - 1
7425	----	----	----/4.967A	6.235B/4.967A	----	5.457 - 1.535	.5935	----	----	----	----	12 UNCH
7450	----	----	----/4.713A	6.088B/4.713A	----	5.325 - 1.513	.5846	----	----	----	----	12 UNCH
7475	----	----	----/4.593A	5.944B/4.593A	----	5.196 - 1.490	.5758	----	----	----	----	2 UNCH
7500	5.194	5.194	5.250/4.482A	5.860B/4.482A	----	5.069 - 1.468	.5669	----	----	25	----	258 + 10
7525	----	----	----/4.422A	5.666B/4.422A	----	4.945 - 1.445	.5581	----	----	----	----	9 UNCH
7550	----	----	----/4.308A	5.805B/4.308A	----	4.824 - 1.422	.5492	----	----	----	----	25 UNCH
7575	----	----	----/*4.212A	5.450B/4.212A	----	4.705 - 1.399	.5404	----	----	----	----	1 UNCH
7600	----	----	----/*4.097A	5.389B/4.097A	----	4.588 - 1.376	.5316	----	----	2	----	20 UNCH
7675	----	----	----/*3.731A	5.377B/*3.731A	----	4.253 - 1.307	.5053	----	----	----	----	3 UNCH
7700	4.468	4.468	4.468/*3.631A	5.311B/*3.631A	----	4.146 - 1.284	.4966	----	----	1	----	103 - 1
7725	4.358	4.358	4.371/*3.538A	5.152B/*3.538A	----	4.042 - 1.260	.4879	----	----	3	----	8 + 1
7750	----	----	----/*3.434A	5.034B/*3.434A	----	3.940 - 1.237	.4794	----	----	----	----	70 UNCH
7775	4.145	4.145	4.145/*3.345A	4.903B/*3.345A	----	3.841 - 1.213	.4709	----	----	1	----	4 + 1
7800	4.050	4.050	4.050/*3.263A	4.814B/*3.263A	----	3.743 - 1.191	.4624	----	----	5	----	173 + 5
7825	----	----	----/*3.175A	4.658B/*3.175A	----	3.648 - 1.168	.4540	----	----	----	----	2 UNCH
7850	----	----	----/*3.095A	4.538B/*3.095A	----	3.556 - 1.144	.4457	----	----	----	----	2 UNCH
7900	4.039	4.039	4.039/*2.937A	4.358B/*2.937A	----	3.377 - 1.099	.4293	----	----	11	----	107 + 10
7925	----	----	----/*2.856A	4.202B/*2.856A	----	3.291 - 1.076	.4212	----	----	----	----	12 UNCH
7950	----	----	----/*2.783A	4.087B/*2.783A	----	3.207 - 1.054	.4132	----	----	4	----	10 UNCH
7975	3.692	3.692	3.692/*2.714A	3.985B/*2.714A	----	3.125 - 1.032	.4053	----	----	1	----	8 + 1
8000	3.345	3.345	3.645/2.638A	3.929B/2.638A	----	3.046 - 1.009	.3975	----	----	65	15	622 + 16
8025	----	----	----/*2.571A	3.772B/*2.571A	----	2.968 - 0.988	.3898	----	----	----	----	4 UNCH
8050	----	----	----/*2.509A	3.661B/*2.509A	----	2.892 - 0.967	.3822	----	----	----	----	6 UNCH
8075	----	----	----/*2.442A	3.574B/*2.442A	----	2.818 - 0.945	.3747	----	----	----	----	2 UNCH
8100	----	----	----/*2.375A	3.512B/*2.375A	----	2.746 - 0.925	.3673	----	----	----	----	19 UNCH
8125	----	----	----/*2.318A	3.384B/*2.318A	----	2.677 - 0.903	.3600	----	----	----	----	3 UNCH
8150	----	----	----/*2.257A	3.319B/*2.257A	----	2.608 - 0.883	.3528	----	----	----	----	13 UNCH
8175	----	----	----/*2.201A	3.209B/*2.201A	----	2.542 - 0.863	.3457	----	----	----	----	1 UNCH
8200	----	----	----/*2.144A	3.154B/*2.144A	----	2.477 - 0.843	.3387	----	----	----	----	178 UNCH
8225	----	----	----/*2.092A	3.027B/*2.092A	----	2.415 - 0.823	.3319	----	----	----	----	3 UNCH
8250	----	----	----/*2.038A	2.955B/*2.038A	----	2.353 - 0.804	.3251	----	----	----	----	22 UNCH
8275	----	----	----/*1.983A	2.879B/*1.983A	----	2.294 - 0.785	.3185	----	----	----	----	18 UNCH
8300	2.265	2.265	2.265/1.936A	2.835B/1.936A	----	2.236 - 0.766	.3120	----	----	2	----	114 UNCH
8325	----	----	----/*1.887A	2.731B/*1.887A	----	2.180 - 0.747	.3056	----	----	----	----	7 UNCH
8350	----	----	----/*1.840A	2.654B/*1.840A	----	2.125 - 0.730	.2993	----	----	----	----	26 UNCH
8375	----	----	----/*1.794A	2.553B/*1.794A	----	2.072 - 0.712	.2931	----	----	----	----	5 UNCH
8400	----	----	----/*1.749A	2.547B/*1.749A	----	2.020 - 0.695	.2871	----	----	3	----	323 UNCH
8425	1.950	1.950	1.950/*1.703A	2.435B/*1.703A	----	1.969 - 0.678	.2811	----	----	1	----	51 UNCH
8450	----	----	----/*1.663A	2.393B/*1.663A	----	1.920 - 0.662	.2752	----	----	----	----	20 UNCH
8475	----	----	----/*1.617A	2.314B/*1.617A	----	1.873 - 0.645	.2695	----	----	----	----	4 UNCH
8500	2.000	2.000	2.000/1.574A	2.297B/1.574A	----	1.826 - 0.630	.2639	----	----	108	----	621 - 51

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
8525	----	----	----/*1.537A	2.194B/*1.537A	----	1.781 - 0.614	.2584	----	----	----	----	18 UNCH
8550	----	----	----/*1.498A	2.135B/*1.498A	----	1.737 - 0.599	.2529	----	----	----	----	14 UNCH
8575	----	----	----/*1.466A	2.078B/*1.466A	----	1.695 - 0.584	.2477	----	----	----	----	6 UNCH
8600	----	----	----/*1.423A	2.045B/*1.423A	----	1.653 - 0.570	.2425	----	----	----	----	94 UNCH
8625	----	----	----/*1.395A	1.962B/*1.395A	----	1.613 - 0.556	.2374	----	----	----	----	5 UNCH
8650	----	----	----/*1.359A	1.910B/*1.359A	----	1.574 - 0.542	.2324	----	----	----	----	14 UNCH
8675	----	----	----/*1.327A	1.860B/*1.327A	----	1.536 - 0.528	.2276	----	----	----	----	5 UNCH
8700	1.497	1.497	1.497/*1.294A	1.840B/*1.294A	----	1.499 - 0.515	.2228	----	----	3	----	41 - 1
8725	----	----	----/*1.263A	1.766B/*1.263A	----	1.463 - 0.502	.2181	----	----	----	----	3 UNCH
8750	----	----	----/*1.234A	1.719B/*1.234A	----	1.428 - 0.490	.2136	----	----	----	----	12 UNCH
8775	1.261	1.261	1.652B/*1.200A	1.652B/*1.200A	----	1.394 - 0.478	.2091	----	----	2	----	1 + 1
8800	1.573	1.573	1.770/*1.176A	1.770/*1.176A	----	1.361 - 0.466	.2047	----	----	11	----	84 + 6
8825	----	----	----/*1.149A	1.586B/*1.149A	----	1.329 - 0.454	.2005	----	----	1	----	3 UNCH
8850	----	----	----/*1.122A	1.544B/*1.122A	----	1.298 - 0.443	.1963	----	----	----	----	28 UNCH
8875	----	----	----/*1.096A	1.501B/*1.096A	----	1.268 - 0.432	.1922	----	----	----	----	3 UNCH
8900	1.235	1.235	1.336/*1.066A	1.492B/*1.066A	----	1.239 - 0.421	.1883	----	----	7	----	61 UNCH
8925	----	----	----/*1.042A	1.431B/*1.042A	----	1.211 - 0.409	.1844	----	----	----	----	6 UNCH
8950	----	----	----/*1.021A	1.396B/*1.021A	----	1.183 - 0.399	.1806	----	----	----	----	77 UNCH
8975	----	----	----/*0.995A	1.365B/*0.995A	----	1.156 - 0.390	.1769	----	----	----	----	41 UNCH
9000	1.090	1.090	1.200/*0.975A	1.338B/*0.975A	----	1.130 - 0.380	.1732	----	----	55	15	684 - 60
9025	----	----	----/*0.952A	1.299B/*0.952A	----	1.105 - 0.370	.1697	----	----	----	----	6 UNCH
9050	----	----	----/*0.934A	1.246B/*0.934A	----	1.080 - 0.361	.1662	----	----	----	----	14 UNCH
9075	1.022	1.022	1.022/*0.910A	1.241B/*0.910A	----	1.056 - 0.351	.1628	----	----	3	----	6 UNCH
9100	----	----	----/*0.891A	1.210B/*0.891A	----	1.033 - 0.342	.1596	----	----	----	----	332 UNCH
9125	0.983	0.983	0.983/*0.872A	1.185B/*0.872A	----	1.011 - 0.333	.1564	----	----	3	----	5 + 3
9150	1.010	1.010	1.010/*0.853A	1.155B/*0.853A	----	0.989 - 0.324	.1532	----	----	4	----	108 + 3
9175	----	----	----/*0.836A	1.132B/*0.836A	----	0.967 - 0.317	.1501	----	----	----	----	1 UNCH
9200	0.925	0.925	0.925/*0.824A	1.100B/*0.824A	----	0.947 - 0.308	.1472	----	----	4	----	116 + 3
9225	0.897	0.897	0.903/*0.806A	1.082B/*0.806A	----	0.927 - 0.300	.1443	----	----	6	----	10 + 4
9250	0.886	0.886	0.886/*0.792A	1.058B/*0.792A	----	0.907 - 0.293	.1414	----	----	3	----	8 UNCH
9275	----	----	----/*0.775A	1.034B/*0.775A	----	0.888 - 0.285	.1386	----	----	----	----	7 UNCH
9300	0.851	0.851	0.851/*0.759A	0.998B/*0.759A	----	0.870 - 0.277	.1359	----	----	3	----	37 + 3
9325	----	----	----/*0.745A	0.990B/*0.745A	----	0.852 - 0.270	.1333	----	----	----	----	4 UNCH
9350	----	----	----/*0.729A	0.951B/*0.729A	----	0.835 - 0.263	.1307	----	----	----	----	22 UNCH
9375	0.800	0.800	0.800/*0.715A	0.946B/*0.715A	----	0.818 - 0.256	.1282	----	----	3	----	20 + 3
9400	0.776	0.776	0.776/*0.701A	0.924B/*0.701A	----	0.801 - 0.250	.1257	----	----	3	----	25 + 3
9425	----	----	----/*0.689A	0.907B/*0.689A	----	0.785 - 0.244	.1233	----	----	----	----	32 UNCH
9450	----	----	----/*0.674A	0.871B/*0.674A	----	0.770 - 0.237	.1210	----	----	----	----	4 UNCH
9475	----	----	----/*0.661A	0.869B/*0.661A	----	0.755 - 0.230	.1187	----	----	----	----	17 UNCH
9500	0.800	0.800	0.839B/*0.649A	0.839B/*0.649A	----	0.740 - 0.225	.1165	----	----	8	----	345 - 4
9525	0.702	0.702	0.702/*0.637A	0.832B/*0.637A	----	0.726 - 0.219	.1143	----	----	3	----	2 UNCH
9550	----	----	----/*0.624A	0.805B/*0.624A	----	0.712 - 0.213	.1122	----	----	----	----	4 UNCH
9575	----	----	----/*0.614A	0.799B/*0.614A	----	0.698 - 0.208	.1101	----	----	----	----	2 UNCH
9600	0.750	0.750	0.785B/*0.602A	0.785B/*0.602A	----	0.685 - 0.203	.1081	----	----	2	----	27 UNCH
9625	----	----	----/*0.591A	0.768B/*0.591A	----	0.672 - 0.198	.1061	----	----	----	----	5 UNCH
9650	----	----	----/*0.580A	0.745B/*0.580A	----	0.660 - 0.192	.1042	----	----	----	----	2 UNCH
9675	----	----	----/*0.571A	0.741B/*0.571A	----	0.648 - 0.187	.1023	----	----	----	----	7 UNCH
9700	----	----	----/*0.561A	0.715B/*0.561A	----	0.636 - 0.182	.1005	----	----	----	----	39 UNCH
9725	----	----	----/*0.550A	0.707B/*0.550A	----	0.624 - 0.178	.0986	----	----	----	----	1 UNCH
9750	----	----	----/*0.540A	0.684B/*0.540A	----	0.613 - 0.173	.0969	----	----	----	----	29 UNCH
9775	----	----	----/*0.531A	0.685B/*0.531A	----	0.602 - 0.169	.0952	----	----	----	----	1 UNCH
9800	0.535	0.535	0.667B/*0.521A	0.667B/*0.521A	----	0.591 - 0.165	.0935	----	----	15	----	26 + 15
9825	----	----	----/*0.513A	0.657B/*0.513A	----	0.581 - 0.161	.0919	----	----	----	----	1 UNCH
9850	0.505	0.505	0.634B/*0.502A	0.634B/*0.502A	----	0.571 - 0.157	.0903	----	----	1	----	3 + 1
9875	----	----	----/*0.496A	0.632B/*0.496A	----	0.561 - 0.153	.0887	----	----	----	----	11 UNCH
9900	----	----	----/*0.486A	0.611B/*0.486A	----	0.551 - 0.149	.0872	----	----	----	----	26 UNCH
9925	----	----	----/*0.477A	0.604B/*0.477A	----	0.542 - 0.145	.0857	----	----	----	----	2 UNCH
9950	----	----	----/*0.473A	0.585B/*0.473A	----	0.533 - 0.142	.0843	----	----	----	----	2 UNCH
9975	----	----	----/*0.472A	0.583B/*0.472A	----	0.524 - 0.138	.0828	----	----	----	----	4 UNCH
10000	0.580	0.580	0.598/*0.440	0.600B/*0.440	----	0.515 - 0.135	.0814	----	----	59	38	1056 + 31
10025	----	----	----/*0.486A	0.557B/*0.486A	----	0.507 - 0.131	.0801	----	----	1	----	4 - 1
10050	----	----	----/*0.476A	0.505B/*0.476A	----	0.498 - 0.129	.0787	----	----	----	----	6 UNCH
10075	----	----	----/*0.472A	0.536B/*0.472A	----	0.490 - 0.126	.0774	----	----	----	----	9 UNCH
10100	----	----	----/*0.464A	0.493B/*0.464A	----	0.482 - 0.123	.0762	----	----	----	----	24 UNCH
10125	----	----	----/*0.466A	0.510B/*0.466A	----	0.474 - 0.120	.0749	----	----	----	----	1 UNCH
10150	----	----	----/*0.468A	0.476B/*0.468A	----	0.467 - 0.117	.0737	----	----	----	----	2 UNCH
10175	----	----	----/*0.465A	0.504B/*0.465A	----	0.459 - 0.115	.0725	----	----	----	----	1 UNCH
10200	----	----	----/*0.462A	0.457B/*0.462A	----	0.452 - 0.112	.0713	----	----	----	----	15 UNCH
10225	----	----	----/*0.443A	0.482B/*0.443A	----	0.445 - 0.110	.0702	----	----	----	----	1 UNCH
10275	----	----	----/*0.429A	0.469B/*0.429A	----	0.431 - 0.105	.0680	----	----	----	----	1 UNCH
10300	----	----	----/*0.424A	0.427B/*0.424A	----	0.425 - 0.102	.0670	----	----	----	----	13 UNCH
10375	----	----	----/*0.400A	0.435B/*0.400A	----	0.406 - 0.096	.0639	----	----	----	----	2 UNCH
10400	----	----	----/*0.395A	0.399B/*0.395A	----	0.400 - 0.094	.0629	----	----	----	----	27 UNCH
10425	----	----	----/*0.457A	0.417B/*0.457A	----	0.394 - 0.092	.0620	----	----	----	----	1 UNCH
10450	----	----	----/*0.438A	0.379B/*0.438A	----	0.388 - 0.091	.0610	----	----	----	----	3 UNCH
10475	----	----	----/*0.445A	0.409B/*0.445A	----	0.382 - 0.089	.0600	----	----	----	----	2 UNCH
10500	----	----	----/*0.414A	0.348B/*0.414A	----	0.377 - 0.087	.0592	----	----	----	----	404 UNCH
10525	----	----	----/*0.419A	0.342B/*0.419A	----	0.371 - 0.086	.0582	----	----	----	----	12 UNCH
10550	----	----	----/*0.427A	0.334B/*0.427A	----	0.366 - 0.084	.0574	----	----	----	----	1 UNCH
10575	----	----	----/*0.409A	0.329B/*0.409A	----	0.361 - 0.082	.0566	----	----	----	----	4 UNCH
10600	----	----	----/*0.414A	0.322B/*0.414A	----	0.356 - 0.080	.0558	----	----	----	----	107 UNCH
10625	----	----	----/*0.412A	0.316B/*0.412A	----	0.351 - 0.079	.0550	----	----	----	----	1 UNCH
10650	----	----	----/*0.396A	0.315B/*0.396A	----	0.346 - 0.078	.0541	----	----	----	----	3 UNCH
10675	----	----	----/*0.357A	0.304B/*0.357A	----	0.341 - 0.076	.0533	----	----	----	----	15 UNCH
10700	----	----	----/*0.352A	0.302B/*0.352A	----	0.337 - 0.074	.0527	----	----	----	----	81 UNCH
10750	----	----	----/*0.344A	0.294B/*0.344A	----	0.328 - 0.072	.0512	----	----	----	----	5 UNCH
10800	----	----	----/*0.380A	0.278B/*0.380A	----	0.319 - 0.070	.0497	----	----	----	----	2 UNCH
10825	----	----	----/*0.378A	0.273B/*0.378A	----	0.315 - 0.068	.0491	----	----	----	----	1 UNCH
10850	----	----	----/*0.374A	0.265B/*0.374A	----	0.311 - 0.067	.0484	----	----	----	----	12 UNCH
10875	----	----	----/*0.367A	0.261B/*0.367A	----	0.307 - 0.066	.0477	----	----	----	----	6 UNCH
10900	0.280	0.280	0.280/*0.280	0.280/*0.280	----	0.303 - 0.065	.0471	----	----	1	----	21 + 1
10925	----	----	----/*0.360A	0.251B/*0.360A	----	0.299 - 0.064	.0464	----	----	----	----	2 UNCH
10950	----	----	----/*0.356A	0.311B/*0.356A	----	0.295 - 0.063	.0458	----	----	----	----	4 UNCH
11000	0.300	0.300	0.300/*0.300	0.300/*0.300	----	0.288 - 0.061	.0446	----	----	2	----	422 + 2
11025	----	----	----	0.237B/*0.345A	----	0.284 - 0.060	.0440	----	----	----	----	1 UNCH
11050	----	----	----	0.232B/*0.342A	----	0.281 - 0.059	.0434	----	----	----	----	5 UNCH
11075	----	----	----	0.229B/*0.340A	----	0.277 - 0.059	.0428	----	----	----	----	5 UNCH
11100	----	----	----	0.226B/*0.333A	----	0.274 - 0.058	.0423	----	----	----	----	3 UNCH
11125	----	----	----	0.223B/*0.333A	----	0.271 - 0.056	.0418	----	----	----	----	5 UNCH
11175	----	----	----	0.212B/*0.326A	----	0.264 - 0.055	.0407	----	----	----	----	3 UNCH
11200	----	----	----	0.214B/*0.323A	----	0.261 - 0.054	.0402	----	----	----	----	8 UNCH
11225	----	----	----	0.207B/*0.320A	----	0.258 - 0.054	.0397	----	----	----	----	3 UNCH
11300	----	----	----	0.199B/*0.311A	----	0.249 - 0.052	.0382	----	----	----	----	2 UNCH
11325	----	----	----	0.194B/*0.308A	----	0.247 - 0.050	.0378	----	----	----	----	6 UNCH
11350	----	----	----	0.196B/*0.305A	----	0.244 - 0.050	.0373	----	----	----	----	3 UNCH
11375	----	----	----	0.185B/*0.302A	----	0.241 - 0.049	.0368	----	----	----	----	1 UNCH
11400	----	----	----	0.183B/*0.300A	----	0.239 - 0.048	.0365	----	----	----	----	163 UNCH
11425	----	----	----	0.179B/*0.297A	----	0.236 - 0.048	.0360	----	----	----	----	12 UNCH
11450	----	----	----	0.183B/*0.295A	----	0.233 - 0.048	.0355	----	----	----	----	13 UNCH
11475	----	----	----	0.173B/*0.292A	----	0.231 - 0.046	.0352	----	----	----	----	8 UNCH
11500	0.230	0.230	0.230/*0.230	0.230/*0.230	----	0.228 - 0.046	.0347	----	----	1	----	270 + 1
11525	----	----	----	0.167B/*0.287A	----	0.226 - 0.045	.0343	----	----	----	----	8 UNCH
11550	----	----	----	0.164B/*0.284A	----	0.224 - 0.044	.0340	----	----	----	----	1 UNCH
11575	----	----	----	0.162B/*0.280A	----	0.221 - 0.045	.0335	----	----	----	----	4 UNCH
11600	----	----	----	0.160B/*0.279A	----	0.219 - 0.044	.0332	----	----	----	----	2 UNCH
11625	----	----	----	0.158B/*0.275A	----	0.217 - 0.043	.0328	----	----	----	----	21 UNCH
11675	----	----	----	0.150B/*0.270A	----	0.213 - 0.041	.0322	----	----	----	----	2 UNCH
11700	----	----	----	0.149B/*0.267A	----	0.210 - 0.042	.0317	----	----	----	----	8 UNCH
11725	----	----	----	0.145B/*0.265A	----	0.208 - 0.041	.0314	----	----	----	----	2 UNCH
11750	----	----	----	0.166B/*0.248A	----	0.206 - 0.041	.0310	----	----	10	----	15 - 1
11775	----	----	----	0.140B/*0.261A	----	0.204 - 0.040	.0307	----	----	----	----	2 UNCH
11800	----	----	----	0.140B/*0.259A	----	0.202 - 0.039	.0304	----	----	----	----	6 UNCH
11825	----	----	----	0.136B/*0.258A	----	0.200 - 0.039	.0300	----	----	----	----	9 UNCH
11850	----	----	----	0.133B/*0.255A	----	0.198 - 0.039	.0297	----	----	----	----	5 UNCH
11875	----	----	----	0.131B/*0.255A	----	0.197 - 0.037	.0295	----	----	----	----	1 UNCH
11900	----	----	----	0.131B/*0.251A	----	0.195 - 0.037	.0292	----	----	----	----	2 UNCH
11925	----	----	----	0.127B/*0.249A	----	0.193 - 0.037	.0288	----	----	----	----	8 UNCH
11950	----	----	----/*0.214A	0.125B/*0.214A	----	0.191 - 0.036	.0285	----	----	----	----	6 UNCH
11975	----	----	----	0.123B/*0.247A	----	0.189 - 0.036	.0282	----	----	----	----	1 UNCH
12000	0.185	0.185	0.185/0.185	0.185/0.185	----	0.188 - 0.035	.0280	----	----	1	----	371 UNCH
12025	----	----	----	0.119B/*0.244A	----	0.186 - 0.035	.0277	----	----	----	----	11 UNCH
12050	----	----	----	0.117B/*0.242A	----	0.184 - 0.035	.0274	----	----	----	----	1 UNCH
12075	----	----	----	0.115B/*0.240A	----	0.183 - 0.034	.0272	----	----	----	----	1 UNCH
12125	----	----	----	0.111B/*0.237A	----	0.180 - 0.032	.0266	----	----	----	----	1 UNCH
12200	----	----	----	0.109B/*0.232A	----	0.175 - 0.031	.0258	----	----	----	----	13 UNCH
12225	----	----	----	0.103B/*0.229A	----	0.174 - 0.031	.0256	----	----	----	----	7 UNCH
12275	----	----	----	0.100B/*0.227A	----	0.171 - 0.030	.0251	----	----	----	----	1 UNCH
12325	----	----	----	0.097B/0.224A	----	0.168 - 0.029	.0246	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
12350	----	----	----	0.094B/*0.222A	----	0.167 - 0.028	.0245	----	----	----	----	5 UNCH
12400	----	----	----	0.094B/*0.220A	----	0.164 - 0.028	.0240	----	----	----	----	23 UNCH
12425	----	----	----	0.090B/*0.219A	----	0.163 - 0.027	.0238	----	----	----	----	1 UNCH
12450	----	----	----	0.090B/*0.217A	----	0.161 - 0.027	.0235	----	----	----	----	9 UNCH
12475	----	----	----	0.088B/*0.216A	----	0.160 - 0.027	.0233	----	----	----	----	1 UNCH
12500	----	----	----	0.087B/0.213A	----	0.159 - 0.026	.0231	----	----	----	----	111 UNCH
12525	----	----	----	0.085B/*0.213A	----	0.158 - 0.026	.0230	----	----	----	----	37 UNCH
12550	----	----	----	0.084B/*0.211A	----	0.157 - 0.025	.0228	----	----	----	----	6 UNCH
12575	----	----	----	0.082B/*0.209A	----	0.155 - 0.025	.0225	----	----	----	----	2 UNCH
12600	----	----	----	0.081B/*0.208A	----	0.154 - 0.025	.0223	----	----	----	----	9 UNCH
12650	----	----	----	0.078B/*0.205A	----	0.152 - 0.024	.0220	----	----	----	----	2 UNCH
12675	----	----	----	0.077B/*0.204A	----	0.151 - 0.023	.0218	----	----	----	----	2 UNCH
12700	----	----	----	0.075B/*0.204A	----	0.150 - 0.023	.0216	----	----	----	----	11 UNCH
12725	----	----	----	0.073B/*0.202A	----	0.149 - 0.022	.0214	----	----	----	----	2 UNCH
12750	----	----	----	0.073B/*0.201A	----	0.148 - 0.022	.0213	----	----	----	----	2 UNCH
12775	----	----	----	0.072B/*0.200A	----	0.147 - 0.021	.0211	----	----	----	----	7 UNCH
12800	----	----	----	0.071B/*0.200A	----	0.146 - 0.021	.0209	----	----	----	----	34 UNCH
12900	----	----	----	0.066B/*0.193A	----	0.142 - 0.020	.0203	----	----	----	----	6 UNCH
13000	----	----	----	0.069B/0.189A	----	0.138 - 0.019	.0196	----	----	----	----	272 UNCH
13100	----	----	----	0.057B/*0.185A	----	0.135 - 0.017	.0191	----	----	----	----	4 UNCH
13200	----	----	----	0.053B/*0.181A	----	0.131 - 0.016	.0184	----	----	----	----	3 UNCH
13300	----	----	----	0.049B/*0.177A	----	0.128 - 0.015	.0179	----	----	----	----	3 UNCH
13400	----	----	----	0.045B/*0.174A	----	0.126 - 0.013	.0175	----	----	----	----	5 UNCH
13500	----	----	----	0.041B/*0.170A	----	0.123 - 0.012	.0170	----	----	----	----	23 UNCH
13600	----	----	----	0.038B/*0.165A	----	0.120 - 0.011	.0165	----	----	----	----	7 UNCH
13700	----	----	----	0.033B/*0.162A	----	0.118 - 0.010	.0162	----	----	----	----	5 UNCH
13800	----	----	----	0.031B/*0.161A	----	0.116 - 0.008	.0158	----	----	----	----	1 UNCH
13900	----	----	----	0.028B/*0.157A	----	0.114 - 0.007	.0155	----	----	----	----	3 UNCH
14000	----	----	----	0.024B/*0.153A	----	0.112 - 0.006	.0151	----	----	----	----	292 UNCH
14200	----	----	----	0.070B/*0.152A	----	0.108 - 0.004	.0144	----	----	----	----	60 UNCH
14300	----	----	----	0.017B/*0.150A	----	0.107 - 0.003	.0142	----	----	----	----	1 UNCH
14400	----	----	----	0.014B/*0.148A	----	0.105 - 0.002	.0139	----	----	----	----	65 UNCH
14500	----	----	----	0.013B/*0.148A	----	0.104 - 0.001	.0137	----	----	----	----	31 UNCH
14600	----	----	----	0.010B/*0.147A	----	0.102 - 0.001	.0133	----	----	----	----	6 UNCH
14700	----	----	----	0.012B/*0.138A	----	0.101 UNCH	.0131	----	----	----	----	11 UNCH
14800	----	----	----	0.014B/*0.134A	----	0.100 + 0.001	.0129	----	----	----	----	10 UNCH
14900	----	----	----	0.009B/*0.139A	----	0.099 + 0.002	.0127	----	----	----	----	6 UNCH
15000	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.098 + 0.003	.0125	----	----	2	----	146 - 2
15300	----	----	----	0.001B/*0.138A	----	0.091 + 0.002	.0116	----	----	----	----	2 UNCH
15400	----	----	----	0.001B/*0.136A	----	0.089 + 0.003	.0113	----	----	----	----	1 UNCH
15500	----	----	----	0.001B/*0.134A	----	0.087 + 0.003	.0110	----	----	----	----	6 UNCH
15600	----	----	----	0.001B/*0.132A	----	0.085 + 0.003	.0107	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/*0.130A	----	0.083 + 0.003	.0104	----	----	----	----	1 UNCH
15800	----	----	----	0.001B/*0.128A	----	0.081 + 0.003	.0102	----	----	----	----	6 UNCH
15900	----	----	----	0.001B/*0.126A	----	0.079 + 0.003	.0099	----	----	----	----	8 UNCH
16000	0.071	0.071	0.071/*0.050A	0.071/*0.050A	----	0.077 + 0.003	.0096	----	----	2	----	200 - 2
16200	----	----	----	0.001B/*0.121A	----	0.073 + 0.003	.0091	----	----	----	----	36 UNCH
16400	----	----	----	0.001B/*0.118A	----	0.069 + 0.002	.0086	----	----	----	----	1 UNCH
16500	----	----	----/*0.060A	0.001B/*0.060A	----	0.067 + 0.002	.0083	----	----	----	----	30 UNCH
16600	----	----	----	0.001B/*0.115A	----	0.066 + 0.003	.0081	----	----	----	----	2 UNCH
16700	0.050	0.050	0.050/*0.040	0.050/*0.040	----	0.064 + 0.003	.0079	----	----	2	----	7 + 1
16800	----	----	----	0.001B/*0.113A	----	0.062 + 0.002	.0076	----	----	----	----	3 UNCH
17000	----	----	----/0.050A	0.030B/0.050A	----	0.059 + 0.002	.0072	----	----	----	----	29 UNCH
17100	----	----	----	0.001B/*0.109A	----	0.058 + 0.003	.0071	----	----	----	----	5 UNCH
17200	----	----	----	0.001B/*0.108A	----	0.056 + 0.002	.0069	----	----	----	----	5 UNCH
17300	----	----	----	0.031B/0.107A	----	0.055 + 0.003	.0067	----	----	----	----	11 UNCH
17400	----	----	----	0.001B/*0.106A	----	0.053 + 0.002	.0065	----	----	----	----	2 UNCH
17500	----	----	----	0.029B/0.104A	----	0.052 + 0.003	.0063	----	----	----	----	63 UNCH
17700	----	----	----	0.001B/*0.102A	----	0.049 + 0.002	.0060	----	----	----	----	3 UNCH
17800	----	----	----	0.001B/*0.101A	----	0.048 + 0.002	.0058	----	----	----	----	3 UNCH
18000	----	----	----	0.001B/0.097A	----	0.046 + 0.003	.0056	----	----	----	----	46 UNCH
18100	----	----	----	0.001B/*0.095A	----	0.044 + 0.002	.0053	----	----	----	----	2 UNCH
18300	----	----	----	0.001B/*0.092A	----	0.042 + 0.002	.0051	----	----	----	----	1 UNCH
18900	----	----	----	----/*0.083A	----	0.035 + 0.002	.0042	----	----	----	----	1 UNCH
19000	----	----	----	----/0.085A	----	0.034 + 0.002	.0041	----	----	----	----	229 UNCH
19500	----	----	----	----/0.107A	----	0.030 + 0.002	.0036	----	----	----	----	126 UNCH
19600	----	----	----	----/0.121A	----	0.029 + 0.002	.0035	----	----	----	----	2 UNCH
19900	----	----	----	----/0.106A	----	0.027 + 0.002	.0032	----	----	----	----	28 UNCH
20000	----	----	----	----/*0.043A	----	0.026 + 0.002	.0031	----	----	----	----	238 UNCH
21000	----	----	----	----/0.107A	----	0.020 + 0.001	.0024	----	----	----	----	20 UNCH
23000	----	----	----	----/0.129A	----	0.013 + 0.001	.0015	----	----	----	----	14 UNCH
25000	----	----	----	----/*0.020A	----	0.009 + 0.001	.0010	----	----	----	----	303 UNCH
27000	----	----	----	----/*0.154A	----	0.005 UNCH	.0005	----	----	----	----	3 UNCH
30000	----	----	----	----/0.010A	----	0.003 + 0.001	.0003	----	----	----	----	31 UNCH
32000	----	----	----	----/0.177A	----	0.002 + 0.001	.0002	----	----	----	----	1 UNCH
35000	----	----	----	----/0.008A	----	0.001 UNCH	.0001	----	----	----	----	45 UNCH
TOTAL										462	68	13525 + 4
JUL26												
2700	----	----	----/48.360A	50.443B/48.360A	----	49.060 - 2.468	.9978	----	----	----	----	1 UNCH
3900	----	----	----/36.323A	38.476B/36.323A	----	37.067 - 2.463	.9910	----	----	----	----	1 UNCH
4000	----	----	----/35.298A	37.480B/35.298A	----	36.071 - 2.462	.9900	----	----	----	----	1 UNCH
4500	----	----	----/30.428A	32.508B/30.428A	----	31.110 - 2.458	.9833	----	----	----	----	28 UNCH
4600	----	----	----/29.361A	31.535B/29.361A	----	30.123 - 2.457	.9813	----	----	----	----	124 UNCH
4700	----	----	----/28.520A	30.512B/28.520A	----	29.139 - 2.455	.9792	----	----	----	----	1 UNCH
4750	----	----	----/28.036A	30.018B/28.036A	----	28.647 - 2.455	.9780	----	----	----	----	1 UNCH
4825	----	----	----/27.316A	29.280B/27.316A	----	27.912 - 2.453	.9760	----	----	----	----	3 UNCH
4900	----	----	----/26.596A	28.546B/26.596A	----	27.178 - 2.452	.9738	----	----	----	----	1 UNCH
4925	----	----	----/26.357A	28.301B/26.357A	----	26.934 - 2.451	.9730	----	----	----	----	16 UNCH
5000	----	----	----/25.566A	27.610B/25.566A	----	26.204 - 2.448	.9704	----	----	----	----	307 UNCH
5025	----	----	----/25.405A	27.326B/25.405A	----	25.961 - 2.447	.9695	----	----	----	----	4 UNCH
5050	----	----	----/25.168A	27.083B/25.168A	----	25.719 - 2.445	.9685	----	----	----	----	2 UNCH
5100	----	----	----/24.616A	26.639B/24.616A	----	25.235 - 2.443	.9664	----	----	----	----	133 UNCH
5150	----	----	----/24.225A	26.114B/24.225A	----	24.752 - 2.441	.9643	----	----	----	----	6 UNCH
5200	----	----	----/23.716A	25.651B/23.716A	----	24.271 - 2.437	.9619	----	----	----	----	40 UNCH
5225	----	----	----/23.524A	25.390B/23.524A	----	24.032 - 2.435	.9606	----	----	----	----	9 UNCH
5250	----	----	----/23.289A	25.149B/23.289A	----	23.792 - 2.433	.9594	----	----	----	----	2 UNCH
5275	----	----	----/23.055A	24.919B/23.055A	----	23.553 - 2.431	.9580	----	----	----	----	1 UNCH
5300	----	----	----/22.821A	24.667B/22.821A	----	23.315 - 2.429	.9566	----	----	----	----	7 UNCH
5350	22.994	22.994	22.994/22.269A	24.234B/22.269A	----	22.840 - 2.423	.9536	----	----	2	----	157 + 2
5375	----	----	----/22.124A	23.969B/22.124A	----	22.603 - 2.421	.9521	----	----	----	----	1 UNCH
5400	----	----	----/21.892A	23.729B/21.892A	----	22.367 - 2.418	.9505	----	----	----	----	21 UNCH
5425	----	----	----/21.618A	23.496B/21.618A	----	22.131 - 2.415	.9488	----	----	----	----	42 UNCH
5450	----	----	----/21.432A	23.254B/21.432A	----	21.896 - 2.412	.9472	----	----	----	----	1 UNCH
5500	----	----	----/20.884A	22.811B/20.884A	----	21.427 - 2.405	.9435	----	----	----	----	496 UNCH
5550	----	----	----/20.505A	22.312B/20.505A	----	20.961 - 2.398	.9397	----	----	----	----	3 UNCH
5600	----	----	----/19.974A	21.874B/19.974A	----	20.498 - 2.389	.9355	----	----	----	----	106 UNCH
5650	----	----	----/19.571A	21.385B/19.571A	----	20.038 - 2.380	.9311	----	----	----	----	43 UNCH
5675	----	----	----/19.347A	21.154B/19.347A	----	19.809 - 2.375	.9288	----	----	----	----	25 UNCH
5700	----	----	----/19.125A	20.923B/19.125A	----	19.581 - 2.370	.9264	----	----	----	----	26 UNCH
5750	19.666	19.666	19.666/18.633A	20.487B/18.633A	----	19.127 - 2.359	.9215	----	----	2	----	164 + 2
5775	----	----	----/18.511A	20.225B/18.511A	----	18.902 - 2.353	.9189	----	----	----	----	1 UNCH
5800	----	----	----/18.292A	19.980B/18.292A	----	18.677 - 2.347	.9162	----	----	----	----	16 UNCH
5900	----	----	----/17.428A	19.075B/17.428A	----	17.788 - 2.320	.9047	----	----	----	----	10 UNCH
5925	----	----	----/17.215A	18.866B/17.215A	----	17.568 - 2.313	.9017	----	----	----	----	10 UNCH
5950	----	----	----/17.003A	18.628B/17.003A	----	17.350 - 2.305	.8985	----	----	----	----	6 UNCH
5975	----	----	----/16.792A	18.405B/16.792A	----	17.132 - 2.298	.8952	----	----	----	----	20 UNCH
6000	----	----	----/16.476A	18.235B/16.476A	----	16.916 - 2.289	.8920	----	----	----	----	552 UNCH
6050	17.216	17.216	17.216/16.058A	17.795B/16.058A	----	16.486 - 2.272	.8851	----	----	2	----	58 UNCH
6075	----	----	----/15.961A	17.536B/15.961A	----	16.273 - 2.263	.8815	----	----	----	----	1 UNCH
6100	----	----	----/15.757A	17.305B/15.757A	----	16.061 - 2.254	.8779	----	----	----	----	10 UNCH
6200	----	----	----/14.834A	16.507B/14.834A	----	15.226 - 2.215	.8624	----	----	----	----	101 UNCH
6250	----	----	----/14.550A	16.031B/14.550A	----	14.817 - 2.193	.8542	----	----	----	----	1 UNCH
6300	----	----	----/14.159A	15.610B/14.159A	----	14.413 - 2.171	.8456	----	----	----	----	3 UNCH
6350	----	----	----/13.774A	15.189B/13.774A	----	14.015 - 2.147	.8367	----	----	----	----	2 UNCH
6450	----	----	----/13.024A	14.386B/13.024A	----	13.237 - 2.097	.8179	----	----	----	----	1 UNCH
6500	12.986	12.986	13.064/12.528A	14.050B/12.528A	----	12.857 - 2.070	.8080	----	----	4	----	195 UNCH
6600	----	----	----/11.829A	13.275B/11.829A	----	12.118 - 2.013	.7874	----	----	----	----	56 UNCH
6650	----	----	----/11.485A	12.898B/11.485A	----	11.758 - 1.983	.7766	----	----	----	----	102 UNCH
6750	----	----	----/10.946A	12.095B/10.946A	----	11.060 - 1.921	.7543	----	----	----	----	24 UNCH
6800	----	----	----/10.495A	11.800B/10.495A	----	10.722 - 1.888	.7428	----	----	----	----	250 UNCH
6825	----	----	----/10.467A	11.557B/10.467A	----	10.556 - 1.871	.7370	----	----	----	----	6 UNCH
6850	----	----	----/10.311A	11.379B/10.311A	----	10.391 - 1.855	.7311	----	----	----	----	1 UNCH
6875	----	----	----/10.157A	11.204B/10.157A	----	10.228 - 1.838	.7251	----	----	----	----	16 UNCH
6900	----	----	----/9.871A	11.096B/9.871A	----	10.068 - 1.820	.7191	----	----	----	----	99 UNCH
6950	----	----	----/9.703A	10.688B/9.703A	----	9.752 - 1.786	.7070	----	----	----	----	1 UNCH
7000	----	----	----/9.274A	10.419B/9.274A	----	9.443 - 1.751	.6948	----	----	----	----	154 UNCH
7025	----	----	----/9.130A	10.254B/9.130A	----	9.292 - 1.733	.6886	----	----	----	----	125 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
7050	----	----	----/9.122A	10.022B/9.122A	----	9.143 - 1.714	.6823	----	----	----	----	1 UNCH
7100	----	----	----/8.843A	9.698B/8.843A	----	8.849 - 1.679	.6698	----	----	----	----	5 UNCH
7200	----	----	----/8.306A	9.077B/8.306A	----	8.286 - 1.606	.6445	----	----	----	----	11 UNCH
7225	----	----	----/8.176A	8.926B/8.176A	----	8.150 - 1.587	.6381	----	----	----	----	1 UNCH
7250	----	----	----/7.911A	8.847B/7.911A	----	8.015 - 1.570	.6317	----	----	----	----	165 UNCH
7300	----	----	----/7.799A	8.484B/7.799A	----	7.753 - 1.532	.6189	----	----	----	----	3 UNCH
7325	----	----	----/7.358A	8.411B/7.358A	----	7.624 - 1.514	.6125	----	----	----	----	102 UNCH
7350	----	----	----/7.557A	8.199B/7.557A	----	7.497 - 1.496	.6061	----	----	----	----	2 UNCH
7400	----	----	----/7.266A	7.921B/7.266A	----	7.249 - 1.460	.5933	----	----	----	----	17 UNCH
7450	----	----	----/7.090A	7.651B/7.090A	----	7.009 - 1.423	.5805	----	----	----	----	12 UNCH
7500	7.289	7.289	7.289/6.517A	7.462B/6.517A	----	6.776 - 1.386	.5678	----	----	31	----	295 + 1
7550	----	----	----/6.659A	7.141B/6.659A	----	6.550 - 1.350	.5551	----	----	----	----	6 UNCH
7575	----	----	----/6.550A	7.014B/6.550A	----	6.439 - 1.333	.5488	----	----	----	----	20 UNCH
7600	----	----	----/6.406A	6.897B/6.406A	----	6.331 - 1.315	.5425	----	----	----	----	11 UNCH
7700	----	----	----/*5.661A	6.967B/5.661A	----	5.914 - 1.246	.5176	----	----	5	----	119 + 3
7750	5.850	5.850	5.850/*5.723A	6.401B/5.723A	----	5.715 - 1.213	.5054	----	----	1	50	115 + 50
7800	----	----	----/*5.539A	6.243B/5.539A	----	5.523 - 1.180	.4933	----	----	2	----	51 UNCH
7900	----	----	----/*5.304A	5.800B/*5.304A	----	5.159 - 1.115	.4696	----	----	3	----	13 + 3
7975	----	----	----/*5.074A	5.411B/*5.074A	----	4.901 - 1.070	.4522	----	----	----	----	6 UNCH
8000	4.500	4.500	5.050/4.500	5.665B/4.500	----	4.818 - 1.055	.4465	----	----	44	50	668 - 25
8025	----	----	----/4.927A	5.210B/4.927A	----	4.737 - 1.040	.4409	----	----	----	----	6 UNCH
8050	----	----	----/*4.835A	5.113B/*4.835A	----	4.657 - 1.025	.4353	----	----	----	----	3 UNCH
8100	----	----	----/*4.559A	5.000B/*4.559A	----	4.502 - 0.996	.4243	----	----	2	----	67 UNCH
8175	----	----	----/*4.483A	4.653B/*4.483A	----	4.279 - 0.955	.4082	----	----	----	----	1 UNCH
8200	4.449	4.449	4.449/*4.119A	4.929B/*4.119A	----	4.207 - 0.942	.4029	----	----	1	----	154 - 1
8250	----	----	----/*4.218A	4.405B/*4.218A	----	4.068 - 0.915	.3925	----	----	----	100	145 + 100
8300	----	----	----/*3.894A	4.596B/3.894A	----	3.934 - 0.890	.3823	----	----	5	----	350 UNCH
8325	----	----	----/*4.096A	4.157B/*4.096A	----	3.869 - 0.877	.3774	----	----	----	----	1 UNCH
8350	----	----	----/*4.026A	4.080B/*4.026A	----	3.805 - 0.865	.3724	----	----	----	----	2 UNCH
8375	----	----	----/*3.910A	4.040B/*3.910A	----	3.742 - 0.853	.3675	----	----	----	----	48 UNCH
8400	----	----	----/*3.909A	4.006B/*3.909A	----	3.680 - 0.841	.3627	----	----	1	----	13 + 1
8500	----	----	----/*3.469A	4.005B/*3.469A	----	3.446 - 0.795	.3440	----	----	21	----	834 - 8
8550	----	----	----/*3.409A	3.826B/*3.409A	----	3.336 - 0.772	.3350	----	----	91	----	261 - 68
8600	----	----	----/*3.487A	3.464B/*3.487A	----	3.229 - 0.751	.3261	----	----	5	----	12 + 5
8650	----	----	----/*3.389A	3.502B/*3.389A	----	3.127 - 0.730	.3176	----	----	----	----	11 UNCH
8700	3.185	3.185	3.185/*3.084A	3.499B/*3.084A	----	3.029 - 0.709	.3093	----	----	1	----	111 - 1
8750	----	----	----/*3.201A	3.094B/*3.201A	----	2.934 - 0.690	.3011	----	----	----	50	66 + 49
8800	----	----	----/*3.059A	3.003B/*3.059A	----	2.843 - 0.671	.2932	----	----	----	----	12 UNCH
8850	----	----	----/*3.022A	2.891B/*3.022A	----	2.756 - 0.653	.2856	----	----	----	----	1 UNCH
8900	----	----	----/*2.775A	3.074B/*2.775A	----	2.672 - 0.635	.2781	----	----	1	----	111 + 1
8950	----	----	----/*2.836A	2.702B/*2.836A	----	2.591 - 0.618	.2709	----	----	----	----	5 UNCH
9000	2.800	2.800	2.800/2.618A	2.858B/2.618A	----	2.514 - 0.600	.2639	----	----	4	----	433 + 2
9050	----	----	----/*2.670A	2.537B/*2.670A	----	2.439 - 0.584	.2570	----	----	----	----	5 UNCH
9100	----	----	----/*2.575A	2.453B/*2.575A	----	2.367 - 0.569	.2504	----	----	----	----	10 UNCH
9200	2.337	2.337	2.337/*2.337	2.534B/*2.337	----	2.231 - 0.539	.2377	----	----	18	----	78 - 2
9225	----	----	----/*2.411A	2.266B/*2.411A	----	2.199 - 0.532	.2347	----	----	----	----	3 UNCH
9250	----	----	----/*2.397A	2.232B/*2.397A	----	2.167 - 0.525	.2316	----	----	----	----	7 UNCH
9300	----	----	----/*2.252A	2.380B/*2.252A	----	2.106 - 0.510	.2258	----	----	----	----	266 UNCH
9350	----	----	----/*2.255A	2.096B/*2.255A	----	2.047 - 0.497	.2201	----	----	----	----	9 UNCH
9400	----	----	----/*2.191A	2.067B/*2.191A	----	1.990 - 0.484	.2146	----	----	19	----	11 - 17
9450	----	----	----/*2.138A	2.006B/*2.138A	----	1.935 - 0.471	.2092	----	----	----	----	33 UNCH
9500	2.000	2.000	2.050/1.800	2.103B/1.800	----	1.882 - 0.459	.2040	----	----	51	----	749 + 47
9525	----	----	----/*2.044A	1.881B/*2.044A	----	1.856 - 0.453	.2015	----	----	----	----	1 UNCH
9550	----	----	----/*2.047A	1.851B/*2.047A	----	1.831 - 0.447	.1990	----	----	----	----	7 UNCH
9600	----	----	----/*1.947A	1.864B/*1.947A	----	1.781 - 0.436	.1940	----	----	----	----	53 UNCH
9650	----	----	----/*1.939A	1.754B/*1.939A	----	1.734 - 0.424	.1893	----	----	----	----	1 UNCH
9700	----	----	----/*1.918A	1.706B/*1.918A	----	1.688 - 0.414	.1847	----	----	----	----	5 UNCH
9725	----	----	----/*1.867A	1.683B/*1.867A	----	1.666 - 0.408	.1825	----	----	----	----	1 UNCH
9750	----	----	----/*1.811A	1.768B/*1.811A	----	1.644 - 0.403	.1802	----	----	----	----	82 UNCH
9775	----	----	----/*1.793A	1.688B/*1.793A	----	1.623 - 0.397	.1781	----	----	----	----	57 UNCH
9800	----	----	----/*1.752A	1.755B/*1.752A	----	1.602 - 0.392	.1759	----	----	----	----	130 UNCH
9825	----	----	----/*1.757A	1.583B/*1.757A	----	1.581 - 0.387	.1738	----	----	----	----	3 UNCH
9850	----	----	----/*1.779A	1.557B/*1.779A	----	1.561 - 0.382	.1718	----	----	----	----	23 UNCH
9900	----	----	----/*1.673A	1.574B/*1.673A	----	1.521 - 0.373	.1677	----	----	----	----	69 UNCH
9925	----	----	----/*1.705A	1.493B/*1.705A	----	1.502 - 0.368	.1657	----	----	----	----	6 UNCH
10000	1.400	1.400	1.400/1.400	1.560B/1.400	----	1.446 - 0.354	.1599	----	----	4	50	1736 + 1
10100	----	----	----/*1.634A	1.350B/*1.634A	----	1.376 - 0.336	.1526	----	----	----	----	1 UNCH
10125	----	----	----/*1.594A	1.332B/*1.594A	----	1.359 - 0.332	.1508	----	----	----	----	7 UNCH
10200	----	----	----/*1.467A	1.388B/*1.467A	----	1.311 - 0.319	.1457	----	----	----	----	101 UNCH
10250	----	----	----/*1.572A	1.136B/*1.572A	----	1.280 - 0.311	.1424	----	----	----	----	20 UNCH
10275	----	----	----/*1.558A	1.123B/*1.558A	----	1.264 - 0.308	.1407	----	----	----	----	10 UNCH
10375	----	----	----/*1.492A	1.134B/*1.492A	----	1.207 - 0.292	.1346	----	----	----	----	18 UNCH
10400	----	----	----/*1.477A	1.119B/*1.477A	----	1.193 - 0.289	.1331	----	----	----	----	1 UNCH
10475	----	----	----/*1.367A	1.075B/*1.367A	----	1.152 - 0.279	.1287	----	----	----	----	25 UNCH
10500	1.200	1.200	1.200/1.100	1.200/1.100	----	1.139 - 0.275	.1273	----	----	51	----	594 + 8
10550	----	----	----/*1.177A	1.033B/*1.177A	----	1.114 - 0.268	.1246	----	----	----	----	1 UNCH
10600	----	----	----/*1.174A	1.010B/*1.174A	----	1.090 - 0.261	.1220	----	----	----	----	2 UNCH
10800	1.000	1.000	1.000/*1.000	1.000/*1.000	----	0.999 - 0.238	.1120	----	----	1	----	36 + 1
11000	1.000	1.000	1.000/0.915	1.000/0.915	----	0.920 - 0.216	.1033	----	----	54	----	1334 + 3
11100	----	----	----/*0.987A	0.775B/*0.987A	----	0.884 - 0.205	.0992	----	----	----	----	10 UNCH
11200	----	----	----/*0.931A	0.737B/*0.931A	----	0.849 - 0.197	.0954	----	----	----	----	8 UNCH
11225	----	----	----/*0.930A	0.737B/*0.930A	----	0.841 - 0.194	.0944	----	----	----	----	3 UNCH
11300	----	----	----/*0.912A	0.741B/*0.912A	----	0.817 - 0.188	.0917	----	----	----	----	50 UNCH
11400	----	----	----/*0.881A	0.736B/*0.881A	----	0.787 - 0.179	.0884	----	----	----	----	19 UNCH
11500	----	----	----/*0.851A	0.715B/*0.851A	----	0.758 - 0.171	.0851	----	----	----	----	57 UNCH
11600	----	----	----/*0.823A	0.684B/*0.823A	----	0.731 - 0.163	.0820	----	----	----	----	1 UNCH
11625	----	----	----/*0.816A	0.676B/*0.816A	----	0.725 - 0.160	.0813	----	----	----	----	2 UNCH
11650	----	----	----/*0.810A	0.668B/*0.810A	----	0.718 - 0.159	.0805	----	----	----	----	24 UNCH
11675	----	----	----/*0.804A	0.661B/*0.804A	----	0.712 - 0.157	.0798	----	----	----	----	22 UNCH
11700	----	----	----/*0.797A	0.654B/*0.797A	----	0.706 - 0.155	.0791	----	----	----	----	22 UNCH
11725	----	----	----/*0.791A	0.647B/*0.791A	----	0.699 - 0.154	.0784	----	----	----	----	22 UNCH
11750	----	----	----/*0.785A	0.639B/*0.785A	----	0.693 - 0.152	.0777	----	----	----	----	22 UNCH
11775	----	----	----/*0.778A	0.634B/*0.778A	----	0.687 - 0.150	.0770	----	----	----	----	22 UNCH
11800	----	----	----/*0.772A	0.629B/*0.772A	----	0.681 - 0.148	.0763	----	----	----	----	1 UNCH
11900	----	----	----/*0.749A	0.605B/*0.749A	----	0.658 - 0.141	.0737	----	----	----	----	1 UNCH
11950	----	----	----/*0.737A	0.587B/*0.737A	----	0.647 - 0.138	.0724	----	----	----	----	1 UNCH
12000	0.633	0.633	0.633/0.600A	0.633/0.600A	----	0.637 - 0.133	.0713	----	----	13	----	414 - 6
12200	----	----	----/*0.684A	0.523B/*0.684A	----	0.596 - 0.121	.0666	----	----	----	----	1 UNCH
12225	----	----	----/*0.679A	0.519B/*0.679A	----	0.591 - 0.119	.0660	----	----	----	----	16 UNCH
12250	----	----	----/*0.674A	0.515B/*0.674A	----	0.586 - 0.118	.0654	----	----	----	----	6 UNCH
12300	----	----	----/*0.664A	0.503B/*0.664A	----	0.577 - 0.115	.0644	----	----	----	----	8 UNCH
12375	----	----	----/*0.650A	0.488B/*0.650A	----	0.563 - 0.110	.0628	----	----	----	----	1 UNCH
12425	----	----	----/*0.640A	0.477B/*0.640A	----	0.555 - 0.106	.0619	----	----	----	----	1 UNCH
12450	----	----	----/*0.636A	0.471B/*0.636A	----	0.550 - 0.106	.0613	----	----	----	----	1 UNCH
12475	----	----	----/*0.631A	0.466B/*0.631A	----	0.546 - 0.104	.0608	----	----	----	----	3 UNCH
12500	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.542 - 0.102	.0604	----	----	50	----	137 + 48
12600	----	----	----/*0.609A	0.443B/*0.609A	----	0.525 - 0.097	.0584	----	----	----	----	6 UNCH
12725	----	----	----/*0.587A	0.422B/*0.587A	----	0.506 - 0.089	.0562	----	----	----	----	1 UNCH
12800	----	----	----/*0.575A	0.409B/*0.575A	----	0.494 - 0.085	.0549	----	----	----	----	1 UNCH
13000	0.459	0.459	0.459/0.459	0.459/0.459	----	0.466 - 0.074	.0516	----	----	1	----	592 - 1
14000	----	----	----/0.340A	0.310B/0.340A	----	0.356 - 0.032	.0390	----	----	----	----	793 UNCH
14700	----	----	----	0.211B/*0.363A	----	0.304 - 0.019	.0329	----	----	----	----	1 UNCH
15000	----	----	----	0.185B/0.341A	----	0.286 - 0.015	.0308	----	----	----	----	716 UNCH
16000	----	----	----	0.135B/0.282A	----	0.238 - 0.011	.0251	----	----	----	----	749 UNCH
17000	----	----	----	0.150B/0.241A	----	0.200 - 0.011	.0208	----	----	----	----	26 UNCH
18000	----	----	----	0.120B/0.214A	----	0.165 - 0.015	.0170	----	----	----	----	260 UNCH
19000	----	----	----	0.051B/0.190A	----	0.134 - 0.017	.0138	----	----	----	----	78 UNCH
20000	----	----	----/*0.120A	0.082B/*0.120A	----	0.107 - 0.020	.0110	----	----	----	----	1185 UNCH
21000	----	----	----	0.015B/*0.110A	----	0.083 - 0.023	.0086	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/0.150A	----	0.037 - 0.024	.0040	----	----	----	----	130 UNCH
25000	----	----	----	0.001B/*0.055A	----	0.028 - 0.023	.0030	----	----	----	----	364 UNCH
27000	----	----	----	0.001B/0.204A	----	0.024 - 0.020	.0025	----	----	----	----	4 UNCH
30000	----	----	----	----/0.196A	----	0.021 - 0.016	.0021	----	----	----	----	23 UNCH
32000	----	----	----	----/0.192A	----	0.017 - 0.013	.0017	----	----	----	----	4 UNCH
35000	----	----	----	0.010B/0.032A	----	0.010 - 0.009	.0010	----	----	----	----	77 UNCH
TOTAL										490	300	19671 + 198
AUG26												
5000	----	----	----/26.781A	28.012B/26.781A	----	26.947 - 2.378	.9525	----	----	----	----	2 UNCH
5400	----	----	----/23.152A	24.272B/23.152A	----	23.244 - 2.316	.9260	----	----	----	----	2 UNCH
5500	----	----	----/22.276A	23.360B/22.276A	----	22.343 - 2.297	.9175	----	----	----	----	1 UNCH
6300	----	----	----/15.793A	16.547B/15.793A	----	15.671 - 2.071	.8184	----	----	----	----	5 UNCH
6450	----	----	----/14.699A	15.405B/14.699A	----	14.555 - 2.014	.7934	----	----	----	----	1 UNCH
6500	----	----	----/14.345A	15.030B/14.345A	----	14.194 - 1.994	.7847	----	----	----	----	2 UNCH
6600	----	----	----/13.657A	14.304B/13.657A	----	13.489 - 1.953	.7666	----	----	----	----	4 UNCH
6800	----	----	----/12.224A	12.978B/12.224A	----	12.153 - 1.865	.7285	----	----	----	----	7 UNCH
6875	----	----	----/11.891A	12.424B/11.891A	----	11.678 - 1.830	.7136	----	----	----	----	5 UNCH
7000	----	----	----/11.158A	11.629B/11.158A	----	10.918 - 1.771	.6881	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
7025	----	----	----/11.017A	11.477B/11.017A	----	10.771 - 1.759	.6830	----	----	----	----	5 UNCH
7050	----	----	----/10.878A	11.326B/10.878A	----	10.626 - 1.746	.6778	----	----	----	----	2 UNCH
7100	----	----	----/10.606A	11.026B/10.606A	----	10.340 - 1.722	.6674	----	----	----	----	2 UNCH
7400	----	----	----/8.933A	9.358B/8.933A	----	8.826 - 1.524	.6040	----	----	----	----	2 UNCH
7425	----	----	----/8.699A	9.384B/8.699A	----	8.712 - 1.506	.5987	----	----	----	----	14 UNCH
7475	----	----	----/8.439A	9.140B/8.439A	----	8.489 - 1.468	.5883	----	----	----	----	6 UNCH
7500	----	----	----/8.320A	8.853B/8.320A	----	8.380 - 1.449	.5831	----	----	----	----	4 UNCH
7550	----	----	----/8.109A	8.611B/8.109A	----	8.166 - 1.411	.5727	----	----	----	----	4 UNCH
7625	----	----	----/7.807A	8.443B/7.807A	----	7.854 - 1.356	.5573	----	----	----	----	18 UNCH
7700	----	----	----/*7.510A	7.917B/7.510A	----	7.555 - 1.301	.5421	----	----	----	----	1 UNCH
7800	----	----	----/*7.142A	7.678B/7.142A	----	7.174 - 1.230	.5223	----	----	----	----	1 UNCH
7900	----	----	----/*6.786A	7.278B/6.786A	----	6.813 - 1.161	.5029	----	----	----	----	1 UNCH
7950	----	----	----/*6.609A	7.089B/*6.609A	----	6.641 - 1.127	.4935	----	----	----	----	9 UNCH
7975	----	----	----/*6.525A	7.002B/*6.525A	----	6.556 - 1.111	.4888	----	----	----	----	1 UNCH
8000	----	----	----/6.443A	6.912B/6.443A	----	6.473 - 1.095	.4841	----	----	----	----	19 UNCH
8100	----	----	----/*6.119A	6.562B/*6.119A	----	6.151 - 1.033	.4658	----	----	----	----	8 UNCH
8200	----	----	----/*5.822A	6.231B/*5.822A	----	5.848 - 0.974	.4480	----	----	----	----	1 UNCH
8300	----	----	----/*5.545A	5.902B/*5.545A	----	5.562 - 0.919	.4309	----	----	----	----	3 UNCH
8400	----	----	----/*5.275A	5.637B/*5.275A	----	5.293 - 0.869	.4143	----	----	----	----	1 UNCH
8450	----	----	----/*5.146A	5.496B/*5.146A	----	5.164 - 0.845	.4062	----	----	----	----	2 UNCH
8500	----	----	----/*5.020A	5.360B/*5.020A	----	5.040 - 0.822	.3984	----	----	----	----	13 UNCH
8600	----	----	----/5.220A	4.646B/5.220A	----	4.801 - 0.779	.3830	----	----	91	----	91 + 91
8775	----	----	----/*4.389A	4.686B/*4.389A	----	4.417 - 0.712	.3576	----	----	----	----	2 UNCH
8900	----	----	----/*4.138A	4.410B/*4.138A	----	4.166 - 0.670	.3405	----	----	----	----	7 UNCH
8950	----	----	----/*4.044A	4.313B/*4.044A	----	4.071 - 0.655	.3339	----	----	----	----	6 UNCH
9000	----	----	----/3.952A	4.193B/3.952A	----	3.978 - 0.640	.3275	----	----	----	----	20 UNCH
9100	----	----	----/*3.718A	4.019B/*3.718A	----	3.802 - 0.611	.3150	----	----	----	----	84 UNCH
9200	----	----	----/*3.609A	3.826B/*3.609A	----	3.635 - 0.585	.3031	----	----	----	----	1 UNCH
9250	----	----	----/*3.838A	3.318B/*3.838A	----	3.555 NEW	.2973	----	----	10	----	10 + 10
9400	----	----	----/*3.244A	3.496B/*3.244A	----	3.329 - 0.538	.2808	----	----	----	----	104 UNCH
9450	----	----	----/3.674A	2.991B/3.674A	----	3.258 NEW	.2755	----	----	19	----	19 + 19
9500	----	----	----/*3.162A	3.321B/*3.162A	----	3.189 - 0.516	.2704	----	----	----	----	1 UNCH
10000	2.585	2.585	2.585/2.542A	2.663B/2.542A	----	2.593 - 0.422	.2247	----	----	2	----	142 UNCH
10200	----	----	----/*2.385A	2.444B/*2.385A	----	2.396 - 0.390	.2091	----	----	2	----	4 + 1
10400	----	----	----/*2.213A	2.245B/*2.213A	----	2.219 - 0.361	.1949	----	----	----	----	2 UNCH
10500	----	----	----/*2.135A	2.149B/*2.135A	----	2.137 - 0.347	.1882	----	----	----	----	7 UNCH
10800	----	----	----/*1.926A	1.923B/*1.926A	----	1.915 - 0.309	.1699	----	----	----	----	3 UNCH
11000	----	----	----	1.494B/2.122A	----	1.785 - 0.286	.1590	----	----	----	----	4 UNCH
11100	----	----	----/*1.799A	1.710B/*1.799A	----	1.724 - 0.276	.1539	----	----	----	----	20 UNCH
11200	----	----	----/*1.772A	1.646B/*1.772A	----	1.667 - 0.265	.1491	----	----	----	----	1 UNCH
11400	----	----	----	1.275B/1.899A	----	1.559 - 0.247	.1399	----	----	----	----	2 UNCH
11500	1.498	1.498	1.575/*1.498	1.575/*1.498	----	1.509 - 0.238	.1356	----	----	5	----	48 UNCH
11700	----	----	----	1.111B/1.754A	----	1.416 NEW	.1275	----	----	2	----	2 + 2
11850	----	----	----	1.040B/1.645A	----	1.352 - 0.208	.1219	----	----	----	----	1 UNCH
12000	----	----	----/1.313A	0.962B/1.313A	----	1.292 - 0.197	.1167	----	----	----	----	2 UNCH
12500	----	----	----/*1.225A	0.901B/*1.225A	----	1.117 - 0.165	.1012	----	----	----	----	1 UNCH
13000	----	----	----/1.003A	0.884B/1.003A	----	0.976 - 0.137	.0886	----	----	----	----	56 UNCH
14000	----	----	----/0.792A	0.680B/0.792A	----	0.765 - 0.095	.0694	----	----	----	----	7 UNCH
15000	----	----	----	0.520B/0.707A	----	0.616 - 0.067	.0557	----	----	----	----	36 UNCH
16000	----	----	----	0.408B/0.596A	----	0.507 - 0.047	.0456	----	----	----	----	1 UNCH
17000	----	----	----	0.327B/0.510A	----	0.423 - 0.035	.0379	----	----	----	----	4 UNCH
18000	----	----	----	0.266B/0.444A	----	0.359 - 0.026	.0320	----	----	----	----	4 UNCH
19000	----	----	----	0.216B/0.391A	----	0.307 - 0.021	.0273	----	----	----	----	2 UNCH
20000	----	----	----	0.179B/0.348A	----	0.266 - 0.018	.0235	----	----	----	----	217 UNCH
25000	0.129	0.129	0.129/*0.129	0.129/*0.129	----	0.148 - 0.009	.0128	----	----	1	----	3 + 1
30000	----	----	----	0.001B/0.386A	----	0.096 - 0.005	.0081	----	----	----	----	13 UNCH
32000	----	----	----	0.001B/0.376A	----	0.077 - 0.004	.0065	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/*0.081A	----	0.059 - 0.002	.0050	----	----	----	----	2 UNCH
TOTAL										132	0	1079 + 124
SEP26												
5100	----	----	----/26.140A	#26.764B/26.140A	----	26.193 - 2.340	.9335	----	----	1	----	1 UNCH
5900	----	----	----/19.518A	#19.667B/19.518A	----	19.317 - 2.157	.8558	----	----	----	----	2 UNCH
6000	----	----	----/18.758A	#18.863B/18.758A	----	18.531 - 2.124	.8426	----	----	----	----	7 UNCH
6700	----	----	----/14.021A	13.819B/14.021A	----	13.629 - 1.830	.7319	----	----	----	----	1 UNCH
7000	----	----	----/12.028A	12.256B/12.028A	----	11.882 - 1.675	.6777	----	----	----	----	121 UNCH
7125	----	----	----/11.375A	11.561B/11.375A	----	11.218 - 1.608	.6547	----	----	----	----	75 UNCH
7400	----	----	----/10.071A	10.066B/10.071A	----	9.890 - 1.455	.6040	----	----	----	----	100 UNCH
7500	----	----	----/9.842A	9.512B/9.842A	----	9.451 - 1.399	.5858	----	----	----	----	1 UNCH
7700	----	----	----/9.044A	8.627B/9.044A	----	8.636 - 1.289	.5502	----	----	----	----	1 UNCH
8000	----	----	----/7.838A	7.543B/7.838A	----	7.564 - 1.130	.4994	----	----	----	----	101 UNCH
8200	----	----	----/7.394A	6.765B/7.394A	----	6.937 - 1.032	.4677	----	----	----	----	24 UNCH
8500	----	----	----/*6.400A	6.004B/*6.400A	----	6.110 - 0.899	.4234	----	----	----	----	100 UNCH
8600	----	----	----/*6.366A	5.611B/*6.366A	----	5.862 - 0.859	.4096	----	----	----	----	5 UNCH
8675	----	----	----/*6.248A	5.380B/*6.248A	----	5.684 - 0.830	.3996	----	----	----	----	5 UNCH
8700	----	----	----/*5.918A	5.497B/*5.918A	----	5.626 - 0.820	.3963	----	----	----	----	100 UNCH
8800	----	----	----/*5.929A	5.120B/*5.929A	----	5.402 - 0.784	.3833	----	----	----	----	5 UNCH
9000	----	----	----/5.292A	4.829B/5.292A	----	4.989 - 0.716	.3589	----	----	----	----	186 UNCH
9500	----	----	----/*4.412A	3.957B/*4.412A	----	4.125 - 0.576	.3052	----	----	10	----	43 - 10
9600	----	----	----/*4.377A	3.711B/*4.377A	----	3.977 - 0.553	.2957	----	----	----	----	25 UNCH
9750	----	----	----/*4.277A	3.444B/*4.277A	----	3.770 - 0.520	.2821	----	----	----	----	23 UNCH
9800	----	----	----/*3.981A	3.518B/*3.981A	----	3.704 - 0.510	.2777	----	----	----	----	130 UNCH
9900	----	----	----/*3.851A	3.392B/*3.851A	----	3.577 - 0.490	.2692	----	----	----	----	59 UNCH
10000	----	----	----/3.723A	3.400B/3.723A	----	3.456 - 0.472	.2611	----	----	----	----	290 UNCH
10100	----	----	----	3.018B/*3.838A	----	3.342 - 0.454	.2533	----	----	1	----	2 + 1
10200	----	----	----	2.905B/*3.724A	----	3.232 NEW	.2458	----	----	1	----	1 + 1
10500	----	----	----/*3.206A	2.733B/*3.206A	----	2.935 - 0.394	.2251	----	----	----	----	115 UNCH
10800	----	----	----	2.343B/*3.129A	----	2.676 - 0.358	.2066	----	----	----	----	2 UNCH
11000	----	----	----/2.796A	2.321B/2.796A	----	2.522 - 0.337	.1955	----	----	----	----	190 UNCH
11300	----	----	----/*2.592A	2.102B/*2.592A	----	2.315 - 0.310	.1803	----	----	----	----	60 UNCH
11500	----	----	----/*2.472A	1.945B/*2.472A	----	2.191 - 0.293	.1711	----	----	----	----	70 UNCH
12000	----	----	----	1.652B/2.225A	----	1.920 - 0.258	.1508	----	----	----	----	117 UNCH
12500	----	----	----	1.337B/*2.085A	----	1.695 - 0.227	.1337	----	----	----	----	35 UNCH
13000	----	----	----	1.124B/1.905A	----	1.505 - 0.200	.1191	----	----	----	----	36 UNCH
14000	1.200	1.200	1.200/1.200	1.200/1.200	----	1.206 - 0.156	.0959	----	----	1	----	102 - 1
15000	0.900	0.900	0.900/0.900	0.900/0.900	----	0.984 - 0.123	.0785	----	----	10	----	221 UNCH
16000	----	----	----	0.714B/0.926A	----	0.816 - 0.097	.0653	----	----	----	----	18 UNCH
17000	----	----	----	0.584B/0.803A	----	0.687 - 0.077	.0550	----	----	----	----	27 UNCH
18000	----	----	----	0.487B/0.705A	----	0.587 - 0.062	.0470	----	----	----	----	2 UNCH
19000	----	----	----	0.411B/0.625A	----	0.508 - 0.050	.0406	----	----	----	----	14 UNCH
20000	----	----	----	0.351B/0.561A	----	0.445 - 0.041	.0355	----	----	----	----	304 UNCH
21000	----	----	----	0.298B/*0.509A	----	0.394 - 0.034	.0313	----	----	----	----	1 UNCH
23000	----	----	----	0.223B/*0.424A	----	0.316 - 0.025	.0249	----	----	----	----	32 UNCH
25000	----	----	----	0.171B/*0.366A	----	0.262 - 0.018	.0205	----	----	----	----	14 UNCH
30000	----	----	----	0.091B/0.273A	----	0.184 - 0.010	.0140	----	----	----	----	18 UNCH
35000	----	----	----	0.047B/0.220A	----	0.100 - 0.005	.0079	----	----	----	----	27 UNCH
TOTAL										24	0	2813 - 9
OCT26												
3800	----	----	----	----	----	39.413 - 2.483	.9840	----	----	----	----	1 UNCH
7000	----	----	----/13.945A	12.985B/13.945A	----	13.227 - 1.634	.6836	----	----	----	----	2 UNCH
7100	----	----	----/13.087A	12.475B/13.087A	----	12.695 - 1.588	.6672	----	----	----	----	1 UNCH
7500	----	----	----/11.223A	10.726B/11.223A	----	10.783 - 1.401	.6014	----	----	----	----	1 UNCH
7650	----	----	----/10.610A	10.067B/10.610A	----	10.150 - 1.333	.5772	----	----	----	----	1 UNCH
7875	----	----	----/9.983A	8.930B/9.983A	----	9.282 - 1.233	.5419	----	----	----	----	2 UNCH
8000	----	----	----/9.344A	8.655B/9.344A	----	8.839 - 1.180	.5230	----	----	----	----	4 UNCH
8075	----	----	----/9.279A	8.219B/9.279A	----	8.586 - 1.149	.5119	----	----	----	----	1 UNCH
8500	----	----	----/7.882A	7.031B/7.882A	----	7.318 - 0.985	.4529	----	----	----	----	1 UNCH
8700	----	----	----/7.392A	6.486B/7.392A	----	6.808 - 0.916	.4276	----	----	----	----	4 UNCH
9000	----	----	----/6.755A	5.760B/6.755A	----	6.133 - 0.821	.3925	----	----	----	----	1 UNCH
9100	----	----	----/*6.542A	5.540B/*6.542A	----	5.929 - 0.792	.3816	----	----	----	----	73 UNCH
10000	----	----	----/5.024A	4.044B/5.024A	----	4.456 - 0.584	.2983	----	----	----	----	96 UNCH
11000	----	----	----	2.939B/3.856A	----	3.349 - 0.437	.2308	----	----	----	----	3 UNCH
11100	----	----	----	2.851B/*3.761A	----	3.260 - 0.425	.2252	----	----	----	----	2 UNCH
11700	----	----	----	2.390B/*3.263A	----	2.790 - 0.364	.1952	----	----	----	----	2 UNCH
12000	----	----	----	2.197B/3.048A	----	2.590 - 0.337	.1821	----	----	----	----	65 UNCH
13000	----	----	----	1.690B/2.490A	----	2.054 - 0.260	.1465	----	----	----	----	145 UNCH
14000	----	----	----	1.256B/2.153A	----	1.667 - 0.199	.1199	----	----	----	----	2 UNCH
15000	----	----	----	1.115B/1.545A	----	1.383 - 0.151	.1000	----	----	----	----	178 UNCH
16000	----	----	----	1.015B/1.291A	----	1.173 - 0.115	.0850	----	----	----	----	4 UNCH
18000	----	----	----	0.744B/0.991A	----	0.805 - 0.075	.0596	----	----	----	----	340 UNCH
20000	----	----	----	0.549B/0.795A	----	0.587 - 0.051	.0440	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/43.841A	----	16.850 - 1.822	.7532	----	----	----	----	1 UNCH
7000	----	----	----/14.753A	13.698B/14.753A	----	13.983 - 1.613	.6791	----	----	----	----	14 UNCH
7100	----	----	----/13.948A	13.156B/13.948A	----	13.470 - 1.571	.6639	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
7500	----	----	----/12.146A	11.567B/12.146A	----	11.616 - 1.403	.6036	----	----	----	----	1 UNCH
7900	----	----	----/10.638A	9.810B/10.638A	----	10.055 - 1.244	.5457	----	----	----	----	10 UNCH
8000	----	----	----/10.303A	9.442B/10.303A	----	9.707 - 1.206	.5318	----	----	----	----	10 UNCH
10000	----	----	----	4.767B/5.926A	----	5.252 - 0.643	.3221	----	----	----	----	26 UNCH
12000	----	----	----	2.768B/3.765A	----	3.220 - 0.380	.2073	----	----	----	----	13 UNCH
12500	----	----	----	2.446B/*3.413A	----	2.889 - 0.339	.1875	----	----	----	----	10 UNCH
13000	----	----	----	2.177B/3.111A	----	2.604 - 0.306	.1702	----	----	----	----	2 UNCH
14000	----	----	----	1.723B/2.669A	----	2.145 - 0.252	.1418	----	----	----	----	3 UNCH
15000	----	----	----	1.324B/2.345A	----	1.797 - 0.209	.1198	----	----	----	----	5 UNCH
16000	----	----	----	1.247B/1.725A	----	1.531 - 0.174	.1026	----	----	----	----	2 UNCH
17000	----	----	----	1.039B/1.520A	----	1.327 - 0.141	.0891	----	----	----	----	1 UNCH
20000	----	----	----	0.772B/1.054A	----	0.929 - 0.069	.0623	----	----	----	----	32 UNCH
21000	----	----	----	0.677B/*0.958A	----	0.837 - 0.055	.0561	----	----	----	----	2 UNCH
TOTAL											0	146 0
DEC26												
3875	----	----	----	----	----	38.773 - 2.440	.9695	----	----	----	----	1 UNCH
5250	----	----	----	----/59.545A	----	26.412 - 2.223	.8894	----	----	----	----	50 UNCH
5500	----	----	----	----/57.402A	----	24.385 - 2.164	.8664	----	----	----	----	1 UNCH
6500	----	----	----	----/48.418A	----	17.324 - 1.845	.7471	----	----	----	----	564 UNCH
6900	----	----	----/16.148A	14.555B/16.148A	----	15.063 - 1.685	.6909	----	----	----	----	1 UNCH
6950	----	----	----/15.886A	14.324B/15.886A	----	14.803 - 1.665	.6837	----	----	----	----	200 UNCH
7000	----	----	----/15.632A	14.060B/15.632A	----	14.548 - 1.645	.6766	----	----	----	----	120 UNCH
7025	----	----	----/15.505A	13.930B/15.505A	----	14.423 - 1.634	.6730	----	----	----	----	1 UNCH
7075	----	----	----/15.257A	13.660B/15.257A	----	14.175 - 1.614	.6659	----	----	----	----	5 UNCH
7100	----	----	----/14.618A	13.546B/14.618A	----	14.053 - 1.603	.6623	----	----	----	----	15 UNCH
7375	----	----	----/13.559A	12.232B/13.559A	----	12.787 - 1.490	.6232	----	----	----	----	2 UNCH
7500	----	----	----/12.859A	12.087B/12.859A	----	12.256 - 1.440	.6056	----	----	----	----	18 UNCH
7575	----	----	----/13.030A	11.357B/13.030A	----	11.950 - 1.410	.5952	----	----	----	----	1 UNCH
7750	----	----	----/11.901A	11.045B/11.901A	----	11.273 - 1.341	.5713	----	----	----	----	2 UNCH
7800	----	----	----/11.773A	10.850B/11.773A	----	11.089 - 1.322	.5646	----	----	----	----	1 UNCH
7925	----	----	----/11.705A	10.016B/11.705A	----	10.645 - 1.274	.5481	----	----	----	----	2 UNCH
8000	----	----	----/10.400A	10.108B/10.400A	----	10.390 - 1.246	.5385	----	----	----	----	127 UNCH
8100	----	----	----/10.727A	9.760B/10.727A	----	10.062 - 1.210	.5258	----	----	----	----	1 UNCH
8200	9.798	9.798	9.798/9.798	10.100B/9.798	----	9.749 - 1.174	.5134	----	----	1	----	22 + 1
8400	----	----	----/9.856A	8.804B/9.856A	----	9.162 - 1.105	.4896	----	----	----	----	50 UNCH
8500	----	----	----/9.641A	8.513B/9.641A	----	8.887 - 1.072	.4781	----	----	----	----	150 UNCH
8550	----	----	----/9.493A	8.371B/9.493A	----	8.754 - 1.056	.4724	----	----	----	----	25 UNCH
8600	----	----	----/9.366A	8.233B/9.366A	----	8.624 - 1.040	.4669	----	----	----	----	7 UNCH
8800	----	----	----/8.859A	7.709B/8.859A	----	8.131 - 0.980	.4454	----	----	----	----	5 UNCH
8900	----	----	----/8.635A	7.463B/8.635A	----	7.900 - 0.951	.4351	----	----	----	----	2 UNCH
8950	----	----	----/8.527A	7.344B/8.527A	----	7.788 - 0.937	.4300	----	----	----	----	1 UNCH
9000	----	----	----/8.421A	7.227B/8.421A	----	7.679 - 0.923	.4251	----	----	----	----	229 UNCH
9050	----	----	----/*8.317A	7.113B/8.317A	----	7.572 - 0.909	.4202	----	----	----	----	100 UNCH
9300	----	----	----/*7.844A	6.574B/*7.844A	----	7.069 - 0.845	.3967	----	----	----	----	1 UNCH
9500	----	----	----/7.468A	6.181B/7.468A	----	6.702 - 0.798	.3792	----	----	----	----	10 UNCH
9700	----	----	----	5.817B/*7.136A	----	6.362 - 0.755	.3626	----	----	----	----	1 UNCH
9800	----	----	----	5.645B/*6.979A	----	6.202 - 0.734	.3547	----	----	----	----	19 UNCH
9900	----	----	----	5.479B/*6.828A	----	6.048 - 0.714	.3471	----	----	----	----	3 UNCH
10000	----	----	----/5.856A	5.319B/5.856A	----	5.899 - 0.696	.3396	----	----	1	----	775 UNCH
10025	----	----	----	5.143B/*6.808A	----	5.862 - 0.692	.3377	----	----	----	----	3 UNCH
10500	----	----	----	4.601B/6.032A	----	5.225 - 0.614	.3052	----	----	----	----	2 UNCH
10600	----	----	----	4.471B/*5.909A	----	5.103 - 0.600	.2989	----	----	----	----	6 UNCH
10800	----	----	----	4.225B/*5.684A	----	4.872 - 0.573	.2868	----	----	----	----	1 UNCH
11000	----	----	----	3.994B/5.474A	----	4.654 - 0.549	.2753	----	----	1	----	91 UNCH
11350	----	----	----	3.625B/*5.137A	----	4.306 - 0.510	.2567	----	----	----	----	5 UNCH
11800	----	----	----	3.233B/*4.696A	----	3.911 - 0.466	.2352	----	----	----	----	25 UNCH
12000	----	----	----	3.079B/4.525A	----	3.752 - 0.449	.2265	----	----	----	----	478 UNCH
12200	----	----	----	2.935B/*4.393A	----	3.602 - 0.433	.2181	----	----	----	----	1 UNCH
12500	----	----	----	2.738B/4.139A	----	3.393 - 0.411	.2065	----	----	----	----	43 UNCH
13000	----	----	----	2.444B/3.839A	----	3.084 - 0.376	.1889	----	----	----	----	386 UNCH
14000	----	----	----	1.945B/3.280A	----	2.583 - 0.312	.1599	----	----	----	----	56 UNCH
14200	----	----	----	1.891B/*3.149A	----	2.498 - 0.301	.1549	----	----	----	----	1 UNCH
15000	----	----	----	1.543B/2.885A	----	2.198 - 0.257	.1371	----	----	----	----	1822 UNCH
16000	----	----	----/2.000A	1.208B/2.000A	----	1.897 - 0.209	.1190	----	----	----	----	1609 UNCH
17000	----	----	----	1.249B/1.907A	----	1.656 - 0.168	.1043	----	----	----	----	50 UNCH
18000	----	----	----	1.052B/1.714A	----	1.460 - 0.134	.0922	----	----	----	----	7 UNCH
19000	----	----	----	1.046B/1.472A	----	1.298 - 0.107	.0821	----	----	----	----	1 UNCH
20000	----	----	----	0.938B/1.344A	----	1.161 - 0.087	.0736	----	----	----	----	262 UNCH
21000	----	----	----	0.821B/*1.231A	----	1.045 - 0.072	.0663	----	----	----	----	4 UNCH
23000	----	----	----	0.644B/*1.051A	----	0.860 - 0.055	.0547	----	----	----	----	4 UNCH
25000	----	----	----	0.505B/*0.913A	----	0.723 - 0.047	.0460	----	----	----	----	237 UNCH
30000	----	----	----	0.309B/0.699A	----	0.515 - 0.035	.0326	----	----	----	----	110 UNCH
40000	----	----	----	0.207B/0.477A	----	0.337 - 0.021	.0207	----	----	----	----	23 UNCH
90000	----	----	----	----	----	0.124 - 0.006	.0070	----	----	----	----	2 UNCH
TOTAL										3	0	7741 + 1
JAN27												
7550	----	----	----/13.857A	12.947B/13.857A	----	13.101 - 1.533	.6109	----	----	----	----	1 UNCH
7650	----	----	----/13.412A	12.572B/13.412A	----	12.696 - 1.503	.5979	----	----	----	----	6 UNCH
10000	----	----	----	6.198B/*7.624A	----	6.553 - 0.915	.3578	----	----	----	----	5 UNCH
11000	----	----	----	4.777B/*6.309A	----	5.157 - 0.748	.2914	----	----	----	----	5 UNCH
13000	----	----	----	2.938B/*4.620A	----	3.545 - 0.533	.2059	----	----	----	----	1 UNCH
14000	----	----	----	2.324B/*4.057A	----	3.193 - 0.475	.1830	----	----	----	----	1 UNCH
14500	----	----	----	2.068B/*3.823A	----	3.061 - 0.452	.1740	----	----	----	----	400 UNCH
15000	----	----	----	1.840B/*3.615A	----	2.952 - 0.433	.1663	----	----	----	----	400 UNCH
TOTAL											0	819 0
FEB27												
9000	----	----	----/10.088A	8.777B/10.088A	----	9.241 - 1.024	.4559	----	----	----	----	1 UNCH
30000	----	----	----	0.424B/*1.146A	----	0.663 - 0.039	.0397	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	11.223B/*14.479A	----	12.603 - 1.306	.5637	----	----	----	----	200 UNCH
9000	----	----	----	8.287B/11.659A	----	9.805 - 1.060	.4647	----	----	----	----	35 UNCH
9200	----	----	----	7.871B/*11.205A	----	9.362 - 1.018	.4475	----	----	----	----	25 UNCH
30000	----	----	----	0.537B/*1.319A	----	1.178 - 0.091	.0620	----	----	----	----	1 UNCH
TOTAL											0	261 0
JUL27												
2000	----	----	----	----	----	59.215 - 2.505	.9948	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.229 - 1.153	.4486	----	----	----	----	1 UNCH
10300	----	----	----	----	----	10.744 - 1.111	.4317	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	41.880 - 2.298	.9197	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.777 - 0.638	.2447	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	31 UNCH
2100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2150	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2175	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.150A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
2700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	50 UNCH
2800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
2850	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
2875	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2950	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
3000	----	----	----	----/0.008A	----	0.001 UNCH	----	----	----	----	----	22 UNCH
3075	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	16 UNCH
3100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
3125	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
3175	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
3200	----	----	----	----/0.050A	----	0.001 UNCH	----	----	----	----	----	13 UNCH
3225	----	----	----	----/0.042A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
3275	----	----	----	----/0.039A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
3300	----	----	----	----/0.039A	----	0.001 UNCH	----	----	----	----	----	79 UNCH
3325	----	----	----	----/0.039A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
3350	----	----	----	----/0.039A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
3375	----	----	----	----/0.039A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
3400	----	----	----	----/0.039A	----	0.001 UNCH	----	----	----	----	----	39 UNCH
3450	----	----	----	----/0.040A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
3475	----	----	----	----/0.040A	----	0.001 UNCH	----	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
3500	----	----	----	----/0.010A	----	0.001	UNCH ----	----	----	----	----	59 UNCH
3550	----	----	----	----/0.040A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
3575	----	----	----	----/0.040A	----	0.001	UNCH ----	----	----	----	----	28 UNCH
3600	----	----	----	----/0.040A	----	0.001	UNCH ----	----	----	----	----	6 UNCH
3625	----	----	----	----/0.040A	----	0.001	UNCH ----	----	----	----	----	12 UNCH
3675	----	----	----	----/0.041A	----	0.001	UNCH ----	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.026A	----	0.001	UNCH ----	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.026A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
3775	----	----	----	----/0.026A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
3800	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.001	UNCH ----	----	----	1	----	356 UNCH
3850	----	----	----	----/*0.026A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
3900	----	----	----	----/0.027A	----	0.001	UNCH ----	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.027A	----	0.001	UNCH ----	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.027A	----	0.001	UNCH ----	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.027A	----	0.001	UNCH ----	----	----	----	----	5 UNCH
4000	0.001	0.001	0.010/*0.001	0.010/*0.001	----	0.001	UNCH ----	----	----	7	----	350 UNCH
4025	----	----	----	----/*0.027A	----	0.001	UNCH ----	----	----	----	----	3 UNCH
4050	----	----	----	----/0.027A	----	0.001	UNCH ----	----	----	----	----	21 UNCH
4075	----	----	----	----/*0.027A	----	0.001	UNCH ----	----	----	----	----	15 UNCH
4100	----	----	----	----/0.010A	----	0.001	UNCH ----	----	----	----	----	215 UNCH
4125	----	----	----	----/*0.028A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
4150	----	----	----	----/0.028A	----	0.001	UNCH ----	----	----	----	----	9 UNCH
4175	----	----	----	----/*0.028A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
4200	0.015	0.015	0.015/*0.015	0.015/0.015	----	0.001	UNCH ----	----	----	1	----	101 UNCH
4225	----	----	----	----/*0.028A	----	0.001	UNCH ----	----	----	----	----	20 UNCH
4250	----	----	----	----/*0.029A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
4275	----	----	----	----/*0.029A	----	0.001	UNCH ----	----	----	----	----	7 UNCH
4300	----	----	----	----/0.015A	----	0.001	UNCH ----	----	----	----	----	295 UNCH
4325	----	----	----	----/*0.029A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
4350	----	----	----	----/*0.029A	----	0.001	UNCH ----	----	----	----	----	27 UNCH
4375	----	----	----	----/0.029A	----	0.001	UNCH .0000	----	----	----	----	12 UNCH
4400	0.017	0.017	0.017/*0.015A	0.017/0.015A	----	0.001 -	0.001 .0000	----	----	1	----	313 - 1
4425	----	----	----	----/*0.029A	----	0.001 -	0.001 .0000	----	----	----	----	14 UNCH
4450	----	----	----	----/*0.030A	----	0.001 -	0.001 .0000	----	----	----	----	7 UNCH
4475	----	----	----	----/*0.030A	----	0.001 -	0.001 .0000	----	----	----	----	81 UNCH
4500	0.003	0.003	0.003/*0.003	0.003/*0.003	----	0.001 -	0.001 .0000	----	----	1	----	780 - 1
4525	----	----	----	----/*0.030A	----	0.001 -	0.001 .0000	----	----	----	----	19 UNCH
4550	----	----	----	----/*0.030A	----	0.001 -	0.001 .0000	----	----	----	----	4 UNCH
4575	----	----	----	----/*0.030A	----	0.001 -	0.001 .0000	----	----	----	----	11 UNCH
4600	----	----	----	----/0.030A	----	0.001 -	0.002 .0000	----	----	----	----	14 UNCH
4625	----	----	----	----/*0.031A	----	0.001 -	0.002 .0000	----	----	----	----	66 UNCH
4650	----	----	----	----/*0.031A	----	0.001 -	0.002 .0000	----	----	----	----	10 UNCH
4675	----	----	----	----/*0.031A	----	0.001 -	0.002 .0000	----	----	----	----	17 UNCH
4700	----	----	----	----/0.031A	----	0.001 -	0.002 .0000	----	----	----	----	116 UNCH
4725	----	----	----	----/*0.031A	----	0.001 -	0.002 .0000	----	----	----	----	11 UNCH
4750	----	----	----	----/*0.031A	----	0.002 -	0.001 .0001	----	----	----	----	18 UNCH
4775	----	----	----	----/*0.032A	----	0.002 -	0.002 .0001	----	----	----	----	4 UNCH
4800	----	----	----	----/*0.032A	----	0.002 -	0.002 .0001	----	----	----	----	318 UNCH
4825	----	----	----	----/*0.032A	----	0.002 -	0.002 .0001	----	----	----	----	3 UNCH
4850	0.003	0.003	0.003/*0.003	0.003/*0.003	----	0.002 -	0.002 .0001	----	----	1	----	76 + 1
4875	----	----	----	----/*0.032A	----	0.002 -	0.002 .0001	----	----	----	----	1 UNCH
4900	----	----	----	----/0.033A	----	0.002 -	0.003 .0001	----	----	----	----	162 UNCH
4925	----	----	----	----/*0.033A	----	0.002 -	0.003 .0001	----	----	----	----	9 UNCH
4950	----	----	----	----/*0.033A	----	0.003 -	0.002 .0002	----	----	----	----	11 UNCH
4975	----	----	----	----/*0.033A	----	0.003 -	0.002 .0002	----	----	----	----	52 UNCH
5000	----	----	0.010B/----	0.010B/0.010A	----	0.003 -	0.003 .0003	----	----	----	----	916 UNCH
5025	----	----	----	----/*0.033A	----	0.003 -	0.003 .0003	----	----	----	----	1 UNCH
5050	----	----	----	----/*0.034A	----	0.003 -	0.003 .0003	----	----	----	----	24 UNCH
5075	----	----	----	----/*0.034A	----	0.004 -	0.003 .0004	----	----	----	----	7 UNCH
5100	----	----	----	----/0.034A	----	0.004 -	0.003 .0004	----	----	----	----	161 UNCH
5125	----	----	----	----/0.034A	----	0.004 -	0.003 .0004	----	----	----	----	51 UNCH
5150	----	----	----	----/*0.035A	----	0.004 -	0.004 .0004	----	----	----	----	48 UNCH
5175	----	----	----	----/*0.035A	----	0.005 -	0.003 .0005	----	----	----	----	2 UNCH
5200	----	----	----	----/0.035A	----	0.005 -	0.003 .0005	----	----	----	----	163 UNCH
5225	----	----	----	----/*0.035A	----	0.005 -	0.004 .0005	----	----	----	----	5 UNCH
5250	----	----	----	----/*0.036A	----	0.005 -	0.004 .0005	----	----	----	----	29 UNCH
5275	----	----	----	----/*0.036A	----	0.006 -	0.003 .0007	----	----	----	----	8 UNCH
5300	----	----	----	----/0.036A	----	0.006 -	0.004 .0007	----	----	----	----	172 UNCH
5325	----	----	----	----/*0.037A	----	0.006 -	0.004 .0007	----	----	----	----	23 UNCH
5350	----	----	----	----/*0.037A	----	0.006 -	0.004 .0007	----	----	----	----	28 UNCH
5375	----	----	----	----/0.037A	----	0.007 -	0.004 .0008	----	----	----	----	14 UNCH
5400	----	----	----	----/*0.038A	----	0.007 -	0.004 .0008	----	----	----	----	98 UNCH
5425	----	----	----	----/*0.038A	----	0.007 -	0.004 .0008	----	----	----	----	14 UNCH
5450	----	----	----	----/*0.038A	----	0.007 -	0.004 .0009	----	----	----	----	12 UNCH
5475	----	----	----	----/*0.039A	----	0.008 -	0.004 .0010	----	----	----	----	13 UNCH
5500	----	----	----	----/0.039A	----	0.008 -	0.004 .0010	----	----	----	----	627 UNCH
5525	----	----	----	----/*0.040A	----	0.008 -	0.004 .0010	----	----	----	----	37 UNCH
5550	----	----	----	----/0.040A	----	0.009 -	0.004 .0012	----	----	----	----	31 UNCH
5575	----	----	----	----/*0.041A	----	0.009 -	0.004 .0012	----	----	----	----	5 UNCH
5600	----	----	----	----/0.041A	----	0.009 -	0.004 .0012	----	----	----	----	81 UNCH
5625	----	----	----	----/*0.042A	----	0.010 -	0.003 .0014	----	----	----	----	6 UNCH
5650	----	----	----	----/*0.043A	----	0.010 -	0.004 .0014	----	----	----	----	41 UNCH
5675	----	----	----	----/*0.043A	----	0.010 -	0.004 .0014	----	----	----	----	48 UNCH
5700	----	----	----	----/0.044A	----	0.011 -	0.003 .0016	----	----	----	----	130 UNCH
5725	----	----	----	----/*0.045A	----	0.011 -	0.004 .0016	----	----	----	----	28 UNCH
5750	----	----	----	----/*0.045A	----	0.011 -	0.004 .0017	----	----	----	----	110 UNCH
5775	----	----	----	----/*0.046A	----	0.012 -	0.004 .0019	----	----	----	----	11 UNCH
5800	----	----	----	0.005B/0.047A	----	0.012 -	0.004 .0019	----	----	----	----	357 UNCH
5825	----	----	----	----/0.048A	----	0.013 -	0.003 .0021	----	----	----	----	54 UNCH
5850	0.018	0.018	0.018/*0.018	0.018/*0.018	----	0.013 -	0.004 .0021	----	----	3	----	7 UNCH
5875	----	----	----	----/*0.050A	----	0.014 -	0.003 .0023	----	----	----	----	4 UNCH
5900	----	----	----	----/*0.051A	----	0.014 -	0.004 .0024	----	----	----	----	106 UNCH
5925	----	----	----	----/*0.053A	----	0.015 -	0.003 .0026	----	----	----	----	13 UNCH
5950	----	----	----	----/*0.048A	----	0.016 -	0.003 .0028	----	----	----	----	13 UNCH
5975	----	----	----	----/*0.055A	----	0.016 -	0.003 .0028	----	----	----	----	23 UNCH
6000	----	----	----	0.011B/0.040A	----	0.017 -	0.003 .0031	----	----	58	----	1090 + 8
6025	----	----	----	----/*0.057A	----	0.018 -	0.002 .0033	----	----	----	----	23 UNCH
6050	----	----	----	----/0.048A	----	0.019 -	0.002 .0035	----	----	----	----	323 UNCH
6075	----	----	----	0.020B/0.060A	----	0.019 -	0.002 .0036	----	----	----	----	153 UNCH
6100	----	----	----	0.001B/0.061A	----	0.020 -	0.002 .0039	----	----	----	----	154 UNCH
6125	----	----	----	0.001B/*0.063A	----	0.021 -	0.002 .0041	----	----	----	----	7 UNCH
6150	----	----	----	0.002B/0.063A	----	0.022 -	0.001 .0044	----	----	----	----	39 UNCH
6175	----	----	----	0.001B/0.044A	----	0.023 -	0.001 .0047	----	----	----	----	14 UNCH
6200	----	----	----	0.009B/*0.040A	----	0.024 -	0.001 .0050	----	----	----	----	58 UNCH
6225	----	----	----	0.003B/*0.043A	----	0.025 -	0.001 .0053	----	----	----	----	33 UNCH
6250	----	----	----	0.013B/0.044A	----	0.027 +	0.001 .0058	----	----	----	----	87 UNCH
6275	----	----	----	0.015B/*0.039A	----	0.028 +	0.001 .0062	----	----	----	----	12 UNCH
6300	0.045	0.045	0.045/*0.023	0.045/*0.023	----	0.030 +	0.002 .0067	----	----	25	----	176 - 13
6325	----	----	----	0.019B/*0.041A	----	0.031 +	0.002 .0071	----	----	----	----	125 UNCH
6350	----	----	----	0.022B/0.043A	----	0.033 +	0.003 .0077	----	----	----	----	74 UNCH
6375	----	----	----	0.026B/0.047A	----	0.035 +	0.004 .0083	----	----	----	----	28 UNCH
6400	----	----	----	0.029B/*0.041A	----	0.036 +	0.003 .0087	----	----	----	----	102 UNCH
6425	----	----	----	0.032B/0.053A	----	0.039 +	0.005 .0096	----	----	----	----	9 UNCH
6450	----	----	----	0.032B/0.053A	----	0.041 +	0.006 .0102	----	----	----	----	55 UNCH
6475	----	----	0.039B/----	0.039B/0.055A	----	0.043 +	0.006 .0109	----	----	----	----	10 UNCH
6500	0.076	0.076	0.090/*0.020	0.090/*0.020	----	0.046 +	0.008 .0119	----	----	72	----	746 - 4
6525	----	----	0.051B/----	0.051B/0.066A	----	0.049 +	0.009 .0129	----	----	----	----	18 UNCH
6550	----	----	0.051B/----	0.051B/0.064A	----	0.052 +	0.010 .0140	----	----	----	----	172 UNCH
6575	0.075	0.075	0.075/0.045	0.075/0.045	----	0.055 +	0.012 .0151	----	----	20	----	49 - 10
6600	0.108	0.108	0.108/0.108	0.108/0.074A	----	0.058 +	0.012 .0162	----	----	11	----	359 - 1
6625	----	----	0.062B/----	0.062B/0.086A	----	0.062 +	0.014 .0176	----	----	----	----	6 UNCH
6650	----	----	0.092B/----	0.092B/0.085A	----	0.067 +	0.017 .0193	----	----	----	----	81 UNCH
6675	----	----	0.112B/----	0.112B/0.092A	----	0.071 +	0.019 .0209	----	----	----	----	63 UNCH
6700	0.078	0.078	0.121B/0.078	0.121B/0.078	----	0.076 +	0.021 .0228	----	----	1	----	530 + 1
6725	----	----	0.133B/----	0.133B/0.101A	----	0.082 +	0.024 .0250	----	----	----	----	10 UNCH
6750	0.095	0.095	0.142B/0.095	0.142B/0.089A	----	0.087 +	0.026 .0270	----	----	1	----	87 + 1
6775	----	----	0.154B/----	0.154B/0.110A	----	0.094 +	0.030 .0297	----	----	----	----	14 UNCH
6800	0.120	0.120	0.167B/0.117A	0.167B/0.117A	----	0.101 +	0.033 .0324	----	----	6	----	117 - 4
6825	----	----	0.180B/----	0.180B/0.123A	----	0.109 +	0.037 .0355	----	----	----	----	12 UNCH
6850	----	----	0.195B/----	0.195B/0.123A	----	0.117 +	0.041 .0388	----	----	----	----	16 UNCH
6875	----	----	0.212B/----	0.212B/0.119A	----	0.126 +	0.045 .0425	----	----	----	----	6 UNCH
6900	0.160	0.160	0.230B/0.116A	0.230B/0.116A	----	0.135 +	0.049 .0463	----	----	17	----	466 - 14
6925	----	----	0.250B/----	0.250B/*0.114A	----	0.146 +	0.054 .0509	----	----	----	----	79 UNCH
6950	----	----	0.270B/----	0.270B/*0.112A	----	0.158 +	0.060 .0559	----	----	10	----	30 UNCH
6975	----	----	0.294B/----	0.294B/*0.115A	----	0.171 +	0.067 .0614	----	----	----	----	9 UNCH
7000	0.300	0.300	0.335/0.124A	0.335/0.124A	----	0.185 +	0.074 .0674	----	----	80	----	846 + 24
7025	----	----	0.357B/----	0.357B/0.134A	----	0.201 +	0.082 .0743	----	----	----	----	16 UNCH
7030	0.270	0.270	#0.364B/*0.270	#0.364B/*0.136A	----	0.205	NEW .0759	----	----	9	----	9 + 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7050	0.269	0.269	0.403B/0.269	0.403B/0.145A	----	0.219 + 0.091	.0819	----	----	12	----	58 - 5
7075	----	----	0.432B/----	0.432B/0.157A	----	0.239 + 0.101	.0904	----	----	----	----	11 UNCH
7100	0.220	0.220	0.479B/0.220	0.479B/0.171A	----	0.262 + 0.113	.1000	----	----	2	----	77 - 1
7110	0.282	0.282	#0.499B/*0.177A	#0.499B/*0.177A	----	0.272 NEW	.1042	----	----	10	----	10 + 10
7125	----	----	0.527B/----	0.527B/0.185A	----	0.287 + 0.126	.1105	----	----	----	----	19 UNCH
7150	----	----	0.595B/----	0.595B/0.194A	----	0.316 + 0.142	.1224	----	----	97	----	43 + 12
7175	0.188	0.188	0.635B/*0.188	0.635B/*0.188	----	0.347 + 0.159	.1353	----	----	1	----	23 UNCH
7200	0.300	0.300	0.710/0.273	0.710/0.220A	----	0.383 + 0.178	.1497	----	----	5	----	414 UNCH
7225	0.750	0.750	0.766B/0.320	0.766B/0.236A	----	0.423 + 0.201	.1656	----	----	2	----	16 UNCH
7250	0.510	0.510	0.848B/0.510	0.848B/0.257A	----	0.467 + 0.225	.1828	----	----	40	----	60 - 18
7260	----	----	#0.868B/----	0.868B/0.264A	----	0.487 + 0.236	.1903	----	----	----	----	2 UNCH
7275	----	----	0.913B/----	0.913B/0.278A	----	0.517 + 0.253	.2017	----	----	----	----	8 UNCH
7300	0.475	0.475	1.002B/0.475	1.002B/0.298A	----	0.572 + 0.284	.2220	----	----	48	----	99 + 3
7325	0.445	0.445	1.085B/0.394	1.085B/0.323A	----	0.632 + 0.317	.2437	----	----	46	----	28 - 22
7340	0.873	0.873	#1.133B/0.707	#1.133B/0.338A	----	0.671 NEW	.2575	----	----	5	----	3 + 3
7350	0.962	0.962	1.176B/0.962	1.176B/0.348A	----	0.698 + 0.354	.2669	----	----	13	----	62 + 5
7375	0.996	0.996	1.267B/0.548	1.267B/0.377A	----	0.771 + 0.394	.2916	----	----	21	----	23 - 5
7400	0.781	0.781	1.371B/0.409A	1.371B/0.409A	----	0.851 + 0.439	.3175	----	----	31	----	108 + 7
7410	1.270	1.270	#1.412B/0.422A	#1.412B/0.422A	----	0.884 NEW	.3281	----	----	5	----	5 + 5
7425	----	----	1.478B/0.444A	1.478B/0.444A	----	0.937 + 0.486	.3445	----	----	10	----	23 - 7
7450	----	----	1.600B/0.484A	1.600B/0.484A	----	1.030 + 0.537	.3725	----	----	----	----	48 UNCH
7470	1.308	1.308	#1.697B/0.518A	#1.697B/0.518A	----	1.109 + 0.579	.3955	----	----	2	----	1 UNCH
7475	----	----	1.735B/0.534A	1.735B/0.534A	----	1.130 + 0.590	.4013	----	----	----	----	11 UNCH
7480	1.440	1.440	#1.752B/0.536A	#1.752B/0.536A	----	1.151 NEW	.4072	----	----	1	----	1 + 1
7490	----	----	#1.790B/0.554A	#1.790B/0.554A	----	1.194 + 0.625	.4189	----	----	----	----	3 UNCH
7500	0.800	0.800	1.828B/0.572A	1.828B/0.572A	----	1.238 + 0.648	.4308	----	----	60	15	588 + 32
7525	1.429	1.429	2.100/0.625A	2.100/0.625A	----	1.353 + 0.708	.4606	----	----	12	----	34 UNCH
7530	----	----	1.892B/0.634A	1.892B/0.634A	----	1.377 + 0.721	.4667	----	----	----	----	7 UNCH
7535	----	----	1.958B/0.647A	1.958B/0.647A	----	1.401 + 0.733	.4727	----	----	----	----	10 UNCH
7540	----	----	1.968B/0.659A	1.968B/0.659A	----	1.425 + 0.745	.4787	----	----	----	----	7 UNCH
7545	----	----	1.912B/0.672A	1.912B/0.672A	----	1.450 + 0.758	.4847	----	----	----	----	2 UNCH
7550	1.400	1.400	2.050/0.687A	2.050/0.687A	----	1.475 + 0.771	.4907	----	----	19	----	46 + 6
7555	----	----	1.939B/0.701A	1.939B/0.701A	----	1.500 + 0.783	.4967	----	----	5	----	7 + 5
7560	----	----	1.946B/0.713A	1.946B/0.713A	----	1.526 + 0.797	.5028	----	----	----	----	2 UNCH
7565	----	----	1.920B/0.732A	1.920B/0.732A	----	1.552 + 0.810	.5088	----	----	----	----	2 UNCH
7570	----	----	1.942B/0.745A	1.942B/0.745A	----	1.578 + 0.823	.5148	----	----	----	----	3 UNCH
7575	----	----	1.976B/0.759A	1.976B/0.759A	----	1.605 + 0.837	.5208	----	----	----	----	3 UNCH
7580	----	----	2.140B/0.773A	2.140B/0.773A	----	1.632 + 0.850	.5268	----	----	----	----	27 UNCH
7585	----	----	2.164B/0.786A	2.164B/0.786A	----	1.659 + 0.863	.5328	----	----	----	----	7 UNCH
7590	1.454	1.454	2.024B/1.454	2.024B/0.827A	----	1.686 + 0.877	.5388	----	----	1	----	3 - 1
7595	----	----	2.035B/----	2.035B/0.865A	----	1.714 + 0.891	.5447	----	----	----	----	3 UNCH
7600	1.722	1.722	2.244B/1.180	2.244B/0.870A	----	1.742 + 0.904	.5507	----	----	62	----	136 + 4
7605	----	----	2.222B/----	2.222B/0.940A	----	1.770 + 0.918	.5566	----	----	----	----	13 UNCH
7610	----	----	2.099B/----	2.099B/0.930A	----	1.798 + 0.931	.5625	----	----	----	----	1 UNCH
7615	----	----	2.119B/----	2.119B/0.975A	----	1.827 + 0.945	.5684	----	----	----	----	2 UNCH
7620	----	----	2.315B/----	2.315B/1.007A	----	1.856 + 0.959	.5743	----	----	----	----	12 UNCH
7625	----	----	2.347B/----	2.347B/1.022A	----	1.886 + 0.974	.5801	----	----	----	----	11 UNCH
7630	----	----	2.208B/----	2.208B/1.037A	----	1.915 + 0.987	.5860	----	----	----	----	1 UNCH
7635	----	----	2.437B/----	2.437B/1.052A	----	1.945 + 1.001	.5918	----	----	----	----	36 UNCH
7645	1.476	1.476	2.303B/1.437	2.303B/1.084A	----	2.006 + 1.030	.6033	----	----	2	----	4 + 2
7650	1.426	1.426	2.529B/1.426	2.529B/1.104A	----	2.037 + 1.045	.6090	----	----	4	----	27 - 3
7655	----	----	2.529B/----	2.529B/1.116A	----	2.068 + 1.059	.6147	----	----	----	----	24 UNCH
7660	1.531	1.531	2.565B/1.531	2.565B/1.132A	----	2.099 + 1.073	.6204	----	----	1	----	16 + 1
7665	1.479	1.479	2.455B/1.479	2.455B/1.150A	----	2.130 + 1.087	.6260	----	----	2	----	7 + 2
7670	----	----	2.463B/----	2.463B/1.171A	----	2.162 + 1.101	.6316	----	----	----	----	4 UNCH
7675	1.857	1.857	2.659B/1.857	2.659B/1.188A	----	2.194 + 1.116	.6372	----	----	1	----	8 - 1
7680	----	----	2.554B/----	2.554B/1.187A	----	2.226 + 1.130	.6427	----	----	----	----	3 UNCH
7685	----	----	2.731B/----	2.731B/1.218A	----	2.259 + 1.145	.6482	----	----	----	----	14 UNCH
7690	----	----	2.622B/----	2.622B/1.236A	----	2.292 + 1.159	.6537	----	----	----	----	5 UNCH
7695	1.692	1.692	2.656B/1.692	2.656B/1.254A	----	2.325 + 1.174	.6592	----	----	1	----	2 - 1
7700	1.800	1.800	2.884B/1.800	2.884B/1.283A	----	2.358 + 1.188	.6645	----	----	59	----	546 + 51
7705	----	----	2.702B/----	2.702B/1.274A	----	2.392 + 1.203	.6699	----	----	----	----	3 UNCH
7710	----	----	2.736B/----	2.736B/1.305A	----	2.426 + 1.218	.6752	----	----	----	----	2 UNCH
7715	----	----	2.772B/----	2.772B/1.326A	----	2.460 + 1.232	.6804	----	----	----	----	4 UNCH
7720	----	----	2.807B/----	2.807B/1.343A	----	2.494 + 1.246	.6856	----	----	----	----	4 UNCH
7725	2.127	2.127	2.983B/2.127	2.983B/1.366A	----	2.529 + 1.261	.6908	----	----	2	----	5 - 1
7730	----	----	2.879B/----	2.879B/1.372A	----	2.563 + 1.275	.6959	----	----	----	----	2 UNCH
7735	----	----	2.916B/----	2.916B/1.386A	----	2.598 + 1.290	.7010	----	----	----	----	3 UNCH
7740	----	----	2.952B/----	2.952B/1.405A	----	2.634 + 1.305	.7061	----	----	----	----	1 UNCH
7745	----	----	2.989B/----	2.989B/1.425A	----	2.669 + 1.319	.7110	----	----	----	----	3 UNCH
7750	2.429	2.429	3.248B/2.040	3.248B/1.482A	----	2.705 + 1.333	.7159	----	----	9	----	89 - 1
7755	----	----	3.210B/----	3.210B/1.463A	----	2.741 + 1.348	.7208	----	----	----	----	13 UNCH
7760	----	----	3.246B/----	3.246B/1.497A	----	2.777 + 1.362	.7256	----	----	----	----	14 UNCH
7765	----	----	3.272B/----	3.272B/1.502A	----	2.813 + 1.376	.7305	----	----	----	----	10 UNCH
7770	----	----	3.178B/----	3.178B/1.525A	----	2.850 + 1.391	.7352	----	----	----	----	3 UNCH
7775	2.743	2.743	3.355B/2.400	3.355B/1.558A	----	2.887 + 1.405	.7399	----	----	15	----	9 - 7
7780	----	----	3.254B/----	3.254B/1.564A	----	2.924 + 1.420	.7445	----	----	----	----	2 UNCH
7785	----	----	3.295B/----	3.295B/1.622A	----	2.961 + 1.433	.7492	----	----	----	----	5 UNCH
7790	----	----	3.333B/----	3.333B/1.602A	----	2.999 + 1.448	.7536	----	----	----	----	2 UNCH
7800	2.600	2.600	3.633B/2.600	3.633B/1.627A	----	3.074 + 1.476	.7627	----	----	7	----	83 + 7
7805	----	----	3.451B/----	3.451B/1.702A	----	3.112 + 1.490	.7671	----	----	----	----	2 UNCH
7810	----	----	3.491B/----	3.491B/1.710A	----	3.151 + 1.504	.7713	----	----	----	----	3 UNCH
7815	----	----	3.530B/----	3.530B/1.720A	----	3.189 + 1.518	.7757	----	----	----	----	2 UNCH
7820	----	----	3.570B/----	3.570B/1.767A	----	3.228 + 1.532	.7799	----	----	----	----	1 UNCH
7825	----	----	3.750B/----	3.750B/1.790A	----	3.267 + 1.546	.7840	----	----	----	----	11 UNCH
7830	----	----	3.783B/----	3.783B/1.814A	----	3.306 + 1.560	.7882	----	----	----	----	11 UNCH
7835	----	----	3.824B/----	3.824B/1.838A	----	3.345 + 1.573	.7923	----	----	----	----	20 UNCH
7840	----	----	3.732B/----	3.732B/1.862A	----	3.384 + 1.586	.7964	----	----	----	----	3 UNCH
7845	----	----	3.773B/----	3.773B/1.887A	----	3.424 + 1.600	.8003	----	----	----	----	2 UNCH
7850	----	----	4.053B/----	4.053B/1.912A	----	3.464 + 1.614	.8042	----	----	----	----	55 UNCH
7855	----	----	3.855B/----	3.855B/1.937A	----	3.504 + 1.627	.8081	----	----	----	----	3 UNCH
7860	----	----	3.897B/----	3.897B/1.962A	----	3.544 + 1.640	.8120	----	----	----	----	4 UNCH
7865	----	----	4.075B/----	4.075B/1.988A	----	3.584 + 1.653	.8158	----	----	----	----	12 UNCH
7870	----	----	3.980B/----	3.980B/2.014A	----	3.625 + 1.666	.8194	----	----	----	----	3 UNCH
7875	----	----	4.155B/----	4.155B/2.040A	----	3.666 + 1.680	.8230	----	----	2	----	12 - 2
7880	----	----	4.187B/----	4.187B/2.066A	----	3.706 + 1.692	.8266	----	----	----	----	6 UNCH
7885	----	----	4.106B/----	4.106B/2.086A	----	3.747 + 1.704	.8302	----	----	----	----	3 UNCH
7890	----	----	4.149B/----	4.149B/2.107A	----	3.789 + 1.718	.8337	----	----	----	----	4 UNCH
7895	----	----	4.192B/----	4.192B/2.149A	----	3.830 + 1.730	.8373	----	----	----	----	2 UNCH
7900	----	----	4.441B/----	4.441B/2.134A	----	3.872 + 1.743	.8405	----	----	2	----	66 UNCH
7905	----	----	4.277B/----	4.277B/2.186A	----	3.913 + 1.755	.8438	----	----	----	----	4 UNCH
7910	----	----	4.320B/----	4.320B/2.401A	----	3.955 + 1.767	.8471	----	----	----	----	3 UNCH
7915	----	----	4.364B/----	4.364B/2.421A	----	3.997 + 1.779	.8503	----	----	----	----	3 UNCH
7920	----	----	4.530B/----	4.530B/2.487A	----	4.039 + 1.791	.8535	----	----	----	----	10 UNCH
7925	----	----	4.452B/----	4.452B/2.504A	----	4.082 + 1.804	.8568	----	----	----	----	2 UNCH
7930	----	----	4.495B/----	4.495B/2.542A	----	4.124 + 1.815	.8597	----	----	----	----	3 UNCH
7935	----	----	4.540B/----	4.540B/2.563A	----	4.167 + 1.827	.8629	----	----	----	----	3 UNCH
7940	----	----	4.584B/----	4.584B/2.564A	----	4.210 + 1.839	.8658	----	----	----	----	4 UNCH
7945	----	----	4.628B/----	4.628B/2.636A	----	4.253 + 1.850	.8688	----	----	----	----	1 UNCH
7950	----	----	4.885B/----	4.885B/3.265A	----	4.296 + 1.861	.8717	----	----	----	----	57 UNCH
7955	----	----	4.718B/----	4.718B/3.381A	----	4.339 + 1.872	.8743	----	----	----	----	3 UNCH
7960	----	----	4.763B/----	4.763B/3.419A	----	4.383 + 1.884	.8771	----	----	----	----	1 UNCH
7965	----	----	4.928B/----	4.928B/3.451A	----	4.426 + 1.894	.8797	----	----	----	----	7 UNCH
7970	4.985	4.985	4.985/4.985	4.985/3.491A	----	4.470 + 1.906	.8826	----	----	1	----	7 - 1
7975	----	----	4.897B/----	4.897B/3.534A	----	4.514 + 1.916	.8851	----	----	----	----	2 UNCH
7980	----	----	4.942B/----	4.942B/3.573A	----	4.558 + 1.927	.8877	----	----	----	----	1 UNCH
7985	----	----	4.988B/----	4.988B/3.612A	----	4.602 + 1.937	.8902	----	----	----	----	2 UNCH
7990	----	----	5.144B/----	5.144B/3.647A	----	4.646 + 1.947	.8925	----	----	----	----	12 UNCH
7995	----	----	5.081B/----	5.081B/3.691A	----	4.691 + 1.958	.8950	----	----	----	----	2 UNCH
8000	4.500	4.500	5.353B/3.652A	5.353B/3.652A	----	4.735 + 1.968	.8972	----	----	1	----	436 - 1
8005	----	----	5.288B/----	5.288B/3.764A	----	4.780 + 1.978	.8997	----	----	----	----	6 UNCH
8010	----	----	5.218B/----	5.218B/3.811A	----	4.825 + 1.988	.9019	----	----	----	----	2 UNCH
8020	----	----	5.428B/----	5.428B/3.892A	----	4.914 + 2.006	.9062	----	----	----	----	23 UNCH
8025	----	----	5.472B/----	5.472B/3.933A	----	4.960 + 2.017	.9084	----	----	----	----	13 UNCH
8030	----	----	5.402B/----	5.402B/3.973A	----	5.005 + 2.026	.9105	----	----	----	----	1 UNCH
8035	----	----	5.448B/----	5.448B/4.016A	----	5.050 + 2.034	.9124	----	----	----	----	1 UNCH
8040	----	----	5.494B/----	5.494B/4.056A	----	5.096 + 2.044	.9145	----	----	----	----	1 UNCH
8050	----	----	5.586B/----	5.586B/4.140A	----	5.187 + 2.061	.9181	----	----	----	----	4 UNCH
8055	----	----	5.633B/----	5.633B/4.182A	----	5.233 + 2.070	.9202	----	----	----	----	1 UNCH
8060	----	----	5.679B/----	5.679B/4.223A	----	5.279 + 2.078	.9220	----	----	----	----	1 UNCH
8065	----	----	5.726B/----	5.726B/4.266A	----	5.325 + 2.087	.9237	----	----	----	----	3 UNCH
8070	----	----	5.772B/----	5.772B/4.308A	----	5.371 + 2.095	.9255	----	----	----	----	2 UNCH
8075	----	----	5.819B/----	5.819B/4.350A	----	5.417 + 2.102	.9269	----	----	----	----	4 UNCH
8080	----	----	5.866B/----	5.866B/4.393A	----	5.463 + 2.110	.9287	----	----	----	----	3 UNCH
8085	----	----	6.025B/----	6.025B/4.432A	----	5.510 + 2.118	.9304	----	----	----	----	7 UNCH
8090	----	----	6.070B/----	6.070B/4.475A	----	5.556 + 2.125	.9318	----	----	----	----	20 UNCH
8095	----	----	6.006B/----	6.006B/4.523A	----	5.603 + 2.133	.9335	----	----	----	----	3 UNCH
8100	----	----	6.218B/----	6.218B/4.524A	----	5.649 + 2.140	.9349	----	----	----	----	33 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8105	----	----	6.100B/----	6.100B/4.608A	----	5.696 + 2.147	.9363	----	----	----	----	1 UNCH
8110	----	----	6.147B/----	6.147B/4.652A	----	5.743 + 2.154	.9377	----	----	----	----	2 UNCH
8125	----	----	6.289B/----	6.289B/4.786A	----	5.884 + 2.175	.9417	----	----	----	----	1 UNCH
8150	----	----	6.703B/----	6.703B/4.963A	----	6.121 + 2.206	.9476	----	----	----	----	44 UNCH
8175	----	----	6.765B/----	6.765B/5.232A	----	6.359 + 2.234	.9531	----	----	----	----	2 UNCH
8195	----	----	6.957B/----	6.957B/5.414A	----	6.551 + 2.254	.9568	----	----	----	----	1 UNCH
8200	6.315	6.315	7.181B/6.315	7.181B/5.416A	----	6.599 + 2.259	.9577	----	----	1	----	39 UNCH
8205	----	----	7.054B/----	7.054B/5.505A	----	6.647 + 2.264	.9586	----	----	----	----	1 UNCH
8210	----	----	7.102B/----	7.102B/5.551A	----	6.695 + 2.268	.9595	----	----	----	----	1 UNCH
8215	----	----	7.150B/----	7.150B/5.597A	----	6.743 + 2.272	.9600	----	----	----	----	1 UNCH
8220	----	----	7.311B/----	7.311B/5.638A	----	6.792 + 2.277	.9609	----	----	----	----	21 UNCH
8225	----	----	7.360B/----	7.360B/5.684A	----	6.840 + 2.281	.9618	----	----	----	----	8 UNCH
8230	----	----	7.412B/----	7.412B/5.736A	----	6.888 + 2.285	.9623	----	----	----	----	15 UNCH
8240	----	----	7.393B/----	7.393B/5.828A	----	6.985 + 2.293	.9637	----	----	----	----	2 UNCH
8245	----	----	7.606B/----	7.606B/5.832A	----	7.034 + 2.297	.9646	----	----	----	----	25 UNCH
8250	----	----	7.696B/----	7.696B/5.836A	----	7.082 + 2.300	.9651	----	----	----	----	74 UNCH
8255	----	----	7.539B/----	7.539B/5.969A	----	7.131 + 2.304	.9660	----	----	----	----	4 UNCH
8260	----	----	7.588B/----	7.588B/6.016A	----	7.180 + 2.308	.9665	----	----	----	----	1 UNCH
8265	----	----	7.637B/----	7.637B/6.063A	----	7.228 + 2.311	.9670	----	----	----	----	1 UNCH
8270	----	----	7.685B/----	7.685B/6.111A	----	7.277 + 2.315	.9678	----	----	----	----	1 UNCH
8275	----	----	7.734B/----	7.734B/6.158A	----	7.326 + 2.318	.9683	----	----	----	----	1 UNCH
8280	----	----	7.783B/----	7.783B/6.205A	----	7.375 + 2.322	.9688	----	----	----	----	3 UNCH
8285	----	----	7.832B/----	7.832B/6.252A	----	7.423 + 2.324	.9693	----	----	----	----	1 UNCH
8290	----	----	7.881B/----	7.881B/6.299A	----	7.472 + 2.327	.9698	----	----	----	----	2 UNCH
8295	----	----	7.930B/----	7.930B/6.347A	----	7.521 + 2.330	.9703	----	----	----	----	1 UNCH
8300	6.646	6.646	8.185B/6.646	8.185B/6.307A	----	7.570 + 2.333	.9711	----	----	1	----	64 + 1
8305	----	----	8.142B/----	8.142B/6.442A	----	7.619 + 2.336	.9716	----	----	----	----	9 UNCH
8315	----	----	8.126B/----	8.126B/6.537A	----	7.717 + 2.341	.9725	----	----	----	----	1 UNCH
8320	----	----	8.175B/----	8.175B/6.585A	----	7.766 + 2.344	.9730	----	----	----	----	2 UNCH
8325	----	----	8.224B/----	8.224B/6.633A	----	7.815 + 2.346	.9731	----	----	----	----	1 UNCH
8330	----	----	8.273B/----	8.273B/6.681A	----	7.864 + 2.348	.9736	----	----	----	----	1 UNCH
8335	----	----	8.322B/----	8.322B/6.729A	----	7.913 + 2.351	.9740	----	----	----	----	1 UNCH
8340	----	----	8.475B/----	8.475B/6.777A	----	7.962 + 2.353	.9745	----	----	----	----	19 UNCH
8350	----	----	8.573B/----	8.573B/6.873A	----	8.061 + 2.358	.9754	----	----	----	----	19 UNCH
8355	----	----	8.518B/----	8.518B/6.921A	----	8.110 + 2.360	.9758	----	----	----	----	3 UNCH
8360	----	----	8.567B/----	8.567B/6.969A	----	8.159 + 2.361	.9759	----	----	----	----	4 UNCH
8375	----	----	8.819B/----	8.819B/7.115A	----	8.307 + 2.367	.9772	----	----	----	----	8 UNCH
8385	----	----	8.813B/----	8.813B/7.212A	----	8.405 + 2.370	.9777	----	----	----	----	1 UNCH
8395	----	----	8.912B/----	8.912B/7.309A	----	8.504 + 2.374	.9783	----	----	----	----	1 UNCH
8400	----	----	9.138B/----	9.138B/7.313A	----	8.553 + 2.375	.9787	----	----	----	----	26 UNCH
8405	----	----	9.011B/----	9.011B/7.406A	----	8.603 + 2.377	.9791	----	----	----	----	2 UNCH
8410	----	----	9.060B/----	9.060B/7.454A	----	8.652 + 2.378	.9792	----	----	----	----	3 UNCH
8415	----	----	9.110B/----	9.110B/7.503A	----	8.702 + 2.380	.9796	----	----	----	----	3 UNCH
8420	----	----	9.159B/----	9.159B/7.552A	----	8.751 + 2.381	.9797	----	----	----	----	2 UNCH
8425	----	----	9.208B/----	9.208B/7.601A	----	8.800 + 2.382	.9801	----	----	----	----	5 UNCH
8430	----	----	9.258B/----	9.258B/7.650A	----	8.850 + 2.384	.9802	----	----	----	----	2 UNCH
8445	----	----	9.406B/----	9.406B/7.796A	----	8.998 + 2.387	.9811	----	----	----	----	1 UNCH
8450	----	----	9.632B/----	9.632B/7.800A	----	9.048 + 2.388	.9812	----	----	----	----	30 UNCH
8455	----	----	9.505B/----	9.505B/7.894A	----	9.097 + 2.389	.9815	----	----	----	----	1 UNCH
8460	----	----	9.554B/----	9.554B/7.943A	----	9.147 + 2.390	.9816	----	----	----	----	1 UNCH
8475	----	----	9.703B/----	9.703B/8.090A	----	9.296 + 2.394	.9825	----	----	----	----	5 UNCH
8480	----	----	9.753B/----	9.753B/8.139A	----	9.345 + 2.394	.9826	----	----	----	----	1 UNCH
8490	----	----	9.851B/----	9.851B/8.237A	----	9.444 + 2.395	.9830	----	----	----	----	1 UNCH
8495	----	----	9.901B/----	9.901B/8.286A	----	9.494 + 2.397	.9831	----	----	----	----	1 UNCH
8500	9.000	9.000	10.157B/9.000	10.157B/8.244A	----	9.544 + 2.398	.9835	----	----	1	----	329 - 1
8515	----	----	10.099B/----	10.099B/8.483A	----	9.692 + 2.399	.9840	----	----	----	----	1 UNCH
8535	----	----	10.297B/----	10.297B/8.679A	----	9.891 + 2.402	.9845	----	----	----	----	2 UNCH
8545	----	----	10.397B/----	10.397B/8.778A	----	9.990 + 2.403	.9849	----	----	----	----	1 UNCH
8550	----	----	10.446B/----	10.446B/8.827A	----	10.040 + 2.404	.9850	----	----	----	----	2 UNCH
8555	----	----	10.496B/----	10.496B/8.876A	----	10.090 + 2.405	.9851	----	----	----	----	1 UNCH
8560	----	----	10.545B/----	10.545B/8.926A	----	10.139 + 2.405	.9851	----	----	----	----	1 UNCH
8565	----	----	10.595B/----	10.595B/8.975A	----	10.189 + 2.406	.9855	----	----	----	----	1 UNCH
8570	----	----	10.645B/----	10.645B/9.024A	----	10.239 + 2.407	.9855	----	----	----	----	1 UNCH
8575	----	----	10.695B/----	10.695B/9.073A	----	10.289 + 2.408	.9856	----	----	----	----	3 UNCH
8580	----	----	10.744B/----	10.744B/9.123A	----	10.338 + 2.408	.9859	----	----	----	----	1 UNCH
8585	----	----	10.794B/----	10.794B/9.172A	----	10.388 + 2.409	.9860	----	----	----	----	1 UNCH
8590	----	----	10.844B/----	10.844B/9.222A	----	10.438 + 2.410	.9860	----	----	----	----	4 UNCH
8600	----	----	11.150B/----	11.150B/9.232A	----	10.537 + 2.410	.9864	----	----	----	----	84 UNCH
8605	----	----	10.993B/----	10.993B/9.370A	----	10.587 + 2.411	.9865	----	----	----	----	3 UNCH
8620	----	----	11.142B/----	11.142B/9.518A	----	10.736 + 2.413	.9866	----	----	----	----	1 UNCH
8630	----	----	11.241B/----	11.241B/9.617A	----	10.836 + 2.415	.9870	----	----	----	----	1 UNCH
8640	----	----	11.341B/----	11.341B/9.716A	----	10.935 + 2.416	.9871	----	----	----	----	2 UNCH
8645	----	----	11.391B/----	11.391B/9.768A	----	10.985 + 2.417	.9874	----	----	----	----	1 UNCH
8650	----	----	11.441B/----	11.441B/9.815A	----	11.035 + 2.418	.9875	----	----	----	----	5 UNCH
8655	----	----	11.490B/----	11.490B/9.867A	----	11.085 + 2.419	.9875	----	----	----	----	3 UNCH
8665	----	----	11.590B/----	11.590B/9.963A	----	11.184 + 2.420	.9876	----	----	----	----	1 UNCH
8670	----	----	11.640B/----	11.640B/10.016A	----	11.234 + 2.420	.9877	----	----	----	----	1 UNCH
8675	----	----	11.797B/----	11.797B/10.065A	----	11.284 + 2.421	.9880	----	----	----	----	9 UNCH
8685	----	----	11.789B/----	11.789B/10.162A	----	11.384 + 2.423	.9881	----	----	----	----	1 UNCH
8695	----	----	11.888B/----	11.888B/10.261A	----	11.483 + 2.424	.9882	----	----	----	----	1 UNCH
8700	----	----	12.102B/----	12.102B/10.267A	----	11.533 + 2.425	.9885	----	----	----	----	33 UNCH
8705	----	----	12.100B/----	12.100B/10.363A	----	11.583 + 2.425	.9885	----	----	----	----	10 UNCH
8725	----	----	12.187B/----	12.187B/10.558A	----	11.781 + 2.427	.9892	----	----	----	----	2 UNCH
8750	----	----	12.436B/----	12.436B/10.810A	----	12.029 + 2.428	.9899	----	----	----	----	1 UNCH
8775	----	----	12.794B/----	12.794B/11.058A	----	12.277 + 2.430	.9906	----	----	----	----	9 UNCH
8800	----	----	13.138B/----	13.138B/11.215A	----	12.525 + 2.431	.9910	----	----	----	----	220 UNCH
8825	----	----	13.182B/----	13.182B/11.554A	----	12.774 + 2.433	.9917	----	----	----	----	3 UNCH
8850	----	----	13.540B/----	13.540B/11.803A	----	13.022 + 2.434	.9921	----	----	----	----	13 UNCH
8875	----	----	13.789B/----	13.789B/12.051A	----	13.271 + 2.435	.9927	----	----	----	----	8 UNCH
8900	----	----	14.041B/----	14.041B/12.299A	----	13.519 + 2.436	.9930	----	----	----	----	8 UNCH
8925	----	----	14.178B/----	14.178B/12.548A	----	13.768 + 2.437	.9934	----	----	----	----	5 UNCH
8950	----	----	14.427B/----	14.427B/12.797A	----	14.017 + 2.438	.9937	----	----	----	----	3 UNCH
8975	----	----	14.781B/----	14.781B/13.045A	----	14.266 + 2.439	.9941	----	----	----	----	9 UNCH
9000	13.690	13.690	15.136B/13.690	15.136B/13.202A	----	14.515 + 2.439	.9944	----	----	2	----	159 - 2
9025	----	----	15.287B/----	15.287B/13.542A	----	14.764 + 2.440	.9947	----	----	----	----	11 UNCH
9050	----	----	15.423B/----	15.423B/13.790A	----	15.013 + 2.440	.9950	----	----	----	----	2 UNCH
9075	----	----	15.673B/----	15.673B/14.039A	----	15.263 + 2.441	.9951	----	----	----	----	4 UNCH
9100	----	----	15.922B/----	15.922B/14.288A	----	15.512 + 2.442	.9954	----	----	----	----	4 UNCH
9150	----	----	16.535B/----	16.535B/14.785A	----	16.011 + 2.443	.9957	----	----	----	----	7 UNCH
9175	----	----	16.783B/----	16.783B/15.034A	----	16.260 + 2.442	.9960	----	----	----	----	19 UNCH
9200	----	----	17.032B/----	17.032B/15.283A	----	16.510 + 2.443	.9960	----	----	2	----	7 UNCH
9225	----	----	17.276B/----	17.276B/15.532A	----	16.759 + 2.443	.9963	----	----	----	----	7 UNCH
9250	----	----	17.417B/----	17.417B/15.780A	----	17.009 + 2.444	.9963	----	----	----	----	2 UNCH
9275	----	----	17.701B/----	17.701B/16.029A	----	17.258 + 2.443	.9964	----	----	----	----	1 UNCH
9300	----	----	18.031B/----	18.031B/16.278A	----	17.508 + 2.444	.9966	----	----	2	----	5 - 1
9375	----	----	18.774B/----	18.774B/17.026A	----	18.256 + 2.445	.9969	----	----	----	----	10 UNCH
9400	----	----	19.025B/----	19.025B/17.276A	----	18.506 + 2.446	.9972	----	----	----	----	6 UNCH
9450	----	----	19.448B/----	19.448B/17.775A	----	19.005 + 2.446	.9974	----	----	----	----	3 UNCH
9475	----	----	19.662B/----	19.662B/18.025A	----	19.255 + 2.447	.9975	----	----	----	----	4 UNCH
9500	----	----	20.142B/----	20.142B/18.181A	----	19.504 + 2.447	.9975	----	----	----	----	110 UNCH
9525	----	----	20.161B/----	20.161B/18.524A	----	19.754 + 2.447	.9977	----	----	----	----	0 - 1
9550	----	----	20.446B/----	20.446B/18.774A	----	20.003 + 2.447	.9977	----	----	----	----	3 UNCH
9575	----	----	20.660B/----	20.660B/19.024A	----	20.253 + 2.448	.9979	----	----	----	----	1 UNCH
9600	----	----	21.079B/----	21.079B/19.227A	----	20.503 + 2.448	.9980	----	----	----	----	26 UNCH
9650	----	----	21.521B/----	21.521B/19.770A	----	21.002 + 2.448	.9980	----	----	----	----	11 UNCH
9675	----	----	21.659B/----	21.659B/20.025A	----	21.252 + 2.449	.9982	----	----	----	----	1 - 1
9700	----	----	22.157B/----	22.157B/20.181A	----	21.502 + 2.450	.9982	----	----	----	----	177 - 5
9725	----	----	22.193B/----	22.193B/20.525A	----	21.751 + 2.449	.9982	----	----	----	----	0 - 1
9750	----	----	22.408B/----	22.408B/20.775A	----	22.001 + 2.450	.9984	----	----	----	----	1 - 2
9775	----	----	22.657B/----	22.657B/21.025A	----	22.251 + 2.450	.9984	----	----	----	----	2 - 1
9800	----	----	23.024B/----	23.024B/21.270A	----	22.501 + 2.450	.9985	----	----	----	----	4 - 3
9825	----	----	23.191B/----	23.191B/21.526A	----	22.750 + 2.450	.9985	----	----	----	----	0 - 2
9850	----	----	23.655B/----	23.655B/21.681A	----	23.000 + 2.450	.9987	----	----	----	----	178 - 1
9900	----	----	24.016B/----	24.016B/22.261A	----	23.500 + 2.451	.9987	----	----	----	----	6 - 2
10000	----	----	25.154B/----	25.154B/23.181A	----	24.499 + 2.452	.9989	----	----	----	----	99 - 33
10050	----	----	25.405B/----	25.405B/23.776A	----	24.998 + 2.452	.9989	----	----	----	----	1 - 1
10100	----	----	25.905B/----	25.905B/24.277A	----	25.498 + 2.452	.9991	----	----	----	----	1 - 1
10225	----	----	27.155B/----	27.155B/25.527A	----	26.747 + 2.453	.9991	----	----	----	----	1 - 1
10250	----	----	27.405B/----	27.405B/25.777A	----	26.997 + 2.453	.9993	----	----	----	----	1 - 3
10300	----	----	27.905B/----	27.905B/26.277A	----	27.497 + 2.453	.9993	----	----	----	----	1 - 3
10325	----	----	28.155B/----	28.155B/26.527A	----	27.747 + 2.454	.9993	----	----	----	----	0 - 1
10350	----	----	28.405B/----	28.405B/26.777A	----	27.997 + 2.454	.9993	----	----	----	----	1 UNCH
10400	----	----	28.905B/----	28.905B/27.277A	----	28.497 + 2.454	.9993	----	----	----	----	2 UNCH
10450	----	----	29.405B/----	29.405B/27.777A	----	28.997 + 2.454	.9994	----	----	----	----	1 - 1
10475	----	----	29.655B/----	29.655B/28.027A	----	29.247 + 2.455	.9995	----	----	----	----	1 UNCH
10500	----	----	30.013B/----	30.013B/28.272A	----	29.497 + 2.455	.9995	----	----	----	----	8 - 2
10505	----	----	29.955B/----	29.955B/28.327A	----	29.547 + 2.455	.9995	----	----	----	----	0 - 1
10510	----	----	30.005B/----	30.005B/28.377A	----	29.597 + 2.455	.9995	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
10545	----	----	30.355B/----	30.355B/28.727A	----	29.946 + 2.454	.9995	----	----	----	----	0 - 1
10550	----	----	30.519B/----	30.519B/28.772A	----	29.996 + 2.454	.9995	----	----	----	----	22 UNCH
10585	----	----	30.755B/----	30.755B/29.127A	----	30.346 + 2.454	.9995	----	----	----	----	0 - 1
10590	----	----	30.805B/----	30.805B/29.177A	----	30.396 + 2.454	.9995	----	----	----	----	0 - 1
10595	----	----	30.855B/----	30.855B/29.227A	----	30.446 + 2.454	.9995	----	----	----	----	1 - 1
10600	----	----	30.905B/----	30.905B/29.277A	----	30.496 + 2.454	.9995	----	----	----	----	2 - 3
10670	----	----	31.605B/----	31.605B/29.977A	----	31.196 + 2.455	.9995	----	----	----	----	0 - 3
10675	----	----	31.655B/----	31.655B/30.027A	----	31.246 + 2.455	.9995	----	----	----	----	1 UNCH
10700	----	----	32.015B/----	32.015B/30.270A	----	31.496 + 2.455	.9995	----	----	----	----	6 - 3
10800	----	----	32.905B/----	32.905B/31.277A	----	32.496 + 2.455	.9995	----	----	----	----	1 UNCH
10820	----	----	----	----	----	32.696 + 2.455	.9995	----	----	----	----	0 UNCH
10825	----	----	----	----	----	32.746 + 2.455	.9995	----	----	----	----	0 UNCH
10835	----	----	----	----	----	32.846 + 2.455	.9995	----	----	----	----	0 UNCH
10845	----	----	----	----	----	32.946 + 2.455	.9995	----	----	----	----	0 UNCH
10875	----	----	----	----	----	33.246 + 2.455	.9996	----	----	----	----	0 UNCH
10900	----	----	----	----	----	33.496 + 2.455	.9996	----	----	----	----	0 UNCH
10950	----	----	----	----	----	33.996 + 2.455	.9996	----	----	----	----	0 UNCH
10975	----	----	34.655B/----	34.655B/33.027A	----	34.246 + 2.455	.9996	----	----	----	----	0 - 1
11000	----	----	35.019B/----	35.019B/33.271A	----	34.496 + 2.455	.9996	----	----	----	----	10 UNCH
11025	----	----	----	----	----	34.746 + 2.456	.9996	----	----	----	----	0 UNCH
11075	----	----	----	----	----	35.246 + 2.456	.9997	----	----	----	----	0 UNCH
11100	----	----	----	----	----	35.496 + 2.456	.9997	----	----	----	----	0 UNCH
11175	----	----	36.655B/----	36.655B/35.027A	----	36.246 + 2.456	.9997	----	----	----	----	1 UNCH
11200	----	----	36.905B/----	36.905B/35.277A	----	36.496 + 2.456	.9997	----	----	----	----	2 UNCH
11225	----	----	37.155B/----	37.155B/35.527A	----	36.746 + 2.456	.9997	----	----	----	----	2 UNCH
11500	----	----	40.116B/----	40.116B/38.182A	----	39.496 + 2.457	.9998	----	----	----	----	57 UNCH
11800	----	----	42.905B/----	42.905B/41.277A	----	42.496 + 2.457	.9999	----	----	2	----	1 UNCH
11875	----	----	43.655B/----	43.655B/42.027A	----	43.246 + 2.457	.0000	----	----	----	----	1 UNCH
12300	----	----	----	----	----	47.496 + 2.457	.0000	----	----	2	----	1 UNCH
12700	----	----	----	----	----	51.496 + 2.457	.0000	----	----	----	----	1 UNCH
TOTAL										957	15	20597 - 9
JUN26												
2100	----	----	----	----/*0.004A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2350	----	----	----	----/0.020A	----	0.003 UNCH	.0003	----	----	----	----	2 UNCH
2500	----	----	----	0.001B/0.010A	----	0.006 UNCH	.0006	----	----	----	----	141 UNCH
2650	----	----	----	----/0.278A	----	0.008 UNCH	.0008	----	----	----	----	1 UNCH
3000	----	----	----	----/0.057A	----	0.017 + 0.001	.0017	----	----	----	----	244 UNCH
3075	----	----	----	----/0.060A	----	0.020 + 0.002	.0021	----	----	----	----	4 UNCH
3100	----	----	----	----/0.061A	----	0.021 + 0.002	.0022	----	----	----	----	3 UNCH
3150	----	----	----	----/0.063A	----	0.022 + 0.002	.0023	----	----	----	----	9 UNCH
3200	----	----	----	----/0.065A	----	0.024 + 0.002	.0025	----	----	----	----	4 UNCH
3325	----	----	----	----/0.070A	----	0.030 + 0.003	.0032	----	----	----	----	2 UNCH
3350	----	----	----	----/0.072A	----	0.031 + 0.003	.0033	----	----	----	----	1 UNCH
3375	----	----	----	----/0.073A	----	0.033 + 0.005	.0035	----	----	----	----	1 UNCH
3400	----	----	----	----/0.074A	----	0.034 + 0.005	.0036	----	----	----	----	12 UNCH
3500	----	----	----	----/0.070A	----	0.039 + 0.005	.0042	----	----	----	----	100 UNCH
3550	----	----	----	----/0.082A	----	0.042 + 0.006	.0045	----	----	----	----	5 UNCH
3575	----	----	----	----/0.083A	----	0.044 + 0.007	.0047	----	----	----	----	22 UNCH
3600	----	----	----	0.005B/0.084A	----	0.045 + 0.007	.0049	----	----	----	----	6 UNCH
3650	----	----	----	----/0.087A	----	0.049 + 0.009	.0053	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/0.088A	----	0.050 + 0.009	.0054	----	----	----	----	1 UNCH
3700	----	----	----	0.001B/0.090A	----	0.052 + 0.009	.0057	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.095A	----	0.059 + 0.012	.0065	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/0.098A	----	0.063 + 0.013	.0069	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/0.100A	----	0.066 + 0.014	.0073	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/0.101A	----	0.068 + 0.015	.0076	----	----	----	----	3 UNCH
4000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.074 + 0.017	.0083	----	----	22	----	62 + 7
4075	----	----	----	0.001B/0.108A	----	0.079 + 0.019	.0090	----	----	----	----	1 UNCH
4100	----	----	----	0.001B/0.109A	----	0.081 + 0.019	.0093	----	----	----	----	2 UNCH
4125	----	----	----	0.001B/0.110A	----	0.083 + 0.020	.0095	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/0.111A	----	0.085 + 0.021	.0098	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.113A	----	0.088 + 0.022	.0102	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/0.114A	----	0.090 + 0.023	.0105	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/0.116A	----	0.092 + 0.024	.0108	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/0.117A	----	0.093 + 0.024	.0110	----	----	----	----	13 UNCH
4300	----	----	----	0.001B/0.118A	----	0.095 + 0.025	.0113	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/0.121A	----	0.098 + 0.026	.0118	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/0.122A	----	0.100 + 0.027	.0120	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/0.123A	----	0.102 + 0.028	.0123	----	----	----	----	8 UNCH
4425	----	----	----	0.002B/0.125A	----	0.103 + 0.028	.0126	----	----	----	----	1 UNCH
4500	----	----	----	0.042B/0.129A	----	0.108 + 0.030	.0134	----	----	----	----	167 UNCH
4550	----	----	----	0.006B/0.132A	----	0.111 + 0.031	.0139	----	----	----	----	2 UNCH
4600	----	----	----	0.011B/0.132A	----	0.114 + 0.032	.0145	----	----	----	----	7 UNCH
4625	----	----	----	0.011B/0.125A	----	0.116 + 0.033	.0148	----	----	----	----	12 UNCH
4650	----	----	----	0.016B/0.114A	----	0.117 + 0.033	.0151	----	----	----	----	1 UNCH
4700	----	----	----	0.017B/0.131A	----	0.121 + 0.035	.0157	----	----	----	----	2 UNCH
4725	----	----	----	0.020B/0.135A	----	0.122 + 0.035	.0160	----	----	----	----	10 UNCH
4750	----	----	----	0.021B/0.134A	----	0.124 + 0.035	.0163	----	----	----	----	3 UNCH
4800	----	----	----	0.026B/0.141A	----	0.127 + 0.036	.0170	----	----	----	----	29 UNCH
4850	----	----	----	0.032B/0.142A	----	0.130 + 0.036	.0176	----	----	----	----	3 UNCH
4875	----	----	----	0.036B/0.146A	----	0.132 + 0.037	.0180	----	----	----	----	15 UNCH
4900	----	----	----	0.039B/0.148A	----	0.134 + 0.037	.0184	----	----	----	----	171 UNCH
4975	----	----	----	0.054B/0.158A	----	0.140 + 0.038	.0195	----	----	----	----	1 UNCH
5000	----	----	----	0.100B/0.160A	----	0.142 + 0.038	.0200	----	----	----	----	1000 UNCH
5025	----	----	----	0.060B/0.164A	----	0.144 + 0.038	.0204	----	----	----	----	8 UNCH
5050	----	----	----	0.067B/0.168A	----	0.146 + 0.038	.0208	----	----	----	----	3 UNCH
5075	----	----	----	0.071B/0.166A	----	0.148 + 0.038	.0212	----	----	----	----	2 UNCH
5100	----	----	----	0.077B/0.175A	----	0.151 + 0.039	.0217	----	----	----	----	32 UNCH
5125	----	----	----	0.081B/0.175A	----	0.153 + 0.039	.0222	----	----	----	----	1 UNCH
5150	----	----	----	0.083B/0.182A	----	0.156 + 0.040	.0227	----	----	----	----	16 UNCH
5175	----	----	----	0.090B/0.187A	----	0.158 + 0.040	.0232	----	----	----	----	12 UNCH
5200	0.117	0.117	0.117/*0.117	0.117/*0.117	----	0.161 + 0.040	.0238	----	----	1	----	8 UNCH
5225	----	----	----	0.099B/0.193A	----	0.164 + 0.041	.0243	----	----	----	----	1 UNCH
5250	----	----	----	0.109B/0.198A	----	0.167 + 0.041	.0249	----	----	----	----	14 UNCH
5275	----	----	----	0.111B/0.202A	----	0.170 + 0.042	.0255	----	----	----	----	17 UNCH
5300	----	----	----	0.118B/0.158A	----	0.174 + 0.043	.0262	----	----	----	----	14 UNCH
5325	----	----	----	0.124B/0.210A	----	0.177 + 0.043	.0268	----	----	----	----	10 UNCH
5350	----	----	----	0.128B/0.216A	----	0.181 + 0.044	.0276	----	----	----	----	12 UNCH
5375	----	----	----	0.135B/0.221A	----	0.185 + 0.044	.0283	----	----	----	----	10 UNCH
5400	----	----	0.146B/----	0.146B/0.225A	----	0.189 + 0.045	.0291	----	----	----	----	14 UNCH
5425	----	----	0.154B/----	0.154B/0.230A	----	0.193 + 0.045	.0298	----	----	----	----	4 UNCH
5450	----	----	0.160B/----	0.160B/0.236A	----	0.198 + 0.046	.0307	----	----	----	----	2 UNCH
5475	----	----	0.169B/----	0.169B/0.238A	----	0.203 + 0.047	.0316	----	----	----	----	13 UNCH
5500	----	----	0.177B/----	0.177B/0.197A	----	0.208 + 0.048	.0325	----	----	154	----	531 + 127
5525	----	----	0.185B/----	0.185B/0.251A	----	0.213 + 0.048	.0335	----	----	----	----	16 UNCH
5550	----	----	0.194B/----	0.194B/0.257A	----	0.219 + 0.049	.0345	----	----	----	----	10 UNCH
5575	----	----	0.203B/----	0.203B/0.262A	----	0.225 + 0.050	.0356	----	----	----	----	2 UNCH
5600	----	----	0.213B/----	0.213B/0.266A	----	0.231 + 0.051	.0367	----	----	----	----	18 UNCH
5625	----	----	0.223B/----	0.223B/0.274A	----	0.238 + 0.052	.0379	----	----	----	----	2 UNCH
5650	----	----	0.233B/----	0.233B/0.277A	----	0.245 + 0.054	.0391	----	----	----	----	51 UNCH
5675	----	----	0.244B/----	0.244B/0.290A	----	0.252 + 0.055	.0403	----	----	----	----	21 UNCH
5700	----	----	0.256B/----	0.256B/0.298A	----	0.260 + 0.056	.0417	----	----	----	----	249 UNCH
5725	----	----	0.268B/----	0.268B/0.307A	----	0.268 + 0.058	.0431	----	----	----	----	3 + 1
5750	----	----	0.280B/----	0.280B/0.315A	----	0.276 + 0.059	.0445	----	----	----	----	227 UNCH
5775	----	----	0.293B/----	0.293B/0.324A	----	0.286 + 0.062	.0461	----	----	----	----	9 UNCH
5800	----	----	0.308B/----	0.308B/0.328A	----	0.295 + 0.064	.0476	----	----	----	----	101 UNCH
5825	----	----	0.322B/----	0.322B/0.339A	----	0.305 + 0.067	.0493	----	----	----	----	9 UNCH
5850	----	----	0.339B/----	0.339B/0.342A	----	0.316 + 0.070	.0511	----	----	----	----	16 UNCH
5875	----	----	0.391B/----	0.391B/0.357A	----	0.327 + 0.073	.0529	----	----	----	----	12 UNCH
5900	----	----	0.409B/----	0.409B/0.367A	----	0.339 + 0.076	.0549	----	----	----	----	48 UNCH
5925	----	----	0.427B/----	0.427B/0.380A	----	0.352 + 0.080	.0570	----	----	----	----	21 UNCH
5950	----	----	0.438B/----	0.438B/0.392A	----	0.365 + 0.084	.0591	----	----	----	----	16 UNCH
5975	----	----	0.457B/----	0.457B/0.402A	----	0.379 + 0.088	.0613	----	----	----	----	2 UNCH
6000	0.390	0.390	0.454B/0.390	0.454B/0.375A	----	0.394 + 0.093	.0637	----	----	73	----	822 + 57
6025	----	----	0.501B/----	0.501B/0.432A	----	0.409 + 0.097	.0660	----	----	----	----	31 UNCH
6050	----	----	0.494B/----	0.494B/0.446A	----	0.426 + 0.103	.0687	----	----	1	----	142 UNCH
6075	----	----	0.540B/----	0.540B/0.454A	----	0.443 + 0.108	.0713	----	----	----	----	31 UNCH
6100	0.400	0.400	0.565B/0.400	0.565B/0.400	----	0.461 + 0.114	.0740	----	----	5	----	70 UNCH
6125	----	----	0.589B/----	0.589B/0.462A	----	0.481 + 0.121	.0770	----	----	----	----	2 UNCH
6150	----	----	0.595B/----	0.595B/0.483A	----	0.501 + 0.128	.0800	----	----	----	----	13 UNCH
6175	----	----	0.640B/----	0.640B/0.497A	----	0.523 + 0.135	.0833	----	----	----	----	305 UNCH
6200	0.500	0.500	0.658B/0.500	0.658B/0.500	----	0.545 + 0.143	.0865	----	----	21	----	143 - 17
6225	----	----	0.670B/----	0.670B/0.514A	----	0.569 + 0.151	.0900	----	----	----	----	2 UNCH
6250	0.544	0.544	0.744/0.531A	0.744/0.531A	----	0.594 + 0.160	.0936	----	----	18	----	91 + 1
6275	0.548	0.548	0.746B/0.548	0.746B/0.543A	----	0.620 + 0.169	.0973	----	----	1	----	3 UNCH
6300	0.484	0.484	0.771B/0.484	0.771B/0.484	----	0.648 + 0.179	.1012	----	----	3	----	127 + 1
6325	0.798	0.798	0.808B/0.798	0.808B/0.561A	----	0.676 + 0.188	.1051	----	----	16	----	17 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
6350	0.816	0.816	0.836B/0.816	0.836B/0.577A	----	0.706 + 0.199	.1092	----	----	2	----	31 + 1
6375	0.651	0.651	0.860B/0.651	0.860B/0.598A	----	0.738 + 0.210	.1136	----	----	4	----	105 + 2
6400	0.678	0.678	0.903B/0.677	0.903B/0.620A	----	0.771 + 0.222	.1180	----	----	5	----	90 UNCH
6425	----	----	0.941B/----	0.941B/0.644A	----	0.805 + 0.234	.1225	----	----	----	----	45 UNCH
6450	----	----	0.979B/----	0.979B/0.670A	----	0.840 + 0.245	.1272	----	----	----	----	18 UNCH
6475	----	----	1.019B/----	1.019B/0.695A	----	0.878 + 0.259	.1321	----	----	----	----	120 UNCH
6500	0.880	0.880	1.086/0.780	1.086/0.723A	----	0.916 + 0.271	.1371	----	----	171	----	402 + 75
6525	----	----	1.123B/----	1.123B/0.750A	----	0.956 + 0.285	.1422	----	----	----	----	35 UNCH
6550	0.850	0.850	1.171B/0.850	1.171B/0.780A	----	0.998 + 0.299	.1475	----	----	11	----	40 + 10
6575	0.863	0.863	1.211B/0.863	1.211B/0.810A	----	1.041 + 0.313	.1528	----	----	4	----	6 + 1
6600	1.107	1.107	1.274B/1.107	1.274B/0.843A	----	1.086 + 0.327	.1584	----	----	16	----	142 - 3
6625	----	----	1.301B/----	1.301B/0.876A	----	1.132 + 0.342	.1641	----	----	----	----	19 UNCH
6650	----	----	1.360B/----	1.360B/0.911A	----	1.180 + 0.357	.1699	----	----	----	----	15 UNCH
6675	1.110	1.110	1.422B/1.110	1.422B/0.947A	----	1.229 + 0.371	.1758	----	----	5	----	25 + 5
6700	1.101	1.101	1.495B/1.101	1.495B/0.984A	----	1.280 + 0.387	.1818	----	----	8	----	101 + 4
6725	----	----	1.541B/----	1.541B/1.024A	----	1.333 + 0.402	.1880	----	----	----	----	30 UNCH
6750	----	----	1.602B/----	1.602B/1.065A	----	1.388 + 0.419	.1944	----	----	----	----	49 UNCH
6775	----	----	1.667B/----	1.667B/1.107A	----	1.444 + 0.434	.2008	----	----	----	----	7 UNCH
6800	----	----	1.732B/----	1.732B/1.151A	----	1.502 + 0.450	.2074	----	----	----	----	64 UNCH
6825	----	----	1.793B/----	1.793B/1.198A	----	1.562 + 0.467	.2141	----	----	----	----	3 UNCH
6850	1.429	1.429	1.852B/1.429	1.852B/1.246A	----	1.624 + 0.484	.2209	----	----	14	----	23 + 1
6875	----	----	1.924B/----	1.924B/1.295A	----	1.688 + 0.501	.2279	----	----	----	----	3 UNCH
6900	1.688	1.688	2.027B/1.688	2.027B/1.345A	----	1.753 + 0.517	.2350	----	----	12	----	84 - 8
6925	----	----	2.074B/----	2.074B/1.399A	----	1.821 + 0.535	.2422	----	----	----	----	10 UNCH
6950	----	----	2.154B/----	2.154B/1.455A	----	1.891 + 0.552	.2495	----	----	----	----	13 UNCH
6975	----	----	2.233B/----	2.233B/1.511A	----	1.963 + 0.570	.2570	----	----	----	----	9 UNCH
7000	1.800	1.800	2.319B/1.726	2.319B/1.570A	----	2.037 + 0.588	.2645	----	----	40	----	624 + 33
7025	----	----	2.400B/----	2.400B/1.632A	----	2.113 + 0.606	.2722	----	----	----	----	20 UNCH
7050	----	----	2.493B/----	2.493B/1.694A	----	2.191 + 0.624	.2799	----	----	----	----	65 UNCH
7075	----	----	2.587B/----	2.587B/1.760A	----	2.272 + 0.643	.2878	----	----	----	----	42 UNCH
7100	2.269	2.269	2.677B/2.269	2.677B/1.826A	----	2.355 + 0.661	.2958	----	----	4	----	36 - 4
7125	----	----	2.773B/----	2.773B/1.896A	----	2.440 + 0.680	.3039	----	----	----	----	8 UNCH
7150	----	----	2.870B/----	2.870B/1.968A	----	2.528 + 0.700	.3120	----	----	----	----	27 UNCH
7175	----	----	2.970B/----	2.970B/2.043A	----	2.617 + 0.718	.3203	----	----	----	----	39 UNCH
7200	2.608	2.608	3.074B/2.608	3.074B/2.115A	----	2.710 + 0.739	.3286	----	----	3	----	320 - 1
7225	----	----	3.180B/----	3.180B/2.196A	----	2.804 + 0.758	.3370	----	----	----	----	8 UNCH
7250	----	----	3.283B/----	3.283B/2.276A	----	2.902 + 0.779	.3455	----	----	----	----	17 UNCH
7275	----	----	3.392B/----	3.392B/2.359A	----	3.001 + 0.799	.3540	----	----	----	----	9 UNCH
7300	2.996	2.996	3.511B/2.996	3.511B/2.439A	----	3.103 + 0.819	.3626	----	----	7	----	97 + 3
7325	----	----	3.631B/----	3.631B/2.529A	----	3.208 + 0.840	.3713	----	----	----	----	15 UNCH
7350	----	----	3.747B/----	3.747B/2.618A	----	3.315 + 0.861	.3800	----	----	----	----	12 UNCH
7375	----	----	3.869B/----	3.869B/2.709A	----	3.425 + 0.883	.3888	----	----	----	----	19 UNCH
7400	3.215	3.215	3.993B/3.215	3.993B/2.800A	----	3.537 + 0.904	.3975	----	----	10	----	53 UNCH
7425	----	----	4.116B/----	4.116B/2.900A	----	3.652 + 0.926	.4063	----	----	----	----	2 UNCH
7450	----	----	4.236B/----	4.236B/2.998A	----	3.770 + 0.949	.4152	----	----	1	----	57 UNCH
7475	----	----	4.346B/----	4.346B/3.106A	----	3.890 + 0.971	.4240	----	----	----	----	3 UNCH
7500	3.645	3.645	4.478B/3.645	4.478B/3.217A	----	4.012 + 0.993	.4329	----	----	40	----	437 - 17
7525	----	----	4.602B/----	4.602B/3.328A	----	4.138 + 1.017	.4417	----	----	----	----	6 UNCH
7550	----	----	4.736B/----	4.736B/3.439A	----	4.265 + 1.039	.4506	----	----	----	----	11 UNCH
7575	----	----	4.877B/----	4.877B/3.550A	----	4.395 + 1.062	.4594	----	----	----	----	4 UNCH
7600	----	----	5.015B/----	5.015B/3.645A	----	4.528 + 1.085	.4683	----	----	1	----	81 UNCH
7625	4.320	4.320	5.163B/4.320	5.163B/3.761A	----	4.663 + 1.108	.4771	----	----	1	----	3 UNCH
7650	----	----	5.311B/----	5.311B/3.874A	----	4.801 + 1.131	.4858	----	----	----	----	9 UNCH
7675	----	----	5.477B/----	5.477B/4.017A	----	4.941 + 1.154	.4946	----	----	----	----	4 UNCH
7700	5.165	5.165	5.604B/4.865	5.604B/4.111A	----	5.084 + 1.178	.5032	----	----	8	----	67 + 2
7725	----	----	5.741B/----	5.741B/4.249A	----	5.229 + 1.201	.5119	----	----	----	----	22 UNCH
7750	----	----	5.837B/----	5.837B/4.370A	----	5.376 + 1.224	.5205	----	----	----	----	4 UNCH
7775	----	----	5.955B/----	5.955B/4.494A	----	5.526 + 1.248	.5290	----	----	----	----	31 UNCH
7800	5.142	5.142	6.127B/5.142	6.127B/4.587A	----	5.678 + 1.271	.5374	----	----	3	----	42 - 1
7825	5.288	5.288	6.356B/5.288	6.356B/4.749A	----	5.832 + 1.293	.5458	----	----	2	----	5 + 2
7850	5.435	5.435	6.406B/5.435	6.406B/4.871A	----	5.989 + 1.317	.5541	----	----	1	----	10 UNCH
7875	----	----	6.617B/----	6.617B/5.013A	----	6.148 + 1.340	.5624	----	----	----	----	21 UNCH
7900	----	----	6.778B/----	6.778B/5.116A	----	6.309 + 1.362	.5706	----	----	----	----	115 UNCH
7925	----	----	6.935B/----	6.935B/5.288A	----	6.472 + 1.385	.5786	----	----	----	----	19 UNCH
7950	----	----	7.028B/----	7.028B/5.428A	----	6.638 + 1.408	.5866	----	----	----	----	23 UNCH
7975	----	----	7.069B/----	7.069B/5.566A	----	6.805 + 1.429	.5945	----	----	----	----	2 UNCH
8000	6.670	6.670	7.440B/6.450	7.440B/5.677A	----	6.975 + 1.452	.6023	----	----	2	----	174 UNCH
8025	----	----	7.416B/----	7.416B/5.881A	----	7.146 + 1.473	.6100	----	----	----	----	1 UNCH
8050	----	----	7.592B/----	7.592B/5.994A	----	7.320 + 1.495	.6176	----	----	----	----	4 UNCH
8075	----	----	7.770B/----	7.770B/6.181A	----	7.495 + 1.516	.6251	----	----	----	----	1 UNCH
8100	----	----	8.088B/----	8.088B/6.307A	----	7.673 + 1.538	.6326	----	----	----	----	7 UNCH
8125	----	----	8.135B/----	8.135B/6.477A	----	7.852 + 1.558	.6398	----	----	----	----	2 UNCH
8150	----	----	8.462B/----	8.462B/6.763A	----	8.033 + 1.578	.6470	----	----	----	----	6 UNCH
8175	----	----	8.680B/----	8.680B/7.083A	----	8.216 + 1.599	.6541	----	----	----	----	44 UNCH
8200	----	----	8.825B/----	8.825B/7.183A	----	8.401 + 1.619	.6611	----	----	----	----	12 UNCH
8225	----	----	9.022B/----	9.022B/7.410A	----	8.588 + 1.639	.6679	----	----	----	----	6 UNCH
8250	----	----	9.202B/----	9.202B/7.579A	----	8.776 + 1.658	.6747	----	----	----	----	18 UNCH
8275	----	----	9.436B/----	9.436B/7.979A	----	8.966 + 1.677	.6813	----	----	----	----	41 UNCH
8300	----	----	9.604B/----	9.604B/8.272A	----	9.157 + 1.696	.6878	----	----	----	----	8 UNCH
8350	----	----	9.991B/----	9.991B/8.655A	----	9.545 + 1.732	.7005	----	----	----	----	18 UNCH
8375	----	----	10.048B/----	10.048B/8.840A	----	9.741 + 1.750	.7067	----	----	----	----	1 UNCH
8400	----	----	10.249B/----	10.249B/9.027A	----	9.938 + 1.767	.7128	----	----	----	----	3 UNCH
8425	----	----	10.671B/----	10.671B/9.133A	----	10.137 + 1.784	.7188	----	----	----	----	63 UNCH
8450	----	----	10.793B/----	10.793B/9.404A	----	10.337 + 1.800	.7246	----	----	----	----	18 UNCH
8475	----	----	10.858B/----	10.858B/9.597A	----	10.539 + 1.817	.7303	----	----	----	----	2 UNCH
8500	----	----	11.275B/----	11.275B/9.726A	----	10.742 + 1.832	.7360	----	----	----	----	66 UNCH
8525	----	----	11.271B/----	11.271B/9.984A	----	10.946 + 1.848	.7415	----	----	----	----	1 UNCH
8550	----	----	11.479B/----	11.479B/10.181A	----	11.152 + 1.863	.7469	----	----	----	----	1 UNCH
8575	----	----	11.685B/----	11.685B/10.377A	----	11.359 + 1.878	.7521	----	----	----	----	1 UNCH
8600	----	----	11.895B/----	11.895B/10.575A	----	11.567 + 1.893	.7574	----	----	----	----	4 UNCH
8625	----	----	12.250B/----	12.250B/10.773A	----	11.776 + 1.907	.7624	----	----	----	----	11 UNCH
8650	----	----	12.320B/----	12.320B/10.976A	----	11.986 + 1.920	.7674	----	----	----	----	2 UNCH
8675	----	----	12.533B/----	12.533B/11.170A	----	12.197 + 1.934	.7723	----	----	----	----	2 UNCH
8700	----	----	12.893B/----	12.893B/11.382A	----	12.410 + 1.947	.7770	----	----	----	----	14 UNCH
8750	----	----	13.354B/----	13.354B/11.766A	----	12.838 + 1.973	.7863	----	----	----	----	26 UNCH
8775	----	----	13.398B/----	13.398B/12.001A	----	13.053 + 1.985	.7907	----	----	----	----	1 UNCH
8800	----	----	13.761B/----	13.761B/12.211A	----	13.270 + 1.997	.7951	----	----	----	----	14 UNCH
8825	----	----	13.986B/----	13.986B/12.420A	----	13.487 + 2.008	.7994	----	----	----	----	15 UNCH
8850	----	----	14.204B/----	14.204B/12.630A	----	13.706 + 2.020	.8035	----	----	----	----	6 UNCH
8925	----	----	14.722B/----	14.722B/13.270A	----	14.366 + 2.053	.8154	----	----	----	----	4 UNCH
8975	----	----	15.170B/----	15.170B/13.702A	----	14.811 + 2.074	.8230	----	----	----	----	2 UNCH
9000	----	----	15.621B/----	15.621B/13.847A	----	15.034 + 2.084	.8266	----	----	----	----	134 UNCH
9050	----	----	15.848B/----	15.848B/14.355A	----	15.483 + 2.103	.8336	----	----	----	----	3 UNCH
9075	----	----	16.088B/----	16.088B/14.575A	----	15.709 + 2.113	.8370	----	----	----	----	2 UNCH
9100	----	----	16.440B/----	16.440B/14.795A	----	15.935 + 2.121	.8403	----	----	----	----	6 UNCH
9125	----	----	16.533B/----	16.533B/15.017A	----	16.162 + 2.130	.8434	----	----	----	----	1 UNCH
9150	----	----	16.766B/----	16.766B/15.239A	----	16.389 + 2.138	.8466	----	----	----	----	1 UNCH
9175	----	----	16.997B/----	16.997B/15.462A	----	16.618 + 2.148	.8497	----	----	----	----	1 UNCH
9200	----	----	17.442B/----	17.442B/15.618A	----	16.846 + 2.155	.8526	----	----	----	----	80 UNCH
9325	----	----	18.401B/----	18.401B/16.814A	----	17.999 + 2.194	.8666	----	----	----	----	1 UNCH
9450	----	----	19.696B/----	19.696B/17.956A	----	19.164 + 2.227	.8788	----	----	----	----	6 UNCH
9500	----	----	20.250B/----	20.250B/18.351A	----	19.633 + 2.239	.8834	----	----	----	----	138 UNCH
9525	----	----	20.294B/----	20.294B/18.646A	----	19.869 + 2.246	.8855	----	----	----	----	1 UNCH
9550	----	----	20.532B/----	20.532B/18.877A	----	20.104 + 2.251	.8877	----	----	----	----	1 UNCH
9575	----	----	20.770B/----	20.770B/19.109A	----	20.340 + 2.256	.8898	----	----	----	----	2 UNCH
9725	----	----	22.208B/----	22.208B/20.507A	----	21.763 + 2.286	.9012	----	----	----	----	1 UNCH
9825	----	----	23.172B/----	23.172B/21.446A	----	22.718 + 2.304	.9080	----	----	----	----	1 UNCH
9850	----	----	23.414B/----	23.414B/21.682A	----	22.958 + 2.309	.9096	----	----	----	----	1 UNCH
9900	----	----	23.997B/----	23.997B/22.139A	----	23.437 + 2.316	.9127	----	----	----	----	17 UNCH
9925	----	----	24.139B/----	24.139B/22.377A	----	23.678 + 2.320	.9141	----	----	----	----	1 UNCH
9950	----	----	24.382B/----	24.382B/22.614A	----	23.918 + 2.323	.9156	----	----	----	----	1 UNCH
10000	----	----	25.075B/----	25.075B/23.045A	----	24.399 + 2.330	.9184	----	----	----	----	97 UNCH
10025	----	----	25.219B/----	25.219B/23.328A	----	24.641 + 2.334	.9197	----	----	----	----	2 UNCH
10075	----	----	25.704B/----	25.704B/23.805A	----	25.123 + 2.339	.9224	----	----	----	----	1 UNCH
10100	----	----	25.933B/----	25.933B/24.045A	----	25.365 + 2.343	.9237	----	----	----	----	6 UNCH
10125	----	----	26.191B/----	26.191B/24.283A	----	25.607 + 2.346	.9250	----	----	----	----	1 UNCH
10150	----	----	26.420B/----	26.420B/24.522A	----	25.849 + 2.349	.9261	----	----	----	----	8 UNCH
10175	----	----	26.678B/----	26.678B/24.761A	----	26.091 + 2.351	.9274	----	----	----	----	2 UNCH
10200	----	----	27.011B/----	27.011B/24.956A	----	26.333 + 2.353	.9285	----	----	----	----	120 UNCH
10225	----	----	27.165B/----	27.165B/25.240A	----	26.576 + 2.356	.9296	----	----	----	----	1 UNCH
10325	----	----	28.142B/----	28.142B/26.201A	----	27.548 + 2.366	.9340	----	----	----	----	1 UNCH
10350	----	----	28.386B/----	28.386B/26.442A	----	27.791 + 2.368	.9350	----	----	----	----	1 UNCH
10375	----	----	28.631B/----	28.631B/26.683A	----	28.034 + 2.369	.9359	----	----	----	----	1 UNCH
10400	----	----	28.875B/----	28.875B/26.925A	----	28.278 + 2.372	.9369	----	----	----	----	1 UNCH
10500	----	----	29.862B/----	29.862B/27.892A	----	29.254 + 2.380	.9407	----	----	----	----	9 UNCH
10600	----	----	30.732B/----	30.732B/28.863A	----	30.232 + 2.387	.9441	----	----	----	----	5 UNCH
10825	----	----	33.022B/----	33.022B/31.056A	----	32.438 + 2.399	.9508	----	----	----	----	6 UNCH
10850	----	----	33.198B/----	33.198B/31.299A	----	32.683 + 2.399	.9515	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
JUN26														
10875	----	----	33.445B/----	33.445B/31.544A	----	32.929	+ 2.401	.9521	----	----	----	----	2	UNCH
10950	----	----	34.187B/----	34.187B/32.278A	----	33.667	+ 2.405	.9541	----	----	----	----	3	UNCH
11000	----	----	34.783B/----	34.783B/32.762A	----	34.159	+ 2.407	.9553	----	----	----	----	3	UNCH
11325	----	----	37.999B/----	37.999B/35.959A	----	37.364	+ 2.417	.9620	----	----	----	----	1	UNCH
11500	----	----	39.738B/----	39.738B/37.683A	----	39.095	+ 2.423	.9652	----	----	----	----	10	UNCH
11525	----	----	39.988B/----	39.988B/37.931A	----	39.342	+ 2.423	.9655	----	----	----	----	1	UNCH
11675	----	----	41.378B/----	41.378B/39.412A	----	40.827	+ 2.427	.9677	----	----	----	----	1	UNCH
11700	----	----	41.627B/----	41.627B/39.672A	----	41.075	+ 2.428	.9682	----	----	----	----	1	UNCH
12000	42.608	42.608	44.766B/42.608	44.766B/42.604A	----	44.050	+ 2.434	.9719	----	----	3	----	50	UNCH
12025	----	----	44.859B/----	44.859B/42.890A	----	44.299	+ 2.435	.9722	----	----	----	----	1	UNCH
13000	53.672	53.672	54.683B/53.672	54.683B/52.579A	----	53.997	+ 2.452	.9803	----	----	2	----	5	UNCH
TOTAL											695	0	10757 +	293
JUL26														
2000	----	----	----	0.005B/0.028A	----	0.009	+ 0.001	.0007	----	----	----	----	6	UNCH
2400	----	----	----	----/0.217A	----	0.016	+ 0.001	.0014	----	----	----	----	10	UNCH
2650	----	----	----	----/0.068A	----	0.022	+ 0.002	.0020	----	----	----	----	6	UNCH
3000	----	----	----	0.001B/0.077A	----	0.032	+ 0.003	.0031	----	----	----	----	5	UNCH
3025	----	----	----	0.001B/0.078A	----	0.033	+ 0.003	.0032	----	----	----	----	1	UNCH
3350	----	----	----	0.001B/0.092A	----	0.046	+ 0.005	.0047	----	----	----	----	1	UNCH
3400	----	----	----	0.001B/0.095A	----	0.049	+ 0.006	.0051	----	----	----	----	55	UNCH
3475	----	----	----	0.001B/0.099A	----	0.052	+ 0.006	.0055	----	----	----	----	5	UNCH
3500	----	----	----	0.001B/0.101A	----	0.054	+ 0.007	.0057	----	----	----	----	4	UNCH
3600	----	----	----	0.001B/0.107A	----	0.060	+ 0.008	.0064	----	----	----	----	12	UNCH
3700	----	----	----	0.001B/0.113A	----	0.066	+ 0.008	.0071	----	----	----	----	91	UNCH
3800	----	----	----	0.001B/0.120A	----	0.072	+ 0.007	.0079	----	----	----	----	25	UNCH
3825	----	----	----	0.001B/0.121A	----	0.074	+ 0.008	.0082	----	----	----	----	8	UNCH
3850	----	----	----	0.001B/0.123A	----	0.076	+ 0.008	.0084	----	----	----	----	3	UNCH
3900	----	----	----	0.003B/0.126A	----	0.079	+ 0.007	.0088	----	----	----	----	11	UNCH
3950	----	----	----	0.010B/0.130A	----	0.083	+ 0.007	.0093	----	----	----	----	1	UNCH
4000	----	----	----	0.050B/0.126A	----	0.087	+ 0.008	.0098	----	----	----	----	70	UNCH
4075	----	----	----	0.021B/*0.136A	----	0.093	+ 0.007	.0106	----	----	----	----	16	UNCH
4100	----	----	----	0.022B/*0.137A	----	0.095	+ 0.007	.0109	----	----	----	----	6	UNCH
4175	----	----	----	0.029B/0.147A	----	0.101	+ 0.006	.0117	----	----	----	----	9	UNCH
4200	----	----	----	0.033B/0.149A	----	0.104	+ 0.007	.0121	----	----	----	----	27	UNCH
4225	----	----	----	0.037B/0.151A	----	0.106	+ 0.007	.0124	----	----	----	----	1	UNCH
4250	----	----	----	0.040B/0.153A	----	0.108	+ 0.006	.0127	----	----	----	----	21	UNCH
4300	----	----	----	0.044B/0.160A	----	0.114	+ 0.007	.0134	----	----	----	----	98	UNCH
4325	----	----	----	0.047B/0.162A	----	0.116	+ 0.006	.0137	----	----	----	----	17	UNCH
4375	----	----	----	0.053B/0.172A	----	0.122	+ 0.007	.0145	----	----	----	----	32	UNCH
4400	----	----	----	0.057B/0.176A	----	0.124	+ 0.006	.0148	----	----	----	----	29	UNCH
4450	----	----	----	0.065B/0.186A	----	0.130	+ 0.006	.0156	----	----	----	----	4	UNCH
4475	----	----	----	0.069B/0.187A	----	0.133	+ 0.006	.0161	----	----	----	----	16	UNCH
4500	----	----	----	0.111B/0.164A	----	0.137	+ 0.007	.0166	----	----	----	----	302	UNCH
4575	----	----	----	0.088B/0.207A	----	0.147	+ 0.007	.0179	----	----	----	----	75	UNCH
4600	----	----	----	0.093B/0.212A	----	0.151	+ 0.007	.0185	----	----	----	----	101	UNCH
4650	----	----	----	0.103B/0.219A	----	0.158	+ 0.007	.0195	----	----	----	----	40	UNCH
4675	----	----	----	0.106B/0.217A	----	0.163	+ 0.008	.0201	----	----	----	----	12	UNCH
4700	----	----	----	0.112B/0.223A	----	0.167	+ 0.008	.0206	----	----	----	----	153	UNCH
4725	----	----	----	0.118B/0.231A	----	0.171	+ 0.008	.0212	----	----	----	----	3	UNCH
4750	----	----	----	0.121B/0.237A	----	0.176	+ 0.008	.0219	----	----	----	----	54	UNCH
4775	----	----	----	0.126B/0.240A	----	0.181	+ 0.009	.0225	----	----	----	----	8	UNCH
4800	----	----	----	0.132B/0.249A	----	0.186	+ 0.009	.0232	----	----	----	----	15	UNCH
4825	----	----	----	0.139B/0.257A	----	0.191	+ 0.010	.0239	----	----	----	----	26	UNCH
4850	----	----	----	0.146B/0.264A	----	0.196	+ 0.010	.0245	----	----	----	----	2	UNCH
4875	----	----	----	0.157B/0.271A	----	0.202	+ 0.011	.0253	----	----	----	----	23	UNCH
4900	----	----	----	0.165B/0.278A	----	0.207	+ 0.011	.0260	----	----	----	----	172	UNCH
5000	----	----	----	0.198B/0.280A	----	0.233	+ 0.014	.0294	----	----	----	----	890	UNCH
5025	----	----	----	0.207B/0.313A	----	0.240	+ 0.015	.0303	----	----	----	----	1	UNCH
5050	----	----	----	0.217B/0.321A	----	0.248	+ 0.016	.0313	----	----	----	----	16	UNCH
5075	----	----	----	0.227B/0.331A	----	0.256	+ 0.018	.0323	----	----	----	----	11	UNCH
5100	----	----	----	0.237B/0.338A	----	0.264	+ 0.019	.0334	----	----	----	----	176	UNCH
5150	----	----	----	0.256B/0.356A	----	0.281	+ 0.021	.0355	----	----	----	----	5	UNCH
5175	----	----	0.274B/----	0.274B/0.365A	----	0.290	+ 0.023	.0367	----	----	----	----	5	UNCH
5200	----	----	0.284B/----	0.284B/0.375A	----	0.300	+ 0.025	.0379	----	----	----	----	96	UNCH
5225	----	----	0.292B/----	0.292B/0.384A	----	0.310	+ 0.026	.0392	----	----	----	----	9	UNCH
5250	----	----	0.305B/----	0.305B/0.395A	----	0.320	+ 0.028	.0404	----	----	----	----	250	UNCH
5275	----	----	0.323B/----	0.323B/0.405A	----	0.331	+ 0.030	.0418	----	----	----	----	2	UNCH
5300	----	----	0.335B/----	0.335B/0.413A	----	0.343	+ 0.033	.0432	----	----	----	----	125	UNCH
5325	----	----	0.350B/----	0.350B/0.424A	----	0.354	+ 0.034	.0446	----	----	----	----	11	UNCH
5350	----	----	0.365B/----	0.365B/0.436A	----	0.367	+ 0.037	.0461	----	----	----	----	26	UNCH
5375	----	----	0.380B/----	0.380B/0.449A	----	0.380	+ 0.040	.0477	----	----	----	----	17	UNCH
5400	----	----	0.397B/----	0.397B/0.456A	----	0.393	+ 0.043	.0493	----	----	----	----	75	UNCH
5425	----	----	0.412B/----	0.412B/0.473A	----	0.407	+ 0.046	.0509	----	----	----	----	49	UNCH
5450	----	----	0.429B/----	0.429B/0.488A	----	0.421	+ 0.048	.0526	----	----	----	----	38	UNCH
5475	----	----	0.447B/----	0.447B/0.501A	----	0.436	+ 0.051	.0544	----	----	----	----	53	UNCH
5500	0.480	0.480	0.500/0.480	0.500/0.480	----	0.452	+ 0.055	.0563	----	----	31	----	1065 +	30
5525	----	----	0.485B/----	0.485B/0.530A	----	0.468	+ 0.058	.0581	----	----	----	----	72	UNCH
5550	----	----	0.505B/----	0.505B/0.547A	----	0.485	+ 0.062	.0601	----	----	----	----	18	UNCH
5575	----	----	0.526B/----	0.526B/0.561A	----	0.503	+ 0.067	.0622	----	----	----	----	3	UNCH
5600	----	----	0.548B/----	0.548B/0.578A	----	0.521	+ 0.071	.0642	----	----	----	----	15	UNCH
5625	----	----	0.570B/----	0.570B/0.593A	----	0.540	+ 0.075	.0664	----	----	----	----	3	UNCH
5650	----	----	0.593B/----	0.593B/0.611A	----	0.560	+ 0.080	.0687	----	----	----	----	29	UNCH
5675	----	----	0.617B/----	0.617B/0.630A	----	0.581	+ 0.085	.0710	----	----	----	----	45	UNCH
5700	----	----	0.642B/----	0.642B/0.649A	----	0.602	+ 0.090	.0733	----	----	----	----	299	UNCH
5725	----	----	0.667B/----	0.667B/0.668A	----	0.624	+ 0.095	.0758	----	----	----	----	3	UNCH
5750	----	----	0.694B/----	0.694B/0.689A	----	0.647	+ 0.100	.0783	----	----	----	----	52	UNCH
5775	----	----	0.723B/----	0.723B/0.709A	----	0.671	+ 0.106	.0809	----	----	----	----	2	UNCH
5800	----	----	0.741B/----	0.741B/0.729A	----	0.696	+ 0.113	.0836	----	----	----	----	29	UNCH
5825	----	----	0.751B/----	0.751B/0.751A	----	0.721	+ 0.118	.0863	----	----	1	----	3 +	1
5850	----	----	0.740B/----	0.740B/0.775A	----	0.748	+ 0.125	.0892	----	----	----	----	114	UNCH
5875	----	----	0.740B/----	0.740B/0.796A	----	0.775	+ 0.131	.0920	----	----	----	----	3	UNCH
5900	----	----	0.762B/----	0.762B/0.821A	----	0.804	+ 0.139	.0951	----	----	----	----	6	UNCH
5925	----	----	0.769B/----	0.769B/0.838A	----	0.833	NEW	.0981	----	----	1	----	1 +	1
5950	----	----	0.769B/----	0.769B/0.866A	----	0.864	+ 0.153	.1013	----	----	----	----	2	UNCH
5975	----	----	0.791B/----	0.791B/0.899A	----	0.896	+ 0.162	.1045	----	----	----	----	1	UNCH
6000	0.920	0.920	0.990/0.900	0.990/0.900	----	0.928	+ 0.169	.1078	----	----	50	75	601 +	13
6100	----	----	1.020B/----	1.020B/1.143A	----	1.070	+ 0.203	.1219	----	----	----	----	288	UNCH
6125	----	----	0.996B/----	0.996B/1.179A	----	1.109	+ 0.213	.1256	----	----	----	----	1	UNCH
6200	----	----	1.148B/----	1.148B/1.292A	----	1.232	+ 0.243	.1373	----	----	----	----	8	UNCH
6250	----	----	1.268B/----	1.268B/1.363A	----	1.321	+ 0.264	.1456	----	----	----	----	13	UNCH
6275	----	----	1.190B/----	1.190B/1.419A	----	1.367	+ 0.275	.1498	----	----	----	----	1	UNCH
6300	----	----	1.451B/----	1.451B/1.461A	----	1.415	+ 0.286	.1542	----	----	----	----	239	UNCH
6325	----	----	1.430B/----	1.430B/1.509A	----	1.464	+ 0.298	.1586	----	----	----	----	20	UNCH
6375	----	----	1.541B/----	1.541B/1.567A	----	1.567	+ 0.322	.1676	----	----	----	----	1	UNCH
6400	----	----	1.691B/----	1.691B/1.652A	----	1.621	+ 0.335	.1723	----	----	----	----	59	UNCH
6500	----	----	1.932B/----	1.932B/1.782A	----	1.851	+ 0.387	.1917	----	----	----	----	708	UNCH
6550	----	----	2.066B/----	2.066B/1.895A	----	1.975	+ 0.414	.2019	----	----	----	----	59	UNCH
6600	----	----	2.102B/----	2.102B/2.070A	----	2.107	+ 0.443	.2124	----	----	----	----	7	UNCH
6650	----	----	2.350B/----	2.350B/2.134A	----	2.245	+ 0.473	.2231	----	----	----	----	125	UNCH
6700	2.240	2.240	2.504B/2.240	2.504B/2.240	----	2.390	+ 0.503	.2341	----	----	2	----	95	UNCH
6750	----	----	2.605B/----	2.605B/2.427A	----	2.543	+ 0.536	.2454	----	----	----	----	26	UNCH
6800	2.580	2.580	2.843B/2.580	2.843B/2.521A	----	2.702	+ 0.568	.2569	----	----	2	----	260 +	2
6900	2.650	2.650	3.090B/2.650	3.090B/2.650	----	3.043	+ 0.635	.2806	----	----	1	----	18 +	1
7000	3.368	3.368	3.620B/3.368	3.620B/3.110A	----	3.414	+ 0.705	.3050	----	----	1	75	660 +	75
7025	----	----	3.722B/----	3.722B/3.233A	----	3.511	+ 0.722	.3112	----	----	----	----	128	UNCH
7050	----	----	3.671B/----	3.671B/3.395A	----	3.611	+ 0.741	.3174	----	----	----	----	2	UNCH
7100	----	----	3.892B/----	3.892B/3.576A	----	3.815	+ 0.777	.3299	----	----	----	----	16	UNCH
7125	----	----	3.990B/----	3.990B/3.668A	----	3.920	+ 0.795	.3362	----	----	----	----	9	UNCH
7150	----	----	4.107B/----	4.107B/3.742A	----	4.027	+ 0.813	.3426	----	----	----	----	1	UNCH
7175	----	----	4.282B/----	4.282B/3.819A	----	4.136	+ 0.831	.3489	----	----	----	----	30	UNCH
7200	----	----	4.382B/----	4.382B/3.917A	----	4.246	+ 0.849	.3553	----	----	----	----	49	UNCH
7250	----	----	4.719B/----	4.719B/4.033A	----	4.473	+ 0.886	.3680	----	----	----	----	182	UNCH
7300	----	----	4.861B/----	4.861B/4.327A	----	4.708	+ 0.923	.3808	----	----	----	----	30	UNCH
7375	----	----	5.337B/----	5.337B/4.533A	----	5.074	+ 0.978	.4000	----	----	----	----	157	UNCH
7400	----	----	5.306B/----	5.306B/4.796A	----	5.200	+ 0.996	.4064	----	----	----	----	21	UNCH
7450	----	----	5.568B/----	5.568B/5.030A	----	5.457	+ 1.033	.4192	----	----	----	----	1	UNCH
7500	----	----	6.002B/----	6.002B/5.197A	----	5.721	+ 1.069	.4320	----	----	----	----	53	UNCH
7525	----	----	6.045B/----	6.045B/5.355A	----	5.856	+ 1.087	.4383	----	----	----	----	25	UNCH
7550	----	----	6.113B/----	6.113B/5.517A	----	5.992	+ 1.104	.4446	----	----	----	----	7	UNCH
7600	----	----	6.403B/----	6.403B/5.772A	----	6.271	+ 1.140	.4573	----	----	----	----	4	UNCH
7625	----	----	6.546B/----	6.546B/5.903A	----	6.413	+ 1.157	.4635	----	----	----	----	2	UNCH
7675	----	----	6.838B/----	6.838B/6.167A	----	6.702	+ 1.192	.4760	----	----	----	----	14	UNCH
7700	----	----	7.163B/----	7.163B/5.999A	----	6.849	+ 1.209	.4821	----	----	----	----	106	UNCH
7800	----	----	7.761B/----	7.761B/6.527A	----	7.453	+ 1.276	.5065	----	----	----	----	73	UNCH
7825	----	----	7.764B/----	7.764B/7.015A	----	7.609	+ 1.293	.5124	----	----	----	----	6	UNCH
7850	----	----	7.925B/----	7.925B/7.161A	----	7.765	+ 1.308	.5184	----	----	3	----	6	UNCH
7900	----	----	8.293B/----	8.293B/7.365A	----	8.084	+ 1.340	.5302	----	----	----	----	11	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7975	----	----	8.757B/----	8.757B/7.876A	----	8.573 + 1.387	.5475	----	----	----	----	5 UNCH
8000	7.991	7.991	9.088B/7.991	9.088B/7.663A	----	8.738 + 1.401	.5532	----	----	1	----	301 UNCH
8100	----	----	9.729B/----	9.729B/8.593A	----	9.417 + 1.460	.5754	----	----	----	----	44 UNCH
8125	----	----	9.831B/----	9.831B/8.825A	----	9.590 + 1.474	.5809	----	----	----	----	7 UNCH
8175	9.206	9.206	10.134B/9.206	10.134B/9.143A	----	9.940 + 1.501	.5916	----	----	1	----	4 + 1
8225	----	----	10.497B/----	10.497B/9.475A	----	10.295 + 1.527	.6021	----	----	----	----	1 UNCH
8250	----	----	10.788B/----	10.788B/9.650A	----	10.475 + 1.540	.6072	----	----	----	----	46 UNCH
8300	10.023	10.023	11.177B/10.023	11.177B/9.953A	----	10.839 + 1.566	.6174	----	----	1	----	128 + 1
8375	----	----	11.617B/----	11.617B/10.591A	----	11.393 + 1.603	.6322	----	----	----	----	3 UNCH
8400	----	----	11.808B/----	11.808B/10.771A	----	11.581 + 1.616	.6371	----	----	----	----	7 UNCH
8500	----	----	12.705B/----	12.705B/11.425A	----	12.342 + 1.663	.6558	----	----	----	----	57 UNCH
8575	----	----	13.179B/----	13.179B/12.061A	----	12.924 + 1.695	.6692	----	----	----	----	3 UNCH
8600	----	----	13.498B/----	13.498B/12.171A	----	13.120 + 1.706	.6736	----	----	----	----	56 UNCH
8700	----	----	14.184B/----	14.184B/13.017A	----	13.915 + 1.748	.6905	----	----	----	----	4 UNCH
9000	----	----	16.822B/----	16.822B/15.340A	----	16.386 + 1.857	.7359	----	----	----	----	307 UNCH
9200	----	----	18.415B/----	18.415B/17.080A	----	18.095 + 1.920	.7621	----	----	----	----	11 UNCH
9400	----	----	20.183B/----	20.183B/18.792A	----	19.844 + 1.974	.7852	----	----	----	----	1 UNCH
9450	----	----	20.630B/----	20.630B/19.229A	----	20.287 + 1.987	.7905	----	----	----	----	12 UNCH
9500	----	----	21.216B/----	21.216B/19.591A	----	20.732 + 2.000	.7957	----	----	----	----	218 UNCH
9600	20.630	20.630	22.118B/20.630	22.118B/20.473A	----	21.628 + 2.024	.8057	----	----	2	----	50 UNCH
9900	----	----	24.719B/----	24.719B/23.235A	----	24.356 + 2.088	.8321	----	----	----	----	6 UNCH
9950	----	----	25.180B/----	25.180B/23.688A	----	24.816 + 2.097	.8360	----	----	----	----	5 UNCH
10000	----	----	25.778B/----	25.778B/24.072A	----	25.277 + 2.107	.8399	----	----	----	----	205 UNCH
10275	----	----	28.212B/----	28.212B/26.675A	----	27.836 + 2.154	.8590	----	----	----	----	7 UNCH
10500	----	----	30.339B/----	30.339B/28.771A	----	29.953 + 2.187	.8724	----	----	----	----	3 UNCH
10600	----	----	31.290B/----	31.290B/29.708A	----	30.900 + 2.201	.8778	----	----	----	----	9 UNCH
11000	----	----	35.241B/----	35.241B/33.401A	----	34.718 + 2.248	.8965	----	----	----	----	217 UNCH
11300	----	----	38.014B/----	38.014B/36.351A	----	37.608 + 2.278	.9080	----	----	----	----	10 UNCH
11500	----	----	39.951B/----	39.951B/38.270A	----	39.544 + 2.296	.9147	----	----	----	----	1 UNCH
12000	----	----	44.825B/----	44.825B/43.106A	----	44.411 + 2.334	.9285	----	----	----	----	15 UNCH
13000	----	----	54.659B/----	54.659B/52.885A	----	54.223 + 2.396	.9482	----	----	----	----	6 UNCH
TOTAL										97	150	11067 + 125
AUG26												
3300	----	----	----	0.001B/0.377A	----	0.054 + 0.011	.0053	----	----	----	----	2 UNCH
3900	----	----	----	0.056B/0.187A	----	0.130 + 0.026	.0129	----	----	----	----	2 UNCH
4000	----	----	----	0.072B/0.204A	----	0.147 + 0.030	.0146	----	----	----	----	1 UNCH
4175	----	----	----	0.102B/0.240A	----	0.182 + 0.037	.0181	----	----	----	----	1 UNCH
4300	----	----	----	0.132B/0.259A	----	0.211 + 0.043	.0210	----	----	----	----	1 UNCH
4350	----	----	----	0.145B/0.279A	----	0.223 + 0.045	.0223	----	----	----	----	1 UNCH
4375	----	----	----	0.152B/0.281A	----	0.230 + 0.047	.0230	----	----	----	----	160 UNCH
4400	----	----	----	0.156B/0.289A	----	0.237 + 0.049	.0237	----	----	----	----	1 UNCH
4500	----	----	----	0.185B/0.319A	----	0.266 + 0.055	.0266	----	----	----	----	2 UNCH
4600	----	----	----	0.224B/0.348A	----	0.299 + 0.062	.0299	----	----	----	----	4 UNCH
4625	----	----	----	0.232B/0.356A	----	0.308 + 0.064	.0308	----	----	----	----	1 UNCH
4700	----	----	----	0.263B/0.382A	----	0.336 + 0.070	.0336	----	----	----	----	1 UNCH
4775	----	----	0.296B/----	0.296B/0.411A	----	0.366 + 0.075	.0365	----	----	----	----	1 UNCH
4800	----	----	0.307B/----	0.307B/0.358A	----	0.377 + 0.078	.0376	----	----	----	----	16 UNCH
4825	----	----	0.320B/----	0.320B/0.434A	----	0.388 + 0.080	.0387	----	----	----	----	1 UNCH
5000	----	----	0.417B/----	0.417B/0.511A	----	0.477 + 0.099	.0473	----	----	----	----	14 UNCH
5275	----	----	0.622B/----	0.622B/0.680A	----	0.660 + 0.135	.0643	----	----	----	----	1 UNCH
5300	----	----	0.652B/----	0.652B/0.699A	----	0.680 + 0.139	.0661	----	----	----	----	1 UNCH
5500	----	----	0.857B/----	0.857B/0.859A	----	0.862 + 0.174	.0822	----	----	----	----	25 UNCH
5675	----	----	1.045B/----	1.045B/1.021A	----	1.059 + 0.211	.0990	----	----	----	----	9 UNCH
5800	----	----	0.988B/----	0.988B/1.160A	----	1.225 + 0.240	.1126	----	----	----	----	4 UNCH
5850	----	----	1.056B/----	1.056B/1.378A	----	1.298 + 0.253	.1184	----	----	----	----	2 UNCH
5875	----	----	1.093B/----	1.093B/1.416A	----	1.336 + 0.260	.1214	----	----	----	----	4 UNCH
5900	----	----	1.169B/----	1.169B/1.452A	----	1.375 + 0.267	.1245	----	----	----	----	5 UNCH
5950	----	----	1.233B/----	1.233B/1.537A	----	1.456 + 0.280	.1308	----	----	----	----	10 UNCH
6000	----	----	1.323B/----	1.323B/1.606A	----	1.541 + 0.295	.1373	----	----	----	----	156 UNCH
6050	----	----	1.462B/----	1.462B/1.674A	----	1.631 + 0.310	.1441	----	----	----	----	1 UNCH
6100	----	----	1.500B/----	1.500B/1.711A	----	1.725 + 0.325	.1511	----	----	----	----	10 UNCH
6150	----	----	1.603B/----	1.603B/1.859A	----	1.824 + 0.341	.1583	----	----	----	----	1 UNCH
6200	----	----	1.946B/----	1.946B/2.088A	----	1.928 + 0.358	.1657	----	----	----	----	1 UNCH
6400	----	----	2.542B/----	2.542B/2.212A	----	2.394 + 0.430	.1977	----	----	----	----	1 UNCH
6500	----	----	2.883B/----	2.883B/2.427A	----	2.660 + 0.469	.2150	----	----	----	----	222 UNCH
6600	----	----	3.072B/----	3.072B/2.728A	----	2.949 + 0.510	.2331	----	----	----	----	13 UNCH
6725	----	----	3.535B/----	3.535B/3.087A	----	3.344 + 0.564	.2566	----	----	----	----	7 UNCH
6800	----	----	3.429B/----	3.429B/3.743A	----	3.599 + 0.597	.2712	----	----	----	----	0 UNCH
6825	----	----	3.862B/----	3.862B/3.419A	----	3.688 + 0.609	.2761	----	----	----	----	7 UNCH
6900	----	----	4.146B/----	4.146B/3.687A	----	3.962 + 0.644	.2911	----	----	----	----	1 UNCH
6950	----	----	4.333B/----	4.333B/3.859A	----	4.153 + 0.667	.3013	----	----	----	----	1 UNCH
6975	----	----	4.462B/----	4.462B/3.951A	----	4.251 + 0.679	.3064	----	----	----	----	1 UNCH
7000	----	----	4.569B/----	4.569B/4.045A	----	4.350 + 0.691	.3115	----	----	----	----	8 UNCH
7050	----	----	4.782B/----	4.782B/4.239A	----	4.554 + 0.715	.3219	----	----	----	----	1 UNCH
7100	----	----	5.001B/----	5.001B/4.440A	----	4.764 + 0.739	.3323	----	----	----	----	3 UNCH
7200	----	----	5.456B/----	5.456B/4.860A	----	5.205 + 0.789	.3533	----	----	----	----	2 UNCH
7225	----	----	5.570B/----	5.570B/4.967A	----	5.327 + 0.806	.3586	----	----	----	----	2 UNCH
7300	----	----	5.827B/----	5.827B/5.302A	----	5.705 + 0.862	.3746	----	----	----	----	1 UNCH
7350	----	----	6.074B/----	6.074B/5.537A	----	5.964 + 0.900	.3851	----	----	----	----	6 UNCH
7400	----	----	6.429B/----	6.429B/5.799A	----	6.229 + 0.937	.3957	----	----	----	----	4 UNCH
7500	----	----	6.958B/----	6.958B/6.295A	----	6.775 + 1.012	.4166	----	----	----	----	6 UNCH
7550	----	----	7.219B/----	7.219B/6.538A	----	7.057 + 1.050	.4270	----	----	----	----	5 UNCH
7600	----	----	7.432B/----	7.432B/6.807A	----	7.344 + 1.086	.4372	----	----	----	----	4 UNCH
7700	----	----	8.108B/----	8.108B/7.349A	----	7.935 + 1.160	.4575	----	----	----	----	38 UNCH
7950	----	----	9.603B/----	9.603B/8.830A	----	9.502 + 1.334	.5062	----	----	----	----	4 UNCH
7975	----	----	9.768B/----	9.768B/8.983A	----	9.666 + 1.351	.5109	----	----	----	----	1 UNCH
8000	----	----	10.126B/----	10.126B/9.121A	----	9.830 + 1.366	.5156	----	----	----	----	80 UNCH
8150	----	----	10.966B/----	10.966B/10.099A	----	10.844 + 1.459	.5428	----	----	----	----	10 UNCH
8200	----	----	11.316B/----	11.316B/10.413A	----	11.191 + 1.488	.5516	----	----	----	----	10 UNCH
8250	----	----	11.672B/----	11.672B/10.748A	----	11.542 + 1.516	.5603	----	----	----	----	5 UNCH
8500	----	----	13.575B/----	13.575B/12.508A	----	13.360 + 1.640	.6013	----	----	----	----	20 UNCH
9000	16.750	16.750	17.485B/16.650	17.485B/16.365A	----	17.264 + 1.824	.6722	----	----	5	----	33 + 1
9300	----	----	19.770B/----	19.770B/18.901A	----	19.743 + 1.903	.7080	----	----	----	----	1 UNCH
9500	----	----	21.675B/----	21.675B/20.511A	----	21.442 + 1.949	.7293	----	----	----	----	30 UNCH
10000	----	----	25.988B/----	25.988B/24.881A	----	25.814 + 2.044	.7750	----	----	----	----	6 UNCH
10025	----	----	26.084B/----	26.084B/25.121A	----	26.037 + 2.049	.7770	----	----	----	----	1 UNCH
10175	----	----	27.566B/----	27.566B/26.450A	----	27.381 + 2.074	.7887	----	----	----	----	15 UNCH
TOTAL										5	0	988 + 1
SEP26												
2500	----	----	----	0.001B/3.266A	----	0.014 + 0.003	.0013	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/3.383A	----	0.041 + 0.008	.0039	----	----	----	----	22 UNCH
3500	----	----	----	0.040B/0.203A	----	0.100 + 0.019	.0093	----	----	----	----	74 UNCH
4000	----	----	----	0.137B/0.300A	----	0.222 + 0.042	.0198	----	----	----	----	46 UNCH
4500	----	----	----	0.319B/0.466A	----	0.396 + 0.071	.0351	----	----	----	----	12 UNCH
5000	----	----	0.652B/----	0.652B/0.748A	----	0.687 + 0.118	.0597	----	----	----	----	232 UNCH
5100	----	----	0.744B/----	0.744B/0.827A	----	0.767 + 0.131	.0662	----	----	1	----	1 UNCH
5400	----	----	1.094B/----	1.094B/1.112A	----	1.072 + 0.181	.0897	----	----	----	----	1 UNCH
5500	1.250	1.250	1.250/1.225A	1.250/1.225A	----	1.197 + 0.200	.0990	----	----	1	----	228 + 1
5600	----	----	1.167B/----	1.167B/1.358A	----	1.337 + 0.223	.1090	----	----	----	----	1 UNCH
5700	----	----	----	1.226B/1.855A	----	1.492 + 0.248	.1199	----	----	----	----	2 UNCH
5800	----	----	1.406B/----	1.406B/1.996A	----	1.664 + 0.275	.1315	----	----	----	----	8 UNCH
5900	----	----	1.608B/----	1.608B/2.041A	----	1.852 + 0.304	.1439	----	----	----	----	50 UNCH
6000	2.100	2.100	2.100/2.000	2.100/2.000	----	2.059 + 0.336	.1570	----	----	25	----	138 + 10
6050	----	----	1.972B/----	1.972B/2.430A	----	2.170 + 0.353	.1639	----	----	----	----	15 UNCH
6200	----	----	2.442B/----	2.442B/2.728A	----	2.533 + 0.408	.1856	----	----	----	----	40 UNCH
6300	----	----	2.627B/----	2.627B/3.053A	----	2.801 + 0.447	.2009	----	----	----	----	5 UNCH
6400	----	----	2.925B/----	2.925B/3.328A	----	3.092 + 0.489	.2168	----	----	----	----	3 UNCH
6425	3.210	3.210	3.210/3.210	3.210/3.210	----	3.168 + 0.500	.2209	----	----	1	----	3 + 1
6500	----	----	3.433B/----	3.433B/3.498A	----	3.405 + 0.533	.2333	----	----	----	----	55 UNCH
6550	----	----	3.405B/----	3.405B/3.782A	----	3.570 + 0.556	.2417	----	----	----	----	15 UNCH
6800	----	----	4.314B/----	4.314B/4.658A	----	4.486 + 0.678	.2855	----	----	----	----	5 UNCH
6900	----	----	4.715B/----	4.715B/5.064A	----	4.894 + 0.729	.3036	----	----	----	----	1 UNCH
7000	----	----	5.147B/----	5.147B/5.473A	----	5.327 + 0.782	.3219	----	----	10	----	16 UNCH
7025	----	----	5.264B/----	5.264B/5.588A	----	5.439 + 0.795	.3265	----	----	----	----	1 UNCH
7100	----	----	5.607B/----	5.607B/5.919A	----	5.784 + 0.835	.3403	----	----	----	----	16 UNCH
7125	----	----	5.832B/----	5.832B/5.964A	----	5.902 + 0.849	.3449	----	----	----	----	25 UNCH
7175	----	----	5.963B/----	5.963B/6.271A	----	6.143 + 0.877	.3542	----	----	----	----	20 UNCH
7200	----	----	6.303B/----	6.303B/6.234A	----	6.265 + 0.890	.3588	----	----	----	----	50 UNCH
7400	----	----	7.106B/----	7.106B/7.382A	----	7.298 + 1.001	.3956	----	----	----	----	20 UNCH
7500	----	----	7.654B/----	7.654B/7.912A	----	7.849 + 1.057	.4138	----	----	----	----	3 UNCH
7550	----	----	7.937B/----	7.937B/8.176A	----	8.133 + 1.085	.4228	----	----	----	----	2 UNCH
7700	----	----	8.817B/----	8.817B/9.011A	----	9.016 + 1.168	.4494	----	----	----	----	1 UNCH
7800	----	----	9.431B/----	9.431B/9.591A	----	9.630 + 1.222	.4667	----	----	----	----	4 UNCH
7900	----	----	10.064B/----	10.064B/10.138A	----	10.263 + 1.274	.4837	----	----	----	----	1 UNCH
8000	----	----	10.838B/----	10.838B/10.714A	----	10.914 + 1.326	.5002	----	----	----	----	40 UNCH
8100	----	----	11.388B/----	11.388B/11.450A	----	11.583 + 1.376	.5163	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
8200	----	----	12.082B/----	12.082B/12.113A	----	12.268 + 1.424	.5319	----	----	----	----	1 UNCH
8500	----	----	14.507B/----	14.507B/13.949A	----	14.414 + 1.558	.5762	----	----	----	----	225 UNCH
8700	----	----	16.017B/----	16.017B/15.473A	----	15.912 + 1.638	.6033	----	----	----	----	100 UNCH
9000	----	----	18.367B/----	18.367B/17.865A	----	18.248 + 1.743	.6407	----	----	----	----	74 UNCH
9300	----	----	20.542B/----	20.542B/20.007A	----	20.677 + 1.833	.6742	----	----	----	----	1 UNCH
9400	----	----	21.369B/----	21.369B/20.662A	----	21.505 + 1.859	.6845	----	----	----	----	1 UNCH
10150	----	----	27.806B/----	27.806B/27.657A	----	27.950 + 2.016	.7501	----	----	----	----	1 UNCH
10300	----	----	29.133B/----	29.133B/28.982A	----	29.281 + 2.041	.7610	----	----	----	----	1 UNCH
TOTAL										38	0	1621 + 12
OCT26												
2675	----	----	----	0.001B/3.503A	----	0.032 + 0.005	.0028	----	----	----	----	8 UNCH
3250	----	----	----	0.033B/0.229A	----	0.079 + 0.014	.0070	----	----	----	----	1 UNCH
4000	----	----	----	0.196B/0.388A	----	0.244 + 0.041	.0208	----	----	----	----	3 UNCH
4500	----	----	----	0.429B/0.605A	----	0.513 + 0.081	.0408	----	----	----	----	3 UNCH
5000	----	----	0.837B/----	0.837B/0.952A	----	0.911 + 0.151	.0691	----	----	----	----	6 UNCH
5050	----	----	0.889B/----	0.889B/0.998A	----	0.962 + 0.160	.0726	----	----	----	----	1 UNCH
5150	----	----	1.006B/----	1.006B/1.100A	----	1.070 + 0.179	.0799	----	----	----	----	5 UNCH
6500	----	----	3.536B/----	3.536B/4.184A	----	3.945 + 0.604	.2363	----	----	----	----	6 UNCH
7000	----	----	5.496B/----	5.496B/6.100A	----	5.906 + 0.828	.3159	----	----	----	----	85 UNCH
7225	----	----	6.536B/----	6.536B/7.136A	----	6.966 + 0.934	.3530	----	----	----	----	87 UNCH
7500	----	----	7.994B/----	7.994B/8.554A	----	8.406 + 1.062	.3981	----	----	7	----	17 + 7
7950	----	----	10.729B/----	10.729B/11.121A	----	11.084 + 1.262	.4691	----	----	----	----	10 UNCH
8200	----	----	12.401B/----	12.401B/12.705A	----	12.727 + 1.365	.5057	----	----	----	----	6 UNCH
8375	----	----	13.455B/----	13.455B/14.011A	----	13.936 + 1.433	.5300	----	----	----	----	1 UNCH
9100	----	----	19.113B/----	19.113B/19.177A	----	19.372 + 1.673	.6180	----	----	----	----	1 UNCH
10000	----	----	26.197B/----	26.197B/26.760A	----	26.806 + 1.884	.7013	----	----	----	----	40 UNCH
TOTAL										7	0	280 + 7
NOV26												
4500	----	----	----	0.575B/0.784A	----	0.673 + 0.098	.0485	----	----	----	----	2 UNCH
4550	----	----	0.614B/----	0.614B/0.819A	----	0.713 + 0.104	.0511	----	----	----	----	1 UNCH
4800	----	----	0.845B/----	0.845B/1.025A	----	0.943 + 0.142	.0659	----	----	----	----	1 UNCH
5000	----	----	1.085B/----	1.085B/1.218A	----	1.165 + 0.177	.0796	----	----	----	----	12 UNCH
5200	----	----	1.367B/----	1.367B/1.459A	----	1.428 + 0.219	.0952	----	----	----	----	1 UNCH
5950	----	----	2.491B/----	2.491B/3.231A	----	2.906 + 0.432	.1727	----	----	----	----	1 UNCH
6700	----	----	4.862B/----	4.862B/5.652A	----	5.376 + 0.719	.2754	----	----	----	----	50 UNCH
7000	----	----	6.180B/----	6.180B/6.948A	----	6.678 + 0.844	.3204	----	----	----	----	40 UNCH
7025	----	----	6.296B/----	6.296B/7.049A	----	6.795 + 0.855	.3242	----	----	----	----	6 UNCH
7500	----	----	8.721B/----	8.721B/9.456A	----	9.244 + 1.054	.3958	----	----	4	----	7 + 4
7700	----	----	9.903B/----	9.903B/10.180A	----	10.402 + 1.135	.4253	----	----	----	----	50 UNCH
8500	----	----	15.271B/----	15.271B/15.725A	----	15.682 + 1.429	.5320	----	----	----	----	60 UNCH
9000	----	----	19.039B/----	19.039B/19.372A	----	19.416 + 1.584	.5881	----	----	----	----	5 UNCH
9050	----	----	19.432B/----	19.432B/19.751A	----	19.803 + 1.597	.5933	----	----	----	----	3 UNCH
10000	----	----	26.951B/----	26.951B/27.592A	----	27.555 + 1.821	.6774	----	----	----	----	1 UNCH
11000	----	----	----	14.327B/57.370A	----	36.256 + 1.983	.7431	----	----	----	----	1 UNCH
TOTAL										4	0	241 + 4
DEC26												
1500	----	----	----	----/0.085A	----	0.008 + 0.001	.0005	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.200A	----	0.030 + 0.004	.0021	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/4.113A	----	0.057 + 0.009	.0042	----	----	----	----	32 UNCH
3000	----	----	----	0.021B/0.299A	----	0.107 + 0.017	.0081	----	----	----	----	93 UNCH
3100	----	----	----	0.035B/0.323A	----	0.121 + 0.019	.0092	----	----	----	----	1 UNCH
3150	----	----	----	0.043B/0.335A	----	0.134 + 0.021	.0101	----	----	----	----	1 UNCH
3500	----	----	----	0.124B/0.443A	----	0.256 + 0.037	.0183	----	----	----	----	45 UNCH
3850	----	----	----	0.244B/0.584A	----	0.429 + 0.062	.0292	----	----	----	----	1 UNCH
3925	----	----	----	0.277B/0.621A	----	0.470 + 0.067	.0319	----	----	----	----	1 UNCH
4000	----	----	----	0.313B/0.660A	----	0.514 + 0.073	.0346	----	----	----	----	81 UNCH
4500	----	----	----	0.654B/0.999A	----	0.893 + 0.125	.0577	----	----	----	----	35 UNCH
4600	----	----	----	0.748B/1.086A	----	0.989 + 0.137	.0633	----	----	----	----	4 UNCH
4800	----	----	----	0.971B/1.285A	----	1.206 + 0.166	.0758	----	----	----	----	241 UNCH
5000	----	----	----	1.243B/1.520A	----	1.459 + 0.198	.0899	----	----	----	----	357 UNCH
5250	----	----	----	1.487B/1.861A	----	1.835 + 0.246	.1101	----	----	----	----	50 UNCH
5300	----	----	----	1.433B/1.938A	----	1.918 + 0.256	.1144	----	----	----	----	250 UNCH
5400	----	----	----	1.362B/2.683A	----	2.096 + 0.278	.1235	----	----	----	----	100 UNCH
5500	----	----	----	1.588B/2.862A	----	2.286 + 0.301	.1330	----	----	----	----	109 UNCH
5600	----	----	----	1.834B/2.774A	----	2.491 + 0.326	.1430	----	----	----	----	4 UNCH
5650	----	----	----	1.970B/2.810A	----	2.599 + 0.339	.1482	----	----	----	----	12 UNCH
5800	----	----	----	2.313B/3.412A	----	2.946 + 0.379	.1645	----	----	----	----	1 UNCH
5950	----	----	----	2.665B/3.873A	----	3.331 + 0.424	.1817	----	----	----	----	5 UNCH
6000	----	----	----	2.801B/4.018A	----	3.468 + 0.439	.1877	----	----	----	----	147 UNCH
6200	----	----	----	3.386B/4.643A	----	4.063 + 0.504	.2125	----	----	----	----	13 UNCH
6300	----	----	----	3.720B/4.947A	----	4.390 + 0.539	.2255	----	----	----	----	25 UNCH
6500	----	----	----	4.469B/5.712A	----	5.106 + 0.612	.2523	----	----	----	----	626 UNCH
6650	----	----	5.080B/----	5.080B/6.262A	----	5.697 + 0.668	.2731	----	----	----	----	5 UNCH
6725	----	----	----	5.280B/6.575A	----	6.011 + 0.699	.2837	----	----	----	----	4 UNCH
6750	----	----	5.511B/----	5.511B/6.668A	----	6.118 + 0.708	.2872	----	----	----	----	6 UNCH
6800	----	----	5.734B/----	5.734B/6.873A	----	6.336 + 0.729	.2943	----	----	----	----	59 UNCH
6850	----	----	5.961B/----	5.961B/6.640A	----	6.558 + 0.748	.3014	----	----	----	----	78 UNCH
6900	----	----	6.193B/----	6.193B/7.297A	----	6.786 + 0.768	.3085	----	----	----	----	1 UNCH
6950	----	----	6.430B/----	6.430B/7.516A	----	7.019 + 0.789	.3157	----	----	----	----	101 UNCH
7000	----	----	6.672B/----	6.672B/7.740A	----	7.257 + 0.809	.3228	----	----	----	----	179 UNCH
7050	----	----	6.919B/----	6.919B/7.969A	----	7.499 + 0.829	.3299	----	----	----	----	1 UNCH
7075	----	----	6.845B/----	6.845B/8.167A	----	7.622 + 0.839	.3335	----	----	----	----	20 UNCH
7100	----	----	7.170B/----	7.170B/8.202A	----	7.747 + 0.850	.3371	----	----	----	----	2 UNCH
7200	----	----	7.686B/----	7.686B/8.683A	----	8.255 + 0.891	.3514	----	----	----	----	14 UNCH
7250	----	----	7.951B/----	7.951B/8.930A	----	8.516 + 0.911	.3585	----	----	----	----	48 UNCH
7500	----	----	9.343B/----	9.343B/9.500A	----	9.888 + 1.012	.3938	----	----	----	----	22 UNCH
7550	----	----	9.635B/----	9.635B/10.508A	----	10.176 + 1.033	.4007	----	----	----	----	1 UNCH
7800	----	----	11.156B/----	11.156B/11.944A	----	11.675 + 1.131	.4348	----	----	----	----	20 UNCH
7850	----	----	11.473B/----	11.473B/12.244A	----	11.987 + 1.150	.4414	----	----	----	----	10 UNCH
7875	----	----	11.294B/----	11.294B/12.614A	----	12.144 + 1.160	.4447	----	----	----	----	1 UNCH
7900	----	----	11.794B/----	11.794B/12.548A	----	12.302 + 1.169	.4480	----	----	----	----	19 UNCH
8000	----	----	12.446B/----	12.446B/13.167A	----	12.945 + 1.207	.4609	----	----	----	----	50 UNCH
8100	----	----	13.109B/----	13.109B/13.802A	----	13.602 + 1.243	.4736	----	----	----	----	1 UNCH
8200	----	----	13.789B/----	13.789B/14.452A	----	14.273 + 1.279	.4859	----	----	----	----	35 UNCH
8350	----	----	14.833B/----	14.833B/15.454A	----	15.305 + 1.331	.5040	----	----	----	----	9 UNCH
8400	----	----	15.187B/----	15.187B/15.794A	----	15.655 + 1.348	.5098	----	----	----	----	50 UNCH
8500	----	----	15.904B/----	15.904B/15.978A	----	16.365 + 1.381	.5213	----	----	----	----	166 UNCH
8550	----	----	16.267B/----	16.267B/16.836A	----	16.725 + 1.397	.5269	----	----	----	----	25 UNCH
8600	----	----	16.634B/----	16.634B/17.189A	----	17.087 + 1.413	.5325	----	----	----	----	2 UNCH
8800	----	----	18.123B/----	18.123B/18.631A	----	18.564 + 1.474	.5540	----	----	----	----	12 UNCH
8900	----	----	18.883B/----	18.883B/19.369A	----	19.319 + 1.504	.5643	----	----	----	----	30 UNCH
9000	----	----	19.652B/----	19.652B/20.117A	----	20.083 + 1.532	.5743	----	----	----	----	3 UNCH
9050	----	----	20.040B/----	20.040B/20.494A	----	20.468 + 1.545	.5792	----	----	----	----	100 UNCH
9500	----	----	23.620B/----	23.620B/23.991A	----	24.034 + 1.659	.6202	----	----	----	----	2 UNCH
9850	----	----	26.501B/----	26.501B/26.817A	----	26.908 + 1.734	.6486	----	----	----	----	8 UNCH
9950	----	----	27.211B/----	27.211B/27.639A	----	27.743 + 1.754	.6561	----	----	----	----	1 UNCH
10025	----	----	27.439B/----	27.439B/28.230A	----	28.372 + 1.768	.6617	----	----	----	----	3 UNCH
10125	----	----	28.281B/----	28.281B/29.520A	----	29.216 + 1.786	.6689	----	----	----	----	1 UNCH
10700	----	----	33.027B/----	33.027B/34.478A	----	34.158 + 1.876	.7066	----	----	----	----	5 UNCH
10800	----	----	33.406B/----	33.406B/35.348A	----	35.032 + 1.890	.7126	----	----	----	----	2 UNCH
11000	----	----	----	23.088B/46.848A	----	36.791 + 1.916	.7241	----	----	----	----	2 UNCH
11500	----	----	----	14.898B/66.358A	----	41.246 + 1.972	.7502	----	----	----	----	1 UNCH
12000	----	----	----	19.114B/73.976A	----	45.776 + 2.021	.7730	----	----	----	----	1 UNCH
12100	----	----	----	19.772B/74.129A	----	46.689 + 2.029	.7772	----	----	----	----	1 UNCH
12300	----	----	----	21.716B/76.716A	----	48.523 + 2.046	.7853	----	----	----	----	1 UNCH
15000	----	----	----	47.265B/100.375A	----	73.977 + 2.234	.8624	----	----	----	----	1 UNCH
19000	----	----	----	89.037B/136.711A	----	112.953 + 2.405	.9176	----	----	----	----	1 UNCH
TOTAL											0	3528 0
JAN27												
3800	----	----	----	0.154B/0.767A	----	0.375 + 0.071	.0258	----	----	----	----	1 UNCH
6500	----	----	----	4.775B/6.134A	----	5.538 + 0.668	.2504	----	----	----	----	1 UNCH
7125	----	----	----	6.870B/9.426A	----	8.253 + 0.819	.3321	----	----	----	----	1 UNCH
8600	----	----	#16.832B/----	16.832B/17.541A	----	17.266 + 1.233	.5139	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	14.233B/----	14.233B/15.174A	----	14.824 + 1.199	.4570	----	----	----	----	10 UNCH
8225	----	----	----	13.728B/16.594A	----	15.322 + 1.220	.4653	----	----	----	----	10 UNCH
8250	----	----	14.910B/----	14.910B/15.824A	----	15.490 + 1.228	.4680	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.937B/7.669A	----	6.413 + 0.676	.2576	----	----	----	----	20 UNCH
8300	----	----	----	14.693B/17.752A	----	16.379 + 1.226	.4675	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
TOTAL											0	70 0
APR27												
4000	----	----	----	----	----	1.116 +	0.121 .0542	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	13.777 +	0.713 .3114	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7800	----	----	----/*1.614A	2.117B/*1.614A	----	1.726 -	1.027 .3903	----	----	----	----	7 UNCH
8000	----	----	----/*1.105A	1.656B/*1.105A	----	1.110 -	0.694 .2756	----	----	1	----	5 UNCH
8100	----	----	----/*0.916A	1.264B/*0.916A	----	0.876 -	0.561 .2264	----	----	----	----	1 UNCH
8200	----	----	----/*0.742A	0.949B/*0.742A	----	0.686 -	0.450 .1835	----	----	----	----	4 UNCH
9000	0.100	0.100	0.120/*0.100	0.120/*0.100	----	0.105 -	0.096 .0298	----	----	4	----	8 UNCH
10000	----	----	----	0.003B/0.136A	----	0.047 -	0.032 .0103	----	----	----	----	3 UNCH
TOTAL										5	0	28 0
SO1 PUT		SILVER OPTIONS										
MAY26												
6500	----	----	----	0.096B/0.240A	----	0.171 +	0.061 .0426	----	----	----	----	50 UNCH
6550	----	----	----	0.126B/0.268A	----	0.200 +	0.071 .0496	----	----	----	----	4 UNCH
6700	----	----	0.243B/----	0.243B/0.317A	----	0.271 +	0.100 .0694	----	----	----	----	21 UNCH
6900	0.448	0.448	0.458B/0.448	0.458B/0.400A	----	0.426	NEW .1112	----	----	1	----	1 + 1
6925	0.400	0.400	0.471B/0.400	0.471B/0.400	----	0.453	NEW .1182	----	----	1	----	1 + 1
7000	----	----	0.622B/----	0.622B/0.517A	----	0.549 +	0.223 .1422	----	----	----	----	1 UNCH
7050	----	----	0.695B/----	0.695B/0.593A	----	0.628 +	0.259 .1611	----	----	----	----	1 UNCH
7100	0.600	0.600	0.832B/0.600	0.832B/0.600	----	0.719	NEW .1820	----	----	3	----	2 + 2
7200	0.700	0.700	1.097B/0.700	1.097B/0.700	----	0.945	NEW .2304	----	----	1	----	1 + 1
7300	----	----	1.420B/----	1.420B/0.917A	----	1.235 +	0.535 .2865	----	----	----	----	7 UNCH
7400	1.390	1.390	1.813B/1.300	1.813B/1.127A	----	1.591	NEW .3483	----	----	4	----	4 + 4
7600	2.027	2.027	2.538B/2.027	2.538B/1.690A	----	2.505	NEW .4802	----	----	25	----	25 + 25
TOTAL										35	0	118 + 34
SO2 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	----/*3.583A	#3.625B/*3.583A	----	3.834 -	1.518 .5736	----	----	----	----	3 UNCH
7600	----	----	----/*3.088A	#3.573B/*3.088A	----	3.325 -	1.383 .5239	----	----	----	----	5 UNCH
8000	----	----	----/*1.771A	2.469B/*1.771A	----	1.770 -	0.886 .3345	----	----	----	----	3 UNCH
8100	----	----	----/*1.548A	2.073B/*1.548A	----	1.492 -	0.786 .2930	----	----	----	----	1 UNCH
8200	----	----	----/*1.354A	1.730B/*1.354A	----	1.252 -	0.699 .2548	----	----	----	----	2 UNCH
8300	----	----	----/*1.186A	1.437B/*1.186A	----	1.048 -	0.620 .2203	----	----	----	----	5 UNCH
9000	----	----	----/*0.456A	0.352B/*0.456A	----	0.301 -	0.268 .0724	----	----	----	----	1 UNCH
9200	----	----	----/*0.360A	0.232B/*0.360A	----	0.218 -	0.205 .0531	----	----	----	----	4 UNCH
10000	----	----	----	0.071B/*0.221A	----	0.078 -	0.052 .0185	----	----	----	----	1 UNCH
TOTAL											0	25 0
SO2 PUT		SILVER OPTIONS										
MAY26												
7800	3.955	3.955	#4.305B/3.955	#4.305B/3.300A	----	4.391 +	1.345 .5741	----	----	1	----	1 UNCH
8000	6.470	6.470	#6.470/5.200	#6.470/5.162A	----	5.705 +	1.579 .6653	----	----	2	----	9 UNCH
TOTAL										3	0	10 0
SO3 CALL		SILVER OPTIONS										
MAY26												
7600	----	----	----/*3.701A	#4.521B/*3.701A	----	3.935 -	1.508 .5275	----	----	----	----	5 UNCH
7850	----	----	----/*2.836A	3.773B/*2.836A	----	2.850 -	1.265 .4250	----	----	----	----	2 UNCH
8100	----	----	----/*2.107A	2.748B/*2.107A	----	2.019	NEW .3303	----	----	2	----	2 + 2
9000	----	----	----/*0.810A	0.752B/*0.810A	----	0.581 -	0.424 .1150	----	----	----	----	5 UNCH
9100	----	----	----/*0.732A	0.659B/*0.732A	----	0.515	NEW .1026	----	----	2	----	2 + 2
TOTAL										4	0	16 + 4
SO3 PUT		SILVER OPTIONS										
MAY26												
7850	----	----	#5.325B/----	#5.325B/4.268A	----	5.285 +	1.198 .5749	----	----	----	----	2 UNCH
TOTAL											0	2 0
SO4 CALL		SILVER OPTIONS										
APR26												
7600	0.955	0.955	0.955/*0.767A	1.180B/*0.767A	----	0.762	NEW .3932	----	----	2	----	2 + 2
7625	1.070	1.070	1.100B/*0.715A	1.100B/*0.715A	----	0.658	NEW .3390	----	----	4	----	1 + 1
7660	0.800	0.800	#0.800/*0.593A	1.047B/*0.593A	----	0.529	NEW .2680	----	----	1	----	1 + 1
7700	0.400	0.400	0.400/*0.369	0.850B/*0.369	----	0.405 -	1.335 .1967	----	----	3	----	5 + 2
7710	0.550	0.550	#0.550/*0.420A	0.858B/*0.420A	----	0.378	NEW .1809	----	----	1	----	1 + 1
7750	0.412	0.412	0.412/*0.394A	0.832B/*0.394A	----	0.282 -	1.139 .1252	----	----	1	----	2 UNCH
7800	0.251	0.251	0.251/*0.180	0.854B/*0.180	----	0.191 -	0.947 .0743	----	----	2	----	28 + 2
7825	----	----	----/*0.217A	0.818B/*0.217A	----	0.156 -	0.854 .0558	----	----	----	----	4 UNCH
7840	----	----	----/*0.207A	0.784B/*0.207A	----	0.138 -	0.801 .0468	----	----	----	----	1 UNCH
7850	0.305	0.305	0.449/*0.258A	0.762B/*0.258A	----	0.127 -	0.766 .0414	----	----	25	----	31 + 25
7900	0.220	0.220	0.220/*0.122	0.548B/*0.122	----	0.082 -	0.605 .0215	----	----	12	----	19 - 5
7950	----	----	----/*0.100A	0.338B/*0.100A	----	0.050 -	0.469 .0101	----	----	----	----	2 UNCH
8000	0.110	0.110	0.110/*0.080A	0.223B/*0.080A	----	0.030 -	0.356 .0044	----	----	1	----	17 UNCH
8025	----	----	----/*0.112A	0.136B/*0.112A	----	0.023 -	0.309 .0029	----	----	----	----	7 UNCH
8075	----	----	----/*0.101A	0.045B/*0.101A	----	0.014 -	0.230 .0012	----	----	----	----	4 UNCH
8100	----	----	----/*0.103A	0.053B/*0.103A	----	0.010 -	0.199 .0007	----	----	----	----	11 UNCH
8125	----	----	----/*0.102A	0.004B/*0.102A	----	0.008 -	0.171 .0004	----	----	----	----	1 UNCH
8150	----	----	----/*0.100A	0.004B/*0.100A	----	0.006 -	0.148 .0003	----	----	----	----	2 UNCH
8200	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.004 -	0.111 .0001	----	----	1	----	43 UNCH
8225	----	----	----	0.003B/*0.104A	----	0.003 -	0.097 .0000	----	----	----	----	2 UNCH
8250	0.033	0.033	0.033/*0.033	0.033/*0.033	----	0.002 -	0.085 .0000	----	----	1	----	8 UNCH
8300	----	----	----	0.050B/*0.100A	----	0.002 -	0.066 .0000	----	----	----	----	14 UNCH
8400	----	----	----	0.001B/*0.104A	----	0.001 -	0.042 ----	----	----	----	----	18 UNCH
8500	0.031	0.031	0.031/*0.031	0.031/*0.031	----	0.001 -	0.029 ----	----	----	1	----	12 UNCH
8600	----	----	----	----/*0.094A	----	0.001 -	0.021 ----	----	----	----	----	3 UNCH
8650	----	----	----	----/*0.094A	----	0.001 -	0.019 ----	----	----	----	----	1 UNCH
9000	----	----	0.015B/----	0.015B/0.140A	----	0.001 -	0.012 ----	----	----	----	----	3 UNCH
9100	----	----	----	----/0.136A	----	0.001 -	0.012 ----	----	----	----	----	2 UNCH
9200	----	----	----	----/0.135A	----	0.001 -	0.009 ----	----	----	----	----	1 UNCH
9500	----	----	----	----/0.158A	----	0.001 -	0.002 ----	----	----	----	----	3 UNCH
10000	----	----	----	----/0.188A	----	0.001	UNCH ----	----	----	----	----	3 UNCH
TOTAL										55	0	252 + 29
SO4 PUT		SILVER OPTIONS										
APR26												
6000	----	----	----	----/0.180A	----	0.001 -	0.004 ----	----	----	----	----	1 UNCH
6125	----	----	----	----/0.164A	----	0.001 -	0.005 ----	----	----	----	----	2 UNCH
6400	----	----	----	----/0.115A	----	0.001 -	0.008 ----	----	----	----	----	1 UNCH
6500	----	----	----	----/0.108A	----	0.002 -	0.009 .0000	----	----	----	----	11 UNCH
6700	----	----	----	0.001B/0.100A	----	0.005 -	0.012 .0001	----	----	----	----	2 UNCH
6900	----	----	----	0.005B/0.100A	----	0.017 -	0.015 .0011	----	----	----	----	2 UNCH
6975	----	----	----	0.031B/*0.107A	----	0.029 -	0.014 .0028	----	----	----	----	1 UNCH
7000	0.050	0.050	0.052B/*0.041	0.052B/*0.041	----	0.034 -	0.013 .0037	----	----	27	----	54 + 20
7100	0.068	0.068	0.160/*0.068	0.160/*0.068	----	0.067 -	0.005 .0117	----	----	2	----	1 - 1
7190	0.100	0.100	#0.270/*0.090	#0.270/*0.090	----	0.124	NEW .0314	----	----	3	----	1 + 1
7200	0.160	0.160	0.332B/*0.100	0.332B/*0.100	----	0.133 +	0.030 .0349	----	----	12	----	24 + 9
7250	0.180	0.180	0.379B/*0.121	0.379B/*0.121	----	0.183	NEW .0570	----	----	4	----	2 + 2
7290	0.206	0.206	#0.307B/0.206	0.307B/0.206	----	0.236	NEW .0828	----	----	1	----	1 + 1
7300	0.350	0.350	0.534B/*0.180	0.534B/*0.180	----	0.251 +	0.102 .0905	----	----	16	----	9 + 7
7330	0.180	0.180	#0.400B/*0.180	0.400B/*0.180	----	0.301	NEW .1172	----	----	1	----	1 + 1
7350	0.409	0.409	0.469B/0.289A	0.469B/0.289A	----	0.340 +	0.159 .1384	----	----	1	----	2 + 1
7400	0.599	0.599	0.705B/0.285	0.705B/0.285	----	0.454 +	0.234 .2031	----	----	33	----	28 + 23
7430	0.357	0.357	0.801B/0.337A	0.801B/0.337A	----	0.538	NEW .2509	----	----	5	----	5 + 5
7500	0.767	0.767	1.002B/0.510A	1.002B/0.510A	----	0.780 +	0.448 .3848	----	----	15	----	20 + 7
7525	0.494	0.494	0.933B/0.494	0.933B/0.494	----	0.884	NEW .4386	----	----	5	----	5 + 5
7540	----	----	0.965B/----	0.965B/0.600A	----	0.952 +	0.559 .4719	----	----	----	----	1 UNCH
7550	0.600	0.600	0.965B/0.600	0.965B/0.600	----	0.999 +	0.589 .4944	----	----	4	----	11 + 4
7580	0.800	0.800	0.968B/0.800	0.968B/0.686A	----	1.150	NEW .5620	----	----	1	----	1 + 1
7600	0.500	0.500	1.308B/*0.500	1.308B/*0.500	----	1.258 +	0.750 .6068	----	----	19	----	24 + 16
7625	1.220	1.220	1.220/1.070	1.220/0.794A	----	1.404 +	0.838 .6609	----	----	3	----	3 + 1
7660	1.359	1.359	1.400/0.904A	1.400/0.904A	----	1.625	NEW .7319	----	----	2	----	1 + 1
7675	----	----	1.099B/----	1.099B/0.946A	----	1.725 +	1.025 .7602	----	----	----	----	2 UNCH
7680	1.044	1.044	1.053B/1.044	1.053B/0.959A	----	1.760	NEW .7690	----	----	22	----	22 + 22
7700	1.139	1.139	1.613B/1.107	1.613B/0.981A	----	1.901 +	1.122 .8032	----	----	8	----	79 + 6
7710	----	----	1.152B/----	1.152B/1.047A	----	1.974 +	1.162 .8191	----	----	----	----	1 UNCH
7720	----	----	1.033B/----	1.033B/1.079A	----	2.048 +	1.201 .8342	----	----	----	----	1 UNCH
7750	----	----	1.194B/----	1.194B/1.189A	----	2.278 +	1.318 .8747	----	----	1	----	4 UNCH
7800	----	----	----	1.068B/1.363A	----	2.687 +	1.510 .9256	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 PUT		SILVER OPTIONS										
APR26												
7825	----	----	----	0.949B/1.512A	----	2.902 + 1.603	.9441	----	----	----	----	5 UNCH
7840	----	----	----	0.954B/1.584A	----	3.034 + 1.656	.9531	----	----	----	----	1 UNCH
7850	3.020	3.020	3.020/2.900	3.020/1.633A	----	3.123 + 1.691	.9585	----	----	2	----	6 UNCH
7900	----	----	----	0.798B/2.340A	----	3.578 + 1.852	.9784	----	----	----	----	10 UNCH
7950	----	----	----	----	----	4.046 + 1.988	.9898	----	----	----	----	1 UNCH
8000	----	----	----	----	----	4.526 + 2.101	.9955	----	----	----	----	4 UNCH
8100	----	----	----	----	----	5.506 + 2.258	.9992	----	----	----	----	4 UNCH
8125	----	----	----	----	----	5.754 + 2.286	.9995	----	----	----	----	2 UNCH
8200	----	----	----	0.616B/5.958A	----	6.500 + 2.346	.9998	----	----	----	----	2 UNCH
TOTAL										187	0	388 + 132
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	17.961 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	16.063 - 2.466	.9980	----	----	----	----	1 UNCH
6900	----	----	0.251B/----	0.251B/0.277A	----	0.247 + 0.108	.0750	----	----	----	----	2 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	1.036B/----	1.036B/0.627A	----	0.832 + 0.373	.2450	----	----	----	----	1 UNCH
7400	----	----	1.406B/----	1.406B/0.793A	----	1.106 + 0.496	.3150	----	----	----	----	1 UNCH
7450	----	----	1.582B/----	1.582B/0.921A	----	1.271 + 0.570	.3540	----	----	1	----	2 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	1.848B/----	1.848B/1.003A	----	1.458 + 0.653	.3955	----	----	1	----	1 - 1
7525	1.374	1.374	1.879B/1.374	1.879B/1.095A	----	1.559 NEW	.4168	----	----	4	----	4 + 4
7570	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	1.942	1.942	2.009B/1.942	2.009B/1.265A	----	1.899 NEW	.4829	----	----	1	----	1 + 1
7650	1.967	1.967	1.967/*1.728A	2.056B/*1.728A	----	1.715 NEW	.4724	----	----	16	----	16 + 16
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7660	1.916	1.916	#1.916/*1.916	#1.937B/*1.670A	----	1.669 NEW	.4635	----	----	22	----	22 + 22
7700	----	----	----	----	----	0.961 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7730	2.064	2.064	#2.064/*2.064	#2.064/*1.417A	----	1.373 NEW	.4022	----	----	3	----	3 + 3
7730	2.033	2.033	#2.133B/*2.033	#2.133B/*2.033	----	2.613 NEW	.5977	----	----	17	----	17 + 17
7750	----	----	----	----	----	0.461 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7770	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7770	----	----	----	----	----	0.261 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.039 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7810	----	----	----	----	----	0.139 UNCH	----	----	----	----	----	0 UNCH
7820	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7825	----	----	----	----	----	0.289 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7860	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7875	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7890	----	----	----	----	----	0.939 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7975	----	----	----	----	----	1.789 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	2.612B/3.975A	----	4.553 + 1.749	.7940	----	----	----	----	1 UNCH
8000	0.450	0.450	0.450/*0.450	1.182B/*0.450	----	0.615 NEW	.2059	----	----	1	----	1 + 1
8000	----	----	----	----	----	2.039 UNCH	----	----	----	----	----	0 UNCH
8050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	4.039 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----/*0.449A	0.534B/*0.449A	----	0.336 - 0.385	.1162	----	----	----	----	2 UNCH
8300	----	----	----	----	----	5.039 UNCH	----	----	----	----	----	0 UNCH
8300	----	----	----/*0.340A	0.331B/*0.340A	----	0.251 - 0.275	.0868	----	----	----	----	5 UNCH
8700	----	----	----/*0.156A	0.044B/*0.156A	----	0.089 - 0.084	.0287	----	----	1	----	1 UNCH
8800	----	----	----	0.030B/*0.146A	----	0.071 - 0.069	.0222	----	----	1	----	1 UNCH
TOTAL										68	0	82 + 63
MAY26												
6000	----	----	----	0.039B/0.196A	----	0.113 + 0.037	.0244	----	----	----	----	15 UNCH
7400	----	----	#2.229B/----	#2.229B/1.500A	----	1.937 + 0.646	.3650	----	----	----	----	1 UNCH
7825	----	----	----/*2.002A	2.465B/*2.002A	----	1.891 - 1.213	.3924	----	----	----	----	1 UNCH
7875	----	----	----/*1.828A	2.365B/*1.828A	----	1.719 - 1.135	.3654	----	----	----	----	1 UNCH
8200	0.900	0.900	0.900/*0.900	1.402B/*0.900	----	0.912 NEW	.2186	----	----	1	----	1 + 1
8500	----	----	----/*0.687A	0.703B/*0.687A	----	0.515 - 0.411	.1308	----	----	----	----	1 UNCH
8700	----	----	----/*0.500A	0.425B/*0.500A	----	0.360 - 0.292	.0931	----	----	----	----	1 UNCH
10000	----	----	----	0.022B/*0.186A	----	0.053 - 0.054	.0131	----	----	----	----	5 UNCH
TOTAL										1	0	26 + 1
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week4										
APR26												
6800	----	----	0.095B/----	0.095B/0.207A	----	0.125 + 0.054	.0391	----	----	----	----	2 UNCH
7000	0.214	0.214	0.247B/*0.214	0.247B/*0.214	----	0.260 NEW	.0841	----	----	1	----	1 + 1
7610	1.834	1.834	#1.834/*1.666A	1.834/*1.666A	----	1.754 NEW	.5067	----	----	22	----	22 + 22
7620	1.829	1.829	#1.829/*1.829	#1.829/1.189A	----	1.844 NEW	.5031	----	----	22	----	22 + 22
7675	1.850	1.850	1.850/1.850	1.850/1.358A	----	2.134 + 1.046	.5572	----	----	2	----	1 - 1
7730	1.809	1.809	#1.910B/*1.809	#1.910B/1.545A	----	2.455 NEW	.6104	----	----	8	----	8 + 8
7730	1.847	1.847	#1.847/*1.227A	#1.847/*1.227A	----	1.215 NEW	.3895	----	----	7	----	7 + 7
7750	----	----	----/*1.167A	1.562B/*1.167A	----	1.139 - 1.237	.3707	----	----	----	----	3 UNCH
7975	----	----	----/*0.657A	1.014B/*0.657A	----	0.517 - 0.711	.1906	----	----	----	----	4 UNCH
8000	----	----	----/*0.400A	0.946B/*0.400A	----	0.471 - 0.660	.1751	----	----	----	----	3 UNCH
8250	----	----	----/*0.306A	0.218B/*0.306A	----	0.181 - 0.284	.0694	----	----	----	----	1 UNCH
8300	----	----	----/*0.231A	0.174B/*0.231A	----	0.149 - 0.238	.0569	----	----	1	----	2 + 1
TOTAL										63	0	76 + 60
MAY26												
7200	1.000	1.000	1.337B/0.956A	1.337B/0.956A	----	1.171 NEW	.2543	----	----	1	----	1 + 1
7800	----	----	----	#0.050B/*9.802A	----	3.442 - 1.320	.4553	----	----	----	----	3 UNCH
7825	----	----	3.485B/----	3.485B/2.976A	----	3.879 + 1.221	.6189	----	----	----	----	20 UNCH
9750	----	----	----/*0.314A	0.143B/*0.314A	----	0.162 - 0.165	.0363	----	----	----	----	1 UNCH
10500	----	----	----	0.068B/*0.234A	----	0.102 - 0.103	.0210	----	----	----	----	1 UNCH
TOTAL										1	0	26 + 1

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
MAY26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
490	----	----	----	----/0.0080A	----	0.0005 - 0.0005	.0025	----	----	----	----	14 UNCH
565	----	----	0.0150B/----	0.0150B/*0.0160	----	0.0130 - 0.0010	.0714	----	----	----	----	2 UNCH
570	----	----	0.0195B/----	0.0195B/0.0195A	----	0.0160 - 0.0010	.0880	----	----	----	----	1 UNCH
580	----	----	0.0145B/----	0.0145B/*0.0145	----	0.0110 - 0.0020	.0793	----	----	----	----	1 UNCH
585	----	----	0.0210B/----	0.0210B/*0.0185	----	0.0145 - 0.0020	.1052	----	----	----	----	1 UNCH
586	----	----	0.0470B/----	0.0470B/0.0365A	----	0.0350 + 0.0010	.1801	----	----	----	----	1 UNCH
590	----	----	0.0575B/----	0.0575B/0.0430A	----	0.0430 + 0.0020	.2140	----	----	----	----	1 UNCH
600	----	----	0.1225B/----	0.1225B/0.0935A	----	0.0990 + 0.0065	.3465	----	----	----	----	3 UNCH
606	----	----	----/0.1465A	0.2015B/0.1465A	----	0.1755 - 0.0385	.6122	----	----	----	----	4 UNCH
606	----	----	0.1205B/----	0.1205B/0.0860A	----	0.0930 + 0.0075	.3873	----	----	----	----	4 UNCH
615	----	----	0.1960B/0.1370A	0.1960B/0.1370A	----	0.1610 - 0.0325	.5054	----	----	----	----	4 UNCH
615	----	----	0.1645B/0.1075A	0.1645B/0.1075A	----	0.1300 - 0.0330	.5011	----	----	----	----	4 UNCH
615	----	----	0.2015B/----	0.2015B/0.1545A	----	0.1685 + 0.0140	.4939	----	----	----	----	4 UNCH
615	----	----	0.1715B/0.1235A	0.1715B/0.1235A	----	0.1375 + 0.0135	.4983	----	----	----	----	4 UNCH
630	----	----	----/0.0885A	0.1275B/0.0885A	----	0.1035 - 0.0255	.3662	----	----	----	----	29 UNCH
TOTAL												91
JUN26												
640	----	----	----/*0.1040A	0.1380B/*0.1040	----	0.1115 - 0.0295	.3303	----	----	2	----	3 + 2
675	----	----	----/*0.0455A	0.0605B/*0.0455	----	0.0495 - 0.0180	.1648	----	----	2	----	3 + 2
TOTAL										4		6+ 4
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
550	----	----	----	----/0.0080A	----	0.0025 - 0.0020	.0141	----	----	----	----	4 UNCH
560	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
575	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
592	----	----	0.0220B/----	0.0220B/*0.0180	----	0.0135 - 0.0035	.1147	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 68

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
APR26												
598	0.0055	0.0055	0.0055/*0.0055	0.0055/*0.0055	----	0.0000 - 0.0015	----	----	----	1	----	0 - 2
599	----	----	0.0395B/----	0.0395B/0.0285A	----	0.0245 - 0.0015	.1985	----	----	----	----	1 UNCH
601	0.0130	0.0130	0.0130/*0.0065A	0.0130/*0.0065A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
604	----	----	0.0280B/*0.0065	0.0280B/*0.0065	----	0.0000 - 0.0075	----	----	----	----	----	0 - 1
605	----	----	0.0900B/*0.0190	0.0900B/*0.0190	----	0.0315 - 0.0565	----	----	----	----	----	0 - 1
606	----	----	0.0420B/*0.0065	0.0420B/*0.0065	----	0.0000 - 0.0120	----	----	----	----	----	0 - 1
607	----	----	0.0500B/*0.0070	0.0500B/*0.0070	----	0.0000 - 0.0140	----	----	----	----	----	0 - 2
607	----	----	0.0725B/----	0.0725B/0.0475A	----	0.0480 + 0.0035	.3421	----	----	----	----	1 UNCH
609	0.0035	0.0035	0.0675B/*0.0035	0.0675B/*0.0035	----	0.0085 NEW	----	----	----	2	----	0 UNCH
609	0.0040	0.0040	0.0040/*0.0040	0.0555B/*0.0040	----	0.0000 NEW	----	----	----	1	----	0 UNCH
610	0.0020	0.0020	0.0020/*0.0020	0.0480B/*0.0020	----	0.0000 - 0.0520	----	----	----	1	----	0 - 2
613	----	----	----/*0.0065A	0.0285B/*0.0065	----	0.0000 - 0.0350	----	----	----	----	----	0 - 3
615	----	----	----/*0.0065A	0.0185B/*0.0065	----	0.0000 - 0.0265	----	----	----	----	----	0 - 4
621	----	----	----/*0.0010A	0.0010B/*0.0010	----	0.0000 - 0.0105	----	----	----	----	----	0 - 3
625	----	----	----	0.0005B/*0.0065	----	0.0000 - 0.0050	----	----	----	----	----	0 - 2
640	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 34
640	0.0135	0.0135	0.0135/*0.0135	0.0230B/*0.0135	----	0.0140 - 0.0170	.1131	----	----	5	----	24 - 1
650	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 42
660	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 22
TOTAL										11		54 - 141
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
565	----	----	----	----/*0.0075A	----	0.0010 - 0.0010	.0070	----	----	----	----	1 UNCH
585	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0045 NEW	.0404	----	----	1	----	1 + 1
589	----	----	----	0.0055B/0.0110A	----	0.0065 - 0.0020	.0601	----	----	----	----	2 UNCH
600	----	----	0.0230B/----	0.0230B/0.0200A	----	0.0140 - 0.0025	.1480	----	----	----	----	1 UNCH
605	----	----	0.0420B/----	0.0420B/0.0290A	----	0.0225 - 0.0020	.2367	----	----	----	----	1 UNCH
611	----	----	0.0730B/----	0.0730B/0.0440A	----	0.0420 + 0.0015	.3970	----	----	----	----	3 UNCH
630	----	----	----/*0.0155A	0.0245B/*0.0155	----	0.0130 NEW	.1384	----	----	1	----	1 + 1
660	----	----	----	----/0.0065A	----	0.0005 - 0.0030	.0026	----	----	----	----	1 UNCH
665	----	----	----	----/0.0065A	----	0.0005 - 0.0015	.0010	----	----	----	----	36 UNCH
TOTAL										2		68 + 2
MAY26												
490	----	----	----	----/0.0070A	----	0.0005 UNCH	.0003	----	----	----	----	14 UNCH
TOTAL												14
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
580	0.0030	0.0030	0.0035B/*0.0030	0.0035B/*0.0030	----	0.0030 NEW	.0271	----	----	1	----	1 + 1
589	----	----	----	----	----	0.2385 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.1485 UNCH	----	----	----	----	----	0 UNCH
600	----	----	0.0340B/----	0.0340B/*0.0225	----	0.0180 - 0.0045	.1737	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.1285 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.1185 UNCH	----	----	----	----	----	0 UNCH
602	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
603	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0585 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0385 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0285 UNCH	----	----	----	----	----	0 UNCH
612	----	----	----	----	----	0.0085 UNCH	----	----	----	----	----	0 UNCH
613	----	----	0.0935B/----	0.0935B/0.0585A	----	0.0625 + 0.0055	.4634	----	----	----	----	7 UNCH
613	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
620	0.0465	0.0465	0.0465/0.0335A	0.0745B/0.0335A	----	0.0450 NEW	.3666	----	----	1	----	1 + 1
620	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----	----/0.0055A	----	0.0005 - 0.0015	.0009	----	----	----	----	1 UNCH
TOTAL										2		33 + 2
MAY26												
455	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
465	----	----	----	----/*0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
475	----	----	----	----/0.0070A	----	0.0005 UNCH	.0002	----	----	----	----	2 UNCH
485	----	----	----	----/*0.0070A	----	0.0005 UNCH	.0006	----	----	----	----	1 UNCH
500	----	----	----	----/0.0075A	----	0.0005 - 0.0005	.0025	----	----	----	----	2 UNCH
510	----	----	----	----/0.0075A	----	0.0010 - 0.0005	.0049	----	----	----	----	8 UNCH
520	----	----	----	----/0.0080A	----	0.0015 - 0.0010	.0077	----	----	----	----	1 UNCH
530	----	----	----	----/0.0090A	----	0.0020 - 0.0010	.0108	----	----	----	----	4 UNCH
540	----	----	----	----/0.0100A	----	0.0030 - 0.0010	.0169	----	----	----	----	10 UNCH
550	----	----	----	0.0030B/*0.0100	----	0.0040 - 0.0020	.0240	----	----	----	----	27 UNCH
550	----	----	----	----	----	0.6460 - 0.0480	.9758	----	----	----	----	3 UNCH
555	----	----	----	0.0050B/*0.0095	----	0.0050 - 0.0020	.0304	----	----	----	----	16 UNCH
556	----	----	----	0.0050B/*0.0100	----	0.0050 - 0.0020	.0308	----	----	----	----	1 UNCH
560	----	----	----	0.0065B/*0.0105	----	0.0060 - 0.0020	.0374	----	----	----	----	1 UNCH
562	----	----	----	0.0070B/*0.0110	----	0.0065 - 0.0020	.0409	----	----	----	----	20 UNCH
565	----	----	----	0.0080B/*0.0115	----	0.0075 - 0.0020	.0475	----	----	----	----	1 UNCH
568	----	----	----/0.4410A	0.3585B/0.4410A	----	0.4705 - 0.0485	.9475	----	----	----	----	1 UNCH
575	----	----	0.0155B/----	0.0155B/*0.0155	----	0.0115 - 0.0025	.0754	----	----	----	----	1 UNCH
579	----	----	----/0.3230A	0.3725B/0.3230A	----	0.3665 - 0.0490	.9053	----	----	----	----	1 UNCH
584	----	----	0.0275B/----	0.0275B/0.0235A	----	0.0195 - 0.0020	.1246	----	----	----	----	24 UNCH
585	----	----	0.0295B/----	0.0295B/0.0245A	----	0.0210 - 0.0015	.1327	----	----	----	----	1 UNCH
590	----	----	0.0400B/----	0.0400B/0.0315A	----	0.0285 - 0.0005	.1741	----	----	----	----	17 UNCH
590	----	----	----/0.2305A	0.2810B/0.2305A	----	0.2705 - 0.0470	.8255	----	----	----	----	4 UNCH
600	0.0500	0.0500	0.0725B/0.0500	0.0725B/0.0500	----	0.0515 + 0.0020	.2852	----	----	1	----	1 UNCH
600	----	----	----/0.1630A	0.2315B/0.1630A	----	0.1940 - 0.0440	.7144	----	----	----	----	1 UNCH
607	----	----	----/0.1225A	0.1520B/0.1225A	----	0.1490 - 0.0410	.6165	----	----	----	----	1 UNCH
610	----	----	----/0.1080A	0.1670B/0.1080A	----	0.1320 - 0.0390	.5721	----	----	----	----	5 UNCH
614	----	----	----/0.0920A	0.1435B/0.0920A	----	0.1120 - 0.0365	.5122	----	----	----	----	1 UNCH
617	----	----	0.1335B/0.0805A	0.1335B/0.0805A	----	0.0985 - 0.0345	.4679	----	----	----	----	1 UNCH
624	----	----	----/0.0590A	0.1000B/0.0590A	----	0.0725 - 0.0290	.3707	----	----	----	----	16 UNCH
645	----	----	0.3715B/----	0.3715B/0.3245A	----	0.3330 + 0.0290	.8432	----	----	----	----	6 UNCH
660	----	----	----/*0.0140A	0.0180B/*0.0140	----	0.0125 - 0.0120	.0788	----	----	----	----	1 UNCH
675	----	----	----/*0.0100A	0.0085B/*0.0100	----	0.0070 - 0.0080	.0433	----	----	----	----	2 UNCH
695	----	----	----/*0.0080A	0.0030B/*0.0080	----	0.0040 - 0.0045	.0230	----	----	----	----	20 UNCH
700	----	----	----	0.0020B/0.0075A	----	0.0035 - 0.0040	.0198	----	----	----	----	21 UNCH
710	----	----	----	----/*0.0090A	----	0.0020 - 0.0030	.0115	----	----	----	----	2 UNCH
TOTAL										1		247
JUN26												
500	----	----	----	0.0040B/0.0165A	----	0.0085 + 0.0010	.0288	----	----	----	----	1 UNCH
530	----	----	----	0.0145B/0.0250A	----	0.0195 + 0.0020	.0654	----	----	----	----	0 UNCH
540	----	----	----	0.0220B/0.0310A	----	0.0260 + 0.0030	.0861	----	----	----	----	0 UNCH
555	----	----	0.0390B/----	0.0390B/0.0435A	----	0.0405 + 0.0045	.1295	----	----	----	----	2 UNCH
579	----	----	0.0905B/----	0.0905B/0.0830A	----	0.0845 + 0.0085	.2411	----	----	----	----	1 UNCH
580	----	----	0.0935B/----	0.0935B/0.0855A	----	0.0870 + 0.0090	.2469	----	----	----	----	5 UNCH
580	----	----	----/0.3860A	0.4215B/0.3860A	----	0.4285 - 0.0375	.7521	----	----	----	----	5 UNCH
595	----	----	0.1485B/----	0.1485B/0.1295A	----	0.1355 + 0.0125	.3440	----	----	----	----	5 UNCH
595	----	----	----/0.2925A	0.3600B/0.2925A	----	0.3275 - 0.0335	.6549	----	----	----	----	5 UNCH
606	0.2100	0.2100	0.2100/0.2100	0.2100/0.1725A	----	0.1825 + 0.0160	.4221	----	----	1	----	3 - 1
610	----	----	----/0.2175A	0.2705B/0.2175A	----	0.2445 - 0.0290	.5480	----	----	----	----	8 UNCH
650	----	----	----/0.0940A	0.1125B/0.0940A	----	0.1055 - 0.0170	.2927	----	----	----	----	6 UNCH
660	----	----	----/0.0750A	0.0890B/0.0750A	----	0.0850 - 0.0145	.2447	----	----	----	----	8 UNCH
700	----	----	----/*0.0345A	0.0350B/0.0345A	----	0.0355 - 0.0075	.1140	----	----	----	----	1 UNCH
TOTAL										1		50 - 1
JUL26												
600	----	----	----/0.3680A	0.4290B/0.3680A	----	0.4000 - 0.0320	.6309	----	----	----	----	12 UNCH
611	----	----	0.2685B/----	0.2685B/0.2400A	----	0.2515 + 0.0175	.4267	----	----	----	----	22 UNCH
612	----	----	0.2740B/----	0.2740B/0.2450A	----	0.2565 + 0.0180	.4321	----	----	----	----	5 UNCH
612	----	----	----/0.3090A	0.3610B/0.3090A	----	0.3365 - 0.0290	.5662	----	----	----	----	5 UNCH
614	0.2535	0.2535	0.2850B/*0.2395	0.2850B/*0.2395	----	0.2665 NEW	.4428	----	----	2	----	0 UNCH
621	----	----	----/0.2705A	0.3155B/0.2705A	----	0.2940 - 0.0270	.5179	----	----	----	----	1 UNCH
TOTAL										2		45
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----/1.1225A	#1.1740B/1.1225	----	1.1820 - 0.0465	.0000	----	----	----	----	0 UNCH
500	----	----	1.1355B/1.0220A	1.1355B/1.0220A	----	1.0820 - 0.0465	.0000	----	----	----	----	0 UNCH
505	----	----	1.0855B/0.9720A	1.0855B/0.9720A	----	1.0320 - 0.0465	.0000	----	----	----	----	0 UNCH
525	----	----	0.8855B/0.7700A	0.8855B/0.7700A	----	0.8320 - 0.0470	.0000	----	----	----	----	10 UNCH
530	----	----	0.8360B/0.7180A	0.8360B/0.7180A	----	0.7820 - 0.0470	.0000	----	----	----	----	274 UNCH
531	----	----	----/0.7120A	#0.7640B/0.7120	----	0.7720 - 0.0470	.0000	----	----	----	----	1 UNCH
532	----	----	----/0.7020A	#0.7540B/0.7020	----	0.7620 - 0.0470	.0000	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL COMEX COPPER OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
533	----	----	----/0.6920A	#0.7440B/0.6920	----	0.7520 - 0.0470	.0000	----	----	----	----	3 UNCH
534	----	----	----/0.6820A	#0.7340B/0.6820	----	0.7420 - 0.0470	.0000	----	----	----	----	4 UNCH
535	----	----	0.7860B/0.6725A	0.7860B/0.6725A	----	0.7320 - 0.0470	.0000	----	----	----	----	1 UNCH
536	----	----	----/0.6625A	#0.7140B/0.6625	----	0.7220 - 0.0470	.0000	----	----	----	----	1 UNCH
537	----	----	----/0.6525A	#0.7040B/0.6525	----	0.7120 - 0.0470	.0000	----	----	----	----	1 UNCH
539	----	----	----/0.6325A	#0.6840B/0.6325	----	0.6920 - 0.0470	.0000	----	----	----	----	1 UNCH
540	----	----	0.7360B/0.6225A	0.7360B/0.6225A	----	0.6820 - 0.0470	.0000	----	----	----	----	0 UNCH
541	----	----	----/0.6110A	0.6735B/0.6110A	----	0.6720 - 0.0470	.0000	----	----	----	----	9 UNCH
542	----	----	----/0.6010A	0.6635B/0.6010A	----	0.6620 - 0.0470	.0000	----	----	----	----	12 UNCH
543	----	----	----/0.5925A	#0.6440B/0.5925	----	0.6520 - 0.0470	.0000	----	----	----	----	1 UNCH
544	----	----	----/0.5825A	#0.6340B/0.5825	----	0.6420 - 0.0470	.0000	----	----	----	----	2 UNCH
545	----	----	0.6860B/0.5695A	0.6860B/0.5695A	----	0.6320 - 0.0470	.0000	----	----	----	----	14 UNCH
546	----	----	----/0.5605A	0.6235B/0.5605A	----	0.6220 - 0.0470	.0000	----	----	----	----	7 UNCH
547	----	----	----/0.5530A	#0.6040B/0.5530	----	0.6120 - 0.0470	.0000	----	----	----	----	1 UNCH
548	----	----	----/0.5405A	0.6035B/0.5405A	----	0.6020 - 0.0470	.0000	----	----	----	----	27 UNCH
549	----	----	----/0.5325A	0.5845B/0.5325A	----	0.5920 - 0.0470	.0000	----	----	----	----	4 UNCH
550	----	----	0.6360B/0.5195A	0.6360B/0.5195A	----	0.5820 - 0.0470	.0000	----	----	----	----	449 UNCH
551	----	----	----/0.5100A	0.5740B/0.5100A	----	0.5720 - 0.0470	.9999	----	----	----	----	11 UNCH
552	----	----	----/0.5000A	0.5640B/0.5000A	----	0.5620 - 0.0470	.9999	----	----	----	----	18 UNCH
553	----	----	----/0.4900A	0.5540B/0.4900A	----	0.5520 - 0.0470	.9999	----	----	----	----	19 UNCH
554	----	----	----/0.4805A	0.5440B/0.4805A	----	0.5420 - 0.0470	.9999	----	----	----	----	7 UNCH
555	----	----	0.5860B/0.4705A	0.5860B/0.4705A	----	0.5320 - 0.0470	.9998	----	----	----	----	108 UNCH
556	----	----	----/0.4605A	0.5240B/0.4605A	----	0.5220 - 0.0470	.9998	----	----	----	----	26 UNCH
557	----	----	----/0.4505A	0.5140B/0.4505A	----	0.5120 - 0.0470	.9997	----	----	----	----	14 UNCH
558	----	----	----/0.4410A	0.5040B/0.4410A	----	0.5020 - 0.0475	.9997	----	----	----	----	15 UNCH
559	----	----	----/0.4310A	0.4940B/0.4310A	----	0.4920 - 0.0475	.9996	----	----	----	----	14 UNCH
560	0.4900	0.4900	0.5360B/0.4200A	0.5360B/0.4200A	----	0.4820 - 0.0475	.9995	----	----	1	----	866 UNCH
561	----	----	----/0.4110A	0.4740B/0.4110A	----	0.4720 - 0.0475	.9993	----	----	----	----	14 UNCH
562	----	----	----/0.4005A	0.4640B/0.4005A	----	0.4620 - 0.0475	.9991	----	----	----	----	7 UNCH
563	----	----	----/0.3910A	0.4545B/0.3910A	----	0.4520 - 0.0475	.9989	----	----	----	----	16 UNCH
564	----	----	----/0.3810A	0.4445B/0.3810A	----	0.4420 - 0.0475	.9986	----	----	----	----	23 UNCH
565	----	----	0.4860B/0.3695A	0.4860B/0.3695A	----	0.4320 - 0.0475	.9983	----	----	1	----	202 - 1
566	----	----	----/0.3615A	0.4245B/0.3615A	----	0.4220 - 0.0480	.9979	----	----	----	----	12 UNCH
567	----	----	----/0.3510A	0.4145B/0.3510A	----	0.4120 - 0.0480	.9974	----	----	1	----	10 - 1
568	----	----	----/0.3415A	0.4050B/0.3415A	----	0.4020 - 0.0480	.9968	----	----	----	----	59 UNCH
569	----	----	----/0.3315A	0.3950B/0.3315A	----	0.3920 - 0.0480	.9960	----	----	----	----	108 UNCH
570	0.3465	0.3465	0.4365B/0.3210A	0.4365B/0.3210A	----	0.3820 - 0.0480	.9921	----	----	1	----	553 UNCH
571	----	----	----/0.3115A	0.3750B/0.3115A	----	0.3725 - 0.0480	.9919	----	----	----	----	31 UNCH
572	----	----	----/0.3020A	0.3650B/0.3020A	----	0.3625 - 0.0480	.9917	----	----	----	----	29 UNCH
573	----	----	----/0.2925A	0.3555B/0.2925A	----	0.3525 - 0.0480	.9915	----	----	----	----	35 UNCH
574	----	----	----/0.2825A	0.3455B/0.2825A	----	0.3425 - 0.0485	.9912	----	----	----	----	17 UNCH
575	0.3050	0.3050	0.3870B/0.2720A	0.3870B/0.2720A	----	0.3325 - 0.0485	.9869	----	----	6	----	506 - 3
576	0.2945	0.2945	0.3260B/0.2630A	0.3260B/0.2630A	----	0.3230 - 0.0480	.9866	----	----	5	----	113 - 3
577	----	----	----/0.2535A	0.3160B/0.2535A	----	0.3130 - 0.0485	.9862	----	----	----	----	52 UNCH
578	----	----	----/0.2440A	0.3065B/0.2440A	----	0.3030 - 0.0485	.9857	----	----	----	----	15 UNCH
579	----	----	----/0.2340A	0.2965B/0.2340A	----	0.2930 - 0.0485	.9810	----	----	----	----	9 UNCH
580	----	----	0.3375B/0.2230A	0.3375B/0.2230A	----	0.2835 - 0.0485	.9804	----	----	----	----	508 UNCH
581	----	----	----/0.2180A	0.2650B/0.2180A	----	0.2735 - 0.0485	.9798	----	----	----	----	4 UNCH
582	----	----	----/0.2055A	0.2675B/0.2055A	----	0.2640 - 0.0485	.9747	----	----	----	----	7 UNCH
583	----	----	----/0.1960A	0.2580B/0.1960A	----	0.2540 - 0.0485	.9738	----	----	----	----	63 UNCH
584	----	----	----/0.1870A	0.2480B/0.1870A	----	0.2440 - 0.0490	.9684	----	----	----	----	43 UNCH
585	0.2205	0.2205	0.2885B/0.1765A	0.2885B/0.1765A	----	0.2345 - 0.0490	.9672	----	----	1	----	147 UNCH
586	----	----	----/0.1685A	0.2285B/0.1685A	----	0.2245 - 0.0490	.9660	----	----	----	----	13 UNCH
587	----	----	----/0.1595A	0.2190B/0.1595A	----	0.2145 - 0.0495	.9646	----	----	----	----	8 UNCH
588	----	----	----/0.1540A	0.1970B/0.1540A	----	0.2045 - 0.0500	.9583	----	----	----	----	3 UNCH
589	----	----	----/0.1425A	0.1995B/0.1425A	----	0.1950 - 0.0500	.9565	----	----	----	----	18 UNCH
590	0.1500	0.1500	0.2400B/0.1330A	0.2400B/0.1330A	----	0.1850 - 0.0505	.9545	----	----	1	----	965 UNCH
591	----	----	----/0.1255A	0.1865B/0.1255A	----	0.1755 - 0.0510	.9472	----	----	----	----	66 UNCH
592	----	----	----/0.1215A	0.1850B/0.1215A	----	0.1660 - 0.0510	.9394	----	----	----	----	2 UNCH
593	----	----	----/0.1100A	0.1650B/0.1100A	----	0.1565 - 0.0515	.9312	----	----	----	----	16 UNCH
594	----	----	----/0.1020A	0.1555B/0.1020A	----	0.1470 - 0.0515	.9224	----	----	----	----	20 UNCH
595	----	----	0.1930B/0.0950A	0.1930B/0.0950A	----	0.1380 - 0.0520	.9079	----	----	----	----	792 UNCH
596	----	----	----/0.0925A	0.1375B/0.0925A	----	0.1290 - 0.0520	.8928	----	----	----	----	1 UNCH
597	----	----	----/0.0820A	0.1285B/0.0820A	----	0.1205 - 0.0520	.8725	----	----	----	----	17 UNCH
598	----	----	----/0.0760A	0.1200B/0.0760A	----	0.1120 - 0.0520	.8515	----	----	----	----	31 UNCH
599	----	----	----/0.0700A	0.1115B/0.0700A	----	0.1040 - 0.0515	.8258	----	----	----	----	6 UNCH
600	0.0770	0.0770	0.1490B/0.0610A	0.1490B/0.0610A	----	0.0960 - 0.0515	.7996	----	----	203	----	1203 - 55
601	0.0570	0.0570	0.0570/0.0570	0.0945B/0.0570	----	0.0885 - 0.0510	.7693	----	----	1	----	5 - 1
602	----	----	----/0.0525A	0.0870B/0.0525A	----	0.0815 - 0.0500	.7357	----	----	----	----	6 UNCH
603	----	----	----/0.0480A	0.0790B/0.0480A	----	0.0750 - 0.0490	.6996	----	----	----	----	24 UNCH
604	0.0545	0.0545	0.0545/0.0425A	0.0775B/0.0425A	----	0.0685 - 0.0485	.6635	----	----	1	----	46 UNCH
605	0.0510	0.0510	0.0510/0.0380A	0.0850B/0.0380A	----	0.0625 - 0.0475	.6256	----	----	8	----	232 + 3
606	0.0730	0.0730	0.0730/0.0350	0.0820B/0.0350	----	0.0570 - 0.0460	.5868	----	----	25	----	16 - 19
607	0.0450	0.0450	0.0450/0.0320A	0.0845B/0.0320A	----	0.0515 - 0.0450	.5481	----	----	3	----	35 - 1
608	0.0465	0.0465	0.0485/0.0295A	0.0815B/0.0295A	----	0.0470 - 0.0430	.5091	----	----	31	----	71 - 4
609	----	----	----/0.0265A	0.0810B/0.0265A	----	0.0420 - 0.0420	.4706	----	----	----	----	30 UNCH
610	0.0600	0.0600	0.0795B/0.0225A	0.0795B/0.0225A	----	0.0380 - 0.0405	.4332	----	----	53	400	1095 + 44
611	0.0230	0.0230	0.0795B/0.0210A	0.0795B/0.0210A	----	0.0340 - 0.0390	.3964	----	----	1	----	17 UNCH
612	0.0205	0.0205	0.0685B/*0.0185	0.0685B/*0.0185	----	0.0305 - 0.0375	.3614	----	----	1	----	30 UNCH
613	0.0525	0.0525	0.0650B/*0.0170	0.0650B/*0.0170	----	0.0270 - 0.0360	.3270	----	----	3	----	39 UNCH
614	0.0190	0.0190	0.0600B/*0.0150	0.0600B/*0.0150	----	0.0240 - 0.0345	.2949	----	----	13	----	65 + 10
615	0.0315	0.0315	0.0550B/*0.0130	0.0550B/*0.0130	----	0.0210 - 0.0330	.2633	----	----	55	----	728 - 22
616	0.0215	0.0215	0.0505B/*0.0120	0.0505B/*0.0120	----	0.0185 - 0.0315	.2348	----	----	4	----	56 + 3
617	0.0230	0.0230	0.0235/*0.0105	0.0460B/*0.0105	----	0.0165 - 0.0295	.2100	----	----	12	----	99 + 5
618	0.0215	0.0215	0.0215/*0.0095A	0.0420B/*0.0095	----	0.0145 - 0.0280	.1858	----	----	43	----	146 + 40
619	0.0190	0.0190	0.0260/*0.0080A	0.0385B/*0.0080	----	0.0125 - 0.0265	.1622	----	----	323	----	298 + 220
620	0.0160	0.0160	0.0185/*0.0060	0.0350B/*0.0060	----	0.0110 - 0.0250	.1428	----	----	116	----	1199 + 18
621	0.0125	0.0125	0.0125/*0.0065A	0.0310B/*0.0065	----	0.0100 - 0.0230	.1281	----	----	34	----	88 + 27
622	0.0120	0.0120	0.0140/*0.0055A	0.0280B/*0.0055	----	0.0085 - 0.0220	.1099	----	----	27	----	70 + 24
623	0.0080	0.0080	0.0080/*0.0050A	0.0255B/*0.0050	----	0.0075 - 0.0205	.0963	----	----	3	----	75 UNCH
624	----	----	----/*0.0045A	0.0225B/*0.0045	----	0.0065 - 0.0190	.0833	----	----	----	----	65 UNCH
625	0.0200	0.0200	0.0200/*0.0040A	0.0205B/*0.0040	----	0.0060 - 0.0175	.0752	----	----	65	400	843 - 34
626	0.0055	0.0055	0.0055/*0.0035A	0.0180B/*0.0035	----	0.0050 - 0.0165	.0630	----	----	3	----	47 UNCH
627	0.0035	0.0035	0.0035/*0.0030A	0.0165B/*0.0030	----	0.0045 - 0.0155	.0557	----	----	6	----	36 + 6
628	0.0050	0.0050	0.0050/*0.0030A	0.0150B/*0.0030	----	0.0040 - 0.0140	.0489	----	----	11	----	203 - 10
629	0.0045	0.0045	0.0045/*0.0025A	0.0130B/*0.0025	----	0.0035 - 0.0130	.0422	----	----	3	----	121 + 3
630	0.0075	0.0075	0.0075/*0.0025A	0.0115B/*0.0025	----	0.0030 - 0.0125	.0359	----	----	35	----	832 + 11
631	----	----	----/*0.0020A	0.0100B/*0.0020	----	0.0030 - 0.0110	.0346	----	----	----	----	39 UNCH
632	0.0040	0.0040	0.0040/*0.0020A	0.0090B/*0.0020	----	0.0025 - 0.0105	.0287	----	----	4	----	6 + 4
633	0.0045	0.0045	0.0045/*0.0020A	0.0080B/*0.0020	----	0.0020 - 0.0100	.0229	----	----	6	----	62 + 2
634	0.0025	0.0025	0.0035/*0.0020A	0.0075B/*0.0020	----	0.0020 - 0.0090	.0221	----	----	13	----	48 + 13
635	0.0030	0.0030	0.0030/*0.0015	0.0070B/*0.0015	----	0.0020 - 0.0085	.0214	----	----	9	----	340 - 1
636	----	----	----/*0.0015A	0.0065B/*0.0015	----	0.0015 - 0.0080	.0161	----	----	----	----	36 UNCH
637	0.0015	0.0015	0.0015/*0.0015	0.0055B/*0.0015	----	0.0015 - 0.0075	.0156	----	----	6	----	8 + 4
638	----	----	----/*0.0015A	0.0050B/*0.0015	----	0.0015 - 0.0070	.0151	----	----	----	----	2 UNCH
639	----	----	----/*0.0015A	0.0045B/*0.0015	----	0.0010 - 0.0070	.0101	----	----	----	----	29 UNCH
640	----	----	----/*0.0010A	0.0040B/*0.0010	----	0.0010 - 0.0065	.0099	----	----	1	225	793 - 50
641	----	----	----/*0.0010A	0.0040B/*0.0010	----	0.0010 - 0.0060	.0096	----	----	----	----	9 UNCH
642	----	----	----/*0.0010A	0.0035B/*0.0010	----	0.0010 - 0.0055	.0093	----	----	----	----	17 UNCH
643	----	----	----/*0.0010A	0.0030B/*0.0010	----	0.0010 - 0.0050	.0091	----	----	----	----	9 UNCH
644	----	----	----/*0.0010A	0.0025B/*0.0010	----	0.0010 - 0.0050	.0089	----	----	----	----	1 UNCH
645	----	----	----/*0.0010A	0.0020B/*0.0010	----	0.0005 - 0.0050	.0044	----	----	----	----	91 UNCH
646	----	----	----/*0.0010A	0.0020B/*0.0010	----	0.0005 - 0.0050	.0036	----	----	----	----	7 UNCH
647	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0045	.0029	----	----	----	----	3 UNCH
649	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0040	.0019	----	----	----	----	3 UNCH
650	0.0010	0.0010	0.0010/*0.0010	0.0015B/*0.0010	----	0.0005 - 0.0040	.0015	----	----	1	----	2691 - 1
655	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0030	.0004	----	----	----	----	123 UNCH
660	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0020	.0001	----	----	----	----	142 UNCH
665	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0015	.0000	----	----	----	----	24 UNCH
670	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0010	.0000	----	----	----	----	1069 UNCH
675	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0010	----	----	----	----	----	149 UNCH
680	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	----	----	----	----	----	1139 UNCH
685	----	----	----	----/0.0015A	----	0.0005 - 0.0005	----	----	----	----	----	13 UNCH
690	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	224 UNCH
695	----	----	----	----/*0.0010A	----	0.0005 UNCH	----	----	----	----	----	96 UNCH
700	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	437 UNCH
705	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
710	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	59 UNCH
715	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	44 UNCH
720	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	18 UNCH
725	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	93 UNCH
730	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
735	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
740	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	92 UNCH
745	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	34 UNCH
750	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	455 UNCH
755	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX CALL		COMEX COPPER OPTIONS												
MAY26														
760	----	----	----	----/0.0035A	----	0.0005	UNCH	----	----	----	----	----	72	UNCH
765	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
770	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
775	----	----	----	----/0.0035A	----	0.0005	UNCH	----	----	----	----	----	47	UNCH
780	----	----	----	----/0.0035A	----	0.0005	UNCH	----	----	----	----	----	10	UNCH
785	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	3	UNCH
790	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	3	UNCH
795	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	5	UNCH
800	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	----	----	4120	UNCH
810	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	4040	UNCH
820	----	----	----	----/0.0035A	----	0.0005	UNCH	----	----	----	----	----	28	UNCH
825	----	----	----	----/0.0060A	----	0.0005	UNCH	----	----	----	----	----	91	UNCH
835	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
840	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
850	----	----	----	----/0.0005A	----	0.0005	UNCH	----	----	----	----	----	62	UNCH
855	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	30	UNCH
860	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
865	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	3	UNCH
870	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
875	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
880	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	12	UNCH
890	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
900	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	----	----	73	UNCH
915	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
920	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
925	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	10	UNCH
930	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
935	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
940	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH
945	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	10	UNCH
950	----	----	----	----/0.0005A	----	0.0005	UNCH	----	----	----	----	----	40	UNCH
TOTAL										1025	1140		31415 +	231
JUN26														
500	----	----	----	----	----	1.1470	- 0.0475	.9765	----	----	----	----	4	UNCH
510	----	----	----	----	----	1.0485	- 0.0475	.9704	----	----	----	----	1	UNCH
525	----	----	----	----	----	0.9010	- 0.0475	.9591	----	----	----	----	1	UNCH
535	----	----	----	----	----	0.8045	- 0.0475	.9452	----	----	----	----	2	UNCH
540	----	----	----/0.7255A	0.7550B/0.7255A	----	0.7570	- 0.0470	.9371	----	----	----	----	24	UNCH
545	----	----	----	----	----	0.7095	- 0.0470	.9272	----	----	----	----	2	UNCH
549	----	----	----/0.6275A	0.6270B/0.6275A	----	0.6720	- 0.0470	.9177	----	----	----	----	1	UNCH
550	----	----	----/0.6175A	0.6610B/0.6175A	----	0.6630	- 0.0470	.9143	----	----	----	----	5	UNCH
555	----	----	----/0.5730A	0.6435B/0.5730A	----	0.6170	- 0.0465	.8998	----	----	----	----	1	UNCH
556	----	----	----/0.5650A	#0.6460B/0.5650	----	0.6080	- 0.0465	.8975	----	----	----	----	1	UNCH
557	----	----	----/0.5540A	0.6385B/0.5540A	----	0.5985	- 0.0470	.8940	----	----	----	----	63	UNCH
559	----	----	----/0.5375A	0.6205B/0.5375A	----	0.5805	- 0.0465	.8870	----	----	----	----	4	UNCH
560	----	----	----/0.5275A	0.6120B/0.5275A	----	0.5720	- 0.0460	.8834	----	----	----	----	106	UNCH
562	----	----	----/0.5125A	0.5940B/0.5125A	----	0.5540	- 0.0460	.8752	----	----	----	----	1	UNCH
565	----	----	----/0.4870A	0.5675B/0.4870A	----	0.5280	- 0.0455	.8632	----	----	----	----	2	UNCH
568	----	----	----/0.4620A	0.5405B/0.4620A	----	0.5020	- 0.0455	.8490	----	----	----	----	3	UNCH
569	----	----	----/0.4545A	0.5325B/0.4545A	----	0.4935	- 0.0455	.8442	----	----	----	----	2	UNCH
570	----	----	----/0.4445A	0.5235B/0.4445A	----	0.4850	- 0.0455	.8394	----	----	----	----	21	UNCH
574	----	----	----/0.4145A	0.4900B/0.4145A	----	0.4525	- 0.0440	.8181	----	----	----	----	3	UNCH
575	----	----	----/0.4035A	0.4810B/0.4035A	----	0.4440	- 0.0445	.8132	----	----	----	----	149	UNCH
579	----	----	----/0.3765A	0.4485B/0.3765A	----	0.4125	- 0.0435	.7890	----	----	----	----	3	UNCH
580	----	----	----/0.3595A	0.4410B/0.3595A	----	0.4050	- 0.0430	.7823	----	----	----	----	45	UNCH
581	----	----	----/0.3625A	0.4325B/0.3625A	----	0.3970	- 0.0430	.7764	----	----	----	----	1	UNCH
582	----	----	----/0.3550A	0.4245B/0.3550A	----	0.3895	- 0.0425	.7697	----	----	----	----	1	UNCH
583	----	----	----/0.3475A	0.4165B/0.3475A	----	0.3820	- 0.0425	.7631	----	----	----	----	2	UNCH
584	----	----	----/0.3400A	0.4090B/0.3400A	----	0.3750	- 0.0420	.7564	----	----	----	----	3	UNCH
585	----	----	----/0.3245A	0.4015B/0.3245A	----	0.3675	- 0.0415	.7497	----	----	----	----	12	UNCH
586	----	----	----/0.3270A	0.3940B/0.3270A	----	0.3600	- 0.0415	.7423	----	----	----	----	1	UNCH
587	----	----	----/0.3205A	0.3860B/0.3205A	----	0.3530	- 0.0410	.7350	----	----	----	----	3	UNCH
588	----	----	----/0.3130A	0.3790B/0.3130A	----	0.3460	- 0.0410	.7282	----	----	----	----	4	UNCH
589	----	----	----/0.3065A	0.3715B/0.3065A	----	0.3390	- 0.0405	.7209	----	----	----	----	1	UNCH
590	----	----	----/0.2920A	0.3720B/0.2920A	----	0.3320	- 0.0400	.7135	----	----	----	----	82	UNCH
591	----	----	----/0.2925A	0.3565B/0.2925A	----	0.3250	- 0.0400	.7057	----	----	----	----	10	UNCH
594	----	----	----/0.2725A	0.3355B/0.2725A	----	0.3055	- 0.0385	.6826	----	----	----	----	3	UNCH
595	----	----	----/0.2600A	0.3365B/0.2600A	----	0.2990	- 0.0385	.6748	----	----	----	----	6	UNCH
596	----	----	----/0.2600A	0.3220B/0.2600A	----	0.2925	- 0.0380	.6669	----	----	----	----	3	UNCH
598	----	----	----/0.2430A	0.3090B/0.2430A	----	0.2800	- 0.0375	.6509	----	----	----	----	3	UNCH
599	----	----	----/0.2370A	0.3020B/0.2370A	----	0.2740	- 0.0370	.6430	----	----	----	----	1	UNCH
600	----	----	----/0.2305A	0.3030B/0.2305A	----	0.2680	- 0.0365	.6348	----	----	11	----	438 +	7
603	----	----	----/0.2160A	0.2765B/0.2160A	----	0.2505	- 0.0355	.6099	----	----	----	----	2	UNCH
604	----	----	----/0.2105A	0.2710B/0.2105A	----	0.2445	- 0.0355	.6015	----	----	----	----	14	UNCH
605	0.2100	0.2100	0.2115/0.2045A	0.2720B/0.2045A	----	0.2390	- 0.0350	.5931	----	----	5	----	10 -	2
606	----	----	----/0.2000A	0.2585B/0.2000A	----	0.2335	- 0.0345	.5848	----	----	----	----	4	UNCH
607	0.1895	0.1895	0.1895/0.1895	0.2530B/0.1895	----	0.2285	- 0.0340	.5764	----	----	14	----	42 -	2
608	0.1860	0.1860	0.1860/0.1855A	0.2470B/0.1855A	----	0.2230	- 0.0340	.5679	----	----	1	----	5 +	1
609	0.1815	0.1815	0.1865/0.1805A	0.2510B/0.1805A	----	0.2180	- 0.0335	.5595	----	----	3	----	11 +	3
610	0.1860	0.1860	0.1870/0.1760A	0.2435B/0.1760A	----	0.2130	- 0.0330	.5511	----	----	10	----	561 +	2
611	0.1905	0.1905	0.2430B/0.1715A	0.2430B/0.1715A	----	0.2080	- 0.0325	.5427	----	----	3	----	5 +	3
612	0.1695	0.1695	0.2380B/0.1675A	0.2380B/0.1675A	----	0.2030	- 0.0320	.5342	----	----	2	----	21 +	2
613	0.1965	0.1965	0.2325B/0.1625A	0.2325B/0.1625A	----	0.1980	- 0.0320	.5258	----	----	7	----	49 +	7
614	0.1915	0.1915	0.2285B/0.1585A	0.2285B/0.1585A	----	0.1935	- 0.0315	.5174	----	----	6	----	9 +	6
615	0.1900	0.1900	0.2230B/0.1550A	0.2230B/0.1550A	----	0.1890	- 0.0310	.5091	----	----	9	----	867	UNCH
616	0.1755	0.1755	0.2180B/0.1525A	0.2180B/0.1525A	----	0.1845	- 0.0305	.5007	----	----	4	----	16 +	3
617	0.1770	0.1770	0.2135B/0.1510A	0.2135B/0.1510A	----	0.1800	- 0.0300	.4924	----	----	5	----	26 +	3
618	0.2020	0.2020	0.2085B/0.1470A	0.2085B/0.1470A	----	0.1755	- 0.0300	.4841	----	----	2	----	16 +	2
619	0.1985	0.1985	0.2035B/0.1435A	0.2035B/0.1435A	----	0.1715	- 0.0290	.4760	----	----	8	----	21 +	8
620	0.1835	0.1835	0.1990B/0.1390A	0.1990B/0.1390A	----	0.1670	- 0.0290	.4677	----	----	151	----	575 +	129
621	0.1795	0.1795	0.1940B/0.1360A	0.1940B/0.1360A	----	0.1630	- 0.0285	.4596	----	----	3	----	11 +	3
622	----	----	0.1895B/0.1325A	0.1895B/0.1325A	----	0.1590	- 0.0285	.4515	----	----	2	----	7	UNCH
623	----	----	0.1850B/0.1285A	0.1850B/0.1285A	----	0.1550	- 0.0280	.4435	----	----	----	----	1	UNCH
624	0.1760	0.1760	0.1805B/0.1260A	0.1805B/0.1260A	----	0.1515	- 0.0275	.4357	----	----	2	----	3 +	2
625	0.1710	0.1710	0.1760B/0.1220A	0.1760B/0.1220A	----	0.1475	- 0.0270	.4276	----	----	187	----	407 +	43
626	0.1650	0.1650	0.1720B/0.1190A	0.1720B/0.1190A	----	0.1440	- 0.0265	.4199	----	----	1	----	3 +	1
627	0.1640	0.1640	0.1675B/0.1165A	0.1675B/0.1165A	----	0.1405	- 0.0260	.4122	----	----	1	----	15 +	1
628	----	----	0.1635B/0.1130A	0.1635B/0.1130A	----	0.1370	- 0.0255	.4045	----	----	----	----	13	UNCH
629	----	----	0.1595B/0.1100A	0.1595B/0.1100A	----	0.1335	- 0.0255	.3969	----	----	----	----	33	UNCH
630	0.1125	0.1125	0.1555B/0.1075A	0.1555B/0.1075A	----	0.1300	- 0.0250	.3893	----	----	8	1000	1619 +	997
632	0.1230	0.1230	0.1230/0.1020A	0.1475B/0.1020A	----	0.1235	- 0.0245	.3744	----	----	4	----	5 +	1
635	----	----	----/0.0935A	0.1365B/0.0935A	----	0.1145	- 0.0235	.3530	----	----	----	----	86	UNCH
640	0.1210	0.1210	0.1210/0.0820A	0.1210/0.0820A	----	0.1005	- 0.0220	.3187	----	----	22	----	998 +	17
645	0.1065	0.1065	0.1070B/0.0720A	0.1070B/0.0720A	----	0.0880	- 0.0210	.2867	----	----	4	----	67 +	2
650	0.0960	0.0960	0.0960/0.0620A	0.0960/0.0620A	----	0.0770	- 0.0200	.2571	----	----	79	----	729 -	4
655	0.0830	0.0830	0.0830/0.0535A	0.0830/0.0535A	----	0.0675	- 0.0185	.2302	----	----	7	----	374 +	4
660	0.0735	0.0735	0.0735/0.0465A	0.0735/0.0465A	----	0.0590	- 0.0180	.2055	----	----	170	----	620 +	121
665	----	----	----/0.0415A	0.0645B/0.0415A	----	0.0520	- 0.0165	.1838	----	----	----	----	35	UNCH
670	0.0370	0.0370	0.0475/0.0365A	0.0570B/0.0365A	----	0.0455	- 0.0155	.1636	----	----	9	1250	1322 +	1104
675	0.0445	0.0445	0.0445/0.0320A	0.0505B/0.0320A	----	0.0400	- 0.0145	.1458	----	----	12	----	43 +	3
680	0.0385	0.0385	0.0385/0.0280A	0.0425B/0.0280A	----	0.0350	- 0.0135	.1295	----	----	80	----	417 +	5
685	0.0270	0.0270	0.0320/0.0245A	0.0380B/0.0245A	----	0.0310	- 0.0120	.1157	----	----	49	----	58 +	36
690	0.0275	0.0275	0.0275/0.0215A	0.0335B/0.0215A	----	0.0275	- 0.0110	.1034	----	----	12	----	137 +	1
695	0.0295	0.0295	0.0315/0.0195A	0.0315/0.0195A	----	0.0245	- 0.0100	.0927	----	----	24	----	48 +	19
700	----	----	----/0.0170A	0.0275B/0.0170A	----	0.0220	- 0.0090	.0834	----	----	4	----	748 -	1
705	0.0245	0.0245	0.0255/0.0155A	0.0255/0.0155A	----	0.0195	- 0.0085	.0745	----	----	10	----	15 +	6
710	----	----	----/0.0140A	0.0220B/0.0140A	----	0.0175	- 0.0075	.0670	----	----	----	----	80	UNCH
715	----	----	----/0.0125A	0.0195B/0.0125A	----	0.0160	- 0.0070	.0611	----	----	----	----	10	UNCH
720	----	----	----/0.0115A	0.0175B/0.0115A	----	0.0145	- 0.0060	.0553	----	----	----	----	29	UNCH
725	0.0145	0.0145	0.0145/0.0105A	0.0155B/0.0105A	----	0.0130	- 0.0060	.0498	----	----	4	----	91	UNCH
730	----	----	----/0.0095A	0.0145B/0.0095A	----	0.0120	- 0.0055	.0457	----	----	----	----	13	UNCH
735	0.0115	0.0115	0.0115/0.0090A	0.0130B/0.0090A	----	0.0110	- 0.0050	.0418	----	----	1	----	40	UNCH
740	----	----	----/*0.0080A	0.0115B/*0.0080	----	0.0100	- 0.0045	.0380	----	----	----	----	2	UNCH
745	----	----	----/0.0080A	0.0105B/0.0080A	----	0.0090	- 0.0045	.0342	----	----	----	----	1524	UNCH
750	----	----	----/*0.0070A	0.0100B/*0.0070	----	0.0085	- 0.0040	.0320	----	----	----	----	167	UNCH
755	----	----	----/*0.0065A	0.0090B/*0.0065	----	0.0075	- 0.0040	.0284	----	----	----	----	1	UNCH
765	0.0090	0.0090	0.0090/0.0060A	0.0090/0.0060A	----	0.0065	- 0.0035	.0244	----	----	1	----	1506 +	1
770	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0065	- 0.0030	.0239	----	----	----	----	6	UNCH
775	0.0080	0.0080	0.0080/*0.0055A	0.0080/*0.0055A	----	0.0060	- 0.0030	.0220	----	----	1	----	3 +	1
780	0.0075	0.0075	0.0075/*0.0055A	0.0075/*0.0055A	----	0.0055	- 0.0030	.0201	----	----	3	----	8 +	3
795	----	----	----/*0.0065A	0.0040B/0.0065A	----	0.0045	- 0.0025	.0162	----	----	----	----	33	UNCH
800	----	----	----	0.0035B/0.0070A	----	0.0040	- 0.0025	.0145	----	----	----	----	7	UNCH
810	----	----	----	0.0030B/0.0065A	----	0.0035	- 0.0020	.0126	----	----	----	----	3	UNCH
825	----	----	----	0.0010B/0.0065A	----	0.0030	- 0.0015	.0106	----	----	----	----	1	UNCH
840	----	----	----	----/0.0055A	----	0.0025	- 0.0015	.0087	----	----	----	----	6	UNCH
850	----	----	----	----/0.0055A	----	0.0025	- 0.0010	.0084	----	----	----	----	4	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
880	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0051	----	----	----	----	2 UNCH
900	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0048	----	----	----	----	9 UNCH
910	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0033	----	----	----	----	11 UNCH
950	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0015	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
TOTAL									2250	941		14644 + 2538
JUL26												
500	----	----	----/1.1255A	1.1530B/1.1255A	----	1.1580 - 0.0445	.9466	----	----	----	----	8 UNCH
520	0.9100	0.9100	0.9100/0.9100	0.9100/0.9100	----	0.9685 - 0.0435	.9198	----	----	1	----	2 UNCH
525	----	----	----	----	----	0.9220 - 0.0430	.9107	----	----	----	----	1 UNCH
530	----	----	----/0.8480A	0.8725B/0.8480A	----	0.8765 - 0.0425	.9006	----	----	----	----	6 UNCH
540	----	----	----/0.7615A	0.7835B/0.7615A	----	0.7875 - 0.0420	.8750	----	----	----	----	16 UNCH
545	----	----	----	----	----	0.7445 - 0.0410	.8603	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.7020 - 0.0410	.8440	----	----	----	----	2 UNCH
555	----	----	----/0.6390A	0.6565B/0.6390A	----	0.6610 - 0.0410	.8256	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.6205 - 0.0415	.8069	----	----	----	----	1 UNCH
570	----	----	----/0.4990A	0.5540B/0.4990A	----	0.5440 - 0.0405	.7635	----	----	----	----	157 UNCH
574	----	----	----/0.5005A	0.5115B/0.5005A	----	0.5155 - 0.0395	.7439	----	----	----	----	5 UNCH
575	----	----	----/0.4670A	0.5370B/0.4670A	----	0.5085 - 0.0390	.7389	----	----	----	----	19 UNCH
580	----	----	----/0.4355A	0.5120B/0.4355A	----	0.4745 - 0.0375	.7133	----	----	----	----	122 UNCH
585	----	----	----/0.4015A	0.4770B/0.4015A	----	0.4420 - 0.0360	.6870	----	----	----	----	304 UNCH
590	----	----	----/0.3730A	0.4445B/0.3730A	----	0.4105 - 0.0355	.6601	----	----	----	----	104 UNCH
591	----	----	----/0.3735A	0.3790B/0.3735A	----	0.4045 - 0.0350	.6545	----	----	----	----	3 UNCH
593	----	----	----/0.3625A	0.3835B/0.3625A	----	0.3925 - 0.0345	.6434	----	----	----	----	1 UNCH
594	----	----	----/0.3550A	0.3870B/0.3550A	----	0.3870 - 0.0340	.6377	----	----	----	----	2 UNCH
595	----	----	----/0.3475A	0.4130B/0.3475A	----	0.3810 - 0.0340	.6321	----	----	----	----	29 UNCH
597	----	----	----/0.3350A	0.3775B/0.3350A	----	0.3700 - 0.0335	.6207	----	----	----	----	1 UNCH
598	----	----	----/0.3295A	0.3715B/0.3295A	----	0.3645 - 0.0330	.6150	----	----	----	----	1 UNCH
599	----	----	----/0.3255A	0.3660B/0.3255A	----	0.3590 - 0.0330	.6094	----	----	----	----	2 UNCH
600	----	----	----/0.3190A	0.3835B/0.3190A	----	0.3540 - 0.0320	.6037	----	----	1	----	391 - 1
605	----	----	----/0.2955A	0.3555B/0.2955A	----	0.3285 - 0.0305	.5751	----	----	----	----	33 UNCH
610	0.3330	0.3330	0.3390B/0.2725A	0.3390B/0.2725A	----	0.3040 - 0.0290	.5468	----	----	3	----	110 - 1
615	0.2500	0.2500	0.3100B/0.2500	0.3100B/0.2500	----	0.2810 - 0.0280	.5186	----	----	7	----	1624 UNCH
620	----	----	----/0.2320A	0.2860B/0.2320A	----	0.2590 - 0.0270	.4908	----	----	----	----	163 UNCH
625	0.2395	0.2395	0.2395/0.2135A	0.2650B/0.2135A	----	0.2390 - 0.0260	.4636	----	----	2	----	239 UNCH
630	0.1985	0.1985	0.2225/0.1965A	0.2440B/0.1965A	----	0.2205 - 0.0240	.4372	----	----	114	----	313 + 103
635	----	----	----/0.1805A	0.2245B/0.1805A	----	0.2030 - 0.0230	.4114	----	----	32	----	77 + 32
640	0.1775	0.1775	0.1975/0.1665A	0.2070B/0.1665A	----	0.1875 - 0.0215	.3869	----	----	80	225	1108 + 182
645	----	----	----/0.1530A	0.1905B/0.1530A	----	0.1725 - 0.0205	.3631	----	----	----	----	367 UNCH
650	0.1725	0.1725	0.1755B/0.1410A	0.1755B/0.1410A	----	0.1590 - 0.0190	.3404	----	----	102	----	602 + 101
655	0.1470	0.1470	0.1470/0.1290A	0.1620B/0.1290A	----	0.1465 - 0.0180	.3189	----	----	330	----	682 + 320
660	----	----	----/0.1190A	0.1490B/0.1190A	----	0.1350 - 0.0165	.2984	----	----	50	----	241 + 32
665	----	----	----/0.1100A	0.1365B/0.1100A	----	0.1240 - 0.0160	.2787	----	----	----	----	2 UNCH
670	----	----	----/0.1005A	0.1255B/0.1005A	----	0.1135 - 0.0160	.2596	----	----	51	----	72 + 50
675	0.1025	0.1025	0.1070/0.0915A	0.1150B/0.0915A	----	0.1040 - 0.0155	.2417	----	----	7	----	2072 - 1
680	----	----	----/0.0850A	0.1060B/0.0850A	----	0.0955 - 0.0150	.2251	----	----	----	----	203 UNCH
685	----	----	----/0.0785A	0.0975B/0.0785A	----	0.0875 - 0.0145	.2092	----	----	----	----	15 UNCH
690	0.0730	0.0730	0.0800/0.0705A	0.0895B/0.0705A	----	0.0805 - 0.0140	.1947	----	----	6	----	274 - 2
695	----	----	----/0.0655A	0.0825B/0.0655A	----	0.0745 - 0.0130	.1818	----	----	----	----	41 UNCH
700	0.0725	0.0725	0.0725/0.0595A	0.0760B/0.0595A	----	0.0685 - 0.0125	.1690	----	----	69	----	495 + 37
710	----	----	----/0.0510A	0.0645B/0.0510A	----	0.0585 - 0.0110	.1467	----	----	403	----	855 + 401
715	----	----	----/0.0475A	0.0590B/0.0475A	----	0.0540 - 0.0105	.1366	----	----	----	----	28 UNCH
720	0.0485	0.0485	0.0485/0.0440A	0.0545B/0.0440A	----	0.0500 - 0.0100	.1273	----	----	1	----	2 + 1
725	0.0450	0.0450	0.0450/0.0400A	0.0500B/0.0400A	----	0.0460 - 0.0095	.1182	----	----	1	----	1556 + 1
730	0.0415	0.0415	0.0415/0.0375	0.0465B/0.0375	----	0.0425 - 0.0090	.1100	----	----	2	----	5 + 2
750	0.0305	0.0305	0.0305/0.0275A	0.0340B/0.0275A	----	0.0310 - 0.0080	.0824	----	----	1	----	244 UNCH
775	----	----	----/0.0200A	0.0235B/0.0200A	----	0.0220 - 0.0060	.0593	----	----	----	----	34 UNCH
780	----	----	----/*0.0185A	0.0220B/0.0185A	----	0.0205 - 0.0060	.0555	----	----	----	----	3 UNCH
800	0.0165	0.0165	0.0165/0.0160	0.0165/0.0160	----	0.0165 - 0.0045	.0444	----	----	28	----	64 - 13
850	----	----	----/0.0105A	0.0090B/0.0105A	----	0.0115 - 0.0010	.0295	----	----	----	----	4 UNCH
875	----	----	----/*0.0090A	0.0065B/0.0090A	----	0.0090 - 0.0010	.0231	----	----	----	----	2 UNCH
900	----	----	----	0.0050B/0.0080A	----	0.0070 - 0.0005	.0179	----	----	----	----	271 UNCH
950	----	----	----	0.0005B/0.0070A	----	0.0040 - 0.0005	.0104	----	----	----	----	61 UNCH
975	----	----	----	----/0.0060A	----	0.0030 - 0.0005	.0079	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0050A	----	0.0020 - 0.0005	.0054	----	----	----	----	4 UNCH
TOTAL									225	1291		13162 + 1244
AUG26												
500	----	----	----	----	----	1.2250 - 0.0480	.9306	----	----	----	----	2 UNCH
550	----	----	----	----	----	0.7895 - 0.0440	.8190	----	----	----	----	3 UNCH
580	----	----	----/0.5340A	0.6105B/0.5340A	----	0.5700 - 0.0425	.7080	----	----	----	----	252 UNCH
585	----	----	----/0.5085A	0.5770B/0.5085A	----	0.5375 - 0.0425	.6866	----	----	----	----	11 UNCH
590	----	----	----/0.4790A	0.5450B/0.4790A	----	0.5065 - 0.0420	.6650	----	----	----	----	16 UNCH
595	----	----	----/0.4520A	0.5145B/0.4520A	----	0.4765 - 0.0420	.6427	----	----	----	----	1 UNCH
600	----	----	----/0.4260A	0.4850B/0.4260A	----	0.4475 - 0.0420	.6201	----	----	----	----	4 UNCH
620	----	----	----/0.3295A	0.3850B/0.3295A	----	0.3460 - 0.0410	.5278	----	----	----	----	7 UNCH
625	----	----	----/0.3095A	0.3625B/0.3095A	----	0.3240 - 0.0400	.5050	----	----	----	----	92 UNCH
635	----	----	----/0.2730A	0.3200B/0.2730A	----	0.2840 - 0.0385	.4604	----	----	----	----	2 UNCH
640	----	----	----/0.2560A	0.3005B/0.2560A	----	0.2660 - 0.0370	.4389	----	----	----	----	153 UNCH
650	----	----	----/0.2250A	0.2645B/0.2250A	----	0.2330 - 0.0350	.3977	----	----	40	----	57 + 26
675	----	----	----/0.1640A	0.1915B/0.1640A	----	0.1685 - 0.0285	.3075	----	----	----	----	169 UNCH
680	----	----	----/0.1540A	0.1800B/0.1540A	----	0.1580 - 0.0275	.2917	----	----	----	----	1 UNCH
690	----	----	----/0.1415A	0.1520B/0.1415A	----	0.1395 - 0.0255	.2625	----	----	----	----	3 UNCH
700	----	----	----/0.1260A	0.1330B/0.1260A	----	0.1235 - 0.0230	.2363	----	----	80	----	84 + 80
725	----	----	----/0.0935A	0.0955B/0.0935A	----	0.0935 - 0.0160	.1836	----	----	----	----	86 UNCH
730	----	----	----/0.0835A	0.0950B/0.0835A	----	0.0890 - 0.0145	.1752	----	----	----	----	1 UNCH
750	----	----	----/0.0665A	0.0745B/0.0665A	----	0.0730 - 0.0095	.1451	----	----	40	----	106 + 40
800	----	----	----/0.0395A	0.0405B/0.0395A	----	0.0415 - 0.0055	.0867	----	----	----	----	9 UNCH
850	----	----	----/*0.0255A	0.0230B/0.0255A	----	0.0245 - 0.0040	.0528	----	----	----	----	1 UNCH
900	----	----	----	0.0135B/0.0185A	----	0.0160 - 0.0025	.0347	----	----	----	----	57 UNCH
950	----	----	----	0.0080B/0.0140A	----	0.0100 - 0.0015	.0221	----	----	----	----	2 UNCH
975	----	----	----	0.0060B/0.0125A	----	0.0080 - 0.0010	.0178	----	----	----	----	4 UNCH
TOTAL										160		1123 + 146
SEP26												
495	----	----	----	----	----	1.2900 - 0.0435	.9118	----	----	----	----	2 UNCH
500	----	----	----/1.2220A	1.2320B/1.2220A	----	1.2440 - 0.0440	.9048	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.9420 - 0.0440	.8340	----	----	----	----	1 UNCH
565	----	----	----/0.6810A	0.7545B/0.6810A	----	0.7160 - 0.0420	.7431	----	----	----	----	1 UNCH
575	----	----	----/0.6150A	0.6870B/0.6150A	----	0.6480 - 0.0415	.7077	----	----	----	----	100 UNCH
595	----	----	----/0.5045A	0.5635B/0.5045A	----	0.5265 - 0.0400	.6316	----	----	----	----	3 UNCH
600	----	----	----/0.4735A	0.5355B/0.4735A	----	0.4990 - 0.0400	.6118	----	----	----	----	245 UNCH
610	----	----	----/0.4270A	0.4830B/0.4270A	----	0.4480 - 0.0400	.5720	----	----	----	----	31 UNCH
615	----	----	----/0.4045A	0.4625B/0.4045A	----	0.4240 - 0.0400	.5520	----	----	----	----	9 UNCH
620	----	----	----/0.3840A	0.4390B/0.3840A	----	0.4010 - 0.0400	.5322	----	----	----	----	185 UNCH
625	----	----	----/0.3625A	0.4155B/0.3625A	----	0.3790 - 0.0395	.5125	----	----	----	40	622 + 40
630	----	----	----/0.3460A	0.3940B/0.3460A	----	0.3580 - 0.0395	.4930	----	----	----	----	2 UNCH
635	----	----	----/0.3270A	0.3735B/0.3270A	----	0.3385 NEW	.4740	----	----	1	----	1 + 1
640	----	----	----/0.3100A	0.3540B/0.3100A	----	0.3195 - 0.0385	.4551	----	----	----	----	12 UNCH
650	----	----	----/0.2780A	0.3180B/0.2780A	----	0.2850 - 0.0375	.4188	----	----	51	----	164 - 43
655	----	----	----/0.2650A	0.3020B/0.2650A	----	0.2695 - 0.0365	.4014	----	----	----	----	4 UNCH
670	----	----	----/0.2260A	0.2560B/0.2260A	----	0.2290 - 0.0325	.3531	----	----	----	----	1 UNCH
675	----	----	----/0.2125A	0.2430B/0.2125A	----	0.2170 - 0.0315	.3381	----	----	----	----	325 UNCH
680	----	----	----/0.2020A	0.2300B/0.2020A	----	0.2055 - 0.0300	.3235	----	----	----	----	351 UNCH
690	----	----	----/0.1825A	0.2055B/0.1825A	----	0.1845 - 0.0275	.2961	----	----	----	----	12 UNCH
700	----	----	----/0.1640A	0.1840B/0.1640A	----	0.1650 - 0.0260	.2703	----	----	----	60	446 + 60
720	----	----	----/0.1335A	0.1475B/0.1335A	----	0.1320 - 0.0240	.2244	----	----	----	----	5 UNCH
750	----	----	----/0.0985A	0.1075B/0.0985A	----	0.0985 - 0.0175	.1726	----	----	50	----	48 - 23
775	----	----	----/0.0805A	0.0830B/0.0805A	----	0.0800 - 0.0115	.1415	----	----	----	----	3 UNCH
800	----	----	----/0.0650A	0.0640B/0.0650A	----	0.0635 - 0.0100	.1145	----	----	----	----	22 UNCH
875	----	----	----	0.0310B/0.0380A	----	0.0315 - 0.0060	.0601	----	----	----	----	1 UNCH
900	----	----	----	0.0245B/0.0325A	----	0.0255 - 0.0045	.0492	----	----	----	----	25 UNCH
975	----	----	----	0.0135B/0.0220A	----	0.0135 - 0.0030	.0269	----	----	----	----	3 UNCH
TOTAL									100	102		2629 + 35
OCT26												
600	----	----	----/0.5790A	0.6305B/0.5790A	----	0.5970 NEW	.6351	----	----	3	----	2 + 2
605	----	----	----/0.5535A	0.6030B/0.5535A	----	0.5700 NEW	.6177	----	----	3	----	2 + 2
615	0.5090	0.5090	0.5090/0.5010A	0.5505B/0.5010A	----	0.5190 NEW	.5827	----	----	10	----	10 + 10
650	0.3705	0.3705	0.3705/0.3625A	0.4000B/0.3625A	----	0.3705 - 0.0380	.4634	----	----	1	----	101 + 1
700	----	----	----/0.2335A	0.2405B/0.2335A	----	0.2315 - 0.0255	.3217	----	----	----	----	145 UNCH
775	----	----	----/0.1220A	0.1145B/0.1220A	----	0.1160 - 0.0160	.1796	----	----	----	----	71 UNCH
800	----	----	----/0.0975A	0.0965B/0.0975A	----	0.0940 - 0.0135	.1488	----	----	----	----	1 UNCH
850	----	----	----/0.0675A	0.0620B/0.0675A	----	0.0620 - 0.0100	.1020	----	----	----	----	30 UNCH
875	----	----	----/0.0575A	0.0495B/0.0575A	----	0.0515 - 0.0085	.0857	----	----	----	----	2 UNCH
900	----	----	----/0.0500A	0.0400B/0.0500A	----	0.0430 - 0.0075	.0723	----	----	----	----	3 UNCH
975	----	----	----	0.0225B/0.0345A	----	0.0275 - 0.0050	.0465	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
TOTAL										17		373 + 15
NOV26												
535	----	----	----	----	----	1.0890 - 0.0235	.8024	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0150 - 0.0225	.7789	----	----	----	----	1 UNCH
580	----	----	----/0.7365A	0.7860B/0.7365A	----	0.7850 - 0.0165	.6850	----	----	----	----	2 UNCH
585	----	----	----/0.7085A	0.7555B/0.7085A	----	0.7555 - 0.0155	.6706	----	----	----	----	1 UNCH
595	----	----	----/0.6545A	0.6970B/0.6545A	----	0.6995 - 0.0140	.6413	----	----	----	----	2 UNCH
600	----	----	----/0.6290A	0.6695B/0.6290A	----	0.6730 - 0.0135	.6266	----	----	----	----	2 UNCH
610	----	----	----/0.5805A	0.6165B/0.5805A	----	0.6220 - 0.0120	.5968	----	----	----	----	14 UNCH
640	----	----	----/0.4530A	0.4815B/0.4530A	----	0.4890 - 0.0090	.5088	----	----	----	----	1 UNCH
655	----	----	----/0.4010A	0.4230B/0.4010A	----	0.4335 - 0.0065	.4670	----	----	----	----	1 UNCH
670	----	----	----/0.3550A	0.3705B/0.3550A	----	0.3845 - 0.0040	.4274	----	----	----	----	14 UNCH
675	----	----	----/0.3400A	0.3545B/0.3400A	----	0.3690 - 0.0035	.4146	----	----	----	----	1 UNCH
700	----	----	----/0.2760A	0.2845B/0.2760A	----	0.3020 - 0.0005	.3553	----	----	----	----	1 UNCH
750	----	----	----/0.1845A	0.1825B/0.1845A	----	0.2075 + 0.0075	.2604	----	----	----	----	2 UNCH
850	----	----	----/0.0905A	0.0785B/0.0905A	----	0.1005 + 0.0085	.1387	----	----	----	----	1 UNCH
900	----	----	----	0.0530B/0.0675A	----	0.0705 + 0.0075	.1011	----	----	----	----	1 UNCH
975	----	----	----	0.0310B/0.0480A	----	0.0410 + 0.0055	.0621	----	----	----	----	1 UNCH
TOTAL												46
DEC26												
520	----	----	----	----	----	1.1910 - 0.0580	.8416	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1525 - 0.0580	.8305	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.0770 - 0.0590	.8073	----	----	----	----	1 UNCH
550	----	----	----/0.9575A	0.9490B/0.9575A	----	0.9715 - 0.0570	.7690	----	----	----	----	2 UNCH
555	----	----	----/0.9250A	0.9490B/0.9250A	----	0.9380 - 0.0560	.7556	----	----	----	----	1 UNCH
565	----	----	----/0.8620A	0.9090B/0.8620A	----	0.8735 - 0.0540	.7280	----	----	----	----	45 UNCH
575	----	----	----/0.8025A	0.8450B/0.8025A	----	0.8125 - 0.0515	.6996	----	----	----	----	123 UNCH
585	----	----	----/0.7465A	0.7850B/0.7465A	----	0.7545 - 0.0495	.6705	----	----	----	----	1 UNCH
590	----	----	----/0.7195A	0.7560B/0.7195A	----	0.7270 - 0.0485	.6559	----	----	----	----	200 UNCH
595	----	----	----/0.6940A	0.7280B/0.6940A	----	0.7000 - 0.0480	.6411	----	----	----	----	163 UNCH
600	----	----	----/0.6690A	0.7010B/0.6690A	----	0.6740 - 0.0470	.6263	----	----	----	----	602 UNCH
610	----	----	----/0.6210A	0.6495B/0.6210A	----	0.6235 - 0.0470	.5967	----	----	----	----	356 UNCH
620	----	----	----/0.5765A	0.6010B/0.5765A	----	0.5755 - 0.0470	.5671	----	----	----	----	408 UNCH
625	----	----	----/0.5555A	0.5800B/0.5555A	----	0.5530 - 0.0470	.5524	----	----	----	----	3 UNCH
630	----	----	----/0.5350A	0.5570B/0.5350A	----	0.5310 - 0.0470	.5377	----	----	----	----	456 UNCH
640	----	----	----/0.4965A	0.5150B/0.4965A	----	0.4900 - 0.0460	.5089	----	----	----	----	29 UNCH
650	----	----	----/0.4605A	0.4755B/0.4605A	----	0.4525 - 0.0445	.4809	----	----	----	----	573 UNCH
660	----	----	----/0.4270A	0.4385B/0.4270A	----	0.4180 - 0.0425	.4539	----	----	----	----	300 UNCH
670	----	----	----/0.3955A	0.4040B/0.3955A	----	0.3855 - 0.0410	.4277	----	----	----	----	4 UNCH
675	----	----	----/0.3810A	0.3880B/0.3810A	----	0.3705 - 0.0400	.4151	----	----	----	----	17 UNCH
680	----	----	----/0.3665A	0.3725B/0.3665A	----	0.3560 - 0.0390	.4027	----	----	----	----	3 UNCH
700	----	----	----/0.3145A	0.3155B/0.3145A	----	0.3025 - 0.0360	.3555	----	----	----	----	844 UNCH
705	----	----	----/0.3030A	0.3025B/0.3030A	----	0.2905 - 0.0350	.3445	----	----	----	----	2 UNCH
725	----	----	----/0.2610A	0.2565B/0.2610A	----	0.2475 - 0.0320	.3031	----	----	----	----	5 UNCH
730	----	----	----/0.2510A	0.2465B/0.2510A	----	0.2375 - 0.0315	.2933	----	----	----	----	4 UNCH
750	----	----	----/0.2175A	0.2155B/0.2175A	----	0.2025 - 0.0290	.2574	----	----	----	----	24 UNCH
800	----	----	----/0.1550A	0.1425B/0.1550A	----	0.1380 - 0.0235	.1858	----	----	----	----	104 UNCH
850	----	----	----/0.1135A	0.0980B/0.1135A	----	0.0965 - 0.0180	.1353	----	----	----	----	4 UNCH
900	----	----	----	0.0685B/0.0865A	----	0.0690 - 0.0145	.0997	----	----	----	----	213 UNCH
925	----	----	----	0.0570B/0.0770A	----	0.0610 - 0.0130	.0882	----	----	----	----	6 UNCH
950	----	----	----	0.0480B/0.0685A	----	0.0545 - 0.0115	.0787	----	----	----	----	78 UNCH
975	----	----	----	0.0405B/0.0620A	----	0.0490 - 0.0110	.0705	----	----	----	----	13 UNCH
TOTAL												4708
JAN27												
500	----	----	----	----	----	1.4715 - 0.0415	.8598	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1495 - 0.0090	.1640	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5355 - 0.0235	.4608	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1165 - 0.0070	.1313	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 10 UNCH
300	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 22 UNCH
330	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 1 UNCH
340	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 6 UNCH
350	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 6 UNCH
360	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 35 UNCH
370	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 1 UNCH
375	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 1 UNCH
390	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 2 UNCH
395	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 6 UNCH
400	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 124 UNCH
405	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 125 UNCH
410	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 23 UNCH
415	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 6 UNCH
420	----	----	----	----/0.0005A	----	0.0005	UNCH	----	----	----	----	---- 59 UNCH
425	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 56 UNCH
430	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	---- 13 UNCH
435	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	---- 8 UNCH
440	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	---- 130 UNCH
445	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	---- 50 UNCH
450	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 855 UNCH
455	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 23 UNCH
460	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 498 UNCH
465	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 34 UNCH
470	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 57 UNCH
475	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 416 UNCH
480	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 1301 UNCH
485	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 85 UNCH
490	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 268 UNCH
495	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 90 UNCH
500	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 1752 UNCH
505	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 175 UNCH
510	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 388 UNCH
514	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	----	---- 43 UNCH
515	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 153 UNCH
516	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 74 UNCH
517	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 108 UNCH
518	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 117 UNCH
519	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 88 UNCH
520	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 1170 UNCH
521	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 67 UNCH
522	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 52 UNCH
523	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 23 UNCH
524	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 20 UNCH
525	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	---- 329 UNCH
526	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 19 UNCH
527	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	----	---- 17 UNCH
528	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 12 UNCH
529	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 6 UNCH
530	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	----	---- 590 UNCH
531	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 24 UNCH
532	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 11 UNCH
533	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 7 UNCH
534	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 9 UNCH
535	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	----	---- 200 UNCH
536	----	----	----	----/*0.0015A	----	0.0005	UNCH	----	----	----	----	---- 12 UNCH
537	----	----	----	----/*0.0015A	----	0.0005	UNCH	----	----	----	----	---- 9 UNCH
538	----	----	----	----/*0.0015A	----	0.0005	UNCH	----	----	----	----	---- 10 UNCH
539	----	----	----	----/*0.0015A	----	0.0005	UNCH	----	----	----	----	---- 11 UNCH
540	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	1	---- 314 - 1
541	----	----	----	----/*0.0010A	----	0.0005	UNCH	----	----	----	----	---- 10 UNCH
542	----	----	----	----/*0.0015A	----	0.0005	UNCH	----	----	----	----	---- 8 UNCH
543	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 1 UNCH
544	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	---- 1 UNCH
545	----	----	----	----/0.0015A	----	0.0005	UNCH	.0000	----	----	----	---- 156 UNCH
546	----	----	----	----/*0.0010A	----	0.0005	UNCH	.0000	----	----	----	---- 10 UNCH
547	----	----	----	----/*0.0015A	----	0.0005	UNCH	.0000	----	----	----	---- 7 UNCH
548	----	----	----	----/*0.0010A	----	0.0005	UNCH	.0000	----	----	----	---- 55 UNCH
549	----	----	----	----/*0.0010A	----	0.0005	UNCH	.0000	----	----	----	---- 12 UNCH
550	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	----	0.0005	UNCH	.0000	----	----	2	---- 1709 - 2
551	----	----	----	----/*0.0010A	----	0.0005	UNCH	.0000	----	----	----	---- 36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
552	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	16 UNCH
553	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0000	----	----	----	----	18 UNCH
554	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0001	----	----	----	----	19 UNCH
555	----	----	----/*0.0005A	----/*0.0005A	----	0.0005 - 0.0005	.0001	----	----	----	----	136 UNCH
556	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0001	----	----	----	----	12 UNCH
557	----	----	0.0015B/----	0.0015B/*0.0010	----	0.0005 - 0.0005	.0002	----	----	----	----	21 UNCH
558	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0003	----	----	----	----	74 UNCH
559	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0003	----	----	----	----	14 UNCH
560	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0005	----	----	----	----	592 UNCH
561	----	----	----	----/*0.0015A	----	0.0005 - 0.0005	.0006	----	----	----	----	20 UNCH
562	----	----	----	----/*0.0020A	----	0.0005 - 0.0005	.0008	----	----	----	----	17 UNCH
563	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0010	----	----	----	----	40 UNCH
564	----	----	----	----/*0.0025A	----	0.0005 - 0.0010	.0013	----	----	----	----	9 UNCH
565	0.0010	0.0010	0.0010/*0.0005	0.0010/*0.0005	----	0.0005 - 0.0010	.0016	----	----	9	----	225 UNCH
566	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0020	----	----	----	----	7 UNCH
567	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0025	----	----	----	----	10 UNCH
568	----	----	----	----/*0.0025A	----	0.0005 - 0.0010	.0032	----	----	----	----	56 UNCH
569	----	----	----	----/*0.0020A	----	0.0005 - 0.0015	.0039	----	----	----	----	98 UNCH
570	----	----	----	----/*0.0020A	----	0.0010 - 0.0010	.0078	----	----	----	----	703 UNCH
571	----	----	----	----/0.0025A	----	0.0010 - 0.0010	.0080	----	----	----	----	9 UNCH
572	----	----	----	----/0.0025A	----	0.0010 - 0.0010	.0082	----	----	----	----	14 UNCH
573	----	----	----	----/0.0025A	----	0.0010 - 0.0015	.0084	----	----	----	----	12 UNCH
574	----	----	----	----/*0.0025A	----	0.0010 - 0.0015	.0087	----	----	----	----	9 UNCH
575	0.0010	0.0010	0.0020/*0.0010	0.0020/*0.0010	----	0.0015 - 0.0010	.0130	----	----	26	----	410 - 19
576	----	----	----/*0.0025A	----/*0.0025A	----	0.0015 - 0.0015	.0133	----	----	----	----	30 UNCH
577	----	----	----/*0.0020A	----/*0.0020A	----	0.0015 - 0.0015	.0137	----	----	1	----	71 - 1
578	----	----	----/*0.0020A	----/*0.0020A	----	0.0015 - 0.0015	.0142	----	----	----	----	33 UNCH
579	----	----	----/*0.0025A	0.0030B/*0.0025	----	0.0020 - 0.0015	.0189	----	----	----	----	15 UNCH
580	----	----	----/*0.0020A	0.0035B/*0.0020	----	0.0020 - 0.0015	.0195	----	----	1	----	314 - 1
581	0.0040	0.0040	0.0040/0.0025A	0.0040/0.0025A	----	0.0020 - 0.0020	.0201	----	----	3	----	35 UNCH
582	----	----	0.0045B/*0.0025	0.0045B/*0.0025	----	0.0025 - 0.0015	.0252	----	----	----	----	12 UNCH
583	----	----	0.0050B/*0.0025	0.0050B/*0.0025	----	0.0025 - 0.0020	.0261	----	----	----	----	9 UNCH
584	0.0035	0.0035	0.0060B/*0.0025	0.0060B/*0.0025	----	0.0030 - 0.0015	.0315	----	----	16	----	29 + 14
585	0.0040	0.0040	0.0075/*0.0030A	0.0075/*0.0030A	----	0.0030 - 0.0020	.0327	----	----	151	----	341 - 54
586	0.0050	0.0050	0.0075B/*0.0030	0.0075B/*0.0030	----	0.0030 - 0.0025	.0339	----	----	3	----	18 + 2
587	0.0055	0.0055	0.0085B/*0.0035	0.0085B/*0.0035	----	0.0030 - 0.0025	.0353	----	----	3	----	6 + 1
588	0.0045	0.0045	0.0100B/*0.0035	0.0100B/*0.0035	----	0.0035 - 0.0025	.0417	----	----	18	----	21 + 10
589	----	----	0.0110B/*0.0040	0.0110B/*0.0040	----	0.0035 - 0.0030	.0434	----	----	----	----	113 UNCH
590	0.0070	0.0070	0.0135B/*0.0045	0.0135B/*0.0045	----	0.0035 - 0.0035	.0454	----	----	196	----	678 + 72
591	0.0090	0.0090	0.0140B/*0.0045	0.0140B/*0.0045	----	0.0040 - 0.0040	.0527	----	----	25	----	30 + 19
592	0.0120	0.0120	0.0165B/*0.0055	0.0165B/*0.0055	----	0.0045 - 0.0040	.0605	----	----	8	----	97 + 4
593	0.0110	0.0110	0.0185/*0.0060A	0.0185/*0.0060A	----	0.0050 - 0.0045	.0687	----	----	30	----	32 + 27
594	0.0195	0.0195	0.0205B/*0.0065	0.0205B/*0.0065	----	0.0055 - 0.0050	.0775	----	----	6	----	27 + 2
595	0.0145	0.0145	0.0240B/*0.0075	0.0240B/*0.0075	----	0.0065 - 0.0050	.0920	----	----	50	----	225 + 39
596	0.0165	0.0165	0.0270/*0.0085A	0.0270/*0.0085A	----	0.0075 - 0.0050	.1071	----	----	10	----	26 + 9
597	0.0185	0.0185	0.0300B/*0.0095	0.0300B/*0.0095	----	0.0090 - 0.0050	.1274	----	----	40	----	38 + 21
598	0.0205	0.0205	0.0340B/*0.0115	0.0340B/*0.0115	----	0.0105 - 0.0050	.1484	----	----	13	----	14 + 13
599	0.0240	0.0240	0.0380B/*0.0130	0.0380B/*0.0130	----	0.0125 - 0.0045	.1741	----	----	35	----	43 + 32
600	0.0450	0.0450	0.0450/*0.0145	0.0450/*0.0145	----	0.0145 - 0.0045	.2003	----	----	352	400	1209 + 485
601	----	----	0.0470B/0.0175A	0.0470B/0.0175A	----	0.0170 - 0.0040	.2306	----	----	----	----	3 UNCH
602	----	----	0.0510B/0.0205A	0.0510B/0.0205A	----	0.0200 - 0.0030	.2642	----	----	----	----	3 UNCH
603	----	----	0.0560B/0.0230A	0.0560B/0.0230A	----	0.0235 - 0.0020	.3003	----	----	----	----	2 UNCH
604	0.0485	0.0485	0.0610B/0.0255A	0.0610B/0.0255A	----	0.0270 - 0.0015	.3364	----	----	1	----	16 UNCH
605	0.0345	0.0345	0.0680B/0.0290A	0.0680B/0.0290A	----	0.0310 - 0.0005	.3743	----	----	14	----	58 - 5
606	----	----	0.0740B/0.0320A	0.0740B/0.0320A	----	0.0355 + 0.0010	.4131	----	----	----	----	22 UNCH
607	----	----	0.0800B/0.0355A	0.0800B/0.0355A	----	0.0400 + 0.0020	.4518	----	----	1	----	22 UNCH
608	----	----	0.0875B/0.0395A	0.0875B/0.0395A	----	0.0455 + 0.0040	.4908	----	----	----	----	31 UNCH
609	----	----	0.0910B/0.0430A	0.0910B/0.0430A	----	0.0505 + 0.0050	.5293	----	----	----	----	3 UNCH
610	0.0590	0.0590	0.1015B/0.0460A	0.1015B/0.0460A	----	0.0565 + 0.0065	.5667	----	----	52	----	72 + 16
611	----	----	0.1095B/0.0515A	0.1095B/0.0515A	----	0.0625 + 0.0080	.6035	----	----	----	----	5 UNCH
612	----	----	0.1135B/0.0565A	0.1135B/0.0565A	----	0.0690 + 0.0095	.6385	----	----	1	----	4 UNCH
613	----	----	0.1220B/0.0605A	0.1220B/0.0605A	----	0.0755 + 0.0110	.6729	----	----	----	----	4 UNCH
615	----	----	0.1390B/*0.0705	0.1390B/*0.0705	----	0.0895 + 0.0140	.7366	----	----	----	----	1 UNCH
617	----	----	0.1560B/0.0860A	0.1560B/0.0860A	----	0.1050 + 0.0175	.7899	----	----	----	----	1 UNCH
619	----	----	0.1740B/0.0990A	0.1740B/0.0990A	----	0.1210 + 0.0205	.8377	----	----	----	----	1 UNCH
620	----	----	0.1835B/0.1055A	0.1835B/0.1055A	----	0.1295 + 0.0220	.8571	----	----	----	----	3 UNCH
629	----	----	0.2710B/----	0.2710B/0.2105A	----	0.2120 + 0.0340	.9577	----	----	----	----	90 UNCH
645	----	----	0.4285B/0.3200A	0.4285B/0.3200A	----	0.3690 + 0.0420	.9955	----	----	----	----	1 UNCH
TOTAL									400	1068		18475 + 683
JUN26												
330	----	----	----	----/0.0040A	----	0.0005 UNCH	.0004	----	----	----	----	8 UNCH
355	----	----	----	----/0.0040A	----	0.0010 - 0.0005	.0022	----	----	----	----	10 UNCH
370	----	----	----	----/0.0040A	----	0.0015 UNCH	.0033	----	----	----	----	1 UNCH
380	----	----	----	----/0.0045A	----	0.0015 - 0.0005	.0035	----	----	----	----	1 UNCH
400	----	----	----	----/0.0030A	----	0.0025 - 0.0005	.0059	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0035A	----	0.0025 - 0.0005	.0061	----	----	----	----	1 UNCH
410	----	----	----	----/*0.0035A	----	0.0025 - 0.0005	.0063	----	----	----	----	2 UNCH
420	----	----	----	----/0.0045A	----	0.0025 - 0.0005	.0066	----	----	----	----	3 UNCH
430	----	----	----	----/0.0045A	----	0.0025 - 0.0005	.0070	----	----	----	----	3 UNCH
435	----	----	----	----/*0.0055A	----	0.0030 - 0.0005	.0083	----	----	----	----	2 UNCH
440	----	----	----	----/0.0055A	----	0.0030 - 0.0005	.0086	----	----	----	----	8 UNCH
445	----	----	----	----/*0.0060A	----	0.0030 - 0.0010	.0088	----	----	----	----	8 UNCH
450	----	----	----	----/0.0065A	----	0.0035 - 0.0010	.0103	----	----	----	----	451 UNCH
455	----	----	----	----/0.0070A	----	0.0035 - 0.0010	.0106	----	----	----	----	42 UNCH
460	----	----	----	0.0005B/0.0075A	----	0.0045 - 0.0010	.0134	----	----	----	----	54 UNCH
465	----	----	----	0.0030B/0.0075A	----	0.0045 - 0.0010	.0138	----	----	----	----	884 UNCH
470	----	----	----	0.0010B/0.0080A	----	0.0045 - 0.0010	.0142	----	----	----	----	666 UNCH
475	----	----	----	0.0015B/0.0085A	----	0.0050 - 0.0010	.0160	----	----	----	----	155 UNCH
480	----	----	----	0.0045B/0.0090A	----	0.0055 - 0.0010	.0178	----	----	----	----	954 UNCH
485	----	----	----	0.0025B/0.0095A	----	0.0055 - 0.0015	.0184	----	----	----	----	60 UNCH
490	----	----	----	0.0030B/0.0100A	----	0.0060 - 0.0010	.0204	----	----	----	----	50 UNCH
495	----	----	----	0.0035B/0.0105A	----	0.0065 - 0.0010	.0225	----	----	----	----	35 UNCH
500	----	----	----	0.0040B/0.0080A	----	0.0065 - 0.0015	.0234	----	----	----	----	558 UNCH
505	----	----	----	0.0075B/*0.0085	----	0.0070 - 0.0015	.0257	----	----	----	----	522 UNCH
510	----	----	----	0.0080B/*0.0090	----	0.0080 - 0.0010	.0295	----	----	----	----	161 UNCH
515	0.0100	0.0100	0.0100/*0.0095A	0.0100/*0.0095A	----	0.0085 - 0.0015	.0321	----	----	3	----	35 + 2
520	----	----	----	0.0105B/*0.0105	----	0.0095 - 0.0010	.0363	----	----	1	----	152 UNCH
523	----	----	----/*0.0110A	0.0115B/*0.0110	----	0.0100 - 0.0015	.0387	----	----	----	----	4 UNCH
524	----	----	0.0120B/----	0.0120B/0.0115A	----	0.0105 - 0.0010	.0404	----	----	----	----	1 UNCH
525	----	----	----	0.0120B/0.0120A	----	0.0105 - 0.0015	.0408	----	----	----	----	2152 UNCH
526	----	----	0.0125B/----	0.0125B/*0.0120	----	0.0110 - 0.0010	.0425	----	----	----	----	2 UNCH
527	----	----	0.0130B/*0.0120	0.0130B/*0.0120	----	0.0110 - 0.0015	.0429	----	----	----	----	2 UNCH
528	----	----	0.0130B/----	0.0130B/*0.0125	----	0.0115 - 0.0010	.0447	----	----	----	----	3 UNCH
529	----	----	0.0135B/*0.0125	0.0135B/*0.0125	----	0.0115 - 0.0015	.0451	----	----	----	----	5 UNCH
530	----	----	0.0140B/----	0.0140B/*0.0130	----	0.0120 - 0.0010	.0469	----	----	----	----	130 UNCH
531	----	----	0.0145B/*0.0130	0.0145B/*0.0130	----	0.0125 - 0.0010	.0487	----	----	----	----	4 UNCH
532	----	----	0.0150B/*0.0135	0.0150B/*0.0135	----	0.0125 - 0.0015	.0491	----	----	----	----	2 UNCH
533	----	----	0.0150B/*0.0135	0.0150B/*0.0135	----	0.0130 - 0.0010	.0510	----	----	----	----	1 UNCH
534	----	----	0.0155B/*0.0140	0.0155B/*0.0140	----	0.0135 - 0.0010	.0528	----	----	----	----	3 UNCH
535	----	----	0.0160B/*0.0145	0.0160B/*0.0145	----	0.0140 - 0.0010	.0546	----	----	----	----	73 UNCH
536	----	----	0.0165B/*0.0145	0.0165B/*0.0145	----	0.0140 - 0.0010	.0552	----	----	----	----	1 UNCH
537	----	----	0.0170B/*0.0150	0.0170B/*0.0150	----	0.0145 - 0.0010	.0570	----	----	----	----	4 UNCH
538	----	----	0.0175B/*0.0155	0.0175B/*0.0155	----	0.0150 - 0.0010	.0589	----	----	----	----	5 UNCH
539	----	----	0.0180B/*0.0160	0.0180B/*0.0160	----	0.0155 - 0.0010	.0608	----	----	----	----	1 UNCH
540	0.0190	0.0190	0.0190/*0.0160A	0.0190/*0.0160A	----	0.0160 - 0.0010	.0628	----	----	3	----	123 + 3
542	----	----	0.0200B/*0.0170	0.0200B/*0.0170	----	0.0170 - 0.0010	.0667	----	----	----	----	4 UNCH
543	----	----	0.0205B/*0.0175	0.0205B/*0.0175	----	0.0175 - 0.0010	.0686	----	----	----	----	10 UNCH
544	----	----	0.0215B/*0.0180	0.0215B/*0.0180	----	0.0180 - 0.0010	.0706	----	----	----	----	2 UNCH
545	----	----	0.0220B/0.0190A	0.0220B/0.0190A	----	0.0185 - 0.0010	.0726	----	----	----	----	58 UNCH
546	----	----	0.0230B/*0.0190	0.0230B/*0.0190	----	0.0195 - 0.0005	.0759	----	----	----	----	1 UNCH
547	----	----	0.0235B/0.0200A	0.0235B/0.0200A	----	0.0200 - 0.0005	.0780	----	----	----	----	4 UNCH
548	----	----	0.0245B/0.0205A	0.0245B/0.0205A	----	0.0205 - 0.0010	.0801	----	----	----	----	4 UNCH
550	----	----	0.0260B/*0.0215	0.0260B/*0.0215	----	0.0220 - 0.0005	.0855	----	----	2	----	592 + 2
551	0.0260	0.0260	0.0270B/0.0225A	0.0270B/0.0225A	----	0.0225 - 0.0005	.0876	----	----	25	----	85 - 8
552	----	----	0.0280B/0.0230A	0.0280B/0.0230A	----	0.0235 - 0.0005	.0910	----	----	----	----	1 UNCH
553	----	----	0.0290B/0.0240A	0.0290B/0.0240A	----	0.0240 - 0.0005	.0932	----	----	----	----	2 UNCH
554	----	----	0.0300B/0.0245A	0.0300B/0.0245A	----	0.0250 - 0.0005	.0966	----	----	----	----	2 UNCH
555	----	----	0.0310B/*0.0250	0.0310B/*0.0250	----	0.0260 UNCH	.1001	----	----	----	----	34 UNCH
556	----	----	0.0325B/0.0265A	0.0325B/0.0265A	----	0.0265 - 0.0005	.1024	----	----	----	----	8 UNCH
557	----	----	0.0335B/0.0270A	0.0335B/0.0270A	----	0.0275 - 0.0005	.1058	----	----	----	----	62 UNCH
559	----	----	0.0360B/0.0290A	0.0360B/0.0290A	----	0.0295 UNCH	.1129	----	----	1	----	5 - 1
560	0.0300	0.0300	0.0375B/0.0295A	0.0375B/0.0295A	----	0.0305 UNCH	.1164	----	----	42	----	445 + 40
561	----	----	0.0385B/0.0305A	0.0385B/0.0305A	----	0.0315 UNCH	.1200	----	----	----	----	3 UNCH
562	----	----	0.0400B/0.0315A	0.0400B/0.0315A	----	0.0330 + 0.0005	.1246	----	----	----	----	5 UNCH
565	0.0415	0.0415	0.0450B/*0.0345	0.0450B/*0.0345	----	0.0365 + 0.0005	.1366	----	----	2	----	224 UNCH
566	----	----	0.0465B/0.0360A	0.0465B/0.0360A	----	0.0380 + 0.0005	.1414	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
567	----	----	0.0480B/0.0370A	0.0480B/0.0370A	----	0.0395 + 0.0010	.1461	----	----	----	----	12 UNCH
568	----	----	0.0505B/----	0.0505B/0.0400A	----	0.0410 + 0.0010	.1509	----	----	----	----	1 UNCH
569	----	----	0.0525B/----	0.0525B/0.0410A	----	0.0425 + 0.0015	.1556	----	----	----	----	2 UNCH
570	----	----	0.0545B/----	0.0545B/0.0425A	----	0.0440 + 0.0015	.1604	----	----	5	----	46 + 2
571	----	----	0.0565B/----	0.0565B/0.0445A	----	0.0455 + 0.0015	.1653	----	----	----	----	7 UNCH
572	----	----	0.0585B/----	0.0585B/0.0455A	----	0.0470 + 0.0015	.1701	----	----	----	----	1 UNCH
573	----	----	0.0610B/----	0.0610B/0.0470A	----	0.0490 + 0.0020	.1759	----	----	----	----	2 UNCH
574	----	----	0.0630B/0.0485A	0.0630B/0.0485A	----	0.0510 + 0.0020	.1817	----	----	----	----	2 UNCH
575	----	----	0.0655B/0.0500A	0.0655B/0.0500A	----	0.0525 + 0.0020	.1867	----	----	1	----	82 + 1
576	----	----	0.0680B/0.0515A	0.0680B/0.0515A	----	0.0545 + 0.0020	.1925	----	----	----	----	3 UNCH
577	----	----	0.0700B/0.0535A	0.0700B/0.0535A	----	0.0565 + 0.0025	.1983	----	----	----	----	2 UNCH
578	----	----	0.0725B/0.0555A	0.0725B/0.0555A	----	0.0590 + 0.0030	.2050	----	----	----	----	2 UNCH
579	----	----	0.0755B/0.0570A	0.0755B/0.0570A	----	0.0610 + 0.0030	.2109	----	----	----	----	2 UNCH
580	0.0670	0.0670	0.0790B/0.0590A	0.0790B/0.0590A	----	0.0635 + 0.0035	.2175	----	----	51	----	387 + 46
581	----	----	0.0810B/0.0610A	0.0810B/0.0610A	----	0.0655 + 0.0035	.2234	----	----	----	----	4 UNCH
582	0.0710	0.0710	0.0840B/0.0630A	0.0840B/0.0630A	----	0.0680 + 0.0040	.2301	----	----	3	----	4 UNCH
583	0.0735	0.0735	0.0870B/0.0655A	0.0870B/0.0655A	----	0.0705 + 0.0040	.2368	----	----	3	----	9 + 3
584	----	----	0.0905B/0.0675A	0.0905B/0.0675A	----	0.0730 + 0.0045	.2434	----	----	----	----	10 UNCH
585	----	----	0.0930B/0.0695A	0.0930B/0.0695A	----	0.0755 + 0.0045	.2502	----	----	----	----	26 UNCH
586	----	----	0.0965B/0.0720A	0.0965B/0.0720A	----	0.0785 + 0.0050	.2575	----	----	----	----	1 UNCH
588	----	----	0.1035B/0.0770A	0.1035B/0.0770A	----	0.0840 + 0.0055	.2716	----	----	----	----	2 UNCH
590	0.1000	0.1000	0.1100B/0.0820A	0.1100B/0.0820A	----	0.0900 + 0.0060	.2863	----	----	6	----	30 + 4
591	----	----	0.1140B/0.0845A	0.1140B/0.0845A	----	0.0935 + 0.0065	.2942	----	----	----	----	1 UNCH
593	0.1030	0.1030	0.1215B/0.0905A	0.1215B/0.0905A	----	0.1000 NEW	.3094	----	----	1	----	1 + 1
594	----	----	0.1255B/0.0935A	0.1255B/0.0935A	----	0.1035 + 0.0075	.3172	----	----	1	----	6 UNCH
595	----	----	0.1295B/0.0970A	0.1295B/0.0970A	----	0.1070 + 0.0080	.3251	----	----	----	----	6 UNCH
596	----	----	0.1345B/0.1000A	0.1345B/0.1000A	----	0.1105 + 0.0085	.3329	----	----	----	----	11 UNCH
597	----	----	0.1380B/0.1035A	0.1380B/0.1035A	----	0.1140 + 0.0085	.3408	----	----	----	----	4 UNCH
598	----	----	0.1430B/0.1060A	0.1430B/0.1060A	----	0.1180 + 0.0090	.3490	----	----	----	----	7 UNCH
599	----	----	0.1460B/0.1105A	0.1460B/0.1105A	----	0.1215 + 0.0090	.3569	----	----	----	----	16 UNCH
600	----	----	0.1505B/0.1130A	0.1505B/0.1130A	----	0.1255 + 0.0095	.3651	----	----	3	----	60 + 1
601	----	----	0.1560B/0.1175A	0.1560B/0.1175A	----	0.1300 + 0.0100	.3735	----	----	----	----	5 UNCH
602	----	----	0.1605B/0.1225A	0.1605B/0.1225A	----	0.1340 + 0.0105	.3817	----	----	----	----	8 UNCH
603	----	----	0.1645B/0.1250A	0.1645B/0.1250A	----	0.1380 + 0.0105	.3899	----	----	----	----	7 UNCH
604	0.1670	0.1670	0.1705B/0.1280A	0.1705B/0.1280A	----	0.1425 + 0.0110	.3983	----	----	1	----	7 + 1
605	0.1720	0.1720	0.1755B/0.1340A	0.1755B/0.1340A	----	0.1470 + 0.0115	.4067	----	----	3	----	59 UNCH
606	0.1770	0.1770	0.1805B/0.1380A	0.1805B/0.1380A	----	0.1515 + 0.0120	.4151	----	----	4	----	12 + 4
607	0.1830	0.1830	0.1855B/0.1420A	0.1855B/0.1420A	----	0.1560 + 0.0120	.4234	----	----	1	----	77 + 1
608	0.1795	0.1795	0.1905B/0.1465A	0.1905B/0.1465A	----	0.1610 + 0.0130	.4319	----	----	2	----	43 + 2
609	0.1745	0.1745	0.1960B/0.1510A	0.1960B/0.1510A	----	0.1655 + 0.0130	.4403	----	----	35	----	37 + 32
610	0.1745	0.1745	0.2020B/0.1555A	0.2020B/0.1555A	----	0.1705 + 0.0135	.4487	----	----	5	----	41 + 4
611	0.1770	0.1770	0.2075B/0.1595A	0.2075B/0.1595A	----	0.1755 + 0.0140	.4572	----	----	7	----	12 + 7
612	0.1835	0.1835	0.2130B/0.1645A	0.2130B/0.1645A	----	0.1805 + 0.0140	.4656	----	----	4	----	9 + 4
613	0.1765	0.1765	0.2185B/0.1675A	0.2185B/0.1675A	----	0.1855 + 0.0145	.4740	----	----	6	----	8 + 6
614	0.1810	0.1810	0.2245B/0.1740A	0.2245B/0.1740A	----	0.1910 NEW	.4824	----	----	5	----	5 + 5
615	0.1860	0.1860	0.2305B/0.1785A	0.2305B/0.1785A	----	0.1965 + 0.0155	.4907	----	----	2	----	37 + 2
616	0.1865	0.1865	0.2350B/0.1840A	0.2350B/0.1840A	----	0.2020 + 0.0160	.4991	----	----	7	----	15 + 7
617	0.1990	0.1990	0.2400B/0.1890A	0.2400B/0.1890A	----	0.2075 + 0.0165	.5074	----	----	4	----	25 + 2
618	0.2030	0.2030	0.2460B/0.1935A	0.2460B/0.1935A	----	0.2130 + 0.0165	.5157	----	----	1	----	12 + 1
619	0.2020	0.2020	0.2520B/0.1975A	0.2520B/0.1975A	----	0.2185 + 0.0170	.5238	----	----	3	----	13 + 3
620	0.2060	0.2060	0.2590B/0.2045A	0.2590B/0.2045A	----	0.2245 + 0.0175	.5321	----	----	4	----	13 + 1
621	0.2115	0.2115	0.2655B/0.2075A	0.2655B/0.2075A	----	0.2305 + 0.0180	.5402	----	----	2	----	6 + 1
622	0.2185	0.2185	0.2725B/0.2145A	0.2725B/0.2145A	----	0.2365 NEW	.5483	----	----	1	----	1 + 1
623	----	----	0.2750B/0.2200A	0.2750B/0.2200A	----	0.2425 + 0.0185	.5564	----	----	----	----	2 UNCH
630	----	----	0.3235B/0.2600A	0.3235B/0.2600A	----	0.2870 + 0.0210	.6106	----	----	----	----	9 UNCH
640	----	----	0.3960B/0.3310A	0.3960B/0.3310A	----	0.3570 + 0.0240	.6811	----	----	----	----	2 UNCH
645	----	----	0.4360B/0.3655A	0.4360B/0.3655A	----	0.3945 + 0.0255	.7131	----	----	----	----	1 UNCH
650	----	----	0.4735B/0.4025A	0.4735B/0.4025A	----	0.4335 + 0.0265	.7427	----	----	----	----	3 UNCH
655	----	----	0.5160B/0.4405A	0.5160B/0.4405A	----	0.4740 + 0.0280	.7696	----	----	----	----	10 UNCH
700	----	----	0.9015B/----	0.9015B/0.8555A	----	0.8775 + 0.0375	.9164	----	----	----	----	1 UNCH
TOTAL										250		10128 + 180
JUL26												
330	----	----	----	----/0.0070A	----	0.0005 UNCH	.0009	----	----	----	----	80 UNCH
350	----	----	----	----/0.0075A	----	0.0010 UNCH	.0023	----	----	----	----	5 UNCH
380	----	----	----	----/0.0085A	----	0.0020 + 0.0005	.0047	----	----	----	----	2 UNCH
390	----	----	----	----/0.0090A	----	0.0030 + 0.0010	.0069	----	----	----	----	6 UNCH
395	----	----	----	----/0.0095A	----	0.0030 + 0.0005	.0070	----	----	----	----	1 UNCH
400	----	----	----	0.0010B/0.0040A	----	0.0035 + 0.0005	.0082	----	----	----	----	586 UNCH
405	----	----	----	0.0010B/0.0085A	----	0.0040 + 0.0010	.0093	----	----	----	----	1 UNCH
415	----	----	----	0.0015B/0.0060A	----	0.0045 + 0.0005	.0107	----	----	----	----	53 UNCH
420	----	----	----	0.0020B/0.0065A	----	0.0050 + 0.0010	.0120	----	----	----	----	4 UNCH
425	----	----	----	0.0025B/0.0100A	----	0.0060 + 0.0015	.0141	----	----	----	----	33 UNCH
430	----	----	----	0.0030B/0.0080A	----	0.0065 + 0.0015	.0154	----	----	----	----	8 UNCH
435	----	----	----	0.0050B/0.0110A	----	0.0070 + 0.0015	.0168	----	----	----	----	5 UNCH
440	----	----	----	0.0055B/0.0120A	----	0.0080 + 0.0020	.0191	----	----	----	----	4 UNCH
445	----	----	----	0.0045B/0.0125A	----	0.0085 + 0.0015	.0205	----	----	----	----	3 UNCH
450	----	----	----	0.0060B/0.0125A	----	0.0095 + 0.0020	.0229	----	----	----	----	1921 UNCH
455	----	----	----	0.0060B/0.0100A	----	0.0100 + 0.0015	.0245	----	----	----	----	9 UNCH
460	----	----	----	0.0065B/0.0110A	----	0.0110 + 0.0020	.0270	----	----	----	----	6 UNCH
470	----	----	----	0.0080B/0.0155A	----	0.0125 + 0.0015	.0315	----	----	----	----	2 UNCH
475	----	----	----	0.0110B/*0.0145	----	0.0130 + 0.0010	.0334	----	----	1	----	512 UNCH
480	----	----	----	0.0120B/*0.0150	----	0.0140 + 0.0010	.0364	----	----	----	----	70 UNCH
485	----	----	----	0.0135B/*0.0160	----	0.0155 + 0.0015	.0403	----	----	----	----	1 UNCH
490	----	----	0.0155B/----	0.0155B/*0.0170	----	0.0165 + 0.0015	.0435	----	----	----	----	545 UNCH
495	----	----	----	0.0165B/*0.0185	----	0.0180 + 0.0015	.0478	----	----	----	----	96 UNCH
500	----	----	0.0190B/----	0.0190B/*0.0200	----	0.0200 + 0.0020	.0531	----	----	----	----	2665 UNCH
505	----	----	0.0210B/----	0.0210B/0.0220A	----	0.0220 + 0.0020	.0587	----	----	----	----	2 UNCH
510	----	----	0.0240B/----	0.0240B/0.0235A	----	0.0240 + 0.0020	.0644	----	----	----	----	203 UNCH
515	----	----	0.0270B/----	0.0270B/0.0270A	----	0.0265 + 0.0025	.0712	----	----	----	----	1 UNCH
520	----	----	0.0315B/----	0.0315B/0.0300A	----	0.0300 + 0.0030	.0800	----	----	----	----	329 UNCH
525	----	----	0.0360B/----	0.0360B/0.0335A	----	0.0335 + 0.0035	.0890	----	----	----	----	524 UNCH
530	----	----	0.0410B/----	0.0410B/0.0370A	----	0.0375 + 0.0035	.0991	----	----	6	----	3228 UNCH
533	----	----	0.0445B/----	0.0445B/0.0400A	----	0.0405 + 0.0040	.1063	----	----	----	----	1 UNCH
534	----	----	0.0455B/----	0.0455B/0.0410A	----	0.0415 + 0.0040	.1087	----	----	----	----	2 UNCH
535	----	----	0.0465B/----	0.0465B/0.0425A	----	0.0425 + 0.0040	.1111	----	----	----	----	2 UNCH
539	----	----	0.0520B/----	0.0520B/0.0465A	----	0.0470 + 0.0045	.1216	----	----	----	----	2 UNCH
540	----	----	0.0535B/----	0.0535B/0.0480A	----	0.0485 + 0.0045	.1248	----	----	5	----	868 - 5
541	----	----	0.0550B/----	0.0550B/0.0490A	----	0.0495 + 0.0045	.1273	----	----	----	----	1 UNCH
542	----	----	0.0565B/----	0.0565B/0.0505A	----	0.0510 + 0.0050	.1305	----	----	----	----	2 UNCH
543	----	----	0.0580B/----	0.0580B/0.0515A	----	0.0525 + 0.0050	.1337	----	----	----	----	3 UNCH
545	----	----	0.0610B/----	0.0610B/0.0545A	----	0.0550 + 0.0050	.1395	----	----	----	----	4 UNCH
548	----	----	0.0660B/----	0.0660B/0.0585A	----	0.0595 + 0.0050	.1492	----	----	----	----	1 UNCH
550	0.0625	0.0625	0.0705B/0.0625	0.0705B/0.0610A	----	0.0625 + 0.0050	.1558	----	----	53	----	920 + 22
552	----	----	0.0740B/----	0.0740B/0.0640A	----	0.0660 + 0.0055	.1630	----	----	----	----	2 UNCH
554	----	----	0.0780B/----	0.0780B/0.0675A	----	0.0695 + 0.0055	.1702	----	----	----	----	10 UNCH
555	----	----	0.0795B/----	0.0795B/0.0690A	----	0.0715 + 0.0055	.1742	----	----	1	----	54 UNCH
556	----	----	0.0815B/----	0.0815B/0.0705A	----	0.0730 + 0.0050	.1775	----	----	----	----	1 UNCH
559	----	----	0.0885B/----	0.0885B/0.0760A	----	0.0785 + 0.0050	.1889	----	----	----	----	1 UNCH
560	0.0900	0.0900	0.0925B/0.0900	0.0925B/0.0780A	----	0.0805 + 0.0050	.1929	----	----	12	----	175 + 12
561	----	----	0.0935B/----	0.0935B/0.0795A	----	0.0825 + 0.0050	.1969	----	----	----	----	3 UNCH
563	----	----	0.0985B/----	0.0985B/0.0830A	----	0.0870 + 0.0050	.2054	----	----	----	----	12 UNCH
565	----	----	0.1040B/----	0.1040B/0.0870A	----	0.0915 + 0.0050	.2140	----	----	----	----	9 UNCH
567	----	----	0.1090B/----	0.1090B/0.0915A	----	0.0960 + 0.0050	.2226	----	----	----	----	1 UNCH
570	0.1130	0.1130	0.1190B/0.1055	0.1190B/0.0985A	----	0.1035 + 0.0055	.2363	----	----	4	----	95 + 1
571	----	----	0.1210B/----	0.1210B/0.1020A	----	0.1065 + 0.0060	.2413	----	----	----	----	17 UNCH
572	----	----	0.1240B/----	0.1240B/0.1045A	----	0.1090 + 0.0060	.2458	----	----	----	----	3 UNCH
574	----	----	0.1310B/----	0.1310B/0.1095A	----	0.1150 + 0.0070	.2558	----	----	----	----	5 UNCH
575	----	----	0.1360B/----	0.1360B/0.1125A	----	0.1180 + 0.0070	.2608	----	----	----	----	204 UNCH
580	0.1360	0.1360	0.1535B/0.1360	0.1535B/0.1265A	----	0.1340 + 0.0090	.2865	----	----	10	----	1789 + 10
585	----	----	0.1695B/----	0.1695B/0.1420A	----	0.1510 + 0.0100	.3128	----	----	1	----	27 + 1
586	0.1545	0.1545	0.1740B/0.1545	0.1740B/0.1460A	----	0.1545 + 0.0100	.3181	----	----	7	----	7 UNCH
587	0.1675	0.1675	0.1780B/0.1675	0.1780B/0.1485A	----	0.1580 + 0.0105	.3234	----	----	7	----	7 UNCH
588	----	----	0.1825B/----	0.1825B/0.1520A	----	0.1615 + 0.0105	.3288	----	----	----	----	2 UNCH
589	----	----	0.1860B/----	0.1860B/0.1555A	----	0.1655 + 0.0110	.3343	----	----	----	----	7 UNCH
590	----	----	0.1935B/----	0.1935B/0.1590A	----	0.1690 + 0.0105	.3397	----	----	1	----	532 + 1
595	0.1990	0.1990	0.2135B/0.1990	0.2135B/0.1785A	----	0.1895 + 0.0120	.3676	----	----	5	----	40 + 5
600	----	----	0.2395B/----	0.2395B/0.1980A	----	0.2120 + 0.0140	.3961	----	----	82	----	189 + 53
605	----	----	0.2630B/0.2200A	0.2630B/0.2200A	----	0.2365 + 0.0160	.4246	----	----	----	----	64 UNCH
610	----	----	0.2900B/0.2435A	0.2900B/0.2435A	----	0.2615 + 0.0170	.4530	----	----	----	----	58 UNCH
615	----	----	0.3170B/0.2690A	0.3170B/0.2690A	----	0.2885 + 0.0185	.4811	----	----	----	----	16 UNCH
700	----	----	----	----	----	0.9220 + 0.0340	.8308	----	----	----	----	1 UNCH
705	----	----	----	----	----	0.9670 + 0.0350	.8420	----	----	----	----	1 UNCH
TOTAL										195		16043 + 100
AUG26												
405	----	----	----	0.0030B/0.0170A	----	0.0080 - 0.0010	.0156	----	----	----	----	3 UNCH
420	----	----	----	0.0045B/0.0185A	----	0.0095 - 0.0010	.0192	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
AUG26												
440	----	----	----	0.0075B/0.0215A	----	0.0120 - 0.0010	.0252	----	----	----	----	11 UNCH
450	----	----	----	0.0125B/0.0205A	----	0.0135 - 0.0015	.0290	----	----	----	----	6 UNCH
475	----	----	----	0.0195B/0.0255A	----	0.0195 - 0.0015	.0432	----	----	----	----	4 UNCH
480	----	----	----	0.0215B/0.0275A	----	0.0210 - 0.0020	.0468	----	----	----	----	4 UNCH
500	----	----	0.0335B/----	0.0335B/0.0375A	----	0.0315 - 0.0015	.0691	----	----	----	----	2 UNCH
510	----	----	0.0420B/----	0.0420B/0.0445A	----	0.0395 - 0.0005	.0849	----	----	----	----	1 UNCH
520	----	----	0.0525B/----	0.0525B/0.0530A	----	0.0490 UNCH	.1032	----	----	----	----	300 UNCH
530	----	----	0.0660B/----	0.0660B/0.0645A	----	0.0610 + 0.0010	.1252	----	----	----	----	1 UNCH
550	----	----	0.1035B/----	0.1035B/0.0945A	----	0.0940 + 0.0025	.1806	----	----	----	----	2 UNCH
565	----	----	0.1425B/----	0.1425B/0.1275A	----	0.1285 + 0.0035	.2324	----	----	----	----	1 UNCH
575	----	----	0.1740B/----	0.1740B/0.1550A	----	0.1565 + 0.0040	.2710	----	----	----	----	1 UNCH
580	----	----	0.1935B/----	0.1935B/0.1705A	----	0.1725 + 0.0040	.2916	----	----	----	----	250 UNCH
585	----	----	0.2110B/----	0.2110B/0.1870A	----	0.1900 + 0.0050	.3130	----	----	----	----	7 UNCH
590	----	----	0.2315B/----	0.2315B/0.2045A	----	0.2080 + 0.0045	.3347	----	----	----	----	14 UNCH
625	----	----	0.4130B/0.3645A	0.4130B/0.3645A	----	0.3735 + 0.0070	.4947	----	----	----	----	5 UNCH
TOTAL												613
SEP26												
400	----	----	----	0.0060B/0.0215A	----	0.0150 + 0.0025	.0243	----	----	----	----	1 UNCH
450	0.0240	0.0240	0.0250/0.0240	0.0250/0.0240	----	0.0300 + 0.0055	.0502	----	----	66	----	638 + 2
470	----	----	----	0.0285B/0.0355A	----	0.0360 + 0.0045	.0629	----	----	----	----	3 UNCH
475	----	----	----	0.0315B/0.0385A	----	0.0380 + 0.0040	.0670	----	----	----	----	72 UNCH
480	----	----	----	0.0350B/0.0415A	----	0.0405 + 0.0045	.0717	----	----	----	----	7 UNCH
485	----	----	----	0.0385B/0.0445A	----	0.0430 + 0.0040	.0765	----	----	----	----	1 UNCH
490	----	----	----	0.0380B/0.0515A	----	0.0460 + 0.0040	.0821	----	----	----	----	9 UNCH
500	----	----	0.0505B/----	0.0505B/0.0600A	----	0.0530 + 0.0030	.0948	----	----	----	----	377 UNCH
520	----	----	0.0735B/----	0.0735B/0.0820A	----	0.0750 + 0.0025	.1304	----	----	----	----	3 UNCH
525	----	----	0.0820B/----	0.0820B/0.0890A	----	0.0820 + 0.0020	.1412	----	----	----	----	325 UNCH
535	----	----	0.1040B/----	0.1040B/0.1050A	----	0.0990 + 0.0025	.1656	----	----	----	----	350 UNCH
540	----	----	0.1165B/----	0.1165B/0.1120A	----	0.1090 + 0.0030	.1792	----	----	----	----	1 UNCH
550	----	----	0.1420B/----	0.1420B/0.1330A	----	0.1310 + 0.0035	.2082	----	----	----	----	20 UNCH
560	----	----	0.1700B/----	0.1700B/0.1570A	----	0.1565 + 0.0040	.2398	----	----	----	----	6 UNCH
570	----	----	0.2020B/----	0.2020B/0.1855A	----	0.1855 + 0.0045	.2738	----	----	----	----	3 UNCH
575	----	----	0.2215B/----	0.2215B/0.2010A	----	0.2020 + 0.0050	.2919	----	----	----	----	102 UNCH
580	----	----	0.2415B/----	0.2415B/0.2185A	----	0.2190 + 0.0055	.3102	----	----	----	----	552 UNCH
590	----	----	0.2835B/----	0.2835B/0.2555A	----	0.2575 + 0.0065	.3484	----	----	----	64	222 + 64
600	----	----	0.3300B/----	0.3300B/0.2970A	----	0.3005 + 0.0065	.3877	----	----	----	----	9 UNCH
610	----	----	0.3810B/----	0.3810B/0.3430A	----	0.3485 + 0.0065	.4276	----	----	----	----	6 UNCH
615	----	----	0.4075B/----	0.4075B/0.3680A	----	0.3740 + 0.0065	.4476	----	----	----	----	1 UNCH
620	----	----	0.4370B/0.3935A	0.4370B/0.3935A	----	0.4005 + 0.0065	.4674	----	----	----	----	1 UNCH
625	----	----	0.4665B/0.4205A	0.4665B/0.4205A	----	0.4280 + 0.0070	.4871	----	----	----	----	147 UNCH
695	----	----	0.9650B/0.8960A	0.9650B/0.8960A	----	0.9170 + 0.0195	.7166	----	----	----	----	2 UNCH
TOTAL									64	66		2858 + 66
OCT26												
375	----	----	----	0.0035B/0.0230A	----	0.0115 - 0.0010	.0174	----	----	----	----	2 UNCH
400	----	----	----	0.0075B/0.0270A	----	0.0145 - 0.0015	.0230	----	----	----	----	1 UNCH
450	----	----	----	0.0240B/0.0375A	----	0.0255 - 0.0020	.0434	----	----	----	----	1 UNCH
470	----	----	----	0.0355B/0.0480A	----	0.0340 - 0.0030	.0582	----	----	----	----	1 UNCH
475	----	----	----	0.0345B/0.0530A	----	0.0370 - 0.0030	.0631	----	----	----	----	2 UNCH
500	----	----	----	0.0585B/0.0750A	----	0.0575 - 0.0035	.0949	----	----	----	----	61 UNCH
570	----	----	0.2125B/----	0.2125B/0.2115A	----	0.2010 + 0.0010	.2639	----	----	----	----	4 UNCH
TOTAL												72
NOV26												
400	----	----	----	0.0075B/0.0350A	----	0.0255 + 0.0060	.0342	----	----	----	----	10 UNCH
475	----	----	----	0.0470B/0.0690A	----	0.0685 + 0.0145	.0914	----	----	----	----	2 UNCH
590	----	----	0.3375B/----	0.3375B/0.3270A	----	0.3485 + 0.0325	.3435	----	----	----	----	1 UNCH
735	----	----	1.2905B/----	1.2905B/1.2345A	----	1.2840 + 0.0530	.7138	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	----	----	----	0.0045B/0.0370A	----	0.0165 - 0.0035	.0232	----	----	----	----	2 UNCH
385	----	----	----	0.0050B/0.0380A	----	0.0175 - 0.0035	.0247	----	----	----	----	1 UNCH
395	----	----	----	0.0075B/0.0405A	----	0.0195 - 0.0035	.0279	----	----	----	----	1 UNCH
400	----	----	----	0.0085B/0.0415A	----	0.0205 - 0.0035	.0295	----	----	----	----	18 UNCH
420	----	----	----	0.0150B/0.0475A	----	0.0250 - 0.0045	.0371	----	----	----	----	2 UNCH
475	----	----	----	0.0560B/0.0835A	----	0.0545 - 0.0075	.0801	----	----	----	----	76 UNCH
480	----	----	----	0.0620B/0.0885A	----	0.0595 - 0.0080	.0866	----	----	----	----	15 UNCH
490	----	----	----	0.0755B/0.1005A	----	0.0710 - 0.0085	.1011	----	----	----	----	5 UNCH
500	----	----	----	0.0915B/0.1145A	----	0.0855 - 0.0090	.1181	----	----	----	----	53 UNCH
550	----	----	0.2145B/----	0.2145B/0.2230A	----	0.1990 - 0.0095	.2304	----	----	----	----	153 UNCH
560	----	----	0.2485B/----	0.2485B/0.2540A	----	0.2315 - 0.0080	.2574	----	----	----	----	300 UNCH
570	----	----	0.2860B/----	0.2860B/0.2880A	----	0.2675 - 0.0055	.2855	----	----	----	----	1 UNCH
580	----	----	0.3270B/----	0.3270B/0.3250A	----	0.3065 - 0.0035	.3143	----	----	----	----	22 UNCH
600	----	----	0.4175B/----	0.4175B/0.4100A	----	0.3945 UNCH	.3730	----	----	----	----	26 UNCH
630	----	----	0.5780B/----	0.5780B/0.5605A	----	0.5470 + 0.0005	.4617	----	----	----	----	18 UNCH
TOTAL												693
JAN27												
400	----	----	----	----	----	0.0225 + 0.0010	.0305	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0280 + 0.0015	.0355	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0155 + 0.0005	.0140	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	0.5555B/0.4425A	0.5555B/0.4425A	----	0.5020 - 0.0470	.0000	----	----	----	----	11 UNCH
580	----	----	0.3360B/0.2240A	0.3360B/0.2240A	----	0.2820 - 0.0470	.0000	----	----	----	----	2 UNCH
590	----	----	0.2370B/0.1280A	0.2370B/0.1280A	----	0.1820 - 0.0485	.9992	----	----	----	----	0 UNCH
595	----	----	0.1890B/0.0850A	0.1890B/0.0850A	----	0.1335 - 0.0500	.9876	----	----	----	----	2 UNCH
599	----	----	0.1510B/*0.0570	0.1510B/0.0570A	----	0.0975 - 0.0505	.9377	----	----	----	----	1 UNCH
600	----	----	0.1420B/0.0510A	0.1420B/0.0510A	----	0.0890 - 0.0505	.9147	----	----	----	----	11 UNCH
601	0.0600	0.0600	0.1330B/*0.0425	0.1330B/0.0425A	----	0.0805 - 0.0510	.8887	----	----	4	----	4 + 4
604	----	----	----/*0.0290A	0.1070B/*0.0290	----	0.0580 - 0.0495	.7611	----	----	----	----	1 UNCH
608	0.0405	0.0405	0.0405/*0.0175A	0.0760B/*0.0175	----	0.0320 - 0.0470	.5126	----	----	6	----	6 + 6
610	----	----	----/*0.0145A	0.0625B/*0.0145	----	0.0235 - 0.0425	.3735	----	----	----	----	2 UNCH
615	0.0060	0.0060	0.0060/*0.0060	0.0355B/*0.0060	----	0.0100 - 0.0310	.1271	----	----	1	----	4 + 1
620	----	----	----/*0.0070A	0.0170B/*0.0070	----	0.0035 - 0.0210	.0276	----	----	----	----	100 UNCH
625	----	----	----/*0.0050A	0.0060B/*0.0050	----	0.0010 - 0.0130	.0037	----	----	----	----	50 UNCH
630	----	----	----/*0.0050A	0.0010B/*0.0050	----	0.0005 - 0.0075	.0002	----	----	1	----	0 - 1
635	----	----	----	0.0005B/*0.0045	----	0.0005 - 0.0035	.0000	----	----	----	----	53 UNCH
640	----	----	----	----/0.0045A	----	0.0005 - 0.0015	----	----	----	----	----	1 UNCH
TOTAL										12		248 + 10
MAY26												
580	----	----	0.4020B/0.2985A	0.4020B/0.2985A	----	0.3510 - 0.0485	.9360	----	----	----	----	1 UNCH
593	----	----	----/0.2065A	0.2480B/0.2065A	----	0.2320 - 0.0480	.8491	----	----	----	----	1 UNCH
595	----	----	0.2635B/0.1835A	0.2635B/0.1835A	----	0.2155 - 0.0475	.8280	----	----	----	----	1 UNCH
596	----	----	----/0.1850A	0.2230B/0.1850A	----	0.2075 - 0.0470	.8153	----	----	----	----	1 UNCH
605	----	----	----/0.1090A	0.1500B/0.1090A	----	0.1420 - 0.0420	.6775	----	----	----	----	7 UNCH
630	----	----	----/*0.0280A	0.0540B/0.0280A	----	0.0345 - 0.0250	.2416	----	----	----	----	15 UNCH
635	0.0350	0.0350	0.0350/*0.0220A	0.0420B/*0.0220	----	0.0255 - 0.0210	.1835	----	----	9	----	32 - 2
640	----	----	----/*0.0170A	0.0295B/*0.0170	----	0.0185 - 0.0180	.1364	----	----	----	----	15 UNCH
TOTAL										9		73 - 2
HXE PUT		COPPER OPTIONS										
APR26												
524	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
563	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
580	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	26 UNCH
585	----	----	----	----/*0.0045A	----	0.0005 - 0.0005	.0000	----	----	----	----	2 UNCH
590	----	----	----	0.0010B/0.0075A	----	0.0005 - 0.0015	.0007	----	----	----	----	50 UNCH
595	----	----	0.0055B/----	0.0055B/*0.0075	----	0.0020 - 0.0030	.0123	----	----	----	----	35 UNCH
597	0.0050	0.0050	0.0110B/*0.0050	0.0110B/*0.0050	----	0.0035 - 0.0035	.0289	----	----	5	----	5 UNCH
599	0.0090	0.0090	0.0175B/*0.0090	0.0175B/*0.0090	----	0.0060 NEW	.0622	----	----	2	----	2 + 2
600	0.0250	0.0250	0.0250/*0.0105A	0.0250/*0.0105A	----	0.0075 - 0.0035	.0852	----	----	10	----	11 + 10
602	0.0345	0.0345	0.0345/*0.0130A	0.0345/*0.0130A	----	0.0115 NEW	.1503	----	----	3	----	3 + 3
605	----	----	0.0490B/*0.0190	0.0490B/*0.0190	----	0.0195 - 0.0020	.2927	----	----	----	----	6 UNCH
610	0.0850	0.0850	0.0855B/0.0375A	0.0855B/0.0375A	----	0.0420 NEW	.6264	----	----	6	----	1 + 1
TOTAL										26		146 + 16
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
MAY26												
465	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
558	----	----	----	0.0005B/0.0090A	----	0.0025 - 0.0020	.0166	----	----	----	----	1 UNCH
575	----	----	----	0.0070B/*0.0105	----	0.0070 - 0.0020	.0500	----	----	----	----	15 UNCH
580	----	----	0.0290B/----	0.0290B/0.0260A	----	0.0220 - 0.0010	.1248	----	----	----	----	2 UNCH
585	----	----	0.0160B/----	0.0160B/*0.0150	----	0.0115 - 0.0020	.0877	----	----	----	----	15 UNCH
593	----	----	0.0295B/----	0.0295B/0.0230A	----	0.0200 - 0.0010	.1506	----	----	----	----	1 UNCH
596	----	----	0.0370B/----	0.0370B/0.0280A	----	0.0250 - 0.0005	.1844	----	----	----	----	3 UNCH
599	----	----	0.0470B/----	0.0470B/0.0330A	----	0.0320 + 0.0010	.2265	----	----	----	----	1 UNCH
615	----	----	0.1250B/----	0.1250B/0.0835A	----	0.0920 + 0.0095	.5074	----	----	----	----	1 UNCH
TOTAL												53

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	----/113.80A	172.50B/113.80A	----	124.30 - 49.90	.7321	----	----	----	----	75 UNCH
1440	----	----	----/90.90A	83.10B/90.90A	----	98.00 - 45.20	.6469	----	----	----	----	1 UNCH
1460	----	----	----/81.10A	83.60B/81.10A	----	86.30 - 42.50	.6012	----	----	----	----	25 UNCH
1500	----	----	----/*64.50A	98.20B/*64.50A	----	66.40 - 36.30	.5078	----	----	----	----	110 UNCH
1525	----	----	----/*55.70A	83.90B/*55.70A	----	56.20 - 32.20	.4512	----	----	----	----	5 UNCH
1550	----	----	----/*48.10A	71.40B/*48.10A	----	47.60 - 28.20	.3981	----	----	----	----	14 UNCH
1575	----	----	----/*41.60A	60.60B/*41.60A	----	40.40 - 24.50	.3495	----	----	----	----	15 UNCH
1600	37.40	37.40	37.40/*36.00A	51.30B/*36.00A	----	34.40 - 21.30	.3059	----	----	5	----	57 UNCH
1650	----	----	----/*27.40A	36.50B/*27.40A	----	25.00 - 16.30	.2325	----	----	----	----	44 UNCH
1700	----	----	----/*21.30A	25.70B/*21.30A	----	18.30 - 12.50	.1759	----	----	----	----	33 UNCH
1750	----	----	----/*17.40A	17.90B/*17.40A	----	13.80 - 9.20	.1348	----	----	----	----	92 UNCH
1800	----	----	----/*14.70A	12.40B/*14.70A	----	10.70 - 6.60	.1050	----	----	----	----	112 UNCH
1850	----	----	----/*12.90A	8.50B/*12.90A	----	8.60 - 4.70	.0839	----	----	----	----	42 UNCH
1900	----	----	----	5.80B/*11.50A	----	7.00 - 3.70	.0677	----	----	----	----	64 UNCH
1925	----	----	----	4.70B/*11.00A	----	6.40 - 3.30	.0615	----	----	----	----	40 UNCH
1950	----	----	----	3.90B/*10.50A	----	5.80 - 3.00	.0555	----	----	----	----	10 UNCH
2000	----	----	----	2.50B/*9.70A	----	4.80 - 2.40	.0455	----	----	----	----	108 UNCH
2100	----	----	----	0.60B/8.60A	----	2.80 - 1.40	.0272	----	----	----	----	52 UNCH
2200	----	----	----	----/7.70A	----	1.70 - 0.80	.0167	----	----	----	----	8 UNCH
2300	----	----	----	----/*7.10A	----	1.00 - 0.50	.0100	----	----	----	----	30 UNCH
2400	----	----	----	----/*6.60A	----	0.70 - 0.30	.0069	----	----	----	----	7 UNCH
2500	----	----	----	----/*6.30A	----	0.40 - 0.20	.0040	----	----	----	----	25 UNCH
2700	----	----	----	----/*5.70A	----	0.20 - 0.10	.0019	----	----	----	----	50 UNCH
3000	----	----	----	----/*5.20A	----	0.10 UNCH	.0003	----	----	----	----	30 UNCH
3500	----	----	----	----/*4.90A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
TOTAL										5		1074 0
JUL26												
1550	----	----	----/83.30A	117.20B/83.30A	----	84.00 NEW	.4803	----	----	----	50	50 + 50
1600	----	----	----/*67.40A	94.80B/*67.40A	----	66.80 NEW	.4054	----	----	----	50	50 + 50
1800	----	----	----/*31.80A	39.10B/*31.80A	----	27.40 - 16.90	.1934	----	----	----	----	49 UNCH
TOTAL									100			149 + 100
SEP26												
1400	----	----	----/193.20A	242.60B/193.20A	----	197.50 - 50.80	.6814	----	----	----	----	75 UNCH
1575	----	----	----/*119.20A	150.30B/*119.20	----	117.80 - 39.80	.4836	----	----	----	----	25 UNCH
1665	----	----	----/*93.00A	116.80B/*93.00A	----	90.10 - 34.20	.3952	----	----	----	----	9 UNCH
1700	----	----	----/84.70A	105.80B/84.70A	----	81.40 - 32.00	.3647	----	----	----	50	55 + 50
1800	----	----	----/*65.90A	79.60B/*65.90A	----	61.50 - 26.00	.2895	----	----	----	----	1 UNCH
1900	----	----	----/*53.00A	60.50B/*53.00A	----	47.90 - 20.70	.2321	----	----	----	----	5 UNCH
2000	----	----	----/*44.00A	46.90B/*44.00A	----	38.30 - 16.60	.1888	----	----	----	----	5 UNCH
2100	----	----	----/*37.30A	37.10B/*37.30A	----	30.60 - 13.90	.1537	----	----	----	----	25 UNCH
2200	----	----	----/*32.40A	29.90B/*32.40A	----	25.40 - 11.90	.1282	----	----	----	----	5 UNCH
2400	----	----	----/*25.70A	19.90B/*25.70A	----	19.20 - 9.10	.0956	----	----	----	----	15 UNCH
2550	----	----	----/*22.20A	14.80B/*22.20A	----	15.90 - 7.60	.0784	----	----	----	----	50 UNCH
TOTAL									50			270 + 50
DEC26												
2000	----	----	----	----	----	74.30 - 39.60	.2718	----	----	----	----	1 UNCH
3000	----	----	----	----	----	26.20 - 19.30	.0965	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1200	----	----	----	1.30B/7.90A	----	3.60 + 1.70	.0400	----	----	----	----	15 UNCH
1250	----	----	4.90B/----	4.90B/9.70A	----	6.40 + 3.00	.0686	----	----	----	----	1 UNCH
1300	----	----	10.60B/----	10.60B/12.40A	----	11.10 + 5.00	.1132	----	----	----	----	75 UNCH
1325	----	----	14.50B/----	14.50B/14.20A	----	14.40 + 6.30	.1426	----	----	----	----	18 UNCH
1335	----	----	16.40B/----	16.40B/15.10A	----	16.10 + 7.00	.1567	----	----	----	----	1 UNCH
1350	----	----	19.50B/----	19.50B/16.60A	----	18.80 + 8.10	.1788	----	----	----	----	5 UNCH
1400	----	----	33.90B/----	33.90B/23.10A	----	30.90 + 12.60	.2678	----	----	----	----	217 UNCH
1440	----	----	50.60B/----	50.60B/31.20A	----	44.50 + 17.30	.3529	----	----	----	----	4 UNCH
1450	41.40	41.40	55.50B/41.40	55.50B/33.70A	----	48.50 + 18.60	.3756	----	----	5	----	101 + 1
1460	----	----	60.60B/----	60.60B/36.50A	----	52.80 + 20.00	.3986	----	----	----	125	100 + 75
1475	----	----	68.90B/----	68.90B/41.10A	----	59.80 + 22.30	.4336	----	----	----	----	10 UNCH
1500	----	----	84.00B/----	84.00B/50.10A	----	72.80 + 26.20	.4920	----	----	----	----	54 UNCH
1550	----	----	118.20B/----	118.20B/73.60A	----	103.90 + 34.30	.6017	----	----	----	----	1 UNCH
1750	----	----	289.20B/----	289.20B/218.30A	----	269.60 + 53.20	.8650	----	----	----	----	1 UNCH
1900	----	----	433.20B/----	433.20B/355.10A	----	412.60 + 58.80	.9321	----	----	----	----	50 UNCH
TOTAL									125	5		653 + 76
JUL26												
1285	----	----	20.00B/----	20.00B/22.10A	----	19.60 + 3.00	.1383	----	----	----	----	9 UNCH
1300	----	----	22.80B/----	22.80B/23.90A	----	22.00 + 3.50	.1528	----	----	----	----	125 UNCH
1400	----	----	50.70B/----	50.70B/41.70A	----	45.10 + 8.70	.2766	----	----	----	----	20 UNCH
1450	----	----	72.00B/----	72.00B/55.80A	----	63.70 + 13.30	.3554	----	----	----	----	30 UNCH
TOTAL												184 0
SEP26												
1300	----	----	46.20B/----	46.20B/48.70A	----	46.70 + 4.90	.2120	----	----	----	----	10 UNCH
1460	----	----	113.70B/----	113.70B/101.80A	----	108.10 NEW	.3875	----	----	----	75	75 + 75
1465	----	----	116.40B/----	116.40B/104.00A	----	110.60 + 14.30	.3933	----	----	----	----	150 UNCH
1550	----	----	166.90B/----	166.90B/146.40A	----	158.60 + 19.70	.4893	----	----	----	----	100 UNCH
1575	----	----	183.30B/----	183.30B/160.50A	----	174.20 + 21.20	.5160	----	----	----	----	25 UNCH
1650	----	----	235.70B/----	235.70B/206.50A	----	224.90 + 25.80	.5906	----	----	----	----	50 UNCH
1925	----	----	464.50B/----	464.50B/412.70A	----	448.70 + 41.50	.7795	----	----	----	----	75 UNCH
TOTAL									75			485 + 75
DEC26												
1500	----	----	----	----	----	166.30 + 0.30	.4083	----	----	----	----	40 UNCH
TOTAL												40 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1650	----	----	----	----/*5.40A	----	0.10 - 2.30	----	----	----	----	----	1 UNCH
TOTAL												1 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
2050	----	----	49.50B/----	49.50B/19.00A	----	28.40 + 11.00	.6126	----	----	----	----	8 UNCH
2085	----	----	33.10B/----	33.10B/32.10A	----	53.00 + 21.80	.8778	----	----	----	----	26 UNCH
2090	----	----	----/*5.50A	28.70B/*5.50A	----	5.40 - 26.40	.0978	----	----	----	----	26 UNCH
2090	----	----	----	33.60B/34.50A	----	57.00 + 23.30	.9021	----	----	----	----	26 UNCH
2095	----	----	----	34.20B/37.00A	----	61.20 + 24.90	.9217	----	----	----	----	53 UNCH
2095	----	----	----/*5.30A	26.20B/*5.30A	----	4.60 - 24.80	.0782	----	----	----	----	26 UNCH
2100	----	----	----/*5.00A	23.90B/*5.00A	----	3.90 - 23.30	.0619	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 77

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
2120	----	----	----/*4.30A	15.80B/*4.30A	----	1.90 - 17.60	.0213	----	----	----	----	27 UNCH
2200	----	----	----/*3.30A	0.60B/*3.30A	----	0.10 - 4.30	.0000	----	----	----	----	1 UNCH
2210	----	----	----/*3.20A	----/*3.20A	----	0.10 - 3.50	.0000	----	----	----	----	5 UNCH
2225	----	----	----	----/*3.20A	----	0.10 - 2.50	----	----	----	----	----	6 UNCH
TOTAL												251 0
MAY26												
1700	----	----	----	----/4.00A	----	0.50 UNCH	.0062	----	----	----	----	3 UNCH
1915	----	----	----	----	----	137.40 - 46.30	.8367	----	----	----	----	20 UNCH
2000	----	----	48.00B/----	48.00B/28.60A	----	37.30 + 11.20	.3704	----	----	----	----	10 UNCH
2050	----	----	----/*40.30A	79.50B/*40.30A	----	49.80 - 31.50	.4774	----	----	----	----	10 UNCH
2200	----	----	----/*11.20A	19.80B/*11.20A	----	11.50 - 11.80	.1391	----	----	----	----	20 UNCH
TOTAL												63 0
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	219.70B/158.20A	219.70B/158.20A	----	179.00 - 40.40	.7435	----	----	----	----	1 UNCH
2000	----	----	----/103.20A	148.90B/103.20A	----	118.00 - 31.80	.5867	----	----	----	----	20 UNCH
2090	----	----	----/68.10A	100.80B/68.10A	----	77.90 - 24.80	.4421	----	----	----	----	2 UNCH
2100	----	----	----/64.90A	96.30B/64.90A	----	74.10 - 24.20	.4267	----	----	----	----	2 UNCH
2130	----	----	----/56.10A	83.70B/56.10A	----	63.90 - 22.00	.3824	----	----	----	----	100 UNCH
2150	----	----	----/50.90A	76.00B/50.90A	----	57.80 - 20.60	.3544	----	----	----	----	4 UNCH
2165	----	----	----/47.30A	70.50B/47.30A	----	53.50 - 19.60	.3340	----	----	----	----	1 UNCH
2175	45.00	45.00	45.00/45.00	67.20B/45.00	----	50.90 NEW	.3211	----	----	12	----	12 + 12
2180	44.00	44.00	44.00/44.00	65.40B/44.00	----	49.60 NEW	.3147	----	----	12	----	12 + 12
2185	42.90	42.90	42.90/42.90	63.70B/42.90	----	48.40 NEW	.3085	----	----	12	----	12 + 12
2190	41.90	41.90	41.90/*41.90	62.20B/*41.90	----	47.10 NEW	.3021	----	----	12	----	12 + 12
2195	40.90	40.90	40.90/*40.90	60.60B/*40.90	----	45.90 NEW	.2960	----	----	12	----	12 + 12
2200	39.90	39.90	39.90/*39.90	59.00B/*39.90	----	44.80 - 17.10	.2901	----	----	12	----	357 UNCH
2205	39.00	39.00	39.00/*39.00	57.50B/*39.00	----	43.70 NEW	.2843	----	----	12	----	12 + 12
2210	38.00	38.00	38.00/*38.00	56.10B/*38.00	----	42.60 - 16.40	.2785	----	----	12	----	24 + 12
2220	----	----	----/*36.30A	53.20B/*36.30A	----	40.40 - 15.80	.2669	----	----	----	----	6 UNCH
2225	----	----	----/*35.40A	51.90B/*35.40A	----	39.40 - 15.40	.2614	----	----	----	----	44 UNCH
2230	----	----	----/*34.60A	50.50B/*34.60A	----	38.40 - 15.10	.2559	----	----	----	----	24 UNCH
2235	----	----	----/*33.80A	49.20B/*33.80A	----	37.50 - 14.70	.2508	----	----	----	----	12 UNCH
2240	----	----	----/*33.00A	47.90B/*33.00A	----	36.50 - 14.50	.2453	----	----	----	----	27 UNCH
2250	30.00	30.00	30.00/*30.00	45.40B/*30.00	----	34.70 - 13.80	.2352	----	----	10	----	62 + 10
2255	----	----	----/*30.70A	44.20B/*30.70A	----	33.80 - 13.50	.2301	----	----	----	----	15 UNCH
2270	----	----	----/*28.60A	40.80B/*28.60A	----	31.40 - 12.60	.2160	----	----	----	----	72 UNCH
2280	----	----	----/*27.30A	38.70B/*27.30A	----	29.80 - 12.00	.2067	----	----	----	----	60 UNCH
2300	----	----	----/*24.90A	34.70B/*24.90A	----	27.00 - 10.90	.1897	----	----	----	----	423 UNCH
2320	----	----	----/*22.80A	31.10B/*22.80A	----	24.50 - 9.90	.1741	----	----	----	----	78 UNCH
2340	----	----	----/*21.00A	28.00B/*21.00A	----	22.20 - 9.00	.1596	----	----	----	----	30 UNCH
2345	----	----	----/*20.50A	27.10B/*20.50A	----	21.70 - 8.80	.1563	----	----	----	----	15 UNCH
2350	----	----	----/*20.10A	26.40B/*20.10A	----	21.20 - 8.50	.1530	----	----	----	----	55 UNCH
2355	----	----	----/*19.70A	25.70B/*19.70A	----	20.70 - 8.30	.1497	----	----	----	----	17 UNCH
2400	----	----	----/*16.60A	20.10B/*16.60A	----	16.90 - 6.60	.1241	----	----	----	----	1 UNCH
2420	----	----	----/*15.50A	18.10B/*15.50A	----	15.50 - 5.90	.1144	----	----	----	----	4 UNCH
2450	----	----	----/*14.00A	15.30B/*14.00A	----	13.70 - 5.00	.1016	----	----	----	----	1 UNCH
2500	----	----	----/*12.00A	11.70B/*12.00A	----	10.80 - 4.00	.0816	----	----	----	----	100 UNCH
2650	----	----	----	5.20B/*8.40A	----	4.90 - 2.00	.0395	----	----	----	----	17 UNCH
TOTAL										106		1646 + 94
JUL26												
1500	----	----	593.80B/515.40A	593.80B/515.40A	----	543.30 - 48.60	.9603	----	----	----	----	50 UNCH
1680	----	----	----	----	----	379.00 - 45.80	.8847	----	----	----	----	50 UNCH
1700	----	----	408.40B/337.40A	408.40B/337.40A	----	362.10 - 45.20	.8716	----	----	----	----	1 UNCH
1800	----	----	324.90B/261.20A	324.90B/261.20A	----	283.00 - 41.60	.7915	----	----	----	----	113 UNCH
1850	----	----	----/227.50A	286.60B/227.50A	----	247.30 - 39.50	.7431	----	----	----	----	1 UNCH
2000	----	----	----/145.40A	188.70B/145.40A	----	159.20 - 31.10	.5778	----	----	----	----	110 UNCH
2050	----	----	----/124.20A	162.20B/124.20A	----	135.90 - 28.40	.5211	----	----	----	----	1 UNCH
2085	----	----	----/111.10A	145.60B/111.10A	----	121.30 - 26.50	.4823	----	----	----	----	1 UNCH
2100	----	----	----/105.80A	138.90B/105.80A	----	115.50 - 25.60	.4660	----	----	----	----	522 UNCH
2150	----	----	----/90.00A	118.20B/90.00A	----	97.70 - 23.10	.4134	----	----	----	----	12 UNCH
2170	----	----	----/84.40A	110.70B/84.40A	----	91.40 - 22.00	.3935	----	----	----	----	4 UNCH
2200	----	----	----/76.50A	100.20B/76.50A	----	82.60 - 20.50	.3646	----	----	----	----	506 UNCH
2250	----	----	----/65.10A	84.60B/65.10A	----	69.90 - 17.90	.3201	----	----	----	----	5 UNCH
2300	----	----	----/55.40A	71.40B/55.40A	----	59.30 - 15.40	.2802	----	----	----	----	178 UNCH
2350	----	----	----/47.40A	60.00B/47.40A	----	50.40 - 13.10	.2448	----	----	----	----	200 UNCH
2375	----	----	----/*43.90A	55.00B/*43.90A	----	46.50 - 12.10	.2287	----	----	----	----	50 UNCH
2400	----	----	----/*40.70A	50.40B/*40.70A	----	42.90 - 11.10	.2136	----	----	----	----	866 UNCH
2450	----	----	----/*35.10A	42.40B/*35.10A	----	36.60 - 9.40	.1862	----	----	----	----	50 UNCH
2480	----	----	----/*32.30A	38.20B/*32.30A	----	33.30 - 8.60	.1715	----	----	----	----	50 UNCH
2500	----	----	----/*30.60A	35.70B/*30.60A	----	31.30 - 8.10	.1623	----	----	----	----	422 UNCH
2600	----	----	----/*23.90A	25.60B/*23.90A	----	23.60 - 5.70	.1253	----	----	----	----	362 UNCH
2700	----	----	----/*19.30A	18.60B/*19.30A	----	18.30 - 4.10	.0984	----	----	----	----	114 UNCH
2800	----	----	----/*16.20A	13.80B/*16.20A	----	14.20 - 3.10	.0773	----	----	----	----	348 UNCH
2850	----	----	----/*15.00A	12.00B/*15.00A	----	12.40 - 2.70	.0682	----	----	----	----	91 UNCH
2900	----	----	----	10.50B/*13.90A	----	10.90 - 2.30	.0603	----	----	----	----	242 UNCH
3000	----	----	----	8.00B/12.30A	----	8.50 - 1.80	.0476	----	----	----	----	583 UNCH
3100	----	----	----	6.20B/*11.00A	----	6.70 - 1.40	.0378	----	----	----	----	159 UNCH
3200	----	----	----	2.10B/12.30A	----	5.10 - 1.10	.0293	----	----	----	----	18 UNCH
3300	----	----	----	1.20B/*11.50A	----	4.00 - 0.90	.0232	----	----	----	----	31 UNCH
3400	----	----	----	0.40B/*10.80A	----	3.20 - 0.70	.0187	----	----	----	----	32 UNCH
3500	----	----	----	----/*10.20A	----	2.60 - 0.60	.0152	----	----	----	----	274 UNCH
3600	----	----	----	----/*9.70A	----	2.20 - 0.40	.0128	----	----	----	----	300 UNCH
3800	----	----	----	0.80B/*6.70A	----	1.60 - 0.30	.0092	----	----	----	----	12 UNCH
3900	----	----	----	0.50B/*6.40A	----	1.30 - 0.30	.0075	----	----	----	----	8 UNCH
4000	----	----	----	0.20B/6.10A	----	1.20 - 0.20	.0069	----	----	----	----	221 UNCH
TOTAL												5987 0
OCT26												
1720	----	----	----	----	----	414.90 - 40.80	.7829	----	----	----	----	1 UNCH
1800	----	----	----/345.10A	398.00B/345.10A	----	362.10 - 38.60	.7321	----	----	----	----	1 UNCH
2125	----	----	----/194.10A	225.10B/194.10A	----	202.20 - 27.20	.5095	----	----	----	----	12 UNCH
2135	----	----	----/190.70A	221.00B/190.70A	----	198.60 - 26.80	.5030	----	----	----	----	12 UNCH
2200	----	----	----/170.20A	196.50B/170.20A	----	176.90 - 24.30	.4623	----	----	----	----	135 UNCH
2400	----	----	----/121.20A	137.40B/121.20A	----	125.60 - 17.10	.3539	----	----	----	----	110 UNCH
2500	97.00	97.00	97.00/97.00	115.10B/97.00	----	106.60 - 14.10	.3093	----	----	1	----	181 + 1
2600	----	----	----/87.70A	96.80B/87.70A	----	90.50 - 11.90	.2699	----	----	----	----	10 UNCH
2700	----	----	----/75.20A	81.70B/75.20A	----	76.60 - 10.60	.2349	----	----	----	----	310 UNCH
2800	----	----	----/64.90A	68.90B/64.90A	----	65.00 - 9.40	.2044	----	----	----	----	31 UNCH
2850	----	----	----/60.40A	63.40B/60.40A	----	60.00 - 8.80	.1908	----	----	----	----	100 UNCH
2900	----	----	----/56.40A	58.50B/56.40A	----	55.50 - 8.30	.1783	----	----	----	----	210 UNCH
3000	----	----	----/49.50A	49.90B/49.50A	----	47.90 - 7.10	.1564	----	----	----	----	121 UNCH
3200	----	----	----/*39.30A	36.80B/*39.30A	----	36.50 - 5.20	.1221	----	----	----	----	10 UNCH
3500	----	----	----	24.40B/*29.70A	----	26.10 - 2.80	.0886	----	----	----	----	10 UNCH
4000	----	----	----	13.60B/*21.10A	----	17.50 - 0.20	.0588	----	----	----	----	5 UNCH
TOTAL										1		1259 + 1
JAN27												
2360	----	----	----	----	----	214.70 - 23.30	.4413	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1800	----	----	20.60B/----	20.60B/18.40A	----	19.30 + 4.10	.1382	----	----	----	----	2 UNCH
1825	----	----	25.50B/----	25.50B/21.60A	----	23.50 + 5.10	.1633	----	----	----	----	89 UNCH
1850	----	----	31.20B/----	31.20B/25.20A	----	28.40 + 6.20	.1913	----	----	----	----	4 UNCH
1875	----	----	37.80B/----	37.80B/29.60A	----	34.10 + 7.50	.2222	----	----	----	----	24 UNCH
1880	37.80	37.80	39.30B/37.80	39.30B/30.50A	----	35.40 + 7.80	.2289	----	----	12	----	24 + 12
1885	39.10	39.10	40.90B/39.10	40.90B/31.50A	----	36.70 + 8.10	.2356	----	----	12	----	42 + 12
1890	40.40	40.40	42.50B/40.40	42.50B/32.50A	----	38.00 + 8.40	.2423	----	----	12	----	24 + 12
1895	----	----	44.10B/----	44.10B/33.60A	----	39.40 + 8.70	.2492	----	----	----	----	12 UNCH
1900	----	----	45.80B/----	45.80B/34.60A	----	40.90 + 9.20	.2564	----	----	----	----	373 UNCH
1905	----	----	47.50B/----	47.50B/35.80A	----	42.30 + 9.40	.2634	----	----	----	----	39 UNCH
1910	----	----	49.30B/----	49.30B/36.90A	----	43.90 + 9.90	.2707	----	----	----	----	39 UNCH
1915	----	----	51.20B/----	51.20B/38.10A	----	45.50 + 10.30	.2781	----	----	----	----	54 UNCH
1920	----	----	53.10B/----	53.10B/39.20A	----	47.10 + 10.60	.2855	----	----	----	----	44 UNCH
1925	----	----	55.00B/----	55.00B/40.50A	----	48.80 + 11.10	.2931	----	----	----	----	27 UNCH
1930	----	----	57.10B/----	57.10B/41.80A	----	50.50 + 11.50	.3007	----	----	----	----	42 UNCH
1935	----	----	59.10B/----	59.10B/43.00A	----	52.30 + 11.90	.3085	----	----	----	----	42 UNCH
1940	----	----	61.20B/----	61.20B/44.40A	----	54.10 + 12.30	.3162	----	----	----	----	30 UNCH
1950	51.50	51.50	65.50B/51.50	65.50B/47.20A	----	57.90 + 13.20	.3320	----	----	42	----	139 + 42
1955	----	----	67.80B/----	67.80B/48.70A	----	59.80 + 13.60	.3399	----	----	----	----	30 UNCH
1960	----	----	70.10B/----	70.10B/50.30A	----	61.90 + 14.20	.3480	----	----	----	----	15 UNCH
1965	----	----	72.50B/----	72.50B/51.90A	----	63.90 + 14.60	.3560	----	----	----	----	15 UNCH
1970	----	----	74.90B/----	74.90B/53.50A	----	66.00 + 15.00	.3641	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
JUN26													
1975	----	----	77.30B/----	77.30B/55.20A	----	68.20 + 15.50	.3722	----	----	----	----	15	UNCH
1980	----	----	79.80B/----	79.80B/56.90A	----	70.40 + 16.00	.3804	----	----	----	----	15	UNCH
1985	----	----	82.40B/----	82.40B/58.60A	----	72.70 + 16.50	.3886	----	----	----	----	15	UNCH
1990	----	----	85.00B/----	85.00B/60.50A	----	74.90 + 16.80	.3967	----	----	----	----	15	UNCH
1995	----	----	87.50B/----	87.50B/62.30A	----	77.30 + 17.30	.4050	----	----	----	----	15	UNCH
2000	----	----	90.30B/----	90.30B/64.10A	----	79.70 + 17.80	.4132	----	----	----	----	24	UNCH
2020	----	----	101.40B/----	101.40B/72.30A	----	89.60 + 19.50	.4460	----	----	----	----	30	UNCH
2050	----	----	119.20B/----	119.20B/85.70A	----	105.80 + 21.90	.4947	----	----	----	----	3	UNCH
2100	----	----	151.70B/----	151.70B/111.60A	----	135.60 + 25.40	.5732	----	----	----	----	101	UNCH
2140	----	----	----	129.10B/135.10A	----	162.10 + 28.20	.6318	----	----	----	----	1	UNCH
2200	----	----	227.00B/----	227.00B/174.00A	----	206.00 + 32.50	.7097	----	----	----	----	10	UNCH
TOTAL										78		1369 +	78
JUL26													
1400	----	----	----	1.00B/6.80A	----	3.20 + 0.40	.0198	----	----	----	----	150	UNCH
1500	----	----	----	4.60B/9.80A	----	6.70 + 1.00	.0395	----	----	----	----	153	UNCH
1550	----	----	----	7.70B/11.80A	----	9.40 + 1.40	.0540	----	----	----	----	200	UNCH
1600	----	----	12.00B/----	12.00B/14.70A	----	13.10 + 2.00	.0729	----	----	----	----	402	UNCH
1650	----	----	18.00B/----	18.00B/18.80A	----	18.20 + 3.00	.0974	----	----	----	----	1	UNCH
1680	----	----	22.50B/----	22.50B/21.90A	----	22.10 + 3.80	.1151	----	----	----	----	50	UNCH
1700	----	----	26.00B/----	26.00B/24.30A	----	25.10 + 4.40	.1282	----	----	----	----	283	UNCH
1710	----	----	27.80B/----	27.80B/25.60A	----	26.70 + 4.60	.1350	----	----	----	----	1	UNCH
1750	----	----	36.10B/----	36.10B/31.60A	----	34.10 + 5.90	.1652	----	----	----	----	50	UNCH
1800	----	----	49.00B/----	49.00B/41.10A	----	45.60 + 7.80	.2083	----	----	----	----	261	UNCH
1825	----	----	56.50B/----	56.50B/46.70A	----	52.30 + 8.80	.2318	----	----	----	----	30	UNCH
1850	----	----	64.80B/----	64.80B/53.00A	----	59.80 + 10.00	.2567	----	----	----	----	40	UNCH
1900	----	----	83.90B/----	83.90B/67.50A	----	77.00 + 12.50	.3094	----	----	----	----	81	UNCH
2085	----	----	181.90B/----	181.90B/147.00A	----	167.70 + 23.00	.5175	----	----	----	----	1	UNCH
2100	----	----	191.60B/----	191.60B/155.00A	----	176.80 + 23.80	.5338	----	----	----	----	225	UNCH
2135	----	----	187.40B/----	187.40B/175.10A	----	198.90 + 25.60	.5709	----	----	----	----	190	UNCH
2165	----	----	192.50B/----	192.50B/193.40A	----	218.90 + 27.10	.6014	----	----	----	----	20	UNCH
2350	----	----	382.80B/----	382.80B/324.60A	----	360.70 + 36.50	.7549	----	----	----	----	5	UNCH
2400	----	----	426.10B/----	426.10B/364.60A	----	403.00 + 38.40	.7862	----	----	----	----	300	UNCH
4000	----	----	1,991.20B/1,911	1,991.20B/1,911	----	1961.60 + 49.70	.9932	----	----	----	----	10	UNCH
TOTAL												2453	0
OCT26													
1300	----	----	----	10.40B/18.60A	----	14.30 + 1.10	.0482	----	----	----	----	4	UNCH
1500	----	----	31.80B/----	31.80B/35.60A	----	33.70 + 3.60	.1051	----	----	----	----	20	UNCH
1600	----	----	50.90B/----	50.90B/50.90A	----	51.50 + 5.90	.1499	----	----	----	----	17	UNCH
1720	----	----	83.60B/----	83.60B/78.20A	----	81.90 + 9.10	.2167	----	----	----	----	2	UNCH
1820	----	----	120.10B/----	120.10B/109.10A	----	115.80 + 11.90	.2808	----	----	----	----	3	UNCH
2000	----	----	206.60B/----	206.60B/184.90A	----	197.70 + 17.90	.4053	----	----	----	----	1	UNCH
2100	----	----	265.80B/----	265.80B/237.60A	----	254.60 + 21.70	.4736	----	----	----	----	100	UNCH
2130	----	----	285.00B/----	285.00B/254.90A	----	273.10 + 22.80	.4933	----	----	----	----	41	UNCH
2135	----	----	288.20B/----	288.20B/257.80A	----	276.30 + 23.10	.4965	----	----	----	----	12	UNCH
2140	----	----	291.50B/----	291.50B/260.80A	----	279.40 + 23.20	.4997	----	----	----	----	12	UNCH
2400	----	----	481.20B/----	481.20B/436.00A	----	465.40 + 32.80	.6456	----	----	----	----	200	UNCH
2500	----	----	562.20B/----	562.20B/512.70A	----	545.50 + 35.90	.6902	----	----	----	----	1	UNCH
TOTAL												413	0
JAN27													
1500	----	----	----	----	----	58.70 + 6.20	.1364	----	----	----	----	40	UNCH
1800	----	----	----	----	----	160.00 + 13.20	.2855	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4800	0	340
TOTALS		0	340
JUN26 CALL			
OG	4650	0	100
OG	4735	0	200
OG	4800	0	600
OG	4825	0	500
OG	4960	0	260
OG	5000	0	600
OG	5150	0	100
OG	5225	0	500
OG	5300	0	50
TOTALS		0	2910
JUL26 CALL			
OG	5200	0	300
TOTALS		0	300
AUG26 CALL			
OG	4795	0	100
OG	5000	0	300
OG	5200	0	130
TOTALS		0	530
SEP26 CALL			
OG	5000	0	300
TOTALS		0	300
DEC26 CALL			
OG	4800	0	200
OG	5000	0	200
OG	5100	0	300
OG	5400	0	300
OG	5600	0	200
OG	5800	0	200
OG	6500	0	220
TOTALS		0	1620
APR27 CALL			
OG	5060	0	25
TOTALS		0	25
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4450	0	300
OG	4550	0	600
OG	4650	0	200
OG	4700	0	200
OG	4720	0	300
TOTALS		0	1600
JUN26 PUT			
OG	4300	0	300
OG	4500	0	1100
OG	4515	0	260
OG	4600	0	200
OG	4650	0	400
OG	4700	0	100
OG	4735	0	200
TOTALS		0	2560
JUL26 PUT			
OG	4100	0	100
TOTALS		0	100
AUG26 PUT			
OG	4415	0	130
OG	4790	0	50
OG	4795	0	100
TOTALS		0	280
APR27 PUT			
OG	5060	0	25
TOTALS		0	25
SO CALL	COMEX SILVER OPTIONS		
MAY26 CALL			
SO	7600	0	50
SO	8000	0	30
TOTALS		0	80
JUN26 CALL			
SO	8000	0	15
SO	9000	0	15
SO	10000	0	38
TOTALS		0	68
JUL26 CALL			
SO	7750	0	50
SO	8000	0	50
SO	8250	0	100
SO	8750	0	50
SO	10000	0	50
TOTALS		0	300
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	7500	0	15
TOTALS		0	15
JUL26 PUT			
SO	6000	0	75
SO	7000	0	75
TOTALS		0	150
HX CALL	COMEX COPPER OPTIONS		
MAY26 CALL			
HX	610	0	400
HX	625	0	400
HX	640	0	225
TOTALS		0	1025
JUN26 CALL			
HX	630	0	1000
HX	670	0	1250
TOTALS		0	2250
JUL26 CALL			
HX	640	0	225
TOTALS		0	225
SEP26 CALL			
HX	625	0	40
HX	700	0	60
TOTALS		0	100
HX PUT	COMEX COPPER OPTIONS		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

MAY26	PUT			
HX		600	0	400
TOTALS			0	400
SEP26	PUT			
HX		590	0	64
TOTALS			0	64
PAO CALL	NYMEX PALLADIUM OPTIONS			
JUL26	CALL			
PAO		1550	0	50
PAO		1600	0	50
TOTALS			0	100
SEP26	CALL			
PAO		1700	0	50
TOTALS			0	50
PAO PUT	NYMEX PALLADIUM OPTIONS			
JUN26	PUT			
PAO		1460	0	125
TOTALS			0	125
SEP26	PUT			
PAO		1460	0	75
TOTALS			0	75
GWR THU	GOLD WEEKLY THURSDAY OPTION Week1			
MAY26	CALL			
G1R		4750	0	200
TOTALS			0	200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.