

PG64

BULLETIN # 96@

METALS OPTION PRODUCTS

Wed, May 20, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29													
ECG10 OP		05/19	05/20											
ECG11 OP		05/19	05/20											
ECG13 OP		05/19	05/20											
ECG15 OP		05/19	05/20											
ECG16 OP		05/19	05/20											
ECGC OOF		05/19	05/20											
ECHG OOF		05/19	05/20											
ECSI OOF		05/19	05/20											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/22													
FSO OPT	05/29			06/30										
GMW MON				06/22										
GWR THU	05/28			06/11										
GWT TUE	05/19			06/23										
GWV WED	05/27			06/10										
HMW MON				06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/11										
HWT TUE	05/19			06/16										
HWV WED	05/27			06/10										
HX CALL				05/26	07/01	08/05								
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/12										
HXE PUT	05/29			06/12										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL				06/12										
OG2 PUT				06/12										
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/29			06/05										
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17	07/15		09/16			12/16			
RWS THU	05/28			06/11										
SMW MON				06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27													
TWS TUE	05/19			06/03										
WMG WED	05/27			06/16										

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED MAY26	MICRO GOLD WEEKLY WED OPTION WEEK4													
4300	8.20	8.20		#8.20/*8.20	#8.20/*8.20	----		4.50 NEW	.0466	----	----	1	----	1 +
4400	----	----		----	----	----		0.00 - 2.90	----	----	----	----	----	0 -
4555	----	----		----	----	----		0.00 - 8.00	----	----	----	----	----	0 -
4850	----	----		----	----	----		0.00 - 0.10	----	----	----	----	----	0 -
TOTAL												1		1 -
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT JUN26	MICRO GOLD OPTIONS													
2500	----	----		----	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----		----	----	----		0.70 - 0.90	----	----	----	----	----	1 UNCH
4200	----	----		----	----	----		2.00 - 2.40	----	----	----	----	----	1 UNCH
4260	----	----		----	----	----		3.10 - 3.20	----	----	----	----	----	1 UNCH
4300	----	----		----	----	----		4.20 - 4.10	----	----	----	----	----	4 UNCH
4500	----	----		----	----	----		32.20 - 16.40	----	----	----	----	----	6 UNCH
4600	----	----		----	----	----		85.60 - 22.70	----	----	----	----	----	1 UNCH
4600	----	----		----	----	----		21.00 + 1.50	----	----	----	----	----	1 UNCH
4625	----	----		----	----	----		104.50 - 23.40	----	----	----	----	----	1 UNCH
4645	----	----		----	----	----		120.90 - 23.70	----	----	----	----	----	3 UNCH
4700	----	----		----	----	----		5.30 UNCH	----	----	----	----	----	1 UNCH
4800	----	----		----	----	----		1.90 + 0.10	----	----	----	----	----	1 UNCH
4900	----	----		----	----	----		1.10 + 0.20	----	----	----	----	----	1 UNCH
5875	----	----		----	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL														25
JUL26														
3400	----	----		----	----	----		1169.80 + 24.20	----	----	----	----	----	1 UNCH
3460	----	----		----	----	----		1110.10 + 24.10	----	----	----	----	----	1 UNCH
4150	----	----		----	----	----		19.70 - 6.10	----	----	----	----	----	1 UNCH
4200	----	----		----	----	----		24.40 - 7.30	----	----	----	----	----	1 UNCH
4300	----	----		----	----	----		38.40 - 10.00	----	----	----	----	----	1 UNCH
4500	----	----		----	----	----		94.70 - 17.00	----	----	----	----	----	3 UNCH
4600	----	----		----	----	----		111.10 + 4.50	----	----	----	----	----	1 UNCH
4600	----	----		----	----	----		141.90 + 20.00	----	----	----	----	----	2 UNCH
4700	----	----		----	----	----		72.20 + 2.00	----	----	----	----	----	1 UNCH
4800	40.10	40.10		#40.10/*40.10	40.10/*40.10	----		45.50 NEW	----	----	----	2	----	2 +
5000	----	----		----	----	----		18.10 - 1.00	----	----	----	----	----	3 UNCH
5100	11.40	11.40		11.40/*11.40	11.40/*11.40	----		11.80 - 1.00	----	----	----	1	----	0 -
5300	----	----		----	----	----		5.80 - 0.60	----	----	----	----	----	3 UNCH
5500	----	----		----	----	----		3.40 - 0.30	----	----	----	----	----	2 UNCH
TOTAL												3		22 +
AUG26														
4400	----	----		----	----	----		103.30 - 14.60	----	----	----	----	----	5 UNCH
TOTAL														5
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT MAY26	GOLD OPTIONS													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG5 PUT	GOLD OPTIONS																	
MAY26																		
3700	----	----	----	----/*0.90A	0.90B/*0.90A	----	----	----	0.70 - 0.50	.0037	----	----	8	----	16	+		
3800	----	----	----	----/*1.00A	1.30B/*1.00A	----	----	----	1.00 - 0.60	.0058	----	----	5	----	16	+		
3900	2.60	2.60		#2.60/1.40A	2.60/1.40A	----	----	----	1.30 - 0.80	.0083	----	----	7	----	8	+		
4000	1.90	1.90		2.90B/1.80	2.90B/1.80	----	----	----	1.80 - 1.00	.0127	----	----	4	----	102	+		
4100	5.00	5.00		5.00/2.50A	5.00/2.50A	----	----	----	2.60 - 1.50	.0203	----	----	1	----	12	+		
4150	5.00	5.00		6.20B/3.10A	6.20B/3.10A	----	----	----	3.20 - 1.80	.0264	----	----	1	----	26	+		
4175	----	----	----	7.40B/3.40A	7.40B/3.40A	----	----	----	3.50 - 2.20	.0298	----	----	----	----	3	UNCH		
4200	7.40	7.40		8.70B/3.80A	8.70B/3.80A	----	----	----	4.00 - 2.40	.0349	----	----	1	----	13	UNCH		
4225	8.00	8.00		10.30B/4.30A	10.30B/4.30A	----	----	----	4.50 - 2.90	.0403	----	----	2	----	4	UNCH		
4250	----	----	----	12.20B/5.00A	12.20B/5.00A	----	----	----	5.20 - 3.30	.0476	----	----	----	----	9	UNCH		
4275	----	----	----	14.60B/5.70A	14.60B/5.70A	----	----	----	6.00 - 3.90	.0562	----	----	----	----	18	UNCH		
4300	13.00	13.00		17.70B/6.60A	17.70B/6.60A	----	----	----	7.10 - 4.50	.0676	----	----	22	----	33	+		
4325	10.10	10.10		21.10B/7.70A	21.10B/7.70A	----	----	----	8.40 - 5.30	.0812	----	----	5	----	15	+		
4350	----	----	----	24.90B/9.10A	24.90B/9.10A	----	----	----	10.10 - 6.20	.0986	----	----	----	----	66	UNCH		
4375	12.10	12.10		30.60B/10.80	30.60B/10.80	----	----	----	12.20 - 7.30	.1198	----	----	20	----	35	+		
4400	36.00	36.00		36.40B/13.30A	36.40B/13.30A	----	----	----	14.90 - 8.60	.1463	----	----	17	----	135	+		
4425	----	----	----	43.90B/16.20A	43.90B/16.20A	----	----	----	18.40 - 9.90	.1791	----	----	----	----	22	UNCH		
4450	52.00	52.00		52.60B/19.90A	52.60B/19.90A	----	----	----	22.80 - 11.40	.2185	----	----	49	----	78	+		
4475	53.30	53.30		62.70B/24.70A	62.70B/24.70A	----	----	----	28.30 - 13.00	.2649	----	----	189	----	201	+		
4500	47.90	47.90		#74.00B/30.30A	74.00B/30.30A	----	----	----	35.00 - 14.80	.3180	----	----	29	----	304	+		
4525	62.60	62.60		#87.20B/37.90A	87.20B/37.90A	----	----	----	43.30 - 16.40	.3777	----	----	14	----	39	+		
4550	----	----	----	#102.80B/46.60A	102.80B/46.60A	----	----	----	53.10 - 18.10	.4421	----	----	----	----	147	UNCH		
4575	85.00	85.00		#119.60B/57.10A	119.60B/57.10A	----	----	----	64.70 - 19.60	.5095	----	----	4	----	38	UNCH		
4600	107.00	107.00		#137.40B/69.00A	137.40B/69.00A	----	----	----	78.10 - 21.00	.5774	----	----	4	----	62	-		
4625	----	----	----	#156.60B/82.90A	156.60B/82.90A	----	----	----	93.30 - 22.10	.6431	----	----	----	----	17	UNCH		
4650	----	----	----	#176.80B/98.60A	176.80B/98.60A	----	----	----	110.20 - 23.10	.7040	----	----	2	----	12	+		
4675	----	----	----	#198.40B/116.10	198.40B/116.10A	----	----	----	128.70 - 23.70	.7586	----	----	----	----	34	UNCH		
4700	----	----	----	#220.50B/135.20	220.50B/135.20A	----	----	----	148.50 - 24.30	.8061	----	----	2	----	4	UNCH		
4725	----	----	----	#243.20B/155.70	243.20B/155.70A	----	----	----	169.60 - 24.50	.8449	----	----	----	----	1	UNCH		
4750	----	----	----	#266.30B/177.00	266.30B/177.00A	----	----	----	191.50 - 24.70	.8766	----	----	----	----	3	UNCH		
4775	----	----	----	#290.00B/199.50	290.00B/199.50A	----	----	----	214.20 - 24.80	.9019	----	----	----	----	14	UNCH		
4800	----	----	----	#313.90B/222.00	313.90B/222.00A	----	----	----	237.40 - 24.80	.9222	----	----	----	----	1	UNCH		
4850	----	----	----	#362.40B/268.60	362.40B/268.60A	----	----	----	285.10 - NEW	.9495	----	----	1	----	1	+		
4900	----	----	----	---/316.60A	341.90B/316.60A	----	----	----	333.70 - NEW	.9664	----	----	3	----	3	+		
4950	----	----	----	---/365.50A	389.50B/365.50A	----	----	----	382.90 - 24.50	.9763	----	----	----	----	1	UNCH		
TOTAL													390		1493	+		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG5 CALL	GOLD OPTIONS																	
MAY26																		
4500	107.10	107.10		120.20B/*65.70A	120.20B/*65.70A	----	----	----	104.10 - NEW	.6817	----	----	1	----	1	+		
4525	----	----	----	102.40B/*53.10A	102.40B/*53.10A	----	----	----	87.30 - NEW	.6220	----	----	10	----	10	+		
4550	----	----	----	86.20B/*42.30A	86.20B/*42.30A	----	----	----	72.20 + 6.50	.5576	----	----	----	----	11	UNCH		
4575	37.40	37.40		71.80B/*33.30A	71.80B/*33.30A	----	----	----	58.80 + 4.90	.4902	----	----	8	----	18	+		
4600	30.00	30.00		59.00B/*26.10A	59.00B/*26.10A	----	----	----	47.20 + 3.60	.4223	----	----	59	----	176	+		
4625	37.70	37.70		47.70B/*20.30A	47.70B/*20.30A	----	----	----	37.40 + 2.40	.3566	----	----	67	----	67	+		
4650	21.00	21.00		38.40B/*15.80A	38.40B/*15.80A	----	----	----	29.40 + 1.50	.2957	----	----	9	----	13	+		
4675	17.30	17.30		30.40B/*12.30A	30.40B/*12.30A	----	----	----	22.90 + 0.90	.2411	----	----	25	----	35	+		
4700	13.30	13.30		23.80B/*9.60A	23.80B/*9.60A	----	----	----	17.70 + 0.30	.1936	----	----	92	----	211	+		
4725	12.00	12.00		18.70B/*7.60A	18.70B/*7.60A	----	----	----	13.80 - UNCH	.1548	----	----	57	----	111	+		
4750	10.00	10.00		14.70B/*6.10A	14.70B/*6.10A	----	----	----	10.80 - 0.10	.1232	----	----	11	----	53	+		
4775	6.50	6.50		11.60B/*4.90A	11.60B/*4.90A	----	----	----	8.50 - 0.20	.0979	----	----	7	----	36	UNCH		
4800	6.30	6.30		9.10B/*4.10A	9.10B/*4.10A	----	----	----	6.70 - 0.20	.0775	----	----	2	----	19	UNCH		
4825	----	----	----	7.30B/*3.40A	7.30B/*3.40A	----	----	----	5.40 - 0.20	.0622	----	----	----	----	42	UNCH		
4850	----	----	----	5.90B/*2.80A	5.90B/*2.80A	----	----	----	4.40 - 0.20	.0503	----	----	2	----	32	UNCH		
4875	----	----	----	4.80B/*2.40A	4.80B/*2.40A	----	----	----	3.60 - 0.10	.0407	----	----	----	----	28	UNCH		
4900	----	----	----	4.00B/*2.10A	4.00B/*2.10A	----	----	----	3.00 - 0.10	.0334	----	----	1	----	343	+		
4925	2.40	2.40		3.30B/*1.90A	3.30B/*1.90A	----	----	----	2.60 - UNCH	.0283	----	----	3	----	175	UNCH		
4950	1.90	1.90		2.80B/*1.60A	2.80B/*1.60A	----	----	----	2.20 - UNCH	.0235	----	----	2	----	33	UNCH		
4975	----	----	----	2.40B/*1.50A	2.40B/*1.50A	----	----	----	2.00 + 0.10	.0207	----	----	----	----	14	UNCH		
5000	1.80	1.80		2.20B/*1.30A	2.20B/*1.30A	----	----	----	1.70 + 0.10	.0173	----	----	7	----	394	+		
5025	----	----	----	1.90B/*1.20A	1.90B/*1.20A	----	----	----	1.50 + 0.10	.0149	----	----	----	----	11	UNCH		
5050	----	----	----	1.70B/*1.10A	1.70B/*1.10A	----	----	----	1.30 - UNCH	.0127	----	----	----	----	14	UNCH		
5075	----	----	----	1.50B/*1.00A	1.50B/*1.00A	----	----	----	1.20 + 0.10	.0114	----	----	----	----	6	UNCH		
5100	----	----	----	1.30B/----	1.30B/*1.00A	----	----	----	1.10 + 0.10	.0102	----	----	4	----	339	+		
5125	----	----	----	1.20B/----	1.20B/*0.90A	----	----	----	1.00 + 0.20	.0090	----	----	----	----	6	UNCH		
5200	0.80	0.80		0.90B/*0.80	0.90B/*0.80	----	----	----	0.70 + 0.10	.0060	----	----	10	----	14	+		
5225	0.70	0.70		0.80B/*0.70	0.80B/*0.70	----	----	----	0.70 + 0.20	.0058	----	----	2	----	3	+		
5250	----	----	----	0.70B/----	0.70B/0.80A	----	----	----	0.60 + 0.10	.0049	----	----	----	----	0	UNCH		
5300	----	----	----	0.60B/----	0.60B/*0.70A	----	----	----	0.50 + 0.10	.0039	----	----	----	----	11	UNCH		
5400	0.20	0.20		0.50B/*0.20	0.50B/*0.20	----	----	----	0.40 + 0.20	.0029	----	----	5	----	28	UNCH		
5500	----	----	----	----	0.20B/*0.80A	----	----	----	0.30 + 0.10	.0020	----	----	----	----	1	UNCH		
5600	----	----	----	----	---/*0.70A	----	----	----	0.30 + 0.20	.0018	----	----	----	----	1	UNCH		
5750	----	----	----	----	---/*0.70A	----	----	----	0.10 - UNCH	.0004	----	----	----	----	3	UNCH		
TOTAL													384		2259	+		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 PUT	GOLD OPTIONS																	
MAY26																		
3500	----	----	----	----	---/*0.10A	----	----	----	0.10 - UNCH	----	----	----	----	----	17	UNCH		
3700	----	----	----	----	---/0.50A	----	----	----	0.10 - UNCH	----	----	----	----	----	4	UNCH		
3750	----	----	----	----	---/0.40A	----	----	----	0.10 - 0.10	----	----	----	----	----	1	UNCH		
3800	----	----	----	----	---/*0.30A	----	----	----	0.10 - 0.20	.0000	----	----	----	----	34	UNCH		
3900	----	----	----	----	---/*0.30A	0.40B/*0.30A	----	----	0.10 - 0.50	.0001	----	----	----	----	61	UNCH		
4000	0.90	0.90		0.90/*0.40	0.90/*0.40	----	----	----	0.20 - 0.70	.0004	----	----	6	----	26	+		
4075	----	----	----	---/*0.40A	1.20B/*0.40A	----	----	----	0.40 - 0.90	.0011	----	----	----	----	24	UNCH		
4100	0.40	0.40		0.40/*0.40	1.50B/*0.40	----	----	----	0.40 - 1.10	.0012	----	----	2	----	6	UNCH		
4120	----	----	----	1.80B/*0.50A	1.80B/*0.50A	----	----	----	0.50 - 1.10	.0016	----	----	----	----	1	UNCH		
4125	----	----	----	1.80B/*0.60A	1.80B/*0.60A	----	----	----	0.50 - 1.10	.0017	----	----	----	----	33	UNCH		
4130	----	----	----	1.90B/*0.60A	1.90B/*0.60A	----	----	----	0.50 - 1.20	.0017	----	----	----	----	2	UNCH		
4150	----	----	----	2.20B/*0.60A	2.20B/*0.60A	----	----	----	0.60 - 1.20	.0022	----	----	1	----	28	UNCH		
4175	0.60	0.60		2.40B/*0.60	2.40B/*0.60	----	----	----	0.70 - 1.40	.0029	----	----	1	----	6	+		
4200	2.20	2.20		3.20/*0.50	3.20/*0.50	----	----	----	0.80 - 1.50	.0036	----	----	9	----	80	+		
4210	----	----	----	3.														

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG4 PUT	GOLD OPTIONS																	
MAY26																		
4445	11.20	11.20		41.40B/*8.00A	41.40B/*8.00A	----		10.30	NEW	-.1461	----	----	4	----	3 +			
4460	----	----		43.70B/*8.50A	43.70B/*8.50A	----		11.10	NEW	-.1596	----	----	2	----	2 +			
4465	----	----		46.10B/*9.20A	46.10B/*9.20A	----		12.00	- 12.50	-.1744	----	----	2	----	0 -			
4470	45.60	45.60		48.40B/*10.00A	48.40B/*10.00A	----		12.90	- 13.10	-.1898	----	----	4	----	UNCH			
4475	----	----		51.20B/10.60A	51.20B/10.60A	----		13.90	- 13.70	-.2065	----	----	8	----	23 +			
4480	27.00	27.00		54.00B/*11.60A	54.00B/*11.60A	----		15.00	- 14.30	-.2247	----	----	3	----	4 +			
4485	12.70	12.70		57.60B/*12.40A	57.60B/*12.40A	----		16.20	- 14.90	-.2441	----	----	15	----	17 +			
4490	----	----		#60.50B/*13.50A	60.50B/*13.50A	----		17.50	- 15.40	-.2647	----	----	25	----	22 +			
4500	40.10	40.10		66.80B/15.50A	66.80B/15.50A	----		20.30	- 16.70	-.3090	----	----	67	----	191 +			
4505	29.90	29.90		#70.00B/*16.90A	70.00B/*16.90A	----		21.90	- 17.20	-.3331	----	----	1	----	5 +			
4510	24.50	24.50		#73.40B/*18.20A	73.40B/*18.20A	----		23.60	- 17.80	-.3582	----	----	1	----	2 +			
4515	32.10	32.10		#76.70B/*19.70A	76.70B/*19.70A	----		25.40	- 18.40	-.3841	----	----	1	----	8			
4520	34.40	34.40		#80.20B/*21.20A	80.20B/*21.20A	----		27.30	- 18.90	-.4109	----	----	1	----	UNCH			
4525	30.30	30.30		83.80B/22.80A	83.80B/22.80A	----		29.30	- 19.50	-.4384	----	----	25	----	UNCH			
4530	32.40	32.40		#87.50B/*24.70A	87.50B/*24.70A	----		31.50	- 20.00	-.4666	----	----	9	----	71 +			
4535	34.70	34.70		#91.40B/*26.40A	91.40B/*26.40A	----		33.80	NEW	-.4952	----	----	1	----	11 +			
4540	34.50	34.50		#95.40B/28.50A	95.40B/28.50A	----		36.20	- 21.00	-.5240	----	----	3	----	1 +			
4545	----	----		#99.30B/30.60A	99.30B/30.60A	----		38.80	NEW	-.5528	----	----	1	----	5			
4550	44.30	44.30		103.40B/32.30	103.40B/32.30	----		41.50	- 21.80	-.5815	----	20	----	3	UNCH			
4555	----	----		#107.60B/35.40A	107.60B/35.40A	----		44.30	- 22.20	-.6100	----	110	----	1	UNCH			
4560	----	----		#111.60B/37.60A	111.60B/37.60A	----		47.30	- 22.60	-.6377	----	----	1	----	236 +			
4565	----	----		#115.90B/40.20A	115.90B/40.20A	----		50.40	- 22.90	-.6649	----	----	----	30	UNCH			
4570	----	----		#120.20B/43.40A	120.20B/43.40A	----		53.60	- 23.20	-.6913	----	----	----	1	UNCH			
4575	----	----		124.60B/46.00A	124.60B/46.00A	----		56.90	- 23.50	-.7169	----	----	----	4	UNCH			
4580	----	----		#129.00B/49.00A	129.00B/49.00A	----		60.40	- 23.70	-.7409	----	----	2	----	13			
4585	----	----		#133.80B/52.20A	133.80B/52.20A	----		64.00	- 23.90	-.7638	----	----	----	1	UNCH			
4600	65.00	65.00		147.40B/62.40A	147.40B/62.40A	----		75.30	- 24.50	-.8246	----	----	3	----	85			
4615	82.00	82.00		#161.40B/73.90A	161.40B/73.90A	----		87.60	NEW	-.8736	----	----	1	----	16 +			
4620	----	----		#166.20B/77.70A	166.20B/77.70A	----		91.80	- 24.80	-.8865	----	----	----	1	UNCH			
4625	----	----		#170.70B/81.70A	170.70B/81.70A	----		96.20	- 24.70	-.8989	----	----	1	----	1			
4635	----	----		#180.30B/90.30A	180.30B/90.30A	----		105.00	NEW	-.9203	----	----	2	----	UNCH			
4640	107.40	107.40		#185.00B/94.50A	185.00B/94.50A	----		109.50	- 24.80	-.9292	----	----	1	----	26			
4650	----	----		#194.70B/103.40A	194.70B/103.40A	----		118.70	- 24.70	-.9436	----	----	2	----	1 +			
4675	----	----		#219.20B/126.20A	219.20B/126.20A	----		142.20	- 24.70	-.9677	----	----	1	----	2			
4700	----	----		#243.90B/149.50A	243.90B/149.50A	----		166.40	- 24.50	-.9816	----	----	2	----	7 +			
4725	----	----		#250.10B/173.40A	250.10B/173.40A	----		190.90	- 24.40	-.9878	----	----	----	----	57			
4750	----	----		#275.00B/197.40A	275.00B/197.40A	----		215.60	- 24.20	-.9918	----	----	2	----	UNCH			
4775	----	----		#299.90B/222.20A	299.90B/222.20A	----		240.40	- 24.10	-.9950	----	----	2	----	12			
4800	----	----		----	223.30B/346.60A	----		265.30	- 24.00	-.9962	----	----	2	----	0 -			
4850	----	----		#374.70B/302.30A	374.70B/302.30A	----		315.00	- 24.10	-.9980	----	----	1	----	2			
4875	----	----		296.50B/418.00A	----	----		340.00	- 24.00	-.9987	----	----	----	----	1			
4900	----	----		#424.60B/352.10A	424.60B/352.10A	----		364.90	- 24.00	-.9993	----	----	3	----	UNCH			
5000	----	----		419.30B/540.60A	----	----		464.80	- 24.00	1.0000	----	----	----	----	0			
TOTAL												818			2521+			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG4 CALL	GOLD OPTIONS																	
MAY26																		
4180	301.50	301.50		#375.40B/*280.2	375.40B/*280.20A	----		355.90	NEW	-.9970	----	----	1	----	1 +			
4400	----	----		158.90B/*81.40A	158.90B/*81.40A	----		140.10	+ 17.40	-.9447	----	----	----	1	UNCH			
4420	----	----		140.20B/*67.20A	140.20B/*67.20A	----		121.60	+ 16.00	-.9210	----	----	----	1	UNCH			
4425	----	----		135.70B/*63.90A	135.70B/*63.90A	----		117.00	+ 15.50	-.9142	----	----	2	----	1			
4435	----	----		126.40B/*57.10A	126.40B/*57.10A	----		108.00	+ 14.60	-.8975	----	----	----	3	+			
4450	----	----		113.00B/*47.00A	113.00B/*47.00A	----		94.90	+ 13.20	-.8658	----	----	----	1	UNCH			
4455	----	----		108.60B/*44.60A	108.60B/*44.60A	----		90.60	+ 12.60	-.8538	----	----	----	1	UNCH			
4460	----	----		104.20B/*41.60A	104.20B/*41.60A	----		86.40	+ 12.10	-.8403	----	----	----	1	UNCH			
4465	----	----		100.20B/*38.50A	100.20B/*38.50A	----		82.30	+ 11.60	-.8255	----	----	----	1	UNCH			
4470	47.00	47.00		95.70B/*35.60A	95.70B/*35.60A	----		78.20	NEW	-.8101	----	----	2	----	1			
4475	----	----		91.40B/*33.00A	91.40B/*33.00A	----		74.20	+ 10.40	-.7933	----	----	----	3	+			
4480	41.50	41.50		87.60B/*30.40A	87.60B/*30.40A	----		70.30	+ 9.80	-.7752	----	----	----	3	+			
4485	42.60	42.60		83.40B/*28.00A	83.40B/*28.00A	----		66.50	NEW	-.7558	----	----	6	----	6			
4490	36.00	36.00		79.60B/*25.80A	79.60B/*25.80A	----		62.80	+ 8.70	-.7351	----	----	5	----	6			
4495	33.00	33.00		75.70B/*23.60A	75.70B/*23.60A	----		59.10	NEW	-.7139	----	----	1	----	5			
4500	32.20	32.20		71.90B/*21.70A	71.90B/*21.70A	----		55.60	+ 7.40	-.6908	----	----	17	----	1			
4505	26.50	26.50		68.20B/*19.90A	68.20B/*19.90A	----		52.20	+ 6.90	-.6667	----	----	13	----	28 +			
4510	26.50	26.50		64.40B/*18.10A	64.40B/*18.10A	----		48.90	+ 6.30	-.6417	----	----	49	----	12			
4515	----	----		61.00B/*16.50A	61.00B/*16.50A	----		45.70	+ 5.70	-.6157	----	----	----	26	+			
4520	36.00	36.00		57.60B/*15.00A	57.60B/*15.00A	----		42.60	NEW	-.5889	----	----	----	1	UNCH			
4525	15.10	15.10		54.40B/*13.60A	54.40B/*13.60A	----		39.60	+ 4.60	-.5615	----	----	3	----	19 +			
4530	24.80	24.80		51.00B/*12.30A	51.00B/*12.30A	----		36.80	+ 4.10	-.5333	----	----	22	----	10 +			
4535	20.30	20.30		47.90B/*11.10A	47.90B/*11.10A	----		34.10	NEW	-.5047	----	----	4	----	2			
4540	15.20	15.20		44.90B/*10.10A	44.90B/*10.10A	----</												



G664 BULLETIN # 96@			METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 CALL MAY26		GOLD OPTIONS														
5000	----	----	0.20B/----	0.20B/0.30A	----	----	----	0.10	UNCH	.0000	----	----	----	----	58	UNCH
5025	0.20	0.20	0.20/*0.20	0.20/*0.20	----	----	----	0.10	UNCH	.0000	----	----	10	----	516 +	10
5050	----	----	----	----/*0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	23	UNCH
5075	----	----	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	4	UNCH
5100	----	----	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	17	UNCH
5125	----	----	----	----/0.40A	----	----	----	0.10	UNCH	----	----	----	----	----	3	UNCH
5150	----	----	----	----/0.40A	----	----	----	0.10	UNCH	----	----	----	----	----	9	UNCH
5175	----	----	----	----/0.40A	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH
5200	0.10	0.10	0.10/*0.10	0.10/*0.10	----	----	----	0.10	UNCH	----	----	----	1	----	26	UNCH
5225	----	----	----	----/0.40A	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH
5300	----	----	----	----/0.60A	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH
5400	----	----	----	----/0.70A	----	----	----	0.10	UNCH	.0907	----	----	----	----	2	UNCH
5500	----	----	----	----/8.80A	----	----	----	0.10	UNCH	----	----	----	----	----	18	UNCH
5600	----	----	----	----/8.90A	----	----	----	0.10	UNCH	----	----	----	----	----	15	UNCH
6000	----	----	----	----/9.00A	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH
TOTAL													1177	75	3804 +	704
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 PUT JUN26		GOLD OPTIONS														
3500	1.50	1.50	1.50/*1.50	1.80B/*1.50	----	----	----	1.60 -	0.80	.0076	----	----	3	----	5 +	3
3700	5.00	5.00	#5.00/*2.80A	#5.00/*2.80A	----	----	----	2.50	NEW	.0133	----	----	1	----	1 +	1
3900	----	----	----/*4.60A	5.30B/*4.60A	----	----	----	4.20	NEW	.0251	----	----	1	----	1 +	1
4000	7.60	7.60	9.80B/*6.20A	9.80B/*6.20A	----	----	----	5.90 -	2.50	.0369	----	----	500	----	305 -	195
4100	12.50	12.50	14.20B/*8.80A	14.20B/*8.80A	----	----	----	8.70	NEW	.0564	----	----	1	----	1 +	1
4150	----	----	17.90B/*10.80A	17.90B/*10.80A	----	----	----	10.90	NEW	.0713	----	----	1	----	1 +	1
4200	----	----	23.70B/*13.20A	23.70B/*13.20A	----	----	----	13.80 -	5.60	.0905	----	----	1	----	6 +	1
4250	----	----	31.00B/*17.00A	31.00B/*17.00A	----	----	----	17.80 -	7.00	.1161	----	----	----	----	1	UNCH
4300	----	----	39.70B/*22.00A	39.70B/*22.00A	----	----	----	23.30 -	8.50	.1495	----	----	7	----	18 +	7
4325	----	----	44.70B/25.00A	44.70B/25.00A	----	----	----	26.80 -	9.30	.1698	----	----	----	----	2	UNCH
4350	----	----	51.40B/28.70A	51.40B/28.70A	----	----	----	30.80	NEW	.1923	----	----	6	----	6 +	6
4375	----	----	58.30B/32.80A	58.30B/32.80A	----	----	----	35.50	NEW	.2175	----	----	3	----	3 +	3
4400	----	----	68.00B/37.70A	68.00B/37.70A	----	----	----	40.90 -	12.20	.2453	----	----	4	----	75 +	2
4450	----	----	87.10B/49.90A	87.10B/49.90A	----	----	----	54.10 -	14.40	.3084	----	----	----	----	1	UNCH
4500	----	----	108.20B/65.90A	108.20B/65.90A	----	----	----	70.90 -	16.50	.3802	----	----	----	----	25	UNCH
4525	----	----	119.30B/75.10A	119.30B/75.10A	----	----	----	80.70 -	17.60	.4186	----	10	----	----	11 +	10
4550	----	----	133.10B/85.00A	133.10B/85.00A	----	----	----	91.60 -	18.60	.4582	----	----	----	----	1	UNCH
4575	----	----	148.10B/96.50A	148.10B/96.50A	----	----	----	103.70 -	19.50	.4984	----	----	----	----	1	UNCH
4600	----	----	164.10B/109.30A	164.10B/109.30A	----	----	----	117.00	NEW	.5387	----	1	----	----	1 +	1
4700	----	----	#237.50B/169.90	#237.50B/169.90A	----	----	----	180.00	NEW	.6903	----	1	----	----	1 +	1
TOTAL													540		466 -	157
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 CALL JUN26		GOLD OPTIONS														
4500	115.00	115.00	153.40B/*105.30	153.40B/*105.30A	----	----	----	139.80	NEW	.6192	----	----	4	----	1 +	1
4525	----	----	137.70B/*92.90A	137.70B/*92.90A	----	----	----	124.70	NEW	.5808	----	----	10	----	10 +	10
4575	----	----	109.70B/*71.60A	109.70B/*71.60A	----	----	----	97.80	NEW	.5009	----	----	230	----	230 +	230
4600	70.00	70.00	97.20B/*62.40A	97.20B/*62.40A	----	----	----	86.10	NEW	.4607	----	----	10	----	10 +	10
4625	----	----	85.60B/*54.30A	85.60B/*54.30A	----	----	----	75.40	NEW	.4209	----	----	230	----	230 +	230
4725	----	----	49.50B/*30.40A	49.50B/*30.40A	----	----	----	42.60 +	1.00	.2758	----	----	----	----	10	UNCH
4850	----	----	23.60B/*14.80A	23.60B/*14.80A	----	----	----	20.20 -	0.50	.1478	----	1	----	----	2 +	1
4900	----	----	17.70B/*11.30A	17.70B/*11.30A	----	----	----	15.10 -	0.70	.1138	----	----	----	----	3	UNCH
4975	----	----	11.20B/*7.80A	11.20B/*7.80A	----	----	----	10.00 -	0.60	.0774	----	----	----	----	3	UNCH
5025	8.20	8.20	8.70B/*6.20A	8.70B/*6.20A	----	----	----	7.70 -	0.50	.0602	----	3	----	----	4 +	3
5100	5.50	5.50	5.90/*4.60A	5.90/*4.60A	----	----	----	5.40	NEW	.0423	----	4	----	----	4 +	4
TOTAL													492		507 +	489
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG1 PUT JUN26		GOLD OPTIONS														
3500	----	----	----/1.00A	1.00B/1.00A	----	----	----	1.00 -	0.40	.0049	----	----	----	----	25	UNCH
3750	----	----	----/2.00A	2.00B/2.00A	----	----	----	1.70 -	0.80	.0098	----	----	----	----	9	UNCH
3800	----	----	----/*2.30A	2.40B/2.30A	----	----	----	2.00 -	0.80	.0119	----	----	----	----	2	UNCH
3900	----	----	----/2.90A	3.50B/2.90A	----	----	----	2.60 -	1.20	.0166	----	----	----	----	2	UNCH
4000	----	----	5.50B/3.80A	5.50B/3.80A	----	----	----	3.60 -	1.70	.0247	----	----	----	----	2	UNCH
4100	----	----	9.30B/5.40A	9.30B/5.40A	----	----	----	5.30 -	2.60	.0386	----	----	----	----	2	UNCH
4200	----	----	16.80B/8.20A	16.80B/8.20A	----	----	----	8.50 -	4.10	.0646	----	8	----	----	10 +	7
4225	----	----	19.30B/*9.20A	19.30B/*9.20A	----	----	----	9.70	NEW	.0742	----	1	----	----	1 +	1
4250	----	----	22.40B/10.40A	22.40B/10.40A	----	----	----	11.10 -	5.20	.0854	----	9	----	----	15 +	5
4275	----	----	25.80B/12.00A	25.80B/12.00A	----	----	----	12.80 -	5.90	.0987	----	----	----	----	27	UNCH
4300	24.50	24.50	30.00B/13.80A	30.00B/13.80A	----	----	----	14.90 -	6.60	.1146	----	14	----	----	19 +	9
4325	28.00	28.00	#34.90B/16.00A	#34.90B/16.00A	----	----	----	17.30 -	7.50	.1327	----	13	----	----	28 +	13
4350	21.40	21.40	#40.50B/18.20	#40.50B/18.20	----	----	----	20.30 -	8.40	.1543	----	11	----	----	26 +	11
4375	38.00	38.00	46.10B/21.90A	46.10B/21.90A	----	----	----	24.00 -	9.40	.1797	----	13	----	----	11 +	7
4400	43.00	43.00	#54.20B/25.80A	#54.20B/25.80A	----	----	----	28.30 -	10.50	.2083	----	58	----	----	54 +	2
4425	50.00	50.00	#62.80B/30.50A	#62.80B/30.50A	----	----	----	33.50 -	11.60	.2410	----	10	----	----	42 +	9
4450	57.00	57.00	#71.80B/35.80A	#71.80B/35.80A	----	----	----	39.50 -	12.80	.2772	----	13	----	----	30 +	2
4475	----	----	#82.40B/42.30A	#82.40B/42.30A	----	----	----	46.60 -	14.00	.3171	----	1	----	----	3	UNCH
4500	61.50	61.50	#94.30B/49.40A	#94.30B/49.40A	----	----	----	54.90 -	15.10	.3604	----	101	----	----	101 +	98
4525	----	----	#107.20B/57.90A	#107.20B/57.90A	----	----	----	64.30 -	16.40	.4061	----	----	----	----	1	UNCH
4550	91.80	91.80	#121.80B/67.70A	#121.80B/67.70A	----	----	----	74.90	NEW	.4537	----	42	----	----	40 +	40
4575	----	----	#137.60B/79.10A	#137.60B/79.10A	----	----	----	86.80 -	18.80	.5024	----	10	----	----	12 +	5
4600	----	----	#154.50B/91.40A	#154.50B/91.40A	----	----	----	100.00 -	19.90	.5513	----	----	----	----	43	UNCH
4625	----	----	#172.20B/104.50	#172.20B/104.50A	----	----	----	114.50 -	20.90	.5994	----	4	----	----	11 +	1
4650	----	----	#191.20B/119.80	#191.20B/119.80A	----	----	----	130.30 -	21.70	.6458	----	4	----	----	3 +	2
4700	----	----	#231.60B/154.10	#231.60B/154.10A	----	----	----	165.30 -	23.20	.7306	----	----	----	----	22	UNCH
4750	----	----	#275.10B/191.60	#275.10B/191.60A	----	----	----	204.60 -	24.10	.8010	----	----	----	----	28	UNCH
4775	----	----	#297.30B/212.00	#297.30B/212.00A	----	----	----	225.50 -	24.40	.8305	----	----	----	----	11	UNCH
TOTAL													312		580 +	212
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG1 CALL JUN26		GOLD OPTIONS														
4500	124.00	124.00	137.50B/*87.00A	137.50B/*87.00A	----	----	----	123.90 +	9.40	.6392	----	----	1	----	1	UNCH
4525	76.20	76.20	121.10B/*74.40A	121.10B/*74.40A	----	----	----	108.30 +	8.20	.5934	----	----	12	----	10 +	8
4550	----	----	106.10B/*63.60A	106.10B/*63.60A	----	----	----	94.00 +	7.00	.5458	----	----	----	----	50	UNCH
4575	----	----	92.70B/*53.80A	92.70B/*53.80A	----	----	----	80.90 +	5.80	.4971	----	----	10	----	20 +	8
4600	52.40	52.40	80.00B/*45.30A	80.00B/*45.30A	----	----	----	69.10 +	4.70	.4482	----	2	----	----	32 +	1
4625	----	----	68.50B/*38.00A	68.50B/*38.00A	----	----	----	58.70 +	3.70	.4001	----	----	----	----	34	UNCH
4650	----	----	58.10B/*31.80A	58.10B/*31.80A	----	----	----	49.50 +	2.80	.3537	----	1	----	----	2 +	1
4675	32.30	32.30	49.20B/*26.60A</													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN # 96@				METALS OPTION PRODUCTS								Wed, May 20, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG1 CALL	GOLD OPTIONS																
TOTAL														51	599+	24	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																
JUN26																	
1325	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	15	UNCH		
1375	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1400	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1425	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1475	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH		
1500	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH		
1525	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	8	UNCH		
1575	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1580	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1590	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	175	UNCH		
1600	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	18	UNCH		
1610	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1615	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1620	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	31	UNCH		
1625	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1650	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1670	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH		
1675	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH		
1685	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
1690	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1695	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1700	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1725	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1735	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1740	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1745	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1750	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH		
1755	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1775	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1780	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1785	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1795	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH		
1800	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH		
1815	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1820	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1855	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1875	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH		
1900	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH		
1905	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH		
1915	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH		
1920	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1950	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
1955	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
1965	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH		
1975	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	85	UNCH		
2000	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	607	UNCH		
2005	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2010	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2015	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH		
2020	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2025	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	40	UNCH		
2030	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH		
2050	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH		
2085	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	15	UNCH		
2100	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	101	UNCH		
2105	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2110	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2130	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2170	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2180	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH		
2195	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2200	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	9	UNCH		
2205	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH		
2220	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2230	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	25	UNCH		
2235	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	21	UNCH		
2240	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH		
2250	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2300	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH		
2315	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	40	UNCH		
2330	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	9	UNCH		
2350	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2380	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH		
2385	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2390	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2395	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2400	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	72	UNCH		
2405	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2410	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH		
2415	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2420	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2425	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	23	UNCH		
2430	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2445	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2450	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	51	UNCH		
2460	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2465	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH		
2475	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH		
2495	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2500	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1928	UNCH		
2510	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
2525	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	25	UNCH		
2535	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2540	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2550	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	50	UNCH		
2565	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2580	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH		
2590	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH		
2600	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	189	UNCH		
2645	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH		
2650	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
2685	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	26	UNCH		
2695	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
2700	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	427	UNCH		
2730	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	35	UNCH		
2750	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH		
2800	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	768	UNCH		
2805	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	223	UNCH		
2810	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	18	UNCH		
2825	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	56	UNCH		
2830	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	25	UNCH		
2850	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	32	UNCH		
2865	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH		
2875	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH		
2900	----																



PG64		BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
JUN26																								
3020	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	35	UNCH							
3035	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	1	UNCH							
3045	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	56	UNCH							
3050	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	407	UNCH							
3065	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	7	UNCH							
3070	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	7	UNCH							
3075	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	30	UNCH							
3080	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	8	UNCH							
3085	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	1	UNCH							
3095	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	42	UNCH							
3100	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	512	UNCH							
3105	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	13	UNCH							
3110	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	11	UNCH							
3120	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	13	UNCH							
3125	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	13	UNCH							
3130	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	26	UNCH							
3140	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	5	UNCH							
3150	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	147	UNCH							
3155	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	16	UNCH							
3160	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	16	UNCH							
3170	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	6	UNCH							
3175	----	----	----	----	----	0.10B/0.20A				0.10	UNCH	----	----	----	----	13	UNCH							
3180	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	5	UNCH							
3185	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	6	UNCH							
3190	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	18	UNCH							
3195	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	12	UNCH							
3200	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	1206	UNCH								
3205	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	42	UNCH							
3210	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	25	UNCH							
3215	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	----	22	UNCH							
3220	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	37	UNCH							
3225	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	80	UNCH							
3230	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	8	UNCH							
3235	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	26	UNCH							
3240	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	2	UNCH							
3245	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	4	UNCH							
3250	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	156	UNCH								
3255	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	128	UNCH								
3260	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	45	UNCH								
3265	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	30	UNCH								
3270	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	7	UNCH								
3275	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	10	UNCH								
3280	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	12	UNCH								
3290	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	37	UNCH								
3295	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	2	UNCH								
3300	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	422	UNCH								
3305	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	1	UNCH								
3310	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	7	UNCH								
3315	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	7	UNCH								
3320	----	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	4	UNCH								
3325	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	47	UNCH								
3335	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	46	UNCH								
3340	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	22	UNCH								
3345	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	12	UNCH								
3350	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	447	UNCH								
3355	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	17	UNCH								
3360	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	----	----	----	7	UNCH								
3365	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	31	UNCH								
3370	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	26	UNCH								
3375	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	98	UNCH								
3380	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	51	UNCH								
3385	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	.0000	----	----	6	UNCH								
3390	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	59	UNCH								
3395	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	.0000	----	----	2	UNCH								
3400	----	----	----	----	----	0.10B/0.10A				0.10	UNCH	.0000	----	----	719	UNCH								
3405	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	71	UNCH								
3410	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	.0000	----	----	7	UNCH								
3415	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	.0000	----	----	3	UNCH								
3420	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	.0000	----	----	18	UNCH								
3425	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	30	UNCH								
3430	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	45	UNCH								
3435	----	----	----	----	----	----	/*0.20A	----		0.10	UNCH	.0000	----	----	20	UNCH								
3450	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	385	UNCH								
3455	----	----	----	----	----	----	/0.20A	----		0.10	UNCH	.0000	----	----	51	UNCH								
3460	0.10	0.10		0.10/0.10		0.10/0.10				0.10	-	0.10	.0000	10	----	227	UNCH							
3465	0.10	0.10		0.10/*0.10		0.10/0.10				0.10	-	0.10	.0000	5	----	94	+							
3470	0.10	0.10		0.10/*0.10		0.10/0.10				0.10	-	0.10	.0000	8	----	36	+							
3475	0.10	0.10		0.10/*0.10		0.10/0.10				0.10	-	0.10	.0000	20	----	116	+							
3480	0.10	0.10		0.10/*0.10		0.10/0.10				0.10	-	0.10	.0000	10	----	181	+							
3485	----	----	----	----		0.10B/0.30A				0.10	-	0.10	.0000	----	----	3	UNCH							
3490	----	----	----	----		0.10B/0.30A				0.10	-	0.10	.0000	----	----	21	UNCH							
3500	0.40	0.40		0.40/0.10		0.40/0.10				0.10	-	0.10	.0000	28	----	1761	UNCH							
3505	----	----	----	----		0.10B/0.30A																		

PG64		BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																						
JUN26																								
3785	----	----	----	----	----/*0.40A	0.90B/*0.40A	----	----	----	----	0.30 - 0.70	.0016	----	----	----	----	----	7	UNCH	----	----	----	----	----
3790	----	----	----	----	----/*0.40A	0.90B/*0.40A	----	----	----	----	0.30 - 0.70	.0016	----	----	----	----	----	259	UNCH	----	----	----	----	----
3795	----	----	----	----	----/*0.40A	1.00B/*0.40A	----	----	----	----	0.30 - 0.70	.0016	----	----	----	----	----	83	UNCH	----	----	----	----	----
3800	----	----	----	----	----/*0.40A	1.00B/*0.40A	----	----	----	----	0.30 - 0.70	.0016	----	----	----	8	----	2817 +	8	----	----	----	----	----
3805	----	----	----	----	----/*0.40A	1.00B/*0.40A	----	----	----	----	0.30 - 0.80	.0016	----	----	----	----	----	71	UNCH	----	----	----	----	----
3810	----	----	----	----	----/*0.40A	1.00B/*0.40A	----	----	----	----	0.30 - 0.80	.0016	----	----	----	----	----	45	UNCH	----	----	----	----	----
3815	----	----	----	----	----/*0.40A	1.00B/*0.40A	----	----	----	----	0.30 - 0.80	.0017	----	----	----	----	----	40	UNCH	----	----	----	----	----
3820	----	----	----	----	----/*0.40A	1.10B/*0.40A	----	----	----	----	0.30 - 0.80	.0017	----	----	----	----	----	18	UNCH	----	----	----	----	----
3825	0.60	0.60	0.60	0.60	/*0.40A	1.10B/*0.40A	----	----	----	----	0.30 - 0.80	.0017	----	2	----	----	----	40	UNCH	----	----	----	----	----
3830	----	----	----	----	----/*0.50A	1.10B/*0.50A	----	----	----	----	0.30 - 0.80	.0017	----	----	----	----	----	189	UNCH	----	----	----	----	----
3835	----	----	----	----	----/*0.50A	1.10B/*0.50A	----	----	----	----	0.30 - 0.90	.0017	----	----	----	----	----	55	UNCH	----	----	----	----	----
3840	0.50	0.50	0.50	0.50	/*0.50A	1.10B/*0.50A	----	----	----	----	0.30 - 0.90	.0017	----	1	----	----	----	4	UNCH	----	----	----	----	----
3845	----	----	----	----	----/*0.50A	1.10B/*0.50A	----	----	----	----	0.30 - 0.90	.0017	----	----	----	----	----	1	UNCH	----	----	----	----	----
3850	0.50	0.50	0.50	0.50	0.50/0.50	1.20B/0.50	----	----	----	----	0.40 - 0.80	.0023	----	1	----	----	----	716 -	1	----	----	----	----	----
3855	----	----	----	----	----/*0.50A	1.20B/*0.50A	----	----	----	----	0.40 - 0.80	.0023	----	----	----	----	----	73	UNCH	----	----	----	----	----
3860	----	----	----	----	----/*0.50A	1.20B/*0.50A	----	----	----	----	0.40 - 0.80	.0023	----	----	----	----	----	29	UNCH	----	----	----	----	----
3865	0.50	0.50	0.50	0.50	/*0.50	1.20B/*0.50	----	----	----	----	0.40 - 0.90	.0024	----	1	----	----	----	20 +	1	----	----	----	----	----
3870	----	----	----	----	----/*0.50A	1.20B/*0.50A	----	----	----	----	0.40 - 0.90	.0024	----	----	----	----	----	16	UNCH	----	----	----	----	----
3875	----	----	----	----	----/*0.50A	1.30B/*0.50A	----	----	----	----	0.50 - 0.80	.0030	----	----	----	----	----	161	UNCH	----	----	----	----	----
3880	----	----	----	----	----/*0.60A	1.30B/*0.60A	----	----	----	----	0.50 - 0.80	.0030	----	----	----	----	----	25	UNCH	----	----	----	----	----
3885	0.60	0.60	0.60	0.60	/*0.60	1.30B/*0.60	----	----	----	----	0.50 - 0.80	.0030	----	1	----	----	----	14 +	1	----	----	----	----	----
3890	----	----	----	----	----/*0.50A	1.30B/*0.50A	----	----	----	----	0.50 - 0.90	.0030	----	----	----	----	----	52	UNCH	----	----	----	----	----
3895	0.50	0.50	0.50	0.50	0.50/*0.50	1.40B/*0.50	----	----	----	----	0.60 - 0.80	.0036	----	10	----	----	----	19 +	3	----	----	----	----	----
3900	1.30	1.30	1.30	1.30	1.40B/*0.60	1.40B/*0.60	----	----	----	----	0.60 - 0.80	.0037	----	29	----	----	----	1262 +	13	----	----	----	----	----
3905	----	----	----	----	----/*0.60A	1.40B/*0.60A	----	----	----	----	0.60 - 0.80	.0037	----	----	----	----	----	45	UNCH	----	----	----	----	----
3910	----	----	----	----	----/*0.60A	1.40B/*0.60A	----	----	----	----	0.60 - 0.80	.0037	----	----	----	----	----	10	UNCH	----	----	----	----	----
3915	0.90	0.90	0.90	0.90	/*0.60A	1.50B/*0.60A	----	----	----	----	0.60 - 0.90	.0038	----	28	----	----	----	52 +	18	----	----	----	----	----
3920	----	----	----	----	----/*0.60A	1.50B/*0.60A	----	----	----	----	0.70 - 0.80	.0044	----	----	----	----	----	34	UNCH	----	----	----	----	----
3925	0.90	0.90	0.90	0.90	1.60B/*0.60A	1.60B/*0.60A	----	----	----	----	0.70 - 0.80	.0044	----	10	----	----	----	54	UNCH	----	----	----	----	----
3930	0.90	0.90	0.90	0.90	1.60B/*0.70A	1.60B/*0.70A	----	----	----	----	0.70 - 0.80	.0044	----	10	----	----	----	23	UNCH	----	----	----	----	----
3935	----	----	----	----	1.60B/*0.70A	1.60B/*0.70A	----	----	----	----	0.70 - 0.80	.0045	----	----	----	----	----	28	UNCH	----	----	----	----	----
3940	----	----	----	----	----/*0.70A	1.60B/*0.70A	----	----	----	----	0.70 - 0.90	.0045	----	----	----	----	----	102	UNCH	----	----	----	----	----
3945	1.10	1.10	1.10	1.10	1.10/*0.70A	1.60B/*0.70A	----	----	----	----	0.70 - 0.90	.0046	----	14	----	----	----	22 +	4	----	----	----	----	----
3950	1.60	1.60	1.60	1.60	1.70B/*0.70A	1.70B/*0.70A	----	----	----	----	0.70 - 0.90	.0046	----	38	----	----	----	324 +	2	----	----	----	----	----
3955	----	----	----	----	----/*0.70A	1.70B/*0.70A	----	----	----	----	0.70 - 1.00	.0046	----	----	----	----	----	9	UNCH	----	----	----	----	----
3960	1.00	1.00	1.00	1.00	1.80B/*0.70A	1.80B/*0.70A	----	----	----	----	0.70 - 1.00	.0047	----	1	----	----	----	41 +	1	----	----	----	----	----
3965	----	----	----	----	1.80B/*0.70A	1.80B/*0.70A	----	----	----	----	0.70 - 1.00	.0047	----	----	----	----	----	26	UNCH	----	----	----	----	----
3970	----	----	----	----	1.80B/*0.70A	1.80B/*0.70A	----	----	----	----	0.70 - 1.00	.0048	----	----	----	----	----	69	UNCH	----	----	----	----	----
3975	----	----	----	----	1.90B/*0.80A	1.90B/*0.80A	----	----	----	----	0.70 - 1.10	.0048	----	----	----	----	----	358	UNCH	----	----	----	----	----
3980	----	----	----	----	1.90B/*0.80A	1.90B/*0.80A	----	----	----	----	0.70 - 1.10	.0048	----	----	----	----	----	108	UNCH	----	----	----	----	----
3985	----	----	----	----	1.90B/*0.80A	1.90B/*0.80A	----	----	----	----	0.70 - 1.10	.0049	----	----	----	----	----	60	UNCH	----	----	----	----	----
3990	----	----	----	----	2.00B/*0.80A	2.00B/*0.80A	----	----	----	----	0.70 - 1.20	.0049	----	----	----	----	----	58	UNCH	----	----	----	----	----
3995	1.00	1.00	1.00	1.00	2.00B/*0.80A	2.00B/*0.80A	----	----	----	----	0.70 - 1.20	.0050	----	20	----	----	----	193 +	18	----	----	----	----	----
4000	1.90	1.90	1.90	1.90	2.50/0.70	2.50/0.70	----	----	----	----	0.80 - 1.10	.0057	----	546	----	----	----	4644 -	100	----	----	----	----	----
4005	----	----	----	----	2.10B/*0.80A	2.10B/*0.80A	----	----	----	----	0.80 - 1.20	.0057	----	----	----	----	----	64	UNCH	----	----	----	----	----
4010	----	----	----	----	2.20B/*0.90A	2.20B/*0.90A	----	----	----	----	0.80 - 1.20	.0058	----	----	----	----	----	75	UNCH	----	----	----	----	----
4015	----	----	----	----	2.20B/*0.90A	2.20B/*0.90A	----	----	----	----	0.80 - 1.20	.0058	----	----	----	----	----	58	UNCH	----	----	----	----	----
4020	----	----	----	----	2.30B/*0.90A	2.30B/*0.90A	----	----	----	----	0.80 - 1.30	.0059	----	----	----	----	----	122	UNCH	----	----	----	----	----
4025	----	----	----	----	2.40B/*0.90A	2.40B/*0.90A	----	----	----	----	0.80 - 1.30	.0059	----	----	----	----	----	249	UNCH	----	----	----	----	----
4030	----	----	----	----	2.40B/*0.90A	2.40B/*0.90A	----	----	----	----	0.90 - 1.20	.0067	----	----	----	----	----	51	UNCH	----	----	----	----	----
4035	----	----	----	----	2.50B/*0.90A	2.50B/*0.90A	----	----	----	----	0.90 - 1.30	.0067	----	----	----	----	----	59	UNCH	----	----	----	----	----
4040	1.20	1.20	1.20	1.20	2.50B/*0.90	2.50B/*0.90	----	----	----	----	0.90 - 1.30	.0068	----	2	----	----	----	94 -	1	----	----	----	----	----
4045	0.90	0.90	0.90	0.90	2.60B/*0.90	2.60B/*0.90	----	----	----	----	0.90 - 1.30	.0069	----	----	----	----								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
JUN26																
4470	58.10	58.10		62.10B/19.20A	62.10B/19.20A	----	----		23.20	- 13.80	.2789	----	----	11	----	271 +
4475	50.40	50.40		64.70B/20.30A	64.70B/20.30A	----	----		24.50	- 14.30	.2929	----	75	----	250 +	
4480	59.80	59.80		67.40B/21.40A	67.40B/21.40A	----	----		25.90	- 14.70	.3076	----	17	----	169 -	
4485	57.10	57.10		70.10B/22.60A	70.10B/22.60A	----	----		27.30	- 15.10	.3224	----	12	----	97 -	
4490	46.60	46.60		72.80B/24.10A	72.80B/24.10A	----	----		28.90	- 15.50	.3381	----	13	----	281 +	
4495	43.70	43.70		76.40B/25.50A	76.40B/25.50A	----	----		30.50	- 15.90	.3540	----	110	----	176 -	
4500	55.20	55.20		79.40B/26.60A	79.40B/26.60A	----	----		32.20	- 16.40	.3704	----	450	216	6097 -	
4505	40.30	40.30		82.40B/28.30A	82.40B/28.30A	----	----		34.00	- 16.70	.3872	----	9	----	338 +	
4510	----	----		85.50B/29.70A	85.50B/29.70A	----	----		35.90	- 17.10	.4044	----	----	----	133	
4515	51.30	51.30		88.80B/31.40A	88.80B/31.40A	----	----		37.80	- 17.60	.4217	----	19	----	579 -	
4520	43.50	43.50		92.10B/33.10A	92.10B/33.10A	----	----		39.90	- 17.90	.4395	----	8	----	212	
4525	35.00	35.00		95.50B/34.90A	95.50B/34.90A	----	----		42.10	- 18.20	.4575	----	4	----	539 -	
4530	60.40	60.40		99.10B/37.10A	99.10B/37.10A	----	----		44.30	- 18.60	.4757	----	160	9	301 -	
4535	42.80	42.80		102.60B/38.90A	102.60B/38.90A	----	----		46.60	- 19.00	.4940	----	9	----	259 -	
4540	53.20	53.20		106.10B/40.90A	106.10B/40.90A	----	----		49.10	- 19.30	.5124	----	14	----	284 +	
4545	55.10	55.10		109.60B/43.20A	109.60B/43.20A	----	----		51.60	- 19.70	.5309	----	25	----	151 +	
4550	94.30	94.30		113.40B/45.50A	113.40B/45.50A	----	----		54.20	- 20.00	.5494	----	37	1	1314 -	
4555	52.80	52.80		117.10B/47.80A	117.10B/47.80A	----	----		56.90	- 20.40	.5677	----	1	----	111 -	
4560	77.90	77.90		121.10B/50.50A	121.10B/50.50A	----	----		59.80	- 20.60	.5860	----	13	----	135 +	
4565	97.20	97.20		125.00B/53.50A	125.00B/53.50A	----	----		62.70	- 20.90	.6041	----	12	----	247	
4570	86.60	86.60		128.90B/56.30A	128.90B/56.30A	----	----		65.70	- 21.20	.6220	----	12	----	194	
4575	94.70	94.70		132.90B/59.00A	132.90B/59.00A	----	----		68.80	- 21.50	.6397	----	2	----	321	
4580	63.70	63.70		137.00B/61.10A	137.00B/61.10A	----	----		72.00	- 21.70	.6570	----	1	----	250 -	
4585	----	----		141.10B/64.20A	141.10B/64.20A	----	----		75.30	- 22.00	.6739	----	----	----	218	
4590	72.60	72.60		145.20B/67.30A	145.20B/67.30A	----	----		78.60	- 22.30	.6904	----	1	----	241 +	
4595	76.60	76.60		149.50B/70.50A	149.50B/70.50A	----	----		82.10	- 22.40	.7068	----	1	----	75 -	
4600	96.00	96.00		153.70B/73.60A	153.70B/73.60A	----	----		85.60	- 22.70	.7222	----	118	----	3617 -	
4605	81.70	81.70		158.00B/77.00A	158.00B/77.00A	----	----		89.30	- 22.80	.7375	----	2	----	127 -	
4610	----	----		162.50B/81.40A	162.50B/81.40A	----	----		93.00	- 23.00	.7522	----	1	----	212	
4615	----	----		166.70B/84.10A	166.70B/84.10A	----	----		96.80	- 23.10	.7663	----	----	----	61	
4620	----	----		171.20B/88.00A	171.20B/88.00A	----	----		100.60	- 23.30	.7795	----	----	----	297	
4625	90.80	90.80		175.60B/90.80	175.60B/90.80	----	----		104.50	- 23.40	.7927	----	5	----	918 +	
4630	----	----		180.10B/95.00A	180.10B/95.00A	----	----		108.50	- 23.50	.8051	----	1	----	203 +	
4635	----	----		184.70B/99.70A	184.70B/99.70A	----	----		112.60	- 23.60	.8174	----	----	----	119	
4640	----	----		189.20B/102.80A	189.20B/102.80A	----	----		116.70	- 23.70	.8281	----	----	----	85	
4645	123.10	123.10		193.80B/106.80A	193.80B/106.80A	----	----		120.90	- 23.70	.8395	----	3	----	89 -	
4650	110.20	110.20		198.40B/110.20	198.40B/110.20	----	----		125.10	- 23.80	.8491	----	5	----	1371	
4655	119.30	119.30		203.10B/115.00A	203.10B/115.00A	----	----		129.40	- 23.90	.8586	----	9	----	124	
4660	----	----		207.80B/119.20A	207.80B/119.20A	----	----		133.70	- 24.00	.8679	----	----	----	123	
4665	----	----		212.50B/123.40A	212.50B/123.40A	----	----		138.10	- 24.00	.8763	----	----	----	27	
4670	127.30	127.30		217.20B/127.30	217.20B/127.30	----	----		142.60	- 23.90	.8846	----	2	----	264	
4675	136.80	136.80		222.00B/131.90A	222.00B/131.90A	----	----		147.00	- 24.00	.8918	----	1	----	528	
4680	----	----		226.70B/137.20A	226.70B/137.20A	----	----		151.50	- 24.10	.8990	----	1	----	141 +	
4685	225.40	225.40		231.50B/140.90A	231.50B/140.90A	----	----		156.10	- 24.00	.9050	----	1	----	72	
4690	----	----		236.30B/145.30A	236.30B/145.30A	----	----		160.70	- 24.00	.9119	----	----	----	208	
4695	----	----		241.10B/150.00A	241.10B/150.00A	----	----		165.30	- 24.00	.9168	----	----	----	80	
4700	206.90	206.90		245.90B/154.40A	245.90B/154.40A	----	----		169.90	- 24.10	.9225	----	8	----	2480	
4705	----	----		250.80B/158.90A	250.80B/158.90A	----	----		174.60	- 24.00	.9271	----	----	----	98	
4710	----	----		255.90B/163.40A	255.90B/163.40A	----	----		179.30	- 24.00	.9317	----	----	----	71	
4715	----	----		260.50B/168.20A	260.50B/168.20A	----	----		184.00	- 24.10	.9361	----	----	----	83	
4720	----	----		265.40B/172.80A	265.40B/172.80A	----	----		188.70	- 24.10	.9405	----	----	----	168	
4725	178.80	178.80		270.30B/177.20A	270.30B/177.20A	----	----		193.50	- 24.10	.9438	----	1	----	201	
4730	----	----		275.20B/181.80A	275.20B/181.80A	----	----		198.30	- 24.00	.9470	----	----	----	89	
4735	202.00	202.00		280.10B/186.70A	280.10B/186.70A	----	----		203.10	- 24.00	.9501	----	1	----	357 -	
4740	----	----		285.00B/191.40A	285.00B/191.40A	----	----		207.90	- 24.00	.9531	----	----	----	141	
4745	265.10	265.10		275.10B/196.10A	275.10B/196.10A	----	----		212.70	- 24.10	.9561	----	1	----	85 -	
4750	214.50	214.50		280.50B/200.60A	280.50B/200.60A	----	----		217.60	- 24.00	.9580	----	2	----	1052 -	
4755	----	----		284.90B/205.60A	284.90B/205.60A	----	----		222.40	- 24.00	.9608	----	2	----	29 +	
4760	----	----		289.80B/210.10A	289.80B/210.10A	----	----		227.30	- 24.00	.9626	----	----	----	94	
4765	----	----		294.80B/215.10A	294.80B/215.10A	----	----		232.20	- 24.00	.9643	----	----	----	68	
4770	----	----		299.90B/219.90A	299.90B/219.90A	----	----		237.00	- 24.00	.9670	----	1	----	118 +	
4775	----	----		304.80B/224.50A	304.80B/224.50A	----	----		241.90	- 24.00	.9687	----	1	----	206 +	
4780	----	----		309.90B/229.30A	309.90B/229.30A	----	----		246.80	- 24.00	.9702	----	----	----	83	
4785	----	----		315.10B/234.20A	315.10B/234.20A	----	----		251.70	- 24.00	.9718	----	----	----	84	
4790	----	----		319.70B/238.90A	319.70B/238.90A	----	----		256.60	- 24.00	.9722	----	1	----	91 -	
4795	----	----		324.50B/243.90A	324.50B/243.90A	----	----		261.60	- 23.90	.9737	----	----	----	50	
4800	----	----		330.00B/248.70A	330.00B/248.70A	----	----		266.50	- 23.90	.9752	----	----	----	2804	
4805	----	----		334.60B/253.80A	334.60B/253.80A	----	----		271.40	- 23.90	.9766	----	----	----	82	
4810	----	----		339.40B/258.50A	339.40B/258.50A	----	----		276.40	- 23.90	.9769	----	----	----	48	
4815	----	----		344.80B/263.30A	344.80B/263.30A	----	----		281.30	- 23.90	.9783	----	----	----	119	
4820	----	----		349.30B/268.20A	349.30B/268.20A	----	----		286.20	- 23.90	.9797	----	----	----	44	
4825	----	----		353.60B/273.10A	353.60B/273.10A	----	----		291.20	- 23.90	.9800	----	----	----	201	
4830	----	----		356.30B/278.00A	356.30B/278.00A	----	----		296.10	- 23.90	.9813	----	----	----	121	
4835	----	----		360.40B/282.90A	360.40B/282.90A	----	----		301.10	- 23.80	.9815	----	----	----	30	
4840	----	----		365.40B/287.70A	365.40B/287.70A	----	----		306.00	- 23.90	.9828	----	----	----	46	
4845	300.70	300.70		370.40B/292.80A	370.40B/292.80A	----	----		311.00	- 23.80	.9830	----	----	----	23	
4850	----	----		377.50B/297.90A	377.50B/297.90A	----	----		315.90	- 23.90	.9833	----	2	----	571 -	
4855	----	----		382.50B/302.60A	382.50B/302.60A	----	----		320.90	- 23.90	.9845	----	----	----	316	
4860	----	----		386.20B/310.70A	386.20B/310.70A	----	----		325.80	- 23.90	.9847	----	----	----	90	
4865	----	----		390.30B/316.00A	390.30B/316.00A	----	----		330.80	- 23.90	.9859	----	----	----	50	
4870	----	----		395.30B/320.80A	395.30B/320.80A	----	----		335.80	- 23.90	.9861	----	----	----	44	
4875	----	----		400.30B/326.10A	400.30B/326.10A	----	----		340.70	- 23.90	.9862	----	----	----	71	
4880	----	----		405.20B/333.10A	405.20B/333.10A	----	----		345.70	- 23.90	.9864	----	----	----	9	
4885	----	----		410.20B/338.10A	410.20B/338.10A	----	----		350.70	- 23.90	.9875	----	----	----	7	
4890	----	----		415.20B/340.40A	415.20B/340.40A	----	----									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX GOLD OPTIONS																	
JUN26																	
5160	----	----		684.40B/612.30A	684.40B/612.30A	----	----	----	625.00 - 24.00	.9963	----	----	----	----	52	UNCH	
5165	----	----		689.40B/617.30A	689.40B/617.30A	----	----	----	630.00 - 24.00	.9964	----	----	----	----	47	UNCH	
5170	----	----		696.60B/621.00A	696.60B/621.00A	----	----	----	635.00 - 24.00	.9964	----	----	----	----	503	UNCH	
5175	----	----		699.40B/627.30A	699.40B/627.30A	----	----	----	640.00 - 24.00	.9964	----	----	----	----	15	UNCH	
5180	----	----		704.40B/632.30A	704.40B/632.30A	----	----	----	645.00 - 24.00	.9964	----	----	----	----	10	UNCH	
5185	----	----		----	604.60B/725.40A	----	----	----	650.00 - 24.00	.9965	----	----	----	----	2	UNCH	
5190	----	----		714.40B/642.30A	714.40B/642.30A	----	----	----	655.00 - 24.00	.9965	----	----	----	----	3	UNCH	
5195	----	----		719.40B/647.30A	719.40B/647.30A	----	----	----	660.00 - 24.00	.9965	----	----	----	----	5	UNCH	
5200	----	----		726.60B/650.60A	726.60B/650.60A	----	----	----	665.00 - 24.00	.9965	----	----	----	----	328	UNCH	
5205	----	----		729.40B/657.30A	729.40B/657.30A	----	----	----	670.00 - 24.00	.9966	----	----	----	----	11	UNCH	
5210	----	----		734.40B/662.30A	734.40B/662.30A	----	----	----	675.00 - 24.00	.9966	----	----	----	----	67	UNCH	
5215	----	----		739.30B/667.20A	739.30B/667.20A	----	----	----	680.00 - 24.00	.9966	----	----	----	----	12	UNCH	
5220	----	----		744.30B/672.20A	744.30B/672.20A	----	----	----	684.90 - 24.10	.9973	----	----	----	----	18	UNCH	
5225	----	----		750.20B/676.40A	750.20B/676.40A	----	----	----	689.90 - 24.10	.9973	----	----	----	----	116	UNCH	
5230	----	----		754.30B/682.20A	754.30B/682.20A	----	----	----	694.90 - 24.10	.9973	----	----	----	----	4	UNCH	
5235	----	----		760.20B/686.40A	760.20B/686.40A	----	----	----	699.90 - 24.10	.9974	----	----	----	----	145	UNCH	
5245	----	----		769.30B/697.20A	769.30B/697.20A	----	----	----	709.90 - 24.10	.9974	----	----	----	----	4	UNCH	
5250	----	----		775.20B/701.40A	775.20B/701.40A	----	----	----	714.90 - 24.10	.9974	----	----	----	----	186	UNCH	
5255	----	----		779.30B/707.20A	779.30B/707.20A	----	----	----	719.90 - 24.10	.9974	----	----	----	----	9	UNCH	
5260	----	----		784.30B/712.20A	784.30B/712.20A	----	----	----	724.90 - 24.10	.9974	----	----	----	----	9	UNCH	
5265	----	----		789.30B/717.20A	789.30B/717.20A	----	----	----	729.90 - 24.10	.9975	----	----	----	----	5	UNCH	
5270	----	----		794.40B/722.20A	794.40B/722.20A	----	----	----	734.90 - 24.10	.9975	----	----	----	----	19	UNCH	
5275	----	----		800.20B/726.30A	800.20B/726.30A	----	----	----	739.90 - 24.10	.9975	----	----	----	----	121	UNCH	
5280	----	----		804.40B/732.10A	804.40B/732.10A	----	----	----	744.90 - 24.10	.9975	----	----	----	----	65	UNCH	
5285	----	----		809.40B/737.10A	809.40B/737.10A	----	----	----	749.90 - 24.10	.9975	----	----	----	----	7	UNCH	
5290	----	----		----	710.30B/829.70A	----	----	----	754.90 - 24.10	.9975	----	----	----	----	0	UNCH	
5300	----	----		826.60B/750.50A	826.60B/750.50A	----	----	----	764.90 - 24.10	.9976	----	----	----	----	365	UNCH	
5305	----	----		829.40B/757.10A	829.40B/757.10A	----	----	----	769.90 - 24.10	.9976	----	----	----	----	3	UNCH	
5320	----	----		844.40B/772.10A	844.40B/772.10A	----	----	----	784.80 - 24.10	.9976	----	----	----	----	64	UNCH	
5335	----	----		859.40B/787.10A	859.40B/787.10A	----	----	----	799.80 - 24.10	.9983	----	----	----	----	5	UNCH	
5340	----	----		864.40B/792.10A	864.40B/792.10A	----	----	----	804.80 - 24.10	.9983	----	----	----	----	12	UNCH	
5350	----	----		874.40B/802.00A	874.40B/802.00A	----	----	----	814.80 - 24.10	.9983	37	----	50	----	71	+	
5370	----	----		894.30B/822.00A	894.30B/822.00A	----	----	----	834.80 - 24.10	.9990	----	----	----	----	3	UNCH	
5385	----	----		909.30B/837.00A	909.30B/837.00A	----	----	----	849.70 - 24.10	.9990	----	----	----	----	10	UNCH	
5395	----	----		919.30B/847.00A	919.30B/847.00A	----	----	----	859.70 - 24.10	.9991	----	----	----	----	35	UNCH	
5400	----	----		924.30B/852.00A	924.30B/852.00A	----	----	----	864.70 - 24.10	.9991	60	----	60	----	60	UNCH	
5430	----	----		954.60B/882.00A	954.60B/882.00A	----	----	----	894.70 - 24.10	1.0000	----	----	----	----	24	UNCH	
5490	----	----		1,014.60B/941.9	1014.60B/941.90A	----	----	----	954.70 - 24.10	1.0000	----	----	----	----	57	UNCH	
5500	----	----		----	920.50B/1038.90A	----	----	----	964.70 - 24.10	1.0000	----	----	----	----	1	UNCH	
5525	----	----		----	945.50B/1063.90A	----	----	----	989.70 - 24.10	1.0000	----	----	----	----	2	UNCH	
5590	----	----		1,114.60B/1,042	1114.60B/1042.10A	----	----	----	1054.70 - 24.10	1.0000	----	----	----	----	36	UNCH	
TOTAL													8270	746	117618	-	1084
JUL26																	
2000	0.10	0.10		0.10/0.10	0.10/0.10	----	----	----	0.10 UNCH	.0000	----	----	5	----	12	+	
2275	----	----		----	----/0.30A	----	----	----	0.10 UNCH	.0001	----	----	----	----	23	UNCH	
2300	----	----		----	----/0.30A	----	----	----	0.10 UNCH	.0001	----	----	----	----	101	UNCH	
2400	----	----		----	0.10B/0.40A	----	----	----	0.20 UNCH	.0006	----	----	----	----	2	UNCH	
2500	----	----		----	0.20B/0.30A	----	----	----	0.20 - 0.10	.0006	----	----	4	----	194	+	
2550	----	----		----	0.20B/0.50A	----	----	----	0.20 - 0.10	.0007	----	----	----	----	11	UNCH	
2575	----	----		----	0.20B/0.50A	----	----	----	0.20 - 0.10	.0007	----	----	----	----	1	UNCH	
2600	----	----		----	0.30B/0.60A	----	----	----	0.30 UNCH	.0010	----	----	----	----	13	UNCH	
2620	----	----		----	0.30B/0.60A	----	----	----	0.30 - 0.10	.0010	----	----	----	----	1	UNCH	
2650	----	----		----	0.30B/0.60A	----	----	----	0.30 - 0.10	.0010	----	----	----	----	138	UNCH	
2670	----	----		----	0.30B/0.60A	----	----	----	0.40 UNCH	.0013	----	----	----	----	10	UNCH	
2675	----	----		----	0.30B/0.60A	----	----	----	0.40 UNCH	.0013	----	----	----	----	66	UNCH	
2680	----	----		----	0.30B/0.70A	----	----	----	0.40 - 0.10	.0013	----	----	----	----	10	UNCH	
2700	----	----		----	0.40B/0.70A	----	----	----	0.40 - 0.10	.0013	----	----	1	----	6	-	
2705	----	----		----	0.40B/0.70A	----	----	----	0.40 - 0.10	.0014	----	----	----	----	1	UNCH	
2710	----	----		----	0.40B/0.70A	----	----	----	0.40 - 0.10	.0014	----	----	----	----	7	UNCH	
2730	----	----		----	0.40B/0.70A	----	----	----	0.40 - 0.10	.0014	----	----	----	----	1	UNCH	
2750	----	----		----	0.40B/0.70A	----	----	----	0.50 - 0.10	.0017	----	----	----	----	41	UNCH	
2775	----	----		----	0.50B/0.80A	----	----	----	0.50 - 0.10	.0017	----	----	----	----	1	UNCH	
2785	----	----		----	0.50B/0.70A	----	----	----	0.50 - 0.10	.0017	----	----	----	----	2	UNCH	
2800	----	----		----	0.60B/0.80A	----	----	----	0.50 - 0.20	.0018	----	----	----	----	2	UNCH	
2850	----	----		----	0.70B/0.90A	----	----	----	0.60 - 0.20	.0021	----	----	----	----	9	UNCH	
2860	----	----		----	0.70B/0.90A	----	----	----	0.70 - 0.10	.0024	----	----	----	----	6	UNCH	
2885	----	----		----	0.80B/0.90A	----	----	----	0.70 - 0.20	.0025	----	----	----	----	14	UNCH	
2890	----	----		----	0.80B/0.90A	----	----	----	0.70 - 0.20	.0025	----	----	----	----	4	UNCH	
2895	----	----		----	0.80B/0.90A	----	----	----	0.70 - 0.20	.0025	----	----	----	----	60	UNCH	
2900	----	----		----	0.80B/0.90A	----	----	----	0.70 - 0.20	.0025	----	----	----	----	18	UNCH	
2905	----	----		----	0.80B/1.00A	----	----	----	0.80 - 0.10	.0028	----	----	----	----	19	UNCH	
2915	----	----		----	0.80B/1.00A	----	----	----	0.80 - 0.20	.0028	----	----	----	----	1	UNCH	
2920	----	----		----	0.80B/1.00A	----	----	----	0.80 - 0.20	.0029	----	----	----	----	3	UNCH	
2950	----	----		----	0.90B/1.10A	----	----	----	0.90 - 0.20	.0032	----	----	----	----	35	UNCH	
2985	----	----		----	1.00B/1.10A	----	----	----	1.00 - 0.20	.0036	----	----	----	----	21	UNCH	
2995	----	----		----	1.10B/1.10A	----	----	----	1.00 - 0.20	.0036	----	----	----	----	16	UNCH	
3000	1.10	1.10		1.10/1.10	1.10/1.10	----	----	----	1.00 - 0.20	.0036	----	----	1	----	68	+	
3010	----	----		----	1.10B/1.20A	----	----	----	1.00 - 0.20	.0037	----	----	----	----	1	UNCH	
3015	----	----		----	1.10B/1.20A	----	----	----	1.00 - 0.30	.0037	----	----	----	----	5	UNCH	
3025	----	----		----	1.20B/1.30A	----	----	----	1.10 - 0.20	.0040	----	----	----	----	1	UNCH	
3035	----	----		----	1.20B/1.30A	----	----	----	1.10 - 0.20	.0041	----	----	----	----	5	UNCH	
3050	----	----		----	1.20B/1.30A	----	----	----	1.10 - 0.30	.0041	----	----	----	----	2	UNCH	
3100	1.40	1.40		1.80B/1.20	1.80B/1.20	----	----	----	1.30 - 0.30	.0049	----	----	2	----	45	UNCH	
3105	----	----		----	1.40B/1.50A	----	----	----	1.30 - 0.30	.0049	----	----	----	----	1	UNCH	
3125	----	----		----	1.50B/1.50A	----	----	----	1.40 - 0.30	.0053	----	----	----	----	42	UNCH	
3140	----	----		----	1.50B/1.60A	----	----	----	1.40 - 0.30	.0053	----	----	----	----	1	UNCH	
3150	----	----		----	1.60B/1.60A	----	----	----	1.50 - 0.30	.0057	----	----	----	----	12	UNCH	
3155	----	----		----	1.60B/1.60A	----	----	----	1.50 - 0.30	.0057	----	----	----	----	1	UNCH	
3165	----	----		----	1.60B/1.60A	----	----	----	1.50 - 0.30	.0058	----	----	----	----	1	UNCH	
3180	----	----		----	1.70B/1.70A	----	----	----	1.60 - 0.30	.0061	----	----	----	----	2	UNCH	
3185	----	----		----	1.70B/1.70A	----	----	----	1.60 - 0.30	.0062	----	----	----	----	20	UNCH	
3200	1.80	1.80		1.80/1.70A	1.90B/1.70A	----	----	----	1.60 - 0.40	.0062	----	----	1	----	220	UNCH	
3210	----	----		----	1.80B/1.80A	----	----	----	1.70 - 0.30	.0066	----	----	----	----	1	UNCH	
3220	----	----		----	1.90B/1.80A	----	----	----	1.70 - 0.40	.0067	----	----	----	----	1	UNCH	
3225	----	----		----	1.90B/1.80A	----	----	----	1.70 - 0.40	.0067	----	----	----	----	71	UNCH	
3250	1.50	1.50		1.50/1.50	2.00B/1.50	----	----										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT JUL26	COMEX GOLD OPTIONS																
3535	----	----	----	----/3.20A	3.90B/3.20A	----	----	----	3.20 - 0.80	.0143	----	----	----	----	31	UNCH	
3545	----	----	----	----/3.20A	4.10B/3.20A	----	----	----	3.20 - 0.90	.0145	----	----	----	----	256	UNCH	
3550	----	----	----	4.20B/3.30A	4.20B/3.30A	----	----	----	3.30 - 0.80	.0149	----	----	----	----	165	UNCH	
3555	----	----	----	4.30B/3.30A	4.30B/3.30A	----	----	----	3.30 - 0.90	.0149	----	----	----	----	1	UNCH	
3565	----	----	----	4.40B/3.40A	4.40B/3.40A	----	----	----	3.40 - 0.90	.0154	----	----	----	----	2	UNCH	
3575	----	----	----	4.50B/3.40A	4.50B/3.40A	----	----	----	3.40 - 0.90	.0156	----	----	----	----	1	UNCH	
3580	----	----	----	----/3.50A	4.40B/3.50A	----	----	----	3.50 - 0.90	.0160	----	----	1	----	6	UNCH	
3585	----	----	----	4.60B/3.50A	4.60B/3.50A	----	----	----	3.50 - 0.90	.0161	----	----	----	----	1	UNCH	
3590	----	----	----	4.70B/3.50A	4.70B/3.50A	----	----	----	3.60 - 0.90	.0165	----	----	----	----	16	UNCH	
3600	----	----	----	4.80B/3.60A	4.80B/3.60A	----	----	----	3.60 - 1.00	.0167	----	----	----	----	824	UNCH	
3605	----	----	----	4.90B/3.60A	4.90B/3.60A	----	----	----	3.70 - 1.00	.0171	----	----	----	----	7	UNCH	
3610	----	----	----	4.90B/3.70A	4.90B/3.70A	----	----	----	3.70 - 1.00	.0172	----	----	----	----	2	UNCH	
3615	----	----	----	5.00B/3.70A	5.00B/3.70A	----	----	----	3.80 - 1.00	.0176	----	----	----	----	2	UNCH	
3620	----	----	----	5.00B/3.80A	5.00B/3.80A	----	----	----	3.80 - 1.00	.0177	----	----	----	----	12	UNCH	
3625	----	----	----	5.10B/3.80A	5.10B/3.80A	----	----	----	3.80 - 1.10	.0178	----	----	----	----	41	UNCH	
3630	----	----	----	5.40B/3.80A	5.40B/3.80A	----	----	----	3.90 - 1.00	.0182	----	----	----	----	11	UNCH	
3635	----	----	----	5.30B/3.90A	5.30B/3.90A	----	----	----	3.90 - 1.10	.0183	----	----	----	----	3	UNCH	
3640	----	----	----	5.40B/3.90A	5.40B/3.90A	----	----	----	4.00 - 1.10	.0188	----	----	----	----	6	UNCH	
3645	----	----	----	5.50B/4.00A	5.50B/4.00A	----	----	----	4.00 - 1.10	.0189	----	----	----	----	1	UNCH	
3650	4.90	4.90	----	5.60B/4.00A	5.60B/4.00A	----	----	----	4.10 - 1.10	.0193	----	----	2	----	88	UNCH	
3655	----	----	----	5.60B/4.10A	5.60B/4.10A	----	----	----	4.10 - 1.20	.0194	----	----	----	----	6	UNCH	
3660	----	----	----	5.90B/4.10A	5.90B/4.10A	----	----	----	4.10 - 1.20	.0195	----	----	----	----	22	UNCH	
3665	----	----	----	5.80B/4.20A	5.80B/4.20A	----	----	----	4.20 - 1.20	.0200	----	----	----	----	2	UNCH	
3670	----	----	----	5.90B/4.20A	5.90B/4.20A	----	----	----	4.20 - 1.30	.0201	----	----	----	----	111	UNCH	
3675	----	----	----	6.00B/4.20A	6.00B/4.20A	----	----	----	4.30 - 1.20	.0205	----	----	----	----	4	UNCH	
3680	----	----	----	6.10B/4.30A	6.10B/4.30A	----	----	----	4.30 - 1.30	.0206	----	----	----	----	5	UNCH	
3685	----	----	----	6.20B/4.40A	6.20B/4.40A	----	----	----	4.40 - 1.30	.0211	----	----	----	----	12	UNCH	
3690	----	----	----	6.20B/4.40A	6.20B/4.40A	----	----	----	4.40 - 1.30	.0212	----	----	----	----	50	UNCH	
3695	----	----	----	6.30B/4.50A	6.30B/4.50A	----	----	----	4.50 - 1.30	.0217	----	----	----	----	142	UNCH	
3700	----	----	----	6.70B/4.50A	6.70B/4.50A	----	----	----	4.50 - 1.40	.0218	----	----	6	----	470	+	
3705	----	----	----	6.40B/4.60A	6.40B/4.60A	----	----	----	4.60 - 1.40	.0223	----	----	----	----	21	UNCH	
3715	----	----	----	6.60B/4.60A	6.60B/4.60A	----	----	----	4.70 - 1.40	.0229	----	----	----	----	30	UNCH	
3720	----	----	----	6.70B/4.80A	6.70B/4.80A	----	----	----	4.80 - 1.40	.0234	----	----	----	----	18	UNCH	
3725	----	----	----	6.80B/4.80A	6.80B/4.80A	----	----	----	4.80 - 1.50	.0235	----	----	----	----	7	UNCH	
3730	----	----	----	6.90B/4.90A	6.90B/4.90A	----	----	----	4.90 - 1.50	.0240	----	----	----	----	3	UNCH	
3735	----	----	----	7.20B/4.90A	7.20B/4.90A	----	----	----	4.90 - 1.60	.0241	----	----	----	----	30	UNCH	
3740	----	----	----	7.30B/5.00A	7.30B/5.00A	----	----	----	5.00 - 1.50	.0246	----	----	----	----	20	UNCH	
3750	8.10	8.10	----	8.10/5.10A	8.10/5.10A	----	----	----	5.10 - 1.60	.0252	----	----	2	----	534	UNCH	
3760	----	----	----	7.60B/5.20A	7.60B/5.20A	----	----	----	5.30 - 1.60	.0262	----	----	----	----	3	UNCH	
3765	----	----	----	7.90B/5.30A	7.90B/5.30A	----	----	----	5.30 - 1.70	.0264	----	----	----	----	32	UNCH	
3770	----	----	----	8.00B/5.40A	8.00B/5.40A	----	----	----	5.40 - 1.70	.0269	----	----	----	----	120	UNCH	
3775	----	----	----	8.10B/5.40A	8.10B/5.40A	----	----	----	5.50 - 1.70	.0274	----	----	----	----	86	UNCH	
3780	----	----	----	8.40B/5.50A	8.40B/5.50A	----	----	----	5.50 - 1.80	.0275	----	----	----	----	11	UNCH	
3785	----	----	----	8.60B/5.50A	8.60B/5.50A	----	----	----	5.60 - 1.80	.0281	----	----	----	----	6	UNCH	
3790	----	----	----	8.70B/5.60A	8.70B/5.60A	----	----	----	5.70 - 1.80	.0286	----	----	----	----	40	UNCH	
3795	----	----	----	8.90B/5.70A	8.90B/5.70A	----	----	----	5.80 - 1.80	.0291	----	----	----	----	37	UNCH	
3800	7.60	7.60	----	9.00B/5.40	9.00B/5.40	----	----	----	5.80 - 1.90	.0293	----	----	70	----	722	+	
3810	----	----	----	9.30B/5.90A	9.30B/5.90A	----	----	----	6.00 - 1.90	.0303	----	----	----	----	16	UNCH	
3815	----	----	----	9.50B/6.00A	9.50B/6.00A	----	----	----	6.10 - 2.00	.0309	----	----	----	----	14	UNCH	
3820	----	----	----	9.60B/6.10A	9.60B/6.10A	----	----	----	6.20 - 2.00	.0314	----	----	----	----	10	UNCH	
3825	----	----	----	9.80B/6.20A	9.80B/6.20A	----	----	----	6.30 - 2.00	.0320	----	----	----	----	11	UNCH	
3830	----	----	----	10.00B/6.30A	10.00B/6.30A	----	----	----	6.30 - 2.10	.0321	----	----	----	----	24	UNCH	
3835	----	----	----	10.10B/6.40A	10.10B/6.40A	----	----	----	6.40 - 2.20	.0327	----	----	----	----	1	UNCH	
3840	----	----	----	10.40B/6.50A	10.40B/6.50A	----	----	----	6.50 - 2.20	.0332	----	----	----	----	33	UNCH	
3845	----	----	----	10.50B/6.60A	10.50B/6.60A	----	----	----	6.60 - 2.20	.0338	----	----	----	----	14	UNCH	
3850	----	----	----	10.70B/6.60A	10.70B/6.60A	----	----	----	6.70 - 2.20	.0344	----	----	2	----	236	+	
3860	8.90	8.90	----	11.00B/6.80A	11.00B/6.80A	----	----	----	6.90 - 2.30	.0355	----	----	1	----	43	+	
3865	----	----	----	11.20B/6.90A	11.20B/6.90A	----	----	----	7.00 - 2.40	.0361	----	----	----	----	84	UNCH	
3870	----	----	----	11.40B/7.10A	11.40B/7.10A	----	----	----	7.10 - 2.40	.0367	----	----	----	----	4	UNCH	
3875	9.20	9.20	----	11.50B/7.20A	11.50B/7.20A	----	----	----	7.20 - 2.50	.0373	----	----	9	----	132	+	
3880	----	----	----	11.70B/7.30A	11.70B/7.30A	----	----	----	7.40 - 2.40	.0382	----	----	----	----	14	UNCH	
3885	9.70	9.70	----	11.90B/7.40A	11.90B/7.40A	----	----	----	7.50 - 2.50	.0388	----	----	3	----	42	+	
3890	----	----	----	12.10B/7.50A	12.10B/7.50A	----	----	----	7.60 - 2.50	.0394	----	----	----	----	4	UNCH	
3895	----	----	----	12.30B/7.60A	12.30B/7.60A	----	----	----	7.70 - 2.60	.0400	----	----	----	----	3	UNCH	
3900	12.30	12.30	----	12.50B/7.70A	12.50B/7.70A	----	----	----	7.80 - 2.60	.0406	----	----	23	----	334	+	
3905	----	----	----	12.70B/7.80A	12.70B/7.80A	----	----	----	8.00 - 2.60	.0416	----	----	----	----	28	UNCH	
3910	----	----	----	12.90B/8.00A	12.90B/8.00A	----	----	----	8.10 - 2.70	.0422	----	----	----	----	69	UNCH	
3920	----	----	----	13.40B/8.20A	13.40B/8.20A	----	----	----	8.30 - 2.80	.0435	----	----	1	----	37	UNCH	
3925	----	----	----	13.60B/8.30A	13.60B/8.30A	----	----	----	8.50 - 2.80	.0445	----	----	----	----	73	UNCH	
3930	----	----	----	13.80B/8.50A	13.80B/8.50A	----	----	----	8.60 - 2.90	.0451	----	----	----	----	26	UNCH	
3935	9.00	9.00															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS															
JUL26															
4270	---	---	---	54.20B/31.30A	54.20B/31.30A	---	---	33.50 - 9.10	.1713	---	---	---	---	94	UNCH
4275	32.40	32.40	---	55.30B/32.10A	55.30B/32.10A	---	---	34.30 - 9.20	.1749	---	---	118	---	116	-
4280	---	---	---	56.60B/32.80A	56.60B/32.80A	---	---	35.10 - 9.40	.1785	---	---	1	---	189	-
4285	---	---	---	57.70B/33.60A	57.70B/33.60A	---	---	35.90 - 9.50	.1821	---	---	2	---	116	-
4290	37.00	37.00	---	59.00B/34.20A	59.00B/34.20A	---	---	36.70 - 9.70	.1858	---	---	23	---	178	+
4295	---	---	---	60.20B/35.00A	60.20B/35.00A	---	---	37.60 - 9.80	.1897	---	---	---	---	25	UNCH
4300	53.00	53.00	---	61.50/35.70A	61.50/35.70A	---	---	38.40 - 10.00	.1933	---	---	68	---	2207	+
4305	---	---	---	62.80B/36.70A	62.80B/36.70A	---	---	39.30 - 10.20	.1973	---	---	2	---	62	-
4310	41.00	41.00	---	64.10B/37.50A	64.10B/37.50A	---	---	40.20 - 10.40	.2012	---	---	1	---	84	-
4315	55.00	55.00	---	65.50B/38.30A	65.50B/38.30A	---	---	41.20 - 10.50	.2054	---	---	2	---	85	UNCH
4320	---	---	---	67.10B/39.20A	67.10B/39.20A	---	---	42.10 - 10.70	.2094	---	---	1	---	75	UNCH
4325	55.20	55.20	---	68.40B/40.10A	68.40B/40.10A	---	---	43.10 - 10.80	.2136	---	---	106	---	118	-
4330	---	---	---	69.80B/41.20A	69.80B/41.20A	---	---	44.10 - 11.00	.2178	---	---	1	---	41	UNCH
4335	---	---	---	71.20B/42.10A	71.20B/42.10A	---	---	45.10 - 11.20	.2221	---	---	---	---	156	UNCH
4340	---	---	---	72.80B/43.00A	72.80B/43.00A	---	---	46.20 - 11.30	.2265	---	---	---	---	161	UNCH
4345	47.50	47.50	---	74.20B/44.00A	74.20B/44.00A	---	---	47.30 - 11.50	.2310	---	---	2	---	13	-
4350	74.00	74.00	---	76.00B/44.90A	76.00B/44.90A	---	---	48.40 - 11.60	.2355	---	---	106	---	900	+
4355	---	---	---	77.40B/46.20A	77.40B/46.20A	---	---	49.50 - 11.80	.2401	---	---	---	---	124	UNCH
4360	---	---	---	79.00B/47.20A	79.00B/47.20A	---	---	50.60 - 12.10	.2446	---	---	3	---	155	UNCH
4365	---	---	---	80.80B/48.30A	80.80B/48.30A	---	---	51.80 - 12.20	.2494	---	---	---	---	36	UNCH
4370	---	---	---	82.40B/49.30A	82.40B/49.30A	---	---	53.00 - 12.40	.2541	---	---	---	---	142	UNCH
4375	---	---	---	84.20B/50.60A	84.20B/50.60A	---	---	54.30 - 12.50	.2591	---	---	2	---	36	UNCH
4380	---	---	---	85.90B/51.70A	85.90B/51.70A	---	---	55.50 - 12.70	.2639	---	---	---	---	20	UNCH
4385	67.90	67.90	---	87.60B/52.90A	87.60B/52.90A	---	---	56.80 - 12.90	.2689	---	---	9	---	68	UNCH
4390	---	---	---	89.40B/54.10A	89.40B/54.10A	---	---	58.10 - 13.10	.2739	---	---	---	---	68	UNCH
4395	---	---	---	91.30B/55.40A	91.30B/55.40A	---	---	59.50 - 13.20	.2791	---	---	10	---	48	+
4400	73.30	73.30	---	93.40B/56.50A	93.40B/56.50A	---	---	60.80 - 13.50	.2842	---	---	722	---	1877	+
4405	60.00	60.00	---	95.30B/57.90A	95.30B/57.90A	---	---	62.20 - 13.60	.2894	---	---	1	---	29	-
4410	---	---	---	96.90B/59.20A	96.90B/59.20A	---	---	63.70 - 13.70	.2948	---	---	---	---	51	UNCH
4415	---	---	---	99.00B/60.60A	99.00B/60.60A	---	---	65.10 - 14.00	.3000	---	---	---	---	180	UNCH
4420	86.70	86.70	---	100.90B/62.00A	100.90B/62.00A	---	---	66.60 - 14.10	.3055	---	---	4	---	107	-
4425	67.40	67.40	---	103.30B/63.40A	103.30B/63.40A	---	---	68.10 - 14.30	.3109	---	---	2	---	49	+
4430	---	---	---	105.20B/64.80A	105.20B/64.80A	---	---	69.70 - 14.50	.3165	---	---	---	---	287	UNCH
4435	95.00	95.00	---	107.20B/66.30A	107.20B/66.30A	---	---	71.30 - 14.60	.3221	---	---	1	---	11	UNCH
4440	---	---	---	109.30B/67.70A	109.30B/67.70A	---	---	72.90 - 14.80	.3277	---	---	---	---	257	UNCH
4445	---	---	---	111.60B/69.30A	111.60B/69.30A	---	---	74.50 - 15.00	.3333	---	---	1	---	154	+
4450	89.90	89.90	---	113.90B/70.90A	113.90B/70.90A	---	---	76.20 - 15.20	.3390	---	---	210	---	1038	-
4455	---	---	---	116.10B/72.50A	116.10B/72.50A	---	---	77.90 - 15.40	.3448	---	---	---	---	86	UNCH
4460	---	---	---	118.40B/74.10A	118.40B/74.10A	---	---	79.70 - 15.50	.3507	---	---	3	---	254	-
4465	---	---	---	120.70B/75.80A	120.70B/75.80A	---	---	81.40 - 15.70	.3565	---	---	1	---	105	UNCH
4470	115.00	115.00	---	122.80B/77.50A	122.80B/77.50A	---	---	83.20 - 15.90	.3624	---	---	5	---	223	+
4475	---	---	---	125.30B/79.30A	125.30B/79.30A	---	---	85.10 - 16.00	.3684	---	---	11	---	57	UNCH
4480	---	---	---	127.60B/80.90A	127.60B/80.90A	---	---	86.90 - 16.30	.3743	---	---	---	---	354	UNCH
4485	---	---	---	129.80B/82.80A	129.80B/82.80A	---	---	88.80 - 16.40	.3804	---	---	---	---	106	UNCH
4490	---	---	---	132.40B/84.60A	132.40B/84.60A	---	---	90.80 - 16.50	.3865	---	---	3	---	48	UNCH
4495	---	---	---	135.10B/86.50A	135.10B/86.50A	---	---	92.70 - 16.80	.3925	---	---	---	---	123	UNCH
4500	134.00	134.00	---	137.40B/88.30A	137.40B/88.30A	---	---	94.70 - 17.00	.3987	---	---	119	---	3980	-
4505	---	---	---	139.90B/90.20A	139.90B/90.20A	---	---	96.80 - 17.00	.4049	---	---	---	---	12	UNCH
4510	---	---	---	142.40B/92.40A	142.40B/92.40A	---	---	98.80 - 17.30	.4110	---	---	25	---	61	+
4515	---	---	---	145.00B/94.20A	145.00B/94.20A	---	---	100.90 - 17.40	.4173	---	---	---	---	4	UNCH
4520	---	---	---	147.60B/96.20A	147.60B/96.20A	---	---	103.10 - 17.50	.4236	---	---	1	---	31	+
4525	133.10	133.10	---	150.30B/98.20A	150.30B/98.20A	---	---	105.20 - 17.80	.4298	---	---	11	---	469	+
4530	139.50	139.50	---	153.00B/100.30A	153.00B/100.30A	---	---	107.40 - 17.90	.4361	---	---	2	---	45	-
4535	---	---	---	155.70B/102.40A	155.70B/102.40A	---	---	109.70 - 18.00	.4425	---	---	5	---	19	+
4540	---	---	---	158.50B/104.60A	158.50B/104.60A	---	---	111.90 - 18.20	.4488	---	---	9	---	94	+
4545	---	---	---	161.30B/106.80A	161.30B/106.80A	---	---	114.20 - 18.40	.4551	---	---	---	---	21	UNCH
4550	110.60	110.60	---	164.20B/108.90A	164.20B/108.90A	---	---	116.60 - 18.50	.4615	---	---	136	---	510	+
4555	---	---	---	167.00B/111.30A	167.00B/111.30A	---	---	118.90 - 18.70	.4679	---	---	---	---	24	UNCH
4560	144.80	144.80	---	169.90B/113.30A	169.90B/113.30A	---	---	121.30 - 18.90	.4743	---	---	5	---	86	UNCH
4565	123.60	123.60	---	173.30B/115.60A	173.30B/115.60A	---	---	123.80 - 19.00	.4807	---	---	1	---	118	+
4570	---	---	---	176.40B/118.20A	176.40B/118.20A	---	---	126.30 - 19.10	.4871	---	---	---	---	35	UNCH
4575	---	---	---	179.40B/120.60A	179.40B/120.60A	---	---	128.80 - 19.30	.4935	---	---	1	---	41	+
4580	---	---	---	182.30B/123.00A	182.30B/123.00A	---	---	131.30 - 19.50	.4999	---	---	---	---	19	UNCH
4585	---	---	---	185.50B/125.40A	185.50B/125.40A	---	---	133.90 - 19.60	.5063	---	---	2	---	17	-
4590	---	---	---	188.70B/127.90A	188.70B/127.90A	---	---	136.50 - 19.80	.5127	---	---	10	---	24	UNCH
4595	---	---	---	192.00B/130.50A	192.00B/130.50A	---	---	139.20 - 19.90	.5191	---	---	---	---	63	UNCH
4600	166.60	166.60	---	194.80B/132.80A	194.80B/132.80A	---	---	141.90 - 20.00	.5255	---	---	13	---	1594	-
4605	141.60	141.60	---	198.30B/135.66.											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JUL26																
4980	----	----	----	504.00B/415.20A	504.00B/415.20A	----	429.60	- 25.50	.8784	----	----	----	----	----	6	UNCH
4985	----	----	----	508.60B/419.40A	508.60B/419.40A	----	434.10	- 25.50	.8810	----	----	----	----	----	104	UNCH
4990	----	----	----	513.30B/424.20A	513.30B/424.20A	----	438.70	- 25.50	.8833	----	----	----	----	----	2	UNCH
4995	----	----	----	517.80B/428.50A	517.80B/428.50A	----	443.30	- 25.50	.8855	----	----	----	----	----	12	UNCH
5000	444.10	444.10	----	522.50B/433.10A	522.50B/433.10A	----	447.80	- 25.60	.8878	----	----	----	1	----	544	-
5005	449.50	449.50	----	527.10B/437.90A	527.10B/437.90A	----	452.40	- 25.60	.8900	----	----	----	1	----	12	UNCH
5010	453.20	453.20	----	532.00B/442.30A	532.00B/442.30A	----	457.10	- 25.50	.8922	----	----	----	3	----	8	-
5015	458.30	458.30	----	536.70B/447.00A	536.70B/447.00A	----	461.70	- 25.50	.8945	----	----	----	14	----	19	-
5020	----	----	----	541.30B/451.50A	541.30B/451.50A	----	466.30	- 25.50	.8963	----	----	----	----	----	5	UNCH
5025	----	----	----	546.10B/456.10A	546.10B/456.10A	----	470.90	- 25.50	.8985	----	----	----	----	----	150	UNCH
5030	----	----	----	550.70B/460.70A	550.70B/460.70A	----	475.60	- 25.50	.9003	----	----	----	----	----	8	UNCH
5035	----	----	----	555.50B/465.30A	555.50B/465.30A	----	480.20	- 25.50	.9025	----	----	----	----	----	37	UNCH
5040	----	----	----	#560.20B/469.90	560.20B/469.90A	----	484.90	- 25.50	.9043	----	----	----	----	----	5	UNCH
5045	----	----	----	564.90B/474.40A	564.90B/474.40A	----	489.60	- 25.40	.9061	----	----	----	----	----	5	UNCH
5050	----	----	----	569.80B/479.10A	569.80B/479.10A	----	494.20	- 25.50	.9078	----	----	----	----	----	79	UNCH
5055	----	----	----	574.40B/483.70A	574.40B/483.70A	----	498.90	- 25.50	.9096	----	----	----	----	----	3	UNCH
5065	----	----	----	583.90B/492.80A	583.90B/492.80A	----	508.30	- 25.50	.9131	----	----	----	----	----	11	UNCH
5075	----	----	----	593.50B/502.40A	593.50B/502.40A	----	517.80	- 25.40	.9166	----	----	----	----	----	6	UNCH
5080	----	----	----	#598.20B/507.10	598.20B/507.10A	----	522.50	- 25.40	.9179	----	----	----	----	----	2	UNCH
5085	----	----	----	603.00B/511.50A	603.00B/511.50A	----	527.20	- 25.50	.9196	----	----	----	----	----	21	UNCH
5090	----	----	----	607.80B/516.40A	607.80B/516.40A	----	531.90	- 25.50	.9214	----	----	----	----	----	6	UNCH
5095	----	----	----	612.60B/521.10A	612.60B/521.10A	----	536.70	- 25.40	.9227	----	----	----	----	----	42	UNCH
5100	----	----	----	617.40B/525.80A	617.40B/525.80A	----	541.40	- 25.50	.9244	----	----	----	----	----	106	UNCH
5105	----	----	----	622.20B/530.60A	622.20B/530.60A	----	546.20	- 25.40	.9256	----	----	----	----	----	22	UNCH
5110	----	----	----	627.00B/535.30A	627.00B/535.30A	----	550.90	- 25.50	.9269	----	----	----	----	----	16	UNCH
5115	----	----	----	631.80B/540.00A	631.80B/540.00A	----	555.70	- 25.50	.9286	----	----	----	----	----	37	UNCH
5120	----	----	----	636.60B/544.50A	636.60B/544.50A	----	560.50	- 25.40	.9299	----	----	----	----	----	13	UNCH
5125	----	----	----	641.40B/549.50A	641.40B/549.50A	----	565.30	- 25.40	.9311	----	----	----	----	----	37	UNCH
5130	----	----	----	646.30B/554.20A	646.30B/554.20A	----	570.00	- 25.50	.9324	----	----	----	----	----	23	UNCH
5135	----	----	----	651.10B/559.00A	651.10B/559.00A	----	574.80	- 25.50	.9336	----	----	----	----	----	9	UNCH
5140	----	----	----	655.90B/563.80A	655.90B/563.80A	----	579.60	- 25.40	.9348	----	----	----	----	----	19	UNCH
5145	----	----	----	#660.80B/568.50	#660.80B/568.50A	----	584.40	- 25.40	.9361	----	----	----	----	----	3	UNCH
5150	----	----	----	665.70B/573.30A	665.70B/573.30A	----	589.20	- 25.40	.9373	----	----	----	----	----	233	UNCH
5155	----	----	----	670.40B/578.10A	670.40B/578.10A	----	594.00	- 25.40	.9385	----	----	----	----	----	43	UNCH
5160	----	----	----	675.20B/582.60A	675.20B/582.60A	----	598.90	- 25.30	.9393	----	----	----	----	----	42	UNCH
5170	----	----	----	684.90B/592.20A	684.90B/592.20A	----	608.50	- 25.40	.9417	----	----	----	2	----	53	+
5175	----	----	----	689.90B/597.00A	689.90B/597.00A	----	613.30	- 25.40	.9429	----	----	----	----	----	61	UNCH
5180	----	----	----	694.70B/601.80A	694.70B/601.80A	----	618.20	- 25.30	.9437	----	----	----	2	----	12	UNCH
5185	----	----	----	699.50B/606.90A	699.50B/606.90A	----	623.00	- 25.30	.9449	----	----	----	----	----	103	UNCH
5190	----	----	----	704.50B/611.40A	704.50B/611.40A	----	627.80	- 25.40	.9456	----	----	----	----	----	19	UNCH
5200	----	----	----	714.20B/621.30A	714.20B/621.30A	----	637.50	- 25.30	.9475	----	----	----	----	----	54	UNCH
5225	----	----	----	738.60B/645.50A	738.60B/645.50A	----	661.80	- 25.30	.9520	----	----	----	----	----	42	UNCH
5230	----	----	----	743.40B/650.10A	743.40B/650.10A	----	666.70	- 25.20	.9527	----	----	----	----	----	2	UNCH
5235	----	----	----	748.40B/654.90A	748.40B/654.90A	----	671.60	- 25.20	.9534	----	----	----	----	----	23	UNCH
5245	----	----	----	758.20B/664.90A	758.20B/664.90A	----	681.30	- 25.20	.9552	----	----	----	----	----	2	UNCH
5250	----	----	----	763.00B/669.50A	763.00B/669.50A	----	686.20	- 25.20	.9559	----	----	----	----	----	14	UNCH
5255	----	----	----	749.30B/674.40A	749.30B/674.40A	----	691.10	- 25.20	.9566	----	----	----	----	----	14	UNCH
5285	----	----	----	----/703.60A	735.10B/703.60A	----	720.50	- 25.00	.9605	----	----	----	----	----	2	UNCH
5290	----	----	----	783.70B/708.50A	783.70B/708.50A	----	725.40	- 25.00	.9612	----	----	----	----	----	4	UNCH
5295	----	----	----	----/714.00A	744.90B/714.00A	----	730.30	- 25.00	.9619	----	----	----	----	----	2	UNCH
5300	----	----	----	793.60B/718.60A	793.60B/718.60A	----	735.20	- 25.00	.9625	----	----	----	----	----	68	UNCH
5315	----	----	----	808.40B/733.00A	808.40B/733.00A	----	749.90	- 25.00	.9640	----	----	----	----	----	10	UNCH
5325	----	----	----	----/742.80A	766.50B/742.80A	----	759.70	- 25.00	.9652	----	----	----	----	----	2	UNCH
5350	----	----	----	842.90B/771.90A	842.90B/771.90A	----	784.30	- 25.00	.9679	----	----	----	----	----	8	UNCH
5375	----	----	----	867.70B/796.50A	867.70B/796.50A	----	809.00	- 24.90	.9700	----	----	----	----	----	8	UNCH
5390	----	----	----	882.50B/811.30A	882.50B/811.30A	----	823.80	- 24.90	.9713	----	----	----	----	----	5	UNCH
5400	----	----	----	895.00B/820.30A	895.00B/820.30A	----	833.70	- 24.90	.9721	----	----	----	----	----	602	UNCH
5410	----	----	----	----	----	----	843.50	- 24.90	.9728	----	----	----	----	----	1	UNCH
5440	----	----	----	----	----	----	873.20	- 24.90	.9754	----	----	----	----	----	1	UNCH
5475	----	----	----	966.80B/895.40A	966.80B/895.40A	----	907.90	- 24.80	.9775	----	----	----	----	----	7	UNCH
5500	----	----	----	991.60B/920.20A	991.60B/920.20A	----	932.70	- 24.80	.9789	----	----	----	----	----	4	UNCH
5505	----	----	----	----	----	----	937.60	- 24.80	.9790	----	----	----	----	----	1	UNCH
5510	----	----	----	----	----	----	942.60	- 24.80	.9791	----	----	----	----	----	1	UNCH
6100	----	----	----	----	----	----	1530.90	- 24.60	.9941	----	----	----	----	----	0	UNCH
6125	----	----	----	----	----	----	1555.90	- 24.60	.9942	----	2	----	----	----	0	UNCH
TOTAL													3707		49927+	496
AUG26	0.50	0.50		0.50/*0.50	0.50/*0.50	----	0.50	- 0.20	.0014	----	----	----	1	----	39	+
2300	----	----	----	0.50B/0.80A	0.50B/0.80A	----	0.60	- 0.10	.0016	----	----	----	----	----	1	UNCH
2325	----	----	----	0.50B/0.80A	0.50B/0.80A	----	0.60	- 0.20	.0016	----	----	----	----	----	22	UNCH
2350	----	----	----	0.50B/0.90A	0.50B/0.90A	----	0.60	- 0.20	.0017	----	----	----	----	----	7	UNCH
2375	----	----	----	0.60B/0.90A	0.60B/0.90A	----	0.70	- 0.10	.0019	----	----	----	----	----	5	UNCH
2400	----	----	----	0.70B/0.90A	0.70B/0.90A	----	0.70	- 0.20	.0019	----	----	----	----	----	5	UNCH
2425	----	----	----	0.80B/1.00A	0.80B/1.00A	----	0.80	- 0.20	.0023	----	----	----	----	----	5	UNCH
2475	----	----	----	0.80B/1.10A	0.80B/1.10A	----	0.90	- 0.20	.0025	----	----	----	1	----	112	UNCH
2500	----	----	----	1.00B/1.30A	1.00B/1.30A	----	1.00	- 0.30	.0029	----	----	----	----	----	9	UNCH
2570	----	----	----	1.10B/1.30A	1.10B/1.30A	----	1.00	- 0.30	.0029	----	----	----	----	----	1	UNCH
2580	----	----	----	1.10B/1.30A	1.10B/1.30A	----	1.10	- 0.20	.0032	----	----	----	----	----	2	UNCH
2590	----	----	----	1.10B/1.30A	1.10B/1.30A	----	1.10	- 0.20	.0032	----	----	----	----	----	6	UNCH
2600	----	----	----	1.20B/1.40A	1.20B/1.40A	----	1.10	- 0.30	.0032	----	----	----	----	----	1	UNCH
2615	----	----	----	1.20B/1.40A	1.20B/1.40A	----	1.10	- 0.30	.0032	----	----	----	----	----	2	UNCH
2625	----	----	----	1.20B/1.40A	1.20B/1.40A	----	1.10	- 0.30	.0032	----	----	----	----	----	1	UNCH
2640	----	----	----	----/1.40A	1.30B/1.40A	----	1.20	- 0.30	.0035	----	----	----	----	----	1	UNCH
2665	----	----	----	1.40B/1.50A	1.40B/1.50A	----	1.20	- 0.30	.0036	----	----	----	----	----	1	UNCH
2685	----	----	----	----/1.50A	1.40B/1.50A	----	1.30	- 0.30	.0039	----	----	----	----	----	1	UNCH
2690	----	----	----	1.40B/1.60A	1.40B/1.60A	----	1.30	- 0.30	.0039	----	----	----	----	----	1	UNCH
2730	----	----	----	1.60B/1.70A	1.60B/1.70A	----	1.40	- 0.40	.0042	----	----	----	----	----	1	UNCH
2740	----	----	----	1.60B/1.70A	1.60B/1.70A	----	1.50	- 0.30	.0045	----	----	----	----	----	2	UNCH
2745	----	----	----	1.60B/1.70A	1.60B/1.70A	----	1.50	- 0.30	.0045	----	----	----	----	----	1	UNCH
2750	----	----	----	1.70B/1.70A	1.70B/1.70A	----	1.50	- 0.40	.0045	----	----	----	----	----	4	UNCH
2800	----	----	----</													

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS											
AUG26												
4270	83.90	83.90	92.90B/63.00A	92.90B/63.00A	----	66.40 - 11.60	.2329	----	----	110	----	111 + 95
4275	----	----	94.40B/64.00A	94.40B/64.00A	----	67.60 - 11.70	.2363	----	----	----	----	27 UNCH
4280	----	----	95.90B/65.20A	95.90B/65.20A	----	68.80 - 11.80	.2398	----	----	----	----	70 UNCH
4285	----	----	97.30B/66.40A	97.30B/66.40A	----	70.00 - 11.90	.2432	----	----	----	----	173 UNCH
4290	69.50	69.50	98.90B/67.40A	98.90B/67.40A	----	71.20 - 12.00	.2466	----	----	1	----	63 + 1
4295	----	----	100.60B/68.80A	100.60B/68.80A	----	72.40 - 12.20	.2500	----	----	----	----	2 UNCH
4300	100.80	100.80	102.20B/69.60A	102.20B/69.60A	----	73.70 - 12.20	.2536	----	----	134	----	1123 - 11
4305	94.90	94.90	103.80B/70.80A	103.80B/70.80A	----	75.00 - 12.30	.2572	----	----	5	----	512 + 5
4310	----	----	105.50B/72.20A	105.50B/72.20A	----	76.30 - 12.50	.2608	----	----	----	----	3 UNCH
4315	----	----	107.10B/73.60A	107.10B/73.60A	----	77.60 - 12.60	.2644	----	----	----	----	8 UNCH
4320	92.10	92.10	108.80B/74.70A	108.80B/74.70A	----	78.90 - 12.70	.2680	----	----	46	----	51 + 38
4325	----	----	110.90B/75.90A	110.90B/75.90A	----	80.30 - 12.80	.2717	----	----	----	----	310 UNCH
4330	----	----	112.30B/77.30A	112.30B/77.30A	----	81.70 - 12.90	.2755	----	----	----	----	105 UNCH
4335	----	----	114.00B/78.60A	114.00B/78.60A	----	83.10 - 13.10	.2792	----	----	----	----	10 UNCH
4340	----	----	115.70B/79.90A	115.70B/79.90A	----	84.50 - 13.20	.2830	----	----	----	----	8 UNCH
4345	----	----	117.60B/81.30A	117.60B/81.30A	----	85.90 - 13.40	.2867	----	----	----	----	5 UNCH
4350	----	----	119.30B/82.50A	119.30B/82.50A	----	87.40 - 13.40	.2906	----	----	66	1178 +	64
4355	----	----	121.20B/84.10A	121.20B/84.10A	----	88.90 - 13.60	.2945	----	----	----	----	104 UNCH
4360	91.60	91.60	123.20B/85.50A	123.20B/85.50A	----	90.40 - 13.70	.2984	----	----	4	----	72 UNCH
4365	----	----	125.10B/87.00A	125.10B/87.00A	----	91.90 - 13.80	.3023	----	----	----	116	116 UNCH
4370	----	----	127.30B/88.70A	127.30B/88.70A	----	93.50 NEW	.3063	----	----	1	----	1 + 1
4375	93.80	93.80	128.90B/89.90A	128.90B/89.90A	----	95.10 - 14.00	.3103	----	----	3	----	14 UNCH
4380	----	----	130.80B/91.40A	130.80B/91.40A	----	96.70 - 14.10	.3143	----	----	----	----	4 UNCH
4385	----	----	132.90B/93.00A	132.90B/93.00A	----	98.30 - 14.30	.3183	----	----	----	----	10 UNCH
4390	----	----	134.80B/94.50A	134.80B/94.50A	----	99.90 - 14.40	.3223	----	----	----	----	17 UNCH
4395	----	----	137.20B/96.20A	137.20B/96.20A	----	101.60 - 14.50	.3264	----	----	----	6	16 UNCH
4400	102.50	102.50	138.90B/97.50A	138.90B/97.50A	----	103.30 - 14.60	.3306	----	----	18	1945 +	16
4405	----	----	141.00B/99.30A	141.00B/99.30A	----	105.00 - 14.80	.3347	----	----	----	64	64 UNCH
4410	----	----	143.10B/100.80A	143.10B/100.80A	----	106.70 - 14.90	.3388	----	----	----	321	321 UNCH
4415	108.20	108.20	145.40B/102.60A	145.40B/102.60A	----	108.50 - 15.00	.3431	----	----	12	148 -	1
4420	----	----	147.40B/104.40A	147.40B/104.40A	----	110.20 - 15.20	.3472	----	----	----	13	13 UNCH
4425	----	----	149.60B/106.00A	149.60B/106.00A	----	112.00 - 15.30	.3514	----	----	1	21 +	1
4430	----	----	152.20B/107.80A	152.20B/107.80A	----	113.90 - 15.40	.3557	----	----	----	35	35 UNCH
4435	----	----	154.30B/109.60A	154.30B/109.60A	----	115.70 - 15.60	.3600	----	----	1	12 +	1
4440	135.80	135.80	156.30B/111.30A	156.30B/111.30A	----	117.60 - 15.70	.3643	----	----	23	87 +	1
4445	120.50	120.50	158.70B/113.20A	158.70B/113.20A	----	119.50 - 15.80	.3686	----	----	2	6 +	2
4450	----	----	161.10B/114.80A	161.10B/114.80A	----	121.40 - 15.90	.3729	----	----	----	372	372 UNCH
4455	----	----	163.40B/116.90A	163.40B/116.90A	----	123.30 - 16.10	.3773	----	----	----	283	283 UNCH
4460	158.30	158.30	165.60B/118.80A	165.60B/118.80A	----	125.30 - 16.20	.3817	----	----	10	22 +	8
4465	----	----	168.10B/120.60A	168.10B/120.60A	----	127.30 - 16.30	.3861	----	----	----	19	19 UNCH
4470	172.10	172.10	172.10/122.60A	172.10/122.60A	----	129.30 - 16.50	.3905	----	----	1	112	112 UNCH
4475	174.60	174.60	174.60/124.60A	174.60/124.60A	----	131.30 - 16.60	.3949	----	----	4	88 +	4
4480	----	----	175.50B/126.60A	175.50B/126.60A	----	133.40 - 16.70	.3993	----	----	1	144	144 UNCH
4485	----	----	177.80B/128.60A	177.80B/128.60A	----	135.40 - 16.90	.4038	----	----	28	42 +	28
4490	182.00	182.00	182.00/130.50A	182.00/130.50A	----	137.50 - 17.10	.4082	----	----	1	8 +	1
4495	141.00	141.00	182.60B/132.60A	182.60B/132.60A	----	139.70 - 17.10	.4127	----	----	2	33	33 UNCH
4500	176.00	176.00	185.50B/134.40A	185.50B/134.40A	----	141.80 - 17.30	.4172	----	----	103	1892 -	1
4505	165.40	165.40	188.10B/136.90A	188.10B/136.90A	----	144.00 - 17.40	.4217	----	----	4	42 -	3
4510	----	----	190.50B/138.80A	190.50B/138.80A	----	146.20 - 17.60	.4262	----	----	----	49	49 UNCH
4515	----	----	194.60B/141.10A	194.60B/141.10A	----	148.40 - 17.70	.4308	----	----	----	7	7 UNCH
4520	173.90	173.90	197.40B/143.20A	197.40B/143.20A	----	150.70 - 17.80	.4353	----	----	229	220 +	199
4525	174.80	174.80	198.00B/145.50A	198.00B/145.50A	----	152.90 - 18.00	.4398	----	----	14	20 +	12
4530	180.00	180.00	202.70B/147.60A	202.70B/147.60A	----	155.20 - 18.20	.4444	----	----	5	11 +	3
4535	----	----	203.40B/149.90A	203.40B/149.90A	----	157.50 - 18.40	.4490	----	----	1	111	111 UNCH
4540	----	----	206.00B/152.20A	206.00B/152.20A	----	159.90 - 18.40	.4535	----	----	----	39	39 UNCH
4545	----	----	208.90B/154.50A	208.90B/154.50A	----	162.30 - 18.60	.4581	----	----	----	21	21 UNCH
4550	----	----	211.70B/156.80A	211.70B/156.80A	----	164.70 - 18.70	.4627	----	----	7	244	244 UNCH
4555	----	----	214.50B/159.20A	214.50B/159.20A	----	167.10 - 18.80	.4673	----	----	----	115	115 UNCH
4560	----	----	217.30B/161.60A	217.30B/161.60A	----	169.60 - 18.90	.4719	----	----	1	222	222 UNCH
4565	170.50	170.50	220.10B/164.10A	220.10B/164.10A	----	172.00 - 19.10	.4765	----	----	7	11 +	7
4570	----	----	222.90B/166.40A	222.90B/166.40A	----	174.50 - 19.30	.4811	----	----	1	74	74 UNCH
4575	----	----	226.00B/168.80A	226.00B/168.80A	----	177.10 - 19.30	.4857	----	----	----	65 +	1
4580	173.30	173.30	228.80B/171.40A	228.80B/171.40A	----	179.60 - 19.50	.4903	----	----	2	196 +	1
4585	----	----	231.10B/173.90A	231.10B/173.90A	----	182.20 - 19.60	.4949	----	----	----	38	38 UNCH
4590	----	----	234.10B/176.50A	234.10B/176.50A	----	184.80 - 19.80	.4995	----	----	----	608	608 UNCH
4595	----	----	237.00B/179.00A	237.00B/179.00A	----	187.50 - 19.80	.5040	----	----	1	126	126 UNCH
4600	----	----	240.40B/181.20A	240.40B/181.20A	----	190.10 - 20.00	.5086	----	----	----	3	3 UNCH
4605	----	----	243.10B/184.10A	243.10B/184.10A	----	192.80 - 20.10	.5132	----	----	----	126	126 UNCH
4610	----	----	244.80B/186.90A	244.80B/186.90A	----	195.50 - 20.20	.5178	----	----	----	3	3 UNCH
4615	----	----	245.10B/189.40A	245.10B/189.40A	----	198.30 - 20.30	.5223	----	----	----	41	41 UNCH
4620	----	----	247.90B/192.60A	247.90B/192.60A	----	201.10 - 20.40	.5269	----	----	----	270	270 UNCH
4625	----	----	252.80B/195.30A	252.80B/195.30A	----	203.80 - 20.60	.5314	----	----	----	53	53 UNCH
4630	----	----	253.70B/197.90A	253.70B/197.90A	----	206.70 - 20.60	.5360	----	----	----	128	128 UNCH
4635	----	----	256.70B/200.80A	256.70B/200.80A	----	209.50 - 20.70	.5405	----	----	----	315	315 UNCH
4640	----	----	260.10B/203.50A	260.10B/203.50A	----	212.40 - 20.80	.5450	----	----	----	135	135 UNCH
4645	----	----	261.50B/206.40A	261.50B/206.40A	----	215.30 - 20.90	.5495	----	----	32	439 -	11
4650	251.20	251.20	267.00B/209.10A	267.00B/209.10A	----	218.20 - 21.00	.5540	----	----	5	30 +	5
4655	----	----	269.80B/211.60A	269.80B/211.60A	----	221.20 - 21.10	.5585	----	----	----	28	28 UNCH
4660	----	----	273.90B/214.90A	273.90B/214.90A	----	224.10 - 21.20	.5629	----	----	----	4	4 UNCH
4665	----	----	274.30B/217.90A	274.30B/217.90A	----	227.10 - 21.30	.5673	----	----	----	53	53 UNCH
4670	----	----	274.90B/220.80A	274.90B/220.80A	----	230.20 - 21.30	.5718	----	----	----	15	15 UNCH
4675	----	----	275.10B/223.70A	275.10B/223.70A	----	233.20 - 21.40	.5762	----	----	----	34	34 UNCH
4680	----	----	278.50B/226.80A	278.50B/226.80A	----	236.30 - 21.50	.5806	----	----	----	224	224 UNCH
4685	----	----	281.80B/229.80A	281.80B/229.80A	----	239.40 - 21.60	.5850	----	----	----	9	9 UNCH
4690	----	----	284.70B/232.30A	284.70B/232.30A	----	242.50 - 21.70	.5893	----	----	----	5	5 UNCH
4695	----	----	288.10B/235.90A	288.10B/235.90A	----	245.70 - 21.70	.5936	----	----	11	1025 -	10
4700	280.70	280.70	292.10B/238.30A	292.10B/238.30A	----	248.80 - 21.90	.5980	----	----	10	151 +	10
4705	284.10	284.10	295.60B/241.50A	295.60B/241.50A	----	252.00 - 21.90	.6022	----	----	10	10	10 UNCH
4710	----	----	298.60B/245.10A	298.60B/245.10A	----	255.20 - 22.00	.6065	----	----	----	13	13 UNCH
4715	----	----	301.90B/248.30A	301.90B/248.30A	----	258.50 - 22.00	.6108	----	----	----	60	60 UNCH
4720	----	----	305.50B/251.50A	305.50B/251.50A	----	261.70 - 22.20	.6150	----	----	----	57	57 UNCH
4725	----	----	309.70B/254.80A	309.70B/254.80A	----	265.00 - 22.20	.6192	----	----	----	60	60 UNCH
4730	----	----	313.30B/257.90A	313.30B/257.90A	----	268.30 - 22.30	.6234	----	----	----	48	48 UNCH
4735	----	----	316.80B/261.50A	316.80B/261.50A	----	271.70 - 22.30	.6275	----	----	----	35	35 UNCH
4740	----	----	320.40B/264.70A	320.40B/264.70A	----	275.00 - 22.40	.6318	----	----	2	181	18



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026				PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME				OPEN INTEREST	
OG PUT																					
AUG26																					
5030	----	----	----	----	434.40B/589.50A	----	----	500.80	- 25.30	.8212	----	----	----	----	----	----	----	1	UNCH		
5040	----	----	----	562.40B/498.80A	562.40B/498.80A	----	----	509.50	- 25.30	.8258	----	----	----	----	----	----	----	4	UNCH		
5045	----	----	----	566.90B/503.10A	566.90B/503.10A	----	----	513.90	- 25.30	.8281	----	----	----	----	----	----	----	31	UNCH		
5050	----	----	----	572.10B/506.60A	572.10B/506.60A	----	----	518.30	- 25.20	.8303	----	----	----	----	----	----	----	351	UNCH		
5070	----	----	----	589.20B/525.00A	589.20B/525.00A	----	----	535.80	- 25.40	.8391	----	----	----	----	----	----	----	17	UNCH		
5080	----	----	----	598.30B/533.80A	598.30B/533.80A	----	----	544.70	- 25.40	.8432	----	----	----	----	----	----	----	3	UNCH		
5100	----	----	----	616.50B/551.50A	616.50B/551.50A	----	----	562.50	- 25.40	.8512	----	----	----	----	----	----	----	84	UNCH		
5120	----	----	----	----	513.30B/666.90A	----	----	580.50	- 25.40	.8589	----	----	----	----	----	----	----	2	UNCH		
5180	----	----	----	----	569.10B/721.70A	----	----	635.10	- 25.50	.8791	----	----	----	----	----	----	----	1	UNCH		
5200	----	----	----	708.90B/642.10A	708.90B/642.10A	----	----	653.50	- 25.50	.8852	----	----	----	----	----	----	----	113	UNCH		
5265	----	----	----	----	619.20B/800.80A	----	----	714.10	- 25.50	.9026	----	----	----	----	----	----	----	1	UNCH		
5300	----	----	----	803.70B/735.50A	803.70B/735.50A	----	----	747.10	- 25.50	.9107	----	----	----	----	----	----	----	3	UNCH		
5355	----	----	----	----	----	----	----	799.50	- 25.40	.9220	----	----	----	----	----	----	----	1	UNCH		
5400	----	----	----	899.80B/830.90A	899.80B/830.90A	----	----	842.60	- 25.40	.9296	----	----	----	----	----	----	----	76	UNCH		
5460	----	----	----	----	----	----	----	900.60	- 25.20	.9384	----	----	----	----	----	----	----	1	UNCH		
5500	----	----	----	997.00B/927.60A	997.00B/927.60A	----	----	939.50	- 25.10	.9432	----	----	----	----	----	----	----	3	UNCH		
5530	----	----	----	----	----	----	----	968.70	- 25.10	.9468	----	----	----	----	----	----	----	1	UNCH		
5575	----	----	----	----	----	----	----	1012.70	- 25.10	.9512	----	----	----	----	----	----	----	2	UNCH		
TOTAL															1332			39593+	525		
SEP26																					
2000	----	----	----	----	0.40B/*0.70A	----	----	0.50	UNCH	.0011	----	----	----	----	----	----	----	1	UNCH		
2350	----	----	----	----	1.10B/1.40A	----	----	1.20	- 0.10	.0029	----	----	----	----	----	----	----	37	UNCH		
2375	----	----	----	----	1.10B/1.50A	----	----	1.20	- 0.20	.0030	----	----	----	----	----	----	----	5	UNCH		
2400	----	----	----	----	1.20B/1.60A	----	----	1.30	- 0.10	.0032	----	----	----	----	----	----	----	1	UNCH		
2500	----	----	----	----	1.60B/1.90A	----	----	1.60	- 0.20	.0041	----	----	----	----	----	----	----	4	UNCH		
2600	----	----	----	----	1.90B/2.30A	----	----	1.90	- 0.20	.0050	----	----	----	----	----	----	----	2	UNCH		
2850	----	----	----	----/*3.20A	3.00B/3.20A	----	----	2.90	NEW	.0081	----	----	----	----	----	----	----	1	+	1	
2860	----	----	----	----/*3.30A	3.10B/3.30A	----	----	2.90	- 0.50	.0082	----	----	----	----	----	----	----	1	UNCH		
2865	2.80	2.80	2.80	2.80/*2.80	3.10B/*2.80	----	----	3.00	NEW	.0084	----	----	----	----	10	----	----	10	+	10	
2900	----	----	----	---/3.50A	3.40B/3.50A	----	----	3.10	- 0.60	.0089	----	----	----	----	1	----	----	5	+	1	
2915	----	----	----	----/*3.50A	3.40B/3.50A	----	----	3.20	- 0.60	.0092	----	----	----	----	----	----	----	2	UNCH		
3000	----	----	----	---/4.00A	3.90B/4.00A	----	----	3.70	- 0.70	.0109	----	----	----	----	----	----	----	3	UNCH		
3145	----	----	----	---/5.20A	5.30B/5.20A	----	----	4.90	- 0.90	.0149	----	----	----	----	----	----	----	15	UNCH		
3150	----	----	----	---/5.20A	5.40B/5.20A	----	----	4.90	- 1.00	.0149	----	----	----	----	----	----	----	2	UNCH		
3200	----	----	----	---/5.70A	6.00B/5.70A	----	----	5.40	- 1.10	.0166	----	----	----	----	----	----	----	1	UNCH		
3270	----	----	----	---/6.50A	7.00B/6.50A	----	----	6.20	- 1.30	.0194	----	----	----	----	----	----	----	15	UNCH		
3300	7.90	7.90	7.90	7.90/6.90A	7.90/6.90A	----	----	6.60	- 1.40	.0208	----	----	----	1	----	----	----	2	+	1	
3400	----	----	----	---/8.50A	9.40B/8.50A	----	----	8.20	- 1.70	.0263	----	----	----	----	----	----	----	1	UNCH		
3475	----	----	----	---/10.00A	11.30B/10.00A	----	----	9.80	- 1.90	.0316	----	----	----	----	----	----	----	2	UNCH		
3480	----	----	----	---/10.10A	11.50B/10.10A	----	----	9.90	- 1.90	.0320	----	----	----	----	----	----	----	780	UNCH		
3500	----	----	----	---/10.60A	12.00B/10.60A	----	----	10.40	- 1.90	.0337	----	----	----	----	----	----	----	26	UNCH		
3525	----	----	----	---/11.20A	12.70B/11.20A	----	----	11.00	- 2.10	.0357	----	----	----	----	----	----	----	2	UNCH		
3550	----	----	----	---/11.90A	13.50B/11.90A	----	----	11.70	- 2.20	.0381	----	----	----	----	----	----	----	5	UNCH		
3565	----	----	----	---/12.20A	14.00B/12.20A	----	----	12.10	- 2.30	.0395	----	----	----	----	----	----	----	1	UNCH		
3590	----	----	----	---/12.90A	15.10B/12.90A	----	----	12.90	- 2.40	.0421	----	----	----	----	----	----	----	2	UNCH		
3600	----	----	----	---/13.20A	15.50B/13.20A	----	----	13.20	- 2.40	.0431	----	----	----	----	----	----	----	38	+	1	
3605	15.50	15.50	15.50	15.60B/13.40A	15.60B/13.40A	----	----	13.40	NEW	.0438	----	----	----	9	----	----	----	9	+	9	
3610	----	----	----	---/13.60A	15.80B/13.60A	----	----	13.60	- 2.40	.0444	----	----	----	----	----	----	----	7	UNCH		
3625	16.80	16.80	16.80	16.80/14.10A	16.80/14.10A	----	----	14.10	- 2.60	.0461	----	----	----	6	----	----	----	7	+	6	
3635	16.90	16.90	16.90	16.90/14.40A	16.90/14.40A	----	----	14.40	NEW	.0471	----	----	----	5	----	----	----	5	+	5	
3650	17.70	17.70	17.70	17.70/14.90A	17.70/14.90A	----	----	15.00	- 2.70	.0491	----	----	----	5	----	----	----	63	-	5	
3680	----	----	----	20.50B/16.10A	20.50B/16.10A	----	----	16.20	- 3.00	.0531	----	----	----	----	----	----	----	3	UNCH		
3690	----	----	----	21.00B/16.50A	21.00B/16.50A	----	----	16.60	- 3.10	.0544	----	----	----	----	----	----	----	60	UNCH		
3700	----	----	----	21.80B/16.90A	21.80B/16.90A	----	----	17.10	- 3.10	.0560	----	----	----	----	----	----	----	153	UNCH		
3720	----	----	----	22.90B/17.80A	22.90B/17.80A	----	----	18.00	- 3.30	.0589	----	----	----	----	----	----	----	50	UNCH		
3740	----	----	----	24.50B/18.70A	24.50B/18.70A	----	----	19.00	- 3.50	.0622	----	----	----	----	----	----	----	1	UNCH		
3750	----	----	----	24.80B/19.20A	24.80B/19.20A	----	----	19.50	- 3.60	.0638	----	----	----	----	----	----	----	101	UNCH		
3755	----	----	----	25.20B/19.50A	25.20B/19.50A	----	----	19.80	- 3.60	.0647	----	----	----	----	----	----	----	312	UNCH		
3775	----	----	----	26.70B/20.50A	26.70B/20.50A	----	----	20.90	-												

PG64		BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
SEP26																								
4485	----	----	----	----	195.40B/152.30A	195.40B/152.30A	----	----	158.70	- 16.00	.3898	----	----	----	----	2	UNCH							
4490	----	----	----	----	199.00B/154.40A	199.00B/154.40A	----	----	160.80	- 16.10	.3935	----	----	----	----	50	UNCH							
4495	----	----	----	----	201.80B/156.50A	201.80B/156.50A	----	----	162.90	- 16.20	.3971	----	----	----	----	2	UNCH							
4500	184.10	----	184.10	----	204.30B/158.40A	204.30B/158.40A	----	----	165.00	- 16.30	.4008	----	----	81	----	514 +	10							
4510	----	----	----	----	209.10B/162.60A	209.10B/162.60A	----	----	169.40	- 16.40	.4082	----	----	----	----	11	UNCH							
4515	----	----	----	----	211.50B/164.70A	211.50B/164.70A	----	----	171.50	- 16.60	.4118	----	----	----	----	3	UNCH							
4520	----	----	----	----	213.00B/166.80A	213.00B/166.80A	----	----	173.70	- 16.70	.4155	----	----	----	----	91	UNCH							
4525	174.20	----	174.20	----	216.50B/169.00A	216.50B/169.00A	----	----	176.00	- 16.80	.4193	----	----	2	----	4 +	2							
4530	----	----	----	----	219.10B/171.30A	219.10B/171.30A	----	----	178.20	- 16.90	.4230	----	----	----	----	4	UNCH							
4540	----	----	----	----	224.20B/175.60A	224.20B/175.60A	----	----	182.80	- 17.10	.4304	----	----	----	----	3	UNCH							
4550	215.00	----	215.00	----	228.60B/180.10A	228.60B/180.10A	----	----	187.40	- 17.40	.4379	----	----	62	200	515 +	163							
4555	----	----	----	----	232.10B/182.50A	232.10B/182.50A	----	----	189.80	- 17.40	.4416	----	----	----	----	50	UNCH							
4560	----	----	----	----	234.70B/184.80A	234.70B/184.80A	----	----	192.10	- 17.60	.4454	----	----	----	----	30	UNCH							
4565	----	----	----	----	235.90B/187.00A	235.90B/187.00A	----	----	194.50	- 17.70	.4491	----	----	----	----	75	UNCH							
4570	----	----	----	----	236.50B/189.50A	236.50B/189.50A	----	----	196.90	- 17.80	.4528	----	----	----	----	11	UNCH							
4575	----	----	----	----	239.00B/191.70A	239.00B/191.70A	----	----	199.40	- 17.80	.4566	----	11	----	----	22 +	6							
4580	----	----	----	----	241.80B/194.10A	241.80B/194.10A	----	----	201.80	- 18.00	.4604	----	----	----	----	1	UNCH							
4585	----	----	----	----	244.50B/196.60A	244.50B/196.60A	----	----	204.30	- 18.10	.4641	----	7	----	----	14 +	7							
4595	----	----	----	----	250.10B/201.50A	250.10B/201.50A	----	----	209.30	- 18.30	.4716	----	----	----	----	2	UNCH							
4600	----	----	----	----	252.90B/203.90A	252.90B/203.90A	----	----	211.80	- 18.50	.4754	----	78	----	----	107 +	47							
4605	----	----	----	----	255.70B/206.40A	255.70B/206.40A	----	----	214.40	- 18.50	.4792	----	----	----	----	27	UNCH							
4610	----	----	----	----	258.70B/209.00A	258.70B/209.00A	----	----	217.00	- 18.60	.4829	----	----	----	----	5	UNCH							
4615	----	----	----	----	261.60B/211.60A	261.60B/211.60A	----	----	219.60	- 18.70	.4867	----	----	----	----	11	UNCH							
4620	----	----	----	----	264.40B/213.90A	264.40B/213.90A	----	----	222.20	- 18.80	.4904	----	----	----	----	428	UNCH							
4625	----	----	----	----	267.40B/216.60A	267.40B/216.60A	----	----	224.80	- 19.00	.4942	----	----	----	----	14	UNCH							
4630	----	----	----	----	270.40B/219.20A	270.40B/219.20A	----	----	227.50	- 19.00	.4979	----	----	----	----	2	UNCH							
4635	----	----	----	----	273.10B/221.90A	273.10B/221.90A	----	----	230.20	- 19.10	.5016	----	----	----	----	1	UNCH							
4640	233.20	----	233.20	----	276.20B/224.50A	276.20B/224.50A	----	----	232.90	NEW	.5054	----	17	----	----	8 +	8							
4645	----	----	----	----	279.50B/227.10A	279.50B/227.10A	----	----	235.60	- 19.40	.5091	----	----	----	----	1	UNCH							
4650	----	----	----	----	282.40B/229.90A	282.40B/229.90A	----	----	238.30	- 19.50	.5128	----	----	----	----	8	UNCH							
4655	----	----	----	----	285.10B/232.60A	285.10B/232.60A	----	----	241.10	- 19.60	.5166	----	----	----	----	16	UNCH							
4660	----	----	----	----	288.50B/235.30A	288.50B/235.30A	----	----	243.90	- 19.60	.5203	----	----	----	----	8	UNCH							
4665	----	----	----	----	291.40B/238.00A	291.40B/238.00A	----	----	246.70	- 19.70	.5240	----	----	----	----	2	UNCH							
4670	----	----	----	----	294.40B/240.80A	294.40B/240.80A	----	----	249.50	- 19.90	.5277	----	----	----	----	26	UNCH							
4675	----	----	----	----	297.50B/243.60A	297.50B/243.60A	----	----	252.40	- 19.90	.5314	----	----	----	----	7	UNCH							
4695	----	----	----	----	310.20B/254.80A	310.20B/254.80A	----	----	264.00	- 20.30	.5460	----	----	----	----	2	UNCH							
4700	----	----	----	----	313.60B/257.70A	313.60B/257.70A	----	----	266.90	- 20.40	.5497	----	----	----	----	138	UNCH							
4705	----	----	----	----	316.60B/260.60A	316.60B/260.60A	----	----	269.90	- 20.50	.5533	----	----	----	----	2	UNCH							
4710	----	----	----	----	319.90B/263.50A	319.90B/263.50A	----	----	272.90	- 20.50	.5570	----	----	----	----	1	UNCH							
4720	----	----	----	----	326.40B/269.50A	326.40B/269.50A	----	----	278.90	- 20.70	.5642	----	----	----	----	4	UNCH							
4725	----	----	----	----	329.70B/272.30A	329.70B/272.30A	----	----	281.90	- 20.90	.5678	----	----	----	----	7	UNCH							
4730	----	----	----	----	333.80B/275.30A	333.80B/275.30A	----	----	285.00	- 20.90	.5714	----	----	----	----	7	UNCH							
4735	----	----	----	----	334.70B/278.40A	334.70B/278.40A	----	----	288.10	- 21.00	.5750	----	----	----	----	100	UNCH							
4740	----	----	----	----	335.40B/281.40A	335.40B/281.40A	----	----	291.20	- 21.10	.5786	----	----	----	----	2	UNCH							
4750	----	----	----	----	340.70B/287.50A	340.70B/287.50A	----	----	297.50	- 21.20	.5856	----	----	----	----	175	UNCH							
4755	----	----	----	----	342.70B/290.60A	342.70B/290.60A	----	----	300.60	- 21.30	.5891	----	----	----	----	10	UNCH							
4760	----	----	----	----	347.40B/293.80A	347.40B/293.80A	----	----	303.80	- 21.40	.5927	----	----	----	----	109	UNCH							
4770	----	----	----	----	353.00B/300.00A	353.00B/300.00A	----	----	310.20	- 21.50	.5996	----	----	----	----	1	UNCH							
4775	----	----	----	----	356.70B/303.20A	356.70B/303.20A	----	----	313.50	- 21.60	.6031	----	----	----	----	130	UNCH							
4780	----	----	----	----	359.90B/306.40A	359.90B/306.40A	----	----	316.70	- 21.70	.6065	----	----	----	----	3	UNCH							
4795	----	----	----	----	370.50B/316.20A	370.50B/316.20A	----	----	326.60	- 21.80	.6168	----	----	----	----	6	UNCH							
4800	----	----	----	----	374.20B/319.50A	374.20B/319.50A	----	----	329.90	- 21.90	.6202	----	----	----	450	471	UNCH							
4805	----	----	----	----	377.70B/323.10A	377.70B/323.10A	----	----	333.30	- 22.00	.6236	----	----	----	----	10	UNCH							
4825	----	----	----	----	392.00B/336.60A	392.00B/336.60A	----	----	346.90	- 22.20	.6368	----	----	----	----	2	UNCH							
4830	----	----	----	----	395.70B/339.80A	395.70B/339.80A	----	----	350.30	- 22.20	.6402	----	----	----	----	10	UNCH							
4835	----	----	----	----	399.40B/342.80A	399.40B/342.80A	----	----	353.80	- 22.30	.6435	----	----	----	----	30	UNCH							
4855	----	----	----	----	414.10B/357.00A	414.10B/357.00A	----	----	367.80	- 22.50	.6563	----	----	----	----	14	UNCH							
4860	----	----	----	----	417.90B/360.60A	417.90B/360.60A	----	----	371.30	- 22.50	.6595	----	----	----	----	11	UNCH							
4875	----	----	----	----	426.90B/371.10A	426.90B/371.10A	----	----	382.10	- 22.60	.6689	----	----	----	----	8	UNCH							
4885	----	----	----	----	434.80B/378.20A	434.80B/378.20A	----	----	389.30	- 22.70	.6751	----	----	----	----	4	UNCH							
4895	----	----	----	----	429.90B/385.40A	429.90B/385.40A	----	----	396.60	- 22.80	.6812	----	----	----	----	1	UNCH							
4900	----	----	----	----	446.10B/389.00A	446.10B/389.00A	----	----	400.30															

PG64		BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT		COMEX GOLD OPTIONS																						
OCT26																								
4150	----	----			100.80B/79.60A	100.80B/79.60A	----		82.20 - 9.80	.2087	----	----	----	----		5	UNCH							
4180	----	----			108.70B/86.10A	108.70B/86.10A	----		88.90 - 10.40	.2228						1	UNCH							
4200	112.80	112.80			117.00/90.40A	117.00/90.40A	----		93.60 - 10.80	.2324			20			383	-							
4220	----	----			120.50B/95.40A	120.50B/95.40A	----		98.50 - 11.20	.2424						5	UNCH							
4235	----	----			125.00B/99.30A	125.00B/99.30A	----		102.40 - 11.50	.2501						1	UNCH							
4250	----	----			129.60B/102.90A	129.60B/102.90A	----		106.40 - 11.80	.2579						72	UNCH							
4265	----	----			134.40B/106.90A	134.40B/106.90A	----		110.50 - 12.20	.2658						200	UNCH							
4270	----	----			136.10B/108.40A	136.10B/108.40A	----		111.90 - 12.30	.2685						229	UNCH							
4280	----	----			139.20B/111.00A	139.20B/111.00A	----		114.80 - 12.50	.2740						196	UNCH							
4300	----	----			146.20B/116.40A	146.20B/116.40A	----		120.70 - 12.90	.2850						617	UNCH							
4330	----	----			157.00B/126.10A	157.00B/126.10A	----		130.20 - 13.40	.3021						1	UNCH							
4350	----	----			164.30B/132.30A	164.30B/132.30A	----		136.80 - 13.70	.3137						236	UNCH							
4355	----	----			166.30B/133.90A	166.30B/133.90A	----		138.50 - 13.80	.3167						11	UNCH							
4370	142.30	142.30			172.30B/139.00A	172.30B/139.00A	----		143.60 - NEW	.3255			2			2	+							
4375	----	----			174.30B/140.60A	174.30B/140.60A	----		145.40 - 14.20	.3286						11	UNCH							
4400	----	----			185.20B/148.80A	185.20B/148.80A	----		154.40 - 14.60	.3437						606	UNCH							
4410	176.90	176.90			189.30B/153.00A	189.30B/153.00A	----		158.20 - NEW	.3498			49			49	+							
4425	----	----			200.40B/158.50A	200.40B/158.50A	----		163.90 - 15.00	.3591						15	UNCH							
4430	----	----			202.50B/160.30A	202.50B/160.30A	----		165.80 - 15.20	.3622						3	UNCH							
4440	----	----			207.10B/164.40A	207.10B/164.40A	----		169.80 - 15.30	.3685						2	UNCH							
4450	191.00	191.00			211.60B/168.00A	211.60B/168.00A	----		173.80 - 15.50	.3747			47			64	+							
4475	----	----			223.20B/178.20A	223.20B/178.20A	----		184.10 - 16.00	.3906						2	UNCH							
4500	----	----			235.40B/188.60A	235.40B/188.60A	----		194.80 - 16.50	.4066			1			91	-							
4520	----	----			245.40B/197.30A	245.40B/197.30A	----		203.70 - 17.00	.4195						2	UNCH							
4535	240.90	240.90			253.00B/204.00A	253.00B/204.00A	----		210.60 - NEW	.4293			1			1	+							
4550	----	----			260.70B/210.90A	260.70B/210.90A	----		217.60 - 17.60	.4391						2	UNCH							
4560	253.60	253.60			266.00B/215.60A	266.00B/215.60A	----		222.40 - 17.80	.4456			1			78	UNCH							
4570	260.80	260.80			271.30B/220.40A	271.30B/220.40A	----		227.30 - 18.00	.4522			2			4	+							
4580	266.30	266.30			271.90B/225.20A	271.90B/225.20A	----		232.20 - NEW	.4587			3			3	+							
4595	----	----			279.50B/232.60A	279.50B/232.60A	----		239.80 - NEW	.4686			3			3	+							
4600	----	----			282.30B/234.90A	282.30B/234.90A	----		242.30 - 18.60	.4718						329	UNCH							
4605	----	----			285.10B/237.60A	285.10B/237.60A	----		244.90 - 18.70	.4751						2	UNCH							
4610	----	----			288.20B/240.10A	288.20B/240.10A	----		247.50 - 18.80	.4784			3			8	+							
4625	----	----			296.60B/247.80A	296.60B/247.80A	----		255.40 - 19.10	.4882						41	UNCH							
4630	291.40	291.40			299.50B/250.40A	299.50B/250.40A	----		258.10 - 19.10	.4915			1			8	+							
4635	----	----			302.40B/253.00A	302.40B/253.00A	----		260.70 - 19.30	.4947						1	UNCH							
4640	----	----			305.50B/255.60A	305.50B/255.60A	----		263.40 - 19.40	.4980						13	UNCH							
4645	----	----			308.30B/258.30A	308.30B/258.30A	----		266.20 - 19.40	.5012			7			9	+							
4650	----	----			311.20B/260.90A	311.20B/260.90A	----		268.90 - 19.50	.5045						133	+							
4655	----	----			314.20B/263.60A	314.20B/263.60A	----		271.70 - NEW	.5077			3			3	+							
4660	----	----			317.40B/266.30A	317.40B/266.30A	----		274.40 - 19.80	.5110						3	UNCH							
4670	----	----			323.30B/271.80A	323.30B/271.80A	----		280.00 - 19.90	.5174						3	UNCH							
4675	----	----			326.50B/274.50A	326.50B/274.50A	----		282.90 - 20.00	.5206			1			4	-							
4680	----	----			329.70B/277.30A	329.70B/277.30A	----		285.70 - 20.10	.5239						1	UNCH							
4690	----	----			335.90B/282.90A	335.90B/282.90A	----		291.50 - 20.20	.5303						3	UNCH							
4700	----	----			342.10B/288.60A	342.10B/288.60A	----		297.30 - 20.40	.5367						84	UNCH							
4715	----	----			351.50B/297.20A	351.50B/297.20A	----		306.20 - 20.60	.5462						3	UNCH							
4750	----	----			374.30B/317.90A	374.30B/317.90A	----		327.40 - 21.20	.5681						175	UNCH							
4755	----	----			377.60B/321.00A	377.60B/321.00A	----		330.60 - 21.20	.5712						168	UNCH							
4775	----	----			388.30B/333.40A	388.30B/333.40A	----		343.20 - 21.40	.5835						26	UNCH							
4780	----	----			389.90B/336.60A	389.90B/336.60A	----		346.30 - 21.60	.5865						1	UNCH							
4800	----	----			401.50B/349.10A	401.50B/349.10A	----		359.30 - 21.70	.5986						101	UNCH							
4805	----	----			404.90B/352.50A	404.90B/352.50A	----		362.60 - 21.80	.6016						9	UNCH							
4810	----	----			408.50B/355.60A	408.50B/355.60A	----		365.80 - 21.90	.6046						9	UNCH							
4815	----	----			412.00B/359.20A	412.00B/359.20A	----		369.10 - 21.90	.6076						42	UNCH							
4820	----	----			415.50B/362.80A	415.50B/362.80A	----		372.50 - 21.90	.6105						3	UNCH							
4835	----	----			426.10B/372.90A	426.10B/372.90A	----		382.50 - 22.10	.6193						3	UNCH							
4845	----	----			433.30B/379.50A	433.30B/379.50A	----		389.30 - 22.20	.6251						20	UNCH							
4850	----	----			436.80B/382.90A	436.80B/382.90A	----		392.70 - 22.20	.6280						80	UNCH							
4875	----	----			454.90B/400.00A	454.90B/400.00A	----		410.00 - 22.40	.6422						1	UNCH							
4900	----	----			473.50B/417.30A	473.50B/417.30A	----		427.70 - 22.60	.6560						81	UNCH							
4910	----	----			480.90B/424.40A	480.90B/424.40A	----		434.90 - 22.60	.6614						1	UNCH							
4920	----	----			488.40B/431.50A	488.40B/431.50A	----		442.10 - 22.70	.6668						1	UNCH							
4925	----	----			492.20B/435.00A	492.20B/435.00A	----		445.70 - 22.80	.6694						25	UNCH							
4935	----	----			498.40B/442.30A	498.40B/442.30A	----		453.10 - 22.80	.6747						5	UNCH							
4965	----	----			520.20B/464.20A	520.20B/464.20A</																		

BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
NOV26																						
4340	----	----		175.30B/146.50A	175.30B/146.50A	----	151.10	- 13.60	.3050	----	----	----	----	----	----	6	UNCH					
4350	----	----		178.90B/149.60A	178.90B/149.60A	----	154.40	- 13.90	.3101	----	----	----	----	----	----	3	UNCH					
4390	----	----		194.70B/163.30A	194.70B/163.30A	----	168.40	- 14.60	.3311	----	----	----	----	----	----	1	UNCH					
4395	----	----		196.70B/165.10A	196.70B/165.10A	----	170.20	- 14.60	.3338	----	----	----	----	----	----	1	UNCH					
4400	----	----		198.80B/166.70A	198.80B/166.70A	----	172.00	- 14.80	.3365	----	----	----	----	----	----	5	UNCH					
4425	----	----		208.90B/176.10A	208.90B/176.10A	----	181.40	- 15.10	.3500	----	----	----	----	----	----	72	UNCH					
4430	----	----		211.00B/178.00A	211.00B/178.00A	----	183.30	- 15.20	.3527	----	----	----	----	----	----	10	UNCH					
4450	----	----		226.60B/185.30A	226.60B/185.30A	----	191.10	- 15.60	.3637	----	----	----	----	----	----	39	UNCH					
4485	----	----		242.50B/199.30A	242.50B/199.30A	----	205.40	- 16.10	.3832	----	----	----	----	----	----	1	UNCH					
4490	----	----		245.00B/201.70A	245.00B/201.70A	----	207.50	- 16.10	.3860	----	----	----	----	----	----	1	UNCH					
4500	----	----		249.60B/205.60A	249.60B/205.60A	----	211.70	- 16.30	.3916	----	----	----	----	----	----	45	UNCH					
4510	----	----		254.50B/209.70A	254.50B/209.70A	----	216.00	- 16.40	.3972	----	----	----	----	----	----	11	UNCH					
4535	----	----		266.80B/220.90A	266.80B/220.90A	----	227.00	- 16.80	.4114	----	----	----	----	----	----	10	UNCH					
4540	----	----		269.30B/222.60A	269.30B/222.60A	----	229.30	- 16.80	.4143	----	----	----	----	----	----	6	UNCH					
4580	----	----		289.90B/240.80A	289.90B/240.80A	----	247.80	- 17.30	.4373	----	----	----	----	----	----	10	UNCH					
4600	261.30	261.30		301.10B/250.40A	301.10B/250.40A	----	257.40	- 17.60	.4488	----	----	----	2	----	----	72	+					
4610	----	----		305.90B/255.20A	305.90B/255.20A	----	262.40	- 17.70	.4546	----	----	----	----	----	----	4	UNCH					
4640	----	----		317.30B/270.30A	317.30B/270.30A	----	277.60	- 18.10	.4719	----	----	----	----	----	----	90	UNCH					
4650	----	----		322.80B/275.40A	322.80B/275.40A	----	282.80	- 18.30	.4777	----	----	----	----	----	----	52	UNCH					
4700	----	----		352.00B/302.30A	352.00B/302.30A	----	310.00	- 19.10	.5064	----	----	----	----	----	----	53	UNCH					
4710	----	----		354.90B/307.90A	354.90B/307.90A	----	315.60	- 19.30	.5120	----	----	----	----	----	----	1	UNCH					
4725	----	----		367.10B/316.30A	367.10B/316.30A	----	324.30	- 19.60	.5205	----	----	----	----	----	----	2	UNCH					
4750	----	----		379.50B/330.60A	379.50B/330.60A	----	339.00	- 20.10	.5345	----	----	----	----	----	----	10	UNCH					
4755	----	----		382.70B/332.90A	382.70B/332.90A	----	342.00	- 20.20	.5373	----	----	----	----	----	----	1	UNCH					
4800	----	----		411.70B/361.10A	411.70B/361.10A	----	369.30	- 21.10	.5621	----	----	----	----	----	----	12	UNCH					
4820	----	----		425.00B/373.40A	425.00B/373.40A	----	381.70	- 21.40	.5730	----	----	----	----	----	----	1	UNCH					
4840	----	----		435.60B/385.80A	435.60B/385.80A	----	394.30	- 21.60	.5838	----	----	----	----	----	----	2	UNCH					
4845	----	----		439.00B/389.00A	439.00B/389.00A	----	397.50	- 21.70	.5865	----	----	----	----	----	----	10	UNCH					
4850	----	----		442.40B/392.20A	442.40B/392.20A	----	400.70	- 21.70	.5891	----	----	----	----	----	----	8	UNCH					
4900	----	----		477.20B/424.80A	477.20B/424.80A	----	433.80	- 22.10	.6151	----	----	----	----	----	----	12	UNCH					
4915	----	----		487.90B/434.90A	487.90B/434.90A	----	444.20	- 22.00	.6226	----	----	----	----	----	----	3	UNCH					
4935	----	----		502.30B/449.10A	502.30B/449.10A	----	458.10	- 22.10	.6325	----	----	----	----	----	----	25	UNCH					
4950	----	----		513.20B/459.60A	513.20B/459.60A	----	468.70	- 22.10	.6399	----	----	----	----	----	----	11	UNCH					
4960	----	----		520.50B/466.40A	520.50B/466.40A	----	475.90	- 22.10	.6446	----	----	----	----	----	----	2	UNCH					
5000	----	----		550.40B/495.00A	550.40B/495.00A	----	504.70	- 22.30	.6635	----	----	----	----	----	----	255	UNCH					
5020	----	----		565.50B/509.30A	565.50B/509.30A	----	519.30	- 22.50	.6728	----	----	----	----	----	----	30	UNCH					
5055	----	----		580.00B/535.20A	580.00B/535.20A	----	545.30	- 22.80	.6885	----	----	----	----	----	----	8	UNCH					
5200	----	----		----	565.20B/764.90A	----	658.70	- 23.70	.7474	----	----	----	----	----	----	81	UNCH					
5395	----	----		----	731.50B/927.10A	----	823.40	- 24.10	.8097	----	----	----	----	----	----	6	UNCH					
5400	----	----		----	736.10B/931.40A	----	827.70	- 24.20	.8111	----	----	----	----	----	----	6	UNCH					
5760	----	----		----	1069.30B/1257.70A	----	1155.30	- 24.50	.8856	----	----	----	----	----	----	1	UNCH					
5975	----	----		----	----	----	1359.60	- 24.50	.9127	----	----	----	----	----	----	1	UNCH					
6000	----	----		----	----	----	1383.60	- 24.50	.9152	----	----	----	----	----	----	1	UNCH					
TOTAL														104	3410	+	102					
DEC26																						
1350	----	----		----	-----/0.50A	----	0.10	UNCH	.0000	----	----	----	----	----	----	16	UNCH					
1375	----	----		----	-----/18.10A	----	0.10	UNCH	.0000	----	----	----	----	----	----	1	UNCH					
1500	----	----		----	-----/0.90A	----	0.10	- 0.10	.0002	----	----	----	----	----	----	1	UNCH					
1600	----	----		----	0.30B/1.30A	----	0.20	- 0.10	.0004	----	----	----	----	----	----	190	UNCH					
1700	----	----		----	0.40B/1.40A	----	0.40	UNCH	.0008	----	----	----	----	----	----	200	UNCH					
1845	----	----		----	0.60B/1.70A	----	0.60	- 0.20	.0012	----	----	----	----	----	----	55	UNCH					
1900	----	----		----	#0.80B/1.90A	----	0.80	- 0.10	.0016	----	----	----	----	----	----	4	UNCH					
2000	----	----		----	1.00B/2.20A	----	1.10	- 0.20	.0022	----	----	----	----	----	----	2	UNCH					
2400	----	----		----	2.40B/3.80A	----	2.60	- 0.50	.0057	----	----	----	----	----	----	1	UNCH					
2490	----	----		----	3.00B/4.30A	----	3.10	- 0.60	.0069	----	----	----	----	----	----	1	UNCH					
2750	----	----		----	5.30B/6.50A	----	5.30	- 0.90	.0121	----	----	----	----	----	----	1	UNCH					
2800	----	----		----	5.80B/7.10A	----	5.80	- 1.00	.0134	----	----	----	----	----	----	18	UNCH					
2900	----	----		----	7.30B/8.40A	----	7.10	- 1.10	.0165	----	----	----	----	----	----	24	UNCH					
2925	----	----		----	7.20B/8.70A	----	7.40	- 1.20	.0173	----	----	----	----	----	----	300	UNCH					
2975	----	----		----	8.20B/9.50A	----	8.20	- 1.30	.0193	----	----	----	----	----	----	400	UNCH					
3000	10.10	10.10		10.30B/7.20	10.30B/7.20	----	8.60	- 1.40	.0203	----	----	----	3	----	----	1359	+					
3160	----	----		-----/13.20A	12.20B/13.20A	----	12.00	- 2.00	.0286	----	----	----	----	----	----	2	UNCH					
3175	----	----		-----/13.60A	12.60B/13.60A	----	12.40	- 2.00	.0295	----	----	----	----	----	----	1	UNCH					
3250	----	----		-----/15.70A	15.40B/15.70A	----	14.70	- 2.20	.0350	----	----	----	----	----	----	20	UNCH					
3300	15.90	15.90		15.90/15.90	17.50B/15.90	----	16.60	- 2.20	.0393	----	----	----	500	----	----	507	+					
3400	----	----		-----/21.60A	22.00B/21.60A	----	21.00	- 2.60	.0494	----	----	----	----	----	----	1251	UNCH					
3425	----	----		-----/22.80A	23.50B/22.80A	----	22.30	- 2.70	.0523	----	----	----	----	----	----	350	UNCH					
3450	----	----		-----/24.00A	24.80B/24.00A	----	23.70	- 2.80	.0554	----	----	----	----	----	----	201	UNCH					
3460	----	----		28.00B/24.30A	28.00B/24.30A	----	24.20	- 2.90	.0565	----	----	----	----	----	----	20	UNCH					
3475	----	----		28.80B/25.40A	28.80B/25.40A	----	25.10	- 2.90	.0585	----	----	----	----	----	----	152	UNCH					
3500	----	----		30.60B/26.60A	30.60B/26.60A	----	26.60	- 3.10	.0618	----	----	----	10	----	----	1478	+					
3550	----	----		34.10B/29.90A	34.																	

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
DEC26																			
4525	247.00	247.00	285.40B/239.50A	285.40B/239.50A	----	246.30	- 16.10	.4080	----	1	----	205	-	1					
4530	----	----	287.90B/241.90A	287.90B/241.90A	----	248.50	- 16.20	.4106	----	----	----	20		UNCH					
4535	----	----	290.50B/244.00A	290.50B/244.00A	----	250.80	- 16.30	.4132	----	----	----	102		UNCH					
4540	----	----	293.00B/246.30A	293.00B/246.30A	----	253.10	- 16.30	.4158	----	----	----	1		UNCH					
4550	----	----	298.20B/250.80A	298.20B/250.80A	----	257.60	- 16.70	.4211	----	----	----	9		UNCH					
4555	----	----	300.60B/253.20A	300.60B/253.20A	----	260.00	- 16.70	.4237	----	----	----	50		UNCH					
4580	----	----	313.80B/264.90A	313.80B/264.90A	----	271.80	- 17.20	.4369	----	----	----	50		UNCH					
4585	----	----	316.50B/267.10A	316.50B/267.10A	----	274.20	- 17.30	.4396	----	----	----	325		UNCH					
4600	----	----	324.40B/274.40A	324.40B/274.40A	----	281.50	- 17.60	.4475	----	----	----	705		UNCH					
4610	----	----	329.80B/279.30A	329.80B/279.30A	----	286.40	NEW	.4529	----	3	----	3	+	3					
4620	----	----	335.40B/284.40A	335.40B/284.40A	----	291.40	- 18.10	.4582	----	----	----	50		UNCH					
4625	----	----	338.10B/286.90A	338.10B/286.90A	----	294.00	- 18.10	.4608	----	----	----	32		UNCH					
4640	----	----	340.80B/294.40A	340.80B/294.40A	----	301.70	- 18.40	.4688	----	----	----	101		UNCH					
4650	----	----	346.00B/299.60A	346.00B/299.60A	----	307.00	- 18.50	.4741	----	----	----	116		UNCH					
4655	----	----	348.70B/302.20A	348.70B/302.20A	----	309.60	- 18.60	.4767	----	----	----	1		UNCH					
4660	----	----	351.50B/304.80A	351.50B/304.80A	----	312.30	- 18.70	.4794	----	----	----	2		UNCH					
4665	----	----	354.50B/307.40A	354.50B/307.40A	----	315.00	- 18.70	.4820	----	----	----	46		UNCH					
4675	----	----	360.20B/312.70A	360.20B/312.70A	----	320.40	- 18.90	.4873	----	----	----	10		UNCH					
4680	----	----	363.10B/315.40A	363.10B/315.40A	----	323.20	- 18.90	.4899	----	----	----	60		UNCH					
4700	----	----	374.90B/325.90A	374.90B/325.90A	----	334.30	- 19.10	.5003	----	----	----	511		UNCH					
4710	----	----	380.80B/331.80A	380.80B/331.80A	----	340.00	- 19.10	.5056	----	----	----	1		UNCH					
4715	----	----	383.80B/334.60A	383.80B/334.60A	----	342.80	- 19.20	.5082	----	----	----	15		UNCH					
4725	----	----	389.90B/340.20A	389.90B/340.20A	----	348.60	- 19.30	.5133	----	----	----	127		UNCH					
4750	----	----	405.50B/354.80A	405.50B/354.80A	----	363.10	- 19.70	.5262	----	----	----	63		UNCH					
4790	----	----	430.60B/378.00A	430.60B/378.00A	----	386.90	- 20.30	.5466	----	----	----	60		UNCH					
4795	----	----	433.70B/381.40A	433.70B/381.40A	----	390.00	- 20.30	.5491	----	----	----	1		UNCH					
4800	----	----	436.90B/384.30A	436.90B/384.30A	----	393.00	- 20.40	.5517	----	----	----	348		UNCH					
4810	----	----	443.40B/390.40A	443.40B/390.40A	----	399.20	- 20.50	.5567	----	----	----	56		UNCH					
4815	----	----	446.70B/393.50A	446.70B/393.50A	----	402.30	- 20.50	.5592	----	----	----	10		UNCH					
4820	----	----	450.20B/396.50A	450.20B/396.50A	----	405.40	- 20.60	.5616	----	----	----	20		UNCH					
4825	----	----	453.50B/399.60A	453.50B/399.60A	----	408.50	- 20.60	.5641	----	----	----	112		UNCH					
4830	----	----	456.60B/402.60A	456.60B/402.60A	----	411.70	- 20.60	.5666	----	----	----	6		UNCH					
4835	----	----	459.80B/405.80A	459.80B/405.80A	----	414.80	- 20.70	.5691	----	----	----	125		UNCH					
4850	----	----	470.10B/415.30A	470.10B/415.30A	----	424.40	- 20.60	.5764	----	----	----	13		UNCH					
4875	----	----	483.70B/431.20A	483.70B/431.20A	----	440.60	- 20.70	.5886	----	----	----	16		UNCH					
4880	----	----	485.80B/434.40A	485.80B/434.40A	----	443.90	- 20.70	.5910	----	----	----	12		UNCH					
4900	----	----	499.20B/447.50A	499.20B/447.50A	----	457.10	- 20.80	.6005	----	----	----	110		UNCH					
4925	----	----	516.70B/465.30A	516.70B/465.30A	----	473.90	- 21.00	.6122	----	----	----	237		UNCH					
4930	----	----	520.10B/468.90A	520.10B/468.90A	----	477.30	- 21.10	.6145	----	----	----	1		UNCH					
4935	----	----	523.70B/472.20A	523.70B/472.20A	----	480.80	- 21.10	.6168	----	----	----	2		UNCH					
4940	----	----	527.40B/475.10A	527.40B/475.10A	----	484.20	- 21.20	.6191	----	----	----	29		UNCH					
4950	----	----	534.50B/481.90A	534.50B/481.90A	----	491.10	- 21.30	.6237	----	----	----	24		UNCH					
4975	----	----	552.70B/499.50A	552.70B/499.50A	----	508.50	- 21.60	.6350	----	----	----	43		UNCH					
4980	----	----	556.30B/503.10A	556.30B/503.10A	----	512.00	- 21.70	.6372	----	----	----	5		UNCH					
4995	----	----	567.30B/513.50A	567.30B/513.50A	----	522.70	- 21.90	.6438	----	----	----	32		UNCH					
5000	----	----	571.00B/517.20A	571.00B/517.20A	----	526.20	- 22.00	.6460	----	----	----	445		UNCH					
5020	----	----	585.90B/531.30A	585.90B/531.30A	----	540.60	- 22.20	.6547	----	----	----	8		UNCH					
5025	----	----	589.70B/534.80A	589.70B/534.80A	----	544.20	- 22.30	.6569	----	----	----	210		UNCH					
5035	----	----	597.20B/542.10A	597.20B/542.10A	----	551.50	- 22.40	.6611	----	----	----	8		UNCH					
5050	----	----	608.60B/552.90A	608.60B/552.90A	----	562.50	- 22.50	.6674	----	----	----	201		UNCH					
5070	----	----	623.80B/567.70A	623.80B/567.70A	----	577.30	- 22.70	.6757	----	----	----	1		UNCH					
5075	----	----	627.70B/571.20A	627.70B/571.20A	----	581.10	- 22.70	.6777	----	----	----	100		UNCH					
5095	----	----	640.70B/586.10A	640.70B/586.10A	----	596.10	- 22.80	.6859	----	----	----	6		UNCH					
5100	----	----	644.30B/589.80A	644.30B/589.80A	----	599.90	- 22.90	.6878	----	----	----	6		UNCH					
5195	----	----	719.70B/665.00A	719.70B/665.00A	----	673.50	- 23.30	.7237	----	----	----	5		UNCH					
5200	----	----	723.80B/669.00A	723.80B/669.00A	----	677.50	- 23.30	.7256	----	----	----	38		UNCH					
5250	----	----	764.50B/708.90A	764.50B/708.90A	----	717.70	- 23.40	.7429	----	----	----	126		UNCH					
5290	----	----	----	643.10B/868.20A	----	750.40	- 23.60	.7560	----	----	----	1		UNCH					
5295	----	----	----	647.10B/872.30A	----	754.50	- 23.60	.7575	----	----	----	1		UNCH					
5360	----	----	857.00B/800.20A	857.00B/800.20A	----	808.80	- 23.90	.7773	----	----	----	100		UNCH					
5370	----	----	865.60B/808.50A	865.60B/808.50A	----	817.30	- 23.90	.7803	----	----	----	20		UNCH					
5375	----	----	869.90B/812.70A	869.90B/812.70A	----	821.50	- 23.90	.7818	----	----	----	34		UNCH					
5400	----	----	891.40B/834.20A	891.40B/834.20A	----	842.80	- 24.00	.7887	----	----	----	102		UNCH					
5415	----	----	904.40B/847.10A	904.40B/847.10A	----	855.70	- 24.10	.7929	----	----	----	4		UNCH					
5460	----	----	943.70B/886.10A	943.70B/886.10A	----	894.60	- 24.20	.8047	----	----	----	200		UNCH					
5465	----	----	#948.10B/890.50	948.10B/890.50A	----	898.90	- 24.30	.8060	----	----	----	50		UNCH					
5480	----	----	#961.30B/903.40	961.30B/903.40A	----	912.00	- 24.30	.8097	----	----	----	50		UNCH					
5500	----	----	978.90B/921.00A	978.90B/921.00A	----	929.60	- 24.30	.8146	----	----	----	31		UNCH					
5525	----	----	#1,001.10B/943.																

BULLETIN # 96@				METALS OPTION PRODUCTS										Wed, May 20, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS																		
FEB27	----	----	----	475.40B/432.20A	475.40B/432.20A	----	----	----	438.70 - 20.20	.5347	----	----	----	----	1	UNCH			
4835	----	----	----	478.40B/435.20A	478.40B/435.20A	----	----	----	441.70 - 20.30	.5369	----	----	----	----	1	UNCH			
4840	----	----	----	481.50B/438.10A	481.50B/438.10A	----	----	----	444.80 - 20.30	.5390	----	----	----	----	3	UNCH			
4845	----	----	----	484.90B/441.20A	484.90B/441.20A	----	----	----	447.90 - 20.30	.5412	----	----	----	----	0	UNCH			
4850	----	----	----	487.90B/444.20A	487.90B/444.20A	----	----	----	450.90 - 20.50	.5434	----	----	----	----	3	UNCH			
4855	----	----	----	517.40B/471.80A	517.40B/471.80A	----	----	----	479.20 - 20.70	.5625	----	----	----	----	4	UNCH			
4900	----	----	----	520.50B/474.90A	520.50B/474.90A	----	----	----	482.40 - 20.70	.5647	----	----	----	----	4	UNCH			
4905	----	----	----	550.80B/503.50A	550.80B/503.50A	----	----	----	511.70 - 20.80	.5833	----	----	----	----	1	UNCH			
4950	----	----	----	554.30B/506.70A	554.30B/506.70A	----	----	----	515.00 - 20.90	.5854	----	----	----	----	1	UNCH			
4955	----	----	----	583.50B/536.40A	583.50B/536.40A	----	----	----	545.20 - 21.00	.6035	----	----	----	----	10	UNCH			
5000	----	----	----	587.10B/539.70A	587.10B/539.70A	----	----	----	548.60 - 21.10	.6055	----	----	----	----	2	UNCH			
5005	----	----	----	619.20B/570.40A	619.20B/570.40A	----	----	----	579.70 - 21.30	.6231	----	----	----	----	4	UNCH			
5050	----	----	----	622.80B/574.00A	622.80B/574.00A	----	----	----	583.20 - 21.30	.6250	----	----	----	----	4	UNCH			
5055	----	----	----	655.90B/608.70A	655.90B/608.70A	----	----	----	615.20 - 21.60	.6421	----	----	----	----	2	UNCH			
5100	----	----	----	693.60B/645.00A	693.60B/645.00A	----	----	----	651.50 - 22.10	.6603	----	----	----	----	1	UNCH			
5150	----	----	----	712.50B/663.10A	712.50B/663.10A	----	----	----	670.00 - 22.30	.6691	----	----	----	----	125	UNCH			
5175	----	----	----	732.00B/681.60A	732.00B/681.60A	----	----	----	688.80 - 22.50	.6777	----	----	----	----	1	UNCH			
5200	----	----	----	759.60B/719.50A	759.60B/719.50A	----	----	----	726.90 - 22.90	.6946	----	----	----	----	10	UNCH			
5250	----	----	----	----	666.60B/970.70A	----	----	----	809.60 - 23.60	.7272	----	----	----	----	1	UNCH			
5355	----	----	----	----	802.40B/1106.60A	----	----	----	946.20 - 23.80	.7715	----	----	----	----	300	UNCH			
5520	----	----	----	----	810.90B/1115.00A	----	----	----	954.70 - 23.80	.7740	----	----	----	----	100	UNCH			
5530	----	----	----	----	827.80B/1132.00A	----	----	----	971.70 - 23.90	.7787	----	----	----	----	65	UNCH			
5550	----	----	----	----	840.60B/1144.80A	----	----	----	984.60 - 23.80	.7822	----	----	----	----	50	UNCH			
5565	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1374	0			
TOTAL																			
MAR27				----/52.20A	54.20B/52.20A	----	----	----	51.20 - 5.70	.0939	----	----	----	300	525 +	300			
3600	----	----	----	----/69.90A	74.90B/69.90A	----	----	----	69.70 - 7.60	.1235	----	----	----	----	10	UNCH			
3750	----	----	----	----/84.70A	92.00B/84.70A	----	----	----	84.90 - 8.70	.1469	----	----	----	----	21	UNCH			
3850	----	----	----	----/93.00A	101.20B/93.00A	----	----	----	93.50 - 9.30	.1596	----	----	----	----	11	UNCH			
3900	----	----	----	----/112.50A	122.70B/112.50A	----	----	----	112.90 - 10.70	.1875	----	----	----	----	6	UNCH			
4000	----	----	----	----/128.40A	140.00B/128.40A	----	----	----	128.60 - 11.60	.2091	----	----	----	----	2	UNCH			
4070	----	----	----	#177.80B/162.10	#177.80B/162.10A	----	----	----	162.80 - 13.50	.2531	----	----	----	300	525 +	300			
4200	----	----	----	#221.00B/201.00	#221.00B/201.00A	----	----	----	202.50 - 15.40	.2999	----	----	----	----	10	UNCH			
4325	----	----	----	#238.30B/216.70	#238.30B/216.70A	----	----	----	218.60 - 15.90	.3177	----	----	----	----	250	UNCH			
4370	----	----	----	#315.30B/277.40	#315.30B/277.40A	----	----	----	281.40 - 16.80	.3817	----	----	----	----	11	UNCH			
4525	----	----	----	367.20B/334.70A	367.20B/334.70A	----	----	----	340.10 - 17.50	.4351	----	----	----	----	2	UNCH			
4650	----	----	----	#376.60B/340.10	#376.60B/340.10A	----	----	----	345.10 - 17.60	.4394	----	----	----	----	24	UNCH			
4660	----	----	----	#383.10B/349.60	#383.10B/349.60A	----	----	----	355.30 - 17.70	.4480	----	----	----	----	1	UNCH			
4680	----	----	----	#399.50B/364.90	#399.50B/364.90A	----	----	----	370.80 - 18.00	.4610	----	----	----	----	4	UNCH			
4710	----	----	----	#405.20B/370.10	#405.20B/370.10A	----	----	----	376.00 - 18.20	.4652	----	----	----	----	2	UNCH			
4720	----	----	----	#416.50B/380.60	#416.50B/380.60A	----	----	----	386.60 - 18.50	.4738	----	----	----	----	3	UNCH			
4740	----	----	----	#422.20B/385.90	#422.20B/385.90A	----	----	----	392.00 - 18.60	.4780	----	----	----	----	15	UNCH			
4750	----	----	----	#457.20B/418.90	#457.20B/418.90A	----	----	----	425.20 - 19.50	.5035	----	----	----	----	21	UNCH			
4810	----	----	----	#481.60B/441.80	#481.60B/441.80A	----	----	----	448.30 - 20.00	.5202	----	----	----	----	4	UNCH			
4850	----	----	----	#513.40B/471.40	#513.40B/471.40A	----	----	----	478.20 - 20.70	.5408	----	----	----	----	2	UNCH			
4900	----	----	----	#516.40B/474.50	#516.40B/474.50A	----	----	----	481.20 - 20.90	.5429	----	----	----	----	2	UNCH			
4905	----	----	----	#579.20B/534.20	#579.20B/534.20A	----	----	----	541.60 - 21.80	.5806	----	----	----	----	75	UNCH			
5000	----	----	----	----	----	----	----	----	----	----	----	----	----	600	1526 +	600			
TOTAL																			
APR27				----	99.90B/318.40A	----	----	----	200.90 - 52.20	.2925	----	----	----	----	150	UNCH			
4300	----	----	----	#313.00/*312.60	#313.00/*312.60A	----	----	----	268.30 - NEW	.3707	----	----	1	----	1 +	1			
4500	313.00	313.00	----	----	284.90B/709.80A	----	----	----	475.70 - 63.20	.5412	----	----	----	----	2	UNCH			
4900	----	----	----	----	259.20B/733.40A	----	----	----	478.60 - 63.30	.5433	----	----	----	----	2	UNCH			
4905	----	----	----	----	#329.10B/780.00A	----	----	----	535.80 - 63.30	.5826	----	----	----	----	100	UNCH			
5000	----	----	----	----	#364.40B/839.60A	----	----	----	579.30 - 63.20	.6040	----	----	----	----	25	UNCH			
5060	----	----	----	----	432.00B/954.50A	----	----	----	682.10 - 62.40	.6517	----	----	----	----	15	UNCH			
5200	----	----	----	----	----	----	----	----	----	----	----	----	1	----	295 +	1			
TOTAL																			
JUN27				----	----	----	----	----	104.40 - 3.40	.1350	----	----	----	----	450	UNCH			
3625	----	----	----	----	----	----	----	----	570.70 - 11.40	.4975	----	----	----	----	1	UNCH			
4900	----	----	----	----	----	----	----	----	573.60 - 11.50	.4991	----	----	----	----	1	UNCH			
4905	----	----	----	----	----	----	----	----	684.30 - 12.70	.5543	----	----	----	----	150	UNCH			
5085	----	----	----	----	----	----	----	----	----	----	----	----	----	----	602	0			
TOTAL																			
DEC27				----	----	----	----	----	174.40 - 3.80	.1657	----	----	----	----	100	UNCH			
3700	----	----	----	----	----	----	----	----	177.70 - 3.90	.1684	----	----	----	----	150	UNCH			
3715	----	----	----	----	----	----	----	----	202.40 - 4.30	.1880	----	----	----	----	50	UNCH			
3820	----	----	----	----	----	----	----	----	287.60 - 5.70	.2528	----	----	----	----	168	UNCH			
4130	----	----	----	----	----	----	----	----	422.20 - 7.60	.3428	----	----	----	----	270	UNCH			
4500	----	----	----	----	----	----	----	----	480.60 - 8.20	.3767	----	----	----	----	284	UNCH			
4630	----	----	----	----	----	----	----	----	598.20 - 9.50	.4376	----	----	----	----	100	UNCH			
4860	----	----	----	----	----	----	----	----	677.40 - 10.20	.4737	----	----	----	----	50	UNCH			
5000	----	----	----	----	----	----	----	----	1102.00 - 13.30	.625									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUN26																
4110	----	----	----	----/350.90A	402.30B/350.90A	----	----	426.40	+ 22.60	.9897	----	----	----	----	2	UNCH
4115	----	----	----	434.00B/346.00A	434.00B/346.00A	----	----	421.40	+ 22.50	.9896	----	----	----	----	5	UNCH
4125	----	----	----	424.80B/336.30A	424.80B/336.30A	----	----	411.40	+ 22.30	.9886	----	----	----	----	95	UNCH
4135	----	----	----	414.10B/326.50A	414.10B/326.50A	----	----	401.50	+ 22.30	.9876	----	----	----	----	16	UNCH
4145	369.80	369.80	----	383.00B/316.80A	383.00B/316.80A	----	----	391.60	NEW	.9873	----	----	1	----	1	+
4150	----	----	----	400.80B/312.00A	400.80B/312.00A	----	----	386.60	+ 22.20	.9863	----	----	----	----	263	UNCH
4155	----	----	----	394.20B/307.10A	394.20B/307.10A	----	----	381.70	+ 22.20	.9862	----	----	----	----	5	UNCH
4170	----	----	----	379.40B/292.70A	379.40B/292.70A	----	----	366.80	+ 22.10	.9841	----	----	----	----	51	UNCH
4175	----	----	----	374.40B/287.80A	374.40B/287.80A	----	----	361.90	+ 22.10	.9839	----	----	----	----	61	UNCH
4195	----	----	----	357.90B/268.70A	357.90B/268.70A	----	----	342.10	+ 21.80	.9814	----	----	----	----	1	UNCH
4200	274.20	274.20	----	352.70B/263.90A	352.70B/263.90A	----	----	337.10	+ 21.70	.9803	----	----	5	----	2038	-
4210	266.90	266.90	----	343.70B/254.40A	343.70B/254.40A	----	----	327.30	+ 21.60	.9789	----	----	5	----	1533	UNCH
4220	----	----	----	333.80B/245.10A	333.80B/245.10A	----	----	317.40	+ 21.40	.9767	----	----	----	----	84	UNCH
4225	----	----	----	329.00B/240.30A	329.00B/240.30A	----	----	312.50	+ 21.40	.9755	----	----	----	----	15	UNCH
4235	----	----	----	322.60B/231.00A	322.60B/231.00A	----	----	302.70	+ 21.30	.9731	----	----	----	----	6	UNCH
4240	246.60	246.60	----	317.60B/226.10A	317.60B/226.10A	----	----	297.80	+ 21.20	.9719	----	----	1	----	53	UNCH
4245	----	----	----	312.70B/221.70A	312.70B/221.70A	----	----	292.90	+ 21.10	.9707	----	----	----	----	263	UNCH
4250	229.10	229.10	----	307.80B/217.10A	307.80B/217.10A	----	----	288.10	+ 21.10	.9694	----	----	15	----	934	+
4255	----	----	----	302.90B/212.50A	302.90B/212.50A	----	----	283.20	+ 21.00	.9681	----	----	----	----	6	UNCH
4260	----	----	----	298.10B/207.90A	298.10B/207.90A	----	----	278.30	+ 20.90	.9668	----	----	----	----	1	UNCH
4265	----	----	----	293.10B/203.40A	293.10B/203.40A	----	----	273.40	+ 20.80	.9654	----	----	----	----	87	UNCH
4270	----	----	----	288.20B/198.80A	288.20B/198.80A	----	----	268.50	+ 20.70	.9632	----	----	----	----	10	UNCH
4280	----	----	----	278.50B/189.90A	278.50B/189.90A	----	----	258.80	+ 20.50	.9603	----	----	----	----	1	UNCH
4285	----	----	----	273.70B/185.40A	273.70B/185.40A	----	----	254.00	+ 20.50	.9579	----	----	----	----	1	UNCH
4300	254.30	254.30	----	259.10B/172.20A	259.10B/172.20A	----	----	239.40	+ 20.00	.9523	----	----	11	----	2188	+
4305	----	----	----	254.30B/167.90A	254.30B/167.90A	----	----	234.60	+ 19.90	.9498	----	----	----	----	1	UNCH
4310	----	----	----	249.50B/163.60A	249.50B/163.60A	----	----	229.80	+ 19.70	.9472	----	----	----	----	23	UNCH
4315	----	----	----	244.80B/159.40A	244.80B/159.40A	----	----	225.00	+ 19.60	.9446	----	----	----	----	1	UNCH
4320	----	----	----	239.90B/155.00A	239.90B/155.00A	----	----	220.20	+ 19.40	.9419	----	----	----	----	63	UNCH
4325	----	----	----	235.10B/150.80A	235.10B/150.80A	----	----	215.40	+ 19.20	.9391	----	----	----	----	73	UNCH
4335	183.10	183.10	----	225.60B/142.50A	225.60B/142.50A	----	----	205.90	+ 18.80	.9326	----	----	1	----	13	UNCH
4340	----	----	----	220.90B/138.50A	220.90B/138.50A	----	----	201.20	+ 18.60	.9288	----	----	----	----	17	UNCH
4345	----	----	----	216.20B/134.30A	216.20B/134.30A	----	----	196.50	+ 18.40	.9249	----	----	----	----	2	UNCH
4350	----	----	----	211.40B/130.40A	211.40B/130.40A	----	----	191.80	+ 18.20	.9210	----	----	----	----	1457	UNCH
4355	----	----	----	206.90B/126.30A	206.90B/126.30A	----	----	187.10	+ 18.00	.9169	----	----	----	----	129	UNCH
4360	----	----	----	202.10B/122.30A	202.10B/122.30A	----	----	182.50	+ 17.80	.9120	----	----	----	----	42	UNCH
4365	----	----	----	197.50B/118.40A	197.50B/118.40A	----	----	177.90	+ 17.60	.9078	----	----	----	----	4	UNCH
4370	----	----	----	192.70B/115.10A	192.70B/115.10A	----	----	173.20	+ 17.30	.9026	----	----	----	----	3	UNCH
4375	----	----	----	187.90B/111.20A	187.90B/111.20A	----	----	168.60	+ 17.00	.8974	----	----	----	----	106	UNCH
4380	----	----	----	183.30B/107.30A	183.30B/107.30A	----	----	164.10	+ 16.80	.8913	----	----	----	----	341	UNCH
4385	----	----	----	178.90B/103.90A	178.90B/103.90A	----	----	159.50	+ 16.50	.8858	----	----	----	----	3	UNCH
4390	----	----	----	174.40B/100.10A	174.40B/100.10A	----	----	155.00	+ 16.20	.8794	----	----	----	----	16	UNCH
4395	----	----	----	169.60B/*96.70A	169.60B/*96.70A	----	----	150.50	+ 15.90	.8729	----	----	----	----	10	UNCH
4400	96.50	96.50	----	165.10B/92.90A	165.10B/92.90A	----	----	146.10	+ 15.60	.8663	----	----	12	----	1484	-
4405	----	----	----	160.60B/*89.50A	160.60B/*89.50A	----	----	141.70	+ 15.30	.8588	----	----	----	----	1	UNCH
4410	----	----	----	156.40B/*86.10A	156.40B/*86.10A	----	----	137.30	+ 14.90	.8511	----	----	----	----	39	UNCH
4415	----	----	----	152.00B/*82.90A	152.00B/*82.90A	----	----	132.90	+ 14.50	.8426	----	----	----	----	176	UNCH
4420	----	----	----	147.60B/*79.70A	147.60B/*79.70A	----	----	128.60	+ 14.20	.8340	----	----	----	----	3	UNCH
4425	----	----	----	143.10B/76.10A	143.10B/76.10A	----	----	124.40	+ 13.90	.8251	----	----	----	----	274	UNCH
4430	----	----	----	138.70B/*72.70A	138.70B/*72.70A	----	----	120.20	+ 13.50	.8155	----	----	----	----	24	UNCH
4435	----	----	----	134.70B/*69.40A	134.70B/*69.40A	----	----	116.00	+ 13.10	.8057	----	----	----	----	21	UNCH
4440	----	----	----	130.40B/*66.10A	130.40B/*66.10A	----	----	111.90	+ 12.70	.7950	----	----	----	----	20	UNCH
4445	----	----	----	126.00B/*63.30A	126.00B/*63.30A	----	----	107.80	+ 12.30	.7836	----	----	----	----	5	UNCH
4450	69.60	69.60	----	122.10B/60.10A	122.10B/60.10A	----	----	103.80	+ 11.90	.7721	----	----	17	----	491	+
4455	69.60	69.60	----	118.00B/*57.20A	118.00B/*57.20A	----	----	99.90	+ 11.50	.7603	----	----	7	----	13	+
4460	----	----	----	114.00B/*54.30A	114.00B/*54.30A	----	----	96.00	+ 11.10	.7478	----	----	----	----	20	UNCH
4465	----	----	----	110.00B/*51.40A	110.00B/*51.40A	----	----	92.20	+ 10.70	.7347	----	----	----	----	28	UNCH
4470	55.70	55.70	----	105.80B/*48.60A	105.80B/*48.60A	----	----	88.40	+ 10.20	.7208	----	----	3	----	23	-
4475	51.70	51.70	----	102.20B/*46.00A	102.20B/*46.00A	----	----	84.80	+ 9.90	.7068	----	----	1	----	22	+
4480	51.80	51.80	----	98.40B/*43.50A	98.40B/*43.50A	----	----	81.10	+ 9.40	.6922	----	----	7	----	59	UNCH
4485	46.70	46.70	----	94.50B/*41.00A	94.50B/*41.00A	----	----	77.60	+ 9.00	.6774	----	----	3	----	15	+
4490	52.00	52.00	----	91.00B/*38.70A	91.00B/*38.70A	----	----	74.20	+ 8.60	.6616	----	----	13	----	88	-
4495	54.40	54.40	----	87.40B/*36.50A	87.40B/*36.50A	----	----	70.80	+ 8.20	.6457	----	----	5	----	41	UNCH
4500	45.90	45.90	----	83.70B/34.20A	83.70B/34.20A	----	----	67.50	+ 7.80	.6294	----	----	459	----	5864	+
4505	49.10	49.10	----	80.40B/*32.20A	80.40B/*32.20A	----	----	64.36								

64	BULLETIN # 96@				METALS OPTION PRODUCTS							wed, May 20, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS														
JUN26	----	----													
4870	----	----	2.20B/0.90A	2.20B/0.90A	----	1.20 + 0.20	.0138	----	----	----	----	58	UNCH		
4875	0.90	0.90	2.20B/0.90	2.20B/0.90	----	1.20 + 0.20	.0136	----	----	5	----	347 +	1		
4880	1.60	1.60	2.10B/0.80A	2.10B/0.80A	----	1.20 + 0.20	.0135	----	----	2	----	127 -	1		
4885	----	----	2.00B/0.80A	2.00B/0.80A	----	1.10 + 0.20	.0123	----	----	----	----	211	UNCH		
4890	2.00	2.00	2.00/1.60	2.00/0.90A	----	1.10 + 0.20	.0122	----	----	73	----	337 +	58		
4895	----	----	2.00B/0.80A	2.00B/0.80A	----	1.10 + 0.20	.0121	----	----	----	----	440	UNCH		
4900	1.00	1.00	1.70/0.60	1.70/0.60	----	1.10 + 0.20	.0119	----	----	206	----	3789 +	42		
4905	----	----	2.00B/----	2.00B/0.80A	----	1.00 + 0.20	.0108	----	----	----	----	51	UNCH		
4910	1.00	1.00	1.90B/0.80A	1.90B/0.80A	----	1.00 + 0.20	.0107	----	----	10	----	82 +	5		
4915	----	----	1.90B/----	1.90B/0.80A	----	1.00 + 0.20	.0106	----	----	----	----	334	UNCH		
4920	1.60	1.60	1.80/1.50	1.80/0.80A	----	1.00 + 0.20	.0105	----	----	3	----	259	UNCH		
4925	1.50	1.50	1.70B/1.50	1.70B/0.80A	----	1.00 + 0.20	.0104	----	----	4	----	231 -	2		
4930	----	----	1.80B/0.70A	1.80B/0.70A	----	0.90 + 0.10	.0093	----	----	----	----	259	UNCH		
4935	1.00	1.00	1.70B/1.00	1.70B/0.70A	----	0.90 + 0.20	.0092	----	----	8	----	125 +	8		
4940	0.90	0.90	1.60/0.90	1.60/0.70A	----	0.90 + 0.20	.0091	----	----	13	----	804 +	5		
4945	1.70	1.70	1.70/1.70	1.70/0.70A	----	0.90 + 0.20	.0091	----	----	5	----	390 -	2		
4950	0.90	0.90	1.80/0.60	1.80/0.60	----	0.90 + 0.20	.0090	----	----	18	----	1848 -	14		
4955	----	----	1.60B/----	1.60B/0.70A	----	0.90 + 0.20	.0089	----	----	----	----	151	UNCH		
4960	0.70	0.70	1.60/0.70	1.60/0.70	----	0.90 + 0.30	.0088	----	----	16	----	409 +	10		
4965	1.30	1.30	1.50B/1.30	1.50B/0.60A	----	0.90 + 0.30	.0087	----	----	4	----	142 -	4		
4970	1.50	1.50	1.50/1.50	1.50/0.60A	----	0.90 + 0.30	.0086	----	----	4	----	200 -	3		
4975	1.50	1.50	1.50/1.50	1.50/0.60A	----	0.80 + 0.20	.0077	----	----	4	----	507 -	4		
4980	----	----	1.50B/----	1.50B/0.60A	----	0.80 + 0.20	.0076	----	----	----	----	231	UNCH		
4985	1.20	1.20	1.50B/1.20	1.50B/0.60A	----	0.80 + 0.20	.0075	----	----	23	----	229 +	8		
4990	----	----	1.40B/----	1.40B/0.60A	----	0.80 + 0.20	.0075	----	----	----	----	905	UNCH		
4995	1.30	1.30	1.40/1.30	1.40/0.60A	----	0.80 + 0.20	.0074	----	----	8	----	158 +	2		
5000	0.60	0.60	1.20B/0.60	1.20B/0.60	----	0.80 + 0.20	.0073	----	----	386	----	6097 -	178		
5005	----	----	1.40B/----	1.40B/0.60A	----	0.80 + 0.30	.0073	----	----	----	----	340	UNCH		
5010	----	----	1.30B/----	1.30B/0.50A	----	0.80 + 0.30	.0072	----	----	----	----	206	UNCH		
5015	1.20	1.20	1.30B/1.20	1.30B/0.50A	----	0.80 + 0.30	.0071	----	----	4	----	128 -	2		
5020	----	----	1.20B/----	1.20B/0.50A	----	0.80 + 0.30	.0071	----	----	----	----	569	UNCH		
5025	1.30	1.30	1.30/1.30	1.30/0.50A	----	0.70 + 0.20	.0062	----	----	4	----	171 -	4		
5030	0.60	0.60	1.30B/0.50A	1.30B/0.50A	----	0.70 + 0.20	.0061	----	----	1	----	177 +	1		
5035	1.10	1.10	1.20B/1.00	1.20B/0.50A	----	0.70 + 0.20	.0061	----	----	5	----	74 +	1		
5040	----	----	1.10B/----	1.10B/0.50A	----	0.70 + 0.20	.0060	----	----	----	----	272	UNCH		
5045	0.80	0.80	1.20B/0.80	1.20B/0.50A	----	0.70 + 0.20	.0060	----	----	7	----	178 -	4		
5050	0.60	0.60	1.10/0.60	1.10/0.50A	----	0.70 + 0.20	.0059	----	----	5	----	1398 -	4		
5055	1.00	1.00	1.10B/1.00	1.10B/0.50A	----	0.70 + 0.20	.0059	----	----	2	----	60	UNCH		
5060	1.00	1.00	1.10B/1.00	1.10B/0.50A	----	0.70 + 0.20	.0058	----	----	2	----	142	UNCH		
5065	----	----	1.10B/0.40A	1.10B/0.40A	----	0.70 + 0.20	.0058	----	----	----	----	35	UNCH		
5070	----	----	1.10B/0.40A	1.10B/0.40A	----	0.70 + 0.20	.0057	----	----	----	----	147	UNCH		
5075	----	----	1.00B/0.40A	1.00B/0.40A	----	0.70 + 0.20	.0057	----	----	----	----	798	UNCH		
5080	----	----	1.00B/0.40A	1.00B/0.40A	----	0.60 + 0.10	.0049	----	----	----	----	490	UNCH		
5085	----	----	1.00B/0.40A	1.00B/0.40A	----	0.60 + 0.10	.0049	----	----	----	----	230	UNCH		
5090	0.40	0.40	1.00B/0.40	1.00B/0.40	----	0.60 + 0.10	.0048	----	----	4	----	87 +	1		
5095	----	----	1.00B/*0.40A	1.00B/*0.40A	----	0.60 + 0.10	.0048	----	----	----	----	98	UNCH		
5100	0.50	0.50	0.80B/0.40A	0.80B/0.40A	----	0.60 + 0.10	.0048	----	----	34	----	4885 -	26		
5105	----	----	0.90B/*0.40A	0.90B/*0.40A	----	0.60 + 0.10	.0047	----	----	----	----	55	UNCH		
5110	----	----	0.90B/0.40A	0.90B/0.40A	----	0.60 + 0.10	.0047	----	----	----	----	151	UNCH		
5115	----	----	0.90B/*0.40A	0.90B/*0.40A	----	0.60 + 0.10	.0046	----	----	----	----	186	UNCH		
5120	----	----	0.90B/*0.40A	0.90B/*0.40A	----	0.60 + 0.10	.0046	----	----	----	----	160	UNCH		
5125	0.40	0.40	0.90B/0.40	0.90B/0.40	----	0.60 + 0.10	.0046	----	----	1	----	318 -	1		
5130	----	----	0.90B/0.40A	0.90B/0.40A	----	0.60 + 0.10	.0045	----	----	----	----	91	UNCH		
5135	----	----	0.70B/0.40A	0.70B/0.40A	----	0.60 + 0.10	.0045	----	----	----	----	80	UNCH		
5140	----	----	0.80B/0.40A	0.80B/0.40A	----	0.60 + 0.10	.0045	----	----	----	----	144	UNCH		
5145	----	----	0.80B/0.40A	0.80B/0.40A	----	0.50 UNCH	.0038	----	----	----	----	28	UNCH		
5150	----	----	0.80B/0.40A	0.80B/0.40A	----	0.50 UNCH	.0037	----	----	1	----	2258 -	1		
5155	----	----	0.60B/0.40A	0.60B/0.40A	----	0.50 UNCH	.0037	----	----	----	----	41	UNCH		
5160	----	----	0.60B/0.30A	0.60B/0.30A	----	0.50 UNCH	.0037	----	----	----	----	115	UNCH		
5165	----	----	0.80B/*0.30A	0.80B/*0.30A	----	0.50 UNCH	.0036	----	----	----	----	154	UNCH		
5170	----	----	0.70B/*0.30A	0.70B/*0.30A	----	0.50 UNCH	.0036	----	----	----	----	360	UNCH		
5175	----	----	0.60B/*0.30A	0.60B/*0.30A	----	0.50 UNCH	.0036	----	----	----	----	72	UNCH		
5180	----	----	0.60B/*0.30A	0.60B/*0.30A	----	0.50 UNCH	.0036	----	----	----	----	72	UNCH		
5185	----	----	0.60B/0.30A	0.60B/0.30A	----	0.50 UNCH	.0036	----	----	----	----	120	UNCH		
5190	----	----	0.60B/*0.30A	0.60B/*0.30A	----	0.50 + 0.10	.0035	----	----	----	----	497	UNCH		
5195	----	----	0.60B/0.30A	0.60B/0.30A	----	0.50 + 0.10	.0035	----	----	----	----	525	UNCH		
5200	0.40	0.40	0.60B/0.30A	0.60B/0.30A	----	0.50 + 0.10	.0035	----	----	1	----	5908 +	1		
5205	----	----	0.50B/0.30A	0.50B/0.30A	----	0.50 + 0.10	.0035	----	----	----	----	94	UNCH		
5210	----	----	0.50B/0.30A	0.50B/0.30A	----	0.50 + 0.10	.0034	----	----	----	----	3061	UNCH		
5215	----	----	0.50B/0.30A	0.50B/0.30A	----	0.50 + 0.10	.0034	----	----	----	----	90	UNCH		
5220	----	----	0.50B/0.30A	0.50B/0.30A	----	0.40 UNCH	.0027	----	----	----	----	215	UNCH		
5225	----	----	0.50B/0.30A	0.50B/0.30A	----	0.40 UNCH	.0027	----	----	----	----	771	UNCH		
5230	----	----	0.50B/0.30A	0.50B/0.30A	----	0.40 UNCH	.0027	----	----	----	----	124	UNCH		
5235	----	----	0.50B/0.30A	0.50B/0.											



BULLETIN # 96@				METALS OPTION PRODUCTS								wed, May 20, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL															
JUN26															
5555	----	----	----	----	0.10B/0.30A	----	----	0.10	UNCH	.0001	----	----	----	4	UNCH
5560	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0001	----	----	----	52	UNCH
5565	0.10	0.10		0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	5	19 +	5	UNCH
5570	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	36	UNCH
5575	0.10	0.10		0.10/*0.10	0.10/0.10	----	----	0.10	UNCH	.0000	----	10	70 +	10	UNCH
5580	0.10	0.10		0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	3	14	14	UNCH
5585	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0000	----	----	----	11	UNCH
5590	0.10	0.10		0.10/*0.10	0.10/0.10	----	----	0.10	UNCH	.0000	----	5	104 +	5	UNCH
5595	0.10	0.10		0.10/*0.10	0.10/0.10	----	----	0.10	UNCH	.0000	----	5	47 +	5	UNCH
5600	0.10	0.10		0.10/0.10	0.10/0.10	----	----	0.10	UNCH	.0000	----	25	2389 +	23	UNCH
5610	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	78	UNCH
5620	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	66	UNCH
5625	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	405	UNCH
5630	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	329	UNCH
5640	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	74	UNCH
5650	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	730	UNCH
5660	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	42	UNCH
5665	----	----	----	----	----/*0.20A	----	----	0.10	UNCH	.0000	----	----	----	6	UNCH
5670	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	119	UNCH
5675	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0000	----	----	----	22	UNCH
5680	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	47	UNCH
5690	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	180	UNCH
5700	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	1749	UNCH	UNCH
5710	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	41	UNCH
5720	----	----	----	----	----/*0.20A	----	----	0.10	UNCH	.0000	----	----	----	18	UNCH
5725	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	36	UNCH
5730	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	59	UNCH
5740	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	62	UNCH
5750	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	1691	UNCH	UNCH
5760	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	18	UNCH
5770	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	32	UNCH
5775	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	167	UNCH
5780	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	219	UNCH
5790	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	11	UNCH
5800	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	2881	UNCH	UNCH
5810	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	264	UNCH
5820	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	35	UNCH
5825	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	40	UNCH
5830	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	17	UNCH
5840	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	23	UNCH
5850	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	472	UNCH	UNCH
5860	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	24	UNCH
5870	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	37	UNCH
5875	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	211	UNCH
5880	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	17	UNCH
5890	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	139	UNCH	UNCH
5900	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	1095	UNCH	UNCH
5910	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	16	UNCH
5920	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	40	UNCH
5930	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	57	UNCH
5940	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	7	UNCH
5950	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	195	UNCH	UNCH
5960	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	51	UNCH
5970	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	34	UNCH
5980	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	24	UNCH
5990	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	13	UNCH
6000	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	5636	UNCH	UNCH
6010	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	10	UNCH
6020	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	23	UNCH
6030	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	36	UNCH
6040	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	24	UNCH
6050	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	278	UNCH	UNCH
6060	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	32	UNCH
6070	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	34	UNCH
6080	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	10	UNCH
6090	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	27	UNCH
6100	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	2409	UNCH	UNCH
6110	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	67	UNCH
6120	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	11	UNCH
6125	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	16	UNCH
6130	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	10	UNCH
6140	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	7	UNCH
6150	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	519	UNCH	UNCH
6160	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	134	UNCH	UNCH
6170	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	17	UNCH
6180	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	75	UNCH
6190	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	2	UNCH
6200	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	4272	UNCH	UNCH
6210	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	53	UNCH
6220	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	7	UNCH
6230	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	73	UNCH
6240	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	23	UNCH
6250	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	1321	UNCH	UNCH
6260	----	----	----	----	----/0.20A	----	----	0.							

BULLETIN # 96@				METALS OPTION PRODUCTS							wed, May 20, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS															
JUN26	----	----	----	----	----	0.10	UNCH	----	----	----	----	91	UNCH			
7250	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1	UNCH			
7275	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	150	UNCH			
7300	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	14	UNCH			
7325	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	3	UNCH			
7350	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	20	UNCH			
7375	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	47	UNCH			
7400	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	20	UNCH			
7425	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	5	UNCH			
7450	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	8	UNCH			
7475	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1355	UNCH			
7500	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	22	UNCH			
7525	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	8	UNCH			
7575	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	78	UNCH			
7600	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	65	UNCH			
7700	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	17	UNCH			
7750	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	39	UNCH			
7800	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1	UNCH			
7825	----	----	----	----	----/0.20A	0.10	UNCH	----	----	----	----	31	UNCH			
7875	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	2	UNCH			
7900	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	2	UNCH			
7950	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1064	UNCH			
8000	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	4	UNCH			
8100	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	88	UNCH			
8200	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	64	UNCH			
8300	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	146	UNCH			
8500	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	52	UNCH			
8600	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	32	UNCH			
8800	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	15	UNCH			
8900	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	387	UNCH			
9000	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	11	UNCH			
9100	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	51	UNCH			
9200	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	11	UNCH			
9300	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	25	UNCH			
9400	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	23	UNCH			
9500	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	27	UNCH			
9600	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	20	UNCH			
9700	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	17	UNCH			
9800	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	27	UNCH			
9900	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	363	UNCH			
10000	----	----	----	----	----/0.20A	0.10	UNCH	----	----	----	----	2	UNCH			
10100	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	3	UNCH			
10300	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	2	UNCH			
10400	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1	UNCH			
10500	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	4	UNCH			
10700	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	72	UNCH			
11000	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	12	UNCH			
11300	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1	UNCH			
11500	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	5	UNCH			
11600	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	15	UNCH			
11700	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	2	UNCH			
11900	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	406	UNCH			
12000	----	----	----	----	----/0.10A	0.10	UNCH	----	----	----	----	1750	UNCH			
TOTAL										23563	1,130	180971+				
JUL26	----	----	----	----	----	1269.40	+ 24.30	.9922	----	----	----	2	UNCH			
3300	----	----	----	----	----	1070.30	+ 24.00	.9871	----	----	----	1	UNCH			
3500	----	----	----	----	----	971.00	+ 23.80	.9832	----	----	----	24	UNCH			
3600	----	----	982.60B/911.80A	982.60B/911.80A	----	921.40	+ 23.50	.9805	----	----	----	10	UNCH			
3650	----	----	933.10B/862.40A	933.10B/862.40A	----	901.60	+ 23.50	.9797	----	----	----	3	UNCH			
3670	----	----	913.30B/842.70A	913.30B/842.70A	----	871.90	+ 23.30	.9779	----	----	----	119	UNCH			
3700	----	----	883.60B/813.10A	883.60B/813.10A	----	837.40	+ 23.20	.9756	----	----	----	1	UNCH			
3735	----	----	815.00B/762.80A	815.00B/762.80A	----	797.90	+ 22.90	.9723	----	----	----	4	UNCH			
3775	----	----	809.50B/723.80A	809.50B/723.80A	----	773.30	+ 22.80	.9704	----	----	2050	UNCH				
3800	----	----	785.80B/699.60A	785.80B/699.60A	----	748.80	+ 22.70	.9676	----	----	----	3	UNCH			
3825	----	----	760.40B/675.20A	760.40B/675.20A	----	724.30	+ 22.50	.9652	----	----	----	65	UNCH			
3850	----	----	735.90B/651.10A	735.90B/651.10A	----	714.50	+ 22.40	.9640	----	----	----	1	UNCH			
3860	----	----	708.00B/641.40A	708.00B/641.40A	----	709.60	+ 22.40	.9635	----	----	----	7	UNCH			
3865	----	----	721.20B/636.60A	721.20B/636.60A	----	699.80	+ 22.30	.9623	----	----	----	25	UNCH			
3875	----	----	711.40B/627.00A	711.40B/627.00A	----	675.40	+ 22.00	.9589	----	----	----	18	UNCH			
3900	----	----	687.00B/603.10A	687.00B/603.10A	----	651.10	+ 21.80	.9550	----	----	----	35	UNCH			
3925	----	----	665.60B/579.30A	665.60B/579.30A	----	626.90	+ 21.60	.9510	----	----	820	UNCH				
3950	----	----	644.50B/555.70A	644.50B/555.70A	----	617.20	+ 21.50	.9492	----	----	----	1	UNCH			
3960	----	----	634.80B/546.20A	634.80B/546.20A	----	578.70	+ 21.00	.9410	----	----	----	15	UNCH			
4000	----	----	596.30B/508.80A	596.30B/508.80A	----	559.50	+ 20.70	.9365	----	----	----	1	UNCH			
4020	----	----	577.20B/490.10A	577.20B/490.10A	----	550.00	+ 20.60	.9342	----	----	----	2	UNCH			
4030	----	----	567.30B/481.00A	567.30B/481.00A	----	540.50	+ 20.50	.9315	----	----	----	1	UNCH			
4040	----	----	558.10B/471.70A	558.10B/471.70A	----	507.30	+ 19.80	.9217	----	----	----	6	UNCH			
4075	----	----	525.00B/440.00A	525.00B/440.00A	----	488.60	+ 19.60	.9153	----	----	----	4	UNCH			
4095	----	----	506.20B/422.10A	506.20B/422.10A	----	483.90	+ 19.40	.9137	----	----	----	194	UNCH			
4100	----	----	501.50B/417.70A	501.50B/417.70A	----	479.20	+ 19.30	.9120	----	----	----	1	UNCH			
4105	----	----	496.90B/413.20A	496.90B/413.20A	----	474.60	+ 19.30	.9101	----	----	----	3	UNCH			
4110	----	----	492.20B/408.80A	492.20B/408.80A	----	442.30	+ 18.60	.8965	----	9	----	28	UNCH			
4145	397.00	397.00	460.10B/378.00A	460.10B/378.00A	----	437.70	+ 18.50	.8944	----	----	----	37	UNCH			
4150	----	----	455.30B/373.90A	455.30B/373.90A	----	433.10	+ 18.40	.8923	----	----	----	1	UNCH			
4155	----	----	450.70B/369.60A	450.70B/369.60A	----	428.60	+ 18.30	.8902	----	----	----	1	UNCH			
4160	----	----	446.10B/365.40A	446.1												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUL26																
4565	---	---	---	140.40B/99.30A	140.40B/99.30A	---	---	---	127.90 + 5.50	.5183	---	---	---	---	33	UNCH
4570	110.60	110.60		138.20B/97.20A	138.20B/97.20A				125.40 + 5.40	.5119			2	---	17	+
4575	114.10	114.10		135.60B/95.00A	135.60B/95.00A				122.90 + 5.20	.5055			3	---	133	+
4580	---	---	---	133.00B/93.00A	133.00B/93.00A	---	---	---	120.50 + 5.10	.4991			1	---	25	+
4585	---	---	---	130.50B/91.20A	130.50B/91.20A	---	---	---	118.10 + 5.00	.4927			---	---	10	UNCH
4590	---	---	---	128.10B/89.10A	128.10B/89.10A	---	---	---	115.70 + 4.80	.4863			---	---	18	UNCH
4595	---	---	---	125.50B/87.40A	125.50B/87.40A	---	---	---	113.40 + 4.60	.4799			---	---	19	UNCH
4600	90.30	90.30		123.10B/85.30A	123.10B/85.30A				111.10 + 4.50	.4735			364	200	1299	+
4605	109.20	109.20		120.70B/83.60A	120.70B/83.60A				108.80 + 4.30	.4671			2	---	84	+
4610	---	---	---	118.40B/81.80A	118.40B/81.80A	---	---	---	106.60 + 4.20	.4608			1	---	15	UNCH
4615	---	---	---	116.10B/*79.90A	116.10B/*79.90A	---	---	---	104.40 + 4.00	.4544			---	---	12	UNCH
4620	---	---	---	113.80B/*78.30A	113.80B/*78.30A	---	---	---	102.20 + 3.80	.4481			---	---	35	UNCH
4625	---	---	---	111.60B/*76.50A	111.60B/*76.50A	---	---	---	100.10 + 3.70	.4418			---	---	110	UNCH
4630	---	---	---	109.30B/*74.90A	109.30B/*74.90A	---	---	---	98.00 + 3.60	.4355			---	---	5	UNCH
4635	---	---	---	107.10B/*73.30A	107.10B/*73.30A	---	---	---	96.00 + 3.50	.4292			---	---	123	UNCH
4640	100.20	100.20		105.00B/*71.50A	105.00B/*71.50A				93.90 + 3.30	.4229			6	---	238	UNCH
4645	---	---	---	102.80B/*70.10A	102.80B/*70.10A	---	---	---	92.00 + 3.20	.4168			---	---	19	UNCH
4650	80.30	80.30		100.70B/*68.40A	100.70B/*68.40A				90.00 + 3.00	.4106			6	150	1133	+
4655	---	---	---	98.70B/*66.90A	98.70B/*66.90A	---	---	---	88.10 + 2.90	.4044			---	---	18	UNCH
4660	---	---	---	96.70B/*65.40A	96.70B/*65.40A	---	---	---	86.20 + 2.80	.3983			---	---	61	UNCH
4665	70.50	70.50		94.60B/*64.00A	94.60B/*64.00A				84.30 + 2.60	.3922			10	---	268	-
4670	---	---	---	92.70B/*62.60A	92.70B/*62.60A	---	---	---	82.50 + 2.60	.3861			---	---	107	UNCH
4675	---	---	---	90.80B/*61.20A	90.80B/*61.20A	---	---	---	80.70 + 2.40	.3801			36	---	160	+
4680	---	---	---	88.90B/*59.60A	88.90B/*59.60A	---	---	---	79.00 + 2.40	.3742			1	---	142	+
4685	67.30	67.30		86.90B/*58.40A	86.90B/*58.40A				77.20 + 2.20	.3682			10	---	15	-
4690	---	---	---	85.20B/*57.10A	85.20B/*57.10A	---	---	---	75.50 + 2.10	.3623			---	---	10	UNCH
4695	64.50	64.50		83.40B/*55.80A	83.40B/*55.80A				73.90 + 2.10	.3565			1	---	33	UNCH
4700	61.00	61.00		81.60B/54.50A	81.60B/54.50A				72.20 + 2.00	.3506			223	---	1440	+
4705	---	---	---	79.80B/*53.20A	79.80B/*53.20A	---	---	---	70.60 + 1.90	.3449			1	---	3	+
4710	---	---	---	78.10B/*52.00A	78.10B/*52.00A	---	---	---	69.10 + 1.90	.3393			6	---	124	+
4715	54.50	54.50		76.40B/*50.90A	76.40B/*50.90A				67.50 + 1.70	.3335			1	---	2	UNCH
4720	---	---	---	74.80B/*49.70A	74.80B/*49.70A	---	---	---	66.00 + 1.70	.3279			---	---	27	UNCH
4725	---	---	---	73.10B/*48.50A	73.10B/*48.50A	---	---	---	64.50 + 1.60	.3224			1	---	132	UNCH
4730	55.00	55.00		71.60B/*47.40A	71.60B/*47.40A				63.10 + 1.60	.3170			---	---	16	+
4735	59.40	59.40		70.00B/*46.30A	70.00B/*46.30A				61.60 + 1.40	.3114			12	---	47	+
4740	55.00	55.00		68.50B/*45.30A	68.50B/*45.30A				60.20 + 1.40	.3060			1	---	10	+
4745	---	---	---	67.00B/*44.20A	67.00B/*44.20A	---	---	---	58.90 + 1.30	.3008			---	---	178	UNCH
4750	50.00	50.00		65.50B/*43.20A	65.50B/*43.20A				57.50 + 1.20	.2954			153	---	1232	+
4755	58.80	58.80		64.10B/*42.20A	64.10B/*42.20A				56.20 + 1.10	.2902			17	---	31	+
4760	57.20	57.20		62.70B/*41.20A	62.70B/*41.20A				54.90 + 1.00	.2850			4	---	53	+
4765	55.60	55.60		61.30B/*40.30A	61.30B/*40.30A				53.60 + 0.80	.2798			19	---	200	+
4770	54.50	54.50		59.90B/*39.40A	59.90B/*39.40A				52.40 + 0.80	.2749			19	---	79	+
4775	45.80	45.80		58.60B/*38.50A	58.60B/*38.50A				51.20 + 0.70	.2699			35	---	164	+
4780	51.90	51.90		57.30B/*37.60A	57.30B/*37.60A				50.00 + 0.60	.2649			9	---	39	+
4785	49.40	49.40		56.00B/*36.70A	56.00B/*36.70A				48.90 + 0.50	.2602			13	---	27	+
4790	50.30	50.30		54.70B/*35.90A	54.70B/*35.90A				47.70 + 0.40	.2553			20	---	21	+
4795	---	---	---	53.50B/*35.10A	53.50B/*35.10A	---	---	---	46.60 + 0.30	.2506			---	---	89	UNCH
4800	41.70	41.70		52.30B/34.20A	52.30B/34.20A				45.50 + 0.20	.2458			287	---	2149	+
4805	46.40	46.40		51.10B/*33.50A	51.10B/*33.50A				44.50 + 0.20	.2414			13	---	69	+
4810	45.00	45.00		50.00B/*32.70A	50.00B/*32.70A				43.50 + 0.10	.2369			21	---	41	-
4815	44.50	44.50		48.70B/*32.00A	48.70B/*32.00A				42.50 + 0.10	.2325			11	---	21	+
4820	43.40	43.40		47.60B/*31.20A	47.60B/*31.20A				41.50 UNCH	.2281			5	---	46	-
4825	42.50	42.50		46.70B/*30.50A	46.70B/*30.50A				40.50 - 0.10	.2236			26	---	635	-
4830	41.30	41.30		45.50B/*29.80A	45.50B/*29.80A				39.60 - 0.10	.2195			15	---	72	+
4835	32.10	32.10		44.60B/*29.10A	44.60B/*29.10A				38.70 - 0.10	.2153			27	---	36	+
4840	39.50	39.50		43.50B/*28.50A	43.50B/*28.50A				37.80 - 0.20	.2112			5	---	187	UNCH
4845	38.00	38.00		42.60B/*27.80A	42.60B/*27.80A				36.90 - 0.30	.2071			9	---	73	+
4850	37.20	37.20		41.60B/*27.20A	41.60B/*27.20A				36.00 - 0.30	.2030			135	---	1654	-
4855	---	---	---	40.50B/*26.60A	40.50B/*26.60A	---	---	---	35.20 - 0.30	.1991			---	---	159	UNCH
4860	---	---	---	39.60B/*26.00A	39.60B/*26.00A	---	---	---	34.40 - 0.40	.1953			---	---	27	UNCH
4865	---	---	---	38.70B/*25.40A	38.70B/*25.40A	---	---	---	33.60 - 0.40	.1915			2	---	32	UNCH
4870	---	---	---	37.80B/*24.80A	37.80B/*24.80A	---	---	---	32.80 - 0.50	.1877			---	---	67	UNCH
4875	---	---	---	37.00B/*24.30A	37.00B/*24.30A	---	---	---	32.10 - 0.40	.1842			3	---	31	+
4880	---	---	---	36.10B/*23.70A	36.10B/*23.70A	---	---	---	31.30 - 0.50	.1804			---	---	106	UNCH
4885	---	---	---	35.30B/*23.20A	35.30B/*23.20A	---	---	---	30.60 - 0.50	.1769			12	---	25	-
4890	---	---	---	34.50B/*22.70A	34.50B/*22.70A	---	---	---	29.90 - 0.60	.1735			---	---	51	UNCH
4895	---	---	---	33.70B/*22.20A	33.70B/*22.20A	---	---	---	29.20 - 0.60	.1700			---	---	57	UNCH
4900	26.00	26.00		32.90B/21.70A	32.90B/21.70A				28.50 - 0.70	.1666			502	---	1959	+
4905	---	---	---	32.30B/*21.20A	32.30B/*21.20A	---	---	---	27.90 - 0.70	.1634			---	---	10	UNCH
4910	29.00	29.00		31.50B/*20.80A	31.50B/*20.80A				27.20 - 0.70	.1600			47	---	149	+
4915	---	---	---	30.90B/*20.30A	30.90B/*20.30A	---	---	---	26.60 - 0.70	.1569			---	---	61	UNCH
4920	---	---	---	30.20B/*19.90A	30.20B/*19.90A	---	---	---	26.00 - 0.80	.1538			1	---	72	UNCH
4925	26.20	26.20		29.50B/*19.40A	29.50B/*19.40A				25.40 - 0.80	.1507			2	---	43	-
4930	---	---	---	28.80B/*19.00A	28.80B/*19.00A	---	---	---	24.80 - 0.80	.1476			---	---	66	UNCH
4935	---	---	---	28.00B/*18.60A	28.00B/*18.60A	---	---	---	24.20 - 0.90	.1446			---	---	641	UNCH
4940	---	---	---	27.40B/*18.20A	27.40B/*18.20A	---	---	---	23.70 - 0.90	.1419			1	---	284	-
4945	---	---	---	26.80B/*17.70A	26.80B/*17.70A	---	---	---	23.10 - 1.00	.1388			---	---	25	UNCH
4950	---	---	---	26.20B/*17.30A	26.20B/*17.30A	---	---	---	22.60 - 1.00	.1361			1	---	303	UNCH
4955	---	---	---	25.70B/*17.00A	25.70B/*17.00A	---	---	---	22.10 - 1.00	.1334			---	---	88	UNCH
4960	22.10	22.10		25.00B/*16.60A	25.00B/*16.60A				21.60 - 1.00	.1308			1	---	226	+
4965	---	---	---	24.60B/*16.30A	24.60B/*16.30A	---	---	---	21.10 - 1.00	.1281			---	---	177	UNCH
4970	---	---	---	23.90B/*15.90A	23.90B/*15.90A	---	---	---	20.70 - 0.90	.1258			---	---	56	UNCH
4975	---	---	---	23.40B/*15.60A	23.40B/*15.60A	---	---	---	20.20 - 1.00	.1231			1	---	50	UNCH
4980	---	---	---	23.00B/*15.30A	23.00B/*15.30A	---	---	---	19.80 - 1.00	.1209			---	---	31	UNCH
4985	---	---	---	22.40B/*14.90A	22.40B/*14.90A	---	---	---	19.30 - 1.00	.1182			2	---	53	-
4990	---	---	---	21.80B/*14.60A	21.80B/*14.60A	---	---	---	18.90 - 1.00	.1160			3	---	51	+
4995	---	---	---	21.40B/*14.30A	21.40B/*14.30A	---	---	---	18.50 - 1.00	.1137			1	---	64	UNCH
5000	17.00	17.00		20.90B/1												

BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
JUL26																						
5250	6.40	6.40		7.40B/*5.70A	7.40B/*5.70A	----	----		6.80 - 0.70	.0437	----	----	----	46	----		835 +	14				
5255	----	----		----/*5.60A	7.30B/*5.60A	----	----		6.70 - 0.70	.0431	----	----	----	----	----		21	UNCH				
5260	----	----		----/*5.60A	7.10B/*5.60A	----	----		6.60 - 0.70	.0424	----	----	----	----	----		150	UNCH				
5265	----	----		----/*5.50A	7.00B/*5.50A	----	----		6.50 - 0.70	.0417	----	----	----	----	----		13	UNCH				
5270	6.00	6.00		6.90B/*5.50A	6.90B/*5.50A	----	----		6.40 - 0.60	.0411	----	----	----	6	----		30	UNCH				
5275	----	----		----/*5.40A	6.80B/*5.40A	----	----		6.30 - 0.60	.0404	----	----	----	----	----		27	UNCH				
5280	----	----		----/*5.30A	6.60B/*5.30A	----	----		6.20 - 0.60	.0398	----	----	----	----	----		45	UNCH				
5285	----	----		----/*5.20A	6.60B/*5.20A	----	----		6.10 - 0.60	.0391	----	----	----	----	----		15	UNCH				
5290	6.00	6.00		6.00/*5.20A	6.50B/*5.20A	----	----		6.00 - 0.60	.0385	----	----	----	1	----		55 -	1				
5295	----	----		----/*5.10A	6.30B/*5.10A	----	----		5.90 - 0.60	.0378	----	----	----	----	----		86	UNCH				
5300	5.90	5.90		6.30/*5.00A	6.30/*5.00A	----	----		5.80 - 0.60	.0372	----	----	----	10	----		1196 +	8				
5305	----	----		----/*4.90A	6.10B/*4.90A	----	----		5.70 - 0.60	.0365	----	----	----	----	----		65	UNCH				
5310	----	----		----/*4.90A	6.00B/*4.90A	----	----		5.70 - 0.50	.0364	----	----	----	----	----		21	UNCH				
5315	----	----		----/*4.80A	6.00B/*4.80A	----	----		5.60 - 0.50	.0357	----	----	----	----	----		28	UNCH				
5320	----	----		----/*4.80A	5.80B/*4.80A	----	----		5.50 - 0.50	.0351	----	----	----	----	----		57	UNCH				
5325	----	----		----/*4.70A	5.70B/*4.70A	----	----		5.40 - 0.50	.0345	----	----	----	----	----		162	UNCH				
5330	----	----		----/*4.60A	5.60B/*4.60A	----	----		5.30 - 0.50	.0339	----	----	----	----	----		13	UNCH				
5335	----	----		----/*4.60A	5.60B/*4.60A	----	----		5.30 - 0.50	.0337	----	----	----	----	----		11	UNCH				
5340	----	----		----/*4.50A	5.40B/*4.50A	----	----		5.20 - 0.50	.0331	----	----	----	----	----		30	UNCH				
5345	----	----		----/*4.50A	5.40B/*4.50A	----	----		5.10 - 0.50	.0325	----	----	----	----	----		35	UNCH				
5350	----	----		----/*4.40A	5.20B/*4.40A	----	----		5.00 - 0.50	.0319	----	----	----	----	----		1103	UNCH				
5355	5.40	5.40		5.40/*4.30A	5.40/*4.30A	----	----		5.00 - 0.40	.0317	----	----	----	27	----		91 -	15				
5360	----	----		----/*4.30A	5.20B/*4.30A	----	----		4.90 - 0.50	.0311	----	----	----	----	----		337	UNCH				
5365	----	----		----/*4.20A	5.00B/*4.20A	----	----		4.80 - 0.50	.0305	----	----	----	----	----		146	UNCH				
5370	----	----		----/*4.20A	5.00B/*4.20A	----	----		4.80 - 0.40	.0304	----	----	----	----	----		25	UNCH				
5375	----	----		----/*4.10A	4.90B/*4.10A	----	----		4.70 - 0.40	.0298	----	----	----	----	----		26	UNCH				
5380	----	----		----/*4.10A	4.80B/*4.10A	----	----		4.60 - 0.50	.0292	----	----	----	----	----		18	UNCH				
5385	----	----		----/*4.00A	4.80B/*4.00A	----	----		4.60 - 0.40	.0291	----	----	----	----	----		18	UNCH				
5390	----	----		----/*4.00A	4.60B/*4.00A	----	----		4.50 - 0.40	.0285	----	----	----	----	----		14	UNCH				
5395	----	----		----/*3.90A	4.60B/*3.90A	----	----		4.40 - 0.50	.0279	----	----	----	----	----		24	UNCH				
5400	4.00	4.00		4.60B/*3.90A	4.60B/*3.90A	----	----		4.40 - 0.40	.0278	----	----	----	76	----		3356 -	56				
5405	----	----		----/*3.80A	4.50B/*3.80A	----	----		4.30 - 0.40	.0272	----	----	----	----	----		19	UNCH				
5410	----	----		----/*3.80A	4.50B/*3.80A	----	----		4.30 - 0.40	.0271	----	----	----	1	----		24	UNCH				
5415	----	----		----/*3.80A	4.40B/*3.80A	----	----		4.20 - 0.40	.0265	----	----	----	----	----		18	UNCH				
5420	----	----		----/*3.70A	4.40B/*3.70A	----	----		4.20 - 0.30	.0264	----	----	----	----	----		29	UNCH				
5425	----	----		----/*3.70A	4.20B/*3.70A	----	----		4.10 - 0.40	.0258	----	----	----	----	----		34	UNCH				
5430	----	----		----/*3.60A	4.20B/*3.60A	----	----		4.00 - 0.40	.0252	----	----	----	----	----		11	UNCH				
5435	----	----		----/*3.60A	4.10B/*3.60A	----	----		4.00 - 0.40	.0251	----	----	----	----	----		7	UNCH				
5440	----	----		----/*3.60A	4.00B/*3.60A	----	----		3.90 - 0.40	.0246	----	----	----	----	----		20	UNCH				
5445	----	----		----/*3.50A	4.00B/*3.50A	----	----		3.90 - 0.40	.0245	----	----	----	----	----		24	UNCH				
5450	4.00	4.00		4.00/*3.50A	4.00/*3.50A	----	----		3.90 - 0.30	.0244	----	----	----	1	----		1167	UNCH				
5455	----	----		----/*3.50A	4.00B/*3.50A	----	----		3.80 - 0.40	.0238	----	----	----	----	----		36	UNCH				
5460	3.50	3.50		3.80B/*3.40A	3.80B/*3.40A	----	----		3.80 - 0.30	.0237	----	----	----	1	----		27	UNCH				
5465	----	----		----/*3.40A	3.90B/*3.40A	----	----		3.70 - 0.40	.0231	----	----	----	----	----		19	UNCH				
5470	----	----		----/*3.30A	3.70B/*3.30A	----	----		3.70 - 0.30	.0230	----	----	----	----	----		28	UNCH				
5475	----	----		----/*3.30A	3.70B/*3.30A	----	----		3.60 - 0.40	.0225	----	----	----	----	----		207	UNCH				
5480	----	----		----/*3.30A	3.60B/*3.30A	----	----		3.60 - 0.30	.0224	----	----	----	----	----		5	UNCH				
5485	----	----		----/*3.20A	3.70B/*3.20A	----	----		3.50 - 0.40	.0218	----	----	----	----	----		16	UNCH				
5490	----	----		----/*3.20A	3.60B/*3.20A	----	----		3.50 - 0.30	.0218	----	----	----	----	----		19	UNCH				
5495	----	----		----/*3.20A	3.50B/*3.20A	----	----		3.50 - 0.30	.0217	----	----	----	----	----		7	UNCH				
5500	3.70	3.70		3.70/*3.20A	3.70/*3.20A	----	----		3.40 - 0.30	.0211	----	----	----	35	----		2230 -	20				
5505	----	----		----/*3.10A	3.40B/*3.10A	----	----		3.40 - 0.30	.0210	----	----	----	----	----		15	UNCH				
5510	----	----		----/*3.10A	3.40B/*3.10A	----	----		3.40 - 0.30	.0210	----	----	----	----	----		13	UNCH				
5515	----	----		----/*3.10A	3.30B/*3.10A	----	----		3.30 - 0.30	.0204	----	----	----	----	----		18	UNCH				
5520	----	----		----/*3.00A	3.30B/*3.00A	----	----		3.30 - 0.30	.0203	----	----	----	----	----		38	UNCH				
5525	----	----		----/*3.00A	3.20B/*3.00A	----	----		3.30 - 0.20	.0203	----	----	----	----	----		91	UNCH				
5530	----	----		----/*3.00A	3.20B/*3.00A	----	----		3.20 - 0.30	.0197	----	----	----	----	----		25	UNCH				
5535	----	----		----/*3.00A	3.20B/*3.00A	----	----		3.20 - 0.30	.0196	----	----	----	----	----		12	UNCH				
5540	----	----		----/*2.90A	3.10B/*2.90A	----	----		3.20 - 0.20	.0196	----	----	----	----	----		16	UNCH				
5545	----	----		----/*2.90A	3.10B/*2.90A	----	----		3.10 - 0.30	.0190	----	----	----	----	----		16	UNCH				
5550	----	----		----/*2.90A	3.10B/*2.90A	----	----		3.10 - 0.30	.0190	----	----	----	----	----		204	UNCH				
5555	----	----		----/*2.80A	3.10B/*2.80A	----	----		3.10 - 0.20	.0189	----	----	----	----	----		35	UNCH				
5560	----	----		----/*2.80A	3.00B/*2.80A	----	----		3.00 - 0.30	.0184	----	----	----	----	----		23	UNCH				
5565	----	----		----/*2.80A	2.90B/*2.80A	----	----		3.00 - 0.30	.0183	----	----	----	----	----		12	UNCH				
5570	----	----		----/*2.80A	2.90B/*2.80A	----	----		3.00 - 0.20	.0182	----	----	----	----	----		4	UNCH				
5575	----	----		----/*2.70A	2.90B/*2.70A	----	----		3.00 - 0.20	.0182	----	----	----	----	----		31	UNCH				
5580	----	----		----/*2.70A	2.90B/*2.70A	----	----		2.90 - 0.30	.0176	----	----	----	----	----		7	UNCH				
5585	----	----		----/*2.70A	2.90B/*2.70A	----	----		2.90 - 0.20	.0176	----											

BULLETIN # 96@														METALS OPTION PRODUCTS										wed, May 20, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG CALL	COMEX GOLD OPTIONS																												
JUL26																													
6425	----	----	----	0.80B/1.10A	----	1.00 UNCH	.0049	----	----	----	----	17	UNCH																
6450	----	----	----	0.80B/*1.00A	----	1.00 UNCH	.0048	----	----	----	----	48	UNCH																
6475	----	----	----	0.80B/*1.00A	----	1.00 + 0.10	.0048	----	----	----	----	13	UNCH																
6500	----	----	----	0.80B/1.00A	----	1.00 + 0.10	.0047	----	----	----	----	634	UNCH																
6525	----	----	----	0.80B/1.00A	----	0.90 UNCH	.0043	----	----	----	----	132	UNCH																
6550	----	----	----	0.70B/1.00A	----	0.90 UNCH	.0043	----	----	----	----	11	UNCH																
6575	----	----	----	0.70B/*0.90A	----	0.90 UNCH	.0042	----	----	----	----	4	UNCH																
6600	----	----	----	0.70B/0.90A	----	0.90 + 0.10	.0042	----	----	----	----	27	UNCH																
6650	----	----	----	0.70B/*0.90A	----	0.80 UNCH	.0037	----	----	----	----	16	UNCH																
6675	----	----	----	0.60B/*0.80A	----	0.80 UNCH	.0037	----	----	----	----	1	UNCH																
6700	----	----	----	0.60B/*0.80A	----	0.80 + 0.10	.0037	----	----	----	----	127	UNCH																
6775	----	----	----	0.60B/*0.70A	----	0.80 + 0.10	.0036	----	----	----	----	1	UNCH																
6800	----	----	----	0.50B/*0.70A	----	0.70 UNCH	.0032	----	----	----	----	201	UNCH																
6825	----	----	----	0.50B/*0.70A	----	0.70 UNCH	.0031	----	----	----	----	19	UNCH																
6850	----	----	----	0.50B/*0.70A	----	0.70 + 0.10	.0031	----	----	----	----	201	UNCH																
6875	----	----	----	0.50B/*0.60A	----	0.70 + 0.10	.0031	----	----	----	----	22	UNCH																
6900	----	----	----	0.50B/*0.60A	----	0.70 + 0.10	.0031	----	----	----	----	19	UNCH																
6925	----	----	----	0.50B/*0.60A	----	0.70 + 0.10	.0030	----	----	----	----	1	UNCH																
6950	----	----	----	0.50B/*0.60A	----	0.60 UNCH	.0026	----	----	----	----	22	UNCH																
6975	----	----	----	0.40B/0.60A	----	0.60 UNCH	.0026	----	----	----	----	10	UNCH																
7000	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0026	----	----	1	----	1471	UNCH																
7025	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 NEW	.0026	----	----	1	----	1	+																
7050	----	----	----	0.40B/*0.50A	----	0.60 + 0.10	.0026	----	----	----	----	18	UNCH																
7075	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0022	----	----	----	----	13	UNCH																
7100	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0022	----	----	----	----	28	UNCH																
7125	----	----	----	0.30B/*0.50A	----	0.50 UNCH	.0021	----	----	----	----	1	UNCH																
7150	----	----	----	0.30B/*0.50A	----	0.50 UNCH	.0021	----	----	----	----	20	UNCH																
7175	----	----	----	0.30B/*0.50A	----	0.50 + 0.10	.0021	----	----	----	----	1	UNCH																
7200	----	----	----	0.30B/*0.50A	----	0.50 + 0.10	.0021	----	----	----	----	3	UNCH																
7225	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0017	----	----	----	----	22	UNCH																
7250	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0017	----	----	----	----	23	UNCH																
7275	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0017	----	----	----	----	14	UNCH																
7300	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0017	----	----	----	----	50	UNCH																
7350	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0017	----	----	----	----	8	UNCH																
7400	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0013	----	----	----	----	2	UNCH																
7425	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0013	----	----	----	----	19	UNCH																
7450	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0013	----	----	----	----	28	UNCH																
7475	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	9	UNCH																
7500	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	296	UNCH																
7525	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.30 UNCH	.0012	----	----	1	----	34	+																
7550	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	50	UNCH																
7575	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	1	UNCH																
7600	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0012	----	----	----	----	10	UNCH																
7625	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0012	----	----	----	----	12	UNCH																
7700	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0012	----	----	----	----	11	UNCH																
7725	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0012	----	----	----	----	17	UNCH																
7750	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0012	----	----	----	----	6	UNCH																
7775	----	----	----	0.10B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	5	UNCH																
7800	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0012	----	----	----	----	5	UNCH																
7825	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0012	----	----	----	----	13	UNCH																
7875	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	151	UNCH																
7900	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	1	UNCH																
8000	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0008	----	----	----	----	1091	UNCH																
8100	----	----	----	----/0.40A	----	0.20 UNCH	.0008	----	----	----	----	7	UNCH																
8200	----	----	----	----/*0.30A	----	0.20 UNCH	.0007	----	----	----	----	3	UNCH																
8300	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	4	UNCH																
8500	----	----	----	----/*0.30A	----	0.20 UNCH	.0007	----	----	----	----	30	UNCH																
8600	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	2	UNCH																
8700	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	24	UNCH																
8800	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	7	UNCH																
9000	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	4	----	340	-																
9200	----	----	----	----/*0.20A	----	0.20 UNCH	.0006	----	----	----	----	11	UNCH																
9300	----	----	----	----/*0.20A	----	0.20 UNCH	.0006	----	----	----	----	4	UNCH																
9400	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 UNCH	.0006	----	----	1	----	141	UNCH																
9500	----	----	----	----/*0.20A	----	0.20 UNCH	.0006	----	----	----	----	66	UNCH																
9900	----	----	----	----/0.20A	----	0.20 UNCH	.0006	----	----	----	----	5	UNCH																
10000	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0006	----	----	----	----	275	UNCH																
10100	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	12	UNCH																
10500	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	5	UNCH																
10700	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	5	UNCH																
11000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	103	UNCH																
11200	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	13	UNCH																
11500	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	47	UNCH																
11600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	50	UNCH																
12000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	5	----	222	+																
TOTAL										5859	350	76723	+																
AUG26																													
3200	----	----	1,380.10B/1.310	1380.10B/1310.40A	----	1369.60 + 24.30	.9878	----	----	----	----	13	UNCH																
3350	----	----	1,231.20B/1.161	1231.20B/1161.50A	----	1220.50 + 24.00	.9828	----	----	35	----	160	+																
3400	----	----	1,182.50B/1.111	1182.50B/1111.60A	----	1171.00 + 23.90	.9803	----	----	----	----	420	UNCH																
3500	----	----	1,082.90B/1.013	1082.90B/1013.50A	----	1072.20 + 23.60	.9750	----	----	----	----	46	UNCH																
3505	----	----	1,078.00B/1.008	1078.00B/1008.60A	----	1067.30 + 23.60	.9746	----	----	----	----	4	UNCH																
3520	----	----	1,063.20B/993.9	1063.20B/993.90A	----	1052.50 + 23.50	.9737	----	----	----	----	65	UNCH																
3550	----	----	1,034.80B/964.2	1034.80B/964.20A	----	1023.00 + 23.30	.9716	----	30	----	----																		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
AUG26															
4325	----	----	----	330.60B/280.50A	330.60B/280.50A	----	----	323.10	+ 11.70	----	----	----	----	6	UNCH
4330	----	----	----	329.70B/276.40A	329.70B/276.40A	----	----	319.50	+ 11.50	----	----	----	----	201	UNCH
4350	----	----	----	316.40B/263.40A	316.40B/263.40A	----	----	305.30	+ 11.00	----	----	----	----	774	UNCH
4360	----	----	----	304.60B/257.70A	304.60B/257.70A	----	----	298.40	+ 10.80	----	----	----	----	1	UNCH
4375	----	----	----	302.40B/247.20A	302.40B/247.20A	----	----	288.10	+ 10.40	----	----	----	----	3	UNCH
4385	----	----	----	295.50B/241.20A	295.50B/241.20A	----	----	281.40	+ 10.20	----	----	----	----	100	UNCH
4390	----	----	----	292.10B/237.80A	292.10B/237.80A	----	----	278.00	+ 10.00	----	----	----	----	1	UNCH
4400	----	----	----	285.40B/232.00A	285.40B/232.00A	----	----	271.40	+ 9.80	----	----	2	----	327	UNCH
4420	----	----	----	272.10B/220.40A	272.10B/220.40A	----	----	258.50	+ 9.30	----	----	----	----	50	UNCH
4425	----	----	----	268.90B/217.30A	268.90B/217.30A	----	----	255.40	+ 9.20	----	----	----	----	5	UNCH
4440	----	----	----	259.30B/208.80A	259.30B/208.80A	----	----	246.00	+ 8.80	----	----	----	----	1	UNCH
4450	----	----	----	253.00B/203.30A	253.00B/203.30A	----	----	239.80	+ 8.50	----	----	----	----	7	UNCH
4455	----	----	----	249.90B/200.60A	249.90B/200.60A	----	----	236.80	+ 8.40	----	----	----	----	2	UNCH
4460	----	----	----	246.90B/198.20A	246.90B/198.20A	----	----	233.80	+ 8.30	----	----	----	----	5	UNCH
4465	----	----	----	243.80B/195.10A	243.80B/195.10A	----	----	230.80	+ 8.10	----	----	----	----	9	UNCH
4470	----	----	----	241.00B/192.90A	241.00B/192.90A	----	----	227.80	+ 8.00	----	----	----	----	7	UNCH
4475	----	----	----	237.90B/190.10A	237.90B/190.10A	----	----	224.90	+ 7.90	----	----	----	----	31	UNCH
4485	----	----	----	231.80B/184.90A	231.80B/184.90A	----	----	219.10	+ 7.60	----	----	----	----	5	UNCH
4490	----	----	----	228.90B/182.40A	228.90B/182.40A	----	----	216.20	+ 7.40	----	----	----	----	2	UNCH
4500	184.60	184.60	----	223.40B/177.30A	223.40B/177.30A	----	----	210.50	+ 7.10	----	----	19	----	820	+
4505	175.40	175.40	----	220.20B/174.90A	220.20B/174.90A	----	----	207.70	+ 7.00	----	----	14	----	14	+
4510	172.90	172.90	----	217.40B/172.70A	217.40B/172.70A	----	----	205.00	+ 6.90	----	----	5	----	6	+
4515	178.80	178.80	----	214.50B/170.30A	214.50B/170.30A	----	----	202.20	NEW	----	----	8	----	8	+
4520	177.10	177.10	----	211.80B/167.90A	211.80B/167.90A	----	----	199.50	NEW	----	----	5	----	5	+
4525	----	----	----	208.90B/165.20A	208.90B/165.20A	----	----	196.80	+ 6.50	----	----	----	----	10	UNCH
4530	164.70	164.70	----	206.30B/163.10A	206.30B/163.10A	----	----	194.10	NEW	----	----	9	----	9	+
4535	----	----	----	203.60B/160.80A	203.60B/160.80A	----	----	191.50	+ 6.20	----	----	----	----	10	UNCH
4540	----	----	----	200.90B/158.40A	200.90B/158.40A	----	----	188.80	+ 6.00	----	----	----	----	5	UNCH
4545	164.20	164.20	----	198.20B/156.20A	198.20B/156.20A	----	----	186.20	+ 5.80	----	----	1	----	2	+
4550	164.90	164.90	----	195.60B/153.80A	195.60B/153.80A	----	----	183.70	+ 5.80	----	----	11	----	35	+
4555	----	----	----	192.90B/151.60A	192.90B/151.60A	----	----	181.10	+ 5.60	----	----	----	----	1	UNCH
4560	155.70	155.70	----	190.50B/149.50A	190.50B/149.50A	----	----	178.60	+ 5.50	----	----	7	----	247	+
4565	----	----	----	187.80B/147.30A	187.80B/147.30A	----	----	176.10	+ 5.30	----	----	----	----	1	UNCH
4570	----	----	----	185.50B/145.20A	185.50B/145.20A	----	----	173.60	+ 5.20	----	----	----	----	158	UNCH
4575	153.90	153.90	----	182.80B/143.10A	182.80B/143.10A	----	----	171.20	+ 5.10	----	----	1	----	51	UNCH
4580	----	----	----	180.80B/141.10A	180.80B/141.10A	----	----	168.80	+ 5.00	----	----	----	----	207	UNCH
4585	----	----	----	178.70B/138.90A	178.70B/138.90A	----	----	166.40	+ 4.80	----	----	----	----	2	UNCH
4590	----	----	----	176.60B/136.90A	176.60B/136.90A	----	----	164.00	+ 4.70	----	----	----	----	72	UNCH
4595	----	----	----	174.10B/135.10A	174.10B/135.10A	----	----	161.70	+ 4.60	----	----	----	----	31	UNCH
4600	140.00	140.00	----	171.70B/133.10A	171.70B/133.10A	----	----	159.40	+ 4.50	----	----	42	----	356	+
4605	----	----	----	169.30B/131.20A	169.30B/131.20A	----	----	157.10	+ 4.40	----	----	----	----	4	UNCH
4610	----	----	----	167.00B/129.20A	167.00B/129.20A	----	----	154.90	+ 4.30	----	----	----	----	3	UNCH
4615	----	----	----	164.70B/127.20A	164.70B/127.20A	----	----	152.60	+ 4.10	----	----	----	----	13	UNCH
4620	----	----	----	162.40B/125.40A	162.40B/125.40A	----	----	150.40	+ 4.00	----	----	----	----	14	UNCH
4625	----	----	----	160.10B/123.50A	160.10B/123.50A	----	----	148.30	+ 4.00	----	----	8	----	30	+
4630	----	----	----	157.90B/121.70A	157.90B/121.70A	----	----	146.10	+ 3.80	----	----	----	----	15	UNCH
4640	----	----	----	153.40B/117.80A	153.40B/117.80A	----	----	141.90	+ 3.70	----	----	----	----	10	UNCH
4645	----	----	----	151.30B/116.20A	151.30B/116.20A	----	----	139.80	+ 3.50	----	----	----	----	1	UNCH
4650	122.20	122.20	----	149.10B/114.40A	149.10B/114.40A	----	----	137.80	+ 3.50	----	----	38	----	452	+
4655	----	----	----	146.90B/112.70A	146.90B/112.70A	----	----	135.70	+ 3.30	----	----	1	----	12	+
4660	----	----	----	144.50B/111.00A	144.50B/111.00A	----	----	133.70	+ 3.20	----	----	----	----	17	UNCH
4665	----	----	----	142.70B/109.30A	142.70B/109.30A	----	----	131.80	+ 3.20	----	----	----	----	24	UNCH
4670	----	----	----	140.70B/107.80A	140.70B/107.80A	----	----	129.80	+ 3.10	----	----	----	----	70	UNCH
4675	----	----	----	138.70B/106.00A	138.70B/106.00A	----	----	127.90	+ 3.00	----	----	17	----	63	+
4680	126.00	126.00	----	136.60B/104.40A	136.60B/104.40A	----	----	126.00	+ 2.90	----	----	2	----	34	+
4685	----	----	----	134.70B/102.80A	134.70B/102.80A	----	----	124.10	+ 2.80	----	----	----	----	202	UNCH
4690	----	----	----	132.70B/101.30A	132.70B/101.30A	----	----	122.30	+ 2.80	----	----	----	----	14	UNCH
4695	----	----	----	130.80B/99.70A	130.80B/99.70A	----	----	120.50	+ 2.80	----	----	1	----	7	+
4700	110.00	110.00	----	128.90B/98.20A	128.90B/98.20A	----	----	118.60	+ 2.60	----	----	51	50	3492	+
4705	----	----	----	127.00B/96.70A	127.00B/96.70A	----	----	116.90	+ 2.60	----	----	28	----	113	+
4710	----	----	----	125.10B/95.20A	125.10B/95.20A	----	----	115.10	+ 2.50	----	----	2	----	7	+
4715	----	----	----	123.30B/93.80A	123.30B/93.80A	----	----	113.40	+ 2.40	----	----	----	----	2	UNCH
4720	----	----	----	121.40B/92.30A	121.40B/92.30A	----	----	111.70	+ 2.40	----	----	----	----	62	UNCH
4725	----	----	----	119.60B/90.90A	119.60B/90.90A	----	----	110.00	+ 2.30	----	----	----	----	34	UNCH
4730	----	----	----	117.60B/89.50A	117.60B/89.50A	----	----	108.30	+ 2.20	----	----	----	----	63	UNCH
4735	----	----	----	116.10B/88.10A	116.10B/88.10A	----	----	106.70	+ 2.20	----	----	1	----	13	+
4740	107.90	107.90	----	114.40B/86.70A	114.40B/86.70A	----	----	105.00	+ 2.00	----	----	2	----	11	+
4745	112.00	112.00	----	112.70B/85.30A	112.70B/85.30A	----	----	103.40	+ 1.90	----	----	14	----	84	+
4750	92.00	92.00	----	113.10/84.10A	113.10/84.10A	----	----	101.80	+ 1.80	----	----	11	----	445	UNCH
4755	100.00	100.00	----	109.10B/82.80A	109.10B/82.80A	----	----	100.30	+ 1.80	----	----	3	----	59	+
4760	----	----	----	107.40B/81.50A	107.40B/81.50A	----	----	98.70	+ 1.70	----	----	----	----	43	UNCH
4765	----	----	----	106.10B/80.20A	106.10B/80.20A	----	----	97.20	+ 1.60	----	----	----	----	11	UNCH
4770	----	----	----	104.50B/79.00A	104.50B/79.00A	----	----	95.70	+ 1.60	----	----	----	----	258	UNCH
4775	----	----	----	102.90B/77.80A	102.90B/77.80A	----	----	94.20	+ 1.50	----	----	----	----	131	UNCH
4780	80.00	80.00	----	101.30B/76.50A	101.30B/76.50A	----	----	92.80	+ 1.50	----	----	6	----	17	+
4785	----	----	----	99.50B/75.40A	99.50B/75.40A	----	----	91.30	+ 1.30	----	----	----	----	15	UNCH
4790	----	----	----	98.00B/74.20A	98.00B/74.20A	----	----	89.90	+ 1.30	----	----	----	----	33	UNCH
4795	----	----	----	96.80B/73.00A	96.80B/73.00A	----	----	88.50	+ 1.20	----	----	----	----	124	UNCH
4800	80.00	80.00	----	95.30B/71.90A	95.30B/71.90A	----	----	87.20	+ 1.20	----	----	257	----	2202	+
4805	----	----	----	93.80B/70.80A	93.80B/70.80A	----	----	85.80	+ 1.10	----	----	----	----	16	UNCH
4810	----	----	----	92.10B/69.70A	92.10B/69.70A	----	----	84.50	+ 1.10	----	----	----	----	18	UNCH
4815	83.80	83.80	----	90.80B/68.60A	90.80B/68.60A	----	----	83.10	+ 0.90	----	----	----	----	55	+
4820	84.90	84.90	----	89.40B/67.60A	89.40B/67.60A	----	----	81.80	+ 0.90	----	----	1	----	25	UNCH
4825	----	----	----	88.00B/66.50A	88.00B/66.50A	----	----	80.60	+ 0.90	----	----	----	----	87	UNCH
4830	----	----	----	86.60B/65.50A	86.60B/65.50A	----	----	79.30	+ 0.80	----	----	----	----	29	UNCH
4835	----	----	----	85.30B/64.50A	85.30B/64.50A	----	----	78.10	+ 0.80	----	----	----	----	38	UNCH
4840	----	----	----	84.00B/63.50A	84.00B/63.50A	----	----	76.80	+ 0.70	----	----	----	----	25	UNCH
4845	----	----	----	82.60B/62.50A	82.60B/62.50A	----	----	75.60	+ 0.60	----	----	----	----	1	UNCH
4850	64.90	64.90	----	81.50B/61.50A	81.50B/61.50A	----	----	74.40	+ 0.50	----	----	37	----	253	+
4860	----	----	----	79.10B/59.60A	79.10B/59.60A	----	----	72.10	+ 0.50	----	----	----	----	29	UNCH
4865	71.80	71.80	----	77.90B/58.70A	77.90B/58.70A	----	----	71.00	+ 0.40	----	----	2	----</		

	BULLETIN # 96@				METALS OPTION PRODUCTS								Wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																
AUG26																	
5100	35.90	35.90	37.60B/*29.00A	37.60B/*29.00A	----	34.20 - 1.00	.1475	----	----	3	----	3061 +	1				
5105	----	----	37.00B/*28.60A	37.00B/*28.60A	----	33.70 - 1.00	.1455	----	----	----	----	7	UNCH				
5110	----	----	36.40B/*28.20A	36.40B/*28.20A	----	33.20 - 1.00	.1436	----	----	----	----	11	UNCH				
5115	----	----	35.90B/*27.80A	35.90B/*27.80A	----	32.70 - 1.00	.1417	----	----	----	----	14	UNCH				
5120	----	----	35.40B/*27.50A	35.40B/*27.50A	----	32.20 - 1.10	.1398	----	----	----	----	359	UNCH				
5125	32.90	32.90	34.80B/*26.90A	34.80B/*26.90A	----	31.80 - 1.00	.1382	----	----	2	----	349 +	2				
5130	----	----	34.30B/*26.70A	34.30B/*26.70A	----	31.30 - 1.00	.1363	----	----	----	----	1	UNCH				
5135	----	----	33.90B/*26.30A	33.90B/*26.30A	----	30.80 - 1.10	.1344	----	----	----	----	21	UNCH				
5140	----	----	33.30B/*25.90A	33.30B/*25.90A	----	30.40 - 1.00	.1328	----	----	----	----	25	UNCH				
5145	----	----	32.90B/*25.60A	32.90B/*25.60A	----	30.00 - 1.00	.1312	----	----	----	----	12	UNCH				
5150	27.60	27.60	32.40B/*25.20A	32.40B/*25.20A	----	29.50 - 1.10	.1293	----	2	----	----	110 +	1				
5155	----	----	31.80B/*24.90A	31.80B/*24.90A	----	29.10 - 1.10	.1277	----	----	----	----	17	UNCH				
5160	----	----	31.50B/*24.50A	31.50B/*24.50A	----	28.70 - 1.00	.1261	----	----	----	----	16	UNCH				
5165	----	----	31.00B/*24.20A	31.00B/*24.20A	----	28.30 - 1.00	.1245	----	----	----	----	24	UNCH				
5170	----	----	30.60B/*23.90A	30.60B/*23.90A	----	27.90 - 1.00	.1229	----	----	----	----	6	UNCH				
5175	28.30	28.30	30.20B/*23.60A	30.20B/*23.60A	----	27.50 - 1.00	.1213	----	2	----	----	362 +	1				
5185	----	----	29.30B/*22.90A	29.30B/*22.90A	----	26.70 - 1.10	.1181	----	----	----	----	2	UNCH				
5190	----	----	28.80B/*22.60A	28.80B/*22.60A	----	26.30 - 1.10	.1165	----	----	----	----	12	UNCH				
5195	----	----	28.30B/*22.30A	28.30B/*22.30A	----	25.90 - 1.10	.1150	----	----	----	----	42	UNCH				
5200	27.20	27.20	28.00B/*22.00A	28.00B/*22.00A	----	25.60 - 1.10	.1137	----	----	111	----	3296 -	1				
5205	----	----	27.50B/*21.80A	27.50B/*21.80A	----	25.20 - 1.10	.1121	----	----	----	----	6	UNCH				
5210	----	----	27.10B/*21.50A	27.10B/*21.50A	----	24.90 - 1.00	.1108	----	----	----	----	8	UNCH				
5215	----	----	26.90B/*21.20A	26.90B/*21.20A	----	24.50 - 1.10	.1092	----	----	----	----	15	UNCH				
5220	24.50	24.50	26.40B/*20.90A	26.40B/*20.90A	----	24.20 - 1.10	.1079	----	55	----	----	291 +	55				
5225	----	----	25.90B/*20.70A	25.90B/*20.70A	----	23.80 - 1.10	.1064	----	----	----	----	55	UNCH				
5230	----	----	25.60B/*20.40A	25.60B/*20.40A	----	23.50 - 1.10	.1051	----	----	----	----	11	UNCH				
5235	----	----	25.30B/*20.10A	25.30B/*20.10A	----	23.20 - 1.10	.1039	----	----	----	----	20	UNCH				
5240	----	----	24.90B/*19.90A	24.90B/*19.90A	----	22.90 - 1.10	.1026	----	----	----	----	17	UNCH				
5245	----	----	24.60B/*19.60A	24.60B/*19.60A	----	22.60 - 1.00	.1013	----	----	----	----	17	UNCH				
5250	----	----	24.30B/*19.40A	24.30B/*19.40A	----	22.20 - 1.10	.0998	----	----	----	----	743	UNCH				
5255	----	----	23.90B/*19.10A	23.90B/*19.10A	----	21.90 - 1.10	.0985	----	----	----	----	888	UNCH				
5260	21.70	21.70	23.50B/*18.90A	23.50B/*18.90A	----	21.60 - 1.10	.0973	----	17	----	----	34 +	9				
5265	----	----	23.30B/*18.70A	23.30B/*18.70A	----	21.40 - 1.00	.0963	----	----	----	----	13	UNCH				
5270	----	----	23.00B/*18.40A	23.00B/*18.40A	----	21.10 - 1.10	.0951	----	----	----	----	151	UNCH				
5275	21.00	21.00	22.70B/*18.20A	22.70B/*18.20A	----	20.80 - 1.10	.0938	----	3	----	----	19 -	3				
5280	----	----	22.20B/*18.00A	22.20B/*18.00A	----	20.50 - 1.10	.0926	----	----	----	----	207	UNCH				
5285	----	----	22.10B/*17.80A	22.10B/*17.80A	----	20.20 - 1.10	.0914	----	----	----	----	32	UNCH				
5290	----	----	21.60B/*17.60A	21.60B/*17.60A	----	20.00 - 1.00	.0904	----	----	----	----	22	UNCH				
5295	----	----	21.30B/*17.40A	21.30B/*17.40A	----	19.70 - 1.10	.0892	----	----	----	----	6	UNCH				
5300	19.00	19.00	21.00B/*17.20A	21.00B/*17.20A	----	19.50 - 1.00	.0883	----	63	----	----	1071 +	1				
5305	----	----	20.90B/*17.00A	20.90B/*17.00A	----	19.20 - 1.10	.0871	----	----	----	----	17	UNCH				
5310	----	----	20.70B/*16.70A	20.70B/*16.70A	----	19.00 - 1.00	.0861	----	----	----	----	107	UNCH				
5320	----	----	20.20B/*16.40A	20.20B/*16.40A	----	18.50 - 1.00	.0840	----	----	----	----	17	UNCH				
5325	----	----	19.90B/*16.20A	19.90B/*16.20A	----	18.30 - 1.00	.0831	----	----	----	----	27	UNCH				
5330	----	----	19.60B/*16.00A	19.60B/*16.00A	----	18.00 - 1.00	.0819	----	----	----	----	18	UNCH				
5335	----	----	19.40B/*15.90A	19.40B/*15.90A	----	17.80 - 1.00	.0810	----	----	----	----	1	UNCH				
5345	17.60	17.60	18.90B/*15.50A	18.90B/*15.50A	----	17.40 - 1.00	.0792	----	14	----	----	34 +	14				
5350	----	----	18.70B/*15.30A	18.70B/*15.30A	----	17.20 - 0.90	.0783	----	----	----	----	8001	UNCH				
5355	----	----	18.50B/*15.20A	18.50B/*15.20A	----	16.90 - 1.00	.0771	----	----	----	----	1	UNCH				
5360	----	----	18.20B/*14.90A	18.20B/*14.90A	----	16.70 - 1.00	.0762	----	----	----	----	114	UNCH				
5365	----	----	18.00B/*14.80A	18.00B/*14.80A	----	16.50 - 1.00	.0753	----	----	----	----	6	UNCH				
5370	----	----	17.70B/*14.70A	17.70B/*14.70A	----	16.30 - 1.00	.0745	----	----	----	----	8006	UNCH				
5375	----	----	17.50B/*14.50A	17.50B/*14.50A	----	16.20 - 0.90	.0739	----	----	----	----	256	UNCH				
5380	----	----	17.30B/*14.30A	17.30B/*14.30A	----	16.00 - 0.90	.0730	----	----	----	----	38	UNCH				
5395	----	----	----/*13.90A	16.30B/*13.90A	----	15.40 - 0.90	.0704	----	----	----	----	3	UNCH				
5400	14.60	14.60	16.10B/*13.70A	16.10B/*13.70A	----	15.20 - 0.90	.0695	----	27	----	----	2395 -	16				
5405	----	----	16.00B/*13.60A	16.00B/*13.60A	----	15.10 - 0.80	.0690	----	----	----	----	7	UNCH				
5410	----	----	----/*13.50A	15.80B/*13.50A	----	14.90 - 0.90	.0681	----	----	----	----	24	UNCH				
5420	----	----	----/*13.20A	15.40B/*13.20A	----	14.60 - 0.80	.0667	----	----	----	----	8	UNCH				
5425	----	----	15.30B/*13.00A	15.30B/*13.00A	----	14.40 - 0.80	.0659	----	----	----	----	22	UNCH				
5430	----	----	----/*12.90A	15.10B/*12.90A	----	14.20 - 0.90	.0650	----	----	----	----	22	UNCH				
5435	----	----	----/*12.80A	14.90B/*12.80A	----	14.10 - 0.80	.0645	----	----	----	----	50	UNCH				
5440	14.10	14.10	14.10/*12.60A	14.70B/*12.60A	----	13.90 - 0.90	.0637	----	1	----	----	105 -	1				
5445	----	----	----/*12.50A	14.50B/*12.50A	----	13.80 - 0.80	.0631	----	----	----	----	10	UNCH				
5450	----	----	----/*12.40A	14.40B/*12.40A	----	13.60 - 0.80	.0623	----	----	----	----	187	UNCH				
5455	----	----	----/*12.30A	14.20B/*12.30A	----	13.50 - 0.80	.0618	----	----	----	----	21	UNCH				
5460	----	----	----/*12.10A	14.00B/*12.10A	----	13.30 - 0.80	.0609	----	----	----	----	12	UNCH				
5465	----	----	----/*12.00A	13.90B/*12.00A	----	13.20 - 0.80	.0604	----	----	----	----	42	UNCH				
5470	----	----	----/*11.90A	13.70B/*11.90A	----	13.00 - 0.80	.0596	----	----	----	----	14	UNCH				
5475	----	----	----/*11.80A	13.60B/*11.80A	----	12.90 - 0.80	.0591	----	----	----	----	7	UNCH				
5480	----	----	----/*11.60A	13.40B/*11.60A	----	12.80 - 0.80	.0586	----	----	----	----	14	UNCH				
5485	----	----	----/*11.50A	13.20B/*11.50A	----	12.60 - 0.80	.0577	----	----	----	----						

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																
AUG26	----	----	----	*/1.20A	0.90B/1.20A		----	1.10 - 0.40		.0032	----	----	----	----	17	UNCH	
9000	1.00	1.00		1.00/*1.00	1.00/1.00		----	0.90 - 0.30		.0026	----	----	243	----	312 +	188	
10000	1.00	1.00		1.00/*0.80A	1.00/*0.80A		----	0.70 - 0.30		.0019	----	----	2	----	100	UNCH	
TOTAL													2423	200	72889 +	1345	
SEP26	----	----	----	----	626.80B/821.20A		----	748.70 + 19.40		.9094	----	----	----	----	1	UNCH	
3875	----	----	----	650.80B/588.60A	650.80B/588.60A		----	640.60 + 17.60		.8753	----	----	----	----	10	UNCH	
3995	----	----	----	572.70B/513.50A	572.70B/513.50A		----	562.90 + 16.10		.8421	----	----	----	----	37	UNCH	
4085	----	----	----	534.90B/477.60A	534.90B/477.60A		----	525.40 + 15.30		.8227	----	----	----	----	10	UNCH	
4130	----	----	----	490.00B/435.30A	490.00B/435.30A		----	481.00 + 14.30		.7966	----	----	----	----	40	UNCH	
4185	----	----	----	----	375.20B/542.80A		----	469.20 + 14.10		.7889	----	----	----	----	1	UNCH	
4200	----	----	----	462.30B/409.40A	462.30B/409.40A		----	453.70 + 13.70		.7784	----	----	----	----	162	UNCH	
4220	----	----	----	409.00B/357.40A	409.00B/357.40A		----	401.20 + 12.30		.7387	----	----	----	----	6	UNCH	
4290	----	----	----	405.40B/354.10A	405.40B/354.10A		----	397.60 + 12.20		.7357	----	----	----	----	50	UNCH	
4295	----	----	----	401.70B/350.70A	401.70B/350.70A		----	394.00 + 12.20		.7327	----	----	----	----	18	UNCH	
4300	----	----	----	387.20B/337.40A	387.20B/337.40A		----	379.70 + 11.70		.7204	----	----	----	----	162	UNCH	
4320	----	----	----	356.00B/302.40A	356.00B/302.40A		----	342.00 + 10.60		.6848	----	----	----	----	1	UNCH	
4375	----	----	----	345.90B/292.90A	345.90B/292.90A		----	332.10 + 10.30		.6748	----	----	----	----	202	UNCH	
4390	333.70	333.70		339.30B/287.00A	339.30B/287.00A		----	325.60 + 10.00		.6680	----	----	2	----	2 +	2	
4400				323.20B/272.10A	323.20B/272.10A		----	309.70 + 9.50		.6507	----	----	----	----	1	UNCH	
4425	----	----	----	280.40B/233.90A	280.40B/233.90A		----	267.80 + 8.00		.6005	----	----	----	----	18	UNCH	
4495	----	----	----	277.50B/231.30A	277.50B/231.30A		----	265.00 + 8.00		.5968	----	----	1	----	12	UNCH	
4500	----	----	----	274.60B/228.80A	274.60B/228.80A		----	262.20 + 7.90		.5932	----	----	----	----	2	UNCH	
4505	----	----	----	271.80B/226.30A	271.80B/226.30A		----	259.40 + 7.80		.5895	----	----	----	----	2	UNCH	
4510	----	----	----	269.00B/223.80A	269.00B/223.80A		----	256.60 + 7.60		.5858	----	----	----	----	2	UNCH	
4515	----	----	----	266.10B/221.30A	266.10B/221.30A		----	253.80 + 7.50		.5821	----	----	----	----	1	UNCH	
4520	----	----	----	252.30B/209.30A	252.30B/209.30A		----	240.40 + 7.00		.5635	----	----	----	----	16	UNCH	
4545	----	----	----	249.60B/206.90A	249.60B/206.90A		----	237.70 + 6.90		.5598	----	----	50	----	275 +	50	
4550	----	----	----	244.30B/202.30A	244.30B/202.30A		----	232.50 + 6.60		.5523	----	----	----	----	2	UNCH	
4560	----	----	----	241.70B/200.00A	241.70B/200.00A		----	229.90 + 6.50		.5485	----	----	----	----	2	UNCH	
4565	199.80	199.80		239.10B/197.80A	239.10B/197.80A		----	227.40 + 6.40		.5448	----	----	11	----	19 +	10	
4570	229.80	229.80		236.40B/195.50A	236.40B/195.50A		----	224.90 + 6.40		.5410	----	----	2	----	3 +	1	
4575	227.40	227.40		233.90B/193.30A	233.90B/193.30A		----	222.40 + 6.30		.5373	----	----	2	----	3 -	1	
4580	224.90	224.90		231.40B/191.10A	231.40B/191.10A		----	219.90 + 6.10		.5335	----	----	2	----	8 -	2	
4585	----	----	----	228.80B/188.80A	228.80B/188.80A		----	217.40 + 6.00		.5298	----	----	----	----	1	UNCH	
4590	----	----	----	223.80B/184.50A	223.80B/184.50A		----	212.50 + 5.80		.5222	----	----	75	----	129 +	75	
4600	208.00	208.00		221.30B/182.50A	221.30B/182.50A		----	210.10 + 5.70		.5185	----	----	----	----	41	UNCH	
4605	----	----	----	214.20B/176.20A	214.20B/176.20A		----	203.00 + 5.30		.5072	----	----	3	----	3 +	2	
4620	198.80	198.80		211.70B/174.10A	211.70B/174.10A		----	200.70 + 5.30		.5035	----	----	----	----	2	UNCH	
4625	----	----	----	209.40B/172.20A	209.40B/172.20A		----	198.40 NEW		.4997	----	----	16	----	8 +	8	
4630	----	----	----	204.70B/168.20A	204.70B/168.20A		----	193.90 + 5.00		.4923	----	----	----	----	15	UNCH	
4640	----	----	----	202.30B/166.20A	202.30B/166.20A		----	191.60 + 4.80		.4885	----	----	----	----	7	UNCH	
4645	----	----	----	200.20B/164.20A	200.20B/164.20A		----	189.40 + 4.70		.4848	----	----	----	----	1	UNCH	
4650	----	----	----	197.70B/162.30A	197.70B/162.30A		----	187.20 + 4.60		.4811	----	----	----	----	2	UNCH	
4655	----	----	----	195.70B/160.30A	195.70B/160.30A		----	185.00 + 4.50		.4774	----	----	----	----	7	UNCH	
4660	----	----	----	189.00B/154.80A	189.00B/154.80A		----	178.60 + 4.20		.4663	----	----	----	----	4	UNCH	
4675	----	----	----	186.90B/152.90A	186.90B/152.90A		----	176.50 + 4.10		.4626	----	----	----	----	1	UNCH	
4680	----	----	----	178.50B/145.60A	178.50B/145.60A		----	168.40 + 3.80		.4480	----	----	8	----	276 +	5	
4700	----	----	----	176.20B/144.00A	176.20B/144.00A		----	166.40 + 3.80		.4443	----	----	----	----	10	UNCH	
4705	----	----	----	174.30B/142.40A	174.30B/142.40A		----	164.40 + 3.60		.4407	----	----	----	----	1	UNCH	
4710	----	----	----	170.30B/138.90A	170.30B/138.90A		----	160.50 + 3.50		.4334	----	----	----	----	45	UNCH	
4720	147.50	147.50		168.20B/137.30A	168.20B/137.30A		----	158.60 + 3.40		.4299	----	----	13	----	18 +	9	
4725	----	----	----	166.40B/135.60A	166.40B/135.60A		----	156.70 + 3.30		.4263	----	----	----	----	6	UNCH	
4730	----	----	----	162.40B/132.40A	162.40B/132.40A		----	152.90 + 3.10		.4191	----	----	----	----	2	UNCH	
4740	----	----	----	160.30B/*130.80	160.30B/*130.80A		----	151.10 + 3.00		.4156	----	----	----	----	2	UNCH	
4745	----	----	----	158.50B/129.10A	158.50B/129.10A		----	149.30 + 3.00		.4120	----	----	----	----	227	UNCH	
4750	----	----	----	156.60B/*127.60	156.60B/*127.60A		----	147.50 + 2.90		.4085	----	----	----	----	10	UNCH	
4755	----	----	----	154.90B/126.00A	154.90B/126.00A		----	145.70 + 2.80		.4050	----	----	----	----	23	UNCH	
4760	----	----	----	151.20B/123.00A	151.20B/123.00A		----	142.20 + 2.70		.3980	----	----	----	----	3	UNCH	
4770	----	----	----	149.30B/121.40A	149.30B/121.40A		----	140.50 + 2.60		.3946	----	----	----	----	266	UNCH	
4775	123.80	123.80		147.60B/120.10A	147.60B/120.10A		----	138.80 + 2.60		.3911	----	----	10	----	11 +	3	
4780	----	----	----	145.70B/*118.60	145.70B/*118.60A		----	137.10 + 2.50		.3877	----	----	----	----	2	UNCH	
4785	----	----	----	144.20B/117.10A	144.20B/117.10A		----	135.40 + 2.40		.3843	----	----	----	----	6	UNCH	
4790	----	----	----	142.50B/*115.70	142.50B/*115.70A		----	133.80 + 2.40		.3809	----	----	----	----	2	UNCH	
4795	117.90	117.90		140.90B/113.90A													

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																
SEP26																	
5525	----	----	25.80B/*22.50A	25.80B/*22.50A	----	24.40 - 0.90	.0902	----	----	----	----	6	UNCH				
5540	----	----	25.30B/*22.00A	25.30B/*22.00A	----	23.80 - 0.90	.0879	----	----	----	----	19	UNCH				
5550	----	----	24.50B/*21.70A	24.50B/*21.70A	----	23.30 - 0.90	.0862	----	----	2	----	35 +	2				
5555	----	----	24.40B/*21.50A	24.40B/*21.50A	----	23.10 - 0.90	.0855	----	----	----	----	5	UNCH				
5590	22.00	22.00	22.90B/*20.30A	22.90B/*20.30A	----	21.70 NEW	.0804	----	----	29	----	29 +	29				
5595	----	----	22.70B/*20.10A	22.70B/*20.10A	----	21.50 - 0.80	.0797	----	----	----	----	4	UNCH				
5600	----	----	22.50B/*19.90A	22.50B/*19.90A	----	21.40 - 0.70	.0793	----	----	----	----	930	UNCH				
5605	----	----	22.10B/*19.70A	22.10B/*19.70A	----	21.20 - 0.70	.0785	----	----	----	----	3	UNCH				
5620	----	----	21.50B/*19.30A	21.50B/*19.30A	----	20.70 - 0.60	.0767	----	----	----	----	20	UNCH				
5625	----	----	21.50B/*19.10A	21.50B/*19.10A	----	20.50 - 0.60	.0760	----	----	----	----	2	UNCH				
5645	----	----	----/*18.70A	19.80B/*18.70A	----	19.80 - 0.60	.0734	----	----	----	----	5	UNCH				
5650	----	----	----/*18.50A	19.50B/*18.50A	----	19.70 - 0.60	.0730	----	----	380	----	743 +	330				
5655	----	----	----/*18.20A	19.30B/*18.20A	----	19.50 - 0.60	.0723	----	----	----	----	4	UNCH				
5665	----	----	----/*17.90A	19.00B/*17.90A	----	19.20 - 0.60	.0711	----	----	----	----	4	UNCH				
5675	----	----	----/*17.70A	18.70B/*17.70A	----	18.90 - 0.50	.0700	----	----	----	----	8	UNCH				
5690	----	----	----/*17.30A	18.20B/*17.30A	----	18.40 - 0.60	.0682	----	----	----	----	3	UNCH				
5700	----	----	----/*17.20A	17.80B/*17.20A	----	18.10 - 0.60	.0671	----	----	----	1012	UNCH					
5710	----	----	----/*17.00A	17.60B/*17.00A	----	17.70 - 0.70	.0658	----	----	----	----	2	UNCH				
5730	----	----	----/*16.40A	17.00B/*16.40A	----	17.10 - 0.70	.0636	----	----	----	----	2	UNCH				
5750	----	----	----/*16.00A	16.50B/*16.00A	----	16.60 - 0.70	.0617	----	----	81	----	193 +	1				
5760	----	----	----/*15.70A	16.20B/*15.70A	----	16.30 - 0.80	.0606	----	----	----	----	1	UNCH				
5770	----	----	----/*15.60A	16.10B/*15.60A	----	16.10 - 0.70	.0598	----	----	----	----	2	UNCH				
5775	----	----	----/*15.40A	16.00B/*15.40A	----	16.00 - 0.70	.0594	----	----	----	----	162	UNCH				
5800	14.60	14.60	15.20B/*14.60	15.20B/*14.60	----	15.40 - 0.70	.0571	----	----	9	----	646 -	5				
5850	----	----	----/*14.00A	14.10B/*14.00A	----	14.40 - 0.60	.0532	----	----	----	----	439	UNCH				
5900	----	----	----/*13.00A	13.10B/*13.00A	----	13.50 - 0.60	.0497	----	----	460	----	818 -	121				
5950	12.10	12.10	12.40B/*12.10	12.40B/*12.10	----	12.80 - 0.50	.0468	----	----	1	----	51	UNCH				
6000	----	----	----/*11.50A	11.60B/*11.50A	----	12.10 - 0.40	.0440	----	----	30	----	1181 +	20				
6075	----	----	----/*10.70A	10.60B/*10.70A	----	11.10 - 0.40	.0401	----	----	----	----	1	UNCH				
6100	----	----	----/*10.40A	10.30B/*10.40A	----	10.80 - 0.40	.0389	----	----	----	----	185	UNCH				
6200	----	----	----/*9.50A	9.40B/*9.50A	----	9.80 - 0.40	.0349	----	----	----	----	243	UNCH				
6300	----	----	----/*8.80A	8.70B/*8.80A	----	9.00 - 0.30	.0316	----	----	----	----	159	UNCH				
6400	----	----	----/*8.30A	7.90B/*8.30A	----	8.30 - 0.30	.0287	----	----	----	----	228	UNCH				
6500	----	----	----/7.90A	7.50B/7.90A	----	7.80 - 0.30	.0265	----	----	----	----	541	UNCH				
6600	----	----	----/*7.40A	7.10B/*7.40A	----	7.30 - 0.40	.0245	----	----	----	----	25	UNCH				
6650	----	----	----/*7.20A	6.80B/*7.20A	----	7.10 - 0.40	.0236	----	----	----	----	9	UNCH				
6750	----	----	----/*6.80A	6.50B/*6.80A	----	6.80 - 0.40	.0222	----	----	----	----	11	UNCH				
6775	----	----	----/*6.80A	6.20B/*6.80A	----	6.70 - 0.40	.0218	----	----	----	----	1	UNCH				
6800	----	----	----/*6.70A	6.20B/*6.70A	----	6.60 - 0.40	.0214	----	----	----	----	128	UNCH				
7000	----	----	----/6.00A	5.70B/6.00A	----	6.00 - 0.50	.0189	----	----	2	----	96 +	2				
8000	----	----	----/4.10A	3.80B/4.10A	----	4.10 - 0.30	.0115	----	----	----	----	125	UNCH				
TOTAL										2197	500	20923 +	204				
OCT26																	
3600	----	----	1,022.70B/956.5	1022.70B/956.50A	----	1013.00 + 20.90	.9429	----	----	----	----	12	UNCH				
3900	----	----	----	644.40B/812.50A	----	737.20 NEW	.8809	----	----	40	----	40 +	40				
4300	----	----	424.70B/377.70A	424.70B/377.70A	----	418.60 + 11.30	.7121	----	----	----	----	102	UNCH				
4400	----	----	366.00B/316.10A	366.00B/316.10A	----	353.20 + 9.60	.6534	----	----	----	----	8	UNCH				
4405	----	----	362.80B/313.80A	362.80B/313.80A	----	350.10 + 9.50	.6503	----	----	----	----	2	UNCH				
4480	----	----	317.70B/272.40A	317.70B/272.40A	----	305.70 + 8.10	.6032	----	----	----	----	1	UNCH				
4500	----	----	306.30B/262.50A	306.30B/262.50A	----	294.50 + 7.60	.5904	----	----	----	----	3	UNCH				
4515	----	----	298.00B/254.90A	298.00B/254.90A	----	286.30 + 7.30	.5807	----	----	----	----	1	UNCH				
4550	----	----	279.30B/238.20A	279.30B/238.20A	----	267.90 + 6.70	.5579	----	----	----	----	1	UNCH				
4565	243.60	243.60	271.40B/231.40A	271.40B/231.40A	----	260.20 NEW	.5481	----	1	----	----	1 +	1				
4570	241.30	241.30	267.90B/229.20A	267.90B/229.20A	----	257.70 NEW	.5448	----	1	----	----	1 +	1				
4575	237.60	237.60	266.40B/227.00A	266.40B/227.00A	----	255.20 NEW	.5416	----	3	----	----	3 +	3				
4580	----	----	263.80B/224.70A	263.80B/224.70A	----	252.70 + 5.90	.5383	----	----	----	----	70	UNCH				
4590	----	----	259.00B/220.20A	259.00B/220.20A	----	247.80 NEW	.5317	----	3	----	----	3 +	3				
4600	----	----	253.90B/215.80A	253.90B/215.80A	----	243.00 + 5.50	.5251	----	----	----	----	108	UNCH				
4610	----	----	249.10B/211.60A	249.10B/211.60A	----	238.30 + 5.40	.5186	----	----	----	----	12	UNCH				
4615	221.00	221.00	246.80B/209.50A	246.80B/209.50A	----	235.90 NEW	.5153	----	1	----	----	1 +	1				
4620	----	----	244.20B/207.40A	244.20B/207.40A	----	233.60 + 5.20	.5121	----	----	----	----	1	UNCH				
4625	----	----	241.90B/205.30A	241.90B/205.30A	----	231.30 NEW	.5088	----	7	----	----	7 +	7				
4630	----	----	239.60B/203.20A	239.60B/203.20A	----	229.00 + 5.00	.5055	----	----	----	----	3	UNCH				
4635	----	----	237.20B/201.10A	237.20B/201.10A	----	226.80 NEW	.5023	----	3	----	----	3 +	3				
4640	210.40	210.40	235.00B/199.20A	235.00B/199.20A	----	224.50 + 4.80	.4990	----	1	----	----	4 +	1				
4650	210.00	210.00	230.40B/195.20A	230.40B/195.20A	----	220.10 + 4.60	.4925	----	1	----	----	298 +	1				
4655	----	----	228.10B/193.30A	228.10B/193.30A	----	217.90 + 4.50	.4893	----	----	----	----	3	UNCH				
4670	----	----	221.60B/187.40A	221.60B/187.40A	----	211.40 + 4.20	.4796	----	----	----	----	4	UNCH				
4675	----	----	219.40B/185.60A	219.40B/185.60A	----	209.30 + 4.20	.4764	----	----	----	----	1	UNCH				
4690	----	----	213.00B/180.00A	213.00B/180.00A	----	203.00 + 3.90	.4667	----	----	----	----	4	UNCH				
4695	----	----	210.80B/178.10A	210.80B/178.10A	----	201.00 + 3.80	.4635	----	----	----	----	2	UNCH				
4700	200.60	200.60	208.90B/176.30A	208.90B/176.30A	----	198.90 + 3.70	.4603	----	20	----	----	167 +	20				
4710	----	----	204.50B/172.70A	204.50B/172.70A	----	194.90 + 3.60	.4540	----	----	----	----	1	UNCH				
4715	----	----	202.60B/171.00A	202.60B/171.00A	----	193.00 + 3.60	.4508	----	----	----	----	2	UNCH				
4730	----	----	196.50B/165.80A	196.50B/165.80A	----	187.10 + 3.30	.4414	----	----	----	----	2	UNCH				
4735	----	----	194.50B/*164.00A	194.50B/*164.00A	----	185.20 + 3.20	.4382	----	----	----	----	1	UNCH				
4750	----	----	188.70B/159.00A	188.70B/159.00A	----	179.60 + 3.00	.4289	----	----	----	----	36	UNCH				
4755	----	----	186.70B/*157.40A	186.70B/*157.40A	----	177.70 + 2.90	.4258	----	----	1	----	69	UNCH				
4760	178.40	178.40	185.40B/155.70A	185.40B/155.70A	----	175.90 NEW	.4227	----	----	20	----	1 +	1				
4765	165.30	165.30	183.00B/*154.10	183.00B/*154.10A	----	174.10 NEW	.4196	----	----	----	----	20 +	20				
4775	----	----	179.30B/151.00A	179.30B/151.00A	----	170.50 + 2.70	.4135	----	----	----	----	25	UNCH				
4785	----	----	175.60B/*147.80	175.60B/*147.80A	----	167.00 + 2.50	.4074	----	----	----	----	3	UNCH				
4790	----	----	173.80B/146.20A	173.80B/146.20A	----	165.30 + 2.50	.4044	----	----	----	----	9	UNCH				
4795	----	----	172.00B/*144.70	172.00B/*144.70A	----	163.60 + 2.50	.4014	----	----	----	----	3	UNCH				
4800	----	----	170.10B/143.20A	170.10B/143.20A	----	161.90 + 2.40	.3984	----	----	----	----	494	UNCH				
4805	----	----	168.50B/*141.80	168.50B/*141.80A	----	160.20 + 2.30	.3954	----	----	----	----	1	UNCH				
4810	----	----	166.60B/140.20A	166.60B/140.20A	----	158.50 + 2.30	.3924	----	----	----	----	3	UNCH				
4815	----	----	165.10B/*138.80	165.10B/*138.80A	----	156.90 + 2.30	.3895	----	----	----	----	36	UNCH				
4820	----	----	163.40B/*137.30	163.40B/*137.30A	----	155.30 + 2.20	.3866	----	----	----	----	1	UNCH				
4835	----	----	158.20B/*133.00	158.20B/*133.00A	----	150.50 + 2.10	.3778	----	----	----	----	3	UNCH				
4845	----	----	155.10B/*130.30	155.10B/*130.30A	----	147.30 + 2.00	.3720	----	----	1	----	3 +	1				
4850	----	----	153.50B/128.90A	153.50B/128.90A	----	145.80 + 2.00	.3691	----	----	1	----	54 -	1				
4860	----	----	150.10B/*126.20	150.10B/*126.20A	----	142.80 + 1.90	.3634	----	----	----	----	100	UNCH				
4865	----	----	148.80B/*124.90	148.80B/*124.90A	----	141.30 + 1.90	.3606	----	----	----	----	2	UNCH				
4870	----	----	147.20B/*123.70	147.20B/*123.70A	----	139.80 + 1.80	.3578	----	----	----	----	1	UNCH				
4880	----	----	144.00B/*121.00	144.00B/*121.00A	----	136.90 + 1.80	.3522	----	----	----	----	1	UNCH				
4895	----	----	139.80B/*117.20	139.80B/*117.20A	----	132.60 NEW	.3439	----	----	1	----	1 +	1				
4900	132.40	132.40	138.20B/116.00A	138.20B/116.00A	----	131.20 + 1.60	.3411	----	2	----	----	1428 +	1				
4905	----</																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																
OCT26																		
5545	----	----	----	37.50B/*33.30A	37.50B/*33.30A	----	----	----	36.50 - 0.70	.1154	----	----	----	----	5	UNCH		
5550	----	----	----	37.20B/*33.00A	37.20B/*33.00A	----	----	----	36.20 - 0.70	.1145	----	----	----	----	280	UNCH		
5575	----	----	----	35.60B/*31.70A	35.60B/*31.70A	----	----	----	34.70 - 0.70	.1101	----	----	----	----	3	UNCH		
5590	----	----	----	34.70B/*31.20A	34.70B/*31.20A	----	----	----	33.80 - 0.80	.1074	----	----	----	----	7	UNCH		
5600	----	----	----	34.10B/*30.60A	34.10B/*30.60A	----	----	----	33.30 - 0.70	.1059	----	----	1	----	295	+		
5610	----	----	----	----/*30.20A	33.50B/*30.20A	----	----	----	32.70 - 0.80	.1041	----	----	----	----	1	UNCH		
5615	----	----	----	----/*29.90A	33.20B/*29.90A	----	----	----	32.40 - 0.80	.1033	----	----	----	----	5	UNCH		
5640	----	----	----	----/*28.80A	31.80B/*28.80A	----	----	----	31.10 - 0.80	.0994	----	----	----	----	2	UNCH		
5650	----	----	----	31.60B/*28.40A	31.60B/*28.40A	----	----	----	30.70 - 0.70	.0980	----	----	----	----	401	UNCH		
5655	----	----	----	31.40B/*28.20A	31.40B/*28.20A	----	----	----	30.40 - 0.80	.0972	----	----	----	----	2	UNCH		
5660	----	----	----	31.10B/*28.00A	31.10B/*28.00A	----	----	----	30.20 - 0.70	.0965	----	----	----	----	1	UNCH		
5675	----	----	----	30.50B/*27.40A	30.50B/*27.40A	----	----	----	29.50 - 0.70	.0944	----	----	----	----	3	UNCH		
5700	----	----	----	----/*26.40A	29.10B/*26.40A	----	----	----	28.40 - 0.70	.0910	----	----	----	----	190	UNCH		
5710	----	----	----	----/*26.20A	28.70B/*26.20A	----	----	----	28.00 - 0.70	.0897	----	----	----	----	5	UNCH		
5720	----	----	----	----/*26.00A	28.20B/*26.00A	----	----	----	27.50 - 0.80	.0882	----	----	----	----	75	UNCH		
5750	----	----	----	----/*25.00A	26.90B/*25.00A	----	----	----	26.40 - 0.70	.0847	----	----	----	----	854	UNCH		
5775	----	----	----	----/*23.80A	25.90B/*23.80A	----	----	----	25.40 - 0.80	.0816	----	----	----	----	52	UNCH		
5800	----	----	----	----/*23.60A	24.90B/*23.60A	----	----	----	24.50 - 0.80	.0788	----	----	----	----	543	UNCH		
5825	----	----	----	----/*22.90A	23.80B/*22.90A	----	----	----	23.60 - 0.80	.0760	----	----	----	----	1	UNCH		
5850	----	----	----	----/*22.30A	22.00B/*22.30A	----	----	----	22.80 - 0.80	.0734	----	----	----	----	2	UNCH		
5875	----	----	----	----/*21.50A	21.20B/*21.50A	----	----	----	22.00 - 0.80	.0709	----	----	----	----	1	UNCH		
5900	----	----	----	----/*20.90A	20.50B/*20.90A	----	----	----	21.30 - 0.80	.0686	----	----	----	----	274	UNCH		
5925	----	----	----	----/*20.10A	19.80B/*20.10A	----	----	----	20.50 - 0.90	.0661	----	----	----	----	2	UNCH		
5950	----	----	----	----/*19.80A	19.20B/*19.80A	----	----	----	19.90 - 0.90	.0641	----	----	----	----	1	UNCH		
6000	19.00	19.00	19.00	19.00/*18.70A	19.00/*18.70A	----	----	----	18.70 - 0.90	.0602	----	----	135	----	1923	+		
6100	----	----	----	----/*16.80A	16.20B/*16.80A	----	----	----	16.70 - 0.90	.0535	----	----	----	----	66	UNCH		
6200	----	----	----	----/*15.30A	14.90B/*15.30A	----	----	----	15.20 - 0.90	.0483	----	----	----	----	38	UNCH		
6300	----	----	----	----/*14.20A	13.70B/*14.20A	----	----	----	14.00 - 0.90	.0440	----	----	----	----	883	UNCH		
6400	----	----	----	----/*13.20A	12.80B/*13.20A	----	----	----	13.00 - 0.80	.0403	----	----	----	----	1910	UNCH		
6500	----	----	----	----/*12.30A	12.00B/*12.30A	----	----	----	12.20 - 0.70	.0373	----	----	----	----	4029	UNCH		
6800	----	----	----	----/*10.50A	9.80B/*10.50A	----	----	----	10.30 - 0.50	.0303	----	----	----	----	1373	UNCH		
6900	----	----	----	----/*10.20A	9.20B/*10.20A	----	----	----	9.90 - 0.40	.0287	----	----	----	----	1	UNCH		
7000	----	----	----	----	8.80B/*9.80A	----	----	----	9.40 - 0.40	.0269	----	----	----	----	1584	UNCH		
7500	----	----	----	----	7.30B/8.60A	----	----	----	7.80 - 0.20	.0210	----	----	----	----	1	UNCH		
8000	----	----	----	----	6.60B/*7.70A	----	----	----	6.80 - 0.10	.0173	----	----	1	----	210	UNCH		
8500	----	----	----	----	5.90B/*6.90A	----	----	----	6.10 UNCH	.0148	----	----	----	----	208	UNCH		
9000	----	----	----	----	5.20B/*6.20A	----	----	----	5.50 - 0.10	.0128	----	----	----	----	86	UNCH		
9500	----	----	----	----	4.60B/*5.50A	----	----	----	5.10 - 0.10	.0114	----	----	1	----	11	+		
13000	----	----	----	----/3.00A	1.30B/3.00A	----	----	----	4.30 - 0.20	.0077	----	----	12	----	36	+		
TOTAL															358	27895	+	309
NOV26																		
4000	----	----	----	----	591.60B/782.90A	----	----	----	696.20 + 16.70	.8373	----	----	----	----	1	UNCH		
4100	----	----	----	----	508.60B/703.80A	----	----	----	615.60 + 15.00	.8008	----	----	----	----	1	UNCH		
4275	----	----	----	----/443.50A	464.20B/443.50A	----	----	----	486.00 + 11.70	.7239	----	----	----	----	38	UNCH		
4300	----	----	----	462.20B/427.30A	462.20B/427.30A	----	----	----	468.80 + 11.20	.7116	----	----	----	----	1	UNCH		
4375	----	----	----	431.30B/380.90A	431.30B/380.90A	----	----	----	419.40 + 9.80	.6732	----	----	----	----	38	UNCH		
4400	----	----	----	415.50B/366.20A	415.50B/366.20A	----	----	----	403.60 + 9.20	.6599	----	----	----	----	4	UNCH		
4440	----	----	----	390.70B/343.60A	390.70B/343.60A	----	----	----	379.30 + 8.70	.6381	----	----	----	----	1	UNCH		
4500	----	----	----	355.60B/310.90A	355.60B/310.90A	----	----	----	344.50 + 7.70	.6047	----	----	----	----	28	UNCH		
4575	----	----	----	314.70B/274.00A	314.70B/274.00A	----	----	----	304.10 + 6.70	.5619	----	----	----	----	1	UNCH		
4585	----	----	----	309.60B/269.50A	309.60B/269.50A	----	----	----	299.00 + 6.60	.5561	----	----	----	----	1	UNCH		
4595	----	----	----	304.50B/264.90A	304.50B/264.90A	----	----	----	293.90 + 6.50	.5504	----	----	----	----	1	UNCH		
4600	----	----	----	302.20B/262.70A	302.20B/262.70A	----	----	----	291.40 + 6.40	.5475	----	----	----	----	5	UNCH		
4700	----	----	----	255.00B/220.50A	255.00B/220.50A	----	----	----	245.20 + 4.90	.4899	----	----	----	----	5	UNCH		
4750	----	----	----	233.90B/201.80A	233.90B/201.80A	----	----	----	224.80 + 3.90	.4618	----	----	----	----	1	UNCH		
4775	----	----	----	223.40B/193.00A	223.40B/193.00A	----	----	----	215.10 + 3.40	.4479	----	----	----	----	31	UNCH		
4800	----	----	----	213.90B/184.50A	213.90B/184.50A	----	----	----	205.70 + 3.00	.4342	----	----	----	----	4	UNCH		
4850	----	----	----	195.70B/168.50A	195.70B/168.50A	----	----	----	187.70 + 2.30	.4072	----	----	----	----	26	UNCH		
4900	----	----	----	179.00B/154.30A	179.00B/154.30A	----	----	----	171.40 + 2.00	.3813	----	----	----	----	451	UNCH		
4915	----	----	----	174.00B/*149.80	174.00B/*149.80A	----	----	----	166.90 + 2.00	.3738	----	----	----	----	1	UNCH		
4925	----	----	----	171.10B/147.10A	171.10B/147.10A	----	----	----	163.90 + 1.90	.3688	----	----	----	----	1	UNCH		
4935	----	----	----	168.00B/*144.40	168.00B/*144.40A	----	----	----	161.10 + 2.00	.3639	----	----	----	----	25	UNCH		
4950	----	----	----	163.60B/140.60A	163.60B/140.60A	----	----	----	156.80 + 1.90	.3566	----	----	----	----	150	UNCH		
4970	----	----	----	157.80B/*135.70	157.80B/*135.70A	----	----	----	151.30 + 1.80	.3470	----	----	----	----	10	UNCH		
5000	----	----	----	149.20B/128.60A	149.20B/128.60A	----	----	----	143.40 + 1.70	.3330	----	----	----	----	94	UNCH		
5020	----	----	----	143.70B/*123.70	143.70B/*123.70A	----	----	----	138.20 + 1.50	.3237	----	----	----	----	30	UNCH		
5050	----	----	----	136.10B/*117.30	136.10B/*117.30A	----	----	----	130.80 + 1.30	.3103	----	----	----	----	100	UNCH		
5060	----	----	----	133.80B/*115.30	133.80B/*115.30A	----	----	----	128.40 + 1.20	.3059	----	----	----	----	2	UNCH		
5080	----	----	----	129.10B/*111.20	129.10B/*111.20A	----	----	----	123.70 + 1.00	.2971	----	----	----	----	4	UNCH		
5085	----	----	----	127.90B/*110.10	127.90B/*110.10A	----	----	----	122.60 + 1.00	.2950	----	----	----	----	4	UNCH		
5120	----	----	----	120.00B/*103.40	120.00B/*103.40A	----	----	----	115.00 + 0.80	.2805	----	----	----	----	50	UNCH		
5150	----	----	----	113.70B/*98.00A	113.70B/*98.00A	----	----	----	108.80 + 0.50	.2684	----	----	----	----	100	UNCH		
5175	----	----	----	108.70B/*93.80A	108.70B/*93.80A	----	----	----	104.00 + 0.40	.2588	----	----	----	----	12	UNCH		
5180	101.50	101.50	101.50	107.50B/*92.90A	107.50B/*92.90A	----	----	----	103.10 + 0.40	.2569	----	----	1	----	5	+		
5185	----	----	----	106.50B/*92.20A	106.50B/*92.20A	----	----	----	102.10 + 0.30	.2549	----	----	----	----	1	UNCH		
5200	----	----	----	103.80B/89.70A	103.80B/89.70A	----	----	----	99.40 + 0.30	.2494	----	----	----	----	31	UNCH		
5230	----	----	----	98.10B/*85.20A	98.10B/*85.20A	----	----	----	94.20 + 0.10	.2386	----	----	----	----	5	UNCH		
5250	----	----	----	94.70B/*82.40A	94.70B/*82.40A	----	----	----	90.90 + 0.10	.2317	----	----	----	----	10	UNCH		
5275	----	----	----	90.80B/*78.90A	90.80B/*78.90A	----	----	----	87.00 UNCH	.2233	----	----	----	----	1	UNCH		
5285	----	----	----	89.10B/*77.60A	89.10B/*77.60A	----	----	----	85.50 UNCH	.2201	----	----	----	----	1	UNCH		
5300	----	----	----	86.90B/75.50A	86.90B/75.50A	----	----	----	83.30 UNCH	.2153	----	----	----	----	395	UNCH		
5325	----	----	----	83.10B/*72.40A	83.10B/*72.40A	----	----	----	79.80 - 0.10	.2076	----	----	----	----	1	UNCH		
5330	----	----	----	82.40B/*71.80A	82.40B/*71.80A	----	----	----	79.10 - 0.10	.2060	----	----	----	----	1	UNCH		
5370	----	----	----	77.00B/*67.20A	77.00B/*67.20A	----	----	----	73.90 - 0.10	.1943	----	----	----	----	5	UNCH		
5400	----	----	----	73.20B/64.00A	73.20B/64.00A	----	----	----	70.30 - 0.10	.1861	----	----	----	----	17	UNCH		
5420	----	----	----	70.50B/*61.90A	70.50B/*61.90A	----	----	----	68.00 - 0.20	.1808	----	----	----	----	14	UNCH		
5450	----	----	----	67.10B/*59.00A	67.10B/*59.00A	----	----	----	64.70 - 0.20	.1731	----	----	----	----	454	UNCH		
5460	----	----	----	66.00B/*58.00A	66.00B/*58.00A	----	----	----	63.70 - 0.20	.1706	----	----	----	----	10	UNCH		
5500	----	----	----	61.90B/54.30A	61.90B/54.30A	----	----	----	59.70 - 0.20	.1611	----	----	----	----	84	UNCH		
5530	----	----	----	58.70B/*51.90A	58.70B/*51.90A	----	----	----	56.90 - 0.20	.1544	----	----	----	----	1	UNCH		
5535	----	----	----	58.30B/*51.70A	58.30B/*51.70A	----	----	----	56.40 - 0.30	.1532	----	----	----</					

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
DEC26															
4200	----	----	----	562.50B/516.90A	562.50B/516.90A	----	----	557.30 + 13.10	.7455	----	----	----	----	150	UNCH
4250	----	----	----	528.30B/480.40A	528.30B/480.40A	----	----	522.30 + 12.30	.7235	----	----	----	----	293	UNCH
4255	----	----	----	523.80B/477.10A	523.80B/477.10A	----	----	518.90 + 12.30	.7212	----	----	----	----	50	UNCH
4300	----	----	----	500.80B/448.50A	500.80B/448.50A	----	----	488.60 + 11.50	.7005	----	----	----	----	436	UNCH
4315	----	----	----	491.00B/439.30A	491.00B/439.30A	----	----	478.80 + 11.30	.6934	----	----	----	----	1	UNCH
4320	----	----	----	487.60B/436.20A	487.60B/436.20A	----	----	475.50 + 11.20	.6910	----	----	----	----	100	UNCH
4350	----	----	----	468.10B/418.00A	468.10B/418.00A	----	----	456.30 + 10.80	.6766	----	----	----	----	206	UNCH
4375	----	----	----	452.40B/402.70A	452.40B/402.70A	----	----	440.70 + 10.40	.6643	----	----	----	----	61	UNCH
4400	----	----	----	436.90B/388.80A	436.90B/388.80A	----	----	425.40 + 10.00	.6519	----	----	----	----	2	UNCH
4425	----	----	----	421.50B/373.90A	421.50B/373.90A	----	----	410.50 + 9.60	.6393	----	----	----	----	8	UNCH
4450	----	----	----	406.70B/360.60A	406.70B/360.60A	----	----	395.90 + 9.20	.6266	----	----	----	----	87	UNCH
4465	----	----	----	399.00B/352.30A	399.00B/352.30A	----	----	387.30 + 9.00	.6189	----	----	----	----	93	UNCH
4475	----	----	----	392.20B/346.90A	392.20B/346.90A	----	----	381.70 + 8.90	.6138	----	----	----	----	4	UNCH
4485	----	----	----	387.40B/342.00A	387.40B/342.00A	----	----	376.00 + 8.60	.6086	----	----	----	----	3	UNCH
4490	----	----	----	384.00B/339.60A	384.00B/339.60A	----	----	373.30 + 8.60	.6060	----	----	----	----	7	UNCH
4500	----	----	----	378.80B/333.90A	378.80B/333.90A	----	----	367.70 + 8.30	.6008	----	----	----	----	759	UNCH
4525	----	----	----	364.70B/321.60A	364.70B/321.60A	----	----	354.10 + 7.80	.5877	----	----	----	----	10	UNCH
4540	----	----	----	357.30B/314.60A	357.30B/314.60A	----	----	346.10 + 7.50	.5799	----	----	----	----	9	UNCH
4550	345.80	----	345.80	351.40B/310.00A	351.40B/310.00A	----	----	340.90 + 7.40	.5746	----	----	2	----	13	+
4565	----	----	----	343.40B/302.40A	343.40B/302.40A	----	----	333.10 + 7.10	.5667	----	----	----	----	93	UNCH
4575	299.00	----	299.00	338.30B/298.10A	338.30B/298.10A	----	----	327.90 NEW	.5614	----	----	1	----	1	+
4580	----	----	----	335.80B/295.80A	335.80B/295.80A	----	----	325.40 + 6.70	.5588	----	----	----	----	150	UNCH
4585	----	----	----	333.90B/293.20A	333.90B/293.20A	----	----	322.90 + 6.60	.5561	----	----	----	----	325	UNCH
4590	----	----	----	330.70B/291.10A	330.70B/291.10A	----	----	320.40 + 6.50	.5535	----	----	----	----	18	UNCH
4600	----	----	----	326.00B/286.40A	326.00B/286.40A	----	----	315.40 + 6.30	.5481	----	----	----	----	160	UNCH
4610	----	----	----	321.30B/281.90A	321.30B/281.90A	----	----	310.50 NEW	.5428	----	----	3	----	3	+
4615	----	----	----	318.60B/280.10A	318.60B/280.10A	----	----	308.10 + 6.00	.5402	----	----	----	----	41	UNCH
4625	----	----	----	313.60B/275.60A	313.60B/275.60A	----	----	303.30 + 5.90	.5349	----	----	----	----	71	UNCH
4640	----	----	----	306.40B/269.30A	306.40B/269.30A	----	----	296.20 + 5.60	.5269	----	----	----	----	100	UNCH
4650	297.70	----	297.70	301.70B/264.80A	301.70B/264.80A	----	----	291.60 + 5.40	.5216	----	----	13	----	298	+
4675	----	----	----	290.50B/254.60A	290.50B/254.60A	----	----	280.40 + 5.10	.5084	----	----	----	----	58	UNCH
4680	----	----	----	287.70B/252.60A	287.70B/252.60A	----	----	278.20 + 5.10	.5058	----	----	----	----	42	UNCH
4700	257.00	----	257.00	279.00B/244.70A	279.00B/244.70A	----	----	269.60 + 4.90	.4953	----	----	1	----	95	-
4725	----	----	----	268.40B/235.10A	268.40B/235.10A	----	----	259.20 + 4.60	.4824	----	----	----	----	127	UNCH
4730	----	----	----	266.50B/233.10A	266.50B/233.10A	----	----	257.20 + 4.60	.4798	----	----	----	----	2	UNCH
4750	----	----	----	258.00B/225.70A	258.00B/225.70A	----	----	249.10 + 4.30	.4695	----	----	----	----	239	UNCH
4775	----	----	----	247.80B/216.70A	247.80B/216.70A	----	----	239.20 + 3.90	.4567	----	----	----	----	2	UNCH
4780	236.50	----	236.50	246.00B/215.20A	246.00B/215.20A	----	----	237.30 + 3.80	.4542	----	----	1	----	3	+
4790	----	----	----	242.10B/211.40A	242.10B/211.40A	----	----	233.50 + 3.70	.4491	----	----	----	----	1	UNCH
4795	----	----	----	240.10B/*209.70	240.10B/*209.70A	----	----	231.60 + 3.60	.4466	----	----	----	----	9	UNCH
4800	----	----	----	238.40B/208.10A	238.40B/208.10A	----	----	229.70 + 3.50	.4441	----	----	----	----	542	UNCH
4810	----	----	----	234.40B/205.10A	234.40B/205.10A	----	----	226.00 + 3.50	.4391	----	----	1	----	59	+
4820	----	----	----	230.60B/201.90A	230.60B/201.90A	----	----	222.40 + 3.40	.4341	----	----	----	----	48	UNCH
4825	----	----	----	228.90B/199.70A	228.90B/199.70A	----	----	220.60 + 3.40	.4316	----	----	----	----	104	UNCH
4835	----	----	----	225.00B/196.80A	225.00B/196.80A	----	----	217.00 + 3.30	.4267	----	----	----	----	125	UNCH
4850	----	----	----	219.50B/191.70A	219.50B/191.70A	----	----	211.80 + 3.30	.4193	----	----	----	----	292	UNCH
4875	----	----	----	210.90B/184.10A	210.90B/184.10A	----	----	203.30 + 3.30	.4072	----	----	----	----	1	UNCH
4880	----	----	----	209.20B/*183.00	209.20B/*183.00A	----	----	201.60 + 3.20	.4048	----	----	----	----	4	UNCH
4900	----	----	----	202.90B/176.60A	202.90B/176.60A	----	----	195.10 + 3.10	.3953	----	----	2	----	357	UNCH
4910	----	----	----	199.10B/*174.20	199.10B/*174.20A	----	----	192.00 + 3.10	.3906	----	----	----	----	6	+
4925	----	----	----	194.60B/169.70A	194.60B/169.70A	----	----	187.30 + 3.00	.3836	----	----	1	----	241	+
4950	----	----	----	186.90B/163.10A	186.90B/163.10A	----	----	179.80 + 2.70	.3721	----	----	----	----	103	UNCH
4955	----	----	----	185.20B/*161.80	185.20B/*161.80A	----	----	178.30 + 2.60	.3699	----	----	----	----	10	UNCH
4960	----	----	----	183.70B/*160.50	183.70B/*160.50A	----	----	176.80 + 2.50	.3676	----	----	----	----	10	UNCH
4975	----	----	----	179.00B/156.60A	179.00B/156.60A	----	----	172.50 + 2.30	.3608	----	----	----	----	50	UNCH
5000	150.00	----	150.00	172.00B/149.90A	172.00B/149.90A	----	----	165.60 + 2.00	.3499	----	----	8	----	2406	-
5005	----	----	----	170.30B/*148.90	170.30B/*148.90A	----	----	164.20 + 1.90	.3476	----	----	----	----	4	UNCH
5020	----	----	----	166.30B/*145.50	166.30B/*145.50A	----	----	160.20 + 1.70	.3412	----	----	----	----	1	UNCH
5025	----	----	----	165.00B/144.20A	165.00B/144.20A	----	----	158.90 + 1.70	.3391	----	----	----	----	218	UNCH
5045	----	----	----	159.60B/*139.60	159.60B/*139.60A	----	----	153.80 + 1.50	.3306	----	----	----	----	1	UNCH
5050	----	----	----	158.20B/*138.70	158.20B/*138.70A	----	----	152.50 + 1.50	.3285	----	----	----	----	102	UNCH
5055	----	----	----	156.90B/*137.40	156.90B/*137.40A	----	----	151.20 + 1.40	.3264	----	----	----	----	1	UNCH
5070	----	----	----	153.60B/*134.00	153.60B/*134.00A	----	----	147.60 + 1.30	.3203	----	----	----	----	13	UNCH
5075	----	----	----	151.90B/*132.60	151.90B/*132.60A	----	----	146.40 + 1.30	.3183	----	----	----	----	31	UNCH
5090	----	----	----	148.40B/*129.60	148.40B/*129.60A	----	----	142.80 + 1.20	.3122	----	----	----	----	17	UNCH
5100	143.00	----	143.00	146.00B/127.70A	146.00B/127.70A	----	----	140.50 + 1.10	.3082	----	----	14	----	362	+
5125	----	----	----	140.20B/*122.30	140.20B/*122.30A	----	----	134.80 + 0.90	.2984	----	----	----	----	70	UNCH
5150	----	----	----	134.60B/*117.50	134.60B/*117.50A	----	----	129.40 + 0.80							



BULLETIN # 96@				METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS															
DEC26																
6400	----	----	----	---/*26.50A	24.80B/26.50A	----	----	----	27.20 + 0.50	.0691	----	----	----	----	686 UNCH	
6500	----	----	----	---/24.50A	22.80B/24.50A	----	----	----	25.20 + 0.50	.0637	----	----	----	----	5360 UNCH	
6750	----	----	----	----	19.20B/*21.20A	----	----	----	21.30 + 0.40	.0530	----	----	----	----	104 UNCH	
6775	----	----	----	----	18.80B/*20.80A	----	----	----	21.00 + 0.40	.0522	----	----	2	----	163 - 1	
6800	----	----	----	----	18.60B/*20.60A	----	----	----	20.70 + 0.40	.0513	----	----	2	----	1817 UNCH	
6900	----	----	----	----	17.60B/*19.60A	----	----	----	19.60 + 0.30	.0482	----	----	10	----	83 + 2	
7000	----	----	----	----	16.80B/18.60A	----	----	----	18.70 + 0.20	.0455	----	----	100	----	4536 + 12	
7130	----	----	----	----	15.90B/*17.70A	----	----	----	17.70 + 0.20	.0425	----	----	----	----	200 UNCH	
7175	----	----	----	----	15.70B/*17.50A	----	----	----	17.50 + 0.30	.0418	----	----	----	----	125 UNCH	
7250	----	----	----	----	15.30B/*17.00A	----	----	----	17.10 + 0.30	.0405	----	----	----	----	108 UNCH	
7500	----	----	----	----	14.30B/16.10A	----	----	----	16.10 + 0.40	.0369	----	----	4	----	114 - 4	
8000	13.60	13.60		13.60/13.60	13.60/13.60	----	----	----	14.90 + 0.80	.0321	----	----	161	----	1396 + 3	
8125	----	----	----	----	12.60B/*13.90A	----	----	----	14.60 + 0.80	.0310	----	----	----	----	801 UNCH	
8500	----	----	----	----	11.90B/13.10A	----	----	----	13.80 + 0.90	.0283	----	----	----	----	170 UNCH	
8630	----	----	----	----	11.70B/*13.10A	----	----	----	13.50 + 0.90	.0274	----	----	----	----	400 UNCH	
8725	----	----	----	----	11.50B/*12.90A	----	----	----	13.30 + 0.90	.0267	----	----	----	----	250 UNCH	
8775	----	----	----	----	12.00B/*12.80A	----	----	----	13.20 + 0.80	.0264	----	----	----	----	33 UNCH	
9000	12.50	12.50		13.00B/12.50	13.00B/12.50	----	----	----	12.80 + 0.80	.0252	----	----	2	----	274 UNCH	
9500	----	----	----	----	10.50B/11.80A	----	----	----	12.10 + 0.60	.0229	----	----	----	----	303 UNCH	
9900	----	----	----	----	9.90B/*11.20A	----	----	----	11.70 + 0.60	.0215	----	----	----	----	17 UNCH	
10000	10.90	10.90		12.00/10.90	12.00/10.90	----	----	----	11.60 + 0.50	.0211	----	----	853	----	9994 + 616	
11000	----	----	----	----	9.70B/10.10A	----	----	----	10.60 + 0.60	.0182	----	----	----	----	486 UNCH	
13000	----	----	----	----	5.90B/7.70A	----	----	----	8.30 + 0.90	.0133	----	----	12	----	642 UNCH	
15000	5.30	5.30		5.60B/*5.30	5.60B/*5.30	----	----	----	6.00 + 1.00	.0093	----	----	2	----	23151 UNCH	
17000	----	----	----	----	2.80B/4.40A	----	----	----	4.20 + 0.80	.0065	----	----	----	----	26 UNCH	
19000	----	----	----	----	2.00B/3.20A	----	----	----	3.00 + 0.50	.0046	----	----	----	----	7 UNCH	
20000	2.20	2.20		2.70/2.20	2.70/2.20	----	----	----	2.50 + 0.40	.0038	----	----	13	----	25433 + 9	
21000	----	----	----	----	1.40B/2.40A	----	----	----	2.10 + 0.30	.0032	----	----	----	----	31 UNCH	
24000	----	----	----	----	0.40B/1.50A	----	----	----	1.30 + 0.20	.0020	----	----	----	----	32 UNCH	
TOTAL													1365	150	111651+ 677	
JAN27																
4190	----	----	----	----	470.70B/729.50A	----	----	----	610.20 + 12.80	.7498	----	----	----	----	1 UNCH	
4290	----	----	----	538.70B/*500.90	538.70B/*500.90A	----	----	----	541.20 + 10.90	.7089	----	----	----	----	1 UNCH	
4300	----	----	----	539.00B/494.60A	539.00B/494.60A	----	----	----	534.60 + 10.80	.7047	----	----	----	----	1 UNCH	
4400	----	----	----	479.70B/*434.80	479.70B/*434.80A	----	----	----	470.90 + 9.00	.6605	----	----	----	----	1 UNCH	
4500	----	----	----	423.30B/*380.10	423.30B/*380.10A	----	----	----	412.50 + 7.60	.6140	----	----	----	----	1 UNCH	
4600	----	----	----	369.80B/*329.70	369.80B/*329.70A	----	----	----	359.40 + 6.20	.5659	----	----	----	----	4 UNCH	
4650	----	----	----	345.30B/*307.20	345.30B/*307.20A	----	----	----	334.90 + 5.60	.5416	----	----	----	----	2 UNCH	
4700	----	----	----	321.50B/*285.90	321.50B/*285.90A	----	----	----	311.80 + 5.00	.5173	----	----	1	----	4 + 1	
4710	----	----	----	316.90B/*281.90	316.90B/*281.90A	----	----	----	307.40 + 5.00	.5125	----	----	----	----	3 UNCH	
4750	----	----	----	299.30B/*265.90	299.30B/*265.90A	----	----	----	290.10 + 4.50	.4933	----	----	----	----	8 UNCH	
4760	----	----	----	295.40B/*262.10	295.40B/*262.10A	----	----	----	285.90 + 4.40	.4885	----	----	----	----	101 UNCH	
4800	----	----	----	279.10B/*247.20	279.10B/*247.20A	----	----	----	269.70 + 4.00	.4696	----	----	1	----	2 + 1	
4850	----	----	----	259.00B/*229.60	259.00B/*229.60A	----	----	----	250.70 + 3.50	.4465	----	----	----	----	1 UNCH	
4875	----	----	----	249.90B/*221.80	249.90B/*221.80A	----	----	----	241.60 + 3.20	.4351	----	----	----	----	4 UNCH	
4900	----	----	----	241.00B/*214.10	241.00B/*214.10A	----	----	----	232.90 + 3.00	.4238	----	----	----	----	10 UNCH	
5000	----	----	----	207.70B/*184.60	207.70B/*184.60A	----	----	----	201.00 + 2.30	.3806	----	----	----	----	28 UNCH	
5050	----	----	----	192.90B/*171.40	192.90B/*171.40A	----	----	----	186.70 + 2.00	.3601	----	----	----	----	100 UNCH	
5100	----	----	----	179.00B/*159.30	179.00B/*159.30A	----	----	----	173.50 + 1.90	.3405	----	----	----	----	1 UNCH	
5130	----	----	----	171.60B/*152.50	171.60B/*152.50A	----	----	----	166.10 + 1.80	.3291	----	----	----	----	1 UNCH	
5195	----	----	----	155.70B/*138.60	155.70B/*138.60A	----	----	----	151.10 + 1.60	.3055	----	----	----	----	5 UNCH	
5200	----	----	----	154.50B/*137.50	154.50B/*137.50A	----	----	----	150.00 + 1.60	.3038	----	----	----	1100	UNCH	
5250	----	----	----	143.60B/*128.10	143.60B/*128.10A	----	----	----	139.60 + 1.60	.2868	----	----	----	----	7 UNCH	
5300	----	----	----	133.40B/*119.50	133.40B/*119.50A	----	----	----	129.90 + 1.40	.2705	----	----	1	----	1 UNCH	
5400	----	----	----	115.30B/*103.70	115.30B/*103.70A	----	----	----	112.80 + 1.10	.2407	----	----	----	----	2 UNCH	
5450	----	----	----	107.50B/*96.90A	107.50B/*96.90A	----	----	----	105.20 + 1.00	.2270	----	----	----	----	6 UNCH	
5500	----	----	----	100.20B/*90.60A	100.20B/*90.60A	----	----	----	98.20 + 0.80	.2141	----	----	1	----	60 UNCH	
5550	----	----	----	93.50B/*84.70A	93.50B/*84.70A	----	----	----	91.80 + 0.60	.2021	----	----	----	4	UNCH	
5700	----	----	----	76.60B/*70.10A	76.60B/*70.10A	----	----	----	75.40	NEW .1701	----	----	1	----	1 + 1	
5820	----	----	----	65.80B/*61.00A	65.80B/*61.00A	----	----	----	65.00 - 0.10	.1488	----	----	----	----	6 UNCH	
5850	----	----	----	63.30B/*59.00A	63.30B/*59.00A	----	----	----	62.70 - 0.20	.1440	----	----	----	----	3 UNCH	
5900	----	----	----	59.70B/*55.70A	59.70B/*55.70A	----	----	----	59.10 - 0.30	.1364	----	----	----	----	6 UNCH	
6000	----	----	----	/*50.50A	52.50B/*50.50A	----	----	----	52.80 - 0.30	.1228	----	----	1	----	253 UNCH	
6025	----	----	----	/*48.30A	51.10B/*48.30A	----	----	----	51.40 - 0.30	.1197	----	----	----	----	1 UNCH	
6300	----	----	----	/*37.60A	38.50B/*37.60A	----	----	----	38.90 - 0.40	.0916	----	----	----	----	3 UNCH	
6500	----	----	----	----	29.70B/*32.90A	----	----	----	32.60 - 0.30	.0768	----	----	----	----	6 UNCH	
20000	----	----	----	----	3.30B/5.80A	----	----	----	5.00 + 0.70	.0069	----	----	----	----	126 UNCH	
TOTAL													6		1864+ 3	
FEB27																
4500	----	----	----	439.10B/*399.80	439.10B/*399.80A	----	----	----	43							



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 96@										METALS OPTION PRODUCTS					Wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE			SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																		
JUN27																			
10000	----	----		----	----	----		----		16.40 + 0.50	.0279	----	----	----	----		3	UNCH	
TOTAL																	609	0	
DEC27																			
4860	----	----		----	----	----		----		585.10 + 10.50	.5509	----	----	----	----		100	UNCH	
5000	----	----		----	----	----		----		529.40 + 9.70	.5150	----	----	----	----		50	UNCH	
5650	----	----		----	----	----		----		326.60 + 6.80	.3645	----	----	----	----		200	UNCH	
5700	----	----		----	----	----		----		314.60 + 6.70	.3543	----	----	----	----		150	UNCH	
5800	----	----		----	----	----		----		292.00 + 6.30	.3348	----	----	----	----		200	UNCH	
5880	----	----		----	----	----		----		275.20 + 6.00	.3198	----	----	----	----		125	UNCH	
6300	----	----		----	----	----		----		203.30 + 4.60	.2511	----	----	----	----		18	UNCH	
7500	----	----		----	----	----		----		97.60 + 2.40	.1325	----	----	----	----		170	UNCH	
7800	----	----		----	----	----		----		84.30 + 2.00	.1155	----	----	----	----		284	UNCH	
10000	----	----		----	35.00B/----	----		----		42.30 + 1.00	.0570	----	----	----	----		103	UNCH	
10500	----	----		----	----	----		----		38.10 + 0.80	.0509	----	----	----	----		10	UNCH	
TOTAL																	1410	0	
DEC28																			
5750	----	----		----	----	----		----		538.90 + 8.20	.4388	----	----	----	----		100	UNCH	
TOTAL																	100	0	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE			SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE																		
JUN26																			
4400	----	----		----	----	----		----		17.90 - 9.00	.1647	----	----	----	----		1	UNCH	
TOTAL																	1	0	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE			SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK3																		
MAY26																			
3700	----	----		#854.70B/*757.2	854.70B/*757.20A	----		----		835.30 + 24.00	----	----	----	----	----		0	UNCH	
3750	----	----		#804.70B/*707.2	804.70B/*707.20A	----		----		785.30 + 24.00	----	----	----	----	----		0	UNCH	
3800	----	----		----/*0.60A	0.80B/*0.60A	----		----		0.50 - 0.60	.0028	----	----	----	----		1	UNCH	
3900	----	----		----/*0.10A	----	----		----		0.00 - 0.10	----	----	----	----	----		0 -	42	
3900	----	----		----/*0.90A	1.30B/*0.90A	----		----		0.70 - 0.70	.0043	----	----	----	----		2	UNCH	
4000	----	----		----/*0.10A	----	----		----		0.00 - 0.10	----	----	----	----	----		0 -	8	
4000	1.80	1.80		1.80/*0.70	1.90B/*0.70	----		----		0.90 NEW	.0064	----	----	5	----		4 +	4	
4075	----	----		----/*0.20A	----	----		----		0.00 - 0.10	----	----	----	----	----		0 -	1	
4100	----	----		----/*0.10A	----	----		----		0.00 - 0.10	----	----	----	----	----		0 -	4	
4105	----	----		----/*0.20A	----	----		----		0.00 - 0.10	----	----	----	----	----		0 -	6	
4120	----	----		----/*0.20A	----	----		----		0.00 - 0.10	----	----	----	----	----		0 -	3	
4125	----	----		3.60B/1.80A	3.60B/1.80A	----		----		1.60 - 1.40	.0133	----	----	2	----		7	UNCH	
4135	----	----		----/*0.20A	----	----		----		0.00 - 0.20	----	----	----	----	----		0 -	1	
4150	----	----		----/*0.20A	----	----		----		0.00 - 0.20	----	----	----	----	----		0 -	2	
4150	2.00	2.00		4.20B/1.90A	4.20B/1.90A	----		----		1.80 - 1.60	.0155	----	----	7	----		17 +	6	
4155	----	----		----/*0.20A	----	----		----		0.00 - 0.20	----	----	----	----	----		0 -	1	
4160	----	----		----/*0.20A	----	----		----		0.00 - 0.30	----	----	----	----	----		0 -	5	
4165	----	----		----/*0.20A	----	----		----		0.00 - 0.30	----	----	----	----	----		0 -	5	
4175	----	----		----/*0.20A	----	----		----		0.00 - 0.30	----	----	----	----	----		0 -	3	
4175	----	----		4.90B/2.10A	4.90B/2.10A	----		----		2.00 NEW	.0178	----	----	2	----		2 +	2	
4180	----	----		----/*0.20A	----	----		----		0.00 - 0.30	----	----	----	----	----		0 -	1	
4200	0.40	0.40		0.40/*0.10	0.40/*0.10	----		----		0.00 - 0.40	----	----	----	6	----		0 -	78	
4200	6.00	6.00		6.20B/2.40A	6.20B/2.40A	----		----		2.30 - 2.10	.0212	----	----	8	----		28 +	3	
4205	----	----		----/*0.20A	----	----		----		0.00 - 0.40	----	----	----	----	----		0 -	3	
4210	0.30	0.30		0.30/*0.10A	0.30/*0.10A	----		----		0.00 - 0.40	----	----	----	4	----		0 -	2	
4220	----	----		----/*0.10A	0.30B/*0.10A	----		----		0.00 - 0.40	----	----	----	----	----		0 -	1	
4225	----	----		----/*0.10A	0.30B/*0.10A	----		----		0.00 - 0.40	----	----	----	----	----		0 -	16	
4225	4.30	4.30		7.30B/2.70A	7.30B/2.70A	----		----		2.70 - 2.40	.0256	----	----	3	----		4 +	2	
4235	----	----		----/*0.10A	0.40B/*0.10A	----		----		0.00 - 0.50	----	----	----	----	----		0 -	2	
4240	----	----		----/*0.10A	0.50B/*0.10A	----		----		0.00 - 0.50	----	----	----	----	----		0 -	2	
4245	----	----		----/*0.10A	0.50B/*0.10A	----		----		0.00 - 0.50	----	----	----	----	----		0 -	2	
4250	0.20	0.20		0.20/*0.10A	0.50B/*0.10A	----		----		0.00 - 0.60	----	----	----	3	----		0 -	8	
4250	6.60	6.60		9.70/2.90	9.70/2.90	----		----		3.20 - 2.70	.0313	----	----	12	----		22 +	1	
4260	----	----		----/*0.10A	0.60B/*0.10A	----		----		0.00 - 0.60	----	----	----	----	----		0 -	7	
4265	0.90	0.90		0.90/*0.10A	0.90/*0.10A	----		----		0.00 - 0.70	----	----	----	2	----		0 -	1	
4270	0.80	0.80		0.80/*0.10A	0.80/*0.10A	----		----		0.00 - 0.70	----	----	----	1	----		0 -	1	
4275	8.40	8.40		10.70B/3.20	10.70B/3.20	----		----		3.70 - 3.20	.0374	----	----	4	----		16 +	3	
4280	----	----		----/*0.10A	0.80B/*0.10A	----		----		0.00 - 0.80	----	----	----	----	----		0 -	1	
4295	----	----		1.00B/*0.10A	1.00B/*0.10A	----		----		0.00 - 0.90	----	----	----	----	----		0 -	1	
4300	1.20	1.20		1.40/*0.10A	1.40/*0.10A	----		----		0.00 - 1.00	----	----	----	12	----		0 -	35	
4300	10.60	10.60		12.70B/4.30A	12.70B/4.30A	----		----		4.50 - 3.70	.0466	----	----	166	----		165 +	162	
4305	----	----		1.20B/*0.10A	1.20B/*0.10A	----		----		0.00 - 1.00	----	----	----	----	----		0 -	4	
4315	0.30	0.30		1.50B/*0.10A	1.50B/*0.10A	----		----		0.00 - 1.20	----	----	----	10	----		0 -	3	
4320	1.50	1.50		1.50/*0.10A	1.50/*0.10A	----		----		0.00 - 1.20	----	----	----	1	----		0 -	1	
4325	1.00	1.00		1.70B/*0.10A	1.70B/*0.10A	----		----		0.00 - 1.30	----	----	----	2	----		0 -	17	
4325	16.20	16.20		16.20/5.10A	16.20/5.10A	----		----		5.40 - 4.40	.0575	----	----	45	----		73 +	15	
4330	1.50	1.50		1.70B/*0.10A	1.70B/*0.10A	----		----		0.00 - 1.40	----	----	----	2	----		0 -	1	
4340	----	----		2.10B/*0.20A	2.10B/*0.20A	----		----		0.00 - 1.50	----	----	----	----	----		0 -	12	
4345	----	----		2.20B/*0.20A	2.20B/*0.20A	----		----		0.00 - 1.60	----	----	----	----	----		0 -	3	
4350	2.40	2.40		2.90/*															

BULLETIN # 96@			METALS OPTION PRODUCTS										wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST				
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK3																	
MAY26																	
4500	20.00	20.00	54.70B/*1.70A	54.70B/*1.70A	----	35.30 + 5.10	----	129	----	369	----	0 -	84				
4500	26.50	26.50	49.60B/*0.10	49.60B/*0.10	----	0.00 - 19.00	----	----	----	134	----	0 -	137				
4500	----	----	112.50B/*56.40A	112.50B/*56.40A	----	95.90 + 10.40	.7099	----	----	1	----	51 +	1				
4500	45.00	45.00	65.50B/23.00A	65.50B/23.00A	----	26.90 - 14.10	.2899	----	----	28	----	30 +	26				
4505	39.00	39.00	55.00/*0.10	55.00/*0.10	----	0.00 - 21.10	----	----	----	55	----	0 -	17				
4505	22.00	22.00	49.60B/*1.20A	49.60B/*1.20A	----	30.30 + 3.00	----	64	----	130	----	0 -	11				
4510	11.20	11.20	44.80B/*0.90	44.80B/*0.90	----	25.30 + 0.80	----	107	----	152	----	0 -	29				
4510	35.80	35.80	57.70B/*0.10	57.70B/*0.10	----	0.00 - 23.30	----	----	----	39	----	0 -	147				
4515	5.60	5.60	39.90B/*0.60A	39.90B/*0.60A	----	20.30 - 1.60	----	38	----	83	----	0 -	44				
4515	26.10	26.10	#62.00B/*0.10A	#62.00B/*0.10A	----	0.00 - 25.70	----	----	----	38	----	0 -	4				
4520	21.00	21.00	#66.40B/*0.10	#66.40B/*0.10	----	0.00 - 28.30	----	----	----	152	----	0 -	28				
4520	10.00	10.00	34.90B/*0.50A	34.90B/*0.50A	----	15.30 - 4.20	----	47	----	124	----	0 -	19				
4525	45.50	45.50	71.00B/*0.10	71.00B/*0.10	----	0.00 - 31.10	----	----	----	35	----	0 -	38				
4525	5.00	5.00	30.10B/*0.30A	30.10B/*0.30A	----	10.30 - 7.00	----	68	----	122	----	0 -	11				
4525	48.50	48.50	94.20B/*43.00	94.20B/*43.00	----	78.50 NEW	.6420	----	----	15	----	7 +	7				
4525	48.60	48.60	78.70B/29.10A	78.70B/29.10A	----	34.50 - 16.00	.3578	----	----	13	----	11 +	3				
4530	12.20	12.20	25.70B/*0.20	25.70B/*0.20	----	5.30 - 10.00	----	38	----	118	----	0 -	16				
4530	9.70	9.70	#75.60B/*0.10	#75.60B/*0.10	----	0.00 - 34.10	----	----	----	49	----	0 -	9				
4535	8.80	8.80	#80.50B/*0.60A	#80.50B/*0.60A	----	0.00 - 37.30	----	----	----	42	----	0 -	2				
4535	2.40	2.40	21.30B/*0.30	21.30B/*0.30	----	0.30 - 13.20	----	24	----	69	----	0 -	14				
4540	2.20	2.20	17.20B/*0.10A	17.20B/*0.10A	----	0.00 - 11.90	----	----	----	84	----	0 -	24				
4540	37.80	37.80	#85.20B/*1.80A	#85.20B/*1.80A	----	4.70 - 36.00	----	31	----	35	----	0 -	6				
4545	23.90	23.90	#89.70B/*6.00A	#89.70B/*6.00A	----	9.70 - 34.50	----	48	----	50	----	0 -	22				
4545	5.60	5.60	14.50/*0.10	14.50/*0.10	----	0.00 - 10.40	----	----	----	84	----	0 -	18				
4550	28.00	28.00	94.50B/*6.00	94.50B/*6.00	----	14.70 - 33.20	----	102	----	71	----	0 -	153				
4550	5.70	5.70	10.20/*0.10	10.20/*0.10	----	0.00 - 9.10	----	----	----	179	----	0 -	87				
4550	86.00	86.00	94.60B/37.50A	94.60B/37.50A	----	43.90 - 17.90	.4333	----	----	55	----	28 +	3				
4550	41.70	41.70	77.40B/*33.10A	77.40B/*33.10A	----	63.00 + 6.70	.5664	----	----	152	40	55 +	52				
4555	0.90	0.90	8.00/*0.10	8.00/*0.10	----	0.00 - 8.00	----	----	----	47	----	0 -	8				
4555	----	----	#99.30B/*9.70A	#99.30B/9.70A	----	19.70 - 32.10	----	9	----	9	----	0 -	9				
4560	5.10	5.10	6.20/*0.20A	6.20/*0.20A	----	0.00 - 7.00	----	----	----	60	----	0 -	30				
4560	----	----	#104.20B/*12.40	#104.20B/12.40A	----	24.70 - 31.10	----	26	----	----	----	0 -	26				
4565	----	----	#109.00B/*15.60	#109.00B/15.60A	----	29.70 - 30.20	----	4	----	6	----	0 -	1				
4565	2.60	2.60	3.40B/*0.10	3.40B/*0.10	----	0.00 - 6.10	----	----	----	36	----	0 -	15				
4570	66.10	66.10	#113.90B/19.30A	#113.90B/19.30A	----	34.70 - 29.40	----	8	----	11	----	0 -	5				
4570	2.50	2.50	3.00/*0.10	3.00/*0.10	----	0.00 - 5.30	----	----	----	274	----	0 -	200				
4575	0.90	0.90	1.00/*0.10	2.50B/*0.10	----	0.00 - 4.60	----	----	----	36	----	0 -	103				
4575	----	----	118.50B/22.90A	118.50B/22.90A	----	39.70 - 28.70	----	61	----	5	----	0 -	60				
4575	----	----	111.40B/47.70A	111.40B/47.70A	----	55.40 - 19.60	.5137	----	----	6	----	7 +	2				
4575	34.00	34.00	62.50B/*24.80A	62.50B/*24.80A	----	49.50 + 4.90	.4861	----	----	53	----	50 +	24				
4580	----	----	#123.40B/*27.10	#123.40B/27.10A	----	44.70 - 28.10	----	23	----	1	----	0 -	24				
4580	0.20	0.20	0.30/*0.10	1.90B/*0.10	----	0.00 - 4.10	----	----	----	9	----	0 -	7				
4585	----	----	#128.60B/*31.70	#128.60B/31.70A	----	49.70 - 27.60	----	1	----	----	----	0 -	1				
4585	0.60	0.60	0.80/*0.10A	1.70B/*0.10A	----	0.00 - 3.50	----	----	----	6	----	0 -	36				
4590	----	----	#133.20B/36.30A	#133.20B/36.30A	----	54.70 - 27.20	----	1	----	----	----	0 -	1				
4590	0.40	0.40	0.40/*0.10A	1.30B/*0.10A	----	0.00 - 3.10	----	----	----	10	----	0 -	24				
4595	0.20	0.20	0.20/*0.10A	1.10B/*0.10A	----	0.00 - 2.70	----	----	----	5	----	0 -	23				
4600	----	----	#143.10B/45.90A	#143.10B/45.90A	----	64.70 - 26.50	----	54	----	1	----	0 -	54				
4600	1.00	1.00	1.00/*0.10	1.00/*0.10	----	0.00 - 2.40	----	----	----	174	----	0 -	396				
4600	25.20	25.20	49.80B/*18.30A	49.80B/*18.30A	----	38.10 + 3.40	.4052	----	----	5	----	43 -	1				
4600	----	----	130.10B/59.90A	130.10B/59.90A	----	69.00 - 21.10	.5945	----	----	----	----	5	UNCH				
4605	----	----	#148.10B/50.80A	#148.10B/50.80A	----	69.70 - 26.20	----	8	----	8	----	0 -	8				
4605	0.40	0.40	0.40/*0.10A	0.50B/*0.10A	----	0.00 - 2.10	----	----	----	5	----	0 -	11				
4610	----	----	#153.10B/55.40A	#153.10B/55.40A	----	74.70 - 25.90	----	5	----	5	----	0 -	5				
4610	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 -	3				
4615	108.00	108.00	#158.20B/60.70A	#158.20B/60.70A	----	79.70 - 25.70	----	2	----	2	----	0 -	2				
4615	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 1.60	----	----	----	11	----	0 -	12				
4620	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.40	----	----	----	2	----	0 -	20				
4625	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.30	----	----	----	1	----	0 -	29				
4625	----	----	#168.00B/70.30A	#168.00B/70.30A	----	89.70 - 25.30	----	119	----	1	----	0 -	119				
4625	----	----	#149.90B/73.60A	#149.90B/73.60A	----	84.70 - 22.30	.6716	----	----	----	----	4	UNCH				
4625	----	----	38.80B/*13.50A	38.80B/*13.50A	----	28.80 + 2.20	.3281	----	----	2	----	4 +	2				
4630	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	1	----	0 -	91				
4635	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.00	----	----	----	3	----	0 -	11				
4635	----	----	#178.10B/80.30A	#178.10B/80.30A	----	99.70 - 25.10	----	1	----	1	----	0 -	1				
4640	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.90	----	----	----	8	----	0 -	15				
4645	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----							

PG64		BULLETIN # 96@										METALS OPTION PRODUCTS										Wed, May 20, 2026										PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK4																																	
MAY26																																	
4975	----	----	----	1.70B/*0.90A	1.70B/*0.90A	----	1.20	+ 0.20		.0125	----	----	----	----	----		11	UNCH															
4980	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	1														
4990	----	----	----	#532.90B/*435.3	#532.90B/435.30A	----	454.70	- 24.20			----	----	----	----	----		0	UNCH															
5000	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	13														
5000	1.20	1.20		1.50B/1.20	1.50B/0.90A	----	1.10	+ 0.20		.0111	----	----	----	3		8	+	2															
5010	----	----	----	#552.80B/*455.3	#552.80B/455.30A	----	474.70	- 24.20			----	----	----	----	----		0	UNCH															
5025	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	7														
5035	----	----	----	#577.80B/*480.3	#577.80B/480.30A	----	499.70	- 24.20			----	----	----	----	----		0	UNCH															
5050	----	----	----	#592.80B/495.30	#592.80B/495.30A	----	514.70	- 24.20			----	----	----	----	----		0	UNCH															
5050	----	----	----	----	----	----	0.00	- 0.10			----	----	----	2		0	-	4															
5055	----	----	----	#597.80B/*500.3	#597.80B/500.30A	----	519.70	- 24.20			----	----	----	----	----		0	UNCH															
5075	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	3														
5090	----	----	----	#632.80B/*535.3	#632.80B/535.30A	----	554.70	- 24.20			----	----	----	----	----		0	UNCH															
5095	----	----	----	#637.80B/*540.3	#637.80B/540.30A	----	559.70	- 24.20			----	----	----	----	----		0	UNCH															
5100	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	31														
5100	0.60	0.60		1.00B/*0.60	1.00B/*0.60	----	0.60	+ 0.20		.0054	----	----	----	2		18	UNCH																
5125	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	1														
5125	----	----	----	0.90B/----	0.90B/*0.60A	----	0.60	+ 0.20		.0052	----	----	----	----	----		11	UNCH															
5150	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	7														
5200	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	3														
5200	----	----	----	0.60B/----	0.60B/*0.60A	----	0.30	+ 0.10		.0025	----	----	----	----	----		9	UNCH															
5225	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	3														
5250	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	1														
5250	----	----	----	0.50B/----	0.50B/*0.60A	----	0.20	+ 0.10		.0016	----	----	----	----	----		2	UNCH															
5300	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	40														
5300	----	----	----	0.40B/----	0.40B/*0.50A	----	0.20	+ 0.10		.0015	----	----	----	----	----		6	UNCH															
5400	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	6														
5400	----	----	----	0.30B/----	0.30B/*0.40A	----	0.10	UNCH		.0007	----	----	----	----	----		1	UNCH															
5500	----	----	----	----	----	----	0.10	UNCH		.0001	----	----	----	----	----		3	UNCH															
5600	----	----	----	----	----	----	0.00	- 0.10			----	----	----	----	----		0	-	4														
5600	----	----	----	----	----	----	0.10	UNCH		.0000	----	----	----	----	----		1	UNCH															
TOTAL														5734		40	1413	-															
JUN26																																	
3900	----	----	----	----/*2.30A	2.70B/2.30A	----	2.10	- 0.80		.0137	----	----	----	----	----		19	UNCH															
4000	----	----	----	----/*3.00A	4.10B/3.00A	----	2.80	- 1.40		.0199	----	----	----	----	----		3	UNCH															
4175	5.40	5.40		11.20B/*5.40	11.20B/*5.40	----	5.70	NEW		.0460	----	----	----	1		1	+	1															
4200	16.10	16.10		19.00B/*11.20A	19.00B/*11.20A	----	11.60	- 4.90		.0808	----	----	----	1		2	+	1															
4200	----	----	----	12.90B/6.40A	12.90B/6.40A	----	6.50	- 3.60		.0531	----	----	----	----	----		1	UNCH															
4250	----	----	----	25.00B/*14.30A	25.00B/14.30A	----	15.10	- 6.20		.1049	----	----	----	----	----		1	UNCH															
4250	12.50	12.50		18.10B/8.20A	18.10B/8.20A	----	8.40	- 4.70		.0704	----	----	1			3	+	1															
4275	----	----	----	30.10B/*16.30A	30.10B/16.30A	----	17.30	- 7.10		.1198	----	----	----	----	----		2	UNCH															
4275	----	----	----	21.40B/9.30A	21.40B/9.30A	----	9.80	- 5.30		.0825	----	----	----	----	----		11	UNCH															
4300	27.40	27.40		34.40B/*18.60A	34.40B/18.60A	----	20.00	- 7.80		.1372	----	----	1			2	+	1															
4300	----	----	----	24.50B/10.70A	24.50B/10.70A	----	11.40	- 6.00		.0965	----	----	----	----	----		2	UNCH															
4325	----	----	----	28.80B/12.60A	28.80B/12.60A	----	13.40	- 6.90		.1135	----	----	----	----	----		1	UNCH															
4350	----	----	----	34.00B/14.80A	34.00B/14.80A	----	15.90	- 7.80		.1341	----	----	----	----	----		10	UNCH															
4375	----	----	----	51.00B/*28.80A	51.00B/28.80A	----	31.00	- 10.80		.2045	----	----	----	----	----		100	UNCH															
4375	----	----	----	39.80B/17.40A	39.80B/17.40A	----	19.00	- 8.80		.1586	----	----	----	----	----		8	UNCH															
4400	39.90	39.90		#47.50B/20.80A	#47.50B/20.80A	----	22.80	- 9.90		.1874	----	----	----	56		56</																	



PRELIMINARY



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3															
MAY26																	
4500	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4500	----	----		----	----	----	----		11.20	UNCH	----	----	----	----	0	UNCH	
4505	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4505	----	----		----	----	----	----		6.20	UNCH	----	----	----	----	0	UNCH	
4510	----	----		----	----	----	----		1.20	UNCH	----	----	----	----	0	UNCH	
4510	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4515	----	----		----	----	----	----		3.80	UNCH	----	----	----	----	0	UNCH	
4515	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4520	----	----		----	----	----	----		8.80	UNCH	----	----	----	----	0	UNCH	
4520	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4525	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4525	----	----		----	----	----	----		13.80	UNCH	----	----	----	----	0	UNCH	
4530	----	----		----	----	----	----		18.80	UNCH	----	----	----	----	0	UNCH	
4530	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4535	----	----		----	----	----	----		23.80	UNCH	----	----	----	----	0	UNCH	
4535	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4540	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4540	----	----		----	----	----	----		28.80	UNCH	----	----	----	----	0	UNCH	
4545	----	----		----	----	----	----		33.80	UNCH	----	----	----	----	0	UNCH	
4545	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4550	----	----		----	----	----	----		38.80	UNCH	----	----	----	----	0	UNCH	
4550	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4555	----	----		----	----	----	----		43.80	UNCH	----	----	----	----	0	UNCH	
4555	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4560	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4560	----	----		----	----	----	----		48.80	UNCH	----	----	----	----	0	UNCH	
4565	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4565	----	----		----	----	----	----		53.80	UNCH	----	----	----	----	0	UNCH	
4570	----	----		----	----	----	----		58.80	UNCH	----	----	----	----	0	UNCH	
4570	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4575	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4575	----	----		----	----	----	----		63.80	UNCH	----	----	----	----	0	UNCH	
4580	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4580	----	----		----	----	----	----		68.80	UNCH	----	----	----	----	0	UNCH	
4585	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4585	----	----		----	----	----	----		73.80	UNCH	----	----	----	----	0	UNCH	
4590	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4590	----	----		----	----	----	----		78.80	UNCH	----	----	----	----	0	UNCH	
4595	----	----		----	----	----	----		83.80	UNCH	----	----	----	----	0	UNCH	
4595	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4600	----	----		----	----	----	----		88.80	UNCH	----	----	----	----	0	UNCH	
4600	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4605	----	----		----	----	----	----		93.80	UNCH	----	----	----	----	0	UNCH	
4605	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4610	----	----		----	----	----	----		98.80	UNCH	----	----	----	----	0	UNCH	
4610	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4615	----	----		----	----	----	----		103.80	UNCH	----	----	----	----	0	UNCH	
4615	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4620	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4620	----	----		----	----	----	----		108.80	UNCH	----	----	----	----	0	UNCH	
4625	----	----		----	----	----	----		113.80	UNCH	----	----	----	----	0	UNCH	
4625	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4630	----	----		----	----	----	----		118.80	UNCH	----	----	----	----	0	UNCH	
4630	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4635	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4635	----	----		----	----	----	----		123.80	UNCH	----	----	----	----	0	UNCH	
4640	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4645	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4650	----	----		----	----	----	----		138.80	UNCH	----	----	----	----	0	UNCH	
4650	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4655	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4660	----	----		----	----	----	----		148.80	UNCH	----	----	----	----	0	UNCH	
4660	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4665	----	----		----	----	----	----		153.80	UNCH	----	----	----	----	0	UNCH	
4665	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4670	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4675	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4675	----	----		----	----	----	----		163.80	UNCH	----	----	----	----	0	UNCH	
4680	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4685	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4700	----	----		----	----	----	----		188.80	UNCH	----	----	----	----	0	UNCH	
4700	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4710	----	----		----	----	----	----		198.80	UNCH	----	----	----	----	0	UNCH	
4715	----	----		----	----	----	----		203.80	UNCH	----	----	----	----	0	UNCH	
4725	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4725	----	----		----	----	----	----		213.80	UNCH	----	----	----	----	0	UNCH	
4740	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4745	----	----		----	----	----	----		233.80	UNCH	----	----	----	----	0	UNCH	
4750	----	----		----	----	----	----		238.80	UNCH	----	----	----	----	0	UNCH	
4755	----	----		----	----	----	----		243.80	UNCH	----	----	----	----	0	UNCH	
4765	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4775	----	----		----	----	----	----		0.00	UNCH	----	----	----	----	0	UNCH	
4800	----	----		----	----	----	----		288.80	UNCH	----	----	----	----	0	UNCH	
TOTAL															0	0	
JUN26																	
3250	----	----		-----/ *2.20A	2.00B/ *0.80A	----	----		0.10	- 0.10	.0004	----	----	----	2	UNCH	
3700	----	----		-----/ *5.50A	3.80B/ *2.20A	----	----		1.70	- 1.00	.0096	----	----	----	3	UNCH	
3800	----	----		-----/ *2.60A	3.50B/5.50A	----	----		4.00	NEW	.0218	----	1	----	1	+	
4000	----	----		-----/4.70A	6.00B/2.60A	----	----		2.40	- 1.20	.0174	----	----	----	1	UNCH	
4000	----	----			6.00B/ *4.70A	----	----		4.10	- 2.40	.0279	----	----	----	1	UNCH	
4100	----	----		5.90B/3.60A	5.90B/3.60A	----	----		3.50	- 2.00	.0276	----	----	----	2	UNCH	
4150	----	----		8.20B/4.40A	8.20B/4.40A	----	----		4.40	- 2.50	.0359	----	----	----	2	UNCH	
4175	----	----		9.60B/4.90A	9.60B/4.90A	----	----		5.00	- 2.80	.0414	----	----	----	2	UNCH	
4175	----	----		17.50B/ *9.10A	17.50B/ *9.10A												

BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026		PG64		
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWT TUE		GOLD WEEKLY TUESDAY OPTION week3																
JUN26																		
4575	----	----			114.30B/*78.90A	114.30B/*78.90A	----	----	----	104.00 + 5.00	.5022	----	----	----	----		1	UNCH
4575	----	----			138.50B/86.50A	138.50B/86.50A	----	----	----	93.80 - 19.40	.5006	----	----	9	----		5 -	4
4600	----	----			67.70B/*34.60A	67.70B/*34.60A	----	----	----	57.20 + 4.50	.4363	----	----	3	----		53 -	1
4600	----	----			102.10B/*69.90A	102.10B/*69.90A	----	----	----	92.10 + 4.00	.4643	----	----	250	----		321 +	161
4600	----	----			144.00B/79.60A	144.00B/79.60A	----	----	----	88.00 - 20.10	.5633	----	----	----	----		24	UNCH
4600	----	----			----	#169.50B/*130.80A	----	----	----	136.70 NEW	.5278	----	1	----	----		1 +	1
4600	----	----			154.90B/99.40A	154.90B/99.40A	----	----	----	107.00 - 20.30	.5455	----	1	----	----		0 -	1
4625	----	----			172.10B/113.00A	172.10B/113.00A	----	----	----	121.40 - 21.10	.5896	----	6	----	----		2 -	6
4625	----	----			75.60B/*45.30A	75.60B/*45.30A	----	----	----	65.60 + 3.40	.4098	----	----	----	----		150	UNCH
4650	----	----			46.40B/*22.70A	46.40B/*22.70A	----	----	----	38.30 NEW	.3266	----	4	----	----		2 +	2
4650	----	----			#182.60B/108.70	#182.60B/108.70A	----	----	----	119.20 - 22.00	.6730	----	----	----	----		1	UNCH
4675	----	----			38.00B/*18.40A	38.00B/*18.40A	----	----	----	31.00 + 1.70	.2771	----	----	----	----		1	UNCH
4675	----	----			#203.10B/125.50	#203.10B/125.50A	----	----	----	136.80 - 22.90	.7225	----	----	----	----		1	UNCH
4675	----	----			#207.50B/143.80	#207.50B/143.80A	----	----	----	153.70 - 22.50	.6732	----	----	----	----		1	UNCH
4675	----	----			56.20B/*32.80A	56.20B/*32.80A	----	----	----	48.00 + 2.10	.3263	----	----	----	----		3	UNCH
4700	20.00	20.00			31.00B/*14.90A	31.00B/*14.90A	----	----	----	25.00 + 1.10	.2327	----	3	----	----		1	UNCH
4700	----	----			#229.90B/161.00	#229.90B/161.00A	----	----	----	171.50 - 23.00	.7115	----	----	----	----		1	UNCH
4700	----	----			48.00B/*28.00A	48.00B/*28.00A	----	----	----	40.80 NEW	.2880	----	2	----	----		2 +	2
4700	----	----			61.70B/*40.40A	61.70B/*40.40A	----	----	----	55.50 + 1.80	.3223	----	----	----	----		16	UNCH
4725	13.50	13.50			25.00B/*12.10A	25.00B/*12.10A	----	----	----	20.10 + 0.70	.1936	----	3	----	----		3 +	2
4750	----	----			46.90B/*30.90A	46.90B/*30.90A	----	----	----	42.50 + 1.00	.2614	----	----	----	----		21	UNCH
4750	----	----			20.20B/*9.80A	20.20B/*9.80A	----	----	----	16.10 + 0.30	.1598	----	3	----	----		2 +	1
4750	----	----			#269.30B/183.70	#269.30B/183.70A	----	----	----	196.80 - 24.30	.8398	----	----	----	----		1	UNCH
4750	----	----			34.50B/*20.20A	34.50B/*20.20A	----	----	----	29.30 + 0.80	.2206	----	2	----	----		2 -	2
4775	----	----			16.20B/*8.10A	16.20B/*8.10A	----	----	----	13.00 + 0.10	.1318	----	3	----	----		1	UNCH
4775	----	----			#292.20B/205.10	#292.20B/205.10A	----	----	----	218.60 - 24.50	.8679	----	----	----	----		2	UNCH
4775	----	----			29.10B/*17.00A	29.10B/*17.00A	----	----	----	24.80 + 0.50	.1917	----	24	----	----		25 +	21
4800	----	----			35.80B/*23.60A	35.80B/*23.60A	----	----	----	32.30 + 0.40	.2089	----	----	----	----		6	UNCH
4800	----	----			13.40B/*6.70A	13.40B/*6.70A	----	----	----	10.50 UNCH	.1082	----	----	----	----		4	UNCH
4800	----	----			24.70B/*14.60A	24.70B/*14.60A	----	----	----	21.00 + 0.20	.1662	----	24	----	----		27 +	22
4825	----	----			31.10B/*20.60A	31.10B/*20.60A	----	----	----	28.00 UNCH	.1856	----	1	----	----		1	UNCH
4850	----	----			27.20B/*18.10A	27.20B/*18.10A	----	----	----	24.30 - 0.20	.1645	----	2	----	----		6	UNCH
4850	----	----			8.60B/*4.70A	8.60B/*4.70A	----	----	----	7.00 - 0.20	.0734	----	----	----	----		4	UNCH
4875	----	----			7.30B/*4.00A	7.30B/*4.00A	----	----	----	5.80 - 0.20	.0609	----	----	----	----		1	UNCH
4900	----	----			20.60B/*14.00A	20.60B/*14.00A	----	----	----	18.50 - 0.40	.1294	----	1	----	----		4 +	1
4900	----	----			5.90B/*3.40A	5.90B/*3.40A	----	----	----	4.90 - 0.10	.0512	----	----	----	----		4	UNCH
4900	----	----			12.90B/*8.00A	12.90B/*8.00A	----	----	----	11.00 - 0.30	.0926	----	----	----	----		8	UNCH
4950	----	----			15.60B/*11.10A	15.60B/*11.10A	----	----	----	14.20 - 0.40	.1018	----	----	----	----		2	UNCH
4950	----	----			9.40B/*6.20A	9.40B/*6.20A	----	----	----	8.20 - 0.30	.0698	----	----	----	----		1	UNCH
4975	----	----			----/*10.80A	12.80B/*10.80A	----	----	----	12.40 - 0.50	.0899	----	----	----	----		4	UNCH
5000	----	----			----/*10.20A	11.40B/*10.20A	----	----	----	11.00 - 0.40	.0802	----	----	----	----		3	UNCH
5000	----	----			2.90B/*2.10A	2.90B/*2.10A	----	----	----	2.70 UNCH	.0271	----	----	----	----		4	UNCH
5000	----	----			----/*5.00A	6.20B/*5.00A	----	----	----	6.20 - 0.30	.0531	----	----	----	----		3	UNCH
5050	----	----			----	8.70B/*9.10A	----	----	----	8.50 - 0.50	.0629	----	----	----	----		4	UNCH
5075	----	----			----/*1.60A	1.90B/*1.60A	----	----	----	1.90 UNCH	.0182	----	----	----	----		1	UNCH
5100	----	----			----/*3.30A	3.50B/*3.30A	----	----	----	3.80 - 0.20	.0322	----	----	----	----		1	UNCH
5200	----	----			----	1.10B/*1.20A	----	----	----	1.10 NEW	.0098	----	2	----	----		2 +	2
5250	----	----			----	2.10B/*5.10A	----	----	----	3.60 NEW	.0267	----	1	----	----		1 +	1
5250	----	----			----	1.90B/*2.10A	----	----	----	2.20 + 0.10	.0176	----	----	----	----		2	UNCH
5500	----	----			----	0.30B/*0.90A	----	----	----	0.40 - 0.10	.0030	----	----	----	----		3	UNCH
5500	----	----			----	0.90B/*1.40A	----	----	----	1.00 + 0.10	.0074	----	----	----	----		1	UNCH
5600	----	----			----	0.10B/0.90A	----	----	----	0.30 - 0.10	.0021	----	----	----	----		3	UNCH
TOTAL														722			1401 +	575
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWR THU		GOLD WEEKLY THURSDAY OPTION week4																
MAY26																		
3250	----	----			----	----/7.10A	----	----	----	0.10 - 0.20	.0003	----	----	----	----		1	UNCH
3500	----	----			----	----/0.20A	----	----	----	0.10 UNCH		----	----	----	----		40	UNCH
3700	----	----			----	/0.70A	0.70B/0.70A	----	----	0.40 - 0.50	.0021	----	----	----	----		2	UNCH
3750	----	----			----	/*0.70A	0.80B/*0.70A	----	----	0.50 - 0.50	.0028	----	----	----	----		1	UNCH
3800	----	----			----	/*0.80A	1.00B/*0.80A	----	----	0.60 - 0.60	.0035	----	----	----	----		2	UNCH
4000	1.80	1.80			1.80/1.50A	2.30B/1.50A	----	----	----	1.30 - 1.10	.0093	----	5	----	----		6 +	5
4000	0.20	0.20			0.50/*0.20	0.50/*0.20	----	----	----	0.10 - 0.30	----	----	15	----	----		21 +	15
4100	----	----			----	/*0.10A	0.60B/*0.10A	----	----	0.10 - 0.60	----	----	----	----	----		1	UNCH
4145	0.60	0.60			1.00B/*0.20A	1.00B/*0.20A	----	----	----	0.10 NEW	.0000	----	1	----	----		1 +	1
4150	----	----			1.10B/*0.30A	1.10B/*0.30A	----	----	----	0.10 - 0.90	.0000	----	----	----	----		5	UNCH
4170	0.20	0.20			1.20B/*0.20	1.20B/*0.20	----	----	----	0.20 NEW	.0001	----	2	----	----		2 +	2
4175	----	----			6.00B/2.80A	6.00B/2.80A	----	----	----	2.70 - 2.20	.0237	----	----	----	----		1	UNCH
4175	----	----			1.30B/*0.30A	1.30B/*0.30A	----	----	----	0.20 - 0.90	.0001	----	----	----	----		2	UNCH
4190	0.50	0.50			1.40B/*0.30A	1.40B/*0.30A	----	----	----	0.20 NEW	.0001	----	1	----	----		1 +	1
4200	1.50	1.50			1.60/*0.10	1.60/*0.10	----	----	----	0.20 - 1.10	.0001	----	23	----	----		80 +	4
4200	----	----			7.20B/3.10A	7.20B/3.10A	----	----	----	3.10 - 2.40	.0279	----	4	----	----		5 +	4
4220	----	----			1.90B/*0.30A	1.90B/*0.30A	----	----	----	0.30 - 1.20	.0002	----	----	----	----		1	UNCH
4225	----	----			8.80B/3.50A	8.80B/3.50A	----	----	----	3.50 - 2.80	.0325	----	----	----	----		2	UNCH
4225	1.50	1.50			1.90B/*0.20	1.90B/*0.20	----	----	----	0.30 - 1.20	.0002	----	5	----	----		24 +	3
4250	----	----			10.40B/4.00A	10.40B/4.00A	----	----	----	4.10 - 3.20	.0390	----	----	----	----		5	UNCH
4250	0.40	0.40			2.30B/*0.20	2.30B/*0.20	----	----	----	0.40 - 1.40	.0004	----	5	----	----		29 +	3
4265	----	----			2.70B/*0.40A	2.70B/*0.40A	----	----	----	0.40 NEW	.0005	----	1	----	----		1 +	1
4275	0.90	0.90			3.00B/*0.30	3.00B/*0.30	----	----	----	0.50 - 1.70	.0007	----	7	----	----		32 +	7
4280	1.00	1.00			3.30B/*0.40A	3.30B/*0.40A	----	----	----	0.50 NEW	.0007	----	34	----	----		25 +	25
4285	0.50	0.50			3.40B/*0.50	3.40B/*0.50	----	----	----	0.50 NEW	.0007	----	5	----	----		5 +	5
4295	0.60	0.60			3.80B/*0.60	3.80B/*0.60	----	----	----	0.60 NEW	.0010	----	2	----	----		2 +	2
4300	----	----			15.20B/5.40A	15.20B/5.40A	----	----	----	5.70 - 4.30	.0569	----	2	----	----		3 +	2
4300	3.20	3.20			4.20B/*0.50A	4.20B/*0.50A	----	----	----	0.60 - 2.10	.0011	----	8	----	----		16 +	7
4305	3.20	3.20			4.30B/*0.60A	4.30B/*0.60A	----	----	----	0.60 NEW	.0011	----	4	----	----		4 +	4
4325	5.90	5.90			5.90/*0.70A	5.90/*0.70A	----	----	----	0.80 - 2.50	.0019	----	7	----	----		21 +	2
4325	----	----			18.60B/6.30A	18.60B/6.30A	----	----	----	6.90 - 4.90	.0699	----	----	----	----		20	UNCH
43																		

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY THURSDAY OPTION week3												
MAY26												
4485	24.90	24.90	76.50B/*19.40A	76.50B/*19.40A	----	59.00	NEW	----	----	26	----	10 +
4490	28.60	28.60	72.30B/*17.30A	72.30B/*17.30A	----	55.00	NEW	----	----	14	----	14 +
4490	12.00	12.00	52.40B/*6.50A	52.40B/*6.50A	----	9.70	- 15.60	----	----	246	----	146 +
4495	26.40	26.40	68.00B/*15.40A	68.00B/*15.40A	----	51.00	NEW	----	----	1	----	1 +
4495	12.60	12.60	55.70B/*7.30A	55.70B/*7.30A	----	10.70	- 16.50	----	----	10	----	9 +
4500	44.30	44.30	59.10B/7.90	59.10B/7.90	----	11.90	- 17.30	----	----	25	----	98 +
4500	27.50	27.50	63.90B/*13.60A	63.90B/*13.60A	----	47.20	+ 6.80	----	----	49	----	24 +
4500	46.30	46.30	70.20B/26.70A	70.20B/26.70A	----	31.00	- 14.60	----	----	8	----	11 +
4500	79.80	79.80	116.50B/*61.40A	116.50B/*61.40A	----	100.00	+ 9.90	----	----	3	----	4 +
4505	25.60	25.60	62.60B/*9.10A	62.60B/*9.10A	----	13.30	NEW	----	----	41	----	17 +
4505	24.30	24.30	59.90B/*12.10A	59.90B/*12.10A	----	43.60	+ 6.10	----	----	6	----	7 +
4510	13.30	13.30	66.20B/*10.00	66.20B/*10.00	----	14.80	- 18.80	----	----	109	----	109 +
4510	21.70	21.70	56.20B/*10.60A	56.20B/*10.60A	----	40.10	+ 5.30	----	----	155	----	121 +
4515	15.10	15.10	#70.00B/*11.30A	#70.00B/*11.30A	----	16.40	- 19.60	----	----	18	----	25 +
4515	20.00	20.00	52.30B/*9.30A	52.30B/*9.30A	----	36.70	NEW	----	----	117	----	107 +
4520	15.50	15.50	48.60B/*8.10A	48.60B/*8.10A	----	33.40	+ 3.70	----	----	102	----	42 +
4520	24.00	24.00	#73.70B/*12.60A	#73.70B/*12.60A	----	18.10	- 20.40	----	----	13	----	14 +
4525	26.90	26.90	77.70B/14.00A	77.70B/14.00A	----	20.10	- 21.00	----	----	67	----	66 +
4525	49.80	49.80	98.50B/*48.70A	98.50B/*48.70A	----	82.90	NEW	----	----	2	----	2 +
4525	52.20	52.20	83.40B/33.90A	83.40B/33.90A	----	38.90	- 16.50	----	----	4	----	4 +
4525	10.60	10.60	45.10B/*7.10A	45.10B/*7.10A	----	30.40	+ 3.10	----	----	100	----	58 +
4530	13.70	13.70	41.60B/*6.20A	41.60B/*6.20A	----	27.50	+ 2.40	----	----	25	----	20 +
4530	26.40	26.40	#81.60B/*15.60	#81.60B/15.60	----	22.20	NEW	----	----	34	----	13 +
4535	27.00	27.00	#85.80B/*17.60A	#85.80B/17.60A	----	24.50	- 22.40	----	----	7	----	7 +
4535	11.50	11.50	38.30B/*5.50A	38.30B/*5.50A	----	24.80	+ 1.70	----	----	24	----	20 +
4540	9.00	9.00	35.20B/*4.80A	35.20B/*4.80A	----	22.20	+ 1.10	----	----	36	----	15 +
4540	25.40	25.40	#90.00B/*19.30A	#90.00B/19.30A	----	26.90	- 23.00	----	----	28	----	26 +
4545	28.90	28.90	#94.10B/*21.60	#94.10B/21.60	----	29.50	- 23.60	----	----	4	----	12 +
4545	23.50	23.50	32.20B/*4.20A	32.20B/*4.20A	----	19.80	+ 0.50	----	----	19	----	18 +
4550	37.50	37.50	98.70B/23.80A	98.70B/23.80A	----	32.40	- 24.00	----	----	23	----	60 +
4550	47.00	47.00	99.10B/42.40A	99.10B/42.40A	----	48.50	- 18.30	----	----	2	----	5 +
4550	77.70	77.70	82.10B/*38.10A	82.10B/*38.10A	----	67.60	+ 6.30	----	----	6	----	6 +
4550	10.70	10.70	29.40B/*3.70A	29.40B/*3.70A	----	17.70	+ 0.10	----	227	1	----	142 +
4555	33.50	33.50	#103.10B/*26.20	#103.10B/26.20A	----	35.40	- 24.40	----	----	1	----	25 +
4555	10.00	10.00	26.70B/*3.20A	26.70B/*3.20A	----	15.70	- 0.30	----	----	37	----	45 +
4560	37.60	37.60	#107.70B/*29.00	#107.70B/29.00A	----	38.50	- 24.90	----	----	1	----	2 +
4560	5.50	5.50	24.30B/*2.80A	24.30B/*2.80A	----	13.80	- 0.80	----	----	43	----	28 +
4565	101.20	101.20	#111.90B/31.70A	#111.90B/31.70A	----	41.90	- 25.10	----	----	4	----	17
4565	6.00	6.00	21.90B/*2.50A	21.90B/*2.50A	----	12.20	- 1.00	----	----	13	----	10 +
4570	9.50	9.50	19.70B/*2.20A	19.70B/*2.20A	----	10.70	NEW	----	----	9	----	7 +
4570	70.80	70.80	#116.80B/34.40A	#116.80B/34.40A	----	45.40	NEW	----	----	2	----	1 +
4575	----	----	121.40B/37.50A	121.40B/37.50A	----	49.00	- 25.70	----	----	5	----	41 +
4575	----	----	67.60B/*29.40A	67.60B/*29.40A	----	54.10	NEW	----	----	43	----	43 +
4575	69.70	69.70	115.80B/52.80A	115.80B/52.80A	----	60.00	- 20.00	----	----	1	----	1 +
4575	4.60	4.60	17.60B/*2.00A	17.60B/*2.00A	----	9.30	- 1.60	----	111	1	----	128 +
4580	5.00	5.00	15.80B/*1.70A	15.80B/*1.70A	----	8.10	- 1.80	----	32	10	----	30 +
4585	9.00	9.00	14.20B/*1.60A	14.20B/*1.60A	----	7.10	- 1.80	----	10	10	----	7 +
4585	----	----	#130.60B/44.30A	#130.60B/44.30A	----	56.80	- 25.90	----	----	----	----	1
4590	3.00	3.00	12.60B/*1.40A	12.60B/*1.40A	----	6.20	NEW	----	----	17	----	13 +
4595	2.60	2.60	12.00/*1.30A	12.00/*1.30A	----	5.40	- 1.90	----	17	1	----	20 +
4600	32.00	32.00	54.70B/*22.40A	54.70B/*22.40A	----	42.70	+ 3.20	----	6	3	----	14 +
4600	67.10	67.10	#145.10B/55.50A	#145.10B/55.50A	----	69.30	- 26.10	----	12	7	----	24 +
4600	5.10	5.10	9.90B/*1.10A	9.90B/*1.10A	----	4.60	- 2.00	----	128	249	----	89 +
4605	6.50	6.50	8.80B/*1.10A	8.80B/*1.10A	----	4.00	- 1.90	----	5	8	----	5 +
4610	118.00	118.00	#154.50B/63.60A	#154.50B/63.60A	----	78.20	- 26.00	----	2	9545	----	3 +
4610	2.20	2.20	7.60B/*1.00A	7.60B/*1.00A	----	3.50	- 1.90	----	25	24	----	24 +
4615	----	----	6.70B/*0.90A	6.70B/*0.90A	----	3.00	- 1.90	----	8	12	----	1 +
4620	----	----	#164.20B/72.20A	#164.20B/72.20A	----	87.30	NEW	----	1	1	----	1 +
4620	0.80	0.80	5.80B/*0.80	5.80B/*0.80	----	2.70	- 1.70	----	12	15	----	11 +
4625	----	----	43.50B/*17.00A	43.50B/*17.00A	----	33.10	+ 2.00	----	4	2	----	2 +
4625	1.50	1.50	5.20B/*0.70	5.20B/*0.70	----	2.30	- 1.70	----	14	15	----	8 +
4625	----	----	#169.20B/76.40A	#169.20B/76.40A	----	92.00	- 25.80	----	4	8	----	4 +
4630	2.90	2.90	4.60B/*0.70A	4.60B/*0.70A	----	2.00	- 1.60	----	3	13	----	1 +
4635	1.90	1.90	3.80B/*0.70A	3.80B/*0.70A	----	1.80	- 1.50	----	1	4	----	1 +
4640	1.60	1.60	3.30B/*0.60A	3.30B/*0.60A	----	1.60	- 1.40	----	7	24	----	4 +
4640	----	----	#183.80B/89.90A	#183.80B/89.90A	----	106.30	NEW	----	2	2	----	2 +
4650	----	----	#193.80B/99.00A	#193.80B/99.00A	----	115.90	- 25.30	----	3	2	----	1 -
4650	----	----	#174.40B/94.50A	#174.40B/94.50A	----	106.30	- 23.40	----	----	5	UNCH	
4650	0.50	0.50	2.60B/*0.50	2.60B/*0.50	----	1.20	- 1.30	----	14	20	----	5 +
4655	----	----	-----/*0.50A	2.20B/*0.50A	----	1.10	NEW	----	1	1	----	1 +
4660	0.80	0.80	1.90B/*0.50A	1.90B/*0.50A	----	1.00	- 1.10	----	1	2	----	2 +
4665	----	----	-----/*0.50A	1.70B/*0.50A	----	0.90	- 1.00	----	----	6	UNCH	
4670	1.00	1.00	1.60B/*0.40A	1.60B/*0.40A	----	0.80	- 0.90	----	12	13	----	8 +
4675	----	----	#196.00B/112.40	#196.00B/112.40A	----	125.20	- 24.00	----	----	1	UNCH	
4675	14.90	14.90	26.60B/*9.80A	26.60B/*9.80A	----	19.40	+ 0.60	----	5	6	----	6 +
4675	2.00	2.00	2.00/*0.40A	2.00/*0.40A	----	0.70	- 0.90	----	1	4	----	1 +
4675	----	----	#2									

BULLETIN # 96@			METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GWR THU	GOLD WEEKLY THURSDAY OPTION week3															
MAY26	----	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	1	UNCH		
5250	----	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	3	UNCH		
5300	----	----	----	0.50B/----	0.50B/*0.60A	----	0.20	UNCH	.0016	----	----	----	1	UNCH		
5400	----	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	41	UNCH		
5750	----	----	----	----	----/*0.60A	----	0.10	UNCH	.0000	----	----	----	1	UNCH		
TOTAL											3534		4739 +		1831	
JUN26																
3500	1.50	1.50		#1.50/*1.50	1.50/*1.50	----	1.50	NEW	.0072	----	2	----	2 +		2	
4000	----	----	----	4.80B/3.40A	4.80B/3.40A	----	3.00 -	1.60	.0212	----	----	----	1	UNCH		
4225	11.30	11.30		17.00B/*8.20A	17.00B/*8.20A	----	8.30	NEW	.0666	----	16	----	16 +		16	
4275	----	----	----	23.40B/10.60A	23.40B/10.60A	----	11.20 -	5.30	.0904	----	----	----	80	UNCH		
4350	----	----	----	#37.20B/16.60A	#37.20B/16.60A	----	18.00 -	8.00	.1442	----	----	----	10	UNCH		
4375	----	----	----	#43.60B/19.60A	#43.60B/19.60A	----	21.40 -	9.00	.1692	----	----	----	1	UNCH		
4400	----	----	----	#50.50B/23.10A	#50.50B/23.10A	----	25.40 -	10.20	.1978	----	----	----	1	UNCH		
4425	----	----	----	#58.40B/27.40A	#58.40B/27.40A	----	30.20 -	11.60	.2305	----	6	----	0 -		6	
4450	----	----	----	#68.30B/32.50A	#68.30B/32.50A	----	36.00 -	12.80	.2678	----	7	----	1 -		5	
4475	----	----	----	#78.30B/38.90A	#78.30B/38.90A	----	42.80 -	14.20	.3089	----	----	----	2	UNCH		
4500	51.00	51.00		#90.30B/45.80A	#90.30B/45.80A	----	50.80 -	15.50	.3539	----	2	----	44 +		2	
4550	----	----	----	#118.10B/64.00A	#118.10B/64.00A	----	70.60 -	18.00	.4521	----	----	----	4	UNCH		
4550	72.40	72.40		101.80B/*59.80A	101.80B/*59.80A	----	89.70 -	NEW	.5475	----	10	----	10 +		10	
4575	----	----	----	#133.80B/75.10A	#133.80B/75.10A	----	82.50 -	19.20	.5035	----	----	----	1	UNCH		
4600	----	----	----	#151.00B/87.50A	#151.00B/87.50A	----	95.70 -	20.40	.5552	----	----	----	8	UNCH		
4600	67.30	67.30		94.00B/*59.50A	94.00B/*59.50A	----	83.10 +	4.30	.4588	----	2	----	2 -		2	
4600	----	----	----	75.90B/*41.90A	75.90B/*41.90A	----	64.90 +	4.20	.4444	----	----	----	40	UNCH		
4625	----	----	----	64.10B/*34.70A	64.10B/*34.70A	----	54.50 +	3.20	.3936	----	----	----	10	UNCH		
4650	----	----	----	54.00B/*28.80A	54.00B/*28.80A	----	45.50 +	2.40	.3450	----	----	----	13	UNCH		
4650	----	----	----	72.10B/*44.40A	72.10B/*44.40A	----	62.80 +	2.70	.3778	----	----	----	14	UNCH		
4700	----	----	----	37.70B/*19.70A	37.70B/*19.70A	----	31.20 +	1.10	.2573	----	----	----	4	UNCH		
4750	----	----	----	25.80B/*13.50A	25.80B/*13.50A	----	21.00 +	0.20	.1854	----	----	----	2	UNCH		
4775	----	----	----	21.20B/*11.20A	21.20B/*11.20A	----	17.30	UNCH	.1565	----	----	----	150	UNCH		
4800	----	----	----	17.40B/*9.40A	17.40B/*9.40A	----	14.20 -	0.20	.1314	----	----	----	0	UNCH		
4825	----	----	----	14.50B/*7.90A	14.50B/*7.90A	----	11.70 -	0.30	.1101	----	1	----	0 -		1	
4850	----	----	----	12.00B/*6.70A	12.00B/*6.70A	----	9.70 -	0.40	.0924	----	1	----	1 -		1	
4900	----	----	----	8.50B/*4.90A	8.50B/*4.90A	----	6.80 -	0.40	.0656	----	----	----	3	UNCH		
4900	----	----	----	16.00B/*10.40A	16.00B/*10.40A	----	13.70 -	0.70	.1070	----	----	----	3	UNCH		
5000	----	----	----	4.10B/*2.90A	4.10B/*2.90A	----	3.70 -	0.20	.0353	----	----	----	1	UNCH		
5025	----	----	----	3.60B/*2.60A	3.60B/*2.60A	----	3.20 -	0.30	.0304	----	----	----	1	UNCH		
5125	----	----	----	----/*1.90A	2.10B/*1.90A	----	2.10 -	0.10	.0189	----	----	----	1	UNCH		
5400	----	----	----	0.70B/----	0.70B/*1.20A	----	0.60	UNCH	.0049	----	----	----	1	UNCH		
TOTAL											47		427 +		15	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1															
JUN26																
3250	----	----	----	----	----/*0.70A	----	0.10	UNCH	.0004	----	----	----	1	UNCH		
3500	----	----	----	----	0.40B/*1.00A	----	0.30 -	0.30	.0015	----	----	----	40	UNCH		
3700	----	----	----	----	0.90B/1.30A	----	0.70 -	0.50	.0041	----	----	----	2	UNCH		
3750	----	----	----	----	1.10B/1.40A	----	0.80 -	0.60	.0049	----	----	----	4	UNCH		
3750	----	----	----	----/*3.40A	3.60B/*3.40A	----	3.10 -	1.20	.0169	----	----	----	6	UNCH		
3800	1.70	1.70		1.70/*1.40A	1.70/*1.40A	----	1.00 -	0.60	.0063	----	1	----	2 +		1	
3800	----	----	----	----/*3.80A	4.20B/*3.80A	----	3.50 -	1.40	.0196	----	----	----	32	UNCH		
3800	----	----	----	----/*2.60A	2.50B/*2.60A	----	2.20	NEW	.0132	----	9	----	9 +		9	
3900	----	----	----	----/*1.70A	1.90B/1.70A	----	1.50 -	1.00	.0101	----	----	----	2	UNCH		
3900	----	----	----	----/*3.20A	3.40B/*3.20A	----	2.90 -	1.80	.0186	----	----	----	1	UNCH		
3900	6.30	6.30		6.30/*5.00A	6.30/*5.00A	----	4.60 -	2.00	.0272	----	1	----	4	UNCH		
4000	----	----	----	----/*4.30A	5.40B/*4.30A	----	4.00 -	2.30	.0273	----	----	----	25	UNCH		
4000	2.50	2.50		2.50/*2.30A	3.00B/2.30A	----	2.10 -	1.30	.0154	----	12	----	19 +		12	
4000	----	----	----	9.90B/*6.70A	9.90B/*6.70A	----	6.40 -	2.80	.0395	----	----	----	53	UNCH		
4100	----	----	----	5.10B/*3.10A	5.10B/3.10A	----	3.00 -	1.90	.0242	----	----	----	15	UNCH		
4100	6.20	6.20		10.00B/*6.00A	10.00B/*6.00A	----	5.80	NEW	.0419	----	20	----	20 +		20	
4100	----	----	----	----/*13.30A	#21.20B/*13.30A	----	13.40	NEW	.0763	----	1	----	1 +		1	
4100	----	----	----	15.00B/*9.60A	15.00B/*9.60A	----	9.50 -	4.00	.0603	----	----	----	1	UNCH		
4150	----	----	----	7.20B/3.80A	7.20B/3.80A	----	3.70 -	2.40	.0312	----	----	----	3	UNCH		
4150	----	----	----	20.50B/*11.60A	20.50B/*11.60A	----	11.80 -	4.90	.0755	----	----	----	1	UNCH		
4150	----	----	----	#26.40B/*16.30A	#26.40B/*16.30A	----	16.40	NEW	.0937	----	1	----	1 +		1	
4150	----	----	----	12.70B/*7.40A	12.70B/*7.40A	----	7.30 -	3.90	.0537	----	----	----	0	UNCH		
4175	----	----	----	8.30B/4.30A	8.30B/4.30A	----	4.20 -	2.70	.0360	----	----	----	7	UNCH		
4175	----	----	----	21.60B/*13.00A	21.60B/*13.00A	----	13.30 -	5.40	.0850	----	----	----	1	UNCH		
4175	----	----	----	#29.70B/*18.00A	#29.70B/*18.00A	----	18.30 -	9.50	.1042	----	----	----	1	UNCH		
4200	----	----	----	9.80B/4.70A	9.80B/4.70A	----	4.80 -	3.00	.0419	----	1	----	23 +		1	
4200	----	----	----	#33.20B/*20.10A	#33.20B/*20.10A	----	20.40 -	10.10	.1159	----	----	----	1	UNCH		
4200	----	----	----	24.30B/14.50A	24.30B/14.50A	----	15.00 -	6.00	.0958	----	----	----	2	UNCH		
4225	----	----	----	11.50B/5.40A	11.50B/5.40A	----	5.50 -	3.30	.0488	----	----	----	6	UNCH		
4225	----	----	----	27.70B/16.50A	27.70B/16.50A	----	17.00 -	6.60	.1082	----	----	----	8	UNCH		
4250	----	----	----	14.60B/6.20A	14.60B/6.20A	----	6.30 -	3.80	.0569	----	----	----				

PG64

BULLETIN # 96@

METALS OPTION PRODUCTS

Wed, May 20, 2026

PG64

GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26	GOLD WEEKLY MONDAY OPTION WEEK1													
4700	16.00	16.00	27.80B/*12.60A	27.80B/*12.60A	----	21.60	+ 0.70	.2168	----	----	----	4	----	114 + 3
4700	----	----	#227.60B/157.90	#227.60B/157.90A	----	168.80	- 23.00	.7191	----	----	----	----	----	2 UNCH
4700	----	----	#222.50B/140.10	#222.50B/140.10A	----	152.40	- 23.80	.7829	----	----	----	----	----	6 UNCH
4700	----	----	45.00B/*25.40A	45.00B/*25.40A	----	38.10	+ 1.50	.2803	----	----	----	----	----	5 UNCH
4700	----	----	60.20B/*38.20A	60.20B/*38.20A	----	52.50	+ 1.60	.3162	----	----	----	----	----	10 UNCH
4700	----	----	#238.00B/173.10	#238.00B/173.10A	----	183.10	- 23.00	.6831	----	----	----	----	----	5 UNCH
4725	----	----	38.10B/*21.40A	38.10B/*21.40A	----	32.00	NEW	.2440	----	----	1	----	1 + 3	
4725	17.70	17.70	22.10B/*10.10A	22.10B/*10.10A	----	17.20	+ 0.50	.1779	----	----	4	----	----	65 + 1
4725	----	----	#244.70B/160.00	#244.70B/160.00A	----	172.90	- 24.20	.8217	----	----	----	----	----	1 UNCH
4725	----	----	#248.50B/178.90	#248.50B/178.90A	----	187.70	- 23.50	.7554	----	----	----	----	----	1 UNCH
4725	----	----	52.60B/*33.00A	52.60B/*33.00A	----	45.60	+ 1.00	.2837	----	----	----	----	----	2 UNCH
4750	----	----	32.00B/*18.00A	32.00B/*18.00A	----	26.90	+ 0.60	.2115	----	----	----	----	----	1 UNCH
4750	----	----	#270.50B/198.10	#270.50B/198.10A	----	207.50	- 23.90	.7880	----	----	----	----	----	1 UNCH
4750	----	----	#267.70B/180.90	#267.70B/180.90A	----	194.40	- 24.30	.8545	----	----	----	----	----	2 UNCH
4750	12.00	12.00	17.60B/*8.10A	17.60B/*8.10A	----	13.70	+ 0.30	.1452	----	----	5	----	9 + 1	
4750	----	----	45.70B/*28.80A	45.70B/*28.80A	----	39.60	+ 0.60	.2536	----	----	----	----	----	1 UNCH
4775	22.10	22.10	26.90B/*15.30A	26.90B/*15.30A	----	22.60	NEW	.1825	----	----	1	----	1 + 1	
4775	----	----	14.10B/*6.60A	14.10B/*6.60A	----	10.90	+ 0.10	.1178	----	----	1	----	2 + 1	
4775	257.70	257.70	#309.30B/*239.5	#309.30B/*239.50A	----	250.10	NEW	.7441	----	----	1	----	1 + 1	
4800	6.40	6.40	11.30B/*5.50A	11.30B/*5.50A	----	8.80	+ 0.10	.0961	----	----	1	----	16 + 1	
4800	----	----	22.70B/*13.00A	22.70B/*13.00A	----	18.90	+ 0.10	.1565	----	----	----	----	100 UNCH	
4800	----	----	#314.50B/225.10	#314.50B/225.10A	----	239.40	- 24.50	.9036	----	----	----	----	1 UNCH	
4800	24.00	24.00	34.40B/*21.70A	34.40B/*21.70A	----	29.80	+ 0.10	.2007	----	----	6	----	1 - 5	
4800	----	----	#43.70B/*30.60A	#43.70B/*30.60A	----	39.40	- 1.10	.2302	----	----	----	----	1 UNCH	
4825	----	----	9.00B/*4.50A	9.00B/*4.50A	----	7.10	+ 0.10	.0781	----	----	----	----	1 UNCH	
4850	----	----	7.40B/*3.80A	7.40B/*3.80A	----	5.80	+ 0.10	.0639	----	----	----	----	13 UNCH	
4850	----	----	16.40B/*9.50A	16.40B/*9.50A	----	13.40	- 0.20	.1151	----	----	----	----	2 UNCH	
4850	----	----	#33.90B/*24.10A	#33.90B/*24.10A	----	30.70	- 1.60	.1870	----	----	----	----	2 UNCH	
4850	----	----	25.80B/*16.50A	25.80B/*16.50A	----	22.40	- 0.20	.1572	----	----	----	----	2 UNCH	
4875	----	----	5.90B/*3.20A	5.90B/*3.20A	----	4.80	+ 0.10	.0527	----	----	----	----	104 UNCH	
4875	----	----	#29.70B/*21.30A	29.70B/*21.30A	----	27.10	- 1.80	.1681	----	----	----	----	1 UNCH	
4875	----	----	22.30B/*14.50A	22.30B/*14.50A	----	19.40	- 0.40	.1386	----	----	----	----	1 UNCH	
4900	----	----	11.50B/*7.00A	11.50B/*7.00A	----	9.60	- 0.40	.0844	----	----	----	----	3 UNCH	
4900	3.90	3.90	4.80B/*2.80A	4.80B/*2.80A	----	4.00	+ 0.10	.0437	----	----	1	----	49 UNCH	
4900	----	----	----/318.30A	350.20B/318.30A	----	334.60	- 24.50	.9561	----	----	----	----	2 UNCH	
4900	----	----	19.70B/*12.70A	19.70B/*12.70A	----	16.90	- 0.40	.1225	----	----	----	----	4 UNCH	
4925	----	----	3.90B/*2.40A	3.90B/*2.40A	----	3.40	+ 0.10	.0367	----	----	----	----	4 UNCH	
4950	----	----	8.20B/*5.40A	8.20B/*5.40A	----	7.10	- 0.30	.0630	----	----	----	----	5 UNCH	
4950	----	----	3.30B/*2.20A	3.30B/*2.20A	----	2.90	+ 0.10	.0310	----	----	----	----	32 UNCH	
4950	----	----	14.60B/*9.90A	14.60B/*9.90A	----	12.90	- 0.40	.0956	----	----	5	----	11 + 5	
4975	----	----	2.90B/*1.90A	2.90B/*1.90A	----	2.50	+ 0.10	.0263	----	----	----	----	3 UNCH	
5000	----	----	2.50B/*1.80A	2.50B/*1.80A	----	2.20	+ 0.10	.0228	----	----	1	----	21 - 1	
5000	----	----	11.20B/*7.80A	11.20B/*7.80A	----	9.90	- 0.40	.0746	----	----	----	----	1 UNCH	
5000	----	----	----/4.20A	5.50B/*4.20A	----	5.30	- 0.30	.0472	----	----	----	----	32 UNCH	
5025	----	----	2.10B/*1.60A	2.10B/*1.60A	----	1.90	+ 0.10	.0194	----	----	----	----	1 UNCH	
5025	----	----	9.80B/*7.00A	9.80B/*7.00A	----	8.80	- 0.30	.0665	----	----	----	----	4 UNCH	
5050	----	----	----/3.40A	4.10B/*3.40A	----	4.10	- 0.20	.0363	----	----	----	----	5 UNCH	
5050	----	----	1.90B/*1.40A	1.90B/*1.40A	----	1.70	+ 0.10	.0170	----	----	1	----	28 UNCH	
5050	----	----	----/6.30A	8.00B/*6.30A	----	7.80	- 0.30	.0592	----	----	5	----	11 + 5	
5075	----	----	1.60B/*1.30A	1.60B/*1.30A	----	1.60	+ 0.10	.0156	----	----	----	----	1 UNCH	
5100	----	----	----/5.30A	6.00B/*5.30A	----	6.20	- 0.30	.0472	----	----	----	----	3 UNCH	
5100	----	----	1.50B/*1.20A	1.50B/*1.20A	----	1.40	+ 0.10	.0135	----	----	----	----	1 UNCH	
5125	----	----	1.40B/*1.10A	1.40B/*1.10A	----	1.30	+ 0.10	.0122	----	----	----	----	2 UNCH	
5150	----	----	----/2.50A	2.40B/*2.50A	----	2.60	- 0.10	.0224	----	----	----	----	2 UNCH	
5150	----	----	1.20B/----	1.20B/*1.10A	----	1.20	+ 0.10	.0111	----	----	----	----	5 UNCH	
5175	----	----	1.10B/----	1.10B/*1.10A	----	1.10	+ 0.10	.0100	----	----	----	----	3 UNCH	
5200	----	----	----	1.00B/*1.10A	----	1.00	UNCH	.0089	----	----	----	----	2 UNCH	
5225	----	----	----	0.90B/1.10A	----	0.90	UNCH	.0079	----	----	----	----	4 UNCH	
5250	----	----	----	1.60B/*2.10A	----	1.90	+ 0.20	.0156	----	----	----	----	4 UNCH	
5250	----	----	----	0.80B/1.10A	----	0.90	+ 0.10	.0077	----	----	----	----	4 UNCH	
5275	----	----	----	0.70B/*1.10A	----	0.80	+ 0.10	.0067	----	----	----	----	6 UNCH	
5300	----	----	----	1.40B/*1.80A	----	1.60	+ 0.20	.0129	----	----	----	----	5 UNCH	
5300	1.20	1.20	1.20/1.10	1.20/1.00A	----	0.70	UNCH	.0058	----	----	4	----	6 + 2	
5325	----	----	----	0.50B/*0.90A	----	0.60	UNCH	.0050	----	----	----	----	2 UNCH	
5350	----	----	----	0.50B/*0.90A	----	0.60	UNCH	.0048	----	----	----	----	6 UNCH	
5400	----	----	----	0.40B/*0.80A	----	0.50	UNCH	.0039	----	----	----	----	9 UNCH	
5500	----	----	----	0.30B/*0.90A	----	0.30	UNCH	.0023	----	----	----	----	2 UNCH	
5600	----	----	----	----/0.80A	----	0.30	UNCH	.0021	----	----	----	----	1 UNCH	
5700	----	----	----	----/0.80A	----	0.20	UNCH	.0013	----	----	----	----	10 UNCH	
5750	----	----	----	----/0.70A	----	0.20	UNCH	.0013	----	----	----	----	12 UNCH	
5750	----	----	----	0.90B/*1.50A	----	1.20	- 0.20	.0075	----	----	----	----	3 UNCH	
6000	----	----	----	----/0.60A	----	0.20	UNCH	.0011	----	----	----	----	11 UNCH	
TOTAL												222		2356+ 164

GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT MAY26 4400	MICRO GOLD WEEKLY FRI OPTION WEEK4													
4400	----	----	----	----	----	4.80	- 6.70	.0552	----	----	----	----	----	1 UNCH
TOTAL														1 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU	SILVER WEEKLY THURSDAY OPTION week3														
MAY26															
6700	----	----	----	----	0.001B/*0.125A	----	0.006	- 0.049	.0001	----	----	----	----	----	1 UNCH
6750	----	----	----	----	0.001B/*0.116A	----	0.009	- 0.062	.0002	----	----	----	----	----	1 UNCH
6800	----	----	----	----	0.001B/*0.110A	----	0.013	- 0.079	.0005	----	----	----	----	----	2 UNCH
6900	----	----	----	----	0.034B/*0.114A	----	0.026	- 0.116	.0017	----	----	----	----	----	1 UNCH
7000	0.250	0.250	0.250	0.250/*0.025	0.250/*0.025	----	0.046	- 0.162	.0047	----	----	7	----	8 + 7	
7070	----	----	----	----/*0.119A	0.185B/*0.119A	----	0.060	- 0.211	.0079	----	----	----	----	2 UNCH	
7100	0.090	0.090	0.090	0.090/*0.070A	0.263B/*0.070A	----	0.064	- 0.239	.0092	----	----	10	----	11 + 10	
7200	0.270	0.270	0.270	0.481B/*0.135	0.481B/*0.135	----	0.087	- 0.356	.0176	----	----	12	----	13 + 9	
7300	0.340	0.340	0.340	0.808B/*0.102	0.808B/*0.102	----	0.137	NEW	.0401	----	----	20	----	19 + 19	
7320	0.375	0.375	0.375	0.859B/*0.261A	0.859B/*0.261A	----	0.152	- 0.543	.0478	----	----	1	----	1 UNCH	
7350	0.500	0.500	0.500	0.987B/0.291A	0.987B/0.291A	----	0.180	- 0.597	.0628	----	----	1	----	0 - 1	
7400	0.400	0.400	0.400	1.264B/0.334A	1.264B/0.334A	----	0.243	NEW	.0994	----	----	14	----	12 + 12	
7450	0.350	0.350	0.350	1.386B/0.350	1.386B/0.350	----	0.331	NEW	.1545	----	----	1	----	1 + 1	
7460	----	----	----	1.396B/*0.444A	1.396B/*0.444A	----	0.353	- 0.801	.1683	----	----	----	----	15 UNCH	
7470	----	----	----	----/*1.058A	1.390B/*1.058A	----	1.857	+ 0.203	.8169	----	----	----	----	15 UNCH	
7500	----	----	----	1.431B/0.516A	1.431B/0.516A	----	0.454	NEW	.2328	----	----	15	----	15 + 15	
7500	1.000	1.000	1.000	1.436B/*0.920A	1.436B/*0.920A	----	1.634	NEW	.7671	----	----	1	----	1 + 1	
7600	1.880	1.880	1.880	1.880/1.880	3.012B/1.880	----	2.152	NEW	.4724	----	----	1	----	1 + 1	
7600	0.905	0.905	0.905	0.905/0.800	1.254B/0.800	----	0.828	NEW	.4513	----	----	3	----	3 + 3	
7650	0.800	0.800	0.800	0.915B/*0.521A	0.915B/*0.521A	----	0.769	NEW	.4266	----	----	9	----	9 + 9	
7700	0.681	0.681	0.681	0.730/*0.398A	0.730/*0.398A	----	0.577	- 0.056	.3133	----	----	7	----	8 + 6	
7750	0.431	0.431	0.431	0.431/*0.362A	0.431/*0.362A	----	0.428	NEW	.2186	----	----	1	----	1 + 1	
7800	0.380	0.380	0.380	0.580/*0.175A	0.580/*0.175A	----	0.316	NEW	.1462	----	----	52	----	44 + 44	
7810	----	----	----	----/*0.273A	0.222B/*0.273A	----	0.298	- 0.059	.1346	----	----	----	----	8 UNCH	
7820	----	----	----	----/3.368A	1.167B/3.368A	----	2.300	- 1.079	.8762	----	----	----	----	3 UNCH	
7850	----	----	----	----/*0.220A	0.138B/*0.220A	----	0.235	- 0.049	.0954	----	----	1	----	6 + 1	
7900	----	----	----	----/*0.169A	0.103B/*0.169A	----	0.175	- 0.035	.0610	----	----	----	----	0 UNCH	
8000	0.070	0.070	0.070	0.150/*0.070	0.150/*0.070	----	0.102	NEW	.0251	----	----	7	----	6 + 6	
8000	----	----	----	----	----	----	3.921	- 1.044	.9748	----	----	----	----	1 UNCH	
8100	----	----	----	----	0.001B/*0.126A	----	0.064	NEW	.0109	----	----	1	----	1 + 1	
8150	----	----	----	----	0.001B/*0.121A	----	0.051	- 0.002	.0072	----	----	----	----	1 UNCH	
8200	----	----	----	----/*0.520A	0.449B/*0.520A	----	0.572	+ 0.046	.1676	----	----	----	----	1 UNCH	
8200	----	----	----	----	----	----	5.855	- 1.025	.9959	----	----	----	----	1 UNCH	
8250	----	----	----	----	0.355B/*0.490A	----	0.507	+ 0.044	.1498	----	----	----	----	1 UNCH	
8250	----	----	----	----	#6.750B/----	----	6.344	- 1.026	.9977	----	----	----	----	2 UNCH	
8250	----	----	----	----	0.001B/*0.115A	----	0.025	- 0.004	.0022	----	----	----	----	1 UNCH	
8300	----	----	----	----/21.842A	----	----	7.265	- 0.978	.8661	----	----	----	----	1 UNCH	
8350	----	----	----	----	0.246B/*0.402A	----	0.401	+ 0.042	.1197	----	----	----	----	0 UNCH	
8400	----	----	----	----/23.602A	----	----	8.171	- 0.980	.8930	----	----	----	----	2 UNCH	
8500	----	----	----	#10.763B/----	#10.763B/11.025A	----	9.101	- 0.981	.9140	----	----	----	----	1 UNCH	
8500	----	----	----	----	----/0.157A	----	0.003	- 0.003	.0000	----	----	----	----	1 UNCH	
8550	----	----	----	----	0.112B/*0.276A	----	0.259	+ 0.039	.0773	----	----	----	----	0 UNCH	
8800	----	----	----	----/12.448A	11.239B/12.448A	----	11.975	- 0.985	.9525	----	----	----	----	1 UNCH	



BULLETIN # 96@			METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
RWS THU	SILVER WEEKLY THURSDAY OPTION week4															
MAY26																
9000	----	----	----	0.025B/*0.164A	----	0.122 + 0.035	.0338	----	----	----	----	----	10	UNCH		
10000	----	----	----	0.001B/*0.122A	----	0.022 + 0.009	.0053	----	----	----	164	0	233 +	145		
TOTAL																
JUN26																
7700	----	----	#2.768B/*2.127A	2.768B/*2.127A	----	2.655 + 0.113	.4751	----	----	2	----	----	0 -	2		
7750	----	----	----/4.135A	3.931B/4.135A	----	3.775 - 0.911	.5510	----	----	----	----	----	1	UNCH		
7850	----	----	----/4.710A	4.479B/4.710A	----	4.420 - 0.912	.6011	----	----	----	----	----	2	UNCH		
7900	----	----	----/4.999A	4.639B/4.999A	----	4.761 - 0.911	.6248	----	----	----	----	----	1	UNCH		
8000	1.700	1.700	1.700/*1.389A	1.700/*1.389A	----	1.664 + 0.113	.3305	----	----	1	----	----	3 +	1		
8000	----	----	#2.163B/----	2.163B/*2.408A	----	2.351 NEW	.3708	----	----	3	----	----	3 +	3		
8300	----	----	----	#1.401B/*1.745A	----	1.608 + 0.114	.2727	----	----	3	----	----	4 -	2		
9500	----	----	----	0.272B/*0.529A	----	0.414 - 0.031	.0782	----	----	----	9	0	15	UNCH		
TOTAL																
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2															
JUN26																
5250	----	----	----	0.001B/0.140A	----	0.016 - 0.013	.0036	----	----	----	----	----	15	UNCH		
5750	----	----	----	0.001B/0.131A	----	0.028 - 0.048	.0067	----	----	----	----	----	1	UNCH		
6000	----	----	----/*0.336A	0.229B/0.336A	----	0.230 - 0.132	.0436	----	----	----	----	----	2	UNCH		
6000	----	----	----	----/32.518A	----	16.221 + 0.947	.9869	----	----	----	----	----	1	UNCH		
6500	----	----	----/0.262A	0.249B/0.262A	----	0.169 - 0.186	.0446	----	3	3	----	----	8	UNCH		
7000	----	----	1.118B/0.717A	1.118B/0.717A	----	0.614 - 0.432	.1536	----	3	3	----	----	3	UNCH		
7050	----	----	1.237B/0.834A	1.237B/0.834A	----	0.699 - 0.466	.1723	----	----	----	----	----	1	UNCH		
7200	----	----	1.798B/1.100A	1.798B/1.100A	----	1.054 - 0.562	.2413	----	----	----	----	----	1	UNCH		
7300	2.405	2.405	2.876B/2.040A	2.876B/2.040A	----	1.855 NEW	.3229	----	1	1	+	+	1			
7500	----	----	3.270B/2.034A	3.270B/2.034A	----	2.124 - 0.741	.4105	----	----	----	----	----	2	UNCH		
7500	----	----	3.235B/*2.373A	3.235B/*2.373A	----	3.304 NEW	.5893	----	1	1	+	+	1			
7700	----	----	2.376B/*1.710A	2.376B/*1.710A	----	2.320 + 0.187	.4669	----	3	3	----	----	3	UNCH		
7750	----	----	----/3.275A	3.646B/3.275A	----	3.430 - 0.853	.5629	----	----	----	----	----	1	UNCH		
7850	----	----	1.685B/*1.344A	1.685B/*1.344A	----	1.741 + 0.135	.3791	----	3	3	----	----	3	UNCH		
7900	----	----	1.530B/*1.207A	1.530B/*1.207A	----	1.577 + 0.121	.3515	----	----	----	----	----	1	UNCH		
7950	----	----	----/4.891A	4.350B/4.891A	----	4.741 - 0.913	.6748	----	----	----	----	----	1	UNCH		
8000	----	----	#2.513B/*2.159A	#2.513B/*2.159A	----	2.523 + 0.084	.3791	----	----	----	----	----	7	UNCH		
8000	----	----	----	4.732B/6.028A	----	5.103 - 0.924	.7001	----	----	----	----	----	3	UNCH		
8000	----	----	1.222B/*1.021A	1.222B/*1.021A	----	1.288 + 0.097	.2998	----	----	----	----	----	1	UNCH		
8100	----	----	1.609B/*1.440A	1.609B/*1.440A	----	1.639 + 0.064	.3078	----	----	----	----	----	1	UNCH		
8100	0.950	0.950	0.950/*0.862A	0.957B/*0.862A	----	1.047 NEW	.2532	----	1	1	+	+	1			
8200	----	----	----/7.584A	5.627B/7.584A	----	6.663 - 0.957	.7876	----	----	----	----	----	1	UNCH		
8400	----	----	----/9.855A	8.206B/9.855A	----	8.888 - 0.968	.7855	----	----	----	----	----	20	UNCH		
8500	----	----	----	----/23.311A	----	9.272 - 0.979	.8775	----	----	----	----	----	1	UNCH		
8500	----	----	----/*1.320A	1.291B/*1.320A	----	1.397 + 0.028	.2332	----	----	----	----	----	16	UNCH		
8600	----	----	----/*0.331A	0.300B/*0.331A	----	0.381 + 0.037	.1021	----	----	----	----	----	1	UNCH		
8800	----	----	----	0.486B/*0.619A	----	0.638 + 0.044	.1317	----	----	----	----	----	13	UNCH		
9050	----	----	----	0.084B/*0.220A	----	0.183 + 0.030	.0485	----	----	----	----	----	1	UNCH		
9200	----	----	----	0.521B/*0.693A	----	0.656 + 0.006	.1171	----	----	----	----	----	7	UNCH		
9500	----	----	----	0.020B/*0.166A	----	0.111 + 0.028	.0276	----	----	----	----	----	1	UNCH		
10250	----	----	----	0.001B/*0.128A	----	0.057 + 0.020	.0128	----	----	----	15	0	120 +	3		
TOTAL																
SO CALL	COMEX SILVER OPTIONS															
JUN26																
4300	----	----	33.668B/32.089A	33.668B/32.089A	----	33.181 + 1.022	.9998	----	----	----	----	----	20	UNCH		
4900	----	----	27.675B/26.090A	27.675B/26.090A	----	27.182 + 1.019	.9990	----	----	----	----	----	9	UNCH		
5000	----	----	26.774B/25.052A	26.774B/25.052A	----	26.183 + 1.017	.9988	----	----	----	----	----	52	UNCH		
5025	----	----	26.426B/24.841A	26.426B/24.841A	----	25.933 + 1.017	.9988	----	----	----	----	----	6	UNCH		
5050	----	----	26.196B/----	26.196B/24.677A	----	25.684 + 1.017	.9987	----	----	----	----	----	1	UNCH		
5200	----	----	24.778B/23.054A	24.778B/23.054A	----	24.186 + 1.015	.9982	10	----	----	69 -	10				
5225	----	----	24.449B/----	24.449B/22.929A	----	23.936 + 1.014	.9981	----	----	----	----	4	UNCH			
5275	----	----	23.931B/22.331A	23.931B/22.331A	----	23.437 + 1.015	.9979	----	----	----	----	7	UNCH			
5300	----	----	23.701B/----	23.701B/22.180A	----	23.187 + 1.014	.9979	----	----	----	----	3	UNCH			
5325	----	----	23.451B/----	23.451B/21.931A	----	22.937 + 1.014	.9979	5	----	----	0 -	5				
5350	----	----	23.185B/21.582A	23.185B/21.582A	----	22.688 + 1.014	.9977	----	----	----	----	7	UNCH			
5400	----	----	22.702B/----	22.702B/21.182A	----	22.188 + 1.013	.9977	----	----	----	----	2	UNCH			
5425	----	----	22.436B/20.833A	22.436B/20.833A	----	21.939 + 1.014	.9976	9	----	----	0 -	9				
5500	----	----	21.784B/20.060A	21.784B/20.060A	----	21.190 + 1.013	.9974	----	----	----	335	UNCH				
5525	----	----	21.455B/----	21.455B/19.935A	----	20.941 + 1.014	.9972	1	----	----	0 -	1				
5600	----	----	20.689B/19.092A	20.689B/19.092A	----	20.192 + 1.013	.9969	----	----	----	7	UNCH				
5675	----	----	19.942B/----	19.942B/18.438A	----	19.443 + 1.012	.9966	----	----	----	3	UNCH				
5700	----	----	19.788B/18.065A	19.788B/18.065A	----	19.194 + 1.012	.9964	----	----	----	56	UNCH				
5725	----	----	19.442B/17.841A	19.442B/17.841A	----	18.945 + 1.012	.9961	----	----	----	10	UNCH				
5750	----	----	19.193B/17.592A	19.193B/17.592A	----	18.695 + 1.011	.9961	----	----	----	13	UNCH				
5775	----	----	18.944B/----	18.944B/17.442A	----	18.446 + 1.011	.9958	----	----	----	1	UNCH				
5800	----	----	18.711B/----	18.711B/17.193A	----	18.196 + 1.010	.9958	----	----	----	2	UNCH				
5825	----	----	18.446B/----	18.446B/16.944A	----	17.947 + 1.010	.9955	----	----	----	1	UNCH				
5850	----	----	18.194B/16.608A	18.194B/16.608A	----	17.698 + 1.010	.9953	----	----	----	9	UNCH				
5900	----	----	17.713B/----	17.713B/16.197A	----	17.199 + 1.009	.9949	----	----	----	4	UNCH				
5925	----	----	17.447B/15.862A	17.447B/15.862A	----	16.950 + 1.008	.9947	----	----	----	17	UNCH				
6000	----	----	16.797B/15.078A	16.797B/15.078A	----	16.203 + 1.006	.9938	----	----	----	399	UNCH				
6025	----	----	16.450B/14.872A	16.450B/14.872A	----	15.954 + 1.005	.9935	----	----	----	7	UNCH				
6050	----	----	16.218B/----	16.218B/14.706A	----	15.705 + 1.004	.9932	----	----	----	4	UNCH				
6075	----	----	15.997B/14.316A	15.997B/14.316A	----	15.456 + 1.003	.9929	----	----	----	30	UNCH				
6100	----	----	15.708B/14.112A	15.708B/14.112A	----	15.208 + 1.003	.9924	----	----</							



BULLETIN # 96@				METALS OPTION PRODUCTS					Wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
JUN26													
7890	0.769	0.769	#0.769/*0.769	#1.042B/*0.480A	----	0.761	NEW	.2668	----	----	1	----	1 + 1
7900	0.410	0.410	1.099/*0.410	1.099/*0.410	----	0.738	+	0.043	.2596	----	127	50	155 + 8
7910	0.728	0.728	#0.728/*0.728	#0.979B/*0.449A	----	0.715	NEW	.2524	----	----	1	----	1 + 1
7925	0.660	0.660	0.945B/*0.406A	0.945B/*0.406A	----	0.683	+	0.039	.2422	----	1	----	15 + 1
7950	0.340	0.340	0.882B/*0.340	0.882B/*0.340	----	0.631	+	0.035	.2256	----	8	----	41 + 2
7975	-----	-----	0.814B/*0.357A	0.814B/*0.357A	----	0.584	+	0.031	.2101	----	1	----	22 UNCH
8000	0.328	0.328	0.818/*0.315	0.818/*0.315	----	0.541	+	0.029	.1955	----	195	----	788 + 21
8025	0.460	0.460	0.693B/*0.303A	0.693B/*0.303A	----	0.501	+	0.026	.1818	----	12	----	27 + 3
8030	0.588	0.588	#0.588/*0.588	#0.666B/*0.304A	----	0.494	NEW	.1793	----	----	1	----	1 + 1
8050	-----	-----	0.640B/*0.278A	0.640B/*0.278A	----	0.465	+	0.024	.1692	----	-----	----	25 UNCH
8075	-----	-----	0.591B/*0.258A	0.591B/*0.258A	----	0.432	+	0.023	.1574	----	1	----	6 UNCH
8100	0.430	0.430	0.604B/*0.243A	0.604B/*0.243A	----	0.402	+	0.022	.1466	----	75	----	208 + 49
8125	-----	-----	0.499B/*0.228A	0.499B/*0.228A	----	0.373	+	0.020	.1361	----	-----	----	14 UNCH
8150	0.262	0.262	0.474B/*0.214A	0.474B/*0.214A	----	0.349	+	0.020	.1271	----	5	----	70 + 4
8175	-----	-----	0.424B/*0.198A	0.424B/*0.198A	----	0.325	+	0.019	.1182	----	-----	----	7 UNCH
8200	0.180	0.180	0.419B/*0.160	0.419B/*0.160	----	0.304	+	0.018	.1102	----	80	----	230 + 38
8225	0.277	0.277	0.372B/*0.175A	0.372B/*0.175A	----	0.284	+	0.017	.1027	----	37	----	41 - 20
8240	-----	-----	-----	#0.336B/*0.168A	----	0.273	NEW	.0985	----	----	1	----	1 + 1
8250	0.150	0.150	0.346B/*0.148	0.346B/*0.148	----	0.267	+	0.017	.0961	----	14	----	52 UNCH
8275	0.162	0.162	0.318B/*0.153A	0.318B/*0.153A	----	0.249	+	0.015	.0894	----	20	----	58 + 19
8300	0.175	0.175	0.314B/0.141A	0.314B/0.141A	----	0.234	+	0.015	.0836	----	11	----	146 + 4
8325	0.220	0.220	0.273B/*0.133A	0.273B/*0.133A	----	0.221	+	0.015	.0784	----	7	----	13 + 2
8350	0.145	0.145	0.255B/*0.124A	0.255B/*0.124A	----	0.207	+	0.014	.0731	----	1	----	23 - 1
8375	-----	-----	0.235B/*0.116A	0.235B/*0.116A	----	0.195	+	0.013	.0685	----	-----	----	11 UNCH
8400	0.140	0.140	0.236B/*0.109A	0.236B/*0.109A	----	0.184	+	0.012	.0642	----	10	----	413 + 3
8425	0.100	0.100	0.195B/*0.100	0.195B/*0.100	----	0.174	+	0.012	.0603	----	2	----	60 UNCH
8450	0.200	0.200	0.200/*0.098A	0.200/*0.098A	----	0.163	+	0.010	.0562	----	3	----	27 UNCH
8475	0.138	0.138	0.173B/*0.095A	0.173B/*0.095A	----	0.154	+	0.009	.0528	----	5	----	12 + 5
8500	0.092	0.092	0.180/*0.090	0.180/*0.090	----	0.146	+	0.008	.0497	----	1426	----	1705 + 1102
8525	-----	-----	0.151B/*0.086A	0.151B/*0.086A	----	0.138	+	0.007	.0466	----	-----	----	20 UNCH
8550	0.151	0.151	0.151/*0.079A	0.151/*0.079A	----	0.130	+	0.005	.0436	----	1	----	18 + 1
8575	0.145	0.145	0.145/*0.074A	0.145/*0.074A	----	0.123	+	0.004	.0410	----	6	----	30 + 2
8600	0.103	0.103	0.124B/*0.070A	0.124B/*0.070A	----	0.116	+	0.003	.0384	----	3	----	276 - 2
8625	-----	-----	0.115B/*0.066A	0.115B/*0.066A	----	0.110	+	0.002	.0362	----	-----	----	56 UNCH
8650	-----	-----	0.108B/*0.063A	0.108B/*0.063A	----	0.104	UNCH	.0340	----	----	-----	----	7 UNCH
8675	0.110	0.110	0.110/*0.060A	0.110/*0.060A	----	0.098	-	0.001	.0318	----	1	----	23 UNCH
8700	0.100	0.100	0.103/*0.057A	0.103/*0.057A	----	0.092	-	0.003	.0297	----	980	----	994 + 861
8725	-----	-----	-----/*0.055A	0.091B/*0.055A	----	0.087	-	0.005	.0279	----	-----	----	28 UNCH
8750	-----	-----	-----/*0.052A	0.085B/*0.052A	----	0.083	-	0.005	.0264	----	-----	----	47 UNCH
8775	-----	-----	-----/*0.050A	0.078B/*0.050A	----	0.078	-	0.007	.0246	----	-----	----	16 UNCH
8800	-----	-----	-----/*0.048A	0.076B/*0.048A	----	0.074	-	0.008	.0232	----	1	----	90 UNCH
8825	-----	-----	-----/*0.047A	0.071B/*0.047A	----	0.071	-	0.008	.0221	----	-----	----	19 UNCH
8850	-----	-----	-----/*0.045A	0.067B/*0.045A	----	0.067	-	0.009	.0207	----	-----	----	36 UNCH
8875	-----	-----	-----/*0.044A	0.062B/*0.044A	----	0.064	-	0.010	.0196	----	-----	----	29 UNCH
8900	0.075	0.075	0.075/*0.042A	0.075/*0.042A	----	0.061	-	0.010	.0185	----	5	----	199 + 5
8925	-----	-----	-----/*0.041A	0.056B/*0.041A	----	0.058	-	0.011	.0175	----	-----	----	4 UNCH
8950	0.040	0.040	0.053B/*0.030	0.053B/*0.030	----	0.054	-	0.013	.0162	----	6	----	39 + 5
8975	-----	-----	-----/*0.039A	0.050B/*0.039A	----	0.051	-	0.014	.0152	----	-----	----	42 UNCH
9000	0.035	0.035	0.073/*0.020	0.073/*0.020	----	0.049	-	0.014	.0145	----	424	----	865 + 123
9025	-----	-----	-----/*0.037A	0.044B/*0.037A	----	0.047	-	0.014	.0138	----	-----	----	22 UNCH
9050	0.030	0.030	0.041B/*0.030	0.041B/*0.030	----	0.045	-	0.014	.0131	----	1	----	27 UNCH
9075	-----	-----	-----/*0.036A	0.039B/*0.036A	----	0.043	-	0.015	.0124	----	-----	----	15 UNCH
9100	-----	-----	-----/*0.035A	0.037B/*0.035A	----	0.041	-	0.015	.0117	----	1	----	406 - 1
9125	-----	-----	-----/*0.034A	0.034B/*0.034A	----	0.039	-	0.016	.0111	----	-----	----	6 UNCH
9150	0.046	0.046	0.046/*0.025A	0.046/*0.025A	----	0.038	-	0.015	.0107	----	3	----	289 + 1
9175	-----	-----	-----/*0.033A	0.034B/*0.033A	----	0.036	-	0.016	.0100	----	-----	----	28 UNCH
9200	-----	-----	-----/0.032A	0.028B/0.032A	----	0.035	-	0.015	.0097	----	-----	----	192 UNCH
9225	-----	-----	-----/*0.032A	0.024B/*0.032A	----	0.033	-	0.016	.0091	----	-----	----	22 UNCH
9250	0.022	0.022	0.024B/*0.022	0.024B/*0.022	----	0.032	-	0.016	.0087	----	4	----	122 - 4
9275	-----	-----	-----/*0.032A	0.023B/*0.032A	----	0.031	-	0.016	.0084	----	-----	----	12 UNCH
9300	-----	-----	-----/*0.032A	0.019B/*0.032A	----	0.030	-	0.016	.0080	----	-----	----	102 UNCH
9325	-----	-----	-----/*0.031A	0.018B/*0.031A	----	0.029	-	0.016	.0077	----	1	----	5 + 1
9350	-----	-----	-----/*0.031A	0.018B/*0.031A	----	0.028	-	0.016	.0074	----	-----	----	24 UNCH
9375	-----	-----	-----/*0.032A	0.017B/*0.032A	----	0.027	-	0.016	.0070	----	-----	----	25 UNCH
9400	0.022	0.022	0.022/*0.020A	0.022/*0.020A	----	0.026	-	0.016	.0067	----	3	----	128 UNCH
9425	-----	-----	-----/*0.030A	0.014B/*0.030A	----	0.025	-	0.016	.0064	----	-----	----	57 UNCH
9450	0.011	0.011	0.013B/*0.011	0.013B/*0.011	----	0.024	-	0.016	.0061	----	1	----	16 UNCH
9475	-----	-----	-----/*0.030A	0.012B/*0.030A	----	0.024	-	0.015	.0060	----	-----	----	19 UNCH
9500	-----	-----	-----/*0.022A	0.010B/*0.022A	----	0.023	-	0.015	.0057	----	-----	----	1403 UNCH
9525	-----	-----	-----/*0.030A	0.009B/*0.030A	----	0.022	-	0.015	.0055	----	-----	----	14 UNCH
9550	0.011	0.011	0.015/*0.010	0.015/*0.010	----	0.022	-	0.015					

	BULLETIN # 96@				METALS OPTION PRODUCTS						Wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUN26															
11400	----	----	----	----	----	/*0.045A	----	----	0.006 - 0.009	.0009	----	----	----	----	163 UNCH
11425	----	----	----	----	----	/*0.044A	----	----	0.006 - 0.009	.0009	----	----	----	----	12 UNCH
11450	----	----	----	----	----	/*0.044A	----	----	0.006 - 0.009	.0009	----	----	----	----	13 UNCH
11475	----	----	----	----	----	/*0.044A	----	----	0.006 - 0.009	.0009	----	----	----	----	8 UNCH
11500	----	----	----	----	----	/*0.010A	----	----	0.006 - 0.009	.0009	----	----	----	----	198 UNCH
11525	----	----	----	----	----	/*0.048A	----	----	0.006 - 0.009	.0009	----	----	----	----	8 UNCH
11550	----	----	----	----	----	/*0.047A	----	----	0.006 - 0.009	.0009	----	----	----	----	1 UNCH
11575	----	----	----	----	----	/*0.048A	----	----	0.006 - 0.008	.0008	----	----	----	----	4 UNCH
11600	----	----	----	----	----	/*0.044A	----	----	0.006 - 0.008	.0008	----	----	----	----	1 UNCH
11625	----	----	----	----	----	/0.108A	----	----	0.006 - 0.008	.0008	----	----	----	----	21 UNCH
11675	----	----	----	----	----	/0.108A	----	----	0.006 - 0.008	.0008	----	----	----	----	2 UNCH
11700	----	----	----	----	----	/0.108A	----	----	0.006 - 0.008	.0008	----	----	----	----	38 UNCH
11725	----	----	----	----	----	/0.108A	----	----	0.006 - 0.008	.0008	----	----	----	----	2 UNCH
11750	----	----	----	----	----	/0.109A	----	----	0.006 - 0.008	.0008	----	----	----	----	15 UNCH
11775	----	----	----	----	----	/0.109A	----	----	0.006 - 0.008	.0008	----	----	----	----	2 UNCH
11800	----	----	----	----	----	/0.109A	----	----	0.006 - 0.008	.0008	----	----	----	----	38 UNCH
11825	----	----	----	----	----	/0.109A	----	----	0.006 - 0.007	.0008	----	----	----	----	9 UNCH
11850	----	----	----	----	----	/0.110A	----	----	0.005 - 0.008	.0007	----	----	----	----	5 UNCH
11875	----	----	----	----	----	/0.110A	----	----	0.005 - 0.008	.0007	----	----	----	----	1 UNCH
11900	----	----	----	----	----	/0.105A	----	----	0.005 - 0.008	.0007	----	----	----	----	14 UNCH
11925	----	----	----	----	----	/0.106A	----	----	0.005 - 0.008	.0007	----	----	----	----	8 UNCH
11950	----	----	----	----	----	/0.106A	----	----	0.005 - 0.008	.0007	----	----	----	----	6 UNCH
11975	----	----	----	----	----	/0.116A	----	----	0.005 - 0.008	.0006	----	----	----	----	1 UNCH
12000	0.010	0.010		0.010/0.007A	0.010/0.007A	----	----	----	0.005 - 0.008	.0006	----	----	2	----	399 - 1
12025	----	----	----	----	----	/0.120A	----	----	0.005 - 0.008	.0006	----	----	----	----	11 UNCH
12050	----	----	----	----	----	/0.121A	----	----	0.005 - 0.008	.0006	----	----	----	----	1 UNCH
12075	----	----	----	----	----	/0.108A	----	----	0.005 - 0.007	.0006	----	----	----	----	1 UNCH
12100	----	----	----	----	----	/0.123A	----	----	0.005 - 0.007	.0006	----	----	----	----	31 UNCH
12125	----	----	----	----	----	/0.123A	----	----	0.005 - 0.007	.0006	----	----	----	----	1 UNCH
12200	----	----	----	----	----	/0.123A	----	----	0.005 - 0.007	.0006	----	----	----	----	22 UNCH
12225	----	----	----	----	----	/0.123A	----	----	0.005 - 0.007	.0006	----	----	----	----	7 UNCH
12275	----	----	----	----	----	/0.124A	----	----	0.005 - 0.007	.0006	----	----	----	----	1 UNCH
12325	----	----	----	----	----	/0.124A	----	----	0.005 - 0.007	.0006	----	----	----	----	4 UNCH
12350	----	----	----	----	----	/0.124A	----	----	0.005 - 0.006	.0006	----	----	----	----	5 UNCH
12400	----	----	----	----	----	/0.124A	----	----	0.004 - 0.007	.0005	----	----	----	----	23 UNCH
12425	----	----	----	----	----	/0.124A	----	----	0.004 - 0.007	.0005	----	----	----	----	1 UNCH
12450	----	----	----	----	----	/0.124A	----	----	0.004 - 0.007	.0005	----	----	----	----	9 UNCH
12475	----	----	----	----	----	/0.124A	----	----	0.004 - 0.007	.0005	----	----	----	----	1 UNCH
12500	0.005	0.005		0.005/*0.005	0.005/*0.005	----	----	----	0.004 - 0.007	.0005	----	----	1	----	92 UNCH
12525	----	----	----	----	----	/0.125A	----	----	0.004 - 0.007	.0005	----	----	----	----	37 UNCH
12550	----	----	----	----	----	/0.125A	----	----	0.004 - 0.007	.0005	----	----	----	----	6 UNCH
12575	----	----	----	----	----	/0.125A	----	----	0.004 - 0.007	.0005	----	----	----	----	2 UNCH
12600	----	----	----	----	----	/0.125A	----	----	0.004 - 0.007	.0005	----	----	----	----	9 UNCH
12650	----	----	----	----	----	/0.126A	----	----	0.004 - 0.006	.0005	----	----	----	----	2 UNCH
12675	----	----	----	----	----	/0.126A	----	----	0.004 - 0.006	.0005	----	----	----	----	2 UNCH
12700	----	----	----	----	----	/0.126A	----	----	0.004 - 0.006	.0004	----	----	----	----	11 UNCH
12725	----	----	----	----	----	/0.126A	----	----	0.004 - 0.006	.0004	----	----	----	----	2 UNCH
12750	----	----	----	----	----	/0.126A	----	----	0.004 - 0.006	.0004	----	----	----	----	2 UNCH
12775	----	----	----	----	----	/0.127A	----	----	0.004 - 0.006	.0004	----	----	----	----	9 UNCH
12800	----	----	----	----	----	/0.127A	----	----	0.004 - 0.006	.0004	----	----	----	----	34 UNCH
12900	----	----	----	----	----	/0.131A	----	----	0.004 - 0.006	.0004	----	----	----	----	6 UNCH
13000	----	----	----	----	----	/*0.006A	----	----	0.003 - 0.006	.0003	----	----	----	----	519 UNCH
13100	----	----	----	----	----	/0.140A	----	----	0.003 - 0.006	.0003	----	----	----	----	4 UNCH
13200	----	----	----	----	----	/0.141A	----	----	0.003 - 0.006	.0003	----	----	----	----	3 UNCH
13300	----	----	----	----	----	/0.145A	----	----	0.003 - 0.005	.0003	----	----	----	----	4 UNCH
13400	----	----	----	----	----	/0.153A	----	----	0.003 - 0.005	.0003	----	----	----	----	6 UNCH
13500	----	----	----	----	----	/0.147A	----	----	0.003 - 0.005	.0003	----	----	----	----	31 UNCH
13600	----	----	----	----	----	/0.153A	----	----	0.003 - 0.005	.0003	----	----	----	----	7 UNCH
13700	----	----	----	----	----	/0.294A	----	----	0.003 - 0.004	.0003	----	----	----	----	5 UNCH
13800	----	----	----	----	----	/0.294A	----	----	0.002 - 0.005	.0002	----	----	----	----	1 UNCH
13900	----	----	----	----	----	/0.295A	----	----	0.002 - 0.005	.0002	----	----	----	----	3 UNCH
14000	----	----	----	----	----	/*0.007A	----	----	0.002 - 0.005	.0002	----	----	----	----	337 UNCH
14200	----	----	----	----	----	/0.295A	----	----	0.002 - 0.004	.0002	----	----	----	----	60 UNCH
14300	----	----	----	----	----	/0.206A	----	----	0.002 - 0.004	.0002	----	----	----	----	1 UNCH
14400	----	----	----	----	----	/0.208A	----	----	0.002 - 0.004	.0002	----	----	----	----	65 UNCH
14500	----	----	----	----	----	/0.210A	----	----	0.002 - 0.004	.0002	----	----	----	----	31 UNCH
14600	----	----	----	----	----	/0.220A	----	----	0.002 - 0.003	.0002	----	----	----	----	7 UNCH
14700	----	----	----	----	----	/0.218A	----	----	0.002 - 0.003	.0001	----	----	----	----	11 UNCH
14800	----	----	----	----	----	/0.296A	----	----	0.002 - 0.003	.0001	----	----	----	----	10 UNCH
14900	----	----	----	----	----	/0.297A	----	----	0.002 - 0.003	.0001	----	----	----	----	6 UNCH
15000	----	----	----	----	----	/*0.007A	----	----	0.002 - 0.003	.0001	----	----	----	----	144 UNCH
15300	----	----	----	----	----	/0.297A	----	----	0.001 - 0.003	.0000	----	----	----	----	2 UNCH
15400	----	----	----	----	----	/0.297A	----	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
15500	----	----	----	----	----	/0.230A	----	----	0.001 - 0.003	.0000	----	----	----	----	6 UNCH
15600	----	----	----	----	----	/0.297A	----	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
15700	----	----	----	----	----	/0.298A	----	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH

	BULLETIN # 96@			METALS OPTION PRODUCTS										Wed, May 20, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS																
JUL26																	
5600	----	----	----	20.9058/19.164A	20.9058/19.164A	----	----	20.358	+	0.950	.9642	----	----	----	106 UNCH		
5650	----	----	----	20.4098/18.764A	20.4098/18.764A	----	----	19.874	+	0.944	.9617	----	----	----	43 UNCH		
5675	----	----	----	20.1588/18.525A	20.1588/18.525A	----	----	19.632	+	0.941	.9604	----	----	----	25 UNCH		
5700	----	----	----	19.9268/18.286A	19.9268/18.286A	----	----	19.391	+	0.937	.9589	----	----	----	26 UNCH		
5750	----	----	----	19.4578/17.739A	19.4578/17.739A	----	----	18.909	+	0.929	.9559	----	----	----	164 UNCH		
5775	----	----	----	19.1568/17.707A	19.1568/17.707A	----	----	18.669	+	0.924	.9543	----	----	----	1 UNCH		
5800	----	----	----	18.9138/17.381A	18.9138/17.381A	----	----	18.430	+	0.921	.9526	----	----	----	16 UNCH		
5900	----	----	----	17.9638/16.448A	17.9638/16.448A	----	----	17.477	+	0.904	.9453	----	----	----	10 UNCH		
5925	----	----	----	17.7238/16.219A	17.7238/16.219A	----	----	17.240	+	0.899	.9432	----	----	----	10 UNCH		
5950	----	----	----	17.4858/15.987A	17.4858/15.987A	----	----	17.004	+	0.894	.9410	----	----	----	6 UNCH		
5975	----	----	----	17.2558/15.755A	17.2558/15.755A	----	----	16.768	+	0.888	.9388	----	----	----	20 UNCH		
6000	----	----	----	17.0848/14.687A	17.0848/14.687A	----	----	16.533	+	0.882	.9364	----	----	----	547 UNCH		
6050	----	----	----	16.6178/14.693A	16.6178/14.693A	----	----	16.066	+	0.871	.9315	----	----	----	58 UNCH		
6075	----	----	----	16.2828/14.321A	16.2828/14.321A	----	----	15.833	+	0.867	.9289	----	----	----	1 UNCH		
6100	----	----	----	16.0908/14.381A	16.0908/14.381A	----	----	15.602	+	0.862	.9262	----	----	----	10 UNCH		
6200	----	----	----	15.2338/13.582A	15.2338/13.582A	----	----	14.684	+	0.835	.9141	----	----	----	101 UNCH		
6250	----	----	----	14.6768/13.350A	14.6768/13.350A	----	----	14.231	+	0.822	.9074	----	----	----	1 UNCH		
6300	----	----	----	14.2228/12.914A	14.2228/12.914A	----	----	13.783	+	0.808	.9001	----	----	----	3 UNCH		
6350	----	----	----	13.7758/12.483A	13.7758/12.483A	----	----	13.339	+	0.793	.8923	----	----	----	2 UNCH		
6450	----	----	----	12.8958/11.638A	12.8958/11.638A	----	----	12.466	+	0.760	.8751	----	----	----	1 UNCH		
6500	----	----	----	12.5828/11.018A	12.5828/11.018A	----	----	12.039	+	0.741	.8656	----	----	----	182 UNCH		
6600	----	----	----	11.7378/10.212A	11.7378/10.212A	----	----	11.202	+	0.704	.8449	----	----	----	56 UNCH		
6650	----	----	----	11.3368/9.821A	11.3368/9.821A	----	----	10.794	+	0.683	.8336	----	----	----	102 UNCH		
6750	----	----	----	10.4548/9.180A	10.4548/9.180A	----	----	10.001	+	0.643	.8093	----	----	----	24 UNCH		
6800	----	----	----	10.1528/8.695A	10.1528/8.695A	----	----	9.616	+	0.622	.7963	----	----	----	251 UNCH		
6825	----	----	----	9.8928/8.625A	9.8928/8.625A	----	----	9.426	+	0.611	.7895	----	----	----	6 UNCH		
6850	----	----	----	9.5838/8.533A	9.5838/8.533A	----	----	9.239	+	0.599	.7827	----	----	----	1 UNCH		
6875	----	----	----	9.5118/8.264A	9.5118/8.264A	----	----	9.054	+	0.589	.7757	----	----	----	16 UNCH		
6900	----	----	----	9.3938/8.063A	9.3938/8.063A	----	----	8.871	+	0.577	.7686	----	----	----	99 UNCH		
6950	----	----	----	8.9838/7.718A	8.9838/7.718A	----	----	8.511	+	0.555	.7539	----	----	----	26 UNCH		
7000	----	----	----	8.6518/7.381A	8.6518/7.381A	----	----	8.161	+	0.533	.7389	----	----	----	153 UNCH		
7025	----	----	----	8.4988/7.227A	8.4988/7.227A	----	----	7.990	+	0.521	.7311	----	----	----	125 UNCH		
7050	----	----	----	8.1368/7.187A	8.1368/7.187A	----	----	7.821	+	0.509	.7233	----	----	----	1 UNCH		
7100	----	----	----	7.9328/6.765A	7.9328/6.765A	----	----	7.490	+	0.488	.7074	----	----	----	6 UNCH		
7150	----	----	----	7.6408/6.455A	7.6408/6.455A	----	----	7.169	+	0.465	.6910	----	----	----	100 UNCH		
7200	----	----	----	7.2998/5.630A	7.2998/5.630A	----	----	6.858	+	0.444	.6744	----	----	----	12 UNCH		
7225	----	----	----	7.0188/5.610A	7.0188/5.610A	----	----	6.707	+	0.433	.6660	----	----	----	1 UNCH		
7250	6.926	6.926		7.0068/5.329A	7.0068/5.329A	----	----	6.558	+	0.423	.6575	----	2	----	169 - 2		
7300	5.380	5.380		6.7188/5.040A	6.7188/5.040A	----	----	6.267	+	0.401	.6404	----	3	----	105 + 1		
7325	----	----	----	6.5708/4.948A	6.5708/4.948A	----	----	6.126	+	0.391	.6318	----	----	----	113 UNCH		
7350	----	----	----	6.2748/4.837A	6.2748/4.837A	----	----	5.987	+	0.381	.6232	----	----	----	2 UNCH		
7400	4.726	4.726		6.1358/4.381	6.1358/4.381	----	----	5.717	+	0.362	.6058	----	3	----	15 - 1		
7425	----	----	----	6.0168/4.508A	6.0168/4.508A	----	----	5.586	+	0.351	.5971	----	----	----	6 UNCH		
7450	----	----	----	5.8808/4.403A	5.8808/4.403A	----	----	5.457	+	0.342	.5884	----	----	----	16 UNCH		
7475	----	----	----	5.6248/4.291A	5.6248/4.291A	----	----	5.331	+	0.332	.5797	----	----	----	4 UNCH		
7500	4.570	4.570		5.6338/4.171A	5.6338/4.171A	----	----	5.207	+	0.323	.5710	----	6	----	308 + 4		
7525	----	----	----	5.3618/4.071A	5.3618/4.071A	----	----	5.086	+	0.314	.5623	----	----	----	1 UNCH		
7550	----	----	----	5.3858/3.989A	5.3858/3.989A	----	----	4.968	+	0.307	.5536	----	----	----	7 UNCH		
7575	----	----	----	5.2538/3.873A	5.2538/3.873A	----	----	4.852	+	0.298	.5449	----	----	----	20 UNCH		
7600	4.148	4.148		5.1348/3.800	5.1348/3.800	----	----	4.738	+	0.289	.5363	----	3	----	148 UNCH		
7625	----	----	----	5.0468/3.705A	5.0468/3.705A	----	----	4.627	+	0.282	.5277	----	----	----	1 UNCH		
7650	----	----	----	4.9428/3.610A	4.9428/3.610A	----	----	4.519	+	0.274	.5191	----	5	----	25 + 5		
7675	4.305	4.305		4.8448/3.530A	4.8448/3.530A	----	----	4.412	+	0.267	.5106	----	1	----	18 + 1		
7700	4.140	4.140		4.7258/3.450A	4.7258/3.450A	----	----	4.309	+	0.260	.5022	----	11	----	140 + 10		
7725	----	----	----	4.6178/3.364A	4.6178/3.364A	----	----	4.207	+	0.252	.4938	----	----	----	13 UNCH		
7750	3.500	3.500		4.5078/3.290A	4.5078/3.290A	----	----	4.108	+	0.246	.4855	----	17	----	139 + 10		
7775	----	----	----	4.4148/3.209A	4.4148/3.209A	----	----	4.011	+	0.239	.4772	----	----	----	7 UNCH		
7800	3.220	3.220		4.3108/3.133A	4.3108/3.133A	----	----	3.916	+	0.232	.4690	----	6	----	81 - 1		
7825	3.580	3.580		4.2118/3.063A	4.2118/3.063A	----	----	3.824	+	NEW	.4609	----	1	----	1 + 1		
7850	----	----	----	4.1408/2.994A	4.1408/2.994A	----	----	3.734	+	0.220	.4529	----	----	----	17 UNCH		
7900	----	----	----	3.9538/2.846A	3.9538/2.846A	----	----	3.560	+	0.209	.4371	----	----	----	103 UNCH		
7925	----	----	----	3.8618/2.774A	3.8618/2.774A	----	----	3.476	+	0.204	.4293	----	----	----	3 UNCH		
7950	----	----	----	3.7728/2.710A	3.7728/2.710A	----	----	3.394	+	0.199	.4216	----	----	----	1 UNCH		
7975	----	----	----	3.6868/2.638A	3.6868/2.638A	----	----	3.314	+	0.193	.4140	----	----	----	4 UNCH		
8000	2.760	2.760		3.6048/2.520	3.6048/2.520	----	----	3.236	+	0.188	.4065						

BULLETIN # 96@				METALS OPTION PRODUCTS								Wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
JUL26																
9900	----	----	----	0.743B/*0.573A	0.743B/*0.573A	----	0.672	+	0.031	.1000	----	----	----	----	31 UNCH	
9925	----	----	----	0.730B/*0.563A	0.730B/*0.563A	----	0.660	+	0.029	.0983	----	----	----	----	15 UNCH	
9950	----	----	----	0.718B/*0.554A	0.718B/*0.554A	----	0.649	+	0.028	.0967	----	----	----	----	9 UNCH	
9975	0.600	0.600	----	0.703B/*0.361	0.703B/*0.361	----	0.638	+	0.026	.0951	----	----	5	----	4 UNCH	
10000	0.543	0.543	----	0.688B/0.526	0.688B/0.526	----	0.627	+	0.021	.0935	----	----	100	1777 +	3	
10025	----	----	----	0.676B/*0.529A	0.676B/*0.529A	----	0.617	+	0.025	.0920	----	----	----	----	2 UNCH	
10050	----	----	----	0.664B/*0.525A	0.664B/*0.525A	----	0.607	+	0.024	.0905	----	----	----	----	2 UNCH	
10075	----	----	----	0.652B/*0.513A	0.652B/*0.513A	----	0.597	+	0.023	.0891	----	----	----	----	21 UNCH	
10100	0.512	0.512	----	0.642B/*0.505A	0.642B/*0.505A	----	0.587	+	0.021	.0876	----	----	1	----	113 UNCH	
10125	----	----	----	0.631B/*0.498A	0.631B/*0.498A	----	0.577	+	0.019	.0862	----	----	----	----	4 UNCH	
10150	----	----	----	0.620B/*0.492A	0.620B/*0.492A	----	0.568	+	0.019	.0848	----	----	----	----	32 UNCH	
10200	----	----	----	0.587B/*0.477A	0.587B/*0.477A	----	0.550	+	0.016	.0822	----	----	----	----	119 UNCH	
10250	0.467	0.467	----	0.567B/*0.464A	0.567B/*0.464A	----	0.533	+	0.014	.0796	----	----	2	----	22 -	
10275	----	----	----	0.558B/*0.457A	0.558B/*0.457A	----	0.524	+	0.013	.0783	----	----	----	----	7 UNCH	
10300	----	----	----	0.560B/*0.451A	0.560B/*0.451A	----	0.516	+	0.012	.0771	----	----	----	----	6 UNCH	
10325	----	----	----	0.540B/*0.443A	0.540B/*0.443A	----	0.508	+	0.011	.0759	----	----	----	----	1 UNCH	
10350	----	----	----	0.532B/*0.437A	0.532B/*0.437A	----	0.500	+	0.009	.0747	----	----	----	----	0	
10375	----	----	----	0.524B/*0.432A	0.524B/*0.432A	----	0.493	+	0.009	.0737	----	----	----	----	18 UNCH	
10400	----	----	----	0.523B/*0.426A	0.523B/*0.426A	----	0.485	+	0.007	.0725	----	----	----	----	16 UNCH	
10425	----	----	----	0.507B/*0.420A	0.507B/*0.420A	----	0.478	+	0.007	.0714	----	----	----	----	2 UNCH	
10450	----	----	----	0.499B/*0.414A	0.499B/*0.414A	----	0.471	+	0.007	.0704	----	----	----	----	25 UNCH	
10475	----	----	----	0.492B/*0.408A	0.492B/*0.408A	----	0.463	+	0.005	.0692	----	----	----	----	26 UNCH	
10500	----	----	----	0.484B/0.404A	0.484B/0.404A	----	0.457	+	0.005	.0683	----	----	34	455 +	34	
10525	----	----	----	0.482B/*0.399A	0.482B/*0.399A	----	0.450	+	0.004	.0672	----	----	----	----	2 UNCH	
10550	----	----	----	0.471B/*0.393A	0.471B/*0.393A	----	0.443	+	0.003	.0662	----	----	----	----	10 UNCH	
10575	----	----	----	0.462B/*0.390A	0.462B/*0.390A	----	0.437	+	0.002	.0653	----	----	----	----	1 UNCH	
10600	----	----	----	0.455B/*0.383A	0.455B/*0.383A	----	0.430	+	0.001	.0642	----	----	----	----	52 UNCH	
10625	----	----	----	0.448B/*0.378A	0.448B/*0.378A	----	0.424		UNCH	.0633	----	----	----	----	2 UNCH	
10675	----	----	----	0.435B/*0.368A	0.435B/*0.368A	----	0.412	-	0.002	.0615	----	----	----	----	9 UNCH	
10700	----	----	----	0.428B/*0.364A	0.428B/*0.364A	----	0.406	-	0.003	.0606	----	----	----	----	69 UNCH	
10725	----	----	----	0.422B/*0.360A	0.422B/*0.360A	----	0.400	-	0.004	.0597	----	----	----	----	4 UNCH	
10750	----	----	----	0.415B/*0.357A	0.415B/*0.357A	----	0.395	-	0.004	.0589	----	----	----	----	60 UNCH	
10775	----	----	----	0.409B/*0.351A	0.409B/*0.351A	----	0.389	-	0.005	.0580	----	----	----	----	9 UNCH	
10800	----	----	----	0.403B/*0.348A	0.403B/*0.348A	----	0.384	-	0.006	.0572	----	----	----	----	35 UNCH	
10875	----	----	----	0.386B/*0.336A	0.386B/*0.336A	----	0.368	-	0.008	.0548	----	----	----	----	15 UNCH	
10900	----	----	----	0.380B/*0.332A	0.380B/*0.332A	----	0.363	-	0.009	.0541	----	----	----	----	6 UNCH	
10925	----	----	----	0.375B/*0.328A	0.375B/*0.328A	----	0.358	-	0.010	.0533	----	----	----	----	1 UNCH	
10950	----	----	----	0.370B/*0.324A	0.370B/*0.324A	----	0.354	-	0.010	.0527	----	----	----	----	1 UNCH	
10975	----	----	----	0.363B/0.320A	0.363B/0.320A	----	0.349	-	0.010	.0519	----	----	----	----	1 UNCH	
11000	0.320	0.320	----	0.359B/0.316A	0.359B/0.316A	----	0.344	-	0.011	.0512	----	----	47	1357 -	40	
11025	----	----	----	0.353B/*0.312A	0.353B/*0.312A	----	0.340	-	0.012	.0505	----	----	----	----	15 UNCH	
11050	----	----	----	----/*0.308A	0.348B/*0.308A	----	0.335	-	0.013	.0498	----	----	----	----	8 UNCH	
11075	----	----	----	----/*0.305A	0.343B/*0.305A	----	0.331	-	0.013	.0492	----	----	----	----	2 UNCH	
11100	----	----	----	----/*0.301A	0.339B/*0.301A	----	0.327	-	0.013	.0485	----	----	----	----	15 UNCH	
11125	----	----	----	----/*0.298A	0.334B/*0.298A	----	0.322	-	0.015	.0478	----	----	----	----	2 UNCH	
11150	----	----	----	----/*0.294A	0.329B/*0.294A	----	0.318	-	0.014	.0472	----	----	----	----	1 UNCH	
11175	----	----	----	----/*0.291A	0.325B/*0.291A	----	0.314	-	0.015	.0466	----	----	----	----	2 UNCH	
11200	0.310	0.310	----	0.310/*0.288A	0.322B/*0.288A	----	0.310	-	0.015	.0460	----	----	3	13 +	3	
11225	----	----	----	----/*0.286A	0.320B/*0.286A	----	0.307	-	0.015	.0455	----	----	----	----	6 UNCH	
11250	----	----	----	----/*0.281A	0.315B/*0.281A	----	0.303	-	0.015	.0448	----	----	----	----	12 UNCH	
11275	----	----	----	----/*0.278A	0.308B/*0.278A	----	0.299	-	0.016	.0442	----	----	----	----	1 UNCH	
11300	----	----	----	----/*0.275A	0.304B/*0.275A	----	0.295	-	0.017	.0436	----	----	----	----	52 UNCH	
11350	----	----	----	----/*0.269A	0.298B/*0.269A	----	0.288	-	0.018	.0426	----	----	----	----	2 UNCH	
11400	----	----	----	----/*0.266A	0.287B/*0.266A	----	0.281	-	0.019	.0415	----	----	----	----	21 UNCH	
11425	----	----	----	----/*0.261A	0.285B/*0.261A	----	0.278	-	0.019	.0410	----	----	----	----	10 UNCH	
11450	----	----	----	----/*0.259A	0.279B/*0.259A	----	0.275	-	0.019	.0405	----	----	----	----	4 UNCH	
11500	----	----	----	----/*0.253A	0.272B/*0.253A	----	0.268	-	0.020	.0395	----	----	----	----	304 UNCH	
11550	----	----	----	----/*0.248A	0.265B/*0.248A	----	0.262	-	0.020	.0385	----	----	----	----	2 UNCH	
11575	----	----	----	----/*0.245A	0.265B/*0.245A	----	0.259	-	0.021	.0381	----	----	----	----	11 UNCH	
11600	----	----	----	----/*0.242A	0.259B/*0.242A	----	0.256	-	0.021	.0376	----	----	----	----	10 UNCH	
11625	----	----	----	----/*0.240A	0.254B/*0.240A	----	0.253	-	0.021	.0372	----	----	----	----	3 UNCH	
11650	----	----	----	----/*0.237A	0.253B/*0.237A	----	0.251	-	0.021	.0368	----	----	----	----	24 UNCH	
11675	----	----	----	----/*0.235A	0.252B/*0.235A	----	0.248	-	0.021	.0364	----	----	----	----	23 UNCH	
11700	----	----	----	----/*0.234A	0.247B/*0.234A	----	0.245	-	0.022	.0359	----	----	----	----	23 UNCH	
11725	----	----	----	----/*0.230A	0.246B/*0.230A	----	0.242	-	0.022	.0354	----	----	----	----	22 UNCH	
11750	----	----	----	----/*0.228A	0.241B/*0.228A	----	0.240	-	0.022	.0351	----	----	----	----	23 UNCH	
11775	----	----	----	----/*0.228A												



	BULLETIN # 96@			METALS OPTION PRODUCTS							Wed, May 20, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL														
AUG26														
7825	----	----	----	5.952B/5.380A	5.952B/5.380A	----	----	5.775 + 0.148	.5045	----	----	----	----	1 UNCH
7850	----	----	----	5.857B/5.311A	5.857B/5.311A	----	----	5.680 + 0.142	.4985	----	----	4	----	14 + 4
7900	----	----	----	5.725B/5.155A	5.725B/5.155A	----	----	5.497 + 0.133	.4868	----	----	----	----	42 UNCH
7925	----	----	----	5.581B/5.036A	5.581B/5.036A	----	----	5.408 + 0.129	.4810	----	----	----	----	1 UNCH
7950	----	----	----	5.491B/4.988A	5.491B/4.988A	----	----	5.321 + 0.125	.4752	----	----	4	----	15 + 3
8000	4.888	4.888	----	5.447B/4.822A	5.447B/4.822A	----	----	5.155 + 0.122	.4639	----	80	----	----	470 + 78
8050	----	----	----	5.150B/4.677A	5.150B/4.677A	----	----	4.986 + 0.110	.4526	----	----	----	----	4 UNCH
8100	----	----	----	4.992B/4.530A	4.992B/4.530A	----	----	4.829 + 0.105	.4416	----	----	----	----	21 UNCH
8125	----	----	----	4.902B/4.431A	4.902B/4.431A	----	----	4.752 + 0.101	.4362	----	----	----	----	1 UNCH
8150	----	----	----	4.858B/4.401A	4.858B/4.401A	----	----	4.677 + 0.098	.4309	----	----	----	----	35 UNCH
8200	----	----	----	4.701B/4.263A	4.701B/4.263A	----	----	4.530 + 0.093	.4203	----	----	----	----	6 UNCH
8225	----	----	----	4.612B/4.145A	4.612B/4.145A	----	----	4.460 + 0.091	.4152	----	----	----	----	2 UNCH
8250	----	----	----	4.602B/4.109A	4.602B/4.109A	----	----	4.390 + 0.088	.4100	----	----	----	----	215 UNCH
8300	----	----	----	4.511B/3.988A	4.511B/3.988A	----	----	4.255 + 0.084	.3999	----	----	----	----	84 UNCH
8350	----	----	----	4.248B/3.864A	4.248B/3.864A	----	----	4.125 + 0.079	.3901	----	----	----	----	3 UNCH
8375	----	----	----	4.183B/3.774A	4.183B/3.774A	----	----	4.061 + 0.076	.3852	----	----	----	----	1 UNCH
8400	----	----	----	4.114B/3.742A	4.114B/3.742A	----	----	4.000 + 0.074	.3805	----	----	----	----	22 UNCH
8425	----	----	----	4.061B/3.676A	4.061B/3.676A	----	----	3.939 + 0.073	.3757	----	----	----	----	1 UNCH
8450	----	----	----	3.985B/3.681A	3.985B/3.681A	----	----	3.879 + 0.070	.3711	----	----	----	----	17 UNCH
8475	----	----	----	3.928B/3.529A	3.928B/3.529A	----	----	3.821 + 0.068	.3665	----	----	----	----	2 UNCH
8500	----	----	----	3.986B/3.511A	3.986B/3.511A	----	----	3.764 + 0.066	.3619	----	----	----	----	71 UNCH
8550	----	----	----	3.746B/3.355A	3.746B/3.355A	----	----	3.652 + 0.061	.3530	----	----	----	----	16 UNCH
8600	----	----	----	3.709B/3.273A	3.709B/3.273A	----	----	3.545 + 0.057	.3443	----	----	----	----	201 UNCH
8650	----	----	----	3.528B/3.211A	3.528B/3.211A	----	----	3.442 + 0.051	.3358	----	----	----	----	1 UNCH
8675	----	----	----	3.504B/3.115A	3.504B/3.115A	----	----	3.392 + 0.050	.3317	----	----	----	----	1 UNCH
8700	----	----	----	3.426B/3.084A	3.426B/3.084A	----	----	3.343 + 0.047	.3276	----	----	----	----	31 UNCH
8750	----	----	----	3.328B/2.988A	3.328B/2.988A	----	----	3.247 + 0.041	.3195	----	----	----	----	9 UNCH
8775	----	----	----	3.278B/2.930A	3.278B/2.930A	----	----	3.201 + 0.039	.3156	----	----	----	----	2 UNCH
8800	3.068	3.068	----	3.198B/2.934A	3.198B/2.934A	----	----	3.155 NEW	.3117	----	1	----	----	1 + 1
8825	2.958	2.958	----	3.207B/2.873A	3.207B/2.873A	----	----	3.110 + 0.033	.3079	----	9	----	----	10 + 9
8850	----	----	----	3.140B/2.816A	3.140B/2.816A	----	----	3.066 + 0.030	.3041	----	----	----	----	5 UNCH
8875	----	----	----	3.092B/2.803A	3.092B/2.803A	----	----	3.023 + 0.028	.3004	----	----	----	----	2 UNCH
8900	3.041	3.041	----	3.064B/2.793A	3.064B/2.793A	----	----	2.981 + 0.025	.2968	----	2	----	----	19 + 2
8925	----	----	----	3.033B/2.714A	3.033B/2.714A	----	----	2.939 + 0.022	.2931	----	----	----	----	3 UNCH
8950	----	----	----	2.977B/2.702A	2.977B/2.702A	----	----	2.898 + 0.019	.2895	----	----	----	----	6 UNCH
8975	----	----	----	2.945B/2.639A	2.945B/2.639A	----	----	2.858 + 0.017	.2860	----	----	----	----	1 UNCH
9000	2.900	2.900	----	2.964B/2.637A	2.964B/2.637A	----	----	2.818 + 0.013	.2825	----	74	----	----	533 + 74
9025	----	----	----	2.856B/2.563A	2.856B/2.563A	----	----	2.781 + 0.012	.2792	----	----	----	----	2 UNCH
9050	----	----	----	2.802B/2.523A	2.802B/2.523A	----	----	2.742 + 0.008	.2758	----	----	----	----	12 UNCH
9075	----	----	----	2.762B/2.503A	2.762B/2.503A	----	----	2.705 + 0.005	.2725	----	----	----	----	2 UNCH
9100	----	----	----	2.802B/2.479A	2.802B/2.479A	----	----	2.668 + 0.002	.2692	----	----	----	----	91 UNCH
9150	----	----	----	2.638B/2.470A	2.638B/2.470A	----	----	2.597 + 0.002	.2627	----	----	----	----	11 UNCH
9175	----	----	----	2.621B/2.368A	2.621B/2.368A	----	----	2.561 + 0.006	.2595	----	----	----	----	1 UNCH
9200	----	----	----	2.581B/2.359A	2.581B/2.359A	----	----	2.527 + 0.009	.2564	----	----	----	----	9 UNCH
9225	----	----	----	2.509B/2.305A	2.509B/2.305A	----	----	2.494 + 0.011	.2534	----	----	----	----	1 UNCH
9250	----	----	----	2.571B/2.313A	2.571B/2.313A	----	----	2.461 + 0.014	.2504	----	----	----	----	139 UNCH
9275	2.306	2.306	----	2.476B/2.247A	2.476B/2.247A	----	----	2.428 + 0.017	.2474	----	1	----	----	2 + 1
9300	----	----	----	2.425B/2.262A	2.425B/2.262A	----	----	2.395 + 0.020	.2444	----	----	----	----	6 UNCH
9350	----	----	----	----/2.211A	2.356B/2.211A	----	----	2.333 + 0.024	.2387	----	----	----	----	1 UNCH
9375	----	----	----	2.372B/2.135A	2.372B/2.135A	----	----	2.302 + 0.027	.2358	----	----	----	----	1 UNCH
9400	----	----	----	2.371B/2.144A	2.371B/2.144A	----	----	2.273 + 0.029	.2331	----	----	----	----	132 UNCH
9450	----	----	----	2.251B/2.092A	2.251B/2.092A	----	----	2.213 + 0.035	.2276	----	----	----	----	8 UNCH
9500	----	----	----	2.235B/2.018A	2.235B/2.018A	----	----	2.156 + 0.039	.2222	----	10	----	----	54 UNCH
9575	----	----	----	----/1.919A	2.100B/1.919A	----	----	2.075 + 0.043	.2146	----	----	----	----	1 UNCH
9600	----	----	----	----/1.935A	2.081B/1.935A	----	----	2.047 + 0.047	.2120	----	----	----	----	2 UNCH
9625	----	----	----	----/1.873A	2.045B/1.873A	----	----	2.022 + 0.047	.2096	----	----	----	----	1 UNCH
9700	----	----	----	2.023B/1.820A	2.023B/1.820A	----	----	1.946 + 0.052	.2024	----	----	----	----	97 UNCH
9725	----	----	----	----/1.785A	1.941B/1.785A	----	----	1.922 + 0.053	.2000	----	----	----	----	1 UNCH
9775	----	----	----	----/1.743A	1.914B/1.743A	----	----	1.873 + 0.056	.1954	----	----	----	----	1 UNCH
9850	----	----	----	----/1.682A	1.796B/1.682A	----	----	1.805 + 0.058	.1888	----	----	----	----	1 UNCH
9875	----	----	----	----/1.660A	1.818B/1.660A	----	----	1.783 + 0.058	.1867	----	----	----	----	1 UNCH
9900	----	----	----	----/1.657A	1.779B/1.657A	----	----	1.761 + 0.059	.1845	----	----	----	----	7 UNCH
9925	----	----	----	----/1.618A	1.770B/1.618A	----	----	1.740 + 0.059	.1825	----	----	----	----	1 UNCH
9950	----	----	----	----/1.601A	1.736B/1.601A	----	----	1.718 + 0.061	.1804	----	----	----	----	3 UNCH
10000	----	----	----	1.749B/1.587A	1.749B/1.587A	----	----	1.676 + 0.062	.1763	----	----	----	----	413 UNCH
10025	----	----	----	----/1.547A	1.693B/1.547A	----	----	1.656 + 0.061	.1743	----	----	----	----	1 UNCH
10200	----	----	----	----/1.403A	1.555B/1.403A	----	----	1.523 + 0.062	.1612	----	----	----	----	4 UNCH
10250	1.485	1.485	----	1.485/1.417A	1.530B/1.417A	----	----	1.488 + 0.062	.1577	----	3	----	----	3 UNCH
10275	----	----	----	----/1.445A	1.50									

	BULLETIN # 96@				METALS OPTION PRODUCTS						Wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
SEP26															
8100	6.000	6.000		6.000/6.000	6.000/6.000	----			5.964 - 0.100	.4641	----	----	3	----	12 +
8200	----	----	----	----	5.622B/6.001A	----			5.673 - 0.099	.4460	----	----	----	----	25
8300	----	----	----	----	5.316B/5.739A	----			5.402 - 0.094	.4287	----	----	----	----	2 UNCH
8400	----	----	----	----	5.045B/5.482A	----			5.151 - 0.085	.4122	----	----	----	----	10 UNCH
8500	5.344	5.344		5.344/4.619	5.344/4.619	----			4.917 - 0.075	.3963	----	----	8	----	246 +
8600	----	----	----	----	4.544B/5.010A	----			4.699 - 0.063	.3812	----	----	----	----	76
8675	----	----	----	----	4.246B/4.838A	----			4.545 - 0.052	.3704	----	----	----	----	5 UNCH
8700	----	----	----	----	4.310B/4.727A	----			4.496 - 0.048	.3668	----	----	----	----	104 UNCH
8800	----	----	----	----	4.087B/4.585A	----			4.307 - 0.034	.3532	----	----	----	----	10 UNCH
8900	----	----	----	----	3.886B/4.391A	----			4.130 - 0.018	.3402	----	----	----	----	4 UNCH
8925	----	----	----	----	3.767B/4.347A	----			4.088 - 0.014	.3370	----	----	----	----	2 UNCH
8950	----	----	----	----	3.789B/4.302A	----			4.046 - 0.010	.3339	----	----	----	----	2 UNCH
9000	----	----	----	----	3.664B/4.206A	----			3.965 - 0.001	.3278	----	----	2	----	228 +
9025	----	----	----	----	3.594B/4.168A	----			3.925 + 0.002	.3248	----	----	----	----	4 UNCH
9100	----	----	----	----	3.475B/4.038A	----			3.810 + 0.014	.3160	----	----	----	----	12 UNCH
9400	----	----	----	----	3.025B/3.575A	----			3.397 + 0.057	.2840	----	----	----	----	20 UNCH
9500	2.960	2.960		2.960/*2.960	2.960/2.960	----			3.273 + 0.067	.2743	----	----	2	----	266 +
9600	----	----	----	----	2.767B/3.299A	----			3.156 + 0.078	.2650	----	----	----	----	37 UNCH
9750	----	----	----	----	2.591B/3.117A	----			2.989 + 0.089	.2518	----	----	----	----	23 UNCH
9800	----	----	----	----	2.536B/3.043A	----			2.935 + 0.091	.2475	----	----	----	----	132 UNCH
9900	----	----	----	----	2.429B/2.939A	----			2.831 + 0.095	.2393	----	----	----	----	52 UNCH
10000	----	----	----	----	2.335B/2.814A	----			2.731 + 0.097	.2313	----	----	----	----	361 UNCH
10100	----	----	----	----	2.240B/2.715A	----			2.634 + 0.097	.2237	----	----	----	----	56 UNCH
10200	----	----	----	----	2.139B/2.638A	----			2.540 + 0.094	.2162	----	----	----	----	28 UNCH
10300	----	----	----	----	2.052B/2.545A	----			2.450 + 0.091	.2091	----	----	----	----	25 UNCH
10500	----	----	----	----	1.899B/2.367A	----			2.279 + 0.082	.1955	----	----	----	----	231 UNCH
10800	----	----	----	----	1.677B/2.146A	----			2.045 + 0.064	.1769	----	----	----	----	2 UNCH
11000	----	----	----	----	1.552B/2.007A	----			1.902 + 0.048	.1655	----	----	----	----	248 UNCH
11100	----	----	----	----	1.501B/1.958A	----			1.835 + 0.040	.1601	----	----	----	----	3 UNCH
11300	----	----	----	----	1.394B/1.879A	----			1.708 + 0.025	.1498	----	----	----	----	60 UNCH
11500	----	----	----	----	1.270B/1.732A	----			1.591 + 0.009	.1403	----	----	----	----	100 UNCH
12000	----	----	----	----	1.001B/1.566A	----			1.338 - 0.025	.1195	----	----	----	----	128 UNCH
12500	----	----	----	----/1.156A	1.017B/1.156A	----			1.135 - 0.052	.1024	----	----	----	----	96 UNCH
13000	----	----	----	----/1.023A	0.909B/1.023A	----			0.973 - 0.071	.0885	----	----	----	----	203 UNCH
14000	----	----	----	----/0.819A	0.658B/0.819A	----			0.735 - 0.098	.0675	----	----	----	----	238 UNCH
15000	----	----	----	----	0.483B/0.674A	----			0.576 - 0.076	.0530	----	----	----	----	426 UNCH
16000	----	----	----	----	0.364B/0.565A	----			0.465 - 0.052	.0428	----	----	----	----	17 UNCH
17000	----	----	----	----	0.275B/0.480A	----			0.386 - 0.034	.0354	----	----	----	----	27 UNCH
18000	----	----	----	----	0.208B/0.420A	----			0.329 - 0.019	.0299	----	----	----	----	5 UNCH
19000	----	----	----	----	0.156B/0.367A	----			0.286 - 0.005	.0258	----	----	----	----	14 UNCH
20000	----	----	----	----	0.113B/0.329A	----			0.254 + 0.007	.0227	----	----	----	----	310 UNCH
21000	----	----	----	----	0.082B/0.296A	----			0.229 + 0.016	.0202	----	----	----	----	1 UNCH
23000	----	----	----	----	0.038B/0.243A	----			0.195 + 0.033	.0168	----	----	----	----	44 UNCH
25000	----	----	----	----	0.009B/0.212A	----			0.175 + 0.048	.0147	----	----	----	----	39 UNCH
26000	----	----	----	----	0.004B/0.197A	----			0.168 + 0.054	.0139	----	----	----	----	1 UNCH
30000	----	----	----	----	0.001B/2.540A	----			0.156 + 0.078	.0121	----	----	----	----	18 UNCH
35000	----	----	----	----	0.001B/0.369A	----			0.093 + 0.049	.0073	----	----	----	----	27 UNCH
TOTAL													18	0	4790 +
OCT26															
7000	----	----	----	----	11.538B/12.570A	----			12.176 + 0.233	.6968	----	----	----	----	2 UNCH
7100	----	----	----	----	10.990B/11.734A	----			11.625 + 0.204	.6779	----	----	----	----	1 UNCH
7500	----	----	----	9.608B/-----	9.608B/9.896A	----			9.683 + 0.111	.6020	----	----	----	----	2 UNCH
7650	----	----	----	----	8.961B/9.301A	----			9.057 + 0.086	.5743	----	----	----	----	1 UNCH
7875	----	----	----	----	7.610B/8.635A	----			8.213 + 0.059	.5343	----	----	----	----	2 UNCH
8000	----	----	----	----	7.571B/8.083A	----			7.791 + 0.049	.5132	----	----	----	----	4 UNCH
8075	----	----	----	----	6.956B/7.959A	----			7.551 + 0.044	.5008	----	----	----	----	1 UNCH
8275	----	----	----	----	6.370B/7.353A	----			6.963 + 0.037	.4694	----	----	----	----	2 UNCH
8500	----	----	----	----	6.044B/6.705A	----			6.379 + 0.038	.4366	----	----	----	----	1 UNCH
8700	----	----	----	----	5.537B/6.247A	----			5.920 + 0.043	.4097	----	----	----	----	4 UNCH
9000	----	----	----	----	4.866B/5.616A	----			5.317 + 0.053	.3732	----	----	----	----	1 UNCH
9100	----	----	----	----	4.631B/5.422A	----			5.136 + 0.057	.3619	----	----	----	----	73 UNCH
9500	----	----	----	----	3.912B/4.728A	----			4.488 + 0.064	.3208	----	----	----	----	122 UNCH
10000	----	----	----	----	3.224B/4.026A	----			3.815 + 0.061	.2770	----	1	----	97 +	1 UNCH
10500	----	----	----	----	2.699B/3.458A	----			3.262 + 0.051	.2403	----	----	----	----	1 UNCH
11000	----	----	----	----	2.276B/2.996A	----			2.802 + 0.035	.2091	----	1	----	13 +	1 UNCH
11100	----	----	----	----	2.202B/2.915A	----			2.720 + 0.032	.2035	----	----	----	----	2 UNCH
11500	----	----	----	----	1.913B/2.619A	----			2.418 + 0.019	.1826	----	----	----	----	9 UNCH
11700	----	----	----	----	1.794B/2.486A	----			2.282 + 0.012	.1732	----	----	----	----	2 UNCH
12000	----	----	----	----	2.001B/2.312A	----			2.094 + 0.001	.1600	----	1	----	80 +	1 UNCH
13000	----	----	----	----	1.105B/1.987A	----			1.592 - 0.025	.1241	----	----	----	----	92 UNCH
14000	----	----	----	----	1.103B/1.298A	----			1.236 - 0.039	.0978	----	----	----	----	2 UNCH
15000	1.025	1.025		1.025/1.024A	1.025/1.024A	----			0.987 - 0.038	.0788	----	6	----	178 UNCH	
16000	----	----	----	----	0.649B/0.922A	----			0.805 - 0.037	.0647	----	----	----	----	27 UNCH
17000	----	----	----	----	0.506B/0.791A	----			0.641 - 0.034	.0522	----	----	----	----	120 UNCH
18000															

	BULLETIN # 96@				METALS OPTION PRODUCTS							Wed, May 20, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL															
COMEX SILVER OPTIONS															
DEC26															
9800	----	----	----	----	4.917B/6.219A	----		5.853 + 0.328	.3463	----	----	11	----	70 +	11
9900	----	----	----	----	4.765B/6.078A	----		5.698 + 0.319	.3384	----	----	----	----	4	UNCH
10000	----	----	----	----	4.617B/5.348A	----		5.550 + 0.312	.3307	----	----	15	----	851 +	11
10025	----	----	----	----	4.458B/5.921A	----		5.513 + 0.309	.3288	----	----	----	----	3	UNCH
10500	----	----	----	----	3.961B/5.296A	----		4.885 + 0.276	.2956	----	----	----	----	100	UNCH
10600	----	----	----	----	3.842B/5.176A	----		4.765 + 0.269	.2891	----	----	----	----	6	UNCH
10800	----	----	----	----	3.618B/4.934A	----		4.538 + 0.258	.2768	----	----	----	----	5	UNCH
11000	----	----	----	----	3.412B/4.737A	----		4.324 + 0.246	.2651	----	----	----	----	116	UNCH
11350	----	----	----	----	3.079B/4.394A	----		3.980 + 0.227	.2461	----	----	----	----	5	UNCH
11400	----	----	----	----	3.038B/4.336A	----		3.934 + 0.224	.2435	----	----	----	----	1	UNCH
11600	----	----	----	----	2.914B/4.174A	----		3.757 + 0.215	.2336	----	----	----	----	1	UNCH
11800	----	----	----	----	2.735B/4.008A	----		3.589 + 0.205	.2242	----	----	----	----	25	UNCH
12000	3.100	3.100		3.250/3.000	3.250/3.000	----		3.431 + 0.196	.2152	----	----	8	----	569 +	1
12200	----	----	----	----	2.468B/3.704A	----		3.283 + 0.189	.2067	----	----	----	----	1	UNCH
12500	----	----	----	----	2.288B/3.487A	----		3.075 + 0.176	.1948	----	----	----	----	51	UNCH
13000	----	----	----	----	2.103B/3.189A	----		2.767 + 0.160	.1768	----	----	----	----	383	UNCH
13500	----	----	----	----	1.792B/2.923A	----		2.499 + 0.144	.1609	----	----	----	----	6	UNCH
14000	----	----	----	----	1.600B/2.775A	----		2.266 + 0.131	.1470	----	----	----	----	96	UNCH
14200	----	----	----	----	1.488B/2.725A	----		2.181 + 0.126	.1418	----	----	----	----	1	UNCH
15000	----	----	----	----	1.061B/2.536A	----		1.882 + 0.108	.1236	----	----	----	----	1854	UNCH
16000	----	----	----	----	1.198B/1.705A	----		1.584 + 0.091	.1050	----	----	----	----	1609	UNCH
17000	----	----	----	----	1.078B/1.511A	----		1.348 + 0.077	.0901	----	----	----	----	50	UNCH
18000	----	----	----	----	0.880B/1.340A	----		1.160 + 0.066	.0781	----	----	----	----	82	UNCH
19000	----	----	----	----	0.722B/1.199A	----		1.010 + 0.058	.0683	----	----	----	----	1	UNCH
20000	----	----	----	----	0.594B/1.096A	----		0.889 + 0.050	.0603	----	----	----	----	435	UNCH
21000	----	----	----	----	0.489B/0.996A	----		0.792 + 0.044	.0538	----	----	----	----	4	UNCH
22000	----	----	----	----	0.403B/0.911A	----		0.714 + 0.039	.0485	----	----	----	----	1	UNCH
23000	----	----	----	----	0.323B/0.838A	----		0.652 + 0.036	.0442	----	----	----	----	35	UNCH
25000	----	----	----	----	0.214B/0.735A	----		0.561 + 0.030	.0377	----	----	----	----	235	UNCH
26000	----	----	----	----	0.171B/0.688A	----		0.527 + 0.027	.0352	----	----	----	----	3	UNCH
30000	----	----	----	----	0.055B/0.545A	----		0.387 + 0.020	.0258	----	----	----	----	110	UNCH
40000	----	----	----	----	0.150B/0.247A	----		0.259 + 0.012	.0166	----	----	----	----	24	UNCH
90000	----	----	----	----	0.003B/0.400A	----		0.108 + 0.004	.0062	----	----	----	----	5	UNCH
100000	----	----	----	----	0.003B/0.400A	----		0.104 + 0.004	.0059	----	----	----	----	5	UNCH
TOTAL												34	0	8626 +	23
JAN27															
7550	----	----	----	----	12.065B/12.924A	----		12.477 + 0.145	.6110	----	----	----	----	1	UNCH
7650	----	----	----	----	11.647B/12.543A	----		12.104 + 0.160	.5972	----	----	----	----	5	UNCH
8300	----	----	----	----	9.284B/10.422A	----		10.036 + 0.247	.5153	----	----	----	----	22	UNCH
9000	----	----	----	----	7.428B/8.704A	----		8.187 + 0.119	.4389	----	----	----	----	1	UNCH
10000	----	----	----	----	5.554B/6.948A	----		6.208 + 0.063	.3499	----	----	----	----	5	UNCH
11000	----	----	----	----	4.231B/5.710A	----		4.903 + 0.049	.2843	----	----	----	----	21	UNCH
12500	----	----	----	----	2.867B/4.428A	----		3.590 + 0.084	.2140	----	----	----	----	1	UNCH
13000	----	----	----	----	2.524B/4.073A	----		3.263 + 0.118	.1960	----	----	----	----	7	UNCH
14000	----	----	----	----	2.009B/3.484A	----		2.719 + 0.151	.1655	----	----	----	----	1	UNCH
14500	----	----	----	----	1.766B/3.245A	----		2.488 + 0.148	.1524	----	----	----	----	400	UNCH
15000	----	----	----	----	1.587B/3.131A	----		2.284 + 0.145	.1407	----	----	----	----	401	UNCH
TOTAL													0	865	0
FEB27															
7500	----	----	----	----	12.830B/13.831A	----		13.315 + 0.090	.6194	----	----	----	----	1	UNCH
8500	----	----	----	----	9.346B/10.618A	----		10.051 + 0.072	.4999	----	----	----	----	4	UNCH
9000	----	----	----	----	8.074B/9.435A	----		8.832 + 0.046	.4500	----	----	----	----	1	UNCH
9500	----	----	----	----	7.030B/8.484A	----		7.788 + 0.011	.4056	----	----	----	----	4	UNCH
10000	----	----	----	----	6.161B/7.661A	----		6.897 + 0.075	.3663	----	----	----	----	1	UNCH
30000	----	----	----	----	0.195B/0.914A	----		0.543 + 0.037	.0339	----	----	----	----	1	UNCH
TOTAL													0	12	0
MAR27															
8000	----	----	----	----	10.855B/13.229A	----		12.128 + 0.040	.5612	----	----	----	----	200	UNCH
9000	----	----	----	----	8.156B/10.503A	----		9.509 + 0.033	.4609	----	----	----	----	36	UNCH
9200	----	----	----	----	7.739B/10.066A	----		9.080 + 0.017	.4435	----	----	----	----	25	UNCH
13000	----	----	----	----	3.316B/5.219A	----		4.299 + 0.193	.2307	----	----	----	----	105	UNCH
14000	----	----	----	----	2.733B/4.540A	----		3.665 + 0.192	.1993	----	----	----	----	105	UNCH
15000	----	----	----	----	2.258B/3.993A	----		3.162 + 0.189	.1738	----	----	----	----	28	UNCH
16000	----	----	----	----	1.937B/3.561A	----		2.756 + 0.184	.1528	----	----	----	----	28	UNCH
30000	----	----	----	----	0.306B/1.077A	----		0.692 + 0.125	.0410	----	----	----	----	2	UNCH
TOTAL													0	529	0
MAY27															
11000	----	----	----	----	----	----		7.842 + 0.349	.3583	----	----	----	----	1	UNCH
TOTAL													0	1	0
JUL27															
2000	----	----	----	----	----	----		59.408 + 1.073	.9958	----	----	----	----	1	UNCH
10000	----	----	----	----	----	----		10.751 + 0.438	.4415	----	----	----	----	1	UNCH
10300	----	----	----	----	----	----		10.259 + 0.420	.4240	----	----	----	----	1	UNCH
TOTAL													0	3	0
DEC27															
4000	----	----	----	----	----	----		41.916 + 0.969	.9232	----	----	----	----	1	UNCH
20000															



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 96@			METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
JUN26															
4975	----	----	----	----/0.058A	----	0.008	- 0.006	.0011	----	----	----	1	UNCH		
5000	----	----	----	0.005B/0.022A	----	0.008	- 0.007	.0011	----	----	----	1077	UNCH		
5025	----	----	----	----/0.060A	----	0.008	- 0.007	.0011	----	----	----	8	UNCH		
5050	----	----	----	----/0.061A	----	0.009	- 0.007	.0012	----	----	----	3	UNCH		
5075	----	----	----	----/0.063A	----	0.009	- 0.007	.0012	----	----	----	2	UNCH		
5100	----	----	----	----/0.064A	----	0.010	- 0.008	.0014	----	----	----	34	UNCH		
5125	----	----	----	----/0.065A	----	0.011	- 0.008	.0016	----	----	----	1	UNCH		
5150	----	----	----	----/0.066A	----	0.011	- 0.008	.0016	----	----	----	16	UNCH		
5175	----	----	----	0.002B/*0.034A	----	0.011	- 0.008	.0016	----	----	----	12	UNCH		
5200	----	----	----	0.002B/0.036A	----	0.012	- 0.009	.0018	----	----	----	7	UNCH		
5225	----	----	----	0.002B/*0.036A	----	0.012	- 0.009	.0018	----	----	----	1	UNCH		
5250	----	----	----	0.003B/*0.035A	----	0.012	- 0.009	.0018	----	----	----	14	UNCH		
5275	----	----	----	0.003B/*0.035A	----	0.013	- 0.009	.0020	----	----	----	17	UNCH		
5300	----	----	----	0.004B/*0.034A	----	0.013	- 0.009	.0020	----	----	----	14	UNCH		
5325	----	----	----	0.003B/*0.035A	----	0.013	- 0.009	.0020	----	----	----	10	UNCH		
5350	----	----	----	0.005B/*0.035A	----	0.014	- 0.009	.0022	----	----	----	12	UNCH		
5375	----	----	----	0.005B/*0.034A	----	0.014	- 0.009	.0022	----	----	----	10	UNCH		
5400	----	----	----	0.006B/*0.035A	----	0.014	- 0.010	.0023	----	----	----	24	UNCH		
5425	----	----	----	0.006B/*0.035A	----	0.014	- 0.010	.0023	----	----	----	4	UNCH		
5450	----	----	----	0.006B/*0.036A	----	0.015	- 0.010	.0025	----	----	----	2	UNCH		
5475	----	----	----	0.006B/*0.036A	----	0.015	- 0.010	.0025	----	----	----	13	UNCH		
5500	0.025	0.025	0.025/0.020A	0.025/0.020A	----	0.015	- 0.011	.0025	----	1	----	640	UNCH		
5525	----	----	----	0.007B/*0.037A	----	0.016	- 0.010	.0027	----	----	----	16	UNCH		
5550	----	----	----	0.007B/*0.038A	----	0.016	- 0.011	.0028	----	----	----	10	UNCH		
5575	----	----	----	0.009B/*0.038A	----	0.017	- 0.010	.0030	----	----	----	2	UNCH		
5600	----	----	----	0.009B/0.039A	----	0.017	- 0.011	.0030	----	----	----	19	UNCH		
5625	----	----	----	0.010B/*0.039A	----	0.017	- 0.011	.0031	----	----	----	2	UNCH		
5650	----	----	----	0.010B/*0.040A	----	0.018	- 0.011	.0033	----	----	----	51	UNCH		
5675	----	----	----	0.011B/*0.041A	----	0.018	- 0.012	.0033	----	----	----	21	UNCH		
5700	----	----	----	0.012B/*0.039A	----	0.019	- 0.012	.0035	----	----	----	243	UNCH		
5725	----	----	----	0.013B/*0.040A	----	0.020	- 0.011	.0038	----	----	----	4	UNCH		
5750	----	----	----	0.013B/*0.039A	----	0.020	- 0.012	.0038	----	----	----	225	UNCH		
5775	----	----	----	0.014B/*0.039A	----	0.021	- 0.012	.0041	----	----	----	9	UNCH		
5800	----	----	----	0.027B/0.039A	----	0.021	- 0.013	.0041	----	----	----	80	UNCH		
5825	----	----	----	0.015B/*0.038A	----	0.022	- 0.013	.0044	----	----	----	9	UNCH		
5850	----	----	----	0.016B/*0.038A	----	0.023	- 0.013	.0046	----	----	----	6	UNCH		
5875	----	----	----	0.017B/*0.040A	----	0.023	- 0.014	.0047	----	----	----	12	UNCH		
5900	0.036	0.036	0.036/0.036	0.036/0.036	----	0.024	- 0.015	.0050	----	1	----	44	UNCH		
5925	----	----	----	0.019B/*0.041A	----	0.025	- 0.015	.0052	----	1	----	22	+		
5950	----	----	----	0.020B/*0.041A	----	0.026	- 0.015	.0055	----	----	----	6	UNCH		
5975	----	----	----	0.021B/0.043A	----	0.027	- 0.016	.0058	----	----	----	9	UNCH		
6000	0.046	0.046	0.055/*0.030A	0.055/*0.030A	----	0.028	- 0.017	.0061	----	74	----	939	-		
6025	----	----	----/*0.045A	0.024B/*0.045A	----	0.029	- 0.017	.0064	----	----	----	31	UNCH		
6050	----	----	----/0.046A	0.025B/0.046A	----	0.030	- 0.018	.0067	----	----	----	141	UNCH		
6075	----	----	----/*0.047A	0.027B/*0.047A	----	0.031	- 0.020	.0070	----	----	----	31	UNCH		
6100	0.050	0.050	0.050/0.047A	0.050/0.047A	----	0.033	- 0.020	.0075	----	1	----	88	+		
6125	----	----	----/*0.049A	0.031B/*0.049A	----	0.034	- 0.021	.0079	----	----	----	3	UNCH		
6150	----	----	----/*0.050A	0.033B/*0.050A	----	0.035	- 0.023	.0082	----	----	----	15	UNCH		
6175	----	----	----/*0.052A	0.035B/*0.052A	----	0.037	- 0.024	.0088	----	----	----	305	UNCH		
6200	----	----	----/0.045A	0.038B/0.045A	----	0.038	- 0.026	.0091	----	----	----	204	UNCH		
6225	----	----	----/*0.054A	0.040B/*0.054A	----	0.040	- 0.028	.0097	----	----	----	8	UNCH		
6250	----	----	----/*0.056A	0.070B/*0.056A	----	0.042	- 0.029	.0103	----	----	----	69	UNCH		
6275	----	----	----/*0.056A	0.045B/*0.056A	----	0.043	- 0.032	.0107	----	----	----	3	UNCH		
6300	----	----	----/*0.058A	0.048B/*0.058A	----	0.045	- 0.035	.0114	----	----	----	141	UNCH		
6325	----	----	----/*0.061A	0.052B/*0.061A	----	0.047	- 0.037	.0121	----	----	----	18	UNCH		
6350	----	----	----/*0.062A	0.055B/*0.062A	----	0.050	- 0.039	.0130	----	----	----	29	UNCH		
6375	----	----	----/*0.064A	0.059B/*0.064A	----	0.052	- 0.043	.0137	----	----	----	14	UNCH		
6400	0.060	0.060	0.060/0.059A	0.064B/0.059A	----	0.054	- 0.047	.0144	----	2	----	215	+		
6425	----	----	----/*0.068A	0.067B/*0.068A	----	0.057	- 0.050	.0154	----	----	----	46	UNCH		
6450	----	----	----/*0.071A	0.114B/*0.071A	----	0.060	- 0.054	.0164	----	----	----	62	UNCH		
6475	----	----	0.132B/*0.074A	0.132B/*0.074A	----	0.062	- 0.059	.0172	----	----	----	71	UNCH		
6500	0.150	0.150	0.150/0.057	0.150/0.057	----	0.065	- 0.064	.0182	----	74	----	515	+		
6525	----	----	0.158B/0.079A	0.158B/0.079A	----	0.069	- 0.069	.0196	----	----	----	37	UNCH		
6550	0.190	0.190	0.190/0.083A	0.190/0.083A	----	0.072	- 0.076	.0207	----	1	----	130	UNCH		
6575	0.230	0.230	0.230/*0.075	0.230/*0.075	----	0.077	- 0.081	.0224	----	22	----	28	+		
6600	0.185	0.185	0.270/*0.075	0.270/*0.075	----	0.081	- 0.088	.0238	----	67	----	138	+		
6625	----	----	0.222B/*0.097A	0.222B/*0.097A	----	0.086	- 0.095	.0256	----	----	----	20	UNCH		
6650	----	----	0.246B/0.099A	0.246B/0.099A	----	0.091	- 0.103	.0274	----	----	----	38	UNCH		
6675	----	----	0.272B/0.104A	0.272B/0.104A	----	0.097	- 0.111	.0295	----	----	----	28	UNCH		
6700	0.134	0.134	0.304B/0.091A	0.304B/0.091A	----	0.102	- 0.121	.0314	----	6	----	141	-		
6725	0.130	0.130	0.323B/0.118A	0.323B/0.118A	----	0.108	- 0.131	.0337	----	1	----	39	UNCH		
6750	----	----	0.350B/0.125A	0.350B/0.125A	----	0.116	- 0.141	.0365	----	----	----	56	UNCH		
6775	0.205	0.205	0.381B/0.131A	0.381B/0.131A	----	0.123	- 0.153	.0391	----	2	----	4	+		
6800	0.135	0.135	0.412B/0.130	0.412B/0.130	----	0.132	- 0.164	.0424	----	28	----	84	-		
6825	----	----	0.448B/0.149A	0.448B/0.149A	----	0.141	- 0.177	.0457	----	----	----	1	UNCH		
6850	----	----	0.482B/0.159A	0.482B/0.159A	----	0.151	- 0.191	.0494	----	21	----	104	+		
6875	----	----	0.523B/0.168A	0.523B/0.168A	----	0.162	- 0.205	.0534	----	----	----	7	UNCH		
6900	0.420	0.420	0.650/0.160	0.650/0.160	----	0.174	- 0.221	.0578	----	63	----	114	-		
6925	----	----	0.609B/0.191A	0.609B/0.191A	----	0.187	- 0.237	.0626	----						

BULLETIN # 96@			METALS OPTION PRODUCTS							Wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUN26														
8275	----	----	7.858B/6.413A	7.858B/6.413A	----	6.815 -	1.005	.9105	----	----	----	42	UNCH	
8300	----	----	8.099B/6.606A	8.099B/6.606A	----	7.050 -	1.006	.9163	----	----	----	29	UNCH	
8325	----	----	----/6.896A	8.189B/6.896A	----	7.287 -	1.005	.9215	----	----	----	2	UNCH	
8350	7.353	7.353	8.583B/7.046A	8.583B/7.046A	----	7.522 -	1.008	.9268	----	1	----	30	UNCH	
8375	----	----	8.786B/7.328A	8.786B/7.328A	----	7.760 -	1.008	.9314	----	----	----	19	UNCH	
8400	----	----	9.041B/7.461A	9.041B/7.461A	----	7.999 -	1.009	.9357	----	----	----	117	UNCH	
8425	----	----	9.285B/7.689A	9.285B/7.689A	----	8.239 -	1.009	.9396	----	----	----	64	UNCH	
8450	----	----	9.517B/8.029A	9.517B/8.029A	----	8.478 -	1.011	.9437	----	----	----	22	UNCH	
8475	----	----	----/8.295A	9.655B/8.295A	----	8.719 -	1.012	.9471	----	----	----	4	UNCH	
8500	----	----	10.022B/8.459A	10.022B/8.459A	----	8.961 -	1.013	.9502	----	----	----	185	UNCH	
8525	----	----	----/8.771A	10.146B/8.771A	----	9.203 -	1.014	.9533	----	----	----	3	UNCH	
8550	----	----	----/9.010A	10.391B/9.010A	----	9.445 -	1.015	.9563	----	----	----	3	UNCH	
8575	----	----	10.746B/9.224A	10.746B/9.224A	----	9.688 -	1.016	.9589	----	----	----	23	UNCH	
8600	----	----	10.991B/9.463A	10.991B/9.463A	----	9.930 -	1.019	.9615	----	----	----	19	UNCH	
8625	----	----	11.701B/9.704A	11.701B/9.704A	----	10.174 -	1.020	.9637	----	----	----	21	UNCH	
8650	----	----	11.486B/9.937A	11.486B/9.937A	----	10.418 -	1.021	.9659	----	----	----	9	UNCH	
8675	----	----	11.733B/10.180A	11.733B/10.180A	----	10.662 -	1.022	.9681	----	----	----	22	UNCH	
8700	----	----	11.994B/10.361A	11.994B/10.361A	----	10.906 -	1.024	.9702	----	----	----	59	UNCH	
8725	----	----	----/10.701A	12.118B/10.701A	----	11.151 -	1.025	.9720	----	----	----	1	UNCH	
8750	----	----	12.503B/10.863A	12.503B/10.863A	----	11.397 -	1.026	.9735	----	----	----	37	UNCH	
8775	----	----	----/11.187A	12.613B/11.187A	----	11.642 -	1.027	.9753	----	----	----	5	UNCH	
8800	----	----	12.970B/11.405A	12.970B/11.405A	----	11.888 -	1.028	.9767	----	----	----	24	UNCH	
8825	----	----	13.218B/11.647A	13.218B/11.647A	----	12.135 -	1.028	.9778	----	----	----	15	UNCH	
8850	----	----	13.464B/11.886A	13.464B/11.886A	----	12.381 -	1.029	.9792	----	----	----	8	UNCH	
8875	----	----	----/12.163A	13.605B/12.163A	----	12.628 -	1.030	.9803	----	----	----	1	UNCH	
8900	----	----	----/12.464A	13.853B/12.464A	----	12.875 -	1.030	.9814	----	----	----	2	UNCH	
8925	----	----	----/12.654A	14.101B/12.654A	----	13.122 -	1.031	.9824	----	----	----	4	UNCH	
8950	----	----	----/12.956A	14.349B/12.956A	----	13.367 -	1.034	.9837	----	----	----	1	UNCH	
8975	----	----	----/13.201A	14.598B/13.201A	----	13.614 -	1.035	.9847	----	----	----	2	UNCH	
9000	----	----	14.971B/13.253A	14.971B/13.253A	----	13.862 -	1.035	.9854	----	----	----	119	UNCH	
9050	----	----	----/13.890A	15.344B/13.890A	----	14.358 -	1.035	.9868	----	----	----	3	UNCH	
9075	----	----	----/14.113A	15.593B/14.113A	----	14.606 -	1.035	.9875	----	----	----	2	UNCH	
9100	----	----	15.951B/14.351A	15.951B/14.351A	----	14.854 -	1.036	.9882	----	----	----	6	UNCH	
9125	----	----	----/14.625A	16.091B/14.625A	----	15.102 -	1.036	.9888	----	----	----	1	UNCH	
9150	----	----	----/14.881A	16.341B/14.881A	----	15.351 -	1.035	.9892	----	----	----	1	UNCH	
9175	----	----	----/15.121A	16.590B/15.121A	----	15.599 -	1.036	.9899	----	----	----	1	UNCH	
9200	----	----	17.053B/15.250A	17.053B/15.250A	----	15.848 -	1.036	.9902	----	----	----	80	UNCH	
9325	----	----	----/16.589A	18.086B/16.589A	----	17.092 -	1.035	.9922	----	----	----	1	UNCH	
9450	----	----	19.443B/17.828A	19.443B/17.828A	----	18.337 -	1.035	.9938	----	----	----	6	UNCH	
9500	----	----	19.958B/18.240A	19.958B/18.240A	----	18.836 -	1.035	.9942	----	3	----	136	UNCH	
9525	----	----	----/18.585A	20.083B/18.585A	----	19.085 -	1.035	.9944	----	----	----	1	UNCH	
9550	----	----	----/18.835A	20.332B/18.835A	----	19.334 -	1.035	.9945	----	----	----	1	UNCH	
9575	----	----	----/19.084A	20.582B/19.084A	----	19.583 -	1.035	.9948	----	----	----	2	UNCH	
9725	----	----	----/20.583A	22.080B/20.583A	----	21.079 -	1.035	.9960	----	----	----	1	UNCH	
9825	----	----	----/21.583A	23.079B/21.583A	----	22.077 -	1.035	.9965	----	----	----	1	UNCH	
9850	----	----	----/21.832A	23.329B/21.832A	----	22.327 -	1.034	.9966	----	----	----	1	UNCH	
9900	----	----	----/22.332A	23.828B/22.332A	----	22.826 -	1.034	.9968	----	----	----	2	UNCH	
9925	----	----	----/22.582A	24.078B/22.582A	----	23.076 -	1.034	.9969	----	----	----	1	UNCH	
9950	----	----	----/22.832A	24.328B/22.832A	----	23.326 -	1.033	.9969	1	----	----	0 -	1	
10000	----	----	24.953B/23.235A	24.953B/23.235A	----	23.825 -	1.034	.9971	----	----	----	97	UNCH	
10025	----	----	----/23.581A	25.077B/23.581A	----	24.075 -	1.033	.9972	----	----	----	2	UNCH	
10075	----	----	----/24.081A	25.577B/24.081A	----	24.575 -	1.032	.9972	----	----	----	1	UNCH	
10100	----	----	25.938B/24.345A	25.938B/24.345A	----	24.824 -	1.033	.9974	----	----	----	6	UNCH	
10125	----	----	----/24.581A	26.076B/24.581A	----	25.074 -	1.033	.9974	----	----	----	1	UNCH	
10150	----	----	26.438B/24.835A	26.438B/24.835A	----	25.324 -	1.032	.9975	----	----	----	8	UNCH	
10175	----	----	----/25.080A	26.576B/25.080A	----	25.574 -	1.032	.9975	----	----	----	2	UNCH	
10200	----	----	26.952B/25.234A	26.952B/25.234A	----	25.824 -	1.031	.9975	33	----	----	87 -	33	
10225	----	----	----/25.580A	27.076B/25.580A	----	26.073 -	1.032	.9977	----	----	----	1	UNCH	
10325	----	----	----/26.580A	28.074B/26.580A	----	27.073 -	1.031	.9978	----	----	----	1	UNCH	
10350	----	----	----/26.830A	28.324B/26.830A	----	27.323 -	1.031	.9978	----	----	----	1	UNCH	
10375	----	----	----/27.080A	28.574B/27.080A	----	27.573 -	1.030	.9978	----	----	----	1	UNCH	
10400	----	----	----/27.314A	28.824B/27.314A	----	27.822 -	1.031	.9980	----	----	----	1	UNCH	
10500	----	----	29.936B/28.329A	29.936B/28.329A	----	28.822 -	1.030	.9981	6	----	----	1 -	6	
10600	----	----	----/29.329A	30.822B/29.329A	----	29.821 -	1.030	.9983	----	----	----	5	UNCH	
10825	----	----	33.183B/31.581A	33.183B/31.581A	----	32.070 -	1.029	.9986	----	----	----	6	UNCH	
10850	----	----	----/31.814A	33.321B/31.814A	----	32.320 -	1.029	.9986	----	----	----	4	UNCH	
10875	----	----	----/32.064A	33.572B/32.064A	----	32.570 -	1.029	.9986	----	----	----	2	UNCH	
10950	----	----	----/32.814A	34.322B/32.814A	----	33.320 -	1.028	.9986	----	----	----	3	UNCH	
11000	----	----	----	----	----	33.820 -	1.028	.9986	----	----	----	0	UNCH	
11325	----	----	----/36.569A	38.072B/36.569A	----	37.070 -	1.026	.9989	----	----	----	1	UNCH	
11500	----	----	39.933B/38.332A	39.933B/38.332A	----	38.819 -	1.026	.9991	----	----	----	10	UNCH	
11525	----	----	----	----	----	39.069 -	1.026	.9991	----	----	----	0	UNCH	
11675	----	----	----	----	----	40.569 -	1.025	.9991	----	----	----	0	UNCH	
11700	----													

	BULLETIN # 96@			METALS OPTION PRODUCTS							Wed, May 20, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUL26														
5375	----	----	----/*0.177A	0.160B/0.177A	----	0.169	- 0.048	.0265	----	----	----	17	UNCH	
5400	0.205	0.205	0.205/*0.183A	0.205/0.183A	----	0.174	- 0.050	.0274	----	----	1	75	UNCH	
5425	----	----	----/*0.188A	0.173B/0.188A	----	0.179	- 0.053	.0283	----	----	----	49	UNCH	
5450	----	----	----/*0.193A	0.181B/0.193A	----	0.184	- 0.056	.0291	----	----	----	38	UNCH	
5475	----	----	----/*0.199A	0.189B/0.199A	----	0.190	- 0.059	.0302	----	----	----	53	UNCH	
5500	0.183	0.183	0.269B/0.183	0.269B/0.183	----	0.196	- 0.061	.0312	----	1	----	1027 +	1	
5525	0.191	0.191	0.191/*0.191	0.204B/0.191	----	0.202	- 0.064	.0322	----	1	----	87 +	1	
5550	----	----	----/*0.218A	0.213B/0.218A	----	0.209	- 0.067	.0334	----	----	----	18	UNCH	
5575	----	----	----/*0.225A	0.223B/0.225A	----	0.215	- 0.070	.0344	----	----	----	3	UNCH	
5600	----	----	----/*0.233A	0.231B/0.233A	----	0.222	- 0.074	.0356	----	----	----	31	UNCH	
5625	----	----	----/*0.240A	0.241B/0.240A	----	0.230	- 0.076	.0369	----	----	----	23	UNCH	
5650	----	----	----/*0.249A	0.253B/0.249A	----	0.237	- 0.080	.0381	----	----	----	29	UNCH	
5675	----	----	----/*0.257A	0.262B/0.257A	----	0.245	- 0.083	.0395	----	----	----	45	UNCH	
5700	0.360	0.360	0.380/0.266A	0.380/0.266A	----	0.254	- 0.086	.0410	----	7	----	309 +	3	
5725	----	----	----/*0.274A	0.287B/0.274A	----	0.263	- 0.090	.0424	----	----	----	3	UNCH	
5750	----	----	----/*0.284A	0.298B/0.284A	----	0.272	- 0.094	.0439	----	----	----	52	UNCH	
5775	----	----	----/*0.294A	0.312B/0.294A	----	0.282	- 0.098	.0456	----	----	----	2	UNCH	
5800	----	----	----/*0.303A	0.326B/0.303A	----	0.292	- 0.102	.0472	----	----	----	27	UNCH	
5825	----	----	----/*0.314A	0.339B/0.314A	----	0.302	- 0.107	.0489	----	----	----	4	UNCH	
5850	----	----	----/0.326A	0.355B/0.326A	----	0.314	- 0.110	.0508	----	----	----	116	UNCH	
5875	----	----	----/*0.337A	0.390B/0.337A	----	0.325	- 0.115	.0526	----	----	----	3	UNCH	
5900	----	----	0.489B/*0.350A	0.489B/0.350A	----	0.337	- 0.119	.0546	----	1	----	6	UNCH	
5925	----	----	0.513B/*0.363A	0.513B/0.363A	----	0.350	- 0.124	.0566	----	----	----	2	UNCH	
5950	----	----	0.536B/*0.375A	0.536B/0.375A	----	0.364	- 0.128	.0588	----	1	----	3 +	1	
5975	----	----	0.563B/*0.389A	0.563B/0.389A	----	0.378	- 0.134	.0610	----	----	----	9	UNCH	
6000	0.461	0.461	0.588B/0.400	0.588B/0.400	----	0.393	- 0.139	.0634	----	7	----	756 +	1	
6025	----	----	0.613B/0.418A	0.613B/0.418A	----	0.408	- 0.145	.0658	----	----	----	1	UNCH	
6050	----	----	0.641B/0.435A	0.641B/0.435A	----	0.425	- 0.150	.0684	----	----	----	18	UNCH	
6075	----	----	0.673B/0.452A	0.673B/0.452A	----	0.442	- 0.154	.0710	----	----	----	1	UNCH	
6100	----	----	0.703B/0.471A	0.703B/0.471A	----	0.459	- 0.161	.0736	----	----	----	300	UNCH	
6125	----	----	0.728B/0.488A	0.728B/0.488A	----	0.478	- 0.167	.0765	----	----	----	1	UNCH	
6150	----	----	0.770B/0.505A	0.770B/0.505A	----	0.498	- 0.173	.0795	----	----	----	16	UNCH	
6175	----	----	0.804B/0.525A	0.804B/0.525A	----	0.518	- 0.180	.0825	----	----	----	14	UNCH	
6200	0.530	0.530	0.835B/0.530	0.835B/0.530	----	0.540	- 0.186	.0857	----	10	----	127 +	8	
6225	----	----	0.876B/0.568A	0.876B/0.568A	----	0.562	- 0.192	.0890	----	----	----	2	UNCH	
6250	----	----	0.915B/0.591A	0.915B/0.591A	----	0.586	- 0.199	.0925	----	----	----	29	UNCH	
6275	----	----	0.956B/0.613A	0.956B/0.613A	----	0.611	- 0.206	.0961	----	----	----	4	UNCH	
6300	----	----	0.991B/0.639A	0.991B/0.639A	----	0.637	- 0.213	.0998	----	12	----	293 +	10	
6325	----	----	1.032B/0.665A	1.032B/0.665A	----	0.663	- 0.222	.1035	----	----	----	20	UNCH	
6350	----	----	1.081B/0.692A	1.081B/0.692A	----	0.692	- 0.228	.1075	----	1	----	113 +	1	
6375	----	----	1.123B/0.720A	1.123B/0.720A	----	0.721	- 0.236	.1116	----	----	----	16	UNCH	
6400	----	----	1.169B/0.750A	1.169B/0.750A	----	0.752	- 0.244	.1159	----	1	----	192	UNCH	
6425	----	----	1.220B/0.781A	1.220B/0.781A	----	0.784	- 0.253	.1202	----	----	----	15	UNCH	
6450	----	----	1.267B/0.814A	1.267B/0.814A	----	0.817	- 0.261	.1247	----	----	----	14	UNCH	
6475	1.033	1.033	1.318B/0.847A	1.318B/0.847A	----	0.852	- 0.270	.1294	----	2	----	6 +	2	
6500	0.870	0.870	1.371B/0.870	1.371B/0.870	----	0.889	- 0.279	.1343	----	60	----	994 -	1	
6525	----	----	1.427B/0.918A	1.427B/0.918A	----	0.926	- 0.289	.1392	----	----	----	2	UNCH	
6550	1.173	1.173	1.490B/0.956A	1.490B/0.956A	----	0.966	- 0.297	.1443	----	2	----	81 +	2	
6575	----	----	1.556B/0.994A	1.556B/0.994A	----	1.007	- 0.307	.1495	----	1	----	7 +	1	
6600	----	----	1.612B/1.031A	1.612B/1.031A	----	1.050	- 0.316	.1550	----	1	----	58 -	1	
6625	----	----	1.680B/1.074A	1.680B/1.074A	----	1.094	- 0.326	.1605	----	----	----	1	UNCH	
6650	1.777	1.777	1.777/1.117A	1.777/1.117A	----	1.141	- 0.336	.1662	----	12	----	131 -	1	
6675	----	----	1.811B/1.168A	1.811B/1.168A	----	1.189	- 0.346	.1721	----	----	----	6	UNCH	
6700	----	----	1.886B/1.210A	1.886B/1.210A	----	1.239	- 0.357	.1781	----	9	----	40 +	3	
6725	----	----	1.957B/1.260A	1.957B/1.260A	----	1.290	- 0.367	.1842	----	----	----	2	UNCH	
6750	----	----	2.021B/1.313A	2.021B/1.313A	----	1.344	- 0.378	.1905	----	3	----	37 +	1	
6775	----	----	2.105B/1.365A	2.105B/1.365A	----	1.400	- 0.388	.1970	----	----	----	5	UNCH	
6800	2.067	2.067	2.188B/1.421A	2.188B/1.421A	----	1.458	- 0.398	.2036	----	13	----	330 -	1	
6825	----	----	2.262B/1.481A	2.262B/1.481A	----	1.518	- 0.409	.2103	----	----	----	7	UNCH	
6850	----	----	2.348B/1.539A	2.348B/1.539A	----	1.580	- 0.421	.2171	----	----	----	14	UNCH	
6875	1.894	1.894	2.438B/1.600A	2.438B/1.600A	----	1.644	- 0.431	.2241	----	4	----	87	UNCH	
6900	1.940	1.940	2.524B/1.660	2.524B/1.660	----	1.710	- 0.443	.2312	----	3	----	132	UNCH	
6925	----	----	2.631B/1.729A	2.631B/1.729A	----	1.779	- 0.453	.2385	----	----	----	45	UNCH	
6950	----	----	2.721B/1.798A	2.721B/1.798A	----	1.850	- 0.464	.2459	----	----	----	95	UNCH	
6975	----	----	2.818B/1.868A	2.818B/1.868A	----	1.923	- 0.476	.2534	----	----	----	3	UNCH	
7000	2.400	2.400	2.910B/1.940A	2.910B/1.940A	----	1.998	- 0.487	.2610	----	117	----	1041 +	43	
7025	----	----	3.005B/2.011A	3.005B/2.011A	----	2.076	- 0.499	.2687	----	1	----	208	UNCH	
7050	----	----	3.112B/2.092A	3.112B/2.092A	----	2.156	- 0.511	.2765	----	----	----	5	UNCH	
7075	----	----	3.230B/2.171A	3.230B/2.171A	----	2.239	- 0.521	.2844	----	----	----	3	UNCH	
7100	3.100	3.100	3.310B/2.249A	3.310B/2.249A	----	2.324	- 0.532	.2925	----	11	----	52	UNCH	
7125	2.696	2.696	3.457B/2.337A	3.457B/2.337A	----	2.412	- 0.542	.3006	----	1	----	9	UNCH	
7150	2.437	2.437	3.559B/2.417A	3.559B/2.417A	----	2.502	- 0.554							



BULLETIN # 96@				METALS OPTION PRODUCTS							Wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
JUL26															
9000	----	----	----/14.766A	16.026B/14.766A	----	15.107 -	0.933 .8096	----	----	----	----	321	UNCH		
9025	----	----	----/15.107A	16.043B/15.107A	----	15.330 -	0.934 .8131	----	----	----	----	1	UNCH		
9175	----	----	----/16.423A	17.417B/16.423A	----	16.678 -	0.944 .8329	----	----	----	----	1	UNCH		
9200	----	----	----/16.615A	17.850B/16.615A	----	16.904 -	0.946 .8359	----	----	----	----	11	UNCH		
9250	----	----	----/17.136A	18.113B/17.136A	----	17.359 -	0.949 .8418	----	----	----	----	1	UNCH		
9275	----	----	----/17.362A	18.344B/17.362A	----	17.588 -	0.950 .8447	----	----	----	----	1	UNCH		
9300	----	----	----/17.588A	18.579B/17.588A	----	17.817 -	0.952 .8475	----	----	----	----	5	UNCH		
9400	----	----	----/18.460A	19.514B/18.460A	----	18.737 -	0.958 .8581	----	----	----	----	1	UNCH		
9450	----	----	20.176B/18.885A	20.176B/18.885A	----	19.200 -	0.961 .8631	----	----	----	----	12	UNCH		
9500	----	----	20.666B/19.238A	20.666B/19.238A	----	19.664 -	0.967 .8680	----	----	----	----	217	UNCH		
9600	----	----	21.617B/20.161A	21.617B/20.161A	----	20.598 -	0.971 .8770	----	----	----	----	50	UNCH		
9775	----	----	----/21.987A	23.073B/21.987A	----	22.246 -	0.981 .8910	----	----	----	----	5	UNCH		
9900	----	----	24.437B/23.073A	24.437B/23.073A	----	23.433 -	0.987 .8998	----	----	----	----	6	UNCH		
9950	----	----	----/23.576A	24.754B/23.576A	----	23.909 -	0.990 .9031	----	----	----	----	5	UNCH		
10000	----	----	25.441B/23.939A	25.441B/23.939A	----	24.387 -	0.996 .9063	----	----	----	----	225	UNCH		
10275	----	----	28.052B/26.644A	28.052B/26.644A	----	27.029 -	1.004 .9215	----	----	----	----	7	UNCH		
10500	----	----	30.752B/28.830A	30.752B/28.830A	----	29.207 -	1.014 .9316	----	----	----	----	3	UNCH		
10600	----	----	31.353B/29.775A	31.353B/29.775A	----	30.180 -	1.016 .9356	----	----	----	----	9	UNCH		
10800	----	----	----/31.743A	33.035B/31.743A	----	32.130 -	1.024 .9426	----	----	----	----	1	UNCH		
11000	----	----	35.222B/33.584A	35.222B/33.584A	----	34.088 -	1.029 .9487	----	----	7	----	244 +	7		
11300	----	----	38.098B/36.617A	38.098B/36.617A	----	37.036 -	1.034 .9562	----	----	----	----	10	UNCH		
11500	----	----	----/38.602A	39.945B/38.602A	----	39.007 -	1.037 .9604	----	----	----	----	1	UNCH		
12000	----	----	45.024B/43.518A	45.024B/43.518A	----	43.951 -	1.039 .9685	----	----	----	----	19	UNCH		
13000	----	----	----/53.444A	54.851B/53.444A	----	53.883 -	1.035 .9786	----	----	----	----	5	UNCH		
TOTAL										448	0	14560 +	161		
AUG26															
3300	----	----	----	0.001B/0.211A	----	0.073 +	0.012 .0066	----	----	----	----	2	UNCH		
3900	----	----	----	0.001B/0.244A	----	0.085 -	0.017 .0092	----	----	----	----	2	UNCH		
4000	----	----	----	0.025B/0.167A	----	0.089 -	0.020 .0098	----	----	----	----	1	UNCH		
4175	----	----	----	0.016B/0.184A	----	0.098 -	0.028 .0113	----	----	----	----	1	UNCH		
4300	----	----	----	0.028B/0.202A	----	0.107 -	0.038 .0126	----	----	----	----	1	UNCH		
4350	----	----	----	0.033B/0.212A	----	0.112 -	0.042 .0133	----	----	----	----	1	UNCH		
4375	----	----	----	0.033B/0.220A	----	0.114 -	0.044 .0136	----	----	----	----	160	UNCH		
4400	----	----	----	0.037B/0.220A	----	0.116 -	0.047 .0139	----	----	----	----	1	UNCH		
4450	----	----	----	0.046B/0.235A	----	0.122 -	0.051 .0147	----	----	----	----	1	UNCH		
4500	----	----	----	0.054B/0.238A	----	0.127 -	0.057 .0154	----	----	----	----	2	UNCH		
4600	----	----	----	0.071B/0.262A	----	0.140 -	0.066 .0171	----	----	----	----	4	UNCH		
4625	----	----	----	0.076B/0.266A	----	0.144 -	0.068 .0177	----	----	----	----	1	UNCH		
4700	----	----	----	0.091B/0.279A	----	0.156 -	0.076 .0193	----	----	----	----	1	UNCH		
4775	----	----	----	0.108B/0.300A	----	0.170 -	0.083 .0211	----	----	----	----	2	UNCH		
4800	----	----	----	0.114B/0.306A	----	0.175 -	0.085 .0217	----	----	----	----	11	UNCH		
4825	----	----	----	0.121B/0.316A	----	0.180 -	0.087 .0224	----	----	----	----	1	UNCH		
5000	----	----	----	0.173B/0.367A	----	0.223 -	0.104 .0279	----	----	1	----	17	UNCH		
5275	----	----	----	0.291B/0.483A	----	0.322 -	0.130 .0401	----	----	----	----	1	UNCH		
5300	----	----	----	0.303B/0.496A	----	0.333 -	0.133 .0414	----	----	----	----	2	UNCH		
5425	----	----	----	0.381B/0.561A	----	0.398 -	0.145 .0490	----	----	----	----	1	UNCH		
5500	----	----	----	0.432B/0.607A	----	0.443 -	0.153 .0542	----	----	----	----	163	UNCH		
5675	----	----	----/0.735A	0.581B/0.735A	----	0.568 -	0.174 .0682	----	----	----	----	9	UNCH		
5700	----	----	----/0.755A	0.602B/0.755A	----	0.588 -	0.179 .0705	----	----	----	----	2	UNCH		
5750	----	----	----/0.800A	0.650B/0.800A	----	0.632 -	0.186 .0752	----	----	----	----	2	UNCH		
5775	----	----	----/0.825A	0.678B/0.825A	----	0.655 -	0.188 .0777	----	----	2	----	2	UNCH		
5800	----	----	----/0.848A	0.751B/0.848A	----	0.679 -	0.192 .0802	----	----	2	----	9 -	2		
5850	----	----	----/0.893A	0.656B/0.893A	----	0.729 -	0.201 .0855	----	----	----	----	3	UNCH		
5875	----	----	----/0.900A	0.838B/0.900A	----	0.754 -	0.207 .0882	----	----	----	----	4	UNCH		
5900	----	----	----/0.853A	0.863B/0.853A	----	0.781 -	0.212 .0910	----	----	----	----	5	UNCH		
5925	----	----	----/0.855A	0.938B/0.855A	----	0.809	NEW .0939	----	----	6	----	6 +	6		
5950	----	----	----/0.886A	0.940B/0.886A	----	0.838 -	0.222 .0968	----	----	----	----	10	UNCH		
6000	----	----	----/0.923A	1.096B/0.923A	----	0.898 -	0.234 .1029	----	----	6	----	284	UNCH		
6050	----	----	----/0.988A	1.170B/0.988A	----	0.963 -	0.246 .1094	----	----	8	----	22 +	8		
6100	----	----	----/1.072A	1.250B/1.072A	----	1.033 -	0.258 .1162	----	----	----	----	41	UNCH		
6150	----	----	----/1.131A	1.334B/1.131A	----	1.105 -	0.273 .1232	----	----	8	----	26 +	8		
6175	----	----	----/1.153A	1.377B/1.153A	----	1.144 -	0.280 .1269	----	----	----	----	12	UNCH		
6200	----	----	----/1.196A	1.459B/1.196A	----	1.184 -	0.288 .1307	----	4	----	----	204 +	4		
6225	----	----	----/1.230A	1.496B/1.230A	----	1.224 -	0.296 .1345	----	----	----	----	9	UNCH		
6250	----	----	----/1.277A	1.515B/1.277A	----	1.266 -	0.304 .1384	----	----	----	----	111	UNCH		
6300	----	----	----/1.358A	1.613B/1.358A	----	1.354 -	0.321 .1464	----	4	----	----	110 +	4		
6350	----	----	----/1.440A	1.717B/1.440A	----	1.447 -	0.338 .1548	----	9	----	----	25 +	9		
6400	1.726	1.726	1.726/1.532A	1.827B/1.532A	----	1.546 -	0.356 .1635	----	14	----	----	88 +	12		
6425	----	----	----/1.582A	1.883B/1.582A	----	1.597 -	0.366 .1679	----	----	----	----	6	UNCH		
6450	----	----	----/1.632A	1.942B/1.632A	----	1.650 -	0.375 .1725	----	9	----	----	26 +	9		
6500	----	----	----/1.741A	2.059B/1.741A	----	1.760 -	0.395 .1818	----	20	----	----	200 -	10		
6525	----	----	----/1.801A	2.122B/1.801A	----	1.817 -	0.406 .1865	----	----	----	----	2	UNCH		
6550	----	----	----/1.854A	2.187B/1.854A	----	1.877 -	0.415 .1914	----	----	----	----	2	UNCH		
6575	----	----	----/1.925A	2.254B/1.925A	----	1.937 -	0.425 .1963	----	----	----	----	1	UNCH		
6600	2.201	2.201	2.201/1.978A	2.322B/1.978A	----	1.999 -	0.435 .2013	----	3	----	----	63 -	3		
6625	----	----	----/2.045A	2.392B/2.045A	----	2.063 -	0.446 .2064	----	----	----	----	1	UNCH		
6650	----	----	----/2.284A	2.463B/2.284A	----	2.128 -	0.457 .2116	----	----	----	----	9	UNCH		
6675	----	----	----/2.165A												



BULLETIN # 96@			METALS OPTION PRODUCTS							Wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
AUG26														
8500	----	----	----/12.065A	12.737B/12.065A	----	11.976 - 0.968	.6378	----	----	----	----	22	UNCH	
8600	----	----	14.293B/12.833A	14.293B/12.833A	----	12.752 - 0.977	.6555	----	----	----	----	3	UNCH	
8650	----	----	14.531B/13.223A	14.531B/13.223A	----	13.147 - 0.982	.6639	----	----	----	----	1	UNCH	
8700	----	----	14.762B/13.616A	14.762B/13.616A	----	13.545 - 0.987	.6721	----	----	----	----	2	UNCH	
8825	----	----	----/14.717A	15.319B/14.717A	----	14.556 - 1.001	.6918	----	----	----	----	4	UNCH	
8850	----	----	----/14.917A	15.526B/14.917A	----	14.761 - 1.004	.6956	----	----	----	----	1	UNCH	
8900	----	----	----/15.225A	15.944B/15.225A	----	15.173 - 1.009	.7030	----	----	----	----	24	UNCH	
9000	----	----	----/15.930A	16.670B/15.930A	----	16.005 - 1.021	.7172	----	----	----	----	62	UNCH	
9025	----	----	----/16.418A	16.324B/16.418A	----	16.217 - 1.022	.7206	----	----	----	----	4	UNCH	
9150	----	----	----/17.953A	17.365B/17.953A	----	17.277 - 1.036	.7370	----	----	----	----	4	UNCH	
9175	----	----	----/18.166A	17.570B/18.166A	----	17.490 - 1.040	.7402	----	----	----	----	1	UNCH	
9200	----	----	----/18.379A	17.797B/18.379A	----	17.705 - 1.042	.7433	----	----	----	----	1	UNCH	
9225	----	----	----/18.593A	17.999B/18.593A	----	17.921 - 1.044	.7463	----	----	----	----	1	UNCH	
9275	----	----	----/19.023A	18.430B/19.023A	----	18.352 - 1.050	.7524	----	----	----	----	5	UNCH	
9300	----	----	----/19.238A	18.647B/19.238A	----	18.569 - 1.052	.7553	----	----	----	----	1	UNCH	
9325	----	----	----/18.780A	19.340B/18.780A	----	18.786 - 1.056	.7582	----	----	----	----	11	UNCH	
9350	----	----	----/19.681A	19.082B/19.681A	----	19.004 - 1.057	.7611	----	----	----	----	4	UNCH	
9500	----	----	----/20.241A	20.968B/20.241A	----	20.320 - 1.072	.7775	----	----	----	----	31	UNCH	
9975	----	----	----/25.441A	24.340B/25.441A	----	24.591 - 1.093	.8214	----	----	----	----	1	UNCH	
10000	----	----	----/24.824A	25.414B/24.824A	----	24.819 - 1.094	.8235	----	----	----	----	7	UNCH	
10025	----	----	----/25.894A	24.809B/25.894A	----	25.047 - 1.095	.8254	----	----	----	----	1	UNCH	
10175	----	----	----/26.424A	27.050B/26.424A	----	26.427 - 1.094	.8368	----	----	----	----	15	UNCH	
TOTAL										211	0	3418 +	100	
SEP26														
2500	----	----	----	0.001B/2.444A	----	0.010 - 0.002	.0010	----	----	----	----	60	UNCH	
3000	----	----	----	0.001B/2.501A	----	0.033 - 0.006	.0032	----	----	----	----	22	UNCH	
3500	----	----	----	0.001B/2.618A	----	0.088 - 0.015	.0083	----	----	----	----	74	UNCH	
4000	----	----	----	0.049B/0.265A	----	0.166 - 0.024	.0159	----	----	----	----	45	UNCH	
4500	----	----	----	0.159B/0.385A	----	0.289 - 0.037	.0281	----	----	----	----	12	UNCH	
4525	----	----	----	0.167B/0.394A	----	0.297 - 0.038	.0289	----	----	----	----	3	UNCH	
5000	----	----	----	0.370B/0.600A	----	0.492 - 0.067	.0480	----	----	----	----	237	UNCH	
5100	----	----	----	0.431B/0.661A	----	0.548 - 0.077	.0534	----	----	----	----	1	UNCH	
5400	----	----	----	0.679B/0.878A	----	0.756 - 0.120	.0729	----	----	----	----	1	UNCH	
5475	----	----	----/0.941A	0.756B/0.941A	----	0.820 - 0.135	.0788	----	----	----	----	3	UNCH	
5500	----	----	----/0.969A	0.783B/0.969A	----	0.842 - 0.141	.0808	----	----	----	----	232	UNCH	
5600	----	----	----/1.066A	0.794B/1.066A	----	0.940 - 0.164	.0895	----	----	----	----	1	UNCH	
5700	----	----	----/1.182A	0.782B/1.182A	----	1.049 - 0.191	.0990	----	----	----	----	7	UNCH	
5750	----	----	----/1.244A	0.838B/1.244A	----	1.108 - 0.206	.1041	----	----	----	----	1	UNCH	
5800	----	----	----/1.303A	0.907B/1.303A	----	1.171 - 0.222	.1094	----	----	----	----	8	UNCH	
5850	----	----	----/1.367A	0.980B/1.367A	----	1.237 - 0.239	.1150	----	----	----	----	1	UNCH	
5900	----	----	----/1.433A	1.136B/1.433A	----	1.308 - 0.255	.1208	----	----	----	----	50	UNCH	
6000	1.500	1.500	1.500/1.499A	1.503B/1.499A	----	1.460 - 0.295	.1331	----	----	22	30	697 +	33	
6050	----	----	----/1.653A	1.782B/1.653A	----	1.543 - 0.314	.1397	----	----	----	----	15	UNCH	
6200	----	----	----/1.919A	1.897B/1.919A	----	1.818 - 0.381	.1607	----	----	----	----	40	UNCH	
6300	----	----	----/2.137A	1.927B/2.137A	----	2.026 - 0.429	.1760	----	----	----	----	5	UNCH	
6400	2.400	2.400	2.400/2.378A	2.400/2.378A	----	2.255 - 0.482	.1922	----	----	1	----	4 +	1	
6425	----	----	----/2.442A	2.234B/2.442A	----	2.316 - 0.494	.1964	----	----	----	----	3	UNCH	
6500	----	----	----/2.978A	2.573B/2.978A	----	2.507 - 0.535	.2094	----	----	----	----	56	UNCH	
6550	----	----	----/3.177A	2.583B/3.177A	----	2.642 - 0.562	.2183	----	----	----	----	15	UNCH	
6800	----	----	----/3.928A	3.420B/3.928A	----	3.411 - 0.702	.2659	----	----	----	----	10	UNCH	
6850	----	----	----/4.184A	3.610B/4.184A	----	3.585 - 0.730	.2759	----	----	----	----	2	UNCH	
6900	----	----	----/4.330A	3.805B/4.330A	----	3.765 - 0.758	.2861	----	----	----	----	3	UNCH	
7000	4.950	4.950	4.950/4.210A	4.950/4.210A	----	4.147 - 0.797	.3069	----	----	18	----	109 +	14	
7025	----	----	----/4.930A	4.323B/4.930A	----	4.246 - 0.826	.3121	----	----	----	----	1	UNCH	
7100	----	----	----/5.173A	4.652B/5.173A	----	4.556 - 0.865	.3281	----	----	----	----	17	UNCH	
7125	----	----	----/5.405A	4.772B/5.405A	----	4.663 - 0.877	.3334	----	----	----	----	25	UNCH	
7175	----	----	----/5.636A	4.997B/5.636A	----	4.882 - 0.901	.3441	----	----	----	----	20	UNCH	
7200	----	----	----/5.596A	5.552B/5.596A	----	4.995 - 0.913	.3495	----	----	----	----	76	UNCH	
7300	----	----	----/6.040A	6.241B/6.040A	----	5.462 - 0.958	.3712	----	----	----	----	171	UNCH	
7400	----	----	----/6.573A	6.142B/6.573A	----	5.957 - 1.000	.3928	----	----	----	----	26	UNCH	
7500	----	----	----/7.110A	6.704B/7.110A	----	6.481 - 1.035	.4144	----	----	----	----	3	UNCH	
7550	----	----	----/7.369A	6.989B/7.369A	----	6.754 - 1.051	.4251	----	----	----	----	40	UNCH	
7600	7.103	7.103	7.137/7.052A	7.264B/7.052A	----	7.034 - NEW	.4358	----	----	30	----	25 +	25	
7700	----	----	----/8.227A	7.879B/8.227A	----	7.613 - 1.090	.4568	----	----	----	----	9	UNCH	
7800	----	----	----/8.814A	8.519B/8.814A	----	8.220 - 1.108	.4774	----	----	----	----	26	UNCH	
7900	----	----	----/9.444A	9.175B/9.444A	----	8.852 - 1.121	.4974	----	----	----	----	1	UNCH	
8000	----	----	10.669B/10.028A	10.669B/10.028A	----	9.509 - 1.129	.5168	----	----	----	----	93	UNCH	
8100	----	----	----/10.728A	10.552B/10.728A	----	10.189 - 1.131	.5356	----	----	----	----	1	UNCH	
8200	----	----	----/11.429A	11.263B/11.429A	----	10.890 - 1.131	.5536	----	----	----	----	1	UNCH	
8300	----	----	----/12.128A	11.995B/12.128A	----	11.612 - 1.126	.5710	----	----	----	----	1	UNCH	
8400	----	----	----/12.830A	12.744B/12.830A	----	12.353 - 1.118	.5875	----	----	----	----	42	UNCH	
8500	----	----	----/13.501A	13.542B/13.501A	----	13.112 - 1.106	.6033	----	----	----	----	228	UNCH	
8700	----	----	----/15.073A	15.069B/15.073A	----	14.677 - 1.080	.6328	----	----	----	----	101	UNCH	
9000	18.000	18.000	18.438B/17.080	18.438B/17.080	----	17.124 - 1.034	.6719	----	----	2	----	74	UNCH	
9300	----	----	----/20.185A	19.966B/20.185A	----	19.666 - 0.988	.7055	----	----	----	----	1	UNCH	
9400	----	----	----/20.764A	20.571B/20.764A	----	20.529 - 0.975	.7156	----	----	----	----	15	UNCH	
10150	----	----	----/27.802A	27.139B/27.802A	----</									

	BULLETIN # 96@				METALS OPTION PRODUCTS				Wed, May 20, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
S04 CALL	SILVER OPTIONS												
MAY26													
8320	----	----	----	0.003B/*0.115A	----	0.083 +	0.020 .0215	----	----	1	----	0 -	1
8500	----	----	----	0.030B/*0.109A	----	0.064 +	0.034 .0133	----	----	----	----	50	UNCH
8550	----	----	----	0.001B/*0.112A	----	0.061 +	0.036 .0120	----	----	----	----	27	UNCH
8600	----	----	----	0.010B/0.111A	----	0.060 +	0.039 .0112	----	----	----	----	57	UNCH
8700	----	----	----	0.001B/*0.115A	----	0.058 +	0.042 .0098	----	----	----	----	1	UNCH
8750	0.031	0.031	0.031/*0.031	0.031/*0.031	----	0.051 +	0.037 .0082	----	----	1	----	16	UNCH
8800	----	----	----	----/*0.110A	----	0.046 +	0.033 .0070	----	----	1	----	8 -	1
9000	----	----	----	----/*0.109A	----	0.031 +	0.021 .0039	----	----	----	----	1	UNCH
9100	----	----	----	----/*0.107A	----	0.027 +	0.018 .0031	----	----	----	----	3	UNCH
9200	----	----	----	----/*0.104A	----	0.024 +	0.015 .0025	----	----	----	----	25	UNCH
9250	----	----	----	----/*0.101A	----	0.023 +	0.014 .0023	----	----	----	----	20	UNCH
9300	----	----	----	----/*0.102A	----	0.019 +	0.011 .0018	----	----	----	----	25	UNCH
9400	----	----	----	----/*0.101A	----	0.014 +	0.009 .0012	----	----	----	----	10	UNCH
9500	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.010 +	0.006 .0007	----	----	1	----	41	UNCH
9800	----	----	----	----/*0.108A	----	0.004 +	0.003 .0002	----	----	----	----	1	UNCH
10000	----	----	----	----/0.114A	----	0.002 +	0.001 .0000	----	----	----	----	5	UNCH
10500	----	----	----	----/0.118A	----	0.001	UNCH	----	----	----	----	3	UNCH
TOTAL										62	0	439 +	43
S04 PUT	SILVER OPTIONS												
MAY26													
5500	----	----	----	----/0.119A	----	0.001	UNCH	----	----	----	----	5	UNCH
6000	----	----	----	----/0.144A	----	0.001 -	0.004	----	----	----	----	1	UNCH
6600	----	----	----	0.016B/*0.115A	----	0.014 -	0.053 .0019	----	----	----	----	1	UNCH
6750	----	----	----/*0.113A	0.045B/*0.113A	----	0.025 -	0.096 .0043	----	----	----	----	1	UNCH
6800	----	----	----/*0.119A	0.089B/*0.119A	----	0.031 -	0.116 .0059	----	----	----	----	1	UNCH
6900	----	----	----/*0.135A	0.175B/*0.135A	----	0.047 -	0.167 .0106	----	----	----	----	2	UNCH
7000	----	----	----/0.162A	0.302B/0.162A	----	0.074 -	0.235 .0197	----	25	----	----	107 +	12
7100	----	----	0.500B/0.222A	0.500B/0.222A	----	0.118 -	0.324 .0365	----	----	----	----	2	UNCH
7200	0.440	0.440	0.765B/0.200	0.765B/0.200	----	0.193 -	0.433 .0675	----	5	----	----	20 +	5
7250	0.468	0.468	0.914B/0.299A	0.914B/0.299A	----	0.248 -	0.492 .0912	----	3	----	----	10 +	3
7300	0.404	0.404	1.133B/0.393A	1.133B/0.393A	----	0.319 -	0.554 .1219	----	10	----	----	12 +	10
7350	----	----	1.320B/0.497A	1.320B/0.497A	----	0.408 -	0.616 .1603	----	----	----	----	1	UNCH
7400	1.320	1.320	1.700/0.470	1.700/0.470	----	0.519 -	0.678 .2072	----	4	----	----	4 +	1
7420	----	----	1.665B/*0.567A	1.665B/*0.567A	----	0.570 -	0.702 .2283	----	----	----	----	1	UNCH
7450	----	----	1.835B/0.728A	1.835B/0.728A	----	0.655 -	0.737 .2625	----	----	----	----	1	UNCH
7500	1.000	1.000	1.883B/0.779A	1.883B/0.779A	----	0.819 -	0.792 .3253	----	48	----	----	102 +	23
7520	----	----	1.852B/*0.848A	1.852B/*0.848A	----	0.893 -	0.812 .3522	----	----	----	----	12	UNCH
7550	0.800	0.800	0.800/0.800	1.821B/0.800	----	1.013	NEW .3940	----	1	----	----	1 +	1
7600	1.030	1.030	1.030/1.030	1.827B/1.030	----	1.238 -	0.894 .4663	----	1	----	----	4 +	1
7700	1.900	1.900	2.294B/1.677A	2.294B/1.677A	----	1.786 -	0.972 .6108	----	3	----	----	9 +	2
7750	----	----	----/1.944A	2.681B/1.944A	----	2.107 -	0.997 .6775	----	----	----	----	10	UNCH
7800	----	----	----/2.642A	2.463B/2.642A	----	2.456 -	1.014 .7379	----	----	----	----	4	UNCH
7820	----	----	----/2.463A	3.183B/2.463A	----	2.603 -	1.020 .7599	----	----	----	----	8	UNCH
7900	----	----	----/3.541A	3.341B/3.541A	----	3.229 -	1.030 .8351	----	----	----	----	5	UNCH
8000	----	----	----/4.338A	5.083B/4.338A	----	4.082 -	1.029 .9008	----	----	----	----	1	UNCH
8200	----	----	----/6.103A	6.206B/6.103A	----	5.937 -	1.011 .9641	----	----	----	----	3	UNCH
8250	----	----	----/6.474A	6.699B/6.474A	----	6.419 -	1.006 .9715	----	----	----	----	1	UNCH
8480	----	----	----/*8.786A	8.985B/8.786A	----	8.684 -	0.987 .9861	----	----	----	----	1	UNCH
8500	----	----	----/8.983A	9.185B/8.983A	----	8.883 -	0.986 .9866	----	----	----	----	1	UNCH
8600	----	----	----/9.965A	10.178B/9.965A	----	9.879 -	0.981 .9887	----	----	----	----	1	UNCH
8700	----	----	----/10.957A	11.175B/10.957A	----	10.877 -	0.978 .9901	----	----	----	----	1	UNCH
TOTAL										100	0	333 +	58
S05 CALL	SILVER OPTIONS												
MAY26													
7500	----	----	2.993B/*2.204A	2.993B/*2.204A	----	3.003	NEW .5975	----	----	1	----	1 +	1
7650	----	----	2.390B/*1.702A	2.390B/*1.702A	----	2.222 +	0.144 .4922	----	----	----	----	2	UNCH
7700	----	----	2.174B/*1.521A	2.174B/*1.521A	----	2.000 +	0.112 .4573	----	----	----	----	3	UNCH
7750	1.700	1.700	1.909B/*1.407A	1.909B/*1.407A	----	1.796	NEW .4230	----	10	----	----	10 +	10
7850	1.500	1.500	1.501B/*1.168A	1.501B/*1.168A	----	1.442	NEW .3578	----	10	----	----	10 +	10
7900	----	----	1.341B/*1.038A	1.341B/*1.038A	----	1.289 +	0.028 .3272	----	----	----	----	1	UNCH
8000	0.955	0.955	1.091B/*0.866A	1.091B/*0.866A	----	1.030 +	0.011 .2716	----	55	----	----	55 +	50
8150	0.736	0.736	0.736B/*0.695A	0.736B/*0.695A	----	0.736	NEW .2023	----	7	----	----	7 +	7
8200	----	----	----/*0.615A	0.580B/*0.615A	----	0.659 +	0.003 .1829	----	----	----	----	1	UNCH
8250	0.660	0.660	0.660/*0.585A	0.660/*0.585A	----	0.591	NEW .1653	----	5	----	----	5 +	5
8300	0.600	0.600	0.600/*0.514A	0.600/*0.514A	----	0.531 +	0.008 .1495	----	2	----	----	3 +	2
8400	----	----	----	0.321B/*0.426A	----	0.431 +	0.013 .1222	----	----	----	----	2	UNCH
8500	0.400	0.400	0.400/0.400	0.400/*0.357A	----	0.354	NEW .1005	----	55	----	----	55 +	55
8600	----	----	----	0.178B/*0.304A	----	0.293 +	0.025 .0829	----	----	----	----	3	UNCH
8700	----	----	----	0.138B/*0.258A	----	0.246 +	0.030 .0690	----	----	----	----	2	UNCH
8800	----	----	----	0.108B/*0.222A	----	0.209 +	0.033 .0580	----	----	----	----	2	UNCH
8850	----	----	----	0.081B/*0.218A	----	0.194 +	0.035 .0534	----	----	----	----	1	UNCH
8900	0.110	0.110	0.180/0.110	0.180/0.110	----	0.180 +	0.035 .0492	----	2	----	----	4	UNCH
9500	----	----	----	0.001B/*0.142A	----	0.093 +	0.036 .0226	----	----	----	----	1	UNCH
TOTAL										147	0	168 +	140
S05 PUT	SILVER OPTIONS												
MAY26													
6200	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.041	NEW .0113	----	----	2	----	2 +	2
6500	0.270	0.270	0.360/*0.219A	0.360/*0.219A	----	0.114	NEW .0318	----	2	----	----	2 +	2
6700	----	----	----/0.326A	0.390B/0.326A	----	0.215 -	0.225 .0596	----	----	----	----	30	UNCH
6800	----	----	----/0.399A	0.542B/0.399A	----	0.288 -	0.278 .0793	----	----	----	----	2	UNCH
6900	----	----	0.736B/0.506A	0.736B/0.506A	----	0.383 -	0.340 .1043	----	----	----	----	4	UNCH
7000	----	----	0.979B/0.629A	0.979B/0.629A	----	0.506 -	0.409 .1356	----	----	----	----	2	UNCH
7200	1.000	1.000	1.635B/0.825	1.635B/0.825	----	0.867 -	0.560 .2203	----	4	----	----	5 +	2
7300	----	----	2.054B/1.195A	2.054B/1.195A	----	1.122 -	0.636 .2744	----	----	----	----	5	UNCH
7400	----	----	2.539B/1.537A	2.539B/1.537A	----	1.438 -	0.708 .3356	----	----	----	----	1	UNCH
7650	----	----	----/2.593A	3.313B/2.593A	----	2.541 -	0.877 .5077	----	----	----	----	3	UNCH
7700	----	----	----/2.818A	3.319B/2.818A	----	2.818 -	0.909 .5426	----	----	----	----	3	UNCH
8000	----	----	----/5.845A	4.578B/5.845A	----	4.846 -	1.010 .7283	----	----	----	----	2	UNCH
8300	----	----	----	4.936B/8.642A	----	7.345 -	1.013 .8504	----	----	----	----	2	UNCH
8400	----	----	----	----/23.225A	----	8.244 -	1.007 .8777	----	----	----	----	5	UNCH
8500	----	----	----	----/23.499A	----	9.166 -	1.001 .8994	----	----	----	----	4	UNCH
TOTAL										8	0	72 +	6
SWW WED													



BULLETIN # 96@										METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
SWW WED SILVER WEEKLY WEDNESDAY OPTION WEEK																						
MAY26																						
7850	----	----	----	----	----	2.319 - 1.115	----	----	----	1	----	0 -	1									
7850	----	----	----	0.001B/*0.116A	----	0.000 - 0.093	----	----	----	----	----	0 -	3									
7880	----	----	----	0.001B/*0.114A	----	0.000 - 0.071	----	----	----	----	----	0 -	100									
7900	----	----	0.983B/*0.770A	0.983B/*0.770A	----	0.992 + 0.075	.2952	----	----	----	----	1	UNCH									
7900	----	----	----	----	----	2.819 - 1.081	----	2	----	----	----	0 -	2									
7900	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.000 - 0.059	----	----	1	----	----	0 -	1									
7920	----	----	----	0.001B/0.116A	----	0.000 - 0.049	----	----	----	----	----	0 -	1									
7930	----	----	----	0.001B/*0.120A	----	0.000 - 0.045	----	----	----	----	----	0 -	100									
7950	----	----	0.810B/*0.719A	0.810B/*0.719A	----	0.872 NEW	.2639	----	----	4	----	4 +	4									
8000	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.023	----	----	10	----	----	0 -	12									
8010	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.000 NEW	----	----	1	----	----	0	UNCH									
8050	----	----	----	----/*0.110A	----	0.000 - 0.013	----	----	1	----	----	0 -	1									
8100	----	----	----	----/0.173A	----	0.000 - 0.008	----	----	----	----	----	0 -	2									
8100	----	----	----/6.293A	4.050B/6.293A	----	5.408 - 0.971	.8143	----	----	----	----	1	UNCH									
8200	----	----	----	----	----	5.819 - 1.024	----	2	----	----	----	0 -	2									
8300	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.001	----	----	2	----	----	0 -	3									
8320	----	----	----	----/0.135A	----	0.000 - 0.001	----	----	----	----	----	0	UNCH									
8400	----	----	----	----	----	7.819 - 1.023	----	1	----	----	----	0 -	1									
8400	----	----	----/*0.253A	0.150B/*0.253A	----	0.280 + 0.023	.0891	----	----	----	----	1	UNCH									
8500	----	----	----	----/*0.089A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
8650	----	----	----	0.051B/*0.170A	----	0.157 + 0.009	.0488	----	----	----	----	1	UNCH									
8700	----	----	----	----/*0.059A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
8710	----	----	----	----/*0.058A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
8800	----	----	----	----/28.420A	----	11.927 - 1.016	.9653	----	----	----	----	1	UNCH									
8800	----	----	----	----/*0.059A	----	0.000 - 0.001	----	----	----	----	----	0 -	10									
8850	----	----	----	----/*0.059A	----	0.000 - 0.001	----	----	----	----	----	0 -	40									
9000	----	----	----	----/*0.060A	----	0.000 - 0.001	----	----	----	----	----	0 -	2									
9050	----	----	----	----/*0.059A	----	0.000 - 0.001	----	----	----	----	----	0 -	3									
9100	----	----	----	----/*0.058A	----	0.000 - 0.001	----	----	----	----	----	0 -	8									
9200	----	----	----	----/*0.058A	----	0.000 - 0.001	----	----	----	----	----	0 -	11									
9300	----	----	----	0.001B/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 -	2									
9500	----	----	----	----/*0.060A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
10000	----	----	----	----/*0.059A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
11000	----	----	----	----/0.244A	----	0.001 UNCH	.0000	----	----	----	----	3	UNCH									
11000	----	----	----	----/0.058A	----	0.000 - 0.001	----	----	----	----	----	0 -	17									
TOTAL										107	0	21 -	459									
JUN26																						
8100	----	----	----	5.777B/7.068A	----	6.109 - 0.918	.7212	----	----	----	----	4	UNCH									
8500	----	----	----	0.497B/*0.614A	----	0.639 + 0.050	.1505	----	----	----	----	4	UNCH									
9750	----	----	----	0.037B/*0.186A	----	0.124 + 0.019	.0285	----	----	----	----	5	UNCH									
TOTAL											0	13	0									
TWS TUE SILVER WEEKLY TUESDAY OPTION Week3																						
MAY26																						
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7370	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7390	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7400	----	----	----	----	----	1.159 UNCH	----	----	----	----	----	0	UNCH									
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7490	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7500	----	----	----	----	----	0.159 UNCH	----	----	----	----	----	0	UNCH									
7550	----	----	----	----	----	0.341 UNCH	----	----	----	----	----	0	UNCH									
7600	----	----	----	----	----	0.841 UNCH	----	----	----	----	----	0	UNCH									
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7640	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7680	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7700	----	----	----	----	----	1.841 UNCH	----	----	----	----	----	0	UNCH									
7740	----	----	----	----	----	2.241 UNCH	----	----	----	----	----	0	UNCH									
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7750	----	----	----	----	----	2.341 UNCH	----	----	----	----	----	0	UNCH									
7800	----	----	----	----	----	2.841 UNCH	----	----	----	----	----	0	UNCH									
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7850	----	----	----	----	----	3.341 UNCH	----	----	----	----	----	0	UNCH									
7850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7900	----	----	----	----	----	3.841 UNCH	----	----	----	----	----	0	UNCH									
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7910	----	----	----	----	----	3.941 UNCH	----	----	----	----	----	0	UNCH									
7920	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
7950	----	----	----	----	----	4.341 UNCH	----	----	----	----	----	0	UNCH									
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
8000	----	----	----	----	----	4.841 UNCH	----	----	----	----	----	0	UNCH									
8100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0	UNCH									
8300	----	----	----	----	----	7.841 UNCH	----	----	----	----	----	0	UNCH									
8700	----	----	----	----	----	11.841 UNCH	----	----	----	----	----	0	UNCH									
TOTAL											0	0	0									
JUN26																						
6500	0.200	0.200	0.200/0.200	0.286B/0.200	----	0.200 - 0.218	.0508	----	----	1	----	3 +	1									
7100	----	----	1.546B/1.020A	1.546B/1.020A	----	0.957 - 0.511	.2101	----	----	----	----	2	UNCH									
7700	2.490	2.490	3.186B/*2.490	3.186B/*2.490	----	3.074 + 0.159	.4835	----	7	----	----	10 +	7									
7800	----	----	----/4.510A	4.930B/4.510A	----	4.510 - 0.885	.5613	----	----	----	----	1	UNCH									
8000	----	----	1.336B/*1.158A	1.336B/*1.158A	----	1.389 + 0.111	.3090	----	----	----	----	4	UNCH									
8000	----	----	----/5.400A	4.867B/5.400A	----	5.204 - 0.909	.6908	----	----	----	----	9	UNCH									
8100	----	----	1.710B/*1.554A	1.710B/*1.554A	----	1.795 + 0.086	.3186	----	3	----	----	11 +	3									
8200	----	----	----/*0.854A	0.841B/*0.854A	----	0.944 + 0.076	.2242	----	----	----	----	4	UNCH									
8500	0.750	0.750	0.881B/*0.750	0.881B/*0.750	----	1.042 + 0.054	.2001	----	5	----	----	3 -	5									
8800	----	----	----	0.196B/*0.348A	----	0.323 + 0.035	.0827	----	----	----	----	0	UNCH									
9700	----	----	----	0.155B/*0.306A	----	0.262 + 0.019	.0530	----	----	----	----	11	UNCH									
10000	----	----	----	0.248B/*0.416A	----	0.355 - 0.018	.0624	----	----	16	0	1	UNCH									
TOTAL											0	59 +	6									

COPPER OPTIONS ON FUTURES																		
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
HMR MON COPPER WEEKLY MONDAY OPTION WEEK1																		
JUN26																		
450	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	14	UNCH					
500	----	----	----	----/*0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	5	UNCH					
500	----	----	----	----/0.0075A	----	0.0010 - 0.0005	.0042	----	----	----	----	14	UNCH					
575	----	----	----/*0.0255A	0.0385B/0.0255A	----	0.0235 - 0.0155	.0948	----	----	----	----	1	UNCH					
580	----	----	----/0.0195A	0.0305B/0.0195A	----	0.0170 - 0.0140	.0811	----	----	----	----	1	UNCH					
595	----																	

BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
HWR THU		COPPER WEEKLY THURSDAY OPT week4																						
MAY26																								
620	----	----	0.1215B/0.0485A	0.1215B/0.0485A	----	0.0455	- 0.0610	.2785	----	----	----	----	2	UNCH										
620	0.0035	0.0035	0.0670B/*0.0030	0.0670B/*0.0030	----	0.0035	- 0.0515	.0242	----	----	2	----	2	+										
620	----	----	0.1460B/0.0430A	0.1460B/0.0430A	----	0.1340	+ 0.0725	.9757	----	----	----	----	1	UNCH										
621	----	----	0.0735B/*0.0105	0.0735B/*0.0105	----	0.0045	- 0.0550	.0349	----	----	----	----	1	UNCH										
622	----	----	#0.1270B/*0.036	0.1270B/*0.0360	----	0.1160	+ 0.0650	.9526	----	----	----	----	1	UNCH										
626	0.0120	0.0120	#0.1105B/*0.012	#0.1105B/*0.012	----	0.0120	NEW	.1404	----	----	2	----	2	+										
630	0.0120	0.0120	0.0580B/*0.0120	0.0580B/*0.0120	----	0.0535	NEW	.6844	----	----	6	----	6	+										
631	0.0165	0.0165	#0.0505B/*0.015	0.0505B/*0.0150	----	0.0470	NEW	.6284	----	----	31	----	27	+										
632	0.0150	0.0150	0.0440B/*0.0140	0.0440B/*0.0140	----	0.0415	NEW	.5673	----	----	20	----	20	+										
634	0.0325	0.0325	#0.1820B/*0.032	#0.1820B/*0.032	----	0.0405	NEW	.5579	----	----	2	----	2	+										
634	0.0335	0.0335	#0.0335/0.0335	0.0335/0.0140A	----	0.0310	+ 0.0195	.4420	----	----	1	----	3	+										
635	----	----	0.1915B/0.0435A	0.1915B/0.0435A	----	0.0460	- 0.1075	.6201	----	----	----	----	1	UNCH										
635	0.0305	0.0305	0.0305/0.0305	0.0305/0.0135A	----	0.0265	+ 0.0165	.3798	----	----	1	----	10	UNCH										
642	0.0170	0.0170	#0.0170/0.0170	0.0170/*0.0095A	----	0.0080	NEW	.0845	----	----	1	----	1	+										
652	----	----	----	----/*0.0075A	----	0.0010	UNCH	.0032	----	----	----	----	10	UNCH										
662	----	----	----	----/*0.0065A	----	0.0005	UNCH	.0000	----	----	----	----	3	UNCH										
670	----	----	----	0.0075B/*0.0110	----	0.0120	+ 0.0035	.0828	----	----	----	----	5	UNCH										
690	----	----	----	----/0.0060A	----	0.0005	UNCH	----	----	----	----	----	25	UNCH										
700	----	----	----	----/*0.0085A	----	0.0020	UNCH	.0133	----	----	----	----	20	UNCH										
725	----	----	----	----/0.0060A	----	0.0005	UNCH	----	----	----	----	----	6	UNCH										
TOTAL											66		193	+										
JUN26											66		193	+										
575	----	----	----/*0.0140A	0.0170B/0.0140A	----	0.0100	- 0.0095	.0522	----	----	----	----	1	UNCH										
625	0.1500	0.1500	0.2170B/*0.1335	0.2170B/*0.1335	----	0.1330	NEW	.4103	----	----	20	----	20	+										
630	0.1795	0.1795	0.1890B/*0.1265	0.1890B/*0.1265	----	0.1875	NEW	.5417	----	----	1	----	1	+										
630	----	----	0.1570B/*0.0890	0.1570B/*0.0890	----	0.1525	+ 0.0465	.5468	----	----	----	----	8	UNCH										
630	----	----	0.2175B/0.1205A	0.2175B/0.1205A	----	0.1220	- 0.0775	.4527	----	----	----	----	8	UNCH										
TOTAL											21		38	+										
HWT TUE		COPPER WEEKLY TUESDAY OPTION week3																						
MAY26																								
616	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
617	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
618	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
620	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
621	----	----	----	----	----	0.0035	UNCH	----	----	----	----	----	0	UNCH										
622	----	----	----	----	----	0.0135	UNCH	----	----	----	----	----	0	UNCH										
624	----	----	----	----	----	0.0335	UNCH	----	----	----	----	----	0	UNCH										
624	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
625	----	----	----	----	----	0.0435	UNCH	----	----	----	----	----	0	UNCH										
627	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
628	----	----	----	----	----	0.0735	UNCH	----	----	----	----	----	0	UNCH										
629	----	----	----	----	----	0.0835	UNCH	----	----	----	----	----	0	UNCH										
630	----	----	----	----	----	0.0935	UNCH	----	----	----	----	----	0	UNCH										
632	----	----	----	----	----	0.1135	UNCH	----	----	----	----	----	0	UNCH										
637	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
640	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH										
650	----	----	----	----	----	0.2935	UNCH	----	----	----	----	----	0	UNCH										
TOTAL													0											
JUN26																								
450	----	----	----	----/0.0060A	----	0.0005	UNCH	----	----	----	----	----	14	UNCH										
500	----	----	----	----/0.0080A	----	0.0010	- 0.0005	.0043	----	----	----	----	14	UNCH										
550	----	----	----/*0.0145A	0.0125B/*0.0145	----	0.0095	- 0.0070	.0399	----	----	----	----	1	UNCH										
590	----	----	0.0755B/*0.0455	0.0755B/0.0455A	----	0.0440	- 0.0285	.1624	----	----	----	----	1	UNCH										
595	----	----	0.0685B/0.0365A	0.0685B/0.0365A	----	0.0350	- 0.0290	.1535	----	----	----	----	1	UNCH										
610	----	----	0.1260B/0.0660A	0.1260B/0.0660A	----	0.0660	- 0.0490	.2611	----	----	----	----	1	UNCH										
615	----	----	0.1515B/0.0810A	0.1515B/0.0810A	----	0.0815	- 0.0560	.3065	----	----	----	----	1	UNCH										
620	----	----	0.1790B/0.0980A	0.1790B/0.0980A	----	0.0995	- 0.0625	.3547	----	----	----	----	1	UNCH										
625	----	----	0.2030B/*0.1260	0.2030B/*0.1260	----	0.2005	+ 0.0540	.5943	----	----	----	----	1	UNCH										
630	----	----	0.1800B/*0.1085	0.1800B/*0.1085	----	0.1745	+ 0.0480	.5432	----	----	----	----	1	UNCH										
635	----	----	0.2990B/0.1965A	0.2990B/0.1965A	----	0.2005	- 0.0800	.5014	----	----	----	----	31	UNCH										
640	----	----	0.3090B/0.1930A	0.3090B/0.1930A	----	0.2000	- 0.0860	.5566	----	----	----	----	5	UNCH										
670	----	----	0.0230B/----	0.0230B/*0.0175	----	0.0255	+ 0.0085	.1401	----	----	----	----	5	UNCH										
670	----	----	0.0490B/*0.0315	0.0490B/*0.0315	----	0.0500	+ 0.0150	.2053	----	----	----	----	47	UNCH										
685	----	----	0.0100B/----	0.0100B/*0.0120	----	0.0130	+ 0.0045	.0746	----	----	----	----	3	UNCH										
750	----	----	----	----/0.0075A	----	0.0005	UNCH	.0030	----	----	----	----	10	UNCH										
TOTAL													137											
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK																						
MAY26																								
450	----	----	----	----/0.0070A	----	0.0000	- 0.0005	----	----	----	----	----	0	-										
570	----	----	----	----/*0.0045A	----	0.0000	- 0.0005	----	----	----	----	----	0	-										
575	----	----	----	0.0030B/*0.0085	----	0.0020	- 0.0050	.0128	----	----	----	----	2	UNCH										
585	----	----	----	----/*0.0045A	----	0.0000	- 0.0005	----	----	----	----	----	0	-										
600	----	----	0.0325B/0.0160A	0.0325B/0.0160A	----	0.0105	- 0.0215	.0743	----	----	----	----	5	UNCH										
600	----	----	----	----/0.0050A	----	0.0000	- 0.0010	----	----	----	----	----	0	-										
605	----	----	----	0.0010B/*0.0045	----	0.0000	- 0.0035	----	----	----	----	----	0	-										
608	----	----	----/*0.0045A	0.0010B/*0.0045	----	0.0000	NEW	----	----	1	----	----	0	UNCH										
610	0.0005	0.0005	0.0005/*0.0005	0.0045B/*0.0005	----	0.0000	- 0.0085	----	----	2	----	----	0	-										
612	0.0180	0.0180	0.0180/*0.0045A	0.0180/*0.0045A	----	0.0000	NEW	----	----	2	----	----	0	UNCH										
613	----	----	----/*0.0045A	0.0130B/*0.0045	----	0.0000	- 0.0135	----	----	----	----	----	0	-										
615	----	----	0.0210B/0.0045A	0.0210B/0.0045A	----	0.0000	- 0.0180	----	----	----	----	----	0	-										
619	0.0245	0.0245	0.1455B/*0.0245	0.1455B/*0.0245	----	0.1405	NEW	----	2	----	2	----	0	UNCH										
619	0.0475	0.0475	0.0475/*0.0065A	0.0475/*0.0065A	----	0.0000	- 0.0305	----	----	2	----	----	0	-										
620	----	----	0.1355B/0.0255A	0.1355B/0.0255A	----	0.1305	+ 0.0890	----	3	----	----	----	0	-										
620	----	----	0.0505B/*0.0065	0.0505B/*0.0065	----	0.0000	- 0.0350	----	----	----	----	----	0	-										
621	0.0380	0.0380	0.1255B/*0.0220	0.1255B/*0.0220	----	0.1205	+ 0.0845	----	5	----	2	----	0	-										
622	----	----	0.1155B/*0.0190	0.1155B/*0.0190	----	0.1105	+ 0.0790	----	20	----	----	----	0	-										
625	0.0100	0.0100	0.0855B/*0.0100	0.0855B/*0.0100	----	0.0805	+ 0.0605	----	40	----	10	----	0	-										
625	0.0005	0.0005	0.0915B/*0.0005	0.0915B/*0.0005	----	0.0000	NEW	----	----	2	----	----	0	UNCH										
627	0.0095	0.0095	0.0655B/*0.0095	0.0655B/*0.0095	----	0.0605	+ 0.0465	----	----	2	----	----	0	-										
628	0.0060	0.0060	0.0555B/*0.																					

BULLETIN # 96@			METALS OPTION PRODUCTS										wed, May 20, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
COPPER WEEKLY WEDNESDAY OPTION WEEK																	
HWW WED JUL26																	
568	----	----	----/*0.0390A	0.0450B/0.0390A	----	0.0340	- 0.0150	.1047	----	----	----	6	UNCH				
581	----	----	----/0.0555A	0.0715B/0.0555A	----	0.0515	- 0.0220	.1495	----	----	----	1	UNCH				
585	----	----	----/0.4660A	0.4525B/0.4660A	----	0.5965	+ 0.0980	.8336	----	----	----	6	UNCH				
585	----	----	----/0.0620A	0.0815B/0.0620A	----	0.0580	- 0.0245	.1654	----	----	----	6	UNCH				
592	----	----	0.1020B/0.0750A	0.1020B/0.0750A	----	0.0715	NEW	.1966	----	1	----	1	+				
600	----	----	0.4810B/0.3660A	0.4810B/0.3660A	----	0.4800	+ 0.0870	.7613	----	----	----	12	UNCH				
600	----	----	0.1295B/0.0935A	0.1295B/0.0935A	----	0.0910	NEW	.2377	----	1	----	1	+				
611	----	----	0.1770B/0.1255A	0.1770B/0.1255A	----	0.1240	- 0.0465	.3005	----	----	----	22	UNCH				
612	----	----	----/0.2990A	0.3000B/0.2990A	----	0.3965	+ 0.0755	.6926	----	----	----	5	UNCH				
612	----	----	0.1815B/0.1285A	0.1815B/0.1285A	----	0.1270	- 0.0475	.3063	----	----	----	6	UNCH				
613	----	----	0.1865B/0.1320A	0.1865B/0.1320A	----	0.1305	- 0.0485	.3124	----	----	----	3	UNCH				
621	----	----	0.3040B/0.2555A	0.3040B/0.2555A	----	0.3405	+ 0.0660	.6364	----	----	----	1	UNCH				
625	----	----	0.3210B/0.2385A	0.3210B/0.2385A	----	0.3175	+ 0.0615	.6105	----	----	----	22	UNCH				
630	----	----	0.2935B/0.2180A	0.2935B/0.2180A	----	0.2915	+ 0.0575	.5777	----	----	----	5	UNCH				
650	0.2055	0.2055	0.2055/0.1520A	0.2055/0.1520A	----	0.2055	+ 0.0435	.4506	----	1	----	5	UNCH				
655	----	----	0.1855B/0.1390A	0.1855B/0.1390A	----	0.1875	NEW	.4209	----	1	----	1	+				
675	----	----	0.1260B/0.0965A	0.1260B/0.0965A	----	0.1295	NEW	.3148	----	1	----	1	+				
700	----	----	0.0765B/----	0.0765B/0.0625A	----	0.0805	+ 0.0180	.2118	----	----	----	5	UNCH				
710	----	----	0.0625B/----	0.0625B/*0.0530	----	0.0665	+ 0.0150	.1796	----	----	----	5	UNCH				
TOTAL										5		143	+				
AUG26																	
599	----	----	----	----	----	0.5755	+ 0.0805	.7043	----	----	----	10	UNCH				
630	----	----	0.4030B/0.3275A	0.4030B/0.3275A	----	0.4045	+ 0.0605	.5671	----	----	----	13	UNCH				
630	----	----	0.3875B/0.3120A	0.3875B/0.3120A	----	0.3145	- 0.0620	.4310	----	----	----	15	UNCH				
640	----	----	0.3580B/0.2905A	0.3580B/0.2905A	----	0.3595	+ 0.0545	.5231	----	----	----	1	UNCH				
650	----	----	0.3175B/0.2575A	0.3175B/0.2575A	----	0.3190	+ 0.0490	.4805	----	----	----	14	UNCH				
750	----	----	0.0900B/----	0.0900B/0.0795A	----	0.0940	+ 0.0160	.1785	----	----	----	0	UNCH				
TOTAL												53					
COMEX COPPER OPTIONS																	
HX CALL JUN26																	
500	----	----	----	----	----	1.3310	+ 0.1220	.9971	----	----	----	2	UNCH				
510	----	----	----	----	----	1.2310	+ 0.1215	.9968	----	----	----	1	UNCH				
525	----	----	#1.0945B/0.9125	#1.0945B/0.9125	----	1.0815	+ 0.1220	.9948	----	----	----	1	UNCH				
535	----	----	#0.9945B/0.8130	#0.9945B/0.8130	----	0.9820	+ 0.1225	.9926	1	----	----	-	1				
540	----	----	0.9455B/0.7635A	0.9455B/0.7635A	----	0.9325	+ 0.1230	.9922	----	----	----	24	UNCH				
545	----	----	0.8950B/0.7140A	0.8950B/0.7140A	----	0.8825	+ 0.1225	.9900	----	----	----	2	UNCH				
549	----	----	----	----	----	0.8430	+ 0.1230	.9877	----	----	----	1	UNCH				
550	----	----	0.8455B/0.6645A	0.8455B/0.6645A	----	0.8330	+ 0.1230	.9876	----	----	----	5	UNCH				
555	----	----	0.7950B/0.6145A	0.7950B/0.6145A	----	0.7835	+ 0.1230	.9869	----	----	----	1	UNCH				
556	----	----	----	----	----	0.7735	+ 0.1230	.9848	----	----	----	1	UNCH				
557	0.7720	0.7720	0.7720/0.7720	0.7720/0.7720	----	0.7635	+ 0.1230	.9847	----	1	----	63	UNCH				
559	----	----	----	----	----	0.7440	+ 0.1235	.9843	----	----	----	4	UNCH				
560	----	----	0.7460B/0.5650A	0.7460B/0.5650A	----	0.7340	+ 0.1235	.9841	----	----	----	106	UNCH				
562	----	----	----	----	----	0.7140	+ 0.1230	.9817	----	----	----	1	UNCH				
563	----	----	----	----	----	0.7040	+ 0.1230	.9815	----	----	----	1	UNCH				
565	----	----	0.6955B/0.5160A	0.6955B/0.5160A	----	0.6845	+ 0.1235	.9810	----	----	----	2	UNCH				
568	----	----	----	----	----	0.6545	+ 0.1230	.9782	----	----	----	3	UNCH				
569	----	----	----	----	----	0.6445	+ 0.1225	.9779	----	----	----	2	UNCH				
570	----	----	0.6465B/0.4670A	0.6465B/0.4670A	----	0.6350	+ 0.1230	.9776	----	----	----	19	UNCH				
574	----	----	----	----	----	0.5950	+ 0.1220	.9741	----	----	----	3	UNCH				
575	----	----	0.5985B/0.4185A	0.5985B/0.4185A	----	0.5855	+ 0.1225	.9738	----	----	----	142	UNCH				
579	----	----	----	----	----	0.5455	+ 0.1215	.9699	----	----	----	3	UNCH				
580	----	----	0.5480B/0.3705A	0.5480B/0.3705A	----	0.5355	+ 0.1210	.9694	----	----	----	45	UNCH				
581	----	----	----	----	----	0.5260	+ 0.1210	.9689	----	----	----	1	UNCH				
582	----	----	0.5100B/----	0.5100B/0.4525A	----	0.5160	+ 0.1205	.9684	----	----	----	11	UNCH				
583	----	----	----/0.3800A	0.2620B/0.3800A	----	0.5060	+ 0.1205	.9656	----	----	----	1	UNCH				
584	----	----	----/0.3725A	0.2625B/0.3725A	----	0.4960	+ 0.1200	.9650	----	----	----	3	UNCH				
585	----	----	0.4985B/0.3240A	0.4985B/0.3240A	----	0.4860	+ 0.1195	.9644	----	----	----	11	UNCH				
586	----	----	----/0.3540A	0.2660B/0.3540A	----	0.4765	+ 0.1195	.9638	----	----	----	1	UNCH				
587	----	----	----/0.3450A	0.2685B/0.3450A	----	0.4665	+ 0.1185	.9631	----	----	----	3	UNCH				
588	----	----	----/0.3360A	0.2675B/0.3360A	----	0.4565	+ 0.1180	.9600	----	----	----	4	UNCH				
589	----	----	----/0.3270A	0.2620B/0.3270A	----	0.4465	+ 0.1175	.9593	----	----	----	1	UNCH				
590	----	----	0.4490B/0.2785A	0.4490B/0.2785A	----	0.4370	+ 0.1170	.9585	----	----	----	84	UNCH				
591	----	----	0.4205B/0.3095A	0.4205B/0.3095A	----	0.4270	+ 0.1160	.9577	----	----	----	10	UNCH				
592	----	----	----/0.3005A	0.2605B/0.3005A	----	0.4170	+ 0.1155	.9544	----	----	----	1	UNCH				
593	----	----	----/0.2920A	0.2590B/0.2920A	----	0.4075	+ 0.1150	.9535	----	----	----	2	UNCH				
594	----	----	----	0.2475B/0.2835A	----	0.3975	+ 0.1140	.9526	----	----	----	4	UNCH				
595	----	----	0.4015B/0.2355A	0.4015B/0.2355A	----	0.3875	+ 0.1125	.9490	----	----	----	128	UNCH				
596	----	----	0.3720B/----	0.3720B/0.2670A	----	0.3780	+ 0.1120	.9480	----	----	----	7	UNCH				
597	----	----	----	0.2405B/0.2590A	----	0.3680	+ 0.1105	.9442	----	----	----	1	UNCH				
598	----	----	0.3525B/----	0.3525B/0.2510A	----	0.3585	+ 0.1100	.9430	----	----	----	6	UNCH				
599	----	----	----	0.2355B/0.2430A	----	0.3485	+ 0.1085	.9391	----	----	----	4	UNCH				
600	----	----	0.3530B/0.1960A	0.3530B/0.1960A	----	0.3390	+ 0.1070	.9377	----	----	----	413	UNCH				
601	----	----	0.2540B/----	0.2540B/0.2275A	----	0.3295	+ 0.1060	.9336	----	----	----	1	UNCH				
602	----	----	0.2600B/----	0.2600B/0.2200A	----	0.3200	+ 0.1045	.9294	----	----	----	4	UNCH				
603	----	----	0.3040B/----	0.3040B/0.2125A	----	0.3100	+ 0.1025	.9250	----	----	----	10	UNCH				
604	----	----	0.2945B/----	0.2945B/0.2050A	----	0.3005	+ 0.1010	.9206	----	----	----	15	UNCH				
605	0.2035	0.2035	0.3045B/0.1765A	0.3045B/0.1765A	----	0.2910	+ 0.0995	.9159	----	1	----	211	-				
606	----	----	0.2755B/0.1700A	0.2755B/0.1700A	----	0.2815	+ 0.0975	.9111	----	----	----	23	UNCH				
607	----	----	0.2660B/0.1460A	0.2660B/0.1460A	----	0.2725	+ 0.0960	.9062	----	----	----	61	UNCH				
608	----	----	0.2565B/0.1390A	0.2565B/0.1390A	----	0.2630	+ 0.0940	.9010	----	----	----	7	UNCH				
609	----	----	0.2475B/0.1325A	0.2475B/0.1325A	----	0.2535	+ 0.0915	.8931	----	----	----	11	UNCH				
610	----	----	0.2580B/0.1265A	0.2580B/0.1265A	----	0.2445	+										

BULLETIN # 96@			METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
HX CALL	COMEX COPPER OPTIONS														
AUG26															
825	----	----	0.0305B/----	0.0305B/0.0285A	----		0.0330 + 0.0060	.0722	----	----	----	----		2	
850	----	----	0.0225B/----	0.0225B/0.0225A	----		0.0245 + 0.0045	.0547	----	----	----	----		11	
875	----	----	0.0170B/----	0.0170B/0.0185A	----		0.0185 + 0.0035	.0420	----	----	----	----		11	
900	0.0110	0.0110	0.0150/0.0110	0.0150/0.0110	----		0.0140 + 0.0025	.0322	----	----	12	----		93 +	
925	----	----	0.0100B/----	0.0100B/0.0140A	----		0.0115 + 0.0020	.0263	----	----	----	----		1	
950	----	----	----	0.0075B/0.0130A	----		0.0100 + 0.0015	.0225	----	----	----	----		56	
975	0.0075	0.0075	0.0090/0.0075	0.0090/0.0075	----		0.0075 + 0.0010	.0171	----	----	11	----		26 +	
TOTAL										100	502			5723 +	
SEP26															
495	----	----	----	----	----		1.4600 + 0.1185	.9448	----	----	----	----		2	
500	----	----	1.3275B/----	1.3275B/1.4260A	----		1.4130 + 0.1175	.9392	----	----	----	----		5	
510	----	----	----	----	----		1.3200 + 0.1155	.9265	----	----	----	----		2	
535	----	----	----	----	----		1.0965 + 0.1090	.8836	----	----	----	----		1	
565	----	----	----	----	----		0.8515 + 0.0980	.8066	----	----	----	----		1	
575	----	----	0.7275B/0.6550A	0.7275B/0.6550A	----		0.7770 + 0.0930	.7748	----	----	----	----		100	
590	----	----	0.6755B/0.5640A	0.6755B/0.5640A	----		0.6740 + 0.0845	.7221	----	----	----	----		5	
595	----	----	0.6430B/0.5360A	0.6430B/0.5360A	----		0.6425 + 0.0820	.7036	----	----	----	----		5	
600	----	----	0.6125B/0.5095A	0.6125B/0.5095A	----		0.6115 + 0.0785	.6845	----	----	----	----		222	
610	----	----	0.5535B/0.4565A	0.5535B/0.4565A	----		0.5540 + 0.0725	.6457	----	----	----	----		32	
615	----	----	0.5260B/0.4330A	0.5260B/0.4330A	----		0.5270 + 0.0695	.6259	----	----	----	----		9	
620	----	----	0.5010B/0.4110A	0.5010B/0.4110A	----		0.5015 + 0.0665	.6062	----	----	----	----		185	
625	----	----	0.4785B/0.3895A	0.4785B/0.3895A	----		0.4765 + 0.0635	.5865	----	----	----	----		632	
630	----	----	0.4550B/0.3695A	0.4550B/0.3695A	----		0.4530 + 0.0605	.5670	----	----	----	----		51	
635	----	----	0.4330B/0.3505A	0.4330B/0.3505A	----		0.4305 + 0.0580	.5476	----	----	----	----		66	
640	----	----	0.4125B/0.3325A	0.4125B/0.3325A	----		0.4090 + 0.0555	.5283	----	----	----	----		1002	
650	----	----	0.3725B/0.2995A	0.3725B/0.2995A	----		0.3690 + 0.0505	.4909	----	----	2	----		326 +	
655	----	----	0.3525B/0.2840A	0.3525B/0.2840A	----		0.3505 + 0.0485	.4727	----	----	----	----		4	
660	----	----	0.3350B/0.2695A	0.3350B/0.2695A	----		0.3325 + 0.0460	.4548	----	----	----	----		101	
665	----	----	0.3180B/0.2560A	0.3180B/0.2560A	----		0.3155 + 0.0440	.4374	----	----	----	----		1	
670	----	----	0.3020B/0.2420A	0.3020B/0.2420A	----		0.2995 + 0.0420	.4205	----	----	----	----		124	
675	----	----	0.2875B/0.2300A	0.2875B/0.2300A	----		0.2840 + 0.0400	.4038	----	----	----	----		525	
680	----	----	0.2730B/0.2185A	0.2730B/0.2185A	----		0.2695 + 0.0380	.3878	----	----	----	----		1392	
690	0.2410	0.2410	0.2460B/0.1965A	0.2460B/0.1965A	----		0.2430 + 0.0350	.3573	----	----	63	----		455 +	
700	----	----	0.2220B/0.1770A	0.2220B/0.1770A	----		0.2190 + 0.0320	.3286	----	----	76	----		7235 +	
710	----	----	0.1985B/0.1595A	0.1985B/0.1595A	----		0.1970 + 0.0290	.3017	----	----	----	----		1000	
715	----	----	0.1875B/0.1515A	0.1875B/0.1515A	----		0.1870 + 0.0280	.2890	----	----	----	----		1	
720	----	----	0.1785B/0.1440A	0.1785B/0.1440A	----		0.1775 + 0.0270	.2768	----	----	----	----		5	
725	----	----	0.1695B/0.1365A	0.1695B/0.1365A	----		0.1685 + 0.0260	.2651	----	----	1	----		88 +	
730	----	----	0.1595B/0.1300A	0.1595B/0.1300A	----		0.1600 + 0.0250	.2538	----	----	----	----		1	
740	----	----	0.1440B/*0.1170	0.1440B/*0.1170	----		0.1445 + 0.0230	.2327	----	----	----	----		950	
750	----	----	0.1285B/0.1060A	0.1285B/0.1060A	----		0.1300 + 0.0215	.2128	----	----	----	----		121	
775	----	----	0.0995B/0.0820A	0.0995B/0.0820A	----		0.1000 + 0.0170	.1698	----	----	75	----		5799 +	
800	----	----	0.0745B/----	0.0745B/0.0645A	----		0.0775 + 0.0130	.1356	----	----	----	500		998 +	
825	----	----	0.0575B/----	0.0575B/0.0515A	----		0.0600 + 0.0100	.1079	----	----	----	----		131	
850	----	----	0.0445B/----	0.0445B/0.0415A	----		0.0475 + 0.0080	.0870	----	----	----	----		1	
875	----	----	0.0350B/----	0.0350B/0.0345A	----		0.0380 + 0.0060	.0706	----	----	----	----		1	
900	----	----	0.0280B/----	0.0280B/0.0285A	----		0.0300 + 0.0050	.0568	----	----	----	----		79	
975	0.0175	0.0175	0.0175/0.0175	0.0175/0.0175	----		0.0155 + 0.0025	.0305	----	----	1	----		13 +	
TOTAL										500	218			21671 +	
OCT26															
500	----	----	----	----	----		1.5135 + 0.1150	.9274	----	----	----	----		2	
575	----	----	0.8310B/0.7895A	0.8310B/0.7895A	----		0.8940 + 0.0905	.7734	----	----	----	----		2	
600	----	----	0.7285B/0.6275A	0.7285B/0.6275A	----		0.7290 + 0.0780	.6966	----	----	----	----		41	
605	----	----	0.6985B/0.6010A	0.6985B/0.6010A	----		0.6990 + 0.0755	.6804	----	----	----	----		2	
615	----	----	0.6415B/0.5510A	0.6415B/0.5510A	----		0.6425 + 0.0705	.6472	----	----	----	----		5	
620	----	----	0.6150B/0.5220A	0.6150B/0.5220A	----		0.6155 + 0.0675	.6304	----	----	----	----		1	
625	----	----	0.5895B/0.4995A	0.5895B/0.4995A	----		0.5900 + 0.0655	.6136	----	----	----	----		11	
650	----	----	0.4770B/0.3995A	0.4770B/0.3995A	----		0.4750 + 0.0545	.5307	----	----	----	----		106	
665	----	----	0.4175B/0.3485A	0.4175B/0.3485A	----		0.4165 + 0.0495	.4832	----	----	----	----		1	
670	----	----	0.3995B/0.3330A	0.3995B/0.3330A	----		0.3980 + 0.0475	.4678	----	----	----	----		1	
675	----	----	0.3820B/0.3180A	0.3820B/0.3180A	----		0.3810 + 0.0460	.4528	----	----	----	----		77	
690	----	----	0.3335B/0.2770A	0.3335B/0.2770A	----		0.3330 + 0.0410	.4094	----	----	----	----		1	
700	----	----	0.2965B/0.2600A	0.2965B/0.2600A	----		0.3040 + 0.0380	.3820	----	----	----	----		151	
740	----	----	0.2100B/0.1775A	0.2100B/0.1775A	----		0.2120 + 0.0285	.2867	----	----	----	----		10	
750	----	----	0.1840B/0.1650A	0.1840B/0.1650A	----		0.1940 + 0.0265	.2665	----	----	----	----		62	
775	----	----	0.1450B/----	0.1450B/0.1325A	----		0.1545 + 0.0220	.2206	----	----	----	----		84	
800	----	----	0.1195B/0.1050A	0.1195B/0.1050A	----		0.1235 + 0.0180	.1823	----	----	----	----		2	
825	----	----	0.0950B/----	0.0950B/0.0860A	----		0.0985 + 0.0150	.1500	----	----	----	----		1	
850	----	----	0.0755B/----	0.0755B/0.0715A	----		0.0790 + 0.0120	.1236	----	----	----	----		30	
875	----	----	0.0610B/----	0.0610B/0.0605A	----		0.0640 + 0.0100	.1023	----	----	----	----		3	
900	----	----	0.0495B/----	0.0495B/0.0510A	----		0.0520 + 0.0080	.0847							



BULLETIN # 96@										METALS OPTION PRODUCTS										wed, May 20, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
HX CALL	COMEX COPPER OPTIONS																					
DEC26	----	----	----	0.0475B/0.0645A	----	0.0600 + 0.0060	.0827	----	----	----	----	13	UNCH									
975	0.0575	0.0575	0.0575/0.0575	0.0575/0.0575	----	0.0540 + 0.0055	.0743	----	----	1	----	3 +	1									
TOTAL										23		6127 +	3									
JAN27	----	----	----	----	----	1.6710 + 0.1050	.8759	----	----	----	----	1	UNCH									
500	----	----	----	----	----	0.1830 + 0.0210	.1891	----	----	----	----	1	UNCH									
900	----	----	----	----	----							2										
TOTAL																						
FEB27	----	----	----	----	----	0.8940 + 0.0740	.6358	----	----	----	----	1	UNCH									
620	----	----	----	----	----							1										
TOTAL																						
MAR27	----	----	----	----	----	0.6900 + 0.0595	.5139	----	----	----	----	30	UNCH									
680	----	----	----	----	----	0.2065 + 0.0210	.1894	----	----	----	----	3	UNCH									
950	----	----	----	----	----							33										
TOTAL																						
HX PUT	COMEX COPPER OPTIONS																					
JUN26	----	----	----	----	----	0.0005	UNCH	----	----	----	----	8	UNCH									
330	----	----	----	----	----	0.0005	UNCH	----	----	----	----	10	UNCH									
355	----	----	----	----	----	0.0005	UNCH	----	----	----	----	1	UNCH									
370	----	----	----	----	----	0.0005	UNCH	----	----	----	----	1	UNCH									
380	----	----	----	----	----	0.0005	UNCH	----	----	----	----	33	UNCH									
400	----	----	----	----	----	0.0005	UNCH	----	----	----	----	1	UNCH									
405	----	----	----	----	----	0.0005	UNCH	----	----	----	----	53	UNCH									
410	----	----	----	----	----	0.0005	UNCH	----	----	----	----	9	UNCH									
420	----	----	----	----	----	0.0005	UNCH	----	----	----	----	3	UNCH									
430	----	----	----	----	----	0.0005	UNCH	.0000	----	----	----	2	UNCH									
435	----	----	----	----	----	0.0005	UNCH	.0000	----	----	----	8	UNCH									
440	----	----	----	----	----	0.0005	UNCH	.0000	----	----	----	2	UNCH									
445	----	----	----	----	----	0.0005	UNCH	.0000	----	----	----	8	UNCH									
450	----	----	----	----	----	0.0005	UNCH	.0000	----	----	----	450	UNCH									
455	----	----	----	----	----	0.0005	UNCH	.0001	----	----	----	42	UNCH									
460	----	----	----	----	----	0.0005	UNCH	.0001	----	----	----	54	UNCH									
465	----	----	----	----	----	0.0005	UNCH	.0002	----	----	----	878	UNCH									
470	----	----	----	----	----	0.0005	UNCH	.0004	----	----	----	659	UNCH									
475	----	----	----	----	----	0.0005	UNCH	.0006	----	----	----	155	UNCH									
480	----	----	----	----	----	0.0005	UNCH	.0009	----	----	----	951	UNCH									
485	----	----	----	----	----	0.0005	UNCH	.0013	----	----	----	63	UNCH									
490	----	----	----	----	----	0.0010	UNCH	.0026	----	----	----	52	UNCH									
495	----	----	----	----	----	0.0010	UNCH	.0027	----	----	----	35	UNCH									
500	----	----	----	----	----	0.0010	UNCH	.0028	----	----	----	536	UNCH									
505	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010	UNCH	.0029	----	10	----	523 +	6									
510	----	----	----	----	----	0.0010	UNCH	.0031	----	----	----	132	UNCH									
515	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010	UNCH	.0032	----	4	----	37	UNCH									
520	----	----	----	----	----	0.0010	UNCH	.0034	----	----	----	166	UNCH									
525	----	----	----	----	----	0.0015	UNCH	.0050	----	----	----	71	UNCH									
524	----	----	----	----	----	0.0015	UNCH	.0051	----	----	----	11	UNCH									
525	----	----	----	----	----	0.0015	UNCH	.0051	----	----	----	2157	UNCH									
526	----	----	----	----	----	0.0015	UNCH	.0052	----	----	----	5	UNCH									
527	----	----	----	----	----	0.0015	UNCH	.0052	----	----	----	3	UNCH									
528	----	----	----	----	----	0.0015	UNCH	.0053	----	----	----	5	UNCH									
529	----	----	----	----	----	0.0015	UNCH	.0053	----	----	----	9	UNCH									
530	----	----	----	----	----	0.0015	UNCH	.0054	----	----	----	140	UNCH									
531	----	----	----	----	----	0.0015	UNCH	.0054	----	----	----	5	UNCH									
532	----	----	----	----	----	0.0015	UNCH	.0055	----	----	----	15	UNCH									
533	----	----	----	----	----	0.0015	UNCH	.0055	----	----	----	4	UNCH									
534	----	----	----	----	----	0.0020	UNCH	.0073	----	----	----	11	UNCH									
535	----	----	----	----	----	0.0020	UNCH	.0073	----	----	----	90	UNCH									
536	----	----	----	----	----	0.0020	UNCH	.0074	----	----	----	1	UNCH									
537	----	----	----	----	----	0.0020	UNCH	.0075	----	----	----	64	UNCH									
538	----	----	----	----	----	0.0020	UNCH	.0076	----	----	----	10	UNCH									
539	----	----	----	----	----	0.0020	UNCH	.0076	----	----	----	34	UNCH									
540	----	----	----	----	----	0.0020	UNCH	.0077	----	----	----	158	UNCH									
541	----	----	----	----	----	0.0020	UNCH	.0078	----	----	----	18	UNCH									
542	----	----	----	----	----	0.0025	UNCH	.0096	----	----	----	25	UNCH									
543	----	----	----	----	----	0.0025	UNCH	.0097	----	----	----	27	UNCH									
544	----	----	----	----	----	0.0025	UNCH	.0098	----	----	----	30	UNCH									
545	----	----	----	----	----	0.0025	UNCH	.0099	----	----	----	85	UNCH									
546	----	----	----	----	----	0.0025	UNCH	.0100	----	----	----	29	UNCH									
547	----	----	----	----	----	0.0025	UNCH	.0101	----	----	----	45	UNCH									
548	----	----	----	----	----	0.0025	UNCH	.0103	----	----	----	56	UNCH									
549	----	----	----	----	----	0.0030	UNCH	.0122	----	----	----	40	UNCH									
550	----	----	----	----	----	0.0030	UNCH	.0123	----	1	----	1230 -	1									
551	----	----	----	----	----	0.0030	UNCH	.0124	----	----	----	117	UNCH									
552	----	----	----	----	----	0.0030	UNCH	.0126	----	----	----	97	UNCH									
553	----	----	----	----	----	0.0030	UNCH	.0127	----	----	----	26	UNCH									
554	----	----	----	----	----	0.0030	UNCH	.0129	----	----	----	29	UNCH									
555	----	----	----	----	----	0.0030	UNCH	.0130	----	----	----	64	UNCH									
556	----	----	----	----	----	0.0035	UNCH	.0151	----	----	----	9	UNCH									
557	----	----	----	----	----	0.0035	UNCH	.0152	----	----	----	68	UNCH									
558	----	----	----	----	----	0.0035	UNCH	.0154	----	----	----	10	UNCH									
559	----	----	----	----	----	0.0035	UNCH	.0156	----	----	----	7	UNCH									
560	----	----	----	----	----	0.0035	UNCH	.0158	----	----	----	413	UNCH									
561	----	----	----	----	----	0.0040	UNCH	.0179	----	----	----	3	UNCH									
562	----	----	----	----	----	0.0040	UNCH	.0182	----	----	----	22	UNCH									
563	----	----	----	----	----	0.0040	UNCH	.0184	----	----	----	1	UNCH									
564	----	----	----	----	----	0.0040	UNCH	.0186	----	----	----	4	UNCH									
565	----	----	----	----	----	0.0040	UNCH	.0189	----	----	----	221	UNCH									
566	----	----	----	----	----	0.0040	UNCH	.0191	----	----	----	4	UNCH									
567	----	----	----	----	----	0.0045	UNCH	.0214	----	----	----	14	UNCH									
568	----	----	----	----	----	0.0045	UNCH	.0217	----	----	----	1	UNCH									
569	----	----	----	----	----	0.0045	UNCH	.0220	----	----	----	27	UNCH									
570	----	----	----	----	----	0.0045	UNCH	.0223	----	----	----	421	UNCH									
571	----	----	----	----	----	0.0045	UNCH	.0226	----	----	----	30	UNCH									
572	----	----	----	----	----	0.0050	UNCH	.0250	----	----	----	1	UNCH									
573	----	----	----	----	----	0.0050	UNCH	.0254	----	----	----	125	UNCH									
574	----	----	----	----	----	0.0050	UNCH	.0258	----	----	----	14	UNCH									
575	0.0045	0.0045	0.0045/*0.0035	0.0050B/0.0045A	----	0.0050	UNCH	.0261	----	41	----	132 -	1									
576	----	----	----	----	----	0.0050	UNCH	.0265	----	----	----	5	UNCH									
577	----	----	----	----	----	0.0050	UNCH	.0270	----	----	----	10	UNCH									
578	----	----	----	----	----	0.0055	UNCH	.0295	----	----	----	2	UNCH									
579	----	----	----	----	----	0.0055	UNCH	.0300	----	----	----	17	UNCH									
580	0.0050	0.0050	0.0050/0.0050	0.0065B/0.0050	----	0.0055	UNCH	.0305	----	1	----											



BULLETIN # 96@				METALS OPTION PRODUCTS										wed, May 20, 2026		PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
HX PUT	COMEX COPPER OPTIONS																
JUN26																	
614	----	----	----	0.0740B/0.0175A	0.0740B/0.0175A	----	0.0185	- 0.0435	.1495	----	----	----	----	----	46		
615	0.0375	0.0375		0.0790B/0.0185A	0.0790B/0.0185A	----	0.0195	- 0.0465	.1589	----	----	----	41	----	173		
616	----	----	----	0.0840B/0.0200A	0.0840B/0.0200A	----	0.0210	- 0.0490	.1709	----	----	----	1	----	15		
617	0.0885	0.0885		0.0895B/0.0215A	0.0895B/0.0215A	----	0.0230	- 0.0510	.1852	----	----	----	1	----	44		
618	0.0830	0.0830		0.0945B/0.0230A	0.0945B/0.0230A	----	0.0245	- 0.0540	.1977	----	----	----	3	----	15		
619	0.0910	0.0910		0.0990B/0.0245A	0.0990B/0.0245A	----	0.0265	- 0.0565	.2124	----	----	----	3	----	28		
620	0.0340	0.0340		0.1060B/0.0265A	0.1060B/0.0265A	----	0.0285	- 0.0595	.2275	----	----	----	14	----	246		
621	0.0945	0.0945		0.1120B/0.0285A	0.1120B/0.0285A	----	0.0305	- 0.0625	.2429	----	----	----	1	----	21		
622	----	----	----	0.1135B/0.0310A	0.1135B/0.0310A	----	0.0330	- 0.0650	.2603	----	----	----	----	----	21		
623	----	----	----	0.1195B/0.0335A	0.1195B/0.0335A	----	0.0360	- 0.0675	.2794	----	----	----	----	----	30		
624	----	----	----	0.1265B/0.0360A	0.1265B/0.0360A	----	0.0385	- 0.0705	.2973	----	----	----	----	----	15		
625	0.0635	0.0635		0.1280B/0.0385A	0.1280B/0.0385A	----	0.0420	- 0.0730	.3180	----	----	----	56	----	141		
626	----	----	----	0.1305B/0.0420A	0.1305B/0.0420A	----	0.0450	- 0.0755	.3377	----	----	----	1	----	39		
627	----	----	----	0.1310B/0.0455A	0.1310B/0.0455A	----	0.0485	- 0.0785	.3587	----	----	----	1	----	27		
628	----	----	----	----/0.0490A	0.1320B/0.0490A	----	0.0525	- 0.0805	.3806	----	----	----	----	----	17		
629	----	----	----	----/0.0525A	0.1325B/0.0525A	----	0.0565	- 0.0830	.4026	----	----	----	----	----	27		
630	----	----	----	----/0.0555A	0.1330B/0.0555A	----	0.0610	- 0.0850	.4252	----	----	----	10	----	137		
631	----	----	----	----/0.0605A	0.1340B/0.0605A	----	0.0655	- 0.0875	.4478	----	----	----	----	----	39		
632	----	----	----	----/0.0650A	0.1350B/0.0650A	----	0.0705	- 0.0895	.4706	----	----	----	----	----	23		
635	0.0980	0.0980		0.2105B/0.0795A	0.2105B/0.0795A	----	0.0865	- 0.0950	.5382	----	----	----	20	----	57		
639	----	----	----	----/0.1030A	0.1815B/0.1030A	----	0.1110	- 0.1015	.6239	----	----	----	----	----	28		
640	----	----	----	0.2540B/0.1095A	0.2540B/0.1095A	----	0.1180	- 0.1025	.6434	----	----	----	----	----	22		
641	----	----	----	----/0.1165A	0.1995B/0.1165A	----	0.1245	- 0.1040	.6636	----	----	----	----	----	14		
644	----	----	----	----/0.1530A	0.2270B/0.1530A	----	0.1460	- 0.1075	.7185	----	----	----	----	----	5		
645	----	----	----	0.2990B/0.1595A	0.2990B/0.1595A	----	0.1535	- 0.1085	.7355	----	----	----	----	----	69		
646	----	----	----	----/0.1680A	0.2455B/0.1680A	----	0.1610	- 0.1095	.7522	----	----	----	----	----	6		
649	----	----	----	----/0.1910A	0.2735B/0.1910A	----	0.1845	- 0.1125	.7959	----	----	----	----	----	6		
650	----	----	----	0.3455B/0.1815A	0.3455B/0.1815A	----	0.1930	- 0.1130	.8100	----	----	----	----	----	41		
651	----	----	----	----/0.2070A	0.2925B/0.2070A	----	0.2010	- 0.1140	.8241	----	----	----	----	----	6		
654	----	----	----	----/0.2325A	0.3210B/0.2325A	----	0.2265	- 0.1160	.8587	----	----	----	----	----	7		
655	0.3280	0.3280		0.3940B/0.2235A	0.3940B/0.2235A	----	0.2355	- 0.1160	.8675	----	----	----	3	----	13		
656	----	----	----	----/0.2915A	0.3560B/0.2915A	----	0.2440	- 0.1170	.8760	----	----	----	----	----	2		
659	----	----	----	----/0.2760A	0.3395B/0.2760A	----	0.2715	- 0.1175	.9005	----	----	----	----	----	7		
660	0.3400	0.3400		0.4420B/0.2670A	0.4420B/0.2670A	----	0.2810	- 0.1175	.9056	----	----	----	1	----	25		
661	----	----	----	----/0.2940A	0.3470B/0.2940A	----	0.2900	- 0.1185	.9134	----	----	----	----	----	10		
665	----	----	----	0.4910B/0.3130A	0.4910B/0.3130A	----	0.3275	- 0.1195	.9348	----	----	----	----	----	46		
666	----	----	----	----/0.3405A	0.3955B/0.3405A	----	0.3370	- 0.1195	.9391	----	----	----	----	----	6		
670	----	----	----	0.5405B/0.3610A	0.5405B/0.3610A	----	0.3750	- 0.1210	.9526	----	----	----	----	----	20		
675	----	----	----	0.5900B/0.4100A	0.5900B/0.4100A	----	0.4235	- 0.1215	.9655	----	----	----	----	----	1		
700	----	----	----	0.8395B/0.6575A	0.8395B/0.6575A	----	0.6715	- 0.1230	.9879	----	----	----	----	----	1		
TOTAL														376		15759	+
JUL26																	
330	----	----	----	----	----/*0.0035A	----	0.0005	UNCH	.0000	----	----	----	----	----	84		
350	----	----	----	----	----/*0.0035A	----	0.0005	UNCH	.0002	----	----	----	----	----	5		
360	----	----	----	----	----/0.0025A	----	0.0005	UNCH	.0004	----	----	----	----	----	1		
380	----	----	----	----	----/*0.0040A	----	0.0005	- 0.0005	.0013	----	----	----	----	----	2		
390	----	----	----	----	----/*0.0040A	----	0.0010	- 0.0005	.0024	----	----	----	----	----	6		
395	----	----	----	----	----/*0.0040A	----	0.0010	- 0.0010	.0025	----	----	----	----	----	1		
400	----	----	----	----	----/0.0035A	----	0.0015	- 0.0005	.0036	----	----	----	20	----	566		
405	----	----	----	----	----/*0.0040A	----	0.0015	- 0.0005	.0037	----	----	----	----	----	1		
415	----	----	----	----/*0.0020A	----/*0.0020A	----	0.0020	- 0.0005	.0049	----	----	----	----	----	52		
420	----	----	----	----/0.0025A	----/0.0025A	----	0.0020	- 0.0010	.0051	----	----	----	----	----	4		
425	----	----	----	----	0.0010B/0.0045A	----	0.0020	- 0.0015	.0052	----	----	----	----	----	51		
430	----	----	----	----	----/0.0045A	----	0.0025	- 0.0010	.0064	----	----	----	----	----	10		
435	----	----	----	----	----/0.0050A	----	0.0025	- 0.0010	.0066	----	----	----	----	----	5		
440	----	----	----	----	----/0.0050A	----	0.0025	- 0.0015	.0068	----	----	----	----	----	4		
445	----	----	----	----	----/0.0050A	----	0.0025	- 0.0015	.0070	----	----	----	----	----	3		
450	----	----	----	----	----/0.0050A	----	0.0030	- 0.0015	.0083	----	----	----	----	----	1905		
455	----	----	----	----/*0.0020A	----/*0.0020A	----	0.0030	- 0.0015	.0085	----	----	----	----	----	14		
460	----	----	----	----/*0.0025A	----/*0.0025A	----	0.0030	- 0.0020	.0088	----	----	----	----	----	6		
465	----	----	----	----	----/*0.0055A	----	0.0030	- 0.0020	.0090	----	----	----	----	----	1		
470	----	----	----	----	----/*0.0060A	----	0.0035	- 0.0020	.0105	----	----	----	----	----	3		
475	0.0040	0.0040		0.0040/0.0040	0.0040/0.0040	----	0.0035	- 0.0025	.0108	----	----	----	1	----	512		
480	----	----	----	----	0.0010B/0.0065A	0.0010B/0.0065A	0.0035	- 0.0025	.0112	----	----	----	----	----	78		
485	----	----	----	----	----/*0.0070A	----	0.0035	- 0.0030	.0116	----	----	----	----	----	2		
490	----	----	----	----	0.0005B/*0.0070	0.0040	0.0040	- 0.0025	.0133	----	----	----	----	----	542		
495	----	----	----	----	0.0010B/*0.0075	0.0040	0.0040	- 0.0030	.0137	----	----	----	----	----	104		
500	----	----	----	----/*0.0060A	0.0045B/*0.0060	0.0045	0.0045	- 0.0030	.0155	----	----	----	20	----	3336		
505	----	----	----	----	0.0045B/*0.0085	0.0050	0.0050	- 0.0035	.0175	----	----	----	----	----	3		
510	----	----	----	----/0.0085A	0.0060B/0.0085A	0.0055	0.0055	- 0.0035	.0195	----	----	----	----	----	213		
515	----	----	----	----/*0.0065A	0.0070B/*0.0065	0.0060	0.0060	- 0.0045	.0216	----	----	----	----	----	4		
520	0.0075	0.0075		0.0075/*0.0075	0.0080B/*0.0075	0.0070	0.0070	- 0.0045	.0251	----	----	----	2	----	377		
525	----	----	----	----/*0.0085A	0.0115B/*0.0085	0.0080	0.0080	- 0.0055	.0288	----	----	----	----	----	649		
530	0.0110	0.0110		0.0110/0.0100	0.0140B/0.0100	0.0090	0.0090	- 0.0065	.0327	----	----	----	4	----	3197		
533	----	----	----	----/*0.0110A	0.0155B/*0.0110	0.0100	0.0100	- 0.0070	.0362	----	----	----	----	----	1		
534	----	----	----	----/*0.0110A	0.0160B/*0.0110	0.0105	0.0105	- 0.0070	.0377	----	----	----	----				



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN		
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			OUTCRY VOLUME			VOLUME			VOLUME			INTEREST		
HXL PUT			COMEX COPPER OPTIONS																																
JUL26																																			
599	----	----				0.1395B/0.0860A		0.1395B/0.0860A	----				0.0875	-	0.0415	.2484	----		----		----		----		----		----		28	UNCH					
600	0.1130	0.1130				0.1440B/0.0875A		0.1440B/0.0875A	----				0.0905	-	0.0420	.2547	----		33		----		33		----		----		821	+	3				
601	0.1140	0.1140				0.1480B/0.0920A		0.1480B/0.0920A	----				0.0930	-	0.0435	.2604			10		----		10		----		----		22	+	10				
602	0.0985	0.0985				0.1525B/0.0940A		0.1525B/0.0940A	----				0.0960	-	0.0445	.2667			3		----		3		----		----		12	+	1				
603	----	----				0.1570B/0.0980A		0.1570B/0.0980A	----				0.0990	-	0.0455	.2730			----		----		----		----		----		11	UNCH					
605	0.1080	0.1080				0.1660B/0.1030A		0.1660B/0.1030A	----				0.1055	-	0.0470	.2861			4		----		4		----		----		152	+	4				
610	0.1205	0.1205				0.1895B/0.1185A		0.1895B/0.1185A	----				0.1220	-	0.0525	.3189			5		----		5		----		----		489	UNCH					
615	0.1690	0.1690				0.2160B/0.1375A		0.2160B/0.1375A	----				0.1410	-	0.0575	.3534			10		----		10		----		----		158	UNCH					
620	0.1710	0.1710				0.2440B/0.1570A		0.2440B/0.1570A	----				0.1620	-	0.0625	.3888			97		----		97		----		----		283	+	10				
625	0.1825	0.1825				0.2735B/0.1805A		0.2735B/0.1805A	----				0.1850	-	0.0675	.4246			1		----		1		----		----		50	UNCH					
630	0.3000	0.3000				0.3045B/0.2035A		0.3045B/0.2035A	----				0.2105	-	0.0715	.4605			9		----		9		----		----		313	-	1				
635	----	----				0.3330B/0.2305A		0.3330B/0.2305A	----				0.2375	-	0.0760	.4960			----		----		----		----		----		35	UNCH					
640	0.2685	0.2685				0.3680B/0.2590A		0.3680B/0.2590A	----				0.2665	-	0.0805	.5308			2		----		2		----		----		54	UNCH					
645	----	----				0.4045B/0.2890A		0.4045B/0.2890A	----				0.2970	-	0.0845	.5644			----		----		----		----		----		44	UNCH					
650	----	----				0.4420B/0.3215A		0.4420B/0.3215A	----				0.3295	-	0.0880	.5968			5		----		5		----		----		122	UNCH					
655	----	----				0.4810B/0.3565A		0.4810B/0.3565A	----				0.3635	-	0.0915	.6279			----		----		----		----		----		49	UNCH					
660	----	----				0.5210B/0.3900A		0.5210B/0.3900A	----				0.3990	-	0.0945	.6570			----		----		----		----		----		11	UNCH					
665	----	----				0.5430B/0.4290A		0.5430B/0.4290A	----				0.4360	-	0.0975	.6846			----		----		----		----		----		2	UNCH					
670	----	----				0.5845B/0.4665A		0.5845B/0.4665A	----				0.4745	-	0.0995	.7103			----		----		----		----		----		178	+	110				
675	----	----				0.6255B/0.5055A		0.6255B/0.5055A	----				0.5140	-	0.1015	.7339			----		----		----		----		----		26	UNCH					
700	----	----				0.8510B/0.7310A		0.8510B/0.7310A	----				0.7260	-	0.1085	.8279			----		----		----		----		----		2	UNCH					
705	----	----				0.8955B/0.7750A		0.8955B/0.7750A	----				0.7705	-	0.1095	.8425			----		----		----		----		----		1	UNCH					
TOTAL																											472			23352+			901		
AUG26																																			
330	----	----				----		----	----				0.0005	-	UNCH	.0008	----		----		----		----		----		----		3	UNCH					
405	----	----				----		----	----				0.0035	-	0.0005	.0075	----		----		----		----		----		----		3	UNCH					
420	----	----				----		----	----				0.0045	-	UNCH	.0099	----		----		----		----		----		----		1	UNCH					
440	----	----				----		----	----				0.0060	-	0.0005	.0136	----		----		----		----		----		----		5	UNCH					
450	----	----				----		----	----				0.0070	-	0.0010	.0161	----		----		----		----		----		----		8	UNCH					
460	----	----				----		----	----				0.0085	-	0.0010	.0197	----		----		----		----		----		----		3	UNCH					
465	----	----				----		----	----				0.0090	-	0.0010	.0211	----		----		----		----		----		----		1	UNCH					
470	----	----				----		----	----				0.0100	-	0.0010	.0234	----		33		----		33		----		----		2	UNCH					
475	----	----				----		----	----				0.0105	-	0.0015	.0250	----		----		----		----		----		----		5	UNCH					
480	----	----				----		----	----				0.0115	-	0.0015	.0274	----		----		----		----		----		----		8	UNCH					
485	----	----				----		----	----				0.0125	-	0.0020	.0300	----		----		----		----		----		----		1	UNCH					
500	----	----				----		----	----				0.0165	-	0.0030	.0399	----		----		----		----		----		----		9	UNCH					
505	----	----				----		----	----				0.0180	-	0.0035	.0437	----		----		----		----		----		----		1	UNCH					
510	----	----				----		----	----				0.0200	-	0.0040	.0485	----		----		----		----		----		----		1	UNCH					
520	----	----				----		----	----				0.0250	-	0.0055	.0600	----		----		----		----		----		----		308	UNCH					
525	----	----				----		----	----				0.0285	-	0.0055	.0675	----		----		----		----		----		----		1	UNCH					
530	0.0350	0.0350				0.0395B/0.0335A		0.0395B/0.0335A	----				0.0320	-	0.0065	.0752	----		10		----		10		----		----		44	+	10				
535	----	----				0.0450B/0.0370A		0.0450B/0.0370A	----				0.0360	-	0.0080	.0837	----		----		----		----		----		----		9	UNCH					
540	----	----				0.0515B/0.0415A		0.0515B/0.0415A	----				0.0405	-	0.0095	.0931	----		----		----		----		----		----		8	UNCH					
545	----	----				0.0585B/0.0465A		0.0585B/0.0465A	----				0.0455	-	0.0110	.1033	----		----		----		----		----		----		2	UNCH					
550	0.0560	0.0560				0.0670B/0.0520A		0.0670B/0.0520A	----				0.0515	-	0.0130	.1151	----		2		----		2		----		----		28	+	2				
555	0.0595	0.0595				0.0765B/0.0585A		0.0765B/0.0585A	----				0.0580	-	NEW	.1275	----		4		----		4		----		----		4	+	4				
560	----	----				0.0860B/0.0655A		0.0860B/0.0655A	----				0.0655	-	NEW	.1414	----		1		----		1		----		----		1	+	1				
565	----	----				0.0975B/0.0740A		0.0975B/0.0740A	----				0.0740	-	0.0205	.1564	----		----		----		----		----		----		1	UNCH					
570	----	----				0.1100B/0.0830A		0.1100B/0.0830A	----				0.0830	-	0.0240	.1721	----		----		----		----		----		----		54	UNCH					
575	----	----				0.1250B/0.0930A		0.1250B/0.0930A	----				0.0935	-	0.0270	.1894	----		----		----		----		----		----		3	UNCH					
580	----	----				0.1400B/0.1040A		0.1400B/0.1040A	----				0.1045	-	0.0310	.2073	----		50		----		50		----		----		303	+	50				
585	0.1200	0.1200				0.1555B/0.1160A		0.1555B/0.1160A	----				0.1170	-	0.0345	.2265	----		2		----		2		----		----		8	UNCH					
590	----	----				0.1735B/0.1290A		0.1735B/0.1290A	----				0.1310	-	0.0375	.2469	----		----		----		----		----		----		14	UNCH					
600	----	----				0.2155B/0.1600A		0.2155B/0.1600A	----				0.1625	-	0.0445	.2899	----		----		----		----		----		----		636	UNCH					
605	----	----				0.2375B/0.1770A		0.2375B/0.1770A	----				0.1805	-	0.0475	.3125	----		----		----		----		----		----		12	UNCH					
620	----	----				0.3140B/0.2375A		0.3140B/0.2375A	----				0.2430	-	0.0565	.3830	----		----		----		----		----		----		29	UNCH					
625	----	----				0.3430B/0.2605A		0.3430B/0.2605A	----				0.2665	-	0.0595	.4069	----		----		----		----		----		----		5	UNCH					
630	0.3610	0.3610				0.3720B/0.2855A		0.3720B/0.2855A	----				0.2915	-	0.0625	.4307	----		1		----		1		----		----		3	-	1				
640	----	----				0.4345B/0.3385A		0.4345B/0.3385A	----				0.3450	-	0.0685	.4779	----		----		----		----		----		----		3	UNCH					
660	----	----				0.5675B/0.4600A		0.5675B/0.4600A	----				0.4670	-	0.0790	.5674	----		----		----		----		----		----		2	UNCH					
670	----	----				0.6425B/0.5270A		0.6425B/0.5270A	----				0.5340	-	0.0850	.6089	----		----		----		----		----		----		310	UNCH					
TOTAL																											70			1839+			66		
SEP26																																			
400	----	----				----		0.0015B/*0.0125	----				0.0060	-																					

BULLETIN # 96@				METALS OPTION PRODUCTS								wed, May 20, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
COMEX COPPER OPTIONS																	
														38			
TOTAL																	
DEC26																	
	----	----	----	----	0.0040B/0.0290A	----	----	0.0170 - 0.0010	.0220	----	----	----	----	2	UNCH		
	----	----	----	----	0.0050B/*0.0295	----	----	0.0180 - 0.0010	.0234	----	----	----	----	1	UNCH		
	----	----	----	----	0.0070B/0.0315A	----	----	0.0195 - 0.0015	.0258	----	----	----	----	3	UNCH		
	----	----	----	----	0.0080B/0.0325A	----	----	0.0210 - 0.0010	.0278	----	----	----	----	18	UNCH		
	----	----	----	----	0.0130B/*0.0375	----	----	0.0260 - 0.0020	.0351	----	----	----	----	2	UNCH		
	----	----	----	----	0.0355B/0.0550A	----	----	0.0445 - 0.0060	.0599	----	----	----	----	2	UNCH		
	----	----	----	----	0.0500B/0.0660A	----	----	0.0560 - 0.0085	.0742	----	----	----	----	76	UNCH		
	----	----	----	----	0.0560B/0.0705A	----	----	0.0610 - 0.0090	.0800	----	----	----	----	16	UNCH		
	----	----	----	----	0.0690B/0.0805A	----	----	0.0715 - 0.0110	.0921	----	----	----	----	5	UNCH		
	----	----	----	----	/*0.0805A	----	----	0.0840 - 0.0135	.1059	----	----	----	----	103	UNCH		
	----	----	----	----	/*0.0925A	----	----	0.1250 - 0.0200	.1478	----	----	----	----	1	UNCH		
	----	----	----	----	/0.1320A	----	----	0.1575 - 0.0250	.1778	----	----	----	----	3	UNCH		
	----	----	----	----	/0.1635A	----	----	NEW	.1887	----	----	----	----	1	+		
	----	----	----	----	/0.1755A	----	----	0.1700	.1887	----	----	1	----	1	+		
	----	----	----	----	/0.1885A	----	----	0.1830 - 0.0280	.1998	----	----	1	----	153	+		
	----	----	----	----	/0.2160A	----	----	0.2110 - 0.0315	.2228	----	----	----	----	300	UNCH		
	----	----	----	----	/0.2470A	----	----	0.2425 - 0.0350	.2471	----	----	----	----	4	UNCH		
	----	----	----	----	/0.2635A	----	----	NEW	.2597	----	----	20	----	20	+		
	----	----	----	----	/0.2810A	----	----	0.2770 - 0.0390	.2724	----	----	----	----	22	UNCH		
	----	----	----	----	/0.3590A	----	----	0.3560 - 0.0465	.3249	----	----	----	----	118	UNCH		
	----	----	----	----	/0.4985A	----	----	0.4975 - 0.0575	.4056	----	----	----	----	18	UNCH		
	----	----	----	0.6715B/0.6060A	0.6715B/0.6060A	----	----	0.6065 - 0.0640	.4589	----	----	----	----	2	UNCH		
	----	----	----	1.3890B/1.2795A	1.3890B/1.2795A	----	----	1.2850 - 0.0920	.6867	----	----	----	----	1	UNCH		
TOTAL														22	871	+	22
JAN27																	
	----	----	----	----	----	----	----	0.0440 - 0.0065	.0443	----	----	----	----	8	UNCH		
	----	----	----	----	----	----	----	1.7150 - 0.0885	.7044	----	----	----	----	1	UNCH		
TOTAL															9		
FEB27																	
	----	----	----	----	----	----	----	0.0575 - 0.0075	.0524	----	----	----	----	2	UNCH		
TOTAL															2		
MAR27																	
	----	----	----	----	----	----	----	0.0235 - 0.0025	.0177	----	----	----	----	1	UNCH		
TOTAL															1		
COMEX COPPER OPTIONS																	
MAY26																	
	----	----	----	0.5440B/0.3665A	0.5440B/0.3665A	----	----	0.5310 + 0.1230	.0000	----	----	----	----	1	UNCH		
	----	----	----	0.3125B/*0.1815	0.3125B/0.1815A	----	----	0.3025 + 0.0905	.8617	----	----	----	----	2	UNCH		
	----	----	----	0.2475B/0.1085A	0.2475B/0.1085A	----	----	0.2340 + 0.0950	.9744	----	----	----	----	5	UNCH		
	----	----	----	0.2690B/0.1485A	0.2690B/0.1485A	----	----	0.2600 + 0.0820	.8211	----	----	----	----	5	UNCH		
	----	----	----	0.2275B/0.1210A	0.2275B/0.1210A	----	----	0.2200 + 0.0725	.7685	----	----	----	----	1	UNCH		
	----	----	----	0.1530B/0.0560A	0.1530B/0.0560A	----	----	0.1430 + 0.0690	.8799	----	----	1	----	6	-		
	----	----	----	0.1100B/0.0390A	0.1100B/0.0390A	----	----	0.1035 + 0.0530	.7695	----	----	----	----	1	UNCH		
	----	----	----	0.1550B/*0.0790	0.1550B/0.0790A	----	----	0.1505 + 0.0525	.6327	----	----	----	----	1	UNCH		
	----	----	----	0.0730B/0.0265A	0.0730B/0.0265A	----	----	0.0695 + 0.0365	.6142	----	----	1	----	1	-		
	----	----	----	0.1250B/*0.0630	0.1250B/0.0630A	----	----	0.1220 + 0.0435	.5559	----	----	----	----	22	UNCH		
	0.0565	0.0565		0.0565/*0.0215A	0.0565/*0.0215A	----	----	NEW	.5052	----	----	1	----	1	+		
	----	----	----	0.0435B/0.0185A	0.0435B/0.0185A	----	----	0.0430 + 0.0225	.4308	----	----	----	----	1	UNCH		
	----	----	----	0.0985B/*0.0500	0.0985B/0.0500A	----	----	0.0980 + 0.0355	.4775	----	----	----	----	1	UNCH		
	0.0300	0.0300		#0.0430/0.0300	0.0430/*0.0170A	----	----	0.0350	NEW	.3594	----	3	----	1	+		
	0.0150	0.0150		0.0225B/0.0150	0.0225B/0.0140A	----	----	0.0250 + 0.0125	.2620	----	----	20	----	22	+		
	----	----	----	0.0770B/*0.0400	0.0770B/0.0400A	----	----	0.0775 + 0.0280	.4018	----	----	----	----	220	UNCH		
	0.0125	0.0125		0.0125/0.0125	0.0125/*0.0095A	----	----	0.0135 + 0.0060	.1381	----	----	20	----	63	+		
	0.0300	0.0300		0.0590B/*0.0300	0.0590B/0.0300	----	----	0.0610	NEW	.3322	----	11	----	10	+		
	----	----	----	----	0.0025B/*0.0075	----	----	0.0070 + 0.0025	.0650	----	----	----	----	50	UNCH		
	----	----	----	----	0.0005B/*0.0070	----	----	0.0035 + 0.0010	.0279	----	----	----	----	50	UNCH		
	----	----	----	0.0330B/*0.0210	0.0330B/0.0210A	----	----	0.0370 + 0.0135	.2170	----	----	----	----	1	UNCH		
	----	----	----	----	----/*0.0070A	----	----	0.0025 + 0.0005	.0185	----	----	----	----	10	UNCH		
	----	----	----	----	----/*0.0065A	----	----	0.0015	UNCH	.0097	----	----	----	50	UNCH		
	----	----	----	0.0240B/*0.0175	0.0240B/0.0175A	----	----	0.0285 + 0.0105	.1719	----	----	----	----	220	UNCH		
	----	----	----	----	----/*0.0060A	----	----	0.0010	UNCH	.0052	----	----	----	1	UNCH		
	----	----	----	----	----/*0.0050A	----	----	0.0005	UNCH	.0001	----	----	----	1	UNCH		
	----	----	----	----	----/*0.0045A	----	----	0.0005	UNCH	.0000	----	----	----	5	UNCH		
	----	----	----	----	0.0050B/*0.0100	----	----	0.0095 + 0.0030	.0610	----	----	----	----	2	UNCH		
	----	----	----	----	----/*0.0045A	----	----	0.0005	UNCH	----	----	----	----	2	UNCH		
	----	----	----	----	----/*0.0040A	----	----	0.0005	UNCH	----	----	----	----	1	UNCH		
TOTAL														57	757	+	39
JUN26																	
	----	----	----	0.2215B/*0.1325	0.2215B/*0.1325	----	----	0.2170 + 0.0620	.6568	----	----	----	----	1	UNCH		
	----	----	----	0.1635B/*0.0955	0.1635B/*0.0955	----	----	0.1600 + 0.0470	.5454	----	----	----	----	2	UNCH		
	----	----	----	0.1150B/*0.0735	0.1150B/*0.0735	----	----	0.1140 + 0.0300	.3688	----	----	----	----	1	UNCH		
	----	----	----	0.0310B/*0.0215	0.0310B/*0.0215	----	----	0.0330 + 0.0100	.1536	----	----	----	----	5	UNCH		
	----	----	----	0.0165B/----	0.0165B/*0.0145	----	----	0.0190 + 0.0055	.0925	----	----	----	----	1	UNCH		
	----	----	----	0.0355B/*0.0255	0.0355B/*0.0255	----	----	0.0370 + 0.0110	.1421	----	----	----	----	2	UNCH		
	----	----	----	0.0105B/----	0.0105B/*0.0120	----	----	0.0135 + 0.0035	.0665	----	----	----	----	1	UNCH		
	----	----	----	#0.0125B/----	0.0125B/*0.0130	----	----	0.0140 + 0.0035	.0574	----	----	----	----	1	UNCH		
	----	----	----	----	----/0.0075A	----	----	0.0025 + 0.0005	.0124	----	----	----	----	1	UNCH		
TOTAL															15		
COMEX COPPER OPTIONS																	
MAY26																	
	----	----	----	----	----/0.0055A	----	----	0.0005	UNCH	----	----	----	----	4	UNCH		
	----	----	----	----	----/*0.0050A	----	----	0.0005 - 0.0005	----	----	----	----	----	4	UNCH		
	----	----	----	----/0.0120A	0.0115B/0.0120A	----	----	0.0055 - 0.0090	.0337	----	----	----	----	1	UNCH		
	----	----	----	----	0.0015B/*0.0060	----	----	0.0005 - 0.0050	.0001	----	----	----	----	1	UNCH		
	----	----	----	----	0.0035B/*0.0065	----	----	0.0005 - 0.0085	.0006	----	----	----	----	1	UNCH		
	0.0095	0.0095		0.0095/0.0070A	0.0095/0.0070A	----	----	0.0010 - 0.0130	.0048	----	----	13	----	37	+		
	0.0415	0.0415		0.0435B/0.0200A	0.0435B/0.0200A	----	----	0.0170 - 0.0255	.1053	----							

PG64	BULLETIN # 96@										METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
PAO CALL	NYMEX PALLADIUM OPTIONS																						
JUN26																							
1375	18.50	18.50		18.60B/*7.00A	18.60B/*7.00A	----		1.60 NEW	----	3	----	3	----	0	UNCH								
1380	13.50	13.50		15.70B/*3.30A	15.70B/*3.30A	----		0.00 NEW	----	----	----	1	----	0	UNCH								
1385	----	----		13.10B/*2.80A	13.10B/*2.80A	----		0.00 - 8.90	----	----	----	----	----	0	- 84								
1400	----	----		6.90B/*2.80A	6.90B/*2.80A	----		0.00 - 5.30	----	----	----	----	----	0	- 75								
1425	----	----		1.60B/*2.80A	1.60B/*2.80A	----		0.00 - 1.80	----	----	----	----	----	0	- 1								
1440	----	----		----	0.20B/*2.80A	----		0.00 - 1.00	----	----	----	----	----	0	- 1								
1460	----	----		----	----/*2.80A	----		0.00 - 0.50	----	----	----	----	----	0	- 25								
1500	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 110								
1525	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 5								
1530	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 1								
1550	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 94								
1575	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 15								
1600	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 49								
1650	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 67								
1700	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 32								
1750	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 142								
1800	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 112								
1850	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 67								
1900	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 64								
1925	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 40								
1950	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 10								
2000	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 108								
2100	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 52								
2200	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 8								
2300	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 30								
2400	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 7								
2500	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 25								
2700	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 50								
3000	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 30								
3500	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 25								
TOTAL												4		0	- 1329								
JUL26																							
1440	----	----		49.70B/44.40A	49.70B/44.40A	----		48.60 + 4.10	.4326	----	----	----	----	1	UNCH								
1500	----	----		33.60B/----	33.60B/31.80A	----		33.10 + 2.20	.3123	----	----	----	----	10	UNCH								
1550	20.00	20.00		25.00B/*20.00	25.00B/*20.00	----		24.80 + 1.10	.2391	----	----	5	----	75	+								
1600	----	----		19.10B/----	19.10B/20.20A	----		19.10 + 0.50	.1854	----	----	----	----	85	UNCH								
1720	----	----		----	10.60B/13.30A	----		11.20 - 0.10	.1073	----	----	----	----	6	UNCH								
1800	----	----		----	7.10B/10.70A	----		7.60 - 0.20	.0735	----	----	----	----	49	UNCH								
TOTAL												5		226	+								
AUG26																							
1600	----	----		38.90B/----	38.90B/39.10A	----		38.80 + 1.30	.2662	----	----	----	----	100	UNCH								
1700	----	----		27.80B/----	27.80B/*29.20A	----		27.60 + 0.10	.1921	----	----	----	----	20	UNCH								
1800	----	----		----	20.40B/*22.60A	----		20.40 - 0.30	.1425	----	----	----	----	100	UNCH								
1900	----	----		----	15.00B/*18.00A	----		15.20 - 0.50	.1068	----	----	----	----	400	UNCH								
TOTAL														620	0								
SEP26																							
1275	160.10	160.10		176.70B/*160.10	176.70B/*160.10	----		174.90 NEW	.7310	----	----	1	----	1	+								
1300	----	----		160.70B/*147.90	160.70B/*147.90	----		159.40 + 8.50	.6941	----	----	----	----	1	UNCH								
1400	----	----		109.60B/----	109.60B/103.50A	----		109.10 + 5.90	.5434	----	----	----	----	75	UNCH								
1575	----	----		58.80B/----	58.80B/59.10A	----		58.80 + 1.80	.3311	----	----	----	----	25	UNCH								
1600	----	----		54.20B/----	54.20B/55.10A	----		54.30 + 1.40	.3087	----	----	6	----	151	+								
1625	----	----		50.10B/----	50.10B/51.40A	----		50.30 + 1.00	.2881	----	----	----	----	20	UNCH								
1665	----	----		44.40B/----	44.40B/*46.30A	----		44.50 + 0.40	.2580	----	----	----	----	9	UNCH								
1700	----	----		----	40.10B/*42.40A	----		40.20 UNCH	.2349	----	----	----	----	55	UNCH								
1800	30.50	30.50		30.50B/*30.50	30.60B/*30.50	----		30.50 - 1.00	.1814	----	----	5	----	11	+								
1875	----	----		25.40B/----	25.40B/*28.90A	----		25.20 - 1.40	.1511	----	----	----	----	25	UNCH								
1885	----	----		24.80B/----	24.80B/*28.40A	----		24.60 - 1.40	.1476	----	----	----	----	100	UNCH								
1900	22.50	22.50		22.50B/*22.50	23.90B/*22.50	----		23.70 - 1.50	.1424	----	----	11	----	21	+								
2000	18.50	18.50		18.50B/*18.50	18.80B/*18.50	----		19.00 - 1.50	.1143	----	----	5	----	35	+								
2100	13.90	13.90		13.90B/*13.90	14.80B/*13.90	----		15.60 - 1.50	.0936	----	----	5	----	30	+								
2200	----	----		----	11.60B/*17.10A	----		13.10 - 1.30	.0781	----	----	----	----	5	UNCH								
2400	----	----		----	7.10B/*13.40A	----		9.40 - 1.20	.0556	----	----	----	----	15	UNCH								
2550	----	----		----	4.80B/*11.60A	----		7.50 - 1.00	.0441	----	----	----	----	50	UNCH								
TOTAL												33		629	+								
DEC26																							
1800	----	----		----	----	----		51.60 + 3.30	.2460	----	----	----	----	50	UNCH								
2000	----	----		----	----	----		34.30 + 2.20	.1680	----	----	----	----	1	UNCH								
3000	----	----		----	----	----		9.00 + 0.50	.0442	----	----	----	----	1	UNCH								
TOTAL														52	0								
PAO PUT	NYMEX PALLADIUM OPTIONS																						
JUN26																							
1195	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 113								
1200	----	----		----	----/2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 15								
1250	----	----		----	----/*2.80A	----		0.00 - 0.10	----	----	----	----	----	0	- 1								
1300	----	----		----	0.20B/*2.80A	----		0.00 - 1.70	----	----	----	----	----	0	- 135								
1325	----	----		----/*2.80A	1.70B/*2.80A	----		0.00 - 5.00	----	----	----	----	----	0	- 18								
1335	----	----		----/*2.80A	3.40B/*2.80A	----		0.00 - 7.30	----	----	----	----	----	0	- 1								
1350	----	----		----/2.80A	8.20B/2.80A	----		0.00 - 11.50	----	----	----	----	----	0	- 9								
1400	----	----		44.70B/24.70A	44.70B/24.70A	----		23.40 - 18.70	----	138	----	----	----	0	- 138								
1440	----	----		----	----	----		63.40 - 14.40	----	4	----	----	----	0	- 4								
1450	----	----		93.10B/65.70A	93.10B/65.70A	----		73.40 - 14.00	----	100	----	----	----	0	- 100								
1460	----	----		----	----	----		83.40 - 13.80	----	100	----	----	----	0	- 100								
1475	----	----		118.00B/90.10A	118.00B/90.10A	----		98.40 - 13.60	----	11	----	----	----	0	- 11								
1500	----	----		143.00B/114.80A	143.00B/114.80A	----		123.40 - 13.50	----	54	----	----	----	0	- 54								
1550	----	----		193.00B/164.60A	193.00B/164.60A	----		173.40 - 13.50	----	1	----	----	----	0	- 1								
1750	----	----		392.90B/364.60A	392.90B/364.60A	----		373.40 - 13.50	----	1	----	----	----	0	- 1								
1900	----	----		542.80B/514.70A	542.80B/514.70A	----		523.40 - 13.50	----	50	----	----	----	0	- 50								
TOTAL														0	- 751								
JUL26																							
1285	----	----		----/20.40A	19.30B/20.40A	----		18.60 - 3.90	.1963	----	----	----	----	9	UNCH								
1300	----	----		----/23.60A	23.40B/23.60A	----		22.10 - 4.50	.2257	----	----	----	----	165	UNCH								
1400	----	----		----/59.60A	69.00B/59.60A	----		60.60 - 9.20	.4685	----	----	----	----	31	UNCH								
1450	----	----		103.80B/89.00A	103.80B/89.00A	----		91.60 - 11.40	.5900	----	----	----	----	30	UNCH								
TOTAL														235	0								
AUG26																							
1200	----	----		----/18.20A	14.40B/18.20A	----		15.90 - 2.90	.1342	----	----	----	----	20	UNCH								
1400	----	----		----/84.00A	92.10B/84.00A	----		84.30 - 9.20	.4626	----	----	----	----	1	UNCH								
TOTAL														21	0								
SEP26																							
1200	25.50	25.50		25.50B/*25.50	25.50/25.50	----		25.10 NEW	.1684	----	----	5	----	5	+								
1250	----	----		----/40.60A	38.10B/40.60A	----		38.70 NEW	.2334	----	----												



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 96@				METALS OPTION PRODUCTS							wed, May 20, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION Week1															
JUN26	----	----	----	3.50B/*6.30A	----	4.90 - 0.90	.0544	----	----	----	----	100	UNCH			
2300	----	----	----	----	----	----	----	----	----	----	----	281	0			
TOTAL																
PO CALL	PLATINUM OPTIONS															
JUN26																
1900	----	----	62.40B/*24.50A	62.40B/*24.50A	----	59.60 + 11.00	----	1	----	----	----	0 -	1			
1950	11.30	11.30	13.60B/*2.80A	13.60B/*2.80A	----	9.60 - 6.90	----	8	----	2	----	0 -	6			
2000	----	----	----/*1.60A	0.60B/*1.60A	----	0.00 - 4.00	----		----	----	----	0 -	20			
2025	----	----	----/*1.60A	----/*1.60A	----	0.00 - 1.80	----		----	----	----	0 -	27			
2050	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.80	----		----	----	----	0 -	96			
2055	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.70	----		----	----	----	0 -	150			
2060	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.60	----		----	----	----	0 -	1			
2075	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.30	----		----	----	----	0 -	15			
2085	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.20	----		----	----	----	0 -	15			
2090	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.20	----		----	----	----	0 -	15			
2095	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	15			
2100	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	155			
2120	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	15			
2130	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	55			
2135	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	4			
2140	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	15			
2145	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	15			
2150	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	67			
2165	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	1			
2175	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	12			
2180	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	17			
2185	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	12			
2190	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	16			
2195	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	12			
2200	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	384			
2205	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	12			
2210	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	24			
2215	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	14			
2220	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	14			
2225	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	73			
2230	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	54			
2235	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	26			
2240	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	41			
2245	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	28			
2250	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	113			
2255	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	29			
2260	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	10			
2270	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	72			
2280	----	----	----/*1.60A	----/*1.60A	----	0.00 - 0.10	----		----	----	----	0 -	60			
2300	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	423			
2320	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	78			
2340	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	30			
2345	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	15			
2350	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	55			
2355	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	17			
2400	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	1			
2420	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	4			
2450	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	1			
2500	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	100			
2650	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	17			
2750	----	----	----/1.60A	----	----	0.00 - 0.10	----		----	----	----	0 -	2			
TOTAL										2		0 -	2454			
JUL26																
1500	----	----	465.90B/416.10A	465.90B/416.10A	----	459.70 + 14.40	.9929	----	----	----	----	50	UNCH			
1680	----	----	----	----	----	285.30 + 12.40	.9374	----	----	----	----	50	UNCH			
1700	----	----	272.10B/227.80A	272.10B/227.80A	----	266.90 + 12.00	.9232	----	----	----	----	1	UNCH			
1800	----	----	185.60B/*149.20	185.60B/*149.20	----	181.00 + 8.70	.8149	----	----	----	----	113	UNCH			
1850	----	----	147.50B/*117.30	147.50B/*117.30	----	143.70 + 6.00	.7344	----	----	----	----	3	UNCH			
1900	----	----	114.30B/*91.20A	114.30B/*91.20A	----	111.50 + 3.20	.6401	----	----	----	----	3	UNCH			
1935	85.80	85.80	90.20B/*76.00A	90.20B/*76.00A	----	92.20 NEW	.5698	----	23	----	----	23 +	23			
1945	82.00	82.00	87.60B/*72.00A	87.60B/*72.00A	----	87.20 NEW	.5495	----	1	----	----	1 +	1			
1960	----	----	81.80B/*66.40A	81.80B/*66.40A	----	80.00 + 0.50	.5192	----	----	----	----	23	UNCH			
1975	----	----	74.90B/*61.10A	74.90B/*61.10A	----	73.40 NEW	.4893	----	11	----	----	11 +	11			
2000	62.90	62.90	64.40B/*53.10A	64.40B/*53.10A	----	63.30 - 0.40	.4406	----	20	----	----	150 +	13			
2050	----	----	----/*40.30A	47.30B/*40.30A	----	46.60 - 1.10	.3504	----	----	----	----	1	UNCH			
2085	33.80	33.80	37.80B/*33.30A	37.80B/*33.30A	----	37.40 - 1.40	.2946	----	15	----	----	16 +	15			
2090	32.80	32.80	36.50B/*32.40A	36.50B/*32.40A	----	36.30 NEW	.2874	----	15	----	----	15 +	15			
2095	32.00	32.00	35.30B/*31.60A	35.30B/*31.60A	----	35.20 NEW	.2802	----	15	----	----	15 +	15			
2100	31.10	31.10	34.20B/*30.80A	34.20B/*30.80A	----	34.10 - 1.50	.2731	----	36	----	----	407 +	35			
2105	30.30	30.30	33.20B/*30.00A	33.20B/*30.00A	----	33.00 NEW	.2659	----	15	----	----	15 +	15			
2110	33.00	33.00	33.00/*29.20A	33.00/*29.20A	----	32.00 NEW	.2592	----	16	----	----	16 +	16			
2115	28.70	28.70	31.20B/*28.50A	31.20B/*28.50A	----	31.00 NEW	.2525	----	15	----	----	15 +	15			
2120	27.90	27.90	30.10B/*27.80A	30.10B/*27.80A	----	30.10 NEW	.2462	----	15	----	----	15 +	15			
2125	27.20	27.20	29.20B/*27.10A	29.20B/*27.10A	----	29.20 NEW	.2399	----	15	----	----	15 +	15			
2150	----	----	----/*23.90A	25.00B/*23.90A	----	25.00 - 1.70	.2102	----	----	----	----	18	UNCH			
2160	----	----	----/*22.70A	23.50B/*22.70A	----	23.50 - 1.80	.1992	----	----	----	----	1	UNCH			
2170	----	----	----/*21.60A	22.10B/*21.60A	----	22.10 - 1.80	.1888	----	----	----	----	4	UNCH			
2200	----	----	----/*18.60A	18.50B/*18.60A	----	18.50 - 1.90	.1611	----	----	----	----	458	UNCH			
22522																

	BULLETIN # 96@										METALS OPTION PRODUCTS										Wed, May 20, 2026		PG64
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
PO CALL	PLATINUM OPTIONS																						
OCT26																							
2300	----	----	----/*79.80A	84.20B/*79.80A	----	84.90 + 0.10	.3086	----	----	----	----	7	UNCH										
2375	----	----	----/*68.00A	70.60B/*68.00A	----	71.40 - 0.20	.2678	----	----	----	----	50	UNCH										
2400	----	----	----/*64.40A	66.70B/*64.40A	----	67.40 - 0.30	.2553	----	----	10	----	266 +	10										
2500	----	----	----/*52.40A	52.90B/*52.40A	----	53.80 - 0.60	.2110	----	----	10	----	352 +	10										
2600	----	----	----/*43.10A	42.30B/*43.10A	----	43.30 - 0.90	.1748	----	----	----	----	23	UNCH										
2635	----	----	----/*40.40A	39.20B/*40.40A	----	40.20 - 0.90	.1637	----	----	----	----	200	UNCH										
2650	----	----	----/*39.30A	37.90B/*39.30A	----	39.00 - 0.90	.1593	----	----	----	----	25	UNCH										
2700	----	----	----/*36.00A	34.10B/*36.00A	----	35.20 - 1.00	.1454	----	----	----	----	371	UNCH										
2800	----	----	----	27.80B/*30.50A	----	28.70 - 0.90	.1211	----	----	----	----	39	UNCH										
2850	----	----	----	25.10B/*28.20A	----	25.90 - 1.00	.1104	----	----	----	----	155	UNCH										
2900	----	----	----	22.80B/*26.10A	----	23.50 - 1.00	.1010	----	----	----	----	210	UNCH										
2950	----	----	----	20.70B/*24.30A	----	21.40 - 0.90	.0927	----	----	----	----	55	UNCH										
3000	----	----	----	18.90B/*22.70A	----	19.40 - 0.90	.0847	----	----	10	----	210 +	10										
3200	----	----	----	13.40B/*17.90A	----	13.60 - 0.80	.0608	----	----	----	----	10	UNCH										
3500	----	----	----	8.60B/*13.50A	----	8.70 - 0.60	.0394	----	----	----	----	10	UNCH										
4000	----	----	----	4.60B/9.90A	----	5.60 - 0.40	.0246	----	----	----	----	5	UNCH										
TOTAL										30		2170 +	30										
JAN27																							
2360	----	----	----	----	----	133.50 + 4.60	.3580	----	----	----	----	100	UNCH										
TOTAL												100	0										
PO PUT	PLATINUM OPTIONS																						
JUN26																							
1780	----	----	----	----/*1.60A	----	0.00 - 0.10	----	----	----	----	----	0 -	2										
1800	----	----	----	----/*1.60A	----	0.00 - 0.10	----	----	----	----	----	0 -	3										
1825	----	----	----	----/*1.60A	----	0.00 - 0.10	----	----	----	----	----	0 -	103										
1850	----	----	----	----/*1.60A	----	0.00 - 0.30	----	----	----	----	----	0 -	44										
1865	----	----	----	----/*1.60A	----	0.00 - 0.70	----	----	----	----	----	0 -	15										
1870	----	----	----	----/*1.60A	----	0.00 - 0.90	----	----	----	----	----	0 -	15										
1875	----	----	----	0.30B/*1.60A	----	0.00 - 1.20	----	----	----	----	----	0 -	39										
1880	----	----	----	0.90B/*1.60A	----	0.00 - 1.50	----	----	----	----	----	0 -	73										
1885	----	----	----/*1.60A	1.70B/*1.60A	----	0.00 - 1.90	----	----	----	----	----	0 -	42										
1890	----	----	2.80B/*1.60A	2.80B/*1.60A	----	0.00 - 2.40	----	----	----	----	----	0 -	32										
1895	----	----	4.20B/*1.60A	4.20B/*1.60A	----	0.00 - 2.90	----	----	----	----	----	0 -	12										
1900	----	----	5.80B/*1.60A	5.80B/*1.60A	----	0.00 - 3.60	----	----	----	----	----	0 -	180										
1905	----	----	7.90B/*1.60A	7.90B/*1.60A	----	0.00 - 4.40	----	----	----	----	----	0 -	39										
1910	----	----	10.30B/*1.60A	10.30B/*1.60A	----	0.00 - 5.40	----	----	----	----	----	0 -	39										
1915	----	----	13.00B/*1.60A	13.00B/*1.60A	----	0.00 - 6.60	----	----	----	----	----	0 -	54										
1920	----	----	15.50B/*1.60A	15.50B/*1.60A	----	0.00 - 8.10	----	----	----	----	----	0 -	44										
1925	----	----	19.30B/*1.60A	19.30B/*1.60A	----	0.00 - 9.80	----	----	----	----	----	0 -	27										
1930	----	----	16.30B/*1.60A	16.30B/*1.60A	----	0.00 - 11.70	----	----	----	----	----	0 -	42										
1935	----	----	17.10B/*1.60A	17.10B/*1.60A	----	0.00 - 13.80	----	----	----	----	----	0 -	42										
1940	----	----	18.10B/*1.60A	18.10B/*1.60A	----	0.00 - 16.20	----	----	----	----	----	0 -	30										
1950	----	----	38.90B/*1.60A	38.90B/*1.60A	----	0.00 - 21.50	----	----	----	----	----	0 -	117										
1955	----	----	----/*1.80A	6.90B/*1.80A	----	0.00 - 24.60	----	----	----	----	----	0 -	30										
1960	----	----	----/*2.90A	5.00B/*2.90A	----	0.40 - 27.40	----	15	----	----	----	0 -	15										
1965	----	----	----/7.20A	6.20B/7.20A	----	5.40 - 25.80	----	16	----	----	----	0 -	16										
1970	----	----	----	----	----	10.40 - 24.30	----	15	----	----	----	0 -	15										
1975	----	----	61.60B/14.20A	61.60B/14.20A	----	15.40 - 23.10	----	15	----	----	----	0 -	15										
1980	----	----	----	----	----	20.40 - 22.00	----	15	----	----	----	0 -	15										
1985	----	----	----	----	----	25.40 - 21.00	----	15	----	----	----	0 -	15										
1990	----	----	----	----	----	30.40 - 20.10	----	15	----	----	----	0 -	15										
1995	----	----	----	----	----	35.40 - 19.30	----	15	----	----	----	0 -	15										
2000	----	----	85.60B/37.90A	85.60B/37.90A	----	40.40 - 18.60	----	24	----	----	----	0 -	24										
2020	----	----	----	----	----	60.40 - 16.70	----	30	----	----	----	0 -	30										
2045	----	----	----	----	----	85.40 - 15.50	----	50	----	----	----	0 -	50										
2050	----	----	135.20B/87.70A	135.20B/87.70A	----	90.40 - 15.40	----	3	----	----	----	0 -	3										
2075	----	----	160.20B/112.70A	160.20B/112.70A	----	115.40 - 14.90	----	22	----	----	----	0 -	22										
2080	----	----	----	----	----	120.40 - 14.90	----	24	----	----	----	0 -	24										
2085	----	----	----	----	----	125.40 - 14.80	----	4	----	----	----	0 -	4										
2095	----	----	----	----	----	135.40 - 14.70	----	14	----	----	----	0 -	14										
2100	----	----	185.10B/137.70A	185.10B/137.70A	----	140.40 - 14.70	----	102	----	----	----	0 -	102										
2115	----	----	----	----	----	155.40 - 14.70	----	23	----	----	----	0 -	23										
2140	----	----	----	----	----	180.40 - 14.70	----	2	----	----	----	0 -	2										
2145	----	----	----	----	----	185.40 - 14.70	----	14	----	----	----	0 -	14										
2150	----	----	235.10B/187.70A	235.10B/187.70A	----	190.40 - 14.70	----	1	----	----	----	0 -	1										
2200	----	----	285.10B/237.70A	285.10B/237.70A	----	240.40 - 14.70	----	----	----	----	----	0	UNCH										
TOTAL												0 -	1458										
JUL26																							
1400	----	----	----	----/*2.10A	----	0.10 - 0.10	.0011	----	----	----	----	150	UNCH										
1500	----	----	----	----/*2.60A	----	0.60 - 0.30	.0070	----	----	----	----	153	UNCH										
1550	----	----	----	0.40B/3.20A	----	1.20 - 0.60	.0136	----	----	----	----	200	UNCH										
1600	----	----	----	1.80B/4.20A	----	2.40 - 1.00	.0261	----	----	----	----	324	UNCH										
1650	----	----	----/5.90A	5.00B/5.90A	----	4.30 - 1.70	.0450	----	----	----	----	1	UNCH										
1680	----	----	----/7.60A	8.00B/7.60A	----	6.20 - 2.20	.0625	----	----	----	----	50	UNCH										
1700	----	----	10.50B/9.10A	10.50B/9.10A	----	7.80 - 2.60	.0766	----	----	----	----	278	UNCH										
1710	----	----	11.90B/10.00A	11.90B/10.00A	----	8.70 - 2.90	.0844	----	----	----	----	1	UNCH										
1725	----	----	14.30B/11.50A	14.30B/11.50A	----	10.30 - 3.20	.0978	----	----	----	----	100	UNCH										
1750	----	----	18.80B/14.40A	18.80B/14.40A	----	13.30 - 4.00	.1222	----	----	----	----	50	UNCH										
1800	23.30	23.30	31.10B/22.70A	31.10B/22.70A	----	21.80 - 5.90	.1850	----	----	2	----	388	UNCH										
1805	----	----	32.60B/23.70A	32.60B/23.70A	----	22.80 - 6.20	.1920	----	----	----	----	30	UNCH										
1825	----	----	39.10B/28.10A	39.10B/28.10A	----	27.50 - 7.10	.2230	----	----	10	----	40 +	10										
1850	----	----	48.70B/34.60A	48.70B/34.60A	----	34.40 - 8.50	.2654	----	----	----	----	40	UNCH										
1900	----	----	72.30B/51.50A	72.30B/51.50A	----	52.10 - 11.30	.3598	----	----	----	----	241	UNCH										
1950	----	----	101.00B/73.80A	101.00B/73.80A	----	75.20 - 13.60	.4604	----	----	----	----	8	UNCH										
1980	----	----	----/89.80A	106.00B/89.80A	----	91.60 - 14.60	.5204	----															

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4550	0	150
OG		4600	0	320
OG		4650	0	160
OG		4735	0	400
OG		4775	0	100
TOTALS			0	1130
JUL26 CALL				
OG		4600	0	200
OG		4650	0	150
TOTALS			0	350
AUG26 CALL				
OG		4700	0	50
OG		4950	0	100
OG		5050	0	50
TOTALS			0	200
SEP26 CALL				
OG		4800	0	450
OG		4925	0	50
TOTALS			0	500
DEC26 CALL				
OG		5500	0	150
TOTALS			0	150
MAR27 CALL				
OG		5500	0	300
OG		6500	0	300
TOTALS			0	600
OG PUT COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4350	0	100
OG		4400	0	200
OG		4450	0	230
OG		4500	0	216
TOTALS			0	746
SEP26 PUT				
OG		4550	0	200
OG		4800	0	450
TOTALS			0	650
DEC26 PUT				
OG		4000	0	150
TOTALS			0	150
MAR27 PUT				
OG		3600	0	300
OG		4200	0	300
TOTALS			0	600
SO CALL COMEX SILVER OPTIONS				
JUN26	CALL			
SO		7800	0	30
SO		7900	0	50
TOTALS			0	80
NOV26 CALL				
SO		9000	0	60
SO		11000	0	90
TOTALS			0	150
SO PUT COMEX SILVER OPTIONS				
JUN26	PUT			
SO		7000	0	30
TOTALS			0	30
SEP26 PUT				
SO		6000	0	30
TOTALS			0	30
HX CALL COMEX COPPER OPTIONS				
JUL26	CALL			
HX		675	0	75
HX		715	0	150
HX		735	0	75
TOTALS			0	300
AUG26 CALL				
HX		650	0	50
HX		750	0	50
TOTALS			0	100
SEP26 CALL				
HX		800	0	500
TOTALS			0	500
OG4 CALL GOLD OPTIONS				
MAY26	CALL			
OG4		4625	0	75
TOTALS			0	75
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JUL26	CALL			
HRO		120000	0	50
TOTALS			0	50
AUG26 CALL				
HRO		120000	0	50
TOTALS			0	50
SEP26 CALL				
HRO		120000	0	50
TOTALS			0	50
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK4				
MAY26	CALL			
G4W		4550	0	40
TOTALS			0	40