METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/13	04/14											
ECG11 OP		04/13	04/14											
ECG13 OP		04/13	04/14											
ECG15 OP		04/13	04/14											
ECG16 OP		04/13	04/14											
ECGC OOF		04/13	04/14											
ECHG OOF		04/13	04/14											
ECSI OOF		04/13	04/14											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/18										
GWR THU	04/30													
GWT TUE	04/28			05/05										
GWW WED	04/29			05/06										
HMW MON	04/20			05/11										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28													
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/30													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29													
TWS TUE	04/28													
WMG WED	04/15													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
APR26												
4500	----	----	----	----	----	0.10 - 1.80	.0025	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.50 - 0.20	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	0.60 - 0.30	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	1.00 - 0.40	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	1.10 - 0.50	----	----	----	----	----	3 UNCH
4000	2.00	2.00	2.00/*2.00	2.00/*2.00	----	1.40 - 0.70	----	----	----	1	----	6 - 1
4200	----	----	----	----	----	2.30 - 2.10	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	602.40 + 80.10	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	7.60 - 7.90	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	407.30 + 74.80	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	359.90 + 72.00	----	----	----	----	----	1 UNCH
4500	----	----	----/*16.00A	----/*16.00A	----	10.20 - 10.60	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	19.30 - 18.30	----	----	----	----	----	2 UNCH
4725	----	----	----	70.00B/----	----	43.70 - 32.30	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	119.00 + 40.50	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	69.00 - 42.10	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	118.50 - 55.10	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	68.70 + 27.50	----	----	----	----	----	2 UNCH
4920	154.00	154.00	154.00/154.00	154.00/154.00	----	130.70 - 57.50	----	----	----	1	----	0 - 1
4950	----	----	----	----	----	50.50 + 21.60	----	----	----	----	----	2 UNCH
5000	22.00	22.00	31.00/*22.00	31.00/*22.00	----	36.50 + 16.50	----	----	----	3	----	1 - 1
5050	----	----	----	----	----	225.50 - 70.50	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	9.30 + 4.50	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	1.00 + 0.30	----	----	----	----	----	1 UNCH
TOTAL										5		36 - 3
JUN26												
2500	----	----	----	----	----	0.40 - 0.10	----	----	----	----	----	2 UNCH
4260	----	----	----	----	----	21.70 - 10.70	----	----	----	----	----	1 UNCH
4500	----	----	----/50.00A	----/50.00A	----	51.90 - 21.40	----	----	----	----	----	5 UNCH
4645	----	----	----	1.70B/----	----	87.00 - 30.40	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	254.40 + 48.20	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	145.60 + 34.20	----	----	----	----	----	2 UNCH
5100	68.00	68.00	68.00/*68.00	68.00/*68.00	----	76.50 + 20.90	----	----	----	1	----	1 + 1
5200	----	----	----	----	----	54.40 + 15.50	----	----	----	----	----	0 UNCH
5400	----	----	----	----	----	27.60 + 7.80	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	8.30 + 1.60	----	----	----	----	----	1 UNCH
TOTAL										1		21 + 1
JUL26												
3400	----	----	----	----	----	1488.60 + 82.40	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1429.10 + 82.10	----	----	----	----	----	1 UNCH
4100	25.10	25.10	25.10/*25.10	25.10/*25.10	----	26.00 - 9.00	----	----	----	1	----	1 + 1
4200	----	----	----	----	----	34.30 - 11.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----/*60.80A	----	45.60 - 15.20	----	----	----	----	----	1 UNCH
5450	45.00	45.00	#45.00/*45.00	#45.00/*45.00	----	58.70 NEW	----	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
TOTAL										2		6+ 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3800	----	----	----	0.40B/1.20A	----	0.40 - 0.40	.0029	----	----	----	----	1 UNCH
4000	----	----	----/*1.20A	0.90B/*1.20A	----	0.90 - 0.80	.0069	----	----	----	----	10 UNCH
4025	----	----	----/*1.50A	1.10B/*1.50A	----	1.00 - 0.90	.0077	----	----	----	----	1 UNCH
4050	----	----	----/*1.50A	1.20B/*1.50A	----	1.10 - 1.00	.0086	----	----	----	----	4 UNCH
4100	----	----	----/*1.70A	1.40B/*1.70A	----	1.30 - 1.20	.0104	----	----	----	----	2 UNCH
4150	----	----	----/*1.90A	1.80B/*1.90A	----	1.60 - 1.50	.0129	----	----	----	----	9 UNCH
4175	----	----	----/*2.00A	2.00B/*2.00A	----	1.80 - 1.60	.0146	----	----	----	----	3 UNCH
4200	----	----	----/*2.00A	2.50B/*2.00A	----	2.00 - 1.80	.0164	----	----	----	----	5 UNCH
4210	----	----	----/*2.00A	2.30B/*2.00A	----	2.10 - 1.80	.0172	----	----	----	----	2 UNCH
4225	2.00	2.00	2.00/*2.00	2.50B/*2.00	----	2.20 - 2.00	.0182	----	----	5	----	5 UNCH
4255	----	----	----/*2.30A	3.00B/*2.30A	----	2.40 - 2.40	.0202	----	----	----	----	1 UNCH
4290	----	----	----/*2.70A	3.60B/*2.70A	----	2.80 - 2.90	.0238	----	----	----	----	10 UNCH
4300	----	----	----/*2.70A	3.80B/*2.70A	----	2.90 - 3.10	.0248	----	----	----	----	10 UNCH
4310	----	----	----/*2.70A	4.00B/*2.70A	----	3.00 - 3.30	.0258	----	----	----	----	8 UNCH
4315	----	----	----/*2.90A	4.10B/*2.90A	----	3.10 - 3.30	.0266	----	----	----	----	1 UNCH
4325	3.10	3.10	3.10/*3.00A	4.40B/*3.00A	----	3.20 NEW	.0277	----	----	1	----	1 + 1
4340	----	----	----/*3.10A	4.80B/*3.10A	----	3.40 - 3.90	.0296	----	----	----	----	1 UNCH
4350	----	----	----/*3.20A	5.10B/*3.20A	----	3.60 - 4.00	.0313	----	----	----	----	10 UNCH
4365	----	----	----/*3.60A	5.60B/*3.60A	----	3.90 - 4.40	.0340	----	----	----	----	3 UNCH
4375	----	----	----/*3.60A	5.90B/*3.60A	----	4.10 - 4.60	.0358	----	----	----	----	1 UNCH
4385	----	----	----/*3.80A	6.30B/*3.80A	----	4.30 - 4.90	.0376	----	----	----	----	3 UNCH
4400	4.20	4.20	4.80/*3.90A	7.00B/*3.90A	----	4.60 - 5.40	.0404	----	----	17	----	55 + 15
4420	----	----	----/*4.60A	7.90B/*4.60A	----	5.10 - 6.10	.0449	----	----	----	----	5 UNCH
4425	6.20	6.20	6.20/*4.80A	8.20B/*4.80A	----	5.30 NEW	.0466	----	----	20	----	20 + 20
4450	----	----	----/*5.50A	9.70B/*5.50A	----	6.10 - 7.20	.0536	----	----	----	----	10 UNCH
4480	----	----	----/*6.60A	11.80B/*6.60A	----	7.30 - 8.60	.0638	----	----	----	----	1 UNCH
4490	----	----	----/*7.00A	12.60B/*7.00A	----	7.80 - 9.10	.0679	----	----	----	----	21 UNCH
4500	9.40	9.40	9.40/*7.40A	13.50B/*7.40A	----	8.30 - 9.70	.0721	----	----	5	----	43 + 1
4505	----	----	----/*7.60A	14.00B/*7.60A	----	8.60 - 10.00	.0745	----	----	8	----	31 UNCH
4520	----	----	----/*8.40A	15.60B/*8.40A	----	9.50 - 10.90	.0817	----	----	----	----	4 UNCH
4525	----	----	----/*8.60A	16.10B/*8.60A	----	9.80 - 11.20	.0842	----	----	----	----	125 UNCH
4540	----	----	----/*9.50A	17.90B/*9.50A	----	10.80 - 12.20	.0922	----	----	8	----	18 + 8
4550	16.00	16.00	16.00/*10.20A	19.20B/*10.20A	----	11.60 - 12.90	.0983	----	----	4	----	14 + 3
4555	----	----	----/*10.50A	19.90B/*10.50A	----	12.00 - 13.30	.1014	----	----	----	----	10 UNCH
4565	14.70	14.70	14.70/*11.30A	21.40B/*11.30A	----	12.90 - 14.00	.1081	----	----	1	----	2 UNCH
4575	21.00	21.00	21.20/*12.10A	22.90B/*12.10A	----	13.80 - 14.80	.1149	----	----	11	----	11 + 5
4590	----	----	----/*13.30A	25.40B/*13.30A	----	15.30 - 16.10	.1261	----	----	----	----	1 UNCH
4600	23.30	23.30	25.00/*13.50	27.30B/*13.50	----	16.40 - 17.00	.1341	----	----	24	----	75 - 2
4620	----	----	----/*16.30A	31.40B/*16.30A	----	18.90 - 18.90	.1517	----	----	----	----	3 UNCH
4625	----	----	----/*16.90A	32.50B/*16.90A	----	19.50 - 19.40	.1560	----	----	----	----	3 UNCH
4635	----	----	----/*18.20A	34.80B/*18.20A	----	21.00 - 20.40	.1661	----	----	----	----	1 UNCH
4650	----	----	----/*20.20A	38.50B/*20.20A	----	23.30 - 22.00	.1815	----	----	----	----	2 UNCH
4670	----	----	----/*23.30A	44.10B/*23.30A	----	26.80 - 24.30	.2041	----	----	----	----	2 UNCH
4675	37.00	37.00	37.00/*24.20A	45.40B/*24.20A	----	27.70 - 24.90	.2099	----	----	12	----	13 + 12
4680	----	----	----/*25.10A	46.90B/*25.10A	----	28.70 - 25.50	.2161	----	----	----	----	1 UNCH
4690	----	----	----/*26.80A	49.90B/*26.80A	----	30.80 - 26.70	.2288	----	----	----	----	1 UNCH
4695	----	----	----/*27.80A	51.60B/*27.80A	----	31.90 - 27.30	.2354	----	----	----	----	1 UNCH
4700	42.50	42.50	42.50/*28.80A	53.20B/*28.80A	----	33.00 - 27.90	.2420	----	----	4	----	54 + 3
4725	----	----	----/*34.10A	62.20B/*34.10A	----	39.10 NEW	.2771	----	----	18	----	18 + 18
4735	----	----	----/*36.60A	66.30B/*36.60A	----	41.80 - 32.60	.2920	----	----	----	----	5 UNCH
4750	----	----	----/*40.50A	72.60B/*40.50A	----	46.20 - 34.60	.3154	----	----	19	----	24 + 19
4765	----	----	----/*44.80A	79.30B/*44.80A	----	51.00 - 36.70	.3397	----	----	----	----	10 UNCH
4770	----	----	----/*46.30A	81.80B/*46.30A	----	52.70 - 37.40	.3481	----	----	----	----	14 UNCH
4775	73.40	73.40	73.40/*47.90A	84.10B/*47.90A	----	54.40 - 38.20	.3564	----	----	3	----	3 UNCH
4780	----	----	----/*49.60A	86.60B/*49.60A	----	56.20 - 38.80	.3650	----	----	29	----	34 + 29
4800	83.30	83.30	83.30/*56.40A	97.30B/*56.40A	----	63.80 NEW	.3998	----	----	17	----	17 + 17
4805	----	----	----/*58.20A	99.80B/*58.20A	----	65.80 NEW	.4087	----	----	2	----	2 + 2
4830	88.70	88.70	88.70/*68.20A	113.60B/*68.20A	----	76.60 NEW	.4540	----	----	3	----	3 + 3
4840	----	----	----/*72.50A	119.50B/*72.50A	----	81.30 NEW	.4723	----	----	13	----	13 + 13
4850	----	----	----/*76.90A	126.30B/*76.90A	----	86.20 - 48.80	.4908	----	----	1	----	4 - 1
4870	----	----	----/*86.70A	139.80B/*86.70A	----	96.50 - 51.70	.5277	----	----	----	----	2 UNCH
4900	----	----	----/*102.60A	161.00B/*102.60A	----	113.50 - 55.80	.5823	----	----	----	----	3 UNCH
4995	----	----	----/*164.80A	238.20B/*164.80A	----	178.40 NEW	.7378	----	----	2	----	2 + 2
5000	----	----	----/*168.60A	242.50B/*168.60A	----	182.20 NEW	.7449	----	----	2	----	2 + 2
5075	----	----	----/*228.00A	310.20B/*228.00A	----	243.50 - 73.60	.8357	----	----	----	----	1 UNCH
TOTAL										229		775+ 170

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4540	----	----	336.20B/----	336.20B/252.20A	----	320.70 + 70.50	.9075	----	----	----	----	2 UNCH
4550	----	----	326.90B/----	326.90B/243.50A	----	311.50 + 69.80	.9014	----	----	----	----	1 UNCH
4600	----	----	281.00B/----	281.00B/201.80A	----	266.30 + 65.60	.8656	----	----	----	----	2 UNCH
4675	----	----	215.80B/----	215.80B/145.50A	----	202.70 + 57.80	.7898	----	----	----	----	1 UNCH
4680	----	----	211.60B/----	211.60B/141.70A	----	198.70 + 57.20	.7836	----	----	----	----	1 UNCH
4690	----	----	203.40B/----	203.40B/135.00A	----	190.70 + 55.90	.7708	----	----	----	----	1 UNCH
4730	----	----	171.90B/107.10A	171.90B/107.10A	----	160.40 + 50.70	.7150	----	----	----	----	1 UNCH
4765	----	----	146.20B/87.20A	146.20B/87.20A	----	136.00 + 45.90	.6599	----	----	----	----	10 UNCH
4770	----	----	142.60B/84.60A	142.60B/84.60A	----	132.70 + 45.20	.6516	----	----	----	----	14 UNCH
4775	96.00	96.00	139.30B/82.00A	139.30B/82.00A	----	129.50 + 44.50	.6432	----	----	8	----	9 + 5
4780	----	----	136.10B/79.40A	136.10B/79.40A	----	126.20 + 43.70	.6347	----	----	----	----	1 UNCH
4785	82.70	82.70	132.50B/77.00A	132.50B/77.00A	----	123.10 NEW	.6261	----	----	1	----	1 + 1
4795	77.70	77.70	126.10B/72.20A	126.10B/72.20A	----	116.90 NEW	.6087	----	----	3	----	3 + 3
4800	80.00	80.00	124.40B/70.50A	124.40B/70.50A	----	113.80 + 40.90	.5998	----	----	6	----	35 + 5
4815	75.40	75.40	113.60B/63.70A	113.60B/63.70A	----	105.00 NEW	.5730	----	----	1	----	1 + 1
4820	85.50	85.50	111.50B/61.50A	111.50B/61.50A	----	102.20 + 38.00	.5640	----	----	8	----	12 + 8
4825	70.60	70.60	108.50B/59.40A	108.50B/59.40A	----	99.40 + 37.30	.5549	----	----	1	----	4 + 1
4830	88.40	88.40	105.40B/57.30A	105.40B/57.30A	----	96.70 NEW	.5457	----	----	1	----	1 + 1
4840	----	----	100.10B/53.40A	100.10B/53.40A	----	91.40 NEW	.5273	----	----	13	----	13 + 13
4845	----	----	97.40B/51.50A	97.40B/51.50A	----	88.80 + 34.50	.5181	----	----	2	----	4 + 2
4850	----	----	95.00B/49.80A	95.00B/49.80A	----	86.30 + 33.80	.5089	----	----	33	----	39 + 33
4855	73.90	73.90	92.00B/48.00A	92.00B/48.00A	----	83.80 NEW	.4997	----	----	2	----	2 + 2
4865	----	----	87.00B/44.70A	87.00B/44.70A	----	79.00 + 31.70	.4812	----	----	----	----	1 UNCH
4870	----	----	84.40B/43.10A	84.40B/43.10A	----	76.60 NEW	.4720	----	----	4	----	4 + 4
4875	51.00	51.00	82.30B/41.60A	82.30B/41.60A	----	74.40 + 30.30	.4628	----	----	6	----	13 UNCH
4880	----	----	79.40B/40.10A	79.40B/40.10A	----	72.10 NEW	.4536	----	----	2	----	2 + 2
4885	51.80	51.80	77.50B/38.60A	77.50B/38.60A	----	69.90 NEW	.4445	----	----	5	----	5 + 5
4890	----	----	75.20B/37.20A	75.20B/37.20A	----	67.80 + 28.20	.4354	----	----	----	----	9 UNCH
4895	69.40	69.40	72.90B/35.80A	72.90B/35.80A	----	65.70 + 27.50	.4263	----	----	7	----	25 + 7
4900	41.70	41.70	70.70B/34.50A	70.70B/34.50A	----	63.70 + 26.90	.4174	----	----	24	----	57 + 17
4905	53.50	53.50	68.10B/33.20A	68.10B/33.20A	----	61.70 NEW	.4084	----	----	2	----	2 + 2
4920	32.60	32.60	62.40B/29.70A	62.40B/29.70A	----	56.00 + 24.30	.3819	----	----	11	----	19 + 9
4925	35.70	35.70	60.30B/28.60A	60.30B/28.60A	----	54.20 + 23.70	.3732	----	----	4	----	4 + 4
4930	----	----	58.30B/27.40A	58.30B/27.40A	----	52.50 + 23.10	.3647	----	----	----	----	14 UNCH
4935	35.50	35.50	56.50B/26.30A	56.50B/26.30A	----	50.80 NEW	.3562	----	----	11	----	11 + 11
4940	----	----	54.40B/25.20A	54.40B/25.20A	----	49.10 + 21.80	.3477	----	----	----	----	1 UNCH
4945	----	----	52.80B/24.20A	52.80B/24.20A	----	47.50 + 21.30	.3394	----	----	----	----	5 UNCH
4950	25.00	25.00	51.10B/23.20A	51.10B/23.20A	----	45.90 + 20.60	.3311	----	----	89	----	102 + 88
4955	37.80	37.80	49.60B/22.30A	49.60B/22.30A	----	44.40 + 20.10	.3230	----	----	4	----	4 + 3
4975	----	----	43.00B/18.90A	43.00B/18.90A	----	38.70 NEW	.2916	----	----	98	----	98 + 98
4980	----	----	41.70B/18.10A	41.70B/18.10A	----	37.40 + 17.30	.2841	----	----	----	----	6 UNCH
4995	28.00	28.00	37.70B/16.10A	37.70B/16.10A	----	33.60 + 15.70	.2619	----	----	3	----	45 + 3
5000	16.10	16.10	36.50B/15.30A	36.50B/15.30A	----	32.40 + 15.20	.2547	----	----	128	----	127 + 78
5005	----	----	35.00B/14.70A	35.00B/14.70A	----	31.30 + 14.70	.2479	----	----	----	----	22 UNCH
5010	----	----	33.80B/14.10A	33.80B/14.10A	----	30.20 + 14.30	.2411	----	----	----	----	43 UNCH
5015	----	----	32.50B/13.70A	32.50B/13.70A	----	29.10 + 13.80	.2342	----	----	----	----	64 UNCH
5020	----	----	#31.40B/13.10A	#31.40B/13.10A	----	28.10 + 13.30	.2278	----	----	----	----	73 UNCH
5025	----	----	30.50B/12.60A	30.50B/12.60A	----	27.10 + 12.90	.2213	----	----	----	----	122 UNCH
5030	----	----	29.30B/12.10A	29.30B/12.10A	----	26.10 + 12.40	.2149	----	----	----	----	84 UNCH
5050	13.00	13.00	25.40B/10.30A	25.40B/10.30A	----	22.60 + 10.80	.1913	----	----	19	15	167 - 2
5075	----	----	20.90B/8.50A	20.90B/8.50A	----	18.70 + 8.90	.1640	----	----	80	----	88 + 80
5100	16.00	16.00	17.20B/7.10A	17.20B/7.10A	----	15.60 + 7.40	.1407	----	----	9	----	77 + 2
5125	10.00	10.00	14.30B/6.10A	14.30B/6.10A	----	13.00 NEW	.1203	----	----	1	----	1 + 1
5150	----	----	11.80B/5.20A	11.80B/5.20A	----	10.80 + 5.00	.1025	----	----	----	----	2 UNCH
5200	4.00	4.00	8.30B/4.00	8.30B/4.00	----	7.60 + 3.40	.0749	----	----	14	----	191 + 3
5225	3.50	3.50	#6.90B/*3.50	#6.90B/3.50	----	6.40 NEW	.0640	----	----	7	----	7 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5300	2.80	2.80	4.20B/2.80	4.20B/2.50A	----	4.10 + 1.70	.0418	----	----	6	----	14 UNCH
5350	----	----	3.20B/----	3.20B/2.10A	----	3.20 NEW	.0326	----	----	2	----	2 + 2
5400	----	----	2.40B/----	2.40B/1.80A	----	2.60 + 1.10	.0262	----	----	2	----	5 + 2
5450	1.80	1.80	2.00/*1.70	2.00/1.50A	----	2.10 + 0.90	.0210	----	----	11	----	31 + 11
TOTAL										628	15	1705 + 512

OG3 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3200	----	----	----	----/*0.10A	----	0.10 UNCH	.0005	----	----	----	----	1 UNCH
3350	----	----	----	----/*0.10A	----	0.10 UNCH	.0006	----	----	----	----	2 UNCH
3500	----	----	----	----/*0.10A	----	0.10 UNCH	.0007	----	----	----	----	5 UNCH
3550	----	----	----	----/0.20A	----	0.10 UNCH	.0007	----	----	----	----	2 UNCH
3600	----	----	----	----/*0.10A	----	0.10 UNCH	.0007	----	----	----	----	12 UNCH
3650	----	----	----	----/*0.20A	----	0.10 UNCH	.0008	----	----	----	----	3 UNCH
3700	----	----	----	----/*0.20A	----	0.10 UNCH	.0008	----	----	----	----	3 UNCH
3750	----	----	----	----/*0.20A	----	0.10 UNCH	.0008	----	----	----	----	3 UNCH
3800	----	----	----	----/*0.10A	----	0.10 UNCH	.0009	----	----	----	----	44 UNCH
3850	----	----	----	----/*0.30A	----	0.10 UNCH	.0009	----	----	----	----	6 UNCH
3900	----	----	----	----/*0.30A	----	0.10 - 0.10	.0010	----	----	----	----	32 UNCH
3950	----	----	----	----/*0.30A	----	0.10 - 0.10	.0010	----	----	----	----	52 UNCH
4000	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.20	.0011	----	----	40	----	187 + 22
4025	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0011	----	----	----	----	3 UNCH
4050	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	.0012	----	----	----	----	47 UNCH
4075	----	----	----/*0.40A	----/*0.40A	----	0.20 - 0.30	.0022	----	----	----	----	28 UNCH
4100	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.40	.0022	----	----	----	----	28 UNCH
4125	0.70	0.70	0.70/*0.40A	0.70/*0.40A	----	0.20 - 0.50	.0023	----	----	3	----	7 + 3
4150	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.50	.0034	----	----	----	----	4 UNCH
4175	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.60	.0035	----	----	----	----	9 UNCH
4200	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.30 - 0.70	.0036	----	----	1	----	69 - 1
4215	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.70	.0047	----	----	----	----	4 UNCH
4220	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.70	.0047	----	----	----	----	150 UNCH
4225	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.80	.0047	----	----	----	----	2 UNCH
4250	0.70	0.70	0.70/*0.60A	0.70/*0.60A	----	0.40 - 0.90	.0049	----	----	1	----	142 UNCH
4255	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.80	.0059	----	----	----	----	5 UNCH
4260	0.80	0.80	0.80/*0.60A	0.80/*0.60A	----	0.50 - 0.90	.0060	----	----	1	----	6 UNCH
4270	----	----	----/*0.60A	0.70B/*0.60A	----	0.50 - 0.90	.0061	----	----	----	----	1 UNCH
4275	0.80	0.80	0.80/*0.70A	0.80/*0.70A	----	0.50 - 1.00	.0061	----	----	4	----	5 UNCH
4280	----	----	----/*0.70A	0.70B/*0.70A	----	0.50 - 1.00	.0062	----	----	----	----	27 UNCH
4290	----	----	----/*0.70A	0.80B/*0.70A	----	0.50 - 1.10	.0063	----	----	----	----	4 UNCH
4295	----	----	----/*0.70A	1.10B/*0.70A	----	0.60 - 1.00	.0073	----	----	----	----	3 UNCH
4300	1.00	1.00	1.00/*0.70A	1.10B/*0.70A	----	0.60 - 1.00	.0074	----	----	1	----	42 + 1
4310	----	----	----/*0.70A	1.20B/*0.70A	----	0.60 - 1.10	.0075	----	----	----	----	1 UNCH
4315	----	----	----/*0.70A	1.20B/*0.70A	----	0.60 - 1.20	.0076	----	----	----	----	1 UNCH
4335	1.00	1.00	1.00/*0.70A	1.30B/*0.70A	----	0.70 NEW	.0088	----	----	1	----	1 + 1
4345	----	----	----/*0.90A	1.30B/*0.90A	----	0.70 - 1.40	.0090	----	----	----	----	1 UNCH
4350	----	----	----/*0.80A	1.30B/*0.80A	----	0.70 - 1.40	.0091	----	----	----	----	157 UNCH
4355	----	----	----/*0.90A	1.40B/*0.90A	----	0.70 - 1.50	.0091	----	----	----	----	1 UNCH
4375	1.50	1.50	1.50/*1.00A	1.50/*1.00A	----	0.80 - 1.60	.0105	----	----	3	----	28 UNCH
4380	1.40	1.40	1.50B/*0.90A	1.50B/*0.90A	----	0.80 - 1.70	.0106	----	----	6	----	26 + 2
4385	----	----	----/*1.00A	1.50B/*1.00A	----	0.90 - 1.70	.0117	----	----	----	----	2 UNCH
4390	1.60	1.60	1.60/*1.00A	1.60/*1.00A	----	0.90 - 1.80	.0118	----	----	12	----	8 - 2
4395	----	----	----/*1.00A	1.60B/*1.00A	----	0.90 - 1.80	.0120	----	----	----	----	3 UNCH
4400	1.20	1.20	1.60/*1.00	1.60/*1.00	----	0.90 - 1.90	.0121	----	----	19	----	209 - 3
4410	----	----	----/*1.00A	1.70B/*1.00A	----	1.00 - 2.00	.0133	----	----	----	----	1 UNCH
4415	----	----	----/*1.00A	1.80B/*1.00A	----	1.00 - 2.10	.0135	----	----	----	----	1 UNCH
4425	----	----	----/*1.10A	1.90B/*1.10A	----	1.00 - 2.30	.0137	----	----	2	----	2 - 1
4430	----	----	----/*1.10A	1.90B/*1.10A	----	1.10 - 2.30	.0149	----	----	----	----	3 UNCH
4435	----	----	----/*1.10A	2.00B/*1.10A	----	1.10 - 2.40	.0151	----	----	----	----	6 UNCH
4440	----	----	----/*1.10A	2.10B/*1.10A	----	1.10 - 2.50	.0152	----	----	----	----	11 UNCH
4450	1.30	1.30	1.30/*1.10A	2.20B/*1.10A	----	1.20 - 2.70	.0166	----	----	2	----	166 - 1
4455	1.80	1.80	1.80/*1.10A	2.30B/*1.10A	----	1.20 - 2.80	.0168	----	----	1	----	101 + 1
4460	----	----	----/*1.20A	2.40B/*1.20A	----	1.20 - 3.00	.0169	----	----	----	----	4 UNCH
4465	----	----	----/*1.20A	2.50B/*1.20A	----	1.20 - 3.10	.0171	----	----	----	----	1 UNCH
4470	2.00	2.00	2.00/*1.20A	2.60B/*1.20A	----	1.30 - 3.20	.0184	----	----	1	----	5 + 1
4475	----	----	----/*1.20A	2.70B/*1.20A	----	1.30 - 3.30	.0186	----	----	----	----	1 UNCH
4480	----	----	----/*1.30A	2.80B/*1.30A	----	1.30 - 3.50	.0188	----	----	----	----	10 UNCH
4485	1.70	1.70	1.70/*1.30A	2.90B/*1.30A	----	1.40 NEW	.0201	----	----	3	----	3 + 3
4490	----	----	----/*1.30A	3.10B/*1.30A	----	1.40 - 3.80	.0203	----	----	----	----	4 UNCH
4495	2.10	2.10	2.10/*1.30A	3.10B/*1.30A	----	1.50 - 3.90	.0216	----	----	9	----	10 + 9
4500	3.80	3.80	3.80/*1.40	3.80/*1.40	----	1.50 - 4.10	.0219	----	----	21	----	454 - 12
4510	----	----	----/*1.50A	3.60B/*1.50A	----	1.60 - 4.40	.0235	----	----	----	----	7 UNCH
4515	----	----	----/*1.50A	3.80B/*1.50A	----	1.70 - 4.50	.0248	----	----	1	----	19 UNCH
4520	2.60	2.60	2.60/*1.60A	4.00B/*1.60A	----	1.70 - 4.80	.0251	----	----	1	----	21 + 1
4525	2.90	2.90	2.90/*1.60A	4.20B/*1.60A	----	1.80 - 5.00	.0265	----	----	4	----	10 + 3
4530	2.90	2.90	2.90/*1.70	4.40B/*1.70	----	1.80 - 5.20	.0268	----	----	4	----	8 - 1
4535	2.10	2.10	2.10/*1.70A	4.60B/*1.70A	----	1.90 - 5.40	.0283	----	----	1	----	3 UNCH
4540	1.80	1.80	1.80/*1.70A	4.80B/*1.70A	----	2.00 - 5.60	.0297	----	----	10	----	16 + 10
4545	----	----	----/*1.80A	5.00B/*1.80A	----	2.00 - 5.90	.0301	----	----	----	----	18 UNCH
4550	3.00	3.00	3.00/*1.50	5.20B/*1.50	----	2.10 - 6.20	.0315	----	----	6	----	300 - 3
4560	----	----	----/*1.90A	5.80B/*1.90A	----	2.30 - 6.70	.0345	----	----	----	----	2 UNCH
4565	5.90	5.90	5.90/*2.00A	6.10B/*2.00A	----	2.40 - 7.00	.0361	----	----	1	----	6 UNCH
4570	----	----	----/*2.00A	6.30B/*2.00A	----	2.50 - 7.30	.0376	----	----	----	----	10 UNCH
4575	3.50	3.50	3.50/*2.10A	6.70B/*2.10A	----	2.60 - 7.60	.0392	----	----	9	----	61 - 2
4580	6.80	6.80	6.80/*2.20A	7.10B/*2.20A	----	2.70 - 7.90	.0408	----	----	1	----	1 - 1
4585	----	----	----/*2.20A	7.40B/*2.20A	----	2.80 - 8.30	.0424	----	----	----	----	23 UNCH
4590	----	----	----/*2.40A	7.80B/*2.40A	----	3.00 - 8.60	.0452	----	----	1	----	15 UNCH
4595	----	----	----/*2.50A	8.20B/*2.50A	----	3.10 - 9.00	.0468	----	----	2	----	101 - 2
4600	6.20	6.20	7.00/*2.20	8.60B/*2.20	----	3.30 - 9.30	.0496	----	----	25	----	198 - 4
4605	6.00	6.00	6.00/*2.70A	9.10B/*2.70A	----	3.40 - 9.80	.0514	----	----	7	----	110 UNCH
4610	6.30	6.30	6.30/*2.80A	9.60B/*2.80A	----	3.60 - 10.20	.0542	----	----	7	----	9 + 7
4615	6.50	6.50	6.50/*2.90A	10.10B/*2.90A	----	3.80 - 10.60	.0570	----	----	5	----	7 + 5
4625	5.80	5.80	5.80/*3.10A	11.20B/*3.10A	----	4.20 - 11.50	.0628	----	----	10	----	29 - 2
4630	----	----	----/*3.30A	11.90B/*3.30A	----	4.40 - 12.10	.0658	----	----	3	----	24 UNCH
4635	----	----	----/*3.40A	12.40B/*3.40A	----	4.60 - 12.60	.0688	----	----	1	----	16 - 1
4640	----	----	----/*3.50A	13.20B/*3.50A	----	4.90 - 13.10	.0728	----	----	----	----	1 UNCH
4645	----	----	----/*3.70A	13.90B/*3.70A	----	5.10 - 13.70	.0759	----	----	----	----	5 UNCH
4650	10.40	10.40	11.30/*3.90	14.70B/*3.90	----	5.40 - 14.30	.0800	----	----	81	----	149 + 38
4655	----	----	----/*4.10A	15.60B/*4.10A	----	5.60 - 15.00	.0832	----	----	----	----	1 UNCH
4660	10.00	10.00	10.00/*4.30A	16.30B/*4.30A	----	5.90 - 15.70	.0874	----	----	2	----	10 + 1
4665	----	----	----/*4.60A	17.20B/*4.60A	----	6.30 NEW	.0926	----	----	1	----	1 + 1
4670	10.10	10.10	10.10/*4.80A	18.30B/*4.80A	----	6.60 - 17.00	.0969	----	----	3	----	5 + 3
4675	----	----	----/*5.10A	19.10B/*5.10A	----	7.00 - 17.70	.1022	----	----	6	----	92 - 3
4680	16.60	16.60	16.60/*5.30A	20.20B/*5.30A	----	7.30 - 18.60	.1067	----	----	34	----	94 + 11
4685	7.00	7.00	7.00/*5.60A	21.20B/*5.60A	----	7.80 - 19.30	.1129	----	----	2	----	22 + 1
4690	12.80	12.80	16.80/*6.00A	22.30B/*6.00A	----	8.20 - 20.10	.1184	----	----	8	----	41 + 2
4695	14.20	14.20	14.20/*6.30A	23.50B/*6.30A	----	8.70 - 20.90	.1248	----	----	26	----	26 + 5
4700	15.00	15.00	19.00/*6.50	24.90B/*6.50	----	9.20 - 21.80	.1312	----	----	69	----	215 + 36
4705	10.10	10.10	10.10/*7.00A	26.20B/*7.00A	----	9.70 NEW	.1378	----	----	102	----	100 + 100
4710	11.40	11.40	11.40/*7.40A	27.60B/*7.40A	----	10.30 - 23.60	.1452	----	----	10	----	11 + 10
4720	22.00	22.00	24.00/*8.40A	30.60B/*8.40A	----	11.60 - 25.50	.1609	----	----	28	----	32 + 27
4725	12.50	12.50	12.50/*8.90A	32.20B/*8.90A	----	12.30 - 26.50	.1692	----	----	133	----	150 + 130
4730	20.60	20.60	20.60/*9.40A	33.90B/*9.40A	----	13.10 - 27.50	.1783	----	----	115	----	77 + 23
4735	----	----	----/*10.00A	35.70B/*10.00A	----	13.90 - 28.50	.1875	----	----	----	----	36 UNCH
4740	22.00	22.00	22.00/*10.60A	37.40B/*10.60A	----	14.70 - 29.60	.1967	----	----	7	----	49 + 6
4745	26.20	26.20	26.20/*11.10A	39.50B/*11.10A	----	15.60 - 30.70	.2067	----	----	8	----	32 + 8
4750	37.70	37.70	37.70/*11.60	41.30B/*11.60	----	16.60 - 31.80	.2173	----	----	73	----	76 + 54
4755	----	----	----/*12.70A	43.80B/*12.70A	----	17.60 - 32.90	.2280	----	----	101	----	107 + 92
4760	24.00	24.00	24.00/*13.50	45.70B/*13.50	----	18.70 - 34.00	.2394	----	----	29	----	40 + 28
4765	32.30	32.30	32.30/*14.40A	48.00B/*14.40A	----	19.80 NEW	.2508	----	----	3	----	3 + 3
4770	26.10	26.10	26.10/*15.30A	50.40B/*15.30A	----	21.10 - 36.30	.2632	----	----	2	----	3 + 2
4775	29.80	29.80	29.80/*16.30A	52.60B/*16.30A	----	22.30 - 37.50	.2752	----	----	1	----	52 + 1
4780	----	----	----/*17.30A	55.20B/*17.30A	----	23.70 - 38.60	.2882	----	----	2	----	51 + 2
4785	40.00	40.00	40.00/*18.40A	57.80B/*18.40A	----	25.10 - 39.80	.3013	----	----	29	----	34 + 17
4790	42.20	42.20	42.20/*19.60A	60.50B/*19.60A	----	26.60 - 41.00	.3148	----	----	6	----	4 + 1
4795	44.40	44.40	44.40/*20.70A	63.10B/*20.70A	----	28.20 - 42.20	.3286	----	----	32	----	32 + 31
4800	52.50	52.50	52.50/*22.20A	66.10B/*22.20A	----	29.80 - 43.40	.3426	----	----	247	----	202 + 191
4805	----	----	----/*23.50A	68.60B/*23.50A	----	31.50 - 44.70	.3569	----	----	1	----	11 UNCH
4810	44.10	44.10	44.10/*25.00A	71.70B/*25.00A	----	33.30 - 45.90	.3715	----	----	5	----	6 + 5
4820	----	----	----/*28.10A	77.70B/*28.10A	----	37.20 - 48.20	.4015	----	----	----	----	1 UNCH
4825	----	----	----/*29.70A	81.30B/*29.70A	----	39.30 - 49.40	.4167	----	----	8	----	8 + 4
4840	----	----	----/*35.50A	91.60B/*35.50A	----	46.00 NEW	.4631	----	----	2	----	1 + 1
4850	----	----	----/*39.70A	98.90B/*39.70A	----	50.90 - 55.10	.4944	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4855	----	----	----/*42.00A	102.40B/*42.00A	----	53.50 NEW	.5099	----	----	1	----	1 + 1
4875	----	----	----/*51.90A	118.30B/*51.90A	----	64.70 - 60.30	.5715	----	----	----	----	1 UNCH
4885	----	----	----/*57.30A	126.10B/*57.30A	----	70.80 - 62.20	.6014	----	----	----	----	1 UNCH
4900	----	----	----/*66.20A	138.70B/*66.20A	----	80.50 - 65.00	.6447	----	----	1	----	5 UNCH
4905	----	----	----/*69.60A	143.10B/*69.60A	----	83.90 NEW	.6585	----	----	1	----	1 + 1
4910	----	----	----/*72.90A	147.30B/*72.90A	----	87.40 - 66.60	.6720	----	----	1	----	0 - 1
4915	----	----	----/*76.10A	151.80B/*76.10A	----	91.00 - 67.40	.6850	----	----	----	----	5 UNCH
4925	----	----	----/*83.10A	160.60B/*83.10A	----	98.30 - 68.80	.7104	----	----	----	----	1 UNCH
4950	----	----	----/101.60A	183.70B/101.60A	----	117.60 - 72.10	.7678	----	----	----	----	2 UNCH
4970	----	----	----/117.60A	202.40B/117.60A	----	134.00 NEW	.8066	----	----	1	----	1 + 1
4975	----	----	----/121.60A	206.80B/121.60A	----	138.30 - 74.70	.8157	----	----	----	----	1 UNCH
4995	----	----	----/138.50A	226.20B/138.50A	----	155.60 - 76.30	.8478	----	----	----	----	1 UNCH
5000	----	----	----/142.90A	231.00B/142.90A	----	160.00 - 76.70	.8551	----	----	1	----	1 - 1
5050	----	----	----/188.20A	275.70B/188.20A	----	205.80 - 79.30	.9104	----	----	----	----	1 UNCH
5150	----	----	----/284.50A	373.30B/284.50A	----	302.20 - 81.40	.9624	----	----	----	----	1 UNCH
5180	----	----	----/313.90A	402.80B/313.90A	----	331.80 - 81.60	.9703	----	----	----	----	1 UNCH
TOTAL										1412		4978 + 865

OG3 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	565.60B/----	565.60B/479.10A	----	550.60 + 81.70	.9925	----	----	----	----	1 UNCH
4375	----	----	490.30B/----	490.30B/405.00A	----	475.80 + 81.10	.9894	----	----	----	----	74 UNCH
4400	----	----	466.30B/----	466.30B/378.30A	----	450.90 + 80.80	.9878	----	----	----	----	4 UNCH
4415	452.50	452.50	452.50/452.50	452.50/363.60A	----	436.00 + 80.60	.9864	----	----	1	----	6 UNCH
4435	----	----	431.40B/----	431.40B/339.80A	----	416.10 + 80.30	.9848	----	----	----	----	10 UNCH
4450	----	----	416.20B/----	416.20B/325.50A	----	401.20 + 80.00	.9833	----	----	----	----	1 UNCH
4475	327.00	327.00	391.60B/327.00	391.60B/300.60A	----	376.30 + 79.40	.9813	----	----	3	----	3 UNCH
4500	----	----	366.50B/----	366.50B/276.80A	----	351.50 + 78.60	.9780	----	----	----	----	2 UNCH
4550	----	----	319.40B/----	319.40B/228.70A	----	302.10 + 76.50	.9683	----	----	----	----	1 UNCH
4575	----	----	294.80B/----	294.80B/205.30A	----	277.60 + 75.10	.9606	----	----	----	----	4 UNCH
4585	----	----	284.80B/----	284.80B/196.10A	----	267.90 + 74.50	.9574	----	----	----	----	2 UNCH
4600	----	----	270.50B/----	270.50B/182.30A	----	253.30 + 73.30	.9503	----	----	----	----	22 UNCH
4605	200.00	200.00	265.30B/190.00	265.30B/177.70A	----	248.50 NEW	.9485	----	----	8	----	8 + 8
4610	----	----	260.30B/----	260.30B/173.20A	----	243.70 + 72.60	.9457	----	----	----	----	1 UNCH
4625	----	----	245.70B/----	245.70B/159.90A	----	229.20 + 71.10	.9370	----	----	----	----	3 UNCH
4640	180.00	180.00	231.10B/180.00	231.10B/147.00A	----	214.90 NEW	.9271	----	----	1	----	1 + 1
4650	----	----	221.50B/----	221.50B/138.40A	----	205.40 + 68.30	.9199	----	----	----	----	9 UNCH
4655	----	----	216.60B/----	216.60B/134.20A	----	200.70 + 67.70	.9166	----	----	----	----	1 UNCH
4670	----	----	202.30B/----	202.30B/122.00A	----	186.60 + 65.60	.9029	----	----	----	----	4 UNCH
4675	----	----	197.60B/----	197.60B/117.80A	----	182.00 + 64.90	.8976	----	----	----	----	7 UNCH
4680	125.80	125.80	193.20B/125.60	193.20B/114.00A	----	177.40 + 64.20	.8932	----	----	8	----	30 - 6
4685	----	----	188.40B/----	188.40B/110.00A	----	172.80 + 63.40	.8869	----	----	----	----	39 UNCH
4690	147.00	147.00	183.80B/146.00	183.80B/106.20A	----	168.30 + 62.60	.8814	----	----	5	----	25 + 5
4695	----	----	179.10B/----	179.10B/102.50A	----	163.70 + 61.70	.8750	----	----	----	----	32 UNCH
4700	----	----	174.50B/----	174.50B/98.90A	----	159.30 + 60.90	.8686	----	----	26	----	68 + 18
4705	147.00	147.00	169.60B/141.00	169.60B/95.10A	----	154.80 + 60.00	.8621	----	----	7	----	8 + 7
4710	----	----	165.00B/----	165.00B/91.50A	----	150.40 + 59.10	.8547	----	----	----	----	3 UNCH
4715	----	----	160.30B/----	160.30B/88.00A	----	146.00 + 58.10	.8472	----	----	----	----	2 UNCH
4725	----	----	151.40B/81.10A	151.40B/81.10A	----	137.40 + 56.20	.8306	----	----	----	----	4 UNCH
4730	----	----	146.80B/77.80A	146.80B/77.80A	----	133.10 + 55.10	.8215	----	----	----	----	1 UNCH
4735	----	----	142.50B/----	142.50B/74.90A	----	128.90 + 54.10	.8123	----	----	----	----	4 UNCH
4740	----	----	138.30B/71.00A	138.30B/71.00A	----	124.80 + 53.10	.8031	----	----	----	----	78 UNCH
4745	----	----	134.00B/66.60A	134.00B/66.60A	----	120.70 + 52.00	.7931	----	----	----	----	66 UNCH
4750	----	----	129.80B/63.60A	129.80B/63.60A	----	116.70 + 50.90	.7825	----	----	4	----	102 - 2
4755	----	----	125.20B/60.70A	125.20B/60.70A	----	112.70 + 49.80	.7718	----	----	----	----	14 UNCH
4760	66.00	66.00	121.10B/57.80A	121.10B/57.80A	----	108.80 + 48.70	.7605	----	----	1	----	6 + 1
4765	----	----	117.50B/55.00A	117.50B/55.00A	----	104.90 + 47.50	.7491	----	----	5	----	102 - 4
4770	101.20	101.20	113.50B/52.30A	113.50B/52.30A	----	101.10 + 46.30	.7366	----	----	2	----	17 - 1
4775	70.00	70.00	109.80B/49.80A	109.80B/49.80A	----	97.40 + 45.20	.7246	----	----	10	----	191 UNCH
4780	----	----	105.20B/47.30A	105.20B/47.30A	----	93.80 + 44.10	.7116	----	----	2	----	15 + 2
4785	----	----	101.70B/44.90A	101.70B/44.90A	----	90.20 + 42.90	.6986	----	----	----	----	19 UNCH
4790	----	----	98.20B/42.60A	98.20B/42.60A	----	86.70 + 41.70	.6851	----	----	14	----	78 - 2
4795	47.30	47.30	94.50B/40.30A	94.50B/40.30A	----	83.20 + 40.40	.6712	----	----	1	----	20 - 1
4800	45.00	45.00	91.00B/38.10A	91.00B/38.10A	----	79.90 + 39.30	.6573	----	----	54	----	74 - 16
4805	42.40	42.40	87.20B/36.00A	87.20B/36.00A	----	76.60 + 38.00	.6430	----	----	25	----	25 + 14
4810	43.30	43.30	84.00B/34.10A	84.00B/34.10A	----	73.40 + 36.80	.6284	----	----	18	----	113 + 2
4815	43.00	43.00	80.60B/32.20A	80.60B/32.20A	----	70.30 + 35.60	.6135	----	----	2	----	20 UNCH
4820	40.70	40.70	76.90B/30.40A	76.90B/30.40A	----	67.30 + 34.50	.5984	----	----	5	----	4 + 2
4825	29.10	29.10	73.90B/28.70A	73.90B/28.70A	----	64.40 + 33.30	.5831	----	----	10	----	73 + 6
4830	36.00	36.00	70.90B/27.00A	70.90B/27.00A	----	61.50 + 32.10	.5678	----	----	7	----	11 + 3
4835	----	----	67.80B/25.50A	67.80B/25.50A	----	58.80 + 31.00	.5522	----	----	----	----	1 UNCH
4840	32.00	32.00	64.90B/24.00A	64.90B/24.00A	----	56.10 + 29.80	.5367	----	----	6	----	47 UNCH
4845	30.50	30.50	62.40B/22.50A	62.40B/22.50A	----	53.50 + 28.70	.5211	----	----	14	----	13 + 3
4850	23.00	23.00	59.80B/21.10A	59.80B/21.10A	----	51.00 + 27.60	.5055	----	----	54	100	221 + 50
4855	36.40	36.40	56.90B/19.80A	56.90B/19.80A	----	48.60 + 26.50	.4899	----	----	5	----	5 + 3
4860	20.10	20.10	54.40B/18.60A	54.40B/18.60A	----	46.30 + 25.50	.4744	----	----	56	----	47 + 42
4865	35.40	35.40	51.80B/17.40A	51.80B/17.40A	----	44.00 + 24.30	.4589	----	----	7	----	22 + 4
4870	22.20	22.20	49.40B/16.30A	49.40B/16.30A	----	41.90 + 23.40	.4436	----	----	3	----	112 UNCH
4875	16.10	16.10	47.40B/15.20A	47.40B/15.20A	----	39.80 + 22.30	.4283	----	----	170	----	172 + 110
4880	27.70	27.70	44.80B/14.20A	44.80B/14.20A	----	37.80 + 21.40	.4133	----	----	5	----	8 + 5
4885	18.30	18.30	42.50B/13.30A	42.50B/13.30A	----	35.90 + 20.40	.3984	----	----	32	----	35 + 32
4890	19.60	19.60	40.40B/12.50A	40.40B/12.50A	----	34.10 + 19.50	.3839	----	----	11	----	47 - 1
4895	----	----	38.40B/11.70A	38.40B/11.70A	----	32.30 + 18.60	.3694	----	----	----	----	5 UNCH
4900	12.60	12.60	36.50B/10.90A	36.50B/10.90A	----	30.60 + 17.70	.3552	----	----	186	----	386 + 119
4905	22.90	22.90	34.60B/10.20A	34.60B/10.20A	----	29.00 + 16.80	.3413	----	----	15	----	13 + 10
4910	17.50	17.50	32.80B/9.60A	32.80B/9.60A	----	27.50 + 16.00	.3279	----	----	2	----	10 + 1
4915	19.30	19.30	31.10B/9.00A	31.10B/9.00A	----	26.10 + 15.30	.3148	----	----	13	----	19 + 13
4920	10.00	10.00	29.50B/8.40A	29.50B/8.40A	----	24.70 + 14.50	.3019	----	----	55	----	69 + 42
4925	10.00	10.00	27.90B/7.90A	27.90B/7.90A	----	23.40 + 13.80	.2895	----	----	3	----	23 UNCH
4930	12.50	12.50	26.50B/7.40A	26.50B/7.40A	----	22.10 + 13.10	.2771	----	----	22	----	51 + 7
4935	7.50	7.50	25.10B/6.90A	25.10B/6.90A	----	20.90 + 12.40	.2652	----	----	3	----	8 + 1
4940	13.40	13.40	23.80B/6.50A	23.80B/6.50A	----	19.80 + 11.80	.2539	----	----	59	----	131 + 34
4945	12.00	12.00	22.40B/6.20A	22.40B/6.20A	----	18.70 + 11.10	.2426	----	----	9	----	12 - 3
4950	9.60	9.60	21.20B/5.80A	21.20B/5.80A	----	17.70 + 10.50	.2320	----	----	15	----	210 + 5
4955	13.70	13.70	20.10B/5.50A	20.10B/5.50A	----	16.70 + 9.90	.2214	----	----	25	----	52 + 2
4960	10.50	10.50	19.00B/5.20A	19.00B/5.20A	----	15.80 + 9.40	.2115	----	----	3	----	46 + 1
4965	8.90	8.90	18.00B/4.90A	18.00B/4.90A	----	15.00 + 8.90	.2023	----	----	30	----	63 + 30
4970	9.10	9.10	17.00B/4.60A	17.00B/4.60A	----	14.20 + 8.50	.1932	----	----	3	----	9 + 2
4975	7.40	7.40	16.10B/4.40A	16.10B/4.40A	----	13.40 + 8.00	.1842	----	----	9	----	73 + 5
4980	7.20	7.20	15.20B/4.10A	15.20B/4.10A	----	12.70 + 7.60	.1758	----	----	7	----	14 - 2
4985	6.60	6.60	14.40B/3.90A	14.40B/3.90A	----	12.00 + 7.10	.1676	----	----	7	----	8 + 6
4990	----	----	13.60B/3.70A	13.60B/3.70A	----	11.30 + 6.70	.1594	----	----	3	----	12 + 1
4995	4.90	4.90	12.80B/3.50A	12.80B/3.50A	----	10.70 + 6.30	.1520	----	----	4	----	1017 UNCH
5000	4.30	4.30	12.30/3.40A	12.30/3.40A	----	10.10 + 5.90	.1447	----	----	231	----	518 + 116
5005	4.20	4.20	11.40B/3.20A	11.40B/3.20A	----	9.60 + 5.60	.1383	----	----	38	----	1024 + 20
5010	4.90	4.90	10.80B/3.10A	10.80B/3.10A	----	9.10 + 5.30	.1318	----	----	18	----	17 + 5
5015	5.80	5.80	10.20B/2.90A	10.20B/2.90A	----	8.60 + 5.00	.1255	----	----	13	----	28 + 6
5020	3.30	3.30	9.70B/2.80A	9.70B/2.80A	----	8.10 + 4.70	.1192	----	----	131	----	115 + 64
5025	4.20	4.20	9.20B/2.70A	9.20B/2.70A	----	7.70 + 4.40	.1138	----	----	5	----	15 + 3
5030	3.90	3.90	8.70B/2.60A	8.70B/2.60A	----	7.30 + 4.20	.1085	----	----	20	----	21 + 13
5035	4.20	4.20	8.20B/2.50A	8.20B/2.50A	----	6.90 + 3.90	.1032	----	----	7	----	8 + 4
5040	4.00	4.00	7.80B/2.40A	7.80B/2.40A	----	6.60 + 3.80	.0988	----	----	6	----	6 + 4
5045	6.80	6.80	7.30B/2.30A	7.30B/2.30A	----	6.20 NEW	.0936	----	----	4	----	4 + 4
5050	2.30	2.30	7.00B/2.00	7.00B/2.00	----	5.90 + 3.30	.0894	----	----	33	----	33 + 6
5055	3.70	3.70	6.60B/2.10A	6.60B/2.10A	----	5.60 + 3.10	.0852	----	----	4	----	6 + 4
5060	3.50	3.50	6.20B/1.90A	6.20B/1.90A	----	5.40 NEW	.0821	----	----	2	----	2 + 2
5065	4.30	4.30	5.90B/1.80A	5.90B/1.80A	----	5.10 + 2.80	.0780	----	----	5	----	17 + 5
5070	3.20	3.20	5.90/1.70A	5.90/1.70A	----	4.90 + 2.70	.0749	----	----	8	----	19 + 5
5075	3.90	3.90	5.30B/1.70A	5.30B/1.70A	----	4.60 + 2.50	.0708	----	----	4	----	14 + 4
5080	3.80	3.80	5.10B/1.60A	5.10B/1.60A	----	4.40 + 2.40	.0679	----	----	5	----	26 + 5
5085	3.60	3.60	4.70B/1.50A	4.70B/1.50A	----	4.20 + 2.30	.0649	----	----	4	----	5 + 4
5090	3.50	3.50	4.50/1.50A	4.50/1.50A	----	4.00 + 2.20	.0620	----	----	3	----	12 + 3
5095	1.80	1.80	4.20B/1.40A	4.20B/1.40A	----	3.80 + 2.10	.0591	----	----	2	----	4 + 2
5100	1.30	1.30	4.30/1.30	4.30/1.30	----	3.70 + 2.00	.0573	----	----	17	----	461 - 2
5105	3.70	3.70	3.80B/1.30A	3.80B/1.30A	----	3.50 + 1.90	.0544	----	----	4	----	6 + 4
5110	3.80	3.80	3.80/1.20A	3.80/1.20A	----	3.30 NEW	.0516	----	----	2	----	2 + 2
5115	3.40	3.40	3.50B/1.10A	3.50B/1.10A	----	3.20 + 1.70	.0499	----	----	3	----	4 + 3
5120	----	----	3.30B/1.10A	3.30B/1.10A	----	3.10 + 1.70	.0482	----	----	----	----	2 UNCH
5130	1.00	1.00	3.10B/1.00	3.10B/1.00	----	2.80 + 1.50	.0438	----	----	2	----	13 + 2
5135	----	----	2.80B/1.00A	2.80B/1.00A	----	2.70 + 1.40	.0422	----	----	----	----	2 UNCH
5150	1.70	1.70	2.50B/0.90A	2.50B/0.90A	----	2.40 + 1.30	.0375	----	----	2	----	22 + 2
5155	----	----	2.40B/0.90A	2.40B/0.90A	----	2.30 + 1.20	.0359	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5160 1.10	1.10	2.30B/0.90A	2.30B/0.90A	----	2.20 + 1.20	.0344	----	----	2	----	5 + 2
5170 ----	----	2.10B/0.80A	2.10B/0.80A	----	2.10 + 1.10	.0325	----	----	----	----	10 UNCH
5175 ----	----	2.00B/0.80A	2.00B/0.80A	----	2.00 + 1.10	.0311	----	----	----	----	3 UNCH
5180 1.20	1.20	2.00B/0.70A	2.00B/0.70A	----	1.90 + 1.00	.0296	----	----	3	----	3 + 3
5190 ----	----	1.70B/0.70A	1.70B/0.70A	----	1.80 + 1.00	.0279	----	----	----	----	3 UNCH
5195 ----	----	1.70B/0.70A	1.70B/0.70A	----	1.80 + 1.00	.0276	----	----	----	----	29 UNCH
5200 0.70	0.70	1.60/0.70	1.60/0.70	----	1.70 + 0.90	.0262	----	----	16	----	208 - 3
5215 ----	----	1.40B/----	1.40B/0.70A	----	1.60 + 0.90	.0243	----	----	----	----	1 UNCH
5220 ----	----	1.30B/----	1.30B/0.70A	----	1.50 + 0.80	.0229	----	----	----	----	6 UNCH
5230 ----	----	1.20B/----	1.20B/0.70A	----	1.40 + 0.70	.0213	----	----	----	----	3 UNCH
5245 ----	----	1.10B/----	1.10B/0.70A	----	1.30 + 0.70	.0196	----	----	----	----	10 UNCH
5250 1.00	1.00	1.10/1.00	1.10/0.70A	----	1.30 + 0.70	.0195	----	----	6	----	207 + 5
5255 ----	----	1.00B/----	1.00B/0.70A	----	1.30 + 0.70	.0193	----	----	----	----	5 UNCH
5265 ----	----	0.90B/----	0.90B/0.60A	----	1.20 + 0.70	.0178	----	----	----	----	5 UNCH
5270 ----	----	0.90B/----	0.90B/0.60A	----	1.20 + 0.70	.0177	----	----	----	----	8 UNCH
5275 ----	----	0.80B/----	0.80B/0.60A	----	1.10 + 0.60	.0164	----	----	----	----	5 UNCH
5280 ----	----	0.80B/----	0.80B/0.60A	----	1.10 + 0.60	.0162	----	----	----	----	2 UNCH
5290 ----	----	0.80B/----	0.80B/0.60A	----	1.10 + 0.60	.0160	----	----	----	----	38 UNCH
5295 ----	----	0.70B/----	0.70B/*0.60A	----	1.00 + 0.50	.0147	----	----	----	----	2 UNCH
5300 1.00	1.00	1.00/*0.60	1.00/*0.50A	----	1.00 + 0.50	.0146	----	----	3	----	86 + 3
5325 ----	----	0.60B/----	0.60B/*0.50A	----	0.80 + 0.40	.0118	----	----	----	----	6 UNCH
5350 0.70	0.70	0.70/*0.40A	0.70/*0.40A	----	0.60 + 0.30	.0090	----	----	2	----	28 UNCH
5375 ----	----	0.40B/----	0.40B/*0.40A	----	0.50 + 0.30	.0075	----	----	----	----	2 UNCH
5400 ----	----	0.40B/----	0.40B/*0.40A	----	0.40 + 0.20	.0061	----	----	----	----	7 UNCH
5425 ----	----	0.30B/----	0.30B/*0.30A	----	0.30 + 0.10	.0046	----	----	----	----	3 UNCH
5450 ----	----	0.30B/----	0.30B/*0.40A	----	0.30 + 0.20	.0045	----	----	----	----	1 UNCH
5500 ----	----	0.20B/----	0.20B/*0.40A	----	0.10 UNCH	.0017	----	----	----	----	28 UNCH
5550 ----	----	----	0.10B/*0.40A	----	0.10 UNCH	.0016	----	----	----	----	20 UNCH
5700 0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0013	----	----	3	----	6 UNCH
5750 ----	----	----	----/0.30A	----	0.10 UNCH	.0013	----	----	----	----	1 UNCH
TOTAL									1663	100	7519 + 859

OG2 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200 ----	----	----/*10.00A	8.20B/*10.00A	----	7.80 - 5.50	.0439	----	----	----	----	3 UNCH
4400 ----	----	----/*19.90A	21.80B/*19.90A	----	19.10 NEW	.1014	----	----	4	----	4 + 4
4500 ----	----	----/*30.10A	35.90B/*30.10A	----	29.80 NEW	.1513	----	----	4	----	4 + 4
4775 ----	----	----/*96.00A	121.40B/*96.00A	----	99.00 - 39.00	.3973	----	----	----	----	2 UNCH
4975 ----	----	----/*198.80A	242.90B/*198.80A	----	206.30 - 57.00	.6306	----	----	----	----	2 UNCH
TOTAL									8		15 + 8

OG2 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4775 ----	----	#178.80B/----	#178.80B/139.10A	----	174.00 + 43.60	.6020	----	----	----	----	4 UNCH
4800 ----	----	#163.80B/----	#163.80B/126.20A	----	159.60 + 40.80	.5729	----	----	----	----	1 UNCH
4900 95.00	95.00	#112.10B/*95.00	#112.10B/83.50A	----	110.40 NEW	.4542	----	----	10	----	10 + 10
4950 ----	----	#91.20B/----	#91.20B/67.20A	----	90.50 + 27.20	.3965	----	----	----	----	14 UNCH
5000 ----	----	#73.40B/----	#73.40B/53.80A	----	73.60 NEW	.3419	----	----	2	----	2 + 2
5100 ----	----	#46.40B/----	#46.40B/34.30A	----	47.70 NEW	.2460	----	----	4	----	4 + 4
5150 ----	----	#36.50B/----	#36.50B/27.60A	----	38.20 NEW	.2059	----	----	4	----	4 + 4
5200 ----	----	#28.70B/----	#28.70B/22.40A	----	30.40 NEW	.1709	----	----	4	----	4 + 4
5300 ----	----	#16.80B/----	#16.80B/15.90A	----	19.40 NEW	.1166	----	----	2	----	2 + 2
TOTAL									26		45 + 26

OG1 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3900 1.70	1.70	1.70/1.70	1.70/1.70	----	1.20 - 0.90	.0079	----	----	1	----	2 + 1
4125 ----	----	----/*4.60A	2.30B/*4.60A	----	3.40 - 2.40	.0222	----	----	----	----	2 UNCH
4150 ----	----	----/*4.80A	3.00B/*4.80A	----	3.70 - 2.70	.0243	----	----	----	----	1 UNCH
4175 ----	----	----/*5.10A	3.40B/*5.10A	----	4.10 - 3.00	.0270	----	----	----	----	1 UNCH
4200 ----	----	----/*5.80A	3.90B/*5.80A	----	4.40 - 3.50	.0293	----	----	----	----	1 UNCH
4250 ----	----	----/*6.40A	5.10B/*6.40A	----	5.40 - 4.40	.0362	----	----	----	----	5 UNCH
4300 ----	----	----/*7.80A	7.20B/*7.80A	----	6.60 - 5.70	.0445	----	----	8	----	14 + 8
4325 ----	----	----/*8.60A	8.10B/*8.60A	----	7.40 - 6.30	.0499	----	----	----	----	2 UNCH
4350 ----	----	----/*9.60A	9.50B/*9.60A	----	8.20 - 7.20	.0554	----	----	8	----	21 + 5
4400 12.50	12.50	12.50/*10.90A	12.50/*10.90A	----	10.40 - 9.10	.0698	----	----	1	----	2 + 1
4450 15.10	15.10	15.10/*13.20A	16.80B/*13.20A	----	13.40 - 11.50	.0888	----	----	14	----	150 UNCH
4485 ----	----	----/*15.70A	20.30B/*15.70A	----	16.10 - 13.50	.1052	----	----	----	----	1 UNCH
4500 ----	----	----/*17.70A	22.80B/*17.70A	----	17.50 - 14.40	.1133	----	----	----	----	12 UNCH
4535 ----	----	----/*21.10A	27.70B/*21.10A	----	21.20 - 16.70	.1345	----	----	----	----	1 UNCH
4600 33.00	33.00	33.00/*29.80A	41.00B/*29.80A	----	30.40 NEW	.1836	----	----	10	----	10 + 10
4610 ----	----	----/*31.60A	42.80B/*31.60A	----	32.20 - 22.60	.1925	----	----	----	----	10 UNCH
4700 ----	----	----/*50.30A	71.50B/*50.30A	----	52.80 - 31.10	.2866	----	----	----	----	12 UNCH
4740 77.00	77.00	77.00/*61.40A	86.50B/*61.40A	----	65.10 NEW	.3361	----	----	1	----	1 + 1
4750 ----	----	----/*64.80A	91.80B/*64.80A	----	68.60 - 36.30	.3492	----	----	----	----	1 UNCH
4835 ----	----	----/*97.10A	127.70B/*97.10A	----	103.80 - 45.50	.4667	----	----	----	----	1 UNCH
4900 129.10	129.10	131.50/*129.10	167.70B/*129.10	----	138.20 NEW	.5593	----	----	4	----	2 + 2
4950 ----	----	----/*159.10A	203.00B/*159.10A	----	168.80 - 57.40	.6279	----	----	----	----	1 UNCH
5000 ----	----	----/*192.10A	241.30B/*192.10A	----	203.00 - 62.00	.6917	----	----	----	----	1 UNCH
TOTAL									47		254 + 28

OG1 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625 275.00	275.00	275.00/275.00	275.00/210.90A	----	259.80 + 58.70	.7932	----	----	1	----	1 UNCH
4665 ----	----	237.20B/----	237.20B/178.40A	----	228.50 + 54.90	.7527	----	----	----	----	1 UNCH
4700 ----	----	210.60B/----	210.60B/154.70A	----	202.60 + 51.40	.7129	----	----	----	----	1 UNCH
4760 ----	----	170.40B/----	170.40B/118.70A	----	162.10 + 45.10	.6370	----	----	----	----	1 UNCH
4770 ----	----	163.90B/----	163.90B/113.20A	----	155.90 + 44.10	.6236	----	----	----	----	1 UNCH
4775 ----	----	160.70B/----	160.70B/110.50A	----	152.80 + 43.60	.6169	----	----	----	----	4 UNCH
4800 ----	----	145.10B/----	145.10B/97.80A	----	138.00 + 40.90	.5823	----	----	----	----	1 UNCH
4825 ----	----	130.60B/----	130.60B/86.10A	----	124.10 + 38.10	.5470	----	----	1	----	2 + 1
4840 ----	----	122.30B/79.60A	122.30B/79.60A	----	116.30 + 36.60	.5256	----	----	----	----	10 UNCH
4860 ----	----	111.70B/71.50A	111.70B/71.50A	----	106.40 + 34.50	.4970	----	----	----	----	1 UNCH
4875 ----	----	104.40B/65.70A	104.40B/65.70A	----	99.30 + 32.80	.4756	----	----	----	----	1 UNCH
4900 ----	----	92.70B/57.10A	92.70B/57.10A	----	88.30 + 30.20	.4402	----	----	----	----	13 UNCH
4925 ----	----	82.00B/49.30A	82.00B/49.30A	----	78.30 + 27.70	.4055	----	----	----	----	20 UNCH
4950 ----	----	72.20B/42.50A	72.20B/42.50A	----	69.10 + 25.20	.3716	----	----	----	----	21 UNCH
5000 ----	----	55.50B/31.40A	55.50B/31.40A	----	53.30 + 20.60	.3078	----	----	----	----	3 UNCH
5050 ----	----	42.00B/23.10A	42.00B/23.10A	----	40.60 + 16.40	.2504	----	----	1	----	9 + 1
5100 24.00	24.00	31.50B/17.00A	31.50B/17.00A	----	30.70 + 12.90	.2008	----	----	740	----	312 - 428
5125 ----	----	27.20B/14.90A	27.20B/14.90A	----	26.60 + 11.30	.1788	----	----	----	----	1 UNCH
5150 ----	----	23.50B/----	23.50B/13.20A	----	23.10 + 10.00	.1591	----	----	----	----	8 UNCH
5200 ----	----	17.60B/----	17.60B/10.40A	----	17.50 + 7.80	.1256	----	----	----	----	7 UNCH
TOTAL									743		418 - 426

OG PUT — COMEX GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000 ----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	2046 UNCH
1500 ----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	761 UNCH
1600 ----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	40 UNCH
1700 ----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1800 ----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1900 ----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	13 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	16 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	15 UNCH
2485	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	20 UNCH
2495	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	75 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	74 UNCH
2505	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	5 UNCH
2520	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	102 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	6 UNCH
2580	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	35 UNCH
2590	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	114 UNCH
2615	----	----	----	----/0.20A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
2620	----	----	----	----/0.20A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	4 UNCH
2660	----	----	----	----/0.20A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
2685	----	----	----	----/0.20A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	34 UNCH
2705	----	----	----	----/0.20A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
2715	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	2 UNCH
2725	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	2 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	3 UNCH
2755	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	6 UNCH
2770	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	4 UNCH
2785	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	21 UNCH
2790	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	5 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	88 UNCH
2815	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	35 UNCH
2820	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	74 UNCH
2845	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	5 UNCH
2850	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	2 UNCH
2870	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	23 UNCH
2895	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	39 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	348 UNCH
2905	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	4 UNCH
2910	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	20 UNCH
2930	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	28 UNCH
2940	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	8 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	302 UNCH
2980	----	----	----	----/*0.10A	----	0.10 UNCH	.0005	----	----	----	----	2 UNCH
2995	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	4 UNCH
3000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	140 UNCH
3005	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
3010	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
3020	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
3040	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	52 UNCH
3045	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	2 UNCH
3050	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	19 UNCH
3055	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3065	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3070	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
3075	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	66 UNCH
3080	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
3090	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3095	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	3 UNCH
3100	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0005	----	----	2	----	308 + 2
3105	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3115	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3120	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	41 UNCH
3125	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
3130	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	8 UNCH
3135	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	2 UNCH
3140	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	3 UNCH
3150	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0005	----	----	1	----	11 + 1
3155	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	74 UNCH
3160	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	15 UNCH
3170	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3175	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	10 UNCH
3185	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	18 UNCH
3200	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0005	----	----	10	----	268 + 10
3205	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	10 UNCH
3210	----	----	----	----/0.30A	----	0.10 - 0.20	.0005	----	----	----	----	10 UNCH
3220	----	----	----	----/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	8 UNCH
3225	----	----	----	----/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	12 UNCH
3235	----	----	----	----/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	5 UNCH
3245	----	----	----	----/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	5 UNCH
3250	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	89 UNCH
3255	----	----	----	----/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	8 UNCH
3260	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	21 UNCH
3265	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	16 UNCH
3270	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	2 UNCH
3275	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	22 UNCH
3280	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	1 UNCH
3290	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	40 UNCH
3295	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	1 UNCH
3300	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.20 - 0.10	.0011	----	----	7	----	592 - 4
3305	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0011	----	----	----	----	60 UNCH
3310	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	1 UNCH
3315	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	3 UNCH
3320	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	1 UNCH
3325	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	10 UNCH
3330	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	2 UNCH
3335	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	20 UNCH
3340	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	1 UNCH
3345	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	1 UNCH
3350	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	53 UNCH
3360	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	4 UNCH
3370	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	75 UNCH
3375	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	54 UNCH
3380	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0016	----	----	----	----	5 UNCH
3385	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0016	----	----	----	----	12 UNCH
3390	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0016	----	----	----	----	5 UNCH
3395	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0016	----	----	----	----	35 UNCH
3400	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0016	----	----	2	----	186 - 2
3405	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0016	----	----	----	----	5 UNCH
3415	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0017	----	----	----	----	118 UNCH
3420	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0017	----	----	----	----	1 UNCH
3425	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0017	----	----	----	----	11 UNCH
3430	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0017	----	----	----	----	21 UNCH
3435	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0017	----	----	----	----	101 UNCH
3440	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0017	----	----	----	----	1 UNCH
3445	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0017	----	----	----	----	33 UNCH
3450	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0017	----	----	----	----	49 UNCH
3455	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0017	----	----	----	----	44 UNCH
3460	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0017	----	----	----	----	142 UNCH
3465	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0017	----	----	----	----	17 UNCH
3470	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0017	----	----	----	----	76 UNCH
3475	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0017	----	----	----	----	94 UNCH
3480	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0017	----	----	----	----	84 UNCH
3485	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0017	----	----	----	----	60 UNCH
3490	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0018	----	----	----	----	52 UNCH
3495	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0022	----	----	----	----	54 UNCH
3500	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0023	----	----	1	----	1429 - 1
3505	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0023	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 07

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3510	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0023	----	----	----	----	35 UNCH
3515	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0023	----	----	----	----	82 UNCH
3520	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0023	----	----	----	----	8 UNCH
3525	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0023	----	----	----	----	119 UNCH
3530	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0023	----	----	----	----	102 UNCH
3535	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0023	----	----	----	----	158 UNCH
3540	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0023	----	----	----	----	10 UNCH
3545	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.40 - 0.20	.0023	----	----	1	----	67 + 1
3550	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0023	----	----	----	----	339 UNCH
3555	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0024	----	----	----	----	45 UNCH
3560	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0024	----	----	----	----	9 UNCH
3565	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0024	----	----	----	----	7 UNCH
3570	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0024	----	----	----	----	11 UNCH
3575	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0024	----	----	----	----	96 UNCH
3580	0.80	0.80	0.80/*0.60A	0.80/*0.60A	----	0.50 - 0.20	.0029	----	----	4	----	9 UNCH
3585	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0029	----	----	----	----	9 UNCH
3590	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0029	----	----	----	----	33 UNCH
3595	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0029	----	----	----	----	39 UNCH
3600	0.50	0.50	0.60/*0.50	0.60/*0.50	----	0.50 - 0.20	.0029	----	----	3	----	982 UNCH
3605	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0030	----	----	----	----	56 UNCH
3610	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0030	----	----	----	----	23 UNCH
3615	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0030	----	----	----	----	120 UNCH
3620	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0030	----	----	----	----	128 UNCH
3625	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0030	----	----	----	----	45 UNCH
3630	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0030	----	----	----	----	13 UNCH
3635	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0030	----	----	----	----	26 UNCH
3640	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0030	----	----	----	----	42 UNCH
3645	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	15 UNCH
3650	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	414 UNCH
3655	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	23 UNCH
3660	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	47 UNCH
3665	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	35 UNCH
3670	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	35 UNCH
3675	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.20	.0036	----	----	----	----	66 UNCH
3680	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0037	----	----	----	----	119 UNCH
3685	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.30	.0037	----	----	----	----	26 UNCH
3690	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.30	.0037	----	----	----	----	23 UNCH
3695	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.30	.0037	----	----	----	----	73 UNCH
3700	0.70	0.70	0.80/*0.70	0.80/*0.70	----	0.60 - 0.30	.0037	----	----	7	----	1383 - 2
3705	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0042	----	----	----	----	40 UNCH
3710	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0043	----	----	----	----	25 UNCH
3715	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0043	----	----	----	----	28 UNCH
3720	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0043	----	----	----	----	35 UNCH
3725	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0043	----	----	----	----	37 UNCH
3730	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0043	----	----	----	----	55 UNCH
3735	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0044	----	----	----	----	38 UNCH
3740	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0044	----	----	----	----	13 UNCH
3745	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.30	.0044	----	----	----	----	39 UNCH
3750	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0044	----	----	1	----	392 UNCH
3755	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.20	.0050	----	----	----	----	10 UNCH
3760	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0050	----	----	----	----	49 UNCH
3765	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0050	----	----	----	----	104 UNCH
3770	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0050	----	----	----	----	25 UNCH
3775	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0050	----	----	----	----	279 UNCH
3780	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0051	----	----	----	----	33 UNCH
3785	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0051	----	----	----	----	27 UNCH
3790	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.40	.0051	----	----	----	----	28 UNCH
3795	1.00	1.00	1.00/*0.90A	1.00/*0.90A	----	0.80 - 0.40	.0051	----	----	7	----	25 UNCH
3800	1.00	1.00	1.00/*0.70	1.00/*0.70	----	0.90 - 0.30	.0057	----	----	11	----	1483 - 2
3805	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0057	----	----	----	----	74 UNCH
3810	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0057	----	----	----	----	20 UNCH
3815	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0058	----	----	----	----	53 UNCH
3820	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.40	.0058	----	----	----	----	788 UNCH
3825	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.90 - 0.40	.0058	----	----	7	----	113 UNCH
3830	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.40	.0058	----	----	----	----	18 UNCH
3835	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.40	.0059	----	----	----	----	31 UNCH
3840	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0064	----	----	----	----	51 UNCH
3845	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.40	.0064	----	----	----	----	36 UNCH
3850	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.40	.0065	----	----	1	----	2990 UNCH
3855	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.40	.0065	----	----	----	----	41 UNCH
3860	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.40	.0065	----	----	----	----	53 UNCH
3865	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.40	.0066	----	----	----	----	21 UNCH
3870	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.50	.0066	----	----	----	----	48 UNCH
3875	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.00 - 0.50	.0066	----	----	3	----	45 + 3
3880	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.40	.0072	----	----	----	----	39 UNCH
3885	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.40	.0072	----	----	----	----	82 UNCH
3890	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.40	.0073	----	----	----	----	12 UNCH
3895	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.40	.0073	----	----	----	----	75 UNCH
3900	1.20	1.20	1.20/*1.10A	1.20/*1.10A	----	1.10 - 0.50	.0073	----	----	32	----	1795 - 6
3905	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.50	.0074	----	----	----	----	27 UNCH
3910	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.50	.0074	----	----	----	----	135 UNCH
3915	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.50	.0074	----	----	----	----	38 UNCH
3920	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.50	.0080	----	----	----	----	210 UNCH
3925	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.50	.0080	----	----	----	----	84 UNCH
3930	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.50	.0081	----	----	----	----	61 UNCH
3935	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.50	.0081	----	----	----	----	16 UNCH
3940	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.50	.0082	----	----	----	----	37 UNCH
3945	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.60	.0082	----	----	----	----	24 UNCH
3950	1.30	1.30	1.30/*1.20A	1.30/*1.20A	----	1.20 - 0.60	.0083	----	----	3	----	140 - 3
3955	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.50	.0088	----	----	----	----	59 UNCH
3960	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.50	.0089	----	----	----	----	14 UNCH
3965	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.60	.0089	----	----	----	----	85 UNCH
3970	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.60	.0090	----	----	----	----	32 UNCH
3975	1.50	1.50	1.50/*1.30A	1.50/*1.30A	----	1.30 - 0.60	.0090	----	----	2	----	42 UNCH
3980	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.60	.0091	----	----	----	----	141 UNCH
3985	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.70	.0091	----	----	----	----	51 UNCH
3990	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.70	.0092	----	----	----	----	20 UNCH
3995	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.60	.0098	----	----	----	----	26 UNCH
4000	1.70	1.70	1.70/*1.20	1.70/*1.20	----	1.40 - 0.70	.0098	----	----	42	----	3605 - 27
4005	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.70	.0099	----	----	----	----	236 UNCH
4010	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.70	.0099	----	----	1	----	61 UNCH
4015	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.80	.0100	----	----	----	----	53 UNCH
4020	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.80	.0100	----	----	20	----	92 UNCH
4025	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.70	.0106	----	----	----	----	104 UNCH
4030	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.80	.0107	----	----	21	----	36 - 3
4035	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.80	.0108	----	----	1	----	31 - 1
4040	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.80	.0108	----	----	----	----	61 UNCH
4045	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.90	.0109	----	----	----	----	211 UNCH
4050	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.90	.0109	----	----	23	----	1316 - 1
4055	----	----	----/*1.60A	1.70B/*1.60A	----	1.60 - 0.90	.0116	----	----	----	----	146 UNCH
4060	----	----	----/*1.60A	1.70B/*1.60A	----	1.60 - 0.90	.0116	----	----	----	----	26 UNCH
4065	----	----	----/*1.60A	1.80B/*1.60A	----	1.60 - 1.00	.0117	----	----	----	----	28 UNCH
4070	----	----	----/*1.60A	1.80B/*1.60A	----	1.60 - 1.00	.0118	----	----	20	----	106 - 15
4075	----	----	----/*1.70A	1.80B/*1.70A	----	1.60 - 1.00	.0118	----	----	----	----	125 UNCH
4080	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 1.10	.0119	----	----	----	----	92 UNCH
4085	----	----	----/*1.70A	1.90B/*1.70A	----	1.70 - 1.00	.0125	----	----	----	----	767 UNCH
4090	----	----	----/*1.70A	1.90B/*1.70A	----	1.70 - 1.10	.0126	----	----	----	----	218 UNCH
4095	----	----	----/*1.70A	2.00B/*1.70A	----	1.70 - 1.10	.0127	----	----	----	----	156 UNCH
4100	1.90	1.90	1.90/*1.60	2.00B/*1.60	----	1.70 - 1.20	.0128	----	----	32	----	1479 - 19
4105	----	----	----/*1.80A	2.10B/*1.80A	----	1.80 - 1.20	.0134	----	----	----	----	207 UNCH
4110	----	----	----/*1.80A	2.10B/*1.80A	----	1.80 - 1.20	.0135	----	----	1	----	67 UNCH
4115	----	----	----/*1.80A	2.10B/*1.80A	----	1.80 - 1.30	.0136	----	----	----	----	44 UNCH
4120	----	----	----/*1.90A	2.20B/*1.90A	----	1.80 - 1.30	.0137	----	----	----	----	131 UNCH
4125	----	----	----/*1.90A	2.20B/*1.90A	----	1.80 - 1.40	.0137	----	----	2	----	207 UNCH
4130	----	----	----/*1.90A	2.30B/*1.90A	----	1.90 - 1.40	.0144	----	----	----	----	844 UNCH
4135	----	----	----/*1.90A	2.30B/*1.90A	----	1.90 - 1.40	.0145	----	----	----	----	79 UNCH
4140	----	----	----/*1.90A	2.30B/*1.90A	----	1.90 - 1.50	.0146	----	----	----	----	26 UNCH
4145	----	----	----/*2.00A	2.40B/*2.00A	----	2.00 - 1.50	.0153	----	----	----	----	108 UNCH
4150	2.50	2.50	2.50/*2.00A	2.50/*2.00A	----	2.00 - 1.50	.0154	----	----	5	----	511 UNCH
4155	----	----	----/*2.00A	2.50B/*2.00A	----	2.00 - 1.60	.0155	----	----	----	----	44 UNCH
4160	2.20	2.20	2.20/*2.10A	2.50B/*2.10A	----	2.00 - 1.70	.0155	----	----	2	----	31 + 1
4165	----	----	----/*2.10A	2.60B/*2.10A	----	2.10 - 1.70	.0162	----	----	----	----	66 UNCH
4170	2.40	2.40	2.40/*2.10A	2.60B/*2.10A	----	2.10 - 1.70	.0163	----	----	1	----	75 UNCH
4175	----	----	----/*2.10A	2.70B/*2.10A	----	2.10 - 1.80	.0164	----	----	1	----	196 UNCH
4180	----	----	----/*2.20A	2.80B/*2.20A	----	2.20 - 1.80	.0171	----	----	----	----	289 UNCH
4185	----	----	----/*2.20A	2.80B/*2.20A	----	2.20 - 1.90	.0172	----	----	----	----	357 UNCH
4190	----	----	----/*2.20A	2.90B/*2.20A	----	2.20 - 2.00	.0174	----	----	----	----	86 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4195	----	----	----/*2.30A	3.00B/*2.30A	----	2.30 - 2.00	.0181	----	----	----	----	112 UNCH
4200	3.00	3.00	3.20/*2.30A	3.20/*2.30A	----	2.30 - 2.10	.0182	----	----	33	----	2149 - 23
4205	----	----	----/*2.30A	3.10B/*2.30A	----	2.40 - 2.10	.0189	----	----	----	----	200 UNCH
4210	----	----	----/*2.40A	3.20B/*2.40A	----	2.40 - 2.20	.0190	----	----	----	----	87 UNCH
4215	----	----	----/*2.40A	3.20B/*2.40A	----	2.50 - 2.20	.0197	----	----	----	----	178 UNCH
4220	2.90	2.90	2.90/*2.40A	3.30B/*2.40A	----	2.50 - 2.30	.0199	----	----	3	----	20 - 3
4225	----	----	----/*2.40A	3.40B/*2.40A	----	2.50 - 2.40	.0200	----	----	1	----	222 - 1
4230	----	----	----/*2.50A	3.50B/*2.50A	----	2.60 - 2.40	.0207	----	----	----	----	148 UNCH
4235	----	----	----/*2.50A	3.60B/*2.50A	----	2.60 - 2.50	.0209	----	----	2	----	59 UNCH
4240	----	----	----/*2.60A	3.70B/*2.60A	----	2.70 - 2.50	.0216	----	----	----	----	160 UNCH
4245	2.70	2.70	2.70/*2.60A	3.80B/*2.60A	----	2.70 - 2.60	.0218	----	----	5	----	53 - 5
4250	3.50	3.50	3.50/*2.70A	3.90B/*2.70A	----	2.80 - 2.70	.0225	----	----	57	----	974 - 54
4255	----	----	----/*2.70A	3.90B/*2.70A	----	2.90 - 2.70	.0233	----	----	----	----	41 UNCH
4260	----	----	----/*2.70A	4.10B/*2.70A	----	2.90 - 2.80	.0234	----	----	----	----	106 UNCH
4265	----	----	----/*2.80A	4.10B/*2.80A	----	3.00 - 2.90	.0242	----	----	1	----	73 UNCH
4270	----	----	----/*2.80A	4.20B/*2.80A	----	3.00 - 3.00	.0244	----	----	----	----	116 UNCH
4275	----	----	----/*2.90A	4.40B/*2.90A	----	3.10 - 3.00	.0251	----	----	----	----	158 UNCH
4280	----	----	----/*3.00A	4.50B/*3.00A	----	3.20 - 3.10	.0259	----	----	----	----	120 UNCH
4285	----	----	----/*3.10A	4.60B/*3.10A	----	3.20 - 3.20	.0261	----	----	----	----	456 UNCH
4290	----	----	----/*3.10A	4.70B/*3.10A	----	3.30 - 3.30	.0269	----	----	----	----	107 UNCH
4295	4.80	4.80	4.80/*3.10A	4.90B/*3.10A	----	3.40 - 3.40	.0277	----	----	2	----	36 UNCH
4300	4.50	4.50	4.50/*2.80	5.00B/*2.80	----	3.50 - 3.40	.0285	----	----	148	----	2053 + 58
4305	----	----	----/*3.20A	5.10B/*3.20A	----	3.60 - 3.50	.0293	----	----	----	----	47 UNCH
4310	----	----	----/*3.30A	5.30B/*3.30A	----	3.60 - 3.70	.0295	----	----	1	----	56 UNCH
4315	----	----	----/*3.30A	5.40B/*3.30A	----	3.70 - 3.80	.0303	----	----	----	----	21 UNCH
4320	----	----	----/*3.40A	5.50B/*3.40A	----	3.80 - 3.80	.0311	----	----	----	----	68 UNCH
4325	----	----	----/*3.50A	5.70B/*3.50A	----	3.90 - 3.90	.0319	----	----	2	----	168 UNCH
4330	----	----	----/*3.60A	5.90B/*3.60A	----	4.00 - 4.00	.0328	----	----	1	----	276 UNCH
4335	----	----	----/*3.70A	6.00B/*3.70A	----	4.10 - 4.20	.0336	----	----	----	----	40 UNCH
4340	----	----	----/*3.70A	6.20B/*3.70A	----	4.20 - 4.30	.0344	----	----	----	----	147 UNCH
4345	5.70	5.70	5.70/*3.90A	6.40B/*3.90A	----	4.30 - 4.40	.0353	----	----	3	----	337 - 1
4350	4.00	4.00	4.00/*3.90	6.60B/*3.90	----	4.40 - 4.50	.0361	----	----	44	----	1044 - 6
4355	4.60	4.60	4.60/*3.90A	6.70B/*3.90A	----	4.50 - 4.70	.0370	----	----	2	----	79 UNCH
4360	4.80	4.80	4.80/*4.00A	7.00B/*4.00A	----	4.60 - 4.80	.0379	----	----	14	----	371 UNCH
4365	----	----	----/*4.20A	7.20B/*4.20A	----	4.80 - 4.90	.0393	----	----	----	----	39 UNCH
4370	----	----	----/*4.30A	7.40B/*4.30A	----	4.90 - 5.00	.0402	----	----	1	----	206 - 1
4375	4.90	4.90	5.00/*4.40A	7.60B/*4.40A	----	5.00 - 5.20	.0411	----	----	6	----	117 + 4
4380	7.00	7.00	7.00/*4.60A	7.80B/*4.60A	----	5.10 - 5.40	.0420	----	----	8	----	86 + 5
4385	5.40	5.40	5.50/*4.60A	8.10B/*4.60A	----	5.30 - 5.50	.0435	----	----	14	----	394 - 4
4390	----	----	----/*4.70A	8.30B/*4.70A	----	5.40 - 5.70	.0444	----	----	----	----	97 UNCH
4395	----	----	----/*4.80A	8.60B/*4.80A	----	5.60 - 5.80	.0459	----	----	----	----	62 UNCH
4400	9.50	9.50	9.50/*4.90A	9.50/*4.90A	----	5.70 - 6.00	.0469	----	----	105	----	3390 + 3
4405	----	----	----/*5.10A	9.10B/*5.10A	----	5.90 - 6.10	.0484	----	----	1	----	26 - 1
4410	----	----	----/*5.30A	9.40B/*5.30A	----	6.00 - 6.40	.0494	----	----	----	----	117 UNCH
4415	----	----	----/*5.30A	9.70B/*5.30A	----	6.20 - 6.50	.0509	----	----	1	----	121 UNCH
4420	----	----	----/*5.60A	10.00B/*5.60A	----	6.40 - 6.70	.0525	----	----	10	----	136 - 9
4425	----	----	----/*5.60A	10.30B/*5.60A	----	6.60 - 6.80	.0540	----	----	14	----	581 UNCH
4430	----	----	----/*5.80A	10.70B/*5.80A	----	6.70 - 7.10	.0550	----	----	----	----	88 UNCH
4435	----	----	----/*5.90A	11.00B/*5.90A	----	6.90 - 7.30	.0566	----	----	----	----	289 UNCH
4440	7.30	7.30	7.70/*6.10A	11.40B/*6.10A	----	7.10 - 7.50	.0582	----	----	20	----	290 - 10
4445	----	----	----/*6.30A	11.80B/*6.30A	----	7.30 - 7.80	.0598	----	----	5	----	125 UNCH
4450	10.00	10.00	10.00/*6.40A	12.10B/*6.40A	----	7.60 - 7.90	.0620	----	----	89	----	676 + 20
4455	----	----	----/*6.60A	12.60B/*6.60A	----	7.80 - 8.20	.0636	----	----	----	----	237 UNCH
4460	----	----	----/*6.80A	12.90B/*6.80A	----	8.00 - 8.40	.0652	----	----	----	----	58 UNCH
4465	----	----	----/*7.00A	13.30B/*7.00A	----	8.30 - 8.60	.0674	----	----	----	----	47 UNCH
4470	10.10	10.10	10.10/*7.20A	13.80B/*7.20A	----	8.50 - 8.90	.0691	----	----	6	----	108 UNCH
4475	10.30	10.30	10.70/*7.50A	14.20B/*7.50A	----	8.80 - 9.10	.0713	----	----	30	----	969 UNCH
4480	----	----	----/*7.70A	14.60B/*7.70A	----	9.00 - 9.50	.0730	----	----	3	----	181 UNCH
4485	----	----	----/*7.90A	15.10B/*7.90A	----	9.30 - 9.70	.0753	----	----	2	----	43 UNCH
4490	13.70	13.70	13.70/*8.20A	15.70B/*8.20A	----	9.60 - 10.00	.0775	----	----	9	----	257 - 3
4495	12.00	12.00	12.00/*8.50A	16.20B/*8.50A	----	9.90 - 10.30	.0798	----	----	8	----	28 + 3
4500	15.70	15.70	16.30/*8.70A	16.70B/*8.70A	----	10.20 - 10.60	.0821	----	----	635	----	2502 + 15
4505	9.70	9.70	9.70/*9.00A	17.40B/*9.00A	----	10.50 - 10.90	.0844	----	----	3	----	35 + 3
4510	9.70	9.70	9.70/*9.30A	17.80B/*9.30A	----	10.80 - 11.30	.0867	----	----	13	----	96 - 5
4515	----	----	----/*9.60A	18.40B/*9.60A	----	11.20 - 11.50	.0895	----	----	----	----	57 UNCH
4520	16.30	16.30	16.30/*9.90A	19.00B/*9.90A	----	11.50 - 11.90	.0919	----	----	8	----	177 + 3
4525	12.60	12.60	12.60/*10.20A	19.80B/*10.20A	----	11.90 - 12.20	.0948	----	----	14	----	789 + 5
4530	13.80	13.80	13.90/*10.50A	20.40B/*10.50A	----	12.30 - 12.50	.0976	----	----	5	----	47 + 2
4535	13.50	13.50	13.80/*10.90A	21.10B/*10.90A	----	12.70 - 12.90	.1005	----	----	8	----	216 UNCH
4540	13.60	13.60	13.60/*11.30A	21.80B/*11.30A	----	13.10 - 13.30	.1034	----	----	1	----	44 + 1
4545	11.60	11.60	11.60/*11.60	22.40B/*11.60	----	13.50 - 13.70	.1064	----	----	3	----	76 + 2
4550	14.90	14.90	14.90/*12.10A	23.20B/*12.10A	----	13.90 - 14.10	.1093	----	----	5	----	764 UNCH
4555	----	----	----/*12.50A	23.90B/*12.50A	----	14.40 - 14.40	.1128	----	----	2	----	19 UNCH
4560	16.00	16.00	16.30/*12.80A	24.70B/*12.80A	----	14.90 - 14.80	.1162	----	----	5	----	93 + 4
4565	17.20	17.20	17.20/*13.20A	25.50B/*13.20A	----	15.40 - 15.20	.1197	----	----	4	----	146 + 2
4570	18.10	18.10	19.60/*13.70A	26.30B/*13.70A	----	15.90 - 15.60	.1232	----	----	10	----	185 + 2
4575	23.80	23.80	24.10/*14.10A	27.20B/*14.10A	----	16.40 - 16.10	.1267	----	----	31	----	115 + 12
4580	18.60	18.60	18.60/*14.60A	28.20B/*14.60A	----	17.00 - 16.40	.1306	----	----	14	----	144 + 7
4585	19.80	19.80	19.80/*15.10A	29.00B/*15.10A	----	17.50 - 16.90	.1342	----	----	6	----	22 + 3
4590	20.20	20.20	20.20/*15.60A	29.90B/*15.60A	----	18.10 - 17.40	.1382	----	----	3	----	100 UNCH
4595	20.90	20.90	20.90/*16.10A	30.90B/*16.10A	----	18.70 - 17.80	.1422	----	----	2	----	63 + 1
4600	29.50	29.50	29.50/*16.50	32.00B/*16.50	----	19.30 - 18.30	.1463	----	----	385	----	2486 + 15
4605	----	----	----/*17.30A	33.00B/*17.30A	----	20.00 - 18.70	.1508	----	----	----	----	79 UNCH
4610	23.10	23.10	23.10/*17.80A	34.00B/*17.80A	----	20.70 - 19.20	.1552	----	----	8	----	202 - 5
4615	22.10	22.10	22.10/*18.50A	35.10B/*18.50A	----	21.40 - 19.60	.1597	----	----	2	----	104 + 1
4620	30.50	30.50	30.50/*19.00A	36.30B/*19.00A	----	22.10 - 20.20	.1643	----	----	79	----	214 + 18
4625	25.30	25.30	25.30/*19.70A	37.40B/*19.70A	----	22.80 - 20.70	.1688	----	----	176	----	357 + 69
4630	27.50	27.50	31.50/*20.40A	38.70B/*20.40A	----	23.60 - 21.20	.1738	----	----	24	----	817 + 1
4635	30.50	30.50	30.50/*21.10A	39.90B/*21.10A	----	24.40 - 21.70	.1788	----	----	12	----	521 - 6
4640	32.10	32.10	32.10/*21.80A	41.10B/*21.80A	----	25.20 - 22.20	.1838	----	----	3	----	148 + 3
4645	----	----	----/*22.50A	42.50B/*22.50A	----	26.10 - 22.70	.1891	----	----	1	----	48 UNCH
4650	40.40	40.40	40.40/*23.20	43.80B/*23.20	----	27.00 - 23.20	.1945	----	----	142	----	891 + 10
4655	34.50	34.50	34.50/*24.10A	45.20B/*24.10A	----	27.90 - 23.80	.1999	----	----	5	----	227 + 1
4660	36.00	36.00	36.00/*24.90A	46.80B/*24.90A	----	28.80 - 24.40	.2053	----	----	2	----	200 - 2
4665	44.60	44.60	44.60/*25.80A	48.10B/*25.80A	----	29.70 - 25.00	.2108	----	----	17	----	88 + 3
4670	43.00	43.00	43.50/*26.70A	49.60B/*26.70A	----	30.70 - 25.60	.2166	----	----	26	----	185 + 15
4675	36.80	36.80	36.80/*27.60A	51.10B/*27.60A	----	31.70 - 26.20	.2224	----	----	9	----	423 + 3
4680	39.60	39.60	39.60/*28.50A	52.90B/*28.50A	----	32.80 - 26.70	.2286	----	----	19	----	269 - 14
4685	36.00	36.00	36.00/*29.50A	54.50B/*29.50A	----	33.80 - 27.40	.2345	----	----	4	----	173 - 2
4690	47.00	47.00	47.00/30.50A	56.00B/30.50A	----	34.90 - 28.00	.2407	----	----	10	----	227 UNCH
4695	43.40	43.40	45.70/31.50A	57.60B/31.50A	----	36.10 - 28.60	.2472	----	----	23	----	116 - 3
4700	49.30	49.30	53.00/32.60A	59.60B/32.60A	----	37.30 - 29.20	.2537	----	----	281	----	1992 - 22
4705	----	----	----/33.70A	61.40B/33.70A	----	38.50 - 29.80	.2602	----	----	1	----	40 UNCH
4710	45.80	45.80	46.00/34.80A	62.80B/34.80A	----	39.70 - 30.50	.2668	----	----	4	----	227 - 2
4715	52.90	52.90	52.90/35.90A	64.90B/35.90A	----	41.00 - 31.10	.2737	----	----	17	----	80 - 2
4720	48.70	48.70	48.70/37.10A	66.80B/37.10A	----	42.40 - 31.60	.2808	----	----	8	----	551 UNCH
4725	55.50	55.50	57.50/38.30A	68.90B/38.30A	----	43.70 - 32.30	.2876	----	----	24	----	85 + 7
4730	56.90	56.90	56.90/39.60A	70.90B/39.60A	----	45.10 - 32.90	.2948	----	----	6	----	121 - 6
4735	58.60	58.60	58.60/40.90A	72.80B/40.90A	----	46.60 - 33.50	.3022	----	----	11	----	34 + 10
4740	70.20	70.20	70.20/42.20A	74.90B/42.20A	----	48.10 - 34.10	.3095	----	----	32	----	110 - 4
4745	----	----	----/43.60A	76.90B/43.60A	----	49.60 - 34.80	.3169	----	----	----	----	39 UNCH
4750	63.60	63.60	68.00/45.00A	79.10B/45.00A	----	51.20 - 35.40	.3246	----	----	202	----	666 + 58
4755	----	----	----/46.40A	81.20B/46.40A	----	52.80 - 36.00	.3322	----	----	----	----	155 UNCH
4760	68.10	68.10	68.10/47.80A	83.60B/47.80A	----	54.50 - 36.60	.3400	----	----	3	----	135 UNCH
4765	77.70	77.70	77.70/49.40A	85.90B/49.40A	----	56.20 - 37.20	.3478	----	----	13	----	71 + 9
4770	64.20	64.20	64.20/50.90A	88.30B/50.90A	----	57.90 - 37.90	.3557	----	----	31	----	107 + 31
4775	77.80	77.80	77.80/52.50A	90.70B/52.50A	----	59.60 - 38.60	.3636	----	----	100	----	423 - 4
4780	79.00	79.00	83.10/54.20A	93.10B/54.20A	----	61.40 - 39.30	.3716	----	----	18	----	123 + 9
4785	84.00	84.00	84.70/55.90A	95.70B/55.90A	----	63.20 - 40.00	.3797	----	----	124	----	111 + 19
4790	88.50	88.50	88.50/57.70A	98.10B/57.70A	----	65.10 - 40.70	.3879	----	----	24	----	378 + 4
4795	85.90	85.90	90.50/59.40A	100.70B/59.40A	----	67.00 - 41.40	.3961	----	----	23	----	44 + 9
4800	93.00	93.00	93.00/61.30A	103.50B/61.30A	----	69.00 - 42.10	.4045	----	----	191	----	1426 + 7
4805	94.00	94.00	94.00/63.10A	106.20B/63.10A	----	71.00 - 42.80	.4128	----	----	12	----	59 + 2
4810	88.50	88.50	88.50/65.00A	108.80B/65.00A	----	73.00 - 43.60	.4212	----	----	9	----	263 UNCH
4815	92.10	92.10	92.10/67.00A	111.70B/67.00A	----	75.10 - 44.30	.4297	----	----	41	----	49 + 25
4820	77.50	77.50	77.50/68.90A	114.40B/68.90A	----	77.30 - 44.90	.4383	----	----	1	----	260 - 1
4825	95.70	95.70	95.70/71.10A	117.30B/71.10A	----	79.50 - 45.60	.4469	----	----	128	----	272 + 84
4830	81.00	81.00	81.10/73.20A	120.10B/73.20A	----	81.80 - 46.30	.4555	----	----	3	----	67 UNCH
4835	101.40	101.40	101.40/75.30A	123.10B/75.30A	----	84.10 - 46.90	.4641	----	----	4	----	138 + 3
4840	102.80	102.80	102.80/77.50A	126.10B/77.50A	----	86.40 - 47.60	.4728	----	----	14	----	65 + 9
4845	105.50	105.50	105.50/79.70A	129.20B/79.70A	----	88.80 - 48.30	.4815	----	----	5	----	41 + 1
4850	105.00	105.00	108.30/81.90A	132.30B/81.90A	----	91.30 - 48.90	.4902	----	----	49	----	1099 + 20
4855	94.20	94.20	94.20/84.40A	135.30B/84.40A	----	93.80 - 49.50	.4989	----	----	4	----	80 + 4
4860	107.10	107.10	107.10/86.80A	138.60B/86.80A	----	96.40 - 50.10	.5076	----	----	2	----	36 UNCH
4865	110.10	110.10	110.10/89.20A	142.00B/89.20A	----	99.00 - 50.70	.5163	----	----	65	----	88 + 61
4870	112.90	112.90	112.90/91.60A	145.30B/91.60A	----	101.60 - 51.40	.5251	----	----	12	----	237 + 3
4875	115.80	115.80	115.80/94.00A	148.60B/94.00A	----	104.30 - 52.00	.5337	----	----	7	----	274 - 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4880	----	----	----/96.80A	151.90B/96.80A	----	107.10 - 52.60	.5424	----	----	1	----	90 UNCH
4885	117.20	117.20	117.20/99.50A	155.40B/99.50A	----	109.90 - 53.20	.5510	----	----	2	----	21 UNCH
4890	120.90	120.90	120.90/102.20A	158.80B/102.20A	----	112.70 - 53.90	.5597	----	----	2	----	64 - 2
4895	----	----	----/104.80A	162.40B/104.80A	----	115.60 - 54.50	.5682	----	----	----	----	96 UNCH
4900	----	----	----/107.50A	166.00B/107.50A	----	118.50 - 55.10	.5767	----	----	13	----	1067 + 7
4905	----	----	----/110.50A	169.60B/110.50A	----	121.50 - 55.70	.5852	----	----	----	----	53 UNCH
4910	----	----	----/113.30A	173.30B/113.30A	----	124.50 - 56.30	.5936	----	----	----	----	89 UNCH
4915	----	----	----/116.20A	177.00B/116.20A	----	127.60 - 56.90	.6020	----	----	----	----	29 UNCH
4920	152.40	152.40	152.40/119.10A	181.10B/119.10A	----	130.70 - 57.50	.6103	----	----	1	----	149 - 1
4925	----	----	----/122.10A	184.60B/122.10A	----	133.90 - 58.10	.6185	----	----	----	----	47 UNCH
4930	----	----	----/125.10A	188.40B/125.10A	----	137.10 - 58.70	.6267	----	----	----	----	53 UNCH
4935	----	----	----/128.20A	192.30B/128.20A	----	140.30 - 59.30	.6349	----	----	----	----	54 UNCH
4940	----	----	----/131.30A	196.20B/131.30A	----	143.60 - 59.80	.6429	----	----	----	----	14 UNCH
4945	----	----	----/134.40A	200.10B/134.40A	----	147.00 - 60.30	.6508	----	----	----	----	48 UNCH
4950	----	----	----/138.00A	204.10B/138.00A	----	150.30 - 61.00	.6588	----	----	1	----	753 UNCH
4955	----	----	----/141.00A	208.00B/141.00A	----	153.70 - 61.50	.6664	----	----	----	----	83 UNCH
4960	----	----	----/144.20A	212.10B/144.20A	----	157.20 - 62.00	.6743	----	----	1	----	132 UNCH
4965	----	----	----/147.70A	216.20B/147.70A	----	160.70 - 62.60	.6819	----	----	----	----	25 UNCH
4970	----	----	----/151.30A	220.30B/151.30A	----	164.20 - 63.10	.6892	----	----	2	----	4 UNCH
4975	----	----	----/154.50A	224.30B/154.50A	----	167.80 - 63.60	.6969	----	----	1	----	89 UNCH
4980	----	----	----/158.00A	228.60B/158.00A	----	171.40 - 64.10	.7042	----	----	2	----	56 UNCH
4985	----	----	----/161.50A	232.80B/161.50A	----	175.00 - 64.70	.7113	----	----	----	----	124 UNCH
4990	----	----	----/165.10A	237.00B/165.10A	----	178.70 - 65.20	.7184	----	----	1	----	34 - 1
4995	----	----	----/168.60A	241.10B/168.60A	----	182.40 - 65.70	.7255	----	----	2	----	222 UNCH
5000	----	----	----/172.20A	245.50B/172.20A	----	186.20 - 66.10	.7323	----	----	2	----	1119 - 2
5005	----	----	----/175.80A	250.00B/175.80A	----	190.00 - 66.60	.7391	----	----	2	----	41 UNCH
5010	----	----	----/179.80A	254.30B/179.80A	----	193.80 - 67.10	.7458	----	----	----	----	14 UNCH
5015	----	----	----/183.30A	258.30B/183.30A	----	197.70 - 67.50	.7526	----	----	----	----	23 UNCH
5020	----	----	----/187.00A	262.80B/187.00A	----	201.50 - 68.00	.7591	----	----	----	----	23 UNCH
5025	----	----	----/190.80A	267.50B/190.80A	----	205.50 - 68.40	.7652	----	----	3	----	153 - 1
5030	----	----	----/194.70A	271.90B/194.70A	----	209.40 - 68.90	.7716	----	----	----	----	24 UNCH
5035	----	----	----/198.90A	276.00B/198.90A	----	213.40 - 69.30	.7777	----	----	----	----	13 UNCH
5040	----	----	----/202.30A	280.40B/202.30A	----	217.40 - 69.70	.7838	----	----	1	----	134 - 1
5045	----	----	----/206.30A	284.90B/206.30A	----	221.50 - 70.00	.7895	----	----	----	----	28 UNCH
5050	----	----	----/210.10A	289.30B/210.10A	----	225.50 - 70.50	.7956	----	----	1	----	435 UNCH
5055	----	----	----/214.10A	293.90B/214.10A	----	229.60 - 70.90	.8009	----	----	----	----	107 UNCH
5060	----	----	----/218.10A	298.50B/218.10A	----	233.80 - 71.20	.8066	----	----	1	----	84 UNCH
5065	----	----	----/222.40A	302.90B/222.40A	----	237.90 - 71.60	.8119	----	----	----	----	54 UNCH
5070	----	----	----/226.30A	307.50B/226.30A	----	242.10 - 72.00	.8176	----	----	----	----	175 UNCH
5075	----	----	----/230.60A	312.20B/230.60A	----	246.30 - 72.30	.8224	----	----	----	----	47 UNCH
5080	----	----	----/234.60A	317.10B/234.60A	----	250.60 - 72.60	.8277	----	----	----	----	85 UNCH
5085	----	----	----/238.90A	321.70B/238.90A	----	254.80 - 73.00	.8325	----	----	----	----	116 UNCH
5090	----	----	----/243.10A	326.00B/243.10A	----	259.10 - 73.30	.8373	----	----	----	----	23 UNCH
5095	----	----	----/247.30A	331.00B/247.30A	----	263.40 - 73.60	.8421	----	----	----	----	17 UNCH
5100	----	----	----/251.50A	335.70B/251.50A	----	267.80 - 73.90	.8464	----	----	----	----	391 UNCH
5105	----	----	----/255.90A	340.00B/255.90A	----	272.20 - 74.10	.8512	----	----	----	----	57 UNCH
5110	----	----	----/260.10A	344.70B/260.10A	----	276.60 - 74.40	.8555	----	----	----	----	285 UNCH
5115	----	----	----/264.50A	349.40B/264.50A	----	281.00 - 74.70	.8593	----	----	1	----	24 UNCH
5120	----	----	----/268.90A	354.50B/268.90A	----	285.40 - 75.00	.8636	----	----	----	----	18 UNCH
5125	----	----	----/273.30A	359.20B/273.30A	----	289.90 - 75.20	.8673	----	----	1	----	88 - 1
5130	----	----	----/277.60A	363.60B/277.60A	----	294.40 - 75.40	.8711	----	----	----	----	120 UNCH
5135	----	----	----/282.10A	368.70B/282.10A	----	298.90 - 75.70	.8749	----	----	----	----	95 UNCH
5140	----	----	----/286.60A	373.00B/286.60A	----	303.40 - 75.90	.8786	----	----	----	----	23 UNCH
5145	----	----	----/291.10A	377.90B/291.10A	----	307.90 - 76.20	.8823	----	----	----	----	44 UNCH
5150	----	----	----/295.50A	383.10B/295.50A	----	312.50 - 76.30	.8855	----	----	----	----	372 UNCH
5155	----	----	----/300.40A	387.90B/300.40A	----	317.00 - 76.60	.8887	----	----	----	----	9 UNCH
5160	----	----	----/304.50A	392.70B/304.50A	----	321.60 - 76.80	.8918	----	----	----	----	31 UNCH
5165	----	----	----/309.10A	397.50B/309.10A	----	326.20 - 77.00	.8950	----	----	----	----	47 UNCH
5170	----	----	----/313.60A	402.30B/313.60A	----	330.90 - 77.10	.8981	----	----	----	----	155 UNCH
5175	----	----	----/318.20A	407.10B/318.20A	----	335.50 - 77.30	.9012	----	----	----	----	30 UNCH
5180	----	----	----/322.70A	412.00B/322.70A	----	340.10 - 77.50	.9038	----	----	----	----	76 UNCH
5185	----	----	----/328.00A	416.80B/328.00A	----	344.80 - 77.70	.9063	----	----	----	----	2 UNCH
5190	----	----	----/332.50A	421.70B/332.50A	----	349.50 - 77.80	.9094	----	----	----	----	10 UNCH
5195	----	----	----/336.60A	426.50B/336.60A	----	354.20 - 77.90	.9119	----	----	----	----	25 UNCH
5200	----	----	----/341.30A	431.40B/341.30A	----	358.90 - 78.10	.9144	----	----	----	----	424 UNCH
5205	----	----	----/346.00A	436.30B/346.00A	----	363.60 - 78.20	.9168	----	----	----	----	19 UNCH
5210	----	----	----/351.20A	441.10B/351.20A	----	368.30 - 78.40	.9187	----	----	----	----	9 UNCH
5215	----	----	----/355.90A	446.00B/355.90A	----	373.00 - 78.50	.9212	----	----	----	----	5 UNCH
5220	----	----	----/360.60A	444.60B/360.60A	----	377.80 - 78.60	.9230	----	----	----	----	9 UNCH
5225	----	----	----/365.30A	449.50B/365.30A	----	382.50 - 78.80	.9255	----	----	----	----	59 UNCH
5230	----	----	----/370.00A	454.40B/370.00A	----	387.30 - 78.90	.9273	----	----	----	----	10 UNCH
5235	----	----	----/374.80A	459.20B/374.80A	----	392.10 - 79.00	.9291	----	----	----	----	71 UNCH
5240	----	----	----/379.50A	464.10B/379.50A	----	396.90 - 79.00	.9309	----	----	----	----	43 UNCH
5245	----	----	----/384.30A	469.00B/384.30A	----	401.70 - 79.10	.9326	----	----	----	----	15 UNCH
5250	----	----	----/389.00A	473.90B/389.00A	----	406.50 - 79.20	.9344	----	----	1	----	423 - 1
5255	----	----	----/393.80A	478.80B/393.80A	----	411.30 - 79.30	.9362	----	----	----	----	4 UNCH
5260	----	----	----/398.60A	483.80B/398.60A	----	416.10 - 79.40	.9379	----	----	----	----	11 UNCH
5265	----	----	----/403.40A	488.80B/403.40A	----	420.90 - 79.60	.9396	----	----	----	----	7 UNCH
5270	----	----	----/408.20A	493.70B/408.20A	----	425.70 - 79.70	.9414	----	----	----	----	30 UNCH
5275	----	----	----/413.00A	498.60B/413.00A	----	430.60 - 79.70	.9424	----	----	----	----	206 UNCH
5280	----	----	----/417.80A	503.50B/417.80A	----	435.40 - 79.80	.9441	----	----	----	----	33 UNCH
5290	----	----	----/427.60A	513.40B/427.60A	----	445.10 - 80.00	.9469	----	----	----	----	2 UNCH
5295	----	----	----/432.40A	518.20B/432.40A	----	450.00 - 80.00	.9479	----	----	----	----	5 UNCH
5300	----	----	----/437.20A	523.30B/437.20A	----	454.80 - 80.10	.9496	----	----	----	----	108 UNCH
5305	----	----	----/442.10A	528.20B/442.10A	----	459.70 - 80.10	.9506	----	----	----	----	40 UNCH
5310	----	----	----/446.90A	533.10B/446.90A	----	464.60 - 80.20	.9516	----	----	----	----	32 UNCH
5315	----	----	----/451.80A	501.20B/451.80A	----	469.40 - 80.30	.9526	----	----	----	----	1 UNCH
5320	----	----	----/456.70A	530.50B/456.70A	----	474.30 - 80.40	.9543	----	----	----	----	26 UNCH
5325	----	----	----/461.50A	535.50B/461.50A	----	479.20 - 80.40	.9552	----	----	----	----	51 UNCH
5330	----	----	----/466.40A	540.40B/466.40A	----	484.10 - 80.40	.9562	----	----	----	----	27 UNCH
5335	----	----	----/471.40A	520.60B/471.40A	----	489.00 - 80.50	.9572	----	----	----	----	1 UNCH
5340	----	----	----/476.10A	550.30B/476.10A	----	493.90 - 80.50	.9581	----	----	----	----	12 UNCH
5350	----	----	----/485.90A	560.20B/485.90A	----	503.60 - 80.70	.9600	----	----	1	----	43 UNCH
5360	----	----	----/495.70A	570.20B/495.70A	----	513.50 - 80.80	.9619	----	----	----	----	11 UNCH
5365	----	----	----/500.60A	575.10B/500.60A	----	518.40 - 80.80	.9628	----	----	----	----	11 UNCH
5370	----	----	----/505.60A	580.10B/505.60A	----	523.30 - 80.90	.9638	----	----	----	----	32 UNCH
5375	----	----	----/510.50A	585.10B/510.50A	----	528.20 - 80.90	.9640	----	----	----	----	32 UNCH
5380	----	----	----/515.50A	590.00B/515.50A	----	533.10 - 81.00	.9649	----	----	----	----	4 UNCH
5385	----	----	----/520.40A	594.90B/520.40A	----	538.00 - 81.00	.9658	----	----	----	----	15 UNCH
5390	----	----	----/525.50A	570.60B/525.50A	----	542.90 - 81.10	.9667	----	----	----	----	1 UNCH
5395	----	----	----/530.30A	540.00B/530.30A	----	547.90 - 81.10	.9676	----	----	----	----	1 UNCH
5400	----	----	----/535.20A	611.00B/535.20A	----	552.80 - 81.10	.9678	----	----	----	----	96 UNCH
5410	----	----	----/544.90A	619.80B/544.90A	----	562.70 - 81.20	.9696	----	----	----	----	55 UNCH
5420	----	----	----/554.90A	629.80B/554.90A	----	572.50 - 81.30	.9706	----	----	----	----	7 UNCH
5425	----	----	----/559.80A	634.80B/559.80A	----	577.50 - 81.30	.9708	----	----	----	----	32 UNCH
5435	----	----	----	----	----	587.30 - 81.40	.9725	----	----	----	----	2 UNCH
5445	----	----	----	----	----	597.20 - 81.50	.9735	----	----	----	----	1 UNCH
5450	----	----	----/588.70A	659.60B/588.70A	----	602.20 - 81.40	.9737	----	----	----	----	20 UNCH
5475	----	----	----	----	----	626.90 - 81.60	.9758	----	----	----	----	1 UNCH
5490	----	----	----/628.30A	699.50B/628.30A	----	641.80 - 81.60	.9776	----	----	----	----	3 UNCH
5500	----	----	----/638.40A	709.40B/638.40A	----	651.70 - 81.70	.9778	----	----	----	----	34 UNCH
5515	----	----	----/653.10A	724.40B/653.10A	----	666.60 - 81.70	.9788	----	----	----	----	10 UNCH
5520	----	----	----	----	----	671.60 - 81.70	.9797	----	----	----	----	1 UNCH
5530	----	----	----/668.00A	739.30B/668.00A	----	681.50 - 81.80	.9799	----	----	----	----	10 UNCH
5535	----	----	----/672.60A	744.30B/672.60A	----	686.50 - 81.80	.9807	----	----	----	----	10 UNCH
5540	----	----	----/678.00A	749.30B/678.00A	----	691.50 - 81.80	.9808	----	----	----	----	5 UNCH
5550	----	----	----/687.90A	759.20B/687.90A	----	701.40 - 81.80	.9817	----	----	----	----	5 UNCH
5565	----	----	----/702.80A	774.20B/702.80A	----	716.30 - 81.90	.9819	----	----	----	----	10 UNCH
5575	----	----	----/712.80A	784.10B/712.80A	----	726.30 - 81.90	.9828	----	----	----	----	12 UNCH
5590	----	----	----/727.70A	799.10B/727.70A	----	741.20 - 81.90	.9837	----	----	----	----	25 UNCH
5600	----	----	----/737.60A	809.10B/737.60A	----	751.10 - 82.00	.9839	----	----	----	----	12 UNCH
5625	----	----	----	----	----	776.00 - 82.00	.9849	----	----	----	----	2 UNCH
5640	----	----	----	----	----	791.00 - 82.00	.9858	----	----	----	----	1 UNCH
5890	----	----	----/1,027.00A	1098.40B/1027.00A	----	1040.30 - 82.40	.9921	----	----	----	----	4 UNCH
5960	----	----	----	----	----	1110.20 - 82.50	.9931	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1130.10 - 82.60	.9939	----	----	----	----	1 UNCH
6025	----	----	----/1,161.60A	1233.20B/1161.60A	----	1175.10 - 82.50	.9940	----	----	----	----	3 UNCH
6100	----	----	----/1,236.50A	1308.10B/1236.50A	----	1250.00 - 82.60	.9950	----	----	----	----	7 UNCH
TOTAL										4159		90383 + 392
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1400	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1525	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	175 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	4 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1795	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1855	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1875	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH
1905	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	7 UNCH
1915	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1920	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1950	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1955	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1965	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1975	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	85 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	603 UNCH
2005	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2010	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2015	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	7 UNCH
2020	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2025	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	40 UNCH
2030	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	13 UNCH
2050	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	20 UNCH
2085	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	15 UNCH
2100	----	----	----	----/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	90 UNCH
2105	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
2130	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
2170	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2180	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	6 UNCH
2195	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2200	----	----	----	----/*0.20A	----	0.20 UNCH	.0005	----	----	----	----	9 UNCH
2205	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	7 UNCH
2220	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2230	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	25 UNCH
2235	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	21 UNCH
2240	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	6 UNCH
2250	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	5 UNCH
2300	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0006	----	----	----	----	13 UNCH
2315	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	40 UNCH
2330	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	9 UNCH
2350	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2380	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0008	----	----	----	----	9 UNCH
2385	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2390	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2395	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2400	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 - 0.10	.0009	----	----	----	----	72 UNCH
2405	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2410	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	6 UNCH
2415	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2420	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	5 UNCH
2425	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.30 - 0.10	.0009	----	----	21	----	23 + 21
2430	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2445	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	5 UNCH
2450	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.30 - 0.10	.0009	----	----	50	----	51 + 49
2460	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2465	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	7 UNCH
2475	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2495	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.10	.0012	----	----	----	----	1 UNCH
2500	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.40 - 0.10	.0012	----	----	32	----	1920 UNCH
2510	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0012	----	----	----	----	2 UNCH
2525	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0012	----	----	----	----	25 UNCH
2535	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0012	----	----	----	----	5 UNCH
2540	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0012	----	----	----	----	5 UNCH
2550	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0012	----	----	----	----	50 UNCH
2565	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0012	----	----	----	----	5 UNCH
2580	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0012	----	----	----	----	5 UNCH
2590	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0012	----	----	----	----	8 UNCH
2600	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0012	----	----	----	----	159 UNCH
2650	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0015	----	----	----	----	1 UNCH
2695	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0019	----	----	----	----	2 UNCH
2700	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0019	----	----	----	----	427 UNCH
2730	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.20	.0019	----	----	----	----	5 UNCH
2750	----	----	----	0.50B/0.80A	----	0.60 - 0.20	.0019	----	----	----	----	1 UNCH
2800	----	----	----/0.80A	0.60B/0.80A	----	0.70 - 0.20	.0023	----	----	----	----	751 UNCH
2805	----	----	----	0.60B/0.90A	----	0.70 - 0.20	.0023	----	----	----	----	223 UNCH
2810	----	----	----	0.60B/0.90A	----	0.70 - 0.20	.0023	----	----	----	----	39 UNCH
2825	----	----	----/0.90A	0.60B/0.90A	----	0.70 - 0.30	.0023	----	----	----	----	51 UNCH
2830	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.30	.0023	----	----	----	----	25 UNCH
2850	----	----	----/0.90A	0.70B/0.90A	----	0.80 - 0.20	.0026	----	----	----	----	22 UNCH
2875	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.30	.0026	----	----	----	----	7 UNCH
2900	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.30	.0027	----	----	----	----	155 UNCH
2905	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.40	.0027	----	----	----	----	5 UNCH
2915	----	----	----/1.10A	0.80B/1.10A	----	0.90 - 0.30	.0030	----	----	----	----	1 UNCH
2930	----	----	----/1.10A	0.80B/1.10A	----	0.90 - 0.30	.0030	----	----	----	----	1 UNCH
2935	----	----	----/1.10A	0.90B/1.10A	----	0.90 - 0.30	.0030	----	----	----	----	3 UNCH
2950	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.40	.0030	----	----	----	----	24 UNCH
2970	----	----	----/1.20A	0.90B/1.20A	----	0.90 - 0.40	.0031	----	----	----	----	1 UNCH
2975	----	----	----/1.20A	1.00B/1.20A	----	1.00 - 0.30	.0034	----	----	----	----	9 UNCH
2990	----	----	----/1.30A	1.00B/1.30A	----	1.00 - 0.40	.0034	----	----	----	----	5 UNCH
2995	----	----	----/1.30A	1.00B/1.30A	----	1.00 - 0.40	.0034	----	----	----	----	6 UNCH
3000	1.20	1.20	1.20/*1.00A	1.20/*1.00A	----	1.00 - 0.40	.0034	----	----	1	----	1664 UNCH
3005	----	----	----/*1.30A	1.00B/*1.30A	----	1.00 - 0.40	.0034	----	----	----	----	30 UNCH
3010	----	----	----/*1.30A	1.00B/*1.30A	----	1.00 - 0.40	.0034	----	----	----	----	8 UNCH
3015	----	----	----/*1.30A	1.10B/*1.30A	----	1.00 - 0.50	.0035	----	----	----	----	215 UNCH
3020	----	----	----/*1.30A	1.10B/*1.30A	----	1.00 - 0.50	.0035	----	----	----	----	35 UNCH
3035	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.40	.0038	----	----	----	----	1 UNCH
3050	----	----	----/*1.40A	1.10B/*1.40A	----	1.10 - 0.50	.0038	----	----	----	----	389 UNCH
3065	----	----	----/*1.40A	1.20B/*1.40A	----	1.10 - 0.50	.0039	----	----	----	----	7 UNCH
3070	----	----	----/*1.40A	1.20B/*1.40A	----	1.10 - 0.50	.0039	----	----	----	----	6 UNCH
3075	----	----	----/*1.40A	1.20B/*1.40A	----	1.10 - 0.50	.0039	----	----	----	----	10 UNCH
3080	----	----	----/*1.40A	1.20B/*1.40A	----	1.20 - 0.50	.0042	----	----	----	----	8 UNCH
3095	----	----	----/*1.50A	1.20B/*1.50A	----	1.20 - 0.50	.0042	----	----	----	----	41 UNCH
3100	1.50	1.50	1.50/*1.20	1.50/*1.20	----	1.20 - 0.50	.0042	----	----	2	----	366 UNCH
3105	----	----	----/*1.50A	1.20B/*1.50A	----	1.20 - 0.50	.0042	----	----	----	----	13 UNCH
3110	----	----	----/*1.50A	1.30B/*1.50A	----	1.20 - 0.60	.0043	----	----	----	----	10 UNCH
3120	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.50	.0046	----	----	----	----	13 UNCH
3125	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.50	.0046	----	----	----	----	10 UNCH
3130	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.50	.0046	----	----	----	----	26 UNCH
3140	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.60	.0046	----	----	----	----	5 UNCH
3150	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.60	.0047	----	----	----	----	149 UNCH
3155	----	----	----/*1.70A	1.40B/*1.70A	----	1.30 - 0.60	.0047	----	----	----	----	16 UNCH
3160	----	----	----/*1.70A	1.40B/*1.70A	----	1.40 - 0.50	.0050	----	----	----	----	5 UNCH
3170	----	----	----/*1.70A	1.40B/*1.70A	----	1.40 - 0.60	.0050	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3175	----	----	----/*1.70A	1.40B/*1.70A	----	1.40 - 0.60	.0050	----	----	----	----	12 UNCH
3180	----	----	----/*1.70A	1.50B/*1.70A	----	1.40 - 0.60	.0050	----	----	----	----	5 UNCH
3185	----	----	----/*1.80A	1.40B/*1.80A	----	1.40 - 0.60	.0051	----	----	----	----	6 UNCH
3190	----	----	----/*1.80A	1.50B/*1.80A	----	1.40 - 0.60	.0051	----	----	----	----	18 UNCH
3195	----	----	----/*1.80A	1.50B/*1.80A	----	1.50 - 0.60	.0054	----	----	----	----	12 UNCH
3200	1.80	1.80	1.80/*1.80	1.80/*1.80	----	1.50 - 0.60	.0054	----	----	1	----	298 UNCH
3205	----	----	----/*1.80A	1.50B/*1.80A	----	1.50 - 0.60	.0054	----	----	----	----	42 UNCH
3210	----	----	----/*1.80A	1.50B/*1.80A	----	1.50 - 0.60	.0054	----	----	----	----	15 UNCH
3215	----	----	----/*1.90A	1.60B/*1.90A	----	1.50 - 0.60	.0055	----	----	----	----	22 UNCH
3220	----	----	----/*1.90A	1.60B/*1.90A	----	1.50 - 0.60	.0055	----	----	----	----	7 UNCH
3225	----	----	----/*1.90A	1.60B/*1.90A	----	1.60 - 0.60	.0058	----	----	----	----	65 UNCH
3235	----	----	----/*1.90A	1.60B/*1.90A	----	1.60 - 0.60	.0058	----	----	----	----	24 UNCH
3250	----	----	----/*2.00A	1.70B/*2.00A	----	1.60 - 0.70	.0059	----	----	----	----	147 UNCH
3255	----	----	----/*2.00A	1.70B/*2.00A	----	1.70 - 0.60	.0062	----	----	----	----	110 UNCH
3260	----	----	----/*2.00A	1.70B/*2.00A	----	1.70 - 0.60	.0062	----	----	----	----	1 UNCH
3265	----	----	----/*2.00A	1.70B/*2.00A	----	1.70 - 0.60	.0062	----	----	----	----	20 UNCH
3270	----	----	----/*2.00A	1.80B/*2.00A	----	1.70 - 0.70	.0063	----	----	----	----	7 UNCH
3280	----	----	----/*2.00A	1.80B/*2.00A	----	1.80 - 0.60	.0066	----	----	----	----	13 UNCH
3290	----	----	----/*2.10A	1.80B/*2.10A	----	1.80 - 0.60	.0066	----	----	----	----	37 UNCH
3300	----	----	----/*2.10A	1.90B/*2.10A	----	1.80 - 0.70	.0067	----	----	----	----	370 UNCH
3305	----	----	----/*2.20A	1.90B/*2.20A	----	1.90 - 0.60	.0070	----	----	----	----	1 UNCH
3310	----	----	----/*2.10A	1.90B/*2.10A	----	1.90 - 0.60	.0070	----	----	----	----	7 UNCH
3320	----	----	----/*2.20A	2.00B/*2.20A	----	1.90 - 0.70	.0071	----	----	----	----	4 UNCH
3325	----	----	----/*2.20A	2.00B/*2.20A	----	1.90 - 0.70	.0071	----	----	----	----	47 UNCH
3335	----	----	----/*2.30A	2.00B/*2.30A	----	2.00 - 0.70	.0074	----	----	----	----	46 UNCH
3340	----	----	----/*2.30A	2.00B/*2.30A	----	2.00 - 0.70	.0075	----	----	----	----	22 UNCH
3345	----	----	----/*2.30A	2.10B/*2.30A	----	2.00 - 0.70	.0075	----	----	----	----	12 UNCH
3350	----	----	----/*2.30A	2.10B/*2.30A	----	2.00 - 0.70	.0075	----	----	----	----	407 UNCH
3355	----	----	----/*2.30A	2.10B/*2.30A	----	2.10 - 0.70	.0078	----	----	----	----	17 UNCH
3360	----	----	----/*2.40A	2.10B/*2.40A	----	2.10 - 0.70	.0079	----	----	----	----	7 UNCH
3365	----	----	----/*2.40A	2.20B/*2.40A	----	2.10 - 0.70	.0079	----	----	----	----	31 UNCH
3370	----	----	----/*2.40A	2.20B/*2.40A	----	2.10 - 0.70	.0079	----	----	----	----	26 UNCH
3375	----	----	----/*2.40A	2.20B/*2.40A	----	2.20 - 0.70	.0083	----	----	----	----	98 UNCH
3380	----	----	----/*2.40A	2.20B/*2.40A	----	2.20 - 0.70	.0083	----	----	----	----	46 UNCH
3385	----	----	----/*2.50A	2.30B/*2.50A	----	2.20 - 0.70	.0083	----	----	----	----	6 UNCH
3390	----	----	----/*2.50A	2.30B/*2.50A	----	2.20 - 0.80	.0083	----	----	----	----	59 UNCH
3395	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.70	.0087	----	----	----	----	1 UNCH
3400	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.70	.0087	----	----	2	----	728 - 2
3405	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.80	.0087	----	----	----	----	66 UNCH
3410	----	----	----/*2.60A	2.40B/*2.60A	----	2.30 - 0.80	.0088	----	----	----	----	7 UNCH
3415	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.70	.0091	----	----	----	----	2 UNCH
3420	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.80	.0091	----	----	----	----	18 UNCH
3425	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.80	.0092	----	----	----	----	25 UNCH
3430	----	----	----/*2.70A	2.50B/*2.70A	----	2.40 - 0.80	.0092	----	----	3	----	8 - 2
3435	----	----	----/*2.70A	2.50B/*2.70A	----	2.50 - 0.80	.0095	----	----	----	----	20 UNCH
3450	----	----	----/*2.80A	2.60B/*2.80A	----	2.60 - 0.80	.0099	----	----	2	----	413 + 2
3455	----	----	----/*2.80A	2.60B/*2.80A	----	2.60 - 0.80	.0100	----	----	----	----	51 UNCH
3460	----	----	----/*2.80A	2.60B/*2.80A	----	2.60 - 0.80	.0100	----	----	----	----	50 UNCH
3465	----	----	----/*2.80A	2.70B/*2.80A	----	2.60 - 0.90	.0100	----	----	----	----	89 UNCH
3470	----	----	----/*2.80A	2.70B/*2.80A	----	2.70 - 0.80	.0104	----	----	----	----	28 UNCH
3475	----	----	----/*2.90A	2.70B/*2.90A	----	2.70 - 0.80	.0104	----	----	----	----	241 UNCH
3480	----	----	----/*2.90A	2.70B/*2.90A	----	2.70 - 0.90	.0104	----	----	----	----	171 UNCH
3485	----	----	----/*3.00A	2.80B/*3.00A	----	2.80 - 0.80	.0108	----	----	----	----	2 UNCH
3490	----	----	----/*3.00A	2.80B/*3.00A	----	2.80 - 0.90	.0108	----	----	----	----	21 UNCH
3500	3.00	3.00	3.00/3.00	3.00/3.00	----	2.90 - 0.80	.0112	----	----	2	----	1788 UNCH
3505	----	----	----/*3.00A	2.90B/*3.00A	----	2.90 - 0.90	.0112	----	----	----	----	65 UNCH
3510	----	----	----/*3.10A	2.90B/*3.10A	----	2.90 - 0.90	.0113	----	----	----	----	61 UNCH
3515	----	----	----/*3.10A	3.00B/*3.10A	----	3.00 - 0.90	.0116	----	----	----	----	16 UNCH
3520	3.10	3.10	3.30/*3.10	3.30/*3.10	----	3.00 - 0.90	.0117	----	----	60	60	138 + 2
3525	----	----	----/*3.20A	3.00B/*3.20A	----	3.00 - 1.00	.0117	----	----	----	----	301 UNCH
3530	----	----	----/*3.20A	3.10B/*3.20A	----	3.00 - 1.00	.0117	----	----	----	----	7 UNCH
3535	----	----	----/*3.20A	3.10B/*3.20A	----	3.10 - 1.00	.0121	----	----	----	----	100 UNCH
3540	----	----	----/*3.20A	3.10B/*3.20A	----	3.10 - 1.00	.0121	----	----	----	----	5 UNCH
3545	----	----	----/*3.30A	3.20B/*3.30A	----	3.20 - 0.90	.0125	----	----	----	----	20 UNCH
3550	----	----	----/*3.30A	3.20B/*3.30A	----	3.20 - 1.00	.0125	----	----	----	----	420 UNCH
3555	----	----	----/*3.30A	3.20B/*3.30A	----	3.20 - 1.00	.0126	----	----	----	----	2 UNCH
3560	----	----	----/*3.40A	3.30B/*3.40A	----	3.30 - 1.00	.0129	----	----	----	----	89 UNCH
3565	----	----	----/*3.40A	3.30B/*3.40A	----	3.30 - 1.00	.0130	----	----	----	----	41 UNCH
3570	----	----	----/*3.40A	3.40B/*3.40A	----	3.30 - 1.10	.0130	----	----	----	----	60 UNCH
3575	----	----	----/*3.50A	3.40B/*3.50A	----	3.40 - 1.00	.0134	----	----	----	----	40 UNCH
3580	----	----	----/*3.50A	3.40B/*3.50A	----	3.40 - 1.10	.0134	----	----	----	----	76 UNCH
3585	----	----	----/*3.50A	3.50B/*3.50A	----	3.40 - 1.10	.0135	----	----	----	----	2 UNCH
3590	3.60	3.60	3.60/*3.60	3.60/*3.60	----	3.50 - 1.10	.0138	----	----	1	----	3 UNCH
3595	----	----	----/*3.60A	3.60B/*3.60A	----	3.50 - 1.20	.0139	----	----	----	----	23 UNCH
3600	----	----	----/*3.60A	3.60B/*3.60A	----	3.60 - 1.10	.0142	----	----	4	----	1653 - 4
3610	----	----	----/*3.70A	3.70B/*3.70A	----	3.60 - 1.20	.0143	----	----	----	----	3 UNCH
3615	----	----	----/*3.70A	3.80B/*3.70A	----	3.70 - 1.20	.0147	----	----	----	----	37 UNCH
3620	----	----	----/*3.80A	3.80B/*3.80A	----	3.70 - 1.20	.0148	----	----	----	----	11 UNCH
3625	----	----	----/*3.80A	3.90B/*3.80A	----	3.80 - 1.20	.0151	----	----	----	----	68 UNCH
3630	----	----	----/*3.90A	3.90B/*3.90A	----	3.80 - 1.30	.0152	----	----	----	----	86 UNCH
3635	----	----	----/*3.90A	4.00B/*3.90A	----	3.80 - 1.30	.0152	----	----	----	----	107 UNCH
3640	----	----	----/*3.90A	4.00B/*3.90A	----	3.90 - 1.30	.0156	----	----	----	----	24 UNCH
3645	----	----	----/*4.00A	4.10B/*4.00A	----	3.90 - 1.40	.0157	----	----	----	----	13 UNCH
3650	4.20	4.20	4.20/*4.00A	4.20/*4.00A	----	4.00 - 1.30	.0160	----	----	7	----	537 - 2
3655	----	----	----/*4.00A	4.20B/*4.00A	----	4.00 - 1.40	.0161	----	----	----	----	2 UNCH
3660	----	----	----/*4.10A	4.20B/*4.10A	----	4.10 - 1.30	.0164	----	----	----	----	1 UNCH
3665	----	----	----/*4.10A	4.30B/*4.10A	----	4.10 - 1.40	.0165	----	----	----	----	15 UNCH
3670	----	----	----/*4.10A	4.40B/*4.10A	----	4.20 - 1.40	.0169	----	----	----	----	31 UNCH
3675	----	----	----/*4.20A	4.40B/*4.20A	----	4.20 - 1.50	.0169	----	----	----	----	45 UNCH
3680	----	----	----/*4.20A	4.50B/*4.20A	----	4.20 - 1.50	.0170	----	----	----	----	18 UNCH
3685	----	----	----/*4.30A	4.50B/*4.30A	----	4.30 - 1.50	.0174	----	----	----	----	51 UNCH
3690	----	----	----/*4.30A	4.60B/*4.30A	----	4.30 - 1.60	.0175	----	----	----	----	7 UNCH
3695	----	----	----/*4.40A	4.70B/*4.40A	----	4.40 - 1.50	.0178	----	----	----	----	19 UNCH
3700	----	----	----/*4.40A	4.70B/*4.40A	----	4.40 - 1.60	.0179	----	----	4	----	870 UNCH
3705	----	----	----/*4.50A	4.80B/*4.50A	----	4.50 - 1.60	.0183	----	----	----	----	123 UNCH
3710	----	----	----/*4.50A	4.90B/*4.50A	----	4.50 - 1.70	.0184	----	----	----	----	79 UNCH
3715	----	----	----/*4.60A	4.90B/*4.60A	----	4.60 - 1.60	.0187	----	----	----	----	46 UNCH
3720	----	----	----/*4.60A	5.00B/*4.60A	----	4.60 - 1.70	.0188	----	----	----	----	2 UNCH
3725	----	----	----/*4.70A	5.10B/*4.70A	----	4.70 - 1.70	.0192	----	----	----	----	91 UNCH
3730	----	----	----/*4.70A	5.10B/*4.70A	----	4.70 - 1.80	.0193	----	----	----	----	18 UNCH
3740	5.00	5.00	5.00/*4.80A	5.30B/*4.80A	----	4.90 - 1.80	.0200	----	----	1	----	67 UNCH
3745	----	----	----/*4.90A	5.30B/*4.90A	----	4.90 - 1.80	.0201	----	----	----	----	19 UNCH
3750	5.30	5.30	5.30/*4.90A	5.40B/*4.90A	----	5.00 - 1.80	.0205	----	----	4	----	1286 + 1
3755	5.00	5.00	5.00/*5.00	5.50B/*5.00	----	5.00 - 1.90	.0206	----	----	1	----	3 + 1
3760	----	----	----/*5.00A	5.60B/*5.00A	----	5.10 - 1.90	.0210	----	----	----	----	23 UNCH
3765	----	----	----/*5.10A	5.70B/*5.10A	----	5.10 - 2.00	.0211	----	----	----	----	48 UNCH
3770	----	----	----/*5.20A	5.70B/*5.20A	----	5.20 - 2.00	.0215	----	----	----	----	9 UNCH
3775	----	----	----/*5.20A	5.80B/*5.20A	----	5.30 - 2.00	.0219	----	----	----	----	40 UNCH
3780	----	----	----/*5.30A	5.90B/*5.30A	----	5.30 - 2.10	.0219	----	----	1	----	15 + 1
3785	----	----	----/*5.30A	6.00B/*5.30A	----	5.40 - 2.10	.0223	----	----	----	----	6 UNCH
3790	----	----	----/*5.40A	6.10B/*5.40A	----	5.40 - 2.20	.0224	----	----	----	----	257 UNCH
3795	----	----	----/*5.50A	6.20B/*5.50A	----	5.50 - 2.20	.0228	----	----	----	----	55 UNCH
3800	5.90	5.90	5.90/*5.10	6.20B/*5.10	----	5.60 - 2.20	.0232	----	----	11	----	1292 + 1
3805	----	----	----/*5.60A	6.30B/*5.60A	----	5.60 - 2.30	.0233	----	----	----	----	67 UNCH
3810	----	----	----/*5.60A	6.40B/*5.60A	----	5.70 - 2.30	.0237	----	----	1	----	13 UNCH
3815	----	----	----/*5.70A	6.50B/*5.70A	----	5.80 - 2.30	.0241	----	----	----	----	38 UNCH
3820	----	----	----/*5.80A	6.60B/*5.80A	----	5.80 - 2.40	.0242	----	----	----	----	11 UNCH
3825	6.20	6.20	6.20/*5.90A	6.70B/*5.90A	----	5.90 - 2.40	.0247	----	----	4	----	38 - 4
3830	----	----	----/*5.90A	6.80B/*5.90A	----	6.00 - 2.50	.0251	----	----	1	----	185 + 1
3835	----	----	----/*6.00A	6.90B/*6.00A	----	6.10 - 2.50	.0255	----	----	----	----	56 UNCH
3840	----	----	----/*6.00A	7.00B/*6.00A	----	6.10 - 2.60	.0256	----	----	----	----	3 UNCH
3850	6.30	6.30	6.30/*6.00	7.20B/*6.00	----	6.30 - 2.60	.0264	----	----	10	----	677 - 2
3855	----	----	----/*6.20A	7.30B/*6.20A	----	6.40 - 2.70	.0268	----	----	----	----	72 UNCH
3860	----	----	----/*6.30A	7.40B/*6.30A	----	6.40 - 2.80	.0270	----	----	1	----	27 - 1
3865	----	----	----/*6.40A	7.50B/*6.40A	----	6.50 - 2.80	.0274	----	----	----	----	16 UNCH
3870	----	----	----/*6.50A	7.70B/*6.50A	----	6.60 - 2.80	.0278	----	----	----	----	15 UNCH
3875	6.50	6.50	6.50/*6.50	7.80B/*6.50	----	6.70 - 2.90	.0282	----	----	1	----	163 + 1
3880	----	----	----/*6.60A	7.90B/*6.60A	----	6.80 - 2.90	.0287	----	----	----	----	14 UNCH
3885	----	----	----/*6.70A	8.00B/*6.70A	----	6.90 - 3.00	.0291	----	----	----	----	12 UNCH
3890	----	----	----/*6.80A	8.20B/*6.80A	----	6.90 - 3.10	.0292	----	----	----	----	43 UNCH
3895	----	----	----/*6.90A	8.30B/*6.90A	----	7.00 - 3.10	.0297	----	----	5	----	16 UNCH
3900	9.00	9.00	9.00/*7.00A	9.00/*7.00A	----	7.10 - 3.20	.0301	----	----	16	----	730 + 9
3905	----	----	----/*7.10A	8.50B/*7.10A	----	7.20 - 3.20	.0305	----	----	----	----	45 UNCH
3910	----	----	----/*7.20A	8.60B/*7.20A	----	7.30 - 3.30	.0310	----	----	1	----	8 UNCH
3915	----	----	----/*7.20A	8.80B/*7.20A	----	7.40 - 3.30	.0314	----	----	----	----	29 UNCH
3920	----	----	----/*7.30A	8.90B/*7.30A	----	7.50 - 3.40	.0319	----	----	5	----	32 - 5
3925	----	----	----/*7.40A	9.10B/*7.40A	----	7.60 - 3.50	.0323	----	----	----	----	51 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3930	----	----	----/*7.50A	9.20B/*7.50A	----	7.70 - 3.50	.0328	----	----	2	----	24 UNCH
3935	----	----	----/*7.60A	9.40B/*7.60A	----	7.80 - 3.60	.0332	----	----	----	----	27 UNCH
3940	----	----	----/*7.70A	9.50B/*7.70A	----	7.90 - 3.70	.0337	----	----	----	----	104 UNCH
3945	----	----	----/*7.80A	9.70B/*7.80A	----	8.00 - 3.70	.0341	----	----	----	----	25 UNCH
3950	----	----	----/*7.90A	9.80B/*7.90A	----	8.10 - 3.80	.0346	----	----	103	----	313 - 29
3955	----	----	----/*8.00A	9.90B/*8.00A	----	8.20 - 3.90	.0351	----	----	----	----	12 UNCH
3960	----	----	----/*8.10A	10.10B/*8.10A	----	8.40 - 3.90	.0358	----	----	----	----	34 UNCH
3965	----	----	----/*8.20A	10.30B/*8.20A	----	8.50 - 3.90	.0363	----	----	----	----	23 UNCH
3970	----	----	----/*8.40A	10.40B/*8.40A	----	8.60 - 4.00	.0368	----	----	----	----	56 UNCH
3975	----	----	----/*8.50A	10.60B/*8.50A	----	8.70 - 4.10	.0372	----	----	1	----	336 UNCH
3980	----	----	----/*8.60A	10.80B/*8.60A	----	8.80 - 4.20	.0377	----	----	----	----	32 UNCH
3985	----	----	----/*8.70A	10.90B/*8.70A	----	9.00 - 4.20	.0385	----	----	----	----	27 UNCH
3990	----	----	----/*8.80A	11.10B/*8.80A	----	9.10 - 4.30	.0390	----	----	----	----	22 UNCH
3995	----	----	----/*8.90A	11.30B/*8.90A	----	9.20 - 4.40	.0394	----	----	1	----	149 - 1
4000	11.20	11.20	11.20/9.00	11.50B/9.00	----	9.40 - 4.40	.0402	----	----	69	----	3827 + 8
4005	----	----	----/*9.20A	11.70B/*9.20A	----	9.50 - 4.60	.0407	----	----	1	----	29 UNCH
4010	----	----	----/*9.30A	11.80B/*9.30A	----	9.60 - 4.70	.0412	----	----	----	----	42 UNCH
4015	----	----	----/9.50A	12.00B/9.50A	----	9.80 - 4.70	.0420	----	----	1	----	17 + 1
4020	9.80	9.80	9.80/*9.60A	12.20B/*9.60A	----	9.90 - 4.80	.0425	----	----	29	----	168 + 25
4025	----	----	----/9.80A	12.40B/9.80A	----	10.10 - 4.90	.0433	----	----	10	----	206 - 9
4030	----	----	----/9.90A	12.60B/9.90A	----	10.20 - 5.00	.0438	----	----	----	----	16 UNCH
4035	----	----	----/*10.00A	12.80B/*10.00A	----	10.40 - 5.00	.0446	----	----	----	----	48 UNCH
4040	----	----	----/10.20A	13.10B/10.20A	----	10.50 - 5.20	.0451	----	----	4	----	76 UNCH
4045	----	----	----/10.30A	13.30B/10.30A	----	10.70 - 5.20	.0459	----	----	----	----	2 UNCH
4050	11.90	11.90	11.90/10.50	13.50B/10.50	----	10.80 - 5.40	.0465	----	----	17	----	1201 - 7
4055	----	----	----/10.60A	13.70B/10.60A	----	11.00 - 5.40	.0473	----	----	----	----	20 UNCH
4060	11.00	11.00	11.00/*10.80A	14.00B/10.80A	----	11.20 - 5.50	.0481	----	----	8	----	91 + 6
4065	----	----	----/10.90A	14.20B/10.90A	----	11.30 - 5.70	.0486	----	----	6	----	121 + 2
4070	----	----	----/*11.10A	14.40B/11.10A	----	11.50 - 5.70	.0495	----	----	----	----	61 UNCH
4075	12.90	12.90	12.90/11.30A	14.70B/11.30A	----	11.70 - 5.80	.0503	----	----	16	----	275 + 9
4080	----	----	----/11.40A	14.90B/11.40A	----	11.90 - 5.90	.0511	----	----	----	----	102 UNCH
4085	12.30	12.30	12.30/11.60A	15.20B/11.60A	----	12.10 - 6.00	.0519	----	----	6	----	68 - 2
4090	----	----	----/11.80A	15.40B/11.80A	----	12.30 - 6.10	.0528	----	----	3	----	116 - 1
4095	----	----	----/12.00A	15.70B/12.00A	----	12.50 - 6.20	.0536	----	----	----	----	62 UNCH
4100	14.00	14.00	14.00/12.20A	16.00B/12.20A	----	12.70 - 6.30	.0545	----	----	145	----	1363 + 79
4105	----	----	----/12.40A	16.20B/12.40A	----	12.90 - 6.40	.0553	----	----	3	----	84 - 3
4110	----	----	----/12.60A	16.50B/12.60A	----	13.10 - 6.50	.0562	----	----	1	----	144 UNCH
4115	----	----	----/12.80A	16.80B/12.80A	----	13.30 - 6.60	.0570	----	----	1	----	457 - 1
4120	----	----	----/13.00A	17.10B/13.00A	----	13.50 - 6.80	.0579	----	----	----	----	54 UNCH
4125	----	----	----/13.20A	17.40B/13.20A	----	13.70 - 6.90	.0588	----	----	5	----	373 - 1
4130	----	----	----/13.40A	17.70B/13.40A	----	13.90 - 7.00	.0596	----	----	1	----	22 + 1
4135	----	----	----/13.60A	18.00B/13.60A	----	14.20 - 7.10	.0608	----	----	----	----	23 UNCH
4140	----	----	----/13.90A	18.30B/13.90A	----	14.40 - 7.20	.0617	----	----	----	----	18 UNCH
4145	----	----	----/14.10A	18.70B/14.10A	----	14.60 - 7.40	.0626	----	----	2	----	253 UNCH
4150	14.80	14.80	15.00/14.30A	19.00B/14.30A	----	14.90 - 7.50	.0637	----	----	4	----	532 - 1
4155	----	----	----/14.50A	19.30B/14.50A	----	15.10 - 7.60	.0646	----	----	----	----	21 UNCH
4160	----	----	----/14.80A	19.60B/14.80A	----	15.40 - 7.70	.0658	----	----	3	----	84 + 3
4165	----	----	----/15.00A	20.10B/15.00A	----	15.60 - 7.90	.0667	----	----	----	----	28 UNCH
4170	----	----	----/15.30A	20.40B/15.30A	----	15.90 - 8.00	.0679	----	----	2	----	49 + 2
4175	----	----	----/15.50A	20.80B/15.50A	----	16.20 - 8.10	.0691	----	----	3	----	924 - 3
4180	----	----	----/15.80A	21.20B/15.80A	----	16.40 - 8.30	.0700	----	----	----	----	125 UNCH
4185	----	----	----/16.00A	21.50B/16.00A	----	16.70 - 8.40	.0712	----	----	----	----	15 UNCH
4190	----	----	----/16.30A	21.90B/16.30A	----	17.00 - 8.50	.0724	----	----	----	----	44 UNCH
4195	----	----	----/16.60A	22.30B/16.60A	----	17.30 - 8.70	.0736	----	----	----	----	33 UNCH
4200	22.10	22.10	22.10/16.80A	22.70B/16.80A	----	17.60 - 8.80	.0748	----	----	137	150	2651 - 235
4205	----	----	----/17.10A	23.10B/17.10A	----	17.90 - 9.00	.0760	----	----	----	----	59 UNCH
4210	----	----	----/17.40A	23.50B/17.40A	----	18.20 - 9.10	.0773	----	----	----	----	392 UNCH
4215	----	----	----/17.70A	23.90B/17.70A	----	18.50 - 9.30	.0785	----	----	----	----	12 UNCH
4220	----	----	----/18.00A	24.40B/18.00A	----	18.80 - 9.50	.0797	----	----	----	----	190 UNCH
4225	----	----	----/18.30A	24.80B/18.30A	----	19.20 - 9.50	.0812	----	----	1	----	251 - 1
4230	----	----	----/18.60A	25.20B/18.60A	----	19.50 - 9.70	.0825	----	----	----	----	68 UNCH
4235	----	----	----/18.90A	25.70B/18.90A	----	19.90 - 9.80	.0840	----	----	4	----	48 + 1
4240	----	----	----/19.30A	26.20B/19.30A	----	20.20 - 10.00	.0852	----	----	----	----	58 UNCH
4245	----	----	----/19.60A	26.60B/19.60A	----	20.60 - 10.20	.0868	----	----	4	----	52 + 4
4250	21.00	21.00	21.00/19.90A	27.10B/19.90A	----	20.90 - 10.40	.0880	----	----	10	----	706 - 1
4255	23.40	23.40	23.40/20.30A	27.60B/20.30A	----	21.30 - 10.50	.0896	----	----	2	----	12 + 2
4260	----	----	----/20.60A	28.10B/20.60A	----	21.70 - 10.70	.0911	----	----	5	----	108 + 1
4265	----	----	----/21.00A	28.60B/21.00A	----	22.10 - 10.80	.0926	----	----	----	----	36 UNCH
4270	----	----	----/21.30A	29.10B/21.30A	----	22.50 - 11.00	.0942	----	----	----	----	49 UNCH
4275	----	----	----/21.70A	29.60B/21.70A	----	22.90 - 11.20	.0957	----	----	4	----	108 - 2
4280	----	----	----/22.10A	30.20B/22.10A	----	23.30 - 11.40	.0973	----	----	5	----	75 - 2
4285	----	----	----/22.50A	30.70B/22.50A	----	23.70 - 11.60	.0989	----	----	15	----	28 + 14
4290	----	----	----/22.90A	31.30B/22.90A	----	24.10 - 11.80	.1004	----	----	5	----	97 + 1
4295	----	----	----/23.30A	31.90B/23.30A	----	24.50 - 12.00	.1020	----	----	----	----	32 UNCH
4300	32.20	32.20	32.20/23.80A	32.40B/23.80A	----	25.00 - 12.10	.1038	----	----	58	----	2460 + 8
4305	----	----	----/24.20A	33.10B/24.20A	----	25.40 - 12.40	.1054	----	----	1	----	76 + 1
4310	----	----	----/24.60A	33.60B/24.60A	----	25.90 - 12.50	.1073	----	----	4	----	51 - 2
4315	----	----	----/25.00A	34.40B/25.00A	----	26.40 - 12.70	.1091	----	----	----	----	49 UNCH
4320	----	----	----/25.40A	34.90B/25.40A	----	26.90 - 12.90	.1110	----	----	5	----	85 - 1
4325	----	----	----/26.00A	35.40B/26.00A	----	27.30 - 13.10	.1126	----	----	1	----	61 + 1
4330	----	----	----/26.40A	36.30B/26.40A	----	27.80 - 13.30	.1145	----	----	16	----	461 - 7
4335	----	----	----/26.80A	36.70B/26.80A	----	28.40 - 13.40	.1166	----	----	15	----	53 + 15
4340	----	----	----/27.40A	37.60B/27.40A	----	28.90 - 13.70	.1184	----	----	4	----	116 - 3
4345	----	----	----/27.90A	38.30B/27.90A	----	29.40 - 13.90	.1203	----	----	----	----	48 UNCH
4350	----	----	----/28.40A	39.00B/28.40A	----	29.90 - 14.20	.1222	----	----	18	----	545 + 6
4355	30.70	30.70	30.70/28.90A	39.70B/28.90A	----	30.50 - 14.30	.1243	----	----	4	----	82 - 2
4360	----	----	----/29.40A	40.30B/29.40A	----	31.10 - 14.50	.1265	----	----	2	----	80 + 1
4365	----	----	----/29.90A	41.00B/29.90A	----	31.60 - 14.80	.1284	----	----	----	----	69 UNCH
4370	----	----	----/30.40A	41.90B/30.40A	----	32.20 - 15.00	.1305	----	----	1	----	24 UNCH
4375	----	----	----/31.00A	42.50B/31.00A	----	32.80 - 15.20	.1327	----	----	1	----	510 UNCH
4380	----	----	----/31.60A	43.40B/31.60A	----	33.40 - 15.40	.1349	----	----	6	----	408 - 1
4385	----	----	----/32.10A	44.20B/32.10A	----	34.00 - 15.70	.1370	----	----	5	----	135 UNCH
4390	----	----	----/32.70A	45.00B/32.70A	----	34.70 - 15.80	.1394	----	----	3	----	61 - 3
4395	36.90	36.90	36.90/33.30A	45.80B/33.30A	----	35.30 - 16.10	.1416	----	----	11	----	94 + 11
4400	42.00	42.00	42.40/34.00A	46.60B/34.00A	----	36.00 - 16.30	.1440	----	----	336	----	4015 + 123
4405	----	----	----/34.60A	47.50B/34.60A	----	36.60 - 16.60	.1462	----	----	2	----	133 UNCH
4410	----	----	----/35.20A	48.40B/35.20A	----	37.30 - 16.80	.1486	----	----	1	----	98 - 1
4415	----	----	----/35.80A	49.20B/35.80A	----	38.00 - 17.00	.1510	----	----	----	----	86 UNCH
4420	----	----	----/36.50A	50.10B/36.50A	----	38.70 - 17.30	.1534	----	----	----	----	138 UNCH
4425	44.10	44.10	44.10/37.10A	51.00B/37.10A	----	39.40 - 17.50	.1559	----	----	13	----	139 - 9
4430	----	----	----/37.80A	51.90B/37.80A	----	40.10 - 17.80	.1583	----	----	1	----	93 - 1
4435	45.00	45.00	45.00/38.50A	52.90B/38.50A	----	40.90 - 18.00	.1610	----	----	2	----	74 + 2
4440	----	----	----/39.20A	53.80B/39.20A	----	41.60 - 18.30	.1634	----	----	----	----	35 UNCH
4445	42.90	42.90	42.90/39.90A	54.80B/39.90A	----	42.40 - 18.50	.1661	----	----	3	----	54 + 3
4450	48.10	48.10	48.10/40.60A	55.80B/40.60A	----	43.20 - 18.80	.1688	----	----	41	----	1054 - 6
4455	----	----	----/41.30A	56.80B/41.30A	----	44.00 - 19.00	.1715	----	----	----	----	69 UNCH
4460	----	----	----/42.20A	57.90B/42.20A	----	44.80 - 19.30	.1741	----	----	----	----	35 UNCH
4465	----	----	----/42.90A	58.80B/42.90A	----	45.60 - 19.60	.1768	----	----	1	----	30 UNCH
4470	47.50	47.50	47.50/43.70A	59.90B/43.70A	----	46.50 - 19.80	.1797	----	----	38	----	69 + 24
4475	47.90	47.90	47.90/44.50A	61.00B/44.50A	----	47.30 - 20.10	.1824	----	----	10	----	158 + 2
4480	----	----	----/45.30A	62.20B/45.30A	----	48.20 - 20.30	.1853	----	----	----	----	106 UNCH
4485	49.90	49.90	49.90/46.10A	63.20B/46.10A	----	49.10 - 20.60	.1882	----	----	5	----	32 + 3
4490	----	----	----/46.90A	64.40B/46.90A	----	50.00 - 20.90	.1912	----	----	1	----	93 + 1
4495	----	----	----/47.80A	65.50B/47.80A	----	50.90 - 21.20	.1941	----	----	2	----	82 UNCH
4500	61.00	61.00	61.00/48.70A	66.70B/48.70A	----	51.90 - 21.40	.1972	----	----	792	100	3217 + 407
4505	----	----	----/49.60A	67.80B/49.60A	----	52.80 - 21.70	.2001	----	----	----	----	30 UNCH
4510	----	----	----/50.50A	69.00B/50.50A	----	53.80 - 22.00	.2033	----	----	----	----	44 UNCH
4515	----	----	----/51.40A	70.20B/51.40A	----	54.80 - 22.30	.2064	----	----	----	----	241 UNCH
4520	----	----	----/52.40A	71.50B/52.40A	----	55.80 - 22.50	.2095	----	----	----	----	158 UNCH
4525	59.30	59.30	59.30/53.30A	72.80B/53.30A	----	56.80 - 22.90	.2127	----	----	5	----	153 + 1
4530	58.80	58.80	58.80/54.30A	74.00B/54.30A	----	57.80 - 23.20	.2158	----	----	3	----	127 UNCH
4535	65.40	65.40	66.30/55.30A	75.30B/55.30A	----	58.90 - 23.40	.2191	----	----	87	----	91 + 66
4540	----	----	----/56.30A	76.60B/56.30A	----	60.00 - 23.70	.2224	----	----	13	----	202 + 10
4545	----	----	----/57.40A	78.00B/57.40A	----	61.10 - 24.00	.2258	----	----	1	----	80 + 1
4550	62.90	62.90	62.90/58.40A	79.30B/58.40A	----	62.20 - 24.30	.2291	----	----	13	420	707 + 130
4555	----	----	----/59.50A	80.70B/59.50A	----	63.30 - 24.60	.2325	----	----	----	----	43 UNCH
4560	----	----	----/60.50A	82.20B/60.50A	----	64.40 - 25.00	.2358	----	----	----	----	30 UNCH
4565	----	----	----/61.60A	83.60B/61.60A	----	65.60 - 25.30	.2393	----	----	----	----	199 UNCH
4570	----	----	----/62.70A	85.00B/62.70A	----	66.80 - 25.60	.2428	----	----	----	----	58 UNCH
4575	----	----	----/63.80A	86.50B/63.80A	----	68.00 - 25.90	.2464	----	----	----	----	171 UNCH
4580	----	----	----/65.00A	88.00B/65.00A	----	69.20 - 26.20	.2499	----	----	----	----	218 UNCH
4585	79.00	79.00	79.00/66.20A	89.60B/66.20A	----	70.50 - 26.50	.2536	----	----	1	----	30 + 1
4590	----	----	----/67.40A	91.10B/67.40A	----	71.70 - 26.80	.2571	----	----	----	----	112 UNCH
4595	----	----	----/68.60A	92.60B/68.60A	----	73.00 - 27.10	.2608	----	----	----	----	29 UNCH
4600	82.20	82.20	82.20/69.80A	94.20B/69.80A	----	74.30 - 27.50	.2645	----	----	41	----	1714 + 16
4605	----	----	----/71.00A	95.80B/71.00A	----	75.70 - 27.70	.2683	----	----	----	----	19 UNCH
4610	----	----	----/72.30A	97.50B/72.30A	----	77.00 - 28.10	.2720	----	----	3	----	14 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4615	----	----	----/73.60A	99.10B/73.60A	----	78.40 - 28.30	.2759	----	----	----	----	51 UNCH
4620	----	----	----/74.90A	100.80B/74.90A	----	79.80 - 28.70	.2797	----	----	----	----	186 UNCH
4625	92.10	92.10	92.10/76.20A	102.50B/76.20A	----	81.20 - 29.00	.2836	----	----	4	----	252 - 1
4630	----	----	----/77.50A	104.20B/77.50A	----	82.60 - 29.30	.2874	----	----	20	----	138 + 6
4635	91.00	91.00	91.00/78.90A	105.90B/78.90A	----	84.00 - 29.70	.2913	----	----	2	----	25 + 1
4640	86.30	86.30	86.30/80.20A	107.70B/80.20A	----	85.50 - 30.00	.2953	----	----	11	----	48 + 1
4645	----	----	----/81.70A	109.50B/81.70A	----	87.00 - 30.40	.2993	----	----	----	----	46 UNCH
4650	----	----	----/83.10A	111.30B/83.10A	----	88.50 - 30.70	.3033	----	----	4	----	1200 + 2
4655	----	----	----/84.50A	113.10B/84.50A	----	90.10 - 31.00	.3074	----	----	----	----	46 UNCH
4660	----	----	----/86.10A	115.00B/86.10A	----	91.60 - 31.40	.3114	----	----	1	----	108 + 1
4665	----	----	----/87.60A	116.90B/87.60A	----	93.20 - 31.70	.3155	----	----	----	----	16 UNCH
4670	----	----	----/89.00A	118.80B/89.00A	----	94.80 - 32.10	.3197	----	----	----	----	257 UNCH
4675	----	----	----/90.50A	120.80B/90.50A	----	96.40 - 32.40	.3238	----	----	1	----	277 UNCH
4680	92.90	92.90	92.90/92.10A	122.70B/92.10A	----	98.10 - 32.70	.3280	----	----	5	----	62 - 1
4685	----	----	----/93.70A	124.90B/93.70A	----	99.70 - 33.20	.3322	----	----	----	----	36 UNCH
4690	----	----	----/95.30A	126.70B/95.30A	----	101.40 - 33.50	.3364	----	----	----	----	53 UNCH
4695	----	----	----/96.90A	128.80B/96.90A	----	103.10 - 33.90	.3407	----	----	4	----	64 UNCH
4700	126.20	126.20	126.20/98.50A	131.10B/98.50A	----	104.80 - 34.30	.3449	----	----	123	----	1512 - 52
4705	119.50	119.50	119.50/100.20A	133.20B/100.20A	----	106.60 - 34.60	.3493	----	----	1	----	92 UNCH
4710	----	----	----/101.90A	135.00B/101.90A	----	108.40 - 35.00	.3536	----	----	----	----	21 UNCH
4715	----	----	----/103.70A	137.40B/103.70A	----	110.20 - 35.30	.3580	----	----	----	----	41 UNCH
4720	----	----	----/105.40A	139.60B/105.40A	----	112.00 - 35.70	.3623	----	----	----	----	105 UNCH
4725	----	----	----/107.20A	141.80B/107.20A	----	113.90 - 36.00	.3668	----	----	2	----	153 - 1
4730	----	----	----/109.00A	144.00B/109.00A	----	115.70 - 36.50	.3712	----	----	----	----	87 UNCH
4735	----	----	----/110.80A	146.30B/110.80A	----	117.70 - 36.70	.3757	----	----	----	----	58 UNCH
4740	115.50	115.50	116.00/112.70A	148.50B/112.70A	----	119.60 - 37.10	.3801	----	----	6	----	85 + 1
4745	----	----	----/114.50A	150.80B/114.50A	----	121.60 - 37.40	.3846	----	----	----	----	4 UNCH
4750	127.00	127.00	127.20/116.40A	153.20B/116.40A	----	123.60 - 37.70	.3891	----	----	12	100	970 - 2
4755	148.20	148.20	148.20/118.40A	155.30B/118.40A	----	125.60 - 38.10	.3937	----	----	2	----	19 + 1
4760	150.50	150.50	150.50/120.20A	157.70B/120.20A	----	127.70 - 38.30	.3982	----	----	3	----	75 + 2
4765	132.50	132.50	132.50/122.30A	160.10B/122.30A	----	129.80 - 38.60	.4028	----	----	7	----	61 - 7
4770	139.90	139.90	141.20/124.20A	162.70B/124.20A	----	131.90 - 38.90	.4074	----	----	7	----	96 + 5
4775	152.00	152.00	152.00/126.30A	165.00B/126.30A	----	134.00 - 39.30	.4119	----	----	5	----	189 + 1
4780	162.00	162.00	162.00/128.30A	167.50B/128.30A	----	136.20 - 39.60	.4166	----	----	2	----	56 + 1
4785	146.30	146.30	146.30/130.40A	169.90B/130.40A	----	138.30 - 40.00	.4212	----	----	4	----	89 - 3
4790	160.50	160.50	160.50/132.50A	172.70B/132.50A	----	140.50 - 40.40	.4258	----	----	28	----	69 + 24
4795	----	----	----/134.60A	175.00B/134.60A	----	142.70 - 40.80	.4304	----	----	4	----	28 - 4
4800	162.40	162.40	162.40/136.70A	177.70B/136.70A	----	144.90 - 41.20	.4351	----	----	59	90	2391 + 5
4805	----	----	----/138.90A	180.20B/138.90A	----	147.20 - 41.60	.4397	----	----	----	----	84 UNCH
4810	----	----	----/141.10A	182.90B/141.10A	----	149.50 - 41.90	.4444	----	----	2	----	22 - 1
4815	----	----	----/143.30A	185.80B/143.30A	----	151.80 - 42.30	.4491	----	----	1	----	93 + 1
4820	176.20	176.20	176.20/145.60A	188.20B/145.60A	----	154.20 - 42.60	.4538	----	----	2	----	25 + 1
4825	178.00	178.00	178.00/147.90A	191.00B/147.90A	----	156.50 - 43.10	.4584	----	----	84	----	219 + 53
4830	180.70	180.70	180.70/150.20A	193.70B/150.20A	----	158.90 - 43.40	.4631	----	----	11	----	140 + 3
4835	----	----	----/152.50A	196.60B/152.50A	----	161.40 - 43.70	.4678	----	----	----	----	30 UNCH
4840	167.90	167.90	167.90/154.90A	199.40B/154.90A	----	163.80 - 44.10	.4725	----	----	13	----	30 + 11
4845	172.30	172.30	172.30/157.20A	202.20B/157.20A	----	166.30 - 44.40	.4773	----	----	3	----	13 + 2
4850	174.80	174.80	174.80/159.50A	205.10B/159.50A	----	168.80 - 44.80	.4820	----	----	178	----	529 - 13
4855	----	----	----/162.10A	208.00B/162.10A	----	171.40 - 45.00	.4867	----	----	----	----	359 UNCH
4860	178.00	178.00	178.00/164.50A	210.90B/164.50A	----	173.90 - 45.50	.4914	----	----	4	----	44 UNCH
4865	----	----	----/167.00A	213.80B/167.00A	----	176.50 - 45.80	.4961	----	----	----	----	17 UNCH
4870	----	----	----/169.50A	216.60B/169.50A	----	179.10 - 46.20	.5008	----	----	----	----	42 UNCH
4875	----	----	----/172.00A	220.20B/172.00A	----	181.80 - 46.40	.5055	----	----	1	----	79 + 1
4880	----	----	----/174.60A	222.60B/174.60A	----	184.40 - 46.90	.5102	----	----	----	----	3 UNCH
4885	----	----	----/177.20A	225.60B/177.20A	----	187.10 - 47.20	.5148	----	----	----	----	7 UNCH
4890	----	----	----/179.90A	228.60B/179.90A	----	189.90 - 47.50	.5195	----	----	----	----	47 UNCH
4895	----	----	----/182.50A	231.60B/182.50A	----	192.60 - 47.90	.5242	----	----	----	----	211 UNCH
4900	188.70	188.70	188.70/185.10A	234.80B/185.10A	----	195.40 - 48.20	.5289	----	----	34	----	1823 + 19
4905	----	----	----/187.90A	237.90B/187.90A	----	198.20 - 48.50	.5336	----	----	----	----	10 UNCH
4910	----	----	----/190.60A	240.90B/190.60A	----	201.00 - 48.90	.5382	----	----	----	----	57 UNCH
4915	----	----	----/193.40A	244.10B/193.40A	----	203.80 - 49.30	.5428	----	----	----	----	37 UNCH
4920	----	----	----/196.20A	247.50B/196.20A	----	206.70 - 49.60	.5475	----	----	----	----	92 UNCH
4925	----	----	----/199.00A	250.80B/199.00A	----	209.60 - 49.90	.5521	----	----	----	----	73 UNCH
4930	----	----	----/201.80A	254.10B/201.80A	----	212.50 - 50.30	.5567	----	----	----	----	199 UNCH
4940	----	----	----/207.50A	260.70B/207.50A	----	218.40 - 51.00	.5659	----	----	----	----	64 UNCH
4945	----	----	----/210.40A	263.80B/210.40A	----	221.40 - 51.40	.5704	----	----	----	----	2 UNCH
4950	----	----	----/213.20A	267.40B/213.20A	----	224.40 - 51.70	.5749	----	----	----	----	289 UNCH
4955	----	----	----/216.30A	270.80B/216.30A	----	227.50 - 52.00	.5795	----	----	----	----	31 UNCH
4960	----	----	----/219.30A	274.20B/219.30A	----	230.50 - 52.40	.5840	----	----	----	----	23 UNCH
4965	----	----	----/222.20A	277.50B/222.20A	----	233.60 - 52.80	.5885	----	----	1	----	24 UNCH
4970	----	----	----/225.30A	281.10B/225.30A	----	236.70 - 53.10	.5930	----	----	----	----	44 UNCH
4975	----	----	----/228.40A	284.60B/228.40A	----	239.90 - 53.40	.5974	----	----	----	----	153 UNCH
4980	----	----	----/231.40A	288.10B/231.40A	----	243.00 - 53.80	.6019	----	----	----	----	28 UNCH
4985	----	----	----/234.50A	291.50B/234.50A	----	246.20 - 54.10	.6063	----	----	----	----	9 UNCH
4990	----	----	----/237.50A	295.20B/237.50A	----	249.40 - 54.50	.6107	----	----	1	----	293 + 1
4995	----	----	----/240.80A	298.80B/240.80A	----	252.60 - 54.80	.6151	----	----	----	----	11 UNCH
5000	251.00	251.00	251.00/243.70A	302.40B/243.70A	----	255.90 - 55.10	.6195	----	----	12	----	1879 + 5
5005	----	----	----/247.10A	306.10B/247.10A	----	259.20 - 55.40	.6238	----	----	----	----	302 UNCH
5010	----	----	----/250.40A	309.70B/250.40A	----	262.50 - 55.80	.6281	----	----	----	----	13 UNCH
5015	----	----	----/253.60A	313.40B/253.60A	----	265.80 - 56.10	.6324	----	----	----	----	49 UNCH
5020	----	----	----/257.00A	317.10B/257.00A	----	269.10 - 56.50	.6367	----	----	----	----	31 UNCH
5025	----	----	----/260.30A	320.80B/260.30A	----	272.50 - 56.80	.6409	----	----	----	----	53 UNCH
5030	----	----	----/263.60A	324.60B/263.60A	----	275.90 - 57.10	.6452	----	----	----	----	68 UNCH
5035	----	----	----/267.30A	328.30B/267.30A	----	279.30 - 57.40	.6494	----	----	----	----	13 UNCH
5040	----	----	----/270.30A	331.90B/270.30A	----	282.70 - 57.80	.6535	----	----	----	----	18 UNCH
5045	----	----	----/273.70A	335.70B/273.70A	----	286.20 - 58.10	.6577	----	----	----	----	5 UNCH
5050	----	----	----/276.90A	339.50B/276.90A	----	289.60 - 58.50	.6618	----	----	----	----	806 UNCH
5055	----	----	----/280.50A	343.30B/280.50A	----	293.10 - 58.80	.6658	----	----	----	----	63 UNCH
5060	----	----	----/283.90A	347.20B/283.90A	----	296.70 - 59.00	.6699	----	----	----	----	64 UNCH
5065	----	----	----/287.40A	351.10B/287.40A	----	300.20 - 59.40	.6740	----	----	----	----	17 UNCH
5070	----	----	----/290.90A	355.00B/290.90A	----	303.80 - 59.60	.6780	----	----	----	----	52 UNCH
5075	----	----	----/294.40A	358.90B/294.40A	----	307.30 - 60.00	.6820	----	----	----	----	28 UNCH
5080	----	----	----/297.80A	362.80B/297.80A	----	310.90 - 60.30	.6859	----	----	----	----	29 UNCH
5085	----	----	----/301.40A	367.00B/301.40A	----	314.60 - 60.60	.6898	----	----	----	----	123 UNCH
5090	----	----	----/305.00A	370.90B/305.00A	----	318.20 - 60.90	.6937	----	----	----	----	109 UNCH
5095	----	----	----/308.60A	374.90B/308.60A	----	321.90 - 61.20	.6976	----	----	10	----	127 UNCH
5100	----	----	----/312.30A	378.90B/312.30A	----	325.60 - 61.50	.7014	----	----	1	----	458 UNCH
5105	----	----	----/315.80A	382.90B/315.80A	----	329.30 - 61.70	.7052	----	----	----	----	38 UNCH
5110	----	----	----/319.40A	386.70B/319.40A	----	333.00 - 62.10	.7089	----	----	----	----	74 UNCH
5115	----	----	----/323.40A	390.90B/323.40A	----	336.70 - 62.40	.7127	----	----	----	----	14 UNCH
5120	----	----	----/326.80A	395.10B/326.80A	----	340.50 - 62.60	.7163	----	----	----	----	25 UNCH
5125	----	----	----/330.60A	399.20B/330.60A	----	344.30 - 62.90	.7200	----	----	----	----	192 UNCH
5130	----	----	----/334.30A	403.30B/334.30A	----	348.10 - 63.20	.7237	----	----	----	----	26 UNCH
5135	----	----	----/338.10A	407.20B/338.10A	----	351.90 - 63.50	.7273	----	----	----	----	37 UNCH
5140	----	----	----/342.10A	411.30B/342.10A	----	355.70 - 63.80	.7308	----	----	----	----	14 UNCH
5145	----	----	----/345.80A	415.70B/345.80A	----	359.60 - 64.00	.7343	----	----	----	----	39 UNCH
5150	390.00	390.00	390.00/349.60A	419.60B/349.60A	----	363.40 - 64.40	.7378	----	----	1	----	389 UNCH
5155	----	----	----/353.50A	423.80B/353.50A	----	367.30 - 64.60	.7412	----	----	----	----	38 UNCH
5160	----	----	----/357.40A	428.10B/357.40A	----	371.20 - 64.90	.7447	----	----	----	----	70 UNCH
5165	----	----	----/361.20A	432.20B/361.20A	----	375.20 - 65.10	.7482	----	----	----	----	47 UNCH
5170	----	----	----/365.10A	436.40B/365.10A	----	379.10 - 65.40	.7515	----	----	----	----	504 UNCH
5175	----	----	----/369.00A	440.80B/369.00A	----	383.10 - 65.60	.7547	----	----	----	----	15 UNCH
5180	----	----	----/373.00A	444.90B/373.00A	----	387.10 - 65.80	.7580	----	----	----	----	19 UNCH
5185	----	----	----/376.90A	449.20B/376.90A	----	391.10 - 66.10	.7613	----	----	----	----	22 UNCH
5190	----	----	----/380.90A	453.50B/380.90A	----	395.10 - 66.30	.7646	----	----	----	----	5 UNCH
5195	----	----	----/384.80A	457.80B/384.80A	----	399.10 - 66.60	.7676	----	----	----	----	8 UNCH
5200	----	----	----/388.80A	462.10B/388.80A	----	403.10 - 66.90	.7709	----	----	----	----	611 UNCH
5205	----	----	----/392.80A	466.80B/392.80A	----	407.20 - 67.10	.7740	----	----	----	----	36 UNCH
5210	----	----	----/396.70A	470.90B/396.70A	----	411.30 - 67.30	.7770	----	----	----	----	68 UNCH
5215	----	----	----/400.90A	475.10B/400.90A	----	415.40 - 67.60	.7801	----	----	----	----	42 UNCH
5220	----	----	----/405.00A	479.60B/405.00A	----	419.50 - 67.80	.7832	----	----	----	----	188 UNCH
5225	----	----	----/409.00A	484.00B/409.00A	----	423.60 - 68.10	.7862	----	----	----	----	200 UNCH
5230	----	----	----/413.00A	488.60B/413.00A	----	427.70 - 68.40	.7891	----	----	----	----	7 UNCH
5235	----	----	----/417.20A	493.00B/417.20A	----	431.90 - 68.50	.7919	----	----	----	----	160 UNCH
5245	----	----	----/425.40A	501.80B/425.40A	----	440.20 - 69.00	.7978	----	----	----	----	9 UNCH
5250	----	----	----/429.60A	505.90B/429.60A	----	444.40 - 69.30	.8006	----	----	1	----	333 + 1
5255	----	----	----/433.70A	510.70B/433.70A	----	448.60 - 69.50	.8032	----	----	----	----	9 UNCH
5260	----	----	----/437.90A	515.20B/437.90A	----	452.80 - 69.70	.8060	----	----	----	----	11 UNCH
5265	----	----	----/442.10A	519.40B/442.10A	----	457.10 - 69.90	.8088	----	----	----	----	5 UNCH
5270	----	----	----/446.30A	524.10B/446.30A	----	461.30 - 70.10	.8114	----	----	----	----	24 UNCH
5275	----	----	----/450.50A	528.20B/450.50A	----	465.60 - 70.30	.8140	----	----	----	----	170 UNCH
5280	----	----	----/454.80A	532.70B/454.80A	----	469.80 - 70.60	.8166	----	----	----	----	67 UNCH
5285	----	----	----/459.00A	537.20B/459.00A	----	474.10 - 70.80	.8194	----	----	----	----	27 UNCH
5290	----	----	----/463.40A	542.10B/463.40A	----	478.40 - 71.00	.8217	----	----	----	----	2 UNCH
5300	----	----	----/471.80A	551.20B/471.80A	----	487.10 - 71.30	.8269	----	----	----	----	161 UNCH
5305	----	----	----/476.20A	555.70B/476.20A	----	491.40 - 71.50	.8292	----	----	----	----	104 UNCH
5320	----	----	----/489.10A	569.00B/489.10A	----	504.50 - 72.10	.8364	----	----	----	----	108 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5325	----	----	----/493.70A	573.80B/493.70A	----	508.80 - 72.30	.8387	----	----	----	----	1 UNCH
5335	----	----	----/502.20A	582.90B/502.20A	----	517.60 - 72.70	.8433	----	----	----	----	5 UNCH
5340	----	----	----/506.70A	587.60B/506.70A	----	522.00 - 72.90	.8456	----	----	----	----	52 UNCH
5345	----	----	----/511.20A	592.20B/511.20A	----	526.50 - 72.90	.8479	----	----	----	----	1 UNCH
5350	----	----	----/515.50A	597.00B/515.50A	----	530.90 - 73.10	.8499	----	----	1	----	109 + 1
5365	----	----	----/528.70A	610.90B/528.70A	----	544.30 - 73.60	.8562	----	----	----	----	4 UNCH
5370	----	----	----/533.70A	615.30B/533.70A	----	548.80 - 73.70	.8582	----	----	----	----	37 UNCH
5375	----	----	----/537.80A	620.20B/537.80A	----	553.20 - 74.00	.8602	----	----	----	----	1 UNCH
5380	----	----	----/542.20A	624.70B/542.20A	----	557.70 - 74.10	.8622	----	----	----	----	2 UNCH
5385	----	----	----/547.10A	629.50B/547.10A	----	562.20 - 74.30	.8642	----	----	----	----	10 UNCH
5390	----	----	----/551.20A	634.20B/551.20A	----	566.80 - 74.40	.8659	----	----	----	----	2 UNCH
5395	----	----	----/555.60A	638.70B/555.60A	----	571.30 - 74.50	.8679	----	----	----	----	156 UNCH
5400	----	----	----/560.10A	643.40B/560.10A	----	575.80 - 74.70	.8699	----	----	----	----	442 UNCH
5420	----	----	----/578.30A	662.20B/578.30A	----	594.10 - 75.20	.8770	----	----	----	----	10 UNCH
5425	----	----	----/582.90A	667.10B/582.90A	----	598.60 - 75.40	.8787	----	----	----	----	1 UNCH
5430	----	----	----/587.30A	671.80B/587.30A	----	603.20 - 75.50	.8804	----	----	----	----	30 UNCH
5435	----	----	----/592.00A	676.60B/592.00A	----	607.80 - 75.60	.8821	----	----	----	----	10 UNCH
5440	----	----	----/596.40A	681.10B/596.40A	----	612.40 - 75.80	.8837	----	----	----	----	20 UNCH
5470	----	----	----/624.30A	709.50B/624.30A	----	640.20 - 76.40	.8928	----	----	----	----	1 UNCH
5490	----	----	----/643.20A	728.60B/643.20A	----	658.90 - 76.80	.8985	----	----	----	----	166 UNCH
5500	----	----	----/652.00A	738.10B/652.00A	----	668.20 - 77.10	.9012	----	----	----	----	52 UNCH
5525	----	----	----/675.50A	762.50B/675.50A	----	691.80 - 77.50	.9075	----	----	----	----	2 UNCH
5575	----	----	----/722.80A	810.40B/722.80A	----	739.20 - 78.30	.9189	----	----	----	----	2 UNCH
5590	----	----	----/737.00A	825.40B/737.00A	----	753.50 - 78.60	.9218	----	----	----	----	77 UNCH
5595	----	----	----/742.20A	829.80B/742.20A	----	758.30 - 78.60	.9227	----	----	----	----	1 UNCH
5600	----	----	----/746.50A	834.80B/746.50A	----	763.10 - 78.70	.9237	----	----	----	----	8 UNCH
5640	----	----	----/784.90A	874.00B/784.90A	----	801.50 - 79.20	.9311	----	----	----	----	9 UNCH
5800	----	----	----/940.50A	1022.70B/940.50A	----	957.00 - 80.60	.9520	----	----	----	----	6 UNCH
6000	----	----	----/1,137.50A	1210.00B/1137.50A	----	1154.00 - 81.50	.9668	----	----	----	----	4 UNCH
6100	----	----	----/1,241.60A	1309.30B/1241.60A	----	1253.10 - 81.60	.9717	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1825.30 - 82.50	.9871	----	----	----	----	2 UNCH
TOTAL										3142	920	86201 + 791
JUL26												
2275	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0010	----	----	----	----	20 UNCH
2300	----	----	----	0.40B/*0.70A	----	0.50 - 0.20	.0012	----	----	----	----	96 UNCH
2400	----	----	----	0.60B/0.90A	----	0.60 - 0.30	.0015	----	----	----	----	2 UNCH
2500	----	----	----	0.80B/1.10A	----	0.80 - 0.30	.0021	----	----	----	----	192 UNCH
2575	----	----	----	0.90B/1.30A	----	0.90 - 0.40	.0024	----	----	----	----	1 UNCH
2600	----	----	----	0.90B/1.30A	----	0.90 - 0.40	.0024	----	----	----	----	12 UNCH
2620	----	----	----	1.00B/1.40A	----	1.00 - 0.40	.0027	----	----	----	----	1 UNCH
2650	----	----	----/*1.40A	1.10B/1.40A	----	1.00 - 0.50	.0027	----	----	----	----	52 UNCH
2670	----	----	----	1.10B/1.50A	----	1.10 - 0.40	.0030	----	----	----	----	10 UNCH
2675	----	----	----	1.10B/1.50A	----	1.10 - 0.40	.0030	----	----	----	----	10 UNCH
2680	----	----	----	1.10B/1.50A	----	1.10 - 0.40	.0030	----	----	----	----	10 UNCH
2700	----	----	----/1.50A	1.20B/1.50A	----	1.10 - 0.50	.0030	----	----	----	----	3 UNCH
2705	----	----	----	1.20B/1.60A	----	1.20 - 0.40	.0033	----	----	----	----	1 UNCH
2710	----	----	----	1.20B/1.60A	----	1.20 - 0.40	.0033	----	----	----	----	7 UNCH
2730	----	----	----/1.60A	1.20B/1.60A	----	1.20 - 0.50	.0033	----	----	----	----	1 UNCH
2750	----	----	----	1.30B/1.70A	----	1.30 - 0.40	.0036	----	----	----	----	19 UNCH
2785	----	----	----/1.80A	1.40B/1.80A	----	1.40 - 0.50	.0039	----	----	----	----	2 UNCH
2800	----	----	----/*1.80A	1.40B/*1.80A	----	1.40 - 0.50	.0039	----	----	----	----	7 UNCH
2850	----	----	----/2.00A	1.60B/2.00A	----	1.60 - 0.50	.0045	----	----	----	----	3 UNCH
2860	----	----	----/*2.00A	1.60B/2.00A	----	1.60 - 0.50	.0045	----	----	----	----	5 UNCH
2890	----	----	----/2.10A	1.70B/2.10A	----	1.70 - 0.50	.0048	----	----	----	----	60 UNCH
2895	----	----	----/*2.10A	1.70B/2.10A	----	1.80 - 0.50	.0051	----	----	----	----	18 UNCH
2900	----	----	----/*2.10A	1.70B/*2.10A	----	1.80 - 0.50	.0051	----	----	----	----	18 UNCH
2905	----	----	----/2.20A	1.70B/2.20A	----	1.80 - 0.50	.0051	----	----	----	----	19 UNCH
2920	----	----	----/2.20A	1.80B/2.20A	----	1.90 - 0.50	.0054	----	----	----	----	3 UNCH
2950	----	----	----/2.30A	1.90B/2.30A	----	2.00 - 0.50	.0057	----	----	----	----	32 UNCH
2995	----	----	----/2.50A	2.10B/2.50A	----	2.20 - 0.50	.0063	----	----	----	----	16 UNCH
3000	----	----	----/2.50A	2.10B/2.50A	----	2.20 - 0.50	.0063	----	----	----	----	58 UNCH
3015	----	----	----/2.60A	2.20B/2.60A	----	2.30 - 0.50	.0066	----	----	----	----	5 UNCH
3025	----	----	----/2.60A	2.20B/2.60A	----	2.30 - 0.60	.0067	----	----	----	----	1 UNCH
3035	----	----	----/2.70A	2.20B/2.70A	----	2.40 - 0.50	.0069	----	----	----	----	5 UNCH
3050	----	----	----/2.70A	2.30B/2.70A	----	2.40 - 0.60	.0070	----	----	----	----	1 UNCH
3100	----	----	----/2.90A	2.60B/2.90A	----	2.70 - 0.60	.0079	----	----	----	----	43 UNCH
3105	----	----	----/3.00A	2.60B/3.00A	----	2.70 - 0.60	.0079	----	----	----	----	1 UNCH
3125	----	----	----/3.10A	2.70B/3.10A	----	2.80 - 0.70	.0083	----	----	----	----	42 UNCH
3140	----	----	----/3.20A	2.80B/3.20A	----	2.90 - 0.70	.0086	----	----	----	----	1 UNCH
3150	----	----	----/3.20A	2.80B/3.20A	----	3.00 - 0.60	.0089	----	----	----	----	12 UNCH
3155	----	----	----/3.20A	2.90B/3.20A	----	3.00 - 0.70	.0089	----	----	1	----	1 UNCH
3200	----	----	----/3.50A	3.10B/3.50A	----	3.30 - 0.70	.0098	----	----	1	----	113 UNCH
3210	----	----	----/3.50A	3.20B/3.50A	----	3.30 - 0.80	.0099	----	----	----	----	1 UNCH
3220	----	----	----/3.60A	3.20B/3.60A	----	3.40 - 0.80	.0102	----	----	----	----	1 UNCH
3225	----	----	----/3.60A	3.30B/3.60A	----	3.40 - 0.80	.0102	----	----	----	----	70 UNCH
3230	----	----	----/3.70A	3.30B/3.70A	----	3.40 - 0.80	.0103	----	----	----	----	2 UNCH
3250	3.90	3.90	3.90/3.80A	3.90/3.80A	----	3.60 - 0.80	.0109	----	----	1	----	61 UNCH
3275	----	----	----/4.00A	3.60B/4.00A	----	3.70 - 1.00	.0113	----	----	----	----	10 UNCH
3290	----	----	----/4.10A	3.70B/4.10A	----	3.80 - 1.00	.0116	----	----	----	----	11 UNCH
3300	3.80	3.80	3.80/*3.70	3.80/3.70	----	3.90 - 1.00	.0119	----	----	10	----	65 + 10
3320	----	----	----/4.30A	3.90B/4.30A	----	4.00 - 1.10	.0123	----	----	----	----	1 UNCH
3325	----	----	----/4.30A	4.00B/4.30A	----	4.10 - 1.10	.0126	----	----	4	----	147 UNCH
3335	----	----	----/4.40A	4.00B/4.40A	----	4.10 - 1.20	.0127	----	----	----	----	86 UNCH
3340	----	----	----/4.50A	4.10B/4.50A	----	4.20 - 1.10	.0130	----	----	----	----	1 UNCH
3350	----	----	----/4.50A	4.20B/4.50A	----	4.30 - 1.10	.0133	----	----	----	----	24 UNCH
3355	----	----	----/4.60A	4.30B/4.60A	----	4.30 - 1.20	.0133	----	----	----	----	69 UNCH
3360	----	----	----/4.60A	4.20B/4.60A	----	4.30 - 1.30	.0134	----	----	----	----	3 UNCH
3370	----	----	----/4.70A	4.30B/4.70A	----	4.40 - 1.30	.0137	----	----	----	----	9 UNCH
3380	----	----	----/4.80A	4.40B/4.80A	----	4.50 - 1.30	.0140	----	----	----	----	2 UNCH
3385	----	----	----/4.80A	4.50B/4.80A	----	4.50 - 1.40	.0141	----	----	----	----	4 UNCH
3390	----	----	----/4.90A	4.70B/4.90A	----	4.60 - 1.30	.0144	----	----	----	----	1 UNCH
3395	----	----	----/4.90A	4.60B/4.90A	----	4.60 - 1.40	.0144	----	----	----	----	31 UNCH
3400	4.60	4.60	4.60/4.60	4.70B/4.60	----	4.70 - 1.40	.0147	----	----	3	----	48 + 2
3410	----	----	----/5.10A	4.80B/5.10A	----	4.80 - 1.40	.0150	----	----	----	----	5 UNCH
3425	----	----	----/5.20A	4.90B/5.20A	----	4.90 - 1.50	.0154	----	----	----	----	56 UNCH
3435	----	----	----/5.30A	4.90B/5.30A	----	5.00 - 1.50	.0158	----	----	----	----	5 UNCH
3445	----	----	----/5.40A	5.00B/5.40A	----	5.10 - 1.60	.0161	----	----	----	----	1 UNCH
3450	----	----	----/5.50A	5.20B/5.50A	----	5.20 - 1.60	.0164	----	----	----	----	139 UNCH
3455	----	----	----/5.50A	5.10B/5.50A	----	5.20 - 1.60	.0165	----	----	----	----	10 UNCH
3460	----	----	----/5.60A	5.30B/5.60A	----	5.30 - 1.60	.0167	----	----	----	----	10 UNCH
3465	----	----	----/5.60A	5.30B/5.60A	----	5.30 - 1.70	.0168	----	----	----	----	142 UNCH
3475	----	----	----/5.80A	5.40B/5.80A	----	5.50 - 1.60	.0174	----	----	----	----	138 UNCH
3480	----	----	----/5.80A	5.50B/5.80A	----	5.50 - 1.70	.0175	----	----	----	----	36 UNCH
3495	----	----	----/6.00A	5.60B/6.00A	----	5.70 - 1.80	.0181	----	----	----	----	5 UNCH
3500	5.90	5.90	5.90/5.90	6.10B/5.90	----	5.80 - 1.80	.0184	----	----	1	----	583 UNCH
3505	----	----	----/6.10A	5.80B/6.10A	----	5.80 - 1.80	.0185	----	----	----	----	9 UNCH
3510	----	----	----/6.10A	6.20B/6.10A	----	5.90 - 1.80	.0188	----	----	----	----	5 UNCH
3515	----	----	----/6.20A	6.00B/6.20A	----	6.00 - 1.80	.0191	----	----	----	----	6 UNCH
3525	----	----	----/6.30A	6.10B/6.30A	----	6.10 - 1.90	.0195	----	----	----	----	3 UNCH
3530	----	----	----/6.40A	6.20B/6.40A	----	6.20 - 1.90	.0198	----	----	----	----	168 UNCH
3535	----	----	----/6.50A	6.20B/6.50A	----	6.20 - 2.00	.0198	----	----	----	----	31 UNCH
3545	----	----	----/6.60A	6.40B/6.60A	----	6.40 - 2.00	.0204	----	----	----	----	256 UNCH
3550	7.20	7.20	7.20/6.60A	7.20/6.60A	----	6.40 - 2.10	.0205	----	----	1	----	146 - 1
3575	----	----	----/7.00A	6.70B/7.00A	----	6.80 - 2.20	.0218	----	----	----	----	1 UNCH
3580	----	----	----/7.10A	6.80B/7.10A	----	6.90 - 2.20	.0221	----	----	----	----	5 UNCH
3590	----	----	----/7.30A	7.10B/7.30A	----	7.10 - 2.20	.0228	----	----	----	----	16 UNCH
3600	----	----	----/7.40A	7.30B/7.40A	----	7.20 - 2.30	.0232	----	----	1	----	113 UNCH
3605	----	----	----/7.50A	7.30B/7.50A	----	7.30 - 2.30	.0235	----	----	----	----	5 UNCH
3620	----	----	----/7.70A	7.50B/7.70A	----	7.60 - 2.40	.0245	----	----	----	----	12 UNCH
3625	----	----	----/7.80A	7.60B/7.80A	----	7.70 - 2.40	.0248	----	----	----	----	11 UNCH
3630	8.00	8.00	8.00/7.90A	8.50B/7.90A	----	7.80 - 2.40	.0251	----	----	5	----	7 + 4
3635	----	----	----/8.00A	7.80B/8.00A	----	7.80 - 2.60	.0252	----	----	----	----	3 UNCH
3640	----	----	----/8.10A	7.90B/8.10A	----	7.90 - 2.60	.0255	----	----	----	----	6 UNCH
3645	----	----	----/8.20A	8.00B/8.20A	----	8.00 - 2.60	.0258	----	----	----	----	1 UNCH
3650	----	----	----/8.20A	8.20B/8.20A	----	8.10 - 2.70	.0262	----	----	----	----	101 UNCH
3655	----	----	----/8.30A	8.30B/8.30A	----	8.20 - 2.70	.0265	----	----	----	----	7 UNCH
3660	----	----	----/8.40A	9.20B/8.40A	----	8.30 - 2.70	.0268	----	----	----	----	22 UNCH
3665	----	----	----/8.50A	8.50B/8.50A	----	8.40 - 2.80	.0272	----	----	----	----	2 UNCH
3670	----	----	----/8.60A	8.50B/8.60A	----	8.50 - 2.80	.0275	----	----	----	----	110 UNCH
3675	----	----	----/8.80A	8.70B/8.80A	----	8.60 - 2.80	.0278	----	----	1	----	4 - 1
3680	----	----	----/8.80A	8.80B/8.80A	----	8.70 - 2.90	.0282	----	----	----	----	5 UNCH
3685	----	----	----/8.90A	9.10B/8.90A	----	8.80 - 2.90	.0285	----	----	----	----	10 UNCH
3690	----	----	----/9.00A	9.00B/9.00A	----	8.90 - 3.00	.0288	----	----	----	----	50 UNCH
3695	----	----	----/9.20A	9.10B/9.20A	----	9.10 - 2.90	.0294	----	----	----	----	141 UNCH
3700	----	----	----/9.20A	10.20B/9.20A	----	9.20 - 3.00	.0298	----	----	1	----	421 - 1
3705	----	----	----/9.40A	9.30B/9.40A	----	9.30 - 3.00	.0301	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3715	----	----	----/9.60A	9.60B/9.60A	----	9.50 - 3.10	.0308	----	----	----	----	30 UNCH
3720	----	----	----/9.70A	9.70B/9.70A	----	9.60 - 3.20	.0311	----	----	----	----	18 UNCH
3725	----	----	----/9.80A	9.80B/9.80A	----	9.70 - 3.20	.0315	----	----	----	----	5 UNCH
3730	----	----	----/9.90A	10.00B/9.90A	----	9.90 - 3.20	.0321	----	----	----	----	3 UNCH
3735	----	----	----/10.00A	10.10B/10.00A	----	10.00 - 3.30	.0324	----	----	----	----	30 UNCH
3740	----	----	----/10.10A	10.20B/10.10A	----	10.10 - 3.30	.0328	----	----	----	----	20 UNCH
3750	----	----	----/10.30A	10.60B/10.30A	----	10.40 - 3.40	.0337	----	----	1	----	544 UNCH
3760	----	----	----/10.60A	10.80B/10.60A	----	10.60 - 3.50	.0344	----	----	----	----	2 UNCH
3765	----	----	----/10.80A	11.00B/10.80A	----	10.70 - 3.60	.0348	----	----	----	----	32 UNCH
3770	----	----	----/10.90A	11.20B/10.90A	----	10.90 - 3.60	.0354	----	----	----	----	120 UNCH
3775	----	----	----/11.00A	11.30B/11.00A	----	11.00 - 3.70	.0357	----	----	----	----	61 UNCH
3780	----	----	----/11.20A	11.50B/11.20A	----	11.10 - 3.80	.0361	----	----	----	----	1 UNCH
3785	----	----	----/11.30A	11.60B/11.30A	----	11.30 - 3.80	.0367	----	----	1	----	6 UNCH
3790	----	----	----/11.40A	12.90B/11.40A	----	11.40 - 3.90	.0371	----	----	----	----	40 UNCH
3795	----	----	----/11.60A	13.00B/11.60A	----	11.60 - 3.90	.0377	----	----	----	----	36 UNCH
3800	12.90	12.90	12.90/10.90	12.90/10.90	----	11.70 - 4.00	.0380	----	----	2	----	688 + 2
3810	----	----	----/12.00A	12.50B/12.00A	----	12.00 - 4.10	.0390	----	----	----	----	16 UNCH
3815	----	----	----/12.10A	12.70B/12.10A	----	12.20 - 4.10	.0396	----	----	----	----	14 UNCH
3820	----	----	----/12.30A	12.80B/12.30A	----	12.30 - 4.20	.0400	----	----	----	----	10 UNCH
3825	----	----	----/12.40A	13.00B/12.40A	----	12.50 - 4.20	.0406	----	----	----	----	9 UNCH
3830	----	----	----/12.60A	14.50B/12.60A	----	12.60 - 4.30	.0410	----	----	----	----	24 UNCH
3835	----	----	----/12.70A	14.80B/12.70A	----	12.80 - 4.40	.0416	----	----	----	----	1 UNCH
3840	----	----	----/12.80A	14.80B/12.80A	----	13.00 - 4.40	.0422	----	----	3	----	32 UNCH
3845	----	----	----/13.00A	15.00B/13.00A	----	13.10 - 4.50	.0426	----	----	----	----	13 UNCH
3850	----	----	----/13.20A	15.40B/13.20A	----	13.30 - 4.60	.0432	----	----	1	----	205 - 1
3860	----	----	----/13.50A	15.70B/13.50A	----	13.60 - 4.70	.0442	----	----	----	----	29 UNCH
3875	----	----	----/14.00A	16.60B/14.00A	----	14.20 - 4.90	.0461	----	----	----	----	108 UNCH
3880	----	----	----/14.20A	16.70B/14.20A	----	14.30 - 5.00	.0465	----	----	----	----	14 UNCH
3885	----	----	----/14.40A	16.90B/14.40A	----	14.50 - 5.10	.0471	----	----	----	----	5 UNCH
3890	----	----	----/14.60A	17.10B/14.60A	----	14.70 - 5.10	.0478	----	----	----	----	4 UNCH
3895	----	----	----/14.80A	17.30B/14.80A	----	14.90 - 5.20	.0484	----	----	1	----	2 + 1
3900	16.10	16.10	16.10/15.00A	17.70B/15.00A	----	15.10 - 5.30	.0490	----	----	11	----	321 + 11
3905	----	----	----/15.20A	17.80B/15.20A	----	15.30 - 5.30	.0497	----	----	----	----	12 UNCH
3910	----	----	----/15.30A	18.10B/15.30A	----	15.50 - 5.40	.0503	----	----	----	----	54 UNCH
3920	----	----	----/15.70A	18.80B/15.70A	----	15.90 - 5.60	.0516	----	----	----	----	1 UNCH
3925	----	----	----/15.90A	19.10B/15.90A	----	16.10 - 5.70	.0523	----	----	----	----	48 UNCH
3930	----	----	----/16.20A	19.30B/16.20A	----	16.30 - 5.80	.0529	----	----	----	----	35 UNCH
3935	----	----	----/16.40A	19.60B/16.40A	----	16.60 - 5.80	.0538	----	----	----	----	7 UNCH
3940	----	----	----/16.60A	19.80B/16.60A	----	16.80 - 5.90	.0544	----	----	3	----	23 + 3
3945	----	----	----/16.80A	20.20B/16.80A	----	17.00 - 6.00	.0551	----	----	----	----	20 UNCH
3950	----	----	----/17.00A	20.50B/17.00A	----	17.20 - 6.10	.0557	----	----	----	----	601 UNCH
3955	----	----	----/17.30A	20.70B/17.30A	----	17.50 - 6.10	.0566	----	----	----	----	25 UNCH
3960	----	----	----/17.50A	21.00B/17.50A	----	17.70 - 6.20	.0573	----	----	----	----	19 UNCH
3965	----	----	----/17.70A	21.30B/17.70A	----	17.90 - 6.30	.0580	----	----	----	----	94 UNCH
3970	----	----	----/17.90A	21.70B/17.90A	----	18.20 - 6.40	.0588	----	----	----	----	6 UNCH
3975	----	----	----/18.20A	21.90B/18.20A	----	18.40 - 6.50	.0595	----	----	1	----	22 + 1
3980	----	----	----/18.40A	22.30B/18.40A	----	18.70 - 6.50	.0604	----	----	----	----	5 UNCH
3985	----	----	----/18.70A	22.60B/18.70A	----	18.90 - 6.70	.0611	----	----	----	----	136 UNCH
3990	----	----	----/18.90A	22.80B/18.90A	----	19.20 - 6.70	.0620	----	----	----	----	41 UNCH
3995	----	----	----/19.20A	23.20B/19.20A	----	19.50 - 6.80	.0629	----	----	----	----	14 UNCH
4000	21.30	21.30	21.30/19.40A	23.50B/19.40A	----	19.70 - 6.90	.0635	----	----	8	----	1096 + 5
4005	19.80	19.80	19.80/19.70A	23.90B/19.70A	----	20.00 - 7.00	.0644	----	----	10	----	130 + 10
4010	----	----	----/19.90A	24.20B/19.90A	----	20.30 - 7.10	.0653	----	----	----	----	3 UNCH
4015	----	----	----/20.20A	24.60B/20.20A	----	20.50 - 7.20	.0660	----	----	----	----	59 UNCH
4020	----	----	----/20.50A	24.80B/20.50A	----	20.80 - 7.30	.0670	----	----	----	----	91 UNCH
4025	----	----	----/20.80A	25.20B/20.80A	----	21.10 - 7.40	.0679	----	----	----	----	18 UNCH
4030	----	----	----/21.10A	25.60B/21.10A	----	21.40 - 7.50	.0688	----	----	----	----	35 UNCH
4035	----	----	----/21.30A	26.00B/21.30A	----	21.70 - 7.60	.0697	----	----	----	----	3 UNCH
4040	----	----	----/21.60A	26.30B/21.60A	----	22.00 - 7.70	.0706	----	----	----	----	1 UNCH
4045	----	----	----/21.90A	26.70B/21.90A	----	22.30 - 7.80	.0715	----	----	----	----	20 UNCH
4050	25.90	25.90	25.90/22.20A	27.10B/22.20A	----	22.60 - 7.90	.0725	----	----	5	----	48 + 1
4055	----	----	----/22.50A	27.50B/22.50A	----	22.90 - 8.00	.0734	----	----	1	----	32 UNCH
4065	----	----	----/23.10A	28.30B/23.10A	----	23.60 - 8.20	.0754	----	----	----	----	7 UNCH
4070	----	----	----/23.40A	28.70B/23.40A	----	23.90 - 8.30	.0764	----	----	2	----	12 UNCH
4075	----	----	----/23.70A	29.10B/23.70A	----	24.20 - 8.50	.0773	----	----	----	----	13 UNCH
4080	----	----	----/24.00A	29.50B/24.00A	----	24.60 - 8.50	.0785	----	----	----	----	8 UNCH
4085	----	----	----/24.30A	30.00B/24.30A	----	24.90 - 8.70	.0794	----	----	----	----	10 UNCH
4090	----	----	----/24.70A	30.40B/24.70A	----	25.30 - 8.70	.0806	----	----	----	----	2 UNCH
4095	----	----	----/25.00A	30.80B/25.00A	----	25.60 - 8.90	.0815	----	----	----	----	1 UNCH
4100	----	----	----/25.30A	31.30B/25.30A	----	26.00 - 9.00	.0827	----	----	3	----	677 + 1
4105	----	----	----/25.70A	31.70B/25.70A	----	26.30 - 9.20	.0836	----	----	----	----	9 UNCH
4110	----	----	----/26.00A	32.20B/26.00A	----	26.70 - 9.30	.0848	----	----	2	----	15 UNCH
4115	----	----	----/26.40A	32.70B/26.40A	----	27.10 - 9.40	.0860	----	----	----	----	5 UNCH
4120	----	----	----/26.70A	33.10B/26.70A	----	27.50 - 9.50	.0871	----	----	----	----	6 UNCH
4125	29.80	29.80	29.80/27.10A	33.50B/27.10A	----	27.80 - 9.70	.0881	----	----	11	----	83 + 11
4130	----	----	----/27.50A	34.10B/27.50A	----	28.20 - 9.80	.0893	----	----	----	----	65 UNCH
4135	----	----	----/27.90A	34.60B/27.90A	----	28.60 - 9.90	.0904	----	----	----	----	7 UNCH
4140	----	----	----/28.30A	35.10B/28.30A	----	29.00 - 10.10	.0916	----	----	----	----	20 UNCH
4145	----	----	----/28.60A	35.60B/28.60A	----	29.40 - 10.20	.0928	----	----	----	----	235 UNCH
4150	31.70	31.70	31.70/29.00A	36.00B/29.00A	----	29.80 - 10.40	.0940	----	----	2	----	134 + 1
4155	----	----	----/29.50A	36.60B/29.50A	----	30.30 - 10.40	.0954	----	----	----	----	5 UNCH
4160	----	----	----/29.90A	37.10B/29.90A	----	30.70 - 10.60	.0966	----	----	----	----	3 UNCH
4165	----	----	----/30.30A	37.70B/30.30A	----	31.10 - 10.80	.0978	----	----	----	----	68 UNCH
4170	----	----	----/30.70A	38.20B/30.70A	----	31.60 - 10.90	.0992	----	----	----	----	1 UNCH
4175	----	----	----/31.10A	38.70B/31.10A	----	32.00 - 11.10	.1004	----	----	1	----	43 UNCH
4185	----	----	----/32.00A	39.90B/32.00A	----	32.90 - 11.40	.1030	----	----	----	----	13 UNCH
4190	----	----	----/32.50A	40.50B/32.50A	----	33.40 - 11.50	.1044	----	----	----	----	126 UNCH
4195	----	----	----/32.80A	41.00B/32.80A	----	33.80 - 11.70	.1056	----	----	----	----	65 UNCH
4200	36.50	36.50	37.50/33.30A	41.70B/33.30A	----	34.30 - 11.80	.1070	----	----	20	----	576 + 3
4205	----	----	----/33.80A	42.40B/33.80A	----	34.80 - 12.00	.1084	----	----	----	----	6 UNCH
4210	----	----	----/34.30A	43.00B/34.30A	----	35.30 - 12.10	.1099	----	----	----	----	67 UNCH
4215	----	----	----/34.80A	43.60B/34.80A	----	35.80 - 12.30	.1113	----	----	----	----	39 UNCH
4220	----	----	----/35.30A	44.20B/35.30A	----	36.30 - 12.50	.1127	----	----	----	----	195 UNCH
4225	----	----	----/35.80A	44.80B/35.80A	----	36.80 - 12.70	.1141	----	----	----	----	34 UNCH
4230	----	----	----/36.30A	45.60B/36.30A	----	37.30 - 12.80	.1156	----	----	----	----	8 UNCH
4235	----	----	----/36.70A	46.20B/36.70A	----	37.90 - 12.90	.1172	----	----	----	----	42 UNCH
4240	----	----	----/37.40A	46.90B/37.40A	----	38.40 - 13.20	.1186	----	----	----	----	33 UNCH
4245	----	----	----/37.80A	47.50B/37.80A	----	39.00 - 13.30	.1203	----	----	----	----	1 UNCH
4250	----	----	----/38.30A	48.20B/38.30A	----	39.50 - 13.50	.1217	----	----	----	----	832 UNCH
4255	----	----	----/38.90A	48.90B/38.90A	----	40.10 - 13.60	.1233	----	----	----	----	2 UNCH
4260	----	----	----/39.50A	49.60B/39.50A	----	40.60 - 13.90	.1248	----	----	----	----	4 UNCH
4265	----	----	----/40.00A	50.30B/40.00A	----	41.20 - 14.00	.1264	----	----	----	----	12 UNCH
4270	----	----	----/40.60A	51.00B/40.60A	----	41.80 - 14.20	.1281	----	----	----	----	1 UNCH
4275	----	----	----/41.10A	51.80B/41.10A	----	42.40 - 14.40	.1297	----	----	1	----	74 + 1
4280	----	----	----/41.70A	52.50B/41.70A	----	43.00 - 14.60	.1314	----	----	----	----	39 UNCH
4285	----	----	----/42.30A	53.30B/42.30A	----	43.70 - 14.70	.1332	----	----	1	----	101 UNCH
4290	----	----	----/43.00A	54.10B/43.00A	----	44.30 - 14.90	.1348	----	----	----	----	33 UNCH
4295	----	----	----/43.60A	54.80B/43.60A	----	44.90 - 15.10	.1365	----	----	----	----	20 UNCH
4300	45.70	45.70	45.70/44.20A	55.60B/44.20A	----	45.60 - 15.20	.1383	----	----	7	----	770 + 3
4305	----	----	----/44.80A	56.40B/44.80A	----	46.20 - 15.50	.1400	----	----	----	----	9 UNCH
4310	----	----	----/45.50A	57.20B/45.50A	----	46.90 - 15.60	.1419	----	----	1	----	5 UNCH
4315	49.00	49.00	49.00/46.10A	58.10B/46.10A	----	47.60 - 15.80	.1437	----	----	34	----	58 + 34
4320	----	----	----/46.70A	58.90B/46.70A	----	48.30 - 15.90	.1455	----	----	----	----	3 UNCH
4325	50.40	50.40	50.40/47.30A	59.80B/47.30A	----	49.00 - 16.10	.1474	----	----	32	----	78 - 23
4330	----	----	----/48.00A	60.60B/48.00A	----	49.70 - 16.30	.1492	----	----	----	----	23 UNCH
4335	----	----	----/48.70A	61.60B/48.70A	----	50.40 - 16.50	.1511	----	----	----	----	111 UNCH
4340	----	----	----/49.40A	62.50B/49.40A	----	51.10 - 16.80	.1530	----	----	----	----	114 UNCH
4345	----	----	----/50.10A	63.40B/50.10A	----	51.80 - 17.00	.1548	----	----	----	----	12 UNCH
4350	57.50	57.50	57.50/50.80A	64.30B/50.80A	----	52.60 - 17.10	.1569	----	----	15	----	305 + 4
4355	----	----	----/51.60A	65.20B/51.60A	----	53.40 - 17.30	.1589	----	----	----	----	123 UNCH
4360	----	----	----/52.30A	66.10B/52.30A	----	54.10 - 17.50	.1608	----	----	----	----	104 UNCH
4365	----	----	----/53.10A	67.00B/53.10A	----	54.90 - 17.70	.1628	----	----	----	----	28 UNCH
4370	----	----	----/53.80A	67.90B/53.80A	----	55.70 - 17.90	.1649	----	----	----	----	140 UNCH
4375	----	----	----/54.60A	68.80B/54.60A	----	56.50 - 18.10	.1669	----	----	1	----	26 UNCH
4380	----	----	----/55.40A	69.90B/55.40A	----	57.30 - 18.30	.1690	----	----	----	----	3 UNCH
4385	----	----	----/56.20A	70.80B/56.20A	----	58.20 - 18.50	.1712	----	----	----	----	52 UNCH
4390	----	----	----/57.00A	71.90B/57.00A	----	59.00 - 18.70	.1732	----	----	----	----	2 UNCH
4395	----	----	----/57.80A	72.80B/57.80A	----	59.80 - 19.00	.1753	----	----	----	----	13 UNCH
4400	----	----	----/58.50A	73.90B/58.50A	----	60.70 - 19.10	.1775	----	----	11	----	1123 + 10
4405	----	----	----/59.40A	75.10B/59.40A	----	61.60 - 19.30	.1797	----	----	----	----	12 UNCH
4410	----	----	----/60.30A	76.00B/60.30A	----	62.50 - 19.50	.1819	----	----	----	----	14 UNCH
4415	----	----	----/61.10A	77.20B/61.10A	----	63.40 - 19.70	.1842	----	----	----	----	4 UNCH
4420	----	----	----/62.00A	78.20B/62.00A	----	64.30 - 20.00	.1864	----	----	----	----	15 UNCH
4425	----	----	----/62.80A	79.30B/62.80A	----	65.20 - 20.20	.1886	----	----	----	----	36 UNCH
4430	----	----	----/63.70A	80.50B/63.70A	----	66.10 - 20.40	.1909	----	----	----	----	157 UNCH
4435	----	----	----/64.70A	81.60B/64.70A	----	67.10 - 20.60	.1933	----	----	----	----	1 UNCH
4440	----	----	----/65.60A	82.80B/65.60A	----	68.10 - 20.80	.1956	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4445	----	----	----/66.40A	83.90B/66.40A	----	69.00 - 21.10	.1979	----	----	----	----	152 UNCH
4450	72.30	72.30	72.30/67.40A	85.10B/67.40A	----	70.00 - 21.30	.2003	----	----	3	----	584 UNCH
4455	----	----	----/68.40A	86.10B/68.40A	----	71.00 - 21.50	.2027	----	----	----	----	17 UNCH
4460	----	----	----/69.40A	87.50B/69.40A	----	72.00 - 21.70	.2051	----	----	----	----	93 UNCH
4465	----	----	----/70.30A	88.70B/70.30A	----	73.10 - 21.90	.2076	----	----	----	----	27 UNCH
4470	----	----	----/71.30A	89.90B/71.30A	----	74.10 - 22.20	.2100	----	----	----	----	10 UNCH
4475	----	----	----/72.30A	91.20B/72.30A	----	75.20 - 22.30	.2125	----	----	2	----	36 UNCH
4480	----	----	----/73.40A	92.40B/73.40A	----	76.20 - 22.60	.2150	----	----	----	----	136 UNCH
4485	----	----	----/74.40A	93.70B/74.40A	----	77.30 - 22.80	.2175	----	----	----	----	50 UNCH
4490	----	----	----/75.50A	95.00B/75.50A	----	78.40 - 23.10	.2201	----	----	----	----	40 UNCH
4495	----	----	----/76.50A	96.30B/76.50A	----	79.50 - 23.30	.2226	----	----	----	----	3 UNCH
4500	83.30	83.30	84.10/77.60A	97.60B/77.60A	----	80.70 - 23.50	.2253	----	----	130	300	834 + 209
4505	----	----	----/78.80A	98.90B/78.80A	----	81.80 - 23.70	.2278	----	----	----	----	5 UNCH
4510	----	----	----/79.90A	100.30B/79.90A	----	83.00 - 23.90	.2305	----	----	----	----	7 UNCH
4515	----	----	----/81.10A	101.70B/81.10A	----	84.10 - 24.20	.2331	----	----	----	----	3 UNCH
4520	----	----	----/82.10A	103.10B/82.10A	----	85.30 - 24.40	.2358	----	----	----	----	9 UNCH
4525	----	----	----/83.20A	104.40B/83.20A	----	86.50 - 24.70	.2385	----	----	4	----	87 UNCH
4530	----	----	----/84.40A	105.90B/84.40A	----	87.80 - 24.80	.2413	----	----	----	----	8 UNCH
4535	----	----	----/85.60A	107.30B/85.60A	----	89.00 - 25.10	.2440	----	----	----	----	2 UNCH
4540	----	----	----/86.80A	108.80B/86.80A	----	90.20 - 25.40	.2467	----	----	----	----	89 UNCH
4545	----	----	----/88.00A	110.20B/88.00A	----	91.50 - 25.60	.2495	----	----	----	----	20 UNCH
4550	----	----	----/89.20A	111.70B/89.20A	----	92.80 - 25.80	.2523	----	----	5	----	66 + 3
4555	----	----	----/90.60A	113.20B/90.60A	----	94.10 - 26.00	.2551	----	----	----	----	15 UNCH
4560	----	----	----/91.80A	114.70B/91.80A	----	95.40 - 26.30	.2580	----	----	----	----	20 UNCH
4565	----	----	----/93.00A	116.40B/93.00A	----	96.70 - 26.50	.2608	----	----	----	----	105 UNCH
4570	----	----	----/94.20A	117.80B/94.20A	----	98.10 - 26.70	.2637	----	----	----	----	8 UNCH
4575	----	----	----/95.60A	119.50B/95.60A	----	99.40 - 27.00	.2666	----	----	----	----	11 UNCH
4580	----	----	----/96.90A	121.00B/96.90A	----	100.80 - 27.20	.2695	----	----	----	----	5 UNCH
4585	----	----	----/98.20A	122.70B/98.20A	----	102.20 - 27.50	.2724	----	----	----	----	5 UNCH
4590	----	----	----/99.60A	124.30B/99.60A	----	103.60 - 27.70	.2754	----	----	----	----	5 UNCH
4595	----	----	----/101.00A	126.00B/101.00A	----	105.00 - 28.00	.2783	----	----	----	----	48 UNCH
4600	122.40	122.40	122.40/102.30A	127.50B/102.30A	----	106.50 - 28.20	.2814	----	----	32	----	1293 + 18
4605	----	----	----/103.70A	129.20B/103.70A	----	107.90 - 28.50	.2844	----	----	----	----	1 UNCH
4610	----	----	----/105.20A	130.90B/105.20A	----	109.40 - 28.70	.2874	----	----	----	----	129 UNCH
4615	----	----	----/106.60A	132.90B/106.60A	----	110.90 - 29.00	.2905	----	----	----	----	13 UNCH
4620	----	----	----/108.10A	134.30B/108.10A	----	112.40 - 29.20	.2935	----	----	----	----	45 UNCH
4625	----	----	----/109.50A	136.10B/109.50A	----	113.90 - 29.50	.2966	----	----	----	----	35 UNCH
4630	----	----	----/111.00A	138.00B/111.00A	----	115.50 - 29.70	.2997	----	----	----	----	3 UNCH
4635	----	----	----/112.60A	139.80B/112.60A	----	117.00 - 30.00	.3028	----	----	----	----	126 UNCH
4640	----	----	----/114.10A	141.60B/114.10A	----	118.60 - 30.30	.3059	----	----	----	----	51 UNCH
4645	----	----	----/115.70A	143.30B/115.70A	----	120.20 - 30.50	.3091	----	----	----	----	10 UNCH
4650	----	----	----/117.30A	145.30B/117.30A	----	121.80 - 30.80	.3123	----	----	1	100	214 + 100
4655	----	----	----/118.80A	147.00B/118.80A	----	123.50 - 31.00	.3155	----	----	----	----	2 UNCH
4660	----	----	----/120.40A	148.90B/120.40A	----	125.10 - 31.30	.3186	----	----	----	----	62 UNCH
4665	----	----	----/122.00A	150.80B/122.00A	----	126.80 - 31.60	.3219	----	----	----	----	20 UNCH
4670	137.20	137.20	137.20/123.70A	152.90B/123.70A	----	128.50 - 31.80	.3251	----	----	4	----	101 + 1
4675	----	----	----/125.20A	154.70B/125.20A	----	130.20 - 32.10	.3284	----	----	1	----	70 UNCH
4680	----	----	----/126.90A	156.80B/126.90A	----	131.90 - 32.40	.3316	----	----	----	----	24 UNCH
4685	----	----	----/128.50A	158.80B/128.50A	----	133.60 - 32.70	.3349	----	----	----	----	7 UNCH
4695	----	----	----/132.00A	162.80B/132.00A	----	137.20 - 33.20	.3415	----	----	----	----	179 UNCH
4700	150.70	150.70	150.70/133.40A	164.80B/133.40A	----	139.00 - 33.40	.3448	----	----	27	----	744 - 3
4705	----	----	----/135.50A	166.80B/135.50A	----	140.80 - 33.70	.3482	----	----	----	----	6 UNCH
4710	----	----	----/137.20A	168.80B/137.20A	----	142.60 - 34.10	.3515	----	----	----	----	124 UNCH
4715	----	----	----/139.00A	170.90B/139.00A	----	144.50 - 34.30	.3549	----	----	----	----	4 UNCH
4720	----	----	----/140.90A	172.90B/140.90A	----	146.40 - 34.50	.3583	----	----	----	----	9 UNCH
4725	----	----	----/142.60A	175.20B/142.60A	----	148.20 - 34.90	.3616	----	----	----	----	205 UNCH
4730	----	----	----/144.40A	177.30B/144.40A	----	150.20 - 35.10	.3650	----	----	----	----	58 UNCH
4735	----	----	----/146.30A	178.90B/146.30A	----	152.10 - 35.40	.3684	----	----	----	----	11 UNCH
4740	----	----	----/148.20A	181.80B/148.20A	----	154.00 - 35.70	.3718	----	----	----	----	114 UNCH
4745	158.20	158.20	158.20/150.10A	183.90B/150.10A	----	156.00 - 36.00	.3753	----	----	3	----	120 + 3
4750	----	----	----/152.00A	186.10B/152.00A	----	158.00 - 36.20	.3787	----	----	1	----	408 UNCH
4755	----	----	----/154.00A	188.40B/154.00A	----	160.00 - 36.50	.3822	----	----	----	----	9 UNCH
4760	----	----	----/156.00A	190.60B/156.00A	----	162.00 - 36.80	.3857	----	----	----	----	28 UNCH
4765	168.80	168.80	168.80/157.90A	192.90B/157.90A	----	164.10 - 37.00	.3891	----	----	3	----	302 UNCH
4770	----	----	----/159.90A	195.30B/159.90A	----	166.10 - 37.30	.3926	----	----	----	----	3 UNCH
4775	----	----	----/162.00A	197.60B/162.00A	----	168.20 - 37.60	.3961	----	----	----	----	45 UNCH
4780	----	----	----/163.90A	200.10B/163.90A	----	170.30 - 37.90	.3996	----	----	----	----	30 UNCH
4785	----	----	----/165.90A	202.50B/165.90A	----	172.50 - 38.10	.4031	----	----	----	----	67 UNCH
4790	----	----	----/168.00A	204.80B/168.00A	----	174.60 - 38.40	.4067	----	----	----	----	2 UNCH
4795	----	----	----/170.10A	207.20B/170.10A	----	176.80 - 38.60	.4102	----	----	----	----	67 UNCH
4800	197.20	197.20	197.20/172.10A	209.80B/172.10A	----	179.00 - 38.90	.4137	----	----	28	----	1116 - 7
4805	----	----	----/174.30A	212.30B/174.30A	----	181.20 - 39.10	.4173	----	----	----	----	3 UNCH
4810	188.80	188.80	188.80/176.60A	214.70B/176.60A	----	183.40 - 39.40	.4208	----	----	1	----	8 + 1
4815	----	----	----/178.60A	217.20B/178.60A	----	185.60 - 39.80	.4244	----	----	----	----	26 UNCH
4820	----	----	----/180.90A	219.70B/180.90A	----	187.90 - 40.00	.4279	----	----	----	----	101 UNCH
4825	----	----	----/183.00A	222.40B/183.00A	----	190.20 - 40.30	.4315	----	----	----	----	15 UNCH
4830	----	----	----/185.30A	225.00B/185.30A	----	192.50 - 40.60	.4351	----	----	----	----	1 UNCH
4835	225.20	225.20	225.20/187.60A	227.60B/187.60A	----	194.80 NEW	.4386	----	----	15	----	15 + 15
4840	----	----	----/189.90A	229.70B/189.90A	----	197.20 - 41.20	.4422	----	----	----	----	9 UNCH
4845	----	----	----/192.10A	232.70B/192.10A	----	199.60 - 41.40	.4458	----	----	10	----	69 UNCH
4850	----	----	----/194.40A	235.10B/194.40A	----	202.00 - 41.70	.4494	----	----	6	----	291 + 4
4860	----	----	----/199.00A	240.70B/199.00A	----	206.80 - 42.40	.4566	----	----	----	----	1 UNCH
4865	----	----	----/201.40A	243.20B/201.40A	----	209.30 - 42.60	.4602	----	----	----	----	2 UNCH
4870	----	----	----/203.80A	244.60B/203.80A	----	211.80 - 42.90	.4638	----	----	----	----	318 UNCH
4875	----	----	----/206.20A	247.40B/206.20A	----	214.30 - 43.20	.4673	----	----	----	----	70 UNCH
4880	----	----	----/208.60A	250.30B/208.60A	----	216.80 - 43.50	.4709	----	----	----	----	12 UNCH
4890	----	----	----/213.50A	255.90B/213.50A	----	222.00 - 44.00	.4781	----	----	----	----	9 UNCH
4895	----	----	----/216.00A	258.70B/216.00A	----	224.60 - 44.20	.4817	----	----	----	----	61 UNCH
4900	236.10	236.10	236.10/218.50A	261.60B/218.50A	----	227.20 - 44.50	.4853	----	----	4	----	262 - 1
4905	----	----	----/221.10A	264.60B/221.10A	----	229.80 - 44.80	.4889	----	----	----	----	54 UNCH
4910	----	----	----/223.70A	267.80B/223.70A	----	232.50 - 45.00	.4925	----	----	----	----	2 UNCH
4915	----	----	----/226.20A	270.40B/226.20A	----	235.10 - 45.40	.4961	----	----	----	----	118 UNCH
4920	----	----	----/228.80A	273.10B/228.80A	----	237.80 - 45.60	.4996	----	----	----	----	22 UNCH
4925	----	----	----/231.50A	276.10B/231.50A	----	240.60 - 45.80	.5032	----	----	----	----	11 UNCH
4930	----	----	----/234.00A	279.00B/234.00A	----	243.30 - 46.10	.5068	----	----	----	----	52 UNCH
4935	----	----	----/236.70A	282.10B/236.70A	----	246.10 - 46.30	.5103	----	----	----	----	4 UNCH
4940	----	----	----/239.40A	285.60B/239.40A	----	248.80 - 46.60	.5139	----	----	----	----	11 UNCH
4950	----	----	----/245.20A	291.30B/245.20A	----	254.50 - 47.00	.5210	----	----	----	----	106 UNCH
4975	----	----	----/259.20A	302.20B/259.20A	----	268.80 - 48.20	.5386	----	----	----	----	2 UNCH
4980	----	----	----/261.80A	303.00B/261.80A	----	271.70 - 48.50	.5420	----	----	----	----	6 UNCH
4985	----	----	----/264.70A	306.30B/264.70A	----	274.70 - 48.70	.5456	----	----	----	----	104 UNCH
4990	----	----	----/268.10A	307.20B/268.10A	----	277.60 - 49.00	.5491	----	----	----	----	2 UNCH
4995	----	----	----/270.30A	310.60B/270.30A	----	280.60 - 49.20	.5525	----	----	----	----	12 UNCH
5000	298.80	298.80	298.80/273.00A	319.40B/273.00A	----	283.60 - 49.50	.5560	----	----	6	----	548 UNCH
5005	----	----	----/276.40A	316.90B/276.40A	----	286.60 - 49.80	.5594	----	----	----	----	12 UNCH
5010	----	----	----/279.30A	321.80B/279.30A	----	289.60 - 50.00	.5629	----	----	----	----	9 UNCH
5015	----	----	----/282.20A	322.00B/282.20A	----	292.70 - 50.20	.5663	----	----	----	----	20 UNCH
5020	----	----	----/285.30A	324.30B/285.30A	----	295.70 - 50.60	.5698	----	----	----	----	5 UNCH
5025	----	----	----/288.20A	328.60B/288.20A	----	298.80 - 50.80	.5732	----	----	----	----	150 UNCH
5030	----	----	----/291.20A	331.00B/291.20A	----	301.90 - 51.10	.5766	----	----	----	----	8 UNCH
5035	----	----	----/294.30A	335.30B/294.30A	----	305.00 - 51.30	.5800	----	----	----	----	37 UNCH
5040	332.10	332.10	337.70B/297.40A	337.70B/297.40A	----	308.20 NEW	.5834	----	----	10	----	10 + 10
5045	----	----	----/300.50A	341.10B/300.50A	----	311.30 - 51.80	.5868	----	----	----	----	5 UNCH
5050	338.80	338.80	345.50B/303.60A	345.50B/303.60A	----	314.50 - 52.10	.5902	----	----	10	----	79 UNCH
5055	----	----	----/306.70A	347.90B/306.70A	----	317.70 - 52.30	.5935	----	----	----	----	3 UNCH
5065	----	----	----/313.00A	354.80B/313.00A	----	324.10 - 52.90	.6002	----	----	----	----	11 UNCH
5075	----	----	----/319.40A	361.80B/319.40A	----	330.60 - 53.40	.6068	----	----	----	----	6 UNCH
5080	----	----	----/323.20A	365.20B/323.20A	----	333.90 - 53.60	.6101	----	----	----	----	2 UNCH
5085	----	----	----/326.00A	368.90B/326.00A	----	337.10 - 54.00	.6134	----	----	----	----	21 UNCH
5090	----	----	----/329.10A	372.40B/329.10A	----	340.50 - 54.20	.6166	----	----	----	----	6 UNCH
5095	----	----	----/332.60A	376.00B/332.60A	----	343.80 - 54.40	.6199	----	----	----	----	42 UNCH
5100	----	----	----/335.60A	379.60B/335.60A	----	347.10 - 54.70	.6231	----	----	----	----	106 UNCH
5105	----	----	----/338.90A	383.20B/338.90A	----	350.50 - 55.00	.6264	----	----	----	----	22 UNCH
5110	----	----	----/342.20A	386.80B/342.20A	----	353.90 - 55.20	.6296	----	----	----	----	16 UNCH
5115	----	----	----/345.70A	390.40B/345.70A	----	357.20 - 55.50	.6328	----	----	----	----	37 UNCH
5120	----	----	----/349.90A	394.10B/349.90A	----	360.70 - 55.70	.6359	----	----	----	----	14 UNCH
5125	----	----	----/353.30A	397.70B/353.30A	----	364.10 - 56.00	.6391	----	----	----	----	37 UNCH
5130	----	----	----/357.10A	401.40B/357.10A	----	367.50 - 56.30	.6422	----	----	----	----	23 UNCH
5135	----	----	----/360.70A	405.10B/360.70A	----	371.00 - 56.50	.6454	----	----	----	----	9 UNCH
5140	----	----	----/364.00A	408.80B/364.00A	----	374.50 - 56.70	.6485	----	----	----	----	19 UNCH
5145	----	----	----/367.40A	412.50B/367.40A	----	378.00 - 57.00	.6516	----	----	----	----	2 UNCH
5150	----	----	----/370.90A	415.90B/370.90A	----	381.50 - 57.20	.6546	----	----	----	----	233 UNCH
5155	----	----	----/374.50A	416.00B/374.50A	----	385.00 - 57.50	.6577	----	----	----	----	42 UNCH
5160	----	----	----/378.00A	418.80B/378.00A	----	388.50 - 57.80	.6607	----	----	----	----	42 UNCH
5170	----	----	----/384.90A	426.30B/384.90A	----	395.70 - 58.20	.6668	----	----	----	----	51 UNCH
5175	----	----	----/388.60A	430.10B/388.60A	----	399.30 - 58.50	.6698	----	----	----	----	61 UNCH
5180	----	----	----/392.00A	433.90B/392.00A	----	402.90 - 58.70	.6728	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 17

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5185	----	----	----/395.70A	437.70B/395.70A	----	406.50 - 59.00	.6757	----	----	----	----	103 UNCH
5190	----	----	----/399.30A	441.60B/399.30A	----	410.10 - 59.20	.6787	----	----	----	----	19 UNCH
5200	----	----	----/406.50A	449.30B/406.50A	----	417.50 - 59.60	.6845	----	----	----	----	57 UNCH
5225	----	----	----/424.70A	468.80B/424.70A	----	436.10 - 60.80	.6988	----	----	----	----	42 UNCH
5230	----	----	----/428.50A	437.40B/428.50A	----	439.80 - 61.00	.7015	----	----	----	----	2 UNCH
5235	----	----	----/432.10A	476.80B/432.10A	----	443.60 - 61.20	.7043	----	----	----	----	23 UNCH
5245	----	----	----/439.70A	440.00B/439.70A	----	451.20 - 61.70	.7097	----	----	----	----	2 UNCH
5250	----	----	----/443.40A	488.70B/443.40A	----	455.00 - 61.90	.7125	----	----	----	----	14 UNCH
5255	----	----	----/451.30A	492.80B/451.30A	----	458.80 - 62.10	.7151	----	----	----	----	14 UNCH
5285	----	----	----	333.90B/640.00A	----	482.10 - 63.30	.7309	----	----	----	----	2 UNCH
5290	----	----	----/478.10A	521.20B/478.10A	----	486.10 - 63.50	.7334	----	----	----	----	4 UNCH
5295	----	----	----	342.40B/647.80A	----	490.00 - 63.70	.7359	----	----	----	----	2 UNCH
5300	----	----	----/486.60A	529.50B/486.60A	----	494.00 - 63.90	.7385	----	----	----	----	67 UNCH
5315	----	----	----/498.40A	541.90B/498.40A	----	505.90 - 64.50	.7458	----	----	----	----	10 UNCH
5325	----	----	----	368.20B/671.20A	----	513.90 - 64.90	.7508	----	----	----	----	1 UNCH
5350	----	----	----/526.30A	571.40B/526.30A	----	534.20 - 65.80	.7625	----	----	----	----	8 UNCH
5375	----	----	----/546.80A	592.70B/546.80A	----	554.70 - 66.70	.7737	----	----	----	----	7 UNCH
5390	----	----	----/559.00A	605.70B/559.00A	----	567.20 - 67.20	.7803	----	----	----	----	5 UNCH
5400	----	----	----/564.00A	618.60B/564.00A	----	575.50 - 67.60	.7846	----	----	----	----	602 UNCH
5410	----	----	----	443.70B/739.30A	----	583.90 - 68.00	.7889	----	----	----	----	1 UNCH
5440	----	----	----	471.10B/764.00A	----	609.30 - 69.10	.8009	----	----	----	----	1 UNCH
5475	----	----	----/630.80A	680.40B/630.80A	----	639.40 - 70.20	.8143	----	----	----	----	6 UNCH
5500	----	----	----/652.40A	702.60B/652.40A	----	661.10 - 71.00	.8234	----	----	1	----	3 UNCH
5505	----	----	----	530.50B/818.40A	----	665.50 - 71.20	.8251	----	----	----	----	1 UNCH
5510	----	----	----	535.00B/822.70A	----	669.90 - 71.30	.8268	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1223.40 - 80.20	.9400	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1247.70 - 80.40	.9422	----	----	----	----	2 UNCH
TOTAL										529	400	29483 + 444
AUG26												
2300	----	----	----/1.20A	1.00B/1.20A	----	1.00 - 0.30	.0022	----	----	----	----	34 UNCH
2325	----	----	----	1.00B/1.50A	----	1.00 - 0.30	.0023	----	----	----	----	1 UNCH
2350	----	----	----	1.10B/1.50A	----	1.10 - 0.20	.0025	----	----	----	----	2 UNCH
2375	----	----	----	1.10B/1.60A	----	1.10 - 0.30	.0025	----	----	----	----	7 UNCH
2400	----	----	----	1.20B/1.40A	----	1.20 - 0.20	.0028	----	----	----	----	5 UNCH
2425	----	----	----	1.20B/1.70A	----	1.30 - 0.20	.0030	----	----	----	----	1 UNCH
2475	----	----	----	1.40B/1.90A	----	1.40 - 0.20	.0033	----	----	----	----	5 UNCH
2500	1.30	1.30	1.30/*1.30	1.40B/*1.30	----	1.50 - 0.20	.0035	----	----	5	----	7 + 5
2570	----	----	----	1.60B/2.20A	----	1.70 - 0.30	.0040	----	----	----	----	9 UNCH
2580	----	----	----	1.70B/2.20A	----	1.70 - 0.40	.0040	----	----	----	----	1 UNCH
2590	----	----	----	1.70B/2.20A	----	1.70 - 0.40	.0041	----	----	----	----	2 UNCH
2600	----	----	----	1.80B/2.20A	----	1.80 - 0.40	.0043	----	----	----	----	2 UNCH
2615	----	----	----	1.80B/2.30A	----	1.80 - 0.40	.0043	----	----	----	----	1 UNCH
2625	----	----	----	1.80B/2.30A	----	1.90 - 0.40	.0045	----	----	----	----	2 UNCH
2640	----	----	----	1.90B/2.40A	----	1.90 - 0.40	.0046	----	----	----	----	1 UNCH
2685	----	----	----	2.00B/2.50A	----	2.10 - 0.40	.0051	----	----	----	----	1 UNCH
2690	----	----	----	2.10B/2.50A	----	2.10 - 0.40	.0051	----	----	----	----	1 UNCH
2730	----	----	----	2.20B/2.70A	----	2.20 - 0.50	.0054	----	----	----	----	1 UNCH
2745	----	----	----	2.30B/2.80A	----	2.30 - 0.40	.0056	----	----	----	----	1 UNCH
2750	----	----	----/*2.70A	2.30B/2.70A	----	2.30 - 0.50	.0057	----	----	----	----	4 UNCH
2800	----	----	----	2.50B/3.00A	----	2.50 - 0.50	.0062	----	----	2	----	33 + 2
2860	----	----	----	2.80B/3.30A	----	2.80 - 0.50	.0070	----	----	----	----	1 UNCH
2950	----	----	----/*3.70A	3.30B/3.70A	----	3.30 - 0.60	.0084	----	----	----	----	8 UNCH
3000	----	----	----/4.00A	3.70B/4.00A	----	3.60 - 0.70	.0093	----	----	----	----	262 UNCH
3005	----	----	----/4.10A	3.70B/4.10A	----	3.70 - 0.70	.0095	----	----	----	----	5 UNCH
3010	----	----	----/4.10A	3.70B/4.10A	----	3.70 - 0.70	.0096	----	----	----	----	1 UNCH
3015	----	----	----/4.20A	3.80B/4.20A	----	3.70 - 0.80	.0096	----	----	----	----	1 UNCH
3025	----	----	----/4.20A	3.80B/4.20A	----	3.80 - 0.70	.0099	----	----	----	----	5 UNCH
3040	----	----	----/4.30A	4.00B/4.30A	----	3.90 - 0.80	.0101	----	----	----	----	1 UNCH
3065	----	----	----/4.50A	4.20B/4.50A	----	4.10 - 0.80	.0107	----	----	----	----	1 UNCH
3090	----	----	----/*4.70A	4.40B/4.70A	----	4.30 - 0.90	.0113	----	----	----	----	1 UNCH
3095	----	----	----/4.80A	4.40B/4.80A	----	4.30 - 0.90	.0113	----	----	----	----	1 UNCH
3100	----	----	----/4.80A	4.50B/4.80A	----	4.40 - 0.90	.0115	----	----	----	----	137 UNCH
3110	----	----	----/*4.90A	4.50B/4.90A	----	4.40 - 1.00	.0116	----	----	----	----	15 UNCH
3120	----	----	----/5.00A	4.60B/5.00A	----	4.50 - 1.00	.0119	----	----	----	----	29 UNCH
3130	----	----	----/5.10A	4.70B/5.10A	----	4.60 - 1.00	.0121	----	----	----	----	5 UNCH
3150	----	----	----/5.20A	5.00B/5.20A	----	4.80 - 1.00	.0127	----	----	----	----	10 UNCH
3155	----	----	----/5.30A	5.00B/5.30A	----	4.80 - 1.10	.0127	----	----	----	----	3 UNCH
3160	----	----	----/5.30A	5.00B/5.30A	----	4.90 - 1.10	.0130	----	----	----	----	1 UNCH
3165	----	----	----/5.40A	5.10B/5.40A	----	4.90 - 1.10	.0130	----	----	1	----	2 + 1
3170	----	----	----/5.40A	5.10B/5.40A	----	5.00 - 1.10	.0133	----	----	----	----	1 UNCH
3180	----	----	----/5.50A	5.30B/5.50A	----	5.10 - 1.10	.0135	----	----	----	----	25 UNCH
3185	----	----	----/5.60A	5.30B/5.60A	----	5.10 - 1.20	.0136	----	----	----	----	1 UNCH
3190	----	----	----/5.60A	5.40B/5.60A	----	5.20 - 1.10	.0138	----	----	----	----	881 UNCH
3195	----	----	----/5.70A	5.40B/5.70A	----	5.20 - 1.20	.0139	----	----	----	----	1 UNCH
3200	----	----	----/5.70A	5.50B/5.70A	----	5.30 - 1.20	.0141	----	----	----	----	406 UNCH
3250	----	----	----/*6.30A	6.10B/6.30A	----	5.80 - 1.40	.0156	----	----	----	----	405 UNCH
3260	----	----	----/*6.40A	6.30B/6.40A	----	5.90 - 1.40	.0159	----	----	----	----	30 UNCH
3300	----	----	----/*6.90A	6.80B/6.90A	----	6.50 - 1.50	.0175	----	----	----	----	162 UNCH
3350	----	----	----/7.60A	7.60B/7.60A	----	7.20 - 1.70	.0195	----	----	----	----	371 UNCH
3370	----	----	----/7.90A	8.00B/7.90A	----	7.50 - 1.80	.0204	----	----	----	----	1 UNCH
3375	----	----	----/8.00A	8.10B/8.00A	----	7.50 - 1.90	.0204	----	----	----	----	15 UNCH
3380	----	----	----/8.10A	8.20B/8.10A	----	7.60 - 1.90	.0207	----	----	----	----	1 UNCH
3390	----	----	----/8.20A	8.40B/8.20A	----	7.80 - 1.90	.0212	----	----	----	----	1 UNCH
3400	----	----	----/8.20A	8.60B/8.20A	----	8.00 - 2.00	.0218	----	----	----	----	23 UNCH
3405	----	----	----/8.30A	8.70B/8.30A	----	8.00 - 2.10	.0218	----	----	----	----	4 UNCH
3450	----	----	----/9.10A	9.60B/9.10A	----	8.90 - 2.30	.0243	----	----	----	----	1 UNCH
3465	----	----	----/9.40A	10.00B/9.40A	----	9.20 - 2.30	.0251	----	----	----	----	6 UNCH
3470	----	----	----/9.50A	10.10B/9.50A	----	9.30 - 2.40	.0254	----	----	----	----	1 UNCH
3495	----	----	----/10.10A	10.70B/10.10A	----	9.80 - 2.60	.0268	----	----	----	----	1 UNCH
3500	10.40	10.40	10.40/10.10A	10.80B/10.10A	----	9.90 - 2.60	.0271	----	----	1	----	823 + 1
3505	----	----	----/10.30A	11.00B/10.30A	----	10.00 - 2.70	.0274	----	----	----	----	1 UNCH
3510	----	----	----/10.40A	11.10B/10.40A	----	10.10 - 2.70	.0277	----	----	----	----	50 UNCH
3520	----	----	----/10.60A	11.40B/10.60A	----	10.40 - 2.70	.0285	----	----	----	----	210 UNCH
3525	----	----	----/10.70A	11.50B/10.70A	----	10.50 - 2.80	.0288	----	----	----	----	60 UNCH
3545	----	----	----/11.20A	12.10B/11.20A	----	11.00 - 2.90	.0301	----	----	----	----	9 UNCH
3550	----	----	----/11.30A	12.20B/11.30A	----	11.10 - 3.00	.0304	----	----	----	----	118 UNCH
3570	----	----	----/11.90A	12.80B/11.90A	----	11.60 - 3.10	.0318	----	----	----	----	32 UNCH
3575	----	----	----/11.90A	13.00B/11.90A	----	11.70 - 3.20	.0321	----	----	----	----	20 UNCH
3585	----	----	----/12.30A	13.30B/12.30A	----	12.00 - 3.30	.0329	----	----	----	----	50 UNCH
3600	----	----	----/12.60A	13.80B/12.60A	----	12.40 - 3.40	.0341	----	----	----	----	454 UNCH
3610	----	----	----/13.00A	14.10B/13.00A	----	12.70 - 3.50	.0349	----	----	----	----	1 UNCH
3630	----	----	----/13.60A	14.80B/13.60A	----	13.30 - 3.70	.0365	----	----	----	----	8 UNCH
3645	----	----	----/13.90A	15.40B/13.90A	----	13.80 - 3.80	.0379	----	----	----	----	22 UNCH
3650	----	----	----/14.10A	15.60B/14.10A	----	13.90 - 3.90	.0382	----	----	----	----	40 UNCH
3655	----	----	----/14.00A	15.80B/14.00A	----	14.10 - 4.00	.0387	----	----	----	----	55 UNCH
3660	----	----	----/14.50A	16.00B/14.50A	----	14.30 - 4.00	.0392	----	----	----	----	9 UNCH
3665	----	----	----/14.60A	16.20B/14.60A	----	14.40 - 4.10	.0396	----	----	----	----	1 UNCH
3675	----	----	----/14.90A	16.60B/14.90A	----	14.80 - 4.10	.0406	----	----	----	----	24 UNCH
3690	----	----	----/15.50A	17.20B/15.50A	----	15.30 - 4.40	.0420	----	----	----	----	12 UNCH
3700	----	----	----/15.90A	17.70B/15.90A	----	15.70 - 4.40	.0430	----	----	10	----	219 - 2
3705	----	----	----/16.00A	17.90B/16.00A	----	15.90 - 4.50	.0435	----	----	----	----	20 UNCH
3715	----	----	----/16.40A	18.30B/16.40A	----	16.20 - 4.70	.0444	----	----	----	----	30 UNCH
3725	----	----	----/16.80A	18.80B/16.80A	----	16.60 - 4.80	.0455	----	----	----	----	4 UNCH
3730	----	----	----/17.00A	19.00B/17.00A	----	16.80 - 4.90	.0460	----	----	----	----	10 UNCH
3750	----	----	----/17.80A	20.00B/17.80A	----	17.70 - 5.00	.0484	----	----	----	----	77 UNCH
3765	----	----	----/18.40A	20.70B/18.40A	----	18.30 - 5.30	.0500	----	----	----	----	100 UNCH
3770	----	----	----/18.50A	21.00B/18.50A	----	18.50 - 5.40	.0506	----	----	----	----	4 UNCH
3775	----	----	----/18.90A	21.30B/18.90A	----	18.70 - 5.50	.0511	----	----	----	----	12 UNCH
3790	----	----	----/19.60A	22.10B/19.60A	----	19.40 - 5.70	.0530	----	----	----	----	2 UNCH
3795	----	----	----/19.80A	22.40B/19.80A	----	19.70 - 5.70	.0537	----	----	----	----	81 UNCH
3800	----	----	----/20.00A	22.70B/20.00A	----	19.90 - 5.80	.0542	----	----	2	----	323 + 2
3805	----	----	----/20.30A	22.90B/20.30A	----	20.20 - 5.80	.0550	----	----	----	----	4 UNCH
3810	----	----	----/20.50A	23.20B/20.50A	----	20.40 - 6.00	.0556	----	----	----	----	50 UNCH
3815	----	----	----/20.70A	23.50B/20.70A	----	20.70 - 6.00	.0563	----	----	----	----	150 UNCH
3820	21.60	21.60	21.60/21.00A	23.80B/21.00A	----	20.90 - 6.10	.0569	----	----	2	----	52 UNCH
3825	----	----	----/21.20A	24.10B/21.20A	----	21.20 - 6.20	.0576	----	----	----	----	51 UNCH
3835	----	----	----/21.60A	25.10B/21.60A	----	21.70 - 6.30	.0589	----	----	----	----	10 UNCH
3850	----	----	----/22.40A	26.10B/22.40A	----	22.50 - 6.60	.0610	----	----	1	----	87 + 1
3855	----	----	----/22.70A	26.40B/22.70A	----	22.80 - 6.70	.0618	----	----	----	----	3 UNCH
3875	----	----	----/23.80A	27.80B/23.80A	----	23.90 - 7.00	.0647	----	----	----	----	10 UNCH
3880	----	----	----/24.10A	28.10B/24.10A	----	24.20 - 7.10	.0654	----	----	----	----	299 UNCH
3890	----	----	----/24.70A	28.90B/24.70A	----	24.80 - 7.30	.0670	----	----	----	----	73 UNCH
3900	----	----	----/25.30A	29.70B/25.30A	----	25.40 - 7.50	.0685	----	----	20	----	306 UNCH
3910	----	----	----/25.90A	30.50B/25.90A	----	26.10 - 7.70	.0703	----	----	----	----	1 UNCH
3925	----	----	----/26.90A	31.70B/26.90A	----	27.10 - 7.90	.0728	----	----	----	----	10 UNCH
3930	----	----	----/27.20A	32.00B/27.20A	----	27.40 - 8.10	.0736	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3950	----	----	----/28.50A	33.70B/28.50A	----	28.80 - 8.50	.0771	----	----	----	----	246 UNCH
3965	----	----	----/29.60A	35.10B/29.60A	----	29.90 - 8.80	.0799	----	----	----	----	14 UNCH
3975	----	----	----/30.40A	36.00B/30.40A	----	30.60 - 9.00	.0816	----	----	----	----	267 UNCH
3980	----	----	----/30.70A	36.40B/30.70A	----	31.00 - 9.10	.0826	----	----	----	----	45 UNCH
3985	----	----	----/31.20A	36.90B/31.20A	----	31.40 - 9.20	.0836	----	----	----	----	2 UNCH
3990	----	----	----/31.60A	37.40B/31.60A	----	31.80 - 9.30	.0846	----	----	----	----	44 UNCH
3995	----	----	----/31.80A	37.80B/31.80A	----	32.20 - 9.50	.0856	----	----	----	----	4 UNCH
4000	----	----	----/32.20A	38.30B/32.20A	----	32.60 - 9.60	.0866	----	----	5	----	1857 + 5
4005	----	----	----/32.60A	38.80B/32.60A	----	33.00 - 9.70	.0876	----	----	----	----	3 UNCH
4010	----	----	----/33.00A	39.30B/33.00A	----	33.40 - 9.80	.0886	----	----	----	----	78 UNCH
4025	36.80	36.80	36.80/34.40A	40.80B/34.40A	----	34.70 - 10.20	.0917	----	----	11	----	101 + 11
4030	----	----	----/34.70A	41.40B/34.70A	----	35.10 - 10.30	.0927	----	----	----	----	50 UNCH
4040	----	----	----/35.70A	42.40B/35.70A	----	36.00 - 10.50	.0949	----	----	----	----	15 UNCH
4045	----	----	----/36.00A	42.90B/36.00A	----	36.50 - 10.60	.0961	----	----	----	----	30 UNCH
4050	----	----	----/36.60A	43.50B/36.60A	----	36.90 - 10.80	.0971	----	----	1	----	299 UNCH
4075	----	----	----/38.90A	46.30B/38.90A	----	39.30 - 11.40	.1029	----	----	----	----	5 UNCH
4080	----	----	----/39.40A	47.00B/39.40A	----	39.80 - 11.50	.1040	----	----	----	----	6 UNCH
4085	----	----	----/39.80A	47.80B/39.80A	----	40.30 - 11.70	.1052	----	----	----	----	28 UNCH
4095	----	----	----/40.80A	49.00B/40.80A	----	41.40 - 11.90	.1078	----	----	----	----	4 UNCH
4100	----	----	----/41.30A	49.50B/41.30A	----	41.90 - 12.00	.1090	----	----	21	----	89 UNCH
4110	----	----	----/42.20A	50.90B/42.20A	----	42.90 - 12.40	.1114	----	----	----	----	1 UNCH
4115	----	----	----/42.80A	51.50B/42.80A	----	43.50 - 12.40	.1127	----	----	----	----	6 UNCH
4120	----	----	----/43.30A	52.10B/43.30A	----	44.00 - 12.60	.1140	----	----	----	----	1 UNCH
4130	----	----	----/44.40A	53.50B/44.40A	----	45.20 - 12.80	.1167	----	----	----	----	5 UNCH
4135	----	----	----/45.00A	54.20B/45.00A	----	45.70 - 13.00	.1179	----	----	----	----	54 UNCH
4140	----	----	----/45.60A	54.80B/45.60A	----	46.30 - 13.10	.1193	----	----	----	----	1 UNCH
4145	----	----	----/46.10A	55.50B/46.10A	----	46.90 - 13.30	.1206	----	----	----	----	20 UNCH
4150	----	----	----/46.70A	56.20B/46.70A	----	47.50 - 13.40	.1220	----	----	3	----	360 - 1
4160	49.40	49.40	49.40/47.90A	57.60B/47.90A	----	48.70 - 13.70	.1248	----	----	2	----	64 + 2
4165	----	----	----/48.50A	58.30B/48.50A	----	49.30 - 13.90	.1262	----	----	----	----	100 UNCH
4170	----	----	----/49.00A	59.20B/49.00A	----	49.90 - 14.00	.1275	----	----	----	----	77 UNCH
4175	----	----	----/49.70A	59.90B/49.70A	----	50.60 - 14.10	.1291	----	----	----	----	25 UNCH
4180	----	----	----/50.30A	60.60B/50.30A	----	51.20 - 14.30	.1305	----	----	----	----	91 UNCH
4185	----	----	----/50.90A	61.40B/50.90A	----	51.90 - 14.40	.1320	----	----	----	----	41 UNCH
4190	----	----	----/51.60A	62.20B/51.60A	----	52.50 - 14.60	.1334	----	----	----	----	140 UNCH
4195	----	----	----/52.20A	63.00B/52.20A	----	53.20 - 14.70	.1349	----	----	----	----	143 UNCH
4200	58.90	58.90	58.90/52.80A	63.70B/52.80A	----	53.80 - 14.90	.1363	----	----	11	----	193 - 1
4205	----	----	----/53.50A	64.50B/53.50A	----	54.50 - 15.00	.1379	----	----	----	----	19 UNCH
4215	----	----	----/54.80A	66.20B/54.80A	----	55.90 - 15.30	.1410	----	----	----	----	3 UNCH
4220	----	----	----/55.50A	67.00B/55.50A	----	56.60 - 15.50	.1425	----	----	----	----	9 UNCH
4225	----	----	----/56.20A	67.80B/56.20A	----	57.30 - 15.60	.1441	----	----	----	----	1 UNCH
4230	----	----	----/56.90A	68.60B/56.90A	----	58.00 - 15.80	.1457	----	----	----	----	10 UNCH
4235	----	----	----/57.60A	69.50B/57.60A	----	58.80 - 15.90	.1474	----	----	----	----	1 UNCH
4245	----	----	----/59.10A	71.20B/59.10A	----	60.30 - 16.20	.1506	----	----	----	----	32 UNCH
4250	----	----	----/59.80A	72.20B/59.80A	----	61.00 - 16.40	.1522	----	----	247	----	400 + 227
4255	----	----	----/60.50A	73.00B/60.50A	----	61.80 - 16.50	.1539	----	----	----	----	883 UNCH
4260	----	----	----/61.20A	73.90B/61.20A	----	62.60 - 16.70	.1556	----	----	----	----	8 UNCH
4270	----	----	----/62.80A	75.70B/62.80A	----	64.20 - 17.00	.1590	----	----	----	----	3 UNCH
4275	----	----	----/63.60A	76.70B/63.60A	----	65.00 - 17.10	.1607	----	----	----	----	6 UNCH
4285	68.30	68.30	68.30/65.10A	78.60B/65.10A	----	66.60 - 17.50	.1642	----	----	3	----	170 UNCH
4290	----	----	----/65.90A	79.60B/65.90A	----	67.40 - 17.70	.1659	----	----	----	----	2 UNCH
4295	----	----	----/66.70A	80.60B/66.70A	----	68.30 - 17.80	.1678	----	----	----	----	2 UNCH
4300	----	----	----/67.60A	81.60B/67.60A	----	69.10 - 18.00	.1695	----	----	----	----	455 UNCH
4305	71.80	71.80	71.80/68.20A	82.50B/68.20A	----	70.00 - 18.10	.1714	----	----	3	----	100 UNCH
4310	----	----	----/69.20A	83.50B/69.20A	----	70.90 - 18.30	.1732	----	----	----	----	1 UNCH
4315	----	----	----/70.10A	84.60B/70.10A	----	71.70 - 18.50	.1750	----	----	----	----	8 UNCH
4320	----	----	----/70.90A	85.50B/70.90A	----	72.60 - 18.70	.1768	----	----	----	----	5 UNCH
4325	----	----	----/71.60A	86.70B/71.60A	----	73.50 - 18.80	.1787	----	----	----	----	275 UNCH
4330	----	----	----/72.70A	87.60B/72.70A	----	74.50 - 18.90	.1807	----	----	----	----	102 UNCH
4335	----	----	----/73.50A	88.70B/73.50A	----	75.40 - 19.10	.1826	----	----	----	----	1 UNCH
4340	----	----	----/74.40A	89.90B/74.40A	----	76.30 - 19.30	.1844	----	----	----	----	2 UNCH
4350	----	----	----/76.20A	92.10B/76.20A	----	78.20 - 19.60	.1883	----	----	----	----	654 UNCH
4355	----	----	----/77.20A	93.10B/77.20A	----	79.20 - 19.80	.1903	----	----	----	----	2 UNCH
4360	----	----	----/78.10A	94.10B/78.10A	----	80.20 - 19.90	.1923	----	----	----	----	61 UNCH
4365	----	----	----/79.10A	95.40B/79.10A	----	81.20 - 20.10	.1943	----	----	----	----	100 UNCH
4380	----	----	----/81.90A	98.90B/81.90A	----	84.20 - 20.70	.2004	----	----	----	----	1 UNCH
4385	----	----	----/82.90A	100.10B/82.90A	----	85.20 - 20.90	.2024	----	----	----	----	8 UNCH
4390	----	----	----/83.90A	101.30B/83.90A	----	86.30 - 21.00	.2045	----	----	----	----	15 UNCH
4395	----	----	----/84.90A	102.50B/84.90A	----	87.40 - 21.10	.2066	----	----	----	----	2 UNCH
4400	----	----	----/86.00A	103.70B/86.00A	----	88.40 - 21.40	.2087	----	----	----	90	898 + 33
4410	----	----	----/88.10A	106.10B/88.10A	----	90.60 - 21.70	.2129	----	----	----	----	1 UNCH
4415	----	----	----/89.20A	107.50B/89.20A	----	91.70 - 21.90	.2151	----	----	----	----	6 UNCH
4420	----	----	----/90.20A	108.80B/90.20A	----	92.80 - 22.10	.2172	----	----	----	----	2 UNCH
4425	----	----	----/91.30A	110.10B/91.30A	----	94.00 - 22.20	.2195	----	----	----	----	3 UNCH
4435	----	----	----/93.50A	112.70B/93.50A	----	96.30 - 22.60	.2239	----	----	----	----	6 UNCH
4440	----	----	----/94.60A	114.10B/94.60A	----	97.40 - 22.90	.2260	----	----	----	----	37 UNCH
4445	----	----	----/95.70A	115.40B/95.70A	----	98.60 - 23.00	.2283	----	----	----	----	1 UNCH
4450	----	----	----/96.90A	116.80B/96.90A	----	99.80 - 23.20	.2305	----	----	----	----	325 UNCH
4455	----	----	----/98.10A	118.10B/98.10A	----	101.00 - 23.40	.2328	----	----	----	----	1 UNCH
4460	----	----	----/99.20A	119.50B/99.20A	----	102.20 - 23.60	.2351	----	----	----	----	4 UNCH
4465	----	----	----/100.40A	120.90B/100.40A	----	103.50 - 23.80	.2374	----	----	----	----	10 UNCH
4470	107.60	107.60	107.60/101.60A	122.30B/101.60A	----	104.70 - 24.00	.2397	----	----	12	----	26 + 12
4475	----	----	----/102.80A	123.70B/102.80A	----	106.00 - 24.20	.2421	----	----	----	----	15 UNCH
4480	109.90	109.90	109.90/104.20A	125.20B/104.20A	----	107.20 - 24.40	.2444	----	----	12	----	119 + 12
4485	----	----	----/105.30A	126.60B/105.30A	----	108.50 - 24.60	.2467	----	----	----	----	12 UNCH
4490	----	----	----/106.50A	128.20B/106.50A	----	109.80 - 24.80	.2491	----	----	----	----	3 UNCH
4500	----	----	----/109.10A	131.00B/109.10A	----	112.50 - 25.20	.2539	----	----	----	----	1315 UNCH
4505	----	----	----/110.40A	132.60B/110.40A	----	113.80 - 25.40	.2563	----	----	----	----	4 UNCH
4515	----	----	----/113.10A	135.90B/113.10A	----	116.50 - 25.90	.2612	----	----	----	----	1 UNCH
4525	----	----	----/115.70A	138.90B/115.70A	----	119.30 - 26.30	.2661	----	----	----	----	1 UNCH
4535	----	----	----/118.40A	142.00B/118.40A	----	122.10 - 26.80	.2711	----	----	----	----	10 UNCH
4545	----	----	----/121.20A	145.20B/121.20A	----	125.00 - 27.20	.2761	----	----	----	----	21 UNCH
4550	----	----	----/122.60A	147.00B/122.60A	----	126.50 - 27.40	.2787	----	----	2	----	6 + 2
4560	----	----	----/125.50A	150.20B/125.50A	----	129.40 - 27.90	.2837	----	----	----	----	3 UNCH
4570	----	----	----/128.40A	153.60B/128.40A	----	132.50 - 28.30	.2889	----	----	----	----	10 UNCH
4575	----	----	----/130.00A	155.40B/130.00A	----	134.00 - 28.50	.2915	----	----	----	----	4 UNCH
4580	----	----	----/131.40A	157.20B/131.40A	----	135.50 - 28.80	.2941	----	----	----	----	165 UNCH
4585	----	----	----/132.90A	158.90B/132.90A	----	137.10 - 29.00	.2967	----	----	----	----	2 UNCH
4590	----	----	----/134.50A	160.70B/134.50A	----	138.70 - 29.20	.2994	----	----	----	----	10 UNCH
4600	----	----	----/137.60A	164.30B/137.60A	----	141.90 - 29.70	.3047	----	----	----	----	360 UNCH
4605	----	----	----/139.10A	166.00B/139.10A	----	143.50 - 29.90	.3073	----	----	----	----	3 UNCH
4610	----	----	----/140.70A	167.90B/140.70A	----	145.20 - 30.10	.3101	----	----	----	----	2 UNCH
4615	----	----	----/142.30A	169.80B/142.30A	----	146.80 - 30.40	.3127	----	----	----	----	2 UNCH
4620	----	----	----/144.00A	171.70B/144.00A	----	148.50 - 30.60	.3154	----	----	----	----	3 UNCH
4625	----	----	----/145.60A	173.60B/145.60A	----	150.20 - 30.80	.3182	----	----	----	----	100 UNCH
4640	161.50	161.50	161.50/150.60A	179.40B/150.60A	----	155.30 - 31.50	.3264	----	----	4	----	303 + 2
4645	----	----	----/152.40A	181.30B/152.40A	----	157.10 - 31.70	.3291	----	----	----	----	129 UNCH
4650	161.50	161.50	161.50/154.10A	183.30B/154.10A	----	158.80 - 32.00	.3319	----	----	3	----	314 + 2
4665	----	----	----/159.30A	189.30B/159.30A	----	164.20 - 32.60	.3403	----	----	----	----	1 UNCH
4675	----	----	----/162.90A	193.40B/162.90A	----	167.90 - 33.00	.3459	----	----	----	----	2 UNCH
4680	----	----	----/164.60A	195.50B/164.60A	----	169.80 - 33.20	.3488	----	----	----	----	5 UNCH
4700	185.00	185.00	185.00/172.10A	203.80B/172.10A	----	177.40 - 34.10	.3602	----	----	8	----	480 + 7
4705	----	----	----/174.00A	205.90B/174.00A	----	179.30 - 34.30	.3630	----	----	----	----	50 UNCH
4710	----	----	----/175.80A	208.30B/175.80A	----	181.30 - 34.50	.3659	----	----	----	----	6 UNCH
4715	----	----	----/177.80A	210.30B/177.80A	----	183.30 - 34.70	.3688	----	----	----	----	1 UNCH
4720	----	----	----/179.70A	212.80B/179.70A	----	185.30 - 34.90	.3717	----	----	----	----	9 UNCH
4725	----	----	----/181.80A	214.80B/181.80A	----	187.30 - 35.10	.3746	----	----	----	----	30 UNCH
4730	----	----	----/183.70A	217.10B/183.70A	----	189.30 - 35.30	.3775	----	----	----	----	1 UNCH
4735	----	----	----/185.60A	219.40B/185.60A	----	191.40 - 35.50	.3805	----	----	----	----	59 UNCH
4740	----	----	----/187.60A	221.60B/187.60A	----	193.50 - 35.70	.3834	----	----	----	----	15 UNCH
4745	----	----	----/189.70A	224.00B/189.70A	----	195.50 - 36.00	.3863	----	----	----	----	3 UNCH
4750	----	----	----/191.80A	226.30B/191.80A	----	197.60 - 36.20	.3893	----	----	1	----	176 + 1
4760	----	----	----/195.80A	230.90B/195.80A	----	201.90 - 36.60	.3952	----	----	----	----	1 UNCH
4775	----	----	----/202.30A	238.20B/202.30A	----	208.40 - 37.40	.4041	----	----	22	----	78 + 21
4780	----	----	----/204.30A	240.80B/204.30A	----	210.70 - 37.50	.4071	----	----	----	----	15 UNCH
4785	----	----	----/206.60A	243.10B/206.60A	----	212.90 - 37.80	.4101	----	----	----	----	17 UNCH
4795	----	----	----/210.80A	248.20B/210.80A	----	217.40 - 38.40	.4160	----	----	----	----	2 UNCH
4800	238.00	238.00	238.00/213.10A	250.60B/213.10A	----	219.70 - 38.60	.4190	----	----	58	50	838 + 52
4805	----	----	----/215.30A	253.20B/215.30A	----	222.00 - 38.90	.4220	----	----	----	----	1 UNCH
4810	226.50	226.50	226.50/217.60A	256.20B/217.60A	----	224.30 - 39.20	.4250	----	----	2	----	5 + 2
4820	----	----	----/222.10A	261.00B/222.10A	----	229.00 - 39.70	.4310	----	----	----	----	4 UNCH
4835	----	----	----/229.00A	267.90B/229.00A	----	236.20 - 40.40	.4401	----	----	----	----	36 UNCH
4840	----	----	----/231.50A	268.50B/231.50A	----	238.60 - 40.70	.4431	----	----	----	----	11 UNCH
4850	258.50	258.50	258.50/236.20A	273.90B/236.20A	----	243.60 - 41.10	.4491	----	----	14	----	73 + 7
4855	----	----	----/238.60A	276.60B/238.60A	----	246.00 - 41.40	.4521	----	----	----	----	10 UNCH
4860	----	----	----/241.00A	279.20B/241.00A	----	248.50 - 41.60	.4551	----	----	----	----	3 UNCH
4865	----	----	----/243.30A	283.00B/243.30A	----	251.10 - 41.70	.4582	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4870	----	----	----/245.70A	285.80B/245.70A	----	253.60 - 42.00	.4612	----	----	----	----	14 UNCH
4875	----	----	----/248.20A	288.50B/248.20A	----	256.20 - 42.20	.4642	----	----	1	----	77 + 1
4885	281.30	281.30	281.30/253.20A	294.00B/253.20A	----	261.30 NEW	.4702	----	----	8	----	8 + 8
4900	----	----	----/260.70A	302.50B/260.70A	----	269.20 - 43.20	.4793	----	----	1	----	355 UNCH
4905	281.90	281.90	281.90/263.40A	305.30B/263.40A	----	271.80 - 43.50	.4823	----	----	8	----	25 + 8
4910	284.60	284.60	284.60/265.90A	308.20B/265.90A	----	274.50 NEW	.4853	----	----	22	----	22 + 22
4925	----	----	----/273.80A	316.60B/273.80A	----	282.60 - 44.30	.4943	----	----	----	----	50 UNCH
4950	----	----	----/287.10A	331.70B/287.10A	----	296.30 - 45.60	.5092	----	----	----	----	31 UNCH
4955	----	----	----/289.80A	334.70B/289.80A	----	299.20 - 45.70	.5122	----	----	----	----	1 UNCH
4980	----	----	----/304.60A	347.60B/304.60A	----	313.40 - 46.90	.5269	----	----	----	----	1 UNCH
5000	----	----	----/315.80A	352.60B/315.80A	----	325.10 - 47.90	.5387	----	----	----	----	317 UNCH
5010	----	----	----/321.90A	359.10B/321.90A	----	331.00 - 48.40	.5445	----	----	----	----	1 UNCH
5025	----	----	----/330.70A	368.80B/330.70A	----	340.00 - 49.10	.5532	----	----	----	----	25 UNCH
5030	----	----	----/333.50A	371.80B/333.50A	----	343.10 - 49.30	.5561	----	----	----	----	1 UNCH
5040	----	----	----/339.60A	378.30B/339.60A	----	349.20 - 49.80	.5619	----	----	----	----	4 UNCH
5045	----	----	----/342.70A	381.40B/342.70A	----	352.30 - 50.00	.5647	----	----	----	----	31 UNCH
5050	----	----	----/345.50A	384.70B/345.50A	----	355.40 - 50.30	.5676	----	----	----	----	351 UNCH
5070	----	----	----/359.20A	397.20B/359.20A	----	367.90 - 51.30	.5790	----	----	----	----	17 UNCH
5080	----	----	----/365.60A	404.00B/365.60A	----	374.30 - 51.70	.5846	----	----	----	----	3 UNCH
5100	----	----	----/378.20A	417.80B/378.20A	----	387.20 - 52.70	.5957	----	----	1	----	82 + 1
5120	----	----	----/391.20A	431.70B/391.20A	----	400.30 - 53.70	.6067	----	----	----	----	2 UNCH
5180	----	----	----/431.80A	475.00B/431.80A	----	441.20 - 56.40	.6387	----	----	----	----	1 UNCH
5195	----	----	----/442.10A	486.10B/442.10A	----	451.70 - 57.10	.6463	----	----	----	----	2 UNCH
5200	----	----	----/445.60A	489.80B/445.60A	----	455.20 - 57.30	.6489	----	----	----	----	112 UNCH
5265	----	----	----/492.10A	521.70B/492.10A	----	502.50 - 59.90	.6808	----	----	----	----	1 UNCH
5300	----	----	----/518.10A	533.40B/518.10A	----	528.80 - 61.20	.6971	----	----	----	----	3 UNCH
5355	----	----	----	418.90B/732.00A	----	571.40 - 63.10	.7212	----	----	----	----	1 UNCH
5400	----	----	----	456.70B/767.30A	----	607.30 - 64.40	.7396	----	----	----	----	76 UNCH
5460	----	----	----	508.60B/815.30A	----	656.30 - 66.10	.7626	----	----	----	----	1 UNCH
5500	----	----	----	543.90B/848.00A	----	689.70 - 67.20	.7768	----	----	----	----	3 UNCH
5530	----	----	----	570.70B/872.80A	----	715.00 - 68.00	.7869	----	----	----	----	1 UNCH
5575	----	----	----	611.50B/910.40A	----	753.50 - 69.20	.8013	----	----	----	----	2 UNCH
TOTAL										530	140	22614 + 446
SEP26												
2350	----	----	----	0.10B/18.40A	----	1.20 - 0.20	.0026	----	----	----	----	54 UNCH
2375	----	----	----	0.10B/18.60A	----	1.30 - 0.20	.0029	----	----	----	----	3 UNCH
2400	----	----	----	0.10B/18.70A	----	1.30 - 0.20	.0029	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/19.40A	----	1.70 - 0.30	.0038	----	----	----	----	4 UNCH
2600	----	----	----	1.20B/3.60A	----	2.10 - 0.30	.0048	----	----	----	----	2 UNCH
2900	----	----	----	2.90B/5.10A	----	3.90 - 0.70	.0092	----	----	----	----	1 UNCH
3000	----	----	----	3.20B/6.10A	----	4.80 - 0.80	.0114	----	----	----	----	2 UNCH
3145	----	----	----/7.70A	4.80B/7.70A	----	6.50 - 1.30	.0156	----	----	----	----	15 UNCH
3150	----	----	----	4.60B/7.90A	----	6.60 - 1.20	.0158	----	----	----	----	2 UNCH
3200	----	----	----	5.80B/8.80A	----	7.30 - 1.50	.0176	----	----	----	----	1 UNCH
3270	----	----	----/9.70A	6.50B/9.70A	----	8.50 - 1.70	.0205	----	----	----	----	15 UNCH
3300	----	----	----/10.60A	7.00B/10.60A	----	9.00 - 1.90	.0218	----	----	----	----	1 UNCH
3475	----	----	----/15.00A	11.40B/15.00A	----	13.10 - 2.90	.0318	----	----	----	----	2 UNCH
3480	----	----	----/15.10A	11.00B/15.10A	----	13.20 - 3.00	.0320	----	----	----	----	780 UNCH
3500	----	----	----/15.70A	11.80B/15.70A	----	13.80 - 3.20	.0335	----	----	----	----	19 UNCH
3525	----	----	----/16.50A	12.50B/16.50A	----	14.60 - 3.30	.0354	----	----	----	----	2 UNCH
3565	----	----	----/17.90A	13.90B/17.90A	----	16.00 - 3.70	.0387	----	----	----	----	1 UNCH
3610	----	----	----/19.80A	15.70B/19.80A	----	17.70 - 4.10	.0427	----	----	----	----	1 UNCH
3625	----	----	----/20.40A	16.40B/20.40A	----	18.30 - 4.30	.0441	----	----	----	----	1 UNCH
3650	----	----	----/21.40A	17.60B/21.40A	----	19.40 - 4.60	.0466	----	----	----	----	66 UNCH
3690	20.80	20.80	20.80/20.80	20.80/20.80	----	21.30 NEW	.0510	----	----	60	----	60 + 60
3700	----	----	----/23.70A	19.90B/23.70A	----	21.80 - 5.20	.0521	----	----	----	----	144 UNCH
3720	----	----	----/24.60A	21.10B/24.60A	----	22.80 - 5.50	.0544	----	----	----	----	50 UNCH
3750	----	----	----/26.00A	23.30B/26.00A	----	24.50 - 5.80	.0583	----	----	----	----	80 UNCH
3755	----	----	----/26.60A	23.60B/26.60A	----	24.80 - 5.90	.0589	----	----	----	----	310 UNCH
3800	----	----	----/29.10A	26.60B/29.10A	----	27.50 - 6.60	.0650	----	----	----	----	1 UNCH
3850	----	----	----/31.60A	30.30B/31.60A	----	31.00 - 7.30	.0726	----	----	----	----	20 UNCH
3880	----	----	----/33.80A	32.50B/33.80A	----	33.20 - 7.90	.0774	----	----	----	----	26 UNCH
3900	----	----	----/35.30A	34.20B/35.30A	----	34.80 - 8.20	.0808	----	----	----	----	211 UNCH
3910	----	----	----/36.10A	35.20B/36.10A	----	35.60 - 8.40	.0825	----	----	----	----	2 UNCH
3920	----	----	----/36.90A	36.10B/36.90A	----	36.40 - 8.60	.0843	----	----	----	----	14 UNCH
3930	----	----	----/37.80A	37.00B/37.80A	----	37.30 - 8.70	.0862	----	----	----	----	2 UNCH
3945	----	----	----/39.10A	38.50B/39.10A	----	38.60 - 9.00	.0889	----	----	----	50	380 + 50
3950	----	----	----/39.40A	38.90B/39.40A	----	39.00 - 9.10	.0898	----	----	----	----	324 UNCH
4000	----	----	----/44.00A	44.10B/44.00A	----	43.80 - 10.00	.0998	----	----	----	----	715 UNCH
4005	----	----	----/44.80A	44.70B/44.80A	----	44.30 - 10.10	.1008	----	----	----	----	1 UNCH
4020	----	----	----/46.30A	46.90B/46.30A	----	45.80 - 10.40	.1040	----	----	----	----	14 UNCH
4030	----	----	----/47.40A	47.40B/47.40A	----	46.90 - 10.60	.1062	----	----	----	----	2 UNCH
4050	50.00	50.00	50.00/49.50A	50.50B/49.50A	----	49.10 - 11.00	.1107	----	----	2	----	45 + 2
4080	----	----	----/52.80A	53.90B/52.80A	----	52.50 - 11.70	.1176	----	----	----	----	4 UNCH
4085	----	----	----/53.40A	54.60B/53.40A	----	53.10 - 11.80	.1188	----	----	----	----	76 UNCH
4100	----	----	----/55.20A	56.70B/55.20A	----	54.90 - 12.10	.1224	----	----	----	----	21 UNCH
4130	----	----	----/59.00A	61.10B/59.00A	----	58.80 - 12.80	.1301	----	----	----	----	20 UNCH
4135	----	----	----/59.60A	61.80B/59.60A	----	59.40 - 13.00	.1313	----	----	----	----	3 UNCH
4150	----	----	----/61.60A	65.90B/61.60A	----	61.50 - 13.30	.1354	----	----	----	----	4 UNCH
4185	----	----	----/66.40A	71.00B/66.40A	----	66.50 - 14.20	.1450	----	----	----	----	76 UNCH
4200	67.90	67.90	67.90/67.90	74.00B/67.90	----	68.80 - 14.60	.1494	----	----	1	----	108 UNCH
4220	----	----	----/71.70A	76.80B/71.70A	----	71.90 - 15.10	.1552	----	----	----	----	113 UNCH
4225	----	----	----/72.60A	78.20B/72.60A	----	72.70 - 15.30	.1567	----	----	----	----	3 UNCH
4230	----	----	----/73.10A	78.80B/73.10A	----	73.50 - 15.50	.1583	----	----	----	----	1 UNCH
4240	----	----	----/74.70A	80.90B/74.70A	----	75.20 - 15.70	.1614	----	----	----	----	56 UNCH
4250	----	----	----/76.40A	82.60B/76.40A	----	76.90 - 16.00	.1645	----	----	----	----	62 UNCH
4300	----	----	----/85.40A	92.50B/85.40A	----	85.90 - 17.50	.1808	----	----	----	----	84 UNCH
4320	----	----	----/89.00A	97.00B/89.00A	----	89.70 - 18.20	.1876	----	----	----	----	152 UNCH
4350	----	----	----/95.10A	103.50B/95.10A	----	95.80 - 19.20	.1983	----	----	----	----	20 UNCH
4365	----	----	----/98.20A	106.70B/98.20A	----	99.00 - 19.70	.2038	----	----	----	----	5 UNCH
4390	----	----	----/103.70A	112.00B/103.70A	----	104.50 - 20.50	.2132	----	----	----	----	15 UNCH
4400	----	----	----/106.00A	115.30B/106.00A	----	106.80 - 20.90	.2170	----	----	----	----	36 UNCH
4410	----	----	----/108.20A	117.60B/108.20A	----	109.10 - 21.30	.2209	----	----	----	----	7 UNCH
4420	----	----	----/110.50A	120.10B/110.50A	----	111.50 - 21.60	.2248	----	----	----	----	1 UNCH
4430	----	----	----/112.80A	122.80B/112.80A	----	113.90 - 22.00	.2288	----	----	----	----	2 UNCH
4440	----	----	----/115.10A	125.80B/115.10A	----	116.30 - 22.40	.2327	----	----	----	----	8 UNCH
4450	----	----	----/117.70A	128.70B/117.70A	----	118.80 - 22.80	.2368	----	----	----	----	430 UNCH
4475	----	----	----/124.00A	136.20B/124.00A	----	125.30 - 23.70	.2472	----	----	----	----	3 UNCH
4490	----	----	----/128.00A	139.80B/128.00A	----	129.30 - 24.30	.2535	----	----	----	----	50 UNCH
4500	----	----	----/130.60A	142.30B/130.60A	----	132.10 - 24.60	.2578	----	----	----	----	459 UNCH
4550	----	----	----/144.50A	158.60B/144.50A	----	146.50 - 26.60	.2798	----	----	----	----	350 UNCH
4560	----	----	----/147.80A	161.90B/147.80A	----	149.60 - 26.90	.2844	----	----	1	----	7 UNCH
4580	----	----	----/154.10A	168.70B/154.10A	----	155.80 - 27.80	.2935	----	----	----	----	1 UNCH
4620	----	----	----/166.70A	182.10B/166.70A	----	168.90 - 29.40	.3123	----	----	----	----	500 UNCH
4650	----	----	----/176.90A	194.10B/176.90A	----	179.30 - 30.70	.3268	----	----	----	----	2 UNCH
4700	----	----	----/195.20A	213.20B/195.20A	----	197.80 - 32.70	.3515	----	----	----	----	75 UNCH
4725	----	----	----/204.60A	223.10B/204.60A	----	207.60 - 33.80	.3642	----	----	----	----	1 UNCH
4730	----	----	----/206.60A	225.90B/206.60A	----	209.60 - 34.00	.3667	----	----	----	----	5 UNCH
4740	----	----	----/210.50A	230.00B/210.50A	----	213.60 - 34.50	.3718	----	----	----	----	2 UNCH
4750	----	----	----/214.60A	235.30B/214.60A	----	217.70 - 34.90	.3769	----	----	----	----	150 UNCH
4760	----	----	----/218.80A	239.40B/218.80A	----	221.90 - 35.30	.3821	----	----	----	----	100 UNCH
4775	----	----	----/225.00A	245.80B/225.00A	----	228.20 - 36.00	.3898	----	----	----	----	18 UNCH
4800	256.40	256.40	257.30B/235.70A	257.30B/235.70A	----	239.10 - 37.10	.4029	----	----	8	----	35 + 5
4825	----	----	----/246.60A	271.20B/246.60A	----	250.50 - 38.20	.4160	----	----	----	----	2 UNCH
4835	----	----	----/251.10A	274.50B/251.10A	----	255.20 - 38.60	.4213	----	----	----	----	30 UNCH
4900	----	----	----/281.90A	309.00B/281.90A	----	287.20 - 41.50	.4556	----	----	----	----	3 UNCH
4930	----	----	----/297.10A	324.70B/297.10A	----	302.90 - 42.80	.4715	----	----	----	----	20 UNCH
4950	----	----	----/307.50A	335.90B/307.50A	----	313.70 - 43.60	.4820	----	----	----	----	1 UNCH
4975	----	----	----/320.70A	350.40B/320.70A	----	327.50 - 44.60	.4950	----	----	----	----	210 UNCH
5000	----	----	----/334.20A	365.30B/334.20A	----	341.60 - 45.60	.5080	----	----	----	----	10 UNCH
5005	----	----	----/337.30A	368.30B/337.30A	----	344.40 - 45.80	.5106	----	----	----	----	3 UNCH
5020	----	----	----/345.50A	377.40B/345.50A	----	353.00 - 46.40	.5184	----	----	----	----	3 UNCH
5100	----	----	----/392.50A	428.10B/392.50A	----	401.00 - 49.50	.5589	----	----	----	----	28 UNCH
5105	----	----	----/395.70A	431.60B/395.70A	----	404.10 - 49.80	.5614	----	----	----	----	2 UNCH
5200	----	----	----/456.50A	496.70B/456.50A	----	465.80 - 53.70	.6073	----	----	----	----	47 UNCH
5230	----	----	----/476.70A	518.20B/476.70A	----	486.30 - 54.90	.6212	----	----	----	----	400 UNCH
5300	----	----	----/525.40A	569.90B/525.40A	----	535.70 - 57.50	.6524	----	----	----	----	300 UNCH
5400	----	----	----/598.90A	618.10B/598.90A	----	610.00 - 60.90	.6935	----	----	----	----	100 UNCH
5420	----	----	----/614.10A	622.70B/614.10A	----	625.40 - 61.40	.7012	----	----	----	----	80 UNCH
5450	----	----	----	490.60B/812.70A	----	648.70 - 62.40	.7126	----	----	----	----	1 UNCH
5500	----	----	----	532.10B/852.10A	----	688.30 - 63.80	.7306	----	----	----	----	3 UNCH
6000	----	----	----	981.80B/1279.60A	----	1121.80 - 74.30	.8596	----	----	----	----	2 UNCH
TOTAL										72	50	7684 + 117
OCT26												
2700	----	----	----	1.40B/5.60A	----	3.50 - 0.30	.0075	----	----	----	----	1 UNCH
2800	----	----	----	2.10B/6.20A	----	4.30 - 0.40	.0093	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
2900	----	----	----	2.80B/7.40A	----	5.20 - 0.60	.0114	----	----	----	----	1 UNCH
3100	----	----	----	5.00B/10.20A	----	7.80 - 1.30	.0174	----	----	----	----	1 UNCH
3155	----	----	----	5.90B/11.40A	----	8.70 NEW	.0194	----	----	1	----	1 + 1
3200	----	----	----	6.70B/12.50A	----	9.60 - 1.90	.0214	----	----	----	----	414 UNCH
3240	----	----	----	7.40B/13.40A	----	10.50 - 2.10	.0234	----	----	----	----	5 UNCH
3300	----	----	----	8.80B/15.00A	----	11.90 - 2.50	.0266	----	----	----	----	415 UNCH
3340	----	----	----	9.80B/16.10A	----	13.00 - 2.80	.0290	----	----	----	----	9 UNCH
3360	----	----	----	10.60B/16.80A	----	13.60 - 2.90	.0303	----	----	----	----	1 UNCH
3380	----	----	----	10.90B/17.40A	----	14.20 - 3.00	.0316	----	----	----	----	1 UNCH
3390	----	----	----	11.30B/17.80A	----	14.60 - 3.00	.0324	----	----	----	----	4 UNCH
3400	----	----	----	11.90B/18.20A	----	14.90 - 3.10	.0331	----	----	----	----	150 UNCH
3480	----	----	----/21.20A	14.50B/21.20A	----	17.70 - 3.90	.0391	----	----	----	----	12 UNCH
3500	----	----	----/22.00A	15.30B/22.00A	----	18.50 - 4.10	.0408	----	----	----	----	10 UNCH
3520	----	----	----/22.80A	16.20B/22.80A	----	19.40 - 4.20	.0427	----	----	----	----	12 UNCH
3550	----	----	----/24.20A	17.60B/24.20A	----	20.70 - 4.60	.0455	----	----	----	----	25 UNCH
3600	----	----	----/26.40A	20.10B/26.40A	----	23.10 - 5.20	.0505	----	----	----	----	177 UNCH
3615	----	----	----/27.40A	21.00B/27.40A	----	23.90 - 5.30	.0522	----	----	----	----	1 UNCH
3700	----	----	----/31.60A	27.20B/31.60A	----	29.00 - 6.30	.0625	----	----	----	----	160 UNCH
3750	----	----	----/33.60A	31.20B/33.60A	----	32.50 - 6.90	.0695	----	----	----	----	19 UNCH
3770	----	----	----/35.00A	32.20B/35.00A	----	34.00 - 7.20	.0724	----	----	----	----	1 UNCH
3785	----	----	----/36.10A	33.50B/36.10A	----	35.20 - 7.30	.0748	----	----	----	----	1 UNCH
3800	----	----	----/37.30A	34.70B/37.30A	----	36.40 - 7.60	.0771	----	----	----	----	22 UNCH
3805	----	----	----/37.80A	35.10B/37.80A	----	36.80 - 7.70	.0779	----	----	----	----	1 UNCH
3865	----	----	----/42.90A	41.00B/42.90A	----	42.00 - 8.70	.0879	----	----	----	----	2 UNCH
3870	----	----	----/43.40A	41.40B/43.40A	----	42.50 - 8.70	.0888	----	----	----	----	1 UNCH
3875	----	----	----/43.60A	41.80B/43.60A	----	42.90 - 8.90	.0896	----	----	----	----	12 UNCH
3885	----	----	----/44.80A	42.80B/44.80A	----	43.90 - 9.00	.0915	----	----	----	----	5 UNCH
3890	----	----	----/45.30A	43.10B/45.30A	----	44.40 - 9.10	.0924	----	----	----	----	2 UNCH
3895	----	----	----/45.80A	43.90B/45.80A	----	44.80 - 9.30	.0933	----	----	----	----	2 UNCH
3900	----	----	----/46.00A	44.20B/46.00A	----	45.30 - 9.40	.0942	----	----	----	----	22 UNCH
3920	----	----	----/49.20A	46.50B/49.20A	----	47.30 - 9.80	.0980	----	----	----	----	28 UNCH
3930	----	----	----/50.20A	47.70B/50.20A	----	48.40 - 9.90	.1000	----	----	----	----	2 UNCH
3940	----	----	----/51.10A	49.30B/51.10A	----	49.40 - 10.20	.1019	----	----	----	----	65 UNCH
3950	----	----	----/52.20A	50.20B/52.20A	----	50.50 - 10.40	.1039	----	----	----	----	2 UNCH
3975	----	----	----/54.90A	53.40B/54.90A	----	53.30 - 10.90	.1091	----	----	----	----	5 UNCH
4000	----	----	----/57.50A	56.60B/57.50A	----	56.30 - 11.40	.1145	----	----	----	----	407 UNCH
4030	----	----	----/61.10A	61.00B/61.10A	----	60.00 - 12.00	.1212	----	----	----	----	2 UNCH
4035	----	----	----/61.80A	61.80B/61.80A	----	60.70 NEW	.1224	----	----	1	----	1 + 1
4050	----	----	----/63.70A	63.80B/63.70A	----	62.70 - 12.40	.1260	----	----	1	----	5 UNCH
4070	----	----	----/66.50A	67.10B/66.50A	----	65.40 - 12.80	.1308	----	----	----	----	24 UNCH
4100	----	----	----/70.60A	71.90B/70.60A	----	69.70 - 13.50	.1383	----	----	----	----	314 UNCH
4130	----	----	----/74.80A	76.60B/74.80A	----	74.30 - 14.10	.1462	----	----	----	----	1 UNCH
4135	----	----	----/75.60A	77.50B/75.60A	----	75.10 NEW	.1475	----	----	1	----	1 + 1
4150	----	----	----/77.80A	80.10B/77.80A	----	77.60 - 14.50	.1517	----	----	----	----	5 UNCH
4200	----	----	----/86.60A	89.30B/86.60A	----	86.20 - 15.60	.1660	----	----	----	----	133 UNCH
4220	----	----	----/90.20A	93.20B/90.20A	----	89.80 - 16.10	.1719	----	----	----	----	5 UNCH
4235	----	----	----/93.00A	96.30B/93.00A	----	92.70 - 16.40	.1766	----	----	----	----	1 UNCH
4250	----	----	----/95.90A	99.50B/95.90A	----	95.60 - 16.80	.1812	----	----	----	----	72 UNCH
4265	----	----	----/98.80A	102.60B/98.80A	----	98.60 - 17.20	.1860	----	----	----	----	200 UNCH
4270	----	----	----/99.60A	103.70B/99.60A	----	99.60 - 17.30	.1876	----	----	----	----	226 UNCH
4300	----	----	----/106.00A	110.40B/106.00A	----	105.90 - 18.10	.1974	----	----	----	----	476 UNCH
4350	----	----	----/116.90A	122.50B/116.90A	----	117.10 NEW	.2146	----	----	200	----	200 + 200
4355	----	----	----/118.10A	123.80B/118.10A	----	118.30 - 19.70	.2164	----	----	----	----	11 UNCH
4375	----	----	----/123.00A	129.10B/123.00A	----	123.10 - 20.30	.2235	----	----	----	----	10 UNCH
4400	----	----	----/128.90A	135.70B/128.90A	----	129.30 - 21.10	.2327	----	----	----	----	302 UNCH
4430	----	----	----/136.70A	144.20B/136.70A	----	137.10 - 22.10	.2440	----	----	----	----	3 UNCH
4450	----	----	----/142.20A	150.00B/142.20A	----	142.50 - 22.80	.2516	----	----	----	----	26 UNCH
4500	----	----	----/156.40A	165.50B/156.40A	----	156.80 - 24.60	.2715	----	----	----	----	68 UNCH
4600	----	----	----/188.10A	200.40B/188.10A	----	188.90 - 28.20	.3137	----	----	----	----	352 UNCH
4610	----	----	----/191.30A	204.20B/191.30A	----	192.30 - 28.70	.3180	----	----	----	----	5 UNCH
4675	----	----	----/215.00A	229.90B/215.00A	----	216.20 - 31.10	.3471	----	----	----	----	1 UNCH
4700	----	----	----/224.80A	240.50B/224.80A	----	225.90 - 32.10	.3585	----	----	----	----	64 UNCH
4750	----	----	----/244.50A	262.40B/244.50A	----	246.50 - 34.30	.3818	----	----	----	----	173 UNCH
4775	----	----	----/255.50A	274.20B/255.50A	----	257.30 - 35.50	.3936	----	----	----	----	1 UNCH
4800	----	----	----/266.30A	286.20B/266.30A	----	268.50 - 36.70	.4055	----	----	----	----	126 UNCH
4845	----	----	----/287.10A	308.60B/287.10A	----	289.70 - 39.00	.4270	----	----	----	----	17 UNCH
4850	----	----	----/289.40A	311.20B/289.40A	----	292.10 - 39.30	.4294	----	----	----	106	80 - 3
4875	----	----	----/301.40A	324.20B/301.40A	----	304.60 - 40.50	.4414	----	----	----	----	1 UNCH
4900	----	----	----/313.70A	337.60B/313.70A	----	317.50 - 41.40	.4534	----	----	----	----	110 UNCH
4910	----	----	----/318.70A	342.80B/318.70A	----	322.80 - 41.80	.4582	----	----	----	----	1 UNCH
4920	----	----	----/323.90A	348.50B/323.90A	----	328.00 - 42.20	.4630	----	----	----	----	1 UNCH
4925	----	----	----/326.40A	351.00B/326.40A	----	330.70 - 42.40	.4654	----	----	----	----	25 UNCH
4935	----	----	----/331.70A	356.60B/331.70A	----	336.00 - 42.80	.4702	----	----	----	----	5 UNCH
4980	----	----	----/355.60A	382.70B/355.60A	----	360.40 - 44.80	.4916	----	----	----	----	1 UNCH
5000	----	----	----/366.70A	394.50B/366.70A	----	371.60 - 45.70	.5010	----	----	----	----	47 UNCH
5010	----	----	----/372.20A	400.50B/372.20A	----	377.30 - 46.00	.5057	----	----	----	----	1 UNCH
5050	----	----	----/395.00A	425.00B/395.00A	----	400.70 - 47.50	.5243	----	----	----	----	25 UNCH
5150	----	----	----/455.60A	489.80B/455.60A	----	462.90 NEW	.5694	----	----	1	----	1 + 1
5200	----	----	----/487.60A	523.90B/487.60A	----	495.70 - 52.30	.5911	----	----	----	----	100 UNCH
5230	----	----	----/507.50A	545.10B/507.50A	----	515.90 - 53.30	.6037	----	----	----	----	2 UNCH
5250	----	----	----/521.00A	559.40B/521.00A	----	529.50 - 54.00	.6121	----	----	----	----	75 UNCH
5300	----	----	----/555.40A	595.80B/555.40A	----	564.40 - 55.60	.6325	----	----	----	----	6 UNCH
5425	----	----	----/646.10A	690.90B/646.10A	----	655.70 - 59.70	.6802	----	----	----	----	1 UNCH
5455	----	----	----/668.60A	714.60B/668.60A	----	678.50 - 60.60	.6909	----	----	----	----	40 UNCH
5500	----	----	----/703.00A	750.70B/703.00A	----	713.30 NEW	.7063	----	----	1	----	1 + 1
5600	----	----	----/782.00A	832.70B/782.00A	----	792.90 - 64.60	.7383	----	----	----	----	1 UNCH
5700	----	----	----/864.00A	917.90B/864.00A	----	875.60 - 66.90	.7670	----	----	----	----	1 UNCH
TOTAL										206	106	5352 + 202
NOV26												
2750	----	----	----	1.20B/8.40A	----	4.70 - 0.80	.0096	----	----	----	----	1 UNCH
2800	----	----	----	1.50B/9.00A	----	5.20 - 0.90	.0106	----	----	----	----	8 UNCH
2900	----	----	----	2.40B/10.50A	----	6.50 - 1.20	.0133	----	----	----	----	1 UNCH
3000	----	----	----	3.70B/12.20A	----	8.10 - 1.50	.0165	----	----	----	----	95 UNCH
3120	----	----	----	5.60B/14.80A	----	10.40 - 2.00	.0212	----	----	----	----	10 UNCH
3180	----	----	----	6.80B/16.40A	----	11.80 - 2.30	.0241	----	----	----	----	10 UNCH
3200	----	----	----	7.30B/16.80A	----	12.30 - 2.40	.0251	----	----	----	----	93 UNCH
3215	----	----	----	7.60B/17.40A	----	12.70 - 2.50	.0259	----	----	----	----	1 UNCH
3220	----	----	----	8.00B/17.50A	----	12.80 - 2.60	.0261	----	----	----	----	1 UNCH
3225	----	----	----	7.80B/17.60A	----	12.90 - 2.60	.0263	----	----	----	----	1 UNCH
3235	----	----	----	8.20B/17.90A	----	13.20 - 2.70	.0269	----	----	----	----	2 UNCH
3250	----	----	----	8.60B/18.40A	----	13.60 - 2.80	.0277	----	----	----	----	18 UNCH
3255	----	----	----	8.70B/18.60A	----	13.80 - 2.70	.0281	----	----	----	----	18 UNCH
3300	----	----	----	10.30B/20.40A	----	15.10 - 3.10	.0307	----	----	----	----	20 UNCH
3310	----	----	----	10.40B/20.50A	----	15.50 - 3.10	.0315	----	----	----	----	1 UNCH
3320	----	----	----	10.50B/21.00A	----	15.80 - 3.20	.0321	----	----	----	----	16 UNCH
3350	----	----	----	11.50B/22.30A	----	16.80 - 3.40	.0341	----	----	----	----	180 UNCH
3455	----	----	----	15.90B/26.80A	----	21.10 - 4.20	.0424	----	----	----	----	1 UNCH
3475	----	----	----	17.00B/27.70A	----	22.00 - 4.40	.0441	----	----	----	----	2 UNCH
3500	----	----	----	18.10B/29.00A	----	23.20 - 4.60	.0464	----	----	----	----	655 UNCH
3535	----	----	----	20.00B/30.80A	----	25.00 - 5.00	.0498	----	----	----	----	1 UNCH
3690	----	----	----/38.00A	35.30B/38.00A	----	35.00 - 6.60	.0681	----	----	----	----	1 UNCH
3725	----	----	----/40.70A	38.20B/40.70A	----	37.70 - 7.10	.0729	----	----	----	----	1 UNCH
3740	----	----	----/41.90A	39.50B/41.90A	----	39.00 - 7.20	.0752	----	----	----	----	21 UNCH
3750	----	----	----/42.80A	40.40B/42.80A	----	39.80 - 7.40	.0766	----	----	----	----	150 UNCH
3780	----	----	----/45.40A	43.30B/45.40A	----	42.40 - 7.90	.0812	----	----	----	----	1 UNCH
3800	----	----	----/47.20A	45.20B/47.20A	----	44.30 - 8.10	.0844	----	----	----	----	25 UNCH
3820	----	----	----/49.10A	47.30B/49.10A	----	46.20 - 8.40	.0877	----	----	----	----	20 UNCH
3875	----	----	----/55.70A	53.40B/55.70A	----	51.90 - 9.20	.0974	----	----	----	----	24 UNCH
4000	----	----	----/70.10A	69.80B/70.10A	----	67.20 - 11.40	.1224	----	----	----	----	2 UNCH
4100	----	----	----/83.60A	86.00B/83.60A	----	82.10 - 13.50	.1457	----	----	----	----	1 UNCH
4160	----	----	----/93.80A	97.00B/93.80A	----	92.40 - 14.80	.1612	----	----	----	----	1 UNCH
4170	----	----	----/95.70A	99.00B/95.70A	----	94.20 - 15.00	.1639	----	----	----	----	1 UNCH
4200	----	----	----/101.30A	105.10B/101.30A	----	99.80 - 15.80	.1721	----	----	1	----	5 + 1
4205	----	----	----/102.20A	106.10B/102.20A	----	100.80 - 15.90	.1736	----	----	----	----	1 UNCH
4215	----	----	----/104.20A	108.20B/104.20A	----	102.80 - 16.10	.1764	----	----	----	----	5 UNCH
4275	----	----	----/116.50A	121.70B/116.50A	----	115.10 - 17.70	.1940	----	----	----	----	3 UNCH
4320	----	----	----/126.70A	132.70B/126.70A	----	125.30 - 18.80	.2081	----	----	----	----	43 UNCH
4350	----	----	----/133.80A	140.50B/133.80A	----	132.40 - 19.70	.2177	----	----	----	----	3 UNCH
4400	----	----	----/146.40A	154.00B/146.40A	----	145.00 - 21.30	.2345	----	----	----	----	3 UNCH
4425	----	----	----/153.20A	161.40B/153.20A	----	151.70 - 22.00	.2431	----	----	----	----	72 UNCH
4500	----	----	----/174.70A	184.60B/174.70A	----	173.30 - 24.40	.2702	----	----	----	----	40 UNCH
4580	----	----	----/200.20A	212.40B/200.20A	----	199.00 - 27.10	.3007	----	----	----	----	10 UNCH
4640	----	----	----/221.10A	235.20B/221.10A	----	220.20 - 29.20	.3247	----	----	----	----	90 UNCH
4700	256.00	256.00	256.00/243.50A	259.80B/243.50A	----	243.00 - 31.20	.3493	----	----	2	----	2 UNCH
4725	----	----	----/253.60A	270.50B/253.60A	----	253.10 - 32.00	.3597	----	----	----	----	2 UNCH
4800	290.60	290.60	290.60/280.80	304.60B/280.80	----	285.00 - 34.80	.3916	----	----	2	----	4 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4840	----	----	----/303.00A	323.90B/303.00A	----	303.20 - 36.70	.4089	----	----	----	----	2 UNCH
4900	----	----	----/331.20A	354.80B/331.20A	----	332.20 - 39.40	.4349	----	----	----	----	2 UNCH
4915	----	----	----/338.50A	362.60B/338.50A	----	339.80 - 39.90	.4415	----	----	----	----	3 UNCH
4950	----	----	----/356.20A	381.40B/356.20A	----	357.90 - 41.30	.4567	----	----	----	----	11 UNCH
4960	----	----	----/361.60A	387.00B/361.60A	----	363.20 - 41.60	.4610	----	----	----	----	2 UNCH
5000	384.70	384.70	384.70/382.60A	409.60B/382.60A	----	384.70 - 43.30	.4783	----	----	1	----	254 + 1
5055	----	----	----/412.60A	442.10B/412.60A	----	415.60 - 45.50	.5018	----	----	----	----	8 UNCH
5200	----	----	----/499.10A	533.90B/499.10A	----	504.40 - 50.30	.5614	----	----	----	----	81 UNCH
5395	----	----	----/629.70A	667.10B/629.70A	----	636.80 - 56.40	.6352	----	----	----	----	6 UNCH
5400	----	----	----/633.50A	670.60B/633.50A	----	640.40 - 56.60	.6370	----	----	----	----	6 UNCH
5760	----	----	----	729.10B/1116.40A	----	919.20 - 65.80	.7475	----	----	----	----	1 UNCH
5975	----	----	----	918.80B/1296.80A	----	1102.00 - 69.90	.7971	----	----	----	----	1 UNCH
6000	----	----	----	941.50B/1318.40A	----	1123.80 - 70.30	.8021	----	----	----	----	1 UNCH
TOTAL										6		2044 + 4
DEC26												
1350	----	----	----	----/0.80A	----	0.10 - 0.10	.0001	----	----	----	----	16 UNCH
1500	----	----	----	----/2.20A	----	0.30 UNCH	.0005	----	----	----	----	1 UNCH
1600	----	----	----	----/3.00A	----	0.40 UNCH	.0007	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.00A	----	0.50 UNCH	.0009	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/38.80A	----	0.80 UNCH	.0014	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/39.30A	----	0.90 - 0.10	.0016	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/40.40A	----	1.20 UNCH	.0021	----	----	----	----	2 UNCH
2400	----	----	----	0.50B/6.20A	----	3.10 - 0.10	.0057	----	----	----	----	1 UNCH
2490	----	----	----	0.90B/6.60A	----	3.70 - 0.30	.0069	----	----	----	----	1 UNCH
2750	----	----	----	1.90B/9.80A	----	6.30 - 0.80	.0119	----	----	----	----	1 UNCH
2800	----	----	----	2.10B/10.20A	----	6.90 - 1.00	.0131	----	----	----	----	8 UNCH
2900	----	----	----	5.90B/12.30A	----	8.40 - 1.30	.0160	----	----	----	----	19 UNCH
2925	----	----	----	3.60B/12.80A	----	8.80 - 1.40	.0168	----	----	----	----	300 UNCH
2975	----	----	----	4.40B/14.00A	----	9.70 - 1.60	.0186	----	----	----	----	400 UNCH
3000	----	----	----	4.90B/14.60A	----	10.20 - 1.70	.0195	----	----	----	----	1363 UNCH
3160	----	----	----	8.30B/19.30A	----	14.00 - 2.60	.0268	----	----	----	----	2 UNCH
3175	----	----	----	9.20B/19.90A	----	14.40 - 2.70	.0276	----	----	----	----	1 UNCH
3190	----	----	----	9.60B/20.40A	----	14.90 - 2.70	.0285	----	----	----	----	5 UNCH
3250	----	----	----	11.10B/22.60A	----	16.80 - 3.20	.0321	----	----	----	----	15 UNCH
3300	18.00	18.00	18.00/18.00	18.00/18.00	----	18.60 - 3.60	.0354	----	----	1	----	7 + 1
3400	----	----	----	17.50B/29.40A	----	23.00 - 4.50	.0434	----	----	----	----	1610 UNCH
3425	----	----	----	18.70B/30.10A	----	24.30 - 4.70	.0456	----	----	----	----	350 UNCH
3450	----	----	----	20.10B/31.90A	----	25.60 - 5.00	.0480	----	----	----	----	201 UNCH
3460	----	----	----	20.80B/32.40A	----	26.20 - 5.00	.0490	----	----	----	----	20 UNCH
3475	----	----	----	21.60B/33.40A	----	27.00 - 5.30	.0504	----	----	----	----	152 UNCH
3500	----	----	----	23.20B/34.90A	----	28.50 - 5.50	.0530	----	----	----	----	1457 UNCH
3550	----	----	----	31.40B/38.10A	----	31.80 - 6.00	.0586	----	----	----	----	18 UNCH
3565	----	----	----	32.40B/39.10A	----	32.80 - 6.20	.0603	----	----	----	----	2 UNCH
3590	----	----	----/39.60A	34.30B/39.60A	----	34.60 - 6.50	.0634	----	----	----	----	1 UNCH
3600	----	----	----/39.40A	35.10B/39.40A	----	35.30 - 6.70	.0645	----	----	----	----	356 UNCH
3610	----	----	----/40.10A	35.90B/40.10A	----	36.10 - 6.80	.0659	----	----	----	----	3 UNCH
3650	----	----	----/43.10A	39.30B/43.10A	----	39.30 - 7.30	.0712	----	----	----	----	201 UNCH
3660	----	----	----/43.80A	40.20B/43.80A	----	40.10 - 7.50	.0725	----	----	----	----	5 UNCH
3670	----	----	----/44.70A	41.10B/44.70A	----	41.00 - 7.60	.0739	----	----	----	----	1 UNCH
3690	----	----	----/46.20A	42.90B/46.20A	----	42.80 - 7.80	.0768	----	----	----	----	1 UNCH
3700	----	----	----/47.20A	43.90B/47.20A	----	43.70 - 8.00	.0783	----	----	----	----	269 UNCH
3710	----	----	----/48.20A	44.90B/48.20A	----	44.60 - 8.20	.0798	----	----	----	----	37 UNCH
3720	----	----	----/49.00A	45.90B/49.00A	----	45.60 - 8.30	.0813	----	----	----	----	1 UNCH
3725	----	----	----/49.50A	46.40B/49.50A	----	46.00 - 8.40	.0820	----	----	----	----	6 UNCH
3750	----	----	----/51.80A	48.90B/51.80A	----	48.50 - 8.70	.0860	----	----	----	----	166 UNCH
3760	----	----	----/52.70A	50.00B/52.70A	----	49.50 - 8.90	.0876	----	----	----	----	184 UNCH
3780	----	----	----/54.70A	52.20B/54.70A	----	51.60 - 9.20	.0909	----	----	----	----	1 UNCH
3800	----	----	----/57.20A	54.50B/57.20A	----	53.80 - 9.50	.0943	----	----	----	----	73 UNCH
3810	----	----	----/59.30A	55.60B/59.30A	----	54.90 - 9.60	.0960	----	----	----	----	56 UNCH
3850	----	----	----/63.50A	60.50B/63.50A	----	59.60 - 10.20	.1032	----	----	----	----	24 UNCH
3880	----	----	----/66.90A	64.40B/66.90A	----	63.30 - 10.80	.1089	----	----	----	----	1 UNCH
3900	----	----	----/69.20A	67.10B/69.20A	----	65.80 - 11.20	.1127	----	----	400	----	1204 + 400
3925	68.00	68.00	70.00/68.00	70.70B/68.00	----	69.20 - 11.50	.1177	----	----	5	----	205 - 2
3930	----	----	----/72.90A	71.40B/72.90A	----	69.90 - 11.60	.1188	----	----	----	----	2 UNCH
3950	----	----	----/75.50A	74.30B/75.50A	----	72.70 - 12.00	.1229	----	----	----	----	27 UNCH
3975	----	----	----/78.80A	78.20B/78.80A	----	76.30 - 12.40	.1282	----	----	----	----	190 UNCH
3980	----	----	----/79.50A	79.00B/79.50A	----	77.00 - 12.60	.1292	----	----	----	----	136 UNCH
4000	----	----	----/82.30A	82.20B/82.30A	----	80.10 - 12.90	.1337	----	----	20	----	1711 + 12
4025	----	----	----/85.90A	86.40B/85.90A	----	84.00 - 13.40	.1393	----	----	----	----	220 UNCH
4070	----	----	----/92.90A	94.40B/92.90A	----	91.50 - 14.20	.1499	----	----	----	----	5 UNCH
4090	----	----	----/96.10A	98.10B/96.10A	----	94.90 - 14.70	.1547	----	----	----	----	1 UNCH
4100	----	----	----/98.10A	100.00B/98.10A	----	96.70 - 14.90	.1572	----	----	----	----	382 UNCH
4130	----	----	----/103.60A	106.00B/103.60A	----	102.20 - 15.50	.1648	----	----	----	----	2 UNCH
4160	----	----	----/109.40A	112.20B/109.40A	----	108.00 - 16.10	.1727	----	----	----	----	252 UNCH
4170	----	----	----/111.40A	114.30B/111.40A	----	110.00 - 16.30	.1754	----	----	----	----	2 UNCH
4175	----	----	----/112.50A	115.40B/112.50A	----	111.00 - 16.40	.1767	----	----	----	----	60 UNCH
4200	118.80	118.80	120.50/117.50A	120.90B/117.50A	----	116.10 - 17.00	.1835	----	----	150	250	657 - 30
4215	----	----	----/120.70A	124.40B/120.70A	----	119.30 - 17.30	.1877	----	----	----	----	14 UNCH
4250	----	----	----/128.50A	132.70B/128.50A	----	127.00 - 18.10	.1977	----	----	----	----	206 UNCH
4300	----	----	----/140.10A	145.20B/140.10A	----	138.60 - 19.40	.2126	----	----	----	----	2106 UNCH
4320	----	----	----/145.00A	150.60B/145.00A	----	143.50 - 19.90	.2187	----	----	----	----	100 UNCH
4325	----	----	----/146.20A	151.90B/146.20A	----	144.80 - 19.90	.2203	----	----	----	----	300 UNCH
4340	----	----	----/150.00A	156.10B/150.00A	----	148.60 - 20.30	.2250	----	----	----	----	79 UNCH
4350	----	----	----/152.80A	158.80B/152.80A	----	151.20 - 20.50	.2282	----	----	----	----	101 UNCH
4375	----	----	----/159.30A	166.00B/159.30A	----	157.70 - 21.30	.2361	----	----	----	----	2 UNCH
4385	----	----	----/162.00A	168.90B/162.00A	----	160.40 - 21.60	.2394	----	----	----	----	75 UNCH
4390	----	----	----/163.40A	170.40B/163.40A	----	161.80 - 21.70	.2410	----	----	----	----	14 UNCH
4400	----	----	----/166.10A	173.40B/166.10A	----	164.60 - 21.90	.2443	----	----	----	----	99 UNCH
4425	----	----	----/173.20A	181.00B/173.20A	----	171.60 - 22.70	.2527	----	----	----	----	9 UNCH
4435	----	----	----/176.00A	184.10B/176.00A	----	174.50 - 23.00	.2560	----	----	----	----	14 UNCH
4450	----	----	----/180.60A	188.90B/180.60A	----	178.90 - 23.40	.2611	----	----	50	150	260 + 200
4475	----	----	----/187.90A	197.10B/187.90A	----	186.50 - 24.10	.2698	----	----	----	----	8 UNCH
4500	----	----	----/196.00A	205.50B/196.00A	----	194.30 - 24.90	.2786	----	----	----	90	1207 + 90
4510	----	----	----/199.20A	209.00B/199.20A	----	197.50 - 25.20	.2822	----	----	----	----	2 UNCH
4515	----	----	----/200.80A	210.70B/200.80A	----	199.10 - 25.40	.2840	----	----	----	----	242 UNCH
4520	----	----	----/202.40A	212.50B/202.40A	----	200.70 - 25.50	.2857	----	----	----	----	25 UNCH
4530	----	----	----/205.70A	216.00B/205.70A	----	204.00 - 25.80	.2893	----	----	----	----	20 UNCH
4535	----	----	----/207.30A	217.80B/207.30A	----	205.60 - 26.00	.2911	----	----	----	----	102 UNCH
4540	----	----	----/209.00A	219.60B/209.00A	----	207.30 - 26.20	.2930	----	----	----	----	1 UNCH
4550	----	----	----/212.10A	223.20B/212.10A	----	210.70 - 26.50	.2966	----	----	----	----	5 UNCH
4555	----	----	----/214.10A	225.00B/214.10A	----	212.40 - 26.60	.2985	----	----	----	----	50 UNCH
4580	----	----	----/222.70A	234.30B/222.70A	----	221.00 - 27.50	.3077	----	----	----	----	50 UNCH
4585	----	----	----/224.30A	236.20B/224.30A	----	222.80 - 27.60	.3095	----	----	----	----	325 UNCH
4600	----	----	----/229.70A	242.00B/229.70A	----	228.10 - 28.20	.3151	----	----	----	----	418 UNCH
4620	----	----	----/237.00A	249.80B/237.00A	----	235.40 - 28.90	.3227	----	----	----	----	50 UNCH
4625	----	----	----/238.90A	251.80B/238.90A	----	237.30 - 29.00	.3246	----	----	12	----	24 + 2
4640	----	----	----/244.50A	257.80B/244.50A	----	242.90 - 29.60	.3303	----	----	----	----	100 UNCH
4650	----	----	----/248.30A	261.90B/248.30A	----	246.70 - 29.90	.3342	----	----	----	----	111 UNCH
4680	----	----	----/259.60A	274.40B/259.60A	----	258.40 - 31.00	.3458	----	----	----	----	60 UNCH
4690	----	----	----/263.50A	278.60B/263.50A	----	262.40 - 31.40	.3497	----	----	----	----	1 UNCH
4700	----	----	----/267.60A	282.90B/267.60A	----	266.40 - 31.80	.3536	----	----	----	----	522 UNCH
4750	----	----	----/288.20A	305.20B/288.20A	----	287.30 - 33.70	.3733	----	----	----	----	68 UNCH
4790	----	----	----/305.60A	323.80B/305.60A	----	305.00 - 35.20	.3893	----	----	----	----	60 UNCH
4800	318.60	318.60	318.60/308.70	328.60B/308.70	----	309.50 - 35.60	.3933	----	----	7	----	155 + 3
4810	----	----	----/314.40A	333.40B/314.40A	----	314.10 - 36.00	.3974	----	----	----	----	56 UNCH
4815	----	----	----/316.70A	335.80B/316.70A	----	316.40 - 36.20	.3994	----	----	----	----	10 UNCH
4820	----	----	----/318.90A	338.30B/318.90A	----	318.70 - 36.40	.4014	----	----	----	----	20 UNCH
4825	----	----	----/321.20A	340.70B/321.20A	----	321.00 - 36.70	.4034	----	----	----	----	100 UNCH
4850	----	----	----/332.90A	353.10B/332.90A	----	332.90 - 37.60	.4136	----	----	----	----	10 UNCH
4880	----	----	----/347.20A	368.50B/347.20A	----	347.60 - 38.70	.4257	----	----	----	----	11 UNCH
4900	352.00	352.00	352.00/352.00	378.90B/352.00	----	357.60 - 39.50	.4339	----	----	4	----	107 + 2
4925	----	----	----/369.50A	392.20B/369.50A	----	370.40 - 40.50	.4440	----	----	----	----	137 UNCH
4950	379.00	379.00	379.00/379.00	405.80B/379.00	----	383.40 - 41.50	.4542	----	----	1	----	7 + 1
4975	----	----	----/395.20A	419.70B/395.20A	----	396.80 - 42.40	.4643	----	----	----	----	43 UNCH
4980	----	----	----/397.70A	422.50B/397.70A	----	399.50 - 42.60	.4663	----	----	----	----	12 UNCH
4995	----	----	----/405.70A	431.00B/405.70A	----	407.70 - 43.10	.4723	----	----	----	----	32 UNCH
5000	404.00	404.00	404.00/404.00	433.90B/404.00	----	410.50 - 43.20	.4743	----	----	1	----	439 + 1
5020	----	----	----/419.20A	445.40B/419.20A	----	421.60 - 44.00	.4823	----	----	----	----	8 UNCH
5025	----	----	----/422.00A	448.30B/422.00A	----	424.40 - 44.10	.4843	----	----	----	----	110 UNCH
5035	----	----	----/427.50A	454.20B/427.50A	----	430.00 - 44.50	.4883	----	----	----	----	8 UNCH
5050	----	----	----/435.80A	463.10B/435.80A	----	438.60 - 45.00	.4942	----	----	----	----	201 UNCH
5070	----	----	----/447.20A	475.10B/447.20A	----	450.20 - 45.60	.5021	----	----	----	----	1 UNCH
5075	----	----	----/450.30A	478.10B/450.30A	----	453.10 - 45.80	.5041	----	----	----	----	100 UNCH
5095	----	----	----/461.70A	490.30B/461.70A	----	464.90 - 46.40	.5119	----	----	----	----	6 UNCH
5100	----	----	----/464.60A	493.40B/464.60A	----	467.80 - 46.70	.5138	----	----	----	----	6 UNCH
5195	----	----	----/521.90A	553.90B/521.90A	----	526.20 - 49.60	.5502	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5200	----	----	----/525.00A	557.00B/525.00A	----	529.40 - 49.70	.5520	----	----	----	----	38 UNCH
5250	----	----	----/556.40A	590.60B/556.40A	----	561.70 - 51.20	.5705	----	----	----	----	126 UNCH
5290	----	----	----/583.00A	618.00B/583.00A	----	588.20 - 52.30	.5850	----	----	----	----	1 UNCH
5295	----	----	----/585.80A	623.80B/585.80A	----	591.60 - 52.40	.5868	----	----	----	----	1 UNCH
5360	----	----	----/629.90A	664.10B/629.90A	----	636.00 - 54.20	.6096	----	----	----	----	100 UNCH
5370	----	----	----/636.80A	671.30B/636.80A	----	643.00 - 54.50	.6130	----	----	----	----	20 UNCH
5375	----	----	----/640.20A	674.90B/640.20A	----	646.50 - 54.60	.6147	----	----	----	----	34 UNCH
5400	----	----	----/657.60A	693.00B/657.60A	----	664.10 - 55.30	.6231	----	----	----	----	102 UNCH
5460	----	----	----/700.40A	737.80B/700.40A	----	707.20 - 57.00	.6429	----	----	----	----	200 UNCH
5465	----	----	----/704.20A	741.30B/704.20A	----	710.80 - 57.20	.6445	----	----	----	----	50 UNCH
5480	----	----	----/714.70A	752.70B/714.70A	----	721.80 - 57.50	.6493	----	----	----	----	50 UNCH
5500	----	----	----/729.70A	767.90B/729.70A	----	736.60 - 58.00	.6556	----	----	----	----	31 UNCH
5525	----	----	----/747.80A	787.20B/747.80A	----	755.20 - 58.70	.6633	----	----	----	----	80 UNCH
5600	----	----	----/804.30A	838.30B/804.30A	----	812.20 - 60.60	.6858	----	----	----	----	252 UNCH
5900	----	----	----	848.50B/1267.70A	----	1054.80 - 67.30	.7624	----	----	----	----	125 UNCH
6000	----	----	----	936.80B/1352.00A	----	1140.20 - 68.90	.7834	----	----	----	----	40 UNCH
6500	----	----	----	1395.00B/1796.80A	----	1589.80 - 74.90	.8612	----	----	----	----	4 UNCH
TOTAL										651	490	22492 + 680
JAN27												
2800	----	----	----	0.90B/13.90A	----	7.80 - 1.10	.0141	----	----	----	----	10 UNCH
3000	----	----	----	7.60B/19.40A	----	11.60 - 2.00	.0210	----	----	----	----	3 UNCH
3500	39.80	39.80	39.80/*39.80	39.80/39.80	----	33.40 NEW	.0574	----	----	1	----	1 + 1
3520	----	----	----	30.30B/44.20A	----	34.80 - 6.70	.0596	----	----	----	----	1 UNCH
3680	----	----	----/*54.10A	44.20B/54.10A	----	48.00 - 9.10	.0799	----	----	----	----	1 UNCH
3800	----	----	----/*67.70A	57.40B/67.70A	----	60.70 - 11.10	.0985	----	----	----	----	1 UNCH
3825	----	----	----/70.60A	60.60B/70.60A	----	63.70 - 11.50	.1028	----	----	----	----	1 UNCH
3900	----	----	----/79.80A	70.80B/79.80A	----	73.50 - 12.70	.1166	----	----	----	----	1 UNCH
3980	----	----	----/90.40A	83.30B/90.40A	----	85.30 - 13.90	.1327	----	----	----	----	1 UNCH
4000	----	----	----/93.30A	87.30B/93.30A	----	88.50 - 14.20	.1369	----	----	----	----	1 UNCH
4350	----	----	----/166.40A	165.20B/166.40A	----	162.20 - 20.20	.2272	----	----	----	----	1 UNCH
4400	----	----	----/180.00A	179.70B/180.00A	----	175.90 - 21.50	.2424	----	----	----	----	1 UNCH
4500	205.00	205.00	205.00/205.00	211.80B/205.00	----	206.20 - 24.10	.2746	----	----	1	----	2 + 1
4585	----	----	----/238.60A	242.10B/238.60A	----	234.90 - 26.70	.3035	----	----	----	----	1 UNCH
4600	----	----	----/243.90A	247.80B/243.90A	----	240.30 - 27.10	.3087	----	----	----	----	3 UNCH
4630	----	----	----/254.80A	259.40B/254.80A	----	251.30 - 28.10	.3192	----	----	----	----	1 UNCH
4660	----	----	----/266.20A	271.40B/266.20A	----	262.60 - 29.20	.3299	----	----	----	----	4 UNCH
4665	----	----	----/268.10A	273.50B/268.10A	----	264.60 - 29.30	.3317	----	----	----	----	4 UNCH
4760	----	----	----/306.50A	314.20B/306.50A	----	303.10 - 32.80	.3663	----	----	----	----	100 UNCH
4800	----	----	----/323.60A	332.60B/323.60A	----	320.50 - 34.30	.3812	----	----	----	----	6 UNCH
4820	----	----	----/332.50A	341.90B/332.50A	----	329.50 - 35.00	.3886	----	----	----	----	6 UNCH
4860	----	----	----/350.90A	361.30B/350.90A	----	347.90 - 36.60	.4037	----	----	----	----	1 UNCH
4990	----	----	----/414.90A	429.20B/414.90A	----	413.30 - 41.40	.4528	----	----	----	----	1 UNCH
4995	----	----	----/417.80A	432.00B/417.80A	----	416.00 - 41.60	.4547	----	----	----	----	1 UNCH
5000	----	----	----/420.20A	434.80B/420.20A	----	418.60 - 41.80	.4566	----	----	----	----	3 UNCH
5050	----	----	----/446.80A	463.20B/446.80A	----	446.10 - 43.40	.4753	----	----	----	----	100 UNCH
5085	----	----	----/466.10A	483.70B/466.10A	----	466.00 - 44.40	.4882	----	----	----	----	2 UNCH
5150	----	----	----/503.40A	523.30B/503.40A	----	504.20 - 46.00	.5119	----	----	----	----	2 UNCH
5235	----	----	----/554.70A	577.60B/554.70A	----	556.60 - 47.90	.5421	----	----	----	----	2 UNCH
5245	----	----	----/560.90A	584.00B/560.90A	----	562.90 - 48.20	.5455	----	----	----	----	2 UNCH
5300	----	----	----/595.90A	621.00B/595.90A	----	598.40 - 49.50	.5645	----	----	----	----	4 UNCH
TOTAL										2		268 + 2
FEB27												
4000	----	----	----/105.50A	101.80B/105.50A	----	106.10 - 6.70	.1491	----	----	----	----	1 UNCH
4600	----	----	----/262.80A	271.00B/262.80A	----	267.70 - 18.70	.3150	----	----	----	----	17 UNCH
4650	----	----	----/*281.60A	291.00B/*281.60A	----	286.70 - 19.90	.3316	----	----	----	----	1 UNCH
4655	----	----	----/*283.60A	293.10B/*283.60A	----	288.70 - 19.90	.3333	----	----	----	----	1 UNCH
4660	----	----	----/*285.50A	295.20B/*285.50A	----	290.60 - 20.10	.3349	----	----	----	----	435 UNCH
4665	----	----	----/*287.50A	297.20B/*287.50A	----	292.60 - 20.20	.3366	----	----	----	----	3 UNCH
4775	----	----	----/*332.90A	345.70B/*332.90A	----	338.80 - 22.50	.3743	----	----	----	----	1 UNCH
5000	----	----	----/440.90A	460.50B/440.90A	----	448.50 - 34.20	.4533	----	----	----	----	10 UNCH
5005	----	----	----/*443.60A	463.20B/443.60A	----	451.20 - 34.40	.4550	----	----	----	----	2 UNCH
5100	----	----	----/*495.50A	518.10B/*495.50A	----	504.00 - 37.30	.4880	----	----	----	----	2 UNCH
5150	----	----	----/*524.20A	548.30B/*524.20A	----	533.20 - 38.30	.5050	----	----	----	----	1 UNCH
5175	----	----	----/*538.90A	563.90B/*538.90A	----	548.10 - 38.80	.5134	----	----	----	----	125 UNCH
5200	----	----	----/*553.80A	579.60B/*553.80A	----	563.30 - 39.20	.5218	----	----	----	----	1 UNCH
5355	----	----	----/*651.60A	682.00B/*651.60A	----	662.50 - 41.50	.5717	----	----	----	----	1 UNCH
5520	----	----	----/*764.60A	746.90B/*764.60A	----	776.60 - 45.40	.6210	----	----	----	----	300 UNCH
5530	----	----	----/*771.70A	750.00B/771.70A	----	783.80 - 45.70	.6239	----	----	----	----	100 UNCH
5550	----	----	----	467.80B/1104.00A	----	798.20 - 46.30	.6295	----	----	----	----	65 UNCH
5565	----	----	----	478.90B/1115.10A	----	809.10 - 46.70	.6337	----	----	----	----	50 UNCH
TOTAL												1116 0
MAR27												
5000	----	----	----	43.60B/790.80A	----	455.80 - 38.80	.4392	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	----/398.10A	----	188.70 - 20.50	.2246	----	----	----	----	150 UNCH
5000	----	----	----	----/881.10A	----	476.00 - 38.60	.4374	----	----	----	----	100 UNCH
TOTAL												250 0
DEC27												
3700	----	----	----	----	----	140.20 - 11.70	.1285	----	----	----	----	100 UNCH
3715	----	----	----	----	----	142.90 - 11.90	.1307	----	----	----	----	150 UNCH
3820	----	----	----	----	----	162.80 - 13.30	.1464	----	----	----	----	50 UNCH
4130	----	----	----	----	----	231.70 - 17.90	.1987	----	----	----	----	168 UNCH
4500	----	----	----	----	----	342.70 - 24.40	.2738	----	----	----	----	270 UNCH
4630	----	----	----	----	----	392.00 - 26.90	.3032	----	----	----	----	284 UNCH
4860	----	----	----	----	----	493.00 - 31.40	.3573	----	----	----	----	100 UNCH
5000	----	----	----	----	----	561.80 - 34.20	.3909	----	----	----	----	50 UNCH
5650	----	----	----	----	----	937.40 - 46.60	.5404	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1092.00 - 50.70	.5879	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	566.70 - 33.40	.3823	----	----	----	----	1 UNCH
5100	----	----	----	----	----	617.70 - 35.30	.4055	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1450.10 + 82.70	.9987	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1350.10 + 82.70	.9980	----	----	----	----	1 UNCH
3600	----	----	1,263.30B/----	1263.30B/1191.60A	----	1250.10 + 82.60	.9972	----	----	----	----	10 UNCH
3675	----	----	1,188.20B/----	1188.20B/1116.60A	----	1175.20 + 82.60	.9965	----	----	----	----	8 UNCH
3685	----	----	1,178.40B/----	1178.40B/1106.60A	----	1165.20 + 82.60	.9964	----	----	----	----	8 UNCH
3700	----	----	1,163.20B/----	1163.20B/1091.60A	----	1150.20 + 82.50	.9964	----	----	----	----	30 UNCH
3720	----	----	1,143.40B/----	1143.40B/1071.60A	----	1130.20 + 82.50	.9958	----	----	----	----	6 UNCH
3725	----	----	1,138.40B/----	1138.40B/1066.60A	----	1125.20 + 82.50	.9957	----	----	----	----	8 UNCH
3735	----	----	1,128.20B/----	1128.20B/1056.60A	----	1115.30 + 82.50	.9957	----	----	----	----	15 UNCH
3750	----	----	1,113.50B/----	1113.50B/1041.60A	----	1100.30 + 82.50	.9956	----	----	----	----	56 UNCH
3800	----	----	1,063.30B/----	1063.30B/991.70A	----	1050.40 + 82.50	.9943	----	----	----	----	44 UNCH
3820	----	----	1,043.60B/----	1043.60B/971.70A	----	1030.40 + 82.40	.9942	----	----	----	----	2 - 2
3840	----	----	1,023.60B/----	1023.60B/951.80A	----	1010.50 + 82.40	.9936	----	----	----	----	20 UNCH
3855	----	----	----	----	----	995.50 + 82.40	.9935	----	----	----	----	2 UNCH
3875	----	----	988.70B/----	988.70B/916.80A	----	975.60 + 82.40	.9934	----	----	----	----	41 UNCH
3890	----	----	----	----	----	960.60 + 82.30	.9927	----	----	----	----	1 UNCH
3895	----	----	968.70B/----	968.70B/896.90A	----	955.60 + 82.30	.9927	----	----	----	----	9 UNCH
3900	----	----	964.40B/----	964.40B/890.70A	----	950.60 + 82.30	.9926	----	----	----	----	112 UNCH
3950	----	----	913.90B/----	913.90B/840.80A	----	900.70 + 82.20	.9917	----	----	----	----	223 UNCH
3960	----	----	903.90B/----	903.90B/832.00A	----	890.80 + 82.20	.9910	----	----	----	----	11 UNCH
3975	----	----	888.90B/----	888.90B/817.10A	----	875.80 + 82.10	.9909	----	----	----	----	13 UNCH
3980	----	----	884.60B/----	884.60B/810.90A	----	870.80 + 82.10	.9909	----	----	----	----	97 UNCH
3995	----	----	869.00B/----	869.00B/797.10A	----	855.90 + 82.10	.9901	----	----	----	----	62 UNCH
4000	----	----	864.00B/----	864.00B/791.00A	----	850.90 + 82.10	.9901	----	----	----	----	143 UNCH
4005	----	----	858.80B/----	858.80B/787.20A	----	845.90 + 82.00	.9900	----	----	----	----	30 UNCH
4015	----	----	849.00B/----	849.00B/777.20A	----	835.90 + 82.00	.9899	----	----	----	----	5 UNCH
4020	----	----	844.00B/----	844.00B/772.20A	----	831.00 + 82.00	.9899	----	----	----	----	15 UNCH
4025	----	----	----	----	----	826.00 + 82.00	.9892	----	----	----	----	2 UNCH
4050	----	----	814.10B/----	814.10B/741.20A	----	801.10 + 81.90	.9889	----	----	----	----	176 UNCH
4070	----	----	794.20B/----	794.20B/722.40A	----	781.10 + 81.70	.9881	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4075	----	----	789.20B/----	789.20B/717.50A	----	776.20 + 81.80	.9880	----	----	----	----	22 UNCH
4090	----	----	----	----	----	761.20 + 81.60	.9872	----	----	----	----	1 UNCH
4100	----	----	764.30B/----	764.30B/692.60A	----	751.30 + 81.60	.9871	----	----	----	----	48 UNCH
4105	----	----	759.30B/----	759.30B/687.60A	----	746.30 + 81.50	.9864	----	----	----	----	10 UNCH
4115	----	----	749.40B/----	749.40B/677.70A	----	736.30 + 81.40	.9863	----	----	----	----	4 UNCH
4120	----	----	745.30B/----	745.30B/670.40A	----	731.40 + 81.50	.9862	----	----	----	----	372 UNCH
4125	----	----	----	----	----	726.40 + 81.40	.9861	----	----	----	----	1 UNCH
4130	----	----	734.50B/----	734.50B/662.80A	----	721.40 + 81.30	.9854	----	----	----	----	11 UNCH
4135	----	----	729.50B/----	729.50B/657.80A	----	716.40 + 81.30	.9853	----	----	----	----	3 UNCH
4145	----	----	719.30B/----	719.30B/636.50A	----	706.50 + 81.20	.9846	----	----	----	----	1 UNCH
4150	----	----	716.80B/----	716.80B/631.60A	----	701.50 + 81.10	.9845	----	----	----	----	255 UNCH
4155	----	----	709.50B/----	709.50B/626.60A	----	696.60 + 81.20	.9844	----	----	----	----	1 UNCH
4165	----	----	699.40B/----	699.40B/616.70A	----	686.60 + 81.00	.9836	----	----	----	----	3 UNCH
4170	----	----	695.10B/----	695.10B/611.80A	----	681.70 + 81.00	.9835	----	----	----	----	24 UNCH
4175	----	----	690.10B/----	690.10B/606.80A	----	676.70 + 80.90	.9834	----	----	----	----	3 UNCH
4180	----	----	686.00B/----	686.00B/601.90A	----	671.70 + 80.90	.9827	----	----	----	----	123 UNCH
4185	----	----	680.20B/----	680.20B/596.90A	----	666.80 + 80.90	.9826	----	----	----	----	3 UNCH
4190	----	----	674.60B/----	674.60B/592.00A	----	661.80 + 80.80	.9825	----	----	----	----	18 UNCH
4200	----	----	665.70B/----	665.70B/582.10A	----	651.90 + 80.70	.9816	----	----	----	----	822 UNCH
4205	----	----	660.40B/----	660.40B/577.20A	----	646.90 + 80.60	.9809	----	----	----	----	4 UNCH
4210	----	----	654.00B/----	654.00B/572.30A	----	642.00 + 80.60	.9808	----	----	----	----	23 UNCH
4220	----	----	644.00B/----	644.00B/562.40A	----	632.10 + 80.50	.9799	----	----	----	----	7 UNCH
4240	----	----	625.70B/----	625.70B/536.30A	----	612.30 + 80.20	.9782	----	----	----	----	21 UNCH
4245	----	----	619.10B/----	619.10B/531.40A	----	607.30 + 80.10	.9780	----	----	----	----	2 UNCH
4250	----	----	617.50B/----	617.50B/526.50A	----	602.40 + 80.10	.9773	----	----	----	----	277 UNCH
4255	----	----	611.60B/----	611.60B/521.60A	----	597.50 + 80.00	.9765	----	----	----	----	103 UNCH
4260	----	----	605.80B/----	605.80B/516.70A	----	592.50 + 79.90	.9764	----	----	----	----	8 UNCH
4265	----	----	602.80B/----	602.80B/511.80A	----	587.60 + 79.90	.9756	----	----	----	----	13 UNCH
4270	----	----	598.90B/----	598.90B/506.90A	----	582.60 + 79.70	.9754	----	----	----	----	29 UNCH
4275	----	----	595.00B/----	595.00B/502.00A	----	577.70 + 79.70	.9746	----	----	----	----	14 UNCH
4280	----	----	589.80B/----	589.80B/497.10A	----	572.80 + 79.60	.9739	----	----	----	----	1 UNCH
4285	----	----	585.00B/----	585.00B/492.20A	----	567.90 + 79.60	.9737	----	----	----	----	4 UNCH
4290	----	----	580.10B/----	580.10B/487.30A	----	562.90 + 79.40	.9729	----	----	----	----	44 UNCH
4295	----	----	575.00B/----	575.00B/482.50A	----	558.00 + 79.30	.9721	----	----	----	----	2 UNCH
4300	560.70	560.70	570.30B/560.70	570.30B/477.60A	----	553.10 + 79.30	.9713	----	----	10	----	1117 UNCH
4305	----	----	565.10B/----	565.10B/472.80A	----	548.20 + 79.20	.9705	----	----	----	----	2 UNCH
4315	----	----	555.50B/----	555.50B/463.00A	----	538.30 + 78.90	.9695	----	----	----	----	3 UNCH
4325	----	----	545.50B/----	545.50B/453.90A	----	528.50 + 78.70	.9678	----	----	----	----	562 UNCH
4330	----	----	540.60B/----	540.60B/448.50A	----	523.60 + 78.60	.9670	----	----	----	----	26 UNCH
4335	----	----	535.60B/----	535.60B/443.70A	----	518.70 + 78.50	.9661	----	----	----	----	1 UNCH
4340	----	----	530.90B/----	530.90B/438.90A	----	513.80 + 78.40	.9653	----	----	----	----	4 UNCH
4345	----	----	525.80B/----	525.80B/434.60A	----	508.90 + 78.30	.9645	----	----	----	----	2 UNCH
4350	----	----	521.00B/----	521.00B/429.30A	----	504.00 + 78.10	.9636	----	----	----	----	250 UNCH
4355	----	----	516.10B/----	516.10B/424.50A	----	499.20 + 78.10	.9627	----	----	----	----	40 UNCH
4360	----	----	511.20B/----	511.20B/419.70A	----	494.30 + 77.90	.9618	----	----	----	----	349 UNCH
4365	----	----	506.30B/----	506.30B/414.90A	----	489.40 + 77.80	.9604	----	----	----	----	5 UNCH
4370	----	----	501.40B/----	501.40B/410.50A	----	484.50 + 77.60	.9595	----	----	----	----	75 UNCH
4375	----	----	496.60B/----	496.60B/405.30A	----	479.70 + 77.50	.9586	----	----	----	----	34 UNCH
4380	----	----	491.70B/----	491.70B/400.60A	----	474.80 + 77.40	.9577	----	----	----	----	12 UNCH
4385	----	----	486.70B/----	486.70B/396.20A	----	469.90 + 77.20	.9562	----	----	----	----	4 UNCH
4390	----	----	481.80B/----	481.80B/391.10A	----	465.10 + 77.10	.9553	----	----	----	----	10 UNCH
4395	----	----	477.00B/----	477.00B/386.30A	----	460.20 + 76.80	.9538	----	----	----	----	5 UNCH
4400	----	----	472.20B/----	472.20B/381.60A	----	455.40 + 76.70	.9528	----	----	1	----	1634 - 1
4405	----	----	467.20B/----	467.20B/376.90A	----	450.50 + 76.50	.9513	----	----	----	----	16 UNCH
4410	----	----	462.40B/----	462.40B/372.50A	----	445.70 + 76.30	.9503	----	----	----	----	44 UNCH
4415	----	----	457.50B/----	457.50B/367.80A	----	440.90 + 76.20	.9488	----	----	----	----	35 UNCH
4420	----	----	452.70B/----	452.70B/362.80A	----	436.10 + 76.00	.9472	----	----	----	----	50 UNCH
4425	----	----	447.80B/----	447.80B/358.10A	----	431.20 + 75.70	.9457	----	----	----	----	67 UNCH
4430	----	----	443.00B/----	443.00B/353.40A	----	426.40 + 75.60	.9447	----	----	----	----	16 UNCH
4435	----	----	438.10B/----	438.10B/349.20A	----	421.60 + 75.30	.9431	----	----	----	----	6 UNCH
4440	----	----	433.30B/----	433.30B/344.60A	----	416.80 + 75.10	.9415	----	----	----	----	62 UNCH
4445	----	----	428.60B/----	428.60B/339.90A	----	412.00 + 74.90	.9399	----	----	----	----	7 UNCH
4450	----	----	423.70B/----	423.70B/335.30A	----	407.30 + 74.80	.9377	----	----	----	----	270 UNCH
4455	----	----	418.90B/----	418.90B/330.70A	----	402.50 + 74.50	.9361	----	----	----	----	44 UNCH
4460	----	----	414.10B/----	414.10B/326.10A	----	397.70 + 74.20	.9344	----	----	----	----	27 UNCH
4465	----	----	409.30B/----	409.30B/321.50A	----	393.00 + 74.00	.9322	----	----	----	----	20 UNCH
4470	----	----	404.50B/----	404.50B/316.60A	----	388.20 + 73.70	.9306	----	----	----	----	53 UNCH
4475	----	----	399.70B/----	399.70B/312.40A	----	383.50 + 73.50	.9283	----	----	----	----	39 UNCH
4480	----	----	395.00B/----	395.00B/307.90A	----	378.70 + 73.20	.9266	----	----	----	----	117 UNCH
4485	----	----	390.10B/----	390.10B/303.00A	----	374.00 + 72.90	.9244	----	----	----	----	23 UNCH
4490	----	----	385.40B/----	385.40B/298.50A	----	369.30 + 72.60	.9221	----	----	----	----	19 UNCH
4495	----	----	380.70B/----	380.70B/294.40A	----	364.60 + 72.30	.9199	----	----	----	----	16 UNCH
4500	320.00	320.00	376.00B/320.00	376.00B/290.00A	----	359.90 + 72.00	.9176	----	----	1	----	1257 UNCH
4505	----	----	371.30B/----	371.30B/285.50A	----	355.20 + 71.70	.9153	----	----	----	----	29 UNCH
4510	----	----	366.60B/----	366.60B/280.70A	----	350.60 + 71.40	.9129	----	----	----	----	46 UNCH
4515	----	----	361.90B/----	361.90B/276.60A	----	345.90 + 71.10	.9101	----	----	----	----	16 UNCH
4520	----	----	357.20B/----	357.20B/272.40A	----	341.30 + 70.80	.9078	----	----	----	----	20 UNCH
4525	----	----	352.50B/----	352.50B/268.00A	----	336.70 + 70.50	.9049	----	----	----	----	23 UNCH
4530	----	----	348.30B/----	348.30B/263.30A	----	332.00 + 70.00	.9020	----	----	----	----	37 UNCH
4535	----	----	343.60B/----	343.60B/259.30A	----	327.40 + 69.70	.8991	----	----	----	----	30 UNCH
4540	----	----	339.00B/----	339.00B/255.00A	----	322.90 + 69.40	.8962	----	----	----	----	20 UNCH
4545	----	----	333.90B/----	333.90B/250.80A	----	318.30 + 69.00	.8933	----	----	----	----	4 UNCH
4550	----	----	329.80B/----	329.80B/246.40A	----	313.70 + 68.60	.8903	----	----	----	----	365 UNCH
4555	----	----	325.10B/----	325.10B/242.20A	----	309.20 + 68.20	.8869	----	----	----	----	31 UNCH
4560	----	----	320.50B/----	320.50B/238.00A	----	304.70 + 67.90	.8834	----	----	----	----	35 UNCH
4565	----	----	315.90B/----	315.90B/233.90A	----	300.20 + 67.50	.8799	----	----	----	----	49 UNCH
4570	----	----	311.50B/----	311.50B/229.80A	----	295.70 + 67.00	.8765	----	----	----	----	205 UNCH
4575	----	----	306.90B/----	306.90B/225.60A	----	291.20 + 66.60	.8729	----	----	----	----	69 UNCH
4580	----	----	302.00B/----	302.00B/221.40A	----	286.80 + 66.20	.8690	----	----	----	----	6 UNCH
4585	----	----	298.00B/----	298.00B/217.40A	----	282.30 + 65.70	.8654	----	----	----	----	100 UNCH
4590	----	----	293.50B/----	293.50B/213.30A	----	277.90 + 65.30	.8614	----	----	----	----	130 UNCH
4595	----	----	288.90B/----	288.90B/209.30A	----	273.50 + 64.80	.8574	----	----	----	----	31 UNCH
4600	220.00	220.00	284.50B/220.00	284.50B/205.30A	----	269.20 + 64.40	.8533	----	----	3	----	2679 + 3
4605	----	----	280.10B/----	280.10B/201.50A	----	264.80 + 63.90	.8489	----	----	----	----	302 UNCH
4610	----	----	275.80B/----	275.80B/197.50A	----	260.50 + 63.40	.8444	----	----	----	----	77 UNCH
4615	----	----	271.20B/----	271.20B/193.70A	----	256.20 + 62.90	.8399	----	----	----	----	20 UNCH
4620	----	----	266.80B/----	266.80B/189.50A	----	251.90 + 62.40	.8353	----	----	----	----	26 UNCH
4625	----	----	262.60B/----	262.60B/186.00A	----	247.70 + 62.00	.8308	----	----	----	----	117 UNCH
4630	----	----	258.20B/----	258.20B/182.20A	----	243.50 + 61.50	.8258	----	----	----	----	39 UNCH
4635	----	----	254.00B/----	254.00B/178.40A	----	239.30 + 61.00	.8208	----	----	----	----	229 UNCH
4640	----	----	249.70B/174.50A	249.70B/174.50A	----	235.10 + 60.40	.8159	----	----	----	----	45 UNCH
4645	----	----	245.00B/171.00A	245.00B/171.00A	----	231.00 + 59.90	.8105	----	----	----	----	6 UNCH
4650	----	----	241.30B/167.40A	241.30B/167.40A	----	226.80 + 59.30	.8051	----	----	2	----	588 UNCH
4655	----	----	237.10B/163.70A	237.10B/163.70A	----	222.70 + 58.70	.7997	----	----	----	----	222 UNCH
4660	----	----	232.90B/160.10A	232.90B/160.10A	----	218.70 + 58.30	.7943	----	----	----	----	151 UNCH
4665	187.70	187.70	228.70B/156.40A	228.70B/156.40A	----	214.60 + 57.60	.7888	----	----	7	----	51 - 6
4670	200.20	200.20	224.60B/152.90A	224.60B/152.90A	----	210.60 + 57.00	.7830	----	----	1	----	117 - 1
4675	----	----	220.50B/149.50A	220.50B/149.50A	----	206.60 + 56.40	.7772	----	----	----	----	87 UNCH
4680	----	----	216.50B/146.00A	216.50B/146.00A	----	202.70 + 55.90	.7710	----	----	----	----	163 UNCH
4685	183.60	183.60	212.40B/142.60A	212.40B/142.60A	----	198.80 + 55.30	.7651	----	----	7	----	159 UNCH
4690	----	----	208.40B/139.30A	208.40B/139.30A	----	194.90 + 54.70	.7589	----	----	----	----	49 UNCH
4695	----	----	204.40B/136.10A	204.40B/136.10A	----	191.00 + 54.00	.7524	----	----	----	----	55 UNCH
4700	137.70	137.70	200.50B/132.80A	200.50B/132.80A	----	187.20 + 53.40	.7459	----	----	3	----	2233 - 1
4705	----	----	196.60B/129.50A	196.60B/129.50A	----	183.40 + 52.80	.7393	----	----	----	----	319 UNCH
4710	----	----	192.80B/126.30A	192.80B/126.30A	----	179.70 + 52.20	.7328	----	----	----	----	208 UNCH
4715	----	----	188.90B/123.10A	188.90B/123.10A	----	176.00 + 51.60	.7259	----	----	----	----	68 UNCH
4720	----	----	185.10B/119.60A	185.10B/119.60A	----	172.30 + 50.90	.7188	----	----	----	----	265 UNCH
4725	----	----	181.40B/114.60A	181.40B/114.60A	----	168.70 + 50.30	.7119	----	----	1	----	145 UNCH
4730	----	----	177.50B/111.60A	177.50B/111.60A	----	165.10 + 49.70	.7048	----	----	----	----	60 UNCH
4735	----	----	173.80B/108.60A	173.80B/108.60A	----	161.60 + 49.10	.6974	----	----	----	----	31 UNCH
4740	----	----	170.30B/105.70A	170.30B/105.70A	----	158.10 + 48.50	.6901	----	----	----	----	160 UNCH
4745	----	----	166.50B/102.80A	166.50B/102.80A	----	154.60 + 47.90	.6826	----	----	----	----	26 UNCH
4750	----	----	163.00B/100.20A	163.00B/100.20A	----	151.20 + 47.30	.6750	----	----	2	----	1383 - 1
4755	----	----	159.40B/97.20A	159.40B/97.20A	----	147.80 + 46.60	.6674	----	----	----	----	45 UNCH
4760	105.80	105.80	156.00B/94.50A	156.00B/94.50A	----	144.50 + 46.00	.6596	----	----	6	----	94 - 5
4765	----	----	152.50B/91.80A	152.50B/91.80A	----	141.20 + 45.40	.6518	----	----	----	----	80 UNCH
4770	----	----	149.10B/89.20A	149.10B/89.20A	----	137.90 + 44.70	.6439	----	----	----	----	87 UNCH
4775	110.00	110.00	145.70B/86.60A	145.70B/86.60A	----	134.60 + 44.00	.6360	----	----	101	----	203 - 39
4780	----	----	142.20B/84.10A	142.20B/84.10A	----	131.40 + 43.30	.6280	----	----	----	----	59 UNCH
4785	126.00	126.00	139.00B/81.60A	139.00B/81.60A	----	128.30 + 42.70	.6199	----	----	1	----	36 UNCH
4790	89.30	89.30	135.70B/79.20A	135.70B/79.20A	----	125.10 + 41.90	.6117	----	----	4	----	133 + 2
4795	88.40	88.40	132.40B/76.80A	132.40B/76.80A	----	122.00 + 41.20	.6035	----	----	22	----	66 + 8
4800	85.50	85.50	129.30B/74.50A	129.30B/74.50A	----	119.00 + 40.50	.5951	----	----	354	----	2190 - 144
4805	82.60	82.60	126.20B/72.20A	126.20B/72.20A	----	116.00 + 39.70	.5868	----	----	5	----	66 + 2
4810	76.90	76.90	123.20B/70.00A	123.20B/70.00A	----	113.10 + 39.10	.5784	----	----	12	----	581 - 6
4815	73.10	73.10	119.90B/67.80A	119.90B/67.80A	----	110.20 + 38.30	.5699	----	----	38	----	35 + 21
4820	72.90	72.90	117.10B/65.70A	117.10B/65.70A	----	107.40 + 37.70	.5613	----	----	8	----	203 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4825	75.00	75.00	114.20B/63.60A	114.20B/63.60A	----	104.60 + 37.00	.5527	----	----	169	----	260 + 80
4830	66.30	66.30	111.50B/61.60A	111.50B/61.60A	----	101.80 + 36.30	.5441	----	----	33	----	93 + 19
4835	65.70	65.70	108.70B/59.60A	108.70B/59.60A	----	99.20 + 35.70	.5355	----	----	9	----	17 + 5
4840	76.50	76.50	106.10B/57.70A	106.10B/57.70A	----	96.50 + 35.00	.5268	----	----	24	----	44 + 10
4845	74.50	74.50	103.40B/55.80A	103.40B/55.80A	----	93.90 + 34.30	.5181	----	----	10	----	135 + 3
4850	62.40	62.40	100.80B/54.00A	100.80B/54.00A	----	91.40 + 33.70	.5094	----	----	506	----	1292 - 60
4855	69.50	69.50	98.10B/52.20A	98.10B/52.20A	----	88.90 + 33.10	.5007	----	----	103	----	90 + 68
4860	70.50	70.50	95.50B/50.50A	95.50B/50.50A	----	86.50 + 32.50	.4920	----	----	26	----	71 + 21
4865	87.00	87.00	92.90B/48.80A	92.90B/48.80A	----	84.10 + 31.80	.4833	----	----	161	----	183 + 119
4870	52.20	52.20	90.40B/47.20A	90.40B/47.20A	----	81.70 + 31.20	.4745	----	----	47	----	139 + 33
4875	66.00	66.00	87.90B/45.50A	87.90B/45.50A	----	79.40 + 30.50	.4658	----	----	34	----	196 + 20
4880	64.00	64.00	85.50B/44.00A	85.50B/44.00A	----	77.20 + 29.90	.4572	----	----	32	----	58 + 28
4885	62.40	62.40	83.20B/42.40A	83.20B/42.40A	----	75.00 + 29.30	.4486	----	----	4	----	55 - 3
4890	51.80	51.80	80.90B/41.00A	80.90B/41.00A	----	72.80 + 28.70	.4399	----	----	40	----	80 + 33
4895	42.60	42.60	78.60B/39.50A	78.60B/39.50A	----	70.70 + 28.10	.4314	----	----	1	----	72 UNCH
4900	45.00	45.00	76.40B/38.20A	76.40B/38.20A	----	68.70 + 27.50	.4229	----	----	383	150	2472 + 225
4905	40.20	40.20	74.20B/36.80A	74.20B/36.80A	----	66.70 + 26.90	.4144	----	----	5	----	44 + 1
4910	44.00	44.00	72.10B/35.50A	72.10B/35.50A	----	64.70 + 26.30	.4060	----	----	23	----	84 - 3
4915	47.60	47.60	70.00B/34.30A	70.00B/34.30A	----	62.80 + 25.70	.3976	----	----	15	----	70 + 1
4920	42.10	42.10	68.00B/33.00A	68.00B/33.00A	----	60.90 + 25.10	.3893	----	----	6	----	72 + 1
4925	44.40	44.40	66.10B/31.60A	66.10B/31.60A	----	59.10 + 24.50	.3811	----	----	39	----	288 - 14
4930	48.10	48.10	64.00B/30.50A	64.00B/30.50A	----	57.30 + 23.90	.3729	----	----	6	----	195 - 1
4935	----	----	62.10B/29.40A	62.10B/29.40A	----	55.50 + 23.30	.3647	----	----	9	----	67 - 2
4940	----	----	60.20B/28.20A	60.20B/28.20A	----	53.80 + 22.80	.3567	----	----	1	----	23 UNCH
4945	----	----	58.40B/27.10A	58.40B/27.10A	----	52.20 + 22.30	.3488	----	----	----	----	34 UNCH
4950	30.00	30.00	56.70B/26.00A	56.70B/26.00A	----	50.50 + 21.60	.3408	----	----	288	----	1354 - 110
4955	27.40	27.40	54.90B/25.00A	54.90B/25.00A	----	49.00 + 21.10	.3332	----	----	1	----	11 + 1
4960	26.30	26.30	53.20B/24.00A	53.20B/24.00A	----	47.40 + 20.50	.3253	----	----	4	----	44 + 1
4965	36.90	36.90	51.50B/23.10A	51.50B/23.10A	----	45.90 + 20.00	.3177	----	----	19	----	71 + 8
4970	----	----	49.90B/22.30A	49.90B/22.30A	----	44.50 + 19.50	.3103	----	----	----	----	60 UNCH
4975	21.40	21.40	48.50B/21.30A	48.50B/21.30A	----	43.00 + 18.90	.3027	----	----	60	----	302 - 3
4980	22.80	22.80	47.00B/20.50A	47.00B/20.50A	----	41.60 + 18.40	.2954	----	----	22	----	254 + 1
4985	25.80	25.80	45.40B/19.70A	45.40B/19.70A	----	40.30 + 17.90	.2883	----	----	14	----	183 + 13
4990	23.70	23.70	43.90B/19.00	43.90B/19.00	----	39.00 + 17.50	.2812	----	----	24	----	61 + 5
4995	19.10	19.10	42.50B/18.20	42.50B/18.20	----	37.70 + 16.90	.2741	----	----	7	----	112 - 1
5000	20.00	20.00	41.50/17.50A	41.50/17.50A	----	36.50 + 16.50	.2673	----	----	1444	----	4292 - 17
5005	----	----	39.80B/16.80A	39.80B/16.80A	----	35.30 + 16.00	.2605	----	----	----	----	31 UNCH
5010	16.90	16.90	38.50B/16.10A	38.50B/16.10A	----	34.10 + 15.50	.2538	----	----	6	----	155 + 1
5015	16.20	16.20	37.20B/15.40A	37.20B/15.40A	----	32.90 + 15.00	.2470	----	----	12	----	63 + 2
5020	23.30	23.30	36.00B/14.90A	36.00B/14.90A	----	31.80 + 14.60	.2405	----	----	2	----	91 - 1
5025	20.70	20.70	34.80B/14.30A	34.80B/14.30A	----	30.80 + 14.20	.2344	----	----	155	----	297 + 68
5030	15.60	15.60	33.80B/13.70A	33.80B/13.70A	----	29.70 + 13.70	.2280	----	----	45	----	265 - 1
5035	20.10	20.10	32.50B/13.20A	32.50B/13.20A	----	28.70 + 13.30	.2219	----	----	6	----	24 + 2
5040	13.80	13.80	31.40B/12.70A	31.40B/12.70A	----	27.70 + 12.90	.2158	----	----	12	----	158 + 3
5045	12.60	12.60	30.50B/12.20A	30.50B/12.20A	----	26.80 + 12.50	.2101	----	----	39	----	939 - 10
5050	17.10	17.10	29.40B/11.80A	29.40B/11.80A	----	25.80 + 12.10	.2040	----	----	121	----	1760 - 23
5055	12.80	12.80	28.30B/11.30A	28.30B/11.30A	----	25.00 + 11.80	.1987	----	----	7	----	86 + 1
5060	17.60	17.60	27.40B/10.90A	27.40B/10.90A	----	24.10 + 11.40	.1930	----	----	7	----	95 + 4
5065	16.00	16.00	26.40B/10.50A	26.40B/10.50A	----	23.30 + 11.00	.1877	----	----	23	----	25 + 4
5070	13.40	13.40	25.50B/10.10A	25.50B/10.10A	----	22.40 + 10.60	.1821	----	----	13	----	56 - 1
5075	12.40	12.40	24.60B/9.80A	24.60B/9.80A	----	21.70 + 10.30	.1772	----	----	13	----	64 + 9
5080	11.30	11.30	23.80B/9.40A	23.80B/9.40A	----	20.90 + 9.90	.1720	----	----	233	----	319 + 170
5085	13.80	13.80	23.00B/9.10A	23.00B/9.10A	----	20.20 + 9.60	.1671	----	----	29	----	327 + 2
5090	10.50	10.50	22.20B/8.80A	22.20B/8.80A	----	19.50 + 9.30	.1623	----	----	44	----	276 - 2
5095	14.50	14.50	21.40B/8.50A	21.40B/8.50A	----	18.80 + 9.00	.1576	----	----	7	----	27 + 2
5100	8.30	8.30	21.00/8.20A	21.00/8.20A	----	18.20 + 8.70	.1532	----	----	558	----	2490 - 40
5105	15.70	15.70	19.90B/7.90A	19.90B/7.90A	----	17.50 + 8.40	.1484	----	----	9	----	17 + 4
5110	9.70	9.70	19.30B/7.60A	19.30B/7.60A	----	16.90 + 8.10	.1441	----	----	29	----	429 + 8
5115	11.10	11.10	18.60B/7.40A	18.60B/7.40A	----	16.40 + 7.90	.1403	----	----	6	----	101 + 6
5120	10.40	10.40	17.90B/7.20A	17.90B/7.20A	----	15.80 + 7.60	.1361	----	----	21	----	44 + 5
5125	12.60	12.60	17.30B/6.90A	17.30B/6.90A	----	15.30 + 7.40	.1323	----	----	49	----	369 + 21
5130	9.70	9.70	16.70B/6.70A	16.70B/6.70A	----	14.80 + 7.20	.1285	----	----	1	----	89 UNCH
5135	9.80	9.80	16.20B/6.50A	16.20B/6.50A	----	14.30 + 6.90	.1248	----	----	2	----	179 + 2
5140	9.30	9.30	15.50B/6.30A	15.50B/6.30A	----	13.80 + 6.70	.1211	----	----	3	----	262 UNCH
5145	9.00	9.00	15.00B/6.10A	15.00B/6.10A	----	13.30 + 6.40	.1173	----	----	4	----	77 - 1
5150	6.40	6.40	14.50B/5.90A	14.50B/5.90A	----	12.90 + 6.30	.1141	----	----	131	----	1513 + 5
5155	11.40	11.40	14.10B/5.70A	14.10B/5.70A	----	12.50 + 6.10	.1110	----	----	2	----	98 UNCH
5160	9.80	9.80	13.50B/5.60A	13.50B/5.60A	----	12.10 + 5.90	.1078	----	----	1	----	318 - 1
5165	7.60	7.60	13.10B/5.40A	13.10B/5.40A	----	11.70 + 5.70	.1047	----	----	8	----	67 + 3
5170	5.50	5.50	12.60B/5.30A	12.60B/5.30A	----	11.30 + 5.50	.1016	----	----	13	----	197 - 2
5175	5.50	5.50	12.20B/5.10A	12.20B/5.10A	----	10.90 + 5.30	.0984	----	----	46	----	271 + 29
5180	6.20	6.20	11.80B/5.00A	11.80B/5.00A	----	10.60 + 5.10	.0959	----	----	3	----	39 - 1
5185	6.10	6.10	11.40B/4.90A	11.40B/4.90A	----	10.30 + 5.00	.0934	----	----	2	----	35 UNCH
5190	6.50	6.50	11.00B/4.70A	11.00B/4.70A	----	9.90 + 4.80	.0903	----	----	9	----	345 UNCH
5195	5.70	5.70	10.60B/4.60A	10.60B/4.60A	----	9.60 + 4.60	.0878	----	----	7	----	31 + 3
5200	5.20	5.20	10.40/4.40A	10.40/4.40A	----	9.30 + 4.50	.0853	----	----	451	150	2749 - 57
5205	----	----	10.00B/4.40A	10.00B/4.40A	----	9.00 + 4.30	.0828	----	----	----	----	29 UNCH
5210	4.90	4.90	9.60B/4.30A	9.60B/4.30A	----	8.80 + 4.30	.0809	----	----	20	----	57 - 6
5215	5.10	5.10	9.30B/4.10A	9.30B/4.10A	----	8.50 + 4.10	.0785	----	----	21	----	55 + 1
5220	5.00	5.00	9.00B/4.00A	9.00B/4.00A	----	8.30 + 4.00	.0767	----	----	9	----	266 - 1
5225	4.40	4.40	8.80B/3.90A	8.80B/3.90A	----	8.00 + 3.90	.0742	----	----	5	----	183 + 1
5230	4.20	4.20	8.50B/3.80A	8.50B/3.80A	----	7.80 + 3.80	.0724	----	----	6	----	40 - 5
5235	5.00	5.00	8.20B/3.70A	8.20B/3.70A	----	7.60 + 3.70	.0706	----	----	27	----	73 + 9
5240	5.00	5.00	8.00B/3.60A	8.00B/3.60A	----	7.40 + 3.60	.0688	----	----	5	----	93 - 4
5245	6.00	6.00	7.70B/3.50A	7.70B/3.50A	----	7.20 + 3.50	.0671	----	----	6	----	58 - 1
5250	4.20	4.20	7.50B/3.40A	7.50B/3.40A	----	7.00 + 3.40	.0653	----	----	76	----	1949 + 22
5255	3.80	3.80	7.20B/3.40A	7.20B/3.40A	----	6.80 + 3.30	.0635	----	----	2	----	9 + 2
5260	3.70	3.70	7.00B/3.30A	7.00B/3.30A	----	6.60 + 3.20	.0618	----	----	12	----	120 + 9
5265	3.90	3.90	6.80B/3.30A	6.80B/3.30A	----	6.40 + 3.10	.0601	----	----	3	----	62 UNCH
5270	5.30	5.30	6.60B/5.30	6.60B/3.20A	----	6.20 + 3.00	.0583	----	----	4	----	95 + 2
5275	----	----	6.40B/----	6.40B/3.20A	----	6.10 + 2.90	.0573	----	----	----	----	203 UNCH
5280	3.40	3.40	6.20B/3.10A	6.20B/3.10A	----	5.90 + 2.80	.0556	----	----	2	----	288 UNCH
5285	3.40	3.40	6.00B/3.30	6.00B/3.10A	----	5.80 + 2.80	.0545	----	----	2	----	35 - 1
5290	----	----	5.80B/----	5.80B/3.00A	----	5.60 + 2.70	.0528	----	----	----	----	65 UNCH
5295	3.10	3.10	5.70B/3.10	5.70B/2.90A	----	5.50 + 2.60	.0518	----	----	1	----	69 UNCH
5300	2.40	2.40	5.70/2.40	5.70/2.40	----	5.30 + 2.50	.0501	----	----	105	----	2457 + 9
5305	----	----	5.40B/----	5.40B/2.80A	----	5.20 + 2.50	.0491	----	----	----	----	50 UNCH
5310	2.90	2.90	5.20B/2.90	5.20B/2.70A	----	5.10 + 2.40	.0481	----	----	1	----	36 UNCH
5315	----	----	5.10B/----	5.10B/2.60A	----	5.00 + 2.40	.0471	----	----	----	----	35 UNCH
5320	2.80	2.80	5.00B/2.80	5.00B/2.60A	----	4.80 + 2.20	.0455	----	----	224	----	581 + 51
5325	----	----	4.80B/----	4.80B/2.50A	----	4.70 + 2.20	.0445	----	----	----	----	110 UNCH
5330	----	----	4.70B/----	4.70B/2.50A	----	4.60 + 2.10	.0435	----	----	----	----	42 UNCH
5335	2.50	2.50	4.60B/2.50	4.60B/2.40A	----	4.50 + 2.10	.0425	----	----	2	----	243 UNCH
5340	----	----	4.50B/----	4.50B/2.40A	----	4.40 + 2.10	.0416	----	----	----	----	134 UNCH
5345	4.00	4.00	4.40B/4.00	4.40B/2.30A	----	4.30 + 2.00	.0406	----	----	1	----	65 UNCH
5350	----	----	4.30B/2.20A	4.30B/2.20A	----	4.20 + 1.90	.0397	----	----	57	----	856 + 40
5355	----	----	4.10B/----	4.10B/2.20A	----	4.10 + 1.90	.0388	----	----	----	----	29 UNCH
5360	----	----	4.00B/----	4.00B/2.20A	----	4.00 + 1.80	.0378	----	----	----	----	106 UNCH
5365	----	----	4.00B/----	4.00B/2.20A	----	3.90 + 1.80	.0369	----	----	----	----	33 UNCH
5370	3.90	3.90	3.90/3.90	3.90/2.10A	----	3.80 + 1.70	.0360	----	----	5	----	127 UNCH
5375	3.20	3.20	3.80B/3.20	3.80B/2.00A	----	3.80 + 1.80	.0358	----	----	2	----	402 + 2
5380	----	----	3.70B/----	3.70B/2.00A	----	3.70 + 1.70	.0349	----	----	----	----	77 UNCH
5385	----	----	3.60B/----	3.60B/2.00A	----	3.60 + 1.60	.0340	----	----	----	----	117 UNCH
5390	2.10	2.10	3.50B/2.00	3.50B/2.00	----	3.50 + 1.60	.0331	----	----	4	----	98 - 2
5395	2.40	2.40	3.40B/2.40	3.40B/2.00A	----	3.40 + 1.50	.0322	----	----	1	----	40 UNCH
5400	3.30	3.30	3.40B/3.30	3.40B/2.00A	----	3.40 + 1.50	.0320	----	----	48	----	2530 + 25
5405	----	----	3.30B/----	3.30B/2.00A	----	3.30 + 1.50	.0311	----	----	----	----	63 UNCH
5410	----	----	3.20B/----	3.20B/2.00A	----	3.20 + 1.40	.0302	----	----	----	----	156 UNCH
5415	----	----	3.10B/----	3.10B/1.90A	----	3.20 + 1.40	.0300	----	----	----	----	35 UNCH
5420	----	----	3.10B/----	3.10B/1.80A	----	3.10 + 1.40	.0292	----	----	----	----	143 UNCH
5425	----	----	3.00B/----	3.00B/1.90A	----	3.10 + 1.40	.0290	----	----	----	----	100 UNCH
5430	2.30	2.30	2.90B/2.30	2.90B/1.90A	----	3.00 + 1.30	.0281	----	----	5	----	23 - 5
5435	----	----	2.90B/----	2.90B/2.00A	----	2.90 + 1.30	.0273	----	----	----	----	15 UNCH
5440	----	----	2.80B/----	2.80B/1.80A	----	2.90 + 1.30	.0271	----	----	----	----	62 UNCH
5445	----	----	2.80B/----	2.80B/1.80A	----	2.80 + 1.20	.0263	----	----	----	----	116 UNCH
5450	1.70	1.70	2.70B/1.70	2.70B/1.70	----	2.80 + 1.20	.0261	----	----	62	----	583 - 57
5455	----	----	2.60B/----	2.60B/1.90A	----	2.70 + 1.20	.0253	----	----	----	----	153 UNCH
5460	----	----	2.60B/----	2.60B/1.90A	----	2.70 + 1.40	.0251	----	----	----	----	37 UNCH
5465	----	----	2.50B/----	2.50B/1.90A	----	2.60 + 1.10	.0243	----	----	----	----	38 UNCH
5470	2.10	2.10	2.50B/2.10	2.50B/1.80A	----	2.60 + 1.10	.0242	----	----	3	----	253 UNCH
5475	----	----	2.40B/----	2.40B/1.80A	----	2.60 + 1.20	.0240	----	----	----	----	35 UNCH
5480	----	----	2.40B/----	2.40B/1.80A	----	2.50 + 1.10	.0232	----	----	----	----	34 UNCH
5485	----	----	2.40B/----	2.40B/1.80A	----	2.50 + 1.10	.0231	----	----	----	----	41 UNCH
5490	----	----	2.30B/----	2.30B/1.70A	----	2.40 + 1.00	.0223	----	----	----	----	35 UNCH
5495	----	----	2.30B/----	2.30B/1.70A	----	2.40 + 1.00	.0221	----	----	----	----	51 UNCH
5500	1.50	1.50	2.30B/1.50	2.30B/1.50	----	2.40 + 1.10	.0220	----	----	709	150	4004 - 318
5505	----	----	2.20B/----	2.20B/1.70A	----	2.30 + 1.00	.0212	----	----	----	----	92 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5510	----	----	2.10B/----	2.10B/1.70A	----	2.30 + 1.00	.0211	----	----	----	----	60 UNCH
5515	----	----	2.10B/----	2.10B/1.60A	----	2.30 + 1.00	.0210	----	----	----	----	13 UNCH
5520	----	----	2.10B/----	2.10B/1.60A	----	2.20 + 0.90	.0202	----	----	----	----	204 UNCH
5525	----	----	2.00B/----	2.00B/1.60A	----	2.20 + 0.90	.0201	----	----	----	----	86 UNCH
5530	----	----	2.00B/----	2.00B/1.60A	----	2.20 + 1.00	.0200	----	----	----	----	64 UNCH
5535	----	----	2.00B/----	2.00B/1.60A	----	2.10 + 0.90	.0192	----	----	----	----	14 UNCH
5540	----	----	2.00B/----	2.00B/1.50A	----	2.10 + 0.90	.0191	----	----	----	----	27 UNCH
5545	----	----	1.90B/----	1.90B/1.50A	----	2.10 + 0.90	.0190	----	----	----	----	6 UNCH
5550	1.50	1.50	2.00B/1.50	2.00B/1.50	----	2.00 + 0.80	.0182	----	----	4	----	852 + 1
5555	----	----	1.90B/----	1.90B/1.50A	----	2.00 + 0.80	.0181	----	----	----	----	19 UNCH
5560	----	----	1.80B/----	1.80B/1.50A	----	2.00 + 0.90	.0180	----	----	----	----	28 UNCH
5565	----	----	1.80B/----	1.80B/1.50A	----	2.00 + 0.90	.0179	----	----	----	----	46 UNCH
5570	----	----	1.80B/----	1.80B/1.40A	----	1.90 + 0.80	.0172	----	----	----	----	557 UNCH
5575	----	----	1.80B/----	1.80B/1.40A	----	1.90 + 0.80	.0171	----	----	----	----	239 UNCH
5580	----	----	1.70B/----	1.70B/1.40A	----	1.90 + 0.80	.0170	----	----	----	----	139 UNCH
5585	----	----	1.70B/----	1.70B/1.40A	----	1.90 + 0.80	.0169	----	----	----	----	20 UNCH
5590	----	----	1.70B/----	1.70B/1.40A	----	1.80 + 0.70	.0162	----	----	----	----	93 UNCH
5595	----	----	1.70B/----	1.70B/1.40A	----	1.80 + 0.70	.0161	----	----	----	----	17 UNCH
5600	----	----	1.70B/----	1.70B/1.40A	----	1.80 + 0.80	.0160	----	----	6	----	3045 + 5
5610	----	----	1.60B/----	1.60B/1.30A	----	1.70 + 0.70	.0152	----	----	----	----	461 UNCH
5620	----	----	1.60B/----	1.60B/1.30A	----	1.70 + 0.70	.0150	----	----	----	----	137 UNCH
5625	----	----	1.50B/----	1.50B/1.30A	----	1.70 + 0.70	.0150	----	----	----	----	269 UNCH
5630	----	----	1.50B/----	1.50B/1.30A	----	1.70 + 0.70	.0149	----	----	1	----	147 UNCH
5640	----	----	1.50B/----	1.50B/1.30A	----	1.60 + 0.60	.0141	----	----	----	----	552 UNCH
5650	----	----	1.50B/----	1.50B/1.20A	----	1.60 + 0.70	.0140	----	----	----	----	707 UNCH
5660	----	----	1.40B/----	1.40B/1.20A	----	1.60 + 0.70	.0138	----	----	----	----	262 UNCH
5670	----	----	1.40B/----	1.40B/1.20A	----	1.50 + 0.60	.0130	----	----	----	----	41 UNCH
5675	----	----	1.40B/----	1.40B/1.20A	----	1.50 + 0.60	.0130	----	----	----	----	5 UNCH
5680	----	----	1.40B/----	1.40B/1.20A	----	1.50 + 0.60	.0129	----	----	----	----	94 UNCH
5690	----	----	1.40B/----	1.40B/1.20A	----	1.50 + 0.60	.0128	----	----	----	----	178 UNCH
5700	----	----	1.30B/----	1.30B/1.20A	----	1.40 + 0.50	.0120	----	----	10	----	1835 UNCH
5710	----	----	1.30B/----	1.30B/1.20A	----	1.40 + 0.50	.0119	----	----	----	----	49 UNCH
5720	----	----	1.30B/----	1.30B/1.20A	----	1.40 + 0.60	.0119	----	----	----	----	35 UNCH
5725	----	----	1.30B/----	1.30B/1.10A	----	1.40 + 0.60	.0118	----	----	----	----	432 UNCH
5730	----	----	1.20B/----	1.20B/1.10A	----	1.30 + 0.50	.0111	----	----	----	----	121 UNCH
5740	----	----	1.20B/----	1.20B/1.10A	----	1.30 + 0.50	.0110	----	----	----	----	55 UNCH
5750	----	----	1.20B/----	1.20B/1.10A	----	1.30 + 0.50	.0109	----	----	----	----	309 UNCH
5760	----	----	1.20B/----	1.20B/1.10A	----	1.30 + 0.50	.0108	----	----	----	----	63 UNCH
5770	1.30	1.30	1.30/1.30	1.30/1.10A	----	1.20 + 0.40	.0101	----	----	1	----	16 UNCH
5775	0.30	0.30	1.10B/*0.30	1.10B/*0.30	----	1.20 + 0.40	.0100	----	----	3	----	70 - 3
5780	----	----	1.10B/----	1.10B/1.10A	----	1.20 + 0.40	.0100	----	----	----	----	22 UNCH
5790	----	----	1.00B/----	1.00B/1.00A	----	1.20 + 0.40	.0099	----	----	----	----	41 UNCH
5800	0.90	0.90	1.10B/0.90	1.10B/0.90	----	1.20 + 0.50	.0099	----	----	7	----	999 UNCH
5810	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.40	.0091	----	----	----	----	37 UNCH
5820	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.40	.0091	----	----	----	----	50 UNCH
5825	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.40	.0090	----	----	1	----	112 UNCH
5830	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.40	.0090	----	----	----	----	139 UNCH
5840	0.80	0.80	0.90B/0.80	0.90B/0.80	----	1.10 + 0.40	.0089	----	----	1	----	88 + 1
5850	0.80	0.80	1.00B/0.80	1.00B/0.80	----	1.10 + 0.40	.0089	----	----	3	----	330 + 3
5860	----	----	1.00B/----	1.00B/0.90A	----	1.00 + 0.30	.0082	----	----	----	----	68 UNCH
5870	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.30	.0081	----	----	----	----	17 UNCH
5875	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.30	.0081	----	----	----	----	123 UNCH
5880	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.30	.0080	----	----	----	----	24 UNCH
5890	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.30	.0080	----	----	----	----	23 UNCH
5900	0.90	0.90	0.90/0.90	0.90/0.90	----	1.00 + 0.40	.0079	----	----	10	----	832 - 2
5910	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.30	.0072	----	----	----	----	61 UNCH
5920	----	----	0.80B/----	0.80B/0.90A	----	0.90 + 0.30	.0072	----	----	----	----	113 UNCH
5930	----	----	0.80B/----	0.80B/0.90A	----	0.90 + 0.30	.0071	----	----	----	----	136 UNCH
5940	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.30	.0071	----	----	----	----	59 UNCH
5950	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.30	.0070	----	----	----	----	441 UNCH
5960	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.30	.0070	----	----	----	----	45 UNCH
5970	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.20	.0063	----	----	----	----	35 UNCH
5980	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.20	.0063	----	----	----	----	129 UNCH
5990	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.20	.0062	----	----	----	----	72 UNCH
6000	1.00	1.00	1.00/0.60	1.00/0.60	----	0.80 + 0.20	.0062	----	----	7	----	3498 - 2
6025	----	----	0.70B/----	0.70B/0.90A	----	0.80 + 0.20	.0061	----	----	----	----	86 UNCH
6050	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.20	.0054	----	----	----	----	103 UNCH
6075	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.20	.0053	----	----	----	----	23 UNCH
6100	----	----	0.60B/----	0.60B/0.80A	----	0.70 + 0.20	.0052	----	----	----	----	522 UNCH
6125	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0052	----	----	----	----	48 UNCH
6150	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0045	----	----	----	----	132 UNCH
6175	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0044	----	----	----	----	130 UNCH
6200	0.70	0.70	0.70/0.70	0.70/0.70	----	0.60 + 0.20	.0044	----	----	2	----	369 UNCH
6225	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0037	----	----	----	----	138 UNCH
6250	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0037	----	----	----	----	259 UNCH
6275	----	----	----	0.40B/0.50A	----	0.50 + 0.10	.0036	----	----	----	----	34 UNCH
6300	----	----	----	0.40B/0.50A	----	0.50 + 0.10	.0036	----	----	1	----	254 UNCH
6325	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0029	----	----	----	----	148 UNCH
6350	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0029	----	----	----	----	203 UNCH
6375	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0028	----	----	----	----	24 UNCH
6400	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0028	----	----	----	----	345 UNCH
6425	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0022	----	----	----	----	42 UNCH
6450	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0022	----	----	----	----	76 UNCH
6475	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	68 UNCH
6500	0.20	0.20	0.30/*0.20	0.30/*0.20	----	0.30 UNCH	.0021	----	----	94	----	1248 + 46
6525	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	20 UNCH
6550	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0021	----	----	----	----	75 UNCH
6575	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0020	----	----	----	----	10 UNCH
6600	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0014	----	----	1	----	71 - 1
6625	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	38 UNCH
6650	----	----	----	----/0.40A	----	0.20 UNCH	.0014	----	----	----	----	57 UNCH
6675	----	----	----	----/0.30A	----	0.20 UNCH	.0014	----	----	----	----	29 UNCH
6700	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	381 UNCH
6725	----	----	----	----/0.40A	----	0.20 UNCH	.0013	----	----	----	----	101 UNCH
6750	----	----	----	----/0.40A	----	0.20 UNCH	.0013	----	----	----	----	64 UNCH
6775	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0013	----	----	----	----	7 UNCH
6800	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0013	----	----	----	----	616 UNCH
6825	----	----	----	----/0.40A	----	0.20 UNCH	.0013	----	----	----	----	8 UNCH
6850	----	----	----	----/0.40A	----	0.10 UNCH	.0007	----	----	----	----	32 UNCH
6875	----	----	----	----/0.30A	----	0.10 UNCH	.0007	----	----	----	----	13 UNCH
6900	----	----	----	----/*0.20A	----	0.10 UNCH	.0007	----	----	----	----	553 UNCH
6925	----	----	----	----/0.30A	----	0.10 UNCH	.0007	----	----	----	----	1 UNCH
6950	----	----	----	----/0.30A	----	0.10 UNCH	.0007	----	----	----	----	34 UNCH
6975	----	----	----	----/0.30A	----	0.10 UNCH	.0007	----	----	----	----	7 UNCH
7000	----	----	----	----/0.20A	----	0.10 UNCH	.0007	----	----	----	----	823 UNCH
7025	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	402 UNCH
7050	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	33 UNCH
7075	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	86 UNCH
7100	----	----	----	----/*0.10A	----	0.10 UNCH	.0006	----	----	----	----	106 UNCH
7125	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	14 UNCH
7150	----	----	----	----/*0.10A	----	0.10 UNCH	.0006	----	----	----	----	26 UNCH
7175	----	----	----	----/*0.10A	----	0.10 UNCH	.0006	----	----	----	----	37 UNCH
7200	----	----	----	----/*0.10A	----	0.10 UNCH	.0006	----	----	----	----	97 UNCH
7225	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	6 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	42 UNCH
7275	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	15 UNCH
7300	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	10 UNCH
7325	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	1 UNCH
7350	----	----	----	----/0.30A	----	0.10 UNCH	.0006	----	----	----	----	1 UNCH
7375	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	10 UNCH
7400	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	16 UNCH
7450	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	20 UNCH
7475	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	11 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	350 UNCH
7525	----	----	----	----/0.10A	----	0.10 UNCH	.0006	----	----	----	----	42 UNCH
7575	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	6 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	89 UNCH
7625	----	----	----	----/0.20A	----	0.10 UNCH	.0005	----	----	----	----	2 UNCH
7650	----	----	----	----/0.20A	----	0.10 UNCH	.0005	----	----	----	----	2 UNCH
7675	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	36 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	77 UNCH
7725	----	----	----	----/0.20A	----	0.10 UNCH	.0005	----	----	----	----	1 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	20 UNCH
7775	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	5 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	23 UNCH
7825	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	6 UNCH
7850	----	----	----	----/0.10A	----	0.10 UNCH	.0005	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
7875	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	5	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	5	UNCH
7950	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	39	UNCH
7975	----	----	----	----/0.20A	----	0.10	UNCH	.0005	----	----	----	----	5	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	1098	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	54	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	1081	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	37	UNCH
8400	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	1	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	74	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
8700	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	13	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	14	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	332	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	9	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	2	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	53	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	7	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	15	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	31	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	767	UNCH
15000	----	----	----	----/0.10A	----	0.10	UNCH	.0002	----	----	----	----	133	UNCH
TOTAL											7869	450	102061+	350
JUN26														
1995	----	----	2,864.80B/----	2864.80B/2870.60A	----	2855.10	+ 82.70	1.0000	----	----	200	----	0	UNCH
2000	----	----	2,861.10B/----	2861.10B/2792.00A	----	2850.10	+ 82.70	1.0000	----	----	677	----	412	UNCH
2005	----	----	2,854.80B/----	2854.80B/2860.60A	----	2845.10	+ 82.70	1.0000	----	----	200	----	0	UNCH
2800	----	----	2,064.30B/----	2064.30B/1989.80A	----	2050.10	+ 82.70	.9991	----	----	713	----	500	UNCH
3000	----	----	1,863.90B/----	1863.90B/1791.00A	----	1850.10	+ 82.70	.9976	----	----	327	----	400	UNCH
3200	----	----	1,661.10B/----	1661.10B/1592.10A	----	1650.10	+ 82.60	.9952	----	----	----	----	25	UNCH
3400	----	----	1,463.90B/----	1463.90B/1389.60A	----	1450.40	+ 82.30	.9916	----	----	13	----	779 -	164
3500	1338.00	1338.00	1,361.80B/1,338	1361.80B/1292.30A	----	1350.80	+ 82.10	.9889	----	----	1	----	57 -	1
3525	----	----	----	----	----	1325.90	+ 82.00	.9884	----	----	----	----	1	UNCH
3550	----	----	----	----	----	1301.00	+ 81.80	.9875	----	----	----	----	1	UNCH
3580	----	----	1,282.20B/----	1282.20B/1212.70A	----	1271.20	+ 81.80	.9866	----	----	----	----	18	UNCH
3585	----	----	1,277.20B/----	1277.20B/1207.70A	----	1266.30	+ 81.80	.9865	----	----	----	----	100	UNCH
3600	----	----	1,262.30B/----	1262.30B/1192.80A	----	1251.40	+ 81.70	.9857	----	----	----	----	214	UNCH
3635	----	----	1,227.50B/----	1227.50B/1158.10A	----	1216.60	+ 81.50	.9847	----	----	----	----	60	UNCH
3650	----	----	1,212.60B/----	1212.60B/1143.20A	----	1201.70	+ 81.40	.9839	----	----	----	----	143	UNCH
3665	----	----	1,198.10B/----	1198.10B/1120.60A	----	1186.90	+ 81.50	.9834	----	----	----	----	3	UNCH
3700	----	----	1,164.40B/----	1164.40B/1085.00A	----	1152.20	+ 81.20	.9819	----	----	----	----	392	UNCH
3715	----	----	1,148.50B/----	1148.50B/1070.20A	----	1137.30	+ 81.10	.9811	----	----	----	----	25	UNCH
3725	----	----	1,138.60B/----	1138.60B/1061.20A	----	1127.40	+ 81.00	.9806	----	----	----	----	212	UNCH
3750	----	----	1,116.70B/----	1116.70B/1036.40A	----	1102.70	+ 80.90	.9793	----	----	----	----	1112	UNCH
3755	----	----	1,108.90B/----	1108.90B/1030.60A	----	1097.80	+ 80.90	.9792	----	----	----	----	15	UNCH
3785	----	----	1,079.20B/----	1079.20B/1001.00A	----	1068.10	+ 80.60	.9774	----	----	----	----	170	UNCH
3790	----	----	1,072.70B/----	1072.70B/997.00A	----	1063.20	+ 80.60	.9773	----	----	----	----	1	UNCH
3800	----	----	1,066.40B/----	1066.40B/987.10A	----	1053.30	+ 80.50	.9765	----	----	----	----	545	UNCH
3835	----	----	1,035.30B/----	1035.30B/943.60A	----	1018.80	+ 80.20	.9742	----	----	----	----	1	UNCH
3840	----	----	1,030.20B/----	1030.20B/938.70A	----	1013.90	+ 80.20	.9741	----	----	----	----	21	UNCH
3850	----	----	1,020.30B/----	1020.30B/929.00A	----	1004.10	+ 80.20	.9732	----	----	----	----	322	UNCH
3875	----	----	995.80B/----	995.80B/904.50A	----	979.50	+ 79.90	.9714	----	----	----	----	60	UNCH
3895	----	----	976.30B/----	976.30B/885.00A	----	959.80	+ 79.60	.9699	----	----	----	----	1	UNCH
3900	----	----	971.50B/----	971.50B/880.20A	----	954.90	+ 79.50	.9695	----	----	----	----	364	UNCH
3925	----	----	946.80B/----	946.80B/855.80A	----	930.40	+ 79.20	.9672	----	----	----	----	4	UNCH
3950	----	----	922.60B/----	922.60B/831.60A	----	906.00	+ 79.00	.9649	----	----	----	----	14	UNCH
3975	----	----	898.20B/----	898.20B/807.80A	----	881.60	+ 78.60	.9623	----	----	----	----	106	UNCH
3990	----	----	883.40B/----	883.40B/793.20A	----	867.00	+ 78.40	.9605	----	----	----	----	1	UNCH
3995	----	----	878.30B/----	878.30B/788.40A	----	862.10	+ 78.30	.9600	----	----	----	----	5	UNCH
4000	----	----	873.80B/----	873.80B/783.70A	----	857.20	+ 78.20	.9592	----	----	----	----	862	UNCH
4005	----	----	869.00B/----	869.00B/778.90A	----	852.40	+ 78.10	.9587	----	----	----	----	10	UNCH
4010	----	----	863.90B/----	863.90B/773.70A	----	847.50	+ 78.00	.9582	----	----	----	----	1	UNCH
4020	----	----	854.20B/----	854.20B/764.50A	----	837.80	+ 77.80	.9569	----	----	----	----	2	UNCH
4025	----	----	849.60B/----	849.60B/759.30A	----	833.00	+ 77.80	.9561	----	----	----	----	51	UNCH
4040	----	----	834.90B/----	834.90B/745.30A	----	818.40	+ 77.50	.9543	----	----	----	----	1	UNCH
4050	----	----	825.40B/----	825.40B/735.80A	----	808.80	+ 77.30	.9529	----	----	----	----	185	UNCH
4060	----	----	815.70B/----	815.70B/726.20A	----	799.10	+ 77.10	.9513	----	----	----	----	25	UNCH
4070	----	----	806.10B/----	806.10B/716.30A	----	789.50	+ 76.90	.9499	----	----	----	----	10	UNCH
4075	----	----	801.20B/----	801.20B/711.80A	----	784.70	+ 76.90	.9491	----	----	----	----	64	UNCH
4090	----	----	786.80B/----	786.80B/697.40A	----	770.30	+ 76.60	.9466	----	----	----	----	34	UNCH
4100	----	----	777.20B/----	777.20B/688.10A	----	760.70	+ 76.30	.9449	----	----	----	----	682	UNCH
4105	----	----	772.40B/----	772.40B/683.40A	----	755.90	+ 76.20	.9440	----	----	----	----	50	UNCH
4110	----	----	767.40B/----	767.40B/678.70A	----	751.10	+ 76.10	.9431	----	----	----	----	2	UNCH
4115	----	----	762.80B/----	762.80B/673.80A	----	746.30	+ 76.00	.9423	----	----	----	----	5	UNCH
4125	----	----	753.20B/----	753.20B/664.40A	----	736.80	+ 75.80	.9405	----	----	----	----	95	UNCH
4135	----	----	743.70B/----	743.70B/655.00A	----	727.20	+ 75.50	.9385	----	----	----	----	16	UNCH
4150	----	----	729.40B/----	729.40B/641.00A	----	713.00	+ 75.20	.9355	----	----	----	----	263	UNCH
4155	----	----	724.60B/----	724.60B/636.50A	----	708.20	+ 75.00	.9346	----	----	----	----	5	UNCH
4170	----	----	710.40B/----	710.40B/622.40A	----	694.00	+ 74.60	.9314	----	----	----	----	51	UNCH
4175	----	----	705.70B/----	705.70B/618.00A	----	689.30	+ 74.50	.9302	----	----	----	----	61	UNCH
4195	----	----	686.70B/----	686.70B/599.30A	----	670.50	+ 73.90	.9256	----	----	----	----	1	UNCH
4200	----	----	681.80B/----	681.80B/594.70A	----	665.80	+ 73.80	.9244	----	----	----	----	2079	UNCH
4210	----	----	672.70B/----	672.70B/585.50A	----	656.40	+ 73.50	.9219	----	----	----	----	1582	UNCH
4220	----	----	663.30B/----	663.30B/576.40A	----	647.10	+ 73.20	.9195	----	----	----	----	84	UNCH
4225	----	----	658.60B/----	658.60B/571.80A	----	642.40	+ 73.00	.9180	----	----	----	----	15	UNCH
4235	----	----	649.30B/----	649.30B/563.00A	----	633.10	+ 72.70	.9152	----	----	----	----	6	UNCH
4240	----	----	644.60B/----	644.60B/558.60A	----	628.50	+ 72.60	.9139	----	----	----	----	53	UNCH
4245	----	----	640.00B/----	640.00B/553.70A	----	623.80	+ 72.30	.9124	----	----	----	----	263	UNCH
4250	----	----	635.30B/----	635.30B/549.20A	----	619.20	+ 72.20	.9111	----	----	----	----	922	UNCH
4255	----	----	630.70B/----	630.70B/544.90A	----	614.60	+ 72.00	.9096	----	----	----	----	6	UNCH
4260	----	----	625.90B/----	625.90B/540.20A	----	610.00	+ 71.90	.9081	----	----	----	----	1	UNCH
4265	----	----	621.40B/----	621.40B/535.70A	----	605.40	+ 71.70	.9065	----	----	----	----	87	UNCH
4270	----	----	616.80B/----	616.80B/531.60A	----	600.80	+ 71.50	.9050	----	----	----	----	11	UNCH
4280	----	----	607.40B/----	607.40B/522.30A	----	591.60	+ 71.10	.9018	----	----	----	----	1	UNCH
4285	----	----	602.80B/----	602.80B/518.10A	----	587.00	+ 70.90	.9003	----	----	----	----	1	UNCH
4300	----	----	589.20B/----	589.20B/504.60A	----	573.40	+ 70.40	.8953	----	----	----	----	2117	UNCH
4305	----	----	584.50B/----	584.50B/500.20A	----	568.90	+ 70.30	.8937	----	----	----	----	1	UNCH
4310	----	----	580.10B/----	580.10B/495.80A	----	564.30	+ 70.00	.8918	----	----	----	----	23	UNCH
4315	----	----	575.40B/----	575.40B/491.80A	----	559.80	+ 69.80	.8900	----	----	----	----	1	UNCH
4320	----	----	571.00B/----	571.00B/487.40A	----	555.30	+ 69.60	.8881	----	----	----	----	62	UNCH
4325	----	----	566.50B/----	566.50B/483.10A	----	550.80	+ 69.40	.8865	----	----	----	----	72	UNCH
4335	----	----	557.50B/----	557.50B/474.00A	----	541.80	+ 69.00	.8825	----	----	----	----	13	UNCH
4340	----	----	553.00B/----	553.00B/469.70A	----	537.40	+ 68.90	.8807	----	----	----	----	17	UNCH
4345	----	----	548.30B/----	548.30B/465.40A	----	532.90	+ 68.60	.8788	----	----	----	----	2	UNCH
4350	----	----	544.00B/----	544.00B/461.50A	----	528.50	+ 68.40	.8769	----	----	----	----	1451	UNCH
4355	----	----	539.50B/----	539.50B/456.90A	----	524.00	+ 68.20	.8747	----	----	----	----	129	UNCH
4360	----	----	535.00B/----	535.00B/452.90A	----	519.60	+ 68.00	.8726	----	----	----	----	42	UNCH
4365	----	----	530.60B/----	530.60B/448.60A	----	515.20	+ 67.80	.8707	----	----	----	----	4	UNCH
4370	----	----	526.10B/----	526.10B/444.20A	----	510.80	+ 67.60	.8685	----	----	----	----	3	UNCH
4375	----	----	521.70B/----	521.70B/440.20A	----	506.40	+ 67.30	.8664	----	----	2	----	106	UNCH
4380	----	----	517.30B/----	517.30B/435.70A	----	502.00	+ 67.10	.8642	----	----	----	----	341	UNCH
4385	----	----	512.90B/----	512.90B/431.50A	----	497.60	+ 66.80	.8620	----	----	----	----	3	UNCH
4390	----	----	508.50B/----	508.50B/427.60A	----	493.30	+ 66.70	.8597	----	----	----	----	16	UNCH
4395	----	----	504.10B/----	504.10B/423.30A	----	488.90	+ 66.40	.8575	----	----	----	----	10	UNCH
4400	----	----	499.70B/----	499.70B/419.00A	----	484.60	+ 66.20	.8551	----	----	----	----	1458	UNCH
4410	----	----	490.90B/----	490.90B/411.00A	----	476.00	+ 65.70	.8504	----	----	----	----	39	UNCH
4415	----	----	486.60B/----	486.60B/406.60A	----	471.70	+ 65.50	.8480	----	----	----	----	176	UNCH
4420	----	----	482.30B/----	482.30B/402.60A	----	467.40	+ 65.20	.8456	----	----	----	----	3	UNCH
4425	----	----	478.00B/----	478.00B/398.50A	----	463.10	+ 65.00	.8431	----	----	----	----	274	UNCH
4430	----	----	473.70B/----	473.70B/394.40A	----	458.90	+ 64.80	.8407	----	----	----	----	19	UNCH
4435	----	----	469.50B/----	469.50B/390.70A	----	454.60	+ 64.50	.8380	----	----	----	----	20	UNCH
4440	----	----	465.10B/----	465.10B/386.50A	----	450.40	+ 64.20	.8356	----	----	1	----	20 +	1
4445	----	----	460.80B/----	460.80B/382.50A	----	446.20	+ 64.00	.8329	----	----	----	----	5	UNCH
4450	----	----	456.70B/----	456.70B/378.30A	----	442.00	+ 63.70	.8302	----	----	----	----	497	UNCH
4455	----	----	452.30B/----	452.30B/374.50A	----	437.80	+ 63.50	.8276	----	----	----	----	6	UNCH
4460	----	----	448.10B/----	448.10B/370.70A	----	433.60	+ 63.20	.8249	----	----	----	----	20	UNCH
4465	----	----	443.90B/----	443.90B/366.60A	----	429.50	+ 63.00	.8222	----	----	----	----	18	UNCH
4470	----	----	439.70B/----	439.70B/362.70A	----	425.30	+ 62.70	.8193	----	----	----	----	24	UNCH
4475	----	----	435.50B/----	435.50B/358.80A	----	421.20	+ 62.40	.8166	----	----	----	----	22	UNCH
4480	----	----	431.40B/----	431.40B/354.90A	----	417.10	+ 62.20	.8137	----	----	----	----	59	UNCH
4485	----	----	427.20B/350.80A	427.20B/350.80A	----	413.00	+ 61.90	.8107	----	----	----	----	6	UNCH
4490	----	----	423.10B/347.00A	423.10B/347.00A	----	408.90	+ 61.60	.8078	----	----	----	----	51	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4495	----	----	419.00B/343.40A	419.00B/343.40A	----	404.80 + 61.30	.8049	----	----	----	----	6 UNCH
4500	353.40	353.40	414.80B/339.30A	414.80B/339.30A	----	400.80 + 61.00	.8018	----	----	28	----	4376 - 15
4505	----	----	410.80B/335.50A	410.80B/335.50A	----	396.80 + 60.80	.7988	----	----	----	----	49 UNCH
4510	----	----	406.70B/332.00A	406.70B/332.00A	----	392.70 + 60.40	.7957	----	----	----	----	1475 UNCH
4515	----	----	402.70B/328.00A	402.70B/328.00A	----	388.70 + 60.10	.7926	----	----	----	----	93 UNCH
4520	----	----	398.60B/324.50A	398.60B/324.50A	----	384.80 + 59.90	.7895	----	----	----	----	51 UNCH
4525	----	----	394.60B/320.80A	394.60B/320.80A	----	380.80 + 59.60	.7863	----	----	----	----	232 UNCH
4530	----	----	390.60B/317.10A	390.60B/317.10A	----	376.90 + 59.30	.7832	----	----	----	----	13 UNCH
4535	----	----	386.60B/313.40A	386.60B/313.40A	----	372.90 + 59.00	.7798	----	----	----	----	12 UNCH
4540	----	----	382.60B/309.60A	382.60B/309.60A	----	369.00 + 58.70	.7765	----	----	----	----	78 UNCH
4545	----	----	378.70B/306.10A	378.70B/306.10A	----	365.10 + 58.40	.7732	----	----	----	----	32 UNCH
4550	----	----	374.70B/302.50A	374.70B/302.50A	----	361.30 + 58.20	.7698	----	----	----	----	219 UNCH
4555	----	----	370.80B/298.70A	370.80B/298.70A	----	357.40 + 57.80	.7665	----	----	----	----	9 UNCH
4560	----	----	366.90B/295.20A	366.90B/295.20A	----	353.60 + 57.50	.7631	----	----	----	----	159 UNCH
4565	----	----	363.00B/291.80A	363.00B/291.80A	----	349.70 + 57.20	.7596	----	----	----	----	104 UNCH
4570	----	----	359.10B/288.10A	359.10B/288.10A	----	345.90 + 56.80	.7561	----	----	----	----	35 UNCH
4575	----	----	355.30B/284.60A	355.30B/284.60A	----	342.20 + 56.60	.7526	----	----	----	----	65 UNCH
4580	----	----	351.50B/281.10A	351.50B/281.10A	----	338.40 + 56.30	.7490	----	----	----	----	8 UNCH
4585	----	----	347.60B/277.60A	347.60B/277.60A	----	334.70 + 56.00	.7454	----	----	----	----	15 UNCH
4590	----	----	344.20B/274.20A	344.20B/274.20A	----	331.00 + 55.70	.7418	----	----	----	----	79 UNCH
4595	----	----	340.10B/270.80A	340.10B/270.80A	----	327.30 + 55.40	.7381	----	----	----	----	13 UNCH
4600	289.10	289.10	336.90B/267.40A	336.90B/267.40A	----	323.60 + 55.00	.7344	----	----	4	----	5173 - 1
4605	----	----	332.90B/264.00A	332.90B/264.00A	----	319.90 + 54.70	.7306	----	----	----	----	153 UNCH
4610	----	----	328.70B/260.60A	328.70B/260.60A	----	316.30 + 54.40	.7269	----	----	----	----	2 UNCH
4615	----	----	325.10B/257.50A	325.10B/257.50A	----	312.70 + 54.10	.7230	----	----	----	----	3 UNCH
4620	----	----	321.80B/253.90A	321.80B/253.90A	----	309.10 + 53.80	.7192	----	----	----	----	20 UNCH
4625	----	----	318.20B/250.90A	318.20B/250.90A	----	305.50 + 53.40	.7153	----	----	----	----	196 UNCH
4630	----	----	314.50B/247.40A	314.50B/247.40A	----	301.90 + 53.00	.7115	----	----	1	----	55 UNCH
4635	----	----	310.60B/244.50A	310.60B/244.50A	----	298.40 + 52.70	.7076	----	----	----	----	6 UNCH
4640	----	----	307.30B/241.00A	307.30B/241.00A	----	294.90 + 52.40	.7036	----	----	1	----	21 + 1
4645	----	----	303.40B/238.10A	303.40B/238.10A	----	291.40 + 52.10	.6996	----	----	----	----	13 UNCH
4650	----	----	300.40B/234.70A	300.40B/234.70A	----	287.90 + 51.70	.6956	----	----	----	----	1011 UNCH
4655	----	----	296.60B/231.80A	296.60B/231.80A	----	284.50 + 51.40	.6915	----	----	1	----	29 + 1
4660	----	----	293.10B/228.40A	293.10B/228.40A	----	281.10 + 51.10	.6875	----	----	----	----	25 UNCH
4665	----	----	289.20B/225.30A	289.20B/225.30A	----	277.70 + 50.80	.6834	----	----	----	----	2 UNCH
4670	----	----	286.10B/222.20A	286.10B/222.20A	----	274.30 + 50.40	.6792	----	----	----	----	152 UNCH
4675	----	----	282.90B/219.40A	282.90B/219.40A	----	270.90 + 50.00	.6751	----	----	----	----	511 UNCH
4680	----	----	279.30B/216.30A	279.30B/216.30A	----	267.60 + 49.70	.6709	----	----	----	----	235 UNCH
4685	----	----	275.90B/212.90A	275.90B/212.90A	----	264.20 + 49.20	.6667	----	----	----	----	32 UNCH
4690	----	----	272.50B/209.90A	272.50B/209.90A	----	260.90 + 48.90	.6625	----	----	----	----	38 UNCH
4695	----	----	269.10B/207.00A	269.10B/207.00A	----	257.70 + 48.60	.6582	----	----	----	----	51 UNCH
4700	----	----	266.00B/204.10A	266.00B/204.10A	----	254.40 + 48.20	.6540	----	----	42	----	3359 - 3
4705	224.80	224.80	262.20B/201.20A	262.20B/201.20A	----	251.20 + 47.80	.6496	----	----	10	----	13 + 10
4710	----	----	259.00B/198.20A	259.00B/198.20A	----	248.00 + 47.40	.6453	----	----	----	----	15 UNCH
4715	----	----	255.80B/195.50A	255.80B/195.50A	----	244.80 + 47.10	.6409	----	----	----	----	13 UNCH
4720	----	----	252.70B/192.70A	252.70B/192.70A	----	241.70 + 46.70	.6366	----	----	----	----	233 UNCH
4725	----	----	249.60B/189.70A	249.60B/189.70A	----	238.50 + 46.30	.6321	----	----	----	----	350 UNCH
4730	----	----	246.30B/187.00A	246.30B/187.00A	----	235.40 + 46.00	.6277	----	----	----	----	45 UNCH
4735	----	----	243.10B/184.10A	243.10B/184.10A	----	232.40 + 45.70	.6232	----	----	----	----	90 UNCH
4740	189.00	189.00	240.00B/181.30A	240.00B/181.30A	----	229.30 + 45.30	.6188	----	----	4	----	41 - 4
4745	----	----	236.80B/178.70A	236.80B/178.70A	----	226.30 + 45.00	.6143	----	----	1	----	13 - 1
4750	----	----	234.00B/175.80A	234.00B/175.80A	----	223.30 + 44.60	.6098	----	----	9	----	1812 - 7
4755	----	----	230.70B/173.30A	230.70B/173.30A	----	220.40 + 44.40	.6052	----	----	----	----	103 UNCH
4760	----	----	227.70B/170.60A	227.70B/170.60A	----	217.50 + 44.10	.6007	----	----	----	----	60 UNCH
4765	----	----	224.70B/167.80A	224.70B/167.80A	----	214.60 + 43.80	.5961	----	----	----	----	37 UNCH
4770	172.00	172.00	221.70B/165.20A	221.70B/165.20A	----	211.70 + 43.50	.5915	----	----	8	----	47 - 1
4775	178.90	178.90	218.70B/162.60A	218.70B/162.60A	----	208.80 + 43.10	.5869	----	----	3	----	208 + 1
4780	181.30	181.30	215.80B/160.20A	215.80B/160.20A	----	206.00 + 42.80	.5823	----	----	10	----	103 UNCH
4785	----	----	212.80B/157.70A	212.80B/157.70A	----	203.20 + 42.40	.5777	----	----	----	----	31 UNCH
4790	163.00	163.00	209.90B/155.20A	209.90B/155.20A	----	200.40 + 42.00	.5731	----	----	33	----	37 + 9
4795	----	----	207.10B/152.70A	207.10B/152.70A	----	197.60 + 41.60	.5685	----	----	3	----	43 UNCH
4800	162.00	162.00	204.30B/150.10A	204.30B/150.10A	----	194.90 + 41.30	.5638	----	----	601	----	3334 + 361
4805	----	----	201.40B/147.70A	201.40B/147.70A	----	192.10 + 40.80	.5592	----	----	----	----	8 UNCH
4810	----	----	198.80B/145.30A	198.80B/145.30A	----	189.40 + 40.40	.5545	----	----	----	----	62 UNCH
4815	----	----	196.00B/143.00A	196.00B/143.00A	----	186.80 + 40.10	.5498	----	----	----	----	43 UNCH
4820	147.70	147.70	193.20B/140.80A	193.20B/140.80A	----	184.20 + 39.80	.5451	----	----	2	----	56 - 2
4825	173.70	173.70	190.50B/138.50A	190.50B/138.50A	----	181.50 + 39.30	.5404	----	----	69	----	200 + 48
4830	141.40	141.40	187.80B/136.10A	187.80B/136.10A	----	179.00 + 39.10	.5358	----	----	1	----	129 UNCH
4835	144.50	144.50	185.20B/134.00A	185.20B/134.00A	----	176.40 + 38.70	.5311	----	----	2	----	4 + 2
4840	141.30	141.30	182.50B/131.60A	182.50B/131.60A	----	173.90 + 38.40	.5263	----	----	10	----	39 + 2
4845	138.40	138.40	179.90B/129.40A	179.90B/129.40A	----	171.40 + 38.00	.5216	----	----	2	----	16 + 2
4850	135.80	135.80	177.70B/127.40A	177.70B/127.40A	----	168.90 + 37.60	.5169	----	----	274	----	696 + 118
4855	----	----	175.00B/125.20A	175.00B/125.20A	----	166.50 + 37.30	.5122	----	----	5	----	277 + 5
4860	----	----	172.30B/123.20A	172.30B/123.20A	----	164.10 + 37.00	.5075	----	----	1	----	64 + 1
4865	----	----	169.80B/121.00A	169.80B/121.00A	----	161.70 + 36.70	.5028	----	----	----	----	26 UNCH
4870	----	----	167.30B/118.80A	167.30B/118.80A	----	159.30 + 36.30	.4981	----	----	1	----	11 + 1
4875	140.60	140.60	164.90B/116.90A	164.90B/116.90A	----	157.00 + 36.00	.4934	----	----	3	----	121 + 1
4880	139.70	139.70	162.50B/114.90A	162.50B/114.90A	----	154.60 + 35.50	.4887	----	----	2	----	65 + 1
4885	----	----	160.10B/112.90A	160.10B/112.90A	----	152.40 + 35.30	.4841	----	----	----	----	258 UNCH
4890	----	----	157.70B/110.80A	157.70B/110.80A	----	150.10 + 34.90	.4794	----	----	1	----	294 + 1
4895	138.60	138.60	155.50B/108.90A	155.50B/108.90A	----	147.90 + 34.60	.4747	----	----	5	----	207 + 3
4900	115.40	115.40	153.40B/107.10A	153.40B/107.10A	----	145.60 + 34.20	.4700	----	----	275	----	3512 - 13
4905	----	----	150.90B/105.30A	150.90B/105.30A	----	143.40 + 33.80	.4653	----	----	----	----	18 UNCH
4910	----	----	148.90B/103.30A	148.90B/103.30A	----	141.30 + 33.50	.4607	----	----	2	----	25 - 2
4915	----	----	146.40B/101.50A	146.40B/101.50A	----	139.10 + 33.10	.4561	----	----	----	----	41 UNCH
4920	----	----	144.20B/99.70A	144.20B/99.70A	----	137.00 + 32.80	.4514	----	----	1	----	112 UNCH
4925	105.10	105.10	142.10B/97.90A	142.10B/97.90A	----	134.90 + 32.40	.4468	----	----	1	----	47 UNCH
4930	----	----	139.90B/96.20A	139.90B/96.20A	----	132.90 + 32.10	.4422	----	----	----	----	205 UNCH
4935	----	----	137.80B/94.50A	137.80B/94.50A	----	130.80 + 31.70	.4376	----	----	----	----	7 UNCH
4940	----	----	135.70B/92.70A	135.70B/92.70A	----	128.80 + 31.40	.4330	----	----	----	----	102 UNCH
4945	95.60	95.60	133.60B/91.10A	133.60B/91.10A	----	126.80 + 31.00	.4285	----	----	2	----	193 UNCH
4950	97.60	97.60	131.70B/89.30A	131.70B/89.30A	----	124.90 + 30.70	.4240	----	----	401	100	1090 + 20
4955	----	----	129.50B/87.80A	129.50B/87.80A	----	122.90 + 30.30	.4194	----	----	----	----	33 UNCH
4960	----	----	127.40B/86.20A	127.40B/86.20A	----	121.00 + 30.00	.4149	----	----	----	----	188 UNCH
4965	84.90	84.90	125.50B/84.60A	125.50B/84.60A	----	119.10 + 29.70	.4104	----	----	1	----	38 + 1
4970	----	----	123.60B/83.10A	123.60B/83.10A	----	117.20 + 29.30	.4059	----	----	----	----	51 UNCH
4975	----	----	121.70B/81.60A	121.70B/81.60A	----	115.40 + 29.00	.4015	----	----	----	----	211 UNCH
4980	95.30	95.30	119.80B/80.00A	119.80B/80.00A	----	113.60 + 28.70	.3970	----	----	14	----	86 + 12
4985	----	----	117.80B/78.50A	117.80B/78.50A	----	111.80 + 28.30	.3926	----	----	----	----	117 UNCH
4990	78.00	78.00	116.00B/77.00A	116.00B/77.00A	----	110.00 + 28.00	.3882	----	----	10	----	893 UNCH
4995	----	----	114.20B/75.60A	114.20B/75.60A	----	108.20 + 27.60	.3838	----	----	1	----	40 - 1
5000	77.70	77.70	112.80/74.10A	112.80/74.10A	----	106.50 + 27.30	.3794	----	----	1073	50	7825 + 69
5005	----	----	110.60B/72.80A	110.60B/72.80A	----	104.80 + 26.90	.3751	----	----	----	----	301 UNCH
5010	----	----	108.90B/71.40A	108.90B/71.40A	----	103.10 + 26.60	.3708	----	----	----	----	88 UNCH
5015	94.10	94.10	107.10B/70.10A	107.10B/70.10A	----	101.50 + 26.30	.3665	----	----	5	----	81 + 4
5020	----	----	105.40B/68.70A	105.40B/68.70A	----	99.80 + 25.90	.3622	----	----	----	----	469 UNCH
5025	----	----	103.60B/67.40A	103.60B/67.40A	----	98.20 + 25.60	.3580	----	----	1	----	70 + 1
5030	----	----	102.00B/66.20A	102.00B/66.20A	----	96.60 + 25.30	.3538	----	----	----	----	120 UNCH
5035	65.80	65.80	100.40B/64.90A	100.40B/64.90A	----	95.00 + 24.90	.3495	----	----	10	----	64 + 10
5040	73.80	73.80	98.80B/63.70A	98.80B/63.70A	----	93.50 + 24.70	.3454	----	----	3	----	52 UNCH
5045	72.50	72.50	97.20B/62.40A	97.20B/62.40A	----	91.90 + 24.30	.3412	----	----	5	----	26 UNCH
5050	64.40	64.40	95.50B/61.20A	95.50B/61.20A	----	90.40 + 23.90	.3371	----	----	272	----	1268 + 119
5055	----	----	94.00B/60.10A	94.00B/60.10A	----	89.00 + 23.70	.3331	----	----	----	----	7 UNCH
5060	----	----	92.50B/59.00A	92.50B/59.00A	----	87.50 + 23.40	.3290	----	----	----	----	87 UNCH
5065	----	----	91.00B/57.90A	91.00B/57.90A	----	86.00 + 23.00	.3249	----	----	----	----	37 UNCH
5070	----	----	89.40B/56.70A	89.40B/56.70A	----	84.60 + 22.70	.3209	----	----	----	----	81 UNCH
5075	----	----	88.10B/55.50A	88.10B/55.50A	----	83.20 + 22.40	.3170	----	----	----	----	725 UNCH
5080	81.60	81.60	86.90/54.50A	86.90/54.50A	----	81.80 + 22.10	.3130	----	----	227	----	283 + 128
5085	56.60	56.60	85.10B/53.40	85.10B/53.40	----	80.50 + 21.80	.3092	----	----	82	----	196 + 67
5090	----	----	83.80B/52.40A	83.80B/52.40A	----	79.10 + 21.50	.3052	----	----	----	----	47 UNCH
5095	----	----	82.30B/51.40A	82.30B/51.40A	----	77.80 + 21.20	.3014	----	----	----	----	63 UNCH
5100	55.00	55.00	80.90B/50.10	80.90B/50.10	----	76.50 + 20.90	.2976	----	----	935	50	4662 + 318
5105	----	----	79.70B/49.40A	79.70B/49.40A	----	75.20 + 20.60	.2937	----	----	----	----	39 UNCH
5110	61.90	61.90	78.30B/48.50A	78.30B/48.50A	----	74.00 + 20.40	.2901	----	----	17	----	106 UNCH
5115	60.80	60.80	77.00B/47.50A	77.00B/47.50A	----	72.70 + 20.00	.2863	----	----	16	----	108 UNCH
5120	47.40	47.40	75.70B/46.60A	75.70B/46.60A	----	71.50 + 19.80	.2826	----	----	22	----	59 + 6
5125	53.00	53.00	74.40B/45.70A	74.40B/45.70A	----	70.30 + 19.50	.2789	----	----	13	----	230 + 10
5130	64.20	64.20	73.20B/44.80A	73.20B/44.80A	----	69.10 + 19.20	.2753	----	----	15	----	49 + 3
5135	----	----	71.80B/44.00A	71.80B/44.00A	----	67.90 + 18.90	.2716	----	----	----	----	44 UNCH
5140	----	----	70.70B/43.10A	70.70B/43.10A	----	66.80 + 18.70	.2682	----	----	----	----	35 UNCH
5145	60.80	60.80	69.50B/42.30A	69.50B/42.30A	----	65.70 + 18.40	.2647	----	----	4	----	12 + 3
5150	46.80	46.80	68.40B/41.40A	68.40B/41.40A	----	64.60 + 18.20	.2612	----	----	1568	----	2501 + 613
5155	42.10	42.10	67.20B/40.70A	67.20B/40.70A	----	63.50 + 17.90	.2577	----	----	4	----	29 + 4
5160	40.50	40.50	66.10B/39.90A	66.10B/39.90A	----	62.40 + 17.60	.2543	----	----	8	----	100 + 3
5165	----	----	64.90B/39.20A	64.90B/39.20A	----	61.30 + 17.30	.2508	----	----	----	----	153 UNCH
5170	46.30	46.30	63.80B/38.40A	63.80B/38.40A	----	60.30 + 17.10	.2475	----	----	438	----	356 + 310
5175	----	----	62.70B/37.70A	62.70B/37.70A	----	59.30 + 16.80	.2442	----	----	2	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5180	53.80	53.80	61.70B/36.90A	61.70B/36.90A	----	58.30 + 16.60	.2410	----	----	2	----	61 + 2
5185	----	----	60.50B/36.20A	60.50B/36.20A	----	57.30 + 16.30	.2377	----	----	----	----	87 UNCH
5190	42.50	42.50	59.60B/35.40A	59.60B/35.40A	----	56.30 + 16.00	.2344	----	----	1	----	504 UNCH
5195	37.70	37.70	58.50B/34.80A	58.50B/34.80A	----	55.40 + 15.90	.2313	----	----	14	----	494 - 5
5200	41.10	41.10	57.60/34.00	57.60/34.00	----	54.40 + 15.50	.2281	----	----	865	270	6384 + 155
5205	36.20	36.20	56.60B/33.50A	56.60B/33.50A	----	53.50 + 15.30	.2250	----	----	6	----	20 + 4
5210	----	----	55.60B/32.90A	55.60B/32.90A	----	52.60 + 15.10	.2219	----	----	4	----	3046 + 3
5215	34.80	34.80	54.70B/32.20A	54.70B/32.20A	----	51.70 + 14.80	.2189	----	----	7	----	65 + 7
5220	33.50	33.50	53.70B/31.70A	53.70B/31.70A	----	50.80 + 14.60	.2158	----	----	7	----	196 UNCH
5225	40.60	40.60	52.80B/31.00A	52.80B/31.00A	----	49.90 + 14.30	.2128	----	----	9	----	281 - 8
5230	----	----	51.90B/30.50A	51.90B/30.50A	----	49.10 + 14.10	.2099	----	----	----	----	106 UNCH
5235	----	----	51.00B/29.90A	51.00B/29.90A	----	48.30 + 13.90	.2071	----	----	5	----	149 UNCH
5240	----	----	50.20B/29.40A	50.20B/29.40A	----	47.40 + 13.60	.2041	----	----	1	----	58 - 1
5245	32.10	32.10	49.30B/28.80A	49.30B/28.80A	----	46.60 + 13.40	.2012	----	----	3	----	19 UNCH
5250	32.50	32.50	48.50B/28.30A	48.50B/28.30A	----	45.80 + 13.20	.1984	----	----	261	200	3726 - 159
5255	----	----	47.70B/27.80A	47.70B/27.80A	----	45.10 + 13.00	.1958	----	----	1	----	70 + 1
5260	----	----	46.80B/27.30A	46.80B/27.30A	----	44.30 + 12.80	.1930	----	----	5	----	400 - 4
5265	31.40	31.40	46.00B/26.80A	46.00B/26.80A	----	43.50 + 12.50	.1902	----	----	6	----	34 + 5
5270	----	----	45.20B/*26.20A	45.20B/*26.20A	----	42.80 + 12.30	.1876	----	----	1	----	52 + 1
5275	----	----	44.50B/*25.70A	44.50B/*25.70A	----	42.10 + 12.20	.1850	----	----	----	----	26 UNCH
5280	----	----	43.70B/*25.30A	43.70B/*25.30A	----	41.40 + 12.00	.1824	----	----	4	----	91 UNCH
5285	----	----	43.00B/*24.80A	43.00B/*24.80A	----	40.60 + 11.70	.1796	----	----	4	----	171 + 3
5290	----	----	42.30B/*24.40A	42.30B/*24.40A	----	40.00 + 11.60	.1773	----	----	----	----	35 UNCH
5295	----	----	41.60B/*23.90A	41.60B/*23.90A	----	39.30 + 11.30	.1747	----	----	----	----	86 UNCH
5300	26.70	26.70	40.90B/23.50A	40.90B/23.50A	----	38.60 + 11.10	.1722	----	----	816	50	5123 + 266
5305	34.00	34.00	40.20B/*23.10A	40.20B/*23.10A	----	38.00 + 11.00	.1699	----	----	43	----	382 - 15
5310	26.60	26.60	39.50B/*22.70A	39.50B/*22.70A	----	37.30 + 10.70	.1673	----	----	1	----	119 + 1
5315	----	----	38.80B/*22.30A	38.80B/*22.30A	----	36.70 + 10.60	.1650	----	----	----	----	70 UNCH
5320	----	----	38.10B/*21.90A	38.10B/*21.90A	----	36.10 + 10.40	.1627	----	----	----	----	140 UNCH
5325	----	----	37.50B/*21.50A	37.50B/*21.50A	----	35.50 + 10.20	.1604	----	----	5	----	159 + 1
5330	----	----	36.90B/*21.10A	36.90B/*21.10A	----	34.90 + 10.00	.1581	----	----	1	----	51 - 1
5335	----	----	36.30B/*20.80A	36.30B/*20.80A	----	34.30 + 9.80	.1558	----	----	----	----	12 UNCH
5340	28.60	28.60	35.70B/*20.40A	35.70B/*20.40A	----	33.70 + 9.70	.1535	----	----	5	----	71 - 1
5345	----	----	35.10B/*20.10A	35.10B/*20.10A	----	33.10 + 9.40	.1512	----	----	----	----	23 UNCH
5350	29.40	29.40	34.60B/*19.70A	34.60B/*19.70A	----	32.60 + 9.30	.1492	----	----	468	----	1948 + 216
5355	----	----	34.00B/*19.40A	34.00B/*19.40A	----	32.10 + 9.20	.1472	----	----	----	----	18 UNCH
5360	22.70	22.70	33.40B/*19.00A	33.40B/*19.00A	----	31.50 + 9.00	.1449	----	----	5	----	51 - 1
5365	----	----	32.80B/*18.70A	32.80B/*18.70A	----	31.00 + 8.80	.1429	----	----	----	----	7 UNCH
5370	22.20	22.20	32.30B/*18.40A	32.30B/*18.40A	----	30.50 + 8.70	.1409	----	----	4	----	75 + 4
5375	----	----	31.80B/*18.10A	31.80B/*18.10A	----	30.00 + 8.50	.1389	----	----	2	----	44 - 2
5380	21.50	21.50	31.30B/*17.80A	31.30B/*17.80A	----	29.50 + 8.40	.1369	----	----	1	----	96 + 1
5385	19.40	19.40	30.80B/*17.50A	30.80B/*17.50A	----	29.00 + 8.20	.1349	----	----	1	----	7 + 1
5390	20.70	20.70	30.20B/*17.30A	30.20B/*17.30A	----	28.60 + 8.10	.1332	----	----	1	----	60 - 1
5395	21.20	21.20	29.80B/*17.10A	29.80B/*17.10A	----	28.10 + 8.00	.1312	----	----	3	----	47 + 3
5400	19.70	19.70	29.30B/16.70A	29.30B/16.70A	----	27.60 + 7.80	.1292	----	----	942	----	5859 + 428
5405	----	----	28.80B/*16.40A	28.80B/*16.40A	----	27.20 + 7.70	.1275	----	----	4	----	83 + 2
5410	18.10	18.10	28.40B/*16.30A	28.40B/*16.30A	----	26.80 + 7.60	.1258	----	----	11	----	26 - 9
5415	18.80	18.80	28.00B/*15.90A	28.00B/*15.90A	----	26.30 + 7.40	.1238	----	----	2	----	12 - 2
5420	26.40	26.40	27.50B/*15.80A	27.50B/*15.80A	----	25.90 + 7.20	.1221	----	----	7	----	48 + 4
5425	----	----	27.00B/*15.60A	27.00B/*15.60A	----	25.50 + 7.10	.1205	----	----	----	----	122 UNCH
5430	16.10	16.10	26.60B/*15.30A	26.60B/*15.30A	----	25.10 + 7.00	.1188	----	----	10	----	83 + 8
5435	----	----	26.20B/*15.10A	26.20B/*15.10A	----	24.70 + 6.90	.1171	----	----	----	----	15 UNCH
5440	----	----	25.80B/*14.80A	25.80B/*14.80A	----	24.30 + 6.70	.1154	----	----	----	----	96 UNCH
5445	----	----	25.40B/*14.60A	25.40B/*14.60A	----	24.00 + 6.70	.1141	----	----	----	----	33 UNCH
5450	16.70	16.70	25.00B/*14.40A	25.00B/*14.40A	----	23.60 + 6.50	.1124	----	----	20	----	1626 + 12
5455	----	----	24.60B/*14.20A	24.60B/*14.20A	----	23.20 + 6.40	.1107	----	----	39	----	43 + 38
5460	----	----	24.20B/*14.00A	24.20B/*14.00A	----	22.90 + 6.30	.1094	----	----	20	----	130 + 14
5465	----	----	23.80B/*13.80A	23.80B/*13.80A	----	22.50 + 6.20	.1077	----	----	----	----	38 UNCH
5470	----	----	23.50B/*13.60A	23.50B/*13.60A	----	22.20 + 6.10	.1064	----	----	----	----	34 UNCH
5475	----	----	23.10B/*13.40A	23.10B/*13.40A	----	21.90 + 6.00	.1050	----	----	----	----	75 UNCH
5480	16.60	16.60	22.70B/*13.20A	22.70B/*13.20A	----	21.50 + 5.80	.1034	----	----	1	----	28 + 1
5485	----	----	22.40B/*13.00A	22.40B/*13.00A	----	21.20 + 5.80	.1020	----	----	----	----	9 UNCH
5490	----	----	22.00B/*12.80A	22.00B/*12.80A	----	20.90 + 5.70	.1007	----	----	----	----	178 UNCH
5495	14.60	14.60	21.70B/*12.60A	21.70B/*12.60A	----	20.60 + 5.60	.0994	----	----	2	----	68 + 2
5500	14.30	14.30	21.60/12.40A	21.60/12.40A	----	20.30 + 5.50	.0980	----	----	595	----	7763 + 418
5505	----	----	21.00B/*12.30A	21.00B/*12.30A	----	20.00 + 5.40	.0967	----	----	----	----	11 UNCH
5510	----	----	20.70B/*12.10A	20.70B/*12.10A	----	19.70 + 5.30	.0954	----	----	----	----	185 UNCH
5515	12.40	12.40	20.40B/*12.00A	20.40B/*12.00A	----	19.40 + 5.20	.0941	----	----	1	----	40 UNCH
5520	----	----	20.10B/*11.80A	20.10B/*11.80A	----	19.10 + 5.10	.0928	----	----	----	----	26 UNCH
5525	----	----	19.80B/*11.60A	19.80B/*11.60A	----	18.90 + 5.10	.0918	----	----	3	----	169 + 2
5530	----	----	19.50B/*11.50A	19.50B/*11.50A	----	18.60 + 4.90	.0904	----	----	----	----	39 UNCH
5535	----	----	19.30B/*11.40A	19.30B/*11.40A	----	18.30 + 4.80	.0891	----	----	2	----	8 UNCH
5540	11.70	11.70	19.10B/*11.20A	19.10B/*11.20A	----	18.10 + 4.80	.0882	----	----	1	----	261 + 1
5545	----	----	18.80B/*11.00A	18.80B/*11.00A	----	17.80 + 4.70	.0869	----	----	----	----	19 UNCH
5550	11.40	11.40	18.50B/*10.90A	18.50B/*10.90A	----	17.60 + 4.60	.0859	----	----	2	----	776 UNCH
5555	11.10	11.10	18.30B/*10.80A	18.30B/*10.80A	----	17.30 + 4.50	.0846	----	----	1	----	9 + 1
5560	----	----	17.90B/*10.70A	17.90B/*10.70A	----	17.10 + 4.50	.0836	----	----	----	----	32 UNCH
5565	----	----	17.80B/*10.50A	17.80B/*10.50A	----	16.90 + 4.40	.0826	----	----	----	----	2 UNCH
5570	10.80	10.80	17.40B/*10.40A	17.40B/*10.40A	----	16.60 + 4.30	.0814	----	----	1	----	28 UNCH
5575	10.70	10.70	17.30B/*10.30A	17.30B/*10.30A	----	16.40 + 4.20	.0804	----	----	40	----	58 + 39
5580	10.70	10.70	17.00B/*10.20A	17.00B/*10.20A	----	16.20 + 4.20	.0795	----	----	1	----	13 UNCH
5585	----	----	16.70B/*10.10A	16.70B/*10.10A	----	16.00 + 4.10	.0785	----	----	----	----	11 UNCH
5590	----	----	16.60B/*9.90A	16.60B/*9.90A	----	15.80 + 4.10	.0776	----	----	----	----	94 UNCH
5595	10.60	10.60	16.30B/*9.80A	16.30B/*9.80A	----	15.60 + 4.00	.0766	----	----	2	----	31 + 1
5600	12.20	12.20	16.20/*9.70A	16.20/*9.70A	----	15.40 + 3.90	.0757	----	----	369	200	2337 + 94
5610	----	----	15.70B/*9.50A	15.70B/*9.50A	----	15.00 + 3.80	.0738	----	----	----	----	72 UNCH
5620	----	----	15.20B/*9.30A	15.20B/*9.30A	----	14.60 + 3.70	.0719	----	----	----	----	60 UNCH
5625	----	----	15.00B/*9.20A	15.00B/*9.20A	----	14.40 + 3.60	.0710	----	----	----	----	404 UNCH
5630	----	----	14.80B/*9.10A	14.80B/*9.10A	----	14.20 + 3.50	.0701	----	----	----	----	207 UNCH
5640	----	----	14.40B/*8.90A	14.40B/*8.90A	----	13.80 + 3.40	.0682	----	----	----	----	78 UNCH
5650	9.20	9.20	14.10B/*8.70A	14.10B/*8.70A	----	13.50 + 3.30	.0667	----	----	4	----	703 + 1
5660	9.10	9.10	13.70B/*8.50A	13.70B/*8.50A	----	13.20 + 3.20	.0653	----	----	1	----	41 UNCH
5665	9.00	9.00	13.60B/*8.40A	13.60B/*8.40A	----	13.00 + 3.10	.0644	----	----	2	----	5 + 2
5670	10.10	10.10	13.40B/*8.30A	13.40B/*8.30A	----	12.90 + 3.20	.0638	----	----	1	----	120 UNCH
5675	8.40	8.40	13.20B/*8.30A	13.20B/*8.30A	----	12.70 + 3.10	.0629	----	----	1	----	23 UNCH
5680	8.30	8.30	13.10B/*8.20A	13.10B/*8.20A	----	12.50 + 3.00	.0620	----	----	1	----	47 UNCH
5690	----	----	12.80B/*8.00A	12.80B/*8.00A	----	12.30 + 3.00	.0609	----	----	----	----	157 UNCH
5700	8.20	8.20	12.50B/*7.90A	12.50B/*7.90A	----	12.00 + 2.90	.0594	----	----	69	----	1951 - 29
5710	----	----	12.20B/*7.70A	12.20B/*7.70A	----	11.70 + 2.80	.0580	----	----	----	----	40 UNCH
5720	----	----	11.90B/*7.60A	11.90B/*7.60A	----	11.40 + 2.60	.0566	----	----	----	----	18 UNCH
5725	7.90	7.90	11.80B/*7.50A	11.80B/*7.50A	----	11.30 + 2.60	.0560	----	----	21	----	36 + 20
5730	7.90	7.90	11.60B/*7.40A	11.60B/*7.40A	----	11.20 + 2.60	.0555	----	----	1	----	58 UNCH
5740	7.60	7.60	11.40B/*7.30A	11.40B/*7.30A	----	10.90 + 2.50	.0541	----	----	2	----	60 + 2
5750	8.20	8.20	11.10B/*7.20A	11.10B/*7.20A	----	10.70 + 2.40	.0531	----	----	34	----	1687 + 6
5760	7.30	7.30	10.90B/*7.00A	10.90B/*7.00A	----	10.40 + 2.30	.0517	----	----	2	----	18 - 1
5770	----	----	10.60B/*6.90A	10.60B/*6.90A	----	10.20 + 2.20	.0506	----	----	----	----	32 UNCH
5775	7.10	7.10	10.50B/*6.80A	10.50B/*6.80A	----	10.10 + 2.20	.0501	----	----	2	----	220 - 1
5780	----	----	10.40B/*6.80A	10.40B/*6.80A	----	10.00 + 2.20	.0496	----	----	----	----	219 UNCH
5790	7.00	7.00	10.20B/*6.70A	10.20B/*6.70A	----	9.80 + 2.10	.0486	----	----	1	----	11 UNCH
5800	6.80	6.80	10.00B/*6.60A	10.00B/*6.60A	----	9.60 + 2.00	.0476	----	----	38	200	3269 + 213
5810	----	----	9.80B/*6.50A	9.80B/*6.50A	----	9.40 + 1.90	.0466	----	----	1	----	260 + 1
5820	----	----	9.60B/*6.40A	9.60B/*6.40A	----	9.20 + 1.90	.0456	----	----	----	----	34 UNCH
5825	6.50	6.50	9.50B/*6.30A	9.50B/*6.30A	----	9.10 + 1.80	.0451	----	----	1	----	23 UNCH
5830	----	----	9.40B/*6.30A	9.40B/*6.30A	----	9.00 + 1.80	.0446	----	----	----	----	16 UNCH
5840	----	----	9.20B/*6.20A	9.20B/*6.20A	----	8.90 + 1.80	.0440	----	----	----	----	22 UNCH
5850	8.00	8.00	9.10B/*6.10A	9.10B/*6.10A	----	8.70 + 1.70	.0430	----	----	1	----	472 UNCH
5860	----	----	8.80B/*6.00A	8.80B/*6.00A	----	8.50 + 1.60	.0420	----	----	----	----	24 UNCH
5870	----	----	8.70B/*5.90A	8.70B/*5.90A	----	8.40 + 1.60	.0414	----	----	----	----	32 UNCH
5875	6.00	6.00	8.60B/*5.80A	8.60B/*5.80A	----	8.30 + 1.60	.0409	----	----	1	----	196 - 1
5880	6.70	6.70	8.50B/*5.80A	8.50B/*5.80A	----	8.20 + 1.50	.0405	----	----	1	----	17 - 1
5890	----	----	8.30B/*5.70A	8.30B/*5.70A	----	8.10 + 1.50	.0399	----	----	----	----	138 UNCH
5900	----	----	8.20B/*5.60A	8.20B/*5.60A	----	7.90 + 1.40	.0389	----	----	111	----	1382 - 25
5910	----	----	8.10B/*5.60A	8.10B/*5.60A	----	7.80 + 1.40	.0383	----	----	----	----	12 UNCH
5920	----	----	7.90B/*5.50A	7.90B/*5.50A	----	7.70 + 1.40	.0378	----	----	----	----	40 UNCH
5930	5.50	5.50	7.80B/*5.40A	7.80B/*5.40A	----	7.50 + 1.30	.0368	----	----	1	----	58 - 1
5940	----	----	7.70B/*5.30A	7.70B/*5.30A	----	7.40 + 1.30	.0363	----	----	----	----	4 UNCH
5950	----	----	7.50B/*5.30A	7.50B/*5.30A	----	7.30 + 1.30	.0357	----	----	----	----	169 UNCH
5960	----	----	7.40B/*5.20A	7.40B/*5.20A	----	7.20 + 1.30	.0352	----	----	----	----	37 UNCH
5970	5.20	5.20	7.30B/*5.10A	7.30B/*5.10A	----	7.10 + 1.30	.0346	----	----	1	----	35 - 1
5980	----	----	7.20B/*5.10A	7.20B/*5.10A	----	7.00 + 1.30	.0341	----	----	----	----	7 UNCH
5990	----	----	7.00B/*5.00A	7.00B/*5.00A	----	6.90 + 1.30	.0335	----	----	----	----	4 UNCH
6000	5.20	5.20	6.90B/5.00A	6.90B/5.00A	----	6.80 + 1.30	.0330	----	----	16	----	8513 + 1
6010	----	----	6.80B/*4.90A	6.80B/*4.90A	----	6.70 + 1.20	.0324	----	----	----	----	10 UNCH
6020	----	----	6.70B/*4.80A	6.70B/*4.80A	----	6.60 + 1.20	.0319	----	----	----	----	23 UNCH
6030	4.80	4.80	6.60B/*4.80	6.60B/*4.80	----	6.50 + 1.20	.0314	----	----	1	----	31 UNCH
6040	----	----	6.50B/*4.70A	6.50B/*4.70A	----	6.40 + 1.20	.0309	----	----	1	----	26 UNCH
6050	6.80	6.80	6.80/*4.70A	6.80/*4.70A	----	6.30 + 1.10	.0304	----	----	1	----	280 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6060	----	----	6.30B/*4.60A	6.30B/*4.60A	----	6.20 + 1.10	.0298	----	----	----	----	32 UNCH
6070	----	----	6.20B/*4.60A	6.20B/*4.60A	----	6.10 + 1.10	.0293	----	----	----	----	34 UNCH
6080	----	----	6.10B/*4.50A	6.10B/*4.50A	----	6.10 + 1.20	.0292	----	----	----	----	10 UNCH
6090	----	----	6.00B/*4.40A	6.00B/*4.40A	----	6.00 + 1.10	.0287	----	----	----	----	25 UNCH
6100	----	----	5.90B/4.40A	5.90B/4.40A	----	5.90 + 1.10	.0282	----	----	1	----	2395 UNCH
6110	----	----	5.80B/*4.30A	5.80B/*4.30A	----	5.80 + 1.10	.0277	----	----	----	----	65 UNCH
6120	----	----	5.70B/*4.30A	5.70B/*4.30A	----	5.70 + 1.00	.0272	----	----	----	----	11 UNCH
6125	----	----	5.70B/*4.30A	5.70B/*4.30A	----	5.60 + 0.90	.0268	----	----	----	----	16 UNCH
6130	----	----	5.70B/*4.20A	5.70B/*4.20A	----	5.60 + 1.00	.0267	----	----	----	----	10 UNCH
6140	----	----	5.50B/*4.20A	5.50B/*4.20A	----	5.50 + 0.90	.0262	----	----	1	----	9 + 1
6150	----	----	5.50B/*4.10A	5.50B/*4.10A	----	5.40 + 0.90	.0257	----	----	----	----	510 UNCH
6160	----	----	5.40B/*4.10A	5.40B/*4.10A	----	5.30 + 0.80	.0252	----	----	2	----	136 UNCH
6170	----	----	5.30B/*4.10A	5.30B/*4.10A	----	5.30 + 0.90	.0251	----	----	----	----	17 UNCH
6180	----	----	5.30B/*4.00A	5.30B/*4.00A	----	5.20 + 0.80	.0247	----	----	----	----	75 UNCH
6190	----	----	5.20B/*4.00A	5.20B/*4.00A	----	5.10 + 0.80	.0242	----	----	----	----	2 UNCH
6200	4.30	4.30	5.10B/*4.00A	5.10B/*4.00A	----	5.10 + 0.80	.0241	----	----	24	----	4304 UNCH
6210	----	----	5.10B/*3.90A	5.10B/*3.90A	----	5.00 + 0.80	.0236	----	----	----	----	53 UNCH
6220	----	----	5.00B/3.90A	5.00B/3.90A	----	4.90 + 0.70	.0231	----	----	----	----	7 UNCH
6230	----	----	4.90B/*3.80A	4.90B/*3.80A	----	4.90 + 0.80	.0230	----	----	----	----	66 UNCH
6240	----	----	4.90B/*3.80A	4.90B/*3.80A	----	4.80 + 0.70	.0226	----	----	----	----	21 UNCH
6250	----	----	4.80B/3.80A	4.80B/3.80A	----	4.70 + 0.70	.0221	----	----	----	----	1324 UNCH
6260	----	----	4.70B/*3.70A	4.70B/*3.70A	----	4.70 + 0.70	.0220	----	----	----	----	8 UNCH
6270	----	----	4.70B/3.70A	4.70B/3.70A	----	4.60 + 0.70	.0216	----	----	----	----	146 UNCH
6280	----	----	4.60B/3.70A	4.60B/3.70A	----	4.60 + 0.70	.0215	----	----	----	----	12 UNCH
6290	----	----	4.60B/3.60A	4.60B/3.60A	----	4.50 + 0.70	.0210	----	----	----	----	19 UNCH
6300	----	----	4.50B/3.60A	4.50B/3.60A	----	4.50 + 0.70	.0209	----	----	----	----	2450 UNCH
6310	----	----	4.50B/3.60A	4.50B/3.60A	----	4.40 + 0.60	.0205	----	----	----	----	2 UNCH
6320	----	----	4.40B/3.60A	4.40B/3.60A	----	4.40 + 0.70	.0204	----	----	----	----	24 UNCH
6330	----	----	4.40B/3.50A	4.40B/3.50A	----	4.30 + 0.60	.0199	----	----	----	----	33 UNCH
6340	----	----	4.30B/3.50A	4.30B/3.50A	----	4.30 + 0.70	.0199	----	----	----	----	35 UNCH
6350	----	----	4.30B/3.40A	4.30B/3.40A	----	4.20 + 0.60	.0194	----	----	----	----	17 UNCH
6360	----	----	4.20B/3.40A	4.20B/3.40A	----	4.20 + 0.70	.0193	----	----	----	----	2 UNCH
6370	----	----	4.20B/3.40A	4.20B/3.40A	----	4.10 + 0.60	.0189	----	----	----	----	4 UNCH
6380	----	----	4.10B/3.40A	4.10B/3.40A	----	4.10 + 0.60	.0188	----	----	----	----	8 UNCH
6390	----	----	4.10B/3.30A	4.10B/3.30A	----	4.00 + 0.60	.0184	----	----	----	----	1 UNCH
6400	----	----	4.00B/3.30A	4.00B/3.30A	----	4.00 + 0.60	.0183	----	----	----	----	482 UNCH
6410	----	----	4.00B/3.30A	4.00B/3.30A	----	4.00 + 0.60	.0182	----	----	----	----	8 UNCH
6420	----	----	3.90B/----	3.90B/3.30A	----	3.90 + 0.60	.0178	----	----	----	----	3 UNCH
6430	----	----	3.90B/3.20A	3.90B/3.20A	----	3.90 + 0.60	.0177	----	----	----	----	30 UNCH
6440	----	----	3.80B/3.20A	3.80B/3.20A	----	3.80 + 0.50	.0173	----	----	----	----	2 UNCH
6450	3.80	3.80	3.80/3.60	3.80/3.20A	----	3.80 + 0.60	.0173	----	----	20	----	64 + 6
6460	----	----	3.80B/3.10A	3.80B/3.10A	----	3.80 + 0.60	.0172	----	----	----	----	36 UNCH
6470	----	----	3.70B/3.10A	3.70B/3.10A	----	3.70 + 0.50	.0168	----	----	----	----	9 UNCH
6480	----	----	3.70B/----	3.70B/3.10A	----	3.70 + 0.60	.0167	----	----	----	----	21 UNCH
6490	----	----	3.60B/----	3.60B/3.10A	----	3.60 + 0.50	.0163	----	----	----	----	17 UNCH
6500	2.90	2.90	3.90/2.90	3.90/2.90	----	3.60 + 0.50	.0162	----	----	6	----	1102 - 3
6525	3.30	3.30	3.50B/2.80A	3.50B/2.80A	----	3.50 + 0.50	.0157	----	----	5	----	21 UNCH
6550	----	----	3.40B/----	3.40B/2.90A	----	3.40 + 0.50	.0152	----	----	----	----	210 UNCH
6575	3.20	3.20	3.30B/2.70A	3.30B/2.70A	----	3.40 + 0.60	.0151	----	----	2	----	7 UNCH
6600	----	----	3.30B/----	3.30B/2.80A	----	3.30 + 0.50	.0146	----	----	----	----	879 UNCH
6625	----	----	3.20B/----	3.20B/2.70A	----	3.20 + 0.50	.0141	----	----	----	----	106 UNCH
6650	----	----	3.10B/----	3.10B/2.70A	----	3.10 + 0.40	.0137	----	----	----	----	32 UNCH
6675	2.90	2.90	3.00B/2.50A	3.00B/2.50A	----	3.10 + 0.50	.0135	----	----	10	----	50 UNCH
6700	----	----	3.00B/----	3.00B/2.60A	----	3.00 + 0.40	.0131	----	----	----	----	1415 UNCH
6725	----	----	2.90B/----	2.90B/2.50A	----	2.90 + 0.40	.0126	----	----	----	----	107 UNCH
6750	2.70	2.70	2.80B/2.40A	2.80B/2.40A	----	2.90 + 0.40	.0125	----	----	2	----	133 - 2
6775	----	----	2.70B/----	2.70B/2.40A	----	2.80 + 0.40	.0121	----	----	----	----	13 UNCH
6800	----	----	2.70B/----	2.70B/2.40A	----	2.80 + 0.40	.0120	----	----	----	----	245 UNCH
6825	----	----	2.60B/----	2.60B/2.40A	----	2.70 + 0.40	.0115	----	----	----	----	10 UNCH
6850	----	----	2.60B/----	2.60B/2.30A	----	2.60 + 0.30	.0111	----	----	----	----	26 UNCH
6875	----	----	2.50B/----	2.50B/2.30A	----	2.60 + 0.40	.0110	----	----	----	----	3 UNCH
6900	----	----	2.40B/----	2.40B/2.20A	----	2.50 + 0.30	.0106	----	----	----	----	157 UNCH
6925	----	----	2.40B/----	2.40B/2.20A	----	2.50 + 0.30	.0105	----	----	----	----	51 UNCH
6950	----	----	2.30B/----	2.30B/2.20A	----	2.40 + 0.30	.0101	----	----	----	----	27 UNCH
6975	----	----	2.30B/----	2.30B/2.20A	----	2.40 + 0.30	.0100	----	----	----	----	17 UNCH
7000	2.00	2.00	2.50/*1.90	2.50/1.90	----	2.30 + 0.30	.0096	----	----	13	----	1836 - 2
7025	----	----	2.10B/----	2.10B/2.10A	----	2.30 + 0.30	.0096	----	----	----	----	33 UNCH
7050	----	----	2.10B/----	2.10B/2.10A	----	2.20 + 0.20	.0092	----	----	----	----	5 UNCH
7075	----	----	2.10B/----	2.10B/2.10A	----	2.20 + 0.30	.0091	----	----	----	----	8 UNCH
7100	----	----	2.00B/----	2.00B/2.00A	----	2.20 + 0.30	.0090	----	----	----	----	147 UNCH
7125	----	----	2.00B/----	2.00B/2.00A	----	2.10 + 0.20	.0086	----	----	----	----	52 UNCH
7150	----	----	1.90B/----	1.90B/1.90A	----	2.10 + 0.30	.0086	----	----	----	----	59 UNCH
7200	----	----	----	1.80B/1.90A	----	2.00 + 0.20	.0081	----	----	----	----	129 UNCH
7250	----	----	1.80B/----	1.80B/1.80A	----	1.90 + 0.20	.0077	----	----	----	----	91 UNCH
7275	----	----	----	1.70B/1.80A	----	1.90 + 0.20	.0076	----	----	----	----	1 UNCH
7300	----	----	1.70B/----	1.70B/1.80A	----	1.80 + 0.20	.0073	----	----	----	----	150 UNCH
7325	----	----	1.70B/----	1.70B/1.70A	----	1.80 + 0.20	.0072	----	----	----	----	14 UNCH
7350	----	----	----	1.60B/1.70A	----	1.70 + 0.10	.0069	----	----	----	----	3 UNCH
7375	----	----	----	1.60B/1.70A	----	1.70 + 0.10	.0068	----	----	----	----	20 UNCH
7400	----	----	1.60B/----	1.60B/1.60A	----	1.70 + 0.20	.0068	----	----	----	----	46 UNCH
7425	----	----	----	1.50B/1.60A	----	1.60 + 0.10	.0064	----	----	----	----	20 UNCH
7450	----	----	----	1.50B/1.60A	----	1.60 + 0.10	.0064	----	----	----	----	5 UNCH
7475	----	----	1.50B/----	1.50B/1.50A	----	1.60 + 0.20	.0063	----	----	----	----	8 UNCH
7500	1.20	1.20	1.50B/1.20	1.50B/1.20	----	1.50 + 0.10	.0060	----	----	3	----	1357 - 2
7525	----	----	----	1.40B/1.50A	----	1.50 + 0.10	.0059	----	----	----	----	22 UNCH
7575	----	----	1.40B/----	1.40B/1.40A	----	1.40 + 0.10	.0055	----	----	----	----	8 UNCH
7600	----	----	----	1.30B/1.40A	----	1.40 + 0.10	.0055	----	----	----	----	48 UNCH
7700	----	----	----	1.20B/1.30A	----	1.30 + 0.10	.0051	----	----	----	----	45 UNCH
7750	----	----	----	1.20B/1.30A	----	1.20 UNCH	.0047	----	----	----	----	12 UNCH
7800	----	----	----	1.10B/1.20A	----	1.20 + 0.10	.0046	----	----	----	----	39 UNCH
7825	----	----	----	1.10B/1.20A	----	1.20 + 0.10	.0046	----	----	----	----	1 UNCH
7875	----	----	----	1.00B/1.20A	----	1.10 UNCH	.0042	----	----	----	----	31 UNCH
7900	----	----	----	1.00B/1.10A	----	1.10 UNCH	.0042	----	----	----	----	2 UNCH
7950	----	----	----	1.00B/1.10A	----	1.00 UNCH	.0039	----	----	----	----	2 UNCH
8000	----	----	1.10B/----	1.10B/1.00A	----	1.00 UNCH	.0038	----	----	----	----	981 UNCH
8100	----	----	----	0.90B/*1.00A	----	0.90 UNCH	.0034	----	----	----	----	3 UNCH
8200	----	----	----	0.80B/*0.90A	----	0.90 UNCH	.0034	----	----	----	----	89 UNCH
8300	----	----	----	0.80B/*0.90A	----	0.80 UNCH	.0030	----	----	----	----	64 UNCH
8500	----	----	----	0.70B/*0.80A	----	0.70 UNCH	.0026	----	----	----	----	144 UNCH
8600	----	----	----	0.60B/*0.70A	----	0.70 UNCH	.0025	----	----	----	----	51 UNCH
8800	----	----	----	0.50B/*0.60A	----	0.60 UNCH	.0022	----	----	----	----	32 UNCH
8900	----	----	----	0.50B/*0.60A	----	0.60 UNCH	.0021	----	----	----	----	15 UNCH
9000	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.60 + 0.10	.0021	----	----	40	----	255 + 25
9100	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0018	----	----	----	----	11 UNCH
9200	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0017	----	----	----	----	51 UNCH
9300	----	----	----	0.40B/*0.50A	----	0.50 + 0.10	.0017	----	----	----	----	3 UNCH
9400	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0017	----	----	----	----	25 UNCH
9500	----	----	----	0.30B/*0.40A	----	0.50 + 0.10	.0017	----	----	----	----	23 UNCH
9600	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0014	----	----	----	----	26 UNCH
9700	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0013	----	----	----	----	20 UNCH
9800	----	----	----	0.20B/*0.40A	----	0.40 + 0.10	.0013	----	----	----	----	17 UNCH
9900	----	----	----	0.20B/*0.40A	----	0.40 + 0.10	.0013	----	----	----	----	24 UNCH
10000	----	----	----	0.30B/*0.40A	----	0.40 + 0.10	.0013	----	----	----	----	263 UNCH
10100	----	----	----	0.20B/*0.30A	----	0.40 + 0.10	.0013	----	----	----	----	2 UNCH
10300	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0010	----	----	----	----	3 UNCH
10400	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0010	----	----	----	----	2 UNCH
10500	----	----	----	0.10B/*0.30A	----	0.30 + 0.10	.0009	----	----	----	----	1 UNCH
10700	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	4 UNCH
11000	----	----	----	----/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	72 UNCH
11300	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	12 UNCH
11500	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
11600	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH
11700	----	----	----	----/0.30A	----	0.20 + 0.10	.0006	----	----	----	----	15 UNCH
11900	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
12000	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	350 UNCH
TOTAL										13783	1,120	166145 + 3793
JUL26												
3500	----	----	----	----	----	1389.50 + 81.90	.9816	----	----	----	----	1 UNCH
3600	----	----	1,299.90B/----	1299.90B/1234.20A	----	1290.80 + 81.30	.9766	----	----	----	----	24 UNCH
3650	----	----	1,250.70B/----	1250.70B/1185.00A	----	1241.60 + 80.90	.9735	----	----	----	----	10 UNCH
3670	----	----	1,231.10B/----	1231.10B/1165.30A	----	1222.00 + 80.80	.9721	----	----	3	----	3 UNCH
3700	----	----	1,201.70B/----	1201.70B/1136.00A	----	1192.60 + 80.50	.9698	----	----	4	----	119 UNCH
3735	----	----	----	----	----	1158.40 + 80.20	.9670	----	----	----	----	1 UNCH
3775	----	----	1,128.50B/----	1128.50B/1062.90A	----	1119.50 + 79.80	.9636	----	----	----	----	4 UNCH
3800	----	----	1,108.20B/----	1108.20B/1035.90A	----	1095.20 + 79.50	.9613	----	----	4	----	2041 - 4
3825	----	----	1,080.00B/----	1080.00B/1014.40A	----	1071.00 + 79.20	.9587	----	----	2	----	3 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 30

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
3850	----	----	1,055.80B/----	1055.80B/990.30A	----	1046.80 + 78.80	.9560	----	----	8	----	65 UNCH
3860	----	----	----	----	----	1037.20 + 78.70	.9550	----	----	----	----	1 UNCH
3865	----	----	1,041.40B/----	1041.40B/975.90A	----	1032.30 + 78.60	.9543	----	----	4	----	7 UNCH
3875	----	----	1,031.70B/----	1031.70B/966.30A	----	1022.70 + 78.50	.9531	----	----	----	----	25 UNCH
3900	----	----	978.80B/----	978.80B/942.30A	----	998.70 + 78.10	.9501	----	----	----	----	18 UNCH
3925	----	----	983.70B/----	983.70B/918.50A	----	974.70 + 77.60	.9468	----	----	----	----	35 UNCH
3950	----	----	963.40B/----	963.40B/892.00A	----	950.90 + 77.30	.9433	----	----	----	----	820 UNCH
3960	----	----	----	----	----	941.40 + 77.10	.9417	----	----	----	----	1 UNCH
4000	----	----	912.40B/----	912.40B/847.40A	----	903.50 + 76.40	.9354	----	----	----	----	16 UNCH
4020	----	----	----	----	----	884.60 + 75.90	.9320	----	----	----	----	1 UNCH
4030	----	----	----	----	----	875.20 + 75.70	.9301	----	----	----	----	2 UNCH
4040	----	----	----	----	----	865.90 + 75.60	.9283	----	----	----	----	1 UNCH
4075	----	----	841.90B/----	841.90B/777.40A	----	833.20 + 74.80	.9215	----	----	----	----	6 UNCH
4095	----	----	823.30B/----	823.30B/759.00A	----	814.60 + 74.30	.9173	----	----	----	----	4 UNCH
4100	----	----	818.70B/----	818.70B/754.40A	----	810.00 + 74.20	.9161	----	----	----	----	194 UNCH
4105	----	----	----	577.20B/928.00A	----	805.40 + 74.10	.9151	----	----	----	----	1 UNCH
4110	----	----	809.40B/----	809.40B/745.40A	----	800.70 + 73.90	.9140	----	----	----	----	3 UNCH
4145	----	----	777.20B/----	777.20B/713.40A	----	768.60 + 73.00	.9059	----	----	----	----	28 UNCH
4150	----	----	772.60B/----	772.60B/708.90A	----	764.00 + 72.80	.9047	----	----	----	----	37 UNCH
4155	----	----	----	609.60B/882.70A	----	759.40 + 72.60	.9033	----	----	----	----	1 UNCH
4160	----	----	----	605.00B/878.30A	----	754.90 + 72.60	.9021	----	----	----	----	1 UNCH
4190	----	----	----	577.70B/851.50A	----	727.70 + 71.70	.8943	----	----	----	----	1 UNCH
4200	----	----	727.10B/----	727.10B/664.10A	----	718.70 + 71.30	.8916	----	----	----	----	8 UNCH
4215	----	----	713.60B/----	713.60B/650.80A	----	705.20 + 70.80	.8873	----	----	----	----	25 UNCH
4220	----	----	----	550.60B/824.90A	----	700.70 + 70.60	.8859	----	----	----	----	1 UNCH
4225	----	----	----	546.20B/820.50A	----	696.20 + 70.40	.8845	----	----	----	----	2 UNCH
4235	----	----	----	537.20B/811.70A	----	687.30 + 70.10	.8814	----	----	----	----	1 UNCH
4240	----	----	691.20B/----	691.20B/628.90A	----	682.90 + 70.00	.8800	----	----	----	----	39 UNCH
4245	----	----	----	528.30B/803.00A	----	678.50 + 69.80	.8783	----	----	----	----	1 UNCH
4250	----	----	683.30B/----	683.30B/619.00A	----	674.00 + 69.60	.8769	----	----	----	----	316 UNCH
4255	----	----	----	519.50B/794.30A	----	669.60 + 69.40	.8752	----	----	----	----	1 UNCH
4265	----	----	----	510.60B/785.60A	----	660.80 + 69.10	.8721	----	----	----	----	2 UNCH
4270	----	----	664.70B/----	664.70B/602.80A	----	656.40 + 68.90	.8705	----	----	----	----	38 UNCH
4275	----	----	660.30B/----	660.30B/598.60A	----	652.00 + 68.70	.8688	----	----	----	----	76 UNCH
4280	----	----	655.90B/----	655.90B/594.20A	----	647.70 + 68.60	.8672	----	----	----	----	3 UNCH
4300	----	----	638.30B/----	638.30B/577.20A	----	630.30 + 67.80	.8602	----	----	----	----	64 UNCH
4315	----	----	625.30B/----	625.30B/564.50A	----	617.40 + 67.30	.8548	----	----	----	----	21 UNCH
4325	----	----	616.70B/----	616.70B/556.10A	----	608.80 + 66.90	.8511	----	----	----	----	22 UNCH
4335	----	----	----	450.00B/728.30A	----	600.20 + 66.50	.8474	----	----	----	----	1 UNCH
4350	----	----	595.50B/----	595.50B/535.30A	----	587.50 + 65.90	.8416	----	----	----	----	10 UNCH
4360	----	----	587.10B/----	587.10B/527.00A	----	579.10 + 65.50	.8377	----	----	----	----	53 UNCH
4365	----	----	582.80B/----	582.80B/522.90A	----	574.90 + 65.30	.8356	----	----	----	----	45 UNCH
4370	----	----	578.70B/----	578.70B/518.80A	----	570.70 + 65.10	.8336	----	----	----	----	20 UNCH
4375	----	----	574.50B/----	574.50B/514.70A	----	566.60 + 65.00	.8315	----	----	----	----	5 UNCH
4400	----	----	556.90B/----	556.90B/492.10A	----	545.90 + 63.90	.8209	----	----	----	----	2267 UNCH
4410	----	----	546.10B/----	546.10B/486.60A	----	537.70 + 63.50	.8165	----	----	----	----	4 UNCH
4415	----	----	542.00B/----	542.00B/482.50A	----	533.60 + 63.30	.8142	----	----	----	----	39 UNCH
4420	----	----	537.80B/----	537.80B/478.70A	----	529.50 + 63.00	.8120	----	----	----	----	5 UNCH
4425	----	----	533.10B/----	533.10B/474.60A	----	525.50 + 62.80	.8098	----	----	----	----	16 UNCH
4430	----	----	----	368.00B/654.90A	----	521.40 + 62.60	.8075	----	----	----	----	1 UNCH
4445	----	----	517.50B/----	517.50B/459.00A	----	509.40 + 62.00	.8005	----	----	----	----	30 UNCH
4450	----	----	513.80B/----	513.80B/454.00A	----	505.40 + 61.70	.7981	----	----	----	----	255 UNCH
4455	----	----	----	347.20B/636.40A	----	501.40 + 61.50	.7957	----	----	----	----	2 UNCH
4460	----	----	----	343.00B/632.70A	----	497.50 + 61.30	.7933	----	----	----	----	2 UNCH
4475	----	----	----	330.70B/621.70A	----	485.70 + 60.60	.7858	----	----	----	----	2 UNCH
4480	----	----	489.60B/----	489.60B/432.20A	----	481.80 + 60.40	.7834	----	----	----	----	25 UNCH
4490	----	----	481.80B/----	481.80B/424.70A	----	474.00 + 59.90	.7783	----	----	----	----	9 UNCH
4500	----	----	477.10B/----	477.10B/414.90A	----	466.30 + 59.50	.7731	----	----	----	----	969 UNCH
4505	----	----	----	306.60B/599.90A	----	462.50 + 59.30	.7705	----	----	----	----	2 UNCH
4510	----	----	466.20B/----	466.20B/409.90A	----	458.70 + 59.10	.7678	----	----	----	----	45 UNCH
4515	----	----	462.30B/----	462.30B/406.20A	----	454.90 + 58.80	.7652	----	----	----	----	200 UNCH
4520	----	----	458.50B/----	458.50B/402.50A	----	451.10 + 58.60	.7625	----	----	----	----	188 UNCH
4525	----	----	454.70B/----	454.70B/398.90A	----	447.30 + 58.30	.7598	----	----	----	----	129 UNCH
4530	----	----	450.90B/----	450.90B/395.30A	----	443.60 + 58.20	.7570	----	----	----	----	5 UNCH
4535	----	----	447.10B/----	447.10B/391.80A	----	439.80 + 57.90	.7543	----	----	----	----	14 UNCH
4540	----	----	443.30B/----	443.30B/388.10A	----	436.10 + 57.70	.7516	----	----	----	----	53 UNCH
4550	----	----	435.80B/----	435.80B/381.10A	----	428.70 + 57.20	.7460	----	----	----	----	10 UNCH
4560	----	----	----	263.80B/561.20A	----	421.30 + 56.70	.7403	----	----	----	----	2 UNCH
4565	----	----	361.60B/----	361.60B/367.70A	----	417.70 + 56.50	.7375	----	----	----	----	1 UNCH
4570	----	----	362.40B/----	362.40B/361.60A	----	414.10 + 56.20	.7346	----	----	----	----	2 UNCH
4575	----	----	417.30B/----	417.30B/358.20A	----	410.50 + 56.00	.7317	----	----	----	----	128 UNCH
4600	----	----	399.80B/----	399.80B/340.30A	----	392.60 + 54.70	.7169	----	----	----	----	345 UNCH
4605	----	----	395.60B/----	395.60B/337.80A	----	389.10 + 54.50	.7139	----	----	----	----	10 UNCH
4610	----	----	392.10B/----	392.10B/334.50A	----	385.60 + 54.20	.7109	----	----	----	----	6 UNCH
4635	----	----	376.90B/----	376.90B/317.30A	----	368.40 + 53.00	.6955	----	----	----	----	86 UNCH
4640	----	----	375.40B/----	375.40B/313.90A	----	365.00 + 52.70	.6923	----	----	----	----	242 UNCH
4645	----	----	372.50B/----	372.50B/311.50A	----	361.60 + 52.40	.6892	----	----	----	----	14 UNCH
4650	----	----	368.90B/----	368.90B/307.50A	----	358.30 + 52.20	.6860	----	----	----	----	257 UNCH
4655	----	----	365.60B/----	365.60B/304.40A	----	354.90 + 51.90	.6828	----	----	----	----	18 UNCH
4660	----	----	362.20B/----	362.20B/301.20A	----	351.60 + 51.60	.6796	----	----	----	----	20 UNCH
4665	----	----	358.90B/----	358.90B/298.10A	----	348.30 + 51.40	.6764	----	----	----	----	268 UNCH
4670	----	----	355.50B/----	355.50B/295.00A	----	345.00 + 51.10	.6731	----	----	----	----	105 UNCH
4675	----	----	352.20B/----	352.20B/292.00A	----	341.80 + 50.90	.6699	----	----	----	----	129 UNCH
4680	----	----	348.90B/----	348.90B/289.80A	----	338.50 + 50.60	.6666	----	----	----	----	10 UNCH
4685	----	----	345.60B/----	345.60B/286.70A	----	335.30 + 50.30	.6634	----	----	----	----	11 UNCH
4695	----	----	340.40B/----	340.40B/279.90A	----	328.90 + 49.80	.6567	----	----	----	----	23 UNCH
4700	----	----	337.60B/----	337.60B/277.00A	----	325.70 + 49.50	.6534	----	----	----	----	593 UNCH
4710	----	----	330.80B/----	330.80B/271.00A	----	319.40 + 48.90	.6467	----	----	----	----	118 UNCH
4720	----	----	322.80B/----	322.80B/265.90A	----	313.20 + 48.40	.6400	----	----	----	----	2 UNCH
4725	----	----	321.20B/----	321.20B/262.70A	----	310.10 + 48.10	.6366	----	----	----	----	52 UNCH
4730	----	----	316.60B/----	316.60B/259.40A	----	307.10 + 47.80	.6332	----	----	----	----	3 UNCH
4740	----	----	310.40B/----	310.40B/254.50A	----	301.00 + 47.20	.6264	----	----	----	----	1 UNCH
4745	----	----	308.90B/----	308.90B/251.00A	----	298.00 + 47.00	.6229	----	----	----	----	177 UNCH
4750	----	----	306.00B/248.10A	306.00B/248.10A	----	295.00 + 46.70	.6195	----	----	----	----	1066 UNCH
4755	----	----	302.70B/245.50A	302.70B/245.50A	----	292.00 + 46.40	.6160	----	----	----	----	16 UNCH
4760	----	----	299.90B/242.70A	299.90B/242.70A	----	289.10 + 46.20	.6126	----	----	----	----	47 UNCH
4770	----	----	293.80B/237.30A	293.80B/237.30A	----	283.30 + 45.70	.6056	----	----	----	----	69 UNCH
4775	235.50	235.50	290.90B/234.70A	290.90B/234.70A	----	280.40 + 45.40	.6021	----	----	2	----	150 UNCH
4780	----	----	287.90B/232.00A	287.90B/232.00A	----	277.50 + 45.10	.5986	----	----	----	----	32 UNCH
4785	----	----	284.50B/229.40A	284.50B/229.40A	----	274.70 + 44.90	.5951	----	----	----	----	12 UNCH
4790	----	----	280.60B/226.80A	280.60B/226.80A	----	271.80 + 44.50	.5916	----	----	----	----	2 UNCH
4795	----	----	279.20B/224.20A	279.20B/224.20A	----	269.00 + 44.30	.5880	----	----	----	----	87 UNCH
4800	228.00	228.00	276.50B/221.60A	276.50B/221.60A	----	266.20 + 44.00	.5845	----	----	39	----	1733 UNCH
4805	----	----	272.10B/219.20A	272.10B/219.20A	----	263.50 + 43.80	.5809	----	----	----	----	2 UNCH
4810	----	----	270.80B/216.60A	270.80B/216.60A	----	260.70 + 43.40	.5774	----	----	----	----	32 UNCH
4820	----	----	265.00B/211.70A	265.00B/211.70A	----	255.30 + 42.90	.5703	----	----	----	----	12 UNCH
4825	----	----	262.70B/209.00A	262.70B/209.00A	----	252.60 + 42.60	.5667	----	----	5	----	634 + 3
4830	----	----	259.50B/206.70A	259.50B/206.70A	----	250.00 + 42.40	.5631	----	----	----	----	10 UNCH
4835	----	----	256.80B/204.30A	256.80B/204.30A	----	247.30 + 42.00	.5596	----	----	10	----	16 + 10
4840	----	----	254.20B/201.90A	254.20B/201.90A	----	244.70 + 41.70	.5560	----	----	----	----	3 UNCH
4845	----	----	251.50B/199.50A	251.50B/199.50A	----	242.10 + 41.40	.5524	----	----	----	----	59 UNCH
4850	----	----	249.00B/196.80A	249.00B/196.80A	----	239.60 + 41.20	.5488	----	----	8	----	376 - 4
4855	----	----	246.30B/194.50A	246.30B/194.50A	----	237.00 + 40.90	.5452	----	----	----	----	7 UNCH
4860	----	----	243.60B/192.10A	243.60B/192.10A	----	234.50 + 40.60	.5416	----	----	----	----	10 UNCH
4865	----	----	241.00B/189.90A	241.00B/189.90A	----	232.00 + 40.30	.5380	----	----	----	----	6 UNCH
4870	219.10	219.10	238.40B/187.60A	238.40B/187.60A	----	229.50 + 40.00	.5345	----	----	1	----	68 UNCH
4875	----	----	235.80B/185.30A	235.80B/185.30A	----	227.00 + 39.70	.5309	----	----	----	----	13 UNCH
4880	----	----	233.30B/183.10A	233.30B/183.10A	----	224.60 + 39.50	.5273	----	----	----	----	20 UNCH
4885	----	----	230.80B/180.90A	230.80B/180.90A	----	222.20 + 39.20	.5237	----	----	----	----	5 UNCH
4890	----	----	228.30B/178.70A	228.30B/178.70A	----	219.80 + 38.90	.5201	----	----	----	----	2 UNCH
4900	194.30	194.30	223.70B/174.30A	223.70B/174.30A	----	215.00 + 38.30	.5129	----	----	8	----	672 + 3
4905	----	----	220.80B/172.30A	220.80B/172.30A	----	212.70 + 38.10	.5093	----	----	----	----	2 UNCH
4910	175.40	175.40	218.50B/170.20A	218.50B/170.20A	----	210.40 + 37.80	.5057	----	----	4	----	104 + 2
4915	187.60	187.60	216.20B/168.10A	216.20B/168.10A	----	208.10 + 37.60	.5022	----	----	1	----	32 UNCH
4920	185.40	185.40	213.70B/166.00A	213.70B/166.00A	----	205.80 + 37.30	.4986	----	----	1	----	6 UNCH
4925	----	----	211.40B/164.10A	211.40B/164.10A	----	203.60 + 37.10	.4950	----	----	----	----	4 UNCH
4930	181.20	181.20	209.10B/162.00A	209.10B/162.00A	----	201.30 + 36.80	.4914	----	----	2	----	12 + 1
4935	160.60	160.60	207.20B/159.70A	207.20B/159.70A	----	199.10 + 36.60	.4879	----	----	5	----	604 + 2
4940	----	----	205.10B/158.00A	205.10B/158.00A	----	196.90 + 36.30	.4843	----	----	----	----	173 UNCH
4945	157.50	157.50	202.40B/156.00A	202.40B/156.00A	----	194.80 + 36.20	.4808	----	----	3	----	11 + 3
4950	----	----	200.20B/154.10A	200.20B/154.10A	----	192.60 + 35.90	.4772	----	----	1	----	110 UNCH
4955	----	----	198.10B/152.20A	198.10B/152.20A	----	190.50 + 35.70	.4737	----	----	----	----	72 UNCH
4960	166.00	166.00	196.00B/150.20A	196.00B/150.20A	----	188.40 + 35.40	.4702	----	----	14	----	16 + 14
4965	----	----	193.90B/148.40A	193.90B/148.40A	----	186.30 + 35.20	.4667	----	----	----	----	173 UNCH
4970	----	----	191.50B/146.50A	191.50B/146.50A	----	184.20 + 34.90	.4632	----	----	----	----	8 UNCH
4975	146.20	146.20	189.20B/144.70A	189.20B/144.70A	----	182.10 + 34.70	.4596	----	----	6	----	42 UNCH
4980	----	----	187.10B/142.90A	187.10B/142.90A	----	180.10 + 34.50	.4562	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

OG CALL COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4985	----	----	185.10B/141.00A	185.10B/141.00A	----	178.00 + 34.20	.4526	----	----	----	----	27 UNCH
4990	162.30	162.30	183.10B/139.20A	183.10B/139.20A	----	176.00 + 33.90	.4492	----	----	2	----	15 + 2
4995	----	----	181.40B/137.50A	181.40B/137.50A	----	174.00 + 33.70	.4457	----	----	----	----	20 UNCH
5000	148.30	148.30	179.40B/135.40A	179.40B/135.40A	----	172.00 + 33.40	.4422	----	----	25	----	2728 + 1
5005	173.30	173.30	177.30B/134.00A	177.30B/134.00A	----	170.10 + 33.20	.4388	----	----	3	----	17 UNCH
5010	173.10	173.10	175.20B/132.20A	175.20B/132.20A	----	168.10 + 32.90	.4353	----	----	20	----	34 + 19
5015	----	----	173.20B/130.50A	173.20B/130.50A	----	166.20 + 32.60	.4319	----	----	----	----	26 UNCH
5020	----	----	170.80B/128.80A	170.80B/128.80A	----	164.30 + 32.40	.4284	----	----	----	----	7 UNCH
5025	----	----	169.30B/127.20A	169.30B/127.20A	----	162.40 + 32.10	.4250	----	----	----	----	35 UNCH
5030	----	----	166.90B/125.60A	166.90B/125.60A	----	160.50 + 31.80	.4216	----	----	----	----	31 UNCH
5035	----	----	165.10B/123.90A	165.10B/123.90A	----	158.70 + 31.60	.4182	----	----	----	----	59 UNCH
5040	----	----	162.60B/122.30A	162.60B/122.30A	----	156.80 + 31.30	.4148	----	----	----	----	2 UNCH
5045	----	----	161.20B/120.70A	161.20B/120.70A	----	155.00 + 31.10	.4114	----	----	----	----	3 UNCH
5050	----	----	159.30B/119.20A	159.30B/119.20A	----	153.20 + 30.80	.4081	----	----	1	----	23 + 1
5055	----	----	157.90B/117.60A	157.90B/117.60A	----	151.40 + 30.50	.4047	----	----	----	----	8 UNCH
5060	----	----	155.90B/116.00A	155.90B/116.00A	----	149.70 + 30.30	.4014	----	----	----	----	6 UNCH
5065	----	----	154.30B/114.40A	154.30B/114.40A	----	147.90 + 30.00	.3981	----	----	----	----	34 UNCH
5070	----	----	152.50B/113.00A	152.50B/113.00A	----	146.20 + 29.80	.3948	----	----	----	----	21 UNCH
5075	----	----	150.10B/111.50A	150.10B/111.50A	----	144.50 + 29.50	.3915	----	----	----	----	45 UNCH
5080	----	----	149.00B/110.10A	149.00B/110.10A	----	142.80 + 29.30	.3882	----	----	----	----	79 UNCH
5085	----	----	147.00B/108.60A	147.00B/108.60A	----	141.10 + 29.00	.3849	----	----	----	----	34 UNCH
5090	----	----	144.70B/107.30A	144.70B/107.30A	----	139.40 + 28.70	.3816	----	----	----	----	2 UNCH
5095	----	----	143.30B/105.80A	143.30B/105.80A	----	137.80 + 28.50	.3784	----	----	----	----	45 UNCH
5100	124.80	124.80	142.10B/104.20A	142.10B/104.20A	----	136.10 + 28.20	.3751	----	----	45	----	944 + 36
5105	----	----	139.70B/102.90A	139.70B/102.90A	----	134.50 + 27.90	.3719	----	----	----	----	61 UNCH
5110	----	----	138.60B/101.60A	138.60B/101.60A	----	132.90 + 27.70	.3687	----	----	----	----	4 UNCH
5115	----	----	136.80B/100.20A	136.80B/100.20A	----	131.30 + 27.40	.3655	----	----	----	----	27 UNCH
5120	----	----	135.40B/99.10A	135.40B/99.10A	----	129.80 + 27.20	.3623	----	----	----	----	38 UNCH
5125	----	----	133.60B/97.60A	133.60B/97.60A	----	128.20 + 26.90	.3591	----	----	----	----	214 UNCH
5130	----	----	131.60B/96.40A	131.60B/96.40A	----	126.70 + 26.60	.3560	----	----	----	----	13 UNCH
5135	----	----	130.50B/95.20A	130.50B/95.20A	----	125.20 + 26.40	.3529	----	----	----	----	155 UNCH
5140	----	----	128.60B/93.80A	128.60B/93.80A	----	123.70 + 26.20	.3498	----	----	4	----	59 + 4
5145	----	----	127.60B/92.50A	127.60B/92.50A	----	122.20 + 25.90	.3467	----	----	----	----	49 UNCH
5150	105.00	105.00	126.00B/91.10A	126.00B/91.10A	----	120.80 + 25.70	.3437	----	----	6	----	702 + 4
5155	----	----	124.40B/90.00A	124.40B/90.00A	----	119.30 + 25.40	.3405	----	----	----	----	4 UNCH
5160	----	----	122.70B/89.00A	122.70B/89.00A	----	117.90 + 25.20	.3375	----	----	----	----	9 UNCH
5165	----	----	121.50B/87.90A	121.50B/87.90A	----	116.50 + 24.90	.3345	----	----	----	----	4 UNCH
5170	----	----	120.00B/86.50A	120.00B/86.50A	----	115.10 + 24.70	.3315	----	----	----	----	6 UNCH
5175	----	----	118.60B/85.50A	118.60B/85.50A	----	113.70 + 24.40	.3285	----	----	----	----	55 UNCH
5180	----	----	117.00B/84.30A	117.00B/84.30A	----	112.30 + 24.20	.3255	----	----	----	----	14 UNCH
5185	----	----	115.60B/83.30A	115.60B/83.30A	----	111.00 + 24.00	.3226	----	----	----	----	118 UNCH
5190	----	----	113.70B/82.10A	113.70B/82.10A	----	109.60 + 23.70	.3196	----	----	----	----	2 UNCH
5195	95.90	95.90	113.00B/81.10A	113.00B/81.10A	----	108.30 + 23.50	.3167	----	----	2	----	39 UNCH
5200	87.50	87.50	111.60B/79.70A	111.60B/79.70A	----	107.00 + 23.20	.3138	----	----	358	----	1456 + 266
5205	----	----	110.30B/79.00A	110.30B/79.00A	----	105.70 + 23.00	.3109	----	----	----	----	8 UNCH
5210	----	----	109.00B/77.90A	109.00B/77.90A	----	104.50 + 22.80	.3081	----	----	2	----	18 + 2
5215	----	----	107.70B/76.90A	107.70B/76.90A	----	103.20 + 22.60	.3052	----	----	----	----	8 UNCH
5220	----	----	106.40B/75.80A	106.40B/75.80A	----	102.00 + 22.40	.3024	----	----	----	----	17 UNCH
5225	----	----	105.10B/74.80A	105.10B/74.80A	----	100.70 + 22.10	.2995	----	----	----	----	3 UNCH
5230	----	----	103.50B/73.70A	103.50B/73.70A	----	99.50 + 21.90	.2968	----	----	----	----	9 UNCH
5240	----	----	101.00B/71.80A	101.00B/71.80A	----	97.20 + 21.50	.2914	----	----	----	50	51 + 50
5245	----	----	99.80B/71.00A	99.80B/71.00A	----	96.00 + 21.30	.2886	----	----	----	----	61 UNCH
5250	----	----	98.90B/69.80A	98.90B/69.80A	----	94.80 + 21.00	.2858	----	----	8	----	376 - 2
5255	----	----	97.70B/68.90A	97.70B/68.90A	----	93.70 + 20.90	.2832	----	----	----	----	14 UNCH
5260	----	----	96.40B/68.00A	96.40B/68.00A	----	92.60 + 20.70	.2806	----	----	----	----	150 UNCH
5265	----	----	95.30B/67.40A	95.30B/67.40A	----	91.50 + 20.50	.2779	----	----	----	----	3 UNCH
5270	----	----	94.20B/66.50A	94.20B/66.50A	----	90.40 + 20.30	.2753	----	----	----	----	10 UNCH
5275	----	----	93.00B/65.50A	93.00B/65.50A	----	89.30 + 20.10	.2727	----	----	----	----	16 UNCH
5280	----	----	91.60B/64.70A	91.60B/64.70A	----	88.20 + 19.80	.2700	----	----	1	----	5 UNCH
5285	----	----	90.70B/63.90A	90.70B/63.90A	----	87.10 + 19.60	.2674	----	----	----	----	18 UNCH
5290	----	----	89.60B/63.10A	89.60B/63.10A	----	86.10 + 19.50	.2649	----	----	----	----	34 UNCH
5295	----	----	88.30B/62.90A	88.30B/62.90A	----	85.10 + 19.30	.2625	----	----	----	----	1 UNCH
5300	75.00	75.00	87.60B/61.10A	87.60B/61.10A	----	84.00 + 19.00	.2598	----	----	9	----	1019 - 9
5305	72.40	72.40	86.50B/60.50A	86.50B/60.50A	----	83.00 + 18.80	.2574	----	----	2	----	45 + 2
5310	----	----	85.50B/59.70A	85.50B/59.70A	----	82.00 + 18.60	.2549	----	----	----	----	4 UNCH
5315	----	----	84.10B/59.10A	84.10B/59.10A	----	81.10 + 18.50	.2525	----	----	----	----	13 UNCH
5320	----	----	83.10B/58.20A	83.10B/58.20A	----	80.10 + 18.30	.2501	----	----	----	----	58 UNCH
5325	----	----	82.30B/57.40A	82.30B/57.40A	----	79.10 + 18.10	.2476	----	----	----	----	181 UNCH
5330	80.70	80.70	81.00B/56.70A	81.00B/56.70A	----	78.20 + 17.90	.2453	----	----	3	----	7 + 3
5340	----	----	79.20B/55.30A	79.20B/55.30A	----	76.30 + 17.50	.2405	----	----	----	----	15 UNCH
5345	----	----	78.10B/54.50A	78.10B/54.50A	----	75.40 + 17.40	.2382	----	----	----	----	17 UNCH
5350	----	----	77.50B/53.60A	77.50B/53.60A	----	74.50 + 17.20	.2359	----	----	3	----	521 + 3
5355	----	----	76.50B/53.10A	76.50B/53.10A	----	73.60 + 17.00	.2336	----	----	----	----	4 UNCH
5360	----	----	75.60B/52.40A	75.60B/52.40A	----	72.70 + 16.80	.2313	----	----	----	----	333 UNCH
5365	----	----	74.70B/51.80A	74.70B/51.80A	----	71.90 + 16.70	.2291	----	----	----	----	138 UNCH
5370	----	----	73.70B/51.10A	73.70B/51.10A	----	71.00 + 16.40	.2268	----	----	8	----	23 + 3
5375	----	----	72.80B/50.40A	72.80B/50.40A	----	70.20 + 16.30	.2247	----	----	----	----	4 UNCH
5380	65.10	65.10	71.90B/49.80A	71.90B/49.80A	----	69.30 + 16.10	.2224	----	----	2	----	7 + 2
5385	----	----	71.00B/49.10A	71.00B/49.10A	----	68.50 + 15.90	.2202	----	----	----	----	16 UNCH
5390	----	----	70.10B/48.50A	70.10B/48.50A	----	67.70 + 15.70	.2181	----	----	----	----	11 UNCH
5395	----	----	69.40B/47.90A	69.40B/47.90A	----	66.90 + 15.60	.2160	----	----	----	----	19 UNCH
5400	48.20	48.20	68.70B/47.20A	68.70B/47.20A	----	66.10 + 15.40	.2138	----	----	51	----	3272 + 1
5405	----	----	67.50B/46.80A	67.50B/46.80A	----	65.30 + 15.20	.2117	----	----	----	----	10 UNCH
5410	----	----	66.90B/46.20A	66.90B/46.20A	----	64.50 + 15.00	.2096	----	----	----	----	19 UNCH
5415	46.10	46.10	65.90B/45.50A	65.90B/45.50A	----	63.80 + 14.90	.2076	----	----	3	----	17 UNCH
5420	----	----	65.30B/45.20A	65.30B/45.20A	----	63.00 + 14.70	.2055	----	----	1	----	16 + 1
5425	----	----	64.60B/44.90A	64.60B/44.90A	----	62.20 + 14.40	.2034	----	----	----	----	26 UNCH
5430	----	----	63.70B/44.30A	63.70B/44.30A	----	61.50 + 14.30	.2014	----	----	----	----	5 UNCH
5435	----	----	63.00B/43.80A	63.00B/43.80A	----	60.80 + 14.10	.1995	----	----	----	----	6 UNCH
5440	----	----	62.10B/43.20A	62.10B/43.20A	----	60.10 + 14.00	.1975	----	----	1	----	7 - 1
5445	----	----	61.50B/42.70A	61.50B/42.70A	----	59.40 + 13.80	.1956	----	----	----	----	8 UNCH
5450	----	----	60.90B/42.10A	60.90B/42.10A	----	58.70 + 13.70	.1937	----	----	----	----	1186 UNCH
5455	----	----	60.10B/41.50A	60.10B/41.50A	----	58.00 + 13.50	.1917	----	----	----	----	13 UNCH
5460	----	----	59.40B/40.90A	59.40B/40.90A	----	57.30 + 13.30	.1898	----	----	----	----	13 UNCH
5465	----	----	58.50B/40.40A	58.50B/40.40A	----	56.60 + 13.10	.1879	----	----	----	----	16 UNCH
5470	----	----	58.00B/39.90A	58.00B/39.90A	----	55.90 + 12.90	.1859	----	----	----	----	17 UNCH
5475	----	----	57.30B/39.40A	57.30B/39.40A	----	55.30 + 12.80	.1842	----	----	----	----	206 UNCH
5480	----	----	56.50B/38.90A	56.50B/38.90A	----	54.60 + 12.60	.1823	----	----	----	----	5 UNCH
5485	----	----	55.80B/38.40A	55.80B/38.40A	----	54.00 + 12.50	.1805	----	----	----	----	4 UNCH
5490	----	----	55.20B/38.00A	55.20B/38.00A	----	53.40 + 12.30	.1788	----	----	----	----	17 UNCH
5495	----	----	54.70B/37.50A	54.70B/37.50A	----	52.80 + 12.20	.1771	----	----	----	----	3 UNCH
5500	40.80	40.80	54.10B/37.10A	54.10B/37.10A	----	52.10 + 12.00	.1752	----	----	103	----	4282 + 23
5505	48.90	48.90	53.40B/36.60A	53.40B/36.60A	----	51.50 + 11.80	.1734	----	----	3	----	8 + 3
5510	----	----	52.70B/36.10A	52.70B/36.10A	----	50.90 + 11.70	.1717	----	----	----	----	13 UNCH
5515	----	----	52.10B/35.80A	52.10B/35.80A	----	50.40 + 11.60	.1702	----	----	----	----	10 UNCH
5520	----	----	51.40B/35.30A	51.40B/35.30A	----	49.80 + 11.50	.1684	----	----	----	----	11 UNCH
5525	----	----	50.80B/35.00A	50.80B/35.00A	----	49.20 + 11.30	.1667	----	----	----	----	83 UNCH
5530	----	----	50.30B/34.60A	50.30B/34.60A	----	48.60 + 11.10	.1650	----	----	----	----	23 UNCH
5535	----	----	49.70B/34.20A	49.70B/34.20A	----	48.10 + 11.00	.1635	----	----	----	----	1 UNCH
5540	----	----	49.20B/33.80A	49.20B/33.80A	----	47.50 + 10.90	.1618	----	----	----	----	16 UNCH
5545	----	----	48.60B/33.30A	48.60B/33.30A	----	47.00 + 10.80	.1602	----	----	----	----	8 UNCH
5550	36.10	36.10	48.00B/32.90A	48.00B/32.90A	----	46.50 + 10.70	.1587	----	----	13	----	212 + 4
5555	----	----	47.50B/32.50A	47.50B/32.50A	----	45.90 + 10.50	.1570	----	----	----	----	23 UNCH
5560	----	----	46.90B/32.10A	46.90B/32.10A	----	45.40 + 10.40	.1555	----	----	----	----	22 UNCH
5565	----	----	46.30B/31.80A	46.30B/31.80A	----	44.90 + 10.30	.1540	----	----	----	----	1 UNCH
5570	----	----	45.80B/31.40A	45.80B/31.40A	----	44.40 + 10.10	.1525	----	----	----	----	4 UNCH
5575	----	----	45.50B/31.00A	45.50B/31.00A	----	43.90 + 10.00	.1510	----	----	----	----	29 UNCH
5580	----	----	45.00B/30.60A	45.00B/30.60A	----	43.40 + 9.90	.1495	----	----	----	----	7 UNCH
5585	----	----	44.50B/30.40A	44.50B/30.40A	----	42.90 + 9.80	.1480	----	----	----	----	19 UNCH
5590	----	----	44.00B/30.00A	44.00B/30.00A	----	42.50 + 9.70	.1467	----	----	----	----	1 UNCH
5595	----	----	43.50B/29.60A	43.50B/29.60A	----	42.00 + 9.60	.1452	----	----	----	----	19 UNCH
5600	37.40	37.40	43.40/29.20A	43.40/29.20A	----	41.50 + 9.50	.1437	----	----	109	----	1844 + 25
5605	----	----	42.60B/28.90A	42.60B/28.90A	----	41.10 + 9.40	.1425	----	----	----	----	29 UNCH
5610	----	----	42.00B/28.60A	42.00B/28.60A	----	40.60 + 9.20	.1410	----	----	----	----	1 UNCH
5625	35.00	35.00	40.70B/*27.60A	40.70B/*27.60A	----	39.30 + 9.00	.1369	----	----	2	----	9 - 1
5630	----	----	40.20B/*27.30A	40.20B/*27.30A	----	38.90 + 8.90	.1357	----	----	----	----	5 UNCH
5635	----	----	39.80B/*27.00A	39.80B/*27.00A	----	38.50 + 8.80	.1344	----	----	----	----	12 UNCH
5640	----	----	39.40B/*26.70A	39.40B/*26.70A	----	38.00 + 8.60	.1329	----	----	----	----	4 UNCH
5650	----	----	38.50B/*26.00A	38.50B/*26.00A	----	37.20 + 8.40	.1304	----	----	----	----	511 UNCH
5660	34.60	34.60	37.70B/*25.40A	37.70B/*25.40A	----	36.40 + 8.30	.1279	----	----	4	----	5 + 4
5670	----	----	36.90B/*24.90A	36.90B/*24.90A	----	35.70 + 8.10	.1256	----	----	----	----	11 UNCH
5675	----	----	36.50B/*24.70A	36.50B/*24.70A	----	35.30 + 8.00	.1244	----	----	----	----	6 UNCH
5680	----	----	36.10B/*24.40A	36.10B/*24.40A	----	34.90 + 7.90	.1231	----	----	----	----	6 UNCH
5690	----	----	35.30B/*23.90A	35.30B/*23.90A	----	34.20 + 7.80	.1209	----	----	----	----	11 UNCH
5700	24.70	24.70	34.50B/*23.40A	34.50B/*23.40A	----	33.50 + 7.60	.1186	----	----	34	----	777 + 2
5710	----	----	33.80B/*22.90A	33.80B/*22.90A	----	32.80 + 7.40	.1163	----	----	----	----	12 UNCH
5720	----	----	33.00B/*22.50A	33.00B/*22.50A	----	32.10 + 7.30	.1141	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5725	----	----	32.70B/*22.20A	32.70B/*22.20A	----	31.80 + 7.20	.1131	----	----	----	----	57 UNCH
5730	----	----	32.30B/*22.00A	32.30B/*22.00A	----	31.50 + 7.20	.1121	----	----	----	----	9 UNCH
5740	----	----	31.60B/*21.60A	31.60B/*21.60A	----	30.80 + 6.90	.1099	----	----	----	----	8 UNCH
5750	----	----	30.80B/*21.10A	30.80B/*21.10A	----	30.20 + 6.80	.1079	----	----	1	----	972 UNCH
5760	----	----	30.30B/*20.70A	30.30B/*20.70A	----	29.60 + 6.70	.1059	----	----	----	----	168 UNCH
5770	----	----	29.60B/20.70A	29.60B/20.70A	----	29.00 + 6.50	.1039	----	----	----	----	4 UNCH
5775	----	----	29.30B/*20.10A	29.30B/*20.10A	----	28.70 + 6.40	.1030	----	----	----	----	215 UNCH
5780	----	----	29.00B/*20.30A	29.00B/*20.30A	----	28.50 + 6.40	.1022	----	----	----	----	2 UNCH
5790	----	----	28.50B/*19.50A	28.50B/*19.50A	----	27.90 + 6.30	.1002	----	----	----	----	10 UNCH
5800	----	----	27.90B/*19.20A	27.90B/*19.20A	----	27.40 + 6.20	.0985	----	----	1	----	951 UNCH
5810	----	----	27.30B/*19.10A	27.30B/*19.10A	----	26.80 + 6.00	.0966	----	----	----	----	10 UNCH
5820	----	----	26.80B/*18.90A	26.80B/*18.90A	----	26.30 + 5.80	.0949	----	----	----	----	207 UNCH
5825	----	----	26.40B/*18.30A	26.40B/*18.30A	----	26.10 + 5.80	.0942	----	----	----	----	19 UNCH
5830	----	----	26.30B/*18.10A	26.30B/*18.10A	----	25.80 + 5.70	.0932	----	----	----	----	1 UNCH
5840	----	----	25.80B/*17.80A	25.80B/*17.80A	----	25.30 + 5.60	.0915	----	----	----	----	102 UNCH
5850	----	----	25.30B/*17.80A	25.30B/*17.80A	----	24.90 + 5.50	.0901	----	----	1	----	110 - 1
5860	18.80	18.80	24.80B/*17.20A	24.80B/*17.20A	----	24.40 + 5.40	.0884	----	----	1	----	73 + 1
5870	----	----	24.30B/*16.90A	24.30B/*16.90A	----	23.90 + 5.20	.0867	----	----	----	----	9 UNCH
5875	----	----	24.10B/*16.80A	24.10B/*16.80A	----	23.70 + 5.20	.0860	----	----	----	----	22 UNCH
5880	----	----	23.90B/*16.60A	23.90B/*16.60A	----	23.50 + 5.10	.0853	----	----	----	----	11 UNCH
5890	----	----	23.50B/*16.30A	23.50B/*16.30A	----	23.10 + 5.00	.0839	----	----	----	----	6 UNCH
5900	----	----	23.00B/*16.10A	23.00B/*16.10A	----	22.70 + 4.90	.0825	----	----	1	----	416 + 1
5910	----	----	22.60B/*15.80A	22.60B/*15.80A	----	22.30 + 4.80	.0811	----	----	----	----	7 UNCH
5920	----	----	22.20B/*15.50A	22.20B/*15.50A	----	21.90 + 4.70	.0797	----	----	----	----	25 UNCH
5925	----	----	22.00B/*15.40A	22.00B/*15.40A	----	21.70 + 4.70	.0790	----	----	----	----	6 UNCH
5940	----	----	21.50B/*15.10A	21.50B/*15.10A	----	21.10 + 4.50	.0769	----	----	----	----	2 UNCH
5950	----	----	21.10B/*14.80A	21.10B/*14.80A	----	20.70 + 4.30	.0756	----	----	----	----	3 UNCH
5960	----	----	20.70B/*14.80A	20.70B/*14.80A	----	20.40 + 4.30	.0745	----	----	----	----	15 UNCH
5970	----	----	20.40B/*14.40A	20.40B/*14.40A	----	20.00 + 4.10	.0731	----	----	----	----	55 UNCH
5980	----	----	20.00B/*14.10A	20.00B/*14.10A	----	19.70 + 4.10	.0720	----	----	----	----	3 UNCH
5990	----	----	19.60B/*14.00A	19.60B/*14.00A	----	19.40 + 4.00	.0709	----	----	----	----	70 UNCH
6000	15.00	15.00	19.90/13.70A	19.90/13.70A	----	19.00 + 3.80	.0695	----	----	41	----	2597 + 26
6025	----	----	18.10B/*13.20A	18.10B/*13.20A	----	18.30 + 3.70	.0670	----	----	----	----	14 UNCH
6050	----	----	17.70B/*12.80A	17.70B/*12.80A	----	17.60 + 3.50	.0644	----	----	----	----	41 UNCH
6075	----	----	16.70B/*12.30A	16.70B/*12.30A	----	16.90 + 3.30	.0619	----	----	----	----	90 UNCH
6100	----	----	16.10B/*12.10A	16.10B/*12.10A	----	16.20 + 3.10	.0594	----	----	----	----	263 UNCH
6125	----	----	15.50B/*11.60A	15.50B/*11.60A	----	15.60 + 2.90	.0572	----	----	----	----	60 UNCH
6150	----	----	14.90B/*11.40A	14.90B/*11.40A	----	15.10 + 2.80	.0553	----	----	----	----	880 UNCH
6175	----	----	14.40B/*10.90A	14.40B/*10.90A	----	14.50 + 2.60	.0531	----	----	----	----	38 UNCH
6200	11.00	11.00	14.70/*10.60A	14.70/*10.60A	----	14.00 + 2.40	.0513	----	----	3	----	536 - 1
6225	----	----	13.40B/*10.20A	13.40B/*10.20A	----	13.60 + 2.40	.0497	----	----	1	----	20 - 1
6250	----	----	13.00B/*10.00A	13.00B/*10.00A	----	13.10 + 2.20	.0479	----	----	----	----	392 UNCH
6275	----	----	12.60B/*9.70A	12.60B/*9.70A	----	12.70 + 2.10	.0463	----	----	----	----	3 UNCH
6300	10.30	10.30	12.20B/*9.50A	12.20B/*9.50A	----	12.30 + 2.00	.0448	----	----	2	----	335 UNCH
6325	----	----	11.80B/*9.20A	11.80B/*9.20A	----	11.90 + 1.90	.0433	----	----	----	----	32 UNCH
6350	----	----	11.40B/*9.10A	11.40B/*9.10A	----	11.60 + 1.90	.0421	----	----	----	----	32 UNCH
6375	----	----	11.00B/*8.80A	11.00B/*8.80A	----	11.20 + 1.70	.0406	----	----	----	----	37 UNCH
6400	----	----	10.70B/*8.60A	10.70B/*8.60A	----	10.90 + 1.70	.0395	----	----	----	----	187 UNCH
6425	----	----	10.30B/*8.40A	10.30B/*8.40A	----	10.60 + 1.60	.0383	----	----	----	----	15 UNCH
6450	----	----	10.10B/*8.20A	10.10B/*8.20A	----	10.30 + 1.50	.0371	----	----	----	----	48 UNCH
6475	----	----	9.80B/*8.00A	9.80B/*8.00A	----	10.00 + 1.40	.0360	----	----	----	----	14 UNCH
6500	9.20	9.20	9.60B/7.80A	9.60B/7.80A	----	9.80 + 1.40	.0352	----	----	95	----	908 + 44
6525	----	----	9.30B/*7.70A	9.30B/*7.70A	----	9.50 + 1.30	.0341	----	----	----	----	132 UNCH
6550	----	----	9.00B/*7.50A	9.00B/*7.50A	----	9.30 + 1.30	.0332	----	----	----	----	1 UNCH
6575	----	----	8.90B/*7.40A	8.90B/*7.40A	----	9.10 + 1.30	.0324	----	----	----	----	4 UNCH
6600	----	----	8.70B/*7.20A	8.70B/*7.20A	----	8.90 + 1.30	.0316	----	----	----	----	30 UNCH
6650	----	----	8.30B/*7.00A	8.30B/*7.00A	----	8.50 + 1.20	.0300	----	----	----	----	16 UNCH
6675	----	----	8.20B/6.80A	8.20B/6.80A	----	8.30 + 1.10	.0293	----	----	----	----	1 UNCH
6700	----	----	7.90B/*6.60A	7.90B/*6.60A	----	8.10 + 1.10	.0285	----	----	----	----	127 UNCH
6800	----	----	7.20B/6.20A	7.20B/6.20A	----	7.40 + 0.90	.0258	----	----	----	----	199 UNCH
6825	----	----	7.00B/6.10A	7.00B/6.10A	----	7.30 + 0.90	.0253	----	----	----	----	19 UNCH
6850	----	----	6.90B/6.00A	6.90B/6.00A	----	7.10 + 0.90	.0246	----	----	----	----	201 UNCH
6875	----	----	6.80B/5.90A	6.80B/5.90A	----	7.00 + 0.90	.0242	----	----	----	----	22 UNCH
6900	----	----	6.60B/5.80A	6.60B/5.80A	----	6.90 + 0.90	.0237	----	----	----	----	19 UNCH
6925	----	----	6.50B/5.70A	6.50B/5.70A	----	6.70 + 0.80	.0230	----	----	----	----	1 UNCH
6950	----	----	6.40B/5.60A	6.40B/5.60A	----	6.60 + 0.80	.0226	----	----	----	----	22 UNCH
6975	----	----	6.30B/5.60A	6.30B/5.60A	----	6.50 + 0.80	.0222	----	----	----	----	10 UNCH
7000	----	----	6.10B/5.40A	6.10B/5.40A	----	6.40 + 0.80	.0218	----	----	105	----	816 + 25
7050	----	----	5.90B/5.30A	5.90B/5.30A	----	6.20 + 0.80	.0209	----	----	----	----	17 UNCH
7075	----	----	5.80B/5.20A	5.80B/5.20A	----	6.10 + 0.80	.0205	----	----	----	----	13 UNCH
7100	----	----	5.70B/5.10A	5.70B/5.10A	----	6.00 + 0.70	.0202	----	----	----	----	28 UNCH
7125	----	----	5.60B/5.00A	5.60B/5.00A	----	5.90 + 0.70	.0198	----	----	----	----	1 UNCH
7150	----	----	5.50B/5.00A	5.50B/5.00A	----	5.80 + 0.70	.0194	----	----	----	----	19 UNCH
7175	----	----	5.40B/4.90A	5.40B/4.90A	----	5.70 + 0.70	.0190	----	----	----	----	1 UNCH
7200	----	----	5.30B/4.80A	5.30B/4.80A	----	5.60 + 0.70	.0186	----	----	----	----	3 UNCH
7225	----	----	5.30B/4.70A	5.30B/4.70A	----	5.50 + 0.60	.0182	----	----	20	----	22 + 5
7250	----	----	5.20B/4.70A	5.20B/4.70A	----	5.40 + 0.60	.0179	----	----	----	----	23 UNCH
7275	----	----	5.10B/----	5.10B/4.70A	----	5.30 + 0.60	.0175	----	----	----	----	14 UNCH
7300	----	----	5.00B/4.60A	5.00B/4.60A	----	5.20 + 0.50	.0171	----	----	----	----	42 UNCH
7350	----	----	4.80B/----	4.80B/4.50A	----	5.10 + 0.60	.0167	----	----	2	----	8 + 2
7400	----	----	4.70B/----	4.70B/4.40A	----	4.90 + 0.50	.0160	----	----	----	----	1 UNCH
7425	----	----	4.60B/----	4.60B/4.30A	----	4.90 + 0.60	.0159	----	----	----	----	19 UNCH
7450	----	----	4.60B/4.20A	4.60B/4.20A	----	4.80 + 0.50	.0155	----	----	----	----	16 UNCH
7475	----	----	4.50B/----	4.50B/4.20A	----	4.70 + 0.50	.0152	----	----	----	----	9 UNCH
7500	----	----	4.40B/4.10A	4.40B/4.10A	----	4.70 + 0.50	.0151	----	----	2	----	301 UNCH
7525	----	----	4.40B/----	4.40B/4.10A	----	4.60 + 0.50	.0148	----	----	----	----	33 UNCH
7550	----	----	4.30B/----	4.30B/4.00A	----	4.50 + 0.50	.0144	----	----	----	----	50 UNCH
7575	----	----	4.20B/----	4.20B/4.00A	----	4.50 + 0.50	.0144	----	----	----	----	1 UNCH
7600	----	----	4.20B/----	4.20B/4.00A	----	4.40 + 0.50	.0140	----	----	----	----	10 UNCH
7625	----	----	4.10B/----	4.10B/3.90A	----	4.30 + 0.40	.0137	----	----	----	----	12 UNCH
7700	----	----	3.90B/----	3.90B/3.80A	----	4.20 + 0.50	.0132	----	----	----	----	11 UNCH
7725	----	----	3.90B/----	3.90B/3.70A	----	4.10 + 0.40	.0129	----	----	----	----	11 UNCH
7750	----	----	3.80B/----	3.80B/3.60A	----	4.10 + 0.50	.0129	----	----	----	----	2 UNCH
7775	----	----	3.70B/----	3.70B/3.60A	----	4.00 + 0.40	.0125	----	----	----	----	5 UNCH
7800	----	----	3.70B/----	3.70B/3.60A	----	3.90 + 0.40	.0122	----	----	----	----	5 UNCH
7825	----	----	3.60B/----	3.60B/3.50A	----	3.90 + 0.40	.0122	----	----	4	----	13 + 3
7875	----	----	3.60B/----	3.60B/3.50A	----	3.80 + 0.40	.0118	----	----	----	----	140 UNCH
7900	----	----	3.50B/----	3.50B/3.40A	----	3.70 + 0.30	.0115	----	----	----	----	1 UNCH
8000	----	----	3.30B/----	3.30B/3.30A	----	3.60 + 0.40	.0110	----	----	----	----	589 UNCH
8100	----	----	----	3.10B/3.10A	----	3.40 + 0.30	.0104	----	----	----	----	7 UNCH
8300	----	----	----	2.80B/2.90A	----	3.10 + 0.30	.0093	----	----	----	----	4 UNCH
8500	----	----	----	2.50B/2.70A	----	2.80 + 0.20	.0083	----	----	----	----	6 UNCH
8600	----	----	----	2.40B/2.50A	----	2.70 + 0.20	.0079	----	----	----	----	1 UNCH
8700	----	----	----	2.30B/2.50A	----	2.60 + 0.20	.0076	----	----	----	----	25 UNCH
8800	----	----	----	2.20B/2.40A	----	2.40 + 0.10	.0070	----	----	----	----	7 UNCH
9000	----	----	----	2.00B/2.30A	----	2.30 + 0.20	.0065	----	----	----	----	223 UNCH
9200	----	----	----	1.80B/2.20A	----	2.10 + 0.10	.0059	----	----	----	----	11 UNCH
9300	----	----	----	1.70B/2.10A	----	2.00 + 0.10	.0056	----	----	----	----	4 UNCH
9400	----	----	----	1.70B/2.00A	----	1.90 + 0.10	.0053	----	----	----	----	141 UNCH
9500	----	----	----	1.60B/2.00A	----	1.90 + 0.10	.0052	----	----	----	----	66 UNCH
9900	----	----	----	1.30B/1.70A	----	1.60 + 0.10	.0043	----	----	----	----	5 UNCH
10000	----	----	----	1.30B/1.70A	----	1.60 + 0.10	.0043	----	----	----	----	173 UNCH
10100	----	----	----	1.20B/1.60A	----	1.50 UNCH	.0040	----	----	----	----	12 UNCH
11000	----	----	----	0.80B/1.30A	----	1.00 - 0.10	.0026	----	----	----	----	86 UNCH
11200	----	----	----	0.80B/1.20A	----	0.90 UNCH	.0023	----	----	----	----	13 UNCH
11500	----	----	----	0.70B/1.10A	----	0.70 - 0.10	.0018	----	----	----	----	47 UNCH
11600	----	----	----	0.60B/1.10A	----	0.70 UNCH	.0018	----	----	----	----	50 UNCH
12000	----	----	----	0.50B/0.90A	----	0.60 UNCH	.0015	----	----	----	----	216 UNCH
TOTAL										1243	50	55330 + 580
AUG26												
3400	----	----	----	----	----	1489.70 + 81.80	.9782	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1391.30 + 81.00	.9725	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1386.40 + 81.00	.9722	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1371.70 + 80.90	.9711	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1342.40 + 80.60	.9691	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1293.70 + 80.20	.9653	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1284.00 + 80.10	.9645	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1245.20 + 79.60	.9610	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1235.50 + 79.50	.9600	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1211.40 + 79.20	.9577	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1196.90 + 79.00	.9561	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1182.50 + 78.80	.9546	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1177.70 + 78.70	.9541	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1163.30 + 78.50	.9524	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1148.90 + 78.30	.9506	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1125.00 + 77.90	.9478	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3780	----	----	----	----	----	1120.30 + 77.90	.9470	----	----	----	----	10 UNCH
3790	----	----	----	----	----	1110.70 + 77.60	.9459	----	----	----	----	67 UNCH
3800	----	----	----	----	----	1101.20 + 77.50	.9446	----	----	----	----	303 UNCH
3820	----	----	----	----	----	1082.30 + 77.20	.9419	----	----	----	----	3 UNCH
3840	----	----	----	----	----	1063.30 + 76.80	.9392	----	----	----	----	1 UNCH
3850	----	----	----	----	----	1053.90 + 76.70	.9376	----	----	----	----	12 UNCH
3885	----	----	----	----	----	1021.00 + 76.00	.9324	----	----	----	----	2 UNCH
3890	----	----	----	----	----	1016.30 + 75.90	.9316	----	----	----	----	2 UNCH
3900	----	----	----	----	----	1007.00 + 75.80	.9300	----	----	----	----	146 UNCH
3920	----	----	----	----	----	988.30 + 75.30	.9267	----	----	----	----	1 UNCH
3925	----	----	----	----	----	983.70 + 75.30	.9257	----	----	----	----	10 UNCH
3950	----	----	----	647.80B/1137.10A	----	960.50 + 74.70	.9213	----	----	----	----	106 UNCH
3955	----	----	----	647.70B/1132.60A	----	955.80 + 74.60	.9205	----	----	----	----	7 UNCH
3975	----	----	----	674.20B/1097.70A	----	937.40 + 74.20	.9167	----	----	----	----	200 UNCH
3995	----	----	----	688.30B/1044.40A	----	919.00 + 73.70	.9128	----	----	----	----	30 UNCH
4000	----	----	----	683.70B/1039.90A	----	914.40 + 73.50	.9118	----	----	----	----	714 UNCH
4005	----	----	----	679.20B/1035.40A	----	909.90 + 73.50	.9108	----	----	----	----	1 UNCH
4015	----	----	----	721.10B/1026.40A	----	900.80 + 73.30	.9087	----	----	----	----	12 UNCH
4025	----	----	----	722.40B/1017.40A	----	891.60 + 72.90	.9066	----	----	----	----	174 UNCH
4045	----	----	----	720.90B/999.40A	----	873.50 + 72.40	.9022	----	----	----	----	30 UNCH
4050	----	----	----	716.40B/995.00A	----	869.00 + 72.30	.9011	----	----	----	----	100 UNCH
4055	----	----	----	711.90B/990.50A	----	864.50 + 72.20	.9000	----	----	----	----	100 UNCH
4075	----	----	----	693.90B/972.80A	----	846.50 + 71.70	.8953	----	----	----	----	3 UNCH
4080	----	----	----	689.40B/968.30A	----	842.00 + 71.50	.8941	----	----	----	----	1 UNCH
4100	----	----	----	671.40B/950.70A	----	824.20 + 71.10	.8892	----	----	----	----	73 UNCH
4110	----	----	----	662.50B/941.90A	----	815.30 + 70.80	.8867	----	----	----	----	19 UNCH
4135	----	----	----	640.40B/920.10A	----	793.20 + 70.10	.8802	----	----	----	----	20 UNCH
4140	----	----	----	636.00B/915.70A	----	788.80 + 69.90	.8788	----	----	----	----	1 UNCH
4150	----	----	----	627.20B/907.10A	----	780.00 + 69.60	.8760	----	----	----	----	40 UNCH
4165	----	----	----	614.10B/894.10A	----	766.90 + 69.10	.8719	----	----	----	----	1 UNCH
4195	----	----	----	588.10B/868.50A	----	740.90 + 68.20	.8630	----	----	----	----	3 UNCH
4200	----	----	----	583.80B/864.40A	----	736.60 + 68.10	.8616	----	----	----	----	75 UNCH
4215	----	----	----	570.90B/852.30A	----	723.80 + 67.70	.8570	----	----	----	----	1 UNCH
4220	----	----	----	566.60B/848.30A	----	719.50 + 67.50	.8554	----	----	----	----	16 UNCH
4225	----	----	----	562.40B/844.30A	----	715.20 + 67.30	.8538	----	----	----	----	102 UNCH
4235	----	----	----	553.90B/836.30A	----	706.80 + 67.10	.8506	----	----	----	----	1 UNCH
4250	----	----	----	541.20B/824.40A	----	694.10 + 66.50	.8457	----	----	----	----	71 UNCH
4265	----	----	----	528.30B/812.60A	----	681.50 + 66.10	.8406	----	----	----	----	77 UNCH
4285	----	----	----	511.00B/796.90A	----	664.90 + 65.40	.8337	----	----	----	----	8 UNCH
4300	----	----	----	498.10B/785.30A	----	652.50 + 64.90	.8283	----	----	----	----	42 UNCH
4320	----	----	----	481.00B/769.90A	----	636.10 + 64.20	.8210	----	----	----	----	2 UNCH
4325	----	----	----	476.80B/766.10A	----	632.10 + 64.10	.8191	----	----	----	----	6 UNCH
4330	----	----	----	472.60B/762.30A	----	628.00 + 63.90	.8171	----	----	----	----	201 UNCH
4350	----	----	----	455.80B/747.10A	----	611.90 + 63.20	.8095	----	----	----	----	774 UNCH
4360	----	----	----	447.50B/739.60A	----	603.90 + 62.90	.8054	----	----	----	----	1 UNCH
4375	----	----	----	435.20B/728.40A	----	592.00 + 62.30	.7994	----	----	----	----	3 UNCH
4385	----	----	----	427.00B/721.00A	----	584.20 + 62.10	.7953	----	----	----	----	100 UNCH
4390	----	----	----	422.90B/717.30A	----	580.20 + 61.80	.7932	----	----	----	----	1 UNCH
4400	----	----	----	414.80B/709.90A	----	572.40 + 61.40	.7890	----	----	----	----	325 UNCH
4420	----	----	----	398.80B/695.30A	----	557.00 + 60.80	.7805	----	----	----	----	50 UNCH
4425	----	----	----	394.80B/691.70A	----	553.20 + 60.60	.7782	----	----	----	----	5 UNCH
4440	----	----	----	383.00B/680.90A	----	541.70 + 60.00	.7716	----	----	----	----	1 UNCH
4450	----	----	----	375.20B/673.80A	----	534.20 + 59.60	.7671	----	----	----	----	6 UNCH
4455	----	----	----	371.30B/670.20A	----	530.40 + 59.40	.7649	----	----	----	----	2 UNCH
4460	----	----	----	367.40B/666.60A	----	526.70 + 59.20	.7626	----	----	----	----	5 UNCH
4465	----	----	----	363.60B/663.10A	----	522.90 + 59.00	.7602	----	----	----	----	9 UNCH
4470	----	----	----	359.70B/659.60A	----	519.20 + 58.80	.7579	----	----	----	----	7 UNCH
4475	----	----	----	355.90B/656.10A	----	515.50 + 58.60	.7556	----	----	----	----	29 UNCH
4485	----	----	----	348.30B/649.10A	----	508.10 + 58.10	.7509	----	----	----	----	5 UNCH
4490	----	----	----	344.60B/645.60A	----	504.50 + 58.00	.7485	----	----	----	----	1 UNCH
4500	----	----	----	337.10B/638.80A	----	497.20 + 57.60	.7437	----	----	----	----	846 UNCH
4535	----	----	425.70B/----	425.70B/421.30A	----	472.10 + 56.00	.7265	----	----	----	----	10 UNCH
4540	----	----	426.00B/----	426.00B/417.70A	----	468.60 + 55.80	.7241	----	----	----	----	5 UNCH
4545	----	----	434.00B/----	434.00B/414.30A	----	465.10 + 55.60	.7215	----	----	----	----	1 UNCH
4550	----	----	434.60B/----	434.60B/411.00A	----	461.60 + 55.40	.7189	----	----	----	----	22 UNCH
4555	----	----	435.20B/----	435.20B/407.80A	----	458.10 + 55.10	.7164	----	----	----	----	1 UNCH
4560	----	----	435.20B/----	435.20B/404.50A	----	454.60 + 54.90	.7139	----	----	----	----	5 UNCH
4565	----	----	437.70B/----	437.70B/401.20A	----	451.20 + 54.70	.7113	----	----	----	----	1 UNCH
4575	----	----	437.90B/----	437.90B/394.60A	----	444.30 + 54.20	.7061	----	----	----	----	41 UNCH
4580	----	----	441.40B/----	441.40B/391.30A	----	440.90 + 54.00	.7035	----	----	----	----	200 UNCH
4585	----	----	442.70B/----	442.70B/388.10A	----	437.50 + 53.80	.7008	----	----	----	----	2 UNCH
4590	----	----	442.70B/----	442.70B/384.80A	----	434.10 + 53.50	.6982	----	----	----	----	16 UNCH
4595	----	----	441.30B/----	441.30B/381.60A	----	430.70 + 53.30	.6955	----	----	----	----	2 UNCH
4600	----	----	438.20B/----	438.20B/378.40A	----	427.40 + 53.10	.6929	----	----	----	----	100 UNCH
4605	----	----	434.80B/----	434.80B/375.30A	----	424.00 + 52.80	.6902	----	----	----	----	1 UNCH
4620	----	----	424.70B/----	424.70B/365.60A	----	414.10 + 52.10	.6821	----	----	----	----	4 UNCH
4640	----	----	411.50B/----	411.50B/353.40A	----	401.10 + 51.20	.6712	----	----	----	----	1 UNCH
4650	400.00	400.00	404.90B/400.00	404.90B/347.20A	----	394.70 + 50.80	.6656	----	----	1	----	147 + 1
4660	----	----	398.50B/----	398.50B/341.30A	----	388.40 + 50.40	.6600	----	----	----	----	2 UNCH
4670	----	----	392.10B/----	392.10B/335.40A	----	382.10 + 49.90	.6544	----	----	----	----	3 UNCH
4675	----	----	388.90B/----	388.90B/332.30A	----	379.00 + 49.70	.6516	----	----	----	----	36 UNCH
4700	----	----	373.30B/----	373.30B/317.80A	----	363.70 + 48.70	.6373	----	----	----	----	1619 UNCH
4705	----	----	370.20B/----	370.20B/313.70A	----	360.70 + 48.50	.6345	----	----	----	----	20 UNCH
4710	----	----	367.10B/----	367.10B/311.90A	----	357.70 + 48.30	.6316	----	----	----	----	17 UNCH
4720	----	----	361.10B/----	361.10B/306.40A	----	351.70 + 47.80	.6258	----	----	----	----	29 UNCH
4725	----	----	358.00B/----	358.00B/303.70A	----	348.80 + 47.70	.6229	----	----	----	----	2 UNCH
4730	----	----	355.00B/----	355.00B/300.80A	----	345.80 + 47.40	.6199	----	----	----	----	3 UNCH
4735	----	----	352.00B/----	352.00B/298.10A	----	342.90 + 47.20	.6170	----	----	----	----	2 UNCH
4750	----	----	343.20B/----	343.20B/290.20A	----	334.30 + 46.50	.6082	----	----	----	----	181 UNCH
4760	----	----	337.30B/----	337.30B/284.60A	----	328.70 + 46.10	.6023	----	----	----	----	10 UNCH
4770	----	----	331.50B/----	331.50B/279.40A	----	323.10 + 45.60	.5964	----	----	----	----	14 UNCH
4775	----	----	328.70B/----	328.70B/277.00A	----	320.30 + 45.40	.5934	----	----	1	----	11 + 1
4780	----	----	326.00B/----	326.00B/274.30A	----	317.60 + 45.20	.5904	----	----	----	----	4 UNCH
4795	----	----	317.90B/----	317.90B/266.60A	----	309.50 + 44.40	.5814	----	----	----	----	2 UNCH
4800	270.00	270.00	315.20B/264.20A	315.20B/264.20A	----	306.80 + 44.10	.5785	----	----	28	----	1620 UNCH
4810	----	----	309.60B/----	309.60B/259.30A	----	301.50 + 43.60	.5725	----	----	----	----	4 UNCH
4815	----	----	306.70B/----	306.70B/256.60A	----	298.90 + 43.30	.5694	----	----	----	----	3 UNCH
4820	----	----	304.40B/----	304.40B/254.20A	----	296.30 + 43.10	.5664	----	----	2	----	21 UNCH
4825	----	----	301.30B/----	301.30B/251.70A	----	293.70 + 42.80	.5634	----	----	----	----	11 UNCH
4830	----	----	298.70B/----	298.70B/249.40A	----	291.10 + 42.50	.5604	----	----	----	----	11 UNCH
4835	----	----	296.60B/----	296.60B/246.80A	----	288.60 + 42.30	.5574	----	----	----	----	35 UNCH
4840	----	----	293.60B/----	293.60B/244.40A	----	286.10 + 42.10	.5544	----	----	----	----	11 UNCH
4850	----	----	289.10B/----	289.10B/239.70A	----	281.10 + 41.70	.5484	----	----	10	----	44 + 10
4860	279.80	279.80	283.30B/234.40A	283.30B/234.40A	----	276.10 + 41.10	.5423	----	----	1	----	25 - 1
4870	----	----	278.30B/229.90A	278.30B/229.90A	----	271.30 + 40.80	.5363	----	----	----	----	11 UNCH
4875	----	----	275.60B/227.60A	275.60B/227.60A	----	268.80 + 40.50	.5333	----	----	----	----	88 UNCH
4880	223.90	223.90	273.20B/223.90	273.20B/223.90	----	266.50 + 40.30	.5303	----	----	23	----	46 + 16
4890	238.90	238.90	269.20B/220.90A	269.20B/220.90A	----	261.70 NEW	.5242	----	----	6	----	6 + 6
4895	251.70	251.70	265.80B/218.90A	265.80B/218.90A	----	259.40 + 39.70	.5212	----	----	8	----	19 + 8
4900	----	----	263.70B/216.70A	263.70B/216.70A	----	257.10 + 39.50	.5182	----	----	70	----	510 + 44
4905	----	----	262.00B/214.70A	262.00B/214.70A	----	254.70 + 39.20	.5152	----	----	----	----	9 UNCH
4910	241.50	241.50	258.70B/212.60A	258.70B/212.60A	----	252.40 + 38.90	.5122	----	----	6	----	7 + 6
4925	----	----	251.90B/206.20A	251.90B/206.20A	----	245.70 + 38.40	.5032	----	----	----	----	123 UNCH
4935	----	----	247.40B/202.20A	247.40B/202.20A	----	241.20 + 37.90	.4972	----	----	----	----	1 UNCH
4940	----	----	245.10B/200.20A	245.10B/200.20A	----	239.00 + 37.60	.4942	----	----	----	----	1 UNCH
4950	----	----	242.20B/196.20A	242.20B/196.20A	----	234.70 + 37.20	.4883	----	----	----	----	64 UNCH
4955	----	----	240.10B/194.20A	240.10B/194.20A	----	232.50 + 36.90	.4853	----	----	----	----	22 UNCH
4960	205.40	205.40	237.90B/192.20A	237.90B/192.20A	----	230.40 NEW	.4824	----	----	6	----	6 + 6
4970	----	----	233.50B/188.40A	233.50B/188.40A	----	226.10 + 36.20	.4764	----	----	----	----	0 UNCH
4975	----	----	231.40B/186.50A	231.40B/186.50A	----	224.00 + 36.00	.4735	----	----	----	----	2 UNCH
4985	193.10	193.10	227.10B/182.70A	227.10B/182.70A	----	219.90 + 35.50	.4676	----	----	3	----	4 + 3
4990	189.90	189.90	224.90B/181.10A	224.90B/181.10A	----	217.90 NEW	.4647	----	----	1	----	1 + 1
4995	----	----	222.90B/179.30A	222.90B/179.30A	----	215.80 + 35.00	.4617	----	----	----	----	3 UNCH
5000	188.00	188.00	220.70B/177.20A	220.70B/177.20A	----	213.80 + 34.80	.4588	----	----	5	----	1312 + 3
5005	----	----	218.70B/175.40A	218.70B/175.40A	----	211.80 + 34.60	.4559	----	----	----	----	4 UNCH
5015	----	----	214.60B/171.90A	214.60B/171.90A	----	207.90 + 34.10	.4501	----	----	----	----	3 UNCH
5025	----	----	210.60B/168.50A	210.60B/168.50A	----	204.00 + 33.70	.4443	----	----	----	----	5 UNCH
5030	----	----	208.90B/166.90A	208.90B/166.90A	----	202.00 + 33.30	.4413	----	----	----	----	2 UNCH
5035	190.10	190.10	206.70B/165.00A	206.70B/165.00A	----	200.10 NEW	.4385	----	----	10	----	10 + 10
5040	188.30	188.30	204.80B/163.40A	204.80B/163.40A	----	198.20 NEW	.4356	----	----	3	----	3 + 3
5045	----	----	202.80B/161.70A	202.80B/161.70A	----	196.40 + 32.70	.4328	----	----	----	----	1 UNCH
5050	----	----	200.90B/160.20A	200.90B/160.20A	----	194.50 + 32.40	.4299	----	----	----	----	52 UNCH
5060	----	----	197.10B/156.90A	197.10B/156.90A	----	190.80 + 31.90	.4242	----	----	----	----	10 UNCH
5065	----	----	195.30B/155.20A	195.30B/155.20A	----	189.00 + 31.70	.4214	----	----	----	----	22 UNCH
5070	161.80	161.80	193.40B/153.70A	193.40B/153.70A	----	187.20 NEW	.4185	----	----	7	----	6 + 6
5075	----	----	191.60B/152.10A	191.60B/152.10A	----	185.40 + 31.20	.4157	----	----	----	----	203 UNCH
5080	----	----	189.80B/150.40A	189.80B/150.40A	----	183.60 + 30.90	.4129	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5100	157.50	157.50	182.70B/144.40A	182.70B/144.40A	----	176.70 + 30.00	.4018	----	----	32	----	1594 - 1
5105	----	----	180.90B/143.00A	180.90B/143.00A	----	175.00 + 29.80	.3990	----	----	----	----	2 UNCH
5110	----	----	179.10B/141.50A	179.10B/141.50A	----	173.30 + 29.50	.3963	----	----	----	----	4 UNCH
5115	----	----	177.40B/139.90A	177.40B/139.90A	----	171.60 + 29.20	.3935	----	----	----	----	4 UNCH
5125	----	----	174.10B/137.00A	174.10B/137.00A	----	168.40 + 28.90	.3881	----	----	----	----	20 UNCH
5130	----	----	172.50B/135.60A	172.50B/135.60A	----	166.70 + 28.50	.3854	----	----	----	----	1 UNCH
5145	----	----	167.40B/131.50A	167.40B/131.50A	----	162.00 + 27.90	.3773	----	----	----	----	14 UNCH
5150	139.00	139.00	165.80B/130.10A	165.80B/130.10A	----	160.40 + 27.70	.3747	----	----	6	----	77 + 6
5155	----	----	164.20B/128.80A	164.20B/128.80A	----	158.80 + 27.40	.3720	----	----	----	----	4 UNCH
5160	----	----	162.80B/127.40A	162.80B/127.40A	----	157.30 + 27.20	.3694	----	----	----	----	6 UNCH
5170	131.80	131.80	159.50B/124.80A	159.50B/124.80A	----	154.30 + 26.80	.3641	----	----	6	----	6 + 6
5175	----	----	157.90B/123.50A	157.90B/123.50A	----	152.80 + 26.50	.3615	----	----	----	----	1 UNCH
5190	----	----	153.40B/119.80A	153.40B/119.80A	----	148.40 + 25.90	.3538	----	----	----	----	4 UNCH
5195	125.90	125.90	151.90B/118.50A	151.90B/118.50A	----	147.00 NEW	.3512	----	----	12	----	12 + 12
5200	140.20	140.20	151.30/117.20A	151.30/117.20A	----	145.50 + 25.40	.3486	----	----	7	----	3395 - 6
5205	----	----	149.10B/116.00A	149.10B/116.00A	----	144.10 + 25.20	.3461	----	----	----	----	1 UNCH
5210	----	----	147.60B/114.80A	147.60B/114.80A	----	142.70 + 25.00	.3436	----	----	----	----	6 UNCH
5215	----	----	146.20B/113.60A	146.20B/113.60A	----	141.40 + 24.90	.3411	----	----	----	----	14 UNCH
5220	----	----	144.70B/112.40A	144.70B/112.40A	----	140.00 + 24.60	.3386	----	----	----	----	29 UNCH
5225	118.30	118.30	143.40B/111.30A	143.40B/111.30A	----	138.60 + 24.40	.3361	----	----	6	----	46 + 6
5230	----	----	141.90B/110.00A	141.90B/110.00A	----	137.30 + 24.20	.3337	----	----	----	----	8 UNCH
5235	----	----	140.60B/108.90A	140.60B/108.90A	----	136.00 + 24.00	.3312	----	----	----	----	10 UNCH
5240	----	----	139.20B/107.70A	139.20B/107.70A	----	134.70 + 23.90	.3288	----	----	----	----	16 UNCH
5245	113.50	113.50	137.90B/106.70A	137.90B/106.70A	----	133.40 + 23.70	.3264	----	----	6	----	12 + 6
5250	----	----	136.80B/105.50A	136.80B/105.50A	----	132.10 + 23.50	.3240	----	----	----	----	476 UNCH
5255	----	----	135.30B/104.50A	135.30B/104.50A	----	130.80 + 23.20	.3215	----	----	----	----	888 UNCH
5260	----	----	134.20B/103.30A	134.20B/103.30A	----	129.50 + 23.00	.3191	----	----	----	----	24 UNCH
5265	----	----	132.90B/102.30A	132.90B/102.30A	----	128.30 + 22.90	.3168	----	----	----	----	10 UNCH
5270	----	----	131.60B/101.20A	131.60B/101.20A	----	127.00 + 22.60	.3144	----	----	----	----	18 UNCH
5275	----	----	130.30B/100.10A	130.30B/100.10A	----	125.80 + 22.40	.3120	----	----	----	----	17 UNCH
5280	104.50	104.50	129.00B/99.20A	129.00B/99.20A	----	124.60 NEW	.3097	----	----	6	----	6 + 6
5285	----	----	127.80B/98.20A	127.80B/98.20A	----	123.40 + 22.10	.3074	----	----	----	----	31 UNCH
5290	----	----	126.40B/97.10A	126.40B/97.10A	----	122.20 + 21.90	.3051	----	----	----	----	6 UNCH
5295	----	----	125.30B/96.00A	125.30B/96.00A	----	121.10 + 21.80	.3029	----	----	----	----	6 UNCH
5300	99.50	99.50	124.10B/95.10A	124.10B/95.10A	----	119.90 + 21.60	.3006	----	----	1	----	457 UNCH
5305	----	----	122.90B/94.10A	122.90B/94.10A	----	118.70 + 21.30	.2982	----	----	----	----	6 UNCH
5310	112.10	112.10	121.70B/93.10A	121.70B/93.10A	----	117.60 + 21.20	.2960	----	----	2	----	105 + 2
5320	----	----	119.10B/91.30A	119.10B/91.30A	----	115.40 + 20.90	.2916	----	----	----	----	9 UNCH
5325	----	----	117.90B/90.30A	117.90B/90.30A	----	114.30 + 20.70	.2894	----	----	----	----	11 UNCH
5330	----	----	116.80B/89.40A	116.80B/89.40A	----	113.20 + 20.60	.2872	----	----	----	----	3 UNCH
5350	101.80	101.80	112.40B/85.70A	112.40B/85.70A	----	108.90 + 19.90	.2786	----	----	15	----	29 - 1
5355	----	----	111.30B/84.90A	111.30B/84.90A	----	107.90 + 19.70	.2765	----	----	----	----	1 UNCH
5360	----	----	110.10B/84.00A	110.10B/84.00A	----	106.90 + 19.60	.2744	----	----	----	----	50 UNCH
5370	----	----	108.00B/82.20A	108.00B/82.20A	----	104.90 + 19.30	.2702	----	----	----	----	2 UNCH
5375	----	----	107.10B/81.40A	107.10B/81.40A	----	103.90 + 19.20	.2682	----	----	----	----	4 UNCH
5400	----	----	101.90B/77.30A	101.90B/77.30A	----	99.10 + 18.40	.2581	----	----	12	----	3742 + 5
5410	----	----	100.00B/75.70A	100.00B/75.70A	----	97.20 + 18.10	.2541	----	----	----	----	6 UNCH
5420	----	----	98.10B/74.20A	98.10B/74.20A	----	95.40 + 17.80	.2502	----	----	----	----	7 UNCH
5435	----	----	95.20B/71.90A	95.20B/71.90A	----	92.70 + 17.40	.2444	----	----	----	----	1 UNCH
5445	----	----	93.40B/70.50A	93.40B/70.50A	----	91.00 + 17.10	.2407	----	----	----	----	3 UNCH
5450	----	----	92.50B/69.80A	92.50B/69.80A	----	90.20 + 17.00	.2389	----	----	----	----	6 UNCH
5460	----	----	90.80B/68.30A	90.80B/68.30A	----	88.50 + 16.70	.2352	----	----	----	----	3 UNCH
5465	----	----	89.90B/67.60A	89.90B/67.60A	----	87.70 + 16.60	.2334	----	----	----	----	19 UNCH
5470	----	----	89.00B/67.10A	89.00B/67.10A	----	86.90 + 16.50	.2316	----	----	----	----	1 UNCH
5475	----	----	88.20B/66.40A	88.20B/66.40A	----	86.10 + 16.40	.2299	----	----	----	----	2 UNCH
5480	----	----	87.30B/65.60A	87.30B/65.60A	----	85.30 + 16.20	.2281	----	----	----	----	10 UNCH
5485	----	----	86.50B/65.10A	86.50B/65.10A	----	84.50 + 16.10	.2263	----	----	----	----	1 UNCH
5490	----	----	85.70B/64.40A	85.70B/64.40A	----	83.70 + 16.00	.2245	----	----	----	----	2 UNCH
5495	79.60	79.60	85.00B/63.80A	85.00B/63.80A	----	82.90 + 15.80	.2228	----	----	2	----	4 + 2
5500	----	----	84.00B/63.10A	84.00B/63.10A	----	82.10 + 15.60	.2210	----	----	2	----	1165 UNCH
5505	----	----	83.30B/62.50A	83.30B/62.50A	----	81.40 + 15.60	.2194	----	----	----	----	6 UNCH
5515	----	----	81.70B/61.30A	81.70B/61.30A	----	79.90 + 15.30	.2160	----	----	----	----	2 UNCH
5525	----	----	80.10B/60.10A	80.10B/60.10A	----	78.40 + 15.00	.2126	----	----	----	----	25 UNCH
5535	----	----	78.60B/58.90A	78.60B/58.90A	----	77.00 + 14.80	.2093	----	----	----	----	6 UNCH
5545	----	----	77.00B/57.70A	77.00B/57.70A	----	75.60 + 14.60	.2061	----	----	----	----	2 UNCH
5550	----	----	76.40B/57.10A	76.40B/57.10A	----	74.90 + 14.40	.2045	----	----	2	----	4 + 2
5560	----	----	75.00B/56.00A	75.00B/56.00A	----	73.50 + 14.20	.2013	----	----	----	----	2 UNCH
5565	----	----	74.30B/55.50A	74.30B/55.50A	----	72.80 + 14.00	.1997	----	----	----	----	5 UNCH
5570	58.80	58.80	73.60B/54.90A	73.60B/54.90A	----	72.10 NEW	.1981	----	----	2	----	2 + 2
5575	----	----	72.80B/54.40A	72.80B/54.40A	----	71.50 + 13.80	.1966	----	----	----	----	3 UNCH
5580	----	----	72.30B/53.90A	72.30B/53.90A	----	70.80 + 13.60	.1950	----	----	----	----	17 UNCH
5595	----	----	70.20B/52.30A	70.20B/52.30A	----	68.90 + 13.30	.1905	----	----	----	----	3 UNCH
5600	----	----	69.60B/51.80A	69.60B/51.80A	----	68.30 + 13.20	.1891	----	----	5	----	1830 - 5
5615	----	----	67.70B/50.40A	67.70B/50.40A	----	66.40 + 12.80	.1846	----	----	----	----	1 UNCH
5620	----	----	67.00B/49.90A	67.00B/49.90A	----	65.80 + 12.70	.1832	----	----	----	----	2 UNCH
5635	----	----	65.30B/48.50A	65.30B/48.50A	----	64.00 + 12.30	.1789	----	----	----	----	2 UNCH
5640	----	----	64.70B/48.00A	64.70B/48.00A	----	63.40 + 12.20	.1774	----	----	----	----	3 UNCH
5650	----	----	63.30B/47.10A	63.30B/47.10A	----	62.30 + 12.00	.1747	----	----	238	----	507 + 238
5660	----	----	62.40B/46.30A	62.40B/46.30A	----	61.20 + 11.80	.1721	----	----	----	----	12 UNCH
5670	----	----	61.00B/45.40A	61.00B/45.40A	----	60.10 + 11.50	.1694	----	----	----	----	10 UNCH
5675	----	----	60.40B/45.00A	60.40B/45.00A	----	59.50 + 11.40	.1680	----	----	----	----	4 UNCH
5690	----	----	59.10B/43.80A	59.10B/43.80A	----	57.90 + 11.00	.1640	----	----	----	----	13 UNCH
5700	----	----	57.80B/43.00A	57.80B/43.00A	----	56.90 + 10.80	.1615	----	----	----	----	2238 UNCH
5720	----	----	55.80B/41.50A	55.80B/41.50A	----	54.90 + 10.40	.1566	----	----	----	----	13 UNCH
5725	----	----	55.30B/41.20A	55.30B/41.20A	----	54.40 + 10.30	.1553	----	----	----	----	1 UNCH
5730	----	----	54.80B/40.80A	54.80B/40.80A	----	53.90 + 10.20	.1541	----	----	----	----	12 UNCH
5750	----	----	52.90B/*39.30A	52.90B/*39.30A	----	52.10 + 9.90	.1495	----	----	----	----	300 UNCH
5775	----	----	50.70B/*37.70A	50.70B/*37.70A	----	49.80 + 9.30	.1437	----	----	----	----	2 UNCH
5800	----	----	48.50B/36.40A	48.50B/36.40A	----	47.70 + 8.90	.1383	----	----	----	----	941 UNCH
5825	----	----	46.50B/34.90A	46.50B/34.90A	----	45.70 + 8.50	.1331	----	----	----	----	14 UNCH
5850	----	----	44.60B/*33.30A	44.60B/*33.30A	----	43.80 + 8.10	.1281	----	----	----	----	165 UNCH
5875	----	----	42.70B/*31.90A	42.70B/*31.90A	----	42.00 + 7.70	.1233	----	----	----	----	21 UNCH
5900	----	----	41.00B/30.70A	41.00B/30.70A	----	40.40 + 7.40	.1189	----	----	----	----	1858 UNCH
5925	----	----	39.30B/*29.60A	39.30B/*29.60A	----	38.80 + 7.10	.1146	----	----	----	----	2 UNCH
5950	----	----	37.70B/*28.40A	37.70B/*28.40A	----	37.30 + 6.80	.1105	----	----	----	----	1 UNCH
6000	29.20	29.20	35.00B/26.40A	35.00B/26.40A	----	34.50 + 6.20	.1028	----	----	57	----	1647 + 49
6100	----	----	29.60B/23.00A	29.60B/23.00A	----	29.80 + 5.30	.0895	----	----	----	----	373 UNCH
6200	22.00	22.00	25.60B/20.40A	25.60B/20.40A	----	26.00 + 4.50	.0784	----	----	2	----	1342 + 2
6300	----	----	22.50B/18.20A	22.50B/18.20A	----	22.90 + 3.80	.0692	----	----	12	----	85 + 10
6400	18.10	18.10	20.00B/15.60	20.00B/15.60	----	20.40 + 3.30	.0616	----	----	8	----	61 + 2
6500	16.40	16.40	17.80B/14.90A	17.80B/14.90A	----	18.30 + 2.80	.0551	----	----	8	----	812 UNCH
6600	----	----	16.00B/13.50A	16.00B/13.50A	----	16.60 + 2.40	.0498	----	----	----	----	150 UNCH
6700	----	----	14.60B/12.40A	14.60B/12.40A	----	15.10 + 2.10	.0451	----	----	----	----	254 UNCH
6800	----	----	13.30B/11.50A	13.30B/11.50A	----	13.80 + 1.80	.0410	----	----	----	----	49 UNCH
6900	----	----	12.20B/10.70A	12.20B/10.70A	----	12.80 + 1.70	.0377	----	----	----	----	1 UNCH
7000	12.10	12.10	12.10/9.60	12.10/9.60	----	11.90 + 1.50	.0348	----	----	22	----	560 + 17
7500	6.40	6.40	8.10B/6.40	8.10B/6.40	----	8.70 + 0.90	.0244	----	----	7	----	738 UNCH
8000	4.80	4.80	7.00/4.80	7.00/4.80	----	6.80 + 0.60	.0183	----	----	46	----	167 + 14
8500	4.20	4.20	5.10B/4.20	5.10B/4.20	----	5.60 + 0.50	.0145	----	----	1	----	89 + 1
9000	----	----	----	4.20B/4.40A	----	4.60 + 0.30	.0115	----	----	----	----	9 UNCH
9500	----	----	----	3.50B/3.70A	----	3.90 + 0.30	.0095	----	----	----	----	68 UNCH
10000	----	----	----/3.10A	2.90B/3.10A	----	3.40 + 0.20	.0080	----	----	----	----	98 UNCH
TOTAL										716		40357 + 498
SEP26												
3875	----	----	----	----	----	1073.10 + 76.10	.9216	----	----	----	----	1 UNCH
3995	----	----	----	806.50B/1093.10A	----	964.00 + 73.80	.8991	----	----	----	----	10 UNCH
4085	----	----	----	726.80B/1014.20A	----	884.30 + 71.80	.8789	----	----	----	----	37 UNCH
4130	----	----	----	687.80B/975.50A	----	845.30 + 70.80	.8675	----	----	----	----	10 UNCH
4185	----	----	----	640.90B/930.20A	----	798.40 + 69.40	.8524	----	----	----	----	37 UNCH
4200	----	----	----	628.30B/918.30A	----	785.70 + 68.90	.8481	----	----	----	----	1 UNCH
4220	----	----	----	611.50B/902.50A	----	769.00 + 68.40	.8422	----	----	----	----	162 UNCH
4290	----	----	----	552.00B/848.20A	----	711.60 + 66.20	.8198	----	----	----	----	6 UNCH
4295	----	----	----	547.90B/844.40A	----	707.60 + 66.10	.8182	----	----	----	----	50 UNCH
4300	----	----	----	543.70B/840.50A	----	703.60 + 65.90	.8164	----	----	----	----	13 UNCH
4320	----	----	----	527.20B/825.40A	----	687.60 + 65.30	.8096	----	----	----	----	162 UNCH
4375	----	----	----	482.60B/784.50A	----	644.50 + 63.40	.7896	----	----	----	----	1 UNCH
4390	----	----	----	470.70B/773.60A	----	632.90 + 62.80	.7840	----	----	----	----	200 UNCH
4425	----	----	----	443.40B/748.40A	----	606.40 + 61.60	.7703	----	----	----	----	1 UNCH
4495	----	----	----	390.80B/699.40A	----	555.10 + 58.90	.7414	----	----	----	----	18 UNCH
4500	----	----	----	387.10B/695.90A	----	551.50 + 58.70	.7392	----	----	----	----	5 UNCH
4505	----	----	----	383.50B/692.50A	----	547.90 + 58.50	.7371	----	----	----	----	2 UNCH
4510	----	----	----	379.80B/689.10A	----	544.40 + 58.40	.7349	----	----	----	----	2 UNCH
4515	----	----	----	376.20B/685.70A	----	540.80 + 58.10	.7327	----	----	----	----	2 UNCH
4545	----	----	489.30B/----	489.30B/469.10A	----	519.80 + 56.90	.7194	----	----	----	----	16 UNCH
4550	----	----	489.90B/----	489.90B/465.90A	----	516.40 + 56.70	.7172	----	----	----	----	222 UNCH
4560	----	----	492.20B/----	492.20B/459.30A	----	509.50 + 56.30	.7126	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4565	----	----	494.70B/----	494.70B/456.00A	----	506.10 + 56.10	.7103	----	----	----	----	2 UNCH
4570	----	----	493.60B/----	493.60B/452.80A	----	502.70 + 55.90	.7081	----	----	----	----	2 UNCH
4575	----	----	496.90B/----	496.90B/449.50A	----	499.30 + 55.70	.7057	----	----	----	----	2 UNCH
4580	----	----	496.50B/----	496.50B/446.30A	----	496.00 + 55.50	.7034	----	----	----	----	2 UNCH
4585	----	----	497.60B/----	497.60B/443.10A	----	492.60 + 55.30	.7011	----	----	----	----	2 UNCH
4590	----	----	498.10B/----	498.10B/439.90A	----	489.30 + 55.10	.6988	----	----	----	----	2 UNCH
4600	----	----	492.60B/----	492.60B/433.50A	----	482.60 + 54.70	.6941	----	----	----	----	53 UNCH
4650	----	----	459.70B/----	459.70B/402.50A	----	450.20 + 52.70	.6701	----	----	----	----	1 UNCH
4675	----	----	443.70B/----	443.70B/387.50A	----	434.50 + 51.60	.6578	----	----	----	----	1 UNCH
4680	----	----	440.40B/----	440.40B/384.60A	----	431.40 + 51.40	.6553	----	----	----	----	1 UNCH
4700	----	----	428.10B/----	428.10B/373.00A	----	419.20 + 50.60	.6454	----	----	----	----	117 UNCH
4705	----	----	425.10B/----	425.10B/370.10A	----	416.10 + 50.30	.6428	----	----	----	----	10 UNCH
4710	----	----	421.90B/----	421.90B/367.30A	----	413.10 + 50.10	.6403	----	----	----	----	1 UNCH
4720	----	----	415.90B/----	415.90B/361.70A	----	407.10 + 49.60	.6353	----	----	----	----	45 UNCH
4725	----	----	412.90B/----	412.90B/358.80A	----	404.20 + 49.50	.6327	----	----	----	----	2 UNCH
4730	----	----	409.90B/----	409.90B/356.00A	----	401.20 + 49.20	.6302	----	----	----	----	5 UNCH
4750	----	----	398.10B/----	398.10B/345.10A	----	389.60 + 48.40	.6199	----	----	----	----	43 UNCH
4775	----	----	383.60B/----	383.60B/331.70A	----	375.30 + 47.30	.6070	----	----	----	----	184 UNCH
4780	----	----	380.70B/----	380.70B/329.00A	----	372.50 + 47.00	.6044	----	----	----	----	7 UNCH
4800	----	----	369.50B/----	369.50B/318.70A	----	361.50 + 46.20	.5940	----	----	55	----	951 + 15
4840	----	----	347.70B/----	347.70B/298.70A	----	340.30 + 44.40	.5730	----	----	----	----	2 UNCH
4850	----	----	342.50B/----	342.50B/293.90A	----	335.20 + 44.00	.5677	----	----	----	----	20 UNCH
4860	336.50	336.50	337.30B/336.50	337.30B/289.10A	----	330.10 NEW	.5624	----	----	2	----	2 + 2
4875	----	----	329.40B/----	329.40B/282.00A	----	322.70 + 42.90	.5544	----	----	----	----	30 UNCH
4900	----	----	316.80B/----	316.80B/270.60A	----	310.60 + 41.80	.5412	----	----	----	----	260 UNCH
4920	----	----	307.20B/----	307.20B/261.80A	----	301.20 + 40.90	.5306	----	----	----	----	30 UNCH
4925	----	----	304.70B/----	304.70B/259.60A	----	298.90 + 40.70	.5280	----	----	----	----	1 UNCH
4930	----	----	302.30B/----	302.30B/257.40A	----	296.60 NEW	.5254	----	----	1	----	1 + 1
4975	----	----	281.40B/----	281.40B/238.70A	----	276.60 + 38.60	.5018	----	----	----	----	314 UNCH
5000	----	----	270.30B/----	270.30B/228.80A	----	265.90 + 37.60	.4888	----	----	5	----	584 UNCH
5005	----	----	268.20B/----	268.20B/226.80A	----	263.80 + 37.40	.4862	----	----	----	----	1 UNCH
5050	----	----	249.20B/----	249.20B/210.10A	----	245.50 + 35.70	.4631	----	----	----	----	1 UNCH
5075	----	----	239.30B/----	239.30B/201.20A	----	235.80 + 34.70	.4505	----	----	----	----	1 UNCH
5100	----	----	229.80B/----	229.80B/192.80A	----	226.40 + 33.70	.4379	----	----	----	----	241 UNCH
5150	----	----	211.70B/176.80A	211.70B/176.80A	----	208.60 + 31.60	.4134	----	----	----	----	3 UNCH
5155	----	----	210.00B/175.30A	210.00B/175.30A	----	206.90 + 31.40	.4110	----	----	----	----	1 UNCH
5200	----	----	195.00B/162.10A	195.00B/162.10A	----	192.20 + 29.50	.3896	----	----	----	----	373 UNCH
5230	----	----	185.60B/153.80A	185.60B/153.80A	----	183.00 + 28.40	.3758	----	----	----	----	400 UNCH
5235	----	----	183.90B/152.50A	183.90B/152.50A	----	181.50 + 28.20	.3735	----	----	----	----	1 UNCH
5245	----	----	180.90B/149.90A	180.90B/149.90A	----	178.50 + 27.80	.3689	----	----	----	----	20 UNCH
5250	----	----	179.50B/148.60A	179.50B/148.60A	----	177.00 + 27.60	.3666	----	----	----	----	200 UNCH
5300	----	----	165.20B/136.20A	165.20B/136.20A	----	163.00 + 25.70	.3446	----	----	----	----	853 UNCH
5330	----	----	156.90B/129.20A	156.90B/129.20A	----	155.20 + 24.80	.3319	----	----	----	----	20 UNCH
5335	----	----	155.80B/128.30A	155.80B/128.30A	----	153.90 + 24.60	.3298	----	----	----	----	1 UNCH
5350	----	----	152.00B/125.00A	152.00B/125.00A	----	150.20 + 24.10	.3236	----	----	----	----	1 UNCH
5370	----	----	147.00B/120.70A	147.00B/120.70A	----	145.30 + 23.40	.3155	----	----	----	----	15 UNCH
5375	----	----	145.80B/119.50A	145.80B/119.50A	----	144.10 + 23.30	.3134	----	----	----	----	2 UNCH
5400	----	----	139.90B/114.60A	139.90B/114.60A	----	138.30 + 22.50	.3035	----	----	----	----	399 UNCH
5420	----	----	135.30B/110.80A	135.30B/110.80A	----	133.90 + 21.90	.2959	----	----	----	----	80 UNCH
5425	----	----	134.10B/109.70A	134.10B/109.70A	----	132.80 + 21.80	.2939	----	----	----	----	50 UNCH
5450	----	----	128.40B/105.10A	128.40B/105.10A	----	127.40 + 20.90	.2845	----	----	----	----	5 UNCH
5460	----	----	126.60B/103.40A	126.60B/103.40A	----	125.40 + 20.70	.2809	----	----	----	----	1 UNCH
5475	----	----	123.30B/100.70A	123.30B/100.70A	----	122.30 + 20.20	.2753	----	----	----	----	2 UNCH
5500	----	----	118.20B/96.50A	118.20B/96.50A	----	117.50 + 19.60	.2665	----	----	5	----	1244 UNCH
5505	----	----	117.20B/95.70A	117.20B/95.70A	----	116.50 + 19.40	.2647	----	----	----	----	3 UNCH
5520	----	----	114.60B/93.30A	114.60B/93.30A	----	113.70 + 19.00	.2596	----	----	----	----	1 UNCH
5525	----	----	113.50B/92.60A	113.50B/92.60A	----	112.80 + 18.90	.2579	----	----	----	----	2 UNCH
5540	----	----	110.80B/90.20A	110.80B/90.20A	----	110.10 + 18.50	.2528	----	----	----	----	15 UNCH
5600	----	----	100.50B/81.60A	100.50B/81.60A	----	100.00 + 17.00	.2336	----	----	----	----	938 UNCH
5625	----	----	96.50B/78.30A	96.50B/78.30A	----	96.10 + 16.40	.2260	----	----	----	----	2 UNCH
5650	----	----	92.50B/75.20A	92.50B/75.20A	----	92.30 + 15.80	.2185	----	----	----	----	559 UNCH
5675	----	----	89.00B/72.30A	89.00B/72.30A	----	88.80 + 15.30	.2115	----	----	----	----	8 UNCH
5700	75.50	75.50	85.50B/69.40A	85.50B/69.40A	----	85.40 + 14.80	.2046	----	----	2	----	1060 UNCH
5750	----	----	78.90B/64.10A	78.90B/64.10A	----	79.00 + 13.80	.1914	----	----	----	----	237 UNCH
5800	----	----	73.00B/59.30A	73.00B/59.30A	----	73.20 + 12.90	.1792	----	----	----	----	827 UNCH
5850	----	----	67.50B/54.80A	67.50B/54.80A	----	67.90 + 12.10	.1679	----	----	----	----	580 UNCH
5900	----	----	62.50B/51.10A	62.50B/51.10A	----	63.10 + 11.20	.1573	----	----	----	----	503 UNCH
5950	----	----	58.40B/47.70A	58.40B/47.70A	----	58.70 + 10.30	.1475	----	----	----	----	49 UNCH
6000	----	----	54.10B/44.70A	54.10B/44.70A	----	54.60 + 9.40	.1383	----	----	----	----	1160 UNCH
6100	48.10	48.10	48.10/39.30A	48.10/39.30A	----	47.50 + 7.70	.1219	----	----	2	----	362 UNCH
6200	42.10	42.10	42.10/34.90A	42.10/34.90A	----	41.80 + 6.70	.1082	----	----	2	----	227 + 2
6300	----	----	36.30B/----	36.30B/31.20A	----	37.10 + 6.10	.0965	----	----	----	----	159 UNCH
6400	27.50	27.50	32.10B/27.50	32.10B/27.50	----	33.20 + 5.60	.0866	----	----	10	----	210 - 10
6500	----	----	27.50B/----	27.50B/25.80A	----	29.80 + 5.00	.0779	----	----	----	----	344 UNCH
6600	----	----	24.60B/----	24.60B/*23.70A	----	26.90 + 4.30	.0704	----	----	----	----	45 UNCH
6650	----	----	23.40B/----	23.40B/*22.80A	----	25.60 + 4.00	.0670	----	----	----	----	5 UNCH
6750	----	----	21.10B/----	21.10B/*21.10A	----	23.30 + 3.40	.0610	----	----	----	----	11 UNCH
6775	----	----	20.60B/----	20.60B/*20.80A	----	22.80 + 3.30	.0596	----	----	----	----	1 UNCH
6800	----	----	20.10B/----	20.10B/20.40A	----	22.30 + 3.20	.0583	----	----	----	----	127 UNCH
7000	----	----	16.90B/----	16.90B/18.10A	----	19.00 + 2.50	.0493	----	----	----	----	200 UNCH
TOTAL										84		15187 + 10
OCT26												
3600	----	----	----	----	----	1335.90 + 79.00	.9481	----	----	----	----	12 UNCH
4300	----	----	#732.80B/----	732.80B/667.90A	----	722.40 + 65.20	.7992	----	----	----	----	102 UNCH
4400	----	----	#656.60B/----	656.60B/594.50A	----	646.80 + 62.10	.7639	----	----	----	----	8 UNCH
4405	----	----	#652.90B/----	652.90B/590.90A	----	643.10 + 61.90	.7620	----	----	----	----	2 UNCH
4480	----	----	598.70B/----	598.70B/538.90A	----	589.30 + 59.30	.7330	----	----	----	----	1 UNCH
4500	----	----	584.60B/----	584.60B/525.50A	----	575.40 + 58.60	.7249	----	----	----	----	3 UNCH
4515	----	----	574.10B/----	574.10B/515.60A	----	565.10 + 58.10	.7188	----	----	----	----	1 UNCH
4550	----	----	550.30B/----	550.30B/492.90A	----	541.40 + 56.70	.7042	----	----	----	----	1 UNCH
4580	----	----	530.20B/----	530.20B/473.90A	----	521.60 + 55.60	.6914	----	----	----	----	70 UNCH
4600	----	----	517.10B/----	517.10B/461.50A	----	508.60 + 54.90	.6827	----	----	----	----	134 UNCH
4610	----	----	510.80B/----	510.80B/455.40A	----	502.20 + 54.50	.6783	----	----	----	----	5 UNCH
4620	----	----	504.20B/----	504.20B/449.40A	----	495.80 + 54.10	.6739	----	----	----	----	1 UNCH
4630	----	----	497.80B/----	497.80B/443.40A	----	489.50 + 53.70	.6695	----	----	----	----	3 UNCH
4650	----	----	485.30B/----	485.30B/431.50A	----	477.00 + 52.90	.6605	----	----	----	----	1 UNCH
4670	----	----	472.90B/----	472.90B/419.90A	----	464.80 + 52.20	.6515	----	----	----	----	1 UNCH
4675	----	----	469.80B/----	469.80B/417.00A	----	461.80 + 52.00	.6492	----	----	----	----	1 UNCH
4690	----	----	460.70B/----	460.70B/408.50A	----	452.80 + 51.40	.6423	----	----	----	----	1 UNCH
4700	----	----	454.80B/----	454.80B/402.90A	----	446.80 + 51.00	.6377	----	----	----	----	5 UNCH
4710	----	----	448.90B/----	448.90B/397.30A	----	440.90 + 50.50	.6331	----	----	----	----	1 UNCH
4715	----	----	445.90B/----	445.90B/394.60A	----	438.00 + 50.30	.6308	----	----	----	----	2 UNCH
4750	----	----	425.60B/----	425.60B/375.60A	----	418.00 + 48.80	.6144	----	----	----	----	1 UNCH
4755	----	----	422.70B/----	422.70B/373.00A	----	415.20 + 48.60	.6121	----	----	----	----	1 UNCH
4800	----	----	397.70B/----	397.70B/349.80A	----	390.60 + 46.40	.5907	----	----	----	----	14 UNCH
4845	----	----	374.00B/----	374.00B/327.80A	----	367.30 + 44.00	.5692	----	----	----	----	1 UNCH
4850	----	----	371.20B/----	371.20B/325.40A	----	364.80 + 43.70	.5668	----	----	----	----	54 UNCH
4865	----	----	363.70B/----	363.70B/318.40A	----	357.40 + 43.00	.5596	----	----	----	----	2 UNCH
4880	----	----	356.10B/----	356.10B/311.50A	----	350.20 + 42.40	.5524	----	----	----	----	1 UNCH
4900	----	----	346.30B/----	346.30B/302.50A	----	340.80 + 41.60	.5428	----	----	25	----	1278 UNCH
4910	----	----	341.40B/----	341.40B/298.00A	----	336.20 + 41.30	.5380	----	----	----	----	1 UNCH
4925	----	----	334.20B/----	334.20B/291.50A	----	329.30 + 40.70	.5308	----	----	----	----	18 UNCH
4935	----	----	329.40B/----	329.40B/287.20A	----	324.70 + 40.20	.5260	----	----	----	----	5 UNCH
4945	307.50	307.50	324.80B/307.50	324.80B/282.90A	----	320.20 NEW	.5213	----	----	3	----	3 + 3
4950	----	----	322.50B/----	322.50B/280.90A	----	318.00 + 39.60	.5189	----	----	----	----	7 UNCH
5000	----	----	300.00B/----	300.00B/260.70A	----	296.20 + 37.50	.4952	----	----	27	50	1451 + 25
5025	----	----	289.80B/----	289.80B/251.10A	----	285.80 + 36.50	.4835	----	----	----	----	2 UNCH
5050	----	----	279.40B/----	279.40B/241.70A	----	275.80 + 35.60	.4719	----	----	----	----	57 UNCH
5075	----	----	269.40B/----	269.40B/232.80A	----	266.20 + 34.70	.4604	----	----	----	----	2 UNCH
5080	----	----	267.50B/----	267.50B/231.00A	----	264.30 + 34.60	.4582	----	----	----	----	3 UNCH
5085	----	----	265.60B/----	265.60B/229.30A	----	262.40 + 34.40	.4559	----	----	----	----	3 UNCH
5100	----	----	259.80B/----	259.80B/224.10A	----	256.90 + 33.90	.4491	----	----	75	----	677 + 75
5125	----	----	250.50B/----	250.50B/215.90A	----	247.90 + 33.10	.4379	----	----	----	----	1 UNCH
5150	----	----	241.30B/----	241.30B/207.80A	----	239.20 NEW	.4269	----	----	1	----	1 + 1
5160	----	----	237.90B/----	237.90B/204.60A	----	235.80 + 32.10	.4225	----	----	----	----	1 UNCH
5200	----	----	224.20B/----	224.20B/192.50A	----	222.60 + 30.80	.4052	----	----	75	----	1034 + 17
5250	----	----	208.30B/----	208.30B/178.30A	----	207.10 + 29.20	.3842	----	----	----	----	522 UNCH
5255	----	----	206.70B/----	206.70B/177.00A	----	205.60 + 29.10	.3822	----	----	----	----	2 UNCH
5300	----	----	193.40B/----	193.40B/165.20A	----	192.50 + 27.50	.3639	----	----	----	----	939 UNCH
5325	----	----	186.40B/----	186.40B/159.00A	----	185.50 + 26.60	.3540	----	----	1	----	1 UNCH
5400	----	----	166.80B/----	166.80B/142.10A	----	166.20 + 24.30	.3254	----	----	----	----	168 UNCH
5435	----	----	158.20B/----	158.20B/134.80A	----	157.90 + 23.20	.3127	----	----	----	----	226 UNCH
5450	----	----	154.90B/131.60A	154.90B/131.60A	----	154.40 + 22.70	.3074	----	----	----	----	66 UNCH
5455	----	----	153.70B/130.60A	153.70B/130.60A	----	153.30 + 22.60	.3056	----	----	----	----	175 UNCH
5475	----	----	149.30B/----	149.30B/127.00A	----	148.90 + 22.00	.2987	----	----	----	----	1 UNCH
5500	----	----	143.70B/122.10A	143.70B/122.10A	----	143.60 + 21.30	.2902	----	----	1500	----	1717 + 1312

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 36

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5545	----	----	134.50B/114.20A	134.50B/114.20A	----	134.50 + 20.10	.2755	----	----	----	----	5 UNCH
5550	----	----	133.50B/113.50A	133.50B/113.50A	----	133.50 + 19.90	.2738	----	----	----	----	100 UNCH
5590	----	----	126.10B/106.90A	126.10B/106.90A	----	126.10 + 19.00	.2614	----	----	----	----	4 UNCH
5600	----	----	124.10B/105.50A	124.10B/105.50A	----	124.30 + 18.70	.2584	----	----	----	----	110 UNCH
5610	----	----	122.30B/----	122.30B/104.00A	----	122.50 + 18.50	.2553	----	----	----	----	1 UNCH
5615	----	----	121.50B/103.10A	121.50B/103.10A	----	121.60 + 18.30	.2538	----	----	----	----	5 UNCH
5650	----	----	115.40B/98.10A	115.40B/98.10A	----	115.70 + 17.50	.2437	----	----	200	----	401 + 200
5655	----	----	114.70B/97.40A	114.70B/97.40A	----	114.90 + 17.40	.2423	----	----	----	----	2 UNCH
5660	----	----	113.80B/96.70A	113.80B/96.70A	----	114.10 + 17.30	.2408	----	----	----	----	1 UNCH
5675	----	----	111.30B/94.60A	111.30B/94.60A	----	111.70 + 16.90	.2366	----	----	----	----	3 UNCH
5700	----	----	107.50B/91.30A	107.50B/91.30A	----	107.90 + 16.40	.2299	----	----	----	----	20 UNCH
5710	----	----	106.00B/90.00A	106.00B/90.00A	----	106.40 + 16.20	.2272	----	----	----	----	5 UNCH
5720	----	----	104.40B/88.60A	104.40B/88.60A	----	104.90 + 16.00	.2245	----	----	----	----	75 UNCH
5750	----	----	100.30B/85.10A	100.30B/85.10A	----	100.70 + 15.40	.2169	----	----	----	----	1 UNCH
5775	----	----	96.60B/82.20A	96.60B/82.20A	----	97.20 + 14.80	.2105	----	----	----	----	50 UNCH
5800	----	----	93.30B/79.40A	93.30B/79.40A	----	94.00 + 14.40	.2046	----	----	----	----	413 UNCH
5875	----	----	84.10B/71.70A	84.10B/71.70A	----	84.90 + 13.00	.1875	----	----	----	----	1 UNCH
5900	----	----	81.20B/69.30A	81.20B/69.30A	----	82.10 + 12.50	.1821	----	----	----	----	133 UNCH
5925	----	----	78.50B/67.00A	78.50B/67.00A	----	79.40 + 12.10	.1769	----	----	----	----	1 UNCH
5950	----	----	76.00B/64.60A	76.00B/64.60A	----	76.90 + 11.70	.1719	----	----	----	----	1 UNCH
6000	68.00	68.00	71.20B/60.90A	71.20B/60.90A	----	72.00 + 10.90	.1623	----	----	5001	----	3155 + 1089
6100	----	----	62.60B/----	62.60B/54.50A	----	63.50 + 9.50	.1451	----	----	----	----	66 UNCH
6200	----	----	54.90B/----	54.90B/48.80A	----	56.30 + 8.30	.1300	----	----	----	----	38 UNCH
6300	----	----	48.80B/----	48.80B/43.50A	----	50.20 + 7.30	.1169	----	----	----	125	757 + 125
6400	----	----	43.20B/----	43.20B/39.90A	----	45.10 + 6.50	.1057	----	----	----	----	1915 UNCH
6500	35.40	35.40	41.50/35.40	41.50/35.40	----	40.70 + 5.80	.0958	----	----	3929	----	4731 - 745
6800	----	----	27.60B/----	27.60B/*29.20A	----	31.00 + 4.30	.0732	----	----	----	----	1385 UNCH
6900	----	----	25.20B/----	25.20B/27.50A	----	28.50 + 3.90	.0673	----	----	----	----	1 UNCH
7000	26.00	26.00	26.00/26.00	26.00/25.90A	----	26.40 + 3.60	.0622	----	----	10	----	1572 + 1
8000	----	----	12.50B/----	12.50B/17.30A	----	14.90 + 2.50	.0335	----	----	----	----	211 UNCH
8500	----	----	10.30B/----	10.30B/15.10A	----	12.60 + 2.50	.0273	----	----	----	----	208 UNCH
9000	----	----	----	8.70B/13.50A	----	11.30 + 2.60	.0235	----	----	----	----	69 UNCH
9500	----	----	----	7.50B/11.90A	----	10.60 + 2.80	.0212	----	----	----	----	10 UNCH
TOTAL										10847	175	24240 + 2103
NOV26												
4000	----	----	----	828.30B/1178.10A	----	1016.00 + 72.50	.8744	----	----	----	----	1 UNCH
4100	----	----	----	744.40B/1096.00A	----	931.80 + 70.40	.8508	----	----	----	----	1 UNCH
4275	----	----	----	600.10B/963.50A	----	791.60 + 66.00	.8021	----	----	----	----	38 UNCH
4300	----	----	----	580.30B/945.40A	----	772.40 + 65.30	.7943	----	----	----	----	1 UNCH
4375	----	----	----	522.40B/892.20A	----	716.20 + 63.10	.7699	----	----	----	----	38 UNCH
4400	----	----	----	503.70B/874.90A	----	698.00 + 62.40	.7614	----	----	----	----	20 UNCH
4440	----	----	----	474.40B/847.60A	----	669.30 + 61.10	.7474	----	----	----	----	1 UNCH
4500	----	----	575.50B/----	575.50B/579.10A	----	627.50 + 59.10	.7256	----	----	----	----	25 UNCH
4600	----	----	568.30B/----	568.30B/515.60A	----	561.40 + 55.60	.6870	----	----	----	----	1 UNCH
4750	----	----	476.70B/----	476.70B/429.30A	----	471.00 + 50.60	.6253	----	----	----	----	1 UNCH
4775	----	----	462.40B/----	462.40B/416.10A	----	457.00 + 49.70	.6147	----	----	----	----	30 UNCH
4800	----	----	448.60B/----	448.60B/403.10A	----	443.30 + 48.60	.6039	----	----	----	----	2 UNCH
4850	----	----	421.80B/----	421.80B/378.10A	----	416.90 + 46.20	.5823	----	----	----	----	25 UNCH
4900	----	----	396.20B/----	396.20B/354.50A	----	391.90 + 44.00	.5606	----	----	----	----	451 UNCH
4915	----	----	388.50B/----	388.50B/347.70A	----	384.70 + 43.40	.5541	----	----	----	----	1 UNCH
4925	----	----	383.70B/----	383.70B/343.10A	----	380.00 + 43.10	.5497	----	----	----	----	1 UNCH
4950	----	----	371.40B/----	371.40B/332.10A	----	368.30 + 42.10	.5388	----	----	----	----	150 UNCH
5000	----	----	348.70B/----	348.70B/311.00A	----	345.80 + 40.00	.5172	----	----	----	----	29 UNCH
5060	----	----	323.00B/----	323.00B/287.20A	----	320.50 NEW	.4916	----	----	2	----	2 + 2
5080	----	----	314.80B/----	314.80B/279.70A	----	312.50 + 37.00	.4832	----	----	----	----	4 UNCH
5085	----	----	312.80B/----	312.80B/277.80A	----	310.50 + 36.80	.4811	----	----	----	----	4 UNCH
5175	----	----	277.90B/----	277.90B/246.30A	----	277.00 + 33.80	.4441	----	----	----	----	2 UNCH
5200	----	----	269.00B/----	269.00B/238.20A	----	268.40 + 33.10	.4342	----	----	----	----	26 UNCH
5250	----	----	251.90B/----	251.90B/223.00A	----	251.70 + 31.40	.4145	----	----	----	----	9 UNCH
5300	----	----	235.50B/----	235.50B/208.30A	----	236.00 + 29.90	.3954	----	----	----	----	27 UNCH
5370	----	----	214.90B/----	214.90B/189.60A	----	215.40 + 27.70	.3695	----	----	----	----	5 UNCH
5400	----	----	206.60B/----	206.60B/182.20A	----	207.10 + 26.80	.3588	----	----	----	----	17 UNCH
5450	----	----	193.30B/----	193.30B/170.50A	----	194.00 + 25.40	.3414	----	----	----	----	925 UNCH
5500	----	----	180.90B/----	180.90B/159.60A	----	181.80 + 24.00	.3247	----	----	1	----	79 UNCH
5550	----	----	169.70B/----	169.70B/149.50A	----	170.30 + 22.60	.3086	----	----	----	----	1 UNCH
5600	----	----	158.90B/----	158.90B/140.10A	----	159.70 + 21.40	.2932	----	----	----	----	43 UNCH
5700	----	----	139.30B/----	139.30B/123.10A	----	140.60 + 19.10	.2646	----	----	----	----	35 UNCH
5710	----	----	137.80B/----	137.80B/121.70A	----	138.90 + 18.90	.2619	----	----	----	----	1 UNCH
5800	----	----	123.00B/----	123.00B/108.60A	----	124.10 + 17.00	.2387	----	----	----	----	25 UNCH
5825	----	----	118.60B/----	118.60B/105.40A	----	120.40 + 16.60	.2327	----	----	----	----	2 UNCH
5900	----	----	108.50B/----	108.50B/96.10A	----	109.90 + 15.20	.2154	----	----	----	----	1 UNCH
5925	----	----	105.20B/----	105.20B/93.20A	----	106.70 + 14.80	.2100	----	----	----	----	4 UNCH
5975	96.10	96.10	99.10B/96.10	99.10B/87.80A	----	100.50 + 13.90	.1995	----	----	1	----	2 + 1
6000	----	----	96.00B/----	96.00B/85.30A	----	97.60 + 13.50	.1945	----	----	----	----	231 UNCH
6100	----	----	85.00B/----	85.00B/76.20A	----	87.00 + 12.10	.1759	----	----	----	----	1 UNCH
6200	----	----	76.10B/----	76.10B/68.50A	----	77.80 + 10.80	.1593	----	----	----	----	1 UNCH
6400	----	----	59.80B/----	59.80B/56.90A	----	63.00 + 8.60	.1315	----	----	----	----	13 UNCH
6500	----	----	53.40B/----	53.40B/51.30A	----	57.10 + 7.70	.1200	----	----	----	----	1161 UNCH
8000	----	----	----	16.30B/24.90A	----	21.90 + 1.90	.0448	----	----	----	----	11 UNCH
9000	----	----	----	11.10B/19.80A	----	15.40 + 1.00	.0299	----	----	----	----	7 UNCH
20000	----	----	----	0.80B/2.00A	----	1.40 + 0.30	.0023	----	----	----	----	138 UNCH
TOTAL										4		3593 + 3
DEC26												
3550	----	----	----	----	----	1427.00 + 78.60	.9394	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1408.30 + 78.30	.9370	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1380.50 + 77.80	.9332	----	----	----	----	1 UNCH
3800	----	----	----	996.80B/1375.70A	----	1199.50 + 74.60	.9026	----	----	----	----	4 UNCH
3900	----	----	----	909.50B/1288.80A	----	1112.20 + 72.80	.8838	----	----	----	----	2 UNCH
4060	----	----	----	774.90B/1156.70A	----	977.50 + 69.70	.8485	----	----	----	----	100 UNCH
4100	----	----	----	741.50B/1125.90A	----	944.90 + 68.80	.8387	----	----	----	----	48 UNCH
4160	----	----	----	691.60B/1080.60A	----	896.90 + 67.50	.8231	----	----	----	----	100 UNCH
4175	----	----	----	679.40B/1069.50A	----	885.10 + 67.20	.8191	----	----	----	----	37 UNCH
4200	----	----	----	659.10B/1051.00A	----	865.50 + 66.60	.8122	----	----	----	----	150 UNCH
4250	----	----	----	619.10B/1014.70A	----	826.90 + 65.40	.7979	----	----	----	----	293 UNCH
4255	----	----	----	615.20B/1011.10A	----	823.10 + 65.30	.7964	----	----	----	----	50 UNCH
4285	780.20	780.20	#780.20/780.20	780.20/780.20	----	800.40 + 64.50	.7874	----	----	1	----	0 - 1
4300	----	----	----	580.20B/979.20A	----	789.20 + 64.20	.7829	----	----	----	----	436 UNCH
4315	----	----	----	568.70B/968.70A	----	778.10 + 63.80	.7783	----	----	----	----	1 UNCH
4320	----	----	----	564.90B/965.20A	----	774.40 + 63.70	.7768	----	----	----	----	100 UNCH
4350	----	----	----	542.30B/944.40A	----	752.40 + 62.90	.7673	----	----	----	----	206 UNCH
4375	----	----	----	523.80B/927.40A	----	734.30 + 62.10	.7593	----	----	----	----	61 UNCH
4400	----	----	----	505.50B/910.50A	----	716.50 + 61.50	.7510	----	----	----	----	2 UNCH
4425	----	----	----	487.60B/893.90A	----	698.90 + 60.70	.7427	----	----	----	----	8 UNCH
4450	----	----	----	469.90B/877.40A	----	681.60 + 60.00	.7341	----	----	----	----	87 UNCH
4465	----	----	----	459.50B/867.70A	----	671.30 + 59.60	.7289	----	----	----	----	93 UNCH
4490	----	----	616.30B/----	616.30B/606.70A	----	654.40 + 58.80	.7202	----	----	----	----	7 UNCH
4500	----	----	618.90B/----	618.90B/600.20A	----	647.70 + 58.50	.7166	----	----	----	----	757 UNCH
4525	----	----	626.90B/----	626.90B/584.30A	----	631.10 + 57.70	.7077	----	----	----	----	5 UNCH
4540	----	----	628.30B/----	628.30B/574.90A	----	621.30 + 57.20	.7022	----	----	----	----	9 UNCH
4550	----	----	621.40B/----	621.40B/568.70A	----	614.80 + 56.90	.6985	----	----	----	----	1 UNCH
4565	----	----	611.70B/----	611.70B/559.50A	----	605.10 + 56.30	.6930	----	----	----	----	93 UNCH
4580	----	----	602.20B/----	602.20B/550.30A	----	595.60 + 55.80	.6875	----	----	----	----	150 UNCH
4585	----	----	598.90B/----	598.90B/547.20A	----	592.40 + 55.60	.6856	----	----	----	----	325 UNCH
4590	----	----	595.80B/----	595.80B/544.20A	----	589.30 + 55.50	.6837	----	----	----	----	15 UNCH
4600	----	----	589.50B/----	589.50B/538.30A	----	583.00 + 55.10	.6800	----	----	----	----	145 UNCH
4615	----	----	580.10B/----	580.10B/529.30A	----	573.70 + 54.60	.6743	----	----	----	----	41 UNCH
4625	----	----	573.70B/----	573.70B/523.40A	----	567.50 + 54.20	.6705	----	----	----	----	71 UNCH
4640	----	----	564.60B/----	564.60B/514.70A	----	558.40 + 53.70	.6648	----	----	----	----	100 UNCH
4650	----	----	558.50B/----	558.50B/508.90A	----	552.30 + 53.30	.6609	----	----	----	----	302 UNCH
4700	----	----	528.40B/----	528.40B/480.80A	----	522.80 + 51.40	.6415	----	----	----	----	98 UNCH
4720	----	----	516.80B/----	516.80B/469.90A	----	511.40 + 50.70	.6336	----	----	----	----	1 UNCH
4750	----	----	499.70B/----	499.70B/454.10A	----	494.50 + 49.50	.6217	----	----	----	----	211 UNCH
4780	----	----	483.00B/----	483.00B/438.20A	----	478.20 + 48.40	.6097	----	----	----	----	2 UNCH
4800	440.00	440.00	472.20B/428.10A	472.20B/428.10A	----	467.50 + 47.60	.6016	----	----	27	----	175 + 27
4810	----	----	466.80B/----	466.80B/423.10A	----	462.30 + 47.30	.5976	----	----	----	----	56 UNCH
4820	----	----	461.80B/----	461.80B/418.10A	----	457.00 + 46.80	.5936	----	----	----	----	49 UNCH
4825	----	----	459.10B/----	459.10B/415.60A	----	454.50 + 46.70	.5915	----	----	2	----	104 + 2
4850	----	----	445.70B/----	445.70B/403.60A	----	441.70 + 45.60	.5814	----	----	----	----	291 UNCH
4875	----	----	433.00B/----	433.00B/391.70A	----	429.30 + 44.60	.5713	----	----	----	----	1 UNCH
4880	----	----	430.60B/----	430.60B/389.40A	----	426.90 + 44.50	.5692	----	----	----	----	4 UNCH
4900	----	----	420.80B/----	420.80B/380.20A	----	417.20 + 43.70	.5611	----	----	----	----	92 UNCH
4925	----	----	408.60B/----	408.60B/369.10A	----	405.40 + 42.70	.5509	----	----	----	----	126 UNCH
4950	----	----	396.80B/----	396.80B/358.00A	----	393.90 + 41.80	.5408	----	----	----	----	100 UNCH
4975	----	----	385.30B/----	385.30B/347.60A	----	382.60 + 40.80	.5307	----	----	----	----	50 UNCH
5000	----	----	374.00B/----	374.00B/337.00A	----	371.70 + 40.00	.5206	----	----	----	----	2174 UNCH
5025	----	----	363.00B/----	363.00B/326.80A	----	361.00 + 39.00	.5107	----	----	----	----	119 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 37

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5050	----	----	352.30B/----	352.30B/317.00A	----	350.60 + 38.20	.5007	----	----	----	----	100 UNCH
5070	----	----	344.10B/----	344.10B/309.30A	----	342.50 + 37.50	.4929	----	----	----	----	13 UNCH
5075	----	----	342.30B/----	342.30B/307.50A	----	340.50 + 37.40	.4909	----	----	----	----	30 UNCH
5090	----	----	336.10B/----	336.10B/301.90A	----	334.60 + 36.90	.4850	----	----	----	----	13 UNCH
5100	----	----	332.00B/----	332.00B/298.20A	----	330.70 + 36.60	.4811	----	----	----	----	131 UNCH
5150	----	----	312.60B/----	312.60B/280.60A	----	311.80 + 35.10	.4619	----	----	----	----	1 UNCH
5175	----	----	303.30B/----	303.30B/271.90A	----	302.70 + 34.30	.4524	----	----	----	----	100 UNCH
5195	----	----	296.20B/----	296.20B/265.60A	----	295.60 + 33.70	.4448	----	----	----	----	5 UNCH
5200	----	----	294.50B/----	294.50B/263.90A	----	293.90 + 33.60	.4430	----	----	----	----	854 UNCH
5250	----	----	277.00B/----	277.00B/248.00A	----	276.90 + 32.10	.4245	----	----	----	----	308 UNCH
5275	----	----	268.60B/----	268.60B/240.50A	----	268.80 + 31.40	.4154	----	----	----	----	20 UNCH
5300	----	----	260.60B/----	260.60B/233.20A	----	260.90 + 30.70	.4065	----	----	----	----	340 UNCH
5350	----	----	245.30B/----	245.30B/219.30A	----	245.80 + 29.30	.3890	----	----	----	----	457 UNCH
5360	----	----	242.40B/----	242.40B/216.70A	----	242.90 + 29.00	.3856	----	----	----	----	100 UNCH
5370	----	----	239.30B/----	239.30B/214.00A	----	240.10 + 28.80	.3822	----	----	----	----	20 UNCH
5400	236.40	236.40	236.40/235.30	236.40/206.30A	----	231.60 + 27.90	.3720	----	----	150	----	1760 - 90
5460	----	----	214.50B/----	214.50B/191.80A	----	215.60 + 26.30	.3523	----	----	----	----	200 UNCH
5465	----	----	213.40B/----	213.40B/190.60A	----	214.30 + 26.20	.3507	----	----	----	----	50 UNCH
5480	----	----	209.40B/----	209.40B/187.20A	----	210.50 + 25.80	.3460	----	----	----	----	50 UNCH
5500	----	----	204.60B/----	204.60B/182.70A	----	205.60 + 25.30	.3397	----	----	15	15	2375 + 20
5525	----	----	198.50B/----	198.50B/177.30A	----	199.60 + 24.70	.3320	----	----	----	----	80 UNCH
5550	----	----	192.60B/----	192.60B/172.10A	----	193.70 + 24.00	.3244	----	----	----	----	1 UNCH
5600	186.60	186.60	187.20/186.10A	187.20/162.10A	----	182.60 + 22.70	.3096	----	----	183	----	1934 - 106
5650	----	----	170.80B/----	170.80B/152.80A	----	172.20 + 21.60	.2955	----	----	----	----	6 UNCH
5660	----	----	168.90B/----	168.90B/151.00A	----	170.20 + 21.30	.2928	----	----	----	----	1 UNCH
5675	----	----	165.90B/----	165.90B/148.40A	----	167.20 + 21.00	.2886	----	----	----	----	8 UNCH
5680	----	----	165.00B/----	165.00B/147.50A	----	166.20 + 20.80	.2873	----	----	----	----	1 UNCH
5685	----	----	163.70B/----	163.70B/146.70A	----	165.30 + 20.80	.2860	----	----	----	----	18 UNCH
5690	----	----	162.50B/----	162.50B/145.80A	----	164.30 + 20.60	.2846	----	----	----	----	7 UNCH
5700	----	----	160.60B/----	160.60B/144.10A	----	162.40 + 20.40	.2819	----	----	----	----	375 UNCH
5705	----	----	160.10B/----	160.10B/143.20A	----	161.50 + 20.30	.2806	----	----	----	----	5 UNCH
5710	----	----	158.90B/----	158.90B/142.40A	----	160.50 + 20.10	.2793	----	----	----	----	5 UNCH
5750	----	----	151.90B/----	151.90B/135.90A	----	153.30 + 19.30	.2690	----	----	----	----	576 UNCH
5770	----	----	148.40B/----	148.40B/132.90A	----	149.80 + 18.90	.2640	----	----	----	----	5 UNCH
5775	----	----	147.20B/----	147.20B/132.00A	----	148.90 + 18.80	.2627	----	----	----	----	2 UNCH
5800	----	----	142.90B/----	142.90B/128.30A	----	144.70 + 18.30	.2566	----	----	----	----	221 UNCH
5810	----	----	141.50B/----	141.50B/126.80A	----	143.10 + 18.10	.2542	----	----	----	----	56 UNCH
5825	----	----	138.60B/----	138.60B/124.70A	----	140.60 + 17.70	.2506	----	----	----	----	4 UNCH
5875	----	----	131.20B/----	131.20B/117.80A	----	132.90 + 16.80	.2391	----	----	----	----	9 UNCH
5900	----	----	127.70B/----	127.70B/114.60A	----	129.20 + 16.30	.2335	----	----	----	----	1175 UNCH
5950	----	----	120.10B/----	120.10B/108.60A	----	122.30 + 15.50	.2229	----	----	----	----	25 UNCH
6000	102.60	102.60	118.00/102.60	118.00/102.60	----	115.80 + 14.80	.2127	----	----	71	100	6029 + 3
6100	----	----	102.10B/----	102.10B/92.40A	----	104.00 + 13.40	.1939	----	----	----	----	40 UNCH
6150	----	----	96.80B/----	96.80B/87.70A	----	98.70 + 12.80	.1852	----	----	----	----	1 UNCH
6200	----	----	91.20B/----	91.20B/83.40A	----	93.80 + 12.20	.1770	----	----	----	----	3345 UNCH
6250	----	----	#87.00B/----	#87.00B/78.80A	----	89.20 NEW	.1693	----	----	20	----	20 + 20
6300	----	----	82.90B/----	82.90B/75.60A	----	84.90 + 11.30	.1619	----	----	----	----	1046 UNCH
6400	----	----	75.10B/----	75.10B/69.60A	----	77.00 + 10.30	.1483	----	----	----	30	438 UNCH
6500	----	----	67.60B/----	67.60B/64.10A	----	70.10 + 9.40	.1361	----	----	25	----	5077 - 3
6750	----	----	52.20B/----	52.20B/51.60A	----	55.90 + 7.00	.1104	----	----	----	----	100 UNCH
6775	----	----	51.20B/----	51.20B/51.60A	----	54.80 + 6.90	.1083	----	----	----	----	163 UNCH
6800	----	----	52.20B/----	52.20B/50.80A	----	53.60 + 6.60	.1061	----	----	400	15	1814 + 150
6900	----	----	48.40B/----	48.40B/48.10A	----	49.40 + 5.80	.0982	----	----	10	----	12 + 10
7000	48.50	48.50	48.50/44.70	48.50/44.70	----	45.70 + 5.10	.0911	----	----	68	----	4034 + 1
7130	----	----	#40.30B/----	40.30B/42.60A	----	41.70 + 4.40	.0832	----	----	----	----	200 UNCH
7175	----	----	38.90B/----	38.90B/41.80A	----	40.50 + 4.30	.0807	----	----	----	----	125 UNCH
7250	35.40	35.40	35.40/*35.40	35.40/*35.40	----	38.70 + 4.00	.0770	----	----	1	----	108 + 1
7500	31.60	31.60	31.60/31.60	31.60/31.60	----	33.70 + 3.30	.0666	----	----	1	----	108 - 1
8000	----	----	----	20.90B/30.20A	----	27.30 + 2.60	.0526	----	----	----	----	629 UNCH
8125	----	----	----	19.70B/29.10A	----	26.10 + 2.40	.0499	----	----	----	----	801 UNCH
8500	----	----	----	16.90B/26.60A	----	23.20 + 2.10	.0434	----	----	----	----	170 UNCH
8630	----	----	----	#16.10B/25.80A	----	22.40 + 2.00	.0415	----	----	----	----	400 UNCH
8725	----	----	----	15.70B/25.30A	----	21.80 + 1.90	.0402	----	----	----	----	250 UNCH
9000	----	----	18.90B/----	18.90B/24.00A	----	20.40 + 1.70	.0370	----	----	----	----	103 UNCH
9500	----	----	----	16.90B/22.10A	----	18.60 + 1.40	.0327	----	----	----	----	287 UNCH
9900	----	----	----	16.00B/20.70A	----	17.50 + 1.10	.0300	----	----	----	----	17 UNCH
10000	15.00	15.00	15.00/15.00	16.00B/15.00	----	17.20 + 1.00	.0293	----	----	2	----	7801 - 1
11000	----	----	----	8.50B/17.60A	----	14.90 + 0.50	.0242	----	----	----	----	387 UNCH
13000	----	----	----	8.50B/13.20A	----	10.70 - 0.40	.0165	----	----	----	----	394 UNCH
15000	7.50	7.50	7.50/7.50	7.50/7.50	----	7.30 - 0.50	.0110	----	----	3	----	18921 + 2
17000	----	----	----	1.20B/7.80A	----	4.60 - 0.40	.0070	----	----	----	----	27 UNCH
19000	----	----	----	0.20B/6.90A	----	2.90 - 0.10	.0045	----	----	----	----	7 UNCH
20000	2.50	2.50	2.50/2.50	2.50/2.40A	----	2.30 - 0.10	.0036	----	----	3	----	19079 + 1
21000	----	----	----	----/2.00A	----	1.70 - 0.10	.0027	----	----	----	----	23 UNCH
24000	----	----	----	----/1.80A	----	1.50 - 0.10	.0023	----	----	----	----	31 UNCH
TOTAL										982	160	90884 + 35
JAN27												
4190	----	----	----	679.90B/1141.00A	----	917.90 + 67.60	.8130	----	----	----	----	1 UNCH
4290	----	----	----	601.30B/1070.10A	----	842.20 + 65.70	.7854	----	----	----	----	1 UNCH
4300	----	----	----	593.60B/1063.20A	----	834.80 + 65.50	.7825	----	----	----	----	1 UNCH
4400	----	----	----	519.40B/995.60A	----	762.90 + 63.10	.7523	----	----	----	----	1 UNCH
4650	----	----	602.60B/----	602.60B/558.20A	----	600.00 + 55.60	.6681	----	----	----	----	1 UNCH
4750	----	----	544.10B/----	544.10B/502.60A	----	541.80 + 52.00	.6317	----	----	----	----	5 UNCH
4760	----	----	538.40B/----	538.40B/497.20A	----	536.20 + 51.60	.6280	----	----	----	----	100 UNCH
4800	----	----	518.40B/----	518.40B/476.30A	----	514.30 + 50.10	.6131	----	----	----	----	1 UNCH
4850	----	----	491.90B/----	491.90B/451.30A	----	487.90 + 48.10	.5944	----	----	----	----	1 UNCH
4875	----	----	479.00B/----	479.00B/439.20A	----	475.20 + 47.20	.5849	----	----	----	----	4 UNCH
4900	----	----	466.30B/----	466.30B/427.50A	----	462.80 + 46.30	.5755	----	----	----	----	9 UNCH
5000	----	----	418.60B/----	418.60B/383.10A	----	416.10 + 42.50	.5377	----	----	----	----	27 UNCH
5050	----	----	396.30B/----	396.30B/362.70A	----	394.50 + 41.00	.5190	----	----	----	----	100 UNCH
5100	----	----	375.10B/----	375.10B/342.90A	----	373.90 + 39.50	.5005	----	----	----	----	1 UNCH
5195	332.00	332.00	337.60B/332.00	337.60B/308.50A	----	337.60 + 37.30	.4663	----	----	1	----	11 + 1
5250	----	----	317.40B/----	317.40B/290.10A	----	318.10 + 36.10	.4471	----	----	----	----	7 UNCH
5300	----	----	300.10B/----	300.10B/274.40A	----	301.20 + 34.80	.4299	----	----	----	----	1 UNCH
5400	----	----	268.30B/----	268.30B/245.50A	----	270.10 + 32.40	.3969	----	----	----	----	2 UNCH
5500	----	----	239.90B/----	239.90B/219.80A	----	242.10 + 29.70	.3656	----	----	----	----	24 UNCH
5550	----	----	226.90B/----	226.90B/208.10A	----	229.30 + 28.40	.3507	----	----	----	----	1 UNCH
5820	----	----	168.30B/----	168.30B/155.90A	----	171.70 + 21.90	.2788	----	----	----	----	6 UNCH
5850	----	----	162.90B/----	162.90B/151.10A	----	166.40 + 21.20	.2718	----	----	----	----	3 UNCH
5900	----	----	154.30B/----	154.30B/143.40A	----	158.00 + 20.30	.2604	----	----	----	----	5 UNCH
6000	----	----	138.50B/----	138.50B/129.40A	----	142.50 + 18.30	.2390	----	----	----	----	204 UNCH
6025	----	----	134.90B/----	134.90B/126.20A	----	138.90 + 17.90	.2339	----	----	----	----	1 UNCH
6300	----	----	101.60B/----	101.60B/97.30A	----	105.20 + 13.60	.1846	----	----	----	----	2 UNCH
20000	3.10	3.10	3.30/3.10	3.30/3.10	----	4.00 + 0.80	.0057	----	----	2	----	49 + 2
TOTAL										3		569 + 3
FEB27												
5000	----	----	433.50B/----	433.50B/414.70A	----	445.90 + 49.90	.5404	----	----	----	----	1 UNCH
5100	----	----	390.30B/----	390.30B/376.00A	----	403.40 + 46.80	.5057	----	----	----	----	1 UNCH
5175	----	----	360.50B/----	360.50B/348.30A	----	374.10 + 45.40	.4803	----	----	----	----	125 UNCH
5300	----	----	315.40B/----	315.40B/306.20A	----	329.80 + 43.70	.4394	----	----	----	----	50 UNCH
5375	----	----	291.00B/----	291.00B/283.80A	----	305.70 + 42.30	.4159	----	----	----	----	1 UNCH
5400	----	----	283.30B/----	283.30B/276.80A	----	298.10 + 41.80	.4082	----	----	----	----	1 UNCH
5520	----	----	249.10B/----	249.10B/246.00A	----	264.20 + 38.90	.3729	----	----	----	----	300 UNCH
5530	----	----	246.50B/----	246.50B/242.60A	----	261.50 + 38.60	.3701	----	----	----	----	100 UNCH
5550	----	----	241.40B/----	241.40B/237.50A	----	256.40 + 38.10	.3645	----	----	----	----	65 UNCH
5600	----	----	228.90B/----	228.90B/226.50A	----	243.90 + 36.70	.3508	----	----	----	----	1 UNCH
6000	----	----	151.70B/----	151.70B/156.80A	----	166.10 + 26.00	.2572	----	----	----	----	6 UNCH
6025	----	----	148.00B/----	148.00B/152.50A	----	162.30 + 25.40	.2523	----	----	----	----	4 UNCH
6100	----	----	137.40B/----	137.40B/143.20A	----	151.80 + 23.90	.2383	----	----	----	----	1 UNCH
6300	----	----	113.40B/----	113.40B/121.90A	----	127.70 + 20.60	.2050	----	----	----	----	1 UNCH
6500	----	----	94.50B/----	94.50B/104.50A	----	108.10 + 18.10	.1769	----	----	----	----	110 UNCH
6900	----	----	67.80B/----	67.80B/79.70A	----	77.70 + 13.20	.1318	----	----	----	----	532 UNCH
7000	----	----	62.80B/----	62.80B/69.90A	----	71.70 + 11.60	.1226	----	----	----	----	383 UNCH
7100	----	----	58.40B/----	58.40B/70.90A	----	66.30 + 9.70	.1142	----	----	----	----	8 UNCH
7900	----	----	----	0.10B/93.90A	----	36.30 + 2.40	.0656	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/91.80A	----	33.80 + 2.20	.0614	----	----	----	----	500 UNCH
TOTAL												2690 0
MAR27												
4210	938.80	938.80	#938.80/*938.80	#938.80/*938.80	----	955.70 NEW	.7995	----	----	1	----	1 + 1
5000	----	----	----	75.70B/891.60A	----	487.10 + 45.00	.5539	----	----	----	----	75 UNCH
TOTAL										1		76 + 1
APR27												
5000	----	----	----	----	----	507.20 + 45.10	.5551	----	----	----	----	100 UNCH
5600	----	----	----	----/669.10A	----	294.50 + 30.50	.3790	----	----	----	----	300 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
6000	----	----	----	----/489.30A	----	212.50 + 23.20	.2907	----	----	----	----	151 UNCH
TOTAL												551 0
JUN27												
9500	----	----	----	----	----	21.70 + 2.80	.0368	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	792.10 + 52.10	.6307	----	----	----	----	100 UNCH
5000	----	----	----	----	----	726.00 + 49.40	.5971	----	----	----	----	50 UNCH
5650	----	----	----	----	----	474.80 + 36.90	.4478	----	----	----	----	200 UNCH
5700	----	----	----	----	----	459.20 + 36.00	.4373	----	----	----	----	150 UNCH
5800	----	----	----	----	----	429.50 + 34.30	.4167	----	----	----	----	200 UNCH
5880	----	----	----	----	----	407.30 + 33.00	.4007	----	----	----	----	50 UNCH
6300	----	----	----	----	----	309.00 + 26.60	.3248	----	----	----	----	18 UNCH
7500	----	----	----	----	----	223.10 + 18.30	.2238	----	----	----	----	170 UNCH
7800	----	----	----	----	----	216.80 + 17.30	.2119	----	----	----	----	284 UNCH
10000	----	----	----	----	----	152.90 + 11.40	.1402	----	----	----	----	100 UNCH
10500	----	----	----	----	----	135.80 + 10.10	.1254	----	----	----	----	10 UNCH
TOTAL												1332 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
APR26												
3700	----	----	----	----/*0.10A	----	0.10 UNCH	.0008	----	----	----	----	1 UNCH
3750	----	----	----	----/*0.20A	----	0.10 UNCH	.0008	----	----	----	----	2 UNCH
3800	----	----	----	----/*0.20A	----	0.10 UNCH	.0009	----	----	----	----	2 UNCH
4000	----	----	----	----/*0.20A	----	0.10 - 0.10	.0011	----	----	----	----	43 UNCH
4050	----	----	----	----/*0.20A	----	0.10 - 0.10	.0012	----	----	----	----	12 UNCH
4100	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0012	----	----	1	----	13 UNCH
4100	----	----	----/*1.50A	0.80B/*1.50A	----	1.10 - 0.70	.0091	----	----	----	----	2 UNCH
4125	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0013	----	----	----	----	2 UNCH
4200	635.00	635.00	667.90B/635.00	667.90B/575.10A	----	650.20 + 82.60	.9985	----	----	1	----	0 - 1
4200	----	----	----/*3.40A	2.70B/*3.40A	----	3.40 - 3.00	.0243	----	----	----	----	12 UNCH
4200	----	----	----/*1.70A	1.30B/*1.70A	----	1.40 - 1.30	.0124	----	----	----	----	53 UNCH
4200	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0014	----	----	----	----	8 UNCH
4230	578.10	578.10	#638.00B/578.10	#638.00B/545.30A	----	620.20 NEW	.9984	----	----	3	----	0 UNCH
4240	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0015	----	----	----	----	1 UNCH
4245	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0015	----	----	----	----	2 UNCH
4250	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0015	----	----	----	----	50 UNCH
4250	----	----	----/*4.10A	3.50B/*4.10A	----	4.10 - 3.90	.0297	----	----	----	----	12 UNCH
4255	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0015	----	----	----	----	1 UNCH
4270	----	----	----/*1.90A	1.90B/*1.90A	----	1.70 - 2.00	.0159	----	----	----	----	1 UNCH
4280	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0016	----	----	----	----	1 UNCH
4300	----	----	----	----	----	554.60 + 77.70	.9625	----	----	----	----	1 UNCH
4300	----	----	----/*2.10A	2.30B/*2.10A	----	1.90 - 2.30	.0181	----	----	----	----	3 UNCH
4300	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0017	----	----	----	----	103 UNCH
4315	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	.0017	----	----	----	----	1 UNCH
4320	----	----	----/*2.20A	2.60B/*2.20A	----	2.10 - 2.60	.0201	----	----	----	----	1 UNCH
4320	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	.0017	----	----	----	----	17 UNCH
4325	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.40	.0017	----	----	6	----	6 + 5
4340	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.50	.0018	----	----	----	----	1 UNCH
4350	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 - 0.50	.0018	----	----	2	----	6 + 2
4370	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.60	.0019	----	----	----	----	15 UNCH
4380	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.70	.0019	----	----	----	----	1 UNCH
4400	----	----	----/*3.00A	4.40B/*3.00A	----	3.00 - 4.20	.0298	----	----	----	----	1 UNCH
4400	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.80	.0020	----	----	5	----	7 + 3
4410	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.80	.0020	----	----	----	----	1 UNCH
4415	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.90	.0021	----	----	----	----	2 UNCH
4420	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.90	.0021	----	----	----	----	5 UNCH
4425	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 1.00	.0021	----	----	----	----	1 UNCH
4430	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 1.00	.0021	----	----	----	----	16 UNCH
4435	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 1.00	.0022	----	----	----	----	2 UNCH
4440	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 1.10	.0022	----	----	----	----	2 UNCH
4445	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 1.10	.0022	----	----	----	----	10 UNCH
4450	----	----	----/*3.90A	6.30B/*3.90A	----	4.00 - 5.70	.0401	----	----	----	----	1 UNCH
4450	----	----	----/*9.90A	12.30B/*9.90A	----	10.50 - 10.00	.0763	----	----	----	----	1 UNCH
4450	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 1.20	.0022	----	----	----	----	4 UNCH
4455	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 1.20	.0023	----	----	----	----	16 UNCH
4460	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 1.30	.0023	----	----	----	----	3 UNCH
4465	----	----	405.70B/----	405.70B/316.30A	----	389.20 + 76.40	.9564	----	----	----	----	5 UNCH
4475	----	----	----/*0.40A	0.40B/*0.40A	----	0.10 - 1.50	.0024	----	----	----	----	108 UNCH
4475	----	----	----/*11.20A	14.50B/*11.20A	----	12.00 - 11.20	.0866	----	----	----	----	1 UNCH
4480	----	----	----/*11.50A	15.00B/*11.50A	----	12.30 - 11.50	.0888	----	----	----	----	1 UNCH
4490	----	----	----/*0.40A	0.40B/*0.40A	----	0.10 - 1.70	.0024	----	----	----	----	12 UNCH
4500	----	----	#368.10B/----	#368.10B/273.60A	----	350.20 + 80.90	.9974	----	----	----	----	2 UNCH
4500	----	----	----/*4.90A	9.10B/*4.90A	----	5.40 - 7.80	.0544	----	----	2	----	105 + 1
4500	1.00	1.00	1.00/*0.40A	1.00/*0.40A	----	0.10 - 1.80	.0025	----	----	9	----	48 + 3
4505	----	----	----/*0.30A	0.70B/*0.30A	----	0.20 - 1.80	.0045	----	----	----	----	1 UNCH
4510	----	----	358.10B/----	358.10B/263.60A	----	340.20 + 80.80	.9953	----	----	----	----	1 UNCH
4510	----	----	----/*5.30A	9.80B/*5.30A	----	5.70 NEW	.0575	----	----	1	----	1 + 1
4510	1.10	1.10	1.10/*0.40A	1.10/*0.40A	----	0.20 NEW	.0046	----	----	1	----	1 + 1
4515	----	----	----/*0.50A	0.70B/*0.50A	----	0.20 - 2.00	.0047	----	----	----	----	4 UNCH
4520	----	----	----/*0.50A	0.70B/*0.50A	----	0.20 - 2.10	.0047	----	----	----	----	3 UNCH
4525	----	----	----/*5.70A	11.00B/*5.70A	----	6.30 - 9.30	.0635	----	----	----	----	20 UNCH
4525	----	----	----/*0.50A	0.90B/*0.50A	----	0.20 - 2.20	.0048	----	----	----	----	5 UNCH
4530	0.70	0.70	0.70/*0.50A	0.90B/*0.50A	----	0.20 - 2.30	.0048	----	----	1	----	2 + 1
4530	----	----	338.10B/----	338.10B/244.00A	----	320.30 + 80.40	.9951	----	----	----	----	1 UNCH
4545	0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.30 - 2.60	.0070	----	----	10	----	11 + 10
4550	----	----	318.20B/----	318.20B/224.70A	----	300.40 + 80.00	.9928	----	----	----	----	46 UNCH
4550	0.60	0.60	0.60/*0.50A	1.30B/*0.50A	----	0.30 - 2.70	.0071	----	----	3	----	6 + 2
4550	----	----	----/*6.60A	13.40B/*6.60A	----	7.60 - 10.80	.0757	----	----	1	----	1 UNCH
4550	----	----	323.20B/----	323.20B/237.90A	----	307.50 + 71.90	.9240	----	----	----	----	1 UNCH
4555	0.10	0.10	0.10/*0.10	1.30B/*0.10	----	0.30 - 2.80	.0072	----	----	1	----	4 + 1
4560	----	----	----/*0.50A	1.30B/*0.50A	----	0.30 - 3.00	.0073	----	----	----	----	2 UNCH
4565	1.30	1.30	1.30/*0.50	1.40B/*0.50	----	0.30 - 3.20	.0074	----	----	3	----	5 UNCH
4575	----	----	----/*0.60A	1.70B/*0.60A	----	0.40 - 3.40	.0096	----	----	----	----	2 UNCH
4575	----	----	299.60B/----	299.60B/216.00A	----	284.00 + 70.00	.9100	----	----	----	----	1 UNCH
4580	----	----	----/*0.30A	1.80B/*0.30A	----	0.40 - 3.60	.0098	----	----	----	----	3 UNCH
4585	----	----	290.10B/----	290.10B/207.40A	----	274.70 + 69.20	.9035	----	----	----	----	1 UNCH
4585	2.30	2.30	2.30/*0.50A	2.30/*0.50A	----	0.40 - 3.80	.0099	----	----	1	----	2 UNCH
4590	0.20	0.20	0.20/*0.20	2.20B/*0.20	----	0.50 - 4.00	.0120	----	----	1	----	5 + 1
4600	----	----	268.20B/----	268.20B/175.60A	----	250.60 + 78.30	.9875	----	----	----	----	1 UNCH
4600	----	----	276.10B/----	276.10B/194.70A	----	260.90 + 67.90	.8928	----	----	----	----	4 UNCH
4600	11.00	11.00	11.60/*9.30A	19.90B/*9.30A	----	11.00 - 14.70	.1069	----	----	5	----	8 + 3
4600	34.30	34.30	34.30/*21.40	34.30/*21.40	----	24.50 NEW	.1653	----	----	2	----	0 UNCH
4600	1.90	1.90	1.90/*0.50A	2.50B/*0.50A	----	0.50 - 4.50	.0124	----	----	36	----	45 + 13
4605	0.60	0.60	0.60/*0.40A	2.60B/*0.40A	----	0.50 - 4.70	.0126	----	----	1	----	3 + 1
4605	----	----	263.20B/----	263.20B/171.30A	----	245.60 + 78.00	.9873	----	----	----	----	1 UNCH
4610	0.80	0.80	0.80/*0.60A	2.80B/*0.60A	----	0.50 - 5.00	.0128	----	----	3	----	5 UNCH
4610	----	----	----/*25.30A	35.50B/*25.30A	----	26.00 - 20.80	.1740	----	----	----	----	6 UNCH
4615	1.00	1.00	1.00/*0.60A	3.00B/*0.60A	----	0.60 - 5.30	.0150	----	----	1	----	6 + 1
4615	----	----	253.20B/----	253.20B/161.80A	----	235.70 + 77.50	.9849	----	----	1	----	1 UNCH
4620	1.30	1.30	1.30/*0.60A	3.30B/*0.60A	----	0.60 - 5.60	.0152	----	----	1	----	54 + 1
4620	----	----	248.30B/----	248.30B/156.50A	----	230.70 + 77.10	.9846	----	----	----	----	1 UNCH
4620	----	----	----/*10.90A	23.30B/*10.90A	----	12.80 NEW	.1228	----	----	1	----	1 + 1
4625	----	----	----/*0.40A	3.70B/*0.40A	----	0.60 - 6.00	.0155	----	----	2	----	41 - 2
4625	----	----	----/*27.60A	39.10B/*27.60A	----	28.40 - 22.20	.1877	----	----	----	----	1 UNCH
4630	0.30	0.30	0.40/*0.30	3.90B/*0.30	----	0.70 - 6.30	.0178	----	----	13	----	10 + 2
4630	----	----	----/*11.80A	25.20B/*11.80A	----	13.80 - 17.80	.1314	----	----	1	----	6 + 1
4640	----	----	228.30B/----	228.30B/138.30A	----	210.80 + 75.60	.9795	----	----	1	----	0 - 1
4640	1.70	1.70	1.70/*0.60A	4.60B/*0.60A	----	0.80 - 7.00	.0204	----	----	1	----	38 UNCH
4645	3.60	3.60	3.60/*0.70A	4.90B/*0.70A	----	0.80 - 7.50	.0208	----	----	1	----	30 + 1
4650	2.60	2.60	2.60/*0.60	5.30B/*0.60	----	0.90 - 7.90	.0231	----	----	7	----	70 + 1
4650	----	----	218.50B/----	218.50B/129.10A	----	200.90 + 74.70	.9768	----	----	2	----	3 + 1
4650	14.50	14.50	14.50/*13.80A	29.50B/*13.80A	----	16.20 - 20.00	.1513	----	----	80	----	80 + 77
4650	----	----	----/*31.90A	45.80B/*31.90A	----	32.90 - 24.80	.2125	----	----	----	----	10 UNCH
4650	----	----	230.40B/----	230.40B/154.50A	----	216.20 + 62.70	.8485	----	----	----	----	2 UNCH
4655	----	----	----/*0.80A	5.70B/*0.80A	----	0.90 - 8.50	.0236	----	----	2	----	2 + 1
4655	----	----	----/*14.40A	30.80B/*14.40A	----	16.90 - 20.50	.1568	----	----	----	----	1 UNCH
4660	1.50	1.50	1.50/*0.60	6.20B/*0.60	----	1.00 - 9.00	.0260	----	----	75	----	75 + 72
4660	----	----	----/*14.90A	32.10B/*14.90A	----	17.60 NEW	.1624	----	----	1	----	1 + 1
4665	----	----	203.60B/----	203.60B/115.60A	----	186.10 + 73.10	.9734	----	----	----	----	11 UNCH
4665	----	----	----/*0.90A	6.70B/*0.90A	----	1.00 - 9.60	.0265	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
4670	----	----	212.60B/----	212.60B/140.10A	----	199.10 + 60.40	.8256	----	----	----	----	8 UNCH
4670	1.00	1.00	1.00/*0.90A	7.20B/*0.90A	----	1.10 - 10.20	.0290	----	----	2	----	13 UNCH
4670	30.60	30.60	30.60/*16.00A	34.60B/*16.00A	----	19.10 NEW	.1741	----	----	1	----	1 + 1
4675	----	----	----/*16.80A	36.00B/*16.80A	----	19.90 - 22.90	.1802	----	----	----	----	4 UNCH
4675	2.50	2.50	2.50/*1.00A	7.80B/*1.00A	----	1.20 - 10.80	.0316	----	----	5	----	20 + 4
4680	----	----	188.60B/----	188.60B/102.20A	----	171.30 + 71.10	.9657	----	----	----	----	1 UNCH
4680	7.50	7.50	7.50/*1.00A	8.40B/*1.00A	----	1.30 - 11.50	.0342	----	----	22	----	27 + 2
4685	----	----	----/*18.20A	38.70B/*18.20A	----	21.50 - 24.30	.1926	----	----	----	----	6 UNCH
4685	----	----	199.70B/----	199.70B/128.90A	----	186.50 + 58.40	.8072	----	----	----	----	1 UNCH
4685	6.00	6.00	6.00/*1.10A	9.10B/*1.10A	----	1.30 - 12.40	.0350	----	----	2	----	2 - 1
4690	----	----	178.80B/----	178.80B/93.80A	----	161.50 + 69.60	.9622	----	----	----	----	2 UNCH
4690	6.50	6.50	6.60/*0.90	9.90B/*0.90	----	1.40 - 13.20	.0377	----	----	27	----	25 + 22
4690	----	----	195.50B/----	195.50B/125.40A	----	182.40 + 57.70	.8005	----	----	----	----	5 UNCH
4690	----	----	206.60B/----	206.60B/153.00A	----	201.60 + 53.30	.7419	----	----	----	----	1 UNCH
4695	29.80	29.80	29.80/*19.70A	41.70B/*19.70A	----	23.30 - 25.70	.2059	----	----	1	----	3 + 1
4695	----	----	173.80B/----	173.80B/89.70A	----	156.60 + 68.70	.9594	----	----	----	----	1 UNCH
4695	1.10	1.10	1.10/*1.10	10.70B/*1.10	----	1.50 - 14.00	.0405	----	----	6	----	8 + 4
4700	9.10	9.10	9.10/*1.00	11.50B/*1.00	----	1.70 - 14.80	.0452	----	----	53	----	56 + 33
4700	22.00	22.00	22.30/*20.50A	43.20B/*20.50A	----	24.30 NEW	.2131	----	----	4	----	4 + 4
4700	----	----	168.90B/----	168.90B/85.40A	----	151.80 + 67.90	.9546	----	----	----	----	4 UNCH
4705	1.00	1.00	1.00/*1.00	12.40B/*1.00	----	1.80 - 15.80	.0482	----	----	1	----	3 UNCH
4705	----	----	163.90B/----	163.90B/81.40A	----	146.90 + 66.90	.9517	----	----	3	----	4 + 3
4710	6.50	6.50	6.80/*1.00	13.40B/*1.00	----	1.90 - 16.90	.0513	----	----	54	----	50 + 39
4710	----	----	159.10B/----	159.10B/77.40A	----	142.00 + 65.80	.9486	----	----	----	----	5 UNCH
4715	----	----	----/*23.10A	48.40B/*23.10A	----	27.40 - 28.40	.2350	----	----	----	----	15 UNCH
4715	----	----	----/*1.60A	14.50B/*1.60A	----	2.10 - 18.00	.0563	----	----	6	----	50 + 5
4720	12.20	12.20	12.20/*1.70A	15.80B/*1.70A	----	2.30 - 19.10	.0614	----	----	49	----	79 + 32
4725	----	----	144.30B/----	144.30B/65.90A	----	127.60 + 62.40	.9333	----	----	----	----	1 UNCH
4725	----	----	166.50B/----	166.50B/102.70A	----	154.70 + 52.70	.7491	----	----	----	----	3 UNCH
4725	15.50	15.50	15.50/*1.50	17.00B/*1.50	----	2.50 - 20.30	.0666	----	----	23	----	72 + 3
4730	----	----	139.40B/----	139.40B/62.40A	----	122.80 + 61.10	.9279	----	----	1	----	1 + 1
4730	12.80	12.80	12.80/*1.90A	18.30B/*1.90A	----	2.70 - 21.70	.0720	----	----	7	----	51 - 1
4735	----	----	----/*27.10A	55.70B/*27.10A	----	32.10 - 31.40	.2668	----	----	----	----	1 UNCH
4735	----	----	134.60B/----	134.60B/58.80A	----	118.00 + 59.60	.9224	----	----	----	----	6 UNCH
4735	----	----	----/*2.00A	19.80B/*2.00A	----	2.90 - 23.10	.0775	----	----	17	----	16 + 6
4740	9.00	9.00	9.00/*2.20	21.30B/*2.20	----	3.20 - 24.50	.0849	----	----	31	----	20 + 14
4745	51.90	51.90	124.90B/51.80A	124.90B/51.80A	----	108.60 + 56.70	.9075	----	----	1	----	9 UNCH
4745	15.20	15.20	15.20/*2.30A	23.00B/*2.30A	----	3.50 NEW	.0924	----	----	100	----	78 + 78
4750	----	----	147.10B/85.60A	147.10B/85.60A	----	136.20 + 48.90	.7070	----	----	----	----	1 UNCH
4750	61.00	61.00	120.10B/48.40A	120.10B/48.40A	----	104.00 + 55.20	.8981	----	----	36	----	57 - 10
4750	46.80	46.80	46.80/*30.50A	61.90B/*30.50A	----	36.20 NEW	.2927	----	----	1	----	1 + 1
4750	16.80	16.80	20.00/*2.10	24.80B/*2.10	----	3.90 - 27.50	.1017	----	----	120	----	141 + 38
4750	----	----	----/*56.10A	81.50B/*56.10A	----	58.90 - 36.70	.3367	----	----	----	----	11 UNCH
4755	20.00	20.00	20.00/*2.60A	26.60B/*2.60A	----	4.30 - 29.10	.1112	----	----	26	----	25 + 23
4755	----	----	115.20B/44.70A	115.20B/44.70A	----	99.30 NEW	.8887	----	----	3	----	3 + 3
4760	----	----	110.50B/41.80A	110.50B/41.80A	----	94.80 + 51.90	.8789	----	----	----	----	36 UNCH
4760	----	----	----/*33.10A	66.30B/*33.10A	----	39.10 - 35.30	.3105	----	----	----	----	4 UNCH
4760	----	----	----/*59.20A	85.00B/*59.20A	----	62.30 - 37.90	.3510	----	----	----	----	1 UNCH
4760	22.20	22.20	22.20/*3.00A	28.50B/*3.00A	----	4.70 - 30.80	.1209	----	----	12	----	10 + 9
4765	19.40	19.40	21.00/*3.20	31.00B/*3.20	----	5.20 - 32.60	.1323	----	----	10	----	7 + 3
4765	----	----	135.90B/77.30A	135.90B/77.30A	----	125.60 + 46.50	.6801	----	----	----	----	3 UNCH
4770	----	----	101.10B/36.10A	101.10B/36.10A	----	85.80 + 48.30	.8559	----	----	----	----	3 UNCH
4770	27.50	27.50	27.50/*3.50A	33.10B/*3.50A	----	5.70 NEW	.1440	----	----	25	----	14 + 14
4775	12.00	12.00	12.00/*3.90A	35.50B/*3.90A	----	6.30 - 36.30	.1573	----	----	13	----	14 + 11
4775	44.10	44.10	96.40B/33.60A	96.40B/33.60A	----	81.40 + 46.40	.8426	----	----	10	----	10 + 3
4780	63.00	63.00	63.00/*38.70A	76.00B/*38.70A	----	45.50 NEW	.3480	----	----	1	----	1 + 1
4780	----	----	148.10B/----	148.10B/98.80A	----	139.50 + 42.00	.6191	----	----	----	----	1 UNCH
4780	21.00	21.00	26.00/*3.60	38.00B/*3.60	----	7.00 - 38.20	.1721	----	----	24	----	12 + 11
4780	30.10	30.10	91.70B/30.10	91.70B/30.10	----	77.10 + 44.50	.8278	----	----	3	----	1 - 1
4785	28.90	28.90	31.80B/*4.70	40.80B/*4.70	----	7.70 - 40.20	.1872	----	----	12	----	21 + 5
4785	----	----	87.00B/28.70A	87.00B/28.70A	----	72.80 + 42.50	.8126	----	----	----	----	1 UNCH
4790	51.40	51.40	51.40/*41.80A	81.00B/*41.80A	----	49.00 NEW	.3675	----	----	1	----	1 + 1
4790	72.30	72.30	118.30B/64.70A	118.30B/64.70A	----	109.10 NEW	.6322	----	----	8	----	8 + 8
4790	20.50	20.50	28.80/*5.20A	43.50B/*5.20A	----	8.60 - 42.10	.2050	----	----	72	----	64 + 59
4790	26.40	26.40	82.60B/26.40	82.60B/26.40	----	68.70 + 40.60	.7949	----	----	4	----	3 + 1
4795	71.20	71.20	71.20/*43.40A	83.60B/*43.40A	----	50.90 NEW	.3775	----	----	8	----	8 + 8
4795	36.50	36.50	78.10B/24.30A	78.10B/24.30A	----	64.60 + 38.50	.7770	----	----	3	----	1 UNCH
4795	8.40	8.40	8.40/*5.70A	46.00B/*5.70A	----	9.50 - 44.20	.2229	----	----	3	----	3 UNCH
4800	70.00	70.00	70.00/*45.20A	86.40B/*45.20A	----	52.80 NEW	.3876	----	----	26	----	26 + 26
4800	22.50	22.50	73.70B/22.40A	73.70B/22.40A	----	60.70 + 36.60	.7567	----	----	61	----	83 + 7
4800	----	----	----/*73.30A	102.70B/*73.30A	----	77.40 - 43.20	.4108	----	----	----	----	1 UNCH
4800	35.00	35.00	35.00/*5.70	48.80B/*5.70	----	10.60 - 46.10	.2431	----	----	108	----	73 + 69
4805	25.00	25.00	69.10B/20.50A	69.10B/20.50A	----	56.90 + 34.60	.7354	----	----	4	----	2 + 1
4805	80.30	80.30	108.60B/58.50A	108.60B/58.50A	----	99.80 NEW	.6020	----	----	9	----	9 + 9
4805	10.30	10.30	10.30/*7.00A	52.40B/*7.00A	----	11.80 - 48.10	.2645	----	----	7	----	4 + 3
4810	24.00	24.00	27.40/*7.70A	55.70B/*7.70A	----	13.00 NEW	.2861	----	----	53	----	33 + 33
4810	21.50	21.50	65.10B/18.80A	65.10B/18.80A	----	53.10 + 32.50	.7138	----	----	52	----	42 + 29
4815	----	----	----/*8.70A	59.20B/*8.70A	----	14.50 NEW	.3101	----	----	1	----	1 + 1
4815	76.00	76.00	76.00/*50.60A	94.70B/*50.60A	----	58.80 NEW	.4182	----	----	50	----	50 + 50
4815	64.00	64.00	102.20B/53.70A	102.20B/53.70A	----	93.90 NEW	.5815	----	----	48	----	28 + 28
4815	26.50	26.50	61.10B/17.00A	61.10B/17.00A	----	49.60 + 30.60	.6898	----	----	7	----	4 + 2
4820	64.00	64.00	99.10B/51.90A	99.10B/51.90A	----	91.00 NEW	.5711	----	----	1	----	1 + 1
4820	73.60	73.60	73.60/*52.50A	97.70B/*52.50A	----	60.90 NEW	.4286	----	----	9	----	9 + 9
4820	----	----	----/*81.40A	113.60B/*81.40A	----	86.00 - 45.70	.4419	----	----	----	----	1 UNCH
4820	29.40	29.40	29.90/*9.40	62.70B/*9.40	----	16.00 NEW	.3343	----	----	45	----	35 + 35
4820	16.70	16.70	57.30B/15.40A	57.30B/15.40A	----	46.10 + 28.60	.6655	----	----	20	----	20 + 7
4825	66.30	66.30	96.40B/49.70A	96.40B/49.70A	----	88.20 NEW	.5606	----	----	5	----	5 + 5
4825	22.00	22.00	22.00/*10.20	66.20B/*10.20	----	17.70 NEW	.3599	----	----	8	----	6 + 6
4825	17.50	17.50	53.60B/14.00A	53.60B/14.00A	----	42.80 + 26.70	.6400	----	----	31	----	36 + 9
4830	24.10	24.10	24.10/*11.70	70.20B/*11.70	----	19.60 NEW	.3864	----	----	10	----	9 + 9
4830	80.20	80.20	80.20/*56.60A	103.40B/*56.60A	----	65.40 NEW	.4496	----	----	28	----	28 + 28
4830	66.00	66.00	93.50B/47.80A	93.50B/47.80A	----	85.40 NEW	.5501	----	----	9	----	9 + 9
4830	12.80	12.80	49.90B/12.60A	49.90B/12.60A	----	39.70 + 24.90	.6134	----	----	29	----	20 + 17
4835	25.30	25.30	26.50/*13.30A	73.80B/*13.30A	----	21.60 NEW	.4134	----	----	15	----	5 + 5
4835	30.30	30.30	46.50/11.40A	46.50/11.40A	----	36.60 + 23.00	.5865	----	----	17	----	11 + 9
4835	57.50	57.50	91.10B/45.90A	91.10B/45.90A	----	82.70 NEW	.5396	----	----	8	----	8 + 8
4840	62.30	62.30	88.30B/44.10A	88.30B/44.10A	----	80.10 NEW	.5290	----	----	4	----	4 + 4
4840	20.10	20.10	20.20/*14.50	77.80B/*14.50	----	23.70 NEW	.4408	----	----	13	----	8 + 8
4840	20.10	20.10	43.10B/10.30A	43.10B/10.30A	----	33.80 + 21.30	.5591	----	----	1	----	5 + 1
4845	24.00	24.00	24.00/*16.50A	81.90B/*16.50A	----	26.00 NEW	.4685	----	----	16	----	14 + 14
4845	----	----	85.70B/42.40A	85.70B/42.40A	----	77.50 + 33.30	.5184	----	----	----	----	18 UNCH
4845	14.90	14.90	40.00B/9.30A	40.00B/9.30A	----	31.10 + 19.70	.5313	----	----	2	----	6 + 1
4850	40.40	40.40	40.40/*18.30A	86.10B/*18.30A	----	28.50 NEW	.4964	----	----	27	----	22 + 22
4850	----	----	106.90B/66.40A	106.90B/66.40A	----	100.20 NEW	.5102	----	----	1	----	1 + 1
4850	74.20	74.20	74.20/*65.30A	116.20B/*65.30A	----	74.90 NEW	.4919	----	----	4	----	4 + 4
4850	54.90	54.90	82.90B/40.70A	82.90B/40.70A	----	75.00 NEW	.5078	----	----	1	----	1 + 1
4850	10.70	10.70	37.50B/8.40A	37.50B/8.40A	----	28.60 + 18.10	.5034	----	----	97	----	110 + 44
4855	15.50	15.50	34.30B/7.60A	34.30B/7.60A	----	26.20 + 16.60	.4756	----	----	9	----	4 + 2
4855	25.00	25.00	26.00/*20.30A	90.30B/*20.30A	----	31.10 - 66.10	.5243	----	----	5	----	5 + 3
4860	24.30	24.30	24.30/*22.50A	94.60B/*22.50A	----	33.90 NEW	.5518	----	----	7	----	6 + 6
4860	----	----	77.80B/37.50A	77.80B/37.50A	----	70.10 + 30.90	.4866	----	----	----	----	4 UNCH
4860	9.50	9.50	31.60B/6.80A	31.60B/6.80A	----	24.00 + 15.20	.4481	----	----	15	----	9 + 6
4865	----	----	75.20B/36.00A	75.20B/36.00A	----	67.80 NEW	.4760	----	----	----	100	100 + 100
4865	29.40	29.40	29.40/*24.80A	99.20B/*24.80A	----	36.80 NEW	.5790	----	----	5	----	5 + 5
4865	14.10	14.10	29.00B/6.20A	29.00B/6.20A	----	21.90 + 13.80	.4209	----	----	33	----	28 + 25
4870	----	----	72.70B/34.50A	72.70B/34.50A	----	65.50 + 29.40	.4654	----	----	----	----	14 UNCH
4870	6.20	6.20	26.60B/5.60A	26.60B/5.60A	----	20.00 NEW	.3945	----	----	20	----	5 + 5
4870	----	----	----/*27.30A	103.40B/*27.30A	----	39.90 NEW	.6054	----	----	1	----	1 + 1
4875	54.00	54.00	59.30/*29.90A	107.90B/*29.90A	----	43.10 NEW	.6313	----	----	2	----	1 + 1
4875	10.60	10.60	24.30B/5.00A	24.30B/5.00A	----	18.20 + 11.30	.3686	----	----	21	----	42 + 16
4880	90.50	90.50	90.50/*80.10A	137.90B/*80.10A	----	90.90 NEW	.5554	----	----	7	----	7 + 7
4880	10.40	10.40	22.10B/4.60A	22.10B/4.60A	----	16.50 + 10.20	.3433	----	----	7	----	9 + 4
4880	----	----	----/*33.00A	112.30B/*33.00A	----	46.40 - 72.50	.6566	----	----	----	----	1 UNCH
4885	59.00	59.00	59.00/*35.80A	117.00B/*35.80A	----	49.90 - 73.50	.6806	----	----	4	----	3 + 1
4885	9.40	9.40	20.10B/4.20A	20.10B/4.20A	----	15.00 + 9.20	.3193	----	----	24	----	25 + 15
4890	56.90	56.90	63.30B/29.10A	63.30B/29.10A	----	56.90 NEW	.4236	----	----	1	----	1 + 1
4890	7.50	7.50	18.30B/3.80A	18.30B/3.80A	----	13.60 + 8.20	.2962	----	----	25	----	55 + 3
4895	45.50	45.50	45.50/*42.90A	126.20B/*42.90A	----	57.30 NEW	.7249	----	----	2	----	1 + 1
4895	----	----	16.60B/3.50A	16.60B/3.50A	----	12.40 NEW	.2749	----	----	2	----	1 + 1
4900	----	----	82.80B/48.80A	82.80B/48.80A	----	77.30 + 27.10	.4312	----	----	1	----	31 + 1
4900	28.20	28.20	59.00/26.60A	59.00/26.60A	----	52.90 + 24.80	.4030	----	----	9	----	9 + 2
4900	4.00	4.00	16.30/3.20A	16.30/3.20A	----	11.20 + 6.60	.2539	----	----	73	----	51 - 1
4900	77.00	77.00	77.00/*46.10A	131.00B/*46.10A	----	61.10 - 76.10	.7460	----	----	6	----	5 + 4
4905	----	----	56.90B/25.50A	56.90B/25.50A	----	51.00 + 24.00	.3929	----	----	----	----	50 UNCH
4905	5.60	5.60	13.40B/2.90A	13.40B/2.90A	----	10.20 NEW	.2349	----	----	6	----	1 + 1
4910	----	----	54.90B/24.30A	54.90B/24.30A	----	49.20 + 23.40	.3829	----	----	----	----	4 UNCH
4910	4.70	4.70	12.20B/2.70A	12.20B/2.70A	----	9.20 + 5.20	.2162	----	----	59	----	61 + 50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4915	3.30	3.30	11.00B/2.50A	11.00B/2.50A	----	8.30 NEW	.1987	----	----	12	----	7 + 7
4915	----	----	----/*57.50A	145.20B/*57.50A	----	73.20 - 78.10	.8012	----	----	----	----	1 UNCH
4920	71.20	71.20	71.20/*61.50A	150.00B/*61.50A	----	77.40 NEW	.8161	----	----	1	----	1 + 1
4920	4.40	4.40	9.80B/2.30A	9.80B/2.30A	----	7.60 + 4.20	.1838	----	----	18	----	17 + 14
4925	----	----	----/*65.50A	154.70B/*65.50A	----	81.70 - 79.10	.8321	----	----	----	----	0 UNCH
4925	----	----	49.10B/21.20A	49.10B/21.20A	----	44.00 NEW	.3534	----	----	1	----	1 + 1
4925	56.00	56.00	72.30B/41.60A	72.30B/41.60A	----	67.50 NEW	.3929	----	----	5	----	5 + 5
4925	4.90	4.90	8.80B/2.10A	8.80B/2.10A	----	6.80 + 3.60	.1678	----	----	5	----	9 + 5
4930	----	----	7.80B/2.00A	7.80B/2.00A	----	6.20 + 3.20	.1546	----	----	2	----	2 + 1
4930	----	----	----/*109.80A	176.80B/*109.80A	----	122.20 - 62.00	.6560	----	----	----	----	1 UNCH
4935	----	----	7.00B/1.90A	7.00B/1.90A	----	5.60 + 2.80	.1417	----	----	4	----	4 + 3
4940	5.10	5.10	6.40B/1.70A	6.40B/1.70A	----	5.10 + 2.40	.1303	----	----	41	----	34 + 33
4945	4.60	4.60	5.60B/1.60A	5.60B/1.60A	----	4.60 + 2.10	.1191	----	----	2	----	2 UNCH
4950	----	----	40.50B/16.90A	40.50B/16.90A	----	36.30 NEW	.3068	----	----	1	----	1 + 1
4950	1.00	1.00	5.30/*1.00	5.30/*1.00	----	4.20 + 1.80	.1096	----	----	79	----	62 + 55
4955	----	----	39.10B/16.20A	39.10B/16.20A	----	34.90 + 17.50	.2979	----	----	----	----	8 UNCH
4955	----	----	4.50B/1.40A	4.50B/1.40A	----	3.80 + 1.60	.1002	----	----	----	----	1 UNCH
4960	----	----	4.00B/1.30A	4.00B/1.30A	----	3.40 + 1.30	.0910	----	----	1	----	2 + 1
4960	----	----	----/*130.00A	202.20B/*130.00A	----	143.40 NEW	.7104	----	----	1	----	1 + 1
4960	33.90	33.90	37.50B/15.50A	37.50B/15.50A	----	33.60 NEW	.2893	----	----	1	----	1 + 1
4965	4.00	4.00	4.00/1.30A	4.00/1.30A	----	3.10 + 1.10	.0835	----	----	1	----	9 + 1
4970	2.80	2.80	3.10B/1.20A	3.10B/1.20A	----	2.80 + 0.90	.0762	----	----	2	----	21 + 2
4975	----	----	33.30B/13.50A	33.30B/13.50A	----	29.90 + 15.30	.2643	----	----	1	----	5 + 1
4975	0.90	0.90	2.90B/*0.90	2.90B/*0.90	----	2.60 + 0.80	.0708	----	----	14	----	43 + 13
4975	----	----	----/*110.00A	204.20B/*110.00A	----	127.50 - 81.90	.9291	----	----	1	----	1 UNCH
4980	1.90	1.90	2.50B/1.10A	2.50B/1.10A	----	2.30 NEW	.0636	----	----	9	----	7 + 7
4985	2.50	2.50	2.50/1.00A	2.50/1.00A	----	2.10 + 0.50	.0584	----	----	5	----	4 + 3
4990	1.30	1.30	2.10B/1.00A	2.10B/1.00A	----	2.00 + 0.40	.0551	----	----	1	----	1 + 1
4990	----	----	29.40B/11.80A	29.40B/11.80A	----	26.50 + 13.70	.2405	----	----	----	----	14 UNCH
4995	----	----	----/*128.90A	221.10B/*128.90A	----	146.70 - 82.30	.9498	----	----	1	----	1 UNCH
4995	----	----	1.90B/0.90A	1.90B/0.90A	----	1.80 + 0.30	.0501	----	----	----	----	2 UNCH
4995	----	----	28.20B/11.30A	28.20B/11.30A	----	25.50 + 13.20	.2331	----	----	----	----	28 UNCH
5000	----	----	----/*133.70A	226.30B/*133.70A	----	151.50 - 82.50	.9548	----	----	----	----	2 UNCH
5000	25.40	25.40	27.20B/10.80A	27.20B/10.80A	----	24.50 + 12.70	.2258	----	----	115	----	117 + 114
5000	1.50	1.50	2.20/0.90A	2.20/0.90A	----	1.60 + 0.20	.0451	----	----	25	----	58 + 22
5000	----	----	46.60B/25.20A	46.60B/25.20A	----	43.90 + 17.20	.2870	----	----	----	----	1 UNCH
5005	1.40	1.40	1.60B/0.80A	1.60B/0.80A	----	1.50 + 0.20	.0422	----	----	3	----	4 + 3
5010	0.70	0.70	1.50B/*0.70	1.50B/*0.70	----	1.40 + 0.10	.0393	----	----	16	----	21 + 14
5015	----	----	----/*148.20A	240.90B/*148.20A	----	166.10 - 82.70	.9634	----	----	----	----	2 UNCH
5015	0.80	0.80	1.40B/0.80	1.40B/0.80	----	1.30 + 0.10	.0365	----	----	10	----	13 + 9
5025	----	----	1.20B/0.70A	1.20B/0.70A	----	1.10 UNCH	.0310	----	----	----	----	4 UNCH
5040	1.20	1.20	1.20/0.60	1.20/0.60	----	0.80 - 0.20	.0231	----	----	3	----	41 + 1
5050	0.60	0.60	0.60/0.60	0.80B/0.60	----	0.70 - 0.20	.0201	----	----	2	----	7 + 2
5050	----	----	34.20B/17.60A	34.20B/17.60A	----	32.50 NEW	.2272	----	----	3	----	3 + 3
5055	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.30	.0176	----	----	----	----	1 UNCH
5060	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.20	.0173	----	----	----	----	6 UNCH
5065	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.50 - 0.30	.0147	----	----	1	----	2 + 1
5070	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.50 NEW	.0145	----	----	1	----	1 + 1
5075	9.70	9.70	14.30B/6.00A	14.30B/6.00A	----	13.40 NEW	.1366	----	----	75	----	75 + 75
5075	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.50 NEW	.0142	----	----	1	----	1 + 1
5075	----	----	29.10B/15.30A	29.10B/15.30A	----	27.90 + 11.80	.2009	----	----	----	----	2 UNCH
5080	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 NEW	.0118	----	----	1	----	1 + 1
5090	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0114	----	----	----	----	13 UNCH
5095	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.30 - 0.30	.0089	----	----	1	----	1 UNCH
5100	----	----	11.50B/5.00A	11.50B/5.00A	----	11.00 + 5.90	.1150	----	----	2	----	6 + 2
5100	0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.30 - 0.30	.0088	----	----	6	----	11 + 6
5105	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0087	----	----	----	----	2 UNCH
5110	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.30 - 0.30	.0085	----	----	1	----	3 + 1
5125	----	----	9.40B/4.10A	9.40B/4.10A	----	9.00 NEW	.0963	----	----	1	----	1 + 1
5150	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.30	.0055	----	----	----	----	1 UNCH
5175	----	----	----	0.10B/*0.40A	----	0.10 - 0.30	.0029	----	----	----	----	1 UNCH
5175	----	----	6.20B/----	6.20B/3.00A	----	6.10 + 3.20	.0678	----	----	----	----	4 UNCH
5200	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	.0027	----	----	----	----	3 UNCH
5200	----	----	12.70B/----	12.70B/8.10A	----	13.20 + 6.20	.1061	----	----	1	----	119 + 1
5220	----	----	----/*0.30A	----/*0.30A	----	0.10 NEW	.0026	----	----	3	----	3 + 3
5225	2.90	2.90	#4.20B/*2.90	#4.20B/2.30A	----	4.00 NEW	.0464	----	----	1	----	1 + 1
5325	----	----	----	----/*0.20A	----	0.10 UNCH	.0021	----	----	1	----	0 - 1
TOTAL										2753	100	4634 + 1835
MAY26												
4400	----	----	----/*15.80A	18.00B/*15.80A	----	16.00 - 9.90	.0913	----	----	----	----	75 UNCH
4670	----	----	----/*54.40A	71.60B/*54.40A	----	57.00 - 28.00	.2748	----	----	----	----	10 UNCH
4700	----	----	----/*62.40A	82.10B/*62.40A	----	65.40 - 30.80	.3061	----	----	----	----	45 UNCH
4760	----	----	----/*81.40A	106.60B/*81.40A	----	85.40 - 37.00	.3744	----	----	----	----	10 UNCH
4800	----	----	#153.20B/----	#153.20B/118.10A	----	151.50 + 41.30	.5759	----	----	----	----	40 UNCH
4850	----	----	#125.40B/----	#125.40B/95.30A	----	124.80 + 36.10	.5127	----	----	42	----	51 + 41
5075	----	----	#44.10B/----	44.10B/33.20A	----	46.00 + 17.00	.2523	----	----	----	----	1 UNCH
TOTAL										42		232 + 41

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3850	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4000	----	----	----	0.20B/*1.20A	----	0.50 - 0.60	.0043	----	----	----	----	1 UNCH
4075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
4200	3.30	3.30	3.30/*3.20A	3.30/*3.20A	----	2.40 - 2.10	.0188	----	----	2	----	4 + 2
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4200	----	----	----/*1.70A	0.60B/*1.70A	----	1.00 - 1.20	.0096	----	----	1	----	2 + 1
4225	----	----	----/*1.80A	0.70B/*1.80A	----	1.20 NEW	.0114	----	----	1	----	1 + 1
4235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4240	----	----	----/*1.80A	0.80B/*1.80A	----	1.20 NEW	.0117	----	----	1	----	1 + 1
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
4250	----	----	----/*3.60A	4.00B/*3.60A	----	3.10 - 3.00	.0243	----	----	----	----	1 UNCH
4250	----	----	----/*1.90A	0.90B/*1.90A	----	1.30 - 1.40	.0126	----	----	----	----	25 UNCH
4280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4285	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 327
4300	----	----	----/*5.40A	3.50B/*5.40A	----	4.00 - 4.10	.0313	----	----	----	----	1 UNCH
4300	----	----	----/*2.00A	1.30B/*2.00A	----	1.60 - 1.70	.0159	----	----	----	----	2 UNCH
4305	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4320	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4325	----	----	----/*2.00A	1.60B/*2.00A	----	1.80 - 1.90	.0181	----	----	----	----	10 UNCH
4340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4350	----	----	----/*6.60A	5.10B/*6.60A	----	5.10 - 5.30	.0401	----	----	----	----	1 UNCH
4350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 117
4360	----	----	----/*2.10A	1.90B/*2.10A	----	2.10 - 2.40	.0215	----	----	----	----	2 UNCH
4375	----	----	----/*2.40A	2.10B/*2.40A	----	2.20 - 2.60	.0228	----	----	----	----	10 UNCH
4380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4390	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 2.90	.0249	----	----	1	----	0 - 1
4400	----	----	455.70B/----	455.70B/372.40A	----	450.10 + 82.60	----	----	----	----	----	0 - 1
4400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 21
4400	2.30	2.30	2.30/*2.10A	2.40B/*2.10A	----	2.50 - 3.10	.0261	----	----	1	----	1 UNCH
4400	----	----	----/*8.10A	7.70B/*8.10A	----	6.70 NEW	.0523	----	----	1	----	1 + 1
4410	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4425	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4440	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4445	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4450	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4455	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4460	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 7
4460	----	----	----/*3.30A	3.60B/*3.30A	----	3.40 - 4.60	.0365	----	----	1	----	0 - 1
4465	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 12
4470	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4475	12.60	12.60	12.60/*9.70A	12.60/*9.70A	----	10.10 - 10.10	.0778	----	----	3	----	4 + 3
4475	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4475	----	----	#395.00B/----	#395.00B/316.30A	----	378.60 + 77.60	.9599	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE APR26 — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4480	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4480	----	----	----/*3.40A	4.70B/*3.40A	----	3.80 - 5.30	.0410	----	----	----	----	5 UNCH
4485	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 12
4490	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.40	----	----	----	2	----	0 - 2
4495	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4500	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 165
4500	----	----	355.70B/----	355.70B/272.70A	----	350.10 + 82.20	----	----	----	----	----	0 - 1
4500	----	----	----/*3.80A	6.00B/*3.80A	----	4.30 - 6.10	.0466	----	----	3	----	2 + 1
4505	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4515	----	----	340.70B/----	340.70B/257.70A	----	335.10 + 82.10	----	----	----	----	----	0 - 1
4520	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4525	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 106
4530	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4535	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 3
4535	----	----	----/*4.90A	7.90B/*4.90A	----	5.40 NEW	.0586	----	----	1	----	1 + 1
4540	----	----	----/*4.80A	8.00B/*4.80A	----	5.60 - 8.10	.0607	----	----	----	----	1 UNCH
4540	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 5
4545	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.90	----	----	----	10	----	0 - 13
4550	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.00	----	----	----	1	----	0 - 71
4550	----	----	305.70B/----	305.70B/222.80A	----	300.10 + 81.70	----	----	----	----	----	0 - 2
4550	6.00	6.00	6.00/*5.20A	8.70B/*5.20A	----	6.00 - 8.80	.0650	----	----	3	----	2 - 1
4560	----	----	----/*5.40A	9.40B/*5.40A	----	6.40 NEW	.0694	----	----	1	----	1 + 1
4560	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 1.10	----	----	----	2	----	0 - 5
4565	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 2
4570	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 6
4575	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 1.30	----	----	----	6	----	0 - 20
4580	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.40	----	----	----	1	----	0 - 2
4580	----	----	----/*18.70A	25.80B/*18.70A	----	19.20 - 17.10	.1396	----	----	----	----	1 UNCH
4585	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.50	----	----	----	1	----	0 - 1
4585	----	----	----/*19.20A	26.60B/*19.20A	----	19.80 - 17.50	.1434	----	----	----	----	4 UNCH
4590	0.80	0.80	0.80/*0.10A	0.80/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 15
4590	----	----	265.70B/----	265.70B/183.10A	----	260.10 + 81.10	----	----	----	----	----	0 - 1
4590	12.00	12.00	12.00/*6.90A	12.00/*6.90A	----	8.00 NEW	.0860	----	----	1	----	1 + 1
4595	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 4
4600	----	----	255.70B/----	255.70B/173.70A	----	250.10 + 80.90	----	----	----	----	----	0 - 2
4600	10.50	10.50	10.50/*6.00	13.40B/*6.00	----	8.70 - 12.60	.0929	----	----	9	----	9 + 5
4600	----	----	----/*20.70A	30.20B/*20.70A	----	21.80 - 18.80	.1559	----	----	----	----	2 UNCH
4600	0.10	0.10	0.20/*0.10	0.30B/*0.10	----	0.00 - 1.90	----	----	----	9	----	0 - 69
4605	0.50	0.50	0.70/*0.10	0.70/*0.10	----	0.00 - 2.00	----	----	----	3	----	0 - 75
4605	----	----	250.70B/----	250.70B/168.30A	----	245.10 + 80.70	----	----	----	----	----	0 - 8
4605	----	----	----/*7.50A	13.90B/*7.50A	----	9.00 - 13.10	.0961	----	----	1	----	2 UNCH
4610	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 2.10	----	----	----	1	----	0 - 12
4610	----	----	264.70B/----	264.70B/190.30A	----	249.30 + 69.00	.8998	----	----	----	----	10 UNCH
4620	----	----	235.70B/----	235.70B/153.60A	----	230.10 + 80.30	----	----	----	----	----	0 - 9
4620	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 2.40	----	----	----	----	----	0 - 97
4620	----	----	255.30B/----	255.30B/181.50A	----	240.10 NEW	.8920	----	----	1	----	1 + 1
4625	0.50	0.50	0.70/*0.10A	0.70/*0.10A	----	0.00 - 2.60	----	----	----	2	----	0 - 3
4625	----	----	250.60B/----	250.60B/177.20A	----	235.50 + 67.50	.8881	----	----	----	----	1 UNCH
4630	----	----	----/*25.50A	36.30B/*25.50A	----	26.30 - 21.70	.1831	----	----	----	----	1 UNCH
4630	----	----	----/*9.10A	17.70B/*9.10A	----	11.00 - 15.70	.1157	----	----	6	----	4 + 2
4630	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 2.80	----	----	----	----	----	0 - 2
4635	----	----	----/*9.50A	18.40B/*9.50A	----	11.50 - 16.20	.1203	----	----	19	----	19 + 1
4635	----	----	220.70B/----	220.70B/139.40A	----	215.10 + 79.70	----	----	----	----	----	0 - 12
4635	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.00 - 3.00	----	----	----	9	----	0 - 8
4640	----	----	215.70B/----	215.70B/134.10A	----	210.10 + 79.40	----	----	----	1	----	0 - 1
4640	0.10	0.10	0.10/*0.10	1.00B/*0.10	----	0.00 - 3.30	----	----	----	1	----	0 - 5
4645	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 3.50	----	----	----	----	----	0 - 4
4650	----	----	----/*10.70A	21.40B/*10.70A	----	13.00 NEW	.1345	----	----	1	----	1 + 1
4650	1.00	1.00	1.00/*0.10	1.30B/*0.10	----	0.00 - 3.80	----	----	----	19	----	0 - 90
4655	----	----	223.00B/----	223.00B/152.00A	----	208.60 NEW	.8599	----	----	1	----	1 + 1
4655	----	----	----/*29.70A	42.90B/*29.70A	----	30.90 - 24.10	.2092	----	----	----	----	1 UNCH
4655	----	----	----/*0.20A	1.50B/*0.20A	----	0.00 - 4.10	----	----	----	2	----	0 - 12
4660	----	----	----/*11.70A	23.20B/*11.70A	----	14.20 - 19.30	.1452	----	----	18	----	18 UNCH
4660	----	----	----/*0.20A	1.80B/*0.20A	----	0.00 - 4.40	----	----	----	----	----	0 - 4
4665	----	----	190.70B/----	190.70B/110.00A	----	185.10 + 77.90	----	----	----	----	----	0 - 27
4665	0.10	0.10	0.10/*0.10	2.00B/*0.10	----	0.00 - 4.80	----	----	----	2	----	0 - 33
4670	----	----	185.70B/----	185.70B/105.20A	----	180.10 + 77.50	----	----	----	----	----	0 - 2
4670	23.70	23.70	23.70/*12.70A	25.60B/*12.70A	----	15.40 NEW	.1562	----	----	1	----	1 + 1
4670	1.10	1.10	1.10/*0.10	2.30B/*0.10	----	0.00 - 5.20	----	----	----	3	----	0 - 16
4675	----	----	----/*13.30A	26.80B/*13.30A	----	16.10 NEW	.1622	----	----	1	----	1 + 1
4675	3.00	3.00	3.00/*0.10	3.00/*0.10	----	0.00 - 5.60	----	----	----	12	----	0 - 32
4675	----	----	180.70B/----	180.70B/100.50A	----	175.10 + 77.10	----	----	----	----	----	0 - 17
4680	----	----	----/*0.20A	2.80B/*0.20A	----	0.00 - 6.10	----	----	----	2	----	0 - 4
4680	----	----	----/*14.00A	28.30B/*14.00A	----	16.80 - 22.00	.1683	----	----	----	----	1 UNCH
4680	----	----	175.70B/----	175.70B/96.30A	----	170.10 + 76.60	----	----	----	----	----	0 - 9
4685	43.80	43.80	43.80/*35.60A	52.10B/*35.60A	----	37.20 - 27.50	.2436	----	----	6	----	2 + 1
4685	2.30	2.30	2.30/*0.20A	3.20B/*0.20A	----	0.00 - 6.60	----	----	----	3	----	0 - 4
4685	131.40	131.40	170.70B/131.40	170.70B/91.30A	----	165.10 NEW	----	----	----	1	----	0 UNCH
4690	----	----	165.70B/----	165.70B/87.10A	----	160.10 + 75.50	----	----	----	3	----	0 - 5
4690	----	----	191.80B/----	191.80B/124.40A	----	178.30 + 59.10	.8186	----	----	----	----	3 UNCH
4690	----	----	----/*36.40A	53.60B/*36.40A	----	38.40 - 28.00	.2498	----	----	----	----	2 UNCH
4690	0.40	0.40	0.40/*0.30A	3.60B/*0.30A	----	0.00 - 7.20	----	----	----	3	----	0 - 59
4695	0.20	0.20	0.20/*0.20	4.00B/*0.20	----	0.00 - 7.80	----	----	----	1	----	0 - 11
4695	----	----	160.70B/----	160.70B/82.20A	----	155.10 + 74.90	----	----	----	----	----	0 - 6
4700	40.00	40.00	40.00/*38.80A	57.90B/*38.80A	----	40.90 - 29.20	.2625	----	----	2	----	6 - 1
4700	----	----	----/*16.70A	33.90B/*16.70A	----	20.00 NEW	.1952	----	----	1	----	1 + 1
4700	----	----	155.70B/----	155.70B/78.20A	----	150.10 + 74.20	----	----	----	4	----	0 - 56
4700	5.40	5.40	5.40/*0.10	5.40/*0.10	----	0.00 - 8.50	----	----	----	70	----	0 - 101
4705	0.50	0.50	0.50/*0.30A	5.00B/*0.30A	----	0.00 - 9.30	----	----	----	1	----	0 - 4
4705	----	----	----/*39.90A	59.00B/*39.90A	----	42.10 - 29.80	.2688	----	----	----	----	1 UNCH
4710	3.90	3.90	4.30/*0.30A	5.80B/*0.30A	----	0.00 - 10.10	----	----	----	24	----	0 - 13
4710	----	----	----/*41.20A	60.80B/*41.20A	----	43.50 - 30.30	.2755	----	----	----	----	1 UNCH
4715	1.20	1.20	1.70/*0.20A	6.40B/*0.20A	----	0.00 - 11.00	----	----	----	6	----	0 - 15
4715	----	----	140.70B/----	140.70B/65.20A	----	135.10 + 71.70	----	----	----	1	----	0 - 1
4720	----	----	135.70B/----	135.70B/60.90A	----	130.10 + 70.60	----	----	----	----	----	0 - 2
4720	4.20	4.20	4.20/*0.20A	7.20B/*0.20A	----	0.00 - 12.10	----	----	----	28	----	0 - 5
4725	3.90	3.90	3.90/*0.20A	8.20B/*0.20A	----	0.00 - 13.20	----	----	----	20	----	0 - 47
4725	76.00	76.00	130.70B/76.00	130.70B/56.80A	----	125.10 NEW	----	----	----	1	----	0 UNCH
4730	9.50	9.50	9.50/*0.10A	9.50/*0.10A	----	0.00 - 14.40	----	----	----	45	----	0 - 42
4730	----	----	172.90B/----	172.90B/123.10A	----	169.00 + 49.70	.6969	----	----	3	----	2 - 1
4730	----	----	----/*46.30A	68.60B/*46.30A	----	49.10 - 32.80	.3027	----	----	3	----	2 - 1
4730	----	----	125.70B/----	125.70B/53.00A	----	120.10 + 68.30	----	----	----	1	----	0 - 61
4735	----	----	170.50B/----	170.50B/120.00A	----	165.50 + 49.10	.6899	----	----	----	----	3 UNCH
4735	----	----	----/*47.60A	70.60B/*47.60A	----	50.60 - 33.40	.3097	----	----	----	----	3 UNCH
4735	----	----	120.70B/----	120.70B/48.80A	----	115.10 + 66.90	----	----	----	----	----	0 - 1
4735	2.10	2.10	2.10/*0.20	10.30B/*0.20	----	0.00 - 15.80	----	----	----	4	----	0 - 13
4740	7.00	7.00	7.00/*0.10	11.40B/*0.10	----	0.00 - 17.20	----	----	----	14	----	0 - 14
4740	----	----	----/*49.00A	72.70B/*49.00A	----	52.10 - 34.10	.3168	----	----	----	----	1 UNCH
4740	50.00	50.00	115.70B/50.00	115.70B/45.20A	----	110.10 + 65.50	----	----	----	8	----	0 - 8
4745	3.10	3.10	3.10/*0.20A	12.80B/*0.20A	----	0.00 - 18.90	----	----	----	13	----	0 - 10
4745	----	----	110.70B/----	110.70B/41.70A	----	105.10 + 63.80	----	----	----	7	----	0 - 11
4750	----	----	----/*25.70A	51.80B/*25.70A	----	30.80 - 33.30	.2772	----	----	1	----	3 + 1
4750	83.20	83.20	105.70B/37.30A	105.70B/37.30A	----	100.10 + 62.10	----	----	----	8	----	0 - 91
4750	11.00	11.00	11.00/*0.10	14.20B/*0.10	----	0.00 - 20.60	----	----	----	111	----	0 - 106
4755	----	----	----/*26.80A	54.80B/*26.80A	----	32.10 - 34.30	.2864	----	----	1	----	1 UNCH
4755	----	----	100.70B/34.20A	100.70B/34.20A	----	95.10 + 60.20	----	----	----	1	----	0 - 9
4755	13.60	13.60	13.60/*0.20A	16.10B/*0.20A	----	0.00 - 22.50	----	----	----	6	----	0 - 3
4760	----	----	157.20B/----	157.20B/105.30A	----	148.60 + 45.90	.6534	----	----	----	----	0 UNCH
4760	----	----	95.70B/29.50A	95.70B/29.50A	----	90.10 + 58.10	----	----	----	2	----	0 - 30
4760	50.00	50.00	50.00/*28.00A	55.40B/*28.00A	----	33.50 NEW	.2960	----	----	1	----	1 + 1
4760	----	----	133.90B/----	133.90B/77.00A	----	123.60 + 47.60	.7037	----	----	----	----	1 UNCH
4760	5.00	5.00	7.20/*0.20A	17.90B/*0.20A	----	0.00 - 24.60	----	----	----	94	----	0 - 8
4765	----	----	153.80B/----	153.80B/102.60A	----	145.40 + 45.40	.6459	----	----	----	----	1 UNCH
4765	36.00	36.00	90.70B/26.50A	90.70B/26.50A	----	85.10 + 55.90	----	----	----	10	----	0 - 12
4765	----	----	----/*29.20A	57.70B/*29.20A	----	35.00 - 36.00	.3059	----	----	----	----	10 UNCH
4765	11.60	11.60	11.60/*0.30A	19.90B/*0.30A	----	0.00 - 26.80	----	----	----	42	----	0 - 3
4770	70.00	70.00	70.00/*58.10A	80.60B/*58.10A	----	62.20 NEW	.3613	----	----	1	----	1 + 1
4770	----	----	----/*30.60A	60.10B/*30.60A	----	36.40 - 37.00	.3156	----	----	1	----	1 UNCH
4770	40.00	40.00	85.70B/23.60A	85.70B/23.60A	----	80.10 + 53.50	----	----	----	1	----	0 - 10
4770	18.40	18.40	18.40/*0.30	21.90B/*0.30	----	0.00 - 29.20	----	----	----	55	----	0 - 7
4775	----	----	147.10B/----	147.10B/97.10A	----	139.00 + 44.00	.6306	----	----	----	----	1 UNCH
4775	45.50	45.50	46.00/*31.90A	59.30B/*31.90A	----	38.00 NEW	.3258	----	----	3	----	2 + 2
4775	25.10	25.10	80.70B/20.90A	80.70B/20.90A	----	75.10 + 51.00	----	----	----	19	----	0 - 27
4775	16.20	16.20	16.20/*0.10	24.20B/*0.10	----	0.00 - 31.70	----	----	----	20	----	0 - 5
4780	26.00	26.00	75.70B/18.10A	75.70B/18.10A	----	70.10 + 48.30	----	----	----	36	----	0 - 14
4780	23.10	23.10	23.10/*0.30	27.00B/*0.30	----	0.00 - 34.40	----	----	----	90	----	0 - 1
4780	83.00	83.00	83.00/*61.60A	85.20B/*61.60A	----	65.90 - 39.20	.3767	----	----	12	----	3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week4										
4780	----	----	143.90B/----	143.90B/94.50A	----	135.90 + 43.40	.6229	----	----	2	----	2 UNCH
4785	23.20	23.20	70.70B/13.80	70.70B/13.80	----	65.10 + 45.40	----	----	----	12	----	0 - 25
4785	22.00	22.00	27.00/*0.30A	29.50B/*0.30A	----	0.00 NEW	----	----	----	44	----	0 UNCH
4790	19.30	19.30	19.30/*0.10	32.30B/*0.10	----	0.00 - 40.40	----	----	----	44	----	0 - 3
4790	18.50	18.50	65.80B/12.80A	65.80B/12.80A	----	60.10 + 42.30	----	----	----	47	----	0 - 7
4795	21.00	21.00	24.00/*0.30A	35.00B/*0.30A	----	0.00 - 43.60	----	----	----	48	----	0 - 1
4795	21.50	21.50	60.80B/10.60A	60.80B/10.60A	----	55.10 + 39.10	----	----	----	21	----	0 - 16
4800	78.50	78.50	82.00/*68.90A	94.20B/*68.90A	----	73.70 NEW	.4082	----	----	2	----	2 + 2
4800	69.90	69.90	105.40B/56.00A	105.40B/56.00A	----	96.70 + 40.20	.6210	----	----	4	----	23 + 2
4800	92.00	92.00	131.20B/81.00	131.20B/81.00	----	123.80 + 40.80	.5914	----	----	18	----	11 - 7
4800	28.00	28.00	28.00/*0.10	38.50B/*0.10	----	0.00 - 46.90	----	----	----	136	----	0 - 33
4800	12.50	12.50	55.80B/8.70A	55.80B/8.70A	----	50.10 + 35.80	----	----	----	113	----	0 - 154
4800	58.30	58.30	68.20B/*39.60A	68.20B/*39.60A	----	46.60 NEW	.3787	----	----	6	----	6 + 6
4805	15.00	15.00	50.80B/7.30A	50.80B/7.30A	----	45.10 + 32.30	----	----	----	25	----	0 - 5
4805	13.00	13.00	13.00/*0.40A	42.40B/*0.40A	----	0.00 - 50.40	----	----	----	55	----	0 - 1
4810	14.50	14.50	15.00/*0.40	46.20B/*0.40	----	0.00 NEW	----	----	----	60	----	0 UNCH
4810	20.00	20.00	45.80B/6.00A	45.80B/6.00A	----	40.10 + 28.70	----	----	----	69	----	0 - 14
4810	82.00	82.00	125.10B/79.60A	125.10B/79.60A	----	118.00 + 39.50	.5753	----	----	2	----	3 + 1
4810	----	----	99.00B/51.50A	99.00B/51.50A	----	90.60 NEW	.5988	----	----	1	----	1 + 1
4815	----	----	----/*74.70A	102.20B/*74.70A	----	80.10 - 43.80	.4323	----	----	2	----	8 + 2
4815	14.50	14.50	14.50/*0.30A	50.10B/*0.30A	----	0.00 - 57.80	----	----	----	21	----	0 - 1
4815	9.90	9.90	40.80B/4.90A	40.80B/4.90A	----	35.10 + 24.90	----	----	----	24	----	0 - 25
4815	----	----	122.20B/----	122.20B/77.20A	----	115.20 + 38.90	.5672	----	----	2	----	8 + 2
4820	18.00	18.00	18.00/*0.50A	54.10B/*0.50A	----	0.00 NEW	----	----	----	31	----	0 UNCH
4820	8.30	8.30	35.50B/3.80	35.50B/3.80	----	30.10 + 21.00	----	----	----	212	----	0 - 20
4825	44.00	44.00	44.00/*0.30	58.30B/*0.30	----	0.00 - 65.70	----	----	----	65	----	0 - 2
4825	7.00	7.00	30.40B/3.40A	30.40B/3.40A	----	25.10 + 17.00	----	----	----	125	----	0 - 56
4825	----	----	89.80B/45.20A	89.80B/45.20A	----	81.90 + 35.70	.5649	----	----	----	----	3 UNCH
4830	6.50	6.50	25.80B/2.90A	25.80B/2.90A	----	20.10 + 12.90	----	----	----	66	----	0 - 34
4830	11.60	11.60	12.00/*0.30	62.20B/*0.30	----	0.00 - 69.80	----	----	----	41	----	0 - 1
4835	7.50	7.50	20.80B/2.40A	20.80B/2.40A	----	15.10 + 8.70	----	----	----	51	----	0 - 21
4835	35.20	35.20	35.20/*0.50A	66.60B/*0.50A	----	0.00 NEW	----	----	----	41	----	0 UNCH
4840	11.40	11.40	14.50/*0.10A	71.20B/*0.10A	----	0.00 NEW	----	----	----	7	----	0 UNCH
4840	2.00	2.00	15.50B/*1.70A	15.50B/*1.70A	----	10.10 + 4.40	----	----	----	90	----	0 - 28
4845	3.60	3.60	10.70B/*1.10A	10.70B/*1.10A	----	5.10 UNCH	----	----	----	29	----	0 - 2
4845	2.60	2.60	2.60/*0.10A	75.70B/*0.10A	----	0.00 - 82.70	----	----	----	24	----	0 UNCH
4850	59.70	59.70	76.20B/35.90A	76.20B/35.90A	----	68.60 + 31.20	.5072	----	----	15	----	16 + 8
4850	----	----	----/*59.30A	97.40B/*59.30A	----	68.50 - 51.40	.4926	----	----	----	----	1 UNCH
4850	----	----	102.60B/----	102.60B/62.30A	----	96.60 + 34.30	.5099	----	----	----	----	1 UNCH
4850	3.30	3.30	6.90B/*0.10	6.90B/*0.10	----	0.10 - 4.50	----	----	----	94	----	0 - 78
4850	0.20	0.20	0.80/*0.20	80.30B/*0.20	----	0.00 - 87.20	----	----	----	10	----	0 - 1
4855	1.50	1.50	5.30B/*0.10A	5.30B/*0.10A	----	0.00 NEW	----	----	----	6	----	0 UNCH
4860	----	----	71.00B/32.80A	71.00B/32.80A	----	63.80 + 29.50	.4840	----	----	----	----	11 UNCH
4860	73.00	73.00	97.40B/58.60A	97.40B/58.60A	----	91.70 + 33.00	.4934	----	----	2	----	2 UNCH
4860	2.70	2.70	4.70/*0.10A	4.70/*0.10A	----	0.00 - 3.70	----	----	----	65	----	0 - 55
4865	2.00	2.00	2.00/*0.30A	3.40B/*0.30A	----	0.00 - 3.40	----	----	----	4	----	0 - 4
4870	70.60	70.60	92.40B/54.90A	92.40B/54.90A	----	87.00 + 31.80	.4770	----	----	5	----	4 - 1
4870	----	----	----/*15.40A	99.30B/*15.40A	----	19.90 - 85.70	----	----	----	----	----	0 - 1
4870	2.60	2.60	2.80B/*0.10	2.80B/*0.10	----	0.00 - 3.10	----	----	----	17	----	0 - 2
4875	----	----	63.60B/28.50A	63.60B/28.50A	----	57.00 NEW	.4494	----	----	3	----	3 + 3
4875	1.40	1.40	1.50/*0.10	2.30B/*0.10	----	0.00 - 2.80	----	----	----	131	----	0 - 158
4880	3.00	3.00	3.00/*0.30A	3.00/*0.30A	----	0.00 - 2.60	----	----	----	5	----	0 - 23
4880	24.20	24.20	24.20/*24.20	109.30B/*24.20	----	29.90 - 85.20	----	----	----	1	----	0 - 1
4885	1.00	1.00	1.00/*0.10A	1.40B/*0.10A	----	0.00 - 2.40	----	----	----	5	----	0 - 61
4890	----	----	56.80B/24.70A	56.80B/24.70A	----	50.80 + 24.70	.4155	----	----	----	----	5 UNCH
4890	0.70	0.70	0.70/*0.30A	1.20B/*0.30A	----	0.00 - 2.20	----	----	----	1	----	0 - 1
4895	----	----	54.60B/23.50A	54.60B/23.50A	----	48.80 + 23.90	.4042	----	----	----	----	5 UNCH
4895	----	----	----/*0.30A	1.00B/*0.30A	----	0.00 - 2.00	----	----	----	----	----	0 - 11
4900	42.10	42.10	52.40B/22.40A	52.40B/22.40A	----	46.90 + 23.10	.3932	----	----	88	----	48 + 44
4900	105.00	105.00	114.60/*44.80A	128.90B/*44.80A	----	49.90 - 84.60	----	----	----	11	----	0 - 3
4900	1.50	1.50	1.50/*0.10	1.50/*0.10	----	0.00 - 1.90	----	----	----	21	----	0 - 116
4905	0.80	0.80	0.80/*0.30A	0.80/*0.30A	----	0.00 - 1.80	----	----	----	1	----	0 - 12
4910	----	----	48.40B/20.30A	48.40B/20.30A	----	43.30 + 21.60	.3714	----	----	1	----	1 UNCH
4910	----	----	----/*54.40A	138.40B/*54.40A	----	59.90 - 84.40	----	----	----	----	----	0 - 1
4910	0.10	0.10	0.10/*0.10	0.80B/*0.10	----	0.00 - 1.70	----	----	----	2	----	0 - 43
4915	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 4
4920	0.50	0.50	0.50/*0.30A	0.60B/*0.30A	----	0.00 - 1.50	----	----	----	2	----	0 - 7
4925	----	----	----/*101.00A	154.50B/*101.00A	----	113.20 - 63.10	.6599	----	----	----	----	1 UNCH
4925	31.60	31.60	42.90B/17.60A	42.90B/17.60A	----	38.30 + 19.50	.3398	----	----	14	----	50 UNCH
4925	0.70	0.70	0.80/*0.30A	0.80/*0.30A	----	0.00 - 1.40	----	----	----	54	----	0 - 89
4930	----	----	41.00B/16.80A	41.00B/16.80A	----	36.80 + 18.90	.3298	----	----	6	----	9 + 4
4930	----	----	----/*0.30A	0.50B/*0.30A	----	0.00 - 1.40	----	----	----	----	----	0 - 3
4935	----	----	64.10B/35.50A	64.10B/35.50A	----	60.50 + 24.00	.3728	----	----	----	----	1 UNCH
4935	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 25
4940	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 3
4945	35.70	35.70	36.20B/14.50A	36.20B/14.50A	----	32.50 NEW	.3003	----	----	25	----	25 + 25
4945	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 5
4950	13.00	13.00	34.80/13.00	34.80/13.00	----	31.20 + 16.40	.2909	----	----	47	----	42 + 24
4950	40.00	40.00	59.80/32.00A	59.80/32.00A	----	55.40 + 22.30	.3501	----	----	4	----	2 - 3
4950	0.90	0.90	0.90/*0.20A	0.90/*0.20A	----	0.00 - 1.10	----	----	----	1	----	0 - 20
4955	0.30	0.30	0.30/*0.20A	0.40B/*0.20A	----	0.00 - 1.10	----	----	----	1	----	0 - 3
4960	----	----	31.90B/12.60A	31.90B/12.60A	----	28.60 + 15.10	.2723	----	----	----	----	5 UNCH
4960	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.00 - 1.10	----	----	----	1	----	0 - 7
4965	----	----	----/*0.30A	0.30B/*0.30A	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4970	----	----	29.20B/11.50A	29.20B/11.50A	----	26.30 + 14.10	.2549	----	----	----	----	1 UNCH
4970	----	----	----/*0.30A	0.30B/*0.30A	----	0.00 - 1.00	----	----	----	----	----	0 - 24
4975	----	----	28.00B/11.00A	28.00B/11.00A	----	25.20 + 13.50	.2464	----	----	18	----	16 - 3
4975	----	----	----/*135.90A	198.10B/*135.90A	----	150.00 - 69.10	.7533	----	----	----	----	1 UNCH
4975	1.10	1.10	1.10/*0.30A	1.10/*0.30A	----	0.00 - 0.90	----	----	----	35	----	0 - 59
4975	----	----	----/*119.30A	202.90B/*119.30A	----	124.90 - 83.60	----	----	----	----	----	0 - 1
4980	----	----	26.80B/10.50A	26.80B/10.50A	----	24.20 NEW	.2384	----	----	1	----	1 + 1
4980	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 20
4985	----	----	25.60B/10.00A	25.60B/10.00A	----	23.20 + 12.60	.2304	----	----	2	----	1 UNCH
4985	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 308
4985	----	----	----/*129.60A	213.30B/*129.60A	----	134.90 - 83.50	----	----	----	----	----	0 - 1
4990	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 15
4990	----	----	24.50B/9.60A	24.50B/9.60A	----	22.20 + 12.10	.2224	----	----	----	----	60 UNCH
4995	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.00 - 0.80	----	----	----	2	----	0 - 13
5000	----	----	22.40B/8.80A	22.40B/8.80A	----	20.40 + 11.20	.2075	----	----	5	----	108 + 2
5000	192.10	192.10	192.10/*155.20A	220.90B/*155.20A	----	170.20 NEW	.7922	----	----	1	----	1 + 1
5000	0.50	0.50	0.80/*0.10	0.80/*0.10	----	0.00 - 0.70	----	----	----	64	----	0 - 38
5005	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.70	----	----	----	1	----	0 - 25
5010	30.00	30.00	40.20B/21.00A	40.20B/21.00A	----	38.40 NEW	.2663	----	----	2	----	1 + 1
5010	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 58
5015	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 26
5020	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 16
5025	----	----	17.90B/7.20A	17.90B/7.20A	----	16.40 + 9.00	.1733	----	----	1	----	5 + 1
5025	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 16
5030	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 8
5035	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
5040	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.50	----	----	----	1	----	0 - 11
5045	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.50	----	----	----	1	----	0 - 2
5050	----	----	30.80B/15.70A	30.80B/15.70A	----	29.80 NEW	.2183	----	----	1	----	1 + 1
5050	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
5060	0.20	0.20	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.40	----	----	----	4	----	0 - 26
5065	----	----	----/0.30A	----/0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 17
5070	----	----	----/0.30A	----/0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
5075	6.20	6.20	11.30B/6.20	11.30B/4.80A	----	10.70 NEW	.1200	----	----	1	----	1 + 1
5075	----	----	26.00B/13.50A	26.00B/13.50A	----	25.30 + 11.40	.1915	----	----	----	----	1 UNCH
5075	----	----	----/0.30A	----/0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
5080	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
5085	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
5100	----	----	9.00B/----	9.00B/4.00A	----	8.70 NEW	.0997	----	----	2	----	2 + 2
5100	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 13
5105	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
5120	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5130	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5145	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5150	10.70	10.70	15.70B/10.70	15.70B/9.10A	----	15.40 NEW	.1267	----	----	2	----	2 + 2
5150	3.00	3.00	5.80B/3.00	5.80B/3.00	----	5.80 + 3.10	.0689	----	----	3	----	23 + 3
5150	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
5165	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
5200	2.30	2.30	3.70B/2.30	3.70B/2.30	----	3.90 NEW	.0477	----	----	5	----	5 + 5
5200	----	----	10.80B/----	10.80B/7.20A	----	10.90 + 5.20	.0943	----	----	----	----	1 UNCH
5225	----	----	#3.20B/----	#3.20B/2.10A	----	3.10 + 1.50	.0387	----	----	2	----	3 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5250	----	----	#2.60B/----	#2.60B/2.00A	----	2.60 NEW	.0326	----	----	1	----	1 + 1
5300	3.80	3.80	#5.90B/*3.80	#5.90B/3.80	----	5.70 NEW	.0527	----	----	18	----	18 + 18
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
5350	----	----	3.10B/----	3.10B/4.30A	----	4.10 + 2.00	.0390	----	----	----	----	5 UNCH
5400	----	----	----	#381.30B/*696.20A	----	550.50 - 82.30	.9893	----	----	----	----	1 UNCH
6100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
TOTAL										3316		773 - 4266
MAY26												
4300	----	----	----/*10.60A	9.50B/*10.60A	----	8.50 - 5.90	.0529	----	----	----	----	1 UNCH
4795	----	----	#152.20B/----	152.20B/113.60A	----	150.90 + 43.90	.5838	----	----	----	----	1 UNCH
4800	----	----	#149.20B/----	149.20B/110.20A	----	148.00 + 43.30	.5774	----	----	----	----	34 UNCH
4850	----	----	121.40B/----	121.40B/87.80A	----	121.70 + 38.10	.5124	----	----	----	----	4 UNCH
4900	----	----	99.60B/----	99.60B/69.00A	----	99.00 + 33.10	.4475	----	----	----	----	20 UNCH
4950	----	----	78.70B/----	78.70B/53.60A	----	79.50 + 28.30	.3848	----	----	1	----	2 + 1
5000	38.10	38.10	61.40B/38.10	61.40B/38.10	----	63.20 + 24.10	.3259	----	----	1	----	32 UNCH
5150	----	----	#26.80B/----	26.80B/19.20A	----	29.60 NEW	.1813	----	----	1	----	1 + 1
TOTAL										3		95 + 2

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4000	----	----	----	----/*0.50A	----	0.10 UNCH	.0011	----	----	----	----	3 UNCH
4000	----	----	----/*1.50A	0.60B/*1.50A	----	0.70 - 1.00	.0057	----	----	----	----	3 UNCH
4050	----	----	----	----/0.60A	----	0.10 - 0.10	.0012	----	----	----	----	2 UNCH
4100	----	----	----	----/0.60A	----	0.10 - 0.20	.0012	----	----	----	----	2 UNCH
4175	----	----	----	----/*0.60A	----	0.10 - 0.40	.0014	----	----	1	----	2 UNCH
4200	----	----	----	----/*0.60A	----	0.10 - 0.40	.0014	----	----	----	----	4 UNCH
4225	----	----	----	----/*0.70A	----	0.10 - 0.50	.0015	----	----	----	----	3 UNCH
4225	----	----	----/*2.00A	1.70B/*2.00A	----	1.50 - 2.10	.0136	----	----	----	----	115 UNCH
4235	----	----	----	----/*0.70A	----	0.10 - 0.50	.0015	----	----	1	----	1 UNCH
4250	----	----	----/*2.40A	1.80B/*2.40A	----	1.60 - 2.40	.0148	----	----	----	----	300 UNCH
4250	----	----	----	0.10B/*0.70A	----	0.10 - 0.60	.0015	----	----	----	----	15 UNCH
4255	----	----	----	0.10B/*0.70A	----	0.10 - 0.60	.0015	----	----	----	----	1 UNCH
4285	----	----	----/*0.60A	0.10B/*0.60A	----	0.10 - 0.70	.0016	----	----	1	----	1 UNCH
4300	----	----	----/*0.70A	0.20B/*0.70A	----	0.10 - 0.80	.0017	----	----	----	----	22 UNCH
4310	----	----	----/*0.70A	0.20B/*0.70A	----	0.20 - 0.80	.0031	----	----	----	----	1 UNCH
4325	----	----	----/*7.80A	6.90B/*7.80A	----	6.30 - 6.00	.0447	----	----	----	----	1 UNCH
4325	----	----	----/*0.70A	0.20B/*0.70A	----	0.20 - 0.80	.0031	----	----	----	----	150 UNCH
4350	----	----	----/*0.70A	0.30B/*0.70A	----	0.20 - 1.00	.0033	----	----	----	----	4 UNCH
4360	----	----	----/*3.20A	3.30B/*3.20A	----	2.80 - 3.90	.0265	----	----	2	----	2 UNCH
4395	----	----	----/*0.80A	0.60B/*0.80A	----	0.30 - 1.30	.0050	----	----	----	----	1 UNCH
4400	----	----	----/*10.40A	11.20B/*10.40A	----	9.10 - 8.70	.0641	----	----	----	----	1 UNCH
4400	----	----	----/*0.80A	0.60B/*0.80A	----	0.30 - 1.40	.0050	----	----	----	----	311 UNCH
4400	4.30	4.30	4.30/*3.90A	4.30/*3.90A	----	3.50 - 4.90	.0333	----	----	1	----	1 UNCH
4410	----	----	----/*0.80A	0.60B/*0.80A	----	0.40 - 1.40	.0065	----	----	----	----	4 UNCH
4410	----	----	----/*3.90A	4.40B/*3.90A	----	3.80 - 5.00	.0360	----	----	----	----	2 UNCH
4415	----	----	----/*0.80A	0.60B/*0.80A	----	0.40 - 1.50	.0065	----	----	----	----	1 UNCH
4415	----	----	453.30B/----	453.30B/358.60A	----	435.40 + 81.20	.9934	----	----	----	----	5 UNCH
4420	----	----	448.30B/----	448.30B/354.10A	----	430.40 + 81.10	.9933	----	----	----	----	5 UNCH
4425	----	----	----/*10.40A	13.00B/*10.40A	----	10.40 - 9.80	.0727	----	----	----	----	15 UNCH
4425	----	----	----/*0.80A	0.80B/*0.80A	----	0.40 - 1.60	.0067	----	----	----	----	1 UNCH
4430	----	----	----/*4.30A	5.20B/*4.30A	----	4.30 - 5.60	.0406	----	----	2	----	2 UNCH
4445	----	----	----/*4.70A	6.20B/*4.70A	----	4.70 - 6.20	.0444	----	----	----	----	1 UNCH
4460	----	----	----/*0.90A	1.20B/*0.90A	----	0.60 - 2.10	.0099	----	----	----	----	4 UNCH
4460	----	----	----/*4.90A	6.80B/*4.90A	----	5.20 - 6.70	.0490	----	----	----	----	1 UNCH
4465	----	----	----/*0.90A	1.30B/*0.90A	----	0.60 - 2.20	.0100	----	----	----	----	3 UNCH
4470	----	----	----/*5.40A	7.00B/*5.40A	----	5.50 - 7.10	.0519	----	----	----	----	2 UNCH
4475	----	----	----/*13.30A	17.70B/*13.30A	----	13.70 - 12.40	.0939	----	----	----	----	1 UNCH
4475	----	----	----/*0.90A	1.40B/*0.90A	----	0.60 - 2.40	.0102	----	----	----	----	2 UNCH
4480	----	----	----/*0.90A	1.50B/*0.90A	----	0.70 - 2.40	.0117	----	----	----	----	3 UNCH
4480	----	----	----/*13.70A	17.90B/*13.70A	----	14.10 - 12.60	.0964	----	----	----	----	1 UNCH
4480	----	----	----/*5.40A	7.60B/*5.40A	----	5.90 - 7.50	.0554	----	----	----	----	4 UNCH
4485	----	----	----/*0.80A	1.50B/*0.80A	----	0.70 - 2.50	.0118	----	----	1	----	1 UNCH
4500	17.50	17.50	17.50/*15.20A	20.70B/*15.20A	----	15.80 - 13.80	.1069	----	----	1	----	2 UNCH
4500	----	----	----/*0.90A	1.80B/*0.90A	----	0.80 - 2.90	.0136	----	----	2	----	22 UNCH
4500	----	----	----/*6.30A	9.10B/*6.30A	----	6.80 - 8.40	.0633	----	----	----	----	1 UNCH
4510	----	----	----/*6.80A	9.70B/*6.80A	----	7.30 - 8.90	.0677	----	----	----	----	2 UNCH
4515	----	----	----/*7.10A	10.10B/*7.10A	----	7.60 - 9.20	.0702	----	----	----	----	20 UNCH
4520	----	----	----/*1.00A	2.20B/*1.00A	----	0.90 - 3.40	.0156	----	----	4	----	66 UNCH
4525	----	----	----/*18.20A	24.20B/*18.20A	----	18.20 NEW	.1213	----	----	1	----	1 + 1
4525	2.00	2.00	2.00/*1.00A	2.30B/*1.00A	----	1.00 - 3.50	.0171	----	----	1	----	71 - 1
4530	----	----	----/*1.00A	2.40B/*1.00A	----	1.00 - 3.70	.0173	----	----	----	----	2 UNCH
4540	----	----	----/*1.10A	2.70B/*1.10A	----	1.10 - 4.10	.0191	----	----	----	----	2 UNCH
4540	----	----	----/*8.00A	12.10B/*8.00A	----	9.00 - 10.70	.0824	----	----	----	----	2 UNCH
4545	----	----	----/*20.20A	27.10B/*20.20A	----	20.40 - 17.00	.1343	----	----	----	----	2 UNCH
4545	----	----	----/*1.10A	2.90B/*1.10A	----	1.20 - 4.20	.0206	----	----	----	----	1 UNCH
4550	----	----	----/*1.10A	3.10B/*1.10A	----	1.20 - 4.50	.0209	----	----	5	----	65 - 3
4550	----	----	----/*20.70A	28.30B/*20.70A	----	21.00 NEW	.1377	----	----	1	----	1 + 1
4550	11.90	11.90	11.90/*8.40A	13.10B/*8.40A	----	9.70 NEW	.0882	----	----	6	----	6 + 6
4550	----	----	318.80B/----	318.80B/226.70A	----	301.30 + 78.30	.9790	----	----	----	----	50 UNCH
4565	----	----	----/*1.20A	3.70B/*1.20A	----	1.40 - 5.10	.0244	----	----	----	----	3 UNCH
4575	----	----	----/*10.10A	16.00B/*10.10A	----	11.60 - 13.20	.1039	----	----	----	----	55 UNCH
4575	----	----	----/*23.40A	33.00B/*23.40A	----	24.20 - 19.30	.1559	----	----	----	----	1 UNCH
4580	----	----	----/*1.30A	4.40B/*1.30A	----	1.60 - 5.80	.0281	----	----	----	----	2 UNCH
4590	----	----	----/*1.40A	4.90B/*1.40A	----	1.70 - 6.50	.0302	----	----	----	----	2 UNCH
4595	3.20	3.20	3.40/*1.50A	5.20B/*1.50A	----	1.80 NEW	.0319	----	----	51	----	50 + 50
4600	4.50	4.50	4.60/*1.60A	5.50B/*1.60A	----	1.80 - 7.20	.0324	----	----	32	----	84 + 21
4600	15.30	15.30	15.30/*11.90A	19.80B/*11.90A	----	13.90 NEW	.1223	----	----	1	----	1 + 1
4605	----	----	----/*1.60A	5.90B/*1.60A	----	1.90 NEW	.0342	----	----	3	----	3 + 3
4605	----	----	----/*12.40A	20.10B/*12.40A	----	14.40 - 15.90	.1263	----	----	----	----	1 UNCH
4610	----	----	----/*1.70A	6.20B/*1.70A	----	2.00 - 7.90	.0360	----	----	----	----	6 UNCH
4615	----	----	----/*29.80A	41.40B/*29.80A	----	30.40 NEW	.1895	----	----	2	----	2 + 2
4620	7.10	7.10	7.10/*1.80A	7.10/*1.80A	----	2.10 - 8.80	.0385	----	----	1	----	37 UNCH
4625	2.10	2.10	2.10/*1.90	7.50B/*1.90	----	2.20 - 9.20	.0404	----	----	8	----	23 + 8
4630	----	----	----/*1.90A	7.90B/*1.90A	----	2.30 - 9.70	.0424	----	----	----	----	2 UNCH
4630	----	----	----/*32.20A	45.20B/*32.20A	----	33.10 - 24.40	.2035	----	----	----	----	1 UNCH
4630	----	----	----/*14.90A	24.80B/*14.90A	----	17.20 - 18.50	.1480	----	----	----	----	1 UNCH
4635	3.20	3.20	3.20/*1.90A	8.40B/*1.90A	----	2.40 - 10.20	.0444	----	----	1	----	2 + 1
4640	----	----	----/*16.20A	27.00B/*16.20A	----	18.50 - 19.60	.1577	----	----	----	----	18 UNCH
4640	7.60	7.60	7.60/*2.00A	9.00B/*2.00A	----	2.50 - 10.70	.0464	----	----	4	----	4 + 1
4645	----	----	----/*16.60A	28.10B/*16.60A	----	19.20 - 20.10	.1629	----	----	----	----	5 UNCH
4650	4.00	4.00	4.30/*2.10A	10.10B/*2.10A	----	2.80 - 11.80	.0520	----	----	80	----	79 + 73
4655	----	----	----/*2.20A	10.80B/*2.20A	----	2.90 - 12.50	.0542	----	----	----	----	2 UNCH
4660	10.10	10.10	10.60/*2.30A	11.50B/*2.30A	----	3.00 - 13.20	.0565	----	----	4	----	5 + 4
4665	----	----	----/*19.50A	33.00B/*19.50A	----	22.20 - 22.50	.1846	----	----	----	----	18 UNCH
4665	3.90	3.90	3.90/*2.00	12.30B/*2.00	----	3.20 NEW	.0600	----	----	4	----	3 + 3
4670	10.00	10.00	10.00/*2.50A	13.00B/*2.50A	----	3.40 - 14.50	.0637	----	----	4	----	28 + 2
4675	6.10	6.10	6.10/*2.70A	13.90B/*2.70A	----	3.60 - 15.30	.0674	----	----	2	----	4 + 2
4680	----	----	190.50B/----	190.50B/108.60A	----	173.90 + 66.70	.9287	----	----	2	----	31 - 1
4680	9.50	9.50	9.50/*2.80A	14.80B/*2.80A	----	3.80 - 16.00	.0712	----	----	6	----	10 + 3
4690	9.40	9.40	9.40/*3.20A	16.70B/*3.20A	----	4.30 NEW	.0802	----	----	18	----	14 + 14
4695	----	----	----/*24.30A	41.80B/*24.30A	----	27.70 - 26.40	.2220	----	----	----	----	2 UNCH
4695	----	----	----/*3.40A	17.70B/*3.40A	----	4.60 - 18.50	.0854	----	----	----	----	121 UNCH
4700	----	----	----/*25.20A	44.00B/*25.20A	----	28.70 - 27.10	.2287	----	----	1	----	4 + 1
4700	----	----	191.50B/----	191.50B/127.20A	----	178.70 + 55.60	.7710	----	----	----	----	1 UNCH
4700	16.00	16.00	16.00/*3.10	19.00B/*3.10	----	4.90 - 19.50	.0907	----	----	30	150	173 + 166
4700	----	----	171.20B/----	171.20B/92.80A	----	155.00 + 63.30	.9092	----	----	----	----	69 UNCH
4705	----	----	----/*3.80A	20.00B/*3.80A	----	5.30 NEW	.0972	----	----	1	----	1 + 1
4710	8.50	8.50	8.50/*4.00A	21.30B/*4.00A	----	5.70 NEW	.1038	----	----	4	----	1 + 1
4710	----	----	----/*27.20A	46.70B/*27.20A	----	30.90 - 28.40	.2428	----	----	----	----	1 UNCH
4715	14.60	14.60	14.60/*4.30A	22.70B/*4.30A	----	6.10 - 22.30	.1105	----	----	7	----	4 + 3
4715	----	----	156.90B/----	156.90B/81.70A	----	141.10 + 60.30	.8894	----	----	----	----	9 UNCH
4720	----	----	----/*4.60A	24.10B/*4.60A	----	6.50 - 23.40	.1173	----	----	2	----	3 + 2
4725	----	----	----/*4.90A	25.40B/*4.90A	----	7.00 - 24.50	.1252	----	----	7	----	56 + 4
4730	----	----	142.80B/----	142.80B/71.20A	----	127.60 + 57.00	.8666	----	----	1	----	12 + 1
4730	11.70	11.70	11.70/*5.30A	27.00B/*5.30A	----	7.50 - 25.70	.1332	----	----	1	----	4 + 1
4730	----	----	----/*31.40A	54.00B/*31.40A	----	35.70 - 31.30	.2726	----	----	----	----	1 UNCH
4735	13.00	13.00	13.00/*5.60A	28.70B/*5.60A	----	8.10 - 26.80	.1423	----	----	8	----	8 + 7
4735	----	----	----/*56.60A	81.00B/*56.60A	----	59.20 - 35.70	.3237	----	----	----	----	1 UNCH
4740	13.90	13.90	13.90/*6.00A	30.40B/*6.00A	----	8.70 - 28.00	.1516	----	----	5	----	16 + 4
4745	----	----	----/*35.00A	60.00B/*35.00A	----	39.80 NEW	.2967	----	----	----	100	100 + 100
4745	----	----	129.00B/----	129.00B/61.00A	----	114.50 + 53.50	.8380	----	----	----	----	70 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4750	79.50	79.50	79.50/*61.30	88.10B/*61.30	----	64.10 NEW	.3437	----	----	2	----	1 + 1
4750	20.00	20.00	23.70/*6.90A	34.00B/*6.90A	----	10.10 - 30.50	.1722	----	----	99	----	80 + 45
4750	----	----	124.30B/56.30A	124.30B/56.30A	----	110.20 + 52.20	.8277	----	----	31	----	25 - 7
4755	16.10	16.10	16.10/*7.40A	36.10B/*7.40A	----	10.90 - 31.80	.1835	----	----	11	----	10 + 8
4755	----	----	119.90B/53.30A	119.90B/53.30A	----	106.00 + 50.90	.8164	----	----	----	----	2 UNCH
4760	16.50	16.50	16.50/*8.00A	38.30B/*8.00A	----	11.80 - 33.10	.1957	----	----	2	----	2 UNCH
4760	----	----	115.40B/50.40A	115.40B/50.40A	----	101.90 + 49.60	.8042	----	----	----	----	81 UNCH
4770	10.00	10.00	10.00/*9.20A	42.80B/*9.20A	----	13.70 NEW	.2211	----	----	4	----	4 + 4
4770	----	----	106.50B/44.90A	106.50B/44.90A	----	93.80 NEW	.7788	----	----	2	----	0 UNCH
4775	----	----	----/*43.40A	71.50B/*43.40A	----	49.20 - 37.90	.3483	----	----	----	----	2 UNCH
4775	----	----	----/*10.00A	45.30B/*10.00A	----	14.70 - 37.30	.2344	----	----	2	----	2 + 1
4775	62.00	62.00	102.40B/42.30A	102.40B/42.30A	----	89.80 + 45.40	.7655	----	----	51	----	41 - 10
4780	----	----	98.00B/39.80A	98.00B/39.80A	----	86.00 + 44.10	.7508	----	----	----	----	5 UNCH
4780	22.10	22.10	25.00/*10.70A	47.80B/*10.70A	----	15.90 - 38.60	.2490	----	----	2	----	4 UNCH
4785	----	----	93.90B/37.50A	93.90B/37.50A	----	82.20 + 42.60	.7361	----	----	----	----	15 UNCH
4785	17.20	17.20	17.20/*11.50A	50.40B/*11.50A	----	17.10 - 40.10	.2638	----	----	1	----	3 UNCH
4790	----	----	89.80B/35.20A	89.80B/35.20A	----	78.50 + 41.20	.7207	----	----	----	----	0 UNCH
4790	----	----	----/*12.50A	53.10B/*12.50A	----	18.40 NEW	.2792	----	----	1	----	1 + 1
4795	----	----	86.20B/33.00A	86.20B/33.00A	----	74.80 + 39.70	.7047	----	----	----	----	0 UNCH
4795	----	----	----/*76.80A	106.20B/*76.80A	----	81.10 NEW	.4072	----	----	1	----	1 + 1
4795	----	----	----/*13.40A	55.80B/*13.40A	----	19.80 NEW	.2952	----	----	1	----	1 + 1
4800	----	----	117.40B/----	117.40B/67.50A	----	108.50 + 41.10	.6054	----	----	----	----	33 UNCH
4800	45.50	45.50	82.50B/30.90A	82.50B/30.90A	----	71.30 + 38.20	.6886	----	----	10	----	39 - 4
4800	21.00	21.00	21.60/*14.50A	58.50B/*14.50A	----	21.20 - 44.50	.3113	----	----	7	50	54 + 52
4805	20.00	20.00	20.00/*15.50A	61.60B/*15.50A	----	22.80 - 45.90	.3284	----	----	2	----	3 + 2
4805	----	----	78.60B/29.00A	78.60B/29.00A	----	67.90 + 36.80	.6715	----	----	----	----	3 UNCH
4805	----	----	114.20B/----	114.20B/65.20A	----	105.50 + 40.30	.5959	----	----	----	----	19 UNCH
4810	79.00	79.00	111.10B/62.90A	111.10B/62.90A	----	102.60 + 39.60	.5863	----	----	8	----	9 + 8
4810	----	----	75.10B/27.10A	75.10B/27.10A	----	64.50 + 35.20	.6539	----	----	5	----	2 - 5
4810	----	----	----/*16.70A	64.70B/*16.70A	----	24.50 - 47.30	.3459	----	----	----	----	2 UNCH
4815	41.10	41.10	41.10/*18.00A	67.90B/*18.00A	----	26.20 NEW	.3635	----	----	12	----	12 + 12
4815	----	----	71.40B/25.40A	71.40B/25.40A	----	61.30 + 33.80	.6364	----	----	1	----	2 UNCH
4820	----	----	----/*19.50A	71.00B/*19.50A	----	28.10 NEW	.3818	----	----	1	----	1 + 1
4820	33.50	33.50	68.10B/23.60A	68.10B/23.60A	----	58.20 + 32.40	.6181	----	----	20	----	10 + 9
4825	27.90	27.90	64.70B/22.00A	64.70B/22.00A	----	55.10 + 30.90	.5998	----	----	93	----	34 + 21
4830	44.10	44.10	44.10/*22.70A	78.20B/*22.70A	----	32.10 NEW	.4189	----	----	1	----	1 + 1
4830	67.90	67.90	67.90/*63.30A	99.20B/*63.30A	----	71.20 NEW	.4521	----	----	18	----	18 + 18
4830	105.00	105.00	123.50B/80.20A	123.50B/80.20A	----	116.80 NEW	.5407	----	----	1	----	1 + 1
4830	----	----	61.30B/20.60A	61.30B/20.60A	----	52.20 + 29.50	.5809	----	----	----	----	1 UNCH
4835	39.70	39.70	58.20B/19.10A	58.20B/19.10A	----	49.30 + 28.10	.5620	----	----	29	----	32 - 11
4835	67.00	67.00	97.00B/52.20A	97.00B/52.20A	----	88.60 NEW	.5379	----	----	9	----	9 + 9
4835	46.80	46.80	46.80/*24.40A	81.90B/*24.40A	----	34.30 NEW	.4379	----	----	3	----	3 + 3
4840	49.60	49.60	49.60/*26.10A	85.50B/*26.10A	----	36.50 NEW	.4569	----	----	3	----	3 + 3
4840	40.80	40.80	55.20B/17.90A	55.20B/17.90A	----	46.60 NEW	.5430	----	----	4	----	3 + 3
4850	92.80	92.80	112.60B/71.80A	112.60B/71.80A	----	106.60 + 34.30	.5109	----	----	1	----	5 + 1
4850	81.70	81.70	88.90B/46.50A	88.90B/46.50A	----	80.90 NEW	.5084	----	----	2	----	2 + 2
4850	41.10	41.10	41.10/*30.10A	93.30B/*30.10A	----	41.40 - 58.60	.4953	----	----	15	----	14 + 13
4850	18.20	18.20	49.90B/15.40A	49.90B/15.40A	----	41.50 + 24.10	.5046	----	----	78	----	131 - 9
4855	87.20	87.20	87.20/44.80A	87.20/44.80A	----	78.40 NEW	.4985	----	----	6	----	6 + 6
4855	----	----	47.10B/14.40A	47.10B/14.40A	----	39.10 + 22.80	.4854	----	----	1	----	0 - 1
4860	48.50	48.50	83.70B/43.00A	83.70B/43.00A	----	76.00 NEW	.4887	----	----	9	----	9 + 9
4860	----	----	----/*76.80A	117.20B/*76.80A	----	85.90 - 50.60	.5110	----	----	----	----	1 UNCH
4860	16.00	16.00	45.00B/13.30A	45.00B/13.30A	----	36.80 + 21.60	.4663	----	----	35	----	35 - 12
4865	----	----	81.10B/41.30A	81.10B/41.30A	----	73.70 + 31.40	.4789	----	----	----	----	38 UNCH
4865	----	----	----/*37.00A	104.90B/*37.00A	----	49.50 NEW	.5525	----	----	1	----	1 + 1
4865	----	----	42.10B/12.30A	42.10B/12.30A	----	34.60 + 20.40	.4474	----	----	9	----	4 + 2
4870	50.90	50.90	50.90/*39.50A	109.30B/*39.50A	----	52.40 NEW	.5712	----	----	1	----	1 + 1
4870	----	----	39.50B/11.40A	39.50B/11.40A	----	32.50 + 19.20	.4286	----	----	1	----	1 UNCH
4875	----	----	76.20B/38.10A	76.20B/38.10A	----	69.10 + 29.90	.4593	----	----	----	----	4 UNCH
4875	53.80	53.80	53.80/*42.20A	113.20B/*42.20A	----	55.40 - 64.60	.5897	----	----	1	----	2 + 1
4875	20.00	20.00	37.40B/10.60A	37.40B/10.60A	----	30.50 + 18.10	.4101	----	----	74	----	44 - 7
4880	56.70	56.70	56.70/*45.10A	117.50B/*45.10A	----	58.50 NEW	.6079	----	----	1	----	1 + 1
4880	----	----	35.10B/9.80A	35.10B/9.80A	----	28.60 + 17.00	.3919	----	----	9	----	6 + 2
4885	18.30	18.30	33.20B/9.10A	33.20B/9.10A	----	26.80 + 15.90	.3740	----	----	15	----	57 + 6
4890	----	----	69.20B/33.70A	69.20B/33.70A	----	62.70 + 27.80	.4302	----	----	----	----	18 UNCH
4890	----	----	31.10B/8.40A	31.10B/8.40A	----	25.10 + 14.90	.3566	----	----	11	----	3 + 1
4895	----	----	29.20B/7.80A	29.20B/7.80A	----	23.50 + 14.00	.3395	----	----	1	----	3 - 1
4900	----	----	88.30B/53.70A	88.30B/53.70A	----	83.90 + 29.20	.4368	----	----	----	----	1 UNCH
4900	----	----	64.80B/31.10A	64.80B/31.10A	----	58.70 + 26.40	.4112	----	----	1	----	26 + 1
4900	10.90	10.90	27.50B/6.80	27.50B/6.80	----	22.00 + 13.10	.3230	----	----	16	----	321 + 7
4900	----	----	----/*57.50A	135.30B/*57.50A	----	71.90 - 69.60	.6768	----	----	----	----	1 UNCH
4905	----	----	----/*60.80A	139.40B/*60.80A	----	75.50 - 70.40	.6928	----	----	1	----	0 - 1
4905	8.30	8.30	25.40B/6.70A	25.40B/6.70A	----	20.60 + 12.30	.3071	----	----	6	----	14 + 2
4910	10.80	10.80	24.00B/6.30A	24.00B/6.30A	----	19.20 + 11.40	.2912	----	----	5	----	10 + 1
4915	14.60	14.60	22.50B/5.80A	22.50B/5.80A	----	18.00 + 10.70	.2765	----	----	5	----	12 + 2
4920	50.60	50.60	56.70B/26.30A	56.70B/26.30A	----	51.20 NEW	.3738	----	----	6	----	6 + 6
4920	----	----	79.70B/47.60A	79.70B/47.60A	----	76.00 + 27.30	.4080	----	----	----	----	1 UNCH
4920	11.40	11.40	21.00B/5.50A	21.00B/5.50A	----	16.80 + 10.00	.2619	----	----	7	----	132 - 1
4925	----	----	54.80B/25.20A	54.80B/25.20A	----	49.40 + 23.00	.3645	----	----	----	----	20 UNCH
4925	----	----	19.60B/5.10A	19.60B/5.10A	----	15.70 + 9.30	.2481	----	----	4	----	16 UNCH
4930	----	----	18.10B/4.80A	18.10B/4.80A	----	14.60 + 8.60	.2343	----	----	5	----	1 UNCH
4935	----	----	17.00B/4.50A	17.00B/4.50A	----	13.70 NEW	.2220	----	----	2	----	0 UNCH
4940	----	----	49.30B/22.20A	49.30B/22.20A	----	44.50 + 21.10	.3378	----	----	----	----	1 UNCH
4940	7.50	7.50	15.90B/4.20A	15.90B/4.20A	----	12.80 NEW	.2099	----	----	4	----	2 + 2
4945	----	----	14.80B/3.90A	14.80B/3.90A	----	11.90 + 7.00	.1978	----	----	2	----	11 + 1
4950	3.40	3.40	14.20/3.40	14.20/3.40	----	11.10 + 6.50	.1866	----	----	160	----	140 + 134
4950	----	----	----/*94.80A	181.10B/*94.80A	----	111.00 - 76.20	.8132	----	----	----	----	1 UNCH
4955	----	----	12.80B/3.50A	12.80B/3.50A	----	10.40 + 6.00	.1764	----	----	1	----	3 + 1
4960	----	----	42.70B/18.80A	42.70B/18.80A	----	38.50 + 18.60	.3036	----	----	----	----	4 UNCH
4960	----	----	----/103.10A	191.00B/103.10A	----	119.60 - 77.10	.8336	----	----	1	----	0 - 1
4960	6.60	6.60	12.00B/3.30A	12.00B/3.30A	----	9.70 NEW	.1663	----	----	2	----	2 + 2
4965	5.10	5.10	11.20B/3.10A	11.20B/3.10A	----	9.10 NEW	.1572	----	----	6	----	6 + 6
4970	32.80	32.80	39.70B/17.30A	39.70B/17.30A	----	35.80 + 17.50	.2874	----	----	1	200	200 + 199
4970	----	----	10.40B/2.90A	10.40B/2.90A	----	8.50 NEW	.1482	----	----	1	----	1 + 1
4970	----	----	----/111.60A	200.30B/111.60A	----	128.40 - 77.80	.8517	----	----	1	----	4 UNCH
4975	----	----	----/115.90A	205.10B/115.90A	----	132.80 - 78.20	.8606	----	----	1	----	4 UNCH
4975	7.00	7.00	9.70B/2.80A	9.70B/2.80A	----	7.90 + 4.50	.1392	----	----	2	----	1 UNCH
4980	----	----	9.00B/2.60A	9.00B/2.60A	----	7.40 + 4.20	.1314	----	----	----	----	5 UNCH
4990	----	----	----/129.20A	220.00B/129.20A	----	146.40 - 79.00	.8830	----	----	2	----	2 UNCH
4995	----	----	7.30B/2.20A	7.30B/2.20A	----	6.10 + 3.40	.1103	----	----	----	----	2 UNCH
5000	31.20	31.20	31.70B/13.50A	31.70B/13.50A	----	28.60 + 14.20	.2417	----	----	2	----	3 + 2
5000	5.50	5.50	6.80B/2.10A	6.80B/2.10A	----	5.70 + 3.10	.1039	----	----	12	----	128 + 10
5000	----	----	----/138.40A	229.40B/138.40A	----	155.60 - 79.50	.8960	----	----	2	----	1 UNCH
5005	----	----	6.40B/2.00A	6.40B/2.00A	----	5.40 + 2.90	.0986	----	----	----	----	1 UNCH
5010	----	----	29.30B/12.50A	29.30B/12.50A	----	26.50 NEW	.2276	----	----	----	200	200 + 200
5010	----	----	----/147.70A	239.20B/147.70A	----	164.90 - 80.00	.9065	----	----	----	----	1 UNCH
5010	5.90	5.90	5.90/1.90A	5.90/1.90A	----	5.10 + 2.80	.0934	----	----	1	----	5 + 1
5020	3.20	3.20	5.20B/1.80A	5.20B/1.80A	----	4.50 + 2.40	.0832	----	----	28	----	28 + 26
5025	----	----	4.80B/1.70A	4.80B/1.70A	----	4.20 + 2.20	.0781	----	----	----	----	1 UNCH
5025	----	----	26.00B/11.10A	26.00B/11.10A	----	23.60 NEW	.2075	----	----	1	----	1 + 1
5030	----	----	4.50B/1.60A	4.50B/1.60A	----	4.00 + 2.10	.0744	----	----	----	----	1 UNCH
5035	----	----	4.20B/1.50A	4.20B/1.50A	----	3.80 + 2.00	.0707	----	----	----	----	1 UNCH
5050	----	----	21.30B/9.20A	21.30B/9.20A	----	19.50 + 9.90	.1775	----	----	2	----	3 + 2
5050	----	----	3.40B/1.30A	3.40B/1.30A	----	3.20 + 1.60	.0600	----	----	1	----	67 + 1
5060	1.30	1.30	3.00B/1.20A	3.00B/1.20A	----	2.80 NEW	.0531	----	----	10	----	10 + 10
5065	----	----	2.80B/1.20A	2.80B/1.20A	----	2.70 + 1.30	.0509	----	----	----	----	1 UNCH
5100	8.40	8.40	14.30B/6.30A	14.30B/6.30A	----	13.20 NEW	.1279	----	----	9	----	9 + 9
5100	----	----	1.80B/0.90A	1.80B/0.90A	----	1.90 + 0.80	.0359	----	----	3	----	6 UNCH
5125	----	----	#24.40B/13.50A	24.40B/13.50A	----	24.00 + 10.30	.1695	----	----	----	----	1 UNCH
5135	1.30	1.30	1.30/1.30	1.30/0.80A	----	1.40 NEW	.0262	----	----	1	----	1 + 1
5140	1.00	1.00	1.10B/1.00	1.10B/0.80A	----	1.30 NEW	.0245	----	----	2	----	2 + 2
5150	----	----	1.00B/----	1.00B/0.80A	----	1.20 + 0.50	.0225	----	----	3	----	4 + 3
5180	----	----	0.70B/----	0.70B/0.70A	----	0.90 + 0.30	.0169	----	----	----	----	1 UNCH
5200	5.80	5.80	6.60B/5.80	6.60B/3.40A	----	6.40 NEW	.0668	----	----	2	----	2 + 2
5200	10.80	10.80	#15.90B/8.40A	#15.90B/8.40A	----	15.30 NEW	.1160	----	----	11	----	11 + 11
5200	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0133	----	----	----	----	1 UNCH
5210	----	----	0.50B/----	0.50B/0.60A	----	0.60 + 0.20	.0115	----	----	----	----	1 UNCH
5255	----	----	----	0.30B/*0.60A	----	0.30 UNCH	.0061	----	----	1	----	2 UNCH
5300	----	----	----	0.20B/*0.60A	----	0.20 UNCH	.0040	----	----	----	----	1 UNCH
5305	----	----	----	0.20B/*0.60A	----	0.20 UNCH	.0040	----	----	----	----	2 UNCH
5320	----	----	0.20B/----	0.20B/*0.60A	----	0.10 UNCH	.0021	----	----	----	----	1 UNCH
5400	4.70	4.70	#5.00B/*4.70	#5.00B/3.80A	----	5.50 NEW	.0452	----	----	1	----	1 + 1
5425	----	----	----	----/*0.60A	----	0.10 UNCH	.0018	----	----	----	----	10 UNCH
TOTAL										1362	700	4892 + 1310

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 45

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON APR26		GOLD WEEKLY MONDAY OPTION WEEK3										
4025	----	----	----	0.10B/*1.10A	----	0.40 - 0.40	.0037	----	----	----	----	1 UNCH
4050	----	----	----	0.20B/*1.00A	----	0.50 - 0.40	.0045	----	----	----	----	12 UNCH
4100	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.60 - 0.40	.0056	----	----	10	----	11 UNCH
4125	----	----	----	0.40B/*1.10A	----	0.60 - 0.50	.0058	----	----	----	----	1 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	0.40B/*1.20A	----	0.70 - 0.50	.0067	----	----	----	----	2 UNCH
4175	----	----	----/*1.20A	0.50B/*1.20A	----	0.80 - 0.60	.0078	----	----	----	----	1 UNCH
4220	----	----	----/*1.30A	0.60B/*1.30A	----	1.00 - 0.70	.0098	----	----	----	----	1 UNCH
4225	----	----	----/*1.30A	0.60B/*1.30A	----	1.00 - 0.70	.0099	----	----	----	----	49 UNCH
4250	----	----	----	----	----	517.40 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----/*1.30A	1.00B/*1.30A	----	1.10 - 0.80	.0111	----	----	----	----	26 UNCH
4300	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 1.30	.0127	----	----	----	----	1 UNCH
4335	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 1.70	.0143	----	----	----	----	1 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	2.20	2.20	2.20/*1.30A	2.20/*1.30A	----	1.40 - 1.80	.0155	----	----	1	----	5 UNCH
4375	----	----	----/*1.50A	1.90B/*1.50A	----	1.50 - 2.20	.0171	----	----	----	----	2 UNCH
4380	----	----	----/*1.50A	2.00B/*1.50A	----	1.60 - 2.20	.0181	----	----	----	----	2 UNCH
4400	----	----	----/*1.60A	2.30B/*1.60A	----	1.70 - 2.50	.0196	----	----	----	----	152 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	2.10	2.10	2.10/*1.70A	2.50B/*1.70A	----	1.80 - 2.70	.0209	----	----	1	----	1 UNCH
4415	----	----	----	----	----	352.40 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	327.40 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----/*1.90A	3.10B/*1.90A	----	2.10 - 3.40	.0248	----	----	----	----	15 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----/*1.90A	3.40B/*1.90A	----	2.20 - 3.70	.0261	----	----	1	----	3 + 1
4460	----	----	----/*1.90A	3.70B/*1.90A	----	2.30 - 4.00	.0275	----	----	----	----	10 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----/*2.00A	3.90B/*2.00A	----	2.40 - 4.10	.0287	----	----	----	----	5 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----/*2.10A	4.00B/*2.10A	----	2.40 - 4.30	.0290	----	----	4	----	9 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----/*2.10A	4.20B/*2.10A	----	2.50 - 4.50	.0301	----	----	----	----	2 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----/*2.20A	4.60B/*2.20A	----	2.70 - 4.80	.0325	----	----	----	----	6 UNCH
4495	----	----	372.00B/----	372.00B/284.30A	----	357.80 + 77.50	.9657	----	----	----	----	2 UNCH
4495	----	----	----/*2.30A	5.00B/*2.30A	----	2.80 - 5.20	.0341	----	----	----	----	1 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	267.40 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	367.10B/----	367.10B/279.60A	----	352.90 + 77.30	.9645	----	----	----	----	2 UNCH
4500	5.00	5.00	5.00/*2.30A	5.20B/*2.30A	----	2.90 - 5.40	.0354	----	----	11	----	22 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	232.40 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	227.40 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	217.40 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----/*3.30A	8.10B/*3.30A	----	4.10 - 8.00	.0504	----	----	----	----	2 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----/*3.60A	9.30B/*3.60A	----	4.60 - 8.90	.0565	----	----	----	----	2 UNCH
4570	----	----	----/*3.80A	9.70B/*3.80A	----	4.80 - 9.30	.0589	----	----	----	----	1 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	301.00B/----	301.00B/214.30A	----	284.70 + 73.30	.9409	----	----	----	----	1 UNCH
4575	----	----	----	----	----	192.40 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----/*3.90A	10.20B/*3.90A	----	4.90 - 9.70	.0605	----	----	2	----	3 + 1
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----/*4.10A	10.70B/*4.10A	----	5.10 - 10.10	.0629	----	----	----	----	36 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	182.40 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----/*4.20A	11.10B/*4.20A	----	5.40 - 10.40	.0661	----	----	----	----	2 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----/*4.60A	12.20B/*4.60A	----	5.80 - 11.30	.0711	----	----	----	----	2 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	272.10B/----	272.10B/187.60A	----	256.00 + 70.90	.9253	----	----	----	----	10 UNCH
4600	9.00	9.00	9.10/*4.80A	12.80B/*4.80A	----	6.10 - 11.70	.0745	----	----	17	----	43 - 3
4605	9.50	9.50	9.50/*5.00A	13.40B/*5.00A	----	6.30 - 12.20	.0771	----	----	5	----	26 UNCH
4610	----	----	----	----	----	157.40 UNCH	----	----	----	----	----	0 UNCH
4610	10.00	10.00	10.00/*5.20A	14.00B/*5.20A	----	6.60 NEW	.0804	----	----	5	----	5 + 5
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----/*5.40A	14.70B/*5.40A	----	6.90 - 13.10	.0839	----	----	----	----	1 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	142.40 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	132.40 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----/*6.70A	18.70B/*6.70A	----	8.60 NEW	.1031	----	----	1	----	1 + 1
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	117.40 UNCH	----	----	----	----	----	0 UNCH
4650	17.10	17.10	17.10/*7.40A	20.40B/*7.40A	----	9.40 - 17.10	.1120	----	----	4	----	7 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	219.80B/----	219.80B/141.60A	----	204.90 NEW	.8826	----	----	1	----	1 + 1
4660	----	----	----	----	----	107.40 UNCH	----	----	----	----	----	0 UNCH
4660	15.60	15.60	15.60/*8.10A	22.40B/*8.10A	----	10.30 - 18.40	.1217	----	----	3	----	2 + 1
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	10.20	10.20	10.20/*8.50A	23.50B/*8.50A	----	10.80 NEW	.1270	----	----	3	----	3 + 3
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----/*8.90A	24.60B/*8.90A	----	11.40 NEW	.1330	----	----	1	----	1 + 1
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	92.40 UNCH	----	----	----	----	----	0 UNCH
4675	10.80	10.80	10.80/*9.40A	25.80B/*9.40A	----	11.90 NEW	.1384	----	----	182	----	180 + 180
4680	----	----	----/*9.80A	27.00B/*9.80A	----	12.50 - 21.10	.1444	----	----	2	----	4 + 1
4680	----	----	----	----	----	87.40 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	196.70B/----	196.70B/122.40A	----	182.50 + 61.60	.8553	----	----	1	----	1 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	82.40 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----/*10.30A	28.30B/*10.30A	----	13.10 - 21.80	.1505	----	----	2	----	2 + 1
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	72.40 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	67.40 UNCH	----	----	----	----	----	0 UNCH
4700	26.50	26.50	26.50/*11.90A	32.30B/*11.90A	----	15.20 - 24.10	.1710	----	----	4	----	28 + 3
4700	152.00	152.00	179.00B/152.00	179.00B/108.00A	----	165.20 + 58.50	.8288	----	----	1	----	51 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	62.40 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	57.40 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----/*13.20A	35.60B/*13.20A	----	16.70 - 25.80	.1855	----	----	----	----	1 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----/*13.80A	37.20B/*13.80A	----	17.60 - 26.50	.1936	----	----	----	----	1 UNCH
4715	----	----	----	----	----	52.40 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	47.40 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----/*14.50A	38.80B/*14.50A	----	18.50 NEW	.2018	----	----	1	----	1 + 1
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	42.40 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----/*15.20A	40.70B/*15.20A	----	19.40 - 28.30	.2100	----	----	----	----	1 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	37.40 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	32.40 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	144.60B/79.60A	144.60B/79.60A	----	132.50 + 51.70	.7633	----	----	----	----	2 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	27.40 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----/*18.60A	48.20B/*18.60A	----	23.60 NEW	.2463	----	----	1	----	1 + 1
4745	----	----	140.50B/76.60A	140.50B/76.60A	----	128.60 NEW	.7535	----	----	1	----	1 + 1
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	22.40 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	17.40 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	88.00	88.00	136.50B/73.60A	136.50B/73.60A	----	124.80 + 49.90	.7440	----	----	2	----	12 UNCH
4750	----	----	----/*19.60A	50.10B/*19.60A	----	24.70 - 32.90	.2557	----	----	1	----	1 - 1
4755	----	----	----	----	----	12.40 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----/*20.60A	52.40B/*20.60A	----	26.00 NEW	.2660	----	----	1	----	1 + 1
4755	----	----	132.50B/70.70A	132.50B/70.70A	----	121.00 NEW	.7338	----	----	1	----	1 + 1
4760	----	----	----	----	----	7.40 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----/*21.70A	54.60B/*21.70A	----	27.20 NEW	.2759	----	----	1	----	1 + 1
4760	----	----	128.70B/67.90A	128.70B/67.90A	----	117.30 + 47.90	.7238	----	----	----	----	15 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	2.40 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----/*23.90A	59.30B/*23.90A	----	30.00 - 36.60	.2974	----	----	1	----	22 + 1
4770	----	----	----	----	----	2.60 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	7.60 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	73.20	73.20	117.20B/60.00A	117.20B/60.00A	----	106.50 + 45.00	.6912	----	----	2	----	2 UNCH
4775	49.40	49.40	49.40/*25.10A	61.60B/*25.10A	----	31.50 - 37.60	.3085	----	----	2	----	21 UNCH
4780	----	----	----	----	----	12.60 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	113.60B/57.40A	113.60B/57.40A	----	103.00 + 44.00	.6801	----	----	----	----	1 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	17.60 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----/*27.80A	66.60B/*27.80A	----	34.60 - 39.50	.3311	----	----	61	----	61 + 37
4785	----	----	110.00B/55.20A	110.00B/55.20A	----	99.60 + 43.00	.6686	----	----	----	----	24 UNCH
4790	----	----	----	----	----	22.60 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	106.60B/52.70A	106.60B/52.70A	----	96.30 + 42.10	.6571	----	----	----	----	3 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	103.20B/50.40A	103.20B/50.40A	----	93.00 + 41.10	.6453	----	----	----	----	59 UNCH
4795	----	----	----	----	----	27.60 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	32.60 UNCH	----	----	----	----	----	0 UNCH
4800	57.50	57.50	99.80B/48.20A	99.80B/48.20A	----	89.80 + 40.10	.6332	----	----	2	----	26 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	53.50	53.50	93.20B/43.90A	93.20B/43.90A	----	83.60 NEW	.6086	----	----	82	----	21 + 21
4810	----	----	----	----	----	42.60 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	47.60 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	89.90B/41.90A	89.90B/41.90A	----	80.60 + 37.20	.5962	----	----	----	----	10 UNCH
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----/*38.80A	85.80B/*38.80A	----	47.60 - 46.50	.4162	----	----	----	----	1 UNCH
4820	----	----	----	----	----	52.60 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	83.50B/38.20A	83.50B/38.20A	----	74.80 + 35.20	.5709	----	----	1	----	1 UNCH
4825	----	----	----/*40.80A	89.20B/*40.80A	----	49.70 NEW	.4289	----	----	6	----	6 + 6
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	57.10	57.10	81.30B/36.40A	81.30B/36.40A	----	72.00 + 34.20	.5581	----	----	5	----	5 + 1
4830	----	----	----	----	----	62.60 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	72.60 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	75.10B/33.00A	75.10B/33.00A	----	66.60 + 32.20	.5323	----	----	----	----	20 UNCH
4845	----	----	72.80B/31.40A	72.80B/31.40A	----	64.00 + 31.30	.5194	----	----	----	----	80 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	61.00	61.00	61.00/*51.10A	106.10B/*51.10A	----	61.40 NEW	.4933	----	----	5	----	5 + 5
4850	----	----	----	----	----	82.60 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	49.20	49.20	70.40B/29.80A	70.40B/29.80A	----	61.50 + 30.30	.5065	----	----	5	----	57 - 2
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	----	----	----	87.60 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	67.70B/28.30A	67.70B/28.30A	----	59.10 + 29.40	.4935	----	----	----	----	8 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	62.40	62.40	64.60B/26.90A	64.60B/26.90A	----	56.70 NEW	.4806	----	----	2	----	2 + 2
4860	58.20	58.20	58.20/*55.70A	113.00B/*55.70A	----	66.60 NEW	.5191	----	----	1	----	1 + 1
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	84.20	84.20	84.20/*60.70A	120.60B/*60.70A	----	72.10 NEW	.5448	----	----	1	----	1 + 1
4870	----	----	59.60B/24.20A	59.60B/24.20A	----	52.20 NEW	.4549	----	----	6	----	6 + 6
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	57.60B/22.90A	57.60B/22.90A	----	50.10 + 25.80	.4423	----	----	2	----	10 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	112.60 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	55.30B/21.70A	55.30B/21.70A	----	48.00 + 24.90	.4296	----	----	----	----	9 UNCH
4885	----	----	----	----	----	117.60 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	52.90B/20.60A	52.90B/20.60A	----	46.00 + 24.10	.4171	----	----	----	----	4 UNCH
4890	----	----	----	----	----	122.60 UNCH	----	----	----	----	----	0 UNCH
4895	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4895	----	----	48.70B/18.50A	48.70B/18.50A	----	42.10 + 22.40	.3923	----	----	----	----	27 UNCH
4900	----	----	----	----	----	132.60 UNCH	----	----	----	----	----	0 UNCH
4900	18.40	18.40	46.60B/17.50A	46.60B/17.50A	----	40.30 + 21.60	.3802	----	----	20	----	28 + 6
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	75.70	75.70	75.70/*75.70	144.30B/*75.70	----	90.20 NEW	.6196	----	----	1	----	1 + 1
4905	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4905	----	----	----	----	----	137.60 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4915	----	----	40.30B/14.90A	40.30B/14.90A	----	35.30 + 19.30	.3450	----	----	----	----	2 UNCH
4920	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	39.00B/14.00A	39.00B/14.00A	----	33.70 + 18.50	.3335	----	----	2	----	27 UNCH
4920	----	----	----/*90.00A	161.30B/*90.00A	----	103.60 - 64.10	.6662	----	----	----	----	1 UNCH
4925	20.60	20.60	37.30B/13.30A	37.30B/13.30A	----	32.20 + 17.80	.3224	----	----	5	----	62 + 1
4925	----	----	----/*93.50A	165.60B/*93.50A	----	107.10 - 64.80	.6774	----	----	----	----	1 UNCH
4925	----	----	----	----	----	157.60 UNCH	----	----	----	----	----	0 UNCH
4930	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4930	22.70	22.70	35.30B/12.60A	35.30B/12.60A	----	30.80 NEW	.3116	----	----	2	----	2 + 2
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950	26.20	26.20	29.20B/10.10A	29.20B/10.10A	----	25.50 + 14.50	.2697	----	----	1	----	3 + 1
4950	----	----	----/*110.70A	187.40B/*110.70A	----	125.40 NEW	.7300	----	----	1	----	1 + 1
4955	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4955	----	----	27.80B/9.50A	27.80B/9.50A	----	24.40 + 14.00	.2603	----	----	----	----	1 UNCH
4960	----	----	26.50B/9.10A	26.50B/9.10A	----	23.20 + 13.30	.2504	----	----	----	----	1 UNCH
4965	----	----	25.50B/8.60A	25.50B/8.60A	----	22.10 NEW	.2410	----	----	2	----	0 UNCH
4970	----	----	24.30B/8.10A	24.30B/8.10A	----	21.10 + 12.20	.2321	----	----	----	----	1 UNCH
4975	----	----	----/*129.60A	210.10B/*129.60A	----	145.00 NEW	.7765	----	----	2	----	2 + 2
4975	----	----	----	----	----	207.60 UNCH	----	----	----	----	----	0 UNCH
4975	11.80	11.80	23.30B/7.70A	23.30B/7.70A	----	20.10 + 11.60	.2233	----	----	2	----	6 + 2
4980	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4980	11.20	11.20	21.90B/7.30A	21.90B/7.30A	----	19.20 NEW	.2150	----	----	2	----	2 + 2
4985	8.80	8.80	21.00B/7.00A	21.00B/7.00A	----	18.30 + 10.70	.2067	----	----	1	----	1 UNCH
4990	----	----	----	----	----	222.60 UNCH	----	----	----	----	----	0 UNCH
4990	15.00	15.00	19.90B/6.60A	19.90B/6.60A	----	17.40 NEW	.1985	----	----	2	----	1 + 1
4995	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4995	----	----	----/*145.30A	228.50B/*145.30A	----	161.40 - 72.90	.8089	----	----	----	----	3 UNCH
5000	----	----	----/*149.60A	233.10B/*149.60A	----	165.60 - 73.40	.8165	----	----	----	----	2 UNCH
5000	7.50	7.50	18.30B/6.00A	18.30B/6.00A	----	15.80 + 9.30	.1832	----	----	7	----	379 + 3
5010	11.70	11.70	16.30B/5.50A	16.30B/5.50A	----	14.40 + 8.50	.1693	----	----	4	----	4 + 2
5020	----	----	----/*166.50A	252.00B/*166.50A	----	182.90 - 74.90	.8442	----	----	----	----	2 UNCH
5025	----	----	14.00B/4.80A	14.00B/4.80A	----	12.40 NEW	.1494	----	----	1	----	1 + 1
5025	----	----	----/*170.80A	256.80B/*170.80A	----	187.20 - 75.30	.8504	----	----	----	----	2 UNCH
5050	10.00	10.00	11.10B/3.80A	11.10B/3.80A	----	9.80 + 5.80	.1217	----	----	6	----	95 + 5
5050	----	----	----/*192.80A	281.10B/*192.80A	----	209.60 - 76.90	.8781	----	----	----	----	1 UNCH
5055	5.10	5.10	#10.50B/*5.10	#10.50B/*3.80A	----	9.30 NEW	.1164	----	----	2	----	2 + 2
5075	5.40	5.40	8.60B/3.10A	8.60B/3.10A	----	7.80 NEW	.0992	----	----	4	----	4 + 4
5090	6.60	6.60	#6.60/*6.60	#7.40B/*3.00A	----	6.80 NEW	.0876	----	----	1	----	1 + 1
5100	----	----	----/*238.80A	325.40B/*238.80A	----	256.00 - 79.10	.9192	----	----	----	----	2 UNCH
5100	7.70	7.70	7.70/7.70	7.70/2.60A	----	6.20 + 3.60	.0806	----	----	1	----	7 + 1
5150	----	----	4.30B/----	4.30B/1.90A	----	4.10 + 2.30	.0546	----	----	----	----	5 UNCH
5175	----	----	3.50B/----	3.50B/1.70A	----	3.30 + 1.80	.0445	----	----	----	----	1 UNCH
5175	----	----	----/*310.70A	387.50B/*310.70A	----	328.10 - 80.80	.9553	----	----	----	----	1 UNCH
5180	----	----	----	----	----	412.60 UNCH	----	----	----	----	----	0 UNCH
5180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5200	----	----	2.80B/----	2.80B/1.50A	----	2.70 + 1.40	.0367	----	----	----	----	5 UNCH
5225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
5350 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5375 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL									524		1952 + 318
MAY26											
3900 ----	----	----	1.10B/5.70A	----	2.10 - 0.90	.0122	----	----	----	----	2 UNCH
4200 ----	----	----/*7.10A	4.30B/*7.10A	----	3.70 - 3.70	.0259	----	----	----	----	1 UNCH
4200 ----	----	----/*10.90A	8.40B/*10.90A	----	9.50 NEW	.0502	----	----	1	----	1 + 1
4250 ----	----	----/*13.00A	11.00B/*13.00A	----	11.70 - 5.00	.0612	----	----	----	----	2 UNCH
4250 ----	----	----/*8.00A	5.80B/*8.00A	----	5.00 - 4.70	.0343	----	----	----	----	2 UNCH
4300 14.40	14.40	14.40/*14.40	14.40/*14.40	----	14.50 - 6.40	.0748	----	----	9	----	7 - 1
4300 ----	----	----/*9.50A	8.10B/*9.50A	----	6.70 - 6.00	.0450	----	----	----	----	18 UNCH
4325 ----	----	----/*15.20A	16.10B/*15.20A	----	16.10 NEW	.0825	----	----	2	----	2 + 2
4350 ----	----	----/*11.60A	10.70B/*11.60A	----	8.90 - 7.70	.0585	----	----	----	----	2 UNCH
4350 ----	----	----/*16.70A	17.90B/*16.70A	----	17.90 - 8.10	.0910	----	----	4	----	16 UNCH
4370 ----	----	----/*12.70A	11.70B/*12.70A	----	10.00 - 8.40	.0650	----	----	----	----	1 UNCH
4375 ----	----	----/*18.50A	20.40B/*18.50A	----	19.90 - 9.10	.1003	----	----	----	----	1 UNCH
4375 ----	----	----/*12.90A	12.10B/*12.90A	----	10.30 - 8.50	.0668	----	----	----	----	1 UNCH
4400 ----	----	----/*14.00A	14.50B/*14.00A	----	11.80 - 9.60	.0757	----	----	----	----	2 UNCH
4400 ----	----	----/*20.40A	23.10B/*20.40A	----	22.00 - 10.30	.1101	----	----	3	----	9 + 3
4450 ----	----	----/*25.20A	29.50B/*25.20A	----	27.10 - 12.80	.1331	----	----	----	----	2 UNCH
4475 ----	----	----/*19.50A	22.00B/*19.50A	----	17.70 - 13.20	.1092	----	----	----	----	1 UNCH
4475 35.00	35.00	35.00/*25.80	35.00/*25.80	----	29.90 - 14.40	.1457	----	----	2	----	10 - 1
4485 ----	----	----/*29.10A	34.30B/*29.10A	----	31.20 - 15.00	.1512	----	----	----	----	11 UNCH
4490 ----	----	----/*29.80A	35.10B/*29.80A	----	31.80 - 15.30	.1539	----	----	----	----	2 UNCH
4500 ----	----	----/*21.80A	25.50B/*21.80A	----	20.10 - 14.60	.1226	----	----	----	----	2 UNCH
4500 ----	----	----/*31.10A	37.50B/*31.10A	----	33.10 - 16.00	.1596	----	----	----	----	4 UNCH
4500 ----	----	----	#41.00B/*44.30A	----	47.40 NEW	.1894	----	----	3	----	3 + 3
4505 ----	----	----/*22.70A	25.50B/*22.70A	----	20.70 - 14.80	.1257	----	----	----	----	1 UNCH
4505 40.20	40.20	40.20/*31.80A	40.20/*31.80A	----	33.80 - 16.30	.1626	----	----	1	----	1 UNCH
4540 ----	----	----/*36.90A	44.60B/*36.90A	----	38.90 - 18.90	.1843	----	----	----	----	1 UNCH
4550 ----	----	----/*38.60A	47.80B/*38.60A	----	40.40 - 19.70	.1907	----	----	----	----	1 UNCH
4555 ----	----	----/*39.30A	48.10B/*39.30A	----	41.20 - 20.20	.1941	----	----	----	----	1 UNCH
4570 ----	----	----/*41.90A	51.50B/*41.90A	----	43.70 - 21.40	.2045	----	----	----	----	2 UNCH
4580 ----	----	----/*32.40A	39.40B/*32.40A	----	30.50 - 19.80	.1766	----	----	----	----	2 UNCH
4590 ----	----	----/*33.90A	41.80B/*33.90A	----	32.20 - 20.50	.1848	----	----	----	----	2 UNCH
4600 46.00	46.00	46.00/*46.00	60.40B/*46.00	----	49.20 - 24.00	.2268	----	----	2	----	1 - 1
4600 ----	----	----/*35.50A	45.00B/*35.50A	----	33.90 - 21.30	.1931	----	----	----	----	4 UNCH
4600 ----	----	----	#62.50B/*63.80A	----	67.60 NEW	.2560	----	----	3	----	3 + 3
4610 ----	----	----/*49.90A	62.30B/*49.90A	----	51.10 - 25.00	.2345	----	----	----	----	2 UNCH
4620 ----	----	----/*52.00A	65.20B/*52.00A	----	53.10 - 26.00	.2425	----	----	----	----	2 UNCH
4650 ----	----	252.80B/----	252.80B/198.00A	----	243.80 + 57.20	.7599	----	----	----	----	1 UNCH
4690 ----	----	222.20B/----	222.20B/170.70A	----	214.10 + 53.70	.7171	----	----	----	----	3 UNCH
4690 ----	----	----/*69.80A	88.70B/*69.80A	----	70.00 - 33.10	.3056	----	----	2	----	6 - 2
4695 79.00	79.00	79.00/*71.20A	90.60B/*71.20A	----	71.50 - 33.60	.3106	----	----	2	----	1 - 1
4700 59.50	59.50	59.50/*57.40A	76.00B/*57.40A	----	57.10 - 29.90	.2938	----	----	2	----	3 + 2
4700 ----	----	214.80B/----	214.80B/164.30A	----	207.00 + 52.80	.7056	----	----	----	----	1 UNCH
4700 ----	----	----/*72.70A	93.60B/*72.70A	----	72.90 - 34.10	.3156	----	----	3	----	14 - 1
4705 ----	----	211.20B/----	211.20B/161.30A	----	203.50 + 52.30	.6998	----	----	----	----	1 UNCH
4705 ----	----	----/*58.80A	76.80B/*58.80A	----	58.60 - 30.30	.2996	----	----	----	----	11 UNCH
4720 ----	----	200.50B/----	200.50B/151.80A	----	193.20 + 50.90	.6819	----	----	----	----	1 UNCH
4730 ----	----	----/*82.20A	105.10B/*82.20A	----	82.70 - 36.90	.3473	----	----	----	----	20 UNCH
4750 ----	----	195.80B/----	195.80B/151.00A	----	190.00 + 44.00	.6298	----	----	----	----	7 UNCH
4770 ----	----	----/*96.40A	119.90B/*96.40A	----	98.40 - 40.00	.3924	----	----	----	----	1 UNCH
4775 ----	----	163.60B/----	163.60B/118.30A	----	158.30 + 45.60	.6124	----	----	----	----	16 UNCH
4780 ----	----	----/*99.90A	124.50B/*99.90A	----	102.80 - 40.60	.4040	----	----	----	----	1 UNCH
4800 ----	----	----/*108.30A	134.30B/*108.30A	----	112.40 NEW	.4274	----	----	1	----	1 + 1
4800 ----	----	148.10B/----	148.10B/106.00A	----	143.90 + 43.10	.5793	----	----	1	----	1 UNCH
4800 138.00	138.00	165.30B/138.00	165.30B/125.60A	----	162.30 + 40.80	.5719	----	----	10	----	101 - 10
4810 129.10	129.10	159.60B/129.10	159.60B/121.70A	----	157.40 NEW	.5602	----	----	7	----	7 + 7
4815 ----	----	156.70B/----	156.70B/119.50A	----	154.90 + 40.10	.5544	----	----	----	----	1 UNCH
4820 ----	----	----/*116.90A	144.70B/*116.90A	----	122.50 NEW	.4507	----	----	1	----	1 + 1
4820 ----	----	154.00B/----	154.00B/117.10A	----	152.50 + 39.90	.5486	----	----	----	----	1 UNCH
4825 ----	----	----/*100.90A	127.30B/*100.90A	----	105.30 - 42.00	.4537	----	----	----	----	1 UNCH
4850 90.00	90.00	120.00B/83.90A	120.00B/83.90A	----	117.80 NEW	.5120	----	----	1	----	1 + 1
4850 125.00	125.00	137.90B/125.00	137.90B/102.90A	----	138.50 NEW	.5140	----	----	1	----	1 + 1
4880 ----	----	123.60B/----	123.60B/92.10A	----	125.00 + 36.50	.4799	----	----	----	----	1 UNCH
4900 ----	----	95.90B/----	95.90B/65.40A	----	95.20 + 33.00	.4450	----	----	----	----	21 UNCH
4900 ----	----	----/*156.40A	191.30B/*156.40A	----	165.90 - 47.60	.5420	----	----	----	----	1 UNCH
4900 82.70	82.70	115.10B/78.00	115.10B/78.00	----	116.20 + 35.00	.4572	----	----	15	----	17 + 5
4905 ----	----	93.70B/----	93.70B/64.10A	----	93.10 + 32.40	.4384	----	----	----	----	2 UNCH
4915 ----	----	89.40B/----	89.40B/61.00A	----	89.10 NEW	.4254	----	----	1	----	1 + 1
4930 ----	----	83.20B/----	83.20B/56.50A	----	83.20 + 29.90	.4059	----	----	----	----	1 UNCH
4950 ----	----	75.50B/----	75.50B/50.30A	----	75.90 + 28.00	.3805	----	----	----	----	30 UNCH
4950 ----	----	94.40B/----	94.40B/67.60A	----	95.30 + 30.60	.4011	----	----	5	----	5 + 4
4960 ----	----	#90.20B/----	90.20B/64.70A	----	91.40 NEW	.3900	----	----	5	----	5 + 5
4970 ----	----	68.30B/----	68.30B/45.80A	----	69.00 NEW	.3556	----	----	1	----	1 + 1
4975 ----	----	66.60B/----	66.60B/44.30A	----	67.40 + 25.50	.3495	----	----	----	----	1 UNCH
5000 ----	----	----/*200.70A	244.90B/*200.70A	----	209.30 - 59.40	.6796	----	----	----	----	1 UNCH
5000 ----	----	75.60B/----	75.60B/53.80A	----	76.90 + 26.10	.3465	----	----	----	----	2 UNCH
5000 ----	----	58.60B/----	58.60B/38.70A	----	59.70 + 23.20	.3199	----	----	1	----	4 UNCH
5005 ----	----	57.00B/----	57.00B/37.80A	----	58.20 + 22.70	.3140	----	----	----	----	3 UNCH
5025 ----	----	68.90B/----	68.90B/47.80A	----	68.80 + 24.00	.3203	----	----	----	----	1 UNCH
5075 45.00	45.00	53.80B/45.00	53.80B/38.10A	----	55.00 + 20.30	.2715	----	----	1	----	1 UNCH
5100 ----	----	#48.60B/----	48.60B/34.00A	----	49.20 + 18.70	.2493	----	----	----	----	1 UNCH
5100 ----	----	33.90B/----	33.90B/22.80A	----	35.50 + 15.10	.2152	----	----	----	----	2 UNCH
5100 ----	----	----	#62.50B/*47.80A	----	63.70 NEW	.2773	----	----	3	----	3 + 3
5125 ----	----	#42.40B/----	42.40B/30.40A	----	43.90 + 17.10	.2281	----	----	----	----	1 UNCH
5175 ----	----	21.90B/----	21.90B/15.50A	----	23.40 + 10.50	.1539	----	----	----	----	2 UNCH
5200 ----	----	----	#41.30B/*31.30A	----	43.70 NEW	.2055	----	----	3	----	3 + 3
5200 25.00	25.00	#30.60B/25.00	#30.60B/22.40A	----	31.50 NEW	.1741	----	----	91	----	91 + 91
5225 ----	----	#25.90B/----	#25.90B/19.50A	----	28.20 NEW	.1587	----	----	1	----	1 + 1
5250 ----	----	#23.00B/----	#23.00B/18.10A	----	25.30 NEW	.1447	----	----	4	----	4 + 4
TOTAL									192		534 + 126

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
4250 ----	----	----	----	----	0.40 - 0.90	.0049	----	----	----	----	1 UNCH
4700 ----	----	----	----	----	159.30 + 60.90	.8686	----	----	----	----	1 UNCH
4915 ----	----	----	----	----	26.10 + 15.30	.3148	----	----	----	----	3 UNCH
TOTAL											5 0

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
5000 ----	----	----	----/0.204A	----	0.001 UNCH	.0003	----	----	----	----	1 UNCH
5000 ----	----	----	----/*0.120A	----	0.018 - 0.023	.0038	----	----	----	----	1 UNCH
6100 ----	----	----	0.035B/*0.180A	----	0.037 - 0.118	.0110	----	----	----	----	1 UNCH
6500 ----	----	----	0.001B/0.109A	----	0.001 - 0.026	.0007	----	----	----	----	0 UNCH
6600 ----	----	----	0.001B/*0.110A	----	0.001 - 0.038	.0007	----	----	----	----	1 UNCH
6650 ----	----	----	0.001B/*0.112A	----	0.001 - 0.047	.0008	----	----	----	----	2 UNCH
6775 ----	----	----/*0.363A	0.314B/*0.363A	----	0.171 - 0.406	.0494	----	----	----	----	1 UNCH
6800 ----	----	----	0.023B/*0.136A	----	0.001 - 0.089	.0008	----	----	----	----	2 UNCH
6850 ----	----	----/*0.407A	0.390B/*0.407A	----	0.207 - 0.468	.0590	----	----	----	----	25 UNCH
7000 ----	----	----/*0.154A	0.070B/*0.154A	----	0.006 - 0.201	.0047	----	----	----	----	1 UNCH
7000 ----	----	----	----/34.661A	----	9.827 + 3.244	.9166	----	----	----	----	1 UNCH
7180 ----	----	----/*0.179A	0.185B/*0.179A	----	0.020 - 0.410	.0147	----	----	----	----	3 UNCH
7200 0.150	0.150	0.265/*0.150	0.265/*0.150	----	0.023 - 0.443	.0167	----	----	2	----	1 UNCH
7325 ----	----	----/*0.228A	0.418B/*0.228A	----	0.052 - 0.687	.0352	----	----	----	----	10 UNCH
7330 ----	----	----/*0.232A	0.429B/*0.232A	----	0.053 - 0.698	.0359	----	----	----	----	10 UNCH
7355 0.310	0.310	0.310/*0.246A	0.488B/*0.246A	----	0.061 NEW	.0409	----	----	10	----	10 + 10
7400 0.300	0.300	0.300/*0.261A	0.630B/*0.261A	----	0.076 NEW	.0504	----	----	1	----	1 + 1
7450 ----	----	----/*0.314A	0.758B/*0.314A	----	0.099 - 0.994	.0643	----	----	----	----	5 UNCH
7470 ----	----	----/*0.330A	0.827B/*0.330A	----	0.110 - 1.052	.0708	----	----	----	----	10 UNCH
7500 ----	----	----/*0.343A	0.970B/*0.343A	----	0.129 - 1.144	.0818	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
7500	----	----	----	1.060B/3.093A	----	4.662 +	2.725 .9181	----	----	----	----	1 UNCH
7600	----	----	----/*2.292A	3.116B/*2.292A	----	1.955 -	1.602 .3059	----	----	1	----	0 - 1
7600	0.555	0.555	0.555/*0.341	1.374B/*0.341	----	0.222	NEW .1317	----	----	4	----	2 + 2
7600	----	----	----	1.261B/1.777A	----	3.755 +	2.378 .8682	----	----	----	----	3 UNCH
7800	1.309	1.309	1.688B/1.309	1.688B/0.973A	----	2.183	NEW .6917	----	----	1	----	1 + 1
7825	----	----	1.137B/----	1.137B/0.927A	----	2.019 +	1.481 .6632	----	----	----	----	21 UNCH
7975	----	----	1.055B/----	1.055B/0.606A	----	1.200	NEW .4817	----	----	1	----	1 + 1
8000	----	----	2.279B/----	2.279B/1.448A	----	2.572 +	1.433 .4910	----	----	----	----	1 UNCH
8000	0.620	0.620	1.074B/0.620	1.074B/0.543A	----	1.091	NEW .4516	----	----	1	----	1 + 1
8000	----	----	----/*4.016A	4.062B/*4.016A	----	3.621	NEW .4725	----	----	1	----	1 + 1
8000	3.000	3.000	#3.800B/3.000	#3.800B/2.428A	----	3.725	NEW .5274	----	----	1	----	1 + 1
8100	----	----	0.684B/----	0.684B/0.413A	----	0.729 +	0.592 .3383	----	----	----	----	1 UNCH
8250	----	----	----	4.892B/6.923A	----	3.341 -	3.556 .7988	----	----	----	----	4 UNCH
8275	----	----	----/*6.661A	1.288B/*6.661A	----	3.549 -	3.590 .8173	----	----	----	----	4 UNCH
8400	0.160	0.160	0.254/0.160	0.254/0.160	----	0.180	NEW .1094	----	----	2	----	1 + 1
8800	----	----	----	----	----	8.488 -	3.851 .9839	----	----	----	----	1 UNCH
TOTAL										25	0	160 + 18
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
APR26												
6500	----	----	----	0.060B/*0.163A	----	0.025 -	0.136 .0101	----	----	----	----	1 UNCH
7000	----	----	----/*0.263A	0.314B/*0.263A	----	0.103 -	0.431 .0413	----	----	----	----	1 UNCH
7000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	5.165	UNCH ----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----/*0.388A	0.617B/*0.388A	----	0.199 -	0.700 .0760	----	----	----	----	1 UNCH
7200	----	----	----	----	----	3.665	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7260	----	----	----	----	----	3.065	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	2.665	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----/29.698A	----	6.809 +	2.985 .8970	----	----	----	----	2 UNCH
7305	----	----	----	----/29.504A	----	6.764 +	2.975 .8954	----	----	----	----	1 UNCH
7350	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7355	----	----	----	----	----	2.115	UNCH ----	----	----	----	----	0 UNCH
7360	----	----	----	----	----	2.065	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	1.665	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7415	----	----	----	----	----	1.515	UNCH ----	----	----	----	----	0 UNCH
7430	----	----	----	----	----	1.365	UNCH ----	----	----	----	----	0 UNCH
7440	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	1.165	UNCH ----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	0.865	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.665	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	1.916B/3.483A	----	5.079 +	2.534 .8174	----	----	----	----	2 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7525	----	----	----	----	----	0.415	UNCH ----	----	----	----	----	0 UNCH
7540	----	----	----	----	----	0.265	UNCH ----	----	----	----	----	0 UNCH
7545	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7590	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.335	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7625	1.295	1.295	1.295/*0.949A	1.878B/*0.949A	----	0.822	NEW .2518	----	----	1	----	1 + 1
7625	----	----	----	----	----	0.585	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.835	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7650	1.382	1.382	#1.382/*1.080A	1.805B/*1.080A	----	0.889	NEW .2675	----	----	2	----	2 + 2
7700	----	----	----	----	----	1.335	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7725	1.699	1.699	#1.699/*1.258A	2.150B/*1.258A	----	1.118	NEW .3175	----	----	20	----	20 + 20
7900	----	----	2.218B/----	2.218B/1.179A	----	2.367	NEW .5536	----	----	4	----	2 + 2
8000	1.403	1.403	1.881B/1.403	1.881B/0.937A	----	1.899	NEW .4783	----	----	10	----	10 + 10
8100	----	----	1.473B/----	1.473B/0.754A	----	1.516	NEW .4068	----	----	4	----	2 + 2
8500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9000	0.150	0.150	#0.152B/*0.150	#0.152B/*0.150	----	0.198	NEW .0708	----	----	1	----	1 + 1
TOTAL										42	0	46 + 38
MAY26												
5500	0.235	0.235	#0.235/*0.160	#0.235/*0.160	----	0.092	NEW .0163	----	----	10	----	10 + 10
6600	----	----	----/*0.596A	0.584B/*0.596A	----	0.426 -	0.476 .0775	----	----	----	----	1 UNCH
7625	----	----	----/*3.451A	3.937B/*3.451A	----	2.957 -	1.655 .3423	----	----	----	----	1 UNCH
8000	----	----	#4.294B/----	#4.294B/3.437A	----	4.730 +	1.728 .5327	----	----	----	----	20 UNCH
TOTAL										10	0	32 + 10
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	----	----	----	42.033 +	3.867 .9990	----	----	----	----	0 UNCH
3875	----	----	40.894B/----	40.894B/38.794A	----	40.783 +	3.865 .9986	----	----	----	----	50 UNCH
3900	----	----	40.544B/----	40.544B/38.662A	----	40.533 +	3.864 .9986	----	----	----	----	1 UNCH
4000	----	----	39.644B/----	39.644B/37.544A	----	39.533 +	3.861 .9983	----	----	----	----	53 UNCH
4100	----	----	38.644B/----	38.644B/36.544A	----	38.533 +	3.859 .9979	----	----	----	----	50 UNCH
4200	----	----	37.644B/----	37.644B/35.543A	----	37.534 +	3.857 .9976	----	----	----	----	116 UNCH
4400	----	----	35.584B/----	35.584B/33.595A	----	35.536 +	3.854 .9967	----	----	----	----	43 UNCH
4450	----	----	35.045B/----	35.045B/33.145A	----	35.037 +	3.853 .9964	----	----	----	----	2 UNCH
4500	----	----	34.645B/----	34.645B/32.544A	----	34.538 +	3.853 .9962	----	----	----	----	120 UNCH
4550	----	----	34.046B/----	34.046B/32.146A	----	34.039 +	3.853 .9960	----	----	----	----	1 UNCH
4600	----	----	33.585B/----	33.585B/31.596A	----	33.540 +	3.853 .9956	----	----	----	----	43 UNCH
4650	----	----	33.116B/----	33.116B/31.046A	----	33.041 +	3.853 .9954	----	----	----	----	77 UNCH
4675	----	----	32.788B/----	32.788B/30.889A	----	32.792 +	3.853 .9952	----	----	----	----	15 UNCH
4700	----	----	32.547B/----	32.547B/30.667A	----	32.542 +	3.853 .9952	----	----	----	----	2 UNCH
4725	----	----	32.298B/----	32.298B/30.417A	----	32.293 +	3.853 .9950	----	----	----	----	2 UNCH
4750	----	----	32.038B/----	32.038B/30.151A	----	32.043 +	3.852 .9948	----	----	----	----	7 UNCH
4800	----	----	31.538B/----	31.538B/29.652A	----	31.545 +	3.853 .9945	----	----	----	----	7 UNCH
4825	----	----	31.289B/----	31.289B/29.396A	----	31.295 +	3.852 .9944	----	----	----	----	22 UNCH
4850	----	----	31.039B/----	31.039B/29.150A	----	31.046 +	3.853 .9943	----	----	----	----	10 UNCH
4900	----	----	30.539B/----	30.539B/28.655A	----	30.547 +	3.852 .9939	----	----	----	----	13 - 1
4925	----	----	30.289B/----	30.289B/28.392A	----	30.298 +	3.851 .9939	----	----	----	----	12 UNCH
4950	----	----	30.050B/----	30.050B/28.172A	----	30.048 +	3.850 .9936	----	----	----	----	4 UNCH
5000	----	----	29.620B/----	29.620B/27.553A	----	29.550 +	3.849 .9934	----	----	----	----	99 UNCH
5025	----	----	29.301B/----	29.301B/27.409A	----	29.300 +	3.848 .9932	----	----	----	----	3 UNCH
5050	----	----	29.040B/----	29.040B/27.167A	----	29.051 +	3.847 .9930	----	----	----	----	6 UNCH
5075	----	----	28.791B/----	28.791B/26.918A	----	28.802 +	3.846 .9929	----	----	----	----	6 UNCH
5100	----	----	28.544B/----	28.544B/26.662A	----	28.552 +	3.845 .9927	----	----	----	----	9 UNCH
5125	----	----	28.304B/----	28.304B/26.428A	----	28.303 +	3.844 .9925	----	----	----	----	1 UNCH
5150	----	----	28.045B/----	28.045B/26.164A	----	28.054 +	3.843 .9924	----	----	----	----	15 UNCH
5200	----	----	27.547B/----	27.547B/25.673A	----	27.555 +	3.839 .9919	----	----	----	----	11 UNCH
5225	----	----	27.307B/----	27.307B/25.418A	----	27.306 +	3.838 .9917	----	----	----	----	1 UNCH
5250	----	----	27.048B/----	27.048B/25.175A	----	27.057 +	3.836 .9915	----	----	----	----	21 UNCH
5275	----	----	26.798B/----	26.798B/24.920A	----	26.808 +	3.834 .9914	----	----	----	----	6 UNCH
5300	----	----	26.628B/----	26.628B/24.565A	----	26.559 +	3.832 .9911	----	----	----	----	126 UNCH
5325	----	----	26.346B/----	26.346B/24.345A	----	26.310 +	3.830 .9909	----	----	----	----	29 UNCH
5350	----	----	26.097B/----	26.097B/24.096A	----	26.061 +	3.828 .9906	----	----	----	----	25 UNCH
5400	----	----	25.632B/----	25.632B/23.570A	----	25.563 +	3.823 .9901	----	----	----	----	146 UNCH
5425	----	----	25.318B/----	25.318B/23.422A	----	25.314 +	3.821 .9899	----	----	----	----	12 UNCH
5450	----	----	25.134B/----	25.134B/23.082A	----	25.065 +	3.819 .9896	----	----	----	----	50 UNCH
5475	----	----	24.817B/----	24.817B/22.933A	----	24.817 +	3.817 .9892	----	----	----	----	2 UNCH
5500	----	----	24.637B/----	24.637B/22.586A	----	24.568 +	3.815 .9889	----	----	----	----	185 UNCH
5525	----	----	24.358B/----	24.358B/22.358A	----	24.319 +	3.812 .9886	----	----	----	----	35 UNCH
5550	----	----	24.073B/----	24.073B/22.194A	----	24.071 +	3.811 .9882	----	----	----	----	8 UNCH
5600	----	----	23.642B/----	23.642B/21.585A	----	23.574 +	3.806 .9875	----	----	----	----	110 UNCH
5625	----	----	23.327B/----	23.327B/21.457A	----	23.326 +	3.804 .9870	----	----	----	----	8 UNCH
5650	----	----	23.115B/----	23.115B/21.177A	----	23.078 +	3.802 .9867	----	----	----	----	31 UNCH
5675	----	----	22.829B/----	22.829B/20.952A	----	22.830 +	3.800 .9862	----	----	----	----	6 UNCH
5700	----	----	22.581B/----	22.581B/20.706A	----	22.582 +	3.798 .9857	----	----	----	----	9 UNCH
5750	----	----	22.085B/----	22.085B/20.214A	----	22.086 +	3.793 .9848	----	----	1	----	15 - 1
5775	----	----	21.834B/----	21.834B/19.964A	----	21.838 +	3.790 .9841	----	----	----	----	1 UNCH
5800	----	----	21.588B/----	21.588B/19.730A	----	21.591 +	3.788 .9836	----	----	----	----	1 UNCH
5825	----	----	21.341B/----	21.341B/19.474A	----	21.343 +	3.785 .9831	----	----	----	----	11 UNCH
5850	----	----	21.093B/----	21.093B/19.237A	----	21.096 +	3.782 .9824	----	----	----	----	2 UNCH
5900	----	----	20.667B/----	20.667B/18.620A	----	20.601 +	3.776 .9812	----	----	----	----	124 UNCH
5925	----	----	20.350B/----	20.350B/18.503A	----	20.354 +	3.772 .9805	----	----	----	----	1 UNCH
5950	----	----	20.103B/----	20.103B/18.248A	----	20.107 +	3.768 .9798	----	----	----	----	16 UNCH
6000	----	----	19.681B/----	19.681B/17.635A	----	19.613 +	3.759 .9783	----	----	2	----	245 - 2
6050	----	----	19.111B/----	19.111B/17.274A	----	19.120 +	3.749 .9766	----	----	----	----	2 UNCH
6075	----	----	18.942B/----	18.942B/16.899A	----	18.874 +	3.744 .9758	----	----	----	----	122 UNCH
6100	----	----	18.624B/----	18.624B/16.771A	----	18.627 +	3.737 .9749	----	----	----	----	9 UNCH
6125	----	----	18.374B/----	18.374B/16.521A	----	18.381 +	3.731 .9739	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
6150	----	----	18.133B/----	18.133B/16.276A	----	18.136 + 3.725	.9730	----	----	----	----	3 UNCH
6175	----	----	17.887B/----	17.887B/16.032A	----	17.890 + 3.717	.9720	----	----	----	----	1 UNCH
6200	----	----	17.717B/----	17.717B/15.678A	----	17.645 + 3.710	.9710	----	----	----	----	59 UNCH
6225	----	----	17.472B/----	17.472B/15.429A	----	17.399 + 3.701	.9698	----	----	----	----	69 UNCH
6250	----	----	17.152B/----	17.152B/15.319A	----	17.154 + 3.693	.9686	----	----	----	----	3 UNCH
6275	----	----	16.906B/----	16.906B/15.077A	----	16.910 + 3.685	.9674	----	----	----	----	4 UNCH
6300	----	----	16.679B/----	16.679B/14.817A	----	16.665 + 3.676	.9660	----	----	----	----	24 UNCH
6325	----	----	16.416B/----	16.416B/14.592A	----	16.421 + 3.666	.9647	----	----	----	----	3 UNCH
6350	----	----	16.175B/----	16.175B/14.161A	----	16.177 + 3.657	.9633	----	----	----	----	7 UNCH
6375	----	----	15.981B/----	15.981B/14.050A	----	15.934 + 3.647	.9618	----	----	----	----	48 UNCH
6400	----	----	15.761B/----	15.761B/13.730A	----	15.690 + 3.636	.9602	----	----	----	----	62 UNCH
6425	----	----	15.444B/----	15.444B/13.602A	----	15.447 + 3.625	.9585	----	----	----	----	6 UNCH
6450	----	----	15.200B/----	15.200B/12.590A	----	15.205 + 3.615	.9568	----	----	----	----	4 UNCH
6475	----	----	14.977B/----	14.977B/13.121A	----	14.963 + 3.603	.9550	----	----	----	----	6 UNCH
6500	14.433	14.433	14.801B/14.433	14.801B/12.771A	----	14.721 + 3.591	.9531	----	----	42	----	172 - 2
6525	----	----	14.522B/----	14.522B/12.610A	----	14.480 + 3.579	.9510	----	----	----	----	28 UNCH
6550	----	----	14.251B/----	14.251B/12.405A	----	14.239 + 3.566	.9489	----	----	----	----	8 UNCH
6575	----	----	14.010B/----	14.010B/12.177A	----	13.999 + 3.553	.9468	----	----	----	----	3 UNCH
6600	----	----	13.770B/----	13.770B/11.931A	----	13.759 + 3.538	.9445	----	----	----	----	9 UNCH
6625	----	----	13.530B/----	13.530B/11.676A	----	13.520 + 3.524	.9420	----	----	----	----	7 UNCH
6650	----	----	13.291B/----	13.291B/11.442A	----	13.281 + 3.508	.9394	----	----	----	----	6 UNCH
6675	----	----	13.053B/----	13.053B/11.235A	----	13.043 + 3.493	.9367	----	----	----	----	1 UNCH
6700	----	----	12.881B/----	12.881B/10.877A	----	12.806 + 3.477	.9338	----	----	----	----	169 UNCH
6750	----	----	12.344B/----	12.344B/10.513A	----	12.334 + 3.442	.9278	----	----	----	----	10 UNCH
6800	----	----	11.936B/----	11.936B/10.014A	----	11.865 + 3.405	.9210	----	----	----	----	56 UNCH
6825	----	----	11.702B/----	11.702B/9.786A	----	11.632 + 3.385	.9174	----	----	----	----	107 UNCH
6850	----	----	11.388B/----	11.388B/9.630A	----	11.400 + 3.365	.9135	----	----	----	----	1 UNCH
6875	----	----	11.170B/----	11.170B/9.422A	----	11.169 + 3.343	.9095	----	----	----	----	1 UNCH
6900	----	----	11.007B/----	11.007B/9.114A	----	10.939 + 3.321	.9054	----	----	----	----	195 UNCH
6925	----	----	10.715B/----	10.715B/8.936A	----	10.711 + 3.299	.9009	----	----	----	----	12 UNCH
6950	----	----	10.470B/----	10.470B/8.759A	----	10.483 + 3.274	.8963	----	----	----	----	5 UNCH
7000	8.350	8.350	10.096B/8.197A	10.096B/8.197A	----	10.032 + 3.223	.8865	----	----	40	----	443 - 18
7025	----	----	9.801B/----	9.801B/8.061A	----	9.809 + 3.197	.8812	----	----	----	----	11 UNCH
7050	----	----	9.610B/----	9.610B/7.829A	----	9.587 + 3.169	.8757	----	----	----	----	26 UNCH
7075	----	----	9.356B/----	9.356B/7.633A	----	9.367 + 3.140	.8699	----	----	----	----	7 UNCH
7100	----	----	9.206B/----	9.206B/7.376A	----	9.149 + 3.111	.8639	----	----	----	----	64 UNCH
7125	----	----	8.917B/----	8.917B/7.257A	----	8.932 + 3.080	.8576	----	----	----	----	4 UNCH
7150	----	----	8.708B/----	8.708B/7.053A	----	8.717 + 3.047	.8511	----	----	----	----	2 UNCH
7175	----	----	8.469B/----	8.469B/6.807A	----	8.505 + 3.015	.8443	----	----	----	----	13 UNCH
7200	----	----	8.353B/----	8.353B/6.559A	----	8.294 + 2.981	.8372	----	----	----	----	52 UNCH
7225	----	----	8.047B/----	8.047B/6.405A	----	8.085 + 2.946	.8299	----	----	----	----	8 UNCH
7250	----	----	7.937B/----	7.937B/6.173A	----	7.879 + 2.910	.8222	----	----	----	----	62 UNCH
7275	----	----	7.580B/----	7.580B/6.077A	----	7.675 + 2.873	.8143	----	----	----	----	3 UNCH
7300	----	----	7.533B/----	7.533B/5.805A	----	7.473 + 2.835	.8061	----	----	1	----	140 - 1
7325	----	----	7.181B/----	7.181B/5.721A	----	7.274 + 2.796	.7978	----	----	----	----	2 UNCH
7350	----	----	7.136B/----	7.136B/4.555A	----	7.078 + 2.757	.7890	----	----	----	----	51 UNCH
7375	----	----	6.946B/----	6.946B/4.396A	----	6.884 + 2.716	.7800	----	----	----	----	86 UNCH
7400	5.500	5.500	6.707B/5.500	6.707B/4.239A	----	6.693 + 2.675	.7708	----	----	7	----	37 + 5
7425	----	----	6.486B/----	6.486B/4.087A	----	6.505 + 2.633	.7613	----	----	----	----	7 UNCH
7450	3.902	3.902	6.301B/3.902	6.301B/3.881A	----	6.320 + 2.590	.7516	----	----	1	----	15 + 1
7475	----	----	6.122B/----	6.122B/3.737A	----	6.138 + 2.547	.7415	----	----	----	----	6 UNCH
7500	4.200	4.200	6.002B/4.200	6.002B/3.497A	----	5.958 + 2.502	.7313	----	----	24	----	425 - 12
7525	----	----	5.772B/----	5.772B/3.380A	----	5.782 + 2.457	.7209	----	----	----	----	16 UNCH
7530	----	----	5.659B/----	5.659B/3.355A	----	5.748 + 2.449	.7188	----	----	----	----	5 UNCH
7535	----	----	5.624B/----	5.624B/3.334A	----	5.713 + 2.440	.7166	----	----	----	----	2 UNCH
7540	----	----	5.589B/----	5.589B/3.304A	----	5.678 + 2.430	.7145	----	----	----	----	1 UNCH
7545	----	----	5.554B/----	5.554B/3.275A	----	5.644 + 2.422	.7123	----	----	----	----	2 UNCH
7550	----	----	5.602B/----	5.602B/3.257A	----	5.610 + 2.413	.7102	----	----	----	----	14 UNCH
7555	----	----	5.485B/----	5.485B/3.228A	----	5.576 + 2.404	.7080	----	----	----	----	2 UNCH
7570	----	----	5.382B/----	5.382B/3.152A	----	5.474 + 2.376	.7015	----	----	----	----	3 UNCH
7575	----	----	5.435B/----	5.435B/3.114A	----	5.440 + 2.367	.6993	----	----	----	----	10 UNCH
7585	----	----	5.281B/----	5.281B/3.076A	----	5.374 + 2.349	.6949	----	----	----	----	2 UNCH
7590	----	----	5.247B/----	5.247B/3.039A	----	5.340 + 2.339	.6926	----	----	----	----	1 UNCH
7595	----	----	5.213B/----	5.213B/3.024A	----	5.307 + 2.330	.6905	----	----	----	----	2 UNCH
7600	4.200	4.200	5.450/3.750	5.450/3.000A	----	5.274 + 2.321	.6882	----	----	6	----	108 - 2
7605	----	----	5.148B/----	5.148B/2.963A	----	5.242 + 2.313	.6860	----	----	----	----	2 UNCH
7615	----	----	5.082B/----	5.082B/2.924A	----	5.176 + 2.293	.6815	----	----	----	----	2 UNCH
7620	----	----	5.050B/----	5.050B/2.892A	----	5.144 + 2.284	.6792	----	----	----	----	2 UNCH
7625	----	----	5.110B/----	5.110B/2.873A	----	5.112 + 2.275	.6770	----	----	----	----	13 UNCH
7630	----	----	4.983B/----	4.983B/2.848A	----	5.080 + 2.266	.6747	----	----	----	----	1 UNCH
7635	----	----	4.952B/----	4.952B/2.820A	----	5.048 + 2.257	.6725	----	----	----	----	3 UNCH
7640	----	----	4.920B/----	4.920B/2.799A	----	5.016 + 2.248	.6702	----	----	----	----	3 UNCH
7645	----	----	4.983B/----	4.983B/2.772A	----	4.984 + 2.238	.6679	----	----	----	----	11 UNCH
7650	----	----	4.953B/2.703A	4.953B/2.703A	----	4.952 + 2.228	.6656	----	----	----	----	31 UNCH
7655	2.665	2.665	4.823B/2.665	4.823B/2.665	----	4.921 + 2.219	.6633	----	----	1	----	6 + 1
7660	2.711	2.711	4.891B/2.706A	4.891B/2.706A	----	4.890 + 2.210	.6610	----	----	1	----	6 UNCH
7665	----	----	4.859B/----	4.859B/2.683A	----	4.859 + 2.201	.6587	----	----	----	----	13 UNCH
7675	----	----	4.699B/----	4.699B/2.635A	----	4.797 + 2.182	.6540	----	----	----	----	5 UNCH
7680	----	----	4.668B/2.563A	4.668B/2.563A	----	4.766 + 2.173	.6517	----	----	----	----	4 UNCH
7685	3.421	3.421	4.637B/3.421	4.637B/2.595A	----	4.735 + 2.163	.6494	----	----	1	----	5 + 1
7690	----	----	4.606B/----	4.606B/2.569A	----	4.705 + 2.154	.6470	----	----	----	----	3 UNCH
7695	2.552	2.552	4.575B/2.544A	4.575B/2.544A	----	4.674 + 2.144	.6447	----	----	1	----	4 + 1
7700	2.717	2.717	4.669B/2.524A	4.669B/2.524A	----	4.644 + 2.135	.6424	----	----	2	----	182 - 2
7705	----	----	4.514B/----	4.514B/2.506A	----	4.614 + 2.126	.6400	----	----	----	----	4 UNCH
7710	2.416	2.416	4.483B/2.416	4.483B/2.416	----	4.584 + 2.116	.6377	----	----	1	----	2 + 1
7715	2.648	2.648	4.453B/2.469A	4.453B/2.469A	----	4.554 + 2.107	.6353	----	----	1	----	5 + 1
7720	----	----	4.423B/----	4.423B/2.431A	----	4.524 + 2.097	.6330	----	----	----	----	1 UNCH
7725	3.227	3.227	4.503B/2.352A	4.503B/2.352A	----	4.495 + 2.088	.6306	----	----	1	----	8 - 1
7735	----	----	4.347B/----	4.347B/2.373A	----	4.436 + 2.069	.6259	----	----	----	----	1 UNCH
7740	----	----	4.317B/----	4.317B/2.354A	----	4.407 + 2.060	.6235	----	----	----	----	2 UNCH
7745	3.232	3.232	4.287B/3.232	4.287B/2.330A	----	4.378 + 2.051	.6211	----	----	2	----	3 + 2
7750	3.300	3.300	4.358B/3.053	4.358B/2.316A	----	4.349 + 2.041	.6187	----	----	2	----	9 + 1
7755	----	----	4.229B/2.288A	4.229B/2.288A	----	4.320 + 2.031	.6163	----	----	----	----	1 UNCH
7760	----	----	4.200B/----	4.200B/2.279A	----	4.292 + 2.023	.6140	----	----	----	----	2 UNCH
7765	----	----	4.171B/2.246A	4.171B/2.246A	----	4.263 + 2.013	.6116	----	----	----	----	1 UNCH
7770	----	----	4.142B/2.223A	4.142B/2.223A	----	4.235 + 2.004	.6092	----	----	----	----	1 UNCH
7775	----	----	4.113B/----	4.113B/2.215A	----	4.207 + 1.995	.6068	----	----	----	----	3 UNCH
7780	----	----	4.087B/2.184A	4.087B/2.184A	----	4.178 + 1.984	.6044	----	----	----	----	1 UNCH
7785	----	----	4.088B/----	4.088B/2.176A	----	4.150 + 1.975	.6020	----	----	----	----	1 UNCH
7790	----	----	4.133B/2.145A	4.133B/2.145A	----	4.123 + 1.966	.5996	----	----	2	----	4 + 2
7800	2.250	2.250	4.126B/2.108A	4.126B/2.108A	----	4.067 + 1.947	.5948	----	----	7	----	90 UNCH
7805	----	----	4.083B/2.090A	4.083B/2.090A	----	4.040 + 1.938	.5924	----	----	----	----	7 UNCH
7810	----	----	4.045B/2.070A	4.045B/2.070A	----	4.013 + 1.929	.5900	----	----	----	----	1 UNCH
7815	----	----	4.021B/2.049A	4.021B/2.049A	----	3.985 + 1.919	.5876	----	----	----	----	3 UNCH
7825	----	----	3.952B/2.015A	3.952B/2.015A	----	3.931 + 1.900	.5827	----	----	----	----	4 UNCH
7830	----	----	3.935B/1.996A	3.935B/1.996A	----	3.904 + 1.890	.5803	----	----	----	----	1 UNCH
7845	----	----	3.879B/1.946A	3.879B/1.946A	----	3.825 + 1.863	.5731	----	----	----	----	3 UNCH
7850	----	----	3.849B/1.922A	3.849B/1.922A	----	3.798 + 1.853	.5706	----	----	----	----	34 UNCH
7855	----	----	3.810B/1.914A	3.810B/1.914A	----	3.772 + 1.843	.5682	----	----	----	----	8 UNCH
7860	----	----	3.791B/1.886A	3.791B/1.886A	----	3.746 + 1.834	.5658	----	----	----	----	4 UNCH
7865	----	----	3.778B/1.880A	3.778B/1.880A	----	3.720 + 1.825	.5634	----	----	----	----	1 UNCH
7870	----	----	3.747B/1.849A	3.747B/1.849A	----	3.695 + 1.816	.5609	----	----	----	----	1 UNCH
7875	2.627	2.627	3.723B/1.845A	3.723B/1.845A	----	3.669 + 1.806	.5585	----	----	1	----	44 + 1
7880	2.605	2.605	3.675B/1.835A	3.675B/1.835A	----	3.643 NEW	.5561	----	----	1	----	1 + 1
7885	----	----	3.677B/1.811A	3.677B/1.811A	----	3.618 + 1.788	.5537	----	----	----	----	1 UNCH
7890	----	----	3.644B/1.782A	3.644B/1.782A	----	3.593 + 1.779	.5512	----	----	----	----	1 UNCH
7895	----	----	3.609B/1.774A	3.609B/1.774A	----	3.568 + 1.769	.5488	----	----	----	----	1 UNCH
7900	2.320	2.320	3.595B/1.774A	3.595B/1.774A	----	3.543 + 1.760	.5464	----	----	20	----	45 + 7
7905	----	----	3.575B/1.737A	3.575B/1.737A	----	3.518 + 1.751	.5440	----	----	----	----	4 UNCH
7910	3.294	3.294	3.550B/1.730A	3.550B/1.730A	----	3.493 + 1.741	.5415	----	----	1	----	1 UNCH
7915	2.456	2.456	3.526B/1.701A	3.526B/1.701A	----	3.468 + 1.732	.5391	----	----	2	----	3 + 1
7920	3.250	3.250	3.502B/1.681A	3.502B/1.681A	----	3.444 + 1.723	.5367	----	----	1	----	0 - 1
7925	2.600	2.600	3.474B/1.696A	3.474B/1.696A	----	3.419 + 1.713	.5343	----	----	3	----	6 UNCH
7930	3.247	3.247	3.449B/1.648A	3.449B/1.648A	----	3.395 + 1.704	.5319	----	----	1	----	2 UNCH
7935	3.216	3.216	3.423B/1.626A	3.423B/1.626A	----	3.371 + 1.695	.5294	----	----	1	----	0 - 1
7940	3.146	3.146	3.402B/1.611A	3.402B/1.611A	----	3.347 + 1.686	.5270	----	----	1	----	3 UNCH
7945	3.162	3.162	3.377B/1.595A	3.377B/1.595A	----	3.323 + 1.676	.5246	----	----	1	----	2 UNCH
7950	1.670	1.670	3.386B/1.580A	3.386B/1.580A	----	3.299 + 1.667	.5222	----	----	20	----	33 + 7
7955	3.117	3.117	3.353B/1.567A	3.353B/1.567A	----	3.276 + 1.658	.5198	----	----	1	----	1 UNCH
7960	1.800	1.800	3.332B/1.552A	3.332B/1.552A	----	3.252 + 1.648	.5173	----	----	4	----	15 - 2
7965	3.087	3.087	3.315B/1.536A	3.315B/1.536A	----	3.229 + 1.640	.5149	----	----	2	----	2 UNCH
7970	3.016	3.016	3.289B/1.523A	3.289B/1.523A	----	3.206 + 1.631	.5125	----	----	4	----	14 UNCH
7975	2.992	2.992	3.267B/1.508A	3.267B/1.508A	----	3.183 + 1.622	.5101	----	----	5	----	17 UNCH
7980	2.976	2.976	3.240B/1.495A	3.240B/1.495A	----	3.160 + 1.613	.5077	----	----	8	----	10 UNCH
7985	3.003	3.003	3.220B/1.481A	3.220B/1.481A	----	3.137 + 1.603	.5053	----	----	8	----	2 - 8
7990	2.924	2.924	3.193B/1.466A	3.193B/1.466A	----	3.114 + 1.594	.5029	----	----	8	----	8 UNCH
7995	2.901	2.901	3.170B/1.453A	3.170B/1.453A	----	3.092 + 1.586	.5005	----	----	5	----	21 UNCH
8000	1.417	1.417	3.175/1.417	3.175/1.417	----	3.069 + 1.576	.4981	----	----	173	150	1187 - 122

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
8005	----	----	3.129B/1.425A	3.129B/1.425A	----	3.047 + 1.567	.4957	----	----	----	----	25 UNCH
8010	----	----	3.124B/1.411A	3.124B/1.411A	----	3.025 + 1.558	.4933	----	----	----	----	34 UNCH
8015	----	----	3.088B/1.398A	3.088B/1.398A	----	3.003 + 1.550	.4909	----	----	----	----	24 UNCH
8020	----	----	3.065B/1.385A	3.065B/1.385A	----	2.981 + 1.541	.4885	----	----	----	----	14 UNCH
8025	----	----	3.041B/1.373A	3.041B/1.373A	----	2.959 + 1.531	.4861	----	----	----	----	13 UNCH
8030	----	----	3.020B/1.360A	3.020B/1.360A	----	2.937 + 1.522	.4837	----	----	----	----	4 UNCH
8035	----	----	2.997B/1.348A	2.997B/1.348A	----	2.915 + 1.513	.4813	----	----	----	----	2 UNCH
8040	----	----	2.977B/1.335A	2.977B/1.335A	----	2.894 + 1.504	.4790	----	----	1	----	3 + 1
8045	----	----	2.954B/1.323A	2.954B/1.323A	----	2.873 + 1.496	.4766	----	----	----	----	1 UNCH
8050	1.550	1.550	2.931B/1.310A	2.931B/1.310A	----	2.852 + 1.487	.4742	----	----	4	----	8 UNCH
8055	----	----	2.910B/1.298A	2.910B/1.298A	----	2.830 + 1.478	.4718	----	----	----	----	1 UNCH
8060	----	----	2.890B/1.285A	2.890B/1.285A	----	2.809 + 1.469	.4695	----	----	----	----	1 UNCH
8065	----	----	2.868B/1.273A	2.868B/1.273A	----	2.789 + 1.461	.4671	----	----	----	----	5 UNCH
8070	----	----	2.846B/1.261A	2.846B/1.261A	----	2.768 + 1.452	.4648	----	----	----	----	2 UNCH
8075	2.371	2.371	2.825B/1.250A	2.825B/1.250A	----	2.747 + 1.443	.4624	----	----	2	----	7 UNCH
8080	----	----	2.804B/1.239A	2.804B/1.239A	----	2.727 + 1.434	.4601	----	----	----	----	2 UNCH
8085	----	----	2.783B/1.227A	2.783B/1.227A	----	2.707 + 1.426	.4577	----	----	----	----	1 UNCH
8090	----	----	2.763B/1.215A	2.763B/1.215A	----	2.686 + 1.416	.4554	----	----	----	----	21 UNCH
8095	----	----	2.743B/1.204A	2.743B/1.204A	----	2.666 + 1.408	.4530	----	----	----	----	13 UNCH
8100	1.280	1.280	2.750B/1.193A	2.750B/1.193A	----	2.646 + 1.399	.4507	----	----	47	----	254 + 9
8105	----	----	2.702B/1.181A	2.702B/1.181A	----	2.627 + 1.392	.4484	----	----	----	----	1 UNCH
8110	----	----	2.682B/1.171A	2.682B/1.171A	----	2.607 + 1.383	.4460	----	----	----	----	4 UNCH
8115	----	----	2.662B/1.160A	2.662B/1.160A	----	2.587 + 1.374	.4437	----	----	----	----	3 UNCH
8125	----	----	2.622B/1.138A	2.622B/1.138A	----	2.548 + 1.357	.4391	----	----	----	----	3 UNCH
8150	1.680	1.680	2.525B/1.087A	2.525B/1.087A	----	2.453 + 1.314	.4276	----	----	5	----	14 + 1
8175	----	----	2.431B/1.038A	2.431B/1.038A	----	2.362 + 1.274	.4162	----	----	----	----	12 UNCH
8195	1.425	1.425	2.358B/1.001A	2.358B/1.001A	----	2.290 + 1.241	.4072	----	----	2	----	2 + 1
8200	2.000	2.000	2.364B/0.991A	2.364B/0.991A	----	2.273 + 1.233	.4050	----	----	44	----	150 + 14
8205	2.009	2.009	2.322B/0.981A	2.322B/0.981A	----	2.255 + 1.225	.4028	----	----	1	----	1 + 1
8210	----	----	2.303B/0.973A	2.303B/0.973A	----	2.238 + 1.217	.4005	----	----	----	----	4 UNCH
8215	----	----	2.286B/0.965A	2.286B/0.965A	----	2.221 + 1.209	.3983	----	----	----	----	1 UNCH
8225	1.945	1.945	2.252B/0.946A	2.252B/0.946A	----	2.186 + 1.193	.3939	----	----	1	----	1 - 1
8235	----	----	2.216B/0.929A	2.216B/0.929A	----	2.153 + 1.177	.3895	----	----	----	----	1 UNCH
8240	1.898	1.898	2.200B/0.922A	2.200B/0.922A	----	2.136 + 1.169	.3873	----	----	1	----	2 + 1
8250	1.981	1.981	2.186B/0.905A	2.186B/0.905A	----	2.103 + 1.154	.3830	----	----	28	----	148 + 6
8255	1.206	1.206	2.149B/0.896A	2.149B/0.896A	----	2.087 + 1.146	.3808	----	----	1	----	3 UNCH
8265	----	----	2.117B/0.880A	2.117B/0.880A	----	2.055 + 1.131	.3765	----	----	----	----	2 UNCH
8270	----	----	2.100B/0.872A	2.100B/0.872A	----	2.039 + 1.123	.3744	----	----	----	----	3 UNCH
8275	----	----	2.084B/0.864A	2.084B/0.864A	----	2.023 + 1.116	.3722	----	----	----	----	6 UNCH
8280	----	----	2.069B/0.858A	2.069B/0.858A	----	2.007 + 1.108	.3701	----	----	----	----	2 UNCH
8290	1.903	1.903	2.037B/0.841A	2.037B/0.841A	----	1.976 + 1.093	.3658	----	----	6	----	17 + 6
8300	1.107	1.107	2.028B/0.827A	2.028B/0.827A	----	1.945 + 1.078	.3616	----	----	22	----	105 - 4
8310	----	----	1.974B/0.811A	1.974B/0.811A	----	1.915 + 1.063	.3574	----	----	----	----	4 UNCH
8325	----	----	1.928B/0.790A	1.928B/0.790A	----	1.871 + 1.042	.3513	----	----	----	----	4 UNCH
8340	1.326	1.326	1.897B/0.770A	1.897B/0.770A	----	1.827 + 1.020	.3451	----	----	4	----	32 + 3
8345	----	----	1.868B/0.763A	1.868B/0.763A	----	1.813 + 1.013	.3431	----	----	----	----	16 UNCH
8350	1.050	1.050	1.854B/0.756A	1.854B/0.756A	----	1.798 + 1.006	.3410	----	----	7	----	26 + 5
8360	----	----	1.827B/0.743A	1.827B/0.743A	----	1.770 + 0.992	.3370	----	----	----	----	6 UNCH
8365	----	----	1.811B/0.738A	1.811B/0.738A	----	1.756 + 0.985	.3349	----	----	----	----	1 UNCH
8370	----	----	1.795B/0.730A	1.795B/0.730A	----	1.742 + 0.977	.3329	----	----	----	----	5 UNCH
8375	----	----	1.781B/0.725A	1.781B/0.725A	----	1.729 + 0.971	.3310	----	----	----	----	7 UNCH
8400	----	----	1.726B/0.695A	1.726B/0.695A	----	1.662 + 0.937	.3212	----	----	36	----	49 + 4
8415	1.090	1.090	1.674B/0.677A	1.674B/0.677A	----	1.623 + 0.917	.3154	----	----	1	----	2 + 1
8420	----	----	1.661B/0.670A	1.661B/0.670A	----	1.610 + 0.911	.3134	----	----	----	----	3 UNCH
8425	----	----	1.648B/0.664A	1.648B/0.664A	----	1.597 + 0.904	.3115	----	----	----	----	6 UNCH
8430	1.081	1.081	1.636B/0.660A	1.636B/0.660A	----	1.585 NEW	.3096	----	----	2	----	2 + 2
8435	0.878	0.878	1.621B/0.654A	1.621B/0.654A	----	1.572 + 0.891	.3077	----	----	1	----	2 + 1
8440	----	----	1.618B/0.647A	1.618B/0.647A	----	1.560 + 0.885	.3059	----	----	----	----	1 UNCH
8450	1.426	1.426	1.605B/0.636A	1.605B/0.636A	----	1.535 + 0.872	.3021	----	----	1	----	158 + 1
8460	----	----	1.561B/0.626A	1.561B/0.626A	----	1.511 + 0.859	.2984	----	----	----	----	1 UNCH
8475	----	----	1.525B/0.612A	1.525B/0.612A	----	1.476 + 0.841	.2929	----	----	----	----	1 UNCH
8480	----	----	1.516B/0.605A	1.516B/0.605A	----	1.464 + 0.834	.2911	----	----	----	----	1 UNCH
8485	----	----	1.501B/0.601A	1.501B/0.601A	----	1.452 + 0.828	.2893	----	----	----	----	1 UNCH
8490	----	----	1.494B/0.596A	1.494B/0.596A	----	1.441 + 0.822	.2875	----	----	----	----	2 UNCH
8500	0.880	0.880	1.500/0.587A	1.500/0.587A	----	1.418 + 0.810	.2839	----	----	218	50	797 + 19
8505	----	----	1.457B/0.581A	1.457B/0.581A	----	1.407 + 0.804	.2822	----	----	----	----	4 UNCH
8510	----	----	1.445B/0.577A	1.445B/0.577A	----	1.396 + 0.798	.2804	----	----	----	----	2 UNCH
8515	----	----	1.433B/0.576A	1.433B/0.576A	----	1.385 + 0.792	.2786	----	----	----	----	1 UNCH
8520	1.150	1.150	1.424B/0.568A	1.424B/0.568A	----	1.374 NEW	.2769	----	----	1	----	1 + 1
8525	----	----	1.412B/0.564A	1.412B/0.564A	----	1.363 + 0.781	.2751	----	----	----	----	23 UNCH
8530	0.756	0.756	1.403B/0.558A	1.403B/0.558A	----	1.353 NEW	.2735	----	----	1	----	1 + 1
8535	----	----	1.388B/0.555A	1.388B/0.555A	----	1.342 + 0.769	.2717	----	----	----	----	1 UNCH
8540	----	----	1.376B/0.549A	1.376B/0.549A	----	1.331 + 0.763	.2700	----	----	----	----	6 UNCH
8545	----	----	1.366B/0.546A	1.366B/0.546A	----	1.321 + 0.758	.2683	----	----	----	----	4 UNCH
8550	----	----	1.359B/0.541A	1.359B/0.541A	----	1.310 + 0.752	.2666	----	----	----	----	10 UNCH
8565	----	----	1.330B/0.527A	1.330B/0.527A	----	1.280 + 0.736	.2616	----	----	----	----	10 UNCH
8570	----	----	1.317B/0.523A	1.317B/0.523A	----	1.270 + 0.730	.2600	----	----	----	----	4 UNCH
8575	----	----	1.317B/0.520A	1.317B/0.520A	----	1.260 + 0.725	.2583	----	----	----	----	34 UNCH
8590	----	----	1.281B/0.508A	1.281B/0.508A	----	1.230 + 0.708	.2534	----	----	----	----	1 UNCH
8595	0.806	0.806	1.268B/0.504A	1.268B/0.504A	----	1.221 NEW	.2518	----	----	4	----	4 + 4
8600	----	----	1.273B/0.500A	1.273B/0.500A	----	1.211 + 0.698	.2502	----	----	46	----	253 + 6
8605	0.850	0.850	1.251B/0.495A	1.251B/0.495A	----	1.202 + 0.693	.2487	----	----	3	----	9 + 1
8615	----	----	1.230B/0.491A	1.230B/0.491A	----	1.183 + 0.682	.2455	----	----	----	----	1 UNCH
8620	----	----	1.220B/0.494A	1.220B/0.494A	----	1.174 + 0.678	.2439	----	----	----	----	5 UNCH
8625	----	----	1.211B/0.484A	1.211B/0.484A	----	1.165 + 0.673	.2424	----	----	----	----	2 UNCH
8630	0.693	0.693	1.203B/0.481A	1.203B/0.481A	----	1.156 + 0.668	.2408	----	----	1	----	2 UNCH
8635	----	----	1.193B/0.476A	1.193B/0.476A	----	1.147 + 0.663	.2393	----	----	----	----	1 UNCH
8640	----	----	1.183B/0.472A	1.183B/0.472A	----	1.138 + 0.658	.2378	----	----	----	----	1 UNCH
8650	----	----	1.168B/0.466A	1.168B/0.466A	----	1.120 + 0.647	.2347	----	----	----	----	11 UNCH
8660	----	----	1.150B/0.458A	1.150B/0.458A	----	1.103 + 0.638	.2317	----	----	----	----	2 UNCH
8670	----	----	1.131B/0.451A	1.131B/0.451A	----	1.086 + 0.628	.2288	----	----	----	----	1 UNCH
8675	----	----	1.120B/0.446A	1.120B/0.446A	----	1.077 + 0.623	.2273	----	----	----	----	1 UNCH
8695	----	----	1.090B/0.432A	1.090B/0.432A	----	1.044 + 0.604	.2215	----	----	----	----	2 UNCH
8700	0.525	0.525	1.094B/0.430A	1.094B/0.430A	----	1.036 + 0.600	.2200	----	----	20	----	93 + 11
8705	----	----	1.073B/0.427A	1.073B/0.427A	----	1.028 + 0.595	.2186	----	----	----	----	17 UNCH
8725	----	----	1.041B/0.413A	1.041B/0.413A	----	0.997 + 0.577	.2131	----	----	----	----	2 UNCH
8750	0.910	0.910	1.016B/0.399A	1.016B/0.399A	----	0.960 + 0.556	.2064	----	----	3	----	68 + 1
8775	----	----	0.961B/0.385A	0.961B/0.385A	----	0.924 + 0.535	.1998	----	----	----	----	17 UNCH
8800	0.436	0.436	0.970/0.371A	0.970/0.371A	----	0.890 + 0.516	.1935	----	----	29	----	640 + 17
8850	----	----	0.862B/----	0.862B/0.348A	----	0.826 + 0.478	.1815	----	----	----	----	3 UNCH
8875	----	----	0.834B/----	0.834B/0.336A	----	0.796 + 0.460	.1757	----	----	----	----	3 UNCH
8900	0.736	0.736	0.813B/0.685	0.813B/0.326A	----	0.767 + 0.443	.1701	----	----	36	----	86 - 15
8925	----	----	0.770B/----	0.770B/0.315A	----	0.740 + 0.427	.1649	----	----	----	----	4 UNCH
8950	0.400	0.400	0.757B/0.400	0.757B/0.306A	----	0.714 + 0.411	.1597	----	----	1	----	69 UNCH
8975	----	----	0.726B/----	0.726B/0.302A	----	0.688 + 0.395	.1546	----	----	----	----	23 UNCH
9000	0.300	0.300	0.735/0.300	0.735/0.298A	----	0.664 + 0.381	.1498	----	----	63	50	1297 - 6
9025	----	----	0.678B/----	0.678B/0.295A	----	0.641 + 0.367	.1452	----	----	----	----	23 UNCH
9050	----	----	0.652B/----	0.652B/0.299A	----	0.619 + 0.354	.1407	----	----	----	----	17 UNCH
9075	----	----	0.632B/----	0.632B/0.292A	----	0.598 + 0.341	.1363	----	----	----	----	6 UNCH
9100	----	----	0.609B/----	0.609B/0.284A	----	0.578 + 0.329	.1322	----	----	----	----	79 UNCH
9125	----	----	0.588B/----	0.588B/0.279A	----	0.559 + 0.317	.1282	----	----	----	----	5 UNCH
9150	----	----	0.568B/----	0.568B/0.268A	----	0.540 + 0.305	.1242	----	----	----	----	28 UNCH
9175	----	----	0.549B/----	0.549B/0.263A	----	0.523 + 0.295	.1206	----	----	----	----	8 UNCH
9200	0.472	0.472	0.536/0.472	0.536/0.253A	----	0.506 + 0.285	.1170	----	----	8	----	173 UNCH
9225	----	----	0.510B/----	0.510B/0.246A	----	0.489 + 0.274	.1134	----	----	----	----	17 UNCH
9250	0.437	0.437	0.494B/0.437	0.494B/0.238A	----	0.474 + 0.266	.1101	----	----	1	----	37 UNCH
9275	----	----	0.479B/----	0.479B/0.228A	----	0.459 + 0.256	.1069	----	----	----	----	29 UNCH
9300	0.382	0.382	0.464B/0.356	0.464B/0.221A	----	0.444 + 0.247	.1036	----	----	21	----	189 - 8
9325	----	----	0.448B/----	0.448B/*0.218A	----	0.430 + 0.239	.1006	----	----	----	----	6 UNCH
9350	----	----	0.432B/----	0.432B/*0.212A	----	0.417 + 0.231	.0977	----	----	----	----	37 UNCH
9375	----	----	0.414B/----	0.414B/*0.205A	----	0.404 + 0.223	.0948	----	----	----	----	13 UNCH
9400	0.172	0.172	0.401B/*0.172	0.401B/*0.172	----	0.392 + 0.216	.0922	----	----	11	----	50 + 11
9425	0.341	0.341	0.386B/0.341	0.386B/*0.202A	----	0.380 + 0.209	.0895	----	----	1	----	8 - 1
9450	0.331	0.331	0.377B/0.331	0.377B/*0.199A	----	0.368 + 0.201	.0869	----	----	1	----	20 - 1
9475	----	----	0.365B/----	0.365B/*0.194A	----	0.357 + 0.195	.0844	----	----	----	----	12 UNCH
9500	0.389	0.389	0.389/0.380	0.389/0.198A	----	0.347 + 0.189	.0821	----	----	52	100	800 - 32
9525	----	----	0.345B/----	0.345B/0.202A	----	0.336 + 0.183	.0797	----	----	----	----	23 UNCH
9550	----	----	0.333B/----	0.333B/*0.196A	----	0.326 + 0.177	.0774	----	----	1	----	30 UNCH
9575	----	----	0.323B/----	0.323B/0.207A	----	0.317 + 0.172	.0753	----	----	----	----	4 UNCH
9600	----	----	0.318B/----	0.318B/0.195A	----	0.308 + 0.166	.0732	----	----	25	----	134 - 11
9625	----	----	0.304B/----	0.304B/*0.176A	----	0.299 + 0.161	.0712	----	----	----	----	6 UNCH
9650	----	----	0.297B/----	0.297B/0.197A	----	0.290 + 0.156	.0692	----	----	----	----	15 UNCH
9675	----	----	0.290B/----	0.290B/*0.169A	----	0.282 + 0.151	.0673	----	----	----	----	13 UNCH
9700	----	----	0.279B/----	0.279B/*0.180A	----	0.274 + 0.146	.0655	----	----	----	----	16 UNCH
9725	----	----	0.273B/----	0.273B/0.185A	----	0.267 + 0.142	.0638	----	----	----	----	9 UNCH
9750	----	----	0.262B/----	0.262B/0.180A	----	0.259 + 0.137	.0620	----	----	----	----	73 UNCH
9775	----	----	0.255B/----	0.255B/*0.174A	----	0.252 + 0.133	.0604	----	----	----	----	2 UNCH
9800	----	----	0.249B/----	0.249B/*0.172A	----	0.245 + 0.129	.0587	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
9825	----	----	0.244B/----	0.244B/0.170A	----	0.239 + 0.125	.0573	----	----	----	----	5 UNCH
9850	----	----	0.238B/----	0.238B/*0.156A	----	0.232 + 0.120	.0557	----	----	----	----	20 UNCH
9875	----	----	0.229B/----	0.229B/*0.162A	----	0.226 + 0.117	.0543	----	----	----	----	11 UNCH
9900	----	----	0.213B/----	0.213B/*0.166A	----	0.220 + 0.113	.0528	----	----	1	----	244 - 1
9925	----	----	0.206B/----	0.206B/*0.156A	----	0.215 + 0.110	.0516	----	----	----	----	2 UNCH
9950	----	----	0.209B/----	0.209B/*0.155A	----	0.209 + 0.106	.0502	----	----	----	----	21 UNCH
9975	----	----	0.189B/----	0.189B/*0.160A	----	0.204 + 0.103	.0490	----	----	----	----	2 UNCH
10000	0.013	0.013	0.205/*0.013	0.205/*0.013	----	0.199 + 0.100	.0478	----	----	11	----	1054 - 6
10025	----	----	0.160B/----	0.160B/*0.152A	----	0.194 + 0.096	.0466	----	----	----	----	2 UNCH
10050	----	----	0.157B/----	0.157B/*0.149A	----	0.189 + 0.093	.0454	----	----	----	----	22 UNCH
10075	----	----	0.152B/----	0.152B/*0.146A	----	0.185 + 0.090	.0444	----	----	----	----	4 UNCH
10100	----	----	0.153B/----	0.153B/0.144A	----	0.180 + 0.087	.0433	----	----	----	----	70 UNCH
10125	----	----	0.143B/----	0.143B/*0.147A	----	0.176 + 0.084	.0423	----	----	----	----	1 UNCH
10175	----	----	0.135B/----	0.135B/*0.142A	----	0.168 + 0.079	.0403	----	----	----	----	1 UNCH
10200	----	----	0.134B/----	0.134B/*0.134A	----	0.164 + 0.076	.0394	----	----	3	----	29 - 3
10225	----	----	0.127B/----	0.127B/*0.136A	----	0.161 + 0.074	.0386	----	----	----	----	1 UNCH
10250	----	----	0.130B/----	0.130B/*0.131A	----	0.157 + 0.072	.0377	----	----	----	----	5 UNCH
10275	----	----	0.124B/----	0.124B/*0.129A	----	0.154 + 0.070	.0369	----	----	----	----	4 UNCH
10300	----	----	0.122B/----	0.122B/*0.129A	----	0.151 + 0.068	.0361	----	----	3	----	204 - 3
10305	----	----	0.120B/----	0.120B/*0.129A	----	0.150 + 0.067	.0359	----	----	----	----	2 UNCH
10325	----	----	0.116B/----	0.116B/*0.117A	----	0.148 + 0.066	.0354	----	----	----	----	1 UNCH
10350	----	----	0.110B/----	0.110B/*0.131A	----	0.145 + 0.064	.0346	----	----	----	----	2 UNCH
10375	----	----	0.114B/----	0.114B/*0.128A	----	0.142 + 0.062	.0339	----	----	----	----	1 UNCH
10400	----	----	0.111B/----	0.111B/*0.126A	----	0.139 + 0.059	.0332	----	----	----	----	27 UNCH
10425	----	----	0.106B/----	0.106B/*0.121A	----	0.136 + 0.057	.0324	----	----	----	----	19 UNCH
10450	----	----	0.107B/----	0.107B/*0.119A	----	0.134 + 0.056	.0319	----	----	----	----	4 UNCH
10480	----	----	0.101B/----	0.101B/*0.115A	----	0.131 + 0.054	.0311	----	----	----	----	2 UNCH
10485	----	----	0.104B/----	0.104B/*0.117A	----	0.130 + 0.053	.0309	----	----	----	----	2 UNCH
10490	----	----	0.103B/----	0.103B/*0.115A	----	0.130 + 0.053	.0309	----	----	----	----	1 UNCH
10500	0.100	0.100	0.103B/0.100	0.103B/0.095A	----	0.129 + 0.053	.0306	----	----	2	----	315 - 2
10515	----	----	0.101B/----	0.101B/*0.109A	----	0.127 + 0.051	.0302	----	----	----	----	7 UNCH
10520	----	----	0.093B/----	0.093B/*0.110A	----	0.127 + 0.051	.0301	----	----	----	----	2 UNCH
10550	----	----	0.094B/----	0.094B/*0.112A	----	0.124 + 0.049	.0294	----	----	----	----	2 UNCH
10555	----	----	0.098B/----	0.098B/*0.110A	----	0.124 + 0.049	.0294	----	----	----	----	1 UNCH
10560	----	----	0.123B/----	0.123B/0.112A	----	0.123 + 0.048	.0291	----	----	----	----	23 UNCH
10570	----	----	0.096B/----	0.096B/*0.110A	----	0.122 + 0.047	.0289	----	----	----	----	1 UNCH
10575	----	----	0.087B/----	0.087B/*0.109A	----	0.122 + 0.048	.0289	----	----	----	----	1 UNCH
10580	----	----	0.091B/----	0.091B/*0.108A	----	0.121 + 0.047	.0287	----	----	----	----	1 UNCH
10595	----	----	0.088B/----	0.088B/*0.107A	----	0.120 + 0.046	.0284	----	----	----	----	2 UNCH
10600	----	----	0.088B/----	0.088B/*0.109A	----	0.120 + 0.046	.0283	----	----	----	----	23 UNCH
10605	----	----	0.087B/----	0.087B/*0.106A	----	0.119 + 0.045	.0281	----	----	----	----	5 UNCH
10610	----	----	0.088B/----	0.088B/*0.106A	----	0.119 + 0.045	.0281	----	----	----	----	1 UNCH
10615	----	----	0.088B/----	0.088B/*0.107A	----	0.119 + 0.046	.0281	----	----	----	----	1 UNCH
10625	----	----	0.084B/----	0.084B/*0.109A	----	0.118 + 0.045	.0278	----	----	----	----	1 UNCH
10630	----	----	0.085B/----	0.085B/*0.108A	----	0.117 + 0.044	.0276	----	----	----	----	1 UNCH
10650	----	----	0.083B/----	0.083B/*0.105A	----	0.116 + 0.043	.0273	----	----	----	----	1 UNCH
10655	----	----	0.082B/----	0.082B/*0.105A	----	0.115 + 0.043	.0271	----	----	----	----	1 UNCH
10670	----	----	0.080B/----	0.080B/*0.104A	----	0.114 + 0.042	.0269	----	----	----	----	1 UNCH
10675	----	----	0.078B/----	0.078B/*0.103A	----	0.114 + 0.042	.0268	----	----	----	----	3 UNCH
10680	----	----	0.082B/----	0.082B/*0.102A	----	0.113 + 0.041	.0266	----	----	----	----	7 UNCH
10685	----	----	0.080B/----	0.080B/*0.104A	----	0.113 + 0.041	.0266	----	----	----	----	1 UNCH
10690	----	----	0.081B/----	0.081B/*0.103A	----	0.113 + 0.041	.0266	----	----	----	----	1 UNCH
10700	----	----	0.079B/----	0.079B/0.114A	----	0.112 + 0.041	.0263	----	----	----	----	119 UNCH
10720	----	----	0.074B/----	0.074B/*0.113A	----	0.111 + 0.040	.0260	----	----	----	----	1 UNCH
10725	----	----	0.078B/----	0.078B/*0.112A	----	0.110 + 0.039	.0258	----	----	----	----	3 UNCH
10750	----	----	----	0.059B/0.137A	----	0.108 + 0.038	.0253	----	----	----	----	1 UNCH
10755	----	----	----	0.059B/0.137A	----	0.108 + 0.038	.0253	----	----	----	----	1 UNCH
10760	----	----	----	0.059B/0.137A	----	0.108 + 0.038	.0253	----	----	----	----	10 UNCH
10765	----	----	----	0.058B/0.136A	----	0.107 + 0.037	.0251	----	----	----	----	10 UNCH
10770	----	----	----	0.058B/0.136A	----	0.107 + 0.037	.0250	----	----	----	----	1 UNCH
10800	----	----	----	0.063B/0.134A	----	0.105 + 0.035	.0245	----	----	----	----	21 UNCH
10825	----	----	----	0.055B/0.133A	----	0.103 + 0.034	.0240	----	----	----	----	1 UNCH
10835	----	----	----	0.057B/0.132A	----	0.103 + 0.034	.0240	----	----	----	----	1 UNCH
10850	----	----	----	0.053B/0.132A	----	0.102 + 0.033	.0237	----	----	----	----	12 UNCH
10855	----	----	----	0.053B/0.131A	----	0.102 + 0.033	.0237	----	----	----	----	3 UNCH
10875	----	----	----	0.052B/0.130A	----	0.100 + 0.032	.0233	----	----	----	----	2 UNCH
10900	----	----	----	0.050B/0.129A	----	0.099 + 0.031	.0230	----	----	----	----	40 UNCH
10925	----	----	----	0.063B/0.127A	----	0.098 + 0.031	.0227	----	----	----	----	5 UNCH
10950	----	----	----	0.047B/0.126A	----	0.096 + 0.029	.0222	----	----	----	----	2 UNCH
10975	----	----	----	0.045B/0.125A	----	0.095 + 0.028	.0219	----	----	----	----	9 UNCH
11000	0.011	0.011	0.080/*0.011	0.080/*0.011	----	0.094 + 0.028	.0216	----	----	5	----	687 - 5
11025	----	----	----	0.042B/0.123A	----	0.092 + 0.026	.0212	----	----	----	----	5 UNCH
11050	----	----	----	0.040B/0.123A	----	0.091 + 0.025	.0209	----	----	----	----	2 UNCH
11075	----	----	----	0.039B/0.122A	----	0.090 + 0.025	.0206	----	----	----	----	1 UNCH
11100	----	----	----	0.038B/0.121A	----	0.089 + 0.024	.0204	----	----	----	----	59 UNCH
11125	----	----	----	0.038B/0.120A	----	0.088 + 0.023	.0201	----	----	----	----	3 UNCH
11150	----	----	----	0.049B/0.118A	----	0.087 + 0.023	.0198	----	----	----	----	2 UNCH
11200	----	----	----	0.026B/0.116A	----	0.084 + 0.020	.0191	----	----	----	----	262 UNCH
11225	----	----	----	0.032B/0.116A	----	0.083 + 0.020	.0188	----	----	----	----	40 UNCH
11240	----	----	----	0.031B/0.115A	----	0.083 + 0.020	.0188	----	----	----	----	2 UNCH
11245	----	----	----	0.031B/0.115A	----	0.083 + 0.020	.0188	----	----	----	----	2 UNCH
11250	----	----	----	0.059B/0.094A	----	0.082 + 0.019	.0186	----	----	20	----	22 UNCH
11255	----	----	----	0.030B/0.114A	----	0.082 + 0.019	.0186	----	----	----	----	1 UNCH
11260	----	----	----	0.030B/0.114A	----	0.082 + 0.019	.0185	----	----	----	----	1 UNCH
11265	----	----	----	0.025B/0.094A	----	0.082 + 0.019	.0185	----	----	----	----	1 UNCH
11275	----	----	----	0.029B/0.114A	----	0.081 + 0.018	.0183	----	----	----	----	1 UNCH
11290	----	----	----	0.028B/0.113A	----	0.081 + 0.019	.0183	----	----	----	----	1 UNCH
11300	----	----	----	0.027B/0.113A	----	0.080 + 0.018	.0181	----	----	----	----	93 UNCH
11305	----	----	----	0.027B/0.106A	----	0.080 + 0.018	.0180	----	----	----	----	1 UNCH
11315	----	----	----	0.020B/0.112A	----	0.080 + 0.018	.0180	----	----	----	----	1 UNCH
11325	----	----	----	0.019B/0.112A	----	0.080 + 0.018	.0180	----	----	----	----	8 UNCH
11335	----	----	----	0.019B/0.112A	----	0.079 + 0.017	.0178	----	----	----	----	2 UNCH
11345	----	----	----	0.017B/0.112A	----	0.079 + 0.017	.0177	----	----	----	----	1 UNCH
11350	----	----	----	0.017B/0.112A	----	0.079 + 0.017	.0177	----	----	----	----	4 UNCH
11365	----	----	----	0.018B/*0.111A	----	0.078 + 0.017	.0175	----	----	----	----	1 UNCH
11370	----	----	----	0.017B/*0.111A	----	0.078 + 0.017	.0175	----	----	----	----	2 UNCH
11380	----	----	----	0.016B/*0.111A	----	0.078 + 0.017	.0175	----	----	----	----	3 UNCH
11385	----	----	----	0.017B/*0.110A	----	0.077 + 0.016	.0173	----	----	----	----	1 UNCH
11400	----	----	----	0.015B/*0.110A	----	0.077 + 0.016	.0172	----	----	----	----	10 UNCH
11450	----	----	----	0.007B/*0.107A	----	0.075 + 0.015	.0167	----	----	----	----	41 UNCH
11455	----	----	----	0.012B/*0.107A	----	0.075 + 0.015	.0167	----	----	----	----	1 UNCH
11465	----	----	----	0.012B/*0.105A	----	0.075 + 0.015	.0167	----	----	----	----	1 UNCH
11475	----	----	----	0.011B/*0.107A	----	0.074 + 0.014	.0165	----	----	----	----	1 UNCH
11480	----	----	----	0.011B/*0.106A	----	0.074 + 0.014	.0165	----	----	----	----	1 UNCH
11485	----	----	----	0.011B/*0.107A	----	0.074 + 0.014	.0164	----	----	----	----	2 UNCH
11500	----	----	----	0.051B/0.105A	----	0.074 + 0.014	.0164	----	----	10	----	238 - 10
11505	----	----	----	0.010B/*0.106A	----	0.073 + 0.013	.0162	----	----	----	----	2 UNCH
11515	----	----	----	0.010B/*0.106A	----	0.073 + 0.014	.0162	----	----	----	----	2 UNCH
11525	----	----	----	0.009B/*0.105A	----	0.073 + 0.014	.0162	----	----	----	----	7 UNCH
11530	----	----	----	0.009B/*0.104A	----	0.073 + 0.014	.0162	----	----	----	----	10 UNCH
11540	----	----	----	0.009B/*0.105A	----	0.072 + 0.013	.0160	----	----	----	----	10 UNCH
11550	----	----	----	0.022B/*0.104A	----	0.072 + 0.013	.0159	----	----	----	----	22 UNCH
11570	----	----	----	0.008B/*0.103A	----	0.071 + 0.012	.0157	----	----	----	----	1 UNCH
11575	----	----	----	0.007B/*0.103A	----	0.071 + 0.012	.0157	----	----	----	----	1 UNCH
11595	----	----	----	0.006B/*0.103A	----	0.071 + 0.013	.0156	----	----	----	----	1 UNCH
11600	----	----	----	0.006B/*0.103A	----	0.071 + 0.013	.0156	----	----	----	----	43 UNCH
11615	----	----	----	0.006B/*0.102A	----	0.070 + 0.012	.0154	----	----	----	----	1 UNCH
11625	----	----	----	0.006B/*0.104A	----	0.070 + 0.012	.0154	----	----	----	----	2 UNCH
11630	----	----	----	0.005B/*0.104A	----	0.070 + 0.012	.0154	----	----	----	----	1 UNCH
11640	----	----	----	0.005B/*0.102A	----	0.069 + 0.011	.0152	----	----	----	----	1 UNCH
11650	----	----	----	0.009B/0.096A	----	0.069 + 0.011	.0152	----	----	----	----	2 UNCH
11665	----	----	----	0.004B/*0.103A	----	0.069 + 0.011	.0151	----	----	----	----	1 UNCH
11685	----	----	----	0.004B/*0.103A	----	0.068 + 0.011	.0149	----	----	----	----	1 UNCH
11690	----	----	----	0.004B/*0.100A	----	0.068 + 0.011	.0149	----	----	----	----	1 UNCH
11700	----	----	----	0.004B/0.102A	----	0.068 + 0.011	.0149	----	----	----	----	85 UNCH
11705	----	----	----	0.004B/*0.102A	----	0.068 + 0.011	.0148	----	----	----	----	1 UNCH
11725	----	----	----	0.004B/*0.099A	----	0.067 + 0.010	.0146	----	----	----	----	6 UNCH
11730	----	----	----	0.004B/*0.102A	----	0.067 + 0.010	.0146	----	----	----	----	1 UNCH
11750	----	----	----	0.004B/*0.102A	----	0.066 + 0.010	.0144	----	----	----	----	5 UNCH
11775	----	----	----	0.004B/*0.102A	----	0.066 + 0.010	.0143	----	----	----	----	2 UNCH
11800	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.065 + 0.009	.0141	----	----	3	----	61 - 3
11825	----	----	----	0.004B/*0.102A	----	0.064 + 0.009	.0139	----	----	----	----	2 UNCH
11850	----	----	----	0.004B/*0.100A	----	0.064 + 0.009	.0138	----	----	----	----	3 UNCH
11900	----	----	----	0.006B/*0.081A	----	0.062 + 0.008	.0134	----	----	----	----	86 UNCH
11925	----	----	----	0.006B/*0.098A	----	0.062 + 0.008	.0133	----	----	----	----	2 UNCH
11950	----	----	----	0.005B/*0.099A	----	0.061 + 0.007	.0131	----	----	----	----	5 UNCH
11975	----	----	----	0.006B/*0.098A	----	0.061 + 0.008	.0131	----	----	----	----	4 UNCH
12000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.060 + 0.007	.0129	----	----	15	----	841 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
12025	----	----	----	0.004B/*0.096A	----	0.059 + 0.006	.0126	----	----	----	----	1 UNCH
12050	----	----	----	0.004B/0.097A	----	0.059 + 0.007	.0126	----	----	----	----	1 UNCH
12075	----	----	----	0.004B/*0.095A	----	0.058 + 0.006	.0124	----	----	----	----	1 UNCH
12100	----	----	----	0.004B/*0.096A	----	0.058 + 0.006	.0123	----	----	----	----	17 UNCH
12125	----	----	----	0.004B/*0.096A	----	0.057 + 0.006	.0121	----	----	----	----	1 UNCH
12150	----	----	----	0.006B/*0.077A	----	0.057 + 0.006	.0121	----	----	----	----	13 UNCH
12175	----	----	----	0.006B/*0.095A	----	0.056 + 0.005	.0119	----	----	----	----	1 UNCH
12200	----	----	----	0.005B/*0.094A	----	0.055 + 0.005	.0116	----	----	----	----	3 UNCH
12225	----	----	----	0.005B/*0.094A	----	0.055 + 0.005	.0116	----	----	----	----	2 UNCH
12250	----	----	----	0.005B/*0.094A	----	0.054 + 0.004	.0114	----	----	----	----	3 UNCH
12300	----	----	----	0.007B/*0.058A	----	0.053 + 0.004	.0112	----	----	----	----	118 UNCH
12350	----	----	----	0.005B/*0.091A	----	0.052 + 0.004	.0109	----	----	----	----	2 UNCH
12375	----	----	----	0.003B/*0.092A	----	0.052 + 0.004	.0109	----	----	----	----	1 UNCH
12400	----	----	----	0.003B/*0.091A	----	0.051 + 0.003	.0107	----	----	----	----	12 UNCH
12450	----	----	----	0.003B/*0.091A	----	0.050 + 0.003	.0104	----	----	----	----	5 UNCH
12500	----	----	----	0.002B/0.090A	----	0.049 + 0.003	.0102	----	----	----	----	331 UNCH
12525	----	----	----	0.003B/*0.087A	----	0.049 + 0.003	.0102	----	----	----	----	2 UNCH
12550	----	----	----	0.002B/*0.090A	----	0.048 + 0.002	.0100	----	----	----	----	3 UNCH
12600	0.018	0.018	0.018/*0.018	0.018/*0.018	----	0.047 + 0.002	.0097	----	----	1	----	31 + 1
12650	----	----	----	0.001B/*0.090A	----	0.046 + 0.001	.0095	----	----	----	----	3 UNCH
12675	----	----	----	0.001B/*0.061A	----	0.046 + 0.002	.0095	----	----	----	----	3 UNCH
12700	----	----	----	0.001B/0.089A	----	0.045 + 0.001	.0093	----	----	----	----	5 UNCH
12725	----	----	----	0.001B/*0.089A	----	0.045 + 0.001	.0093	----	----	----	----	1 UNCH
12775	----	----	----	0.001B/*0.088A	----	0.044 + 0.001	.0090	----	----	----	----	2 UNCH
12800	----	----	----	0.001B/*0.088A	----	0.044 + 0.001	.0090	----	----	----	----	30 UNCH
12900	----	----	----	----/0.086A	----	0.042 + 0.001	.0086	----	----	----	----	72 UNCH
13000	0.037	0.037	0.039/0.035	0.039/0.035	----	0.040 UNCH	.0081	----	----	10	----	282 - 4
13100	----	----	----	----/*0.083A	----	0.039 UNCH	.0079	----	----	----	----	3 UNCH
13200	----	----	----	----/*0.081A	----	0.037 - 0.001	.0075	----	----	----	----	44 UNCH
13300	----	----	----	----/*0.080A	----	0.036 UNCH	.0072	----	----	----	----	3 UNCH
13400	----	----	----	----/*0.079A	----	0.034 - 0.001	.0068	----	----	----	----	3 UNCH
13500	----	----	----	----/*0.078A	----	0.033 - 0.001	.0066	----	----	----	----	64 UNCH
13600	----	----	----	----/*0.077A	----	0.032 - 0.001	.0063	----	----	----	----	19 UNCH
13700	----	----	----	----/*0.076A	----	0.030 - 0.002	.0059	----	----	----	----	76 UNCH
13800	----	----	----	----/*0.075A	----	0.029 - 0.002	.0057	----	----	----	----	39 UNCH
13900	----	----	----	----/*0.070A	----	0.028 - 0.002	.0055	----	----	----	----	4 UNCH
14000	----	----	----	----/*0.030A	----	0.027 - 0.002	.0053	----	----	1	----	400 - 1
14100	----	----	----	----/*0.069A	----	0.026 - 0.002	.0051	----	----	----	----	27 UNCH
14200	----	----	----	----/*0.071A	----	0.025 - 0.002	.0049	----	----	----	----	41 UNCH
14300	----	----	----	----/*0.070A	----	0.024 - 0.002	.0047	----	----	----	----	6 UNCH
14400	----	----	----	----/*0.070A	----	0.023 - 0.002	.0045	----	----	----	----	13 UNCH
14500	0.015	0.015	0.015/*0.015	0.015/*0.015	----	0.022 - 0.002	.0043	----	----	1	----	117 UNCH
14600	----	----	----	----/*0.068A	----	0.021 - 0.002	.0041	----	----	----	----	55 UNCH
14700	----	----	----	----/*0.068A	----	0.021 - 0.001	.0040	----	----	----	----	9 UNCH
14800	----	----	----	----/0.067A	----	0.020 - 0.001	.0038	----	----	----	----	62 UNCH
14900	----	----	----	----/0.066A	----	0.019 - 0.001	.0036	----	----	----	----	3 UNCH
15000	0.030	0.030	0.030/*0.014	0.030/*0.014	----	0.018 - 0.001	.0034	----	----	7	----	456 + 1
15100	----	----	----	----/*0.065A	----	0.018 - 0.001	.0034	----	----	----	----	9 UNCH
15200	----	----	----	----/*0.065A	----	0.017 - 0.001	.0032	----	----	----	----	54 UNCH
15300	----	----	----	----/*0.064A	----	0.016 - 0.001	.0030	----	----	----	----	11 UNCH
15500	----	----	----	----/*0.047A	----	0.015 - 0.001	.0028	----	----	----	----	115 UNCH
15600	----	----	----	----/*0.063A	----	0.015 UNCH	.0028	----	----	----	----	1 UNCH
15700	----	----	----	----/*0.062A	----	0.014 - 0.001	.0026	----	----	----	----	19 UNCH
15800	----	----	----	----/*0.063A	----	0.014 UNCH	.0026	----	----	----	----	14 UNCH
15900	----	----	----	----/*0.066A	----	0.013 UNCH	.0024	----	----	----	----	14 UNCH
16000	0.013	0.013	0.013/*0.013	0.013/*0.013	----	0.013 UNCH	.0024	----	----	1	----	721 UNCH
16100	----	----	----	----/*0.065A	----	0.012 UNCH	.0022	----	----	----	----	6 UNCH
16200	----	----	----	----/*0.063A	----	0.012 UNCH	.0022	----	----	----	----	1 UNCH
16300	----	----	----	----/*0.063A	----	0.011 UNCH	.0020	----	----	----	----	1 UNCH
16400	----	----	----	----/0.101A	----	0.011 UNCH	.0020	----	----	----	----	2 UNCH
16500	----	----	----	----/0.147A	----	0.010 UNCH	.0019	----	----	----	----	56 UNCH
16600	----	----	----	----/0.149A	----	0.010 UNCH	.0018	----	----	----	----	3 UNCH
16700	----	----	----	----/0.150A	----	0.009 - 0.001	.0017	----	----	----	----	5 UNCH
16800	----	----	----	----/0.150A	----	0.009 UNCH	.0017	----	----	----	----	6 UNCH
16900	----	----	----	----/0.151A	----	0.009 UNCH	.0017	----	----	----	----	67 UNCH
17000	----	----	----	----/0.152A	----	0.008 - 0.001	.0015	----	----	----	----	67 UNCH
17100	----	----	----	----/0.153A	----	0.008 UNCH	.0015	----	----	----	----	8 UNCH
17200	----	----	----	----/0.154A	----	0.008 UNCH	.0015	----	----	----	----	6 UNCH
17300	----	----	----	----/0.156A	----	0.007 - 0.001	.0013	----	----	----	----	5 UNCH
17400	----	----	----	----/0.162A	----	0.007 UNCH	.0013	----	----	----	----	6 UNCH
17500	----	----	----	----/0.010A	----	0.007 UNCH	.0013	----	----	----	----	96 UNCH
17600	----	----	----	----/0.164A	----	0.006 - 0.001	.0011	----	----	----	----	7 UNCH
17700	----	----	----	----/0.165A	----	0.006 - 0.001	.0011	----	----	----	----	9 UNCH
17800	----	----	----	----/0.166A	----	0.006 UNCH	.0011	----	----	----	----	8 UNCH
17900	----	----	----	----/0.167A	----	0.006 UNCH	.0011	----	----	----	----	3 UNCH
18000	----	----	----	----/0.050A	----	0.006 UNCH	.0011	----	----	----	----	54 UNCH
18100	----	----	----	----/0.169A	----	0.005 - 0.001	.0009	----	----	----	----	1 UNCH
18200	----	----	----	----/0.170A	----	0.005 - 0.001	.0009	----	----	----	----	11 UNCH
18300	----	----	----	----/0.171A	----	0.005 UNCH	.0009	----	----	----	----	5 UNCH
18400	----	----	----	----/0.172A	----	0.005 UNCH	.0009	----	----	----	----	2 UNCH
18500	----	----	----	----/0.173A	----	0.005 UNCH	.0009	----	----	----	----	11 UNCH
18700	----	----	----	----/0.175A	----	0.004 - 0.001	.0007	----	----	----	----	8 UNCH
18800	----	----	----	----/0.176A	----	0.004 - 0.001	.0007	----	----	----	----	6 UNCH
18900	----	----	----	----/0.177A	----	0.004 - 0.001	.0007	----	----	----	----	3 UNCH
19000	----	----	----	----/0.177A	----	0.004 UNCH	.0007	----	----	----	----	51 UNCH
19100	----	----	----	----/0.178A	----	0.004 UNCH	.0007	----	----	----	----	74 UNCH
19200	----	----	----	----/0.179A	----	0.004 UNCH	.0007	----	----	----	----	130 UNCH
19300	----	----	----	----/0.180A	----	0.004 UNCH	.0007	----	----	----	----	6 UNCH
19400	----	----	----	----/0.180A	----	0.003 - 0.001	.0005	----	----	----	----	66 UNCH
19500	----	----	----	----/*0.015A	----	0.003 - 0.001	.0005	----	----	----	----	96 UNCH
19700	----	----	----	----/0.182A	----	0.003 - 0.001	.0005	----	----	----	----	2 UNCH
19800	----	----	----	----/0.183A	----	0.003 - 0.001	.0005	----	----	----	----	10 UNCH
19900	----	----	----	----/0.184A	----	0.003 UNCH	.0005	----	----	----	----	11 UNCH
20000	0.010	0.010	0.010/*0.009	0.010/0.009	----	0.003 UNCH	.0005	----	----	3	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.002 UNCH	.0003	----	----	----	----	15 UNCH
22000	----	----	----	----/*0.010A	----	0.001 - 0.001	.0002	----	----	----	----	10 UNCH
23000	----	----	----	----/0.008A	----	0.001 UNCH	.0001	----	----	----	----	6 UNCH
24000	----	----	----	----/0.010A	----	0.001 UNCH	.0001	----	----	----	----	4 UNCH
25000	----	----	----	----/0.003A	----	0.001 UNCH	.0001	----	----	----	----	91 UNCH
TOTAL										1278	350	23454 - 132
JUN26												
4300	----	----	37.238B/----	37.238B/35.014A	----	37.138 + 3.858	.9885	----	----	----	----	20 UNCH
4850	----	----	31.753B/----	31.753B/29.579A	----	31.673 + 3.821	.9828	----	----	----	----	7 UNCH
4900	----	----	31.257B/----	31.257B/29.089A	----	31.178 + 3.816	.9820	----	----	----	----	9 UNCH
5000	28.282	28.282	30.320B/28.282	30.320B/28.068A	----	30.191 + 3.804	.9801	----	----	2	----	350 + 2
5025	----	----	30.021B/----	30.021B/27.861A	----	29.945 + 3.801	.9795	----	----	----	----	6 UNCH
5050	----	----	29.782B/----	29.782B/27.652A	----	29.699 + 3.798	.9790	----	----	----	----	1 UNCH
5200	26.288	26.288	28.359B/26.288	28.359B/26.126A	----	28.229 + 3.776	.9750	----	----	2	----	79 + 2
5225	----	----	28.065B/----	28.065B/25.918A	----	27.986 + 3.773	.9742	----	----	----	----	4 UNCH
5275	----	----	27.577B/----	27.577B/25.449A	----	27.499 + 3.765	.9725	----	----	----	----	7 UNCH
5300	----	----	27.296B/----	27.296B/25.231A	----	27.256 + 3.761	.9716	----	----	----	----	3 UNCH
5325	----	----	27.052B/----	27.052B/24.968A	----	27.013 + 3.756	.9707	----	----	----	----	5 UNCH
5350	----	----	26.845B/----	26.845B/24.725A	----	26.771 + 3.752	.9697	----	----	----	----	7 UNCH
5400	----	----	26.322B/----	26.322B/24.246A	----	26.287 + 3.743	.9677	----	----	----	----	2 UNCH
5425	----	----	26.120B/----	26.120B/23.990A	----	26.046 + 3.738	.9666	----	----	----	----	9 UNCH
5500	----	----	25.431B/----	25.431B/23.243A	----	25.324 + 3.724	.9631	----	----	----	----	341 UNCH
5525	----	----	25.109B/----	25.109B/23.057A	----	25.085 + 3.720	.9619	----	----	----	----	2 UNCH
5600	----	----	24.416B/----	24.416B/22.352A	----	24.367 + 3.704	.9580	----	----	----	----	7 UNCH
5625	----	----	24.175B/----	24.175B/22.114A	----	24.129 + 3.699	.9566	----	----	----	----	11 UNCH
5675	----	----	23.663B/----	23.663B/21.634A	----	23.653 + 3.689	.9537	----	----	----	----	1 UNCH
5700	----	----	23.509B/----	23.509B/21.348A	----	23.416 + 3.684	.9522	----	----	----	----	56 UNCH
5725	----	----	23.213B/----	23.213B/21.167A	----	23.179 + 3.679	.9507	----	----	----	----	10 UNCH
5750	----	----	22.975B/----	22.975B/20.931A	----	22.943 + 3.674	.9491	----	----	----	----	13 UNCH
5775	----	----	22.726B/----	22.726B/20.690A	----	22.707 + 3.669	.9474	----	----	----	----	1 UNCH
5800	----	----	22.475B/----	22.475B/20.458A	----	22.472 + 3.664	.9458	----	----	----	----	2 UNCH
5825	----	----	22.238B/----	22.238B/20.225A	----	22.236 + 3.657	.9440	----	----	----	----	1 UNCH
5850	----	----	22.031B/----	22.031B/19.993A	----	22.002 + 3.652	.9422	----	----	----	----	9 UNCH
5900	----	----	21.531B/----	21.531B/19.531A	----	21.534 + 3.641	.9386	----	----	----	----	4 UNCH
5925	----	----	21.324B/----	21.324B/19.301A	----	21.301 + 3.635	.9366	----	----	----	----	17 UNCH
6000	----	----	20.683B/----	20.683B/18.558A	----	20.606 + 3.617	.9305	----	----	----	----	401 UNCH
6025	----	----	20.391B/----	20.391B/18.444A	----	20.375 + 3.610	.9284	----	----	----	----	7 UNCH
6050	----	----	20.138B/----	20.138B/18.184A	----	20.145 + 3.604	.9262	----	----	----	----	4 UNCH
6075	----	----	19.967B/----	19.967B/17.918A	----	19.915 + 3.596	.9239	----	----	----	----	30 UNCH
6100	----	----	19.698B/----	19.698B/17.731A	----	19.686 + 3.589	.9216	----	----	----	----	16 UNCH
6200	----	----	18.841B/----	18.841B/16.765A	----	18.777 + 3.558	.9117	----	----	----	----	101 UNCH
6225	----	----	18.545B/----	18.545B/16.658A	----	18.552 + 3.549	.9091	----	----	----	----	1 UNCH
6250	----	----	18.319B/----	18.319B/16.439A	----	18.327 + 3.540	.9063	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
6300	----	----	17.867B/----	17.867B/15.968A	----	17.880 + 3.521	.9007	----	----	----	----	4 UNCH
6400	----	----	17.053B/----	17.053B/15.000A	----	16.997 + 3.478	.8886	----	----	1	----	110 UNCH
6425	----	----	16.793B/----	16.793B/14.852A	----	16.778 + 3.465	.8855	----	----	----	----	25 UNCH
6450	----	----	16.506B/----	16.506B/14.675A	----	16.560 + 3.453	.8822	----	----	----	----	6 UNCH
6475	----	----	16.321B/----	16.321B/14.438A	----	16.344 + 3.441	.8788	----	----	----	----	5 UNCH
6500	----	----	16.086B/----	16.086B/14.252A	----	16.128 + 3.427	.8754	----	----	----	----	11 UNCH
6625	----	----	15.024B/----	15.024B/13.258A	----	15.065 + 3.353	.8570	----	----	----	----	10 UNCH
6700	----	----	14.353B/----	14.353B/12.650A	----	14.441 + 3.303	.8449	----	----	----	----	1 UNCH
6725	----	----	14.147B/----	14.147B/12.442A	----	14.236 + 3.285	.8408	----	----	----	----	1 UNCH
6750	----	----	13.943B/----	13.943B/12.245A	----	14.032 + 3.268	.8365	----	----	----	----	3 UNCH
6800	----	----	13.587B/----	13.587B/11.826A	----	13.628 + 3.231	.8277	----	----	----	----	6 UNCH
6850	----	----	13.140B/----	13.140B/11.471A	----	13.229 + 3.191	.8186	----	----	----	----	5 UNCH
6900	----	----	12.789B/----	12.789B/11.069A	----	12.836 + 3.151	.8091	----	----	1	----	16 UNCH
6925	----	----	12.595B/----	12.595B/10.884A	----	12.641 + 3.129	.8043	----	----	----	----	9 UNCH
6975	----	----	12.220B/----	12.220B/10.532A	----	12.257 + 3.086	.7943	----	----	----	----	7 UNCH
7000	----	----	12.122B/----	12.122B/10.243A	----	12.068 + 3.065	.7892	----	----	----	----	125 UNCH
7025	----	----	11.791B/----	11.791B/10.150A	----	11.880 + 3.042	.7841	----	----	----	----	1 UNCH
7050	----	----	11.604B/----	11.604B/9.975A	----	11.693 + 3.019	.7788	----	----	----	----	1 UNCH
7075	----	----	11.419B/----	11.419B/9.800A	----	11.509 + 2.997	.7735	----	----	----	----	4 UNCH
7100	----	----	11.383B/----	11.383B/9.582A	----	11.326 + 2.973	.7680	----	----	----	----	99 UNCH
7150	----	----	10.875B/----	10.875B/9.338A	----	10.965 + 2.926	.7570	----	----	----	----	1 UNCH
7225	----	----	10.344B/----	10.344B/8.844A	----	10.438 + 2.854	.7398	----	----	----	----	1 UNCH
7250	----	----	10.261B/----	10.261B/8.610A	----	10.265 + 2.829	.7339	----	----	----	----	31 UNCH
7275	----	----	10.003B/----	10.003B/8.522A	----	10.095 + 2.804	.7280	----	----	----	----	2 UNCH
7300	----	----	9.900B/----	9.900B/8.305A	----	9.927 + 2.780	.7220	----	----	----	----	16 UNCH
7375	----	----	9.341B/----	9.341B/7.318A	----	9.434 + 2.706	.7037	----	----	----	----	4 UNCH
7400	----	----	9.180B/----	9.180B/7.137A	----	9.274 + 2.682	.6975	----	----	1	----	5 + 1
7425	----	----	9.102B/----	9.102B/6.735A	----	9.116 + 2.657	.6912	----	----	5	----	12 UNCH
7450	----	----	8.948B/----	8.948B/6.555A	----	8.960 + 2.633	.6849	----	----	----	----	12 UNCH
7475	----	----	8.711B/----	8.711B/6.571A	----	8.805 + 2.607	.6785	----	----	----	----	2 UNCH
7500	----	----	8.667B/----	8.667B/6.244A	----	8.653 + 2.583	.6721	----	----	----	----	242 UNCH
7525	----	----	8.494B/----	8.494B/6.083A	----	8.503 + 2.558	.6657	----	----	----	----	9 UNCH
7550	----	----	8.346B/----	8.346B/5.960A	----	8.355 + 2.534	.6592	----	----	----	----	25 UNCH
7575	----	----	8.110B/----	8.110B/5.842A	----	8.209 + 2.509	.6527	----	----	----	----	1 UNCH
7600	----	----	8.058B/----	8.058B/5.717A	----	8.065 + 2.484	.6462	----	----	----	----	22 UNCH
7675	----	----	7.548B/----	7.548B/5.357A	----	7.646 + 2.410	.6264	----	----	----	----	3 UNCH
7700	6.143	6.143	7.526B/6.143	7.526B/5.242A	----	7.510 + 2.385	.6197	----	----	25	----	119 - 4
7725	----	----	7.370B/----	7.370B/5.076A	----	7.376 + 2.360	.6131	----	----	----	----	7 UNCH
7750	----	----	7.260B/----	7.260B/4.967A	----	7.244 + 2.335	.6065	----	----	----	----	70 UNCH
7775	----	----	7.054B/----	7.054B/4.850A	----	7.114 + 2.310	.5998	----	----	----	----	3 UNCH
7800	5.366	5.366	6.983B/5.366	6.983B/4.754A	----	6.986 + 2.284	.5931	----	----	2	150	169 + 151
7825	5.042	5.042	6.814B/5.042	6.814B/4.643A	----	6.861 + 2.260	.5865	----	----	1	----	1 UNCH
7850	----	----	6.702B/----	6.702B/4.542A	----	6.737 + 2.234	.5798	----	----	----	----	1 UNCH
7900	4.363	4.363	6.502B/4.363	6.502B/4.356A	----	6.495 + 2.183	.5665	----	----	37	----	92 + 25
7925	----	----	6.374B/----	6.374B/4.262A	----	6.376 + 2.157	.5599	----	----	----	----	12 UNCH
7950	----	----	6.227B/----	6.227B/4.199A	----	6.260 + 2.131	.5532	----	----	----	----	3 UNCH
7975	----	----	6.142B/----	6.142B/4.140A	----	6.146 + 2.106	.5466	----	----	----	----	7 UNCH
8000	4.026	4.026	6.174/4.026	6.174/4.026	----	6.033 + 2.079	.5400	----	----	33	300	512 + 272
8025	----	----	5.945B/----	5.945B/3.962A	----	5.923 + 2.054	.5334	----	----	----	----	3 UNCH
8050	----	----	5.835B/----	5.835B/3.874A	----	5.814 + 2.027	.5269	----	----	----	----	6 UNCH
8075	----	----	5.791B/----	5.791B/3.799A	----	5.707 + 2.001	.5204	----	----	----	----	2 UNCH
8100	----	----	5.690B/----	5.690B/3.760A	----	5.602 + 1.975	.5139	----	----	2	----	12 + 1
8125	----	----	5.581B/----	5.581B/3.646A	----	5.498 + 1.948	.5074	----	----	----	----	2 UNCH
8150	----	----	5.459B/----	5.459B/3.550A	----	5.397 + 1.923	.5010	----	----	----	----	10 UNCH
8175	----	----	5.377B/----	5.377B/3.476A	----	5.297 + 1.897	.4946	----	----	----	----	1 UNCH
8200	3.677	3.677	5.294B/3.677	5.294B/3.402A	----	5.199 + 1.871	.4882	----	----	96	----	152 + 25
8225	----	----	5.182B/----	5.182B/3.328A	----	5.103 + 1.845	.4819	----	----	----	----	3 UNCH
8250	----	----	5.088B/----	5.088B/3.255A	----	5.008 + 1.819	.4756	----	----	----	----	20 UNCH
8275	----	----	4.993B/----	4.993B/3.191A	----	4.915 + 1.793	.4693	----	----	----	----	19 UNCH
8300	----	----	4.914B/----	4.914B/3.124A	----	4.824 + 1.767	.4631	----	----	3	----	90 UNCH
8350	----	----	4.722B/----	4.722B/2.978A	----	4.647 + 1.716	.4509	----	----	----	----	20 UNCH
8375	----	----	4.634B/----	4.634B/2.911A	----	4.561 + 1.691	.4448	----	----	----	----	5 UNCH
8400	----	----	4.549B/----	4.549B/2.851A	----	4.476 + 1.666	.4388	----	----	----	300	307 + 300
8425	----	----	4.469B/----	4.469B/2.789A	----	4.393 + 1.641	.4329	----	----	----	----	51 UNCH
8450	2.869	2.869	4.383B/2.869	4.383B/2.732A	----	4.312 + 1.616	.4270	----	----	1	----	20 + 1
8475	2.808	2.808	4.302B/2.808	4.302B/2.674A	----	4.232 + 1.591	.4211	----	----	1	----	4 UNCH
8500	2.774	2.774	4.230B/2.774	4.230B/2.622A	----	4.153 + 1.566	.4153	----	----	110	25	477 + 96
8525	2.691	2.691	4.146B/2.691	4.146B/2.574A	----	4.076 NEW	.4096	----	----	17	----	17 + 17
8550	2.635	2.635	4.070B/2.635	4.070B/2.511A	----	4.001 + 1.518	.4039	----	----	1	----	9 UNCH
8575	----	----	3.995B/----	3.995B/2.459A	----	3.927 + 1.494	.3982	----	----	1	----	7 + 1
8600	2.650	2.650	3.932B/2.650	3.932B/2.410A	----	3.855 + 1.471	.3927	----	----	115	----	170 + 42
8625	----	----	3.852B/----	3.852B/2.360A	----	3.784 + 1.448	.3872	----	----	----	----	4 UNCH
8650	----	----	3.782B/----	3.782B/2.314A	----	3.714 + 1.424	.3817	----	----	----	----	9 UNCH
8675	----	----	3.712B/----	3.712B/2.265A	----	3.646 + 1.401	.3763	----	----	1	----	6 UNCH
8700	----	----	3.655B/----	3.655B/2.221A	----	3.579 + 1.379	.3710	----	----	4	----	25 - 4
8725	2.438	2.438	3.579B/2.438	3.579B/2.176A	----	3.513 + 1.356	.3657	----	----	1	----	3 UNCH
8750	2.480	2.480	3.515B/2.480	3.515B/2.132A	----	3.449 + 1.334	.3605	----	----	1	----	13 UNCH
8800	3.270	3.270	3.404B/3.270	3.404B/2.048A	----	3.324 + 1.290	.3503	----	----	51	----	125 + 30
8825	----	----	3.329B/----	3.329B/2.008A	----	3.264 + 1.269	.3453	----	----	----	----	2 UNCH
8850	2.201	2.201	3.269B/2.201	3.269B/1.968A	----	3.204 + 1.248	.3403	----	----	1	----	12 UNCH
8875	2.156	2.156	3.211B/2.156	3.211B/1.938A	----	3.146 + 1.227	.3354	----	----	1	----	2 UNCH
8900	2.113	2.113	3.152B/2.113	3.152B/1.901A	----	3.089 + 1.206	.3305	----	----	1	----	23 + 1
8925	----	----	3.097B/----	3.097B/1.858A	----	3.034 + 1.187	.3258	----	----	----	----	3 UNCH
8950	2.672	2.672	3.042B/2.672	3.042B/1.822A	----	2.979 + 1.166	.3211	----	----	4	----	8 + 4
8975	----	----	2.987B/----	2.987B/1.787A	----	2.926 + 1.147	.3164	----	----	----	----	4 UNCH
9000	1.924	1.924	2.949B/1.754A	2.949B/1.754A	----	2.873 + 1.127	.3118	----	----	210	455	843 + 225
9025	1.795	1.795	2.900/1.720A	2.900/1.720A	----	2.822 + 1.109	.3073	----	----	2	----	5 + 1
9050	1.901	1.901	2.833B/1.901	2.833B/1.688A	----	2.772 + 1.090	.3029	----	----	3	----	12 UNCH
9075	----	----	2.783B/----	2.783B/1.661A	----	2.723 + 1.072	.2985	----	----	----	----	6 UNCH
9100	1.919	1.919	2.752B/1.919	2.752B/1.625A	----	2.674 + 1.053	.2941	----	----	2	----	330 + 2
9125	----	----	2.687B/----	2.687B/1.595A	----	2.627 + 1.036	.2898	----	----	----	----	2 UNCH
9150	----	----	2.656B/----	2.656B/1.567A	----	2.581 + 1.018	.2856	----	----	----	----	103 UNCH
9200	1.970	1.970	2.568B/1.970	2.568B/1.511A	----	2.491 + 0.984	.2774	----	----	14	----	104 + 6
9225	----	----	2.507B/----	2.507B/1.487A	----	2.448 + 0.968	.2734	----	----	1	----	6 UNCH
9250	1.796	1.796	2.463B/1.796	2.463B/1.456A	----	2.405 + 0.951	.2694	----	----	1	----	7 + 1
9275	----	----	2.422B/----	2.422B/1.435A	----	2.364 + 0.936	.2655	----	----	----	----	7 UNCH
9300	1.586	1.586	2.396B/1.586	2.396B/1.404A	----	2.323 + 0.920	.2616	----	----	1	----	32 + 1
9325	----	----	2.340B/----	2.340B/1.380A	----	2.283 + 0.904	.2578	----	----	----	----	2 UNCH
9350	----	----	2.301B/----	2.301B/1.356A	----	2.244 + 0.890	.2541	----	----	3	----	18 + 1
9375	----	----	2.262B/----	2.262B/1.331A	----	2.206 + 0.875	.2504	----	----	----	----	17 UNCH
9400	----	----	2.225B/----	2.225B/1.308A	----	2.168 + 0.860	.2468	----	----	1	----	21 + 1
9425	----	----	2.187B/----	2.187B/1.286A	----	2.132 + 0.847	.2432	----	----	----	----	22 UNCH
9450	----	----	2.152B/----	2.152B/1.264A	----	2.096 + 0.833	.2397	----	----	----	----	4 UNCH
9475	----	----	2.115B/1.241A	2.115B/1.241A	----	2.060 + 0.818	.2362	----	----	----	----	17 UNCH
9500	1.547	1.547	2.102B/1.546	2.102B/1.220A	----	2.026 + 0.806	.2329	----	----	53	25	293 + 57
9525	----	----	2.046B/----	2.046B/1.199A	----	1.992 + 0.793	.2295	----	----	----	----	1 UNCH
9550	2.000	2.000	2.013B/2.000	2.013B/1.180A	----	1.959 + 0.780	.2262	----	----	4	----	4 + 3
9575	----	----	1.980B/----	1.980B/1.160A	----	1.927 + 0.768	.2230	----	----	----	----	1 UNCH
9600	1.449	1.449	1.947B/1.449	1.947B/1.142A	----	1.895 + 0.755	.2198	----	----	5	----	20 + 3
9625	----	----	1.917B/----	1.917B/1.121A	----	1.864 + 0.744	.2166	----	----	----	----	4 UNCH
9650	----	----	1.886B/----	1.886B/1.102A	----	1.833 + 0.732	.2135	----	----	----	----	1 UNCH
9675	1.205	1.205	1.854B/1.205	1.854B/1.084A	----	1.804 + 0.721	.2105	----	----	5	----	6 + 4
9700	----	----	1.839B/----	1.839B/1.066A	----	1.774 + 0.709	.2075	----	----	----	----	37 UNCH
9750	----	----	1.782B/----	1.782B/1.033A	----	1.718 + 0.688	.2017	----	----	----	----	28 UNCH
9800	----	----	1.711B/----	1.711B/0.998A	----	1.663 + 0.667	.1960	----	----	4	----	10 + 4
9850	----	----	1.662B/----	1.662B/0.982A	----	1.611 + 0.647	.1905	----	----	----	----	2 UNCH
9875	----	----	1.637B/----	1.637B/0.959A	----	1.586 + 0.638	.1879	----	----	----	----	10 UNCH
9900	1.024	1.024	1.607B/1.024	1.607B/0.955A	----	1.561 + 0.628	.1853	----	----	5	----	27 + 5
9925	----	----	1.591B/----	1.591B/0.928A	----	1.536 + 0.618	.1826	----	----	----	----	1 UNCH
9950	----	----	1.559B/----	1.559B/0.929A	----	1.512 + 0.609	.1801	----	----	----	----	2 UNCH
9975	----	----	1.542B/----	1.542B/0.901A	----	1.489 + 0.601	.1776	----	----	----	----	4 UNCH
10000	1.000	1.000	1.532B/1.000	1.532B/0.900A	----	1.466 + 0.592	.1751	----	----	70	150	928 + 180
10025	----	----	1.502B/----	1.502B/0.914A	----	1.444 + 0.584	.1728	----	----	----	----	5 UNCH
10050	----	----	1.466B/----	1.466B/0.894A	----	1.421 + 0.574	.1703	----	----	----	----	3 UNCH
10075	----	----	1.457B/----	1.457B/0.846A	----	1.400 + 0.567	.1680	----	----	----	----	9 UNCH
10100	----	----	1.421B/----	1.421B/0.833A	----	1.379 + 0.559	.1657	----	----	----	----	19 UNCH
10125	----	----	1.414B/----	1.414B/0.831A	----	1.358 + 0.551	.1634	----	----	----	----	1 UNCH
10175	0.856	0.856	1.371B/0.856	1.371B/0.793A	----	1.317 + 0.534	.1590	----	----	1	----	1 UNCH
10200	1.190	1.190	1.340B/1.170	1.340B/0.781A	----	1.298 + 0.528	.1569	----	----	7	----	16 + 7
10225	----	----	1.332B/----	1.332B/0.769A	----	1.278 + 0.519	.1547	----	----	----	----	1 UNCH
10300	----	----	1.255B/----	1.255B/0.736A	----	1.223 + 0.498	.1486	----	----	----	----	10 UNCH
10375	----	----	1.200B/----	1.200B/0.705A	----	1.170 + 0.477	.1427	----	----	----	----	2 UNCH
10400	1.181	1.181	1.181/1.181	1.181/0.695A	----	1.153 + 0.471	.1408	----	----	10	----	12 + 8
10425	----	----	1.168B/----	1.168B/0.685A	----	1.137 + 0.465	.1389	----	----	----	----	1 UNCH
10450	----	----	1.140B/----	1.140B/0.676A	----	1.121 + 0.458	.1371	----	----	----	----	3 UNCH
10475	----	----	1.134B/----	1.134B/0.668A	----	1.105 + 0.452	.1353	----	----	----	----	2 UNCH
10500	----	----	1.113B/----	1.113B/0.659A	----	1.089 + 0.445	.1335	----	----	25	----	367 + 20
10525	----	----	1.101B/----	1.101B/0.650A	----	1.074 + 0.440	.1318	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 54

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10550	----	----	1.078B/----	1.078B/0.640A	----	1.059 + 0.434	.1301	----	----	----	----	1 UNCH
10600	----	----	1.049B/----	1.049B/0.624A	----	1.029 + 0.421	.1267	----	----	5	----	62 - 5
10625	----	----	1.038B/----	1.038B/0.616A	----	1.015 + 0.416	.1250	----	----	----	----	1 UNCH
10650	----	----	1.018B/----	1.018B/0.608A	----	1.001 + 0.410	.1234	----	----	----	----	3 UNCH
10675	----	----	1.010B/----	1.010B/0.599A	----	0.988 + 0.406	.1219	----	----	----	----	3 UNCH
10700	----	----	0.993B/----	0.993B/0.592A	----	0.974 + 0.400	.1203	----	----	----	----	12 UNCH
10750	----	----	0.945B/----	0.945B/0.602A	----	0.948 + 0.389	.1173	----	----	----	----	3 UNCH
10800	----	----	0.920B/----	0.920B/0.586A	----	0.923 + 0.379	.1144	----	----	----	----	2 UNCH
10850	----	----	0.896B/----	0.896B/0.571A	----	0.898 + 0.369	.1115	----	----	----	----	12 UNCH
10875	----	----	0.905B/----	0.905B/0.563A	----	0.887 + 0.365	.1101	----	----	----	----	6 UNCH
10900	----	----	0.873B/----	0.873B/0.556A	----	0.875 + 0.360	.1087	----	----	----	----	20 UNCH
10925	----	----	0.893B/----	0.893B/0.549A	----	0.864 + 0.355	.1074	----	----	----	----	1 UNCH
10950	----	----	0.851B/----	0.851B/0.542A	----	0.852 + 0.350	.1061	----	----	----	----	1 UNCH
11000	----	----	0.829B/----	0.829B/0.529A	----	0.831 + 0.342	.1035	----	----	----	----	432 UNCH
11025	----	----	0.841B/----	0.841B/0.522A	----	0.820 + 0.337	.1022	----	----	----	----	1 UNCH
11050	----	----	0.808B/----	0.808B/0.516A	----	0.809 + 0.332	.1010	----	----	----	----	4 UNCH
11075	----	----	0.820B/----	0.820B/0.510A	----	0.799 + 0.328	.0998	----	----	----	----	5 UNCH
11100	----	----	0.788B/----	0.788B/0.504A	----	0.789 + 0.324	.0986	----	----	----	----	1 UNCH
11125	----	----	0.797B/----	0.797B/0.498A	----	0.779 + 0.320	.0974	----	----	----	----	5 UNCH
11175	----	----	0.782B/----	0.782B/0.486A	----	0.760 + 0.312	.0951	----	----	----	----	2 UNCH
11200	0.469	0.469	0.749B/*0.469	0.749B/*0.469	----	0.751 + 0.309	.0940	----	----	6	----	7 + 4
11225	----	----	0.764B/----	0.764B/0.476A	----	0.742 + 0.305	.0929	----	----	----	----	3 UNCH
11300	----	----	0.713B/----	0.713B/0.503A	----	0.715 + 0.294	.0896	----	----	----	----	2 UNCH
11325	----	----	0.745B/----	0.745B/0.484A	----	0.706 + 0.290	.0886	----	----	----	----	6 UNCH
11350	----	----	0.696B/----	0.696B/0.492A	----	0.698 + 0.287	.0876	----	----	----	----	3 UNCH
11375	----	----	0.706B/----	0.706B/0.473A	----	0.690 + 0.283	.0866	----	----	----	----	1 UNCH
11400	----	----	0.680B/----	0.680B/0.478A	----	0.681 + 0.279	.0855	----	----	----	----	163 UNCH
11425	----	----	0.690B/----	0.690B/0.465A	----	0.673 + 0.276	.0846	----	----	----	----	12 UNCH
11450	----	----	0.664B/----	0.664B/0.517A	----	0.666 + 0.273	.0837	----	----	----	----	13 UNCH
11475	----	----	0.675B/----	0.675B/0.512A	----	0.658 + 0.270	.0827	----	----	----	----	2 UNCH
11500	0.480	0.480	0.649B/0.480	0.649B/0.480	----	0.650 + 0.266	.0817	----	----	1	----	245 UNCH
11525	----	----	0.661B/----	0.661B/0.502A	----	0.643 + 0.263	.0809	----	----	----	----	4 UNCH
11550	----	----	0.633B/----	0.633B/0.497A	----	0.635 + 0.260	.0799	----	----	----	----	1 UNCH
11600	0.608	0.608	0.630/0.608	0.630/0.487A	----	0.621 NEW	.0782	----	----	2	----	2 + 2
11625	----	----	0.630B/----	0.630B/0.482A	----	0.614 + 0.251	.0773	----	----	----	----	1 UNCH
11675	----	----	0.618B/----	0.618B/0.475A	----	0.600 + 0.245	.0756	----	----	----	----	2 UNCH
11700	----	----	0.592B/----	0.592B/0.471A	----	0.594 + 0.242	.0748	----	----	2	----	9 + 2
11725	----	----	0.619B/----	0.619B/0.467A	----	0.587 + 0.239	.0740	----	----	----	----	2 UNCH
11750	----	----	0.578B/----	0.578B/0.462A	----	0.581 + 0.237	.0732	----	----	----	----	21 UNCH
11775	----	----	0.590B/----	0.590B/0.457A	----	0.574 + 0.233	.0724	----	----	----	----	2 UNCH
11800	----	----	0.608B/----	0.608B/0.452A	----	0.568 + 0.231	.0716	----	----	2	----	6 + 2
11850	----	----	0.554B/----	0.554B/0.444A	----	0.556 + 0.226	.0701	----	----	----	----	5 UNCH
11900	0.600	0.600	0.600/0.600	0.600/0.437A	----	0.544 + 0.220	.0686	----	----	1	----	2 UNCH
11925	----	----	0.552B/----	0.552B/0.433A	----	0.539 + 0.218	.0680	----	----	----	----	8 UNCH
11950	----	----	0.530B/----	0.530B/*0.367A	----	0.533 + 0.216	.0672	----	----	----	----	2 UNCH
12000	0.360	0.360	0.519B/0.315	0.519B/0.315	----	0.522 + 0.211	.0659	----	----	30	----	449 - 2
12025	----	----	0.529B/----	0.529B/0.421A	----	0.517 + 0.209	.0652	----	----	----	----	11 UNCH
12125	----	----	0.517B/----	0.517B/0.407A	----	0.496 + 0.199	.0626	----	----	----	----	1 UNCH
12200	----	----	0.477B/----	0.477B/0.395A	----	0.481 + 0.192	.0607	----	----	----	----	13 UNCH
12225	----	----	0.502B/----	0.502B/0.393A	----	0.476 + 0.190	.0601	----	----	----	----	7 UNCH
12275	----	----	0.478B/----	0.478B/0.388A	----	0.467 + 0.186	.0589	----	----	----	----	1 UNCH
12325	----	----	0.470B/----	0.470B/0.382A	----	0.458 + 0.182	.0578	----	----	----	----	3 UNCH
12350	----	----	0.450B/----	0.450B/0.379A	----	0.454 + 0.180	.0573	----	----	----	----	5 UNCH
12400	----	----	0.441B/----	0.441B/0.373A	----	0.445 + 0.176	.0561	----	----	----	----	23 UNCH
12425	----	----	0.451B/----	0.451B/0.371A	----	0.441 + 0.174	.0556	----	----	----	----	1 UNCH
12450	----	----	0.433B/----	0.433B/0.368A	----	0.437 + 0.172	.0551	----	----	----	----	9 UNCH
12475	----	----	0.458B/----	0.458B/0.365A	----	0.433 + 0.170	.0546	----	----	----	----	1 UNCH
12500	0.460	0.460	0.464/0.460	0.464/0.363A	----	0.429 + 0.169	.0541	----	----	14	----	106 + 4
12525	----	----	0.432B/----	0.432B/0.360A	----	0.425 + 0.167	.0536	----	----	----	----	37 UNCH
12550	----	----	0.416B/----	0.416B/0.357A	----	0.421 + 0.165	.0531	----	----	----	----	6 UNCH
12575	----	----	0.427B/----	0.427B/0.355A	----	0.417 + 0.163	.0526	----	----	----	----	2 UNCH
12600	----	----	0.404B/----	0.404B/0.351A	----	0.413 + 0.161	.0521	----	----	----	----	5 UNCH
12650	----	----	0.396B/----	0.396B/0.347A	----	0.406 + 0.158	.0511	----	----	----	----	2 UNCH
12675	----	----	0.409B/----	0.409B/0.344A	----	0.402 + 0.156	.0506	----	----	----	----	2 UNCH
12700	----	----	0.389B/----	0.389B/0.341A	----	0.398 + 0.154	.0501	----	----	----	----	11 UNCH
12725	----	----	0.397B/----	0.397B/0.339A	----	0.395 + 0.152	.0497	----	----	----	----	2 UNCH
12750	----	----	0.381B/----	0.381B/0.337A	----	0.391 + 0.150	.0492	----	----	----	----	2 UNCH
12775	----	----	0.387B/----	0.387B/0.334A	----	0.388 + 0.149	.0488	----	----	----	----	7 UNCH
12800	----	----	0.375B/----	0.375B/0.332A	----	0.385 + 0.148	.0484	----	----	----	----	34 UNCH
12900	----	----	0.330B/----	0.330B/0.323A	----	0.371 + 0.141	.0467	----	----	----	----	6 UNCH
13000	0.273	0.273	0.360/0.273	0.360/0.273	----	0.359 + 0.135	.0451	----	----	2	----	272 UNCH
13100	----	----	0.304B/----	0.304B/0.307A	----	0.347 + 0.129	.0436	----	----	----	----	4 UNCH
13200	----	----	0.292B/----	0.292B/0.303A	----	0.336 + 0.124	.0421	----	----	----	----	3 UNCH
13300	----	----	0.280B/----	0.280B/0.296A	----	0.325 + 0.118	.0407	----	----	----	----	3 UNCH
13400	----	----	0.269B/----	0.269B/0.287A	----	0.315 + 0.114	.0394	----	----	----	----	5 UNCH
13500	----	----	0.259B/----	0.259B/0.281A	----	0.306 + 0.109	.0382	----	----	----	----	22 UNCH
13600	----	----	0.249B/----	0.249B/0.275A	----	0.297 + 0.105	.0371	----	----	----	----	7 UNCH
13700	----	----	0.239B/----	0.239B/0.271A	----	0.288 + 0.101	.0359	----	----	----	----	5 UNCH
13800	----	----	0.230B/----	0.230B/0.265A	----	0.279 + 0.096	.0348	----	----	----	----	1 UNCH
13900	----	----	0.222B/----	0.222B/0.258A	----	0.271 + 0.092	.0337	----	----	----	----	3 UNCH
14000	0.275	0.275	0.275/0.275	0.275/0.253A	----	0.264 + 0.089	.0328	----	----	1	----	292 UNCH
14200	----	----	0.198B/----	0.198B/0.245A	----	0.249 + 0.081	.0309	----	----	----	----	60 UNCH
14300	----	----	0.190B/----	0.190B/0.240A	----	0.242 + 0.078	.0300	----	----	----	----	1 UNCH
14400	----	----	0.183B/----	0.183B/0.236A	----	0.236 + 0.075	.0292	----	----	----	----	65 UNCH
14500	----	----	0.177B/----	0.177B/0.232A	----	0.230 + 0.072	.0284	----	----	----	----	31 UNCH
14600	----	----	0.167B/----	0.167B/0.228A	----	0.223 + 0.068	.0275	----	----	----	----	6 UNCH
14700	----	----	0.161B/----	0.161B/0.223A	----	0.218 + 0.067	.0268	----	----	----	----	11 UNCH
14800	----	----	0.155B/----	0.155B/0.220A	----	0.212 + 0.064	.0261	----	----	----	----	10 UNCH
14900	----	----	0.149B/----	0.149B/0.218A	----	0.206 + 0.061	.0253	----	----	----	----	6 UNCH
15000	0.160	0.160	0.161B/*0.160	0.161B/*0.160	----	0.201 + 0.058	.0247	----	----	1	----	147 + 1
15300	----	----	----	0.128B/0.206A	----	0.186 + 0.052	.0227	----	----	----	----	2 UNCH
15400	----	----	----	0.124B/0.204A	----	0.181 + 0.050	.0221	----	----	----	----	1 UNCH
15500	----	----	----	0.119B/0.201A	----	0.176 + 0.047	.0215	----	----	----	----	7 UNCH
15600	----	----	----	0.115B/0.198A	----	0.172 + 0.046	.0210	----	----	----	----	1 UNCH
15700	----	----	----	0.113B/0.196A	----	0.168 + 0.044	.0205	----	----	----	----	1 UNCH
15800	----	----	----	0.109B/0.197A	----	0.163 + 0.042	.0199	----	----	----	----	6 UNCH
15900	----	----	----	0.105B/0.194A	----	0.159 + 0.040	.0194	----	----	----	----	8 UNCH
16000	----	----	----	0.102B/*0.160A	----	0.155 + 0.039	.0189	----	----	----	----	202 UNCH
16200	----	----	----	0.094B/0.183A	----	0.148 + 0.036	.0180	----	----	----	----	36 UNCH
16400	----	----	----	0.087B/0.183A	----	0.141 + 0.034	.0171	----	----	----	----	1 UNCH
16500	----	----	----	0.084B/0.176A	----	0.137 + 0.032	.0166	----	----	----	----	30 UNCH
16600	----	----	----	0.080B/0.178A	----	0.134 + 0.031	.0162	----	----	----	----	2 UNCH
16700	----	----	----	0.077B/0.177A	----	0.131 + 0.030	.0158	----	----	----	----	6 UNCH
16800	----	----	----	0.074B/0.174A	----	0.128 + 0.029	.0155	----	----	----	----	3 UNCH
17000	----	----	----	0.068B/0.167A	----	0.122 + 0.026	.0147	----	----	----	----	21 UNCH
17100	----	----	----	0.065B/*0.172A	----	0.119 + 0.025	.0144	----	----	----	----	5 UNCH
17200	----	----	----	0.063B/*0.171A	----	0.116 + 0.024	.0140	----	----	----	----	5 UNCH
17300	----	----	----	0.060B/0.169A	----	0.114 + 0.023	.0137	----	----	----	----	11 UNCH
17400	----	----	----	0.058B/0.167A	----	0.111 + 0.022	.0134	----	----	----	----	2 UNCH
17500	----	----	----	0.055B/*0.161A	----	0.109 + 0.022	.0131	----	----	----	----	63 UNCH
17700	----	----	----	0.050B/0.163A	----	0.104 + 0.020	.0125	----	----	----	----	3 UNCH
17800	----	----	----	0.047B/0.158A	----	0.102 + 0.019	.0122	----	----	----	----	3 UNCH
18000	----	----	----	0.052B/0.145A	----	0.098 + 0.018	.0117	----	----	----	----	45 UNCH
18100	----	----	----	0.038B/0.151A	----	0.095 + 0.017	.0114	----	----	----	----	2 UNCH
18300	----	----	----	0.034B/0.145A	----	0.091 + 0.016	.0109	----	----	----	----	1 UNCH
18900	----	----	----	0.026B/0.131A	----	0.078 + 0.013	.0094	----	----	----	----	1 UNCH
19000	----	----	----	0.024B/0.128A	----	0.076 + 0.013	.0091	----	----	----	----	229 UNCH
19500	----	----	----	0.015B/0.112A	----	0.068 + 0.012	.0081	----	----	----	----	126 UNCH
19600	----	----	----	0.014B/0.109A	----	0.066 + 0.011	.0079	----	----	----	----	2 UNCH
19900	----	----	----	0.014B/0.147A	----	0.062 + 0.011	.0074	----	----	----	----	28 UNCH
20000	----	----	----	0.014B/0.100A	----	0.060 + 0.010	.0072	----	----	----	----	236 UNCH
21000	----	----	----	0.001B/0.143A	----	0.048 + 0.007	.0058	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.134A	----	0.033 + 0.005	.0039	----	----	----	----	14 UNCH
25000	----	----	----	0.001B/0.126A	----	0.024 + 0.003	.0028	----	----	----	----	298 UNCH
27000	----	----	----	----/0.177A	----	0.015 + 0.002	.0018	----	----	----	----	3 UNCH
30000	----	----	----	----/*0.030A	----	0.008 + 0.001	.0010	----	----	----	----	31 UNCH
32000	----	----	----	----/0.169A	----	0.006 + 0.001	.0007	----	----	----	----	1 UNCH
35000	----	----	----	----/*0.015A	----	0.004 + 0.001	.0005	----	----	----	----	21 UNCH
TOTAL										1016	1405	12706 + 1500
JUL26												
2700	----	----	53.191B/----	53.191B/51.045A	----	53.104 + 3.886	.9967	----	----	----	----	1 UNCH
3900	----	----	41.221B/----	41.221B/39.025A	----	41.116 + 3.853	.9894	----	----	----	----	1 UNCH
4000	----	----	40.195B/----	40.195B/38.034A	----	40.122 + 3.844	.9881	----	----	----	----	1 UNCH
4200	----	----	38.166B/----	38.166B/36.073A	----	38.143 + 3.827	.9851	----	----	----	----	2 UNCH
4500	----	----	35.259B/----	35.259B/33.110A	----	35.196 + 3.809	.9790	----	----	----	----	28 UNCH
4600	----	----	34.307B/----	34.307B/32.103A	----	34.220 + 3.803	.9764	----	----	----	----	114 UNCH
4700	----	----	33.234B/----	33.234B/31.170A	----	33.248 + 3.798	.9735	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUL26													
4750	----	----	32.746B/----	32.746B/30.687A	----	32.764	+ 3.796	.9720	----	----	----	----	1 UNCH
4825	----	----	32.029B/----	32.029B/29.962A	----	32.038	+ 3.790	.9695	----	----	----	----	3 UNCH
4900	----	----	31.300B/----	31.300B/29.319A	----	31.315	+ 3.783	.9669	----	----	----	----	1 UNCH
4925	----	----	31.058B/----	31.058B/29.082A	----	31.074	+ 3.780	.9660	----	----	----	----	16 UNCH
5000	----	----	30.395B/----	30.395B/28.249A	----	30.353	+ 3.770	.9632	----	----	----	----	307 UNCH
5025	----	----	30.103B/----	30.103B/28.087A	----	30.113	+ 3.766	.9622	----	----	----	----	4 UNCH
5050	----	----	29.862B/----	29.862B/27.851A	----	29.874	+ 3.762	.9613	----	----	----	----	2 UNCH
5100	----	----	29.439B/----	29.439B/27.307A	----	29.395	+ 3.752	.9592	----	----	----	----	130 UNCH
5150	----	----	28.896B/----	28.896B/26.968A	----	28.917	+ 3.740	.9570	----	----	----	----	6 UNCH
5200	----	----	28.475B/----	28.475B/26.390A	----	28.441	+ 3.728	.9548	----	----	----	----	40 UNCH
5225	----	----	28.184B/----	28.184B/26.229A	----	28.203	+ 3.721	.9537	----	----	----	----	9 UNCH
5250	----	----	27.946B/----	27.946B/25.997A	----	27.965	+ 3.713	.9525	----	----	----	----	2 UNCH
5275	----	----	27.702B/----	27.702B/25.765A	----	27.728	+ 3.706	.9513	----	----	----	----	1 UNCH
5300	----	----	27.466B/----	27.466B/25.534A	----	27.491	+ 3.698	.9500	----	----	----	----	7 UNCH
5350	----	----	27.087B/----	27.087B/24.976A	----	27.019	+ 3.681	.9474	----	----	----	----	155 UNCH
5375	----	----	26.763B/----	26.763B/24.840A	----	26.783	+ 3.672	.9461	----	----	----	----	1 UNCH
5400	----	----	26.533B/----	26.533B/24.591A	----	26.548	+ 3.663	.9447	----	----	----	----	21 UNCH
5425	----	----	26.352B/----	26.352B/24.335A	----	26.314	+ 3.654	.9433	----	----	----	----	42 UNCH
5450	----	----	26.061B/----	26.061B/24.136A	----	26.080	+ 3.644	.9419	----	----	----	----	1 UNCH
5500	----	----	25.685B/----	25.685B/23.603A	----	25.613	+ 3.624	.9388	----	----	----	----	494 UNCH
5550	----	----	25.137B/----	25.137B/23.274A	----	25.149	+ 3.604	.9356	----	----	----	----	3 UNCH
5600	----	----	24.761B/----	24.761B/22.720A	----	24.688	+ 3.583	.9321	----	----	----	----	102 UNCH
5650	----	----	24.246B/----	24.246B/22.298A	----	24.230	+ 3.562	.9285	----	----	----	----	43 UNCH
5675	----	----	24.000B/----	24.000B/22.076A	----	24.002	+ 3.551	.9266	----	----	----	----	25 UNCH
5700	----	----	23.789B/----	23.789B/21.914A	----	23.775	+ 3.541	.9246	----	----	----	----	26 UNCH
5750	----	----	23.389B/----	23.389B/21.361A	----	23.323	+ 3.519	.9206	----	----	----	----	162 UNCH
5775	----	----	23.083B/----	23.083B/21.296A	----	23.098	+ 3.507	.9185	----	----	----	----	1 UNCH
5800	----	----	22.855B/----	22.855B/21.079A	----	22.874	+ 3.496	.9163	----	----	----	----	16 UNCH
5900	----	----	21.953B/----	21.953B/20.205A	----	21.986	+ 3.450	.9071	----	----	----	----	10 UNCH
5925	----	----	21.690B/----	21.690B/19.992A	----	21.766	+ 3.437	.9047	----	----	----	----	10 UNCH
5950	----	----	21.511B/----	21.511B/19.780A	----	21.548	+ 3.426	.9022	----	----	----	----	6 UNCH
5975	----	----	21.247B/----	21.247B/19.570A	----	21.330	+ 3.414	.8996	----	----	----	----	20 UNCH
6000	----	----	21.122B/----	21.122B/19.233A	----	21.113	+ 3.402	.8970	----	----	----	----	550 UNCH
6050	----	----	20.692B/----	20.692B/18.812A	----	20.682	+ 3.377	.8917	----	----	----	----	58 UNCH
6075	----	----	20.369B/----	20.369B/18.690A	----	20.468	+ 3.365	.8889	----	----	----	----	1 UNCH
6100	----	----	20.117B/----	20.117B/18.495A	----	20.255	+ 3.353	.8860	----	----	----	----	10 UNCH
6200	----	----	19.416B/----	19.416B/17.630A	----	19.414	+ 3.302	.8742	----	----	----	----	101 UNCH
6250	----	----	18.868B/----	18.868B/17.253A	----	18.999	+ 3.276	.8679	----	----	----	----	1 UNCH
6300	----	----	18.447B/----	18.447B/16.925A	----	18.589	+ 3.250	.8615	----	----	----	----	3 UNCH
6350	----	----	18.030B/----	18.030B/16.531A	----	18.183	+ 3.223	.8548	----	----	----	----	2 UNCH
6450	----	----	17.216B/----	17.216B/15.750A	----	17.385	+ 3.169	.8408	----	----	----	----	1 UNCH
6500	----	----	16.919B/----	16.919B/15.209A	----	16.992	+ 3.140	.8335	----	----	----	----	195 UNCH
6600	----	----	16.170B/----	16.170B/14.464A	----	16.220	+ 3.082	.8183	----	----	----	----	56 UNCH
6650	----	----	15.754B/----	15.754B/14.159A	----	15.841	+ 3.052	.8105	----	----	----	----	100 UNCH
6750	----	----	14.896B/----	14.896B/13.512A	----	15.097	+ 2.990	.7942	----	----	----	----	24 UNCH
6800	----	----	14.639B/----	14.639B/13.089A	----	14.732	+ 2.958	.7859	----	----	----	----	250 UNCH
6825	----	----	14.342B/----	14.342B/12.993A	----	14.552	+ 2.942	.7816	----	----	----	----	6 UNCH
6850	----	----	14.160B/----	14.160B/12.822A	----	14.372	+ 2.925	.7773	----	----	----	----	1 UNCH
6875	----	----	13.982B/----	13.982B/12.653A	----	14.194	+ 2.909	.7730	----	----	----	----	16 UNCH
6900	----	----	13.952B/----	13.952B/12.400A	----	14.018	+ 2.893	.7686	----	----	----	----	99 UNCH
6950	----	----	13.453B/----	13.453B/12.150A	----	13.668	+ 2.858	.7597	----	----	----	----	1 UNCH
7000	13.300	13.300	13.350/13.300	13.350/11.741A	----	13.324	+ 2.824	.7507	----	----	8	----	154 - 5
7025	----	----	13.096B/----	13.096B/11.561A	----	13.154	+ 2.806	.7461	----	----	----	----	125 UNCH
7050	----	----	12.769B/----	12.769B/11.494A	----	12.986	+ 2.789	.7415	----	----	----	----	1 UNCH
7100	----	----	12.436B/----	12.436B/11.178A	----	12.653	+ 2.754	.7321	----	----	----	----	5 UNCH
7200	----	----	11.790B/----	11.790B/10.620A	----	12.004	+ 2.681	.7131	----	----	----	----	11 UNCH
7225	----	----	11.632B/----	11.632B/10.469A	----	11.845	+ 2.662	.7082	----	----	----	----	1 UNCH
7250	----	----	11.599B/----	11.599B/10.213A	----	11.688	+ 2.643	.7033	----	----	----	----	165 UNCH
7300	----	----	11.171B/----	11.171B/10.028A	----	11.378	+ 2.605	.6935	----	----	----	----	5 UNCH
7325	----	----	11.143B/----	11.143B/9.776A	----	11.225	+ 2.586	.6885	----	----	----	----	100 UNCH
7350	----	----	10.873B/----	10.873B/9.343A	----	11.074	+ 2.566	.6836	----	----	----	----	2 UNCH
7400	----	----	10.580B/----	10.580B/8.879A	----	10.776	+ 2.527	.6735	----	----	2	----	20 - 2
7450	----	----	10.295B/----	10.295B/8.693A	----	10.485	+ 2.488	.6634	----	----	----	----	12 UNCH
7500	10.350	10.350	10.400/10.350	10.400/8.134A	----	10.200	+ 2.449	.6532	----	----	52	----	303 - 23
7550	----	----	9.745B/----	9.745B/8.216A	----	9.921	+ 2.408	.6430	----	----	----	----	6 UNCH
7575	----	----	9.618B/----	9.618B/8.102A	----	9.784	+ 2.388	.6378	----	----	----	----	20 UNCH
7600	----	----	9.487B/----	9.487B/7.925A	----	9.648	+ 2.367	.6327	----	----	6	----	13 - 6
7700	----	----	8.971B/----	8.971B/7.487A	----	9.123	+ 2.286	.6119	----	----	4	----	15 - 4
7750	----	----	8.837B/----	8.837B/7.064A	----	8.869	+ 2.243	.6015	----	----	----	----	65 UNCH
7800	----	----	8.509B/----	8.509B/7.075A	----	8.623	+ 2.202	.5911	----	----	44	----	52 + 37
7900	----	----	7.963B/----	7.963B/6.688A	----	8.149	+ 2.118	.5704	----	----	----	----	9 UNCH
7975	----	----	7.623B/----	7.623B/6.478A	----	7.811	+ 2.056	.5549	----	----	----	----	5 UNCH
8000	5.950	5.950	7.800/5.950	7.800/5.950	----	7.701	+ 2.035	.5498	----	----	47	52	605 - 9
8025	----	----	7.421B/----	7.421B/6.303A	----	7.593	+ 2.014	.5447	----	----	----	----	8 UNCH
8100	----	----	7.096B/----	7.096B/5.987A	----	7.278	+ 1.952	.5294	----	----	62	----	42 + 21
8200	----	----	6.727B/----	6.727B/5.671A	----	6.879	+ 1.871	.5094	----	----	----	----	2 UNCH
8250	----	----	6.583B/----	6.583B/5.321A	----	6.688	+ 1.830	.4995	----	----	----	----	45 UNCH
8300	----	----	6.508B/----	6.508B/5.139A	----	6.504	+ 1.791	.4898	----	----	6	100	251 + 55
8350	----	----	6.147B/----	6.147B/5.280A	----	6.325	+ 1.752	.4801	----	----	----	----	2 UNCH
8375	----	----	6.150B/----	6.150B/4.971A	----	6.237	+ 1.732	.4754	----	----	----	----	48 UNCH
8400	----	----	5.976B/----	5.976B/5.103A	----	6.151	+ 1.713	.4706	----	----	----	----	5 UNCH
8500	5.121	5.121	5.835B/5.121	5.835B/4.614A	----	5.821	+ 1.638	.4520	----	----	53	----	686 + 2
8550	----	----	5.685B/----	5.685B/4.531A	----	5.664	+ 1.601	.4429	----	----	----	----	329 UNCH
8600	----	----	5.345B/----	5.345B/4.532A	----	5.512	+ 1.566	.4340	----	----	----	----	6 UNCH
8650	----	----	5.205B/----	5.205B/4.479A	----	5.365	+ 1.531	.4252	----	----	----	----	1 UNCH
8700	----	----	5.233B/----	5.233B/4.158A	----	5.222	+ 1.496	.4165	----	----	----	----	63 UNCH
8750	----	----	4.926B/----	4.926B/4.258A	----	5.085	+ 1.463	.4080	----	----	----	----	7 UNCH
8800	----	----	4.785B/----	4.785B/4.063A	----	4.952	+ 1.430	.3997	----	----	----	----	12 UNCH
8900	----	----	4.672B/----	4.672B/3.761A	----	4.700	+ 1.368	.3836	----	----	6	----	109 + 6
9000	3.500	3.500	4.618B/3.500	4.618B/3.500	----	4.465	+ 1.310	.3681	----	----	52	100	361 + 66
9100	----	----	4.098B/----	4.098B/3.553A	----	4.246	+ 1.255	.3533	----	----	----	----	10 UNCH
9200	----	----	4.048B/----	4.048B/3.256A	----	4.042	+ 1.204	.3392	----	----	----	----	81 UNCH
9225	----	----	3.857B/----	3.857B/3.318A	----	3.993	+ 1.192	.3358	----	----	----	----	2 UNCH
9250	----	----	3.781B/----	3.781B/3.300A	----	3.945	+ 1.180	.3324	----	----	----	----	7 UNCH
9300	----	----	3.822B/----	3.822B/3.104A	----	3.852	+ 1.157	.3257	----	----	----	----	266 UNCH
9350	----	----	3.612B/----	3.612B/3.155A	----	3.762	+ 1.135	.3193	----	----	----	----	7 UNCH
9400	----	----	3.576B/----	3.576B/3.012A	----	3.676	+ 1.114	.3130	----	----	----	----	25 UNCH
9450	----	----	3.457B/----	3.457B/2.937A	----	3.592	+ 1.094	.3068	----	----	----	----	33 UNCH
9500	2.750	2.750	3.720/2.750	3.720/2.750	----	3.511	+ 1.074	.3008	----	----	18	50	508 + 59
9600	----	----	3.275B/----	3.275B/2.699A	----	3.358	+ 1.039	.2892	----	----	----	----	53 UNCH
9700	----	----	2.984B/----	2.984B/2.700A	----	3.215	+ 1.006	.2783	----	----	----	----	4 UNCH
9725	----	----	2.947B/----	2.947B/2.671A	----	3.181	+ 0.998	.2756	----	----	----	----	1 UNCH
9750	----	----	2.762B/----	2.762B/2.805A	----	3.148	NEW	.2731	----	----	----	76	76 + 76
9775	----	----	3.003B/----	3.003B/2.513A	----	3.114	+ 0.983	.2704	----	----	----	----	50 UNCH
9800	2.510	2.510	3.129/2.510	3.129/2.467A	----	3.082	+ 0.976	.2679	----	----	4	----	110 + 1
9825	----	----	2.663B/----	2.663B/2.722A	----	3.049	NEW	.2654	----	----	3	----	3 + 3
9900	----	----	2.828B/----	2.828B/2.377A	----	2.956	+ 0.947	.2580	----	----	----	----	73 UNCH
10000	2.108	2.108	2.900/2.108	2.900/2.108	----	2.836	+ 0.919	.2485	----	----	88	----	1469 - 42
10100	----	----	2.443B/----	2.443B/2.267A	----	2.723	+ 0.891	.2395	----	----	1	----	1 UNCH
10125	----	----	2.408B/----	2.408B/2.267A	----	2.695	+ 0.884	.2372	----	----	----	----	1 UNCH
10200	----	----	2.457B/----	2.457B/2.079A	----	2.615	+ 0.864	.2308	----	----	----	----	81 UNCH
10250	----	----	2.261B/----	2.261B/2.157A	----	2.563	+ 0.851	.2266	----	----	----	----	20 UNCH
10375	----	----	2.126B/----	2.126B/2.038A	----	2.438	+ 0.817	.2165	----	----	----	----	18 UNCH
10400	----	----	2.126B/----	2.126B/2.024A	----	2.413	+ 0.810	.2145	----	----	----	----	1 UNCH
10475	----	----	2.097B/----	2.097B/1.911A	----	2.343	+ 0.791	.2087	----	----	----	----	25 UNCH
10500	2.298	2.298	2.299/2.298	2.299/1.843A	----	2.320	+ 0.784	.2068	----	----	53	50	585 + 1
10550	----	----	1.899B/----	1.899B/2.037A	----	2.275	NEW	.2032	----	----	1	----	1 + 1
10600	----	----	1.921B/----	1.921B/1.895A	----	2.230	+ 0.758	.1995	----	----	----	----	1 UNCH
10800	----	----	1.805B/----	1.805B/1.772A	----	2.064	+ 0.709	.1858	----	----	----	----	28 UNCH
11000	1.925	1.925	1.925/1.925	1.925/1.550A	----	1.911	+ 0.660	.1730	----	----	109	----	1061 - 38
11100	----	----	1.526B/----	1.526B/1.585A	----	1.840	+ 0.637	.1671	----	----	----	----	23 UNCH
11200	----	----	1.458B/----	1.458B/1.473A	----	1.773	+ 0.616	.1614	----	----	----	----	8 UNCH
11225	----	----	1.472B/----	1.472B/1.473A	----	1.756	+ 0.610	.1600	----	----	----	----	3 UNCH
11300	----	----	1.520B/----	1.520B/1.391A	----	1.708	+ 0.595	.1559	----	----	60	----	50 - 12
11400	----	----	1.323B/----	1.323B/1.293A	----	1.646	+ 0.574	.1507	----	----	----	----	19 UNCH
11500	----	----	1.412B/----	1.412B/1.248A	----	1.586	+ 0.553	.1456	----	----	70	----	58 - 70
11600	----	----	1.199B/----	1.199B/1.173A	----	1.529	+ 0.533	.1407	----	----	----	----	1 UNCH
11625	----	----	1.184B/----	1.184B/1.163A	----	1.516	+ 0.529	.1396	----	----	----	----	2 UNCH
11650	----	----	1.170B/----	1.170B/1.152A	----	1.502	+ 0.524	.1384	----	----	----	----	24 UNCH
11675	----	----	1.156B/----	1.156B/1.143A	----	1.488	+ 0.519	.1372	----	----	----	----	22 UNCH
11700	----	----	1.143B/----	1.143B/1.134A	----	1.475	+ 0.515	.1361	----	----	----	----	22 UNCH
11725	----	----	1.129B/----	1.129B/1.124A	----	1.462	+ 0.511	.1349	----	----	----	----	22 UNCH
11750	----	----	1.510B/----	1.510B/1.114A	----	1.449	+ 0.506	.1338	----	----	----	----	22 UNCH
11775	----	----	1.102B/----	1.102B/1.106A	----	1.436	+ 0.502	.1327	----	----	----	----	22 UNCH
11800	----	----	1.101B/----	1.101B/1.100A	----	1.423	+ 0.497	.1316	----	----	----	----	1 UNCH
11900	----	----	1.124B/----	1.124B/1.062A	----	1.373	+ 0.479	.1273	----	----	----	----	1 UNCH
11950	----	----	1.133B/----	1.133B/1.048A	----	1.349	+ 0.471	.1252	----	----	----	----	1 UNCH
12000	0.990	0.990	1.424/0.990	1.424/0.990	----	1.326	+ 0.463	.1232	----	----	87	40	423 - 119

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
12200	----	----	1.300B/----	1.300B/0.969A	----	1.237 + 0.433	.1154	----	----	----	----	1 UNCH
12225	----	----	1.194B/----	1.194B/0.962A	----	1.226 + 0.429	.1144	----	----	----	----	16 UNCH
12250	----	----	1.183B/----	1.183B/0.954A	----	1.215 + 0.424	.1135	----	----	----	----	6 UNCH
12300	----	----	1.163B/----	1.163B/0.939A	----	1.195 + 0.418	.1117	----	----	----	----	8 UNCH
12375	----	----	1.133B/----	1.133B/0.919A	----	1.165 + 0.408	.1091	----	----	----	----	1 UNCH
12425	----	----	1.114B/----	1.114B/0.906A	----	1.145 + 0.401	.1073	----	----	----	----	1 UNCH
12450	----	----	1.104B/----	1.104B/0.898A	----	1.136 + 0.398	.1065	----	----	----	----	1 UNCH
12475	----	----	1.095B/----	1.095B/0.892A	----	1.126 + 0.394	.1056	----	----	----	----	3 UNCH
12500	----	----	1.086B/----	1.086B/0.885A	----	1.117 + 0.391	.1048	----	----	13	----	136 - 5
12600	----	----	1.050B/----	1.050B/0.859A	----	1.080 + 0.379	.1016	----	----	----	----	6 UNCH
12725	----	----	1.007B/----	1.007B/0.829A	----	1.037 + 0.365	.0977	----	----	----	----	1 UNCH
12800	----	----	0.983B/----	0.983B/0.812A	----	1.012 + 0.357	.0955	----	----	----	----	1 UNCH
13000	----	----	0.921B/----	0.921B/0.771A	----	0.949 + 0.336	.0898	----	----	32	----	646 - 12
14000	----	----	0.681B/----	0.681B/0.600A	----	0.704 + 0.258	.0674	----	----	----	----	799 UNCH
14700	----	----	0.563B/----	0.563B/0.514A	----	0.583 + 0.215	.0561	----	----	----	----	1 UNCH
15000	----	----	0.521B/----	0.521B/0.483A	----	0.541 + 0.200	.0521	----	----	----	----	709 UNCH
16000	0.400	0.400	0.510/0.400	0.510/0.400	----	0.430 + 0.156	.0414	----	----	16	----	763 + 4
17000	----	----	0.327B/----	0.327B/0.342A	----	0.356 + 0.130	.0341	----	----	----	----	24 UNCH
18000	----	----	0.263B/----	0.263B/0.298A	----	0.306 + 0.116	.0290	----	----	----	----	256 UNCH
19000	----	----	0.217B/----	0.217B/0.266A	----	0.270 + 0.109	.0253	----	----	----	----	78 UNCH
20000	----	----	0.181B/----	0.181B/0.241A	----	0.238 + 0.098	.0221	----	----	1	----	1209 + 1
21000	----	----	0.153B/----	0.153B/0.226A	----	0.208 + 0.084	.0192	----	----	----	----	427 UNCH
24000	----	----	----	0.085B/0.191A	----	0.132 + 0.034	.0122	----	----	----	----	125 UNCH
25000	----	----	0.101B/----	0.101B/0.145A	----	0.114 + 0.021	.0106	----	----	----	----	356 UNCH
27000	----	----	----	0.045B/0.213A	----	0.099 + 0.017	.0090	----	----	----	----	4 UNCH
30000	----	----	----	0.001B/0.205A	----	0.086 + 0.014	.0076	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.205A	----	0.071 + 0.011	.0062	----	----	----	----	4 UNCH
35000	0.045	0.045	0.045/0.045	0.045/0.045	----	0.048 + 0.008	.0043	----	----	1	----	77 + 1
TOTAL										899	468	17968 - 13
AUG26												
5000	----	----	----	24.049B/34.375A	----	31.108 + 3.725	.9509	----	----	----	----	2 UNCH
5400	----	----	----	20.554B/30.527A	----	27.418 + 3.636	.9279	----	----	----	----	2 UNCH
5500	----	----	----	19.713B/29.584A	----	26.519 + 3.609	.9208	----	----	----	----	1 UNCH
6300	----	----	----	14.481B/21.548A	----	19.790 + 3.304	.8413	----	----	----	----	5 UNCH
6450	----	----	----	13.342B/20.443A	----	18.643 + 3.228	.8217	----	----	----	----	1 UNCH
6500	----	----	----	12.974B/20.084A	----	18.270 + 3.201	.8149	----	----	----	----	2 UNCH
6600	----	----	----	12.258B/19.376A	----	17.540 + 3.148	.8008	----	----	----	----	4 UNCH
6800	----	----	----	10.905B/18.009A	----	16.140 + 3.032	.7709	----	----	----	----	7 UNCH
6875	----	----	----	10.426B/17.513A	----	15.638 + 2.987	.7592	----	----	----	----	5 UNCH
7000	----	----	----	9.660B/16.711A	----	14.828 + 2.910	.7392	----	----	----	----	3 UNCH
7025	----	----	----	11.663B/13.835A	----	14.670 + 2.894	.7352	----	----	----	----	5 UNCH
7050	----	----	----	11.625B/13.623A	----	14.513 + 2.878	.7311	----	----	----	----	2 UNCH
7100	----	----	11.647B/----	11.647B/13.311A	----	14.205 + 2.847	.7228	----	----	----	----	2 UNCH
7400	----	----	11.612B/----	11.612B/11.251A	----	12.451 + 2.629	.6722	----	----	----	----	2 UNCH
7425	----	----	11.481B/----	11.481B/11.426A	----	12.312 + 2.608	.6679	----	----	----	----	14 UNCH
7475	----	----	11.211B/----	11.211B/11.158A	----	12.039 + 2.568	.6593	----	----	----	----	6 UNCH
7500	----	----	11.343B/----	11.343B/10.734A	----	11.904 + 2.547	.6550	----	----	----	----	4 UNCH
7550	----	----	11.171B/----	11.171B/10.485A	----	11.637 + 2.504	.6464	----	----	----	----	4 UNCH
7625	----	----	10.458B/----	10.458B/10.411A	----	11.248 + 2.441	.6334	----	----	----	----	18 UNCH
7700	----	----	10.424B/----	10.424B/9.775A	----	10.869 + 2.376	.6204	----	----	----	----	1 UNCH
7800	----	----	10.108B/----	10.108B/9.315A	----	10.383 + 2.289	.6030	----	----	----	----	1 UNCH
7900	----	----	9.496B/----	9.496B/8.896A	----	9.918 + 2.203	.5857	----	----	----	----	1 UNCH
7950	9.144	9.144	9.277B/9.144	9.277B/8.691A	----	9.694 NEW	.5771	----	----	9	----	9 + 9
7975	9.041	9.041	9.041/9.041	9.041/8.823A	----	9.583 NEW	.5728	----	----	1	----	1 + 1
8000	----	----	9.065B/----	9.065B/8.495A	----	9.475 + 2.119	.5686	----	----	----	----	12 UNCH
8300	----	----	7.852B/----	7.852B/7.434A	----	8.275 + 1.885	.5184	----	----	----	----	1 UNCH
8450	----	----	7.354B/----	7.354B/6.974A	----	7.747 + 1.783	.4944	----	----	----	----	1 UNCH
8500	----	----	7.188B/----	7.188B/6.822A	----	7.581 + 1.751	.4866	----	----	----	----	12 UNCH
8775	----	----	6.199B/----	6.199B/6.168A	----	6.749 + 1.594	.4456	----	----	----	----	2 UNCH
8900	----	----	6.006B/----	6.006B/5.808A	----	6.413 + 1.531	.4282	----	----	----	----	7 UNCH
8950	----	----	5.841B/----	5.841B/5.695A	----	6.285 + 1.508	.4214	----	----	----	----	6 UNCH
9000	----	----	5.713B/----	5.713B/5.584A	----	6.161 + 1.485	.4147	----	----	----	----	20 UNCH
9100	----	----	5.466B/----	5.466B/5.375A	----	5.922 + 1.441	.4017	----	----	----	----	84 UNCH
9400	----	----	4.800B/----	4.800B/4.782A	----	5.280 + 1.324	.3654	----	----	----	----	102 UNCH
10000	----	----	3.770B/----	3.770B/3.855A	----	4.247 + 1.126	.3035	----	----	25	----	76 UNCH
10200	----	----	3.498B/----	3.498B/3.567A	----	3.962 + 1.069	.2857	----	----	----	----	3 UNCH
10400	----	----	3.250B/----	3.250B/3.334A	----	3.701 + 1.014	.2691	----	----	----	----	2 UNCH
10500	----	----	3.135B/----	3.135B/3.242A	----	3.579 + 0.988	.2612	----	----	----	----	7 UNCH
11100	----	----	2.561B/----	2.561B/2.665A	----	2.950 + 0.849	.2197	----	----	----	----	1 UNCH
11200	----	----	2.477B/----	2.477B/2.584A	----	2.860 + 0.828	.2136	----	----	----	----	1 UNCH
11300	----	----	2.397B/----	2.397B/2.527A	----	2.773 + 0.807	.2077	----	----	----	----	10 UNCH
11500	----	----	2.246B/----	2.246B/2.383A	----	2.611 + 0.769	.1966	----	----	50	----	53 + 44
11850	----	----	2.010B/----	2.010B/2.128A	----	2.357 + 0.707	.1789	----	----	----	----	1 UNCH
12000	----	----	1.919B/----	1.919B/2.056A	----	2.259 + 0.683	.1720	----	----	----	----	2 UNCH
12500	----	----	1.653B/----	1.653B/1.871A	----	1.969 + 0.608	.1514	----	----	----	----	1 UNCH
13000	----	----	1.437B/----	1.437B/1.360A	----	1.730 + 0.544	.1340	----	----	25	----	53 UNCH
14000	----	----	1.337B/----	1.337B/1.068A	----	1.361 + 0.440	.1066	----	----	----	----	6 UNCH
15000	----	----	1.065B/----	1.065B/0.893A	----	1.096 + 0.362	.0864	----	----	----	----	36 UNCH
16000	----	----	0.862B/----	0.862B/0.754A	----	0.902 + 0.304	.0714	----	----	----	----	1 UNCH
17000	----	----	0.712B/----	0.712B/0.643A	----	0.755 + 0.260	.0599	----	----	----	----	2 UNCH
18000	----	----	0.596B/----	0.596B/0.557A	----	0.643 + 0.227	.0510	----	----	----	----	1 UNCH
19000	----	----	0.506B/----	0.506B/0.496A	----	0.556 + 0.201	.0441	----	----	----	----	2 UNCH
20000	----	----	0.434B/----	0.434B/0.439A	----	0.487 + 0.181	.0385	----	----	----	----	217 UNCH
25000	----	----	0.228B/----	0.228B/0.291A	----	0.287 + 0.116	.0223	----	----	----	----	2 UNCH
30000	----	----	0.129B/----	0.129B/0.223A	----	0.193 + 0.078	.0147	----	----	----	----	13 UNCH
35000	----	----	----	0.073B/0.236A	----	0.124 + 0.051	.0095	----	----	----	----	2 UNCH
TOTAL										110	0	841 + 54
SEP26												
5100	----	----	----	14.550B/50.422A	----	30.413 + 3.692	.9325	----	----	----	----	1 UNCH
5900	----	----	----	6.700B/44.429A	----	23.501 + 3.425	.8691	----	----	----	----	2 UNCH
6000	----	----	----	6.056B/43.654A	----	22.696 + 3.380	.8587	----	----	----	----	7 UNCH
6700	----	----	----	----/43.642A	----	17.535 + 3.001	.7719	----	----	----	----	1 UNCH
7000	15.500	15.500	15.500/15.500	15.500/14.835A	----	15.610 + 2.816	.7284	----	----	2	----	121 + 2
7125	----	----	13.899B/----	13.899B/14.115A	----	14.863 + 2.738	.7095	----	----	----	----	75 UNCH
7400	----	----	12.558B/----	12.558B/11.636A	----	13.335 + 2.567	.6670	----	----	----	----	100 UNCH
7500	----	----	12.315B/----	12.315B/11.609A	----	12.819 + 2.506	.6514	----	----	----	----	1 UNCH
7700	----	----	11.348B/----	11.348B/10.889A	----	11.847 + 2.386	.6201	----	----	----	----	1 UNCH
8000	----	----	10.066B/----	10.066B/9.658A	----	10.537 + 2.214	.5738	----	----	4	----	105 UNCH
8200	----	----	9.285B/----	9.285B/8.964A	----	9.754 + 2.104	.5440	----	----	4	----	24 + 4
8500	----	----	8.209B/----	8.209B/8.016A	----	8.705 + 1.947	.5012	----	----	----	----	100 UNCH
8675	----	----	7.553B/----	7.553B/7.608A	----	8.156 + 1.860	.4775	----	----	----	----	5 UNCH
8700	----	----	7.590B/----	7.590B/7.459A	----	8.081 + 1.847	.4742	----	----	----	----	100 UNCH
9000	7.379	7.379	7.408B/7.379	7.408B/6.755A	----	7.249 + 1.707	.4362	----	----	20	150	186 + 95
9500	----	----	5.642B/----	5.642B/5.738A	----	6.103 + 1.499	.3798	----	----	----	----	53 UNCH
9750	----	----	5.169B/----	5.169B/5.284A	----	5.625 + 1.406	.3549	----	----	----	----	23 UNCH
9800	----	----	5.083B/----	5.083B/5.202A	----	5.536 + 1.388	.3502	----	----	----	----	9 UNCH
9900	----	----	4.918B/----	4.918B/5.053A	----	5.364 + 1.354	.3409	----	----	2	----	42 + 2
10000	----	----	4.760B/----	4.760B/4.902A	----	5.201 + 1.321	.3320	----	----	48	----	184 + 2
10500	----	----	4.062B/----	4.062B/4.227A	----	4.487 + 1.171	.2918	----	----	46	----	96 + 46
10800	----	----	3.707B/----	3.707B/3.886A	----	4.131 + 1.094	.2709	----	----	----	----	2 UNCH
11000	----	----	3.494B/----	3.494B/3.679A	----	3.917 + 1.046	.2582	----	----	60	----	190 + 60
11300	----	----	3.203B/----	3.203B/3.397A	----	3.628 NEW	.2406	----	----	60	----	60 + 60
11500	----	----	3.027B/----	3.027B/3.227A	----	3.453 NEW	.2298	----	----	70	----	70 + 70
12000	----	----	2.640B/----	2.640B/2.853A	----	3.068 + 0.853	.2058	----	----	70	----	117 + 70
12500	----	----	2.315B/----	2.315B/2.539A	----	2.739 + 0.776	.1850	----	----	----	----	35 UNCH
13000	----	----	2.043B/----	2.043B/2.333A	----	2.456 + 0.710	.1669	----	----	----	----	36 UNCH
14000	1.550	1.550	2.100/1.549A	2.100/1.549A	----	1.996 + 0.601	.1372	----	----	36	----	97 + 14
15000	----	----	1.578B/----	1.578B/1.327A	----	1.643 + 0.514	.1140	----	----	----	75	221 UNCH
16000	----	----	1.306B/----	1.306B/1.120A	----	1.369 + 0.444	.0958	----	----	----	----	18 UNCH
17000	----	----	1.096B/----	1.096B/0.963A	----	1.155 + 0.385	.0814	----	----	----	----	27 UNCH
18000	----	----	0.932B/----	0.932B/0.847A	----	0.988 + 0.335	.0700	----	----	----	----	2 UNCH
19000	----	----	0.794B/----	0.794B/0.749A	----	0.856 + 0.292	.0608	----	----	----	----	14 UNCH
20000	----	----	0.689B/----	0.689B/0.669A	----	0.750 + 0.255	.0534	----	----	----	----	304 UNCH
21000	----	----	0.603B/----	0.603B/0.603A	----	0.663 + 0.223	.0472	----	----	----	----	1 UNCH
23000	----	----	0.477B/----	0.477B/0.503A	----	0.534 + 0.171	.0380	----	----	----	----	32 UNCH
25000	----	----	0.383B/----	0.383B/0.429A	----	0.444 + 0.131	.0315	----	----	----	----	14 UNCH
30000	----	----	----	0.235B/0.323A	----	0.315 + 0.062	.0219	----	----	----	----	19 UNCH
35000	----	----	0.153B/----	0.153B/0.270A	----	0.179 + 0.035	.0129	----	----	----	----	27 UNCH
TOTAL										422	225	2522 + 425
OCT26												
3800	----	----	----	----	----	43.552 + 3.895	.9806	----	----	----	----	1 UNCH
7000	----	----	----	13.952B/16.198A	----	17.088 + 2.760	.7291	----	----	----	----	2 UNCH
7100	----	----	14.286B/----	14.286B/15.619A	----	16.483 + 2.705	.7156	----	----	----	----	1 UNCH
7500	----	----	13.388B/----	13.388B/12.621A	----	14.251 + 2.495	.6602	----	----	----	----	1 UNCH
7650	----	----	12.878B/----	12.878B/12.547A	----	13.493 + 2.422	.6390	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
7875	----	----	11.648B/----	11.648B/11.744A	----	12.438 + 2.321	.6073	----	----	----	----	2 UNCH
8000	----	----	11.338B/----	11.338B/11.091A	----	11.895 + 2.270	.5898	----	----	----	----	4 UNCH
8075	----	----	10.841B/----	10.841B/10.947A	----	11.584 + 2.241	.5794	----	----	----	----	1 UNCH
8500	----	----	9.446B/----	9.446B/9.367A	----	10.026 + 2.107	.5231	----	----	----	----	1 UNCH
8700	----	----	8.812B/----	8.812B/8.815A	----	9.404 + 2.058	.4984	----	----	----	----	4 UNCH
9000	----	----	7.972B/----	7.972B/8.045A	----	8.582 + 1.992	.4638	----	----	----	----	1 UNCH
9100	----	----	7.708B/----	7.708B/7.811A	----	8.333 + 1.971	.4528	----	----	----	----	73 UNCH
10000	----	----	5.800B/----	5.800B/6.035A	----	6.497 + 1.720	.3676	----	----	----	----	96 UNCH
11000	----	----	4.388B/----	4.388B/4.665A	----	5.000 + 1.320	.2936	----	----	----	----	3 UNCH
11100	----	----	4.274B/----	4.274B/4.553A	----	4.874 NEW	.2872	----	----	2	----	2 + 2
11700	----	----	3.665B/----	3.665B/3.957A	----	4.202 NEW	.2523	----	----	2	----	2 + 2
12000	----	----	3.405B/----	3.405B/3.700A	----	3.913 + 0.969	.2369	----	----	----	----	65 UNCH
13000	----	----	2.681B/----	2.681B/3.008A	----	3.135 + 0.756	.1940	----	----	----	----	145 UNCH
14000	----	----	2.149B/----	2.149B/2.558A	----	2.571 + 0.638	.1615	----	----	----	----	2 UNCH
15000	----	----	1.733B/----	1.733B/1.807A	----	2.156 + 0.574	.1367	----	----	----	----	178 UNCH
16000	----	----	1.569B/----	1.569B/1.541A	----	1.847 + 0.537	.1176	----	----	----	----	4 UNCH
18000	----	----	1.307B/----	1.307B/1.167A	----	1.310 + 0.396	.0856	----	----	----	----	340 UNCH
20000	----	----	0.984B/----	0.984B/0.933A	----	0.979 + 0.302	.0650	----	----	----	----	225 UNCH
TOTAL										4	0	1154 + 4
NOV26												
6500	----	----	----	----/59.175A	----	20.986 + 3.113	.7831	----	----	----	----	1 UNCH
7000	----	----	----	14.888B/16.977A	----	17.827 + 2.860	.7229	----	----	----	----	14 UNCH
7100	----	----	15.991B/----	15.991B/16.458A	----	17.243 + 2.806	.7102	----	----	----	----	14 UNCH
7500	----	----	14.245B/----	14.245B/14.148A	----	15.081 + 2.590	.6586	----	----	----	----	1 UNCH
7900	----	----	12.491B/----	12.491B/12.421A	----	13.196 + 2.373	.6065	----	----	----	----	10 UNCH
8000	----	----	12.111B/----	12.111B/12.027A	----	12.769 + 2.320	.5936	----	----	----	----	10 UNCH
10000	----	----	6.603B/----	6.603B/6.958A	----	7.262 + 1.484	.3844	----	----	----	----	26 UNCH
12000	----	----	4.056B/----	4.056B/4.482A	----	4.665 + 1.035	.2605	----	----	----	----	13 UNCH
12500	----	----	3.640B/----	3.640B/4.102A	----	4.225 + 0.959	.2382	----	----	----	----	10 UNCH
13000	----	----	3.279B/----	3.279B/3.741A	----	3.842 NEW	.2185	----	----	2	----	2 + 2
14000	----	----	2.690B/----	2.690B/3.149A	----	3.211 + 0.783	.1853	----	----	2	----	3 + 2
15000	----	----	2.238B/----	2.238B/2.732A	----	2.719 + 0.696	.1587	----	----	----	----	5 UNCH
16000	----	----	1.843B/----	1.843B/1.976A	----	2.330 + 0.623	.1373	----	----	----	----	2 UNCH
17000	----	----	1.609B/----	1.609B/1.728A	----	2.019 + 0.560	.1199	----	----	----	----	1 UNCH
20000	1.317	1.317	1.317/1.317	1.317/1.226A	----	1.388 + 0.417	.0837	----	----	1	----	32 + 1
21000	----	----	#1.155B/----	1.155B/1.111A	----	1.244 NEW	.0753	----	----	2	----	2 + 2
TOTAL										7	0	146 + 7
DEC26												
3875	----	----	----	----	----	42.950 + 3.854	.9670	----	----	----	----	1 UNCH
5250	----	----	----	----/79.250A	----	30.606 + 3.602	.8973	----	----	----	----	50 UNCH
5500	----	----	----	----/76.809A	----	28.551 + 3.529	.8782	----	----	----	----	1 UNCH
6500	----	----	----	----/70.893A	----	21.205 + 3.101	.7800	----	----	----	----	564 UNCH
6900	----	----	----	15.397B/18.461A	----	18.749 + 2.878	.7326	----	----	----	----	1 UNCH
6950	----	----	----	15.406B/18.106A	----	18.462 + 2.849	.7265	----	----	----	----	200 UNCH
7000	----	----	15.749B/----	15.749B/17.828A	----	18.181 + 2.821	.7204	----	----	----	----	120 UNCH
7025	----	----	16.006B/----	16.006B/17.691A	----	18.041 + 2.806	.7173	----	----	----	----	1 UNCH
7075	----	----	16.564B/----	16.564B/17.416A	----	17.766 + 2.777	.7111	----	----	----	----	5 UNCH
7100	----	----	16.403B/----	16.403B/17.286A	----	17.630 + 2.762	.7080	----	----	----	----	15 UNCH
7375	16.148	16.148	16.148/16.148	16.148/15.877A	----	16.206 + 2.606	.6738	----	----	2	----	2 - 1
7500	----	----	14.949B/----	14.949B/14.837A	----	15.602 + 2.537	.6582	----	----	----	----	18 UNCH
7575	----	----	14.071B/----	14.071B/14.946A	----	15.253 + 2.497	.6488	----	----	----	----	1 UNCH
7750	----	----	13.757B/----	13.757B/13.801A	----	14.473 + 2.404	.6272	----	----	----	----	2 UNCH
7800	----	----	13.546B/----	13.546B/13.584A	----	14.259 + 2.378	.6210	----	----	----	----	1 UNCH
7925	----	----	12.653B/----	12.653B/13.465A	----	13.741 + 2.314	.6057	----	----	----	----	2 UNCH
8000	----	----	12.820B/----	12.820B/12.827A	----	13.443 + 2.277	.5967	----	----	----	----	127 UNCH
8100	----	----	12.370B/----	12.370B/12.463A	----	13.057 + 2.228	.5847	----	----	----	----	1 UNCH
8200	----	----	11.998B/----	11.998B/12.108A	----	12.687 + 2.182	.5729	----	----	----	----	22 UNCH
8400	----	----	11.295B/----	11.295B/11.448A	----	11.987 + 2.091	.5500	----	----	----	----	50 UNCH
8500	----	----	10.964B/----	10.964B/11.137A	----	11.658 + 2.049	.5389	----	----	----	----	150 UNCH
8550	----	----	10.803B/----	10.803B/10.988A	----	11.498 + 2.028	.5334	----	----	----	----	1 UNCH
8600	----	----	10.645B/----	10.645B/10.843A	----	11.341 + 2.008	.5280	----	----	----	----	7 UNCH
8800	----	----	10.042B/----	10.042B/10.282A	----	10.744 + 1.929	.5068	----	----	----	----	5 UNCH
8900	----	----	9.758B/----	9.758B/10.022A	----	10.463 + 1.892	.4966	----	----	----	----	2 UNCH
8950	----	----	9.620B/----	9.620B/9.895A	----	10.326 + 1.873	.4915	----	----	----	----	1 UNCH
9000	----	----	9.484B/----	9.484B/9.777A	----	10.192 + 1.855	.4866	----	----	----	----	228 UNCH
9050	----	----	9.351B/----	9.351B/9.653A	----	10.061 + 1.838	.4816	----	----	----	----	100 UNCH
9300	----	----	8.681B/----	8.681B/9.084A	----	9.441 + 1.753	.4579	----	----	----	----	1 UNCH
9500	----	----	8.219B/----	8.219B/8.668A	----	8.986 + 1.691	.4400	----	----	----	----	3 UNCH
9700	----	----	7.802B/----	7.802B/8.284A	----	8.564 + 1.633	.4230	----	----	----	----	1 UNCH
9800	----	----	7.598B/----	7.598B/8.153A	----	8.364 + 1.605	.4148	----	----	1	----	19 + 1
9900	----	----	7.402B/----	7.402B/7.978A	----	8.171 + 1.578	.4068	----	----	----	----	3 UNCH
10000	----	----	7.211B/----	7.211B/7.808A	----	7.984 + 1.552	.3990	----	----	1	----	775 + 1
10025	----	----	6.952B/----	6.952B/7.926A	----	7.939 + 1.546	.3970	----	----	----	----	3 UNCH
10500	----	----	6.355B/----	6.355B/7.046A	----	7.138 + 1.430	.3628	----	----	----	----	2 UNCH
10600	----	----	6.199B/----	6.199B/6.909A	----	6.985 + 1.408	.3561	----	----	----	----	1 UNCH
10800	----	----	5.920B/----	5.920B/6.647A	----	6.692 + 1.364	.3431	----	----	----	----	1 UNCH
11000	----	----	5.641B/----	5.641B/6.280A	----	6.417 + 1.323	.3308	----	----	----	----	91 UNCH
11350	----	----	5.189B/----	5.189B/6.008A	----	5.975 + 1.255	.3108	----	----	----	----	5 UNCH
11800	----	----	4.673B/----	4.673B/5.558A	----	5.471 + 1.177	.2874	----	----	----	----	25 UNCH
12000	4.541	4.541	4.541/4.541	4.541/4.541	----	5.267 + 1.144	.2778	----	----	4	40	478 + 40
12200	----	----	4.220B/----	4.220B/5.177A	----	5.074 + 1.113	.2686	----	----	----	----	1 UNCH
12500	----	----	3.966B/----	3.966B/4.914A	----	4.804 + 1.068	.2557	----	----	----	----	43 UNCH
13000	----	----	3.585B/----	3.585B/4.523A	----	4.398 + 0.999	.2360	----	----	----	----	338 UNCH
14000	----	----	2.970B/----	2.970B/3.869A	----	3.725 + 0.880	.2027	----	----	----	----	56 UNCH
14200	----	----	2.862B/----	2.862B/3.749A	----	3.608 + 0.858	.1968	----	----	----	----	1 UNCH
15000	----	----	2.469B/----	2.469B/3.346A	----	3.191 + 0.780	.1756	----	----	----	----	1821 UNCH
16000	----	----	2.073B/----	2.073B/3.013A	----	2.761 + 0.695	.1535	----	----	----	----	1608 UNCH
17000	----	----	----	1.710B/2.137A	----	2.409 + 0.623	.1351	----	----	----	----	50 UNCH
18000	----	----	1.649B/----	1.649B/1.916A	----	2.118 + 0.561	.1197	----	----	----	----	7 UNCH
19000	----	----	1.635B/----	1.635B/1.721A	----	1.876 + 0.508	.1067	----	----	----	----	1 UNCH
20000	1.450	1.450	1.536B/1.449A	1.536B/1.449A	----	1.674 + 0.464	.0957	----	----	1	----	262 UNCH
21000	----	----	1.374B/----	1.374B/1.420A	----	1.505 + 0.428	.0864	----	----	----	----	4 UNCH
23000	----	----	1.097B/----	1.097B/1.200A	----	1.240 + 0.370	.0717	----	----	----	----	4 UNCH
25000	----	----	0.895B/----	0.895B/1.036A	----	1.045 + 0.325	.0606	----	----	----	----	231 UNCH
30000	----	----	0.570B/----	0.570B/0.779A	----	0.739 + 0.247	.0429	----	----	----	----	108 UNCH
40000	----	----	----	0.301B/0.520A	----	0.462 + 0.160	.0265	----	----	----	----	23 UNCH
90000	----	----	----	----	----	0.130 - 0.017	.0072	----	----	----	----	1 UNCH
TOTAL										9	40	7645 + 41
JAN27												
7550	----	----	#15.719B/----	#15.719B/15.835A	----	16.580 + 2.619	.6608	----	----	----	----	1 UNCH
7650	----	----	15.299B/----	15.299B/15.408A	----	16.137 + 2.575	.6492	----	----	----	----	6 UNCH
10000	----	----	#8.168B/----	#8.168B/8.806A	----	9.084 + 1.698	.4216	----	----	----	----	5 UNCH
11000	----	----	6.514B/----	6.514B/7.310A	----	7.364 + 1.432	.3540	----	----	----	----	5 UNCH
13000	----	----	#4.268B/----	#4.268B/5.355A	----	5.277 + 1.067	.2618	----	----	----	----	1 UNCH
14000	----	----	----	#3.494B/4.693A	----	4.786 + 0.963	.2352	----	----	----	----	1 UNCH
14500	----	----	----	#3.193B/4.415A	----	4.598 + 0.921	.2245	----	----	----	----	400 UNCH
15000	----	----	----	#2.907B/4.166A	----	4.441 + 0.884	.2153	----	----	----	----	400 UNCH
TOTAL											0	819 0
FEB27												
9000	----	----	11.053B/----	11.053B/11.582A	----	11.829 + 2.025	.5107	----	----	----	----	1 UNCH
30000	----	----	----	0.761B/*1.300A	----	0.939 + 0.137	.0515	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	#13.790B/----	#13.790B/16.319A	----	15.704 + 2.461	.6135	----	----	----	----	200 UNCH
9000	11.200	11.200	11.200/11.200	11.200/11.200	----	12.432 + 2.046	.5174	----	----	20	----	35 + 20
9200	----	----	#10.085B/----	#10.085B/12.684A	----	11.902 + 1.974	.5002	----	----	----	----	25 UNCH
30000	----	----	----	0.921B/1.495A	----	1.607 + 0.407	.0774	----	----	----	----	1 UNCH
TOTAL										20	0	261 + 20
JUL27												
2000	----	----	----	----	----	63.401 + 3.989	.9957	----	----	----	----	1 UNCH
10000	----	----	----	----	----	13.336 + 1.822	.4868	----	----	----	----	1 UNCH
10300	----	----	----	----	----	12.783 + 1.756	.4696	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	45.757 + 3.653	.9297	----	----	----	----	1 UNCH
20000	----	----	----	----	----	7.998 + 0.998	.2679	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.005A	----	0.001 UNCH	.0001	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2100	----	----	----	----/0.038A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2150	----	----	----	----/0.037A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2175	----	----	----	----/0.036A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2650	----	----	----	----/0.036A	----	0.001 UNCH	.0001	----	----	----	----	2 UNCH
2700	----	----	----	----/0.036A	----	0.001 UNCH	.0001	----	----	----	----	50 UNCH
2800	----	----	----	----/*0.007A	----	0.001 - 0.001	.0001	----	----	----	----	12 UNCH
2850	----	----	----	----/0.039A	----	0.001 - 0.001	.0001	----	----	----	----	3 UNCH
2875	----	----	----	----/0.039A	----	0.001 - 0.001	.0001	----	----	----	----	1 UNCH
2950	----	----	----	----/*0.039A	----	0.001 - 0.001	.0001	----	----	----	----	1 UNCH
3000	----	----	----	----/0.007A	----	0.001 - 0.002	.0001	----	----	----	----	22 UNCH
3075	----	----	----	----/*0.041A	----	0.001 - 0.002	.0001	----	----	----	----	16 UNCH
3100	----	----	----	----/0.041A	----	0.001 - 0.003	.0001	----	----	----	----	5 UNCH
3125	----	----	----	----/*0.041A	----	0.001 - 0.003	.0001	----	----	----	----	14 UNCH
3175	----	----	----	----/*0.042A	----	0.002 - 0.002	.0003	----	----	----	----	14 UNCH
3200	----	----	----	----/*0.009A	----	0.002 - 0.003	.0003	----	----	----	----	13 UNCH
3225	----	----	----	----/*0.042A	----	0.002 - 0.003	.0003	----	----	----	----	10 UNCH
3275	----	----	----	----/*0.043A	----	0.002 - 0.004	.0003	----	----	----	----	54 UNCH
3300	----	----	----	----/*0.043A	----	0.002 - 0.004	.0003	----	----	----	----	79 UNCH
3325	----	----	----	----/*0.043A	----	0.002 - 0.004	.0003	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.044A	----	0.002 - 0.005	.0003	----	----	----	----	14 UNCH
3375	----	----	----	----/*0.044A	----	0.003 - 0.004	.0004	----	----	----	----	12 UNCH
3400	----	----	----	----/*0.010A	----	0.003 - 0.005	.0005	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.046A	----	0.003 - 0.006	.0005	----	----	----	----	5 UNCH
3475	----	----	----	----/*0.046A	----	0.003 - 0.006	.0005	----	----	----	----	13 UNCH
3500	----	----	----	----/*0.011A	----	0.004 - 0.006	.0006	----	----	----	----	59 UNCH
3550	----	----	----	----/*0.047A	----	0.004 - 0.007	.0006	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.048A	----	0.004 - 0.007	.0006	----	----	----	----	28 UNCH
3600	----	----	----/*0.011A	----/*0.011A	----	0.004 - 0.008	.0006	----	----	----	----	6 UNCH
3625	----	----	----	----/*0.049A	----	0.005 - 0.008	.0008	----	----	----	----	12 UNCH
3675	----	----	----	----/0.049A	----	0.005 - 0.009	.0008	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.050A	----	0.006 - 0.009	.0009	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.050A	----	0.006 - 0.010	.0010	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.051A	----	0.006 - 0.011	.0010	----	----	----	----	10 UNCH
3800	----	----	----/*0.014A	0.001B/*0.014A	----	0.007 - 0.011	.0011	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.052A	----	0.008 - 0.012	.0013	----	----	----	----	1 UNCH
3900	----	----	----	----/0.053A	----	0.008 - 0.014	.0013	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.053A	----	0.009 - 0.014	.0014	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.054A	----	0.009 - 0.015	.0015	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.054A	----	0.010 - 0.015	.0016	----	----	----	----	5 UNCH
4000	0.010	0.010	0.010/*0.009	0.010/*0.009	----	0.010 - 0.016	.0016	----	----	4	----	311 UNCH
4025	----	----	----	----/*0.055A	----	0.010 - 0.017	.0016	----	----	----	----	3 UNCH
4050	----	----	----	----/*0.056A	----	0.011 - 0.017	.0018	----	----	----	----	21 UNCH
4075	----	----	----	----/*0.056A	----	0.011 - 0.017	.0018	----	----	----	----	15 UNCH
4100	----	----	----	----/*0.057A	----	0.012 - 0.017	.0020	----	----	----	----	190 UNCH
4125	----	----	----	----/*0.057A	----	0.012 - 0.018	.0020	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.058A	----	0.013 - 0.018	.0021	----	----	----	----	9 UNCH
4175	----	----	----	----/*0.058A	----	0.014 - 0.018	.0023	----	----	----	----	1 UNCH
4200	----	----	----	----/*0.059A	----	0.014 - 0.018	.0023	----	----	----	----	101 UNCH
4225	----	----	----	----/*0.059A	----	0.015 - 0.018	.0025	----	----	----	----	20 UNCH
4250	----	----	----	----/*0.060A	----	0.015 - 0.019	.0025	----	----	----	----	10 UNCH
4275	----	----	----	----/*0.060A	----	0.016 - 0.019	.0027	----	----	----	----	7 UNCH
4300	----	----	----/*0.020A	0.010B/*0.020A	----	0.017 - 0.019	.0028	----	----	----	----	267 UNCH
4325	----	----	----	----/*0.061A	----	0.017 - 0.019	.0028	----	----	----	----	1 UNCH
4350	----	----	----	----/*0.062A	----	0.018 - 0.019	.0030	----	----	----	----	27 UNCH
4375	----	----	----	----/*0.062A	----	0.019 - 0.019	.0032	----	----	----	----	12 UNCH
4400	----	----	----	----/*0.063A	----	0.019 - 0.020	.0032	----	----	----	----	314 UNCH
4425	----	----	----	----/*0.063A	----	0.020 - 0.019	.0034	----	----	----	----	14 UNCH
4450	----	----	----	----/*0.064A	----	0.021 - 0.019	.0035	----	----	----	----	7 UNCH
4475	----	----	----	----/*0.064A	----	0.021 - 0.019	.0036	----	----	----	----	81 UNCH
4500	----	----	----/*0.030A	0.020B/*0.030A	----	0.022 - 0.019	.0037	----	----	----	----	786 UNCH
4525	----	----	----	----/*0.066A	----	0.023 - 0.019	.0039	----	----	----	----	19 UNCH
4550	----	----	----	----/*0.066A	----	0.023 - 0.019	.0039	----	----	----	----	4 UNCH
4575	----	----	----	----/*0.067A	----	0.024 - 0.019	.0041	----	----	----	----	11 UNCH
4600	----	----	----/*0.030A	----/*0.030A	----	0.025 - 0.018	.0043	----	----	----	----	14 UNCH
4625	----	----	----	----/*0.068A	----	0.025 - 0.018	.0043	----	----	----	----	66 UNCH
4650	----	----	----	----/0.069A	----	0.026 - 0.018	.0045	----	----	----	----	10 UNCH
4675	----	----	----	----/*0.070A	----	0.027 - 0.017	.0047	----	----	----	----	17 UNCH
4700	----	----	----	----/*0.071A	----	0.027 - 0.018	.0047	----	----	----	----	116 UNCH
4725	----	----	----	----/*0.072A	----	0.028 - 0.017	.0049	----	----	----	----	11 UNCH
4750	----	----	----	----/*0.072A	----	0.029 - 0.017	.0051	----	----	----	----	18 UNCH
4775	----	----	----	----/*0.073A	----	0.029 - 0.018	.0052	----	----	----	----	4 UNCH
4800	----	----	----	----/0.074A	----	0.030 - 0.017	.0053	----	----	2	----	318 UNCH
4825	----	----	----	----/*0.075A	----	0.031 - 0.017	.0055	----	----	----	----	3 UNCH
4850	----	----	----	0.003B/0.076A	----	0.031 - 0.018	.0056	----	----	----	----	75 UNCH
4875	----	----	----	----/*0.077A	----	0.032 - 0.018	.0058	----	----	----	----	1 UNCH
4900	----	----	----/*0.037A	0.028B/*0.037A	----	0.033 - 0.017	.0060	----	----	----	----	163 UNCH
4925	----	----	----	----/*0.079A	----	0.033 - 0.019	.0060	----	----	----	----	9 UNCH
4950	----	----	----/*0.040A	----/*0.040A	----	0.034 - 0.019	.0062	----	----	----	----	11 UNCH
4975	----	----	----	0.001B/*0.082A	----	0.035 - 0.019	.0065	----	----	----	----	52 UNCH
5000	0.050	0.050	0.050/0.030	0.050/0.030	----	0.035 - 0.021	.0065	----	----	6	----	915 UNCH
5025	----	----	----	0.001B/0.085A	----	0.036 - 0.021	.0067	----	----	----	----	1 UNCH
5050	----	----	----	0.001B/*0.086A	----	0.037 - 0.022	.0069	----	----	----	----	24 UNCH
5075	----	----	----	0.001B/*0.088A	----	0.037 - 0.024	.0070	----	----	----	----	7 UNCH
5100	----	----	----	0.001B/*0.065A	----	0.038 - 0.024	.0072	----	----	1	----	162 UNCH
5125	----	----	----	0.001B/*0.090A	----	0.039 - 0.025	.0074	----	----	----	----	52 UNCH
5150	----	----	----	0.009B/*0.083A	----	0.039 - 0.027	.0075	----	----	----	----	48 UNCH
5175	----	----	----	0.001B/*0.092A	----	0.040 - 0.028	.0077	----	----	----	----	2 UNCH
5200	0.048	0.048	0.048/*0.048	0.048/*0.048	----	0.041 - 0.029	.0080	----	----	1	----	163 UNCH
5225	----	----	----	0.001B/*0.095A	----	0.042 - 0.031	.0082	----	----	----	----	5 UNCH
5250	----	----	----	0.001B/*0.096A	----	0.043 - 0.033	.0084	----	----	----	----	29 UNCH
5275	----	----	----	0.001B/*0.098A	----	0.043 - 0.036	.0085	----	----	----	----	8 UNCH
5300	----	----	----/*0.078A	0.033B/*0.078A	----	0.044 - 0.038	.0088	----	----	----	----	171 UNCH
5325	----	----	----	0.001B/*0.101A	----	0.045 - 0.040	.0090	----	----	----	----	23 UNCH
5350	----	----	----	0.001B/*0.103A	----	0.046 - 0.042	.0093	----	----	----	----	28 UNCH
5375	----	----	----	0.001B/*0.104A	----	0.047 - 0.044	.0095	----	----	----	----	14 UNCH
5400	----	----	----	0.025B/*0.106A	----	0.048 - 0.046	.0098	----	----	2	----	98 - 2
5425	----	----	----	0.005B/*0.104A	----	0.049 - 0.048	.0100	----	----	----	----	14 UNCH
5450	----	----	----	0.006B/*0.105A	----	0.050 - 0.051	.0103	----	----	----	----	12 UNCH
5475	----	----	----	0.029B/*0.106A	----	0.052 - 0.052	.0107	----	----	----	----	13 UNCH
5500	0.046	0.046	0.050/*0.046	0.050/*0.046	----	0.053 - 0.054	.0110	----	----	58	----	609 + 21
5525	----	----	----	0.035B/*0.111A	----	0.054 - 0.057	.0113	----	----	----	----	37 UNCH
5550	----	----	----/*0.072A	0.036B/*0.072A	----	0.056 - 0.058	.0117	----	----	----	----	31 UNCH
5575	----	----	----/*0.069A	0.036B/*0.069A	----	0.057 - 0.061	.0120	----	----	----	----	5 UNCH
5600	0.090	0.090	0.090/*0.067A	0.090/*0.067A	----	0.059 - 0.062	.0124	----	----	8	----	77 + 4
5625	----	----	----/*0.069A	0.040B/*0.069A	----	0.061 - 0.064	.0129	----	----	----	----	6 UNCH
5650	0.055	0.055	0.055/*0.055	0.055/*0.055	----	0.062 - 0.067	.0132	----	----	1	----	41 UNCH
5675	----	----	----/*0.072A	0.042B/*0.072A	----	0.064 - 0.069	.0137	----	----	----	----	48 UNCH
5700	0.090	0.090	0.090/*0.073	0.090/*0.073	----	0.066 - 0.071	.0141	----	----	13	----	131 UNCH
5725	----	----	----/*0.075A	0.045B/*0.075A	----	0.068 - 0.073	.0146	----	----	----	----	28 UNCH
5750	0.090	0.090	0.090/*0.078A	0.090/*0.078A	----	0.070 - 0.076	.0151	----	----	2	----	110 - 1
5775	----	----	----/*0.081A	0.050B/*0.081A	----	0.073 - 0.077	.0158	----	----	3	----	11 - 3
5800	0.099	0.099	0.099/*0.084A	0.099/*0.084A	----	0.075 - 0.080	.0163	----	----	13	----	370 - 1
5825	----	----	----/*0.087A	0.055B/*0.087A	----	0.077 - 0.083	.0168	----	----	----	----	55 UNCH
5850	----	----	----/*0.092A	0.060B/*0.092A	----	0.080 - 0.086	.0175	----	----	----	----	7 UNCH
5875	----	----	----/*0.094A	0.065B/*0.094A	----	0.082 - 0.089	.0180	----	----	----	----	4 UNCH
5900	----	----	----/*0.097A	0.068B/*0.097A	----	0.085 - 0.092	.0187	----	----	10	----	106 - 10
5925	----	----	----/*0.099A	0.076B/*0.099A	----	0.088 - 0.096	.0194	----	----	----	----	13 UNCH
5950	----	----	----/*0.103A	0.082B/*0.103A	----	0.091 - 0.099	.0201	----	----	----	----	13 UNCH
5975	----	----	----/*0.106A	0.089B/*0.106A	----	0.094 - 0.103	.0209	----	----	----	----	23 UNCH
6000	0.196	0.196	0.196/*0.090	0.196/*0.090	----	0.097 - 0.108	.0216	----	----	109	----	1105 + 16
6025	----	----	----/*0.113A	0.102B/*0.113A	----	0.100 - 0.113	.0223	----	----	----	----	24 UNCH
6050	0.116	0.116	0.116/*0.116	0.116/*0.116	----	0.104 - 0.118	.0233	----	----	5	----	324 - 4
6075	----	----	----/*0.130A	0.114B/*0.130A	----	0.107 - 0.124	.0240	----	----	----	----	154 UNCH
6100	----	----	----/*0.123A	0.124B/*0.123A	----	0.111 - 0.129	.0250	----	----	----	----	156 UNCH
6125	----	----	----/*0.139A	0.125B/*0.139A	----	0.115 - 0.136	.0260	----	----	----	----	7 UNCH
6150	----	----	----/*0.138A	0.131B/*0.138A	----	0.119 - 0.142	.0269	----	----	4	----	39 - 4
6175	----	----	----/*0.155A	0.133B/*0.155A	----	0.123 - 0.150	.0279	----	----	----	----	14 UNCH
6200	----	----	----/*0.149A	0.154B/*0.149A	----	0.127 - 0.158	.0289	----	----	4	----	58 - 2
6225	----	----	----/*0.160A	0.151B/*0.160A	----	0.132 - 0.165	.0301	----	----	----	----	33 UNCH
6250	----	----	----/*0.161A	0.158B/*0.161A	----	0.137 - 0.173	.0313	----	----	----	----	91 UNCH
6275	----	----	----/*0.168A	0.165B/*0.168A	----	0.142 - 0.182	.0325	----	----	----	----	12 UNCH
6300	0.204	0.204	0.204/*0.160	0.204/*0.160	----	0.148 - 0.190	.0339	----	----	24	----	199 + 8
6325	----	----	----/*0.187A	0.187B/*0.187A	----	0.153 - 0.200	.0352	----	----	----	----	125 UNCH
6350	----	----	----/*0.183A	0.196B/*0.183A	----	0.159 - 0.210	.0366	----	----	----	----	74 UNCH
6375	----	----	----/*0.197A	0.208B/*0.197A	----	0.165 - 0.220	.0381	----	----	----	----	29 UNCH
6400	----	----	----/*0.204A	0.232B/*0.204A	----	0.172 - 0.230	.0397	----	----	3	----	105 - 1
6425	----	----	----/*0.209A	0.232B/*0.209A	----	0.179 - 0.240	.0414	----	----	----	----	10 UNCH
6450	----	----	----/*0.208A	0.244B/*0.208A	----	0.186 - 0.252	.0430	----	----	----	----	58 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
6475	----	----	----/*0.217A	0.326B/*0.217A	----	0.194 - 0.263	.0449	----	----	----	----	10 UNCH
6500	0.341	0.341	0.341/*0.200	0.353B/*0.200	----	0.202 - 0.275	.0468	----	----	90	----	752 - 29
6525	----	----	----/*0.222A	0.373B/*0.222A	----	0.211 - 0.287	.0489	----	----	1	----	17 UNCH
6550	----	----	----/*0.228A	0.393B/*0.228A	----	0.220 - 0.300	.0510	----	----	1	----	171 - 1
6575	----	----	----/*0.232A	0.415B/*0.232A	----	0.229 - 0.314	.0531	----	----	----	----	59 UNCH
6600	0.408	0.408	0.408/*0.239A	0.439B/*0.239A	----	0.239 - 0.328	.0554	----	----	7	----	383 UNCH
6625	----	----	----/*0.247A	0.463B/*0.247A	----	0.250 - 0.342	.0579	----	----	3	----	9 + 3
6650	----	----	----/*0.259A	0.488B/*0.259A	----	0.261 - 0.357	.0604	----	----	----	----	83 UNCH
6675	----	----	----/*0.270A	0.513B/*0.270A	----	0.273 - 0.373	.0631	----	----	----	----	65 UNCH
6700	0.357	0.357	0.375/*0.279A	0.542B/*0.279A	----	0.286 - 0.388	.0660	----	----	27	----	540 + 2
6725	----	----	----/*0.295A	0.571B/*0.295A	----	0.299 - 0.406	.0690	----	----	----	----	8 UNCH
6750	0.420	0.420	0.420/*0.308A	0.602B/*0.308A	----	0.313 - 0.423	.0721	----	----	6	----	88 - 5
6775	----	----	----/*0.321A	0.636B/*0.321A	----	0.328 - 0.441	.0754	----	----	----	----	14 UNCH
6800	0.640	0.640	0.648/*0.337A	0.674B/*0.337A	----	0.344 - 0.460	.0789	----	----	22	----	113 - 9
6825	----	----	----/*0.353A	0.709B/*0.353A	----	0.361 - 0.480	.0825	----	----	----	----	12 UNCH
6850	0.410	0.410	0.410/*0.369A	0.743B/*0.369A	----	0.379 - 0.500	.0864	----	----	8	----	19 + 8
6875	----	----	----/*0.386A	0.782B/*0.386A	----	0.398 - 0.521	.0904	----	----	2	----	6 - 1
6900	0.679	0.679	0.679/*0.397	0.832B/*0.397	----	0.417 - 0.544	.0945	----	----	14	----	490 - 2
6925	----	----	----/*0.426A	0.875B/*0.426A	----	0.439 - 0.566	.0990	----	----	----	----	75 UNCH
6950	0.495	0.495	0.495/*0.447A	0.917B/*0.447A	----	0.461 - 0.590	.1035	----	----	1	----	35 - 1
6975	0.783	0.783	0.783/*0.470A	0.968B/*0.470A	----	0.484 - 0.616	.1083	----	----	1	----	9 UNCH
7000	1.031	1.031	1.031/*0.450	1.031/*0.450	----	0.509 - 0.641	.1133	----	----	668	----	900 - 234
7025	----	----	----/*0.484A	1.072B/*0.484A	----	0.536 - 0.668	.1187	----	----	1	----	14 UNCH
7050	0.814	0.814	0.814/*0.510	1.129B/*0.510	----	0.564 - 0.695	.1242	----	----	3	----	62 UNCH
7075	0.937	0.937	0.937/*0.539A	1.189B/*0.539A	----	0.594 - 0.724	.1300	----	----	6	----	11 + 5
7100	1.031	1.031	1.031/*0.570A	1.252B/*0.570A	----	0.625 - 0.754	.1360	----	----	22	----	87 - 9
7125	1.044	1.044	1.044/*0.602	1.318B/*0.602	----	0.658 - 0.785	.1423	----	----	12	----	19 + 7
7150	0.999	0.999	0.999/*0.637	1.357B/*0.637	----	0.693 - 0.817	.1488	----	----	6	----	29 + 4
7175	----	----	----/*0.674A	1.448B/*0.674A	----	0.730 - 0.849	.1556	----	----	----	----	22 UNCH
7200	0.990	0.990	1.067/*0.713A	1.506B/*0.713A	----	0.769 - 0.883	.1627	----	----	22	----	322 + 4
7225	----	----	----/*0.754A	1.604B/*0.754A	----	0.810 - 0.919	.1700	----	----	2	----	17 - 2
7250	1.050	1.050	1.050/*0.798A	1.685B/*0.798A	----	0.854 - 0.954	.1777	----	----	6	----	69 + 1
7275	1.135	1.135	1.135/*0.845A	1.756B/*0.845A	----	0.900 - 0.990	.1856	----	----	10	----	8 - 4
7300	1.214	1.214	1.214/*0.895A	1.845B/*0.895A	----	0.948 - 1.028	.1937	----	----	10	----	70 + 2
7325	1.287	1.287	1.287/*0.948A	1.918B/*0.948A	----	0.998 - 1.068	.2021	----	----	42	----	47 + 33
7350	1.522	1.522	1.522/*1.002A	2.003B/*1.002A	----	1.052 - 1.107	.2109	----	----	2	----	34 + 2
7375	2.005	2.005	2.005/*1.059A	2.108B/*1.059A	----	1.108 - 1.147	.2199	----	----	2	----	7 + 1
7400	1.846	1.846	1.846/*1.122A	2.207B/*1.122A	----	1.166 - 1.189	.2291	----	----	11	----	57 + 7
7425	1.299	1.299	1.299/*1.185A	2.297B/*1.185A	----	1.228 - 1.231	.2386	----	----	19	----	16 + 4
7450	----	----	----/*1.252A	2.407B/*1.252A	----	1.292 - 1.274	.2483	----	----	----	----	19 UNCH
7475	----	----	----/*1.333A	2.509B/*1.333A	----	1.360 - 1.317	.2583	----	----	----	----	8 UNCH
7500	2.100	2.100	2.100/*1.401A	2.593B/*1.401A	----	1.431 - 1.361	.2686	----	----	14	----	420 + 7
7525	----	----	----/*1.467A	2.741B/*1.467A	----	1.504 - 1.406	.2790	----	----	----	----	33 UNCH
7530	----	----	----/*1.492A	2.760B/*1.492A	----	1.519 - 1.415	.2811	----	----	----	----	7 UNCH
7535	----	----	----/*1.506A	2.789B/*1.506A	----	1.535 - 1.423	.2833	----	----	----	----	7 UNCH
7540	----	----	----/*1.522A	2.814B/*1.522A	----	1.550 - 1.433	.2854	----	----	----	----	7 UNCH
7545	----	----	----/*1.535A	2.831B/*1.535A	----	1.566 - 1.441	.2876	----	----	----	----	2 UNCH
7550	----	----	----/*1.553A	2.860B/*1.553A	----	1.581 - 1.451	.2897	----	----	----	----	17 UNCH
7555	----	----	----/*1.566A	2.890B/*1.566A	----	1.597 - 1.460	.2919	----	----	----	----	2 UNCH
7560	----	----	----/*1.582A	2.914B/*1.582A	----	1.613 - 1.469	.2940	----	----	----	----	2 UNCH
7565	----	----	----/*1.602A	2.925B/*1.602A	----	1.629 - 1.478	.2962	----	----	----	----	1 UNCH
7570	----	----	----/*1.617A	2.953B/*1.617A	----	1.645 - 1.488	.2984	----	----	----	----	3 UNCH
7575	2.130	2.130	2.130/*1.631A	2.954B/*1.631A	----	1.662 - 1.496	.3006	----	----	6	----	4 + 1
7580	----	----	----/*1.638A	3.004B/*1.638A	----	1.678 - 1.506	.3028	----	----	----	----	27 UNCH
7585	2.814	2.814	2.814/*1.663A	3.022B/*1.663A	----	1.695 - 1.514	.3050	----	----	1	----	7 + 1
7590	----	----	----/*1.679A	3.030B/*1.679A	----	1.712 - 1.523	.3072	----	----	----	----	2 UNCH
7595	----	----	----/*1.696A	3.049B/*1.696A	----	1.728 - 1.533	.3094	----	----	----	----	1 UNCH
7600	2.185	2.185	2.185/*1.705A	3.082B/*1.705A	----	1.745 - 1.543	.3116	----	----	7	----	52 UNCH
7605	2.835	2.835	2.835/*1.731A	3.108B/*1.731A	----	1.763 - 1.551	.3139	----	----	11	----	13 + 10
7610	----	----	----/*1.751A	3.127B/*1.751A	----	1.780 - 1.560	.3161	----	----	----	----	2 UNCH
7615	----	----	----/*1.764A	3.160B/*1.764A	----	1.797 - 1.570	.3184	----	----	----	----	2 UNCH
7620	3.018	3.018	3.018/*1.781A	3.188B/*1.781A	----	1.815 - 1.579	.3206	----	----	1	----	13 + 1
7625	----	----	----/*1.799A	3.201B/*1.799A	----	1.833 - 1.588	.3229	----	----	----	----	3 UNCH
7630	----	----	----/*1.816A	3.232B/*1.816A	----	1.850 - 1.598	.3251	----	----	----	----	1 UNCH
7635	----	----	----/*1.829A	3.270B/*1.829A	----	1.868 - 1.607	.3274	----	----	----	----	36 UNCH
7645	----	----	----/*1.872A	3.311B/*1.872A	----	1.905 - 1.625	.3320	----	----	----	----	2 UNCH
7650	1.850	1.850	1.850/*1.850	3.346B/*1.850	----	1.923 - 1.635	.3343	----	----	1	----	30 UNCH
7655	----	----	----/*1.907A	3.365B/*1.907A	----	1.941 - 1.645	.3366	----	----	----	----	23 UNCH
7660	----	----	----/*1.925A	3.395B/*1.925A	----	1.960 - 1.654	.3389	----	----	----	----	15 UNCH
7665	2.548	2.548	2.548/*1.945A	3.421B/*1.945A	----	1.979 - 1.663	.3412	----	----	4	----	5 + 1
7670	----	----	----/*1.967A	3.459B/*1.967A	----	1.998 - 1.672	.3435	----	----	----	----	4 UNCH
7675	1.987	1.987	1.987/*1.981A	3.475B/*1.981A	----	2.017 - 1.681	.3458	----	----	1	----	5 + 1
7680	----	----	----/*2.000A	3.504B/*2.000A	----	2.036 - 1.691	.3482	----	----	----	----	3 UNCH
7685	----	----	----/*2.019A	3.535B/*2.019A	----	2.055 - 1.700	.3505	----	----	----	----	15 UNCH
7690	3.275	3.275	3.275/*2.039A	3.564B/*2.039A	----	2.075 - 1.709	.3528	----	----	1	----	5 UNCH
7695	----	----	----/*2.058A	3.581B/*2.058A	----	2.094 - 1.719	.3551	----	----	----	----	3 UNCH
7700	2.769	2.769	2.769/*2.065A	3.615B/*2.065A	----	2.114 - 1.728	.3575	----	----	20	----	243 - 8
7705	3.355	3.355	3.355/*2.097A	3.649B/*2.097A	----	2.134 - 1.737	.3598	----	----	1	----	3 + 1
7710	----	----	----/*2.117A	3.673B/*2.117A	----	2.154 - 1.747	.3622	----	----	----	----	2 UNCH
7715	----	----	----/*2.137A	3.695B/*2.137A	----	2.174 - 1.756	.3646	----	----	----	----	2 UNCH
7720	----	----	----/*2.158A	3.730B/*2.158A	----	2.194 - 1.766	.3669	----	----	----	----	3 UNCH
7725	2.680	2.680	2.680/*2.178A	3.764B/*2.178A	----	2.214 - 1.776	.3693	----	----	4	----	4 + 2
7730	----	----	----/*2.198A	3.800B/*2.198A	----	2.235 - 1.785	.3716	----	----	----	----	1 UNCH
7735	----	----	----/*2.218A	3.817B/*2.218A	----	2.256 - 1.794	.3740	----	----	1	----	3 UNCH
7740	----	----	----/*2.239A	3.848B/*2.239A	----	2.276 - 1.804	.3764	----	----	----	----	1 UNCH
7745	----	----	----/*2.259A	3.877B/*2.259A	----	2.297 - 1.813	.3787	----	----	----	----	3 UNCH
7750	3.050	3.050	3.050/*2.268A	3.915B/*2.268A	----	2.318 - 1.823	.3811	----	----	16	----	67 + 6
7755	----	----	----/*2.302A	3.929B/*2.302A	----	2.340 - 1.831	.3835	----	----	----	----	11 UNCH
7760	----	----	----/*2.323A	3.961B/*2.323A	----	2.361 - 1.841	.3859	----	----	----	----	14 UNCH
7765	----	----	----/*2.344A	3.996B/*2.344A	----	2.382 - 1.851	.3883	----	----	----	----	10 UNCH
7770	----	----	----/*2.365A	4.034B/*2.365A	----	2.404 - 1.860	.3907	----	----	----	----	2 UNCH
7775	----	----	----/*2.386A	4.035B/*2.386A	----	2.426 - 1.869	.3931	----	----	----	----	1 UNCH
7780	----	----	----/*2.409A	4.043B/*2.409A	----	2.447 - 1.879	.3955	----	----	----	----	1 UNCH
7785	----	----	----/*2.431A	4.076B/*2.431A	----	2.469 - 1.889	.3979	----	----	----	----	1 UNCH
7790	----	----	----/*2.455A	4.108B/*2.455A	----	2.491 - 1.898	.4003	----	----	----	----	2 UNCH
7800	2.961	2.961	2.961/*2.487A	4.175B/*2.487A	----	2.536 - 1.916	.4051	----	----	7	----	26 + 1
7805	----	----	----/*2.519A	4.205B/*2.519A	----	2.559 - 1.925	.4075	----	----	----	----	1 UNCH
7810	----	----	----/*2.541A	4.237B/*2.541A	----	2.581 - 1.935	.4099	----	----	----	----	1 UNCH
7815	----	----	----/*2.563A	4.269B/*2.563A	----	2.604 - 1.944	.4123	----	----	----	----	1 UNCH
7820	----	----	----/*2.587A	4.302B/*2.587A	----	2.627 - 1.954	.4147	----	----	----	----	1 UNCH
7825	3.195	3.195	3.195/*2.609A	4.334B/*2.609A	----	2.650 - 1.963	.4172	----	----	1	----	2 + 1
7830	----	----	----/*2.633A	4.367B/*2.633A	----	2.673 - 1.973	.4196	----	----	2	----	12 + 1
7835	----	----	----/*2.656A	4.400B/*2.656A	----	2.696 - 1.982	.4220	----	----	----	----	1 UNCH
7840	----	----	----/*2.679A	4.433B/*2.679A	----	2.720 - 1.991	.4244	----	----	----	----	3 UNCH
7850	2.855	2.855	2.855/*2.718A	4.500B/*2.718A	----	2.767 - 2.010	.4292	----	----	2	----	49 + 2
7855	----	----	----/*2.750A	4.446B/*2.750A	----	2.790 - 2.020	.4317	----	----	----	----	3 UNCH
7860	----	----	----/*2.776A	4.474B/*2.776A	----	2.814 - 2.029	.4341	----	----	----	----	3 UNCH
7865	3.515	3.515	3.522/*2.800A	4.478B/*2.800A	----	2.838 - 2.039	.4365	----	----	11	----	13 + 10
7870	----	----	----/*2.822A	4.462B/*2.822A	----	2.863 - 2.047	.4389	----	----	----	----	3 UNCH
7875	----	----	----/*2.846A	4.473B/*2.846A	----	2.887 - 2.057	.4414	----	----	----	----	9 UNCH
7880	3.491	3.491	3.491/*2.870A	4.469B/*2.870A	----	2.911 - 2.067	.4438	----	----	1	----	4 UNCH
7885	----	----	----/*2.896A	4.487B/*2.896A	----	2.936 - 2.076	.4462	----	----	----	----	3 UNCH
7890	----	----	----/*2.937A	4.461B/*2.937A	----	2.960 - 2.086	.4486	----	----	----	----	3 UNCH
7895	----	----	----/*2.944A	4.317B/*2.944A	----	2.985 - 2.095	.4511	----	----	1	----	4 + 1
7900	2.977	2.977	2.977/2.963A	4.042B/2.963A	----	3.010 - 2.104	.4535	----	----	9	----	37 + 4
7905	----	----	----/*2.995A	4.073B/*2.995A	----	3.035 - 2.113	.4559	----	----	----	----	3 UNCH
7910	----	----	----/*3.021A	4.058B/*3.021A	----	3.060 - 2.123	.4583	----	----	----	----	3 UNCH
7915	----	----	----/*3.062A	4.091B/*3.062A	----	3.086 - 2.131	.4608	----	----	----	----	3 UNCH
7925	----	----	----/3.103A	4.119B/3.103A	----	3.137 - 2.150	.4656	----	----	2	----	1 UNCH
7930	3.192	3.192	3.192/*3.101	4.238B/*3.101	----	3.162 - 2.160	.4680	----	----	3	----	3 + 2
7935	----	----	----/*3.161A	4.133B/*3.161A	----	3.188 - 2.169	.4704	----	----	----	----	2 UNCH
7940	3.235	3.235	3.235/*3.193A	4.149B/*3.193A	----	3.214 - 2.178	.4729	----	----	2	----	5 + 2
7950	----	----	----/3.242A	4.349B/3.242A	----	3.267 - 2.196	.4777	----	----	1	----	24 UNCH
7955	----	----	----/*3.254A	4.246B/*3.254A	----	3.293 - 2.205	.4801	----	----	----	----	1 UNCH
7960	3.310	3.310	3.310/*3.310	4.221B/*3.310	----	3.319 NEW	.4825	----	----	1	----	1 + 1
7965	----	----	----/*3.327A	4.260B/*3.327A	----	3.346 - 2.223	.4849	----	----	----	----	6 UNCH
7970	4.013	4.013	4.013/*3.334A	4.279B/*3.334A	----	3.373 - 2.232	.4874	----	----	1	----	4 + 1
7975	----	----	----/3.361A	4.247B/3.361A	----	3.399 - 2.242	.4898	----	----	----	----	1 UNCH
7980	----	----	----/*3.411A	4.278B/*3.411A	----	3.426 - 2.251	.4922	----	----	----	----	1 UNCH
7985	----	----	----/*3.443A	4.280B/*3.443A	----	3.454 - 2.260	.4946	----	----	----	----	1 UNCH
7990	----	----	----/*3.470A	4.254B/*3.470A	----	3.481 - 2.269	.4970	----	----	----	----	2 UNCH
8000	4.200	4.200	4.373B/3.503A	4.373B/3.503A	----	3.536 - 2.287	.5018	----	----	15	----	475 + 1
8005	----	----	----/*3.551A	4.403B/*3.551A	----	3.563 - 2.296	.5042	----	----	----	----	2 UNCH
8010	----	----	----/*3.577A	4.436B/*3.577A	----	3.591 - 2.305	.5066	----	----	----	----	2 UNCH
8020	----	----	----/*3.633A	4.503B/*3.633A	----	3.647 - 2.323	.5114	----	----	----	----	1 UNCH
8025	----	----	----/3.659A	4.534B/3.659A	----	3.675 - 2.332	.5138	----	----	----	----	7 UNCH
8030	----	----	----/*3.688A	4.511B/*3.688A	----	3.703 - 2.341	.5161	----	----	----	----	1 UNCH
8035	----	----	----/*3.714A	4.545B/*3.714A	----	3.732 - 2.349	.5185	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8040	----	----	----/*3.742A	4.570B/*3.742A	----	3.760 - 2.359	.5209	----	----	----	----	1 UNCH
8050	----	----	----/3.799A	4.634B/3.799A	----	3.817 - 2.377	.5256	----	----	----	----	4 UNCH
8065	----	----	----/*3.883A	4.732B/*3.883A	----	3.904 - 2.403	.5327	----	----	----	----	1 UNCH
8070	----	----	----/*3.911A	4.669B/*3.911A	----	3.934 - 2.411	.5351	----	----	----	----	2 UNCH
8075	4.070	4.070	4.070/3.912	4.704B/3.912	----	3.963 - 2.420	.5375	----	----	2	----	4 UNCH
8080	----	----	----/*3.969A	4.738B/*3.969A	----	3.992 - 2.430	.5398	----	----	----	----	3 UNCH
8085	----	----	----/*3.997A	4.936B/*3.997A	----	4.022 - 2.438	.5422	----	----	----	----	7 UNCH
8090	----	----	----/*4.026A	4.968B/*4.026A	----	4.052 - 2.446	.5445	----	----	----	----	20 UNCH
8095	----	----	----/*4.057A	4.843B/*4.057A	----	4.082 - 2.455	.5469	----	----	----	----	2 UNCH
8100	----	----	----/4.072A	5.039B/4.072A	----	4.112 - 2.463	.5492	----	----	----	----	33 UNCH
8105	----	----	----/*4.114A	4.913B/*4.114A	----	4.142 - 2.472	.5515	----	----	----	----	1 UNCH
8110	----	----	----/*4.144A	4.948B/*4.144A	----	4.172 - 2.481	.5538	----	----	----	----	1 UNCH
8125	----	----	----/4.235A	5.055B/4.235A	----	4.263 - 2.507	.5608	----	----	----	----	1 UNCH
8150	----	----	----/4.395A	5.236B/4.395A	----	4.418 - 2.549	.5723	----	----	----	----	4 UNCH
8175	----	----	----/4.548A	5.410B/4.548A	----	4.576 - 2.590	.5836	----	----	----	----	2 UNCH
8195	----	----	----/*4.675A	5.547B/*4.675A	----	4.704 - 2.623	.5927	----	----	----	----	2 UNCH
8200	----	----	----/4.694A	5.754B/4.694A	----	4.737 - 2.630	.5949	----	----	----	----	37 UNCH
8205	----	----	----/*4.738A	5.635B/*4.738A	----	4.769 - 2.639	.5971	----	----	----	----	1 UNCH
8210	----	----	----/*4.769A	5.682B/*4.769A	----	4.802 - 2.646	.5993	----	----	----	----	1 UNCH
8215	----	----	----/*4.791A	5.719B/*4.791A	----	4.835 - 2.654	.6015	----	----	----	----	1 UNCH
8225	----	----	----/4.868A	5.795B/4.868A	----	4.900 - 2.671	.6060	----	----	----	----	5 UNCH
8230	----	----	----/*4.900A	5.835B/*4.900A	----	4.933 - 2.679	.6082	----	----	----	----	1 UNCH
8240	----	----	----/*4.983A	5.912B/*4.983A	----	5.000 - 2.694	.6126	----	----	----	----	2 UNCH
8250	----	----	----/5.025A	6.126B/5.025A	----	5.067 - 2.709	.6169	----	----	----	----	73 UNCH
8255	----	----	----/*5.065A	6.028B/*5.065A	----	5.101 - 2.717	.6191	----	----	----	----	3 UNCH
8265	----	----	----/*5.139A	6.105B/*5.139A	----	5.168 - 2.733	.6234	----	----	----	----	1 UNCH
8270	----	----	----/*5.165A	6.144B/*5.165A	----	5.202 - 2.740	.6255	----	----	----	----	1 UNCH
8275	----	----	----/5.198A	6.183B/5.198A	----	5.236 - 2.748	.6277	----	----	----	----	1 UNCH
8280	----	----	----/*5.278A	6.223B/*5.278A	----	5.270 - 2.756	.6298	----	----	----	----	3 UNCH
8285	----	----	----/*5.312A	6.262B/*5.312A	----	5.305 - 2.762	.6319	----	----	----	----	1 UNCH
8290	----	----	----/*5.347A	6.296B/*5.347A	----	5.339 - 2.770	.6340	----	----	----	----	2 UNCH
8295	----	----	----/*5.381A	6.341B/*5.381A	----	5.374 - 2.777	.6361	----	----	----	----	1 UNCH
8300	----	----	----/5.372A	6.518B/5.372A	----	5.408 - 2.785	.6383	----	----	----	----	62 UNCH
8305	----	----	----/*5.450A	6.402B/*5.450A	----	5.443 - 2.793	.6404	----	----	----	----	1 UNCH
8315	----	----	----/*5.515A	6.481B/*5.515A	----	5.513 - 2.807	.6445	----	----	----	----	1 UNCH
8320	----	----	----/*5.554A	6.521B/*5.554A	----	5.548 - 2.814	.6466	----	----	----	----	2 UNCH
8325	----	----	----/5.590A	6.562B/5.590A	----	5.583 - 2.822	.6486	----	----	----	----	1 UNCH
8330	----	----	----/*5.624A	6.602B/*5.624A	----	5.619 - 2.828	.6507	----	----	----	----	1 UNCH
8335	----	----	----/*5.655A	6.657B/*5.655A	----	5.654 - 2.836	.6528	----	----	----	----	1 UNCH
8340	----	----	----/*5.658A	6.828B/*5.658A	----	5.689 - 2.844	.6548	----	----	----	----	19 UNCH
8350	----	----	----/5.733A	6.907B/5.733A	----	5.761 - 2.857	.6589	----	----	----	----	19 UNCH
8355	----	----	----/*5.791A	6.806B/*5.791A	----	5.797 - 2.864	.6609	----	----	----	----	3 UNCH
8360	----	----	----/5.861A	6.880B/5.861A	----	5.833 - 2.871	.6629	----	----	----	----	4 UNCH
8375	----	----	----/5.960A	7.107B/5.960A	----	5.941 - 2.892	.6689	----	----	----	----	8 UNCH
8385	----	----	----/6.129A	7.068B/6.129A	----	6.014 - 2.906	.6728	----	----	----	----	1 UNCH
8395	----	----	----/6.204A	7.136B/6.204A	----	6.087 - 2.920	.6768	----	----	----	----	1 UNCH
8400	----	----	----/6.144A	7.312B/6.144A	----	6.124 - 2.926	.6787	----	----	3	----	27 - 2
8405	----	----	----/6.282A	7.219B/6.282A	----	6.161 - 2.933	.6806	----	----	----	----	2 UNCH
8410	----	----	----/6.320A	7.261B/6.320A	----	6.198 - 2.939	.6826	----	----	----	----	3 UNCH
8415	----	----	----/6.357A	7.303B/6.357A	----	6.235 - 2.946	.6845	----	----	----	----	3 UNCH
8420	----	----	----/6.395A	7.360B/6.395A	----	6.272 - 2.953	.6864	----	----	----	----	2 UNCH
8425	----	----	----/6.433A	7.402B/6.433A	----	6.309 - 2.959	.6884	----	----	----	----	5 UNCH
8430	----	----	----/6.472A	7.429B/6.472A	----	6.346 - 2.966	.6902	----	----	----	----	1 UNCH
8450	----	----	----/6.519A	7.724B/6.519A	----	6.497 - 2.991	.6978	----	----	----	----	30 UNCH
8460	----	----	----/6.700A	7.685B/6.700A	----	6.572 - 3.005	.7015	----	----	----	----	1 UNCH
8475	----	----	----/6.816A	7.812B/6.816A	----	6.687 - 3.023	.7069	----	----	----	----	5 UNCH
8480	----	----	----/6.855A	7.856B/6.855A	----	6.725 - 3.029	.7088	----	----	----	----	1 UNCH
8490	----	----	----/6.933A	7.941B/6.933A	----	6.802 - 3.041	.7124	----	----	----	----	1 UNCH
8495	----	----	----/6.972A	7.999B/6.972A	----	6.841 - 3.047	.7141	----	----	----	----	1 UNCH
8500	----	----	----/6.906A	8.181B/6.906A	----	6.879 - 3.053	.7160	----	----	2	20	351 - 21
8515	----	----	----/7.130A	8.174B/7.130A	----	6.996 - 3.071	.7212	----	----	----	----	1 UNCH
8535	----	----	----/7.289A	8.351B/7.289A	----	7.152 - 3.094	.7281	----	----	----	----	2 UNCH
8545	----	----	----/7.369A	8.439B/7.369A	----	7.231 - 3.106	.7315	----	----	----	----	1 UNCH
8550	----	----	----/7.410A	8.483B/7.410A	----	7.271 - 3.111	.7333	----	----	----	----	3 UNCH
8555	----	----	----/7.450A	8.526B/7.450A	----	7.310 - 3.117	.7349	----	----	----	----	1 UNCH
8560	----	----	----/7.490A	8.570B/7.490A	----	7.350 - 3.122	.7366	----	----	----	----	1 UNCH
8565	----	----	----/7.529A	8.614B/7.529A	----	7.390 - 3.128	.7382	----	----	----	----	1 UNCH
8570	----	----	----/7.569A	8.658B/7.569A	----	7.430 - 3.133	.7399	----	----	----	----	1 UNCH
8575	----	----	----/7.609A	8.703B/7.609A	----	7.470 - 3.139	.7415	----	----	----	----	3 UNCH
8580	----	----	----/7.649A	8.747B/7.649A	----	7.510 - 3.144	.7432	----	----	----	----	1 UNCH
8585	----	----	----/7.689A	8.791B/7.689A	----	7.550 - 3.150	.7448	----	----	----	----	1 UNCH
8590	----	----	----/7.729A	8.835B/7.729A	----	7.590 - 3.155	.7465	----	----	----	----	4 UNCH
8600	7.777	7.777	7.777/7.699A	9.069B/7.699A	----	7.671 - 3.165	.7497	----	----	1	----	83 UNCH
8605	----	----	----/7.849A	8.950B/7.849A	----	7.711 - 3.171	.7512	----	----	----	----	3 UNCH
8620	----	----	----/7.971A	9.102B/7.971A	----	7.833 - 3.186	.7559	----	----	----	----	1 UNCH
8630	----	----	----/8.052A	9.193B/8.052A	----	7.915 - 3.196	.7590	----	----	----	----	1 UNCH
8640	----	----	----/8.139A	9.283B/8.139A	----	7.997 - 3.206	.7621	----	----	----	----	2 UNCH
8645	----	----	----/8.174A	9.327B/8.174A	----	8.038 - 3.211	.7636	----	----	----	----	1 UNCH
8650	----	----	----/8.221A	9.372B/8.221A	----	8.079 - 3.216	.7652	----	----	----	----	5 UNCH
8655	----	----	----/8.256A	9.418B/8.256A	----	8.120 - 3.222	.7667	----	----	----	----	3 UNCH
8665	----	----	----/8.345A	9.508B/8.345A	----	8.203 - 3.231	.7697	----	----	----	----	1 UNCH
8670	----	----	----/8.387A	9.554B/8.387A	----	8.245 - 3.235	.7711	----	----	----	----	1 UNCH
8675	----	----	----/8.318A	9.677B/8.318A	----	8.286 - 3.241	.7726	----	----	----	----	9 UNCH
8685	----	----	----/8.512A	9.690B/8.512A	----	8.370 - 3.249	.7755	----	----	----	----	1 UNCH
8695	----	----	----/8.594A	9.763B/8.594A	----	8.453 - 3.259	.7784	----	----	----	----	1 UNCH
8700	----	----	----/8.528A	9.919B/8.528A	----	8.495 - 3.264	.7798	----	----	----	----	32 UNCH
8705	----	----	----/8.569A	9.949B/8.569A	----	8.537 - 3.268	.7812	----	----	----	----	10 UNCH
8725	----	----	----/8.847A	10.056B/8.847A	----	8.706 - 3.286	.7868	----	----	----	----	2 UNCH
8750	----	----	----/9.058A	10.286B/9.058A	----	8.918 - 3.308	.7935	----	----	----	----	1 UNCH
8775	----	----	----/9.167A	10.585B/9.167A	----	9.132 - 3.328	.8001	----	----	----	----	9 UNCH
8800	----	----	----/9.363A	10.850B/9.363A	----	9.347 - 3.349	.8064	----	----	----	----	219 UNCH
8825	----	----	----/9.701A	10.981B/9.701A	----	9.565 - 3.367	.8125	----	----	----	----	3 UNCH
8850	----	----	----/9.821A	11.276B/9.821A	----	9.783 - 3.386	.8184	----	----	----	----	13 UNCH
8875	----	----	----/10.040A	11.510B/10.040A	----	10.003 - 3.404	.8242	----	----	----	----	8 UNCH
8900	----	----	----/10.261A	11.743B/10.261A	----	10.224 - 3.421	.8297	----	----	----	----	8 UNCH
8925	----	----	----/10.484A	11.977B/10.484A	----	10.446 - 3.437	.8350	----	----	1	----	5 - 1
8950	----	----	----/10.753A	12.156B/10.753A	----	10.670 - 3.453	.8402	----	----	----	----	3 UNCH
8975	----	----	----/10.933A	13.476B/10.933A	----	10.894 - 3.469	.8453	----	----	----	----	9 UNCH
9000	----	----	----/11.129A	13.719B/11.129A	----	11.120 - 3.483	.8501	----	----	----	----	167 UNCH
9025	----	----	----/11.387A	13.756B/11.387A	----	11.347 - 3.497	.8547	----	----	----	----	11 UNCH
9050	----	----	----/11.652A	13.849B/11.652A	----	11.575 - 3.510	.8592	----	----	----	----	2 UNCH
9075	----	----	----/11.880A	13.348B/11.880A	----	11.803 - 3.523	.8635	----	----	----	----	4 UNCH
9100	----	----	----/12.107A	13.588B/12.107A	----	12.033 - 3.535	.8677	----	----	----	----	4 UNCH
9150	----	----	----/12.538A	14.108B/12.538A	----	12.495 - 3.558	.8756	----	----	----	----	7 UNCH
9175	----	----	----/12.771A	14.349B/12.771A	----	12.727 - 3.569	.8793	----	----	----	----	19 UNCH
9200	----	----	----/13.005A	14.591B/13.005A	----	12.959 - 3.580	.8829	----	----	----	----	7 UNCH
9225	----	----	----/13.239A	14.832B/13.239A	----	13.193 - 3.589	.8865	----	----	----	----	7 UNCH
9250	----	----	----/13.489A	15.035B/13.489A	----	13.427 - 3.599	.8898	----	----	----	----	2 UNCH
9275	----	----	----/13.721A	15.278B/13.721A	----	13.662 - 3.608	.8930	----	----	----	----	1 UNCH
9300	----	----	----/13.946A	15.561B/13.946A	----	13.897 - 3.617	.8962	----	----	1	----	6 UNCH
9375	----	----	----/14.651A	16.291B/14.651A	----	14.606 - 3.642	.9050	----	----	----	----	10 UNCH
9400	----	----	----/14.885A	16.535B/14.885A	----	14.844 - 3.649	.9077	----	----	1	----	6 UNCH
9450	----	----	----/15.369A	16.986B/15.369A	----	15.320 - 3.663	.9130	----	----	----	----	3 UNCH
9475	----	----	----/15.606A	17.231B/15.606A	----	15.559 - 3.669	.9155	----	----	----	----	4 UNCH
9500	----	----	----/15.771A	17.595B/15.771A	----	15.798 - 3.676	.9178	----	----	----	----	110 UNCH
9525	----	----	----/16.082A	17.722B/16.082A	----	16.038 - 3.681	.9202	----	----	----	----	1 UNCH
9550	----	----	----/16.320A	17.968B/16.320A	----	16.277 - 3.688	.9225	----	----	----	----	3 UNCH
9575	----	----	----/16.559A	18.251B/16.559A	----	16.518 - 3.693	.9246	----	----	----	----	1 UNCH
9600	----	----	----/16.761A	18.537B/16.761A	----	16.758 - 3.699	.9266	----	----	----	----	26 UNCH
9650	----	----	----/17.283A	18.988B/17.283A	----	17.241 - 3.709	.9307	----	----	----	----	11 UNCH
9675	----	----	----/17.519A	19.199B/17.519A	----	17.482 - 3.714	.9326	----	----	----	----	2 UNCH
9700	----	----	----/17.690A	19.562B/17.690A	----	17.724 - 3.719	.9344	----	----	----	----	182 UNCH
9725	----	----	----/18.001A	19.693B/18.001A	----	17.966 - 3.724	.9361	----	----	----	----	1 UNCH
9750	----	----	----/18.242A	19.940B/18.242A	----	18.209 - 3.728	.9379	----	----	----	----	3 UNCH
9775	----	----	----/18.484A	20.182B/18.484A	----	18.451 - 3.733	.9395	----	----	----	----	3 UNCH
9800	----	----	----/18.726A	20.467B/18.726A	----	18.694 - 3.737	.9412	----	----	----	----	7 UNCH
9825	----	----	----/18.968A	20.676B/18.968A	----	18.938 - 3.740	.9426	----	----	----	----	2 UNCH
9850	----	----	----/19.142A	21.043B/19.142A	----	19.181 - 3.745	.9442	----	----	----	----	179 UNCH
9900	----	----	----/19.697A	21.456B/19.697A	----	19.669 - 3.752	.9470	----	----	----	----	8 UNCH
10000	----	----	----/20.603A	22.528B/20.603A	----	20.647 - 3.766	.9521	----	----	----	----	133 UNCH
10050	----	----	----/21.160A	22.902B/21.160A	----	21.137 - 3.772	.9544	----	----	----	----	2 UNCH
10100	----	----	----/21.649A	23.406B/21.649A	----	21.628 - 3.778	.9566	----	----	----	----	2 UNCH
10225	----	----	----/22.920A	24.639B/22.920A	----	22.857 - 3.792	.9613	----	----	----	----	2 UNCH
10250	----	----	----/23.118A	24.887B/23.118A	----	23.104 - 3.794	.9622	----	----	----	----	4 UNCH
10300	----	----	----/23.629A	25.384B/23.629A	----	23.597 - 3.798	.9638	----	----	----	----	4 UNCH
10325	----	----	----/23.875A	25.643B/23.875A	----	23.844 - 3.800	.9645	----	----	----	----	1 UNCH
10350	----	----	----/24.121A	25.892B/24.121A	----	24.091 - 3.802	.9653	----	----	----	----	1 UNCH
10400	----	----	----/24.612A	26.379B/24.612A	----	24.585 - 3.806	.9667	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 61

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
10450	----	----	----/25.105A	26.876B/25.105A	----	25.079 - 3.810	.9680	----	----	----	----	2 UNCH
10475	----	----	----/25.352A	27.125B/25.352A	----	25.326 - 3.812	.9687	----	----	----	----	1 UNCH
10500	----	----	----/25.599A	27.412B/25.599A	----	25.574 - 3.814	.9693	----	----	----	----	10 UNCH
10505	----	----	----/25.649A	27.435B/25.649A	----	25.623 - 3.814	.9695	----	----	----	----	1 UNCH
10510	----	----	----/25.698A	27.485B/25.698A	----	25.673 - 3.814	.9695	----	----	----	----	1 UNCH
10545	----	----	----/26.044A	27.822B/26.044A	----	26.019 - 3.817	.9703	----	----	----	----	1 UNCH
10550	----	----	----/26.093A	27.909B/26.093A	----	26.069 - 3.817	.9705	----	----	----	----	22 UNCH
10585	----	----	----/26.438A	28.220B/26.438A	----	26.416 - 3.819	.9713	----	----	----	----	1 UNCH
10590	----	----	----/26.488A	28.282B/26.488A	----	26.465 - 3.820	.9713	----	----	----	----	1 UNCH
10595	----	----	----/26.537A	28.332B/26.537A	----	26.515 - 3.820	.9715	----	----	----	----	3 UNCH
10600	----	----	----/26.564A	28.369B/26.564A	----	26.564 - 3.820	.9715	----	----	----	----	5 UNCH
10670	----	----	----/27.279A	29.067B/27.279A	----	27.258 - 3.825	.9730	----	----	----	----	3 UNCH
10675	----	----	----/27.328A	29.117B/27.328A	----	27.308 - 3.824	.9731	----	----	----	----	1 UNCH
10700	----	----	----/27.575A	29.404B/27.575A	----	27.556 - 3.826	.9736	----	----	----	----	9 UNCH
10800	----	----	----/28.566A	30.376B/28.566A	----	28.549 - 3.830	.9754	----	----	----	----	1 UNCH
10820	----	----	----/28.764A	30.562B/28.764A	----	28.747 - 3.832	.9756	----	----	----	----	1 UNCH
10825	----	----	----/28.779A	30.612B/28.779A	----	28.797 - 3.832	.9758	----	----	----	----	1 UNCH
10835	----	----	----/28.889A	30.725B/28.889A	----	28.896 - 3.833	.9759	----	----	----	----	2 UNCH
10845	----	----	----/29.011A	30.825B/29.011A	----	28.996 - 3.832	.9761	----	----	----	----	1 UNCH
10875	----	----	----/29.285A	31.111B/29.285A	----	29.294 - 3.834	.9766	----	----	----	----	2 UNCH
10900	----	----	----/29.556A	31.374B/29.556A	----	29.542 - 3.835	.9769	----	----	----	----	1 UNCH
10950	----	----	----/30.051A	31.859B/30.051A	----	30.039 - 3.837	.9777	----	----	----	----	1 UNCH
10975	----	----	----/30.300A	32.108B/30.300A	----	30.288 - 3.838	.9780	----	----	----	----	3 UNCH
11000	----	----	----/30.469A	32.479B/30.469A	----	30.536 - 3.839	.9783	----	----	----	----	60 UNCH
11025	----	----	----/30.773A	32.607B/30.773A	----	30.785 - 3.840	.9787	----	----	----	----	1 UNCH
11075	----	----	----/31.292A	33.106B/31.292A	----	31.282 - 3.842	.9793	----	----	----	----	1 UNCH
11100	----	----	----/31.517A	33.370B/31.517A	----	31.531 - 3.842	.9795	----	----	----	----	1 UNCH
11125	----	----	----/31.765A	33.605B/31.765A	----	31.780 - 3.843	.9798	----	----	----	----	1 UNCH
11175	----	----	----/32.262A	34.119B/32.262A	----	32.278 - 3.844	.9805	----	----	----	----	1 UNCH
11200	----	----	----/32.501A	34.369B/32.501A	----	32.527 - 3.845	.9808	----	----	----	----	4 UNCH
11225	----	----	----/32.781A	34.618B/32.781A	----	32.775 - 3.846	.9811	----	----	----	----	3 UNCH
11250	----	----	----/33.029A	34.868B/33.029A	----	33.024 - 3.847	.9813	----	----	----	----	1 UNCH
11500	----	----	----/35.441A	37.470B/35.441A	----	35.515 - 3.852	.9835	----	----	----	----	78 UNCH
11550	----	----	----/36.009A	37.865B/36.009A	----	36.013 - 3.853	.9840	----	----	----	----	1 UNCH
11650	----	----	----/37.018A	38.847B/37.018A	----	37.010 - 3.854	.9847	----	----	----	----	1 UNCH
11800	----	----	----/38.513A	40.346B/38.513A	----	38.505 - 3.857	.9858	----	----	----	----	1 UNCH
11875	----	----	----/39.260A	41.095B/39.260A	----	39.253 - 3.858	.9863	----	----	----	----	1 UNCH
12250	----	----	----/42.996A	44.843B/42.996A	----	42.994 - 3.861	.9885	----	----	----	----	3 UNCH
12300	----	----	----/43.495A	45.360B/43.495A	----	43.493 - 3.861	.9887	----	----	----	----	1 UNCH
12500	----	----	----/45.489A	47.379B/45.489A	----	45.489 - 3.862	.9897	----	----	----	----	20 UNCH
12700	----	----	----/47.485A	49.340B/47.485A	----	47.485 - 3.864	.9906	----	----	----	----	1 UNCH
13000	----	----	----	----	----	50.480 - 3.865	.9918	----	----	----	----	0 UNCH
TOTAL										1459	20	19694 - 167
JUN26												
2100	----	----	----	----/0.010A	----	0.002 - 0.002	.0002	----	----	----	----	1 UNCH
2350	----	----	----	0.001B/*0.015A	----	0.005 - 0.006	.0005	----	----	----	----	2 UNCH
2500	----	----	----	0.003B/*0.017A	----	0.009 - 0.008	.0009	----	----	----	----	141 UNCH
2650	----	----	----	----/*0.028A	----	0.013 - 0.009	.0013	----	----	----	----	1 UNCH
3000	----	----	----	----/*0.040A	----	0.025 - 0.012	.0025	----	----	----	----	244 UNCH
3075	----	----	----	----/0.079A	----	0.028 - 0.013	.0028	----	----	----	----	4 UNCH
3100	----	----	----	----/0.080A	----	0.030 - 0.012	.0030	----	----	----	----	3 UNCH
3150	----	----	----	----/0.081A	----	0.032 - 0.013	.0032	----	----	1	----	9 + 1
3200	----	----	----	----/0.083A	----	0.035 - 0.013	.0035	----	----	----	----	4 UNCH
3325	----	----	----	----/*0.088A	----	0.042 - 0.014	.0042	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.089A	----	0.043 - 0.014	.0043	----	----	----	----	1 UNCH
3400	----	----	----	----/0.091A	----	0.046 - 0.015	.0046	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/*0.096A	----	0.052 - 0.015	.0052	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.098A	----	0.056 - 0.015	.0056	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/*0.100A	----	0.057 - 0.016	.0058	----	----	----	----	22 UNCH
3600	0.023	0.023	0.050B/*0.023	0.050B/*0.023	----	0.059 - 0.016	.0060	----	----	1	----	5 + 1
3650	----	----	----	0.001B/*0.104A	----	0.062 - 0.016	.0063	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/*0.106A	----	0.064 - 0.016	.0065	----	----	----	----	2 UNCH
3700	----	----	----	0.001B/*0.107A	----	0.066 - 0.016	.0067	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/*0.114A	----	0.072 - 0.018	.0074	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/*0.118A	----	0.076 - 0.018	.0079	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/*0.123A	----	0.079 - 0.019	.0083	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/*0.125A	----	0.080 - 0.020	.0084	----	----	----	----	3 UNCH
4000	----	----	----	0.039B/0.132A	----	0.085 - 0.021	.0090	----	----	----	----	54 UNCH
4075	----	----	----	0.001B/*0.137A	----	0.089 - 0.023	.0096	----	----	----	----	1 UNCH
4100	----	----	----	0.001B/*0.139A	----	0.091 - 0.023	.0098	----	----	----	----	2 UNCH
4125	----	----	----	0.001B/*0.141A	----	0.092 - 0.024	.0100	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/*0.143A	----	0.093 - 0.025	.0102	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.148A	----	0.096 - 0.026	.0106	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/*0.150A	----	0.097 - 0.027	.0107	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/*0.152A	----	0.098 - 0.028	.0109	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/*0.154A	----	0.100 - 0.029	.0112	----	----	----	----	13 UNCH
4300	----	----	----	0.003B/*0.156A	----	0.101 - 0.030	.0114	----	----	----	----	7 UNCH
4350	----	----	----	0.007B/*0.158A	----	0.103 - 0.033	.0117	----	----	----	----	2 UNCH
4375	----	----	----	0.009B/*0.155A	----	0.104 - 0.034	.0119	----	----	----	----	3 UNCH
4400	----	----	----	0.016B/*0.150A	----	0.106 - 0.034	.0122	----	----	----	----	8 UNCH
4425	----	----	----	0.013B/*0.156A	----	0.107 - 0.036	.0124	----	----	----	----	1 UNCH
4500	----	----	----/*0.130A	0.020B/*0.130A	----	0.111 - 0.040	.0130	----	----	----	----	167 UNCH
4550	----	----	----	0.008B/*0.176A	----	0.113 - 0.043	.0134	----	----	----	----	2 UNCH
4600	----	----	----	0.014B/*0.181A	----	0.116 - 0.046	.0139	----	----	----	----	7 UNCH
4625	----	----	----	0.016B/*0.184A	----	0.118 - 0.048	.0142	----	----	----	----	12 UNCH
4650	----	----	----	0.019B/*0.185A	----	0.119 - 0.050	.0145	----	----	----	----	1 UNCH
4700	----	----	----/*0.167A	0.027B/*0.167A	----	0.123 - 0.053	.0151	----	----	----	----	3 UNCH
4725	----	----	----	0.029B/*0.195A	----	0.124 - 0.056	.0153	----	----	----	----	10 UNCH
4750	----	----	----	0.033B/*0.198A	----	0.126 - 0.058	.0156	----	----	----	----	3 UNCH
4800	----	----	----	0.068B/*0.205A	----	0.130 - 0.062	.0163	----	----	1	----	24 UNCH
4850	----	----	----	0.048B/*0.212A	----	0.135 - 0.067	.0170	----	----	----	----	3 UNCH
4875	----	----	----	0.083B/*0.215A	----	0.138 - 0.068	.0174	----	----	----	----	15 UNCH
4900	----	----	----	0.089B/*0.218A	----	0.141 - 0.071	.0179	----	----	----	----	176 UNCH
4975	0.187	0.187	0.187/*0.186A	0.187/*0.186A	----	0.150 NEW	.0192	----	----	1	----	1 + 1
5000	0.170	0.170	0.170/*0.156	0.192B/*0.156	----	0.154 - 0.082	.0197	----	----	29	----	991 - 27
5025	----	----	----/*0.239A	0.082B/*0.239A	----	0.158 - 0.084	.0203	----	----	----	----	8 UNCH
5050	----	----	----/*0.244A	0.088B/*0.244A	----	0.162 - 0.088	.0209	----	----	----	----	3 UNCH
5075	----	----	----/*0.249A	0.125B/*0.249A	----	0.166 - 0.091	.0214	----	----	----	----	2 UNCH
5100	----	----	----/*0.252A	0.149B/*0.252A	----	0.171 - 0.094	.0221	----	----	----	----	29 UNCH
5125	----	----	----/*0.258A	0.105B/*0.258A	----	0.176 - 0.097	.0227	----	----	----	----	1 UNCH
5150	0.223	0.223	0.223/*0.223	0.223/*0.223	----	0.181 - 0.101	.0234	----	----	16	----	16 UNCH
5175	----	----	----/*0.268A	0.163B/*0.268A	----	0.186 - 0.105	.0241	----	----	----	----	12 UNCH
5200	----	----	----/*0.274A	0.180B/*0.274A	----	0.192 - 0.108	.0249	----	----	----	----	4 UNCH
5225	----	----	----/*0.281A	0.130B/*0.281A	----	0.198 - 0.112	.0257	----	----	----	----	1 UNCH
5250	----	----	----/*0.286A	0.185B/*0.286A	----	0.204 - 0.116	.0264	----	----	----	----	14 UNCH
5275	----	----	----/*0.288A	0.191B/*0.288A	----	0.211 - 0.120	.0273	----	----	----	----	24 UNCH
5300	----	----	----/*0.257A	0.208B/*0.257A	----	0.218 - 0.124	.0282	----	----	----	----	14 UNCH
5325	----	----	----/*0.301A	0.160B/*0.301A	----	0.225 - 0.128	.0291	----	----	----	----	10 UNCH
5350	----	----	----/*0.308A	0.213B/*0.308A	----	0.233 - 0.132	.0301	----	----	----	----	12 UNCH
5375	----	----	----/*0.315A	0.176B/*0.315A	----	0.241 - 0.136	.0311	----	----	----	----	10 UNCH
5400	----	----	----/*0.322A	0.243B/*0.322A	----	0.249 - 0.141	.0321	----	----	----	----	13 UNCH
5425	----	----	----/*0.329A	0.192B/*0.329A	----	0.258 - 0.145	.0333	----	----	----	----	4 UNCH
5450	----	----	----/*0.337A	0.201B/*0.337A	----	0.267 - 0.149	.0344	----	----	----	----	2 UNCH
5475	----	----	----/*0.345A	0.257B/*0.345A	----	0.276 - 0.154	.0355	----	----	----	----	13 UNCH
5500	0.295	0.295	0.295/*0.198	0.295/*0.198	----	0.286 - 0.158	.0367	----	----	18	----	398 - 10
5525	----	----	----/*0.362A	0.278B/*0.362A	----	0.296 - 0.163	.0379	----	----	----	----	16 UNCH
5550	----	----	----/*0.340A	0.301B/*0.340A	----	0.306 - 0.168	.0392	----	----	----	----	10 UNCH
5575	----	----	----/*0.352A	0.290B/*0.352A	----	0.317 NEW	.0405	----	----	2	----	2 + 2
5600	----	----	----/*0.356A	0.330B/*0.356A	----	0.328 - 0.177	.0418	----	----	----	----	21 UNCH
5625	----	----	----/*0.368A	0.336B/*0.368A	----	0.339 - 0.182	.0432	----	----	----	----	2 UNCH
5650	----	----	----/*0.382A	0.341B/*0.382A	----	0.351 - 0.187	.0446	----	----	----	----	51 UNCH
5675	----	----	----/*0.390A	0.367B/*0.390A	----	0.363 - 0.192	.0461	----	----	----	----	21 UNCH
5700	----	----	----/*0.398A	0.385B/*0.398A	----	0.376 - 0.196	.0476	----	----	----	----	249 UNCH
5725	0.384	0.384	0.384/*0.384	0.393B/*0.384	----	0.389 NEW	.0492	----	----	2	----	2 + 2
5750	----	----	----/*0.418A	0.399B/*0.418A	----	0.402 - 0.206	.0507	----	----	----	----	227 UNCH
5775	----	----	----/*0.426A	0.422B/*0.426A	----	0.416 - 0.211	.0524	----	----	----	----	9 UNCH
5800	0.456	0.456	0.456/*0.440A	0.525B/*0.440A	----	0.430 - 0.217	.0541	----	----	6	----	95 + 6
5825	----	----	----/*0.446A	0.579B/*0.446A	----	0.445 - 0.221	.0558	----	----	----	----	9 UNCH
5850	----	----	----/*0.452A	0.607B/*0.452A	----	0.460 - 0.227	.0576	----	----	----	----	16 UNCH
5875	----	----	----/*0.465A	0.630B/*0.465A	----	0.475 - 0.233	.0594	----	----	----	----	12 UNCH
5900	----	----	----/*0.480A	0.650B/*0.480A	----	0.491 - 0.239	.0612	----	----	5	----	49 - 1
5925	----	----	----/*0.496A	0.673B/*0.496A	----	0.508 - 0.244	.0632	----	----	----	----	21 UNCH
5950	----	----	----/*0.512A	0.698B/*0.512A	----	0.525 - 0.250	.0652	----	----	----	----	16 UNCH
5975	----	----	----/*0.529A	0.725B/*0.529A	----	0.543 - 0.255	.0672	----	----	----	----	1 UNCH
6000	0.540	0.540	0.566/*0.515	0.748B/*0.515	----	0.561 - 0.262	.0693	----	----	67	----	758 - 4
6025	----	----	----/*0.565A	0.772B/*0.565A	----	0.580 - 0.268	.0714	----	----	----	----	31 UNCH
6050	----	----	----/*0.582A	0.799B/*0.582A	----	0.599 - 0.275	.0736	----	----	----	----	144 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
6075	----	----	----/*0.601A	0.825B/*0.601A	----	0.619 - 0.282	.0759	----	----	----	----	31 UNCH
6100	0.900	0.900	0.900/*0.620A	0.900/*0.620A	----	0.640 - 0.288	.0782	----	----	13	----	76 - 1
6125	----	----	----/*0.640A	0.887B/*0.640A	----	0.661 - 0.296	.0806	----	----	1	----	2 - 1
6150	----	----	----/*0.661A	0.919B/*0.661A	----	0.683 - 0.303	.0830	----	----	8	----	13 + 6
6175	----	----	----/*0.689A	0.944B/*0.689A	----	0.706 - 0.311	.0856	----	----	1	----	291 UNCH
6200	----	----	----/*0.713A	0.981B/*0.713A	----	0.729 - 0.319	.0881	----	----	11	----	160 + 4
6225	----	----	----/*0.742A	1.012B/*0.742A	----	0.753 - 0.328	.0908	----	----	----	----	2 UNCH
6250	----	----	----/*0.758A	1.046B/*0.758A	----	0.778 - 0.336	.0935	----	----	7	----	93 UNCH
6275	----	----	----/*0.783A	1.083B/*0.783A	----	0.803 - 0.346	.0962	----	----	1	----	3 UNCH
6300	0.795	0.795	0.825/*0.795	1.122B/*0.795	----	0.830 - 0.355	.0991	----	----	10	----	132 + 6
6325	----	----	----/*0.832A	1.154B/*0.832A	----	0.857 - 0.365	.1020	----	----	----	----	6 UNCH
6350	----	----	----/*0.864A	1.197B/*0.864A	----	0.885 - 0.376	.1050	----	----	----	----	30 UNCH
6375	----	----	----/*0.881A	1.235B/*0.881A	----	0.914 - 0.387	.1080	----	----	----	----	102 UNCH
6400	0.900	0.900	0.900/*0.900	1.279B/*0.900	----	0.944 - 0.398	.1112	----	----	6	----	90 + 2
6425	----	----	----/*0.939A	1.321B/*0.939A	----	0.974 - 0.411	.1144	----	----	----	----	44 UNCH
6450	----	----	----/*0.970A	1.366B/*0.970A	----	1.006 - 0.423	.1177	----	----	----	----	19 UNCH
6475	----	----	----/*1.003A	1.414B/*1.003A	----	1.039 - 0.435	.1210	----	----	----	----	121 UNCH
6500	1.490	1.490	1.490/*1.036A	1.510B/*1.036A	----	1.072 - 0.449	.1244	----	----	30	----	308 + 1
6525	----	----	----/*1.071A	1.508B/*1.071A	----	1.107 - 0.462	.1280	----	----	1	----	36 + 1
6550	----	----	----/*1.106A	1.557B/*1.106A	----	1.143 - 0.476	.1316	----	----	----	----	28 UNCH
6575	----	----	----/*1.141A	1.609B/*1.141A	----	1.179 - 0.492	.1352	----	----	1	----	3 + 1
6600	----	----	----/*1.180A	1.659B/*1.180A	----	1.217 - 0.507	.1390	----	----	11	----	139 - 2
6625	----	----	----/*1.218A	1.716B/*1.218A	----	1.256 - 0.522	.1428	----	----	----	----	10 UNCH
6650	----	----	----/*1.255A	1.771B/*1.255A	----	1.297 - 0.538	.1468	----	----	----	----	11 UNCH
6675	----	----	----/*1.301A	1.828B/*1.301A	----	1.338 - 0.555	.1508	----	----	----	----	12 UNCH
6700	----	----	----/*1.344A	1.884B/*1.344A	----	1.380 - 0.572	.1549	----	----	6	----	93 + 4
6725	----	----	----/*1.384A	1.948B/*1.384A	----	1.424 - 0.590	.1591	----	----	----	----	30 UNCH
6750	----	----	----/*1.430A	2.011B/*1.430A	----	1.469 - 0.608	.1633	----	----	----	----	22 UNCH
6775	----	----	----/*1.478A	2.075B/*1.478A	----	1.516 - 0.625	.1677	----	----	----	----	2 UNCH
6800	1.780	1.780	1.780/1.523A	2.141B/1.523A	----	1.564 - 0.644	.1721	----	----	44	----	62 + 40
6825	----	----	----/*1.576A	2.207B/*1.576A	----	1.613 - 0.663	.1766	----	----	----	----	2 UNCH
6850	----	----	----/*1.624A	2.274B/*1.624A	----	1.663 - 0.684	.1812	----	----	----	----	16 UNCH
6875	----	----	----/*1.676A	2.346B/*1.676A	----	1.715 - 0.704	.1859	----	----	----	----	2 UNCH
6900	----	----	----/*1.728A	2.421B/*1.728A	----	1.769 - 0.724	.1907	----	----	3	----	91 UNCH
6925	----	----	----/1.783A	2.492B/1.783A	----	1.824 - 0.744	.1955	----	----	1	----	10 + 1
6950	----	----	----/*1.847A	2.569B/*1.847A	----	1.880 - 0.766	.2004	----	----	----	----	5 UNCH
6975	----	----	----/*1.902A	2.646B/*1.902A	----	1.938 - 0.788	.2055	----	----	----	----	9 UNCH
7000	2.340	2.340	2.340/1.921	2.727B/1.921	----	1.998 - 0.809	.2106	----	----	13	----	560 - 5
7025	2.086	2.086	2.093/*2.028A	2.806B/*2.028A	----	2.059 - 0.832	.2158	----	----	3	----	8 + 3
7050	----	----	----/*2.091A	2.894B/*2.091A	----	2.122 - 0.854	.2210	----	----	----	----	15 UNCH
7075	----	----	----/*2.155A	2.977B/*2.155A	----	2.186 - 0.878	.2263	----	----	----	----	41 UNCH
7100	2.539	2.539	2.549/*2.225A	3.063B/2.225A	----	2.253 - 0.900	.2318	----	----	2	----	19 UNCH
7125	2.359	2.359	2.366/*2.294A	3.157B/2.294A	----	2.321 - 0.924	.2373	----	----	2	----	5 + 2
7150	2.439	2.439	2.439/*2.363A	3.248B/2.363A	----	2.390 - 0.948	.2428	----	----	1	----	28 UNCH
7175	----	----	----/2.435A	3.342B/2.435A	----	2.462 - 0.971	.2485	----	----	----	----	37 UNCH
7200	2.862	2.862	2.870/2.501A	3.438B/2.501A	----	2.535 - 0.996	.2542	----	----	24	----	304 + 4
7225	----	----	----/2.596A	3.536B/2.596A	----	2.610 - 1.020	.2600	----	----	----	----	6 UNCH
7250	----	----	----/2.669A	3.628B/2.669A	----	2.688 - 1.043	.2659	----	----	----	----	13 UNCH
7275	----	----	----/2.752A	3.709B/2.752A	----	2.767 - 1.068	.2718	----	----	----	----	3 UNCH
7300	3.080	3.080	3.080/2.811A	3.816B/2.811A	----	2.848 - 1.092	.2778	----	----	11	----	77 - 3
7325	----	----	----/2.914A	3.955B/2.914A	----	2.930 - 1.118	.2838	----	----	----	----	1 UNCH
7350	----	----	----/3.001A	4.043B/3.001A	----	3.015 - 1.142	.2899	----	----	----	----	3 UNCH
7375	----	----	----/3.084A	4.152B/3.084A	----	3.102 - 1.167	.2961	----	----	----	----	2 UNCH
7400	----	----	----/3.168A	4.260B/3.168A	----	3.191 - 1.191	.3023	----	----	2	----	49 UNCH
7425	----	----	----/3.263A	4.375B/3.263A	----	3.282 - 1.216	.3086	----	----	----	----	2 UNCH
7450	----	----	----/3.334A	4.500B/3.334A	----	3.375 - 1.240	.3149	----	----	----	----	52 UNCH
7475	----	----	----/3.449A	4.600B/3.449A	----	3.470 - 1.265	.3213	----	----	----	----	4 UNCH
7500	4.000	4.000	4.000/3.523A	4.722B/3.523A	----	3.567 - 1.289	.3277	----	----	55	----	400 + 53
7525	----	----	----/3.643A	4.866B/3.643A	----	3.666 - 1.314	.3341	----	----	----	----	3 UNCH
7550	----	----	----/3.742A	4.980B/3.742A	----	3.767 - 1.339	.3406	----	----	----	----	7 UNCH
7575	3.929	3.929	3.929/3.846A	5.124B/3.846A	----	3.870 - 1.364	.3471	----	----	1	----	5 UNCH
7600	5.216	5.216	5.216/3.925A	5.253B/3.925A	----	3.975 - 1.389	.3537	----	----	4	----	80 + 2
7625	----	----	----/4.056A	5.359B/4.056A	----	4.083 - 1.413	.3602	----	----	----	----	2 UNCH
7650	5.314	5.314	5.314/4.169A	5.475B/4.169A	----	4.192 - 1.438	.3668	----	----	1	----	5 + 1
7675	----	----	----/4.274A	5.480B/4.274A	----	4.303 - 1.463	.3734	----	----	----	----	2 UNCH
7700	4.373	4.373	4.373/4.373	5.716B/4.373	----	4.417 - 1.487	.3801	----	----	4	----	18 - 3
7725	----	----	----/4.508A	5.744B/4.508A	----	4.532 - 1.512	.3867	----	----	----	----	1 UNCH
7750	----	----	----/4.603A	5.887B/4.603A	----	4.649 - 1.538	.3933	----	----	1	----	2 UNCH
7775	----	----	----/4.723A	6.066B/4.723A	----	4.768 - 1.563	.4000	----	----	----	----	27 UNCH
7800	----	----	----/4.845A	6.223B/4.845A	----	4.890 - 1.587	.4067	----	----	1	----	8 UNCH
7825	6.280	6.280	6.280/4.968A	6.334B/4.968A	----	5.013 NEW	.4133	----	----	1	----	1 + 1
7850	6.428	6.428	6.428/5.093A	6.486B/5.093A	----	5.138 - 1.639	.4200	----	----	2	----	10 + 2
7875	----	----	----/5.221A	6.644B/5.221A	----	5.265 - 1.664	.4267	----	----	----	----	19 UNCH
7900	5.479	5.479	5.479/5.334A	6.846B/5.334A	----	5.394 - 1.690	.4333	----	----	1	----	115 + 1
7925	----	----	----/5.482A	6.955B/5.482A	----	5.525 - 1.716	.4400	----	----	----	----	10 UNCH
7950	6.679	6.679	6.679/5.614A	7.183B/5.614A	----	5.658 - 1.741	.4466	----	----	1	----	21 UNCH
8000	----	----	----/5.870A	7.557B/5.870A	----	5.930 - 1.792	.4598	----	----	7	20	150 + 3
8025	----	----	----/6.028A	7.618B/6.028A	----	6.068 - 1.819	.4664	----	----	----	----	1 UNCH
8050	6.306	6.306	6.306/6.170A	7.786B/6.170A	----	6.208 - 1.845	.4729	----	----	1	----	2 + 1
8075	----	----	----/6.313A	7.957B/6.313A	----	6.351 - 1.871	.4794	----	----	----	----	1 UNCH
8100	----	----	----/6.461A	8.133B/6.461A	----	6.495 - 1.897	.4859	----	----	----	----	2 UNCH
8125	----	----	----/6.608A	8.308B/6.608A	----	6.640 - 1.924	.4924	----	----	----	----	2 UNCH
8150	----	----	----/6.757A	8.316B/6.757A	----	6.788 - 1.949	.4988	----	----	----	----	4 UNCH
8175	8.137	8.137	8.137/6.904A	8.361B/6.904A	----	6.937 - 1.976	.5052	----	----	1	----	43 + 1
8200	8.308	8.308	8.308/7.062A	8.308/7.062A	----	7.088 - 2.002	.5116	----	----	1	----	13 - 1
8225	8.480	8.480	8.480/7.216A	8.480/7.216A	----	7.241 - 2.028	.5179	----	----	1	----	6 UNCH
8250	8.658	8.658	8.658/7.372A	8.658/7.372A	----	7.396 - 2.053	.5242	----	----	1	----	16 + 1
8275	8.834	8.834	8.834/7.532A	8.834/7.532A	----	7.552 - 2.079	.5305	----	----	1	----	23 UNCH
8300	----	----	----/7.693A	9.012B/7.693A	----	7.710 - 2.105	.5367	----	----	1	----	7 + 1
8350	9.371	9.371	9.371/8.018A	9.371/8.018A	----	8.031 - 2.156	.5489	----	----	1	----	18 + 1
8400	----	----	----/8.349A	9.631B/8.349A	----	8.358 - 2.207	.5610	----	----	----	----	3 UNCH
8425	----	----	----/8.491A	9.817B/8.491A	----	8.525 - 2.231	.5669	----	----	----	----	63 UNCH
8450	----	----	----/8.687A	10.004B/8.687A	----	8.692 - 2.257	.5728	----	----	----	----	18 UNCH
8475	----	----	----/8.855A	10.147B/8.855A	----	8.862 - 2.281	.5787	----	----	----	----	2 UNCH
8500	----	----	----/8.994A	10.337B/8.994A	----	9.032 - 2.306	.5845	----	----	----	----	62 UNCH
8525	----	----	----/9.196A	10.528B/9.196A	----	9.205 - 2.330	.5902	----	----	----	----	1 UNCH
8550	----	----	----/9.369A	10.721B/9.369A	----	9.378 - 2.355	.5959	----	----	----	----	1 UNCH
8575	----	----	----/9.544A	10.915B/9.544A	----	9.554 - 2.378	.6016	----	----	----	----	1 UNCH
8600	----	----	----/9.735A	11.111B/9.735A	----	9.730 - 2.402	.6071	----	----	----	----	5 UNCH
8625	----	----	----/9.912A	11.308B/9.912A	----	9.908 - 2.426	.6126	----	----	----	----	11 UNCH
8675	----	----	----/10.272A	11.073B/10.272A	----	10.269 - 2.471	.6235	----	----	----	----	2 UNCH
8700	----	----	----/10.453A	11.401B/10.453A	----	10.451 - 2.494	.6288	----	----	----	----	14 UNCH
8750	----	----	----/10.806A	11.795B/10.806A	----	10.819 - 2.539	.6393	----	----	----	----	26 UNCH
8775	----	----	----/11.005A	11.848B/11.005A	----	11.005 - 2.561	.6444	----	----	----	----	1 UNCH
8800	----	----	----/11.192A	12.090B/11.192A	----	11.193 - 2.582	.6495	----	----	1	----	14 UNCH
8825	----	----	----/11.421A	12.288B/11.421A	----	11.382 - 2.604	.6545	----	----	----	----	15 UNCH
8850	----	----	----/11.554A	12.492B/11.554A	----	11.572 - 2.625	.6595	----	----	----	----	6 UNCH
8925	----	----	----/12.200A	13.067B/12.200A	----	12.148 - 2.687	.6740	----	----	----	----	4 UNCH
8975	----	----	----/12.596A	13.486B/12.596A	----	12.539 - 2.726	.6834	----	----	----	----	2 UNCH
9000	----	----	----/12.777A	13.844B/12.777A	----	12.736 - 2.745	.6880	----	----	1	----	94 + 1
9050	----	----	----/13.234A	14.122B/13.234A	----	13.132 - 2.784	.6969	----	----	----	----	3 UNCH
9075	----	----	----/13.437A	14.397B/13.437A	----	13.332 - 2.802	.7013	----	----	----	----	2 UNCH
9100	----	----	----/13.607A	14.675B/13.607A	----	13.533 - 2.820	.7057	----	----	----	----	6 UNCH
9125	----	----	----/13.848A	14.765B/13.848A	----	13.735 - 2.838	.7100	----	----	----	----	1 UNCH
9150	----	----	----/14.055A	15.004B/14.055A	----	13.938 - 2.856	.7142	----	----	----	----	1 UNCH
9175	----	----	----/14.263A	15.194B/14.263A	----	14.142 - 2.873	.7183	----	----	----	----	1 UNCH
9200	----	----	----/14.406A	15.572B/14.406A	----	14.347 - 2.890	.7224	----	----	----	----	80 UNCH
9325	----	----	----/15.562A	16.509B/15.562A	----	15.385 - 2.969	.7420	----	----	----	----	1 UNCH
9450	----	----	----/16.536A	17.721B/16.536A	----	16.444 - 3.042	.7601	----	----	----	----	6 UNCH
9500	----	----	----/16.948A	18.234B/16.948A	----	16.873 - 3.068	.7670	----	----	----	----	138 UNCH
9525	----	----	----/17.271A	18.386B/17.271A	----	17.088 - 3.082	.7703	----	----	----	----	1 UNCH
9550	----	----	----/17.489A	18.522B/17.489A	----	17.304 - 3.095	.7736	----	----	----	----	1 UNCH
9575	----	----	----/17.706A	18.839B/17.706A	----	17.521 - 3.107	.7768	----	----	----	----	2 UNCH
9725	----	----	----/19.026A	20.208B/19.026A	----	18.836 - 3.176	.7952	----	----	----	----	1 UNCH
9825	----	----	----/19.916A	21.130B/19.916A	----	19.724 - 3.218	.8066	----	----	----	----	1 UNCH
9850	----	----	----/20.140A	21.358B/20.140A	----	19.947 - 3.229	.8093	----	----	----	----	1 UNCH
9900	----	----	----/20.506A	21.814B/20.506A	----	20.396 - 3.247	.8146	----	----	----	----	17 UNCH
9925	----	----	----/20.813A	22.057B/20.813A	----	20.621 - 3.257	.8172	----	----	----	----	1 UNCH
9950	----	----	----/21.038A	22.291B/21.038A	----	20.846 - 3.266	.8197	----	----	----	----	1 UNCH
10000	----	----	----/21.372A	22.822B/21.372A	----	21.298 - 3.284	.8247	----	----	----	----	97 UNCH
10025	----	----	----/21.714A	22.974B/21.714A	----	21.525 - 3.293	.8271	----	----	----	----	2 UNCH
10075	----	----	----/22.167A	23.468B/22.167A	----	21.980 - 3.310	.8318	----	----	----	----	1 UNCH
10100	----	----	----/22.322A	23.682B/22.322A	----	22.208 - 3.318	.8341	----	----	----	----	6 UNCH
10125	----	----	----/22.622A	23.918B/22.622A	----	22.437 - 3.326	.8364	----	----	----	----	1 UNCH
10150	----	----	----/22.780A	24.162B/22.780A	----	22.665 - 3.335	.8386	----	----	----	----	8 UNCH
10175	----	----	----/23.078A	24.391B/23.078A	----	22.895 - 3.342	.8408	----	----	----	----	2 UNCH
10200	23.390	23.390	23.660/23.188A	24.712B/23.188A	----	23.124 - 3.350	.8430	----	----	8	----	120 + 5
10225	----	----	----/23.536A	24.845B/23.536A	----	23.355 - 3.357	.8451	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
10325	----	----	----/24.457A	25.797B/24.457A	----	24.278 - 3.387	.8533	----	----	----	----	1 UNCH
10350	----	----	----/24.688A	26.035B/24.688A	----	24.510 - 3.394	.8552	----	----	----	----	1 UNCH
10375	----	----	----/24.919A	26.274B/24.919A	----	24.743 - 3.400	.8572	----	----	----	----	1 UNCH
10400	----	----	----/25.151A	26.512B/25.151A	----	24.975 - 3.407	.8591	----	----	----	----	1 UNCH
10500	----	----	----/26.030A	27.499B/26.030A	----	25.908 - 3.433	.8663	----	----	----	----	9 UNCH
10600	----	----	----/27.000A	29.710B/27.000A	----	26.846 - 3.457	.8732	----	----	----	----	5 UNCH
10825	----	----	----/29.091A	30.604B/29.091A	----	28.972 - 3.506	.8869	----	----	----	----	6 UNCH
10850	----	----	----/29.365A	30.846B/29.365A	----	29.209 - 3.511	.8884	----	----	----	----	4 UNCH
10875	----	----	----/29.576A	31.087B/29.576A	----	29.447 - 3.516	.8897	----	----	----	----	2 UNCH
10950	----	----	----/30.285A	31.817B/30.285A	----	30.161 - 3.530	.8938	----	----	----	----	3 UNCH
11000	----	----	----/30.790A	32.303B/30.790A	----	30.638 - 3.540	.8963	----	----	----	----	3 UNCH
11325	----	----	----/33.861A	35.452B/33.861A	----	33.757 - 3.593	.9113	----	----	----	----	1 UNCH
11500	----	----	----/35.539A	37.211B/35.539A	----	35.448 - 3.617	.9181	----	----	----	----	10 UNCH
11525	----	----	----/35.775A	37.454B/35.775A	----	35.690 - 3.621	.9190	----	----	----	----	1 UNCH
11675	----	----	----/37.231A	38.908B/37.231A	----	37.145 - 3.640	.9242	----	----	----	----	1 UNCH
11700	----	----	----/37.510A	39.173B/37.510A	----	37.388 - 3.642	.9250	----	----	----	----	1 UNCH
12000	----	----	----/40.296A	42.200B/40.296A	----	40.311 - 3.676	.9340	----	----	----	----	50 UNCH
12025	----	----	----/40.607A	42.375B/40.607A	----	40.556 - 3.678	.9346	----	----	----	----	1 UNCH
13000	----	----	----/50.180A	52.038B/50.180A	----	50.136 - 3.756	.9547	----	----	----	----	5 UNCH
TOTAL										459	20	9829 + 104
JUL26												
2000	----	----	----	0.014B/0.028A	----	0.018 - 0.006	.0013	----	----	----	----	6 UNCH
2400	----	----	----	----/0.197A	----	0.029 - 0.005	.0023	----	----	----	----	10 UNCH
2650	----	----	----	----/0.108A	----	0.037 - 0.003	.0030	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.124A	----	0.051 - 0.002	.0044	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.126A	----	0.052 - 0.002	.0045	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.149A	----	0.067 - 0.011	.0061	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.153A	----	0.070 - 0.013	.0064	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.158A	----	0.074 - 0.017	.0068	----	----	----	----	5 UNCH
3500	----	----	----	0.048B/0.159A	----	0.075 - 0.019	.0070	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/*0.165A	----	0.082 - 0.025	.0077	----	----	----	----	12 UNCH
3700	----	----	----/*0.095A	0.001B/*0.095A	----	0.090 - 0.031	.0086	----	----	----	----	92 UNCH
3800	----	----	----	0.013B/0.176A	----	0.098 - 0.040	.0094	----	----	----	----	25 UNCH
3825	----	----	----	0.014B/*0.177A	----	0.100 - 0.042	.0096	----	----	----	----	8 UNCH
3850	----	----	----	0.017B/*0.181A	----	0.103 - 0.043	.0099	----	----	----	----	3 UNCH
3900	----	----	----	0.022B/*0.186A	----	0.108 - 0.047	.0105	----	----	----	----	11 UNCH
3950	----	----	----	0.028B/*0.191A	----	0.114 - 0.051	.0111	----	----	----	----	1 UNCH
4000	----	----	----	0.042B/0.197A	----	0.120 - 0.055	.0117	----	----	----	----	70 UNCH
4075	----	----	----	0.046B/*0.207A	----	0.129 - 0.061	.0127	----	----	----	----	16 UNCH
4100	----	----	----	0.049B/*0.210A	----	0.133 - 0.062	.0131	----	----	----	----	6 UNCH
4175	----	----	----	0.061B/*0.222A	----	0.144 - 0.067	.0142	----	----	----	----	9 UNCH
4200	----	----	----	0.065B/*0.226A	----	0.149 - 0.067	.0147	----	----	----	----	27 UNCH
4225	----	----	----	0.069B/*0.230A	----	0.153 - 0.068	.0151	----	----	----	----	1 UNCH
4250	----	----	----	0.074B/*0.233A	----	0.157 - 0.070	.0155	----	----	----	----	21 UNCH
4300	----	----	----	0.140B/*0.241A	----	0.167 - 0.072	.0165	----	----	----	----	96 UNCH
4325	----	----	----	0.088B/*0.246A	----	0.171 - 0.074	.0169	----	----	----	----	17 UNCH
4375	----	----	----/*0.254A	0.097B/*0.254A	----	0.182 - 0.075	.0180	----	----	----	----	32 UNCH
4400	----	----	----/*0.259A	0.103B/*0.259A	----	0.187 - 0.076	.0185	----	----	1	----	29 UNCH
4450	----	----	----/*0.269A	0.115B/*0.269A	----	0.198 - 0.078	.0196	----	----	----	----	4 UNCH
4475	----	----	----/*0.274A	0.121B/*0.274A	----	0.204 - 0.079	.0202	----	----	----	----	16 UNCH
4500	----	----	----/0.279A	0.126B/0.279A	----	0.210 - 0.080	.0208	----	----	----	----	304 UNCH
4575	----	----	----/*0.297A	0.144B/*0.297A	----	0.230 - 0.081	.0227	----	----	----	----	75 UNCH
4600	----	----	----/*0.304A	0.152B/*0.304A	----	0.237 - 0.082	.0234	----	----	----	----	101 UNCH
4650	----	----	----/*0.317A	0.163B/*0.317A	----	0.251 - 0.084	.0248	----	----	----	----	40 UNCH
4675	----	----	----/*0.324A	0.170B/*0.324A	----	0.258 - 0.085	.0255	----	----	----	----	12 UNCH
4700	----	----	----/*0.332A	0.185B/*0.332A	----	0.266 - 0.086	.0263	----	----	----	----	153 UNCH
4725	----	----	----/*0.339A	0.184B/*0.339A	----	0.274 - 0.086	.0270	----	----	----	----	3 UNCH
4750	----	----	----/*0.347A	0.192B/*0.347A	----	0.282 - 0.088	.0278	----	----	----	----	54 UNCH
4775	----	----	----/*0.355A	0.199B/*0.355A	----	0.290 - 0.089	.0286	----	----	----	----	8 UNCH
4800	----	----	----/*0.363A	0.205B/*0.363A	----	0.298 - 0.091	.0294	----	----	----	----	15 UNCH
4825	----	----	----/*0.372A	0.212B/*0.372A	----	0.307 - 0.092	.0302	----	----	----	----	26 UNCH
4850	----	----	----/*0.380A	0.220B/*0.380A	----	0.316 - 0.094	.0311	----	----	----	----	2 UNCH
4875	----	----	----/*0.389A	0.229B/*0.389A	----	0.325 - 0.095	.0320	----	----	----	----	23 UNCH
4900	----	----	----/*0.325A	0.248B/*0.325A	----	0.334 - 0.098	.0329	----	----	----	----	172 UNCH
5000	0.370	0.370	0.370/*0.340	0.370/*0.340	----	0.372 - 0.110	.0366	----	----	27	----	885 + 21
5025	----	----	----/*0.400A	0.355B/*0.400A	----	0.382 - 0.113	.0375	----	----	----	----	1 UNCH
5050	----	----	----/*0.459A	0.303B/*0.459A	----	0.392 - 0.118	.0385	----	----	----	----	16 UNCH
5075	----	----	----/*0.470A	0.314B/*0.470A	----	0.403 - 0.122	.0396	----	----	----	----	11 UNCH
5100	----	----	----/*0.420A	0.380B/*0.420A	----	0.413 - 0.127	.0406	----	----	----	----	176 UNCH
5150	----	----	----/*0.506A	0.351B/*0.506A	----	0.435 - 0.138	.0427	----	----	----	----	5 UNCH
5175	----	----	----/*0.518A	0.364B/*0.518A	----	0.446 - 0.144	.0438	----	----	----	----	5 UNCH
5200	----	----	----/*0.531A	0.388B/*0.531A	----	0.458 - 0.150	.0450	----	----	----	----	86 UNCH
5225	----	----	----/*0.545A	0.391B/*0.545A	----	0.469 - 0.158	.0461	----	----	----	----	9 UNCH
5250	----	----	----/*0.558A	0.406B/*0.558A	----	0.482 - 0.164	.0473	----	----	----	----	250 UNCH
5275	----	----	----/*0.573A	0.420B/*0.573A	----	0.494 - 0.172	.0485	----	----	----	----	2 UNCH
5300	----	----	----/*0.587A	0.451B/*0.587A	----	0.507 - 0.179	.0497	----	----	----	----	125 UNCH
5325	----	----	----/*0.602A	0.449B/*0.602A	----	0.520 - 0.188	.0510	----	----	----	----	11 UNCH
5350	----	----	----/*0.618A	0.466B/*0.618A	----	0.534 - 0.196	.0523	----	----	----	----	26 UNCH
5375	----	----	----/*0.634A	0.482B/*0.634A	----	0.548 - 0.204	.0537	----	----	----	----	17 UNCH
5400	----	----	----/*0.649A	0.524B/*0.649A	----	0.562 - 0.214	.0550	----	----	----	----	75 UNCH
5425	----	----	----/*0.667A	0.521B/*0.667A	----	0.577 - 0.223	.0565	----	----	----	----	49 UNCH
5450	----	----	----/*0.684A	0.542B/*0.684A	----	0.592 - 0.233	.0579	----	----	----	----	38 UNCH
5475	----	----	----/*0.702A	0.562B/*0.702A	----	0.608 - 0.242	.0594	----	----	----	----	53 UNCH
5500	0.626	0.626	0.626/*0.626	0.626/*0.626	----	0.625 - 0.252	.0610	----	----	2	----	883 + 1
5525	----	----	----/*0.739A	0.606B/*0.739A	----	0.642 - 0.262	.0626	----	----	----	----	72 UNCH
5550	----	----	----/*0.757A	0.610B/*0.757A	----	0.660 - 0.272	.0642	----	----	----	----	13 UNCH
5575	----	----	----/*0.777A	0.631B/*0.777A	----	0.679 - 0.281	.0659	----	----	----	----	3 UNCH
5600	----	----	----/*0.798A	0.653B/*0.798A	----	0.698 - 0.292	.0677	----	----	----	----	13 UNCH
5625	----	----	----/*0.819A	0.675B/*0.819A	----	0.718 - 0.302	.0695	----	----	----	----	3 UNCH
5650	----	----	----/*0.841A	0.699B/*0.841A	----	0.738 - 0.313	.0713	----	----	----	----	29 UNCH
5675	----	----	----/0.861A	0.756B/0.861A	----	0.760 - 0.323	.0732	----	----	----	----	45 UNCH
5700	----	----	----/*0.880A	0.808B/*0.880A	----	0.782 - 0.333	.0751	----	----	----	----	297 UNCH
5725	----	----	----/*0.904A	0.772B/*0.904A	----	0.805 - 0.344	.0771	----	----	1	----	3 UNCH
5750	----	----	----/*0.922A	0.842B/*0.922A	----	0.828 - 0.356	.0792	----	----	----	----	52 UNCH
5775	----	----	----/*0.936A	0.819B/*0.936A	----	0.853 - 0.366	.0813	----	----	----	----	2 UNCH
5800	----	----	----/*0.955A	0.831B/*0.955A	----	0.878 - 0.377	.0835	----	----	1	----	21 UNCH
5825	----	----	----/*0.996A	0.815B/*0.996A	----	0.904 - 0.388	.0857	----	----	----	----	2 UNCH
5850	----	----	----/1.048A	0.975B/1.048A	----	0.931 - 0.400	.0879	----	----	----	----	114 UNCH
5875	----	----	----/*1.076A	0.863B/*1.076A	----	0.959 - 0.411	.0903	----	----	----	----	3 UNCH
5900	----	----	----/*1.105A	0.910B/1.105A	----	0.987 - 0.423	.0926	----	----	----	----	6 UNCH
5950	----	----	----/1.165A	0.935B/1.165A	----	1.047 - 0.446	.0976	----	----	----	----	2 UNCH
5975	----	----	----/1.196A	0.971B/1.196A	----	1.079 - 0.457	.1001	----	----	----	----	1 UNCH
6000	----	----	----/1.227A	1.222B/1.227A	----	1.111 - 0.469	.1027	----	----	2	----	612 - 1
6100	----	----	----/1.363A	1.388B/1.363A	----	1.250 - 0.517	.1137	----	----	----	----	287 UNCH
6200	1.350	1.350	1.350/1.350	1.400B/1.350	----	1.404 - 0.568	.1255	----	----	1	----	8 - 1
6250	----	----	----/1.695A	1.438B/1.695A	----	1.488 - 0.593	.1318	----	----	----	----	13 UNCH
6275	----	----	----/1.738A	1.488B/1.738A	----	1.531 - 0.606	.1350	----	----	----	----	1 UNCH
6300	----	----	----/1.781A	1.774B/1.781A	----	1.575 - 0.619	.1383	----	----	----	100	128 + 97
6325	----	----	----/1.825A	1.590B/1.825A	----	1.621 - 0.632	.1416	----	----	----	----	20 UNCH
6375	----	----	----/1.915A	1.698B/1.915A	----	1.715 - 0.659	.1484	----	----	----	----	1 UNCH
6400	----	----	----/1.927A	1.998B/1.927A	----	1.764 - 0.672	.1519	----	----	1	----	57 UNCH
6500	1.912	1.912	1.912/1.885	2.242B/1.885	----	1.970 - 0.727	.1663	----	----	3	----	699 + 1
6550	----	----	----/2.153A	2.340B/2.153A	----	2.079 - 0.756	.1737	----	----	----	----	59 UNCH
6600	----	----	----/2.326A	2.307B/2.326A	----	2.193 - 0.785	.1814	----	----	----	----	1 UNCH
6650	----	----	----/2.393A	2.618B/2.393A	----	2.312 - 0.814	.1893	----	----	----	----	120 UNCH
6700	----	----	----/2.499A	2.799B/2.499A	----	2.435 - 0.845	.1973	----	----	----	----	81 UNCH
6750	----	----	----/2.672A	2.688B/2.672A	----	2.563 - 0.876	.2055	----	----	----	----	26 UNCH
6800	2.660	2.660	2.660/2.660	3.113B/2.660	----	2.695 - 0.908	.2139	----	----	1	----	257 UNCH
6900	----	----	----/3.118A	3.237B/3.118A	----	2.976 - 0.973	.2312	----	----	1	----	12 + 1
7000	----	----	----/3.336A	3.818B/3.336A	----	3.277 - 1.041	.2491	----	----	----	----	615 UNCH
7025	3.346	3.346	3.346/3.346	3.877B/3.346	----	3.356 - 1.058	.2537	----	----	2	----	127 UNCH
7050	----	----	----/3.582A	3.729B/3.582A	----	3.436 - 1.076	.2583	----	----	----	----	1 UNCH
7100	----	----	----/3.752A	3.986B/3.752A	----	3.600 - 1.112	.2676	----	----	2	----	3 UNCH
7125	----	----	----/3.826A	4.026B/3.826A	----	3.684 - 1.130	.2723	----	----	----	----	9 UNCH
7150	----	----	----/3.924A	4.128B/3.924A	----	3.770 - 1.148	.2771	----	----	----	----	1 UNCH
7200	4.037	4.037	4.037/4.037	4.626B/4.037	----	3.946 - 1.184	.2867	----	----	2	----	41 + 2
7250	----	----	----/4.191A	4.808B/4.191A	----	4.127 - 1.222	.2964	----	----	----	76	171 UNCH
7300	----	----	----/4.420A	4.839B/4.420A	----	4.314 - 1.260	.3062	----	----	----	----	25 UNCH
7375	4.677	4.677	4.677/4.673A	5.384B/4.673A	----	4.607 - 1.317	.3212	----	----	8	----	159 + 7
7400	----	----	----/4.867A	5.306B/4.867A	----	4.707 - 1.337	.3262	----	----	----	----	23 UNCH
7450	----	----	----/5.075A	5.487B/5.075A	----	4.913 - 1.376	.3363	----	----	----	----	1 UNCH
7500	5.320	5.320	5.320/5.250A	6.038B/5.250A	----	5.125 - 1.415	.3465	----	----	10	----	46 + 6
7525	----	----	----/5.412A	5.865B/5.412A	----	5.233 - 1.436	.3516	----	----	----	----	2 UNCH
7550	----	----	----/5.512A	5.994B/5.512A	----	5.343 - 1.456	.3568	----	----	----	----	7 UNCH
7600	----	----	----/5.746A	6.322B/5.746A	----	5.568 - 1.496	.3671	----	----	----	----	3 UNCH
7625	----	----	----/5.856A	6.393B/5.856A	----	5.682 - 1.517	.3722	----	----	----	----	1 UNCH
7700	----	----	----/6.216A	6.871B/6.216A	----	6.036 - 1.579	.3878	----	----	2	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7800	----	----	----/6.620A	7.694B/6.620A	----	6.531 - 1.661	.4086	----	----	----	----	80 UNCH
7825	----	----	----/6.843A	7.531B/6.843A	----	6.659 NEW	.4138	----	----	6	----	6 + 6
7850	----	----	----/6.981A	7.681B/6.981A	----	6.788 - 1.703	.4190	----	----	----	----	1 UNCH
7900	----	----	----/7.250A	8.049B/7.250A	----	7.052 - 1.744	.4293	----	----	----	----	9 UNCH
7975	----	----	----/7.656A	7.909B/7.656A	----	7.459 - 1.807	.4448	----	----	----	----	5 UNCH
8000	8.137	8.137	8.137/7.689A	8.613B/7.689A	----	7.598 - 1.828	.4499	----	----	2	----	291 UNCH
8100	----	----	----/8.313A	8.776B/8.313A	----	8.169 - 1.911	.4703	----	----	----	----	25 UNCH
8125	----	----	----/8.509A	8.823B/8.509A	----	8.315 - 1.932	.4753	----	----	----	----	4 UNCH
8225	----	----	----/9.135A	9.116B/9.135A	----	8.917 NEW	.4953	----	----	1	----	1 + 1
8250	9.844	9.844	9.844/9.217A	9.844/9.217A	----	9.071 - 2.033	.5002	----	----	4	----	46 UNCH
8300	10.100	10.100	10.100/9.474A	10.100/9.474A	----	9.383 - 2.073	.5099	----	----	4	----	124 + 4
8375	----	----	----/10.064A	10.367B/10.064A	----	9.862 - 2.132	.5244	----	----	----	----	1 UNCH
8400	----	----	----/10.223A	10.538B/10.223A	----	10.025 - 2.151	.5291	----	----	----	----	7 UNCH
8500	----	----	----/10.783A	11.351B/10.783A	----	10.689 - 2.226	.5477	----	----	----	----	57 UNCH
8600	----	----	----/11.466A	12.032B/11.466A	----	11.374 - 2.298	.5658	----	----	----	----	56 UNCH
8700	----	----	----/12.279A	12.722B/12.279A	----	12.079 - 2.368	.5832	----	----	----	----	4 UNCH
9000	----	----	----/14.400A	15.176B/14.400A	----	14.305 - 2.555	.6316	----	----	----	----	307 UNCH
9200	----	----	----/16.070A	16.716B/16.070A	----	15.871 - 2.661	.6605	----	----	----	----	11 UNCH
9400	----	----	----/17.682A	18.375B/17.682A	----	17.494 - 2.752	.6868	----	----	----	----	1 UNCH
9450	----	----	----/18.092A	18.799B/18.092A	----	17.908 - 2.772	.6929	----	----	----	----	12 UNCH
9500	----	----	----/18.393A	19.389B/18.393A	----	18.324 - 2.792	.6989	----	----	----	----	218 UNCH
9600	----	----	----/19.227A	20.259B/19.227A	----	19.166 - 2.828	.7105	----	----	----	----	50 UNCH
9900	----	----	----/21.891A	22.754B/21.891A	----	21.748 - 2.921	.7417	----	----	----	----	6 UNCH
9950	----	----	----/22.324A	23.202B/22.324A	----	22.186 - 2.934	.7466	----	----	----	----	5 UNCH
10000	----	----	----/22.653A	23.804B/22.653A	----	22.624 - 2.949	.7512	----	----	----	----	205 UNCH
10275	----	----	----/25.187A	26.142B/25.187A	----	25.062 - 3.026	.7752	----	----	----	----	7 UNCH
10500	----	----	----/27.208A	28.214B/27.208A	----	27.084 - 3.087	.7929	----	----	----	----	3 UNCH
10600	----	----	----/28.116A	29.137B/28.116A	----	27.990 - 3.113	.8003	----	----	----	----	9 UNCH
11000	----	----	----/31.685A	33.044B/31.685A	----	31.654 - 3.213	.8267	----	----	----	----	217 UNCH
11300	----	----	----/34.587A	35.714B/34.587A	----	34.438 - 3.281	.8438	----	----	----	----	10 UNCH
11500	----	----	----/36.461A	37.619B/36.461A	----	36.309 - 3.323	.8542	----	----	----	----	1 UNCH
12000	----	----	----/41.194A	42.471B/41.194A	----	41.031 - 3.417	.8766	----	----	----	----	15 UNCH
13000	----	----	----/50.807A	52.193B/50.807A	----	50.625 - 3.552	.9100	----	----	----	----	6 UNCH
TOTAL										84	176	10401 + 145
AUG26												
3300	----	----	----	0.001B/0.478A	----	0.090 - 0.023	.0074	----	----	----	----	2 UNCH
3900	----	----	----	0.097B/0.278A	----	0.194 - 0.052	.0159	----	----	----	----	2 UNCH
4175	----	----	----	0.163B/*0.341A	----	0.259 - 0.070	.0213	----	----	----	----	1 UNCH
4300	----	----	----	0.198B/*0.380A	----	0.294 - 0.081	.0243	----	----	----	----	1 UNCH
4350	----	----	----	0.211B/*0.396A	----	0.309 - 0.086	.0255	----	----	----	----	1 UNCH
4375	----	----	----	0.219B/*0.405A	----	0.317 - 0.088	.0262	----	----	----	----	160 UNCH
4400	----	----	----/*0.414A	0.227B/*0.414A	----	0.325 - 0.091	.0269	----	----	----	----	1 UNCH
4500	----	----	----/*0.452A	0.267B/*0.452A	----	0.360 - 0.100	.0298	----	----	----	----	2 UNCH
4600	----	----	----/*0.494A	0.307B/*0.494A	----	0.398 - 0.111	.0329	----	----	1	----	4 + 1
4625	----	----	----/*0.505A	0.318B/*0.505A	----	0.408 - 0.114	.0337	----	----	----	----	1 UNCH
4700	----	----	----/*0.540A	0.353B/*0.540A	----	0.440 - 0.124	.0363	----	----	----	----	1 UNCH
4775	----	----	----/*0.579A	0.390B/*0.579A	----	0.475 - 0.133	.0392	----	----	----	----	1 UNCH
4800	----	----	----/0.592A	0.403B/0.592A	----	0.487 - 0.137	.0401	----	----	----	----	16 UNCH
4825	----	----	----/*0.606A	0.417B/*0.606A	----	0.499 - 0.141	.0411	----	----	----	----	1 UNCH
5000	----	----	----/*0.600A	0.520B/*0.600A	----	0.596 - 0.168	.0488	----	----	----	----	14 UNCH
5275	----	----	----/0.913A	0.731B/0.913A	----	0.790 - 0.222	.0637	----	----	----	----	1 UNCH
5300	----	----	----/*0.934A	0.755B/*0.934A	----	0.810 - 0.228	.0653	----	----	----	----	1 UNCH
5500	1.170	1.170	1.170/*1.049A	1.170/1.049A	----	0.996 - 0.277	.0789	----	----	1	----	25 - 1
5675	----	----	----/*1.350A	1.093B/1.350A	----	1.192 - 0.329	.0927	----	----	----	----	9 UNCH
5800	----	----	----/*1.509A	1.256B/1.509A	----	1.354 - 0.370	.1038	----	----	----	----	4 UNCH
5850	----	----	----/1.582A	1.329B/1.582A	----	1.425 - 0.387	.1085	----	----	----	----	2 UNCH
5875	----	----	----/*1.608A	1.379B/1.608A	----	1.461 - 0.397	.1109	----	----	----	----	4 UNCH
5900	----	----	----/1.658A	1.406B/1.658A	----	1.498 - 0.406	.1133	----	----	----	----	5 UNCH
5950	----	----	----/1.802A	1.397B/1.802A	----	1.576 - 0.425	.1184	----	----	----	----	10 UNCH
6000	----	----	----/1.884A	1.462B/1.884A	----	1.657 - 0.444	.1236	----	----	----	----	155 UNCH
6050	----	----	----/1.996A	1.479B/1.996A	----	1.742 - 0.464	.1290	----	----	----	----	1 UNCH
6100	----	----	----/2.129A	1.563B/2.129A	----	1.831 - 0.485	.1345	----	----	----	----	10 UNCH
6150	----	----	----/2.256A	1.653B/2.256A	----	1.924 - 0.506	.1403	----	----	----	----	1 UNCH
6200	----	----	----/2.258A	1.746B/2.258A	----	2.021 - 0.528	.1461	----	----	----	----	1 UNCH
6500	----	----	----/2.699A	2.385B/2.699A	----	2.695 - 0.675	.1848	----	----	----	----	156 UNCH
6600	----	----	----/2.953A	2.638B/2.953A	----	2.958 - 0.729	.1989	----	----	----	----	13 UNCH
6725	----	----	----/3.301A	2.982B/3.301A	----	3.315 - 0.799	.2173	----	----	----	----	7 UNCH
6825	----	----	----/3.604A	3.280B/3.604A	----	3.624 - 0.857	.2326	----	----	----	----	7 UNCH
6900	3.846	3.846	3.846/3.846	3.846/3.846	----	3.870 NEW	.2444	----	----	1	----	1 + 1
7000	----	----	----/4.190A	3.854B/4.190A	----	4.217 - 0.964	.2604	----	----	1	----	7 + 1
7050	----	----	----/4.370A	4.032B/4.370A	----	4.399 - 0.995	.2686	----	----	----	----	1 UNCH
7100	----	----	----/4.557A	4.202B/4.557A	----	4.586 - 1.027	.2768	----	----	----	----	2 UNCH
7200	----	----	----/4.949A	4.599B/4.949A	----	4.978 - 1.092	.2936	----	----	----	----	1 UNCH
7300	----	----	----/5.365A	5.022B/5.365A	----	5.384 NEW	.3104	----	----	1	----	1 + 1
7350	----	----	----/5.582A	5.251B/5.582A	----	5.594 - 1.204	.3189	----	----	----	----	6 UNCH
7400	----	----	----/5.806A	5.480B/5.806A	----	5.809 - 1.244	.3275	----	----	----	----	4 UNCH
7500	----	----	----/6.271A	5.955B/6.271A	----	6.254 - 1.325	.3446	----	----	----	----	6 UNCH
7550	----	----	----/6.513A	6.193B/6.513A	----	6.484 - 1.367	.3533	----	----	----	----	5 UNCH
7600	----	----	----/6.762A	6.446B/6.762A	----	6.718 - 1.410	.3619	----	----	----	----	4 UNCH
7700	----	----	----/7.275A	6.969B/7.275A	----	7.203 - 1.496	.3793	----	----	2	----	26 + 1
7950	8.546	8.546	8.546/8.546	8.546/8.546	----	8.507 NEW	.4225	----	----	4	----	4 + 4
7975	8.797	8.797	8.797/8.797	8.797/8.797	----	8.645 NEW	.4268	----	----	1	----	1 + 1
8000	----	----	----/8.943A	8.730B/8.943A	----	8.784 - 1.754	.4311	----	----	----	----	20 UNCH
8150	----	----	----/9.854A	9.634B/9.854A	----	9.648 - 1.874	.4565	----	----	----	----	10 UNCH
8200	----	----	----/10.165A	9.955B/10.165A	----	9.946 - 1.914	.4648	----	----	----	----	10 UNCH
8250	----	----	----/10.478A	10.281B/10.478A	----	10.251 - 1.950	.4731	----	----	----	----	5 UNCH
8500	----	----	----/12.126A	11.977B/12.126A	----	11.850 - 2.121	.5130	----	----	----	----	20 UNCH
9000	----	----	----/15.716A	15.653B/15.716A	----	15.390 - 2.388	.5849	----	----	----	----	29 UNCH
9300	----	----	----/18.026A	17.693B/18.026A	----	17.688 - 2.514	.6226	----	----	----	----	1 UNCH
9500	----	----	----/19.659A	19.314B/19.659A	----	19.277 - 2.587	.6455	----	----	----	----	30 UNCH
10000	----	----	----/24.273A	22.683B/24.273A	----	23.401 - 2.750	.6962	----	----	----	----	6 UNCH
10175	----	----	----/25.912A	23.787B/25.912A	----	24.887 - 2.803	.7118	----	----	----	----	15 UNCH
TOTAL										12	0	835 + 9
SEP26												
2500	----	----	----	0.001B/4.073A	----	0.030 - 0.003	.0024	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/4.240A	----	0.074 - 0.009	.0058	----	----	----	----	22 UNCH
3500	----	----	----	0.083B/0.292A	----	0.161 - 0.022	.0122	----	----	----	----	74 UNCH
4000	----	----	----	0.210B/0.419A	----	0.322 - 0.047	.0235	----	----	----	----	46 UNCH
4500	----	----	----	0.419B/0.638A	----	0.538 - 0.093	.0388	----	----	----	----	12 UNCH
5000	----	----	----/*0.977A	0.764B/*0.977A	----	0.868 - 0.171	.0615	----	----	----	----	232 UNCH
5100	----	----	----/*1.068A	0.860B/*1.068A	----	0.954 - 0.192	.0672	----	----	----	----	1 UNCH
5500	----	----	----/*1.557A	1.249B/1.557A	----	1.388 - 0.300	.0947	----	----	----	----	228 UNCH
5600	----	----	----/*1.699A	1.392B/1.699A	----	1.523 - 0.334	.1028	----	----	----	----	1 UNCH
5700	----	----	----/1.854A	1.548B/1.854A	----	1.670 - 0.370	.1115	----	----	----	----	2 UNCH
5800	----	----	----	1.465B/2.277A	----	1.830 - 0.408	.1208	----	----	----	----	7 UNCH
5900	----	----	----/2.442A	1.664B/2.442A	----	2.003 - 0.450	.1305	----	----	----	----	50 UNCH
6000	----	----	----/2.616A	1.864B/2.616A	----	2.191 - 0.494	.1409	----	----	----	----	128 UNCH
6050	----	----	----/2.691A	1.962B/2.691A	----	2.291 - 0.516	.1462	----	----	----	----	15 UNCH
6200	----	----	----/3.061A	2.268B/3.061A	----	2.613 - 0.590	.1632	----	----	----	----	40 UNCH
6300	----	----	----/3.288A	2.500B/3.288A	----	2.849 - 0.641	.1751	----	----	----	----	5 UNCH
6400	----	----	----/3.578A	2.750B/3.578A	----	3.102 - 0.695	.1875	----	----	----	----	1 UNCH
6425	----	----	----/3.647A	2.815B/3.647A	----	3.169 - 0.708	.1907	----	----	----	----	2 UNCH
6500	----	----	----/3.840A	3.018B/3.840A	----	3.374 - 0.750	.2005	----	----	----	----	55 UNCH
6550	----	----	----/3.989A	3.159B/3.989A	----	3.516 - 0.779	.2071	----	----	----	----	15 UNCH
6800	----	----	----/4.807A	3.937B/4.807A	----	4.302 - 0.927	.2418	----	----	----	----	4 UNCH
6900	----	----	----/5.164A	4.284B/5.164A	----	4.651 - 0.988	.2564	----	----	----	----	1 UNCH
7000	----	----	----/5.543A	4.651B/5.543A	----	5.021 - 1.050	.2712	----	----	----	----	16 UNCH
7025	----	----	----/5.644A	4.746B/5.644A	----	5.116 - 1.066	.2749	----	----	----	----	1 UNCH
7100	----	----	----/5.945A	5.028B/5.945A	----	5.411 - 1.112	.2863	----	----	----	----	16 UNCH
7125	----	----	----/6.048A	5.128B/6.048A	----	5.512 - 1.128	.2901	----	----	----	----	25 UNCH
7175	----	----	----/6.264A	5.333B/6.264A	----	5.717 - 1.159	.2977	----	----	----	----	20 UNCH
7200	----	----	----/6.371A	5.436B/6.371A	----	5.822 - 1.175	.3016	----	----	----	----	50 UNCH
7400	----	----	----/7.274A	6.350B/7.274A	----	6.707 - 1.298	.3326	----	----	----	----	20 UNCH
7500	----	----	----/7.760A	6.846B/7.760A	----	7.180 - 1.360	.3482	----	----	----	----	3 UNCH
7550	----	----	----/8.008A	7.099B/8.008A	----	7.425 - 1.389	.3560	----	----	----	----	2 UNCH
7700	----	----	----/8.782A	7.895B/8.782A	----	8.189 - 1.478	.3795	----	----	----	----	1 UNCH
7800	----	----	----/9.309A	8.453B/9.309A	----	8.723 - 1.537	.3950	----	----	----	----	4 UNCH
7900	----	----	----/9.857A	9.035B/9.857A	----	9.276 - 1.594	.4104	----	----	----	----	1 UNCH
8000	----	----	----/10.431A	9.637B/10.431A	----	9.848 - 1.650	.4257	----	----	----	----	40 UNCH
8100	----	----	----/11.021A	10.259B/11.021A	----	10.438 - 1.705	.4408	----	----	----	----	1 UNCH
8200	----	----	----/11.630A	10.898B/11.630A	----	11.045 - 1.760	.4556	----	----	----	----	1 UNCH
8500	----	----	----/13.557A	12.923B/13.557A	----	12.965 - 1.918	.4984	----	----	----	----	225 UNCH
8700	----	----	----/14.897A	14.352B/14.897A	----	14.321 - 2.018	.5254	----	----	----	----	100 UNCH
9000	----	----	----/17.064A	16.610B/17.064A	----	16.460 - 2.158	.5634	----	----	----	----	74 UNCH
9300	----	----	----/19.336A	18.948B/19.336A	----	18.710 - 2.288	.5983	----	----	----	----	1 UNCH
9400	----	----	----/20.117A	19.757B/20.117A	----	19.482 - 2.329	.6092	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 65

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
10150	----	----	----/26.528A	24.941B/26.528A	----	25.571 - 2.598	.6804	----	----	----	----	1 UNCH
10300	----	----	----/27.813A	26.144B/27.813A	----	26.842 - 2.644	.6926	----	----	----	----	1 UNCH
TOTAL											0	1605 0
OCT26												
2675	----	----	----	0.001B/4.452A	----	0.058 - 0.007	.0042	----	----	----	----	8 UNCH
3250	----	----	----	0.072B/0.310A	----	0.129 - 0.018	.0094	----	----	----	----	1 UNCH
4000	----	----	----	0.282B/0.530A	----	0.350 - 0.053	.0244	----	----	----	----	3 UNCH
4500	----	----	----	0.547B/0.794A	----	0.670 - 0.105	.0437	----	----	----	----	3 UNCH
5000	----	----	----/*1.194A	0.961B/1.194A	----	1.145 - 0.215	.0706	----	----	----	----	6 UNCH
5050	----	----	----/*1.245A	1.015B/*1.245A	----	1.203 - 0.229	.0738	----	----	----	----	1 UNCH
5150	----	----	----/*1.345A	1.130B/*1.345A	----	1.325 - 0.259	.0804	----	----	----	----	5 UNCH
6500	----	----	----/4.345A	3.429B/4.345A	----	4.046 - 0.850	.2071	----	----	----	----	6 UNCH
7000	----	----	----/6.120A	5.129B/6.120A	----	5.707 - 1.123	.2704	----	----	----	----	85 UNCH
7225	----	----	----/7.068A	6.053B/7.068A	----	6.596 - 1.245	.3010	----	----	----	----	87 UNCH
7500	----	----	----/8.358A	7.302B/8.358A	----	7.812 - 1.385	.3393	----	----	----	----	1 UNCH
7950	----	----	----/10.779A	9.777B/10.779A	----	10.115 - 1.591	.4027	----	----	----	----	10 UNCH
8200	----	----	----/12.245A	11.315B/12.245A	----	11.566 - 1.684	.4371	----	----	----	----	6 UNCH
8375	----	----	----/13.398A	12.357B/13.398A	----	12.654 - 1.739	.4604	----	----	----	----	1 UNCH
9100	----	----	----/18.336A	17.668B/18.336A	----	17.701 - 1.912	.5467	----	----	----	----	1 UNCH
10000	----	----	----/25.320A	24.523B/25.320A	----	24.762 - 2.166	.6319	----	----	----	----	40 UNCH
TOTAL											0	264 0
NOV26												
4500	----	----	----	0.702B/0.987A	----	0.841 - 0.125	.0503	----	----	----	----	2 UNCH
4550	----	----	----	0.744B/1.024A	----	0.889 - 0.133	.0529	----	----	----	----	1 UNCH
4800	----	----	----/*1.248A	0.982B/1.248A	----	1.158 - 0.180	.0667	----	----	----	----	1 UNCH
5000	----	----	----/*1.458A	1.212B/1.458A	----	1.411 - 0.225	.0793	----	----	----	----	12 UNCH
5200	----	----	----/*1.697A	1.401B/*1.697A	----	1.701 - 0.276	.0932	----	----	----	----	1 UNCH
5950	----	----	----/3.457A	2.549B/3.457A	----	3.168 - 0.525	.1576	----	----	----	----	1 UNCH
6700	----	----	----/5.718A	4.643B/5.718A	----	5.357 - 0.862	.2398	----	----	----	----	50 UNCH
7000	----	----	----/6.902A	5.787B/6.902A	----	6.470 - 1.015	.2766	----	----	----	----	40 UNCH
7025	----	----	----/7.008A	5.890B/7.008A	----	6.569 - 1.028	.2797	----	----	----	----	6 UNCH
7500	----	----	----/9.231A	8.048B/9.231A	----	8.655 - 1.283	.3408	----	----	----	----	3 UNCH
7700	----	----	----/10.291A	9.091B/10.291A	----	9.650 - 1.391	.3669	----	----	----	----	50 UNCH
8500	----	----	----/15.123A	14.062B/15.123A	----	14.324 - 1.805	.4678	----	----	----	----	60 UNCH
9000	----	----	----/18.578A	17.631B/18.578A	----	17.767 - 2.032	.5236	----	----	----	----	5 UNCH
9050	----	----	----/18.943A	18.012B/18.943A	----	18.130 - 2.053	.5288	----	----	----	----	3 UNCH
10000	----	----	----/26.230A	25.507B/26.230A	----	25.488 - 2.394	.6151	----	----	----	----	1 UNCH
11000	----	----	----/34.903A	33.047B/34.903A	----	33.862 - 2.660	.6850	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.085A	----	0.016 UNCH	.0009	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/4.966A	----	0.050 - 0.004	.0029	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/5.160A	----	0.091 - 0.008	.0056	----	----	----	----	32 UNCH
3000	----	----	----	0.070B/0.396A	----	0.163 - 0.017	.0103	----	----	----	----	93 UNCH
3100	----	----	----	0.091B/0.426A	----	0.182 - 0.020	.0115	----	----	----	----	1 UNCH
3150	----	----	----	0.102B/0.441A	----	0.199 - 0.022	.0125	----	----	----	----	1 UNCH
3500	----	----	----	0.200B/0.571A	----	0.354 - 0.041	.0210	----	----	----	----	45 UNCH
3850	----	----	----	0.341B/0.744A	----	0.557 - 0.066	.0317	----	----	----	----	1 UNCH
3900	----	----	----	0.365B/0.772A	----	0.588 - 0.070	.0334	----	----	----	----	1 UNCH
3925	----	----	----	0.378B/0.787A	----	0.603 - 0.073	.0342	----	----	----	----	1 UNCH
4000	----	----	----	0.418B/0.832A	----	0.652 - 0.080	.0368	----	----	----	----	74 UNCH
4500	----	----	----	0.789B/1.213A	----	1.054 - 0.139	.0576	----	----	----	----	32 UNCH
4600	----	----	----	0.886B/1.308A	----	1.153 - 0.154	.0625	----	----	----	----	4 UNCH
4800	----	----	----/1.515A	1.098B/1.515A	----	1.370 - 0.189	.0733	----	----	----	----	241 UNCH
5000	----	----	----/1.758A	1.327B/1.758A	----	1.619 - 0.228	.0853	----	----	----	----	357 UNCH
5250	----	----	----	1.113B/2.723A	----	1.979 - 0.287	.1022	----	----	----	----	50 UNCH
5300	----	----	----	1.200B/2.784A	----	2.059 - 0.299	.1058	----	----	----	----	250 UNCH
5400	----	----	----	1.385B/2.944A	----	2.225 - 0.328	.1133	----	----	----	----	100 UNCH
5500	2.390	2.390	2.390/2.360A	2.390/2.360A	----	2.403 - 0.357	.1212	----	----	10	----	91 + 7
5600	----	----	----	1.827B/3.309A	----	2.593 - 0.388	.1295	----	----	----	----	4 UNCH
5650	----	----	----	1.948B/3.388A	----	2.692 - 0.404	.1337	----	----	----	----	12 UNCH
5800	----	----	----	2.296B/3.681A	----	3.009 - 0.458	.1470	----	----	----	----	1 UNCH
5950	----	----	----	2.642B/4.043A	----	3.358 - 0.515	.1612	----	----	----	----	5 UNCH
6000	----	----	----	2.765B/4.218A	----	3.481 - 0.536	.1660	----	----	----	----	147 UNCH
6200	----	----	----	3.297B/4.763A	----	4.015 - 0.622	.1865	----	----	----	----	13 UNCH
6300	----	----	----	3.587B/5.080A	----	4.306 - 0.669	.1971	----	----	----	----	25 UNCH
6500	----	----	----/5.150A	5.150B/5.150A	----	4.941 - 0.771	.2194	----	----	----	----	626 UNCH
6650	----	----	----	4.737B/6.346A	----	5.465 - 0.850	.2368	----	----	----	----	5 UNCH
6725	----	----	----/6.601A	5.011B/6.601A	----	5.742 - 0.892	.2457	----	----	----	----	4 UNCH
6750	----	----	----/6.700A	5.103B/6.700A	----	5.836 - 0.906	.2487	----	----	----	----	6 UNCH
6800	----	----	----/6.899A	5.295B/6.899A	----	6.029 - 0.934	.2547	----	----	----	----	52 UNCH
6850	----	----	----/7.101A	5.490B/7.101A	----	6.226 - 0.962	.2607	----	----	----	----	61 UNCH
6900	----	----	----/7.300A	5.690B/7.300A	----	6.427 - 0.991	.2668	----	----	----	----	1 UNCH
6950	----	----	----/7.503A	5.894B/7.503A	----	6.633 - 1.020	.2729	----	----	----	----	101 UNCH
7000	----	----	----/7.711A	6.103B/7.711A	----	6.844 - 1.048	.2790	----	----	----	----	179 UNCH
7050	----	----	----/7.923A	6.316B/7.923A	----	7.059 - 1.076	.2852	----	----	----	----	1 UNCH
7075	----	----	----/8.079A	6.424B/8.079A	----	7.168 - 1.091	.2883	----	----	----	----	20 UNCH
7100	----	----	----/8.139A	6.534B/8.139A	----	7.278 - 1.105	.2913	----	----	----	----	2 UNCH
7200	----	----	----/8.585A	6.983B/8.585A	----	7.730 - 1.162	.3038	----	----	----	----	14 UNCH
7250	7.970	7.970	7.970/7.970	7.970/7.970	----	7.962 NEW	.3100	----	----	48	----	48 + 48
7500	----	----	----/9.817A	8.515B/9.817A	----	9.188 - 1.329	.3412	----	----	----	----	21 UNCH
7550	----	----	----/10.281A	8.782B/10.281A	----	9.446 - 1.356	.3474	----	----	----	----	1 UNCH
7800	----	----	----/11.619A	10.179B/11.619A	----	10.797 - 1.488	.3784	----	----	----	----	20 UNCH
7850	----	----	----/11.899A	10.472B/11.899A	----	11.079 - 1.513	.3845	----	----	----	----	10 UNCH
7875	11.423	11.423	11.463/11.399A	11.463/11.399A	----	11.222 - 1.526	.3875	----	----	3	----	1 - 3
7900	----	----	----/12.183A	10.768B/12.183A	----	11.365 - 1.539	.3906	----	----	----	----	19 UNCH
8000	----	----	----/12.761A	11.373B/12.761A	----	11.949 - 1.588	.4027	----	----	----	----	50 UNCH
8100	----	----	----/13.359A	11.994B/13.359A	----	12.548 - 1.636	.4147	----	----	----	----	1 UNCH
8200	----	----	----/13.964A	12.629B/13.964A	----	13.161 - 1.683	.4265	----	----	----	----	35 UNCH
8350	----	----	----/14.913A	13.609B/14.913A	----	14.107 - 1.751	.4437	----	----	----	----	9 UNCH
8400	----	----	----/15.235A	13.943B/15.235A	----	14.430 - 1.773	.4494	----	----	----	----	50 UNCH
8500	----	----	----/15.888A	14.655B/15.888A	----	15.084 - 1.816	.4605	----	----	----	----	160 UNCH
8600	----	----	----/16.555A	15.347B/16.555A	----	15.751 - 1.858	.4714	----	----	----	----	2 UNCH
8800	----	----	----/17.927A	16.763B/17.927A	----	17.122 - 1.937	.4926	----	----	----	----	12 UNCH
8900	----	----	----/18.630A	17.481B/18.630A	----	17.825 - 1.975	.5028	----	----	----	----	30 UNCH
9000	----	----	----/19.340A	18.168B/19.340A	----	18.539 - 2.011	.5128	----	----	----	----	3 UNCH
9050	----	----	----/19.700A	18.539B/19.700A	----	18.900 - 2.029	.5177	----	----	----	----	100 UNCH
9500	----	----	----/23.061A	22.026B/23.061A	----	22.256 - 2.177	.5594	----	----	----	----	2 UNCH
9850	----	----	----/25.758A	24.815B/25.758A	----	24.983 - 2.278	.5886	----	----	----	----	8 UNCH
9950	----	----	----/26.556A	25.628B/26.556A	----	25.778 - 2.306	.5965	----	----	----	----	1 UNCH
10025	----	----	----/*27.600A	25.840B/27.600A	----	26.379 - 2.326	.6023	----	----	----	----	3 UNCH
10125	----	----	----/28.413A	26.658B/28.413A	----	27.185 - 2.352	.6099	----	----	----	----	1 UNCH
10700	----	----	----/32.718A	31.484B/32.718A	----	31.929 - 2.491	.6499	----	----	----	----	5 UNCH
10800	----	----	----/33.516A	32.326B/33.516A	----	32.772 - 2.512	.6563	----	----	----	----	2 UNCH
11000	----	----	----/35.762A	34.043B/35.762A	----	34.469 - 2.556	.6685	----	----	----	----	2 UNCH
11500	----	----	----/40.102A	37.602B/40.102A	----	38.785 - 2.655	.6967	----	----	----	----	1 UNCH
12000	----	----	----	11.973B/84.737A	----	43.189 - 2.745	.7216	----	----	----	----	1 UNCH
12100	----	----	----	12.631B/85.715A	----	44.079 - 2.762	.7263	----	----	----	----	1 UNCH
12300	----	----	----	7.561B/104.041A	----	45.868 - 2.794	.7352	----	----	----	----	1 UNCH
15000	----	----	----	37.249B/113.526A	----	70.807 - 3.152	.8239	----	----	----	----	1 UNCH
19000	----	----	----	80.442B/144.912A	----	109.279 - 3.512	.8930	----	----	----	----	1 UNCH
TOTAL										61	0	3445 + 52
JAN27												
3800	----	----	----	0.257B/0.943A	----	0.469 - 0.017	.0274	----	----	----	----	1 UNCH
7125	----	----	----	6.352B/*9.340A	----	7.791 - 1.080	.2889	----	----	----	----	1 UNCH
8600	----	----	----/16.934A	15.450B/16.934A	----	16.245 - 1.710	.4539	----	----	----	----	1 UNCH
TOTAL											0	3 0
FEB27												
8150	----	----	----/*14.726A	13.049B/*14.726A	----	13.768 - 1.505	.4043	----	----	----	----	10 UNCH
8225	----	----	----	12.626B/*16.111A	----	14.226 - 1.537	.4123	----	----	----	----	10 UNCH
8250	----	----	----/*15.341A	13.677B/*15.341A	----	14.380 - 1.548	.4149	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.671B/7.690A	----	6.156 - 0.723	.2262	----	----	----	----	20 UNCH
TOTAL											0	20 0
DEC27												
7175	----	----	----	----	----	12.710 - 1.143	.2819	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	3.490B/----	3.490B/2.560A	----	3.837 + 1.631	.5279	----	----	----	----	5 UNCH
8200	----	----	#3.038B/----	3.038B/1.980A	----	2.980 + 1.333	.4456	----	----	----	----	1 UNCH
TOTAL											0	6 0
SO1 PUT		SILVER OPTIONS										
MAY26												
7050	----	----	----/*1.059A	1.262B/*1.059A	----	0.805 - 0.844	.1442	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO2 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----	0.140B/11.515A	----	4.844 + 1.725	.5333	----	----	----	----	2 UNCH
9200	----	----	#1.172B/----	#1.172B/3.020A	----	1.155 + 0.537	.1911	----	----	----	----	2 UNCH
TOTAL											0	4 0
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	6.105B/----	6.105B/8.840A	----	9.649 + 3.602	.9543	----	----	----	----	7 UNCH
7100	----	----	#6.499B/----	#6.499B/8.628A	----	8.671 + 3.492	.9446	----	----	----	----	1 UNCH
7300	----	----	#6.371B/----	#6.371B/8.572A	----	6.750 + 3.155	.9110	----	----	----	----	3 UNCH
7400	----	----	----	----	----	5.825 + 2.920	.8825	----	----	----	----	1 UNCH
7420	----	----	----	----	----	5.644 + 2.868	.8755	----	----	----	----	5 UNCH
7430	----	----	----	----	----	5.554 + 2.841	.8716	----	----	----	----	2 UNCH
7450	----	----	----	----	----	5.376 + 2.787	.8640	----	----	----	----	6 UNCH
7475	----	----	----	2.194B/2.740A	----	5.155 + 2.715	.8538	----	----	----	----	6 UNCH
7500	----	----	----	2.117B/2.583A	----	4.938 + 2.642	.8425	----	----	----	----	22 UNCH
7550	3.000	3.000	3.027B/3.000	3.027B/2.340A	----	4.513 + 2.489	.8177	----	----	1	----	0 - 1
7575	----	----	2.140B/----	2.140B/2.204A	----	4.306 + 2.409	.8041	----	----	----	----	2 UNCH
7600	2.100	2.100	2.188B/2.100	2.188B/2.040A	----	4.104 + 2.329	.7896	----	----	1	----	16 UNCH
7625	----	----	2.132B/----	2.132B/1.954A	----	3.905 + 2.246	.7741	----	----	----	----	4 UNCH
7650	3.300	3.300	3.300/3.300	3.300/1.833A	----	3.711 + 2.163	.7578	----	----	1	----	5 UNCH
7680	----	----	#2.096B/----	#2.096B/1.704A	----	3.485 + 2.063	.7372	----	----	----	----	2 UNCH
7750	1.510	1.510	2.004B/1.510	2.004B/1.419A	----	2.987 + 1.830	.6848	----	----	1	----	3 + 1
7800	1.500	1.500	2.577/1.500	2.577/1.216A	----	2.659 + 1.669	.6444	----	----	15	----	7 + 4
7825	----	----	1.888B/----	1.888B/1.157A	----	2.504 + 1.591	.6233	----	----	----	----	3 UNCH
7850	0.990	0.990	1.879B/0.990	1.879B/0.983A	----	2.355 + 1.515	.6019	----	----	19	----	20 + 19
7870	----	----	#1.915B/----	#1.915B/1.030A	----	2.240 + 1.454	.5846	----	----	----	----	20 UNCH
7875	----	----	1.923B/----	1.923B/1.017A	----	2.212 + 1.440	.5802	----	----	----	----	4 UNCH
7900	1.300	1.300	2.180/1.300	2.180/0.928A	----	2.075 + 1.366	.5583	----	----	3	----	3 + 1
7950	1.505	1.505	1.719B/1.505	1.719B/0.845A	----	1.820 NEW	.5142	----	----	1	----	1 + 1
7975	----	----	1.663B/----	1.663B/0.789A	----	1.701 + 1.157	.4922	----	----	----	----	2 UNCH
8000	0.520	0.520	1.695/0.520	1.695/0.520	----	1.589 + 1.092	.4704	----	----	29	----	69 + 4
8100	----	----	1.092B/----	1.092B/0.562A	----	1.197 + 0.849	.3860	----	----	----	----	2 UNCH
8200	0.480	0.480	0.850/0.424A	0.850/0.424A	----	0.887 NEW	.3092	----	----	22	----	22 + 22
8250	0.720	0.720	0.724B/0.720	0.724B/0.373A	----	0.760 NEW	.2744	----	----	1	----	1 + 1
8300	----	----	0.555B/----	0.555B/0.300A	----	0.650 + 0.464	.2426	----	----	----	----	7 UNCH
8350	0.500	0.500	0.500/0.500	0.500/0.292A	----	0.557 NEW	.2139	----	----	1	----	1 + 1
8400	0.165	0.165	0.394B/*0.165	0.394B/*0.165	----	0.477 + 0.330	.1880	----	----	1	----	12 - 1
8500	0.215	0.215	0.350/0.200	0.350/0.200	----	0.357 + 0.235	.1461	----	----	15	----	23 - 9
8800	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.183 + 0.095	.0762	----	----	3	----	5 + 2
8825	0.065	0.065	0.120B/*0.065	0.120B/*0.065	----	0.167 NEW	.0705	----	----	1	----	1 + 1
8875	----	----	0.107B/----	0.107B/0.144A	----	0.139 + 0.071	.0602	----	----	----	----	1 UNCH
9000	0.080	0.080	#0.080/*0.080	#0.080/*0.080	----	0.086 NEW	.0397	----	----	3	----	3 + 3
TOTAL										118	0	292 + 49
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.209A	----	0.001 UNCH	.0002	----	----	----	----	20 UNCH
5500	----	----	----	----/0.136A	----	0.001 - 0.017	.0004	----	----	----	----	1 UNCH
6000	----	----	----	0.001B/0.106A	----	0.008 - 0.037	.0030	----	----	----	----	110 UNCH
6200	----	----	----	0.001B/*0.108A	----	0.017 - 0.044	.0062	----	----	----	----	3 UNCH
6300	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.024 - 0.049	.0087	----	----	2	----	2 UNCH
6400	----	----	----	0.008B/*0.119A	----	0.033 - 0.055	.0118	----	----	----	----	7 UNCH
6500	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.044 - 0.063	.0156	----	----	1	----	7 UNCH
6600	----	----	----	0.073B/*0.143A	----	0.057 - 0.077	.0202	----	----	----	----	17 UNCH
6625	----	----	----/*0.141A	0.031B/*0.141A	----	0.060 - 0.082	.0213	----	----	----	----	1 UNCH
6700	----	----	----/*0.148A	0.052B/*0.148A	----	0.071 - 0.099	.0254	----	----	----	----	2 UNCH
6800	----	----	----/*0.122A	0.039B/*0.122A	----	0.086 - 0.133	.0312	----	----	----	----	27 UNCH
6825	----	----	----/*0.166A	0.068B/*0.166A	----	0.090 - 0.144	.0328	----	----	----	----	20 UNCH
6900	0.140	0.140	0.140/*0.128A	0.140/*0.128A	----	0.102 - 0.186	.0379	----	----	1	----	4 + 1
7000	----	----	----/*0.149A	0.182B/*0.149A	----	0.119 - 0.265	.0456	----	----	----	----	19 UNCH
7050	----	----	----/*0.199A	0.203B/*0.199A	----	0.128 - 0.316	.0499	----	----	----	----	1 UNCH
7055	0.120	0.120	0.120/*0.120	0.207B/*0.120	----	0.129 NEW	.0504	----	----	1	----	1 + 1
7100	----	----	----/*0.213A	0.275B/*0.213A	----	0.140 - 0.375	.0553	----	----	----	----	11 UNCH
7200	0.340	0.340	0.340/*0.258A	0.410B/*0.258A	----	0.171 - 0.523	.0690	----	----	7	----	54 - 7
7205	----	----	----/*0.263A	0.399B/*0.263A	----	0.173 - 0.531	.0698	----	----	----	----	1 UNCH
7210	----	----	----/*0.266A	0.407B/*0.266A	----	0.175 - 0.540	.0707	----	----	----	----	1 UNCH
7250	----	----	----/*0.300A	0.482B/*0.300A	----	0.192 - 0.612	.0779	----	----	----	----	5 UNCH
7300	----	----	----/*0.320A	0.612B/*0.320A	----	0.219 - 0.712	.0889	----	----	----	----	10 UNCH
7330	----	----	----/*0.286A	0.659B/*0.286A	----	0.238 - 0.778	.0964	----	----	----	----	1 UNCH
7345	----	----	----/*0.296A	0.699B/*0.296A	----	0.248 - 0.813	.1004	----	----	----	----	1 UNCH
7350	----	----	----/*0.305A	0.716B/*0.305A	----	0.252 - 0.824	.1019	----	----	----	----	7 UNCH
7380	----	----	----/*0.317A	0.802B/*0.317A	----	0.276 - 0.896	.1110	----	----	----	----	2 UNCH
7400	----	----	----/*0.348A	0.890B/*0.348A	----	0.293 - 0.947	.1174	----	----	----	----	2 UNCH
7450	0.550	0.550	0.550/*0.404A	1.030B/*0.404A	----	0.344 NEW	.1359	----	----	1	----	1 + 1
7460	----	----	----/*0.401A	1.066B/*0.401A	----	0.355 - 1.109	.1398	----	----	----	----	1 UNCH
7470	----	----	----/*0.412A	1.103B/*0.412A	----	0.367 - 1.138	.1440	----	----	----	----	4 UNCH
7500	0.450	0.450	0.450/*0.450	1.251B/*0.450	----	0.406 - 1.225	.1574	----	----	1	----	5 + 1
7550	0.950	0.950	0.950/*0.539A	1.426B/*0.539A	----	0.481 - 1.378	.1822	----	----	1	----	2 UNCH
7575	----	----	----/*0.553A	1.547B/*0.553A	----	0.524 - 1.458	.1958	----	----	----	----	6 UNCH
7600	----	----	----/*0.650A	1.684B/*0.650A	----	0.571 - 1.539	.2103	----	----	----	----	1 UNCH
7675	----	----	----/*0.784A	2.057B/*0.784A	----	0.740 - 1.787	.2592	----	----	----	----	1 UNCH
7700	1.400	1.400	1.400/*0.760	2.194B/*0.760	----	0.806 - 1.871	.2770	----	----	12	----	5 + 3
7800	1.453	1.453	1.453/*1.215	2.019B/*1.215	----	1.126 NEW	.3555	----	----	14	----	4 + 4
7900	1.580	1.580	1.657/*1.580	2.127B/*1.580	----	1.542 NEW	.4416	----	----	4	----	0 UNCH
8000	2.093	2.093	2.093/*2.082	2.438B/*2.082	----	2.056 NEW	.5295	----	----	4	----	4 + 4
TOTAL										49	0	371 + 8
SO4 CALL		SILVER OPTIONS										
APR26												
7400	----	----	4.000B/----	4.000B/24.439A	----	6.451 + 2.513	.7916	----	----	----	----	0 UNCH
7800	2.885	2.885	3.373B/2.874	3.373B/2.247A	----	3.688 + 1.725	.6023	----	----	20	----	20 + 12
7900	----	----	2.842B/----	2.842B/1.889A	----	3.153 + 1.550	.5475	----	----	----	----	5 UNCH
8000	----	----	2.515B/----	2.515B/1.596A	----	2.686 + 1.394	.4927	----	----	----	----	1 UNCH
8200	----	----	1.896B/----	1.896B/1.146A	----	1.947 + 1.086	.3902	----	----	----	----	1 UNCH
8225	----	----	1.785B/----	1.785B/1.126A	----	1.871 + 1.043	.3784	----	----	----	----	2 UNCH
8250	----	----	#1.705B/----	1.705B/0.994A	----	1.798 + 1.001	.3669	----	----	----	----	1 UNCH
8300	0.750	0.750	1.580B/0.750	1.580B/0.750	----	1.662 + 0.924	.3447	----	----	2	----	2 + 1
8400	----	----	#1.312B/----	#1.312B/0.835A	----	1.425 + 0.789	.3038	----	----	----	----	1 UNCH
8500	1.000	1.000	#1.086B/*1.000	#1.086B/0.730A	----	1.228 NEW	.2677	----	----	1	----	1 + 1
8600	1.000	1.000	#1.000/*1.000	#1.000/0.628A	----	1.063 NEW	.2359	----	----	2	----	2 + 2
TOTAL										25	0	36 + 16
SO4 PUT		SILVER OPTIONS										
APR26												
6000	----	----	----	0.050B/*0.180A	----	0.050 - 0.076	.0131	----	----	----	----	1 UNCH
6125	----	----	----	0.072B/*0.196A	----	0.064 - 0.104	.0169	----	----	----	----	2 UNCH
6400	----	----	----/*0.250A	0.155B/*0.250A	----	0.110 - 0.199	.0290	----	----	----	----	1 UNCH
6500	0.220	0.220	0.220/*0.150	0.220/*0.150	----	0.134 - 0.249	.0353	----	----	14	----	11 + 10
7000	0.450	0.450	0.450/*0.450	0.741B/*0.450	----	0.383 - 0.690	.0962	----	----	2	----	22 + 1
7100	0.522	0.522	0.522/*0.522	0.946B/*0.522	----	0.476 NEW	.1173	----	----	2	----	2 + 2
7200	0.900	0.900	0.900/*0.750	1.194B/*0.750	----	0.594 - 0.987	.1428	----	----	6	----	7 + 6
7300	1.000	1.000	1.000/*0.989A	1.494B/*0.989A	----	0.740 - 1.163	.1729	----	----	1	----	2 + 1
TOTAL										25	0	48 + 20
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	19.534 + 3.867	.9994	----	----	----	----	1 UNCH
6700	----	----	----	0.001B/*0.108A	----	0.003 - 0.025	.0020	----	----	----	----	1 UNCH
6800	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.005 - 0.038	.0034	----	----	10	----	10 + 8
6800	----	----	----/*0.297A	0.296B/*0.297A	----	0.144 - 0.380	.0448	----	----	----	----	2 UNCH
6900	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.009 NEW	.0060	----	----	20	----	20 + 20
7000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.016 - 0.090	.0103	----	----	20	----	20 + 19
7100	0.100	0.100	0.119/*0.038	0.119/*0.038	----	0.021 NEW	.0140	----	----	6	----	3 + 3
7200	----	----	----/*0.049A	0.080B/*0.049A	----	0.025 - 0.243	.0178	----	----	----	----	1 UNCH
7300	----	----	----/*0.125A	0.176B/*0.125A	----	0.033 - 0.393	.0245	----	----	----	----	10 UNCH
7400	0.080	0.080	0.085/*0.080	0.363B/*0.080	----	0.047 - 0.618	.0361	----	----	10	----	10 + 9
7400	----	----	----/*1.502A	2.077B/*1.502A	----	1.236 - 1.256	.2240	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 67

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
7500	----	----	----/*0.170A	0.658B/*0.170A	----	0.074 - 0.933	.0571	----	----	----	----	1 UNCH
7500	----	----	----	0.704B/2.764A	----	4.607 + 2.935	.9428	----	----	----	----	5 UNCH
7500	----	----	----	2.714B/3.780A	----	5.471 + 2.517	.7692	----	----	----	----	5 UNCH
7600	0.717	0.717	0.717/*0.140	1.013B/*0.140	----	0.125 NEW	.0944	----	----	33	----	30 + 30
7610	3.250	3.250	#3.250/*3.250	#3.250/1.400A	----	3.567 NEW	.8997	----	----	3	----	3 + 3
7650	0.500	0.500	#0.500/*0.180A	0.805B/*0.180A	----	0.179 NEW	.1278	----	----	6	----	6 + 6
7700	1.405	1.405	1.405/1.405	1.405/0.984A	----	2.788 NEW	.8295	----	----	10	----	10 + 10
7750	1.300	1.300	1.300/1.300	1.300/0.839A	----	2.387 NEW	.7789	----	----	1	----	1 + 1
7800	0.774	0.774	1.020B/0.774	1.020B/0.677A	----	2.014 + 1.575	.7204	----	----	11	----	12 + 11
7850	----	----	2.707B/----	2.707B/1.743A	----	3.158 NEW	.5789	----	----	2	----	2 + 2
7850	0.732	0.732	#0.775/*0.732	0.983B/*0.732	----	0.640 NEW	.3449	----	----	2	----	2 + 2
7850	----	----	0.996B/----	0.996B/0.590A	----	1.673 + 1.341	.6551	----	----	2	----	7 + 2
7900	----	----	0.797B/----	0.797B/0.478A	----	1.368 + 1.118	.5846	----	----	2	----	4 UNCH
7900	0.880	0.880	0.970/*0.715A	1.022B/*0.715A	----	0.835 NEW	.4153	----	----	2	----	2 + 2
7940	0.872	0.872	#0.872/*0.872	0.929B/*0.872	----	1.018 NEW	.4736	----	----	1	----	1 + 1
7950	0.797	0.797	1.029/0.797	1.029/0.424A	----	1.101 NEW	.5116	----	----	4	----	2 + 2
8000	0.205	0.205	0.800/0.205	0.800/0.205	----	0.869 + 0.734	.4386	----	----	15	----	13 + 11
8100	0.403	0.403	0.440/0.403	0.440/0.248A	----	0.512 + 0.443	.3019	----	----	3	----	3 + 2
8200	0.160	0.160	0.222B/0.115A	0.222B/0.115A	----	0.279 NEW	.1898	----	----	3	----	2 + 2
8200	----	----	#2.665B/----	#2.665B/1.673A	----	2.631 + 1.268	.4356	----	----	----	----	2 UNCH
8225	0.252	0.252	0.272/0.252	0.272/0.167A	----	0.238 NEW	.1671	----	----	2	----	2 + 2
8300	----	----	0.040B/----	0.040B/0.100A	----	0.145 + 0.129	.1109	----	----	----	----	1 UNCH
8350	----	----	1.055B/----	1.055B/0.690A	----	1.178 + 0.784	.2940	----	----	----	----	1 UNCH
8500	0.037	0.037	0.037/0.037	0.037/0.037	----	0.033 NEW	.0307	----	----	1	----	1 + 1
TOTAL										169	0	197 + 149
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
APR26												
6500	----	----	----	----/0.096A	----	0.000 - 0.004	----	----	----	----	----	0 - 10
6550	----	----	----	----/*0.097A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
6600	----	----	----	----/*0.098A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
6700	----	----	----	----/*0.099A	----	0.000 - 0.016	----	----	----	----	----	0 - 2
6750	----	----	----	----/0.097A	----	0.000 - 0.022	----	----	----	----	----	0 - 1
6800	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.030	----	----	----	1	----	0 - 10
6900	----	----	----	----/0.099A	----	0.000 - 0.057	----	----	----	----	----	0 UNCH
7000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.103	----	----	----	2	----	0 - 18
7000	----	----	----/*0.346A	0.409B/*0.346A	----	0.172 - 0.515	.0584	----	----	----	----	5 UNCH
7100	----	----	----/*0.097A	----/*0.097A	----	0.000 - 0.124	----	----	----	----	----	0 - 2
7150	----	----	----/*0.096A	0.001B/*0.096A	----	0.000 - 0.140	----	----	----	----	----	0 - 2
7175	----	----	----/*0.100A	0.001B/*0.100A	----	0.000 - 0.149	----	----	----	----	----	0 - 1
7200	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.000 - 0.160	----	----	----	1	----	0 - 11
7250	0.100	0.100	0.100/*0.095A	0.100/*0.095A	----	0.000 - 0.189	----	----	----	5	----	0 - 1
7300	----	----	----/*1.157A	1.594B/*1.157A	----	0.926 - 1.081	.1835	----	----	----	----	3 UNCH
7300	0.130	0.130	0.130/*0.101A	0.130/*0.101A	----	0.000 - 0.231	----	----	----	5	----	0 - 12
7300	4.850	4.850	#4.850/4.850	#4.850/4.850	----	6.533 + 3.637	----	----	----	1	----	0 - 1
7310	----	----	----/*0.100A	0.001B/*0.100A	----	0.000 - 0.241	----	----	----	----	----	0 - 1
7350	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.000 - 0.289	----	----	----	1	----	0 - 1
7355	----	----	----/*0.102A	0.017B/*0.102A	----	0.000 - 0.296	----	----	----	----	----	0 - 1
7400	----	----	----/*0.103A	0.089B/*0.103A	----	0.000 - 0.373	----	----	----	----	----	0 - 11
7420	0.001	0.001	0.001/*0.001	0.094B/*0.001	----	0.000 - 0.415	----	----	----	1	----	0 - 1
7435	----	----	----/*0.101A	0.125B/*0.101A	----	0.000 - 0.450	----	----	----	----	----	0 - 2
7450	----	----	----	----	----	5.033 + 3.379	----	----	----	----	----	0 - 1
7475	----	----	----	----	----	4.783 + 3.306	----	----	----	----	----	0 - 2
7475	----	----	----/*0.102A	0.211B/*0.102A	----	0.000 - 0.562	----	----	----	----	----	0 - 2
7500	----	----	----/*0.100A	0.308B/*0.100A	----	0.000 - 0.647	----	----	----	----	----	0 - 1
7500	----	----	----	----	----	4.533 + 3.221	----	----	----	----	----	0 - 13
7520	----	----	----/*0.108A	0.347B/*0.108A	----	0.000 - 0.723	----	----	----	----	----	0 - 4
7535	----	----	----/*0.110A	0.407B/*0.110A	----	0.000 - 0.786	----	----	----	----	----	0 - 4
7550	2.500	2.500	2.500/2.500	2.500/2.253A	----	4.033 + 3.014	----	----	----	1	----	0 - 1
7550	0.755	0.755	0.755/*0.110A	0.755/*0.110A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7560	----	----	----	0.469B/1.378A	----	3.933 + 2.967	----	----	----	----	----	0 - 1
7560	----	----	----/*0.115A	0.498B/*0.115A	----	0.000 - 0.901	----	----	----	----	----	0 - 1
7580	----	----	----	0.604B/1.185A	----	3.733 + 2.864	----	----	----	----	----	0 - 1
7580	----	----	----/*0.112A	0.585B/*0.112A	----	0.000 - 1.004	----	----	----	----	----	0 - 2
7600	0.905	0.905	3.250/0.898	3.250/0.898	----	3.533 + 2.754	----	----	----	18	----	0 - 17
7600	0.471	0.471	0.471/*0.116A	0.479B/*0.116A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7610	----	----	----	0.500B/1.038A	----	3.433 + 2.695	----	----	----	----	----	0 - 2
7620	0.500	0.500	#0.500/*0.001	0.500/*0.001	----	0.000 NEW	----	----	----	2	----	0 UNCH
7625	----	----	----	0.434B/0.968A	----	3.283 + 2.604	----	----	----	2	----	0 - 2
7625	----	----	2.732B/----	2.732B/2.496A	----	4.309 + 2.194	.7272	----	----	2	----	0 - 2
7650	0.201	0.201	#0.201/*0.121A	0.394B/*0.121A	----	0.000 NEW	----	----	----	7	----	0 UNCH
7650	0.555	0.555	1.515B/0.555	1.515B/0.555	----	3.033 + 2.441	----	----	----	2	----	0 - 3
7675	----	----	----	0.443B/0.759A	----	2.783 + 2.267	----	----	----	----	----	0 - 3
7700	1.700	1.700	1.700/*1.538A	2.189B/*1.538A	----	1.263 NEW	.3177	----	----	4	----	4 + 4
7700	0.500	0.500	0.684B/0.500	0.684B/0.500	----	2.533 + 2.083	----	----	----	2	----	0 - 2
7700	0.400	0.400	#0.400/*0.121A	0.491B/*0.121A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7700	2.156	2.156	2.850B/2.156	2.850B/2.117A	----	3.795 + 2.016	.6822	----	----	21	----	22 + 21
7725	0.701	0.701	0.701/0.701	0.701/0.607A	----	2.283 NEW	----	----	----	1	----	0 UNCH
7750	1.900	1.900	3.066B/1.900	3.066B/1.900	----	3.474 NEW	.6505	----	----	1	----	1 + 1
7750	----	----	3.195B/----	3.195B/3.084A	----	4.743 + 2.033	.6438	----	----	----	----	3 UNCH
7750	2.250	2.250	#2.250/*1.761A	2.250/*1.761A	----	1.442 NEW	.3494	----	----	1	----	1 + 1
7750	----	----	0.490B/----	0.490B/0.545A	----	2.033 + 1.688	----	----	----	----	----	0 - 1
7760	0.550	0.550	#0.550/*0.550	#0.550/0.523A	----	1.933 NEW	----	----	----	1	----	0 UNCH
7775	0.542	0.542	0.839/0.540	0.839/0.492A	----	1.783 NEW	----	----	----	6	----	0 UNCH
7775	0.529	0.529	#0.529/*0.060	0.529/*0.060	----	0.000 NEW	----	----	----	2	----	0 UNCH
7790	----	----	#0.424B/----	#0.424B/0.463A	----	1.633 + 1.351	----	----	----	----	----	0 - 1
7800	0.755	0.755	0.755/0.400	0.755/0.400	----	1.533 + 1.264	----	----	----	9	----	0 - 5
7825	0.450	0.450	0.450/0.300	0.450/0.300	----	1.283 NEW	----	----	----	10	----	0 UNCH
7830	----	----	#0.347B/----	#0.347B/0.395A	----	1.233 + 1.000	----	----	----	----	----	0 - 4
7840	0.500	0.500	#0.500/*0.372A	#0.500/0.372A	----	1.133 NEW	----	----	----	10	----	0 UNCH
7850	----	----	0.264B/----	0.264B/0.353A	----	1.033 + 0.820	----	----	----	----	----	0 - 8
7875	----	----	----	0.177B/0.281A	----	0.783 + 0.592	----	----	----	----	----	0 - 2
7900	0.281	0.281	0.590/0.232A	0.590/0.232A	----	0.533 + 0.361	----	----	----	6	----	0 - 2
7950	0.204	0.204	0.204/0.204	0.204/0.165A	----	0.033 NEW	----	----	----	1	----	0 UNCH
7970	0.213	0.213	#0.213/*0.006	#0.213/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7975	2.500	2.500	2.500/2.400	2.500/1.208A	----	2.244 NEW	.5000	----	----	2	----	2 + 2
8000	0.080	0.080	0.080/*0.020	0.080/*0.020	----	0.000 - 0.108	----	----	----	3	----	0 - 6
8100	----	----	1.623B/----	1.623B/0.915A	----	1.699 + 1.089	.4164	----	----	----	----	2 UNCH
8200	----	----	----	0.001B/0.108A	----	0.000 - 0.028	----	----	----	----	----	0 - 2
8500	----	----	----	0.001B/0.128A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
TOTAL										136	0	43 - 157

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
APR26												
548	----	----	----	----	----	0.6040 + 0.0905	.9975	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.4905 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.3905 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.3105 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
573	----	----	----	----	----	0.2605 UNCH	----	----	----	----	----	0 UNCH
576	----	----	----	----	----	0.2305 UNCH	----	----	----	----	----	0 UNCH
576	----	----	----/*0.0130A	0.0075B/*0.0130	----	0.0070 - 0.0150	.0548	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
584	----	----	----	----	----	0.1505 UNCH	----	----	----	----	----	0 UNCH
584	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
586	----	----	----	----	----	0.1305 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.0905 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0405 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0305 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0105 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0005 UNCH	----	----	----	----	----	0 UNCH
600	0.0900	0.0900	#0.1300B/0.0900	#0.1300B/0.0900	----	0.1360 NEW	.6647	----	----	5	----	5 + 5
607	0.0660	0.0660	#0.0930B/0.0660	#0.0930B/0.0660	----	0.0960 NEW	.5327	----	----	3	----	3 + 3
610	0.1180	0.1180	0.1180/*0.1050A	0.1360B/*0.1050	----	0.0980 NEW	.5247	----	----	3	----	3 + 3
645	----	----	----	0.0065B/0.0165A	----	0.0090 + 0.0015	.0646	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
TOTAL										11		15+ 11
MAY26												
465	----	----	----	----/0.0085A	----	0.0010 - 0.0005	.0038	----	----	----	----	14 UNCH
565	----	----	----/*0.0425A	0.0435B/*0.0425	----	0.0390 - 0.0155	.1406	----	----	----	----	2 UNCH
570	----	----	----/*0.0500A	0.0535B/*0.0500	----	0.0465 - 0.0185	.1639	----	----	----	----	1 UNCH
585	0.0545	0.0545	0.0545/*0.0545	0.0680B/*0.0545	----	0.0550 NEW	.2181	----	----	1	----	1 + 1
590	----	----	----/*0.1015A	0.1145B/*0.1015	----	0.0960 - 0.0310	.2910	----	----	----	----	1 UNCH
606	----	----	#0.2440B/----	#0.2440B/0.2105	----	0.2445 + 0.0495	.5826	----	----	----	----	4 UNCH
606	----	----	----/*0.1670A	0.1905B/*0.1670	----	0.1615 - 0.0440	.4167	----	----	----	----	4 UNCH
TOTAL										1		27+ 1
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0080A	----	0.0005 UNCH	.0010	----	----	----	----	21 UNCH
500	----	----	----	----/*0.0080A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
530	----	----	----	----/*0.0085A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
556	----	----	#0.5205B/----	#0.5205B/0.5305	----	0.5240 + 0.0930	.0000	----	----	----	----	1 UNCH
571	----	----	#0.3710B/----	#0.3710B/0.3810	----	0.3740 + 0.0895	.9998	----	----	----	----	1 UNCH
590	----	----	#0.1910B/----	#0.1910B/0.1455	----	0.1900 + 0.0635	.9448	----	----	----	----	2 UNCH
599	0.0865	0.0865	0.0865/*0.0865	0.1110B/*0.0865	----	0.0850 NEW	.3253	----	----	1	----	1 + 1
604	0.0400	0.0400	0.0400/*0.0400	0.0745B/*0.0400	----	0.0405 NEW	.3572	----	----	1	----	1 + 1
612	----	----	0.0415B/----	0.0415B/0.0360A	----	0.0450 + 0.0160	.3899	----	----	----	----	10 UNCH
615	----	----	#0.0895B/----	#0.0895B/0.0770	----	0.0920 + 0.0260	.4188	----	----	----	----	2 UNCH
620	0.0115	0.0115	0.0180B/*0.0115	0.0180B/0.0115	----	0.0210 + 0.0065	.1851	----	----	1	----	5 + 1
635	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0035 UNCH	.0232	----	----	1	----	1 + 1
640	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0020 UNCH	.0112	----	----	1	----	1 + 1
640	0.0640	0.0640	#0.0730B/0.0630	#0.0730B/0.0630	----	0.0740 NEW	.2819	----	----	25	----	25 + 25
650	----	----	----	----/0.0095A	----	0.0005 UNCH	.0007	----	----	----	----	2 UNCH
TOTAL										30		78+ 30
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0080A	----	0.0005 UNCH	.0004	----	----	----	----	21 UNCH
565	----	----	#0.4330B/----	#0.4330B/0.3635	----	0.4335 + 0.0925	----	----	----	----	----	0 - 1
568	----	----	#0.4030B/----	#0.4030B/0.3335	----	0.4035 + 0.0920	----	----	----	----	----	0 - 1
575	----	----	----	----/*0.0075A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 10
580	0.0050	0.0050	0.0050/*0.0010A	0.0050/*0.0010A	----	0.0000 - 0.0080	----	----	----	2	----	0 - 1
584	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0000 - 0.0085	----	----	----	1	----	0 - 1
585	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0090	----	----	----	----	----	0 - 1
585	0.2320	0.2320	#0.2335B/0.2320	#0.2335B/0.1650	----	0.2335 + 0.0840	----	----	----	1	----	0 - 1
590	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0000 - 0.0125	----	----	----	13	----	0 - 9
592	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 NEW	----	----	----	1	----	0 UNCH
593	0.0070	0.0070	0.0070/*0.0025	0.0070/*0.0025	----	0.0000 NEW	----	----	----	5	----	0 UNCH
595	0.0395	0.0395	0.0395/*0.0395	0.0670B/*0.0395	----	0.0430 NEW	.2687	----	----	1	----	1 + 1
596	0.0015	0.0015	0.0015/*0.0015	0.0055B/*0.0015	----	0.0000 NEW	----	----	----	4	----	0 UNCH
600	0.0250	0.0250	0.0295B/*0.0075	0.0295B/*0.0075	----	0.0000 - 0.0480	----	----	----	4	----	0 - 1
600	----	----	#0.0835B/----	#0.0835B/0.0450	----	0.0835 + 0.0450	----	----	----	----	----	0 - 6
601	----	----	#0.0735B/----	#0.0735B/0.0395	----	0.0735 + 0.0395	----	----	----	----	----	0 - 3
604	0.0300	0.0300	#0.0435B/0.0250	#0.0435B/0.0250	----	0.0435 NEW	----	----	----	1	----	0 UNCH
605	----	----	#0.0340B/----	#0.0340B/0.0210	----	0.0335 + 0.0140	----	----	----	----	----	0 - 1
609	----	----	----/*0.0150A	0.0825B/*0.0150	----	0.0065 - 0.1040	----	----	----	----	----	0 - 7
610	0.0080	0.0080	0.0150/*0.0040	0.0150/*0.0040	----	0.0000 NEW	----	----	----	31	----	0 UNCH
611	0.0075	0.0075	0.0075/*0.0075	0.0075/*0.0075	----	0.0000 - 0.0080	----	----	----	1	----	0 - 2
665	----	----	#0.0235B/----	#0.0235B/0.0250	----	0.0245 + 0.0105	.1155	----	----	----	----	36 UNCH
TOTAL										65		58- 44
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0080A	----	0.0005 UNCH	.0004	----	----	----	----	21 UNCH
522	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
549	----	----	----	0.0010B/*0.0115	----	0.0045 - 0.0030	.0255	----	----	----	----	1 UNCH
554	----	----	----	----/*0.0060A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
557	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0070 NEW	.0404	----	----	10	----	10 + 10
561	----	----	----	----/*0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
580	----	----	----/*0.0250A	0.0265B/*0.0250	----	0.0190 - 0.0215	.1227	----	----	----	----	1 UNCH
580	----	----	#0.3020B/----	#0.3020B/0.2495	----	0.3025 + 0.0720	.8770	----	----	----	----	1 UNCH
588	----	----	#0.2060B/----	#0.2060B/0.1450	----	0.2040 + 0.0745	.9989	----	----	----	----	1 UNCH
590	0.0485	0.0485	0.0485/*0.0445A	0.0555B/*0.0445	----	0.0365 NEW	.2201	----	----	1	----	1 + 1
595	0.0990	0.0990	#0.1385B/0.0990	#0.1385B/0.0950	----	0.1380 + 0.0555	.9687	----	----	1	----	1 UNCH
597	----	----	#0.1205B/----	#0.1205B/0.0830	----	0.1205 + 0.0490	.9414	----	----	----	----	1 UNCH
600	----	----	#0.1515B/----	#0.1515B/0.1260	----	0.1530 + 0.0415	.6381	----	----	----	----	4 UNCH
600	----	----	#0.0945B/----	#0.0945B/0.0675	----	0.0960 + 0.0390	.8726	----	----	----	----	1 UNCH
601	0.0490	0.0490	#0.0490/*0.0215	0.0490/*0.0215A	----	0.0145 NEW	.1559	----	----	1	----	1 + 1
602	0.0215	0.0215	#0.0215/*0.0215	0.0490B/*0.0215	----	0.0175 NEW	.1940	----	----	1	----	1 + 1
604	0.0220	0.0220	#0.0220/*0.0220	0.0610B/*0.0220	----	0.0245 NEW	.2809	----	----	1	----	1 + 1
605	0.0290	0.0290	0.0290/*0.0290	0.0675B/*0.0290	----	0.0285 NEW	.3285	----	----	1	----	1 + 1
608	----	----	#0.0430B/----	#0.0430B/0.0335	----	0.0460 + 0.0175	.5203	----	----	----	----	10 UNCH
609	0.0390	0.0390	#0.0405/*0.0390	#0.0405/0.0305A	----	0.0410 NEW	.4694	----	----	3	----	3 + 3
609	0.0420	0.0420	#0.0420/*0.0415	0.0955B/*0.0415	----	0.0475 NEW	.5305	----	----	2	----	2 + 2
610	0.0345	0.0345	#0.0425/0.0345	#0.0425/0.0275A	----	0.0365 NEW	.4192	----	----	75	----	75 + 75
619	0.0085	0.0085	#0.0085/*0.0085	#0.0085/*0.0085	----	0.0105 NEW	.0924	----	----	2	----	2 + 2
620	0.0095	0.0095	0.0095/*0.0095	0.0095/0.0095	----	0.0085 NEW	.0704	----	----	20	----	20 + 20
623	0.0035	0.0035	#0.0035/*0.0035	#0.0035/*0.0035	----	0.0050 UNCH	.0325	----	----	2	----	2 + 2
625	----	----	#0.0500B/----	#0.0500B/0.0465	----	0.0530 + 0.0170	.2828	----	----	----	----	3 UNCH
625	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0035 NEW	.0187	----	----	1	----	1 + 1
630	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0010 NEW	.0026	----	----	1	----	1 + 1
TOTAL										122		169+ 121
MAY26												
455	----	----	----	----/0.0085A	----	0.0005 UNCH	.0014	----	----	----	----	21 UNCH
465	----	----	----	----/*0.0090A	----	0.0010 UNCH	.0039	----	----	----	----	2 UNCH
475	----	----	----	----/*0.0095A	----	0.0020 UNCH	.0074	----	----	----	----	2 UNCH
485	----	----	----	----/*0.0100A	----	0.0030 - 0.0005	.0110	----	----	1	----	1 UNCH
500	----	----	----	0.0010B/0.0115A	----	0.0045 - 0.0015	.0170	----	----	----	----	2 UNCH
510	----	----	----	0.0010B/*0.0125	----	0.0060 - 0.0015	.0230	----	----	----	----	8 UNCH
520	----	----	----	0.0035B/*0.0125	----	0.0075 - 0.0025	.0297	----	----	----	----	1 UNCH
530	----	----	----	0.0060B/*0.0135	----	0.0095 - 0.0035	.0387	----	----	----	----	4 UNCH
540	----	----	----/*0.0155A	0.0090B/*0.0155	----	0.0125 - 0.0050	.0519	----	----	----	----	10 UNCH
550	----	----	0.5830B/----	0.5830B/0.6325A	----	0.6590 + 0.0860	.9298	----	----	----	----	3 UNCH
550	0.0160	0.0160	0.0160/*0.0160	0.0160/*0.0160	----	0.0165 - 0.0080	.0698	----	----	6	----	27 UNCH
555	----	----	----/*0.0230A	0.0195B/*0.0230	----	0.0195 - 0.0100	.0823	----	----	----	----	16 UNCH
556	----	----	----/*0.0235A	0.0205B/*0.0235	----	0.0205 - 0.0100	.0860	----	----	----	----	1 UNCH
560	----	----	----/*0.0270A	0.0250B/*0.0270	----	0.0235 - 0.0115	.0982	----	----	----	----	1 UNCH
561	----	----	----/*0.0280A	0.0255B/*0.0280	----	0.0245 - 0.0120	.1020	----	----	----	----	0 UNCH
562	----	----	----/*0.0290A	0.0275B/*0.0290	----	0.0255 - 0.0125	.1058	----	----	----	----	20 UNCH
565	----	----	----/*0.0320A	0.0320B/*0.0320	----	0.0290 - 0.0135	.1185	----	----	----	----	1 UNCH
568	----	----	0.4845B/----	0.4845B/0.4775A	----	0.4955 + 0.0790	.8681	----	----	----	----	1 UNCH
575	----	----	----/*0.0475A	0.0505B/*0.0475	----	0.0440 - 0.0190	.1696	----	----	1	----	1 UNCH
579	----	----	0.3940B/----	0.3940B/0.3935A	----	0.4045 + 0.0715	.8058	----	----	----	----	1 UNCH
584	----	----	----/*0.0670A	0.0755B/*0.0670	----	0.0625 - 0.0270	.2270	----	----	----	----	24 UNCH
585	----	----	----/*0.0695A	0.0785B/*0.0695	----	0.0650 - 0.0280	.2342	----	----	----	----	1 UNCH
590	----	----	0.3175B/----	0.3175B/0.2800A	----	0.3220 + 0.0610	.7270	----	----	----	----	4 UNCH
590	----	----	----/*0.0840A	0.0965B/*0.0840	----	0.0790 - 0.0325	.2724	----	----	----	----	17 UNCH
600	----	----	0.2540B/----	0.2540B/0.2200A	----	0.2575 + 0.0525	.6429	----	----	----	----	1 UNCH
600	----	----	----/*0.1205A	0.1405B/*0.1205	----	0.1140 - 0.0415	.3565	----	----	----	----	1 UNCH
607	----	----	0.2155B/----	0.2155B/0.1865A	----	0.2190 + 0.0470	.5798	----	----	1	----	1 UNCH
610	----	----	0.2055B/----	0.2055B/0.1735A	----	0.2045 + 0.0450	.5529	----	----	----	----	4 UNCH
617	----	----	0.1735B/----	0.1735B/0.1460A	----	0.1730 + 0.0400	.4913	----	----	1	----	1 UNCH
624	----	----	0.1460B/----	0.1460B/0.1225A	----	0.1450 + 0.0345	.4321	----	----	----	----	16 UNCH
645	----	----	----/*0.3920A	0.4215B/*0.3920	----	0.3900 - 0.0705	.7193	----	----	----	----	6 UNCH
660	----	----	0.0560B/----	0.0560B/0.0490A	----	0.0570 + 0.0180	.2002	----	----	----	----	1 UNCH
675	----	----	0.0360B/----	0.0360B/0.0340A	----	0.0365 + 0.0125	.1365	----	----	----	----	2 UNCH
695	----	----	0.0195B/----	0.0195B/0.0220A	----	0.0190 + 0.0070	.0768	----	----	----	----	20 UNCH
700	----	----	0.0170B/----	0.0170B/0.0200A	----	0.0165 + 0.0065	.0673	----	----	----	----	21 UNCH
710	----	----	0.0080B/----	0.0080B/0.0210A	----	0.0120 + 0.0050	.0502	----	----	----	----	2 UNCH
TOTAL										10		245
JUN26												
530	----	----	----/*0.0420A	0.0305B/*0.0420	----	0.0350 - 0.0100	.0946	----	----	----	----	1 UNCH
540	----	----	----/*0.0520A	0.0425B/*0.0520	----	0.0450 - 0.0130	.1191	----	----	----	----	1 UNCH
579	----	----	----/*0.1370A	0.1375B/*0.1370	----	0.1290 - 0.0265	.2792	----	----	----	----	1 UNCH
580	----	----	0.4735B/----	0.4735B/0.4310A	----	0.4745 + 0.0670	.7142	----	----	----	----	5 UNCH
580	----	----	----/*0.1400A	0.1410B/*0.1400	----	0.1325 - 0.0270	.2846	----	----	----	----	5 UNCH
595	----	----	0.3820B/----	0.3820B/0.3465A	----	0.3830 + 0.0590	.6317	----	----	----	----	5 UNCH
595	----	----	----/*0.1980A	0.2050B/*0.1980	----	0.1905 - 0.0345	.3670	----	----	----	----	5 UNCH
606	0.2450	0.2450	0.2450/*0.2415	0.2620B/*0.2415	----	0.2420 NEW	.4293	----	----	2	----	2 + 2
610	----	----	0.3060B/----	0.3060B/0.2770A	----	0.3060 + 0.0500	.5468	----	----	----	----	8 UNCH
630	----	----	0.2250B/----	0.2250B/0.2050A	----	0.2260 + 0.0400	.4389	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
650	----	----	0.1640B/----	0.1640B/0.1510A	----	0.1650 + 0.0315	.3441	----	----	----	----	6 UNCH
660	----	----	0.1395B/----	0.1395B/0.1290A	----	0.1395 + 0.0275	.3017	----	----	----	----	8 UNCH
TOTAL										2		47 + 2
JUL26												
600	----	----	0.4505B/----	0.4505B/0.4160A	----	0.4530 + 0.0630	.6185	----	----	----	----	12 UNCH
612	----	----	0.3905B/----	0.3905B/0.3600A	----	0.3925 + 0.0570	.5639	----	----	----	----	5 UNCH
612	----	----	----/*0.3200A	0.3295B/*0.3200	----	0.3120 - 0.0370	.4342	----	----	----	----	5 UNCH
TOTAL												22
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	1.1850 + 0.0925	.9920	----	----	----	----	1 UNCH
500	----	----	----	----	----	1.0850 + 0.0915	.9896	----	----	----	----	3 UNCH
505	----	----	----	----	----	1.0355 + 0.0915	.9891	----	----	----	----	3 UNCH
525	----	----	0.8240B/----	0.8240B/0.7905A	----	0.8365 + 0.0900	.9808	----	----	----	----	14 UNCH
530	----	----	0.7910B/----	0.7910B/0.7290A	----	0.7870 + 0.0895	.9797	----	----	----	----	276 UNCH
531	----	----	----	----	----	0.7770 + 0.0895	.9775	----	----	----	----	1 UNCH
532	----	----	----	----	----	0.7675 + 0.0895	.9772	----	----	----	----	1 UNCH
533	----	----	----	----	----	0.7575 + 0.0895	.9770	----	----	----	----	3 UNCH
534	----	----	----	----	----	0.7475 + 0.0890	.9767	----	----	----	----	4 UNCH
535	----	----	----	----	----	0.7375 + 0.0890	.9745	----	----	----	----	1 UNCH
536	----	----	----	----	----	0.7280 + 0.0890	.9742	----	----	----	----	2 UNCH
537	----	----	----	----	----	0.7180 + 0.0890	.9739	----	----	----	----	1 UNCH
539	----	----	----	----	----	0.6980 + 0.0880	.9712	----	----	----	----	2 UNCH
540	----	----	0.6765B/----	0.6765B/0.6425A	----	0.6885 + 0.0885	.9709	----	----	----	----	44 UNCH
541	----	----	#0.6665B/----	#0.6665B/0.6325	----	0.6785 + 0.0880	.9705	----	----	----	----	9 UNCH
542	----	----	#0.6565B/----	#0.6565B/0.6230	----	0.6685 + 0.0875	.9681	----	----	----	----	15 UNCH
543	----	----	----	----	----	0.6590 + 0.0880	.9677	----	----	----	----	1 UNCH
544	----	----	----	----	----	0.6490 + 0.0875	.9673	----	----	----	----	2 UNCH
545	----	----	0.6275B/----	0.6275B/0.5935A	----	0.6395 + 0.0875	.9649	----	----	----	----	14 UNCH
546	----	----	#0.6175B/----	#0.6175B/0.5835	----	0.6295 + 0.0870	.9644	----	----	----	----	7 UNCH
547	----	----	----	----	----	0.6195 + 0.0870	.9619	----	----	----	----	1 UNCH
548	----	----	#0.5980B/----	#0.5980B/0.5640	----	0.6100 + 0.0870	.9614	----	----	----	----	28 UNCH
549	----	----	#0.5885B/----	#0.5885B/0.5545	----	0.6000 + 0.0865	.9609	----	----	----	----	5 UNCH
550	0.5550	0.5550	0.5945B/0.5275A	0.5945B/0.5275A	----	0.5905 + 0.0865	.9583	----	----	21	----	452 - 4
551	----	----	0.5690B/----	0.5690B/0.5350A	----	0.5805 + 0.0860	.9577	----	----	----	----	11 UNCH
552	----	----	0.5590B/----	0.5590B/0.5250A	----	0.5710 + 0.0860	.9551	----	----	----	----	18 UNCH
553	----	----	0.5495B/----	0.5495B/0.5155A	----	0.5610 + 0.0850	.9525	----	----	----	----	19 UNCH
554	----	----	0.5400B/----	0.5400B/0.5055A	----	0.5515 + 0.0850	.9518	----	----	----	----	7 UNCH
555	0.5275	0.5275	0.5300B/0.5275	0.5300B/0.4960A	----	0.5420 + 0.0850	.9491	----	----	16	----	111 UNCH
556	----	----	0.5205B/----	0.5205B/0.4865A	----	0.5320 + 0.0845	.9483	----	----	----	----	26 UNCH
557	0.5240	0.5240	0.5240/0.5240	0.5240/0.4770A	----	0.5225 + 0.0840	.9455	----	----	3	----	17 - 1
558	----	----	0.5015B/----	0.5015B/0.4670A	----	0.5130 + 0.0840	.9427	----	----	----	----	16 UNCH
559	----	----	0.4920B/----	0.4920B/0.4575A	----	0.5035 + 0.0835	.9398	----	----	----	----	20 UNCH
560	0.4950	0.4950	0.5015B/0.4950	0.5015B/0.4365A	----	0.4940 + 0.0830	.9369	----	----	12	----	870 - 11
561	----	----	0.4725B/----	0.4725B/0.4390A	----	0.4845 + 0.0825	.9340	----	----	----	----	20 UNCH
562	0.4800	0.4800	0.4825B/0.4800	0.4825B/0.4295A	----	0.4750 + 0.0820	.9310	----	----	3	----	10 - 2
563	----	----	0.4540B/----	0.4540B/0.4200A	----	0.4655 + 0.0815	.9280	----	----	----	----	22 UNCH
564	----	----	0.4445B/----	0.4445B/0.4110A	----	0.4560 + 0.0805	.9249	----	----	----	----	24 UNCH
565	----	----	0.4480B/----	0.4480B/0.3920A	----	0.4465 + 0.0800	.9218	----	----	----	----	210 UNCH
566	----	----	0.4260B/----	0.4260B/0.3925A	----	0.4370 + 0.0790	.9186	----	----	----	----	15 UNCH
567	----	----	0.4165B/----	0.4165B/0.3830A	----	0.4280 + 0.0785	.9134	----	----	----	----	11 UNCH
568	----	----	0.4070B/----	0.4070B/0.3740A	----	0.4185 + 0.0775	.9101	----	----	----	----	59 UNCH
569	----	----	0.3980B/----	0.3980B/0.3755A	----	0.4095 + 0.0770	.9049	----	----	----	----	108 UNCH
570	0.4020	0.4020	0.4035/0.4020	0.4035/0.3435A	----	0.4005 + 0.0760	.8996	----	----	38	----	551 - 6
571	----	----	0.3800B/----	0.3800B/0.3580A	----	0.3915 + 0.0750	.8943	----	----	----	----	31 UNCH
572	----	----	0.3710B/----	0.3710B/0.3490A	----	0.3825 + 0.0740	.8890	----	----	----	----	29 UNCH
573	----	----	0.3620B/----	0.3620B/0.3405A	----	0.3735 + 0.0730	.8835	----	----	----	----	35 UNCH
574	0.3005	0.3005	0.3535B/0.3005	0.3535B/0.3005	----	0.3645 + 0.0720	.8781	----	----	1	----	18 - 1
575	0.3295	0.3295	0.3605B/0.3025A	0.3605B/0.3025A	----	0.3560 + 0.0710	.8709	----	----	23	300	580 UNCH
576	----	----	0.3365B/----	0.3365B/0.3155A	----	0.3475 + 0.0700	.8652	----	----	----	----	116 UNCH
577	----	----	0.3280B/----	0.3280B/0.3070A	----	0.3390 + 0.0690	.8580	----	----	----	----	56 UNCH
578	----	----	0.3200B/----	0.3200B/0.2990A	----	0.3305 + 0.0675	.8506	----	----	----	----	14 UNCH
579	----	----	0.3120B/----	0.3120B/0.2910A	----	0.3220 + 0.0665	.8418	----	----	----	----	9 UNCH
580	0.2605	0.2605	0.3185B/0.2605	0.3185B/0.2605	----	0.3140 + 0.0655	.8344	----	----	28	----	527 - 21
581	----	----	0.2860B/----	0.2860B/0.3215A	----	0.3055 + 0.0635	.8255	----	----	----	----	4 UNCH
582	----	----	0.2885B/----	0.2885B/0.2680A	----	0.2980 + 0.0630	.8167	----	----	----	----	7 UNCH
583	----	----	0.2810B/----	0.2810B/0.2610A	----	0.2900 + 0.0615	.8078	----	----	----	----	63 UNCH
584	0.2620	0.2620	0.2725B/0.2620	0.2725B/0.2535A	----	0.2820 + 0.0600	.7976	----	----	1	----	45 UNCH
585	0.2500	0.2500	0.2835B/0.2500	0.2835B/0.2275A	----	0.2745 + 0.0590	.7875	----	----	61	----	455 - 21
586	----	----	0.2580B/----	0.2580B/0.2395A	----	0.2670 + 0.0575	.7774	----	----	----	----	13 UNCH
587	----	----	0.2510B/----	0.2510B/0.2330A	----	0.2600 + 0.0570	.7673	----	----	----	----	8 UNCH
588	----	----	0.2325B/----	0.2325B/0.2740A	----	0.2525 + 0.0550	.7562	----	----	----	----	3 UNCH
589	----	----	0.2360B/----	0.2360B/0.2200A	----	0.2455 + 0.0540	.7451	----	----	----	----	18 UNCH
590	0.2375	0.2375	0.2475B/0.2355	0.2475B/0.1955A	----	0.2385 + 0.0530	.7340	----	----	129	----	1521 - 1
591	----	----	0.2320B/----	0.2320B/0.1925A	----	0.2320 + 0.0520	.7230	----	----	46	----	123 - 18
592	----	----	0.2045B/----	0.2045B/0.1870A	----	0.2250 + 0.0505	.7111	----	----	----	----	2 UNCH
593	----	----	0.2105B/----	0.2105B/0.1740A	----	0.2185 + 0.0490	.6993	----	----	----	----	16 UNCH
594	----	----	0.2035B/----	0.2035B/0.1740A	----	0.2125 + 0.0485	.6876	----	----	----	----	20 UNCH
595	----	----	0.2105B/----	0.2105B/0.1665A	----	0.2060 + 0.0470	.6758	----	----	2	----	878 UNCH
596	0.1595	0.1595	0.1905B/0.1595	0.1905B/0.1595	----	0.2000 + 0.0460	.6635	----	----	1	----	5 UNCH
597	----	----	0.1850B/----	0.1850B/0.1570A	----	0.1935 + 0.0440	.6513	----	----	----	----	17 UNCH
598	----	----	0.1885B/----	0.1885B/0.1520A	----	0.1880 + 0.0435	.6391	----	----	----	----	31 UNCH
599	----	----	0.1850B/----	0.1850B/0.1435A	----	0.1820 + 0.0420	.6269	----	----	----	----	6 UNCH
600	0.1660	0.1660	0.1815B/0.1660	0.1815B/0.1385A	----	0.1760 + 0.0405	.6144	----	----	59	----	1378 - 14
601	----	----	0.1755B/----	0.1755B/0.1345A	----	0.1705 + 0.0395	.6022	----	----	----	----	8 UNCH
602	0.1370	0.1370	0.1695B/0.1370	0.1695B/0.1340A	----	0.1650 + 0.0380	.5897	----	----	1	----	4 UNCH
603	0.1310	0.1310	0.1660B/0.1245A	0.1660B/0.1245A	----	0.1595 + 0.0370	.5773	----	----	3	----	18 + 3
604	----	----	0.1610B/----	0.1610B/0.1200A	----	0.1545 + 0.0360	.5647	----	----	----	----	44 UNCH
605	0.1245	0.1245	0.1565B/0.1145A	0.1565B/0.1145A	----	0.1490 + 0.0345	.5523	----	----	8	----	176 - 6
606	0.1130	0.1130	0.1520B/0.1115A	0.1520B/0.1115A	----	0.1440 + 0.0330	.5398	----	----	2	----	7 + 2
607	0.1140	0.1140	0.1475B/0.1075A	0.1475B/0.1075A	----	0.1395 + 0.0325	.5272	----	----	1	----	19 + 1
608	0.1080	0.1080	0.1430B/0.1040A	0.1430B/0.1040A	----	0.1345 + 0.0310	.5148	----	----	1	----	53 UNCH
609	----	----	0.1380B/----	0.1380B/0.1000A	----	0.1300 + 0.0300	.5024	----	----	----	----	25 UNCH
610	0.0960	0.0960	0.1350B/0.0955A	0.1350B/0.0955A	----	0.1255 + 0.0290	.4901	----	----	152	----	1121 + 48
611	0.1180	0.1180	0.1300B/0.0925A	0.1300B/0.0925A	----	0.1210 + 0.0280	.4778	----	----	1	----	18 + 1
612	----	----	0.1255B/----	0.1255B/0.0895A	----	0.1170 + 0.0275	.4658	----	----	----	----	29 UNCH
613	----	----	0.1215B/0.0860A	0.1215B/0.0860A	----	0.1130 + 0.0265	.4538	----	----	----	----	39 UNCH
614	0.1105	0.1105	0.1180B/0.0830A	0.1180B/0.0830A	----	0.1090 + 0.0255	.4419	----	----	5	----	34 + 5
615	0.0950	0.0950	0.1165B/0.0795A	0.1165B/0.0795A	----	0.1055 + 0.0250	.4304	----	----	16	----	987 - 6
616	----	----	0.1105B/0.0770A	0.1105B/0.0770A	----	0.1015 + 0.0240	.4186	----	----	----	----	45 UNCH
617	----	----	0.1070B/----	0.1070B/0.0745A	----	0.0980 + 0.0235	.4072	----	----	----	----	56 UNCH
618	----	----	0.1035B/0.0715A	0.1035B/0.0715A	----	0.0950 + 0.0230	.3964	----	----	6	----	49 - 1
619	----	----	0.1005B/0.0685A	0.1005B/0.0685A	----	0.0915 + 0.0225	.3852	----	----	----	----	78 UNCH
620	0.0740	0.0740	0.0990B/0.0660A	0.0990B/0.0660A	----	0.0885 + 0.0220	.3746	----	----	66	----	1126 + 25
621	----	----	0.0940B/0.0635A	0.0940B/0.0635A	----	0.0855 + 0.0215	.3641	----	----	----	----	59 UNCH
622	----	----	0.0905B/0.0610A	0.0905B/0.0610A	----	0.0825 + 0.0210	.3537	----	----	----	----	45 UNCH
623	----	----	0.0880B/----	0.0880B/0.0590A	----	0.0795 + 0.0205	.3434	----	----	1	----	70 + 1
624	----	----	0.0845B/0.0565A	0.0845B/0.0565A	----	0.0770 + 0.0200	.3338	----	----	32	----	66 - 3
625	0.0600	0.0600	0.0835/0.0540A	0.0835/0.0540A	----	0.0740 + 0.0195	.3236	----	----	94	300	846 - 64
626	----	----	0.0790B/----	0.0790B/0.0525A	----	0.0715 + 0.0190	.3141	----	----	----	----	30 UNCH
627	----	----	0.0765B/----	0.0765B/0.0505A	----	0.0690 + 0.0185	.3048	----	----	----	----	31 UNCH
628	0.0655	0.0655	0.0750B/0.0655	0.0750B/0.0485A	----	0.0670 + 0.0190	.2964	----	----	1	----	205 UNCH
629	0.0625	0.0625	0.0725B/0.0625	0.0725B/0.0465A	----	0.0645 + 0.0180	.2872	----	----	1	----	149 UNCH
630	0.0610	0.0610	0.0700B/0.0605	0.0700B/0.0445A	----	0.0620 + 0.0175	.2781	----	----	60	225	712 + 125
631	----	----	0.0660B/----	0.0660B/0.0430A	----	0.0600 + 0.0175	.2699	----	----	----	----	7 UNCH
632	----	----	0.0645B/----	0.0645B/0.0410A	----	0.0580 + 0.0170	.2618	----	----	----	----	1 UNCH
633	----	----	0.0615B/----	0.0615B/0.0395A	----	0.0560 + 0.0170	.2538	----	----	----	----	35 UNCH
634	----	----	0.0600B/----	0.0600B/0.0380A	----	0.0540 + 0.0165	.2459	----	----	----	----	12 UNCH
635	0.0445	0.0445	0.0590B/0.0445	0.0590B/0.0365A	----	0.0520 + 0.0160	.2381	----	----	79	----	374 + 23
636	----	----	0.0560B/----	0.0560B/0.0350A	----	0.0500 + 0.0155	.2302	----	----	----	----	12 UNCH
637	----	----	0.0540B/----	0.0540B/0.0340A	----	0.0485 + 0.0155	.2235	----	----	1	----	4 + 1
638	----	----	0.0515B/----	0.0515B/0.0325A	----	0.0465 + 0.0150	.2158	----	----	----	----	3 UNCH
639	----	----	0.0500B/----	0.0500B/0.0315A	----	0.0450 + 0.0145	.2093	----	----	26	----	27 + 26
640	0.0390	0.0390	0.0495B/0.0390	0.0495B/0.0300A	----	0.0435 + 0.0145	.2028	----	----	51	----	1243 + 32
641	----	----	0.0465B/----	0.0465B/0.0290A	----	0.0420 + 0.0140	.1964	----	----	----	----	6 UNCH
642	----	----	0.0450B/----	0.0450B/0.0280A	----	0.0405 + 0.0140	.1900	----	----	----	----	16 UNCH
643	----	----	0.0435B/----	0.0435B/0.0270A	----	0.0390 + 0.0135	.1837	----	----	----	----	9 UNCH
644	----	----	0.0420B/----	0.0420B/0.0260A	----	0.0375 + 0.0130	.1775	----	----	----	----	1 UNCH
645	0.0350	0.0350	0.0405B/0.0350	0.0405B/0.0250A	----	0.0365 + 0.0130	.1725	----	----	3	----	86 + 2
646	----	----	0.0390B/----	0.0390B/0.0240A	----	0.0350 + 0.0125	.1664	----	----	----	----	1 UNCH
650	0.0275	0.0275	0.0345B/0.0275	0.0345B/0.0205A	----	0.0305 + 0.0115	.1461	----	----	90	500	2815 - 414
655	0.0250	0.0250	0.0280B/0.0250	0.0280B/0.0175A	----	0.0255 + 0.0100	.1234	----	----	38	----	109 + 25
660	0.0180	0.0180	0.0240B/0.0145A	0.0240B/0.0145A	----	0.0215 + 0.0090	.1047	----	----	7	----	152 + 3
665	----	----	0.0200B/----	0.0200B/0.0125A	----	0.0180 + 0.0075	.0882	----	----	----	----	19 UNCH
670	0.0140	0.0140	0.0170B/0.0105A	0.0170B/0.0105A	----	0.0155 + 0.0065	.0757	----	----	38	----	1082 + 7
675	0.0100	0.0100	0.0150/0.0100	0.0150/0.0090A	----	0.0130 + 0.0055	.0638	----	----	22	----	126 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
680	0.0110	0.0110	0.0135/0.0110	0.0135/0.0080A	----	0.0110 + 0.0045	.0540	----	----	11	----	1131 + 7
685	----	----	0.0105B/----	0.0105B/0.0070A	----	0.0095 + 0.0040	.0464	----	----	----	----	13 UNCH
690	----	----	0.0090B/----	0.0090B/0.0060A	----	0.0085 + 0.0040	.0409	----	----	----	----	178 UNCH
695	----	----	0.0075B/----	0.0075B/0.0055A	----	0.0075 + 0.0035	.0358	----	----	----	----	26 UNCH
700	0.0035	0.0035	0.0070/0.0035	0.0070/0.0035	----	0.0065 + 0.0030	.0308	----	----	12	----	532 + 5
705	----	----	0.0060B/----	0.0060B/0.0040A	----	0.0055 + 0.0020	.0261	----	----	----	----	2 UNCH
710	0.0055	0.0055	0.0055/0.0055	0.0055/0.0035A	----	0.0050 + 0.0020	.0233	----	----	1	----	59 UNCH
715	0.0050	0.0050	0.0050/0.0045	0.0050/0.0035A	----	0.0045 + 0.0015	.0207	----	----	9	----	44 + 4
720	----	----	0.0045B/----	0.0045B/0.0030A	----	0.0045 + 0.0020	.0201	----	----	----	----	18 UNCH
725	0.0040	0.0040	0.0040/0.0040	0.0040/0.0030A	----	0.0040 + 0.0015	.0177	----	----	3	----	93 + 2
730	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----	0.0040 + 0.0020	.0172	----	----	2	----	14 - 1
735	----	----	----	----/0.0025A	----	0.0035 + 0.0015	.0149	----	----	----	----	5 UNCH
740	----	----	----	----/0.0025A	----	0.0035 + 0.0015	.0145	----	----	----	----	92 UNCH
745	----	----	----	----/0.0020A	----	0.0035 + 0.0015	.0141	----	----	----	----	34 UNCH
750	0.0025	0.0025	0.0030/0.0025	0.0030/0.0020A	----	0.0030 + 0.0010	.0121	----	----	4	----	456 UNCH
755	----	----	----	----/0.0020A	----	0.0030 + 0.0010	.0118	----	----	----	----	2 UNCH
760	----	----	0.0025B/----	0.0025B/0.0020A	----	0.0030 + 0.0015	.0115	----	----	----	----	77 UNCH
765	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0025 + 0.0010	.0097	----	----	2	----	4 + 2
770	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0025 + 0.0010	.0095	----	----	3	----	4 + 1
775	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0020 + 0.0010	.0076	----	----	3	----	47 UNCH
780	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0020 + 0.0010	.0075	----	----	2	----	10 + 2
785	----	----	----	----/*0.0015A	----	0.0020 + 0.0010	.0073	----	----	----	----	3 UNCH
790	----	----	----	----/*0.0010A	----	0.0020 + 0.0010	.0072	----	----	----	----	3 UNCH
795	----	----	----	----/*0.0015A	----	0.0015 + 0.0005	.0055	----	----	----	----	5 UNCH
800	----	----	----	----/0.0020A	----	0.0015 + 0.0005	.0054	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0035A	----	0.0015 + 0.0005	.0052	----	----	----	----	4040 UNCH
820	----	----	----	----/*0.0015A	----	0.0010 UNCH	.0035	----	----	----	----	28 UNCH
825	----	----	----	----/0.0030A	----	0.0010 + 0.0005	.0034	----	----	----	----	91 UNCH
835	----	----	----	----/0.0030A	----	0.0010 + 0.0005	.0033	----	----	----	----	1 UNCH
840	----	----	----	----/0.0025A	----	0.0005 UNCH	.0017	----	----	----	----	4 UNCH
850	----	----	----	----/0.0020A	----	0.0005 UNCH	.0012	----	----	----	----	62 UNCH
855	----	----	----	----/0.0025A	----	0.0005 UNCH	.0010	----	----	----	----	30 UNCH
860	----	----	----	----/0.0025A	----	0.0005 UNCH	.0008	----	----	----	----	4 UNCH
865	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	3 UNCH
870	----	----	----	----/0.0025A	----	0.0005 UNCH	.0006	----	----	----	----	4 UNCH
875	----	----	----	----/0.0020A	----	0.0005 UNCH	.0005	----	----	----	----	1 UNCH
880	----	----	----	----/0.0020A	----	0.0005 UNCH	.0004	----	----	----	----	12 UNCH
890	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
900	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	73 UNCH
915	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
920	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
925	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
930	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
935	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
940	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
945	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
950	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	40 UNCH
TOTAL									1325	1302		32749 - 240
JUN26												
500	----	----	#1.0900B/----	#1.0900B/----	----	1.1545 + 0.0900	.9587	----	----	----	----	4 UNCH
525	----	----	----	----	----	0.9140 + 0.0860	.9301	----	----	----	----	1 UNCH
535	----	----	0.7990B/----	0.7990B/0.8070A	----	0.8210 + 0.0840	.9100	----	----	----	----	2 UNCH
540	----	----	0.7615B/----	0.7615B/0.7450A	----	0.7760 + 0.0830	.8977	----	----	----	----	22 UNCH
545	----	----	0.7165B/----	0.7165B/0.7195A	----	0.7310 + 0.0810	.8833	----	----	----	----	2 UNCH
549	----	----	#0.6820B/----	#0.6820B/0.6855	----	0.6965 + 0.0800	.8706	----	----	----	----	1 UNCH
550	----	----	0.6735B/----	0.6735B/0.6770A	----	0.6875 + 0.0795	.8678	----	----	----	----	3 UNCH
555	----	----	0.6315B/----	0.6315B/0.6360A	----	0.6450 + 0.0775	.8497	----	----	----	----	1 UNCH
556	----	----	#0.6230B/----	#0.6230B/0.6280	----	0.6370 + 0.0775	.8460	----	----	----	----	1 UNCH
557	----	----	#0.6155B/----	#0.6155B/0.5990	----	0.6285 + 0.0770	.8416	----	----	----	----	63 UNCH
559	----	----	#0.5985B/----	#0.5985B/0.6040	----	0.6120 + 0.0760	.8336	----	----	----	----	4 UNCH
560	----	----	0.5915B/----	0.5915B/0.5750A	----	0.6040 + 0.0755	.8298	----	----	----	----	106 UNCH
562	----	----	#0.5745B/----	#0.5745B/0.5805	----	0.5880 + 0.0750	.8210	----	----	----	----	1 UNCH
565	----	----	0.5510B/----	0.5510B/0.5580A	----	0.5640 + 0.0735	.8078	----	----	----	----	2 UNCH
568	----	----	#0.5280B/----	0.5280B/0.5355A	----	0.5410 + 0.0725	.7933	----	----	----	----	3 UNCH
569	----	----	#0.5205B/----	0.5205B/0.5285A	----	0.5335 + 0.0720	.7882	----	----	----	----	2 UNCH
570	----	----	0.5140B/----	0.5140B/0.4760A	----	0.5260 + 0.0715	.7832	----	----	3	----	19 - 3
574	----	----	0.4835B/----	0.4835B/0.4930A	----	0.4965 + 0.0695	.7626	----	----	----	----	3 UNCH
575	----	----	0.4940B/----	0.4940B/0.4415A	----	0.4895 + 0.0690	.7575	----	----	----	----	149 UNCH
579	----	----	0.4485B/----	0.4485B/0.4595A	----	0.4615 + 0.0670	.7355	----	----	----	----	3 UNCH
580	----	----	0.4575B/----	0.4575B/0.4070A	----	0.4545 + 0.0665	.7300	----	----	----	----	45 UNCH
581	----	----	0.4350B/----	0.4350B/0.4465A	----	0.4480 + 0.0660	.7241	----	----	----	----	1 UNCH
582	----	----	0.4285B/----	0.4285B/0.4400A	----	0.4410 + 0.0650	.7182	----	----	----	----	1 UNCH
583	----	----	0.4215B/----	0.4215B/0.4335A	----	0.4345 + 0.0645	.7127	----	----	----	----	2 UNCH
584	----	----	0.4150B/----	0.4150B/0.4275A	----	0.4280 + 0.0640	.7068	----	----	----	----	3 UNCH
585	----	----	0.4240B/----	0.4240B/0.3780A	----	0.4215 + 0.0635	.7010	----	----	----	----	11 UNCH
586	----	----	0.4025B/----	0.4025B/0.4155A	----	0.4155 + 0.0635	.6948	----	----	----	----	1 UNCH
587	----	----	0.3850B/----	0.3850B/0.3910A	----	0.4090 + 0.0625	.6890	----	----	----	----	3 UNCH
588	----	----	0.3900B/----	0.3900B/0.4035A	----	0.4030 + 0.0625	.6832	----	----	----	----	4 UNCH
589	----	----	0.3835B/----	0.3835B/0.3975A	----	0.3965 + 0.0615	.6770	----	----	----	----	1 UNCH
590	0.3885	0.3885	0.3925B/0.3885	0.3925B/0.3460A	----	0.3905 + 0.0610	.6709	----	----	22	----	83 + 18
591	----	----	0.3725B/----	0.3725B/0.3470A	----	0.3845 + 0.0605	.6649	----	----	----	----	10 UNCH
594	----	----	0.3540B/----	0.3540B/0.3210A	----	0.3670 + 0.0590	.6467	----	----	----	----	3 UNCH
595	----	----	0.3635B/----	0.3635B/0.3155A	----	0.3610 + 0.0585	.6404	----	----	----	----	6 UNCH
596	----	----	0.3535B/----	0.3535B/0.3100A	----	0.3555 + 0.0580	.6344	----	----	----	----	3 UNCH
598	----	----	0.3430B/----	0.3430B/0.2995A	----	0.3445 + 0.0570	.6219	----	----	----	----	3 UNCH
599	----	----	0.3380B/----	0.3380B/0.2945A	----	0.3390 + 0.0565	.6158	----	----	----	----	1 UNCH
600	----	----	0.3375B/----	0.3375B/0.2895A	----	0.3335 + 0.0560	.6096	----	----	----	----	377 UNCH
603	----	----	0.3220B/----	0.3220B/0.2755A	----	0.3175 + 0.0540	.5910	----	----	----	----	2 UNCH
604	----	----	0.3165B/----	0.3165B/0.2695A	----	0.3125 + 0.0535	.5848	----	----	----	----	14 UNCH
605	----	----	0.3120B/----	0.3120B/0.2650A	----	0.3075 + 0.0530	.5786	----	----	1	----	12 UNCH
606	----	----	0.3065B/----	0.3065B/0.2530A	----	0.3025 + 0.0525	.5724	----	----	----	----	4 UNCH
607	----	----	0.3020B/----	0.3020B/0.2485A	----	0.2975 + 0.0520	.5662	----	----	----	----	30 UNCH
608	----	----	0.2970B/----	0.2970B/0.2445A	----	0.2925 + 0.0510	.5600	----	----	----	----	4 UNCH
609	0.2535	0.2535	0.2925B/0.2535	0.2925B/0.2405A	----	0.2875 + 0.0500	.5538	----	----	1	----	8 + 1
610	0.2500	0.2500	0.2890B/0.2500	0.2890B/0.2365A	----	0.2830 + 0.0500	.5477	----	----	56	----	552 UNCH
611	0.2450	0.2450	0.2830B/0.2450	0.2830B/0.2320A	----	0.2785 + 0.0495	.5415	----	----	1	----	1 + 1
612	----	----	0.2785B/----	0.2785B/0.2280A	----	0.2735 + 0.0485	.5354	----	----	6	----	20 UNCH
613	----	----	0.2740B/----	0.2740B/0.2240A	----	0.2690 + 0.0480	.5293	----	----	----	----	2 UNCH
614	0.2320	0.2320	0.2695B/0.2315	0.2695B/0.2200A	----	0.2650 NEW	.5232	----	----	2	----	2 + 2
615	----	----	0.2650B/----	0.2650B/0.2160A	----	0.2605 + 0.0470	.5171	----	----	750	----	759 + 744
616	0.2235	0.2235	0.2610B/0.2235	0.2610B/0.2125A	----	0.2560 + 0.0460	.5111	----	----	1	----	10 + 1
617	----	----	0.2565B/----	0.2565B/0.2080A	----	0.2520 + 0.0460	.5051	----	----	1	----	1 UNCH
618	0.2525	0.2525	0.2525/0.2520	0.2525/0.2075A	----	0.2475 + 0.0450	.4991	----	----	8	----	9 + 8
619	0.2080	0.2080	0.2490B/0.2045A	0.2490B/0.2045A	----	0.2435 NEW	.4931	----	----	2	----	2 + 2
620	0.2215	0.2215	0.2500/0.2000A	0.2500/0.2000A	----	0.2395 + 0.0440	.4872	----	----	35	----	195 + 32
622	----	----	0.2385B/----	0.2385B/0.1935A	----	0.2320 + 0.0435	.4755	----	----	----	----	5 UNCH
625	0.1915	0.1915	0.2285B/0.1915	0.2285B/0.1825A	----	0.2205 + 0.0420	.4582	----	----	195	----	375 + 181
627	----	----	0.2195B/----	0.2195B/0.1765A	----	0.2135 + 0.0410	.4469	----	----	----	----	11 UNCH
629	----	----	0.2125B/----	0.2125B/0.1700A	----	0.2065 + 0.0405	.4357	----	----	----	----	2 UNCH
630	0.1730	0.1730	0.2110B/0.1655A	0.2110B/0.1655A	----	0.2030 + 0.0400	.4302	----	----	17	----	607 + 17
635	----	----	0.1940B/----	0.1940B/0.1510A	----	0.1865 + 0.0380	.4031	----	----	----	----	446 UNCH
640	0.1410	0.1410	0.1755B/0.1380A	0.1755B/0.1380A	----	0.1710 + 0.0360	.3770	----	----	776	----	846 + 773
645	----	----	0.1610B/----	0.1610B/0.1255A	----	0.1570 + 0.0345	.3523	----	----	1	----	61 + 1
650	0.1200	0.1200	0.1495B/0.1125A	0.1495B/0.1125A	----	0.1440 + 0.0330	.3287	----	----	15	----	569 + 3
655	----	----	0.1360B/----	0.1360B/0.1025A	----	0.1315 + 0.0310	.3058	----	----	332	----	368 + 332
660	0.0925	0.0925	0.1260/0.0925	0.1260/0.0925	----	0.1205 + 0.0295	.2846	----	----	15	----	282 + 6
665	----	----	0.1135B/----	0.1135B/0.0845A	----	0.1100 + 0.0280	.2642	----	----	3	----	32 + 2
670	0.0825	0.0825	0.1045B/0.0760A	0.1045B/0.0760A	----	0.1005 + 0.0265	.2451	----	----	4	----	211 + 4
675	----	----	0.0955B/----	0.0955B/0.0695A	----	0.0915 + 0.0245	.2268	----	----	1	----	39 + 1
680	----	----	0.0875B/----	0.0875B/0.0620A	----	0.0835 + 0.0230	.2099	----	----	----	----	317 UNCH
685	----	----	0.0795B/----	0.0795B/0.0565A	----	0.0760 + 0.0215	.1938	----	----	----	----	10 UNCH
690	----	----	0.0725B/----	0.0725B/0.0505A	----	0.0695 + 0.0205	.1793	----	----	31	----	127 UNCH
695	----	----	0.0660B/----	0.0660B/0.0460A	----	0.0630 + 0.0185	.1650	----	----	4	----	5 + 4
700	0.0620	0.0620	0.0630/0.0600	0.0630/0.0415A	----	0.0575 + 0.0175	.1523	----	----	431	----	770 + 375
705	0.0520	0.0520	0.0545B/0.0520	0.0545B/0.0380A	----	0.0525 + 0.0165	.1405	----	----	2	----	5 UNCH
710	0.0410	0.0410	0.0500B/0.0345A	0.0500B/0.0345A	----	0.0480 + 0.0155	.1297	----	----	10	----	450 + 4
715	----	----	0.0455B/----	0.0455B/0.0315A	----	0.0440 + 0.0145	.1198	----	----	----	----	10 UNCH
720	0.0340	0.0340	0.0415B/0.0285A	0.0415B/0.0285A	----	0.0400 + 0.0135	.1101	----	----	21	----	29 + 16
725	----	----	0.0380B/----	0.0380B/0.0260A	----	0.0370 + 0.0130	.1023	----	----	----	----	76 UNCH
730	0.0365	0.0365	0.0365/0.0350	0.0365/0.0240A	----	0.0335 NEW	.0937	----	----	2	----	2 + 2
735	0.0350	0.0350	0.0350/0.0350	0.0350/0.0220A	----	0.0310 NEW	.0870	----	----	10	----	10 + 10
740	----	----	0.0295B/----	0.0295B/0.0205A	----	0.0285 + 0.0105	.0804	----	----	----	----	1 UNCH
745	0.0255	0.0255	0.0270B/0.0255	0.0270B/0.0185A	----	0.0265 + 0.0100	.0749	----	----	20	----	1522 + 20
750	----	----	0.0250B/----	0.0250B/0.0170A	----	0.0240 + 0.0085	.0685	----	----	1	----	167 + 1
755	----	----	0.0230B/----	0.0230B/0.0160A	----	0.0225 + 0.0085	.0642	----	----	----	----	1 UNCH
765	0.0210	0.0210	0.0210/0.0195	0.0210/0.0140A	----	0.0190 + 0.0070	.0548	----	----	2	----	1505 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
770	0.0205	0.0205	0.0205/0.0205	0.0205/0.0130A	----	0.0180 + 0.0070	.0517	----	----	4	----	4 - 3
775	0.0175	0.0175	0.0175/0.0170	0.0175/0.0120A	----	0.0165 NEW	.0477	----	----	2	----	2 + 2
780	----	----	0.0155B/----	0.0155B/0.0110A	----	0.0155 + 0.0060	.0447	----	----	----	----	5 UNCH
795	----	----	0.0125B/----	0.0125B/0.0090A	----	0.0125 + 0.0055	.0362	----	----	----	----	33 UNCH
800	----	----	0.0115B/----	0.0115B/0.0085A	----	0.0120 + 0.0055	.0346	----	----	----	----	6 UNCH
810	----	----	0.0090B/----	0.0090B/0.0090A	----	0.0100 + 0.0045	.0292	----	----	----	----	3 UNCH
825	----	----	0.0070B/----	0.0070B/0.0080A	----	0.0080 + 0.0035	.0235	----	----	----	----	1 UNCH
840	----	----	0.0055B/----	0.0055B/0.0085A	----	0.0065 + 0.0030	.0191	----	----	----	----	6 UNCH
850	----	----	0.0050B/----	0.0050B/0.0080A	----	0.0055 + 0.0025	.0163	----	----	----	----	4 UNCH
880	----	----	----	0.0020B/0.0080A	----	0.0040 + 0.0020	.0117	----	----	----	----	2 UNCH
900	----	----	----	----/0.0070A	----	0.0030 + 0.0015	.0088	----	----	----	----	9 UNCH
910	----	----	----	----/0.0070A	----	0.0025 + 0.0015	.0074	----	----	----	----	11 UNCH
950	----	----	----	----/0.0050A	----	0.0010 + 0.0005	.0031	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0016	----	----	1	----	1 UNCH
TOTAL										2789		11526 + 2559
JUL26												
500	----	----	----	#1.0000B/----	----	1.1685 + 0.0880	.9298	----	----	----	----	2 UNCH
520	----	----	----	----	----	0.9860 + 0.0835	.8945	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.9420 + 0.0830	.8836	----	----	----	----	1 UNCH
530	0.8925	0.8925	0.8950/0.8925	0.8950/0.8700A	----	0.8990 + 0.0830	.8707	----	----	6	----	6 UNCH
540	----	----	0.7955B/----	0.7955B/0.7870A	----	0.8155 + 0.0820	.8422	----	----	----	----	16 UNCH
545	----	----	----	----	----	0.7750 + 0.0800	.8263	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.7355 + 0.0780	.8097	----	----	----	----	2 UNCH
555	----	----	0.6775B/----	0.6775B/0.6700A	----	0.6975 + 0.0765	.7913	----	----	----	----	116 UNCH
560	----	----	0.6115B/----	0.6115B/0.6090A	----	0.6605 + 0.0750	.7724	----	----	----	----	1 UNCH
570	----	----	0.5930B/----	0.5930B/0.5420A	----	0.5905 + 0.0720	.7314	----	----	----	----	157 UNCH
574	----	----	#0.5440B/----	#0.5440B/0.5390	----	0.5640 + 0.0705	.7140	----	----	----	----	5 UNCH
575	----	----	0.5595B/----	0.5595B/0.5095A	----	0.5575 + 0.0700	.7098	----	----	----	----	19 UNCH
580	----	----	0.5280B/----	0.5280B/0.4810A	----	0.5245 + 0.0670	.6880	----	----	1	----	148 - 1
585	----	----	0.4980B/----	0.4980B/0.4520A	----	0.4935 + 0.0645	.6654	----	----	7	----	304 UNCH
590	----	----	0.4685B/----	0.4685B/0.4225A	----	0.4650 + 0.0630	.6421	----	----	----	----	107 UNCH
591	----	----	#0.4550B/----	#0.4550B/0.4205	----	0.4595 + 0.0625	.6372	----	----	----	----	3 UNCH
593	----	----	#0.4450B/----	#0.4450B/0.4100	----	0.4490 + 0.0620	.6278	----	----	----	----	1 UNCH
594	----	----	#0.4410B/----	#0.4410B/0.3975	----	0.4435 + 0.0615	.6231	----	----	----	----	2 UNCH
595	----	----	0.4415B/----	0.4415B/0.3925A	----	0.4385 + 0.0615	.6183	----	----	----	----	29 UNCH
597	----	----	#0.4245B/----	#0.4245B/0.3825	----	0.4280 + 0.0605	.6089	----	----	----	----	1 UNCH
598	----	----	#0.4240B/----	#0.4240B/0.3780	----	0.4230 + 0.0600	.6042	----	----	----	----	1 UNCH
599	----	----	#0.4200B/----	#0.4200B/0.3730	----	0.4175 + 0.0595	.5994	----	----	----	----	2 UNCH
600	0.3660	0.3660	0.4225/0.3660	0.4225/0.3660	----	0.4125 + 0.0590	.5947	----	----	15	----	357 UNCH
605	----	----	0.3910B/----	0.3910B/0.3460A	----	0.3885 + 0.0570	.5712	----	----	7	----	33 - 7
610	0.3430	0.3430	0.3675B/0.3210	0.3675B/0.3210	----	0.3655 + 0.0550	.5479	----	----	12	----	116 + 5
615	0.3315	0.3315	0.3450B/0.3315	0.3450B/0.3005A	----	0.3435 + 0.0525	.5249	----	----	103	----	203 + 100
620	0.2990	0.2990	0.3240B/0.2990	0.3240B/0.2805A	----	0.3225 + 0.0505	.5022	----	----	3	----	110 UNCH
625	0.2900	0.2900	0.3105/0.2900	0.3105/0.2595A	----	0.3025 + 0.0480	.4799	----	----	14	----	260 + 9
630	0.2790	0.2790	0.2870B/0.2790	0.2870B/0.2455A	----	0.2835 + 0.0455	.4581	----	----	7	----	41 + 7
635	0.2430	0.2430	0.2700B/0.2295A	0.2700B/0.2295A	----	0.2660 + 0.0435	.4369	----	----	1	----	12 + 1
640	0.2380	0.2380	0.2565B/0.2380	0.2565B/0.2110A	----	0.2490 + 0.0415	.4161	----	----	10	----	814 + 8
645	0.2235	0.2235	0.2410B/0.2235	0.2410B/0.1970A	----	0.2335 + 0.0395	.3961	----	----	44	----	361 + 43
650	0.2050	0.2050	0.2265/0.2050	0.2265/0.1840A	----	0.2190 + 0.0380	.3769	----	----	60	----	470 + 5
660	----	----	0.1980B/----	0.1980B/0.1605A	----	0.1920 + 0.0350	.3400	----	----	----	----	226 UNCH
665	----	----	0.1835B/----	0.1835B/0.1560A	----	0.1800 + 0.0335	.3228	----	----	----	----	1 UNCH
670	0.1645	0.1645	0.1720B/0.1645	0.1720B/0.1415A	----	0.1685 + 0.0325	.3062	----	----	2	----	22 UNCH
675	0.1555	0.1555	0.1640/0.1555	0.1640/0.1295A	----	0.1580 + 0.0315	.2904	----	----	6	----	446 + 3
680	----	----	0.1505B/----	0.1505B/0.1275A	----	0.1475 + 0.0295	.2748	----	----	----	----	3 UNCH
685	----	----	0.1400B/----	0.1400B/0.1185A	----	0.1380 + 0.0285	.2601	----	----	21	----	23 + 21
690	----	----	0.1335B/----	0.1335B/0.1055A	----	0.1295 + 0.0275	.2465	----	----	----	50	197 - 50
695	----	----	0.1230B/----	0.1230B/0.1005A	----	0.1210 + 0.0265	.2330	----	----	----	----	40 UNCH
700	0.1190	0.1190	0.1190/0.1125	0.1190/0.0920A	----	0.1130 + 0.0250	.2201	----	----	70	----	207 + 32
715	----	----	0.0940B/----	0.0940B/0.0770A	----	0.0930 + 0.0225	.1861	----	----	----	----	25 UNCH
725	----	----	0.0845B/----	0.0845B/0.0680A	----	0.0815 + 0.0200	.1660	----	----	1	----	1523 UNCH
730	----	----	0.0780B/----	0.0780B/0.0645A	----	0.0760 + 0.0190	.1564	----	----	----	----	4 UNCH
750	----	----	0.0605B/----	0.0605B/0.0495A	----	0.0590 + 0.0155	.1248	----	----	50	----	234 + 50
775	0.0420	0.0420	0.0440/0.0420	0.0440/0.0360A	----	0.0440 + 0.0120	.0952	----	----	7	----	34 + 7
800	0.0290	0.0290	0.0325/0.0290	0.0325/0.0270A	----	0.0335 + 0.0095	.0735	----	----	14	----	76 + 7
850	----	----	0.0180B/----	0.0180B/0.0205A	----	0.0210 + 0.0060	.0464	----	----	----	----	3 UNCH
875	----	----	0.0135B/----	0.0135B/0.0170A	----	0.0165 + 0.0040	.0367	----	----	----	----	2 UNCH
900	----	----	----	0.0100B/0.0140A	----	0.0130 + 0.0020	.0291	----	----	----	----	271 UNCH
950	----	----	----	0.0060B/0.0095A	----	0.0080 + 0.0015	.0182	----	----	----	----	56 UNCH
975	----	----	----	0.0040B/0.0080A	----	0.0065 + 0.0015	.0148	----	----	----	----	2 UNCH
1000	----	----	----	0.0030B/0.0070A	----	0.0050 + 0.0010	.0116	----	----	----	----	4 UNCH
TOTAL									50	461		7101 + 240
AUG26												
500	----	----	----	----	----	1.2425 + 0.0885	.9087	----	----	----	----	2 UNCH
550	----	----	----	----	----	0.8275 + 0.0790	.7911	----	----	----	----	3 UNCH
575	0.6000	0.6000	0.6500B/0.6000	0.6500B/0.6000	----	0.6550 + 0.0730	.7059	----	----	1	----	0 - 1
580	----	----	0.6190B/----	0.6190B/0.5780A	----	0.6235 + 0.0710	.6874	----	----	----	----	252 UNCH
585	----	----	0.5890B/----	0.5890B/0.5500A	----	0.5935 + 0.0695	.6686	----	----	----	----	11 UNCH
590	----	----	0.5600B/----	0.5600B/0.5225A	----	0.5645 + 0.0675	.6495	----	----	----	----	16 UNCH
595	----	----	0.5325B/----	0.5325B/0.4965A	----	0.5365 NEW	.6303	----	----	1	----	1 + 1
600	----	----	0.5060B/----	0.5060B/0.4645A	----	0.5100 + 0.0635	.6109	----	----	1	----	4 UNCH
620	----	----	0.4150B/----	0.4150B/0.3760A	----	0.4145 + 0.0555	.5334	----	----	----	----	7 UNCH
625	----	----	0.3935B/----	0.3935B/0.3565A	----	0.3930 + 0.0535	.5144	----	----	----	----	85 UNCH
640	----	----	0.3355B/----	0.3355B/0.3035A	----	0.3350 + 0.0480	.4593	----	----	----	----	153 UNCH
650	----	----	0.3010B/----	0.3010B/0.2720A	----	0.3010 + 0.0450	.4244	----	----	----	----	31 UNCH
675	----	----	0.2300B/----	0.2300B/0.2070A	----	0.2305 + 0.0380	.3453	----	----	----	----	168 UNCH
680	0.2255	0.2255	0.2595/0.2255	0.2595/0.1965A	----	0.2185 + 0.0365	.3309	----	----	4	----	4 + 3
690	----	----	0.1910B/----	0.1910B/0.1840A	----	0.1965 + 0.0340	.3037	----	----	----	----	3 UNCH
700	----	----	0.1705B/----	0.1705B/0.1655A	----	0.1770 + 0.0320	.2786	----	----	----	----	4 UNCH
725	----	----	0.1285B/----	0.1285B/0.1275A	----	0.1360 + 0.0270	.2234	----	----	----	----	86 UNCH
730	----	----	0.1265B/----	0.1265B/0.1160A	----	0.1290 + 0.0260	.2136	----	----	----	----	1 UNCH
750	----	----	0.1015B/----	0.1015B/0.0950A	----	0.1050 + 0.0230	.1787	----	----	----	----	66 UNCH
800	----	----	0.0585B/----	0.0585B/0.0605A	----	0.0640 + 0.0160	.1149	----	----	----	----	6 UNCH
850	----	----	0.0340B/----	0.0340B/0.0405A	----	0.0410 + 0.0105	.0759	----	----	----	----	1 UNCH
900	----	----	----	0.0205B/0.0285A	----	0.0285 + 0.0075	.0531	----	----	----	----	57 UNCH
950	----	----	----	0.0125B/0.0210A	----	0.0190 + 0.0055	.0362	----	----	----	----	2 UNCH
975	----	----	----	0.0100B/0.0195A	----	0.0155 + 0.0045	.0298	----	----	----	----	1 UNCH
TOTAL										7		964 + 3
SEP26												
495	----	----	----	----	----	1.3050 + 0.0885	.8963	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.2620 + 0.0880	.8875	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.9775 + 0.0820	.8100	----	----	----	----	1 UNCH
565	----	----	0.7585B/----	0.7585B/0.7155A	----	0.7635 + 0.0745	.7234	----	----	----	----	1 UNCH
575	----	----	0.6955B/----	0.6955B/0.6555A	----	0.7005 + 0.0720	.6910	----	----	----	----	100 UNCH
595	----	----	0.5820B/----	0.5820B/0.5480A	----	0.5865 + 0.0650	.6233	----	----	1	----	3 + 1
600	----	----	0.5565B/----	0.5565B/0.5155A	----	0.5605 + 0.0630	.6061	----	----	1	----	288 + 1
610	----	----	0.5090B/----	0.5090B/0.4700A	----	0.5120 + 0.0600	.5717	----	----	----	----	31 UNCH
615	----	----	0.4860B/----	0.4860B/0.4485A	----	0.4890 + 0.0585	.5546	----	----	----	----	9 UNCH
620	----	----	0.4640B/----	0.4640B/0.4285A	----	0.4670 + 0.0570	.5376	----	----	----	----	37 UNCH
625	0.4480	0.4480	0.4480/0.4480	0.4480/0.4080A	----	0.4460 + 0.0555	.5208	----	----	1	----	142 UNCH
630	----	----	0.4225B/----	0.4225B/0.3900A	----	0.4255 + 0.0535	.5042	----	----	----	----	2 UNCH
640	----	----	0.3845B/----	0.3845B/0.3545A	----	0.3875 + 0.0510	.4718	----	----	----	----	12 UNCH
650	----	----	0.3495B/----	0.3495B/0.3220A	----	0.3525 + 0.0475	.4405	----	----	37	----	214 - 37
655	----	----	0.3325B/----	0.3325B/0.3060A	----	0.3365 + 0.0465	.4254	----	----	----	----	4 UNCH
670	----	----	0.2880B/----	0.2880B/0.2660A	----	0.2920 + 0.0425	.3821	----	----	----	----	1 UNCH
675	----	----	0.2745B/----	0.2745B/0.2540A	----	0.2785 + 0.0415	.3684	----	----	----	----	325 UNCH
680	----	----	0.2620B/----	0.2620B/0.2425A	----	0.2660 + 0.0405	.3553	----	----	----	----	350 UNCH
690	----	----	0.2380B/----	0.2380B/0.2210A	----	0.2420 + 0.0380	.3297	----	----	----	----	11 UNCH
700	0.2220	0.2220	0.2220/0.2220	0.2220/0.2025A	----	0.2205 + 0.0360	.3059	----	----	1	----	55 UNCH
750	----	----	0.1340B/----	0.1340B/0.1285A	----	0.1390 + 0.0275	.2082	----	----	37	----	71 - 14
800	----	----	0.0835B/----	0.0835B/0.0840A	----	0.0890 + 0.0200	.1411	----	----	----	----	12 UNCH
875	----	----	0.0420B/----	0.0420B/0.0490A	----	0.0485 + 0.0120	.0811	----	----	----	----	1 UNCH
900	----	----	0.0340B/----	0.0340B/0.0420A	----	0.0400 + 0.0100	.0678	----	----	----	----	25 UNCH
975	----	----	0.0175B/----	0.0175B/0.0290A	----	0.0235 + 0.0065	.0409	----	----	----	----	1 UNCH
TOTAL										78		1703 - 49
OCT26												
650	----	----	0.4260B/----	0.4260B/0.4065A	----	0.4325 + 0.0510	.4768	----	----	----	----	100 UNCH
700	----	----	0.2720B/----	0.2720B/0.2735A	----	0.2890 + 0.0445	.3495	----	----	----	----	145 UNCH
775	----	----	0.1395B/----	0.1395B/0.1580A	----	0.1575 + 0.0315	.2120	----	----	----	----	71 UNCH
800	----	----	0.1140B/----	0.1140B/0.1210A	----	0.1295 + 0.0270	.1791	----	----	----	----	1 UNCH
850	----	----	0.0745B/----	0.0745B/0.0850A	----	0.0920 + 0.0205	.1312	----	----	----	----	30 UNCH
875	----	----	----	0.0605B/0.0730A	----	0.0795 + 0.0180	.1141	----	----	----	----	2 UNCH
900	----	----	----	0.0490B/0.0630A	----	0.0700 + 0.0165	.1005	----	----	----	----	3 UNCH
975	----	----	----	0.0255B/0.0435A	----	0.0400 + 0.0105	.0610	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
TOTAL												356
NOV26												
535	----	----	----	----	----	1.0995 + 0.0785	.7971	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0285 + 0.0775	.7733	----	----	----	----	1 UNCH
580	----	----	0.7925B/----	0.7925B/0.7720A	----	0.8055 + 0.0715	.6808	----	----	----	----	2 UNCH
585	----	----	0.7640B/----	0.7640B/0.7450A	----	0.7770 + 0.0700	.6669	----	----	----	----	1 UNCH
595	----	----	0.7095B/----	0.7095B/0.6930A	----	0.7230 + 0.0680	.6387	----	----	----	----	2 UNCH
600	----	----	0.6835B/----	0.6835B/0.6680A	----	0.6970 + 0.0665	.6245	----	----	----	----	2 UNCH
610	----	----	0.6345B/----	0.6345B/0.6210A	----	0.6475 + 0.0640	.5962	----	----	----	----	14 UNCH
640	----	----	0.5045B/----	0.5045B/0.4975A	----	0.5170 + 0.0560	.5125	----	----	----	----	1 UNCH
655	----	----	0.4485B/----	0.4485B/0.4440A	----	0.4610 + 0.0525	.4727	----	----	----	----	1 UNCH
670	----	----	0.3980B/----	0.3980B/0.3965A	----	0.4110 + 0.0490	.4347	----	----	----	----	14 UNCH
675	----	----	0.3820B/----	0.3820B/0.3815A	----	0.3950 + 0.0475	.4224	----	----	----	----	1 UNCH
750	0.2250	0.2250	0.2250/0.2250	0.2250/0.2160A	----	0.2210 + 0.0330	.2682	----	----	1	----	1 UNCH
850	----	----	0.0910B/----	0.0910B/0.1100A	----	0.1065 + 0.0185	.1437	----	----	----	----	1 UNCH
900	----	----	----	0.0605B/0.0830A	----	0.0755 + 0.0140	.1057	----	----	----	----	1 UNCH
975	----	----	----	0.0325B/0.0585A	----	0.0445 + 0.0090	.0659	----	----	----	----	1 UNCH
TOTAL										1		44
DEC26												
520	----	----	----	----	----	1.2350 + 0.0820	.8182	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1980 + 0.0815	.8076	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1260 + 0.0800	.7858	----	----	----	----	1 UNCH
550	----	----	1.0075B/----	1.0075B/0.9860A	----	1.0235 + 0.0780	.7507	----	----	----	----	2 UNCH
555	----	----	0.9750B/----	0.9750B/0.9545A	----	0.9910 + 0.0775	.7386	----	----	----	----	1 UNCH
565	----	----	0.9120B/----	0.9120B/0.8935A	----	0.9285 + 0.0765	.7136	----	----	----	----	45 UNCH
575	----	----	0.8520B/----	0.8520B/0.8360A	----	0.8690 + 0.0750	.6880	----	----	----	----	123 UNCH
585	----	----	0.7960B/----	0.7960B/0.7820A	----	0.8130 + 0.0730	.6620	----	----	----	----	1 UNCH
590	----	----	0.7690B/----	0.7690B/0.7560A	----	0.7860 + 0.0720	.6488	----	----	----	----	200 UNCH
595	----	----	0.7425B/----	0.7425B/0.7310A	----	0.7595 + 0.0705	.6356	----	----	----	----	163 UNCH
600	----	----	0.7175B/----	0.7175B/0.7065A	----	0.7345 + 0.0700	.6223	----	----	----	----	602 UNCH
610	----	----	0.6690B/----	0.6690B/0.6605A	----	0.6855 + 0.0670	.5958	----	----	----	----	356 UNCH
620	----	----	0.6300B/----	0.6300B/0.6165A	----	0.6400 + 0.0650	.5694	----	----	----	----	408 UNCH
625	----	----	0.6015B/----	0.6015B/0.5960A	----	0.6180 + 0.0635	.5563	----	----	----	----	3 UNCH
630	----	----	0.5805B/----	0.5805B/0.5760A	----	0.5970 + 0.0625	.5433	----	----	----	----	456 UNCH
640	----	----	0.5400B/----	0.5400B/0.5375A	----	0.5565 + 0.0605	.5178	----	----	----	----	29 UNCH
650	0.5200	0.5200	0.5215/0.5190	0.5215/0.5010A	----	0.5190 + 0.0585	.4928	----	----	53	----	522 + 47
660	----	----	0.4665B/----	0.4665B/0.4675A	----	0.4835 + 0.0560	.4685	----	----	----	----	300 UNCH
670	----	----	0.4335B/----	0.4335B/0.4355A	----	0.4500 + 0.0540	.4449	----	----	----	----	4 UNCH
675	----	----	0.4175B/----	0.4175B/0.4205A	----	0.4340 + 0.0525	.4333	----	----	----	----	17 UNCH
680	----	----	0.4020B/----	0.4020B/0.4060A	----	0.4190 + 0.0515	.4220	----	----	----	----	3 UNCH
700	0.3400	0.3400	0.3600/0.3400	0.3600/0.3400	----	0.3625 + 0.0470	.3786	----	----	2	----	844 UNCH
705	----	----	0.3325B/----	0.3325B/0.3405A	----	0.3495 + 0.0455	.3683	----	----	----	----	2 UNCH
725	----	----	0.2855B/----	0.2855B/0.2960A	----	0.3030 + 0.0415	.3294	----	----	----	----	5 UNCH
730	----	----	0.2745B/----	0.2745B/0.2860A	----	0.2920 + 0.0405	.3201	----	----	----	----	2 UNCH
750	----	----	0.2360B/----	0.2360B/0.2500A	----	0.2540 + 0.0370	.2860	----	----	----	----	24 UNCH
800	----	----	0.1620B/----	0.1620B/0.1810A	----	0.1805 + 0.0285	.2151	----	----	----	----	104 UNCH
850	----	----	0.1125B/----	0.1125B/0.1350A	----	0.1320 + 0.0225	.1635	----	----	----	----	4 UNCH
900	----	----	----	0.0785B/0.1040A	----	0.0985 + 0.0175	.1256	----	----	----	----	213 UNCH
925	----	----	----	0.0650B/0.0925A	----	0.0880 + 0.0155	.1125	----	----	----	----	6 UNCH
950	----	----	----	0.0540B/0.0825A	----	0.0795 + 0.0145	.1015	----	----	----	----	78 UNCH
975	----	----	----	0.0450B/0.0745A	----	0.0725 + 0.0135	.0924	----	----	----	----	13 UNCH
TOTAL										55		4655 + 47
JAN27												
500	----	----	----	----	----	1.4730 + 0.0790	.8560	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1570 + 0.0145	.1687	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5435 + 0.0410	.4619	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1220 + 0.0115	.1351	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
340	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
350	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
360	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	35 UNCH
370	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
375	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
390	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
395	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	6 UNCH
400	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	124 UNCH
405	----	----	----	----/0.0045A	----	0.0005 UNCH	.0002	----	----	----	----	125 UNCH
410	----	----	----	----/0.0045A	----	0.0005 UNCH	.0004	----	----	----	----	23 UNCH
415	----	----	----	----/0.0045A	----	0.0005 UNCH	.0005	----	----	----	----	6 UNCH
420	----	----	----	----/0.0005A	----	0.0005 UNCH	.0008	----	----	1	----	60 UNCH
425	----	----	----	----/0.0045A	----	0.0005 UNCH	.0011	----	----	----	----	56 UNCH
430	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0015	----	----	10	----	13 - 8
435	----	----	----	----/*0.0010A	----	0.0010 UNCH	.0029	----	----	----	----	8 UNCH
440	----	----	----	----/0.0010A	----	0.0010 UNCH	.0030	----	----	10	----	130 UNCH
445	----	----	----	----/0.0010A	----	0.0010 UNCH	.0031	----	----	----	----	52 UNCH
450	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0032	----	----	----	----	855 UNCH
455	----	----	----/*0.0010A	----/*0.0010A	----	0.0015 UNCH	.0047	----	----	----	----	23 UNCH
460	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0015 UNCH	.0049	----	----	6	----	504 UNCH
465	----	----	----	----/0.0045A	----	0.0015 - 0.0005	.0051	----	----	----	----	34 UNCH
470	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0015 - 0.0005	.0053	----	----	1	----	57 - 1
475	----	----	----/*0.0015A	----/*0.0015A	----	0.0020 UNCH	.0070	----	----	----	----	418 UNCH
480	----	----	----	0.0015B/0.0025A	----	0.0020 - 0.0005	.0073	----	----	1	----	1305 UNCH
485	0.0025	0.0025	0.0025/*0.0020A	0.0025/*0.0020A	----	0.0020 - 0.0010	.0076	----	----	1	----	85 - 1
490	0.0030	0.0030	0.0030/0.0030	0.0030/0.0030	----	0.0020 - 0.0010	.0079	----	----	1	----	269 UNCH
495	----	----	----	----/0.0055A	----	0.0025 - 0.0010	.0099	----	----	----	----	91 UNCH
500	----	----	----/*0.0020A	----/*0.0020A	----	0.0025 - 0.0015	.0103	----	----	----	----	1752 UNCH
505	----	----	----/0.0035A	0.0020B/0.0035A	----	0.0025 - 0.0015	.0108	----	----	----	----	176 UNCH
510	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0015	.0131	----	----	----	----	389 UNCH
514	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0020	.0136	----	----	----	----	43 UNCH
515	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0020	.0137	----	----	----	----	154 UNCH
516	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0025	.0139	----	----	----	----	74 UNCH
517	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0025	.0140	----	----	----	----	108 UNCH
518	----	----	----/*0.0035A	----/*0.0035A	----	0.0035 - 0.0020	.0160	----	----	----	----	118 UNCH
519	----	----	----/*0.0030A	----/*0.0030A	----	0.0035 - 0.0020	.0162	----	----	----	----	88 UNCH
520	----	----	----/*0.0035A	0.0040B/*0.0035	----	0.0035 - 0.0025	.0163	----	----	----	350	1197 + 25
521	----	----	----/*0.0035A	0.0030B/*0.0035	----	0.0035 - 0.0025	.0165	----	----	----	----	67 UNCH
522	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0035 - 0.0025	.0167	----	----	3	----	52 + 3
523	----	----	----/*0.0035A	0.0030B/*0.0035	----	0.0035 - 0.0030	.0169	----	----	----	----	23 UNCH
524	----	----	----/*0.0035A	0.0035B/*0.0035	----	0.0035 - 0.0030	.0170	----	----	----	----	20 UNCH
525	0.0050	0.0050	0.0050/*0.0030	0.0050/*0.0030	----	0.0040 - 0.0025	.0191	----	----	79	----	329 - 27
526	----	----	----/*0.0040A	0.0035B/*0.0040	----	0.0040 - 0.0030	.0193	----	----	----	----	19 UNCH
527	----	----	----/*0.0040A	0.0035B/*0.0040	----	0.0040 - 0.0030	.0195	----	----	----	----	17 UNCH
528	----	----	----/*0.0040A	0.0040B/*0.0040	----	0.0040 - 0.0030	.0198	----	----	----	----	12 UNCH
529	----	----	----/*0.0045A	0.0040B/*0.0045	----	0.0040 - 0.0035	.0200	----	----	----	----	6 UNCH
530	----	----	----/*0.0040A	0.0040B/*0.0040	----	0.0040 - 0.0035	.0202	----	----	4	----	590 - 2
531	----	----	----/*0.0045A	0.0045B/*0.0045	----	0.0045 - 0.0035	.0224	----	----	----	----	24 UNCH
532	----	----	----/*0.0040A	0.0045B/*0.0040	----	0.0045 - 0.0035	.0226	----	----	----	----	11 UNCH
533	----	----	----/*0.0045A	0.0050B/*0.0045	----	0.0045 - 0.0040	.0229	----	----	----	----	7 UNCH
534	----	----	----/*0.0045A	0.0050B/*0.0045	----	0.0045 - 0.0040	.0232	----	----	----	----	9 UNCH
535	----	----	----/*0.0045A	0.0050B/*0.0045	----	0.0050 - 0.0040	.0254	----	----	1	----	200 - 1
536	----	----	----/*0.0050A	0.0050B/*0.0050	----	0.0050 - 0.0040	.0257	----	----	----	----	12 UNCH
537	----	----	----/*0.0050A	0.0070B/*0.0050	----	0.0050 - 0.0045	.0260	----	----	----	----	9 UNCH
538	----	----	----/*0.0050A	0.0075B/*0.0050	----	0.0050 - 0.0045	.0263	----	----	----	----	10 UNCH
539	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0055 - 0.0045	.0287	----	----	----	----	11 UNCH
540	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0055 - 0.0045	.0290	----	----	1	----	316 - 1
541	----	----	----/*0.0055A	0.0080B/*0.0055	----	0.0055 - 0.0050	.0294	----	----	----	----	10 UNCH
542	----	----	----/*0.0055A	0.0080B/*0.0055	----	0.0060 - 0.0050	.0318	----	----	----	----	8 UNCH
543	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0060 - 0.0055	.0322	----	----	----	----	1 UNCH
544	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0060 - 0.0055	.0326	----	----	----	----	1 UNCH
545	0.0065	0.0065	0.0065/*0.0060A	0.0090B/*0.0060	----	0.0065 - 0.0055	.0350	----	----	11	----	152 UNCH
546	----	----	----/*0.0065A	0.0095B/*0.0065	----	0.0065 - 0.0060	.0355	----	----	----	----	10 UNCH
547	----	----	----/*0.0065A	0.0095B/*0.0065	----	0.0070 - 0.0060	.0380	----	----	----	----	7 UNCH
548	0.0075	0.0075	0.0075/*0.0065A	0.0100B/*0.0065	----	0.0070 - 0.0060	.0385	----	----	2	----	55 + 2
549	----	----	----/*0.0070A	0.0105B/*0.0070	----	0.0070 - 0.0065	.0390	----	----	----	----	12 UNCH
550	0.0125	0.0125	0.0125/*0.0070A	0.0125/*0.0070A	----	0.0075 - 0.0065	.0416	----	----	46	----	1661 - 22
551	----	----	----/*0.0075A	0.0110B/*0.0075	----	0.0075 - 0.0070	.0421	----	----	----	----	36 UNCH
552	----	----	----/*0.0075A	0.0115B/*0.0075	----	0.0080 - 0.0070	.0448	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
553	----	----	----/*0.0080A	0.0120B/*0.0080	----	0.0085 - 0.0075	.0474	----	----	----	----	18 UNCH
554	0.0085	0.0085	0.0085/*0.0085	0.0125B/*0.0085	----	0.0085 - 0.0080	.0481	----	----	2	----	19 + 2
555	0.0100	0.0100	0.0110/*0.0085A	0.0130B/*0.0085	----	0.0090 - 0.0080	.0508	----	----	58	----	129 - 20
556	----	----	----/*0.0090A	0.0135B/*0.0090	----	0.0090 - 0.0085	.0516	----	----	----	----	12 UNCH
557	----	----	----/*0.0095A	0.0145B/*0.0095	----	0.0095 - 0.0090	.0544	----	----	----	----	19 UNCH
558	0.0110	0.0110	0.0110/*0.0095A	0.0150B/*0.0095	----	0.0100 - 0.0090	.0572	----	----	7	----	83 - 2
559	----	----	----/*0.0100A	0.0155B/*0.0100	----	0.0105 - 0.0095	.0600	----	----	----	----	25 UNCH
560	0.0120	0.0120	0.0125/*0.0105A	0.0165B/*0.0105	----	0.0110 - 0.0100	.0629	----	----	68	----	476 - 40
561	----	----	----/*0.0110A	0.0170B/*0.0110	----	0.0115 - 0.0105	.0659	----	----	----	----	15 UNCH
562	0.0130	0.0130	0.0135/*0.0115A	0.0180B/*0.0115	----	0.0120 - 0.0110	.0689	----	----	3	----	19 - 3
563	----	----	----/*0.0120A	0.0185B/*0.0120	----	0.0125 - 0.0115	.0719	----	----	35	----	40 - 3
564	----	----	----/*0.0125A	0.0195B/*0.0125	----	0.0130 - 0.0120	.0750	----	----	----	----	12 UNCH
565	0.0155	0.0155	0.0160/*0.0125	0.0210B/*0.0125	----	0.0135 - 0.0130	.0781	----	----	69	----	223 - 39
566	0.0130	0.0130	0.0130/*0.0130	0.0220B/*0.0130	----	0.0140 - 0.0140	.0813	----	----	1	----	7 + 1
567	0.0135	0.0135	0.0145/*0.0135	0.0235B/*0.0135	----	0.0150 - 0.0145	.0865	----	----	6	----	9 + 6
568	----	----	----/*0.0155A	0.0235B/*0.0155	----	0.0155 - 0.0155	.0898	----	----	----	----	10 UNCH
569	----	----	----/*0.0160A	0.0250B/*0.0160	----	0.0165 - 0.0160	.0950	----	----	1	----	29 + 1
570	0.0240	0.0240	0.0255/*0.0170A	0.0270B/*0.0170	----	0.0175 - 0.0170	.1003	----	----	99	----	572 - 2
571	----	----	----/*0.0180A	0.0280B/*0.0180	----	0.0185 - 0.0175	.1056	----	----	----	----	8 UNCH
572	----	----	----/*0.0195A	0.0305B/*0.0195	----	0.0195 - 0.0185	.1109	----	----	----	----	9 UNCH
573	----	----	----/*0.0205A	0.0325B/*0.0205	----	0.0205 - 0.0200	.1163	----	----	1	----	8 UNCH
574	----	----	----/*0.0210A	0.0345B/*0.0210	----	0.0215 - 0.0210	.1218	----	----	1	----	3 UNCH
575	----	----	----/*0.0225A	0.0365B/*0.0225	----	0.0230 - 0.0220	.1290	----	----	5	----	351 + 4
576	----	----	----/*0.0240A	0.0385B/*0.0240	----	0.0240 - 0.0235	.1346	----	----	----	----	29 UNCH
577	0.0265	0.0265	0.0270/*0.0255A	0.0410B/*0.0255	----	0.0255 - 0.0245	.1419	----	----	23	----	77 UNCH
578	----	----	----/*0.0270A	0.0435B/*0.0270	----	0.0270 - 0.0255	.1492	----	----	----	----	25 UNCH
579	----	----	----/*0.0285A	0.0460B/*0.0285	----	0.0290 - 0.0265	.1581	----	----	----	----	6 UNCH
580	0.0500	0.0500	0.0500/*0.0300	0.0500/*0.0300	----	0.0305 - 0.0280	.1655	----	----	56	----	268 - 3
581	----	----	----/*0.0320A	0.0515B/*0.0320	----	0.0325 - 0.0290	.1743	----	----	----	----	20 UNCH
582	----	----	----/*0.0340A	0.0545B/*0.0340	----	0.0345 - 0.0300	.1832	----	----	----	----	8 UNCH
583	----	----	----/*0.0360A	0.0575B/*0.0360	----	0.0365 - 0.0315	.1921	----	----	----	----	5 UNCH
584	----	----	----/*0.0380A	0.0605B/*0.0380	----	0.0390 - 0.0325	.2022	----	----	----	----	5 UNCH
585	0.0485	0.0485	0.0485/*0.0405A	0.0640B/*0.0405	----	0.0415 - 0.0335	.2124	----	----	133	----	305 + 121
586	----	----	----/*0.0430A	0.0655B/*0.0430	----	0.0440 - 0.0350	.2225	----	----	----	----	3 UNCH
587	----	----	----/*0.0455A	0.0705B/*0.0455	----	0.0465 - 0.0365	.2326	----	----	----	----	3 UNCH
588	----	----	----/*0.0480A	0.0730B/*0.0480	----	0.0495 - 0.0375	.2437	----	----	----	----	2 UNCH
589	----	----	----/*0.0510A	0.0770B/*0.0510	----	0.0525 - 0.0385	.2548	----	----	----	----	5 UNCH
590	0.0840	0.0840	0.0860/*0.0540	0.0860/*0.0540	----	0.0555 - 0.0400	.2659	----	----	85	----	217 + 42
591	----	----	----/*0.0570A	0.0865B/*0.0570	----	0.0585 - 0.0410	.2769	----	----	----	----	5 UNCH
592	0.0615	0.0615	0.0615/*0.0605A	0.0905B/*0.0605	----	0.0620 - 0.0425	.2888	----	----	2	----	50 UNCH
593	0.0620	0.0620	0.0620/*0.0620	0.0950B/*0.0620	----	0.0655 NEW	.3005	----	----	1	----	1 + 1
594	----	----	----/*0.0670A	0.1000B/*0.0670	----	0.0690 - 0.0445	.3123	----	----	----	----	25 UNCH
595	0.0730	0.0730	0.0730/*0.0710A	0.1045B/*0.0710	----	0.0725 - 0.0460	.3240	----	----	61	----	82 + 51
596	----	----	----/*0.0745A	0.1090B/*0.0745	----	0.0765 - 0.0470	.3363	----	----	----	----	15 UNCH
597	----	----	----/*0.0785A	0.1135B/*0.0785	----	0.0805 - 0.0485	.3486	----	----	----	----	17 UNCH
598	----	----	----/*0.0815A	0.1185B/*0.0815	----	0.0845 - 0.0495	.3608	----	----	----	----	1 UNCH
599	0.1225	0.1225	0.1225/*0.0860A	0.1245B/*0.0860	----	0.0885 NEW	.3730	----	----	1	----	1 + 1
600	0.1275	0.1275	0.1275/*0.0885A	0.1290B/*0.0885	----	0.0930 - 0.0520	.3855	----	----	232	----	586 + 63
601	----	----	----/*0.0950A	0.1345B/*0.0950	----	0.0970 - 0.0535	.3977	----	----	----	----	1 UNCH
602	----	----	----/*0.1000A	0.1400B/*0.1000	----	0.1015 - 0.0550	.4101	----	----	----	----	1 UNCH
603	----	----	----/*0.1035A	0.1460B/*0.1035	----	0.1060 - 0.0560	.4226	----	----	----	----	1 UNCH
604	----	----	----/*0.1095A	0.1520B/*0.1095	----	0.1110 - 0.0570	.4352	----	----	----	----	2 UNCH
605	0.1165	0.1165	0.1165/*0.1140A	0.1585B/*0.1140	----	0.1155 - 0.0585	.4476	----	----	1	----	38 + 1
607	0.1250	0.1250	0.1250/*0.1245A	0.1695B/*0.1245	----	0.1260 NEW	.4726	----	----	1	----	1 + 1
610	0.1465	0.1465	0.1465/*0.1410A	0.1915B/*0.1410	----	0.1420 - 0.0635	.5098	----	----	2	----	43 + 1
612	0.1545	0.1545	0.1545/*0.1545	0.1895B/*0.1545	----	0.1535 NEW	.5341	----	----	1	----	1 + 1
615	----	----	----/*0.1740A	0.2150B/*0.1740	----	0.1720 - 0.0675	.5695	----	----	----	----	1 UNCH
619	----	----	----/*0.2005A	0.2220B/*0.2005	----	0.1980 - 0.0705	.6146	----	----	----	----	1 UNCH
620	----	----	----/*0.2080A	0.2515B/*0.2080	----	0.2050 - 0.0705	.6252	----	----	----	----	3 UNCH
645	----	----	----/*0.4535A	0.4235B/*0.4535	----	0.4025 - 0.0800	.8273	----	----	----	----	1 UNCH
TOTAL									350	1133		16091 + 152
JUN26												
330	----	----	----	----/*0.0020A	----	0.0015 UNCH	.0028	----	----	----	----	8 UNCH
355	----	----	----	----/0.0070A	----	0.0025 UNCH	.0049	----	----	----	----	10 UNCH
370	----	----	----	----/*0.0075A	----	0.0035 UNCH	.0069	----	----	----	----	1 UNCH
380	----	----	----	----/*0.0075A	----	0.0045 UNCH	.0088	----	----	----	----	1 UNCH
400	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0060 UNCH	.0122	----	----	2	----	3 UNCH
405	----	----	----	----/*0.0065A	----	0.0060 UNCH	.0125	----	----	----	----	1 UNCH
410	----	----	----	----/*0.0070A	----	0.0060 - 0.0005	.0128	----	----	----	----	2 UNCH
420	----	----	----	0.0035B/*0.0080	----	0.0060 - 0.0005	.0135	----	----	----	----	3 UNCH
430	----	----	----	0.0005B/0.0080A	----	0.0060 - 0.0005	.0142	----	----	----	----	3 UNCH
435	----	----	----	0.0010B/*0.0090	----	0.0060 - 0.0005	.0146	----	----	----	----	2 UNCH
440	----	----	----	0.0040B/0.0095A	----	0.0060 - 0.0005	.0150	----	----	----	----	8 UNCH
445	----	----	----	0.0045B/0.0100A	----	0.0060 - 0.0010	.0155	----	----	----	----	8 UNCH
450	----	----	----	0.0045B/0.0105A	----	0.0065 - 0.0005	.0169	----	----	3	----	457 - 3
455	----	----	----	0.0075B/0.0085A	----	0.0070 - 0.0005	.0185	----	----	----	----	65 UNCH
460	----	----	----	0.0055B/0.0115A	----	0.0075 - 0.0005	.0200	----	----	3	----	68 UNCH
465	----	----	----	0.0065B/0.0125A	----	0.0085 - 0.0005	.0227	----	----	----	----	920 UNCH
470	----	----	----/0.0090A	0.0050B/0.0090A	----	0.0090 - 0.0010	.0244	----	----	----	----	667 UNCH
475	----	----	----	0.0060B/0.0135A	----	0.0095 - 0.0015	.0262	----	----	3	----	153 UNCH
480	----	----	----/0.0105A	0.0075B/0.0105A	----	0.0105 - 0.0015	.0292	----	----	80	----	969 - 20
485	----	----	----/*0.0115A	0.0090B/*0.0115	----	0.0110 - 0.0020	.0312	----	----	3	----	60 UNCH
490	----	----	----/*0.0125A	0.0100B/*0.0125	----	0.0120 - 0.0025	.0344	----	----	1	----	62 UNCH
495	----	----	----/*0.0135A	0.0110B/*0.0135	----	0.0130 - 0.0030	.0377	----	----	----	----	35 UNCH
500	0.0145	0.0145	0.0145/*0.0135A	0.0145/*0.0135A	----	0.0140 - 0.0035	.0411	----	----	5	----	564 - 2
505	0.0140	0.0140	0.0150/*0.0140	0.0160B/*0.0140	----	0.0150 - 0.0045	.0448	----	----	7	----	522 + 6
510	0.0160	0.0160	0.0175/*0.0160	0.0180B/*0.0160	----	0.0165 - 0.0055	.0497	----	----	28	----	219 - 9
515	----	----	----/*0.0185A	0.0200B/*0.0185	----	0.0185 - 0.0060	.0558	----	----	----	----	29 UNCH
520	0.0230	0.0230	0.0230/*0.0205A	0.0230/*0.0205A	----	0.0205 - 0.0070	.0621	----	----	13	----	160 - 11
523	----	----	----/*0.0220A	0.0255B/*0.0220	----	0.0220 - 0.0075	.0667	----	----	----	----	3 UNCH
525	----	----	----/*0.0230A	0.0270B/*0.0230	----	0.0230 - 0.0080	.0698	----	----	2	----	2153 UNCH
526	----	----	----/*0.0235A	0.0275B/*0.0235	----	0.0240 - 0.0075	.0723	----	----	----	----	2 UNCH
527	0.0265	0.0265	0.0265/*0.0235A	0.0280B/*0.0235	----	0.0245 NEW	.0739	----	----	2	----	2 + 2
528	----	----	----/*0.0240A	0.0290B/*0.0240	----	0.0250 - 0.0080	.0755	----	----	----	----	3 UNCH
529	----	----	----/*0.0255A	0.0295B/*0.0255	----	0.0255 - 0.0085	.0771	----	----	----	----	5 UNCH
530	0.0265	0.0265	0.0265/*0.0260A	0.0305B/*0.0260	----	0.0265 - 0.0085	.0796	----	----	54	----	133 - 8
531	----	----	----/*0.0260A	0.0310B/*0.0260	----	0.0270 - 0.0090	.0813	----	----	----	----	4 UNCH
532	----	----	----/*0.0275A	0.0320B/*0.0275	----	0.0280 - 0.0085	.0838	----	----	----	----	2 UNCH
534	----	----	----/*0.0290A	0.0335B/*0.0290	----	0.0295 - 0.0090	.0881	----	----	----	----	3 UNCH
535	----	----	----/*0.0290A	0.0345B/*0.0290	----	0.0300 - 0.0095	.0898	----	----	49	----	73 + 49
536	----	----	----/*0.0305A	0.0355B/*0.0305	----	0.0310 - 0.0100	.0924	----	----	----	----	1 UNCH
537	----	----	----/*0.0315A	0.0370B/*0.0315	----	0.0320 - 0.0100	.0950	----	----	----	----	4 UNCH
538	----	----	----/*0.0315A	0.0380B/*0.0315	----	0.0325 - 0.0105	.0968	----	----	----	----	5 UNCH
539	----	----	----/*0.0325A	0.0390B/*0.0325	----	0.0335 - 0.0110	.0994	----	----	----	----	1 UNCH
540	0.0335	0.0335	0.0335/*0.0335	0.0400B/*0.0335	----	0.0345 - 0.0110	.1021	----	----	6	----	64 + 4
542	----	----	----/*0.0350A	0.0425B/*0.0350	----	0.0365 - 0.0115	.1075	----	----	----	----	3 UNCH
543	----	----	----/*0.0370A	0.0440B/*0.0370	----	0.0375 - 0.0120	.1102	----	----	----	----	12 UNCH
544	----	----	----/*0.0380A	0.0445B/*0.0380	----	0.0390 - 0.0120	.1137	----	----	----	----	2 UNCH
545	0.0430	0.0430	0.0430/*0.0385A	0.0450B/*0.0385	----	0.0400 - 0.0125	.1165	----	----	3	----	58 UNCH
546	----	----	----/*0.0395A	0.0465B/*0.0395	----	0.0410 - 0.0130	.1192	----	----	----	----	1 UNCH
547	----	----	----/*0.0405A	0.0480B/*0.0405	----	0.0425 - 0.0130	.1228	----	----	----	----	4 UNCH
548	0.0425	0.0425	0.0425/*0.0420A	0.0495B/*0.0420	----	0.0435 - 0.0135	.1256	----	----	2	----	3 + 2
550	0.0500	0.0500	0.0500/*0.0450A	0.0530B/*0.0450	----	0.0460 - 0.0145	.1320	----	----	6	----	298 + 1
551	----	----	----/*0.0460A	0.0545B/*0.0460	----	0.0475 - 0.0145	.1356	----	----	80	----	90 UNCH
552	----	----	----/*0.0480A	0.0570B/*0.0480	----	0.0490 NEW	.1392	----	----	1	----	1 + 1
553	----	----	----/*0.0490A	0.0585B/*0.0490	----	0.0505 - 0.0155	.1428	----	----	----	----	3 UNCH
554	----	----	----/*0.0510A	0.0605B/*0.0510	----	0.0520 NEW	.1465	----	----	1	----	1 + 1
555	0.0525	0.0525	0.0525/*0.0520	0.0620B/*0.0520	----	0.0535 - 0.0160	.1501	----	----	15	----	16 + 6
556	----	----	----/*0.0540A	0.0645B/*0.0540	----	0.0550 - 0.0165	.1538	----	----	----	----	4 UNCH
557	0.0600	0.0600	0.0600/*0.0555A	0.0665B/*0.0555	----	0.0570 - 0.0170	.1582	----	----	36	----	88 + 36
559	----	----	----/*0.0585A	0.0705B/*0.0585	----	0.0605 - 0.0175	.1663	----	----	----	----	5 UNCH
560	----	----	----/*0.0610A	0.0725B/*0.0610	----	0.0620 - 0.0185	.1700	----	----	23	350	418 + 372
561	----	----	----/*0.0630A	0.0750B/*0.0630	----	0.0640 - 0.0185	.1744	----	----	----	----	2 UNCH
562	----	----	----/*0.0645A	0.0780B/*0.0645	----	0.0660 NEW	.1788	----	----	2	----	2 + 2
565	----	----	----/*0.0705A	0.0855B/*0.0705	----	0.0720 - 0.0205	.1920	----	----	2	----	174 - 1
567	----	----	----/*0.0750A	0.0900B/*0.0750	----	0.0765 - 0.0210	.2015	----	----	----	----	4 UNCH
568	----	----	----/*0.0775A	0.0920B/*0.0775	----	0.0790 - 0.0215	.2066	----	----	1	----	1 + 1
569	----	----	----/*0.0800A	0.0955B/*0.0800	----	0.0815 NEW	.2116	----	----	1	----	1 + 1
570	0.0920	0.0920	0.0920/*0.0820A	0.0985B/*0.0820	----	0.0840 - 0.0220	.2166	----	----	7	----	23 - 1
573	----	----	----/*0.0900A	0.1080B/*0.0900	----	0.0915 NEW	.2317	----	----	1	----	1 + 1
574	----	----	----/*0.0925A	0.1105B/*0.0925	----	0.0945 - 0.0240	.2372	----	----	----	----	1 UNCH
575	----	----	----/*0.0955A	0.1130B/*0.0955	----	0.0970 - 0.0250	.2423	----	----	2	----	72 UNCH
576	----	----	----/*0.0985A	0.1175B/*0.0985	----	0.1000 - 0.0255	.2478	----	----	----	----	1 UNCH
577	----	----	----/*0.1010A	0.1205B/*0.1010	----	0.1030 - 0.0260	.2533	----	----	----	----	2 UNCH
578	----	----	----/*0.1040A	0.1240B/*0.1040	----	0.1060 - 0.0265	.2588	----	----	----	----	1 UNCH
579	----	----	----/*0.1070A	0.1275B/*0.1070	----	0.1090 - 0.0270	.2643	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
580	0.1155	0.1155	0.1210/*0.1100A	0.1310B/*0.1100	----	0.1120 - 0.0275	.2698	----	----	9	----	24 + 3
581	----	----	----/*0.1135A	0.1345B/*0.1135	----	0.1155 - 0.0280	.2757	----	----	1	----	3 + 1
582	----	----	----/*0.1165A	0.1385B/*0.1165	----	0.1190 - 0.0280	.2816	----	----	----	----	3 UNCH
583	----	----	----/*0.1200A	0.1425B/*0.1200	----	0.1220 - 0.0290	.2871	----	----	1	----	4 + 1
584	----	----	----/*0.1235A	0.1465B/*0.1235	----	0.1255 - 0.0295	.2930	----	----	----	----	5 UNCH
585	0.1295	0.1295	0.1295/*0.1250	0.1490B/*0.1250	----	0.1290 - 0.0300	.2988	----	----	18	----	17 + 8
588	----	----	----/*0.1375A	0.1620B/*0.1375	----	0.1400 - 0.0320	.3167	----	----	----	----	1 UNCH
590	----	----	----/*0.1450A	0.1705B/*0.1450	----	0.1480 - 0.0325	.3289	----	----	1	----	18 + 1
591	----	----	----/*0.1490A	0.1755B/*0.1490	----	0.1520 - 0.0330	.3350	----	----	----	----	1 UNCH
594	----	----	----/*0.1610A	0.1880B/*0.1610	----	0.1640 - 0.0350	.3531	----	----	----	----	3 UNCH
595	----	----	----/*0.1650A	0.1940B/*0.1650	----	0.1685 - 0.0350	.3594	----	----	----	----	1 UNCH
596	0.1750	0.1750	0.1750/*0.1690A	0.1985B/*0.1690	----	0.1725 - 0.0360	.3654	----	----	3	----	10 + 3
597	----	----	----/*0.1735A	0.2015B/*0.1735	----	0.1770 - 0.0360	.3717	----	----	----	----	3 UNCH
598	----	----	----/*0.1780A	0.2065B/*0.1780	----	0.1815 - 0.0365	.3779	----	----	----	----	6 UNCH
599	----	----	----/*0.1825A	0.2125B/*0.1825	----	0.1860 - 0.0370	.3840	----	----	----	----	4 UNCH
600	0.1965	0.1965	0.1965/*0.1870A	0.2160B/*0.1870	----	0.1905 - 0.0380	.3902	----	----	1	----	26 + 1
602	----	----	----/*0.1960A	0.2265B/*0.1960	----	0.1995 - 0.0395	.4026	----	----	----	----	1 UNCH
603	0.2290	0.2290	0.2290/*0.2010A	0.2315B/*0.2010	----	0.2045 NEW	.4088	----	----	1	----	1 + 1
604	0.2060	0.2060	0.2060/*0.2060	0.2365B/*0.2060	----	0.2095 - 0.0400	.4150	----	----	1	----	3 + 1
605	0.2175	0.2175	0.2175/*0.2100	0.2425B/*0.2100	----	0.2140 - 0.0410	.4212	----	----	10	----	52 + 4
606	0.2160	0.2160	0.2160/*0.2155A	0.2470B/*0.2155	----	0.2190 NEW	.4274	----	----	1	----	1 + 1
607	0.2420	0.2420	0.2420/*0.2205A	0.2525B/*0.2205	----	0.2240 - 0.0420	.4336	----	----	3	----	5 + 3
608	0.2260	0.2260	0.2260/*0.2260	0.2590B/*0.2260	----	0.2290 - 0.0430	.4398	----	----	2	----	4 + 2
609	0.2310	0.2310	0.2310/*0.2310	0.2645B/*0.2310	----	0.2345 NEW	.4460	----	----	1	----	1 + 1
610	0.2365	0.2365	0.2365/*0.2365	0.2705B/*0.2365	----	0.2395 - 0.0440	.4521	----	----	1	----	23 + 1
611	0.2415	0.2415	0.2415/*0.2415	0.2755B/*0.2415	----	0.2450 - 0.0445	.4583	----	----	1	----	2 + 1
613	0.2870	0.2870	0.2870/*0.2530A	0.2880B/*0.2530	----	0.2555 NEW	.4705	----	----	2	----	2 + 2
615	----	----	----/*0.2635A	0.3005B/*0.2635	----	0.2670 - 0.0465	.4827	----	----	----	----	31 UNCH
618	----	----	----/*0.2815A	0.3185B/*0.2815	----	0.2840 NEW	.5008	----	----	2	----	2 + 2
619	0.2885	0.2885	0.2885/*0.2875A	0.3250B/*0.2875	----	0.2900 NEW	.5067	----	----	6	----	6 + 6
620	----	----	----/*0.2945A	0.3315B/*0.2945	----	0.2960 - 0.0495	.5126	----	----	----	----	9 UNCH
630	----	----	----/*0.3580A	0.3900B/*0.3580	----	0.3590 - 0.0535	.5696	----	----	----	----	9 UNCH
645	----	----	----/*0.4620A	0.5000B/*0.4620	----	0.4625 - 0.0590	.6475	----	----	----	----	1 UNCH
650	----	----	----/*0.5005A	0.5385B/*0.5005	----	0.4990 - 0.0610	.6711	----	----	----	----	3 UNCH
655	----	----	----/*0.5390A	0.5785B/*0.5390	----	0.5365 - 0.0630	.6940	----	----	----	----	1 UNCH
700	----	----	----/*0.9440A	0.9370B/*0.9440	----	0.9115 - 0.0760	.8476	----	----	----	----	1 UNCH
TOTAL									350	509		9039 + 473
JUL26												
330	----	----	----	----/0.0080A	----	0.0010 UNCH	.0021	----	----	----	----	80 UNCH
350	----	----	----	----/0.0090A	----	0.0015 UNCH	.0032	----	----	----	----	5 UNCH
380	----	----	----	0.0005B/*0.0115	----	0.0030 + 0.0005	.0066	----	----	----	----	2 UNCH
390	----	----	----	0.0015B/*0.0120	----	0.0035 UNCH	.0078	----	----	----	----	6 UNCH
395	----	----	----	0.0015B/*0.0125	----	0.0040 UNCH	.0089	----	----	----	----	1 UNCH
400	----	----	----	0.0025B/0.0105A	----	0.0045 UNCH	.0100	----	----	----	----	508 UNCH
405	----	----	----	0.0030B/0.0110A	----	0.0050 UNCH	.0111	----	----	----	----	1 UNCH
415	----	----	----	0.0040B/*0.0080	----	0.0060 UNCH	.0135	----	----	----	----	53 UNCH
420	----	----	----	0.0045B/*0.0080	----	0.0065 UNCH	.0147	----	----	----	----	4 UNCH
425	0.0085	0.0085	0.0085/0.0085	0.0085/0.0085	----	0.0070 UNCH	.0160	----	----	5	----	46 - 3
430	----	----	----	0.0060B/*0.0090	----	0.0080 UNCH	.0181	----	----	----	----	8 UNCH
435	----	----	----	0.0070B/0.0150A	----	0.0090 UNCH	.0203	----	----	----	----	5 UNCH
440	----	----	----	0.0080B/0.0155A	----	0.0095 - 0.0005	.0217	----	----	----	----	3 UNCH
445	----	----	----	0.0080B/0.0165A	----	0.0110 UNCH	.0249	----	----	----	----	3 UNCH
450	----	----	----	0.0095B/*0.0125	----	0.0120 UNCH	.0273	----	----	2	----	1921 - 2
455	----	----	----	0.0095B/*0.0135	----	0.0130 - 0.0005	.0297	----	----	----	----	9 UNCH
460	----	----	----/*0.0145A	0.0105B/*0.0145	----	0.0145 - 0.0005	.0330	----	----	----	----	5 UNCH
470	----	----	----	0.0140B/*0.0210	----	0.0170 - 0.0020	.0392	----	----	1	----	2 UNCH
475	----	----	----	0.0155B/*0.0225	----	0.0185 - 0.0025	.0428	----	----	----	----	510 UNCH
480	----	----	----	0.0175B/*0.0245	----	0.0205 - 0.0030	.0474	----	----	----	----	70 UNCH
485	----	----	----	0.0195B/*0.0260	----	0.0225 - 0.0035	.0520	----	----	----	----	1 UNCH
490	----	----	----/*0.0275A	0.0220B/*0.0275	----	0.0250 - 0.0040	.0576	----	----	----	----	540 UNCH
495	----	----	----/*0.0310A	0.0250B/*0.0310	----	0.0275 - 0.0050	.0633	----	----	----	----	96 UNCH
500	0.0280	0.0280	0.0290/*0.0280	0.0310B/*0.0280	----	0.0305 - 0.0055	.0700	----	----	22	----	2616 - 6
505	----	----	----/*0.0345A	0.0350B/*0.0345	----	0.0340 - 0.0060	.0775	----	----	----	----	2 UNCH
510	0.0380	0.0380	0.0380/*0.0380	0.0390B/*0.0380	----	0.0380 - 0.0070	.0859	----	----	104	----	107 + 74
520	----	----	----/*0.0480A	0.0495B/*0.0480	----	0.0475 - 0.0100	.1052	----	----	----	----	574 UNCH
525	----	----	----/*0.0530A	0.0555B/*0.0530	----	0.0530 - 0.0110	.1161	----	----	----	----	517 UNCH
530	0.0620	0.0620	0.0620/*0.0600A	0.0630B/*0.0600	----	0.0600 - 0.0105	.1290	----	----	6	----	3228 + 6
533	0.0655	0.0655	0.0655/*0.0645A	0.0685B/*0.0645	----	0.0640 NEW	.1366	----	----	1	----	1 + 1
534	0.0655	0.0655	0.0655/*0.0655	0.0700B/*0.0655	----	0.0660 - 0.0105	.1399	----	----	1	----	2 + 1
535	----	----	----/*0.0675A	0.0715B/*0.0675	----	0.0675 - 0.0110	.1427	----	----	----	----	1 UNCH
539	----	----	----/*0.0740A	0.0790B/*0.0740	----	0.0740 - 0.0115	.1542	----	----	----	----	1 UNCH
540	0.0830	0.0830	0.0830/*0.0760A	0.0830/*0.0760A	----	0.0760 - 0.0120	.1575	----	----	203	----	680 + 199
542	----	----	----/*0.0795A	0.0850B/*0.0795	----	0.0795 - 0.0125	.1636	----	----	----	----	2 UNCH
550	0.1010	0.1010	0.1010/*0.0940A	0.1025B/*0.0940	----	0.0955 - 0.0155	.1900	----	----	8	----	618 + 4
555	0.1085	0.1085	0.1085/*0.1070A	0.1150B/*0.1070	----	0.1075 - 0.0165	.2085	----	----	6	----	54 UNCH
556	0.1090	0.1090	0.1090/*0.1090	0.1180B/*0.1090	----	0.1095 NEW	.2118	----	----	1	----	1 + 1
560	0.1300	0.1300	0.1300/*0.1185A	0.1300/*0.1185A	----	0.1200 - 0.0185	.2273	----	----	2	----	152 UNCH
565	----	----	----/*0.1340A	0.1445B/*0.1340	----	0.1345 - 0.0195	.2477	----	----	----	----	8 UNCH
570	0.1520	0.1520	0.1520/*0.1470	0.1610B/*0.1470	----	0.1495 - 0.0215	.2684	----	----	14	----	94 + 12
571	0.1580	0.1580	0.1580/*0.1525A	0.1650B/*0.1525	----	0.1530 - 0.0215	.2728	----	----	22	----	22 + 21
574	----	----	----/*0.1625A	0.1755B/*0.1625	----	0.1630 - 0.0225	.2858	----	----	1	----	5 UNCH
575	0.1745	0.1745	0.1745/*0.1660A	0.1795B/*0.1660	----	0.1660 - 0.0235	.2899	----	----	102	----	101 + 100
580	0.1865	0.1865	0.1870/*0.1810A	0.1990B/*0.1810	----	0.1830 - 0.0265	.3118	----	----	12	----	1780 + 8
585	0.2085	0.2085	0.2085/*0.2010	0.2200B/*0.2010	----	0.2015 - 0.0290	.3343	----	----	4	----	24 + 3
586	----	----	----/*0.2070A	0.2245B/*0.2070	----	0.2055 - 0.0295	.3389	----	----	----	----	7 UNCH
587	----	----	----/*0.2105A	0.2290B/*0.2105	----	0.2095 - 0.0300	.3436	----	----	----	----	7 UNCH
588	----	----	----/*0.2155A	0.2335B/*0.2155	----	0.2140 - 0.0300	.3483	----	----	----	----	1 UNCH
589	----	----	----/*0.2190A	0.2380B/*0.2190	----	0.2185 - 0.0305	.3531	----	----	----	----	7 UNCH
590	0.2370	0.2370	0.2370/*0.2200	0.2425B/*0.2200	----	0.2225 - 0.0310	.3577	----	----	12	330	382 + 334
595	0.2535	0.2535	0.2535/*0.2455A	0.2675B/*0.2455	----	0.2460 - 0.0320	.3814	----	----	1	----	3 + 1
600	----	----	----/*0.2690A	0.2930B/*0.2690	----	0.2700 - 0.0345	.4050	----	----	29	----	39 + 29
610	----	----	----/*0.3205A	0.3480B/*0.3205	----	0.3220 - 0.0385	.4518	----	----	----	----	47 UNCH
615	----	----	----/*0.3480A	0.3775B/*0.3480	----	0.3500 - 0.0405	.4749	----	----	----	----	10 UNCH
700	----	----	----	----	----	0.9650 - 0.0685	.7796	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.0075 - 0.0695	.7914	----	----	----	----	1 UNCH
TOTAL									330	559		14974 + 783
AUG26												
405	----	----	----	0.0040B/*0.0195	----	0.0125 + 0.0005	.0218	----	----	----	----	3 UNCH
420	----	----	----	0.0060B/0.0215A	----	0.0150 + 0.0005	.0267	----	----	----	----	1 UNCH
440	----	----	----	0.0175B/0.0220A	----	0.0190 + 0.0005	.0349	----	----	----	----	11 UNCH
450	----	----	----	0.0155B/*0.0245	----	0.0220 + 0.0005	.0407	----	----	----	----	4 UNCH
475	----	----	----	0.0260B/*0.0345	----	0.0315 - 0.0020	.0593	----	----	----	----	2 UNCH
480	----	----	----	0.0290B/*0.0375	----	0.0345 - 0.0025	.0647	----	----	----	----	4 UNCH
500	----	----	----/*0.0535A	0.0465B/*0.0535	----	0.0495 - 0.0055	.0910	----	----	----	----	3 UNCH
510	----	----	----/*0.0645A	0.0580B/*0.0645	----	0.0605 - 0.0075	.1087	----	----	----	----	1 UNCH
520	----	----	----/*0.0780A	0.0720B/*0.0780	----	0.0735 - 0.0095	.1289	----	----	----	----	300 UNCH
530	----	----	----/*0.0940A	0.0895B/*0.0940	----	0.0900 - 0.0110	.1527	----	----	----	----	1 UNCH
550	0.1400	0.1400	0.1400/*0.1365A	0.1400/*0.1365A	----	0.1320 NEW	.2086	----	----	1	----	1 + 1
565	----	----	----/*0.1785A	0.1795B/*0.1785	----	0.1740 - 0.0180	.2580	----	----	----	----	1 UNCH
580	----	----	----/*0.2305A	0.2350B/*0.2305	----	0.2260 - 0.0225	.3123	----	----	----	----	250 UNCH
585	----	----	----/*0.2500A	0.2560B/*0.2500	----	0.2455 - 0.0245	.3311	----	----	----	----	6 UNCH
590	----	----	----/*0.2710A	0.2780B/*0.2710	----	0.2660 - 0.0265	.3501	----	----	----	----	14 UNCH
TOTAL										1		602 + 1
SEP26												
400	----	----	----	0.0065B/*0.0230	----	0.0150 UNCH	.0244	----	----	----	----	1 UNCH
450	----	----	----	0.0215B/*0.0350	----	0.0285 - 0.0015	.0486	----	----	----	----	578 UNCH
470	----	----	----	0.0345B/*0.0460	----	0.0400 - 0.0030	.0672	----	----	----	----	3 UNCH
475	----	----	----	0.0385B/*0.0500	----	0.0440 - 0.0035	.0733	----	----	----	----	70 UNCH
480	----	----	----	0.0425B/*0.0540	----	0.0485 - 0.0040	.0800	----	----	----	----	7 UNCH
485	----	----	----	0.0475B/*0.0585	----	0.0535 - 0.0045	.0872	----	----	----	----	1 UNCH
490	----	----	----	0.0500B/*0.0705	----	0.0585 - 0.0055	.0945	----	----	----	----	9 UNCH
500	----	----	----	0.0630B/*0.0820	----	0.0715 - 0.0060	.1121	----	----	----	----	377 UNCH
520	----	----	----/*0.1120A	0.0945B/*0.1120	----	0.1040 - 0.0085	.1534	----	----	----	----	3 UNCH
525	----	----	----/*0.1215A	0.1050B/*0.1215	----	0.1135 - 0.0095	.1650	----	----	----	----	325 UNCH
535	----	----	----/*0.1430A	0.1265B/*0.1430	----	0.1345 - 0.0115	.1896	----	----	----	----	350 UNCH
540	----	----	----/*0.1505A	0.1430B/*0.1505	----	0.1465 - 0.0125	.2029	----	----	----	----	1 UNCH
550	----	----	----/*0.1770A	0.1710B/*0.1770	----	0.1725 - 0.0145	.2308	----	----	----	----	20 UNCH
570	----	----	----/*0.2410A	0.2390B/*0.2410	----	0.2355 NEW	.2922	----	----	1	----	1 + 1
575	----	----	----/*0.2595A	0.2585B/*0.2595	----	0.2540 - 0.0215	.3086	----	----	----	----	102 UNCH
580	----	----	----/*0.2790A	0.2795B/*0.2790	----	0.2735 NEW	.3252	----	----	1	----	1 + 1
590	----	----	----/*0.3215A	0.3240B/*0.3215	----	0.3155 - 0.0265	.3591	----	----	----	----	2 UNCH
600	----	----	----/*0.3675A	0.3730B/*0.3675	----	0.3615 - 0.0305	.3934	----	----	----	----	9 UNCH
610	----	----	----/*0.4180A	0.4260B/*0.4180	----	0.4120 - 0.0335	.4279	----	----	----	----	6 UNCH
615	----	----	----/*0.4445A	0.4540B/*0.4445	----	0.4385 - 0.0350	.4450	----	----	----	----	1 UNCH
625	----	----	----/*0.5005A	0.5125B/*0.5005	----	0.4945 - 0.0380	.4788	----	----	----	----	147 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
SEP26												
695	----	----	----/*0.9770A	1.0065B/*0.9770	----	0.9725 - 0.0565	.6819	----	----	----	----	2 UNCH
TOTAL										2		2016+ 2
OCT26												
375	----	----	----	0.0035B/0.0260A	----	0.0150 + 0.0010	.0211	----	----	----	----	2 UNCH
400	----	----	----	0.0075B/*0.0295	----	0.0185 - 0.0005	.0274	----	----	1	----	1 UNCH
450	----	----	----	0.0240B/*0.0455	----	0.0375 - 0.0020	.0559	----	----	1	----	1 UNCH
470	----	----	----	0.0385B/*0.0595	----	0.0530 - 0.0025	.0767	----	----	----	----	1 UNCH
500	----	----	----	0.0710B/0.1035A	----	0.0875 - 0.0045	.1195	----	----	----	----	116 UNCH
570	0.2585	0.2585	0.2585/*0.2585	0.2585/*0.2585	----	0.2570 NEW	.2827	----	----	4	----	4 + 4
TOTAL										6		125+ 4
NOV26												
400	----	----	----	0.0085B/*0.0385	----	0.0240 - 0.0010	.0329	----	----	----	----	10 UNCH
475	----	----	----	0.0560B/*0.0840	----	0.0690 - 0.0070	.0918	----	----	----	----	2 UNCH
590	0.3820	0.3820	0.3820/*0.3820	0.3820/*0.3820	----	0.3715 NEW	.3466	----	----	1	----	1 + 1
735	----	----	----/*1.3135A	1.3255B/*1.3135	----	1.2995 - 0.0580	.7052	----	----	----	----	2 UNCH
TOTAL										1		15+ 1
DEC26												
385	----	----	----	0.0065B/*0.0415	----	0.0250 - 0.0010	.0317	----	----	----	----	1 UNCH
400	0.0300	0.0300	0.0300/*0.0300	0.0300/*0.0300	----	0.0290 - 0.0020	.0374	----	----	1	----	18 + 1
420	----	----	----	0.0190B/*0.0535	----	0.0370 - 0.0030	.0481	----	----	----	----	2 UNCH
455	0.0805	0.0805	0.0805/*0.0805	0.0805/*0.0785A	----	0.0620 - 0.0050	.0781	----	----	1	----	0 - 1
475	----	----	----	0.0695B/*0.1015	----	0.0850 - 0.0065	.1031	----	----	----	----	76 UNCH
490	----	----	----	0.0930B/*0.1240	----	0.1075 - 0.0075	.1259	----	----	----	----	5 UNCH
500	----	----	----	0.1115B/*0.1415	----	0.1250 - 0.0090	.1429	----	----	----	----	53 UNCH
550	----	----	----	0.2395B/*0.2680	----	0.2525 - 0.0145	.2487	----	----	----	----	2 UNCH
560	----	----	----/*0.3020A	0.2740B/*0.3020	----	0.2865 - 0.0160	.2731	----	----	----	----	300 UNCH
570	----	----	----/*0.3390A	0.3125B/*0.3390	----	0.3240 - 0.0175	.2984	----	----	----	----	1 UNCH
580	----	----	----/*0.3795A	0.3545B/*0.3795	----	0.3645 - 0.0195	.3243	----	----	----	----	22 UNCH
600	----	----	----/*0.4700A	0.4480B/*0.4700	----	0.4555 - 0.0230	.3771	----	----	----	----	26 UNCH
630	----	----	----/*0.6280A	0.6115B/*0.6280	----	0.6135 - 0.0300	.4560	----	----	----	----	18 UNCH
TOTAL										2		524
JAN27												
400	----	----	----	----	----	0.0250 - 0.0035	.0329	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0305 - 0.0040	.0376	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0170 - 0.0015	.0150	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	----	0.4115B/0.5225A	----	0.5130 + 0.0860	.9444	----	----	----	----	11 UNCH
574	----	----	----	0.2425B/0.3925A	----	0.3450 + 0.0825	.9863	----	----	----	----	1 UNCH
575	----	----	#0.3235B/----	#0.3235B/0.3600	----	0.3540 + 0.0740	.8797	----	----	----	----	7 UNCH
578	----	----	----	0.2030B/0.3570A	----	0.3065 + 0.0785	.9776	----	----	----	----	1 UNCH
580	----	----	#0.2900B/----	#0.2900B/0.2285	----	0.2875 + 0.0760	.9660	----	----	----	----	7 UNCH
580	----	----	#0.2805B/----	#0.2805B/0.2615	----	0.3110 + 0.0685	.8454	----	----	----	----	2 UNCH
581	----	----	#0.2350B/----	#0.2350B/0.3320	----	0.2785 + 0.0750	.9616	----	----	----	----	1 UNCH
589	----	----	#0.1600B/----	0.1600B/0.2725A	----	0.2065 + 0.0620	.8949	----	----	----	----	4 UNCH
590	----	----	#0.1975B/----	#0.1975B/0.1565	----	0.1980 + 0.0600	.8826	----	----	----	----	10 UNCH
590	----	----	#0.2315B/----	#0.2315B/0.1960	----	0.2330 + 0.0550	.7472	----	----	----	----	1 UNCH
595	----	----	#0.1550B/----	0.1550B/0.1205A	----	0.1580 + 0.0505	.8053	----	----	----	----	5 UNCH
595	----	----	#0.1980B/----	#0.1980B/0.1660	----	0.1990 + 0.0480	.6866	----	----	----	----	7 UNCH
596	----	----	0.1065B/----	0.1065B/0.1150A	----	0.1505 + 0.0485	.7869	----	----	----	----	1 UNCH
600	----	----	#0.1055B/----	0.1055B/0.0945A	----	0.1225 + 0.0410	.7046	----	----	1	----	1 - 1
600	----	----	#0.1690B/----	#0.1690B/0.1405	----	0.1690 + 0.0420	.6211	----	----	----	----	10 UNCH
605	----	----	#0.0890B/----	0.0890B/0.0720A	----	0.0920 NEW	.5876	----	----	1	----	1 + 1
610	0.1250	0.1250	#0.1250/0.1250	#0.1250/0.0995A	----	0.1190 + 0.0310	.4881	----	----	5	----	0 - 5
620	----	----	#0.0310B/----	0.0310B/0.0295A	----	0.0325 + 0.0100	.2476	----	----	----	----	10 UNCH
620	----	----	#0.0815B/----	#0.0815B/0.0705	----	0.0820 + 0.0230	.3656	----	----	----	----	7 UNCH
635	0.0400	0.0400	#0.0440B/0.0400	#0.0440B/0.0390	----	0.0455 NEW	.2212	----	----	2	----	2 + 2
640	----	----	----	0.0040B/0.0140A	----	0.0060 + 0.0010	.0418	----	----	----	----	3 UNCH
640	0.0390	0.0390	#0.0390/0.0390	#0.0390/0.0355A	----	0.0370 NEW	.1840	----	----	1	----	1 + 1
650	----	----	----	----/0.0080A	----	0.0025 UNCH	.0151	----	----	----	----	10 UNCH
670	----	----	----	----/0.0075A	----	0.0005 UNCH	.0004	----	----	----	----	3 UNCH
TOTAL										10		106- 2
MAY26												
580	----	----	#0.3610B/----	#0.3610B/0.3625	----	0.3830 + 0.0730	.8267	----	----	----	----	1 UNCH
TOTAL												1
HXE PUT		COPPER OPTIONS										
APR26												
490	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
510	0.0040	0.0040	0.0040/*0.0030	0.0040/*0.0030	----	0.0005 UNCH	----	----	----	25	----	24 - 1
524	----	----	----	----/0.0105A	----	0.0025 - 0.0015	.0122	----	----	----	----	1 UNCH
565	----	----	----	----/*0.0080A	----	0.0005 - 0.0045	.0018	----	----	----	----	2 UNCH
568	----	----	----	----/*0.0085A	----	0.0010 - 0.0055	.0059	----	----	----	----	1 UNCH
580	----	----	----/*0.0110A	0.0060B/*0.0110	----	0.0045 - 0.0165	.0339	----	----	10	----	12 + 10
589	----	----	----/*0.0200A	0.0225B/*0.0200	----	0.0130 - 0.0310	.1050	----	----	----	----	4 UNCH
590	----	----	----/*0.0215A	0.0255B/*0.0215	----	0.0145 - 0.0330	.1172	----	----	1	----	0 - 1
595	----	----	----/*0.0305A	0.0430B/*0.0305	----	0.0245 NEW	.1946	----	----	60	----	50 + 50
596	----	----	----/*0.0330A	0.0475B/*0.0330	----	0.0270 - 0.0445	.2129	----	----	----	----	1 UNCH
600	0.0800	0.0800	0.0800/*0.0350	0.0800/*0.0350	----	0.0390 NEW	.2953	----	----	3	----	1 + 1
600	0.1100	0.1100	0.1100/*0.0925A	0.1185B/*0.0925	----	0.0855 NEW	.3786	----	----	1	----	1 + 1
605	----	----	----/*0.0650A	0.0930B/*0.0650	----	0.0585 NEW	.4122	----	----	51	----	51 + 51
606	0.1100	0.1100	0.1100/*0.0700A	0.1100/*0.0700A	----	0.0630 NEW	.4367	----	----	4	----	4 + 4
TOTAL										155		154+ 115
MAY26												
465	----	----	----	----/0.0080A	----	0.0010 - 0.0005	.0037	----	----	----	----	14 UNCH
510	----	----	----	0.0005B/0.0105A	----	0.0045 - 0.0005	.0179	----	----	----	----	1 UNCH
TOTAL												15

ALUMINIUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	47.60B/29.50A	47.60B/29.50A	----	30.00 - 3.70	.6297	----	----	----	----	5 UNCH
1585	----	----	29.00B/25.10A	29.00B/25.10A	----	24.20 - 4.50	.5552	----	----	----	----	1 UNCH
1600	----	----	30.20B/19.70A	30.20B/19.70A	----	16.90 - 5.50	.4413	----	----	----	----	31 UNCH
1610	----	----	24.50B/16.90A	24.50B/16.90A	----	13.00 - 5.80	.3681	----	----	----	----	15 UNCH
1615	----	----	21.90B/15.70A	21.90B/15.70A	----	11.40 - 5.90	.3340	----	----	----	----	15 UNCH
1720	----	----	----	----/*7.10A	----	0.30 - 1.70	.0151	----	----	----	----	8 UNCH
1800	----	----	----	----/6.00A	----	0.10 - 0.20	.0043	----	----	----	----	4 UNCH
1900	----	----	----	----/*5.40A	----	0.10 UNCH	.0032	----	----	----	----	20 UNCH
1925	----	----	----	----/*5.30A	----	0.10 UNCH	.0030	----	----	----	----	10 UNCH
1950	----	----	----	----/5.30A	----	0.10 UNCH	.0029	----	----	----	----	40 UNCH
2475	----	----	----	----/5.10A	----	0.10 UNCH	.0015	----	----	----	----	100 UNCH
TOTAL												249 0
JUN26												
1400	----	----	239.90B/214.10A	239.90B/214.10A	----	223.00 + 6.30	.8013	----	----	----	----	75 UNCH
1440	----	----	----	----	----	192.30 + 5.60	.7550	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1460	----	----	----	----	----	177.90 + 5.20	.7290	----	----	----	----	25 UNCH
1500	----	----	163.90B/145.60A	163.90B/145.60A	----	151.10 + 4.30	.6729	----	----	----	----	110 UNCH
1525	----	----	147.40B/131.40A	147.40B/131.40A	----	135.90 + 3.90	.6353	----	----	----	----	5 UNCH
1550	----	----	132.20B/----	132.20B/118.40A	----	121.80 + 3.40	.5967	----	----	----	----	14 UNCH
1575	----	----	118.10B/----	118.10B/106.40A	----	108.90 + 3.00	.5574	----	----	----	----	15 UNCH
1600	----	----	105.20B/----	105.20B/95.40A	----	97.00 + 2.50	.5182	----	----	----	----	56 UNCH
1655	----	----	80.50B/----	80.50B/74.70A	----	74.50 + 1.60	.4341	----	----	----	----	1 UNCH
1700	----	----	63.80B/----	63.80B/61.10A	----	59.80 + 1.00	.3704	----	----	1	----	25 UNCH
1750	----	----	48.90B/----	48.90B/49.30A	----	46.80 + 0.50	.3072	----	----	----	----	10 UNCH
1800	----	----	37.40B/----	37.40B/40.30A	----	37.00 + 0.20	.2540	----	----	----	----	110 UNCH
1850	----	----	----	28.90B/33.70A	----	29.70 - 0.10	.2105	----	----	----	----	2 UNCH
1900	----	----	----	22.50B/28.60A	----	24.30 - 0.20	.1758	----	----	----	----	64 UNCH
1925	----	----	----	20.00B/26.60A	----	22.10 - 0.30	.1612	----	----	----	----	40 UNCH
1950	----	----	----	17.80B/24.90A	----	20.20 - 0.30	.1481	----	----	----	----	10 UNCH
2000	----	----	----	14.10B/22.00A	----	17.10 - 0.30	.1262	----	----	2	----	108 + 2
2100	----	----	----	8.90B/18.10A	----	11.30 - 0.30	.0871	----	----	----	----	52 UNCH
2200	----	----	----	5.70B/15.50A	----	7.40 - 0.40	.0594	----	----	1	----	8 + 1
2300	----	----	----	3.50B/13.70A	----	5.20 - 0.30	.0426	----	----	----	----	30 UNCH
2400	----	----	----	1.90B/12.30A	----	3.80 - 0.30	.0314	----	----	----	----	7 UNCH
2500	----	----	----	0.70B/11.30A	----	2.60 - 0.30	.0221	----	----	----	----	25 UNCH
2700	----	----	----	----/9.70A	----	1.30 - 0.20	.0114	----	----	----	----	50 UNCH
3000	----	----	----	----/8.20A	----	0.50 - 0.10	.0045	----	----	----	----	30 UNCH
3500	----	----	----	----/6.90A	----	0.10 UNCH	.0009	----	----	----	----	25 UNCH
TOTAL										4		898 + 3
JUL26												
1800	----	----	77.30B/----	77.30B/77.90A	----	75.60 + 1.50	.3527	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	310.90B/----	310.90B/296.70A	----	300.20 + 5.80	.7391	----	----	----	----	75 UNCH
1575	----	----	213.00B/----	213.00B/207.60A	----	207.20 + 4.00	.5926	----	----	----	----	25 UNCH
1665	----	----	174.80B/----	174.80B/173.10A	----	171.20 + 3.40	.5196	----	----	----	----	9 UNCH
1700	----	----	161.90B/----	161.90B/161.30A	----	158.90 + 3.10	.4927	----	----	----	----	5 UNCH
1800	----	----	129.60B/----	129.60B/132.20A	----	128.60 + 2.50	.4212	----	----	----	----	1 UNCH
1900	----	----	103.90B/----	103.90B/109.10A	----	104.80 + 2.00	.3589	----	----	----	----	5 UNCH
2100	----	----	----	68.40B/77.90A	----	72.10 + 1.20	.2625	----	----	----	----	25 UNCH
2200	----	----	----	56.80B/67.50A	----	62.20 + 0.90	.2289	----	----	----	----	5 UNCH
2400	----	----	----	40.80B/53.00A	----	49.30 + 0.60	.1813	----	----	----	----	15 UNCH
2550	----	----	----	32.70B/45.50A	----	42.00 + 0.40	.1544	----	----	----	----	50 UNCH
TOTAL												215 0
DEC26												
2000	----	----	----	----	----	192.30 + 2.40	.4289	----	----	----	----	1 UNCH
3000	----	----	----	----	----	116.00 + 1.10	.2522	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/*5.10A	----	0.10 UNCH	.0023	----	----	----	----	160 UNCH
1300	----	----	----	----/*5.10A	----	0.10 UNCH	.0027	----	----	----	----	1 UNCH
1400	----	----	----	----/*5.30A	----	0.10 - 0.10	.0040	----	----	----	----	22 UNCH
1450	----	----	----	----/*5.80A	----	0.10 - 1.10	.0053	----	----	----	----	2 UNCH
1500	----	----	----	----/*7.10A	----	0.90 - 4.50	.0403	----	----	----	----	2 UNCH
1550	----	----	----/*11.00A	7.20B/*11.00A	----	6.40 - 10.30	.2097	----	----	----	----	0 UNCH
1605	----	----	----/*29.10A	30.40B/*29.10A	----	28.50 - 14.90	.5955	----	----	----	----	17 UNCH
1610	----	----	----/*31.40A	31.00B/*31.40A	----	31.60 - 15.10	.6318	----	----	----	----	17 UNCH
1615	----	----	----/*33.90A	33.10B/*33.90A	----	35.00 - 15.20	.6659	----	----	----	----	26 UNCH
1675	----	----	99.90B/73.70A	99.90B/73.70A	----	85.30 - 13.00	.9291	----	----	----	----	100 UNCH
1820	----	----	----	----	----	228.70 - 9.40	.9959	----	----	----	----	25 UNCH
TOTAL												372 0
JUN26												
1200	----	----	----	3.70B/*13.80A	----	8.10 - 1.00	.0577	----	----	----	----	15 UNCH
1250	----	----	----	7.70B/17.20A	----	12.20 - 1.30	.0830	----	----	----	----	1 UNCH
1300	----	----	----	13.00B/21.70A	----	17.10 - 1.70	.1131	----	----	----	50	75 - 50
1325	----	----	----	16.40B/24.50A	----	20.00 - 2.00	.1306	----	----	----	----	18 UNCH
1335	----	----	----	17.80B/25.70A	----	21.30 - 2.10	.1383	----	----	----	----	1 UNCH
1350	----	----	----	20.10B/27.70A	----	23.50 - 2.20	.1509	----	----	----	----	5 UNCH
1400	----	----	----	29.40B/35.80A	----	32.10 - 3.00	.1985	----	----	----	----	217 UNCH
1440	----	----	----/44.10A	39.20B/44.10A	----	41.30 - 3.70	.2448	----	----	----	----	4 UNCH
1450	----	----	----/46.50A	42.10B/46.50A	----	44.00 - 3.90	.2576	----	----	----	----	79 UNCH
1460	----	----	----/49.10A	45.20B/49.10A	----	46.90 - 4.10	.2708	----	----	----	----	25 UNCH
1500	----	----	----/60.80A	59.40B/60.80A	----	60.00 - 4.90	.3270	----	----	----	----	3 UNCH
1750	----	----	----/195.50A	212.80B/195.50A	----	204.90 - 8.80	.6926	----	----	----	----	1 UNCH
1900	----	----	343.10B/317.40A	343.10B/317.40A	----	332.00 - 9.50	.8240	----	----	----	----	50 UNCH
TOTAL									50			494 - 50
JUL26												
1285	----	----	----	22.20B/*32.10A	----	26.70 - 2.10	.1307	----	----	----	----	9 UNCH
1300	----	----	----	24.70B/*34.30A	----	29.10 - 2.20	.1407	----	----	----	50	85 + 50
1400	52.00	52.00	52.00/*52.00	52.00/*52.00	----	49.60 NEW	.2205	----	----	20	----	20 + 20
TOTAL									50	20		114 + 70
SEP26												
1300	----	----	----	49.30B/61.70A	----	55.80 - 2.40	.1864	----	----	----	----	5 UNCH
1465	----	----	----	107.90B/*116.10	----	111.80 - 4.30	.3140	----	----	----	----	150 UNCH
1550	----	----	----/*155.40A	150.00B/*155.40	----	152.80 - 5.20	.3860	----	----	----	----	100 UNCH
1575	----	----	----/*168.30A	163.80B/*168.30	----	166.30 - 5.50	.4069	----	----	----	----	25 UNCH
1650	----	----	----/*210.50A	208.60B/*210.50	----	210.10 - 6.00	.4682	----	----	----	----	50 UNCH
1925	----	----	----/*400.10A	407.60B/*400.10	----	405.50 - 7.50	.6548	----	----	----	----	75 UNCH
TOTAL												405 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1600	----	----	42.90B/33.60A	42.90B/33.60A	----	32.40 - 2.00	.4740	----	----	----	----	1 UNCH
TOTAL												1 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	0.90B/*6.40A	----	3.40 - 1.70	.0374	----	----	----	----	27 UNCH
1765	----	----	----	----/*3.70A	----	0.40 - 0.50	.0077	----	----	----	----	27 UNCH
1790	----	----	----	----/*3.90A	----	0.60 - 0.80	.0113	----	----	----	----	27 UNCH
1840	----	----	----	----/*4.50A	----	1.50 - 1.60	.0263	----	----	----	----	27 UNCH
1935	----	----	----/*7.80A	5.20B/*7.80A	----	6.50 - 4.30	.0979	----	----	----	----	25 UNCH
2040	----	----	----	----	----	81.00 + 7.40	.7168	----	----	----	----	10 UNCH
2085	----	----	----/*59.50A	74.40B/*59.50A	----	62.20 - 18.60	.4476	----	----	----	----	26 UNCH
2090	----	----	----/*61.70A	77.10B/*61.70A	----	64.50 - 18.90	.4590	----	----	----	----	26 UNCH
2090	----	----	80.20B/71.10A	80.20B/71.10A	----	75.20 + 3.80	.5409	----	----	----	----	26 UNCH
2095	44.90	44.90	50.80B/40.80A	50.80B/40.80A	----	45.00 NEW	.5315	----	----	18	----	18 + 18
2095	----	----	80.70B/68.90A	80.70B/68.90A	----	72.70 + 3.60	.5295	----	----	----	----	26 UNCH
2095	----	----	----/*63.90A	79.90B/*63.90A	----	67.00 - 19.10	.4703	----	----	----	----	53 UNCH
2120	----	----	70.50B/58.40A	70.50B/58.40A	----	60.80 + 2.30	.4727	----	----	----	----	27 UNCH
2135	----	----	35.60B/25.90A	35.60B/25.90A	----	26.70 - 0.40	.3805	----	----	----	----	5 UNCH
2150	----	----	29.20B/21.60A	29.20B/21.60A	----	21.60 - 0.80	.3274	----	----	----	----	1 UNCH
2150	----	----	----/*64.00A	88.70B/*64.00A	----	70.90 - 23.50	.6725	----	----	----	----	12 UNCH
2155	----	----	----	----	----	74.40 - 23.60	.6894	----	----	----	----	12 UNCH
2160	----	----	25.50B/19.20A	25.50B/19.20A	----	18.70 - 1.00	.2943	----	----	----	----	12 UNCH
2160	----	----	----	----	----	78.00 - 23.70	.7056	----	----	----	----	12 UNCH
2210	----	----	#35.70B/----	35.70B/31.10A	----	30.20 - 0.60	.2866	----	----	----	----	5 UNCH
2230	----	----	----	8.10B/9.40A	----	6.50 - 2.00	.1252	----	----	----	----	25 UNCH
2265	----	----	----	3.80B/*7.40A	----	3.70 - 1.70	.0770	----	----	----	----	26 UNCH
TOTAL										18		455 + 18
MAY26												
1700	----	----	----	2.30B/*7.80A	----	4.00 - 1.70	.0371	----	----	----	----	3 UNCH
1915	----	----	----	----	----	211.60 + 14.30	.8100	----	----	----	----	20 UNCH
2050	----	----	126.80B/109.30A	126.80B/109.30A	----	114.90 + 4.90	.6118	----	----	----	----	10 UNCH
TOTAL												33 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	365.30B/----	365.30B/328.70A	----	350.80 + 22.70	.9975	----	----	----	----	19 UNCH
1800	----	----	315.30B/----	315.30B/278.80A	----	300.80 + 22.70	.9972	----	----	----	----	18 UNCH
1850	----	----	265.40B/----	265.40B/229.10A	----	250.80 + 22.30	.9967	----	----	----	----	2 UNCH
1950	----	----	166.60B/131.30A	166.60B/131.30A	----	152.00 + 19.50	.9635	----	----	----	----	3 UNCH
1995	----	----	----	----	----	109.40 + 16.20	.9065	----	----	----	----	15 UNCH
2000	----	----	119.30B/85.90A	119.30B/85.90A	----	104.80 + 15.60	.8975	----	----	100	----	284 - 20
2005	----	----	----	----	----	100.20 + 15.00	.8882	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
2025	----	----	96.10B/65.50A	96.10B/65.50A	----	82.40 + 12.60	.8408	----	----	----	----	50 UNCH
2040	----	----	----	----	----	69.40 + 10.30	.7977	----	----	----	----	64 UNCH
2045	----	----	----	----	----	65.20 + 9.40	.7810	----	----	----	----	50 UNCH
2050	----	----	73.60B/47.60A	73.60B/47.60A	----	61.00 + 8.50	.7638	----	----	----	----	111 UNCH
2055	----	----	----	----	----	56.90 + 7.50	.7451	----	----	----	----	57 UNCH
2060	----	----	----	----	----	52.90 + 6.50	.7249	----	----	----	----	12 UNCH
2065	----	----	----	----	----	49.00 + 5.50	.7031	----	----	----	----	14 UNCH
2070	----	----	----/35.70A	30.60B/35.70A	----	45.20 + 4.50	.6800	----	----	----	----	14 UNCH
2075	----	----	54.50B/32.90A	54.50B/32.90A	----	41.60 + 3.60	.6548	----	----	----	----	25 UNCH
2080	----	----	----/30.50A	34.90B/30.50A	----	38.00 + 2.50	.6289	----	----	----	----	20 UNCH
2085	----	----	36.40B/28.20A	36.40B/28.20A	----	34.70 + 1.60	.6008	----	----	----	----	14 UNCH
2090	----	----	35.30B/26.00A	35.30B/26.00A	----	31.50 + 0.70	.5717	----	----	----	----	21 UNCH
2095	----	----	35.30B/23.90A	35.30B/23.90A	----	28.50 - 0.10	.5415	----	----	----	----	7 UNCH
2100	35.00	35.00	38.00B/21.90A	38.00B/21.90A	----	25.70 - 0.90	.5104	----	----	2	----	233 UNCH
2105	----	----	34.00B/20.10A	34.00B/20.10A	----	23.10 - 1.60	.4788	----	----	----	----	7 UNCH
2110	----	----	32.40B/18.40A	32.40B/18.40A	----	20.70 - 2.10	.4470	----	----	----	----	37 UNCH
2115	----	----	29.80B/16.90A	29.80B/16.90A	----	18.50 - 2.60	.4155	----	----	----	----	22 UNCH
2120	----	----	27.30B/15.50A	27.30B/15.50A	----	16.60 - 2.90	.3850	----	----	----	----	27 UNCH
2125	----	----	24.80B/14.20A	24.80B/14.20A	----	14.70 - 3.30	.3545	----	----	----	----	27 UNCH
2130	----	----	22.70B/13.00A	22.70B/13.00A	----	13.10 - 3.50	.3258	----	----	----	----	120 UNCH
2135	----	----	20.50B/11.90A	20.50B/11.90A	----	11.60 - 3.70	.2980	----	----	----	----	20 UNCH
2140	----	----	18.60B/11.00A	18.60B/11.00A	----	10.30 - 3.80	.2720	----	----	----	----	7 UNCH
2145	----	----	16.70B/*10.10A	16.70B/*10.10A	----	9.10 - 3.90	.2473	----	----	----	----	7 UNCH
2150	14.90	14.90	15.00B/*9.40A	15.00B/*9.40A	----	8.00 - 3.90	.2237	----	----	101	----	170 + 51
2155	----	----	13.40B/*8.70A	13.40B/*8.70A	----	7.00 - 3.90	.2015	----	----	----	----	7 UNCH
2160	----	----	12.00B/*8.20A	12.00B/*8.20A	----	6.10 - 3.90	.1807	----	----	----	----	13 UNCH
2170	----	----	9.30B/*7.30A	9.30B/*7.30A	----	4.70 - 3.70	.1455	----	----	----	----	75 UNCH
2175	----	----	8.20B/*6.90A	8.20B/*6.90A	----	4.10 - 3.60	.1298	----	----	----	----	208 UNCH
2200	0.50	0.50	2.10/*0.50	3.80B/*0.50	----	2.00 - 3.00	.0702	----	----	7	----	205 UNCH
2215	----	----	----	2.10B/*5.10A	----	1.20 - 2.60	.0452	----	----	----	----	20 UNCH
2220	----	----	----	1.60B/*5.00A	----	1.10 - 2.40	.0413	----	----	----	----	21 UNCH
2245	----	----	----	----/*4.40A	----	0.50 - 1.60	.0203	----	----	----	----	10 UNCH
2250	----	----	----/*0.50A	----/*0.50A	----	0.40 - 1.50	.0167	----	----	----	----	30 UNCH
2260	----	----	----	----/*4.20A	----	0.30 - 1.30	.0127	----	----	----	----	10 UNCH
2265	----	----	----	----/*4.10A	----	0.20 - 1.30	.0090	----	----	----	----	10 UNCH
2270	----	----	----	----/*4.10A	----	0.20 - 1.10	.0088	----	----	----	----	183 UNCH
2275	----	----	----	----/*4.00A	----	0.20 - 1.00	.0086	----	----	----	----	10 UNCH
2280	----	----	----	----/*4.00A	----	0.10 - 1.00	.0048	----	----	----	----	38 UNCH
2285	----	----	----	----/*3.90A	----	0.10 - 0.90	.0047	----	----	----	----	10 UNCH
2300	----	----	----	----/3.80A	----	0.10 - 0.60	.0044	----	----	----	----	27 UNCH
2315	----	----	----	----/*3.70A	----	0.10 - 0.50	.0042	----	----	----	----	10 UNCH
2320	----	----	----	----/*3.60A	----	0.10 - 0.40	.0041	----	----	----	----	4 UNCH
2330	----	----	----	----/*3.60A	----	0.10 - 0.30	.0040	----	----	----	----	10 UNCH
2350	----	----	----	----/*3.50A	----	0.10 - 0.20	.0037	----	----	----	----	1 UNCH
2360	----	----	----	----/*3.40A	----	0.10 - 0.10	.0036	----	----	----	----	10 UNCH
2390	----	----	----	----/*3.30A	----	0.10 UNCH	.0033	----	----	----	----	21 UNCH
2400	----	----	----	----/3.30A	----	0.10 UNCH	.0032	----	----	----	----	18 UNCH
2450	----	----	----	----/*3.20A	----	0.10 UNCH	.0029	----	----	----	----	160 UNCH
2500	----	----	----	----/3.10A	----	0.10 UNCH	.0026	----	----	----	----	170 UNCH
2700	----	----	----	----/*3.00A	----	0.10 UNCH	.0019	----	----	----	----	110 UNCH
2730	----	----	----	----/*3.00A	----	0.10 UNCH	.0018	----	----	----	----	1 UNCH
2750	----	----	----	----/3.00A	----	0.10 UNCH	.0018	----	----	----	----	2 UNCH
2800	----	----	----	----/3.00A	----	0.10 UNCH	.0017	----	----	----	----	1 UNCH
2880	----	----	----	----/3.00A	----	0.10 UNCH	.0016	----	----	----	----	1 UNCH
3000	----	----	----	----/3.00A	----	0.10 UNCH	.0014	----	----	----	----	2 UNCH
3050	----	----	----	----/3.00A	----	0.10 UNCH	.0014	----	----	----	----	2 UNCH
3150	----	----	----	----/3.00A	----	0.10 UNCH	.0013	----	----	----	----	121 UNCH
TOTAL										210		3012 + 31
JUN26												
1900	----	----	261.50B/236.00A	261.50B/236.00A	----	247.40 + 10.60	.7674	----	----	----	----	1 UNCH
2000	----	----	193.20B/173.10A	193.20B/173.10A	----	178.90 + 5.60	.6564	----	----	----	----	20 UNCH
2090	----	----	137.90B/127.70A	137.90B/127.70A	----	129.30 + 1.50	.5431	----	----	----	----	2 UNCH
2100	----	----	137.80B/----	137.80B/123.30A	----	124.50 + 1.20	.5304	----	----	----	----	2 UNCH
2150	----	----	114.80B/----	114.80B/103.30A	----	102.80 + 0.70	.4673	----	----	----	----	4 UNCH
2165	103.00	103.00	108.50B/97.80A	108.50B/97.80A	----	96.90 NEW	.4489	----	----	1	----	1 + 1
2200	100.00	100.00	100.00/86.10A	100.00/86.10A	----	84.40 + 0.40	.4072	----	----	2	----	202 + 2
2225	----	----	86.10B/----	86.10B/78.50A	----	76.30 + 0.10	.3786	----	----	----	----	30 UNCH
2240	----	----	81.20B/----	81.20B/74.20A	----	71.90 UNCH	.3621	----	----	----	----	15 UNCH
2250	----	----	78.00B/----	78.00B/71.50A	----	69.00 - 0.20	.3513	----	----	----	----	2 UNCH
2255	----	----	76.50B/----	76.50B/70.20A	----	67.60 - 0.30	.3459	----	----	----	----	15 UNCH
2300	----	----	63.80B/----	63.80B/59.20A	----	56.30 - 0.80	.3007	----	----	----	----	321 UNCH
2320	56.20	56.20	58.70B/56.20	58.70B/54.80A	----	51.80 - 1.20	.2819	----	----	48	----	78 + 48
2355	----	----	50.80B/----	50.80B/47.90A	----	44.80 - 1.60	.2512	----	----	----	----	2 UNCH
2500	30.00	30.00	30.00/29.80	30.00/28.20A	----	24.90 - 1.60	.1539	----	----	2	----	104 - 2
2650	----	----	----	14.80B/18.10A	----	13.40 - 1.50	.0899	----	----	----	----	17 UNCH
TOTAL										53		816 + 49
JUL26												
1500	----	----	620.60B/----	620.60B/588.30A	----	607.00 + 19.50	.9559	----	----	----	----	50 UNCH
1680	----	----	----	----	----	443.50 + 14.10	.8882	----	----	----	----	50 UNCH
1700	----	----	441.70B/412.80A	441.70B/412.80A	----	426.60 + 13.30	.8773	----	----	----	----	1 UNCH
1800	----	----	363.00B/337.00A	363.00B/337.00A	----	346.40 + 8.20	.8111	----	----	----	----	113 UNCH
1850	----	----	326.70B/302.60A	326.70B/302.60A	----	309.50 + 5.80	.7722	----	----	----	----	1 UNCH
2000	----	----	230.90B/212.50A	230.90B/212.50A	----	212.30 - 0.30	.6372	----	----	----	----	110 UNCH
2050	----	----	203.10B/----	203.10B/187.10A	----	184.90 - 1.70	.5882	----	----	----	----	1 UNCH
2100	----	----	178.10B/----	178.10B/163.10A	----	160.30 - 2.80	.5386	----	----	100	----	522 + 100
2150	----	----	155.30B/141.50A	155.30B/141.50A	----	138.40 - 3.60	.4896	----	----	----	----	12 UNCH
2200	----	----	135.00B/122.50A	135.00B/122.50A	----	119.30 - 4.00	.4422	----	----	----	----	406 UNCH
2300	----	----	101.10B/91.70A	101.10B/91.70A	----	88.30 - 4.30	.3552	----	----	----	----	167 UNCH
2375	----	----	81.10B/74.00A	81.10B/74.00A	----	70.40 - 4.30	.2983	----	----	----	----	50 UNCH
2400	----	----	75.30B/68.90A	75.30B/68.90A	----	65.30 - 4.40	.2811	----	----	----	----	766 UNCH
2450	63.30	63.30	64.90B/59.80A	64.90B/59.80A	----	56.20 NEW	.2491	----	----	50	----	50 + 50
2500	----	----	55.90B/52.20A	55.90B/52.20A	----	48.50 - 4.50	.2206	----	----	----	----	422 UNCH
2600	----	----	41.60B/40.20A	41.60B/40.20A	----	36.60 - 4.20	.1735	----	----	1	----	362 + 1
2700	----	----	----/31.80A	31.30B/31.80A	----	28.20 - 3.70	.1377	----	----	----	----	14 UNCH
2755	30.00	30.00	30.00/30.00	30.00/28.40A	----	24.70 - 3.30	.1219	----	----	1	----	0 - 1
2800	----	----	----	24.00B/26.00A	----	22.00 - 3.20	.1099	----	----	1	----	348 + 1
2850	----	----	----	21.10B/23.80A	----	19.50 - 2.90	.0984	----	----	----	----	91 UNCH
2900	----	----	----	18.70B/21.90A	----	17.30 - 2.80	.0881	----	----	----	----	90 UNCH
3000	----	----	----	14.80B/18.90A	----	13.70 - 2.50	.0710	----	----	----	----	582 UNCH
3100	----	----	----	12.00B/16.60A	----	11.10 - 2.20	.0581	----	----	----	----	159 UNCH
3200	----	----	----	7.00B/17.70A	----	8.70 - 2.00	.0465	----	----	----	----	14 UNCH
3300	----	----	----	5.40B/16.30A	----	7.00 - 1.70	.0379	----	----	----	----	31 UNCH
3400	----	----	----	4.10B/15.20A	----	5.70 - 1.50	.0311	----	----	----	----	32 UNCH
3500	----	----	----	3.00B/14.20A	----	4.70 - 1.30	.0259	----	----	----	----	274 UNCH
3600	----	----	----	2.10B/13.40A	----	4.00 - 1.20	.0220	----	----	----	----	300 UNCH
3800	----	----	----	3.30B/9.50A	----	3.00 - 0.90	.0165	----	----	----	----	12 UNCH
3900	----	----	----	2.70B/9.00A	----	2.60 - 0.90	.0143	----	----	----	----	8 UNCH
4000	----	----	----	2.20B/8.50A	----	2.30 - 0.80	.0126	----	----	----	----	221 UNCH
TOTAL										153		5259 + 151
OCT26												
1720	----	----	----	----	----	477.30 + 11.90	.8025	----	----	----	----	1 UNCH
1800	----	----	432.90B/----	432.90B/413.90A	----	422.10 + 8.90	.7584	----	----	----	----	1 UNCH
2200	----	----	229.70B/----	229.70B/222.30A	----	219.10 + 0.30	.5106	----	----	1	----	135 UNCH
2400	----	----	166.20B/----	166.20B/163.60A	----	158.20 - 1.60	.4016	----	----	----	----	110 UNCH
2500	140.00	140.00	142.10B/140.00	142.10B/140.00	----	135.30 - 1.70	.3551	----	----	2	----	180 + 2
2600	----	----	121.90B/----	121.90B/121.80A	----	116.20 - 1.40	.3139	----	----	----	----	10 UNCH
2700	----	----	104.80B/----	104.80B/105.70A	----	100.10 - 1.10	.2775	----	----	----	----	300 UNCH
2800	----	----	90.20B/----	90.20B/92.10A	----	86.10 - 1.50	.2449	----	----	1	----	31 + 1
2850	----	----	83.70B/----	83.70B/86.10A	----	80.10 - 1.50	.2303	----	----	----	----	100 UNCH
2900	----	----	77.80B/----	77.80B/80.60A	----	74.50 - 1.60	.2166	----	----	----	----	210 UNCH
3000	----	----	67.30B/----	67.30B/70.90A	----	64.90 - 1.70	.1921	----	----	----	----	121 UNCH
3200	----	----	----	50.90B/55.90A	----	50.10 - 1.90	.1527	----	----	----	----	10 UNCH
3500	----	----	----	34.80B/41.50A	----	35.80 - 1.70	.1119	----	----	----	----	10 UNCH
TOTAL										4		1219 + 3
JAN27												
2360	----	----	----	----	----	250.00 + 10.50	.4762	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	----	----/*3.00A	----	0.10 UNCH	.0021	----	----	----	----	1 UNCH
1725	----	----	----	----/*3.00A	----	0.10 UNCH	.0022	----	----	----	----	13 UNCH
1745	----	----	----	----/*3.00A	----	0.10 UNCH	.0023	----	----	----	----	15 UNCH
1750	----	----	----	----/*3.00A	----	0.10 UNCH	.0024	----	----	----	----	76 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
MAY26												
1780	----	----	----	----/*3.00A	----	0.10 UNCH	.0026	----	----	----	----	1 UNCH
1785	----	----	----	----/*3.00A	----	0.10 UNCH	.0026	----	----	----	----	1 UNCH
1800	----	----	----	----/*3.00A	----	0.10 UNCH	.0027	----	----	----	----	108 UNCH
1820	----	----	----	----/*3.10A	----	0.10 - 0.10	.0029	----	----	----	----	100 UNCH
1825	----	----	----	----/*3.10A	----	0.10 - 0.20	.0030	----	----	----	----	14 UNCH
1850	----	----	----	----/*3.10A	----	0.10 - 0.40	.0032	----	----	----	----	78 UNCH
1855	----	----	----	----/*3.10A	----	0.10 - 0.50	.0033	----	----	----	----	15 UNCH
1860	----	----	----	----/*3.20A	----	0.10 - 0.60	.0034	----	----	----	----	100 UNCH
1865	----	----	----	----/*3.20A	----	0.10 - 0.70	.0034	----	----	----	----	5 UNCH
1870	----	----	----	----/*3.20A	----	0.10 - 0.80	.0035	----	----	----	----	14 UNCH
1875	----	----	----	----/*3.20A	----	0.10 - 0.90	.0036	----	----	----	----	122 UNCH
1890	----	----	----	----/*3.30A	----	0.20 - 1.20	.0067	----	----	----	----	22 UNCH
1895	----	----	----	----/*3.40A	----	0.30 - 1.20	.0094	----	----	----	----	29 UNCH
1900	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.30 - 1.40	.0096	----	----	1	----	131 - 1
1905	----	----	----	----/*3.50A	----	0.40 - 1.50	.0123	----	----	----	----	46 UNCH
1910	----	----	----	----/*3.50A	----	0.40 - 1.70	.0125	----	----	----	----	46 UNCH
1915	----	----	----	----/*3.60A	----	0.50 - 1.80	.0152	----	----	----	----	67 UNCH
1920	----	----	----	----/*3.60A	----	0.60 - 2.00	.0179	----	----	----	----	49 UNCH
1925	----	----	----	----/*3.70A	----	0.60 - 2.20	.0183	----	----	----	----	20 UNCH
1930	----	----	----	----/*3.80A	----	0.70 - 2.40	.0210	----	----	----	----	20 UNCH
1935	----	----	----	----/*3.80A	----	0.90 - 2.50	.0260	----	----	----	----	20 UNCH
1945	----	----	----/*4.00A	0.50B/*4.00A	----	1.10 - 3.00	.0315	----	----	----	----	30 UNCH
1950	----	----	----/*4.10A	0.80B/*4.10A	----	1.30 - 3.20	.0364	----	----	----	----	79 UNCH
1960	----	----	----/*4.30A	1.50B/*4.30A	----	1.60 - 3.80	.0443	----	----	----	----	45 UNCH
1970	----	----	----/*4.50A	2.30B/*4.50A	----	2.10 - 4.40	.0563	----	----	----	----	9 UNCH
1990	----	----	----/*5.30A	3.80B/*5.30A	----	3.30 - 6.10	.0845	----	----	----	----	55 UNCH
2000	----	----	----/*5.50A	5.10B/*5.50A	----	4.10 - 7.10	.1024	----	----	----	----	311 UNCH
2005	----	----	----/*6.10A	5.80B/*6.10A	----	4.50 - 7.70	.1117	----	----	----	----	13 UNCH
2010	----	----	----/*6.50A	6.60B/*6.50A	----	5.00 - 8.20	.1226	----	----	----	----	13 UNCH
2015	----	----	----/*6.90A	7.50B/*6.90A	----	5.50 - 8.80	.1336	----	----	----	----	13 UNCH
2020	----	----	----/*7.30A	8.40B/*7.30A	----	6.10 - 9.40	.1463	----	----	----	----	13 UNCH
2025	----	----	----/*7.80A	9.40B/*7.80A	----	6.70 - 10.10	.1591	----	----	----	----	13 UNCH
2030	----	----	----/*8.40A	10.60B/*8.40A	----	7.30 - 10.80	.1723	----	----	----	----	78 UNCH
2050	----	----	----/*11.20A	16.20B/*11.20A	----	10.30 - 14.20	.2361	----	----	----	----	200 UNCH
2100	----	----	----/*21.40A	39.10B/*21.40A	----	25.00 - 23.60	.4895	----	----	----	----	70 UNCH
2115	----	----	----/*27.50A	37.50B/*27.50A	----	32.80 - 25.30	.5844	----	----	----	----	22 UNCH
2155	----	----	----	----	----	61.30 - 26.60	.7984	----	----	----	----	13 UNCH
2160	----	----	----	----	----	65.40 - 26.60	.8192	----	----	----	----	38 UNCH
2175	----	----	----/*66.80A	100.10B/*66.80A	----	78.40 - 26.30	.8701	----	----	----	----	10 UNCH
2195	----	----	----	----	----	96.60 - 25.80	.9205	----	----	----	----	23 UNCH
2200	----	----	----/*88.60A	123.70B/*88.60A	----	101.30 - 25.60	.9297	----	----	----	----	10 UNCH
2215	----	----	----	----	----	115.50 - 25.30	.9547	----	----	----	----	60 UNCH
2450	----	----	----/335.00A	371.50B/335.00A	----	349.40 - 22.70	.9970	----	----	----	----	15 - 35
2500	----	----	----/384.90A	421.40B/384.90A	----	399.40 - 22.70	.9973	----	----	----	----	100 UNCH
TOTAL										1		2346 - 36
JUN26												
1825	----	----	----/*32.60A	34.50B/*32.60A	----	31.20 - 8.50	.1652	----	----	----	----	89 UNCH
1850	----	----	----/*37.20A	40.20B/*37.20A	----	36.00 - 9.60	.1861	----	----	----	----	1 UNCH
1885	51.90	51.90	51.90/*44.60A	51.90/*44.60A	----	43.60 NEW	.2178	----	----	30	----	30 + 30
1900	----	----	----/*48.10A	53.70B/*48.10A	----	47.30 - 12.00	.2324	----	----	----	----	275 UNCH
1950	----	----	----/*61.50A	70.10B/*61.50A	----	61.30 - 14.50	.2851	----	----	----	----	2 UNCH
2000	----	----	----/*77.90A	89.80B/*77.90A	----	78.50 - 17.00	.3434	----	----	----	----	1 UNCH
2100	----	----	----/*121.30A	139.30B/*121.30	----	123.80 - 21.40	.4695	----	----	----	----	100 UNCH
TOTAL										30		498 + 30
JUL26												
1400	----	----	----	2.70B/*8.50A	----	4.60 - 2.10	.0246	----	----	----	----	150 UNCH
1500	----	----	----	7.40B/*11.90A	----	8.60 - 3.30	.0439	----	----	----	----	153 UNCH
1550	----	----	----/*14.60A	11.20B/*14.60A	----	11.60 - 4.20	.0576	----	----	----	----	200 UNCH
1600	----	----	----/*18.40A	16.40B/*18.40A	----	15.60 - 5.50	.0749	----	----	----	----	403 UNCH
1650	----	----	----/*23.40A	23.20B/*23.40A	----	20.90 - 7.20	.0965	----	----	----	----	1 UNCH
1680	----	----	----/*27.20A	28.20B/*27.20A	----	24.80 - 8.50	.1116	----	----	----	----	50 UNCH
1700	----	----	----/*30.00A	31.90B/*30.00A	----	27.70 - 9.50	.1225	----	----	----	----	286 UNCH
1710	----	----	----/*31.50A	33.80B/*31.50A	----	29.30 - 9.90	.1283	----	----	----	----	1 UNCH
1750	----	----	----/*38.30A	42.50B/*38.30A	----	36.50 - 11.90	.1535	----	----	----	----	50 UNCH
1800	----	----	----/*48.70A	55.30B/48.70A	----	47.20 - 14.40	.1886	----	----	----	----	261 UNCH
1825	61.60	61.60	61.60/54.60A	62.60B/54.60A	----	53.30 - 15.70	.2076	----	----	25	----	30 + 25
1900	----	----	----/75.70A	87.60B/75.70A	----	75.00 - 19.20	.2699	----	----	----	----	1 UNCH
2100	----	----	----/157.70A	179.20B/157.70A	----	159.60 - 25.40	.4611	----	----	----	----	225 UNCH
2135	----	----	----/176.40A	199.30B/176.40A	----	178.80 NEW	.4955	----	----	----	190	190 + 190
2165	----	----	----/193.40A	217.40B/193.40A	----	196.40 - 26.30	.5246	----	----	----	----	20 UNCH
2350	----	----	----/318.30A	347.20B/318.30A	----	324.00 - 26.90	.6834	----	----	----	----	5 UNCH
2400	----	----	----/356.90A	386.60B/356.90A	----	363.10 - 26.90	.7187	----	----	----	----	300 UNCH
4000	----	----	----/1,887.20A	1,921.50B/1,887	----	1899.30 - 22.70	.9874	----	----	----	----	10 UNCH
TOTAL									190	25		2336 + 215
OCT26												
1300	----	----	----	11.30B/*19.90A	----	15.20 - 2.60	.0470	----	----	----	----	4 UNCH
1500	40.00	40.00	40.00/*35.00	40.00/*35.00	----	35.30 - 5.40	.0999	----	----	20	----	70 - 10
1600	----	----	----/54.00A	51.30B/54.00A	----	52.70 - 7.60	.1396	----	----	----	----	17 UNCH
1720	----	----	----/82.10A	83.10B/82.10A	----	80.60 - 11.90	.1971	----	----	----	----	2 UNCH
1820	108.00	108.00	108.00/108.00	117.80B/108.00	----	111.40 NEW	.2528	----	----	2	----	2 + 2
2000	----	----	----/188.10A	197.70B/188.10A	----	186.30 - 19.70	.3642	----	----	----	----	1 UNCH
2100	----	----	----/239.00A	251.60B/239.00A	----	238.20 - 21.50	.4276	----	----	----	----	100 UNCH
2400	----	----	----/431.90A	451.70B/431.90A	----	433.90 - 25.40	.5980	----	----	----	----	200 UNCH
2500	----	----	----/507.20A	528.60B/507.20A	----	510.00 - 25.30	.6444	----	----	----	----	1 UNCH
TOTAL										22		397 - 8
JAN27												
1500	----	----	----	----/95.00A	----	53.30 - 3.30	.1214	----	----	----	----	40 UNCH
1800	----	----	----	----	----	147.10 - 6.80	.2587	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4900	0	150
OG	5200	0	150
OG	5500	0	150
TOTALS		0	450
JUN26 CALL			
OG	4950	0	100
OG	5000	0	50
OG	5100	0	50
OG	5200	0	270
OG	5250	0	200
OG	5300	0	50
OG	5600	0	200
OG	5800	0	200
TOTALS		0	1120
JUL26 CALL			
OG	5240	0	50
TOTALS		0	50
OCT26 CALL			
OG	5000	0	50
OG	6300	0	125
TOTALS		0	175
DEC26 CALL			
OG	5500	0	15
OG	6000	0	100
OG	6400	0	30
OG	6800	0	15
TOTALS		0	160
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	3520	0	60
OG	4200	0	150
OG	4500	0	100
OG	4550	0	420
OG	4750	0	100
OG	4800	0	90
TOTALS		0	920
JUL26 PUT			
OG	4500	0	300
OG	4650	0	100
TOTALS		0	400
AUG26 PUT			
OG	4400	0	90
OG	4800	0	50
TOTALS		0	140
SEP26 PUT			
OG	3945	0	50
TOTALS		0	50
OCT26 PUT			
OG	4850	0	106
TOTALS		0	106
DEC26 PUT			
OG	4200	0	250
OG	4450	0	150
OG	4500	0	90
TOTALS		0	490
SO CALL	COMEX SILVER OPTIONS		
MAY26 CALL			
SO	8000	0	150
SO	8500	0	50
SO	9000	0	50
SO	9500	0	100
TOTALS		0	350
JUN26 CALL			
SO	7800	0	150
SO	8000	0	300
SO	8400	0	300
SO	8500	0	25
SO	9000	0	455
SO	9500	0	25
SO	10000	0	150
TOTALS		0	1405
JUL26 CALL			
SO	8000	0	52
SO	8300	0	100
SO	9000	0	100
SO	9500	0	50
SO	9750	0	76
SO	10500	0	50
SO	12000	0	40
TOTALS		0	468
SEP26 CALL			
SO	9000	0	150
SO	15000	0	75
TOTALS		0	225
DEC26 CALL			
SO	12000	0	40
TOTALS		0	40
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	8500	0	20
TOTALS		0	20
JUN26 PUT			
SO	8000	0	20
TOTALS		0	20
JUL26 PUT			
SO	6300	0	100
SO	7250	0	76
TOTALS		0	176
HX CALL	COMEX COPPER OPTIONS		
MAY26 CALL			
HX	575	0	300
HX	625	0	300
HX	630	0	225
HX	650	0	500
TOTALS		0	1325
JUL26 CALL			
HX	690	0	50
TOTALS		0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX PUT		COMEX COPPER OPTIONS		
MAY26	PUT			
HX		520	0	350
TOTALS			0	350
JUN26	PUT			
HX		560	0	350
TOTALS			0	350
JUL26	PUT			
HX		590	0	330
TOTALS			0	330
PO PUT		PLATINUM OPTIONS		
JUL26	PUT			
PO		2135	0	190
TOTALS			0	190
PAO PUT		NYMEX PALLADIUM OPTIONS		
JUN26	PUT			
PAO		1300	0	50
TOTALS			0	50
JUL26	PUT			
PAO		1300	0	50
TOTALS			0	50
OG3 CALL		GOLD OPTIONS		
APR26	CALL			
OG3		4850	0	100
TOTALS			0	100
OG4 CALL		GOLD OPTIONS		
APR26	CALL			
OG4		5050	0	15
TOTALS			0	15
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
JUL26	CALL			
HRO		105000	0	50
HRO		110000	0	100
TOTALS			0	150
AUG26	CALL			
HRO		105000	0	50
HRO		110000	0	100
TOTALS			0	150
SEP26	CALL			
HRO		105000	0	50
HRO		110000	0	100
TOTALS			0	150
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
JUL26	PUT			
HRO		95000	0	100
TOTALS			0	100
AUG26	PUT			
HRO		95000	0	250
TOTALS			0	250
SEP26	PUT			
HRO		95000	0	100
TOTALS			0	100
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4		
APR26	CALL			
G4W		4865	0	100
TOTALS			0	100
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3		
APR26	PUT			
G3R		4700	0	150
G3R		4800	0	50
TOTALS			0	200
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4		
APR26	PUT			
G4R		4745	0	100
TOTALS			0	100
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4		
APR26	CALL			
G4R		4970	0	200
G4R		5010	0	200
TOTALS			0	400

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.