METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/07	05/08											
ECG11 OP		05/07	05/08											
ECG13 OP		05/07	05/08											
ECG15 OP		05/07	05/08											
ECG16 OP		05/07	05/08											
ECGC OOF		05/07	05/08											
ECHG OOF		05/07	05/08											
ECSI OOF		05/07	05/08											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/08													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/08										
GWR THU	05/28			06/04										
GWT TUE	05/19			06/09										
GWW WED	05/27			06/03										
HMW MON	05/18			06/08										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/02										
HWW WED	05/27			06/03	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29													
HXE PUT	05/29													
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON	05/11			06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG2 CALL	05/08													
OG2 PUT	05/08													
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17		08/19			11/18				
PLW OOF	05/15													
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17			09/16			12/16			
RWS THU	05/28			06/04										
SMW MON	05/18			06/01										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO2 CALL	05/08													
SO2 PUT	05/08													
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27													
TWS TUE	05/19			06/02										
WMG WED	05/13													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
MAY26												
4850	----	----	----	----	----	10.30 - 4.60	.1421	----	----	----	----	3 UNCH
TOTAL												3 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUN26												
2500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	2.00 - 0.20	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	4.30 - 0.90	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	5.70 - 1.30	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	7.00 - 1.80	----	----	----	----	----	4 UNCH
4500	25.00	25.00	25.00/*25.00	25.00/*25.00	----	23.90 - 6.00	----	----	----	1	----	6 + 1
4600	----	----	----	----	----	44.90 - 10.10	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	52.40 - 11.20	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	59.10 - 12.10	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	111.70 + 5.00	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	90.30 - 15.70	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	65.60 + 0.80	----	----	----	----	----	1 UNCH
4865	----	----	----	40.00B/----	----	44.90 - 0.90	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	36.40 - 1.40	----	----	----	----	----	2 UNCH
5100	----	----	----	----	----	10.60 - 2.20	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	2.70 - 0.70	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	1.00 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1		34 + 1
JUL26												
3400	----	----	----	----	----	1367.00 + 19.60	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1307.20 + 19.50	----	----	----	----	----	1 UNCH
3950	----	----	----	----	----	8.70 - 0.50	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	19.80 - 1.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	29.00 - 2.50	----	----	----	----	----	1 UNCH
4500	64.00	64.00	64.00/64.00	64.00/64.00	----	62.70 - 5.70	----	----	----	1	----	4 + 1
4600	----	----	----	----	----	91.10 - 8.20	----	----	----	----	----	2 UNCH
4700	----	----	----	----	----	195.70 + 8.90	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	75.80 + 2.10	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	64.00 + 1.50	----	----	----	----	----	1 UNCH
5200	----	----	----	----	----	38.40 - 0.10	----	----	----	----	----	1 UNCH
5500	----	----	----	----	----	14.80 - 0.90	----	----	----	----	----	2 UNCH
TOTAL										1		17 + 1
AUG26												
4400	----	----	----	----	----	73.90 - 4.60	----	----	----	----	----	5 UNCH
TOTAL												5 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3800 ----	----	----	0.30B/3.60A	----	2.00 - 1.00	.0100	----	----	----	----	2 UNCH
4000 4.80	4.80	4.80/4.80	4.80/4.30A	----	3.60 - 0.40	.0198	----	----	1	----	3 + 1
4100 ----	----	----	2.30B/5.20A	----	4.60 - 0.60	.0269	----	----	----	----	1 UNCH
4250 ----	----	----/7.20A	6.50B/7.20A	----	6.60 - 2.30	.0431	----	----	4	----	9 + 4
4275 ----	----	----/8.10A	7.50B/8.10A	----	7.10 - 2.80	.0471	----	----	4	----	5 + 4
4300 ----	----	----/8.90A	9.90B/8.90A	----	7.90 - 3.10	.0529	----	----	----	----	2 UNCH
4350 ----	----	----/11.30A	12.30B/11.30A	----	10.70 - 3.30	.0705	----	----	----	----	2 UNCH
4400 ----	----	----/14.70A	17.90B/14.70A	----	15.30 - 2.80	.0967	----	----	----	----	2 UNCH
4450 21.00	21.00	22.00/19.20A	23.30B/19.20A	----	20.90 - 2.70	.1277	----	----	8	----	31 - 8
4475 22.60	22.60	22.60/22.00A	27.00B/22.00A	----	24.10 - 3.00	.1451	----	----	9	----	57 - 2
4500 27.00	27.00	31.40B/25.30A	31.40B/25.30A	----	27.70 - 3.50	.1643	----	----	1	----	28 + 1
4600 ----	----	#56.10B/44.00A	56.10B/44.00A	----	47.50 - 6.60	.2613	----	----	----	----	2 UNCH
4625 ----	----	64.10B/50.20A	64.10B/50.20A	----	54.10 - 7.70	.2907	----	----	----	----	1 UNCH
4650 ----	----	#73.20B/57.20A	73.20B/57.20A	----	61.50 - 8.90	.3222	----	----	----	----	2 UNCH
4675 75.00	75.00	85.50B/63.70	85.50B/63.70	----	69.80 - 10.10	.3555	----	----	10	----	20 + 2
4700 86.20	86.20	#95.70B/71.40	95.70B/71.40	----	79.00 NEW	.3904	----	----	10	----	4 + 4
4750 ----	----	#119.50B/94.30A	119.50B/94.30A	----	100.00 - 14.00	.4637	----	----	----	----	1 UNCH
4775 ----	----	#133.50B/106.00	133.50B/106.00A	----	112.00 - 15.20	.5014	----	----	2	----	4 + 2
TOTAL									49		176 + 8

OG5 CALL — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625 ----	----	210.40B/----	210.40B/185.30A	----	195.50 + 12.00	.7087	----	----	----	----	1 UNCH
4725 ----	----	143.70B/----	143.70B/125.10A	----	130.50 + 7.00	.5728	----	----	1	----	1 UNCH
4750 ----	----	129.40B/*109.40	129.40B/109.40A	----	116.60 + 5.70	.5357	----	----	1	----	2 UNCH
4775 ----	----	116.00B/*98.20A	116.00B/98.20A	----	103.60 + 4.40	.4980	----	----	2	----	4 + 2
4800 ----	----	103.90B/88.00A	103.90B/88.00A	----	91.60 + 3.20	.4601	----	----	----	----	0 UNCH
4900 66.20	66.20	66.20/54.20A	66.20/54.20A	----	54.90 + 0.20	.3180	----	----	1	----	4 UNCH
4925 ----	----	57.10B/48.30A	57.10B/48.30A	----	48.30 - 0.10	.2871	----	----	----	----	1 UNCH
4950 49.60	49.60	50.10B/42.70A	50.10B/42.70A	----	42.50 - 0.40	.2586	----	----	1	----	2 + 1
4975 ----	----	43.90B/37.00A	43.90B/37.00A	----	37.40 - 0.70	.2323	----	----	----	----	1 UNCH
5000 32.80	32.80	38.50B/32.60A	38.50B/32.60A	----	32.90 - 0.90	.2082	----	----	150	----	469 - 47
5050 ----	----	29.90B/25.10A	29.90B/25.10A	----	25.40 - 1.30	.1662	----	----	----	----	3 UNCH
5075 ----	----	26.10B/21.90A	26.10B/21.90A	----	22.20 - 1.50	.1477	----	----	----	----	1 UNCH
5100 20.00	20.00	22.80B/19.30A	22.80B/19.30A	----	19.50 - 1.50	.1314	----	----	1	----	2 + 1
5125 ----	----	20.00B/16.80A	20.00B/16.80A	----	17.00 - 1.60	.1163	----	----	----	----	2 UNCH
5400 5.00	5.00	5.00/5.00	5.00/5.00	----	4.80 - 1.20	.0340	----	----	1	----	6 + 1
5600 ----	----	----	1.30B/4.30A	----	2.70 - 1.10	.0180	----	----	----	----	1 UNCH
5750 ----	----	----	0.40B/3.60A	----	2.10 - 1.00	.0131	----	----	----	----	3 UNCH
TOTAL									158		503 - 42

OG4 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500 ----	----	----	0.20B/1.10A	----	0.60 - 0.10	.0026	----	----	----	----	17 UNCH
3800 ----	----	----	0.90B/*1.40A	----	1.10 - 0.10	.0059	----	----	----	----	1 UNCH
3900 ----	----	----	1.10B/*1.60A	----	1.30 - 0.20	.0076	----	----	----	----	10 UNCH
4000 1.70	1.70	1.70/*1.50	1.70/*1.50	----	1.70 - 0.20	.0107	----	----	12	----	11 + 1
4100 ----	----	----/*2.40A	2.10B/*2.40A	----	2.20 - 0.50	.0151	----	----	----	----	1 UNCH
4125 ----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.50	.0167	----	----	----	----	2 UNCH
4150 ----	----	----/*2.80A	2.70B/*2.80A	----	2.60 - 0.60	.0185	----	----	2	----	4 + 2
4200 ----	----	----/*3.40A	3.70B/*3.40A	----	3.20 - 0.80	.0235	----	----	----	----	10 UNCH
4250 ----	----	----/*4.20A	5.10B/*4.20A	----	4.10 - 1.10	.0309	----	----	2	----	9 UNCH
4275 ----	----	6.00B/*4.70A	6.00B/*4.70A	----	4.70 - 1.20	.0357	----	----	----	----	25 UNCH
4300 ----	----	7.10B/5.40A	7.10B/5.40A	----	5.40 - 1.40	.0413	----	----	----	----	3 UNCH
4325 ----	----	8.30B/6.10A	8.30B/6.10A	----	6.30 - 1.60	.0484	----	----	----	----	11 UNCH
4350 9.10	9.10	9.50B/7.00A	9.50B/7.00A	----	7.30 - 2.00	.0563	----	----	4	----	3 + 1
4375 ----	----	11.60B/8.20A	11.60B/8.20A	----	8.50 - 2.40	.0657	----	----	----	----	33 UNCH
4400 12.00	12.00	14.40B/9.50	14.40B/9.50	----	9.90 - 2.90	.0767	----	----	2	----	21 + 1
4425 ----	----	16.90B/11.00A	16.90B/11.00A	----	11.70 - 3.40	.0902	----	----	----	----	11 UNCH
4450 13.00	13.00	20.30B/13.00	20.30B/13.00	----	13.80 - 4.10	.1058	----	----	1	----	29 + 1
4475 ----	----	24.30B/15.20A	24.30B/15.20A	----	16.40 - 4.80	.1243	----	----	----	----	2 UNCH
4500 25.10	25.10	28.50B/17.80A	28.50B/17.80A	----	19.50 - 5.60	.1458	----	----	2	----	25 + 2
4525 ----	----	34.20B/21.30A	34.20B/21.30A	----	23.20 - 6.50	.1705	----	----	----	----	36 UNCH
4550 ----	----	40.30B/25.20A	40.30B/25.20A	----	27.60 - 7.50	.1986	----	----	----	----	13 UNCH
4575 ----	----	47.50B/29.80A	47.50B/29.80A	----	32.80 - 8.50	.2303	----	----	1	----	12 + 1
4600 ----	----	55.30B/35.20A	55.30B/35.20A	----	38.80 - 9.80	.2651	----	----	10	----	106 + 8
4625 ----	----	64.60B/41.60A	64.60B/41.60A	----	45.90 - 10.90	.3036	----	----	----	----	6 UNCH
4650 ----	----	74.60B/48.90A	74.60B/48.90A	----	54.00 - 12.20	.3447	----	----	----	----	2 UNCH
4700 88.00	88.00	97.20B/66.40A	97.20B/66.40A	----	73.60 - 15.00	.4337	----	----	3	----	11 - 1
4725 ----	----	111.80B/77.20A	111.80B/77.20A	----	85.20 - 16.30	.4801	----	----	----	----	1 UNCH
4750 ----	----	127.00B/89.00A	127.00B/89.00A	----	98.10 NEW	.5269	----	----	2	----	0 UNCH
4775 ----	----	143.00B/101.90A	143.00B/101.90A	----	112.20 - 18.70	.5730	----	----	----	----	2 UNCH
4800 ----	----	160.00B/116.00A	160.00B/116.00A	----	127.50 NEW	.6177	----	----	2	----	0 UNCH
4850 ----	----	196.80B/148.00A	196.80B/148.00A	----	161.50 - 21.10	.7007	----	----	----	----	1 UNCH
TOTAL									43		418 + 16

OG4 CALL — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4500 ----	----	273.10B/220.60A	273.10B/220.60A	----	249.90 + 14.20	.8538	----	----	----	----	1 UNCH
4525 ----	----	251.30B/201.10A	251.30B/201.10A	----	228.70 + 13.30	.8291	----	----	----	----	15 UNCH
4550 ----	----	230.20B/182.40A	230.20B/182.40A	----	208.10 + 12.30	.8009	----	----	----	----	1 UNCH
4575 ----	----	209.70B/164.60A	209.70B/164.60A	----	188.30 + 11.20	.7693	----	----	----	----	1 UNCH
4600 ----	----	190.10B/147.80A	190.10B/147.80A	----	169.40 + 10.10	.7344	----	----	----	----	55 UNCH
4625 ----	----	171.30B/131.60A	171.30B/131.60A	----	151.50 + 8.90	.6960	----	----	----	----	3 UNCH
4650 ----	----	153.70B/117.60A	153.70B/117.60A	----	134.60 + 7.50	.6548	----	----	----	----	9 UNCH
4675 ----	----	136.90B/111.00A	136.90B/111.00A	----	118.80 + 6.20	.6113	----	----	----	----	1 UNCH
4700 104.00	104.00	121.50B/91.10A	121.50B/91.10A	----	104.30 + 4.90	.5659	----	----	20	----	24 + 20
4725 ----	----	107.20B/83.50A	107.20B/83.50A	----	90.90 + 3.50	.5194	----	----	1	----	4 + 1
4750 ----	----	94.00B/69.80A	94.00B/69.80A	----	78.80 + 2.20	.4727	----	----	----	----	5 UNCH
4775 ----	----	81.90B/61.10A	81.90B/61.10A	----	67.90 + 1.00	.4265	----	----	----	----	5 UNCH
4800 ----	----	71.20B/52.70A	71.20B/52.70A	----	58.30 + 0.10	.3818	----	----	----	----	33 UNCH
4825 ----	----	61.40B/46.90A	61.40B/46.90A	----	49.80 - 0.70	.3392	----	----	500	----	500 + 499
4850 ----	----	52.90B/40.10A	52.90B/40.10A	----	42.30 - 1.40	.2989	----	----	1	----	8 + 1
4875 38.00	38.00	45.50B/34.00A	45.50B/34.00A	----	35.90 - 1.80	.2619	----	----	10	----	11 + 10
4900 35.20	35.20	38.90B/28.70A	38.90B/28.70A	----	30.30 - 2.30	.2278	----	----	11	----	76 + 10
4925 ----	----	33.20B/24.30A	33.20B/24.30A	----	25.60 - 2.50	.1974	----	----	----	----	2 UNCH
4950 ----	----	28.30B/20.50A	28.30B/20.50A	----	21.60 - 2.60	.1704	----	----	2	----	82 + 2
4975 ----	----	24.00B/17.30A	24.00B/17.30A	----	18.20 - 2.70	.1464	----	----	1	----	12 + 1
5000 ----	----	20.40B/14.60A	20.40B/14.60A	----	15.30 - 2.70	.1253	----	----	----	----	43 UNCH
5025 ----	----	17.60B/12.40A	17.60B/12.40A	----	12.90 - 2.70	.1072	----	----	500	----	503 + 500
5050 ----	----	14.80B/10.50A	14.80B/10.50A	----	11.00 - 2.40	.0921	----	----	----	----	5 UNCH
5075 ----	----	12.50B/9.00A	12.50B/9.00A	----	9.30 - 2.30	.0787	----	----	----	----	1 UNCH
5125 ----	----	9.00B/6.70A	9.00B/6.70A	----	6.80 - 1.90	.0580	----	----	----	----	1 UNCH
5150 ----	----	7.70B/5.80A	7.70B/5.80A	----	5.90 - 1.70	.0503	----	----	----	----	3 UNCH
5175 ----	----	----/5.10A	6.50B/5.10A	----	5.10 - 1.60	.0434	----	----	----	----	3 UNCH
5200 6.20	6.20	6.20/4.50A	6.20/4.50A	----	4.40 - 1.40	.0375	----	----	1	----	3 + 1
5225 ----	----	----/4.00A	4.90B/4.00A	----	3.90 - 1.30	.0330	----	----	----	----	2 UNCH
5300 ----	----	----/3.00A	3.20B/3.00A	----	2.70 - 1.00	.0224	----	----	----	----	1 UNCH
5500 ----	----	----/1.70A	1.30B/1.70A	----	1.40 - 0.40	.0105	----	----	----	----	10 UNCH
5600 ----	----	----	0.90B/*1.30A	----	1.10 - 0.20	.0078	----	----	----	----	1 UNCH
6000 ----	----	----	----/1.40A	----	0.40 - 0.10	.0024	----	----	----	----	1 UNCH
TOTAL									1047		1425 + 1045

OG3 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500 ----	----	----	----/0.50A	----	0.20 UNCH	.0007	----	----	----	----	10 UNCH
3700 ----	----	----	0.20B/*0.50A	----	0.30 UNCH	.0012	----	----	----	----	2 UNCH
3750 0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.30 UNCH	.0013	----	----	1	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG3 PUT GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3800	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0014	----	----	----	----	56 UNCH
3900	0.60	0.60	0.60/*0.40	0.60/*0.40	----	0.40 - 0.30	.0021	----	----	34	----	69 + 29
4000	0.60	0.60	0.60/*0.50	0.60/*0.50	----	0.60 - 0.20	.0035	----	----	11	----	57 + 5
4100	0.70	0.70	1.10B/*0.70	1.10B/*0.70	----	0.70 - 0.30	.0046	----	----	1	----	21 UNCH
4150	----	----	1.30B/*0.90A	1.30B/*0.90A	----	0.90 - 0.30	.0063	----	----	6	----	6 + 2
4200	1.90	1.90	1.90/*0.90	1.90/*0.90	----	1.00 - 0.50	.0075	----	----	4	----	135 + 1
4225	----	----	----/*1.30A	1.20B/*1.30A	----	1.20 - 0.40	.0092	----	----	----	----	4 UNCH
4250	----	----	----/*1.40A	1.30B/*1.40A	----	1.30 - 0.60	.0104	----	----	15	----	22 + 15
4275	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.60	.0123	----	----	3	----	48 + 2
4300	1.90	1.90	1.90/*1.80A	1.90/*1.80A	----	1.70 - 0.80	.0144	----	----	1	----	390 + 1
4325	----	----	----/*2.00A	2.30B/*2.00A	----	1.90 - 1.00	.0167	----	----	4	----	39 + 4
4350	2.70	2.70	2.70/*2.10	3.00B/*2.10	----	2.20 - 1.20	.0199	----	----	18	----	54 + 13
4375	----	----	----/*2.60A	4.00B/*2.60A	----	2.60 - 1.50	.0242	----	----	----	----	54 UNCH
4400	3.20	3.20	5.10B/*3.00	5.10B/*3.00	----	3.10 - 1.80	.0297	----	----	3	----	79 + 1
4425	----	----	6.40B/*3.60A	6.40B/*3.60A	----	3.70 - 2.30	.0363	----	----	----	----	23 UNCH
4450	----	----	8.00B/*4.40A	8.00B/*4.40A	----	4.40 - 3.00	.0444	----	----	3	----	195 + 2
4475	6.40	6.40	10.40B/*5.30	10.40B/*5.30	----	5.50 - 3.60	.0563	----	----	37	----	62 + 26
4500	9.60	9.60	13.40B/*6.60A	13.40B/*6.60A	----	6.80 - 4.60	.0707	----	----	150	----	207 + 84
4525	10.50	10.50	17.00B/*8.20A	17.00B/*8.20A	----	8.70 - 5.60	.0906	----	----	12	----	39 + 9
4550	13.50	13.50	21.50B/*10.30	21.50B/*10.30	----	11.10 - 6.80	.1154	----	----	291	----	359 + 236
4575	15.10	15.10	26.20B/*12.80A	26.20B/*12.80A	----	14.20 - 8.20	.1463	----	----	22	----	62 + 18
4600	32.00	32.00	32.80B/*16.50A	32.80B/*16.50A	----	18.20 - 9.70	.1845	----	----	99	----	146 + 72
4625	27.60	27.60	41.20B/*20.70A	41.20B/*20.70A	----	23.20 - 11.50	.2298	----	----	14	----	63 + 5
4650	33.20	33.20	49.40B/*26.00A	49.40B/*26.00A	----	29.40 - 13.50	.2826	----	----	54	----	227 + 19
4675	35.00	35.00	59.90B/*32.60A	59.90B/*32.60A	----	37.10 - 15.50	.3426	----	----	1	----	4 + 1
4700	54.00	54.00	72.10B/*40.60A	72.10B/*40.60A	----	46.40 - 17.50	.4084	----	----	71	----	91 + 56
4725	64.70	64.70	85.70B/50.30A	85.70B/50.30A	----	57.50 - 19.30	.4778	----	----	171	----	173 + 166
4750	----	----	101.60B/61.40A	101.60B/61.40A	----	70.30 - 20.90	.5484	----	----	1	----	7 - 1
4775	----	----	118.80B/74.40A	118.80B/74.40A	----	84.90 - 22.20	.6174	----	----	1	----	4 UNCH
4800	----	----	136.30B/89.40A	136.30B/89.40A	----	101.20 - 23.20	.6821	----	----	----	----	14 UNCH
4825	----	----	155.90B/105.00A	155.90B/105.00A	----	119.10 - 23.90	.7410	----	----	----	----	1 UNCH
4850	----	----	175.80B/122.70A	175.80B/122.70A	----	138.50 - 24.10	.7926	----	----	1	----	2 + 1
4875	----	----	197.30B/141.60A	197.30B/141.60A	----	159.00 - 24.10	.8357	----	----	1	----	1 UNCH
4900	----	----	219.20B/161.70A	219.20B/161.70A	----	180.50 - 24.00	.8718	----	----	----	----	4 UNCH
4950	----	----	264.70B/204.70A	264.70B/204.70A	----	225.90 - 23.30	.9226	----	----	----	----	0 UNCH
5025	----	----	335.90B/273.80A	335.90B/273.80A	----	297.40 - 22.10	.9637	----	----	----	----	1 UNCH
5100	----	----	393.70B/346.10A	393.70B/346.10A	----	370.90 - 21.20	.9817	----	----	----	----	3 UNCH
5150	----	----	----/417.70A	417.00B/417.70A	----	420.40 - 20.80	.9877	----	----	----	----	0 UNCH
TOTAL										1030		2740 + 767

OG3 CALL GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	534.50B/----	534.50B/535.10A	----	531.50 + 19.40	.9924	----	----	----	----	1 UNCH
4250	----	----	484.60B/----	484.60B/485.50A	----	481.80 + 19.30	.9895	----	----	----	----	2 UNCH
4400	----	----	359.50B/299.90A	359.50B/299.90A	----	333.60 + 18.00	.9702	----	----	----	----	3 UNCH
4450	----	----	310.80B/253.50A	310.80B/253.50A	----	285.00 + 16.90	.9554	----	----	----	----	3 UNCH
4550	----	----	216.50B/167.60A	216.50B/167.60A	----	191.70 + 13.10	.8844	----	----	1	----	38 - 1
4575	----	----	194.10B/148.40A	194.10B/148.40A	----	169.80 + 11.60	.8534	----	----	1	----	7 + 1
4600	----	----	172.40B/130.40A	172.40B/130.40A	----	148.80 + 10.00	.8153	----	----	----	----	132 UNCH
4625	----	----	151.60B/113.00A	151.60B/113.00A	----	128.80 + 8.20	.7699	----	----	----	----	33 UNCH
4650	----	----	131.90B/98.20A	131.90B/98.20A	----	110.10 + 6.30	.7171	----	----	----	----	168 UNCH
4675	89.40	89.40	113.50B/83.30A	113.50B/83.30A	----	92.80 + 4.30	.6571	----	----	1	----	13 + 1
4700	71.30	71.30	96.50B/69.50A	96.50B/69.50A	----	77.10 + 2.30	.5913	----	----	37	----	676 + 9
4725	61.50	61.50	81.20B/56.70A	81.20B/56.70A	----	63.10 + 0.40	.5219	----	----	218	----	211 + 180
4750	50.60	50.60	67.30B/46.10A	67.30B/46.10A	----	51.00 - 1.20	.4513	----	----	34	----	90 + 13
4775	----	----	55.20B/36.80A	55.20B/36.80A	----	40.60 - 2.50	.3823	----	----	16	----	126 + 4
4800	38.00	38.00	46.00/29.10	46.00/29.10	----	32.00 - 3.40	.3176	----	----	312	----	509 + 195
4825	31.10	31.10	36.00B/22.80A	36.00B/22.80A	----	24.90 - 4.00	.2587	----	----	21	----	48 + 12
4850	27.20	27.20	29.40/17.40A	29.40/17.40A	----	19.20 - 4.40	.2072	----	----	189	----	417 + 142
4875	22.00	22.00	22.70B/13.40A	22.70B/13.40A	----	14.80 - 4.30	.1640	----	----	164	----	216 + 153
4900	12.30	12.30	18.00B/10.00	18.00B/10.00	----	11.30 - 4.20	.1280	----	----	335	----	908 + 189
4925	14.00	14.00	14.10B/7.90A	14.10B/7.90A	----	8.70 - 3.90	.0996	----	----	9	----	47 + 6
4950	10.50	10.50	11.00B/6.10A	11.00B/6.10A	----	6.70 - 3.50	.0771	----	----	85	----	259 + 52
4975	5.20	5.20	8.60B/4.80A	8.60B/4.80A	----	5.20 - 3.10	.0598	----	----	12	----	118 + 12
5000	6.00	6.00	6.80B/3.70A	6.80B/3.70A	----	4.10 - 2.70	.0467	----	----	13	----	335 + 8
5025	5.30	5.30	5.30/3.00A	5.40B/3.00A	----	3.20 - 2.40	.0361	----	----	26	----	28 + 23
5050	2.40	2.40	2.40/2.40	4.20B/2.40	----	2.60 - 2.00	.0288	----	----	3	----	62 + 2
5075	2.00	2.00	2.00/2.00	3.30B/2.00	----	2.10 - 1.70	.0228	----	----	2	----	7 + 2
5100	1.50	1.50	1.50/1.50	2.60B/1.50	----	1.70 - 1.50	.0181	----	----	1	----	30 UNCH
5125	----	----	----/1.40A	2.10B/1.40A	----	1.50 - 1.20	.0155	----	----	15	----	18 + 15
5150	----	----	----/*1.20A	1.70B/*1.20A	----	1.20 - 1.10	.0122	----	----	1	----	68 + 1
5175	0.90	0.90	0.90/*0.90	1.40B/*0.90	----	1.10 NEW	.0108	----	----	1	----	1 + 1
5200	1.20	1.20	1.20/*0.90A	1.20/*0.90A	----	0.90 - 0.80	.0086	----	----	1	----	6 + 1
5225	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.70	.0074	----	----	----	----	4 UNCH
5300	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.40	.0051	----	----	3	----	10 + 3
5325	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 NEW	.0042	----	----	3	----	3 + 3
5400	----	----	----	0.40B/*0.70A	----	0.30 - 0.30	.0023	----	----	4	----	20 + 4
5500	----	----	----	----/0.60A	----	0.20 - 0.10	.0014	----	----	----	----	12 UNCH
5600	----	----	----	----/*0.50A	----	0.10 - 0.10	.0006	----	----	----	----	1 UNCH
TOTAL										1508		4630 + 1031

OG2 PUT GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
3500	----	----	----	----/*0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
3600	----	----	----	----/*0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
3700	----	----	----	----/*0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	300	----	0 - 15
3800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
3900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 60
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
4210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
4275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
4300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 86
4320	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4325	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 21
4340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4345	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 265
4355	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
4360	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4365	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4370	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4375	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 128
4380	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 20
4385	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4390	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4395	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4400	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 562
4405	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 70
4410	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4415	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 6
4420	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
4425	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.30	----	----	----	1	----	0 - 56
4430	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 16
4435	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4440	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 23
4445	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 31
4450	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.50	----	----	----	3	----	0 - 185
4455	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 PUT GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4460	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4465	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 31
4470	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.60	----	----	----	2	----	0 - 28
4475	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.60	----	----	----	13	----	0 - 156
4480	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 7
4490	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.70	----	----	----	6	----	0 - 10
4495	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1001
4500	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 0.80	----	----	----	4	----	0 - 261
4505	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1000
4510	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 19
4515	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 123
4520	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 32
4525	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 192
4530	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 4
4535	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 1
4540	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 1.30	----	----	----	1	----	0 - 3
4545	0.60	0.60	0.60/*0.10A	1.40B/*0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 10
4550	1.50	1.50	1.50/*0.10A	1.50/*0.10A	----	0.00 - 1.50	----	----	----	12	----	0 - 289
4555	----	----	1.80B/*0.10A	1.80B/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 42
4560	----	----	1.90B/*0.10A	1.90B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 9
4565	----	----	2.20B/*0.10A	2.20B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 7
4570	----	----	2.10B/*0.20A	2.10B/*0.20A	----	0.00 - 2.00	----	----	----	1	----	0 - 10
4575	1.30	1.30	2.60B/*0.20A	2.60B/*0.20A	----	0.00 - 2.20	----	----	----	18	----	0 - 370
4580	----	----	2.80B/*0.20A	2.80B/*0.20A	----	0.00 - 2.40	----	----	----	----	----	0 - 4
4585	3.00	3.00	3.10B/*0.20A	3.10B/*0.20A	----	0.00 - 2.60	----	----	----	3	----	0 - 15
4590	----	----	3.60B/*0.10A	3.60B/*0.10A	----	0.00 - 2.80	----	----	----	----	----	0 - 8
4595	0.30	0.30	3.70B/*0.10A	3.70B/*0.10A	----	0.00 - 3.10	----	----	----	5	----	0 - 15
4600	4.40	4.40	5.40/*0.10	5.40/*0.10	----	0.00 - 3.40	----	----	----	50	----	0 - 433
4605	----	----	4.90B/*0.10A	4.90B/*0.10A	----	0.00 - 3.70	----	----	----	----	----	0 - 19
4610	2.50	2.50	5.60B/*0.10A	5.60B/*0.10A	----	0.00 - 4.10	----	----	----	3	----	0 - 6
4615	0.30	0.30	6.00B/*0.10A	6.00B/*0.10A	----	0.00 - 4.50	----	----	----	1	----	0 - 5
4620	0.40	0.40	6.80B/*0.10A	6.80B/*0.10A	----	0.00 - 4.90	----	----	----	6	----	0 - 6
4625	0.30	0.30	7.60B/*0.10	7.60B/*0.10	----	0.00 - 5.40	----	----	----	11	----	0 - 77
4630	1.50	1.50	8.20B/*0.10A	8.20B/*0.10A	----	0.00 - 6.00	----	----	----	13	----	0 - 41
4635	3.00	3.00	9.60B/*0.10A	9.60B/*0.10A	----	0.00 - 6.60	----	----	----	4	----	0 - 15
4640	2.70	2.70	10.40B/*0.10A	10.40B/*0.10A	----	0.00 - 7.30	----	----	----	7	----	0 - 123
4645	3.50	3.50	11.70B/*0.10A	11.70B/*0.10A	----	0.00 - 8.10	----	----	----	7	----	0 - 13
4650	12.20	12.20	14.00B/*0.10	14.00B/*0.10	----	0.00 - 9.00	----	----	----	178	----	0 - 263
4655	2.30	2.30	14.20B/*0.10	14.20B/*0.10	----	0.00 - 10.00	----	----	----	18	----	0 - 16
4660	12.00	12.00	15.70B/*0.10	15.70B/*0.10	----	0.00 - 11.00	----	----	----	24	----	0 - 21
4665	7.60	7.60	17.20B/*0.10A	17.20B/*0.10A	----	0.00 - 12.20	----	----	----	25	----	0 - 4
4670	10.10	10.10	18.90B/*0.10A	18.90B/*0.10A	----	0.00 - 13.50	----	----	----	22	----	0 - 22
4675	8.00	8.00	20.50B/*0.10	20.50B/*0.10	----	0.00 - 14.90	----	----	----	61	----	0 - 17
4680	16.00	16.00	22.40B/*0.20A	22.40B/*0.20A	----	0.00 - 16.40	----	----	----	44	----	0 - 27
4685	1.10	1.10	24.50B/*0.20A	24.50B/*0.20A	----	0.00 - 18.10	----	----	----	26	----	0 - 10
4690	29.70	29.70	29.70/*0.10	29.70/*0.10	----	0.00 - 19.90	----	----	----	91	----	0 - 17
4695	15.50	15.50	30.00B/*0.20A	30.00B/*0.20A	----	0.00 - 21.80	----	----	----	14	----	0 - 9
4700	28.90	28.90	31.20B/*0.20	31.20B/*0.20	----	0.00 - 23.90	----	----	----	310	----	0 - 151
4705	19.50	19.50	34.40B/*0.20	34.40B/*0.20	----	0.00 - 26.10	----	----	----	44	----	0 - 24
4710	28.00	28.00	37.20B/*0.10	37.20B/*0.10	----	0.00 - 28.50	----	----	----	49	----	0 - 59
4715	14.50	14.50	40.90B/*0.30A	40.90B/*0.30A	----	0.00 - 31.10	----	----	----	110	----	0 - 19
4720	21.80	21.80	43.80B/*0.10	43.80B/*0.10	----	0.00 - 33.70	----	----	----	77	----	0 - 75
4725	29.00	29.00	47.10B/*0.20A	47.10B/*0.20A	----	0.00 - 36.60	----	----	----	128	----	0 - 58
4730	18.50	18.50	50.50B/*0.30	50.50B/*0.30	----	0.00 - 39.50	----	----	----	43	----	0 - 18
4735	20.00	20.00	53.90B/*4.60A	53.90B/*4.60A	----	4.30 - 38.40	----	35	----	40	----	0 - 11
4740	16.60	16.60	57.50B/*6.40A	57.50B/*6.40A	----	9.30 - 36.60	----	26	----	27	----	0 - 9
4745	12.40	12.40	61.80B/*8.20A	61.80B/*8.20A	----	14.30 - 35.00	----	9	----	5	----	0 - 6
4750	31.00	31.00	65.60B/*10.00A	65.60B/*10.00A	----	19.30 - 33.60	----	128	----	47	----	0 - 127
4755	15.30	15.30	69.80B/*11.50	69.80B/*11.50	----	24.30 - 32.20	----	22	----	20	----	0 - 11
4760	12.30	12.30	73.80B/*12.30	73.80B/*12.30	----	29.30 - 31.00	----	11	----	2	----	0 - 9
4765	----	----	78.10B/*17.40A	78.10B/*17.40A	----	34.30 - 29.90	----	1	----	----	----	0 - 1
4770	----	----	82.40B/*20.50A	82.40B/*20.50A	----	39.30 - 28.90	----	2	----	----	----	0 - 2
4775	----	----	86.80B/*24.00A	86.80B/*24.00A	----	44.30 - 28.00	----	7	----	----	----	0 - 7
4780	----	----	90.90B/*27.70A	90.90B/*27.70A	----	49.30 - 27.20	----	3	----	----	----	0 - 3
4790	----	----	100.40B/*35.90A	100.40B/*35.90A	----	59.30 - 25.80	----	1	----	----	----	0 - 1
4800	82.80	82.80	109.70B/*44.80A	109.70B/*44.80A	----	69.30 - 24.70	----	19	----	4	----	0 - 21
4825	----	----	133.50B/68.60A	133.50B/68.60A	----	94.30 - 22.80	----	1	----	----	----	0 - 1
4850	----	----	157.90B/93.20A	157.90B/93.20A	----	119.30 - 21.70	----	9	----	5	----	0 - 9
4875	----	----	182.60B/118.10A	182.60B/118.10A	----	144.30 - 21.10	----	1	----	----	----	0 - 1
4900	----	----	207.40B/143.10A	207.40B/143.10A	----	169.30 - 20.80	----	4	----	----	----	0 - 4
4925	----	----	232.30B/168.10A	232.30B/168.10A	----	194.30 - 20.50	----	1	----	----	----	0 - 1
4975	----	----	282.20B/218.10A	282.20B/218.10A	----	244.30 - 20.20	----	2	----	----	----	0 - 2
5000	----	----	307.20B/243.10A	307.20B/243.10A	----	269.30 - 20.10	----	10	----	----	----	0 - 10
5600	----	----	907.10B/843.00A	907.10B/843.00A	----	869.30 NEW	----	----	----	300	----	0 UNCH
5700	----	----	1,007.10B/943.0	1007.10B/943.00A	----	969.30 NEW	----	5	----	300	----	0 UNCH
5750	----	----	1,057.10B/993.0	1057.10B/993.00A	----	1019.30 NEW	----	----	----	300	----	0 UNCH
6250	----	----	1,557.10B/1,493	1557.10B/1493.00A	----	1519.30 NEW	----	----	----	300	----	0 UNCH
6500	----	----	1,806.90B/1,743	1806.90B/1743.00A	----	1769.30 NEW	----	----	----	300	----	0 UNCH
TOTAL										4589		0 - 7345

OG2 CALL GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	1,507.00B/1,442	1507.00B/1442.90A	----	1480.70 NEW	----	----	----	300	----	0 UNCH
3500	----	----	1,257.00B/1,192	1257.00B/1192.90A	----	1230.70 NEW	----	----	----	300	----	0 UNCH
3600	----	----	1,157.00B/1,092	1157.00B/1092.90A	----	1130.70 NEW	----	----	----	300	----	0 UNCH
3700	----	----	1,057.00B/992.9	1057.00B/992.90A	----	1030.70 NEW	----	5	----	300	----	0 UNCH
3750	----	----	1,007.00B/942.9	1007.00B/942.90A	----	980.70 NEW	----	----	----	300	----	0 UNCH
4200	----	----	557.00B/493.00A	557.00B/493.00A	----	530.70 + 19.70	----	----	----	----	----	0 UNCH
4300	----	----	457.00B/393.10A	457.00B/393.10A	----	430.70 + 19.70	----	2	----	----	----	0 - 2
4350	----	----	407.00B/343.20A	407.00B/343.20A	----	380.70 + 19.70	----	2	----	----	----	0 - 2
4385	----	----	372.00B/308.30A	372.00B/308.30A	----	345.70 + 19.60	----	4	----	----	----	0 - 4
4400	----	----	357.00B/293.20A	357.00B/293.20A	----	330.70 + 19.60	----	27	----	----	----	0 - 27
4450	260.00	260.00	307.00B/243.70A	307.00B/243.70A	----	280.70 + 19.30	----	7	----	1	----	0 - 7
4475	----	----	282.00B/218.90A	282.00B/218.90A	----	255.70 + 19.20	----	3	----	----	----	0 - 3
4500	----	----	257.00B/194.10A	257.00B/194.10A	----	230.70 + 19.00	----	31	----	4	----	0 - 35
4515	----	----	242.00B/179.50A	242.00B/179.50A	----	215.70 + 18.90	----	10	----	----	----	0 - 10
4520	----	----	237.10B/174.60A	237.10B/174.60A	----	210.70 + 18.80	----	1	----	----	----	0 - 1
4525	----	----	232.10B/169.70A	232.10B/169.70A	----	205.70 + 18.80	----	2	----	----	----	0 - 2
4530	----	----	227.10B/164.90A	227.10B/164.90A	----	200.70 + 18.70	----	6	----	1	----	0 - 6
4535	194.40	194.40	222.10B/160.10A	222.10B/160.10A	----	195.70 + 18.60	----	1	----	2	----	0 - 2
4550	----	----	207.10B/145.50A	207.10B/145.50A	----	180.70 + 18.30	----	42	----	1	----	0 - 43
4560	----	----	197.10B/136.00A	197.10B/136.00A	----	170.70 + 18.10	----	1	----	----	----	0 - 1
4565	----	----	192.10B/131.30A	192.10B/131.30A	----	165.70 + 18.00	----	1	----	----	----	0 - 1
4570	----	----	187.10B/126.50A	187.10B/126.50A	----	160.70 + 17.80	----	19	----	----	----	0 - 19
4575	----	----	182.10B/121.90A	182.10B/121.90A	----	155.70 + 17.60	----	448	----	----	----	0 - 448
4580	----	----	177.10B/117.20A	177.10B/117.20A	----	150.70 + 17.50	----	28	----	----	----	0 - 28
4585	----	----	172.10B/112.80A	172.10B/112.80A	----	145.70 + 17.20	----	1	----	----	----	0 - 1
4590	----	----	167.10B/108.30A	167.10B/108.30A	----	140.70 + 17.00	----	15	----	1	----	0 - 15
4595	----	----	162.10B/103.70A	162.10B/103.70A	----	135.70 + 16.70	----	19	----	----	----	0 - 19
4600	118.00	118.00	157.10B/99.30A	157.10B/99.30A	----	130.70 + 16.50	----	167	----	2	----	0 - 168
4605	----	----	152.10B/95.00A	152.10B/95.00A	----	125.70 + 16.10	----	13	----	----	----	0 - 13
4610	----	----	147.10B/90.80A	147.10B/90.80A	----	120.70 + 15.80	----	6	----	----	----	0 - 6
4615	----	----	142.10B/86.40A	142.10B/86.40A	----	115.70 + 15.30	----	33	----	----	----	0 - 33
4620	----	----	137.20B/82.30A	137.20B/82.30A	----	110.70 + 14.90	----	18	----	1	----	0 - 19
4625	----	----	132.20B/78.40A	132.20B/78.40A	----	105.70 + 14.40	----	66	----	----	----	0 - 66
4630	90.00	90.00	127.20B/74.70A	127.20B/74.70A	----	100.70 + 13.80	----	7	----	3	----	0 - 7
4635	----	----	122.20B/70.50A	122.20B/70.50A	----	95.70 + 13.20	----	9	----	----	----	0 - 9
4640	77.50	77.50	117.20B/66.50A	117.20B/66.50A	----	90.70 + 12.50	----	17	----	2	----	0 - 17
4645	70.00	70.00	112.30B/63.40A	112.30B/63.40A	----	85.70 + 11.70	----	2	----	2	----	0 - 2
4650	64.70	64.70	107.30B/59.60A	107.30B/59.60A	----	80.70 + 10.80	----	197	----	48	----	0 - 225
4655	----	----	102.30B/56.20A	102.30B/56.20A	----	75.70 + 9.80	----	5	----	----	----	0 - 5
4660	70.00	70.00	97.40B/52.80A	97.40B/52.80A	----	70.70 + 8.80	----	6	----	17	----	0 - 16
4665	----	----	92.50B/48.20A	92.50B/48.20A	----	65.70 + 7.60	----	4	----	----	----	0 - 4
4670	----	----	87.50B/43.50A	87.50B/43.50A	----	60.70 + 6.30	----	31	----	----	----	0 - 31
4675	45.40	45.40	82.60B/38.70A	82.60B/38.70A	----	55.70 + 4.90	----	36	----	4	----	0 - 36
4680	42.10	42.10	77.70B/33.90A	77.70B/33.90A	----	50.70 + 3.40	----	2	----	1	----	0 - 2
4685	38.90	38.90	72.80B/29.30A	72.80B/29.30A	----	45.70 + 1.70	----	3	----	4	----	0 - 7
4690	28.90	28.90	67.90B/25.00A	67.90B/25.00A	----	40.70 - 0.10	----	3	----	1	----	0 - 2
4695	40.00	40.00	63.10B/20.60A	63.10B/20.60A	----	35.70 - 2.00	----	23	----	31	----	0 - 28
4700	33.00	33.00	58.30B/16.50A	58.30B/16.50A	----	30.70 - 4.10	----	148	----	49	----	0 - 163
4705	30.30	30.30	53.50B/12.90A	53.50B/12.90A	----	25.70 - 6.30	----	7	----	7	----	0 - 6
4710	25.00	25.00	48.80B/9.90A	48.80B/9.90A	----	20.70 - 8.70	----	62	----	27	----	0 - 63

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4715	21.30	21.30	44.10B/6.60	44.10B/6.60	----	15.70 - 11.30	----	32	----	38	----	0 - 11
4720	20.00	20.00	39.60B/4.60	39.60B/4.60	----	10.70 - 13.90	----	54	----	41	----	0 - 48
4725	26.20	26.20	35.10B/*2.60	35.10B/*2.60	----	5.70 - 16.80	----	99	----	110	----	0 - 91
4730	17.00	17.00	30.80B/*0.70	30.80B/*0.70	----	0.70 - 19.70	----	66	----	110	----	0 - 58
4735	25.00	25.00	27.10B/*0.30A	27.10B/*0.30A	----	0.00 - 18.60	----	----	----	45	----	0 - 12
4740	20.00	20.00	23.40B/*0.20	23.40B/*0.20	----	0.00 - 16.80	----	----	----	47	----	0 - 31
4745	14.00	14.00	21.00B/*0.10	21.00B/*0.10	----	0.00 - 15.20	----	----	----	105	----	0 - 9
4750	10.80	10.80	18.30B/*0.10	18.30B/*0.10	----	0.00 - 13.80	----	----	----	267	----	0 - 315
4755	18.80	18.80	18.80/*0.20A	18.80/*0.20A	----	0.00 - 12.40	----	----	----	45	----	0 - 13
4760	10.60	10.60	14.60B/*0.10	14.60B/*0.10	----	0.00 - 11.20	----	----	----	86	----	0 - 49
4765	6.00	6.00	13.10B/*0.20A	13.10B/*0.20A	----	0.00 - 10.10	----	----	----	11	----	0 - 44
4770	4.80	4.80	11.70B/*0.20A	11.70B/*0.20A	----	0.00 - 9.10	----	----	----	67	----	0 - 15
4775	6.00	6.00	12.50/*0.10	12.50/*0.10	----	0.00 - 8.20	----	----	----	88	----	0 - 76
4780	5.00	5.00	9.10B/*0.10A	9.10B/*0.10A	----	0.00 - 7.40	----	----	----	72	----	0 - 44
4785	2.90	2.90	7.90B/*0.10A	7.90B/*0.10A	----	0.00 - 6.60	----	----	----	5	----	0 - 7
4790	2.30	2.30	6.80B/*0.10A	6.80B/*0.10A	----	0.00 - 6.00	----	----	----	12	----	0 - 30
4795	2.20	2.20	5.90B/*0.10A	5.90B/*0.10A	----	0.00 - 5.40	----	----	----	8	----	0 - 2
4800	5.00	5.00	7.00/*0.10	7.00/*0.10	----	0.00 - 4.90	----	----	----	279	----	0 - 273
4805	2.60	2.60	2.60/*0.10A	4.40B/*0.10A	----	0.00 - 4.40	----	----	----	16	----	0 - 31
4810	0.90	0.90	0.90/*0.10A	3.60B/*0.10A	----	0.00 - 4.00	----	----	----	17	----	0 - 28
4815	----	----	----/*0.10A	3.00B/*0.10A	----	0.00 - 3.60	----	----	----	10	----	0 - 17
4820	1.50	1.50	1.50/*0.10	2.40B/*0.10	----	0.00 - 3.30	----	----	----	8	----	0 - 4
4825	1.60	1.60	1.60/*0.10A	2.10B/*0.10A	----	0.00 - 3.00	----	----	----	14	----	0 - 66
4830	1.80	1.80	1.80/*0.10A	1.80/*0.10A	----	0.00 - 2.70	----	----	----	2	----	0 - 15
4835	0.30	0.30	0.30/*0.10	1.60B/*0.10	----	0.00 - 2.50	----	----	----	4	----	0 - 34
4840	----	----	----/*0.10A	1.30B/*0.10A	----	0.00 - 2.30	----	----	----	----	----	0 - 9
4845	----	----	----/*0.10A	1.10B/*0.10A	----	0.00 - 2.10	----	----	----	1	----	0 - 55
4850	0.40	0.40	0.70/*0.10A	1.00B/*0.10A	----	0.00 - 2.00	----	----	----	29	----	0 - 144
4855	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 5
4860	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 1.70	----	----	----	1	----	0 - 7
4865	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 1
4870	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 111
4875	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 159
4880	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.30	----	----	----	6	----	0 - 9
4885	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 1
4890	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 26
4895	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 2
4900	0.20	0.20	0.30/*0.10A	0.30/*0.10A	----	0.00 - 1.00	----	----	----	10	----	0 - 262
4905	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 5
4910	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 5
4915	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 8
4920	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 3
4925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 42
4930	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 UNCH
4935	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 124
4940	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 56
4945	----	----	----/0.20A	----/0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 78
4950	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 107
4955	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4960	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 UNCH
4965	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4970	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 5
4975	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 16
4980	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4985	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4990	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4995	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5000	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.30	----	----	----	5	----	0 - 358
5005	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 43
5015	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5020	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5025	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 84
5050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
5075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
5105	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5115	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
5150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
5225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
5350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5600	----	----	----	----/0.20A	----	0.00 NEW	----	----	----	300	----	0 UNCH
5700	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
5750	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
6000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
6250	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
6500	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	300	----	0 UNCH
TOTAL										4770		0 - 4882

OG PUT — COMEX GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1955	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1965	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	607 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2015	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2030	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2085	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
2105	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2110	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2130	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2170	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2180	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2195	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
2205	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2220	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2230	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2235	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2240	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2250	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2315	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2330	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2380	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
2385	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2390	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2395	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	72 UNCH
2405	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2410	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2415	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2425	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	23 UNCH
2430	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2445	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	51 UNCH
2460	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2465	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2475	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
2495	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1928 UNCH
2510	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
2535	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2540	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH
2565	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
2580	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
2590	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	189 UNCH
2645	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2685	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0003	----	----	----	----	26 UNCH
2695	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
2700	----	----	----/0.10A	----/0.10A	----	0.20 UNCH	.0006	----	----	----	----	427 UNCH
2730	----	----	----/*0.10A	----/*0.10A	----	0.20 UNCH	.0006	----	----	----	----	35 UNCH
2750	0.10	0.10	0.10/0.10	0.10/0.10	----	0.20 UNCH	.0006	----	----	5	----	6 + 5
2800	----	----	----	----/0.20A	----	0.20 UNCH	.0006	----	----	----	----	718 UNCH
2805	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0006	----	----	----	----	223 UNCH
2810	----	----	----	----/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	18 UNCH
2825	----	----	----	----/0.20A	----	0.20 UNCH	.0006	----	----	----	----	56 UNCH
2830	----	----	----	----/0.20A	----	0.20 UNCH	.0006	----	----	----	----	25 UNCH
2850	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0006	----	----	----	----	22 UNCH
2865	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
2875	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0006	----	----	----	----	7 UNCH
2900	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0006	----	----	----	----	157 UNCH
2905	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH
2915	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
2930	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
2935	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	3 UNCH
2950	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0007	----	----	----	----	24 UNCH
2955	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	8 UNCH
2970	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0010	----	----	----	----	2 UNCH
2975	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0010	----	----	----	----	10 UNCH
2990	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0010	----	----	----	----	5 UNCH
2995	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0010	----	----	----	----	6 UNCH
3000	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.30 UNCH	.0010	----	----	1	----	1722 UNCH
3005	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	30 UNCH
3010	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	8 UNCH
3015	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	216 UNCH
3020	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	35 UNCH
3035	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	1 UNCH
3045	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	56 UNCH
3050	0.20	0.20	0.30/*0.20	0.30/*0.20	----	0.30 UNCH	.0011	----	----	3	----	391 + 2
3065	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	7 UNCH
3070	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	7 UNCH
3075	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 UNCH	.0011	----	----	20	----	30 + 20
3080	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	8 UNCH
3085	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	1 UNCH
3095	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	42 UNCH
3100	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.30 UNCH	.0011	----	----	31	----	412 + 31
3105	----	----	----	0.30B/*0.40A	----	0.30 UNCH	.0011	----	----	----	----	13 UNCH
3110	----	----	----	0.30B/*0.40A	----	0.30 UNCH	.0011	----	----	----	----	11 UNCH
3120	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0014	----	----	----	----	13 UNCH
3125	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0014	----	----	----	----	13 UNCH
3130	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	26 UNCH
3140	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	5 UNCH
3150	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.40 UNCH	.0015	----	----	2	----	147 UNCH
3155	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	16 UNCH
3160	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	16 UNCH
3170	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	6 UNCH
3175	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	13 UNCH
3180	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	5 UNCH
3185	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	6 UNCH
3190	----	----	----	0.40B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	18 UNCH
3195	----	----	----	0.40B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	12 UNCH
3200	----	----	----	0.40B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	1172 UNCH
3205	----	----	----	0.40B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	42 UNCH
3210	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	25 UNCH
3215	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	22 UNCH
3220	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	37 UNCH
3225	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	75 UNCH
3230	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	7 UNCH
3235	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	25 UNCH
3240	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	1 UNCH
3250	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	148 UNCH
3255	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0019	----	----	----	----	124 UNCH
3260	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	45 UNCH
3265	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	30 UNCH
3270	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	7 UNCH
3275	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	10 UNCH
3280	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 UNCH	.0023	----	----	----	----	13 UNCH
3290	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 UNCH	.0023	----	----	----	----	37 UNCH
3295	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 UNCH	.0024	----	----	----	----	2 UNCH
3300	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 UNCH	.0024	----	----	----	----	415 UNCH
3305	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 UNCH	.0024	----	----	----	----	1 UNCH
3310	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 UNCH	.0024	----	----	----	----	7 UNCH
3315	----	----	----	0.50B/*0.60A	----	0.60 UNCH	.0024	----	----	----	----	7 UNCH
3320	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	4 UNCH
3325	----	----	----	0.50B/*0.60A	----	0.60 UNCH	.0024	----	----	----	----	47 UNCH
3335	----	----	----	0.50B/*0.60A	----	0.60 UNCH	.0024	----	----	----	----	46 UNCH
3340	----	----	----	0.50B/*0.60A	----	0.70 + 0.10	.0028	----	----	----	----	22 UNCH
3345	----	----	----	0.50B/*0.60A	----	0.70 + 0.10	.0028	----	----	----	----	12 UNCH
3350	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0028	----	----	----	----	434 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3355	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 UNCH	.0028	----	----	----	----	17 UNCH
3360	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 UNCH	.0028	----	----	----	----	7 UNCH
3365	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0028	----	----	----	----	31 UNCH
3370	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 UNCH	.0029	----	----	----	----	26 UNCH
3375	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0029	----	----	----	----	98 UNCH
3380	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0029	----	----	----	----	46 UNCH
3385	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0029	----	----	----	----	6 UNCH
3390	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0029	----	----	----	----	59 UNCH
3395	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 UNCH	.0029	----	----	----	----	2 UNCH
3400	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.80 + 0.10	.0033	----	----	1	----	720 UNCH
3405	----	----	----/*0.60A	0.60B/*0.60A	----	0.80 + 0.10	.0033	----	----	----	----	66 UNCH
3410	----	----	----/*0.60A	0.60B/*0.60A	----	0.80 + 0.10	.0033	----	----	----	----	7 UNCH
3415	----	----	----	0.60B/*0.70A	----	0.80 + 0.10	.0033	----	----	----	----	3 UNCH
3420	----	----	----	0.60B/*0.70A	----	0.80 + 0.10	.0033	----	----	----	----	18 UNCH
3425	----	----	----/*0.70A	0.60B/*0.70A	----	0.80 UNCH	.0034	----	----	----	----	25 UNCH
3430	----	----	----/0.70A	0.60B/0.70A	----	0.80 UNCH	.0034	----	----	----	----	10 UNCH
3435	----	----	----/*0.70A	0.60B/*0.70A	----	0.80 UNCH	.0034	----	----	----	----	20 UNCH
3450	----	----	----/*0.70A	0.60B/*0.70A	----	0.80 UNCH	.0034	----	----	----	----	386 UNCH
3455	----	----	----/*0.70A	0.60B/*0.70A	----	0.80 UNCH	.0034	----	----	----	----	51 UNCH
3460	----	----	----/*0.70A	0.60B/*0.70A	----	0.80 UNCH	.0035	----	----	----	----	227 UNCH
3465	----	----	----/*0.70A	0.70B/*0.70A	----	0.90 + 0.10	.0038	----	----	----	----	89 UNCH
3470	----	----	----/*0.70A	0.60B/*0.70A	----	0.90 + 0.10	.0039	----	----	----	----	28 UNCH
3475	----	----	----/*0.60A	0.70B/*0.60A	----	0.90 + 0.10	.0039	----	----	----	----	106 UNCH
3480	----	----	----	0.70B/*0.80A	----	0.90 + 0.10	.0039	----	----	----	----	171 UNCH
3485	----	----	----	0.70B/*0.80A	----	0.90 + 0.10	.0039	----	----	----	----	3 UNCH
3490	----	----	----	0.70B/*0.80A	----	0.90 + 0.10	.0039	----	----	----	----	21 UNCH
3500	0.70	0.70	0.80B/*0.70	0.80B/*0.70	----	0.90 UNCH	.0040	----	----	1	----	1819 UNCH
3505	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0040	----	----	----	----	65 UNCH
3510	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0040	----	----	----	----	86 UNCH
3515	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0040	----	----	----	----	16 UNCH
3520	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0040	----	----	----	----	138 UNCH
3525	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0040	----	----	----	----	301 UNCH
3530	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0041	----	----	----	----	7 UNCH
3535	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 UNCH	.0041	----	----	----	----	100 UNCH
3540	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0041	----	----	----	----	5 UNCH
3545	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 UNCH	.0041	----	----	----	----	22 UNCH
3550	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 UNCH	.0041	----	----	----	----	417 UNCH
3555	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 UNCH	.0041	----	----	----	----	2 UNCH
3560	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 UNCH	.0042	----	----	----	----	89 UNCH
3565	----	----	----	0.80B/*0.90A	----	0.90 UNCH	.0042	----	----	----	----	41 UNCH
3570	----	----	----	0.80B/*0.90A	----	0.90 UNCH	.0042	----	----	----	----	60 UNCH
3575	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.10	.0042	----	----	----	----	41 UNCH
3580	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0046	----	----	----	----	76 UNCH
3585	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0047	----	----	----	----	4 UNCH
3590	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0047	----	----	----	----	3 UNCH
3595	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0047	----	----	----	----	23 UNCH
3600	0.90	0.90	1.10/*0.90	1.10/*0.90	----	1.00 UNCH	.0047	----	----	50	----	1858 - 36
3610	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 UNCH	.0048	----	----	----	----	4 UNCH
3615	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 UNCH	.0048	----	----	----	----	37 UNCH
3620	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.00 UNCH	.0048	----	----	1	----	17 UNCH
3625	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 UNCH	.0048	----	----	----	----	67 UNCH
3630	----	----	----	0.90B/*1.00A	----	1.00 UNCH	.0049	----	----	----	----	87 UNCH
3635	----	----	----	0.90B/*1.00A	----	1.00 UNCH	.0049	----	----	----	----	108 UNCH
3640	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0049	----	----	----	----	24 UNCH
3645	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0049	----	----	----	----	14 UNCH
3650	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0049	----	----	----	----	702 UNCH
3655	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0050	----	----	----	----	9 UNCH
3660	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0050	----	----	----	----	1 UNCH
3665	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0050	----	----	----	----	39 UNCH
3670	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0050	----	----	----	----	31 UNCH
3675	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 UNCH	.0055	----	----	----	----	46 UNCH
3680	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 UNCH	.0055	----	----	----	----	18 UNCH
3685	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.10	.0055	----	----	----	----	48 UNCH
3690	1.20	1.20	1.20/*1.00	1.20/*1.00	----	1.10 - 0.10	.0056	----	----	9	----	15 + 4
3695	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0056	----	----	----	----	19 UNCH
3700	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.10	.0056	----	----	4	----	819 UNCH
3705	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0056	----	----	----	----	126 UNCH
3710	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0057	----	----	----	----	80 UNCH
3715	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0057	----	----	----	----	50 UNCH
3720	----	----	----/*1.10A	1.20B/*1.10A	----	1.10 - 0.10	.0057	----	----	----	----	4 UNCH
3725	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.10	.0062	----	----	----	----	121 UNCH
3730	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.10	.0062	----	----	----	----	18 UNCH
3740	1.40	1.40	1.40/*1.10A	1.40/*1.10A	----	1.20 - 0.10	.0063	----	----	3	----	69 + 3
3745	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.10	.0063	----	----	----	----	20 UNCH
3750	1.30	1.30	1.30/*1.20A	1.30/*1.20A	----	1.20 - 0.10	.0064	----	----	1	----	1288 UNCH
3755	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.10	.0064	----	----	----	----	14 UNCH
3760	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 - 0.10	.0069	----	----	----	----	23 UNCH
3765	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 - 0.10	.0069	----	----	----	----	49 UNCH
3770	1.10	1.10	1.10/*1.10	1.30B/*1.10	----	1.30 - 0.10	.0069	----	----	4	----	17 + 4
3775	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.10	.0070	----	----	----	----	39 UNCH
3780	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.10	.0070	----	----	----	----	15 UNCH
3785	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.20	.0070	----	----	----	----	7 UNCH
3790	----	----	----/*1.30A	1.40B/*1.30A	----	1.40 - 0.10	.0075	----	----	----	----	259 UNCH
3795	----	----	----/*1.30A	1.40B/*1.30A	----	1.40 - 0.10	.0076	----	----	----	----	83 UNCH
3800	1.50	1.50	1.50/*1.30A	1.50/*1.30A	----	1.40 - 0.10	.0076	----	----	3	----	2783 UNCH
3805	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.10	.0076	----	----	----	----	71 UNCH
3810	1.50	1.50	1.50/*1.40A	1.50/*1.40A	----	1.40 - 0.10	.0077	----	----	1	----	45 + 1
3815	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.10	.0082	----	----	----	----	40 UNCH
3820	----	----	----/*1.40A	1.40B/*1.40A	----	1.50 - 0.10	.0082	----	----	----	----	18 UNCH
3825	----	----	----/*1.40A	1.40B/*1.40A	----	1.50 - 0.10	.0083	----	----	----	----	40 UNCH
3830	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.10	.0083	----	----	----	----	187 UNCH
3835	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.10	.0083	----	----	----	----	55 UNCH
3840	----	----	----/*1.40A	1.50B/*1.40A	----	1.60 - 0.10	.0088	----	----	----	----	4 UNCH
3845	----	----	----/*1.40A	1.50B/*1.40A	----	1.60 - 0.10	.0089	----	----	----	----	1 UNCH
3850	1.70	1.70	1.70/*1.50A	1.70/*1.50A	----	1.60 - 0.10	.0089	----	----	2	----	692 UNCH
3855	----	----	----/*1.50A	1.50B/*1.50A	----	1.60 - 0.10	.0090	----	----	----	----	73 UNCH
3860	----	----	----/*1.50A	1.60B/*1.50A	----	1.60 - 0.20	.0090	----	----	----	----	29 UNCH
3865	----	----	----/*1.50A	1.60B/*1.50A	----	1.70 - 0.10	.0095	----	----	----	----	19 UNCH
3870	----	----	----/*1.50A	1.60B/*1.50A	----	1.70 - 0.10	.0096	----	----	----	----	16 UNCH
3875	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 - 0.10	.0097	----	----	----	----	162 UNCH
3880	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 - 0.10	.0097	----	----	----	----	25 UNCH
3885	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 - 0.20	.0098	----	----	----	----	13 UNCH
3890	----	----	----/*1.60A	1.70B/*1.60A	----	1.80 - 0.10	.0103	----	----	----	----	49 UNCH
3895	----	----	----/*1.60A	1.70B/*1.60A	----	1.80 - 0.10	.0103	----	----	----	----	16 UNCH
3900	2.20	2.20	2.20/*1.60A	2.20/*1.60A	----	1.80 - 0.10	.0104	----	----	59	----	1171 + 25
3905	----	----	----/*1.70A	1.70B/*1.70A	----	1.80 - 0.20	.0105	----	----	----	----	45 UNCH
3910	----	----	----/*1.70A	1.70B/*1.70A	----	1.80 - 0.20	.0105	----	----	----	----	10 UNCH
3915	1.80	1.80	1.80/*1.70A	1.80/*1.70A	----	1.90 - 0.10	.0110	----	----	1	----	24 UNCH
3920	----	----	----/*1.70A	1.80B/*1.70A	----	1.90 - 0.10	.0111	----	----	----	----	36 UNCH
3925	----	----	----/*1.70A	1.80B/*1.70A	----	1.90 - 0.20	.0112	----	----	----	----	59 UNCH
3930	----	----	----/*1.70A	1.70B/*1.70A	----	1.90 - 0.20	.0112	----	----	----	----	19 UNCH
3935	----	----	----/*1.80A	1.80B/*1.80A	----	1.90 - 0.20	.0113	----	----	----	----	27 UNCH
3940	2.00	2.00	2.00/*1.80A	2.00/*1.80A	----	2.00 - 0.10	.0119	----	----	1	----	102 + 1
3945	----	----	----/*1.80A	1.90B/*1.80A	----	2.00 - 0.20	.0119	----	----	----	----	18 UNCH
3950	----	----	----/*1.80A	1.90B/*1.80A	----	2.00 - 0.20	.0120	----	----	2	----	315 UNCH
3955	----	----	----/*1.80A	1.90B/*1.80A	----	2.00 - 0.20	.0121	----	----	----	----	13 UNCH
3960	----	----	----/*1.80A	2.00B/*1.80A	----	2.10 - 0.20	.0126	----	----	----	----	39 UNCH
3965	----	----	----/*1.90A	2.10B/*1.90A	----	2.10 - 0.20	.0127	----	----	----	----	23 UNCH
3970	----	----	----/*1.90A	2.00B/*1.90A	----	2.10 - 0.20	.0128	----	----	----	----	70 UNCH
3975	2.00	2.00	2.00/*1.90A	2.10B/*1.90A	----	2.10 - 0.20	.0128	----	----	1	----	358 UNCH
3980	----	----	----/*1.90A	2.20B/*1.90A	----	2.10 - 0.30	.0129	----	----	139	----	152 + 48
3985	----	----	----/*1.90A	2.10B/*1.90A	----	2.20 - 0.20	.0135	----	----	----	----	57 UNCH
3990	----	----	----/*2.00A	2.20B/*2.00A	----	2.20 - 0.20	.0136	----	----	----	----	64 UNCH
3995	----	----	----/*2.00A	2.30B/*2.00A	----	2.20 - 0.30	.0137	----	----	----	----	175 UNCH
4000	2.40	2.40	2.40/*1.80	2.40/*1.80	----	2.20 - 0.30	.0137	----	----	121	----	4291 + 81
4005	----	----	----/*2.00A	2.30B/*2.00A	----	2.30 - 0.20	.0143	----	----	----	----	62 UNCH
4010	2.30	2.30	2.30/*2.10A	2.30/*2.10A	----	2.30 - 0.30	.0144	----	----	1	----	65 + 1
4015	----	----	----/*2.10A	2.40B/*2.10A	----	2.30 - 0.30	.0145	----	----	----	----	63 UNCH
4020	2.30	2.30	2.30/*2.10A	2.40B/*2.10A	----	2.30 - 0.30	.0146	----	----	1	----	119 + 1
4025	----	----	----/*2.20A	2.50B/*2.20A	----	2.40 - 0.30	.0152	----	----	----	----	314 UNCH
4030	----	----	----/*2.20A	2.50B/*2.20A	----	2.40 - 0.30	.0153	----	----	----	----	48 UNCH
4035	----	----	----/*2.20A	2.50B/*2.20A	----	2.40 - 0.40	.0154	----	----	----	----	56 UNCH
4040	----	----	----/*2.30A	2.60B/*2.30A	----	2.50 - 0.30	.0160	----	----	----	----	91 UNCH
4045	----	----	----/*2.30A	2.70B/*2.30A	----	2.50 - 0.30	.0161	----	----	----	----	39 UNCH
4050	----	----	----/*2.30A	2.80B/*2.30A	----	2.50 - 0.40	.0162	----	----	9	----	1214 - 2
4055	2.80	2.80	2.80/*2.40A	2.80/*2.40A	----	2.60 - 0.30	.0168	----	----	14	----	41 UNCH
4060	----	----	----/*2.40A	2.90B/*2.40A	----	2.60 - 0.40	.0169	----	----	----	----	97 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4065	----	----	----/*2.40A	2.90B/*2.40A	----	2.60 - 0.40	.0171	----	----	----	----	140 UNCH
4070	----	----	----/*2.50A	2.90B/*2.50A	----	2.70 - 0.40	.0177	----	----	----	----	66 UNCH
4075	----	----	----/*2.50A	3.00B/*2.50A	----	2.70 - 0.40	.0178	----	----	----	----	268 UNCH
4080	2.60	2.60	2.70/*2.50A	3.00B/*2.50A	----	2.70 - 0.50	.0179	----	----	15	----	155 + 3
4085	3.00	3.00	3.00/*2.60A	3.10B/*2.60A	----	2.80 - 0.40	.0186	----	----	2	----	272 - 2
4090	3.00	3.00	3.00/*2.60A	3.20B/*2.60A	----	2.80 - 0.50	.0187	----	----	6	----	110 - 2
4095	----	----	----/*2.70A	3.40B/*2.70A	----	2.90 - 0.50	.0193	----	----	----	----	2079 UNCH
4100	3.70	3.70	3.70/*2.70A	3.70/*2.70A	----	2.90 - 0.50	.0195	----	----	300	----	2480 + 74
4105	3.00	3.00	3.00/*2.80A	3.40B/*2.80A	----	2.90 - 0.60	.0196	----	----	1	----	2069 UNCH
4110	----	----	3.60B/*2.80A	3.60B/*2.80A	----	3.00 - 0.50	.0203	----	----	----	----	160 UNCH
4115	----	----	----/*2.90A	3.60B/*2.90A	----	3.00 - 0.60	.0204	----	----	----	----	472 UNCH
4120	----	----	3.80B/*2.90A	3.80B/*2.90A	----	3.10 - 0.60	.0211	----	----	----	----	85 UNCH
4125	----	----	----/*3.00A	3.70B/*3.00A	----	3.20 - 0.60	.0218	----	----	----	----	392 UNCH
4130	----	----	----/*3.00A	3.80B/*3.00A	----	3.20 - 0.60	.0219	----	----	----	----	52 UNCH
4135	----	----	----/*3.10A	3.90B/*3.10A	----	3.30 - 0.60	.0226	----	----	----	----	47 UNCH
4140	----	----	4.10B/*3.10A	4.10B/*3.10A	----	3.30 - 0.70	.0228	----	----	----	----	48 UNCH
4145	----	----	4.20B/*3.20A	4.20B/*3.20A	----	3.40 - 0.70	.0234	----	----	----	----	267 UNCH
4150	3.60	3.60	4.30B/*3.20A	4.30B/*3.20A	----	3.50 - 0.70	.0241	----	----	19	----	579 - 18
4155	----	----	4.40B/*3.30A	4.40B/*3.30A	----	3.50 - 0.70	.0243	----	----	----	----	43 UNCH
4160	----	----	4.50B/*3.40A	4.50B/*3.40A	----	3.60 - 0.70	.0250	----	----	----	----	223 UNCH
4165	----	----	4.60B/*3.40A	4.60B/*3.40A	----	3.70 - 0.70	.0257	----	----	----	----	30 UNCH
4170	----	----	4.70B/*3.50A	4.70B/*3.50A	----	3.70 - 0.80	.0259	----	----	----	----	56 UNCH
4175	----	----	4.70B/*3.60A	4.70B/*3.60A	----	3.80 - 0.80	.0267	----	----	----	----	932 UNCH
4180	3.90	3.90	5.10B/*3.70A	5.10B/*3.70A	----	3.90 - 0.80	.0274	----	----	1	----	124 UNCH
4185	----	----	5.00B/*3.80A	5.00B/*3.80A	----	4.00 - 0.90	.0281	----	----	----	----	21 UNCH
4190	----	----	5.20B/*3.80A	5.20B/*3.80A	----	4.10 - 0.90	.0289	----	----	----	----	29 UNCH
4195	----	----	5.40B/*3.90A	5.40B/*3.90A	----	4.20 - 0.90	.0296	----	----	----	----	40 UNCH
4200	4.60	4.60	5.50B/*4.00A	5.50B/*4.00A	----	4.30 - 0.90	.0304	----	----	131	----	3638 + 96
4205	----	----	5.80B/*4.10A	5.80B/*4.10A	----	4.40 - 0.90	.0312	----	----	----	----	68 UNCH
4210	----	----	5.80B/*4.20A	5.80B/*4.20A	----	4.50 - 1.00	.0319	----	----	----	----	465 UNCH
4215	----	----	6.10B/*4.30A	6.10B/*4.30A	----	4.60 - 1.00	.0327	----	----	----	----	36 UNCH
4220	----	----	6.30B/*4.40A	6.30B/*4.40A	----	4.70 - 1.00	.0335	----	----	----	----	200 UNCH
4225	----	----	6.20B/*4.50A	6.20B/*4.50A	----	4.80 - 1.10	.0343	----	----	----	----	338 UNCH
4230	----	----	6.40B/*4.60A	6.40B/*4.60A	----	4.90 - 1.10	.0351	----	----	----	----	103 UNCH
4235	----	----	6.50B/*4.70A	6.50B/*4.70A	----	5.00 - 1.20	.0359	----	----	----	----	69 UNCH
4240	----	----	7.00B/*4.80A	7.00B/*4.80A	----	5.10 - 1.20	.0367	----	----	----	----	74 UNCH
4245	5.50	5.50	7.20B/*4.90A	7.20B/*4.90A	----	5.30 - 1.20	.0381	----	----	1	----	88 UNCH
4250	----	----	7.40B/*5.00A	7.40B/*5.00A	----	5.40 - 1.30	.0389	----	----	905	----	1214 - 280
4255	----	----	7.70B/*5.10A	7.70B/*5.10A	----	5.50 - 1.40	.0398	----	----	----	----	270 UNCH
4260	----	----	7.90B/*5.30A	7.90B/*5.30A	----	5.70 - 1.30	.0412	----	----	1	----	140 UNCH
4265	6.10	6.10	8.10B/*5.40A	8.10B/*5.40A	----	5.80 - 1.40	.0420	----	----	1	----	82 + 1
4270	5.90	5.90	8.40B/*5.50A	8.40B/*5.50A	----	6.00 - 1.40	.0434	----	----	2	----	48 - 2
4275	----	----	8.50B/*5.70A	8.50B/*5.70A	----	6.20 - 1.40	.0448	----	----	10	----	158 UNCH
4280	7.10	7.10	8.80B/*5.80A	8.80B/*5.80A	----	6.30 - 1.50	.0457	----	----	3	----	79 - 3
4285	----	----	9.10B/*6.00A	9.10B/*6.00A	----	6.50 - 1.60	.0472	----	----	----	----	50 UNCH
4290	----	----	9.40B/*6.10A	9.40B/*6.10A	----	6.70 - 1.60	.0486	----	----	----	----	132 UNCH
4295	----	----	9.70B/*6.30A	9.70B/*6.30A	----	6.90 - 1.60	.0500	----	----	----	----	116 UNCH
4300	8.50	8.50	9.70B/*6.40A	9.70B/*6.40A	----	7.00 - 1.80	.0510	----	----	1109	----	3207 - 358
4305	----	----	10.30B/*6.60A	10.30B/*6.60A	----	7.20 - 1.80	.0525	----	----	----	----	103 UNCH
4310	----	----	10.60B/*6.80A	10.60B/*6.80A	----	7.40 - 1.90	.0540	----	----	28	----	87 - 11
4315	----	----	10.90B/*7.00A	10.90B/*7.00A	----	7.70 - 1.80	.0560	----	----	----	----	54 UNCH
4320	7.40	7.40	11.20B/*7.20A	11.20B/*7.20A	----	7.90 - 1.90	.0575	----	----	1	----	88 UNCH
4325	----	----	11.40B/*7.30A	11.40B/*7.30A	----	8.10 - 2.00	.0590	----	----	----	----	160 UNCH
4330	8.60	8.60	12.00B/*7.50A	12.00B/*7.50A	----	8.30 - 2.10	.0605	----	----	1	----	552 - 1
4335	----	----	12.30B/*7.80A	12.30B/*7.80A	----	8.60 - 2.10	.0626	----	----	2	----	76 UNCH
4340	10.90	10.90	12.80B/*8.00A	12.80B/*8.00A	----	8.80 - 2.20	.0642	----	----	11	----	117 + 9
4345	----	----	13.10B/*8.20A	13.10B/*8.20A	----	9.10 - 2.30	.0663	----	----	----	----	66 UNCH
4350	8.70	8.70	13.30B/*8.40	13.30B/*8.40	----	9.40 - 2.30	.0683	----	----	267	----	985 - 59
4355	----	----	14.00B/*8.70A	14.00B/*8.70A	----	9.70 - 2.40	.0705	----	----	----	----	81 UNCH
4360	10.00	10.00	14.50B/*8.90A	14.50B/*8.90A	----	9.90 - 2.50	.0721	----	----	2	----	154 UNCH
4365	----	----	14.90B/*9.20A	14.90B/*9.20A	----	10.20 - 2.60	.0742	----	----	----	----	70 UNCH
4370	----	----	15.30B/*9.50A	15.30B/*9.50A	----	10.60 - 2.60	.0769	----	----	1	----	47 UNCH
4375	10.30	10.30	15.90B/*9.70A	15.90B/*9.70A	----	10.90 - 2.70	.0790	----	----	14	----	522 + 7
4380	----	----	16.50B/*10.00A	16.50B/*10.00A	----	11.20 - 2.80	.0812	----	----	----	----	502 UNCH
4385	----	----	16.90B/*10.30A	16.90B/*10.30A	----	11.60 - 2.90	.0839	----	----	----	----	147 UNCH
4390	----	----	17.50B/*10.60A	17.50B/*10.60A	----	11.90 - 3.00	.0861	----	----	2	----	104 - 2
4395	----	----	18.00B/*11.00A	18.00B/*11.00A	----	12.30 - 3.10	.0889	----	----	1	----	99 - 1
4400	18.00	18.00	18.60B/*11.30A	18.60B/*11.30A	----	12.70 - 3.20	.0916	----	----	607	----	2149 - 153
4405	----	----	19.10B/*11.60A	19.10B/*11.60A	----	13.10 - 3.30	.0943	----	----	----	----	131 UNCH
4410	13.90	13.90	19.80B/*12.00A	19.80B/*12.00A	----	13.50 - 3.40	.0971	----	----	5	----	441 UNCH
4415	----	----	20.30B/*12.40A	20.30B/*12.40A	----	13.90 - 3.50	.0999	----	----	1	----	113 UNCH
4420	----	----	21.10B/*12.80A	21.10B/*12.80A	----	14.40 - 3.60	.1031	----	----	3	----	115 - 1
4425	15.30	15.30	22.00B/*13.30A	22.00B/*13.30A	----	14.80 - 3.80	.1060	----	----	31	----	312 - 30
4430	----	----	22.50B/*13.70A	22.50B/*13.70A	----	15.30 - 3.90	.1093	----	----	----	----	99 UNCH
4435	----	----	23.30B/*14.20A	23.30B/*14.20A	----	15.80 - 4.00	.1126	----	----	1	----	101 UNCH
4440	----	----	24.00B/*14.60A	24.00B/*14.60A	----	16.30 - 4.10	.1159	----	----	9	----	84 - 3
4445	----	----	24.90B/*15.10A	24.90B/*15.10A	----	16.80 - 4.30	.1193	----	----	4	----	78 + 2
4450	18.10	18.10	25.70B/*15.60A	25.70B/*15.60A	----	17.40 - 4.40	.1231	----	----	2455	----	2858 - 1029
4455	----	----	26.40B/*16.10A	26.40B/*16.10A	----	17.90 - 4.60	.1265	----	----	----	----	111 UNCH
4460	17.10	17.10	27.40B/*16.60A	27.40B/*16.60A	----	18.50 - 4.70	.1303	----	----	10	----	293 - 10
4465	20.00	20.00	28.30B/*17.20A	28.30B/*17.20A	----	19.10 - 4.80	.1342	----	----	2333	----	1526 - 947
4470	23.30	23.30	29.00B/*17.70A	29.00B/*17.70A	----	19.70 - 5.00	.1381	----	----	7	----	124 + 1
4475	21.50	21.50	30.00B/*18.30A	30.00B/*18.30A	----	20.30 - 5.20	.1420	----	----	10	----	197 + 4
4480	22.60	22.60	30.90B/18.90A	30.90B/18.90A	----	21.00 - 5.30	.1463	----	----	29	----	160 + 3
4485	----	----	31.80B/19.50A	31.80B/19.50A	----	21.70 - 5.50	.1507	----	----	2	----	102 UNCH
4490	27.90	27.90	32.60B/20.10A	32.60B/20.10A	----	22.40 - 5.60	.1550	----	----	3	----	269 UNCH
4495	----	----	33.90B/20.80A	33.90B/20.80A	----	23.10 - 5.80	.1594	----	----	1	----	219 UNCH
4500	36.00	36.00	36.00/21.40A	36.00/21.40A	----	23.90 - 6.00	.1642	----	----	354	----	5249 + 110
4505	22.80	22.80	36.10B/22.10A	36.10B/22.10A	----	24.60 - 6.20	.1687	----	----	2	----	243 + 2
4510	----	----	36.90B/22.80A	36.90B/22.80A	----	25.40 - 6.40	.1735	----	----	7	----	103 UNCH
4515	28.40	28.40	38.00B/23.60A	38.00B/23.60A	----	26.30 - 6.50	.1787	----	----	6	----	575 - 1
4520	31.30	31.30	39.20B/24.30A	39.20B/24.30A	----	27.10 - 6.70	.1836	----	----	26	----	203 + 8
4525	27.50	27.50	40.50B/25.10A	40.50B/25.10A	----	28.00 - 6.90	.1889	----	----	35	----	509 + 6
4530	----	----	41.90B/25.90A	41.90B/25.90A	----	28.90 - 7.10	.1941	----	----	----	----	374 UNCH
4535	----	----	43.00B/26.70A	43.00B/26.70A	----	29.80 - 7.30	.1994	----	----	----	----	187 UNCH
4540	35.70	35.70	44.10B/27.60A	44.10B/27.60A	----	30.80 - 7.50	.2051	----	----	14	----	270 - 2
4545	----	----	45.60B/28.50A	45.60B/28.50A	----	31.80 - 7.70	.2108	----	----	----	----	121 UNCH
4550	41.00	41.00	47.40B/29.40A	47.40B/29.40A	----	32.80 - 7.90	.2165	----	----	12	----	1221 + 6
4555	42.90	42.90	48.80B/30.40A	48.80B/30.40A	----	33.90 - 8.10	.2225	----	----	8	----	113 + 6
4560	39.40	39.40	50.20B/31.30A	50.20B/31.30A	----	35.00 - 8.30	.2285	----	----	2	----	147 + 1
4565	----	----	51.70B/32.30A	51.70B/32.30A	----	36.10 - 8.50	.2346	----	----	----	----	235 UNCH
4570	----	----	52.80B/33.40A	52.80B/33.40A	----	37.20 - 8.80	.2407	----	----	----	----	175 UNCH
4575	----	----	54.80B/34.40A	54.80B/34.40A	----	38.40 - 9.00	.2471	----	----	1	----	325 UNCH
4580	44.00	44.00	56.30B/35.70A	56.30B/35.70A	----	39.60 - 9.20	.2535	----	----	3	----	252 UNCH
4585	----	----	57.70B/36.70A	57.70B/36.70A	----	40.90 - 9.40	.2602	----	----	----	----	215 UNCH
4590	----	----	59.10B/38.10A	59.10B/38.10A	----	42.20 - 9.60	.2669	----	----	----	----	212 UNCH
4595	----	----	60.90B/39.00A	60.90B/39.00A	----	43.50 - 9.90	.2737	----	----	----	----	83 UNCH
4600	59.00	59.00	64.00/40.30A	64.00/40.30A	----	44.90 - 10.10	.2807	----	----	598	----	3075 + 317
4605	----	----	65.00B/41.80A	65.00B/41.80A	----	46.30 - 10.30	.2877	----	----	----	----	119 UNCH
4610	48.20	48.20	66.00B/43.10A	66.00B/43.10A	----	47.80 - 10.50	.2949	----	----	7	----	244 + 6
4615	----	----	67.80B/44.20A	67.80B/44.20A	----	49.30 - 10.70	.3022	----	----	1	----	59 + 1
4620	58.60	58.60	70.50B/45.10	70.50B/45.10	----	50.80 - 11.00	.3095	----	----	56	----	254 + 42
4625	----	----	72.40B/46.90A	72.40B/46.90A	----	52.40 - 11.20	.3170	----	----	3	----	855 - 3
4630	56.20	56.20	73.50B/48.40A	73.50B/48.40A	----	54.00 - 11.40	.3245	----	----	48	----	202 + 2
4635	----	----	76.20B/49.90A	76.20B/49.90A	----	55.60 - 11.70	.3320	----	----	----	----	110 UNCH
4640	----	----	78.30B/51.40A	78.30B/51.40A	----	57.30 - 11.90	.3398	----	----	----	----	85 UNCH
4645	----	----	80.10B/53.00A	80.10B/53.00A	----	59.10 - 12.10	.3476	----	----	----	----	98 UNCH
4650	70.60	70.60	82.70B/54.60A	82.70B/54.60A	----	60.80 - 12.40	.3554	----	----	31	----	1566 + 12
4655	----	----	84.40B/56.20A	84.40B/56.20A	----	62.70 - 12.60	.3635	----	----	----	----	109 UNCH
4660	----	----	86.70B/57.90A	86.70B/57.90A	----	64.50 - 12.90	.3714	----	----	----	----	131 UNCH
4665	70.00	70.00	88.90B/59.90A	88.90B/59.90A	----	66.40 - 13.10	.3795	----	----	10	----	29 - 3
4670	76.00	76.00	91.20B/61.60A	91.20B/61.60A	----	68.40 - 13.30	.3877	----	----	5	----	260 - 2
4675	----	----	93.40B/63.10A	93.40B/63.10A	----	70.40 - 13.50	.3959	----	----	2	----	495 UNCH
4680	75.00	75.00	95.90B/65.00A	95.90B/65.00A	----	72.40 - 13.80	.4041	----	----	4	----	145 UNCH
4685	74.70	74.70	98.50B/66.90A	98.50B/66.90A	----	74.50 - 14.00	.4124	----	----	3	----	65 UNCH
4690	79.90	79.90	100.40B/69.10A	100.40B/69.10A	----	76.60 - 14.30	.4208	----	----	2	----	219 UNCH
4695	----	----	103.50B/70.80A	103.50B/70.80A	----	78.80 - 14.50	.4292	----	----	----	----	82 UNCH
4700	101.60	101.60	106.20B/72.80A	106.20B/72.80A	----	81.00 - 14.80	.4376	----	----	237	210	2455 + 381
4705	95.20	95.20	108.20B/75.20A	108.20B/75.20A	----	83.30 - 15.00	.4461	----	----	1	----	98 + 1
4710	93.40	93.40	111.10B/77.30A	111.10B/77.30A	----	85.60 - 15.20	.4546	----	----	4	----	66 + 3
4715	100.80	100.80	113.60B/79.40A	113.60B/79.40A	----	87.90 - 15.50	.4631	----	----	2	----	60 + 1
4720	102.60	102.60	116.30B/81.30A	116.30B/81.30A	----	90.30 - 15.70	.4716	----	----	27	----	158 - 7
4725	98.30	98.30	118.90B/83.90A	118.90B/83.90A	----	92.70 - 16.00	.4802	----	----	50	----	180 + 41
4730	----	----	121.90B/86.10A	121.90B/86.10A	----	95.20 - 16.20	.4887	----	----	1	----	87 - 1
4735	103.50	103.50	124.80B/88.50A	124.80B/88.50A	----	97.70 - 16.50	.4973	----	----	33	----	356 + 28
4740	113.10	113.10	127.60B/90.90A	127.60B/90.90A	----	100.30 - 16.70	.5058	----	----	65	----	142 + 53
4745	108.60	108.60	130.60B/93.30A	130.60B/93.30A	----	102.90 - 16.90	.5144	----	----	57	----	85 + 53

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4750	119.10	119.10	133.50B/95.30A	133.50B/95.30A	----	105.60 - 17.10	.5229	----	----	68	----	1001 + 30
4755	112.10	112.10	137.10B/98.30A	137.10B/98.30A	----	108.30 - 17.30	.5314	----	----	1	----	25 + 1
4760	----	----	140.00B/100.90A	140.00B/100.90A	----	111.00 - 17.60	.5399	----	----	----	----	95 UNCH
4765	125.50	125.50	143.30B/103.50A	143.30B/103.50A	----	113.80 - 17.80	.5483	----	----	3	----	70 + 3
4770	128.60	128.60	146.30B/106.20A	146.30B/106.20A	----	116.70 - 18.00	.5568	----	----	3	----	118 UNCH
4775	----	----	149.50B/108.80A	149.50B/108.80A	----	119.60 - 18.10	.5652	----	----	----	----	194 UNCH
4780	----	----	152.80B/111.60A	152.80B/111.60A	----	122.50 - 18.40	.5735	----	----	----	----	89 UNCH
4785	----	----	156.50B/114.30A	156.50B/114.30A	----	125.50 - 18.50	.5818	----	----	----	----	91 UNCH
4790	131.00	131.00	159.30B/117.10A	159.30B/117.10A	----	128.60 - 18.60	.5899	----	----	1	----	91 UNCH
4795	----	----	163.00B/120.10A	163.00B/120.10A	----	131.70 - 18.80	.5981	----	----	1	----	51 - 1
4800	146.00	146.00	166.40B/123.00A	166.40B/123.00A	----	134.80 - 19.00	.6062	----	----	3	----	2822 + 1
4805	----	----	169.50B/125.80A	169.50B/125.80A	----	138.00 - 19.10	.6142	----	----	----	----	82 UNCH
4810	----	----	173.20B/128.30A	173.20B/128.30A	----	141.20 - 19.20	.6222	----	----	----	----	58 UNCH
4815	----	----	176.40B/132.00A	176.40B/132.00A	----	144.40 - 19.40	.6300	----	----	----	----	119 UNCH
4820	----	----	179.90B/135.10A	179.90B/135.10A	----	147.70 - 19.60	.6378	----	----	----	----	44 UNCH
4825	143.90	143.90	183.50B/138.20A	183.50B/138.20A	----	151.10 - 19.60	.6456	----	----	5	----	202 + 1
4830	----	----	187.20B/141.00A	187.20B/141.00A	----	154.40 - 19.80	.6532	----	----	----	----	122 UNCH
4835	----	----	191.00B/144.20A	191.00B/144.20A	----	157.80 - 20.00	.6608	----	----	----	----	32 UNCH
4840	----	----	194.60B/147.40A	194.60B/147.40A	----	161.20 - 20.10	.6684	----	----	----	----	46 UNCH
4845	----	----	198.20B/150.70A	198.20B/150.70A	----	164.70 - 20.20	.6758	----	----	----	----	23 UNCH
4850	----	----	202.10B/154.00A	202.10B/154.00A	----	168.20 - 20.30	.6832	----	----	----	----	571 UNCH
4855	----	----	205.80B/157.40A	205.80B/157.40A	----	171.80 - 20.40	.6905	----	----	----	----	315 UNCH
4860	----	----	209.40B/160.80A	209.40B/160.80A	----	175.30 - 20.60	.6976	----	----	----	----	91 UNCH
4865	----	----	213.50B/164.20A	213.50B/164.20A	----	179.00 - 20.60	.7045	----	----	----	----	50 UNCH
4870	----	----	217.20B/167.70A	217.20B/167.70A	----	182.60 - 20.80	.7116	----	----	----	----	44 UNCH
4875	----	----	221.20B/171.20A	221.20B/171.20A	----	186.30 - 20.90	.7184	----	----	----	----	71 UNCH
4880	----	----	225.00B/174.70A	225.00B/174.70A	----	190.10 - 20.90	.7250	----	----	----	----	8 UNCH
4885	----	----	228.90B/178.30A	228.90B/178.30A	----	193.90 - 21.00	.7315	----	----	----	----	7 UNCH
4890	----	----	232.90B/181.90A	232.90B/181.90A	----	197.70 - 21.00	.7380	----	----	----	----	48 UNCH
4895	----	----	236.70B/185.60A	236.70B/185.60A	----	201.50 - 21.20	.7443	----	----	----	----	228 UNCH
4900	----	----	241.00B/189.20A	241.00B/189.20A	----	205.40 - 21.20	.7504	----	----	----	----	1684 UNCH
4905	----	----	244.90B/193.00A	244.90B/193.00A	----	209.30 - 21.30	.7566	----	----	----	----	11 UNCH
4910	----	----	249.10B/196.70A	249.10B/196.70A	----	213.30 - 21.30	.7628	----	----	----	----	59 UNCH
4915	----	----	253.20B/200.50A	253.20B/200.50A	----	217.30 - 21.30	.7686	----	----	----	----	37 UNCH
4920	----	----	257.20B/204.30A	257.20B/204.30A	----	221.30 - 21.40	.7744	----	----	1	----	93 + 1
4925	----	----	261.30B/208.10A	261.30B/208.10A	----	225.30 - 21.40	.7799	----	----	----	----	74 UNCH
4930	----	----	265.50B/212.00A	265.50B/212.00A	----	229.30 - 21.50	.7856	----	----	----	----	199 UNCH
4940	----	----	273.90B/219.80A	273.90B/219.80A	----	237.50 - 21.60	.7964	----	----	----	----	64 UNCH
4945	----	----	278.00B/223.80A	278.00B/223.80A	----	241.70 - 21.60	.8015	----	----	----	----	13 UNCH
4950	----	----	282.40B/227.70A	282.40B/227.70A	----	245.80 - 21.70	.8068	----	----	----	----	291 UNCH
4955	----	----	286.70B/231.70A	286.70B/231.70A	----	250.00 - 21.70	.8118	----	----	----	----	32 UNCH
4960	----	----	291.10B/235.80A	291.10B/235.80A	----	254.20 - 21.70	.8168	----	----	----	----	23 UNCH
4965	----	----	295.20B/239.80A	295.20B/239.80A	----	258.40 - 21.80	.8217	----	----	----	----	29 UNCH
4970	----	----	299.50B/243.90A	299.50B/243.90A	----	262.60 - 21.90	.8262	----	----	----	----	44 UNCH
4975	----	----	303.90B/248.00A	303.90B/248.00A	----	266.90 - 21.90	.8307	----	----	----	----	156 UNCH
4980	----	----	308.30B/252.10A	308.30B/252.10A	----	271.20 - 21.90	.8352	----	----	----	----	29 UNCH
4985	----	----	312.60B/256.30A	312.60B/256.30A	----	275.50 - 21.90	.8397	----	----	----	----	10 UNCH
4990	----	----	317.10B/260.50A	317.10B/260.50A	----	279.80 - 22.00	.8442	----	----	----	----	293 UNCH
4995	----	----	321.40B/264.70A	321.40B/264.70A	----	284.20 - 22.00	.8482	----	----	----	----	12 UNCH
5000	----	----	326.00B/268.90A	326.00B/268.90A	----	288.50 - 22.10	.8527	----	----	----	----	1849 UNCH
5005	----	----	330.40B/273.10A	330.40B/273.10A	----	292.90 - 22.10	.8566	----	----	----	----	302 UNCH
5010	----	----	334.80B/277.40A	334.80B/277.40A	----	297.30 - 22.10	.8606	----	----	----	----	13 UNCH
5015	----	----	339.40B/281.70A	339.40B/281.70A	----	301.80 - 22.00	.8642	----	----	----	----	49 UNCH
5020	----	----	343.90B/286.00A	343.90B/286.00A	----	306.20 - 22.10	.8681	----	----	----	----	31 UNCH
5025	----	----	348.40B/290.30A	348.40B/290.30A	----	310.70 - 22.10	.8716	----	----	----	----	53 UNCH
5030	----	----	352.80B/294.70A	352.80B/294.70A	----	315.10 - 22.10	.8751	----	----	----	----	66 UNCH
5035	----	----	357.40B/299.00A	357.40B/299.00A	----	319.60 - 22.10	.8785	----	----	----	----	12 UNCH
5040	----	----	361.90B/303.40A	361.90B/303.40A	----	324.10 - 22.10	.8819	----	----	----	----	18 UNCH
5045	----	----	366.50B/307.80A	366.50B/307.80A	----	328.70 - 22.10	.8854	----	----	----	----	5 UNCH
5050	----	----	371.10B/312.20A	371.10B/312.20A	----	333.20 - 22.10	.8883	----	----	----	----	803 UNCH
5055	----	----	375.70B/316.60A	375.70B/316.60A	----	337.80 - 22.10	.8917	----	----	----	----	63 UNCH
5060	----	----	380.30B/321.10A	380.30B/321.10A	----	342.40 - 22.00	.8946	----	----	----	----	64 UNCH
5065	----	----	384.90B/325.50A	384.90B/325.50A	----	346.90 - 22.10	.8975	----	----	----	----	17 UNCH
5070	----	----	389.60B/330.00A	389.60B/330.00A	----	351.50 - 22.10	.9003	----	----	----	----	52 UNCH
5075	----	----	394.20B/334.50A	394.20B/334.50A	----	356.20 - 22.00	.9032	----	----	----	----	29 UNCH
5080	----	----	398.90B/339.00A	398.90B/339.00A	----	360.80 - 22.00	.9055	----	----	----	----	31 UNCH
5085	----	----	403.60B/343.60A	403.60B/343.60A	----	365.40 - 22.00	.9084	----	----	----	----	123 UNCH
5090	368.50	368.50	408.20B/348.10A	408.20B/348.10A	----	370.10 - 21.90	.9107	----	----	1	----	111 UNCH
5095	----	----	412.90B/352.70A	412.90B/352.70A	----	374.70 - 22.00	.9135	----	----	----	----	107 UNCH
5100	----	----	417.60B/357.20A	417.60B/357.20A	----	379.40 - 21.90	.9157	----	----	----	----	459 UNCH
5105	----	----	422.30B/361.80A	422.30B/361.80A	----	384.10 - 21.90	.9180	----	----	----	----	37 UNCH
5110	----	----	427.00B/366.40A	427.00B/366.40A	----	388.80 - 21.90	.9203	----	----	----	----	74 UNCH
5115	----	----	431.70B/371.00A	431.70B/371.00A	----	393.50 - 21.80	.9225	----	----	----	----	14 UNCH
5120	----	----	436.50B/375.70A	436.50B/375.70A	----	398.20 - 21.80	.9247	----	----	----	----	25 UNCH
5125	----	----	441.20B/380.30A	441.20B/380.30A	----	402.90 - 21.80	.9264	----	----	----	----	192 UNCH
5130	----	----	445.90B/384.90A	445.90B/384.90A	----	407.70 - 21.70	.9286	----	----	----	----	25 UNCH
5135	----	----	450.70B/389.60A	450.70B/389.60A	----	412.40 - 21.70	.9302	----	----	----	----	37 UNCH
5140	----	----	455.40B/394.30A	455.40B/394.30A	----	417.20 - 21.70	.9324	----	----	----	----	14 UNCH
5145	----	----	460.20B/398.90A	460.20B/398.90A	----	421.90 - 21.70	.9341	----	----	----	----	39 UNCH
5150	----	----	465.00B/403.60A	465.00B/403.60A	----	426.70 - 21.60	.9357	----	----	----	----	389 UNCH
5155	----	----	469.80B/408.30A	469.80B/408.30A	----	431.50 - 21.60	.9373	----	----	----	----	37 UNCH
5160	----	----	474.60B/413.10A	474.60B/413.10A	----	436.30 - 21.60	.9394	----	----	----	----	70 UNCH
5165	----	----	479.40B/417.80A	479.40B/417.80A	----	441.10 - 21.50	.9410	----	----	----	----	47 UNCH
5170	460.20	460.20	484.20B/422.50A	484.20B/422.50A	----	445.90 - 21.50	.9426	----	----	1	----	506 + 1
5175	----	----	489.00B/427.30A	489.00B/427.30A	----	450.70 - 21.50	.9436	----	----	----	----	15 UNCH
5180	----	----	493.80B/432.00A	493.80B/432.00A	----	455.50 - 21.40	.9451	----	----	----	----	17 UNCH
5185	----	----	498.60B/436.70A	498.60B/436.70A	----	460.30 - 21.40	.9466	----	----	----	----	22 UNCH
5190	----	----	503.40B/441.50A	503.40B/441.50A	----	465.10 - 21.40	.9482	----	----	----	----	7 UNCH
5195	----	----	508.30B/446.30A	508.30B/446.30A	----	470.00 - 21.30	.9491	----	----	----	----	8 UNCH
5200	472.90	472.90	513.10B/451.10A	513.10B/451.10A	----	474.80 - 21.40	.9506	----	----	13	----	578 UNCH
5205	512.20	512.20	517.90B/455.80A	517.90B/455.80A	----	479.70 - 21.30	.9516	----	----	1	----	36 UNCH
5210	----	----	522.80B/460.60A	522.80B/460.60A	----	484.50 - 21.30	.9531	----	----	----	----	68 UNCH
5215	----	----	527.60B/465.40A	527.60B/465.40A	----	489.40 - 21.20	.9540	----	----	----	----	42 UNCH
5220	----	----	532.50B/470.20A	532.50B/470.20A	----	494.20 - 21.30	.9555	----	----	----	----	188 UNCH
5225	----	----	537.40B/475.10A	537.40B/475.10A	----	499.10 - 21.20	.9564	----	----	----	----	200 UNCH
5230	----	----	542.20B/479.90A	542.20B/479.90A	----	503.90 - 21.20	.9572	----	----	----	----	7 UNCH
5235	----	----	547.10B/484.70A	547.10B/484.70A	----	508.80 - 21.20	.9587	----	----	----	----	160 UNCH
5245	----	----	556.90B/494.40A	556.90B/494.40A	----	518.60 - 21.10	.9604	----	----	----	----	9 UNCH
5250	----	----	561.80B/499.20A	561.80B/499.20A	----	523.50 - 21.10	.9613	----	----	----	----	375 UNCH
5255	----	----	566.70B/504.10A	566.70B/504.10A	----	528.40 - 21.00	.9622	----	----	----	----	9 UNCH
5260	----	----	571.50B/508.90A	571.50B/508.90A	----	533.20 - 21.10	.9630	----	----	----	----	11 UNCH
5265	----	----	576.40B/513.80A	576.40B/513.80A	----	538.10 - 21.10	.9638	----	----	----	----	5 UNCH
5270	----	----	581.30B/518.60A	581.30B/518.60A	----	543.00 - 21.00	.9647	----	----	----	----	24 UNCH
5275	----	----	586.20B/523.50A	586.20B/523.50A	----	547.90 - 21.00	.9655	----	----	----	----	170 UNCH
5280	----	----	591.10B/528.40A	591.10B/528.40A	----	552.90 - 20.90	.9663	----	----	----	----	67 UNCH
5285	----	----	596.00B/533.30A	596.00B/533.30A	----	557.80 - 20.90	.9671	----	----	----	----	27 UNCH
5290	----	----	600.90B/538.10A	600.90B/538.10A	----	562.70 - 20.90	.9679	----	----	----	----	2 UNCH
5300	----	----	610.70B/547.90A	610.70B/547.90A	----	572.50 - 20.90	.9689	----	----	----	----	560 UNCH
5305	----	----	615.60B/552.80A	615.60B/552.80A	----	577.40 - 20.90	.9697	----	----	----	----	103 UNCH
5320	----	----	615.10B/567.50A	615.10B/567.50A	----	592.20 - 20.80	.9715	----	----	----	----	108 UNCH
5325	----	----	619.90B/572.40A	619.90B/572.40A	----	597.10 - 20.80	.9722	----	----	----	----	1 UNCH
5335	----	----	----/582.20A	617.50B/582.20A	----	607.00 - 20.70	.9732	----	----	----	----	5 UNCH
5340	----	----	----/587.10A	622.40B/587.10A	----	611.90 - 20.70	.9739	----	----	----	----	52 UNCH
5345	----	----	----/592.00A	----/592.00A	----	616.90 - 20.60	.9741	----	----	----	----	2 UNCH
5350	----	----	----/597.00A	634.20B/597.00A	----	621.80 - 20.60	.9749	----	----	----	----	109 UNCH
5365	----	----	----/618.80A	646.90B/618.80A	----	636.60 - 20.60	.9765	----	----	----	----	4 UNCH
5370	----	----	----/623.80A	651.90B/623.80A	----	641.60 - 20.50	.9766	----	----	----	----	37 UNCH
5375	----	----	----	----	----	646.50 - 20.50	.9774	----	----	----	----	1 UNCH
5380	----	----	----	----	----	651.50 - 20.50	.9775	----	----	----	----	2 UNCH
5385	----	----	----/638.60A	666.70B/638.60A	----	656.40 - 20.50	.9782	----	----	----	----	10 UNCH
5390	----	----	----	----	----	661.40 - 20.40	.9783	----	----	----	----	2 UNCH
5395	----	----	----/647.10A	678.70B/647.10A	----	666.30 - 20.50	.9791	----	----	----	----	156 UNCH
5400	----	----	----/650.70A	685.60B/650.70A	----	671.30 - 20.40	.9792	----	----	----	----	446 UNCH
5420	----	----	----/673.10A	701.40B/673.10A	----	691.10 - 20.40	.9808	----	----	----	----	10 UNCH
5425	----	----	----	----	----	696.10 - 20.30	.9809	----	----	----	----	1 UNCH
5430	----	----	----/683.00A	711.30B/683.00A	----	701.00 - 20.30	.9810	----	----	----	----	30 UNCH
5435	----	----	----/688.00A	716.20B/688.00A	----	706.00 - 20.30	.9817	----	----	----	----	10 UNCH
5440	----	----	----/693.00A	721.20B/693.00A	----	710.90 - 20.30	.9818	----	----	----	----	20 UNCH
5470	----	----	----	----	----	740.70 - 20.30	.9836	----	----	----	----	1 UNCH
5490	----	----	----/741.20A	773.00B/741.20A	----	760.60 - 20.20	.9851	----	----	----	----	166 UNCH
5500	----	----	----/752.50A	780.80B/752.50A	----	770.50 - 20.20	.9853	----	----	----	----	52 UNCH
5525	----	----	----	----	----	795.40 - 20.10	.9868	----	----	----	----	2 UNCH
5575	----	----	----	----	----	845.10 - 20.10	.9886	----	----	----	----	2 UNCH
5590	----	----	----/840.60A	872.40B/840.60A	----	860.10 - 20.10	.9893	----	----	----	----	77 UNCH
5595	----	----	----	----	----	865.10 - 20.00	.9894	----	----	----	----	1 UNCH
5600	----	----	----/851.80A	880.20B/851.80A	----	870.00 - 20.10	.9894	----	----	----	----	9 UNCH
5640	----	----	----/891.70A	920.10B/891.70A	----	909.90 - 20.10	.9904	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5800	----	----	----/1,051.20A	1079.60B/1051.20A	----	1069.60 - 19.90	.9932	----	----	----	----	6 UNCH
9000	----	----	----	----	----	4269.30 - 19.80	1.0000	----	----	----	----	0 UNCH
10000	----	----	----/5,273.00A	----/5273.00A	----	5269.30 - 19.80	1.0000	12	----	12	----	0 UNCH
12000	----	----	----	----	----	7269.30 - 19.80	1.0000	10	----	10	----	0 UNCH
TOTAL										10680	210	114922 - 1425
JUL26												
2000	----	----	----	----/0.30A	----	0.20 + 0.10	.0004	----	----	----	----	4 UNCH
2275	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0010	----	----	----	----	23 UNCH
2300	----	----	----	0.10B/*0.40A	----	0.40 + 0.10	.0010	----	----	----	----	101 UNCH
2400	----	----	----	0.20B/*0.50A	----	0.50 + 0.20	.0013	----	----	----	----	2 UNCH
2500	----	----	----	0.20B/*0.60A	----	0.70 + 0.20	.0018	----	----	----	----	194 UNCH
2575	----	----	----	0.30B/*0.60A	----	0.70 + 0.10	.0019	----	----	----	----	1 UNCH
2600	----	----	----	0.40B/*0.70A	----	0.80 + 0.20	.0021	----	----	----	----	12 UNCH
2620	----	----	----	0.40B/*0.70A	----	0.80 + 0.20	.0022	----	----	----	----	1 UNCH
2650	----	----	----	0.40B/*0.70A	----	0.80 + 0.10	.0022	----	----	----	----	51 UNCH
2670	----	----	----	0.50B/*0.80A	----	0.90 + 0.20	.0025	----	----	----	----	10 UNCH
2675	----	----	----	0.50B/*0.80A	----	0.90 + 0.20	.0025	----	----	----	----	10 UNCH
2680	----	----	----	0.50B/*0.80A	----	0.90 + 0.10	.0025	----	----	----	----	10 UNCH
2700	----	----	----	0.50B/*0.80A	----	0.90 + 0.10	.0025	----	----	----	----	7 UNCH
2705	----	----	----	0.50B/*0.80A	----	0.90 + 0.10	.0025	----	----	----	----	1 UNCH
2710	----	----	----	0.50B/*0.80A	----	0.90 + 0.10	.0025	----	----	----	----	7 UNCH
2730	----	----	----/*0.80A	0.50B/*0.80A	----	0.90 UNCH	.0026	----	----	----	----	1 UNCH
2750	----	----	----	0.60B/*0.90A	----	1.00 + 0.10	.0028	----	----	----	----	20 UNCH
2775	0.80	0.80	0.80/*0.80	0.80/*0.80	----	1.00 UNCH	.0029	----	----	1	----	1 + 1
2785	----	----	----/*0.90A	0.70B/*0.90A	----	1.00 UNCH	.0029	----	----	----	----	2 UNCH
2800	----	----	----/*0.90A	0.60B/*0.90A	----	1.00 UNCH	.0029	----	----	----	----	9 UNCH
2850	----	----	----/*1.00A	0.70B/*1.00A	----	1.10 UNCH	.0033	----	----	----	----	3 UNCH
2860	----	----	----	0.80B/*1.10A	----	1.10 UNCH	.0033	----	----	----	----	6 UNCH
2890	----	----	----/*1.10A	0.80B/*1.10A	----	1.20 UNCH	.0036	----	----	----	----	60 UNCH
2895	----	----	----/*1.10A	0.80B/*1.10A	----	1.20 UNCH	.0036	----	----	----	----	18 UNCH
2900	----	----	----/*1.10A	0.90B/*1.10A	----	1.20 UNCH	.0036	----	----	----	----	18 UNCH
2905	----	----	----/*1.10A	0.90B/*1.10A	----	1.20 - 0.10	.0036	----	----	----	----	19 UNCH
2920	----	----	----/*1.20A	0.90B/*1.20A	----	1.20 - 0.10	.0037	----	----	----	----	3 UNCH
2950	----	----	----/1.20A	1.00B/1.20A	----	1.30 - 0.10	.0040	----	----	----	----	35 UNCH
2985	----	----	----/*1.30A	1.10B/*1.30A	----	1.40 - 0.10	.0043	----	----	----	----	21 UNCH
2995	----	----	----/*1.30A	1.10B/*1.30A	----	1.40 - 0.10	.0044	----	----	----	----	16 UNCH
3000	----	----	----/*1.30A	1.10B/*1.30A	----	1.40 - 0.10	.0044	----	----	----	----	66 UNCH
3010	----	----	----/*1.40A	1.20B/*1.40A	----	1.40 - 0.10	.0044	----	----	----	----	1 UNCH
3015	----	----	----/*1.40A	1.20B/*1.40A	----	1.40 - 0.10	.0044	----	----	----	----	5 UNCH
3025	----	----	----/*1.40A	1.20B/*1.40A	----	1.40 - 0.20	.0045	----	----	----	----	1 UNCH
3035	----	----	----/*1.40A	1.20B/*1.40A	----	1.50 - 0.10	.0047	----	----	----	----	5 UNCH
3050	----	----	----/*1.50A	1.30B/*1.50A	----	1.50 - 0.10	.0048	----	----	----	----	2 UNCH
3100	----	----	----/*1.60A	1.40B/*1.60A	----	1.60 - 0.20	.0052	----	----	----	----	43 UNCH
3105	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.20	.0052	----	----	----	----	1 UNCH
3125	----	----	----/*1.70A	1.50B/*1.70A	----	1.60 - 0.20	.0053	----	----	----	----	42 UNCH
3140	----	----	----/*1.70A	1.50B/*1.70A	----	1.70 - 0.20	.0056	----	----	----	----	1 UNCH
3150	----	----	----/*1.70A	1.60B/*1.70A	----	1.70 - 0.20	.0057	----	----	----	----	12 UNCH
3155	----	----	----/*1.80A	1.60B/*1.80A	----	1.70 - 0.20	.0057	----	----	----	----	1 UNCH
3165	1.50	1.50	1.50/*1.50	1.60B/*1.50	----	1.70 NEW	.0057	----	----	1	----	1 + 1
3170	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.10	.0060	----	----	1	----	0 - 1
3185	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.20	.0061	----	----	----	----	20 UNCH
3200	----	----	----/*1.90A	1.70B/*1.90A	----	1.80 - 0.20	.0062	----	----	60	----	258 - 3
3210	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.20	.0065	----	----	----	----	1 UNCH
3220	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.20	.0065	----	----	----	----	1 UNCH
3225	----	----	----/2.00A	1.80B/2.00A	----	1.90 - 0.20	.0065	----	----	----	----	71 UNCH
3250	----	----	----/*2.00A	1.90B/*2.00A	----	2.00 - 0.20	.0069	----	----	1	----	61 - 1
3275	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0073	----	----	----	----	10 UNCH
3280	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0074	----	----	----	----	24 UNCH
3285	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0074	----	----	----	----	1 UNCH
3290	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.30	.0074	----	----	----	----	12 UNCH
3300	----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.20	.0078	----	----	----	----	82 UNCH
3320	----	----	----/*2.30A	2.10B/*2.30A	----	2.30 - 0.20	.0082	----	----	----	----	27 UNCH
3325	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.20	.0082	----	----	----	----	147 UNCH
3335	----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.30	.0082	----	----	----	----	87 UNCH
3340	----	----	----/*2.40A	2.20B/*2.40A	----	2.40 - 0.20	.0086	----	----	----	----	1 UNCH
3350	----	----	----/*2.40A	2.30B/*2.40A	----	2.40 - 0.30	.0086	----	----	----	----	25 UNCH
3355	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 0.30	.0086	----	----	----	----	69 UNCH
3360	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 0.30	.0087	----	----	----	----	5 UNCH
3370	----	----	----/*2.50A	2.30B/*2.50A	----	2.50 - 0.30	.0090	----	----	----	----	9 UNCH
3380	----	----	----/*2.60A	2.40B/*2.60A	----	2.50 - 0.30	.0091	----	----	----	----	2 UNCH
3385	----	----	----/*2.60A	2.40B/*2.60A	----	2.50 - 0.40	.0091	----	----	----	----	4 UNCH
3390	----	----	----/*2.60A	2.40B/*2.60A	----	2.60 - 0.30	.0095	----	----	----	----	1 UNCH
3395	----	----	----/*2.60A	2.40B/*2.60A	----	2.60 - 0.30	.0095	----	----	----	----	32 UNCH
3400	----	----	----/*2.50A	2.50B/*2.50A	----	2.60 - 0.30	.0095	----	----	----	----	55 UNCH
3405	----	----	----/*2.70A	2.50B/*2.70A	----	2.60 - 0.40	.0096	----	----	----	----	1 UNCH
3410	----	----	----/*2.70A	2.50B/*2.70A	----	2.70 - 0.30	.0099	----	----	----	----	5 UNCH
3415	----	----	----/*2.70A	2.50B/*2.70A	----	2.70 - 0.30	.0099	----	----	----	----	1 UNCH
3425	----	----	----/*2.80A	2.60B/*2.80A	----	2.70 - 0.30	.0100	----	----	----	----	57 UNCH
3435	----	----	----/*2.80A	2.60B/*2.80A	----	2.80 - 0.30	.0104	----	----	----	----	5 UNCH
3445	----	----	----/*2.90A	2.70B/*2.90A	----	2.80 - 0.30	.0104	----	----	----	----	2 UNCH
3450	----	----	----/*2.90A	2.70B/*2.90A	----	2.80 - 0.40	.0105	----	----	----	----	132 UNCH
3455	----	----	----/*2.90A	2.70B/*2.90A	----	2.90 - 0.30	.0108	----	----	----	----	10 UNCH
3460	----	----	----/*2.90A	2.70B/*2.90A	----	2.90 - 0.30	.0109	----	----	----	----	10 UNCH
3465	----	----	----/*3.00A	2.80B/*3.00A	----	2.90 - 0.30	.0109	----	----	----	----	142 UNCH
3475	----	----	----/*3.00A	2.80B/*3.00A	----	3.00 - 0.30	.0113	----	----	----	----	140 UNCH
3480	----	----	----/*3.00A	2.80B/*3.00A	----	3.00 - 0.30	.0113	----	----	----	----	36 UNCH
3495	----	----	----/*3.10A	2.90B/*3.10A	----	3.10 - 0.30	.0118	----	----	----	----	5 UNCH
3500	2.90	2.90	2.90/2.90	2.90/2.90	----	3.10 - 0.30	.0118	----	----	5	----	628 - 4
3505	----	----	----/*3.20A	3.00B/*3.20A	----	3.10 - 0.30	.0118	----	----	----	----	9 UNCH
3510	----	----	----/*3.20A	3.00B/*3.20A	----	3.10 - 0.30	.0119	----	----	----	----	5 UNCH
3515	----	----	----/*3.20A	3.00B/*3.20A	----	3.20 - 0.30	.0122	----	----	----	----	8 UNCH
3520	----	----	----/*3.30A	3.10B/*3.30A	----	3.20 - 0.30	.0123	----	----	----	----	5 UNCH
3525	----	----	----/*3.30A	3.10B/*3.30A	----	3.20 - 0.30	.0123	----	----	----	----	3 UNCH
3530	----	----	----/*3.30A	3.10B/*3.30A	----	3.20 - 0.40	.0124	----	----	----	----	168 UNCH
3535	----	----	----/*3.40A	3.10B/*3.40A	----	3.30 - 0.30	.0127	----	----	----	----	31 UNCH
3545	----	----	----/*3.40A	3.20B/*3.40A	----	3.30 - 0.30	.0128	----	----	----	----	256 UNCH
3550	----	----	----/*3.40A	3.20B/*3.40A	----	3.40 - 0.30	.0132	----	----	1	----	165 - 1
3555	----	----	----/*3.50A	3.30B/*3.50A	----	3.40 - 0.30	.0132	----	----	----	----	1 UNCH
3565	----	----	----/*3.50A	3.30B/*3.50A	----	3.40 - 0.40	.0133	----	----	----	----	2 UNCH
3575	----	----	----/*3.60A	3.40B/*3.60A	----	3.50 - 0.30	.0138	----	----	----	----	1 UNCH
3580	----	----	----/*3.60A	3.40B/*3.60A	----	3.50 - 0.30	.0138	----	----	----	----	5 UNCH
3585	----	----	----/*3.70A	3.50B/*3.70A	----	3.60 - 0.30	.0142	----	----	----	----	1 UNCH
3590	----	----	----/*3.70A	3.50B/*3.70A	----	3.60 - 0.30	.0142	----	----	----	----	16 UNCH
3600	3.70	3.70	3.70/3.70	3.70/3.70	----	3.70 - 0.30	.0147	----	----	1	----	156 + 1
3605	----	----	----/*3.80A	3.60B/*3.80A	----	3.70 - 0.30	.0147	----	----	----	----	7 UNCH
3610	----	----	----/*3.80A	3.60B/*3.80A	----	3.70 - 0.40	.0148	----	----	----	----	2 UNCH
3615	----	----	----/*3.90A	3.70B/*3.90A	----	3.80 - 0.30	.0151	----	----	----	----	2 UNCH
3620	----	----	----/*3.90A	3.70B/*3.90A	----	3.80 - 0.30	.0152	----	----	----	----	12 UNCH
3625	----	----	----/*4.00A	3.70B/*4.00A	----	3.80 - 0.40	.0153	----	----	----	----	11 UNCH
3630	----	----	----/*4.00A	3.80B/*4.00A	----	3.90 - 0.30	.0156	----	----	----	----	11 UNCH
3635	----	----	----/*4.00A	3.80B/*4.00A	----	3.90 - 0.40	.0157	----	----	----	----	3 UNCH
3640	----	----	----/*4.10A	3.90B/*4.10A	----	4.00 - 0.30	.0161	----	----	----	----	6 UNCH
3645	----	----	----/*4.10A	3.90B/*4.10A	----	4.00 - 0.40	.0162	----	----	----	----	1 UNCH
3650	----	----	----/*4.10A	4.00B/*4.10A	----	4.00 - 0.40	.0162	----	----	----	----	99 UNCH
3655	----	----	----/*4.20A	4.00B/*4.20A	----	4.10 - 0.40	.0166	----	----	----	----	6 UNCH
3660	----	----	----/*4.20A	4.00B/*4.20A	----	4.10 - 0.40	.0167	----	----	----	----	22 UNCH
3665	----	----	----/*4.30A	4.10B/*4.30A	----	4.20 - 0.40	.0171	----	----	----	----	2 UNCH
3670	----	----	----/*4.30A	4.10B/*4.30A	----	4.20 - 0.40	.0171	----	----	----	----	111 UNCH
3675	----	----	----/*4.30A	4.20B/*4.30A	----	4.30 - 0.40	.0175	----	----	----	----	4 UNCH
3680	----	----	----/*4.40A	4.20B/*4.40A	----	4.30 - 0.40	.0176	----	----	----	----	5 UNCH
3685	----	----	----/*4.40A	4.30B/*4.40A	----	4.30 - 0.50	.0177	----	----	----	----	12 UNCH
3690	----	----	----/*4.50A	4.30B/*4.50A	----	4.40 - 0.40	.0180	----	----	----	----	50 UNCH
3695	----	----	----/*4.50A	4.40B/*4.50A	----	4.40 - 0.50	.0181	----	----	----	----	142 UNCH
3700	----	----	----/*4.50A	4.40B/*4.50A	----	4.50 - 0.40	.0185	----	----	----	----	449 UNCH
3705	----	----	----/*4.60A	4.50B/*4.60A	----	4.50 - 0.50	.0186	----	----	----	----	20 UNCH
3715	----	----	----/*4.70A	4.60B/*4.70A	----	4.60 - 0.50	.0191	----	----	----	----	30 UNCH
3720	----	----	----/*4.70A	4.60B/*4.70A	----	4.70 - 0.50	.0195	----	----	----	----	18 UNCH
3725	----	----	----/*4.80A	4.70B/*4.80A	----	4.70 - 0.50	.0196	----	----	----	----	7 UNCH
3730	----	----	----/*4.80A	4.80B/*4.80A	----	4.80 - 0.50	.0200	----	----	----	----	3 UNCH
3735	----	----	----/*4.90A	4.80B/*4.90A	----	4.90 - 0.40	.0204	----	----	----	----	30 UNCH
3740	----	----	----/*4.90A	4.90B/*4.90A	----	4.90 - 0.50	.0204	----	----	----	----	20 UNCH
3750	----	----	----/*5.00A	5.00B/*5.00A	----	5.00 - 0.50	.0209	----	----	----	----	538 UNCH
3760	----	----	----/*5.10A	5.10B/*5.10A	----	5.20 - 0.40	.0218	----	----	----	----	3 UNCH
3765	----	----	----/*5.20A	5.20B/*5.20A	----	5.20 - 0.50	.0219	----	----	----	----	32 UNCH
3770	----	----	----/*5.30A	5.20B/*5.30A	----	5.30 - 0.50	.0223	----	----	----	----	120 UNCH
3775	----	----	----/*5.30A	5.30B/*5.30A	----	5.40 - 0.40	.0227	----	----	----	----	61 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3780	----	----	----/*5.40A	5.40B/*5.40A	----	5.40 - 0.50	.0228	----	----	----	----	11 UNCH
3785	----	----	----/*5.40A	5.40B/*5.40A	----	5.50 - 0.50	.0232	----	----	----	----	6 UNCH
3790	----	----	----/*5.50A	5.50B/*5.50A	----	5.60 - 0.50	.0236	----	----	----	----	40 UNCH
3795	----	----	----/*5.60A	5.60B/*5.60A	----	5.60 - 0.50	.0237	----	----	----	----	36 UNCH
3800	5.40	5.40	5.70B/*5.40	5.70B/*5.40	----	5.70 - 0.50	.0242	----	----	11	----	623 - 1
3810	----	----	----/*5.80A	5.80B/*5.80A	----	5.90 - 0.40	.0250	----	----	----	----	16 UNCH
3815	----	----	----/*5.90A	5.90B/*5.90A	----	5.90 - 0.50	.0251	----	----	----	----	14 UNCH
3820	----	----	----/*5.90A	6.00B/*5.90A	----	6.00 - 0.50	.0256	----	----	----	----	10 UNCH
3825	----	----	----/*6.00A	6.00B/*6.00A	----	6.10 - 0.50	.0260	----	----	----	----	11 UNCH
3830	----	----	----/*6.00A	6.10B/*6.00A	----	6.20 - 0.50	.0264	----	----	----	----	24 UNCH
3835	----	----	----/*6.10A	6.20B/*6.10A	----	6.30 - 0.40	.0269	----	----	----	----	1 UNCH
3840	----	----	----/*6.20A	6.30B/*6.20A	----	6.30 - 0.50	.0270	----	----	----	----	33 UNCH
3845	----	----	----/*6.30A	6.40B/*6.30A	----	6.40 - 0.50	.0274	----	----	----	----	12 UNCH
3850	----	----	----/*6.30A	6.50B/*6.30A	----	6.50 - 0.50	.0279	----	----	----	----	216 UNCH
3860	----	----	----/*6.50A	6.70B/*6.50A	----	6.70 - 0.50	.0288	----	----	----	----	42 UNCH
3865	----	----	----/*6.60A	6.70B/*6.60A	----	6.80 - 0.50	.0292	----	----	----	----	78 UNCH
3870	----	----	----/*6.70A	6.80B/*6.70A	----	6.90 - 0.50	.0297	----	----	----	----	3 UNCH
3875	----	----	----/*6.70A	7.00B/*6.70A	----	7.00 - 0.50	.0301	----	----	----	----	113 UNCH
3880	----	----	----/*6.80A	7.00B/*6.80A	----	7.10 - 0.50	.0306	----	----	----	----	14 UNCH
3885	----	----	----/*6.90A	7.10B/*6.90A	----	7.20 - 0.50	.0310	----	----	----	----	37 UNCH
3890	----	----	----/*7.00A	7.30B/*7.00A	----	7.30 - 0.50	.0315	----	----	----	----	4 UNCH
3895	7.30	7.30	7.30/*7.10A	7.40B/*7.10A	----	7.40 - 0.50	.0320	----	----	1	----	3 + 1
3900	7.50	7.50	7.50/*7.20A	7.50/*7.20A	----	7.50 - 0.50	.0324	----	----	2	----	292 UNCH
3905	----	----	----/*7.30A	7.60B/*7.30A	----	7.60 - 0.50	.0329	----	----	----	----	12 UNCH
3910	----	----	----/*7.40A	7.70B/*7.40A	----	7.70 - 0.50	.0334	----	----	----	----	54 UNCH
3920	----	----	----/*7.60A	7.90B/*7.60A	----	7.90 - 0.50	.0343	----	----	----	----	12 UNCH
3925	----	----	----/*7.70A	8.10B/*7.70A	----	8.10 - 0.50	.0351	----	----	----	----	57 UNCH
3930	----	----	----/*7.80A	8.30B/*7.80A	----	8.20 - 0.50	.0356	----	----	----	----	25 UNCH
3935	----	----	----/*7.90A	8.30B/*7.90A	----	8.30 - 0.50	.0361	----	----	----	----	18 UNCH
3940	----	----	----/*8.00A	8.40B/*8.00A	----	8.40 - 0.50	.0366	----	----	----	----	27 UNCH
3945	----	----	----/*8.10A	8.50B/*8.10A	----	8.50 - 0.60	.0371	----	----	----	----	23 UNCH
3950	8.80	8.80	8.80/*8.30A	8.80/*8.30A	----	8.70 - 0.50	.0379	----	----	2	----	608 - 2
3955	----	----	----/*8.40A	8.80B/*8.40A	----	8.80 - 0.60	.0384	----	----	----	----	56 UNCH
3960	----	----	----/*8.50A	9.00B/*8.50A	----	8.90 - 0.60	.0389	----	----	----	----	23 UNCH
3965	----	----	----/*8.60A	9.30B/*8.60A	----	9.10 - 0.50	.0397	----	----	----	----	94 UNCH
3970	----	----	----/*8.70A	9.60B/*8.70A	----	9.20 - 0.60	.0402	----	----	----	----	15 UNCH
3975	----	----	----/8.90A	9.70B/8.90A	----	9.30 - 0.60	.0407	----	----	1	----	25 - 1
3980	----	----	----/9.00A	9.90B/9.00A	----	9.50 - 0.60	.0416	----	----	1	----	236 + 1
3985	----	----	----/9.10A	10.00B/9.10A	----	9.60 - 0.70	.0421	----	----	----	----	136 UNCH
3990	----	----	----/*9.20A	10.20B/*9.20A	----	9.80 - 0.60	.0429	----	----	----	----	41 UNCH
3995	----	----	----/9.40A	10.50B/9.40A	----	9.90 - 0.70	.0434	----	----	----	----	20 UNCH
4000	9.80	9.80	9.80/9.50A	10.60B/9.50A	----	10.10 - 0.70	.0443	----	----	9	----	1402 - 4
4005	----	----	----/9.70A	10.70B/9.70A	----	10.20 - 0.70	.0448	----	----	----	----	153 UNCH
4010	----	----	----/9.90A	11.00B/9.90A	----	10.40 - 0.70	.0457	----	----	----	----	4 UNCH
4015	----	----	----/10.00A	11.20B/10.00A	----	10.50 - 0.80	.0462	----	----	----	----	63 UNCH
4020	----	----	----/10.20A	11.30B/10.20A	----	10.70 - 0.80	.0471	----	----	----	----	120 UNCH
4025	----	----	----/10.30A	11.60B/10.30A	----	10.90 - 0.80	.0479	----	----	----	----	22 UNCH
4030	----	----	----/10.50A	11.70B/10.50A	----	11.10 - 0.80	.0488	----	----	1	----	52 + 1
4035	----	----	----/10.60A	12.10B/10.60A	----	11.20 - 0.90	.0494	----	----	----	----	3 UNCH
4040	----	----	----/10.80A	12.20B/10.80A	----	11.40 - 0.90	.0502	----	----	1	----	9 + 1
4045	----	----	12.70B/11.00A	12.70B/11.00A	----	11.60 - 0.90	.0511	----	----	----	----	22 UNCH
4050	----	----	13.00B/11.20A	13.00B/11.20A	----	11.80 - 0.90	.0520	----	----	4	----	235 + 2
4055	----	----	13.10B/11.40A	13.10B/11.40A	----	12.00 - 0.90	.0529	----	----	----	----	32 UNCH
4060	----	----	13.30B/11.50A	13.30B/11.50A	----	12.20 - 0.90	.0537	----	----	----	----	2 UNCH
4065	----	----	----/11.60A	13.40B/11.60A	----	12.40 - 1.00	.0546	----	----	----	----	130 UNCH
4070	----	----	13.80B/11.90A	13.80B/11.90A	----	12.60 - 1.00	.0555	----	----	----	----	12 UNCH
4075	----	----	14.10B/12.10A	14.10B/12.10A	----	12.80 - 1.00	.0564	----	----	2	----	19 + 2
4080	----	----	14.60B/12.20A	14.60B/12.20A	----	13.00 - 1.10	.0573	----	----	----	----	9 UNCH
4085	----	----	14.90B/12.50A	14.90B/12.50A	----	13.20 - 1.10	.0582	----	----	----	----	14 UNCH
4090	----	----	15.20B/12.70A	15.20B/12.70A	----	13.40 - 1.20	.0592	----	----	----	----	6 UNCH
4095	----	----	15.60B/12.90A	15.60B/12.90A	----	13.70 - 1.10	.0604	----	----	----	----	15 UNCH
4100	13.00	13.00	15.70B/13.00	15.70B/13.00	----	13.90 - 1.20	.0613	----	----	9	----	1220 + 5
4105	----	----	16.10B/13.30A	16.10B/13.30A	----	14.10 - 1.30	.0622	----	----	----	----	13 UNCH
4110	----	----	16.40B/13.60A	16.40B/13.60A	----	14.40 - 1.20	.0635	----	----	----	----	16 UNCH
4115	----	----	16.70B/13.70A	16.70B/13.70A	----	14.60 - 1.30	.0644	----	----	----	----	6 UNCH
4120	----	----	17.00B/14.00A	17.00B/14.00A	----	14.90 - 1.30	.0656	----	----	----	----	82 UNCH
4125	----	----	17.30B/14.30A	17.30B/14.30A	----	15.10 - 1.40	.0666	----	----	----	----	84 UNCH
4130	----	----	17.70B/14.50A	17.70B/14.50A	----	15.40 - 1.40	.0678	----	----	----	----	91 UNCH
4135	----	----	18.00B/14.80A	18.00B/14.80A	----	15.70 - 1.40	.0691	----	----	1	----	43 + 1
4140	----	----	18.50B/15.00A	18.50B/15.00A	----	16.00 - 1.40	.0704	----	----	----	----	37 UNCH
4145	----	----	18.70B/15.30A	18.70B/15.30A	----	16.20 - 1.50	.0713	----	----	1	----	237 - 1
4150	----	----	19.00B/15.60A	19.00B/15.60A	----	16.50 - 1.50	.0726	----	----	5	----	159 + 2
4155	----	----	19.50B/15.80A	19.50B/15.80A	----	16.80 - 1.60	.0739	----	----	1	----	8 UNCH
4160	----	----	19.90B/16.20A	19.90B/16.20A	----	17.10 - 1.60	.0752	----	----	----	----	8 UNCH
4165	----	----	20.20B/16.40A	20.20B/16.40A	----	17.40 - 1.60	.0764	----	----	----	----	91 UNCH
4170	----	----	20.60B/16.60A	20.60B/16.60A	----	17.80 - 1.60	.0780	----	----	56	----	60 + 55
4175	----	----	21.10B/16.90A	21.10B/16.90A	----	18.10 - 1.60	.0793	----	----	2	----	47 + 2
4180	----	----	21.40B/17.20A	21.40B/17.20A	----	18.40 - 1.70	.0806	----	----	----	----	18 UNCH
4185	----	----	21.90B/17.50A	21.90B/17.50A	----	18.80 - 1.70	.0822	----	----	----	----	14 UNCH
4190	----	----	22.30B/17.90A	22.30B/17.90A	----	19.10 - 1.70	.0835	----	----	----	----	130 UNCH
4195	----	----	22.80B/18.10A	22.80B/18.10A	----	19.50 - 1.70	.0851	----	----	----	----	67 UNCH
4200	20.20	20.20	23.20B/18.40A	23.20B/18.40A	----	19.80 - 1.80	.0865	----	----	79	----	626 + 26
4205	21.00	21.00	23.60B/18.80A	23.60B/18.80A	----	20.20 - 1.80	.0881	----	----	48	----	63 + 41
4210	21.40	21.40	24.00B/19.10A	24.00B/19.10A	----	20.60 - 1.80	.0897	----	----	62	----	92 + 24
4215	----	----	24.70B/19.50A	24.70B/19.50A	----	21.00 - 1.80	.0913	----	----	----	----	43 UNCH
4220	----	----	25.00B/19.90A	25.00B/19.90A	----	21.40 - 1.90	.0930	----	----	----	----	195 UNCH
4225	22.70	22.70	25.50B/20.20A	25.50B/20.20A	----	21.80 - 1.90	.0946	----	----	80	----	125 + 73
4230	----	----	26.00B/20.70A	26.00B/20.70A	----	22.20 - 2.00	.0962	----	----	1	----	16 - 1
4235	----	----	26.50B/21.10A	26.50B/21.10A	----	22.60 - 2.00	.0979	----	----	----	----	47 UNCH
4240	----	----	27.20B/21.40A	27.20B/21.40A	----	23.00 - 2.10	.0996	----	----	----	----	97 UNCH
4245	----	----	27.50B/21.80A	27.50B/21.80A	----	23.50 - 2.00	.1015	----	----	1	----	5 UNCH
4250	25.10	25.10	28.10B/22.30A	28.10B/22.30A	----	23.90 - 2.10	.1032	----	----	2	----	1218 + 1
4255	----	----	28.80B/22.70A	28.80B/22.70A	----	24.40 - 2.10	.1051	----	----	3	----	11 + 3
4260	----	----	29.40B/23.10A	29.40B/23.10A	----	24.80 - 2.20	.1068	----	----	----	----	27 UNCH
4265	----	----	30.10B/23.50A	30.10B/23.50A	----	25.30 - 2.20	.1087	----	----	----	----	22 UNCH
4270	----	----	30.60B/24.00A	30.60B/24.00A	----	25.80 - 2.30	.1107	----	----	53	----	59 + 53
4275	----	----	31.30B/24.50A	31.30B/24.50A	----	26.30 - 2.30	.1127	----	----	----	----	138 UNCH
4280	----	----	31.90B/24.90A	31.90B/24.90A	----	26.80 - 2.40	.1147	----	----	----	----	189 UNCH
4285	----	----	32.50B/25.40A	32.50B/25.40A	----	27.30 - 2.40	.1166	----	----	----	----	112 UNCH
4290	----	----	33.30B/25.90A	33.30B/25.90A	----	27.90 - 2.40	.1189	----	----	----	----	35 UNCH
4295	----	----	34.00B/26.40A	34.00B/26.40A	----	28.40 - 2.50	.1209	----	----	----	----	22 UNCH
4300	29.80	29.80	34.50B/26.90A	34.50B/26.90A	----	29.00 - 2.50	.1231	----	----	57	----	1071 + 25
4305	----	----	35.20B/27.40A	35.20B/27.40A	----	29.50 - 2.60	.1251	----	----	----	----	9 UNCH
4310	----	----	36.00B/27.90A	36.00B/27.90A	----	30.10 - 2.60	.1274	----	----	----	----	31 UNCH
4315	----	----	36.60B/28.50A	36.60B/28.50A	----	30.70 - 2.60	.1297	----	----	----	----	59 UNCH
4320	32.10	32.10	37.30B/29.10A	37.30B/29.10A	----	31.30 - 2.70	.1320	----	----	70	----	76 + 66
4325	----	----	38.20B/29.60A	38.20B/29.60A	----	31.90 - 2.80	.1342	----	----	----	----	157 UNCH
4330	----	----	38.80B/30.20A	38.80B/30.20A	----	32.50 - 2.80	.1365	----	----	----	----	35 UNCH
4335	----	----	39.90B/30.80A	39.90B/30.80A	----	33.10 - 2.90	.1389	----	----	1	----	113 UNCH
4340	----	----	40.50B/31.40A	40.50B/31.40A	----	33.80 - 2.90	.1414	----	----	----	----	120 UNCH
4345	31.90	31.90	41.20B/31.90	41.20B/31.90	----	34.50 - 3.00	.1439	----	----	1	----	17 UNCH
4350	40.00	40.00	42.00B/32.60A	42.00B/32.60A	----	35.10 - 3.10	.1463	----	----	126	----	539 + 13
4355	----	----	42.80B/33.30A	42.80B/33.30A	----	35.80 - 3.10	.1488	----	----	1	----	124 UNCH
4360	----	----	43.70B/33.90A	43.70B/33.90A	----	36.50 - 3.20	.1514	----	----	1	----	107 + 1
4365	----	----	44.60B/34.60A	44.60B/34.60A	----	37.20 - 3.30	.1540	----	----	----	----	36 UNCH
4370	----	----	45.50B/35.30A	45.50B/35.30A	----	38.00 - 3.30	.1568	----	----	----	----	139 UNCH
4375	----	----	46.40B/36.00A	46.40B/36.00A	----	38.70 - 3.40	.1594	----	----	1	----	27 UNCH
4380	----	----	47.30B/36.70A	47.30B/36.70A	----	39.50 - 3.40	.1622	----	----	----	----	7 UNCH
4385	----	----	48.20B/37.50A	48.20B/37.50A	----	40.20 - 3.60	.1649	----	----	----	----	67 UNCH
4390	----	----	49.20B/38.20A	49.20B/38.20A	----	41.00 - 3.60	.1677	----	----	23	----	41 UNCH
4395	----	----	50.10B/38.90A	50.10B/38.90A	----	41.80 - 3.70	.1705	----	----	----	----	27 UNCH
4400	44.80	44.80	51.00B/39.70A	51.00B/39.70A	----	42.60 - 3.80	.1734	----	----	30	100	1078 - 5
4405	----	----	52.10B/40.50A	52.10B/40.50A	----	43.50 - 3.80	.1765	----	----	----	----	29 UNCH
4410	----	----	53.10B/41.30A	53.10B/41.30A	----	44.30 - 4.00	.1793	----	----	2	----	19 + 1
4415	----	----	54.10B/42.10A	54.10B/42.10A	----	45.20 - 4.00	.1824	----	----	2	----	174 + 1
4420	----	----	55.20B/42.90A	55.20B/42.90A	----	46.10 - 4.10	.1855	----	----	----	----	107 UNCH
4425	----	----	56.20B/43.70A	56.20B/43.70A	----	47.00 - 4.20	.1886	----	----	1	----	39 UNCH
4430	49.80	49.80	57.30B/44.70A	57.30B/44.70A	----	47.90 - 4.30	.1917	----	----	116	----	285 + 116
4435	50.80	50.80	58.50B/45.50A	58.50B/45.50A	----	48.80 - 4.40	.1948	----	----	5	----	13 + 4
4440	----	----	59.60B/46.40A	59.60B/46.40A	----	49.80 - 4.40	.1981	----	----	----	----	65 UNCH
4445	----	----	60.70B/47.30A	60.70B/47.30A	----	50.70 - 4.60	.2013	----	----	----	----	152 UNCH
4450	----	----	62.00B/48.20A	62.00B/48.20A	----	51.70 - 4.70	.2046	----	----	32	----	1005 + 29
4455	----	----	63.10B/49.20A	63.10B/49.20A	----	52.70 - 4.80	.2079	----	----	----	----	19 UNCH
4460	----	----	64.30B/50.10A	64.30B/50.10A	----	53.80 - 4.80	.2115	----	----	----	----	255 UNCH
4465	----	----	65.50B/51.10A	65.50B/51.10A	----	54.80 - 5.00	.2148	----	----	1	----	30 + 1
4470	----	----	66.80B/52.10A	66.80B/52.10A	----	55.90 - 5.00	.2183	----	----	----	----	68 UNCH
4475	----	----	68.30B/53.20A	68.30B/53.20A	----	57.00 - 5.10	.2219	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4480	----	----	69.50B/54.30A	69.50B/54.30A	----	58.10 - 5.20	.2254	----	----	----	----	142 UNCH
4485	----	----	70.60B/55.30A	70.60B/55.30A	----	59.20 - 5.40	.2290	----	----	----	----	52 UNCH
4490	----	----	72.10B/56.30A	72.10B/56.30A	----	60.30 - 5.50	.2326	----	----	----	----	47 UNCH
4495	----	----	73.40B/57.40A	73.40B/57.40A	----	61.50 - 5.60	.2363	----	----	1	----	84 + 1
4500	58.20	58.20	74.80B/58.20	74.80B/58.20	----	62.70 - 5.70	.2400	----	----	89	----	1295 - 2
4505	----	----	76.20B/59.70A	76.20B/59.70A	----	63.90 - 5.80	.2438	----	----	4	----	17 + 4
4510	----	----	77.60B/60.90A	77.60B/60.90A	----	65.10 - 6.00	.2475	----	----	1	----	9 + 1
4515	----	----	79.20B/62.10A	79.20B/62.10A	----	66.40 - 6.00	.2514	----	----	1	----	4 - 1
4520	----	----	80.50B/63.30A	80.50B/63.30A	----	67.70 - 6.10	.2554	----	----	----	----	13 UNCH
4525	----	----	82.00B/64.30A	82.00B/64.30A	----	68.90 - 6.30	.2592	----	----	----	----	513 UNCH
4530	----	----	83.50B/65.80A	83.50B/65.80A	----	70.30 - 6.40	.2632	----	----	----	----	16 UNCH
4535	----	----	85.00B/66.90A	85.00B/66.90A	----	71.60 - 6.50	.2672	----	----	----	----	10 UNCH
4540	----	----	86.80B/68.40A	86.80B/68.40A	----	73.00 - 6.60	.2713	----	----	----	----	91 UNCH
4545	----	----	88.20B/69.50A	88.20B/69.50A	----	74.40 - 6.70	.2753	----	----	----	----	20 UNCH
4550	74.90	74.90	90.10B/71.00A	90.10B/71.00A	----	75.80 - 6.90	.2794	----	----	10	----	428 + 10
4555	----	----	91.50B/72.30A	91.50B/72.30A	----	77.20 - 7.00	.2835	----	----	----	----	23 UNCH
4560	----	----	93.20B/73.60A	93.20B/73.60A	----	78.70 - 7.10	.2878	----	----	----	----	71 UNCH
4565	77.20	77.20	95.00B/75.10A	95.00B/75.10A	----	80.10 - 7.30	.2919	----	----	9	----	112 + 6
4570	80.70	80.70	96.60B/76.50A	96.60B/76.50A	----	81.60 - 7.40	.2962	----	----	10	----	19 + 3
4575	----	----	98.40B/77.90A	98.40B/77.90A	----	83.20 - 7.50	.3005	----	----	----	----	25 UNCH
4580	----	----	100.30B/79.40A	100.30B/79.40A	----	84.70 - 7.60	.3048	----	----	----	----	11 UNCH
4585	----	----	102.00B/80.90A	102.00B/80.90A	----	86.30 - 7.70	.3092	----	----	----	----	17 UNCH
4590	----	----	103.80B/82.40A	103.80B/82.40A	----	87.90 - 7.80	.3136	----	----	----	----	21 UNCH
4595	----	----	105.70B/83.90A	105.70B/83.90A	----	89.50 - 8.00	.3179	----	----	----	----	50 UNCH
4600	92.60	92.60	107.50B/85.40A	107.50B/85.40A	----	91.10 - 8.20	.3223	----	----	3	----	1368 + 1
4605	----	----	109.30B/87.00A	109.30B/87.00A	----	92.80 - 8.20	.3269	----	----	----	----	8 UNCH
4610	----	----	111.20B/88.70A	111.20B/88.70A	----	94.50 - 8.40	.3314	----	----	----	----	136 UNCH
4615	----	----	113.30B/90.20A	113.30B/90.20A	----	96.20 - 8.50	.3359	----	----	----	----	24 UNCH
4620	----	----	115.20B/91.80A	115.20B/91.80A	----	98.00 - 8.60	.3405	----	----	1	----	49 + 1
4625	----	----	117.20B/93.60A	117.20B/93.60A	----	99.70 - 8.80	.3450	----	----	----	----	187 UNCH
4630	----	----	119.20B/95.20A	119.20B/95.20A	----	101.50 - 8.90	.3496	----	----	----	----	16 UNCH
4635	----	----	121.40B/96.80A	121.40B/96.80A	----	103.30 - 9.00	.3543	----	----	----	----	126 UNCH
4640	----	----	123.30B/98.70A	123.30B/98.70A	----	105.20 - 9.10	.3590	----	----	----	----	155 UNCH
4645	----	----	125.40B/100.40A	125.40B/100.40A	----	107.10 - 9.20	.3637	----	----	----	----	24 UNCH
4650	110.00	110.00	127.60B/102.20A	127.60B/102.20A	----	109.00 - 9.30	.3684	----	----	4	----	379 + 1
4655	----	----	129.20B/104.00A	129.20B/104.00A	----	110.90 - 9.50	.3731	----	----	----	----	12 UNCH
4660	----	----	131.50B/105.80A	131.50B/105.80A	----	112.80 - 9.70	.3778	----	----	1	----	64 + 1
4665	----	----	133.60B/107.60A	133.60B/107.60A	----	114.80 - 9.80	.3826	----	----	----	----	24 UNCH
4670	----	----	136.00B/109.50A	136.00B/109.50A	----	116.80 - 9.90	.3874	----	----	----	----	99 UNCH
4675	121.40	121.40	138.20B/111.50A	138.20B/111.50A	----	118.80 - 10.10	.3922	----	----	4	----	155 UNCH
4680	----	----	140.20B/113.50A	140.20B/113.50A	----	120.90 - 10.20	.3971	----	----	1	----	132 + 1
4685	----	----	142.80B/115.40A	142.80B/115.40A	----	123.00 - 10.30	.4019	----	----	----	----	8 UNCH
4690	----	----	144.60B/117.40A	144.60B/117.40A	----	125.10 - 10.40	.4068	----	----	----	----	15 UNCH
4695	----	----	147.30B/119.50A	147.30B/119.50A	----	127.20 - 10.60	.4117	----	----	----	----	189 UNCH
4700	----	----	150.00B/121.40A	150.00B/121.40A	----	129.40 - 10.70	.4166	----	----	31	----	831 + 21
4705	----	----	151.90B/123.50A	151.90B/123.50A	----	131.60 - 10.90	.4215	----	----	----	----	9 UNCH
4710	----	----	153.90B/125.60A	153.90B/125.60A	----	133.80 - 11.10	.4264	----	----	1	----	128 UNCH
4715	----	----	156.50B/127.70A	156.50B/127.70A	----	136.00 - 11.30	.4313	----	----	3	----	122 + 2
4720	----	----	159.10B/129.90A	159.10B/129.90A	----	138.30 - 11.40	.4363	----	----	3	----	63 UNCH
4725	----	----	162.00B/132.10A	162.00B/132.10A	----	140.60 - 11.60	.4412	----	----	1	----	212 + 1
4730	141.20	141.20	164.00B/134.30A	164.00B/134.30A	----	143.00 - 11.60	.4462	----	----	4	----	78 + 4
4735	----	----	166.70B/136.50A	166.70B/136.50A	----	145.30 - 11.90	.4512	----	----	18	----	35 + 18
4740	----	----	169.60B/138.80A	169.60B/138.80A	----	147.70 - 12.00	.4562	----	----	----	----	115 UNCH
4745	----	----	171.90B/141.10A	171.90B/141.10A	----	150.10 - 12.20	.4611	----	----	----	----	121 UNCH
4750	----	----	174.70B/143.50A	174.70B/143.50A	----	152.60 - 12.30	.4661	----	----	174	----	649 + 137
4755	----	----	177.60B/145.80A	177.60B/145.80A	----	155.00 - 12.50	.4711	----	----	1	----	13 + 1
4760	----	----	180.10B/148.20A	180.10B/148.20A	----	157.60 - 12.60	.4761	----	----	1	----	81 + 1
4765	159.80	159.80	183.30B/150.60A	183.30B/150.60A	----	160.10 - 12.80	.4811	----	----	3	----	306 UNCH
4770	----	----	186.10B/153.00A	186.10B/153.00A	----	162.60 - 13.00	.4861	----	----	1	----	11 + 1
4775	----	----	188.90B/155.50A	188.90B/155.50A	----	165.20 - 13.10	.4911	----	----	----	----	56 UNCH
4780	----	----	191.70B/158.00A	191.70B/158.00A	----	167.80 - 13.20	.4960	----	----	----	----	39 UNCH
4785	----	----	194.60B/160.50A	194.60B/160.50A	----	170.50 - 13.30	.5010	----	----	----	----	115 UNCH
4790	----	----	197.40B/163.00A	197.40B/163.00A	----	173.20 - 13.40	.5060	----	----	----	----	3 UNCH
4795	----	----	200.20B/165.60A	200.20B/165.60A	----	175.90 - 13.50	.5109	----	----	----	----	80 UNCH
4800	179.50	179.50	203.10B/168.20A	203.10B/168.20A	----	178.60 - 13.70	.5159	----	----	41	----	1238 UNCH
4805	----	----	206.20B/170.90A	206.20B/170.90A	----	181.30 - 13.90	.5208	----	----	----	----	6 UNCH
4810	----	----	209.20B/173.60A	209.20B/173.60A	----	184.10 - 14.00	.5258	----	----	----	----	11 UNCH
4815	----	----	212.10B/176.20A	212.10B/176.20A	----	186.90 - 14.10	.5307	----	----	----	----	28 UNCH
4820	----	----	215.20B/178.90A	215.20B/178.90A	----	189.80 - 14.10	.5356	----	----	----	----	207 UNCH
4825	----	----	218.20B/181.70A	218.20B/181.70A	----	192.60 - 14.30	.5405	----	----	----	----	33 UNCH
4830	----	----	221.20B/184.50A	221.20B/184.50A	----	195.50 - 14.40	.5454	----	----	----	----	5 UNCH
4835	----	----	224.30B/187.20A	224.30B/187.20A	----	198.40 - 14.50	.5502	----	----	----	----	22 UNCH
4840	----	----	227.40B/190.10A	227.40B/190.10A	----	201.40 - 14.50	.5551	----	----	----	----	11 UNCH
4845	----	----	230.10B/192.90A	230.10B/192.90A	----	204.30 - 14.70	.5600	----	----	----	----	101 UNCH
4850	----	----	232.10B/195.70A	232.10B/195.70A	----	207.30 - 14.80	.5648	----	----	----	----	298 UNCH
4855	----	----	232.90B/198.70A	232.90B/198.70A	----	210.30 - 14.90	.5695	----	----	----	----	11 UNCH
4860	----	----	236.10B/201.60A	236.10B/201.60A	----	213.40 - 15.00	.5744	----	----	----	----	5 UNCH
4865	----	----	239.30B/204.50A	239.30B/204.50A	----	216.40 - 15.10	.5791	----	----	----	----	30 UNCH
4870	----	----	242.60B/207.50A	242.60B/207.50A	----	219.50 - 15.20	.5839	----	----	----	----	319 UNCH
4875	----	----	247.40B/210.50A	247.40B/210.50A	----	222.60 - 15.30	.5885	----	----	----	----	71 UNCH
4880	----	----	249.20B/213.50A	249.20B/213.50A	----	225.80 - 15.40	.5933	----	----	----	----	51 UNCH
4885	----	----	252.60B/216.50A	252.60B/216.50A	----	229.00 - 15.50	.5980	----	----	----	----	12 UNCH
4890	----	----	256.00B/219.60A	256.00B/219.60A	----	232.10 - 15.70	.6026	----	----	----	----	9 UNCH
4895	----	----	259.40B/222.70A	259.40B/222.70A	----	235.40 - 15.70	.6072	----	----	----	----	48 UNCH
4900	----	----	262.80B/225.80A	262.80B/225.80A	----	238.60 - 15.80	.6119	----	----	----	----	245 UNCH
4905	----	----	266.20B/229.00A	266.20B/229.00A	----	241.90 - 15.90	.6164	----	----	----	----	54 UNCH
4910	----	----	271.20B/232.20A	271.20B/232.20A	----	245.10 - 16.10	.6210	----	----	----	----	2 UNCH
4915	----	----	273.20B/235.30A	273.20B/235.30A	----	248.40 - 16.20	.6255	----	----	----	----	118 UNCH
4920	----	----	278.20B/238.50A	278.20B/238.50A	----	251.80 - 16.20	.6300	----	----	----	----	22 UNCH
4925	----	----	281.70B/241.80A	281.70B/241.80A	----	255.10 - 16.40	.6344	----	----	----	----	11 UNCH
4930	----	----	285.30B/245.00A	285.30B/245.00A	----	258.50 - 16.50	.6389	----	----	----	----	52 UNCH
4935	----	----	288.90B/248.40A	288.90B/248.40A	----	261.90 - 16.60	.6433	----	----	----	----	4 UNCH
4940	----	----	292.50B/251.70A	292.50B/251.70A	----	265.40 - 16.60	.6477	----	----	----	----	11 UNCH
4950	----	----	298.20B/258.70A	298.20B/258.70A	----	272.30 - 16.80	.6564	----	----	----	----	106 UNCH
4975	----	----	316.60B/275.50A	316.60B/275.50A	----	290.00 - 17.20	.6775	----	----	----	----	2 UNCH
4980	----	----	322.00B/279.30A	322.00B/279.30A	----	293.60 - 17.30	.6816	----	----	----	----	6 UNCH
4985	----	----	324.10B/282.40A	324.10B/282.40A	----	297.20 - 17.40	.6856	----	----	----	----	104 UNCH
4990	----	----	329.60B/286.00A	329.60B/286.00A	----	300.90 - 17.50	.6897	----	----	----	----	2 UNCH
4995	----	----	331.70B/289.80A	331.70B/289.80A	----	304.60 - 17.50	.6937	----	----	----	----	12 UNCH
5000	----	----	335.60B/293.40A	335.60B/293.40A	----	308.30 - 17.60	.6976	----	----	1	----	545 - 1
5005	----	----	339.40B/296.80A	339.40B/296.80A	----	312.00 - 17.60	.7016	----	----	----	----	12 UNCH
5010	----	----	343.30B/300.70A	343.30B/300.70A	----	315.70 - 17.70	.7055	----	----	----	----	9 UNCH
5015	----	----	347.10B/303.90A	347.10B/303.90A	----	319.50 - 17.70	.7094	----	----	----	----	20 UNCH
5020	----	----	351.00B/308.00A	351.00B/308.00A	----	323.30 - 17.80	.7133	----	----	----	----	5 UNCH
5025	----	----	355.00B/311.50A	355.00B/311.50A	----	327.10 - 17.80	.7169	----	----	----	----	150 UNCH
5030	----	----	358.90B/315.30A	358.90B/315.30A	----	330.90 - 17.90	.7207	----	----	----	----	8 UNCH
5035	----	----	362.80B/318.70A	362.80B/318.70A	----	334.70 - 18.00	.7245	----	----	----	----	37 UNCH
5040	----	----	366.80B/322.80A	366.80B/322.80A	----	338.60 - 18.00	.7282	----	----	----	----	10 UNCH
5045	----	----	370.80B/329.10A	370.80B/329.10A	----	342.40 - 18.10	.7318	----	----	----	----	5 UNCH
5050	----	----	374.80B/331.00A	374.80B/331.00A	----	346.30 - 18.20	.7354	----	----	----	----	79 UNCH
5055	----	----	378.80B/336.60A	378.80B/336.60A	----	350.20 - 18.20	.7390	----	----	----	----	3 UNCH
5065	----	----	386.90B/344.60A	386.90B/344.60A	----	358.10 - 18.30	.7461	----	----	----	----	11 UNCH
5075	----	----	395.00B/352.00A	395.00B/352.00A	----	366.00 - 18.40	.7529	----	----	----	----	6 UNCH
5080	----	----	399.10B/356.00A	399.10B/356.00A	----	370.00 - 18.50	.7563	----	----	----	----	2 UNCH
5085	----	----	403.20B/359.80A	403.20B/359.80A	----	374.00 - 18.50	.7597	----	----	----	----	21 UNCH
5090	----	----	407.30B/363.70A	407.30B/363.70A	----	378.10 - 18.50	.7629	----	----	----	----	6 UNCH
5095	----	----	413.30B/367.70A	413.30B/367.70A	----	382.10 - 18.60	.7663	----	----	----	----	42 UNCH
5100	----	----	417.50B/371.60A	417.50B/371.60A	----	386.10 - 18.70	.7695	----	----	----	----	106 UNCH
5105	----	----	419.80B/375.50A	419.80B/375.50A	----	390.20 - 18.70	.7726	----	----	----	----	22 UNCH
5110	----	----	424.00B/379.50A	424.00B/379.50A	----	394.30 - 18.80	.7758	----	----	----	----	16 UNCH
5115	----	----	428.20B/383.70A	428.20B/383.70A	----	398.40 - 18.80	.7790	----	----	----	----	37 UNCH
5120	----	----	432.40B/387.60A	432.40B/387.60A	----	402.50 - 18.90	.7822	----	----	----	----	13 UNCH
5125	----	----	438.50B/391.80A	438.50B/391.80A	----	406.60 - 19.00	.7851	----	----	----	----	37 UNCH
5130	----	----	440.80B/396.20A	440.80B/396.20A	----	410.80 - 19.00	.7883	----	----	----	----	23 UNCH
5135	----	----	447.00B/399.80A	447.00B/399.80A	----	414.90 - 19.10	.7912	----	----	----	----	9 UNCH
5140	----	----	449.30B/403.90A	449.30B/403.90A	----	419.10 - 19.10	.7941	----	----	----	----	19 UNCH
5145	----	----	453.60B/407.90A	453.60B/407.90A	----	423.30 - 19.20	.7970	----	----	----	----	3 UNCH
5150	----	----	459.80B/412.10A	459.80B/412.10A	----	427.50 - 19.20	.8000	----	----	----	----	233 UNCH
5155	----	----	464.10B/416.30A	464.10B/416.30A	----	431.70 - 19.30	.8026	----	----	----	----	42 UNCH
5160	----	----	466.50B/420.90A	466.50B/420.90A	----	435.90 - 19.30	.8055	----	----	----	----	42 UNCH
5170	----	----	475.20B/429.20A	475.20B/429.20A	----	444.40 - 19.40	.8111	----	----	----	----	51 UNCH
5175	----	----	479.50B/432.80A	479.50B/432.80A	----	448.70 - 19.40	.8138	----	----	----	----	61 UNCH
5180	----	----	483.90B/437.60A	483.90B/437.60A	----	453.00 - 19.50	.8164	----	----	----	----	10 UNCH
5185	----	----	490.20B/441.80A	490.20B/441.80A	----	457.30 - 19.50	.8191	----	----	----	----	103 UNCH
5190	----	----	492.60B/446.00A	492.60B/446.00A	----	461.60 - 19.60	.8217	----	----	----	----	19 UNCH
5200	----	----	503.40B/454.10A	503.40B/454.10A	----	470.20 - 19.70	.8268	----	----	----	----	56 UNCH
5225	----	----	525.50B/476.00A	525.50B/476.00A	----	492.10 - 19.80	.8389	----	----	----	----	42 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5230	----	----	530.00B/480.00A	530.00B/480.00A	----	496.50 - 19.80	.8412	----	----	----	----	2 UNCH
5235	----	----	534.50B/484.70A	534.50B/484.70A	----	500.90 - 19.90	.8433	----	----	----	----	23 UNCH
5245	----	----	543.40B/493.00A	543.40B/493.00A	----	509.70 - 20.00	.8480	----	----	----	----	2 UNCH
5250	----	----	545.90B/497.80A	545.90B/497.80A	----	514.20 - 19.90	.8501	----	----	----	----	14 UNCH
5255	----	----	552.50B/502.20A	552.50B/502.20A	----	518.60 - 20.00	.8524	----	----	----	----	14 UNCH
5285	----	----	579.70B/528.30A	579.70B/528.30A	----	545.50 - 20.20	.8648	----	----	----	----	2 UNCH
5290	----	----	582.20B/533.10A	582.20B/533.10A	----	550.00 - 20.20	.8665	----	----	----	----	4 UNCH
5295	----	----	588.80B/537.20A	588.80B/537.20A	----	554.50 - 20.20	.8685	----	----	----	----	2 UNCH
5300	----	----	591.40B/542.00A	591.40B/542.00A	----	559.10 - 20.20	.8706	----	----	----	----	68 UNCH
5315	----	----	605.20B/555.60A	605.20B/555.60A	----	572.70 - 20.30	.8761	----	----	----	----	10 UNCH
5325	----	----	614.40B/564.20A	614.40B/564.20A	----	581.90 - 20.30	.8795	----	----	----	----	2 UNCH
5350	----	----	639.70B/587.30A	639.70B/587.30A	----	604.80 - 20.40	.8880	----	----	----	----	8 UNCH
5375	----	----	660.90B/610.20A	660.90B/610.20A	----	628.00 - 20.40	.8959	----	----	----	----	8 UNCH
5390	----	----	677.10B/623.60A	677.10B/623.60A	----	641.90 - 20.50	.9003	----	----	----	----	5 UNCH
5395	652.10	652.10	679.70B/628.30A	679.70B/628.30A	----	646.60 NEW	.9016	----	----	2	----	0 UNCH
5400	----	----	684.40B/633.20A	684.40B/633.20A	----	651.30 - 20.40	.9030	----	----	----	----	602 UNCH
5410	----	----	693.80B/642.20A	693.80B/642.20A	----	660.70 - 20.40	.9057	----	----	----	----	1 UNCH
5440	----	----	722.20B/670.60A	722.20B/670.60A	----	688.90 - 20.50	.9134	----	----	----	----	1 UNCH
5475	----	----	748.60B/703.00A	748.60B/703.00A	----	722.10 - 20.40	.9213	----	----	----	----	7 UNCH
5500	----	----	----/726.70A	756.00B/726.70A	----	745.90 - 20.50	.9268	----	----	----	----	4 UNCH
5505	----	----	----/732.00A	757.00B/732.00A	----	750.70 - 20.50	.9277	----	----	----	----	1 UNCH
5510	----	----	----/736.70A	754.20B/736.70A	----	755.50 - 20.40	.9287	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1334.80 - 20.10	.9808	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1359.70 - 20.00	.9815	----	----	----	----	2 UNCH
TOTAL										1404	100	38186 + 741
AUG26												
2300	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0019	----	----	----	----	38 UNCH
2325	----	----	----	0.50B/1.00A	----	0.80 UNCH	.0019	----	----	----	----	1 UNCH
2350	----	----	----	0.60B/1.00A	----	0.90 UNCH	.0021	----	----	----	----	2 UNCH
2375	----	----	----	0.60B/1.00A	----	0.90 UNCH	.0021	----	----	----	----	7 UNCH
2400	----	----	----	0.60B/1.10A	----	0.90 - 0.10	.0022	----	----	----	----	5 UNCH
2425	----	----	----	0.70B/1.10A	----	1.00 UNCH	.0024	----	----	----	----	1 UNCH
2475	----	----	----	0.80B/1.30A	----	1.10 UNCH	.0027	----	----	----	----	5 UNCH
2500	----	----	----	0.80B/1.30A	----	1.10 - 0.10	.0027	----	----	----	----	112 UNCH
2570	----	----	----	1.00B/1.50A	----	1.30 UNCH	.0033	----	----	----	----	9 UNCH
2580	----	----	----	1.00B/1.50A	----	1.30 - 0.10	.0033	----	----	----	----	1 UNCH
2590	----	----	----	1.00B/1.50A	----	1.40 UNCH	.0035	----	----	----	----	2 UNCH
2600	----	----	----	1.10B/1.50A	----	1.40 UNCH	.0035	----	----	----	----	6 UNCH
2615	----	----	----	1.10B/1.60A	----	1.40 UNCH	.0036	----	----	----	----	1 UNCH
2625	----	----	----	1.20B/1.60A	----	1.40 - 0.10	.0036	----	----	----	----	2 UNCH
2640	----	----	----	1.20B/1.70A	----	1.50 UNCH	.0038	----	----	----	----	1 UNCH
2665	----	----	----	1.30B/1.70A	----	1.50 - 0.10	.0039	----	----	----	----	1 UNCH
2685	----	----	----	1.30B/1.80A	----	1.60 UNCH	.0041	----	----	----	----	1 UNCH
2690	----	----	----	1.30B/1.80A	----	1.60 - 0.10	.0042	----	----	----	----	1 UNCH
2730	----	----	----	1.50B/1.90A	----	1.70 - 0.10	.0045	----	----	----	----	1 UNCH
2745	----	----	----	1.60B/2.00A	----	1.80 UNCH	.0047	----	----	----	----	1 UNCH
2750	----	----	----	1.60B/2.00A	----	1.80 UNCH	.0047	----	----	----	----	4 UNCH
2800	----	----	----	1.70B/2.10A	----	1.90 - 0.10	.0051	----	----	----	----	36 UNCH
2860	----	----	----	1.90B/*2.30A	----	2.10 - 0.10	.0057	----	----	----	----	1 UNCH
2900	----	----	----	2.10B/*2.40A	----	2.20 - 0.10	.0061	----	----	----	----	2 UNCH
2950	----	----	----	2.20B/*2.60A	----	2.40 - 0.10	.0068	----	----	----	----	8 UNCH
2980	----	----	----	2.30B/*2.70A	----	2.50 - 0.10	.0071	----	----	----	----	1 UNCH
3000	----	----	----	2.40B/2.80A	----	2.60 - 0.10	.0074	----	----	----	----	269 UNCH
3005	----	----	----	2.40B/*2.80A	----	2.60 - 0.10	.0075	----	----	----	----	5 UNCH
3010	----	----	----	2.50B/2.90A	----	2.60 - 0.20	.0075	----	----	----	----	1 UNCH
3015	----	----	----	2.50B/2.90A	----	2.70 - 0.10	.0077	----	----	----	----	1 UNCH
3025	----	----	----	2.50B/*2.90A	----	2.70 - 0.10	.0078	----	----	----	----	5 UNCH
3040	----	----	----	2.60B/3.00A	----	2.80 - 0.10	.0081	----	----	----	----	1 UNCH
3065	----	----	----	2.70B/*3.10A	----	2.90 - 0.10	.0084	----	----	----	----	1 UNCH
3090	----	----	----	2.80B/*3.20A	----	3.00 - 0.10	.0088	----	----	----	----	1 UNCH
3095	----	----	----	2.90B/*3.20A	----	3.00 - 0.20	.0088	----	----	----	----	1 UNCH
3100	----	----	----	2.90B/*3.20A	----	3.00 - 0.20	.0089	----	----	----	----	264 UNCH
3110	----	----	----	2.90B/*3.30A	----	3.10 - 0.10	.0092	----	----	----	----	15 UNCH
3115	----	----	----	3.00B/*3.30A	----	3.10 - 0.20	.0092	----	----	----	----	1 UNCH
3120	----	----	----	3.00B/*3.30A	----	3.10 - 0.20	.0092	----	----	----	----	29 UNCH
3130	----	----	----	3.00B/*3.40A	----	3.20 - 0.10	.0095	----	----	----	----	5 UNCH
3145	----	----	----	3.10B/3.50A	----	3.30 - 0.10	.0098	----	----	----	----	1 UNCH
3150	----	----	----	3.20B/3.50A	----	3.30 - 0.10	.0099	----	----	----	----	10 UNCH
3155	----	----	----	3.20B/*3.50A	----	3.30 - 0.20	.0099	----	----	----	----	3 UNCH
3160	----	----	----	3.20B/*3.50A	----	3.40 - 0.10	.0102	----	----	----	----	1 UNCH
3165	----	----	----	3.20B/3.60A	----	3.40 - 0.10	.0102	----	----	----	----	141 UNCH
3170	----	----	----	3.30B/3.60A	----	3.40 - 0.10	.0102	----	----	----	----	1 UNCH
3175	----	----	----	3.30B/3.60A	----	3.40 - 0.20	.0103	----	----	----	----	1 UNCH
3180	----	----	----	3.30B/3.60A	----	3.50 - 0.10	.0105	----	----	----	----	26 UNCH
3185	----	----	----	3.40B/3.70A	----	3.50 - 0.10	.0106	----	----	----	----	1 UNCH
3190	----	----	----	3.40B/3.70A	----	3.50 - 0.20	.0106	----	----	----	----	883 UNCH
3195	----	----	----	3.40B/3.70A	----	3.60 - 0.10	.0109	----	----	----	----	1 UNCH
3200	----	----	----	3.40B/3.80A	----	3.60 - 0.10	.0109	----	----	60	----	447 + 40
3250	----	----	----/4.00A	3.70B/4.00A	----	3.90 - 0.20	.0120	----	----	----	----	530 UNCH
3260	----	----	----/4.10A	3.80B/4.10A	----	4.00 - 0.20	.0123	----	----	----	----	30 UNCH
3295	----	----	----/4.40A	4.00B/4.40A	----	4.20 - 0.30	.0131	----	----	----	----	2 UNCH
3300	----	----	----/4.40A	4.10B/4.40A	----	4.30 - 0.20	.0134	----	----	----	----	263 UNCH
3330	----	----	----/4.60A	4.30B/4.60A	----	4.50 - 0.30	.0142	----	----	----	----	2 UNCH
3350	----	----	----/4.80A	4.50B/4.80A	----	4.70 - 0.30	.0149	----	----	----	----	375 UNCH
3370	----	----	----/5.00A	4.60B/5.00A	----	4.80 - 0.40	.0153	----	----	----	----	1 UNCH
3375	----	----	----/5.00A	4.70B/5.00A	----	4.90 - 0.30	.0156	----	----	----	----	15 UNCH
3380	----	----	----/5.10A	4.70B/5.10A	----	4.90 - 0.40	.0157	----	----	----	----	1 UNCH
3390	----	----	----/5.20A	4.80B/5.20A	----	5.00 - 0.40	.0160	----	----	----	----	1 UNCH
3395	----	----	----/5.20A	4.90B/5.20A	----	5.10 - 0.30	.0163	----	----	----	----	7 UNCH
3400	----	----	----/5.30A	4.90B/5.30A	----	5.10 - 0.40	.0164	----	----	----	----	33 UNCH
3405	----	----	----/5.30A	5.00B/5.30A	----	5.20 - 0.30	.0167	----	----	----	----	4 UNCH
3410	----	----	----/5.40A	5.00B/5.40A	----	5.20 - 0.40	.0168	----	----	----	----	1 UNCH
3450	----	----	----/5.80A	5.40B/5.80A	----	5.60 - 0.40	.0182	----	----	----	----	1 UNCH
3460	----	----	----/5.90A	5.60B/5.90A	----	5.70 - 0.40	.0186	----	----	----	----	1 UNCH
3465	----	----	----/5.90A	5.60B/5.90A	----	5.80 - 0.40	.0189	----	----	----	----	6 UNCH
3470	----	----	----/6.00A	5.70B/6.00A	----	5.90 - 0.30	.0192	----	----	----	----	1 UNCH
3495	----	----	----/6.30A	6.00B/6.30A	----	6.20 - 0.30	.0203	----	----	----	----	1 UNCH
3500	6.10	6.10	6.10/*6.10	6.10/*6.10	----	6.20 - 0.40	.0204	----	----	3	----	820 + 3
3505	----	----	----/6.40A	6.10B/6.40A	----	6.30 - 0.40	.0207	----	----	----	----	1 UNCH
3510	----	----	----/6.50A	6.20B/6.50A	----	6.40 - 0.30	.0211	----	----	----	----	50 UNCH
3520	----	----	----/6.60A	6.30B/6.60A	----	6.50 - 0.40	.0215	----	----	----	----	210 UNCH
3525	----	----	----/6.70A	6.40B/6.70A	----	6.60 - 0.30	.0218	----	----	----	----	60 UNCH
3535	----	----	----/6.80A	6.50B/6.80A	----	6.70 - 0.40	.0222	----	----	----	----	1 UNCH
3545	----	----	----/6.90A	6.60B/6.90A	----	6.80 - 0.40	.0226	----	----	----	----	9 UNCH
3550	----	----	----/7.00A	6.70B/7.00A	----	6.90 - 0.40	.0229	----	----	----	----	119 UNCH
3560	----	----	----/7.10A	6.90B/7.10A	----	7.10 - 0.30	.0236	----	----	----	----	1 UNCH
3570	----	----	----/7.30A	7.00B/7.30A	----	7.20 - 0.40	.0240	----	----	----	----	32 UNCH
3575	----	----	----/7.40A	7.10B/7.40A	----	7.30 - 0.40	.0244	----	----	----	----	20 UNCH
3585	----	----	----/7.50A	7.30B/7.50A	----	7.50 - 0.30	.0251	----	----	----	----	50 UNCH
3600	7.90	7.90	7.90/7.80A	7.90/7.80A	----	7.70 - 0.40	.0258	----	----	1	----	679 UNCH
3605	----	----	----/7.90A	7.60B/7.90A	----	7.80 - 0.30	.0262	----	----	----	----	1 UNCH
3610	----	----	----/7.90A	7.70B/7.90A	----	7.90 - 0.30	.0265	----	----	----	----	1 UNCH
3630	----	----	----/8.30A	8.10B/8.30A	----	8.20 - 0.40	.0277	----	----	----	----	8 UNCH
3645	----	----	----/8.60A	8.30B/8.60A	----	8.50 - 0.40	.0288	----	----	----	----	22 UNCH
3650	----	----	----/8.70A	8.50B/8.70A	----	8.60 - 0.40	.0291	----	----	----	----	42 UNCH
3655	----	----	----/8.80A	8.50B/8.80A	----	8.70 - 0.40	.0295	----	----	----	----	55 UNCH
3660	----	----	----/8.80A	8.70B/8.80A	----	8.80 - 0.40	.0298	----	----	----	----	9 UNCH
3665	----	----	----/8.90A	8.80B/8.90A	----	8.90 - 0.40	.0302	----	----	----	----	1 UNCH
3675	----	----	----/9.20A	9.10B/9.20A	----	9.20 - 0.30	.0312	----	----	----	----	24 UNCH
3690	----	----	----/9.50A	9.40B/9.50A	----	9.50 - 0.30	.0323	----	----	----	----	12 UNCH
3700	----	----	----/9.70A	9.70B/9.70A	----	9.70 - 0.40	.0330	----	----	----	----	249 UNCH
3705	----	----	----/9.80A	9.80B/9.80A	----	9.80 - 0.40	.0334	----	----	----	----	21 UNCH
3715	----	----	----/10.00A	10.00B/10.00A	----	10.10 - 0.30	.0344	----	----	----	----	30 UNCH
3725	----	----	----/10.30A	10.20B/10.30A	----	10.30 - 0.40	.0352	----	----	----	----	4 UNCH
3730	----	----	----/10.40A	10.30B/10.40A	----	10.50 - 0.30	.0358	----	----	----	----	10 UNCH
3740	----	----	----/10.70A	10.70B/10.70A	----	10.70 - 0.40	.0366	----	----	----	----	1 UNCH
3750	----	----	----/10.90A	10.90B/10.90A	----	11.00 - 0.40	.0376	----	----	----	----	79 UNCH
3765	----	----	----/11.30A	11.30B/11.30A	----	11.40 - 0.40	.0391	----	----	----	----	100 UNCH
3770	----	----	----/11.40A	11.50B/11.40A	----	11.60 - 0.40	.0397	----	----	----	----	4 UNCH
3775	----	----	----/11.60A	11.60B/11.60A	----	11.70 - 0.40	.0401	----	----	----	----	12 UNCH
3790	----	----	----/12.00A	12.10B/12.00A	----	12.20 - 0.40	.0418	----	----	----	----	7 UNCH
3795	----	----	----/12.10A	12.30B/12.10A	----	12.30 - 0.50	.0423	----	----	----	----	83 UNCH
3800	----	----	----/12.30A	12.40B/12.30A	----	12.50 - 0.40	.0429	----	----	----	----	368 UNCH
3805	----	----	----/12.40A	12.60B/12.40A	----	12.70 - 0.40	.0436	----	----	----	----	4 UNCH
3810	----	----	----/12.60A	12.80B/12.60A	----	12.80 - 0.50	.0440	----	----	----	----	50 UNCH
3815	----	----	----/12.70A	12.90B/12.70A	----	13.00 - 0.50	.0447	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3820	----	----	----/13.00A	13.20B/13.00A	----	13.20 - 0.40	.0453	----	----	----	----	52 UNCH
3825	----	----	----/13.20A	13.30B/13.20A	----	13.40 - 0.40	.0460	----	----	----	----	51 UNCH
3835	----	----	----/13.40A	13.90B/13.40A	----	13.70 - 0.50	.0471	----	----	----	----	10 UNCH
3845	----	----	----/13.80A	14.20B/13.80A	----	14.10 - 0.50	.0485	----	----	----	----	1 UNCH
3850	----	----	----/14.00A	14.30B/14.00A	----	14.30 - 0.50	.0491	----	----	----	----	122 UNCH
3855	----	----	----/14.20A	14.60B/14.20A	----	14.50 - 0.50	.0498	----	----	----	----	5 UNCH
3875	----	----	----/15.00A	15.30B/15.00A	----	15.30 - 0.60	.0526	----	----	----	----	10 UNCH
3880	----	----	----/15.20A	15.70B/15.20A	----	15.50 - 0.60	.0533	----	----	----	----	340 UNCH
3885	----	----	----/15.40A	15.90B/15.40A	----	15.70 - 0.60	.0540	----	----	----	----	89 UNCH
3890	----	----	----/15.60A	16.00B/15.60A	----	15.90 - 0.60	.0547	----	----	----	----	73 UNCH
3895	----	----	----/15.80A	16.20B/15.80A	----	16.20 - 0.60	.0556	----	----	----	----	1 UNCH
3900	----	----	----/16.00A	16.50B/16.00A	----	16.40 - 0.60	.0563	----	----	----	----	658 UNCH
3910	----	----	----/16.40A	17.00B/16.40A	----	16.80 - 0.70	.0578	----	----	----	----	37 UNCH
3915	----	----	----/16.60A	17.20B/16.60A	----	17.10 - 0.70	.0587	----	----	----	----	35 UNCH
3920	----	----	----/16.90A	17.60B/16.90A	----	17.30 - 0.70	.0594	----	----	----	----	49 UNCH
3925	----	----	----/17.10A	17.70B/17.10A	----	17.60 - 0.70	.0604	----	----	----	----	11 UNCH
3930	----	----	----/17.30A	17.90B/17.30A	----	17.80 - 0.80	.0611	----	----	----	----	49 UNCH
3935	----	----	----/17.60A	18.40B/17.60A	----	18.10 - 0.70	.0621	----	----	----	----	11 UNCH
3940	----	----	----/17.80A	18.80B/17.80A	----	18.30 - 0.80	.0628	----	----	15	----	17 + 15
3950	----	----	----/18.30A	19.60B/18.30A	----	18.90 - 0.80	.0647	----	----	1	----	249 UNCH
3955	----	----	----/18.60A	19.80B/18.60A	----	19.10 - 0.90	.0655	----	----	----	----	11 UNCH
3960	----	----	----/18.80A	19.70B/18.80A	----	19.40 - 0.90	.0664	----	----	----	----	1 UNCH
3965	----	----	21.80B/19.10A	21.80B/19.10A	----	19.70 - 0.90	.0674	----	----	----	----	25 UNCH
3970	----	----	22.20B/19.20A	22.20B/19.20A	----	20.00 - 0.90	.0684	----	----	----	----	11 UNCH
3975	----	----	22.40B/19.60A	22.40B/19.60A	----	20.30 - 0.90	.0694	----	----	----	----	267 UNCH
3980	----	----	22.90B/19.80A	22.90B/19.80A	----	20.60 - 0.90	.0704	----	----	----	----	2251 UNCH
3985	----	----	23.10B/20.20A	23.10B/20.20A	----	20.90 - 0.90	.0714	----	----	----	----	2 UNCH
3990	----	----	23.60B/20.40A	23.60B/20.40A	----	21.20 - 0.90	.0723	----	----	----	----	45 UNCH
3995	----	----	23.90B/20.60A	23.90B/20.60A	----	21.50 - 1.00	.0733	----	----	----	----	5 UNCH
4000	----	----	24.30B/20.90A	24.30B/20.90A	----	21.80 - 1.00	.0743	----	----	53	----	1385 - 34
4005	----	----	24.60B/21.20A	24.60B/21.20A	----	22.10 - 1.10	.0754	----	----	----	----	3 UNCH
4010	----	----	25.00B/21.50A	25.00B/21.50A	----	22.40 - 1.10	.0764	----	----	----	----	79 UNCH
4015	----	----	25.50B/21.90A	25.50B/21.90A	----	22.80 - 1.10	.0776	----	----	----	----	2 UNCH
4020	----	----	25.70B/22.10A	25.70B/22.10A	----	23.10 - 1.10	.0786	----	----	----	----	2 UNCH
4025	----	----	26.30B/22.50A	26.30B/22.50A	----	23.40 - 1.20	.0796	----	----	----	----	101 UNCH
4030	----	----	26.70B/22.80A	26.70B/22.80A	----	23.80 - 1.20	.0809	----	----	----	----	50 UNCH
4035	----	----	27.10B/23.10A	27.10B/23.10A	----	24.10 - 1.30	.0819	----	----	----	----	19 UNCH
4040	----	----	27.50B/23.50A	27.50B/23.50A	----	24.50 - 1.30	.0831	----	----	----	----	25 UNCH
4045	----	----	27.90B/23.80A	27.90B/23.80A	----	24.90 - 1.30	.0844	----	----	----	----	30 UNCH
4050	----	----	28.30B/24.10A	28.30B/24.10A	----	25.20 - 1.40	.0854	----	----	----	----	312 UNCH
4055	25.50	25.50	28.70B/24.50A	28.70B/24.50A	----	25.60 NEW	.0867	----	----	14	----	14 + 14
4065	----	----	29.80B/25.30A	29.80B/25.30A	----	26.40 - 1.40	.0892	----	----	----	----	4 UNCH
4070	----	----	30.20B/25.60A	30.20B/25.60A	----	26.80 - 1.40	.0905	----	----	----	----	1 UNCH
4075	----	----	30.70B/26.00A	30.70B/26.00A	----	27.20 - 1.50	.0917	----	----	----	----	11 UNCH
4080	28.70	28.70	31.10B/26.40A	31.10B/26.40A	----	27.60 - 1.50	.0930	----	----	4	----	10 + 4
4085	29.20	29.20	31.70B/26.80A	31.70B/26.80A	----	28.00 - 1.60	.0943	----	----	15	----	43 + 14
4090	29.50	29.50	32.20B/27.20A	32.20B/27.20A	----	28.50 - 1.50	.0958	----	----	74	----	201 UNCH
4095	30.00	30.00	32.70B/27.60A	32.70B/27.60A	----	28.90 - 1.60	.0971	----	----	82	----	83 + 69
4100	30.40	30.40	33.20B/28.00A	33.20B/28.00A	----	29.30 - 1.70	.0984	----	----	148	----	403 + 66
4105	----	----	33.70B/28.40A	33.70B/28.40A	----	29.80 - 1.70	.0999	----	----	----	----	15 UNCH
4110	----	----	34.20B/28.80A	34.20B/28.80A	----	30.20 - 1.80	.1012	----	----	----	----	3 UNCH
4115	----	----	34.80B/29.30A	34.80B/29.30A	----	30.70 - 1.80	.1027	----	----	----	----	16 UNCH
4120	----	----	35.30B/29.80A	35.30B/29.80A	----	31.20 - 1.80	.1042	----	----	----	----	120 UNCH
4125	----	----	35.60B/30.30A	35.60B/30.30A	----	31.70 - 1.80	.1057	----	----	----	----	5 UNCH
4130	----	----	36.40B/30.70A	36.40B/30.70A	----	32.10 - 1.90	.1070	----	----	----	----	6 UNCH
4135	----	----	37.00B/31.10A	37.00B/31.10A	----	32.60 - 1.90	.1086	----	----	----	----	57 UNCH
4140	----	----	37.60B/31.60A	37.60B/31.60A	----	33.10 - 2.00	.1101	----	----	----	----	1 UNCH
4145	----	----	38.20B/32.10A	38.20B/32.10A	----	33.60 - 2.00	.1116	----	----	----	----	27 UNCH
4150	----	----	38.30B/32.60A	38.30B/32.60A	----	34.20 - 2.00	.1134	----	----	----	----	361 UNCH
4155	----	----	39.10B/33.10A	39.10B/33.10A	----	34.70 - 2.10	.1149	----	----	----	----	1 UNCH
4160	----	----	39.70B/33.60A	39.70B/33.60A	----	35.20 - 2.10	.1165	----	----	----	----	66 UNCH
4165	----	----	40.80B/34.20A	40.80B/34.20A	----	35.80 - 2.10	.1182	----	----	----	----	102 UNCH
4170	----	----	41.40B/34.70A	41.40B/34.70A	----	36.30 - 2.20	.1198	----	----	----	----	80 UNCH
4175	----	----	42.10B/35.20A	42.10B/35.20A	----	36.90 - 2.20	.1215	----	----	----	----	33 UNCH
4180	----	----	42.60B/35.70A	42.60B/35.70A	----	37.50 - 2.20	.1233	----	----	----	----	114 UNCH
4185	----	----	43.30B/36.20A	43.30B/36.20A	----	38.00 - 2.40	.1248	----	----	1	----	50 UNCH
4190	----	----	44.00B/36.90A	44.00B/36.90A	----	38.60 - 2.40	.1266	----	----	----	----	140 UNCH
4195	----	----	44.80B/37.40A	44.80B/37.40A	----	39.20 - 2.50	.1284	----	----	----	----	218 UNCH
4200	39.60	39.60	45.40B/38.10A	45.40B/38.10A	----	39.80 - 2.50	.1302	----	----	22	----	267 + 11
4205	----	----	46.10B/38.60A	46.10B/38.60A	----	40.50 - 2.50	.1321	----	----	----	----	350 UNCH
4210	----	----	46.80B/39.20A	46.80B/39.20A	----	41.10 - 2.50	.1339	----	----	----	----	3 UNCH
4215	----	----	47.50B/39.80A	47.50B/39.80A	----	41.70 - 2.60	.1357	----	----	----	----	17 UNCH
4220	----	----	48.30B/40.50A	48.30B/40.50A	----	42.40 - 2.60	.1377	----	----	----	----	12 UNCH
4225	----	----	48.80B/41.00A	48.80B/41.00A	----	43.10 - 2.60	.1396	----	----	----	----	17 UNCH
4230	----	----	49.80B/41.60A	49.80B/41.60A	----	43.70 - 2.80	.1415	----	----	----	----	12 UNCH
4235	----	----	50.60B/42.30A	50.60B/42.30A	----	44.40 - 2.80	.1434	----	----	----	----	8 UNCH
4240	----	----	51.40B/42.90A	51.40B/42.90A	----	45.10 - 2.80	.1454	----	----	----	----	37 UNCH
4245	----	----	52.20B/43.60A	52.20B/43.60A	----	45.80 - 2.90	.1474	----	----	----	----	55 UNCH
4250	----	----	53.00B/44.30A	53.00B/44.30A	----	46.50 - 3.00	.1494	----	----	----	----	778 UNCH
4255	----	----	54.00B/44.90A	54.00B/44.90A	----	47.20 - 3.00	.1514	----	----	----	----	888 UNCH
4260	----	----	54.70B/45.60A	54.70B/45.60A	----	48.00 - 3.00	.1536	----	----	----	----	10 UNCH
4270	----	----	56.40B/47.10A	56.40B/47.10A	----	49.50 - 3.10	.1578	----	----	----	----	16 UNCH
4275	----	----	57.20B/47.80A	57.20B/47.80A	----	50.30 - 3.20	.1600	----	----	----	----	23 UNCH
4280	----	----	58.20B/48.40A	58.20B/48.40A	----	51.10 - 3.20	.1622	----	----	----	----	68 UNCH
4285	----	----	59.10B/49.30A	59.10B/49.30A	----	51.80 - 3.30	.1643	----	----	----	----	171 UNCH
4290	----	----	59.90B/50.00A	59.90B/50.00A	----	52.70 - 3.30	.1666	----	----	----	----	61 UNCH
4295	----	----	61.00B/50.80A	61.00B/50.80A	----	53.50 - 3.40	.1688	----	----	----	----	2 UNCH
4300	----	----	61.90B/51.60A	61.90B/51.60A	----	54.30 - 3.50	.1710	----	----	50	----	925 - 44
4305	54.80	54.80	62.90B/52.40A	62.90B/52.40A	----	55.20 - 3.50	.1734	----	----	1	----	507 UNCH
4310	----	----	64.00B/53.20A	64.00B/53.20A	----	56.00 - 3.60	.1757	----	----	----	----	3 UNCH
4315	----	----	64.80B/53.90A	64.80B/53.90A	----	56.90 - 3.60	.1780	----	----	----	----	8 UNCH
4320	----	----	65.80B/54.90A	65.80B/54.90A	----	57.80 - 3.60	.1804	----	----	----	----	21 UNCH
4325	----	----	67.00B/55.60A	67.00B/55.60A	----	58.70 - 3.70	.1828	----	----	----	----	310 UNCH
4330	----	----	67.70B/56.60A	67.70B/56.60A	----	59.60 - 3.80	.1852	----	----	----	----	104 UNCH
4335	----	----	68.80B/57.30A	68.80B/57.30A	----	60.50 - 3.80	.1876	----	----	----	----	10 UNCH
4340	----	----	70.10B/58.20A	70.10B/58.20A	----	61.50 - 3.80	.1902	----	----	----	----	8 UNCH
4345	----	----	71.10B/59.40A	71.10B/59.40A	----	62.40 - 3.90	.1926	----	----	----	----	2 UNCH
4350	----	----	72.10B/60.20A	72.10B/60.20A	----	63.40 - 4.00	.1952	----	----	----	----	874 UNCH
4355	----	----	73.30B/61.20A	73.30B/61.20A	----	64.40 - 4.00	.1978	----	----	----	----	103 UNCH
4360	----	----	74.60B/61.90A	74.60B/61.90A	----	65.40 - 4.10	.2003	----	----	----	----	72 UNCH
4365	----	----	75.70B/63.00A	75.70B/63.00A	----	66.40 - 4.10	.2029	----	----	----	----	115 UNCH
4375	----	----	78.10B/65.00A	78.10B/65.00A	----	68.40 - 4.30	.2081	----	----	----	----	11 UNCH
4380	----	----	79.20B/65.80A	79.20B/65.80A	----	69.50 - 4.30	.2108	----	----	----	----	2 UNCH
4385	----	----	80.30B/67.00A	80.30B/67.00A	----	70.60 - 4.40	.2136	----	----	----	----	8 UNCH
4390	----	----	81.70B/68.10A	81.70B/68.10A	----	71.70 - 4.40	.2163	----	----	----	----	16 UNCH
4395	70.00	70.00	82.80B/69.10A	82.80B/69.10A	----	72.80 - 4.50	.2191	----	----	3	----	5 + 3
4400	----	----	84.20B/70.20A	84.20B/70.20A	----	73.90 - 4.60	.2218	----	----	----	50	1590 + 50
4405	----	----	85.40B/71.20A	85.40B/71.20A	----	75.00 - 4.60	.2246	----	----	----	----	54 UNCH
4410	----	----	86.60B/72.30A	86.60B/72.30A	----	76.10 - 4.80	.2273	----	----	----	----	303 UNCH
4415	----	----	87.90B/73.40A	87.90B/73.40A	----	77.30 - 4.80	.2302	----	----	----	----	153 UNCH
4420	77.20	77.20	89.40B/74.60A	89.40B/74.60A	----	78.50 - 4.80	.2331	----	----	1	----	5 + 1
4425	----	----	90.70B/75.80A	90.70B/75.80A	----	79.70 - 4.90	.2360	----	----	----	----	8 UNCH
4430	83.30	83.30	92.10B/76.90A	92.10B/76.90A	----	80.90 - 5.00	.2389	----	----	3	----	34 + 1
4435	----	----	93.10B/78.00A	93.10B/78.00A	----	82.10 - 5.10	.2418	----	----	----	----	6 UNCH
4440	----	----	94.80B/79.30A	94.80B/79.30A	----	83.40 - 5.10	.2449	----	----	12	----	76 UNCH
4445	----	----	96.20B/80.50A	96.20B/80.50A	----	84.60 - 5.20	.2478	----	----	----	----	1 UNCH
4450	----	----	97.70B/81.70A	97.70B/81.70A	----	85.90 - 5.30	.2508	----	----	----	----	381 UNCH
4455	----	----	99.10B/82.90A	99.10B/82.90A	----	87.20 - 5.30	.2539	----	----	12	----	252 + 12
4460	----	----	100.60B/84.10A	100.60B/84.10A	----	88.50 - 5.40	.2569	----	----	----	----	7 UNCH
4465	----	----	102.00B/85.50A	102.00B/85.50A	----	89.80 - 5.50	.2600	----	----	----	----	18 UNCH
4470	----	----	103.60B/86.70A	103.60B/86.70A	----	91.20 - 5.60	.2631	----	----	----	----	112 UNCH
4475	----	----	105.00B/88.00A	105.00B/88.00A	----	92.50 - 5.70	.2662	----	----	----	----	34 UNCH
4480	----	----	106.60B/89.30A	106.60B/89.30A	----	93.90 - 5.80	.2694	----	----	----	----	145 UNCH
4485	----	----	108.20B/90.60A	108.20B/90.60A	----	95.30 - 5.90	.2725	----	----	----	----	13 UNCH
4490	----	----	109.60B/92.00A	109.60B/92.00A	----	96.70 - 6.00	.2757	----	----	----	----	7 UNCH
4495	101.20	101.20	111.30B/93.10A	111.30B/93.10A	----	98.10 - 6.10	.2789	----	----	4	----	33 + 4
4500	99.00	99.00	112.70B/94.70A	112.70B/94.70A	----	99.60 - 6.10	.2822	----	----	158	----	1824 + 138
4505	----	----	114.60B/95.90A	114.60B/95.90A	----	101.10 - 6.20	.2855	----	----	----	----	39 UNCH
4510	----	----	116.20B/97.50A	116.20B/97.50A	----	102.60 - 6.30	.2888	----	----	----	----	48 UNCH
4515	----	----	117.90B/99.10A	117.90B/99.10A	----	104.10 - 6.40	.2921	----	----	----	----	3 UNCH
4520	----	----	119.60B/100.30A	119.60B/100.30A	----	105.60 - 6.50	.2954	----	----	----	----	21 UNCH
4525	----	----	121.30B/102.00A	121.30B/102.00A	----	107.10 - 6.60	.2987	----	----	----	----	7 UNCH
4530	----	----	123.00B/103.40A	123.00B/103.40A	----	108.70 - 6.70	.3021	----	----	----	----	4 UNCH
4535	----	----	124.80B/105.00A	124.80B/105.00A	----	110.30 - 6.70	.3055	----	----	----	----	11 UNCH
4540	----	----	126.50B/106.50A	126.50B/106.50A	----	111.90 - 6.80	.3089	----	----	----	----	38 UNCH
4545	----	----	128.20B/107.90A	128.20B/107.90A	----	113.50 - 7.00	.3123	----	----	----	----	21 UNCH
4550	122.00	122.00	130.10B/109.50A	130.10B/109.50A	----	115.10 - 7.10	.3157	----	----	1	----	35 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4555	----	----	132.00B/111.00A	132.00B/111.00A	----	116.80 - 7.20	.3192	----	----	----	----	114 UNCH
4560	----	----	133.80B/112.80A	133.80B/112.80A	----	118.40 - 7.30	.3226	----	----	----	----	88 UNCH
4565	----	----	135.70B/114.20A	135.70B/114.20A	----	120.10 - 7.40	.3261	----	----	----	----	2 UNCH
4570	125.60	125.60	137.60B/116.10A	137.60B/116.10A	----	121.90 - 7.40	.3297	----	----	11	----	74 + 11
4575	----	----	139.50B/117.50A	139.50B/117.50A	----	123.60 - 7.60	.3332	----	----	----	----	58 UNCH
4580	----	----	141.40B/119.20A	141.40B/119.20A	----	125.40 - 7.60	.3368	----	----	----	----	175 UNCH
4585	----	----	143.40B/121.00A	143.40B/121.00A	----	127.10 - 7.80	.3403	----	----	----	----	4 UNCH
4590	----	----	145.30B/122.60A	145.30B/122.60A	----	128.90 - 7.90	.3439	----	----	----	----	32 UNCH
4595	----	----	147.30B/124.30A	147.30B/124.30A	----	130.70 - 8.00	.3475	----	----	----	----	155 UNCH
4600	----	----	149.30B/126.10A	149.30B/126.10A	----	132.60 - 8.10	.3511	----	----	2	----	550 + 2
4605	137.10	137.10	151.40B/128.20A	151.40B/128.20A	----	134.40 - 8.20	.3547	----	----	2	----	86 + 1
4610	----	----	153.30B/129.90A	153.30B/129.90A	----	136.30 - 8.30	.3584	----	----	----	----	9 UNCH
4615	----	----	155.40B/131.70A	155.40B/131.70A	----	138.20 - 8.40	.3620	----	----	----	----	2 UNCH
4620	----	----	157.20B/133.50A	157.20B/133.50A	----	140.20 - 8.40	.3658	----	----	----	----	15 UNCH
4625	----	----	159.40B/135.10A	159.40B/135.10A	----	142.10 - 8.60	.3694	----	----	----	----	209 UNCH
4630	----	----	161.50B/137.30A	161.50B/137.30A	----	144.10 - 8.70	.3731	----	----	----	----	11 UNCH
4635	----	----	163.60B/139.00A	163.60B/139.00A	----	146.00 - 8.80	.3768	----	----	----	----	128 UNCH
4640	----	----	165.60B/140.90A	165.60B/140.90A	----	148.10 - 8.80	.3806	----	----	----	----	325 UNCH
4645	----	----	166.60B/142.90A	166.60B/142.90A	----	150.10 - 9.00	.3843	----	----	----	----	131 UNCH
4650	----	----	168.90B/144.80A	168.90B/144.80A	----	152.10 - 9.10	.3880	----	----	----	----	400 UNCH
4655	----	----	171.50B/146.80A	171.50B/146.80A	----	154.20 - 9.20	.3918	----	----	----	----	25 UNCH
4660	----	----	173.40B/149.00A	173.40B/149.00A	----	156.30 - 9.30	.3956	----	----	----	----	27 UNCH
4665	----	----	175.60B/150.70A	175.60B/150.70A	----	158.40 - 9.40	.3994	----	----	----	----	4 UNCH
4670	163.60	163.60	177.80B/152.90A	177.80B/152.90A	----	160.60 - 9.40	.4032	----	----	2	----	6 + 2
4675	----	----	180.20B/155.00A	180.20B/155.00A	----	162.70 - 9.60	.4070	----	----	----	----	13 UNCH
4680	----	----	182.50B/157.10A	182.50B/157.10A	----	164.90 - 9.70	.4108	----	----	----	----	12 UNCH
4685	----	----	185.10B/159.20A	185.10B/159.20A	----	167.10 - 9.80	.4146	----	----	----	----	222 UNCH
4690	----	----	187.40B/161.20A	187.40B/161.20A	----	169.30 - 9.90	.4184	----	----	----	----	9 UNCH
4695	----	----	190.00B/163.30A	190.00B/163.30A	----	171.50 - 10.00	.4222	----	----	----	----	5 UNCH
4700	165.60	165.60	192.20B/164.80	192.20B/164.80	----	173.80 - 10.10	.4261	----	----	97	----	994 + 9
4705	----	----	194.60B/167.70A	194.60B/167.70A	----	176.10 - 10.20	.4299	----	----	----	----	61 UNCH
4710	----	----	196.90B/169.90A	196.90B/169.90A	----	178.40 - 10.30	.4338	----	----	----	----	10 UNCH
4715	----	----	199.50B/172.20A	199.50B/172.20A	----	180.70 - 10.50	.4376	----	----	----	----	1 UNCH
4720	----	----	201.80B/174.40A	201.80B/174.40A	----	183.10 - 10.50	.4415	----	----	----	----	10 UNCH
4725	189.00	189.00	204.60B/176.90A	204.60B/176.90A	----	185.40 - 10.70	.4453	----	----	3	----	48 + 3
4730	----	----	207.20B/179.00A	207.20B/179.00A	----	187.80 - 10.80	.4492	----	----	----	----	6 UNCH
4735	----	----	209.70B/181.50A	209.70B/181.50A	----	190.20 - 10.90	.4531	----	----	----	----	59 UNCH
4740	----	----	212.30B/183.70A	212.30B/183.70A	----	192.70 - 11.00	.4569	----	----	----	----	49 UNCH
4745	----	----	214.90B/186.20A	214.90B/186.20A	----	195.10 - 11.10	.4608	----	----	----	----	32 UNCH
4750	199.50	199.50	217.40B/188.60A	217.40B/188.60A	----	197.60 - 11.20	.4647	----	----	4	----	171 + 4
4755	----	----	220.10B/191.00A	220.10B/191.00A	----	200.10 - 11.30	.4686	----	----	----	----	25 UNCH
4760	201.90	201.90	223.00B/193.60A	223.00B/193.60A	----	202.60 - 11.50	.4725	----	----	3	----	12 + 3
4765	204.80	204.80	225.50B/195.80A	225.50B/195.80A	----	205.10 NEW	.4763	----	----	5	----	5 + 5
4770	----	----	228.20B/198.30A	228.20B/198.30A	----	207.70 - 11.70	.4802	----	----	1	----	251 + 1
4775	209.90	209.90	230.50B/200.80A	230.50B/200.80A	----	210.30 - 11.80	.4841	----	----	7	----	96 + 7
4780	----	----	234.40B/203.30A	234.40B/203.30A	----	212.90 - 12.00	.4879	----	----	----	----	20 UNCH
4785	----	----	237.20B/205.90A	237.20B/205.90A	----	215.50 - 12.10	.4918	----	----	----	----	18 UNCH
4790	----	----	240.10B/208.50A	240.10B/208.50A	----	218.10 - 12.30	.4957	----	----	----	----	53 UNCH
4795	----	----	242.90B/211.10A	242.90B/211.10A	----	220.80 - 12.40	.4995	----	----	----	----	101 UNCH
4800	232.10	232.10	245.90B/213.70A	245.90B/213.70A	----	223.50 - 12.50	.5034	----	----	1	----	938 + 1
4805	----	----	248.60B/216.40A	248.60B/216.40A	----	226.20 - 12.60	.5072	----	----	----	----	9 UNCH
4810	----	----	251.60B/218.90A	251.60B/218.90A	----	229.00 - 12.70	.5111	----	----	----	----	5 UNCH
4815	----	----	254.50B/221.60A	254.50B/221.60A	----	231.70 - 12.80	.5149	----	----	----	----	3 UNCH
4820	----	----	257.40B/224.40A	257.40B/224.40A	----	234.50 - 12.90	.5188	----	----	----	----	4 UNCH
4825	----	----	260.50B/227.40A	260.50B/227.40A	----	237.30 - 13.10	.5226	----	----	----	----	30 UNCH
4830	----	----	263.50B/230.20A	263.50B/230.20A	----	240.20 - 13.10	.5264	----	----	----	----	4 UNCH
4835	----	----	266.40B/233.00A	266.40B/233.00A	----	243.00 - 13.20	.5302	----	----	----	----	36 UNCH
4840	----	----	269.60B/235.70A	269.60B/235.70A	----	245.90 - 13.30	.5340	----	----	----	----	5 UNCH
4850	251.60	251.60	275.70B/241.20A	275.70B/241.20A	----	251.70 - 13.50	.5415	----	----	1	----	155 + 1
4855	----	----	278.60B/244.00A	278.60B/244.00A	----	254.70 - 13.60	.5453	----	----	----	----	11 UNCH
4860	----	----	281.70B/247.00A	281.70B/247.00A	----	257.70 - 13.60	.5491	----	----	----	----	9 UNCH
4865	----	----	284.60B/250.00A	284.60B/250.00A	----	260.70 - 13.70	.5528	----	----	----	----	12 UNCH
4870	----	----	287.30B/252.90A	287.30B/252.90A	----	263.70 - 13.80	.5566	----	----	----	----	29 UNCH
4875	----	----	289.80B/255.80A	289.80B/255.80A	----	266.70 - 13.90	.5603	----	----	----	----	82 UNCH
4880	----	----	292.10B/258.50A	292.10B/258.50A	----	269.80 - 13.90	.5640	----	----	----	----	126 UNCH
4885	----	----	295.40B/261.70A	295.40B/261.70A	----	272.80 - 14.10	.5676	----	----	----	----	8 UNCH
4890	----	----	296.90B/264.70A	296.90B/264.70A	----	275.90 - 14.20	.5713	----	----	----	----	6 UNCH
4895	----	----	300.20B/267.40A	300.20B/267.40A	----	279.10 - 14.20	.5750	----	----	----	----	6 UNCH
4900	----	----	303.50B/270.60A	303.50B/270.60A	----	282.20 - 14.30	.5787	----	----	----	----	422 UNCH
4905	----	----	306.80B/273.50A	306.80B/273.50A	----	285.30 - 14.40	.5823	----	----	----	----	29 UNCH
4910	----	----	311.50B/276.70A	311.50B/276.70A	----	288.50 - 14.50	.5859	----	----	----	----	23 UNCH
4920	----	----	318.20B/283.00A	318.20B/283.00A	----	294.90 - 14.60	.5931	----	----	----	----	3 UNCH
4925	----	----	321.50B/285.90A	321.50B/285.90A	----	298.10 - 14.70	.5967	----	----	----	----	53 UNCH
4930	----	----	324.90B/289.10A	324.90B/289.10A	----	301.40 - 14.80	.6003	----	----	----	----	1 UNCH
4950	----	----	332.10B/301.90A	332.10B/301.90A	----	314.50 - 15.20	.6143	----	----	----	----	31 UNCH
4955	----	----	334.10B/305.40A	334.10B/305.40A	----	317.90 - 15.20	.6178	----	----	----	----	1 UNCH
4980	----	----	----/321.70A	345.30B/321.70A	----	334.80 - 15.70	.6349	----	----	----	----	1 UNCH
5000	----	----	----/335.40A	359.40B/335.40A	----	348.70 - 16.00	.6483	----	----	----	----	326 UNCH
5010	----	----	----/341.80A	366.60B/341.80A	----	355.80 - 16.10	.6549	----	----	----	----	1 UNCH
5025	----	----	----/352.70A	377.40B/352.70A	----	366.50 - 16.30	.6646	----	----	----	----	25 UNCH
5030	----	----	----/356.20A	381.10B/356.20A	----	370.10 - 16.30	.6677	----	----	----	----	1 UNCH
5040	----	----	----/362.80A	388.40B/362.80A	----	377.40 - 16.40	.6741	----	----	----	----	4 UNCH
5045	----	----	----/366.50A	392.10B/366.50A	----	381.00 - 16.50	.6772	----	----	----	----	31 UNCH
5050	----	----	----/370.40A	395.80B/370.40A	----	384.70 - 16.60	.6803	----	----	----	----	351 UNCH
5070	----	----	----/384.60A	410.90B/384.60A	----	399.60 - 16.70	.6924	----	----	----	----	17 UNCH
5080	----	----	----/392.10A	416.20B/392.10A	----	407.10 - 16.90	.6985	----	----	----	----	3 UNCH
5100	----	----	----/406.90A	430.40B/406.90A	----	422.30 - 17.10	.7101	----	----	----	----	82 UNCH
5120	----	----	----/422.00A	422.60B/422.00A	----	437.70 - 17.30	.7214	----	----	----	----	2 UNCH
5180	----	----	----	379.00B/594.00A	----	485.30 - 17.90	.7532	----	----	----	----	1 UNCH
5195	----	----	----	391.40B/605.90A	----	497.50 - 18.00	.7607	----	----	----	----	2 UNCH
5200	----	----	----/491.00A	510.10B/491.00A	----	501.60 - 18.00	.7632	----	----	----	----	112 UNCH
5265	----	----	----	450.80B/662.70A	----	555.70 - 18.60	.7929	----	----	----	----	1 UNCH
5300	----	----	----/573.60A	594.30B/573.60A	----	585.60 - 18.80	.8075	----	----	----	----	3 UNCH
5355	----	----	----	530.20B/738.40A	----	633.40 - 19.10	.8283	----	----	----	----	1 UNCH
5400	----	----	----/660.20A	682.80B/660.20A	----	673.20 - 19.40	.8438	----	----	----	----	76 UNCH
5460	----	----	----	625.40B/830.60A	----	727.20 - 19.70	.8621	----	----	----	----	1 UNCH
5500	----	----	----/749.70A	772.30B/749.70A	----	763.80 - 19.80	.8730	----	----	----	----	3 UNCH
5530	----	----	----	689.60B/894.90A	----	791.40 - 19.90	.8807	----	----	----	----	1 UNCH
5575	----	----	----	731.40B/936.70A	----	833.20 - 20.10	.8910	----	----	----	----	2 UNCH
TOTAL										877	50	34903 + 416
SEP26												
2000	----	----	----	0.30B/1.00A	----	0.80 - 0.10	.0016	----	----	----	----	1 UNCH
2350	----	----	----	0.90B/1.80A	----	1.40 UNCH	.0031	----	----	----	----	36 UNCH
2375	----	----	----	0.90B/1.90A	----	1.50 + 0.10	.0033	----	----	----	----	4 UNCH
2400	----	----	----	1.10B/2.00A	----	1.50 + 0.10	.0033	----	----	----	----	1 UNCH
2500	----	----	----	1.20B/2.30A	----	1.80 + 0.20	.0041	----	----	----	----	4 UNCH
2600	----	----	----	1.60B/2.50A	----	2.10 + 0.20	.0049	----	----	----	----	2 UNCH
2915	----	----	----	2.80B/3.80A	----	3.30 NEW	.0084	----	----	2	----	2 + 2
3000	----	----	----	3.30B/4.30A	----	3.80 - 0.10	.0099	----	----	----	----	2 UNCH
3145	----	----	----	4.30B/5.30A	----	4.80 - 0.20	.0130	----	----	----	----	15 UNCH
3150	----	----	----	4.30B/5.40A	----	4.90 - 0.10	.0132	----	----	----	----	2 UNCH
3200	----	----	----	4.80B/5.80A	----	5.30 - 0.10	.0145	----	----	----	----	1 UNCH
3270	----	----	----	5.50B/6.50A	----	6.00 - 0.10	.0167	----	----	----	----	15 UNCH
3300	----	----	----	5.80B/6.90A	----	6.40 - 0.10	.0179	----	----	----	----	1 UNCH
3400	----	----	----	7.30B/7.90A	----	7.80 - 0.10	.0221	----	----	----	----	1 UNCH
3475	----	----	----/9.10A	8.70B/9.10A	----	9.10 - 0.20	.0261	----	----	----	----	2 UNCH
3480	----	----	----/9.20A	8.80B/9.20A	----	9.20 - 0.20	.0264	----	----	----	----	780 UNCH
3500	----	----	----/9.60A	9.20B/9.60A	----	9.60 - 0.20	.0276	----	----	----	----	26 UNCH
3525	----	----	----/10.20A	9.70B/10.20A	----	10.10 - 0.30	.0291	----	----	----	----	2 UNCH
3550	----	----	----/10.80A	10.30B/10.80A	----	10.70 - 0.30	.0309	----	----	----	----	5 UNCH
3565	----	----	----/11.10A	10.50B/11.10A	----	11.10 - 0.30	.0321	----	----	----	----	1 UNCH
3590	----	----	----/11.70A	11.20B/11.70A	----	11.70 - 0.30	.0339	----	----	----	----	2 UNCH
3600	----	----	----/12.00A	11.60B/12.00A	----	12.00 - 0.30	.0348	----	----	----	----	37 UNCH
3610	----	----	----/12.20A	11.60B/12.20A	----	12.30 - 0.30	.0357	----	----	----	----	7 UNCH
3625	----	----	----/12.70A	12.20B/12.70A	----	12.70 - 0.40	.0369	----	----	----	----	1 UNCH
3650	----	----	----/13.40A	12.80B/13.40A	----	13.50 - 0.40	.0392	----	----	----	----	66 UNCH
3690	----	----	----/14.70A	14.10B/14.70A	----	14.80 - 0.50	.0430	----	----	----	----	60 UNCH
3700	----	----	----/15.10A	14.50B/15.10A	----	15.10 - 0.50	.0440	----	----	----	----	149 UNCH
3720	----	----	----/15.80A	15.30B/15.80A	----	15.90 - 0.50	.0463	----	----	----	----	50 UNCH
3750	16.70	16.70	16.70/16.70	16.70/16.70	----	17.10 - 0.60	.0497	----	----	38	----	96 - 24
3755	----	----	----/17.10A	16.70B/17.10A	----	17.30 - 0.60	.0503	----	----	----	----	310 UNCH
3775	----	----	----/18.00A	17.60B/18.00A	----	18.20 - 0.60	.0529	----	----	----	----	1 UNCH
3800	----	----	----/19.10A	18.90B/19.10A	----	19.30 - 0.70	.0561	----	----	----	----	41 UNCH
3825	----	----	----/20.30A	20.10B/20.30A	----	20.60 - 0.70	.0597	----	----	----	----	12 UNCH
3850	----	----	----/21.50A	21.50B/21.50A	----	21.90 - 0.80	.0634	----	----	----	----	20 UNCH
3880	----	----	----/23.20A	23.40B/23.20A	----	23.70 - 0.90	.0684	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3900	----	----	----/24.40A	25.30B/24.40A	----	24.90 - 1.00	.0718	----	----	1	----	211 + 1
3910	----	----	----/25.00A	26.00B/25.00A	----	25.60 - 1.00	.0737	----	----	----	----	2 UNCH
3915	----	----	----/25.30A	26.30B/25.30A	----	25.90 - 1.00	.0745	----	----	----	----	4 UNCH
3920	----	----	----/25.70A	26.60B/25.70A	----	26.30 - 1.00	.0755	----	----	----	----	14 UNCH
3930	----	----	----/26.20A	27.30B/26.20A	----	27.00 - 1.00	.0774	----	----	----	----	2 UNCH
3945	----	----	----/27.30A	28.50B/27.30A	----	28.00 - 1.20	.0802	----	----	----	----	380 UNCH
3950	----	----	----/27.60A	28.90B/27.60A	----	28.40 - 1.20	.0813	----	----	----	----	324 UNCH
3975	----	----	----/29.40A	30.90B/29.40A	----	30.40 - 1.20	.0866	----	----	----	----	4 UNCH
3980	----	----	----/29.80A	31.30B/29.80A	----	30.80 - 1.20	.0877	----	----	----	----	2 UNCH
4000	34.00	34.00	34.00/31.40A	34.00/31.40A	----	32.40 - 1.40	.0920	----	----	2	130	1211 + 86
4005	----	----	----/31.90A	33.50B/31.90A	----	32.90 - 1.30	.0932	----	----	----	----	1 UNCH
4020	----	----	----/33.10A	34.80B/33.10A	----	34.20 - 1.50	.0967	----	----	----	----	14 UNCH
4030	----	----	----/33.90A	35.70B/33.90A	----	35.10 - 1.50	.0991	----	----	2	----	3 + 2
4050	----	----	----/35.90A	37.60B/35.90A	----	37.00 - 1.70	.1040	----	----	----	----	47 UNCH
4065	----	----	----/37.30A	39.30B/37.30A	----	38.60 - 1.70	.1080	----	----	----	----	5 UNCH
4070	----	----	----/37.90A	39.70B/37.90A	----	39.10 - 1.70	.1093	----	----	----	----	10 UNCH
4080	----	----	----/38.90A	40.90B/38.90A	----	40.10 - 1.90	.1119	----	----	2	----	6 UNCH
4085	----	----	----/39.50A	41.50B/39.50A	----	40.70 - 1.80	.1134	----	----	----	----	76 UNCH
4090	----	----	----/39.90A	42.00B/39.90A	----	41.20 - 1.90	.1147	----	----	----	----	2 UNCH
4100	----	----	----/41.00A	43.20B/41.00A	----	42.40 - 1.90	.1177	----	----	2	----	24 + 2
4110	----	----	----/42.10A	44.40B/42.10A	----	43.50 - 2.00	.1205	----	----	----	----	1 UNCH
4115	----	----	----/42.70A	45.00B/42.70A	----	44.10 - 2.00	.1219	----	----	----	----	28 UNCH
4130	----	----	----/44.30A	48.00B/44.30A	----	45.90 - 2.10	.1264	----	----	----	----	20 UNCH
4135	----	----	----/44.90A	47.70B/44.90A	----	46.50 - 2.20	.1279	----	----	----	----	3 UNCH
4150	----	----	----/46.70A	49.60B/46.70A	----	48.50 - 2.20	.1327	----	----	----	----	4 UNCH
4185	----	----	----/51.20A	54.70B/51.20A	----	53.20 - 2.50	.1442	----	----	----	----	76 UNCH
4200	----	----	----/53.40A	57.00B/53.40A	----	55.40 - 2.60	.1494	----	----	2	----	224 + 1
4220	----	----	----/56.20A	60.10B/56.20A	----	58.50 - 2.80	.1566	----	----	----	----	113 UNCH
4225	----	----	----/57.10A	60.90B/57.10A	----	59.30 - 2.80	.1585	----	----	----	----	2 UNCH
4230	----	----	----/57.80A	61.70B/57.80A	----	60.10 - 2.80	.1603	----	----	----	----	29 UNCH
4240	60.50	60.50	60.50/59.30A	63.40B/59.30A	----	61.70 - 2.90	.1641	----	----	3	----	128 - 1
4250	----	----	----/60.90A	65.20B/60.90A	----	63.40 - 3.00	.1679	----	----	----	----	126 UNCH
4275	----	----	----/65.10A	69.90B/65.10A	----	67.70 - 3.30	.1777	----	----	----	----	30 UNCH
4290	----	----	----/67.80A	72.60B/67.80A	----	70.50 - 3.30	.1839	----	----	----	----	1 UNCH
4300	----	----	----/69.60A	74.50B/69.60A	----	72.40 - 3.40	.1881	----	----	----	----	255 UNCH
4320	----	----	----/73.20A	78.60B/73.20A	----	76.30 - 3.60	.1967	----	----	----	----	158 UNCH
4325	----	----	----/74.30A	79.90B/74.30A	----	77.30 - 3.70	.1989	----	----	----	----	6 UNCH
4345	----	----	----/78.20A	84.80B/78.20A	----	81.50 - 3.90	.2079	----	----	----	----	16 UNCH
4350	----	----	----/79.30A	85.50B/79.30A	----	82.50 - 4.00	.2101	----	----	----	----	43 UNCH
4360	----	----	----/81.40A	88.10B/81.40A	----	84.70 - 4.10	.2147	----	----	----	----	1 UNCH
4365	----	----	----/82.40A	89.70B/82.40A	----	85.80 - 4.10	.2170	----	----	----	----	6 UNCH
4375	----	----	----/84.60A	91.70B/84.60A	----	88.10 - 4.20	.2218	----	----	----	----	55 UNCH
4380	----	----	93.60B/85.70A	93.60B/85.70A	----	89.30 - 4.20	.2242	----	----	----	----	95 UNCH
4390	----	----	----/88.00A	95.70B/88.00A	----	91.60 - 4.40	.2290	----	----	----	----	41 UNCH
4395	----	----	----/89.10A	96.50B/89.10A	----	92.80 - 4.40	.2315	----	----	----	----	41 UNCH
4400	----	----	----/90.20A	97.90B/90.20A	----	94.00 - 4.50	.2339	----	----	----	----	868 UNCH
4405	----	----	----/91.50A	99.20B/91.50A	----	95.20 - 4.60	.2364	----	----	----	----	40 UNCH
4410	----	----	----/92.50A	100.50B/92.50A	----	96.50 - 4.60	.2389	----	----	----	----	6 UNCH
4420	----	----	----/95.00A	103.30B/95.00A	----	99.00 - 4.70	.2439	----	----	----	----	1 UNCH
4430	----	----	106.70B/97.50A	106.70B/97.50A	----	101.50 - 4.90	.2490	----	----	----	----	2 UNCH
4440	----	----	109.60B/100.20A	109.60B/100.20A	----	104.10 - 5.00	.2541	----	----	----	----	7 UNCH
4445	----	----	111.00B/101.30A	111.00B/101.30A	----	105.50 - 5.00	.2568	----	----	----	----	1 UNCH
4450	----	----	----/102.60A	111.90B/102.60A	----	106.80 - 5.10	.2594	----	----	----	----	460 UNCH
4470	----	----	----/108.00A	117.40B/108.00A	----	112.40 - 5.30	.2701	----	----	----	----	2 UNCH
4475	----	----	----/109.40A	119.00B/109.40A	----	113.80 - 5.40	.2728	----	----	----	----	3 UNCH
4485	----	----	122.50B/112.20A	122.50B/112.20A	----	116.70 - 5.50	.2783	----	----	----	----	1 UNCH
4490	----	----	124.00B/113.50A	124.00B/113.50A	----	118.10 - 5.70	.2810	----	----	----	----	50 UNCH
4495	----	----	----/115.00A	125.30B/115.00A	----	119.60 - 5.70	.2838	----	----	1	----	2 + 1
4500	----	----	127.20B/116.40A	127.20B/116.40A	----	121.10 - 5.80	.2865	----	----	1	----	499 UNCH
4515	----	----	----/120.80A	131.70B/120.80A	----	125.70 - 6.00	.2950	----	----	----	----	3 UNCH
4520	----	----	133.50B/122.30A	133.50B/122.30A	----	127.20 - 6.20	.2978	----	----	----	----	91 UNCH
4525	----	----	135.40B/124.00A	135.40B/124.00A	----	128.80 - 6.20	.3007	----	----	----	----	2 UNCH
4530	----	----	137.10B/125.60A	137.10B/125.60A	----	130.40 - 6.30	.3035	----	----	----	----	2 UNCH
4550	----	----	143.60B/131.80A	143.60B/131.80A	----	136.90 - 6.60	.3152	----	----	----	----	352 UNCH
4560	----	----	147.40B/135.10A	147.40B/135.10A	----	140.30 - 6.80	.3211	----	----	----	----	30 UNCH
4565	----	----	149.40B/136.60A	149.40B/136.60A	----	142.00 - 6.80	.3240	----	----	----	----	75 UNCH
4570	----	----	151.50B/138.40A	151.50B/138.40A	----	143.70 - 7.00	.3270	----	----	----	----	2 UNCH
4575	----	----	152.90B/140.10A	152.90B/140.10A	----	145.50 - 7.00	.3300	----	----	----	----	16 UNCH
4580	----	----	155.00B/141.70A	155.00B/141.70A	----	147.20 - 7.10	.3330	----	----	----	----	1 UNCH
4585	----	----	156.40B/143.50A	156.40B/143.50A	----	149.00 - 7.20	.3360	----	----	----	----	7 UNCH
4595	----	----	160.40B/147.10A	160.40B/147.10A	----	152.60 - 7.40	.3421	----	----	1	----	2 UNCH
4600	----	----	162.30B/148.80A	162.30B/148.80A	----	154.40 - 7.50	.3451	----	----	----	----	53 UNCH
4605	155.50	155.50	164.20B/150.70A	164.20B/150.70A	----	156.20 - 7.60	.3482	----	----	2	----	3 + 2
4610	----	----	166.80B/152.40A	166.80B/152.40A	----	158.10 - 7.70	.3513	----	----	----	----	5 UNCH
4615	----	----	168.90B/154.20A	168.90B/154.20A	----	160.00 - 7.70	.3544	----	----	----	----	1 UNCH
4620	----	----	170.20B/155.80A	170.20B/155.80A	----	161.80 - 7.90	.3574	----	----	----	----	408 UNCH
4625	----	----	172.70B/157.90A	172.70B/157.90A	----	163.80 - 7.90	.3606	----	----	2	----	13 UNCH
4630	----	----	174.80B/159.90A	174.80B/159.90A	----	165.70 - 8.00	.3637	----	----	----	----	2 UNCH
4635	----	----	176.20B/161.60A	176.20B/161.60A	----	167.60 NEW	.3668	----	----	1	----	1 + 1
4645	----	----	180.80B/165.50A	180.80B/165.50A	----	171.60 - 8.30	.3731	----	----	----	----	1 UNCH
4650	----	----	183.00B/167.50A	183.00B/167.50A	----	173.60 - 8.40	.3762	----	----	----	----	9 UNCH
4655	----	----	184.80B/169.40A	184.80B/169.40A	----	175.60 - 8.50	.3794	----	----	----	----	3 UNCH
4670	----	----	194.90B/175.30A	194.90B/175.30A	----	181.70 NEW	.3889	----	----	2	----	2 + 2
4695	191.70	191.70	208.00B/185.80A	208.00B/185.80A	----	192.40 NEW	.4050	----	----	2	----	2 + 2
4700	----	----	206.60B/187.80A	206.60B/187.80A	----	194.60 - 9.40	.4082	----	----	----	----	138 UNCH
4705	----	----	213.10B/190.00A	213.10B/190.00A	----	196.80 - 9.60	.4115	----	----	----	----	2 UNCH
4710	----	----	211.10B/192.20A	211.10B/192.20A	----	199.00 - 9.70	.4147	----	----	----	----	1 UNCH
4725	----	----	221.40B/198.70A	221.40B/198.70A	----	205.80 - 10.00	.4245	----	----	----	----	7 UNCH
4730	----	----	225.10B/201.00A	225.10B/201.00A	----	208.10 - 10.10	.4277	----	----	----	----	5 UNCH
4735	----	----	223.00B/203.10A	223.00B/203.10A	----	210.40 - 10.20	.4310	----	----	----	----	100 UNCH
4740	----	----	230.30B/205.60A	230.30B/205.60A	----	212.80 - 10.30	.4343	----	----	----	----	2 UNCH
4750	----	----	230.30B/210.00A	230.30B/210.00A	----	217.50 - 10.50	.4408	----	----	----	----	174 UNCH
4760	----	----	235.30B/214.80A	235.30B/214.80A	----	222.30 - 10.70	.4474	----	----	----	----	100 UNCH
4775	----	----	244.30B/221.90A	244.30B/221.90A	----	229.70 - 11.00	.4572	----	----	----	----	18 UNCH
4780	----	----	245.60B/224.20A	245.60B/224.20A	----	232.20 - 11.10	.4605	----	----	----	----	3 UNCH
4800	247.50	247.50	258.80B/234.00A	258.80B/234.00A	----	242.50 - 11.40	.4737	----	----	1	----	471 UNCH
4805	244.60	244.60	260.20B/236.80A	260.20B/236.80A	----	245.10 NEW	.4770	----	----	4	----	4 + 4
4825	----	----	268.60B/246.90A	268.60B/246.90A	----	255.70 - 11.90	.4900	----	----	----	----	2 UNCH
4830	260.50	260.50	271.60B/249.40A	271.60B/249.40A	----	258.40 - 11.90	.4933	----	----	9	----	10 + 9
4835	----	----	275.40B/252.00A	275.40B/252.00A	----	261.10 - 12.10	.4966	----	----	----	----	30 UNCH
4855	----	----	286.90B/262.70A	286.90B/262.70A	----	272.20 - 12.40	.5096	----	----	----	----	14 UNCH
4860	274.90	274.90	288.70B/265.60A	288.70B/265.60A	----	275.00 NEW	.5128	----	----	11	----	11 + 11
4875	273.60	273.60	297.50B/273.60	297.50B/273.60	----	283.50 - 12.70	.5225	----	----	8	----	8 + 4
4885	----	----	303.50B/279.40A	303.50B/279.40A	----	289.30 - 12.90	.5289	----	----	----	----	4 UNCH
4895	----	----	309.60B/285.10A	309.60B/285.10A	----	295.10 - 13.10	.5353	----	----	----	----	1 UNCH
4900	----	----	312.60B/287.90A	312.60B/287.90A	----	298.10 - 13.10	.5384	----	----	----	----	3 UNCH
4915	----	----	321.90B/296.60A	321.90B/296.60A	----	307.00 - 13.40	.5479	----	----	----	----	1 UNCH
4930	----	----	331.40B/305.40A	331.40B/305.40A	----	316.10 - 13.70	.5573	----	----	----	----	20 UNCH
4950	----	----	344.20B/317.50A	344.20B/317.50A	----	328.50 - 14.00	.5697	----	----	----	----	1 UNCH
4975	333.20	333.20	360.60B/332.80A	360.60B/332.80A	----	344.40 - 14.30	.5850	----	----	10	----	220 + 10
5000	----	----	377.30B/348.80A	377.30B/348.80A	----	360.70 - 14.60	.6000	----	----	----	----	10 UNCH
5005	----	----	380.70B/351.80A	380.70B/351.80A	----	364.00 - 14.70	.6030	----	----	----	----	3 UNCH
5020	----	----	----/361.60A	388.70B/361.60A	----	374.00 - 14.90	.6118	----	----	----	----	3 UNCH
5060	----	----	----/388.20A	411.80B/388.20A	----	401.50 - 15.30	.6347	----	----	----	----	4 UNCH
5100	----	----	----/415.80A	440.40B/415.80A	----	429.80 - 15.80	.6567	----	----	----	----	28 UNCH
5105	----	----	----/419.80A	444.10B/419.80A	----	433.50 - 15.80	.6593	----	----	----	----	2 UNCH
5150	----	----	----/452.00A	477.40B/452.00A	----	466.50 - 16.30	.6828	----	----	----	----	2 UNCH
5200	----	----	----/489.20A	513.70B/489.20A	----	504.40 - 16.90	.7075	----	----	----	----	45 UNCH
5230	----	----	----/511.70A	537.80B/511.70A	----	527.70 - 17.20	.7216	----	----	----	----	400 UNCH
5300	----	----	----/570.80A	594.10B/570.80A	----	583.70 - 17.90	.7521	----	----	----	----	300 UNCH
5400	----	----	----/653.90A	677.00B/653.90A	----	667.10 - 18.70	.7905	----	----	----	----	100 UNCH
5420	----	----	----/670.70A	694.30B/670.70A	----	684.10 - 18.90	.7973	----	----	----	----	80 UNCH
5450	----	----	----	602.10B/819.00A	----	710.00 - 19.00	.8073	----	----	----	----	1 UNCH
5500	----	----	----/739.40A	763.80B/739.40A	----	753.70 - 19.20	.8229	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1218.00 - 20.10	.9188	----	----	----	----	2 UNCH
TOTAL										109	130	10986 + 115
OCT26												
2700	----	----	----	1.90B/3.80A	----	2.40 - 0.20	.0058	----	----	----	----	1 UNCH
2800	----	----	----	2.30B/4.00A	----	3.10 - 0.20	.0075	----	----	----	----	3 UNCH
2900	----	----	----	3.00B/4.90A	----	3.90 - 0.20	.0096	----	----	----	----	1 UNCH
3100	----	----	----	4.70B/6.70A	----	5.90 - 0.20	.0148	----	----	----	----	1 UNCH
3155	----	----	----	5.30B/7.40A	----	6.60 - 0.20	.0167	----	----	----	----	1 UNCH
3200	----	----	----	5.90B/8.00A	----	7.20 - 0.20	.0183	----	----	----	----	414 UNCH
3240	----	----	----	6.40B/8.50A	----	7.80 - 0.20	.0199	----	----	----	----	5 UNCH
3300	----	----	----	7.40B/9.50A	----	8.90 - 0.20	.0228	----	----	----	----	415 UNCH
3340	----	----	----	8.10B/10.30A	----	9.70 - 0.20	.0250	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
3360	----	----	----	8.60B/10.70A	----	10.10 - 0.20	.0260	----	----	----	----	1 UNCH
3380	----	----	----	9.00B/11.20A	----	10.50 - 0.30	.0271	----	----	----	----	1 UNCH
3390	----	----	----	9.20B/11.40A	----	10.70 - 0.30	.0277	----	----	----	----	4 UNCH
3400	----	----	----	9.40B/11.60A	----	11.00 - 0.30	.0284	----	----	----	----	150 UNCH
3480	----	----	----	11.50B/13.60A	----	13.10 - 0.40	.0340	----	----	----	----	12 UNCH
3500	----	----	----	12.10B/14.20A	----	13.60 - 0.50	.0354	----	----	----	----	10 UNCH
3520	----	----	----	12.70B/14.90A	----	14.30 - 0.50	.0371	----	----	----	----	12 UNCH
3550	----	----	----	13.80B/15.90A	----	15.30 - 0.50	.0397	----	----	----	----	25 UNCH
3600	----	----	----	15.70B/17.70A	----	17.10 - 0.60	.0444	----	----	----	----	182 UNCH
3615	----	----	----/18.30A	16.30B/18.30A	----	17.70 - 0.70	.0460	----	----	----	----	1 UNCH
3700	----	----	----/22.30A	20.30B/22.30A	----	21.60 - 0.90	.0559	----	----	----	----	136 UNCH
3715	----	----	----/23.10A	21.10B/23.10A	----	22.40 - 0.90	.0579	----	----	----	----	196 UNCH
3750	----	----	----/25.00A	23.10B/25.00A	----	24.40 - 0.90	.0628	----	----	----	----	19 UNCH
3770	----	----	----/26.20A	24.40B/26.20A	----	25.60 - 1.00	.0657	----	----	----	----	1 UNCH
3785	----	----	----/27.10A	25.50B/27.10A	----	26.60 - 0.90	.0681	----	----	----	----	1 UNCH
3800	----	----	----/28.10A	27.60B/28.10A	----	27.60 - 1.00	.0706	----	----	----	----	19 UNCH
3805	----	----	----/28.40A	28.00B/28.40A	----	27.90 - 1.00	.0713	----	----	----	----	1 UNCH
3820	----	----	----/29.00A	29.00B/29.00A	----	29.00 - 1.00	.0739	----	----	----	----	1 UNCH
3865	----	----	----/31.90A	32.50B/31.90A	----	32.40 - 1.00	.0820	----	----	2	----	2 UNCH
3870	----	----	----/31.90A	32.90B/31.90A	----	32.80 - 1.00	.0829	----	----	----	----	1 UNCH
3875	----	----	----/32.40A	33.30B/32.40A	----	33.20 - 1.00	.0839	----	----	----	----	12 UNCH
3885	----	----	----/33.40A	34.20B/33.40A	----	34.00 - 1.10	.0858	----	----	----	----	5 UNCH
3890	----	----	----/33.90A	34.60B/33.90A	----	34.40 - 1.10	.0867	----	----	2	----	2 UNCH
3895	----	----	----/34.30A	35.00B/34.30A	----	34.90 - 1.10	.0878	----	----	----	----	2 UNCH
3900	----	----	----/34.70A	35.50B/34.70A	----	35.30 - 1.10	.0888	----	----	----	----	23 UNCH
3920	----	----	----/36.40A	37.30B/36.40A	----	37.10 - 1.20	.0930	----	----	----	----	28 UNCH
3930	----	----	----/37.30A	37.90B/37.30A	----	38.00 - 1.20	.0951	----	----	----	----	2 UNCH
3940	----	----	----/38.20A	38.50B/38.20A	----	38.90 - 1.30	.0972	----	----	----	----	65 UNCH
3950	----	----	----/39.10A	39.70B/39.10A	----	39.80 - 1.50	.0993	----	----	----	----	2 UNCH
3975	----	----	----/42.00A	42.30B/42.00A	----	42.30 - 1.60	.1050	----	----	----	----	5 UNCH
4000	44.00	44.00	45.00B/44.00	45.00B/44.00	----	44.90 - 1.90	.1109	----	----	1	----	393 UNCH
4030	----	----	----/47.80A	48.50B/47.80A	----	48.30 - 2.10	.1185	----	----	----	----	2 UNCH
4050	----	----	----/50.20A	51.10B/50.20A	----	50.60 - 2.40	.1237	----	----	----	----	5 UNCH
4070	----	----	----/52.50A	53.80B/52.50A	----	53.10 - 2.50	.1292	----	----	----	----	24 UNCH
4100	----	----	----/56.40A	58.10B/56.40A	----	57.10 - 2.60	.1378	----	----	----	----	466 UNCH
4130	----	----	----/60.40A	62.50B/60.40A	----	61.40 - 2.70	.1470	----	----	----	----	2 UNCH
4150	----	----	----/63.30A	65.60B/63.30A	----	64.40 - 2.70	.1533	----	----	----	----	5 UNCH
4180	----	----	----/68.30A	70.70B/68.30A	----	69.30 - 2.70	.1633	----	----	----	----	1 UNCH
4200	----	----	----/71.00A	74.70B/71.00A	----	72.70 - 2.80	.1703	----	----	----	75	430 + 75
4220	----	----	----/74.70A	78.30B/74.70A	----	76.30 - 2.90	.1775	----	----	----	----	5 UNCH
4235	----	----	----/77.90A	80.80B/77.90A	----	79.10 - 3.10	.1830	----	----	----	----	1 UNCH
4250	----	----	----/80.20A	84.10B/80.20A	----	82.00 - 3.30	.1887	----	----	----	----	72 UNCH
4265	----	----	----/83.10A	87.20B/83.10A	----	85.00 - 3.50	.1945	----	----	----	----	200 UNCH
4270	----	----	----/84.10A	88.50B/84.10A	----	86.00 - 3.60	.1964	----	----	----	----	226 UNCH
4280	----	----	----/86.10A	90.70B/86.10A	----	88.10 - 3.80	.2004	----	----	----	----	196 UNCH
4300	----	----	----/90.30A	95.20B/90.30A	----	92.50 - 4.10	.2087	----	----	----	----	616 UNCH
4330	----	----	----/97.30A	101.50B/97.30A	----	99.30 - 4.60	.2213	----	----	----	----	1 UNCH
4350	----	----	----/101.40A	106.90B/101.40A	----	104.20 - 4.90	.2300	----	----	----	----	211 UNCH
4355	----	----	----/102.60A	108.20B/102.60A	----	105.40 - 5.00	.2322	----	----	----	----	11 UNCH
4375	----	----	----/107.50A	113.40B/107.50A	----	110.50 - 5.30	.2412	----	----	----	----	10 UNCH
4400	----	----	----/113.80A	120.40B/113.80A	----	117.10 - 5.70	.2528	----	----	----	----	607 UNCH
4430	----	----	----/121.80A	128.70B/121.80A	----	125.50 - 6.00	.2670	----	----	----	----	3 UNCH
4450	----	----	----/127.40A	134.80B/127.40A	----	131.40 - 6.10	.2768	----	----	----	----	26 UNCH
4475	----	----	----/135.50A	143.10B/135.50A	----	139.00 - 6.30	.2893	----	----	----	----	2 UNCH
4500	----	----	----/142.40A	151.40B/142.40A	----	147.00 - 6.40	.3020	----	----	----	----	90 UNCH
4550	----	----	----/159.60A	169.20B/159.60A	----	164.00 - 6.70	.3283	----	----	----	----	1 UNCH
4560	----	----	----/162.30A	173.00B/162.30A	----	167.50 - 6.90	.3336	----	----	----	----	78 UNCH
4600	----	----	----/176.70A	188.90B/176.70A	----	182.50 - 7.20	.3555	----	----	----	----	329 UNCH
4610	----	----	----/180.80A	192.80B/180.80A	----	186.40 - 7.30	.3610	----	----	----	----	5 UNCH
4625	----	----	----/186.50A	199.40B/186.50A	----	192.30 - 7.60	.3694	----	----	----	----	40 UNCH
4630	----	----	----/189.10A	201.20B/189.10A	----	194.40 - 7.60	.3722	----	----	----	----	1 UNCH
4635	----	----	----/191.10A	203.40B/191.10A	----	196.40 - 7.70	.3750	----	----	----	----	1 UNCH
4640	----	----	----/192.30A	205.50B/192.30A	----	198.40 - 7.90	.3778	----	----	----	----	13 UNCH
4650	----	----	----/196.30A	210.00B/196.30A	----	202.60 - 8.00	.3835	----	----	----	----	133 UNCH
4675	----	----	229.10B/207.50A	229.10B/207.50A	----	213.30 - 8.40	.3977	----	----	----	----	1 UNCH
4680	----	----	232.00B/209.50A	232.00B/209.50A	----	215.50 - 8.50	.4006	----	----	----	----	1 UNCH
4700	219.00	219.00	241.40B/217.80A	241.40B/217.80A	----	224.40 - 8.90	.4121	----	----	1	----	84 UNCH
4715	----	----	248.60B/224.40A	248.60B/224.40A	----	231.20 - 9.20	.4207	----	----	----	----	3 UNCH
4750	----	----	265.50B/240.60A	265.50B/240.60A	----	247.80 - 9.90	.4411	----	----	----	----	175 UNCH
4775	----	----	277.90B/252.80A	277.90B/252.80A	----	260.10 - 10.40	.4556	----	----	----	----	1 UNCH
4780	----	----	281.70B/255.40A	281.70B/255.40A	----	262.60 - 10.50	.4585	----	----	----	----	1 UNCH
4800	----	----	292.40B/264.90A	292.40B/264.90A	----	272.90 - 10.90	.4702	----	----	----	----	101 UNCH
4805	----	----	295.20B/267.90A	295.20B/267.90A	----	275.50 NEW	.4731	----	----	1	----	1 + 1
4815	----	----	300.70B/272.40A	300.70B/272.40A	----	280.70 - 11.20	.4789	----	----	----	----	36 UNCH
4845	----	----	----/288.10A	307.70B/288.10A	----	296.90 - 11.60	.4963	----	----	----	----	17 UNCH
4850	----	----	311.80B/291.00A	311.80B/291.00A	----	299.70 - 11.60	.4992	----	----	----	----	80 UNCH
4875	----	----	326.30B/304.80A	326.30B/304.80A	----	313.70 - 12.00	.5135	----	----	----	----	1 UNCH
4900	----	----	341.30B/318.90A	341.30B/318.90A	----	328.10 - 12.50	.5277	----	----	----	----	131 UNCH
4910	----	----	----/324.80A	346.10B/324.80A	----	334.00 - 12.60	.5333	----	----	----	----	1 UNCH
4920	----	----	----/330.40A	352.30B/330.40A	----	340.00 - 12.80	.5390	----	----	----	----	1 UNCH
4925	----	----	356.60B/332.80A	356.60B/332.80A	----	343.00 - 12.80	.5418	----	----	----	----	25 UNCH
4935	----	----	----/338.70A	361.60B/338.70A	----	349.00 - 13.10	.5473	----	----	----	----	5 UNCH
4965	----	----	382.00B/357.20A	382.00B/357.20A	----	367.50 - 13.60	.5639	----	----	----	----	13 UNCH
4980	----	----	----/366.50A	390.40B/366.50A	----	377.00 - 13.80	.5720	----	----	----	----	1 UNCH
5000	----	----	405.00B/378.70A	405.00B/378.70A	----	389.80 - 14.10	.5828	----	----	----	----	47 UNCH
5010	----	----	----/385.40A	410.30B/385.40A	----	396.30 - 14.30	.5881	----	----	----	----	1 UNCH
5050	----	----	----/410.70A	436.60B/410.70A	----	422.90 - 14.70	.6090	----	----	----	----	25 UNCH
5150	----	----	----/480.00A	502.10B/480.00A	----	492.80 - 16.20	.6585	----	----	----	----	1 UNCH
5200	----	----	----/516.20A	539.40B/516.20A	----	529.60 - 17.00	.6815	----	----	----	----	100 UNCH
5230	----	----	----/538.40A	562.30B/538.40A	----	552.30 - 17.40	.6946	----	----	----	----	1 UNCH
5250	----	----	----/553.30A	575.50B/553.30A	----	567.70 - 17.60	.7032	----	----	----	----	75 UNCH
5300	----	----	----/596.40A	614.70B/596.40A	----	606.90 - 18.10	.7235	----	----	----	----	6 UNCH
5425	----	----	----	596.90B/821.60A	----	708.90 - 18.90	.7689	----	----	----	----	1 UNCH
5455	----	----	----/721.80A	742.00B/721.80A	----	734.10 - 19.20	.7787	----	----	----	----	40 UNCH
5495	----	----	----	656.90B/879.90A	----	768.20 - 19.60	.7911	----	----	----	----	1 UNCH
5500	----	----	----	661.20B/884.20A	----	772.50 - 19.60	.7926	----	----	----	----	1 UNCH
5600	----	----	----	749.60B/969.90A	----	859.70 - 20.40	.8202	----	----	----	----	1 UNCH
5700	----	----	----	840.40B/1057.90A	----	949.20 - 20.30	.8438	----	----	----	----	1 UNCH
13000	----	----	----	----	----	3200.10 - 19.60	1.0000	----	----	----	----	0 UNCH
TOTAL										7	75	6957 + 76
NOV26												
2750	----	----	----	2.70B/5.00A	----	3.90 - 0.10	.0086	----	----	----	----	1 UNCH
2800	----	----	----	3.10B/5.40A	----	4.40 - 0.10	.0098	----	----	----	----	8 UNCH
2900	----	----	----	3.90B/6.20A	----	5.30 - 0.20	.0119	----	----	----	----	1 UNCH
3000	----	----	----	4.80B/7.30A	----	6.50 - 0.20	.0148	----	----	----	----	95 UNCH
3120	----	----	----	6.30B/8.90A	----	8.20 - 0.20	.0189	----	----	----	----	10 UNCH
3180	----	----	----	7.30B/9.90A	----	9.20 - 0.30	.0213	----	----	----	----	10 UNCH
3200	----	----	----	7.70B/10.20A	----	9.60 - 0.30	.0222	----	----	----	----	93 UNCH
3215	----	----	----	8.00B/10.50A	----	9.90 - 0.30	.0229	----	----	----	----	1 UNCH
3220	----	----	----	8.20B/10.70A	----	10.00 - 0.30	.0232	----	----	----	----	1 UNCH
3225	----	----	----	8.10B/10.70A	----	10.10 - 0.30	.0234	----	----	----	----	1 UNCH
3235	----	----	----	8.40B/11.00A	----	10.30 - 0.30	.0239	----	----	----	----	2 UNCH
3250	----	----	----	8.70B/11.30A	----	10.60 - 0.30	.0246	----	----	----	----	18 UNCH
3255	----	----	----	8.80B/11.40A	----	10.70 - 0.30	.0249	----	----	----	----	18 UNCH
3300	----	----	----	9.80B/12.50A	----	11.70 - 0.40	.0273	----	----	----	----	20 UNCH
3310	----	----	----	10.10B/12.70A	----	12.00 - 0.30	.0280	----	----	----	----	1 UNCH
3320	----	----	----	10.30B/13.00A	----	12.20 - 0.40	.0285	----	----	----	----	16 UNCH
3350	----	----	----	11.10B/13.80A	----	13.00 - 0.40	.0303	----	----	----	----	180 UNCH
3455	----	----	----	14.40B/17.20A	----	16.30 - 0.40	.0380	----	----	----	----	1 UNCH
3475	----	----	----	15.20B/17.90A	----	17.00 - 0.50	.0397	----	----	----	----	2 UNCH
3500	----	----	----	16.10B/18.90A	----	17.90 - 0.60	.0418	----	----	----	----	675 UNCH
3535	----	----	----	17.70B/20.40A	----	19.40 - 0.50	.0452	----	----	----	----	1 UNCH
3605	----	----	----	21.00B/23.80A	----	22.60 - 0.70	.0524	----	----	----	----	1 UNCH
3690	----	----	----	26.00B/28.50A	----	27.40 - 0.90	.0631	----	----	----	----	1 UNCH
3725	----	----	----	28.40B/30.70A	----	29.70 - 0.90	.0680	----	----	----	----	1 UNCH
3740	----	----	----/31.50A	30.50B/31.50A	----	30.80 - 0.90	.0704	----	----	----	----	21 UNCH
3750	----	----	----/32.30A	31.30B/32.30A	----	31.50 - 1.00	.0719	----	----	----	----	150 UNCH
3780	----	----	----/33.60A	33.50B/33.60A	----	33.70 - 1.10	.0766	----	----	----	----	1 UNCH
3800	----	----	----/35.10A	35.20B/35.10A	----	35.30 - 1.10	.0800	----	----	----	----	29 UNCH
3820	----	----	----/37.20A	36.90B/37.20A	----	36.90 - 1.20	.0834	----	----	----	----	22 UNCH
3875	----	----	----/41.60A	42.00B/41.60A	----	41.90 - 1.40	.0937	----	----	----	----	24 UNCH
3900	----	----	----/44.50A	44.20B/44.50A	----	44.30 - 1.60	.0986	----	----	----	----	2 UNCH
3920	----	----	----/46.90A	46.30B/46.90A	----	46.40 - 1.70	.1028	----	----	----	----	2 UNCH
3925	----	----	----/47.20A	46.80B/47.20A	----	47.00 - 1.60	.1040	----	----	----	----	2 UNCH
3980	----	----	----/53.10A	53.20B/53.10A	----	53.20 - 2.00	.1163	----	----	----	----	1 UNCH
4000	----	----	----/55.50A	55.70B/55.50A	----	55.70 - 2.00	.1212	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4025	----	----	----/58.80A	59.00B/58.80A	----	58.90 - 2.20	.1274	----	----	----	----	2 UNCH
4100	----	----	----/68.90A	70.50B/68.90A	----	69.80 - 2.50	.1479	----	----	----	----	2 UNCH
4135	----	----	----/74.50A	76.50B/74.50A	----	75.40 - 2.80	.1582	----	----	----	----	22 UNCH
4160	----	----	----/78.50A	80.90B/78.50A	----	79.70 - 2.90	.1659	----	----	----	----	1 UNCH
4170	----	----	----/80.30A	83.00B/80.30A	----	81.50 - 2.90	.1691	----	----	----	----	1 UNCH
4180	----	----	----/82.10A	84.90B/82.10A	----	83.30 - 3.00	.1723	----	----	----	----	1 UNCH
4200	----	----	----/85.70A	89.00B/85.70A	----	87.10 - 3.00	.1790	----	----	----	----	6 UNCH
4205	----	----	----/86.60A	89.90B/86.60A	----	88.00 - 3.10	.1806	----	----	----	----	1 UNCH
4215	----	----	----/88.50A	92.00B/88.50A	----	90.00 - 3.10	.1840	----	----	----	----	5 UNCH
4250	----	----	----/95.50A	99.60B/95.50A	----	97.10 - 3.30	.1962	----	----	----	----	370 UNCH
4275	----	----	----/100.70A	105.30B/100.70A	----	102.50 - 3.50	.2052	----	----	----	----	3 UNCH
4305	----	----	----/107.30A	112.70B/107.30A	----	109.30 - 3.70	.2165	----	----	----	----	1 UNCH
4320	----	----	----/110.80A	116.30B/110.80A	----	112.90 - 3.70	.2223	----	----	----	----	43 UNCH
4330	----	----	----/113.10A	119.00B/113.10A	----	115.30 - 3.80	.2262	----	----	----	----	2 UNCH
4350	----	----	124.30B/118.00A	124.30B/118.00A	----	120.30 - 3.90	.2341	----	----	----	----	3 UNCH
4390	----	----	135.30B/128.20A	135.30B/128.20A	----	130.80 - 4.20	.2505	----	----	----	----	1 UNCH
4395	----	----	136.70B/129.50A	136.70B/129.50A	----	132.20 - 4.20	.2526	----	----	----	----	1 UNCH
4400	----	----	138.10B/130.90A	138.10B/130.90A	----	133.50 - 4.30	.2546	----	----	----	----	3 UNCH
4425	----	----	145.60B/137.80A	145.60B/137.80A	----	140.60 - 4.50	.2653	----	----	----	----	72 UNCH
4430	----	----	147.10B/139.10A	147.10B/139.10A	----	142.10 - 4.50	.2675	----	----	----	----	10 UNCH
4450	----	----	153.50B/144.90A	153.50B/144.90A	----	148.00 - 4.70	.2763	----	----	----	----	39 UNCH
4485	----	----	164.90B/155.40A	164.90B/155.40A	----	158.90 - 5.00	.2920	----	----	----	----	1 UNCH
4490	----	----	166.60B/157.00A	166.60B/157.00A	----	160.50 - 5.10	.2943	----	----	----	----	1 UNCH
4500	----	----	170.20B/160.20A	170.20B/160.20A	----	163.80 - 5.10	.2989	----	----	----	----	45 UNCH
4510	----	----	173.50B/163.50A	173.50B/163.50A	----	167.10 - 5.20	.3035	----	----	----	----	11 UNCH
4535	----	----	182.40B/171.60A	182.40B/171.60A	----	175.60 - 5.50	.3152	----	----	----	----	10 UNCH
4540	----	----	184.20B/173.50A	184.20B/173.50A	----	177.30 - 5.60	.3176	----	----	----	----	6 UNCH
4580	----	----	199.30B/187.30A	199.30B/187.30A	----	191.80 - 6.00	.3368	----	----	----	----	10 UNCH
4600	----	----	207.20B/194.60A	207.20B/194.60A	----	199.30 - 6.30	.3466	----	----	----	----	1 UNCH
4640	----	----	223.70B/209.90A	223.70B/209.90A	----	215.10 - 6.70	.3664	----	----	----	----	90 UNCH
4650	----	----	227.80B/213.90A	227.80B/213.90A	----	219.20 - 6.80	.3714	----	----	----	----	50 UNCH
4700	----	----	255.80B/234.70A	255.80B/234.70A	----	240.50 - 7.20	.3968	----	----	----	----	2 UNCH
4710	----	----	260.50B/238.90A	260.50B/238.90A	----	244.90 - 7.40	.4019	----	----	----	----	1 UNCH
4725	----	----	267.50B/245.70A	267.50B/245.70A	----	251.70 - 7.40	.4096	----	----	----	----	2 UNCH
4750	260.00	260.00	276.80B/256.70A	276.80B/256.70A	----	263.20 NEW	.4225	----	----	10	----	10 + 10
4755	----	----	282.10B/259.00A	282.10B/259.00A	----	265.60 - 7.70	.4251	----	----	----	----	1 UNCH
4800	----	----	304.90B/280.50A	304.90B/280.50A	----	287.40 - 8.80	.4485	----	----	----	----	7 UNCH
4820	----	----	314.60B/290.40A	314.60B/290.40A	----	297.50 - 9.50	.4589	----	----	----	----	1 UNCH
4840	----	----	326.20B/300.30A	326.20B/300.30A	----	307.80 - 10.40	.4693	----	----	----	----	2 UNCH
4845	----	----	328.90B/302.80A	328.90B/302.80A	----	310.40 - 10.60	.4719	----	----	----	----	10 UNCH
4850	----	----	331.70B/305.40A	331.70B/305.40A	----	313.00 - 10.80	.4745	----	----	----	----	6 UNCH
4900	----	----	353.70B/332.00A	353.70B/332.00A	----	340.00 - 12.50	.5003	----	----	----	----	12 UNCH
4915	----	----	362.50B/340.50A	362.50B/340.50A	----	348.40 - 12.80	.5080	----	----	----	----	3 UNCH
4935	----	----	374.40B/351.50A	374.40B/351.50A	----	359.70 - 13.10	.5182	----	----	----	----	25 UNCH
4950	----	----	383.40B/360.00A	383.40B/360.00A	----	368.40 - 13.30	.5258	----	----	----	----	11 UNCH
4960	----	----	389.50B/365.80A	389.50B/365.80A	----	374.30 - 13.40	.5309	----	----	----	----	2 UNCH
5000	----	----	414.50B/389.40A	414.50B/389.40A	----	398.50 - 13.90	.5508	----	----	----	----	256 UNCH
5020	----	----	427.30B/401.60A	427.30B/401.60A	----	411.00 - 14.10	.5606	----	----	----	----	30 UNCH
5055	----	----	450.20B/423.40A	450.20B/423.40A	----	433.30 - 14.60	.5774	----	----	----	----	8 UNCH
5200	----	----	----/520.30A	541.10B/520.30A	----	532.60 - 16.10	.6429	----	----	----	----	81 UNCH
5395	----	----	----/665.40A	663.60B/665.40A	----	680.20 - 17.70	.7188	----	----	----	----	6 UNCH
5400	----	----	----/669.10A	663.60B/669.10A	----	684.10 - 17.80	.7205	----	----	----	----	6 UNCH
5760	----	----	----	862.40B/1113.70A	----	988.90 - 19.50	.8215	----	----	----	----	1 UNCH
5975	----	----	----	1058.90B/1307.20A	----	1184.00 - 20.00	.8618	----	----	----	----	1 UNCH
6000	----	----	----	1082.00B/1330.50A	----	1207.20 - 19.90	.8657	----	----	----	----	1 UNCH
TOTAL										10		2716 + 10
DEC26												
1350	----	----	----	----/1.00A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/12.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1500	----	----	----	----/1.80A	----	0.20 UNCH	.0003	----	----	----	----	1 UNCH
1600	----	----	----	0.20B/1.90A	----	0.30 UNCH	.0005	----	----	----	----	190 UNCH
1700	----	----	----	0.20B/2.20A	----	0.40 UNCH	.0007	----	----	----	----	200 UNCH
1845	----	----	----	0.20B/3.10A	----	0.70 UNCH	.0013	----	----	----	----	50 UNCH
1900	----	----	----	0.30B/3.00A	----	0.90 + 0.10	.0016	----	----	----	----	4 UNCH
2000	----	----	----	0.30B/4.40A	----	1.20 + 0.10	.0022	----	----	----	----	2 UNCH
2400	----	----	----	1.50B/4.10A	----	2.60 + 0.20	.0052	----	----	----	----	1 UNCH
2490	----	----	----	1.90B/4.60A	----	3.10 + 0.20	.0062	----	----	----	----	1 UNCH
2750	----	----	----	3.40B/6.40A	----	4.90 + 0.30	.0103	----	----	----	----	1 UNCH
2800	----	----	----	3.90B/6.90A	----	5.40 + 0.40	.0114	----	----	----	----	18 UNCH
2900	6.70	6.70	6.70/6.70	6.70/6.70	----	6.50 + 0.10	.0139	----	----	5	----	24 + 5
2925	----	----	----	5.10B/8.40A	----	6.90 + 0.10	.0148	----	----	----	----	300 UNCH
2975	----	----	----	5.90B/9.10A	----	7.60 UNCH	.0164	----	----	----	----	400 UNCH
3000	----	----	----	6.10B/9.50A	----	8.00 - 0.10	.0172	----	----	----	----	1356 UNCH
3160	----	----	----	9.10B/12.40A	----	11.10 - 0.10	.0241	----	----	----	----	2 UNCH
3175	----	----	----	9.50B/12.70A	----	11.50 UNCH	.0249	----	----	----	----	1 UNCH
3250	----	----	----	11.30B/14.50A	----	13.40 UNCH	.0291	----	----	----	----	18 UNCH
3300	----	----	----	12.80B/16.00A	----	14.90 + 0.10	.0323	----	----	----	----	7 UNCH
3400	----	----	----	16.40B/19.50A	----	18.50 - 0.10	.0400	----	----	----	----	1251 UNCH
3425	----	----	----	17.40B/20.60A	----	19.50 - 0.20	.0421	----	----	----	----	350 UNCH
3450	----	----	----	18.50B/21.80A	----	20.60 - 0.30	.0444	----	----	----	----	201 UNCH
3460	----	----	----	19.00B/22.10A	----	21.00 - 0.40	.0453	----	----	----	----	20 UNCH
3475	----	----	----	19.70B/22.80A	----	21.80 - 0.40	.0469	----	----	----	----	152 UNCH
3500	----	----	----	20.90B/24.00A	----	23.00 - 0.60	.0494	----	----	----	----	1467 UNCH
3550	----	----	----	23.70B/26.70A	----	25.60 - 0.90	.0547	----	----	----	----	18 UNCH
3565	----	----	----	24.60B/27.50A	----	26.50 - 0.90	.0566	----	----	----	----	2 UNCH
3590	----	----	----	26.10B/29.00A	----	27.90 - 1.10	.0594	----	----	----	----	1 UNCH
3600	----	----	----/29.40A	26.70B/29.40A	----	28.60 - 1.10	.0608	----	----	----	----	464 UNCH
3610	----	----	----/30.30A	27.40B/30.30A	----	29.20 - 1.20	.0620	----	----	----	----	3 UNCH
3650	----	----	----/33.00A	30.10B/33.00A	----	31.80 - 1.40	.0673	----	----	----	----	201 UNCH
3660	----	----	----/33.40A	30.90B/33.40A	----	32.50 - 1.50	.0687	----	----	----	----	5 UNCH
3670	----	----	----/34.30A	32.90B/34.30A	----	33.20 - 1.50	.0701	----	----	----	----	1 UNCH
3690	----	----	----/35.20A	34.60B/35.20A	----	34.70 - 1.60	.0730	----	----	----	----	1 UNCH
3700	----	----	----/35.90A	35.20B/35.90A	----	35.50 - 1.60	.0746	----	----	----	----	279 UNCH
3710	----	----	----/36.50A	36.20B/36.50A	----	36.30 - 1.60	.0761	----	----	----	----	37 UNCH
3720	----	----	----/37.30A	37.00B/37.30A	----	37.10 - 1.60	.0777	----	----	----	----	1 UNCH
3725	----	----	----/37.70A	37.20B/37.70A	----	37.50 - 1.70	.0785	----	----	----	----	6 UNCH
3750	----	----	----/39.70A	39.40B/39.70A	----	39.60 - 1.70	.0825	----	----	----	----	166 UNCH
3760	----	----	----/40.50A	40.50B/40.50A	----	40.50 - 1.70	.0842	----	----	----	----	184 UNCH
3780	----	----	----/42.10A	42.10B/42.10A	----	42.30 - 1.80	.0877	----	----	----	----	1 UNCH
3800	----	----	----/44.40A	44.30B/44.40A	----	44.20 - 1.80	.0913	----	----	----	----	150 UNCH
3810	----	----	----/45.00A	45.20B/45.00A	----	45.10 - 1.90	.0930	----	----	----	----	56 UNCH
3850	----	----	----/49.70A	48.90B/49.70A	----	49.20 - 2.00	.1007	----	----	----	----	24 UNCH
3880	----	----	----/53.10A	52.20B/53.10A	----	52.60 - 1.90	.1069	----	----	----	----	1 UNCH
3900	----	----	----/55.20A	54.60B/55.20A	----	54.90 - 2.00	.1111	----	----	----	----	1207 UNCH
3920	----	----	----/57.20A	57.10B/57.20A	----	57.30 - 2.10	.1154	----	----	----	----	50 UNCH
3925	----	----	----/57.80A	57.70B/57.80A	----	58.00 - 2.00	.1166	----	----	----	----	252 UNCH
3930	----	----	----/58.40A	58.40B/58.40A	----	58.60 - 2.00	.1177	----	----	----	----	2 UNCH
3950	----	----	----/60.80A	61.00B/60.80A	----	61.20 - 2.00	.1224	----	----	----	----	27 UNCH
3965	----	----	----/62.70A	63.00B/62.70A	----	63.20 - 2.10	.1259	----	----	----	----	50 UNCH
3975	----	----	----/64.10A	64.30B/64.10A	----	64.60 - 2.10	.1283	----	----	----	----	192 UNCH
3980	----	----	----/65.00A	65.00B/65.00A	----	65.30 - 2.10	.1296	----	----	----	----	157 UNCH
4000	----	----	----/67.60A	68.20B/67.60A	----	68.10 - 2.20	.1345	----	----	----	----	2061 UNCH
4025	----	----	----/71.00A	71.90B/71.00A	----	71.90 - 2.10	.1410	----	----	----	----	220 UNCH
4050	----	----	----/74.80A	75.90B/74.80A	----	75.80 - 2.20	.1476	----	----	----	----	202 UNCH
4070	----	----	----/77.80A	79.20B/77.80A	----	79.10 - 2.20	.1531	----	----	----	----	7 UNCH
4090	----	----	----/81.30A	82.60B/81.30A	----	82.50 - 2.30	.1588	----	----	----	----	1 UNCH
4100	----	----	----/82.80A	85.00B/82.80A	----	84.20 - 2.40	.1616	----	----	----	----	385 UNCH
4130	----	----	----/88.20A	90.00B/88.20A	----	89.60 - 2.50	.1705	----	----	----	----	2 UNCH
4150	----	----	----/91.40A	94.50B/91.40A	----	93.50 - 2.50	.1767	----	----	----	----	21 UNCH
4160	----	----	----/93.00A	96.50B/93.00A	----	95.40 - 2.60	.1798	----	----	----	----	252 UNCH
4170	----	----	----/95.60A	97.90B/95.60A	----	97.40 - 2.60	.1830	----	----	----	----	2 UNCH
4175	----	----	----/96.10A	99.60B/96.10A	----	98.40 - 2.60	.1845	----	----	----	----	60 UNCH
4200	----	----	----/101.00A	105.10B/101.00A	----	103.60 - 2.70	.1927	----	----	----	----	887 UNCH
4215	----	----	----/104.10A	108.10B/104.10A	----	106.80 - 2.80	.1977	----	----	----	----	14 UNCH
4250	----	----	----/111.50A	116.30B/111.50A	----	114.60 - 3.00	.2096	----	----	----	----	344 UNCH
4300	----	----	----/123.20A	128.50B/123.20A	----	126.70 - 3.20	.2275	----	----	----	----	2342 UNCH
4320	----	----	----/128.20A	133.70B/128.20A	----	131.80 - 3.30	.2350	----	----	----	----	100 UNCH
4325	----	----	----/129.60A	135.20B/129.60A	----	133.10 - 3.40	.2368	----	----	----	----	544 UNCH
4340	----	----	----/133.30A	139.10B/133.30A	----	137.00 - 3.50	.2425	----	----	----	----	82 UNCH
4350	----	----	----/136.10A	141.80B/136.10A	----	139.70 - 3.60	.2463	----	----	----	----	151 UNCH
4365	----	----	----/140.10A	146.20B/140.10A	----	143.90 - 3.70	.2522	----	----	----	----	390 UNCH
4375	----	----	----/143.60A	148.10B/143.60A	----	146.70 - 3.70	.2561	----	----	----	----	2 UNCH
4385	----	----	----/145.50A	151.90B/145.50A	----	149.50 - 3.90	.2600	----	----	----	----	75 UNCH
4390	----	----	----/146.90A	153.40B/146.90A	----	151.00 - 3.80	.2620	----	----	----	----	30 UNCH
4400	----	----	----/149.70A	156.30B/149.70A	----	153.90 - 3.90	.2660	----	----	----	----	280 UNCH
4425	----	----	----/157.00A	163.90B/157.00A	----	161.40 - 4.10	.2762	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4430	----	----	----/158.90A	165.70B/158.90A	----	162.90 - 4.20	.2782	----	----	----	----	10 UNCH
4435	----	----	----/160.10A	167.10B/160.10A	----	164.50 - 4.20	.2803	----	----	----	----	14 UNCH
4450	----	----	----/164.60A	171.90B/164.60A	----	169.20 - 4.30	.2866	----	----	----	----	260 UNCH
4475	----	----	----/172.50A	180.10B/172.50A	----	177.20 - 4.60	.2971	----	----	----	----	8 UNCH
4500	----	----	----/180.60A	188.80B/180.60A	----	185.60 - 4.80	.3078	----	----	----	----	1199 UNCH
4510	----	----	----/184.80A	191.30B/184.80A	----	189.00 - 4.90	.3122	----	----	----	----	2 UNCH
4515	----	----	----/185.80A	194.20B/185.80A	----	190.80 - 4.90	.3144	----	----	----	----	242 UNCH
4520	----	----	----/187.30A	195.90B/187.30A	----	192.50 - 5.00	.3166	----	----	----	----	25 UNCH
4525	----	----	----/189.10A	197.60B/189.10A	----	194.30 - 5.00	.3188	----	----	----	----	200 UNCH
4530	----	----	----/190.90A	199.40B/190.90A	----	196.00 - 5.10	.3210	----	----	----	----	20 UNCH
4535	----	----	----/192.80A	201.20B/192.80A	----	197.80 - 5.20	.3232	----	----	----	----	102 UNCH
4540	----	----	----/195.20A	202.40B/195.20A	----	199.60 - 5.20	.3254	----	----	----	----	1 UNCH
4550	----	----	----/198.00A	206.80B/198.00A	----	203.20 - 5.30	.3298	----	----	----	----	4 UNCH
4555	----	----	----/199.60A	208.70B/199.60A	----	205.10 - 5.30	.3321	----	----	----	----	50 UNCH
4580	----	----	----/208.90A	218.30B/208.90A	----	214.40 - 5.70	.3433	----	----	----	----	50 UNCH
4585	----	----	----/210.70A	220.40B/210.70A	----	216.30 - 5.70	.3456	----	----	----	----	325 UNCH
4600	----	----	----/216.70A	226.40B/216.70A	----	222.10 - 5.90	.3524	----	----	----	----	622 UNCH
4620	----	----	----/224.20A	234.60B/224.20A	----	230.10 - 6.10	.3617	----	----	----	----	50 UNCH
4625	----	----	----/226.20A	236.50B/226.20A	----	232.10 - 6.20	.3640	----	----	----	----	34 UNCH
4640	----	----	----/232.40A	242.90B/232.40A	----	238.20 - 6.50	.3709	----	----	----	----	100 UNCH
4650	----	----	----/236.90A	247.00B/236.90A	----	242.40 - 6.70	.3756	----	----	----	----	116 UNCH
4680	----	----	267.00B/249.30A	267.00B/249.30A	----	255.30 - 7.20	.3897	----	----	----	----	60 UNCH
4700	----	----	279.60B/257.60A	279.60B/257.60A	----	264.30 - 7.50	.3992	----	----	----	----	510 UNCH
4725	----	----	289.80B/268.90A	289.80B/268.90A	----	275.70 - 8.00	.4111	----	----	----	----	110 UNCH
4750	----	----	303.60B/280.00A	303.60B/280.00A	----	287.30 - 8.50	.4231	----	----	----	----	63 UNCH
4790	----	----	323.90B/298.90A	323.90B/298.90A	----	306.60 - 9.20	.4423	----	----	----	----	60 UNCH
4795	----	----	326.40B/302.30A	326.40B/302.30A	----	309.10 - 9.20	.4447	----	----	----	----	1 UNCH
4800	----	----	329.10B/304.30A	329.10B/304.30A	----	311.60 - 9.30	.4471	----	----	----	----	307 UNCH
4810	----	----	333.80B/309.50A	333.80B/309.50A	----	316.60 - 9.50	.4519	----	----	----	----	56 UNCH
4815	----	----	336.40B/311.50A	336.40B/311.50A	----	319.20 - 9.50	.4543	----	----	----	----	10 UNCH
4820	----	----	339.10B/314.10A	339.10B/314.10A	----	321.70 - 9.70	.4567	----	----	----	----	20 UNCH
4825	----	----	342.30B/316.60A	342.30B/316.60A	----	324.30 - 9.70	.4591	----	----	----	----	112 UNCH
4830	----	----	343.20B/319.00A	343.20B/319.00A	----	326.90 - 9.80	.4615	----	----	----	----	6 UNCH
4835	----	----	342.20B/321.60A	342.20B/321.60A	----	329.50 - 9.90	.4639	----	----	----	----	125 UNCH
4850	----	----	----/329.40A	343.70B/329.40A	----	337.40 - 10.20	.4711	----	----	----	----	13 UNCH
4875	----	----	----/342.80A	358.30B/342.80A	----	350.80 - 10.80	.4831	----	----	----	----	16 UNCH
4880	----	----	----/345.60A	360.00B/345.60A	----	353.50 - 10.90	.4855	----	----	----	----	11 UNCH
4900	----	----	----/356.20A	372.50B/356.20A	----	364.60 - 11.30	.4950	----	----	----	----	110 UNCH
4925	----	----	----/370.00A	387.10B/370.00A	----	378.60 - 12.00	.5068	----	----	----	----	237 UNCH
4950	----	----	----/384.60A	402.00B/384.60A	----	393.00 - 12.50	.5185	----	----	----	----	24 UNCH
4975	----	----	----/399.00A	417.20B/399.00A	----	407.80 - 13.00	.5301	----	----	----	----	43 UNCH
4980	----	----	----/401.80A	419.00B/401.80A	----	410.80 - 13.10	.5324	----	----	----	----	5 UNCH
4995	----	----	----/410.30A	429.60B/410.30A	----	419.80 - 13.40	.5393	----	----	----	----	32 UNCH
5000	----	----	----/413.70A	431.50B/413.70A	----	422.80 - 13.60	.5416	----	----	----	----	445 UNCH
5020	----	----	----/425.80A	444.10B/425.80A	----	435.10 - 14.00	.5507	----	----	----	----	8 UNCH
5025	----	----	----/428.90A	447.30B/428.90A	----	438.20 - 14.10	.5530	----	----	----	----	210 UNCH
5035	----	----	----/434.80A	453.70B/434.80A	----	444.50 - 14.20	.5575	----	----	----	----	8 UNCH
5050	----	----	----/443.80A	463.40B/443.80A	----	454.00 - 14.40	.5642	----	----	----	----	201 UNCH
5070	----	----	----/456.90A	476.50B/456.90A	----	466.80 - 14.70	.5730	----	----	----	----	1 UNCH
5075	----	----	----/459.70A	479.80B/459.70A	----	470.00 - 14.90	.5752	----	----	----	----	100 UNCH
5095	----	----	----/472.30A	493.20B/472.30A	----	483.10 - 15.10	.5840	----	----	----	----	6 UNCH
5100	----	----	----/475.30A	497.90B/475.30A	----	486.40 - 15.20	.5861	----	----	----	----	6 UNCH
5195	----	----	----/539.70A	559.50B/539.70A	----	551.30 - 16.20	.6259	----	----	----	----	5 UNCH
5200	----	----	----/543.20A	563.10B/543.20A	----	554.80 - 16.30	.6279	----	----	----	----	38 UNCH
5250	----	----	----/578.30A	599.10B/578.30A	----	590.70 - 16.60	.6476	----	----	----	----	126 UNCH
5290	----	----	----/607.10A	628.60B/607.10A	----	620.10 - 16.80	.6627	----	----	----	----	1 UNCH
5295	----	----	----/610.80A	632.30B/610.80A	----	623.80 - 16.80	.6645	----	----	----	----	1 UNCH
5360	----	----	----/659.00A	681.80B/659.00A	----	673.00 - 17.00	.6879	----	----	----	----	100 UNCH
5370	----	----	----/666.60A	689.50B/666.60A	----	680.70 - 17.00	.6914	----	----	----	----	20 UNCH
5375	----	----	----/670.40A	693.40B/670.40A	----	684.60 - 16.90	.6930	----	----	----	----	34 UNCH
5400	----	----	----/689.50A	712.90B/689.50A	----	704.00 - 17.00	.7016	----	----	----	----	102 UNCH
5415	----	----	----/701.20A	721.10B/701.20A	----	715.80 - 17.00	.7065	----	----	----	----	4 UNCH
5460	----	----	----/736.20A	756.70B/736.20A	----	751.50 - 17.10	.7210	----	----	----	----	200 UNCH
5465	----	----	----/746.10A	760.70B/746.10A	----	755.50 - 17.20	.7226	----	----	----	----	50 UNCH
5480	----	----	----/758.00A	772.70B/758.00A	----	767.50 - 17.30	.7273	----	----	----	----	50 UNCH
5500	----	----	----/774.00A	788.80B/774.00A	----	783.70 - 17.40	.7333	----	----	----	----	31 UNCH
5525	----	----	----/794.20A	809.10B/794.20A	----	804.10 - 17.50	.7408	----	----	----	----	80 UNCH
5600	----	----	----/854.40A	872.40B/854.40A	----	866.20 - 18.20	.7620	----	----	----	----	252 UNCH
5900	----	----	----/1,116.40A	1131.00B/1116.40A	----	1127.70 - 19.70	.8295	----	----	----	----	125 UNCH
6000	----	----	----/1,207.20A	1221.90B/1207.20A	----	1218.40 - 20.00	.8467	----	----	----	----	40 UNCH
6500	----	----	----/1,678.90A	1684.60B/1678.90A	----	1688.90 - 20.70	.9054	----	----	----	----	4 UNCH
TOTAL										5		25648 + 5
JAN27												
2700	----	----	----	2.10B/7.30A	----	5.90 - 0.20	.0114	----	----	----	----	8 UNCH
2800	----	----	----	3.00B/8.20A	----	6.90 - 0.20	.0135	----	----	----	----	10 UNCH
3000	9.00	9.00	10.20/9.00	10.20/9.00	----	10.50 - 0.30	.0207	----	----	4	----	15 + 4
3500	----	----	----	24.70B/30.90A	----	27.30 - 0.90	.0540	----	----	----	----	1 UNCH
3520	----	----	----	25.70B/32.30A	----	28.50 - 0.90	.0562	----	----	----	----	1 UNCH
3680	----	----	----/41.20A	39.40B/41.20A	----	39.90 - 2.00	.0770	----	----	----	----	1 UNCH
3800	----	----	----/51.80A	50.90B/51.80A	----	51.30 - 2.60	.0969	----	----	----	----	1 UNCH
3825	----	----	----/55.30A	53.60B/55.30A	----	54.00 - 2.70	.1015	----	----	----	----	1 UNCH
3900	----	----	----/64.50A	62.70B/64.50A	----	63.00 - 2.80	.1165	----	----	----	----	1 UNCH
3980	----	----	----/75.20A	74.10B/75.20A	----	74.20 - 2.70	.1345	----	----	----	----	1 UNCH
4000	----	----	----/78.10A	77.10B/78.10A	----	77.20 - 2.80	.1393	----	----	----	----	2 UNCH
4070	----	----	----/89.00A	88.70B/89.00A	----	88.90 - 2.80	.1573	----	----	----	----	1 UNCH
4100	----	----	----/94.30A	94.10B/94.30A	----	94.30 - 3.00	.1654	----	----	----	----	8 UNCH
4200	----	----	----/114.20A	114.70B/114.20A	----	114.60 - 3.40	.1949	----	----	----	----	3 UNCH
4350	----	----	----/150.50A	153.30B/150.50A	----	151.70 - 4.20	.2450	----	----	----	----	1 UNCH
4400	----	----	----/164.20A	168.10B/164.20A	----	166.10 - 4.30	.2633	----	----	----	----	1 UNCH
4500	----	----	----/195.20A	201.30B/195.20A	----	198.10 - 4.60	.3019	----	----	----	----	2 UNCH
4585	----	----	----/225.10A	233.10B/225.10A	----	228.80 - 5.10	.3365	----	----	----	----	1 UNCH
4600	----	----	----/230.80A	239.20B/230.80A	----	234.50 - 5.30	.3428	----	----	----	----	3 UNCH
4630	----	----	----/242.30A	251.20B/242.30A	----	246.40 - 5.50	.3554	----	----	----	----	1 UNCH
4660	----	----	----/254.30A	264.20B/254.30A	----	258.60 - 5.90	.3682	----	----	----	----	4 UNCH
4665	----	----	----/256.40A	266.10B/256.40A	----	260.70 - 5.90	.3704	----	----	----	----	4 UNCH
4710	----	----	293.20B/275.40A	293.20B/275.40A	----	280.10 - 6.40	.3898	----	----	----	----	4 UNCH
4760	----	----	317.40B/297.60A	317.40B/297.60A	----	302.70 - 7.30	.4117	----	----	----	----	100 UNCH
4800	----	----	337.10B/316.70A	337.10B/316.70A	----	321.70 - 8.00	.4294	----	----	----	----	6 UNCH
4820	----	----	341.00B/326.00A	341.00B/326.00A	----	331.50 - 8.50	.4382	----	----	----	----	6 UNCH
4860	----	----	----/345.90A	360.10B/345.90A	----	351.60 - 9.50	.4559	----	----	----	----	1 UNCH
4960	----	----	----/399.20A	416.00B/399.20A	----	405.50 - 11.90	.4999	----	----	----	----	42 UNCH
4980	----	----	----/410.50A	427.80B/410.50A	----	416.90 - 12.30	.5085	----	----	----	----	10 UNCH
4990	----	----	----/416.20A	433.70B/416.20A	----	422.60 - 12.60	.5128	----	----	----	----	1 UNCH
4995	----	----	----/419.00A	436.70B/419.00A	----	425.50 - 12.70	.5150	----	----	----	----	1 UNCH
5000	----	----	----/422.30A	439.70B/422.30A	----	428.50 - 12.80	.5171	----	----	----	----	2 UNCH
5050	----	----	----/451.40A	470.50B/451.40A	----	458.20 - 13.90	.5384	----	----	----	----	100 UNCH
5085	----	----	----/472.70A	492.80B/472.70A	----	479.80 - 14.50	.5531	----	----	----	----	2 UNCH
5150	----	----	----/513.70A	535.50B/513.70A	----	521.30 - 15.60	.5796	----	----	----	----	2 UNCH
5235	----	----	----/570.50A	588.00B/570.50A	----	578.40 - 16.70	.6128	----	----	----	----	2 UNCH
5245	----	----	----/577.00A	592.40B/577.00A	----	585.30 - 16.80	.6167	----	----	----	----	2 UNCH
5300	----	----	----/615.30A	630.90B/615.30A	----	624.10 - 17.40	.6370	----	----	----	----	44 UNCH
TOTAL										4		396 + 4
FEB27												
2800	8.00	8.00	#8.00/*8.00	#8.00/*8.00	----	5.90 NEW	.0120	----	----	4	----	4 + 4
4000	----	----	----/88.90A	87.30B/88.90A	----	88.20 - 3.60	.1485	----	----	----	----	1 UNCH
4070	----	----	----/101.30A	100.10B/101.30A	----	100.70 - 4.10	.1664	----	----	----	----	2 UNCH
4200	----	----	----/127.70A	126.90B/127.70A	----	128.00 - 4.70	.2035	----	----	----	----	50 UNCH
4300	----	----	----/152.00A	151.80B/152.00A	----	153.00 - 4.80	.2354	----	----	----	----	1 UNCH
4500	----	----	----/212.10A	214.20B/212.10A	----	214.80 - 4.60	.3072	----	----	----	----	1 UNCH
4600	----	----	----/248.50A	252.00B/248.50A	----	252.30 - 5.00	.3464	----	----	----	----	17 UNCH
4650	----	----	----/268.40A	272.50B/268.40A	----	272.70 - 5.50	.3666	----	----	----	----	1 UNCH
4655	----	----	----/270.50A	274.60B/270.50A	----	274.80 - 5.60	.3686	----	----	----	----	1 UNCH
4660	----	----	----/272.50A	276.80B/272.50A	----	276.90 - 5.70	.3707	----	----	----	----	435 UNCH
4665	----	----	----/274.60A	279.00B/274.60A	----	279.10 - 5.70	.3727	----	----	----	----	3 UNCH
4750	----	----	329.30B/311.70A	329.30B/311.70A	----	317.20 - 7.20	.4078	----	----	----	----	1 UNCH
4755	----	----	333.70B/313.90A	333.70B/313.90A	----	319.50 - 7.40	.4099	----	----	----	----	1 UNCH
4775	----	----	----/323.20A	336.40B/323.20A	----	329.00 - 7.90	.4183	----	----	----	----	1 UNCH
4785	----	----	----/327.90A	337.90B/327.90A	----	333.80 - 8.10	.4225	----	----	----	----	100 UNCH
4800	----	----	----/335.10A	344.60B/335.10A	----	341.10 - 8.60	.4287	----	----	----	----	45 UNCH
4805	----	----	----/337.50A	346.10B/337.50A	----	343.60 - 8.70	.4308	----	----	----	----	2 UNCH
4835	----	----	----/352.10A	360.00B/352.10A	----	358.60 - 9.60	.4434	----	----	----	----	1 UNCH
4840	----	----	----/354.60A	362.60B/354.60A	----	361.10 - 9.80	.4455	----	----	----	----	1 UNCH
4845	----	----	----/357.10A	365.20B/357.10A	----	363.60 - 10.00	.4476	----	----	----	----	2 UNCH
4850	----	----	----/359.60A	367.90B/359.60A	----	366.20 - 10.10	.4497	----	----	----	----	1 UNCH
4855	----	----	----/362.20A	370.50B/362.20A	----	368.70 - 10.40	.4518	----	----	----	----	3 UNCH
4900	----	----	----/385.40A	394.90B/385.40A	----	392.30 - 11.90	.4706	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
4905	----	----	----/388.00A	397.70B/388.00A	----	395.00 - 12.10	.4727	----	----	----	----	4 UNCH
4950	----	----	----/412.30A	423.20B/412.30A	----	419.50 - 13.70	.4914	----	----	----	----	1 UNCH
4955	----	----	----/415.10A	426.10B/415.10A	----	422.30 - 13.90	.4934	----	----	----	----	1 UNCH
5000	----	----	----/440.40A	452.60B/440.40A	----	447.90 - 15.10	.5119	----	----	----	----	10 UNCH
5005	----	----	----/443.30A	455.60B/443.30A	----	450.80 - 15.20	.5139	----	----	----	----	2 UNCH
5050	----	----	----/469.70A	483.10B/469.70A	----	477.40 - 16.20	.5321	----	----	----	----	4 UNCH
5055	----	----	----/472.90A	486.20B/472.90A	----	480.50 - 16.20	.5341	----	----	----	----	4 UNCH
5100	----	----	----/500.00A	514.80B/500.00A	----	508.20 - 16.80	.5519	----	----	----	----	2 UNCH
5120	528.60	528.60	528.60/512.50A	528.60/512.50A	----	520.80 - 17.10	.5597	----	----	1	----	0 - 1
5150	----	----	----/531.50A	547.50B/531.50A	----	540.00 - 17.40	.5712	----	----	----	----	1 UNCH
5175	----	----	----/547.60A	564.30B/547.60A	----	556.40 - 17.40	.5807	----	----	----	----	125 UNCH
5200	----	----	----/564.00A	581.20B/564.00A	----	573.00 - 17.60	.5901	----	----	----	----	1 UNCH
5250	----	----	----/597.50A	613.50B/597.50A	----	607.00 - 17.70	.6083	----	----	----	----	10 UNCH
5355	----	----	----/676.80A	685.50B/676.80A	----	681.60 - 17.90	.6447	----	----	----	----	1 UNCH
5520	----	----	----/799.60A	811.30B/799.60A	----	806.60 - 18.20	.6960	----	----	----	----	300 UNCH
5530	----	----	----/807.30A	819.10B/807.30A	----	814.50 - 18.20	.6988	----	----	----	----	100 UNCH
5550	----	----	----/822.80A	835.00B/822.80A	----	830.30 - 18.30	.7044	----	----	----	----	65 UNCH
5565	----	----	----/834.50A	842.80B/834.50A	----	842.20 - 18.30	.7087	----	----	----	----	50 UNCH
TOTAL										5		1359 + 3
MAR27												
4070	----	----	----/108.50A	105.20B/108.50A	----	108.40 - 4.00	.1676	----	----	----	----	2 UNCH
4370	----	----	----/178.90A	178.40B/178.90A	----	179.80 - 6.30	.2552	----	----	----	----	250 UNCH
4525	----	----	----/228.00A	229.80B/228.00A	----	229.20 NEW	.3089	----	----	11	----	11 + 11
4660	----	----	----/278.90A	281.80B/278.90A	----	280.30 - 10.80	.3595	----	----	----	----	24 UNCH
4750	----	----	333.10B/317.20A	333.10B/317.20A	----	318.80 - 12.40	.3946	----	----	----	----	15 UNCH
4810	----	----	----/344.70A	349.40B/344.70A	----	346.60 - 13.40	.4185	----	----	----	----	21 UNCH
4900	----	----	----/389.00A	395.50B/389.00A	----	391.40 - 14.80	.4545	----	----	----	----	2 UNCH
4905	----	----	----/391.60A	398.20B/391.60A	----	394.00 - 14.80	.4566	----	----	----	----	2 UNCH
5000	----	----	----/442.50A	451.40B/442.50A	----	445.50 - 16.20	.4942	----	----	----	----	75 UNCH
TOTAL										11		402 + 11
APR27												
4300	----	----	----	76.60B/262.90A	----	172.10 - 33.10	.2380	----	----	----	----	150 UNCH
4900	----	----	----	173.40B/628.40A	----	405.90 - 44.10	.4529	----	----	----	----	2 UNCH
4905	----	----	----	174.90B/632.00A	----	408.40 - 44.20	.4548	----	----	----	----	2 UNCH
5000	----	----	----	204.20B/703.60A	----	457.80 - 45.10	.4915	----	----	----	----	100 UNCH
5060	----	----	----	192.90B/750.70A	----	496.90 - 45.40	.5130	----	----	----	----	25 UNCH
TOTAL												279 0
JUN27												
3625	----	----	----	----	----	84.40 NEW	.1082	----	----	----	450	450 + 450
4900	----	----	----	----	----	486.40 - 9.00	.4321	----	----	----	----	1 UNCH
4905	----	----	----	----	----	489.00 - 1.00	.4336	----	----	----	----	1 UNCH
5085	----	----	----	----	----	588.90 NEW	.4884	----	----	----	150	150 + 150
TOTAL											600	602 + 600
DEC27												
3700	----	----	----	----	----	148.60 - 3.10	.1399	----	----	----	----	100 UNCH
3715	----	----	----	----	----	151.50 - 3.20	.1423	----	----	----	----	150 UNCH
3820	----	----	----	----	----	172.90 - 3.50	.1594	----	----	----	----	50 UNCH
4130	----	----	----	----	----	247.00 - 4.70	.2165	----	----	----	----	168 UNCH
4500	----	----	----	----	----	365.90 - 6.30	.2976	----	----	----	----	270 UNCH
4630	----	----	----	----	----	418.20 - 7.00	.3290	----	----	----	----	284 UNCH
4860	----	----	----	----	----	525.00 - 8.10	.3863	----	----	----	----	100 UNCH
5000	----	----	----	----	----	597.60 - 8.70	.4215	----	----	----	----	50 UNCH
5650	----	----	----	----	----	992.10 - 11.60	.5738	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1153.50 - 12.10	.6210	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	601.70 - 8.60	.4115	----	----	----	----	1 UNCH
5100	----	----	----	----	----	655.20 - 9.10	.4357	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
1995	----	----	----	----	----	2735.70 + 19.80	1.0000	350	----	350	----	0 UNCH
2000	----	----	2,733.30B/----	2733.30B/2720.80A	----	2730.70 + 19.80	1.0000	2761	----	2767	----	422 UNCH
2005	----	----	----	----	----	2725.70 + 19.80	1.0000	350	----	350	----	0 UNCH
2795	----	----	1,937.10B/----	1937.10B/1933.50A	----	1935.70 + 19.80	1.0000	250	----	250	----	0 UNCH
2800	----	----	1,952.40B/----	1952.40B/1917.40A	----	1930.70 + 19.80	1.0000	1276	----	1276	----	500 UNCH
2805	----	----	1,927.10B/----	1927.10B/1923.50A	----	1925.70 + 19.80	1.0000	250	----	250	----	0 UNCH
2995	----	----	----	----	----	1735.70 + 19.80	.9997	50	----	50	----	0 UNCH
3000	----	----	1,751.80B/----	1751.80B/1717.40A	----	1730.70 + 19.80	.9997	600	----	780	----	400 UNCH
3005	----	----	----	----	----	1725.70 + 19.80	.9997	50	----	50	----	0 UNCH
3400	----	----	1,350.40B/----	1350.40B/1317.10A	----	1330.70 + 19.80	.9970	656	----	656	----	615 UNCH
3500	1228.00	1228.00	1,248.60B/1,228	1248.60B/1220.30A	----	1230.80 + 19.80	.9963	1	----	1	----	30 - 1
3525	----	----	----	----	----	1205.90 + 19.90	.9962	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1180.90 + 19.90	.9961	----	----	----	----	1 UNCH
3580	----	----	1,168.60B/----	1168.60B/1140.30A	----	1150.90 + 19.80	.9955	----	----	----	----	18 UNCH
3585	----	----	1,165.00B/----	1165.00B/1133.10A	----	1145.90 + 19.80	.9955	----	----	----	----	100 UNCH
3600	----	----	1,150.00B/----	1150.00B/1119.20A	----	1130.90 + 19.80	.9954	----	----	----	----	138 UNCH
3635	----	----	1,113.70B/----	1113.70B/1085.40A	----	1095.90 + 19.70	.9953	----	----	----	----	60 UNCH
3650	----	----	1,100.10B/----	1100.10B/1068.60A	----	1081.00 + 19.80	.9952	----	----	----	----	90 UNCH
3665	----	----	1,083.80B/----	1083.80B/1055.40A	----	1066.00 + 19.80	.9951	----	----	----	----	3 UNCH
3700	----	----	1,051.60B/----	1051.60B/1017.90A	----	1031.00 + 19.70	.9945	----	----	----	----	389 UNCH
3715	----	----	1,033.90B/----	1033.90B/1005.50A	----	1016.10 + 19.80	.9944	----	----	----	----	25 UNCH
3725	----	----	1,025.20B/----	1025.20B/993.70A	----	1006.10 + 19.80	.9939	----	----	----	----	210 UNCH
3750	----	----	1,001.70B/----	1001.70B/967.20A	----	981.20 + 19.80	.9937	----	----	----	----	1109 UNCH
3755	----	----	994.00B/----	994.00B/965.50A	----	976.20 + 19.80	.9937	----	----	----	----	15 UNCH
3785	----	----	965.40B/----	965.40B/933.80A	----	946.30 + 19.80	.9930	----	----	----	----	170 UNCH
3790	----	----	----	----	----	941.30 + 19.80	.9925	----	----	----	----	1 UNCH
3800	----	----	951.80B/----	951.80B/916.70A	----	931.30 + 19.70	.9924	----	----	----	----	544 UNCH
3835	----	----	----	----	----	896.40 + 19.70	.9917	----	----	----	----	1 UNCH
3840	----	----	909.20B/----	909.20B/880.70A	----	891.50 + 19.80	.9911	----	----	----	----	21 UNCH
3850	----	----	901.80B/----	901.80B/868.20A	----	881.50 + 19.70	.9910	----	----	----	----	322 UNCH
3875	----	----	874.30B/----	874.30B/845.80A	----	856.60 + 19.70	.9903	----	----	----	----	60 UNCH
3895	----	----	----	----	----	836.70 + 19.70	.9896	----	----	----	----	1 UNCH
3900	----	----	852.00B/----	852.00B/818.40A	----	831.70 + 19.70	.9895	----	----	----	----	363 UNCH
3925	----	----	824.40B/----	824.40B/796.00A	----	806.80 + 19.60	.9887	----	----	----	----	4 UNCH
3950	----	----	799.50B/----	799.50B/771.10A	----	781.90 + 19.60	.9879	----	----	----	----	14 UNCH
3975	----	----	776.00B/----	776.00B/744.00A	----	757.10 + 19.60	.9870	----	----	----	----	106 UNCH
3990	----	----	----	----	----	742.10 + 19.50	.9863	----	----	----	----	1 UNCH
3995	----	----	754.80B/----	754.80B/726.30A	----	737.20 + 19.60	.9862	----	----	----	----	5 UNCH
4000	----	----	752.60B/----	752.60B/717.40A	----	732.20 + 19.60	.9861	----	----	----	----	870 UNCH
4005	----	----	744.80B/----	744.80B/716.30A	----	727.20 + 19.50	.9855	----	----	----	----	10 UNCH
4010	----	----	----	----	----	722.20 + 19.50	.9854	----	----	----	----	1 UNCH
4020	----	----	----	----	----	712.30 + 19.50	.9853	----	----	----	----	2 UNCH
4025	----	----	725.00B/----	725.00B/696.50A	----	707.30 + 19.50	.9846	----	----	----	----	51 UNCH
4030	----	----	----	----	----	702.40 + 19.50	.9846	----	----	----	----	1 UNCH
4040	----	----	----	----	----	692.40 + 19.50	.9838	----	----	----	----	1 UNCH
4050	----	----	701.50B/----	701.50B/669.50A	----	682.50 + 19.50	.9836	----	----	----	----	185 UNCH
4060	----	----	690.20B/----	690.20B/661.70A	----	672.60 + 19.50	.9829	----	----	----	----	25 UNCH
4070	----	----	680.30B/----	680.30B/651.80A	----	662.60 + 19.40	.9821	----	----	----	----	10 UNCH
4075	----	----	675.30B/----	675.30B/646.90A	----	657.70 + 19.40	.9820	----	----	----	----	64 UNCH
4090	----	----	660.50B/----	660.50B/632.00A	----	642.80 + 19.30	.9811	----	----	----	----	34 UNCH
4100	----	----	653.30B/----	653.30B/618.30A	----	632.90 + 19.30	.9803	----	----	----	----	682 UNCH
4105	----	----	645.60B/----	645.60B/617.20A	----	628.00 + 19.30	.9802	----	----	----	----	50 UNCH
4110	----	----	----	----	----	623.00 + 19.30	.9795	----	----	----	----	2 UNCH
4115	----	----	635.80B/----	635.80B/607.30A	----	618.10 + 19.30	.9794	----	----	----	----	5 UNCH
4125	----	----	627.10B/572.10A	627.10B/572.10A	----	608.20 + 19.30	.9780	----	----	----	----	95 UNCH
4135	----	----	616.00B/562.30A	616.00B/562.30A	----	598.30 + 19.20	.9772	----	----	----	----	16 UNCH
4150	----	----	603.80B/547.60A	603.80B/547.60A	----	583.50 + 19.10	.9756	----	----	----	----	263 UNCH
4155	----	----	596.20B/542.80A	596.20B/542.80A	----	578.60 + 19.20	.9754	----	----	----	----	5 UNCH
4170	----	----	581.40B/528.10A	581.40B/528.10A	----	563.80 + 19.10	.9738	----	----	----	----	51 UNCH
4175	----	----	584.50B/523.30A	584.50B/523.30A	----	558.90 + 19.00	.9731	----	----	----	----	61 UNCH
4195	----	----	564.90B/503.80A	564.90B/503.80A	----	539.20 + 18.90	.9701	----	----	----	----	1 UNCH
4200	----	----	559.90B/499.00A	559.90B/499.00A	----	534.30 + 18.90	.9693	----	----	----	----	2057 UNCH
4210	----	----	550.10B/489.40A	550.10B/489.40A	----	524.50 + 18.80	.9678	----	----	----	----	1551 UNCH
4220	----	----	540.30B/479.70A	540.30B/479.70A	----	514.70 + 18.70	.9662	----	----	----	----	84 UNCH
4225	----	----	535.40B/475.00A	535.40B/475.00A	----	509.90 + 18.80	.9654	----	----	----	----	15 UNCH
4235	----	----	525.60B/465.30A	525.60B/465.30A	----	500.10 + 18.70	.9638	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4240	----	----	520.70B/460.60A	520.70B/460.60A	----	495.20 + 18.60	.9629	----	----	----	----	53 UNCH
4245	----	----	515.90B/455.80A	515.90B/455.80A	----	490.40 + 18.60	.9616	----	----	----	----	263 UNCH
4250	----	----	511.00B/451.00A	511.00B/451.00A	----	485.50 + 18.50	.9607	----	----	----	----	921 UNCH
4255	----	----	506.10B/446.30A	506.10B/446.30A	----	480.60 + 18.50	.9599	----	----	----	----	6 UNCH
4260	----	----	501.20B/441.50A	501.20B/441.50A	----	475.80 + 18.50	.9585	----	----	----	----	1 UNCH
4265	----	----	496.40B/436.70A	496.40B/436.70A	----	470.90 + 18.40	.9576	----	----	----	----	87 UNCH
4270	----	----	491.50B/432.00A	491.50B/432.00A	----	466.10 + 18.40	.9562	----	----	----	----	11 UNCH
4280	----	----	481.80B/422.60A	481.80B/422.60A	----	456.40 + 18.30	.9539	----	----	----	----	1 UNCH
4285	----	----	476.90B/417.90A	476.90B/417.90A	----	451.60 + 18.20	.9525	----	----	----	----	1 UNCH
4300	437.10	437.10	462.40B/403.80A	462.40B/403.80A	----	437.20 + 18.10	.9486	----	----	20	----	2169 + 20
4305	----	----	457.60B/399.10A	457.60B/399.10A	----	432.40 + 18.10	.9471	----	----	----	----	1 UNCH
4310	----	----	452.80B/394.50A	452.80B/394.50A	----	427.60 + 18.00	.9457	----	----	----	----	23 UNCH
4315	----	----	448.00B/389.80A	448.00B/389.80A	----	422.80 + 17.90	.9437	----	----	----	----	1 UNCH
4320	----	----	443.20B/385.20A	443.20B/385.20A	----	418.00 + 17.80	.9421	----	----	----	----	62 UNCH
4325	----	----	438.40B/380.60A	438.40B/380.60A	----	413.30 + 17.90	.9406	----	----	----	----	73 UNCH
4335	----	----	428.80B/371.40A	428.80B/371.40A	----	403.80 + 17.70	.9370	----	----	----	----	13 UNCH
4340	----	----	424.00B/366.80A	424.00B/366.80A	----	399.00 + 17.60	.9354	----	----	----	----	17 UNCH
4345	----	----	419.20B/362.20A	419.20B/362.20A	----	394.30 + 17.60	.9333	----	----	----	----	2 UNCH
4350	----	----	414.50B/357.60A	414.50B/357.60A	----	389.60 + 17.50	.9312	----	----	----	----	1457 UNCH
4355	----	----	409.70B/353.10A	409.70B/353.10A	----	384.80 + 17.40	.9291	----	----	----	----	129 UNCH
4360	----	----	405.00B/348.50A	405.00B/348.50A	----	380.10 + 17.30	.9275	----	----	----	----	42 UNCH
4365	----	----	400.30B/344.10A	400.30B/344.10A	----	375.40 + 17.20	.9253	----	----	----	----	4 UNCH
4370	----	----	395.50B/339.60A	395.50B/339.60A	----	370.80 + 17.20	.9227	----	----	----	----	3 UNCH
4375	----	----	390.80B/335.00A	390.80B/335.00A	----	366.10 + 17.10	.9205	----	----	----	----	106 UNCH
4380	----	----	386.10B/330.60A	386.10B/330.60A	----	361.40 + 17.00	.9183	----	----	----	----	341 UNCH
4385	----	----	381.40B/326.20A	381.40B/326.20A	----	356.80 + 16.90	.9157	----	----	----	----	3 UNCH
4390	----	----	376.70B/321.70A	376.70B/321.70A	----	352.10 + 16.80	.9134	----	----	----	----	16 UNCH
4395	----	----	372.10B/317.40A	372.10B/317.40A	----	347.50 + 16.70	.9107	----	----	----	----	10 UNCH
4400	330.50	330.50	367.40B/312.90A	367.40B/312.90A	----	342.90 + 16.60	.9080	----	----	10	----	1468 + 10
4410	----	----	358.10B/304.20A	358.10B/304.20A	----	333.70 + 16.40	.9024	----	----	----	----	39 UNCH
4415	----	----	353.50B/299.90A	353.50B/299.90A	----	329.20 + 16.30	.8997	----	----	----	----	176 UNCH
4420	----	----	348.90B/295.70A	348.90B/295.70A	----	324.60 + 16.20	.8964	----	----	----	----	3 UNCH
4425	----	----	344.30B/291.30A	344.30B/291.30A	----	320.10 + 16.10	.8936	----	----	----	----	274 UNCH
4430	----	----	339.80B/287.10A	339.80B/287.10A	----	315.60 + 16.00	.8903	----	----	----	----	24 UNCH
4435	----	----	335.20B/282.80A	335.20B/282.80A	----	311.10 + 15.80	.8870	----	----	----	----	21 UNCH
4440	----	----	330.70B/278.70A	330.70B/278.70A	----	306.60 + 15.70	.8836	----	----	----	----	20 UNCH
4445	----	----	326.10B/274.90A	326.10B/274.90A	----	302.10 + 15.50	.8803	----	----	----	----	5 UNCH
4450	----	----	321.60B/270.30A	321.60B/270.30A	----	297.60 + 15.40	.8765	----	----	----	----	485 UNCH
4455	----	----	317.10B/266.10A	317.10B/266.10A	----	293.20 + 15.20	.8730	----	----	----	----	6 UNCH
4460	----	----	312.70B/262.10A	312.70B/262.10A	----	288.80 + 15.10	.8692	----	----	----	----	20 UNCH
4465	----	----	308.20B/258.00A	308.20B/258.00A	----	284.40 + 15.00	.8653	----	----	----	----	28 UNCH
4470	----	----	303.70B/253.90A	303.70B/253.90A	----	280.00 + 14.80	.8615	----	----	----	----	24 UNCH
4475	----	----	299.30B/250.10A	299.30B/250.10A	----	275.70 + 14.70	.8575	----	----	----	----	22 UNCH
4480	----	----	294.90B/245.80A	294.90B/245.80A	----	271.30 + 14.40	.8532	----	----	----	----	59 UNCH
4485	----	----	290.50B/241.90A	290.50B/241.90A	----	267.00 + 14.30	.8489	----	----	----	----	11 UNCH
4490	----	----	286.20B/237.90A	286.20B/237.90A	----	262.70 + 14.10	.8445	----	----	----	----	81 UNCH
4495	----	----	281.80B/234.00A	281.80B/234.00A	----	258.50 + 14.00	.8401	----	----	----	----	12 UNCH
4500	248.40	248.40	277.50B/230.00A	277.50B/230.00A	----	254.20 + 13.80	.8353	----	----	1	----	4465 - 1
4505	----	----	273.20B/226.10A	273.20B/226.10A	----	250.00 + 13.60	.8308	----	----	----	----	53 UNCH
4510	262.70	262.70	268.90B/222.30A	268.90B/222.30A	----	245.80 + 13.40	.8260	----	----	1	----	1475 UNCH
4515	----	----	264.70B/218.50A	264.70B/218.50A	----	241.60 + 13.20	.8208	----	----	----	----	99 UNCH
4520	----	----	260.40B/214.60A	260.40B/214.60A	----	237.50 + 13.10	.8159	----	----	----	----	92 UNCH
4525	----	----	256.20B/211.00A	256.20B/211.00A	----	233.40 + 12.90	.8106	----	----	----	----	414 UNCH
4530	246.00	246.00	252.10B/207.30A	252.10B/207.30A	----	229.30 + 12.70	.8054	----	----	1	----	125 + 1
4535	----	----	247.90B/203.80A	247.90B/203.80A	----	225.20 + 12.50	.8001	----	----	----	----	104 UNCH
4540	----	----	243.80B/200.00A	243.80B/200.00A	----	221.20 + 12.30	.7944	----	----	----	----	114 UNCH
4545	----	----	239.70B/196.30A	239.70B/196.30A	----	217.20 + 12.10	.7887	----	----	----	----	33 UNCH
4550	----	----	235.60B/192.70A	235.60B/192.70A	----	213.20 + 11.90	.7830	----	----	----	----	343 UNCH
4555	----	----	231.50B/189.40A	231.50B/189.40A	----	209.30 + 11.70	.7770	----	----	----	----	29 UNCH
4560	----	----	227.50B/185.60A	227.50B/185.60A	----	205.40 + 11.50	.7710	----	----	----	----	174 UNCH
4565	----	----	223.50B/182.20A	223.50B/182.20A	----	201.50 + 11.20	.7649	----	----	----	----	106 UNCH
4570	----	----	219.60B/178.70A	219.60B/178.70A	----	197.70 + 11.10	.7588	----	----	----	----	70 UNCH
4575	----	----	215.60B/175.30A	215.60B/175.30A	----	193.90 + 10.80	.7524	----	----	----	----	86 UNCH
4580	----	----	211.80B/171.80A	211.80B/171.80A	----	190.10 + 10.60	.7460	----	----	----	----	43 UNCH
4585	----	----	207.90B/168.60A	207.90B/168.60A	----	186.40 + 10.40	.7393	----	----	----	----	135 UNCH
4590	----	----	204.10B/165.30A	204.10B/165.30A	----	182.70 + 10.20	.7325	----	----	----	----	231 UNCH
4595	----	----	200.30B/162.30A	200.30B/162.30A	----	179.00 + 9.90	.7258	----	----	----	----	40 UNCH
4600	180.50	180.50	196.50B/158.70A	196.50B/158.70A	----	175.40 + 9.70	.7188	----	----	5	----	5721 UNCH
4605	----	----	192.80B/155.90A	192.80B/155.90A	----	171.80 + 9.50	.7118	----	----	----	----	156 UNCH
4610	----	----	189.10B/152.70A	189.10B/152.70A	----	168.30 + 9.30	.7045	----	----	----	----	122 UNCH
4615	----	----	185.50B/149.30A	185.50B/149.30A	----	164.80 + 9.00	.6973	----	----	----	----	55 UNCH
4620	----	----	181.80B/146.50A	181.80B/146.50A	----	161.30 + 8.80	.6900	----	----	----	----	72 UNCH
4625	----	----	178.30B/143.40A	178.30B/143.40A	----	157.90 + 8.60	.6825	----	----	----	----	274 UNCH
4630	----	----	174.70B/140.90A	174.70B/140.90A	----	154.50 + 8.30	.6750	----	----	----	----	29 UNCH
4635	----	----	171.20B/138.20A	171.20B/138.20A	----	151.20 + 8.10	.6674	----	----	----	----	105 UNCH
4640	----	----	167.70B/135.10A	167.70B/135.10A	----	147.90 + 7.90	.6597	----	----	----	----	37 UNCH
4645	----	----	164.30B/132.20A	164.30B/132.20A	----	144.60 + 7.60	.6518	----	----	----	----	14 UNCH
4650	146.00	146.00	160.90B/129.50A	160.90B/129.50A	----	141.40 + 7.40	.6441	----	----	20	----	2103 - 4
4655	----	----	157.60B/126.50A	157.60B/126.50A	----	138.30 + 7.20	.6360	----	----	----	----	54 UNCH
4660	----	----	154.30B/123.80A	154.30B/123.80A	----	135.10 + 6.90	.6281	----	----	----	----	94 UNCH
4665	----	----	151.00B/121.10A	151.00B/121.10A	----	132.00 + 6.60	.6200	----	----	----	----	81 UNCH
4670	----	----	147.80B/118.30A	147.80B/118.30A	----	129.00 + 6.50	.6118	----	----	----	----	166 UNCH
4675	----	----	144.60B/115.70A	144.60B/115.70A	----	126.00 + 6.20	.6036	----	----	1	----	516 UNCH
4680	----	----	141.40B/113.00A	141.40B/113.00A	----	123.00 + 5.90	.5953	----	----	----	----	224 UNCH
4685	----	----	138.30B/110.70A	138.30B/110.70A	----	120.10 + 5.70	.5870	----	----	----	----	57 UNCH
4690	----	----	135.30B/107.90A	135.30B/107.90A	----	117.30 + 5.50	.5787	----	----	----	----	61 UNCH
4695	----	----	132.30B/105.50A	132.30B/105.50A	----	114.40 + 5.20	.5703	----	----	----	----	68 UNCH
4700	107.00	107.00	129.30B/101.60A	129.30B/101.60A	----	111.70 + 5.00	.5618	----	----	187	----	3631 - 105
4705	----	----	126.30B/100.70A	126.30B/100.70A	----	108.90 + 4.70	.5534	----	----	----	----	43 UNCH
4710	----	----	123.50B/98.20A	123.50B/98.20A	----	106.20 + 4.50	.5449	----	----	----	----	65 UNCH
4715	98.00	98.00	120.50B/95.80A	120.50B/95.80A	----	103.60 + 4.30	.5364	----	----	4	----	41 - 2
4720	96.00	96.00	117.70B/93.40A	117.70B/93.40A	----	101.00 + 4.10	.5278	----	----	26	----	309 - 2
4725	100.50	100.50	115.00B/91.70A	115.00B/91.70A	----	98.40 + 3.80	.5193	----	----	29	----	376 + 13
4730	100.10	100.10	113.80/88.70A	113.80/88.70A	----	95.90 + 3.60	.5108	----	----	27	----	74 + 14
4735	97.80	97.80	109.50B/86.80A	109.50B/86.80A	----	93.40 + 3.30	.5022	----	----	37	----	290 + 32
4740	95.30	95.30	106.90B/84.90A	106.90B/84.90A	----	91.00 + 3.10	.4936	----	----	17	----	64 UNCH
4745	93.10	93.10	104.40B/82.30A	104.40B/82.30A	----	88.60 + 2.80	.4851	----	----	2	----	81 UNCH
4750	90.00	90.00	103.00/80.30A	103.00/80.30A	----	86.30 + 2.60	.4766	----	----	246	----	2514 - 17
4755	----	----	99.40B/77.80A	99.40B/77.80A	----	84.00 + 2.40	.4681	----	----	----	----	116 UNCH
4760	86.60	86.60	96.90B/76.40A	96.90B/76.40A	----	81.80 + 2.20	.4596	----	----	6	----	92 + 4
4765	88.10	88.10	95.00B/73.90A	95.00B/73.90A	----	79.60 + 2.00	.4511	----	----	1	----	82 + 1
4770	88.00	88.00	92.20B/71.90A	92.20B/71.90A	----	77.40 + 1.80	.4427	----	----	11	----	145 + 3
4775	71.00	71.00	89.90B/70.00A	89.90B/70.00A	----	75.30 + 1.60	.4343	----	----	3	----	299 - 2
4780	74.20	74.20	87.60B/68.40A	87.60B/68.40A	----	73.30 + 1.40	.4260	----	----	2	----	152 UNCH
4785	75.30	75.30	85.40B/66.10A	85.40B/66.10A	----	71.30 + 1.20	.4177	----	----	4	----	49 UNCH
4790	----	----	83.30B/64.90A	83.30B/64.90A	----	69.40 + 1.10	.4096	----	----	----	----	100 UNCH
4795	----	----	81.10B/63.10A	81.10B/63.10A	----	67.50 + 1.00	.4014	----	----	----	----	73 UNCH
4800	71.70	71.70	79.00B/61.00A	79.00B/61.00A	----	65.60 + 0.80	.3933	----	----	397	----	7291 + 4
4805	----	----	77.00B/59.60A	77.00B/59.60A	----	63.80 + 0.70	.3853	----	----	1	----	41 - 1
4810	66.90	66.90	75.00B/57.70A	75.00B/57.70A	----	62.00 + 0.50	.3773	----	----	5	----	61 - 1
4815	----	----	73.00B/56.10A	73.00B/56.10A	----	60.30 + 0.40	.3695	----	----	----	----	92 UNCH
4820	58.10	58.10	71.10B/54.40A	71.10B/54.40A	----	58.60 + 0.30	.3617	----	----	2	----	327 + 1
4825	----	----	69.30B/53.00A	69.30B/53.00A	----	56.90 + 0.10	.3539	----	----	----	----	744 UNCH
4830	----	----	67.70B/51.60A	67.70B/51.60A	----	55.30 UNCH	.3462	----	----	----	----	322 UNCH
4835	----	----	65.90B/50.40A	65.90B/50.40A	----	53.70 - 0.20	.3386	----	----	----	----	22 UNCH
4840	----	----	63.90B/48.90A	63.90B/48.90A	----	52.10 - 0.30	.3311	----	----	----	----	159 UNCH
4845	----	----	62.20B/47.60A	62.20B/47.60A	----	50.60 - 0.40	.3237	----	----	----	----	57 UNCH
4850	54.80	54.80	60.60B/46.10A	60.60B/46.10A	----	49.10 - 0.60	.3163	----	----	86	----	1888 - 9
4855	46.80	46.80	58.90B/44.70A	58.90B/44.70A	----	47.60 - 0.70	.3090	----	----	10	----	564 + 10
4860	----	----	57.20B/43.50A	57.20B/43.50A	----	46.20 - 0.80	.3018	----	----	2	----	77 + 1
4865	----	----	55.70B/42.20A	55.70B/42.20A	----	44.90 - 0.90	.2950	----	----	----	----	77 UNCH
4870	----	----	54.40B/40.80A	54.40B/40.80A	----	43.50 - 1.00	.2879	----	----	----	----	55 UNCH
4875	----	----	53.00B/39.70A	53.00B/39.70A	----	42.20 - 1.10	.2810	----	----	----	----	351 UNCH
4880	41.10	41.10	51.30B/38.60A	51.30B/38.60A	----	41.00 - 1.20	.2745	----	----	1	----	94 UNCH
4885	46.60	46.60	49.90B/37.40A	49.90B/37.40A	----	39.80 - 1.20	.2680	----	----	1	----	213 UNCH
4890	----	----	48.50B/36.20A	48.50B/36.20A	----	38.60 - 1.30	.2614	----	----	----	----	267 UNCH
4895	38.30	38.30	47.10B/35.10A	47.10B/35.10A	----	37.50 - 1.40	.2552	----	----	11	----	251 UNCH
4900	37.10	37.10	45.80/34.10A	45.80/34.10A	----	36.40 - 1.40	.2490	----	----	613	----	7070 + 225
4905	----	----	44.40B/33.10A	44.40B/33.10A	----	35.30 - 1.50	.2429	----	----	----	----	46 UNCH
4910	----	----	43.40B/32.10A	43.40B/32.10A	----	34.20 - 1.60	.2367	----	----	6	----	68 UNCH
4915	36.40	36.40	42.20/31.10A	42.20/31.10A	----	33.20 - 1.60	.2309	----	----	2	----	305 UNCH
4920	32.90	32.90	41.10B/30.20A	41.10B/30.20A	----	32.20 - 1.70	.2251	----	----	22	----	125 - 5
4925	33.00	33.00	39.70B/29.30A	39.70B/29.30A	----	31.30 - 1.70	.2196	----	----	5	----	232 + 3
4930	30.20	30.20	38.70B/28.40A	38.70B/28.40A	----	30.30 - 1.80	.2139	----	----	2	----	231 UNCH
4935	----	----	37.60B/27.50A	37.60B/27.50A	----	29.40 - 1.80	.2085	----	----	----	----	89 UNCH
4940	28.20	28.20	36.40B/26.60A	36.40B/26.60A	----	28.50 - 1.90	.2031	----	----	13	----	799 + 2
4945	----	----	35.50B/25.80A	35.50B/25.80A	----	27.70 - 1.90	.1980	----	----	----	----	366 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4950	32.00	32.00	34.50B/25.00A	34.50B/25.00A	----	26.80 - 2.00	.1927	----	----	21	----	2027 + 18
4955	----	----	33.50B/24.30A	33.50B/24.30A	----	26.00 - 2.00	.1877	----	----	----	----	111 UNCH
4960	----	----	32.50B/23.50A	32.50B/23.50A	----	25.20 - 2.00	.1828	----	----	1	----	383 + 1
4965	----	----	31.50B/22.80A	31.50B/22.80A	----	24.40 - 2.10	.1778	----	----	1	----	143 - 1
4970	24.50	24.50	30.70B/22.10A	30.70B/22.10A	----	23.70 - 2.10	.1733	----	----	14	----	204 + 4
4975	25.60	25.60	29.80B/21.40A	29.80B/21.40A	----	23.00 - 2.10	.1688	----	----	3	----	366 + 1
4980	----	----	28.90B/20.80A	28.90B/20.80A	----	22.30 - 2.10	.1643	----	----	----	----	224 UNCH
4985	----	----	28.10B/20.10A	28.10B/20.10A	----	21.60 - 2.20	.1598	----	----	----	----	181 UNCH
4990	24.50	24.50	27.30B/19.50A	27.30B/19.50A	----	20.90 - 2.20	.1553	----	----	3	----	931 + 1
4995	25.00	25.00	26.50B/18.90A	26.50B/18.90A	----	20.30 - 2.20	.1513	----	----	1	----	148 + 1
5000	21.70	21.70	25.70B/18.30A	25.70B/18.30A	----	19.60 - 2.30	.1469	----	----	1164	----	9467 + 393
5005	----	----	24.90B/17.70A	24.90B/17.70A	----	19.00 - 2.30	.1429	----	----	----	----	341 UNCH
5010	20.90	20.90	24.20B/17.20A	24.20B/17.20A	----	18.40 - 2.40	.1389	----	----	10	----	212 - 1
5015	18.00	18.00	23.50B/16.70A	23.50B/16.70A	----	17.90 - 2.30	.1354	----	----	2	----	137 UNCH
5020	----	----	22.80B/16.10A	22.80B/16.10A	----	17.30 - 2.40	.1314	----	----	----	----	471 UNCH
5025	16.90	16.90	22.10B/15.70A	22.10B/15.70A	----	16.80 - 2.30	.1280	----	----	3	----	160 + 2
5030	18.50	18.50	21.40B/15.20A	21.40B/15.20A	----	16.30 - 2.30	.1245	----	----	3	----	185 + 1
5035	----	----	20.80B/14.70A	20.80B/14.70A	----	15.80 - 2.30	.1210	----	----	----	----	72 UNCH
5040	----	----	20.20B/14.40A	20.20B/14.40A	----	15.30 - 2.30	.1176	----	----	----	----	239 UNCH
5045	----	----	19.60B/14.00A	19.60B/14.00A	----	14.80 - 2.40	.1142	----	----	----	----	181 UNCH
5050	15.70	15.70	19.00B/13.50A	19.00B/13.50A	----	14.40 - 2.30	.1113	----	----	22	----	1367 - 27
5055	----	----	18.50B/13.10A	18.50B/13.10A	----	13.90 - 2.40	.1079	----	----	----	----	65 UNCH
5060	----	----	17.90B/12.70A	17.90B/12.70A	----	13.50 - 2.30	.1050	----	----	----	----	103 UNCH
5065	----	----	17.40B/12.40A	17.40B/12.40A	----	13.10 - 2.30	.1021	----	----	----	----	34 UNCH
5070	15.20	15.20	17.00B/12.10A	17.00B/12.10A	----	12.70 - 2.30	.0992	----	----	1	----	111 UNCH
5075	----	----	16.40B/11.60A	16.40B/11.60A	----	12.30 - 2.30	.0964	----	----	----	----	757 UNCH
5080	----	----	16.00B/11.30A	16.00B/11.30A	----	12.00 - 2.20	.0940	----	----	----	----	437 UNCH
5085	----	----	15.40B/11.00A	15.40B/11.00A	----	11.60 - 2.30	.0912	----	----	----	----	217 UNCH
5090	----	----	14.90B/10.70A	14.90B/10.70A	----	11.30 - 2.20	.0889	----	----	----	----	84 UNCH
5095	----	----	14.50B/10.30A	14.50B/10.30A	----	10.90 - 2.20	.0861	----	----	----	----	93 UNCH
5100	13.00	13.00	14.20/9.50	14.20/9.50	----	10.60 - 2.20	.0838	----	----	705	----	6741 + 406
5105	----	----	13.70B/9.80A	13.70B/9.80A	----	10.30 - 2.20	.0816	----	----	----	----	52 UNCH
5110	----	----	13.50B/9.40A	13.50B/9.40A	----	10.00 - 2.10	.0793	----	----	----	----	115 UNCH
5115	----	----	13.30B/9.20A	13.30B/9.20A	----	9.70 - 2.10	.0771	----	----	----	----	184 UNCH
5120	10.60	10.60	12.70B/9.00A	12.70B/9.00A	----	9.40 - 2.10	.0749	----	----	1	----	159 UNCH
5125	----	----	12.40B/8.70A	12.40B/8.70A	----	9.20 - 2.00	.0732	----	----	----	----	307 UNCH
5130	11.80	11.80	11.90B/8.50A	11.90B/8.50A	----	8.90 - 2.00	.0710	----	----	8	----	79 + 7
5135	8.80	8.80	11.90B/8.30A	11.90B/8.30A	----	8.70 - 2.00	.0694	----	----	2	----	77 - 2
5140	----	----	11.40B/8.10A	11.40B/8.10A	----	8.40 - 2.00	.0672	----	----	----	----	143 UNCH
5145	----	----	11.10B/7.80A	11.10B/7.80A	----	8.20 - 1.90	.0656	----	----	----	----	28 UNCH
5150	10.20	10.20	10.80B/7.60A	10.80B/7.60A	----	8.00 - 1.90	.0640	----	----	43	----	2588 - 8
5155	7.90	7.90	10.30B/7.40A	10.30B/7.40A	----	7.80 - 1.80	.0624	----	----	1	----	36 - 1
5160	8.50	8.50	10.30B/7.20A	10.30B/7.20A	----	7.50 - 1.90	.0602	----	----	2	----	113 UNCH
5165	----	----	10.00B/7.00A	10.00B/7.00A	----	7.30 - 1.90	.0586	----	----	----	----	151 UNCH
5170	----	----	9.80B/6.80A	9.80B/6.80A	----	7.10 - 1.80	.0571	----	----	----	----	362 UNCH
5175	----	----	9.50B/6.70A	9.50B/6.70A	----	7.00 - 1.70	.0561	----	----	----	----	72 UNCH
5180	8.20	8.20	9.30B/6.50A	9.30B/6.50A	----	6.80 - 1.70	.0545	----	----	5	----	72 + 5
5185	----	----	9.00B/6.30A	9.00B/6.30A	----	6.60 - 1.70	.0530	----	----	----	----	120 UNCH
5190	----	----	8.80B/6.20A	8.80B/6.20A	----	6.40 - 1.70	.0515	----	----	----	----	496 UNCH
5195	7.30	7.30	8.50B/6.00A	8.50B/6.00A	----	6.30 - 1.60	.0505	----	----	9	----	521 - 3
5200	7.10	7.10	8.40B/5.90A	8.40B/5.90A	----	6.10 - 1.60	.0490	----	----	132	----	6003 + 1
5205	----	----	8.10B/5.70A	8.10B/5.70A	----	6.00 - 1.50	.0481	----	----	----	----	84 UNCH
5210	----	----	7.90B/5.60A	7.90B/5.60A	----	5.80 - 1.60	.0466	----	----	----	----	3072 UNCH
5215	----	----	7.50B/5.50A	7.50B/5.50A	----	5.70 - 1.50	.0457	----	----	----	----	87 UNCH
5220	----	----	7.50B/5.30A	7.50B/5.30A	----	5.50 - 1.50	.0442	----	----	----	----	209 UNCH
5225	----	----	7.30B/5.30A	7.30B/5.30A	----	5.40 - 1.50	.0433	----	----	----	----	792 UNCH
5230	6.10	6.10	7.20B/5.10A	7.20B/5.10A	----	5.30 - 1.40	.0425	----	----	9	----	123 - 1
5235	6.40	6.40	7.00B/5.00A	7.00B/5.00A	----	5.10 - 1.50	.0410	----	----	1	----	156 - 1
5240	----	----	6.80B/4.80A	6.80B/4.80A	----	5.00 - 1.40	.0401	----	----	----	----	67 UNCH
5245	----	----	6.60B/4.70A	6.60B/4.70A	----	4.90 - 1.40	.0393	----	----	----	----	27 UNCH
5250	5.50	5.50	6.50B/4.60A	6.50B/4.60A	----	4.80 - 1.40	.0384	----	----	39	----	4261 + 5
5255	----	----	6.30B/4.50A	6.30B/4.50A	----	4.70 - 1.30	.0376	----	----	14	----	257 + 14
5260	----	----	6.00B/4.40A	6.00B/4.40A	----	4.60 - 1.30	.0367	----	----	----	----	375 UNCH
5265	----	----	5.90B/4.30A	5.90B/4.30A	----	4.50 - 1.30	.0359	----	----	----	----	50 UNCH
5270	----	----	----/4.20A	5.70B/4.20A	----	4.40 - 1.30	.0351	----	----	----	----	50 UNCH
5275	----	----	5.70B/4.10A	5.70B/4.10A	----	4.30 - 1.20	.0342	----	----	----	----	137 UNCH
5280	----	----	5.50B/4.00A	5.50B/4.00A	----	4.20 - 1.20	.0334	----	----	1	----	99 - 1
5285	----	----	5.40B/4.00A	5.40B/4.00A	----	4.10 - 1.20	.0326	----	----	----	----	167 UNCH
5290	----	----	5.30B/3.90A	5.30B/3.90A	----	4.00 - 1.20	.0318	----	----	----	----	36 UNCH
5295	----	----	5.20B/3.80A	5.20B/3.80A	----	4.00 - 1.10	.0316	----	----	----	----	93 UNCH
5300	----	----	----/3.80A	5.00B/3.80A	----	3.90 - 1.10	.0308	----	----	24	----	4576 + 15
5305	----	----	----/3.70A	4.90B/3.70A	----	3.80 - 1.10	.0300	----	----	----	----	303 UNCH
5310	----	----	----/3.60A	4.80B/3.60A	----	3.70 - 1.10	.0293	----	----	----	----	125 UNCH
5315	----	----	----/3.50A	4.70B/3.50A	----	3.70 - 1.00	.0291	----	----	----	----	82 UNCH
5320	----	----	----/3.50A	4.60B/3.50A	----	3.60 - 1.00	.0283	----	----	----	----	141 UNCH
5325	----	----	----/3.50A	4.50B/3.50A	----	3.50 - 1.00	.0275	----	----	4	----	181 - 2
5330	----	----	----/3.30A	4.40B/3.30A	----	3.40 - 1.00	.0268	----	----	----	----	84 UNCH
5335	----	----	----/3.30A	4.30B/3.30A	----	3.40 - 1.00	.0266	----	----	----	----	26 UNCH
5340	----	----	----/3.20A	4.30B/3.20A	----	3.30 - 1.00	.0259	----	----	----	----	81 UNCH
5345	----	----	----/3.20A	4.10B/3.20A	----	3.30 - 0.90	.0257	----	----	----	----	26 UNCH
5350	4.20	4.20	4.20/3.10A	4.20/3.10A	----	3.20 - 0.90	.0250	----	----	2	----	1947 + 1
5355	----	----	----/3.10A	3.90B/3.10A	----	3.10 - 0.90	.0242	----	----	----	----	20 UNCH
5360	----	----	----/3.00A	3.90B/3.00A	----	3.10 - 0.90	.0241	----	----	2	----	64 - 1
5365	----	----	----/3.00A	3.80B/3.00A	----	3.00 - 0.90	.0233	----	----	2	----	14 + 2
5370	----	----	----/2.90A	3.70B/2.90A	----	3.00 - 0.80	.0232	----	----	----	----	75 UNCH
5375	3.30	3.30	3.50/2.90A	3.70B/2.90A	----	2.90 - 0.80	.0225	----	----	61	----	285 + 48
5380	----	----	----/2.80A	3.60B/2.80A	----	2.90 - 0.80	.0223	----	----	----	----	99 UNCH
5385	----	----	----/2.80A	3.50B/2.80A	----	2.80 - 0.80	.0216	----	----	----	----	10 UNCH
5390	----	----	----/2.70A	3.50B/2.70A	----	2.80 - 0.70	.0215	----	----	----	----	121 UNCH
5395	----	----	----/2.70A	3.40B/2.70A	----	2.70 - 0.80	.0208	----	----	----	----	48 UNCH
5400	3.10	3.10	3.20/2.70A	3.30B/2.70A	----	2.70 - 0.70	.0207	----	----	35	----	5314 + 22
5405	----	----	----/2.60A	3.20B/2.60A	----	2.70 - 0.60	.0206	----	----	----	----	87 UNCH
5410	----	----	3.40B/2.60A	3.40B/2.60A	----	2.60 - 0.70	.0199	----	----	----	----	29 UNCH
5415	----	----	----/2.50A	3.10B/2.50A	----	2.60 - 0.60	.0197	----	----	----	----	12 UNCH
5420	----	----	----/2.50A	3.10B/2.50A	----	2.50 - 0.70	.0190	----	----	----	----	50 UNCH
5425	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 0.60	.0189	----	----	----	----	125 UNCH
5430	3.30	3.30	3.30/2.50A	3.30/2.50A	----	2.50 - 0.60	.0188	----	----	6	----	111 + 1
5435	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 0.60	.0182	----	----	----	----	25 UNCH
5440	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 0.60	.0181	----	----	----	----	98 UNCH
5445	2.20	2.20	2.20/2.20	2.80B/2.20	----	2.30 - 0.60	.0174	----	----	1	----	40 UNCH
5450	----	----	----/2.30A	2.80B/2.30A	----	2.30 - 0.60	.0173	----	----	1	----	1489 - 1
5455	----	----	----/2.30A	2.70B/2.30A	----	2.30 - 0.50	.0172	----	----	----	----	187 UNCH
5460	----	----	----/2.30A	2.70B/2.30A	----	2.20 - 0.60	.0165	----	----	----	----	130 UNCH
5465	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 0.50	.0164	----	----	----	----	39 UNCH
5470	----	----	----/2.20A	2.60B/2.20A	----	2.20 - 0.50	.0163	----	----	----	----	40 UNCH
5475	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 0.50	.0157	----	----	----	----	79 UNCH
5480	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 0.50	.0156	----	----	----	----	48 UNCH
5485	2.30	2.30	2.40/2.20A	2.40/2.20A	----	2.10 - 0.50	.0155	----	----	6	----	13 + 4
5490	----	----	----/2.10A	2.40B/2.10A	----	2.00 - 0.50	.0148	----	----	----	----	189 UNCH
5495	----	----	----/2.10A	2.40B/2.10A	----	2.00 - 0.50	.0148	----	----	----	----	80 UNCH
5500	2.10	2.10	2.60/2.00A	2.60/2.00A	----	2.00 - 0.50	.0147	----	----	104	----	6868 + 73
5505	----	----	----/2.10A	2.30B/2.10A	----	1.90 - 0.50	.0140	----	----	----	----	15 UNCH
5510	----	----	----/2.00A	2.30B/2.00A	----	1.90 - 0.50	.0140	----	----	----	----	185 UNCH
5515	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.40	.0139	----	----	----	----	38 UNCH
5520	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.40	.0138	----	----	----	----	31 UNCH
5525	----	----	----/2.00A	2.20B/2.00A	----	1.80 - 0.50	.0132	----	----	----	----	173 UNCH
5530	----	----	----/1.90A	2.10B/1.90A	----	1.80 - 0.50	.0131	----	----	----	----	39 UNCH
5535	----	----	----/1.90A	2.10B/1.90A	----	1.80 - 0.40	.0131	----	----	----	----	13 UNCH
5540	----	----	----/1.90A	2.10B/1.90A	----	1.80 - 0.40	.0130	----	----	----	----	292 UNCH
5545	----	----	----/1.90A	2.10B/1.90A	----	1.70 - 0.50	.0124	----	----	----	----	19 UNCH
5550	----	----	----/1.90A	2.00B/1.90A	----	1.70 - 0.40	.0123	----	----	----	----	771 UNCH
5555	----	----	----/1.90A	2.00B/1.90A	----	1.70 - 0.40	.0122	----	----	----	----	4 UNCH
5560	----	----	----/1.80A	2.00B/1.80A	----	1.70 - 0.40	.0122	----	----	----	----	52 UNCH
5565	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.50	.0116	----	----	----	----	14 UNCH
5570	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.40	.0115	----	----	----	----	36 UNCH
5575	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.40	.0114	----	----	----	----	60 UNCH
5580	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.40	.0114	----	----	----	----	13 UNCH
5585	----	----	----/*1.70A	1.80B/1.70A	----	1.60 - 0.40	.0114	----	----	----	----	11 UNCH
5590	----	----	----/*1.70A	1.80B/1.70A	----	1.50 - 0.40	.0107	----	----	----	----	99 UNCH
5595	----	----	----/*1.70A	1.80B/1.70A	----	1.50 - 0.40	.0107	----	----	----	----	39 UNCH
5600	----	----	----/1.70A	1.70B/1.70A	----	1.50 - 0.40	.0106	----	----	----	----	2366 UNCH
5610	----	----	----/1.70A	1.70B/1.70A	----	1.50 - 0.30	.0105	----	----	----	----	78 UNCH
5620	----	----	----/1.60A	1.70B/1.60A	----	1.40 - 0.40	.0099	----	----	----	----	66 UNCH
5625	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.40	.0098	----	----	----	----	405 UNCH
5630	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.40	.0098	----	----	----	----	231 UNCH
5640	----	----	----/*1.60A	1.60B/1.60A	----	1.40 - 0.30	.0097	----	----	----	----	74 UNCH
5650	2.00	2.00	2.00/1.50A	2.00/1.50A	----	1.40 - 0.30	.0096	----	----	1	----	731 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5660	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.30	.0096	----	----	----	----	42 UNCH
5665	----	----	----/*1.50A	1.50B/1.50A	----	1.40 - 0.20	.0095	----	----	----	----	6 UNCH
5670	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.20	.0095	----	----	----	----	119 UNCH
5675	----	----	----/*1.50A	1.50B/1.50A	----	1.30 - 0.30	.0089	----	----	----	----	22 UNCH
5680	----	----	----/*1.50A	1.50B/1.50A	----	1.30 - 0.30	.0088	----	----	----	----	47 UNCH
5690	----	----	----/1.40A	1.40B/1.40A	----	1.30 - 0.30	.0088	----	----	----	----	176 UNCH
5700	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.20	.0087	----	----	----	----	1895 UNCH
5710	----	----	----/1.40A	1.40B/1.40A	----	1.30 - 0.20	.0086	----	----	----	----	41 UNCH
5720	----	----	----/*1.40A	1.30B/1.40A	----	1.30 - 0.20	.0086	----	----	----	----	18 UNCH
5725	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	.0080	----	----	----	----	36 UNCH
5730	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	.0080	----	----	----	----	59 UNCH
5740	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0079	----	----	----	----	61 UNCH
5750	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0078	----	----	----	----	1691 UNCH
5760	----	----	----	1.20B/1.30A	----	1.20 - 0.10	.0078	----	----	----	----	18 UNCH
5770	----	----	----	1.20B/1.30A	----	1.10 - 0.20	.0072	----	----	----	----	32 UNCH
5775	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.20	.0072	----	----	----	----	167 UNCH
5780	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.20	.0071	----	----	----	----	219 UNCH
5790	----	----	----	1.20B/*1.20A	----	1.10 - 0.10	.0071	----	----	----	----	11 UNCH
5800	1.10	1.10	1.20B/*1.10	1.20B/*1.10	----	1.10 - 0.10	.0070	----	----	4	----	3138 - 1
5810	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0070	----	----	----	----	264 UNCH
5820	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0069	----	----	----	----	35 UNCH
5825	----	----	----	1.10B/*1.10A	----	1.10 UNCH	.0069	----	----	----	----	37 UNCH
5830	----	----	----	1.10B/*1.10A	----	1.10 UNCH	.0069	----	----	----	----	17 UNCH
5840	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0068	----	----	----	----	22 UNCH
5850	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0068	----	----	----	----	456 UNCH
5860	----	----	----	1.00B/*1.10A	----	1.10 UNCH	.0068	----	----	----	----	24 UNCH
5870	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0062	----	----	----	----	32 UNCH
5875	----	----	----	1.00B/*1.00A	----	1.00 UNCH	.0062	----	----	----	----	196 UNCH
5880	----	----	----	1.00B/1.10A	----	1.00 UNCH	.0061	----	----	----	----	17 UNCH
5890	----	----	----	1.00B/*1.00A	----	1.00 UNCH	.0061	----	----	----	----	139 UNCH
5900	----	----	----	1.00B/1.00A	----	1.00 UNCH	.0061	----	----	----	----	1370 UNCH
5910	----	----	----	0.90B/*1.00A	----	1.00 UNCH	.0060	----	----	----	----	16 UNCH
5920	----	----	----	0.90B/*1.00A	----	1.00 UNCH	.0060	----	----	----	----	40 UNCH
5930	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0054	----	----	----	----	57 UNCH
5940	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0054	----	----	----	----	7 UNCH
5950	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0054	----	----	----	----	170 UNCH
5960	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0048	----	----	----	----	51 UNCH
5970	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0048	----	----	----	----	34 UNCH
5980	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0048	----	----	----	----	22 UNCH
5990	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.30	.0042	----	----	----	----	13 UNCH
6000	1.00	1.00	1.00/0.90A	1.00/0.90A	----	0.70 - 0.30	.0042	----	----	5	----	5648 - 3
6010	----	----	----/*0.90A	0.80B/0.90A	----	0.70 - 0.30	.0042	----	----	----	----	10 UNCH
6020	----	----	----/0.90A	0.80B/0.90A	----	0.70 - 0.30	.0042	----	----	----	----	23 UNCH
6030	----	----	----/0.80A	0.80B/0.80A	----	0.70 - 0.30	.0041	----	----	----	----	37 UNCH
6040	----	----	----/0.80A	0.70B/0.80A	----	0.70 - 0.30	.0041	----	----	----	----	24 UNCH
6050	----	----	----/0.80A	0.70B/0.80A	----	0.60 - 0.40	.0036	----	----	----	----	278 UNCH
6060	----	----	----/0.80A	0.70B/0.80A	----	0.60 - 0.40	.0035	----	----	----	----	32 UNCH
6070	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0035	----	----	----	----	34 UNCH
6080	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0035	----	----	----	----	10 UNCH
6090	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0035	----	----	----	----	27 UNCH
6100	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0035	----	----	----	----	2410 UNCH
6110	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.30	.0034	----	----	----	----	67 UNCH
6120	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0034	----	----	----	----	11 UNCH
6125	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0034	----	----	----	----	16 UNCH
6130	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0034	----	----	----	----	10 UNCH
6140	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0034	----	----	----	----	7 UNCH
6150	0.50	0.50	0.50/0.50	0.60B/0.50	----	0.60 - 0.30	.0034	----	----	2	----	515 UNCH
6160	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.30	.0034	----	----	----	----	138 UNCH
6170	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.20	.0033	----	----	----	----	17 UNCH
6180	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0033	----	----	----	----	75 UNCH
6190	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.20	.0033	----	----	----	----	2 UNCH
6200	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.20	.0033	----	----	----	----	4274 UNCH
6210	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0033	----	----	----	----	53 UNCH
6220	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 - 0.20	.0033	----	----	2	----	7 UNCH
6230	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.50 - 0.30	.0028	----	----	7	----	73 + 6
6240	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0027	----	----	----	----	21 UNCH
6250	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0027	----	----	----	----	1322 UNCH
6260	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0027	----	----	----	----	8 UNCH
6270	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0027	----	----	----	----	147 UNCH
6280	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0027	----	----	----	----	12 UNCH
6290	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0027	----	----	----	----	19 UNCH
6300	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0027	----	----	----	----	2450 UNCH
6310	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0027	----	----	----	----	2 UNCH
6320	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.30	.0026	----	----	----	----	24 UNCH
6330	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.40 - 0.40	.0022	----	----	7	----	39 + 7
6340	----	----	----/*0.30A	0.40B/*0.30A	----	0.40 - 0.40	.0021	----	----	----	----	36 UNCH
6350	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.40	.0021	----	----	----	----	17 UNCH
6360	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.40	.0021	----	----	----	----	2 UNCH
6370	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.40	.0021	----	----	----	----	6 UNCH
6380	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.40	.0021	----	----	----	----	8 UNCH
6390	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.40	.0021	----	----	----	----	1 UNCH
6400	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.40	.0021	----	----	----	----	481 UNCH
6410	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.30	.0021	----	----	----	----	8 UNCH
6420	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.30	.0021	----	----	----	----	3 UNCH
6430	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0021	----	----	----	----	35 UNCH
6440	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0020	----	----	----	----	2 UNCH
6450	----	----	----/*0.30A	0.30B/*0.30A	----	0.40 - 0.30	.0020	----	----	----	----	64 UNCH
6460	----	----	----/*0.30A	0.30B/*0.30A	----	0.40 - 0.30	.0020	----	----	----	----	38 UNCH
6470	----	----	----/*0.30A	0.30B/*0.30A	----	0.40 - 0.30	.0020	----	----	----	----	9 UNCH
6480	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.40 - 0.30	.0020	----	----	7	----	28 + 7
6490	----	----	----/*0.30A	0.30B/*0.30A	----	0.40 - 0.30	.0020	----	----	----	----	17 UNCH
6500	----	----	----/0.30A	0.30B/0.30A	----	0.40 - 0.30	.0020	----	----	----	----	1049 UNCH
6525	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.30 - 0.40	.0015	----	----	5	----	24 + 3
6550	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.30 - 0.30	.0015	----	----	41	----	245 + 36
6575	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.30	.0015	----	----	----	----	7 UNCH
6600	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.30	.0015	----	----	----	----	877 UNCH
6625	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	105 UNCH
6650	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0014	----	----	----	----	40 UNCH
6675	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 - 0.20	.0014	----	----	----	----	48 UNCH
6700	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.30	.0010	----	----	----	----	1346 UNCH
6725	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.30	.0010	----	----	----	----	107 UNCH
6750	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0010	----	----	----	----	134 UNCH
6775	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	13 UNCH
6800	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	239 UNCH
6825	----	----	----/*0.30A	0.10B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	10 UNCH
6850	----	----	----/*0.30A	0.10B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	31 UNCH
6875	----	----	----/*0.30A	0.10B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	3 UNCH
6900	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	157 UNCH
6925	----	----	----/*0.30A	0.10B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	51 UNCH
6950	----	----	----/*0.30A	0.10B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	27 UNCH
6975	----	----	----/*0.30A	0.10B/0.30A	----	0.20 - 0.20	.0009	----	----	----	----	21 UNCH
7000	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0009	----	----	2	----	1840 + 2
7025	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	53 UNCH
7050	----	----	----	----/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	120 UNCH
7075	----	----	----	----/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	30 UNCH
7100	----	----	----	----/0.30A	----	0.20 - 0.10	.0008	----	----	----	----	145 UNCH
7125	----	----	----	----/0.30A	----	0.20 - 0.10	.0008	----	----	----	----	52 UNCH
7150	----	----	----	----/0.30A	----	0.20 - 0.10	.0008	----	----	----	----	59 UNCH
7175	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0008	----	----	----	----	3 UNCH
7200	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0008	----	----	----	----	134 UNCH
7225	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	2 UNCH
7250	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	91 UNCH
7275	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	1 UNCH
7300	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	150 UNCH
7325	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	14 UNCH
7350	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
7375	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	20 UNCH
7400	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	47 UNCH
7425	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	20 UNCH
7450	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
7475	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	8 UNCH
7500	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	1355 UNCH
7525	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	22 UNCH
7575	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	8 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	78 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	65 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
JUN26														
7800	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	39	UNCH
7825	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	31	UNCH
7900	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH
7950	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	1064	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	4	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	88	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	64	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	146	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	52	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	387	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	51	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	25	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	363	UNCH
10100	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
10300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
10400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
10500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
10700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
11000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	72	UNCH
11300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
11500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
11600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
11700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
11900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
12000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	406	UNCH
TOTAL											11172		188196+	1227
JUL26														
3200	----	----	----	----	----	1566.60	+ 19.70	.9946	----	----	----	----	0	UNCH
3300	----	----	1,483.90B/----	1483.90B/1456.90A	----	1466.70	+ 19.60	.9928	----	----	----	----	7	UNCH
3350	----	----	----	----	----	1416.80	+ 19.50	.9918	----	----	----	----	0	UNCH
3500	----	----	----	----	----	1267.30	+ 19.50	.9884	----	----	----	----	1	UNCH
3600	----	----	1,185.00B/----	1185.00B/1157.60A	----	1167.90	+ 19.50	.9854	----	----	----	----	24	UNCH
3650	----	----	1,135.40B/----	1135.40B/1107.90A	----	1118.20	+ 19.40	.9837	----	----	----	----	10	UNCH
3670	----	----	1,115.40B/----	1115.40B/1088.00A	----	1098.40	+ 19.40	.9828	----	----	----	----	3	UNCH
3700	----	----	1,085.80B/----	1085.80B/1058.30A	----	1068.60	+ 19.30	.9814	----	----	----	----	119	UNCH
3735	----	----	----	----	----	1034.00	+ 19.30	.9795	----	----	----	----	1	UNCH
3775	----	----	1,011.50B/----	1011.50B/984.10A	----	994.50	+ 19.30	.9771	----	----	----	----	4	UNCH
3800	----	----	989.80B/----	989.80B/955.30A	----	969.90	+ 19.30	.9756	----	----	----	----	2050	UNCH
3825	----	----	962.20B/----	962.20B/934.80A	----	945.30	+ 19.30	.9737	----	----	----	----	3	UNCH
3850	----	----	937.60B/----	937.60B/910.20A	----	920.70	+ 19.20	.9718	----	----	----	----	65	UNCH
3860	----	----	----	----	----	910.90	+ 19.30	.9708	----	----	----	----	1	UNCH
3865	----	----	922.80B/----	922.80B/895.50A	----	906.00	+ 19.30	.9704	----	----	----	----	7	UNCH
3875	----	----	913.00B/----	913.00B/885.70A	----	896.20	+ 19.30	.9695	----	----	----	----	25	UNCH
3900	----	----	888.60B/----	888.60B/861.20A	----	871.70	+ 19.20	.9671	----	----	----	----	18	UNCH
3925	----	----	864.10B/----	864.10B/836.80A	----	847.30	+ 19.20	.9644	----	----	----	----	35	UNCH
3950	----	----	842.60B/----	842.60B/809.40A	----	822.90	+ 19.10	.9616	----	----	----	----	820	UNCH
3960	----	----	----	----	----	813.20	+ 19.20	.9605	----	----	----	----	1	UNCH
4000	----	----	791.10B/----	791.10B/764.00A	----	774.40	+ 19.00	.9551	----	----	----	----	15	UNCH
4020	----	----	----	----	----	755.10	+ 19.00	.9523	----	----	----	----	1	UNCH
4030	----	----	----	----	----	745.40	+ 18.90	.9505	----	----	----	----	2	UNCH
4040	----	----	----	----	----	735.80	+ 18.90	.9491	----	----	----	----	1	UNCH
4075	----	----	718.90B/----	718.90B/692.00A	----	702.20	+ 18.60	.9428	----	----	----	----	6	UNCH
4095	----	----	699.80B/----	699.80B/672.90A	----	683.10	+ 18.50	.9389	----	----	----	----	4	UNCH
4100	----	----	695.00B/----	695.00B/668.20A	----	678.40	+ 18.50	.9379	----	----	----	----	194	UNCH
4105	----	----	----	----	----	673.60	+ 18.50	.9370	----	----	----	----	1	UNCH
4110	----	----	685.50B/----	685.50B/650.40A	----	668.90	+ 18.50	.9358	----	----	----	----	3	UNCH
4145	----	----	652.30B/----	652.30B/617.80A	----	635.80	+ 18.20	.9278	----	----	----	----	28	UNCH
4150	----	----	647.70B/----	647.70B/615.30A	----	631.10	+ 18.20	.9266	----	----	----	----	37	UNCH
4155	----	----	621.20B/----	621.20B/608.50A	----	626.40	+ 18.20	.9253	----	----	----	----	1	UNCH
4160	----	----	620.90B/----	620.90B/606.00A	----	621.70	+ 18.10	.9240	----	----	----	----	1	UNCH
4190	----	----	611.20B/----	611.20B/578.40A	----	593.80	+ 18.00	.9156	----	----	----	----	1	UNCH
4200	----	----	605.80B/----	605.80B/569.30A	----	584.50	+ 17.90	.9126	----	----	----	----	7	UNCH
4215	----	----	591.90B/----	591.90B/555.70A	----	570.70	+ 17.80	.9078	----	----	----	----	25	UNCH
4220	----	----	587.20B/----	587.20B/551.20A	----	566.10	+ 17.80	.9061	----	----	----	----	1	UNCH
4225	----	----	582.60B/----	582.60B/546.70A	----	561.50	+ 17.70	.9045	----	----	----	----	2	UNCH
4235	----	----	573.30B/----	573.30B/537.70A	----	552.40	+ 17.70	.9012	----	----	----	----	1	UNCH
4240	----	----	568.90B/----	568.90B/531.10A	----	547.80	+ 17.60	.8995	----	----	----	----	39	UNCH
4245	----	----	564.20B/----	564.20B/526.70A	----	543.30	+ 17.60	.8976	----	----	----	----	1	UNCH
4250	----	----	559.70B/----	559.70B/524.30A	----	538.70	+ 17.50	.8959	----	----	----	----	318	UNCH
4255	----	----	555.00B/----	555.00B/517.80A	----	534.20	+ 17.50	.8939	----	----	----	----	1	UNCH
4265	----	----	545.90B/----	545.90B/508.90A	----	525.20	+ 17.50	.8903	----	----	----	----	2	UNCH
4270	----	----	541.50B/----	541.50B/504.50A	----	520.70	+ 17.50	.8883	----	----	----	----	38	UNCH
4275	----	----	537.00B/----	537.00B/500.10A	----	516.20	+ 17.40	.8863	----	----	----	----	76	UNCH
4280	----	----	532.40B/----	532.40B/497.80A	----	511.70	+ 17.30	.8844	----	----	----	----	3	UNCH
4300	----	----	514.50B/----	514.50B/480.30A	----	493.90	+ 17.20	.8759	----	----	----	----	63	UNCH
4315	----	----	501.10B/----	501.10B/465.40A	----	480.70	+ 17.00	.8693	----	----	----	----	21	UNCH
4325	----	----	492.30B/----	492.30B/458.80A	----	471.90	+ 16.90	.8647	----	----	----	----	22	UNCH
4335	----	----	483.40B/----	483.40B/448.30A	----	463.20	+ 16.80	.8601	----	----	----	----	1	UNCH
4350	----	----	470.40B/----	470.40B/437.60A	----	450.20	+ 16.60	.8527	----	----	----	----	17	UNCH
4360	----	----	461.70B/----	461.70B/429.30A	----	441.60	+ 16.40	.8475	----	----	----	----	53	UNCH
4365	----	----	457.40B/----	457.40B/423.20A	----	437.40	+ 16.50	.8449	----	----	----	----	45	UNCH
4370	----	----	453.10B/----	453.10B/421.00A	----	433.10	+ 16.30	.8421	----	----	----	----	20	UNCH
4375	----	----	448.80B/----	448.80B/416.90A	----	428.90	+ 16.30	.8395	----	----	----	----	5	UNCH
4400	----	----	427.50B/----	427.50B/395.90A	----	407.90	+ 15.90	.8255	----	----	----	----	2305	UNCH
4410	----	----	419.20B/----	419.20B/386.50A	----	399.60	+ 15.70	.8195	----	----	----	----	4	UNCH
4415	----	----	415.00B/----	415.00B/384.40A	----	395.50	+ 15.70	.8165	----	----	----	----	39	UNCH
4420	----	----	410.80B/----	410.80B/378.60A	----	391.40	+ 15.60	.8134	----	----	----	----	5	UNCH
4425	----	----	406.70B/----	406.70B/374.60A	----	387.30	+ 15.50	.8103	----	----	----	----	16	UNCH
4430	----	----	402.50B/----	402.50B/370.70A	----	383.20	+ 15.30	.8072	----	----	----	----	2	UNCH
4445	----	----	390.30B/----	390.30B/360.30A	----	371.10	+ 15.10	.7976	----	----	----	----	30	UNCH
4450	----	----	386.30B/----	386.30B/355.20A	----	367.10	+ 15.00	.7943	----	----	----	----	256	UNCH
4455	----	----	382.10B/----	382.10B/353.20A	----	363.20	+ 14.90	.7909	----	----	----	----	2	UNCH
4460	----	----	378.10B/----	378.10B/347.60A	----	359.20	+ 14.80	.7874	----	----	----	----	2	UNCH
4475	----	----	366.20B/----	366.20B/337.60A	----	347.50	+ 14.50	.7770	----	----	----	----	2	UNCH
4480	----	----	362.30B/----	362.30B/331.40A	----	343.60	+ 14.40	.7734	----	----	----	----	36	UNCH
4485	----	----	358.30B/----	358.30B/330.00A	----	339.70	+ 14.30	.7699	----	----	----	----	1	UNCH
4490	----	----	354.50B/----	354.50B/324.00A	----	335.90	+ 14.20	.7663	----	----	----	----	20	UNCH
4500	----	----	348.00B/----	348.00B/316.50A	----	328.30	+ 14.00	.7588	----	----	----	----	969	UNCH
4505	----	----	342.80B/----	342.80B/314.20A	----	324.50	+ 13.80	.7550	----	----	----	----	2	UNCH
4510	----	----	339.70B/----	339.70B/309.10A	----	320.70	+ 13.70	.7513	----	----	----	----	75	UNCH
4515	----	----	335.90B/----	335.90B/305.50A	----	317.00	+ 13.60	.7474	----	----	----	----	210	UNCH
4520	----	----	332.10B/----	332.10B/301.90A	----	313.30	+ 13.50	.7435	----	----	----	----	188	UNCH
4525	----	----	328.50B/----	328.50B/298.30A	----	309.60	+ 13.30	.7397	----	----	----	----	129	UNCH
4530	----	----	324.00B/----	324.00B/297.10A	----	306.00	+ 13.30	.7356	----	----	----	----	5	UNCH
4535	----	----	320.90B/----	320.90B/291.20A	----	302.30	+ 13.10	.7316	----	----	----	----	19	UNCH
4540	----	----	317.30B/----	317.30B/287.70A	----	298.70	+ 13.00	.7276	----	----	----	----	56	UNCH
4550	----	----	309.20B/----	309.20B/281.70A	----	291.50	+ 12.70	.7194	----	----	----	----	10	UNCH
4555	----	----	305.50B/----	305.50B/278.70A	----	288.00	+ 12.70	.7153	----	----	----	----	2	UNCH
4560	----	----	302.80B/----	302.80B/273.80A	----	284.50	+ 12.60	.7110	----	----	----	----	51	UNCH
4565	----	----	299.00B/----	299.00B/270.40A	----	281.00	+ 12.40	.7069	----	----	----	----	24	UNCH
4570	----	----	294.80B/----	294.80B/268.50A	----	277.50	+ 12.30	.7026	----	----	----	----	2	UNCH
4575	----	----	292.10B/----	292.10B/263.60A	----	274.00	+ 12.10	.6983	----	----	----	----	125	UNCH
4580	----	----	287.80B/----	287.80B/261.30A	----	270.60	+ 12.00	.6940	----	----	----	----	11	UNCH
4585	----	----	284.30B/----	284.30B/258.00A	----	267.20	+ 11.90	.6896	----	----	----	----	9	UNCH
4590	----	----	280.70B/----	280.70B/254.80A	----	263.80	+ 11.80	.6852	----	----	----	----	1	UNCH
4595	----	----	279.30B/----	279.30B/251.50A	----	260.40	+ 11.60	.6808	----	----	----	----	2	UNCH
4600	----	----	276.20B/----	276.20B/247.00A	----	257.10	+ 11.50	.6764	----	----	2	----	397	UNCH
4605	----	----	272.80B/----	272.80B/244.90A	----	253.80	+ 11.40	.6719	----	----	----	----	4	UNCH
4610	----	----	269.10B/----	269.10B/241.70A	----	250.50	+ 11.30	.6674	----	----	----	----	13	UNCH
4615	----	----	265.70B/----	265.70B/238.30A	----	247.20	+ 11.10	.6629	----	----	----	----	11	UNCH
4620	----	----	262.70B/----	262.70B/234.30A	----	244.00	+ 11.00	.6583	----	----	----	----	35	UNCH
4625	----	----	259.40B/----	259.40B/231.30A	----	240.80	+ 10.90	.6538	----	----	----	----	103	UNCH
4630	----	----	255.80B/----	255.80B/227.90A	----	237.60	+ 10.80	.6491	----	----	----	----	4	UNCH
4635	----	----	252.90B/----	252.90B/225.20A	----	234.40	+ 10.60	.6445	----	----	----	----	91	UNCH
4640	----	----	249.60B/----	249.60B/222.00A	----	231.30	+ 10.50	.6398	----	----	----	----	231	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4645	----	----	246.40B/----	246.40B/219.00A	----	228.20 + 10.40	.6351	----	----	----	----	19 UNCH
4650	----	----	243.00B/211.20A	243.00B/211.20A	----	225.10 + 10.30	.6304	----	----	----	----	841 UNCH
4655	----	----	239.90B/206.60A	239.90B/206.60A	----	222.00 + 10.10	.6257	----	----	----	----	18 UNCH
4660	----	----	236.60B/205.90A	236.60B/205.90A	----	219.00 + 10.00	.6209	----	----	----	----	52 UNCH
4665	----	----	233.60B/201.80A	233.60B/201.80A	----	216.00 + 9.90	.6161	----	----	----	----	269 UNCH
4670	----	----	230.50B/201.10A	230.50B/201.10A	----	213.00 + 9.70	.6113	----	----	----	----	106 UNCH
4675	----	----	227.50B/197.80A	227.50B/197.80A	----	210.10 + 9.60	.6065	----	----	----	----	135 UNCH
4680	----	----	224.40B/195.30A	224.40B/195.30A	----	207.10 + 9.40	.6017	----	----	----	----	140 UNCH
4685	----	----	221.40B/190.60A	221.40B/190.60A	----	204.20 + 9.30	.5968	----	----	----	----	11 UNCH
4690	----	----	218.50B/188.00A	218.50B/188.00A	----	201.40 + 9.20	.5920	----	----	----	----	3 UNCH
4695	----	----	215.50B/185.30A	215.50B/185.30A	----	198.50 + 9.00	.5871	----	----	----	----	33 UNCH
4700	----	----	212.80B/182.70A	212.80B/182.70A	----	195.70 + 8.90	.5822	----	----	11	----	908 + 1
4705	----	----	209.60B/180.50A	209.60B/180.50A	----	192.90 + 8.70	.5773	----	----	----	----	2 UNCH
4710	----	----	206.90B/177.70A	206.90B/177.70A	----	190.20 + 8.60	.5723	----	----	----	----	117 UNCH
4715	----	----	204.00B/175.20A	204.00B/175.20A	----	187.40 + 8.40	.5674	----	----	----	----	2 UNCH
4720	179.00	179.00	201.10B/172.80A	201.10B/172.80A	----	184.70 + 8.20	.5625	----	----	1	----	17 + 1
4725	----	----	198.50B/172.20A	198.50B/172.20A	----	182.10 + 8.10	.5575	----	----	----	----	57 UNCH
4730	----	----	195.60B/167.80A	195.60B/167.80A	----	179.40 + 7.90	.5525	----	----	----	----	13 UNCH
4735	----	----	192.90B/168.90A	192.90B/168.90A	----	176.80 + 7.80	.5476	----	----	----	----	2 UNCH
4740	----	----	190.00B/----	190.00B/167.00A	----	174.20 + 7.60	.5426	----	----	----	----	1 UNCH
4745	170.50	170.50	187.50B/162.90A	187.50B/162.90A	----	171.60 + 7.40	.5376	----	----	1	----	177 UNCH
4750	----	----	185.10B/158.40A	185.10B/158.40A	----	169.10 + 7.30	.5326	----	----	28	55	1655 + 8
4755	----	----	182.10B/156.80A	182.10B/156.80A	----	166.60 + 7.20	.5276	----	----	----	----	19 UNCH
4760	----	----	179.50B/153.20A	179.50B/153.20A	----	164.10 + 7.00	.5227	----	----	----	----	47 UNCH
4765	----	----	177.00B/151.60A	177.00B/151.60A	----	161.70 + 6.90	.5177	----	----	1	----	5 + 1
4770	156.50	156.50	174.30B/149.20A	174.30B/149.20A	----	159.30 + 6.80	.5127	----	----	1	----	73 + 1
4775	----	----	172.00B/146.90A	172.00B/146.90A	----	156.90 + 6.60	.5077	----	----	----	----	156 UNCH
4780	160.00	160.00	169.50B/145.00A	169.50B/145.00A	----	154.50 + 6.40	.5027	----	----	2	----	33 UNCH
4785	----	----	167.00B/142.40A	167.00B/142.40A	----	152.20 + 6.30	.4977	----	----	----	----	13 UNCH
4790	----	----	164.70B/140.30A	164.70B/140.30A	----	149.80 + 6.10	.4928	----	----	----	----	6 UNCH
4795	----	----	162.20B/137.90A	162.20B/137.90A	----	147.60 + 6.10	.4878	----	----	----	----	89 UNCH
4800	145.20	145.20	160.00B/136.50A	160.00B/136.50A	----	145.30 + 5.90	.4828	----	----	29	----	2011 + 19
4805	----	----	157.40B/134.30A	157.40B/134.30A	----	143.10 + 5.80	.4779	----	----	----	----	45 UNCH
4810	----	----	155.30B/131.80A	155.30B/131.80A	----	140.90 + 5.70	.4730	----	----	----	----	36 UNCH
4815	----	----	153.00B/130.20A	153.00B/130.20A	----	138.70 + 5.60	.4681	----	----	----	----	10 UNCH
4820	----	----	150.80B/128.70A	150.80B/128.70A	----	136.60 + 5.50	.4632	----	----	----	----	71 UNCH
4825	----	----	148.60B/126.00A	148.60B/126.00A	----	134.40 + 5.30	.4582	----	----	----	----	645 UNCH
4830	----	----	146.40B/124.50A	146.40B/124.50A	----	132.40 + 5.30	.4534	----	----	----	----	14 UNCH
4835	----	----	144.10B/122.20A	144.10B/122.20A	----	130.30 + 5.20	.4485	----	----	----	----	18 UNCH
4840	----	----	141.90B/120.90A	141.90B/120.90A	----	128.20 + 5.00	.4436	----	----	----	----	183 UNCH
4845	----	----	139.80B/118.40A	139.80B/118.40A	----	126.20 + 4.90	.4388	----	----	----	----	69 UNCH
4850	124.70	124.70	137.80B/117.20A	137.80B/117.20A	----	124.20 + 4.80	.4340	----	----	11	----	525 + 5
4855	----	----	135.60B/115.70A	135.60B/115.70A	----	122.30 + 4.80	.4292	----	----	----	----	7 UNCH
4860	----	----	133.50B/113.30A	133.50B/113.30A	----	120.30 + 4.60	.4244	----	----	----	----	17 UNCH
4865	----	----	131.50B/111.70A	131.50B/111.70A	----	118.40 + 4.50	.4196	----	----	----	----	32 UNCH
4870	116.50	116.50	129.50B/110.00A	129.50B/110.00A	----	116.50 + 4.40	.4149	----	----	4	----	68 + 4
4875	----	----	127.50B/108.10A	127.50B/108.10A	----	114.70 + 4.30	.4102	----	----	----	----	28 UNCH
4880	118.00	118.00	125.60B/106.80A	125.60B/106.80A	----	112.80 + 4.20	.4055	----	----	35	----	74 - 1
4885	----	----	123.60B/104.50A	123.60B/104.50A	----	111.00 + 4.10	.4008	----	----	----	----	25 UNCH
4890	----	----	121.70B/102.90A	121.70B/102.90A	----	109.20 + 4.00	.3961	----	----	9	----	57 + 3
4895	----	----	119.80B/101.60A	119.80B/101.60A	----	107.50 + 3.90	.3916	----	----	----	----	51 UNCH
4900	101.90	101.90	118.00B/100.10A	118.00B/100.10A	----	105.70 + 3.80	.3869	----	----	26	----	1135 + 8
4905	----	----	116.00B/98.30A	116.00B/98.30A	----	104.00 + 3.70	.3824	----	----	----	----	8 UNCH
4910	----	----	114.20B/97.10A	114.20B/97.10A	----	102.30 + 3.60	.3778	----	----	----	----	146 UNCH
4915	----	----	112.50B/95.30A	112.50B/95.30A	----	100.60 + 3.40	.3732	----	----	----	----	36 UNCH
4920	----	----	110.80B/93.70A	110.80B/93.70A	----	99.00 + 3.40	.3688	----	----	----	----	13 UNCH
4925	----	----	109.00B/92.30A	109.00B/92.30A	----	97.40 + 3.30	.3644	----	----	----	----	38 UNCH
4930	----	----	107.30B/91.00A	107.30B/91.00A	----	95.80 + 3.20	.3599	----	----	1	----	66 + 1
4935	----	----	105.70B/89.70A	105.70B/89.70A	----	94.20 + 3.10	.3555	----	----	----	----	619 UNCH
4940	----	----	103.90B/88.40A	103.90B/88.40A	----	92.60 + 2.90	.3510	----	----	----	----	284 UNCH
4945	----	----	102.30B/86.90A	102.30B/86.90A	----	91.10 + 2.90	.3467	----	----	----	----	11 UNCH
4950	----	----	100.70B/85.00A	100.70B/85.00A	----	89.60 + 2.80	.3424	----	----	1	----	298 + 1
4955	----	----	99.00B/84.00A	99.00B/84.00A	----	88.10 + 2.70	.3381	----	----	----	----	87 UNCH
4960	----	----	97.40B/82.40A	97.40B/82.40A	----	86.60 + 2.60	.3338	----	----	1	----	25 + 1
4965	----	----	95.90B/81.40A	95.90B/81.40A	----	85.20 + 2.50	.3296	----	----	----	----	178 UNCH
4970	----	----	94.40B/80.10A	94.40B/80.10A	----	83.80 + 2.40	.3255	----	----	----	----	56 UNCH
4975	----	----	92.80B/78.80A	92.80B/78.80A	----	82.40 + 2.40	.3213	----	----	----	----	43 UNCH
4980	----	----	91.40B/77.60A	91.40B/77.60A	----	81.00 + 2.30	.3172	----	----	----	----	30 UNCH
4985	78.30	78.30	89.90B/76.00A	89.90B/76.00A	----	79.70 + 2.20	.3132	----	----	4	----	35 + 4
4990	----	----	88.30B/75.30A	88.30B/75.30A	----	78.40 + 2.20	.3092	----	----	5	----	37 + 2
4995	----	----	86.90B/73.70A	86.90B/73.70A	----	77.10 + 2.10	.3052	----	----	----	----	43 UNCH
5000	77.70	77.70	85.80B/72.90A	85.80B/72.90A	----	75.80 + 2.10	.3012	----	----	106	----	3204 - 10
5005	74.60	74.60	84.10B/71.90A	84.10B/71.90A	----	74.50 + 2.00	.2972	----	----	3	----	21 - 1
5010	----	----	82.70B/70.50A	82.70B/70.50A	----	73.30 + 1.90	.2933	----	----	----	----	36 UNCH
5015	----	----	81.50B/69.60A	81.50B/69.60A	----	72.00 + 1.80	.2894	----	----	----	----	33 UNCH
5020	----	----	80.20B/68.50A	80.20B/68.50A	----	70.80 + 1.80	.2855	----	----	----	----	13 UNCH
5025	----	----	78.90B/67.00A	78.90B/67.00A	----	69.70 + 1.80	.2819	----	----	----	----	48 UNCH
5030	----	----	77.50B/65.90A	77.50B/65.90A	----	68.50 + 1.70	.2781	----	----	----	----	43 UNCH
5035	----	----	76.30B/65.20A	76.30B/65.20A	----	67.30 + 1.60	.2743	----	----	----	----	59 UNCH
5040	----	----	75.00B/64.10A	75.00B/64.10A	----	66.20 + 1.60	.2707	----	----	----	----	15 UNCH
5045	----	----	73.80B/63.00A	73.80B/63.00A	----	65.10 + 1.50	.2670	----	----	----	----	9 UNCH
5050	----	----	72.70B/61.90A	72.70B/61.90A	----	64.00 + 1.50	.2634	----	----	55	----	295 - 9
5055	----	----	71.40B/60.90A	71.40B/60.90A	----	62.90 + 1.40	.2598	----	----	----	----	20 UNCH
5060	----	----	70.30B/59.90A	70.30B/59.90A	----	61.90 + 1.40	.2564	----	----	----	----	34 UNCH
5065	----	----	69.10B/58.90A	69.10B/58.90A	----	60.80 + 1.30	.2528	----	----	----	----	214 UNCH
5070	----	----	68.00B/57.90A	68.00B/57.90A	----	59.80 + 1.20	.2494	----	----	1	----	31 + 1
5075	57.20	57.20	66.90B/57.00A	66.90B/57.00A	----	58.80 + 1.20	.2460	----	----	6	----	137 - 4
5080	----	----	65.60B/56.00A	65.60B/56.00A	----	57.80 + 1.10	.2426	----	----	----	----	90 UNCH
5085	----	----	64.70B/55.10A	64.70B/55.10A	----	56.80 + 1.10	.2392	----	----	----	----	43 UNCH
5090	----	----	63.50B/54.20A	63.50B/54.20A	----	55.90 + 1.10	.2360	----	----	----	----	12 UNCH
5095	----	----	62.40B/53.30A	62.40B/53.30A	----	54.90 + 1.00	.2326	----	----	----	----	56 UNCH
5100	53.40	53.40	61.80B/52.30A	61.80B/52.30A	----	54.00 + 0.90	.2294	----	----	126	----	1276 - 8
5105	60.20	60.20	60.40B/51.50A	60.40B/51.50A	----	53.10 + 0.90	.2262	----	----	21	----	94 + 21
5110	----	----	59.60B/50.60A	59.60B/50.60A	----	52.20 + 0.80	.2230	----	----	----	----	409 UNCH
5115	----	----	58.50B/49.80A	58.50B/49.80A	----	51.30 + 0.80	.2199	----	----	----	----	30 UNCH
5120	----	----	57.60B/49.00A	57.60B/49.00A	----	50.40 + 0.70	.2167	----	----	----	----	39 UNCH
5125	49.50	49.50	56.60B/48.20A	56.60B/48.20A	----	49.60 + 0.70	.2138	----	----	6	----	247 + 6
5130	----	----	55.70B/47.30A	55.70B/47.30A	----	48.70 + 0.60	.2106	----	----	----	----	38 UNCH
5135	----	----	54.80B/46.60A	54.80B/46.60A	----	47.90 + 0.50	.2077	----	----	----	----	171 UNCH
5140	----	----	53.90B/45.80A	53.90B/45.80A	----	47.10 + 0.50	.2048	----	----	----	----	55 UNCH
5145	----	----	53.00B/45.00A	53.00B/45.00A	----	46.30 + 0.40	.2019	----	----	----	----	67 UNCH
5150	----	----	52.50B/44.20A	52.50B/44.20A	----	45.50 + 0.40	.1989	----	----	----	----	1020 UNCH
5155	----	----	51.30B/43.50A	51.30B/43.50A	----	44.80 + 0.40	.1963	----	----	----	----	20 UNCH
5160	----	----	50.40B/42.80A	50.40B/42.80A	----	44.00 + 0.30	.1934	----	----	----	----	22 UNCH
5165	----	----	49.60B/42.10A	49.60B/42.10A	----	43.30 + 0.30	.1907	----	----	----	----	21 UNCH
5170	----	----	48.80B/41.40A	48.80B/41.40A	----	42.50 + 0.20	.1878	----	----	----	----	10 UNCH
5175	----	----	48.00B/40.70A	48.00B/40.70A	----	41.80 + 0.20	.1851	----	----	----	----	59 UNCH
5180	47.40	47.40	47.40/40.00A	47.40/40.00A	----	41.10 + 0.10	.1825	----	----	1	----	31 UNCH
5185	----	----	46.40B/39.40A	46.40B/39.40A	----	40.40 + 0.10	.1798	----	----	----	----	119 UNCH
5190	----	----	45.70B/38.70A	45.70B/38.70A	----	39.70 UNCH	.1772	----	----	----	----	5 UNCH
5195	----	----	44.90B/38.10A	44.90B/38.10A	----	39.10 UNCH	.1748	----	----	----	----	38 UNCH
5200	41.00	41.00	44.50/37.40A	44.50/37.40A	----	38.40 - 0.10	.1722	----	----	73	----	1961 + 40
5205	43.80	43.80	43.80/36.80A	43.80/36.80A	----	37.80 - 0.10	.1698	----	----	4	----	48 + 4
5210	----	----	42.80B/36.20A	42.80B/36.20A	----	37.10 - 0.20	.1672	----	----	----	----	55 UNCH
5215	----	----	42.10B/35.60A	42.10B/35.60A	----	36.50 - 0.20	.1648	----	----	----	----	46 UNCH
5220	----	----	41.40B/35.00A	41.40B/35.00A	----	35.90 - 0.20	.1624	----	----	----	----	22 UNCH
5225	----	----	40.70B/34.40A	40.70B/34.40A	----	35.30 - 0.20	.1601	----	----	----	----	105 UNCH
5230	----	----	40.00B/33.90A	40.00B/33.90A	----	34.70 - 0.30	.1577	----	----	1	----	86 + 1
5235	35.40	35.40	39.70/33.30A	39.70/33.30A	----	34.20 - 0.30	.1556	----	----	26	----	30 + 26
5240	38.90	38.90	38.90/32.80A	38.90/32.80A	----	33.60 - 0.30	.1533	----	----	6	----	114 + 6
5245	----	----	38.10B/32.20A	38.10B/32.20A	----	33.00 - 0.40	.1510	----	----	----	----	67 UNCH
5250	34.20	34.20	37.70B/31.70A	37.70B/31.70A	----	32.50 - 0.40	.1489	----	----	63	----	745 - 11
5255	----	----	36.90B/31.20A	36.90B/31.20A	----	31.90 - 0.50	.1465	----	----	----	----	18 UNCH
5260	32.80	32.80	36.30B/30.70A	36.30B/30.70A	----	31.40 - 0.50	.1445	----	----	35	----	154 UNCH
5265	----	----	35.70B/30.20A	35.70B/30.20A	----	30.90 - 0.50	.1424	----	----	----	----	8 UNCH
5270	----	----	35.10B/29.70A	35.10B/29.70A	----	30.40 - 0.50	.1404	----	----	----	----	24 UNCH
5275	----	----	34.60B/29.20A	34.60B/29.20A	----	29.90 - 0.50	.1383	----	----	----	----	29 UNCH
5280	----	----	34.00B/28.70A	34.00B/28.70A	----	29.40 - 0.60	.1363	----	----	1	----	39 + 1
5285	----	----	33.50B/28.30A	33.50B/28.30A	----	28.90 - 0.60	.1343	----	----	----	----	20 UNCH
5290	29.60	29.60	32.90B/27.80A	32.90B/27.80A	----	28.50 - 0.60	.1325	----	----	1	----	47 UNCH
5295	28.50	28.50	32.40B/27.40A	32.40B/27.40A	----	28.00 - 0.60	.1305	----	----	1	----	85 + 1
5300	26.90	26.90	31.90B/26.90	31.90B/26.90	----	27.50 - 0.70	.1285	----	----	14	----	1228 + 1
5305	----	----	31.40B/26.50A	31.40B/26.50A	----	27.10 - 0.60	.1267	----	----	----	----	65 UNCH
5310	----	----	30.90B/26.10A	30.90B/26.10A	----	26.70 - 0.60	.1250	----	----	----	----	21 UNCH
5315	----	----	30.40B/25.60A	30.40B/25.60A	----	26.20 - 0.70	.1230	----	----	----	----	28 UNCH
5320	----	----	29.90B/25.20A	29.90B/25.20A	----	25.80 - 0.70	.1213	----	----	----	----	57 UNCH
5325	26.00	26.00	29.40B/24.80A	29.40B/24.80A	----	25.40 - 0.70	.1196	----	----	52	----	227 + 46

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5330	----	----	29.00B/24.40A	29.00B/24.40A	----	25.00 - 0.70	.1178	----	----	----	----	13 UNCH
5335	----	----	28.50B/24.10A	28.50B/24.10A	----	24.60 - 0.70	.1161	----	----	1	----	4 + 1
5340	----	----	28.00B/23.80A	28.00B/23.80A	----	24.20 - 0.70	.1144	----	----	----	----	30 UNCH
5345	----	----	27.60B/23.40A	27.60B/23.40A	----	23.80 - 0.80	.1127	----	----	----	----	42 UNCH
5350	23.50	23.50	27.20B/23.00A	27.20B/23.00A	----	23.40 - 0.80	.1111	----	----	13	----	709 + 11
5355	----	----	26.70B/22.70A	26.70B/22.70A	----	23.10 - 0.70	.1097	----	----	----	----	108 UNCH
5360	----	----	26.30B/22.30A	26.30B/22.30A	----	22.70 - 0.80	.1080	----	----	----	----	328 UNCH
5365	----	----	25.90B/22.00A	25.90B/22.00A	----	22.30 - 0.80	.1063	----	----	----	----	148 UNCH
5370	----	----	25.50B/21.70A	25.50B/21.70A	----	22.00 - 0.80	.1049	----	----	1	----	27 UNCH
5375	----	----	25.10B/21.30A	25.10B/21.30A	----	21.60 - 0.90	.1032	----	----	----	----	24 UNCH
5380	----	----	24.80B/20.90A	24.80B/20.90A	----	21.30 - 0.80	.1019	----	----	----	----	17 UNCH
5385	----	----	24.40B/20.60A	24.40B/20.60A	----	21.00 - 0.80	.1005	----	----	----	----	19 UNCH
5390	----	----	24.00B/20.30A	24.00B/20.30A	----	20.60 - 0.90	.0989	----	----	----	----	13 UNCH
5395	----	----	23.70B/20.00A	23.70B/20.00A	----	20.30 - 0.90	.0975	----	----	----	----	24 UNCH
5400	21.90	21.90	23.30B/19.70A	23.30B/19.70A	----	20.00 - 0.90	.0962	----	----	78	----	3813 - 50
5405	----	----	22.90B/19.40A	22.90B/19.40A	----	19.70 - 0.90	.0948	----	----	----	----	19 UNCH
5410	----	----	22.60B/19.10A	22.60B/19.10A	----	19.40 - 0.90	.0935	----	----	----	----	24 UNCH
5415	----	----	22.20B/18.80A	22.20B/18.80A	----	19.10 - 0.90	.0921	----	----	----	----	18 UNCH
5420	----	----	21.90B/18.50A	21.90B/18.50A	----	18.80 - 0.90	.0908	----	----	----	----	29 UNCH
5425	----	----	21.60B/18.20A	21.60B/18.20A	----	18.50 - 0.90	.0895	----	----	----	----	32 UNCH
5430	----	----	21.20B/18.00A	21.20B/18.00A	----	18.30 - 0.80	.0885	----	----	----	----	11 UNCH
5435	----	----	20.90B/17.70A	20.90B/17.70A	----	18.00 - 0.80	.0871	----	----	----	----	7 UNCH
5440	----	----	20.60B/17.40A	20.60B/17.40A	----	17.70 - 0.90	.0858	----	----	----	----	17 UNCH
5445	----	----	20.30B/17.20A	20.30B/17.20A	----	17.40 - 0.90	.0845	----	----	----	----	24 UNCH
5450	----	----	20.00B/16.90A	20.00B/16.90A	----	17.20 - 0.90	.0835	----	----	2	----	1158 UNCH
5455	----	----	19.70B/16.60A	19.70B/16.60A	----	16.90 - 0.90	.0822	----	----	----	----	36 UNCH
5460	----	----	19.40B/16.50A	19.40B/16.50A	----	16.70 - 0.90	.0812	----	----	----	----	27 UNCH
5465	17.50	17.50	19.10B/16.20A	19.10B/16.20A	----	16.40 - 0.90	.0799	----	----	1	----	19 + 1
5470	----	----	18.80B/16.00A	18.80B/16.00A	----	16.20 - 0.90	.0790	----	----	----	----	28 UNCH
5475	----	----	18.60B/15.70A	18.60B/15.70A	----	16.00 - 0.80	.0780	----	----	----	----	206 UNCH
5480	----	----	18.30B/15.50A	18.30B/15.50A	----	15.70 - 0.90	.0767	----	----	----	----	5 UNCH
5485	----	----	18.00B/15.20A	18.00B/15.20A	----	15.50 - 0.90	.0757	----	----	----	----	6 UNCH
5490	----	----	17.80B/15.10A	17.80B/15.10A	----	15.30 - 0.90	.0748	----	----	----	----	20 UNCH
5495	----	----	17.50B/14.80A	17.50B/14.80A	----	15.00 - 0.90	.0735	----	----	----	----	7 UNCH
5500	16.50	16.50	17.30B/14.60A	17.30B/14.60A	----	14.80 - 0.90	.0725	----	----	22	----	2392 + 6
5505	----	----	17.00B/14.40A	17.00B/14.40A	----	14.60 - 0.90	.0716	----	----	2	----	15 + 2
5510	----	----	16.80B/14.20A	16.80B/14.20A	----	14.40 - 0.90	.0706	----	----	----	----	13 UNCH
5515	----	----	16.50B/14.00A	16.50B/14.00A	----	14.20 - 0.90	.0697	----	----	----	----	17 UNCH
5520	----	----	16.30B/13.80A	16.30B/13.80A	----	14.00 - 0.90	.0687	----	----	----	----	18 UNCH
5525	----	----	16.10B/13.60A	16.10B/13.60A	----	13.80 - 0.90	.0678	----	----	----	----	91 UNCH
5530	----	----	15.80B/13.40A	15.80B/13.40A	----	13.60 - 0.90	.0669	----	----	----	----	26 UNCH
5535	----	----	15.60B/13.20A	15.60B/13.20A	----	13.40 - 0.90	.0659	----	----	----	----	12 UNCH
5540	----	----	15.40B/13.10A	15.40B/13.10A	----	13.20 - 0.90	.0650	----	----	----	----	16 UNCH
5545	13.40	13.40	15.20B/12.90A	15.20B/12.90A	----	13.10 - 0.90	.0644	----	----	8	----	16 - 1
5550	14.30	14.30	15.00B/12.70A	15.00B/12.70A	----	12.90 - 0.90	.0635	----	----	7	----	203 + 1
5555	----	----	14.70B/12.50A	14.70B/12.50A	----	12.70 - 0.90	.0626	----	----	----	----	35 UNCH
5560	----	----	14.50B/12.40A	14.50B/12.40A	----	12.50 - 0.90	.0617	----	----	----	----	23 UNCH
5565	----	----	14.30B/12.20A	14.30B/12.20A	----	12.40 - 0.90	.0611	----	----	----	----	12 UNCH
5570	----	----	14.10B/12.00A	14.10B/12.00A	----	12.20 - 0.90	.0602	----	----	----	----	4 UNCH
5575	----	----	13.90B/11.80A	13.90B/11.80A	----	12.00 - 0.90	.0593	----	----	----	----	31 UNCH
5580	----	----	13.70B/11.70A	13.70B/11.70A	----	11.90 - 0.90	.0587	----	----	----	----	7 UNCH
5585	----	----	13.50B/11.60A	13.50B/11.60A	----	11.70 - 0.90	.0578	----	----	----	----	19 UNCH
5590	11.90	11.90	13.40B/11.40A	13.40B/11.40A	----	11.60 - 0.90	.0573	----	----	2	----	5 UNCH
5595	----	----	13.20B/11.20A	13.20B/11.20A	----	11.40 - 0.90	.0564	----	----	----	----	19 UNCH
5600	11.10	11.10	13.00B/11.10	13.00B/11.10	----	11.30 - 0.90	.0558	----	----	11	----	2104 - 3
5605	----	----	12.80B/11.00A	12.80B/11.00A	----	11.10 - 0.90	.0549	----	----	----	----	32 UNCH
5610	----	----	12.70B/10.80A	12.70B/10.80A	----	11.00 - 0.90	.0544	----	----	----	----	10 UNCH
5615	----	----	12.50B/10.70A	12.50B/10.70A	----	10.80 - 0.90	.0535	----	----	----	----	1 UNCH
5620	----	----	12.30B/10.70A	12.30B/10.70A	----	10.70 - 0.90	.0529	----	----	----	----	6 UNCH
5625	----	----	12.20B/10.50A	12.20B/10.50A	----	10.60 - 0.80	.0524	----	----	----	----	9 UNCH
5630	----	----	12.00B/10.30A	12.00B/10.30A	----	10.40 - 0.90	.0515	----	----	----	----	6 UNCH
5635	----	----	11.90B/10.20A	11.90B/10.20A	----	10.30 - 0.90	.0510	----	----	----	----	12 UNCH
5640	----	----	11.70B/10.10A	11.70B/10.10A	----	10.20 - 0.80	.0504	----	----	----	----	8 UNCH
5650	----	----	11.50B/9.90A	11.50B/9.90A	----	9.90 - 0.90	.0490	----	----	----	----	394 UNCH
5660	----	----	11.10B/9.70A	11.10B/9.70A	----	9.70 - 0.80	.0480	----	----	----	----	7 UNCH
5670	----	----	10.90B/9.40A	10.90B/9.40A	----	9.40 - 0.90	.0466	----	----	----	----	11 UNCH
5675	----	----	10.70B/9.30A	10.70B/9.30A	----	9.30 - 0.90	.0461	----	----	----	----	7 UNCH
5680	----	----	10.60B/9.10A	10.60B/9.10A	----	9.20 - 0.90	.0456	----	----	----	----	6 UNCH
5690	9.10	9.10	10.40B/9.10	10.40B/9.10	----	9.00 - 0.90	.0446	----	----	4	----	21 UNCH
5700	10.30	10.30	10.30/8.70	10.30/8.70	----	8.80 - 0.80	.0435	----	----	2	----	969 UNCH
5710	----	----	9.90B/8.60A	9.90B/8.60A	----	8.60 - 0.80	.0425	----	----	----	----	22 UNCH
5720	----	----	9.60B/8.40A	9.60B/8.40A	----	8.40 - 0.80	.0415	----	----	----	----	17 UNCH
5725	----	----	9.50B/8.30A	9.50B/8.30A	----	8.30 - 0.80	.0410	----	----	----	----	56 UNCH
5730	8.20	8.20	9.40B/8.20	9.40B/8.20	----	8.20 - 0.80	.0406	----	----	2	----	9 UNCH
5740	----	----	9.10B/8.10A	9.10B/8.10A	----	8.00 - 0.90	.0396	----	----	----	----	9 UNCH
5750	----	----	8.90B/7.90A	8.90B/7.90A	----	7.80 - 0.90	.0386	----	----	----	----	989 UNCH
5760	----	----	8.70B/7.70A	8.70B/7.70A	----	7.70 - 0.80	.0380	----	----	----	----	168 UNCH
5770	----	----	8.50B/7.60A	8.50B/7.60A	----	7.50 - 0.80	.0370	----	----	----	----	4 UNCH
5775	----	----	8.50B/7.50A	8.50B/7.50A	----	7.40 - 0.80	.0365	----	----	----	----	215 UNCH
5780	----	----	8.40B/7.40A	8.40B/7.40A	----	7.40 - 0.80	.0364	----	----	----	----	2 UNCH
5790	----	----	8.20B/7.20A	8.20B/7.20A	----	7.20 - 0.80	.0355	----	----	----	----	9 UNCH
5800	----	----	8.10B/7.10A	8.10B/7.10A	----	7.10 - 0.70	.0349	----	----	30	----	803 - 30
5810	----	----	7.90B/6.90A	7.90B/6.90A	----	6.90 - 0.80	.0340	----	----	----	----	11 UNCH
5820	----	----	7.70B/6.80A	7.70B/6.80A	----	6.80 - 0.70	.0334	----	----	----	----	207 UNCH
5825	----	----	7.60B/6.70A	7.60B/6.70A	----	6.70 - 0.80	.0329	----	----	----	----	19 UNCH
5830	----	----	7.50B/6.70A	7.50B/6.70A	----	6.60 - 0.80	.0325	----	----	----	----	1 UNCH
5840	----	----	7.40B/6.60A	7.40B/6.60A	----	6.50 - 0.70	.0319	----	----	----	----	103 UNCH
5850	----	----	7.20B/6.40A	7.20B/6.40A	----	6.40 - 0.70	.0313	----	----	----	----	109 UNCH
5860	6.40	6.40	7.10B/6.20	7.10B/6.20	----	6.30 - 0.70	.0308	----	----	3	----	110 + 3
5870	----	----	----/6.20A	6.90B/6.20A	----	6.10 - 0.80	.0299	----	----	----	----	16 UNCH
5875	----	----	----/6.10A	6.80B/6.10A	----	6.10 - 0.70	.0298	----	----	----	----	22 UNCH
5880	----	----	6.80B/6.10A	6.80B/6.10A	----	6.00 - 0.70	.0293	----	----	----	----	11 UNCH
5890	----	----	----/6.00A	6.60B/6.00A	----	5.90 - 0.70	.0288	----	----	----	----	9 UNCH
5900	----	----	----/5.80A	6.50B/5.80A	----	5.80 - 0.70	.0283	----	----	----	----	429 UNCH
5910	----	----	----/5.70A	6.40B/5.70A	----	5.70 - 0.70	.0277	----	----	----	----	6 UNCH
5920	----	----	----/5.60A	6.20B/5.60A	----	5.60 - 0.70	.0272	----	----	----	----	19 UNCH
5925	----	----	----/5.60A	6.20B/5.60A	----	5.60 - 0.60	.0271	----	----	----	----	6 UNCH
5930	----	----	----/5.50A	6.10B/5.50A	----	5.50 - 0.70	.0267	----	----	----	----	4 UNCH
5940	----	----	----/5.50A	6.00B/5.50A	----	5.40 - 0.70	.0262	----	----	----	----	2 UNCH
5950	----	----	----/5.40A	5.90B/5.40A	----	5.30 - 0.70	.0257	----	----	----	----	43 UNCH
5960	----	----	----/5.30A	5.80B/5.30A	----	5.20 - 0.70	.0252	----	----	----	----	16 UNCH
5970	----	----	----/5.20A	5.70B/5.20A	----	5.10 - 0.70	.0247	----	----	----	----	55 UNCH
5980	----	----	----/5.10A	5.60B/5.10A	----	5.00 - 0.70	.0242	----	----	----	----	3 UNCH
5990	----	----	----/5.00A	5.50B/5.00A	----	5.00 - 0.60	.0240	----	----	4	----	74 UNCH
6000	5.20	5.20	5.40B/4.90A	5.40B/4.90A	----	4.90 - 0.60	.0235	----	----	34	----	2156 - 3
6025	----	----	----/4.80A	5.10B/4.80A	----	4.70 - 0.60	.0225	----	----	----	----	31 UNCH
6050	----	----	----/4.60A	4.90B/4.60A	----	4.50 - 0.60	.0215	----	----	----	----	40 UNCH
6075	----	----	----/4.40A	4.70B/4.40A	----	4.30 - 0.60	.0205	----	----	----	----	713 UNCH
6100	----	----	----/4.30A	4.50B/4.30A	----	4.10 - 0.60	.0195	----	----	3	----	290 - 1
6125	----	----	----/4.20A	4.30B/4.20A	----	4.00 - 0.60	.0189	----	----	----	----	59 UNCH
6150	3.90	3.90	3.90/3.90	4.20B/3.90	----	3.80 - 0.60	.0179	----	----	2	----	881 UNCH
6175	----	----	----/3.90A	4.00B/3.90A	----	3.70 - 0.60	.0174	----	----	----	----	37 UNCH
6200	3.60	3.60	3.60/3.60	3.90B/3.60	----	3.60 - 0.60	.0168	----	----	1	----	550 UNCH
6225	----	----	----/3.60A	3.70B/3.60A	----	3.50 - 0.50	.0162	----	----	----	----	20 UNCH
6250	----	----	----/3.50A	3.60B/3.50A	----	3.30 - 0.60	.0153	----	----	----	----	392 UNCH
6275	----	----	----/3.40A	3.50B/3.40A	----	3.20 - 0.60	.0148	----	----	----	----	3 UNCH
6300	----	----	----/3.30A	3.40B/3.30A	----	3.10 - 0.60	.0143	----	----	1	----	339 UNCH
6325	----	----	----/3.20A	3.30B/3.20A	----	3.00 - 0.60	.0138	----	----	----	----	29 UNCH
6350	----	----	----/3.10A	3.20B/3.10A	----	2.90 - 0.60	.0132	----	----	----	----	26 UNCH
6375	----	----	----/3.00A	3.10B/3.00A	----	2.90 - 0.50	.0131	----	----	----	----	37 UNCH
6400	----	----	----/3.00A	3.00B/3.00A	----	2.80 - 0.50	.0126	----	----	----	----	171 UNCH
6425	----	----	----/2.90A	2.90B/2.90A	----	2.70 - 0.50	.0121	----	----	----	----	17 UNCH
6450	----	----	----/2.80A	2.80B/2.80A	----	2.60 - 0.50	.0117	----	----	----	----	48 UNCH
6475	----	----	----/*2.70A	2.70B/2.70A	----	2.60 - 0.40	.0115	----	----	----	----	14 UNCH
6500	----	----	----/2.70A	2.70B/2.70A	----	2.50 - 0.50	.0111	----	----	----	----	651 UNCH
6525	----	----	----/*2.60A	2.60B/2.60A	----	2.40 - 0.50	.0106	----	----	----	----	132 UNCH
6550	----	----	----/2.60A	2.50B/2.60A	----	2.40 - 0.40	.0105	----	----	----	----	7 UNCH
6575	----	----	----/*2.50A	2.40B/2.50A	----	2.30 - 0.50	.0101	----	----	----	----	4 UNCH
6600	----	----	----/2.50A	2.40B/2.50A	----	2.20 - 0.50	.0096	----	----	1	----	27 UNCH
6650	----	----	----/*2.40A	2.30B/2.40A	----	2.10 - 0.50	.0091	----	----	----	----	16 UNCH
6675	----	----	----/*2.30A	2.20B/2.30A	----	2.10 - 0.50	.0090	----	----	----	----	1 UNCH
6700	----	----	----/*2.20A	2.10B/*2.20A	----	2.10 - 0.40	.0089	----	----	----	----	127 UNCH
6775	----	----	----/*2.10A	2.00B/2.10A	----	1.90 - 0.50	.0080	----	----	----	----	1 UNCH
6800	----	----	----/*2.00A	2.00B/*2.00A	----	1.90 - 0.40	.0080	----	----	----	----	201 UNCH
6825	----	----	----/*2.00A	1.90B/*2.00A	----	1.80 - 0.50	.0076	----	----	----	----	19 UNCH
6850	----	----	----/*1.90A	1.90B/*1.90A	----	1.80 - 0.40	.0075	----	----	----	----	201 UNCH
6875	----	----	----/*1.90A	1.80B/*1.90A	----	1.80 - 0.40	.0074	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
6900	----	----	----/*1.90A	1.80B/*1.90A	----	1.70 - 0.50	.0071	----	----	----	----	19 UNCH
6925	----	----	----/*1.80A	1.70B/*1.80A	----	1.70 - 0.40	.0070	----	----	----	----	1 UNCH
6950	----	----	----/*1.80A	1.70B/*1.80A	----	1.70 - 0.40	.0069	----	----	----	----	22 UNCH
6975	----	----	----/*1.80A	1.70B/*1.80A	----	1.60 - 0.40	.0066	----	----	----	----	10 UNCH
7000	----	----	----/1.70A	1.60B/1.70A	----	1.60 - 0.40	.0065	----	----	75	----	1194 + 75
7050	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.40	.0061	----	----	----	----	18 UNCH
7075	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.40	.0060	----	----	----	----	13 UNCH
7100	----	----	----/*1.60A	1.50B/*1.60A	----	1.50 - 0.40	.0060	----	----	----	----	28 UNCH
7125	----	----	----/*1.60A	1.50B/*1.60A	----	1.40 - 0.40	.0056	----	----	----	----	1 UNCH
7150	----	----	----/*1.60A	1.50B/*1.60A	----	1.40 - 0.40	.0056	----	----	----	----	19 UNCH
7175	----	----	----/*1.60A	1.40B/1.60A	----	1.40 - 0.40	.0055	----	----	----	----	1 UNCH
7200	----	----	----/*1.50A	1.40B/*1.50A	----	1.40 - 0.40	.0055	----	----	----	----	3 UNCH
7225	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.40	.0051	----	----	----	----	22 UNCH
7250	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0051	----	----	----	----	23 UNCH
7275	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0051	----	----	----	----	14 UNCH
7300	----	----	----/*1.40A	1.30B/*1.40A	----	1.30 - 0.30	.0050	----	----	----	----	50 UNCH
7350	----	----	----/*1.40A	1.20B/*1.40A	----	1.20 - 0.40	.0047	----	----	----	----	8 UNCH
7400	----	----	----/*1.30A	1.20B/*1.30A	----	1.20 - 0.30	.0046	----	----	----	----	2 UNCH
7425	----	----	----/*1.30A	1.20B/*1.30A	----	1.20 - 0.30	.0046	----	----	----	----	19 UNCH
7450	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.40	.0042	----	----	----	----	28 UNCH
7475	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.40	.0042	----	----	----	----	9 UNCH
7500	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 0.30	.0042	----	----	1	----	300 UNCH
7525	----	----	----	1.10B/1.40A	----	1.10 - 0.30	.0041	----	----	----	----	33 UNCH
7550	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 0.30	.0041	----	----	----	----	50 UNCH
7575	----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.30	.0041	----	----	----	----	1 UNCH
7600	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 0.30	.0041	----	----	----	----	10 UNCH
7625	----	----	----	1.00B/1.30A	----	1.00 - 0.30	.0037	----	----	----	----	12 UNCH
7700	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.30	.0037	----	----	----	----	11 UNCH
7725	----	----	----/1.20A	1.00B/1.20A	----	1.00 - 0.30	.0037	----	----	----	----	17 UNCH
7750	----	----	----	0.90B/1.20A	----	1.00 - 0.20	.0036	----	----	----	----	6 UNCH
7775	----	----	----	0.90B/1.20A	----	1.00 - 0.20	.0036	----	----	----	----	6 UNCH
7800	----	----	----	0.90B/1.20A	----	1.00 - 0.20	.0036	----	----	----	----	5 UNCH
7825	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.20	.0036	----	----	----	----	13 UNCH
7875	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0032	----	----	----	----	151 UNCH
7900	----	----	----	0.80B/*1.10A	----	0.90 - 0.20	.0032	----	----	----	----	1 UNCH
8000	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.20	.0032	----	----	75	----	823 + 75
8100	----	----	----	0.70B/*1.00A	----	0.90 - 0.10	.0031	----	----	----	----	7 UNCH
8200	----	----	----/*0.90A	0.60B/*0.90A	----	0.80 - 0.20	.0027	----	----	----	----	1 UNCH
8300	----	----	----	0.60B/*0.90A	----	0.80 - 0.10	.0027	----	----	----	----	4 UNCH
8500	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.10	.0026	----	----	----	----	30 UNCH
8600	----	----	----/*0.70A	0.40B/*0.70A	----	0.80 UNCH	.0026	----	----	----	----	1 UNCH
8700	----	----	----/0.70A	0.40B/0.70A	----	0.70 - 0.10	.0022	----	----	----	----	24 UNCH
8800	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.10	.0022	----	----	----	----	7 UNCH
9000	----	----	----/*0.60A	0.30B/*0.60A	----	0.70 UNCH	.0021	----	----	----	----	241 UNCH
9200	----	----	----/*0.60A	0.30B/0.60A	----	0.70 UNCH	.0021	----	----	----	----	11 UNCH
9300	----	----	----/*0.50A	0.20B/*0.50A	----	0.60 - 0.10	.0018	----	----	----	----	4 UNCH
9400	----	----	----/*0.50A	0.20B/*0.50A	----	0.60 - 0.10	.0018	----	----	----	----	141 UNCH
9500	----	----	----/*0.50A	0.20B/0.50A	----	0.60 - 0.10	.0018	----	----	----	----	66 UNCH
9900	----	----	----/*0.40A	0.10B/*0.40A	----	0.60 UNCH	.0017	----	----	----	----	5 UNCH
10000	----	----	----/0.40A	0.20B/0.40A	----	0.60 UNCH	.0017	----	----	----	----	173 UNCH
10100	----	----	----/*0.40A	0.10B/0.40A	----	0.60 UNCH	.0016	----	----	----	----	12 UNCH
11000	----	----	----	----/0.30A	----	0.30 UNCH	.0008	----	----	----	----	103 UNCH
11200	----	----	----	----/0.30A	----	0.30 UNCH	.0008	----	----	----	----	13 UNCH
11500	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	47 UNCH
11600	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	50 UNCH
12000	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	217 UNCH
TOTAL										1161	55	63984 + 257
AUG26												
3200	----	----	1,582.70B/----	1582.70B/1558.00A	----	1566.70 + 19.70	.9898	----	----	----	----	3 UNCH
3300	----	----	1,462.10B/----	1462.10B/1465.30A	----	1467.00 + 19.50	.9871	149	----	150	----	1 + 1
3350	----	----	1,433.40B/----	1433.40B/1408.30A	----	1417.30 + 19.50	.9855	----	----	----	----	125 UNCH
3400	----	----	1,385.40B/----	1385.40B/1356.80A	----	1367.60 + 19.50	.9838	----	----	150	----	400 + 150
3500	----	----	1,284.60B/----	1284.60B/1259.10A	----	1268.50 + 19.40	.9796	----	----	----	----	46 UNCH
3505	----	----	1,279.70B/----	1279.70B/1254.10A	----	1263.60 + 19.40	.9792	----	----	----	----	4 UNCH
3520	----	----	1,264.80B/----	1264.80B/1239.20A	----	1248.80 + 19.40	.9785	----	----	----	----	65 UNCH
3550	----	----	1,236.70B/----	1236.70B/1207.90A	----	1219.20 + 19.40	.9769	----	----	----	----	310 UNCH
3600	----	----	1,189.10B/----	1189.10B/1155.90A	----	1169.90 + 19.40	.9739	----	----	----	----	1045 UNCH
3610	----	----	1,176.10B/----	1176.10B/1150.40A	----	1160.10 + 19.40	.9731	----	----	----	----	6 UNCH
3650	----	----	1,136.90B/----	1136.90B/1111.10A	----	1120.80 + 19.40	.9705	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1111.00 + 19.40	.9697	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1086.60 + 19.40	.9676	----	----	----	----	1 UNCH
3700	----	----	1,088.00B/----	1088.00B/1062.20A	----	1071.90 + 19.40	.9664	----	----	----	----	40 UNCH
3715	----	----	1,073.30B/----	1073.30B/1047.50A	----	1057.30 + 19.40	.9650	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1052.40 + 19.40	.9646	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1037.80 + 19.40	.9631	----	----	----	----	1 UNCH
3750	----	----	1,039.20B/----	1039.20B/1013.50A	----	1023.20 + 19.30	.9617	----	----	----	----	8 UNCH
3775	----	----	1,015.00B/----	1015.00B/989.20A	----	998.90 + 19.30	.9591	----	----	----	----	4 UNCH
3780	----	----	1,010.10B/----	1010.10B/984.40A	----	994.10 + 19.30	.9585	----	----	----	----	10 UNCH
3790	----	----	1,000.40B/----	1000.40B/974.70A	----	984.40 + 19.30	.9574	----	----	----	----	67 UNCH
3800	----	----	992.30B/----	992.30B/963.40A	----	974.80 + 19.30	.9563	----	----	----	----	303 UNCH
3820	----	----	971.50B/----	971.50B/945.70A	----	955.50 + 19.30	.9538	----	----	----	----	3 UNCH
3840	----	----	----	----	----	936.20 + 19.20	.9513	----	----	----	----	1 UNCH
3850	----	----	942.60B/----	942.60B/916.90A	----	926.60 + 19.20	.9499	----	----	----	----	12 UNCH
3885	----	----	----	----	----	893.10 + 19.10	.9450	----	----	----	----	2 UNCH
3890	----	----	----	----	----	888.30 + 19.10	.9443	----	----	----	----	2 UNCH
3900	----	----	894.70B/----	894.70B/869.10A	----	878.80 + 19.10	.9426	----	----	----	----	146 UNCH
3920	----	----	----	----	----	859.80 + 19.00	.9395	----	----	----	----	1 UNCH
3925	----	----	870.90B/----	870.90B/845.30A	----	855.00 + 18.90	.9385	----	----	----	----	10 UNCH
3950	----	----	847.20B/----	847.20B/821.70A	----	831.40 + 18.90	.9341	----	----	----	----	106 UNCH
3955	----	----	842.50B/----	842.50B/817.00A	----	826.60 + 18.80	.9334	----	----	----	----	7 UNCH
3975	----	----	823.70B/----	823.70B/798.20A	----	807.80 + 18.70	.9294	----	----	----	----	200 UNCH
3995	----	----	804.90B/----	804.90B/779.40A	----	789.10 + 18.70	.9254	----	----	----	----	30 UNCH
4000	----	----	803.20B/----	803.20B/770.90A	----	784.40 + 18.60	.9244	----	----	----	----	723 UNCH
4005	----	----	----	----	----	779.80 + 18.70	.9234	----	----	----	----	1 UNCH
4015	----	----	786.20B/----	786.20B/760.80A	----	770.40 + 18.50	.9211	----	----	----	----	12 UNCH
4025	----	----	776.80B/----	776.80B/751.50A	----	761.10 + 18.50	.9191	----	----	----	----	174 UNCH
4045	----	----	758.30B/----	758.30B/733.10A	----	742.60 + 18.30	.9143	----	----	----	----	30 UNCH
4050	----	----	753.60B/----	753.60B/728.50A	----	738.00 + 18.30	.9132	----	----	----	----	100 UNCH
4055	----	----	749.10B/----	749.10B/723.90A	----	733.40 + 18.30	.9120	----	----	----	----	100 UNCH
4075	----	----	730.60B/----	730.60B/705.60A	----	715.10 + 18.20	.9069	----	----	----	----	3 UNCH
4080	----	----	----	573.30B/833.50A	----	710.50 + 18.20	.9056	----	----	----	----	1 UNCH
4100	----	----	707.60B/----	707.60B/683.00A	----	692.30 + 18.00	.9002	----	----	----	----	73 UNCH
4110	----	----	698.50B/----	698.50B/673.90A	----	683.20 + 17.90	.8974	----	----	----	----	19 UNCH
4135	----	----	675.90B/----	675.90B/651.50A	----	660.70 + 17.70	.8899	----	----	----	----	20 UNCH
4140	----	----	----	552.90B/757.70A	----	656.20 + 17.70	.8884	----	----	----	----	1 UNCH
4150	----	----	662.40B/----	662.40B/638.10A	----	647.30 + 17.60	.8851	----	----	----	----	40 UNCH
4165	----	----	----	530.70B/735.40A	----	634.00 + 17.50	.8803	----	----	----	----	1 UNCH
4195	----	----	622.50B/----	622.50B/598.60A	----	607.60 + 17.30	.8700	----	----	----	----	3 UNCH
4200	----	----	618.10B/----	618.10B/594.30A	----	603.20 + 17.20	.8682	----	----	----	----	75 UNCH
4215	----	----	----	486.80B/691.70A	----	590.20 + 17.10	.8627	----	----	----	----	1 UNCH
4220	----	----	600.60B/----	600.60B/577.10A	----	585.80 + 17.00	.8607	----	----	----	----	16 UNCH
4225	----	----	596.20B/----	596.20B/572.90A	----	581.50 + 16.90	.8587	----	----	----	----	102 UNCH
4235	----	----	----	469.50B/674.50A	----	572.90 + 16.80	.8549	----	----	----	----	1 UNCH
4250	----	----	574.70B/----	574.70B/551.60A	----	560.10 + 16.70	.8489	----	----	----	----	71 UNCH
4265	----	----	562.30B/----	562.30B/538.90A	----	547.40 + 16.60	.8427	----	----	----	----	77 UNCH
4285	----	----	545.40B/----	545.40B/522.30A	----	530.60 + 16.30	.8340	----	----	----	----	8 UNCH
4300	----	----	532.80B/----	532.80B/509.90A	----	518.10 + 16.10	.8272	----	----	----	----	42 UNCH
4320	----	----	----	396.30B/605.80A	----	501.70 + 16.00	.8178	----	----	----	----	2 UNCH
4325	----	----	512.10B/----	512.10B/489.60A	----	497.60 + 15.90	.8154	----	----	----	----	6 UNCH
4330	----	----	508.00B/----	508.00B/485.50A	----	493.60 + 15.90	.8130	----	----	----	----	201 UNCH
4350	----	----	494.60B/----	494.60B/467.50A	----	477.50 + 15.70	.8030	----	----	----	----	774 UNCH
4360	----	----	----	363.00B/574.70A	----	469.50 + 15.50	.7979	----	----	----	----	1 UNCH
4375	----	----	471.80B/----	471.80B/450.00A	----	457.70 + 15.40	.7901	----	----	----	----	3 UNCH
4385	----	----	463.90B/----	463.90B/442.20A	----	449.80 + 15.20	.7846	----	----	----	----	100 UNCH
4390	----	----	----	338.60B/551.90A	----	446.00 + 15.20	.7819	----	----	----	----	1 UNCH
4400	----	----	453.40B/----	453.40B/429.10A	----	438.20 + 15.00	.7764	----	----	----	----	326 UNCH
4420	----	----	436.70B/----	436.70B/415.60A	----	423.00 + 14.80	.7650	----	----	----	----	50 UNCH
4425	----	----	432.90B/----	432.90B/411.90A	----	419.20 + 14.70	.7621	----	----	----	----	5 UNCH
4440	----	----	----	299.60B/514.90A	----	407.90 + 14.40	.7533	----	----	----	----	1 UNCH
4450	----	----	414.00B/----	414.00B/393.50A	----	400.50 + 14.30	.7473	----	----	----	----	6 UNCH
4455	----	----	----	288.20B/504.10A	----	396.90 + 14.30	.7443	----	----	----	----	2 UNCH
4460	----	----	406.50B/----	406.50B/386.40A	----	393.20 + 14.20	.7412	----	----	----	----	5 UNCH
4465	----	----	402.80B/----	402.80B/382.70A	----	389.60 + 14.10	.7381	----	----	----	----	9 UNCH
4470	----	----	399.20B/----	399.20B/379.10A	----	385.90 + 14.00	.7350	----	----	----	----	7 UNCH
4475	----	----	395.50B/----	395.50B/375.50A	----	382.30 + 13.90	.7319	----	----	----	----	30 UNCH
4485	----	----	388.20B/----	388.20B/368.50A	----	375.10 + 13.70	.7256	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG CALL — COMEX GOLD OPTIONS

AUG26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4490	----	----	----	262.40B/479.30A	----	371.60 + 13.70	.7224	----	----	----	----	1 UNCH
4500	368.00	368.00	380.10B/368.00	380.10B/355.20A	----	364.50 + 13.40	.7159	----	----	5	----	812 + 5
4525	----	----	359.90B/----	359.90B/338.00A	----	347.20 + 13.00	.6994	----	----	3	----	13 + 3
4535	----	----	354.00B/----	354.00B/331.30A	----	340.40 + 12.80	.6926	----	----	----	----	10 UNCH
4540	----	----	354.10B/----	354.10B/328.00A	----	337.00 + 12.70	.6892	----	----	----	----	5 UNCH
4545	----	----	352.20B/----	352.20B/324.80A	----	333.70 + 12.60	.6858	----	----	----	----	1 UNCH
4550	----	----	349.00B/----	349.00B/320.40A	----	330.30 + 12.50	.6823	----	----	----	----	22 UNCH
4555	----	----	345.40B/----	345.40B/318.30A	----	327.00 + 12.40	.6789	----	----	----	----	1 UNCH
4560	----	----	342.50B/----	342.50B/314.00A	----	323.70 + 12.30	.6754	----	----	----	----	133 UNCH
4565	----	----	339.00B/----	339.00B/311.90A	----	320.50 + 12.20	.6719	----	----	----	----	1 UNCH
4570	----	----	335.40B/----	335.40B/308.60A	----	317.20 + 12.10	.6684	----	----	----	----	4 UNCH
4575	----	----	332.30B/----	332.30B/304.40A	----	314.00 + 12.00	.6648	----	----	----	----	41 UNCH
4580	----	----	329.10B/----	329.10B/301.30A	----	310.80 + 11.90	.6613	----	----	----	----	209 UNCH
4585	----	----	325.50B/----	325.50B/299.30A	----	307.60 + 11.80	.6577	----	----	----	----	2 UNCH
4590	----	----	322.30B/----	322.30B/295.30A	----	304.40 + 11.70	.6541	----	----	----	----	66 UNCH
4595	----	----	319.30B/----	319.30B/293.00A	----	301.30 + 11.60	.6506	----	----	----	----	10 UNCH
4600	300.00	300.00	315.80B/289.00A	315.80B/289.00A	----	298.10 + 11.50	.6469	----	----	5	----	280 UNCH
4605	----	----	312.60B/----	312.60B/286.90A	----	295.00 + 11.40	.6433	----	----	----	----	3 UNCH
4615	----	----	306.40B/----	306.40B/279.80A	----	288.90 + 11.20	.6360	----	----	----	----	7 UNCH
4620	----	----	303.20B/----	303.20B/277.50A	----	285.80 + 11.10	.6323	----	----	----	----	5 UNCH
4625	----	----	300.10B/----	300.10B/274.20A	----	282.80 + 11.00	.6286	----	----	----	----	13 UNCH
4630	----	----	297.20B/264.20A	297.20B/264.20A	----	279.80 + 10.90	.6249	----	----	----	----	24 UNCH
4640	----	----	291.20B/257.60A	291.20B/257.60A	----	273.90 + 10.70	.6174	----	----	----	----	18 UNCH
4650	262.00	262.00	284.80B/253.70A	284.80B/253.70A	----	268.00 + 10.50	.6100	----	----	2	----	277 + 1
4655	----	----	281.90B/249.90A	281.90B/249.90A	----	265.10 + 10.40	.6062	----	----	----	----	1 UNCH
4660	----	----	278.90B/247.20A	278.90B/247.20A	----	262.20 + 10.30	.6024	----	----	----	----	4 UNCH
4665	----	----	275.90B/244.60A	275.90B/244.60A	----	259.40 + 10.20	.5986	----	----	----	----	16 UNCH
4670	----	----	273.20B/241.90A	273.20B/241.90A	----	256.50 + 10.10	.5948	----	----	----	----	50 UNCH
4675	----	----	270.10B/242.10A	270.10B/242.10A	----	253.70 + 10.00	.5911	----	----	----	----	39 UNCH
4680	----	----	267.30B/236.60A	267.30B/236.60A	----	250.90 + 9.90	.5872	----	----	----	----	10 UNCH
4685	----	----	264.50B/234.10A	264.50B/234.10A	----	248.20 + 9.80	.5834	----	----	----	----	200 UNCH
4690	----	----	261.60B/231.80A	261.60B/231.80A	----	245.40 + 9.70	.5796	----	----	----	----	10 UNCH
4695	----	----	258.80B/229.20A	258.80B/229.20A	----	242.70 + 9.60	.5758	----	----	----	----	4 UNCH
4700	----	----	256.20B/229.40A	256.20B/229.40A	----	240.00 + 9.50	.5719	----	----	----	----	2257 UNCH
4705	----	----	253.60B/224.50A	253.60B/224.50A	----	237.30 + 9.40	.5681	----	----	----	----	22 UNCH
4710	----	----	250.40B/221.70A	250.40B/221.70A	----	234.60 + 9.20	.5642	----	----	----	----	22 UNCH
4715	----	----	248.00B/218.90A	248.00B/218.90A	----	232.00 + 9.20	.5604	----	----	----	----	1 UNCH
4720	----	----	245.20B/----	245.20B/221.30A	----	229.40 + 9.10	.5565	----	----	----	----	60 UNCH
4725	----	----	242.30B/214.00A	242.30B/214.00A	----	226.80 + 9.00	.5527	----	----	----	----	35 UNCH
4730	----	----	239.70B/213.50A	239.70B/213.50A	----	224.20 + 8.80	.5488	----	----	----	----	11 UNCH
4735	----	----	237.30B/209.60A	237.30B/209.60A	----	221.60 + 8.70	.5449	----	----	----	----	2 UNCH
4745	----	----	232.20B/207.30A	232.20B/207.30A	----	216.60 + 8.50	.5372	----	----	----	----	63 UNCH
4750	216.30	216.30	229.30B/205.10A	229.30B/205.10A	----	214.10 + 8.40	.5333	----	----	46	----	308 + 1
4755	205.00	205.00	226.80B/202.80A	226.80B/202.80A	----	211.60 + 8.20	.5294	----	----	1	----	56 UNCH
4760	----	----	224.20B/----	224.20B/201.20A	----	209.20 + 8.10	.5256	----	----	----	----	34 UNCH
4765	----	----	221.70B/----	221.70B/198.90A	----	206.70 + 7.90	.5217	----	----	----	----	11 UNCH
4770	----	----	219.20B/192.00A	219.20B/192.00A	----	204.30 + 7.80	.5178	----	----	----	----	252 UNCH
4775	----	----	217.00B/189.80A	217.00B/189.80A	----	201.90 + 7.70	.5139	----	----	----	----	21 UNCH
4780	----	----	214.30B/188.10A	214.30B/188.10A	----	199.60 + 7.60	.5101	----	----	6	----	22 + 5
4785	194.00	194.00	211.90B/185.50A	211.90B/185.50A	----	197.20 + 7.40	.5062	----	----	2	----	10 + 2
4790	----	----	209.60B/184.70A	209.60B/184.70A	----	194.90 + 7.30	.5023	----	----	----	----	27 UNCH
4795	186.70	186.70	207.10B/182.50A	207.10B/182.50A	----	192.60 + 7.20	.4985	----	----	10	----	104 UNCH
4800	197.00	197.00	204.80B/179.20A	204.80B/179.20A	----	190.30 + 7.10	.4946	----	----	81	110	2008 + 71
4805	----	----	202.40B/178.40A	202.40B/178.40A	----	188.10 + 7.00	.4908	----	----	6	----	16 - 5
4810	----	----	200.10B/176.00A	200.10B/176.00A	----	185.80 + 6.80	.4869	----	----	6	----	17 UNCH
4815	----	----	198.10B/173.00A	198.10B/173.00A	----	183.60 + 6.70	.4831	----	----	----	----	3 UNCH
4820	----	----	195.60B/172.00A	195.60B/172.00A	----	181.40 + 6.60	.4792	----	----	----	----	24 UNCH
4825	----	----	193.30B/169.00A	193.30B/169.00A	----	179.30 + 6.50	.4754	----	----	----	----	83 UNCH
4830	----	----	191.30B/167.00A	191.30B/167.00A	----	177.20 + 6.50	.4716	----	----	----	----	29 UNCH
4835	----	----	188.80B/165.00A	188.80B/165.00A	----	175.10 + 6.40	.4678	----	----	----	----	38 UNCH
4840	----	----	186.80B/163.10A	186.80B/163.10A	----	173.00 + 6.30	.4640	----	----	----	----	25 UNCH
4845	----	----	184.80B/161.20A	184.80B/161.20A	----	170.90 + 6.10	.4602	----	----	----	----	1 UNCH
4850	----	----	182.30B/159.30A	182.30B/159.30A	----	168.90 + 6.10	.4565	----	----	----	----	190 UNCH
4860	----	----	178.30B/155.60A	178.30B/155.60A	----	164.90 + 6.00	.4490	----	----	----	----	29 UNCH
4865	----	----	176.00B/153.80A	176.00B/153.80A	----	162.90 + 5.80	.4452	----	----	----	----	11 UNCH
4870	----	----	174.00B/151.90A	174.00B/151.90A	----	160.90 + 5.70	.4415	----	----	----	----	23 UNCH
4875	----	----	171.90B/150.20A	171.90B/150.20A	----	159.00 + 5.70	.4378	----	----	----	----	147 UNCH
4880	----	----	169.90B/148.40A	169.90B/148.40A	----	157.10 + 5.60	.4341	----	----	----	----	142 UNCH
4885	155.30	155.30	167.90B/147.40A	167.90B/147.40A	----	155.20 + 5.50	.4304	----	----	2	----	39 UNCH
4890	----	----	166.00B/145.20A	166.00B/145.20A	----	153.30 + 5.40	.4267	----	----	----	----	8 UNCH
4895	----	----	164.00B/143.40A	164.00B/143.40A	----	151.50 + 5.40	.4230	----	----	----	----	37 UNCH
4900	----	----	162.40B/142.20A	162.40B/142.20A	----	149.60 + 5.20	.4194	----	----	17	----	594 UNCH
4905	----	----	160.10B/140.60A	160.10B/140.60A	----	147.80 + 5.20	.4157	----	----	----	----	14 UNCH
4910	----	----	158.30B/139.30A	158.30B/139.30A	----	146.00 + 5.10	.4121	----	----	----	----	10 UNCH
4915	146.80	146.80	156.30B/137.40A	156.30B/137.40A	----	144.20 + 5.00	.4085	----	----	4	----	25 UNCH
4920	----	----	154.50B/135.70A	154.50B/135.70A	----	142.50 + 5.00	.4049	----	----	----	----	3 UNCH
4925	----	----	152.70B/133.30A	152.70B/133.30A	----	140.70 + 4.80	.4013	----	----	----	----	126 UNCH
4930	----	----	150.90B/132.10A	150.90B/132.10A	----	139.00 + 4.80	.3978	----	----	----	----	25 UNCH
4935	----	----	149.00B/130.00A	149.00B/130.00A	----	137.30 + 4.70	.3942	----	----	----	----	1 UNCH
4940	----	----	147.30B/129.60A	147.30B/129.60A	----	135.60 + 4.60	.3907	----	----	----	----	28 UNCH
4945	----	----	145.50B/127.20A	145.50B/127.20A	----	134.00 + 4.60	.3872	----	----	----	----	23 UNCH
4950	----	----	143.80B/125.80A	143.80B/125.80A	----	132.30 + 4.40	.3837	----	----	----	----	227 UNCH
4955	----	----	142.00B/124.70A	142.00B/124.70A	----	130.70 + 4.40	.3802	----	----	----	----	22 UNCH
4960	126.30	126.30	140.30B/122.40A	140.30B/122.40A	----	129.10 + 4.30	.3768	----	----	11	----	40 + 11
4965	----	----	138.60B/121.50A	138.60B/121.50A	----	127.50 + 4.20	.3733	----	----	----	----	22 UNCH
4970	----	----	137.00B/119.70A	137.00B/119.70A	----	125.90 + 4.10	.3699	----	----	----	----	1 UNCH
4975	----	----	135.30B/118.70A	135.30B/118.70A	----	124.30 + 4.00	.3665	----	----	----	----	2 UNCH
4980	----	----	133.70B/117.60A	133.70B/117.60A	----	122.80 + 4.00	.3631	----	----	----	----	3 UNCH
4985	----	----	132.00B/115.40A	132.00B/115.40A	----	121.30 + 3.90	.3598	----	----	----	----	14 UNCH
4990	----	----	130.40B/114.90A	130.40B/114.90A	----	119.80 + 3.80	.3564	----	----	----	----	9 UNCH
4995	----	----	128.80B/112.90A	128.80B/112.90A	----	118.30 + 3.70	.3531	----	----	----	----	2 UNCH
5000	114.40	114.40	127.80B/111.60A	127.80B/111.60A	----	116.80 + 3.60	.3497	----	----	4	----	1786 UNCH
5005	----	----	125.80B/110.80A	125.80B/110.80A	----	115.40 + 3.60	.3465	----	----	----	----	10 UNCH
5015	----	----	122.70B/107.90A	122.70B/107.90A	----	112.50 + 3.40	.3399	----	----	----	----	7 UNCH
5020	----	----	121.20B/107.00A	121.20B/107.00A	----	111.10 + 3.40	.3367	----	----	----	----	30 UNCH
5025	----	----	120.10B/105.00A	120.10B/105.00A	----	109.70 + 3.30	.3335	----	----	----	----	230 UNCH
5030	----	----	118.30B/104.40A	118.30B/104.40A	----	108.40 + 3.30	.3304	----	----	----	----	193 UNCH
5035	----	----	117.10B/102.80A	117.10B/102.80A	----	107.00 + 3.20	.3271	----	----	----	----	11 UNCH
5040	----	----	115.70B/101.60A	115.70B/101.60A	----	105.70 + 3.10	.3240	----	----	----	----	15 UNCH
5045	----	----	114.30B/100.00A	114.30B/100.00A	----	104.40 + 3.10	.3209	----	----	----	----	23 UNCH
5050	----	----	113.00B/99.00A	113.00B/99.00A	----	103.10 + 3.00	.3178	----	----	----	----	272 UNCH
5055	102.60	102.60	111.50B/98.20A	111.50B/98.20A	----	101.80 + 2.90	.3147	----	----	2	----	5 + 2
5060	----	----	110.20B/96.70A	110.20B/96.70A	----	100.50 + 2.80	.3116	----	----	12	----	23 + 12
5065	----	----	108.80B/95.60A	108.80B/95.60A	----	99.30 + 2.80	.3087	----	----	----	----	43 UNCH
5070	----	----	107.50B/94.40A	107.50B/94.40A	----	98.10 + 2.80	.3057	----	----	----	----	7 UNCH
5075	----	----	106.20B/93.50A	106.20B/93.50A	----	96.80 + 2.70	.3026	----	----	----	----	204 UNCH
5080	----	----	104.90B/92.10A	104.90B/92.10A	----	95.60 + 2.60	.2996	----	----	----	----	21 UNCH
5085	----	----	103.50B/90.80A	103.50B/90.80A	----	94.50 + 2.70	.2968	----	----	----	----	103 UNCH
5090	----	----	102.10B/89.70A	102.10B/89.70A	----	93.30 + 2.60	.2938	----	----	----	----	2 UNCH
5095	----	----	101.00B/88.90A	101.00B/88.90A	----	92.10 + 2.50	.2909	----	----	----	----	4 UNCH
5100	----	----	100.10B/87.70A	100.10B/87.70A	----	91.00 + 2.50	.2881	----	----	163	----	1560 + 102
5105	----	----	98.70B/86.90A	98.70B/86.90A	----	89.80 + 2.40	.2851	----	----	----	----	3 UNCH
5110	----	----	97.30B/85.60A	97.30B/85.60A	----	88.70 + 2.40	.2823	----	----	----	----	11 UNCH
5115	----	----	96.20B/84.40A	96.20B/84.40A	----	87.60 + 2.30	.2795	----	----	----	----	9 UNCH
5120	----	----	95.20B/83.80A	95.20B/83.80A	----	86.50 + 2.20	.2767	----	----	----	----	354 UNCH
5125	----	----	93.80B/82.30A	93.80B/82.30A	----	85.40 + 2.20	.2739	----	----	----	----	159 UNCH
5130	----	----	92.80B/81.80A	92.80B/81.80A	----	84.40 + 2.20	.2712	----	----	----	----	2 UNCH
5135	----	----	91.50B/80.60A	91.50B/80.60A	----	83.30 + 2.10	.2685	----	----	----	----	4 UNCH
5140	----	----	90.40B/79.50A	90.40B/79.50A	----	82.30 + 2.10	.2658	----	----	----	----	12 UNCH
5145	----	----	89.40B/78.80A	89.40B/78.80A	----	81.30 + 2.10	.2632	----	----	----	----	12 UNCH
5150	----	----	88.30B/77.60A	88.30B/77.60A	----	80.30 + 2.00	.2605	----	----	----	----	113 UNCH
5155	----	----	87.10B/76.80A	87.10B/76.80A	----	79.30 + 2.00	.2579	----	----	----	----	18 UNCH
5160	----	----	86.10B/76.00A	86.10B/76.00A	----	78.30 + 1.90	.2552	----	----	----	----	14 UNCH
5165	----	----	85.00B/75.40A	85.00B/75.40A	----	77.30 + 1.80	.2526	----	----	----	----	2 UNCH
5170	----	----	84.00B/74.40A	84.00B/74.40A	----	76.30 + 1.80	.2500	----	----	----	----	6 UNCH
5175	----	----	83.20B/73.30A	83.20B/73.30A	----	75.40 + 1.80	.2475	----	----	----	----	361 UNCH
5185	----	----	80.90B/71.50A	80.90B/71.50A	----	73.50 + 1.60	.2424	----	----	----	----	2 UNCH
5190	----	----	80.00B/70.40A	80.00B/70.40A	----	72.60 + 1.60	.2400	----	----	6	----	12 + 6
5195	----	----	79.00B/69.50A	79.00B/69.50A	----	71.70 + 1.60	.2375	----	----	----	----	12 UNCH
5200	74.10	74.10	78.30B/69.00A	78.30B/69.00A	----	70.80 + 1.50	.2350	----	----	4	----	3200 + 2
5205	----	----	77.10B/68.00A	77.10B/68.00A	----	70.00 + 1.50	.2327	----	----	----	----	6 UNCH
5210	----	----	76.20B/67.20A	76.20B/67.20A	----	69.10 + 1.50	.2303	----	----	----	----	8 UNCH
5215	----	----	75.20B/66.70A	75.20B/66.70A	----	68.20 + 1.40	.2279	----	----	----	----	14 UNCH
5220	----	----	74.30B/65.80A	74.30B/65.80A	----	67.40 + 1.40	.2256	----	----	----	----	29 UNCH
5225	----	----	73.40B/65.00A	73.40B/65.00A	----	66.60 + 1.40	.2233	----	----	----	----	51 UNCH
5230	----	----	72.40B/64.20A	72.40B/64.20A	----	65.70 + 1.20	.2209	----	----	----	----	11 UNCH
5235	----	----	71.60B/63.30A	71.60B/63.30A	----	64.90 + 1.20	.2186	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5240	----	----	70.70B/62.50A	70.70B/62.50A	----	64.10 + 1.20	.2163	----	----	----	----	16 UNCH
5245	----	----	69.90B/61.70A	69.90B/61.70A	----	63.30 + 1.10	.2141	----	----	----	----	12 UNCH
5250	----	----	69.30B/61.10A	69.30B/61.10A	----	62.60 + 1.20	.2120	----	----	6	----	809 UNCH
5255	----	----	68.40B/60.20A	68.40B/60.20A	----	61.80 + 1.10	.2097	----	----	----	----	888 UNCH
5260	----	----	67.30B/59.60A	67.30B/59.60A	----	61.00 + 1.00	.2075	----	----	----	----	24 UNCH
5265	60.10	60.10	66.60B/58.90A	66.60B/58.90A	----	60.30 + 1.00	.2054	----	----	4	----	13 + 2
5270	----	----	65.80B/58.30A	65.80B/58.30A	----	59.50 + 0.90	.2032	----	----	----	----	118 UNCH
5275	----	----	64.90B/57.60A	64.90B/57.60A	----	58.80 + 0.90	.2011	----	----	----	----	21 UNCH
5280	----	----	64.20B/56.90A	64.20B/56.90A	----	58.10 + 0.90	.1991	----	----	----	----	207 UNCH
5285	----	----	63.40B/56.10A	63.40B/56.10A	----	57.40 + 0.90	.1970	----	----	----	----	32 UNCH
5290	----	----	62.70B/55.40A	62.70B/55.40A	----	56.70 + 0.90	.1949	----	----	----	----	17 UNCH
5295	----	----	61.80B/54.90A	61.80B/54.90A	----	56.00 + 0.80	.1929	----	----	----	----	6 UNCH
5300	59.90	59.90	61.30B/53.90A	61.30B/53.90A	----	55.30 + 0.80	.1909	----	----	63	----	1009 + 51
5305	----	----	60.50B/53.60A	60.50B/53.60A	----	54.60 + 0.70	.1888	----	----	----	----	14 UNCH
5310	----	----	59.70B/52.80A	59.70B/52.80A	----	54.00 + 0.70	.1870	----	----	----	----	105 UNCH
5320	----	----	58.30B/51.60A	58.30B/51.60A	----	52.70 + 0.70	.1831	----	----	----	----	17 UNCH
5325	----	----	57.60B/51.00A	57.60B/51.00A	----	52.00 + 0.60	.1810	----	----	----	----	23 UNCH
5330	----	----	56.80B/50.50A	56.80B/50.50A	----	51.40 + 0.60	.1792	----	----	----	----	3 UNCH
5335	----	----	56.20B/49.90A	56.20B/49.90A	----	50.80 + 0.60	.1774	----	----	----	----	1 UNCH
5345	----	----	54.80B/48.60A	54.80B/48.60A	----	49.60 + 0.50	.1737	----	----	----	----	2 UNCH
5350	----	----	54.30B/48.00A	54.30B/48.00A	----	49.00 + 0.50	.1719	----	----	----	----	8001 UNCH
5355	----	----	53.60B/47.50A	53.60B/47.50A	----	48.40 + 0.40	.1701	----	----	----	----	1 UNCH
5360	----	----	53.00B/47.00A	53.00B/47.00A	----	47.80 + 0.40	.1683	----	----	----	----	114 UNCH
5365	----	----	52.20B/46.50A	52.20B/46.50A	----	47.20 + 0.30	.1664	----	----	----	----	3 UNCH
5370	----	----	51.70B/45.60A	51.70B/45.60A	----	46.70 + 0.40	.1648	----	----	----	----	8005 UNCH
5375	----	----	51.00B/45.40A	51.00B/45.40A	----	46.10 + 0.30	.1630	----	----	----	----	16 UNCH
5380	45.50	45.50	50.30B/44.90A	50.30B/44.90A	----	45.60 + 0.30	.1614	----	----	3	----	6 + 3
5400	44.00	44.00	48.20B/42.80A	48.20B/42.80A	----	43.40 + 0.10	.1546	----	----	3	----	2540 + 3
5405	----	----	47.40B/42.40A	47.40B/42.40A	----	42.90 + 0.10	.1530	----	----	----	----	7 UNCH
5410	----	----	47.00B/41.90A	47.00B/41.90A	----	42.40 + 0.10	.1514	----	----	----	----	24 UNCH
5420	----	----	45.90B/40.80A	45.90B/40.80A	----	41.40 UNCH	.1483	----	----	----	----	8 UNCH
5425	----	----	45.30B/40.30A	45.30B/40.30A	----	40.90 UNCH	.1467	----	----	----	----	22 UNCH
5430	----	----	44.90B/39.90A	44.90B/39.90A	----	40.50 UNCH	.1453	----	----	----	----	22 UNCH
5435	41.40	41.40	44.20B/39.50A	44.20B/39.50A	----	40.00 UNCH	.1438	----	----	30	----	50 + 30
5440	----	----	43.80B/39.00A	43.80B/39.00A	----	39.50 - 0.10	.1422	----	----	----	----	106 UNCH
5445	----	----	43.20B/38.60A	43.20B/38.60A	----	39.10 UNCH	.1409	----	----	----	----	10 UNCH
5450	----	----	42.80B/38.20A	42.80B/38.20A	----	38.60 - 0.10	.1393	----	----	----	----	126 UNCH
5455	----	----	42.40B/37.70A	42.40B/37.70A	----	38.20 - 0.10	.1380	----	----	----	----	17 UNCH
5460	38.20	38.20	41.80B/37.30A	41.80B/37.30A	----	37.70 - 0.20	.1364	----	----	10	----	12 - 3
5465	----	----	41.40B/36.90A	41.40B/36.90A	----	37.30 - 0.10	.1351	----	----	----	----	38 UNCH
5470	----	----	41.00B/36.40A	41.00B/36.40A	----	36.90 - 0.10	.1337	----	----	----	----	4 UNCH
5475	----	----	40.50B/36.00A	40.50B/36.00A	----	36.40 - 0.20	.1322	----	----	----	----	2 UNCH
5480	----	----	40.00B/35.60A	40.00B/35.60A	----	36.00 - 0.20	.1309	----	----	----	----	14 UNCH
5485	----	----	39.50B/35.20A	39.50B/35.20A	----	35.60 - 0.20	.1295	----	----	----	----	19 UNCH
5490	----	----	39.10B/34.80A	39.10B/34.80A	----	35.20 - 0.30	.1282	----	----	----	----	2 UNCH
5495	----	----	38.70B/34.40A	38.70B/34.40A	----	34.80 - 0.30	.1269	----	----	----	----	4 UNCH
5500	37.00	37.00	38.20B/34.10A	38.20B/34.10A	----	34.40 - 0.30	.1256	----	----	5	----	1409 UNCH
5505	----	----	37.70B/33.70A	37.70B/33.70A	----	34.00 - 0.30	.1243	----	----	----	----	10 UNCH
5510	----	----	37.30B/33.30A	37.30B/33.30A	----	33.60 - 0.40	.1229	----	----	----	----	9 UNCH
5515	----	----	37.00B/33.00A	37.00B/33.00A	----	33.20 - 0.40	.1216	----	----	----	----	30 UNCH
5520	----	----	36.50B/32.60A	36.50B/32.60A	----	32.90 - 0.30	.1206	----	----	----	----	1 UNCH
5525	32.70	32.70	36.10B/32.20A	36.10B/32.20A	----	32.50 - 0.40	.1193	----	----	6	----	2234 + 5
5530	----	----	35.70B/31.80A	35.70B/31.80A	----	32.10 - 0.40	.1180	----	----	----	----	1 UNCH
5535	----	----	35.30B/31.60A	35.30B/31.60A	----	31.80 - 0.40	.1169	----	----	----	----	12 UNCH
5540	----	----	34.80B/31.30A	34.80B/31.30A	----	31.40 - 0.50	.1156	----	----	----	----	9 UNCH
5545	----	----	34.50B/30.90A	34.50B/30.90A	----	31.10 - 0.40	.1145	----	----	----	----	18 UNCH
5550	----	----	34.20B/30.50A	34.20B/30.50A	----	30.70 - 0.50	.1132	----	----	3	----	129 + 1
5555	----	----	33.70B/30.30A	33.70B/30.30A	----	30.40 - 0.50	.1122	----	----	----	----	1 UNCH
5560	----	----	33.30B/29.80A	33.30B/29.80A	----	30.10 - 0.40	.1111	----	----	----	----	3 UNCH
5565	----	----	33.10B/29.50A	33.10B/29.50A	----	29.70 - 0.50	.1098	----	----	----	----	39 UNCH
5570	----	----	32.70B/29.00A	32.70B/29.00A	----	29.40 - 0.50	.1088	----	----	----	----	3 UNCH
5575	----	----	32.30B/28.90A	32.30B/28.90A	----	29.10 - 0.50	.1077	----	----	----	----	3 UNCH
5580	----	----	32.00B/28.70A	32.00B/28.70A	----	28.80 - 0.50	.1067	----	----	----	----	17 UNCH
5590	----	----	31.40B/28.10A	31.40B/28.10A	----	28.20 - 0.50	.1046	----	----	----	----	2 UNCH
5595	----	----	31.00B/27.90A	31.00B/27.90A	----	27.90 - 0.50	.1036	----	----	----	----	29 UNCH
5600	----	----	30.70B/27.50A	30.70B/27.50A	----	27.60 - 0.50	.1025	----	----	----	----	1130 UNCH
5605	----	----	30.30B/27.20A	30.30B/27.20A	----	27.30 - 0.50	.1015	----	----	----	----	7 UNCH
5610	----	----	30.00B/27.00A	30.00B/27.00A	----	27.00 - 0.60	.1005	----	----	----	----	11 UNCH
5615	----	----	29.70B/26.60A	29.70B/26.60A	----	26.70 - 0.60	.0994	----	----	----	----	2 UNCH
5620	26.50	26.50	29.40B/26.40A	29.40B/26.40A	----	26.40 - 0.60	.0984	----	----	18	----	20 + 18
5635	----	----	28.40B/25.70A	28.40B/25.70A	----	25.60 - 0.60	.0956	----	----	----	----	2 UNCH
5640	----	----	28.10B/25.40A	28.10B/25.40A	----	25.30 - 0.70	.0946	----	----	----	----	4 UNCH
5650	----	----	27.50B/24.80A	27.50B/24.80A	----	24.80 - 0.70	.0928	----	----	----	----	600 UNCH
5660	----	----	27.00B/24.40A	27.00B/24.40A	----	24.30 - 0.70	.0910	----	----	----	----	33 UNCH
5670	----	----	26.40B/23.80A	26.40B/23.80A	----	23.80 - 0.70	.0893	----	----	----	----	10 UNCH
5675	----	----	26.20B/23.60A	26.20B/23.60A	----	23.50 - 0.70	.0883	----	----	----	----	4 UNCH
5680	----	----	26.00B/23.50A	26.00B/23.50A	----	23.30 - 0.70	.0875	----	----	----	----	4 UNCH
5690	----	----	25.40B/23.10A	25.40B/23.10A	----	22.80 - 0.80	.0858	----	----	----	----	16 UNCH
5700	----	----	24.90B/22.50A	24.90B/22.50A	----	22.40 - 0.70	.0843	----	----	----	----	1681 UNCH
5710	----	----	24.40B/22.20A	24.40B/22.20A	----	21.90 - 0.80	.0825	----	----	----	----	7 UNCH
5720	----	----	24.00B/21.60A	24.00B/21.60A	----	21.50 - 0.80	.0811	----	----	----	----	19 UNCH
5725	----	----	23.70B/21.40A	23.70B/21.40A	----	21.30 - 0.70	.0803	----	----	----	----	1 UNCH
5730	----	----	23.50B/21.20A	23.50B/21.20A	----	21.10 - 0.70	.0796	----	----	----	----	15 UNCH
5750	----	----	22.60B/20.60A	22.60B/20.60A	----	20.30 - 0.80	.0767	----	----	7	----	422 + 1
5775	----	----	21.50B/19.70A	21.50B/19.70A	----	19.30 - 0.80	.0731	----	----	----	----	2 UNCH
5800	18.50	18.50	20.50B/18.50	20.50B/18.50	----	18.50 - 0.80	.0700	----	----	4	----	1006 + 4
5825	18.10	18.10	19.60B/17.90A	19.60B/17.90A	----	17.70 - 0.70	.0670	----	----	2	----	130 UNCH
5850	----	----	18.70B/17.30A	18.70B/17.30A	----	16.90 - 0.80	.0641	----	----	----	----	166 UNCH
5875	----	----	17.80B/16.60A	17.80B/16.60A	----	16.20 - 0.80	.0614	----	----	----	----	26 UNCH
5900	----	----	17.10B/15.90A	17.10B/15.90A	----	15.50 - 0.80	.0588	----	----	24	----	1476 - 19
5925	----	----	16.40B/15.40A	16.40B/15.40A	----	14.90 - 0.80	.0565	----	----	----	----	2 UNCH
5950	----	----	15.80B/14.80A	15.80B/14.80A	----	14.30 - 0.80	.0542	----	----	6	----	9 + 6
6000	13.10	13.10	14.50B/13.10	14.50B/13.10	----	13.30 - 0.70	.0503	----	----	27	----	1842 - 18
6100	11.80	11.80	12.60B/11.80	12.60B/11.80	----	11.50 - 0.70	.0432	----	----	2	----	374 UNCH
6200	----	----	11.10B/10.50A	11.10B/10.50A	----	10.20 - 0.60	.0379	----	----	----	----	1432 UNCH
6250	----	----	10.40B/9.90A	10.40B/9.90A	----	9.60 - 0.70	.0355	----	----	----	----	0 UNCH
6300	----	----	9.80B/9.40A	9.80B/9.40A	----	9.10 - 0.60	.0335	----	----	----	----	84 UNCH
6400	----	----	----/8.50A	8.80B/8.50A	----	8.20 - 0.60	.0298	----	----	----	----	53 UNCH
6500	----	----	----/7.70A	7.90B/7.70A	----	7.50 - 0.60	.0269	----	----	----	----	883 UNCH
6600	----	----	----/7.10A	7.20B/7.10A	----	6.80 - 0.70	.0241	----	----	----	----	152 UNCH
6700	----	----	----/6.60A	6.60B/6.60A	----	6.30 - 0.60	.0220	----	----	----	----	253 UNCH
6800	----	----	----/6.20A	6.10B/6.20A	----	5.90 - 0.50	.0203	----	----	----	----	50 UNCH
6900	----	----	----/5.80A	5.70B/5.80A	----	5.50 - 0.50	.0187	----	----	----	----	21 UNCH
7000	----	----	----/5.40A	5.30B/5.40A	----	5.20 - 0.40	.0174	----	----	----	----	517 UNCH
7500	----	----	----	3.90B/4.20A	----	4.00 - 0.20	.0125	----	----	----	----	800 UNCH
8000	----	----	----	3.10B/3.40A	----	3.10 - 0.20	.0092	----	----	----	----	281 UNCH
8500	----	----	----	2.50B/2.80A	----	2.50 - 0.10	.0071	----	----	----	----	84 UNCH
9000	----	----	----	2.00B/2.30A	----	2.00 - 0.10	.0055	----	----	----	----	17 UNCH
9500	----	----	----	1.70B/2.00A	----	1.70 - 0.10	.0045	----	----	----	----	77 UNCH
10000	----	----	----	1.40B/1.60A	----	1.40 UNCH	.0036	----	----	----	----	101 UNCH
TOTAL										921	110	65183 + 453
SEP26												
3875	----	----	----	----	----	942.30 + 18.80	.9310	----	----	----	----	1 UNCH
3995	----	----	848.70B/----	848.70B/819.40A	----	831.30 + 18.20	.9074	----	----	----	----	10 UNCH
4085	----	----	767.40B/----	767.40B/738.90A	----	750.40 + 17.70	.8847	----	----	----	----	37 UNCH
4130	----	----	727.60B/----	727.60B/699.60A	----	710.80 + 17.40	.8715	----	----	----	----	10 UNCH
4185	----	----	679.80B/----	679.80B/652.60A	----	663.50 + 17.00	.8537	----	----	----	----	37 UNCH
4200	----	----	----	544.00B/755.20A	----	650.70 + 16.90	.8485	----	----	----	----	1 UNCH
4220	----	----	650.50B/----	650.50B/623.20A	----	633.90 + 16.70	.8412	----	----	----	----	162 UNCH
4290	----	----	592.50B/----	592.50B/566.00A	----	576.40 + 16.20	.8138	----	----	----	----	6 UNCH
4295	----	----	588.40B/----	588.40B/562.00A	----	572.30 + 16.10	.8117	----	----	----	----	50 UNCH
4300	----	----	584.40B/----	584.40B/557.90A	----	568.30 + 16.00	.8095	----	----	----	----	13 UNCH
4320	----	----	568.30B/----	568.30B/542.30A	----	552.40 + 15.90	.8010	----	----	----	----	162 UNCH
4375	----	----	----	398.70B/618.10A	----	509.60 + 15.30	.7758	----	----	----	----	1 UNCH
4390	----	----	513.40B/----	513.40B/488.50A	----	498.20 + 15.10	.7686	----	----	----	----	202 UNCH
4425	----	----	----	360.40B/581.40A	----	472.10 + 14.70	.7511	----	----	----	----	1 UNCH
4495	----	----	436.20B/----	436.20B/412.20A	----	422.00 + 13.70	.7137	----	----	----	----	18 UNCH
4500	----	----	432.70B/----	432.70B/408.80A	----	418.50 + 13.60	.7109	----	----	----	----	12 UNCH
4505	----	----	409.60B/----	409.60B/405.50A	----	415.10 + 13.60	.7081	----	----	----	----	2 UNCH
4510	----	----	411.20B/----	411.20B/402.10A	----	411.60 + 13.50	.7053	----	----	----	----	2 UNCH
4515	----	----	411.40B/----	411.40B/398.80A	----	408.20 + 13.40	.7025	----	----	----	----	2 UNCH
4520	----	----	411.60B/----	411.60B/395.40A	----	404.80 + 13.30	.6997	----	----	----	----	1 UNCH
4545	----	----	406.60B/----	406.60B/378.90A	----	388.10 + 13.00	.6852	----	----	----	----	16 UNCH
4550	----	----	402.90B/----	402.90B/375.70A	----	384.80 + 12.90	.6823	----	----	----	----	225 UNCH
4560	----	----	396.50B/----	396.50B/369.40A	----	378.20 + 12.70	.6764	----	----	----	----	2 UNCH
4565	----	----	393.30B/----	393.30B/366.20A	----	374.90 + 12.60	.6734	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4570	----	----	389.70B/----	389.70B/363.00A	----	371.70 + 12.50	.6704	----	----	----	----	2 UNCH
4575	----	----	386.40B/----	386.40B/359.90A	----	368.50 + 12.50	.6674	----	----	----	----	2 UNCH
4580	----	----	383.40B/----	383.40B/356.70A	----	365.30 + 12.40	.6644	----	----	----	----	2 UNCH
4585	----	----	380.30B/----	380.30B/353.60A	----	362.10 + 12.30	.6614	----	----	----	----	2 UNCH
4590	----	----	377.00B/----	377.00B/350.50A	----	358.90 + 12.10	.6583	----	----	----	----	2 UNCH
4600	----	----	370.30B/----	370.30B/343.30A	----	352.60 + 12.00	.6523	----	----	----	----	54 UNCH
4605	----	----	367.20B/----	367.20B/340.30A	----	349.50 + 11.90	.6492	----	----	----	----	10 UNCH
4620	----	----	357.70B/----	357.70B/331.50A	----	340.20 + 11.50	.6400	----	----	----	----	1 UNCH
4640	----	----	345.40B/----	345.40B/320.00A	----	328.10 + 11.10	.6275	----	----	----	----	1 UNCH
4650	----	----	339.60B/----	339.60B/314.40A	----	322.20 + 11.00	.6211	----	----	----	----	1 UNCH
4675	----	----	325.00B/----	325.00B/299.00A	----	307.70 + 10.50	.6052	----	----	----	----	4 UNCH
4680	----	----	321.90B/----	321.90B/296.50A	----	304.80 + 10.30	.6020	----	----	----	----	1 UNCH
4700	----	----	310.40B/----	310.40B/285.60A	----	293.60 + 9.90	.5891	----	----	----	----	169 UNCH
4705	----	----	307.70B/----	307.70B/282.80A	----	290.90 + 9.90	.5859	----	----	----	----	10 UNCH
4710	----	----	305.00B/----	305.00B/280.70A	----	288.10 + 9.70	.5827	----	----	----	----	1 UNCH
4720	----	----	299.20B/----	299.20B/274.70A	----	282.70 + 9.50	.5762	----	----	----	----	45 UNCH
4725	----	----	296.50B/----	296.50B/272.60A	----	280.10 + 9.50	.5729	----	----	----	----	2 UNCH
4730	----	----	293.80B/----	293.80B/269.90A	----	277.40 + 9.30	.5696	----	----	----	----	5 UNCH
4740	----	----	288.50B/----	288.50B/264.90A	----	272.20 + 9.20	.5631	----	----	----	----	1 UNCH
4745	----	----	286.00B/----	286.00B/262.30A	----	269.60 + 9.10	.5598	----	----	----	----	1 UNCH
4750	260.10	260.10	283.20B/259.40A	283.20B/259.40A	----	267.00 + 9.00	.5565	----	----	4	----	51 + 4
4760	----	----	277.80B/----	277.80B/255.30A	----	261.90 + 8.80	.5500	----	----	----	----	2 UNCH
4770	----	----	272.70B/----	272.70B/250.30A	----	256.90 + 8.60	.5434	----	----	----	----	2 UNCH
4775	252.90	252.90	270.20B/252.90	270.20B/247.50A	----	254.40 + 8.40	.5401	----	----	2	----	186 + 2
4780	----	----	267.70B/----	267.70B/245.10A	----	252.00 + 8.40	.5368	----	----	----	----	47 UNCH
4785	----	----	265.30B/----	265.30B/243.20A	----	249.50 + 8.20	.5335	----	----	----	----	1 UNCH
4795	----	----	260.20B/----	260.20B/238.50A	----	244.70 + 8.10	.5270	----	----	----	----	2 UNCH
4800	241.90	241.90	257.70B/235.20A	257.70B/235.20A	----	242.40 + 8.00	.5237	----	----	1	----	1403 + 1
4835	----	----	241.00B/218.30A	241.00B/218.30A	----	226.30 + 7.40	.5008	----	----	----	----	1 UNCH
4840	----	----	238.70B/216.10A	238.70B/216.10A	----	224.10 + 7.30	.4976	----	----	----	----	4 UNCH
4850	230.50	230.50	234.00B/211.90A	234.00B/211.90A	----	219.70 + 7.10	.4911	----	----	5	55	61 + 39
4860	----	----	229.80B/207.90A	229.80B/207.90A	----	215.40 + 7.00	.4846	----	----	----	----	2 UNCH
4875	----	----	223.20B/201.80A	223.20B/201.80A	----	209.00 + 6.60	.4749	----	----	----	----	30 UNCH
4880	----	----	220.90B/199.90A	220.90B/199.90A	----	207.00 + 6.60	.4717	----	----	----	----	2 UNCH
4885	----	----	218.80B/197.90A	218.80B/197.90A	----	204.90 + 6.50	.4685	----	----	----	----	2 UNCH
4900	206.20	206.20	212.50B/191.30A	212.50B/191.30A	----	198.80 + 6.20	.4589	----	----	19	----	310 UNCH
4905	----	----	210.40B/190.40A	210.40B/190.40A	----	196.80 NEW	.4558	----	----	1	----	1 + 1
4920	----	----	204.00B/184.70A	204.00B/184.70A	----	191.00 + 6.00	.4463	----	----	----	----	30 UNCH
4925	----	----	202.30B/183.00A	202.30B/183.00A	----	189.00 + 5.80	.4432	----	----	----	----	3 UNCH
4930	----	----	200.10B/181.10A	200.10B/181.10A	----	187.10 + 5.70	.4400	----	----	----	----	2 UNCH
4935	----	----	198.30B/179.30A	198.30B/179.30A	----	185.20 + 5.60	.4369	----	----	----	----	1 UNCH
4945	----	----	194.20B/175.80A	194.20B/175.80A	----	181.50 NEW	.4307	----	----	1	----	1 + 1
4950	----	----	192.50B/174.00A	192.50B/174.00A	----	179.70 + 5.50	.4276	----	----	----	----	281 UNCH
4960	----	----	188.60B/----	188.60B/171.60A	----	176.10 + 5.30	.4215	----	----	----	----	10 UNCH
4965	----	----	186.60B/----	186.60B/170.00A	----	174.30 + 5.30	.4184	----	----	----	----	2 UNCH
4975	177.70	177.70	183.10B/166.00A	183.10B/166.00A	----	170.80 + 5.10	.4124	----	----	2	----	317 + 2
5000	150.00	150.00	174.10B/150.00	174.10B/150.00	----	162.30 + 4.80	.3974	----	----	4	140	787 + 41
5005	----	----	172.30B/----	172.30B/156.70A	----	160.60 + 4.70	.3944	----	----	----	----	1 UNCH
5010	----	----	170.50B/----	170.50B/154.90A	----	159.00 + 4.70	.3915	----	----	----	----	10 UNCH
5050	----	----	157.40B/----	157.40B/142.80A	----	146.50 + 4.20	.3684	----	----	----	----	300 UNCH
5075	----	----	149.70B/----	149.70B/136.00A	----	139.20 + 3.90	.3544	----	----	----	----	1 UNCH
5100	----	----	142.20B/----	142.20B/128.90A	----	132.20 + 3.60	.3408	----	----	6	----	318 + 5
5110	----	----	139.40B/----	139.40B/126.50A	----	129.50 + 3.50	.3354	----	----	----	----	1 UNCH
5130	----	----	133.80B/----	133.80B/121.40A	----	124.30 + 3.30	.3249	----	----	1	----	4 UNCH
5150	----	----	128.50B/----	128.50B/116.60A	----	119.30 + 3.10	.3147	----	----	----	----	6 UNCH
5155	----	----	127.20B/----	127.20B/115.50A	----	118.10 + 3.10	.3122	----	----	----	----	1 UNCH
5175	----	----	122.10B/----	122.10B/110.90A	----	113.30 + 2.90	.3022	----	----	1	----	3 + 1
5200	----	----	116.10B/----	116.10B/105.10A	----	107.60 + 2.60	.2901	----	----	45	----	513 + 40
5230	----	----	109.30B/----	109.30B/98.90A	----	101.10 + 2.20	.2760	----	----	----	----	402 UNCH
5235	----	----	108.10B/----	108.10B/98.00A	----	100.10 + 2.20	.2737	----	----	----	----	1 UNCH
5240	----	----	107.00B/----	107.00B/97.00A	----	99.10 + 2.20	.2715	----	----	----	----	2 UNCH
5245	----	----	106.00B/----	106.00B/96.00A	----	98.00 + 2.00	.2691	----	----	----	----	20 UNCH
5250	100.00	100.00	104.90B/94.90A	104.90B/94.90A	----	97.00 + 2.00	.2669	----	----	3	----	275 UNCH
5270	----	----	100.70B/91.20A	100.70B/91.20A	----	93.10 + 1.80	.2581	----	----	----	----	5 UNCH
5300	----	----	94.90B/85.70A	94.90B/85.70A	----	87.60 + 1.50	.2455	----	----	----	----	1041 UNCH
5315	----	----	92.00B/83.30A	92.00B/83.30A	----	85.00 + 1.40	.2394	----	----	----	----	5 UNCH
5330	----	----	89.30B/80.90A	89.30B/80.90A	----	82.40 + 1.20	.2334	----	----	----	----	20 UNCH
5335	----	----	88.40B/80.20A	88.40B/80.20A	----	81.60 + 1.20	.2315	----	----	----	----	1 UNCH
5350	----	----	85.80B/77.80A	85.80B/77.80A	----	79.20 + 1.10	.2257	----	----	1	----	26 + 1
5365	----	----	83.30B/75.60A	83.30B/75.60A	----	76.80 + 0.90	.2200	----	----	----	----	2 UNCH
5370	----	----	82.50B/74.70A	82.50B/74.70A	----	76.10 + 1.00	.2182	----	----	----	----	15 UNCH
5375	----	----	81.60B/74.10A	81.60B/74.10A	----	75.30 + 0.90	.2163	----	----	----	----	6 UNCH
5380	----	----	80.80B/73.40A	80.80B/73.40A	----	74.60 + 0.90	.2146	----	----	----	----	2 UNCH
5395	72.90	72.90	78.50B/71.20A	78.50B/71.20A	----	72.40 NEW	.2092	----	----	2	----	2 + 2
5400	----	----	77.80B/70.30A	77.80B/70.30A	----	71.60 + 0.70	.2073	----	----	46	----	954 UNCH
5420	----	----	74.70B/67.70A	74.70B/67.70A	----	68.90 + 0.60	.2005	----	----	----	----	83 UNCH
5425	----	----	74.00B/67.10A	74.00B/67.10A	----	68.20 + 0.60	.1988	----	----	----	----	50 UNCH
5450	----	----	70.40B/64.00A	70.40B/64.00A	----	64.90 + 0.40	.1905	----	----	----	----	29 UNCH
5460	----	----	69.10B/62.80A	69.10B/62.80A	----	63.60 + 0.30	.1872	----	----	----	----	1 UNCH
5475	----	----	67.10B/61.00A	67.10B/61.00A	----	61.80 + 0.30	.1826	----	----	----	----	26 UNCH
5500	62.00	62.00	64.00/57.90A	64.00/57.90A	----	58.90 + 0.20	.1751	----	----	5	----	1430 - 1
5505	----	----	63.30B/57.50A	63.30B/57.50A	----	58.30 + 0.20	.1735	----	----	----	----	3 UNCH
5515	----	----	62.10B/56.40A	62.10B/56.40A	----	57.20 + 0.10	.1707	----	----	----	----	2 UNCH
5520	----	----	61.50B/55.90A	61.50B/55.90A	----	56.70 + 0.20	.1693	----	----	----	----	1 UNCH
5525	----	----	61.00B/55.40A	61.00B/55.40A	----	56.10 + 0.10	.1678	----	----	----	----	6 UNCH
5540	----	----	59.30B/53.90A	59.30B/53.90A	----	54.50 UNCH	.1636	----	----	----	----	15 UNCH
5550	----	----	58.20B/52.90A	58.20B/52.90A	----	53.50 UNCH	.1609	----	----	----	----	6 UNCH
5555	----	----	57.60B/52.30A	57.60B/52.30A	----	53.00 UNCH	.1595	----	----	----	----	5 UNCH
5595	----	----	53.50B/48.90A	53.50B/48.90A	----	49.20 - 0.20	.1493	----	----	----	----	4 UNCH
5600	----	----	53.00B/48.50A	53.00B/48.50A	----	48.70 - 0.20	.1480	----	----	2	----	1474 + 2
5605	----	----	52.50B/48.00A	52.50B/48.00A	----	48.30 - 0.20	.1468	----	----	----	----	3 UNCH
5625	----	----	50.60B/46.40A	50.60B/46.40A	----	46.60 - 0.30	.1421	----	----	----	----	2 UNCH
5650	----	----	48.50B/44.40A	48.50B/44.40A	----	44.50 - 0.40	.1363	----	----	----	----	415 UNCH
5665	----	----	47.20B/43.10A	47.20B/43.10A	----	43.30 - 0.50	.1330	----	----	----	----	3 UNCH
5675	----	----	46.30B/42.50A	46.30B/42.50A	----	42.60 - 0.50	.1310	----	----	----	----	8 UNCH
5690	----	----	45.10B/41.50A	45.10B/41.50A	----	41.50 - 0.50	.1278	----	----	----	----	3 UNCH
5700	----	----	44.20B/40.70A	44.20B/40.70A	----	40.80 - 0.50	.1258	----	----	2	----	1057 UNCH
5710	40.00	40.00	43.50B/40.00	43.50B/40.00	----	40.10 NEW	.1238	----	----	2	----	2 + 2
5730	----	----	41.90B/38.80A	41.90B/38.80A	----	38.80 - 0.50	.1201	----	----	----	----	2 UNCH
5750	----	----	40.50B/37.50A	40.50B/37.50A	----	37.50 - 0.60	.1163	----	----	----	----	192 UNCH
5760	----	----	39.70B/36.90A	39.70B/36.90A	----	36.90 - 0.60	.1146	----	----	----	----	1 UNCH
5770	36.50	36.50	39.10B/36.30A	39.10B/36.30A	----	36.30 NEW	.1128	----	----	2	----	2 + 2
5775	----	----	38.70B/36.10A	38.70B/36.10A	----	36.00 - 0.60	.1119	----	----	----	----	162 UNCH
5800	----	----	37.10B/34.70A	37.10B/34.70A	----	34.60 - 0.50	.1078	----	----	----	----	1036 UNCH
5850	----	----	34.10B/32.10A	34.10B/32.10A	----	31.90 - 0.60	.0998	----	----	----	----	439 UNCH
5900	----	----	31.70B/29.80A	31.70B/29.80A	----	29.50 - 0.70	.0926	----	----	----	----	648 UNCH
5950	----	----	29.50B/27.80A	29.50B/27.80A	----	27.40 - 0.60	.0862	----	----	----	----	51 UNCH
6000	26.00	26.00	27.40B/25.00	27.40B/25.00	----	25.40 - 0.70	.0801	----	----	11	----	1142 - 6
6100	----	----	23.40B/22.70A	23.40B/22.70A	----	22.10 - 0.70	.0698	----	----	----	----	185 UNCH
6200	20.80	20.80	20.80/20.20A	20.80/20.20A	----	19.50 - 0.70	.0615	----	----	4	----	236 - 1
6300	----	----	18.30B/18.00A	18.30B/18.00A	----	17.40 - 0.70	.0546	----	----	----	----	159 UNCH
6400	----	----	----/16.20A	16.40B/16.20A	----	15.70 - 0.70	.0490	----	----	3	----	228 + 3
6500	----	----	----/14.70A	14.80B/14.70A	----	14.40 - 0.60	.0445	----	----	----	----	541 UNCH
6600	----	----	----/13.50A	13.60B/13.50A	----	13.20 - 0.70	.0404	----	----	----	----	25 UNCH
6650	----	----	----/13.00A	13.00B/13.00A	----	12.70 - 0.70	.0387	----	----	----	----	9 UNCH
6750	----	----	----/12.20A	12.00B/12.20A	----	11.70 - 0.90	.0353	----	----	----	----	11 UNCH
6775	----	----	----/12.00A	11.80B/12.00A	----	11.50 - 0.90	.0346	----	----	----	----	1 UNCH
6800	----	----	----/11.80A	11.60B/11.80A	----	11.30 - 0.90	.0339	----	----	1	----	128 + 1
7000	----	----	----/10.50A	10.10B/10.50A	----	9.90 - 0.90	.0291	----	----	----	----	128 UNCH
8000	4.90	4.90	6.30B/4.80	6.30B/4.80	----	6.70 - 0.40	.0174	----	----	26	----	123 + 16
TOTAL										202	195	18846 + 158
OCT26												
3600	----	----	1,224.80B/----	1224.80B/1199.40A	----	1208.80 + 19.00	.9545	----	----	----	----	12 UNCH
4300	----	----	602.90B/----	602.90B/579.20A	----	587.40 + 15.30	.7884	----	----	----	----	102 UNCH
4400	----	----	527.50B/----	527.50B/504.30A	----	513.00 + 13.80	.7442	----	----	----	----	8 UNCH
4405	----	----	----	395.30B/620.90A	----	509.40 + 13.70	.7418	----	----	----	----	2 UNCH
4480	----	----	458.10B/----	458.10B/448.50A	----	457.20 + 13.10	.7051	----	----	----	----	1 UNCH
4500	----	----	460.10B/----	460.10B/435.20A	----	443.80 + 13.00	.6948	----	----	----	----	3 UNCH
4515	----	----	451.60B/----	451.60B/425.50A	----	433.90 + 12.90	.6871	----	----	----	----	1 UNCH
4550	----	----	428.50B/----	428.50B/403.30A	----	411.30 + 12.70	.6685	----	----	----	----	2 UNCH
4580	----	----	409.40B/----	409.40B/383.20A	----	392.50 + 12.40	.6523	----	----	----	----	70 UNCH
4600	----	----	396.90B/----	396.90B/371.50A	----	380.30 + 12.20	.6413	----	----	----	----	133 UNCH
4610	----	----	391.00B/----	391.00B/365.30A	----	374.30 + 12.00	.6358	----	----	----	----	5 UNCH
4620	----	----	384.70B/----	384.70B/360.10A	----	368.40 + 11.90	.6302	----	----	----	----	1 UNCH
4630	----	----	378.80B/----	378.80B/354.30A	----	362.50 + 11.80	.6246	----	----	----	----	3 UNCH
4650	----	----	367.00B/----	367.00B/342.60A	----	350.90 + 11.40	.6133	----	----	----	----	84 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4670	----	----	355.40B/----	355.40B/332.20A	----	339.60 + 11.00	.6019	----	----	----	----	1 UNCH
4675	----	----	352.90B/----	352.90B/329.40A	----	336.90 + 11.00	.5990	----	----	----	----	1 UNCH
4690	----	----	344.10B/----	344.10B/320.30A	----	328.60 + 10.70	.5904	----	----	----	----	4 UNCH
4700	----	----	338.90B/----	338.90B/315.10A	----	323.20 + 10.50	.5847	----	----	----	----	157 UNCH
4710	----	----	333.30B/----	333.30B/311.00A	----	317.90 + 10.30	.5789	----	----	----	----	1 UNCH
4715	----	----	330.40B/----	330.40B/308.30A	----	315.20 + 10.20	.5760	----	----	----	----	2 UNCH
4750	----	----	311.90B/----	311.90B/289.90A	----	297.20 + 9.50	.5557	----	----	----	----	35 UNCH
4755	----	----	309.50B/----	309.50B/288.30A	----	294.60 + 9.30	.5528	----	----	----	----	1 UNCH
4800	----	----	286.80B/----	286.80B/266.20A	----	272.80 + 8.50	.5265	----	----	----	----	478 UNCH
4805	----	----	284.60B/----	284.60B/264.70A	----	270.40 NEW	.5236	----	----	1	----	1 + 1
4815	----	----	279.60B/----	279.60B/259.20A	----	265.80 + 8.30	.5178	----	----	----	----	36 UNCH
4845	----	----	265.70B/244.40A	265.70B/244.40A	----	252.30 + 7.80	.5005	----	----	----	----	2 UNCH
4850	----	----	263.50B/241.20A	263.50B/241.20A	----	250.10 + 7.70	.4976	----	----	----	----	53 UNCH
4865	----	----	256.70B/235.20A	256.70B/235.20A	----	243.60 + 7.50	.4890	----	----	----	----	2 UNCH
4880	----	----	250.40B/229.10A	250.40B/229.10A	----	237.30 + 7.30	.4804	----	----	----	----	1 UNCH
4900	----	----	241.90B/221.90A	241.90B/221.90A	----	229.10 + 7.00	.4690	----	----	----	----	1319 UNCH
4905	----	----	239.70B/219.40A	239.70B/219.40A	----	227.00 + 6.80	.4662	----	----	----	----	20 UNCH
4910	----	----	237.80B/217.50A	237.80B/217.50A	----	225.10 + 6.80	.4634	----	----	----	----	1 UNCH
4925	----	----	231.40B/211.90A	231.40B/211.90A	----	219.20 + 6.50	.4550	----	----	----	----	18 UNCH
4935	----	----	227.60B/208.50A	227.60B/208.50A	----	215.30 + 6.30	.4494	----	----	----	----	5 UNCH
4945	205.00	205.00	223.70B/205.00	223.70B/205.00	----	211.50 + 6.10	.4439	----	----	5	----	3 - 5
4950	----	----	221.60B/202.90A	221.60B/202.90A	----	209.70 + 6.10	.4411	----	----	----	----	868 UNCH
5000	192.00	192.00	203.10B/187.10A	203.10B/187.10A	----	191.80 + 5.30	.4140	----	----	6	----	1358 + 4
5025	----	----	194.30B/----	194.30B/180.00A	----	183.40 + 4.90	.4008	----	----	----	----	2 UNCH
5050	----	----	185.80B/----	185.80B/170.90A	----	175.40 + 4.70	.3878	----	----	----	----	59 UNCH
5075	----	----	177.70B/----	177.70B/163.80A	----	167.70 + 4.40	.3751	----	----	----	----	4 UNCH
5080	----	----	176.20B/----	176.20B/162.10A	----	166.20 + 4.30	.3726	----	----	----	----	3 UNCH
5085	----	----	174.70B/----	174.70B/161.10A	----	164.70 + 4.20	.3701	----	----	----	----	3 UNCH
5100	----	----	170.20B/----	170.20B/156.90A	----	160.20 + 4.00	.3625	----	----	----	----	807 UNCH
5125	----	----	162.60B/----	162.60B/150.70A	----	153.10 + 3.60	.3503	----	----	----	----	1 UNCH
5150	----	----	155.60B/----	155.60B/143.50A	----	146.30 + 3.20	.3384	----	----	----	----	36 UNCH
5160	----	----	153.00B/----	153.00B/141.60A	----	143.60 + 3.00	.3337	----	----	----	----	1 UNCH
5170	----	----	150.10B/----	150.10B/138.50A	----	141.00 + 2.80	.3290	----	----	----	----	5 UNCH
5200	137.20	137.20	142.40B/131.20A	142.40B/131.20A	----	133.60 + 2.40	.3155	----	----	100	----	1588 + 89
5250	----	----	130.50B/119.90A	130.50B/119.90A	----	122.10 + 1.70	.2938	----	----	----	----	524 UNCH
5255	----	----	129.10B/----	129.10B/119.90A	----	121.10 + 1.70	.2918	----	----	----	----	1 UNCH
5300	----	----	119.60B/109.90A	119.60B/109.90A	----	111.80 + 1.30	.2736	----	----	----	----	988 UNCH
5325	----	----	114.30B/105.40A	114.30B/105.40A	----	107.00 + 1.10	.2639	----	----	----	----	9 UNCH
5350	----	----	109.40B/100.80A	109.40B/100.80A	----	102.40 + 1.00	.2545	----	----	----	----	4 UNCH
5365	----	----	106.40B/----	106.40B/99.00A	----	99.80 + 0.90	.2491	----	----	----	----	1 UNCH
5400	91.40	91.40	100.60B/91.40	100.60B/91.40	----	93.90 + 0.70	.2368	----	----	2	----	601 UNCH
5410	----	----	98.40B/----	98.40B/91.70A	----	92.20 + 0.60	.2333	----	----	----	----	1 UNCH
5435	----	----	94.40B/87.20A	94.40B/87.20A	----	88.30 + 0.40	.2249	----	----	----	----	226 UNCH
5450	----	----	92.00B/84.90A	92.00B/84.90A	----	86.10 + 0.30	.2201	----	----	1	----	67 + 1
5455	----	----	91.20B/84.40A	91.20B/84.40A	----	85.40 + 0.30	.2186	----	----	----	----	175 UNCH
5475	----	----	88.00B/82.10A	88.00B/82.10A	----	82.50 UNCH	.2123	----	----	----	----	1 UNCH
5480	81.00	81.00	87.30B/81.00	87.30B/81.00	----	81.80 UNCH	.2107	----	----	2	----	2 + 2
5500	79.70	79.70	84.70B/78.10A	84.70B/78.10A	----	79.10 - 0.20	.2047	----	----	3	----	2019 + 3
5520	----	----	81.60B/75.70A	81.60B/75.70A	----	76.50 - 0.40	.1989	----	----	----	----	0 UNCH
5545	----	----	78.30B/72.50A	78.30B/72.50A	----	73.40 - 0.60	.1919	----	----	----	----	5 UNCH
5550	----	----	77.80B/71.90A	77.80B/71.90A	----	72.80 - 0.70	.1905	----	----	----	----	280 UNCH
5590	----	----	72.70B/67.50A	72.70B/67.50A	----	68.10 - 1.00	.1797	----	----	----	----	4 UNCH
5600	----	----	71.70B/66.30A	71.70B/66.30A	----	67.10 - 1.00	.1773	----	----	----	----	272 UNCH
5610	----	----	70.30B/65.70A	70.30B/65.70A	----	66.00 - 1.10	.1748	----	----	----	----	1 UNCH
5615	----	----	69.90B/64.80A	69.90B/64.80A	----	65.50 - 1.00	.1736	----	----	----	----	5 UNCH
5640	62.00	62.00	66.90B/62.00	66.90B/62.00	----	62.90 NEW	.1674	----	----	2	----	2 + 2
5650	----	----	66.00B/61.10A	66.00B/61.10A	----	61.90 - 1.10	.1651	----	----	----	----	401 UNCH
5655	----	----	65.30B/61.00A	65.30B/61.00A	----	61.40 - 1.10	.1639	----	----	----	----	2 UNCH
5660	----	----	64.80B/60.50A	64.80B/60.50A	----	60.90 - 1.10	.1627	----	----	----	----	1 UNCH
5675	----	----	63.40B/59.20A	63.40B/59.20A	----	59.50 - 1.00	.1593	----	----	----	----	3 UNCH
5700	----	----	60.80B/57.20A	60.80B/57.20A	----	57.30 - 0.80	.1539	----	----	----	----	181 UNCH
5710	----	----	59.90B/56.10A	59.90B/56.10A	----	56.40 - 0.80	.1518	----	----	----	----	5 UNCH
5720	----	----	58.90B/55.20A	58.90B/55.20A	----	55.50 - 0.80	.1496	----	----	----	----	75 UNCH
5750	----	----	56.20B/52.80A	56.20B/52.80A	----	53.00 - 0.60	.1435	----	----	----	----	851 UNCH
5775	----	----	54.30B/50.80A	54.30B/50.80A	----	51.10 - 0.50	.1387	----	----	----	----	50 UNCH
5800	----	----	52.20B/49.20A	52.20B/49.20A	----	49.30 - 0.40	.1342	----	----	----	----	411 UNCH
5825	----	----	50.20B/47.50A	50.20B/47.50A	----	47.50 - 0.50	.1296	----	----	----	----	1 UNCH
5850	45.00	45.00	48.30B/45.00	48.30B/45.00	----	45.80 - 0.60	.1253	----	----	2	----	2 + 2
5875	----	----	46.50B/44.20A	46.50B/44.20A	----	44.20 - 0.70	.1212	----	----	----	----	1 UNCH
5900	----	----	44.80B/42.80A	44.80B/42.80A	----	42.70 - 0.70	.1173	----	----	----	----	274 UNCH
5925	----	----	43.20B/41.30A	43.20B/41.30A	----	41.30 - 0.80	.1137	----	----	----	----	2 UNCH
5950	----	----	41.70B/40.00A	41.70B/40.00A	----	39.90 - 0.90	.1100	----	----	----	----	1 UNCH
6000	----	----	38.90B/37.40A	38.90B/37.40A	----	37.30 - 1.00	.1032	----	----	----	----	2039 UNCH
6100	----	----	34.40B/33.10A	34.40B/33.10A	----	32.80 - 1.10	.0912	----	----	----	----	66 UNCH
6200	----	----	30.60B/29.60A	30.60B/29.60A	----	29.10 - 1.00	.0810	----	----	----	----	38 UNCH
6300	----	----	----	26.30B/27.00A	----	26.00 - 0.90	.0724	----	----	----	----	756 UNCH
6400	----	----	----	23.60B/24.90A	----	23.50 - 0.90	.0653	----	----	----	----	1910 UNCH
6500	----	----	----	21.40B/22.90A	----	21.40 - 0.90	.0592	----	----	----	----	4029 UNCH
6800	----	----	----	16.60B/18.30A	----	17.00 - 1.00	.0460	----	----	----	----	1385 UNCH
6900	----	----	----	15.30B/17.20A	----	16.00 - 0.90	.0428	----	----	----	----	1 UNCH
7000	----	----	----	14.40B/16.30A	----	15.00 - 1.00	.0398	----	----	----	----	1584 UNCH
8000	9.80	9.80	10.50/9.80	10.50/9.80	----	9.90 - 0.90	.0238	----	----	2	----	210 - 2
8500	----	----	----	8.10B/10.40A	----	8.70 - 0.90	.0199	----	----	----	----	208 UNCH
9000	----	----	----	7.10B/9.40A	----	7.90 - 0.80	.0173	----	----	----	----	69 UNCH
9500	----	----	----	6.20B/8.50A	----	7.10 - 0.70	.0150	----	----	----	----	10 UNCH
13000	----	----	----	2.50B/4.20A	----	3.10 - 0.40	.0058	----	----	----	----	25 UNCH
TOTAL										126		27082 + 97
NOV26												
4000	----	----	----	757.50B/1001.60A	----	881.50 + 17.20	.8759	----	----	----	----	1 UNCH
4100	----	----	----	672.50B/916.70A	----	796.40 + 16.70	.8490	----	----	----	----	1 UNCH
4275	----	----	----	528.30B/780.10A	----	655.70 + 15.70	.7913	----	----	----	----	38 UNCH
4300	----	----	----	508.70B/761.50A	----	636.60 + 15.60	.7819	----	----	----	----	1 UNCH
4375	----	----	----	451.90B/707.20A	----	581.10 + 15.10	.7521	----	----	----	----	38 UNCH
4400	----	----	----	433.60B/689.60A	----	563.10 + 14.90	.7417	----	----	----	----	4 UNCH
4440	----	----	----	405.10B/662.00A	----	535.10 + 14.60	.7244	----	----	----	----	1 UNCH
4500	----	----	509.50B/----	509.50B/486.10A	----	494.50 + 14.00	.6973	----	----	----	----	28 UNCH
4575	----	----	463.20B/----	463.20B/438.90A	----	446.60 + 13.20	.6618	----	----	----	----	1 UNCH
4595	----	----	450.70B/----	450.70B/426.80A	----	434.30 + 13.00	.6520	----	----	----	----	1 UNCH
4600	----	----	447.60B/----	447.60B/423.80A	----	431.30 + 12.90	.6495	----	----	----	----	5 UNCH
4700	----	----	388.60B/----	388.60B/367.10A	----	373.70 + 11.90	.5992	----	----	----	----	4 UNCH
4750	----	----	361.60B/----	361.60B/340.20A	----	347.00 + 11.40	.5735	----	----	----	----	1 UNCH
4775	----	----	348.60B/----	348.60B/327.80A	----	334.30 + 11.10	.5605	----	----	----	----	31 UNCH
4800	----	----	335.90B/----	335.90B/315.70A	----	321.90 + 10.40	.5475	----	----	----	----	4 UNCH
4850	----	----	311.70B/----	311.70B/292.60A	----	298.10 + 8.30	.5215	----	----	----	----	25 UNCH
4900	----	----	289.00B/268.20A	289.00B/268.20A	----	275.70 + 6.60	.4957	----	----	----	----	451 UNCH
4915	----	----	282.40B/----	282.40B/263.60A	----	269.30 + 6.40	.4880	----	----	----	----	1 UNCH
4925	----	----	278.30B/258.00A	278.30B/258.00A	----	265.10 + 6.20	.4829	----	----	----	----	1 UNCH
4935	----	----	274.00B/254.10A	274.00B/254.10A	----	260.90 + 6.00	.4778	----	----	----	----	25 UNCH
4950	----	----	267.80B/248.60A	267.80B/248.60A	----	254.80 + 5.90	.4702	----	----	----	----	150 UNCH
4970	----	----	259.70B/241.10A	259.70B/241.10A	----	246.90 + 5.70	.4602	----	----	----	----	10 UNCH
5000	235.50	235.50	247.90B/231.10	247.90B/231.10	----	235.50 + 5.30	.4453	----	----	15	----	88 UNCH
5020	----	----	240.40B/----	240.40B/223.40A	----	228.20 + 5.10	.4355	----	----	----	----	30 UNCH
5050	----	----	229.40B/----	229.40B/214.10A	----	217.70 + 4.70	.4211	----	----	----	----	100 UNCH
5060	----	----	225.90B/----	225.90B/210.80A	----	214.30 + 4.50	.4163	----	----	----	----	2 UNCH
5080	----	----	218.90B/----	218.90B/205.40A	----	207.70 + 4.30	.4069	----	----	----	----	4 UNCH
5085	----	----	217.20B/----	217.20B/203.50A	----	206.10 + 4.30	.4046	----	----	----	----	4 UNCH
5150	----	----	196.30B/----	196.30B/184.30A	----	186.10 + 3.50	.3750	----	----	----	----	100 UNCH
5175	----	----	188.80B/----	188.80B/176.40A	----	178.90 + 3.30	.3640	----	----	----	----	12 UNCH
5180	----	----	187.30B/----	187.30B/176.00A	----	177.50 + 3.20	.3619	----	----	----	----	1 UNCH
5185	----	----	185.80B/----	185.80B/173.50A	----	176.20 + 3.20	.3598	----	----	----	----	1 UNCH
5200	----	----	181.50B/----	181.50B/169.30A	----	172.00 + 3.00	.3533	----	----	----	----	31 UNCH
5230	----	----	173.20B/----	173.20B/162.50A	----	164.10 + 2.70	.3407	----	----	----	----	5 UNCH
5250	----	----	167.90B/----	167.90B/157.20A	----	159.00 + 2.50	.3325	----	----	----	----	9 UNCH
5275	----	----	161.50B/----	161.50B/151.50A	----	152.90 + 2.30	.3224	----	----	----	----	1 UNCH
5300	----	----	155.30B/----	155.30B/145.70A	----	147.00 + 2.10	.3126	----	----	----	----	395 UNCH
5325	----	----	149.40B/----	149.40B/140.40A	----	141.40 + 1.90	.3031	----	----	----	----	1 UNCH
5330	----	----	148.20B/----	148.20B/139.10A	----	140.30 + 1.90	.3012	----	----	----	----	1 UNCH
5370	----	----	139.30B/----	139.30B/131.10A	----	131.80 + 1.60	.2865	----	----	----	----	5 UNCH
5400	----	----	133.00B/----	133.00B/125.20A	----	125.80 + 1.30	.2759	----	----	1	----	17 UNCH
5420	----	----	129.00B/----	129.00B/121.20A	----	122.00 + 1.20	.2691	----	----	----	----	14 UNCH
5450	----	----	123.20B/----	123.20B/115.90A	----	116.50 + 1.00	.2591	----	----	1	----	925 UNCH
5460	----	----	121.40B/----	121.40B/114.10A	----	114.70 + 0.90	.2558	----	----	----	----	10 UNCH
5500	----	----	114.30B/----	114.30B/107.50A	----	108.00 + 0.80	.2432	----	----	----	----	82 UNCH
5550	----	----	105.90B/----	105.90B/99.80A	----	100.20 + 0.50	.2284	----	----	----	----	1 UNCH
5600	----	----	98.40B/----	98.40B/92.80A	----	93.00 + 0.20	.2143	----	----	----	----	44 UNCH
5680	----	----	87.60B/82.80A	87.60B/82.80A	----	82.90 UNCH	.1940	----	----	----	----	39 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5690	----	----	86.40B/81.70A	86.40B/81.70A	----	81.70 - 0.10	.1915	----	----	----	----	10 UNCH
5700	----	----	85.10B/80.50A	85.10B/80.50A	----	80.50 - 0.20	.1891	----	----	----	----	45 UNCH
5710	----	----	83.90B/79.40A	83.90B/79.40A	----	79.40 - 0.20	.1868	----	----	----	----	1 UNCH
5800	----	----	74.00B/70.00A	74.00B/70.00A	----	70.10 - 0.40	.1672	----	----	----	----	80 UNCH
5825	----	----	71.50B/67.90A	71.50B/67.90A	----	67.80 - 0.50	.1623	----	----	----	----	2 UNCH
5900	----	----	64.70B/61.50A	64.70B/61.50A	----	61.40 - 0.60	.1483	----	----	----	----	1 UNCH
5925	----	----	62.40B/59.70A	62.40B/59.70A	----	59.40 - 0.70	.1439	----	----	----	----	4 UNCH
5975	----	----	58.60B/56.10A	58.60B/56.10A	----	55.80 - 0.80	.1358	----	----	----	----	3 UNCH
6000	----	----	56.80B/54.40A	56.80B/54.40A	----	54.10 - 0.80	.1319	----	----	26	----	261 + 25
6100	----	----	50.10B/48.50A	50.10B/48.50A	----	48.00 - 0.90	.1179	----	----	----	----	1 UNCH
6200	----	----	44.50B/43.40A	44.50B/43.40A	----	42.80 - 1.00	.1057	----	----	----	----	1 UNCH
6400	----	----	36.50B/35.70A	36.50B/35.70A	----	34.80 - 1.10	.0862	----	----	----	----	13 UNCH
6500	----	----	33.10B/----	33.10B/33.00A	----	31.70 - 1.10	.0785	----	----	26	----	1155 - 14
8000	----	----	----	13.70B/17.30A	----	15.30 - 0.80	.0334	----	----	----	----	11 UNCH
9000	----	----	----	10.90B/13.80A	----	12.90 - 0.70	.0255	----	----	----	----	8 UNCH
20000	----	----	----	----/22.50A	----	1.70 - 0.20	.0027	----	----	----	----	140 UNCH
TOTAL										69		4480 + 11
DEC26												
3550	----	----	----	----	----	1298.00 + 18.50	.9436	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1279.20 + 18.50	.9411	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1251.00 + 18.30	.9373	----	----	----	----	1 UNCH
3800	----	----	1,079.90B/----	1079.90B/1060.40A	----	1067.10 + 17.40	.9060	----	----	----	----	4 UNCH
3900	----	----	----	842.30B/1110.20A	----	978.50 + 17.30	.8858	----	----	----	----	2 UNCH
4060	----	----	855.50B/----	855.50B/834.80A	----	842.30 + 17.00	.8461	----	----	----	----	100 UNCH
4100	----	----	822.80B/----	822.80B/801.70A	----	809.50 + 16.80	.8346	----	----	----	----	48 UNCH
4160	----	----	774.50B/----	774.50B/753.90A	----	761.30 + 16.60	.8164	----	----	----	----	100 UNCH
4175	----	----	762.40B/----	762.40B/741.50A	----	749.50 + 16.60	.8116	----	----	----	----	37 UNCH
4200	----	----	742.90B/----	742.90B/722.60A	----	729.90 + 16.40	.8034	----	----	----	----	150 UNCH
4250	----	----	705.60B/----	705.60B/683.10A	----	691.60 + 16.20	.7864	----	----	----	----	293 UNCH
4255	----	----	700.40B/----	700.40B/680.50A	----	687.80 + 16.20	.7846	----	----	----	----	50 UNCH
4300	----	----	668.00B/----	668.00B/645.80A	----	654.20 + 15.90	.7683	----	----	----	----	436 UNCH
4315	----	----	----	501.40B/780.90A	----	643.20 + 15.80	.7628	----	----	----	----	1 UNCH
4320	----	----	651.80B/----	651.80B/632.30A	----	639.60 + 15.80	.7609	----	----	----	----	100 UNCH
4350	----	----	630.10B/----	630.10B/610.80A	----	617.90 + 15.60	.7495	----	----	----	----	206 UNCH
4375	----	----	612.10B/----	612.10B/593.10A	----	600.20 + 15.50	.7397	----	----	----	----	61 UNCH
4400	----	----	----	439.60B/721.70A	----	582.70 + 15.20	.7297	----	----	----	----	2 UNCH
4425	----	----	577.20B/----	577.20B/558.70A	----	565.50 + 15.00	.7195	----	----	----	----	8 UNCH
4450	----	----	560.20B/----	560.20B/539.40A	----	548.60 + 14.80	.7091	----	----	----	----	87 UNCH
4465	----	----	550.10B/----	550.10B/529.60A	----	538.60 + 14.60	.7028	----	----	----	----	93 UNCH
4490	----	----	538.80B/----	538.80B/513.50A	----	522.20 + 14.40	.6921	----	----	----	----	7 UNCH
4500	----	----	532.20B/----	532.20B/507.10A	----	515.70 + 14.30	.6878	----	----	----	----	757 UNCH
4525	----	----	516.10B/----	516.10B/491.40A	----	499.70 + 14.00	.6768	----	----	----	----	5 UNCH
4540	----	----	506.50B/----	506.50B/482.10A	----	490.30 + 13.90	.6702	----	----	----	----	9 UNCH
4550	----	----	500.10B/----	500.10B/476.00A	----	484.00 + 13.80	.6657	----	----	----	----	11 UNCH
4565	----	----	490.70B/----	490.70B/466.90A	----	474.80 + 13.70	.6590	----	----	----	----	93 UNCH
4580	----	----	481.40B/----	481.40B/458.00A	----	465.60 + 13.40	.6522	----	----	----	----	150 UNCH
4585	----	----	478.40B/----	478.40B/455.00A	----	462.60 + 13.40	.6499	----	----	----	----	325 UNCH
4590	----	----	475.40B/----	475.40B/452.10A	----	459.60 + 13.40	.6477	----	----	----	----	16 UNCH
4600	----	----	469.40B/----	469.40B/446.30A	----	453.60 + 13.20	.6431	----	----	----	----	159 UNCH
4615	----	----	460.40B/----	460.40B/437.50A	----	444.80 + 13.00	.6362	----	----	----	----	41 UNCH
4625	----	----	454.30B/----	454.30B/431.10A	----	439.00 + 12.90	.6315	----	----	----	----	71 UNCH
4640	----	----	445.70B/----	445.70B/422.70A	----	430.30 + 12.60	.6246	----	----	----	----	100 UNCH
4650	----	----	439.80B/----	439.80B/417.10A	----	424.60 + 12.40	.6199	----	----	----	----	302 UNCH
4675	----	----	425.60B/----	425.60B/402.10A	----	410.70 + 12.00	.6081	----	----	----	----	48 UNCH
4680	----	----	422.90B/----	422.90B/400.70A	----	408.00 + 11.90	.6058	----	----	----	----	2 UNCH
4700	----	----	411.90B/----	411.90B/389.00A	----	397.20 + 11.60	.5963	----	----	----	----	95 UNCH
4725	----	----	398.50B/----	398.50B/375.80A	----	384.00 + 11.10	.5844	----	----	----	----	110 UNCH
4730	----	----	395.70B/----	395.70B/374.60A	----	381.40 + 11.10	.5820	----	----	----	----	2 UNCH
4750	----	----	385.20B/----	385.20B/363.30A	----	371.00 + 10.70	.5724	----	----	----	----	239 UNCH
4775	----	----	372.30B/----	372.30B/352.30A	----	358.30 + 10.20	.5604	----	----	----	----	2 UNCH
4780	----	----	369.80B/----	369.80B/349.90A	----	355.80 + 10.10	.5580	----	----	----	----	2 UNCH
4790	----	----	364.50B/----	364.50B/345.10A	----	350.90 + 10.00	.5532	----	----	----	----	1 UNCH
4795	----	----	362.30B/----	362.30B/341.50A	----	348.40 + 9.90	.5508	----	----	----	----	9 UNCH
4800	----	----	359.80B/----	359.80B/339.50A	----	346.00 + 9.80	.5484	----	----	----	----	375 UNCH
4810	----	----	355.20B/----	355.20B/334.30A	----	341.20 + 9.70	.5435	----	----	----	----	56 UNCH
4820	----	----	350.10B/----	350.10B/330.10A	----	336.40 + 9.50	.5387	----	----	----	----	49 UNCH
4825	----	----	347.70B/----	347.70B/327.00A	----	334.00 + 9.30	.5363	----	----	----	----	104 UNCH
4835	----	----	342.90B/----	342.90B/323.40A	----	329.40 + 9.20	.5315	----	----	----	----	125 UNCH
4850	----	----	336.00B/----	336.00B/316.10A	----	322.50 + 8.90	.5243	----	----	----	----	296 UNCH
4875	----	----	324.40B/----	324.40B/306.10A	----	311.30 + 8.40	.5124	----	----	----	----	1 UNCH
4880	----	----	322.20B/----	322.20B/301.60A	----	309.10 + 8.20	.5100	----	----	----	----	4 UNCH
4900	----	----	313.40B/----	313.40B/294.80A	----	300.40 + 7.80	.5005	----	----	----	----	356 UNCH
4925	----	----	302.60B/----	302.60B/283.10A	----	289.80 + 7.10	.4887	----	----	----	----	238 UNCH
4950	----	----	292.30B/----	292.30B/273.10A	----	279.60 + 6.60	.4770	----	----	----	----	103 UNCH
4975	----	----	282.00B/----	282.00B/264.60A	----	269.70 + 6.10	.4654	----	----	----	----	50 UNCH
5000	263.00	263.00	272.30B/263.00	272.30B/254.60A	----	260.10 + 5.50	.4539	----	----	2	----	2471 + 1
5005	----	----	270.30B/----	270.30B/252.80A	----	258.20 + 5.40	.4516	----	----	----	----	4 UNCH
5025	----	----	262.70B/----	262.70B/245.90A	----	250.90 + 5.10	.4425	----	----	----	----	218 UNCH
5050	----	----	253.60B/----	253.60B/237.40A	----	242.00 + 4.70	.4313	----	----	----	----	101 UNCH
5070	----	----	246.40B/----	246.40B/231.50A	----	235.10 + 4.40	.4225	----	----	----	----	13 UNCH
5075	----	----	244.70B/----	244.70B/229.30A	----	233.40 + 4.30	.4203	----	----	2	----	30 UNCH
5090	----	----	239.50B/----	239.50B/224.50A	----	228.40 + 4.10	.4137	----	----	----	----	17 UNCH
5100	----	----	236.20B/----	236.20B/221.70A	----	225.10 + 3.90	.4094	----	----	2	----	349 UNCH
5125	----	----	227.90B/----	227.90B/213.90A	----	217.10 + 3.60	.3987	----	----	----	----	70 UNCH
5150	----	----	219.90B/----	219.90B/206.20A	----	209.40 + 3.30	.3882	----	----	----	----	11 UNCH
5155	----	----	218.40B/----	218.40B/204.90A	----	207.90 + 3.20	.3861	----	----	----	----	4 UNCH
5160	----	----	216.80B/----	216.80B/204.40A	----	206.40 + 3.20	.3840	----	----	----	----	1 UNCH
5170	----	----	213.70B/----	213.70B/200.50A	----	203.50 + 3.10	.3799	----	----	----	----	4 UNCH
5175	----	----	212.20B/198.80A	212.20B/198.80A	----	202.00 + 3.10	.3779	----	----	----	----	101 UNCH
5195	----	----	206.20B/----	206.20B/193.50A	----	196.30 + 2.90	.3698	----	----	----	----	5 UNCH
5200	----	----	204.90B/----	204.90B/192.00A	----	194.90 + 2.90	.3678	----	----	----	----	1329 UNCH
5220	----	----	199.10B/----	199.10B/186.70A	----	189.40 + 2.70	.3598	----	----	----	----	6 UNCH
5245	----	----	192.00B/180.10A	192.00B/180.10A	----	182.70 + 2.50	.3500	----	----	----	----	10 UNCH
5250	----	----	190.60B/178.80A	190.60B/178.80A	----	181.40 + 2.50	.3481	----	----	----	----	343 UNCH
5255	----	----	189.30B/----	189.30B/178.30A	----	180.10 + 2.50	.3462	----	----	----	----	1 UNCH
5265	----	----	186.60B/175.00A	186.60B/175.00A	----	177.60 + 2.50	.3424	----	----	----	----	5 UNCH
5275	----	----	184.00B/172.50A	184.00B/172.50A	----	175.10 + 2.40	.3386	----	----	----	----	20 UNCH
5300	----	----	177.50B/166.50A	177.50B/166.50A	----	169.00 + 2.30	.3294	----	----	----	----	740 UNCH
5340	----	----	167.80B/----	167.80B/158.50A	----	159.70 + 2.20	.3150	----	----	----	----	1 UNCH
5350	----	----	165.80B/----	165.80B/155.20A	----	157.40 + 2.20	.3114	----	----	----	----	460 UNCH
5360	----	----	163.20B/----	163.20B/153.00A	----	155.20 + 2.20	.3079	----	----	----	----	100 UNCH
5370	----	----	161.10B/150.80A	161.10B/150.80A	----	153.00 + 2.10	.3044	----	----	----	----	36 UNCH
5380	----	----	158.60B/----	158.60B/149.50A	----	150.90 + 2.10	.3011	----	----	----	----	1 UNCH
5400	----	----	154.20B/----	154.20B/144.60A	----	146.70 + 2.10	.2943	----	----	25	----	504 + 25
5450	----	----	144.10B/----	144.10B/135.00A	----	136.80 + 2.00	.2781	----	----	----	----	302 UNCH
5460	----	----	142.00B/132.90A	142.00B/132.90A	----	134.90 + 1.90	.2749	----	----	----	----	203 UNCH
5465	----	----	141.00B/----	141.00B/132.20A	----	134.00 + 2.00	.2734	----	----	----	----	53 UNCH
5475	----	----	139.20B/----	139.20B/130.40A	----	132.20 + 2.00	.2703	----	----	----	----	400 UNCH
5480	----	----	138.10B/----	138.10B/129.40A	----	131.20 + 1.90	.2687	----	----	----	----	50 UNCH
5500	132.80	132.80	134.30B/125.90A	134.30B/125.90A	----	127.70 + 1.80	.2627	----	----	8	----	2989 + 8
5505	----	----	133.30B/----	133.30B/125.00A	----	126.80 + 1.80	.2612	----	----	----	----	3 UNCH
5525	----	----	129.90B/----	129.90B/121.80A	----	123.30 + 1.60	.2552	----	----	----	----	80 UNCH
5550	----	----	125.50B/117.60A	125.50B/117.60A	----	119.20 + 1.50	.2481	----	----	----	----	3 UNCH
5570	----	----	122.20B/114.50A	122.20B/114.50A	----	116.00 + 1.30	.2425	----	----	----	----	195 UNCH
5600	----	----	117.20B/110.00A	117.20B/110.00A	----	111.30 + 1.00	.2343	----	----	----	----	2205 UNCH
5650	----	----	109.90B/102.80A	109.90B/102.80A	----	104.10 + 0.60	.2213	----	----	----	----	250 UNCH
5660	----	----	107.80B/----	107.80B/102.40A	----	102.70 + 0.50	.2188	----	----	----	----	1 UNCH
5675	----	----	106.10B/99.60A	106.10B/99.60A	----	100.70 + 0.40	.2151	----	----	----	----	14 UNCH
5680	----	----	105.20B/----	105.20B/99.70A	----	100.00 + 0.30	.2138	----	----	----	----	1 UNCH
5685	----	----	104.70B/98.30A	104.70B/98.30A	----	99.40 + 0.30	.2127	----	----	----	----	18 UNCH
5690	----	----	103.90B/97.70A	103.90B/97.70A	----	98.70 + 0.20	.2114	----	----	----	----	12 UNCH
5700	----	----	102.60B/96.40A	102.60B/96.40A	----	97.40 + 0.10	.2090	----	----	----	----	375 UNCH
5705	----	----	102.00B/95.80A	102.00B/95.80A	----	96.80 + 0.20	.2079	----	----	----	----	5 UNCH
5710	----	----	101.40B/95.10A	101.40B/95.10A	----	96.20 + 0.20	.2067	----	----	----	----	5 UNCH
5750	----	----	96.20B/90.40A	96.20B/90.40A	----	91.30 - 0.10	.1976	----	----	----	----	313 UNCH
5770	----	----	93.80B/88.20A	93.80B/88.20A	----	89.00 - 0.20	.1932	----	----	----	----	8 UNCH
5775	----	----	92.90B/88.40A	92.90B/88.40A	----	88.50 - 0.10	.1922	----	----	----	----	2 UNCH
5800	----	----	90.30B/84.70A	90.30B/84.70A	----	85.70 - 0.30	.1868	----	----	----	----	2103 UNCH
5810	----	----	89.10B/84.00A	89.10B/84.00A	----	84.60 - 0.40	.1847	----	----	----	----	56 UNCH
5825	----	----	87.30B/82.30A	87.30B/82.30A	----	83.10 - 0.30	.1818	----	----	----	----	4 UNCH
5850	----	----	84.60B/79.80A	84.60B/79.80A	----	80.50 - 0.50	.1768	----	----	----	----	51 UNCH
5875	----	----	82.10B/77.50A	82.10B/77.50A	----	78.10 - 0.50	.1720	----	----	----	----	9 UNCH
5900	----	----	79.90B/75.20A	79.90B/75.20A	----	75.80 - 0.60	.1674	----	----	----	----	1567 UNCH
5950	----	----	74.80B/71.50A	74.80B/71.50A	----	71.40 - 0.70	.1586	----	----	----	----	29 UNCH
6000	----	----	70.50B/67.60A	70.50B/67.60A	----	67.40 - 0.80	.1504	----	----	20	----	5291 UNCH
6100	----	----	62.80B/60.60A	62.80B/60.60A	----	60.30 - 1.00	.1356	----	----	----	----	132 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
6150	----	----	59.50B/57.50A	59.50B/57.50A	----	57.10 - 1.20	.1289	----	----	----	----	12 UNCH
6200	----	----	56.30B/54.70A	56.30B/54.70A	----	54.20 - 1.30	.1227	----	----	----	----	3210 UNCH
6250	----	----	53.30B/52.00A	53.30B/52.00A	----	51.50 - 1.40	.1168	----	----	----	----	76 UNCH
6300	----	----	----/49.50A	50.50B/49.50A	----	49.00 - 1.60	.1113	----	----	----	----	1049 UNCH
6400	44.70	44.70	46.60B/44.70	46.60B/44.70	----	44.60 - 1.70	.1016	----	----	3	----	686 + 3
6500	----	----	----/41.60A	42.40B/41.60A	----	40.90 - 1.70	.0931	----	----	----	----	5960 UNCH
6750	----	----	----	33.30B/35.10A	----	33.70 - 1.30	.0763	----	----	----	----	104 UNCH
6775	----	----	----/34.30A	32.70B/34.30A	----	33.10 - 1.30	.0749	----	----	----	----	163 UNCH
6800	----	----	----/33.70A	32.10B/33.70A	----	32.50 - 1.30	.0735	----	----	----	----	1817 UNCH
6900	----	----	----	29.90B/32.00A	----	30.40 - 1.10	.0684	----	----	----	----	67 UNCH
7000	----	----	----	27.70B/30.00A	----	28.70 - 0.90	.0642	----	----	----	----	4210 UNCH
7130	----	----	----	25.50B/28.20A	----	26.70 - 0.80	.0592	----	----	----	----	200 UNCH
7175	----	----	----	24.90B/27.40A	----	26.10 - 0.80	.0577	----	----	----	----	125 UNCH
7250	----	----	----	23.90B/26.70A	----	25.20 - 0.70	.0554	----	----	----	----	108 UNCH
7500	----	----	----	21.30B/24.20A	----	22.70 - 0.70	.0489	----	----	40	----	115 UNCH
8000	18.00	18.00	18.30B/18.00	18.30B/18.00	----	19.50 - 0.90	.0401	----	----	182	----	958 + 159
8125	----	----	----	17.30B/20.00A	----	19.00 - 0.90	.0386	----	----	----	----	801 UNCH
8500	----	----	----/18.50A	15.80B/18.50A	----	17.70 - 0.90	.0347	----	----	----	----	170 UNCH
8630	----	----	----	15.30B/18.40A	----	17.30 - 1.00	.0335	----	----	----	----	400 UNCH
8725	----	----	----	15.10B/18.00A	----	17.10 - 0.90	.0328	----	----	----	----	250 UNCH
8775	----	----	----/17.70A	14.90B/17.70A	----	17.00 - 0.90	.0325	----	----	----	----	25 UNCH
9000	15.50	15.50	16.00/15.50	16.00/15.50	----	16.50 - 0.90	.0309	----	----	22	----	258 + 20
9500	----	----	----/16.00A	13.30B/16.00A	----	15.70 - 0.80	.0282	----	----	----	----	305 UNCH
9900	----	----	----/15.30A	12.50B/15.30A	----	15.20 - 0.70	.0265	----	----	----	----	17 UNCH
10000	----	----	----/15.50A	14.20B/15.50A	----	15.10 - 0.70	.0261	----	----	85	----	8718 UNCH
11000	----	----	----	10.50B/14.20A	----	13.80 - 0.40	.0225	----	----	229	----	505 + 108
13000	----	----	----	7.70B/11.10A	----	11.10 + 0.20	.0168	----	----	85	----	439 + 32
15000	7.00	7.00	7.60/7.00	7.60/7.00	----	8.30 + 0.30	.0121	----	----	101	----	22272 + 101
17000	----	----	----	3.90B/6.60A	----	5.80 + 0.10	.0084	----	----	----	----	26 UNCH
19000	----	----	----	3.20B/5.00A	----	4.00 - 0.10	.0058	----	----	----	----	7 UNCH
20000	----	----	----	3.10B/3.50A	----	3.30 - 0.20	.0048	----	----	----	----	24277 UNCH
21000	----	----	----	2.50B/3.60A	----	2.80 - 0.10	.0041	----	----	----	----	31 UNCH
24000	----	----	----	----/2.00A	----	1.70 - 0.10	.0025	----	----	----	----	31 UNCH
TOTAL										806		107171 + 457
JAN27												
4190	----	----	----	625.00B/937.40A	----	783.20 + 15.80	.8037	----	----	----	----	1 UNCH
4290	----	----	----	547.70B/864.30A	----	708.00 + 15.30	.7712	----	----	----	----	1 UNCH
4300	----	----	----	540.20B/857.20A	----	700.60 + 15.10	.7677	----	----	----	----	1 UNCH
4400	----	----	----	467.80B/787.90A	----	629.80 + 14.80	.7318	----	----	----	----	1 UNCH
4500	----	----	575.90B/----	575.90B/555.30A	----	563.30 + 14.50	.6931	----	----	----	----	1 UNCH
4600	----	----	512.90B/----	512.90B/494.30A	----	501.30 + 13.80	.6521	----	----	----	----	4 UNCH
4650	----	----	482.90B/----	482.90B/464.90A	----	472.10 + 13.40	.6309	----	----	----	----	1 UNCH
4700	----	----	455.20B/----	455.20B/437.80A	----	444.10 + 12.70	.6093	----	----	----	----	1 UNCH
4710	----	----	449.70B/----	449.70B/432.40A	----	438.70 + 12.70	.6049	----	----	----	----	3 UNCH
4750	----	----	428.00B/----	428.00B/411.60A	----	417.30 + 12.00	.5874	----	----	----	----	8 UNCH
4760	----	----	422.80B/----	422.80B/406.50A	----	412.10 + 11.80	.5830	----	----	----	----	100 UNCH
4800	----	----	402.20B/----	402.20B/386.70A	----	391.80 + 11.00	.5654	----	----	----	----	1 UNCH
4850	----	----	377.50B/----	377.50B/363.00A	----	367.50 + 9.90	.5432	----	----	----	----	1 UNCH
4875	----	----	365.70B/----	365.70B/350.10A	----	355.80 + 9.30	.5322	----	----	----	----	4 UNCH
4900	----	----	354.20B/----	354.20B/339.40A	----	344.40 + 8.70	.5211	----	----	----	----	10 UNCH
5000	----	----	312.40B/----	312.40B/296.70A	----	301.90 + 6.30	.4776	----	----	----	----	28 UNCH
5050	----	----	292.80B/----	292.80B/278.20A	----	282.50 + 5.20	.4564	----	----	----	----	100 UNCH
5100	----	----	274.40B/259.90A	274.40B/259.90A	----	264.30 + 4.30	.4356	----	----	----	----	1 UNCH
5130	----	----	263.80B/----	263.80B/250.80A	----	253.90 + 3.80	.4233	----	----	----	----	1 UNCH
5195	----	----	242.30B/----	242.30B/232.10A	----	232.80 + 2.90	.3975	----	----	----	----	5 UNCH
5250	----	----	224.50B/----	224.50B/215.70A	----	216.30 + 2.20	.3764	----	----	----	----	7 UNCH
5300	----	----	210.60B/----	210.60B/202.20A	----	202.40 + 1.70	.3580	----	----	----	----	1 UNCH
5400	----	----	184.30B/----	184.30B/177.80A	----	177.30 + 0.70	.3232	----	----	----	----	2 UNCH
5450	----	----	173.20B/----	173.20B/167.00A	----	166.10 + 0.30	.3070	----	----	----	----	6 UNCH
5500	----	----	162.50B/----	162.50B/156.50A	----	155.70 UNCH	.2914	----	----	----	----	59 UNCH
5550	----	----	152.30B/----	152.30B/147.10A	----	146.00 - 0.40	.2766	----	----	----	----	4 UNCH
5820	----	----	109.30B/106.30A	109.30B/106.30A	----	105.00 - 1.60	.2093	----	----	----	----	6 UNCH
5850	----	----	105.70B/102.30A	105.70B/102.30A	----	101.40 - 1.80	.2030	----	----	----	----	3 UNCH
5900	----	----	99.60B/96.90A	99.60B/96.90A	----	95.80 - 1.90	.1931	----	----	----	----	5 UNCH
6000	----	----	89.50B/86.90A	89.50B/86.90A	----	85.80 - 2.10	.1749	----	----	----	----	257 UNCH
6025	----	----	86.90B/84.40A	86.90B/84.40A	----	83.50 - 2.20	.1707	----	----	----	----	1 UNCH
6300	----	----	----/64.20A	65.80B/64.20A	----	63.60 - 2.30	.1324	----	----	----	----	2 UNCH
6500	----	----	----/53.80A	53.70B/53.80A	----	53.20 - 2.40	.1115	----	----	----	----	1 UNCH
20000	----	----	----/5.50A	3.80B/5.50A	----	4.80 - 1.50	.0066	----	----	----	----	128 UNCH
TOTAL												755 0
FEB27												
4650	----	----	497.80B/----	497.80B/481.80A	----	489.90 + 13.50	.6276	----	----	----	----	1 UNCH
4700	----	----	470.70B/----	470.70B/454.70A	----	462.50 + 12.80	.6071	----	----	----	----	1 UNCH
4785	----	----	425.90B/----	425.90B/411.50A	----	418.50 + 10.90	.5717	----	----	----	----	100 UNCH
5000	----	----	331.00B/315.30A	331.00B/315.30A	----	321.60 + 4.00	.4823	----	----	----	----	12 UNCH
5100	----	----	293.00B/280.00A	293.00B/280.00A	----	283.70 + 2.20	.4423	----	----	----	----	2 UNCH
5175	----	----	267.20B/255.30A	267.20B/255.30A	----	258.30 + 1.60	.4136	----	----	----	----	125 UNCH
5200	----	----	259.20B/248.50A	259.20B/248.50A	----	250.30 + 1.50	.4043	----	----	----	----	3 UNCH
5250	----	----	241.10B/----	241.10B/233.80A	----	235.20 + 1.40	.3861	----	----	----	----	22 UNCH
5300	----	----	227.10B/----	227.10B/220.20A	----	221.10 + 1.30	.3685	----	----	----	----	50 UNCH
5375	----	----	207.00B/----	207.00B/200.90A	----	201.60 + 1.20	.3433	----	----	----	----	2 UNCH
5400	----	----	201.10B/----	201.10B/195.10A	----	195.60 + 1.20	.3352	----	----	----	----	1 UNCH
5500	----	----	177.60B/----	177.60B/173.50A	----	173.40 + 0.90	.3046	----	----	----	----	13 UNCH
5520	----	----	173.60B/----	173.60B/169.50A	----	169.30 + 0.80	.2988	----	----	----	----	300 UNCH
5530	----	----	171.20B/----	171.20B/167.50A	----	167.40 + 0.90	.2960	----	----	----	----	100 UNCH
5550	----	----	167.40B/----	167.40B/163.60A	----	163.50 + 0.80	.2904	----	----	----	----	82 UNCH
5600	----	----	157.60B/----	157.60B/154.40A	----	154.20 + 0.70	.2767	----	----	----	----	8 UNCH
6000	----	----	100.90B/99.40A	100.90B/99.40A	----	99.60 - 0.30	.1899	----	----	----	----	1290 UNCH
6025	----	----	98.10B/97.10A	98.10B/97.10A	----	97.10 - 0.40	.1856	----	----	----	----	4 UNCH
6100	----	----	91.30B/90.30A	91.30B/90.30A	----	90.10 - 0.50	.1735	----	----	----	----	4 UNCH
6300	----	----	----/74.80A	74.40B/74.80A	----	74.50 - 0.70	.1456	----	----	----	----	1 UNCH
6500	----	----	----/63.40A	62.10B/63.40A	----	62.50 - 1.20	.1234	----	----	----	----	1220 UNCH
6900	55.50	55.50	55.50/*47.00A	55.50/47.00A	----	46.50 - 2.20	.0921	----	----	1	----	533 + 1
7000	----	----	----/44.30A	42.20B/44.30A	----	43.70 - 2.30	.0864	----	----	----	----	399 UNCH
7100	----	----	----	39.40B/46.50A	----	41.20 - 2.40	.0812	----	----	----	----	9 UNCH
7900	----	----	----	21.30B/35.20A	----	29.80 - 0.90	.0559	----	----	----	----	500 UNCH
8000	----	----	----	20.40B/34.30A	----	29.10 - 0.60	.0541	----	----	----	----	565 UNCH
TOTAL										1		5347 + 1
MAR27												
4995	----	----	364.80B/----	364.80B/354.40A	----	355.40 + 3.00	.5014	----	----	----	----	1 UNCH
5000	----	----	362.70B/----	362.70B/352.60A	----	353.30 + 2.90	.4994	----	----	----	----	95 UNCH
5010	----	----	358.50B/----	358.50B/348.40A	----	349.20 + 2.90	.4955	----	----	----	----	1 UNCH
5500	----	----	203.60B/----	203.60B/199.90A	----	198.00 + 1.00	.3259	----	----	----	----	67 UNCH
5600	----	----	181.50B/----	181.50B/179.20A	----	177.20 + 0.90	.2980	----	----	----	----	1 UNCH
5650	----	----	171.80B/----	171.80B/169.70A	----	167.80 + 0.80	.2849	----	----	----	----	19 UNCH
5790	----	----	147.10B/----	147.10B/146.60A	----	144.30 + 0.10	.2512	----	----	----	----	2 UNCH
5820	----	----	142.40B/----	142.40B/141.80A	----	139.90 UNCH	.2446	----	----	----	----	1 UNCH
5850	----	----	137.90B/----	137.90B/137.60A	----	135.60 - 0.10	.2382	----	----	----	----	253 UNCH
5900	----	----	130.80B/----	130.80B/130.80A	----	128.70 - 0.50	.2278	----	----	----	----	11 UNCH
6000	----	----	117.80B/----	117.80B/118.60A	----	116.30 - 1.10	.2086	----	----	----	----	2 UNCH
6500	----	----	----/76.20A	73.00B/76.20A	----	73.20 - 3.70	.1372	----	----	----	----	1 UNCH
TOTAL												454 0
APR27												
5000	----	----	----	82.40B/615.00A	----	365.80 - 26.00	.5015	----	----	----	----	100 UNCH
5060	----	----	----	101.20B/579.60A	----	346.20 - 26.40	.4800	----	----	----	----	25 UNCH
5600	----	----	----	#116.50B/342.40A	----	195.10 - 25.90	.3100	----	----	----	----	300 UNCH
6000	----	----	----	40.10B/165.00A	----	130.60 - 23.00	.2214	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
5085	----	----	----	----	----	449.10 NEW	.5034	----	----	----	150	150 + 150
7000	----	----	----	----	----	83.00 + 2.10	.1324	----	----	----	----	3 UNCH
7500	----	----	----	----	----	57.80 NEW	.0954	----	----	----	450	450 + 450
9000	----	----	----	----	----	27.10 + 0.70	.0453	----	----	----	----	1 UNCH
10000	----	----	----	----	----	20.50 + 0.50	.0332	----	----	----	----	3 UNCH
TOTAL											600	607 + 600
DEC27												
4860	----	----	----	----	----	705.00 + 10.70	.6021	----	----	----	----	100 UNCH
5000	----	----	----	----	----	642.60 + 10.00	.5668	----	----	----	----	50 UNCH
5650	----	----	----	----	----	410.00 + 7.40	.4151	----	----	----	----	200 UNCH
5700	----	----	----	----	----	395.90 + 7.30	.4046	----	----	----	----	150 UNCH
5800	----	----	----	----	----	369.10 + 7.20	.3841	----	----	----	----	200 UNCH
5880	----	----	----	----	----	349.00 + 7.10	.3683	----	----	----	----	125 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC27												
6300	----	----	----	----	----	261.20 + 7.00	.2942	----	----	----	----	18 UNCH
7500	----	----	----	----	----	124.50 + 8.40	.1573	----	----	----	----	170 UNCH
7800	----	----	----	----	----	106.30 + 8.50	.1365	----	----	----	----	284 UNCH
10000	----	----	45.00B/----	45.00B/----	----	47.40 + 6.70	.0621	----	----	----	----	102 UNCH
10500	----	----	----	----	----	41.90 + 5.50	.0546	----	----	----	----	10 UNCH
TOTAL												1409 0
DEC28												
5750	----	----	----	----	----	633.50 + 8.20	.4771	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
MAY26												
4700	19.50	19.50	#19.50/*19.50	#19.50/*19.50	----	16.30 NEW	.3111	----	----	1	----	1 + 1
4750	----	----	----	----	----	39.00 - 25.60	.6208	----	----	----	----	1 UNCH
TOTAL										1		2+ 1
JUN26												
4400	----	----	----	----/68.00A	----	16.40 - 3.80	.1016	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
MAY26												
3500	----	----	----	----/3.00A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
3800	----	----	----	0.10B/3.60A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3800	----	----	----	0.30B/3.30A	----	1.90 - 0.90	.0095	----	----	----	----	4 UNCH
3900	----	----	----	0.80B/1.30A	----	0.80 - 0.20	.0048	----	----	----	----	3 UNCH
4000	----	----	----	----/0.80A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
4100	----	----	----/*1.80A	1.50B/*1.80A	----	1.60 - 0.40	.0113	----	----	----	----	1 UNCH
4100	----	----	----	----/0.80A	----	0.30 - 0.10	.0017	----	----	----	----	1 UNCH
4175	----	----	----/*2.20A	2.00B/*2.20A	----	2.00 - 0.60	.0152	----	----	3	----	3 UNCH
4200	----	----	----/*2.50A	2.30B/*2.50A	----	2.20 - 0.70	.0171	----	----	----	----	51 UNCH
4200	----	----	----	0.40B/*0.70A	----	0.50 - 0.20	.0033	----	----	----	----	14 UNCH
4225	----	----	----/*2.70A	2.50B/*2.70A	----	2.50 - 0.80	.0197	----	----	3	----	3 UNCH
4250	----	----	----/*3.00A	2.90B/*3.00A	----	2.80 - 0.90	.0225	----	----	1	----	6 - 1
4250	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.30	.0044	----	----	----	----	3 UNCH
4265	0.50	0.50	#0.50/*0.50	0.60B/*0.50	----	0.70 NEW	.0052	----	----	1	----	1 + 1
4275	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0053	----	----	----	----	1 UNCH
4275	----	----	----/6.80A	5.30B/6.80A	----	6.00 - 1.30	.0415	----	----	8	----	8 + 8
4285	0.50	0.50	#0.50/*0.50	0.60B/*0.50	----	0.70 NEW	.0054	----	----	1	----	1 + 1
4300	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0064	----	----	----	----	4 UNCH
4300	----	----	----/*3.70A	4.40B/*3.70A	----	3.70 - 1.30	.0305	----	----	1	----	16 - 1
4325	----	----	----/*4.30A	5.40B/*4.30A	----	4.30 - 1.50	.0359	----	----	----	----	14 UNCH
4325	----	----	----/1.00A	0.90B/1.00A	----	0.90 - 0.40	.0075	----	----	----	----	3 UNCH
4325	----	----	----/8.50A	8.50B/8.50A	----	7.80 - 1.60	.0542	----	----	8	----	8 + 8
4350	----	----	----/*4.90A	6.80B/*4.90A	----	5.00 - 1.80	.0422	----	----	----	----	6 UNCH
4350	0.90	0.90	0.90/*0.90	1.00B/*0.90	----	1.00 - 0.60	.0088	----	----	2	----	42 + 2
4375	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.70	.0111	----	----	2	----	14 UNCH
4375	----	----	----/10.50A	11.70B/10.50A	----	10.40 - 2.10	.0719	----	----	----	----	5 UNCH
4375	----	----	8.20B/*5.70A	8.20B/*5.70A	----	5.90 - 2.10	.0501	----	----	----	----	10 UNCH
4385	1.20	1.20	#1.20/*1.20	1.70B/*1.20	----	1.30 NEW	.0122	----	----	2	----	1 + 1
4400	----	----	10.10B/*6.70A	10.10B/*6.70A	----	6.90 - 2.60	.0591	----	----	----	----	22 UNCH
4400	----	----	----/*1.50A	2.00B/*1.50A	----	1.40 - 0.90	.0136	----	----	----	----	6 UNCH
4425	----	----	----/*1.80A	2.80B/*1.80A	----	1.70 - 1.20	.0173	----	----	----	----	2 UNCH
4425	----	----	17.20B/13.90A	17.20B/13.90A	----	14.00 - 2.90	.0955	----	----	----	----	1 UNCH
4425	----	----	12.80B/*7.90A	12.80B/*7.90A	----	8.20 - 3.20	.0705	----	----	----	----	1 UNCH
4450	----	----	3.90B/*2.10A	3.90B/*2.10A	----	2.10 - 1.60	.0223	----	----	2	----	6 UNCH
4450	----	----	20.70B/15.80A	20.70B/15.80A	----	16.30 - 3.40	.1101	----	----	----	----	2 UNCH
4450	----	----	15.10B/*9.30A	15.10B/*9.30A	----	9.90 - 3.70	.0848	----	----	----	----	5 UNCH
4475	25.00	25.00	25.00/18.60A	25.00/18.60A	----	19.00 NEW	.1268	----	----	1	----	1 + 1
4475	----	----	5.20B/*2.60A	5.20B/*2.60A	----	2.70 - 2.10	.0297	----	----	----	----	1 UNCH
4480	5.70	5.70	#5.70/*2.70A	5.70/*2.70A	----	2.80 NEW	.0312	----	----	1	----	1 + 1
4490	----	----	#6.30B/*2.90A	6.30B/*2.90A	----	3.10 NEW	.0350	----	----	1	----	1 + 1
4495	----	----	#6.80B/*3.10A	6.80B/*3.10A	----	3.20 - 2.70	.0365	----	----	----	----	2 UNCH
4500	----	----	307.30B/----	307.30B/277.00A	----	288.40 + 15.10	.8537	----	----	----	----	50 UNCH
4500	----	----	22.70B/*13.40A	22.70B/*13.40A	----	14.40 - 5.40	.1216	----	----	----	----	7 UNCH
4500	----	----	7.20B/*3.20A	7.20B/*3.20A	----	3.40 - 2.80	.0390	----	----	2	----	5 UNCH
4525	----	----	10.00B/*4.10A	10.00B/*4.10A	----	4.40 - 3.80	.0522	----	----	----	----	7 UNCH
4525	----	----	31.80B/24.80A	31.80B/24.80A	----	25.80 - 5.50	.1668	----	----	----	----	2 UNCH
4550	----	----	36.90B/28.60A	36.90B/28.60A	----	30.10 - 6.30	.1907	----	----	1	----	13 UNCH
4550	22.20	22.20	32.90B/19.40A	32.90B/19.40A	----	21.20 - 7.50	.1735	----	----	24	----	31 + 24
4550	----	----	13.40B/*5.20A	13.40B/*5.20A	----	5.80 - 5.00	.0707	----	----	2	----	5 + 1
4560	6.00	6.00	#15.00B/*5.70A	15.00B/*5.70A	----	6.50 NEW	.0799	----	----	1	----	1 + 1
4565	----	----	#15.50B/*6.00A	15.50B/*6.00A	----	6.90 NEW	.0850	----	----	4	----	4 + 4
4570	10.30	10.30	#16.80B/*6.30A	16.80B/*6.30A	----	7.30 NEW	.0903	----	----	1	----	1 + 1
4575	----	----	39.30B/23.50A	39.30B/23.50A	----	25.70 - 8.80	.2057	----	----	----	----	10 UNCH
4575	----	----	17.80B/*6.70A	17.80B/*6.70A	----	7.70 - 6.60	.0957	----	----	3	----	12 + 1
4575	----	----	188.30B/138.80A	188.30B/138.80A	----	163.40 + 13.30	.9041	----	----	----	----	1 UNCH
4575	----	----	43.60B/33.30A	43.60B/33.30A	----	35.00 - 7.20	.2170	----	----	----	----	1 UNCH
4595	----	----	#22.20B/*8.60A	#22.20B/*8.60A	----	9.80 NEW	.1225	----	----	4	----	4 + 4
4600	----	----	165.40B/119.30A	165.40B/119.30A	----	141.00 + 11.30	.8696	----	----	----	----	1 UNCH
4600	----	----	183.50B/146.00A	183.50B/146.00A	----	161.70 + 9.60	.7573	----	----	----	----	7 UNCH
4600	30.10	30.10	46.70B/28.10A	46.70B/28.10A	----	31.10 - 10.20	.2423	----	----	1	----	11 + 1
4600	----	----	49.90B/38.80A	49.90B/38.80A	----	40.60 NEW	.2457	----	----	1	----	1 + 1
4600	----	----	23.00B/*9.10A	23.00B/*9.10A	----	10.40 - 8.40	.1302	----	----	----	----	9 UNCH
4605	----	----	#24.70B/*9.60A	24.70B/*9.60A	----	11.00 - 8.90	.1379	----	----	----	----	1 UNCH
4610	----	----	#25.80B/*10.10A	25.80B/*10.10A	----	11.70 - 9.30	.1466	----	----	----	----	2 UNCH
4615	----	----	#27.40B/*10.80A	#27.40B/*10.80A	----	12.40 - 9.80	.1554	----	----	----	----	2 UNCH
4625	----	----	55.00B/33.80A	55.00B/33.80A	----	37.60 - 11.60	.2834	----	----	----	----	112 UNCH
4625	----	----	29.90B/*12.10A	29.90B/*12.10A	----	14.00 - 10.70	.1749	----	----	----	----	5 UNCH
4625	----	----	143.30B/101.80A	143.30B/101.80A	----	119.70 + 9.20	.8249	----	----	----	----	1 UNCH
4625	----	----	58.60B/44.60A	58.60B/44.60A	----	46.90 - 9.50	.2768	----	----	----	----	2 UNCH
4630	----	----	#31.20B/*12.80A	31.20B/*12.80A	----	14.90 - 11.10	.1856	----	----	1	----	2 + 1
4645	----	----	#36.30B/*15.20A	36.30B/*15.20A	----	17.80 - 12.60	.2198	----	----	----	----	2 UNCH
4650	----	----	145.80B/115.10A	145.80B/115.10A	----	125.80 + 6.70	.6714	----	----	----	----	3 UNCH
4650	----	----	122.30B/85.40A	122.30B/85.40A	----	99.60 + 6.70	.7675	----	----	----	----	204 UNCH
4650	25.00	25.00	39.00B/*16.10A	39.00B/*16.10A	----	18.90 - 13.10	.2323	----	----	7	----	11 + 5
4650	----	----	65.30B/40.50A	65.30B/40.50A	----	45.10 - 13.20	.3282	----	----	----	----	12 UNCH
4655	----	----	#40.80B/*17.10A	#40.80B/*17.10A	----	20.10 - 13.60	.2456	----	----	----	----	2 UNCH
4675	----	----	76.70B/58.90A	76.70B/58.90A	----	62.30 - 11.80	.3461	----	----	----	----	1 UNCH
4675	----	----	75.70B/48.30A	75.70B/48.30A	----	54.00 - 14.60	.3766	----	----	----	----	1 UNCH
4675	----	----	48.70B/*21.40A	48.70B/*21.40A	----	25.40 - 15.70	.3027	----	----	4	----	6 + 1
4675	----	----	128.50B/101.20A	128.50B/101.20A	----	109.60 + 5.10	.6230	----	----	----	----	25 UNCH
4675	----	----	102.60B/70.40A	102.60B/70.40A	----	81.10 + 4.20	.6971	----	----	----	----	1 UNCH
4685	32.90	32.90	#52.50B/*24.10A	52.50B/*24.10A	----	28.50 NEW	.3341	----	----	1	----	1 + 1
4690	----	----	#55.00B/*25.40A	55.00B/*25.40A	----	30.20 - 17.20	.3506	----	----	----	----	1 UNCH
4700	----	----	112.50B/87.40A	112.50B/87.40A	----	94.80 + 3.70	.5722	----	----	----	----	7 UNCH
4700	32.90	32.90	60.00B/*28.40A	60.00B/*28.40A	----	33.80 - 18.10	.3845	----	----	2	----	17 + 2
4700	----	----	88.10B/57.30A	88.10B/57.30A	----	64.10 - 16.10	.4274	----	----	----	----	1 UNCH
4700	----	----	84.50B/56.00A	84.50B/56.00A	----	64.50 + 1.70	.6153	----	----	----	----	17 UNCH
4710	----	----	#65.60B/*31.70A	65.60B/*31.70A	----	37.70 - 19.10	.4196	----	----	2	----	13 + 2
4720	48.60	48.60	#71.40B/*46.10A	71.40B/*46.10A	----	52.70 NEW	.5439	----	----	1	----	1 + 1
4725	73.20	73.20	74.10B/*37.30A	74.10B/*37.30A	----	44.30 - 20.40	.4743	----	----	1	----	2 UNCH
4725	85.00	85.00	99.70B/76.60A	99.70B/76.60A	----	81.60 - 14.10	.4226	----	----	1	----	2 + 1
4725	----	----	101.20B/67.50A	101.20B/67.50A	----	75.60 - 17.40	.4798	----	----	----	----	1 UNCH
4725	----	----	97.90B/75.00A	97.90B/75.00A	----	81.30 + 2.30	.5198	----	----	53	----	54 + 52
4725	----	----	68.30B/43.00A	68.30B/43.00A	----	50.00 - 0.60	.5255	----	----	----	----	3 UNCH
4730	----	----	#65.30B/*40.80A	65.30B/*40.80A	----	47.40 NEW	.5070	----	----	30	----	30 + 30
4740	50.60	50.60	#59.40B/*37.20A	59.40B/*37.20A	----	42.40 NEW	.4699	----	----	1	----	1 + 1
4745	----	----	#87.30B/*45.70A	87.30B/*45.70A	----	54.40 - 21.90	.5484	----	----	----	----	1 UNCH
4750	----	----	90.50B/48.10A	90.50B/48.10A	----	57.10 - 22.30	.5668	----	----	1	----	3 + 1
4750	38.70	38.70	54.00B/33.10A	54.00B/33.10A	----	37.90 - 2.40	.4330	----	----	6	----	19 + 5
4750	----	----	122.40B/102.50A	122.40B/102.50A	----	109.40 + 4.40	.5368	----	----	----	----	4 UNCH
4750	----	----	84.60B/63.40A	84.60B/63.40A	----	69.20 + 1.10	.4671	----	----	----	----	4 UNCH
4755	----	----	51.30B/*31.50A	51.30B/*31.50A	----	35.70 - 2.80	.4146	----	----	----	----	1 UNCH
4760	----	----	48.90B/*29.30A	48.90B/*29.30A	----	33.60 - 3.10	.3964	----	----	----	----	1 UNCH
4760	----	----	#97.20B/*53.10A	97.20B/53.10A	----	62.90 NEW	.6033	----	----	2	----	2 + 2
4765	----	----	46.50B/*27.60A	46.50B/*27.60A	----	31.70 - 3.30	.3787	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4770	----	----	#104.70B/*58.20	#104.70B/58.20A	----	69.10 - 23.30	.6387	----	----	----	----	1 UNCH
4775	----	----	72.60B/53.50A	72.60B/53.50A	----	58.50 UNCH	.4152	----	----	----	----	50 UNCH
4775	----	----	107.90B/61.10A	107.90B/61.10A	----	72.30 - 23.50	.6560	----	----	----	----	1 UNCH
4775	----	----	42.00B/24.90A	42.00B/24.90A	----	28.00 - 3.70	.3438	----	----	2	----	47 + 1
4780	----	----	#39.80B/*23.40A	39.80B/*23.40A	----	26.30 - 3.90	.3269	----	----	----	----	50 UNCH
4795	----	----	#33.90B/*19.30A	33.90B/*19.30A	----	21.70 NEW	.2788	----	----	1	----	1 + 1
4800	----	----	61.80B/45.20A	61.80B/45.20A	----	49.10 - 0.90	.3651	----	----	----	----	1 UNCH
4800	----	----	96.60B/81.20A	96.60B/81.20A	----	85.10 + 2.40	.4561	----	----	----	----	6 UNCH
4800	25.00	25.00	32.00B/18.10A	32.00B/18.10A	----	20.30 - 4.50	.2635	----	----	51	----	128 + 21
4810	----	----	#28.70B/*15.80A	28.70B/*15.80A	----	17.80 NEW	.2350	----	----	1	----	1 + 1
4820	----	----	#25.50B/*13.90A	25.50B/*13.90A	----	15.60 NEW	.2087	----	----	1	----	1 + 1
4825	114.20	114.20	147.10B/92.80A	147.10B/92.80A	----	108.80 NEW	.8033	----	----	1	----	1 + 1
4825	----	----	24.00B/12.90A	24.00B/12.90A	----	14.60 - 4.70	.1965	----	----	1	----	127 UNCH
4825	----	----	52.50B/37.80A	52.50B/37.80A	----	41.00 - 1.70	.3179	----	----	----	----	21 UNCH
4830	----	----	#22.70B/*12.10A	22.70B/*12.10A	----	13.60 NEW	.1843	----	----	2	----	2 + 2
4850	----	----	168.70B/111.60A	168.70B/111.60A	----	129.60 NEW	.8577	----	----	1	----	1 + 1
4850	10.40	10.40	18.00B/9.10A	18.00B/9.10A	----	10.30 - 4.60	.1421	----	----	22	----	28 + 18
4875	----	----	65.90B/54.90A	65.90B/54.90A	----	56.80 - 0.10	.3410	----	----	----	----	1 UNCH
4875	----	----	37.10B/26.20A	37.10B/26.20A	----	28.10 - 2.70	.2344	----	----	----	----	3 UNCH
4875	----	----	13.60B/6.50A	13.60B/6.50A	----	7.30 - 4.20	.1015	----	----	----	----	2 UNCH
4880	----	----	12.90B/*6.10A	12.90B/*6.10A	----	6.90 - 4.00	.0955	----	----	----	----	2 UNCH
4885	----	----	#12.10B/*5.70A	12.10B/*5.70A	----	6.40 - 4.00	.0888	----	----	----	----	2 UNCH
4900	----	----	57.60B/48.40A	57.60B/48.40A	----	49.40 - 0.70	.3062	----	----	----	----	8 UNCH
4900	----	----	10.20B/4.70A	10.20B/4.70A	----	5.30 - 3.60	.0729	----	----	4	----	80 UNCH
4900	28.30	28.30	31.00B/21.60A	31.00B/21.60A	----	23.20 - 2.90	.1992	----	----	4	----	19 + 2
4905	----	----	#218.40B/*157.6	#218.40B/157.60A	----	179.20 - 23.30	.9324	----	----	----	----	2 UNCH
4905	----	----	9.30B/*4.40A	9.30B/*4.40A	----	4.90 - 3.60	.0674	----	----	----	----	1 UNCH
4910	----	----	#223.00B/*162.0	#223.00B/162.00A	----	183.90 - 23.20	.9368	----	----	----	----	1 UNCH
4925	----	----	25.90B/17.80A	25.90B/17.80A	----	19.10 - 3.00	.1681	----	----	----	----	2 UNCH
4925	----	----	7.60B/3.40A	7.60B/3.40A	----	3.80 - 3.10	.0514	----	----	4	----	6 - 2
4925	----	----	50.20B/42.10A	50.20B/42.10A	----	42.90 - 1.30	.2737	----	----	----	----	1 UNCH
4945	----	----	5.90B/*2.70A	5.90B/*2.70A	----	3.00 - 2.70	.0397	----	----	----	----	2 UNCH
4950	----	----	21.50B/14.70A	21.50B/14.70A	----	15.70 - 3.10	.1412	----	----	----	----	1 UNCH
4950	----	----	5.50B/2.50A	5.50B/2.50A	----	2.80 - 2.60	.0369	----	----	2	----	12 + 1
4950	----	----	43.70B/36.70A	43.70B/36.70A	----	37.30 - 1.70	.2440	----	----	----	----	1 UNCH
4975	----	----	17.90B/12.20A	17.90B/12.20A	----	13.00 - 2.90	.1187	----	----	----	----	6 UNCH
4975	----	----	----/2.00A	4.10B/2.00A	----	2.10 - 2.10	.0268	----	----	----	----	3 UNCH
5000	----	----	----/1.50A	2.80B/1.50A	----	1.60 - 1.70	.0196	----	----	2	----	7 - 1
5000	----	----	15.10B/10.10A	15.10B/10.10A	----	10.70 - 2.80	.0991	----	----	----	----	13 UNCH
5000	----	----	32.90B/27.90A	32.90B/27.90A	----	28.00 - 2.40	.1916	----	----	----	----	1 UNCH
5010	----	----	----/*1.40A	2.40B/*1.40A	----	1.40 - 1.70	.0170	----	----	----	----	2 UNCH
5025	----	----	321.90B/270.20A	321.90B/270.20A	----	295.40 - 21.20	.9857	----	----	----	----	1 UNCH
5025	----	----	12.40B/8.40A	12.40B/8.40A	----	8.90 - 2.60	.0831	----	----	----	----	7 UNCH
5025	----	----	----/1.30A	1.90B/1.30A	----	1.20 - 1.50	.0142	----	----	----	----	14 UNCH
5050	----	----	----/*1.00A	1.40B/*1.00A	----	0.90 - 1.20	.0102	----	----	----	----	2 UNCH
5050	----	----	10.10B/7.10A	10.10B/7.10A	----	7.40 - 2.40	.0695	----	----	----	----	2 UNCH
5075	----	----	----/*0.90A	1.00B/*0.90A	----	0.70 - 1.00	.0076	----	----	----	----	3 UNCH
5075	----	----	----/6.00A	8.40B/6.00A	----	6.30 - 2.10	.0591	----	----	----	----	3 UNCH
5100	----	----	----	275.00B/467.30A	----	369.70 - 20.60	.9947	----	----	----	----	1 UNCH
5100	----	----	----/5.10A	7.20B/5.10A	----	5.30 - 1.90	.0497	----	----	----	----	31 UNCH
5100	----	----	----/*0.80A	0.80B/*0.80A	----	0.50 - 0.90	.0052	----	----	----	----	2 UNCH
5100	----	----	411.80B/350.80A	411.80B/350.80A	----	374.30 - 21.60	.9500	----	----	----	----	1 UNCH
5125	----	----	----/4.40A	5.90B/4.40A	----	4.50 - 1.70	.0421	----	----	----	----	1 UNCH
5125	----	----	----/14.00A	16.30B/14.00A	----	13.80 - 2.50	.1016	----	----	----	----	11 UNCH
5150	----	----	----/3.80A	5.00B/3.80A	----	3.90 - 1.40	.0362	----	----	----	----	2 UNCH
5200	----	----	----/0.50A	0.30B/0.50A	----	0.20 - 0.50	.0017	----	----	----	----	1 UNCH
5200	----	----	----/3.00A	3.60B/3.00A	----	2.90 - 1.10	.0266	----	----	----	----	2 UNCH
5225	----	----	----/2.70A	3.10B/2.70A	----	2.50 - 1.00	.0227	----	----	----	----	3 UNCH
5250	----	----	----	0.20B/*0.50A	----	0.10 - 0.30	.0008	----	----	----	----	1 UNCH
5250	----	----	----/2.40A	2.60B/2.40A	----	2.20 - 0.90	.0198	----	----	----	----	1 UNCH
5300	----	----	----/2.00A	2.00B/2.00A	----	1.80 - 0.60	.0157	----	----	----	----	40 UNCH
5300	----	----	----/6.10A	4.60B/6.10A	----	5.20 - 1.60	.0402	----	----	----	----	1 UNCH
5400	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.10 NEW	.0092	----	----	5	----	5 + 5
5600	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.60 NEW	.0044	----	----	4	----	4 + 4
5600	----	----	----	0.60B/3.70A	----	1.10 - 0.60	.0085	----	----	----	----	1 UNCH
TOTAL										302		1865 + 221
JUN26												
4400	19.00	19.00	#19.00/*19.00	#21.90B/*19.00	----	19.90 NEW	.1142	----	----	1	----	1 + 1
TOTAL										1		1 + 1

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3800	----	----	----	0.30B/*1.20A	----	0.50 - 0.20	.0028	----	----	----	----	10 UNCH
4000	----	----	----	0.80B/*1.30A	----	0.80 NEW	.0053	----	----	1	----	1 + 1
4000	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4100	----	----	----	1.20B/*1.60A	----	1.10 - 0.50	.0081	----	----	----	----	1 UNCH
4100	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4150	----	----	----/*1.80A	1.40B/*1.80A	----	1.40 - 0.50	.0107	----	----	2	----	2 UNCH
4150	----	----	----	----/*0.40A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
4175	----	----	----	----/*0.40A	----	0.10 - 0.20	.0004	----	----	----	----	1 UNCH
4200	----	----	----/*2.10A	1.80B/*2.10A	----	1.80 - 0.60	.0142	----	----	2	----	7 UNCH
4200	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	4 UNCH
4225	----	----	----	0.10B/*0.50A	----	0.20 - 0.10	.0012	----	----	----	----	2 UNCH
4240	0.20	0.20	#0.20/*0.20	0.20/*0.20	----	0.20 NEW	.0012	----	----	1	----	1 + 1
4250	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.80	.0189	----	----	----	----	20 UNCH
4250	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0012	----	----	----	----	28 UNCH
4275	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0020	----	----	----	----	10 UNCH
4300	----	----	----/*3.10A	3.40B/*3.10A	----	3.10 - 1.00	.0263	----	----	----	----	23 UNCH
4300	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0028	----	----	----	----	34 UNCH
4325	----	----	----/*3.50A	4.30B/*3.50A	----	3.50 - 1.30	.0303	----	----	----	----	10 UNCH
4325	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.30	.0037	----	----	----	----	10 UNCH
4350	3.80	3.80	3.80/*3.80	5.60B/*3.80	----	4.10 NEW	.0360	----	----	1	----	1 + 1
4350	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.30	.0047	----	----	----	----	38 UNCH
4375	----	----	----/*0.70A	0.90B/*0.70A	----	0.70 - 0.50	.0059	----	----	----	----	16 UNCH
4375	----	----	6.70B/*4.70A	6.70B/*4.70A	----	4.80 - 1.80	.0427	----	----	----	----	10 UNCH
4400	----	----	----/*0.80A	1.20B/*0.80A	----	0.80 - 0.70	.0072	----	----	----	----	76 UNCH
4400	7.10	7.10	8.20B/*5.50A	8.20B/*5.50A	----	5.70 - 2.20	.0511	----	----	3	----	4 + 3
4405	----	----	----/*0.80A	1.30B/*0.80A	----	0.80 - 0.70	.0073	----	----	----	----	6 UNCH
4425	----	----	10.20B/*6.50A	10.20B/*6.50A	----	6.70 - 2.80	.0608	----	----	----	----	12 UNCH
4425	----	----	----/*0.90A	1.60B/*0.90A	----	1.00 - 0.80	.0096	----	----	----	----	3 UNCH
4430	----	----	----/*1.00A	1.70B/*1.00A	----	1.00 - 0.90	.0097	----	----	----	----	2 UNCH
4450	----	----	12.70B/*7.70A	12.70B/*7.70A	----	8.10 - 3.30	.0736	----	----	2	----	7 + 2
4450	1.20	1.20	2.50B/*1.20	2.50B/*1.20	----	1.20 - 1.20	.0123	----	----	1	----	32 UNCH
4475	10.10	10.10	15.60B/*9.20A	15.60B/*9.20A	----	9.80 NEW	.0891	----	----	1	----	1 + 1
4475	----	----	3.60B/*1.60A	3.60B/*1.60A	----	1.50 - 1.60	.0164	----	----	----	----	152 UNCH
4485	1.70	1.70	4.00B/*1.70	4.00B/*1.70	----	1.70 - 1.80	.0190	----	----	150	----	150 + 149
4500	----	----	258.70B/199.30A	258.70B/199.30A	----	232.60 + 17.60	.9777	----	----	4	----	4 UNCH
4500	----	----	4.90B/*2.00A	4.90B/*2.00A	----	1.90 - 2.30	.0221	----	----	----	----	34 UNCH
4500	----	----	19.70B/*11.20A	19.70B/*11.20A	----	12.00 - 4.90	.1083	----	----	----	----	2 UNCH
4510	----	----	5.60B/*2.20A	5.60B/*2.20A	----	2.20 - 2.50	.0261	----	----	----	----	1 UNCH
4515	----	----	#6.00B/*2.30A	6.00B/*2.30A	----	2.30 - 2.70	.0276	----	----	----	----	2 UNCH
4520	3.00	3.00	#6.40B/*2.40A	6.40B/*2.40A	----	2.40 - 2.90	.0292	----	----	50	----	51 + 50
4525	----	----	7.10B/*2.50A	7.10B/*2.50A	----	2.50 - 3.10	.0309	----	----	----	----	27 UNCH
4525	----	----	234.20B/176.60A	234.20B/176.60A	----	208.20 + 16.80	.9690	----	----	----	----	1 UNCH
4530	----	----	7.40B/*2.60A	7.40B/*2.60A	----	2.70 - 3.30	.0336	----	----	1	----	3 + 1
4535	----	----	7.90B/*2.80A	7.90B/*2.80A	----	2.80 - 3.50	.0354	----	----	----	----	4 UNCH
4545	----	----	9.00B/*3.10A	9.00B/*3.10A	----	3.20 - 4.00	.0412	----	----	----	----	3 UNCH
4550	----	----	222.00B/177.10A	222.00B/177.10A	----	198.50 + 12.50	.8411	----	----	----	----	1 UNCH
4550	----	----	28.90B/*16.40A	28.90B/*16.40A	----	18.00 - 7.20	.1585	----	----	----	----	1 UNCH
4550	----	----	9.50B/*3.20A	9.50B/*3.20A	----	3.40 - 4.30	.0443	----	----	1	----	17 UNCH
4575	----	----	13.40B/*4.30A	13.40B/*4.30A	----	4.60 - 5.90	.0630	----	----	1	----	12 UNCH
4575	----	----	185.80B/133.80A	185.80B/133.80A	----	160.30 + 14.00	.9369	----	----	----	----	1 UNCH
4575	----	----	35.30B/*20.10A	35.30B/*20.10A	----	22.10 - 8.60	.1907	----	----	----	----	1 UNCH
4580	----	----	#14.20B/*4.50A	14.20B/*4.50A	----	5.00 - 6.20	.0687	----	----	----	----	5 UNCH
4580	----	----	181.10B/*129.80	181.10B/129.80A	----	155.60 + 13.60	.9311	----	----	----	----	1 UNCH
4585	----	----	#15.10B/*4.80A	15.10B/*4.80A	----	5.30 - 6.60	.0735	----	----	1	----	3 + 1
4590	----	----	#16.20B/*5.10A	16.20B/*5.10A	----	5.70 - 7.00	.0795	----	----	----	----	1 UNCH
4595	11.40	11.40	#17.30B/*5.40A	17.30B/*5.40A	----	6.10 - 7.40	.0857	----	----	5	----	7 + 5
4600	----	----	42.40B/*24.30A	42.40B/*24.30A	----	27.10 NEW	.2280	----	----	1	----	1 + 1
4600	----	----	162.30B/114.10A	162.30B/114.10A	----	137.10 + 11.90	.9078	----	----	----	----	13 UNCH
4600	15.00	15.00	18.30B/*5.70	18.30B/*5.70	----	6.50 - 7.80	.0920	----	----	13	----	23 + 4
4600	----	----	179.80B/141.60A	179.80B/141.60A	----	157.70 + 9.70	.7717	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
MAY26												
4610	----	----	#20.70B/*6.70A	20.70B/*6.70A	----	7.40 NEW	.1061	----	----	4	----	2 + 2
4615	----	----	#22.00B/*7.10A	22.00B/*7.10A	----	8.00 - 9.30	.1149	----	----	5	----	2 + 1
4620	----	----	143.90B/99.70A	143.90B/99.70A	----	119.20 + 10.00	.8768	----	----	----	----	1 UNCH
4620	12.50	12.50	#23.30B/*7.60A	23.30B/*7.60A	----	8.50 - 9.80	.1230	----	----	1	----	11 + 1
4625	----	----	139.40B/95.90A	139.40B/95.90A	----	114.80 + 9.40	.8667	----	----	----	----	4 UNCH
4625	9.30	9.30	24.70B/*8.00A	24.70B/*8.00A	----	9.20 - 10.30	.1331	----	----	2	----	42 + 1
4625	36.90	36.90	50.60B/*29.70A	50.60B/*29.70A	----	33.20 - 11.60	.2705	----	----	48	----	68 + 48
4630	10.00	10.00	#26.20B/*8.60A	26.20B/*8.60A	----	9.80 - 10.90	.1426	----	----	3	----	4 + 3
4635	----	----	#27.70B/*9.20A	27.70B/*9.20A	----	10.60 - 11.40	.1540	----	----	----	----	1 UNCH
4640	----	----	#29.30B/*9.80A	29.30B/*9.80A	----	11.30 - 12.00	.1648	----	----	6	----	8 + 6
4645	10.80	10.80	#31.00B/*10.50A	31.00B/*10.50A	----	12.20 NEW	.1775	----	----	1	----	1 + 1
4650	----	----	60.10B/*36.00A	60.10B/*36.00A	----	40.40 - 13.30	.3175	----	----	1	----	0 - 1
4650	----	----	117.40B/79.50A	117.40B/79.50A	----	93.80 + 6.70	.8093	----	----	54	----	68 - 2
4650	11.50	11.50	32.60B/*11.20A	32.60B/*11.20A	----	13.10 - 13.10	.1905	----	----	22	----	55 + 21
4650	----	----	141.20B/110.20A	141.20B/110.20A	----	121.00 + 6.40	.6821	----	----	1	----	10 UNCH
4660	----	----	#36.40B/*12.80A	36.40B/*12.80A	----	15.10 - 14.30	.2187	----	----	----	----	2 UNCH
4660	90.00	90.00	109.00B/73.50A	109.00B/73.50A	----	85.80 NEW	.7811	----	----	6	----	6 + 6
4670	----	----	#40.10B/*14.60A	40.10B/*14.60A	----	17.40 - 15.60	.2501	----	----	----	----	1 UNCH
4675	----	----	96.80B/63.20A	96.80B/63.20A	----	74.30 + 3.60	.7333	----	----	----	----	2 UNCH
4675	----	----	42.50B/*15.60A	42.50B/*15.60A	----	18.60 - 16.20	.2666	----	----	1	----	2 + 1
4680	----	----	#44.30B/*16.70A	44.30B/*16.70A	----	20.00 - 16.80	.2844	----	----	----	----	2 UNCH
4690	----	----	#48.80B/*19.00A	48.80B/*19.00A	----	23.00 - 18.00	.3219	----	----	4	----	7 UNCH
4695	57.50	57.50	81.50B/*51.20A	81.50B/51.20A	----	60.30 NEW	.6583	----	----	1	----	1 + 1
4700	80.00	80.00	107.80B/80.00	107.80B/80.00	----	89.60 + 3.30	.5764	----	----	111	----	85 - 51
4700	59.00	59.00	77.90B/48.30A	77.90B/48.30A	----	57.00 + 0.70	.6381	----	----	4	----	16 + 1
4700	35.00	35.00	54.50B/*21.80A	54.50B/*21.80A	----	26.30 - 19.20	.3617	----	----	4	----	6 + 2
4705	46.20	46.20	74.30B/*46.00A	74.30B/46.00A	----	53.90 + 0.20	.6170	----	----	3	----	3 + 2
4710	----	----	#59.80B/*24.70A	59.80B/*24.70A	----	30.10 - 20.20	.4041	----	----	1	----	3 + 1
4715	45.40	45.40	#62.60B/*26.30A	62.60B/*26.30A	----	32.10 - 20.70	.4258	----	----	50	----	50 + 49
4715	----	----	67.40B/*40.80A	67.40B/40.80A	----	47.80 - 1.00	.5740	----	----	----	----	1 UNCH
4720	43.20	43.20	64.10B/*38.30A	64.10B/38.30A	----	45.00 - 1.40	.5518	----	----	3	----	5 + 3
4725	----	----	95.90B/62.40A	95.90B/62.40A	----	70.30 - 18.00	.4795	----	----	----	----	1 UNCH
4725	----	----	68.10B/*29.80A	68.10B/*29.80A	----	36.60 - 21.60	.4705	----	----	19	----	16 + 13
4725	40.90	40.90	61.00B/35.50A	61.00B/35.50A	----	42.30 - 1.80	.5294	----	----	55	----	90 + 46
4725	----	----	92.60B/69.50A	92.60B/69.50A	----	76.00 + 1.80	.5202	----	----	----	----	6 UNCH
4730	42.50	42.50	#71.50B/*31.70A	71.50B/*31.70A	----	38.90 - 22.10	.4930	----	----	27	----	31 + 25
4735	----	----	#74.60B/*33.70A	74.60B/*33.70A	----	41.40 - 22.50	.5157	----	----	1	----	1 UNCH
4735	53.00	53.00	54.80B/*31.00A	54.80B/31.00A	----	37.10 - 2.70	.4841	----	----	12	----	6 + 5
4740	----	----	51.90B/*29.00A	51.90B/29.00A	----	34.70 - 3.10	.4614	----	----	----	----	2 UNCH
4745	28.80	28.80	49.10B/*27.10A	49.10B/27.10A	----	32.40 - 3.50	.4388	----	----	1	----	2 + 1
4750	34.90	34.90	46.40B/25.70A	46.40B/25.70A	----	30.20 - 3.80	.4164	----	----	136	----	109 + 45
4750	39.60	39.60	84.40B/*39.60	84.40B/*39.60	----	49.50 - 23.60	.5834	----	----	17	----	62 + 10
4750	----	----	79.20B/58.60A	79.20B/58.60A	----	63.90 + 0.50	.4634	----	----	----	----	15 UNCH
4755	31.50	31.50	43.70B/*24.00A	43.70B/24.00A	----	28.20 - 4.00	.3944	----	----	4	----	4 + 2
4760	----	----	#91.10B/*45.50A	91.10B/*45.50A	----	55.50 NEW	.6272	----	----	1	----	1 + 1
4760	----	----	41.30B/*22.60A	41.30B/22.60A	----	26.20 - 4.30	.3726	----	----	----	----	1 UNCH
4770	----	----	36.60B/*19.20A	36.60B/19.20A	----	22.60 - 4.70	.3304	----	----	----	----	1 UNCH
4775	----	----	67.20B/48.60A	67.20B/48.60A	----	53.30 - 0.60	.4076	----	----	1	----	14 UNCH
4775	----	----	34.50B/17.90A	34.50B/17.90A	----	21.00 - 4.90	.3105	----	----	1	----	6 + 1
4775	----	----	102.60B/53.60A	102.60B/53.60A	----	65.20 - 24.70	.6894	----	----	----	----	2 UNCH
4780	----	----	32.30B/*16.70A	32.30B/16.70A	----	19.40 - 5.00	.2906	----	----	----	----	0 UNCH
4785	----	----	30.20B/*15.40A	30.20B/15.40A	----	18.00 - 5.10	.2720	----	----	2	----	1 UNCH
4790	----	----	28.30B/*14.20A	28.30B/14.20A	----	16.60 - 5.20	.2536	----	----	----	----	1 UNCH
4795	----	----	#117.70B/65.40A	117.70B/65.40A	----	79.60 - 25.10	.7638	----	----	----	----	1 UNCH
4795	25.10	25.10	26.70B/*13.10A	26.70B/13.10A	----	15.30 - 5.30	.2360	----	----	1	----	7 + 1
4800	25.00	25.00	25.10B/12.00A	25.10B/12.00A	----	14.10 - 5.40	.2193	----	----	9	----	93 + 4
4800	----	----	122.10B/68.70A	122.10B/68.70A	----	83.40 - 25.10	.7806	----	----	----	----	1 UNCH
4800	46.80	46.80	56.80B/40.50A	56.80B/40.50A	----	44.10 - 1.50	.3542	----	----	10	----	27 + 4
4805	----	----	23.70B/*11.00A	23.70B/11.00A	----	13.00 NEW	.2035	----	----	32	----	32 + 32
4810	----	----	22.20B/*10.20A	22.20B/10.20A	----	12.00 NEW	.1887	----	----	2	----	2 + 2
4815	9.90	9.90	21.00B/*9.40A	21.00B/9.40A	----	11.10 - 5.30	.1750	----	----	3	----	4 + 3
4820	----	----	19.60B/*8.60A	19.60B/8.60A	----	10.20 - 5.20	.1615	----	----	----	----	11 UNCH
4825	----	----	47.60B/33.40A	47.60B/33.40A	----	36.30 - 2.20	.3043	----	----	1	----	12 + 1
4825	----	----	18.40B/7.90A	18.40B/7.90A	----	9.40 - 5.10	.1492	----	----	1	----	153 + 1
4825	----	----	142.90B/86.30A	142.90B/86.30A	----	103.70 - 24.90	.8507	----	----	----	----	1 UNCH
4840	----	----	#156.00B/97.90A	156.00B/97.90A	----	116.60 NEW	.8836	----	----	2	----	2 + 2
4840	----	----	15.30B/*6.10A	15.30B/6.10A	----	7.30 - 4.90	.1162	----	----	2	----	3 + 2
4850	----	----	39.50B/27.40A	39.50B/27.40A	----	29.60 - 2.70	.2584	----	----	1	----	3 UNCH
4850	9.90	9.90	13.20B/5.30A	13.20B/5.30A	----	6.20 - 4.60	.0983	----	----	66	----	140 + 42
4850	----	----	165.00B/105.90A	165.00B/105.90A	----	125.40 - 24.50	.9015	----	----	----	----	1 UNCH
4855	----	----	12.00B/*4.90A	12.00B/4.90A	----	5.70 - 4.50	.0902	----	----	----	----	1 UNCH
4865	----	----	10.80B/*4.20A	10.80B/4.20A	----	4.80 - 4.30	.0755	----	----	----	----	0 UNCH
4870	9.30	9.30	10.00B/*3.80A	10.00B/3.80A	----	4.40 - 4.20	.0689	----	----	1	----	100 UNCH
4875	----	----	9.10B/3.50A	9.10B/3.50A	----	4.10 - 4.00	.0637	----	----	4	----	35 - 2
4875	----	----	32.70B/22.20A	32.70B/22.20A	----	24.10 - 3.00	.2175	----	----	1	----	5 UNCH
4880	----	----	8.30B/*3.30A	8.30B/3.30A	----	3.80 - 3.80	.0586	----	----	----	----	1 UNCH
4885	4.60	4.60	7.70B/*3.00A	7.70B/3.00A	----	3.50 - 3.70	.0536	----	----	5	----	8 UNCH
4890	6.90	6.90	7.20B/*2.80A	7.20B/2.80A	----	3.20 NEW	.0488	----	----	3	----	3 + 3
4900	----	----	27.00B/18.00A	27.00B/18.00A	----	19.50 - 3.20	.1814	----	----	----	----	10 UNCH
4900	3.50	3.50	6.60B/2.40A	6.60B/2.40A	----	2.80 - 3.20	.0418	----	----	6	----	17 + 6
4920	----	----	----/*1.80A	4.60B/*1.80A	----	2.00 NEW	.0289	----	----	1	----	1 + 1
4925	----	----	----/1.70A	4.40B/1.70A	----	1.90 - 2.60	.0270	----	----	----	----	8 UNCH
4925	----	----	22.10B/14.60A	22.10B/14.60A	----	15.80 - 3.20	.1505	----	----	----	----	2 UNCH
4940	----	----	----/*1.40A	3.60B/*1.40A	----	1.50 - 2.30	.0207	----	----	----	----	50 UNCH
4950	----	----	259.30B/196.00A	259.30B/196.00A	----	220.60 - 21.80	.9823	----	----	----	----	1 UNCH
4950	----	----	----/1.30A	3.00B/1.30A	----	1.30 - 2.10	.0175	----	----	1	----	7 UNCH
4950	----	----	18.10B/11.80A	18.10B/11.80A	----	12.80 - 3.10	.1243	----	----	----	----	1 UNCH
4970	2.20	2.20	2.20/*1.00A	2.20/*1.00A	----	1.00 - 1.80	.0128	----	----	1	----	2 + 1
4975	----	----	----/*1.00A	1.80B/*1.00A	----	1.00 - 1.60	.0126	----	----	1	----	11 UNCH
4975	----	----	14.80B/9.70A	14.80B/9.70A	----	10.40 - 2.90	.1024	----	----	----	----	1 UNCH
4980	----	----	----/*0.90A	1.80B/*0.90A	----	0.90 - 1.60	.0112	----	----	----	----	2 UNCH
5000	----	----	12.20B/7.90A	12.20B/7.90A	----	8.40 - 2.80	.0838	----	----	----	----	2 UNCH
5000	1.10	1.10	1.30/*0.80A	1.30/*0.80A	----	0.80 - 1.20	.0094	----	----	50	----	50 + 46
5000	----	----	308.30B/244.40A	308.30B/244.40A	----	270.00 - 21.00	.9905	----	----	----	----	1 UNCH
5010	0.70	0.70	0.70/*0.70	1.10B/*0.70	----	0.70 NEW	.0080	----	----	1	----	1 + 1
5025	----	----	333.00B/269.00A	333.00B/269.00A	----	294.80 - 20.80	.9933	----	----	----	----	1 UNCH
5025	----	----	----/*0.60A	0.90B/*0.60A	----	0.60 - 1.00	.0066	----	----	----	----	1 UNCH
5025	10.00	10.00	10.00/6.50A	10.00/6.50A	----	6.90 NEW	.0692	----	----	2	----	1 + 1
5050	0.60	0.60	0.60/*0.50A	0.70B/*0.50A	----	0.50 - 0.70	.0051	----	----	1	----	7 + 1
5075	----	----	----/*0.40A	0.50B/*0.40A	----	0.40 - 0.60	.0038	----	----	----	----	3 UNCH
5075	----	----	----/4.60A	6.60B/4.60A	----	4.70 - 2.10	.0472	----	----	----	----	3 UNCH
5100	----	----	410.70B/349.10A	410.70B/349.10A	----	372.90 - 21.70	.9607	----	----	----	----	1 UNCH
5100	----	----	----/365.80A	368.50B/365.80A	----	369.60 - 20.10	.9964	----	----	----	----	1 UNCH
5100	----	----	----/3.90A	5.50B/3.90A	----	3.90 - 1.90	.0391	----	----	----	----	1 UNCH
5125	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0025	----	----	----	----	3 UNCH
5140	0.20	0.20	#0.20/*0.20	0.20/*0.20	----	0.20 NEW	.0016	----	----	1	----	1 + 1
5150	----	----	----/2.90A	3.70B/2.90A	----	2.80 - 1.50	.0276	----	----	----	----	1 UNCH
5175	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.30	.0006	----	----	----	----	1 UNCH
5200	----	----	----/446.20A	----/446.20A	----	471.00 - 20.90	.9796	----	----	----	----	1 UNCH
5200	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	1 UNCH
5200	----	----	----/2.30A	2.70B/2.30A	----	2.10 - 1.10	.0202	----	----	----	----	19 UNCH
5225	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
5225	----	----	----/2.00A	2.30B/2.00A	----	1.80 - 1.00	.0171	----	----	----	----	1 UNCH
5250	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.80	.0150	----	----	----	----	1 UNCH
5300	1.50	1.50	1.50/*1.50	1.50/1.50	----	1.30 NEW	.0117	----	----	1	----	1 + 1
5400	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.30	.0083	----	----	----	----	2 UNCH
TOTAL										1064		2645 + 619
JUN26												
3250	----	----	----	0.10B/3.60A	----	0.80 - 0.50	.0030	----	----	----	----	2 UNCH
4100	----	----	----	3.20B/6.10A	----	4.60 - 0.90	.0273	----	----	----	----	2 UNCH
4200	----	----	----/*7.90A	6.50B/*7.90A	----	6.80 - 1.30	.0414	----	----	----	----	1 UNCH
4275	14.40	14.40	14.40/14.00	15.20B/14.00	----	16.30 - 1.20	.0837	----	----	5	----	6 + 5
4300	----	----	----/*16.20A	17.30B/*16.20A	----	17.40 - 2.00	.0904	----	----	----	----	1 UNCH
4300	----	----	----/*11.50A	11.00B/*11.50A	----	10.80 - 2.10	.0660	----	----	----	----	1 UNCH
4350	----	----	----/13.70A	15.00B/13.70A	----	13.70 - 2.90	.0835	----	----	----	----	2 UNCH
4350	----	----	----/20.50A	22.40B/20.50A	----	20.80 - 3.20	.1086	----	----	1	----	2 + 1
4400	----	----	----/17.60A	20.40B/17.60A	----	17.60 - 3.90	.1061	----	----	----	----	1 UNCH
4425	----	----	----/19.80A	23.70B/19.80A	----	20.00 - 4.40	.1196	----	----	----	----	1 UNCH
4425	----	----	----/28.50A	#32.80B/28.50A	----	29.40 - 4.10	.1488	----	----	----	----	1 UNCH
4450	----	----	----/22.60A	26.90B/22.60A	----	22.90 - 4.70	.1352	----	----	----	----	2 UNCH
4500	----	----	35.70B/28.90A	35.70B/28.90A	----	29.90 - 5.60	.1716	----	----	----	----	1 UNCH
4575	----	----	252.20B/----	252.20B/224.70A	----	236.10 + 12.50	.7575	----	----	----	----	1 UNCH
4600	222.00	222.00	233.00B/222.00	233.00B/206.20A	----	217.50 + 11.70	.7302	----	----	1	----	4 UNCH
4600	----	----	61.10B/48.30A	61.10B/48.30A	----	51.20 - 8.00	.2691	----	----	----	----	2 UNCH
4650	----	----	79.30B/62.10A	79.30B/62.10A	----	66.20 - 10.00	.3291	----	----	----	----	1 UNCH
4675	----	----	180.10B/----	180.10B/159.00A	----	166.40 + 8.60	.6378	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4675	----	----	90.00B/70.20A	90.00B/70.20A	----	75.00 - 11.10	.3615	----	----	----	----	0 UNCH
4725	----	----	149.00B/----	149.00B/130.60A	----	136.70 + 6.20	.5699	----	----	----	----	1 UNCH
4750	----	----	124.40B/99.80A	124.40B/99.80A	----	106.70 NEW	.4644	----	----	1	----	1 + 1
4775	----	----	139.40B/*122.00	139.40B/122.00A	----	126.50 NEW	.5027	----	----	1	----	1 + 1
4775	----	----	136.70B/111.50A	136.70B/111.50A	----	119.10 - 15.70	.4997	----	----	----	----	2 UNCH
4800	----	----	110.10B/95.10A	110.10B/95.10A	----	99.10 + 2.80	.4644	----	----	----	----	3 UNCH
4800	----	----	127.20B/*111.30	127.20B/111.30A	----	114.80 NEW	.4718	----	----	1	----	1 + 1
4850	----	----	88.30B/76.20A	88.30B/76.20A	----	78.60 + 0.90	.3956	----	----	----	----	1 UNCH
4900	----	----	86.40B/*76.10A	86.40B/76.10A	----	76.60 - 1.50	.3542	----	----	----	----	1 UNCH
4900	----	----	69.90B/60.70A	69.90B/60.70A	----	61.60 - 0.70	.3309	----	----	----	----	3 UNCH
5000	----	----	43.50B/37.90A	43.50B/37.90A	----	37.10 - 2.40	.2214	----	----	----	----	6 UNCH
5050	----	----	33.80B/29.60A	33.80B/29.60A	----	28.80 - 2.50	.1787	----	----	----	----	1 UNCH
5500	----	----	----	2.90B/6.30A	----	4.00 - 1.10	.0273	----	----	----	----	3 UNCH
5600	----	----	----	1.70B/5.10A	----	3.20 - 0.80	.0210	----	----	----	----	3 UNCH
TOTAL										10		59 + 9

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3250	----	----	----	0.10B/3.50A	----	1.50 - 0.50	.0050	----	----	----	----	1 UNCH
3500	----	----	----	----/1.70A	----	0.50 - 0.10	.0022	----	----	----	----	40 UNCH
3900	----	----	----	----/0.60A	----	0.30 - 0.10	.0014	----	----	----	----	2 UNCH
4000	----	----	----	0.20B/*0.70A	----	0.40 - 0.20	.0022	----	----	----	----	1 UNCH
4100	----	----	----	0.50B/0.90A	----	0.50 - 0.30	.0031	----	----	----	----	1 UNCH
4150	----	----	----	0.60B/*0.90A	----	0.60 - 0.30	.0040	----	----	----	----	1 UNCH
4180	----	----	----	----	----	530.90 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----/5.80A	3.70B/5.80A	----	4.70 - 1.60	.0311	----	----	----	----	1 UNCH
4250	----	----	----/*3.60A	4.30B/*3.60A	----	3.50 - 1.10	.0271	----	----	----	----	1 UNCH
4250	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.50	.0070	----	----	----	----	2 UNCH
4275	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.60	.0081	----	----	----	----	4 UNCH
4275	----	----	----/*4.00A	5.10B/*4.00A	----	4.00 - 1.20	.0313	----	----	----	----	20 UNCH
4300	----	----	----	428.60B/459.20A	----	473.70 + 17.20	.9474	----	----	----	----	1 UNCH
4300	----	----	6.10B/*4.50A	6.10B/*4.50A	----	4.60 - 1.40	.0364	----	----	----	----	1 UNCH
4300	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.70	.0093	----	----	----	----	104 UNCH
4325	----	----	----/*1.50A	1.50B/*1.50A	----	1.30 - 0.80	.0114	----	----	----	----	23 UNCH
4325	----	----	7.30B/*5.20A	7.30B/*5.20A	----	5.30 - 1.60	.0423	----	----	----	----	10 UNCH
4350	----	----	----/*6.00A	8.10B/*6.00A	----	6.10 - 2.00	.0492	----	----	----	----	1 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----/*1.70A	1.90B/*1.70A	----	1.50 - 1.00	.0137	----	----	2	----	4 + 2
4375	----	----	----/*1.90A	2.60B/*1.90A	----	1.80 - 1.10	.0170	----	----	----	----	53 UNCH
4400	----	----	----/*2.30A	3.50B/*2.30A	----	2.20 - 1.40	.0215	----	----	----	----	107 UNCH
4400	10.00	10.00	10.00/*10.00	15.40B/*10.00	----	13.90 NEW	.0909	----	----	41	----	41 + 41
4400	----	----	11.90B/8.10A	11.90B/8.10A	----	8.40 - 2.80	.0683	----	----	----	----	5 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	4.70B/*2.60A	4.70B/*2.60A	----	2.60 - 1.80	.0263	----	----	----	----	4 UNCH
4450	----	----	17.80B/11.20A	17.80B/11.20A	----	11.80 - 4.00	.0955	----	----	----	----	20 UNCH
4450	----	----	5.90B/*3.20A	5.90B/*3.20A	----	3.20 - 2.30	.0334	----	----	1	----	138 - 1
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	240.90 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	7.80B/*3.80A	7.80B/*3.80A	----	4.00 - 2.90	.0429	----	----	----	----	26 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	230.90 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	220.90 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	10.20B/*4.80A	10.20B/*4.80A	----	5.10 - 3.60	.0558	----	----	----	----	20 UNCH
4500	----	----	----	----	----	210.90 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	25.90B/15.70A	25.90B/15.70A	----	16.90 - 5.70	.1341	----	----	----	----	1 UNCH
4505	----	----	----	----	----	205.90 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	200.90 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	195.90 UNCH	----	----	----	----	----	0 UNCH
4525	10.30	10.30	13.60B/*5.80	13.60B/*5.80	----	6.50 - 4.60	.0724	----	----	3	----	16 + 3
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	165.90 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	39.50B/31.20A	39.50B/31.20A	----	32.20 - 6.00	.1971	----	----	----	----	1 UNCH
4550	10.20	10.20	17.40B/*7.50A	17.40B/*7.50A	----	8.40 - 5.80	.0945	----	----	6	----	17 - 2
4550	----	----	----	----	----	160.90 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	36.90B/22.40A	36.90B/22.40A	----	24.30 - 7.80	.1864	----	----	----	----	7 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	140.90 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	15.30	15.30	22.00B/*9.80A	22.00B/*9.80A	----	10.90 - 7.30	.1230	----	----	40	----	103 + 20
4575	----	----	191.20B/143.40A	191.20B/143.40A	----	166.50 + 12.50	.8767	----	----	----	----	9 UNCH
4575	----	----	----	----	----	135.90 UNCH	----	----	----	----	----	0 UNCH
4575	32.70	32.70	43.70B/26.80A	43.70B/26.80A	----	29.20 - 9.00	.2185	----	----	33	----	34 + 33
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	130.90 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	125.90 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	120.90 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	115.90 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	168.90B/124.50A	168.90B/124.50A	----	144.80 + 10.70	.8403	----	----	----	----	13 UNCH
4600	----	----	51.60B/31.90A	51.60B/31.90A	----	34.90 - 10.30	.2542	----	----	----	----	1 UNCH
4600	----	----	28.50B/*12.40A	28.50B/*12.40A	----	14.20 - 9.10	.1595	----	----	----	----	188 UNCH
4600	----	----	----	----	----	110.90 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	187.20B/144.00A	187.20B/144.00A	----	165.50 + 9.50	.7454	----	----	----	----	150 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	105.90 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	100.90 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	95.90 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	90.90 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	17.60	17.60	35.40B/*16.30A	35.40B/*16.30A	----	18.60 - 11.10	.2055	----	----	2	----	51 UNCH
4625	----	----	----	----	----	85.90 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	168.20B/128.10A	168.20B/128.10A	----	147.30 NEW	.7056	----	----	1	----	1 + 1
4630	----	----	----	----	----	80.90 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	75.90 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	70.90 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	#42.20B/*20.00A	----	23.00 NEW	.2491	----	----	7	----	7 + 7
4645	----	----	----	----	----	65.90 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	32.00	32.00	44.10B/*21.00A	44.10B/*21.00A	----	24.20 - 13.30	.2608	----	----	9	----	64 + 3
4650	95.30	95.30	127.20B/91.30A	127.20B/91.30A	----	104.90 + 6.50	.7390	----	----	3	----	12 UNCH
4650	----	----	----	----	----	60.90 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	150.20B/112.80A	150.20B/112.80A	----	130.20 + 6.80	.6625	----	----	----	----	15 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	55.90 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	50.90 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	45.90 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	40.90 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	82.20B/62.10A	82.20B/62.10A	----	65.50 - 13.10	.3504	----	----	----	----	1 UNCH
4675	----	----	54.30B/*27.10A	54.30B/*27.10A	----	31.40 - 15.60	.3257	----	----	4	----	12 + 2
4675	----	----	108.20B/77.00A	108.20B/77.00A	----	87.00 + 4.20	.6740	----	----	----	----	170 UNCH
4675	----	----	----	----	----	35.90 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	30.90 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	25.90 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	20.90 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1												
MAY26														
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	15.90	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	93.40B/62.20A	93.40B/62.20A	----	69.00	- 15.70	.4309	----	----	----	----	1	UNCH
4700	----	----	117.60B/87.00A	117.60B/87.00A	----	99.70	+ 4.10	.5687	----	----	----	----	3	UNCH
4700	46.70	46.70	66.30B/*34.60A	66.30B/*34.60A	----	40.30	- 17.80	.3984	----	----	118	----	120 +	5
4700	66.00	66.00	90.70B/62.80A	90.70B/62.80A	----	71.00	+ 2.00	.6013	----	----	7	----	65 -	5
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	10.90	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	#87.40B/*60.20A	----	68.00	NEW	.5860	----	----	1	----	1 +	1
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	5.90	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.90	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	4.10	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	9.10	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	74.90B/50.00A	74.90B/50.00A	----	56.90	UNCH	.5233	----	----	----	----	2	UNCH
4725	----	----	80.50B/43.90A	80.50B/43.90A	----	51.20	- 19.80	.4765	----	----	----	----	50	UNCH
4725	----	----	----	----	----	14.10	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	19.10	UNCH	----	----	----	----	----	0	UNCH
4735	61.40	61.40	#61.60/*48.00A	#87.20B/*48.00A	----	56.10	NEW	.5083	----	----	31	----	30 +	30
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	24.10	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	29.10	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	34.10	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	96.80B/54.90A	96.80B/54.90A	----	64.00	- 21.60	.5561	----	----	----	----	30	UNCH
4750	113.00	113.00	125.90B/106.10A	125.90B/106.10A	----	113.10	+ 2.70	.5362	----	----	85	----	100 +	65
4750	41.00	41.00	60.70B/40.00A	60.70B/40.00A	----	44.70	- 1.80	.4437	----	----	6	----	107	UNCH
4750	----	----	----	----	----	39.10	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	116.20B/91.00A	116.20B/91.00A	----	96.60	- 16.90	.4632	----	----	----	----	1	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	89.70B/68.80A	89.70B/68.80A	----	74.20	+ 1.60	.4701	----	----	1	----	2 +	1
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	44.10	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	49.10	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	54.10	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	59.10	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	110.90	110.90	130.30B/102.60A	130.30B/102.60A	----	108.70	NEW	.5021	----	----	50	----	50 +	50
4775	----	----	77.60B/59.00A	77.60B/59.00A	----	63.50	NEW	.4215	----	----	1	----	1 +	1
4775	----	----	48.80B/30.80A	48.80B/30.80A	----	34.60	- 3.10	.3664	----	----	----	----	19	UNCH
4775	----	----	----	----	----	64.10	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	84.10	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	132.20B/82.40A	132.20B/82.40A	----	95.60	- 23.70	.7051	----	----	----	----	7	UNCH
4800	----	----	38.60B/23.70A	38.60B/23.70A	----	26.30	- 4.00	.2947	----	----	----	----	31	UNCH
4800	----	----	----	----	----	89.10	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	66.80B/50.30A	66.80B/50.30A	----	53.90	- 0.50	.3743	----	----	----	----	58	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	104.10	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	57.30B/42.90A	57.30B/42.90A	----	45.60	- 1.20	.3296	----	----	----	----	111	UNCH
4825	18.50	18.50	30.10B/17.70A	30.10B/17.70A	----	19.80	- 4.40	.2317	----	----	5	----	82	UNCH
4825	----	----	----	----	----	114.10	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	119.10	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	134.10	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	172.60B/117.00A	172.60B/117.00A	----	134.00	- 24.30	.8217	----	----	----	----	1	UNCH
4850	15.30	15.30	23.30B/13.20A	23.30B/13.20A	----	14.70	- 4.60	.1781	----	----	4	----	43	UNCH
4850	----	----	----	----	----	139.10	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	193.70B/143.60A	193.70B/143.60A	----	157.60	NEW	.7117	----	----	1	----	1 +	1
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	17.90B/9.80A	17.90B/9.80A	----	10.90	- 4.40	.1349	----	----	----	----	15	UNCH
4875	167.90	167.90	196.00B/159.40A	196.00B/159.40A	----	167.60	NEW	.6538	----	----	1	----	1 +	1
4875	----	----	41.50B/30.40A	41.50B/30.40A	----	32.20	- 2.30	.2496	----	----	----	----	2	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	35.20B/25.30A	35.20B/25.30A	----	26.90	- 2.60	.2149	----	----	----	----	29	UNCH
4900	7.40	7.40	14.10B/7.30A	14.10B/7.30A	----	8.10	- 4.00	.1013	----	----	1	----	6 +	1
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	234.30B/179.70A	234.30B/179.70A	----	196.10	- 22.30	.7847	----	----	----	----	1	UNCH
4900	----	----	60.90B/51.80A	60.90B/51.80A	----	51.90	- 0.10	.3117	----	----	----	----	3	UNCH
4905	----	----	----	----	----	194.10	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4915	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4925	6.40	6.40	10.80B/5.40A	10.80B/5.40A	----	6.00	- 3.60	.0753	----	----	7	----	14	UNCH
4925	----	----	29.80B/21.20A	29.80B/21.20A	----	22.50	- 2.80	.1842	----	----	----	----	19	UNCH
4950	----	----	8.10B/4.10A	8.10B/4.10A	----	4.50	- 3.20	.0561	----	----	----	----	1	UNCH
4975	5.40	5.40	6.40B/3.10A	6.40B/3.10A	----	3.40	- 2.70	.0418	----	----	6	----	6	UNCH
5000	3.40	3.40	3.40/2.50A	4.90B/2.50A	----	2.60	- 2.30	.0314	----	----	50	----	219 -	9
5000	----	----	17.80B/12.40A	17.80B/12.40A	----	13.10	- 2.80	.1134	----	----	----	----	19	UNCH
5025	----	----	14.90B/10.50A	14.90B/10.50A	----	10.90	- 2.70	.0957	----	----	----	----	3	UNCH
5025	----	----	335.00B/271.70A	335.00B/271.70A	----	296.20	- 21.70	.9762	----	----	----	----	1	UNCH
5025	----	----	----/2.00A	3.50B/2.00A	----	2.00	- 2.00	.0236	----	----	----	----	16	UNCH
5050	----	----	12.50B/8.90A	12.50B/8.90A	----	9.20	- 2.50	.0813	----	----	----	----	4	UNCH
5050	----	----	----/1.60A	2.70B/1.60A	----	1.60	- 1.60	.0183	----	----	----	----	14	UNCH
5075	----	----	10.50B/7.60A	10.50B/7.60A	----	7.80	- 2.30	.0693	----	----	----	----	1	UNCH
5075	----	----	----/1.40A	2.00B/1.40A	----	1.30	- 1.40	.0144	----	----	----	----	1	UNCH
5100	----	----	----/1.20A	1.60B/1.20A	----	1.10	- 1.10	.0118	----	----	----	----	13	UNCH
5100	----	----	----/367.00A	367.60B/367.00A	----	370.30	- 20.80	.9881	----	----	----	----	1	UNCH
5100	----	----	----/6.40A	8.70B/6.40A	----	6.60	- 2.10	.0588	----	----	----	----	2	UNCH
5115	----	----	----	#1.40B/*1.10A	----	1.00	NEW	.0105	----	----	2	----	2 +	2
5125	----	----	----/5.60A	7.50B/5.60A	----	5.60	- 1.90	.0500	----	----	----	----	1	UNCH
5150	----	----	----/4.90A	6.30B/4.90A	----	4.80	- 1.70	.0428	----	----	----	----	4	UNCH
5150	----	----	----/*0.90A	1.00B/*0.90A	----	0.80	- 0.70	.0080	----	----	----	----	3	UNCH
5175	----	----	----/441.60A	442.10B/441.60A	----	444.80	- 20.40	.9932	----	----	----	----	1	UNCH
5200	----	----	----/*0.70A	0.60B/*0.70A	----	0.60	- 0.50	.0056	----	----	----	----	1	UNCH
5250	----	----	----/3.00A	3.40B/3.00A	----	2.80	- 1.10	.0243	----	----	----	----	1	UNCH
5300	----	----	----/2.50A	2.60B/2.50A	----	2.20	- 0.90	.0188	----	----	----	----	3	UNCH
5400	----	----	----/1.80A	1.60B/1.80A	----	1.50	- 0.60	.0121	----	----	----	----	40	UNCH
5500	----	----	----	----/*0.50A	----	0.10	- 0.10	.0001	----	----	----	----	1	UNCH
5750	----	----	----	0.30B/3.40A	----	1.20	- 0.60	.0082	----	----	----	----	1	UNCH
TOTAL											529		2870+	253
JUN26														
4625	206.00	206.00	#206.00/*198.00	#217.70B/*198.00A	----	205.20	NEW	.6924	----	----	9	----	9 +	9
TOTAL											9		9+	9

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2												
MAY26														
3700	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3900	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	60	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON MAY26		GOLD WEEKLY MONDAY OPTION WEEK2										
4000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4000	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.00 + 0.20	.0063	----	----	1	----	5 + 1
4100	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4100	----	----	----	1.00B/*1.30A	----	1.20 + 0.10	.0085	----	----	----	----	4 UNCH
4125	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4150	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4175	----	----	----	0.10B/*0.30A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
4200	----	----	----/*1.70A	1.30B/*1.70A	----	1.50 - 0.30	.0120	----	----	----	----	5 UNCH
4200	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
4250	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.10	.0000	----	----	2	----	2 - 1
4275	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	7 UNCH
4300	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 0.90	.0211	----	----	1	----	27 UNCH
4300	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	6	----	58 - 1
4315	----	----	----	----/0.40A	----	0.10 - 0.20	.0001	----	----	----	----	1 UNCH
4325	----	----	----/*2.80A	2.90B/*2.80A	----	2.70 - 1.10	.0244	----	----	----	----	5 UNCH
4325	----	----	----	----/0.40A	----	0.10 - 0.30	.0001	----	----	----	----	17 UNCH
4350	----	----	----/*3.00A	3.90B/*3.00A	----	3.20 - 1.30	.0293	----	----	1	----	21 - 1
4350	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0003	----	----	4	----	17 UNCH
4360	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0005	----	----	----	----	6 UNCH
4365	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 NEW	.0005	----	----	1	----	1 + 1
4375	----	----	----/*3.80A	5.00B/*3.80A	----	3.70 - 1.70	.0346	----	----	----	----	4 UNCH
4375	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.40	.0012	----	----	----	----	46 UNCH
4400	4.30	4.30	4.30/*4.30	6.30B/*4.30	----	4.40 - 2.10	.0418	----	----	5	----	27 + 5
4400	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.50	.0013	----	----	1	----	26 + 1
4410	----	----	347.20B/284.00A	347.20B/284.00A	----	320.90 + 19.30	.9986	----	----	----	----	1 UNCH
4425	----	----	8.10B/*5.20A	8.10B/*5.20A	----	5.30 - 2.60	.0508	----	----	----	----	5 UNCH
4425	----	----	----/*0.20A	0.60B/*0.20A	----	0.30 - 0.60	.0023	----	----	----	----	39 UNCH
4440	0.20	0.20	0.20/*0.20	0.80B/*0.20	----	0.40 - 0.70	.0032	----	----	4	----	4 UNCH
4450	----	----	10.20B/*6.20A	10.20B/*6.20A	----	6.40 - 3.20	.0619	----	----	----	----	5 UNCH
4450	0.50	0.50	0.50/*0.30	0.90B/*0.30	----	0.40 - 0.80	.0034	----	----	4	----	149 + 2
4455	----	----	----/*0.50A	0.90B/*0.50A	----	0.40 - 0.90	.0034	----	----	----	----	2 UNCH
4460	----	----	----/*0.50A	1.00B/*0.50A	----	0.40 - 0.90	.0035	----	----	----	----	10 UNCH
4465	----	----	----/*0.50A	1.10B/*0.50A	----	0.50 - 0.90	.0045	----	----	----	----	1 UNCH
4470	----	----	----/*0.50A	1.10B/*0.50A	----	0.50 - 1.00	.0046	----	----	----	----	1 UNCH
4475	----	----	13.00B/*7.50A	13.00B/*7.50A	----	7.90 - 3.90	.0765	----	----	----	----	4 UNCH
4475	0.40	0.40	0.40/*0.40	1.40B/*0.40	----	0.50 - 1.10	.0047	----	----	1	----	22 - 1
4480	0.60	0.60	0.60/*0.40A	1.50B/*0.40A	----	0.50 - 1.20	.0048	----	----	1	----	2 + 1
4485	0.50	0.50	0.50/*0.50	1.60B/*0.50	----	0.60 - 1.20	.0059	----	----	1	----	20 + 1
4490	1.30	1.30	1.30/*0.60A	1.80B/*0.60A	----	0.60 - 1.30	.0060	----	----	1	----	10 UNCH
4495	----	----	2.30B/*0.70A	2.30B/*0.70A	----	0.60 - 1.40	.0061	----	----	----	----	3 UNCH
4500	----	----	16.10B/*9.10A	16.10B/*9.10A	----	9.70 - 4.80	.0940	----	----	1	----	12 + 1
4500	2.80	2.80	3.00/*0.50	3.00/*0.50	----	0.60 - 1.50	.0063	----	----	13	----	67 UNCH
4500	----	----	257.60B/196.50A	257.60B/196.50A	----	231.30 + 18.40	.9936	----	----	----	----	2 UNCH
4505	0.80	0.80	2.70B/*0.70A	2.70B/*0.70A	----	0.70 - 1.60	.0075	----	----	1	----	2 - 1
4510	----	----	3.00B/*0.80A	3.00B/*0.80A	----	0.70 - 1.70	.0076	----	----	----	----	25 UNCH
4515	2.60	2.60	3.00B/*0.70A	3.00B/*0.70A	----	0.80 - 1.80	.0089	----	----	1	----	4 UNCH
4520	1.30	1.30	3.10B/*0.70	3.10B/*0.70	----	0.80 - 2.00	.0091	----	----	3	----	8 + 2
4520	----	----	237.70B/177.70A	237.70B/177.70A	----	211.50 + 17.90	.9908	----	----	----	----	1 UNCH
4525	----	----	20.60B/*11.10A	20.60B/*11.10A	----	12.00 - 5.90	.1156	----	----	----	----	1 UNCH
4525	0.70	0.70	3.40B/*0.70	3.40B/*0.70	----	0.90 - 2.10	.0105	----	----	8	----	31 + 4
4530	----	----	3.70B/*1.00A	3.70B/*1.00A	----	0.90 - 2.30	.0107	----	----	----	----	6 UNCH
4535	1.00	1.00	4.10B/*1.00	4.10B/*1.00	----	1.00 - 2.40	.0121	----	----	5	----	4 - 2
4535	----	----	222.90B/163.80A	222.90B/163.80A	----	196.60 + 17.30	.9877	----	----	----	----	2 UNCH
4540	1.30	1.30	4.60B/*1.10A	4.60B/*1.10A	----	1.00 - 2.70	.0125	----	----	1	----	10 + 1
4545	----	----	4.90B/*1.10A	4.90B/*1.10A	----	1.10 - 2.80	.0140	----	----	----	----	5 UNCH
4550	----	----	25.40B/*13.60A	25.40B/*13.60A	----	15.00 - 7.00	.1425	----	----	1	----	10 + 1
4550	----	----	208.10B/150.30A	208.10B/150.30A	----	181.80 + 16.70	.9843	----	----	----	----	3 UNCH
4550	1.40	1.40	5.30B/*1.10	5.30B/*1.10	----	1.20 - 3.00	.0156	----	----	12	----	23 + 10
4555	3.10	3.10	5.90B/*1.00	5.90B/*1.00	----	1.30 - 3.30	.0172	----	----	2	----	3 + 2
4560	----	----	6.30B/*1.40A	6.30B/*1.40A	----	1.40 - 3.50	.0190	----	----	4	----	6 + 4
4565	----	----	6.90B/*1.50A	6.90B/*1.50A	----	1.50 - 3.80	.0208	----	----	----	----	12 UNCH
4565	----	----	193.30B/137.00A	193.30B/137.00A	----	167.10 + 15.90	.9791	----	----	----	----	2 UNCH
4570	----	----	188.40B/132.80A	188.40B/132.80A	----	162.20 + 15.60	.9772	----	----	----	----	89 UNCH
4570	----	----	7.50B/*1.60A	7.50B/*1.60A	----	1.60 - 4.10	.0226	----	----	3	----	6 UNCH
4575	----	----	31.30B/*17.00A	31.30B/*17.00A	----	18.70 - 8.40	.1746	----	----	----	----	7 UNCH
4575	----	----	183.50B/128.50A	183.50B/128.50A	----	157.30 + 15.30	.9753	----	----	----	----	1 UNCH
4575	1.50	1.50	7.80B/*1.50	7.80B/*1.50	----	1.70 - 4.50	.0246	----	----	9	----	9 + 1
4580	4.80	4.80	8.80B/*1.80A	8.80B/*1.80A	----	1.80 - 4.90	.0267	----	----	3	----	10 + 2
4580	----	----	178.50B/124.20A	178.50B/124.20A	----	152.50 + 15.00	.9732	----	----	----	----	1 UNCH
4585	----	----	9.50B/*1.90A	9.50B/*1.90A	----	2.00 - 5.20	.0302	----	----	8	----	12 + 3
4585	----	----	173.70B/120.10A	173.70B/120.10A	----	147.60 + 14.50	.9697	----	----	----	----	1 UNCH
4590	----	----	10.30B/*2.10A	10.30B/*2.10A	----	2.10 - 5.70	.0325	----	----	1	----	6 + 1
4590	----	----	168.80B/116.00A	168.80B/116.00A	----	142.80 + 14.20	.9674	----	----	----	----	7 UNCH
4595	----	----	163.90B/111.90A	163.90B/111.90A	----	138.00 + 13.70	.9636	----	----	1	----	14 - 1
4595	----	----	11.20B/*2.20A	11.20B/*2.20A	----	2.30 - 6.10	.0362	----	----	1	----	28 + 1
4600	----	----	38.00B/*20.90A	38.00B/*20.90A	----	23.30 - 9.90	.2123	----	----	----	----	32 UNCH
4600	----	----	176.40B/136.70A	176.40B/136.70A	----	153.80 + 9.80	.7873	----	----	----	----	50 UNCH
4600	12.50	12.50	12.50/*2.10	12.50/*2.10	----	2.50 - 6.60	.0402	----	----	63	----	98 + 39
4600	----	----	159.10B/108.20A	159.10B/108.20A	----	133.20 + 13.30	.9597	----	----	1	----	70 - 1
4610	----	----	149.40B/100.20A	149.40B/100.20A	----	123.70 + 12.30	.9499	----	----	----	----	1 UNCH
4610	3.50	3.50	13.90B/*2.70A	13.90B/*2.70A	----	3.00 - 7.50	.0499	----	----	4	----	3 + 2
4615	----	----	15.00B/*3.00A	15.00B/*3.00A	----	3.30 - 8.00	.0558	----	----	11	----	22 + 11
4620	----	----	139.80B/92.60A	139.80B/92.60A	----	114.20 + 11.10	.9379	----	----	1	----	8 + 1
4620	3.30	3.30	16.20B/*3.20A	16.20B/*3.20A	----	3.60 - 8.60	.0619	----	----	1	----	8 + 1
4625	----	----	46.00B/*25.80A	46.00B/*25.80A	----	28.90 - 11.60	.2559	----	----	1	----	1 + 1
4625	126.00	126.00	156.20B/120.50A	156.20B/120.50A	----	134.50 NEW	.7438	----	----	2	----	1 + 1
4625	5.70	5.70	17.30B/*3.50A	17.30B/*3.50A	----	3.90 - 9.30	.0683	----	----	6	----	14 UNCH
4625	----	----	135.10B/89.40A	135.10B/89.40A	----	109.60 + 10.60	.9315	----	----	----	----	14 UNCH
4630	----	----	18.70B/*3.80A	18.70B/*3.80A	----	4.30 - 9.90	.0764	----	----	13	----	11 + 10
4630	----	----	130.30B/85.70A	130.30B/85.70A	----	104.90 + 9.90	.9235	----	----	----	----	2 UNCH
4635	11.00	11.00	20.00B/*4.10A	20.00B/*4.10A	----	4.70 - 10.50	.0848	----	----	11	----	10 + 9
4640	----	----	121.00B/78.10A	121.00B/78.10A	----	95.80 + 8.60	.9063	----	----	----	----	62 UNCH
4640	----	----	21.30B/*4.40A	21.30B/*4.40A	----	5.10 - 11.30	.0935	----	----	1	----	2 + 1
4645	5.30	5.30	23.10B/*4.80A	23.10B/*4.80A	----	5.60 - 12.00	.1040	----	----	2	----	2 + 1
4645	----	----	116.30B/74.90A	116.30B/74.90A	----	91.30 + 7.90	.8959	----	----	----	----	2 UNCH
4650	----	----	137.00B/104.50A	137.00B/104.50A	----	116.40 + 6.40	.6943	----	----	----	----	12 UNCH
4650	39.50	39.50	55.30B/*31.80A	55.30B/*31.80A	----	35.80 NEW	.3054	----	----	88	----	88 + 88
4650	8.40	8.40	24.80B/*5.00	24.80B/*5.00	----	6.20 - 12.70	.1161	----	----	107	----	75 + 32
4650	78.00	78.00	111.70B/71.70A	111.70B/71.70A	----	86.90 + 7.20	.8837	----	----	4	----	34 + 4
4655	----	----	107.20B/68.30A	107.20B/68.30A	----	82.50 + 6.40	.8711	----	----	5	----	7 + 5
4655	10.10	10.10	26.80B/*5.80A	26.80B/*5.80A	----	6.80 - 13.40	.1288	----	----	4	----	5 + 3
4660	68.20	68.20	102.70B/64.80A	102.70B/64.80A	----	78.20 + 5.60	.8567	----	----	1	----	6 + 1
4660	28.00	28.00	28.40B/*6.50A	28.40B/*6.50A	----	7.50 - 14.20	.1431	----	----	80	----	40 + 35
4665	----	----	29.50B/*6.80A	29.50B/*6.80A	----	8.30 - 14.90	.1591	----	----	2	----	4 + 2
4670	11.20	11.20	31.80B/*7.60	31.80B/*7.60	----	9.10 - 15.80	.1757	----	----	62	----	55 + 53
4670	68.60	68.60	93.90B/57.40A	93.90B/57.40A	----	69.80 + 4.00	.8241	----	----	37	----	41 + 30
4675	----	----	65.90B/*38.90A	65.90B/*38.90A	----	44.00 - 15.20	.3598	----	----	----	----	3 UNCH
4675	10.00	10.00	33.60B/*8.40A	33.60B/*8.40A	----	10.10 - 16.50	.1950	----	----	24	----	35 + 18
4675	55.10	55.10	89.60B/53.80A	89.60B/53.80A	----	65.80 + 3.30	.8048	----	----	2	----	3 + 2
4680	15.00	15.00	36.00B/*8.20	36.00B/*8.20	----	11.10 - 17.30	.2149	----	----	181	----	70 + 17
4680	80.00	80.00	85.30B/50.20A	85.30B/50.20A	----	61.80 + 2.50	.7849	----	----	10	----	12 UNCH
4685	16.90	16.90	37.90B/*9.80A	37.90B/*9.80A	----	12.20 NEW	.2364	----	----	21	----	10 + 10
4685	----	----	81.10B/46.90A	81.10B/46.90A	----	57.90 + 1.70	.7635	----	----	----	----	2 UNCH
4690	----	----	77.00B/43.60A	77.00B/43.60A	----	54.20 + 1.00	.7396	----	----	1	----	6 + 1
4690	18.00	18.00	40.50B/*10.70A	40.50B/*10.70A	----	13.50 - 18.80	.2602	----	----	27	50	107 + 53
4695	16.90	16.90	43.00B/*11.70A	43.00B/*11.70A	----	14.80 - 19.70	.2846	----	----	3	----	6 + 2
4695	45.40	45.40	73.00B/40.70A	73.00B/40.70A	----	50.50 + 0.10	.7152	----	----	2	----	4 + 2
4700	----	----	77.80B/47.40A	77.80B/47.40A	----	53.70 - 16.90	.4181	----	----	----	----	11 UNCH
4700	----	----	102.80B/76.80A	102.80B/76.80A	----	84.30 + 2.80	.5815	----	----	----	----	65 UNCH
4700	19.90	19.90	45.40B/*12.80A	45.40B/*12.80A	----	16.30 - 20.40	.3111	----	----	87	----	132 + 65
4700	42.20	42.20	69.10B/38.20A	69.10B/38.20A	----	47.00 - 0.60	.6887	----	----	10	----	212 + 4
4705	14.50	14.50	48.10B/*14.30A	48.10B/*14.30A	----	17.90 NEW	.3388	----	----	34	----	25 + 25
4705	----	----	65.30B/35.50A	65.30B/35.50A	----	43.60 - 1.30	.6610	----	----	7	----	8 + 4
4710	20.10	20.10	50.80B/*15.60A	50.80B/*15.60A	----	19.60 NEW	.3676	----	----	11	----	10 + 10
4710	45.70	45.70	61.50B/32.80A	61.50B/32.80A	----	40.30 - 2.00	.6322	----	----	2	----	8 + 1
4715	36.90	36.90	53.60B/*17.00A	53.60B/*17.00A	----	21.50 - 22.50	.3978	----	----	17	----	13 + 11
4715	----	----	57.80B/30.00A	57.80B/30.00A	----	37.20 - 2.70	.6020	----	----	----	----	26 UNCH
4720	20.00	20.00	56.80B/*18.10A	56.80B/*18.10A	----	23.60 - 23.00	.4290	----	----	30	----	38 + 21
4720	47.80	47.80	54.30B/27.50A	54.30B/27.50A	----	34.30 - 3.20	.5708	----	----	34	----	19 + 7
4725	----	----	87.50B/64.30A	87.50B/64.30A	----	70.60 + 1.20	.5207	----	----	----	----	6 UNCH
4725	24.00	24.00	60.20B/*19.70A	60.20B/*19.70A	----	25.70 - 23.70	.4606	----	----	77	----	52 + 8
4725	28.00	28.00	50.90B/25.00A	50.90B/25.00A	----	31.40 - 3.90	.5393	----	----	47	----	78 + 34
4730	32.00	32.00	63.40B/*21.40A	63.40B/*21.40A	----	28.10 - 24.10	.4928	----	----	30	----	72 + 23
4730	29.80	29.80	47.60B/22.70A	47.60B/22.70A	----	28.80 - 4.30	.5070	----	----	68	----	53 + 27
4735	26.00	26.00	45.00/20.90A	45.00/20.90A	----	26.30 - 4.80	.4747	----	----	8	----	8 + 3
4735	33.20	33.20	66.60B/*22.60	66.60B/*22.60	----	30.60 - 24.60	.5251	----	----	28	----	7 + 6
4740	29.00	29.00	41.30B/19.20A	41.30B/19.20A	----	23.90 - 5.20	.4423	----	----	25	----	14 + 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
MAY26												
4740	----	----	69.90B/*25.20A	69.90B/*25.20A	----	33.20 - 25.00	.5575	----	----	5	----	10 + 4
4745	36.30	36.30	38.30B/17.30A	38.30B/17.30A	----	21.70 - 5.60	.4103	----	----	15	----	21 + 14
4745	31.20	31.20	73.00B/*27.70A	73.00B/*27.70A	----	36.00 NEW	.5895	----	----	5	----	5 + 5
4750	----	----	106.50B/68.80A	106.50B/68.80A	----	77.80 - 20.00	.5405	----	----	----	----	2 UNCH
4750	----	----	73.80B/52.70A	73.80B/52.70A	----	58.50 - 0.20	.4591	----	----	3	----	31 + 3
4750	24.00	24.00	36.10/15.30A	36.10/15.30A	----	19.70 - 5.90	.3791	----	----	102	50	174 + 64
4750	34.70	34.70	76.30B/*29.40A	76.30B/*29.40A	----	39.00 - 25.60	.6207	----	----	38	----	138 UNCH
4755	18.70	18.70	33.00B/13.80A	33.00B/13.80A	----	17.80 - 6.10	.3486	----	----	28	----	24 - 4
4755	57.80	57.80	80.00B/*32.20A	80.00B/*32.20A	----	42.10 - 25.90	.6513	----	----	12	----	5 + 4
4760	----	----	83.70B/*34.30A	83.70B/*34.30A	----	45.30 - 26.10	.6811	----	----	----	----	1 UNCH
4760	27.50	27.50	30.60B/12.30A	30.60B/12.30A	----	16.00 - 6.30	.3187	----	----	9	----	24 - 2
4765	----	----	28.20B/10.90A	28.20B/10.90A	----	14.40 - 6.50	.2905	----	----	1	----	5 + 1
4770	----	----	91.60B/*40.10A	91.60B/*40.10A	----	52.20 - 26.40	.7365	----	----	----	----	3 UNCH
4770	11.00	11.00	26.30B/9.60A	26.30B/9.60A	----	12.90 - 6.60	.2634	----	----	54	----	68 + 50
4775	----	----	61.80B/43.50A	61.80B/43.50A	----	47.90 - 1.40	.3986	----	----	----	----	8 UNCH
4775	----	----	123.00B/81.60A	123.00B/81.60A	----	92.20 - 21.20	.6010	----	----	----	----	1 UNCH
4775	16.50	16.50	24.50B/8.60A	24.50B/8.60A	----	11.60 - 6.60	.2384	----	----	55	----	56 - 13
4775	----	----	95.30B/*42.50A	95.30B/*42.50A	----	55.90 - 26.40	.7615	----	----	----	----	1 UNCH
4780	9.30	9.30	22.70B/7.60A	22.70B/7.60A	----	10.40 - 6.60	.2148	----	----	9	----	8 - 2
4785	----	----	21.10B/6.70A	21.10B/6.70A	----	9.30 - 6.50	.1928	----	----	1	----	2 UNCH
4790	7.50	7.50	19.50B/5.90A	19.50B/5.90A	----	8.30 - 6.40	.1724	----	----	5	----	7 + 5
4795	9.00	9.00	18.10B/5.20A	18.10B/5.20A	----	7.40 - 6.30	.1537	----	----	14	----	112 + 12
4800	----	----	51.30B/35.40A	51.30B/35.40A	----	38.90 - 2.40	.3410	----	----	----	----	16 UNCH
4800	----	----	140.50B/96.00A	140.50B/96.00A	----	108.20 - 22.10	.6586	----	----	----	----	1 UNCH
4800	----	----	116.00B/58.90A	116.00B/58.90A	----	75.90 - 25.90	.8631	----	----	1	----	9 + 1
4800	12.10	12.10	16.70B/4.60A	16.70B/4.60A	----	6.60 - 6.20	.1367	----	----	56	----	185 + 8
4805	----	----	15.40B/4.10A	15.40B/4.10A	----	5.90 - 6.00	.1215	----	----	1	----	3 UNCH
4810	11.10	11.10	16.10/3.60A	16.10/3.60A	----	5.20 - 5.90	.1068	----	----	8	----	26 + 4
4815	10.00	10.00	13.20B/3.20A	13.20B/3.20A	----	4.70 - 5.60	.0953	----	----	7	----	8 + 4
4820	7.40	7.40	12.10B/2.90A	12.10B/2.90A	----	4.20 - 5.40	.0843	----	----	5	----	17 - 2
4820	----	----	133.60B/73.90A	133.60B/73.90A	----	93.40 - 25.20	.9156	----	----	----	----	2 UNCH
4825	----	----	42.30B/28.90A	42.30B/28.90A	----	31.40 - 3.00	.2879	----	----	----	----	13 UNCH
4825	3.40	3.40	11.10B/2.60A	11.10B/2.60A	----	3.70 - 5.20	.0736	----	----	73	----	166 - 33
4830	5.50	5.50	10.20B/2.10	10.20B/2.10	----	3.30 - 5.00	.0648	----	----	8	----	7 - 1
4835	2.50	2.50	8.90B/2.10A	8.90B/2.10A	----	3.00 - 4.70	.0579	----	----	6	----	26 + 4
4835	----	----	147.10B/86.20A	147.10B/86.20A	----	107.20 - 24.60	.9420	----	----	----	----	1 UNCH
4840	2.00	2.00	8.10B/1.90A	8.10B/1.90A	----	2.70 - 4.50	.0512	----	----	6	----	6 + 5
4845	2.30	2.30	7.70B/1.70A	7.70B/1.70A	----	2.40 - 4.30	.0448	----	----	4	----	4 + 1
4845	----	----	156.40B/94.70A	156.40B/94.70A	----	116.70 NEW	.9550	----	----	1	----	1 + 1
4850	----	----	34.60B/23.10A	34.60B/23.10A	----	25.10 - 3.40	.2397	----	----	2	----	21 + 2
4850	----	----	179.60B/128.90A	179.60B/128.90A	----	144.30 - 23.20	.7599	----	----	----	----	1 UNCH
4850	4.30	4.30	6.90B/1.50A	6.90B/1.50A	----	2.10 - 4.10	.0387	----	----	29	----	33 + 19
4850	----	----	161.00B/99.10A	161.00B/99.10A	----	121.40 NEW	.9612	----	----	2	----	2 + 2
4855	----	----	33.20B/22.00A	33.20B/22.00A	----	24.00 - 3.50	.2309	----	----	----	----	6 UNCH
4855	1.70	1.70	5.90B/*1.30A	5.90B/*1.30A	----	1.90 - 3.90	.0343	----	----	14	----	11 - 1
4860	6.60	6.60	6.60/*1.20A	6.60/*1.20A	----	1.70 - 3.70	.0301	----	----	2	----	13 + 1
4865	1.70	1.70	1.70/*1.10A	5.00B/*1.10A	----	1.60 - 3.40	.0276	----	----	2	----	3 UNCH
4870	----	----	----/*1.00A	4.70B/*1.00A	----	1.40 - 3.30	.0237	----	----	8	----	6 + 1
4870	----	----	179.90B/117.10A	179.90B/117.10A	----	140.70 - 23.00	.9762	----	----	----	----	2 UNCH
4875	----	----	28.10B/18.40A	28.10B/18.40A	----	20.00 - 3.60	.1976	----	----	1	----	9 + 1
4875	----	----	200.30B/147.40A	200.30B/147.40A	----	164.10 - 23.40	.8021	----	----	----	----	1 UNCH
4875	1.40	1.40	1.40/*0.90A	4.10B/*0.90A	----	1.30 - 3.10	.0215	----	----	10	----	14 + 10
4880	3.10	3.10	3.10/*0.80A	3.80B/*0.80A	----	1.10 - 3.00	.0179	----	----	11	----	16 + 9
4885	2.50	2.50	2.50/*0.60	3.40B/*0.60	----	1.00 NEW	.0159	----	----	2	----	1 + 1
4890	0.90	0.90	0.90/*0.70A	3.20B/*0.70A	----	0.90 - 2.70	.0140	----	----	6	----	5 + 3
4895	----	----	----/*0.70A	2.90B/*0.70A	----	0.80 - 2.50	.0121	----	----	----	----	8 UNCH
4900	----	----	221.40B/167.00A	221.40B/167.00A	----	185.00 - 23.40	.8388	----	----	----	----	1 UNCH
4900	----	----	22.70B/14.60A	22.70B/14.60A	----	15.80 - 3.70	.1609	----	----	2	----	3 + 2
4900	0.90	0.90	0.90/*0.60	2.50B/*0.60	----	0.70 - 2.40	.0104	----	----	7	----	30 + 5
4900	171.00	171.00	208.80B/145.30A	208.80B/145.30A	----	170.00 - 22.10	.9895	----	----	1	----	1 UNCH
4905	----	----	----/*0.60A	2.30B/*0.60A	----	0.60 - 2.30	.0087	----	----	1	----	5 - 1
4910	----	----	----/*0.60A	2.10B/*0.60A	----	0.60 NEW	.0084	----	----	4	----	4 + 4
4915	0.60	0.60	0.60/*0.60	1.90B/*0.60	----	0.50 - 2.10	.0069	----	----	4	----	5 + 4
4925	----	----	18.30B/11.60A	18.30B/11.60A	----	12.50 - 3.60	.1303	----	----	----	----	4 UNCH
4925	0.50	0.50	0.50/*0.50	1.70B/*0.50	----	0.40 - 1.90	.0052	----	----	1	----	13 + 1
4930	0.50	0.50	0.50/*0.50	1.30B/*0.50	----	0.40 - 1.70	.0051	----	----	10	----	11 + 10
4935	0.50	0.50	0.50/*0.50	1.00B/*0.50	----	0.40 NEW	.0050	----	----	4	----	4 + 4
4940	----	----	----/*0.40A	0.90B/*0.40A	----	0.30 - 1.60	.0036	----	----	----	----	6 UNCH
4945	0.60	0.60	0.60/*0.40A	0.80B/*0.40A	----	0.30 NEW	.0035	----	----	1	----	1 + 1
4950	----	----	14.70B/9.20A	14.70B/9.20A	----	9.90 - 3.40	.1050	----	----	----	----	14 UNCH
4950	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 1.40	.0034	----	----	----	----	6 UNCH
4955	----	----	----/*0.50A	0.80B/*0.50A	----	0.20 - 1.40	.0022	----	----	2	----	2 UNCH
4960	0.30	0.30	0.30/*0.30	0.60B/*0.30	----	0.20 - 1.30	.0021	----	----	1	----	6 + 1
4965	----	----	----/*0.40A	0.60B/*0.40A	----	0.20 - 1.20	.0021	----	----	1	----	3 + 1
4970	0.40	0.40	0.40/*0.20	0.50B/*0.20	----	0.20 - 1.10	.0020	----	----	5	----	10 + 5
4975	----	----	11.90B/7.40A	11.90B/7.40A	----	7.90 - 3.20	.0846	----	----	1	----	2 + 1
4975	0.40	0.40	0.40/*0.20A	0.50B/*0.20A	----	0.20 NEW	.0020	----	----	1	----	1 + 1
4980	----	----	----/*0.20A	0.40B/*0.20A	----	0.20 - 1.00	.0020	----	----	1	----	0 - 1
4990	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 1.00	.0007	----	----	1	----	11 UNCH
4995	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.90	.0006	----	----	----	----	1 UNCH
4995	----	----	----/260.60A	263.60B/260.60A	----	264.40 - 20.70	.9995	----	----	----	----	1 UNCH
5000	----	----	9.50B/6.00A	9.50B/6.00A	----	6.30 - 2.90	.0680	----	----	4	----	25 + 4
5000	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.90	.0005	----	----	----	----	12 UNCH
5010	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0003	----	----	1	----	1 + 1
5020	----	----	----/285.50A	288.50B/285.50A	----	289.40 - 20.40	1.0000	----	----	----	----	2 UNCH
5025	----	----	----/4.90A	7.60B/4.90A	----	5.10 - 2.60	.0551	----	----	----	----	3 UNCH
5025	----	----	----/290.50A	293.50B/290.50A	----	294.40 - 20.40	1.0000	----	----	----	----	2 UNCH
5025	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.70	.0001	----	----	----	----	4 UNCH
5050	----	----	----/4.00A	6.10B/4.00A	----	4.10 - 2.30	.0443	----	----	----	----	9 UNCH
5050	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.50	.0000	----	----	----	----	4 UNCH
5055	0.10	0.10	#0.10/*0.10	0.10/*0.10	----	0.10 NEW	.0000	----	----	5	----	5 + 5
5060	0.10	0.10	#0.10/*0.10	0.10/*0.10	----	0.10 NEW	.0000	----	----	10	----	10 + 10
5075	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.40	.0000	----	----	----	----	1 UNCH
5100	----	----	409.60B/347.70A	409.60B/347.70A	----	371.80 - 21.50	.9700	----	----	----	----	2 UNCH
5100	----	----	----/2.80A	4.00B/2.80A	----	2.80 - 1.70	.0298	----	----	----	----	11 UNCH
5100	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
5100	----	----	----/365.40A	368.50B/365.40A	----	369.30 - 20.10	1.0000	----	----	----	----	1 UNCH
5125	----	----	----/2.40A	3.20B/2.40A	----	2.30 - 1.60	.0243	----	----	----	----	3 UNCH
5125	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	2 UNCH
5150	----	----	----/2.10A	2.70B/2.10A	----	2.00 - 1.30	.0207	----	----	----	----	5 UNCH
5150	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
5160	----	----	----	----/*0.30A	----	0.10 NEW	----	----	----	2	----	2 + 2
5175	----	----	----/1.80A	2.20B/1.80A	----	1.70 - 1.10	.0174	----	----	----	----	25 UNCH
5200	1.50	1.50	1.50/*1.50	1.80B/*1.50	----	1.50 - 1.00	.0150	----	----	1	----	4 UNCH
5200	----	----	----	----	----	470.50 - 20.70	.9849	----	----	----	----	1 UNCH
5200	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	90 UNCH
5225	1.10	1.10	1.10/*1.10	1.50B/*1.10	----	1.30 NEW	.0128	----	----	6	----	6 + 6
5225	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5275	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5300	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.60	.0084	----	----	----	----	1 UNCH
5300	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
5500	----	----	----	0.30B/*0.90A	----	0.20 - 0.20	.0017	----	----	----	----	1 UNCH
TOTAL										2105	100	4719 + 976
JUN26												
3500	----	----	----	0.30B/2.90A	----	2.10 - 0.60	.0082	----	----	----	----	40 UNCH
3750	----	----	----	0.30B/3.60A	----	2.40 - 0.50	.0113	----	----	----	----	4 UNCH
3800	----	----	----	0.40B/3.70A	----	2.40 - 0.60	.0118	----	----	----	----	1 UNCH
3900	----	----	----	0.90B/4.10A	----	2.70 - 0.60	.0144	----	----	----	----	2 UNCH
4000	----	----	----	1.60B/4.70A	----	3.20 - 0.70	.0183	----	----	----	----	6 UNCH
4100	----	----	----	2.80B/5.80A	----	4.20 - 0.90	.0254	----	----	----	----	15 UNCH
4150	----	----	----	3.80B/6.50A	----	5.00 - 1.10	.0309	----	----	----	----	3 UNCH
4175	----	----	----/6.10A	4.40B/6.10A	----	5.50 - 1.20	.0343	----	----	----	----	1 UNCH
4200	----	----	----/7.00A	5.20B/7.00A	----	6.10 - 1.40	.0382	----	----	----	----	16 UNCH
4225	----	----	----/8.20A	6.00B/8.20A	----	6.90 - 1.50	.0433	----	----	----	----	1 UNCH
4250	----	----	----/9.30A	7.20B/9.30A	----	7.70 - 1.80	.0485	----	----	----	----	2 UNCH
4275	10.80	10.80	10.80/9.70A	10.80/9.70A	----	8.70 - 2.10	.0548	----	----	1	----	12 + 1
4300	----	----	----/15.20A	16.20B/15.20A	----	15.40 - 2.20	.0837	----	----	----	----	3 UNCH
4300	9.50	9.50	9.50/9.50	9.90B/9.50	----	9.80 - 2.40	.0617	----	----	2	----	13 UNCH
4325	----	----	----/11.10A	11.90B/11.10A	----	11.10 - 2.70	.0698	----	----	1	----	13 + 1
4350	----	----	----/12.60A	13.40B/12.60A	----	12.50 - 3.10	.0786	----	----	2	----	5 - 1
4375	15.00	15.00	15.00/14.20A	15.80B/14.20A	----	14.30 - 3.40	.0893	----	----	2	----	3 UNCH
4400	----	----	----/16.00A	19.10B/16.00A	----	16.40 - 3.80	.1015	----	----	----	----	8 UNCH
4425	----	----	#31.70B/27.10A	31.70B/27.10A	----	28.10 - 3.00	.1452	----	----	----	----	3 UNCH
4425	----	----	----/18.50A	22.10B/18.50A	----	18.70 - 4.40	.1149	----	----	----	----	1 UNCH
4450	----	----	#35.60B/30.30A	35.60B/30.30A	----	31.70 - 3.20	.1614	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
JUN26												
4450	----	----	----/21.00A	25.00B/21.00A	----	21.50 - 5.10	.1304	----	----	----	----	2 UNCH
4475	----	----	----/23.80A	29.50B/23.80A	----	24.60 - 5.90	.1474	----	----	----	----	3 UNCH
4500	----	----	311.50B/278.30A	311.50B/278.30A	----	294.20 + 12.90	.8332	----	----	----	----	1 UNCH
4500	----	----	----/27.10A	33.00B/27.10A	----	28.10 - 6.80	.1662	----	----	2	----	5 - 1
4525	----	----	#51.70B/42.60A	51.70B/42.60A	----	45.00 - 4.50	.2186	----	----	----	----	1 UNCH
4525	----	----	----/30.90A	38.70B/30.90A	----	32.20 - 7.60	.1872	----	----	----	----	2 UNCH
4525	----	----	290.40B/258.60A	290.40B/258.60A	----	273.30 + 12.00	.8121	----	----	----	----	1 UNCH
4550	----	----	#58.10B/47.80A	58.10B/47.80A	----	50.50 - 5.10	.2408	----	----	----	----	1 UNCH
4550	----	----	----/35.20A	43.90B/35.20A	----	36.90 - 8.30	.2105	----	----	1	----	4 UNCH
4575	----	----	----/40.20A	50.90B/40.20A	----	42.30 - 8.70	.2360	----	----	----	----	2 UNCH
4600	----	----	230.40B/----	230.40B/205.30A	----	214.70 + 10.80	.7357	----	----	----	----	2 UNCH
4600	----	----	58.30B/45.80A	58.30B/45.80A	----	48.40 - 8.90	.2636	----	----	1	----	3 UNCH
4625	----	----	66.50B/52.20A	66.50B/52.20A	----	55.30 - 9.10	.2933	----	----	----	----	1 UNCH
4625	----	----	211.90B/----	211.90B/188.30A	----	196.60 + 10.60	.7061	----	----	----	----	3 UNCH
4625	----	----	#81.90B/67.00A	81.90B/67.00A	----	70.70 - 8.40	.3162	----	----	----	----	1 UNCH
4650	----	----	194.10B/----	194.10B/171.10A	----	179.50 + 10.50	.6745	----	----	----	----	2 UNCH
4650	----	----	75.70B/59.40A	75.70B/59.40A	----	63.10 - 9.20	.3248	----	----	----	----	4 UNCH
4675	----	----	194.00B/----	194.00B/172.70A	----	179.10 + 8.40	.6260	----	----	----	----	1 UNCH
4675	----	----	87.90B/67.30A	87.90B/67.30A	----	71.80 - 9.60	.3580	----	----	----	----	3 UNCH
4675	----	----	177.10B/----	177.10B/156.00A	----	163.20 + 10.10	.6413	----	----	----	----	2 UNCH
4700	----	----	178.40B/----	178.40B/158.30A	----	164.00 + 7.00	.5960	----	----	----	----	1 UNCH
4700	----	----	161.00B/----	161.00B/141.30A	----	147.90 + 9.40	.6068	----	----	2	----	15 UNCH
4700	----	----	97.90B/76.10A	97.90B/76.10A	----	81.40 - 10.30	.3925	----	----	----	----	3 UNCH
4725	----	----	145.90B/----	145.90B/127.70A	----	133.40 + 8.40	.5714	----	----	2	----	3 + 2
4725	----	----	109.50B/85.90A	109.50B/85.90A	----	91.90 - 11.30	.4280	----	----	----	----	1 UNCH
4750	142.00	142.00	149.70B/129.80A	149.70B/129.80A	----	136.20 + 4.40	.5337	----	----	1	----	2 - 1
4750	----	----	131.70B/----	131.70B/112.80A	----	120.00 + 7.40	.5353	----	----	----	----	1 UNCH
4750	----	----	121.60B/96.60A	121.60B/96.60A	----	103.40 - 12.30	.4641	----	----	1	----	1 UNCH
4775	----	----	118.50B/----	118.50B/101.70A	----	107.40 + 6.20	.4989	----	----	----	----	1 UNCH
4800	115.20	115.20	124.30B/*104.60	124.30B/104.60	----	112.10 NEW	.4707	----	----	100	----	100 + 100
4800	----	----	106.80B/----	106.80B/91.60A	----	95.90 + 5.10	.4627	----	----	----	----	15 UNCH
4800	----	----	148.50B/120.90A	148.50B/120.90A	----	129.20 - 14.60	.5367	----	----	----	----	1 UNCH
4825	----	----	95.80B/----	95.80B/82.20A	----	85.30 + 4.00	.4269	----	----	----	----	1 UNCH
4850	----	----	85.50B/----	85.50B/73.20A	----	75.60 + 2.90	.3920	----	----	----	----	1 UNCH
4875	----	----	76.00B/----	76.00B/65.20A	----	66.80 + 1.90	.3582	----	----	----	----	3 UNCH
4900	----	----	83.60B/----	83.60B/73.60A	----	74.10 + 0.80	.3507	----	----	----	----	3 UNCH
4900	----	----	216.40B/180.90A	216.40B/180.90A	----	192.00 - 18.70	.6734	----	----	----	----	1 UNCH
4900	62.00	62.00	67.50B/57.60A	67.50B/57.60A	----	58.90 + 0.90	.3260	----	----	25	----	29 + 25
4925	----	----	60.00B/51.30A	60.00B/51.30A	----	51.80 + 0.10	.2953	----	----	----	----	1 UNCH
4950	----	----	67.80B/----	67.80B/60.00A	----	59.80 + 0.40	.2974	----	----	----	----	1 UNCH
4950	----	----	53.00B/45.30A	53.00B/45.30A	----	45.50 - 0.60	.2666	----	----	2	----	3 UNCH
4975	----	----	46.90B/40.20A	46.90B/40.20A	----	39.90 - 1.10	.2398	----	----	1	----	0 - 1
5000	----	----	54.70B/----	54.70B/48.80A	----	48.10 UNCH	.2499	----	----	----	----	13 UNCH
5000	35.30	35.30	40.80B/35.30	40.80B/35.30	----	34.90 - 1.60	.2149	----	----	11	----	15 + 10
5025	----	----	36.00B/30.90A	36.00B/30.90A	----	30.60 - 1.90	.1924	----	----	----	----	1 UNCH
5050	----	----	31.70B/27.40A	31.70B/27.40A	----	26.80 - 2.10	.1718	----	----	----	----	3 UNCH
5075	----	----	28.00B/24.20A	28.00B/24.20A	----	23.50 - 2.20	.1532	----	----	----	----	1 UNCH
5100	----	----	24.60B/21.40A	24.60B/21.40A	----	20.70 - 2.10	.1368	----	----	----	----	1 UNCH
5125	----	----	21.60B/19.00A	21.60B/19.00A	----	18.20 - 2.10	.1219	----	----	----	----	2 UNCH
5150	----	----	19.20B/16.70A	19.20B/16.70A	----	16.00 - 2.10	.1085	----	----	----	----	2 UNCH
5175	----	----	16.80B/15.00A	16.80B/15.00A	----	14.10 - 2.10	.0966	----	----	----	----	3 UNCH
5200	----	----	----/13.40A	14.00B/13.40A	----	12.50 - 2.00	.0862	----	----	----	----	2 UNCH
5225	----	----	----/12.00A	12.50B/12.00A	----	11.10 - 1.90	.0771	----	----	2	----	4 + 2
5250	----	----	18.10B/*17.00A	18.10B/17.00A	----	16.40 - 1.40	.0975	----	----	----	----	2 UNCH
5250	----	----	----/10.70A	11.00B/10.70A	----	9.90 - 1.90	.0690	----	----	2	----	4 + 2
5275	----	----	----/10.10A	9.70B/10.10A	----	8.90 - 1.80	.0621	----	----	----	----	3 UNCH
5300	----	----	----	8.70B/9.80A	----	8.00 - 1.70	.0559	----	----	----	----	3 UNCH
5300	----	----	----/*14.00A	14.60B/14.00A	----	13.50 - 1.10	.0811	----	----	----	----	2 UNCH
5325	----	----	----/8.50A	6.50B/8.50A	----	7.20 - 1.70	.0504	----	----	----	----	2 UNCH
5350	----	----	----/8.10A	5.50B/8.10A	----	6.50 - 1.70	.0455	----	----	----	----	6 UNCH
5400	----	----	----/6.90A	4.20B/6.90A	----	5.40 - 1.60	.0376	----	----	----	----	9 UNCH
5500	----	----	----	2.40B/5.90A	----	4.00 - 1.40	.0272	----	----	----	----	2 UNCH
5600	----	----	----	1.50B/4.70A	----	3.10 - 1.30	.0204	----	----	----	----	1 UNCH
5700	----	----	----	0.90B/4.10A	----	2.60 - 1.10	.0164	----	----	----	----	10 UNCH
5750	----	----	----	0.60B/3.80A	----	2.40 - 1.10	.0148	----	----	----	----	12 UNCH
5800	----	----	----	0.30B/3.70A	----	2.20 - 1.10	.0134	----	----	----	----	0 UNCH
6000	----	----	----	0.30B/3.20A	----	1.90 - 1.00	.0105	----	----	----	----	11 UNCH
TOTAL										161		497 + 139

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK2										
MAY26												
4450	----	----	----	----	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4650	----	----	----	----	----	0.00 - 9.00	----	----	----	----	----	0 - 1
4700	----	----	----	----	----	30.70 - 4.10	----	2	----	----	----	0 - 2
4700	----	----	----/15.00A	----/15.00A	----	0.00 - 23.90	----	----	----	----	----	0 - 2
4715	21.00	21.00	#21.00/*21.00	#21.00/*21.00	----	15.70 NEW	----	1	----	1	----	0 UNCH
4730	20.00	20.00	#26.00/*20.00	#26.00/*20.00	----	0.70 NEW	----	----	----	2	----	0 UNCH
4745	3.00	3.00	3.00/*3.00	9.20B/*3.00	----	0.00 - 15.20	----	----	----	1	----	0 - 1
TOTAL										4		0 - 9

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week2										
MAY26												
6900	----	----	----	0.025B/*0.157A	----	0.044 - 0.073	.0125	----	----	----	----	2 UNCH
7100	----	----	----/*0.426A	0.379B/*0.426A	----	0.391 - 0.138	.0878	----	----	----	----	1 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----/*0.215A	0.150B/*0.215A	----	0.123 - 0.147	.0377	----	----	----	----	2 UNCH
7200	----	----	----/*0.523A	0.523B/*0.523A	----	0.486 - 0.174	.1081	----	----	----	----	1 UNCH
7300	----	----	----/*1.039A	1.103B/*1.039A	----	0.915 - 0.244	.1676	----	----	----	----	1 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7450	0.250	0.250	0.250/*0.250	0.445B/*0.250	----	0.298 NEW	.0922	----	----	2	----	2 + 2
7500	----	----	----	----	----	5.180 UNCH	----	----	----	----	----	0 UNCH
7530	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	4.680 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----/0.516A	0.668B/0.516A	----	0.423 - 0.315	.1288	----	----	----	----	4 UNCH
7600	----	----	----	----	----	4.180 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	3.767B/6.068A	----	4.960 + 0.308	.8234	----	----	----	----	1 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	3.680 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	3.180 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7760	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	2.180 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7810	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7820	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	1.680 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----/2.843A	2.940B/2.843A	----	3.462 + 0.146	.6993	----	----	----	----	2 UNCH
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	1.180 UNCH	----	----	----	----	----	0 UNCH
7910	----	----	----	----	----	1.080 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.680 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	2.291B/*1.444A	2.291B/*1.444A	----	1.445 - 0.620	.3760	----	----	----	----	2 UNCH
7990	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.180 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	2.855B/2.114A	2.855B/2.114A	----	2.512 + 0.027	.5836	----	----	----	----	3 UNCH
8020	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8025	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1												
MAY26														
8060	----	----	----	----	----	0.420	UNCH	----	----	----	----	----	0	UNCH
8090	----	----	----	----	----	0.720	UNCH	----	----	----	----	----	0	UNCH
8090	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8100	----	----	4.377B/3.302A	4.377B/3.302A	----	3.666	+ 0.167	.5165	----	----	----	----	1	UNCH
8100	----	----	----	----	----	0.820	UNCH	----	----	----	----	----	0	UNCH
8100	2.040	2.040	3.075B/*2.021A	3.075B/*2.021A	----	2.114	NEW	.4996	----	----	8	----	8 +	8
8100	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8120	----	----	----	----	----	1.020	UNCH	----	----	----	----	----	0	UNCH
8150	----	----	3.405B/2.533A	3.405B/2.533A	----	2.769	+ 0.060	.4841	----	----	----	----	1	UNCH
8150	----	----	----	----	----	1.320	UNCH	----	----	----	----	----	0	UNCH
8175	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8200	1.800	1.800	2.161B/1.436A	2.161B/1.436A	----	1.532	- 0.091	.4170	----	----	1	----	12 +	1
8200	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8200	----	----	----	----	----	1.820	UNCH	----	----	----	----	----	0	UNCH
8200	3.080	3.080	3.080/2.490A	3.205B/2.490A	----	2.666	- 0.776	.5829	----	----	1	----	2 +	1
8200	----	----	3.906B/2.954A	3.906B/2.954A	----	3.242	+ 0.145	.4737	----	----	----	----	1	UNCH
8220	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8240	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8250	----	----	2.940B/2.214A	2.940B/2.214A	----	2.364	+ 0.027	.4319	----	----	----	----	1	UNCH
8300	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8300	----	----	1.696B/1.184A	1.696B/1.184A	----	1.171	- 0.124	.3386	----	----	----	----	6	UNCH
8400	----	----	1.320B/0.981A	1.320B/0.981A	----	0.888	- 0.139	.2689	----	----	----	----	10	UNCH
8650	0.530	0.530	0.629B/0.530	0.629B/0.530	----	0.441	NEW	.1417	----	----	1	----	1 +	1
8800	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8900	----	----	----	0.299B/0.359A	----	0.225	- 0.092	.0722	----	----	----	----	14	UNCH
9000	----	----	----	0.218B/0.296A	----	0.174	- 0.077	.0552	----	----	----	----	1	UNCH
9000	----	----	1.488B/----	1.488B/1.282A	----	1.222	+ 0.025	.2128	----	----	----	----	4	UNCH
9500	0.150	0.150	0.150/*0.150	0.150/0.150	----	0.073	- 0.051	.0199	----	----	1	----	2 +	1
10000	----	----	0.427B/*0.400A	0.427B/0.400A	----	0.392	- 0.012	.0736	----	----	----	----	1	UNCH
TOTAL											14	0	86 +	14
JUN26														
7700	----	----	----	#0.050B/*13.664A	----	5.675	NEW	.6961	----	----	2	----	2 +	2
TOTAL											2	0	2 +	2
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2												
MAY26														
5500	----	----	----	----/0.296A	----	0.001	UNCH	----	----	----	----	----	17	UNCH
6000	----	----	----	----	----	20.865	+ 0.685	.0000	----	----	----	----	0	UNCH
6300	----	----	----	----/0.249A	----	0.001	- 0.004	----	----	----	----	----	1	UNCH
6500	----	----	----	----/0.212A	----	0.001	- 0.007	.0000	----	----	----	----	8	UNCH
6750	----	----	----	----/0.145A	----	0.003	- 0.016	.0004	----	----	----	----	1	UNCH
6800	----	----	----	----/0.145A	----	0.004	- 0.019	.0006	----	----	----	----	9	UNCH
6900	----	----	----	----/0.144A	----	0.006	- 0.027	.0011	----	----	----	----	1	UNCH
7000	----	----	----	0.014B/0.125A	----	0.009	- 0.035	.0018	----	----	----	----	37	UNCH
7100	0.300	0.300	0.300/*0.268A	0.300/*0.268A	----	0.227	- 0.114	.0597	----	----	1	----	2 +	1
7120	----	----	----	0.001B/0.111A	----	0.015	- 0.047	.0035	----	----	----	----	0	UNCH
7200	0.020	0.020	0.035/*0.020	0.035/*0.020	----	0.020	NEW	.0052	----	----	5	----	5 +	5
7200	----	----	----	----	----	8.884	+ 0.626	.9947	----	----	----	----	0	UNCH
7350	0.350	0.350	0.350/*0.350	0.505B/*0.350	----	0.459	- 0.202	.1160	----	----	1	----	0 -	1
7370	0.088	0.088	#0.088/*0.070	0.088/*0.070	----	0.038	NEW	.0122	----	----	4	----	4 +	4
7400	0.028	0.028	0.028/*0.028	0.070B/*0.028	----	0.043	- 0.118	.0143	----	----	2	----	8 +	2
7400	----	----	----	4.145B/6.794A	----	6.906	+ 0.567	.9856	----	----	----	----	6	UNCH
7400	0.430	0.430	0.430/*0.430	0.632B/*0.430	----	0.526	NEW	.1313	----	----	1	----	1 +	1
7500	----	----	----/*0.131A	0.159B/*0.131A	----	0.065	- 0.169	.0243	----	----	----	----	3	UNCH
7500	----	----	----	----	----	5.929	+ 0.517	.9756	----	----	----	----	4	UNCH
7600	----	----	----/*0.165A	0.299B/*0.165A	----	0.102	- 0.242	.0424	----	----	----	----	11	UNCH
7625	----	----	----/*0.191A	0.321B/*0.191A	----	0.115	- 0.265	.0490	----	----	----	----	1	UNCH
7650	----	----	#4.629B/----	4.629B/6.114A	----	4.494	+ 0.397	.9433	----	----	----	----	8	UNCH
7650	0.205	0.205	0.205/*0.205	0.374B/*0.205	----	0.130	- 0.289	.0566	----	----	4	----	5 +	4
7660	----	----	----/*0.212A	0.397B/*0.212A	----	0.136	- 0.300	.0598	----	----	----	----	4	UNCH
7675	----	----	----/*0.217A	0.434B/*0.217A	----	0.147	- 0.315	.0654	----	----	----	----	1	UNCH
7680	----	----	----/*0.225A	0.447B/*0.225A	----	0.150	- 0.321	.0671	----	----	----	----	1	UNCH
7700	----	----	----	3.537B/5.900A	----	4.030	+ 0.342	.9246	----	----	----	----	11	UNCH
7700	----	----	0.532B/*0.200A	0.532B/*0.200A	----	0.166	- 0.344	.0753	----	----	5	----	15 +	5
7710	----	----	----	----	----	3.939	+ 0.330	.9199	----	----	----	----	5	UNCH
7750	----	----	----	3.999B/5.697A	----	4.633	+ 0.276	.7181	----	----	----	----	1	UNCH
7790	0.200	0.200	#0.797B/*0.200	0.797B/*0.200	----	0.263	NEW	.1258	----	----	1	----	1 +	1
7800	0.409	0.409	0.865B/*0.315A	0.865B/*0.315A	----	0.277	NEW	.1330	----	----	6	----	6 +	6
7800	----	----	----/2.729A	2.000B/2.729A	----	3.141	+ 0.212	.8669	----	----	----	----	5	UNCH
7820	----	----	#0.916B/*0.312A	0.916B/*0.312A	----	0.307	- 0.502	.1484	----	----	----	----	1	UNCH
7850	----	----	----/2.041A	1.592B/2.041A	----	2.723	+ 0.139	.8256	----	----	----	----	1	UNCH
7880	----	----	1.183B/*0.394A	1.183B/*0.394A	----	0.418	- 0.591	.2040	----	----	----	----	2	UNCH
7900	0.320	0.320	1.306B/*0.320	1.306B/*0.320	----	0.463	- 0.620	.2258	----	----	7	----	6 +	2
7900	----	----	----/1.745A	1.643B/1.745A	----	2.328	+ 0.065	.7741	----	----	----	----	10	UNCH
7950	0.450	0.450	1.550B/*0.450	1.550B/*0.450	----	0.596	NEW	.2872	----	----	1	----	1 +	1
8000	----	----	----/1.314A	1.638B/1.314A	----	1.626	- 0.075	.6421	----	----	1	----	16 +	1
8000	0.755	0.755	1.820B/*0.600	1.820B/*0.600	----	0.762	- 0.759	.3578	----	----	6	----	6 +	4
8050	1.800	1.800	1.800/1.143A	1.800/1.143A	----	1.328	NEW	.5647	----	----	2	----	2 +	2
8050	0.832	0.832	1.815B/*0.832	1.815B/*0.832	----	0.964	NEW	.4352	----	----	2	----	1 +	1
8070	1.560	1.560	1.585B/*1.080A	1.585B/1.080A	----	1.220	NEW	.5327	----	----	1	----	1 +	1
8100	1.300	1.300	1.496B/0.978A	1.496B/0.978A	----	1.069	- 0.177	.4842	----	----	6	----	4 +	2
8110	----	----	1.525B/*0.978A	1.525B/0.978A	----	1.022	- 0.184	.4680	----	----	----	----	4	UNCH
8200	0.675	0.675	1.167B/0.675	1.167B/0.675	----	0.667	- 0.225	.3296	----	----	6	----	11 +	4
8200	1.900	1.900	1.900/*1.417A	1.900/*1.417A	----	1.801	NEW	.6703	----	----	2	----	2 +	2
8220	----	----	1.065B/*0.618A	1.065B/0.618A	----	0.603	- 0.229	.3016	----	----	----	----	1	UNCH
8250	0.661	0.661	0.917B/0.506	0.917B/0.506	----	0.518	- 0.231	.2623	----	----	2	----	2 +	1
8300	1.805	1.805	2.211B/1.545A	2.211B/1.545A	----	1.727	NEW	.3832	----	----	1	----	1 +	1
8300	0.381	0.381	0.740B/0.381	0.740B/0.381	----	0.399	- 0.227	.2045	----	----	4	----	23 +	3
8350	0.260	0.260	0.558B/0.260	0.558B/0.260	----	0.305	NEW	.1564	----	----	1	----	1 +	1
8400	0.212	0.212	0.441B/0.210	0.441B/0.210	----	0.232	- 0.199	.1178	----	----	12	----	21 +	6
8500	1.224	1.224	1.495B/1.121A	1.495B/1.121A	----	1.128	- 0.048	.2743	----	----	2	----	3 +	2
8500	----	----	----/0.229A	0.244B/0.229A	----	0.133	- 0.162	.0644	----	----	----	----	28	UNCH
8550	0.260	0.260	0.260/0.199A	0.260/0.199A	----	0.100	NEW	.0468	----	----	1	----	1 +	1
8630	0.085	0.085	#0.095/*0.085	#0.095/*0.085	----	0.064	NEW	.0279	----	----	5	----	5 +	5
8650	----	----	----/0.157A	0.072B/0.157A	----	0.057	- 0.115	.0244	----	----	----	----	5	UNCH
8700	----	----	----/*0.139A	0.060B/0.139A	----	0.043	NEW	.0175	----	----	2	----	2 +	2
8800	0.041	0.041	0.041/*0.041	0.041/*0.041	----	0.025	NEW	.0091	----	----	8	----	8 +	8
8850	----	----	----	0.010B/0.117A	----	0.019	- 0.066	.0065	----	----	----	----	4	UNCH
9000	----	----	----	0.001B/0.118A	----	0.009	- 0.043	.0025	----	----	----	----	2	UNCH
9200	----	----	----	0.001B/0.112A	----	0.003	- 0.024	.0006	----	----	----	----	5	UNCH
TOTAL											102	0	362 +	78
JUN26														
6000	----	----	----	----/57.315A	----	20.973	+ 0.679	.9755	----	----	----	----	1	UNCH
7050	----	----	----/*0.782A	0.698B/*0.782A	----	0.659	- 0.175	.1196	----	----	----	----	1	UNCH
7450	----	----	----/*1.573A	1.722B/*1.573A	----	1.420	- 0.311	.2281	----	----	----	----	1	UNCH
7950	----	----	#4.011B/3.368A	4.011B/3.368A	----	3.344	- 0.470	.4205	----	----	----	----	1	UNCH
8000	----	----	#4.340B/3.571A	4.340B/3.571A	----	3.601	- 0.483	.4407	----	----	----	----	1	UNCH
8600	----	----	2.755B/2.141A	2.755B/2.141A	----	2.336	+ 0.091	.3426	----	----	----	----	1	UNCH
10250	----	----	0.439B/----	0.439B/0.518A	----	0.421	- 0.004	.0730	----	----	----	----	1	UNCH
TOTAL												0	7	0
SO CALL		COMEX SILVER OPTIONS												
JUN26														
4300	----	----	38.919B/----	38.919B/37.723A	----	37.865	+ 0.683	.9977	----	----	----	----	20	UNCH
4850	----	----	33.422B/----	33.422B/32.216A	----	32.368	+ 0.682	.9965	----	----	----	----	7	UNCH
4900	----	----	32.922B/----	32.922B/31.725A	----	31.869	+ 0.682	.9963	----	----	----	----	9	UNCH
5000	----	----	31.984B/----	31.984B/30.633A	----	30.870	+ 0.681	.9958	2	----	----	----	365 -	2
5025	----	----	31.674B/----	31.674B/30.478A	----	30.621	+ 0.682	.9958	----	----	----	----	6	UNCH
5050	----	----	31.395B/----	31.395B/30.279A	----	30.371	+ 0.681	.9958	----	----	----	----	1	UNCH
5200	----	----	29.985B/----	29.985B/28.634A	----	28.874	+ 0.680	.9950	----	----	----	----	79	UNCH
5225	----	----	29.647B/----	29.647B/28.530A	----	28.624	+ 0.680	.9949	----	----	----	----	4	UNCH
5275	----	----	29.178B/----	29.178B/27.969A	----	28.125	+ 0.679	.9947	----	----	----	----	7	UNCH
5300	----	----	28.899B/----	28.899B/27.780A	----	27.876	+ 0.679	.9945	----	----	----	----	3	UNCH
5325	----	----	28.649B/----	28.649B/27.531A	----	27.626	+ 0.679	.9943	----	----	----	----	5	UNCH
5350	----	----	28.429B/----	28.429B/27.231A	----	27.377	+ 0.679	.9942	----	----	----	----	7	UNCH
5400	----	----	27.901B/----	27.901B/26.768A	----	26.878	+ 0.678	.9938	----	----	----	----	2	UNCH
5425	----	----	27.681B/----	27.681B/26.471A	----	26.629	+ 0.678	.9937	----	----	----	----	9	UNCH
5500	----	----	26.992B/----	26.992B/25.639A	----	25.881	+ 0.677	.9931	----	----	----	----	344	UNCH
5525	----	----	26.655B/----	26.655B/25.533A	----	25.632	+ 0.677	.9930	----	----	----	----	2	UNCH
5600	----	----	25.937B/----	25.937B/24.735A	----	24.884	+ 0.675	.9923	----	----	----	----	7	UNCH
5625	----	----	25.688B/----	25.688B/24.486A	----	24.635	+ 0.675	.9923	----	----	----	----	11	UNCH
5675	----	----	25.161B/----	25.161B/24.036A	----	24.137	+ 0.674	.9918	----	----	----	----	3	UNCH
5700	----	----	24.995B/----	24.995B/23.644A	----	23.887	+ 0.672	.9915	----	----	----	----	56	UNCH
5725	----	----	24.693B/----	24.693B/23.489A	----	23.638	+ 0.672	.9913	----	----	----	----	10	UNCH
5750	----	----	24.444B/----	24.444B/23.237A	----	23.389	+ 0.671	.9912	----	----	----	----	13	UNCH
5775	----	----	24.166B/----	24.166B/23.039A	----	23.140	+ 0.670	.9909	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
5800	----	----	23.924B/----	23.924B/22.795A	----	22.891 + 0.669	.9907	----	----	----	----	2 UNCH
5825	----	----	23.669B/----	23.669B/22.540A	----	22.642 + 0.668	.9904	----	----	----	----	1 UNCH
5850	----	----	23.450B/----	23.450B/22.243A	----	22.393 + 0.666	.9901	----	----	----	----	9 UNCH
5900	----	----	22.924B/----	22.924B/21.794A	----	21.894 + 0.662	.9897	----	----	----	----	4 UNCH
5925	----	----	22.705B/----	22.705B/21.496A	----	21.645 + 0.660	.9895	----	----	----	----	17 UNCH
6000	----	----	22.033B/----	22.033B/20.651A	----	20.898 + 0.658	.9886	----	----	----	----	401 UNCH
6025	----	----	21.713B/----	21.713B/20.502A	----	20.650 + 0.659	.9883	----	----	----	----	7 UNCH
6050	----	----	21.437B/----	21.437B/20.302A	----	20.401 + 0.658	.9880	----	----	----	----	4 UNCH
6075	----	----	21.249B/----	21.249B/19.966A	----	20.152 + 0.656	.9875	----	----	----	----	30 UNCH
6100	----	----	20.970B/----	20.970B/19.758A	----	19.904 + 0.656	.9871	----	----	----	----	16 UNCH
6200	----	----	20.054B/----	20.054B/18.667A	----	18.913 + 0.652	.9849	----	----	----	----	101 UNCH
6225	----	----	19.706B/----	19.706B/18.568A	----	18.666 + 0.650	.9842	----	----	----	----	1 UNCH
6250	----	----	19.468B/----	19.468B/18.265A	----	18.419 + 0.648	.9834	----	----	----	----	4 UNCH
6300	----	----	18.976B/----	18.976B/17.772A	----	17.927 + 0.645	.9818	----	----	----	----	4 UNCH
6400	----	----	18.083B/----	18.083B/16.700A	----	16.945 + 0.631	.9776	----	----	----	----	110 UNCH
6425	----	----	17.808B/----	17.808B/16.512A	----	16.700 + 0.627	.9764	----	----	----	----	25 UNCH
6450	----	----	17.506B/----	17.506B/16.355A	----	16.455 + 0.623	.9752	----	----	----	----	5 UNCH
6475	----	----	17.275B/----	17.275B/16.060A	----	16.211 + 0.619	.9739	----	----	----	----	7 UNCH
6500	----	----	17.031B/----	17.031B/15.816A	----	15.966 + 0.615	.9727	----	----	----	----	13 UNCH
6625	----	----	15.813B/----	15.813B/14.604A	----	14.750 + 0.602	.9649	----	----	----	----	10 UNCH
6700	----	----	15.084B/----	15.084B/13.883A	----	14.026 + 0.595	.9589	----	----	----	----	1 UNCH
6725	----	----	14.844B/----	14.844B/13.644A	----	13.786 + 0.592	.9567	----	----	----	----	1 UNCH
6750	----	----	14.606B/----	14.606B/13.406A	----	13.547 + 0.588	.9542	----	----	----	----	3 UNCH
6800	----	----	14.132B/----	14.132B/12.932A	----	13.072 + 0.580	.9489	----	----	----	----	9 UNCH
6850	----	----	13.660B/----	13.660B/12.464A	----	12.601 + 0.570	.9429	----	----	----	----	5 UNCH
6900	----	----	13.199B/----	13.199B/12.003A	----	12.133 + 0.558	.9361	----	----	----	----	16 UNCH
6925	----	----	12.959B/----	12.959B/11.772A	----	11.901 + 0.551	.9323	----	----	----	----	9 UNCH
6975	----	----	12.487B/----	12.487B/11.304A	----	11.441 + 0.538	.9243	----	----	----	----	7 UNCH
7000	----	----	12.345B/----	12.345B/10.986A	----	11.213 + 0.532	.9199	----	----	----	----	127 UNCH
7025	----	----	12.036B/----	12.036B/10.859A	----	10.986 + 0.525	.9153	----	----	----	----	1 UNCH
7050	----	----	11.808B/----	11.808B/10.636A	----	10.761 + 0.519	.9106	----	----	----	----	2 UNCH
7075	----	----	11.588B/----	11.588B/10.414A	----	10.537 + 0.512	.9055	----	----	----	----	4 UNCH
7100	----	----	11.438B/----	11.438B/10.111A	----	10.314 + 0.504	.9003	----	----	----	----	93 UNCH
7150	----	----	10.916B/----	10.916B/9.758A	----	9.874 + 0.490	.8891	----	----	----	----	1 UNCH
7200	----	----	10.487B/----	10.487B/9.321A	----	9.441 + 0.475	.8768	----	----	----	----	6 UNCH
7225	----	----	10.256B/----	10.256B/9.116A	----	9.227 + 0.467	.8703	----	----	----	----	4 UNCH
7250	----	----	10.090B/----	10.090B/8.862A	----	9.016 + 0.459	.8636	----	----	----	----	31 UNCH
7275	----	----	9.823B/----	9.823B/8.699A	----	8.806 + 0.450	.8566	----	----	----	----	2 UNCH
7300	9.011	9.011	9.622B/7.552A	9.622B/7.552A	----	8.598 + 0.440	.8493	----	----	2	----	17 - 2
7325	----	----	9.402B/----	9.402B/8.292A	----	8.393 + 0.430	.8418	----	----	----	----	1 UNCH
7350	----	----	9.199B/----	9.199B/8.080A	----	8.190 + 0.419	.8340	----	----	----	----	23 UNCH
7375	----	----	8.986B/----	8.986B/7.878A	----	7.989 + 0.407	.8259	----	----	----	----	6 UNCH
7400	----	----	8.812B/----	8.812B/7.653A	----	7.791 + 0.395	.8176	----	----	----	----	47 UNCH
7425	----	----	8.600B/----	8.600B/7.460A	----	7.595 + 0.381	.8091	----	----	----	----	31 UNCH
7450	----	----	8.384B/----	8.384B/7.287A	----	7.402 + 0.368	.8002	----	----	----	----	15 UNCH
7475	----	----	8.183B/----	8.183B/7.139A	----	7.212 + 0.355	.7912	----	----	----	----	3 UNCH
7500	7.100	7.100	8.051B/7.050	8.051B/6.867A	----	7.024 + 0.342	.7819	----	----	8	----	253 - 7
7525	----	----	7.800B/----	7.800B/6.725A	----	6.839 + 0.330	.7724	----	----	----	----	12 UNCH
7550	----	----	7.629B/----	7.629B/6.533A	----	6.657 + 0.319	.7626	----	----	----	----	31 UNCH
7575	----	----	7.410B/----	7.410B/6.448A	----	6.477 + 0.308	.7526	----	----	----	----	4 UNCH
7600	----	----	7.287B/----	7.287B/6.144A	----	6.301 + 0.298	.7425	----	----	----	----	82 UNCH
7625	----	----	7.009B/----	7.009B/6.106A	----	6.128 + 0.289	.7321	----	----	----	----	4 UNCH
7650	----	----	6.878B/----	6.878B/5.843A	----	5.957 + 0.280	.7215	----	----	----	----	6 UNCH
7675	----	----	6.704B/----	6.704B/5.676A	----	5.790 + 0.271	.7108	----	----	----	----	9 UNCH
7700	----	----	6.580B/4.888A	6.580B/4.888A	----	5.626 + 0.263	.6999	----	----	----	----	108 UNCH
7725	----	----	6.362B/4.868A	6.362B/4.868A	----	5.465 + 0.254	.6889	----	----	----	----	9 UNCH
7750	----	----	6.237B/4.802A	6.237B/4.802A	----	5.307 + 0.245	.6777	----	----	----	----	80 UNCH
7775	----	----	5.970B/4.333A	5.970B/4.333A	----	5.153 + 0.237	.6664	----	----	----	----	4 UNCH
7800	----	----	5.901B/4.191A	5.901B/4.191A	----	5.002 + 0.228	.6550	----	----	1	----	183 + 1
7825	----	----	5.729B/4.083A	5.729B/4.083A	----	4.854 + 0.220	.6435	----	----	----	----	10 UNCH
7850	----	----	5.492B/3.936A	5.492B/3.936A	----	4.709 + 0.211	.6319	----	----	----	----	3 UNCH
7875	----	----	5.354B/3.822A	5.354B/3.822A	----	4.567 + 0.202	.6202	----	----	----	----	2 UNCH
7900	4.350	4.350	5.280B/3.709A	5.280B/3.709A	----	4.429 + 0.193	.6085	----	----	9	----	85 - 8
7925	----	----	5.134B/3.599A	5.134B/3.599A	----	4.294 + 0.185	.5968	----	----	----	----	12 UNCH
7950	----	----	4.993B/3.495A	4.993B/3.495A	----	4.162 + 0.176	.5850	----	----	----	----	24 UNCH
7975	----	----	4.855B/3.372A	4.855B/3.372A	----	4.033 + 0.168	.5733	----	----	----	----	18 UNCH
8000	3.280	3.280	4.730/3.278A	4.730/3.278A	----	3.908 + 0.160	.5615	----	----	40	----	655 - 2
8025	----	----	4.587B/3.171A	4.587B/3.171A	----	3.785 + 0.151	.5497	----	----	----	----	24 UNCH
8050	4.196	4.196	4.473B/3.095A	4.473B/3.095A	----	3.666 + 0.143	.5380	----	----	6	----	35 + 4
8075	4.073	4.073	4.338B/2.962A	4.338B/2.962A	----	3.550 + 0.135	.5263	----	----	1	----	3 + 1
8100	3.465	3.465	4.300/2.898A	4.300/2.898A	----	3.437 + 0.127	.5147	----	----	49	100	176 + 109
8125	3.865	3.865	4.150B/2.810A	4.150B/2.810A	----	3.326 + 0.118	.5031	----	----	12	----	14 + 10
8150	3.128	3.128	4.049B/2.701A	4.049B/2.701A	----	3.219 + 0.111	.4917	----	----	2	----	56 UNCH
8175	3.035	3.035	3.909B/2.634A	3.909B/2.634A	----	3.115 + 0.103	.4803	----	----	2	----	4 + 1
8200	3.056	3.056	3.820B/2.529A	3.820B/2.529A	----	3.013 + 0.095	.4690	----	----	19	----	222 + 6
8225	2.875	2.875	3.701B/2.460A	3.701B/2.460A	----	2.914 + 0.088	.4578	----	----	2	----	61 + 1
8250	----	----	3.585B/2.362A	3.585B/2.362A	----	2.819 + 0.082	.4467	----	----	1	----	34 + 1
8275	2.618	2.618	3.519B/2.325A	3.519B/2.325A	----	2.725 + 0.074	.4357	----	----	2	----	37 - 1
8300	2.690	2.690	3.406B/2.214A	3.406B/2.214A	----	2.635 + 0.067	.4249	----	----	13	----	115 + 1
8325	----	----	3.310B/2.131A	3.310B/2.131A	----	2.547 + 0.061	.4142	----	----	----	----	9 UNCH
8350	----	----	3.212B/2.066A	3.212B/2.066A	----	2.462 + 0.055	.4037	----	----	1	----	38 UNCH
8375	----	----	3.116B/2.007A	3.116B/2.007A	----	2.380 + 0.049	.3933	----	----	----	----	7 UNCH
8400	2.363	2.363	3.022B/1.934A	3.022B/1.934A	----	2.300 + 0.044	.3831	----	----	56	----	378 + 34
8425	----	----	2.924B/1.872A	2.924B/1.872A	----	2.222 + 0.038	.3730	----	----	----	----	59 UNCH
8450	----	----	2.850B/1.818A	2.850B/1.818A	----	2.147 + 0.033	.3631	----	----	----	----	96 UNCH
8475	----	----	2.761B/1.752A	2.761B/1.752A	----	2.074 + 0.029	.3534	----	----	2	----	7 + 2
8500	2.061	2.061	2.680/1.697A	2.680/1.697A	----	2.003 + 0.024	.3438	----	----	213	----	619 + 5
8525	1.941	1.941	2.592B/1.642A	2.592B/1.642A	----	1.935 + 0.020	.3344	----	----	1	----	19 + 1
8550	----	----	2.516B/1.593A	2.516B/1.593A	----	1.869 + 0.016	.3252	----	----	----	----	21 UNCH
8575	----	----	2.435B/1.538A	2.435B/1.538A	----	1.805 + 0.012	.3162	----	----	----	----	7 UNCH
8600	1.590	1.590	2.367B/1.485A	2.367B/1.485A	----	1.743 + 0.009	.3073	----	----	23	----	586 + 12
8625	----	----	2.289B/1.448A	2.289B/1.448A	----	1.684 + 0.006	.2987	----	----	----	----	17 UNCH
8650	1.630	1.630	2.224B/1.393A	2.224B/1.393A	----	1.626 + 0.003	.2902	----	----	1	----	18 UNCH
8675	1.500	1.500	2.147B/1.345A	2.147B/1.345A	----	1.570 UNCH	.2819	----	----	6	----	67 + 6
8700	1.764	1.764	2.100/1.304A	2.100/1.304A	----	1.516 - 0.003	.2738	----	----	12	----	104 - 1
8725	1.833	1.833	2.022B/1.266A	2.022B/1.266A	----	1.464 - 0.005	.2659	----	----	15	----	42 + 11
8750	1.800	1.800	1.966B/1.224A	1.966B/1.224A	----	1.413 - 0.008	.2581	----	----	7	----	49 + 3
8775	----	----	1.896B/1.185A	1.896B/1.185A	----	1.364 - 0.011	.2506	----	----	----	----	16 UNCH
8800	1.100	1.100	1.845B/1.100	1.845B/1.100	----	1.317 - 0.013	.2432	----	----	14	----	89 + 6
8825	----	----	1.782B/1.104A	1.782B/1.104A	----	1.272 - 0.014	.2361	----	----	----	----	12 UNCH
8850	----	----	1.736B/1.076A	1.736B/1.076A	----	1.228 - 0.017	.2290	----	----	1	----	48 UNCH
8875	----	----	1.676B/1.033A	1.676B/1.033A	----	1.186 - 0.018	.2222	----	----	----	----	29 UNCH
8900	1.640	1.640	1.640/1.007A	1.640/1.007A	----	1.145 - 0.020	.2156	----	----	10	----	99 - 2
8925	----	----	1.569B/0.985A	1.569B/0.985A	----	1.105 - 0.022	.2091	----	----	----	----	7 UNCH
8950	----	----	1.526B/0.956A	1.526B/0.956A	----	1.067 - 0.024	.2028	----	----	----	----	66 UNCH
8975	----	----	1.475B/0.908A	1.475B/0.908A	----	1.030 - 0.026	.1966	----	----	----	----	41 UNCH
9000	1.065	1.065	1.433B/0.890A	1.433B/0.890A	----	0.995 - 0.027	.1907	----	----	14	----	1215 + 3
9025	----	----	1.387B/0.853A	1.387B/0.853A	----	0.961 - 0.028	.1849	----	----	----	----	14 UNCH
9050	----	----	1.346B/0.839A	1.346B/0.839A	----	0.928 - 0.030	.1793	----	----	4	----	31 - 3
9075	----	----	1.301B/0.801A	1.301B/0.801A	----	0.896 - 0.032	.1738	----	----	----	----	10 UNCH
9100	0.950	0.950	1.266B/0.777A	1.266B/0.777A	----	0.865 - 0.033	.1684	----	----	8	----	345 - 1
9125	----	----	1.229B/0.761A	1.229B/0.761A	----	0.836 - 0.034	.1633	----	----	----	----	6 UNCH
9150	0.814	0.814	1.188B/0.742A	1.188B/0.742A	----	0.807 - 0.036	.1582	----	----	2	----	115 - 2
9175	----	----	1.151B/0.720A	1.151B/0.720A	----	0.780 - 0.037	.1534	----	----	----	----	6 UNCH
9200	1.015	1.015	1.119B/0.689A	1.119B/0.689A	----	0.753 - 0.038	.1486	----	----	24	----	138 - 14
9225	0.733	0.733	1.082B/0.671A	1.082B/0.671A	----	0.727 - 0.040	.1440	----	----	1	----	14 UNCH
9250	1.000	1.000	1.053B/0.657A	1.053B/0.657A	----	0.703 - 0.041	.1396	----	----	4	----	11 - 4
9275	----	----	1.017B/0.645A	1.017B/0.645A	----	0.679 - 0.042	.1353	----	----	----	----	11 UNCH
9300	----	----	0.993B/0.621A	0.993B/0.621A	----	0.656 - 0.043	.1311	----	----	2	----	50 UNCH
9325	----	----	0.956B/0.598A	0.956B/0.598A	----	0.634 - 0.044	.1270	----	----	----	----	4 UNCH
9350	----	----	0.937B/0.580A	0.937B/0.580A	----	0.613 - 0.045	.1231	----	----	----	----	25 UNCH
9375	----	----	0.902B/0.560A	0.902B/0.560A	----	0.592 - 0.046	.1192	----	----	----	----	25 UNCH
9400	0.764	0.764	0.881B/0.542A	0.881B/0.542A	----	0.573 - 0.046	.1156	----	----	13	----	84 + 10
9425	----	----	0.849B/0.523A	0.849B/0.523A	----	0.554 - 0.047	.1121	----	----	----	----	57 UNCH
9450	0.717	0.717	0.827B/0.503A	0.827B/0.503A	----	0.535 - 0.048	.1085	----	----	10	----	12 - 8
9475	----	----	0.804B/0.492A	0.804B/0.492A	----	0.518 - 0.048	.1052	----	----	----	----	18 UNCH
9500	0.591	0.591	0.779B/0.475A	0.779B/0.475A	----	0.501 - 0.048	.1020	----	----	8	----	1887 + 1
9525	0.482	0.482	0.757B/0.465A	0.757B/0.465A	----	0.484 - 0.049	.0988	----	----	2	----	3 - 2
9550	----	----	0.731B/0.447A	0.731B/0.447A	----	0.468 - 0.050	.0957	----	----	----	----	7 UNCH
9575	----	----	0.709B/0.435A	0.709B/0.435A	----	0.453 - 0.050	.0928	----	----	----	----	6 UNCH
9600	0.432	0.432	0.691B/0.418A	0.691B/0.418A	----	0.439 - 0.050	.0900	----	----	3	----	48 UNCH
9625	----	----	0.669B/0.410A	0.669B/0.410A	----	0.424 - 0.051	.0872	----	----	----	----	9 UNCH
9650	----	----	0.651B/0.396A	0.651B/0.396A	----	0.411 - 0.050	.0846	----	----	----	----	1 UNCH
9675	0.566	0.566	0.626B/0.382A	0.626B/0.382A	----	0.398 - 0.050	.0820	----	----	1	----	7 + 1
9700	0.548	0.548	0.614B/0.368A	0.614B/0.368A	----	0.385 - 0.051	.0795	----	----	15	----	47 + 7
9725	0.540	0.540	0.594B/0.363A	0.594B/0.363A	----	0.373 - 0.050	.0771	----	----	6	----	7 + 6
9750	----	----	0.575B/0.353A	0.575B/0.353A	----	0.361 - 0.051	.0747	----	----	----	----	29 UNCH
9775	----	----	0.560B/0.343A	0.560B/0.343A	----	0.350 - 0.050	.0725	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL JUN26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
		COMEX SILVER OPTIONS										
9800	----	----	0.544B/0.332A	0.544B/0.332A	----	0.339 - 0.050	.0703	----	----	----	----	48 UNCH
9825	----	----	0.525B/0.323A	0.525B/0.323A	----	0.329 - 0.049	.0683	----	----	----	----	5 UNCH
9850	----	----	0.510B/0.314A	0.510B/0.314A	----	0.319 - 0.049	.0663	----	----	----	----	3 UNCH
9875	----	----	0.494B/0.305A	0.494B/0.305A	----	0.309 - 0.049	.0643	----	----	----	----	16 UNCH
9900	0.414	0.414	0.465B/0.296A	0.465B/0.296A	----	0.300 - 0.048	.0624	----	----	12	----	29 - 4
9925	----	----	0.444B/0.290A	0.444B/0.290A	----	0.291 - 0.048	.0606	----	----	----	----	7 UNCH
9950	----	----	0.436B/0.282A	0.436B/0.282A	----	0.282 - 0.047	.0588	----	----	----	----	6 UNCH
9975	----	----	0.424B/0.274A	0.424B/0.274A	----	0.274 - 0.046	.0571	----	----	----	----	13 UNCH
10000	0.350	0.350	0.414B/0.241	0.414B/0.241	----	0.265 - 0.047	.0553	----	----	150	52	2735 + 17
10025	----	----	0.400B/0.271A	0.400B/0.271A	----	0.258 - 0.045	.0538	----	----	----	----	7 UNCH
10050	----	----	0.394B/0.259A	0.394B/0.259A	----	0.250 - 0.045	.0522	----	----	----	----	14 UNCH
10075	----	----	0.377B/0.261A	0.377B/0.261A	----	0.243 - 0.044	.0507	----	----	----	----	11 UNCH
10100	----	----	0.367B/0.258A	0.367B/0.258A	----	0.236 - 0.043	.0493	----	----	7	----	24 UNCH
10125	----	----	0.351B/0.253A	0.351B/0.253A	----	0.229 - 0.043	.0478	----	----	----	----	1 UNCH
10150	----	----	0.348B/0.249A	0.348B/0.249A	----	0.223 - 0.041	.0466	----	----	----	----	2 UNCH
10175	----	----	0.338B/0.230A	0.338B/0.230A	----	0.217 - 0.040	.0453	----	----	----	----	1 UNCH
10200	0.295	0.295	0.329B/0.226A	0.329B/0.226A	----	0.211 - 0.040	.0441	----	----	3	----	18 UNCH
10225	----	----	0.318B/0.234A	0.318B/0.234A	----	0.205 - 0.039	.0428	----	----	----	----	1 UNCH
10275	0.210	0.210	0.300B/0.210	0.300B/0.210	----	0.195 - 0.037	.0406	----	----	1	----	1 UNCH
10300	----	----	0.295B/0.216A	0.295B/0.216A	----	0.191 - 0.035	.0397	----	----	----	----	12 UNCH
10375	----	----	0.270B/0.203A	0.270B/0.203A	----	0.178 - 0.033	.0369	----	----	----	----	1 UNCH
10400	----	----	0.263B/----	0.263B/0.217A	----	0.175 - 0.031	.0362	----	----	----	----	26 UNCH
10425	----	----	0.256B/0.200A	0.256B/0.200A	----	0.172 - 0.030	.0355	----	----	----	----	1 UNCH
10450	----	----	0.228B/----	0.228B/0.211A	----	0.169 - 0.029	.0348	----	----	----	----	3 UNCH
10475	----	----	0.223B/----	0.223B/0.197A	----	0.166 - 0.028	.0341	----	----	----	----	2 UNCH
10500	----	----	0.218B/----	0.218B/0.199A	----	0.164 - 0.027	.0335	----	----	----	----	316 UNCH
10525	----	----	0.214B/----	0.214B/0.196A	----	0.162 - 0.026	.0330	----	----	----	----	12 UNCH
10550	----	----	0.206B/----	0.206B/0.192A	----	0.160 - 0.025	.0325	----	----	----	----	1 UNCH
10575	----	----	0.206B/----	0.206B/0.188A	----	0.159 - 0.023	.0321	----	----	----	----	4 UNCH
10600	----	----	0.211B/----	0.211B/0.190A	----	0.157 - 0.022	.0316	----	----	----	----	34 UNCH
10625	----	----	0.205B/----	0.205B/0.189A	----	0.155 - 0.021	.0311	----	----	----	----	1 UNCH
10650	----	----	0.185B/----	0.185B/0.185A	----	0.154 - 0.020	.0308	----	----	----	----	2 UNCH
10675	----	----	0.176B/----	0.176B/0.187A	----	0.152 - 0.019	.0303	----	----	----	----	15 UNCH
10700	----	----	0.170B/----	0.170B/0.178A	----	0.150 - 0.018	.0298	----	----	----	----	75 UNCH
10750	----	----	0.164B/----	0.164B/0.176A	----	0.146 - 0.017	.0288	----	----	----	----	5 UNCH
10800	----	----	----	0.150B/0.173A	----	0.142 - 0.016	.0279	----	----	----	----	3 UNCH
10825	----	----	----	0.148B/0.169A	----	0.140 - 0.015	.0274	----	----	----	----	1 UNCH
10850	----	----	----	0.144B/0.168A	----	0.137 - 0.015	.0268	----	----	----	----	12 UNCH
10875	----	----	----	0.141B/0.166A	----	0.135 - 0.015	.0264	----	----	----	----	6 UNCH
10900	----	----	----	0.137B/0.161A	----	0.133 - 0.014	.0259	----	----	----	----	22 UNCH
10925	----	----	----	0.133B/0.161A	----	0.131 - 0.014	.0255	----	----	----	----	2 UNCH
10950	----	----	----	0.133B/0.157A	----	0.129 - 0.013	.0250	----	----	----	----	4 UNCH
11000	0.111	0.111	0.160/0.111	0.160/0.111	----	0.124 - 0.013	.0240	----	----	7	----	428 + 1
11025	----	----	----	0.123B/0.151A	----	0.122 - 0.013	.0235	----	----	----	----	1 UNCH
11050	----	----	----	0.120B/0.151A	----	0.120 - 0.012	.0231	----	----	----	----	4 UNCH
11075	----	----	----	0.115B/0.147A	----	0.118 - 0.012	.0227	----	----	----	----	5 UNCH
11100	----	----	----	0.114B/0.146A	----	0.115 - 0.013	.0221	----	----	----	----	3 UNCH
11125	----	----	----	0.112B/0.144A	----	0.113 - 0.012	.0217	----	----	----	----	5 UNCH
11175	----	----	----	0.108B/0.138A	----	0.109 - 0.012	.0209	----	----	----	----	3 UNCH
11200	----	----	----	0.105B/0.141A	----	0.107 - 0.011	.0204	----	----	----	----	8 UNCH
11225	----	----	----	0.103B/0.138A	----	0.105 - 0.011	.0200	----	----	----	----	3 UNCH
11250	----	----	----	0.100B/0.135A	----	0.103 - 0.011	.0196	----	----	----	----	1 UNCH
11300	----	----	----	0.100B/0.132A	----	0.099 - 0.011	.0188	----	----	----	----	2 UNCH
11325	----	----	----	0.099B/0.130A	----	0.097 - 0.011	.0184	----	----	----	----	6 UNCH
11350	----	----	----	0.090B/0.127A	----	0.095 - 0.011	.0180	----	----	----	----	3 UNCH
11375	----	----	----	0.092B/0.129A	----	0.093 - 0.011	.0176	----	----	----	----	2 UNCH
11400	----	----	----	0.090B/0.126A	----	0.091 - 0.011	.0173	----	----	----	----	163 UNCH
11425	----	----	----	0.087B/0.123A	----	0.089 - 0.011	.0169	----	----	----	----	12 UNCH
11450	----	----	----	0.087B/0.122A	----	0.087 - 0.012	.0165	----	----	----	----	13 UNCH
11475	----	----	----	0.086B/0.121A	----	0.086 - 0.011	.0162	----	----	----	----	8 UNCH
11500	0.084	0.084	0.084/0.084	0.084/0.084	----	0.084 - 0.011	.0159	----	----	1	68	266 UNCH
11525	----	----	----	0.082B/0.118A	----	0.083 - 0.011	.0156	----	----	----	----	8 UNCH
11550	----	----	----	0.075B/0.099A	----	0.082 - 0.011	.0154	----	----	----	----	1 UNCH
11575	----	----	----	0.074B/0.103A	----	0.080 - 0.011	.0150	----	----	----	----	4 UNCH
11600	----	----	----	0.071B/0.115A	----	0.079 - 0.011	.0148	----	----	----	----	1 UNCH
11625	----	----	----	0.073B/0.107A	----	0.078 - 0.011	.0146	----	----	----	----	21 UNCH
11675	----	----	----	0.065B/0.110A	----	0.076 - 0.010	.0142	----	----	----	----	2 UNCH
11700	----	----	----	0.061B/0.110A	----	0.075 - 0.010	.0139	----	----	----	----	8 UNCH
11725	----	----	----	0.060B/0.103A	----	0.073 - 0.011	.0136	----	----	----	----	2 UNCH
11750	----	----	----	0.059B/0.108A	----	0.072 - 0.011	.0134	----	----	----	----	15 UNCH
11775	----	----	----	0.058B/0.106A	----	0.071 - 0.010	.0132	----	----	----	----	2 UNCH
11800	----	----	----	0.059B/0.105A	----	0.070 - 0.010	.0129	----	----	----	----	6 UNCH
11825	----	----	----	0.052B/0.106A	----	0.069 - 0.010	.0127	----	----	----	----	9 UNCH
11850	----	----	----	0.050B/0.105A	----	0.068 - 0.010	.0125	----	----	----	----	5 UNCH
11875	----	----	----	0.056B/0.104A	----	0.067 - 0.010	.0123	----	----	----	----	1 UNCH
11900	----	----	----	0.048B/0.118A	----	0.066 - 0.010	.0121	----	----	----	----	1 UNCH
11925	----	----	----	0.046B/0.117A	----	0.065 - 0.009	.0119	----	----	----	----	8 UNCH
11950	----	----	----	0.045B/0.099A	----	0.063 - 0.010	.0116	----	----	----	----	6 UNCH
11975	----	----	----	0.044B/0.115A	----	0.062 - 0.010	.0114	----	----	----	----	1 UNCH
12000	0.081	0.081	0.081/0.076A	0.081/0.076A	----	0.061 - 0.010	.0112	----	----	1	----	372 - 1
12025	----	----	----	0.042B/0.113A	----	0.060 - 0.010	.0110	----	----	----	----	11 UNCH
12050	----	----	----	0.041B/0.113A	----	0.059 - 0.010	.0108	----	----	----	----	1 UNCH
12075	----	----	----	0.041B/0.110A	----	0.058 - 0.010	.0106	----	----	----	----	1 UNCH
12125	----	----	----	0.038B/0.109A	----	0.056 - 0.010	.0102	----	----	----	----	1 UNCH
12200	----	----	----	0.036B/0.109A	----	0.054 - 0.009	.0098	----	----	----	----	13 UNCH
12225	----	----	----	0.035B/0.105A	----	0.053 - 0.009	.0096	----	----	----	----	7 UNCH
12275	----	----	----	0.033B/0.107A	----	0.051 - 0.009	.0092	----	----	----	----	1 UNCH
12325	----	----	----	0.032B/0.106A	----	0.049 - 0.009	.0088	----	----	----	----	4 UNCH
12350	----	----	----	0.031B/0.105A	----	0.049 - 0.008	.0088	----	----	----	----	5 UNCH
12400	----	----	----	0.029B/0.104A	----	0.047 - 0.008	.0084	----	----	----	----	23 UNCH
12425	----	----	----	0.029B/0.103A	----	0.046 - 0.008	.0082	----	----	----	----	1 UNCH
12450	----	----	----	0.028B/0.103A	----	0.045 - 0.009	.0081	----	----	----	----	9 UNCH
12475	----	----	----	0.027B/0.102A	----	0.045 - 0.008	.0080	----	----	----	----	1 UNCH
12500	----	----	----	0.027B/0.072A	----	0.044 - 0.008	.0079	----	----	----	----	109 UNCH
12525	----	----	----	0.026B/0.099A	----	0.043 - 0.008	.0077	----	----	----	----	37 UNCH
12550	----	----	----	0.026B/0.100A	----	0.043 - 0.007	.0076	----	----	----	----	6 UNCH
12575	----	----	----	0.025B/0.098A	----	0.042 - 0.008	.0075	----	----	----	----	2 UNCH
12600	----	----	----	0.024B/0.097A	----	0.042 - 0.007	.0074	----	----	----	----	9 UNCH
12650	----	----	----	0.023B/0.097A	----	0.041 - 0.007	.0072	----	----	----	----	2 UNCH
12675	----	----	----	0.022B/0.097A	----	0.040 - 0.008	.0071	----	----	----	----	2 UNCH
12700	----	----	----	0.022B/0.095A	----	0.040 - 0.007	.0070	----	----	----	----	11 UNCH
12725	----	----	----	0.021B/0.095A	----	0.039 - 0.008	.0069	----	----	----	----	2 UNCH
12750	----	----	----	0.020B/0.095A	----	0.039 - 0.007	.0068	----	----	----	----	2 UNCH
12775	----	----	----	0.020B/0.094A	----	0.038 - 0.008	.0067	----	----	----	----	7 UNCH
12800	----	----	----	0.020B/0.094A	----	0.038 - 0.007	.0066	----	----	----	----	34 UNCH
12900	----	----	----	0.018B/0.095A	----	0.036 - 0.007	.0063	----	----	----	----	6 UNCH
13000	----	----	----	0.015B/0.099A	----	0.035 - 0.006	.0060	----	----	----	----	522 UNCH
13100	----	----	----	0.014B/0.100A	----	0.033 - 0.007	.0057	----	----	----	----	4 UNCH
13200	----	----	----	0.012B/0.098A	----	0.031 - 0.007	.0053	----	----	----	----	3 UNCH
13300	----	----	----	0.007B/0.096A	----	0.030 - 0.006	.0051	----	----	----	----	3 UNCH
13400	----	----	----	0.005B/0.094A	----	0.028 - 0.007	.0047	----	----	----	----	5 UNCH
13500	----	----	----	0.005B/0.083A	----	0.027 - 0.006	.0045	----	----	----	----	26 UNCH
13600	----	----	----	0.005B/0.091A	----	0.026 - 0.006	.0043	----	----	----	----	7 UNCH
13700	----	----	----	0.002B/0.089A	----	0.025 - 0.005	.0041	----	----	----	----	5 UNCH
13800	----	----	----	0.003B/0.087A	----	0.024 - 0.005	.0039	----	----	----	----	1 UNCH
13900	----	----	----	0.001B/0.086A	----	0.023 - 0.005	.0038	----	----	----	----	3 UNCH
14000	----	----	----	0.001B/0.084A	----	0.022 - 0.005	.0036	----	----	----	----	337 UNCH
14200	----	----	----	----/0.080A	----	0.021 - 0.005	.0034	----	----	----	----	60 UNCH
14300	----	----	----	----/0.079A	----	0.020 - 0.005	.0032	----	----	----	----	1 UNCH
14400	----	----	----	----/0.077A	----	0.019 - 0.005	.0030	----	----	----	----	65 UNCH
14500	----	----	----	----/0.076A	----	0.019 - 0.005	.0030	----	----	----	----	31 UNCH
14600	----	----	----	----/0.074A	----	0.018 - 0.005	.0028	----	----	----	----	7 UNCH
14700	----	----	----	----/0.073A	----	0.018 - 0.005	.0028	----	----	----	----	11 UNCH
14800	----	----	----	----/0.072A	----	0.018 - 0.004	.0028	----	----	----	----	10 UNCH
14900	----	----	----	----/0.071A	----	0.017 - 0.005	.0026	----	----	----	----	6 UNCH
15000	----	----	----	----/0.040A	----	0.017 - 0.004	.0026	----	----	----	----	146 UNCH
15300	----	----	----	----/0.067A	----	0.015 - 0.005	.0022	----	----	----	----	2 UNCH
15400	----	----	----	----/0.066A	----	0.015 - 0.004	.0022	----	----	----	----	1 UNCH
15500	----	----	----	----/0.065A	----	0.015 - 0.004	.0022	----	----	----	----	6 UNCH
15600	----	----	----	----/0.065A	----	0.014 - 0.004	.0021	----	----	----	----	1 UNCH
15700	----	----	----	----/0.064A	----	0.014 - 0.004	.0020	----	----	----	----	1 UNCH
15800	----	----	----	----/0.063A	----	0.014 - 0.004	.0020	----	----	----	----	6 UNCH
15900	----	----	----	----/0.063A	----	0.013 - 0.004	.0019	----	----	----	----	8 UNCH
16000	----	----	----	0.010B/0.062A	----	0.013 - 0.004	.0019	----	----	----	----	199 UNCH
16200	----	----	----	----/0.061A	----	0.012 - 0.004	.0017	----	----	----	----	36 UNCH
16400	----	----	----	----/0.060A	----	0.012 - 0.003	.0017	----	----	----	----	1 UNCH
16500	----	----	----	----/0.059A	----	0.011 - 0.004	.0015	----	----	----	----	30 UNCH
16600	----	----	----	----/0.059A	----	0.011 - 0.004	.0015	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
16700	----	----	----	----/0.058A	----	0.011 - 0.003	.0015	----	----	----	----	7 UNCH
16800	----	----	----	----/0.060A	----	0.011 - 0.003	.0015	----	----	----	----	3 UNCH
17000	----	----	----	----/0.057A	----	0.010 - 0.003	.0014	----	----	----	----	27 UNCH
17100	----	----	----	----/*0.059A	----	0.010 - 0.003	.0013	----	----	----	----	5 UNCH
17200	----	----	----	----/0.061A	----	0.010 - 0.003	.0013	----	----	----	----	5 UNCH
17300	----	----	----	----/*0.059A	----	0.009 - 0.003	.0012	----	----	----	----	11 UNCH
17400	----	----	----	----/0.059A	----	0.009 - 0.003	.0012	----	----	----	----	2 UNCH
17500	----	----	----	----/0.057A	----	0.009 - 0.003	.0012	----	----	----	----	63 UNCH
17700	----	----	----	----/0.060A	----	0.008 - 0.003	.0011	----	----	----	----	3 UNCH
17800	----	----	----	----/0.058A	----	0.008 - 0.003	.0010	----	----	----	----	3 UNCH
18000	----	----	----	----/0.201A	----	0.008 - 0.002	.0010	----	----	----	----	46 UNCH
18100	----	----	----	----/0.203A	----	0.008 - 0.002	.0010	----	----	----	----	2 UNCH
18300	----	----	----	----/0.206A	----	0.007 - 0.003	.0009	----	----	----	----	1 UNCH
18900	----	----	----	----/0.215A	----	0.006 - 0.002	.0007	----	----	----	----	1 UNCH
19000	----	----	----	----/0.160A	----	0.006 - 0.002	.0007	----	----	----	----	229 UNCH
19500	----	----	----	----/0.223A	----	0.005 - 0.002	.0006	----	----	----	----	126 UNCH
19600	----	----	----	----/0.224A	----	0.005 - 0.002	.0006	----	----	----	----	2 UNCH
19900	----	----	----	----/0.228A	----	0.005 - 0.001	.0006	----	----	----	----	28 UNCH
20000	----	----	----	0.003B/0.050A	----	0.004 - 0.002	.0005	----	----	----	----	240 UNCH
21000	----	----	----	----/0.241A	----	0.003 - 0.002	.0003	----	----	----	----	20 UNCH
23000	----	----	----	----/0.257A	----	0.002 - 0.001	.0002	----	----	----	----	14 UNCH
25000	----	----	----	----/0.014A	----	0.001 - 0.001	.0001	----	----	----	----	302 UNCH
27000	----	----	----	----/0.277A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	31 UNCH
32000	----	----	----	----/0.289A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
35000	----	----	----	----/0.003A	----	0.001 UNCH	----	----	----	----	----	45 UNCH
TOTAL										830	220	19359 + 197
JUL26												
2700	----	----	54.886B/----	54.886B/53.804A	----	53.865 + 0.685	.9990	----	----	----	----	1 UNCH
3900	----	----	----	----	----	41.865 + 0.685	.9958	----	----	----	----	0 UNCH
4000	----	----	41.893B/----	41.893B/40.816A	----	40.865 + 0.685	.9955	----	----	----	----	1 UNCH
4500	----	----	36.908B/----	36.908B/35.679A	----	35.868 + 0.685	.9930	----	----	----	----	28 UNCH
4600	----	----	35.950B/----	35.950B/34.650A	----	34.871 + 0.685	.9921	----	----	----	----	124 UNCH
4700	----	----	34.900B/----	34.900B/33.815A	----	33.876 + 0.687	.9910	----	----	----	----	1 UNCH
4750	----	----	34.402B/----	34.402B/33.317A	----	33.378 + 0.686	.9904	----	----	----	----	1 UNCH
4825	----	----	33.651B/----	33.651B/32.523A	----	32.633 + 0.688	.9895	----	----	----	----	3 UNCH
4900	----	----	32.907B/----	32.907B/31.775A	----	31.889 + 0.689	.9885	----	----	----	----	1 UNCH
4925	----	----	32.662B/----	32.662B/31.489A	----	31.641 + 0.689	.9881	----	----	----	----	16 UNCH
5000	----	----	32.014B/----	32.014B/30.643A	----	30.897 + 0.689	.9871	----	----	----	----	307 UNCH
5025	----	----	31.668B/----	31.668B/30.559A	----	30.649 + 0.689	.9866	----	----	----	----	4 UNCH
5050	----	----	31.421B/----	31.421B/30.311A	----	30.401 + 0.688	.9863	----	----	----	----	2 UNCH
5100	----	----	31.027B/----	31.027B/29.653A	----	29.906 + 0.687	.9854	----	----	----	----	133 UNCH
5150	----	----	30.443B/----	30.443B/29.266A	----	29.411 + 0.684	.9846	----	----	----	----	6 UNCH
5200	----	----	29.998B/----	29.998B/28.726A	----	28.917 + 0.682	.9837	----	----	----	----	40 UNCH
5225	----	----	29.715B/----	29.715B/28.527A	----	28.670 + 0.680	.9831	----	----	----	----	9 UNCH
5250	----	----	29.449B/----	29.449B/28.338A	----	28.423 + 0.678	.9827	----	----	----	----	2 UNCH
5275	----	----	29.203B/----	29.203B/28.091A	----	28.177 + 0.677	.9822	----	----	----	----	1 UNCH
5300	----	----	28.977B/----	28.977B/27.783A	----	27.930 + 0.675	.9816	----	----	----	----	7 UNCH
5350	----	----	28.567B/----	28.567B/27.190A	----	27.438 + 0.672	.9804	----	----	----	----	157 UNCH
5375	----	----	28.222B/----	28.222B/27.135A	----	27.192 + 0.670	.9798	----	----	----	----	1 UNCH
5400	----	----	27.997B/----	27.997B/26.808A	----	26.946 + 0.668	.9792	----	----	----	----	21 UNCH
5425	----	----	27.790B/----	27.790B/26.517A	----	26.701 + 0.667	.9785	----	----	----	----	42 UNCH
5450	----	----	27.491B/----	27.491B/26.388A	----	26.456 + 0.666	.9778	----	----	----	----	1 UNCH
5500	----	----	27.102B/----	27.102B/25.722A	----	25.966 + 0.664	.9762	----	----	----	----	496 UNCH
5550	----	----	26.514B/----	26.514B/25.409A	----	25.478 + 0.664	.9746	----	----	----	----	3 UNCH
5600	----	----	26.075B/----	26.075B/24.749A	----	24.990 + 0.662	.9728	----	----	----	----	106 UNCH
5650	----	----	25.556B/----	25.556B/24.339A	----	24.505 + 0.661	.9708	----	----	----	----	43 UNCH
5675	----	----	25.321B/----	25.321B/24.088A	----	24.262 + 0.660	.9697	----	----	----	----	25 UNCH
5700	----	----	25.079B/----	25.079B/23.846A	----	24.020 + 0.659	.9686	----	----	----	----	26 UNCH
5750	----	----	24.626B/----	24.626B/23.299A	----	23.538 + 0.658	.9663	----	----	----	----	164 UNCH
5775	----	----	24.329B/----	24.329B/23.154A	----	23.297 + 0.656	.9650	----	----	----	----	1 UNCH
5800	----	----	24.055B/----	24.055B/22.914A	----	23.056 + 0.655	.9637	----	----	----	----	16 UNCH
5900	----	----	23.165B/----	23.165B/21.966A	----	22.100 + 0.651	.9580	----	----	----	----	10 UNCH
5925	----	----	22.920B/----	22.920B/21.729A	----	21.862 + 0.649	.9565	----	----	----	----	10 UNCH
5950	----	----	22.688B/----	22.688B/21.492A	----	21.624 + 0.647	.9549	----	----	----	----	6 UNCH
5975	----	----	22.451B/----	22.451B/21.264A	----	21.387 + 0.645	.9532	----	----	----	----	20 UNCH
6000	----	----	22.239B/----	22.239B/20.915A	----	21.151 + 0.644	.9515	----	----	----	----	547 UNCH
6050	----	----	21.768B/----	21.768B/20.445A	----	20.679 + 0.639	.9478	----	----	----	----	58 UNCH
6075	----	----	21.473B/----	21.473B/20.321A	----	20.445 + 0.638	.9459	----	----	----	----	1 UNCH
6100	----	----	21.266B/----	21.266B/20.083A	----	20.210 + 0.635	.9439	----	----	----	----	10 UNCH
6200	----	----	20.370B/----	20.370B/19.049A	----	19.280 + 0.625	.9353	----	----	----	----	101 UNCH
6250	----	----	19.860B/----	19.860B/18.692A	----	18.820 + 0.620	.9305	----	----	----	----	1 UNCH
6300	----	----	19.401B/----	19.401B/18.237A	----	18.362 + 0.614	.9255	----	----	----	----	3 UNCH
6350	----	----	18.946B/----	18.946B/17.785A	----	17.909 + 0.609	.9202	----	----	----	----	2 UNCH
6450	----	----	18.044B/----	18.044B/16.893A	----	17.012 + 0.595	.9083	----	----	----	----	1 UNCH
6500	----	----	17.648B/----	17.648B/16.366A	----	16.571 + 0.590	.9018	----	----	----	----	186 UNCH
6600	----	----	16.818B/----	16.818B/15.501A	----	15.701 + 0.577	.8877	----	----	----	----	56 UNCH
6650	----	----	16.384B/----	16.384B/15.075A	----	15.274 + 0.571	.8800	----	----	----	----	102 UNCH
6750	----	----	15.446B/----	15.446B/14.321A	----	14.436 + 0.559	.8635	----	----	----	----	24 UNCH
6800	----	----	15.113B/----	15.113B/13.830A	----	14.025 + 0.552	.8547	----	----	----	----	250 UNCH
6825	----	----	14.813B/----	14.813B/13.708A	----	13.822 + 0.549	.8501	----	----	----	----	6 UNCH
6850	----	----	14.605B/----	14.605B/13.568A	----	13.620 + 0.545	.8454	----	----	----	----	1 UNCH
6875	----	----	14.397B/----	14.397B/13.310A	----	13.420 + 0.541	.8407	----	----	----	----	16 UNCH
6900	----	----	14.291B/----	14.291B/13.029A	----	13.221 + 0.536	.8359	----	----	----	----	99 UNCH
6950	----	----	13.834B/----	13.834B/12.667A	----	12.828 + 0.527	.8260	----	----	----	----	26 UNCH
7000	11.711	11.711	13.498B/11.711	13.498B/11.711	----	12.440 + 0.516	.8157	----	----	2	----	153 UNCH
7025	----	----	13.302B/----	13.302B/12.062A	----	12.249 + 0.510	.8104	----	----	----	----	125 UNCH
7050	----	----	13.024B/----	13.024B/12.006A	----	12.059 + 0.504	.8051	----	----	----	----	1 UNCH
7100	----	----	12.640B/----	12.640B/11.635A	----	11.685 + 0.493	.7942	----	----	----	----	5 UNCH
7150	----	----	12.349B/----	12.349B/11.147A	----	11.317 + 0.481	.7829	----	----	----	----	100 UNCH
7200	----	----	11.906B/----	11.906B/10.834A	----	10.957 + 0.472	.7713	----	----	----	----	12 UNCH
7225	----	----	11.713B/----	11.713B/10.730A	----	10.779 + 0.466	.7654	----	----	----	----	1 UNCH
7250	----	----	11.625B/----	11.625B/10.452A	----	10.604 + 0.460	.7594	----	----	----	----	171 UNCH
7300	----	----	11.264B/----	11.264B/10.106A	----	10.260 + 0.446	.7472	----	----	----	----	104 UNCH
7325	----	----	11.090B/----	11.090B/9.918A	----	10.091 + 0.438	.7409	----	----	----	----	113 UNCH
7350	----	----	10.832B/----	10.832B/9.878A	----	9.924 + 0.430	.7346	----	----	----	----	2 UNCH
7400	----	----	10.530B/----	10.530B/9.479A	----	9.598 + 0.417	.7219	----	----	----	----	15 UNCH
7425	----	----	10.363B/----	10.363B/9.319A	----	9.438 + 0.410	.7154	----	----	----	----	6 UNCH
7450	----	----	10.199B/----	10.199B/9.159A	----	9.280 + 0.404	.7088	----	----	----	----	14 UNCH
7475	----	----	9.945B/----	9.945B/9.067A	----	9.125 + 0.397	.7022	----	----	----	----	1 UNCH
7500	----	----	9.927B/----	9.927B/8.845A	----	8.973 + 0.392	.6956	----	----	----	----	294 UNCH
7525	----	----	9.621B/----	9.621B/8.813A	----	8.823 + 0.386	.6889	----	----	----	----	1 UNCH
7550	----	----	9.575B/----	9.575B/8.552A	----	8.675 + 0.379	.6822	----	----	----	----	7 UNCH
7575	----	----	9.426B/----	9.426B/8.406A	----	8.529 + 0.372	.6754	----	----	----	----	20 UNCH
7600	----	----	9.292B/----	9.292B/8.241A	----	8.386 + 0.365	.6686	----	----	----	----	146 UNCH
7650	----	----	8.867B/----	8.867B/8.123A	----	8.107 + 0.353	.6550	----	----	----	----	3 UNCH
7675	----	----	8.837B/----	8.837B/7.842A	----	7.971 + 0.347	.6481	----	----	----	----	7 UNCH
7700	----	----	8.718B/----	8.718B/7.702A	----	7.837 + 0.341	.6413	----	----	----	----	135 UNCH
7750	----	----	8.433B/----	8.433B/7.438A	----	7.575 + 0.331	.6276	----	----	----	----	122 UNCH
7775	----	----	8.190B/----	8.190B/7.354A	----	7.447 + 0.327	.6207	----	----	----	----	5 UNCH
7800	----	----	8.168B/6.432A	8.168B/6.432A	----	7.322 + 0.324	.6139	----	----	21	----	66 + 1
7850	----	----	7.899B/6.207A	7.899B/6.207A	----	7.076 + 0.317	.6002	----	----	----	----	17 UNCH
7900	----	----	7.647B/5.984A	7.647B/5.984A	----	6.838 + 0.311	.5866	----	----	9	----	66 + 1
7925	----	----	7.434B/5.897A	7.434B/5.897A	----	6.722 + 0.308	.5798	----	----	----	----	1 UNCH
7950	----	----	7.357B/5.807A	7.357B/5.807A	----	6.608 + 0.305	.5731	----	----	----	----	1 UNCH
7975	----	----	7.240B/5.708A	7.240B/5.708A	----	6.496 + 0.302	.5664	----	----	----	----	4 UNCH
8000	5.575	5.575	7.166B/5.575	7.166B/5.575	----	6.385 + 0.299	.5597	----	----	57	----	658 + 12
8025	----	----	7.053B/5.486A	7.053B/5.486A	----	6.276 + 0.295	.5530	----	----	----	----	10 UNCH
8050	----	----	6.940B/5.382A	6.940B/5.382A	----	6.168 + 0.290	.5463	----	----	----	----	22 UNCH
8075	----	----	6.831B/5.307A	6.831B/5.307A	----	6.063 + 0.286	.5397	----	----	----	----	13 UNCH
8100	5.950	5.950	6.719B/5.205A	6.719B/5.205A	----	5.958 + 0.281	.5331	----	----	5	----	70 + 3
8150	----	----	6.575B/5.034A	6.575B/5.034A	----	5.754 + 0.269	.5201	----	----	----	----	17 UNCH
8175	----	----	6.466B/4.951A	6.466B/4.951A	----	5.655 + 0.263	.5136	----	----	----	----	2 UNCH
8200	6.180	6.180	6.383B/4.856A	6.383B/4.856A	----	5.557 + 0.257	.5072	----	----	1	----	171 - 1
8225	----	----	6.258B/4.785A	6.258B/4.785A	----	5.461 + 0.250	.5008	----	----	----	----	2 UNCH
8250	----	----	6.182B/4.719A	6.182B/4.719A	----	5.366 + 0.243	.4945	----	----	1	----	148 + 1
8275	----	----	6.057B/4.632A	6.057B/4.632A	----	5.273 + 0.236	.4882	----	----	1	----	1 UNCH
8300	----	----	5.981B/4.542A	5.981B/4.542A	----	5.181 + 0.229	.4820	----	----	20	----	471 + 20
8325	5.515	5.515	5.864B/4.470A	5.864B/4.470A	----	5.091 + 0.222	.4758	----	----	1	----	4 UNCH
8350	----	----	5.769B/4.406A	5.769B/4.406A	----	5.003 + 0.215	.4696	----	----	----	----	16 UNCH
8375	----	----	5.692B/4.350A	5.692B/4.350A	----	4.916 + 0.207	.4635	----	----	----	----	49 UNCH
8400	5.542	5.542	5.614B/4.245A	5.614B/4.245A	----	4.831 + 0.200	.4575	----	----	24	----	37 + 5
8425	----	----	5.532B/4.183A	5.532B/4.183A	----	4.748 + 0.194	.4515	----	----	----	----	12 UNCH
8450	----	----	5.416B/4.107A	5.416B/4.107A	----	4.666 + 0.187	.4456	----	----	----	----	11 UNCH
8500	3.920	3.920	5.270B/3.920	5.270B/3.920	----	4.508 + 0.175	.4339	----	----	31	----	937 + 14
8525	----	----	5.164B/3.911A	5.164B/3.911A	----	4.431 + 0.169	.4281	----	----	----	----	1 UNCH
8550	5.082	5.082	5.095B/3.867A	5.095B/3.867A	----	4.356 + 0.164	.4225	----	----	2	----	246 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
8600	4.623	4.623	4.934B/3.715A	4.934B/3.715A	----	4.211 + 0.154	.4113	----	----	1	----	110 + 1
8625	----	----	4.864B/3.687A	4.864B/3.687A	----	4.140 + 0.149	.4058	----	----	----	----	1 UNCH
8650	----	----	4.769B/3.594A	4.769B/3.594A	----	4.072 + 0.145	.4004	----	----	----	----	21 UNCH
8675	----	----	4.691B/3.559A	4.691B/3.559A	----	4.004 + 0.141	.3951	----	----	----	----	9 UNCH
8700	4.551	4.551	4.632B/3.477A	4.632B/3.477A	----	3.938 + 0.137	.3898	----	----	15	----	111 - 8
8725	----	----	4.548B/3.435A	4.548B/3.435A	----	3.873 + 0.133	.3845	----	----	----	----	5 UNCH
8750	4.413	4.413	4.488B/3.363A	4.488B/3.363A	----	3.810 + 0.130	.3794	----	----	8	----	79 + 8
8775	4.355	4.355	4.407B/3.319A	4.407B/3.319A	----	3.748 + 0.126	.3743	----	----	1	----	2 + 1
8800	3.990	3.990	4.343/3.259A	4.343/3.259A	----	3.688 + 0.124	.3693	----	----	4	----	14 UNCH
8825	----	----	4.278B/3.213A	4.278B/3.213A	----	3.628 + 0.120	.3644	----	----	----	----	2 UNCH
8850	----	----	4.205B/3.163A	4.205B/3.163A	----	3.570 + 0.117	.3595	----	----	----	----	4 UNCH
8900	----	----	4.091B/3.059A	4.091B/3.059A	----	3.457 + 0.112	.3499	----	----	----	----	118 UNCH
8925	----	----	4.029B/3.016A	4.029B/3.016A	----	3.402 + 0.109	.3452	----	----	----	----	7 UNCH
8950	3.904	3.904	3.950B/2.971A	3.950B/2.971A	----	3.348 + 0.106	.3406	----	----	2	----	8 + 2
9000	2.686	2.686	3.847B/2.686	3.847B/2.686	----	3.244 + 0.100	.3316	----	----	50	50	1105 + 60
9050	----	----	3.723B/2.792A	3.723B/2.792A	----	3.144 + 0.095	.3228	----	----	----	----	7 UNCH
9075	----	----	3.694B/2.742A	3.694B/2.742A	----	3.095 + 0.092	.3184	----	----	----	----	1 UNCH
9100	----	----	3.613B/2.706A	3.613B/2.706A	----	3.047 + 0.089	.3142	----	----	----	----	32 UNCH
9150	----	----	3.521B/2.633A	3.521B/2.633A	----	2.954 + 0.084	.3059	----	----	1	----	2 + 1
9200	----	----	3.410B/2.548A	3.410B/2.548A	----	2.864 + 0.078	.2977	----	----	----	----	84 UNCH
9225	----	----	3.368B/2.510A	3.368B/2.510A	----	2.821 + 0.076	.2938	----	----	----	----	3 UNCH
9250	----	----	3.311B/2.474A	3.311B/2.474A	----	2.778 + 0.073	.2899	----	----	----	----	8 UNCH
9300	3.185	3.185	3.220B/2.397A	3.220B/2.397A	----	2.695 + 0.068	.2823	----	----	2	----	274 + 2
9350	----	----	3.149B/2.333A	3.149B/2.333A	----	2.615 + 0.063	.2748	----	----	----	----	9 UNCH
9375	----	----	3.104B/2.299A	3.104B/2.299A	----	2.576 + 0.061	.2712	----	----	----	----	1 UNCH
9400	2.734	2.734	3.049B/2.280A	3.049B/2.280A	----	2.538 + 0.059	.2676	----	----	1	----	23 UNCH
9425	2.786	2.786	3.016B/2.236A	3.016B/2.236A	----	2.500 + 0.056	.2641	----	----	2	----	3 + 1
9450	----	----	2.961B/2.203A	2.961B/2.203A	----	2.463 + 0.054	.2606	----	----	----	----	34 UNCH
9475	----	----	2.918B/2.171A	2.918B/2.171A	----	2.427 + 0.053	.2572	----	----	----	----	5 UNCH
9500	2.320	2.320	2.878B/2.130A	2.878B/2.130A	----	2.391 + 0.050	.2538	----	----	41	----	833 - 12
9525	2.539	2.539	2.836B/2.133A	2.836B/2.133A	----	2.356 + 0.049	.2505	----	----	1	----	26 - 1
9550	2.503	2.503	2.782B/2.086A	2.782B/2.086A	----	2.322 + 0.048	.2472	----	----	1	----	6 UNCH
9600	2.520	2.520	2.733B/2.022A	2.733B/2.022A	----	2.255 + 0.045	.2408	----	----	12	----	131 + 3
9625	2.450	2.450	2.693B/2.006A	2.693B/2.006A	----	2.222 NEW	.2376	----	----	5	----	5 + 5
9650	2.420	2.420	2.657B/1.972A	2.657B/1.972A	----	2.190 + 0.042	.2345	----	----	2	----	3 + 1
9675	2.330	2.330	2.620B/1.940A	2.620B/1.940A	----	2.159 + 0.042	.2315	----	----	1	----	9 + 1
9700	2.200	2.200	2.581B/1.921A	2.581B/1.921A	----	2.128 + 0.041	.2285	----	----	5	----	137 UNCH
9725	----	----	2.538B/1.885A	2.538B/1.885A	----	2.097 + 0.040	.2255	----	----	----	----	2 UNCH
9750	----	----	2.510B/1.849A	2.510B/1.849A	----	2.067 + 0.039	.2225	----	----	10	----	103 + 6
9775	----	----	2.448B/1.852A	2.448B/1.852A	----	2.038 + 0.038	.2197	----	----	----	----	31 UNCH
9800	----	----	2.445B/1.804A	2.445B/1.804A	----	2.009 + 0.038	.2168	----	----	----	26	149 + 19
9825	----	----	2.383B/1.778A	2.383B/1.778A	----	1.981 + 0.037	.2140	----	----	----	----	5 UNCH
9850	----	----	2.353B/1.753A	2.353B/1.753A	----	1.953 + 0.037	.2113	----	----	----	----	38 UNCH
9875	----	----	2.319B/1.739A	2.319B/1.739A	----	1.926 + 0.036	.2086	----	----	----	----	1 UNCH
9900	2.286	2.286	2.290B/1.724A	2.290B/1.724A	----	1.899 + 0.036	.2059	----	----	25	----	30 - 15
9925	----	----	2.256B/1.694A	2.256B/1.694A	----	1.872 + 0.034	.2032	----	----	----	----	15 UNCH
9950	----	----	2.242B/1.671A	2.242B/1.671A	----	1.846 + 0.034	.2006	----	----	----	----	1 UNCH
9975	----	----	2.219B/1.675A	2.219B/1.675A	----	1.821 + 0.033	.1981	----	----	----	----	3 UNCH
10000	2.160	2.160	2.200/1.638A	2.200/1.638A	----	1.796 + 0.033	.1956	----	----	53	----	1686 + 30
10025	----	----	2.153B/1.630A	2.153B/1.630A	----	1.772 + 0.032	.1932	----	----	----	----	1 UNCH
10075	1.947	1.947	2.097B/1.580A	2.097B/1.580A	----	1.724 NEW	.1883	----	----	21	----	21 + 21
10100	----	----	2.081B/1.549A	2.081B/1.549A	----	1.701 + 0.029	.1860	----	----	----	----	19 UNCH
10125	1.991	1.991	2.031B/1.513A	2.031B/1.513A	----	1.678 + 0.028	.1836	----	----	1	----	4 - 1
10150	1.965	1.965	2.015B/1.519A	2.015B/1.519A	----	1.655 + 0.027	.1813	----	----	1	----	26 + 1
10200	1.750	1.750	1.985/1.470A	1.985/1.470A	----	1.612 + 0.026	.1768	----	----	2	----	117 UNCH
10250	----	----	1.912B/1.428A	1.912B/1.428A	----	1.569 + 0.023	.1725	----	----	----	----	21 UNCH
10275	----	----	1.895B/1.407A	1.895B/1.407A	----	1.548 + 0.022	.1703	----	----	----	----	5 UNCH
10300	----	----	1.873B/1.400A	1.873B/1.400A	----	1.528 + 0.021	.1682	----	----	----	----	1 UNCH
10325	----	----	1.847B/1.363A	1.847B/1.363A	----	1.508 + 0.020	.1661	----	----	----	----	1 UNCH
10375	----	----	1.798B/1.339A	1.798B/1.339A	----	1.468 + 0.018	.1620	----	----	----	----	18 UNCH
10400	----	----	1.758B/1.321A	1.758B/1.321A	----	1.449 + 0.018	.1601	----	----	----	----	15 UNCH
10425	----	----	1.734B/1.305A	1.734B/1.305A	----	1.429 + 0.016	.1580	----	----	----	----	2 UNCH
10450	1.684	1.684	1.733B/1.291A	1.733B/1.291A	----	1.410 + 0.015	.1561	----	----	1	----	26 + 1
10475	----	----	1.696B/1.274A	1.696B/1.274A	----	1.392 + 0.015	.1542	----	----	----	----	25 UNCH
10500	----	----	1.685B/1.245A	1.685B/1.245A	----	1.373 + 0.014	.1522	----	----	50	----	586 - 10
10525	----	----	1.658B/1.240A	1.658B/1.240A	----	1.355 + 0.013	.1503	----	----	----	----	2 UNCH
10550	----	----	1.646B/1.225A	1.646B/1.225A	----	1.337 + 0.012	.1485	----	----	----	----	6 UNCH
10600	1.600	1.600	1.604B/1.185A	1.604B/1.185A	----	1.302 + 0.011	.1448	----	----	7	----	20 + 3
10675	----	----	1.545B/1.142A	1.545B/1.142A	----	1.251 + 0.010	.1395	----	----	----	----	9 UNCH
10750	----	----	1.483B/1.109A	1.483B/1.109A	----	1.202 + 0.008	.1344	----	----	----	----	55 UNCH
10775	----	----	1.470B/1.099A	1.470B/1.099A	----	1.186 + 0.008	.1327	----	----	----	----	9 UNCH
10800	1.435	1.435	1.451B/1.087A	1.451B/1.087A	----	1.171 + 0.008	.1311	----	----	1	----	35 UNCH
10875	----	----	1.396B/1.053A	1.396B/1.053A	----	1.126 + 0.007	.1264	----	----	----	----	6 UNCH
10900	----	----	1.380B/1.033A	1.380B/1.033A	----	1.112 + 0.008	.1249	----	----	----	----	4 UNCH
11000	0.965	0.965	1.314B/0.939	1.314B/0.939	----	1.057 + 0.009	.1190	----	----	60	----	1414 + 40
11025	1.035	1.035	1.297B/0.972A	1.297B/0.972A	----	1.043 + 0.008	.1176	----	----	11	----	12 + 11
11100	----	----	1.250B/0.938A	1.250B/0.938A	----	1.005 + 0.009	.1135	----	----	----	----	10 UNCH
11125	----	----	1.235B/0.925A	1.235B/0.925A	----	0.993 + 0.010	.1122	----	----	----	----	1 UNCH
11200	----	----	1.190B/0.890A	1.190B/0.890A	----	0.958 + 0.012	.1083	----	----	----	----	8 UNCH
11225	----	----	1.176B/0.883A	1.176B/0.883A	----	0.946 + 0.012	.1071	----	----	----	----	3 UNCH
11250	----	----	1.161B/0.877A	1.161B/0.877A	----	0.935 + 0.013	.1058	----	----	----	----	10 UNCH
11300	----	----	1.133B/0.853A	1.133B/0.853A	----	0.913 + 0.014	.1034	----	----	----	----	51 UNCH
11400	----	----	1.075B/0.818A	1.075B/0.818A	----	0.870 + 0.014	.0988	----	----	----	----	19 UNCH
11425	----	----	1.067B/0.809A	1.067B/0.809A	----	0.860 + 0.015	.0977	----	----	----	----	10 UNCH
11450	----	----	1.054B/0.799A	1.054B/0.799A	----	0.850 + 0.015	.0966	----	----	----	----	3 UNCH
11500	0.750	0.750	1.060/0.750	1.060/0.750	----	0.830 + 0.015	.0944	----	----	6	----	62 + 2
11550	----	----	1.005B/0.782A	1.005B/0.782A	----	0.810 NEW	.0922	----	----	1	----	1 + 1
11600	0.819	0.819	0.983B/0.748A	0.983B/0.748A	----	0.791 + 0.013	.0901	----	----	1	----	2 + 1
11625	----	----	0.971B/0.742A	0.971B/0.742A	----	0.782 + 0.013	.0891	----	----	----	----	2 UNCH
11650	----	----	0.959B/0.730A	0.959B/0.730A	----	0.773 + 0.013	.0881	----	----	----	----	24 UNCH
11675	----	----	0.948B/0.722A	0.948B/0.722A	----	0.763 + 0.011	.0871	----	----	----	----	23 UNCH
11700	----	----	0.937B/0.713A	0.937B/0.713A	----	0.754 + 0.011	.0861	----	----	----	----	22 UNCH
11725	----	----	0.926B/0.703A	0.926B/0.703A	----	0.745 + 0.010	.0851	----	----	----	----	22 UNCH
11750	----	----	0.915B/0.701A	0.915B/0.701A	----	0.736 + 0.009	.0841	----	----	----	----	22 UNCH
11775	----	----	0.900B/0.691A	0.900B/0.691A	----	0.728 + 0.009	.0832	----	----	----	----	23 UNCH
11800	----	----	0.891B/0.684A	0.891B/0.684A	----	0.719 + 0.008	.0822	----	----	----	----	1 UNCH
11875	----	----	0.854B/0.664A	0.854B/0.664A	----	0.694 + 0.005	.0795	----	----	----	----	1 UNCH
11900	----	----	0.801B/----	0.801B/0.699A	----	0.685 + 0.004	.0785	----	----	----	----	1 UNCH
11950	----	----	0.770B/----	0.770B/0.689A	----	0.669 + 0.002	.0767	----	----	----	----	1 UNCH
12000	0.679	0.679	0.764B/0.650	0.764B/0.650	----	0.654 + 0.001	.0751	----	----	3	----	463 + 2
12200	----	----	0.712B/----	0.712B/0.622A	----	0.595 - 0.007	.0686	----	----	----	----	1 UNCH
12225	----	----	0.720B/----	0.720B/0.596A	----	0.588 - 0.008	.0678	----	----	----	----	16 UNCH
12250	----	----	0.703B/----	0.703B/0.611A	----	0.582 - 0.009	.0671	----	----	----	----	6 UNCH
12300	----	----	0.682B/----	0.682B/0.585A	----	0.568 - 0.011	.0656	----	----	----	----	9 UNCH
12375	----	----	0.674B/0.559A	0.674B/0.559A	----	0.550 - 0.012	.0635	----	----	----	----	1 UNCH
12425	----	----	0.669B/0.547A	0.669B/0.547A	----	0.538 - 0.013	.0622	----	----	----	----	1 UNCH
12450	----	----	0.652B/----	0.652B/0.562A	----	0.532 - 0.014	.0615	----	----	----	----	1 UNCH
12475	----	----	0.670B/0.537A	0.670B/0.537A	----	0.526 - 0.015	.0608	----	----	----	----	3 UNCH
12500	----	----	0.638B/----	0.638B/0.536A	----	0.520 - 0.016	.0602	----	----	----	----	104 UNCH
12600	----	----	0.607B/----	0.607B/0.529A	----	0.499 - 0.016	.0578	----	----	----	----	6 UNCH
12725	----	----	0.600B/----	0.600B/0.504A	----	0.474 - 0.017	.0549	----	----	----	----	1 UNCH
12800	0.578	0.578	0.578/0.497A	0.578/0.497A	----	0.460 - 0.018	.0533	----	----	1	----	2 + 1
13000	----	----	0.512B/----	0.512B/0.509A	----	0.426 - 0.017	.0493	----	----	63	----	400 + 2
14000	0.282	0.282	0.314B/0.282	0.314B/0.282	----	0.307 - 0.003	.0352	----	----	2	----	867 + 2
14700	----	----	----	0.230B/0.312A	----	0.252 + 0.004	.0286	----	----	----	----	1 UNCH
15000	----	----	----	0.202B/0.291A	----	0.232 + 0.005	.0262	----	----	8	----	699 UNCH
16000	0.147	0.147	0.166/0.147	0.166/0.147	----	0.181 + 0.006	.0201	----	----	58	----	745 - 4
17000	----	----	----	0.094B/0.207A	----	0.145 + 0.002	.0159	----	----	----	----	22 UNCH
18000	----	----	----	0.066B/0.178A	----	0.118 - 0.006	.0127	----	----	----	----	256 UNCH
19000	----	----	----	0.048B/0.158A	----	0.097 - 0.014	.0104	----	----	----	----	78 UNCH
20000	----	----	----	0.034B/0.125A	----	0.080 - 0.019	.0085	----	----	8	----	1170 UNCH
21000	----	----	----	0.018B/0.144A	----	0.066 - 0.018	.0069	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/0.128A	----	0.037 - 0.008	.0038	----	----	----	----	130 UNCH
25000	----	----	----	0.015B/0.055A	----	0.031 - 0.005	.0032	----	----	----	----	400 UNCH
27000	----	----	----	----/0.128A	----	0.023 - 0.001	.0023	----	----	----	----	4 UNCH
30000	----	----	----	----/0.077A	----	0.016 UNCH	.0016	----	----	----	----	23 UNCH
32000	----	----	----	----/0.180A	----	0.013 UNCH	.0013	----	----	----	----	4 UNCH
35000	----	----	----	0.007B/0.015A	----	0.011 UNCH	.0010	----	----	----	----	85 UNCH
TOTAL										724	76	21944 + 234
AUG26												
5000	----	----	32.571B/----	32.571B/31.445A	----	31.540 + 0.688	.9768	----	----	----	----	2 UNCH
5400	----	----	28.710B/----	28.710B/27.593A	----	27.685 + 0.689	.9611	----	----	----	----	2 UNCH
5500	----	----	27.756B/----	27.756B/26.609A	----	26.738 + 0.690	.9559	----	----	----	----	1 UNCH
6300	----	----	20.475B/----	20.475B/19.403A	----	19.501 + 0.657	.8885	----	----	----	----	7 UNCH
6450	----	----	19.165B/----	19.165B/18.221A	----	18.235 + 0.639	.8698	----	----	----	----	1 UNCH
6500	----	----	18.731B/----	18.731B/17.806A	----	17.823 + 0.633	.8631	----	----	----	----	2 UNCH
6600	----	----	17.870B/----	17.870B/17.015A	----	17.013 + 0.618	.8488	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
6800	----	----	16.391B/----	16.391B/15.370A	----	15.463 + 0.586	.8172	----	----	----	----	7 UNCH
6875	----	----	15.731B/----	15.731B/14.919A	----	14.907 + 0.573	.8043	----	----	----	----	5 UNCH
7000	----	----	14.797B/----	14.797B/14.028A	----	14.012 + 0.549	.7818	----	----	----	----	3 UNCH
7025	----	----	14.617B/----	14.617B/13.852A	----	13.838 + 0.544	.7771	----	----	----	----	5 UNCH
7050	----	----	14.440B/----	14.440B/13.684A	----	13.666 + 0.539	.7724	----	----	----	----	4 UNCH
7100	----	----	14.086B/----	14.086B/13.350A	----	13.327 + 0.529	.7628	----	----	----	----	2 UNCH
7200	----	----	13.387B/----	13.387B/12.684A	----	12.669 + 0.507	.7432	----	----	----	----	1 UNCH
7250	----	----	13.055B/----	13.055B/12.386A	----	12.351 + 0.496	.7332	----	----	----	----	3 UNCH
7300	----	----	12.724B/----	12.724B/12.066A	----	12.040 + 0.485	.7231	----	----	----	----	1 UNCH
7400	----	----	12.087B/----	12.087B/11.484A	----	11.438 + 0.461	.7025	----	----	----	----	2 UNCH
7425	----	----	12.118B/----	12.118B/11.141A	----	11.291 + 0.454	.6973	----	----	----	----	14 UNCH
7475	----	----	11.819B/----	11.819B/10.851A	----	11.003 + 0.441	.6869	----	----	----	----	6 UNCH
7500	----	----	11.674B/----	11.674B/10.711A	----	10.862 + 0.436	.6817	----	----	----	----	37 UNCH
7550	----	----	11.179B/----	11.179B/10.658A	----	10.583 + 0.422	.6712	----	----	----	----	4 UNCH
7600	----	----	11.102B/----	11.102B/10.158A	----	10.310 + 0.408	.6607	----	----	----	----	27 UNCH
7625	----	----	10.967B/----	10.967B/10.024A	----	10.176 + 0.401	.6554	----	----	----	----	18 UNCH
7700	----	----	10.561B/----	10.561B/9.631A	----	9.781 + 0.379	.6396	----	----	----	----	18 UNCH
7725	----	----	10.201B/----	10.201B/9.770A	----	9.653 + 0.372	.6344	----	----	----	----	4 UNCH
7750	----	----	10.069B/----	10.069B/9.652A	----	9.525 + 0.365	.6291	----	----	----	----	1 UNCH
7800	----	----	10.048B/----	10.048B/9.130A	----	9.275 + 0.352	.6186	----	----	----	----	11 UNCH
7850	----	----	9.555B/----	9.555B/9.183A	----	9.030 + 0.340	.6081	----	----	----	----	2 UNCH
7900	----	----	9.305B/8.442A	9.305B/8.442A	----	8.791 + 0.330	.5976	----	----	----	----	1 UNCH
7950	----	----	9.327B/----	9.327B/8.320A	----	8.557 + 0.320	.5871	----	----	----	----	9 UNCH
7975	----	----	8.942B/----	8.942B/8.245A	----	8.443 + 0.315	.5819	----	----	----	----	1 UNCH
8000	----	----	9.099B/7.750A	9.099B/7.750A	----	8.330 + 0.311	.5767	----	----	----	----	51 UNCH
8100	----	----	8.666B/----	8.666B/7.661A	----	7.895 + 0.295	.5561	----	----	1	----	14 UNCH
8150	----	----	8.453B/----	8.453B/7.559A	----	7.687 + 0.287	.5459	----	----	----	----	12 UNCH
8200	----	----	8.242B/----	8.242B/7.304A	----	7.486 + 0.280	.5358	----	----	1	----	4 UNCH
8225	----	----	8.197B/----	8.197B/7.288A	----	7.387 + 0.275	.5307	----	----	----	----	2 UNCH
8250	----	----	8.120B/6.929A	8.120B/6.929A	----	7.291 + 0.271	.5258	----	----	----	----	141 UNCH
8300	----	----	7.896B/----	7.896B/6.970A	----	7.102 + 0.262	.5159	----	----	----	----	8 UNCH
8350	----	----	7.701B/----	7.701B/6.844A	----	6.920 + 0.254	.5061	----	----	----	----	1 UNCH
8375	----	----	7.603B/----	7.603B/6.768A	----	6.831 + 0.250	.5013	----	----	----	----	1 UNCH
8400	----	----	7.510B/----	7.510B/6.655A	----	6.743 + 0.245	.4965	----	----	----	----	7 UNCH
8450	----	----	7.325B/----	7.325B/6.511A	----	6.573 + 0.238	.4871	----	----	----	----	11 UNCH
8500	6.624	6.624	7.169B/6.624	7.169B/6.345A	----	6.408 + 0.231	.4777	----	----	1	----	32 + 1
8550	----	----	6.969B/----	6.969B/6.202A	----	6.249 + 0.225	.4686	----	----	----	----	10 UNCH
8600	----	----	6.844B/5.824A	6.844B/5.824A	----	6.095 + 0.220	.4596	----	----	----	----	227 UNCH
8650	----	----	6.636B/----	6.636B/5.901A	----	5.945 + 0.213	.4507	----	----	----	----	1 UNCH
8700	----	----	6.470B/----	6.470B/5.758A	----	5.801 + 0.208	.4420	----	----	----	----	6 UNCH
8775	----	----	6.240B/----	6.240B/5.573A	----	5.593 + 0.201	.4293	----	----	----	----	2 UNCH
8825	----	----	6.096B/----	6.096B/5.427A	----	5.460 + 0.196	.4210	----	----	----	----	1 UNCH
8850	----	----	6.023B/----	6.023B/5.363A	----	5.394 + 0.192	.4169	----	----	----	----	1 UNCH
8900	----	----	5.881B/----	5.881B/5.245A	----	5.267 + 0.187	.4089	----	----	----	----	7 UNCH
8950	----	----	5.743B/----	5.743B/5.115A	----	5.143 + 0.182	.4010	----	----	----	----	6 UNCH
8975	----	----	5.674B/----	5.674B/5.069A	----	5.082 + 0.178	.3971	----	----	----	----	1 UNCH
9000	5.024	5.024	5.611B/5.024	5.611B/5.002A	----	5.023 + 0.176	.3932	----	----	1	----	19 UNCH
9075	----	----	5.415B/----	5.415B/4.829A	----	4.849 + 0.167	.3819	----	----	----	----	1 UNCH
9100	----	----	5.408B/----	5.408B/4.690A	----	4.793 + 0.164	.3782	----	----	----	----	87 UNCH
9125	----	----	5.292B/----	5.292B/4.724A	----	4.738 + 0.161	.3745	----	----	----	----	1 UNCH
9200	----	----	5.110B/----	5.110B/4.559A	----	4.577 + 0.151	.3638	----	----	----	----	6 UNCH
9225	----	----	5.053B/----	5.053B/4.514A	----	4.525 + 0.148	.3603	----	----	----	----	1 UNCH
9250	----	----	4.996B/----	4.996B/4.461A	----	4.473 + 0.144	.3568	----	----	----	----	12 UNCH
9275	----	----	4.939B/----	4.939B/4.414A	----	4.423 + 0.141	.3534	----	----	----	----	1 UNCH
9400	----	----	4.721B/----	4.721B/4.136A	----	4.182 + 0.124	.3368	----	----	----	----	132 UNCH
9450	----	----	4.564B/----	4.564B/4.084A	----	4.090 + 0.116	.3303	----	----	----	----	19 UNCH
9500	----	----	4.463B/----	4.463B/4.002A	----	4.002 + 0.110	.3241	----	----	----	----	18 UNCH
9575	----	----	4.316B/----	4.316B/3.877A	----	3.874 + 0.099	.3150	----	----	----	----	1 UNCH
9700	----	----	4.090B/----	4.090B/3.682A	----	3.672 + 0.080	.3005	----	----	----	----	7 UNCH
10000	3.300	3.300	3.659B/3.234A	3.659B/3.234A	----	3.235 + 0.023	.2685	----	----	22	----	329 - 9
10200	----	----	3.320B/----	3.320B/3.045A	----	2.974 - 0.021	.2492	----	----	----	----	4 UNCH
10300	2.890	2.890	3.189B/2.860	3.189B/2.860	----	2.853 NEW	.2401	----	----	22	----	22 + 22
10325	----	----	3.156B/----	3.156B/2.917A	----	2.824 - 0.044	.2379	----	----	----	----	1 UNCH
10350	----	----	3.127B/----	3.127B/2.891A	----	2.795 - 0.048	.2357	----	----	----	----	1 UNCH
10375	----	----	3.094B/----	3.094B/2.858A	----	2.767 - 0.052	.2335	----	----	----	----	1 UNCH
10400	----	----	3.065B/----	3.065B/2.839A	----	2.739 - 0.055	.2314	----	----	----	----	2 UNCH
10475	----	----	2.975B/----	2.975B/2.760A	----	2.658 - 0.063	.2252	----	----	----	----	3 UNCH
10500	----	----	3.005B/2.685A	3.005B/2.685A	----	2.632 - 0.064	.2232	----	----	----	----	71 UNCH
10650	----	----	2.786B/----	2.786B/2.604A	----	2.484 - 0.070	.2116	----	----	----	----	1 UNCH
10675	----	----	2.759B/----	2.759B/2.582A	----	2.460 - 0.071	.2097	----	----	----	----	1 UNCH
10700	----	----	2.735B/----	2.735B/2.557A	----	2.437 - 0.071	.2079	----	----	----	----	1 UNCH
10775	----	----	2.658B/----	2.658B/2.487A	----	2.371 - 0.071	.2026	----	----	----	----	3 UNCH
10800	----	----	2.635B/----	2.635B/2.473A	----	2.350 - 0.070	.2009	----	----	----	----	8 UNCH
10825	----	----	2.611B/----	2.611B/2.445A	----	2.329 - 0.069	.1992	----	----	----	----	1 UNCH
11000	----	----	2.362B/----	2.362B/2.369A	----	2.191 - 0.066	.1879	----	----	20	----	238 + 10
11100	----	----	2.362B/----	2.362B/2.224A	----	2.119 - 0.066	.1820	----	----	----	----	20 UNCH
11200	----	----	2.281B/----	2.281B/2.163A	----	2.052 - 0.066	.1763	----	----	----	----	2 UNCH
11400	----	----	2.127B/----	2.127B/2.026A	----	1.928 - 0.064	.1658	----	----	----	----	2 UNCH
11500	----	----	2.110B/1.915A	2.110B/1.915A	----	1.870 - 0.058	.1609	----	----	----	----	122 UNCH
11700	----	----	1.921B/----	1.921B/1.839A	----	1.757 - 0.037	.1514	----	----	----	----	2 UNCH
11850	----	----	1.825B/----	1.825B/1.753A	----	1.677 - 0.015	.1446	----	----	----	----	1 UNCH
12000	1.644	1.644	1.736B/1.644	1.736B/1.644	----	1.599 + 0.005	.1382	----	----	1	----	7 + 1
12050	----	----	1.763B/----	1.763B/1.741A	----	1.574 + 0.012	.1361	----	----	----	----	145 UNCH
12500	----	----	1.334B/----	1.334B/1.514A	----	1.365 + 0.050	.1187	----	----	----	----	114 UNCH
12725	----	----	----	1.213B/1.456A	----	1.272 + 0.059	.1110	----	----	----	----	1 UNCH
12800	----	----	1.183B/----	1.183B/1.426A	----	1.242 + 0.061	.1085	----	----	----	----	1 UNCH
13000	----	----	1.122B/----	1.122B/1.263A	----	1.167 + 0.064	.1022	----	----	----	----	2292 UNCH
14000	----	----	0.914B/----	0.914B/0.898A	----	0.863 + 0.052	.0766	----	----	----	----	15 UNCH
15000	0.770	0.770	0.790/0.688A	0.790/0.688A	----	0.650 + 0.025	.0584	----	----	6	----	39 + 2
16000	----	----	0.527B/----	0.527B/0.611A	----	0.500 + 0.006	.0453	----	----	----	----	1 UNCH
17000	----	----	0.405B/----	0.405B/0.505A	----	0.393 - 0.001	.0358	----	----	5	----	2288 UNCH
18000	----	----	----	0.315B/0.428A	----	0.316 UNCH	.0288	----	----	5	----	9 + 5
19000	----	----	----	0.244B/0.367A	----	0.261 + 0.003	.0238	----	----	----	----	2 UNCH
20000	0.277	0.277	0.277/0.277	0.277/0.277	----	0.222 + 0.006	.0201	----	----	2	----	221 + 1
25000	----	----	----	0.100B/0.160A	----	0.152 + 0.014	.0128	----	----	----	----	3 UNCH
30000	----	----	----	0.025B/0.170A	----	0.091 + 0.008	.0075	----	----	----	----	13 UNCH
32000	----	----	----	0.021B/3.677A	----	0.071 + 0.006	.0059	----	----	----	----	3 UNCH
35000	----	----	----	0.013B/0.069A	----	0.052 + 0.004	.0043	----	----	----	----	4 UNCH
TOTAL										87	0	7050 + 33
SEP26												
5100	----	----	31.348B/----	31.348B/30.935A	----	30.707 + 0.649	.9601	----	----	----	----	1 UNCH
5900	----	----	23.951B/----	23.951B/23.731A	----	23.396 + 0.600	.9062	----	----	----	----	2 UNCH
6000	----	----	23.057B/----	23.057B/22.889A	----	22.533 + 0.592	.8965	----	----	----	----	7 UNCH
6700	----	----	17.340B/----	17.340B/17.374A	----	16.921 + 0.521	.8089	----	----	----	----	1 UNCH
7000	----	----	15.406B/----	15.406B/15.068A	----	14.824 + 0.485	.7607	----	----	----	----	261 UNCH
7125	----	----	14.582B/----	14.582B/14.298A	----	14.020 + 0.468	.7391	----	----	----	----	75 UNCH
7300	----	----	13.495B/----	13.495B/13.289A	----	12.964 + 0.445	.7078	----	----	----	----	145 UNCH
7400	----	----	12.902B/----	12.902B/12.737A	----	12.395 + 0.431	.6895	----	----	----	----	104 UNCH
7500	----	----	12.072B/----	12.072B/12.527A	----	11.853 + 0.418	.6711	----	----	----	----	4 UNCH
7550	----	----	11.747B/----	11.747B/12.062A	----	11.591 + 0.411	.6619	----	----	----	----	2 UNCH
7700	----	----	11.177B/----	11.177B/11.315A	----	10.844 + 0.391	.6343	----	----	----	----	1 UNCH
7800	----	----	10.683B/----	10.683B/10.849A	----	10.376 + 0.378	.6159	----	----	----	----	3 UNCH
8000	----	----	9.912B/----	9.912B/9.174A	----	9.510 + 0.353	.5799	----	----	----	----	268 UNCH
8100	----	----	9.323B/----	9.323B/9.585A	----	9.109 + 0.340	.5622	----	----	----	----	1 UNCH
8200	----	----	8.921B/----	8.921B/8.629A	----	8.728 + 0.328	.5450	----	----	1	----	25 + 1
8400	----	----	8.188B/----	8.188B/8.505A	----	8.021 + 0.304	.5116	----	----	----	----	10 UNCH
8500	----	----	7.861B/----	7.861B/7.526A	----	7.694 + 0.293	.4956	----	----	12	----	232 + 11
8600	----	----	7.522B/----	7.522B/7.248A	----	7.383 + 0.282	.4800	----	----	1	----	73 + 1
8675	----	----	7.140B/----	7.140B/7.766A	----	7.160 + 0.274	.4686	----	----	----	----	5 UNCH
8700	----	----	7.245B/----	7.245B/6.985A	----	7.088 + 0.272	.4648	----	----	----	----	100 UNCH
8800	----	----	6.874B/----	6.874B/7.318A	----	6.808 + 0.262	.4502	----	----	----	----	5 UNCH
8925	----	----	6.452B/----	6.452B/7.064A	----	6.477 + 0.250	.4325	----	----	----	----	2 UNCH
8950	----	----	6.460B/----	6.460B/6.938A	----	6.414 + 0.248	.4290	----	----	----	----	2 UNCH
9000	----	----	6.386B/----	6.386B/6.278A	----	6.289 + 0.243	.4222	----	----	----	----	210 UNCH
9100	----	----	6.089B/----	6.089B/6.583A	----	6.049 + 0.234	.4089	----	----	----	----	12 UNCH
9500	----	----	5.253B/----	5.253B/5.322A	----	5.205 + 0.203	.3603	----	----	12	----	204 + 12
9600	----	----	4.972B/----	4.972B/5.318A	----	5.019 + 0.195	.3492	----	----	----	----	25 UNCH
9750	----	----	4.714B/----	4.714B/5.189A	----	4.757 + 0.184	.3333	----	----	----	----	23 UNCH
9800	----	----	4.701B/----	4.701B/4.851A	----	4.674 + 0.181	.3282	----	----	----	----	132 UNCH
9900	----	----	4.533B/----	4.533B/4.706A	----	4.514 + 0.174	.3183	----	----	1	----	90 - 1
10000	4.500	4.500	4.535B/4.500	4.535B/4.500	----	4.362 + 0.169	.3088	----	----	2	----	436 UNCH
10100	----	----	4.164B/----	4.164B/4.589A	----	4.217 + 0.163	.2996	----	----	----	----	56 UNCH
10200	----	----	4.026B/----	4.026B/4.462A	----	4.078 + 0.157	.2908	----	----	----	----	28 UNCH
10500	----	----	3.666B/----	3.666B/3.957A	----	3.699 + 0.142	.2663	----	----	----	----	129 UNCH
10800	----	----	3.300B/----	3.300B/3.822A	----	3.367 + 0.128	.2443	----	----	----	----	2 UNCH
11000	----	----	3.109B/----	3.109B/3.459A	----	3.169 + 0.120	.2310	----	----	----	48	200 UNCH
11300	----	----	2.824B/----	2.824B/3.308A	----	2.901 + 0.108	.2128	----	----	----	----	60 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
SEP26														
11500	----	----	2.660B/----	2.660B/3.046A	----	2.740	+ 0.102	.2017	----	----	----	----	70	UNCH
12000	2.498	2.498	2.750/2.322	2.750/2.322	----	2.386	+ 0.087	.1771	----	----	9	----	119	UNCH
12500	----	----	----	1.980B/2.424A	----	2.088	+ 0.075	.1561	----	----	----	----	40	UNCH
13000	----	----	----	1.708B/2.153A	----	1.836	+ 0.065	.1382	----	----	----	----	201	UNCH
14000	1.600	1.600	1.600/1.600	1.600/1.500A	----	1.436	+ 0.049	.1093	----	----	1	----	275	- 1
15000	----	----	----	1.007B/1.251A	----	1.141	+ 0.037	.0877	----	----	----	----	226	UNCH
16000	----	----	0.927B/----	0.927B/1.040A	----	0.922	+ 0.028	.0714	----	----	----	----	18	UNCH
17000	----	----	0.774B/----	0.774B/0.878A	----	0.757	+ 0.023	.0590	----	----	----	----	27	UNCH
18000	----	----	0.630B/----	0.630B/0.752A	----	0.629	+ 0.018	.0492	----	----	----	----	3	UNCH
19000	----	----	0.518B/----	0.518B/0.652A	----	0.529	+ 0.014	.0415	----	----	----	----	14	UNCH
20000	----	----	----	0.430B/0.573A	----	0.450	+ 0.011	.0354	----	----	----	----	307	UNCH
21000	----	----	----	0.358B/0.509A	----	0.387	+ 0.009	.0305	----	----	----	----	1	UNCH
23000	----	----	----	0.254B/0.414A	----	0.295	+ 0.007	.0232	----	----	----	----	32	UNCH
25000	----	----	----	0.188B/0.348A	----	0.234	+ 0.005	.0184	----	----	----	----	37	UNCH
30000	----	----	----	0.094B/0.250A	----	0.157	+ 0.002	.0120	----	----	----	----	18	UNCH
35000	----	----	----	0.048B/0.202A	----	0.080	+ 0.001	.0063	----	----	----	----	27	UNCH
TOTAL											39	48	4351	+ 23
OCT26														
7000	----	----	16.034B/----	16.034B/17.151A	----	16.163	+ 0.489	.7584	----	----	----	----	2	UNCH
7100	----	----	15.415B/----	15.415B/16.519A	----	15.537	+ 0.478	.7427	----	----	----	----	1	UNCH
7500	----	----	13.137B/----	13.137B/14.212A	----	13.261	+ 0.430	.6778	----	----	----	----	2	UNCH
7650	----	----	12.383B/----	12.383B/13.085A	----	12.501	+ 0.412	.6531	----	----	----	----	1	UNCH
7875	----	----	11.319B/----	11.319B/12.363A	----	11.452	+ 0.385	.6164	----	----	----	----	2	UNCH
8000	----	----	11.083B/----	11.083B/11.300A	----	10.915	+ 0.371	.5963	----	----	----	----	4	UNCH
8075	----	----	10.782B/----	10.782B/11.495A	----	10.608	+ 0.362	.5844	----	----	----	----	1	UNCH
8275	----	----	9.692B/----	9.692B/10.702A	----	9.840	+ 0.340	.5534	----	----	----	----	2	UNCH
8500	----	----	9.108B/----	9.108B/9.668A	----	9.062	+ 0.317	.5202	----	----	----	----	1	UNCH
8700	----	----	8.455B/----	8.455B/9.050A	----	8.438	+ 0.298	.4921	----	----	----	----	4	UNCH
9000	----	----	7.585B/----	7.585B/8.230A	----	7.610	+ 0.271	.4530	----	----	----	----	1	UNCH
9100	----	----	7.320B/----	7.320B/7.982A	----	7.360	+ 0.263	.4408	----	----	----	----	73	UNCH
9500	----	----	6.330B/----	6.330B/7.099A	----	6.467	+ 0.231	.3954	----	----	----	----	120	UNCH
10000	----	----	5.359B/----	5.359B/6.193A	----	5.551	+ 0.199	.3464	----	----	----	----	96	UNCH
11000	----	----	----	3.941B/4.779A	----	4.190	+ 0.148	.2694	----	----	----	----	3	UNCH
11100	----	----	----	3.832B/4.663A	----	4.080	+ 0.144	.2630	----	----	----	----	2	UNCH
11700	----	----	----	3.212B/4.041A	----	3.497	+ 0.123	.2283	----	----	----	----	2	UNCH
12000	----	----	----	2.964B/3.773A	----	3.246	+ 0.114	.2132	----	----	----	----	75	UNCH
12375	----	----	----	2.689B/3.475A	----	2.963	+ 0.102	.1959	----	----	----	----	0	UNCH
13000	----	----	----	2.296B/3.045A	----	2.559	+ 0.088	.1710	----	----	----	----	145	UNCH
14000	----	----	----	1.798B/2.558A	----	2.047	+ 0.069	.1388	----	----	----	----	2	UNCH
15000	----	----	----	1.336B/2.237A	----	1.663	+ 0.055	.1141	----	----	----	----	178	UNCH
16000	----	----	----	1.212B/1.575A	----	1.375	+ 0.044	.0951	----	----	----	----	40	UNCH
18000	----	----	0.921B/----	0.921B/1.155A	----	0.922	+ 0.028	.0656	----	----	----	----	340	UNCH
20000	----	----	0.678B/----	0.678B/0.901A	----	0.656	+ 0.019	.0474	----	----	----	----	245	UNCH
TOTAL												0	1342	0
NOV26														
6500	----	----	----	1.768B/44.545A	----	20.171	+ 0.535	.8160	----	----	----	----	1	UNCH
7000	----	----	16.634B/----	16.634B/17.918A	----	16.864	+ 0.483	.7473	----	----	----	----	14	UNCH
7100	----	----	16.019B/----	16.019B/17.378A	----	16.267	+ 0.473	.7326	----	----	----	----	14	UNCH
7500	----	----	13.842B/----	13.842B/15.180A	----	14.089	+ 0.429	.6729	----	----	----	----	1	UNCH
7900	----	----	12.334B/----	12.334B/12.951A	----	12.240	+ 0.386	.6132	----	----	----	----	16	UNCH
8000	----	----	11.852B/----	11.852B/12.538A	----	11.825	+ 0.376	.5987	----	----	----	----	10	UNCH
8200	----	----	11.044B/----	11.044B/11.766A	----	11.049	+ 0.356	.5701	----	----	----	----	6	UNCH
9000	----	----	8.442B/----	8.442B/9.297A	----	8.558	+ 0.285	.4679	----	----	----	----	1	UNCH
9550	----	----	7.060B/----	7.060B/8.044A	----	7.291	+ 0.245	.4096	----	----	----	----	3	UNCH
9800	----	----	----	6.549B/7.563A	----	6.805	+ 0.230	.3861	----	----	----	----	3	UNCH
10000	----	----	----	6.174B/7.212A	----	6.448	+ 0.218	.3685	----	----	----	----	24	UNCH
11000	----	----	----	4.612B/5.781A	----	5.005	+ 0.169	.2945	----	----	----	----	4	UNCH
12000	----	----	----	3.588B/4.682A	----	3.979	+ 0.133	.2390	----	----	----	----	13	UNCH
12500	----	----	----	3.187B/4.252A	----	3.574	+ 0.118	.2165	----	----	----	----	10	UNCH
13000	----	----	----	2.843B/3.872A	----	3.225	+ 0.106	.1967	----	----	----	----	2	UNCH
14000	2.632	2.632	2.632/2.632	2.632/2.632	----	2.656	+ 0.086	.1640	----	----	1	----	2	- 1
15000	----	----	----	1.842B/2.835A	----	2.216	+ 0.071	.1383	----	----	----	----	6	UNCH
16000	----	----	----	1.392B/2.551A	----	1.869	+ 0.059	.1177	----	----	----	----	14	UNCH
17000	----	----	----	1.093B/2.284A	----	1.591	+ 0.049	.1010	----	----	----	----	2	UNCH
20000	1.080	1.080	1.080/1.080	1.080/1.080	----	1.031	+ 0.030	.0666	----	----	10	----	32	UNCH
21000	----	----	----	0.829B/1.133A	----	0.907	+ 0.026	.0589	----	----	----	----	1	UNCH
TOTAL											11	0	179	- 1
DEC26														
3875	----	----	----	----	----	43.569	+ 0.681	.9794	----	----	----	----	1	UNCH
5250	----	----	----	8.037B/54.361A	----	30.579	+ 0.626	.9259	----	----	----	----	50	UNCH
5500	----	----	----	5.424B/57.104A	----	28.396	+ 0.611	.9082	----	----	----	----	1	UNCH
6500	----	----	20.169B/----	20.169B/21.796A	----	20.628	+ 0.529	.8059	----	----	----	----	564	UNCH
6900	----	----	17.730B/----	17.730B/19.206A	----	18.045	+ 0.489	.7536	----	----	----	----	1	UNCH
6950	----	----	17.430B/----	17.430B/18.891A	----	17.745	+ 0.484	.7468	----	----	----	----	200	UNCH
7000	----	----	17.147B/----	17.147B/18.594A	----	17.450	+ 0.479	.7399	----	----	----	----	120	UNCH
7025	----	----	17.000B/----	17.000B/18.467A	----	17.304	+ 0.476	.7365	----	----	----	----	1	UNCH
7075	----	----	16.708B/----	16.708B/18.178A	----	17.017	+ 0.472	.7296	----	----	----	----	5	UNCH
7100	----	----	16.565B/----	16.565B/18.033A	----	16.875	+ 0.469	.7261	----	----	----	----	15	UNCH
7375	----	----	15.065B/----	15.065B/16.540A	----	15.394	+ 0.441	.6876	----	----	----	----	2	UNCH
7500	----	----	14.371B/----	14.371B/15.904A	----	14.769	+ 0.428	.6700	----	----	----	----	18	UNCH
7575	----	----	14.003B/----	14.003B/15.538A	----	14.408	+ 0.421	.6595	----	----	----	----	1	UNCH
7750	----	----	13.590B/----	13.590B/14.373A	----	13.606	+ 0.403	.6351	----	----	----	----	2	UNCH
7800	----	----	13.363B/----	13.363B/14.156A	----	13.387	+ 0.398	.6282	----	----	----	----	1	UNCH
7925	----	----	----	12.442B/13.609A	----	12.859	+ 0.386	.6111	----	----	----	----	2	UNCH
8000	----	----	12.510B/----	12.510B/13.166A	----	12.555	+ 0.379	.6009	----	----	----	----	132	UNCH
8100	----	----	12.111B/----	12.111B/12.944A	----	12.164	+ 0.370	.5875	----	----	----	----	1	UNCH
8200	----	----	11.730B/----	11.730B/12.573A	----	11.789	+ 0.361	.5743	----	----	----	----	21	UNCH
8400	----	----	10.996B/----	10.996B/11.877A	----	11.084	+ 0.342	.5487	----	----	----	----	50	UNCH
8500	----	----	10.652B/----	10.652B/11.551A	----	10.754	+ 0.334	.5363	----	----	----	----	150	UNCH
8550	----	----	10.498B/----	10.498B/11.393A	----	10.595	+ 0.331	.5302	----	----	----	----	25	UNCH
8600	----	----	10.322B/----	10.322B/11.239A	----	10.438	+ 0.326	.5242	----	----	----	----	7	UNCH
8800	----	----	9.706B/----	9.706B/10.653A	----	9.845	+ 0.310	.5008	----	----	----	----	5	UNCH
8900	----	----	9.366B/----	9.366B/10.379A	----	9.567	+ 0.302	.4896	----	----	----	----	2	UNCH
8950	----	----	9.225B/----	9.225B/10.246A	----	9.432	+ 0.298	.4841	----	----	----	----	1	UNCH
9000	----	----	9.090B/----	9.090B/10.116A	----	9.300	+ 0.294	.4786	----	----	----	----	229	UNCH
9050	----	----	8.953B/----	8.953B/9.988A	----	9.171	+ 0.291	.4732	----	----	----	----	100	UNCH
9100	----	----	8.820B/----	8.820B/9.863A	----	9.045	+ 0.288	.4679	----	----	----	----	1	UNCH
9300	----	----	8.317B/----	8.317B/9.389A	----	8.564	+ 0.273	.4474	----	----	----	----	1	UNCH
9500	----	----	----	7.858B/8.952A	----	8.122	+ 0.260	.4281	----	----	----	----	10	UNCH
9700	----	----	----	7.427B/8.573A	----	7.714	+ 0.248	.4098	----	----	----	----	1	UNCH
9800	----	----	----	7.225B/8.357A	----	7.521	+ 0.242	.4010	----	----	1	----	55	+ 1
9900	----	----	----	7.027B/8.173A	----	7.335	+ 0.236	.3924	----	----	----	----	4	UNCH
10000	----	----	----	6.843B/7.995A	----	7.156	+ 0.230	.3842	----	----	41	----	832	+ 1
10025	----	----	----	6.618B/8.039A	----	7.112	+ 0.229	.3821	----	----	----	----	3	UNCH
10500	----	----	----	5.994B/7.199A	----	6.349	+ 0.205	.3460	----	----	----	----	2	UNCH
10600	----	----	----	5.839B/7.056A	----	6.204	+ 0.201	.3390	----	----	----	----	6	UNCH
10800	----	----	----	5.501B/6.783A	----	5.927	+ 0.191	.3255	----	----	----	----	5	UNCH
11000	----	----	----	5.227B/6.525A	----	5.668	+ 0.183	.3128	----	----	----	----	93	UNCH
11350	----	----	----	4.790B/6.086A	----	5.252	+ 0.169	.2920	----	----	----	----	5	UNCH
11800	----	----	----	4.304B/5.584A	----	4.781	+ 0.154	.2681	----	----	----	----	25	UNCH
12000	----	----	----	4.115B/5.380A	----	4.590	+ 0.147	.2583	----	----	40	----	629	+ 25
12200	----	----	----	3.940B/5.186A	----	4.411	+ 0.142	.2490	----	----	----	----	1	UNCH
12500	----	----	----	3.700B/4.917A	----	4.160	+ 0.133	.2360	----	----	----	----	45	UNCH
13000	----	----	----	3.326B/4.510A	----	3.785	+ 0.121	.2162	----	----	10	----	371	UNCH
14000	----	----	----	2.714B/3.832A	----	3.164	+ 0.100	.1830	----	----	----	----	56	UNCH
14200	----	----	----	2.603B/3.716A	----	3.056	+ 0.096	.1771	----	----	----	----	1	UNCH
15000	----	----	2.920B/----	2.920B/3.000A	----	2.674	+ 0.084	.1563	----	----	----	----	1829	UNCH
16000	----	----	----	1.818B/2.958A	----	2.280	+ 0.070	.1346	----	----	----	----	1616	UNCH
17000	----	----	----	1.429B/2.703A	----	1.960	+ 0.060	.1167	----	----	----	----	50	UNCH
18000	----	----	----	1.133B/2.484A	----	1.697	+ 0.051	.1018	----	----	20	----	83	+ 20
19000	----	----	----	1.260B/1.756A	----	1.481	+ 0.044	.0895	----	----	----	----	1	UNCH
20000	1.320	1.320	1.320/1.320	1.320/1.320	----	1.302	+ 0.038	.0791	----	----	100	100	438	+ 178
21000	----	----	----	1.081B/1.407A	----	1.154	+ 0.033	.0705	----	----	----	----	4	UNCH
22000	----	----	----	0.945B/1.284A	----	1.032	+ 0.030	.0632	----	----	----	----	1	UNCH
23000	----	----	----	0.838B/1.180A	----	0.928	+ 0.026	.0570	----	----	10	----	40	+ 10
25000	----	----	----	0.649B/1.011A	----	0.765	+ 0.021	.0472	----	----	----	----	235	UNCH
30000	----	----	----	0.379B/0.737A	----	0.508	+ 0.013	.0315	----	----	----	----	110	UNCH
40000	----	----	----	0.143B/0.482A	----	0.279	+ 0.006	.0172	----	----	----	----	23	UNCH
90000	----	----	----	0.003B/0.400A	----	0.090	+ 0.002	.0051	----	----	----	----	2	UNCH
TOTAL											222	100	8285	+ 235
JAN27														
7550	----	----	----	14.826B/17.364A	----	15.684	+ 0.434	.6716	----	----	----	----	2	UNCH
7650	----	----	----	14.526B/16.077A	----	15.202	+ 0.425	.6586	----	----	----	----	6	UNCH
8300	12.922	12.922	12.922/12.750A	12.922/12.750A	----	12.473	+ 0.366	.5758	----	----	8	----	16	+ 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JAN27														
10000	----	----	7.819B/----	7.819B/9.051A	----	7.982	+ 0.248	.4038	----	----	----	----	6	UNCH
11000	----	----	----	6.100B/7.481A	----	6.482	+ 0.201	.3349	----	----	----	----	6	UNCH
12500	----	----	----	4.370B/5.854A	----	4.967	+ 0.152	.2610	----	----	----	----	1	UNCH
13000	----	----	----	3.929B/5.440A	----	4.557	+ 0.139	.2411	----	----	----	----	7	UNCH
14000	----	----	----	3.193B/4.751A	----	3.835	+ 0.117	.2060	----	----	----	----	1	UNCH
14500	----	----	----	2.879B/4.462A	----	3.523	+ 0.108	.1907	----	----	----	----	400	UNCH
15000	----	----	----	2.599B/4.203A	----	3.245	+ 0.099	.1769	----	----	----	----	400	UNCH
TOTAL											8	0	845 +	6
FEB27														
7500	----	----	----	15.549B/18.244A	----	16.526	+ 0.438	.6765	----	----	----	----	1	UNCH
9000	----	----	10.757B/----	10.757B/11.969A	----	10.972	+ 0.318	.5049	----	----	----	----	1	UNCH
30000	----	----	----	0.546B/1.256A	----	0.712	+ 0.020	.0410	----	----	----	----	1	UNCH
TOTAL												0	3	0
MAR27														
8000	----	----	----	13.729B/16.712A	----	14.881	+ 0.397	.6171	----	----	----	----	200	UNCH
9000	----	----	----	10.416B/13.396A	----	11.624	+ 0.325	.5123	----	----	----	----	35	UNCH
9200	----	----	----	9.894B/12.862A	----	11.104	+ 0.311	.4938	----	----	----	----	25	UNCH
13000	----	----	----	#4.309B/6.957A	----	5.531	+ 0.160	.2684	----	----	----	----	105	UNCH
14000	----	----	----	#3.581B/6.119A	----	4.766	+ 0.138	.2342	----	----	----	----	105	UNCH
30000	----	----	----	0.685B/1.450A	----	1.282	+ 0.033	.0646	----	----	----	----	2	UNCH
TOTAL												0	472	0
MAY27														
11000	----	----	----	----	----	9.948	+ 0.253	.4056	----	----	----	----	1	UNCH
TOTAL												0	1	0
JUL27														
2000	----	----	----	----	----	64.266	+ 0.702	.9967	----	----	----	----	1	UNCH
10000	----	----	----	----	----	13.234	+ 0.310	.4873	----	----	----	----	1	UNCH
10300	----	----	----	----	----	12.660	+ 0.297	.4693	----	----	----	----	1	UNCH
TOTAL												0	3	0
DEC27														
4000	----	----	----	----	----	46.494	+ 0.644	.9343	----	----	----	----	1	UNCH
20000	----	----	----	----	----	7.769	+ 0.159	.2620	----	----	----	----	25	UNCH
TOTAL												0	26	0
SO PUT		COMEX SILVER OPTIONS												
JUN26														
2100	----	----	----	----/0.009A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
2350	----	----	----	----/0.007A	----	0.001	UNCH	.0000	----	----	----	----	2	UNCH
2500	----	----	----	----/0.010A	----	0.001	UNCH	.0000	----	----	----	----	141	UNCH
2650	----	----	----	----/0.299A	----	0.001	- 0.001	.0000	----	----	----	----	1	UNCH
3000	----	----	----	----/0.035A	----	0.003	- 0.001	.0003	----	----	----	----	246	UNCH
3075	----	----	----	----/0.036A	----	0.003	- 0.002	.0003	----	----	----	----	4	UNCH
3100	----	----	----	----/0.036A	----	0.003	- 0.002	.0003	----	----	----	----	3	UNCH
3150	----	----	----	----/0.036A	----	0.004	- 0.002	.0004	----	----	----	----	9	UNCH
3200	----	----	----	----/0.035A	----	0.004	- 0.002	.0004	----	----	----	----	4	UNCH
3325	----	----	----	----/0.035A	----	0.005	- 0.002	.0005	----	----	----	----	2	UNCH
3350	----	----	----	----/0.035A	----	0.005	- 0.003	.0005	----	----	----	----	1	UNCH
3375	----	----	----	----/0.035A	----	0.005	- 0.003	.0005	----	----	----	----	1	UNCH
3400	----	----	----	----/0.035A	----	0.006	- 0.002	.0006	----	----	----	----	17	UNCH
3500	----	----	----	----/0.036A	----	0.006	- 0.004	.0006	----	----	----	----	100	UNCH
3550	----	----	----	----/0.036A	----	0.007	- 0.003	.0008	----	----	----	----	5	UNCH
3575	----	----	----	----/0.036A	----	0.007	- 0.004	.0008	----	----	----	----	22	UNCH
3600	----	----	----	----/0.036A	----	0.008	- 0.003	.0009	----	----	----	----	6	UNCH
3650	----	----	----	----/0.036A	----	0.008	- 0.004	.0009	----	----	----	----	22	UNCH
3675	----	----	----	----/0.036A	----	0.008	- 0.004	.0009	----	----	----	----	1	UNCH
3700	----	----	----	----/0.037A	----	0.009	- 0.004	.0010	----	----	----	----	6	UNCH
3725	----	----	----	----/0.037A	----	0.009	- 0.004	.0010	----	----	----	----	15	UNCH
3800	----	----	----	----/0.037A	----	0.011	- 0.004	.0012	----	----	----	----	14	UNCH
3850	----	----	----	----/0.038A	----	0.012	- 0.005	.0014	----	----	----	----	2	UNCH
3900	----	----	----	----/0.038A	----	0.013	- 0.006	.0015	----	----	----	----	6	UNCH
3925	----	----	----	----/0.038A	----	0.014	- 0.006	.0016	----	----	----	----	3	UNCH
4000	----	----	----	----/0.039A	----	0.016	- 0.006	.0019	----	----	----	----	153	UNCH
4075	----	----	----	----/0.040A	----	0.016	- 0.007	.0019	----	----	----	----	1	UNCH
4100	----	----	----	----/0.040A	----	0.016	- 0.007	.0019	----	----	----	----	31	UNCH
4125	----	----	----	----/0.040A	----	0.016	- 0.007	.0019	----	----	----	----	5	UNCH
4150	----	----	----	----/0.041A	----	0.016	- 0.007	.0020	----	----	----	----	4	UNCH
4200	----	----	----	----/*0.041A	----	0.017	- 0.007	.0021	----	----	----	----	26	UNCH
4225	----	----	----	----/*0.041A	----	0.017	- 0.007	.0021	----	----	----	----	7	UNCH
4250	----	----	----	----/0.042A	----	0.017	- 0.007	.0021	----	----	----	----	5	UNCH
4275	----	----	----	----/*0.042A	----	0.017	- 0.007	.0022	----	----	----	----	13	UNCH
4300	----	----	----	----/0.043A	----	0.017	- 0.007	.0022	----	----	----	----	7	UNCH
4350	----	----	----	----/*0.043A	----	0.018	- 0.006	.0023	----	----	----	----	2	UNCH
4375	----	----	----	----/0.044A	----	0.018	- 0.007	.0023	----	----	----	----	3	UNCH
4400	----	----	----	----/*0.044A	----	0.018	- 0.007	.0024	----	----	----	----	8	UNCH
4425	----	----	----	----/0.045A	----	0.018	- 0.007	.0024	----	----	----	----	1	UNCH
4500	----	----	----	----/0.046A	----	0.019	- 0.006	.0026	----	----	----	----	164	UNCH
4550	----	----	----	----/*0.047A	----	0.020	- 0.006	.0027	----	----	----	----	2	UNCH
4600	----	----	----	----/*0.048A	----	0.020	- 0.006	.0028	----	----	----	----	7	UNCH
4625	----	----	----	----/*0.049A	----	0.021	- 0.005	.0029	----	----	----	----	12	UNCH
4650	----	----	----	----/*0.049A	----	0.021	- 0.005	.0030	----	----	----	----	1	UNCH
4700	----	----	----	----/*0.050A	----	0.021	- 0.006	.0030	----	----	----	----	2	UNCH
4725	----	----	----	----/*0.051A	----	0.022	- 0.005	.0032	----	----	----	----	10	UNCH
4750	----	----	----	----/*0.051A	----	0.022	- 0.006	.0032	----	----	----	----	3	UNCH
4800	----	----	----	----/*0.053A	----	0.023	- 0.005	.0034	----	----	----	----	27	UNCH
4850	----	----	----	----/*0.054A	----	0.023	- 0.006	.0034	----	----	----	----	3	UNCH
4875	----	----	----	----/*0.055A	----	0.024	- 0.005	.0036	----	----	----	----	15	UNCH
4900	----	----	----	----/*0.055A	----	0.024	- 0.006	.0036	----	----	----	----	171	UNCH
4975	----	----	----	----/*0.058A	----	0.025	- 0.006	.0039	----	----	----	----	1	UNCH
5000	0.030	0.030	0.030/0.030	0.030/0.030	----	0.026	- 0.006	.0040	----	----	20	----	1046 +	20
5025	----	----	----	----/*0.060A	----	0.026	- 0.006	.0041	----	----	----	----	8	UNCH
5050	----	----	----	----/*0.061A	----	0.026	- 0.007	.0041	----	----	----	----	3	UNCH
5075	----	----	----	----/*0.062A	----	0.027	- 0.007	.0043	----	----	----	----	2	UNCH
5100	----	----	----	0.001B/0.063A	----	0.027	- 0.007	.0043	----	----	----	----	34	UNCH
5125	----	----	----	0.001B/*0.064A	----	0.028	- 0.007	.0045	----	----	----	----	1	UNCH
5150	----	----	----	0.001B/*0.065A	----	0.028	- 0.008	.0046	----	----	----	----	16	UNCH
5175	----	----	----	0.001B/*0.066A	----	0.029	- 0.007	.0048	----	----	----	----	12	UNCH
5200	----	----	----	0.001B/*0.067A	----	0.030	- 0.007	.0049	----	----	----	----	7	UNCH
5225	----	----	----	0.001B/*0.068A	----	0.030	- 0.008	.0050	----	----	----	----	1	UNCH
5250	----	----	----	0.001B/*0.069A	----	0.031	- 0.008	.0052	----	----	----	----	14	UNCH
5275	----	----	----	0.001B/*0.071A	----	0.031	- 0.008	.0052	----	----	----	----	17	UNCH
5300	----	----	----	0.030B/0.072A	----	0.032	- 0.008	.0054	----	----	----	----	14	UNCH
5325	----	----	----	0.001B/*0.073A	----	0.033	- 0.008	.0056	----	----	----	----	10	UNCH
5350	----	----	----	0.001B/*0.074A	----	0.033	- 0.009	.0057	----	----	----	----	12	UNCH
5375	----	----	----	0.001B/*0.076A	----	0.034	- 0.009	.0059	----	----	----	----	10	UNCH
5400	----	----	----	0.001B/*0.078A	----	0.035	- 0.009	.0061	----	----	----	----	24	UNCH
5425	----	----	----	0.001B/*0.079A	----	0.035	- 0.009	.0062	----	----	----	----	4	UNCH
5450	----	----	----	0.001B/*0.080A	----	0.036	- 0.009	.0064	----	----	----	----	2	UNCH
5475	----	----	----	0.001B/*0.081A	----	0.037	- 0.009	.0066	----	----	----	----	13	UNCH
5500	----	----	----	0.001B/0.082A	----	0.038	- 0.010	.0068	----	----	----	----	645	UNCH
5525	----	----	----	0.002B/*0.083A	----	0.038	- 0.011	.0069	----	----	----	----	16	UNCH
5550	----	----	----	0.003B/*0.083A	----	0.039	- 0.011	.0071	----	----	----	----	10	UNCH
5575	----	----	----	0.003B/0.084A	----	0.040	- 0.011	.0073	----	----	----	----	2	UNCH
5600	----	----	----	0.003B/0.085A	----	0.041	- 0.011	.0075	----	----	----	----	19	UNCH
5625	----	----	----	0.003B/*0.084A	----	0.041	- 0.013	.0076	----	----	----	----	2	UNCH
5650	----	----	----	0.003B/0.085A	----	0.042	- 0.013	.0079	----	----	----	----	51	UNCH
5675	----	----	----	0.003B/0.086A	----	0.043	- 0.014	.0081	----	----	----	----	21	UNCH
5700	----	----	----	0.035B/0.088A	----	0.044	- 0.014	.0084	----	----	----	----	243	UNCH
5725	----	----	----	0.030B/0.089A	----	0.045	- 0.015	.0086	----	----	----	----	5	UNCH
5750	----	----	----	0.003B/0.087A	----	0.045	- 0.017	.0087	----	----	----	----	226	UNCH
5775	----	----	----	0.003B/0.088A	----	0.046	- 0.018	.0090	----	----	----	----	9	UNCH
5800	----	----	----	0.005B/0.082A	----	0.047	- 0.019	.0092	----	----	----	----	80	UNCH
5825	----	----	----	0.004B/*0.078A	----	0.048	- 0.020	.0095	----	----	----	----	9	UNCH
5850	----	----	----	0.009B/*0.080A	----	0.049	- 0.021	.0098	----	----	----	----	6	UNCH
5875	----	----	----	0.011B/*0.082A	----	0.049	- 0.024	.0099	----	----	----	----	14	UNCH
5900	----	----	----	0.039B/0.084A	----	0.050	- 0.025	.0101	----	----	----	----	45	UNCH
5925	----	----	----	0.028B/*0.086A	----	0.051	- 0.027	.0104	----	----	----	----	21	UNCH
5950	----	----	----	0.031B/*0.088A	----	0.052	- 0.027	.0107	----	----	----	----	6	UNCH
5975	----	----	----	0.016B/*0.090A	----	0.053	- 0.028	.0110	----	----	----	----	3	UNCH
6000	0.058	0.058	0.058/*0.050	0.082B/*0.050	----	0.054	- 0.028	.0113	----	----	12	----	1210 -	7
6025	----	----	----	0.021B/0.095A	----	0.055	- 0.029	.0116	----	----	----	----	31	UNCH
6050	----	----	----	0.023B/0.097A	----	0.056	- 0.030	.0119	----	----	----	----	142	UNCH
6075	----	----	----/*0.074A	0.052B/*0.074A	----	0.058	- 0.030	.0124	----	----	----	----	31	UNCH
6100	----	----	----/*0.076A	0.055B/*0.076A	----	0.059	- 0.031	.0127	----	----	----	----	111	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
6125	----	----	----/*0.077A	0.058B/*0.077A	----	0.061 - 0.032	.0133	----	----	----	----	3 UNCH
6150	----	----	----/*0.083A	0.061B/*0.083A	----	0.063 - 0.033	.0138	----	----	----	----	14 UNCH
6175	----	----	----/*0.082A	0.066B/*0.082A	----	0.065 - 0.034	.0143	----	----	----	----	307 UNCH
6200	0.109	0.109	0.109/*0.070	0.109/*0.070	----	0.068 - 0.035	.0150	----	----	5	----	251 + 2
6225	----	----	----/*0.088A	0.068B/*0.088A	----	0.071 - 0.036	.0157	----	----	----	----	8 UNCH
6250	----	----	----/*0.091A	0.078B/*0.091A	----	0.074 - 0.038	.0164	----	----	----	----	69 UNCH
6275	----	----	----/*0.103A	0.082B/*0.103A	----	0.078 - 0.040	.0174	----	----	----	----	3 UNCH
6300	0.079	0.079	0.079/*0.079	0.087B/*0.079	----	0.081 - 0.043	.0181	----	----	1	----	146 UNCH
6325	----	----	----/*0.105A	0.093B/*0.105A	----	0.086 - 0.045	.0192	----	----	----	----	18 UNCH
6350	0.152	0.152	0.152/*0.109A	0.152/*0.109A	----	0.090 - 0.048	.0202	----	----	4	----	32 UNCH
6375	----	----	----/*0.118A	0.106B/*0.118A	----	0.094 - 0.052	.0211	----	----	8	----	14 UNCH
6400	----	----	----/*0.127A	0.112B/*0.127A	----	0.099 - 0.056	.0223	----	----	----	----	189 UNCH
6425	----	----	----/*0.121A	0.117B/*0.121A	----	0.104 - 0.060	.0234	----	----	----	----	46 UNCH
6450	----	----	----/*0.128A	0.124B/*0.128A	----	0.109 - 0.064	.0246	----	----	----	----	63 UNCH
6475	----	----	----/*0.131A	0.132B/*0.131A	----	0.115 - 0.067	.0260	----	----	----	----	88 UNCH
6500	0.150	0.150	0.167B/*0.121	0.167B/*0.121	----	0.120 - 0.072	.0272	----	----	8	----	544 - 3
6525	----	----	----/*0.144A	0.147B/*0.144A	----	0.126 - 0.075	.0286	----	----	----	----	37 UNCH
6550	0.150	0.150	0.150/*0.127	0.156B/*0.127	----	0.132 - 0.078	.0301	----	----	203	----	233 + 154
6575	----	----	----/*0.172A	0.165B/*0.172A	----	0.139 - 0.080	.0317	----	----	----	----	8 UNCH
6600	----	----	----/0.181A	0.175B/0.181A	----	0.146 - 0.082	.0333	----	----	----	----	182 UNCH
6625	----	----	----/*0.191A	0.185B/*0.191A	----	0.153 - 0.084	.0350	----	----	----	----	20 UNCH
6650	----	----	0.267B/*0.172A	0.267B/*0.172A	----	0.161 - 0.086	.0368	----	----	----	----	32 UNCH
6675	----	----	0.284B/*0.213A	0.284B/*0.213A	----	0.170 - 0.088	.0389	----	----	----	----	28 UNCH
6700	----	----	0.303B/*0.204A	0.303B/*0.204A	----	0.179 - 0.091	.0409	----	----	----	----	133 UNCH
6725	----	----	0.322B/*0.214A	0.322B/*0.214A	----	0.189 - 0.094	.0432	----	----	5	----	40 UNCH
6750	----	----	0.342B/*0.249A	0.342B/*0.249A	----	0.200 - 0.097	.0457	----	----	9	----	55 - 9
6775	----	----	0.364B/*0.246A	0.364B/*0.246A	----	0.211 - 0.102	.0481	----	----	5	----	3 - 5
6800	0.434	0.434	0.443/*0.245A	0.443/*0.245A	----	0.224 - 0.106	.0510	----	----	12	----	92 UNCH
6825	----	----	0.411B/*0.263A	0.411B/*0.263A	----	0.238 - 0.110	.0540	----	----	----	----	1 UNCH
6850	----	----	0.437B/*0.280A	0.437B/*0.280A	----	0.252 - 0.116	.0570	----	----	9	----	74 - 9
6875	----	----	0.464B/*0.295A	0.464B/*0.295A	----	0.268 - 0.121	.0604	----	----	----	----	5 UNCH
6900	----	----	0.485B/*0.283A	0.485B/*0.283A	----	0.284 - 0.128	.0638	----	----	6	----	89 - 5
6925	----	----	0.521B/*0.310A	0.521B/*0.310A	----	0.302 - 0.134	.0675	----	----	----	----	13 UNCH
6950	----	----	0.552B/*0.316A	0.552B/*0.316A	----	0.321 - 0.140	.0715	----	----	----	----	104 UNCH
6975	----	----	0.569B/*0.334A	0.569B/*0.334A	----	0.341 - 0.147	.0755	----	----	----	----	10 UNCH
7000	0.480	0.480	0.622B/*0.352A	0.622B/*0.352A	----	0.363 - 0.153	.0800	----	----	22	----	954 - 3
7025	----	----	0.656B/*0.367A	0.656B/*0.367A	----	0.386 - 0.160	.0845	----	----	----	----	23 UNCH
7050	----	----	0.697B/*0.389A	0.697B/*0.389A	----	0.410 - 0.167	.0893	----	----	----	----	55 UNCH
7075	0.530	0.530	0.737B/*0.413A	0.737B/*0.413A	----	0.436 - 0.174	.0943	----	----	4	----	50 + 4
7100	0.613	0.613	0.777B/*0.437A	0.777B/*0.437A	----	0.463 - 0.181	.0996	----	----	6	----	86 + 2
7125	0.520	0.520	0.818B/*0.464A	0.818B/*0.464A	----	0.492 - 0.188	.1051	----	----	8	----	19 + 7
7150	0.545	0.545	0.861B/*0.491A	0.861B/*0.491A	----	0.522 - 0.195	.1108	----	----	9	----	32 UNCH
7175	0.577	0.577	0.882B/*0.519A	0.882B/*0.519A	----	0.555 - 0.202	.1168	----	----	15	----	59 - 8
7200	0.611	0.611	0.920B/*0.545	0.920B/*0.545	----	0.589 - 0.210	.1231	----	----	6	----	314 + 4
7225	----	----	1.002B/*0.584A	1.002B/*0.584A	----	0.625 - 0.218	.1295	----	----	----	----	10 UNCH
7250	----	----	1.030B/*0.620A	1.030B/*0.620A	----	0.663 - 0.226	.1363	----	----	----	----	22 UNCH
7275	----	----	1.079B/*0.657A	1.079B/*0.657A	----	0.703 - 0.235	.1433	----	----	----	----	11 UNCH
7300	0.900	0.900	1.131B/*0.694A	1.131B/*0.694A	----	0.745 - 0.244	.1506	----	----	7	----	170 - 2
7325	----	----	1.187B/*0.737A	1.187B/*0.737A	----	0.789 - 0.255	.1581	----	----	----	----	18 UNCH
7350	----	----	1.252B/*0.779A	1.252B/*0.779A	----	0.836 - 0.265	.1659	----	----	----	----	40 UNCH
7375	----	----	1.313B/*0.823A	1.313B/*0.823A	----	0.885 - 0.277	.1740	----	----	----	----	33 UNCH
7400	0.899	0.899	1.418B/*0.871A	1.418B/*0.871A	----	0.936 - 0.290	.1822	----	----	3	----	64 + 1
7425	----	----	1.457B/*0.922A	1.457B/*0.922A	----	0.990 - 0.303	.1908	----	----	----	----	37 UNCH
7450	----	----	1.504B/*0.974A	1.504B/*0.974A	----	1.047 - 0.316	.1997	----	----	----	----	56 UNCH
7475	1.252	1.252	1.649B/*1.030A	1.649B/*1.030A	----	1.106 - 0.329	.2087	----	----	1	----	19 UNCH
7500	1.303	1.303	1.734B/*1.080	1.734B/*1.080	----	1.168 - 0.342	.2180	----	----	215	----	508 + 18
7525	----	----	1.831B/*1.150A	1.831B/*1.150A	----	1.232 - 0.355	.2275	----	----	----	----	9 UNCH
7550	1.255	1.255	1.856B/*1.211A	1.856B/*1.211A	----	1.300 - 0.366	.2373	----	----	1	----	17 UNCH
7575	----	----	1.957B/*1.277A	1.957B/*1.277A	----	1.370 - 0.376	.2472	----	----	----	----	7 UNCH
7600	2.100	2.100	2.130/*1.341A	2.130/*1.341A	----	1.443 - 0.387	.2574	----	----	6	----	92 + 2
7625	----	----	2.213B/*1.417A	2.213B/*1.417A	----	1.520 - 0.395	.2678	----	----	----	----	4 UNCH
7650	----	----	2.311B/*1.492A	2.311B/*1.492A	----	1.599 - 0.404	.2783	----	----	----	----	10 UNCH
7675	----	----	2.418B/*1.569A	2.418B/*1.569A	----	1.681 - 0.413	.2890	----	----	----	----	2 UNCH
7700	1.906	1.906	2.509B/*1.639A	2.509B/*1.639A	----	1.767 - 0.422	.3000	----	----	8	52	98 + 18
7725	----	----	2.641B/*1.733A	2.641B/*1.733A	----	1.856 - 0.430	.3110	----	----	----	----	24 UNCH
7750	2.060	2.060	2.749B/*1.780	2.749B/*1.780	----	1.948 - 0.438	.3222	----	----	20	----	15 + 3
7775	1.880	1.880	2.787B/*1.880	2.787B/*1.880	----	2.043 - 0.447	.3335	----	----	2	----	31 UNCH
7800	1.960	1.960	2.955B/*1.960	2.955B/*1.960	----	2.141 - 0.456	.3449	----	----	7	----	49 - 1
7825	----	----	3.123B/*2.073A	3.123B/*2.073A	----	2.243 - 0.464	.3564	----	----	----	----	13 UNCH
7850	2.272	2.272	3.151B/*2.171A	3.151B/*2.171A	----	2.348 - 0.473	.3680	----	----	3	----	14 + 3
7875	----	----	3.376B/*2.266A	3.376B/*2.266A	----	2.456 - 0.482	.3796	----	----	----	----	21 UNCH
7900	2.355	2.355	3.510B/*2.327	3.510B/*2.327	----	2.567 - 0.490	.3913	----	----	11	----	123 UNCH
7925	----	----	3.557B/*2.472A	3.557B/*2.472A	----	2.682 - 0.499	.4031	----	----	----	----	14 UNCH
7950	2.558	2.558	3.791B/*2.558	3.791B/*2.558	----	2.799 - 0.508	.4148	----	----	31	----	52 + 25
7975	----	----	3.829B/*2.680A	3.829B/*2.680A	----	2.920 - 0.516	.4266	----	----	----	----	6 UNCH
8000	3.567	3.567	3.968B/*2.783A	3.968B/*2.783A	----	3.044 - 0.525	.4384	----	----	53	----	198 + 19
8025	----	----	4.212B/*2.904A	4.212B/*2.904A	----	3.171 - 0.533	.4501	----	----	----	----	21 UNCH
8050	3.668	3.668	4.315B/*3.023A	4.315B/*3.023A	----	3.302 - 0.541	.4618	----	----	2	----	7 + 2
8075	3.846	3.846	4.411B/*3.150A	4.411B/*3.150A	----	3.435 - 0.549	.4735	----	----	2	----	3 + 1
8100	3.691	3.691	4.664B/*3.271A	4.664B/*3.271A	----	3.571 - 0.558	.4852	----	----	33	----	48 + 22
8125	4.127	4.127	4.823B/*3.401A	4.823B/*3.401A	----	3.711 - 0.565	.4967	----	----	9	----	10 + 7
8150	3.770	3.770	4.889B/*3.528A	4.889B/*3.528A	----	3.853 - 0.573	.5082	----	----	2	----	5 - 1
8175	3.859	3.859	5.004B/*3.656A	5.004B/*3.656A	----	3.998 - 0.581	.5196	----	----	2	----	43 UNCH
8200	3.933	3.933	5.198B/*3.798A	5.198B/*3.798A	----	4.146 - 0.589	.5309	----	----	2	----	25 + 2
8225	----	----	5.257B/*3.940A	5.257B/*3.940A	----	4.297 - 0.596	.5421	----	----	----	----	7 UNCH
8250	----	----	5.301B/4.080A	5.301B/4.080A	----	4.451 - 0.603	.5531	----	----	----	----	18 UNCH
8275	----	----	5.358B/*4.210A	5.358B/*4.210A	----	4.608 - 0.609	.5641	----	----	----	----	41 UNCH
8300	----	----	----/4.409A	5.354B/4.409A	----	4.767 - 0.616	.5749	----	----	----	----	6 UNCH
8350	----	----	----/4.710A	5.497B/4.710A	----	5.093 - 0.629	.5962	----	----	----	----	18 UNCH
8375	----	----	----/4.865A	5.549B/4.865A	----	5.260 - 0.635	.6065	----	----	----	----	1 UNCH
8400	5.263	5.263	5.263/5.021A	5.619B/5.021A	----	5.430 - 0.640	.6168	----	----	2	----	5 + 2
8425	----	----	----/5.162A	5.717B/5.162A	----	5.602 - 0.645	.6269	----	----	----	----	64 UNCH
8450	----	----	----/5.344A	5.884B/5.344A	----	5.776 - 0.651	.6368	----	----	----	----	19 UNCH
8475	----	----	----/5.512A	5.945B/5.512A	----	5.953 - 0.655	.6465	----	----	----	----	2 UNCH
8500	----	----	----/5.660A	6.245B/5.660A	----	6.132 - 0.660	.6561	----	----	----	----	70 UNCH
8525	----	----	----/5.837A	6.288B/5.837A	----	6.314 - 0.663	.6655	----	----	----	----	1 UNCH
8550	----	----	----/6.017A	6.473B/6.017A	----	6.497 - 0.668	.6747	----	----	----	----	1 UNCH
8575	----	----	----/6.195A	6.662B/6.195A	----	6.683 - 0.671	.6837	----	----	----	----	1 UNCH
8600	----	----	----/6.369A	6.872B/6.369A	----	6.871 - 0.674	.6926	----	----	----	----	5 UNCH
8625	----	----	----/6.610A	7.175B/6.610A	----	7.060 - 0.678	.7012	----	----	----	----	10 UNCH
8650	----	----	----/6.796A	7.235B/6.796A	----	7.252 - 0.681	.7097	----	----	----	----	2 UNCH
8675	----	----	----/6.977A	7.432B/6.977A	----	7.446 - 0.684	.7179	----	----	----	----	2 UNCH
8700	----	----	----/7.165A	7.755B/7.165A	----	7.641 - 0.687	.7261	----	----	----	----	14 UNCH
8750	----	----	----/7.493A	8.152B/7.493A	----	8.038 - 0.691	.7417	----	----	----	----	26 UNCH
8775	----	----	----/7.721A	8.229B/7.721A	----	8.239 - 0.694	.7493	----	----	----	----	1 UNCH
8800	----	----	----/7.916A	8.556B/7.916A	----	8.442 - 0.695	.7567	----	----	----	----	14 UNCH
8825	----	----	----/8.107A	8.761B/8.107A	----	8.646 - 0.698	.7638	----	----	----	----	15 UNCH
8850	----	----	----/8.303A	8.965B/8.303A	----	8.852 - 0.699	.7708	----	----	----	----	6 UNCH
8925	----	----	----/8.903A	9.507B/8.903A	----	9.478 - 0.705	.7908	----	----	----	----	4 UNCH
8975	----	----	----/9.303A	9.911B/9.303A	----	9.902 - 0.709	.8033	----	----	----	----	2 UNCH
9000	----	----	----/9.421A	10.263B/9.421A	----	10.116 - 0.711	.8092	----	----	----	----	136 UNCH
9050	----	----	----/9.919A	10.561B/9.919A	----	10.549 - 0.713	.8206	----	----	----	----	3 UNCH
9075	----	----	----/10.127A	10.779B/10.127A	----	10.766 - 0.715	.8261	----	----	----	----	2 UNCH
9100	----	----	----/10.331A	11.093B/10.331A	----	10.985 - 0.717	.8315	----	----	----	----	6 UNCH
9125	----	----	----/10.547A	11.268B/10.547A	----	11.205 - 0.718	.8366	----	----	----	----	1 UNCH
9150	----	----	----/10.760A	11.442B/10.760A	----	11.427 - 0.719	.8416	----	----	----	----	1 UNCH
9175	----	----	----/10.973A	11.666B/10.973A	----	11.649 - 0.720	.8465	----	----	----	----	1 UNCH
9200	----	----	----/11.104A	12.035B/11.104A	----	11.872 - 0.721	.8513	----	----	----	----	80 UNCH
9325	----	----	----/12.287A	13.032B/12.287A	----	13.001 - 0.727	.8729	----	----	----	----	1 UNCH
9450	----	----	----/13.384A	14.261B/13.384A	----	14.151 - 0.731	.8914	----	----	----	----	6 UNCH
9500	----	----	----/13.752A	14.805B/13.752A	----	14.616 - 0.731	.8979	----	----	----	----	138 UNCH
9525	----	----	----/14.070A	14.894B/14.070A	----	14.849 - 0.732	.9011	----	----	----	----	1 UNCH
9550	----	----	----/14.297A	15.130B/14.297A	----	15.083 - 0.733	.9042	----	----	----	----	1 UNCH
9575	----	----	----/14.524A	15.366B/14.524A	----	15.318 - 0.732	.9071	----	----	----	----	2 UNCH
9725	----	----	----/15.904A	16.795B/15.904A	----	16.736 - 0.733	.9228	----	----	----	----	1 UNCH
9825	----	----	----/16.839A	17.755B/16.839A	----	17.691 - 0.732	.9316	----	----	----	----	1 UNCH
9850	----	----	----/17.074A	17.997B/17.074A	----	17.930 - 0.732	.9336	----	----	----	----	1 UNCH
9900	----	----	----/17.535A	18.537B/17.535A	----	18.411 - 0.731	.9375	----	----	----	----	17 UNCH
9925	----	----	----/17.788A	18.722B/17.788A	----	18.652 - 0.730	.9393	----	----	----	----	1 UNCH
9950	----	----	----/18.025A	18.965B/18.025A	----	18.893 - 0.730	.9411	----	----	----	----	1 UNCH
10000	----	----	20.727B/18.413A	20.727B/18.413A	----	19.376 - 0.728	.9446	----	----	----	----	97 UNCH
10025	----	----	20.854B/18.739A	20.854B/18.739A	----	19.618 - 0.728	.9461	----	----	----	----	2 UNCH
10075	----	----	21.114B/19.217A	21.114B/19.217A	----	20.103 - 0.726	.9491	----	----	----	----	1 UNCH
10100	----	----	21.276B/19.457A	21.276B/19.457A	----	20.346 - 0.725	.9506	----	----	----	----	6 UNCH
10125	----	----	21.344B/19.696A	21.344B/19.696A	----	20.589 - 0.724	.9520	----	----	----	----	1 UNCH
10150	----	----	----/19.936A	21.521B/19.936A	----	20.832 - 0.724	.9533	----	----	----	----	8 UNCH
10175	----	----	----/20.177A	21.619B/20.177A	----	21.076 - 0.723	.9546	----	----	----	----	2 UNCH
10200	----	----	----/20.329A	21.736B/20.329A	----	21.320 - 0.722	.9558	----	----	----	----	120 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
10225	----	----	----/20.660A	21.924B/20.660A	----	21.564 -	0.721 .9571	----	----	----	----	1 UNCH
10325	----	----	----/21.635A	22.629B/21.635A	----	22.544 -	0.717 .9612	----	----	----	----	1 UNCH
10350	----	----	----/21.877A	22.874B/21.877A	----	22.790 -	0.715 .9621	----	----	----	----	1 UNCH
10375	----	----	----/22.113A	23.120B/22.113A	----	23.036 -	0.714 .9630	----	----	----	----	1 UNCH
10400	----	----	----/22.356A	23.366B/22.356A	----	23.282 -	0.714 .9637	----	----	----	----	1 UNCH
10500	----	----	----/23.329A	24.405B/23.329A	----	24.271 -	0.709 .9663	----	----	----	----	9 UNCH
10600	----	----	----/24.307A	25.339B/24.307A	----	25.263 -	0.704 .9683	----	----	----	----	5 UNCH
10825	----	----	----/26.525A	27.623B/26.525A	----	27.494 -	0.698 .9725	----	----	----	----	6 UNCH
10850	----	----	----/26.759A	27.812B/26.759A	----	27.742 -	0.697 .9731	----	----	----	----	4 UNCH
10875	----	----	----/27.013A	28.060B/27.013A	----	27.989 -	0.697 .9735	----	----	----	----	2 UNCH
10950	----	----	----/27.743A	28.803B/27.743A	----	28.732 -	0.696 .9749	----	----	----	----	3 UNCH
11000	----	----	----/28.249A	29.360B/28.249A	----	29.228 -	0.695 .9759	----	----	----	----	7 UNCH
11325	----	----	----/31.462A	32.586B/31.462A	----	32.449 -	0.693 .9815	----	----	----	----	1 UNCH
11500	----	----	----/33.192A	34.320B/33.192A	----	34.186 -	0.693 .9840	----	----	----	----	10 UNCH
11525	----	----	----/33.432A	34.577B/33.432A	----	34.435 -	0.693 .9843	----	----	----	----	1 UNCH
11675	----	----	----/34.935A	36.072B/34.935A	----	35.927 -	0.693 .9857	----	----	----	----	1 UNCH
11700	----	----	----/35.170A	36.321B/35.170A	----	36.176 -	0.693 .9860	----	----	----	----	1 UNCH
12000	----	----	----/38.058A	39.404B/38.058A	----	39.163 -	0.691 .9887	----	----	----	----	50 UNCH
12025	----	----	----/38.415A	39.554B/38.415A	----	39.412 -	0.691 .9889	----	----	----	----	1 UNCH
13000	----	----	----/48.127A	49.234B/48.127A	----	49.140 -	0.688 .9939	----	----	----	----	5 UNCH
TOTAL										799	52	13125 + 265
JUL26												
2000	----	----	----	----/0.014A	----	0.003 UNCH	.0002	----	----	----	----	6 UNCH
2400	----	----	----	----/0.271A	----	0.006 -	0.001 .0005	----	----	----	----	10 UNCH
2650	----	----	----	----/0.046A	----	0.009 -	0.001 .0008	----	----	----	----	6 UNCH
3000	----	----	----	----/0.021A	----	0.014 -	0.002 .0014	----	----	----	----	5 UNCH
3025	----	----	----	----/0.050A	----	0.015 -	0.002 .0015	----	----	----	----	1 UNCH
3350	----	----	----	----/0.056A	----	0.022 -	0.003 .0023	----	----	----	----	1 UNCH
3400	----	----	----	----/0.057A	----	0.023 -	0.003 .0024	----	----	----	----	55 UNCH
3475	----	----	----	----/*0.058A	----	0.025 -	0.003 .0026	----	----	----	----	5 UNCH
3500	----	----	----	----/0.059A	----	0.026 -	0.003 .0027	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/*0.062A	----	0.029 -	0.004 .0031	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.064A	----	0.032 -	0.004 .0035	----	----	----	----	94 UNCH
3800	----	----	----	0.001B/*0.067A	----	0.034 -	0.004 .0038	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/*0.068A	----	0.034 -	0.005 .0038	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/*0.069A	----	0.035 -	0.004 .0039	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/*0.071A	----	0.036 -	0.005 .0041	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/*0.072A	----	0.037 -	0.005 .0042	----	----	----	----	1 UNCH
4000	----	----	----	0.030B/0.075A	----	0.038 -	0.005 .0044	----	----	1	----	70 + 1
4075	----	----	----	0.001B/*0.078A	----	0.040 -	0.004 .0047	----	----	----	----	16 UNCH
4100	----	----	----	0.001B/*0.079A	----	0.040 -	0.005 .0047	----	----	----	----	6 UNCH
4175	----	----	----	0.001B/*0.083A	----	0.042 -	0.004 .0051	----	----	----	----	9 UNCH
4200	----	----	----	0.001B/*0.085A	----	0.043 -	0.004 .0052	----	----	----	----	27 UNCH
4225	----	----	----	0.001B/*0.086A	----	0.044 -	0.003 .0053	----	----	----	----	1 UNCH
4250	----	----	----	0.001B/*0.088A	----	0.044 -	0.003 .0054	----	----	----	----	21 UNCH
4300	----	----	----	0.001B/*0.091A	----	0.046 -	0.002 .0057	----	----	----	----	98 UNCH
4325	----	----	----	0.001B/*0.093A	----	0.047 -	0.002 .0058	----	----	----	----	17 UNCH
4375	----	----	----	0.001B/*0.096A	----	0.048 -	0.002 .0060	----	----	----	----	32 UNCH
4400	----	----	----	0.001B/*0.099A	----	0.049 -	0.002 .0062	----	----	----	----	29 UNCH
4450	----	----	----	0.001B/*0.102A	----	0.052 -	0.001 .0066	----	----	----	----	4 UNCH
4475	----	----	----	0.001B/*0.104A	----	0.053 UNCH	.0067	----	----	----	----	16 UNCH
4500	0.045	0.045	0.045/*0.045	0.045/*0.045	----	0.054 UNCH	.0069	----	----	2	----	301 + 1
4575	----	----	----	0.004B/0.111A	----	0.058 UNCH	.0075	----	----	----	----	75 UNCH
4600	----	----	----	0.006B/0.112A	----	0.060 +	0.001 .0078	----	----	----	----	102 UNCH
4650	----	----	----	0.012B/0.114A	----	0.064 +	0.002 .0083	----	----	----	----	40 UNCH
4675	----	----	----	0.016B/0.113A	----	0.066 +	0.002 .0086	----	----	----	----	12 UNCH
4700	----	----	----	0.018B/0.115A	----	0.068 +	0.003 .0089	----	----	2	----	154 + 2
4725	----	----	----	0.020B/*0.118A	----	0.070 +	0.003 .0092	----	----	----	----	3 UNCH
4750	----	----	----	0.022B/0.120A	----	0.072 +	0.003 .0094	----	----	----	----	54 UNCH
4775	----	----	----	0.024B/0.123A	----	0.074 +	0.004 .0097	----	----	----	----	8 UNCH
4800	----	----	----	0.025B/0.121A	----	0.076 +	0.004 .0100	----	----	----	----	15 UNCH
4825	----	----	----	0.027B/0.129A	----	0.078 +	0.004 .0103	----	----	----	----	26 UNCH
4850	----	----	----	0.030B/0.132A	----	0.081 +	0.005 .0107	----	----	----	----	2 UNCH
4875	----	----	----	0.031B/0.135A	----	0.083 +	0.005 .0110	----	----	----	----	23 UNCH
4900	----	----	----	0.034B/0.138A	----	0.085 +	0.005 .0113	----	----	----	----	168 UNCH
5000	----	----	----	0.075B/*0.090A	----	0.095 +	0.006 .0128	----	----	----	----	889 UNCH
5025	----	----	----	0.045B/0.155A	----	0.098 +	0.006 .0132	----	----	----	----	1 UNCH
5050	----	----	----	0.050B/0.159A	----	0.100 +	0.004 .0136	----	----	----	----	16 UNCH
5075	----	----	----	0.051B/0.163A	----	0.103 +	0.004 .0140	----	----	----	----	11 UNCH
5100	----	----	----	0.056B/0.167A	----	0.106 +	0.003 .0144	----	----	----	----	178 UNCH
5150	----	----	----	0.061B/0.175A	----	0.111 -	0.001 .0152	----	----	----	----	5 UNCH
5175	----	----	----	0.066B/0.180A	----	0.114 -	0.002 .0157	----	----	----	----	5 UNCH
5200	----	----	----	0.080B/0.184A	----	0.117 -	0.004 .0161	----	----	----	----	109 UNCH
5225	----	----	----	0.073B/*0.189A	----	0.121 -	0.005 .0167	----	----	----	----	9 UNCH
5250	----	----	----	0.077B/*0.194A	----	0.124 -	0.007 .0172	----	----	----	----	225 UNCH
5275	----	----	----	0.081B/0.200A	----	0.127 -	0.010 .0176	----	----	----	----	2 UNCH
5300	0.140	0.140	0.140/*0.140	0.140/*0.140	----	0.131 -	0.011 .0182	----	----	3	----	123 - 3
5325	----	----	----	0.088B/*0.211A	----	0.135 -	0.013 .0188	----	----	----	----	11 UNCH
5350	----	----	----	0.093B/*0.217A	----	0.139 -	0.015 .0194	----	----	----	----	26 UNCH
5375	----	----	----	0.097B/*0.222A	----	0.143 -	0.017 .0200	----	----	----	----	17 UNCH
5400	----	----	----	0.101B/*0.228A	----	0.147 -	0.019 .0206	----	----	----	----	75 UNCH
5425	----	----	----	0.106B/*0.234A	----	0.152 -	0.020 .0213	----	----	----	----	49 UNCH
5450	----	----	----	0.111B/0.240A	----	0.157 -	0.021 .0221	----	----	----	----	38 UNCH
5475	----	----	----	0.118B/0.247A	----	0.162 -	0.022 .0228	----	----	----	----	53 UNCH
5500	0.150	0.150	0.150/0.150	0.150/0.150	----	0.168 -	0.022 .0236	----	----	1	----	1022 - 1
5525	----	----	----	0.128B/*0.258A	----	0.173 -	0.023 .0244	----	----	----	----	87 UNCH
5550	----	----	----	0.137B/0.266A	----	0.179 -	0.024 .0252	----	----	----	----	18 UNCH
5575	----	----	----	0.143B/*0.272A	----	0.186 -	0.023 .0262	----	----	----	----	3 UNCH
5600	----	----	----	0.151B/0.281A	----	0.192 -	0.024 .0271	----	----	----	----	31 UNCH
5625	----	----	----	0.157B/*0.285A	----	0.199 -	0.025 .0280	----	----	----	----	3 UNCH
5650	----	----	----	0.165B/0.292A	----	0.206 -	0.026 .0290	----	----	----	----	29 UNCH
5675	----	----	----	0.173B/0.299A	----	0.214 -	0.026 .0301	----	----	----	----	45 UNCH
5700	----	----	----	0.182B/0.301A	----	0.222 -	0.027 .0312	----	----	----	----	302 UNCH
5725	----	----	----	0.189B/0.318A	----	0.230 -	0.028 .0324	----	----	----	----	3 UNCH
5750	----	----	----	0.198B/*0.324A	----	0.239 -	0.029 .0336	----	----	----	----	52 UNCH
5775	----	----	----	0.209B/0.344A	----	0.248 -	0.030 .0348	----	----	----	----	2 UNCH
5800	----	----	----	0.219B/*0.344A	----	0.258 -	0.030 .0361	----	----	----	----	30 UNCH
5825	----	----	----	0.229B/0.367A	----	0.268 -	0.031 .0375	----	----	----	----	4 UNCH
5850	----	----	----	0.241B/0.379A	----	0.278 -	0.033 .0388	----	----	----	----	114 UNCH
5875	----	----	----	0.252B/0.393A	----	0.289 -	0.034 .0403	----	----	----	----	3 UNCH
5900	----	----	----	0.263B/*0.394A	----	0.300 -	0.035 .0418	----	----	----	----	6 UNCH
5925	----	----	----	0.275B/0.419A	----	0.312 -	0.037 .0434	----	----	----	----	2 UNCH
5950	----	----	----	0.286B/0.433A	----	0.324 -	0.038 .0449	----	----	----	----	2 UNCH
5975	----	----	----	0.357B/0.439A	----	0.337 -	0.040 .0466	----	----	----	----	9 UNCH
6000	0.357	0.357	0.357/*0.325	0.357/*0.325	----	0.350 -	0.042 .0483	----	----	2	----	615 + 1
6050	----	----	----	0.341B/0.486A	----	0.378 -	0.046 .0520	----	----	----	----	12 UNCH
6100	----	----	----	0.422B/0.496A	----	0.409 -	0.049 .0559	----	----	----	----	293 UNCH
6125	----	----	----/*0.447A	0.440B/*0.447A	----	0.425 -	0.052 .0579	----	----	----	----	2 UNCH
6150	----	----	----/0.473A	0.462B/0.473A	----	0.441 -	0.055 .0600	----	----	----	----	10 UNCH
6175	----	----	----	0.486B/0.536A	----	0.459 -	0.057 .0622	----	----	----	----	2 UNCH
6200	----	----	----/*0.507A	0.508B/*0.507A	----	0.477 -	0.059 .0645	----	----	----	----	44 UNCH
6225	----	----	----/*0.526A	0.525B/*0.526A	----	0.496 -	0.062 .0668	----	----	----	----	1 UNCH
6250	----	----	0.603B/0.546A	0.603B/0.546A	----	0.516 -	0.064 .0693	----	----	----	----	27 UNCH
6275	----	----	0.635B/*0.562A	0.635B/*0.562A	----	0.536 -	0.067 .0717	----	----	----	----	1 UNCH
6300	0.601	0.601	0.664B/*0.582A	0.664B/*0.582A	----	0.557 -	0.071 .0743	----	----	4	----	253 + 1
6325	----	----	0.692B/*0.603A	0.692B/*0.603A	----	0.579 -	0.074 .0769	----	----	----	----	20 UNCH
6350	----	----	0.715B/0.624A	0.715B/0.624A	----	0.602 -	0.077 .0797	----	----	----	----	1 UNCH
6375	----	----	0.744B/0.684A	0.744B/0.684A	----	0.626 -	0.080 .0825	----	----	----	----	6 UNCH
6400	----	----	0.785B/0.673A	0.785B/0.673A	----	0.651 -	0.082 .0854	----	----	2	----	91 - 1
6425	----	----	0.817B/0.699A	0.817B/0.699A	----	0.677 -	0.085 .0884	----	----	----	----	2 UNCH
6450	----	----	0.849B/0.710A	0.849B/0.710A	----	0.704 -	0.088 .0915	----	----	2	----	4 + 1
6475	----	----	0.878B/*0.718A	0.878B/*0.718A	----	0.732 -	0.091 .0947	----	----	----	----	2 UNCH
6500	0.820	0.820	0.916B/*0.744A	0.916B/*0.744A	----	0.761 -	0.095 .0980	----	----	28	68	825 + 72
6525	----	----	0.953B/*0.771A	0.953B/*0.771A	----	0.791 -	0.098 .1014	----	----	----	----	1 UNCH
6550	----	----	0.991B/*0.800A	0.991B/*0.800A	----	0.822 -	0.101 .1048	----	----	2	----	65 + 2
6575	----	----	1.029B/*0.830A	1.029B/*0.830A	----	0.855 -	0.104 .1084	----	----	----	----	7 UNCH
6600	0.934	0.934	1.056B/*0.861A	1.056B/*0.861A	----	0.889 -	0.107 .1121	----	----	17	----	49 + 15
6650	----	----	1.146B/*0.928A	1.146B/*0.928A	----	0.961 -	0.112 .1198	----	----	----	----	130 UNCH
6675	----	----	1.194B/*0.964A	1.194B/*0.964A	----	0.998 -	0.116 .1238	----	----	----	----	1 UNCH
6700	----	----	1.242B/*1.000A	1.242B/*1.000A	----	1.037 -	0.119 .1278	----	----	1	----	33 UNCH
6725	----	----	1.286B/*1.038A	1.286B/*1.038A	----	1.078 -	0.121 .1320	----	----	----	----	1 UNCH
6750	----	----	1.330B/*1.077A	1.330B/*1.077A	----	1.120 -	0.124 .1363	----	----	----	----	36 UNCH
6775	----	----	1.380B/*1.118A	1.380B/*1.118A	----	1.163 -	0.128 .1407	----	----	----	----	2 UNCH
6800	----	----	1.441B/*1.162A	1.441B/*1.162A	----	1.207 -	0.132 .1451	----	----	----	----	328 UNCH
6825	1.317	1.317	1.493B/*1.204A	1.493B/*1.204A	----	1.253 -	0.135 .1497	----	----	1	----	3 + 1
6850	1.364	1.364	1.549B/*1.249A	1.549B/*1.249A	----	1.301 -	0.139 .1544	----	----	1	----	12 + 1
6875	----	----	1.604B/*1.295A	1.604B/*1.295A	----	1.350 -	0.142 .1591	----	----	----	----	86 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
6900	1.375	1.375	1.677B/*1.342A	1.677B/*1.342A	----	1.400 - 0.147	.1639	----	----	3	----	117 + 1
6925	----	----	1.739B/*1.392A	1.739B/*1.392A	----	1.452 - 0.151	.1688	----	----	----	----	45 UNCH
6950	----	----	1.803B/*1.442A	1.803B/*1.442A	----	1.505 - 0.157	.1738	----	----	1	----	85 UNCH
6975	----	----	1.866B/*1.495A	1.866B/*1.495A	----	1.560 - 0.162	.1789	----	----	----	----	1 UNCH
7000	1.800	1.800	1.937B/*1.548A	1.937B/*1.548A	----	1.616 - 0.167	.1841	----	----	68	----	737 + 8
7025	----	----	2.002B/*1.605A	2.002B/*1.605A	----	1.674 - 0.173	.1894	----	----	----	----	135 UNCH
7050	----	----	2.081B/*1.661A	2.081B/*1.661A	----	1.733 - 0.179	.1947	----	----	----	----	2 UNCH
7075	----	----	2.154B/*1.721A	2.154B/*1.721A	----	1.794 - 0.185	.2001	----	----	----	----	2 UNCH
7100	----	----	2.228B/*1.781A	2.228B/*1.781A	----	1.857 - 0.191	.2056	----	----	----	----	25 UNCH
7125	----	----	2.295B/*1.845A	2.295B/*1.845A	----	1.921 - 0.197	.2112	----	----	----	----	10 UNCH
7150	1.913	1.913	2.379B/*1.906A	2.379B/*1.906A	----	1.987 - 0.202	.2169	----	----	12	----	102 - 2
7175	----	----	2.461B/*1.975A	2.461B/*1.975A	----	2.056 - 0.206	.2227	----	----	----	----	32 UNCH
7200	2.158	2.158	2.546B/*2.018	2.546B/*2.018	----	2.126 - 0.211	.2285	----	----	4	----	94 + 1
7225	----	----	2.630B/2.114A	2.630B/2.114A	----	2.197 - 0.217	.2344	----	----	----	----	2 UNCH
7250	----	----	2.706B/2.185A	2.706B/2.185A	----	2.271 - 0.223	.2404	----	----	1	----	207 UNCH
7275	----	----	2.808B/2.261A	2.808B/2.261A	----	2.347 NEW	.2465	----	----	1	----	1 + 1
7300	2.412	2.412	2.901B/2.337A	2.901B/2.337A	----	2.425 - 0.237	.2526	----	----	6	----	42 + 2
7350	----	----	3.089B/2.496A	3.089B/2.496A	----	2.588 - 0.252	.2652	----	----	----	----	7 UNCH
7375	----	----	3.187B/2.576A	3.187B/2.576A	----	2.672 - 0.260	.2715	----	----	----	----	116 UNCH
7400	2.865	2.865	3.234B/2.660A	3.234B/2.660A	----	2.759 - 0.267	.2779	----	----	5	----	91 + 5
7425	----	----	3.393B/2.755A	3.393B/2.755A	----	2.848 - 0.273	.2844	----	----	----	----	8 UNCH
7450	2.980	2.980	3.499B/2.836A	3.499B/2.836A	----	2.940 - 0.279	.2910	----	----	11	----	69 + 11
7475	3.292	3.292	3.588B/2.929A	3.588B/2.929A	----	3.034 - 0.285	.2976	----	----	3	----	3 + 1
7500	3.027	3.027	3.625B/3.018A	3.625B/3.018A	----	3.131 - 0.291	.3042	----	----	31	----	81 + 21
7525	----	----	3.828B/3.118A	3.828B/3.118A	----	3.229 - 0.298	.3109	----	----	----	----	26 UNCH
7550	----	----	3.919B/3.215A	3.919B/3.215A	----	3.331 - 0.304	.3176	----	----	----	----	8 UNCH
7600	----	----	4.180B/3.417A	4.180B/3.417A	----	3.540 - 0.317	.3312	----	----	----	----	6 UNCH
7625	----	----	4.208B/3.521A	4.208B/3.521A	----	3.649 - 0.323	.3380	----	----	----	----	3 UNCH
7650	----	----	4.422B/3.619A	4.422B/3.619A	----	3.759 - 0.330	.3448	----	----	----	----	25 UNCH
7675	----	----	4.554B/3.735A	4.554B/3.735A	----	3.872 - 0.336	.3516	----	----	----	----	15 UNCH
7700	----	----	4.680B/3.812A	4.680B/3.812A	----	3.987 - 0.341	.3585	----	----	----	----	105 UNCH
7775	----	----	5.057B/4.174A	5.057B/4.174A	----	4.344 - 0.356	.3791	----	----	----	----	5 UNCH
7800	4.406	4.406	5.207B/4.271A	5.207B/4.271A	----	4.468 - 0.359	.3859	----	----	6	----	72 - 1
7825	----	----	5.328B/4.407A	5.328B/4.407A	----	4.593 - 0.363	.3927	----	----	----	----	6 UNCH
7850	----	----	5.491B/4.514A	5.491B/4.514A	----	4.720 - 0.366	.3996	----	----	1	----	29 + 1
7875	----	----	5.626B/4.639A	5.626B/4.639A	----	4.850 - 0.368	.4064	----	----	1	----	27 + 1
7900	4.820	4.820	5.761B/4.771A	5.761B/4.771A	----	4.981 - 0.371	.4132	----	----	1	----	12 UNCH
7925	----	----	5.890B/4.900A	5.890B/4.900A	----	5.114 - 0.374	.4200	----	----	----	----	1 UNCH
7950	----	----	6.045B/5.024A	6.045B/5.024A	----	5.248 - 0.378	.4267	----	----	----	----	2 UNCH
7975	----	----	6.166B/5.154A	6.166B/5.154A	----	5.385 - 0.380	.4334	----	----	----	----	6 UNCH
8000	5.500	5.500	6.346B/5.267A	6.346B/5.267A	----	5.523 - 0.384	.4401	----	----	10	----	252 + 2
8075	----	----	6.832B/5.686A	6.832B/5.686A	----	5.948 - 0.396	.4601	----	----	----	----	9 UNCH
8100	----	----	6.976B/5.807A	6.976B/5.807A	----	6.093 - 0.401	.4666	----	----	----	----	44 UNCH
8125	----	----	7.025B/5.963A	7.025B/5.963A	----	6.239 - 0.407	.4732	----	----	----	----	7 UNCH
8150	----	----	7.291B/6.104A	7.291B/6.104A	----	6.387 - 0.413	.4797	----	----	----	----	1 UNCH
8175	----	----	7.429B/6.249A	7.429B/6.249A	----	6.536 - 0.419	.4861	----	----	----	----	2 UNCH
8225	----	----	7.772B/6.540A	7.772B/6.540A	----	6.840 - 0.432	.4989	----	----	----	----	1 UNCH
8250	----	----	7.951B/6.665A	7.951B/6.665A	----	6.994 - 0.439	.5053	----	----	----	----	72 UNCH
8275	----	----	7.981B/6.837A	7.981B/6.837A	----	7.150 - 0.446	.5116	----	----	----	----	11 UNCH
8300	7.103	7.103	8.281B/6.972A	8.281B/6.972A	----	7.308 - 0.453	.5178	----	----	1	----	124 UNCH
8375	----	----	8.742B/7.452A	8.742B/7.452A	----	7.790 - 0.474	.5363	----	----	----	----	2 UNCH
8400	----	----	8.857B/7.610A	8.857B/7.610A	----	7.954 - 0.481	.5423	----	----	----	----	8 UNCH
8500	----	----	9.519B/8.310A	9.519B/8.310A	----	8.627 - 0.507	.5659	----	----	----	----	57 UNCH
8600	----	----	----/8.995A	9.769B/8.995A	----	9.326 - 0.528	.5885	----	----	----	----	56 UNCH
8700	----	----	----/9.700A	10.524B/9.700A	----	10.049 - 0.545	.6100	----	----	----	----	6 UNCH
9000	----	----	----/11.892A	12.440B/11.892A	----	12.344 - 0.581	.6682	----	----	----	----	310 UNCH
9200	----	----	----/13.544A	14.047B/13.544A	----	13.957 - 0.603	.7020	----	----	----	----	11 UNCH
9400	----	----	----/15.252A	15.551B/15.252A	----	15.623 - 0.623	.7322	----	----	----	----	1 UNCH
9450	----	----	----/15.583A	16.134B/15.583A	----	16.047 - 0.627	.7392	----	----	----	----	12 UNCH
9500	----	----	----/15.916A	16.561B/15.916A	----	16.473 - 0.631	.7460	----	----	----	----	219 UNCH
9600	----	----	----/16.756A	17.427B/16.756A	----	17.333 - 0.637	.7590	----	----	----	----	50 UNCH
9900	----	----	----/19.421A	20.054B/19.421A	----	19.967 - 0.646	.7939	----	----	----	----	6 UNCH
9950	----	----	----/19.943A	20.360B/19.943A	----	20.413 - 0.648	.7992	----	----	----	----	5 UNCH
10000	----	----	----/20.215A	20.971B/20.215A	----	20.861 - 0.649	.8042	----	----	----	----	225 UNCH
10275	----	----	----/22.746A	23.435B/22.746A	----	23.355 - 0.659	.8295	----	----	----	----	7 UNCH
10500	----	----	----/24.872A	25.385B/24.872A	----	25.423 - 0.667	.8476	----	----	----	----	3 UNCH
10600	----	----	----/25.713A	26.428B/25.713A	----	26.349 - 0.670	.8550	----	----	----	----	9 UNCH
10800	----	----	----/27.629A	28.302B/27.629A	----	28.212 - 0.674	.8687	----	----	----	----	1 UNCH
11000	----	----	----/29.288A	30.227B/29.288A	----	30.093 - 0.673	.8808	----	----	----	----	217 UNCH
11300	----	----	----/32.202A	33.016B/32.202A	----	32.942 - 0.668	.8964	----	----	----	----	10 UNCH
11500	----	----	----/34.155A	34.833B/34.155A	----	34.854 - 0.667	.9054	----	----	----	----	1 UNCH
12000	----	----	----/38.843A	39.747B/38.843A	----	39.668 - 0.681	.9247	----	----	----	----	15 UNCH
13000	----	----	----/48.526A	49.431B/48.526A	----	49.426 - 0.697	.9505	----	----	----	----	5 UNCH
TOTAL										235	68	12271 + 145
AUG26												
3300	----	----	----	0.001B/3.637A	----	0.018 + 0.001	.0019	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/3.789A	----	0.048 + 0.002	.0052	----	----	----	----	2 UNCH
4000	----	----	----	0.001B/3.820A	----	0.055 + 0.002	.0060	----	----	----	----	1 UNCH
4175	----	----	----	0.036B/0.182A	----	0.070 + 0.002	.0077	----	----	----	----	1 UNCH
4300	----	----	----	0.048B/0.198A	----	0.083 + 0.003	.0091	----	----	----	----	1 UNCH
4350	----	----	----	0.053B/0.206A	----	0.088 + 0.002	.0097	----	----	----	----	1 UNCH
4375	----	----	----	0.056B/0.209A	----	0.091 + 0.002	.0100	----	----	----	----	160 UNCH
4400	----	----	----	0.059B/0.213A	----	0.094 + 0.002	.0104	----	----	----	----	1 UNCH
4500	----	----	----	0.072B/0.230A	----	0.108 + 0.003	.0119	----	----	----	----	2 UNCH
4600	----	----	----	0.087B/0.248A	----	0.123 + 0.004	.0136	----	----	----	----	4 UNCH
4625	----	----	----	0.091B/0.253A	----	0.127 + 0.004	.0140	----	----	----	----	1 UNCH
4700	----	----	----	0.103B/0.269A	----	0.140 + 0.004	.0155	----	----	----	----	1 UNCH
4775	----	----	----	0.117B/0.286A	----	0.155 + 0.004	.0171	----	----	----	----	1 UNCH
4800	----	----	----	0.122B/0.292A	----	0.160 + 0.004	.0177	----	----	----	----	16 UNCH
4825	----	----	----	0.127B/0.298A	----	0.165 + 0.004	.0183	----	----	----	----	1 UNCH
5000	----	----	----	0.169B/0.346A	----	0.209 + 0.005	.0230	----	----	----	----	14 UNCH
5275	----	----	----	0.257B/0.443A	----	0.303 + 0.006	.0329	----	----	----	----	1 UNCH
5300	----	----	----	0.267B/0.454A	----	0.313 + 0.005	.0340	----	----	----	----	1 UNCH
5425	----	----	----	0.320B/0.509A	----	0.371 + 0.005	.0399	----	----	----	----	1 UNCH
5500	----	----	----	0.357B/0.548A	----	0.411 + 0.005	.0439	----	----	----	----	78 UNCH
5675	----	----	----	0.459B/0.648A	----	0.521 + 0.005	.0546	----	----	----	----	9 UNCH
5700	----	----	----	0.476B/0.666A	----	0.539 + 0.005	.0563	----	----	----	----	2 UNCH
5750	----	----	----	0.511B/0.701A	----	0.577 + 0.005	.0599	----	----	----	----	1 UNCH
5800	----	----	----	0.548B/0.738A	----	0.617 + 0.004	.0636	----	----	----	----	5 UNCH
5850	----	----	----	0.587B/0.777A	----	0.660 + 0.004	.0676	----	----	----	----	2 UNCH
5875	----	----	----	0.608B/0.797A	----	0.682 + 0.003	.0696	----	----	----	----	4 UNCH
5900	----	----	----	0.630B/0.816A	----	0.705 + 0.003	.0717	----	----	----	----	5 UNCH
5950	----	----	----	0.675B/0.861A	----	0.754 + 0.003	.0761	----	----	----	----	10 UNCH
6000	----	----	----	0.723B/0.908A	----	0.805 + 0.002	.0807	----	----	----	----	127 UNCH
6050	----	----	----	0.775B/0.955A	----	0.856 - 0.002	.0853	----	----	----	----	1 UNCH
6100	----	----	----	0.830B/1.009A	----	0.909 - 0.007	.0900	----	----	----	----	10 UNCH
6150	----	----	----	0.888B/1.058A	----	0.966 - 0.010	.0950	----	----	----	----	1 UNCH
6200	----	----	----	0.950B/1.063A	----	1.025 - 0.016	.1002	----	----	----	----	101 UNCH
6225	----	----	----	1.046B/1.079A	----	1.056 - 0.019	.1028	----	----	----	----	9 UNCH
6250	----	----	----	1.030B/1.126A	----	1.088 - 0.021	.1056	----	----	----	----	111 UNCH
6300	----	----	----/*1.170A	1.101B/*1.170A	----	1.155 - 0.027	.1113	----	----	----	----	52 UNCH
6400	----	----	----	1.198B/1.438A	----	1.302 - 0.039	.1234	----	----	----	----	1 UNCH
6425	----	----	----	1.237B/1.482A	----	1.342 - 0.041	.1266	----	----	----	----	6 UNCH
6450	----	----	----	1.277B/1.523A	----	1.383 NEW	.1299	----	----	1	----	1 + 1
6500	1.400	1.400	1.424B/*1.400	1.424B/*1.400	----	1.468 - 0.051	.1366	----	----	2	----	218 + 1
6575	----	----	----	1.492B/1.763A	----	1.606 - 0.062	.1472	----	----	----	----	1 UNCH
6600	----	----	----/*1.615A	1.537B/*1.615A	----	1.655 - 0.065	.1509	----	----	----	----	16 UNCH
6650	----	----	----/*1.712A	1.660B/*1.712A	----	1.756 - 0.073	.1585	----	----	----	----	9 UNCH
6675	----	----	----/*1.762A	1.707B/*1.762A	----	1.809 - 0.076	.1623	----	----	----	----	1 UNCH
6700	----	----	----/*1.813A	1.787B/*1.813A	----	1.863 - 0.080	.1662	----	----	----	----	3 UNCH
6725	----	----	----/*1.866A	1.810B/*1.866A	----	1.918 - 0.085	.1702	----	----	----	----	9 UNCH
6750	----	----	----/*1.920A	1.862B/*1.920A	----	1.976 - 0.088	.1743	----	----	----	----	1 UNCH
6800	2.162	2.162	2.162/2.033A	2.162/2.033A	----	2.094 - 0.097	.1825	----	----	1	----	3 - 1
6825	----	----	----/*2.091A	2.089B/*2.091A	----	2.156 - 0.101	.1868	----	----	----	----	8 UNCH
6850	----	----	----/*2.150A	2.147B/*2.150A	----	2.219 - 0.106	.1911	----	----	----	----	1 UNCH
6900	----	----	----/*2.274A	2.273B/*2.274A	----	2.350 - 0.115	.1998	----	----	----	----	6 UNCH
6950	----	----	----/*2.403A	2.406B/*2.403A	----	2.488 - 0.124	.2088	----	----	----	----	24 UNCH
6975	----	----	----/*2.470A	2.476B/*2.470A	----	2.559 - 0.129	.2133	----	----	----	----	1 UNCH
7000	----	----	----/*2.539A	2.547B/*2.539A	----	2.632 - 0.134	.2180	----	----	----	----	9 UNCH
7050	----	----	----/*2.681A	2.697B/*2.681A	----	2.784 - 0.143	.2274	----	----	----	----	2 UNCH
7100	----	----	----/*2.830A	2.853B/*2.830A	----	2.941 - 0.154	.2369	----	----	----	----	7 UNCH
7150	----	----	----/*2.985A	3.016B/*2.985A	----	3.106 - 0.164	.2466	----	----	----	----	1 UNCH
7200	----	----	----/*3.148A	3.180B/*3.148A	----	3.278 - 0.175	.2565	----	----	----	68	70 + 68
7225	----	----	----/*3.231A	3.255B/*3.231A	----	3.367 - 0.180	.2615	----	----	----	----	2 UNCH
7300	----	----	----/3.493A	3.631B/3.493A	----	3.643 - 0.197	.2766	----	----	----	----	112 UNCH
7350	----	----	----/3.677A	3.716B/3.677A	----	3.835 - 0.210	.2869	----	----	----	----	6 UNCH
7400	----	----	----/3.868A	3.921B/3.868A	----	4.035 - 0.221	.2972	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
7425	3.966	3.966	3.985/*3.966	3.991B/*3.966	----	4.137 - 0.227	.3024	----	----	2	----	2 + 2
7450	4.066	4.066	4.066/*4.066	4.091B/*4.066	----	4.240 NEW	.3076	----	----	1	----	1 + 1
7500	4.272	4.272	4.272/4.272	4.502B/4.272	----	4.453 - 0.246	.3180	----	----	1	----	88 UNCH
7550	----	----	----/4.485A	4.561B/4.485A	----	4.671 - 0.260	.3285	----	----	----	----	6 UNCH
7600	4.706	4.706	4.706/4.706	4.790B/4.706	----	4.895 - 0.274	.3390	----	----	1	----	4 UNCH
7700	5.089	5.089	5.089/5.089	5.487B/5.089	----	5.360 - 0.302	.3601	----	----	1	----	73 + 1
7850	----	----	----/5.922A	6.046B/5.922A	----	6.098 - 0.342	.3916	----	----	----	----	7 UNCH
7950	6.485	6.485	6.485/6.455A	6.592B/6.455A	----	6.620 - 0.362	.4126	----	----	1	----	11 UNCH
7975	6.623	6.623	6.623/6.593A	6.737B/6.593A	----	6.754 - 0.366	.4178	----	----	1	----	2 + 1
8000	6.772	6.772	6.772/6.677	7.169B/6.677	----	6.890 - 0.370	.4230	----	----	30	----	149 - 13
8025	6.903	6.903	6.903/6.872A	7.023B/6.872A	----	7.027 NEW	.4282	----	----	1	----	1 + 1
8100	7.335	7.335	7.335/7.301A	7.565B/7.301A	----	7.448 - 0.386	.4436	----	----	1	----	2 + 1
8150	----	----	----/7.595A	7.795B/7.595A	----	7.737 - 0.394	.4539	----	----	----	----	10 UNCH
8200	----	----	----/7.894A	8.198B/7.894A	----	8.032 - 0.402	.4639	----	----	----	----	10 UNCH
8225	----	----	----/8.046A	8.276B/8.046A	----	8.182 - 0.407	.4690	----	----	----	----	4 UNCH
8250	----	----	----/8.199A	8.439B/8.199A	----	8.334 - 0.411	.4739	----	----	----	----	5 UNCH
8300	----	----	----/8.498A	8.854B/8.498A	----	8.642 - 0.419	.4838	----	----	----	----	1 UNCH
8325	----	----	----/8.655A	8.938B/8.655A	----	8.799 - 0.423	.4887	----	----	----	----	1 UNCH
8425	----	----	----/9.282A	9.622B/9.282A	----	9.439 - 0.440	.5079	----	----	----	----	1 UNCH
8475	----	----	----/9.602A	9.973B/9.602A	----	9.769 - 0.446	.5173	----	----	----	----	1 UNCH
8500	----	----	----/9.759A	10.234B/9.759A	----	9.935 - 0.450	.5220	----	----	----	----	20 UNCH
9000	13.300	13.300	13.488/13.227A	13.709B/13.227A	----	13.519 - 0.505	.6065	----	----	25	----	55 + 20
9300	----	----	----/15.584A	16.051B/15.584A	----	15.851 - 0.544	.6498	----	----	----	----	1 UNCH
9500	----	----	----/17.139A	17.562B/17.139A	----	17.468 - 0.571	.6756	----	----	----	----	30 UNCH
10000	----	----	----/21.289A	21.757B/21.289A	----	21.673 - 0.657	.7312	----	----	----	----	6 UNCH
10025	----	----	----/21.661A	21.670B/21.661A	----	21.887 - 0.663	.7337	----	----	----	----	1 UNCH
10175	----	----	----/22.783A	23.279B/22.783A	----	23.183 - 0.697	.7482	----	----	----	----	15 UNCH
TOTAL										69	68	1769 + 83
SEP26												
2500	----	----	----	----/3.621A	----	0.007 - 0.001	.0006	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/3.678A	----	0.023 - 0.003	.0022	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/3.819A	----	0.059 - 0.006	.0054	----	----	----	----	74 UNCH
4000	----	----	----	0.067B/0.241A	----	0.136 - 0.013	.0122	----	----	----	----	44 UNCH
4500	----	----	----	0.153B/0.348A	----	0.228 - 0.022	.0209	----	----	----	----	10 UNCH
4525	----	----	----	0.159B/0.355A	----	0.234 - 0.022	.0214	----	----	----	----	3 UNCH
5000	----	----	----	0.312B/0.526A	----	0.387 - 0.034	.0355	----	----	----	----	233 UNCH
5100	----	----	----	0.357B/0.578A	----	0.433 - 0.038	.0396	----	----	----	----	1 UNCH
5400	----	----	----	0.530B/0.752A	----	0.615 - 0.052	.0551	----	----	----	----	1 UNCH
5475	----	----	----	0.584B/0.806A	----	0.673 - 0.055	.0599	----	----	----	----	3 UNCH
5500	----	----	----	0.603B/0.825A	----	0.693 - 0.057	.0615	----	----	----	----	233 UNCH
5600	----	----	----	0.685B/0.906A	----	0.780 - 0.063	.0685	----	----	----	----	1 UNCH
5700	----	----	----	0.777B/1.001A	----	0.878 - 0.069	.0761	----	----	----	----	7 UNCH
5800	----	----	----	0.881B/1.096A	----	0.987 - 0.076	.0845	----	----	----	----	8 UNCH
5900	----	----	----	0.998B/1.207A	----	1.107 - 0.084	.0934	----	----	----	----	50 UNCH
6000	----	----	----	1.128B/1.331A	----	1.240 - 0.091	.1031	----	----	----	----	389 UNCH
6050	----	----	----/1.397A	1.198B/1.397A	----	1.311 - 0.095	.1082	----	----	----	----	15 UNCH
6200	----	----	----	1.127B/1.938A	----	1.543 - 0.109	.1245	----	----	----	----	40 UNCH
6300	----	----	----	1.326B/2.093A	----	1.717 - 0.118	.1363	----	----	----	----	5 UNCH
6400	----	----	----	1.547B/2.265A	----	1.906 - 0.128	.1488	----	----	----	----	3 UNCH
6425	----	----	----	1.596B/*2.150A	----	1.956 - 0.131	.1520	----	----	----	----	3 UNCH
6500	----	----	----	1.747B/*2.264A	----	2.113 - 0.139	.1620	----	----	4	----	80 + 4
6550	----	----	----	1.855B/*2.388A	----	2.224 - 0.144	.1689	----	----	----	----	15 UNCH
6800	2.885	2.885	2.885/2.885	2.885/2.885	----	2.856 - 0.172	.2061	----	----	1	----	7 UNCH
6900	----	----	----	2.764B/3.558A	----	3.149 - 0.184	.2222	----	----	----	----	1 UNCH
7000	----	----	----	3.074B/3.897A	----	3.467 - 0.197	.2389	----	----	8	26	47 + 31
7025	----	----	----	3.157B/3.984A	----	3.551 - 0.200	.2432	----	----	----	----	1 UNCH
7100	----	----	----	3.410B/4.255A	----	3.813 - 0.210	.2562	----	----	----	----	16 UNCH
7125	----	----	----	3.504B/4.347A	----	3.904 - 0.213	.2606	----	----	----	----	25 UNCH
7175	----	----	----	3.677B/4.519A	----	4.090 - 0.220	.2694	----	----	----	----	20 UNCH
7200	----	----	----	3.804B/4.610A	----	4.186 - 0.223	.2739	----	----	----	----	51 UNCH
7300	----	----	----	4.212B/4.989A	----	4.584 - 0.237	.2919	----	----	----	----	171 UNCH
7400	----	----	----	4.673B/5.423A	----	5.007 - 0.250	.3101	----	----	----	----	25 UNCH
7500	----	----	----	4.990B/5.875A	----	5.457 - 0.263	.3285	----	----	----	----	3 UNCH
7550	----	----	----	5.219B/6.109A	----	5.691 - 0.270	.3377	----	----	----	----	2 UNCH
7700	----	----	----	5.931B/6.864A	----	6.431 - 0.290	.3654	----	----	----	----	1 UNCH
7800	----	----	----	6.433B/7.357A	----	6.955 - 0.303	.3837	----	----	----	----	9 UNCH
7900	----	----	----	6.981B/7.886A	----	7.502 - 0.316	.4018	----	----	----	----	1 UNCH
8000	----	----	----	7.877B/8.434A	----	8.072 - 0.328	.4198	----	----	----	----	40 UNCH
8100	----	----	----/8.985A	8.139B/8.985A	----	8.662 - 0.341	.4374	----	----	----	----	1 UNCH
8200	----	----	----/9.260A	8.762B/9.260A	----	9.273 - 0.353	.4547	----	----	----	----	1 UNCH
8400	----	----	----/10.653A	10.294B/10.653A	----	10.550 - 0.375	.4880	----	----	----	----	82 UNCH
8500	----	----	----/11.247A	11.324B/11.247A	----	11.214 - 0.387	.5041	----	----	----	----	225 UNCH
8700	----	----	----/12.629A	12.765B/12.629A	----	12.591 - 0.408	.5348	----	----	----	----	100 UNCH
9000	----	----	----/14.727A	14.856B/14.727A	----	14.768 - 0.436	.5774	----	----	----	----	74 UNCH
9300	----	----	----/17.140A	16.600B/17.140A	----	17.060 - 0.462	.6159	----	----	----	----	1 UNCH
9400	----	----	----/17.929A	17.392B/17.929A	----	17.846 - 0.470	.6279	----	----	----	----	1 UNCH
10150	----	----	----/24.332A	23.278B/24.332A	----	24.035 - 0.520	.7045	----	----	----	----	1 UNCH
10300	----	----	----/25.624A	24.564B/25.624A	----	25.324 - 0.528	.7173	----	----	----	----	1 UNCH
TOTAL										13	26	2207 + 35
OCT26												
2675	----	----	----	0.001B/3.703A	----	0.038 - 0.003	.0029	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.080 - 0.007	.0063	----	----	----	----	1 UNCH
4000	----	----	----	0.094B/0.327A	----	0.187 - 0.015	.0151	----	----	----	----	3 UNCH
4500	----	----	----	0.210B/0.470A	----	0.314 - 0.025	.0257	----	----	----	----	3 UNCH
5000	----	----	----	0.422B/0.708A	----	0.536 - 0.040	.0432	----	----	----	----	6 UNCH
5050	----	----	----	0.450B/0.737A	----	0.564 - 0.042	.0453	----	----	----	----	1 UNCH
5150	----	----	----	0.512B/0.800A	----	0.625 - 0.046	.0500	----	----	----	----	5 UNCH
6500	----	----	----	2.083B/3.049A	----	2.504 - 0.141	.1690	----	----	----	----	120 UNCH
6800	3.200	3.200	3.200/*3.200	3.200/*3.200	----	3.333 NEW	.2109	----	----	2	----	2 + 2
7000	----	----	----	3.477B/4.560A	----	3.994 - 0.196	.2412	----	----	----	----	85 UNCH
7225	----	----	----	4.294B/5.440A	----	4.846 - 0.222	.2769	----	----	----	----	87 UNCH
7250	----	----	----	4.399B/5.543A	----	4.948 - 0.225	.2809	----	----	----	----	0 UNCH
7500	----	----	----	5.454B/6.627A	----	6.043 - 0.255	.3218	----	----	----	----	33 UNCH
7950	----	----	----	7.766B/8.864A	----	8.362 - 0.308	.3953	----	----	----	----	10 UNCH
8200	----	----	----	9.238B/10.242A	----	9.830 - 0.335	.4347	----	----	----	----	6 UNCH
8375	----	----	----	10.183B/11.449A	----	10.926 - 0.353	.4612	----	----	----	----	1 UNCH
9100	----	----	----/16.206A	15.399B/16.206A	----	15.977 - 0.421	.5588	----	----	----	----	1 UNCH
10000	----	----	----/23.192A	22.465B/23.192A	----	23.080 - 0.484	.6531	----	----	----	----	40 UNCH
TOTAL										2	0	412 + 2
NOV26												
4500	----	----	----	0.301B/0.609A	----	0.428 - 0.029	.0318	----	----	----	----	1 UNCH
4550	----	----	----	0.323B/0.634A	----	0.452 - 0.030	.0335	----	----	----	----	1 UNCH
4800	----	----	----	0.453B/0.777A	----	0.587 - 0.038	.0430	----	----	----	----	1 UNCH
5000	----	----	----	0.582B/0.909A	----	0.718 - 0.046	.0521	----	----	----	----	12 UNCH
5200	----	----	----	0.742B/1.080A	----	0.876 - 0.054	.0627	----	----	----	----	1 UNCH
5950	----	----	----	1.312B/2.482A	----	1.840 - 0.101	.1209	----	----	----	----	1 UNCH
6700	----	----	----	3.134B/4.351A	----	3.677 - 0.169	.2099	----	----	----	----	50 UNCH
7000	----	----	----	4.117B/5.410A	----	4.722 - 0.200	.2522	----	----	----	----	40 UNCH
7025	----	----	----	4.207B/5.514A	----	4.818 - 0.203	.2559	----	----	----	----	6 UNCH
7400	----	----	----	5.716B/7.105A	----	6.413 - 0.243	.3116	----	----	----	----	24 UNCH
7500	----	----	----	6.185B/7.555A	----	6.888 - 0.254	.3266	----	----	----	----	7 UNCH
7700	----	----	----	7.200B/8.545A	----	7.899 - 0.275	.3566	----	----	----	----	50 UNCH
8500	----	----	----	11.993B/13.131A	----	12.681 - 0.355	.4701	----	----	----	----	60 UNCH
9000	----	----	----/16.542A	15.487B/16.542A	----	16.168 - 0.397	.5315	----	----	----	----	5 UNCH
9050	----	----	----/16.909A	15.854B/16.909A	----	16.534 - 0.401	.5372	----	----	----	----	3 UNCH
10000	----	----	----/24.155A	23.267B/24.155A	----	23.938 - 0.465	.6310	----	----	----	----	1 UNCH
11000	----	----	----	31.311B/32.958A	----	32.385 - 0.514	.7050	----	----	----	----	1 UNCH
TOTAL											0	264 0
DEC26												
1500	----	----	----	----/0.050A	----	0.005 UNCH	.0003	----	----	----	----	180 UNCH
2000	----	----	----	----/0.150A	----	0.019 - 0.001	.0013	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/4.348A	----	0.037 - 0.003	.0027	----	----	----	----	32 UNCH
3000	----	----	----	0.001B/4.528A	----	0.071 - 0.005	.0053	----	----	----	----	93 UNCH
3100	----	----	----	0.001B/4.577A	----	0.080 - 0.006	.0060	----	----	----	----	1 UNCH
3150	----	----	----	0.009B/0.296A	----	0.089 - 0.007	.0067	----	----	----	----	1 UNCH
3500	----	----	----	0.054B/0.372A	----	0.176 - 0.012	.0124	----	----	----	----	45 UNCH
3850	----	----	----	0.123B/0.471A	----	0.288 - 0.018	.0198	----	----	----	----	1 UNCH
3925	----	----	----	0.142B/0.498A	----	0.311 - 0.020	.0214	----	----	----	----	1 UNCH
4000	----	----	----	0.163B/0.526A	----	0.336 - 0.021	.0231	----	----	----	----	75 UNCH
4500	----	----	----	0.355B/0.752A	----	0.547 - 0.034	.0374	----	----	----	----	35 UNCH
4600	----	----	----	0.407B/0.811A	----	0.602 - 0.036	.0411	----	----	----	----	4 UNCH
4800	----	----	----	0.531B/0.953A	----	0.727 - 0.043	.0493	----	----	----	----	241 UNCH
5000	----	----	----	0.690B/1.106A	----	0.880 - 0.051	.0590	----	----	----	----	358 UNCH
5250	----	----	----	0.938B/1.361A	----	1.120 - 0.062	.0736	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
5300	----	----	----	0.993B/1.405A	----	1.175 - 0.065	.0769	----	----	----	----	250 UNCH
5400	----	----	----	1.113B/1.532A	----	1.294 - 0.071	.0838	----	----	----	----	100 UNCH
5500	----	----	----	1.255B/1.652A	----	1.426 - 0.076	.0913	----	----	----	----	229 UNCH
5600	----	----	----	1.398B/1.800A	----	1.570 - 0.082	.0992	----	----	----	----	8 UNCH
5650	----	----	----	1.479B/1.874A	----	1.647 - 0.085	.1034	----	----	----	----	12 UNCH
5800	----	----	----	1.226B/2.662A	----	1.899 - 0.096	.1167	----	----	----	----	1 UNCH
5950	----	----	----	1.558B/2.926A	----	2.186 - 0.107	.1312	----	----	----	----	5 UNCH
6000	----	----	----	1.693B/3.020A	----	2.290 - 0.111	.1363	----	----	----	----	167 UNCH
6200	----	----	----	2.349B/3.432A	----	2.748 - 0.127	.1579	----	----	----	----	13 UNCH
6300	----	----	----	2.423B/3.697A	----	3.003 - 0.136	.1693	----	----	----	----	25 UNCH
6500	----	----	----	2.958B/4.270A	----	3.570 - 0.155	.1935	----	----	----	----	701 UNCH
6650	----	----	----	3.409B/4.764A	----	4.047 - 0.168	.2126	----	----	----	----	5 UNCH
6725	----	----	----	3.636B/5.025A	----	4.301 - 0.176	.2224	----	----	----	----	4 UNCH
6750	----	----	----	3.734B/5.113A	----	4.389 - 0.178	.2257	----	----	----	----	6 UNCH
6800	----	----	----	3.904B/5.297A	----	4.567 - 0.183	.2324	----	----	----	----	79 UNCH
6850	----	----	----	4.080B/5.496A	----	4.750 - 0.188	.2391	----	----	----	----	78 UNCH
6900	----	----	----	4.243B/5.652A	----	4.939 - 0.193	.2458	----	----	----	----	1 UNCH
6950	----	----	----	4.428B/5.852A	----	5.132 - 0.198	.2527	----	----	----	----	101 UNCH
7000	----	----	----	4.615B/6.054A	----	5.330 - 0.203	.2595	----	----	----	48	230 UNCH
7075	----	----	----	4.927B/6.370A	----	5.637 - 0.210	.2699	----	----	----	----	20 UNCH
7100	----	----	----	5.010B/6.475A	----	5.742 - 0.213	.2733	----	----	----	----	2 UNCH
7200	----	----	----	5.423B/6.916A	----	6.173 - 0.223	.2873	----	----	----	----	14 UNCH
7250	----	----	----	5.657B/7.142A	----	6.395 - 0.228	.2943	----	----	----	----	48 UNCH
7500	----	----	----	6.810B/8.269A	----	7.581 - 0.253	.3294	----	----	----	----	22 UNCH
7550	----	----	----	7.063B/8.517A	----	7.832 - 0.258	.3364	----	----	----	----	1 UNCH
7800	----	----	----	8.394B/9.818A	----	9.156 - 0.283	.3712	----	----	----	----	20 UNCH
7850	----	----	----	8.674B/10.088A	----	9.435 - 0.287	.3781	----	----	----	----	10 UNCH
7875	----	----	----	8.747B/10.319A	----	9.575 - 0.290	.3815	----	----	----	----	1 UNCH
7900	----	----	----	8.958B/10.363A	----	9.717 - 0.292	.3849	----	----	----	----	19 UNCH
8000	----	----	----	9.538B/10.905A	----	10.295 - 0.302	.3985	----	----	----	----	57 UNCH
8100	----	----	----	10.135B/11.489A	----	10.889 - 0.311	.4119	----	----	----	----	1 UNCH
8200	----	----	----	10.748B/12.091A	----	11.500 - 0.320	.4251	----	----	----	----	35 UNCH
8350	----	----	----	11.696B/12.984A	----	12.444 - 0.334	.4444	----	----	----	----	9 UNCH
8400	----	----	----	12.020B/13.305A	----	12.767 - 0.338	.4507	----	----	----	----	50 UNCH
8500	----	----	----	12.678B/13.950A	----	13.422 - 0.347	.4631	----	----	----	----	166 UNCH
8550	----	----	----	13.012B/14.272A	----	13.755 - 0.351	.4692	----	----	----	----	25 UNCH
8600	----	----	----	13.350B/14.565A	----	14.091 - 0.355	.4752	----	----	----	----	2 UNCH
8800	----	----	----	14.732B/15.919A	----	15.469 - 0.372	.4986	----	----	----	----	12 UNCH
8900	----	----	----	15.442B/16.628A	----	16.177 - 0.379	.5098	----	----	----	----	30 UNCH
9000	----	----	----	16.163B/17.310A	----	16.896 - 0.387	.5208	----	----	----	----	3 UNCH
9050	----	----	----	16.528B/17.674A	----	17.260 - 0.390	.5262	----	----	----	----	100 UNCH
9500	----	----	----/21.020A	19.921B/21.020A	----	20.648 - 0.421	.5714	----	----	----	----	2 UNCH
9850	----	----	----/23.724A	22.680B/23.724A	----	23.406 - 0.442	.6028	----	----	----	----	8 UNCH
9950	----	----	----/24.521A	23.485B/24.521A	----	24.210 - 0.448	.6112	----	----	----	----	1 UNCH
10025	----	----	----	23.794B/25.484A	----	24.817 - 0.453	.6173	----	----	----	----	3 UNCH
10125	----	----	----	24.589B/26.245A	----	25.633 - 0.458	.6253	----	----	----	----	1 UNCH
10700	----	----	----/30.626A	29.356B/30.626A	----	30.431 - 0.486	.6673	----	----	----	----	5 UNCH
10800	----	----	----/31.455A	30.168B/31.455A	----	31.283 - 0.490	.6739	----	----	----	----	2 UNCH
11000	----	----	----	31.911B/33.614A	----	32.999 - 0.499	.6867	----	----	----	----	2 UNCH
11500	----	----	----	36.250B/37.963A	----	37.360 - 0.519	.7157	----	----	----	----	1 UNCH
12000	----	----	----	40.643B/42.388A	----	41.806 - 0.536	.7412	----	----	----	----	1 UNCH
12100	----	----	----/43.224A	41.539B/43.224A	----	42.704 - 0.539	.7459	----	----	----	----	1 UNCH
12300	----	----	----	43.374B/45.078A	----	44.508 - 0.545	.7549	----	----	----	----	1 UNCH
15000	----	----	----	45.403B/93.553A	----	69.621 - 0.605	.8433	----	----	----	----	1 UNCH
19000	----	----	----	85.897B/130.495A	----	108.267 - 0.651	.9102	----	----	----	----	1 UNCH
TOTAL											48	3819 0
JAN27												
3800	----	----	----	0.047B/0.630A	----	0.212 - 0.014	.0154	----	----	----	----	1 UNCH
6500	----	----	----	3.074B/4.823A	----	3.943 - 0.155	.1950	----	----	----	----	1 UNCH
7125	----	----	----	5.062B/7.481A	----	6.243 - 0.212	.2725	----	----	----	----	1 UNCH
8600	----	----	----	13.623B/14.946A	----	14.255 - 0.343	.4592	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	----	11.336B/12.855A	----	12.119 - 0.301	.4019	----	----	----	----	10 UNCH
8225	----	----	----	11.145B/13.985A	----	12.573 - 0.307	.4107	----	----	----	----	10 UNCH
8250	----	----	----	11.951B/13.416A	----	12.726 - 0.309	.4136	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	3.591B/6.107A	----	4.764 - 0.160	.2068	----	----	----	----	20 UNCH
6825	----	----	----	4.701B/7.346A	----	5.959 - 0.188	.2437	----	----	----	----	2 UNCH
8100	12.500	12.500	#12.500/*12.250	12.500/*12.250	----	12.413 NEW	.3935	----	----	6	----	6 + 6
8300	----	----	----	12.111B/15.114A	----	13.648 - 0.309	.4158	----	----	----	----	50 UNCH
10500	30.350	30.350	30.350/*30.350	30.350/*30.350	----	29.935 NEW	.6055	----	----	10	----	10 + 10
TOTAL										16	0	88 + 16
APR27												
4000	----	----	----	----	----	0.796 - 0.034	.0395	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	12.114 - 0.208	.2759	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
MAY26												
7350	----	----	----	----	----	7.365 + 0.630	----	1	----	----	----	0 - 1
7400	----	----	----	----	----	6.865 + 0.619	----	1	----	----	----	0 - 1
7490	----	----	----	----	----	5.965 + 0.592	----	2	----	----	----	0 - 2
7500	----	----	----	----	----	5.865 + 0.588	----	13	----	----	----	0 - 13
7600	----	----	----	----	----	4.865 + 0.534	----	72	----	----	----	0 - 72
7700	----	----	----	----	----	3.865 + 0.442	----	13	----	----	----	0 - 13
7720	----	----	----	----	----	3.665 + 0.417	----	2	----	----	----	0 - 2
7750	----	----	----	----	----	3.365 + 0.374	----	6	----	----	----	0 - 6
7800	----	----	----	----	----	2.865 + 0.286	----	4	----	----	----	0 - 4
7850	----	----	----/1.534A	1.038B/1.534A	----	2.365 + 0.172	----	10	----	----	----	0 - 10
7900	----	----	----/1.231A	1.048B/1.231A	----	1.865 + 0.029	----	4	----	----	----	0 - 4
7950	1.030	1.030	1.030/1.030	1.030/1.030	----	1.365 - 0.147	----	2	----	1	----	0 - 1
7960	0.815	0.815	1.018B/0.815	1.018B/0.815	----	1.265 NEW	----	1	----	1	----	0 UNCH
8000	1.030	1.030	1.420/0.800	1.420/0.800	----	0.865 - 0.359	----	24	----	8	----	0 - 27
8020	----	----	----/0.782A	0.977B/0.782A	----	0.665 - 0.455	----	1	----	----	----	0 - 1
8050	0.310	0.310	0.310/0.310	0.973B/0.310	----	0.365 - 0.609	----	6	----	7	----	0 - 1
8070	----	----	0.969B/0.334A	0.969B/0.334A	----	0.165 - 0.719	----	1	----	----	----	0 - 1
8090	----	----	0.832B/0.248A	0.832B/0.248A	----	0.000 - 0.800	----	----	----	----	----	0 - 1
8100	----	----	0.821B/0.227A	0.821B/0.227A	----	0.000 - 0.760	----	----	----	6	----	0 - 7
8110	0.025	0.025	0.746B/*0.024	0.746B/*0.024	----	0.000 NEW	----	----	----	4	----	0 UNCH
8150	0.590	0.590	0.623/*0.127A	0.623/0.127A	----	0.000 NEW	----	----	----	2	----	0 UNCH
8200	0.200	0.200	0.600/0.153A	0.600/0.153A	----	0.000 - 0.436	----	----	----	9	----	0 - 22
8250	0.325	0.325	0.325/0.163A	0.325/0.163A	----	0.000 - 0.343	----	----	----	20	----	0 - 5
8300	0.251	0.251	0.251/*0.006	0.251/*0.006	----	0.000 - 0.270	----	----	----	16	----	0 - 27
8350	----	----	----/0.153A	0.043B/0.153A	----	0.000 - 0.214	----	----	----	----	----	0 - 10
8400	----	----	----/*0.088A	0.021B/*0.088A	----	0.000 - 0.170	----	----	----	----	----	0 - 5
8450	----	----	----/0.135A	0.004B/0.135A	----	0.000 - 0.136	----	----	----	----	----	0 - 6
8500	0.035	0.035	0.035/*0.035	0.036B/*0.035	----	0.000 - 0.109	----	----	----	13	----	0 - 40
8600	----	----	----	0.001B/0.111A	----	0.000 - 0.072	----	----	----	----	----	0 - 2
8750	----	----	----	----/0.127A	----	0.000 - 0.041	----	----	----	----	----	0 - 3
8850	----	----	----	----/0.141A	----	0.000 - 0.026	----	----	----	----	----	0 - 1
9000	----	----	----	----/0.112A	----	0.000 - 0.011	----	----	----	----	----	0 - 4
9200	----	----	----	----/*0.078A	----	0.000 - 0.003	----	----	----	----	----	0 - 4
9300	----	----	----	----/*0.069A	----	0.000 - 0.002	----	----	----	----	----	0 - 4
9700	----	----	----	----/*0.060A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
10000	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										87	0	0 - 305
SO2 PUT		SILVER OPTIONS										
MAY26												
5250	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
6000	----	----	----	----/0.056A	----	0.000 - 0.001	----	----	----	----	----	0 - 20
6100	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
6200	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6400	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6500	----	----	----	----/0.058A	----	0.000 - 0.001	----	----	----	----	----	0 - 74
6600	----	----	----	----/*0.060A	----	0.000 - 0.002	----	----	----	----	----	0 - 15
6700	----	----	----	----/*0.059A	----	0.000 - 0.003	----	----	----	----	----	0 - 8
6750	----	----	----	----/*0.061A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
6800	0.020	0.020	0.020/0.020	0.020/0.020	----	0.000 - 0.006	----	----	----	1	----	0 - 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 PUT		SILVER OPTIONS										
MAY26												
6850	----	----	----	----/*0.061A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
6900	----	----	----	----/*0.066A	----	0.000 - 0.012	----	----	----	----	----	0 - 3
7000	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.000 - 0.020	----	----	----	1	----	0 - 18
7100	----	----	----	----/*0.093A	----	0.000 - 0.026	----	----	----	----	----	0 - 8
7180	----	----	----	----/0.104A	----	0.000 - 0.032	----	----	----	----	----	0 - 2
7190	----	----	----	----/0.106A	----	0.000 - 0.033	----	----	----	----	----	0 - 1
7200	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.034	----	----	----	1	----	0 - 21
7250	----	----	----	0.005B/0.116A	----	0.000 - 0.039	----	----	----	----	----	0 - 5
7280	----	----	----	----/0.124A	----	0.000 - 0.043	----	----	----	----	----	0 - 1
7300	----	----	----	----/0.127A	----	0.000 - 0.046	----	----	----	----	----	0 - 71
7350	----	----	----	0.001B/0.137A	----	0.000 - 0.055	----	----	----	----	----	0 - 3
7400	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.066	----	----	----	2	----	0 - 3
7470	----	----	----	0.001B/0.127A	----	0.000 - 0.086	----	----	----	----	----	0 - 1
7500	----	----	----	0.050B/*0.119A	----	0.000 - 0.097	----	----	----	----	----	0 - 11
7550	----	----	----/*0.116A	0.002B/*0.116A	----	0.000 - 0.120	----	----	----	----	----	0 - 2
7600	0.200	0.200	0.200/0.110A	0.200/0.110A	----	0.000 - 0.151	----	----	----	2	----	0 - 65
7650	----	----	----/*0.109A	0.068B/*0.109A	----	0.000 - 0.191	----	----	----	----	----	0 - 3
7700	----	----	----/*0.115A	0.168B/*0.115A	----	0.000 - 0.243	----	----	----	----	----	0 - 16
7730	0.016	0.016	0.016/*0.016	0.205B/*0.016	----	0.000 - 0.282	----	----	----	1	----	0 - 1
7750	----	----	----/*0.139A	0.254B/*0.139A	----	0.000 - 0.311	----	----	----	----	----	0 - 2
7800	0.035	0.035	0.431B/*0.035	0.431B/*0.035	----	0.000 - 0.399	----	----	----	8	----	0 - 26
7810	----	----	#0.438B/*0.122A	0.438B/*0.122A	----	0.000 - 0.420	----	----	----	----	----	0 - 1
7840	0.006	0.006	#0.551B/*0.006	0.551B/*0.006	----	0.000 - 0.488	----	----	----	1	----	0 - 1
7850	0.750	0.750	0.750/*0.100	0.750/*0.100	----	0.000 NEW	----	----	----	3	----	0 UNCH
7900	0.350	0.350	0.853B/*0.050	0.853B/*0.050	----	0.000 - 0.656	----	----	----	23	----	0 - 3
7910	----	----	#0.876B/*0.132A	0.876B/*0.132A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7950	0.249	0.249	1.101B/*0.121A	1.101B/*0.121A	----	0.000 - 0.832	----	----	----	2	----	0 - 7
7980	----	----	1.102B/*0.124A	1.102B/*0.124A	----	0.000 - 0.955	----	----	----	----	----	0 UNCH
8000	0.950	0.950	1.133B/*0.090	1.133B/*0.090	----	0.000 - 1.044	----	----	----	23	----	0 - 25
8010	----	----	#1.106B/*0.125A	1.106B/*0.125A	----	0.000 NEW	----	----	----	2	----	0 UNCH
8040	0.436	0.436	0.436/*0.181A	1.096B/*0.181A	----	0.000 - 1.241	----	----	----	1	----	0 - 2
8050	0.282	0.282	0.282/*0.214A	1.116B/*0.214A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8060	0.267	0.267	#0.267/*0.236A	1.106B/*0.236A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8100	0.515	0.515	0.515/*0.311A	1.080B/*0.311A	----	0.135 - 1.445	----	2	----	1	----	0 - 1
8130	0.750	0.750	#0.750/*0.425A	0.999B/*0.425A	----	0.435 NEW	----	1	----	2	----	0 UNCH
8140	0.450	0.450	#0.450/*0.450	0.956B/*0.450	----	0.535 NEW	----	1	----	1	----	0 UNCH
8150	0.300	0.300	0.300/*0.300	1.003B/*0.300	----	0.635 NEW	----	1	----	1	----	0 UNCH
8180	0.600	0.600	#0.600/*0.500	0.956B/*0.500	----	0.935 NEW	----	----	----	2	----	0 UNCH
8200	----	----	----/*0.684A	0.616B/*0.684A	----	1.135 - 1.121	----	4	----	----	----	0 - 4
TOTAL										82	0	0 - 445
SO3 CALL		SILVER OPTIONS										
MAY26												
7150	----	----	----	----/31.019A	----	9.511 + 0.508	.9560	----	----	----	----	3 UNCH
7200	----	----	----	7.387B/9.804A	----	9.037 + 0.490	.9486	----	----	----	----	2 UNCH
7250	----	----	----	7.994B/9.260A	----	8.567 + 0.470	.9397	----	----	----	----	2 UNCH
7400	----	----	----	----/27.478A	----	7.190 + 0.398	.9045	----	----	----	----	5 UNCH
7450	----	----	----	----/26.666A	----	6.745 + 0.372	.8892	----	----	----	----	1 UNCH
7500	----	----	----	----/25.798A	----	6.309 + 0.343	.8719	----	----	----	----	3 UNCH
7600	----	----	----	4.227B/6.610A	----	5.467 + 0.283	.8305	----	----	2	----	11 - 2
7700	----	----	----	4.280B/5.876A	----	4.675 + 0.220	.7797	----	----	----	----	51 UNCH
7750	----	----	----	3.815B/5.505A	----	4.310 + 0.197	.7498	----	----	----	----	2 UNCH
7800	----	----	----/3.252A	3.480B/3.252A	----	3.960 + 0.174	.7181	----	----	----	----	2 UNCH
7850	----	----	----/3.033A	3.138B/3.033A	----	3.627 + 0.151	.6847	----	----	----	----	2 UNCH
7900	----	----	----/2.747A	3.136B/2.747A	----	3.311 + 0.128	.6499	----	----	----	----	3 UNCH
8000	2.700	2.700	3.055B/2.305A	3.055B/2.305A	----	2.731 + 0.083	.5774	----	----	2	----	15 + 2
8100	----	----	2.867B/1.934A	2.867B/1.934A	----	2.222 + 0.040	.5031	----	----	5	----	12 + 5
8200	----	----	2.394B/1.614A	2.394B/1.614A	----	1.786 + 0.002	.4300	----	----	----	----	12 UNCH
8250	----	----	2.153B/1.507A	2.153B/1.507A	----	1.595 - 0.014	.3947	----	----	----	----	2 UNCH
8300	----	----	1.964B/1.350A	1.964B/1.350A	----	1.420 - 0.029	.3606	----	----	----	----	11 UNCH
8400	----	----	1.638B/1.132A	1.638B/1.132A	----	1.119 NEW	.2973	----	----	25	----	25 + 25
8500	1.000	1.000	1.247B/0.980	1.247B/0.953A	----	0.876 - 0.071	.2414	----	----	5	----	17 + 1
8700	0.620	0.620	0.759B/0.620	0.759B/0.620	----	0.534 - 0.085	.1543	----	----	1	----	30 UNCH
8750	----	----	0.647B/----	0.647B/0.637A	----	0.473 - 0.085	.1375	----	----	----	----	3 UNCH
8800	0.535	0.535	0.586B/0.535	0.586B/0.535	----	0.420 NEW	.1226	----	----	1	----	1 + 1
8850	----	----	0.497B/----	0.497B/0.529A	----	0.374 - 0.081	.1094	----	----	----	----	1 UNCH
9000	0.450	0.450	0.450/0.380A	0.450/0.380A	----	0.268 - 0.072	.0781	----	----	10	----	11 + 6
9050	----	----	----	0.282B/0.364A	----	0.242 - 0.068	.0701	----	----	----	----	1 UNCH
9100	----	----	----	0.261B/0.314A	----	0.219 - 0.064	.0631	----	----	----	----	2 UNCH
9250	----	----	0.280B/----	0.280B/0.257A	----	0.165 - 0.053	.0465	----	----	----	----	1 UNCH
9500	0.153	0.153	0.153/*0.153	0.153/0.153	----	0.112 NEW	.0299	----	----	1	----	1 + 1
10000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.051 - 0.018	.0123	----	----	2	----	12 + 2
TOTAL										54	0	244 + 41
SO3 PUT		SILVER OPTIONS										
MAY26												
6500	0.060	0.060	0.060/*0.022	0.060/*0.022	----	0.021 - 0.044	.0052	----	----	16	----	29 + 15
6600	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.028 - 0.055	.0072	----	----	1	----	16 UNCH
6700	----	----	----	0.006B/0.149A	----	0.038 - 0.069	.0100	----	----	----	----	1 UNCH
6750	----	----	----	0.017B/*0.153A	----	0.045 - 0.076	.0120	----	----	1	----	1 UNCH
6800	----	----	----	0.029B/*0.145A	----	0.052 - 0.085	.0141	----	----	----	----	5 UNCH
6900	----	----	----/*0.159A	0.056B/*0.159A	----	0.070 - 0.106	.0194	----	----	----	----	2 UNCH
7000	0.141	0.141	0.141/*0.105	0.150B/*0.105	----	0.095 - 0.130	.0269	----	----	3	----	12 UNCH
7150	----	----	----/*0.244A	0.156B/*0.244A	----	0.152 - 0.177	.0439	----	----	----	----	1 UNCH
7200	----	----	----/0.261A	0.222B/0.261A	----	0.177 - 0.196	.0513	----	----	----	----	14 UNCH
7250	----	----	----/*0.304A	0.257B/*0.304A	----	0.207 - 0.216	.0602	----	----	1	----	1 UNCH
7300	0.280	0.280	0.300/*0.268	0.342B/*0.268	----	0.241 - 0.238	.0702	----	----	12	----	12 + 10
7350	----	----	----/*0.375A	0.389B/*0.375A	----	0.282 - 0.261	.0820	----	----	----	----	1 UNCH
7400	0.290	0.290	0.290/*0.290	0.502B/*0.290	----	0.329 - 0.287	.0954	----	----	2	----	7 + 2
7450	0.425	0.425	0.425/*0.425	0.573B/*0.425	----	0.384 - 0.313	.1107	----	----	1	----	11 UNCH
7500	----	----	----/*0.527A	0.720B/*0.527A	----	0.447 - 0.342	.1280	----	----	----	----	12 UNCH
7550	0.569	0.569	0.569/*0.569	0.822B/*0.569	----	0.521 - 0.371	.1476	----	----	2	----	1 UNCH
7600	0.650	0.650	0.650/*0.570	1.003B/*0.570	----	0.605 - 0.402	.1694	----	----	7	----	7 + 6
7700	----	----	1.352B/*0.887A	1.352B/*0.887A	----	0.812 - 0.466	.2202	----	----	1	----	46 UNCH
7750	0.919	0.919	1.521B/*0.919	1.521B/*0.919	----	0.947 NEW	.2501	----	----	1	----	1 + 1
7800	1.236	1.236	1.773B/0.909	1.773B/0.909	----	1.097 - 0.511	.2818	----	----	4	----	14 UNCH
7850	----	----	1.977B/1.308A	1.977B/1.308A	----	1.264 - 0.533	.3152	----	----	----	----	3 UNCH
7900	1.804	1.804	2.263B/*1.444A	2.263B/*1.444A	----	1.447 - 0.557	.3500	----	----	36	----	28 + 26
8000	2.400	2.400	2.821B/*1.797A	2.821B/*1.797A	----	1.866 - 0.602	.4225	----	----	47	----	37 + 36
8100	----	----	3.404B/*2.244A	3.404B/*2.244A	----	2.357 - 0.644	.4967	----	----	5	----	8 + 5
8200	----	----	----/*2.735A	3.555B/*2.735A	----	2.921 - 0.682	.5699	----	----	----	----	5 UNCH
TOTAL										140	0	275 + 101
SO4 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	----	6.307B/8.082A	----	6.898 + 0.358	.7939	----	----	----	----	1 UNCH
7700	----	----	----	4.931B/6.643A	----	5.462 + 0.282	.7097	----	----	----	----	1 UNCH
8000	----	----	3.997B/3.193A	3.997B/3.193A	----	3.691 + 0.167	.5631	----	----	----	----	1 UNCH
8100	----	----	3.861B/2.811A	3.861B/2.811A	----	3.207 + 0.131	.5127	----	----	----	----	1 UNCH
8200	----	----	3.384B/2.468A	3.384B/2.468A	----	2.776 + 0.098	.4632	----	----	----	----	2 UNCH
8300	----	----	2.945B/2.163A	2.945B/2.163A	----	2.394 + 0.068	.4155	----	----	----	----	1 UNCH
8500	2.457	2.457	2.457/1.683A	2.457/1.683A	----	1.766 NEW	.3281	----	----	51	----	51 + 51
8600	2.050	2.050	2.050/1.486A	2.050/1.486A	----	1.513 NEW	.2893	----	----	56	----	56 + 56
8700	----	----	1.646B/----	1.646B/1.314A	----	1.294 - 0.018	.2539	----	----	----	----	1 UNCH
9000	----	----	1.035B/----	1.035B/0.922A	----	0.806 - 0.051	.1681	----	----	----	----	5 UNCH
9500	----	----	0.463B/----	0.463B/0.497A	----	0.377 - 0.058	.0828	----	----	----	----	0 UNCH
TOTAL										107	0	120 + 107
SO4 PUT		SILVER OPTIONS										
MAY26												
6900	----	----	----/*0.325A	0.236B/*0.325A	----	0.228 - 0.145	.0538	----	----	----	----	1 UNCH
7350	----	----	----/*0.816A	0.899B/*0.816A	----	0.733 - 0.274	.1537	----	----	----	----	1 UNCH
7450	----	----	----/*1.010A	1.172B/*1.010A	----	0.927 - 0.309	.1874	----	----	----	----	1 UNCH
TOTAL											0	3 0
SO5 CALL		SILVER OPTIONS										
MAY26												
8400	----	----	3.245B/2.479A	3.245B/2.479A	----	2.690 + 0.058	.3996	----	----	----	----	2 UNCH
8600	----	----	2.583B/2.022A	2.583B/2.022A	----	2.109 + 0.020	.3302	----	----	----	----	3 UNCH
8700	----	----	2.303B/1.830A	2.303B/1.830A	----	1.867 + 0.005	.2990	----	----	----	----	2 UNCH
8800	----	----	2.051B/1.657A	2.051B/1.657A	----	1.653 - 0.008	.2701	----	----	----	----	2 UNCH
TOTAL											0	9 0
SO5 PUT		SILVER OPTIONS										
MAY26												
7000	----	----	----/*0.634A	0.583B/*0.634A	----	0.570 - 0.150	.1061	----	----	----	----	2 UNCH
TOTAL											0	2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
6000	----	----	----	----/0.206A	----	0.007 - 0.007	.0011	----	----	----	----	6 UNCH
6400	0.086	0.086	0.087B/*0.086	0.087B/*0.086	----	0.060 - 0.022	.0141	----	----	1	----	1 UNCH
6500	----	----	----	0.001B/0.122A	----	0.025 - 0.019	.0051	----	----	----	----	8 UNCH
6800	----	----	----/*0.214A	0.106B/*0.214A	----	0.168 - 0.066	.0398	----	----	----	----	4 UNCH
6850	----	----	----/0.415A	0.276B/0.415A	----	0.375 - 0.089	.0744	----	----	----	----	1 UNCH
7000	----	----	----/*0.303A	0.225B/*0.303A	----	0.263 - 0.108	.0626	----	----	----	----	5 UNCH
7150	----	----	----/*0.155A	0.054B/*0.155A	----	0.114 - 0.070	.0321	----	----	----	----	1 UNCH
7200	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.133 - 0.082	.0380	----	----	1	----	4 UNCH
7300	----	----	----/*0.204A	0.175B/*0.204A	----	0.179 - 0.114	.0528	----	----	----	----	2 UNCH
7400	----	----	#7.162B/----	#7.162B/8.319A	----	7.105 + 0.531	.9266	----	----	----	----	4 UNCH
7400	----	----	----/*0.260A	0.291B/*0.260A	----	0.243 - 0.154	.0733	----	----	----	----	22 UNCH
7500	----	----	----	----/14.000A	----	6.193 + 0.480	.8984	----	----	----	----	1 UNCH
7500	0.225	0.225	0.225/*0.225	0.456B/*0.225	----	0.331 NEW	.1014	----	----	2	----	2 + 2
7700	1.200	1.200	1.841B/*1.200	1.841B/*1.200	----	1.305 NEW	.2707	----	----	3	----	3 + 3
7800	----	----	----/2.841A	3.158B/2.841A	----	3.698 + 0.271	.7496	----	----	----	----	4 UNCH
7800	----	----	1.393B/*0.768A	1.393B/*0.768A	----	0.834 - 0.414	.2503	----	----	----	----	4 UNCH
8000	----	----	2.509B/1.877A	2.509B/1.877A	----	2.360 NEW	.5895	----	----	2	----	2 + 2
8100	----	----	2.292B/1.508A	2.292B/1.508A	----	1.824 + 0.044	.4982	----	----	----	----	5 UNCH
8100	----	----	----/3.647A	4.216B/3.647A	----	3.654 - 0.580	.4845	----	----	----	----	1 UNCH
8150	1.505	1.505	2.145B/1.390A	2.145B/1.390A	----	1.591 NEW	.4522	----	----	2	----	1 + 1
8200	2.181	2.181	2.181/1.212A	2.181/1.212A	----	1.381 NEW	.4070	----	----	9	----	7 + 7
8400	----	----	1.082B/0.798A	1.082B/0.798A	----	0.754 - 0.078	.2472	----	----	----	----	4 UNCH
8500	----	----	1.875B/1.406A	1.875B/1.406A	----	1.371 - 0.052	.2982	----	----	----	----	1 UNCH
8600	0.425	0.425	0.569B/0.425	0.569B/0.425	----	0.394 NEW	.1358	----	----	16	----	15 + 15
8800	----	----	----	0.271B/0.320A	----	0.201 NEW	.0697	----	----	1	----	1 + 1
8800	----	----	----	----/28.208A	----	7.333 - 0.769	.9302	----	----	----	----	1 UNCH
9000	----	----	0.767B/----	0.767B/0.716A	----	0.553 - 0.082	.1337	----	----	----	----	1 UNCH
9500	----	----	----	0.301B/0.349A	----	0.244 - 0.063	.0601	----	----	----	----	1 UNCH
10000	----	----	----	0.125B/0.213A	----	0.121 - 0.043	.0291	----	----	----	----	1 UNCH
TOTAL										37	0	113 + 31
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
MAY26												
5250	----	----	----	----/0.292A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
6600	----	----	----	----/0.144A	----	0.003 - 0.015	.0005	----	----	1	----	1 UNCH
6750	----	----	----	0.001B/*0.117A	----	0.005 - 0.024	.0011	----	----	----	----	2 UNCH
6800	----	----	----	0.001B/*0.115A	----	0.006 - 0.027	.0013	----	----	----	----	1 UNCH
6900	----	----	----	0.001B/*0.117A	----	0.009 - 0.036	.0022	----	----	1	----	1 UNCH
7320	----	----	----/*0.159A	0.080B/*0.159A	----	0.056 - 0.130	.0194	----	----	----	----	0 UNCH
7400	----	----	----/*0.186A	0.178B/*0.186A	----	0.083 - 0.165	.0299	----	----	----	----	4 UNCH
7500	----	----	----/*0.200A	0.305B/*0.200A	----	0.137 - 0.221	.0513	----	----	----	----	1 UNCH
7500	----	----	----	5.373B/6.651A	----	6.000 + 0.464	.9486	----	----	----	----	3 UNCH
7700	----	----	0.782B/*0.432A	0.782B/*0.432A	----	0.361 - 0.375	.1363	----	----	1	----	1 UNCH
7700	----	----	----	----/60.422A	----	4.225 + 0.310	.8636	----	----	----	----	1 UNCH
7800	----	----	----	2.634B/4.528A	----	3.424 + 0.225	.7940	----	----	----	----	5 UNCH
7800	----	----	----/3.660A	3.837B/3.660A	----	4.361 + 0.192	.6857	----	----	----	----	3 UNCH
7800	----	----	1.153B/*0.570A	1.153B/*0.570A	----	0.560 - 0.460	.2059	----	----	1	----	2 + 1
7850	----	----	----/2.377A	2.478B/2.377A	----	3.052 + 0.183	.7522	----	----	----	----	6 UNCH
7900	----	----	1.615B/*0.783A	1.615B/*0.783A	----	0.836 - 0.544	.2936	----	----	1	----	1 UNCH
8000	----	----	2.173B/*1.077A	2.173B/*1.077A	----	1.202 - 0.623	.3959	----	----	1	----	2 + 1
8000	----	----	2.117B/1.645A	2.117B/1.645A	----	2.066 + 0.061	.6040	----	----	1	----	2 + 1
8050	1.520	1.520	2.296B/*1.282A	2.296B/*1.282A	----	1.422 NEW	.4506	----	----	1	----	1 + 1
8100	1.840	1.840	1.954B/1.289A	1.954B/1.289A	----	1.533 - 0.007	.4938	----	----	10	----	10 + 10
8180	----	----	1.629B/*1.102A	1.629B/1.102A	----	1.179 - 0.053	.4059	----	----	----	----	5 UNCH
8200	----	----	2.836B/2.008A	2.836B/2.008A	----	2.252 - 0.012	.4487	----	----	----	----	1 UNCH
8210	----	----	----/*1.988A	2.381B/*1.988A	----	2.297 - 0.752	.6258	----	----	----	----	0 UNCH
8230	2.378	2.378	#2.378/*2.105A	2.472B/*2.105A	----	2.425 NEW	.6466	----	----	5	----	5 + 5
8300	1.250	1.250	1.250/0.811A	1.250/0.811A	----	0.765 - 0.099	.2848	----	----	2	----	3 UNCH
8390	----	----	#0.799B/----	0.799B/0.674A	----	0.536 NEW	.2081	----	----	1	----	1 + 1
8400	----	----	0.794B/----	0.794B/0.634A	----	0.514 NEW	.2004	----	----	1	----	1 + 1
8400	----	----	2.021B/1.483A	2.021B/1.483A	----	1.559 - 0.066	.3388	----	----	----	----	2 UNCH
8500	0.400	0.400	0.531B/0.400	0.531B/0.400	----	0.335 NEW	.1342	----	----	1	----	1 + 1
8500	----	----	1.681B/1.280A	1.681B/1.280A	----	1.289 - 0.081	.2904	----	----	----	----	1 UNCH
8600	----	----	1.388B/1.107A	1.388B/1.107A	----	1.062 - 0.091	.2469	----	----	----	----	0 UNCH
8950	----	----	----	0.053B/0.163A	----	0.072 - 0.077	.0245	----	----	----	----	1 UNCH
9100	----	----	----/*0.067A	0.032B/*0.067A	----	0.049 - 0.063	.0152	----	----	----	----	1 UNCH
9200	0.075	0.075	0.075/*0.075	0.075/*0.075	----	0.039 - 0.055	.0114	----	----	1	----	2 UNCH
9250	0.057	0.057	0.057/*0.052	0.057/*0.052	----	0.033 NEW	.0094	----	----	4	----	4 + 4
10500	----	----	----	----/0.175A	----	0.003 - 0.009	.0004	----	----	----	----	1 UNCH
TOTAL										33	0	81 + 26
JUN26												
7100	----	----	----/*0.912A	0.874B/*0.912A	----	0.831 - 0.168	.1402	----	----	----	----	2 UNCH
8000	----	----	4.813B/4.068A	4.813B/4.068A	----	4.509 + 0.107	.5590	----	----	----	----	4 UNCH
8800	----	----	2.331B/1.891A	2.331B/1.891A	----	1.902 - 0.006	.2875	----	----	----	----	1 UNCH
TOTAL											0	7 0

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
450	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
490	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
565	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
566	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
570	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
576	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
585	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
586	----	----	----	----/0.0100A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
590	----	----	----	----/0.0105A	----	0.0005 - 0.0005	----	----	----	----	----	1 UNCH
595	----	----	----	----/0.0110A	----	0.0005 - 0.0015	----	----	----	----	----	1 UNCH
600	----	----	#0.3250B/0.2155	#0.3250B/0.2155	----	0.3160 + 0.0995	.8740	----	----	----	----	17 UNCH
600	----	----	#0.3075B/0.1570	#0.3075B/0.1570	----	0.2970 + 0.1165	.0000	----	----	----	----	1 UNCH
600	----	----	----/*0.0265A	0.0405B/*0.0265	----	0.0200 - 0.0205	.1257	----	----	----	----	1 UNCH
603	----	----	----	0.0025B/0.0110A	----	0.0005 - 0.0075	.0003	----	----	----	----	1 UNCH
605	----	----	----	0.0065B/0.0110A	----	0.0005 - 0.0100	.0008	----	----	----	----	30 UNCH
606	----	----	#0.2490B/0.1095	#0.2490B/0.1095	----	0.2370 + 0.1090	.9988	----	----	----	----	4 UNCH
606	0.0010	0.0010	0.0010/*0.0010	0.0090B/*0.0010	----	0.0005 - 0.0115	.0012	----	----	2	----	6 + 2
610	----	----	#0.2390B/0.1370	0.2390B/0.1370A	----	0.2325 + 0.0830	.7854	----	----	5	----	0 - 5
610	----	----	0.2100B/0.0840A	0.2100B/0.0840A	----	0.1970 + 0.0995	.9937	----	----	----	----	5 UNCH
615	0.2000	0.2000	#0.2000/0.1130A	0.2000/0.1130A	----	0.1955 + 0.0730	.7230	----	----	1	----	5 + 1
615	----	----	0.1635B/0.0585A	0.1635B/0.0585A	----	0.1495 + 0.0835	.9572	----	----	----	----	4 UNCH
615	----	----	0.1040B/*0.0565	0.1040B/*0.0565	----	0.0495 - 0.0470	.2767	----	----	----	----	4 UNCH
615	----	----	0.0470B/*0.0100	0.0470B/*0.0100	----	0.0030 - 0.0370	.0426	----	----	2	----	6 + 2
620	----	----	0.1590B/0.0925A	0.1590B/0.0925A	----	0.1630 + 0.0640	.6532	----	----	----	----	1 UNCH
620	----	----	0.1190B/0.0395A	0.1190B/0.0395A	----	0.1055 + 0.0635	.8679	----	----	----	----	4 UNCH
620	0.0080	0.0080	0.0790B/*0.0080	0.0790B/*0.0080	----	0.0090 - 0.0570	.1320	----	----	3	----	7 + 2
625	----	----	0.0810B/----	0.0810B/0.0265A	----	0.0685 + 0.0435	.7011	----	----	----	----	1 UNCH
625	----	----	0.1175B/*0.0275	0.1175B/*0.0275	----	0.0220 NEW	.2987	----	----	2	----	2 + 2
629	0.0375	0.0375	#0.0560B/0.0375	#0.0560B/0.0200	----	0.0450 NEW	.5314	----	----	2	----	2 + 2
629	0.0385	0.0385	#0.1520B/*0.038	0.1520B/*0.0385	----	0.0385 NEW	.4684	----	----	1	----	1 + 1
630	----	----	0.1125B/0.0600A	0.1125B/0.0600A	----	0.1100 + 0.0470	.5031	----	----	----	----	15 UNCH
630	0.0500	0.0500	0.0505B/0.0500	0.0505B/0.0185A	----	0.0400 + 0.0260	.4874	----	----	3	----	33 + 3
630	0.0530	0.0530	0.1610B/*0.0495	0.1610B/*0.0495	----	0.0435 NEW	.5125	----	----	5	----	5 + 5
632	0.0350	0.0350	#0.0410B/0.0350	#0.0410B/0.0165	----	0.0320 NEW	.4028	----	----	6	----	6 + 6
635	----	----	0.0285B/----	0.0285B/0.0145A	----	0.0225 + 0.0150	.2911	----	----	2	----	3 + 2
640	0.0205	0.0205	0.0205/*0.0065	0.0205/0.0065	----	0.0120 NEW	.1547	----	----	21	----	21 + 21
641	----	----	#0.0100B/----	#0.0100B/0.0115	----	0.0100 NEW	.1303	----	----	1	----	1 + 1
642	0.0085	0.0085	#0.0085/0.0085	#0.0085/0.0085	----	0.0085 NEW	.1106	----	----	2	----	2 + 2
650	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0020 NEW	.0233	----	----	3	----	3 + 3
655	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0005 UNCH	.0050	----	----	3	----	3 + 3
TOTAL										64		221+ 53
JUN26												
450	----	----	----	----/0.0005A	----	0.0005 UNCH	.0003	----	----	----	----	14 UNCH
500	----	----	----	----/0.0120A	----	0.0020 - 0.0005	.0080	----	----	----	----	5 UNCH
580	----	----	#0.0620B/*0.049	0.0620B/*0.0495	----	0.0480 - 0.0125	.1569	----	----	----	----	1 UNCH
595	0.0525	0.0525	0.0830B/*0.0525	0.0830B/*0.0525	----	0.0525 NEW	.1980	----	----	1	----	1 + 1
600	----	----	#0.3535B/0.2565	#0.3535B/0.2565	----	0.3600 + 0.0900	.7671	----	----	----	----	1 UNCH
600	----	----	#0.1250B/*0.090	0.1250B/*0.0900	----	0.0915 - 0.0270	.2666	----	----	----	----	1 UNCH
630	----	----	#0.1830B/0.1145	#0.1830B/0.1145	----	0.1800 + 0.0555	.5107	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
JUN26												
640	0.1400	0.1400	0.1400/0.0870A	0.1400/0.0870A	----	0.1385 + 0.0445	.4240	----	----	5	----	7 + 4
665	----	----	0.0675B/----	0.0675B/0.0445A	----	0.0695 + 0.0255	.2452	----	----	----	----	5 UNCH
675	----	----	0.0505B/----	0.0505B/0.0345A	----	0.0520 + 0.0200	.1918	----	----	----	----	2 UNCH
725	----	----	#0.0085B/----	0.0085B/0.0125A	----	0.0135 + 0.0055	.0549	----	----	----	----	14 UNCH
TOTAL										6		52 + 5
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
MAY26												
450	----	----	----	----/0.0085A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
570	0.0150	0.0150	0.0150/*0.0150	0.0150/*0.0150	----	0.0090 - 0.0050	.0467	----	----	1	----	1 UNCH
590	----	----	----	----	----	0.2760 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	#0.3655B/0.2530	#0.3655B/0.2530	----	0.3750 + 0.1040	.8559	----	----	----	----	1 UNCH
598	----	----	----	----	----	0.1960 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.1860 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.1760 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----/*0.0210A	0.0360B/*0.0210	----	0.0125 - 0.0245	.1000	----	----	----	----	0 UNCH
606	----	----	----	----	----	0.1160 UNCH	----	----	----	----	----	0 UNCH
612	0.0240	0.0240	#0.0240/*0.0240	#0.0340B/*0.024	----	0.0245 NEW	.1817	----	----	1	----	1 + 1
614	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.0260 UNCH	----	----	----	----	----	0 UNCH
619	----	----	----	----	----	0.0140 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----	----	0.0240 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
622	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
624	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
625	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	0.0465	0.0465	0.0485B/0.0465	0.0485B/0.0260A	----	0.0465 NEW	.3134	----	----	1	----	1 + 1
700	0.0250	0.0250	#0.0250/*0.0240	#0.0250/0.0195A	----	0.0210 NEW	.0884	----	----	20	----	20 + 20
725	----	----	----	----/0.0110A	----	0.0020 + 0.0010	.0116	----	----	----	----	14 UNCH
TOTAL										23		42 + 22
JUN26												
630	----	----	----	#0.2070B/*0.210	----	0.2020 NEW	.4869	----	----	8	----	8 + 8
630	----	----	----	#0.1900B/*0.199	----	0.1985 NEW	.5124	----	----	8	----	8 + 8
TOTAL										16		16 + 16
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
MAY26												
450	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
580	----	----	----	----/0.0115A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
590	----	----	----/0.0215A	0.0245B/0.0215A	----	0.0135 - 0.0130	.0820	----	----	----	----	1 UNCH
595	0.0140	0.0140	0.0140/*0.0140	0.0345B/*0.0140	----	0.0185 - 0.0165	.1095	----	----	1	----	0 - 1
595	----	----	#0.3590B/0.2085	#0.3590B/0.2085	----	0.3470 + 0.1150	.9977	----	----	----	----	3 UNCH
605	----	----	----/*0.0125A	0.0175B/*0.0125	----	0.0025 - 0.0175	.0266	----	----	----	----	1 UNCH
610	----	----	#0.2145B/0.0980	#0.2145B/0.0980	----	0.2025 + 0.0925	.9352	----	----	----	----	1 UNCH
615	0.1600	0.1600	0.1705B/0.0730A	0.1705B/0.0730A	----	0.1585 NEW	.8717	----	----	4	----	2 + 2
618	0.0200	0.0200	#0.0785B/*0.020	0.0785B/*0.0200	----	0.0180 NEW	.1854	----	----	2	----	2 + 2
620	----	----	0.0910B/*0.0305	0.0910B/*0.0305	----	0.0235 NEW	.2323	----	----	2	----	0 UNCH
620	----	----	0.1280B/0.0530A	0.1280B/0.0530A	----	0.1200 + 0.0645	.7675	----	----	----	----	6 UNCH
623	0.0320	0.0320	#0.0320/*0.0320	0.0940B/*0.0320	----	0.0330 NEW	.3082	----	----	2	----	2 + 2
630	0.0700	0.0700	0.0700/0.0475	0.0700/0.0275A	----	0.0610 + 0.0365	.4944	----	----	3	----	0 - 3
640	0.0315	0.0315	0.0315/0.0290	0.0315/0.0170A	----	0.0270 NEW	.2467	----	----	5	----	5 + 5
645	0.0220	0.0220	0.0220/0.0220	0.0220/0.0145A	----	0.0170 NEW	.1593	----	----	20	----	20 + 20
725	----	----	----	----/0.0090A	----	0.0010 + 0.0005	.0061	----	----	----	----	4 UNCH
TOTAL										39		52 + 27
JUN26												
450	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0018	----	----	----	----	14 UNCH
750	----	----	----	0.0030B/0.0115A	----	0.0090 + 0.0045	.0353	----	----	----	----	14 UNCH
TOTAL												28
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
450	----	----	----	----/0.0085A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
570	0.0095	0.0095	0.0095/*0.0095	0.0115B/*0.0095	----	0.0075 - 0.0045	.0405	----	----	1	----	1 UNCH
575	----	----	----/0.0255A	0.0260B/0.0255A	----	0.0220 - 0.0055	.0934	----	----	----	----	8 UNCH
585	----	----	----/*0.0210A	0.0215B/*0.0210	----	0.0140 - 0.0095	.0779	----	----	----	----	13 UNCH
595	----	----	----	0.0060B/*0.0130	----	0.0020 - 0.0100	.0179	----	----	----	----	1 UNCH
600	0.0080	0.0080	0.0080/*0.0080	0.0140B/*0.0080	----	0.0035 - 0.0150	.0327	----	----	2	----	2 UNCH
TOTAL										3		29
JUN26												
465	----	----	----	----/0.0100A	----	0.0005 UNCH	.0020	----	----	----	----	10 UNCH
470	----	----	----	----/0.0100A	----	0.0010 UNCH	.0037	----	----	----	----	4 UNCH
490	----	----	----	----/0.0120A	----	0.0020 - 0.0005	.0076	----	----	----	----	7 UNCH
500	----	----	----	----/0.0130A	----	0.0035 - 0.0005	.0127	----	----	----	----	1 UNCH
555	----	----	----	0.0180B/0.0220A	----	0.0165 - 0.0050	.0632	----	----	----	----	2 UNCH
579	----	----	0.0495B/*0.0395	0.0495B/*0.0395	----	0.0355 - 0.0130	.1316	----	----	----	----	1 UNCH
595	----	----	0.4080B/0.2970A	0.4080B/0.2970A	----	0.4090 + 0.0965	.7844	----	----	----	----	5 UNCH
595	----	----	0.0930B/*0.0655	0.0930B/*0.0655	----	0.0630 - 0.0240	.2149	----	----	----	----	5 UNCH
600	----	----	0.3750B/0.2660A	0.3750B/0.2660A	----	0.3720 + 0.0925	.7506	----	----	----	----	1 UNCH
606	----	----	0.1365B/*0.0940	0.1365B/*0.0940	----	0.0945 - 0.0330	.2929	----	----	3	----	1 - 2
610	----	----	0.3040B/0.2060A	0.3040B/0.2060A	----	0.3045 + 0.0835	.6755	----	----	----	----	8 UNCH
620	----	----	0.2430B/0.1610A	0.2430B/0.1610A	----	0.2460 + 0.0735	.5946	----	----	----	----	1 UNCH
650	----	----	0.1170B/0.0740A	0.1170B/0.0740A	----	0.1215 + 0.0430	.3597	----	----	----	----	6 UNCH
660	----	----	0.0895B/0.0575A	0.0895B/0.0575A	----	0.0940 + 0.0345	.2940	----	----	----	----	8 UNCH
700	----	----	0.0290B/----	0.0290B/0.0235A	----	0.0325 + 0.0140	.1182	----	----	----	----	1 UNCH
705	----	----	0.0250B/----	0.0250B/0.0215A	----	0.0285 + 0.0125	.1049	----	----	----	----	7 UNCH
725	----	----	0.0135B/----	0.0135B/0.0160A	----	0.0165 + 0.0075	.0635	----	----	----	----	14 UNCH
TOTAL										3		82 - 2
JUL26												
460	----	----	----	0.0010B/0.0150A	----	0.0035 - 0.0010	.0100	----	----	----	----	23 UNCH
585	----	----	0.5000B/0.4765A	0.5000B/0.4765A	----	0.5965 + 0.1040	.7866	----	----	----	----	6 UNCH
585	----	----	----/*0.0980A	0.1070B/*0.0980	----	0.0925 - 0.0170	.2121	----	----	----	----	6 UNCH
600	----	----	#0.4880B/0.3805	#0.4880B/0.3805	----	0.4870 + 0.0940	.7171	----	----	----	----	12 UNCH
605	----	----	#0.4530B/0.3525	#0.4530B/0.3525	----	0.4540 + 0.0905	.6914	----	----	----	----	1 UNCH
611	----	----	0.2090B/*0.1770	0.2090B/*0.1770	----	0.1715 - 0.0345	.3396	----	----	----	----	22 UNCH
612	----	----	0.3265B/0.3160A	0.3265B/0.3160A	----	0.4105 + 0.0855	.6536	----	----	----	----	5 UNCH
612	----	----	0.2140B/*0.1810	0.2140B/*0.1810	----	0.1755 - 0.0355	.3451	----	----	----	----	5 UNCH
613	0.1720	0.1720	0.2190B/*0.1720	0.2190B/*0.1720	----	0.1795 - 0.0360	.3505	----	----	2	----	2 UNCH
621	----	----	0.3485B/0.2740A	0.3485B/0.2740A	----	0.3600 + 0.0795	.6034	----	----	----	----	1 UNCH
625	----	----	0.3355B/0.2570A	0.3355B/0.2570A	----	0.3390 + 0.0760	.5810	----	----	----	----	22 UNCH
630	----	----	0.3100B/0.2370A	0.3100B/0.2370A	----	0.3145 + 0.0720	.5529	----	----	----	----	5 UNCH
650	----	----	0.2250B/0.1715A	0.2250B/0.1715A	----	0.2305 + 0.0570	.4446	----	----	----	----	5 UNCH
TOTAL										2		115
AUG26												
599	0.5200	0.5200	#0.5200/0.5200	#0.5200/0.5200	----	0.5710 + 0.0950	.6824	----	----	10	----	10 UNCH
630	----	----	#0.3975B/0.3210	#0.3975B/0.3210	----	0.4045 + 0.0785	.5520	----	----	13	----	13 + 12
630	0.3530	0.3530	0.3965B/*0.3520	0.3965B/*0.3520	----	0.3490 NEW	.4458	----	----	15	----	15 + 15
640	----	----	#0.3535B/0.2845	#0.3535B/0.2845	----	0.3610 + 0.0730	.5103	----	----	----	----	1 UNCH
650	0.3150	0.3150	#0.3200/0.2515A	#0.3200/0.2515A	----	0.3210 + 0.0670	.4699	----	----	10	----	16 UNCH
TOTAL										48		55 + 27
HX CALL		COMEX COPPER OPTIONS										
JUN26												
500	----	----	----	----	----	1.2985 + 0.1195	.9877	----	----	----	----	3 UNCH
510	----	----	----	----	----	1.1990 + 0.1195	.9868	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.0495 + 0.1180	.9818	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.9505 + 0.1175	.9785	----	----	----	----	2 UNCH
540	----	----	0.8895B/----	0.8895B/0.8900A	----	0.9010 + 0.1170	.9757	----	----	----	----	24 UNCH
545	----	----	----	----	----	0.8520 + 0.1165	.9711	----	----	----	----	2 UNCH
549	----	----	----	----	----	0.8130 + 0.1165	.9666	----	----	----	----	1 UNCH
550	----	----	0.7915B/----	0.7915B/0.7920A	----	0.8030 + 0.1165	.9662	----	----	----	----	5 UNCH
555	----	----	----	----	----	0.7545 + 0.1165	.9594	----	----	----	----	1 UNCH
556	----	----	----	----	----	0.7445 + 0.1160	.9589	----	----	----	----	1 UNCH
557	----	----	#0.7230B/0.6090	#0.7230B/0.6090	----	0.7350 + 0.1160	.9568	----	----	----	----	63 UNCH
559	----	----	----/0.5900A	0.4825B/0.5900A	----	0.7155 + 0.1160	.9543	----	----	----	----	4 UNCH
560	----	----	0.6940B/0.5805A	0.6940B/0.5805A	----	0.7060 + 0.1160	.9521	----	----	----	----	106 UNCH
562	----	----	----/0.5615A	0.4980B/0.5615A	----	0.6865 + 0.1155	.9494	----	----	----	----	1 UNCH
563	----	----	----/0.5520A	0.4955B/0.5520A	----	0.6770 + 0.1155	.9472	----	----	----	----	1 UNCH
565	----	----	----/0.5335A	0.4870B/0.5335A	----	0.6575 + 0.1150	.9444	----	----	----	----	2 UNCH
568	----	----	----/0.5060A	0.4870B/0.5060A	----	0.6290 + 0.1145	.9376	----	----	----	----	3 UNCH
569	----	----	----/0.4970A	0.4550B/0.4970A	----	0.6195 + 0.1145	.9368	----	----	----	----	2 UNCH
570	----	----	0.5980B/0.4880A	0.5980B/0.4880A	----	0.6100 + 0.1140	.9344	----	----	----	----	19 UNCH
574	----	----	#0.5350B/0.4530	#0.5350B/0.4530	----	0.5720 + 0.1130	.9232	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
575	----	----	0.5630B/0.4440A	0.5630B/0.4440A	----	0.5625 + 0.1125	.9207	----	----	----	----	149 UNCH
579	----	----	#0.5225B/0.4100	#0.5225B/0.4100	----	0.5255 + 0.1110	.9074	----	----	----	----	3 UNCH
580	----	----	0.5140B/0.4020A	0.5140B/0.4020A	----	0.5165 + 0.1105	.9032	----	----	----	----	45 UNCH
581	----	----	#0.5040B/0.3935	#0.5040B/0.3935	----	0.5075 + 0.1105	.9005	----	----	----	----	1 UNCH
582	----	----	#0.4955B/0.3855	#0.4955B/0.3855	----	0.4985 + 0.1100	.8963	----	----	----	----	11 UNCH
583	----	----	#0.4860B/0.3775	#0.4860B/0.3775	----	0.4895 + 0.1095	.8921	----	----	----	----	1 UNCH
584	----	----	#0.4770B/0.3695	#0.4770B/0.3695	----	0.4805 + 0.1085	.8878	----	----	----	----	3 UNCH
585	----	----	0.4685B/0.3615A	0.4685B/0.3615A	----	0.4715 + 0.1080	.8835	----	----	1	----	12 UNCH
586	----	----	0.4590B/0.3540A	0.4590B/0.3540A	----	0.4625 + 0.1075	.8778	----	----	----	----	1 UNCH
587	----	----	0.4505B/0.3465A	0.4505B/0.3465A	----	0.4540 + 0.1070	.8735	----	----	----	----	3 UNCH
588	----	----	0.4415B/----	0.4415B/0.3390A	----	0.4450 + 0.1060	.8678	----	----	----	----	4 UNCH
589	----	----	0.4325B/----	0.4325B/0.3315A	----	0.4365 + 0.1055	.8633	----	----	----	----	1 UNCH
590	----	----	0.4245B/0.3035A	0.4245B/0.3035A	----	0.4280 + 0.1050	.8576	----	----	----	----	84 UNCH
591	----	----	0.4160B/----	0.4160B/0.3170A	----	0.4195 + 0.1040	.8518	----	----	----	----	10 UNCH
592	----	----	0.4070B/----	0.4070B/0.3095A	----	0.4110 + 0.1030	.8460	----	----	----	----	1 UNCH
593	----	----	0.3985B/----	0.3985B/0.3025A	----	0.4025 + 0.1025	.8402	----	----	----	----	2 UNCH
594	----	----	0.3900B/----	0.3900B/0.2960A	----	0.3940 + 0.1010	.8343	----	----	----	----	4 UNCH
595	----	----	0.3840B/0.2675A	0.3840B/0.2675A	----	0.3860 + 0.1005	.8273	----	----	----	----	129 UNCH
596	----	----	0.3740B/----	0.3740B/0.2825A	----	0.3775 + 0.0990	.8213	----	----	----	----	7 UNCH
597	----	----	0.3655B/----	0.3655B/0.2755A	----	0.3695 + 0.0985	.8142	----	----	----	----	1 UNCH
598	----	----	0.3575B/----	0.3575B/0.2690A	----	0.3615 + 0.0975	.8071	----	----	----	----	7 UNCH
599	----	----	0.3490B/----	0.3490B/0.2630A	----	0.3535 + 0.0960	.8000	----	----	----	----	4 UNCH
600	----	----	0.3505B/0.2350A	0.3505B/0.2350A	----	0.3455 + 0.0950	.7929	----	----	1	----	423 - 1
601	----	----	0.3335B/----	0.3335B/0.2505A	----	0.3375 + 0.0935	.7857	----	----	----	----	1 UNCH
602	----	----	0.3255B/----	0.3255B/0.2435A	----	0.3300 + 0.0925	.7776	----	----	----	----	4 UNCH
603	----	----	0.3190B/----	0.3190B/0.2375A	----	0.3220 + 0.0910	.7703	----	----	----	----	10 UNCH
604	----	----	0.3115B/----	0.3115B/0.2320A	----	0.3145 + 0.0895	.7621	----	----	----	----	15 UNCH
605	----	----	0.3105B/0.2045A	0.3105B/0.2045A	----	0.3070 + 0.0885	.7539	----	----	1	----	212 - 1
606	----	----	0.2965B/0.1920A	0.2965B/0.1920A	----	0.3000 + 0.0875	.7456	----	----	----	----	23 UNCH
607	----	----	0.2895B/0.1860A	0.2895B/0.1860A	----	0.2925 + 0.0855	.7366	----	----	----	----	92 UNCH
608	----	----	0.2825B/0.1810A	0.2825B/0.1810A	----	0.2855 + 0.0845	.7276	----	----	----	----	7 UNCH
609	----	----	0.2750B/0.1765A	0.2750B/0.1765A	----	0.2785 + 0.0830	.7193	----	----	----	----	13 UNCH
610	0.2715	0.2715	0.2760B/0.1705A	0.2760B/0.1705A	----	0.2715 + 0.0820	.7102	----	----	4	200	776 - 8
611	----	----	0.2615B/0.1655A	0.2615B/0.1655A	----	0.2645 + 0.0800	.7005	----	----	----	----	9 UNCH
612	----	----	0.2550B/0.1605A	0.2550B/0.1605A	----	0.2580 + 0.0790	.6914	----	----	----	----	29 UNCH
613	----	----	0.2480B/0.1555A	0.2480B/0.1555A	----	0.2510 + 0.0775	.6818	----	----	----	----	56 UNCH
614	----	----	0.2415B/0.1510A	0.2415B/0.1510A	----	0.2445 + 0.0760	.6721	----	----	----	----	13 UNCH
615	0.2000	0.2000	0.2425B/0.1465A	0.2425B/0.1465A	----	0.2385 + 0.0750	.6624	----	----	3	----	865 - 1
616	0.1505	0.1505	0.2290B/0.1420A	0.2290B/0.1420A	----	0.2320 + 0.0735	.6527	----	----	3	----	40 + 1
617	----	----	0.2230B/0.1385A	0.2230B/0.1385A	----	0.2260 + 0.0725	.6426	----	----	----	----	34 UNCH
618	----	----	0.2230B/0.1335A	0.2230B/0.1335A	----	0.2200 + 0.0710	.6325	----	----	----	----	37 UNCH
619	----	----	0.2185B/0.1300A	0.2185B/0.1300A	----	0.2140 + 0.0695	.6224	----	----	----	----	19 UNCH
620	0.2150	0.2150	0.2150/0.1260A	0.2150/0.1260A	----	0.2080 + 0.0680	.6123	----	----	23	----	655 - 21
621	0.1255	0.1255	0.2060B/0.1220A	0.2060B/0.1220A	----	0.2025 + 0.0670	.6019	----	----	3	----	30 + 3
622	0.1230	0.1230	0.2015B/0.1175A	0.2015B/0.1175A	----	0.1965 + 0.0650	.5915	----	----	1	----	86 UNCH
623	0.1230	0.1230	0.1970B/0.1145A	0.1970B/0.1145A	----	0.1910 + 0.0635	.5812	----	----	2	----	37 + 2
624	0.1465	0.1465	0.1930B/0.1110A	0.1930B/0.1110A	----	0.1860 + 0.0625	.5708	----	----	2	----	12 + 1
625	0.1425	0.1425	0.1870B/0.1070A	0.1870B/0.1070A	----	0.1805 + 0.0610	.5605	----	----	5	----	216 - 1
626	0.1350	0.1350	0.1810B/0.1045A	0.1810B/0.1045A	----	0.1755 + 0.0600	.5500	----	----	2	----	10 UNCH
627	0.1280	0.1280	0.1755B/0.1005A	0.1755B/0.1005A	----	0.1705 + 0.0585	.5396	----	----	4	----	30 - 4
628	0.1265	0.1265	0.1705B/0.0975A	0.1705B/0.0975A	----	0.1655 + 0.0570	.5292	----	----	4	----	23 - 4
629	0.1270	0.1270	0.1670B/0.0945A	0.1670B/0.0945A	----	0.1605 + 0.0555	.5188	----	----	1	----	101 UNCH
630	0.1020	0.1020	0.1700/0.0915A	0.1700/0.0915A	----	0.1560 + 0.0545	.5085	----	----	64	----	1603 + 29
631	0.1550	0.1550	0.1605B/0.0885A	0.1605B/0.0885A	----	0.1515 + 0.0535	.4982	----	----	5	----	145 UNCH
632	0.1480	0.1480	0.1550B/0.0850A	0.1550B/0.0850A	----	0.1470 + 0.0520	.4879	----	----	1	----	124 UNCH
635	0.1365	0.1365	0.1420B/0.0775A	0.1420B/0.0775A	----	0.1340 + 0.0480	.4574	----	----	160	----	358 - 45
639	----	----	#0.1260B/0.0680	#0.1260B/0.0680	----	0.1185 + 0.0435	.4179	----	----	1	----	61 + 1
640	0.1160	0.1160	0.1295B/0.0655A	0.1295B/0.0655A	----	0.1150 + 0.0425	.4084	----	----	63	----	990 - 1
641	----	----	#0.1185B/0.0640	#0.1185B/0.0640	----	0.1115 + 0.0415	.3989	----	----	----	----	53 UNCH
644	----	----	#0.1090B/0.0580	#0.1090B/0.0580	----	0.1015 + 0.0380	.3711	----	----	----	----	19 UNCH
645	0.1050	0.1050	0.1120B/0.0560A	0.1120B/0.0560A	----	0.0985 + 0.0375	.3622	----	----	184	----	264 + 151
646	----	----	#0.1010B/0.0545	#0.1010B/0.0545	----	0.0955 + 0.0365	.3534	----	----	----	----	20 UNCH
650	0.0800	0.0800	0.0970B/0.0475A	0.0970B/0.0475A	----	0.0840 + 0.0325	.3192	----	----	646	----	1358 + 399
651	----	----	#0.0870B/0.0460	#0.0870B/0.0460	----	0.0810 + 0.0315	.3106	----	----	----	----	17 UNCH
655	0.0710	0.0710	0.0835B/0.0400A	0.0835B/0.0400A	----	0.0715 + 0.0285	.2798	----	----	9	----	443 + 8
656	----	----	#0.0735B/0.0385	#0.0735B/0.0385	----	0.0690 + 0.0275	.2720	----	----	----	----	7 UNCH
660	0.0605	0.0605	0.0720B/0.0340A	0.0720B/0.0340A	----	0.0605 + 0.0245	.2436	----	----	70	75	781 + 117
665	0.0510	0.0510	0.0620B/0.0285A	0.0620B/0.0285A	----	0.0515 + 0.0215	.2119	----	----	36	----	83 + 14
670	0.0415	0.0415	0.0535/0.0230A	0.0535/0.0230A	----	0.0440 + 0.0195	.1842	----	----	791	----	1578 + 501
675	0.0360	0.0360	0.0395B/0.0195A	0.0395B/0.0195A	----	0.0375 + 0.0170	.1595	----	----	5	----	95 - 4
680	----	----	0.0345B/0.0165A	0.0345B/0.0165A	----	0.0320 + 0.0150	.1380	----	----	----	----	372 UNCH
685	----	----	0.0280B/----	0.0280B/0.0140A	----	0.0270 + 0.0130	.1184	----	----	23	----	85 + 19
690	----	----	0.0240B/----	0.0240B/0.0125A	----	0.0230 + 0.0115	.1019	----	----	----	----	118 UNCH
695	0.0220	0.0220	0.0220/0.0220	0.0220/0.0105A	----	0.0200 + 0.0105	.0889	----	----	5	----	65 - 5
700	0.0185	0.0185	0.0185/0.0185	0.0185/0.0095A	----	0.0170 + 0.0090	.0763	----	----	164	----	744 + 59
705	0.0145	0.0145	0.0155B/0.0145	0.0155B/0.0085A	----	0.0150 + 0.0080	.0671	----	----	3	----	16 + 1
710	0.0150	0.0150	0.0150/0.0145	0.0150/0.0080A	----	0.0130 + 0.0070	.0583	----	----	16	----	88 + 5
715	0.0125	0.0125	0.0125/0.0120	0.0125/0.0080A	----	0.0110 + 0.0060	.0498	----	----	2	----	12 UNCH
720	----	----	0.0100B/----	0.0100B/0.0080A	----	0.0100 + 0.0055	.0447	----	----	----	----	28 UNCH
725	0.0085	0.0085	0.0085/0.0085	0.0085/0.0085	----	0.0085 + 0.0050	.0383	----	----	3	----	91 UNCH
730	0.0080	0.0080	0.0080/0.0080	0.0080/0.0075A	----	0.0075 + 0.0040	.0336	----	----	5	----	24 + 5
735	----	----	0.0070B/----	0.0070B/0.0065A	----	0.0065 + 0.0035	.0292	----	----	----	----	40 UNCH
740	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0060 + 0.0035	.0266	----	----	----	----	8 UNCH
745	----	----	0.0055B/----	0.0055B/0.0055A	----	0.0055 + 0.0030	.0241	----	----	----	----	1525 UNCH
750	----	----	0.0050B/----	0.0050B/0.0045A	----	0.0045 + 0.0025	.0200	----	----	----	----	165 UNCH
755	0.0010	0.0010	0.0030B/0.0010	0.0030B/0.0010	----	0.0040 + 0.0020	.0177	----	----	1	----	1 UNCH
765	----	----	----	----/0.0040A	----	0.0035 + 0.0020	.0150	----	----	----	----	1506 UNCH
770	----	----	----	----/0.0035A	----	0.0030 + 0.0015	.0129	----	----	----	----	7 UNCH
775	----	----	----	----/0.0035A	----	0.0025 + 0.0010	.0108	----	----	----	----	1 UNCH
780	----	----	----	----/0.0035A	----	0.0025 + 0.0015	.0106	----	----	----	----	8 UNCH
795	----	----	----	----/0.0030A	----	0.0015 + 0.0010	.0064	----	----	----	----	33 UNCH
800	----	----	----	----/0.0030A	----	0.0010 + 0.0005	.0044	----	----	----	----	7 UNCH
810	----	----	----	----/0.0025A	----	0.0005 UNCH	.0023	----	----	----	----	3 UNCH
825	----	----	----	----/0.0020A	----	0.0005 UNCH	.0012	----	----	----	----	1 UNCH
840	----	----	----	----/0.0020A	----	0.0005 UNCH	.0006	----	----	----	----	6 UNCH
850	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	4 UNCH
880	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
900	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	11 UNCH
910	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	11 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
975	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL									275	2317		17589 + 1220
JUL26												
500	----	----	#1.2915B/----	#1.2915B/1.2940	----	1.3045 + 0.1170	.9674	----	----	----	----	10 UNCH
520	----	----	----	----	----	1.1110 + 0.1165	.9498	----	----	----	----	2 UNCH
525	----	----	----/0.9430A	0.8275B/0.9430A	----	1.0630 + 0.1160	.9430	----	----	----	----	1 UNCH
530	----	----	1.0035B/0.8960A	1.0035B/0.8960A	----	1.0155 + 0.1155	.9361	----	----	----	----	6 UNCH
540	----	----	0.9140B/0.8050A	0.9140B/0.8050A	----	0.9220 + 0.1145	.9196	----	----	----	----	16 UNCH
545	----	----	0.8730B/0.7605A	0.8730B/0.7605A	----	0.8760 + 0.1140	.9093	----	----	----	----	1 UNCH
550	----	----	0.8280B/0.7170A	0.8280B/0.7170A	----	0.8305 + 0.1130	.8986	----	----	----	----	2 UNCH
555	----	----	0.7845B/----	0.7845B/0.6745A	----	0.7855 + 0.1110	.8852	----	----	----	----	116 UNCH
560	----	----	0.7400B/----	0.7400B/0.6330A	----	0.7415 + 0.1095	.8715	----	----	----	----	1 UNCH
570	----	----	0.6570B/----	0.6570B/0.5540A	----	0.6565 + 0.1050	.8373	----	----	----	----	157 UNCH
574	----	----	#0.6240B/----	#0.6240B/0.5240	----	0.6240 + 0.1035	.8220	----	----	----	----	5 UNCH
575	----	----	0.6160B/0.4935A	0.6160B/0.4935A	----	0.6155 + 0.1025	.8178	----	----	----	----	19 UNCH
580	----	----	0.5770B/0.4575A	0.5770B/0.4575A	----	0.5760 + 0.1000	.7969	----	----	----	----	123 UNCH
585	----	----	0.5430B/0.4235A	0.5430B/0.4235A	----	0.5380 + 0.0970	.7736	----	----	----	----	324 UNCH
590	----	----	0.5060B/0.3910A	0.5060B/0.3910A	----	0.5015 + 0.0935	.7492	----	----	----	----	106 UNCH
591	----	----	#0.4950B/----	#0.4950B/0.4090	----	0.4945 + 0.0930	.7440	----	----	----	----	3 UNCH
593	----	----	#0.4810B/----	#0.4810B/0.3970	----	0.4805 + 0.0915	.7335	----	----	----	----	1 UNCH
594	----	----	#0.4740B/----	#0.4740B/0.3910	----	0.4735 + 0.0910	.7282	----	----	----	----	2 UNCH
595	----	----	0.4705B/0.3605A	0.4705B/0.3605A	----	0.4665 + 0.0900	.7230	----	----	----	----	29 UNCH
597	----	----	#0.4535B/----	#0.4535B/0.3735	----	0.4530 + 0.0885	.7121	----	----	----	----	1 UNCH
598	----	----	#0.4470B/----	#0.4470B/0.3670	----	0.4465 + 0.0880	.7068	----	----	----	----	1 UNCH
599	----	----	#0.4405B/----	#0.4405B/0.3610	----	0.4400 + 0.0870	.7012	----	----	----	----	2 UNCH
600	----	----	0.4410B/0.3320A	0.4410B/0.3320A	----	0.4330 + 0.0860	.6956	----	----	10	----	543 + 2
602	----	----	#0.4220B/0.3155	#0.4220B/0.3155	----	0.4205 + 0.0850	.6845	----	----	----	----	83 UNCH
603	----	----	#0.4150B/0.3090	#0.4150B/0.3090	----	0.4140 + 0.0840	.6789	----	----	----	----	3 UNCH
605	0.3050	0.3050	0.4045B/0.2985A	0.4045B/0.2985A	----	0.4015 + 0.0820	.6674	----	----	3	----	40 - 2
610	----	----	0.3790B/0.2740A	0.3790B/0.2740A	----	0.3715 + 0.0780	.6384	----	----	10	----	319 + 10
615	----	----	0.3530B/0.2515A	0.3530B/0.2515A	----	0.3430 + 0.0735	.6087	----	----	7	----	1645 - 7
620	----	----	0.3280B/0.2305A	0.3280B/0.2305A	----	0.3165 + 0.0695	.5788	----	----	----	----	225 UNCH
625	0.3000	0.3000	0.3030B/0.2105A	0.3030B/0.2105A	----	0.2915 + 0.0650	.5488	----	----	179	----	369 + 1
630	0.2575	0.2575	0.2805B/0.1925A	0.2805B/0.1925A	----	0.2680 + 0.0605	.5190	----	----	81	----	442 + 31
635	0.2370	0.2370	0.2580B/0.1760A	0.2580B/0.1760A	----	0.2465 + 0.0570	.4897	----	----	4	----	88 + 3
640	0.2335	0.2335	0.2390B/0.1610A	0.2390B/0.1610A	----	0.2265 + 0.0530	.4610	----	----	29	----	1685 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
645	0.2075	0.2075	0.2210B/0.1470A	0.2210B/0.1470A	----	0.2075 + 0.0490	.4329	----	----	4	----	413 UNCH
650	0.1835	0.1835	0.2035B/0.1345A	0.2035B/0.1345A	----	0.1905 + 0.0455	.4059	----	----	356	150	1260 + 305
655	0.1795	0.1795	0.1875B/0.1225A	0.1875B/0.1225A	----	0.1750 + 0.0430	.3802	----	----	39	----	730 + 7
660	0.1670	0.1670	0.1715B/0.1120A	0.1715B/0.1120A	----	0.1605 + 0.0400	.3554	----	----	369	----	496 + 239
665	0.1415	0.1415	0.1570B/0.1015A	0.1570B/0.1015A	----	0.1470 + 0.0370	.3316	----	----	1	----	16 + 1
670	0.1370	0.1370	0.1445B/0.0925A	0.1445B/0.0925A	----	0.1350 + 0.0350	.3094	----	----	1	----	114 UNCH
675	0.1250	0.1250	0.1360/0.0840A	0.1360/0.0840A	----	0.1240 + 0.0330	.2884	----	----	59	----	2296 - 3
680	----	----	0.1220B/0.0765A	0.1220B/0.0765A	----	0.1135 + 0.0305	.2682	----	----	2	----	241 UNCH
685	----	----	0.1110B/0.0700A	0.1110B/0.0700A	----	0.1040 + 0.0285	.2493	----	----	----	----	19 UNCH
690	0.0940	0.0940	0.1030B/0.0640A	0.1030B/0.0640A	----	0.0955 + 0.0270	.2318	----	----	5	----	337 UNCH
695	----	----	0.0935B/0.0585A	0.0935B/0.0585A	----	0.0875 + 0.0255	.2152	----	----	2	----	65 UNCH
700	0.0765	0.0765	0.0870/0.0525A	0.0870/0.0525A	----	0.0805 + 0.0240	.2000	----	----	52	----	307 + 11
705	----	----	0.0785B/0.0490A	0.0785B/0.0490A	----	0.0735 + 0.0220	.1851	----	----	----	----	5 UNCH
710	----	----	0.0730B/0.0435A	0.0730B/0.0435A	----	0.0675 + 0.0205	.1717	----	----	93	----	980 + 85
715	----	----	0.0660B/0.0400A	0.0660B/0.0400A	----	0.0620 + 0.0195	.1592	----	----	----	----	38 UNCH
720	----	----	0.0615B/0.0370A	0.0615B/0.0370A	----	0.0570 + 0.0180	.1477	----	----	10	----	75 UNCH
725	----	----	0.0565B/0.0340A	0.0565B/0.0340A	----	0.0525 + 0.0170	.1371	----	----	105	----	1566 - 38
730	0.0460	0.0460	0.0580/0.0315A	0.0580/0.0315A	----	0.0485 + 0.0160	.1274	----	----	56	----	79 - 50
750	----	----	0.0385B/----	0.0385B/0.0235A	----	0.0355 + 0.0120	.0953	----	----	10	----	380 UNCH
775	----	----	0.0275B/----	0.0275B/0.0175A	----	0.0255 + 0.0090	.0688	----	----	----	----	72 UNCH
780	----	----	0.0255B/----	0.0255B/0.0165A	----	0.0240 + 0.0085	.0647	----	----	10	----	33 + 10
800	0.0185	0.0185	0.0200/0.0175	0.0200/0.0135A	----	0.0185 + 0.0060	.0501	----	----	11	----	2204 + 1
825	0.0140	0.0140	0.0140/0.0140	0.0140/0.0140	----	0.0145 + 0.0045	.0387	----	----	1	----	3 - 1
850	0.0110	0.0110	0.0110/0.0105A	0.0110/0.0105A	----	0.0110 + 0.0025	.0293	----	----	2	----	6 - 1
875	----	----	----	0.0075B/0.0090A	----	0.0090 + 0.0015	.0235	----	----	----	----	2 UNCH
900	0.0050	0.0050	0.0065/0.0050	0.0065/0.0050	----	0.0070 + 0.0005	.0182	----	----	39	----	2034 - 16
925	----	----	----	0.0045B/0.0065A	----	0.0050 UNCH	.0132	----	----	----	----	10 UNCH
950	----	----	----	----/0.0075A	----	0.0035 UNCH	.0094	----	----	40	----	47 - 14
975	----	----	----	----/0.0060A	----	0.0025 UNCH	.0068	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0055A	----	0.0015 UNCH	.0042	----	----	----	----	4 UNCH
TOTAL									150	1590		20204 + 578
AUG26												
500	----	----	----	----	----	1.3760 + 0.1190	.9436	----	----	----	----	3 UNCH
550	----	----	----	----	----	0.9205 + 0.1115	.8610	----	----	----	----	3 UNCH
580	----	----	0.6800B/0.5640A	0.6800B/0.5640A	----	0.6850 + 0.1030	.7657	----	----	----	----	253 UNCH
585	----	----	0.6515B/0.5315A	0.6515B/0.5315A	----	0.6495 + 0.1010	.7465	----	----	----	----	11 UNCH
590	----	----	0.6160B/0.5000A	0.6160B/0.5000A	----	0.6155 + 0.0990	.7266	----	----	----	----	17 UNCH
595	----	----	0.5780B/0.4705A	0.5780B/0.4705A	----	0.5825 + 0.0970	.7060	----	----	----	----	1 UNCH
600	----	----	0.5455B/0.4420A	0.5455B/0.4420A	----	0.5505 + 0.0945	.6850	----	----	----	----	4 UNCH
610	----	----	0.4845B/0.3840A	0.4845B/0.3840A	----	0.4910 + 0.0900	.6418	----	----	----	----	1 UNCH
620	----	----	0.4355B/0.3370A	0.4355B/0.3370A	----	0.4360 + 0.0840	.5974	----	----	13	----	28 - 8
625	----	----	0.4110B/0.3150A	0.4110B/0.3150A	----	0.4105 + 0.0810	.5751	----	----	----	----	92 UNCH
630	----	----	0.3865B/0.2950A	0.3865B/0.2950A	----	0.3860 + 0.0775	.5528	----	----	----	----	4 UNCH
635	----	----	0.3635B/0.2765A	0.3635B/0.2765A	----	0.3630 + 0.0745	.5307	----	----	----	----	2 UNCH
640	----	----	0.3455B/0.2585A	0.3455B/0.2585A	----	0.3410 + 0.0710	.5087	----	----	13	----	151 - 13
650	0.3000	0.3000	0.3165/0.2270A	0.3165/0.2270A	----	0.3005 + 0.0640	.4658	----	----	22	----	585 + 22
655	----	----	0.2910B/0.2125A	0.2910B/0.2125A	----	0.2820 + 0.0605	.4450	----	----	----	----	457 UNCH
660	----	----	0.2685B/0.1990A	0.2685B/0.1990A	----	0.2645 + 0.0575	.4246	----	----	----	----	1 UNCH
665	0.2540	0.2540	0.2540/0.1855A	0.2540/0.1855A	----	0.2480 NEW	.4048	----	----	1	----	1 + 1
670	----	----	0.2370B/0.1735A	0.2370B/0.1735A	----	0.2330 + 0.0515	.3858	----	----	----	----	51 UNCH
675	----	----	0.2260B/0.1625A	0.2260B/0.1625A	----	0.2190 + 0.0495	.3676	----	----	10	----	194 + 10
680	----	----	0.2090B/0.1520A	0.2090B/0.1520A	----	0.2060 + 0.0475	.3500	----	----	----	----	1 UNCH
690	----	----	0.1845B/----	0.1845B/0.1390A	----	0.1830 + 0.0440	.3174	----	----	----	----	3 UNCH
700	0.1370	0.1370	0.1680/0.1370	0.1680/0.1225A	----	0.1625 + 0.0410	.2874	----	----	90	----	1163 + 34
710	----	----	0.1450B/----	0.1450B/0.1085A	----	0.1450 + 0.0385	.2605	----	----	----	----	1 UNCH
720	0.1325	0.1325	0.1325/0.1325	0.1325/0.0960A	----	0.1290 + 0.0355	.2356	----	----	1	----	2 UNCH
725	----	----	0.1200B/----	0.1200B/0.0900A	----	0.1220 + 0.0345	.2242	----	----	----	----	86 UNCH
730	----	----	0.1140B/0.0810A	0.1140B/0.0810A	----	0.1145 + 0.0325	.2126	----	----	----	----	2 UNCH
750	0.0910	0.0910	0.0910/0.0910	0.0910/0.0645A	----	0.0900 + 0.0265	.1725	----	----	41	----	172 + 38
775	0.0675	0.0675	0.0675/0.0675	0.0675/0.0490A	----	0.0665 + 0.0200	.1321	----	----	1	----	1 UNCH
800	0.0485	0.0485	0.0510B/0.0485	0.0510B/0.0380A	----	0.0495 + 0.0150	.1012	----	----	16	----	19 + 13
850	0.0300	0.0300	0.0300/0.0300	0.0300/0.0245A	----	0.0300 + 0.0105	.0629	----	----	1	----	2 + 1
900	----	----	0.0150B/----	0.0150B/0.0180A	----	0.0205 + 0.0085	.0427	----	----	----	----	57 UNCH
950	0.0125	0.0125	0.0125/*0.0125	0.0125/0.0125	----	0.0155 + 0.0085	.0315	----	----	42	----	43 + 41
975	----	----	0.0065B/----	0.0065B/0.0130A	----	0.0125 + 0.0070	.0256	----	----	----	----	5 UNCH
TOTAL										251		3416 + 139
SEP26												
495	----	----	----	----	----	1.4360 + 0.1180	.9291	----	----	----	----	2 UNCH
500	----	----	#1.3520B/----	#1.3520B/1.4020	----	1.3890 + 0.1170	.9237	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.2965 + 0.1155	.9113	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.0760 + 0.1115	.8671	----	----	----	----	1 UNCH
565	----	----	----/0.7155A	0.7140B/0.7155A	----	0.8370 + 0.1045	.7881	----	----	----	----	1 UNCH
575	----	----	0.7705B/0.6475A	0.7705B/0.6475A	----	0.7650 + 0.1015	.7563	----	----	----	----	100 UNCH
595	----	----	0.6385B/0.5270A	0.6385B/0.5270A	----	0.6325 + 0.0925	.6866	----	----	----	----	5 UNCH
600	----	----	0.6070B/0.5000A	0.6070B/0.5000A	----	0.6020 + 0.0900	.6682	----	----	----	----	232 UNCH
610	----	----	0.5510B/0.4445A	0.5510B/0.4445A	----	0.5435 + 0.0840	.6307	----	----	----	----	32 UNCH
615	----	----	0.5250B/0.4200A	0.5250B/0.4200A	----	0.5160 + 0.0805	.6116	----	----	----	----	10 UNCH
620	----	----	0.5000B/0.3980A	0.5000B/0.3980A	----	0.4900 + 0.0775	.5923	----	----	----	----	185 UNCH
625	----	----	0.4760B/0.3770A	0.4760B/0.3770A	----	0.4650 + 0.0745	.5731	----	----	----	----	632 UNCH
630	----	----	0.4515B/0.3570A	0.4515B/0.3570A	----	0.4415 + 0.0720	.5538	----	----	----	----	52 UNCH
635	----	----	0.4290B/0.3375A	0.4290B/0.3375A	----	0.4195 + 0.0700	.5347	----	----	----	----	1 UNCH
640	----	----	0.4075B/0.3195A	0.4075B/0.3195A	----	0.3985 + 0.0680	.5159	----	----	----	1000	1012 + 1000
650	----	----	0.3695B/0.2865A	0.3695B/0.2865A	----	0.3600 + 0.0640	.4793	----	----	4	----	370 - 1
655	----	----	0.3495B/0.2710A	0.3495B/0.2710A	----	0.3420 + 0.0620	.4616	----	----	----	----	4 UNCH
660	----	----	0.3315B/0.2565A	0.3315B/0.2565A	----	0.3250 + 0.0600	.4442	----	----	----	----	1 UNCH
670	----	----	0.2980B/0.2305A	0.2980B/0.2305A	----	0.2930 + 0.0555	.4108	----	----	1	----	2 + 1
675	----	----	0.2850B/0.2180A	0.2850B/0.2180A	----	0.2780 + 0.0535	.3946	----	----	6	----	525 UNCH
680	----	----	0.2720B/0.2065A	0.2720B/0.2065A	----	0.2640 + 0.0515	.3790	----	----	----	1000	1395 + 1000
690	----	----	0.2450B/0.1860A	0.2450B/0.1860A	----	0.2380 + 0.0475	.3493	----	----	----	----	406 UNCH
700	0.2215	0.2215	0.2215/0.1670A	0.2215/0.1670A	----	0.2145 + 0.0435	.3213	----	----	8	----	1275 + 1
710	----	----	0.1955B/0.1510A	0.1955B/0.1510A	----	0.1935 + 0.0400	.2954	----	----	----	----	120 UNCH
715	----	----	0.1850B/0.1430A	0.1850B/0.1430A	----	0.1835 + 0.0385	.2829	----	----	----	----	1 UNCH
720	----	----	0.1755B/0.1360A	0.1755B/0.1360A	----	0.1745 + 0.0370	.2712	----	----	----	----	5 UNCH
725	----	----	0.1700B/0.1295A	0.1700B/0.1295A	----	0.1660 + 0.0355	.2600	----	----	5	----	202 + 2
750	0.1360	0.1360	0.1360/0.1360	0.1360/0.1015A	----	0.1290 + 0.0285	.2097	----	----	1	----	146 UNCH
775	----	----	0.0995B/----	0.0995B/0.0805A	----	0.1010 + 0.0230	.1692	----	----	----	----	3 UNCH
800	----	----	0.0775B/----	0.0775B/0.0645A	----	0.0800 + 0.0195	.1371	----	----	----	----	69 UNCH
875	----	----	0.0370B/----	0.0370B/0.0370A	----	0.0395 + 0.0105	.0722	----	----	----	----	1 UNCH
900	----	----	0.0285B/----	0.0285B/0.0315A	----	0.0315 + 0.0085	.0585	----	----	----	----	75 UNCH
975	----	----	0.0135B/----	0.0135B/0.0225A	----	0.0165 + 0.0045	.0319	----	----	----	----	8 UNCH
TOTAL									2000	25		6880 + 2003
OCT26												
500	----	----	----	----	----	1.4815 + 0.1140	.9195	----	----	----	----	1 UNCH
600	----	----	0.7065B/0.6030A	0.7065B/0.6030A	----	0.7145 + 0.1025	.6824	----	----	23	----	41 + 23
605	----	----	0.6770B/0.5765A	0.6770B/0.5765A	----	0.6855 + 0.1010	.6664	----	----	----	----	2 UNCH
615	----	----	0.6205B/0.5215A	0.6205B/0.5215A	----	0.6295 + 0.0970	.6338	----	----	----	----	10 UNCH
620	----	----	0.5950B/0.4980A	0.5950B/0.4980A	----	0.6030 + 0.0945	.6173	----	----	----	----	1 UNCH
625	0.5760	0.5760	0.5760/0.4755A	0.5760/0.4755A	----	0.5775 + 0.0925	.6009	----	----	1	----	11 + 1
630	----	----	0.5450B/0.4535A	0.5450B/0.4535A	----	0.5530 + 0.0905	.5844	----	----	----	----	1 UNCH
650	----	----	0.4650B/0.3745A	0.4650B/0.3745A	----	0.4635 + 0.0825	.5193	----	----	----	----	106 UNCH
675	0.3365	0.3365	0.3715B/0.2960A	0.3715B/0.2960A	----	0.3710 + 0.0725	.4426	----	----	47	----	77 + 47
700	----	----	0.2840B/----	0.2840B/0.2380A	----	0.2945 + 0.0585	.3727	----	----	----	----	146 UNCH
750	----	----	0.1755B/----	0.1755B/0.1530A	----	0.1850 + 0.0370	.2577	----	----	23	----	40 + 23
775	----	----	0.1380B/----	0.1380B/0.1255A	----	0.1490 + 0.0320	.2144	----	----	----	----	71 UNCH
800	----	----	0.1175B/----	0.1175B/0.0980A	----	0.1210 + 0.0280	.1786	----	----	----	----	1 UNCH
850	----	----	0.0760B/----	0.0760B/0.0675A	----	0.0805 + 0.0200	.1242	----	----	----	----	30 UNCH
875	----	----	0.0615B/----	0.0615B/0.0570A	----	0.0665 + 0.0170	.1042	----	----	----	----	2 UNCH
900	----	----	0.0495B/----	0.0495B/0.0490A	----	0.0560 + 0.0145	.0886	----	----	----	----	3 UNCH
975	----	----	0.0265B/----	0.0265B/0.0330A	----	0.0350 + 0.0095	.0563	----	----	----	----	7 UNCH
TOTAL										94		550 + 94
NOV26												
535	----	----	----	----	----	1.2090 + 0.1180	.8382	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.1315 + 0.1170	.8169	----	----	----	----	1 UNCH
580	----	----	0.8720B/0.7665A	0.8720B/0.7665A	----	0.8840 + 0.1105	.7291	----	----	----	----	2 UNCH
585	----	----	0.8395B/0.7365A	0.8395B/0.7365A	----	0.8520 + 0.1090	.7152	----	----	----	----	1 UNCH
595	----	----	0.7770B/0.6800A	0.7770B/0.6800A	----	0.7905 + 0.1055	.6869	----	----	----	----	2 UNCH
600	----	----	0.7480B/0.6530A	0.7480B/0.6530A	----	0.7615 + 0.1040	.6724	----	----	----	----	2 UNCH
610	----	----	0.6925B/0.6020A	0.6925B/0.6020A	----	0.7055 + 0.1005	.6431	----	----	----	----	14 UNCH
640	----	----	0.5580B/----	0.5580B/0.4700A	----	0.5590 + 0.0895	.5542	----	----	----	----	1 UNCH
650	0.5220	0.5220	0.5220/0.5220	0.5220/0.4320A	----	0.5165 NEW	.5252	----	----	1	----	1 + 1
655	----	----	0.4955B/----	0.4955B/0.4145A	----	0.4965 + 0.0840	.5109	----	----	----	----	1 UNCH
670	----	----	0.4390B/----	0.4390B/0.3650A	----	0.4405 + 0.0785	.4693	----	----	----	----	14 UNCH
675	----	----	0.4210B/----	0.4210B/0.3500A	----	0.4230 + 0.0765	.4558	----	----	----	----	60 UNCH
695	----	----	0.3570B/----	0.3570B/0.2955A	----	0.3595 + 0.0685	.4042	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
NOV26												
700	----	----	0.3425B/----	0.3425B/0.2830A	----	0.3450 + 0.0665	.3919	----	----	----	----	21 UNCH
705	----	----	0.3275B/----	0.3275B/0.2715A	----	0.3310 + 0.0645	.3798	----	----	----	----	1 UNCH
725	----	----	0.2765B/----	0.2765B/0.2300A	----	0.2805 + 0.0565	.3343	----	----	----	----	48 UNCH
750	----	----	0.2240B/----	0.2240B/0.1875A	----	0.2285 + 0.0475	.2839	----	----	----	----	22 UNCH
850	----	----	0.0990B/----	0.0990B/0.0905A	----	0.1040 + 0.0250	.1455	----	----	----	----	1 UNCH
900	----	----	0.0670B/----	0.0670B/0.0670A	----	0.0715 + 0.0190	.1043	----	----	----	----	1 UNCH
975	----	----	0.0380B/----	0.0380B/0.0465A	----	0.0400 + 0.0115	.0621	----	----	----	----	1 UNCH
TOTAL										1		196 + 1
DEC26												
520	----	----	----	----	----	1.3495 + 0.1205	.8545	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.3095 + 0.1200	.8452	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.2320 + 0.1200	.8252	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.1205 + 0.1185	.7926	----	----	----	----	2 UNCH
555	----	----	----/0.9615A	0.9290B/0.9615A	----	1.0850 + 0.1180	.7812	----	----	----	----	1 UNCH
565	----	----	0.9985B/0.8955A	0.9985B/0.8955A	----	1.0160 + 0.1160	.7572	----	----	----	----	45 UNCH
575	----	----	0.9340B/0.8330A	0.9340B/0.8330A	----	0.9505 + 0.1145	.7320	----	----	----	----	123 UNCH
585	----	----	0.8705B/0.7740A	0.8705B/0.7740A	----	0.8880 + 0.1125	.7061	----	----	----	----	1 UNCH
590	----	----	0.8405B/0.7460A	0.8405B/0.7460A	----	0.8585 + 0.1115	.6928	----	----	----	----	200 UNCH
595	----	----	0.8115B/----	0.8115B/0.7190A	----	0.8290 + 0.1100	.6795	----	----	----	----	163 UNCH
600	----	----	0.7830B/----	0.7830B/0.6925A	----	0.8010 + 0.1090	.6659	----	----	----	----	602 UNCH
610	----	----	0.7295B/----	0.7295B/0.6425A	----	0.7470 + 0.1065	.6387	----	----	----	----	291 UNCH
620	----	----	0.6795B/----	0.6795B/0.5960A	----	0.6960 + 0.1035	.6113	----	----	----	----	414 UNCH
625	----	----	0.6555B/----	0.6555B/0.5735A	----	0.6715 + 0.1015	.5976	----	----	----	----	3 UNCH
630	----	----	0.6320B/----	0.6320B/0.5525A	----	0.6480 + 0.1000	.5839	----	----	----	----	391 UNCH
640	----	----	0.5975B/----	0.5975B/0.5115A	----	0.6030 + 0.0965	.5567	----	----	----	----	29 UNCH
650	0.5280	0.5280	0.5695/0.5280	0.5695/0.4740A	----	0.5610 + 0.0935	.5299	----	----	94	----	633 + 94
660	----	----	0.5160B/----	0.5160B/0.4385A	----	0.5215 + 0.0895	.5037	----	----	----	----	300 UNCH
670	----	----	0.4795B/----	0.4795B/0.4060A	----	0.4845 + 0.0860	.4781	----	----	----	----	4 UNCH
675	----	----	0.4615B/----	0.4615B/0.3905A	----	0.4670 + 0.0840	.4656	----	----	----	----	17 UNCH
680	----	----	0.4450B/----	0.4450B/0.3755A	----	0.4500 + 0.0820	.4533	----	----	----	----	3 UNCH
700	0.3850	0.3850	0.3850/0.3850	0.3850/0.3215A	----	0.3875 + 0.0745	.4060	----	----	12	----	864 - 5
705	----	----	0.3680B/----	0.3680B/0.3095A	----	0.3730 + 0.0725	.3946	----	----	----	----	2 UNCH
725	----	----	0.3150B/----	0.3150B/0.2660A	----	0.3210 + 0.0650	.3517	----	----	----	----	7 UNCH
730	----	----	0.3030B/----	0.3030B/0.2560A	----	0.3090 + 0.0630	.3415	----	----	----	----	4 UNCH
750	0.2740	0.2740	0.2740/0.2740	0.2740/0.2210A	----	0.2665 + 0.0565	.3036	----	----	80	----	109 + 59
775	----	----	0.2135B/----	0.2135B/0.1850A	----	0.2215 + 0.0480	.2613	----	----	----	----	1 UNCH
800	----	----	0.1770B/----	0.1770B/0.1560A	----	0.1850 + 0.0415	.2248	----	----	----	----	130 UNCH
850	----	----	0.1230B/----	0.1230B/0.1140A	----	0.1350 + 0.0295	.1699	----	----	----	----	4 UNCH
900	----	----	0.0860B/----	0.0860B/0.0865A	----	0.1060 + 0.0240	.1342	----	----	----	----	213 UNCH
925	----	----	----	0.0725B/0.0765A	----	0.0940 + 0.0215	.1195	----	----	----	----	6 UNCH
950	----	----	----	0.0610B/0.0680A	----	0.0840 + 0.0190	.1070	----	----	----	----	78 UNCH
975	----	----	----	0.0515B/0.0610A	----	0.0760 + 0.0175	.0967	----	----	----	----	13 UNCH
TOTAL										186		4778 + 148
JAN27												
500	----	----	----	----	----	1.6060 + 0.1080	.8866	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1240 + 0.0165	.1496	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	0.8145 + 0.0740	.6291	----	----	----	----	1 UNCH
625	----	----	----	----	----	0.7895 + 0.0725	.6171	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5965 + 0.0580	.4945	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1280 + 0.0160	.1416	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUN26												
330	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	8 UNCH
355	----	----	----	----/0.0050A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
370	----	----	----	----/0.0050A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
380	----	----	----	----/0.0050A	----	0.0005 UNCH	.0007	----	----	----	----	1 UNCH
400	----	----	----	----/0.0050A	----	0.0010 UNCH	.0023	----	----	----	----	33 UNCH
405	----	----	----	----/0.0050A	----	0.0010 UNCH	.0024	----	----	----	----	1 UNCH
410	----	----	----	----/0.0050A	----	0.0010 UNCH	.0025	----	----	----	----	53 UNCH
420	----	----	----	----/0.0055A	----	0.0010 UNCH	.0026	----	----	----	----	9 UNCH
430	----	----	----	----/0.0050A	----	0.0015 UNCH	.0039	----	----	----	----	3 UNCH
435	----	----	----	----/0.0055A	----	0.0015 UNCH	.0040	----	----	----	----	2 UNCH
440	----	----	----	----/0.0040A	----	0.0020 UNCH	.0052	----	----	----	----	8 UNCH
445	----	----	----	----/0.0040A	----	0.0020 UNCH	.0054	----	----	----	----	8 UNCH
450	----	----	----	----/0.0045A	----	0.0025 UNCH	.0067	----	----	----	----	450 UNCH
455	----	----	----	----/0.0045A	----	0.0025 UNCH	.0069	----	----	----	----	42 UNCH
460	----	----	----	----/*0.0030A	----	0.0030 UNCH	.0082	----	----	----	----	54 UNCH
465	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0030 UNCH	.0085	----	----	3	----	878 UNCH
470	----	----	----	0.0010B/0.0055A	----	0.0035 UNCH	.0099	----	----	----	----	663 UNCH
475	----	----	----	----/0.0055A	----	0.0035 UNCH	.0102	----	----	----	----	155 UNCH
480	----	----	----	0.0010B/0.0055A	----	0.0035 UNCH	.0106	----	----	----	----	953 UNCH
485	----	----	----	----/0.0060A	----	0.0035 UNCH	.0109	----	----	----	----	63 UNCH
490	----	----	----	----/0.0060A	----	0.0035 - 0.0005	.0113	----	----	----	----	52 UNCH
495	----	----	----	----/0.0060A	----	0.0035 - 0.0005	.0117	----	----	----	----	35 UNCH
500	----	----	----	----/0.0065A	----	0.0035 - 0.0005	.0122	----	----	----	----	537 UNCH
505	----	----	----	----/0.0065A	----	0.0035 - 0.0010	.0126	----	----	----	----	518 UNCH
510	----	----	----	----/0.0070A	----	0.0035 - 0.0015	.0131	----	----	----	----	155 UNCH
515	----	----	----/0.0040A	0.0030B/0.0040A	----	0.0040 - 0.0015	.0152	----	----	----	----	37 UNCH
520	----	----	----/0.0045A	----/0.0045A	----	0.0040 - 0.0020	.0158	----	----	----	----	167 UNCH
523	----	----	----/0.0050A	0.0035B/0.0050A	----	0.0040 - 0.0020	.0162	----	----	----	----	71 UNCH
524	----	----	----/0.0045A	0.0045B/0.0045A	----	0.0045 - 0.0020	.0179	----	----	----	----	10 UNCH
525	----	----	----/0.0045A	0.0015B/0.0045A	----	0.0045 - 0.0020	.0181	----	----	----	----	2157 UNCH
526	----	----	----/0.0045A	0.0015B/0.0045A	----	0.0045 - 0.0020	.0182	----	----	----	----	5 UNCH
527	----	----	----/0.0050A	0.0050B/0.0050A	----	0.0045 - 0.0025	.0184	----	----	----	----	3 UNCH
528	----	----	----/0.0050A	0.0050B/0.0050A	----	0.0045 - 0.0025	.0185	----	----	----	----	5 UNCH
529	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0045 - 0.0025	.0187	----	----	----	----	9 UNCH
530	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0045 - 0.0030	.0189	----	----	----	----	141 UNCH
531	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0050 - 0.0025	.0207	----	----	----	----	5 UNCH
532	----	----	----/0.0055A	0.0060B/0.0055A	----	0.0050 - 0.0025	.0209	----	----	----	----	15 UNCH
533	----	----	----/0.0055A	0.0060B/0.0055A	----	0.0050 - 0.0030	.0210	----	----	----	----	4 UNCH
534	----	----	----/0.0055A	0.0060B/0.0055A	----	0.0050 - 0.0030	.0212	----	----	----	----	11 UNCH
535	----	----	----/0.0055A	0.0060B/0.0055A	----	0.0050 - 0.0030	.0214	----	----	----	----	90 UNCH
536	----	----	----/0.0060A	0.0060B/0.0060A	----	0.0050 - 0.0035	.0216	----	----	----	----	1 UNCH
537	----	----	----/0.0060A	0.0070B/0.0060A	----	0.0055 - 0.0030	.0235	----	----	152	----	64 - 95
538	----	----	----/0.0060A	0.0065B/0.0060A	----	0.0055 - 0.0035	.0237	----	----	----	----	10 UNCH
539	----	----	----/0.0060A	0.0070B/0.0060A	----	0.0055 - 0.0035	.0239	----	----	----	----	34 UNCH
540	----	----	----/0.0065A	0.0070B/0.0065A	----	0.0055 - 0.0035	.0242	----	----	2	----	161 UNCH
541	----	----	----/0.0065A	0.0070B/0.0065A	----	0.0060 - 0.0035	.0261	----	----	----	----	18 UNCH
542	----	----	----/0.0065A	0.0075B/0.0065A	----	0.0060 - 0.0035	.0263	----	----	----	----	25 UNCH
543	----	----	----/0.0065A	0.0080B/0.0065A	----	0.0060 - 0.0040	.0266	----	----	----	----	26 UNCH
544	----	----	----/0.0070A	0.0080B/0.0070A	----	0.0065 - 0.0035	.0285	----	----	----	----	30 UNCH
545	----	----	----/0.0070A	0.0085B/0.0070A	----	0.0065 - 0.0035	.0288	----	----	----	----	86 UNCH
546	----	----	----/0.0070A	0.0085B/0.0070A	----	0.0065 - 0.0040	.0291	----	----	----	----	29 UNCH
547	----	----	----/0.0075A	0.0085B/0.0075A	----	0.0070 - 0.0035	.0310	----	----	----	----	46 UNCH
548	----	----	----/0.0075A	0.0090B/0.0075A	----	0.0070 - 0.0040	.0313	----	----	----	----	56 UNCH
549	----	----	----/0.0075A	0.0095B/0.0075A	----	0.0075 - 0.0035	.0333	----	----	----	----	40 UNCH
550	----	----	----/0.0080A	0.0095B/0.0080A	----	0.0075 - 0.0040	.0337	----	----	14	----	1286 + 13
551	----	----	----/0.0080A	0.0100B/0.0080A	----	0.0080 - 0.0040	.0357	----	----	----	----	117 UNCH
552	----	----	----/0.0080A	0.0100B/0.0080A	----	0.0080 - 0.0040	.0360	----	----	----	----	97 UNCH
553	----	----	----/0.0085A	0.0105B/0.0085A	----	0.0085 - 0.0040	.0380	----	----	----	----	26 UNCH
554	----	----	----/0.0085A	0.0110B/0.0085A	----	0.0085 - 0.0040	.0385	----	----	----	----	29 UNCH
555	----	----	----/0.0090A	0.0115B/0.0090A	----	0.0090 - 0.0040	.0405	----	----	10	----	65 + 6
556	----	----	----/0.0090A	0.0115B/0.0090A	----	0.0090 - 0.0045	.0409	----	----	----	----	9 UNCH
557	----	----	----/0.0095A	0.0120B/0.0095A	----	0.0095 - 0.0045	.0430	----	----	----	----	69 UNCH
558	----	----	----/0.0095A	0.0125B/0.0095A	----	0.0095 - 0.0045	.0435	----	----	----	----	10 UNCH
559	----	----	----/0.0100A	0.0130B/0.0100A	----	0.0100 - 0.0045	.0456	----	----	----	----	7 UNCH
560	0.0135	0.0135	0.0135/0.0100	0.0135/0.0100	----	0.0105 - 0.0045	.0477	----	----	65	----	417 - 13
561	----	----	----/0.0105A	0.0140B/0.0105A	----	0.0105 - 0.0050	.0483	----	----	----	----	3 UNCH
562	----	----	----/0.0110A	0.0145B/0.0110A	----	0.0110 - 0.0050	.0505	----	----	----	----	64 UNCH
563	----	----	----/*0.0110A	0.0150B/*0.0110	----	0.0115 - 0.0050	.0526	----	----	----	----	1 UNCH
564	----	----	----/0.0115A	0.0155B/0.0115A	----	0.0115 - 0.0055	.0533	----	----	----	----	3 UNCH
565	----	----	----/0.0120A	0.0160B/0.0120A	----	0.0120 - 0.0055	.0555	----	----	1	----	224 - 1
566	----	----	----/*0.0125A	0.0170B/*0.0125	----	0.0125 - 0.0055	.0577	----	----	----	----	4 UNCH
567	----	----	----/*0.0125A	0.0175B/*0.0125	----	0.0130 - 0.0055	.0600	----	----	----	----	13 UNCH
568	----	----	----/*0.0130A	0.0185B/*0.0130	----	0.0135 - 0.0055	.0623	----	----	----	----	1 UNCH
569	----	----	----/*0.0135A	0.0190B/*0.0135	----	0.0135 - 0.0065	.0631	----	----	----	----	27 UNCH
570	----	----	----/*0.0140A	0.0195B/*0.0140	----	0.0140 - 0.0065	.0654	----	----	4	----	411 - 1
571	----	----	----/*0.0145A	0.0210B/*0.0145	----	0.0145 - 0.0070	.0678	----	----	13	----	41 + 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
572	----	----	----/*0.0150A	0.0215B/*0.0150	----	0.0150 - 0.0070	.0702	----	----	----	----	1 UNCH
573	----	----	----/*0.0155A	0.0225B/*0.0155	----	0.0160 - 0.0070	.0742	----	----	----	----	26 UNCH
574	----	----	----/*0.0160A	0.0235B/*0.0160	----	0.0165 - 0.0075	.0767	----	----	----	----	19 UNCH
575	----	----	----/*0.0165A	0.0245B/*0.0165	----	0.0170 - 0.0080	.0792	----	----	7	----	137 + 1
576	----	----	----/*0.0170A	0.0260B/*0.0170	----	0.0175 - 0.0085	.0817	----	----	----	----	5 UNCH
577	----	----	0.0275B/*0.0180	0.0275B/*0.0180	----	0.0185 - 0.0085	.0858	----	----	----	----	10 UNCH
578	----	----	0.0285B/*0.0185	0.0285B/*0.0185	----	0.0190 - 0.0090	.0884	----	----	----	----	2 UNCH
579	----	----	0.0305B/*0.0190	0.0305B/*0.0190	----	0.0200 - 0.0090	.0925	----	----	10	----	18 + 10
580	0.0230	0.0230	0.0320B/*0.0190	0.0320B/*0.0190	----	0.0210 - 0.0095	.0966	----	----	32	----	938 + 6
581	----	----	0.0335B/*0.0205	0.0335B/*0.0205	----	0.0215 - 0.0105	.0994	----	----	----	----	42 UNCH
582	----	----	0.0350B/*0.0215	0.0350B/*0.0215	----	0.0225 - 0.0105	.1036	----	----	----	----	14 UNCH
583	----	----	0.0370B/*0.0225	0.0370B/*0.0225	----	0.0235 - 0.0110	.1078	----	----	1	----	13 - 1
584	----	----	0.0385B/*0.0230	0.0385B/*0.0230	----	0.0245 - 0.0120	.1121	----	----	----	----	17 UNCH
585	0.0240	0.0240	0.0400B/*0.0240	0.0400B/*0.0240	----	0.0255 - 0.0125	.1164	----	----	42	----	487 + 29
586	0.0260	0.0260	0.0420B/*0.0250	0.0420B/*0.0250	----	0.0270 - 0.0125	.1220	----	----	5	----	7 + 3
587	----	----	0.0440B/*0.0260	0.0440B/*0.0260	----	0.0280 - 0.0135	.1264	----	----	----	----	13 UNCH
588	----	----	0.0465B/*0.0270	0.0465B/*0.0270	----	0.0295 - 0.0140	.1321	----	----	----	----	2 UNCH
590	----	----	0.0510B/*0.0295	0.0510B/*0.0295	----	0.0320 - 0.0155	.1423	----	----	1	----	235 UNCH
591	0.0320	0.0320	0.0535B/*0.0310	0.0535B/*0.0310	----	0.0335 - 0.0165	.1481	----	----	2	----	4 - 1
592	----	----	0.0560B/*0.0320	0.0560B/*0.0320	----	0.0350 - 0.0170	.1539	----	----	----	----	14 UNCH
593	----	----	0.0590B/*0.0335	0.0590B/*0.0335	----	0.0365 - 0.0180	.1597	----	----	----	----	33 UNCH
594	----	----	0.0615B/*0.0350	0.0615B/*0.0350	----	0.0380 - 0.0190	.1656	----	----	----	----	6 UNCH
595	0.0395	0.0395	0.0645B/*0.0365	0.0645B/*0.0365	----	0.0400 - 0.0200	.1726	----	----	6	----	111 UNCH
596	----	----	0.0675B/*0.0385	0.0675B/*0.0385	----	0.0415 - 0.0210	.1786	----	----	1	----	26 UNCH
597	0.0420	0.0420	0.0710B/*0.0400	0.0710B/*0.0400	----	0.0435 - 0.0220	.1856	----	----	170	----	56 - 99
598	----	----	0.0745B/*0.0420	0.0745B/*0.0420	----	0.0455 - 0.0230	.1927	----	----	----	----	69 UNCH
599	----	----	0.0780B/*0.0440	0.0780B/*0.0440	----	0.0475 - 0.0240	.1998	----	----	----	----	24 UNCH
600	0.0620	0.0620	0.0815B/*0.0455	0.0815B/*0.0455	----	0.0495 - 0.0255	.2070	----	----	27	----	156 + 10
601	----	----	0.0850B/*0.0480	0.0850B/*0.0480	----	0.0515 - 0.0270	.2142	----	----	----	----	26 UNCH
602	----	----	0.0890B/*0.0505	0.0890B/*0.0505	----	0.0540 - 0.0280	.2223	----	----	----	----	9 UNCH
603	----	----	0.0930B/*0.0525	0.0930B/*0.0525	----	0.0560 - 0.0295	.2296	----	----	----	----	18 UNCH
604	----	----	0.0970B/*0.0555	0.0970B/*0.0555	----	0.0585 - 0.0305	.2378	----	----	1	----	8 - 1
605	----	----	0.1015B/*0.0570	0.1015B/*0.0570	----	0.0610 - 0.0320	.2460	----	----	1	----	206 - 1
606	----	----	0.1060B/*0.0600	0.1060B/*0.0600	----	0.0635 - 0.0335	.2542	----	----	----	----	23 UNCH
607	0.0680	0.0680	0.1105B/*0.0630	0.1105B/*0.0630	----	0.0665 - 0.0345	.2632	----	----	63	----	29 - 35
608	0.0775	0.0775	0.1150B/*0.0655	0.1150B/*0.0655	----	0.0695 - 0.0355	.2722	----	----	39	----	24 - 19
609	0.0710	0.0710	0.1200B/*0.0685	0.1200B/*0.0685	----	0.0720 - 0.0375	.2806	----	----	5	----	41 UNCH
610	0.0800	0.0800	0.1250B/*0.0700	0.1250B/*0.0700	----	0.0750 - 0.0390	.2896	----	----	13	----	77 + 7
611	0.0775	0.0775	0.1300B/*0.0745	0.1300B/*0.0745	----	0.0785 - 0.0400	.2993	----	----	2	----	15 - 1
612	0.0805	0.0805	0.1350B/*0.0780	0.1350B/*0.0780	----	0.0815 - 0.0415	.3084	----	----	1	----	28 - 1
613	0.1315	0.1315	0.1400B/*0.0810	0.1400B/*0.0810	----	0.0850 - 0.0425	.3181	----	----	1	----	11 + 1
614	0.1335	0.1335	0.1455B/*0.0850	0.1455B/*0.0850	----	0.0885 - 0.0440	.3278	----	----	2	----	23 UNCH
615	0.1415	0.1415	0.1510B/*0.0880	0.1510B/*0.0880	----	0.0920 - 0.0455	.3374	----	----	6	75	111 + 70
616	0.1470	0.1470	0.1565B/*0.0915	0.1565B/*0.0915	----	0.0955 - 0.0470	.3471	----	----	2	----	15 + 2
617	0.1495	0.1495	0.1625B/*0.0960	0.1625B/*0.0960	----	0.0995 - 0.0480	.3573	----	----	1	----	55 + 1
618	0.1565	0.1565	0.1680B/*0.0995	0.1680B/*0.0995	----	0.1035 - 0.0495	.3674	----	----	5	----	13 + 2
619	0.1075	0.1075	0.1740B/*0.1030	0.1740B/*0.1030	----	0.1075 - 0.0510	.3775	----	----	1	----	12 UNCH
620	0.1340	0.1340	0.1790B/*0.1075	0.1790B/*0.1075	----	0.1115 - 0.0525	.3876	----	----	7	----	18 + 3
621	----	----	0.1855B/*0.1120	0.1855B/*0.1120	----	0.1160 - 0.0535	.3980	----	----	----	----	8 UNCH
622	0.1435	0.1435	0.1915B/*0.1155	0.1915B/*0.1155	----	0.1205 - 0.0550	.4083	----	----	12	----	14 + 12
623	0.1530	0.1530	0.1975B/*0.1200	0.1975B/*0.1200	----	0.1250 - 0.0560	.4187	----	----	4	----	8 + 4
624	0.1550	0.1550	0.2020B/*0.1245	0.2020B/*0.1245	----	0.1295 NEW	.4290	----	----	3	----	3 + 3
625	0.1575	0.1575	0.2050B/*0.1280	0.2050B/*0.1280	----	0.1340 NEW	.4394	----	----	22	----	15 + 15
626	0.1610	0.1610	0.2070B/*0.1340	0.2070B/*0.1340	----	0.1390 NEW	.4498	----	----	3	----	3 + 3
627	0.1480	0.1480	0.2140B/*0.1385	0.2140B/*0.1385	----	0.1440 NEW	.4602	----	----	1	----	1 + 1
628	0.1485	0.1485	0.2210B/*0.1440	0.2210B/*0.1440	----	0.1490 NEW	.4706	----	----	2	----	2 + 2
629	0.1585	0.1585	0.2280B/*0.1490	0.2280B/*0.1490	----	0.1540 NEW	.4810	----	----	3	----	3 + 3
630	0.1645	0.1645	0.2385B/*0.1530	0.2385B/*0.1530	----	0.1595 - 0.0660	.4914	----	----	14	----	22 + 12
631	0.1650	0.1650	0.2425B/*0.1595	0.2425B/*0.1595	----	0.1650 NEW	.5017	----	----	1	----	1 + 1
640	----	----	0.3130B/*0.2130	0.3130B/*0.2130	----	0.2185 - 0.0780	.5915	----	----	----	----	2 UNCH
645	----	----	0.3535B/*0.2525	0.3535B/*0.2525	----	0.2515 - 0.0830	.6376	----	----	----	----	1 UNCH
650	----	----	0.3960B/*0.2895	0.3960B/*0.2895	----	0.2870 - 0.0880	.6806	----	----	----	----	3 UNCH
655	----	----	0.4400B/*0.3255	0.4400B/*0.3255	----	0.3245 - 0.0920	.7201	----	----	----	----	10 UNCH
700	----	----	----/*0.7285A	0.7405B/*0.7285	----	0.7195 - 0.1115	.9236	----	----	----	----	1 UNCH
TOTAL									75	783		14316 - 40
JUL26												
330	----	----	----	----/0.0055A	----	0.0005 UNCH	.0003	----	----	----	----	84 UNCH
350	----	----	----	----/0.0055A	----	0.0005 - 0.0005	.0009	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0010 UNCH	.0022	----	----	----	----	1 UNCH
380	----	----	----	----/0.0060A	----	0.0015 - 0.0005	.0034	----	----	----	----	2 UNCH
390	----	----	----	----/0.0065A	----	0.0015 - 0.0010	.0036	----	----	----	----	6 UNCH
395	----	----	----	----/0.0065A	----	0.0020 - 0.0005	.0046	----	----	----	----	1 UNCH
400	----	----	----	0.0010B/*0.0035	----	0.0025 - 0.0005	.0057	----	----	----	----	586 UNCH
405	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0059	----	----	----	----	1 UNCH
415	----	----	----	----/0.0035A	----	0.0030 - 0.0005	.0071	----	----	----	----	52 UNCH
420	----	----	----/0.0035A	----/0.0035A	----	0.0030 - 0.0010	.0073	----	----	----	----	4 UNCH
425	----	----	----	0.0010B/0.0070A	----	0.0035 - 0.0005	.0085	----	----	----	----	51 UNCH
430	----	----	----	----/0.0070A	----	0.0035 - 0.0010	.0087	----	----	----	----	10 UNCH
435	----	----	----	----/0.0075A	----	0.0040 - 0.0005	.0100	----	----	----	----	5 UNCH
440	----	----	----	----/0.0075A	----	0.0040 - 0.0010	.0102	----	----	----	----	4 UNCH
445	----	----	----	----/0.0080A	----	0.0045 - 0.0010	.0115	----	----	----	----	3 UNCH
450	----	----	----	0.0020B/0.0085A	----	0.0050 - 0.0005	.0129	----	----	----	----	1915 UNCH
455	----	----	----/0.0055A	0.0005B/0.0055A	----	0.0050 - 0.0010	.0132	----	----	----	----	14 UNCH
460	----	----	----/*0.0060A	0.0040B/*0.0060	----	0.0055 - 0.0010	.0146	----	----	----	----	7 UNCH
465	----	----	----	0.0020B/0.0100A	----	0.0060 - 0.0010	.0161	----	----	----	----	1 UNCH
470	----	----	----	0.0035B/0.0105A	----	0.0065 - 0.0015	.0176	----	----	----	----	3 UNCH
475	----	----	----	0.0045B/0.0115A	----	0.0070 - 0.0015	.0192	----	----	----	----	513 UNCH
480	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0080 - 0.0015	.0219	----	----	2	----	78 UNCH
485	----	----	----/*0.0100A	0.0065B/*0.0100	----	0.0085 - 0.0020	.0236	----	----	----	----	2 UNCH
490	----	----	----/0.0110A	0.0075B/0.0110A	----	0.0095 - 0.0025	.0265	----	----	----	----	549 UNCH
495	----	----	----/0.0120A	0.0095B/0.0120A	----	0.0105 - 0.0030	.0294	----	----	1	----	104 - 1
500	----	----	----/0.0120A	0.0125B/0.0120A	----	0.0115 - 0.0035	.0325	----	----	571	----	3259 + 565
505	----	----	----/*0.0135A	0.0125B/*0.0135	----	0.0130 - 0.0035	.0366	----	----	----	----	3 UNCH
510	0.0140	0.0140	0.0140/*0.0140	0.0140/*0.0140	----	0.0140 - 0.0040	.0399	----	----	2	----	214 UNCH
515	----	----	----/*0.0155A	0.0170B/*0.0155	----	0.0160 - 0.0040	.0454	----	----	----	----	3 UNCH
520	----	----	----/*0.0175A	0.0195B/*0.0175	----	0.0175 - 0.0045	.0500	----	----	2	----	601 - 1
525	0.0210	0.0210	0.0210/*0.0195A	0.0225B/*0.0195	----	0.0200 - 0.0045	.0568	----	----	2	----	531 - 1
530	0.0225	0.0225	0.0230/*0.0220A	0.0255B/*0.0220	----	0.0225 - 0.0045	.0637	----	----	8	----	3198 UNCH
533	----	----	----/*0.0235A	0.0275B/*0.0235	----	0.0240 - 0.0050	.0680	----	----	----	----	1 UNCH
534	----	----	----/*0.0240A	0.0285B/*0.0240	----	0.0245 - 0.0050	.0695	----	----	----	----	2 UNCH
535	----	----	----/*0.0245A	0.0295B/*0.0245	----	0.0250 - 0.0055	.0709	----	----	----	----	4 UNCH
536	----	----	----/*0.0250A	0.0300B/*0.0250	----	0.0260 - 0.0050	.0733	----	----	----	----	5 UNCH
538	0.0275	0.0275	0.0275/*0.0265A	0.0320B/*0.0265	----	0.0270 - 0.0055	.0763	----	----	1	----	3 + 1
539	----	----	----/*0.0270A	0.0330B/*0.0270	----	0.0280 - 0.0055	.0787	----	----	----	----	2 UNCH
540	0.0285	0.0285	0.0295/*0.0275A	0.0340B/*0.0275	----	0.0285 - 0.0055	.0802	----	----	11	----	950 - 5
541	----	----	----/*0.0285A	0.0350B/*0.0285	----	0.0290 - 0.0060	.0817	----	----	----	----	2 UNCH
542	----	----	----/*0.0290A	0.0360B/*0.0290	----	0.0300 - 0.0060	.0841	----	----	----	----	2 UNCH
543	----	----	----/*0.0300A	0.0370B/*0.0300	----	0.0305 - 0.0065	.0857	----	----	----	----	3 UNCH
545	----	----	0.0390B/*0.0315	0.0390B/*0.0315	----	0.0325 - 0.0060	.0905	----	----	----	----	4 UNCH
546	0.0370	0.0370	0.0405B/*0.0320	0.0405B/*0.0320	----	0.0330 NEW	.0922	----	----	3	----	3 + 3
547	0.0380	0.0380	0.0410B/*0.0330	0.0410B/*0.0330	----	0.0340 - 0.0065	.0946	----	----	3	----	6 + 3
548	0.0370	0.0370	0.0390/*0.0335A	0.0420B/*0.0335	----	0.0350 - 0.0070	.0971	----	----	2	----	12 + 2
549	----	----	0.0435B/*0.0345	0.0435B/*0.0345	----	0.0360 - 0.0070	.0995	----	----	----	----	1 UNCH
550	0.0380	0.0380	0.0445B/*0.0355	0.0445B/*0.0355	----	0.0365 - 0.0075	.1012	----	----	5	----	1117 + 2
552	----	----	0.0475B/*0.0375	0.0475B/*0.0375	----	0.0385 - 0.0080	.1062	----	----	----	----	2 UNCH
553	----	----	0.0490B/*0.0385	0.0490B/*0.0385	----	0.0395 - 0.0085	.1088	----	----	----	----	1 UNCH
554	0.0460	0.0460	0.0505B/*0.0390	0.0505B/*0.0390	----	0.0405 - 0.0085	.1113	----	----	5	----	17 + 1
555	----	----	0.0520B/*0.0405	0.0520B/*0.0405	----	0.0420 - 0.0085	.1146	----	----	----	----	54 UNCH
556	0.0510	0.0510	0.0530B/*0.0415	0.0530B/*0.0415	----	0.0430 - 0.0090	.1172	----	----	70	----	105 + 70
558	0.0550	0.0550	0.0565B/*0.0430	0.0565B/*0.0430	----	0.0450 - 0.0100	.1224	----	----	40	----	132 + 40
559	0.0525	0.0525	0.0580B/*0.0440	0.0580B/*0.0440	----	0.0465 - 0.0100	.1257	----	----	5	----	6 + 4
560	0.0500	0.0500	0.0600B/*0.0460	0.0600B/*0.0460	----	0.0475 - 0.0105	.1283	----	----	56	----	228 - 30
561	0.0480	0.0480	0.0615B/*0.0465	0.0615B/*0.0465	----	0.0490 - 0.0110	.1317	----	----	3	----	6 + 3
562	----	----	0.0635B/*0.0480	0.0635B/*0.0480	----	0.0505 - 0.0110	.1351	----	----	----	----	2 UNCH
563	----	----	0.0650B/*0.0490	0.0650B/*0.0490	----	0.0515 - 0.0120	.1378	----	----	----	----	12 UNCH
565	----	----	0.0690B/*0.0520	0.0690B/*0.0520	----	0.0545 - 0.0125	.1446	----	----	----	----	15 UNCH
567	----	----	0.0735B/*0.0545	0.0735B/*0.0545	----	0.0575 - 0.0135	.1515	----	----	----	----	5 UNCH
568	----	----	0.0755B/*0.0560	0.0755B/*0.0560	----	0.0590 - 0.0140	.1549	----	----	----	----	4 UNCH
569	----	----	0.0775B/*0.0575	0.0775B/*0.0575	----	0.0605 - 0.0145	.1584	----	----	----	----	5 UNCH
570	0.0640	0.0640	0.0800B/*0.0590	0.0800B/*0.0590	----	0.0625 - 0.0145	.1625	----	----	34	----	184 + 30
571	----	----	0.0820B/*0.0610	0.0820B/*0.0610	----	0.0640 - 0.0155	.1660	----	----	----	----	17 UNCH
572	----	----	0.0845B/*0.0630	0.0845B/*0.0630	----	0.0655 - 0.0160	.1695	----	----	----	----	4 UNCH
573	----	----	0.0870B/*0.0640	0.0870B/*0.0640	----	0.0675 - 0.0165	.1736	----	----	----	----	3 UNCH
574	----	----	0.0895B/*0.0665	0.0895B/*0.0665	----	0.0695 - 0.0165	.1778	----	----	----	----	6 UNCH
575	----	----	0.0915B/*0.0680	0.0915B/*0.0680	----	0.0715 - 0.0170	.1819	----	----	2	----	212 UNCH
576	----	----	0.0945B/*0.0700	0.0945B/*0.0700	----	0.0730 - 0.0180	.1855	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
577	----	----	0.0970B/*0.0720	0.0970B/*0.0720	----	0.0750 - 0.0185	.1897	----	----	----	----	2 UNCH
578	----	----	0.1000B/*0.0740	0.1000B/*0.0740	----	0.0775 - 0.0185	.1945	----	----	----	----	1 UNCH
579	----	----	0.1025B/*0.0760	0.1025B/*0.0760	----	0.0795 - 0.0195	.1987	----	----	----	----	2 UNCH
580	----	----	0.1050B/*0.0780	0.1050B/*0.0780	----	0.0815 - 0.0200	.2029	----	----	8	----	1821 + 5
581	----	----	0.1085B/*0.0800	0.1085B/*0.0800	----	0.0835 - 0.0210	.2071	----	----	----	----	2 UNCH
582	----	----	0.1115B/*0.0825	0.1115B/*0.0825	----	0.0860 - 0.0215	.2119	----	----	----	----	2 UNCH
583	----	----	0.1145B/*0.0840	0.1145B/*0.0840	----	0.0885 - 0.0220	.2166	----	----	----	----	1 UNCH
584	----	----	0.1175B/*0.0870	0.1175B/*0.0870	----	0.0910 - 0.0225	.2214	----	----	----	----	1 UNCH
585	0.0950	0.0950	0.1210B/*0.0885	0.1210B/*0.0885	----	0.0935 - 0.0230	.2262	----	----	574	----	781 + 483
586	----	----	0.1240B/*0.0915	0.1240B/*0.0915	----	0.0960 - 0.0235	.2309	----	----	----	----	9 UNCH
587	----	----	0.1270B/*0.0940	0.1270B/*0.0940	----	0.0985 - 0.0245	.2357	----	----	----	----	9 UNCH
588	----	----	0.1310B/*0.0965	0.1310B/*0.0965	----	0.1010 - 0.0250	.2405	----	----	----	----	2 UNCH
589	----	----	0.1345B/*0.0990	0.1345B/*0.0990	----	0.1040 - 0.0255	.2458	----	----	----	----	7 UNCH
590	0.1070	0.1070	0.1385B/*0.1010	0.1385B/*0.1010	----	0.1065 - 0.0265	.2506	----	----	23	----	556 + 3
592	----	----	0.1455B/*0.1070	0.1455B/*0.1070	----	0.1125 - 0.0275	.2611	----	----	----	----	1 UNCH
595	----	----	0.1570B/*0.1160	0.1570B/*0.1160	----	0.1215 - 0.0300	.2768	----	----	60	----	177 + 60
596	----	----	0.1610B/*0.1190	0.1610B/*0.1190	----	0.1245 - 0.0310	.2821	----	----	----	----	1 UNCH
597	----	----	0.1660B/*0.1220	0.1660B/*0.1220	----	0.1280 - 0.0315	.2877	----	----	----	----	30 UNCH
598	----	----	0.1695B/*0.1250	0.1695B/*0.1250	----	0.1310 - 0.0325	.2929	----	----	----	----	10 UNCH
599	----	----	0.1740B/*0.1285	0.1740B/*0.1285	----	0.1345 - 0.0330	.2985	----	----	----	----	29 UNCH
600	0.1380	0.1380	0.1790B/*0.1310	0.1790B/*0.1310	----	0.1380 - 0.0335	.3041	----	----	22	----	210 + 10
602	----	----	0.1875B/*0.1385	0.1875B/*0.1385	----	0.1450 - 0.0355	.3153	----	----	----	----	9 UNCH
603	0.1535	0.1535	0.1920B/*0.1420	0.1920B/*0.1420	----	0.1485 NEW	.3209	----	----	2	----	2 + 2
605	0.1515	0.1515	0.2015B/*0.1485	0.2015B/*0.1485	----	0.1560 - 0.0380	.3324	----	----	2	----	137 UNCH
610	0.1690	0.1690	0.2265B/*0.1690	0.2265B/*0.1690	----	0.1755 - 0.0420	.3614	----	----	2	----	65 + 1
615	----	----	0.2545B/*0.1895	0.2545B/*0.1895	----	0.1970 - 0.0465	.3910	----	----	35	----	44 + 28
620	0.2230	0.2230	0.2825B/*0.2130	0.2825B/*0.2130	----	0.2200 - 0.0510	.4210	----	----	2	----	3 + 2
625	0.2475	0.2475	0.3125B/*0.2375	0.3125B/*0.2375	----	0.2450 - 0.0550	.4510	----	----	1	----	5 UNCH
630	0.2675	0.2675	0.3445B/*0.2630	0.3445B/*0.2630	----	0.2715 NEW	.4808	----	----	172	----	169 + 169
635	0.2955	0.2955	0.3715B/*0.2915	0.3715B/*0.2915	----	0.2995 NEW	.5101	----	----	6	----	6 + 6
640	----	----	0.4065B/*0.3225	0.4065B/*0.3225	----	0.3295 - 0.0670	.5388	----	----	----	----	4 UNCH
660	0.4640	0.4640	0.5565B/*0.4625	0.5565B/*0.4625	----	0.4630 NEW	.6444	----	----	1	----	1 + 1
700	----	----	0.9000B/*0.7890	0.9000B/*0.7890	----	0.7810 - 0.0965	.7998	----	----	----	----	1 UNCH
705	----	----	0.9460B/*0.8325	0.9460B/*0.8325	----	0.8245 - 0.0980	.8147	----	----	----	----	1 UNCH
TOTAL										1738		19049 + 1456
AUG26												
330	----	----	----	----/0.0025A	----	0.0015 UNCH	.0027	----	----	----	----	3 UNCH
405	----	----	----	0.0010B/0.0150A	----	0.0065 - 0.0005	.0124	----	----	----	----	3 UNCH
420	----	----	----	0.0010B/0.0160A	----	0.0080 - 0.0005	.0156	----	----	----	----	1 UNCH
440	----	----	----	0.0015B/0.0185A	----	0.0105 - 0.0010	.0211	----	----	----	----	5 UNCH
450	----	----	----	0.0040B/0.0200A	----	0.0120 - 0.0015	.0245	----	----	----	----	7 UNCH
460	----	----	----	0.0095B/0.0210A	----	0.0140 - 0.0015	.0289	----	----	----	----	1 UNCH
465	----	----	----	0.0110B/0.0210A	----	0.0155 - 0.0010	.0319	----	----	----	----	1 UNCH
475	----	----	----	0.0135B/0.0230A	----	0.0180 - 0.0015	.0374	----	----	----	----	5 UNCH
480	----	----	----	0.0150B/0.0245A	----	0.0195 - 0.0015	.0407	----	----	----	----	5 UNCH
485	----	----	----	0.0170B/0.0265A	----	0.0210 - 0.0015	.0440	----	----	----	----	1 UNCH
500	0.0250	0.0250	0.0250/*0.0250	0.0250/*0.0250	----	0.0265 - 0.0025	.0562	----	----	1	----	4 + 1
505	----	----	----	0.0275B/0.0330A	----	0.0290 - 0.0025	.0614	----	----	----	----	1 UNCH
510	----	----	----	0.0310B/0.0355A	----	0.0315 - 0.0030	.0668	----	----	----	----	1 UNCH
520	----	----	----/*0.0385A	0.0395B/*0.0385	----	0.0375 - 0.0045	.0794	----	----	----	----	301 UNCH
530	----	----	----/*0.0465A	0.0505B/*0.0465	----	0.0455 - 0.0060	.0953	----	----	----	----	51 UNCH
535	0.0540	0.0540	0.0540/*0.0510A	0.0565B/*0.0510	----	0.0505 NEW	.1048	----	----	8	----	8 + 8
540	0.0540	0.0540	0.0540/*0.0540	0.0635B/*0.0540	----	0.0560 - 0.0075	.1150	----	----	1	----	3 + 1
545	----	----	0.0710B/*0.0635	0.0710B/*0.0635	----	0.0625 - 0.0080	.1265	----	----	----	----	1 UNCH
550	----	----	0.0795B/*0.0695	0.0795B/*0.0695	----	0.0695 - 0.0095	.1388	----	----	----	----	22 UNCH
565	----	----	0.1110B/*0.0965	0.1110B/*0.0965	----	0.0960 - 0.0135	.1819	----	----	----	----	1 UNCH
570	----	----	0.1240B/*0.1055	0.1240B/*0.1055	----	0.1070 - 0.0150	.1984	----	----	----	----	1 UNCH
575	----	----	0.1370B/*0.1160	0.1370B/*0.1160	----	0.1190 - 0.0165	.2158	----	----	----	----	1 UNCH
580	----	----	0.1525B/*0.1275	0.1525B/*0.1275	----	0.1320 - 0.0185	.2340	----	----	----	----	251 UNCH
585	----	----	0.1690B/*0.1415	0.1690B/*0.1415	----	0.1465 - 0.0200	.2532	----	----	----	----	7 UNCH
590	----	----	0.1875B/*0.1580	0.1875B/*0.1580	----	0.1620 - 0.0220	.2731	----	----	----	----	14 UNCH
605	----	----	0.2510B/*0.2130	0.2510B/*0.2130	----	0.2160 NEW	.3361	----	----	3	----	3 + 3
620	----	----	0.3280B/*0.2780	0.3280B/*0.2780	----	0.2810 - 0.0365	.4023	----	----	----	----	26 UNCH
625	----	----	0.3565B/*0.3020	0.3565B/*0.3020	----	0.3050 - 0.0400	.4246	----	----	----	----	5 UNCH
630	----	----	0.3865B/*0.3280	0.3865B/*0.3280	----	0.3305 - 0.0430	.4469	----	----	----	----	1 UNCH
TOTAL										13		734 + 13
SEP26												
400	----	----	----	0.0015B/0.0200A	----	0.0110 - 0.0005	.0182	----	----	----	----	1 UNCH
440	----	----	----	0.0120B/0.0265A	----	0.0185 - 0.0005	.0319	----	----	----	----	2 UNCH
450	----	----	----	0.0145B/0.0265A	----	0.0215 UNCH	.0372	----	----	----	----	804 UNCH
470	----	----	----	0.0220B/0.0325A	----	0.0280 - 0.0005	.0493	----	----	----	----	3 UNCH
475	----	----	----	0.0245B/0.0340A	----	0.0300 - 0.0010	.0530	----	----	----	----	73 UNCH
480	----	----	----	0.0275B/0.0360A	----	0.0320 - 0.0010	.0568	----	----	----	----	7 UNCH
485	----	----	----	0.0305B/0.0385A	----	0.0345 - 0.0015	.0613	----	----	----	----	1 UNCH
490	----	----	----	0.0285B/0.0435A	----	0.0365 - 0.0025	.0653	----	----	----	----	9 UNCH
500	----	----	----	0.0370B/0.0500A	----	0.0425 - 0.0035	.0760	----	----	----	----	627 UNCH
510	----	----	----	0.0470B/0.0580A	----	0.0495 - 0.0050	.0884	----	----	----	----	2 UNCH
515	----	----	----	0.0525B/0.0625A	----	0.0540 - 0.0060	.0958	----	----	----	----	1 UNCH
520	----	----	----	0.0590B/0.0675A	----	0.0585 - 0.0070	.1034	----	----	1	----	4 UNCH
525	----	----	----	0.0655B/0.0735A	----	0.0645 - 0.0075	.1127	----	----	----	----	327 UNCH
530	----	----	----	0.0730B/0.0795A	----	0.0705 - 0.0085	.1221	----	----	----	----	2 UNCH
535	----	----	----	0.0810B/0.0865A	----	0.0775 - 0.0090	.1325	----	----	----	----	350 UNCH
540	----	----	----/*0.0915A	0.0945B/0.0915A	----	0.0850 - 0.0105	.1436	----	----	----	----	401 UNCH
550	----	----	0.1155B/*0.1060	0.1155B/*0.1060	----	0.1030 - 0.0120	.1685	----	----	1	----	220 UNCH
560	----	----	0.1400B/0.1285A	0.1400B/0.1285A	----	0.1245 - 0.0145	.1964	----	----	----	----	3 UNCH
570	----	----	0.1690B/0.1530A	0.1690B/0.1530A	----	0.1500 - 0.0170	.2271	----	----	----	----	123 UNCH
575	----	----	0.1845B/*0.1655	0.1845B/*0.1655	----	0.1640 - 0.0190	.2433	----	----	----	----	102 UNCH
580	----	----	0.2025B/0.1795A	0.2025B/0.1795A	----	0.1790 - 0.0210	.2600	----	----	----	----	651 UNCH
585	----	----	0.2205B/*0.1960	0.2205B/*0.1960	----	0.1950 - 0.0230	.2773	----	----	----	----	7 UNCH
590	----	----	0.2400B/*0.2125	0.2400B/*0.2125	----	0.2120 - 0.0250	.2949	----	----	----	----	335 UNCH
595	----	----	0.2610B/*0.2310	0.2610B/*0.2310	----	0.2300 - 0.0275	.3130	----	----	2	----	7 UNCH
600	----	----	0.2835B/0.2505A	0.2835B/0.2505A	----	0.2490 - 0.0305	.3314	----	----	----	1000	1010 + 1000
610	----	----	0.3315B/*0.2925	0.3315B/*0.2925	----	0.2895 - 0.0370	.3689	----	----	7	----	11 UNCH
615	----	----	0.3575B/*0.3155	0.3575B/*0.3155	----	0.3120 - 0.0395	.3881	----	----	----	----	1 UNCH
620	----	----	0.3840B/*0.3395	0.3840B/*0.3395	----	0.3355 - 0.0425	.4073	----	----	----	1000	1001 + 1000
625	----	----	0.4125B/*0.3645	0.4125B/*0.3645	----	0.3600 - 0.0455	.4266	----	----	----	----	147 UNCH
635	0.4200	0.4200	0.4725B/*0.4155	0.4725B/*0.4155	----	0.4135 NEW	.4649	----	----	45	----	45 + 45
650	----	----	0.5680B/*0.5065	0.5680B/*0.5065	----	0.5030 NEW	.5203	----	----	5	----	5 + 5
695	----	----	0.9020B/*0.8220	0.9020B/*0.8220	----	0.8150 - 0.0750	.6648	----	----	----	----	2 UNCH
TOTAL									2000	61		6284 + 2050
OCT26												
375	----	----	----	0.0050B/0.0205A	----	0.0120 - 0.0010	.0169	----	----	----	----	2 UNCH
400	----	----	----	0.0040B/0.0240A	----	0.0150 - 0.0010	.0221	----	----	----	----	1 UNCH
450	----	----	----	0.0190B/0.0335A	----	0.0260 - 0.0005	.0409	----	----	----	----	1 UNCH
470	----	----	----	0.0275B/0.0415A	----	0.0325 - 0.0025	.0523	----	----	----	----	1 UNCH
475	----	----	----	0.0240B/0.0505A	----	0.0350 - 0.0030	.0563	----	----	----	----	3 UNCH
500	----	----	----	0.0440B/0.0670A	----	0.0500 - 0.0080	.0802	----	----	----	----	60 UNCH
570	----	----	----/*0.1800A	0.1805B/0.1800A	----	0.1735 - 0.0125	.2259	----	----	----	----	4 UNCH
TOTAL												72
NOV26												
400	----	----	----	0.0045B/0.0320A	----	0.0195 + 0.0005	.0267	----	----	----	----	10 UNCH
475	----	----	----	0.0390B/0.0590A	----	0.0500 UNCH	.0704	----	----	----	----	2 UNCH
500	----	----	----	0.0640B/0.0820A	----	0.0735 - 0.0010	.1002	----	----	----	----	10 UNCH
550	----	----	----/*0.1645A	0.1570B/*0.1645	----	0.1615 - 0.0045	.1941	----	----	----	----	1 UNCH
560	----	----	----/*0.1895A	0.1850B/*0.1895	----	0.1870 - 0.0065	.2180	----	----	----	----	1 UNCH
735	----	----	1.2290B/*1.1605	1.2290B/*1.1605	----	1.1540 - 0.0685	.6861	----	----	----	----	2 UNCH
TOTAL												26
DEC26												
380	----	----	----	0.0010B/0.0350A	----	0.0185 - 0.0005	.0237	----	----	----	----	2 UNCH
385	----	----	----	0.0020B/0.0360A	----	0.0195 - 0.0005	.0251	----	----	----	----	1 UNCH
395	----	----	----	0.0040B/0.0380A	----	0.0215 - 0.0005	.0280	----	----	----	----	1 UNCH
400	----	----	----	0.0050B/0.0390A	----	0.0230 UNCH	.0300	----	----	----	----	18 UNCH
420	----	----	----	0.0105B/0.0440A	----	0.0295 + 0.0005	.0388	----	----	----	----	2 UNCH
475	----	----	----	0.0460B/0.0735A	----	0.0615 + 0.0005	.0798	----	----	----	----	76 UNCH
480	----	----	----	0.0515B/0.0780A	----	0.0660 UNCH	.0852	----	----	----	----	16 UNCH
490	----	----	----	0.0625B/0.0880A	----	0.0770 UNCH	.0977	----	----	----	----	5 UNCH
500	----	----	----	0.0755B/0.1000A	----	0.0900 UNCH	.1119	----	----	----	----	103 UNCH
525	----	----	----	0.1190B/0.1385A	----	0.1315 - 0.0010	.1543	----	----	----	----	1 UNCH
540	----	----	----	0.1535B/0.1695A	----	0.1645 - 0.0015	.1847	----	----	----	----	3 UNCH
550	----	----	----	0.1800B/*0.1935	----	0.1900 - 0.0025	.2068	----	----	----	----	152 UNCH
560	----	----	----/*0.2205A	0.2100B/*0.2205	----	0.2185 - 0.0035	.2303	----	----	----	----	300 UNCH
570	----	----	----/*0.2510A	0.2435B/*0.2510	----	0.2500 - 0.0050	.2548	----	----	----	----	1 UNCH
580	----	----	----/*0.2845A	0.2805B/*0.2845	----	0.2845 - 0.0075	.2803	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
600	----	----	----/*0.3630A	0.3660B/*0.3630	----	0.3640 - 0.0115	.3335	----	----	----	----	31 UNCH
630	----	----	----/*0.5055A	0.5205B/*0.5055	----	0.5065 - 0.0210	.4155	----	----	----	----	18 UNCH
TOTAL												752
JAN27												
400	----	----	----	----	----	0.0150 - 0.0030	.0215	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0195 - 0.0040	.0260	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0110 - 0.0015	.0103	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	#0.4985B/----	#0.4985B/0.4170	----	0.5125 + 0.1115	.9181	----	----	----	----	1 UNCH
595	----	----	#0.3560B/0.1985	#0.3560B/0.1985	----	0.3465 + 0.1195	----	88	----	----	----	0 - 88
600	----	----	#0.3060B/0.1495	#0.3060B/0.1495	----	0.2965 + 0.1185	----	1	----	----	----	0 - 1
600	----	----	#0.3205B/0.2045	#0.3205B/0.2045	----	0.3070 + 0.0985	.9195	----	----	----	----	1 UNCH
601	----	----	#0.2960B/0.1400	#0.2960B/0.1400	----	0.2865 + 0.1185	----	1	----	----	----	0 - 1
605	----	----	0.2565B/0.1030A	0.2565B/0.1030A	----	0.2465 + 0.1170	----	2	----	----	----	0 - 2
610	----	----	0.2070B/0.0665A	0.2070B/0.0665A	----	0.1965 + 0.1120	----	2	----	----	----	0 - 2
610	----	----	#0.2325B/0.1270	#0.2325B/0.1270	----	0.2210 + 0.0820	.8242	----	----	----	----	2 UNCH
610	----	----	#0.2645B/0.1645	#0.2645B/0.1645	----	0.2620 + 0.0840	.7242	----	----	----	----	6 UNCH
610	----	----	#0.2900B/0.1885	#0.2900B/0.1885	----	0.2900 + 0.0850	.6886	----	----	----	----	5 UNCH
615	0.1510	0.1510	0.1585B/0.0405A	0.1585B/0.0405A	----	0.1465 + 0.0980	----	63	----	1	----	0 - 64
615	0.2000	0.2000	#0.2000/0.1025A	#0.2000/0.1025A	----	0.1830 + 0.0720	.7560	----	----	1	----	1 UNCH
615	----	----	#0.2565B/0.1655	#0.2565B/0.1655	----	0.2580 + 0.0790	.6462	----	----	----	----	1 UNCH
619	----	----	#0.1195B/0.0260	#0.1195B/0.0260	----	0.1065 + 0.0785	----	10	----	----	----	0 - 10
620	0.0280	0.0280	0.1100B/0.0235A	0.1100B/0.0235A	----	0.0965 + 0.0720	----	3	----	1	----	0 - 2
620	----	----	0.1445B/0.0820A	0.1445B/0.0820A	----	0.1495 + 0.0625	.6764	----	----	----	----	1 UNCH
620	0.2050	0.2050	#0.2050/0.1195A	#0.2050/0.1195A	----	0.1980 + 0.0695	.6190	----	----	9	----	5 - 5
621	----	----	#0.1010B/----	#0.1010B/0.0210	----	0.0865 + 0.0655	----	1	----	----	----	0 - 1
623	----	----	#0.0835B/----	#0.0835B/0.0170	----	0.0665 + 0.0515	----	1	----	1	----	0 - 1
624	0.0050	0.0050	#0.0745B/*0.005	#0.0745B/*0.005	----	0.0565 + 0.0440	----	4	----	2	----	0 - 2
625	----	----	0.0665B/----	0.0665B/0.0145A	----	0.0465 + 0.0360	----	48	----	----	----	0 - 48
625	----	----	0.1255B/0.0650A	0.1255B/0.0650A	----	0.1205 + 0.0530	.5891	----	----	----	----	8 UNCH
626	0.0045	0.0045	#0.0595B/*0.004	#0.0595B/*0.004	----	0.0365 NEW	----	2	----	2	----	0 UNCH
630	0.0960	0.0960	0.0995B/0.0510A	0.0995B/0.0510A	----	0.0955 NEW	.5010	----	----	1	----	1 + 1
630	----	----	#0.1770B/*0.108	#0.1770B/0.1085	----	0.1775 + 0.0605	.5104	----	----	----	----	3 UNCH
631	----	----	#0.0285B/----	#0.0285B/0.0115	----	0.0000 NEW	----	----	----	50	----	0 UNCH
633	0.0095	0.0095	#0.0195B/*0.005	#0.0195B/*0.005	----	0.0000 NEW	----	----	----	1	----	0 UNCH
635	----	----	0.0120B/----	0.0120B/*0.0050	----	0.0000 - 0.0010	----	----	----	64	----	0 - 49
635	0.0800	0.0800	0.0800/0.0800	0.0800/0.0405A	----	0.0750 + 0.0350	.4164	----	----	1	----	2 + 1
635	----	----	#0.1235B/0.0725	#0.1235B/0.0725	----	0.1245 + 0.0485	.4525	----	----	----	----	1 UNCH
635	----	----	#0.1545B/*0.094	#0.1545B/0.0945	----	0.1560 NEW	.4658	----	----	5	----	5 + 5
640	0.0085	0.0085	0.0095/*0.0005	0.0095/*0.0005	----	0.0000 - 0.0005	----	----	----	3	----	0 - 1
640	----	----	0.0585B/----	0.0585B/0.0320A	----	0.0580 + 0.0275	.3385	----	----	----	----	1 UNCH
640	----	----	#0.1345B/*0.082	#0.1345B/0.0820	----	0.1365 NEW	.4226	----	----	----	220	220 + 220
645	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	14	----	0 - 49
645	----	----	0.0435B/----	0.0435B/0.0260A	----	0.0445 + 0.0210	.2701	----	----	----	----	1 UNCH
645	----	----	#0.0870B/----	#0.0870B/0.0525	----	0.0890 + 0.0365	.3506	----	----	----	----	1 UNCH
650	----	----	0.0315B/----	0.0315B/0.0215A	----	0.0345 NEW	.2138	----	----	----	40	40 + 40
660	----	----	#0.0735B/0.0460	#0.0735B/0.0460	----	0.0790 NEW	.2737	----	----	----	220	220 + 220
680	0.0420	0.0420	#0.0455B/*0.042	#0.0455B/0.0275	----	0.0450 NEW	.1684	----	----	10	----	10 + 10
TOTAL									480	166		536+ 171
HXE PUT		COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0085A	----	0.0005 UNCH	.0002	----	----	----	----	4 UNCH
560	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
565	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 636
570	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 53
570	----	----	----	0.0010B/0.0115A	----	0.0015 - 0.0040	.0098	----	----	----	----	1 UNCH
575	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 32
580	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 552
580	----	----	----	0.0030B/0.0130A	----	0.0025 - 0.0070	.0178	----	----	----	----	1 UNCH
580	----	----	0.0410B/*0.0340	0.0410B/*0.0340	----	0.0290 - 0.0110	.1180	----	----	----	----	1 UNCH
585	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 50
590	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
590	----	----	0.0410B/*0.0310	0.0410B/*0.0310	----	0.0260 - 0.0140	.1251	----	----	----	----	1 UNCH
595	----	----	----	----/0.0075A	----	0.0000 - 0.0010	----	----	----	----	----	0 UNCH
595	----	----	----/*0.0170A	0.0185B/*0.0170	----	0.0070 - 0.0160	.0537	----	----	----	----	2 UNCH
595	----	----	0.0540B/*0.0370	0.0540B/*0.0370	----	0.0330 - 0.0180	.1547	----	----	----	----	1 UNCH
596	----	----	----	----/0.0075A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 2
600	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----	0.0000 - 0.0020	----	----	----	1	----	0 - 71
600	----	----	----/*0.0170A	0.0300B/*0.0170	----	0.0105 - 0.0220	.0803	----	----	----	----	52 UNCH
600	----	----	0.0695B/*0.0455	0.0695B/*0.0455	----	0.0415 - 0.0235	.1891	----	----	----	----	1 UNCH
602	0.0015	0.0015	#0.0015/*0.0015	0.0015/*0.0015	----	0.0000 NEW	----	----	----	2	----	0 UNCH
605	----	----	----	----/*0.0075A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 31
605	----	----	----/*0.0265A	0.0450B/*0.0265	----	0.0165 - 0.0290	.1215	----	----	----	----	1 UNCH
608	----	----	----	0.0005B/*0.0080	----	0.0000 - 0.0060	----	----	----	----	----	0 - 2
610	----	----	----/*0.0005A	0.0055B/*0.0005	----	0.0000 - 0.0085	----	----	----	----	----	0 - 2
610	0.0265	0.0265	0.0655B/*0.0265	0.0655B/*0.0265	----	0.0250 NEW	.1756	----	----	1	----	1 + 1
613	----	----	0.0185B/0.0105A	0.0185B/0.0105A	----	0.0000 - 0.0155	----	----	----	----	----	0 - 2
614	----	----	#0.0240B/*0.010	0.0240B/*0.0105	----	0.0000 - 0.0185	----	----	----	----	----	0 - 5
615	0.0110	0.0110	0.0295B/*0.0030	0.0295B/*0.0030	----	0.0000 - 0.0225	----	----	----	2	----	0 - 86
615	0.0390	0.0390	0.0910B/*0.0390	0.0910B/*0.0390	----	0.0370 NEW	.2438	----	----	1	----	1 + 1
616	----	----	0.0355B/*0.0110	0.0355B/*0.0110	----	0.0000 - 0.0265	----	----	----	----	----	0 - 2
617	0.0270	0.0270	#0.0420B/*0.000	0.0420B/*0.0005	----	0.0000 - 0.0315	----	----	----	3	----	0 - 20
618	----	----	#0.0490B/*0.011	0.0490B/*0.0110	----	0.0000 - 0.0365	----	----	----	----	----	0 - 39
620	0.0070	0.0070	0.0645B/*0.0045	0.0645B/*0.0045	----	0.0000 - 0.0485	----	----	----	11	----	0 - 53
620	0.0630	0.0630	0.1210B/*0.0515	0.1210B/*0.0515	----	0.0530 NEW	.3234	----	----	4	----	4 + 4
621	0.0045	0.0045	#0.0725B/*0.004	0.0725B/*0.0045	----	0.0000 NEW	----	----	----	1	----	0 UNCH
623	0.0125	0.0125	#0.0900B/*0.012	0.0900B/*0.0120	----	0.0000 NEW	----	----	----	20	----	0 UNCH
624	0.0125	0.0125	#0.0985B/*0.004	0.0985B/*0.0040	----	0.0000 NEW	----	----	----	32	----	0 UNCH
625	0.0155	0.0155	0.1075B/*0.0035	0.1075B/*0.0035	----	0.0000 NEW	----	----	----	34	----	0 UNCH
625	----	----	0.1450B/*0.0805	0.1450B/*0.0805	----	0.0740 - 0.0675	.4106	----	----	----	----	1 UNCH
627	0.0040	0.0040	#0.1260B/*0.004	0.1260B/*0.0040	----	0.0000 NEW	----	----	----	2	----	0 UNCH
TOTAL										114		72- 1647

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	----/102.90A	121.20B/102.90A	----	100.50 - 32.20	.8102	----	----	----	----	75 UNCH
1440	----	----	----	----	----	71.00 - 28.90	.6905	----	----	----	----	1 UNCH
1460	----	----	----/62.50A	50.30B/62.50A	----	58.40 - 26.70	.6188	----	----	----	----	25 UNCH
1500	----	----	----/43.70A	49.00B/43.70A	----	38.50 - 21.40	.4687	----	----	----	----	110 UNCH
1525	----	----	----/*34.90A	37.00B/*34.90A	----	29.50 - 17.80	.3815	----	----	----	----	5 UNCH
1530	----	----	----/*33.30A	35.00B/*33.30A	----	28.00 - 17.10	.3655	----	----	----	----	1 UNCH
1550	----	----	----/*27.90A	27.50B/*27.90A	----	22.60 - 14.50	.3057	----	----	----	----	94 UNCH
1575	----	----	----/*22.50A	20.00B/*22.50A	----	17.30 - 11.70	.2421	----	----	----	----	15 UNCH
1600	----	----	----/*18.30A	14.30B/*18.30A	----	13.30 - 9.30	.1906	----	----	----	----	49 UNCH
1650	----	----	----/*13.00A	6.80B/*13.00A	----	7.90 - 6.00	.1166	----	----	----	----	67 UNCH
1700	----	----	----	2.70B/*10.30A	----	4.80 - 3.90	.0715	----	----	----	----	32 UNCH
1750	----	----	----	0.30B/*8.80A	----	2.90 - 2.60	.0433	----	----	----	----	142 UNCH
1800	----	----	----	----/*7.90A	----	1.90 - 1.70	.0278	----	----	----	----	112 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1850	----	----	----	----/*7.20A	----	1.30 - 1.20	.0185	----	----	----	----	67 UNCH
1900	----	----	----	----/*6.70A	----	0.90 - 0.80	.0125	----	----	----	----	64 UNCH
1925	----	----	----	----/*6.60A	----	0.70 - 0.80	.0097	----	----	----	----	40 UNCH
1950	----	----	----	----/*6.40A	----	0.60 - 0.60	.0081	----	----	----	----	10 UNCH
2000	----	----	----	----/*6.10A	----	0.40 - 0.50	.0053	----	----	----	----	108 UNCH
2100	----	----	----	----/*5.60A	----	0.10 - 0.20	.0013	----	----	----	----	52 UNCH
2200	----	----	----	----/*5.20A	----	0.10 UNCH	.0003	----	----	----	----	8 UNCH
2300	----	----	----	----/*5.00A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
2400	----	----	----	----/*4.90A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2500	----	----	----	----/*4.80A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2700	----	----	----	----/*4.60A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
3000	----	----	----	----/4.60A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3500	----	----	----	----/4.50A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL												1244 0
JUL26												
1550	----	----	----/73.30A	73.50B/73.30A	----	67.90 - 16.00	.4576	----	----	----	----	50 UNCH
1600	----	----	----/56.90A	53.90B/56.90A	----	51.40 - 12.20	.3714	----	----	----	----	50 UNCH
1800	----	----	----	15.50B/23.10A	----	17.90 - 3.30	.1504	----	----	----	----	49 UNCH
TOTAL												149 0
AUG26												
1600	----	----	----/84.40A	79.40B/84.40A	----	78.30 - 11.10	.4184	----	----	----	----	100 UNCH
1700	58.30	58.30	60.60/56.90A	60.60/56.90A	----	52.80 NEW	.3066	----	----	20	----	20 + 20
1800	----	----	----	33.70B/40.00A	----	35.80 - 2.90	.2215	----	----	----	----	100 UNCH
TOTAL										20		220 + 20
SEP26												
1400	----	----	----/195.70A	199.30B/195.70A	----	190.00 - 22.60	.6794	----	----	----	----	75 UNCH
1575	----	----	----/118.10A	112.30B/118.10A	----	110.50 - 14.20	.4739	----	----	----	----	25 UNCH
1625	----	----	----/101.70A	94.00B/101.70A	----	94.10 - 11.90	.4211	----	----	----	----	20 UNCH
1665	----	----	----/90.10A	81.80B/90.10A	----	82.60 - 10.20	.3817	----	----	----	----	9 UNCH
1700	----	----	----/80.70A	72.40B/80.70A	----	73.80 - 8.70	.3497	----	----	----	----	55 UNCH
1800	----	----	----	51.00B/59.80A	----	54.10 - 5.20	.2715	----	----	----	----	6 UNCH
1875	----	----	----	39.80B/49.00A	----	43.70 - 3.50	.2257	----	----	----	----	25 UNCH
1900	----	----	----	36.70B/46.10A	----	40.90 - 3.00	.2127	----	----	----	----	10 UNCH
2000	----	----	----	27.20B/37.00A	----	31.80 - 1.80	.1690	----	----	----	----	25 UNCH
2100	----	----	----	20.60B/30.90A	----	25.10 - 1.30	.1355	----	----	----	----	25 UNCH
2200	----	----	----	15.70B/*26.50A	----	20.30 - 0.80	.1105	----	----	----	----	5 UNCH
2400	----	----	----	9.30B/*20.90A	----	14.20 - 0.30	.0774	----	----	----	----	15 UNCH
2550	----	----	----	6.20B/*18.20A	----	11.40 - 0.20	.0617	----	----	----	----	50 UNCH
TOTAL												345 0
DEC26												
1800	----	----	----	----	----	102.10 - 13.40	.3625	----	----	----	----	25 UNCH
2000	----	----	----	----	----	73.20 - 10.10	.2691	----	----	----	----	1 UNCH
3000	----	----	----	----	----	23.40 - 3.60	.0892	----	----	----	----	1 UNCH
TOTAL												27 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1195	----	----	----	----/4.90A	----	0.20 + 0.10	.0035	----	----	----	----	113 UNCH
1200	----	----	----	----/5.00A	----	0.20 UNCH	.0036	----	----	----	----	15 UNCH
1250	----	----	----	----/5.70A	----	0.70 + 0.10	.0125	----	----	----	----	1 UNCH
1300	----	----	----	----/6.80A	----	2.30 + 0.50	.0389	----	----	----	----	135 UNCH
1325	----	----	----	----/7.70A	----	3.60 + 0.80	.0599	----	----	----	----	18 UNCH
1335	----	----	----	----/8.30A	----	4.30 + 1.00	.0709	----	----	----	----	1 UNCH
1350	----	----	----	0.90B/9.30A	----	5.60 + 1.40	.0906	----	----	----	----	12 UNCH
1400	----	----	----	8.10B/14.80A	----	12.80 + 3.40	.1896	----	----	----	----	236 UNCH
1440	----	----	18.50B/----	18.50B/22.90A	----	23.20 + 6.70	.3094	----	----	----	----	4 UNCH
1450	----	----	22.20B/----	22.20B/19.40A	----	26.70 + 7.80	.3444	----	----	----	----	101 UNCH
1460	----	----	26.30B/----	26.30B/28.60A	----	30.70 + 9.00	.3811	----	----	----	----	100 UNCH
1475	----	----	33.40B/----	33.40B/33.80A	----	37.40 + 11.00	.4374	----	----	----	----	10 UNCH
1500	----	----	47.40B/----	47.40B/44.60A	----	50.70 + 14.30	.5312	----	----	----	----	54 UNCH
1550	----	----	82.30B/----	82.30B/73.10A	----	84.70 + 21.10	.6942	----	----	----	----	1 UNCH
1750	----	----	264.60B/----	264.60B/243.50A	----	264.90 + 33.10	.9566	----	----	----	----	1 UNCH
1900	----	----	412.50B/----	412.50B/390.40A	----	412.80 + 34.90	.9874	----	----	----	----	50 UNCH
TOTAL												852 0
JUL26												
1285	----	----	----	7.80B/15.50A	----	12.80 + 2.80	.1110	----	----	----	----	9 UNCH
1300	----	----	----	9.80B/17.10A	----	14.70 + 3.20	.1254	----	----	----	----	125 UNCH
1400	----	----	30.30B/----	30.30B/34.30A	----	35.40 + 7.90	.2604	----	----	----	----	21 UNCH
1450	----	----	48.10B/----	48.10B/49.10A	----	52.90 + 11.40	.3506	----	----	----	----	30 UNCH
TOTAL												185 0
SEP26												
1300	----	----	36.50B/----	36.50B/44.50A	----	43.70 + 7.30	.2092	----	----	----	----	15 UNCH
1460	----	----	99.10B/----	99.10B/101.00A	----	105.70 + 15.50	.3925	----	----	----	----	75 UNCH
1465	----	----	101.60B/----	101.60B/103.30A	----	108.30 + 15.80	.3985	----	----	----	----	150 UNCH
1550	----	----	150.30B/----	150.30B/148.40A	----	156.30 + 19.60	.4980	----	----	----	----	100 UNCH
1575	----	----	166.10B/----	166.10B/163.10A	----	172.00 + 20.80	.5257	----	----	----	----	25 UNCH
1650	----	----	217.00B/----	217.00B/210.90A	----	222.60 + 24.10	.6034	----	----	----	----	50 UNCH
1925	----	----	442.90B/----	442.90B/428.00A	----	447.20 + 32.30	.7992	----	----	----	----	75 UNCH
TOTAL												490 0
DEC26												
1500	----	----	----	----	----	165.90 + 13.10	.4120	----	----	----	----	40 UNCH
TOTAL												40 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
MAY26												
1800	----	----	----	----/*3.80A	----	0.70 - 0.30	.0102	----	----	----	----	7 UNCH
1900	----	----	172.90B/142.50A	172.90B/142.50A	----	163.40 - 4.10	.9358	----	----	----	----	30 UNCH
2000	----	----	84.90B/64.80A	84.90B/64.80A	----	78.40 - 4.80	.7325	----	----	----	----	20 UNCH
2025	----	----	45.50B/16.40A	45.50B/16.40A	----	34.30 - 9.30	----	20	----	----	----	0 - 20
2050	----	----	24.60B/*2.80A	24.60B/*2.80A	----	0.00 - 14.10	----	----	----	----	----	0 - 20
2050	----	----	----/*5.90A	24.70B/*5.90A	----	9.30 - 17.10	----	20	----	----	----	0 - 20
2075	----	----	----/29.90A	39.40B/29.90A	----	36.00 - 5.40	.4484	----	----	----	----	40 UNCH
2150	----	----	----/13.10A	13.70B/13.10A	----	13.90 - 3.20	.2053	----	----	----	----	30 UNCH
TOTAL												127 - 60
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	177.20B/148.00A	177.20B/148.00A	----	168.10 - 3.80	.8884	----	----	----	----	1 UNCH
1950	----	----	133.70B/108.40A	133.70B/108.40A	----	125.40 - 4.10	.8077	----	----	----	----	5 UNCH
2000	----	----	94.80B/76.10A	94.80B/76.10A	----	88.90 - 4.40	.6867	----	----	----	----	20 UNCH
2025	----	----	78.40B/63.00A	78.40B/63.00A	----	73.60 - 4.60	.6148	----	----	----	----	27 UNCH
2050	----	----	----/51.70A	64.20B/51.70A	----	60.40 - 4.50	.5406	----	----	----	----	66 UNCH
2055	----	----	----/49.60A	60.80B/49.60A	----	58.00 - 4.50	.5257	----	----	----	----	100 UNCH
2075	----	----	----/41.90A	51.90B/41.90A	----	49.00 - 4.20	.4671	----	----	----	----	15 UNCH
2085	----	----	----/38.50A	47.40B/38.50A	----	44.90 - 4.00	.4385	----	----	----	----	15 UNCH
2090	----	----	----/36.80A	45.30B/36.80A	----	42.90 - 4.00	.4243	----	----	----	----	15 UNCH
2095	----	----	----/35.20A	43.20B/35.20A	----	41.00 - 3.90	.4103	----	----	----	----	15 UNCH
2100	39.00	39.00	42.50/33.70A	42.50/33.70A	----	39.20 - 3.80	.3966	----	----	40	----	146 + 30
2120	----	----	----/28.20A	33.80B/28.20A	----	32.60 - 3.20	.3440	----	----	----	----	15 UNCH
2130	----	----	----/25.90A	30.50B/25.90A	----	29.60 - 3.00	.3190	----	----	----	----	55 UNCH
2135	----	----	----/24.80A	29.00B/24.80A	----	28.20 - 3.00	.3069	----	----	----	----	4 UNCH
2140	----	----	----/23.70A	27.50B/23.70A	----	26.90 - 2.80	.2953	----	----	----	----	15 UNCH
2145	----	----	----/22.70A	26.10B/22.70A	----	25.60 - 2.70	.2837	----	----	----	----	15 UNCH
2150	22.00	22.00	24.70B/21.80A	24.70B/21.80A	----	24.40 - 2.60	.2727	----	----	10	----	78 + 10
2165	----	----	----/19.20A	21.00B/19.20A	----	21.10 - 2.40	.2413	----	----	----	----	1 UNCH
2175	----	----	----/17.70A	18.80B/17.70A	----	19.20 - 2.20	.2223	----	----	----	----	12 UNCH
2180	----	----	----/17.00A	17.80B/17.00A	----	18.30 - 2.10	.2132	----	----	----	----	12 UNCH
2185	----	----	----/16.40A	16.80B/16.40A	----	17.40 - 2.10	.2042	----	----	----	----	12 UNCH
2190	----	----	----/15.70A	15.90B/15.70A	----	16.60 - 2.00	.1958	----	----	----	----	16 UNCH
2195	----	----	----/15.20A	15.00B/15.20A	----	15.80 - 2.00	.1875	----	----	----	----	12 UNCH
2200	----	----	----/14.60A	14.20B/14.60A	----	15.10 - 1.90	.1799	----	----	----	----	364 UNCH
2205	----	----	----/14.10A	13.40B/14.10A	----	14.40 - 1.90	.1724	----	----	----	----	12 UNCH
2210	----	----	----/13.60A	12.70B/13.60A	----	13.70 - 1.90	.1649	----	----	----	----	24 UNCH
2220	----	----	----/12.70A	11.40B/12.70A	----	12.50 - 1.80	.1515	----	----	----	----	6 UNCH
2225	----	----	----/12.30A	10.70B/12.30A	----	12.00 - 1.70	.1456	----	----	----	----	44 UNCH
2230	----	----	----/11.90A	10.20B/11.90A	----	11.50 - 1.60	.1397	----	----	----	----	24 UNCH
2235	----	----	----/11.60A	9.60B/11.60A	----	11.00 - 1.60	.1340	----	----	----	----	12 UNCH
2240	----	----	----/11.30A	9.10B/11.30A	----	10.50 - 1.50	.1283	----	----	----	----	27 UNCH
2250	----	----	----/10.60A	8.10B/10.60A	----	9.70 - 1.40	.1186	----	----	----	----	113 UNCH
2255	----	----	----/10.30A	7.60B/10.30A	----	9.30 - 1.30	.1138	----	----	----	----	15 UNCH
2270	----	----	----	6.40B/9.50A	----	8.20 - 1.30	.1006	----	----	----	----	72 UNCH
2280	----	----	----	5.70B/9.10A	----	7.60 - 1.20	.0931	----	----	----	----	60 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUN26												
2300	----	----	----	4.50B/8.30A	----	6.60 - 1.00	.0804	----	----	----	----	423 UNCH
2320	----	----	----	3.60B/7.60A	----	5.70 - 0.90	.0691	----	----	----	----	78 UNCH
2340	----	----	----	2.80B/7.10A	----	5.00 - 0.80	.0601	----	----	----	----	30 UNCH
2345	----	----	----	2.60B/7.00A	----	4.90 - 0.70	.0586	----	----	----	----	15 UNCH
2350	----	----	----	2.40B/6.90A	----	4.70 - 0.70	.0562	----	----	----	----	55 UNCH
2355	----	----	----	2.30B/6.80A	----	4.60 - 0.70	.0548	----	----	----	----	17 UNCH
2400	----	----	----	1.10B/5.90A	----	3.50 - 0.50	.0407	----	----	----	----	1 UNCH
2420	----	----	----	2.50B/5.60A	----	3.00 - 0.60	.0348	----	----	----	----	4 UNCH
2450	----	----	----	0.20B/5.30A	----	2.50 - 0.40	.0286	----	----	----	----	1 UNCH
2500	----	----	----	----/4.80A	----	1.60 - 0.40	.0184	----	----	----	----	100 UNCH
2650	----	----	----	----/*3.90A	----	0.40 - 0.10	.0046	----	----	----	----	17 UNCH
2750	----	----	----	----/3.50A	----	0.10 - 0.10	.0011	----	----	----	----	2 UNCH
TOTAL										50		2188 + 40
JUL26												
1500	----	----	570.60B/536.20A	570.60B/536.20A	----	559.60 - 3.00	.9894	----	----	----	----	50 UNCH
1680	----	----	----	----	----	385.60 - 3.10	.9439	----	----	----	----	50 UNCH
1700	----	----	376.60B/344.70A	376.60B/344.70A	----	367.00 - 3.10	.9343	----	----	----	----	1 UNCH
1800	----	----	286.90B/258.20A	286.90B/258.20A	----	278.10 - 3.40	.8664	----	----	----	----	118 UNCH
1850	----	----	245.40B/219.30A	245.40B/219.30A	----	237.30 - 3.40	.8172	----	----	----	----	1 UNCH
1960	----	----	----	----	----	160.10 - 3.30	.6741	----	----	----	----	23 UNCH
2000	----	----	141.90B/126.20A	141.90B/126.20A	----	137.20 - 3.10	.6147	----	----	----	----	161 UNCH
2050	----	----	115.80B/103.10A	115.80B/103.10A	----	112.30 - 2.90	.5396	----	----	----	----	1 UNCH
2085	----	----	99.90B/89.10A	99.90B/89.10A	----	97.00 - 2.80	.4882	----	----	----	----	1 UNCH
2100	----	----	----/83.70A	93.60B/83.70A	----	91.00 - 2.70	.4666	----	----	----	----	455 UNCH
2150	67.00	67.00	74.70B/67.00	74.70B/67.00	----	73.00 - 2.40	.3978	----	----	12	----	17 UNCH
2160	----	----	----/64.40A	71.40B/64.40A	----	69.80 - 2.30	.3847	----	----	----	----	1 UNCH
2170	----	----	----/61.70A	68.10B/61.70A	----	66.70 - 2.30	.3718	----	----	----	----	4 UNCH
2200	----	----	----/53.90A	59.10B/53.90A	----	58.20 - 2.10	.3349	----	----	----	----	456 UNCH
2250	----	----	----/43.40A	46.40B/43.40A	----	46.20 - 1.90	.2790	----	----	----	----	110 UNCH
2300	41.00	41.00	41.00/35.10A	41.00/35.10A	----	36.70 - 1.70	.2309	----	----	15	----	183 + 15
2350	----	----	----/28.80A	28.60B/28.80A	----	29.50 - 1.30	.1912	----	----	----	----	131 UNCH
2375	----	----	----/26.20A	25.40B/26.20A	----	26.50 - 1.20	.1740	----	----	----	----	0 UNCH
2400	----	----	----/24.00A	22.60B/24.00A	----	23.90 - 1.10	.1586	----	----	10	----	967 UNCH
2450	----	----	----/20.50A	18.10B/20.50A	----	19.80 - 0.80	.1330	----	----	----	----	50 UNCH
2480	----	----	----	15.90B/18.80A	----	17.80 - 0.70	.1201	----	----	----	----	50 UNCH
2500	----	----	----	14.70B/17.80A	----	16.60 - 0.70	.1123	----	----	10	----	429 UNCH
2600	----	----	----	10.00B/14.20A	----	12.30 - 0.60	.0830	----	----	2	----	361 - 2
2650	----	----	----	8.50B/13.00A	----	10.80 - 0.60	.0724	----	----	----	----	2 UNCH
2700	----	----	----	7.20B/11.90A	----	9.70 - 0.50	.0643	----	----	2	----	113 - 1
2800	----	----	----	5.40B/10.40A	----	7.70 - 0.40	.0503	----	----	----	----	348 UNCH
2850	----	----	----	4.70B/9.70A	----	6.80 - 0.40	.0443	----	----	----	----	58 UNCH
2900	----	----	----	4.00B/9.20A	----	6.10 - 0.40	.0395	----	----	5	----	185 - 5
3000	----	----	----	3.00B/8.20A	----	5.00 - 0.30	.0319	----	----	5	----	578 - 5
3100	----	----	----	2.20B/7.50A	----	4.20 - 0.30	.0263	----	----	----	----	159 UNCH
3200	----	----	----	----/9.10A	----	3.70 - 0.20	.0226	----	----	----	----	18 UNCH
3300	----	----	----	----/8.60A	----	3.20 - 0.30	.0192	----	----	----	----	31 UNCH
3400	----	----	----	----/8.20A	----	2.50 - 0.20	.0151	----	----	----	----	32 UNCH
3500	----	----	----	----/7.80A	----	2.00 - 0.10	.0121	----	----	----	----	274 UNCH
3600	----	----	----	----/7.50A	----	1.60 - 0.10	.0097	----	----	----	----	300 UNCH
3800	----	----	----	----/4.80A	----	1.10 UNCH	.0066	----	----	----	----	12 UNCH
3900	----	----	----	----/4.70A	----	0.90 - 0.10	.0054	----	----	----	----	8 UNCH
4000	----	----	----	----/4.50A	----	0.70 - 0.10	.0042	----	----	----	----	221 UNCH
TOTAL										61		5959 + 2
AUG26												
2300	----	----	----/70.40A	73.70B/70.40A	----	73.70 - 1.30	.3224	----	----	----	----	15 UNCH
TOTAL												15 0
OCT26												
1720	----	----	----	----	----	410.70 - 2.60	.8195	----	----	----	----	1 UNCH
1800	----	----	358.40B/338.40A	358.40B/338.40A	----	353.50 - 3.00	.7656	----	----	----	----	1 UNCH
1900	----	----	294.30B/278.50A	294.30B/278.50A	----	290.80 - 3.30	.6900	----	----	----	----	2 UNCH
2000	----	----	----/228.70A	240.40B/228.70A	----	238.10 - 2.80	.6105	----	----	----	----	2 UNCH
2050	223.00	223.00	223.00/207.30A	223.00/207.30A	----	215.40 - 2.40	.5710	----	----	4	----	3 + 1
2100	202.00	202.00	202.00/187.90A	202.00/187.90A	----	194.70 - 2.40	.5325	----	----	3	----	5 + 3
2125	----	----	----/178.90A	186.10B/178.90A	----	185.20 - 2.40	.5138	----	----	----	----	12 UNCH
2135	----	----	----/175.40A	182.30B/175.40A	----	181.50 - 2.50	.5064	----	----	----	----	12 UNCH
2200	163.00	163.00	163.00/154.40A	163.00/154.40A	----	159.20 - 2.90	.4600	----	----	5	----	135 UNCH
2250	148.00	148.00	148.00/140.10A	148.00/140.10A	----	144.00 NEW	.4264	----	----	1	----	1 + 1
2300	125.00	125.00	129.60B/125.00	129.60B/125.00	----	130.30 NEW	.3947	----	----	5	----	5 + 5
2375	----	----	----/110.00A	111.00B/110.00A	----	112.20 - 1.90	.3508	----	----	----	----	50 UNCH
2400	----	----	----/104.80A	105.40B/104.80A	----	106.70 - 1.80	.3371	----	----	10	----	255 + 10
2500	----	----	----/86.60A	85.80B/86.60A	----	87.60 - 1.50	.2871	----	----	10	----	306 UNCH
2600	----	----	----/71.90A	69.80B/71.90A	----	72.10 - 1.40	.2440	----	----	2	----	12 + 2
2635	----	----	----/67.50A	65.00B/67.50A	----	67.40 - 1.40	.2305	----	----	----	----	200 UNCH
2650	----	----	----/65.70A	63.00B/65.70A	----	65.50 - 1.40	.2250	----	----	----	----	25 UNCH
2700	----	----	----/60.10A	57.00B/60.10A	----	59.60 - 1.30	.2075	----	----	7	----	367 + 7
2800	----	----	----	46.70B/50.80A	----	49.40 - 1.10	.1764	----	----	5	----	36 + 5
2850	----	----	----	42.40B/46.90A	----	45.00 - 1.10	.1626	----	----	----	----	100 UNCH
2900	----	----	----	38.60B/43.50A	----	41.30 - 1.00	.1506	----	----	----	----	210 UNCH
3000	----	----	----	32.20B/37.80A	----	35.10 - 0.90	.1298	----	----	----	----	121 UNCH
3200	----	----	----	23.20B/29.80A	----	26.70 - 0.80	.0998	----	----	----	----	10 UNCH
3500	----	----	----	15.20B/22.80A	----	18.50 - 0.60	.0698	----	----	----	----	10 UNCH
4000	----	----	----	8.50B/16.70A	----	11.60 - 0.50	.0434	----	----	----	----	5 UNCH
TOTAL										52		1886 + 34
JAN27												
2360	----	----	----	----	----	179.50 - 1.60	.4215	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1780	----	----	----	----/*4.60A	----	1.80 - 0.30	.0238	----	----	----	----	2 UNCH
1800	----	----	----	0.40B/5.00A	----	2.40 - 0.40	.0316	----	----	----	----	3 UNCH
1825	----	----	----	1.60B/*5.90A	----	3.30 - 0.50	.0434	----	----	----	----	103 UNCH
1850	----	----	----	3.40B/*7.00A	----	4.70 - 0.60	.0609	----	----	----	----	44 UNCH
1865	----	----	----	4.70B/7.90A	----	5.80 - 0.70	.0741	----	----	----	----	15 UNCH
1870	----	----	----	5.30B/8.20A	----	6.20 - 0.70	.0789	----	----	----	----	15 UNCH
1875	----	----	----	5.80B/8.60A	----	6.60 - 0.70	.0838	----	----	----	----	39 UNCH
1880	----	----	----	6.40B/9.00A	----	7.00 - 0.80	.0887	----	----	----	----	73 UNCH
1885	----	----	----	7.10B/9.40A	----	7.50 - 0.70	.0945	----	----	----	----	42 UNCH
1890	----	----	----	7.70B/9.80A	----	7.90 - 0.80	.0996	----	----	----	----	28 UNCH
1895	----	----	----	8.40B/10.20A	----	8.40 - 0.80	.1055	----	----	----	----	12 UNCH
1900	----	----	----	9.10B/10.70A	----	8.90 - 0.90	.1115	----	----	----	----	403 UNCH
1905	----	----	----	9.90B/11.20A	----	9.50 - 0.80	.1183	----	----	----	----	39 UNCH
1910	----	----	----	10.70B/11.80A	----	10.10 - 0.80	.1252	----	----	----	----	39 UNCH
1915	----	----	----	11.50B/12.30A	----	10.70 - 0.90	.1322	----	----	----	----	54 UNCH
1920	----	----	12.40B/----	12.40B/12.90A	----	11.40 - 0.90	.1399	----	----	----	----	44 UNCH
1925	----	----	13.40B/----	13.40B/13.60A	----	12.00 - 1.00	.1471	----	----	----	----	27 UNCH
1930	----	----	14.40B/----	14.40B/14.20A	----	12.80 - 1.00	.1557	----	----	----	----	42 UNCH
1935	----	----	15.40B/----	15.40B/15.00A	----	13.60 - 1.00	.1644	----	----	----	----	42 UNCH
1940	----	----	16.60B/----	16.60B/15.70A	----	14.40 - 1.10	.1731	----	----	----	----	30 UNCH
1950	----	----	19.10B/----	19.10B/17.40A	----	16.20 - 1.20	.1922	----	----	----	----	137 UNCH
1955	----	----	20.50B/18.30A	20.50B/18.30A	----	17.20 - 1.20	.2024	----	----	----	----	30 UNCH
1960	----	----	21.90B/19.20A	21.90B/19.20A	----	18.30 - 1.20	.2132	----	----	----	----	15 UNCH
1965	----	----	23.40B/20.20A	23.40B/20.20A	----	19.50 - 1.20	.2246	----	----	----	----	15 UNCH
1970	----	----	25.10B/21.30A	25.10B/21.30A	----	20.70 - 1.20	.2361	----	----	----	----	15 UNCH
1975	----	----	26.80B/22.40A	26.80B/22.40A	----	22.00 - 1.30	.2481	----	----	----	----	15 UNCH
1980	----	----	28.60B/23.60A	28.60B/23.60A	----	23.30 - 1.40	.2602	----	----	----	----	15 UNCH
1985	----	----	30.50B/24.90A	30.50B/24.90A	----	24.80 - 1.30	.2731	----	----	----	----	15 UNCH
1990	----	----	32.50B/26.20A	32.50B/26.20A	----	26.30 - 1.40	.2861	----	----	----	----	15 UNCH
1995	----	----	34.60B/27.60A	34.60B/27.60A	----	27.90 - 1.50	.2995	----	----	----	----	15 UNCH
2000	35.70	35.70	36.70B/29.10A	36.70B/29.10A	----	29.60 - 1.50	.3132	----	----	17	----	24 UNCH
2020	----	----	46.20B/35.90A	46.20B/35.90A	----	37.30 - 1.50	.3705	----	----	----	----	30 UNCH
2050	----	----	62.50B/48.80A	62.50B/48.80A	----	51.10 - 1.50	.4593	----	----	----	----	5 UNCH
2060	----	----	66.40B/53.70A	66.40B/53.70A	----	56.30 - 1.50	.4890	----	----	----	----	4 UNCH
2080	----	----	----/64.20A	67.50B/64.20A	----	67.60 - 1.10	.5472	----	----	----	----	24 UNCH
2100	----	----	94.90B/75.80A	94.90B/75.80A	----	79.90 - 0.70	.6032	----	----	----	----	101 UNCH
2115	----	----	----	----	----	89.80 - 0.40	.6432	----	----	----	----	23 UNCH
2140	----	----	----	----	----	107.50 + 0.20	.7046	----	----	----	----	1 UNCH
2150	----	----	133.50B/108.90A	133.50B/108.90A	----	115.00 + 0.40	.7272	----	----	----	----	1 UNCH
2200	----	----	176.80B/148.00A	176.80B/148.00A	----	155.70 + 1.10	.8200	----	----	----	----	10 UNCH
TOTAL										17		1606 0
JUL26												
1400	----	----	----	----/3.70A	----	0.40 UNCH	.0036	----	----	----	----	150 UNCH
1500	----	----	----	----/4.60A	----	1.20 UNCH	.0105	----	----	----	----	153 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
JUL26												
1550	----	----	----	----/5.40A	----	2.00 - 0.10	.0171	----	----	----	----	200 UNCH
1600	----	----	----	1.40B/6.50A	----	3.40 - 0.10	.0279	----	----	----	----	324 UNCH
1650	----	----	----	3.60B/8.20A	----	5.50 - 0.20	.0434	----	----	----	----	1 UNCH
1680	----	----	----	5.50B/9.70A	----	7.30 - 0.10	.0559	----	----	----	----	50 UNCH
1700	----	----	----	7.10B/10.90A	----	8.70 - 0.20	.0655	----	----	----	----	312 UNCH
1710	----	----	----	8.00B/11.60A	----	9.50 - 0.20	.0708	----	----	----	----	1 UNCH
1725	----	----	----	9.50B/12.80A	----	10.70 - 0.30	.0789	----	----	----	----	100 UNCH
1750	----	----	----	12.30B/15.10A	----	13.20 - 0.30	.0948	----	----	----	----	50 UNCH
1800	----	----	----	19.90B/21.20A	----	19.60 - 0.50	.1334	----	----	----	----	421 UNCH
1825	----	----	24.60B/----	24.60B/25.10A	----	23.80 - 0.40	.1569	----	----	----	----	30 UNCH
1850	----	----	30.30B/----	30.30B/29.80A	----	28.60 - 0.50	.1826	----	----	----	----	40 UNCH
1900	----	----	44.40B/----	44.40B/41.50A	----	41.00 - 0.40	.2426	----	----	----	----	81 UNCH
1950	----	----	62.90B/57.00A	62.90B/57.00A	----	57.40 NEW	.3112	----	----	8	----	8 + 8
2000	----	----	85.90B/76.70A	85.90B/76.70A	----	78.10 - 0.10	.3851	----	----	----	----	1 UNCH
2085	----	----	133.80B/119.70A	133.80B/119.70A	----	122.70 + 0.30	.5117	----	----	----	----	1 UNCH
2100	----	----	143.30B/128.30A	143.30B/128.30A	----	131.60 + 0.40	.5332	----	----	----	----	225 UNCH
2130	----	----	----	----	----	150.30 + 0.50	.5751	----	----	----	----	23 UNCH
2135	----	----	----	----	----	153.50 + 0.50	.5819	----	----	----	----	190 UNCH
2165	----	----	----	----	----	173.60 + 0.70	.6215	----	----	----	----	20 UNCH
2350	----	----	339.40B/311.70A	339.40B/311.70A	----	319.30 + 1.70	.8086	----	----	----	----	5 UNCH
2400	----	----	384.80B/355.40A	384.80B/355.40A	----	363.60 + 1.90	.8413	----	----	----	----	300 UNCH
TOTAL										8		2686 + 8
OCT26												
1300	----	----	----	3.60B/12.10A	----	7.50 - 0.10	.0305	----	----	----	----	4 UNCH
1500	----	----	----	16.50B/23.70A	----	19.80 - 0.10	.0756	----	----	----	----	20 UNCH
1600	----	----	----	29.50B/35.40A	----	31.70 - 0.10	.1146	----	----	----	----	19 UNCH
1720	----	----	----	54.20B/57.90A	----	54.90 - 0.20	.1801	----	----	----	----	2 UNCH
1820	----	----	84.60B/----	84.60B/85.90A	----	83.50 - 0.70	.2485	----	----	----	----	5 UNCH
1850	----	----	95.60B/----	95.60B/96.10A	----	94.00 - 0.80	.2710	----	----	----	----	200 UNCH
1950	----	----	139.30B/----	139.30B/136.70A	----	135.40 - 0.70	.3492	----	----	----	----	50 UNCH
2000	----	----	164.90B/----	164.90B/160.60A	----	159.80 - 0.30	.3890	----	----	----	----	1 UNCH
2100	----	----	222.90B/215.20A	222.90B/215.20A	----	215.40 + 0.10	.4671	----	----	----	----	100 UNCH
2130	----	----	241.90B/233.20A	241.90B/233.20A	----	233.70 UNCH	.4895	----	----	----	----	41 UNCH
2135	----	----	245.10B/236.30A	245.10B/236.30A	----	236.80 UNCH	.4932	----	----	----	----	12 UNCH
2140	----	----	248.30B/239.40A	248.30B/239.40A	----	240.00 UNCH	.4969	----	----	----	----	12 UNCH
2400	----	----	437.80B/421.50A	437.80B/421.50A	----	424.60 + 0.80	.6625	----	----	----	----	200 UNCH
2500	----	----	519.30B/500.70A	519.30B/500.70A	----	504.50 + 1.00	.7125	----	----	----	----	1 UNCH
3000	952.00	952.00	969.30B/942.60A	969.30B/942.60A	----	948.60 + 1.60	.8699	----	----	1	----	1 + 1
TOTAL										1		668 + 1
JAN27												
1500	----	----	----	----	----	45.70 UNCH	.1179	----	----	----	----	40 UNCH
1800	----	----	----	----	----	126.10 + 0.10	.2639	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUL26 CALL			
OG	4750	0	55
TOTALS		0	55
AUG26 CALL			
OG	4800	0	110
TOTALS		0	110
SEP26 CALL			
OG	4850	0	55
OG	5000	0	140
TOTALS		0	195
JUN27 CALL			
OG	5085	0	150
OG	7500	0	450
TOTALS		0	600
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	4700	0	210
TOTALS		0	210
JUL26 PUT			
OG	4400	0	100
TOTALS		0	100
AUG26 PUT			
OG	4400	0	50
TOTALS		0	50
SEP26 PUT			
OG	4000	0	130
TOTALS		0	130
OCT26 PUT			
OG	4200	0	75
TOTALS		0	75
JUN27 PUT			
OG	3625	0	450
OG	5085	0	150
TOTALS		0	600
SO CALL	COMEX SILVER OPTIONS		
JUN26 CALL			
SO	8100	0	100
SO	10000	0	52
SO	11500	0	68
TOTALS		0	220
JUL26 CALL			
SO	9000	0	50
SO	9800	0	26
TOTALS		0	76
SEP26 CALL			
SO	11000	0	48
TOTALS		0	48
DEC26 CALL			
SO	20000	0	100
TOTALS		0	100
SO PUT	COMEX SILVER OPTIONS		
JUN26 PUT			
SO	7700	0	52
TOTALS		0	52
JUL26 PUT			
SO	6500	0	68
TOTALS		0	68
AUG26 PUT			
SO	7200	0	68
TOTALS		0	68
SEP26 PUT			
SO	7000	0	26
TOTALS		0	26
DEC26 PUT			
SO	7000	0	48
TOTALS		0	48
HX CALL	COMEX COPPER OPTIONS		
JUN26 CALL			
HX	610	0	200
HX	660	0	75
TOTALS		0	275
JUL26 CALL			
HX	650	0	150
TOTALS		0	150
SEP26 CALL			
HX	640	0	1000
HX	680	0	1000
TOTALS		0	2000
HX PUT	COMEX COPPER OPTIONS		
JUN26 PUT			
HX	615	0	75
TOTALS		0	75
SEP26 PUT			
HX	600	0	1000
HX	620	0	1000
TOTALS		0	2000
HXE CALL	COPPER OPTIONS		
MAY26 CALL			
H3E	650	0	40
TOTALS		0	40
HXE CALL	COPPER OPTIONS		
MAY26 CALL			
H5E	640	0	220
H5E	660	0	220
TOTALS		0	440
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2		
MAY26 PUT			
G2M	4690	0	50
TOTALS		0	50
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2		
MAY26 CALL			

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

G2M	4750	0	50
TOTALS		0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.