METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/14	04/15											
ECG11 OP		04/14	04/15											
ECG13 OP		04/14	04/15											
ECG15 OP		04/14	04/15											
ECG16 OP		04/14	04/15											
ECGC OOF		04/14	04/15											
ECHG OOF		04/14	04/15											
ECSI OOF		04/14	04/15											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/18										
GWR THU	04/30			05/07										
GWT TUE	04/28			05/05										
GWW WED	04/29			05/06										
HMW MON	04/20			05/11										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28													
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/30													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29			05/06										
TWS TUE	04/28													
WMG WED	04/15													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3											
APR26													
4500	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1	
TOTAL												0 - 1	

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT		MICRO GOLD OPTIONS											
MAY26													
3600	----	----	----	----	----	0.30 - 0.20	----	----	----	----	----	2	UNCH
3700	----	----	----	----	----	0.40 - 0.20	----	----	----	----	----	1	UNCH
3850	----	----	----	----	----	0.70 - 0.30	----	----	----	----	----	2	UNCH
3900	----	----	----	----	----	0.80 - 0.30	----	----	----	----	----	3	UNCH
4000	----	----	----	----	----	1.10 - 0.30	----	----	----	----	----	6	UNCH
4200	----	----	----	----	----	1.90 - 0.40	----	----	----	----	----	2	UNCH
4250	----	----	----	----	----	575.50 - 26.90	----	----	----	----	----	1	UNCH
4450	----	----	----	----	----	379.70 - 27.60	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	332.20 - 27.70	----	----	----	----	----	1	UNCH
4500	7.10	7.10	7.10/*7.10	7.10/*7.10	----	8.90 - 1.30	----	----	----	1	----	1	UNCH
4600	18.60	18.60	18.60/*18.60	18.60/*18.60	----	18.30 - 1.00	----	----	----	1	----	3 + 1	
4725	44.30	44.30	44.30/*44.30	44.30/*44.30	----	44.30 + 0.60	----	----	----	1	----	0 - 1	
4800	----	----	----	----	----	95.60 - 23.40	----	----	----	----	----	1	UNCH
4800	----	----	----	----	----	72.00 + 3.00	----	----	----	----	----	1	UNCH
4900	----	----	----	----	----	126.20 + 7.70	----	----	----	----	----	1	UNCH
4900	----	----	----	----	----	49.90 - 18.80	----	----	----	----	----	2	UNCH
4920	----	----	----	----	----	139.40 + 8.70	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	34.40 - 16.10	----	----	----	----	----	2	UNCH
5000	----	----	----	----	----	23.30 - 13.20	----	----	----	----	----	1	UNCH
5050	----	----	----	----	----	241.70 + 16.20	----	----	----	----	----	3	UNCH
5200	----	----	----	----	----	5.10 - 4.20	----	----	----	----	----	1	UNCH
5875	----	----	----	----	----	0.70 - 0.30	----	----	----	----	----	1	UNCH
TOTAL										3		36	0
JUN26													
2500	----	----	----	----	----	0.30 - 0.10	----	----	----	----	----	2	UNCH
4260	----	----	----	----	----	22.00 + 0.30	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	53.40 + 1.50	----	----	----	----	----	5	UNCH
4600	75.00	75.00	#75.00/*75.00	#75.00/*75.00	----	77.00 NEW	----	----	----	1	----	1 + 1	
4645	----	----	----	----	----	90.40 + 3.40	----	----	----	----	----	6	UNCH
4700	----	----	----	----	----	232.50 - 21.90	----	----	----	----	----	1	UNCH
4900	----	----	----	----	----	128.40 - 17.20	----	----	----	----	----	2	UNCH
5100	----	----	----	----	----	64.70 - 11.80	----	----	----	----	----	1	UNCH
5400	----	----	----	----	----	22.40 - 5.20	----	----	----	----	----	2	UNCH
5875	----	----	----	----	----	7.00 - 1.30	----	----	----	----	----	1	UNCH
TOTAL										1		22 + 1	
JUL26													
3400	----	----	----	----	----	1461.80 - 26.80	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----	1402.30 - 26.80	----	----	----	----	----	1	UNCH
4100	----	----	----	----	----	26.50 + 0.50	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----	35.20 + 0.90	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	47.00 + 1.40	----	----	----	----	----	1	UNCH
4600	106.00	106.00	#106.00/*106.00	#106.00/*106.00	----	110.70 NEW	----	----	----	2	----	2 + 2	
5450	----	----	----	----	----	51.30 - 7.40	----	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
TOTAL										2		8+ 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3800	----	----	----	----/1.80A	----	0.30 - 0.10	.0014	----	----	----	----	1 UNCH
4000	----	----	----	0.50B/*1.10A	----	0.60 - 0.30	.0034	----	----	----	----	10 UNCH
4025	----	----	----	0.60B/*1.20A	----	0.70 - 0.30	.0041	----	----	----	----	1 UNCH
4050	----	----	----	0.60B/*1.20A	----	0.80 - 0.30	.0047	----	----	----	----	4 UNCH
4100	----	----	----	0.90B/*1.40A	----	1.00 - 0.30	.0061	----	----	----	----	2 UNCH
4150	----	----	----	1.10B/*1.60A	----	1.20 - 0.40	.0077	----	----	----	----	9 UNCH
4175	----	----	----/*1.60A	1.20B/*1.60A	----	1.40 - 0.40	.0091	----	----	----	----	3 UNCH
4200	----	----	----/*1.70A	1.30B/*1.70A	----	1.50 - 0.50	.0100	----	----	----	----	5 UNCH
4210	----	----	----/*1.80A	1.30B/*1.80A	----	1.60 - 0.50	.0108	----	----	----	----	2 UNCH
4225	----	----	----/*1.80A	1.40B/*1.80A	----	1.70 - 0.50	.0116	----	----	----	----	5 UNCH
4255	----	----	----/*2.00A	1.70B/*2.00A	----	1.80 - 0.60	.0127	----	----	----	----	1 UNCH
4290	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.70	.0153	----	----	----	----	10 UNCH
4300	2.60	2.60	2.60/*2.30	2.60/*2.30	----	2.20 - 0.70	.0162	----	----	2	----	11 + 1
4310	----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.70	.0171	----	----	----	----	8 UNCH
4315	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.80	.0172	----	----	----	----	1 UNCH
4325	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.80	.0181	----	----	----	----	1 UNCH
4340	----	----	----/*2.80A	2.70B/*2.80A	----	2.60 - 0.80	.0199	----	----	----	----	1 UNCH
4350	----	----	----/*2.80A	2.90B/*2.80A	----	2.70 - 0.90	.0209	----	----	4	----	14 + 4
4365	----	----	----/*3.00A	3.20B/*3.00A	----	3.00 - 0.90	.0233	----	----	----	----	3 UNCH
4375	----	----	----/*3.00A	3.30B/*3.00A	----	3.10 - 1.00	.0244	----	----	1	----	1 UNCH
4385	----	----	----/*3.30A	3.60B/*3.30A	----	3.30 - 1.00	.0261	----	----	----	----	3 UNCH
4400	3.50	3.50	3.50/*3.50	3.90B/*3.50	----	3.60 - 1.00	.0288	----	----	16	----	66 + 11
4420	----	----	----/*4.00A	4.50B/*4.00A	----	4.10 - 1.00	.0331	----	----	----	----	5 UNCH
4425	----	----	----/*4.10A	4.60B/*4.10A	----	4.30 - 1.00	.0347	----	----	----	----	20 UNCH
4450	4.40	4.40	4.40/*4.40	5.50B/*4.40	----	5.10 - 1.00	.0416	----	----	10	----	20 + 10
4480	----	----	----/*5.70A	6.80B/*5.70A	----	6.20 - 1.10	.0512	----	----	1	----	1 UNCH
4490	----	----	----/*6.00A	7.30B/*6.00A	----	6.70 - 1.10	.0554	----	----	3	----	24 + 3
4500	7.20	7.20	7.20/*6.40A	7.90B/*6.40A	----	7.20 - 1.10	.0597	----	----	7	----	48 + 5
4505	----	----	----/*6.70A	8.30B/*6.70A	----	7.40 - 1.20	.0615	----	----	16	----	47 + 16
4520	----	----	----/*7.30A	9.20B/*7.30A	----	8.20 - 1.30	.0685	----	----	----	----	4 UNCH
4525	----	----	----/*7.60A	9.60B/*7.60A	----	8.50 - 1.30	.0710	----	----	----	----	125 UNCH
4540	----	----	----/*8.40A	10.70B/*8.40A	----	9.50 - 1.30	.0795	----	----	16	----	34 + 16
4550	9.40	9.40	11.60B/*9.00A	11.60B/*9.00A	----	10.30 - 1.30	.0860	----	----	3	----	17 + 3
4555	----	----	----/*9.30A	12.00B/*9.30A	----	10.60 - 1.40	.0887	----	----	----	----	10 UNCH
4560	11.10	11.10	12.50B/*9.70A	12.50B/*9.70A	----	11.00 NEW	.0921	----	----	1	----	1 + 1
4565	----	----	13.00B/*10.00A	13.00B/*10.00A	----	11.50 - 1.40	.0960	----	----	1	----	2 UNCH
4575	10.70	10.70	14.10B/*10.40	14.10B/*10.40	----	12.40 - 1.40	.1033	----	----	31	----	37 + 26
4590	----	----	15.90B/*11.90A	15.90B/*11.90A	----	13.80 - 1.50	.1149	----	----	----	----	1 UNCH
4600	16.80	16.80	17.20B/*12.70A	17.20B/*12.70A	----	14.90 - 1.50	.1237	----	----	29	----	85 + 10
4615	18.00	18.00	19.30B/*14.00A	19.30B/*14.00A	----	16.80 NEW	.1384	----	----	10	----	10 + 10
4620	17.10	17.10	20.00B/*14.50A	20.00B/*14.50A	----	17.40 - 1.50	.1433	----	----	22	----	25 + 22
4625	----	----	20.80B/*15.00A	20.80B/*15.00A	----	18.10 - 1.40	.1486	----	----	5	----	8 + 5
4635	----	----	22.40B/*16.00A	22.40B/*16.00A	----	19.60 - 1.40	.1599	----	----	----	----	1 UNCH
4640	19.70	19.70	23.30B/*16.60A	23.30B/*16.60A	----	20.40 NEW	.1658	----	----	10	----	10 + 10
4650	----	----	25.10B/*17.80A	25.10B/*17.80A	----	22.00 - 1.30	.1778	----	----	6	----	8 + 6
4665	24.20	24.20	28.10B/*19.70A	28.10B/*19.70A	----	24.70 NEW	.1973	----	----	4	----	4 + 4
4670	----	----	29.20B/*20.40A	29.20B/*20.40A	----	25.70 - 1.10	.2043	----	----	----	----	2 UNCH
4675	----	----	30.30B/*21.10A	30.30B/*21.10A	----	26.70 - 1.00	.2114	----	----	1	----	14 + 1
4680	----	----	31.50B/*21.80A	31.50B/*21.80A	----	27.70 - 1.00	.2185	----	----	----	----	1 UNCH
4690	----	----	33.90B/*23.40A	33.90B/*23.40A	----	29.90 - 0.90	.2336	----	----	----	----	1 UNCH
4695	----	----	35.10B/*24.20A	35.10B/*24.20A	----	31.10 - 0.80	.2415	----	----	----	----	1 UNCH
4700	----	----	36.40B/*25.10A	36.40B/*25.10A	----	32.30 - 0.70	.2495	----	----	1	----	55 + 1
4725	----	----	43.70B/*29.70A	43.70B/*29.70A	----	38.90 - 0.20	.2919	----	----	----	----	18 UNCH
4735	----	----	46.90B/*31.70A	46.90B/*31.70A	----	41.90 + 0.10	.3102	----	----	----	----	5 UNCH
4740	----	----	48.60B/*32.50A	48.60B/*32.50A	----	43.40 NEW	.3194	----	----	1	----	1 + 1
4750	48.20	48.20	52.10B/*34.80A	52.10B/*34.80A	----	46.70 + 0.50	.3386	----	----	10	----	26 + 2
4760	51.70	51.70	55.90B/*37.30A	55.90B/*37.30A	----	50.10 NEW	.3582	----	----	4	----	4 + 4
4765	----	----	57.80B/*38.60A	57.80B/*38.60A	----	51.90 + 0.90	.3682	----	----	----	----	10 UNCH
4770	----	----	59.70B/*39.90A	59.70B/*39.90A	----	53.80 + 1.10	.3784	----	----	----	----	14 UNCH
4775	----	----	62.00B/*41.30A	62.00B/*41.30A	----	55.70 + 1.30	.3886	----	----	----	----	3 UNCH
4780	----	----	64.20B/*42.70A	64.20B/*42.70A	----	57.70 + 1.50	.3990	----	----	----	----	34 UNCH
4785	61.20	61.20	66.40B/*44.30A	66.40B/*44.30A	----	59.70 NEW	.4094	----	----	5	----	5 + 5
4800	52.00	52.00	73.30B/*48.90A	73.30B/*48.90A	----	66.00 + 2.20	.4412	----	----	5	----	22 + 5
4805	----	----	75.80B/*50.60A	75.80B/*50.60A	----	68.20 + 2.40	.4519	----	----	----	----	2 UNCH
4820	75.60	75.60	83.10B/*55.70A	83.10B/*55.70A	----	75.20 NEW	.4844	----	----	39	----	39 + 39
4825	73.50	73.50	86.10B/*57.50A	86.10B/*57.50A	----	77.70 NEW	.4953	----	----	16	----	16 + 16
4830	79.50	79.50	88.80B/*59.40A	88.80B/*59.40A	----	80.20 + 3.60	.5062	----	----	31	----	34 + 31
4840	----	----	94.10B/*63.20A	94.10B/*63.20A	----	85.30 + 4.00	.5281	----	----	----	----	13 UNCH
4850	----	----	100.10B/*67.40A	100.10B/*67.40A	----	90.70 + 4.50	.5498	----	----	----	----	4 UNCH
4870	----	----	111.80B/*75.80A	111.80B/*75.80A	----	102.10 + 5.60	.5930	----	----	----	----	2 UNCH
4900	----	----	130.00B/*90.30A	130.00B/*90.30A	----	120.80 + 7.30	.6554	----	----	----	----	3 UNCH
4995	----	----	202.00B/*148.80	202.00B/*148.80A	----	191.60 + 13.20	.8175	----	----	4	----	6 + 4
5000	----	----	206.10B/*152.30	206.10B/*152.30A	----	195.80 + 13.60	.8244	----	----	4	----	6 + 4
5075	----	----	273.00B/*208.80	273.00B/*208.80A	----	261.60 + 18.10	.9013	----	----	----	----	1 UNCH
TOTAL										319		1051+ 276

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4540	----	----	#358.20B/282.40	#358.20B/282.40A	----	292.90 - 27.80	.9203	----	----	----	----	2 UNCH
4550	----	----	#348.80B/273.20	#348.80B/273.20A	----	283.60 - 27.90	.9138	----	----	----	----	1 UNCH
4600	----	----	#301.70B/228.00	#301.70B/228.00A	----	238.40 - 27.90	.8760	----	----	----	----	2 UNCH
4675	----	----	234.40B/165.50A	234.40B/165.50A	----	175.20 - 27.50	.7883	----	----	----	----	1 UNCH
4680	----	----	230.10B/161.60A	230.10B/161.60A	----	171.20 - 27.50	.7812	----	----	----	----	1 UNCH
4690	----	----	221.60B/153.90A	221.60B/153.90A	----	163.40 - 27.30	.7661	----	----	----	----	1 UNCH
4730	----	----	188.70B/124.80A	188.70B/124.80A	----	133.90 - 26.50	.6986	----	----	----	----	1 UNCH
4765	----	----	162.10B/102.00A	162.10B/102.00A	----	110.50 - 25.50	.6315	----	----	----	----	10 UNCH
4770	----	----	158.40B/98.90A	158.40B/98.90A	----	107.40 - 25.30	.6213	----	----	----	----	14 UNCH
4775	----	----	154.70B/95.40A	154.70B/95.40A	----	104.30 - 25.20	.6111	----	----	----	----	9 UNCH
4780	----	----	151.10B/92.50A	151.10B/92.50A	----	101.20 - 25.00	.6007	----	----	----	----	1 UNCH
4785	----	----	147.20B/89.60A	147.20B/89.60A	----	98.20 - 24.90	.5903	----	----	----	----	1 UNCH
4795	----	----	140.40B/84.00A	140.40B/84.00A	----	92.40 - 24.50	.5692	----	----	----	----	3 UNCH
4800	106.50	106.50	137.00B/81.30A	137.00B/81.30A	----	89.60 - 24.20	.5585	----	----	6	----	39 + 4
4815	----	----	127.00B/73.60A	127.00B/73.60A	----	81.40 - 23.60	.5261	----	----	----	----	1 UNCH
4820	82.80	82.80	123.80B/71.20A	123.80B/71.20A	----	78.80 - 23.40	.5153	----	----	30	----	40 + 28
4825	77.40	77.40	120.20B/68.90A	120.20B/68.90A	----	76.30 - 23.10	.5044	----	----	14	----	16 + 12
4830	75.80	75.80	117.30B/66.60A	117.30B/66.60A	----	73.80 - 22.90	.4935	----	----	14	----	15 + 14
4840	----	----	110.90B/62.00A	110.90B/62.00A	----	68.90 - 22.50	.4716	----	----	----	----	13 UNCH
4845	----	----	107.90B/59.80A	107.90B/59.80A	----	66.60 - 22.20	.4607	----	----	----	----	4 UNCH
4850	79.20	79.20	105.20B/57.70A	105.20B/57.70A	----	64.30 - 22.00	.4498	----	----	5	----	42 + 3
4855	----	----	103.00B/55.60A	103.00B/55.60A	----	62.10 - 21.70	.4390	----	----	----	----	2 UNCH
4865	----	----	97.30B/51.80A	97.30B/51.80A	----	57.80 - 21.20	.4175	----	----	----	----	1 UNCH
4870	----	----	94.60B/49.70A	94.60B/49.70A	----	55.70 - 20.90	.4067	----	----	----	----	4 UNCH
4875	----	----	91.90B/47.80A	91.90B/47.80A	----	53.70 - 20.70	.3961	----	----	----	----	13 UNCH
4880	----	----	89.10B/46.10A	89.10B/46.10A	----	51.70 - 20.40	.3855	----	----	----	----	2 UNCH
4885	----	----	86.70B/44.30A	86.70B/44.30A	----	49.80 - 20.10	.3750	----	----	----	----	5 UNCH
4890	----	----	84.00B/42.50A	84.00B/42.50A	----	48.00 - 19.80	.3648	----	----	----	----	9 UNCH
4895	----	----	81.50B/40.90A	81.50B/40.90A	----	46.20 - 19.50	.3545	----	----	----	----	25 UNCH
4900	74.10	74.10	79.20B/39.30A	79.20B/39.30A	----	44.40 - 19.30	.3442	----	----	2	----	58 + 1
4905	----	----	76.80B/37.70A	76.80B/37.70A	----	42.70 - 19.00	.3342	----	----	----	----	2 UNCH
4920	----	----	69.70B/33.40A	69.70B/33.40A	----	37.90 - 18.10	.3049	----	----	----	----	19 UNCH
4925	37.30	37.30	67.50B/32.00A	67.50B/32.00A	----	36.50 - 17.70	.2957	----	----	7	----	10 + 6
4930	----	----	65.40B/30.70A	65.40B/30.70A	----	35.00 - 17.50	.2862	----	----	----	----	14 UNCH
4935	----	----	63.30B/29.40A	63.30B/29.40A	----	33.60 - 17.20	.2770	----	----	----	----	11 UNCH
4940	64.20	64.20	64.20/28.20A	64.20/28.20A	----	32.30 - 16.80	.2682	----	----	1	----	1 UNCH
4945	----	----	59.10B/27.00A	59.10B/27.00A	----	31.00 - 16.50	.2594	----	----	----	----	5 UNCH
4950	40.00	40.00	57.20B/25.90A	57.20B/25.90A	----	29.70 - 16.20	.2507	----	----	24	----	121 + 19
4955	----	----	55.30B/24.80A	55.30B/24.80A	----	28.50 - 15.90	.2423	----	----	----	----	4 UNCH
4960	25.70	25.70	53.50B/23.80A	53.50B/23.80A	----	27.30 NEW	.2339	----	----	4	----	4 + 4
4975	----	----	48.40B/20.80A	48.40B/20.80A	----	24.10 - 14.60	.2105	----	----	----	----	98 UNCH
4980	----	----	46.60B/20.00A	46.60B/20.00A	----	23.10 - 14.30	.2030	----	----	----	----	6 UNCH
4995	----	----	41.90B/17.60A	41.90B/17.60A	----	20.40 - 13.20	.1822	----	----	----	----	45 UNCH
5000	24.30	24.30	40.40B/16.80A	40.40B/16.80A	----	19.50 - 12.90	.1753	----	----	10	----	128 + 1
5005	17.50	17.50	39.00B/16.10A	39.00B/16.10A	----	18.70 - 12.60	.1689	----	----	4	----	26 + 4
5010	----	----	37.50B/15.50A	37.50B/15.50A	----	17.90 - 12.30	.1625	----	----	----	----	43 UNCH
5015	----	----	36.20B/14.80A	36.20B/14.80A	----	17.20 - 11.90	.1567	----	----	----	----	64 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5020	----	----	#34.80B/14.20A	#34.80B/14.20A	----	16.50 - 11.60	.1510	----	----	----	----	73 UNCH
5025	----	----	33.50B/13.60A	33.50B/13.60A	----	15.80 - 11.30	.1452	----	----	----	----	122 UNCH
5030	----	----	32.30B/13.00A	32.30B/13.00A	----	15.10 - 11.00	.1395	----	----	----	----	84 UNCH
5050	----	----	27.70B/11.00A	27.70B/11.00A	----	12.80 - 9.80	.1197	----	----	----	----	167 UNCH
5075	----	----	22.10B/8.90A	22.10B/8.90A	----	10.40 - 8.30	.0984	----	----	1	----	89 + 1
5100	10.30	10.30	18.10B/7.10	18.10B/7.10	----	8.40 - 7.20	.0804	----	----	16	----	82 + 5
5125	6.10	6.10	14.80B/6.10	14.80B/6.10	----	6.90 - 6.10	.0662	----	----	11	----	12 + 11
5150	8.10	8.10	11.90B/5.10A	11.90B/5.10A	----	5.70 - 5.10	.0546	----	----	1	----	2 UNCH
5200	----	----	8.00B/3.70A	8.00B/3.70A	----	4.00 - 3.60	.0379	----	----	17	----	184 - 7
5225	----	----	6.50B/*3.20A	6.50B/3.20A	----	3.40 - 3.00	.0319	----	----	----	----	7 UNCH
5300	----	----	----/2.20A	3.60B/2.20A	----	2.20 - 1.90	.0198	----	----	----	----	14 UNCH
5350	3.50	3.50	3.50/1.90A	3.50/1.90A	----	1.80 - 1.40	.0155	----	----	4	----	6 + 4
5400	----	----	----/1.60A	1.70B/1.60A	----	1.40 - 1.20	.0117	----	----	----	----	5 UNCH
5450	2.20	2.20	2.20/*1.40A	2.20/1.40A	----	1.20 - 0.90	.0096	----	----	3	----	34 + 3
TOTAL										174		1818 + 113

OG3 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3200	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3550	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
3850	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3900	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
3950	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
4000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	2	----	187 UNCH
4025	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4050	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	47 UNCH
4075	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	28 UNCH
4100	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	1	----	27 - 1
4125	----	----	----	----/0.40A	----	0.10 - 0.10	.0000	----	----	----	----	7 UNCH
4150	----	----	----	0.10B/0.40A	----	0.10 - 0.20	.0000	----	----	----	----	4 UNCH
4175	----	----	----	0.10B/*0.40A	----	0.10 - 0.20	.0001	----	----	----	----	9 UNCH
4200	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0003	----	----	1	----	69 UNCH
4215	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0003	----	----	----	----	4 UNCH
4220	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0003	----	----	----	----	150 UNCH
4225	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0003	----	----	----	----	2 UNCH
4250	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0003	----	----	173	----	155 + 13
4255	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.30	.0003	----	----	----	----	5 UNCH
4260	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0006	----	----	----	----	6 UNCH
4270	----	----	----/*0.20A	0.10B/*0.20A	----	0.30 - 0.20	.0006	----	----	----	----	1 UNCH
4275	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0006	----	----	----	----	5 UNCH
4280	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0006	----	----	----	----	27 UNCH
4290	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0006	----	----	----	----	4 UNCH
4295	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.30	.0006	----	----	----	----	3 UNCH
4300	----	----	----/*0.20A	0.10B/*0.20A	----	0.30 - 0.30	.0007	----	----	----	----	42 UNCH
4310	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
4315	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
4335	----	----	----/*0.30A	0.20B/*0.30A	----	0.40 - 0.30	.0010	----	----	----	----	1 UNCH
4345	----	----	----/*0.30A	0.20B/*0.30A	----	0.50 - 0.20	.0014	----	----	----	----	1 UNCH
4350	----	----	----/*0.30A	0.20B/*0.30A	----	0.50 - 0.20	.0014	----	----	2	----	157 UNCH
4355	----	----	----/*0.30A	0.20B/*0.30A	----	0.50 - 0.20	.0014	----	----	----	----	1 UNCH
4375	----	----	----/*0.40A	0.30B/*0.40A	----	0.60 - 0.20	.0018	----	----	2	----	28 UNCH
4380	----	----	----/*0.40A	0.30B/*0.40A	----	0.60 - 0.20	.0019	----	----	----	----	26 UNCH
4385	----	----	----/*0.40A	0.30B/*0.40A	----	0.60 - 0.30	.0019	----	----	----	----	2 UNCH
4390	----	----	----/*0.40A	0.30B/*0.40A	----	0.70 - 0.20	.0023	----	----	----	----	8 UNCH
4395	----	----	----/*0.40A	0.30B/*0.40A	----	0.70 - 0.20	.0023	----	----	----	----	3 UNCH
4400	0.20	0.20	0.60B/*0.20	0.60B/*0.20	----	0.70 - 0.20	.0024	----	----	3	----	207 - 2
4410	----	----	----/*0.50A	0.50B/*0.50A	----	0.70 - 0.30	.0024	----	----	----	----	1 UNCH
4415	----	----	----/*0.50A	0.40B/*0.50A	----	0.70 - 0.30	.0025	----	----	----	----	1 UNCH
4425	----	----	----/*0.50A	0.40B/*0.50A	----	0.80 - 0.20	.0030	----	----	----	----	2 UNCH
4430	----	----	----/*0.50A	0.50B/*0.50A	----	0.80 - 0.30	.0030	----	----	2	----	3 UNCH
4435	----	----	----/*0.50A	0.50B/*0.50A	----	0.80 - 0.30	.0030	----	----	----	----	6 UNCH
4440	----	----	----/*0.50A	0.50B/*0.50A	----	0.80 - 0.30	.0031	----	----	1	----	10 - 1
4450	1.00	1.00	1.00/*0.60A	1.00/*0.60A	----	0.90 - 0.30	.0036	----	----	3	----	166 UNCH
4455	----	----	----/*0.60A	0.60B/*0.60A	----	0.90 - 0.30	.0037	----	----	----	----	101 UNCH
4460	----	----	----/*0.60A	0.70B/*0.60A	----	0.90 - 0.30	.0038	----	----	----	----	4 UNCH
4465	----	----	----/*0.60A	0.70B/*0.60A	----	0.90 - 0.30	.0038	----	----	1	----	1 UNCH
4470	----	----	----/*0.60A	0.70B/*0.60A	----	1.00 - 0.30	.0044	----	----	----	----	5 UNCH
4475	----	----	----/*0.60A	0.80B/*0.60A	----	1.00 - 0.30	.0044	----	----	----	----	1 UNCH
4480	----	----	----/*0.60A	0.80B/*0.60A	----	1.00 - 0.30	.0045	----	----	----	----	10 UNCH
4485	----	----	----/*0.70A	0.90B/*0.70A	----	1.00 - 0.40	.0046	----	----	----	----	3 UNCH
4490	----	----	----/*0.70A	0.90B/*0.70A	----	1.10 - 0.30	.0052	----	----	----	----	4 UNCH
4495	1.00	1.00	1.00/*0.70A	1.00/*0.70A	----	1.10 - 0.40	.0053	----	----	4	----	9 - 1
4500	1.20	1.20	1.20/*0.50	1.20/*0.50	----	1.10 - 0.40	.0054	----	----	205	----	343 - 111
4510	----	----	----/*0.80A	1.10B/*0.80A	----	1.20 - 0.40	.0061	----	----	----	----	7 UNCH
4515	----	----	----/*0.80A	1.10B/*0.80A	----	1.20 - 0.50	.0062	----	----	----	----	19 UNCH
4520	----	----	----/*0.90A	1.20B/*0.90A	----	1.20 - 0.50	.0063	----	----	----	----	21 UNCH
4525	----	----	----/*0.90A	1.20B/*0.90A	----	1.30 - 0.50	.0070	----	----	----	----	10 UNCH
4530	1.10	1.10	1.10/*0.90A	1.30B/*0.90A	----	1.30 - 0.50	.0072	----	----	7	----	12 + 4
4535	----	----	----/*1.00A	1.40B/*1.00A	----	1.40 - 0.50	.0079	----	----	----	----	3 UNCH
4540	----	----	----/*1.00A	1.40B/*1.00A	----	1.40 - 0.60	.0081	----	----	----	----	16 UNCH
4545	----	----	----/*1.00A	1.50B/*1.00A	----	1.50 - 0.50	.0089	----	----	----	----	18 UNCH
4550	1.20	1.20	1.60B/*1.10A	1.60B/*1.10A	----	1.50 - 0.60	.0090	----	----	2	----	301 + 1
4560	----	----	----/*1.10A	1.70B/*1.10A	----	1.60 - 0.70	.0101	----	----	----	----	2 UNCH
4565	----	----	----/*1.20A	1.80B/*1.20A	----	1.70 - 0.70	.0109	----	----	----	----	6 UNCH
4570	----	----	----/*1.20A	1.90B/*1.20A	----	1.70 - 0.80	.0112	----	----	----	----	10 UNCH
4575	1.40	1.40	2.00B/*1.20A	2.00B/*1.20A	----	1.80 - 0.80	.0121	----	----	2	----	59 - 2
4580	----	----	----/*1.20A	2.00B/*1.20A	----	1.80 - 0.90	.0124	----	----	----	----	1 UNCH
4585	1.80	1.80	2.10B/*1.30A	2.10B/*1.30A	----	1.90 - 0.90	.0134	----	----	78	----	94 + 71
4590	----	----	----/*1.30A	2.20B/*1.30A	----	2.00 - 1.00	.0144	----	----	----	----	15 UNCH
4595	----	----	----/*1.50A	2.30B/*1.50A	----	2.00 - 1.10	.0147	----	----	----	----	101 UNCH
4600	2.00	2.00	2.60/*1.50A	2.60/*1.50A	----	2.10 - 1.20	.0158	----	----	212	----	316 + 118
4605	1.80	1.80	2.60B/*1.60A	2.60B/*1.60A	----	2.20 - 1.20	.0170	----	----	1	----	110 UNCH
4610	----	----	----/*1.70A	2.70B/*1.70A	----	2.30 - 1.30	.0182	----	----	2	----	7 - 2
4615	----	----	----/*1.70A	2.80B/*1.70A	----	2.40 - 1.40	.0194	----	----	----	----	7 UNCH
4620	2.30	2.30	3.00B/*1.80	3.00B/*1.80	----	2.50 NEW	.0207	----	----	6	----	4 + 4
4625	3.40	3.40	3.40/*1.90A	3.40/*1.90A	----	2.60 - 1.60	.0220	----	----	1	----	29 UNCH
4630	2.30	2.30	3.50/*2.00A	3.50/*2.00A	----	2.70 - 1.70	.0234	----	----	9	----	25 + 1
4635	2.50	2.50	3.50B/*2.10A	3.50B/*2.10A	----	2.80 - 1.80	.0249	----	----	1	----	15 - 1
4640	3.60	3.60	3.70B/*2.20A	3.70B/*2.20A	----	3.00 - 1.90	.0273	----	----	1	----	2 + 1
4645	3.30	3.30	3.30/*2.40A	3.90B/*2.40A	----	3.10 - 2.00	.0289	----	----	1	----	6 + 1
4650	1.20	1.20	4.50/*1.20	4.50/*1.20	----	3.20 - 2.20	.0306	----	----	79	----	203 + 54
4655	3.40	3.40	3.40/*2.60A	4.40B/*2.60A	----	3.40 - 2.20	.0333	----	----	2	----	3 + 2
4660	4.80	4.80	4.80/*2.70A	4.80/*2.70A	----	3.60 - 2.30	.0361	----	----	3	----	12 + 2
4665	----	----	----/*2.90A	5.00B/*2.90A	----	3.80 - 2.50	.0390	----	----	2	----	1 UNCH
4670	2.90	2.90	5.30B/*2.90	5.30B/*2.90	----	4.00 - 2.60	.0421	----	----	2	----	5 UNCH
4675	3.20	3.20	5.70B/*3.20	5.70B/*3.20	----	4.20 - 2.80	.0453	----	----	66	----	134 + 42
4680	5.70	5.70	5.70/*3.40A	6.10B/*3.40A	----	4.50 - 2.80	.0496	----	----	2	----	94 UNCH
4685	5.80	5.80	5.80/*3.60A	6.60B/*3.60A	----	4.80 - 3.00	.0541	----	----	2	----	24 + 2
4690	----	----	----/*3.80A	7.10B/*3.80A	----	5.10 - 3.10	.0588	----	----	1	----	41 UNCH
4695	6.90	6.90	6.90/*4.00A	7.60B/*4.00A	----	5.40 - 3.30	.0637	----	----	13	----	31 + 5
4700	5.00	5.00	8.20B/*4.30A	8.20B/*4.30A	----	5.80 - 3.40	.0698	----	----	81	----	264 + 49
4705	----	----	----/*4.60A	8.80B/*4.60A	----	6.20 - 3.50	.0762	----	----	2	----	100 UNCH
4710	8.40	8.40	8.40/*4.90A	9.60B/*4.90A	----	6.60 - 3.70	.0828	----	----	4	----	14 + 3
4715	----	----	----/*5.20A	10.20B/*5.20A	----	7.10 NEW	.0907	----	----	7	----	4 + 4
4720	7.50	7.50	11.10B/*5.60A	11.10B/*5.60A	----	7.60 - 4.00	.0990	----	----	15	----	33 + 1
4725	8.70	8.70	12.80/*6.00A	12.80/*6.00A	----	8.20 - 4.10	.1086	----	----	67	----	201 + 51
4730	9.60	9.60	12.80B/*6.30A	12.80B/*6.30A	----	8.80 - 4.30	.1185	----	----	9	----	80 + 3
4735	----	----	----/*6.90A	13.80B/*6.90A	----	9.50 - 4.40	.1298	----	----	----	----	36 UNCH
4740	10.50	10.50	14.80B/*7.40A	14.80B/*7.40A	----	10.20 - 4.50	.1415	----	----	1	----	50 + 1
4745	----	----	16.00B/*7.80A	16.00B/*7.80A	----	11.00 - 4.60	.1545	----	----	4	----	35 + 3
4750	10.10	10.10	17.20B/*8.30A	17.20B/*8.30A	----	11.90 - 4.70	.1689	----	----	154	----	175 + 99
4755	9.20	9.20	18.60B/*8.80A	18.60B/*8.80A	----	12.90 - 4.70	.1846	----	----	8	----	110 + 3
4760	13.90	13.90	19.80B/*9.30A	19.80B/*9.30A	----	13.90 - 4.80	.2008	----	----	32	----	41 + 1
4765	20.30	20.30	21.30B/*10.00A	21.30B/*10.00A	----	15.00 - 4.80	.2182	----	----	6	----	6 + 3
4770	12.90	12.90	23.00B/*10.60A	23.00B/*10.60A	----	16.20 - 4.90	.2369	----	----	35	----	30 + 27

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
4775	----	----	24.60B/*11.30A	24.60B/*11.30A	----	17.50 - 4.80	.2568	----	----	5	----	56 + 4
4780	----	----	26.40B/*12.10A	26.40B/*12.10A	----	18.80 - 4.90	.2773	----	----	4	----	51 UNCH
4785	20.10	20.10	28.20B/*12.90A	28.20B/*12.90A	----	20.30 - 4.80	.2994	----	----	51	----	52 + 18
4790	22.60	22.60	30.40B/*13.60A	30.40B/*13.60A	----	21.90 - 4.70	.3225	----	----	5	----	8 + 4
4795	17.10	17.10	32.40B/*14.60A	32.40B/*14.60A	----	23.60 - 4.60	.3465	----	----	3	----	34 + 2
4800	23.60	23.60	34.70B/*15.60A	34.70B/*15.60A	----	25.40 - 4.40	.3713	----	----	30	----	227 + 25
4805	25.40	25.40	37.10B/*16.70A	37.10B/*16.70A	----	27.30 - 4.20	.3969	----	----	32	----	40 + 29
4810	28.40	28.40	39.40B/*17.50A	39.40B/*17.50A	----	29.40 - 3.90	.4233	----	----	32	----	35 + 29
4815	28.60	28.60	42.00B/*18.90A	42.00B/*18.90A	----	31.60 NEW	.4501	----	----	10	----	9 + 9
4820	35.50	35.50	44.60B/*20.20A	44.60B/*20.20A	----	33.90 - 3.30	.4773	----	----	11	----	8 + 7
4825	----	----	47.40B/*21.50A	47.40B/*21.50A	----	36.30 - 3.00	.5046	----	----	14	----	21 + 13
4830	39.50	39.50	50.30B/*22.70A	50.30B/*22.70A	----	38.80 NEW	.5320	----	----	11	----	11 + 11
4835	----	----	53.20B/*24.20A	53.20B/*24.20A	----	41.50 NEW	.5593	----	----	1	----	1 + 1
4840	52.20	52.20	55.40B/*25.70A	55.40B/*25.70A	----	44.30 - 1.70	.5863	----	----	5	----	5 + 4
4845	46.00	46.00	58.10B/*27.40A	58.10B/*27.40A	----	47.20 NEW	.6129	----	----	3	----	1 + 1
4850	----	----	61.40B/*29.10A	61.40B/*29.10A	----	50.20 - 0.70	.6387	----	----	----	----	1 UNCH
4855	----	----	64.70B/*31.00A	64.70B/*31.00A	----	53.40 - 0.10	.6643	----	----	5	----	5 + 4
4860	----	----	68.20B/*32.90A	68.20B/*32.90A	----	56.70 NEW	.6887	----	----	1	----	1 + 1
4875	67.00	67.00	79.00B/*39.10A	79.00B/*39.10A	----	67.20 + 2.50	.7562	----	----	6	----	4 + 3
4885	----	----	86.70B/*43.90A	86.70B/*43.90A	----	74.70 + 3.90	.7957	----	----	----	----	1 UNCH
4900	----	----	98.90B/*51.50A	98.90B/*51.50A	----	86.60 + 6.10	.8452	----	----	----	----	5 UNCH
4905	----	----	103.10B/*54.40A	103.10B/*54.40A	----	90.80 + 6.90	.8599	----	----	1	----	1 UNCH
4910	----	----	107.30B/*57.20A	107.30B/*57.20A	----	95.00 + 7.60	.8732	----	----	----	----	0 UNCH
4915	----	----	111.70B/*60.10A	111.70B/*60.10A	----	99.30 + 8.30	.8851	----	----	----	----	5 UNCH
4925	----	----	120.50B/*65.90A	120.50B/*65.90A	----	108.00 + 9.70	.9067	----	----	1	----	1 UNCH
4950	----	----	143.20B/*83.40A	143.20B/*83.40A	----	130.70 + 13.10	.9436	----	----	----	----	2 UNCH
4970	----	----	162.00B/*97.90A	162.00B/*97.90A	----	149.60 + 15.60	.9625	----	----	1	----	0 - 1
4975	----	----	166.70B/*102.00	166.70B/*102.00A	----	154.30 + 16.00	.9668	----	----	----	----	1 UNCH
4995	----	----	186.00B/*117.70	186.00B/117.70A	----	173.60 + 18.00	.9773	----	----	----	----	1 UNCH
5000	----	----	190.80B/121.80A	190.80B/121.80A	----	178.40 + 18.40	.9789	----	----	----	----	1 UNCH
5050	----	----	240.10B/165.60A	240.10B/165.60A	----	227.50 + 21.70	.9906	----	----	----	----	1 UNCH
5150	----	----	339.30B/260.50A	339.30B/260.50A	----	326.90 + 24.70	.9976	----	----	----	----	1 UNCH
5180	----	----	369.20B/289.90A	369.20B/289.90A	----	356.80 + 25.00	.9983	----	----	----	----	1 UNCH
TOTAL										1552		5590 + 612

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4300	----	----	#585.50B/512.70	#585.50B/512.70A	----	523.90 - 26.70	.9993	----	----	----	----	1 UNCH
4375	----	----	510.20B/438.00A	510.20B/438.00A	----	449.10 - 26.70	.9981	----	----	----	----	74 UNCH
4400	----	----	485.70B/413.00A	485.70B/413.00A	----	424.20 - 26.70	.9976	----	----	----	----	4 UNCH
4415	----	----	470.30B/398.20A	470.30B/398.20A	----	409.30 - 26.70	.9975	----	----	----	----	6 UNCH
4435	----	----	450.40B/378.30A	450.40B/378.30A	----	389.40 - 26.70	.9969	----	----	----	----	10 UNCH
4450	----	----	435.90B/363.30A	435.90B/363.30A	----	374.40 - 26.80	.9963	----	----	1	----	1 UNCH
4475	----	----	410.50B/338.50A	410.50B/338.50A	----	349.50 - 26.80	.9955	----	----	----	----	3 UNCH
4500	----	----	386.10B/313.60A	386.10B/313.60A	----	324.70 - 26.80	.9945	----	----	----	----	2 UNCH
4550	----	----	343.10B/263.00A	343.10B/263.00A	----	275.10 - 27.00	.9909	----	----	----	----	1 UNCH
4575	----	----	318.20B/238.40A	318.20B/238.40A	----	250.30 - 27.30	.9878	----	----	----	----	4 UNCH
4585	----	----	308.30B/228.60A	308.30B/228.60A	----	240.50 - 27.40	.9865	----	----	----	----	2 UNCH
4600	----	----	293.50B/213.80A	293.50B/213.80A	----	225.70 - 27.60	.9841	----	----	4	----	21 - 1
4605	212.40	212.40	288.50B/208.90A	288.50B/208.90A	----	220.80 - 27.70	.9829	----	----	3	----	8 UNCH
4610	----	----	283.50B/204.10A	283.50B/204.10A	----	215.90 - 27.80	.9817	----	----	----	----	1 UNCH
4625	----	----	268.70B/189.40A	268.70B/189.40A	----	201.20 - 28.00	.9778	----	----	----	----	3 UNCH
4640	199.30	199.30	253.90B/175.20A	253.90B/175.20A	----	186.50 - 28.40	.9726	----	----	10	----	11 + 10
4650	----	----	244.10B/165.40A	244.10B/165.40A	----	176.80 - 28.60	.9693	----	----	----	----	9 UNCH
4655	----	----	239.20B/160.90A	239.20B/160.90A	----	172.00 - 28.70	.9666	----	----	----	----	1 UNCH
4670	----	----	224.50B/146.70A	224.50B/146.70A	----	157.60 - 29.00	.9578	----	----	----	----	4 UNCH
4675	----	----	219.60B/142.00A	219.60B/142.00A	----	152.80 - 29.20	.9546	----	----	2	----	7 UNCH
4680	----	----	214.90B/136.90A	214.90B/136.90A	----	148.10 - 29.30	.9503	----	----	----	----	30 UNCH
4685	----	----	210.00B/132.30A	210.00B/132.30A	----	143.40 - 29.40	.9458	----	----	----	----	39 UNCH
4690	165.00	165.00	205.20B/127.60A	205.20B/127.60A	----	138.70 - 29.60	.9411	----	----	7	----	31 + 6
4695	----	----	200.30B/122.90A	200.30B/122.90A	----	134.00 - 29.70	.9362	----	----	----	----	32 UNCH
4700	----	----	195.50B/118.30A	195.50B/118.30A	----	129.40 - 29.90	.9301	----	----	1	----	68 UNCH
4705	----	----	190.70B/114.10A	190.70B/114.10A	----	124.80 - 30.00	.9237	----	----	----	----	8 UNCH
4710	----	----	185.90B/109.60A	185.90B/109.60A	----	120.20 - 30.20	.9170	----	----	----	----	3 UNCH
4715	----	----	181.20B/105.10A	181.20B/105.10A	----	115.70 - 30.30	.9091	----	----	2	----	2 UNCH
4725	----	----	171.80B/96.20A	171.80B/96.20A	----	106.80 - 30.60	.8913	----	----	----	----	4 UNCH
4730	----	----	167.10B/92.00A	167.10B/92.00A	----	102.40 - 30.70	.8814	----	----	----	----	1 UNCH
4735	----	----	162.40B/87.80A	162.40B/87.80A	----	98.10 - 30.80	.8701	----	----	----	----	4 UNCH
4740	----	----	157.90B/83.10A	157.90B/83.10A	----	93.80 - 31.00	.8584	----	----	2	----	77 - 1
4745	----	----	153.30B/79.10A	153.30B/79.10A	----	89.60 - 31.10	.8453	----	----	----	----	66 UNCH
4750	----	----	148.50B/75.10A	148.50B/75.10A	----	85.50 - 31.20	.8309	----	----	----	----	102 UNCH
4755	----	----	144.00B/71.50A	144.00B/71.50A	----	81.40 - 31.30	.8152	----	----	----	----	14 UNCH
4760	112.40	112.40	139.60B/67.70A	139.60B/67.70A	----	77.50 - 31.30	.7991	----	----	2	----	5 - 1
4765	----	----	135.10B/63.50A	135.10B/63.50A	----	73.60 - 31.30	.7816	----	----	----	----	102 UNCH
4770	----	----	130.90B/59.90A	130.90B/59.90A	----	69.80 - 31.30	.7629	----	----	----	----	17 UNCH
4775	----	----	126.50B/56.30A	126.50B/56.30A	----	66.00 - 31.40	.7430	----	----	----	----	191 UNCH
4780	----	----	121.90B/53.40A	121.90B/53.40A	----	62.40 - 31.40	.7226	----	----	2	----	13 - 2
4785	96.00	96.00	117.80B/49.80A	117.80B/49.80A	----	58.90 - 31.30	.7005	----	----	1	----	18 - 1
4790	52.00	52.00	113.60B/46.60A	113.60B/46.60A	----	55.50 - 31.20	.6774	----	----	4	----	74 - 4
4795	----	----	109.20B/43.60A	109.20B/43.60A	----	52.20 - 31.00	.6534	----	----	----	----	20 UNCH
4800	61.00	61.00	105.40B/40.70A	105.40B/40.70A	----	49.00 - 30.90	.6285	----	----	11	----	71 - 3
4805	47.00	47.00	101.40B/38.00A	101.40B/38.00A	----	45.90 - 30.70	.6030	----	----	1	----	26 + 1
4810	42.80	42.80	97.60B/35.30A	97.60B/35.30A	----	43.00 - 30.40	.5766	----	----	2	----	114 + 1
4815	----	----	93.40B/33.00A	93.40B/33.00A	----	40.20 - 30.10	.5497	----	----	----	----	20 UNCH
4820	53.00	53.00	89.50B/30.70A	89.50B/30.70A	----	37.50 - 29.80	.5226	----	----	42	----	43 + 39
4825	35.20	35.20	86.10B/28.30A	86.10B/28.30A	----	34.90 - 29.50	.4953	----	----	4	----	75 + 2
4830	42.50	42.50	82.20B/26.20A	82.20B/26.20A	----	32.40 - 29.10	.4678	----	----	3	----	13 + 2
4835	27.00	27.00	78.80B/24.20A	78.80B/24.20A	----	30.10 - 28.70	.4406	----	----	23	----	24 + 23
4840	31.60	31.60	75.50B/22.50A	75.50B/22.50A	----	27.90 - 28.20	.4136	----	----	7	----	52 + 5
4845	----	----	72.20B/20.70A	72.20B/20.70A	----	25.80 - 27.70	.3869	----	----	----	----	13 UNCH
4850	32.80	32.80	68.90B/18.90A	68.90B/18.90A	----	23.90 - 27.10	.3611	----	----	39	----	228 + 7
4855	52.60	52.60	65.70B/17.50A	65.70B/17.50A	----	22.00 - 26.60	.3355	----	----	10	----	15 + 10
4860	----	----	62.70B/16.10A	62.70B/16.10A	----	20.30 - 26.00	.3112	----	----	32	----	30 - 17
4865	37.50	37.50	59.50B/14.80A	59.50B/14.80A	----	18.70 - 25.30	.2877	----	----	8	----	30 + 8
4870	25.00	25.00	57.30B/13.40A	57.30B/13.40A	----	17.20 - 24.70	.2651	----	----	3	----	112 UNCH
4875	44.00	44.00	54.40B/12.20A	54.40B/12.20A	----	15.80 - 24.00	.2437	----	----	31	----	162 - 10
4880	25.00	25.00	51.50B/11.30A	51.50B/11.30A	----	14.50 - 23.30	.2233	----	----	3	----	11 + 3
4885	----	----	49.10B/10.40A	49.10B/10.40A	----	13.30 - 22.60	.2042	----	----	31	----	16 - 19
4890	46.40	46.40	46.40/9.50A	46.40/9.50A	----	12.20 - 21.90	.1863	----	----	2	----	48 + 1
4895	22.10	22.10	44.10B/8.70A	44.10B/8.70A	----	11.20 - 21.10	.1698	----	----	38	----	36 + 31
4900	33.40	33.40	41.60B/7.80A	41.60B/7.80A	----	10.30 - 20.30	.1547	----	----	101	----	379 - 7
4905	8.70	8.70	39.40B/7.50A	39.40B/7.50A	----	9.40 - 19.60	.1399	----	----	6	----	14 + 1
4910	31.50	31.50	37.20B/6.80A	37.20B/6.80A	----	8.60 - 18.90	.1266	----	----	14	----	20 + 10
4915	10.20	10.20	35.20B/6.40A	35.20B/6.40A	----	7.90 - 18.20	.1147	----	----	11	----	19 UNCH
4920	----	----	33.20B/5.90A	33.20B/5.90A	----	7.20 - 17.50	.1032	----	----	1	----	69 UNCH
4925	26.90	26.90	31.30B/5.30A	31.30B/5.30A	----	6.60 - 16.80	.0931	----	----	22	----	27 + 4
4930	----	----	29.60B/5.00A	29.60B/5.00A	----	6.10 - 16.00	.0845	----	----	2	----	50 - 1
4935	4.80	4.80	27.80B/*4.20A	27.80B/*4.20A	----	5.60 - 15.30	.0762	----	----	2	----	10 + 2
4940	----	----	26.10B/*4.20A	26.10B/*4.20A	----	5.10 - 14.70	.0682	----	----	----	----	131 UNCH
4945	----	----	24.50B/*3.80A	24.50B/*3.80A	----	4.70 - 14.00	.0615	----	----	----	----	12 UNCH
4950	8.10	8.10	23.10B/*3.30	23.10B/*3.30	----	4.40 - 13.30	.0563	----	----	25	----	210 UNCH
4955	----	----	21.50B/*3.20A	21.50B/*3.20A	----	4.00 - 12.70	.0501	----	----	----	----	52 UNCH
4960	5.50	5.50	20.20B/*3.00	20.20B/*3.00	----	3.70 - 12.10	.0453	----	----	3	----	47 + 1
4965	----	----	19.00B/*2.90A	19.00B/*2.90A	----	3.40 - 11.60	.0407	----	----	----	----	63 UNCH
4970	----	----	17.70B/*2.50A	17.70B/*2.50A	----	3.20 - 11.00	.0373	----	----	----	----	9 UNCH
4975	5.50	5.50	16.60B/*2.40A	16.60B/*2.40A	----	2.90 - 10.50	.0331	----	----	10	----	73 UNCH
4980	----	----	15.60B/*2.40A	15.60B/*2.40A	----	2.70 - 10.00	.0300	----	----	----	----	14 UNCH
4985	----	----	14.60B/*2.20A	14.60B/*2.20A	----	2.50 - 9.50	.0271	----	----	----	----	8 UNCH
4990	----	----	13.60B/*2.20A	13.60B/*2.20A	----	2.40 - 8.90	.0253	----	----	----	----	12 UNCH
4995	----	----	12.70B/*2.10A	12.70B/*2.10A	----	2.20 - 8.50	.0226	----	----	----	----	1017 UNCH
5000	11.10	11.10	11.60B/*1.90A	11.60B/*1.90A	----	2.10 - 8.00	.0210	----	----	40	----	525 + 7
5005	2.90	2.90	11.10B/*1.90A	11.10B/*1.90A	----	1.90 - 7.70	.0185	----	----	1	----	1024 UNCH
5010	2.20	2.20	10.00B/*1.80	10.00B/*1.80	----	1.80 - 7.30	.0171	----	----	3	----	16 - 1
5015	----	----	9.70B/*1.60A	9.70B/*1.60A	----	1.70 - 6.90	.0157	----	----	----	----	28 UNCH
5020	----	----	8.70B/*1.50A	8.70B/*1.50A	----	1.60 - 6.50	.0144	----	----	----	----	115 UNCH
5025	1.80	1.80	8.30B/*1.50A	8.30B/*1.50A	----	1.50 - 6.20	.0132	----	----	1	----	16 + 1
5030	----	----	7.90B/*1.40A	7.90B/*1.40A	----	1.40 - 5.90	.0119	----	----	----	----	21 UNCH
5035	----	----	7.30B/*1.40A	7.30B/*1.40A	----	1.40 - 5.50	.0117	----	----	5	----	12 + 4
5040	----	----	6.90B/*1.30A	6.90B/*1.30A	----	1.30 - 5.30	.0105	----	----	1	----	6 UNCH
5045	----	----	6.50B/*1.20A	6.50B/*1.20A	----	1.20 - 5.00	.0095	----	----	----	----	4 UNCH
5050	3.80	3.80	3.80/*1.10A	5.90B/*1.10A	----	1.20 - 4.70	.0092	----	----	4	----	32 - 1
5055	----	----	----/*1.10A	5.50B/*1.10A	----	1.10 - 4.50	.0082	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5060 ----	----	----/*1.10A	5.10B/*1.10A	----	1.00 - 4.40	.0073	----	----	----	----	2 UNCH
5065 ----	----	----/*1.00A	4.70B/*1.00A	----	1.00 - 4.10	.0071	----	----	----	----	17 UNCH
5070 1.40	1.40	1.40/*1.00A	4.40B/*1.00A	----	1.00 - 3.90	.0070	----	----	1	----	18 - 1
5075 ----	----	----/*0.90A	4.10B/*0.90A	----	0.90 - 3.70	.0061	----	----	----	----	14 UNCH
5080 ----	----	----/*0.90A	3.80B/*0.90A	----	0.90 - 3.50	.0060	----	----	----	----	26 UNCH
5085 ----	----	----/*0.90A	3.70B/*0.90A	----	0.80 - 3.40	.0051	----	----	----	----	5 UNCH
5090 ----	----	----/*0.80A	3.40B/*0.80A	----	0.80 - 3.20	.0050	----	----	----	----	12 UNCH
5095 ----	----	----/*0.80A	3.30B/*0.80A	----	0.80 - 3.00	.0049	----	----	----	----	4 UNCH
5100 2.00	2.00	2.00/*0.80A	3.10B/*0.80A	----	0.70 - 3.00	.0042	----	----	1	----	461 UNCH
5105 ----	----	----/*0.70A	2.70B/*0.70A	----	0.70 - 2.80	.0041	----	----	----	----	6 UNCH
5110 ----	----	----/*0.70A	2.60B/*0.70A	----	0.70 - 2.60	.0040	----	----	----	----	2 UNCH
5115 ----	----	----/*0.70A	2.50B/*0.70A	----	0.70 - 2.50	.0039	----	----	----	----	4 UNCH
5120 ----	----	----/*0.70A	2.40B/*0.70A	----	0.60 - 2.50	.0032	----	----	----	----	2 UNCH
5130 ----	----	----/*0.60A	2.20B/*0.60A	----	0.60 - 2.20	.0031	----	----	----	----	13 UNCH
5135 ----	----	----/*0.60A	2.10B/*0.60A	----	0.60 - 2.10	.0031	----	----	----	----	2 UNCH
5150 0.90	0.90	0.90/*0.60A	1.70B/*0.60A	----	0.50 - 1.90	.0024	----	----	6	----	22 UNCH
5155 ----	----	----/*0.60A	1.70B/*0.60A	----	0.50 - 1.80	.0023	----	----	----	----	3 UNCH
5160 ----	----	----/*0.50A	1.60B/*0.50A	----	0.50 - 1.70	.0023	----	----	----	----	5 UNCH
5170 ----	----	----/*0.50A	1.50B/*0.50A	----	0.50 - 1.60	.0022	----	----	----	----	10 UNCH
5175 ----	----	----/*0.50A	1.60B/*0.50A	----	0.40 - 1.60	.0017	----	----	2	----	3 UNCH
5180 ----	----	----/*0.50A	1.40B/*0.50A	----	0.40 - 1.50	.0016	----	----	----	----	3 UNCH
5190 ----	----	----/*0.40A	1.20B/*0.40A	----	0.40 - 1.40	.0016	----	----	----	----	3 UNCH
5195 ----	----	----/*0.40A	1.20B/*0.40A	----	0.40 - 1.40	.0016	----	----	----	----	29 UNCH
5200 1.10	1.10	1.10/*0.40A	1.20B/*0.40A	----	0.40 - 1.30	.0015	----	----	4	----	210 + 2
5215 ----	----	----/*0.40A	1.00B/*0.40A	----	0.40 - 1.20	.0015	----	----	----	----	1 UNCH
5220 ----	----	----/*0.40A	1.00B/*0.40A	----	0.40 - 1.10	.0015	----	----	----	----	6 UNCH
5230 ----	----	----/*0.40A	0.90B/*0.40A	----	0.30 - 1.10	.0010	----	----	----	----	3 UNCH
5245 ----	----	----/*0.50A	0.80B/*0.50A	----	0.30 - 1.00	.0010	----	----	----	----	10 UNCH
5250 ----	----	----/*0.30A	0.80B/*0.30A	----	0.30 - 1.00	.0009	----	----	----	----	207 UNCH
5255 ----	----	----/*0.50A	0.70B/*0.50A	----	0.30 - 1.00	.0009	----	----	----	----	5 UNCH
5265 ----	----	----/0.50A	0.60B/0.50A	----	0.20 - 1.00	.0005	----	----	1	----	5 UNCH
5270 ----	----	----/0.50A	0.60B/0.50A	----	0.20 - 1.00	.0005	----	----	----	----	8 UNCH
5275 ----	----	----/*0.50A	0.60B/*0.50A	----	0.20 - 0.90	.0005	----	----	----	----	5 UNCH
5280 ----	----	----/*0.50A	0.60B/*0.50A	----	0.20 - 0.90	.0005	----	----	----	----	2 UNCH
5290 ----	----	----/*0.50A	0.50B/*0.50A	----	0.20 - 0.90	.0005	----	----	----	----	38 UNCH
5295 ----	----	----/*0.50A	0.50B/*0.50A	----	0.20 - 0.80	.0005	----	----	----	----	2 UNCH
5300 ----	----	----/*0.50A	0.50B/0.50A	----	0.20 - 0.80	.0005	----	----	----	----	86 UNCH
5325 ----	----	----/*0.40A	0.10B/*0.40A	----	0.10 - 0.70	.0002	----	----	----	----	6 UNCH
5350 ----	----	----/0.40A	----/0.40A	----	0.10 - 0.50	.0001	----	----	----	----	28 UNCH
5375 ----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	.0000	----	----	----	----	2 UNCH
5400 ----	----	----	----/0.40A	----	0.10 - 0.30	.0000	----	----	----	----	7 UNCH
5425 ----	----	----	----/0.40A	----	0.10 - 0.20	.0000	----	----	----	----	3 UNCH
5450 ----	----	----	----/0.40A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
5500 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
5550 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5700 0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	2	----	6 UNCH
5750 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL									600		7630 + 111

OG2 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200 ----	----	----	5.40B/*9.60A	----	6.80 - 1.00	.0382	----	----	----	----	3 UNCH
4400 ----	----	----/*18.30A	16.40B/*18.30A	----	17.60 - 1.50	.0961	----	----	----	----	4 UNCH
4500 ----	----	----/*29.40A	27.80B/*29.40A	----	28.50 - 1.30	.1499	----	----	----	----	4 UNCH
4550 37.50	37.50	#37.50/*36.30A	37.50/*36.30A	----	36.20 NEW	.1854	----	----	1	----	1 + 1
4575 40.50	40.50	#40.50/*40.20A	41.20B/*40.20A	----	40.80 NEW	.2057	----	----	1	----	1 + 1
4775 ----	----	#105.20B/*91.30	105.20B/*91.30A	----	101.30 + 2.30	.4239	----	----	----	----	2 UNCH
4975 ----	----	220.90B/*189.60	220.90B/*189.60A	----	217.00 + 10.70	.6738	----	----	----	----	2 UNCH
TOTAL									2		17 + 2

OG2 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4775 ----	----	#190.00B/*151.0	#190.00B/151.00A	----	149.80 - 24.20	.5755	----	----	----	----	4 UNCH
4800 175.00	175.00	#175.00/*137.40	#175.00/137.40A	----	136.50 - 23.10	.5430	----	----	10	----	11 + 10
4900 ----	----	#119.90B/*91.20	#119.90B/91.20A	----	92.40 - 18.00	.4153	----	----	----	----	10 UNCH
4950 ----	----	#97.60B/*73.40A	#97.60B/73.40A	----	74.10 - 16.40	.3547	----	----	----	----	14 UNCH
5000 ----	----	#78.60B/*58.60A	#78.60B/58.60A	----	58.40 - 15.20	.2975	----	----	----	----	2 UNCH
5100 ----	----	#49.40B/*36.90A	#49.40B/36.90A	----	35.60 - 12.10	.2010	----	----	----	----	4 UNCH
5150 ----	----	#38.50B/*29.30A	#38.50B/29.30A	----	28.00 - 10.20	.1637	----	----	----	----	4 UNCH
5200 ----	----	----/*23.40A	#29.80B/23.40A	----	22.10 - 8.30	.1329	----	----	----	----	4 UNCH
5300 ----	----	----/*15.50A	#17.70B/15.50A	----	13.80 - 5.60	.0867	----	----	----	----	2 UNCH
TOTAL									10		55 + 10

OG1 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3900 ----	----	----	0.40B/2.70A	----	1.00 - 0.20	.0057	----	----	----	----	2 UNCH
4000 2.40	2.40	#2.40/*2.00A	2.40/*2.00A	----	1.60 NEW	.0094	----	----	2	----	2 + 2
4125 4.00	4.00	4.00/*4.00	4.00/*4.00	----	3.00 - 0.40	.0180	----	----	2	----	2 UNCH
4150 ----	----	----	1.90B/*4.60A	----	3.30 - 0.40	.0200	----	----	----	----	1 UNCH
4175 ----	----	----	2.30B/*4.90A	----	3.60 - 0.50	.0222	----	----	----	----	1 UNCH
4200 ----	----	----	2.60B/*5.30A	----	4.00 - 0.40	.0248	----	----	----	----	1 UNCH
4250 ----	----	----	3.60B/*6.20A	----	4.90 - 0.50	.0311	----	----	----	----	5 UNCH
4300 ----	----	----	4.90B/*7.40A	----	6.10 - 0.50	.0393	----	----	----	----	14 UNCH
4325 ----	----	----	5.70B/*8.10A	----	6.80 - 0.60	.0442	----	----	----	----	2 UNCH
4350 ----	----	----	6.80B/*8.90A	----	7.70 - 0.50	.0502	----	----	----	----	21 UNCH
4400 ----	----	----/*10.00A	9.40B/*10.00A	----	9.80 - 0.60	.0645	----	----	----	----	2 UNCH
4450 12.30	12.30	13.20B/*12.30	13.20B/*12.30	----	12.90 - 0.50	.0845	----	----	2	----	150 UNCH
4485 ----	----	16.70B/*15.10A	16.70B/*15.10A	----	15.70 - 0.40	.1021	----	----	----	----	1 UNCH
4500 ----	----	18.40B/*16.80A	18.40B/*16.80A	----	17.10 - 0.40	.1107	----	----	----	----	12 UNCH
4535 ----	----	22.40B/*20.30A	22.40B/*20.30A	----	21.00 - 0.20	.1340	----	----	----	----	1 UNCH
4600 ----	----	33.20B/*29.00A	33.20B/*29.00A	----	30.80 + 0.40	.1887	----	----	----	----	10 UNCH
4610 ----	----	35.20B/*30.60A	35.20B/*30.60A	----	32.60 + 0.40	.1984	----	----	----	----	10 UNCH
4700 ----	----	58.50B/50.30A	58.50B/50.30A	----	54.60 + 1.80	.3046	----	----	----	----	12 UNCH
4740 ----	----	72.40B/*60.80A	72.40B/*60.80A	----	67.80 + 2.70	.3607	----	----	----	----	1 UNCH
4750 ----	----	76.30B/*63.70A	76.30B/*63.70A	----	71.50 + 2.90	.3755	----	----	----	----	1 UNCH
4835 ----	----	115.40B/*94.60A	115.40B/*94.60A	----	109.20 + 5.40	.5075	----	----	----	----	1 UNCH
4900 ----	----	153.20B/*124.70	153.20B/*124.70A	----	145.90 + 7.70	.6093	----	----	----	----	2 UNCH
4950 ----	----	186.70B/*154.20	186.70B/*154.20A	----	178.70 + 9.90	.6827	----	----	1	----	1 UNCH
5000 ----	----	220.10B/*186.40	220.10B/*186.40A	----	215.00 + 12.00	.7483	----	----	1	----	1 UNCH
TOTAL									8		256 + 2

OG1 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625 ----	----	284.10B/233.50A	284.10B/233.50A	----	234.00 - 25.80	.7855	----	----	----	----	1 UNCH
4665 ----	----	251.10B/202.90A	251.10B/202.90A	----	203.20 - 25.30	.7397	----	----	----	----	1 UNCH
4700 ----	----	223.90B/173.60A	223.90B/173.60A	----	178.00 - 24.60	.6949	----	----	----	----	1 UNCH
4760 ----	----	180.30B/134.80A	180.30B/134.80A	----	138.80 - 23.30	.6091	----	----	----	----	1 UNCH
4770 ----	----	173.30B/128.90A	173.30B/128.90A	----	132.80 - 23.10	.5940	----	----	----	----	1 UNCH
4775 ----	----	169.90B/126.00A	169.90B/126.00A	----	129.90 - 22.90	.5863	----	----	----	----	4 UNCH
4800 ----	----	153.90B/112.10A	153.90B/112.10A	----	115.80 - 22.20	.5474	----	----	----	----	1 UNCH
4825 ----	----	138.40B/99.20A	138.40B/99.20A	----	102.70 - 21.40	.5079	----	----	----	----	2 UNCH
4840 ----	----	129.60B/91.80A	129.60B/91.80A	----	95.40 - 20.90	.4841	----	----	----	----	10 UNCH
4850 92.00	92.00	124.10B/87.30A	124.10B/87.30A	----	90.70 NEW	.4683	----	----	1	----	1 + 1
4860 ----	----	118.30B/82.90A	118.30B/82.90A	----	86.10 - 20.30	.4524	----	----	----	----	1 UNCH
4875 ----	----	110.60B/76.50A	110.60B/76.50A	----	79.60 - 19.70	.4288	----	----	----	----	1 UNCH
4900 ----	----	98.30B/66.80A	98.30B/66.80A	----	69.60 - 18.70	.3902	----	----	----	----	13 UNCH
4925 ----	----	86.60B/57.90A	86.60B/57.90A	----	60.60 - 17.70	.3529	----	----	----	----	20 UNCH
4950 ----	----	76.20B/50.20A	76.20B/50.20A	----	52.40 - 16.70	.3168	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 CALL — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5000	----	----	58.10B/37.20A	58.10B/37.20A	----	38.90 - 14.40	.2512	----	----	1	----	3 UNCH
5050	----	----	43.50B/27.40A	43.50B/27.40A	----	28.40 - 12.20	.1945	----	----	1	----	9 UNCH
5100	----	----	32.10B/19.60A	32.10B/19.60A	----	20.60 - 10.10	.1481	----	----	----	----	312 UNCH
5125	----	----	27.30B/17.10A	27.30B/17.10A	----	17.60 - 9.00	.1289	----	----	----	----	1 UNCH
5150	----	----	23.30B/15.00A	23.30B/15.00A	----	15.00 - 8.10	.1118	----	----	----	----	8 UNCH
5200	----	----	----/10.90A	16.70B/10.90A	----	11.10 - 6.40	.0846	----	----	----	----	7 UNCH
TOTAL										3		419+ 1

OG PUT — COMEX GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2485	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2495	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2505	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2520	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	114 UNCH
2615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2660	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
2705	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2715	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2755	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2770	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2785	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2790	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	88 UNCH
2815	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2820	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2870	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2895	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	348 UNCH
2905	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2910	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2930	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2940	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	302 UNCH
2980	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2995	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
3000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	140 UNCH
3005	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3010	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3020	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3040	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	52 UNCH
3045	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	19 UNCH
3055	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3065	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3070	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3075	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	66 UNCH
3080	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3090	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3095	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
3100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	308 UNCH
3105	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3115	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3120	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	41 UNCH
3125	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3130	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3135	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3140	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
3150	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
3155	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	74 UNCH
3160	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
3170	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3175	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3185	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
3200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	268 UNCH
3205	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3210	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3220	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	8 UNCH
3225	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	12 UNCH
3235	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
3245	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
3250	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	89 UNCH
3255	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	8 UNCH
3260	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	21 UNCH
3265	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	16 UNCH
3270	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
3275	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	22 UNCH
3280	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
3290	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	40 UNCH
3295	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
3300	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	592 UNCH
3305	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	60 UNCH
3310	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
3315	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
3320	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
3325	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	10 UNCH
3330	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	2 UNCH
3335	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	20 UNCH
3340	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
3345	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
3350	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	53 UNCH
3360	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0004	----	----	----	----	4 UNCH
3370	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	75 UNCH
3375	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	54 UNCH
3380	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	5 UNCH
3385	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	12 UNCH
3390	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	5 UNCH
3395	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	186 UNCH
3405	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	5 UNCH
3415	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	118 UNCH
3420	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	1 UNCH
3425	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	11 UNCH
3430	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	21 UNCH
3435	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	101 UNCH
3440	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	1 UNCH
3445	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	33 UNCH
3450	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	49 UNCH
3455	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	44 UNCH
3460	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	142 UNCH
3465	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	17 UNCH
3470	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	76 UNCH
3475	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	94 UNCH
3480	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	84 UNCH
3485	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	60 UNCH
3490	----	----	----	0.30B/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	52 UNCH
3495	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0008	----	----	----	----	54 UNCH
3500	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0008	----	----	----	----	1429 UNCH
3505	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0008	----	----	----	----	14 UNCH
3510	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0008	----	----	----	----	35 UNCH
3515	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0008	----	----	----	----	82 UNCH
3520	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	8 UNCH
3525	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	119 UNCH
3530	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	102 UNCH
3535	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	158 UNCH
3540	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	10 UNCH
3545	0.50	0.50	0.50/0.50	0.50/0.40A	----	0.30 - 0.10	.0013	----	----	1	----	67 UNCH
3550	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	339 UNCH
3555	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	45 UNCH
3560	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	9 UNCH
3565	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	7 UNCH
3570	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	11 UNCH
3575	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	96 UNCH
3580	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0013	----	----	----	----	9 UNCH
3585	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0013	----	----	----	----	9 UNCH
3590	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0013	----	----	----	----	33 UNCH
3595	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0013	----	----	----	----	39 UNCH
3600	0.60	0.60	0.60/0.60	0.60/0.50A	----	0.30 - 0.20	.0013	----	----	1	----	982 UNCH
3605	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0013	----	----	----	----	56 UNCH
3610	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	23 UNCH
3615	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	120 UNCH
3620	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	128 UNCH
3625	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	45 UNCH
3630	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	13 UNCH
3635	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	26 UNCH
3640	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	42 UNCH
3645	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0018	----	----	----	----	15 UNCH
3650	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0018	----	----	----	----	414 UNCH
3655	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0018	----	----	----	----	23 UNCH
3660	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0018	----	----	----	----	47 UNCH
3665	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	35 UNCH
3670	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	35 UNCH
3675	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	66 UNCH
3680	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.40 - 0.20	.0019	----	----	1	----	118 - 1
3685	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	26 UNCH
3690	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.40 - 0.20	.0019	----	----	1	----	23 UNCH
3695	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0019	----	----	----	----	73 UNCH
3700	0.50	0.50	0.50/*0.40	0.50/*0.40	----	0.40 - 0.20	.0019	----	----	4	----	1381 - 2
3705	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.20	.0024	----	----	----	----	40 UNCH
3710	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	25 UNCH
3715	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	28 UNCH
3720	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	35 UNCH
3725	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	37 UNCH
3730	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	55 UNCH
3735	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	38 UNCH
3740	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	13 UNCH
3745	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0025	----	----	----	----	39 UNCH
3750	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0025	----	----	----	----	392 UNCH
3755	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0025	----	----	----	----	10 UNCH
3760	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0025	----	----	----	----	49 UNCH
3765	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0025	----	----	96	----	97 - 7
3770	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0025	----	----	----	----	25 UNCH
3775	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0030	----	----	----	----	279 UNCH
3780	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0030	----	----	----	----	33 UNCH
3785	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0030	----	----	----	----	27 UNCH
3790	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0030	----	----	----	----	28 UNCH
3795	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0030	----	----	----	----	25 UNCH
3800	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 - 0.30	.0030	----	----	2	----	1485 + 2
3805	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0031	----	----	----	----	74 UNCH
3810	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0031	----	----	----	----	20 UNCH
3815	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0031	----	----	----	----	53 UNCH
3820	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0031	----	----	----	----	788 UNCH
3825	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0031	----	----	----	----	113 UNCH
3830	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0031	----	----	----	----	18 UNCH
3835	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0036	----	----	----	----	31 UNCH
3840	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.30	.0036	----	----	----	----	51 UNCH
3845	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.30	.0037	----	----	----	----	36 UNCH
3850	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.30	.0037	----	----	----	----	2990 UNCH
3855	----	----	----/*0.80A	0.50B/*0.80A	----	0.70 - 0.30	.0037	----	----	----	----	41 UNCH
3860	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0037	----	----	----	----	53 UNCH
3865	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0037	----	----	----	----	21 UNCH
3870	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0038	----	----	----	----	48 UNCH
3875	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0038	----	----	----	----	45 UNCH
3880	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.30	.0043	----	----	----	----	39 UNCH
3885	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.30	.0043	----	----	----	----	82 UNCH
3890	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.30	.0043	----	----	----	----	12 UNCH
3895	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.30	.0043	----	----	----	----	75 UNCH
3900	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.80 - 0.30	.0044	----	----	2	----	1794 - 1
3905	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.30	.0044	----	----	----	----	27 UNCH
3910	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.30	.0044	----	----	----	----	135 UNCH
3915	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.30	.0044	----	----	----	----	38 UNCH
3920	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.30	.0049	----	----	----	----	210 UNCH
3925	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0050	----	----	----	----	84 UNCH
3930	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0050	----	----	----	----	61 UNCH
3935	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.30	.0050	----	----	----	----	16 UNCH
3940	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.90 - 0.30	.0050	----	----	1	----	37 UNCH
3945	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0051	----	----	----	----	24 UNCH
3950	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0051	----	----	----	----	140 UNCH
3955	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.40	.0051	----	----	----	----	59 UNCH
3960	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 - 0.30	.0057	----	----	----	----	14 UNCH
3965	----	----	----/*0.90A	1.00B/*0.90A	----	1.00 - 0.30	.0057	----	----	----	----	85 UNCH
3970	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.00 - 0.30	.0057	----	----	9	----	41 + 9
3975	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 - 0.30	.0057	----	----	----	----	42 UNCH
3980	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0058	----	----	----	----	141 UNCH
3985	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0058	----	----	----	----	51 UNCH
3990	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.10 - 0.20	.0063	----	----	6	----	17 - 3
3995	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 - 0.30	.0064	----	----	----	----	26 UNCH
4000	1.00	1.00	1.20/*0.90	1.20/*0.90	----	1.10 - 0.30	.0064	----	----	45	----	3627 + 22
4005	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 - 0.30	.0065	----	----	----	----	236 UNCH
4010	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0065	----	----	----	----	61 UNCH
4015	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0065	----	----	----	----	53 UNCH
4020	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0066	----	----	----	----	92 UNCH
4025	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.30	.0071	----	----	----	----	104 UNCH
4030	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.30	.0072	----	----	----	----	36 UNCH
4035	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.30	.0072	----	----	----	----	31 UNCH
4040	1.30	1.30	1.30/*1.10A	1.30/*1.10A	----	1.20 - 0.30	.0073	----	----	6	----	61 UNCH
4045	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.30	.0073	----	----	----	----	211 UNCH
4050	1.00	1.00	1.10/*1.00	1.10/*1.00	----	1.20 - 0.30	.0073	----	----	2	----	1315 - 1
4055	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 - 0.30	.0079	----	----	----	----	146 UNCH
4060	----	----	----/*1.20A	1.10B/*1.20A	----	1.30 - 0.30	.0080	----	----	----	----	26 UNCH
4065	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0080	----	----	----	----	28 UNCH
4070	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0081	----	----	----	----	106 UNCH
4075	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0081	----	----	----	----	125 UNCH
4080	----	----	----/*1.30A	1.20B/*1.30A	----	1.40 - 0.20	.0087	----	----	----	----	92 UNCH
4085	----	----	----/*1.30A	1.20B/*1.30A	----	1.40 - 0.30	.0087	----	----	40	----	752 - 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4090	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.30	.0088	----	----	----	----	218 UNCH
4095	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.30	.0088	----	----	96	----	155 - 1
4100	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.30	.0089	----	----	10	----	1479 UNCH
4105	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.40	.0090	----	----	----	----	207 UNCH
4110	----	----	----/*1.40A	1.30B/*1.40A	----	1.50 - 0.30	.0096	----	----	----	----	67 UNCH
4115	----	----	----/*1.50A	1.40B/*1.50A	----	1.50 - 0.30	.0096	----	----	----	----	44 UNCH
4120	----	----	----/*1.50A	1.40B/*1.50A	----	1.50 - 0.30	.0097	----	----	----	----	131 UNCH
4125	1.50	1.50	1.70/*1.50	1.70/*1.50	----	1.50 - 0.30	.0097	----	----	23	----	209 + 2
4130	----	----	----/*1.50A	1.50B/*1.50A	----	1.60 - 0.30	.0104	----	----	1	----	843 - 1
4135	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.30	.0104	----	----	----	----	79 UNCH
4140	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.30	.0105	----	----	----	----	26 UNCH
4145	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.40	.0106	----	----	32	----	132 + 24
4150	----	----	----/*1.70A	1.60B/*1.70A	----	1.60 - 0.40	.0106	----	----	1	----	512 + 1
4155	----	----	----/*1.70A	1.60B/*1.70A	----	1.70 - 0.30	.0113	----	----	----	----	44 UNCH
4160	----	----	----/*1.70A	1.60B/*1.70A	----	1.70 - 0.30	.0113	----	----	----	----	31 UNCH
4165	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.40	.0114	----	----	----	----	66 UNCH
4170	1.70	1.70	1.70/*1.70	1.70/*1.70	----	1.80 - 0.30	.0121	----	----	2	----	74 - 1
4175	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.30	.0121	----	----	----	----	196 UNCH
4180	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.40	.0122	----	----	----	----	289 UNCH
4185	----	----	----/*1.80A	1.80B/*1.80A	----	1.80 - 0.40	.0123	----	----	----	----	357 UNCH
4190	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.30	.0130	----	----	----	----	86 UNCH
4195	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.40	.0131	----	----	----	----	112 UNCH
4200	2.00	2.00	2.10/*1.90	2.10/*1.90	----	1.90 - 0.40	.0131	----	----	46	----	2146 - 3
4205	----	----	----/*2.00A	2.00B/*2.00A	----	2.00 - 0.40	.0138	----	----	----	----	200 UNCH
4210	----	----	----/*2.00A	2.00B/*2.00A	----	2.00 - 0.40	.0139	----	----	----	----	87 UNCH
4215	----	----	----/*2.00A	2.00B/*2.00A	----	2.00 - 0.50	.0140	----	----	----	----	178 UNCH
4220	----	----	----/*2.10A	2.10B/*2.10A	----	2.10 - 0.40	.0147	----	----	----	----	20 UNCH
4225	----	----	----/*2.10A	2.10B/*2.10A	----	2.10 - 0.40	.0148	----	----	64	----	222 UNCH
4230	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.40	.0155	----	----	----	----	148 UNCH
4235	----	----	----/*2.20A	2.20B/*2.20A	----	2.20 - 0.40	.0156	----	----	1	----	59 UNCH
4240	----	----	----/*2.20A	2.30B/*2.20A	----	2.20 - 0.50	.0157	----	----	----	----	160 UNCH
4245	----	----	----/*2.30A	2.30B/*2.30A	----	2.30 - 0.40	.0164	----	----	2	----	51 - 2
4250	2.00	2.00	2.40B/*2.00	2.40B/*2.00	----	2.30 - 0.50	.0165	----	----	25	----	954 - 20
4255	----	----	----/*2.40A	2.40B/*2.40A	----	2.40 - 0.50	.0172	----	----	----	----	41 UNCH
4260	2.50	2.50	2.50/*2.40A	2.50/*2.40A	----	2.40 - 0.50	.0174	----	----	1	----	105 - 1
4265	----	----	----/*2.50A	2.50B/*2.50A	----	2.50 - 0.50	.0181	----	----	----	----	73 UNCH
4270	----	----	----/*2.50A	2.60B/*2.50A	----	2.50 - 0.50	.0182	----	----	----	----	116 UNCH
4275	----	----	----/*2.60A	2.70B/*2.60A	----	2.60 - 0.50	.0190	----	----	----	----	158 UNCH
4280	----	----	----/*2.60A	2.70B/*2.60A	----	2.60 - 0.60	.0191	----	----	----	----	120 UNCH
4285	----	----	----/*2.60A	2.80B/*2.60A	----	2.70 - 0.50	.0198	----	----	----	----	456 UNCH
4290	----	----	----/*2.70A	2.90B/*2.70A	----	2.70 - 0.60	.0200	----	----	----	----	107 UNCH
4295	----	----	----/*2.70A	2.90B/*2.70A	----	2.80 - 0.60	.0208	----	----	----	----	36 UNCH
4300	3.00	3.00	3.00/*2.60	3.00/*2.60	----	2.90 - 0.60	.0215	----	----	28	----	2046 - 7
4305	----	----	----/*2.80A	3.10B/*2.80A	----	2.90 - 0.70	.0217	----	----	----	----	47 UNCH
4310	----	----	----/*2.90A	3.20B/*2.90A	----	3.00 - 0.60	.0225	----	----	----	----	56 UNCH
4315	----	----	----/*3.00A	3.30B/*3.00A	----	3.10 - 0.60	.0232	----	----	----	----	21 UNCH
4320	----	----	----/*3.00A	3.30B/*3.00A	----	3.10 - 0.70	.0234	----	----	----	----	68 UNCH
4325	3.10	3.10	3.40B/*3.10	3.40B/*3.10	----	3.20 - 0.70	.0242	----	----	11	----	178 + 10
4330	----	----	----/*3.20A	3.50B/*3.20A	----	3.30 - 0.70	.0250	----	----	----	----	276 UNCH
4335	----	----	----/*3.20A	3.60B/*3.20A	----	3.40 - 0.70	.0258	----	----	----	----	40 UNCH
4340	----	----	----/*3.30A	3.70B/*3.30A	----	3.40 - 0.80	.0260	----	----	----	----	147 UNCH
4345	----	----	----/*3.40A	3.80B/*3.40A	----	3.50 - 0.80	.0269	----	----	----	----	337 UNCH
4350	3.70	3.70	3.70/*3.50A	3.90B/*3.50A	----	3.60 - 0.80	.0277	----	----	2	----	1044 UNCH
4355	----	----	----/*3.50A	4.10B/*3.50A	----	3.70 - 0.80	.0285	----	----	1	----	79 UNCH
4360	----	----	----/*3.60A	4.20B/*3.60A	----	3.80 - 0.80	.0294	----	----	----	----	371 UNCH
4365	----	----	----/*3.70A	4.30B/*3.70A	----	3.90 - 0.90	.0302	----	----	----	----	39 UNCH
4370	----	----	----/*3.80A	4.40B/*3.80A	----	4.00 - 0.90	.0311	----	----	25	----	205 - 1
4375	----	----	----/*3.90A	4.60B/*3.90A	----	4.10 - 0.90	.0320	----	----	----	----	117 UNCH
4380	----	----	----/*4.00A	4.70B/*4.00A	----	4.20 - 0.90	.0329	----	----	----	----	86 UNCH
4385	----	----	----/*4.10A	4.80B/*4.10A	----	4.40 - 0.90	.0343	----	----	1	----	394 UNCH
4390	4.70	4.70	5.00B/*4.20A	5.00B/*4.20A	----	4.50 - 0.90	.0352	----	----	2	----	99 + 2
4395	----	----	----/*4.30A	5.10B/*4.30A	----	4.60 - 1.00	.0362	----	----	----	----	62 UNCH
4400	5.10	5.10	5.40B/*4.30	5.40B/*4.30	----	4.70 - 1.00	.0371	----	----	168	----	3339 - 51
4405	----	----	----/*4.50A	5.50B/*4.50A	----	4.90 - 1.00	.0386	----	----	----	----	26 UNCH
4410	----	----	----/*4.60A	5.70B/*4.60A	----	5.00 - 1.00	.0396	----	----	----	----	117 UNCH
4415	----	----	----/*4.80A	5.90B/*4.80A	----	5.20 - 1.00	.0411	----	----	----	----	121 UNCH
4420	----	----	----/*4.90A	6.10B/*4.90A	----	5.30 - 1.10	.0421	----	----	----	----	136 UNCH
4425	5.40	5.40	5.40/*5.00A	6.30B/*5.00A	----	5.50 - 1.10	.0437	----	----	3	----	579 - 2
4430	----	----	----/*5.20A	6.50B/*5.20A	----	5.70 - 1.00	.0453	----	----	----	----	88 UNCH
4435	5.40	5.40	5.40/*5.30A	6.70B/*5.30A	----	5.80 - 1.10	.0463	----	----	41	----	324 + 35
4440	----	----	----/*5.40A	6.90B/*5.40A	----	6.00 - 1.10	.0479	----	----	----	----	290 UNCH
4445	----	----	----/*5.60A	7.10B/*5.60A	----	6.20 - 1.10	.0496	----	----	----	----	125 UNCH
4450	6.70	6.70	7.40B/*5.80A	7.40B/*5.80A	----	6.40 - 1.20	.0512	----	----	47	----	677 + 1
4455	6.70	6.70	7.60B/*5.90A	7.60B/*5.90A	----	6.60 - 1.20	.0529	----	----	3	----	236 - 1
4460	----	----	----/*6.10A	7.90B/*6.10A	----	6.80 - 1.20	.0546	----	----	----	----	58 UNCH
4465	----	----	----/*6.30A	8.10B/*6.30A	----	7.10 - 1.20	.0569	----	----	----	----	47 UNCH
4470	6.60	6.60	8.40B/*6.50A	8.40B/*6.50A	----	7.30 - 1.20	.0586	----	----	2	----	108 UNCH
4475	----	----	----/*6.70A	8.70B/*6.70A	----	7.50 - 1.30	.0603	----	----	5	----	966 - 3
4480	7.20	7.20	9.00B/*6.90A	9.00B/*6.90A	----	7.80 - 1.20	.0626	----	----	3	----	181 UNCH
4485	----	----	----/*7.10A	9.30B/*7.10A	----	8.10 - 1.20	.0650	----	----	----	----	43 UNCH
4490	----	----	9.70B/*7.30A	9.70B/*7.30A	----	8.30 - 1.30	.0668	----	----	1	----	258 + 1
4495	----	----	10.00B/*7.50A	10.00B/*7.50A	----	8.60 - 1.30	.0692	----	----	----	----	28 UNCH
4500	7.10	7.10	10.30B/*7.10	10.30B/*7.10	----	8.90 - 1.30	.0716	----	----	258	----	2454 - 48
4505	----	----	10.70B/*8.00A	10.70B/*8.00A	----	9.20 - 1.30	.0740	----	----	----	----	35 UNCH
4510	9.30	9.30	11.10B/*8.20A	11.10B/*8.20A	----	9.60 - 1.20	.0770	----	----	2	----	96 UNCH
4515	9.80	9.80	11.50B/*8.50A	11.50B/*8.50A	----	9.90 - 1.30	.0794	----	----	2	----	58 + 1
4520	----	----	11.90B/*8.70A	11.90B/*8.70A	----	10.30 - 1.20	.0825	----	----	----	----	177 UNCH
4525	----	----	12.30B/*9.00A	12.30B/*9.00A	----	10.60 - 1.30	.0850	----	----	8	----	797 + 8
4530	----	----	12.80B/*9.30A	12.80B/*9.30A	----	11.00 - 1.30	.0881	----	----	----	----	47 UNCH
4535	10.10	10.10	13.20B/*9.50A	13.20B/*9.50A	----	11.40 - 1.30	.0912	----	----	2	----	215 - 1
4540	11.40	11.40	13.70B/*9.80A	13.70B/*9.80A	----	11.80 - 1.30	.0943	----	----	7	----	44 UNCH
4545	10.80	10.80	14.20B/*10.10A	14.20B/*10.10A	----	12.30 - 1.20	.0979	----	----	4	----	77 + 1
4550	12.20	12.20	14.70B/*10.50A	14.70B/*10.50A	----	12.70 - 1.20	.1011	----	----	78	----	744 - 20
4555	----	----	15.20B/*10.80A	15.20B/*10.80A	----	13.20 - 1.20	.1048	----	----	1	----	18 - 1
4560	----	----	15.80B/*11.20A	15.80B/*11.20A	----	13.70 - 1.20	.1085	----	----	----	----	93 UNCH
4565	----	----	16.40B/*11.60A	16.40B/*11.60A	----	14.20 - 1.20	.1123	----	----	----	----	146 UNCH
4570	----	----	17.00B/*11.90A	17.00B/*11.90A	----	14.70 - 1.20	.1161	----	----	1	----	186 + 1
4575	12.40	12.40	17.60B/*12.30A	17.60B/*12.30A	----	15.20 - 1.20	.1199	----	----	23	----	123 + 8
4580	----	----	18.20B/*12.70A	18.20B/*12.70A	----	15.80 - 1.20	.1242	----	----	----	----	144 UNCH
4585	----	----	18.90B/*13.10A	18.90B/*13.10A	----	16.40 - 1.10	.1286	----	----	----	----	22 UNCH
4590	----	----	19.50B/*13.40A	19.50B/*13.40A	----	17.00 - 1.10	.1330	----	----	4	----	96 - 4
4595	----	----	20.20B/*13.80A	20.20B/*13.80A	----	17.60 - 1.10	.1374	----	----	----	----	63 UNCH
4600	18.10	18.10	21.00B/*14.30A	21.00B/*14.30A	----	18.30 - 1.00	.1423	----	----	460	----	2516 + 30
4605	----	----	21.70B/*14.70A	21.70B/*14.70A	----	19.00 - 1.00	.1472	----	----	----	----	79 UNCH
4610	20.00	20.00	22.50B/*15.20A	22.50B/*15.20A	----	19.70 - 1.00	.1521	----	----	1	----	202 UNCH
4615	----	----	23.40B/*15.90A	23.40B/*15.90A	----	20.40 - 1.00	.1571	----	----	----	----	104 UNCH
4620	----	----	24.10B/*16.50A	24.10B/*16.50A	----	21.10 - 1.00	.1622	----	----	12	----	209 - 5
4625	20.60	20.60	25.00B/*16.80A	25.00B/*16.80A	----	21.90 - 0.90	.1676	----	----	18	----	352 - 5
4630	22.50	22.50	25.90B/*17.40A	25.90B/*17.40A	----	22.70 - 0.90	.1731	----	----	1	----	816 - 1
4635	----	----	26.80B/*18.30A	26.80B/*18.30A	----	23.60 - 0.80	.1791	----	----	----	----	521 UNCH
4640	----	----	27.80B/*18.90A	27.80B/*18.90A	----	24.40 - 0.80	.1846	----	----	4	----	144 - 4
4645	----	----	28.80B/*19.30A	28.80B/*19.30A	----	25.30 - 0.80	.1906	----	----	----	----	48 UNCH
4650	25.10	25.10	29.80B/*19.90A	29.80B/*19.90A	----	26.30 - 0.70	.1970	----	----	85	----	910 + 19
4655	----	----	30.80B/*20.50A	30.80B/*20.50A	----	27.20 - 0.70	.2031	----	----	----	----	227 UNCH
4660	28.80	28.80	31.90B/*21.30A	31.90B/*21.30A	----	28.20 - 0.60	.2096	----	----	1	----	199 - 1
4665	----	----	33.00B/*22.00A	33.00B/*22.00A	----	29.20 - 0.50	.2161	----	----	----	----	88 UNCH
4670	26.60	26.60	34.20B/*22.70A	34.20B/*22.70A	----	30.30 - 0.40	.2230	----	----	1	----	186 + 1
4675	----	----	35.40B/*23.40A	35.40B/*23.40A	----	31.40 - 0.30	.2299	----	----	3	----	423 UNCH
4680	32.20	32.20	36.60B/*24.20A	36.60B/*24.20A	----	32.50 - 0.30	.2368	----	----	12	----	275 + 6
4685	----	----	37.90B/*25.10A	37.90B/*25.10A	----	33.70 - 0.10	.2441	----	----	----	----	173 UNCH
4690	----	----	39.20B/*25.90A	39.20B/*25.90A	----	34.90 UNCH	.2515	----	----	----	----	227 UNCH
4695	----	----	40.40B/*26.90A	40.40B/*26.90A	----	36.10 UNCH	.2588	----	----	----	----	116 UNCH
4700	37.80	37.80	42.00B/*27.80A	42.00B/*27.80A	----	37.40 + 0.10	.2665	----	----	553	----	2117 + 125
4705	38.00	38.00	43.30B/*28.80A	43.30B/*28.80A	----	38.70 + 0.20	.2743	----	----	2	----	41 + 1
4710	34.50	34.50	44.70B/*29.90A	44.70B/*29.90A	----	40.10 + 0.40	.2823	----	----	38	----	226 - 1
4715	----	----	46.30B/*30.70A	46.30B/*30.70A	----	41.40 + 0.40	.2901	----	----	----	----	80 UNCH
4720	44.40	44.40	47.80B/*31.70A	47.80B/*31.70A	----	42.90 + 0.50	.2984	----	----	35	----	559 + 8
4725	38.60	38.60	49.40B/*32.80A	49.40B/*32.80A	----	44.30 + 0.60	.3066	----	----	11	----	89 + 4
4730	49.30	49.30	51.10B/*33.80A	51.10B/*33.80A	----	45.80 + 0.70	.3150	----	----	11	----	113 - 8
4735	----	----	52.70B/35.00A	52.70B/35.00A	----	47.40 + 0.80	.3237	----	----	----	----	34 UNCH
4740	41.50	41.50	54.50B/*35.10	54.50B/*35.10	----	48.90 + 0.80	.3322	----	----	13	----	110 UNCH
4745	----	----	56.30B/37.30A	56.30B/37.30A	----	50.60 + 1.00	.3411	----	----	----	----	39 UNCH
4750	50.10	50.10	58.20/38.60A	58.20/38.60A	----	52.30 + 1.10	.3500	----	----	50	----	683 + 17
4755	56.50	56.50	59.90B/39.80A	59.90B/39.80A	----	54.00 + 1.20	.3590	----	----	1	----	155 UNCH
4760	----	----	61.90B/41.00A	61.90B/41.00A	----	55.80 + 1.30	.3682	----	----	----	----	135 UNCH
4765	----	----	63.90B/42.40A	63.90B/42.40A	----	57.60 + 1.40	.3774	----	----	----	----	71 UNCH
4770	----	----	65.80B/43.80A	65.80B/43.80A	----	59.50 + 1.60	.3868	----	----	----	----	107 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4775	55.00	55.00	68.20B/45.10A	68.20B/45.10A	----	61.50 + 1.90	.3963	----	----	17	----	423 UNCH
4780	----	----	70.10B/46.70A	70.10B/46.70A	----	63.50 + 2.10	.4059	----	----	----	----	123 UNCH
4785	60.30	60.30	72.40B/48.10A	72.40B/48.10A	----	65.50 + 2.30	.4154	----	----	17	----	106 - 5
4790	66.70	66.70	74.70B/49.60A	74.70B/49.60A	----	67.60 + 2.50	.4251	----	----	10	----	378 UNCH
4795	----	----	77.10B/51.30A	77.10B/51.30A	----	69.80 + 2.80	.4349	----	----	----	----	44 UNCH
4800	62.90	62.90	79.10B/53.10A	79.10B/53.10A	----	72.00 + 3.00	.4447	----	----	213	----	1381 - 45
4805	----	----	81.50B/54.60A	81.50B/54.60A	----	74.30 + 3.30	.4546	----	----	----	----	59 UNCH
4810	----	----	84.00B/56.30A	84.00B/56.30A	----	76.50 + 3.50	.4645	----	----	----	----	263 UNCH
4815	78.50	78.50	86.50B/58.20A	86.50B/58.20A	----	78.90 + 3.80	.4744	----	----	10	----	47 - 2
4820	----	----	88.90B/59.90A	88.90B/59.90A	----	81.30 + 4.00	.4844	----	----	8	----	260 UNCH
4825	71.00	71.00	91.70B/61.60A	91.70B/61.60A	----	83.70 + 4.20	.4943	----	----	31	----	288 + 16
4830	75.50	75.50	94.20B/63.60A	94.20B/63.60A	----	86.20 + 4.40	.5043	----	----	43	----	83 + 16
4835	79.50	79.50	97.40B/65.40A	97.40B/65.40A	----	88.70 + 4.60	.5143	----	----	44	----	159 + 21
4840	86.30	86.30	100.30B/67.50A	100.30B/67.50A	----	91.30 + 4.90	.5243	----	----	37	----	91 + 26
4845	84.40	84.40	102.30B/69.40A	102.30B/69.40A	----	93.90 + 5.10	.5344	----	----	42	----	76 + 35
4850	101.40	101.40	105.90B/71.40A	105.90B/71.40A	----	96.60 + 5.30	.5443	----	----	46	----	1092 - 7
4855	84.60	84.60	108.90B/73.70A	108.90B/73.70A	----	99.30 + 5.50	.5543	----	----	2	----	80 UNCH
4860	89.70	89.70	111.40B/75.80A	111.40B/75.80A	----	102.10 + 5.70	.5643	----	----	5	----	36 UNCH
4865	86.70	86.70	114.90B/78.00A	114.90B/78.00A	----	104.90 + 5.90	.5741	----	----	4	----	85 - 3
4870	98.00	98.00	117.50B/80.10A	117.50B/80.10A	----	107.80 + 6.20	.5840	----	----	1	----	237 UNCH
4875	85.20	85.20	121.00B/82.70A	121.00B/82.70A	----	110.70 + 6.40	.5938	----	----	10	----	284 + 10
4880	----	----	123.80B/85.10A	123.80B/85.10A	----	113.70 + 6.60	.6036	----	----	----	----	90 UNCH
4885	113.50	113.50	126.00B/87.20A	126.00B/87.20A	----	116.80 + 6.90	.6133	----	----	3	----	23 + 2
4890	----	----	129.20B/89.90A	129.20B/89.90A	----	119.80 + 7.10	.6229	----	----	----	----	64 UNCH
4895	----	----	132.50B/92.40A	132.50B/92.40A	----	123.00 + 7.40	.6324	----	----	----	----	96 UNCH
4900	119.00	119.00	135.90B/94.80A	135.90B/94.80A	----	126.20 + 7.70	.6418	----	----	10	----	1066 - 1
4905	----	----	139.30B/97.20A	139.30B/97.20A	----	129.40 + 7.90	.6512	----	----	----	----	53 UNCH
4910	118.00	118.00	142.60B/100.10A	142.60B/100.10A	----	132.70 + 8.20	.6605	----	----	3	----	89 UNCH
4915	----	----	146.00B/102.80A	146.00B/102.80A	----	136.00 + 8.40	.6697	----	----	----	----	29 UNCH
4920	----	----	149.60B/105.40A	149.60B/105.40A	----	139.40 + 8.70	.6787	----	----	----	----	149 UNCH
4925	----	----	153.00B/108.40A	153.00B/108.40A	----	142.90 + 9.00	.6875	----	----	----	----	47 UNCH
4930	----	----	156.60B/111.10A	156.60B/111.10A	----	146.30 + 9.20	.6965	----	----	----	----	53 UNCH
4935	----	----	160.30B/114.10A	160.30B/114.10A	----	149.90 + 9.60	.7049	----	----	----	----	54 UNCH
4940	----	----	163.80B/116.80A	163.80B/116.80A	----	153.40 + 9.80	.7137	----	----	----	----	14 UNCH
4945	----	----	167.50B/119.80A	167.50B/119.80A	----	157.00 + 10.00	.7218	----	----	----	----	48 UNCH
4950	----	----	171.30B/122.80A	171.30B/122.80A	----	160.70 + 10.40	.7303	----	----	----	----	753 UNCH
4955	----	----	175.00B/125.80A	175.00B/125.80A	----	164.40 + 10.70	.7384	----	----	----	----	83 UNCH
4960	----	----	179.00B/129.00A	179.00B/129.00A	----	168.10 + 10.90	.7461	----	----	----	----	132 UNCH
4965	----	----	182.70B/132.00A	182.70B/132.00A	----	171.90 + 11.20	.7539	----	----	----	----	25 UNCH
4970	----	----	186.50B/135.40A	186.50B/135.40A	----	175.70 + 11.50	.7616	----	----	----	----	4 UNCH
4975	----	----	190.60B/139.30A	190.60B/139.30A	----	179.60 + 11.80	.7690	----	----	----	----	89 UNCH
4980	----	----	194.40B/142.60A	194.40B/142.60A	----	183.50 + 12.10	.7764	----	----	----	----	56 UNCH
4985	----	----	198.50B/145.90A	198.50B/145.90A	----	187.40 + 12.40	.7837	----	----	----	----	124 UNCH
4990	----	----	202.60B/149.20A	202.60B/149.20A	----	191.40 + 12.70	.7906	----	----	----	----	34 UNCH
4995	----	----	206.60B/152.60A	206.60B/152.60A	----	195.40 + 13.00	.7975	----	----	----	----	222 UNCH
5000	----	----	210.80B/156.00A	210.80B/156.00A	----	199.50 + 13.30	.8040	----	----	----	----	1119 UNCH
5005	----	----	214.90B/159.50A	214.90B/159.50A	----	203.60 + 13.60	.8109	----	----	----	----	41 UNCH
5010	----	----	219.00B/163.00A	219.00B/163.00A	----	207.70 + 13.90	.8169	----	----	----	----	14 UNCH
5015	----	----	223.30B/166.40A	223.30B/166.40A	----	211.80 + 14.10	.8233	----	----	----	----	23 UNCH
5020	----	----	227.40B/169.80A	227.40B/169.80A	----	216.00 + 14.50	.8292	----	----	----	----	23 UNCH
5025	----	----	231.80B/173.80A	231.80B/173.80A	----	220.20 + 14.70	.8352	----	----	----	----	153 UNCH
5030	----	----	236.00B/177.20A	236.00B/177.20A	----	224.50 + 15.10	.8406	----	----	1	----	23 - 1
5035	----	----	240.30B/180.90A	240.30B/180.90A	----	228.70 + 15.30	.8465	----	----	----	----	13 UNCH
5040	----	----	244.90B/184.50A	244.90B/184.50A	----	233.00 + 15.60	.8518	----	----	----	----	134 UNCH
5045	----	----	249.10B/188.40A	249.10B/188.40A	----	237.40 + 15.90	.8567	----	----	----	----	28 UNCH
5050	----	----	253.50B/192.20A	253.50B/192.20A	----	241.70 + 16.20	.8620	----	----	1	----	434 - 1
5055	----	----	257.90B/195.90A	257.90B/195.90A	----	246.10 + 16.50	.8668	----	----	1	----	107 UNCH
5060	----	----	262.40B/199.90A	262.40B/199.90A	----	250.50 + 16.70	.8716	----	----	----	----	84 UNCH
5065	----	----	266.90B/203.80A	266.90B/203.80A	----	254.90 + 17.00	.8758	----	----	----	----	54 UNCH
5070	----	----	271.30B/207.60A	271.30B/207.60A	----	259.40 + 17.30	.8805	----	----	----	----	175 UNCH
5075	----	----	275.80B/212.10A	275.80B/212.10A	----	263.90 + 17.60	.8847	----	----	1	----	46 - 1
5080	----	----	280.40B/216.10A	280.40B/216.10A	----	268.40 + 17.80	.8888	----	----	----	----	85 UNCH
5085	----	----	284.90B/219.90A	284.90B/219.90A	----	272.90 + 18.10	.8929	----	----	----	----	116 UNCH
5090	----	----	289.40B/223.70A	289.40B/223.70A	----	277.40 + 18.30	.8965	----	----	----	----	23 UNCH
5095	----	----	294.00B/227.90A	294.00B/227.90A	----	282.00 + 18.60	.8999	----	----	----	----	17 UNCH
5100	----	----	298.70B/232.10A	298.70B/232.10A	----	286.60 + 18.80	.9040	----	----	----	----	391 UNCH
5105	----	----	303.40B/236.20A	303.40B/236.20A	----	291.20 + 19.00	.9074	----	----	----	----	57 UNCH
5110	----	----	308.00B/240.40A	308.00B/240.40A	----	295.80 + 19.20	.9103	----	----	----	----	285 UNCH
5115	----	----	312.60B/244.60A	312.60B/244.60A	----	300.40 + 19.40	.9137	----	----	----	----	24 UNCH
5120	----	----	317.20B/248.60A	317.20B/248.60A	----	305.10 + 19.70	.9164	----	----	----	----	18 UNCH
5125	----	----	322.20B/252.90A	322.20B/252.90A	----	309.70 + 19.80	.9198	----	----	----	----	88 UNCH
5130	----	----	326.90B/257.30A	326.90B/257.30A	----	314.40 + 20.00	.9225	----	----	1	----	120 UNCH
5135	----	----	331.60B/261.40A	331.60B/261.40A	----	319.10 + 20.20	.9252	----	----	----	----	95 UNCH
5140	----	----	336.00B/265.70A	336.00B/265.70A	----	323.80 + 20.40	.9279	----	----	----	----	23 UNCH
5145	----	----	340.90B/270.10A	340.90B/270.10A	----	328.50 + 20.60	.9299	----	----	----	----	44 UNCH
5150	----	----	345.80B/274.70A	345.80B/274.70A	----	333.30 + 20.80	.9325	----	----	1	----	372 UNCH
5155	----	----	350.30B/279.00A	350.30B/279.00A	----	338.00 + 21.00	.9351	----	----	1	----	9 UNCH
5160	----	----	355.00B/283.40A	355.00B/283.40A	----	342.80 + 21.20	.9371	----	----	----	----	31 UNCH
5165	----	----	360.00B/288.00A	360.00B/288.00A	----	347.50 + 21.30	.9390	----	----	----	----	47 UNCH
5170	----	----	364.60B/292.30A	364.60B/292.30A	----	352.30 + 21.40	.9416	----	----	----	----	155 UNCH
5175	----	----	369.40B/296.70A	369.40B/296.70A	----	357.10 + 21.60	.9435	----	----	1	----	30 UNCH
5180	----	----	374.20B/301.30A	374.20B/301.30A	----	361.90 + 21.80	.9454	----	----	----	----	76 UNCH
5185	----	----	379.00B/305.70A	379.00B/305.70A	----	366.70 + 21.90	.9472	----	----	----	----	2 UNCH
5190	----	----	383.80B/310.40A	383.80B/310.40A	----	371.50 + 22.00	.9484	----	----	----	----	10 UNCH
5195	----	----	388.80B/314.80A	388.80B/314.80A	----	376.40 + 22.20	.9502	----	----	----	----	25 UNCH
5200	----	----	393.50B/319.40A	393.50B/319.40A	----	381.20 + 22.30	.9521	----	----	----	----	424 UNCH
5205	----	----	398.30B/324.00A	398.30B/324.00A	----	386.00 + 22.40	.9532	----	----	----	----	19 UNCH
5210	----	----	403.30B/328.60A	403.30B/328.60A	----	390.90 + 22.60	.9550	----	----	----	----	9 UNCH
5215	----	----	408.00B/333.20A	408.00B/333.20A	----	395.70 + 22.70	.9561	----	----	----	----	5 UNCH
5220	----	----	413.00B/337.90A	413.00B/337.90A	----	400.60 + 22.80	.9578	----	----	----	----	9 UNCH
5225	----	----	417.70B/342.50A	417.70B/342.50A	----	405.40 + 22.90	.9589	----	----	----	----	59 UNCH
5230	----	----	422.60B/347.20A	422.60B/347.20A	----	410.30 + 23.00	.9599	----	----	----	----	10 UNCH
5235	----	----	427.60B/351.90A	427.60B/351.90A	----	415.20 + 23.10	.9617	----	----	----	----	71 UNCH
5240	----	----	432.30B/356.60A	432.30B/356.60A	----	420.10 + 23.20	.9627	----	----	----	----	43 UNCH
5245	----	----	437.20B/361.30A	437.20B/361.30A	----	424.90 + 23.20	.9637	----	----	----	----	15 UNCH
5250	----	----	442.20B/366.10A	442.20B/366.10A	----	429.80 + 23.30	.9647	----	----	----	----	423 UNCH
5255	----	----	447.10B/370.80A	447.10B/370.80A	----	434.70 + 23.40	.9657	----	----	----	----	4 UNCH
5260	----	----	452.00B/375.50A	452.00B/375.50A	----	439.60 + 23.50	.9667	----	----	----	----	11 UNCH
5265	----	----	456.90B/380.20A	456.90B/380.20A	----	444.50 + 23.60	.9677	----	----	----	----	7 UNCH
5270	----	----	461.80B/385.00A	461.80B/385.00A	----	449.40 + 23.70	.9686	----	----	----	----	30 UNCH
5275	----	----	466.70B/389.80A	466.70B/389.80A	----	454.40 + 23.80	.9696	----	----	----	----	206 UNCH
5280	----	----	471.50B/394.50A	471.50B/394.50A	----	459.30 + 23.90	.9698	----	----	----	----	33 UNCH
5290	----	----	481.30B/404.10A	481.30B/404.10A	----	469.10 + 24.00	.9717	----	----	----	----	2 UNCH
5295	----	----	486.40B/408.80A	486.40B/408.80A	----	474.00 + 24.00	.9726	----	----	----	----	5 UNCH
5300	----	----	491.20B/413.60A	491.20B/413.60A	----	479.00 + 24.20	.9729	----	----	----	----	108 UNCH
5305	----	----	496.10B/418.50A	496.10B/418.50A	----	483.90 + 24.20	.9738	----	----	----	----	40 UNCH
5310	----	----	501.20B/423.30A	501.20B/423.30A	----	488.80 + 24.20	.9747	----	----	----	----	32 UNCH
5315	----	----	506.10B/428.30A	506.10B/428.30A	----	493.80 + 24.40	.9749	----	----	----	----	1 UNCH
5320	----	----	510.90B/433.10A	510.90B/433.10A	----	498.70 + 24.40	.9757	----	----	----	----	26 UNCH
5325	----	----	516.00B/438.00A	516.00B/438.00A	----	503.60 + 24.40	.9766	----	----	----	----	51 UNCH
5330	----	----	520.80B/442.80A	520.80B/442.80A	----	508.60 + 24.50	.9768	----	----	----	----	27 UNCH
5335	----	----	525.70B/447.50A	525.70B/447.50A	----	513.50 + 24.50	.9777	----	----	----	----	1 UNCH
5340	----	----	529.70B/452.40A	529.70B/452.40A	----	518.50 + 24.60	.9778	----	----	----	----	12 UNCH
5350	----	----	539.10B/462.10A	539.10B/462.10A	----	528.40 + 24.80	.9789	----	----	----	----	43 UNCH
5360	----	----	549.10B/471.90A	549.10B/471.90A	----	538.30 + 24.80	.9798	----	----	----	----	11 UNCH
5365	----	----	554.00B/477.00A	554.00B/477.00A	----	543.20 + 24.80	.9800	----	----	----	----	11 UNCH
5370	----	----	559.00B/481.70A	559.00B/481.70A	----	548.20 + 24.90	.9808	----	----	----	----	32 UNCH
5375	----	----	563.90B/486.60A	563.90B/486.60A	----	553.20 + 25.00	.9810	----	----	----	----	32 UNCH
5380	----	----	568.90B/491.50A	568.90B/491.50A	----	558.10 + 25.00	.9818	----	----	----	----	4 UNCH
5385	----	----	571.00B/504.30A	571.00B/504.30A	----	563.10 + 25.10	.9819	----	----	----	----	15 UNCH
5390	----	----	575.80B/509.10A	575.80B/509.10A	----	568.00 + 25.10	.9820	----	----	----	----	1 UNCH
5395	----	----	580.80B/514.00A	580.80B/514.00A	----	573.00 + 25.10	.9828	----	----	----	----	1 UNCH
5400	----	----	585.90B/518.70A	585.90B/518.70A	----	578.00 + 25.20	.9830	----	----	----	----	96 UNCH
5410	----	----	595.80B/528.90A	595.80B/528.90A	----	587.90 + 25.20	.9839	----	----	----	----	55 UNCH
5420	----	----	605.70B/538.90A	605.70B/538.90A	----	597.80 + 25.30	.9841	----	----	----	----	7 UNCH
5425	----	----	610.70B/543.70A	610.70B/543.70A	----	602.80 + 25.30	.9849	----	----	----	----	32 UNCH
5435	----	----	620.50B/553.80A	620.50B/553.80A	----	612.70 + 25.40	.9850	----	----	----	----	2 UNCH
5445	----	----	630.40B/563.60A	630.40B/563.60A	----	622.70 + 25.50	.9859	----	----	----	----	1 UNCH
5450	----	----	635.50B/568.30A	635.50B/568.30A	----	627.70 + 25.50	.9860	----	----	----	----	20 UNCH
5475	----	----	660.20B/593.30A	660.20B/593.30A	----	652.50 + 25.60	.9871	----	----	----	----	1 UNCH
5490	----	----	675.20B/608.20A	675.20B/608.20A	----	667.50 + 25.70	.9880	----	----	----	----	3 UNCH
5500	----	----	685.20B/618.10A	685.20B/618.10A	----	677.40 + 25.70	.9881	----	----	----	----	34 UNCH
5515	----	----	700.10B/633.00A	700.10B/633.00A	----	692.40 + 25.80	.9890	----	----	----	----	10 UNCH
5520	----	----	----	----	----	697.30 + 25.70	.9890	----	----	----	----	1 UNCH
5530	----	----	712.70B/----	712.70B/684.40A	----	707.30 + 25.80	.9892	----	----	----	----	10 UNCH
5535	----	----	717.60B/----	717.60B/689.30A	----	712.30 + 25.80	.9892	----	----	----	----	10 UNCH
5540	----	----	722.60B/----	722.60B/694.30A	----	717.30 + 25.80	.9899	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5550	----	----	732.60B/----	732.60B/704.30A	----	727.20 + 25.80	.9901	----	----	----	----	5 UNCH
5565	----	----	747.50B/----	747.50B/719.20A	----	742.20 + 25.90	.9902	----	----	----	----	10 UNCH
5575	----	----	757.50B/----	757.50B/729.20A	----	752.10 + 25.80	.9910	----	----	----	----	12 UNCH
5590	----	----	772.40B/----	772.40B/744.10A	----	767.10 + 25.90	.9911	----	----	----	----	25 UNCH
5600	----	----	782.40B/----	782.40B/754.10A	----	777.10 + 26.00	.9912	----	----	----	----	12 UNCH
5625	----	----	----	----	----	802.00 + 26.00	.9920	----	----	----	----	2 UNCH
5640	----	----	----	----	----	817.00 + 26.00	.9922	----	----	----	----	1 UNCH
5890	----	----	1,071.70B/----	1071.70B/1043.60A	----	1066.60 + 26.30	.9959	----	----	----	----	4 UNCH
5960	----	----	----	----	----	1136.50 + 26.30	.9967	----	----	1	----	0 - 1
5980	----	----	----	----	----	1156.50 + 26.40	.9967	----	----	1	----	1 UNCH
6025	----	----	1,206.50B/----	1206.50B/1178.50A	----	1201.50 + 26.40	.9974	----	----	----	----	3 UNCH
6100	----	----	1,281.30B/----	1281.30B/1253.50A	----	1276.40 + 26.40	.9976	----	----	----	----	7 UNCH
TOTAL										3132		90558 + 175
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1795	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1905	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
1915	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1920	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1950	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1955	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1965	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1975	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	85 UNCH
2000	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	603 UNCH
2005	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2010	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2015	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2020	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2025	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2030	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2050	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	20 UNCH
2085	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	15 UNCH
2100	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	90 UNCH
2105	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2130	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2170	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
2180	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	6 UNCH
2195	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2200	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	9 UNCH
2205	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	7 UNCH
2220	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2230	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	25 UNCH
2235	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	21 UNCH
2240	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	6 UNCH
2250	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2300	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	13 UNCH
2315	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	40 UNCH
2330	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	9 UNCH
2350	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2380	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	9 UNCH
2385	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2390	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2395	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2400	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	72 UNCH
2405	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2410	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	6 UNCH
2415	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2420	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	5 UNCH
2425	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	23 UNCH
2430	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2445	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0008	----	----	----	----	5 UNCH
2450	----	----	----/0.20A	0.10B/0.20A	----	0.30 UNCH	.0008	----	----	----	----	51 UNCH
2460	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2465	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0008	----	----	----	----	7 UNCH
2475	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 UNCH	.0008	----	----	2	----	3 + 2
2495	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	1 UNCH
2500	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 - 0.10	.0008	----	----	1	----	1921 + 1
2510	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	2 UNCH
2525	----	----	----	0.20B/0.40A	----	0.40 UNCH	.0011	----	----	----	----	25 UNCH
2535	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0011	----	----	----	----	5 UNCH
2540	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0011	----	----	----	----	5 UNCH
2550	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0011	----	----	----	----	50 UNCH
2565	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0011	----	----	----	----	5 UNCH
2580	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0011	----	----	----	----	5 UNCH
2590	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0011	----	----	----	----	8 UNCH
2600	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.40 UNCH	.0011	----	----	5	----	159 UNCH
2650	----	----	----	0.30B/*0.50A	----	0.50 UNCH	.0014	----	----	----	----	1 UNCH
2695	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0014	----	----	----	----	2 UNCH
2700	----	----	----	0.40B/*0.60A	----	0.50 - 0.10	.0014	----	----	----	----	427 UNCH
2730	----	----	----	0.40B/*0.60A	----	0.60 UNCH	.0017	----	----	----	----	5 UNCH
2750	----	----	----	0.40B/0.70A	----	0.60 UNCH	.0017	----	----	----	----	1 UNCH
2800	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.70 UNCH	.0021	----	----	2	----	751 UNCH
2805	----	----	----	0.50B/0.80A	----	0.70 UNCH	.0021	----	----	----	----	223 UNCH
2810	----	----	----	0.50B/*0.80A	----	0.70 UNCH	.0021	----	----	----	----	39 UNCH
2825	----	----	----	0.50B/*0.80A	----	0.70 UNCH	.0021	----	----	----	----	51 UNCH
2830	----	----	----	0.50B/*0.80A	----	0.70 UNCH	.0021	----	----	----	----	25 UNCH
2850	----	----	----	0.50B/*0.80A	----	0.80 UNCH	.0024	----	----	----	----	22 UNCH
2875	----	----	----	0.60B/*0.90A	----	0.80 UNCH	.0024	----	----	----	----	7 UNCH
2900	----	----	----	0.60B/*0.90A	----	0.80 UNCH	.0025	----	----	----	----	155 UNCH
2905	----	----	----	0.60B/*0.90A	----	0.80 UNCH	.0025	----	----	----	----	5 UNCH
2915	----	----	----	0.60B/*1.00A	----	0.90 UNCH	.0027	----	----	----	----	1 UNCH
2930	----	----	----	0.70B/*1.00A	----	0.90 UNCH	.0028	----	----	----	----	1 UNCH
2935	----	----	----	0.70B/*1.00A	----	0.90 UNCH	.0028	----	----	----	----	3 UNCH
2950	----	----	----	0.70B/*1.00A	----	0.90 UNCH	.0028	----	----	----	----	24 UNCH
2970	----	----	----	0.80B/*1.10A	----	1.00 + 0.10	.0031	----	----	----	----	1 UNCH
2975	----	----	----	0.80B/*1.10A	----	1.00 UNCH	.0031	----	----	----	----	9 UNCH
2990	----	----	----	0.80B/*1.10A	----	1.00 UNCH	.0031	----	----	----	----	5 UNCH
2995	----	----	----	0.80B/*1.10A	----	1.00 UNCH	.0032	----	----	----	----	6 UNCH
3000	----	----	----	0.90B/1.20A	----	1.00 UNCH	.0032	----	----	----	----	1664 UNCH
3005	----	----	----	0.90B/*1.20A	----	1.00 UNCH	.0032	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3010	----	----	----	0.90B/*1.20A	----	1.00 UNCH	.0032	----	----	----	----	8 UNCH
3015	----	----	----	0.90B/*1.20A	----	1.10 + 0.10	.0035	----	----	----	----	215 UNCH
3020	----	----	----	0.90B/*1.20A	----	1.10 + 0.10	.0035	----	----	----	----	35 UNCH
3035	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0035	----	----	----	----	1 UNCH
3050	----	----	----	1.00B/*1.20A	----	1.10 UNCH	.0035	----	----	----	----	389 UNCH
3065	----	----	----	1.00B/*1.30A	----	1.20 + 0.10	.0038	----	----	----	----	7 UNCH
3070	----	----	----	1.00B/*1.30A	----	1.20 + 0.10	.0039	----	----	----	----	6 UNCH
3075	----	----	----	1.00B/*1.30A	----	1.20 + 0.10	.0039	----	----	----	----	10 UNCH
3080	----	----	----	1.00B/*1.30A	----	1.20 UNCH	.0039	----	----	----	----	8 UNCH
3095	----	----	----	1.10B/*1.30A	----	1.20 UNCH	.0039	----	----	----	----	41 UNCH
3100	1.20	1.20	1.20/1.20	1.20/1.20	----	1.30 + 0.10	.0042	----	----	1	----	367 + 1
3105	----	----	----	1.10B/*1.40A	----	1.30 + 0.10	.0042	----	----	----	----	13 UNCH
3110	----	----	----	1.10B/*1.40A	----	1.30 + 0.10	.0042	----	----	----	----	10 UNCH
3120	----	----	----	1.10B/*1.40A	----	1.30 UNCH	.0043	----	----	----	----	13 UNCH
3125	----	----	----	1.20B/*1.40A	----	1.30 UNCH	.0043	----	----	----	----	10 UNCH
3130	----	----	----	1.20B/*1.40A	----	1.30 UNCH	.0043	----	----	----	----	26 UNCH
3140	----	----	----	1.20B/*1.40A	----	1.40 + 0.10	.0046	----	----	----	----	5 UNCH
3150	----	----	----	1.30B/*1.50A	----	1.40 + 0.10	.0046	----	----	----	----	149 UNCH
3155	----	----	----	1.30B/*1.50A	----	1.40 + 0.10	.0046	----	----	----	----	16 UNCH
3160	----	----	----	1.30B/*1.50A	----	1.40 UNCH	.0046	----	----	----	----	5 UNCH
3170	----	----	----	1.30B/*1.50A	----	1.40 UNCH	.0047	----	----	----	----	6 UNCH
3175	----	----	----	1.30B/*1.50A	----	1.50 + 0.10	.0050	----	----	----	----	12 UNCH
3180	----	----	----	1.30B/*1.60A	----	1.50 + 0.10	.0050	----	----	----	----	5 UNCH
3185	----	----	----	1.40B/*1.60A	----	1.50 + 0.10	.0050	----	----	----	----	6 UNCH
3190	----	----	----	1.40B/*1.60A	----	1.50 + 0.10	.0050	----	----	----	----	18 UNCH
3195	----	----	----	1.40B/*1.60A	----	1.50 UNCH	.0050	----	----	----	----	12 UNCH
3200	----	----	----	1.50B/*1.60A	----	1.50 UNCH	.0051	----	----	1	----	297 - 1
3205	----	----	----	1.40B/*1.60A	----	1.50 UNCH	.0051	----	----	----	----	42 UNCH
3210	----	----	----	1.40B/*1.70A	----	1.60 + 0.10	.0054	----	----	----	----	15 UNCH
3215	----	----	----	1.50B/*1.70A	----	1.60 + 0.10	.0054	----	----	----	----	22 UNCH
3220	----	----	----	1.50B/*1.70A	----	1.60 + 0.10	.0054	----	----	----	----	7 UNCH
3225	----	----	----	1.50B/*1.70A	----	1.60 UNCH	.0054	----	----	----	----	65 UNCH
3235	----	----	----	1.50B/*1.70A	----	1.60 UNCH	.0055	----	----	----	----	24 UNCH
3250	----	----	----	1.60B/*1.80A	----	1.70 + 0.10	.0058	----	----	----	----	147 UNCH
3255	----	----	----	1.60B/*1.80A	----	1.70 UNCH	.0058	----	----	----	----	110 UNCH
3260	----	----	----	1.60B/*1.80A	----	1.70 UNCH	.0058	----	----	----	----	1 UNCH
3265	----	----	----	1.60B/*1.80A	----	1.70 UNCH	.0059	----	----	----	----	20 UNCH
3270	----	----	----	1.70B/*1.90A	----	1.80 + 0.10	.0062	----	----	----	----	7 UNCH
3280	----	----	----	1.70B/*1.90A	----	1.80 UNCH	.0062	----	----	----	----	13 UNCH
3290	----	----	----	1.70B/*1.90A	----	1.80 UNCH	.0062	----	----	----	----	37 UNCH
3300	2.10	2.10	2.10/2.10	2.10/*2.00A	----	1.90 + 0.10	.0066	----	----	1	----	369 - 1
3305	----	----	----	1.80B/*2.00A	----	1.90 UNCH	.0066	----	----	----	----	1 UNCH
3310	----	----	----	1.80B/*2.00A	----	1.90 UNCH	.0066	----	----	----	----	7 UNCH
3320	----	----	----	1.80B/*2.10A	----	1.90 UNCH	.0067	----	----	----	----	4 UNCH
3325	----	----	----	1.90B/*2.10A	----	2.00 + 0.10	.0070	----	----	----	----	47 UNCH
3335	----	----	----	1.90B/*2.10A	----	2.00 UNCH	.0070	----	----	----	----	46 UNCH
3340	----	----	----	1.90B/*2.10A	----	2.00 UNCH	.0070	----	----	----	----	22 UNCH
3345	----	----	----	1.90B/*2.20A	----	2.00 UNCH	.0071	----	----	----	----	12 UNCH
3350	----	----	----	1.90B/*2.20A	----	2.10 + 0.10	.0074	----	----	4	----	407 UNCH
3355	----	----	----	2.00B/*2.20A	----	2.10 UNCH	.0074	----	----	----	----	17 UNCH
3360	----	----	----	2.00B/*2.20A	----	2.10 UNCH	.0074	----	----	----	----	7 UNCH
3365	----	----	----	2.00B/*2.30A	----	2.10 UNCH	.0075	----	----	----	----	31 UNCH
3370	----	----	----	2.10B/*2.30A	----	2.10 UNCH	.0075	----	----	----	----	26 UNCH
3375	----	----	----	2.10B/*2.30A	----	2.20 UNCH	.0078	----	----	----	----	98 UNCH
3380	----	----	----	2.10B/*2.30A	----	2.20 UNCH	.0078	----	----	----	----	46 UNCH
3385	----	----	----	2.10B/*2.40A	----	2.20 UNCH	.0079	----	----	----	----	6 UNCH
3390	----	----	----	2.10B/*2.40A	----	2.20 UNCH	.0079	----	----	----	----	59 UNCH
3395	----	----	----	2.20B/*2.40A	----	2.30 UNCH	.0082	----	----	----	----	1 UNCH
3400	----	----	----	2.30B/*2.40A	----	2.30 UNCH	.0082	----	----	3	----	731 + 3
3405	----	----	----	2.20B/2.50A	----	2.30 UNCH	.0083	----	----	----	----	66 UNCH
3410	----	----	----	2.20B/*2.50A	----	2.30 UNCH	.0083	----	----	----	----	7 UNCH
3415	----	----	----	2.20B/*2.50A	----	2.30 - 0.10	.0083	----	----	----	----	2 UNCH
3420	----	----	----	2.30B/*2.50A	----	2.40 UNCH	.0086	----	----	----	----	18 UNCH
3425	----	----	----	2.30B/2.60A	----	2.40 UNCH	.0087	----	----	----	----	25 UNCH
3430	----	----	----	2.30B/*2.60A	----	2.40 UNCH	.0087	----	----	----	----	8 UNCH
3435	----	----	----	2.30B/*2.60A	----	2.40 - 0.10	.0087	----	----	----	----	20 UNCH
3450	----	----	----	2.40B/*2.70A	----	2.50 - 0.10	.0091	----	----	----	----	413 UNCH
3455	----	----	----	2.50B/*2.70A	----	2.60 UNCH	.0094	----	----	----	----	51 UNCH
3460	----	----	----	2.50B/2.80A	----	2.60 UNCH	.0095	----	----	----	----	50 UNCH
3465	----	----	----	2.50B/2.80A	----	2.60 UNCH	.0095	----	----	----	----	89 UNCH
3470	----	----	----	2.50B/2.80A	----	2.60 - 0.10	.0095	----	----	----	----	28 UNCH
3475	----	----	----	2.60B/*2.80A	----	2.70 UNCH	.0099	----	----	----	----	241 UNCH
3480	----	----	----	2.60B/2.90A	----	2.70 UNCH	.0099	----	----	----	----	171 UNCH
3485	----	----	----	2.60B/*2.90A	----	2.70 - 0.10	.0099	----	----	----	----	2 UNCH
3490	----	----	----	2.70B/*2.90A	----	2.70 - 0.10	.0100	----	----	----	----	21 UNCH
3500	2.60	2.60	2.80/*2.60	2.80/*2.60	----	2.80 - 0.10	.0104	----	----	5	----	1788 UNCH
3505	----	----	----	2.70B/3.00A	----	2.80 - 0.10	.0104	----	----	----	----	65 UNCH
3510	----	----	----	2.80B/*3.00A	----	2.90 UNCH	.0107	----	----	----	----	61 UNCH
3515	----	----	----	2.80B/3.10A	----	2.90 - 0.10	.0108	----	----	----	----	16 UNCH
3520	----	----	----	2.80B/3.10A	----	2.90 - 0.10	.0108	----	----	----	----	138 UNCH
3525	----	----	----	2.90B/*3.10A	----	3.00 UNCH	.0111	----	----	----	----	301 UNCH
3530	3.10	3.10	3.10/*3.10	3.10/*3.10	----	3.00 UNCH	.0112	----	----	2	----	7 UNCH
3535	----	----	----	2.90B/3.20A	----	3.00 - 0.10	.0112	----	----	----	----	100 UNCH
3540	----	----	----	2.90B/3.20A	----	3.10 UNCH	.0116	----	----	----	----	5 UNCH
3545	----	----	----	3.00B/*3.20A	----	3.10 - 0.10	.0116	----	----	----	----	20 UNCH
3550	----	----	----	3.00B/*3.20A	----	3.10 - 0.10	.0117	----	----	----	----	420 UNCH
3555	----	----	----	3.00B/3.30A	----	3.20 UNCH	.0120	----	----	----	----	2 UNCH
3560	----	----	----	3.10B/*3.30A	----	3.20 - 0.10	.0120	----	----	----	----	89 UNCH
3565	----	----	----	3.10B/3.40A	----	3.20 - 0.10	.0121	----	----	----	----	41 UNCH
3570	----	----	----	3.20B/3.40A	----	3.30 UNCH	.0124	----	----	----	----	60 UNCH
3575	----	----	----	3.20B/*3.40A	----	3.30 - 0.10	.0125	----	----	----	----	40 UNCH
3580	----	----	----	3.20B/3.50A	----	3.30 - 0.10	.0125	----	----	----	----	76 UNCH
3585	----	----	----	3.20B/3.50A	----	3.40 UNCH	.0129	----	----	----	----	2 UNCH
3590	----	----	----	3.30B/*3.50A	----	3.40 - 0.10	.0129	----	----	----	----	3 UNCH
3595	----	----	----	3.30B/3.60A	----	3.40 - 0.10	.0130	----	----	----	----	23 UNCH
3600	3.50	3.50	3.50/*3.40	3.50/*3.40	----	3.50 - 0.10	.0133	----	----	2	----	1654 + 1
3610	----	----	----	3.40B/3.70A	----	3.60 UNCH	.0137	----	----	----	----	3 UNCH
3615	----	----	----	3.50B/3.70A	----	3.60 - 0.10	.0138	----	----	----	----	37 UNCH
3620	----	----	----	3.50B/*3.70A	----	3.60 - 0.10	.0138	----	----	----	----	11 UNCH
3625	----	----	----	3.50B/3.80A	----	3.70 - 0.10	.0142	----	----	----	----	68 UNCH
3630	----	----	----	3.60B/*3.80A	----	3.70 - 0.10	.0142	----	----	----	----	86 UNCH
3635	----	----	----	3.60B/3.90A	----	3.80 UNCH	.0146	----	----	----	----	107 UNCH
3640	----	----	----	3.70B/3.90A	----	3.80 - 0.10	.0147	----	----	----	----	24 UNCH
3645	----	----	----	3.70B/*3.90A	----	3.80 - 0.10	.0147	----	----	----	----	13 UNCH
3650	----	----	----/*3.90A	3.80B/*3.90A	----	3.90 - 0.10	.0151	----	----	----	----	537 UNCH
3655	----	----	----/*3.90A	3.80B/*3.90A	----	3.90 - 0.10	.0151	----	----	----	----	2 UNCH
3660	----	----	----	3.80B/4.10A	----	4.00 - 0.10	.0155	----	----	----	----	1 UNCH
3665	----	----	----/*4.00A	3.90B/*4.00A	----	4.00 - 0.10	.0156	----	----	----	----	15 UNCH
3670	----	----	----/4.10A	3.90B/4.10A	----	4.10 - 0.10	.0159	----	----	----	----	31 UNCH
3675	----	----	----	4.00B/4.20A	----	4.10 - 0.10	.0160	----	----	----	----	45 UNCH
3680	----	----	----/*4.10A	4.00B/*4.10A	----	4.10 - 0.10	.0161	----	----	----	----	18 UNCH
3685	----	----	----	4.10B/4.30A	----	4.20 - 0.10	.0164	----	----	----	----	51 UNCH
3690	----	----	----/*4.20A	4.10B/*4.20A	----	4.20 - 0.10	.0165	----	----	----	----	7 UNCH
3695	4.30	4.30	4.30/*4.30	4.30/*4.30	----	4.30 - 0.10	.0169	----	----	1	----	19 UNCH
3700	4.30	4.30	4.30/*4.30	4.30/*4.30	----	4.30 - 0.10	.0169	----	----	2	----	870 UNCH
3705	----	----	----/*4.40A	4.30B/*4.40A	----	4.40 - 0.10	.0173	----	----	----	----	123 UNCH
3710	----	----	----	4.30B/4.50A	----	4.40 - 0.10	.0174	----	----	----	----	79 UNCH
3715	----	----	----/*4.50A	4.40B/*4.50A	----	4.50 - 0.10	.0178	----	----	----	----	46 UNCH
3720	----	----	----	4.40B/4.60A	----	4.50 - 0.10	.0178	----	----	----	----	2 UNCH
3725	----	----	----/*4.60A	4.50B/*4.60A	----	4.60 - 0.10	.0182	----	----	----	----	91 UNCH
3730	----	----	----	4.60B/4.70A	----	4.60 - 0.10	.0183	----	----	----	----	18 UNCH
3740	----	----	----/4.80A	4.70B/4.80A	----	4.80 - 0.10	.0190	----	----	----	----	67 UNCH
3745	----	----	----/*4.80A	4.70B/*4.80A	----	4.80 - 0.10	.0191	----	----	----	----	19 UNCH
3750	----	----	----/*4.80A	4.80B/*4.80A	----	4.90 - 0.10	.0195	----	----	----	----	1286 UNCH
3755	----	----	----/*4.90A	4.80B/*4.90A	----	4.90 - 0.10	.0196	----	----	----	----	3 UNCH
3760	----	----	----/5.00A	4.90B/5.00A	----	5.00 - 0.10	.0200	----	----	----	----	23 UNCH
3765	----	----	----/*5.00A	5.00B/*5.00A	----	5.00 - 0.10	.0201	----	----	----	----	48 UNCH
3770	----	----	----/*5.10A	5.00B/*5.10A	----	5.10 - 0.10	.0205	----	----	1	----	10 + 1
3775	----	----	----/*5.10A	5.10B/*5.10A	----	5.20 - 0.10	.0208	----	----	----	----	40 UNCH
3780	----	----	----/*5.20A	5.20B/*5.20A	----	5.20 - 0.10	.0209	----	----	1	----	15 UNCH
3785	----	----	----/5.30A	5.20B/5.30A	----	5.30 - 0.10	.0213	----	----	----	----	6 UNCH
3790	----	----	----/*5.30A	5.30B/*5.30A	----	5.30 - 0.10	.0214	----	----	4	----	258 + 1
3795	----	----	----/*5.30A	5.30B/*5.30A	----	5.40 - 0.10	.0218	----	----	----	----	55 UNCH
3800	5.40	5.40	5.40/5.30	5.40/5.30	----	5.50 - 0.10	.0222	----	----	108	----	1321 + 29
3805	----	----	----/*5.50A	5.50B/*5.50A	----	5.50 - 0.10	.0223	----	----	----	----	67 UNCH
3810	----	----	----/*5.50A	5.60B/*5.50A	----	5.60 - 0.10	.0227	----	----	----	----	13 UNCH
3815	----	----	----/*5.60A	5.60B/*5.60A	----	5.70 - 0.10	.0231	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3820	----	----	----/*5.70A	5.70B/*5.70A	----	5.70 - 0.10	.0232	----	----	----	----	11 UNCH
3825	----	----	----/*5.70A	5.80B/*5.70A	----	5.80 - 0.10	.0236	----	----	----	----	38 UNCH
3830	----	----	----/*5.80A	5.90B/*5.80A	----	5.90 - 0.10	.0240	----	----	----	----	185 UNCH
3835	----	----	----/*5.90A	6.00B/*5.90A	----	6.00 - 0.10	.0245	----	----	----	----	56 UNCH
3840	----	----	----/*5.90A	6.00B/*5.90A	----	6.00 - 0.10	.0246	----	----	----	----	3 UNCH
3850	----	----	----/6.10A	6.20B/6.10A	----	6.20 - 0.10	.0254	----	----	----	----	677 UNCH
3855	----	----	----/6.20A	6.30B/6.20A	----	6.30 - 0.10	.0258	----	----	----	----	72 UNCH
3860	----	----	----/*6.20A	6.40B/*6.20A	----	6.30 - 0.10	.0259	----	----	----	----	27 UNCH
3865	----	----	----/*6.30A	6.40B/*6.30A	----	6.40 - 0.10	.0264	----	----	----	----	16 UNCH
3870	----	----	----/*6.40A	6.50B/*6.40A	----	6.50 - 0.10	.0268	----	----	----	----	15 UNCH
3875	----	----	----/6.50A	6.60B/6.50A	----	6.60 - 0.10	.0272	----	----	----	----	163 UNCH
3880	6.40	6.40	6.70B/*6.40	6.70B/*6.40	----	6.70 - 0.10	.0276	----	----	1	----	15 + 1
3885	----	----	----/6.70A	6.80B/6.70A	----	6.80 - 0.10	.0281	----	----	----	----	12 UNCH
3890	----	----	----/*6.70A	6.90B/*6.70A	----	6.90 UNCH	.0285	----	----	----	----	43 UNCH
3895	----	----	----/*6.80A	7.00B/*6.80A	----	7.00 UNCH	.0289	----	----	----	----	16 UNCH
3900	7.10	7.10	7.10/*6.80	7.10/*6.80	----	7.00 - 0.10	.0291	----	----	4	----	732 + 2
3905	----	----	----/*7.00A	7.20B/*7.00A	----	7.10 - 0.10	.0295	----	----	----	----	45 UNCH
3910	----	----	----/*7.00A	7.30B/*7.00A	----	7.20 - 0.10	.0299	----	----	4	----	8 UNCH
3915	----	----	----/7.20A	7.40B/7.20A	----	7.30 - 0.10	.0304	----	----	----	----	29 UNCH
3920	----	----	----/7.30A	7.50B/7.30A	----	7.40 - 0.10	.0308	----	----	----	----	32 UNCH
3925	----	----	7.70B/7.40A	7.70B/7.40A	----	7.50 - 0.10	.0313	----	----	----	----	51 UNCH
3930	----	----	7.80B/*7.40A	7.80B/*7.40A	----	7.60 - 0.10	.0317	----	----	1	----	24 UNCH
3935	----	----	----/*7.50A	7.80B/*7.50A	----	7.70 - 0.10	.0322	----	----	----	----	27 UNCH
3940	----	----	8.10B/*7.60A	8.10B/*7.60A	----	7.90 UNCH	.0330	----	----	4	----	100 - 4
3945	----	----	8.20B/*7.70A	8.20B/*7.70A	----	8.00 UNCH	.0334	----	----	----	----	25 UNCH
3950	----	----	8.30B/*7.80A	8.30B/*7.80A	----	8.10 UNCH	.0339	----	----	----	----	313 UNCH
3955	----	----	8.40B/*7.90A	8.40B/*7.90A	----	8.20 UNCH	.0343	----	----	1	----	11 - 1
3960	----	----	8.50B/*8.00A	8.50B/*8.00A	----	8.30 - 0.10	.0348	----	----	----	----	34 UNCH
3965	----	----	8.70B/*8.10A	8.70B/*8.10A	----	8.40 - 0.10	.0353	----	----	----	----	23 UNCH
3970	8.20	8.20	8.80B/*8.20	8.80B/*8.20	----	8.60 UNCH	.0360	----	----	1	----	57 + 1
3975	----	----	8.90B/*8.40A	8.90B/*8.40A	----	8.70 UNCH	.0365	----	----	----	----	336 UNCH
3980	----	----	9.00B/*8.50A	9.00B/*8.50A	----	8.80 UNCH	.0370	----	----	----	----	32 UNCH
3985	----	----	9.20B/*8.60A	9.20B/*8.60A	----	8.90 - 0.10	.0375	----	----	----	----	27 UNCH
3990	----	----	9.30B/8.80A	9.30B/8.80A	----	9.10 UNCH	.0383	----	----	----	----	22 UNCH
3995	----	----	9.50B/8.90A	9.50B/8.90A	----	9.20 UNCH	.0388	----	----	----	----	149 UNCH
4000	8.80	8.80	9.60B/8.80	9.60B/8.80	----	9.30 - 0.10	.0393	----	----	16	----	3829 + 2
4005	----	----	9.70B/*9.10A	9.70B/*9.10A	----	9.50 UNCH	.0400	----	----	----	----	29 UNCH
4010	----	----	9.90B/*9.20A	9.90B/*9.20A	----	9.60 UNCH	.0405	----	----	----	----	42 UNCH
4015	----	----	10.10B/*9.40A	10.10B/*9.40A	----	9.80 UNCH	.0413	----	----	----	----	17 UNCH
4020	9.90	9.90	10.20B/*9.50A	10.20B/*9.50A	----	9.90 UNCH	.0418	----	----	5	----	173 + 5
4025	----	----	10.40B/*9.60A	10.40B/*9.60A	----	10.10 UNCH	.0427	----	----	----	----	206 UNCH
4030	----	----	10.50B/*9.80A	10.50B/*9.80A	----	10.20 UNCH	.0432	----	----	----	----	16 UNCH
4035	----	----	10.70B/*9.80A	10.70B/*9.80A	----	10.40 UNCH	.0440	----	----	----	----	48 UNCH
4040	----	----	10.90B/*10.10A	10.90B/*10.10A	----	10.50 UNCH	.0445	----	----	----	----	76 UNCH
4045	----	----	11.10B/*10.20A	11.10B/*10.20A	----	10.70 UNCH	.0453	----	----	----	----	2 UNCH
4050	10.20	10.20	11.20B/*10.20	11.20B/*10.20	----	10.90 + 0.10	.0461	----	----	2	----	1202 + 1
4055	----	----	11.40B/*10.50A	11.40B/*10.50A	----	11.00 UNCH	.0467	----	----	----	----	20 UNCH
4060	----	----	11.60B/*10.60A	11.60B/*10.60A	----	11.20 UNCH	.0475	----	----	----	----	91 UNCH
4065	11.20	11.20	11.80B/*10.80A	11.80B/*10.80A	----	11.40 + 0.10	.0483	----	----	6	----	122 + 1
4070	----	----	12.00B/*11.00A	12.00B/*11.00A	----	11.60 + 0.10	.0492	----	----	----	----	61 UNCH
4075	----	----	12.20B/11.10A	12.20B/11.10A	----	11.70 UNCH	.0497	----	----	----	----	275 UNCH
4080	----	----	12.40B/11.30A	12.40B/11.30A	----	11.90 UNCH	.0506	----	----	----	----	102 UNCH
4085	----	----	12.60B/*11.40A	12.60B/*11.40A	----	12.10 UNCH	.0514	----	----	----	----	68 UNCH
4090	----	----	12.80B/11.60A	12.80B/11.60A	----	12.30 UNCH	.0523	----	----	----	----	116 UNCH
4095	----	----	13.00B/11.80A	13.00B/11.80A	----	12.50 UNCH	.0531	----	----	----	----	62 UNCH
4100	12.50	12.50	13.20B/11.90	13.20B/11.90	----	12.70 UNCH	.0540	----	----	35	----	1378 + 15
4105	----	----	13.50B/*12.10A	13.50B/*12.10A	----	12.90 UNCH	.0548	----	----	----	----	84 UNCH
4110	----	----	13.70B/12.30A	13.70B/12.30A	----	13.10 UNCH	.0557	----	----	----	----	144 UNCH
4115	----	----	13.90B/12.50A	13.90B/12.50A	----	13.40 + 0.10	.0569	----	----	----	----	457 UNCH
4120	----	----	14.10B/12.60A	14.10B/12.60A	----	13.60 + 0.10	.0578	----	----	----	----	54 UNCH
4125	----	----	14.40B/12.80A	14.40B/12.80A	----	13.80 + 0.10	.0586	----	----	----	----	373 UNCH
4130	----	----	14.60B/13.00A	14.60B/13.00A	----	14.00 + 0.10	.0595	----	----	----	----	22 UNCH
4135	----	----	14.90B/13.20A	14.90B/13.20A	----	14.30 + 0.10	.0607	----	----	1	----	24 + 1
4140	----	----	15.20B/13.40A	15.20B/13.40A	----	14.50 + 0.10	.0616	----	----	2	----	18 UNCH
4145	----	----	15.40B/*13.50A	15.40B/*13.50A	----	14.80 + 0.20	.0628	----	----	1	----	254 + 1
4150	13.80	13.80	15.70B/13.80	15.70B/13.80	----	15.00 + 0.10	.0637	----	----	3	----	534 + 2
4155	----	----	16.00B/14.00A	16.00B/14.00A	----	15.30 + 0.20	.0649	----	----	4	----	23 + 2
4160	----	----	16.30B/14.20A	16.30B/14.20A	----	15.50 + 0.10	.0658	----	----	----	----	84 UNCH
4165	----	----	16.50B/14.40A	16.50B/14.40A	----	15.80 + 0.20	.0670	----	----	1	----	28 UNCH
4170	----	----	16.90B/14.70A	16.90B/14.70A	----	16.10 + 0.20	.0682	----	----	----	----	49 UNCH
4175	17.10	17.10	17.10/14.90A	17.10/14.90A	----	16.30 + 0.10	.0692	----	----	2	----	923 - 1
4180	17.30	17.30	17.40B/15.10A	17.40B/15.10A	----	16.60 + 0.20	.0704	----	----	1	----	124 - 1
4185	----	----	17.70B/15.30A	17.70B/15.30A	----	16.90 + 0.20	.0716	----	----	1	----	15 UNCH
4190	18.00	18.00	18.10B/15.60A	18.10B/15.60A	----	17.20 + 0.20	.0728	----	----	2	----	43 - 1
4195	17.10	17.10	18.40B/15.80A	18.40B/15.80A	----	17.50 + 0.20	.0741	----	----	17	----	38 + 5
4200	16.40	16.40	18.70B/16.10A	18.70B/16.10A	----	17.80 + 0.20	.0753	----	----	28	----	2658 + 7
4205	----	----	19.00B/16.30A	19.00B/16.30A	----	18.10 + 0.20	.0766	----	----	----	----	59 UNCH
4210	----	----	19.40B/16.60A	19.40B/16.60A	----	18.40 + 0.20	.0778	----	----	----	----	392 UNCH
4215	----	----	19.70B/16.90A	19.70B/16.90A	----	18.80 + 0.30	.0793	----	----	----	----	12 UNCH
4220	18.70	18.70	20.10B/17.10A	20.10B/17.10A	----	19.10 + 0.30	.0806	----	----	2	----	192 + 2
4225	----	----	20.40B/17.40A	20.40B/17.40A	----	19.40 + 0.20	.0819	----	----	----	----	251 UNCH
4230	19.40	19.40	20.90B/17.60A	20.90B/17.60A	----	19.80 + 0.30	.0834	----	----	2	----	69 + 1
4235	----	----	21.30B/18.00A	21.30B/18.00A	----	20.10 + 0.20	.0847	----	----	----	----	48 UNCH
4240	----	----	21.70B/18.20A	21.70B/18.20A	----	20.50 + 0.30	.0863	----	----	----	----	58 UNCH
4245	----	----	22.10B/18.50A	22.10B/18.50A	----	20.90 + 0.30	.0878	----	----	----	----	52 UNCH
4250	21.50	21.50	22.50B/18.80A	22.50B/18.80A	----	21.20 + 0.30	.0891	----	----	99	----	726 + 20
4255	----	----	22.90B/19.20A	22.90B/19.20A	----	21.60 + 0.30	.0907	----	----	----	----	12 UNCH
4260	----	----	23.30B/19.50A	23.30B/19.50A	----	22.00 + 0.30	.0923	----	----	2	----	109 + 1
4265	----	----	23.70B/19.90A	23.70B/19.90A	----	22.40 + 0.30	.0939	----	----	----	----	36 UNCH
4270	----	----	24.10B/20.20A	24.10B/20.20A	----	22.80 + 0.30	.0955	----	----	----	----	49 UNCH
4275	24.40	24.40	24.60B/20.60A	24.60B/20.60A	----	23.20 + 0.30	.0971	----	----	1	----	109 + 1
4280	----	----	25.00B/20.90A	25.00B/20.90A	----	23.70 + 0.40	.0989	----	----	----	----	75 UNCH
4285	----	----	25.50B/21.20A	25.50B/21.20A	----	24.10 + 0.40	.1005	----	----	----	----	28 UNCH
4290	----	----	26.00B/21.50A	26.00B/21.50A	----	24.50 + 0.40	.1022	----	----	1	----	97 UNCH
4295	----	----	26.50B/21.90A	26.50B/21.90A	----	25.00 + 0.50	.1040	----	----	----	----	32 UNCH
4300	25.10	25.10	27.00B/22.30A	27.00B/22.30A	----	25.40 + 0.40	.1057	----	----	144	----	2341 - 119
4305	----	----	27.50B/22.70A	27.50B/22.70A	----	25.90 + 0.50	.1076	----	----	----	----	76 UNCH
4310	----	----	28.00B/23.10A	28.00B/23.10A	----	26.40 + 0.50	.1095	----	----	1	----	52 + 1
4315	----	----	28.50B/23.60A	28.50B/23.60A	----	26.90 + 0.50	.1114	----	----	----	----	49 UNCH
4320	----	----	29.00B/24.00A	29.00B/24.00A	----	27.40 + 0.50	.1133	----	----	----	----	85 UNCH
4325	----	----	29.60B/24.40A	29.60B/24.40A	----	27.90 + 0.60	.1152	----	----	----	----	61 UNCH
4330	----	----	30.10B/24.80A	30.10B/24.80A	----	28.40 + 0.60	.1171	----	----	----	----	461 UNCH
4335	----	----	30.70B/25.30A	30.70B/25.30A	----	28.90 + 0.50	.1191	----	----	2	----	54 + 1
4340	----	----	31.30B/25.70A	31.30B/25.70A	----	29.50 + 0.60	.1213	----	----	2	----	116 UNCH
4345	----	----	31.80B/26.20A	31.80B/26.20A	----	30.00 + 0.60	.1232	----	----	----	----	48 UNCH
4350	----	----	32.40B/26.60A	32.40B/26.60A	----	30.60 + 0.70	.1254	----	----	3	----	547 + 2
4355	----	----	33.00B/27.10A	33.00B/27.10A	----	31.10 + 0.60	.1274	----	----	----	----	82 UNCH
4360	----	----	33.70B/27.60A	33.70B/27.60A	----	31.70 + 0.60	.1296	----	----	----	----	80 UNCH
4365	----	----	34.30B/28.10A	34.30B/28.10A	----	32.30 + 0.70	.1318	----	----	1	----	69 UNCH
4370	----	----	34.90B/28.60A	34.90B/28.60A	----	32.90 + 0.70	.1340	----	----	----	----	24 UNCH
4375	----	----	35.60B/29.10A	35.60B/29.10A	----	33.50 + 0.70	.1363	----	----	----	----	510 UNCH
4380	----	----	36.30B/29.60A	36.30B/29.60A	----	34.20 + 0.80	.1387	----	----	1	----	409 + 1
4385	----	----	36.90B/30.10A	36.90B/30.10A	----	34.80 + 0.80	.1410	----	----	5	----	132 - 3
4390	----	----	37.70B/30.60A	37.70B/30.60A	----	35.50 + 0.80	.1434	----	----	----	----	61 UNCH
4395	----	----	38.40B/31.20A	38.40B/31.20A	----	36.10 + 0.80	.1457	----	----	----	----	94 UNCH
4400	33.00	33.00	39.10B/31.80A	39.10B/31.80A	----	36.80 + 0.80	.1482	----	----	142	----	4082 + 67
4405	----	----	39.80B/32.30A	39.80B/32.30A	----	37.50 + 0.90	.1507	----	----	----	----	133 UNCH
4410	----	----	40.60B/32.90A	40.60B/32.90A	----	38.20 + 0.90	.1532	----	----	3	----	101 + 3
4415	39.60	39.60	41.30B/33.50A	41.30B/33.50A	----	38.90 + 0.90	.1557	----	----	5	----	89 + 3
4420	----	----	42.10B/34.10A	42.10B/34.10A	----	39.70 + 1.00	.1585	----	----	13	----	139 + 1
4425	----	----	42.90B/34.70A	42.90B/34.70A	----	40.40 + 1.00	.1610	----	----	6	----	139 UNCH
4430	----	----	43.70B/35.30A	43.70B/35.30A	----	41.20 + 1.10	.1638	----	----	----	----	93 UNCH
4435	42.60	42.60	44.50B/36.00A	44.50B/36.00A	----	42.00 + 1.10	.1665	----	----	1	----	75 + 1
4440	----	----	45.30B/36.60A	45.30B/36.60A	----	42.70 + 1.10	.1691	----	----	5	----	35 UNCH
4445	----	----	46.20B/37.20A	46.20B/37.20A	----	43.50 + 1.10	.1719	----	----	----	----	54 UNCH
4450	40.00	40.00	47.10B/37.90A	47.10B/37.90A	----	44.40 + 1.20	.1748	----	----	115	----	1130 + 76
4455	----	----	48.00B/38.60A	48.00B/38.60A	----	45.20 + 1.20	.1776	----	----	----	----	69 UNCH
4460	46.20	46.20	48.80B/39.40A	48.80B/39.40A	----	46.10 + 1.30	.1806	----	----	20	----	35 UNCH
4465	----	----	49.80B/40.00A	49.80B/40.00A	----	46.90 + 1.30	.1834	----	----	----	----	30 UNCH
4470	----	----	50.70B/40.80A	50.70B/40.80A	----	47.80 + 1.30	.1865	----	----	1	----	69 UNCH
4475	49.70	49.70	51.60B/41.40A	51.60B/41.40A	----	48.70 + 1.40	.1895	----	----	4	----	162 + 4
4480	----	----	52.60B/42.00A	52.60B/42.00A	----	49.60 + 1.40	.1925	----	----	2	----	108 + 2
4485	----	----	53.60B/43.00A	53.60B/43.00A	----	50.50 + 1.40	.1955	----	----	----	----	32 UNCH
4490	----	----	54.60B/43.80A	54.60B/43.80A	----	51.50 + 1.50	.1988	----	----	1	----	93 UNCH
4495	----	----	55.60B/44.60A	55.60B/44.60A	----	52.50 + 1.60	.2020	----	----	----	----	82 UNCH
4500	50.30	50.30	56.60B/45.40A	56.60B/45.40A	----	53.40 + 1.50	.2051	----	----	398	100	3423 + 206
4505	----	----	57.70B/46.20A	57.70B/46.20A	----	54.40 + 1.60	.2083	----	----	2	----	31 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4510	----	----	58.80B/47.00A	58.80B/47.00A	----	55.40 + 1.60	.2116	----	----	----	----	44 UNCH
4515	----	----	59.90B/47.90A	59.90B/47.90A	----	56.50 + 1.70	.2150	----	----	----	----	241 UNCH
4520	----	----	61.00B/48.50A	61.00B/48.50A	----	57.50 + 1.70	.2183	----	----	----	----	158 UNCH
4525	----	----	62.10B/49.60A	62.10B/49.60A	----	58.60 + 1.80	.2218	----	----	----	----	153 UNCH
4530	59.90	59.90	63.20B/50.40A	63.20B/50.40A	----	59.70 + 1.90	.2252	----	----	3	----	127 UNCH
4535	----	----	64.40B/51.20A	64.40B/51.20A	----	60.80 + 1.90	.2287	----	----	1	----	92 + 1
4540	----	----	65.60B/52.10A	65.60B/52.10A	----	61.90 + 1.90	.2322	----	----	----	----	202 UNCH
4545	----	----	66.80B/53.10A	66.80B/53.10A	----	63.00 + 1.90	.2357	----	----	----	----	80 UNCH
4550	----	----	68.00B/54.00A	68.00B/54.00A	----	64.20 + 2.00	.2393	----	----	21	----	713 + 6
4555	----	----	69.30B/55.00A	69.30B/55.00A	----	65.40 + 2.10	.2430	----	----	----	----	43 UNCH
4560	----	----	70.50B/55.90A	70.50B/55.90A	----	66.60 + 2.20	.2467	----	----	----	----	30 UNCH
4565	----	----	71.80B/56.90A	71.80B/56.90A	----	67.80 + 2.20	.2503	----	----	2	----	201 + 2
4570	66.60	66.60	73.10B/58.00A	73.10B/58.00A	----	69.10 + 2.30	.2542	----	----	110	----	136 + 78
4575	----	----	74.50B/59.00A	74.50B/59.00A	----	70.30 + 2.30	.2579	----	----	1	----	172 + 1
4580	----	----	75.80B/60.30A	75.80B/60.30A	----	71.60 + 2.40	.2617	----	----	3	----	218 UNCH
4585	----	----	77.30B/61.20A	77.30B/61.20A	----	72.90 + 2.40	.2656	----	----	----	----	30 UNCH
4590	----	----	78.70B/62.30A	78.70B/62.30A	----	74.30 + 2.60	.2696	----	----	----	----	112 UNCH
4595	----	----	80.00B/63.40A	80.00B/63.40A	----	75.60 + 2.60	.2734	----	----	1	----	30 + 1
4600	77.70	77.70	81.40B/64.50A	81.40B/64.50A	----	77.00 + 2.70	.2774	----	----	401	----	1881 + 167
4605	----	----	82.90B/65.70A	82.90B/65.70A	----	78.40 + 2.70	.2815	----	----	1	----	18 - 1
4610	----	----	84.40B/66.80A	84.40B/66.80A	----	79.80 + 2.80	.2855	----	----	----	----	14 UNCH
4615	----	----	86.00B/68.00A	86.00B/68.00A	----	81.30 + 2.90	.2896	----	----	2	----	52 + 1
4620	----	----	87.40B/69.20A	87.40B/69.20A	----	82.70 + 2.90	.2937	----	----	2	----	186 UNCH
4625	----	----	89.00B/70.40A	89.00B/70.40A	----	84.20 + 3.00	.2978	----	----	----	----	252 UNCH
4630	74.30	74.30	90.60B/71.70A	90.60B/71.70A	----	85.70 + 3.10	.3020	----	----	21	----	146 + 8
4635	----	----	92.10B/73.00A	92.10B/73.00A	----	87.30 + 3.30	.3063	----	----	----	----	25 UNCH
4640	----	----	93.80B/74.30A	93.80B/74.30A	----	88.80 + 3.30	.3105	----	----	----	----	48 UNCH
4645	----	----	95.40B/75.70A	95.40B/75.70A	----	90.40 + 3.40	.3148	----	----	----	----	46 UNCH
4650	84.00	84.00	97.20B/77.00A	97.20B/77.00A	----	92.00 + 3.50	.3191	----	----	1	----	1199 - 1
4655	77.00	77.00	98.90B/77.00	98.90B/77.00	----	93.60 + 3.50	.3234	----	----	1	----	45 - 1
4660	93.70	93.70	100.60B/79.70A	100.60B/79.70A	----	95.30 + 3.70	.3278	----	----	2	----	109 + 1
4665	----	----	102.20B/81.00A	102.20B/81.00A	----	96.90 + 3.70	.3322	----	----	1	----	17 + 1
4670	92.30	92.30	104.10B/82.60A	104.10B/82.60A	----	98.60 + 3.80	.3366	----	----	2	----	257 UNCH
4675	----	----	105.90B/84.00A	105.90B/84.00A	----	100.40 + 4.00	.3411	----	----	----	----	277 UNCH
4680	99.90	99.90	107.70B/85.30A	107.70B/85.30A	----	102.10 + 4.00	.3456	----	----	1	----	61 - 1
4685	----	----	109.50B/86.70A	109.50B/86.70A	----	103.90 + 4.20	.3501	----	----	----	----	36 UNCH
4690	103.20	103.20	111.30B/88.20A	111.30B/88.20A	----	105.70 + 4.30	.3547	----	----	3	----	56 + 3
4695	100.10	100.10	113.40B/89.80A	113.40B/89.80A	----	107.50 + 4.40	.3592	----	----	1	----	65 + 1
4700	100.00	100.00	115.10B/91.40A	115.10B/91.40A	----	109.30 + 4.50	.3638	----	----	15	----	1517 + 5
4705	----	----	117.30B/93.20A	117.30B/93.20A	----	111.20 + 4.60	.3684	----	----	----	----	92 UNCH
4710	----	----	119.00B/94.70A	119.00B/94.70A	----	113.00 + 4.60	.3730	----	----	----	----	21 UNCH
4715	----	----	121.00B/96.10A	121.00B/96.10A	----	114.90 + 4.70	.3776	----	----	1	----	41 UNCH
4720	119.20	119.20	123.30B/97.70A	123.30B/97.70A	----	116.90 + 4.90	.3823	----	----	2	----	104 - 1
4725	----	----	125.30B/99.40A	125.30B/99.40A	----	118.80 + 4.90	.3870	----	----	----	----	153 UNCH
4730	----	----	127.40B/101.00A	127.40B/101.00A	----	120.80 + 5.10	.3917	----	----	1	----	87 UNCH
4735	----	----	129.40B/102.80A	129.40B/102.80A	----	122.80 + 5.10	.3965	----	----	----	----	58 UNCH
4740	----	----	131.50B/104.60A	131.50B/104.60A	----	124.90 + 5.30	.4013	----	----	1	----	85 UNCH
4745	----	----	133.80B/106.30A	133.80B/106.30A	----	127.00 + 5.40	.4060	----	----	----	----	4 UNCH
4750	118.30	118.30	136.00B/108.10A	136.00B/108.10A	----	129.10 + 5.50	.4108	----	----	352	----	915 - 55
4755	128.00	128.00	138.20B/109.90A	138.20B/109.90A	----	131.20 + 5.60	.4156	----	----	1	----	19 UNCH
4760	----	----	140.40B/111.80A	140.40B/111.80A	----	133.40 + 5.70	.4205	----	----	----	----	75 UNCH
4765	----	----	142.70B/113.60A	142.70B/113.60A	----	135.50 + 5.70	.4253	----	----	----	----	61 UNCH
4770	----	----	144.90B/115.60A	144.90B/115.60A	----	137.80 + 5.90	.4302	----	----	1	----	96 UNCH
4775	----	----	147.30B/117.50A	147.30B/117.50A	----	140.00 + 6.00	.4350	----	----	----	----	189 UNCH
4780	132.40	132.40	149.60B/119.40A	149.60B/119.40A	----	142.30 + 6.10	.4399	----	----	4	----	58 + 2
4785	----	----	152.00B/121.30A	152.00B/121.30A	----	144.60 + 6.30	.4448	----	----	2	----	89 UNCH
4790	150.80	150.80	154.40B/123.20A	154.40B/123.20A	----	146.90 + 6.40	.4497	----	----	4	----	69 UNCH
4795	152.80	152.80	156.80B/125.20A	156.80B/125.20A	----	149.30 + 6.60	.4546	----	----	5	----	28 UNCH
4800	142.00	142.00	159.20B/127.20A	159.20B/127.20A	----	151.60 + 6.70	.4595	----	----	667	----	2870 + 479
4805	----	----	161.70B/129.30A	161.70B/129.30A	----	154.00 + 6.80	.4644	----	----	----	----	84 UNCH
4810	----	----	164.20B/131.30A	164.20B/131.30A	----	156.50 + 7.00	.4694	----	----	----	----	22 UNCH
4815	----	----	166.70B/133.40A	166.70B/133.40A	----	158.90 + 7.10	.4743	----	----	----	----	93 UNCH
4820	144.50	144.50	169.30B/135.70A	169.30B/135.70A	----	161.40 + 7.20	.4792	----	----	7	----	30 + 5
4825	----	----	171.80B/137.80A	171.80B/137.80A	----	163.90 + 7.40	.4841	----	----	3	----	219 UNCH
4830	----	----	174.40B/139.90A	174.40B/139.90A	----	166.40 + 7.50	.4891	----	----	5	----	141 + 1
4835	158.70	158.70	177.10B/142.00A	177.10B/142.00A	----	169.00 + 7.60	.4940	----	----	1	----	30 UNCH
4840	----	----	179.70B/144.30A	179.70B/144.30A	----	171.50 + 7.70	.4989	----	----	5	----	33 + 3
4845	----	----	182.40B/146.50A	182.40B/146.50A	----	174.10 + 7.80	.5039	----	----	----	----	13 UNCH
4850	164.80	164.80	185.10B/148.80A	185.10B/148.80A	----	176.80 + 8.00	.5088	----	----	56	----	521 - 8
4855	----	----	187.80B/151.30A	187.80B/151.30A	----	179.40 + 8.00	.5137	----	----	----	----	359 UNCH
4860	175.90	175.90	190.60B/153.60A	190.60B/153.60A	----	182.10 + 8.20	.5186	----	----	1	----	44 UNCH
4865	173.70	173.70	193.40B/155.90A	193.40B/155.90A	----	184.80 + 8.30	.5235	----	----	7	----	23 + 6
4870	----	----	196.20B/158.20A	196.20B/158.20A	----	187.60 + 8.50	.5285	----	----	----	----	42 UNCH
4875	----	----	199.00B/160.80A	199.00B/160.80A	----	190.40 + 8.60	.5333	----	----	----	----	79 UNCH
4880	----	----	201.90B/163.20A	201.90B/163.20A	----	193.10 + 8.70	.5382	----	----	----	----	3 UNCH
4885	----	----	204.80B/165.70A	204.80B/165.70A	----	196.00 + 8.90	.5431	----	----	----	----	7 UNCH
4890	----	----	207.70B/168.20A	207.70B/168.20A	----	198.80 + 8.90	.5480	----	----	----	----	47 UNCH
4895	182.00	182.00	210.60B/170.80A	210.60B/170.80A	----	201.70 + 9.10	.5528	----	----	2	----	212 + 1
4900	185.00	185.00	213.60B/173.30A	213.60B/173.30A	----	204.60 + 9.20	.5577	----	----	15	----	1821 - 2
4905	----	----	216.60B/175.90A	216.60B/175.90A	----	207.50 + 9.30	.5625	----	----	----	----	10 UNCH
4910	----	----	219.60B/178.50A	219.60B/178.50A	----	210.50 + 9.50	.5673	----	----	----	----	57 UNCH
4915	----	----	222.30B/181.10A	222.30B/181.10A	----	213.40 + 9.60	.5721	----	----	----	----	37 UNCH
4920	----	----	225.40B/183.70A	225.40B/183.70A	----	216.40 + 9.70	.5768	----	----	----	----	92 UNCH
4925	----	----	228.60B/186.40A	228.60B/186.40A	----	219.50 + 9.90	.5816	----	----	1	----	74 + 1
4930	----	----	231.70B/189.10A	231.70B/189.10A	----	222.50 + 10.00	.5864	----	----	----	----	199 UNCH
4940	----	----	238.00B/194.60A	238.00B/194.60A	----	228.70 + 10.30	.5958	----	----	----	----	64 UNCH
4945	----	----	241.10B/197.40A	241.10B/197.40A	----	231.80 + 10.40	.6005	----	----	----	----	2 UNCH
4950	----	----	244.40B/200.10A	244.40B/200.10A	----	235.00 + 10.60	.6052	----	----	----	----	289 UNCH
4955	----	----	247.70B/203.20A	247.70B/203.20A	----	238.10 + 10.60	.6098	----	----	----	----	31 UNCH
4960	----	----	250.80B/205.80A	250.80B/205.80A	----	241.30 + 10.80	.6145	----	----	----	----	23 UNCH
4965	----	----	254.20B/209.00A	254.20B/209.00A	----	244.60 + 11.00	.6191	----	----	----	----	24 UNCH
4970	----	----	257.50B/211.60A	257.50B/211.60A	----	247.80 + 11.10	.6236	----	----	----	----	44 UNCH
4975	----	----	260.70B/214.70A	260.70B/214.70A	----	251.10 + 11.20	.6282	----	----	----	----	153 UNCH
4980	----	----	264.20B/217.60A	264.20B/217.60A	----	254.40 + 11.40	.6327	----	----	----	----	28 UNCH
4985	----	----	267.20B/220.80A	267.20B/220.80A	----	257.70 + 11.50	.6373	----	----	----	----	9 UNCH
4990	----	----	270.70B/223.50A	270.70B/223.50A	----	261.00 + 11.60	.6417	----	----	----	----	293 UNCH
4995	----	----	274.30B/226.80A	274.30B/226.80A	----	264.40 + 11.80	.6461	----	----	----	----	11 UNCH
5000	262.00	262.00	277.70B/229.90A	277.70B/229.90A	----	267.80 + 11.90	.6506	----	----	14	----	1884 + 5
5005	----	----	281.30B/233.00A	281.30B/233.00A	----	271.20 + 12.00	.6550	----	----	----	----	302 UNCH
5010	----	----	284.70B/236.00A	284.70B/236.00A	----	274.60 + 12.10	.6593	----	----	----	----	13 UNCH
5015	----	----	288.30B/239.20A	288.30B/239.20A	----	278.10 + 12.30	.6637	----	----	----	----	49 UNCH
5020	----	----	291.80B/242.50A	291.80B/242.50A	----	281.60 + 12.50	.6680	----	----	----	----	31 UNCH
5025	----	----	295.10B/245.40A	295.10B/245.40A	----	285.10 + 12.60	.6722	----	----	----	----	53 UNCH
5030	----	----	298.90B/248.50A	298.90B/248.50A	----	288.60 + 12.70	.6765	----	----	----	----	68 UNCH
5035	----	----	302.40B/252.00A	302.40B/252.00A	----	292.10 + 12.80	.6807	----	----	----	----	13 UNCH
5040	----	----	306.10B/255.10A	306.10B/255.10A	----	295.70 + 13.00	.6850	----	----	----	----	18 UNCH
5045	----	----	309.70B/258.50A	309.70B/258.50A	----	299.30 + 13.10	.6891	----	----	----	----	5 UNCH
5050	----	----	313.30B/261.80A	313.30B/261.80A	----	302.90 + 13.30	.6931	----	----	----	----	806 UNCH
5055	----	----	317.10B/264.80A	317.10B/264.80A	----	306.50 + 13.40	.6973	----	----	----	----	63 UNCH
5060	----	----	320.80B/268.70A	320.80B/268.70A	----	310.20 + 13.50	.7013	----	----	----	----	64 UNCH
5065	----	----	324.50B/272.10A	324.50B/272.10A	----	313.90 + 13.70	.7053	----	----	----	----	17 UNCH
5070	----	----	328.00B/275.70A	328.00B/275.70A	----	317.60 + 13.80	.7093	----	----	----	----	52 UNCH
5075	----	----	332.00B/279.20A	332.00B/279.20A	----	321.30 + 14.00	.7133	----	----	----	----	28 UNCH
5080	----	----	335.80B/282.70A	335.80B/282.70A	----	325.00 + 14.10	.7171	----	----	----	----	29 UNCH
5085	----	----	339.60B/286.10A	339.60B/286.10A	----	328.80 + 14.20	.7211	----	----	----	----	123 UNCH
5090	----	----	343.40B/289.60A	343.40B/289.60A	----	332.50 + 14.30	.7250	----	----	----	----	109 UNCH
5095	----	----	347.30B/293.20A	347.30B/293.20A	----	336.30 + 14.40	.7288	----	----	----	----	127 UNCH
5100	----	----	351.00B/296.40A	351.00B/296.40A	----	340.20 + 14.60	.7324	----	----	----	----	458 UNCH
5105	----	----	354.80B/300.00A	354.80B/300.00A	----	344.00 + 14.70	.7363	----	----	----	----	38 UNCH
5110	----	----	358.70B/303.80A	358.70B/303.80A	----	347.80 + 14.80	.7399	----	----	----	----	74 UNCH
5115	----	----	362.60B/307.40A	362.60B/307.40A	----	351.70 + 15.00	.7436	----	----	----	----	14 UNCH
5120	----	----	366.50B/310.60A	366.50B/310.60A	----	355.60 + 15.10	.7472	----	----	----	----	25 UNCH
5125	----	----	370.50B/314.50A	370.50B/314.50A	----	359.50 + 15.20	.7508	----	----	----	----	192 UNCH
5130	----	----	374.20B/317.90A	374.20B/317.90A	----	363.50 + 15.40	.7543	----	----	----	----	26 UNCH
5135	----	----	378.40B/321.80A	378.40B/321.80A	----	367.40 + 15.50	.7579	----	----	----	----	37 UNCH
5140	----	----	382.40B/325.20A	382.40B/325.20A	----	371.40 + 15.70	.7613	----	----	----	----	14 UNCH
5145	----	----	386.50B/328.90A	386.50B/328.90A	----	375.30 + 15.70	.7647	----	----	----	----	39 UNCH
5150	----	----	390.50B/332.90A	390.50B/332.90A	----	379.30 + 15.90	.7682	----	----	----	----	389 UNCH
5155	----	----	394.60B/336.40A	394.60B/336.40A	----	383.40 + 16.10	.7716	----	----	----	----	38 UNCH
5160	----	----	398.60B/340.30A	398.60B/340.30A	----	387.40 + 16.20	.7748	----	----	----	----	70 UNCH
5165	----	----	402.40B/344.20A	402.40B/344.20A	----	391.40 + 16.20	.7780	----	----	----	----	47 UNCH
5170	----	----	406.80B/348.00A	406.80B/348.00A	----	395.50 + 16.40	.7814	----	----	----	----	504 UNCH
5175	----	----	410.60B/351.70A	410.60B/351.70A	----	399.60 + 16.50	.7846	----	----	----	----	15 UNCH
5180	----	----	415.10B/355.30A	415.10B/355.30A	----	403.70 + 16.60	.7876	----	----	----	----	19 UNCH
5185	----	----	419.20B/359.20A	419.20B/359.20A	----	407.80 + 16.70	.7908	----	----	----	----	22 UNCH
5190	----	----	423.40B/363.30A	423.40B/363.30A	----	411.90 + 16.80	.7940	----	----	----	----	5 UNCH
5195	----	----	427.20B/367.30A	427.20B/367.30A	----	416.10 + 17.00	.7969	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5200	----	----	431.70B/371.20A	431.70B/371.20A	----	420.30 + 17.20	.7999	----	----	----	----	611 UNCH
5205	----	----	435.90B/375.00A	435.90B/375.00A	----	424.40 + 17.20	.8029	----	----	----	----	36 UNCH
5210	----	----	439.80B/379.00A	439.80B/379.00A	----	428.60 + 17.30	.8058	----	----	----	----	68 UNCH
5215	----	----	444.40B/382.90A	444.40B/382.90A	----	432.80 + 17.40	.8087	----	----	----	----	42 UNCH
5220	----	----	448.60B/387.00A	448.60B/387.00A	----	437.10 + 17.60	.8117	----	----	----	----	188 UNCH
5225	----	----	452.90B/390.90A	452.90B/390.90A	----	441.30 + 17.70	.8144	----	----	----	----	200 UNCH
5230	----	----	456.80B/394.60A	456.80B/394.60A	----	445.50 + 17.80	.8173	----	----	----	----	7 UNCH
5235	----	----	461.40B/399.00A	461.40B/399.00A	----	449.80 + 17.90	.8200	----	----	----	----	160 UNCH
5245	----	----	470.00B/406.80A	470.00B/406.80A	----	458.40 + 18.20	.8254	----	----	----	----	9 UNCH
5250	----	----	474.30B/411.20A	474.30B/411.20A	----	462.70 + 18.30	.8281	----	----	----	----	333 UNCH
5255	----	----	478.70B/415.30A	478.70B/415.30A	----	467.00 + 18.40	.8305	----	----	----	----	9 UNCH
5260	----	----	482.70B/419.40A	482.70B/419.40A	----	471.30 + 18.50	.8332	----	----	----	----	11 UNCH
5265	----	----	487.40B/423.50A	487.40B/423.50A	----	475.70 + 18.60	.8356	----	----	----	----	5 UNCH
5270	----	----	491.80B/427.60A	491.80B/427.60A	----	480.00 + 18.70	.8382	----	----	----	----	24 UNCH
5275	----	----	496.10B/431.80A	496.10B/431.80A	----	484.40 + 18.80	.8406	----	----	----	----	170 UNCH
5280	----	----	500.50B/436.00A	500.50B/436.00A	----	488.80 + 19.00	.8430	----	----	----	----	67 UNCH
5285	----	----	504.90B/440.10A	504.90B/440.10A	----	493.20 + 19.10	.8454	----	----	----	----	27 UNCH
5290	----	----	509.40B/444.20A	509.40B/444.20A	----	497.60 + 19.20	.8478	----	----	----	----	2 UNCH
5300	----	----	518.20B/452.70A	518.20B/452.70A	----	506.40 + 19.30	.8523	----	----	----	----	161 UNCH
5305	----	----	522.70B/456.60A	522.70B/456.60A	----	510.90 + 19.50	.8544	----	----	----	----	104 UNCH
5320	----	----	536.10B/469.70A	536.10B/469.70A	----	524.20 + 19.70	.8610	----	----	----	----	108 UNCH
5325	----	----	540.60B/473.90A	540.60B/473.90A	----	528.70 + 19.90	.8631	----	----	----	----	1 UNCH
5335	----	----	549.60B/482.40A	549.60B/482.40A	----	537.70 + 20.10	.8672	----	----	----	----	5 UNCH
5340	----	----	554.10B/487.00A	554.10B/487.00A	----	542.20 + 20.20	.8693	----	----	----	----	52 UNCH
5345	----	----	558.70B/491.30A	558.70B/491.30A	----	546.80 + 20.30	.8711	----	----	----	----	1 UNCH
5350	----	----	563.20B/495.40A	563.20B/495.40A	----	551.30 + 20.40	.8731	----	----	----	----	109 UNCH
5365	----	----	576.90B/508.50A	576.90B/508.50A	----	564.90 + 20.60	.8787	----	----	----	----	4 UNCH
5370	----	----	581.40B/512.90A	581.40B/512.90A	----	569.50 + 20.70	.8805	----	----	----	----	37 UNCH
5375	----	----	586.00B/517.30A	586.00B/517.30A	----	574.10 + 20.90	.8822	----	----	----	----	1 UNCH
5380	----	----	590.30B/521.80A	590.30B/521.80A	----	578.70 + 21.00	.8840	----	----	----	----	2 UNCH
5385	----	----	594.90B/526.30A	594.90B/526.30A	----	583.30 + 21.10	.8857	----	----	----	----	10 UNCH
5390	----	----	599.50B/530.50A	599.50B/530.50A	----	587.90 + 21.10	.8874	----	----	----	----	2 UNCH
5395	----	----	604.40B/534.80A	604.40B/534.80A	----	592.50 + 21.20	.8892	----	----	----	----	156 UNCH
5400	----	----	609.00B/539.40A	609.00B/539.40A	----	597.10 + 21.30	.8909	----	----	----	----	442 UNCH
5420	----	----	627.60B/557.50A	627.60B/557.50A	----	615.60 + 21.50	.8972	----	----	----	----	10 UNCH
5425	----	----	632.40B/561.70A	632.40B/561.70A	----	620.30 + 21.70	.8986	----	----	----	----	1 UNCH
5430	----	----	636.90B/566.40A	636.90B/566.40A	----	624.90 + 21.70	.9003	----	----	----	----	30 UNCH
5435	----	----	641.60B/571.10A	641.60B/571.10A	----	629.60 + 21.80	.9016	----	----	----	----	10 UNCH
5440	----	----	646.40B/575.30A	646.40B/575.30A	----	634.30 + 21.90	.9030	----	----	----	----	20 UNCH
5470	----	----	674.40B/602.50A	674.40B/602.50A	----	662.50 + 22.30	.9112	----	----	----	----	1 UNCH
5490	----	----	693.30B/621.30A	693.30B/621.30A	----	681.40 + 22.50	.9160	----	----	----	----	166 UNCH
5500	----	----	702.90B/630.30A	702.90B/630.30A	----	690.90 + 22.70	.9183	----	----	----	----	52 UNCH
5525	----	----	726.30B/653.80A	726.30B/653.80A	----	714.70 + 22.90	.9237	----	----	----	----	2 UNCH
5575	----	----	774.60B/700.50A	774.60B/700.50A	----	762.60 + 23.40	.9333	----	----	----	----	2 UNCH
5590	----	----	789.00B/715.00A	789.00B/715.00A	----	777.10 + 23.60	.9358	----	----	----	----	77 UNCH
5595	----	----	793.80B/719.50A	793.80B/719.50A	----	781.90 + 23.60	.9368	----	----	----	----	1 UNCH
5600	----	----	798.70B/724.50A	798.70B/724.50A	----	786.80 + 23.70	.9374	----	----	----	----	8 UNCH
5640	----	----	837.40B/762.20A	837.40B/762.20A	----	825.50 + 24.00	.9434	----	----	----	----	9 UNCH
5800	----	----	993.30B/917.10A	993.30B/917.10A	----	982.00 + 25.00	.9605	----	----	----	----	6 UNCH
6000	----	----	1,190.40B/1,113	1190.40B/1113.80A	----	1179.70 + 25.70	.9726	----	----	----	----	4 UNCH
6100	----	----	1,283.60B/1,222	1283.60B/1222.90A	----	1278.90 + 25.80	.9765	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1851.70 + 26.40	.9893	----	----	----	----	2 UNCH
TOTAL										3027	100	87257 + 1056
JUL26												
2275	0.70	0.70	0.70/*0.70	0.70/0.70	----	0.40 UNCH	.0010	----	----	1	----	20 UNCH
2300	----	----	----	0.20B/0.70A	----	0.40 - 0.10	.0010	----	----	----	----	96 UNCH
2400	----	----	----	0.40B/0.90A	----	0.60 UNCH	.0015	----	----	----	----	2 UNCH
2500	----	----	----	0.50B/1.00A	----	0.70 - 0.10	.0018	----	----	----	----	192 UNCH
2575	----	----	----	0.60B/1.10A	----	0.90 UNCH	.0023	----	----	----	----	1 UNCH
2600	----	----	----	0.70B/1.20A	----	1.00 + 0.10	.0025	----	----	----	----	12 UNCH
2620	----	----	----	0.70B/*1.20A	----	1.00 UNCH	.0026	----	----	----	----	1 UNCH
2650	----	----	----	0.80B/*1.30A	----	1.10 + 0.10	.0028	----	----	----	----	52 UNCH
2670	----	----	----	0.80B/*1.30A	----	1.10 UNCH	.0029	----	----	----	----	10 UNCH
2675	----	----	----	0.80B/*1.40A	----	1.10 UNCH	.0029	----	----	----	----	10 UNCH
2680	----	----	----	0.80B/*1.40A	----	1.10 UNCH	.0029	----	----	----	----	10 UNCH
2700	----	----	----	0.90B/1.40A	----	1.20 + 0.10	.0031	----	----	----	----	3 UNCH
2705	----	----	----	0.90B/*1.40A	----	1.20 UNCH	.0031	----	----	----	----	1 UNCH
2710	----	----	----	0.90B/*1.40A	----	1.20 UNCH	.0031	----	----	----	----	7 UNCH
2730	----	----	----	0.90B/1.50A	----	1.30 + 0.10	.0034	----	----	----	----	1 UNCH
2750	----	----	----	1.00B/*1.50A	----	1.30 UNCH	.0034	----	----	----	----	19 UNCH
2785	----	----	----	1.10B/1.60A	----	1.50 + 0.10	.0040	----	----	----	----	2 UNCH
2800	1.50	1.50	1.50/*1.50	1.50/*1.50	----	1.50 + 0.10	.0040	----	----	1	----	6 - 1
2850	----	----	----	1.40B/*1.80A	----	1.70 + 0.10	.0046	----	----	----	----	3 UNCH
2860	----	----	----	1.40B/*1.90A	----	1.70 + 0.10	.0046	----	----	----	----	5 UNCH
2890	----	----	----	1.50B/*2.00A	----	1.80 + 0.10	.0049	----	----	----	----	60 UNCH
2895	----	----	----	1.60B/*2.00A	----	1.80 UNCH	.0049	----	----	----	----	18 UNCH
2900	----	----	----	1.60B/*2.00A	----	1.90 + 0.10	.0051	----	----	----	----	18 UNCH
2905	----	----	----	1.60B/*2.00A	----	1.90 + 0.10	.0051	----	----	----	----	19 UNCH
2920	----	----	----	1.60B/*2.10A	----	1.90 UNCH	.0052	----	----	----	----	3 UNCH
2950	----	----	----	1.70B/*2.10A	----	2.10 + 0.10	.0057	----	----	20	----	52 + 20
2985	2.00	2.00	2.00/*2.00	2.00/*2.00	----	2.20 NEW	.0061	----	----	10	----	10 + 10
2995	----	----	----	1.90B/2.40A	----	2.20 UNCH	.0061	----	----	----	----	16 UNCH
3000	----	----	----	2.00B/*2.40A	----	2.30 + 0.10	.0064	----	----	----	----	58 UNCH
3015	----	----	----	2.00B/2.40A	----	2.30 UNCH	.0064	----	----	----	----	5 UNCH
3025	----	----	----	2.00B/2.50A	----	2.40 + 0.10	.0067	----	----	----	----	1 UNCH
3035	----	----	----	2.10B/2.50A	----	2.40 UNCH	.0067	----	----	----	----	5 UNCH
3050	----	----	----	2.30B/2.60A	----	2.50 + 0.10	.0070	----	----	----	----	1 UNCH
3100	----	----	----	2.60B/2.80A	----	2.80 + 0.10	.0079	----	----	----	----	43 UNCH
3105	----	----	----	2.60B/2.80A	----	2.80 + 0.10	.0079	----	----	----	----	1 UNCH
3125	----	----	----	2.60B/2.90A	----	2.90 + 0.10	.0083	----	----	----	----	42 UNCH
3140	----	----	----	2.70B/3.00A	----	3.00 + 0.10	.0086	----	----	----	----	1 UNCH
3150	----	----	----	2.80B/3.10A	----	3.00 UNCH	.0086	----	----	----	----	12 UNCH
3155	----	----	----	2.80B/3.10A	----	3.10 + 0.10	.0089	----	----	----	----	1 UNCH
3200	----	----	----	3.10B/3.30A	----	3.30 UNCH	.0096	----	----	----	----	113 UNCH
3210	----	----	----	3.10B/3.40A	----	3.40 + 0.10	.0099	----	----	----	----	1 UNCH
3220	----	----	----	3.20B/3.50A	----	3.50 + 0.10	.0102	----	----	----	----	1 UNCH
3225	----	----	----	3.30B/3.50A	----	3.50 + 0.10	.0102	----	----	----	----	70 UNCH
3230	----	----	----	3.30B/3.50A	----	3.50 + 0.10	.0103	----	----	----	----	2 UNCH
3250	----	----	----	3.40B/3.70A	----	3.60 UNCH	.0106	----	----	----	----	61 UNCH
3275	----	----	----	3.50B/3.90A	----	3.80 + 0.10	.0113	----	----	----	----	10 UNCH
3280	3.50	3.50	3.50/*3.50	3.50/*3.50	----	3.90 NEW	.0115	----	----	10	----	10 + 10
3290	----	----	----	3.60B/4.00A	----	3.90 + 0.10	.0116	----	----	----	----	11 UNCH
3300	----	----	----/3.70A	3.70B/3.70A	----	4.00 + 0.10	.0119	----	----	----	----	65 UNCH
3320	----	----	----	3.80B/4.20A	----	4.20 + 0.20	.0125	----	----	----	----	1 UNCH
3325	----	----	----	3.90B/4.30A	----	4.20 + 0.10	.0126	----	----	----	----	147 UNCH
3335	----	----	----	3.90B/4.40A	----	4.30 + 0.20	.0129	----	----	----	----	86 UNCH
3340	----	----	----	4.00B/4.40A	----	4.30 + 0.10	.0129	----	----	----	----	1 UNCH
3350	----	----	----	4.10B/4.50A	----	4.40 + 0.10	.0133	----	----	----	----	24 UNCH
3355	----	----	----	4.10B/4.50A	----	4.40 + 0.10	.0133	----	----	----	----	69 UNCH
3360	----	----	----	4.20B/4.60A	----	4.50 + 0.20	.0136	----	----	----	----	3 UNCH
3370	----	----	----	4.20B/4.70A	----	4.60 + 0.20	.0139	----	----	----	----	9 UNCH
3380	----	----	----	4.30B/4.80A	----	4.70 + 0.20	.0142	----	----	----	----	2 UNCH
3385	----	----	----	4.40B/4.80A	----	4.70 + 0.20	.0143	----	----	----	----	4 UNCH
3390	----	----	----	4.40B/4.90A	----	4.80 + 0.20	.0146	----	----	----	----	1 UNCH
3395	----	----	----	4.50B/4.90A	----	4.80 + 0.20	.0146	----	----	----	----	31 UNCH
3400	----	----	----	4.50B/4.90A	----	4.80 + 0.10	.0147	----	----	1	----	49 + 1
3410	----	----	----	4.60B/5.00A	----	4.90 + 0.10	.0150	----	----	----	----	5 UNCH
3425	----	----	----	4.70B/5.20A	----	5.10 + 0.20	.0156	----	----	----	----	56 UNCH
3435	----	----	----	4.80B/5.30A	----	5.20 + 0.20	.0160	----	----	----	----	5 UNCH
3445	----	----	----	4.90B/5.40A	----	5.30 + 0.20	.0163	----	----	----	----	1 UNCH
3450	----	----	----	5.00B/5.40A	----	5.30 + 0.10	.0164	----	----	----	----	139 UNCH
3455	----	----	----	5.00B/5.50A	----	5.40 + 0.20	.0166	----	----	----	----	10 UNCH
3460	----	----	----	5.10B/5.60A	----	5.50 + 0.20	.0169	----	----	----	----	10 UNCH
3465	----	----	----	5.10B/5.60A	----	5.50 + 0.20	.0170	----	----	----	----	142 UNCH
3475	----	----	----	5.30B/5.70A	----	5.60 + 0.10	.0174	----	----	----	----	138 UNCH
3480	----	----	----	5.30B/5.80A	----	5.70 + 0.20	.0176	----	----	----	----	36 UNCH
3495	----	----	----	5.50B/6.00A	----	5.90 + 0.20	.0183	----	----	----	----	5 UNCH
3500	----	----	----	5.70B/6.00A	----	5.90 + 0.10	.0184	----	----	----	----	583 UNCH
3505	----	----	----	5.60B/6.10A	----	6.00 + 0.20	.0187	----	----	----	----	9 UNCH
3510	----	----	----	5.80B/6.10A	----	6.00 + 0.10	.0187	----	----	----	----	5 UNCH
3515	----	----	----	5.70B/6.20A	----	6.10 + 0.10	.0190	----	----	----	----	6 UNCH
3525	----	----	----	5.80B/6.30A	----	6.20 + 0.10	.0194	----	----	----	----	3 UNCH
3530	----	----	----	6.00B/6.40A	----	6.30 + 0.10	.0197	----	----	----	----	168 UNCH
3535	----	----	----	5.90B/6.40A	----	6.40 + 0.20	.0200	----	----	----	----	31 UNCH
3545	----	----	----	6.10B/6.60A	----	6.50 + 0.10	.0204	----	----	----	----	256 UNCH
3550	----	----	----	6.20B/6.60A	----	6.60 + 0.20	.0207	----	----	----	----	146 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3575	----	----	----	6.70B/7.00A	----	6.90 + 0.10	.0218	----	----	----	----	1 UNCH
3580	----	----	----	6.70B/7.10A	----	7.00 + 0.10	.0221	----	----	----	----	5 UNCH
3590	----	----	----	6.90B/7.20A	----	7.20 + 0.10	.0227	----	----	----	----	16 UNCH
3600	----	----	----/7.10A	7.00B/7.10A	----	7.30 + 0.10	.0231	----	----	20	----	133 + 20
3605	----	----	----	7.20B/7.50A	----	7.40 + 0.10	.0235	----	----	----	----	5 UNCH
3620	----	----	----	7.40B/7.70A	----	7.60 UNCH	.0242	----	----	----	----	12 UNCH
3625	----	----	----	7.50B/7.80A	----	7.70 UNCH	.0245	----	----	----	----	11 UNCH
3630	----	----	----	7.70B/7.90A	----	7.80 UNCH	.0248	----	----	----	----	7 UNCH
3635	----	----	----	7.80B/8.00A	----	7.90 + 0.10	.0252	----	----	----	----	3 UNCH
3640	----	----	----	7.90B/8.10A	----	8.00 + 0.10	.0255	----	----	----	----	6 UNCH
3645	----	----	----	7.90B/8.20A	----	8.10 + 0.10	.0258	----	----	----	----	1 UNCH
3650	----	----	----	8.00B/8.20A	----	8.20 + 0.10	.0261	----	----	20	----	101 UNCH
3655	----	----	----	8.10B/8.30A	----	8.30 + 0.10	.0265	----	----	----	----	7 UNCH
3660	----	----	----	8.20B/8.40A	----	8.40 + 0.10	.0268	----	----	----	----	22 UNCH
3665	----	----	----	8.30B/8.50A	----	8.50 + 0.10	.0271	----	----	----	----	2 UNCH
3670	----	----	----	8.40B/8.70A	----	8.60 + 0.10	.0275	----	----	----	----	110 UNCH
3675	----	----	----	8.50B/8.80A	----	8.70 + 0.10	.0278	----	----	----	----	4 UNCH
3680	----	----	----	8.60B/8.90A	----	8.80 + 0.10	.0282	----	----	----	----	5 UNCH
3685	----	----	----	8.80B/9.00A	----	8.90 + 0.10	.0285	----	----	----	----	10 UNCH
3690	----	----	----	8.80B/9.10A	----	9.00 + 0.10	.0288	----	----	----	----	50 UNCH
3695	----	----	----	8.90B/9.20A	----	9.10 UNCH	.0292	----	----	----	----	141 UNCH
3700	8.90	8.90	8.90/8.70	9.10B/8.70	----	9.20 UNCH	.0295	----	----	4	----	422 + 1
3705	----	----	----	9.10B/9.40A	----	9.30 UNCH	.0299	----	----	----	----	20 UNCH
3715	----	----	----	9.40B/9.60A	----	9.50 UNCH	.0306	----	----	----	----	30 UNCH
3720	----	----	----	9.40B/9.70A	----	9.60 UNCH	.0309	----	----	----	----	18 UNCH
3725	----	----	----	9.70B/9.80A	----	9.80 + 0.10	.0315	----	----	----	----	5 UNCH
3730	----	----	----	9.80B/10.00A	----	9.90 UNCH	.0318	----	----	----	----	3 UNCH
3735	----	----	----	9.90B/10.10A	----	10.00 UNCH	.0322	----	----	----	----	30 UNCH
3740	----	----	----	10.00B/10.20A	----	10.10 UNCH	.0326	----	----	----	----	20 UNCH
3750	----	----	----	10.30B/10.40A	----	10.40 UNCH	.0335	----	----	----	----	544 UNCH
3760	----	----	----	10.50B/10.70A	----	10.60 UNCH	.0342	----	----	----	----	2 UNCH
3765	----	----	----	10.70B/10.80A	----	10.80 + 0.10	.0348	----	----	----	----	32 UNCH
3770	----	----	----	10.80B/11.00A	----	10.90 UNCH	.0352	----	----	----	----	120 UNCH
3775	----	----	----	11.00B/11.10A	----	11.10 + 0.10	.0358	----	----	----	----	61 UNCH
3780	----	----	----	11.10B/11.30A	----	11.20 + 0.10	.0362	----	----	----	----	1 UNCH
3785	----	----	----	11.20B/11.40A	----	11.30 UNCH	.0365	----	----	----	----	6 UNCH
3790	----	----	11.70B/----	11.70B/11.60A	----	11.50 + 0.10	.0371	----	----	----	----	40 UNCH
3795	----	----	11.90B/----	11.90B/11.70A	----	11.60 UNCH	.0375	----	----	----	----	36 UNCH
3800	----	----	----	11.70B/11.80A	----	11.80 + 0.10	.0381	----	----	----	----	688 UNCH
3810	----	----	----	12.00B/12.10A	----	12.10 + 0.10	.0391	----	----	----	----	16 UNCH
3815	----	----	----	12.20B/12.30A	----	12.20 UNCH	.0395	----	----	----	----	14 UNCH
3820	----	----	12.40B/12.20A	12.40B/12.20A	----	12.40 + 0.10	.0401	----	----	----	----	10 UNCH
3825	----	----	----	12.50B/12.60A	----	12.60 + 0.10	.0407	----	----	----	----	9 UNCH
3830	----	----	12.90B/----	12.90B/12.70A	----	12.70 + 0.10	.0411	----	----	----	----	24 UNCH
3835	----	----	12.90B/----	12.90B/12.90A	----	12.90 + 0.10	.0417	----	----	----	----	1 UNCH
3840	----	----	----	13.00B/13.10A	----	13.10 + 0.10	.0423	----	----	----	----	32 UNCH
3845	----	----	13.40B/----	13.40B/13.20A	----	13.20 + 0.10	.0427	----	----	----	----	13 UNCH
3850	----	----	13.60B/----	13.60B/13.40A	----	13.40 + 0.10	.0434	----	----	----	----	205 UNCH
3860	----	----	14.00B/----	14.00B/13.70A	----	13.80 + 0.20	.0446	----	----	----	----	29 UNCH
3875	----	----	14.60B/----	14.60B/14.30A	----	14.30 + 0.10	.0463	----	----	----	----	108 UNCH
3880	----	----	14.40B/----	14.40B/14.50A	----	14.50 + 0.20	.0469	----	----	----	----	14 UNCH
3885	----	----	14.60B/----	14.60B/14.70A	----	14.70 + 0.20	.0476	----	----	----	----	5 UNCH
3890	----	----	14.80B/----	14.80B/14.80A	----	14.90 + 0.20	.0482	----	----	----	----	4 UNCH
3895	----	----	15.40B/----	15.40B/15.00A	----	15.10 + 0.20	.0488	----	----	----	----	2 UNCH
3900	----	----	15.60B/----	15.60B/15.20A	----	15.30 + 0.20	.0495	----	----	----	----	321 UNCH
3905	----	----	15.90B/----	15.90B/15.40A	----	15.50 + 0.20	.0501	----	----	----	----	12 UNCH
3910	----	----	15.70B/15.20A	15.70B/15.20A	----	15.70 + 0.20	.0508	----	----	1	----	55 + 1
3920	----	----	16.10B/----	16.10B/16.00A	----	16.10 + 0.20	.0521	----	----	----	----	1 UNCH
3925	----	----	16.30B/----	16.30B/16.20A	----	16.40 + 0.30	.0530	----	----	----	----	48 UNCH
3930	----	----	16.90B/----	16.90B/16.40A	----	16.60 + 0.30	.0536	----	----	----	----	35 UNCH
3935	----	----	17.00B/----	17.00B/16.60A	----	16.80 + 0.20	.0543	----	----	----	----	7 UNCH
3940	----	----	17.20B/----	17.20B/16.80A	----	17.00 + 0.20	.0550	----	----	----	----	23 UNCH
3945	----	----	17.70B/16.60A	17.70B/16.60A	----	17.30 + 0.30	.0558	----	----	----	----	20 UNCH
3950	----	----	17.90B/16.80A	17.90B/16.80A	----	17.50 + 0.30	.0565	----	----	10	----	601 UNCH
3955	----	----	18.10B/17.00A	18.10B/17.00A	----	17.70 + 0.20	.0572	----	----	----	----	25 UNCH
3960	----	----	18.30B/17.20A	18.30B/17.20A	----	18.00 + 0.30	.0581	----	----	----	----	19 UNCH
3965	----	----	18.50B/17.50A	18.50B/17.50A	----	18.20 + 0.30	.0588	----	----	2	----	94 UNCH
3970	----	----	18.80B/17.70A	18.80B/17.70A	----	18.50 + 0.30	.0597	----	----	----	----	6 UNCH
3975	----	----	18.90B/17.90A	18.90B/17.90A	----	18.70 + 0.30	.0603	----	----	2	----	22 UNCH
3980	----	----	19.20B/18.20A	19.20B/18.20A	----	19.00 + 0.30	.0612	----	----	----	----	5 UNCH
3985	----	----	19.40B/18.40A	19.40B/18.40A	----	19.20 + 0.30	.0619	----	----	----	----	136 UNCH
3990	----	----	19.70B/18.70A	19.70B/18.70A	----	19.50 + 0.30	.0628	----	----	----	----	41 UNCH
3995	----	----	19.90B/18.90A	19.90B/18.90A	----	19.80 + 0.30	.0637	----	----	6	----	20 + 6
4000	19.50	19.50	20.30B/19.10A	20.30B/19.10A	----	20.10 + 0.40	.0647	----	----	18	----	1097 + 1
4005	----	----	20.50B/19.40A	20.50B/19.40A	----	20.30 + 0.30	.0654	----	----	----	----	130 UNCH
4010	----	----	20.80B/19.70A	20.80B/19.70A	----	20.60 + 0.30	.0663	----	----	----	----	3 UNCH
4015	----	----	21.30B/19.90A	21.30B/19.90A	----	20.90 + 0.40	.0672	----	----	----	----	59 UNCH
4020	----	----	21.40B/20.20A	21.40B/20.20A	----	21.20 + 0.40	.0681	----	----	----	----	91 UNCH
4025	----	----	22.00B/20.30A	22.00B/20.30A	----	21.50 + 0.40	.0691	----	----	----	----	18 UNCH
4030	22.10	22.10	22.10/20.60A	22.10/20.60A	----	21.80 + 0.40	.0700	----	----	15	----	50 + 15
4035	----	----	22.40B/20.90A	22.40B/20.90A	----	22.10 + 0.40	.0709	----	----	----	----	3 UNCH
4040	----	----	22.70B/21.30A	22.70B/21.30A	----	22.40 + 0.40	.0719	----	----	----	----	1 UNCH
4045	----	----	23.20B/21.60A	23.20B/21.60A	----	22.70 + 0.40	.0728	----	----	----	----	20 UNCH
4050	----	----	23.50B/21.70A	23.50B/21.70A	----	23.00 + 0.40	.0737	----	----	1	----	49 + 1
4055	----	----	23.90B/22.00A	23.90B/22.00A	----	23.40 + 0.50	.0749	----	----	----	----	32 UNCH
4065	----	----	24.70B/22.60A	24.70B/22.60A	----	24.00 + 0.40	.0768	----	----	----	----	7 UNCH
4070	----	----	25.00B/23.00A	25.00B/23.00A	----	24.40 + 0.50	.0779	----	----	----	----	12 UNCH
4075	----	----	25.40B/23.20A	25.40B/23.20A	----	24.70 + 0.50	.0789	----	----	----	----	13 UNCH
4080	----	----	25.70B/23.50A	25.70B/23.50A	----	25.00 + 0.40	.0799	----	----	----	----	8 UNCH
4085	----	----	26.10B/23.60A	26.10B/23.60A	----	25.40 + 0.50	.0810	----	----	----	----	10 UNCH
4090	----	----	26.50B/23.90A	26.50B/23.90A	----	25.80 + 0.50	.0822	----	----	----	----	2 UNCH
4095	26.70	26.70	26.80B/24.40A	26.80B/24.40A	----	26.10 + 0.50	.0832	----	----	1	----	2 + 1
4100	25.30	25.30	27.30B/24.80A	27.30B/24.80A	----	26.50 + 0.50	.0844	----	----	5	160	840 + 163
4105	----	----	27.60B/25.10A	27.60B/25.10A	----	26.90 + 0.60	.0855	----	----	----	----	9 UNCH
4110	----	----	28.00B/25.50A	28.00B/25.50A	----	27.20 + 0.50	.0865	----	----	----	----	15 UNCH
4115	----	----	28.40B/25.70A	28.40B/25.70A	----	27.60 + 0.50	.0877	----	----	----	----	5 UNCH
4120	----	----	28.60B/26.10A	28.60B/26.10A	----	28.00 + 0.50	.0889	----	----	----	----	6 UNCH
4125	----	----	29.20B/26.40A	29.20B/26.40A	----	28.40 + 0.60	.0901	----	----	----	----	83 UNCH
4130	----	----	29.70B/26.90A	29.70B/26.90A	----	28.80 + 0.60	.0913	----	----	----	----	65 UNCH
4135	----	----	30.10B/27.20A	30.10B/27.20A	----	29.20 + 0.60	.0925	----	----	----	----	7 UNCH
4140	----	----	30.50B/27.70A	30.50B/27.70A	----	29.70 + 0.70	.0939	----	----	----	----	20 UNCH
4145	----	----	30.90B/27.90A	30.90B/27.90A	----	30.10 + 0.70	.0951	----	----	----	----	235 UNCH
4150	----	----	31.30B/28.10A	31.30B/28.10A	----	30.50 + 0.70	.0964	----	----	1	----	133 - 1
4155	----	----	31.80B/28.80A	31.80B/28.80A	----	31.00 + 0.70	.0978	----	----	----	----	5 UNCH
4160	----	----	32.30B/29.20A	32.30B/29.20A	----	31.40 + 0.70	.0990	----	----	----	----	3 UNCH
4165	----	----	32.70B/29.30A	32.70B/29.30A	----	31.90 + 0.80	.1004	----	----	----	----	68 UNCH
4170	----	----	33.20B/30.00A	33.20B/30.00A	----	32.30 + 0.70	.1016	----	----	----	----	1 UNCH
4175	----	----	33.70B/30.10A	33.70B/30.10A	----	32.80 + 0.80	.1031	----	----	1	----	44 + 1
4180	----	----	34.20B/30.50A	34.20B/30.50A	----	33.30 NEW	.1045	----	----	1	----	1 + 1
4185	----	----	34.70B/30.90A	34.70B/30.90A	----	33.70 + 0.80	.1057	----	----	----	----	13 UNCH
4190	----	----	35.20B/31.40A	35.20B/31.40A	----	34.20 + 0.80	.1072	----	----	----	----	126 UNCH
4195	----	----	35.80B/31.80A	35.80B/31.80A	----	34.70 + 0.90	.1086	----	----	----	----	65 UNCH
4200	34.80	34.80	36.30B/32.30A	36.30B/32.30A	----	35.20 + 0.90	.1101	----	----	82	----	563 - 13
4205	----	----	36.90B/32.70A	36.90B/32.70A	----	35.70 + 0.90	.1115	----	----	----	----	6 UNCH
4210	----	----	37.40B/33.20A	37.40B/33.20A	----	36.30 + 1.00	.1131	----	----	----	----	67 UNCH
4215	----	----	38.00B/33.90A	38.00B/33.90A	----	36.80 + 1.00	.1146	----	----	----	----	39 UNCH
4220	----	----	38.60B/34.10A	38.60B/34.10A	----	37.30 + 1.00	.1161	----	----	----	----	195 UNCH
4225	----	----	39.20B/34.60A	39.20B/34.60A	----	37.90 + 1.10	.1177	----	----	----	----	34 UNCH
4230	----	----	39.80B/35.10A	39.80B/35.10A	----	38.40 + 1.10	.1192	----	----	4	----	12 + 4
4235	----	----	40.40B/35.60A	40.40B/35.60A	----	39.00 + 1.10	.1208	----	----	----	----	42 UNCH
4240	----	----	41.00B/36.10A	41.00B/36.10A	----	39.50 + 1.10	.1223	----	----	4	----	37 + 4
4245	----	----	41.60B/36.60A	41.60B/36.60A	----	40.10 + 1.10	.1240	----	----	----	----	1 UNCH
4250	40.80	40.80	42.30B/37.10A	42.30B/37.10A	----	40.70 + 1.20	.1256	----	----	2	----	833 + 1
4255	----	----	42.90B/37.60A	42.90B/37.60A	----	41.30 + 1.20	.1273	----	----	----	----	2 UNCH
4260	----	----	43.60B/38.20A	43.60B/38.20A	----	41.90 + 1.30	.1290	----	----	----	----	4 UNCH
4265	----	----	44.30B/38.70A	44.30B/38.70A	----	42.50 + 1.30	.1307	----	----	----	----	12 UNCH
4270	----	----	44.90B/39.30A	44.90B/39.30A	----	43.10 + 1.30	.1324	----	----	2	----	3 + 2
4275	----	----	45.60B/39.80A	45.60B/39.80A	----	43.70 + 1.30	.1340	----	----	----	----	74 UNCH
4280	42.80	42.80	46.30B/40.40A	46.30B/40.40A	----	44.40 + 1.40	.1359	----	----	1	----	40 + 1
4285	----	----	47.00B/41.00A	47.00B/41.00A	----	45.00 + 1.30	.1376	----	----	----	----	101 UNCH
4290	----	----	47.70B/41.60A	47.70B/41.60A	----	45.70 + 1.40	.1395	----	----	----	----	33 UNCH
4295	----	----	48.50B/42.10A	48.50B/42.10A	----	46.30 + 1.40	.1412	----	----	----	----	20 UNCH
4300	----	----	48.90B/42.80A	48.90B/42.80A	----	47.00 + 1.40	.1431	----	----	2	----	770 UNCH
4305	----	----	49.60B/43.30A	49.60B/43.30A	----	47.70 + 1.50	.1449	----	----	----	----	9 UNCH
4310	----	----	50.30B/44.00A	50.30B/44.00A	----	48.40 + 1.50	.1468	----	----	----	----	5 UNCH
4315	----	----	51.10B/44.60A	51.10B/44.60A	----	49.10 + 1.50	.1487	----	----	----	----	58 UNCH
4320	----	----	51.80B/45.20A	51.80B/45.20A	----	49.80 + 1.50	.1506	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4325	----	----	52.60B/45.80A	52.60B/45.80A	----	50.60 + 1.60	.1527	----	----	----	----	78 UNCH
4330	----	----	53.30B/46.50A	53.30B/46.50A	----	51.30 + 1.60	.1546	----	----	----	----	23 UNCH
4335	----	----	54.10B/47.10A	54.10B/47.10A	----	52.00 + 1.60	.1565	----	----	----	----	111 UNCH
4340	----	----	54.90B/47.80A	54.90B/47.80A	----	52.80 + 1.70	.1586	----	----	----	----	114 UNCH
4345	----	----	55.70B/48.40A	55.70B/48.40A	----	53.60 + 1.80	.1606	----	----	----	----	12 UNCH
4350	----	----	56.60B/49.00A	56.60B/49.00A	----	54.30 + 1.70	.1626	----	----	----	----	305 UNCH
4355	----	----	57.40B/49.80A	57.40B/49.80A	----	55.10 + 1.70	.1647	----	----	----	----	123 UNCH
4360	----	----	58.20B/50.50A	58.20B/50.50A	----	55.90 + 1.80	.1668	----	----	----	----	104 UNCH
4365	----	----	59.10B/51.20A	59.10B/51.20A	----	56.80 + 1.90	.1690	----	----	----	----	28 UNCH
4370	----	----	60.00B/51.90A	60.00B/51.90A	----	57.60 + 1.90	.1711	----	----	1	----	139 - 1
4375	----	----	60.80B/52.60A	60.80B/52.60A	----	58.40 + 1.90	.1732	----	----	----	----	26 UNCH
4380	----	----	61.70B/53.30A	61.70B/53.30A	----	59.30 + 2.00	.1755	----	----	1	----	4 + 1
4385	----	----	62.60B/54.10A	62.60B/54.10A	----	60.10 + 1.90	.1776	----	----	----	----	52 UNCH
4390	----	----	63.60B/54.90A	63.60B/54.90A	----	61.00 + 2.00	.1799	----	----	----	----	2 UNCH
4395	----	----	64.50B/55.60A	64.50B/55.60A	----	61.90 + 2.10	.1821	----	----	2	----	15 + 2
4400	----	----	65.50B/56.50A	65.50B/56.50A	----	62.80 + 2.10	.1844	----	----	2	----	1123 UNCH
4405	----	----	66.40B/57.30A	66.40B/57.30A	----	63.70 + 2.10	.1867	----	----	----	----	12 UNCH
4410	----	----	67.40B/58.00A	67.40B/58.00A	----	64.60 + 2.10	.1890	----	----	----	----	14 UNCH
4415	----	----	68.40B/59.00A	68.40B/59.00A	----	65.60 + 2.20	.1914	----	----	2	----	6 + 2
4420	----	----	69.30B/59.80A	69.30B/59.80A	----	66.50 + 2.20	.1937	----	----	----	----	15 UNCH
4425	----	----	70.30B/60.60A	70.30B/60.60A	----	67.50 + 2.30	.1961	----	----	----	----	36 UNCH
4430	----	----	71.40B/61.40A	71.40B/61.40A	----	68.50 + 2.40	.1986	----	----	----	----	157 UNCH
4435	----	----	72.40B/62.30A	72.40B/62.30A	----	69.50 + 2.40	.2010	----	----	----	----	1 UNCH
4440	70.00	70.00	73.40B/63.40A	73.40B/63.40A	----	70.50 + 2.40	.2035	----	----	2	----	36 UNCH
4445	----	----	74.50B/64.20A	74.50B/64.20A	----	71.50 + 2.50	.2059	----	----	----	----	152 UNCH
4450	71.30	71.30	75.70B/65.10A	75.70B/65.10A	----	72.50 + 2.50	.2084	----	----	79	----	638 + 54
4455	----	----	76.70B/66.00A	76.70B/66.00A	----	73.60 + 2.60	.2110	----	----	----	----	17 UNCH
4460	----	----	77.80B/67.00A	77.80B/67.00A	----	74.60 + 2.60	.2135	----	----	1	----	93 UNCH
4465	----	----	78.90B/68.00A	78.90B/68.00A	----	75.70 + 2.60	.2161	----	----	----	----	27 UNCH
4470	----	----	80.00B/68.90A	80.00B/68.90A	----	76.80 + 2.70	.2187	----	----	----	----	10 UNCH
4475	----	----	81.20B/69.80A	81.20B/69.80A	----	77.90 + 2.70	.2213	----	----	----	----	36 UNCH
4480	----	----	82.30B/70.70A	82.30B/70.70A	----	79.00 + 2.80	.2239	----	----	----	----	136 UNCH
4485	----	----	83.50B/71.70A	83.50B/71.70A	----	80.10 + 2.80	.2265	----	----	----	----	50 UNCH
4490	----	----	84.70B/72.70A	84.70B/72.70A	----	81.30 + 2.90	.2293	----	----	----	----	40 UNCH
4495	----	----	85.90B/73.80A	85.90B/73.80A	----	82.50 + 3.00	.2320	----	----	----	----	3 UNCH
4500	83.10	83.10	87.30B/74.80A	87.30B/74.80A	----	83.60 + 2.90	.2347	----	----	59	370	1189 + 355
4505	----	----	88.40B/75.90A	88.40B/75.90A	----	84.80 + 3.00	.2374	----	----	----	----	5 UNCH
4510	----	----	89.70B/76.90A	89.70B/76.90A	----	86.10 + 3.10	.2403	----	----	----	----	7 UNCH
4515	----	----	90.90B/78.00A	90.90B/78.00A	----	87.30 + 3.20	.2431	----	----	----	----	3 UNCH
4520	----	----	92.20B/79.10A	92.20B/79.10A	----	88.50 + 3.20	.2458	----	----	----	----	9 UNCH
4525	89.50	89.50	93.50B/80.20A	93.50B/80.20A	----	89.80 + 3.30	.2487	----	----	2	----	87 UNCH
4530	----	----	94.80B/81.30A	94.80B/81.30A	----	91.10 + 3.30	.2516	----	----	----	----	8 UNCH
4535	----	----	96.10B/82.40A	96.10B/82.40A	----	92.40 + 3.40	.2545	----	----	----	----	2 UNCH
4540	----	----	97.50B/83.70A	97.50B/83.70A	----	93.70 + 3.50	.2574	----	----	1	----	89 UNCH
4545	----	----	98.90B/84.80A	98.90B/84.80A	----	95.00 + 3.50	.2603	----	----	----	----	20 UNCH
4550	----	----	100.30B/86.10A	100.30B/86.10A	----	96.40 + 3.60	.2633	----	----	2	----	66 UNCH
4555	----	----	101.70B/87.20A	101.70B/87.20A	----	97.70 + 3.60	.2662	----	----	1	----	16 + 1
4560	----	----	103.10B/88.30A	103.10B/88.30A	----	99.10 + 3.70	.2692	----	----	----	----	20 UNCH
4565	----	----	104.50B/89.60A	104.50B/89.60A	----	100.50 + 3.80	.2722	----	----	----	----	105 UNCH
4570	----	----	106.00B/90.80A	106.00B/90.80A	----	101.90 + 3.80	.2753	----	----	----	----	8 UNCH
4575	----	----	107.40B/92.10A	107.40B/92.10A	----	103.30 + 3.90	.2783	----	----	----	----	11 UNCH
4580	----	----	108.90B/93.40A	108.90B/93.40A	----	104.80 + 4.00	.2814	----	----	----	----	5 UNCH
4585	----	----	110.50B/94.50A	110.50B/94.50A	----	106.20 + 4.00	.2845	----	----	----	----	5 UNCH
4590	----	----	112.00B/95.90A	112.00B/95.90A	----	107.70 + 4.10	.2876	----	----	----	----	5 UNCH
4595	----	----	113.40B/97.80A	113.40B/97.80A	----	109.20 + 4.20	.2907	----	----	20	----	48 UNCH
4600	----	----	115.10B/99.30A	115.10B/99.30A	----	110.70 + 4.20	.2939	----	----	62	----	1295 + 2
4605	----	----	116.70B/100.70A	116.70B/100.70A	----	112.20 + 4.30	.2970	----	----	----	----	1 UNCH
4610	----	----	118.30B/102.00A	118.30B/102.00A	----	113.80 + 4.40	.3002	----	----	----	----	129 UNCH
4615	----	----	119.90B/103.30A	119.90B/103.30A	----	115.30 + 4.40	.3034	----	----	----	----	13 UNCH
4620	----	----	121.50B/104.80A	121.50B/104.80A	----	116.90 + 4.50	.3066	----	----	----	----	45 UNCH
4625	----	----	123.20B/106.10A	123.20B/106.10A	----	118.50 + 4.60	.3099	----	----	----	----	35 UNCH
4630	----	----	124.80B/107.50A	124.80B/107.50A	----	120.10 + 4.60	.3131	----	----	----	----	3 UNCH
4635	----	----	126.40B/108.80A	126.40B/108.80A	----	121.80 + 4.80	.3164	----	----	----	----	126 UNCH
4640	----	----	128.10B/110.40A	128.10B/110.40A	----	123.40 + 4.80	.3197	----	----	----	----	51 UNCH
4645	----	----	129.90B/111.80A	129.90B/111.80A	----	125.10 + 4.90	.3230	----	----	----	----	10 UNCH
4650	----	----	131.70B/113.10A	131.70B/113.10A	----	126.80 + 5.00	.3263	----	----	1	----	214 UNCH
4655	----	----	133.40B/114.70A	133.40B/114.70A	----	128.50 + 5.00	.3297	----	----	----	----	2 UNCH
4660	----	----	135.20B/116.20A	135.20B/116.20A	----	130.20 + 5.10	.3330	----	----	----	----	62 UNCH
4665	----	----	137.00B/117.80A	137.00B/117.80A	----	131.90 + 5.10	.3364	----	----	----	----	20 UNCH
4670	----	----	138.80B/119.50A	138.80B/119.50A	----	133.70 + 5.20	.3398	----	----	----	----	101 UNCH
4675	----	----	140.60B/120.70A	140.60B/120.70A	----	135.50 + 5.30	.3432	----	----	----	----	70 UNCH
4680	----	----	142.50B/122.40A	142.50B/122.40A	----	137.30 + 5.40	.3466	----	----	----	----	24 UNCH
4685	----	----	144.30B/124.20A	144.30B/124.20A	----	139.10 + 5.50	.3500	----	----	----	----	7 UNCH
4690	140.20	140.20	146.20B/125.80A	146.20B/125.80A	----	141.00 NEW	.3535	----	----	2	----	2 + 2
4695	----	----	148.10B/127.20A	148.10B/127.20A	----	142.80 + 5.60	.3569	----	----	----	----	179 UNCH
4700	140.00	140.00	150.10B/128.50A	150.10B/128.50A	----	144.70 + 5.70	.3604	----	----	16	----	745 + 1
4705	----	----	152.00B/130.60A	152.00B/130.60A	----	146.60 + 5.80	.3639	----	----	----	----	6 UNCH
4710	----	----	153.90B/132.20A	153.90B/132.20A	----	148.50 + 5.90	.3674	----	----	----	----	124 UNCH
4715	----	----	155.90B/134.00A	155.90B/134.00A	----	150.50 + 6.00	.3709	----	----	----	----	4 UNCH
4720	----	----	157.90B/135.60A	157.90B/135.60A	----	152.40 + 6.00	.3744	----	----	----	----	9 UNCH
4725	----	----	159.90B/137.50A	159.90B/137.50A	----	154.40 + 6.20	.3780	----	----	----	----	205 UNCH
4730	----	----	161.90B/139.20A	161.90B/139.20A	----	156.40 + 6.20	.3815	----	----	----	----	58 UNCH
4735	----	----	164.10B/141.00A	164.10B/141.00A	----	158.40 + 6.30	.3851	----	----	----	----	11 UNCH
4740	----	----	166.10B/142.70A	166.10B/142.70A	----	160.50 + 6.50	.3887	----	----	----	----	114 UNCH
4745	----	----	168.30B/144.50A	168.30B/144.50A	----	162.60 + 6.60	.3923	----	----	----	----	120 UNCH
4750	----	----	170.40B/146.20A	170.40B/146.20A	----	164.70 + 6.70	.3958	----	----	1	----	407 - 1
4755	----	----	172.50B/148.20A	172.50B/148.20A	----	166.80 + 6.80	.3994	----	----	----	----	9 UNCH
4760	----	----	174.60B/150.10A	174.60B/150.10A	----	168.90 + 6.90	.4030	----	----	----	----	28 UNCH
4765	----	----	176.90B/152.00A	176.90B/152.00A	----	171.00 + 6.90	.4067	----	----	----	----	302 UNCH
4770	----	----	179.00B/153.90A	179.00B/153.90A	----	173.20 + 7.10	.4103	----	----	----	----	3 UNCH
4775	----	----	181.30B/155.80A	181.30B/155.80A	----	175.40 + 7.20	.4139	----	----	----	----	45 UNCH
4780	----	----	183.50B/157.70A	183.50B/157.70A	----	177.60 + 7.30	.4176	----	----	----	----	30 UNCH
4785	----	----	185.80B/159.70A	185.80B/159.70A	----	179.90 + 7.40	.4212	----	----	----	----	67 UNCH
4790	----	----	188.00B/161.70A	188.00B/161.70A	----	182.10 + 7.50	.4249	----	----	----	----	2 UNCH
4795	----	----	190.40B/163.70A	190.40B/163.70A	----	184.40 + 7.60	.4285	----	----	----	----	67 UNCH
4800	----	----	192.70B/165.50A	192.70B/165.50A	----	186.70 + 7.70	.4322	----	----	17	----	1099 - 17
4805	----	----	195.10B/167.70A	195.10B/167.70A	----	189.00 + 7.80	.4359	----	----	----	----	3 UNCH
4810	----	----	197.40B/169.80A	197.40B/169.80A	----	191.30 + 7.90	.4395	----	----	----	----	8 UNCH
4815	----	----	199.80B/171.90A	199.80B/171.90A	----	193.60 + 8.00	.4432	----	----	----	----	26 UNCH
4820	----	----	202.30B/174.00A	202.30B/174.00A	----	196.00 + 8.10	.4469	----	----	1	----	102 + 1
4825	----	----	204.70B/176.10A	204.70B/176.10A	----	198.40 + 8.20	.4506	----	----	1	----	16 + 1
4830	199.60	199.60	207.20B/178.20A	207.20B/178.20A	----	200.80 + 8.30	.4543	----	----	2	----	2 + 1
4835	----	----	209.50B/180.40A	209.50B/180.40A	----	203.20 + 8.40	.4580	----	----	----	----	15 UNCH
4840	----	----	212.10B/182.50A	212.10B/182.50A	----	205.60 + 8.40	.4617	----	----	----	----	9 UNCH
4845	----	----	214.60B/184.40A	214.60B/184.40A	----	208.00 + 8.40	.4654	----	----	----	----	69 UNCH
4850	----	----	217.10B/186.40A	217.10B/186.40A	----	210.50 + 8.50	.4691	----	----	----	----	291 UNCH
4855	----	----	219.70B/188.80A	219.70B/188.80A	----	213.00 NEW	.4728	----	----	2	----	2 + 2
4860	----	----	222.20B/191.20A	222.20B/191.20A	----	215.50 + 8.70	.4765	----	----	----	----	1 UNCH
4865	----	----	224.90B/193.40A	224.90B/193.40A	----	218.00 + 8.70	.4802	----	----	2	----	2 UNCH
4870	----	----	227.50B/195.70A	227.50B/195.70A	----	220.60 + 8.80	.4839	----	----	----	----	318 UNCH
4875	----	----	230.10B/198.00A	230.10B/198.00A	----	223.10 + 8.80	.4876	----	----	----	----	70 UNCH
4880	----	----	232.80B/200.20A	232.80B/200.20A	----	225.70 + 8.90	.4913	----	----	----	----	12 UNCH
4890	----	----	238.10B/205.00A	238.10B/205.00A	----	231.00 + 9.00	.4987	----	----	----	----	9 UNCH
4895	----	----	240.90B/207.30A	240.90B/207.30A	----	233.70 + 9.10	.5024	----	----	----	----	61 UNCH
4900	----	----	243.70B/209.30A	243.70B/209.30A	----	236.40 + 9.20	.5061	----	----	17	----	263 + 1
4905	----	----	246.40B/212.20A	246.40B/212.20A	----	239.10 + 9.30	.5098	----	----	----	----	54 UNCH
4910	----	----	249.10B/214.80A	249.10B/214.80A	----	241.80 + 9.30	.5135	----	----	----	----	2 UNCH
4915	----	----	251.90B/217.30A	251.90B/217.30A	----	244.60 + 9.50	.5171	----	----	----	----	118 UNCH
4920	----	----	254.80B/219.80A	254.80B/219.80A	----	247.40 + 9.60	.5208	----	----	----	----	22 UNCH
4925	----	----	257.60B/222.30A	257.60B/222.30A	----	250.20 + 9.60	.5245	----	----	----	----	11 UNCH
4930	----	----	260.50B/224.90A	260.50B/224.90A	----	253.00 + 9.70	.5281	----	----	----	----	52 UNCH
4935	----	----	263.30B/227.40A	263.30B/227.40A	----	255.80 + 9.70	.5317	----	----	----	----	4 UNCH
4940	----	----	266.30B/230.00A	266.30B/230.00A	----	258.70 + 9.90	.5354	----	----	----	----	11 UNCH
4950	----	----	272.20B/235.10A	272.20B/235.10A	----	264.50 + 10.00	.5426	----	----	----	----	106 UNCH
4975	----	----	287.10B/249.00A	287.10B/249.00A	----	279.30 + 10.50	.5606	----	----	----	----	2 UNCH
4980	----	----	290.10B/251.70A	290.10B/251.70A	----	282.40 + 10.70	.5642	----	----	----	----	6 UNCH
4985	----	----	293.20B/254.50A	293.20B/254.50A	----	285.40 + 10.70	.5677	----	----	----	----	104 UNCH
4990	----	----	296.20B/257.30A	296.20B/257.30A	----	288.50 + 10.90	.5713	----	----	----	----	2 UNCH
4995	----	----	299.40B/260.10A	299.40B/260.10A	----	291.50 + 10.90	.5748	----	----	----	----	12 UNCH
5000	----	----	302.60B/262.70A	302.60B/262.70A	----	294.60 + 11.00	.5784	----	----	----	----	548 UNCH
5005	----	----	305.70B/268.40A	305.70B/268.40A	----	297.70 + 11.10	.5818	----	----	----	----	12 UNCH
5010	----	----	308.90B/271.60A	308.90B/271.60A	----	300.90 + 11.30	.5854	----	----	----	----	9 UNCH
5015	----	----	312.10B/274.10A	312.10B/274.10A	----	304.00 + 11.30	.5888	----	----	----	----	20 UNCH
5020	----	----	315.40B/280.10A	315.40B/280.10A	----	307.20 + 11.50	.5923	----	----	----	----	5 UNCH
5025	----	----	318.50B/279.90A	318.50B/279.90A	----	310.40 + 11.60	.5958	----	----	----	----	150 UNCH
5030	----	----	321.80B/283.00A	321.80B/283.00A	----	313.60 + 11.70	.5993	----	----	----	----	8 UNCH
5035	----	----	325.10B/286.00A	325.10B/286.00A	----	316.80 + 11.80	.6027	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5040	----	----	328.30B/289.00A	328.30B/289.00A	----	320.00 + 11.80	.6061	----	----	----	----	10 UNCH
5045	----	----	331.50B/292.00A	331.50B/292.00A	----	323.30 + 12.00	.6095	----	----	----	----	5 UNCH
5050	----	----	335.00B/294.90A	335.00B/294.90A	----	326.60 + 12.10	.6129	----	----	----	----	79 UNCH
5055	----	----	338.20B/298.10A	338.20B/298.10A	----	329.90 + 12.20	.6163	----	----	----	----	3 UNCH
5065	----	----	344.90B/304.10A	344.90B/304.10A	----	336.50 + 12.40	.6230	----	----	----	----	11 UNCH
5075	----	----	351.70B/310.30A	351.70B/310.30A	----	343.20 + 12.60	.6297	----	----	----	----	6 UNCH
5080	----	----	355.10B/313.50A	355.10B/313.50A	----	346.60 + 12.70	.6330	----	----	----	----	2 UNCH
5085	----	----	358.60B/316.60A	358.60B/316.60A	----	350.00 + 12.90	.6362	----	----	----	----	21 UNCH
5090	----	----	362.00B/319.80A	362.00B/319.80A	----	353.40 + 12.90	.6395	----	----	----	----	6 UNCH
5095	----	----	365.50B/323.60A	365.50B/323.60A	----	356.80 + 13.00	.6428	----	----	----	----	42 UNCH
5100	----	----	369.00B/326.40A	369.00B/326.40A	----	360.30 + 13.20	.6461	----	----	----	----	106 UNCH
5105	----	----	372.50B/329.60A	372.50B/329.60A	----	363.80 + 13.30	.6493	----	----	----	----	22 UNCH
5110	----	----	376.10B/332.90A	376.10B/332.90A	----	367.20 + 13.30	.6525	----	----	----	----	16 UNCH
5115	----	----	379.50B/336.10A	379.50B/336.10A	----	370.70 + 13.50	.6556	----	----	----	----	37 UNCH
5120	----	----	383.10B/339.50A	383.10B/339.50A	----	374.30 + 13.60	.6588	----	----	----	----	14 UNCH
5125	----	----	386.70B/342.80A	386.70B/342.80A	----	377.80 + 13.70	.6620	----	----	----	----	37 UNCH
5130	----	----	390.40B/346.10A	390.40B/346.10A	----	381.30 + 13.80	.6651	----	----	----	----	23 UNCH
5135	----	----	393.80B/349.50A	393.80B/349.50A	----	384.90 + 13.90	.6682	----	----	----	----	9 UNCH
5140	----	----	397.60B/356.00A	397.60B/356.00A	----	388.50 + 14.00	.6713	----	----	----	----	19 UNCH
5145	----	----	401.20B/356.30A	401.20B/356.30A	----	392.10 + 14.10	.6744	----	----	----	----	2 UNCH
5150	----	----	404.70B/359.70A	404.70B/359.70A	----	395.70 + 14.20	.6775	----	----	----	----	233 UNCH
5155	----	----	408.40B/362.10A	408.40B/362.10A	----	399.40 + 14.40	.6805	----	----	----	----	42 UNCH
5160	----	----	412.10B/386.60A	412.10B/386.60A	----	403.00 + 14.50	.6835	----	----	----	----	42 UNCH
5170	----	----	419.50B/394.00A	419.50B/394.00A	----	410.40 + 14.70	.6895	----	----	----	----	51 UNCH
5175	----	----	423.30B/397.60A	423.30B/397.60A	----	414.10 + 14.80	.6924	----	----	----	----	61 UNCH
5180	----	----	427.10B/401.20A	427.10B/401.20A	----	417.80 + 14.90	.6954	----	----	----	----	10 UNCH
5185	----	----	430.70B/404.90A	430.70B/404.90A	----	421.50 + 15.00	.6983	----	----	----	----	103 UNCH
5190	----	----	430.90B/408.50A	430.90B/408.50A	----	425.20 + 15.10	.7012	----	----	----	----	19 UNCH
5200	----	----	433.60B/415.60A	433.60B/415.60A	----	432.80 + 15.30	.7069	----	----	----	----	57 UNCH
5225	----	----	452.60B/434.40A	452.60B/434.40A	----	451.90 + 15.80	.7209	----	----	----	----	42 UNCH
5230	----	----	----/438.20A	435.60B/438.20A	----	455.70 + 15.90	.7236	----	----	----	----	2 UNCH
5235	----	----	460.40B/----	460.40B/445.90A	----	459.60 + 16.00	.7263	----	----	----	----	23 UNCH
5245	----	----	----	272.40B/623.50A	----	467.40 + 16.20	.7317	----	----	----	----	2 UNCH
5250	----	----	472.10B/----	472.10B/457.30A	----	471.30 + 16.30	.7344	----	----	----	----	14 UNCH
5255	----	----	476.00B/----	476.00B/461.10A	----	475.20 + 16.40	.7370	----	----	----	----	14 UNCH
5285	----	----	----	300.70B/671.00A	----	499.00 + 16.90	.7525	----	----	----	----	2 UNCH
5290	----	----	503.90B/----	503.90B/488.30A	----	503.00 + 16.90	.7549	----	----	----	----	4 UNCH
5295	----	----	----	309.10B/702.10A	----	507.10 + 17.10	.7574	----	----	----	----	2 UNCH
5300	----	----	511.90B/----	511.90B/496.20A	----	511.10 + 17.10	.7598	----	----	----	----	67 UNCH
5315	----	----	524.10B/----	524.10B/508.10A	----	523.30 + 17.40	.7671	----	----	----	----	10 UNCH
5325	----	----	----	334.70B/725.00A	----	531.40 + 17.50	.7719	----	----	----	----	1 UNCH
5350	----	----	552.90B/----	552.90B/536.40A	----	552.10 + 17.90	.7832	----	----	----	----	8 UNCH
5375	----	----	573.80B/----	573.80B/557.00A	----	573.00 + 18.30	.7941	----	----	----	----	7 UNCH
5390	----	----	586.50B/----	586.50B/569.50A	----	585.70 + 18.50	.8004	----	----	----	----	5 UNCH
5400	----	----	599.30B/575.30A	599.30B/575.30A	----	594.20 + 18.70	.8045	----	----	----	----	602 UNCH
5410	----	----	----	409.80B/791.20A	----	602.80 + 18.90	.8085	----	----	----	----	1 UNCH
5440	----	----	----	437.00B/815.20A	----	628.70 + 19.40	.8200	----	----	----	----	1 UNCH
5475	----	----	659.90B/----	659.90B/641.90A	----	659.30 + 19.90	.8325	----	----	----	----	6 UNCH
5500	----	----	682.00B/----	682.00B/663.70A	----	681.40 + 20.30	.8410	----	----	----	----	3 UNCH
5505	----	----	----	497.20B/868.10A	----	685.90 + 20.40	.8425	----	----	----	----	1 UNCH
5510	----	----	----	501.80B/872.30A	----	690.30 + 20.40	.8441	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1248.50 + 25.10	.9470	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1273.00 + 25.30	.9490	----	----	----	----	2 UNCH
TOTAL										547	530	30139 + 656
AUG26												
2300	----	----	----	0.50B/1.10A	----	0.80 - 0.20	.0018	----	----	----	----	34 UNCH
2325	----	----	----	0.50B/1.30A	----	0.90 - 0.10	.0020	----	----	----	----	1 UNCH
2350	----	----	----	0.50B/1.30A	----	0.90 - 0.20	.0021	----	----	----	----	2 UNCH
2375	----	----	----	0.60B/1.40A	----	1.00 - 0.10	.0023	----	----	----	----	7 UNCH
2400	----	----	----	0.60B/1.40A	----	1.00 - 0.20	.0023	----	----	----	----	5 UNCH
2425	----	----	----	0.70B/1.50A	----	1.10 - 0.20	.0025	----	----	----	----	1 UNCH
2475	----	----	----	0.80B/1.60A	----	1.20 - 0.20	.0028	----	----	----	----	5 UNCH
2500	----	----	----	0.90B/1.70A	----	1.30 - 0.20	.0030	----	----	----	----	7 UNCH
2570	----	----	----	1.10B/1.90A	----	1.50 - 0.20	.0035	----	----	----	----	9 UNCH
2580	----	----	----	1.10B/2.00A	----	1.60 - 0.10	.0038	----	----	----	----	1 UNCH
2590	----	----	----	1.10B/2.00A	----	1.60 - 0.10	.0038	----	----	----	----	2 UNCH
2600	1.50	1.50	1.60B/*1.50	1.60B/*1.50	----	1.60 - 0.20	.0038	----	----	5	----	6 + 4
2615	----	----	----	1.20B/2.10A	----	1.70 - 0.10	.0040	----	----	----	----	1 UNCH
2625	----	----	----	1.40B/2.10A	----	1.70 - 0.20	.0041	----	----	----	----	2 UNCH
2640	----	----	----	1.50B/2.20A	----	1.80 - 0.10	.0043	----	----	----	----	1 UNCH
2685	----	----	----	1.60B/2.30A	----	2.00 - 0.10	.0048	----	----	----	----	1 UNCH
2690	----	----	----	1.60B/2.30A	----	2.00 - 0.10	.0048	----	----	----	----	1 UNCH
2730	----	----	----	1.80B/2.50A	----	2.20 UNCH	.0053	----	----	----	----	1 UNCH
2745	----	----	----	1.80B/2.50A	----	2.30 UNCH	.0055	----	----	----	----	1 UNCH
2750	----	----	----	1.90B/2.50A	----	2.30 UNCH	.0056	----	----	----	----	4 UNCH
2800	----	----	----	2.10B/2.80A	----	2.60 + 0.10	.0063	----	----	----	----	33 UNCH
2860	----	----	----	2.30B/3.10A	----	2.90 + 0.10	.0071	----	----	----	----	1 UNCH
2950	----	----	----	2.80B/3.50A	----	3.40 + 0.10	.0085	----	----	----	----	8 UNCH
3000	----	----	----	3.10B/3.90A	----	3.70 + 0.10	.0094	----	----	----	----	262 UNCH
3005	----	----	----	3.20B/3.90A	----	3.70 UNCH	.0094	----	----	----	----	5 UNCH
3010	----	----	----	3.20B/4.00A	----	3.80 + 0.10	.0096	----	----	----	----	1 UNCH
3015	----	----	----	3.20B/4.00A	----	3.80 + 0.10	.0097	----	----	----	----	1 UNCH
3025	----	----	----	3.30B/4.10A	----	3.90 + 0.10	.0099	----	----	----	----	5 UNCH
3040	----	----	----	3.40B/4.20A	----	4.00 + 0.10	.0102	----	----	----	----	1 UNCH
3065	----	----	----	3.60B/4.40A	----	4.20 + 0.10	.0108	----	----	----	----	1 UNCH
3090	----	----	----	3.80B/4.60A	----	4.40 + 0.10	.0113	----	----	----	----	1 UNCH
3095	----	----	----	3.80B/4.60A	----	4.40 + 0.10	.0114	----	----	----	----	1 UNCH
3100	----	----	----	3.90B/4.60A	----	4.50 + 0.10	.0116	----	----	----	----	137 UNCH
3110	----	----	----	4.00B/4.70A	----	4.50 + 0.10	.0117	----	----	----	----	15 UNCH
3120	----	----	----	4.00B/4.80A	----	4.60 + 0.10	.0119	----	----	----	----	29 UNCH
3130	----	----	----	4.10B/4.90A	----	4.70 + 0.10	.0122	----	----	----	----	5 UNCH
3150	----	----	----	4.30B/5.10A	----	4.90 + 0.10	.0128	----	----	----	----	10 UNCH
3155	----	----	----	4.40B/5.20A	----	4.90 + 0.10	.0128	----	----	----	----	3 UNCH
3160	----	----	----	4.40B/5.20A	----	5.00 + 0.10	.0131	----	----	----	----	1 UNCH
3165	----	----	----	4.50B/5.30A	----	5.00 + 0.10	.0131	----	----	----	----	2 UNCH
3170	----	----	----	4.50B/5.30A	----	5.10 + 0.10	.0133	----	----	----	----	1 UNCH
3180	----	----	----	4.60B/5.40A	----	5.20 + 0.10	.0136	----	----	----	----	25 UNCH
3185	----	----	----	4.70B/5.50A	----	5.30 + 0.20	.0139	----	----	----	----	1 UNCH
3190	----	----	----	4.70B/5.50A	----	5.30 + 0.10	.0139	----	----	----	----	881 UNCH
3195	----	----	----	4.70B/5.60A	----	5.40 + 0.20	.0141	----	----	----	----	1 UNCH
3200	----	----	----	4.80B/5.60A	----	5.40 + 0.10	.0142	----	----	----	----	406 UNCH
3250	----	----	----	5.40B/6.20A	----	6.00 + 0.20	.0159	----	----	----	----	405 UNCH
3260	----	----	----	5.50B/6.30A	----	6.10 + 0.20	.0162	----	----	----	----	30 UNCH
3300	----	----	----	6.00B/6.80A	----	6.60 + 0.10	.0176	----	----	----	----	162 UNCH
3350	6.90	6.90	6.90/6.90	6.90/6.90	----	7.40 + 0.20	.0198	----	----	4	----	375 + 4
3370	----	----	----	7.10B/7.80A	----	7.70 + 0.20	.0207	----	----	----	----	1 UNCH
3375	----	----	----	7.20B/7.90A	----	7.80 + 0.30	.0209	----	----	----	----	15 UNCH
3380	----	----	----	7.30B/8.00A	----	7.80 + 0.20	.0210	----	----	----	----	1 UNCH
3390	----	----	----	7.50B/8.10A	----	8.00 + 0.20	.0215	----	----	----	----	1 UNCH
3400	----	----	----	7.60B/8.30A	----	8.20 + 0.20	.0221	----	----	----	----	23 UNCH
3405	----	----	----	7.70B/8.40A	----	8.30 + 0.30	.0223	----	----	----	----	4 UNCH
3450	----	----	----	8.50B/9.30A	----	9.10 + 0.20	.0246	----	----	----	----	1 UNCH
3465	----	----	----	8.90B/9.60A	----	9.40 + 0.20	.0255	----	----	----	----	6 UNCH
3470	----	----	----	9.00B/9.70A	----	9.50 + 0.20	.0257	----	----	----	----	1 UNCH
3495	----	----	----	9.50B/10.30A	----	10.10 + 0.30	.0274	----	----	----	----	1 UNCH
3500	10.00	10.00	10.00/10.00	10.00/10.00	----	10.20 + 0.30	.0277	----	----	1	----	824 + 1
3505	----	----	----	9.70B/10.50A	----	10.30 + 0.30	.0280	----	----	----	----	1 UNCH
3510	----	----	----	9.90B/10.60A	----	10.40 + 0.30	.0282	----	----	----	----	50 UNCH
3520	----	----	----	10.10B/10.90A	----	10.70 + 0.30	.0290	----	----	----	----	210 UNCH
3525	----	----	----	10.10B/11.00A	----	10.80 + 0.30	.0293	----	----	----	----	60 UNCH
3545	----	----	----	10.80B/11.50A	----	11.30 + 0.30	.0307	----	----	----	----	9 UNCH
3550	----	----	----	10.90B/11.60A	----	11.40 + 0.30	.0310	----	----	----	----	118 UNCH
3570	----	----	----	11.40B/12.10A	----	11.90 + 0.30	.0324	----	----	----	----	32 UNCH
3575	----	----	----	11.60B/12.30A	----	12.10 + 0.40	.0329	----	----	----	----	20 UNCH
3585	----	----	----	11.80B/12.60A	----	12.30 + 0.30	.0335	----	----	----	----	50 UNCH
3600	----	----	----	12.30B/13.00A	----	12.80 + 0.40	.0348	----	----	----	----	454 UNCH
3610	----	----	----	12.60B/13.40A	----	13.10 + 0.40	.0357	----	----	----	----	1 UNCH
3630	----	----	----	13.20B/14.00A	----	13.70 + 0.40	.0373	----	----	----	----	8 UNCH
3645	----	----	----	13.80B/14.50A	----	14.20 + 0.40	.0387	----	----	----	----	22 UNCH
3650	----	----	14.00B/----	14.00B/14.60A	----	14.40 + 0.50	.0392	----	----	----	----	40 UNCH
3655	----	----	----	14.10B/14.60A	----	14.50 + 0.40	.0395	----	----	----	----	55 UNCH
3660	----	----	----	14.20B/15.00A	----	14.70 + 0.40	.0401	----	----	----	----	9 UNCH
3665	----	----	14.50B/----	14.50B/15.20A	----	14.90 + 0.50	.0406	----	----	----	----	1 UNCH
3675	----	----	----	14.70B/15.50A	----	15.20 + 0.40	.0414	----	----	----	----	24 UNCH
3690	14.60	14.60	15.40B/14.60	15.40B/14.60	----	15.80 + 0.50	.0430	----	----	6	----	13 + 1
3700	----	----	15.80B/----	15.80B/16.40A	----	16.20 + 0.50	.0441	----	----	----	----	219 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
AUG26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3705	----	----	16.00B/----	16.00B/16.70A	----	16.40 + 0.50	.0446	----	----	----	----	20 UNCH
3715	----	----	16.40B/----	16.40B/17.10A	----	16.70 + 0.50	.0455	----	----	----	----	30 UNCH
3725	----	----	16.80B/----	16.80B/17.50A	----	17.20 + 0.60	.0468	----	----	----	----	4 UNCH
3730	----	----	17.00B/----	17.00B/17.70A	----	17.40 + 0.60	.0473	----	----	----	----	10 UNCH
3750	----	----	18.00B/----	18.00B/18.50A	----	18.20 + 0.50	.0495	----	----	----	----	77 UNCH
3765	----	----	18.60B/----	18.60B/19.20A	----	18.90 + 0.60	.0513	----	----	----	----	100 UNCH
3770	----	----	18.90B/----	18.90B/18.60A	----	19.10 + 0.60	.0519	----	----	----	----	4 UNCH
3775	----	----	19.10B/----	19.10B/19.70A	----	19.30 + 0.60	.0525	----	----	----	----	12 UNCH
3790	----	----	19.80B/----	19.80B/20.40A	----	20.10 + 0.70	.0545	----	----	----	----	2 UNCH
3795	----	----	20.00B/----	20.00B/20.60A	----	20.30 + 0.60	.0551	----	----	----	----	81 UNCH
3800	----	----	20.30B/----	20.30B/20.90A	----	20.60 + 0.70	.0558	----	----	----	----	323 UNCH
3805	----	----	20.50B/----	20.50B/21.10A	----	20.80 + 0.60	.0564	----	----	----	----	4 UNCH
3810	----	----	20.80B/----	20.80B/21.30A	----	21.10 + 0.70	.0571	----	----	----	----	50 UNCH
3815	----	----	21.10B/----	21.10B/21.40A	----	21.30 + 0.60	.0577	----	----	----	----	150 UNCH
3820	----	----	21.30B/----	21.30B/21.90A	----	21.60 + 0.70	.0585	----	----	----	----	52 UNCH
3825	----	----	21.60B/----	21.60B/22.00A	----	21.80 + 0.60	.0591	----	----	----	----	51 UNCH
3835	----	----	22.10B/----	22.10B/22.40A	----	22.40 + 0.70	.0606	----	----	----	----	10 UNCH
3850	----	----	23.10B/----	23.10B/23.20A	----	23.20 + 0.70	.0627	----	----	----	----	87 UNCH
3855	----	----	23.50B/----	23.50B/23.70A	----	23.50 + 0.70	.0635	----	----	----	----	3 UNCH
3875	----	----	24.60B/----	24.60B/24.90A	----	24.70 + 0.80	.0666	----	----	----	----	10 UNCH
3880	----	----	25.00B/----	25.00B/25.20A	----	25.00 + 0.80	.0673	----	----	----	----	299 UNCH
3890	----	----	25.60B/----	25.60B/25.30A	----	25.60 + 0.80	.0689	----	----	----	----	73 UNCH
3900	----	----	26.30B/----	26.30B/26.40A	----	26.30 + 0.90	.0707	----	----	----	----	306 UNCH
3910	----	----	27.00B/----	27.00B/26.60A	----	26.90 + 0.80	.0723	----	----	----	----	1 UNCH
3925	----	----	28.00B/----	28.00B/27.60A	----	28.00 + 0.90	.0750	----	----	----	----	10 UNCH
3930	----	----	28.40B/----	28.40B/27.80A	----	28.30 + 0.90	.0758	----	----	----	----	38 UNCH
3940	29.60	29.60	29.60/29.60	29.60/28.70A	----	29.00 NEW	.0776	----	----	2	----	2 + 2
3950	----	----	30.00B/28.20A	30.00B/28.20A	----	29.80 + 1.00	.0795	----	----	----	----	246 UNCH
3955	29.70	29.70	30.20B/28.60A	30.20B/28.60A	----	30.10 NEW	.0804	----	----	10	----	10 + 10
3960	----	----	30.60B/28.80A	30.60B/28.80A	----	30.50 NEW	.0813	----	----	1	----	1 + 1
3965	----	----	31.10B/29.20A	31.10B/29.20A	----	30.90 + 1.00	.0823	----	----	----	----	14 UNCH
3975	----	----	31.90B/29.90A	31.90B/29.90A	----	31.70 + 1.10	.0843	----	----	----	----	267 UNCH
3980	----	----	32.20B/30.30A	32.20B/30.30A	----	32.10 + 1.10	.0853	----	----	----	----	45 UNCH
3985	----	----	32.90B/30.70A	32.90B/30.70A	----	32.50 + 1.10	.0863	----	----	----	----	2 UNCH
3990	----	----	33.20B/30.90A	33.20B/30.90A	----	32.90 + 1.10	.0873	----	----	----	----	44 UNCH
3995	----	----	33.60B/31.40A	33.60B/31.40A	----	33.30 + 1.10	.0883	----	----	----	----	4 UNCH
4000	32.50	32.50	34.30B/32.20A	34.30B/32.20A	----	33.70 + 1.10	.0893	----	----	38	125	1878 + 21
4005	----	----	34.70B/32.20A	34.70B/32.20A	----	34.20 + 1.20	.0905	----	----	----	----	3 UNCH
4010	----	----	35.10B/32.60A	35.10B/32.60A	----	34.60 + 1.20	.0915	----	----	----	----	78 UNCH
4025	----	----	36.70B/33.80A	36.70B/33.80A	----	35.90 + 1.20	.0947	----	----	----	----	101 UNCH
4030	----	----	36.80B/34.20A	36.80B/34.20A	----	36.40 + 1.30	.0959	----	----	----	----	50 UNCH
4040	----	----	37.80B/35.00A	37.80B/35.00A	----	37.30 + 1.30	.0981	----	----	----	----	15 UNCH
4045	----	----	38.30B/35.40A	38.30B/35.40A	----	37.80 + 1.30	.0993	----	----	----	----	30 UNCH
4050	----	----	38.80B/35.90A	38.80B/35.90A	----	38.30 + 1.40	.1005	----	----	----	----	299 UNCH
4075	----	----	41.50B/38.10A	41.50B/38.10A	----	40.80 + 1.50	.1065	----	----	----	----	5 UNCH
4080	----	----	42.10B/38.70A	42.10B/38.70A	----	41.30 + 1.50	.1077	----	----	----	----	6 UNCH
4085	----	----	42.60B/39.10A	42.60B/39.10A	----	41.80 + 1.50	.1089	----	----	----	----	28 UNCH
4095	----	----	43.70B/40.10A	43.70B/40.10A	----	42.90 + 1.50	.1115	----	----	----	----	4 UNCH
4100	----	----	44.30B/40.50A	44.30B/40.50A	----	43.40 + 1.50	.1128	----	----	----	----	89 UNCH
4110	----	----	45.50B/41.70A	45.50B/41.70A	----	44.50 + 1.60	.1154	----	----	----	----	1 UNCH
4115	----	----	46.10B/42.10A	46.10B/42.10A	----	45.10 + 1.60	.1167	----	----	----	----	6 UNCH
4120	----	----	46.70B/42.60A	46.70B/42.60A	----	45.70 + 1.70	.1181	----	----	----	----	1 UNCH
4130	----	----	48.00B/43.60A	48.00B/43.60A	----	46.80 + 1.60	.1208	----	----	----	----	5 UNCH
4135	----	----	48.70B/44.30A	48.70B/44.30A	----	47.40 + 1.70	.1221	----	----	----	----	54 UNCH
4140	----	----	49.30B/44.70A	49.30B/44.70A	----	48.00 + 1.70	.1235	----	----	----	----	1 UNCH
4145	----	----	50.00B/45.40A	50.00B/45.40A	----	48.60 + 1.70	.1249	----	----	----	----	20 UNCH
4150	----	----	50.60B/45.90A	50.60B/45.90A	----	49.20 + 1.70	.1263	----	----	----	----	360 UNCH
4160	----	----	52.00B/47.10A	52.00B/47.10A	----	50.50 + 1.80	.1293	----	----	----	----	64 UNCH
4165	----	----	52.70B/47.70A	52.70B/47.70A	----	51.10 + 1.80	.1307	----	----	----	----	100 UNCH
4170	----	----	53.40B/48.30A	53.40B/48.30A	----	51.80 + 1.90	.1323	----	----	----	----	77 UNCH
4175	----	----	54.10B/48.90A	54.10B/48.90A	----	52.40 + 1.80	.1337	----	----	----	----	25 UNCH
4180	----	----	54.80B/49.50A	54.80B/49.50A	----	53.10 + 1.90	.1352	----	----	----	----	91 UNCH
4185	----	----	55.50B/50.20A	55.50B/50.20A	----	53.80 + 1.90	.1368	----	----	----	----	41 UNCH
4190	----	----	56.30B/50.70A	56.30B/50.70A	----	54.50 + 2.00	.1384	----	----	1	----	141 + 1
4195	----	----	57.00B/51.40A	57.00B/51.40A	----	55.20 + 2.00	.1399	----	----	----	----	143 UNCH
4200	----	----	57.80B/52.00A	57.80B/52.00A	----	55.90 + 2.10	.1415	----	----	30	----	221 + 28
4205	----	----	58.60B/52.60A	58.60B/52.60A	----	56.60 + 2.10	.1431	----	----	1	----	20 + 1
4215	----	----	59.70B/53.90A	59.70B/53.90A	----	58.00 + 2.10	.1462	----	----	----	----	3 UNCH
4220	----	----	60.50B/54.60A	60.50B/54.60A	----	58.70 + 2.10	.1478	----	----	----	----	9 UNCH
4225	----	----	61.20B/55.20A	61.20B/55.20A	----	59.50 + 2.20	.1496	----	----	----	----	1 UNCH
4230	----	----	62.00B/55.90A	62.00B/55.90A	----	60.20 + 2.20	.1512	----	----	----	----	10 UNCH
4235	----	----	62.80B/56.70A	62.80B/56.70A	----	61.00 + 2.20	.1529	----	----	----	----	1 UNCH
4245	----	----	64.40B/58.00A	64.40B/58.00A	----	62.50 + 2.20	.1562	----	----	----	----	32 UNCH
4250	----	----	65.20B/59.60A	65.20B/59.60A	----	63.30 + 2.30	.1579	----	----	----	----	400 UNCH
4255	----	----	66.10B/60.20A	66.10B/60.20A	----	64.10 + 2.30	.1597	----	----	----	----	883 UNCH
4260	----	----	66.90B/61.10A	66.90B/61.10A	----	64.90 + 2.30	.1614	----	----	----	----	8 UNCH
4270	----	----	68.60B/62.60A	68.60B/62.60A	----	66.60 + 2.40	.1651	----	----	----	----	3 UNCH
4275	----	----	69.50B/63.40A	69.50B/63.40A	----	67.40 + 2.40	.1668	----	----	----	----	6 UNCH
4285	----	----	71.20B/65.00A	71.20B/65.00A	----	69.10 + 2.50	.1704	----	----	----	----	170 UNCH
4290	----	----	72.10B/65.80A	72.10B/65.80A	----	70.00 + 2.60	.1723	----	----	----	----	2 UNCH
4295	----	----	73.00B/66.60A	73.00B/66.60A	----	70.80 + 2.50	.1741	----	----	----	----	2 UNCH
4300	----	----	73.90B/67.30A	73.90B/67.30A	----	71.70 + 2.60	.1760	----	----	41	----	456 + 1
4305	----	----	74.80B/68.20A	74.80B/68.20A	----	72.60 + 2.60	.1779	----	----	----	----	100 UNCH
4310	----	----	75.80B/69.00A	75.80B/69.00A	----	73.50 + 2.60	.1798	----	----	----	----	1 UNCH
4315	----	----	76.70B/69.90A	76.70B/69.90A	----	74.50 + 2.80	.1818	----	----	----	----	8 UNCH
4320	----	----	77.70B/70.70A	77.70B/70.70A	----	75.40 + 2.80	.1837	----	----	----	----	5 UNCH
4325	----	----	78.60B/71.50A	78.60B/71.50A	----	76.30 + 2.80	.1856	----	----	----	----	275 UNCH
4330	----	----	79.60B/72.40A	79.60B/72.40A	----	77.30 + 2.80	.1877	----	----	----	----	102 UNCH
4335	----	----	80.60B/73.30A	80.60B/73.30A	----	78.20 + 2.80	.1896	----	----	----	----	1 UNCH
4340	----	----	81.60B/74.30A	81.60B/74.30A	----	79.20 + 2.90	.1916	----	----	----	----	2 UNCH
4350	----	----	83.70B/75.30A	83.70B/75.30A	----	81.20 + 3.00	.1957	----	----	4	----	657 + 3
4355	----	----	84.80B/75.60A	84.80B/75.60A	----	82.20 + 3.00	.1977	----	----	----	----	2 UNCH
4360	----	----	85.90B/76.50A	85.90B/76.50A	----	83.20 + 3.00	.1998	----	----	----	----	61 UNCH
4365	----	----	86.90B/77.40A	86.90B/77.40A	----	84.20 + 3.00	.2018	----	----	----	----	100 UNCH
4380	----	----	90.20B/80.40A	90.20B/80.40A	----	87.40 + 3.20	.2082	----	----	----	----	1 UNCH
4385	----	----	91.30B/81.40A	91.30B/81.40A	----	88.40 + 3.20	.2103	----	----	----	----	8 UNCH
4390	----	----	92.40B/82.30A	92.40B/82.30A	----	89.50 + 3.20	.2125	----	----	----	----	15 UNCH
4395	----	----	93.50B/83.50A	93.50B/83.50A	----	90.60 + 3.20	.2146	----	----	----	----	2 UNCH
4400	----	----	94.70B/84.30A	94.70B/84.30A	----	91.70 + 3.30	.2168	----	----	40	----	917 + 19
4410	----	----	96.90B/86.60A	96.90B/86.60A	----	94.00 + 3.40	.2213	----	----	----	----	1 UNCH
4415	----	----	98.20B/87.70A	98.20B/87.70A	----	95.10 + 3.40	.2235	----	----	----	----	6 UNCH
4420	----	----	99.40B/88.80A	99.40B/88.80A	----	96.30 + 3.50	.2258	----	----	----	----	2 UNCH
4425	----	----	100.60B/89.80A	100.60B/89.80A	----	97.50 + 3.50	.2281	----	----	----	----	3 UNCH
4435	----	----	103.00B/93.40A	103.00B/93.40A	----	99.80 + 3.50	.2326	----	----	2	----	6 UNCH
4440	----	----	104.30B/94.50A	104.30B/94.50A	----	101.00 + 3.60	.2349	----	----	----	----	37 UNCH
4445	----	----	105.50B/95.50A	105.50B/95.50A	----	102.30 + 3.70	.2373	----	----	----	----	1 UNCH
4450	----	----	106.80B/96.40A	106.80B/96.40A	----	103.50 + 3.70	.2396	----	----	2	----	327 + 2
4455	----	----	108.10B/97.70A	108.10B/97.70A	----	104.70 + 3.70	.2419	----	----	----	----	1 UNCH
4460	----	----	109.40B/98.80A	109.40B/98.80A	----	106.00 + 3.80	.2443	----	----	----	----	4 UNCH
4465	104.80	104.80	110.70B/100.00A	110.70B/100.00A	----	107.30 + 3.80	.2467	----	----	8	----	18 + 8
4470	105.00	105.00	112.00B/101.10A	112.00B/101.10A	----	108.60 + 3.90	.2491	----	----	100	----	118 + 92
4475	107.30	107.30	113.40B/102.20A	113.40B/102.20A	----	109.80 + 3.80	.2515	----	----	26	----	23 + 8
4480	----	----	114.70B/103.40A	114.70B/103.40A	----	111.20 + 4.00	.2540	----	----	----	----	119 UNCH
4485	----	----	116.10B/104.70A	116.10B/104.70A	----	112.50 + 4.00	.2564	----	----	----	----	12 UNCH
4490	----	----	117.40B/105.80A	117.40B/105.80A	----	113.80 + 4.00	.2588	----	----	----	----	3 UNCH
4495	----	----	118.90B/106.90A	118.90B/106.90A	----	115.20 NEW	.2614	----	----	12	----	12 + 12
4500	116.50	116.50	120.20B/107.90A	120.20B/107.90A	----	116.50 + 4.00	.2638	----	----	14	----	1301 - 14
4505	116.70	116.70	121.70B/109.50A	121.70B/109.50A	----	117.90 + 4.10	.2663	----	----	13	----	17 + 13
4510	118.20	118.20	123.10B/110.80A	123.10B/110.80A	----	119.30 NEW	.2688	----	----	31	----	31 + 31
4515	----	----	124.60B/111.90A	124.60B/111.90A	----	120.70 + 4.20	.2714	----	----	----	----	1 UNCH
4525	----	----	127.60B/114.50A	127.60B/114.50A	----	123.60 + 4.30	.2765	----	----	----	----	1 UNCH
4535	----	----	130.50B/116.90A	130.50B/116.90A	----	126.50 + 4.40	.2817	----	----	----	----	10 UNCH
4545	----	----	133.60B/119.80A	133.60B/119.80A	----	129.40 + 4.40	.2868	----	----	----	----	21 UNCH
4550	----	----	135.10B/120.90A	135.10B/120.90A	----	130.90 + 4.40	.2895	----	----	----	----	6 UNCH
4560	----	----	138.30B/123.90A	138.30B/123.90A	----	134.00 + 4.60	.2948	----	----	----	----	3 UNCH
4565	138.20	138.20	139.90B/125.20A	139.90B/125.20A	----	135.60 NEW	.2975	----	----	2	----	2 + 2
4570	----	----	141.60B/125.90A	141.60B/125.90A	----	137.10 + 4.60	.3001	----	----	----	----	10 UNCH
4575	----	----	143.10B/128.10A	143.10B/128.10A	----	138.70 + 4.70	.3029	----	----	----	----	4 UNCH
4580	----	----	144.80B/129.40A	144.80B/129.40A	----	140.30 + 4.80	.3056	----	----	----	----	165 UNCH
4585	144.50	144.50	146.50B/130.90A	146.50B/130.90A	----	141.90 + 4.80	.3083	----	----	2	----	4 + 2
4590	----	----	148.20B/132.30A	148.20B/132.30A	----	143.60 + 4.90	.3111	----	----	----	----	10 UNCH
4600	143.50	143.50	151.60B/135.10A	151.60B/135.10A	----	146.90 + 5.00	.3166	----	----	3	----	360 UNCH
4605	----	----	153.30B/136.80A	153.30B/136.80A	----	148.50 + 5.00	.3193	----	----	----	----	3 UNCH
4610	----	----	155.10B/138.20A	155.10B/138.20A	----	150.20 + 5.00	.3221	----	----	----	----	2 UNCH
4615	----	----	156.70B/139.80A	156.70B/139.80A	----	152.00 + 5.20	.3249	----	----	----	----	2 UNCH
4620	----	----	158.60B/141.40A	158.60B/141.40A	----	153.70 + 5.20	.3277	----	----	----	----	3 UNCH
4625	----	----	160.40B/143.00A	160.40B/143.00A	----	155.40 + 5.20	.3305	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4640	----	----	165.80B/147.70A	165.80B/147.70A	----	160.80 + 5.50	.3391	----	----	----	----	303 UNCH
4645	----	----	167.70B/149.30A	167.70B/149.30A	----	162.60 + 5.50	.3419	----	----	----	----	129 UNCH
4650	----	----	169.60B/150.70A	169.60B/150.70A	----	164.40 + 5.60	.3448	----	----	----	----	314 UNCH
4665	----	----	175.20B/156.00A	175.20B/156.00A	----	170.00 + 5.80	.3535	----	----	----	----	1 UNCH
4670	----	----	177.30B/157.60A	177.30B/157.60A	----	171.90 NEW	.3564	----	----	1	----	1 + 1
4675	----	----	179.20B/159.40A	179.20B/159.40A	----	173.90 + 6.00	.3594	----	----	----	----	2 UNCH
4680	----	----	181.10B/161.00A	181.10B/161.00A	----	175.80 + 6.00	.3623	----	----	----	----	5 UNCH
4700	----	----	189.20B/167.80A	189.20B/167.80A	----	183.80 + 6.40	.3742	----	----	1	----	479 - 1
4705	----	----	191.30B/169.90A	191.30B/169.90A	----	185.80 + 6.50	.3771	----	----	----	----	50 UNCH
4710	----	----	193.20B/171.80A	193.20B/171.80A	----	187.80 + 6.50	.3801	----	----	1	----	7 + 1
4715	----	----	195.40B/173.70A	195.40B/173.70A	----	189.90 + 6.60	.3831	----	----	----	----	1 UNCH
4720	----	----	197.60B/175.50A	197.60B/175.50A	----	192.00 + 6.70	.3861	----	----	1	----	10 + 1
4725	----	----	199.60B/177.20A	199.60B/177.20A	----	194.10 + 6.80	.3891	----	----	----	----	30 UNCH
4730	----	----	201.80B/179.30A	201.80B/179.30A	----	196.20 + 6.90	.3921	----	----	----	----	1 UNCH
4735	----	----	203.90B/181.20A	203.90B/181.20A	----	198.30 + 6.90	.3951	----	----	----	----	59 UNCH
4740	----	----	206.20B/183.20A	206.20B/183.20A	----	200.50 + 7.00	.3982	----	----	----	----	15 UNCH
4745	----	----	208.40B/185.10A	208.40B/185.10A	----	202.60 + 7.10	.4012	----	----	21	----	24 + 21
4750	197.50	197.50	210.50B/186.80A	210.50B/186.80A	----	204.80 + 7.20	.4042	----	----	12	----	184 + 8
4760	----	----	215.00B/191.00A	215.00B/191.00A	----	209.30 + 7.40	.4103	----	----	----	----	1 UNCH
4775	----	----	221.80B/197.10A	221.80B/197.10A	----	216.00 + 7.60	.4195	----	----	----	----	78 UNCH
4780	----	----	224.10B/199.20A	224.10B/199.20A	----	218.30 + 7.60	.4226	----	----	----	----	15 UNCH
4785	----	----	226.50B/201.20A	226.50B/201.20A	----	220.60 + 7.70	.4256	----	----	----	----	17 UNCH
4795	----	----	231.20B/205.40A	231.20B/205.40A	----	225.30 + 7.90	.4318	----	----	----	----	2 UNCH
4800	----	----	233.60B/206.90A	233.60B/206.90A	----	227.60 + 7.90	.4349	----	----	----	50	838 UNCH
4805	228.20	228.20	236.00B/208.80A	236.00B/208.80A	----	230.00 + 8.00	.4379	----	----	1	----	2 + 1
4810	----	----	238.40B/210.90A	238.40B/210.90A	----	232.40 + 8.10	.4410	----	----	----	----	5 UNCH
4820	----	----	243.30B/216.00A	243.30B/216.00A	----	237.20 + 8.20	.4472	----	----	----	----	4 UNCH
4825	242.40	242.40	245.70B/217.70A	245.70B/217.70A	----	239.60 NEW	.4503	----	----	2	----	2 + 2
4835	----	----	250.80B/221.80A	250.80B/221.80A	----	244.60 + 8.40	.4565	----	----	----	----	36 UNCH
4840	----	----	253.30B/224.50A	253.30B/224.50A	----	247.00 + 8.40	.4596	----	----	----	----	11 UNCH
4850	----	----	258.50B/228.90A	258.50B/228.90A	----	252.00 + 8.40	.4658	----	----	8	----	81 + 8
4855	----	----	260.90B/231.40A	260.90B/231.40A	----	254.60 + 8.60	.4689	----	----	----	----	10 UNCH
4860	----	----	263.50B/233.50A	263.50B/233.50A	----	257.10 + 8.60	.4720	----	----	4	----	6 + 3
4865	----	----	266.20B/236.70A	266.20B/236.70A	----	259.70 + 8.60	.4750	----	----	----	----	2 UNCH
4870	----	----	268.90B/238.30A	268.90B/238.30A	----	262.20 + 8.60	.4781	----	----	----	----	14 UNCH
4875	----	----	271.50B/240.60A	271.50B/240.60A	----	264.80 + 8.60	.4812	----	----	----	----	77 UNCH
4885	----	----	276.80B/245.40A	276.80B/245.40A	----	270.10 + 8.80	.4874	----	----	----	----	8 UNCH
4890	----	----	279.60B/247.90A	279.60B/247.90A	----	272.70 NEW	.4905	----	----	3	----	3 + 3
4900	----	----	284.90B/253.00A	284.90B/253.00A	----	278.10 + 8.90	.4967	----	----	----	----	355 UNCH
4905	----	----	287.80B/255.30A	287.80B/255.30A	----	280.80 + 9.00	.4997	----	----	----	----	25 UNCH
4910	----	----	290.50B/257.80A	290.50B/257.80A	----	283.50 + 9.00	.5028	----	----	----	----	22 UNCH
4925	----	----	299.00B/265.40A	299.00B/265.40A	----	291.80 + 9.20	.5120	----	----	----	----	50 UNCH
4950	----	----	313.40B/282.90A	313.40B/282.90A	----	306.10 + 9.80	.5272	----	----	----	----	31 UNCH
4955	----	----	316.20B/285.80A	316.20B/285.80A	----	309.00 + 9.80	.5302	----	----	----	----	1 UNCH
4980	----	----	331.10B/301.80A	331.10B/301.80A	----	323.70 + 10.30	.5452	----	----	----	----	1 UNCH
5000	----	----	343.30B/313.00A	343.30B/313.00A	----	335.80 + 10.70	.5571	----	----	----	----	317 UNCH
5010	----	----	349.50B/318.70A	349.50B/318.70A	----	342.00 + 11.00	.5630	----	----	----	----	1 UNCH
5025	----	----	358.90B/327.40A	358.90B/327.40A	----	351.30 + 11.30	.5718	----	----	----	----	25 UNCH
5030	----	----	362.00B/330.40A	362.00B/330.40A	----	354.40 + 11.30	.5747	----	----	----	----	1 UNCH
5040	----	----	368.40B/336.20A	368.40B/336.20A	----	360.80 + 11.60	.5805	----	----	----	----	4 UNCH
5045	----	----	371.60B/339.20A	371.60B/339.20A	----	363.90 + 11.60	.5834	----	----	----	----	31 UNCH
5050	----	----	374.80B/342.20A	374.80B/342.20A	----	367.10 + 11.70	.5862	----	----	----	----	351 UNCH
5070	----	----	387.90B/354.30A	387.90B/354.30A	----	380.10 + 12.20	.5976	----	----	----	----	17 UNCH
5080	----	----	394.50B/360.60A	394.50B/360.60A	----	386.60 + 12.30	.6033	----	----	----	----	3 UNCH
5100	----	----	408.10B/373.00A	408.10B/373.00A	----	399.90 + 12.70	.6144	----	----	----	----	82 UNCH
5120	----	----	421.70B/385.80A	421.70B/385.80A	----	413.50 + 13.20	.6254	----	----	----	----	2 UNCH
5180	----	----	464.00B/425.80A	464.00B/425.80A	----	455.50 + 14.30	.6572	----	----	----	----	1 UNCH
5195	----	----	474.80B/436.20A	474.80B/436.20A	----	466.30 + 14.60	.6648	----	----	----	----	2 UNCH
5200	----	----	478.50B/439.60A	478.50B/439.60A	----	469.90 + 14.70	.6673	----	----	----	----	112 UNCH
5265	----	----	527.20B/502.10A	527.20B/502.10A	----	518.20 + 15.70	.6990	----	----	----	----	1 UNCH
5300	----	----	531.90B/528.10A	531.90B/528.10A	----	545.00 + 16.20	.7149	----	----	----	----	3 UNCH
5355	----	----	----	387.00B/777.20A	----	588.30 + 16.90	.7388	----	----	----	----	1 UNCH
5400	----	----	----	424.60B/821.20A	----	624.70 + 17.40	.7569	----	----	----	----	76 UNCH
5460	----	----	----	476.00B/868.20A	----	674.40 + 18.10	.7793	----	----	----	----	1 UNCH
5500	----	----	----	511.10B/900.10A	----	708.20 + 18.50	.7933	----	----	----	----	3 UNCH
5530	----	----	----	537.80B/924.30A	----	733.80 + 18.80	.8031	----	----	----	----	1 UNCH
5575	----	----	----	578.40B/961.10A	----	772.90 + 19.40	.8169	----	----	----	----	2 UNCH
TOTAL										454	175	22915 + 301
SEP26												
2350	----	----	----	0.10B/20.10A	----	1.20 UNCH	.0026	----	----	----	----	54 UNCH
2375	----	----	----	0.10B/20.30A	----	1.30 UNCH	.0028	----	----	----	----	3 UNCH
2400	----	----	----	0.10B/20.40A	----	1.40 + 0.10	.0030	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/21.10A	----	1.80 + 0.10	.0039	----	----	----	----	4 UNCH
2600	----	----	----	1.40B/3.80A	----	2.20 + 0.10	.0049	----	----	----	----	2 UNCH
2900	----	----	----	2.90B/5.60A	----	4.20 + 0.30	.0096	----	----	----	----	1 UNCH
3000	----	----	----	3.70B/6.50A	----	5.10 + 0.30	.0119	----	----	----	----	2 UNCH
3145	----	----	----	5.10B/8.40A	----	6.90 + 0.40	.0162	----	----	----	----	15 UNCH
3150	----	----	----	5.20B/8.50A	----	7.00 + 0.40	.0165	----	----	----	----	2 UNCH
3200	----	----	----	5.90B/9.30A	----	7.80 + 0.50	.0184	----	----	----	----	1 UNCH
3270	----	----	----	7.10B/10.50A	----	9.00 + 0.50	.0213	----	----	----	----	15 UNCH
3300	----	----	----	7.70B/11.00A	----	9.50 + 0.50	.0226	----	----	----	----	1 UNCH
3475	----	----	----	11.90B/15.40A	----	13.80 + 0.70	.0330	----	----	----	----	2 UNCH
3480	----	----	----	12.10B/15.60A	----	13.90 + 0.70	.0333	----	----	----	----	780 UNCH
3500	----	----	----	12.60B/16.20A	----	14.50 + 0.70	.0348	----	----	----	----	19 UNCH
3525	----	----	----	13.60B/17.00A	----	15.40 + 0.80	.0368	----	----	----	----	2 UNCH
3565	----	----	----	15.00B/18.50A	----	16.80 + 0.80	.0402	----	----	----	----	1 UNCH
3610	----	----	----	16.90B/20.20A	----	18.50 + 0.80	.0442	----	----	----	----	1 UNCH
3625	----	----	----	17.40B/20.90A	----	19.10 + 0.80	.0457	----	----	----	----	1 UNCH
3650	----	----	----	18.70B/22.00A	----	20.20 + 0.80	.0482	----	----	----	----	66 UNCH
3690	----	----	----	20.80B/23.90A	----	22.10 + 0.80	.0526	----	----	----	----	60 UNCH
3700	----	----	----	21.10B/24.30A	----	22.60 + 0.80	.0538	----	----	----	----	144 UNCH
3720	----	----	----	22.40B/25.30A	----	23.70 + 0.90	.0563	----	----	----	----	50 UNCH
3750	----	----	----	24.10B/27.00A	----	25.40 + 0.90	.0601	----	----	----	----	80 UNCH
3755	----	----	----	24.20B/27.20A	----	25.70 + 0.90	.0608	----	----	----	----	310 UNCH
3800	----	----	27.60B/----	27.60B/28.90A	----	28.50 + 1.00	.0671	----	----	2	----	2 + 1
3850	----	----	31.30B/----	31.30B/32.10A	----	31.90 + 0.90	.0747	----	----	----	----	20 UNCH
3880	----	----	33.60B/----	33.60B/34.30A	----	34.20 + 1.00	.0797	----	----	----	----	26 UNCH
3900	----	----	35.20B/----	35.20B/35.90A	----	35.80 + 1.00	.0832	----	----	----	----	211 UNCH
3910	----	----	35.90B/----	35.90B/36.70A	----	36.70 + 1.10	.0851	----	----	----	----	2 UNCH
3920	----	----	36.80B/----	36.80B/37.70A	----	37.50 + 1.10	.0868	----	----	----	----	14 UNCH
3930	----	----	37.90B/----	37.90B/38.40A	----	38.40 + 1.10	.0887	----	----	----	----	2 UNCH
3945	----	----	39.10B/----	39.10B/39.80A	----	39.70 + 1.10	.0915	----	----	----	----	380 UNCH
3950	----	----	39.60B/----	39.60B/40.20A	----	40.20 + 1.20	.0926	----	----	----	----	324 UNCH
4000	----	----	44.80B/----	44.80B/45.30A	----	45.10 + 1.30	.1029	----	----	----	140	715 UNCH
4005	----	----	45.40B/----	45.40B/46.00A	----	45.60 + 1.30	.1039	----	----	----	----	1 UNCH
4020	----	----	47.10B/----	47.10B/47.40A	----	47.20 + 1.40	.1073	----	----	----	----	14 UNCH
4030	----	----	48.30B/----	48.30B/48.60A	----	48.30 + 1.40	.1095	----	----	----	----	2 UNCH
4050	----	----	50.80B/----	50.80B/50.80A	----	50.60 + 1.50	.1142	----	----	----	----	45 UNCH
4080	----	----	54.50B/----	54.50B/53.90A	----	54.10 + 1.60	.1214	----	----	----	----	4 UNCH
4085	----	----	55.20B/----	55.20B/54.50A	----	54.80 + 1.70	.1227	----	----	----	----	76 UNCH
4100	----	----	57.30B/----	57.30B/56.50A	----	56.70 + 1.80	.1265	----	----	----	----	21 UNCH
4130	----	----	61.50B/----	61.50B/60.40A	----	60.60 + 1.80	.1343	----	----	----	----	20 UNCH
4135	----	----	62.30B/----	62.30B/60.90A	----	61.30 + 1.90	.1357	----	----	----	----	3 UNCH
4150	----	----	64.60B/----	64.60B/63.00A	----	63.40 + 1.90	.1398	----	----	----	----	4 UNCH
4185	----	----	69.80B/----	69.80B/67.80A	----	68.60 + 2.10	.1499	----	----	----	----	76 UNCH
4200	----	----	72.30B/----	72.30B/69.20A	----	71.00 + 2.20	.1545	----	----	1	----	109 + 1
4220	----	----	75.60B/----	75.60B/72.90A	----	74.20 + 2.30	.1606	----	----	----	----	113 UNCH
4225	----	----	76.50B/----	76.50B/73.00A	----	75.00 + 2.30	.1621	----	----	----	----	3 UNCH
4230	----	----	77.40B/----	77.40B/74.60A	----	75.90 + 2.40	.1637	----	----	----	----	1 UNCH
4240	----	----	79.10B/----	79.10B/76.40A	----	77.60 + 2.40	.1669	----	----	----	----	56 UNCH
4250	----	----	80.90B/----	80.90B/78.00A	----	79.30 + 2.40	.1701	----	----	----	----	62 UNCH
4300	----	----	90.50B/----	90.50B/87.10A	----	88.60 + 2.70	.1871	----	----	1	----	85 + 1
4320	----	----	94.60B/----	94.60B/90.60A	----	92.60 + 2.90	.1942	----	----	----	----	152 UNCH
4350	----	----	101.10B/----	101.10B/97.00A	----	98.80 + 3.00	.2052	----	----	----	----	20 UNCH
4365	----	----	104.50B/----	104.50B/100.20A	----	102.10 + 3.10	.2109	----	----	----	----	5 UNCH
4390	----	----	110.40B/----	110.40B/105.60A	----	107.80 + 3.30	.2206	----	----	----	----	15 UNCH
4400	----	----	112.80B/----	112.80B/107.80A	----	110.10 + 3.30	.2246	----	----	----	----	36 UNCH
4410	----	----	115.20B/----	115.20B/110.10A	----	112.50 + 3.40	.2286	----	----	----	----	7 UNCH
4420	----	----	117.80B/----	117.80B/112.50A	----	115.00 + 3.50	.2327	----	----	----	----	1 UNCH
4430	----	----	120.30B/----	120.30B/114.90A	----	117.40 + 3.50	.2368	----	----	----	----	2 UNCH
4440	----	----	122.90B/----	122.90B/117.20A	----	120.00 + 3.70	.2410	----	----	----	----	8 UNCH
4450	----	----	125.60B/----	125.60B/119.60A	----	122.60 + 3.80	.2452	----	----	----	----	430 UNCH
4475	----	----	132.40B/----	132.40B/125.80A	----	129.30 + 4.00	.2560	----	----	----	----	3 UNCH
4490	----	----	136.60B/----	136.60B/129.60A	----	133.40 + 4.10	.2625	----	----	----	----	50 UNCH
4500	----	----	139.60B/----	139.60B/132.20A	----	136.30 + 4.20	.2670	----	----	----	----	459 UNCH
4550	----	----	154.80B/146.00A	154.80B/146.00A	----	151.20 + 4.70	.2898	----	----	----	----	350 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4560	----	----	158.00B/148.90A	158.00B/148.90A	----	154.40 + 4.80	.2945	----	----	----	----	7 UNCH
4580	----	----	164.70B/154.90A	164.70B/154.90A	----	160.90 + 5.10	.3040	----	----	----	----	1 UNCH
4620	----	----	178.50B/167.40A	178.50B/167.40A	----	174.60 + 5.70	.3235	----	----	----	----	500 UNCH
4650	----	----	189.50B/177.40A	189.50B/177.40A	----	185.40 + 6.10	.3385	----	----	----	----	2 UNCH
4700	----	----	208.90B/195.20A	208.90B/195.20A	----	204.60 + 6.80	.3640	----	----	----	----	75 UNCH
4725	----	----	219.20B/204.60A	219.20B/204.60A	----	214.70 + 7.10	.3770	----	----	----	----	1 UNCH
4730	----	----	221.30B/206.50A	221.30B/206.50A	----	216.80 + 7.20	.3796	----	----	----	----	5 UNCH
4740	----	----	225.60B/210.40A	225.60B/210.40A	----	221.00 + 7.40	.3849	----	----	----	----	2 UNCH
4750	----	----	229.80B/214.40A	229.80B/214.40A	----	225.20 + 7.50	.3902	----	----	----	----	150 UNCH
4760	----	----	234.30B/218.40A	234.30B/218.40A	----	229.50 + 7.60	.3954	----	----	----	----	100 UNCH
4775	----	----	240.90B/224.50A	240.90B/224.50A	----	236.00 + 7.80	.4034	----	----	----	----	18 UNCH
4800	----	----	252.40B/235.00A	252.40B/235.00A	----	247.20 + 8.10	.4167	----	----	----	----	35 UNCH
4825	----	----	264.20B/245.90A	264.20B/245.90A	----	258.80 + 8.30	.4302	----	----	----	----	2 UNCH
4835	----	----	269.00B/250.30A	269.00B/250.30A	----	263.50 + 8.30	.4356	----	----	----	----	30 UNCH
4900	----	----	302.10B/280.60A	302.10B/280.60A	----	296.10 + 8.90	.4707	----	----	----	----	3 UNCH
4930	----	----	318.10B/295.50A	318.10B/295.50A	----	312.10 + 9.20	.4868	----	----	----	----	20 UNCH
4950	----	----	329.10B/305.70A	329.10B/305.70A	----	323.10 + 9.40	.4976	----	----	----	----	1 UNCH
4975	----	----	343.40B/319.20A	343.40B/319.20A	----	337.10 + 9.60	.5109	----	----	----	----	210 UNCH
5000	----	----	357.70B/332.20A	357.70B/332.20A	----	351.50 + 9.90	.5241	----	----	----	----	10 UNCH
5005	----	----	360.70B/334.80A	360.70B/334.80A	----	354.40 + 10.00	.5267	----	----	----	----	3 UNCH
5020	----	----	369.70B/343.40A	369.70B/343.40A	----	363.30 + 10.30	.5345	----	----	----	----	3 UNCH
5100	----	----	419.40B/389.60A	419.40B/389.60A	----	412.60 + 11.60	.5755	----	----	----	----	28 UNCH
5105	----	----	422.60B/392.70A	422.60B/392.70A	----	415.80 + 11.70	.5779	----	----	----	----	2 UNCH
5200	----	----	486.40B/452.80A	486.40B/452.80A	----	479.50 + 13.70	.6237	----	----	----	----	47 UNCH
5230	----	----	507.60B/472.70A	507.60B/472.70A	----	500.50 + 14.20	.6375	----	----	----	----	400 UNCH
5300	----	----	558.30B/535.10A	558.30B/535.10A	----	551.00 + 15.30	.6684	----	----	----	----	300 UNCH
5400	----	----	621.50B/609.70A	621.50B/609.70A	----	626.80 + 16.80	.7090	----	----	----	----	100 UNCH
5420	----	----	----/624.80A	623.90B/624.80A	----	642.40 + 17.00	.7166	----	----	----	----	80 UNCH
5450	----	----	----	459.40B/867.40A	----	666.20 + 17.50	.7277	----	----	----	----	1 UNCH
5500	----	----	----	500.70B/906.10A	----	706.40 + 18.10	.7453	----	----	----	----	3 UNCH
6000	----	----	----	950.00B/1325.30A	----	1144.80 + 23.00	.8690	----	----	----	----	2 UNCH
TOTAL										4	140	7687 + 3
OCT26												
2700	----	----	----	1.60B/6.00A	----	3.60 + 0.10	.0077	----	----	----	----	1 UNCH
2800	----	----	----	2.20B/6.80A	----	4.40 + 0.10	.0095	----	----	----	----	3 UNCH
2900	----	----	----	3.10B/7.90A	----	5.50 + 0.30	.0119	----	----	----	----	1 UNCH
3100	----	----	----	5.40B/10.90A	----	8.20 + 0.40	.0180	----	----	----	----	1 UNCH
3155	----	----	----	6.40B/12.00A	----	9.20 + 0.50	.0203	----	----	----	----	1 UNCH
3200	----	----	----	7.30B/13.00A	----	10.20 + 0.60	.0224	----	----	----	----	414 UNCH
3240	----	----	----	8.20B/13.90A	----	11.10 + 0.60	.0244	----	----	----	----	5 UNCH
3300	----	----	----	9.60B/15.50A	----	12.60 + 0.70	.0277	----	----	----	----	415 UNCH
3340	----	----	----	10.70B/16.70A	----	13.80 + 0.80	.0303	----	----	----	----	9 UNCH
3360	----	----	----	11.40B/17.30A	----	14.40 + 0.80	.0316	----	----	----	----	1 UNCH
3380	----	----	----	12.00B/18.00A	----	15.00 + 0.80	.0330	----	----	----	----	1 UNCH
3390	----	----	----	12.40B/18.30A	----	15.40 + 0.80	.0338	----	----	----	----	4 UNCH
3400	----	----	----	12.50B/18.60A	----	15.70 + 0.80	.0345	----	----	----	----	150 UNCH
3480	----	----	----	15.70B/21.70A	----	18.70 + 1.00	.0409	----	----	----	----	12 UNCH
3500	----	----	----	16.50B/22.60A	----	19.50 + 1.00	.0426	----	----	----	----	10 UNCH
3520	----	----	----	17.50B/23.40A	----	20.40 + 1.00	.0445	----	----	----	----	12 UNCH
3550	----	----	----	18.90B/24.80A	----	21.80 + 1.10	.0474	----	----	----	----	25 UNCH
3600	----	----	----	21.40B/27.40A	----	24.30 + 1.20	.0526	----	----	----	----	177 UNCH
3615	----	----	----	22.50B/28.00A	----	25.10 + 1.20	.0543	----	----	----	----	1 UNCH
3700	----	----	----	28.80B/32.10A	----	30.40 + 1.40	.0650	----	----	----	----	160 UNCH
3715	----	----	30.70B/----	30.70B/32.20A	----	31.40 NEW	.0671	----	----	196	----	196 + 196
3750	----	----	----	32.50B/34.70A	----	34.00 + 1.50	.0722	----	----	----	----	19 UNCH
3770	----	----	35.00B/----	35.00B/36.10A	----	35.50 + 1.50	.0752	----	----	----	----	1 UNCH
3785	----	----	36.00B/----	36.00B/37.30A	----	36.70 + 1.50	.0775	----	----	----	----	1 UNCH
3800	----	----	37.10B/----	37.10B/38.50A	----	38.00 + 1.60	.0800	----	----	----	----	22 UNCH
3805	----	----	37.40B/----	37.40B/38.90A	----	38.40 + 1.60	.0808	----	----	----	----	1 UNCH
3865	----	----	42.70B/----	42.70B/44.00A	----	43.80 + 1.80	.0912	----	----	----	----	2 UNCH
3870	----	----	43.10B/----	43.10B/44.50A	----	44.30 + 1.80	.0922	----	----	----	----	1 UNCH
3875	----	----	43.70B/----	43.70B/45.00A	----	44.80 + 1.90	.0931	----	----	----	----	12 UNCH
3885	----	----	44.60B/----	44.60B/45.90A	----	45.80 + 1.90	.0950	----	----	----	----	5 UNCH
3890	----	----	44.80B/----	44.80B/46.40A	----	46.30 + 1.90	.0959	----	----	----	----	2 UNCH
3895	----	----	45.00B/----	45.00B/46.90A	----	46.80 + 2.00	.0969	----	----	----	----	2 UNCH
3900	----	----	45.50B/----	45.50B/47.40A	----	47.30 + 2.00	.0978	----	----	----	----	22 UNCH
3920	----	----	47.90B/----	47.90B/49.80A	----	49.40 + 2.10	.1018	----	----	----	----	28 UNCH
3930	----	----	49.10B/----	49.10B/50.50A	----	50.50 + 2.10	.1038	----	----	----	----	2 UNCH
3940	----	----	50.20B/----	50.20B/52.10A	----	51.60 + 2.20	.1059	----	----	----	----	65 UNCH
3950	----	----	51.40B/----	51.40B/52.60A	----	52.70 + 2.20	.1079	----	----	----	----	2 UNCH
3975	----	----	54.60B/----	54.60B/55.50A	----	55.60 + 2.30	.1133	----	----	----	----	5 UNCH
4000	----	----	57.70B/----	57.70B/58.60A	----	58.60 + 2.30	.1188	----	----	----	----	407 UNCH
4030	----	----	61.80B/----	61.80B/62.70A	----	62.50 + 2.50	.1258	----	----	----	----	2 UNCH
4035	----	----	62.50B/----	62.50B/62.90A	----	63.20 + 2.50	.1270	----	----	----	----	1 UNCH
4050	----	----	64.70B/----	64.70B/65.10A	----	65.20 + 2.50	.1306	----	----	----	----	5 UNCH
4070	----	----	68.00B/----	68.00B/67.70A	----	68.00 + 2.60	.1356	----	----	----	----	24 UNCH
4100	----	----	72.70B/----	72.70B/72.40A	----	72.40 + 2.70	.1433	----	----	----	----	314 UNCH
4130	----	----	77.30B/----	77.30B/76.90A	----	77.10 + 2.80	.1514	----	----	----	----	1 UNCH
4135	----	----	78.10B/----	78.10B/77.60A	----	77.90 + 2.80	.1528	----	----	----	----	1 UNCH
4150	----	----	80.60B/----	80.60B/80.20A	----	80.40 + 2.80	.1571	----	----	----	----	5 UNCH
4200	----	----	89.60B/----	89.60B/88.40A	----	89.20 + 3.00	.1718	----	----	----	----	133 UNCH
4220	----	----	93.40B/----	93.40B/92.10A	----	92.90 + 3.10	.1779	----	----	----	----	5 UNCH
4235	----	----	96.40B/----	96.40B/95.10A	----	95.80 + 3.10	.1826	----	----	----	----	1 UNCH
4250	----	----	99.50B/----	99.50B/98.10A	----	98.80 + 3.20	.1874	----	----	----	----	72 UNCH
4265	----	----	102.60B/----	102.60B/101.10A	----	101.80 + 3.20	.1923	----	----	----	----	200 UNCH
4270	----	----	103.80B/----	103.80B/102.00A	----	102.80 + 3.20	.1939	----	----	----	----	226 UNCH
4280	----	----	105.90B/----	105.90B/104.10A	----	104.90 NEW	.1973	----	----	196	----	196 + 196
4300	----	----	110.30B/----	110.30B/108.30A	----	109.30 + 3.40	.2041	----	----	----	----	476 UNCH
4330	112.20	112.20	117.30B/112.20	117.30B/112.20	----	116.00 NEW	.2145	----	----	1	----	1 + 1
4350	----	----	122.10B/----	122.10B/119.50A	----	120.70 + 3.60	.2217	----	----	----	----	200 UNCH
4355	----	----	123.40B/----	123.40B/120.70A	----	122.00 + 3.70	.2236	----	----	----	----	11 UNCH
4375	----	----	128.40B/----	128.40B/125.40A	----	126.90 + 3.80	.2310	----	----	----	----	10 UNCH
4400	----	----	135.00B/----	135.00B/131.50A	----	133.30 + 4.00	.2404	----	----	----	----	302 UNCH
4430	----	----	143.20B/----	143.20B/139.00A	----	141.30 + 4.20	.2521	----	----	----	----	3 UNCH
4450	----	----	148.90B/----	148.90B/144.20A	----	146.90 + 4.40	.2600	----	----	----	----	26 UNCH
4500	----	----	164.00B/----	164.00B/158.00A	----	161.60 + 4.80	.2805	----	----	----	----	68 UNCH
4600	----	----	197.80B/----	197.80B/189.10A	----	194.60 + 5.70	.3239	----	----	----	----	352 UNCH
4610	----	----	201.40B/----	201.40B/192.40A	----	198.10 + 5.80	.3284	----	----	----	----	5 UNCH
4675	----	----	226.50B/215.60A	226.50B/215.60A	----	222.60 + 6.40	.3583	----	----	----	----	1 UNCH
4700	----	----	236.90B/225.20A	236.90B/225.20A	----	232.70 + 6.80	.3701	----	----	----	----	64 UNCH
4750	----	----	258.40B/245.10A	258.40B/245.10A	----	254.00 + 7.50	.3940	----	----	----	----	173 UNCH
4775	----	----	269.70B/255.50A	269.70B/255.50A	----	265.20 + 7.90	.4061	----	----	----	----	1 UNCH
4800	----	----	281.30B/266.40A	281.30B/266.40A	----	276.80 + 8.30	.4182	----	----	----	----	126 UNCH
4845	----	----	303.10B/286.70A	303.10B/286.70A	----	298.80 + 9.10	.4402	----	----	----	----	17 UNCH
4850	----	----	305.60B/289.00A	305.60B/289.00A	----	301.40 + 9.30	.4426	----	----	----	----	80 UNCH
4875	----	----	318.50B/300.70A	318.50B/300.70A	----	314.20 + 9.60	.4548	----	----	----	----	1 UNCH
4900	----	----	331.50B/313.00A	331.50B/313.00A	----	327.30 + 9.80	.4670	----	----	60	----	120 + 10
4910	----	----	336.70B/317.90A	336.70B/317.90A	----	332.60 + 9.80	.4719	----	----	----	----	1 UNCH
4920	----	----	342.30B/322.80A	342.30B/322.80A	----	338.00 + 10.00	.4767	----	----	----	----	1 UNCH
4925	----	----	344.90B/325.50A	344.90B/325.50A	----	340.80 + 10.10	.4791	----	----	----	----	25 UNCH
4935	----	----	350.30B/330.40A	350.30B/330.40A	----	346.20 + 10.20	.4840	----	----	----	----	5 UNCH
4980	----	----	375.70B/354.10A	375.70B/354.10A	----	371.50 + 11.10	.5056	----	----	----	----	1 UNCH
5000	----	----	387.30B/364.90A	387.30B/364.90A	----	383.00 + 11.40	.5151	----	----	----	----	47 UNCH
5010	----	----	393.10B/370.40A	393.10B/370.40A	----	388.90 + 11.60	.5198	----	----	----	----	1 UNCH
5050	----	----	417.10B/392.80A	417.10B/392.80A	----	412.80 + 12.10	.5386	----	----	----	----	25 UNCH
5150	----	----	480.80B/452.80A	480.80B/452.80A	----	475.90 + 13.00	.5840	----	----	----	----	1 UNCH
5200	----	----	514.10B/484.40A	514.10B/484.40A	----	509.20 + 13.50	.6057	----	----	----	----	100 UNCH
5230	----	----	535.00B/504.00A	535.00B/504.00A	----	529.80 + 13.90	.6184	----	----	----	----	2 UNCH
5250	----	----	549.00B/517.40A	549.00B/517.40A	----	543.70 + 14.20	.6267	----	----	----	----	75 UNCH
5300	----	----	584.90B/551.30A	584.90B/551.30A	----	579.30 + 14.90	.6469	----	----	----	----	6 UNCH
5425	----	----	678.60B/----	678.60B/656.20A	----	672.60 + 16.90	.6938	----	----	----	----	1 UNCH
5455	----	----	697.70B/----	697.70B/679.30A	----	695.80 + 17.30	.7043	----	----	----	----	40 UNCH
5500	----	----	----	510.20B/947.10A	----	731.20 + 17.90	.7194	----	----	----	----	1 UNCH
5600	----	----	----	593.10B/1025.10A	----	812.10 + 19.20	.7506	----	----	----	----	1 UNCH
5700	----	----	----	679.10B/1105.40A	----	895.70 + 20.10	.7784	----	----	----	----	1 UNCH
TOTAL										453		5755 + 403
NOV26												
2750	----	----	----	1.30B/8.80A	----	5.00 + 0.30	.0100	----	----	----	----	1 UNCH
2800	----	----	----	1.90B/9.50A	----	5.60 + 0.40	.0112	----	----	----	----	8 UNCH
2900	----	----	----	2.90B/11.00A	----	7.00 + 0.50	.0140	----	----	----	----	1 UNCH
3000	----	----	----	4.20B/12.80A	----	8.60 + 0.50	.0173	----	----	----	----	95 UNCH
3120	----	----	----	6.30B/15.50A	----	11.10 + 0.70	.0223	----	----	----	----	10 UNCH
3180	----	----	----	7.60B/17.10A	----	12.50 + 0.70	.0252	----	----	----	----	10 UNCH
3200	----	----	----	8.20B/17.70A	----	13.10 + 0.80	.0263	----	----	----	----	93 UNCH
3215	----	----	----	8.70B/18.10A	----	13.50 + 0.80	.0271	----	----	----	----	1 UNCH
3220	----	----	----	8.60B/18.30A	----	13.60 + 0.80	.0274	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3225	----	----	----	8.90B/18.40A	----	13.80 + 0.90	.0277	----	----	----	----	1 UNCH
3235	----	----	----	9.10B/18.70A	----	14.10 + 0.90	.0283	----	----	----	----	2 UNCH
3250	----	----	----	9.60B/19.20A	----	14.50 + 0.90	.0291	----	----	----	----	18 UNCH
3255	----	----	----	9.80B/19.40A	----	14.70 + 0.90	.0295	----	----	----	----	18 UNCH
3300	----	----	----	11.20B/21.00A	----	16.10 + 1.00	.0323	----	----	----	----	20 UNCH
3310	----	----	----	11.50B/21.30A	----	16.40 + 0.90	.0329	----	----	----	----	1 UNCH
3320	----	----	----	11.70B/21.70A	----	16.80 + 1.00	.0337	----	----	----	----	16 UNCH
3350	----	----	----	12.80B/22.80A	----	17.90 + 1.10	.0358	----	----	----	----	180 UNCH
3455	----	----	----	17.50B/27.40A	----	22.30 + 1.20	.0443	----	----	----	----	1 UNCH
3475	----	----	----	18.40B/28.40A	----	23.30 + 1.30	.0462	----	----	----	----	2 UNCH
3500	----	----	----	19.70B/29.70A	----	24.60 + 1.40	.0486	----	----	----	----	655 UNCH
3535	----	----	----	21.80B/31.60A	----	26.50 + 1.50	.0522	----	----	----	----	1 UNCH
3690	----	----	----	34.70B/38.40A	----	36.90 + 1.90	.0711	----	----	----	----	1 UNCH
3725	----	----	38.40B/----	38.40B/41.20A	----	39.70 + 2.00	.0761	----	----	----	----	1 UNCH
3740	----	----	39.40B/----	39.40B/42.40A	----	41.00 + 2.00	.0784	----	----	----	----	21 UNCH
3750	----	----	40.70B/----	40.70B/43.30A	----	41.90 + 2.10	.0800	----	----	----	----	150 UNCH
3780	----	----	----	42.40B/45.90A	----	44.60 + 2.20	.0847	----	----	----	----	1 UNCH
3800	----	----	----	44.30B/47.70A	----	46.50 + 2.20	.0880	----	----	----	----	25 UNCH
3820	----	----	46.30B/----	46.30B/49.60A	----	48.50 + 2.30	.0914	----	----	----	----	20 UNCH
3875	----	----	----	51.50B/55.20A	----	54.40 + 2.50	.1013	----	----	----	----	24 UNCH
4000	----	----	68.00B/----	68.00B/70.30A	----	70.20 + 3.00	.1271	----	----	2	----	3 + 1
4100	----	----	84.10B/----	84.10B/85.00A	----	85.70 + 3.60	.1513	----	----	----	----	1 UNCH
4160	----	----	94.80B/----	94.80B/94.80A	----	96.30 + 3.90	.1672	----	----	----	----	1 UNCH
4170	----	----	96.70B/----	96.70B/96.60A	----	98.10 + 3.90	.1699	----	----	----	----	1 UNCH
4200	----	----	102.60B/----	102.60B/102.00A	----	103.90 + 4.10	.1784	----	----	----	----	5 UNCH
4205	----	----	103.60B/----	103.60B/102.80A	----	104.90 + 4.10	.1799	----	----	----	----	1 UNCH
4215	----	----	105.60B/----	105.60B/104.80A	----	106.90 + 4.10	.1828	----	----	----	----	5 UNCH
4275	----	----	118.60B/----	118.60B/116.70A	----	119.70 + 4.60	.2010	----	----	----	----	3 UNCH
4320	----	----	129.10B/----	129.10B/126.30A	----	130.10 + 4.80	.2154	----	----	----	----	43 UNCH
4350	----	----	136.60B/----	136.60B/133.20A	----	137.40 + 5.00	.2253	----	----	----	----	3 UNCH
4400	----	----	149.80B/----	149.80B/145.40A	----	150.40 + 5.40	.2425	----	----	----	----	3 UNCH
4425	----	----	156.70B/----	156.70B/151.80A	----	157.20 + 5.50	.2513	----	----	----	----	72 UNCH
4500	----	----	179.40B/172.70A	179.40B/172.70A	----	179.30 + 6.00	.2791	----	----	----	----	40 UNCH
4580	----	----	206.20B/197.50A	206.20B/197.50A	----	205.40 + 6.40	.3103	----	----	----	----	10 UNCH
4640	----	----	228.10B/218.00A	228.10B/218.00A	----	227.00 + 6.80	.3347	----	----	----	----	90 UNCH
4700	----	----	251.90B/240.00A	251.90B/240.00A	----	250.30 + 7.30	.3599	----	----	----	----	2 UNCH
4725	----	----	262.60B/249.80A	262.60B/249.80A	----	260.60 + 7.50	.3706	----	----	----	----	2 UNCH
4800	----	----	295.80B/280.70A	295.80B/280.70A	----	293.50 + 8.50	.4032	----	----	----	----	4 UNCH
4840	----	----	314.70B/298.40A	314.70B/298.40A	----	312.50 + 9.30	.4208	----	----	----	----	2 UNCH
4900	----	----	344.60B/326.20A	344.60B/326.20A	----	342.20 + 10.00	.4472	----	----	----	----	2 UNCH
4915	----	----	352.40B/333.50A	352.40B/333.50A	----	349.90 + 10.10	.4539	----	----	----	----	3 UNCH
4950	----	----	371.00B/350.80A	371.00B/350.80A	----	368.40 + 10.50	.4693	----	----	----	----	11 UNCH
4960	----	----	376.30B/355.80A	376.30B/355.80A	----	373.80 + 10.60	.4736	----	----	----	----	2 UNCH
5000	----	----	398.50B/376.40A	398.50B/376.40A	----	396.10 + 11.40	.4910	----	----	----	----	254 UNCH
5055	----	----	430.10B/406.30A	430.10B/406.30A	----	428.10 + 12.50	.5146	----	----	----	----	8 UNCH
5200	----	----	520.60B/491.50A	520.60B/491.50A	----	518.20 + 13.80	.5745	----	----	----	----	81 UNCH
5395	----	----	656.10B/620.50A	656.10B/620.50A	----	652.90 + 16.10	.6479	----	----	----	----	6 UNCH
5400	----	----	659.80B/624.00A	659.80B/624.00A	----	656.50 + 16.10	.6497	----	----	----	----	6 UNCH
5760	----	----	----	698.40B/1175.40A	----	940.00 + 20.80	.7576	----	----	----	----	1 UNCH
5975	----	----	----	887.70B/1353.00A	----	1124.60 + 22.60	.8055	----	----	----	----	1 UNCH
6000	----	----	----	910.30B/1374.20A	----	1146.60 + 22.80	.8104	----	----	----	----	1 UNCH
TOTAL										2		2045 + 1
DEC26												
1350	----	----	----	----/1.10A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1500	----	----	----	----/2.20A	----	0.30 UNCH	.0005	----	----	----	----	1 UNCH
1600	----	----	----	----/3.00A	----	0.40 UNCH	.0007	----	----	----	----	190 UNCH
1700	----	----	----	----/4.00A	----	0.50 UNCH	.0009	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/29.00A	----	0.80 UNCH	.0014	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/29.40A	----	0.90 UNCH	.0016	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/30.30A	----	1.20 UNCH	.0021	----	----	----	----	2 UNCH
2400	----	----	----	0.40B/6.50A	----	3.10 UNCH	.0057	----	----	----	----	1 UNCH
2490	----	----	----	0.40B/7.20A	----	3.80 + 0.10	.0070	----	----	----	----	1 UNCH
2750	----	----	----	2.00B/10.40A	----	6.60 + 0.30	.0124	----	----	----	----	1 UNCH
2800	----	----	----	2.70B/11.20A	----	7.30 + 0.40	.0137	----	----	----	----	8 UNCH
2900	----	----	----	5.40B/13.10A	----	8.90 + 0.50	.0168	----	----	----	----	19 UNCH
2925	----	----	----	4.40B/13.60A	----	9.30 + 0.50	.0176	----	----	----	----	300 UNCH
2975	----	----	----	5.20B/14.80A	----	10.30 + 0.60	.0195	----	----	----	----	400 UNCH
3000	----	----	----	5.70B/15.40A	----	10.90 + 0.70	.0206	----	----	----	----	1363 UNCH
3160	----	----	----	9.60B/20.00A	----	15.00 + 1.00	.0283	----	----	----	----	2 UNCH
3175	----	----	----	10.20B/20.50A	----	15.50 + 1.10	.0292	----	----	----	----	1 UNCH
3190	----	----	----	10.40B/21.00A	----	15.90 + 1.00	.0300	----	----	----	----	5 UNCH
3250	----	----	----	12.70B/23.30A	----	18.00 + 1.20	.0339	----	----	----	----	15 UNCH
3300	----	----	----	14.40B/25.40A	----	20.00 + 1.40	.0375	----	----	----	----	7 UNCH
3400	----	----	----	19.30B/30.10A	----	24.70 + 1.70	.0458	----	----	----	----	1610 UNCH
3425	----	----	----	20.60B/31.50A	----	26.00 + 1.70	.0481	----	----	----	----	350 UNCH
3450	----	----	----	22.10B/32.90A	----	27.40 + 1.80	.0506	----	----	----	----	201 UNCH
3460	----	----	----	22.30B/33.40A	----	28.00 + 1.80	.0516	----	----	----	----	20 UNCH
3475	----	----	----	23.40B/34.20A	----	28.90 + 1.90	.0532	----	----	----	----	152 UNCH
3500	----	----	----	24.80B/35.80A	----	30.50 + 2.00	.0559	----	----	----	----	1457 UNCH
3550	----	----	----	28.40B/39.00A	----	33.80 + 2.00	.0615	----	----	----	----	18 UNCH
3565	----	----	----	29.30B/40.10A	----	34.90 + 2.10	.0634	----	----	----	----	2 UNCH
3590	----	----	35.30B/----	35.30B/38.90A	----	36.80 + 2.20	.0665	----	----	----	----	1 UNCH
3600	----	----	35.60B/----	35.60B/39.60A	----	37.60 + 2.30	.0678	----	----	----	----	356 UNCH
3610	----	----	36.90B/----	36.90B/40.00A	----	38.40 + 2.30	.0692	----	----	----	----	3 UNCH
3650	----	----	39.70B/----	39.70B/43.10A	----	41.70 + 2.40	.0746	----	----	----	----	201 UNCH
3660	----	----	40.50B/----	40.50B/44.00A	----	42.60 + 2.50	.0760	----	----	----	----	5 UNCH
3670	----	----	41.50B/----	41.50B/44.80A	----	43.50 + 2.50	.0775	----	----	----	----	1 UNCH
3690	----	----	43.10B/----	43.10B/46.50A	----	45.30 + 2.50	.0804	----	----	----	----	1 UNCH
3700	----	----	44.00B/----	44.00B/47.70A	----	46.30 + 2.60	.0820	----	----	----	----	269 UNCH
3710	----	----	----	44.60B/48.30A	----	47.20 + 2.60	.0835	----	----	----	----	37 UNCH
3720	----	----	46.40B/----	46.40B/49.10A	----	48.20 + 2.60	.0851	----	----	----	----	1 UNCH
3725	----	----	47.30B/----	47.30B/50.00A	----	48.70 + 2.70	.0859	----	----	----	----	6 UNCH
3750	----	----	48.90B/----	48.90B/52.20A	----	51.30 + 2.80	.0899	----	----	----	----	166 UNCH
3760	----	----	49.80B/----	49.80B/53.40A	----	52.30 + 2.80	.0916	----	----	----	----	184 UNCH
3780	----	----	----	51.50B/55.10A	----	54.50 + 2.90	.0950	----	----	----	----	1 UNCH
3800	----	----	----	53.60B/58.90A	----	56.70 + 2.90	.0984	----	----	----	----	73 UNCH
3810	----	----	----	54.80B/59.10A	----	57.90 + 3.00	.1003	----	----	----	----	56 UNCH
3850	----	----	----	59.40B/63.30A	----	62.70 + 3.10	.1076	----	----	----	----	24 UNCH
3880	----	----	----	63.10B/66.90A	----	66.50 + 3.20	.1134	----	----	----	----	1 UNCH
3900	----	----	66.00B/----	66.00B/69.90A	----	69.20 + 3.40	.1174	----	----	----	----	1204 UNCH
3925	----	----	69.50B/----	69.50B/72.60A	----	72.60 + 3.40	.1225	----	----	----	----	205 UNCH
3930	----	----	----	69.90B/73.10A	----	73.30 + 3.40	.1236	----	----	----	----	2 UNCH
3950	----	----	73.10B/----	73.10B/76.30A	----	76.20 + 3.50	.1278	----	----	----	----	27 UNCH
3975	----	----	77.30B/----	77.30B/79.90A	----	79.90 + 3.60	.1332	----	----	----	----	190 UNCH
3980	----	----	77.60B/----	77.60B/80.50A	----	80.70 + 3.70	.1344	----	----	----	----	136 UNCH
4000	----	----	81.30B/----	81.30B/84.00A	----	83.80 + 3.70	.1389	----	----	----	----	1711 UNCH
4025	----	----	85.50B/----	85.50B/86.80A	----	87.80 + 3.80	.1446	----	----	----	----	220 UNCH
4050	----	----	89.70B/----	89.70B/91.40A	----	92.00 NEW	.1506	----	----	----	200	200 + 200
4070	----	----	93.20B/----	93.20B/94.40A	----	95.50 + 4.00	.1555	----	----	----	----	5 UNCH
4090	----	----	96.80B/----	96.80B/98.50A	----	99.10 + 4.20	.1605	----	----	----	----	1 UNCH
4100	----	----	98.60B/----	98.60B/99.50A	----	100.90 + 4.20	.1631	----	----	----	----	382 UNCH
4130	----	----	104.40B/----	104.40B/105.80A	----	106.60 + 4.40	.1709	----	----	----	----	2 UNCH
4160	----	----	110.40B/----	110.40B/111.10A	----	112.50 + 4.50	.1789	----	----	----	----	252 UNCH
4170	----	----	112.40B/----	112.40B/113.20A	----	114.60 + 4.60	.1817	----	----	----	----	2 UNCH
4175	----	----	113.40B/----	113.40B/114.20A	----	115.60 + 4.60	.1830	----	----	----	----	60 UNCH
4200	----	----	118.80B/----	118.80B/119.50A	----	120.90 + 4.80	.1901	----	----	----	----	657 UNCH
4215	----	----	122.00B/----	122.00B/122.80A	----	124.10 + 4.80	.1943	----	----	----	----	14 UNCH
4250	----	----	130.10B/----	130.10B/130.50A	----	132.00 + 5.00	.2046	----	----	----	----	206 UNCH
4300	----	----	142.30B/----	142.30B/143.10A	----	143.90 + 5.30	.2198	----	----	----	----	2106 UNCH
4320	----	----	147.30B/----	147.30B/148.00A	----	149.00 + 5.50	.2261	----	----	----	----	100 UNCH
4325	----	----	148.70B/----	148.70B/149.00A	----	150.20 + 5.40	.2276	----	----	----	----	300 UNCH
4340	----	----	152.70B/----	152.70B/152.90A	----	154.10 + 5.50	.2325	----	----	----	----	79 UNCH
4350	----	----	155.40B/----	155.40B/155.70A	----	156.80 + 5.60	.2357	----	----	----	----	101 UNCH
4375	----	----	162.30B/----	162.30B/162.10A	----	163.50 + 5.80	.2439	----	----	----	----	2 UNCH
4385	----	----	165.10B/----	165.10B/165.20A	----	166.30 + 5.90	.2472	----	----	----	----	75 UNCH
4390	----	----	166.50B/----	166.50B/166.50A	----	167.70 + 5.90	.2489	----	----	----	----	14 UNCH
4400	----	----	169.40B/----	169.40B/169.30A	----	170.50 + 5.90	.2523	----	----	----	----	99 UNCH
4425	----	----	176.80B/----	176.80B/176.40A	----	177.70 + 6.10	.2608	----	----	----	----	9 UNCH
4435	----	----	179.80B/----	179.80B/179.30A	----	180.70 + 6.20	.2643	----	----	----	----	14 UNCH
4450	----	----	184.50B/----	184.50B/183.80A	----	185.20 + 6.30	.2695	----	----	----	----	260 UNCH
4475	----	----	192.40B/----	192.40B/191.20A	----	192.90 + 6.40	.2783	----	----	----	----	8 UNCH
4500	202.00	202.00	202.00/202.00	202.00/199.00A	----	200.90 + 6.60	.2873	----	----	1	----	1207 UNCH
4510	----	----	203.80B/----	203.80B/202.10A	----	204.10 + 6.60	.2909	----	----	----	----	2 UNCH
4515	----	----	205.60B/----	205.60B/203.80A	----	205.80 + 6.70	.2928	----	----	----	----	242 UNCH
4520	----	----	207.30B/----	207.30B/205.40A	----	207.40 + 6.70	.2946	----	----	----	----	25 UNCH
4530	----	----	210.60B/----	210.60B/208.70A	----	210.80 + 6.80	.2983	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4535	----	----	212.30B/----	212.30B/210.20A	----	212.50 + 6.90	.3001	----	----	----	----	102 UNCH
4540	----	----	214.20B/----	214.20B/211.80A	----	214.10 + 6.80	.3019	----	----	----	----	1 UNCH
4550	----	----	217.70B/----	217.70B/215.10A	----	217.60 + 6.90	.3057	----	----	----	----	5 UNCH
4555	----	----	219.40B/----	219.40B/216.80A	----	219.30 + 6.90	.3075	----	----	----	----	50 UNCH
4580	----	----	228.30B/----	228.30B/225.20A	----	228.10 + 7.10	.3169	----	----	----	----	50 UNCH
4585	----	----	230.30B/----	230.30B/227.00A	----	229.90 + 7.10	.3188	----	----	----	----	325 UNCH
4600	----	----	235.90B/----	235.90B/232.30A	----	235.40 + 7.30	.3246	----	----	----	----	418 UNCH
4620	----	----	243.50B/----	243.50B/239.40A	----	242.80 + 7.40	.3323	----	----	----	----	50 UNCH
4625	----	----	245.30B/----	245.30B/241.20A	----	244.70 + 7.40	.3342	----	----	----	----	24 UNCH
4640	----	----	251.30B/----	251.30B/246.70A	----	250.40 + 7.50	.3400	----	----	----	----	100 UNCH
4650	----	----	255.10B/----	255.10B/250.40A	----	254.30 + 7.60	.3440	----	----	----	----	111 UNCH
4680	----	----	267.40B/----	267.40B/261.80A	----	266.20 + 7.80	.3558	----	----	----	----	60 UNCH
4690	----	----	271.40B/----	271.40B/265.80A	----	270.30 + 7.90	.3598	----	----	----	----	1 UNCH
4700	----	----	275.60B/----	275.60B/269.70A	----	274.40 + 8.00	.3637	----	----	----	----	522 UNCH
4750	----	----	297.20B/----	297.20B/290.10A	----	295.70 + 8.40	.3839	----	----	----	----	68 UNCH
4790	----	----	315.40B/----	315.40B/307.10A	----	313.70 + 8.70	.4001	----	----	----	----	60 UNCH
4800	----	----	320.40B/----	320.40B/311.50A	----	318.40 + 8.90	.4042	----	----	7	----	159 + 4
4810	----	----	325.10B/----	325.10B/316.00A	----	323.10 + 9.00	.4083	----	----	----	----	56 UNCH
4815	----	----	327.10B/----	327.10B/318.20A	----	325.40 + 9.00	.4104	----	----	----	----	10 UNCH
4820	----	----	329.80B/----	329.80B/320.50A	----	327.80 + 9.10	.4124	----	----	----	----	20 UNCH
4825	----	----	332.30B/----	332.30B/322.70A	----	330.20 + 9.20	.4145	----	----	8	----	108 + 8
4850	----	----	344.40B/----	344.40B/334.20A	----	342.30 + 9.40	.4248	----	----	----	----	10 UNCH
4880	----	----	359.40B/----	359.40B/348.30A	----	357.30 + 9.70	.4371	----	----	----	----	11 UNCH
4900	----	----	369.60B/----	369.60B/357.90A	----	367.60 + 10.00	.4454	----	----	----	----	107 UNCH
4925	----	----	382.40B/370.10A	382.40B/370.10A	----	380.60 + 10.20	.4556	----	----	----	----	137 UNCH
4950	----	----	396.00B/382.90A	396.00B/382.90A	----	394.00 + 10.60	.4659	----	----	----	----	7 UNCH
4975	----	----	409.70B/395.60A	409.70B/395.60A	----	407.70 + 10.90	.4761	----	----	----	----	43 UNCH
4980	----	----	412.40B/398.20A	412.40B/398.20A	----	410.50 + 11.00	.4781	----	----	----	----	12 UNCH
4995	----	----	420.80B/406.00A	420.80B/406.00A	----	418.90 + 11.20	.4841	----	----	----	----	32 UNCH
5000	403.00	403.00	423.60B/403.00	423.60B/403.00	----	421.70 + 11.20	.4862	----	----	3	----	440 + 1
5020	----	----	435.00B/419.50A	435.00B/419.50A	----	433.00 + 11.40	.4942	----	----	----	----	8 UNCH
5025	----	----	437.80B/422.10A	437.80B/422.10A	----	435.90 + 11.50	.4962	----	----	----	100	210 + 100
5035	----	----	443.60B/427.60A	443.60B/427.60A	----	441.70 + 11.70	.5002	----	----	----	----	8 UNCH
5050	----	----	452.40B/435.90A	452.40B/435.90A	----	450.40 + 11.80	.5062	----	----	----	----	201 UNCH
5070	----	----	464.20B/447.00A	464.20B/447.00A	----	462.20 + 12.00	.5141	----	----	----	----	1 UNCH
5075	----	----	467.10B/449.80A	467.10B/449.80A	----	465.20 + 12.10	.5161	----	----	----	----	100 UNCH
5095	----	----	479.20B/461.20A	479.20B/461.20A	----	477.20 + 12.30	.5240	----	----	----	----	6 UNCH
5100	----	----	482.20B/464.10A	482.20B/464.10A	----	480.30 + 12.50	.5259	----	----	----	----	6 UNCH
5195	----	----	541.80B/520.70A	541.80B/520.70A	----	539.80 + 13.60	.5623	----	----	----	----	5 UNCH
5200	----	----	545.10B/523.70A	545.10B/523.70A	----	543.10 + 13.70	.5642	----	----	----	----	38 UNCH
5250	----	----	578.20B/555.00A	578.20B/555.00A	----	576.00 + 14.30	.5826	----	----	----	----	126 UNCH
5290	----	----	605.20B/581.00A	605.20B/581.00A	----	603.00 + 14.80	.5970	----	----	----	----	1 UNCH
5295	----	----	608.60B/584.30A	608.60B/584.30A	----	606.40 + 14.80	.5988	----	----	----	----	1 UNCH
5360	----	----	654.10B/627.70A	654.10B/627.70A	----	651.70 + 15.70	.6214	----	----	----	----	100 UNCH
5370	----	----	661.30B/634.50A	661.30B/634.50A	----	658.80 + 15.80	.6248	----	----	----	----	20 UNCH
5375	----	----	664.60B/637.90A	664.60B/637.90A	----	662.30 + 15.80	.6264	----	----	----	----	34 UNCH
5400	----	----	682.90B/655.00A	682.90B/655.00A	----	680.30 + 16.20	.6348	----	----	----	----	102 UNCH
5415	650.60	650.60	693.50B/650.60	693.50B/650.60	----	691.10 NEW	.6397	----	----	8	----	4 + 4
5460	----	----	726.70B/----	726.70B/710.40A	----	724.10 + 16.90	.6543	----	----	----	----	200 UNCH
5465	----	----	730.70B/----	730.70B/714.10A	----	727.80 + 17.00	.6559	----	----	----	----	50 UNCH
5480	----	----	741.60B/----	741.60B/725.10A	----	739.00 + 17.20	.6606	----	----	----	----	50 UNCH
5500	----	----	756.70B/----	756.70B/740.00A	----	754.00 + 17.40	.6668	----	----	----	----	31 UNCH
5525	----	----	775.70B/----	775.70B/758.60A	----	773.00 + 17.80	.6744	----	----	----	----	80 UNCH
5600	----	----	833.80B/----	833.80B/815.60A	----	830.80 + 18.60	.6964	----	----	----	----	252 UNCH
5900	----	----	----	818.10B/1329.20A	----	1076.50 + 21.70	.7710	----	----	----	----	125 UNCH
6000	----	----	----	906.30B/1412.40A	----	1162.60 + 22.40	.7914	----	----	----	----	40 UNCH
6500	----	----	----	1365.80B/1851.40A	----	1614.90 + 25.10	.8665	----	----	----	----	4 UNCH
TOTAL										27	300	22809 + 317
JAN27												
2800	----	----	----	1.60B/14.90A	----	8.20 + 0.40	.0147	----	----	----	----	10 UNCH
3000	----	----	----	5.20B/20.10A	----	12.50 + 0.90	.0223	----	----	----	----	3 UNCH
3500	----	----	----	26.80B/40.70A	----	35.90 + 2.50	.0606	----	----	----	----	1 UNCH
3520	----	----	----	28.20B/45.20A	----	37.40 + 2.60	.0630	----	----	----	----	1 UNCH
3680	----	----	48.40B/----	48.40B/53.10A	----	51.60 + 3.60	.0843	----	----	----	----	1 UNCH
3800	----	----	----	60.70B/67.60A	----	64.80 + 4.10	.1035	----	----	----	----	1 UNCH
3825	----	----	----	63.70B/70.10A	----	67.90 + 4.20	.1079	----	----	----	----	1 UNCH
3900	----	----	73.80B/----	73.80B/79.50A	----	77.90 + 4.40	.1219	----	----	----	----	1 UNCH
3980	----	----	86.10B/----	86.10B/91.40A	----	90.00 + 4.70	.1383	----	----	----	----	1 UNCH
4000	----	----	89.40B/----	89.40B/95.30A	----	93.20 + 4.70	.1426	----	----	----	----	1 UNCH
4350	----	----	165.30B/----	165.30B/169.40A	----	168.80 + 6.60	.2348	----	----	----	----	1 UNCH
4400	----	----	179.60B/----	179.60B/183.20A	----	182.90 + 7.00	.2504	----	----	----	----	1 UNCH
4500	----	----	211.30B/----	211.30B/213.50A	----	213.70 + 7.50	.2831	----	----	----	----	2 UNCH
4585	----	----	240.90B/----	240.90B/241.50A	----	243.00 + 8.10	.3125	----	----	----	----	1 UNCH
4600	----	----	246.50B/----	246.50B/246.80A	----	248.40 + 8.10	.3178	----	----	----	----	3 UNCH
4630	----	----	257.80B/----	257.80B/257.50A	----	259.60 + 8.30	.3285	----	----	----	----	1 UNCH
4660	----	----	269.60B/----	269.60B/268.60A	----	271.20 + 8.60	.3393	----	----	----	----	4 UNCH
4665	----	----	271.40B/----	271.40B/270.50A	----	273.10 + 8.50	.3411	----	----	----	----	4 UNCH
4760	----	----	311.60B/----	311.60B/308.30A	----	312.30 + 9.20	.3763	----	----	----	----	100 UNCH
4800	----	----	329.60B/----	329.60B/325.30A	----	329.90 + 9.40	.3914	----	----	----	----	6 UNCH
4820	----	----	338.80B/----	338.80B/334.10A	----	339.00 + 9.50	.3990	----	----	----	----	6 UNCH
4860	----	----	357.90B/----	357.90B/352.00A	----	357.90 + 10.00	.4142	----	----	----	----	1 UNCH
4990	----	----	424.50B/----	424.50B/415.30A	----	425.20 + 11.90	.4638	----	----	----	----	1 UNCH
4995	----	----	427.20B/----	427.20B/417.90A	----	428.00 + 12.00	.4657	----	----	----	----	1 UNCH
5000	----	----	429.90B/----	429.90B/420.50A	----	430.70 + 12.10	.4676	----	----	----	----	3 UNCH
5050	----	----	457.20B/----	457.20B/446.90A	----	459.00 + 12.90	.4863	----	----	----	----	100 UNCH
5085	----	----	477.60B/----	477.60B/466.00A	----	479.40 + 13.40	.4992	----	----	----	----	2 UNCH
5150	----	----	516.50B/502.90A	516.50B/502.90A	----	518.30 + 14.10	.5229	----	----	----	----	2 UNCH
5235	----	----	569.50B/553.50A	569.50B/553.50A	----	571.50 + 14.90	.5531	----	----	----	----	2 UNCH
5245	----	----	576.00B/559.70A	576.00B/559.70A	----	578.00 + 15.10	.5565	----	----	----	----	2 UNCH
5300	----	----	612.10B/594.20A	612.10B/594.20A	----	613.90 + 15.50	.5754	----	----	----	----	4 UNCH
TOTAL												268 0
FEB27												
4000	----	----	----	97.30B/106.10A	----	101.10 - 5.00	.1482	----	----	----	----	1 UNCH
4600	----	----	----/260.90A	260.20B/260.90A	----	265.00 - 2.70	.3213	----	----	----	----	17 UNCH
4650	----	----	----/*279.40A	279.80B/*279.40A	----	284.40 - 2.30	.3386	----	----	----	----	1 UNCH
4655	----	----	----/*281.30A	281.80B/*281.30A	----	286.40 - 2.30	.3404	----	----	----	----	1 UNCH
4660	----	----	----/*283.20A	283.60B/*283.20A	----	288.40 - 2.20	.3421	----	----	----	----	435 UNCH
4665	----	----	----/*285.10A	285.60B/*285.10A	----	290.50 - 2.10	.3439	----	----	----	----	3 UNCH
4775	----	----	----/*329.90A	333.00B/*329.90A	----	337.40 - 1.40	.3830	----	----	----	----	1 UNCH
5000	----	----	----/436.40A	445.10B/436.40A	----	448.80 + 0.30	.4650	----	----	----	----	10 UNCH
5005	----	----	----/*439.00A	447.90B/439.00A	----	451.50 + 0.30	.4668	----	----	----	----	2 UNCH
5100	----	----	----/*490.30A	501.20B/*490.30A	----	505.00 + 1.00	.5008	----	----	----	----	2 UNCH
5150	----	----	----/*518.60A	531.50B/*518.60A	----	534.80 + 1.60	.5183	----	----	----	----	1 UNCH
5175	----	----	----/*533.20A	546.60B/*533.20A	----	550.00 + 1.90	.5270	----	----	----	----	125 UNCH
5200	----	----	----/*548.10A	562.10B/*548.10A	----	565.50 + 2.20	.5355	----	----	----	----	1 UNCH
5355	----	----	662.80B/*644.90	662.80B/*644.90A	----	666.60 + 4.10	.5866	----	----	----	----	1 UNCH
5520	----	----	----/*756.80A	740.10B/*756.80A	----	782.70 + 6.10	.6366	----	----	----	----	300 UNCH
5530	----	----	----/*763.90A	742.60B/*763.90A	----	790.00 + 6.20	.6395	----	----	----	----	100 UNCH
5550	----	----	----/*778.20A	752.50B/*778.20A	----	804.70 + 6.50	.6452	----	----	----	----	65 UNCH
5565	----	----	----	450.40B/1171.00A	----	815.80 + 6.70	.6494	----	----	----	----	50 UNCH
TOTAL												1116 0
MAR27												
5000	----	----	----	145.00B/*723.60A	----	467.60 + 11.80	.4490	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	13.60B/*356.20A	----	194.70 + 6.00	.2310	----	----	----	----	150 UNCH
5000	----	----	----	----/*809.30A	----	487.80 + 11.80	.4468	----	----	----	----	100 UNCH
TOTAL												250 0
DEC27												
3700	----	----	----	----	----	143.60 + 3.40	.1316	----	----	----	----	100 UNCH
3715	----	----	----	----	----	146.40 + 3.50	.1338	----	----	----	----	150 UNCH
3820	----	----	----	----	----	166.70 + 3.90	.1498	----	----	----	----	50 UNCH
4130	----	----	----	----	----	237.10 + 5.40	.2031	----	----	----	----	168 UNCH
4500	----	----	----	----	----	350.20 + 7.50	.2794	----	----	----	----	270 UNCH
4630	----	----	----	----	----	400.30 + 8.30	.3092	----	----	----	----	284 UNCH
4860	----	----	----	----	----	502.70 + 9.70	.3639	----	----	----	----	100 UNCH
5000	----	----	----	----	----	572.50 + 10.70	.3977	----	----	----	----	50 UNCH
5650	----	----	----	----	----	952.30 + 14.90	.5475	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1108.30 + 16.30	.5949	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	577.20 + 10.50	.3888	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN28												
5100	----	----	----	----	----	628.80 + 11.10	.4122	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1423.60 - 26.50	.9997	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1323.60 - 26.50	.9997	----	----	----	----	1 UNCH
3600	----	----	----/1,218.30A	1246.20B/1218.30A	----	1223.60 - 26.50	.9990	----	----	----	----	10 UNCH
3675	----	----	----/1,143.30A	1171.20B/1143.30A	----	1148.60 - 26.60	.9984	----	----	----	----	8 UNCH
3685	----	----	----/1,133.30A	1161.20B/1133.30A	----	1138.60 - 26.60	.9984	----	----	----	----	8 UNCH
3700	----	----	----/1,118.30A	1146.20B/1118.30A	----	1123.60 - 26.60	.9983	----	----	----	----	30 UNCH
3720	----	----	----/1,098.30A	1126.30B/1098.30A	----	1103.60 - 26.60	.9978	----	----	----	----	6 UNCH
3725	----	----	----/1,093.30A	1121.30B/1093.30A	----	1098.70 - 26.50	.9978	----	----	----	----	8 UNCH
3735	----	----	----/1,083.30A	1111.30B/1083.30A	----	1088.70 - 26.60	.9978	----	----	----	----	15 UNCH
3750	----	----	----/1,068.30A	1096.30B/1068.30A	----	1073.70 - 26.60	.9977	----	----	----	----	56 UNCH
3800	----	----	----/1,018.30A	1046.40B/1018.30A	----	1023.70 - 26.70	.9971	----	----	----	----	44 UNCH
3820	----	----	----	----	----	1003.80 - 26.60	.9970	----	----	----	----	2 UNCH
3840	----	----	----/978.30A	1006.40B/978.30A	----	983.80 - 26.70	.9965	----	----	----	----	20 UNCH
3855	----	----	----	----	----	968.80 - 26.70	.9964	----	----	----	----	2 UNCH
3875	----	----	----/943.40A	971.50B/943.40A	----	948.90 - 26.70	.9963	----	----	----	----	41 UNCH
3890	----	----	----	----	----	933.90 - 26.70	.9957	----	----	----	----	1 UNCH
3895	----	----	----/923.40A	951.50B/923.40A	----	928.90 - 26.70	.9957	----	----	----	----	9 UNCH
3900	----	----	----/917.00A	947.70B/917.00A	----	923.90 - 26.70	.9957	----	----	----	----	112 UNCH
3950	----	----	----/867.10A	897.80B/867.10A	----	874.00 - 26.70	.9949	----	----	----	----	223 UNCH
3960	----	----	----/858.50A	886.70B/858.50A	----	864.10 - 26.70	.9944	----	----	----	----	11 UNCH
3975	----	----	----/843.50A	871.70B/843.50A	----	849.10 - 26.70	.9943	----	----	----	----	13 UNCH
3980	----	----	----/837.10A	867.90B/837.10A	----	844.10 - 26.70	.9942	----	----	----	----	97 UNCH
3995	----	----	----/823.60A	851.80B/823.60A	----	829.20 - 26.70	.9936	----	----	----	----	62 UNCH
4000	----	----	----/817.20A	848.00B/817.20A	----	824.20 - 26.70	.9936	----	----	----	----	143 UNCH
4005	----	----	----/813.60A	841.80B/813.60A	----	819.20 - 26.70	.9935	----	----	----	----	30 UNCH
4015	----	----	----/803.60A	831.90B/803.60A	----	809.20 - 26.70	.9934	----	----	----	----	5 UNCH
4020	----	----	----/798.70A	826.90B/798.70A	----	804.20 - 26.80	.9934	----	----	----	----	15 UNCH
4025	----	----	----	----	----	799.30 - 26.70	.9928	----	----	----	----	2 UNCH
4050	----	----	----/767.30A	798.10B/767.30A	----	774.30 - 26.80	.9926	----	----	----	----	176 UNCH
4070	----	----	----/748.80A	777.00B/748.80A	----	754.40 - 26.70	.9919	----	----	----	----	25 UNCH
4075	----	----	----/743.80A	772.10B/743.80A	----	749.40 - 26.80	.9918	----	----	----	----	22 UNCH
4090	----	----	----	----	----	734.50 - 26.70	.9911	----	----	----	----	1 UNCH
4100	----	----	----/718.90A	747.20B/718.90A	----	724.50 - 26.80	.9910	----	----	----	----	48 UNCH
4105	----	----	----/714.00A	742.20B/714.00A	----	719.60 - 26.70	.9910	----	----	----	----	10 UNCH
4115	----	----	----/704.00A	732.20B/704.00A	----	709.60 - 26.70	.9903	----	----	----	----	4 UNCH
4120	----	----	----/696.20A	729.60B/696.20A	----	704.60 - 26.80	.9902	----	----	----	----	372 UNCH
4125	----	----	----	----	----	699.60 - 26.80	.9902	----	----	----	----	1 UNCH
4130	----	----	----/689.10A	717.30B/689.10A	----	694.70 - 26.70	.9895	----	----	----	----	11 UNCH
4135	----	----	----/684.10A	712.30B/684.10A	----	689.70 - 26.70	.9895	----	----	----	----	3 UNCH
4145	----	----	----	----	----	679.70 - 26.80	.9893	----	----	----	----	1 UNCH
4150	----	----	----/666.40A	699.70B/666.40A	----	674.80 - 26.70	.9893	----	----	----	----	255 UNCH
4155	----	----	----	----	----	669.80 - 26.80	.9886	----	----	----	----	1 UNCH
4165	----	----	----/654.30A	682.50B/654.30A	----	659.80 - 26.80	.9885	----	----	----	----	3 UNCH
4170	----	----	----/649.30A	677.50B/649.30A	----	654.90 - 26.80	.9878	----	----	----	----	24 UNCH
4175	----	----	----/644.30A	672.60B/644.30A	----	649.90 - 26.80	.9877	----	----	----	----	3 UNCH
4180	----	----	----/638.00A	668.80B/638.00A	----	644.90 - 26.80	.9877	----	----	----	----	123 UNCH
4185	----	----	----/634.40A	662.60B/634.40A	----	640.00 - 26.80	.9876	----	----	----	----	3 UNCH
4190	----	----	----/629.40A	657.70B/629.40A	----	635.00 - 26.80	.9869	----	----	----	----	18 UNCH
4200	----	----	----/617.50A	650.00B/617.50A	----	625.10 - 26.80	.9867	----	----	----	----	822 UNCH
4205	----	----	----/614.60A	642.80B/614.60A	----	620.10 - 26.80	.9861	----	----	----	----	4 UNCH
4210	----	----	----/609.60A	637.80B/609.60A	----	615.10 - 26.90	.9859	----	----	----	----	23 UNCH
4220	----	----	----/599.70A	627.90B/599.70A	----	605.20 - 26.90	.9852	----	----	----	----	7 UNCH
4240	----	----	----/579.90A	608.00B/579.90A	----	585.40 - 26.90	.9841	----	----	----	----	21 UNCH
4245	----	----	----	----	----	580.40 - 26.90	.9834	----	----	----	----	2 UNCH
4250	----	----	----/567.20A	600.40B/567.20A	----	575.50 - 26.90	.9833	----	----	----	----	277 UNCH
4255	----	----	----/563.70A	594.30B/563.70A	----	570.50 - 27.00	.9826	----	----	----	----	103 UNCH
4260	----	----	----/560.10A	588.20B/560.10A	----	565.60 - 26.90	.9825	----	----	----	----	8 UNCH
4265	----	----	----/555.20A	583.30B/555.20A	----	560.60 - 27.00	.9817	----	----	----	----	13 UNCH
4270	----	----	615.50B/548.10A	615.50B/548.10A	----	555.70 - 26.90	.9816	----	----	----	----	29 UNCH
4275	----	----	610.60B/543.20A	610.60B/543.20A	----	550.70 - 27.00	.9809	----	----	----	----	14 UNCH
4280	----	----	605.60B/538.40A	605.60B/538.40A	----	545.80 - 27.00	.9807	----	----	----	----	1 UNCH
4285	----	----	601.20B/533.30A	601.20B/533.30A	----	540.80 - 27.10	.9800	----	----	----	----	4 UNCH
4290	----	----	595.70B/528.40A	595.70B/528.40A	----	535.90 - 27.00	.9798	----	----	----	----	44 UNCH
4295	----	----	591.30B/523.60A	591.30B/523.60A	----	531.00 - 27.00	.9790	----	----	----	----	2 UNCH
4300	----	----	585.80B/518.50A	585.80B/518.50A	----	526.00 - 27.10	.9783	----	----	----	----	1117 UNCH
4305	----	----	580.90B/513.70A	580.90B/513.70A	----	521.10 - 27.10	.9781	----	----	----	----	2 UNCH
4315	----	----	571.50B/503.80A	571.50B/503.80A	----	511.20 - 27.10	.9766	----	----	----	----	3 UNCH
4325	----	----	561.30B/493.90A	561.30B/493.90A	----	501.40 - 27.10	.9756	----	----	----	----	562 UNCH
4330	----	----	556.20B/489.00A	556.20B/489.00A	----	496.50 - 27.10	.9748	----	----	----	----	26 UNCH
4335	----	----	551.30B/484.20A	551.30B/484.20A	----	491.60 - 27.10	.9740	----	----	----	----	1 UNCH
4340	----	----	546.40B/479.20A	546.40B/479.20A	----	486.60 - 27.20	.9737	----	----	----	----	4 UNCH
4345	----	----	541.60B/474.40A	541.60B/474.40A	----	481.70 - 27.20	.9729	----	----	----	----	2 UNCH
4350	----	----	544.40B/464.90A	544.40B/464.90A	----	476.80 - 27.20	.9721	----	----	----	----	250 UNCH
4355	----	----	539.50B/460.20A	539.50B/460.20A	----	471.90 - 27.30	.9712	----	----	----	----	40 UNCH
4360	----	----	534.50B/455.20A	534.50B/455.20A	----	467.00 - 27.30	.9704	----	----	----	----	349 UNCH
4365	----	----	529.60B/450.30A	529.60B/450.30A	----	462.10 - 27.30	.9695	----	----	----	----	5 UNCH
4370	----	----	524.70B/445.40A	524.70B/445.40A	----	457.20 - 27.30	.9687	----	----	----	----	75 UNCH
4375	----	----	519.80B/440.70A	519.80B/440.70A	----	452.30 - 27.40	.9678	----	----	----	----	34 UNCH
4380	----	----	514.90B/435.70A	514.90B/435.70A	----	447.50 - 27.30	.9669	----	----	----	----	12 UNCH
4385	----	----	510.00B/431.00A	510.00B/431.00A	----	442.60 - 27.30	.9654	----	----	----	----	4 UNCH
4390	----	----	505.10B/426.00A	505.10B/426.00A	----	437.70 - 27.40	.9645	----	----	----	----	10 UNCH
4395	----	----	500.20B/421.30A	500.20B/421.30A	----	432.80 - 27.40	.9636	----	----	----	----	5 UNCH
4400	436.00	436.00	495.30B/416.30A	495.30B/416.30A	----	428.00 - 27.40	.9626	----	----	1	----	1634 UNCH
4405	----	----	490.40B/411.50A	490.40B/411.50A	----	423.10 - 27.40	.9611	----	----	----	----	16 UNCH
4410	----	----	485.50B/406.80A	485.50B/406.80A	----	418.30 - 27.40	.9601	----	----	----	----	44 UNCH
4415	----	----	480.60B/402.00A	480.60B/402.00A	----	413.40 - 27.50	.9586	----	----	----	----	35 UNCH
4420	----	----	475.70B/397.20A	475.70B/397.20A	----	408.60 - 27.50	.9576	----	----	----	----	50 UNCH
4425	----	----	470.90B/392.40A	470.90B/392.40A	----	403.70 - 27.50	.9560	----	----	----	----	67 UNCH
4430	----	----	466.00B/387.60A	466.00B/387.60A	----	398.90 - 27.50	.9544	----	----	----	----	16 UNCH
4435	----	----	461.10B/382.80A	461.10B/382.80A	----	394.10 - 27.50	.9534	----	----	----	----	6 UNCH
4440	----	----	456.10B/377.90A	456.10B/377.90A	----	389.30 - 27.50	.9518	----	----	----	----	62 UNCH
4445	----	----	451.40B/373.10A	451.40B/373.10A	----	384.50 - 27.50	.9501	----	----	----	----	7 UNCH
4450	----	----	446.40B/368.40A	446.40B/368.40A	----	379.70 - 27.60	.9485	----	----	----	----	270 UNCH
4455	----	----	441.50B/363.60A	441.50B/363.60A	----	374.90 - 27.60	.9468	----	----	----	----	44 UNCH
4460	----	----	436.90B/359.00A	436.90B/359.00A	----	370.10 - 27.60	.9451	----	----	----	----	27 UNCH
4465	----	----	432.00B/354.30A	432.00B/354.30A	----	365.30 - 27.70	.9428	----	----	----	----	20 UNCH
4470	----	----	427.20B/349.30A	427.20B/349.30A	----	360.60 - 27.60	.9411	----	----	----	----	53 UNCH
4475	----	----	422.40B/344.50A	422.40B/344.50A	----	355.80 - 27.70	.9394	----	----	----	----	39 UNCH
4480	----	----	417.60B/339.70A	417.60B/339.70A	----	351.10 - 27.60	.9370	----	----	----	----	117 UNCH
4485	----	----	412.80B/335.10A	412.80B/335.10A	----	346.30 - 27.70	.9347	----	----	----	----	23 UNCH
4490	----	----	408.00B/330.30A	408.00B/330.30A	----	341.60 - 27.70	.9329	----	----	----	----	19 UNCH
4495	----	----	403.20B/325.60A	403.20B/325.60A	----	336.90 - 27.70	.9305	----	----	----	----	16 UNCH
4500	377.50	377.50	398.20B/320.70A	398.20B/320.70A	----	332.20 - 27.70	.9281	----	----	9	----	1250 - 7
4505	----	----	393.50B/316.20A	393.50B/316.20A	----	327.50 - 27.70	.9257	----	----	----	----	29 UNCH
4510	----	----	388.80B/311.50A	388.80B/311.50A	----	322.90 - 27.70	.9227	----	----	----	----	46 UNCH
4515	----	----	384.00B/306.90A	384.00B/306.90A	----	318.20 - 27.70	.9202	----	----	----	----	16 UNCH
4520	----	----	379.30B/302.20A	379.30B/302.20A	----	313.60 - 27.70	.9172	----	----	----	----	20 UNCH
4525	----	----	374.60B/297.60A	374.60B/297.60A	----	308.90 - 27.80	.9147	----	----	----	----	23 UNCH
4530	----	----	369.80B/292.90A	369.80B/292.90A	----	304.30 - 27.70	.9116	----	----	----	----	37 UNCH
4535	----	----	365.20B/288.30A	365.20B/288.30A	----	299.70 - 27.70	.9085	----	----	----	----	30 UNCH
4540	----	----	360.40B/283.70A	360.40B/283.70A	----	295.20 - 27.70	.9054	----	----	----	----	20 UNCH
4545	----	----	355.70B/279.50A	355.70B/279.50A	----	290.60 - 27.70	.9017	----	----	----	----	4 UNCH
4550	----	----	350.90B/274.50A	350.90B/274.50A	----	286.00 - 27.70	.8985	----	----	----	----	365 UNCH
4555	----	----	346.40B/270.10A	346.40B/270.10A	----	281.50 - 27.70	.8948	----	----	----	----	31 UNCH
4560	----	----	341.80B/265.50A	341.80B/265.50A	----	277.00 - 27.70	.8911	----	----	----	----	35 UNCH
4565	----	----	337.10B/261.00A	337.10B/261.00A	----	272.50 - 27.70	.8874	----	----	----	----	49 UNCH
4570	----	----	332.50B/256.50A	332.50B/256.50A	----	268.00 - 27.70	.8836	----	----	----	----	205 UNCH
4575	----	----	327.90B/252.20A	327.90B/252.20A	----	263.60 - 27.60	.8797	----	----	----	----	69 UNCH
4580	----	----	323.20B/248.20A	323.20B/248.20A	----	259.20 - 27.60	.8754	----	----	----	----	6 UNCH
4585	----	----	318.70B/243.20A	318.70B/243.20A	----	254.80 - 27.50	.8711	----	----	----	----	100 UNCH
4590	----	----	314.10B/238.80A	314.10B/238.80A	----	250.40 - 27.50	.8667	----	----	----	----	130 UNCH
4595	----	----	309.50B/234.70A	309.50B/234.70A	----	246.00 - 27.50	.8623	----	----	----	----	31 UNCH
4600	----	----	305.00B/230.10A	305.00B/230.10A	----	241.70 - 27.50	.8574	----	----	----	----	2679 UNCH
4605	----	----	300.50B/225.80A	300.50B/225.80A	----	237.30 - 27.50	.8525	----	----	----	----	302 UNCH
4610	----	----	296.00B/221.50A	296.00B/221.50A	----	233.00 - 27.50	.8475	----	----	----	----	77 UNCH
4615	----	----	291.40B/217.40A	291.40B/217.40A	----	228.80 - 27.40	.8425	----	----	----	----	20 UNCH
4620	----	----	287.00B/213.20A	287.00B/213.20A	----	224.50 - 27.40	.8375	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4625	----	----	282.60B/209.00A	282.60B/209.00A	----	220.30 - 27.40	.8320	----	----	----	----	117 UNCH
4630	----	----	278.10B/204.90A	278.10B/204.90A	----	216.10 - 27.40	.8265	----	----	----	----	39 UNCH
4635	----	----	273.70B/200.60A	273.70B/200.60A	----	212.00 - 27.30	.8206	----	----	----	----	229 UNCH
4640	----	----	269.30B/196.60A	269.30B/196.60A	----	207.90 - 27.20	.8150	----	----	----	----	45 UNCH
4645	----	----	264.60B/193.00A	264.60B/193.00A	----	203.80 - 27.20	.8090	----	----	----	----	6 UNCH
4650	----	----	260.50B/188.40A	260.50B/188.40A	----	199.70 - 27.10	.8026	----	----	----	----	588 UNCH
4655	----	----	255.90B/184.40A	255.90B/184.40A	----	195.70 - 27.00	.7965	----	----	----	----	222 UNCH
4660	----	----	251.80B/180.50A	251.80B/180.50A	----	191.70 - 27.00	.7900	----	----	----	----	151 UNCH
4665	----	----	247.70B/176.70A	247.70B/176.70A	----	187.70 - 26.90	.7835	----	----	----	----	51 UNCH
4670	----	----	243.20B/172.70A	243.20B/172.70A	----	183.80 - 26.80	.7766	----	----	----	----	117 UNCH
4675	----	----	239.10B/168.90A	239.10B/168.90A	----	179.90 - 26.70	.7697	----	----	----	----	87 UNCH
4680	218.00	218.00	235.00B/165.10A	235.00B/165.10A	----	176.00 - 26.70	.7628	----	----	3	----	160 - 3
4685	----	----	230.50B/161.30A	230.50B/161.30A	----	172.20 - 26.60	.7555	----	----	----	----	159 UNCH
4690	----	----	226.60B/157.70A	226.60B/157.70A	----	168.40 - 26.50	.7482	----	----	6	----	49 UNCH
4695	----	----	222.20B/154.00A	222.20B/154.00A	----	164.60 - 26.40	.7408	----	----	----	----	55 UNCH
4700	----	----	218.10B/150.20A	218.10B/150.20A	----	160.90 - 26.30	.7331	----	----	1	----	2232 - 1
4705	----	----	214.30B/146.60A	214.30B/146.60A	----	157.20 - 26.20	.7254	----	----	----	----	319 UNCH
4710	194.50	194.50	210.20B/143.00A	210.20B/143.00A	----	153.50 - 26.20	.7173	----	----	3	----	205 - 3
4715	----	----	206.20B/139.60A	206.20B/139.60A	----	149.90 - 26.10	.7095	----	----	----	----	68 UNCH
4720	----	----	202.00B/136.00A	202.00B/136.00A	----	146.40 - 25.90	.7012	----	----	----	----	265 UNCH
4725	147.00	147.00	198.10B/132.50A	198.10B/132.50A	----	142.80 - 25.90	.6930	----	----	2	----	145 UNCH
4730	----	----	194.20B/129.30A	194.20B/129.30A	----	139.30 - 25.80	.6846	----	----	----	----	60 UNCH
4735	----	----	190.20B/125.90A	190.20B/125.90A	----	135.90 - 25.70	.6760	----	----	----	----	31 UNCH
4740	----	----	186.70B/122.60A	186.70B/122.60A	----	132.50 - 25.60	.6675	----	----	----	----	160 UNCH
4745	----	----	182.90B/119.40A	182.90B/119.40A	----	129.10 - 25.50	.6585	----	----	----	----	26 UNCH
4750	132.70	132.70	178.80B/116.10A	178.80B/116.10A	----	125.80 - 25.40	.6496	----	----	2	----	1384 + 1
4755	----	----	175.30B/112.90A	175.30B/112.90A	----	122.50 - 25.30	.6406	----	----	----	----	45 UNCH
4760	----	----	171.60B/109.80A	171.60B/109.80A	----	119.30 - 25.20	.6314	----	----	----	----	94 UNCH
4765	----	----	167.90B/106.70A	167.90B/106.70A	----	116.10 - 25.10	.6222	----	----	----	----	80 UNCH
4770	----	----	164.30B/103.60A	164.30B/103.60A	----	113.10 - 24.80	.6128	----	----	----	----	87 UNCH
4775	----	----	160.50B/100.60A	160.50B/100.60A	----	110.00 - 24.60	.6033	----	----	----	----	203 UNCH
4780	----	----	156.80B/97.80A	156.80B/97.80A	----	107.00 - 24.40	.5937	----	----	----	----	59 UNCH
4785	120.40	120.40	153.50B/94.90A	153.50B/94.90A	----	104.10 - 24.20	.5842	----	----	7	----	36 UNCH
4790	----	----	150.20B/92.00A	150.20B/92.00A	----	101.20 - 23.90	.5745	----	----	----	----	133 UNCH
4795	----	----	146.60B/89.40A	146.60B/89.40A	----	98.40 - 23.60	.5647	----	----	----	----	66 UNCH
4800	122.30	122.30	143.00B/86.40A	143.00B/86.40A	----	95.60 - 23.40	.5549	----	----	26	----	2177 - 13
4805	----	----	139.90B/84.00A	139.90B/84.00A	----	92.80 - 23.20	.5450	----	----	----	----	66 UNCH
4810	105.90	105.90	136.50B/81.30A	136.50B/81.30A	----	90.10 - 23.00	.5351	----	----	4	----	581 UNCH
4815	92.40	92.40	133.20B/78.90A	133.20B/78.90A	----	87.50 - 22.70	.5252	----	----	8	----	41 + 6
4820	89.70	89.70	129.90B/76.30A	129.90B/76.30A	----	84.90 - 22.50	.5153	----	----	8	----	209 + 6
4825	86.90	86.90	127.00B/73.80A	127.00B/73.80A	----	82.30 - 22.30	.5053	----	----	42	----	265 + 5
4830	94.90	94.90	124.30B/71.50A	124.30B/71.50A	----	79.80 - 22.00	.4953	----	----	33	----	89 - 4
4835	89.60	89.60	120.70B/69.20A	120.70B/69.20A	----	77.30 - 21.90	.4853	----	----	81	----	68 + 51
4840	77.20	77.20	117.60B/67.00A	117.60B/67.00A	----	74.90 - 21.60	.4753	----	----	98	----	116 + 72
4845	87.10	87.10	114.60B/64.80A	114.60B/64.80A	----	72.50 - 21.40	.4653	----	----	46	----	168 + 33
4850	88.10	88.10	112.00B/62.50A	112.00B/62.50A	----	70.20 - 21.20	.4553	----	----	206	----	1276 - 16
4855	91.70	91.70	109.50B/60.40A	109.50B/60.40A	----	68.00 - 20.90	.4454	----	----	27	----	112 + 22
4860	67.00	67.00	106.80B/58.40A	106.80B/58.40A	----	65.70 - 20.80	.4353	----	----	35	----	79 + 8
4865	63.80	63.80	103.60B/56.40A	103.60B/56.40A	----	63.60 - 20.50	.4255	----	----	1	----	184 + 1
4870	93.10	93.10	101.00B/54.40A	101.00B/54.40A	----	61.50 - 20.20	.4156	----	----	9	----	141 + 2
4875	68.00	68.00	98.50B/52.60A	98.50B/52.60A	----	59.40 - 20.00	.4058	----	----	37	----	212 + 16
4880	82.50	82.50	95.70B/50.80A	95.70B/50.80A	----	57.40 - 19.80	.3960	----	----	4	----	60 + 2
4885	84.80	84.80	93.10B/48.90A	93.10B/48.90A	----	55.40 - 19.60	.3863	----	----	1	----	56 + 1
4890	----	----	90.50B/47.20A	90.50B/47.20A	----	53.50 - 19.30	.3767	----	----	----	----	80 UNCH
4895	80.90	80.90	88.00B/45.50A	88.00B/45.50A	----	51.70 - 19.00	.3672	----	----	1	----	72 UNCH
4900	77.80	77.80	85.60B/43.80A	85.60B/43.80A	----	49.90 - 18.80	.3578	----	----	497	----	2302 - 170
4905	55.80	55.80	83.20B/42.20A	83.20B/42.20A	----	48.10 - 18.60	.3484	----	----	1	----	43 - 1
4910	64.00	64.00	80.80B/40.60A	80.80B/40.60A	----	46.40 - 18.30	.3391	----	----	3	----	85 + 1
4915	51.70	51.70	78.60B/39.20A	78.60B/39.20A	----	44.70 - 18.10	.3299	----	----	2	----	70 UNCH
4920	----	----	76.20B/37.70A	76.20B/37.70A	----	43.10 - 17.80	.3209	----	----	----	----	72 UNCH
4925	43.70	43.70	74.20B/36.20A	74.20B/36.20A	----	41.60 - 17.50	.3121	----	----	10	----	289 + 1
4930	61.10	61.10	71.90B/34.80A	71.90B/34.80A	----	40.00 - 17.30	.3031	----	----	2	----	195 UNCH
4935	----	----	69.80B/33.60A	69.80B/33.60A	----	38.60 - 16.90	.2947	----	----	----	----	67 UNCH
4940	----	----	67.80B/32.30A	67.80B/32.30A	----	37.10 - 16.70	.2859	----	----	----	----	23 UNCH
4945	42.50	42.50	65.70B/31.00A	65.70B/31.00A	----	35.80 - 16.40	.2778	----	----	75	----	84 + 50
4950	48.10	48.10	63.90B/29.70A	63.90B/29.70A	----	34.40 - 16.10	.2694	----	----	39	----	1369 + 15
4955	----	----	61.80B/28.60A	61.80B/28.60A	----	33.10 - 15.90	.2612	----	----	----	----	11 UNCH
4960	----	----	60.00B/27.50A	60.00B/27.50A	----	31.90 - 15.50	.2535	----	----	----	----	44 UNCH
4965	----	----	58.20B/26.40A	58.20B/26.40A	----	30.70 - 15.20	.2457	----	----	----	----	71 UNCH
4970	32.90	32.90	56.40B/25.40A	56.40B/25.40A	----	29.50 - 15.00	.2380	----	----	3	----	61 + 1
4975	----	----	54.60B/24.20A	54.60B/24.20A	----	28.40 - 14.60	.2306	----	----	3	----	305 + 3
4980	37.10	37.10	52.90B/23.20A	52.90B/23.20A	----	27.30 - 14.30	.2233	----	----	21	----	253 - 1
4985	----	----	51.30B/22.40A	51.30B/22.40A	----	26.20 - 14.10	.2159	----	----	----	----	183 UNCH
4990	29.00	29.00	49.50B/21.60A	49.50B/21.60A	----	25.20 - 13.80	.2090	----	----	1	----	60 - 1
4995	----	----	47.90B/20.60A	47.90B/20.60A	----	24.20 - 13.50	.2021	----	----	27	----	139 + 27
5000	36.80	36.80	46.50/19.70A	46.50/19.70A	----	23.30 - 13.20	.1956	----	----	890	100	3969 - 323
5005	----	----	44.90B/19.00A	44.90B/19.00A	----	22.30 - 13.00	.1888	----	----	----	----	31 UNCH
5010	36.30	36.30	43.40B/18.20A	43.40B/18.20A	----	21.50 - 12.60	.1828	----	----	1	----	155 UNCH
5015	22.30	22.30	42.00B/17.50A	42.00B/17.50A	----	20.60 - 12.30	.1764	----	----	5	----	63 UNCH
5020	21.20	21.20	40.60B/16.80A	40.60B/16.80A	----	19.80 - 12.00	.1704	----	----	40	----	87 - 4
5025	23.70	23.70	39.20B/16.10A	39.20B/16.10A	----	19.00 - 11.80	.1645	----	----	20	----	288 - 9
5030	22.80	22.80	37.90B/15.50A	37.90B/15.50A	----	18.30 - 11.40	.1591	----	----	2	55	318 + 53
5035	----	----	36.60B/14.90A	36.60B/14.90A	----	17.50 - 11.20	.1532	----	----	----	----	24 UNCH
5040	----	----	35.40B/14.30A	35.40B/14.30A	----	16.80 - 10.90	.1478	----	----	----	----	158 UNCH
5045	19.20	19.20	34.10B/13.70A	34.10B/13.70A	----	16.20 - 10.60	.1430	----	----	4	----	939 UNCH
5050	28.70	28.70	32.90B/13.20A	32.90B/13.20A	----	15.50 - 10.30	.1376	----	----	137	----	1776 + 16
5055	----	----	31.80B/12.80A	31.80B/12.80A	----	14.90 - 10.10	.1328	----	----	----	----	86 UNCH
5060	----	----	30.70B/12.20A	30.70B/12.20A	----	14.30 - 9.80	.1281	----	----	----	----	95 UNCH
5065	----	----	29.60B/11.80A	29.60B/11.80A	----	13.80 - 9.50	.1238	----	----	----	----	25 UNCH
5070	16.90	16.90	28.50B/11.30A	28.50B/11.30A	----	13.20 - 9.20	.1191	----	----	8	----	61 + 5
5075	15.30	15.30	27.60B/10.90A	27.60B/10.90A	----	12.70 - 9.00	.1150	----	----	1	----	64 UNCH
5080	13.20	13.20	26.50B/10.50A	26.50B/10.50A	----	12.20 - 8.70	.1108	----	----	7	----	319 UNCH
5085	13.10	13.10	25.70B/10.10A	25.70B/10.10A	----	11.70 - 8.50	.1067	----	----	1	----	328 + 1
5090	14.00	14.00	24.70B/9.70A	24.70B/9.70A	----	11.30 - 8.20	.1032	----	----	13	----	281 + 5
5095	9.90	9.90	23.80B/9.20A	23.80B/9.20A	----	10.90 - 7.90	.0997	----	----	2	----	28 + 1
5100	20.00	20.00	22.70B/8.80	22.70B/8.80	----	10.40 - 7.80	.0957	----	----	613	----	2447 - 43
5105	11.20	11.20	22.10B/8.50A	22.10B/8.50A	----	10.00 - 7.50	.0922	----	----	8	55	74 + 57
5110	10.40	10.40	21.30B/8.30A	21.30B/8.30A	----	9.70 - 7.20	.0894	----	----	7	----	422 - 7
5115	----	----	20.50B/8.00A	20.50B/8.00A	----	9.30 - 7.10	.0860	----	----	----	----	101 UNCH
5120	9.80	9.80	19.70B/7.70A	19.70B/7.70A	----	9.00 - 6.80	.0833	----	----	2	----	42 - 2
5125	17.80	17.80	19.10B/7.40A	19.10B/7.40A	----	8.60 - 6.70	.0799	----	----	119	----	420 + 51
5130	----	----	18.40B/7.10A	18.40B/7.10A	----	8.30 - 6.50	.0772	----	----	----	----	89 UNCH
5135	----	----	17.60B/6.80A	17.60B/6.80A	----	8.00 - 6.30	.0745	----	----	----	----	179 UNCH
5140	----	----	17.00B/6.60A	17.00B/6.60A	----	7.70 - 6.10	.0718	----	----	----	----	262 UNCH
5145	----	----	16.30B/6.40A	16.30B/6.40A	----	7.50 - 5.80	.0698	----	----	----	----	77 UNCH
5150	----	----	15.70B/6.20A	15.70B/6.20A	----	7.20 - 5.70	.0672	----	----	51	----	1526 + 13
5155	6.40	6.40	15.20B/6.00A	15.20B/6.00A	----	6.90 - 5.60	.0646	----	----	21	----	89 - 9
5160	----	----	14.60B/5.90A	14.60B/5.90A	----	6.70 - 5.40	.0626	----	----	3	----	318 UNCH
5165	----	----	13.80B/5.70A	13.80B/5.70A	----	6.50 - 5.20	.0607	----	----	----	----	67 UNCH
5170	8.60	8.60	13.40B/5.50A	13.40B/5.50A	----	6.20 - 5.10	.0581	----	----	4	----	194 - 3
5175	6.50	6.50	12.80B/5.40A	12.80B/5.40A	----	6.00 - 4.90	.0562	----	----	35	----	267 - 4
5180	6.20	6.20	12.60B/5.20A	12.60B/5.20A	----	5.80 - 4.80	.0543	----	----	2	----	41 + 2
5185	6.10	6.10	12.00B/5.10A	12.00B/5.10A	----	5.60 - 4.70	.0525	----	----	1	----	35 UNCH
5190	----	----	11.70B/4.90A	11.70B/4.90A	----	5.50 - 4.40	.0513	----	----	----	----	345 UNCH
5195	5.70	5.70	11.10B/4.70A	11.10B/4.70A	----	5.30 - 4.30	.0495	----	----	3	----	33 + 2
5200	10.10	10.10	10.70B/4.20	10.70B/4.20	----	5.10 - 4.20	.0477	----	----	82	----	2737 - 12
5205	----	----	10.20B/4.50A	10.20B/4.50A	----	5.00 - 4.00	.0466	----	----	----	----	29 UNCH
5210	5.00	5.00	9.70B/4.40A	9.70B/4.40A	----	4.80 - 4.00	.0448	----	----	4	----	59 + 2
5215	----	----	9.30B/4.30A	9.30B/4.30A	----	4.70 - 3.80	.0437	----	----	----	----	55 UNCH
5220	----	----	9.00B/4.20A	9.00B/4.20A	----	4.50 - 3.80	.0419	----	----	----	----	266 UNCH
5225	8.90	8.90	8.90/4.10A	8.90/4.10A	----	4.40 - 3.60	.0409	----	----	35	----	183 UNCH
5230	----	----	8.40B/4.00A	8.40B/4.00A	----	4.30 - 3.50	.0398	----	----	----	----	40 UNCH
5235	----	----	8.10B/3.90A	8.10B/3.90A	----	4.10 - 3.50	.0381	----	----	----	----	73 UNCH
5240	----	----	7.80B/3.80A	7.80B/3.80A	----	4.00 - 3.40	.0371	----	----	----	----	93 UNCH
5245	----	----	7.50B/3.70A	7.50B/3.70A	----	3.90 - 3.30	.0360	----	----	----	----	58 UNCH
5250	6.70	6.70	7.30B/3.60A	7.30B/3.60A	----	3.80 - 3.20	.0350	----	----	46	----	1948 - 1
5255	----	----	7.10B/3.50A	7.10B/3.50A	----	3.70 - 3.10	.0341	----	----	----	----	9 UNCH
5260	----	----	6.80B/3.40A	6.80B/3.40A	----	3.60 - 3.00	.0331	----	----	----	----	120 UNCH
5265	6.60	6.60	6.60/3.20A	6.60/3.20A	----	3.50 - 2.90	.0321	----	----	1	----	62 UNCH
5270	----	----	6.30B/3.30A	6.30B/3.30A	----	3.40 - 2.80	.0311	----	----	----	----	95 UNCH
5275	----	----	6.20B/3.20A	6.20B/3.20A	----	3.30 - 2.80	.0302	----	----	----	----	203 UNCH
5280	----	----	----/3.10A	5.90B/3.10A	----	3.30 - 2.60	.0299	----	----	----	----	288 UNCH
5285	----	----	----/3.00A	5.70B/3.00A	----	3.20 - 2.60	.0290	----	----	----	----	35 UNCH
5290	----	----	----/3.00A	5.60B/3.00A	----	3.10 - 2.50	.0281	----	----	----	----	65 UNCH
5295	----	----	----/2.90A	5.40B/2.90A	----	3.00 - 2.50	.0272	----	----	----	----	69 UNCH
5300	2.60	2.60	5.60B/2.60	5.60B/2.60	----	3.00 - 2.30	.0269	----	----	81	320	2158 - 299
5305	----	----	----/2.80A	5.00B/2.80A	----	2.90 - 2.30	.0260	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5310	3.20	3.20	3.20/2.70A	4.80B/2.70A	----	2.80 - 2.30	.0251	----	----	1	----	36 UNCH
5315	----	----	----/2.70A	4.70B/2.70A	----	2.80 - 2.20	.0250	----	----	----	----	35 UNCH
5320	----	----	----/2.60A	4.50B/2.60A	----	2.70 - 2.10	.0241	----	----	1	----	360 - 221
5325	----	----	----/2.50A	4.40B/2.50A	----	2.60 - 2.10	.0232	----	----	----	----	110 UNCH
5330	----	----	----/2.50A	4.20B/2.50A	----	2.60 - 2.00	.0230	----	----	----	----	42 UNCH
5335	----	----	----/2.40A	4.10B/2.40A	----	2.50 - 2.00	.0221	----	----	----	----	243 UNCH
5340	----	----	----/2.40A	4.00B/2.40A	----	2.50 - 1.90	.0220	----	----	----	----	134 UNCH
5345	----	----	----/2.40A	3.90B/2.40A	----	2.40 - 1.90	.0211	----	----	----	----	65 UNCH
5350	4.20	4.20	4.20/2.30	4.20/2.30	----	2.40 - 1.80	.0210	----	----	52	----	869 + 13
5355	----	----	----/2.30A	3.70B/2.30A	----	2.30 - 1.80	.0201	----	----	----	----	29 UNCH
5360	----	----	----/2.30A	3.60B/2.30A	----	2.30 - 1.70	.0200	----	----	----	----	106 UNCH
5365	----	----	----/2.20A	3.50B/2.20A	----	2.30 - 1.60	.0199	----	----	----	----	33 UNCH
5370	----	----	----/2.20A	3.40B/2.20A	----	2.20 - 1.60	.0190	----	----	----	----	127 UNCH
5375	----	----	----/2.20A	3.40B/2.20A	----	2.20 - 1.60	.0189	----	----	----	----	402 UNCH
5380	----	----	----/2.10A	3.20B/2.10A	----	2.10 - 1.60	.0181	----	----	----	----	77 UNCH
5385	----	----	----/2.10A	3.10B/2.10A	----	2.10 - 1.50	.0180	----	----	----	----	117 UNCH
5390	----	----	----/2.10A	3.10B/2.10A	----	2.10 - 1.40	.0178	----	----	----	----	98 UNCH
5395	2.40	2.40	2.40/2.00A	3.10B/2.00A	----	2.00 - 1.40	.0170	----	----	1	----	40 UNCH
5400	3.00	3.00	3.00/1.90A	3.00/1.90A	----	2.00 - 1.40	.0169	----	----	260	----	2627 + 97
5405	----	----	----/2.00A	2.90B/2.00A	----	2.00 - 1.30	.0168	----	----	----	----	63 UNCH
5410	2.20	2.20	2.20/2.00A	2.90B/2.00A	----	1.90 - 1.30	.0160	----	----	1	----	155 - 1
5415	----	----	----/1.90A	2.70B/1.90A	----	1.90 - 1.30	.0159	----	----	----	----	35 UNCH
5420	----	----	----/1.90A	2.70B/1.90A	----	1.90 - 1.20	.0158	----	----	----	----	143 UNCH
5425	----	----	----/1.90A	2.70B/1.90A	----	1.80 - 1.30	.0150	----	----	----	----	100 UNCH
5430	2.00	2.00	2.00/1.80A	2.60B/1.80A	----	1.80 - 1.20	.0149	----	----	1	----	22 - 1
5435	----	----	----/1.80A	2.60B/1.80A	----	1.80 - 1.10	.0148	----	----	----	----	15 UNCH
5440	----	----	----/1.80A	2.50B/1.80A	----	1.80 - 1.10	.0148	----	----	----	----	62 UNCH
5445	----	----	----/1.80A	2.50B/1.80A	----	1.70 - 1.10	.0140	----	----	----	----	116 UNCH
5450	1.80	1.80	1.80/1.70A	2.40B/1.70A	----	1.70 - 1.10	.0139	----	----	1	----	583 UNCH
5455	----	----	----/1.70A	2.40B/1.70A	----	1.70 - 1.00	.0138	----	----	----	----	153 UNCH
5460	----	----	----/1.70A	2.30B/1.70A	----	1.70 - 1.00	.0137	----	----	----	----	37 UNCH
5465	----	----	----/1.70A	2.30B/1.70A	----	1.60 - 1.00	.0130	----	----	----	----	38 UNCH
5470	----	----	----/1.70A	2.20B/1.70A	----	1.60 - 1.00	.0129	----	----	----	----	253 UNCH
5475	----	----	----/1.60A	2.20B/1.60A	----	1.60 - 1.00	.0128	----	----	----	----	35 UNCH
5480	----	----	----/1.60A	2.10B/1.60A	----	1.60 - 0.90	.0128	----	----	----	----	34 UNCH
5485	----	----	----/1.60A	2.10B/1.60A	----	1.50 - 1.00	.0120	----	----	----	----	41 UNCH
5490	----	----	----/1.60A	2.10B/1.60A	----	1.50 - 0.90	.0120	----	----	----	----	35 UNCH
5495	----	----	----/1.50A	2.00B/1.50A	----	1.50 - 0.90	.0119	----	----	----	----	51 UNCH
5500	1.80	1.80	1.80/1.50A	2.00B/1.50A	----	1.50 - 0.90	.0118	----	----	26	----	3997 - 7
5505	----	----	----/1.50A	1.90B/1.50A	----	1.50 - 0.80	.0118	----	----	----	----	92 UNCH
5510	----	----	----/1.50A	1.90B/1.50A	----	1.40 - 0.90	.0110	----	----	----	----	60 UNCH
5515	----	----	----/1.40A	1.90B/1.40A	----	1.40 - 0.90	.0110	----	----	----	----	13 UNCH
5520	----	----	----/1.40A	1.90B/1.40A	----	1.40 - 0.80	.0109	----	----	----	----	204 UNCH
5525	----	----	----/1.40A	1.80B/1.40A	----	1.40 - 0.80	.0109	----	----	----	----	86 UNCH
5530	----	----	----/1.40A	1.80B/1.40A	----	1.40 - 0.80	.0108	----	----	----	----	64 UNCH
5535	----	----	----/1.40A	1.80B/1.40A	----	1.40 - 0.70	.0107	----	----	----	----	14 UNCH
5540	----	----	----/1.40A	1.70B/1.40A	----	1.30 - 0.80	.0100	----	----	----	----	27 UNCH
5545	----	----	----/1.40A	1.70B/1.40A	----	1.30 - 0.80	.0100	----	----	----	----	6 UNCH
5550	1.70	1.70	1.70/1.30A	1.70/1.30A	----	1.30 - 0.70	.0099	----	----	2	----	851 - 1
5555	----	----	----/1.30A	1.70B/1.30A	----	1.30 - 0.70	.0099	----	----	----	----	19 UNCH
5560	----	----	----/1.30A	1.60B/1.30A	----	1.30 - 0.70	.0098	----	----	----	----	28 UNCH
5565	----	----	----/1.30A	1.60B/1.30A	----	1.30 - 0.70	.0098	----	----	----	----	46 UNCH
5570	----	----	----/1.30A	1.60B/1.30A	----	1.20 - 0.70	.0091	----	----	----	----	557 UNCH
5575	----	----	----/1.30A	1.60B/1.30A	----	1.20 - 0.70	.0090	----	----	----	----	239 UNCH
5580	----	----	----/1.30A	1.50B/1.30A	----	1.20 - 0.70	.0090	----	----	----	----	139 UNCH
5585	----	----	----/1.30A	1.50B/1.30A	----	1.20 - 0.70	.0089	----	----	----	----	20 UNCH
5590	----	----	----/1.30A	1.50B/1.30A	----	1.20 - 0.60	.0089	----	----	----	----	93 UNCH
5595	----	----	----/1.30A	1.50B/1.30A	----	1.20 - 0.60	.0089	----	----	----	----	17 UNCH
5600	1.20	1.20	1.20/1.20	1.40B/1.20	----	1.20 - 0.60	.0088	----	----	2	----	3043 - 2
5610	----	----	----/1.20A	1.40B/1.20A	----	1.10 - 0.60	.0081	----	----	----	----	461 UNCH
5620	----	----	----/1.20A	1.40B/1.20A	----	1.10 - 0.60	.0080	----	----	----	----	137 UNCH
5625	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.60	.0080	----	----	----	----	269 UNCH
5630	----	----	----/1.10A	1.30B/1.10A	----	1.10 - 0.60	.0079	----	----	----	----	147 UNCH
5640	----	----	----/1.10A	1.30B/1.10A	----	1.10 - 0.50	.0079	----	----	----	----	552 UNCH
5650	1.20	1.20	1.20/1.10A	1.30B/1.10A	----	1.10 - 0.50	.0078	----	----	1	----	708 + 1
5660	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.60	.0071	----	----	----	----	262 UNCH
5670	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.50	.0070	----	----	----	----	41 UNCH
5675	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.50	.0070	----	----	----	----	5 UNCH
5680	----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.50	.0070	----	----	----	----	94 UNCH
5690	----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.50	.0069	----	----	----	----	178 UNCH
5700	1.00	1.00	1.20/1.00	1.20/1.00	----	1.00 - 0.40	.0069	----	----	29	----	1830 - 5
5710	1.10	1.10	1.10/1.00A	1.10/1.00A	----	0.90 - 0.50	.0062	----	----	1	----	50 + 1
5720	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.50	.0062	----	----	----	----	35 UNCH
5725	1.20	1.20	1.20/1.00A	1.20/1.00A	----	0.90 - 0.50	.0061	----	----	1	----	431 - 1
5730	1.20	1.20	1.20/1.00A	1.20/1.00A	----	0.90 - 0.40	.0061	----	----	7	----	120 - 1
5740	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.40	.0060	----	----	----	----	55 UNCH
5750	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.40	.0060	----	----	----	----	309 UNCH
5760	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.40	.0059	----	----	----	----	63 UNCH
5770	----	----	----/0.90A	1.00B/0.90A	----	0.80 - 0.40	.0053	----	----	----	----	16 UNCH
5775	----	----	----/0.90A	1.00B/0.90A	----	0.80 - 0.40	.0053	----	----	----	----	70 UNCH
5780	1.10	1.10	1.10/0.90A	1.10/0.90A	----	0.80 - 0.40	.0053	----	----	1	----	23 + 1
5790	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.40	.0052	----	----	----	----	41 UNCH
5800	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.40	.0052	----	----	----	----	999 UNCH
5810	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.30	.0052	----	----	----	----	37 UNCH
5820	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.30	.0051	----	----	----	----	50 UNCH
5825	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.30	.0051	----	----	----	----	112 UNCH
5830	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.30	.0051	----	----	----	----	139 UNCH
5840	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.30	.0050	----	----	----	----	88 UNCH
5850	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.40	.0044	----	----	----	----	330 UNCH
5860	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0044	----	----	----	----	68 UNCH
5870	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0044	----	----	----	----	17 UNCH
5875	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0044	----	----	----	----	123 UNCH
5880	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0043	----	----	----	----	24 UNCH
5890	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0043	----	----	----	----	23 UNCH
5900	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.30	.0043	----	----	65	----	769 - 63
5910	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0043	----	----	----	----	61 UNCH
5920	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0042	----	----	----	----	113 UNCH
5930	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.30	.0037	----	----	----	----	136 UNCH
5940	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.30	.0036	----	----	----	----	59 UNCH
5950	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.30	.0036	----	----	64	----	377 - 64
5960	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.30	.0036	----	----	----	----	45 UNCH
5970	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.20	.0036	----	----	----	----	35 UNCH
5980	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0035	----	----	----	----	129 UNCH
5990	0.70	0.70	0.70/*0.60	0.70/*0.60	----	0.60 - 0.20	.0035	----	----	10	----	81 + 9
6000	0.60	0.60	0.70/0.60	0.70/0.60	----	0.60 - 0.20	.0035	----	----	7	----	3497 - 1
6025	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0029	----	----	----	----	86 UNCH
6050	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0029	----	----	----	----	103 UNCH
6075	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0028	----	----	----	----	23 UNCH
6100	0.60	0.60	0.60/0.50A	0.60/0.50A	----	0.50 - 0.20	.0028	----	----	5	----	522 UNCH
6125	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.30	.0022	----	----	----	----	48 UNCH
6150	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0022	----	----	----	----	132 UNCH
6175	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0022	----	----	----	----	130 UNCH
6200	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0021	----	----	----	----	369 UNCH
6225	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	138 UNCH
6250	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0016	----	----	----	----	259 UNCH
6275	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0016	----	----	----	----	34 UNCH
6300	----	----	----/*0.40A	0.30B/0.40A	----	0.30 - 0.20	.0015	----	----	----	----	254 UNCH
6325	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	148 UNCH
6350	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	203 UNCH
6375	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	24 UNCH
6400	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	32	----	365 + 20
6425	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0014	----	----	----	----	42 UNCH
6450	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0014	----	----	64	----	49 - 27
6475	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0014	----	----	----	----	68 UNCH
6500	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0014	----	----	10	----	1258 + 10
6525	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	20 UNCH
6550	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	75 UNCH
6575	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	10 UNCH
6600	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	71 UNCH
6625	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	38 UNCH
6650	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	57 UNCH
6675	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	29 UNCH
6700	----	----	----	----/*0.20A	----	0.20 UNCH	.0009	----	----	----	----	381 UNCH
6725	----	----	----	----/*0.20A	----	0.20 UNCH	.0009	----	----	----	----	101 UNCH
6750	----	----	----	----/*0.20A	----	0.10 - 0.10	.0004	----	----	----	----	64 UNCH
6775	----	----	----	----/*0.20A	----	0.10 - 0.10	.0004	----	----	----	----	7 UNCH
6800	----	----	----	----/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	616 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 26

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6825	----	----	----	----/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	8 UNCH
6850	----	----	----	----/*0.20A	----	0.10 UNCH	.0002	----	----	----	----	32 UNCH
6875	----	----	----	----/*0.20A	----	0.10 UNCH	.0002	----	----	----	----	13 UNCH
6900	----	----	----	----/*0.10A	----	0.10 UNCH	.0002	----	----	----	----	553 UNCH
6925	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
6950	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	34 UNCH
6975	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
7000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0001	----	----	4	----	823 UNCH
7025	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	402 UNCH
7050	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	33 UNCH
7075	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	86 UNCH
7100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	106 UNCH
7125	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
7150	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	26 UNCH
7175	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
7200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	97 UNCH
7225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
7275	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
7300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7325	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7350	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7375	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
7450	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
7475	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	350 UNCH
7525	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
7575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	89 UNCH
7625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
7725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
7825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
7975	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1098 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1081 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
8400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
8600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	332 UNCH
9100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	767 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
TOTAL										4283	530	101414 - 647
JUN26												
1995	----	----	----/2,824.80A	2831.50B/2824.80A	----	2828.60 - 26.50	1.0000	----	----	250	----	0 UNCH
2000	----	----	----/2,818.10A	2846.20B/2818.10A	----	2823.60 - 26.50	1.0000	----	----	1043	----	412 UNCH
2005	----	----	----/2,814.80A	2821.50B/2814.80A	----	2818.60 - 26.50	1.0000	----	----	250	----	0 UNCH
2800	----	----	----/2,016.80A	2048.20B/2016.80A	----	2023.60 - 26.50	.9994	----	----	650	----	500 UNCH
3000	----	----	----/1,817.20A	1847.20B/1817.20A	----	1823.60 - 26.50	.9979	----	----	630	----	400 UNCH
3200	----	----	----/1,619.60A	1645.90B/1619.60A	----	1623.60 - 26.50	.9956	----	----	----	----	25 UNCH
3400	----	----	----/1,416.50A	1448.60B/1416.50A	----	1423.90 - 26.50	.9921	----	----	----	----	766 - 13
3500	----	----	----/1,319.40A	1346.50B/1319.40A	----	1324.30 - 26.50	.9898	----	----	----	----	57 UNCH
3525	----	----	----	----	----	1299.40 - 26.50	.9890	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1274.50 - 26.50	.9884	----	----	----	----	1 UNCH
3580	----	----	----/1,239.70A	1266.90B/1239.70A	----	1244.70 - 26.50	.9875	----	----	----	----	18 UNCH
3585	----	----	----/1,234.70A	1261.90B/1234.70A	----	1239.80 - 26.50	.9872	----	----	----	----	100 UNCH
3600	----	----	----/1,219.80A	1247.00B/1219.80A	----	1224.90 - 26.50	.9867	----	----	----	----	214 UNCH
3635	----	----	----/1,185.00A	1212.20B/1185.00A	----	1190.10 - 26.50	.9854	----	----	----	----	60 UNCH
3650	----	----	----/1,170.10A	1197.30B/1170.10A	----	1175.20 - 26.50	.9849	----	----	----	----	143 UNCH
3665	----	----	----/1,155.20A	1182.50B/1155.20A	----	1160.40 - 26.50	.9844	----	----	----	----	3 UNCH
3700	----	----	----/1,119.70A	1148.90B/1119.70A	----	1125.70 - 26.50	.9829	----	----	----	----	392 UNCH
3715	----	----	----/1,105.70A	1132.90B/1105.70A	----	1110.80 - 26.50	.9821	----	----	----	----	25 UNCH
3725	----	----	----/1,095.80A	1123.00B/1095.80A	----	1100.90 - 26.50	.9816	----	----	----	----	212 UNCH
3750	----	----	----/1,068.80A	1100.60B/1068.80A	----	1076.20 - 26.50	.9803	----	----	----	----	1112 UNCH
3755	----	----	----/1,066.10A	1093.30B/1066.10A	----	1071.30 - 26.50	.9802	----	----	----	----	15 UNCH
3785	----	----	----/1,036.40A	1063.60B/1036.40A	----	1041.60 - 26.50	.9784	----	----	----	----	170 UNCH
3790	----	----	1,093.40B/1,031	1093.40B/1031.30A	----	1036.70 - 26.50	.9783	----	----	----	----	1 UNCH
3800	----	----	1,083.50B/1,019	1083.50B/1019.40A	----	1026.80 - 26.50	.9775	----	----	----	----	545 UNCH
3835	----	----	1,049.10B/986.9	1049.10B/986.90A	----	992.30 - 26.50	.9752	----	----	----	----	1 UNCH
3840	----	----	1,044.10B/981.9	1044.10B/981.90A	----	987.40 - 26.50	.9751	----	----	----	----	21 UNCH
3850	----	----	1,034.30B/971.4	1034.30B/971.40A	----	977.60 - 26.50	.9743	----	----	----	----	322 UNCH
3875	----	----	1,009.70B/947.4	1009.70B/947.40A	----	953.00 - 26.50	.9724	----	----	----	----	60 UNCH
3895	----	----	990.10B/927.80A	990.10B/927.80A	----	933.30 - 26.50	.9707	----	----	----	----	1 UNCH
3900	----	----	985.20B/922.30A	985.20B/922.30A	----	928.40 - 26.50	.9705	----	----	----	----	364 UNCH
3925	----	----	960.70B/898.30A	960.70B/898.30A	----	904.00 - 26.40	.9683	----	----	----	----	4 UNCH
3950	----	----	936.30B/873.80A	936.30B/873.80A	----	879.50 - 26.50	.9657	----	----	----	----	14 UNCH
3975	----	----	921.50B/844.30A	921.50B/844.30A	----	855.10 - 26.50	.9630	----	----	----	----	106 UNCH
3990	----	----	906.60B/829.40A	906.60B/829.40A	----	840.50 - 26.50	.9612	----	----	----	----	1 UNCH
3995	----	----	901.90B/824.50A	901.90B/824.50A	----	835.70 - 26.40	.9607	----	----	----	----	5 UNCH
4000	----	----	897.10B/820.00A	897.10B/820.00A	----	830.80 - 26.40	.9602	----	----	----	----	862 UNCH
4005	----	----	891.80B/814.80A	891.80B/814.80A	----	826.00 - 26.40	.9594	----	----	----	----	10 UNCH
4010	----	----	887.10B/810.00A	887.10B/810.00A	----	821.10 - 26.40	.9589	----	----	----	----	1 UNCH
4020	----	----	877.60B/800.30A	877.60B/800.30A	----	811.40 - 26.40	.9576	----	----	----	----	2 UNCH
4025	----	----	872.50B/795.50A	872.50B/795.50A	----	806.60 - 26.40	.9568	----	----	----	----	51 UNCH
4040	----	----	858.20B/781.40A	858.20B/781.40A	----	792.10 - 26.30	.9549	----	----	----	----	1 UNCH
4050	----	----	848.40B/771.30A	848.40B/771.30A	----	782.40 - 26.40	.9533	----	----	----	----	185 UNCH
4060	----	----	838.70B/761.70A	838.70B/761.70A	----	772.80 - 26.30	.9519	----	----	----	----	25 UNCH
4070	----	----	829.00B/752.10A	829.00B/752.10A	----	763.10 - 26.40	.9502	----	----	----	----	10 UNCH
4075	----	----	824.00B/747.30A	824.00B/747.30A	----	758.30 - 26.40	.9497	----	----	----	----	64 UNCH
4090	----	----	809.70B/732.90A	809.70B/732.90A	----	743.90 - 26.40	.9471	----	----	----	----	34 UNCH
4100	----	----	800.00B/723.30A	800.00B/723.30A	----	734.30 - 26.40	.9454	----	----	----	----	682 UNCH
4105	----	----	794.80B/718.90A	794.80B/718.90A	----	729.60 - 26.30	.9445	----	----	----	----	50 UNCH
4110	----	----	790.40B/713.80A	790.40B/713.80A	----	724.80 - 26.30	.9436	----	----	----	----	2 UNCH
4115	----	----	785.60B/709.10A	785.60B/709.10A	----	720.00 - 26.30	.9425	----	----	----	----	5 UNCH
4125	----	----	776.00B/699.60A	776.00B/699.60A	----	710.50 - 26.30	.9407	----	----	----	----	95 UNCH
4135	----	----	766.40B/690.10A	766.40B/690.10A	----	700.90 - 26.30	.9386	----	----	----	----	16 UNCH
4150	----	----	751.60B/675.80A	751.60B/675.80A	----	686.70 - 26.30	.9356	----	----	----	----	263 UNCH
4155	----	----	747.20B/671.10A	747.20B/671.10A	----	682.00 - 26.20	.9344	----	----	----	----	5 UNCH
4170	----	----	732.50B/657.10A	732.50B/657.10A	----	667.80 - 26.20	.9310	----	----	----	----	51 UNCH
4175	----	----	728.20B/652.40A	728.20B/652.40A	----	663.10 - 26.20	.9301	----	----	----	----	61 UNCH
4195	----	----	709.10B/633.60A	709.10B/633.60A	----	644.30 - 26.20	.9252	----	----	----	----	1 UNCH
4200	----	----	704.40B/628.70A	704.40B/628.70A	----	639.60 - 26.20	.9239	----	----	----	----	2079 UNCH
4210	----	----	694.90B/619.40A	694.90B/619.40A	----	630.20 - 26.20	.9214	----	----	----	----	1582 UNCH
4220	----	----	685.50B/610.00A	685.50B/610.00A	----	620.90 - 26.20	.9186	----	----	----	----	84 UNCH
4225	----	----	680.80B/605.30A	680.80B/605.30A	----	616.30 - 26.10	.9173	----	----	----	----	15 UNCH
4235	----	----	671.20B/596.00A	671.20B/596.00A	----	607.00 - 26.10	.9145	----	----	----	----	6 UNCH
4240	----	----	666.50B/591.40A	666.50B/591.40A	----	602.40 - 26.10	.9129	----	----	----	----	53 UNCH
4245	----	----	661.80B/586.80A	661.80B/586.80A	----	597.70 - 26.10	.9114	----	----	----	----	263 UNCH
4250	----	----	656.90B/582.10A	656.90B/582.10A	----	593.10 - 26.10	.9100	----	----	----	----	922 UNCH
4255	----	----	652.70B/577.50A	652.70B/577.50A	----	588.50 - 26.10	.9085	----	----	----	----	6 UNCH
4260	----	----	647.80B/573.00A	647.80B/573.00A	----	583.90 - 26.10	.9069	----	----	----	----	1 UNCH
4265	----	----	642.90B/568.30A	642.90B/568.30A	----	579.30 - 26.10	.9053	----	----	----	----	87 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4270	----	----	638.70B/563.70A	638.70B/563.70A	----	574.70 - 26.10	.9037	----	----	----	----	11 UNCH
4280	----	----	629.40B/554.70A	629.40B/554.70A	----	565.60 - 26.00	.9002	----	----	----	----	1 UNCH
4285	----	----	624.30B/550.10A	624.30B/550.10A	----	561.00 - 26.00	.8986	----	----	----	----	1 UNCH
4300	----	----	610.90B/536.40A	610.90B/536.40A	----	547.40 - 26.00	.8935	----	----	----	----	2117 UNCH
4305	----	----	606.30B/531.90A	606.30B/531.90A	----	542.90 - 26.00	.8916	----	----	----	----	1 UNCH
4310	----	----	601.70B/527.30A	601.70B/527.30A	----	538.40 - 25.90	.8897	----	----	----	----	23 UNCH
4315	----	----	596.90B/522.90A	596.90B/522.90A	----	533.90 - 25.90	.8877	----	----	----	----	1 UNCH
4320	----	----	592.30B/518.30A	592.30B/518.30A	----	529.40 - 25.90	.8858	----	----	----	----	62 UNCH
4325	----	----	587.70B/513.80A	587.70B/513.80A	----	524.90 - 25.90	.8839	----	----	----	----	72 UNCH
4335	----	----	578.60B/505.00A	578.60B/505.00A	----	516.00 - 25.80	.8800	----	----	----	----	13 UNCH
4340	----	----	574.10B/500.40A	574.10B/500.40A	----	511.60 - 25.80	.8779	----	----	----	----	17 UNCH
4345	----	----	569.50B/496.10A	569.50B/496.10A	----	507.10 - 25.80	.8759	----	----	----	----	2 UNCH
4350	----	----	565.20B/491.80A	565.20B/491.80A	----	502.70 - 25.80	.8737	----	----	----	----	1451 UNCH
4355	----	----	560.60B/487.10A	560.60B/487.10A	----	498.30 - 25.70	.8717	----	----	----	----	129 UNCH
4360	----	----	555.60B/482.70A	555.60B/482.70A	----	493.90 - 25.70	.8695	----	----	----	----	42 UNCH
4365	----	----	551.40B/478.30A	551.40B/478.30A	----	489.50 - 25.70	.8673	----	----	----	----	4 UNCH
4370	----	----	547.10B/474.10A	547.10B/474.10A	----	485.10 - 25.70	.8651	----	----	----	----	3 UNCH
4375	----	----	542.60B/469.70A	542.60B/469.70A	----	480.70 - 25.70	.8628	----	----	----	----	106 UNCH
4380	----	----	538.20B/465.20A	538.20B/465.20A	----	476.40 - 25.60	.8604	----	----	----	----	341 UNCH
4385	----	----	533.50B/461.00A	533.50B/461.00A	----	472.00 - 25.60	.8581	----	----	----	----	3 UNCH
4390	----	----	529.20B/456.50A	529.20B/456.50A	----	467.70 - 25.60	.8556	----	----	----	----	16 UNCH
4395	----	----	524.80B/452.20A	524.80B/452.20A	----	463.40 - 25.50	.8533	----	----	----	----	10 UNCH
4400	----	----	520.30B/448.00A	520.30B/448.00A	----	459.10 - 25.50	.8508	----	----	----	----	1458 UNCH
4410	----	----	511.50B/439.30A	511.50B/439.30A	----	450.50 - 25.50	.8458	----	----	----	----	39 UNCH
4415	----	----	507.10B/435.30A	507.10B/435.30A	----	446.20 - 25.50	.8433	----	----	----	----	176 UNCH
4420	----	----	502.50B/430.80A	502.50B/430.80A	----	442.00 - 25.40	.8406	----	----	----	----	3 UNCH
4425	----	----	498.10B/426.60A	498.10B/426.60A	----	437.70 - 25.40	.8380	----	----	----	----	274 UNCH
4430	----	----	493.70B/422.40A	493.70B/422.40A	----	433.50 - 25.40	.8353	----	----	----	----	19 UNCH
4435	----	----	489.60B/418.30A	489.60B/418.30A	----	429.30 - 25.30	.8325	----	----	----	----	20 UNCH
4440	----	----	485.20B/414.00A	485.20B/414.00A	----	425.10 - 25.30	.8299	----	----	----	----	20 UNCH
4445	----	----	480.40B/409.80A	480.40B/409.80A	----	420.90 - 25.30	.8272	----	----	----	----	5 UNCH
4450	----	----	476.40B/405.60A	476.40B/405.60A	----	416.80 - 25.20	.8242	----	----	----	----	497 UNCH
4455	----	----	472.00B/401.50A	472.00B/401.50A	----	412.60 - 25.20	.8214	----	----	----	----	6 UNCH
4460	----	----	467.70B/397.40A	467.70B/397.40A	----	408.50 - 25.10	.8184	----	----	----	----	20 UNCH
4465	----	----	463.60B/393.20A	463.60B/393.20A	----	404.40 - 25.10	.8156	----	----	----	----	18 UNCH
4470	----	----	459.20B/389.20A	459.20B/389.20A	----	400.30 - 25.00	.8126	----	----	----	----	24 UNCH
4475	----	----	454.80B/385.10A	454.80B/385.10A	----	396.20 - 25.00	.8095	----	----	----	----	22 UNCH
4480	----	----	450.60B/381.10A	450.60B/381.10A	----	392.10 - 25.00	.8065	----	----	----	----	59 UNCH
4485	----	----	446.40B/377.00A	446.40B/377.00A	----	388.00 - 25.00	.8035	----	----	----	----	6 UNCH
4490	----	----	442.20B/372.90A	442.20B/372.90A	----	384.00 - 24.90	.8002	----	----	----	----	51 UNCH
4495	----	----	437.70B/368.90A	437.70B/368.90A	----	380.00 - 24.80	.7970	----	----	----	----	6 UNCH
4500	----	----	433.60B/364.90A	433.60B/364.90A	----	376.00 - 24.80	.7939	----	----	----	----	4376 UNCH
4505	----	----	429.60B/361.10A	429.60B/361.10A	----	372.00 - 24.80	.7907	----	----	----	----	49 UNCH
4510	----	----	425.50B/357.30A	425.50B/357.30A	----	368.00 - 24.70	.7874	----	----	----	----	1475 UNCH
4515	----	----	421.10B/353.20A	421.10B/353.20A	----	364.10 - 24.60	.7840	----	----	----	----	93 UNCH
4520	----	----	417.00B/348.80A	417.00B/348.80A	----	360.10 - 24.70	.7807	----	----	----	----	51 UNCH
4525	----	----	412.90B/344.90A	412.90B/344.90A	----	356.20 - 24.60	.7772	----	----	----	----	232 UNCH
4530	----	----	408.80B/341.40A	408.80B/341.40A	----	352.30 - 24.60	.7738	----	----	----	----	13 UNCH
4535	----	----	404.80B/337.60A	404.80B/337.60A	----	348.40 - 24.50	.7703	----	----	----	----	12 UNCH
4540	----	----	400.70B/333.40A	400.70B/333.40A	----	344.60 - 24.40	.7668	----	----	----	----	78 UNCH
4545	----	----	396.80B/329.60A	396.80B/329.60A	----	340.70 - 24.40	.7633	----	----	----	----	32 UNCH
4550	----	----	392.80B/325.80A	392.80B/325.80A	----	336.90 - 24.40	.7596	----	----	----	----	219 UNCH
4555	----	----	388.80B/322.30A	388.80B/322.30A	----	333.10 - 24.30	.7560	----	----	----	----	9 UNCH
4560	----	----	384.80B/318.20A	384.80B/318.20A	----	329.30 - 24.30	.7523	----	----	----	----	159 UNCH
4565	----	----	380.80B/314.50A	380.80B/314.50A	----	325.60 - 24.10	.7486	----	----	----	----	104 UNCH
4570	----	----	376.80B/310.80A	376.80B/310.80A	----	321.80 - 24.10	.7448	----	----	----	----	35 UNCH
4575	----	----	372.50B/307.10A	372.50B/307.10A	----	318.10 - 24.10	.7411	----	----	----	----	65 UNCH
4580	----	----	368.70B/303.80A	368.70B/303.80A	----	314.40 - 24.00	.7372	----	----	----	----	8 UNCH
4585	----	----	364.70B/300.10A	364.70B/300.10A	----	310.70 - 24.00	.7334	----	----	----	----	15 UNCH
4590	----	----	360.80B/296.20A	360.80B/296.20A	----	307.10 - 23.90	.7294	----	----	----	----	79 UNCH
4595	----	----	357.10B/292.90A	357.10B/292.90A	----	303.40 - 23.90	.7255	----	----	----	----	13 UNCH
4600	----	----	353.50B/288.90A	353.50B/288.90A	----	299.80 - 23.80	.7215	----	----	----	----	5173 UNCH
4605	----	----	349.20B/285.50A	349.20B/285.50A	----	296.30 - 23.60	.7175	----	----	----	----	153 UNCH
4610	----	----	345.50B/282.40A	345.50B/282.40A	----	292.70 - 23.60	.7135	----	----	----	----	2 UNCH
4615	----	----	341.70B/278.80A	341.70B/278.80A	----	289.10 - 23.60	.7093	----	----	----	----	3 UNCH
4620	----	----	338.10B/274.90A	338.10B/274.90A	----	285.60 - 23.50	.7053	----	----	----	----	20 UNCH
4625	----	----	334.20B/271.50A	334.20B/271.50A	----	282.10 - 23.40	.7011	----	----	----	----	196 UNCH
4630	----	----	330.60B/268.00A	330.60B/268.00A	----	278.70 - 23.20	.6969	----	----	----	----	55 UNCH
4635	----	----	326.90B/264.90A	326.90B/264.90A	----	275.20 - 23.20	.6926	----	----	----	----	6 UNCH
4640	----	----	323.20B/261.20A	323.20B/261.20A	----	271.80 - 23.10	.6884	----	----	----	----	21 UNCH
4645	----	----	319.50B/258.20A	319.50B/258.20A	----	268.40 - 23.00	.6841	----	----	----	----	13 UNCH
4650	----	----	315.60B/254.40A	315.60B/254.40A	----	265.00 - 22.90	.6798	----	----	----	----	1011 UNCH
4655	----	----	312.50B/251.20A	312.50B/251.20A	----	261.70 - 22.80	.6755	----	----	----	----	29 UNCH
4660	----	----	308.60B/247.90A	308.60B/247.90A	----	258.30 - 22.80	.6711	----	----	----	----	25 UNCH
4665	----	----	305.00B/245.00A	305.00B/245.00A	----	255.00 - 22.70	.6668	----	----	----	----	2 UNCH
4670	----	----	301.20B/241.30A	301.20B/241.30A	----	251.70 - 22.60	.6623	----	----	----	----	152 UNCH
4675	----	----	298.00B/238.00A	298.00B/238.00A	----	248.50 - 22.40	.6578	----	----	1	----	511 UNCH
4680	----	----	294.60B/235.00A	294.60B/235.00A	----	245.20 - 22.40	.6534	----	----	----	----	235 UNCH
4685	----	----	290.90B/231.80A	290.90B/231.80A	----	242.00 - 22.20	.6488	----	----	----	----	32 UNCH
4690	----	----	287.40B/228.50A	287.40B/228.50A	----	238.80 - 22.10	.6443	----	----	----	----	38 UNCH
4695	----	----	284.00B/225.50A	284.00B/225.50A	----	235.60 - 22.10	.6397	----	----	----	----	51 UNCH
4700	----	----	280.40B/222.30A	280.40B/222.30A	----	232.50 - 21.90	.6352	----	----	6	----	3355 - 4
4705	----	----	276.90B/219.60A	276.90B/219.60A	----	229.30 - 21.90	.6305	----	----	----	----	13 UNCH
4710	----	----	273.50B/216.50A	273.50B/216.50A	----	226.20 - 21.80	.6259	----	----	----	----	15 UNCH
4715	----	----	270.50B/213.50A	270.50B/213.50A	----	223.20 - 21.60	.6213	----	----	----	----	13 UNCH
4720	----	----	266.90B/210.20A	266.90B/210.20A	----	220.10 - 21.60	.6166	----	----	----	----	233 UNCH
4725	----	----	263.60B/207.20A	263.60B/207.20A	----	217.10 - 21.40	.6119	----	----	1	----	350 UNCH
4730	----	----	260.30B/204.60A	260.30B/204.60A	----	214.10 - 21.30	.6072	----	----	----	----	45 UNCH
4735	----	----	257.20B/201.70A	257.20B/201.70A	----	211.10 - 21.30	.6025	----	----	----	----	90 UNCH
4740	----	----	253.80B/198.70A	253.80B/198.70A	----	208.20 - 21.10	.5977	----	----	----	----	41 UNCH
4745	----	----	250.40B/195.80A	250.40B/195.80A	----	205.30 - 21.00	.5929	----	----	----	----	13 UNCH
4750	199.90	199.90	248.00B/192.80A	248.00B/192.80A	----	202.40 - 20.90	.5881	----	----	1	----	1811 - 1
4755	----	----	244.70B/190.20A	244.70B/190.20A	----	199.60 - 20.80	.5833	----	----	----	----	103 UNCH
4760	----	----	241.50B/187.40A	241.50B/187.40A	----	196.70 - 20.80	.5784	----	----	12	----	60 UNCH
4765	----	----	238.40B/184.80A	238.40B/184.80A	----	193.90 - 20.70	.5736	----	----	----	----	37 UNCH
4770	197.80	197.80	235.20B/182.00A	235.20B/182.00A	----	191.20 - 20.50	.5687	----	----	1	----	48 + 1
4775	189.00	189.00	232.10B/179.40A	232.10B/179.40A	----	188.40 - 20.40	.5639	----	----	3	----	208 UNCH
4780	----	----	229.00B/176.60A	229.00B/176.60A	----	185.70 - 20.30	.5590	----	----	----	----	103 UNCH
4785	----	----	226.00B/174.10A	226.00B/174.10A	----	183.00 - 20.20	.5541	----	----	----	----	31 UNCH
4790	----	----	223.00B/171.30A	223.00B/171.30A	----	180.40 - 20.00	.5492	----	----	----	----	37 UNCH
4795	----	----	220.00B/168.80A	220.00B/168.80A	----	177.80 - 19.80	.5443	----	----	----	----	43 UNCH
4800	203.60	203.60	217.10B/165.90A	217.10B/165.90A	----	175.10 - 19.80	.5394	----	----	35	50	3279 - 55
4805	----	----	213.90B/163.60A	213.90B/163.60A	----	172.60 - 19.50	.5345	----	----	----	----	8 UNCH
4810	----	----	211.10B/161.20A	211.10B/161.20A	----	170.00 - 19.40	.5296	----	----	----	----	62 UNCH
4815	----	----	208.20B/158.70A	208.20B/158.70A	----	167.50 - 19.30	.5246	----	----	----	----	43 UNCH
4820	----	----	206.10B/156.30A	206.10B/156.30A	----	165.00 - 19.20	.5197	----	----	1	----	56 UNCH
4825	190.00	190.00	203.30B/153.90A	203.30B/153.90A	----	162.50 - 19.00	.5148	----	----	12	----	201 + 1
4830	----	----	199.70B/151.40A	199.70B/151.40A	----	160.00 - 19.00	.5098	----	----	----	----	129 UNCH
4835	165.50	165.50	196.80B/149.00A	196.80B/149.00A	----	157.60 - 18.80	.5049	----	----	2	----	4 UNCH
4840	153.50	153.50	194.20B/146.70A	194.20B/146.70A	----	155.20 - 18.70	.5000	----	----	2	----	39 UNCH
4845	----	----	191.80B/144.50A	191.80B/144.50A	----	152.80 - 18.60	.4950	----	----	6	----	16 UNCH
4850	167.70	167.70	189.10B/141.90A	189.10B/141.90A	----	150.50 - 18.40	.4901	----	----	78	----	673 - 23
4855	----	----	186.60B/139.80A	186.60B/139.80A	----	148.20 - 18.30	.4852	----	----	1	----	278 + 1
4860	163.00	163.00	183.80B/137.60A	183.80B/137.60A	----	145.90 - 18.20	.4803	----	----	1	----	63 - 1
4865	----	----	181.20B/135.40A	181.20B/135.40A	----	143.60 - 18.10	.4754	----	----	----	----	26 UNCH
4870	141.70	141.70	178.60B/133.30A	178.60B/133.30A	----	141.30 - 18.00	.4705	----	----	6	----	14 + 3
4875	148.40	148.40	175.90B/131.10A	175.90B/131.10A	----	139.10 - 17.90	.4656	----	----	43	----	139 + 18
4880	----	----	173.50B/129.00A	173.50B/129.00A	----	136.90 - 17.70	.4607	----	----	----	----	65 UNCH
4885	----	----	171.00B/126.80A	171.00B/126.80A	----	134.80 - 17.60	.4558	----	----	----	----	258 UNCH
4890	146.00	146.00	168.60B/124.80A	168.60B/124.80A	----	132.60 - 17.50	.4509	----	----	3	----	294 UNCH
4895	----	----	165.90B/122.80A	165.90B/122.80A	----	130.50 - 17.40	.4461	----	----	----	----	207 UNCH
4900	137.40	137.40	163.50B/120.60A	163.50B/120.60A	----	128.40 - 17.20	.4412	----	----	190	----	3593 + 81
4905	----	----	161.10B/118.70A	161.10B/118.70A	----	126.40 - 17.00	.4364	----	----	----	----	18 UNCH
4910	----	----	159.00B/116.80A	159.00B/116.80A	----	124.30 - 17.00	.4316	----	----	----	----	25 UNCH
4915	146.90	146.90	156.60B/115.00A	156.60B/115.00A	----	122.30 - 16.80	.4268	----	----	2	----	41 UNCH
4920	----	----	154.30B/112.90A	154.30B/112.90A	----	120.40 - 16.60	.4221	----	----	----	----	112 UNCH
4925	133.10	133.10	151.90B/111.00A	151.90B/111.00A	----	118.40 - 16.50	.4173	----	----	3	----	48 + 1
4930	142.70	142.70	149.90B/109.20A	149.90B/109.20A	----	116.50 - 16.40	.4126	----	----	1	----	206 + 1
4935	----	----	147.50B/107.40A	147.50B/107.40A	----	114.60 - 16.20	.4078	----	----	----	----	7 UNCH
4940	----	----	145.30B/105.60A	145.30B/105.60A	----	112.70 - 16.10	.4031	----	----	----	----	102 UNCH
4945	----	----	143.20B/103.80A	143.20B/103.80A	----	110.80 - 16.00	.3984	----	----	----	----	193 UNCH
4950	113.80	113.80	141.00B/101.80A	141.00B/101.80A	----	109.00 - 15.90	.3938	----	----	10	----	1100 + 10
4955	----	----	138.50B/100.20A	138.50B/100.20A	----	107.20 - 15.70	.3891	----	----	----	----	33 UNCH
4960	----	----	136.50B/98.60A	136.50B/98.60A	----	105.40 - 15.60	.3845	----	----	----	----	188 UNCH
4965	----	----	134.60B/96.80A	134.60B/96.80A	----	103.60 - 15.50	.3798	----	----	----	----	38 UNCH
4970	----	----	132.50B/95.20A	132.50B/95.20A	----	101.90 - 15.30	.3753	----	----	----	----	51 UNCH
4975	100.50	100.50	130.40B/93.60A	130.40B/93.60A	----	100.20 - 15.20	.3707	----	----	5	----	212 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4980	----	----	128.50B/91.90A	128.50B/91.90A	----	98.50 - 15.10	.3662	----	----	----	----	86 UNCH
4985	----	----	126.30B/90.30A	126.30B/90.30A	----	96.80 - 15.00	.3617	----	----	----	----	117 UNCH
4990	----	----	124.50B/88.70A	124.50B/88.70A	----	95.20 - 14.80	.3572	----	----	----	----	893 UNCH
4995	----	----	122.90B/87.20A	122.90B/87.20A	----	93.60 - 14.60	.3528	----	----	----	----	40 UNCH
5000	111.00	111.00	120.60B/85.60A	120.60B/85.60A	----	92.00 - 14.50	.3484	----	----	969	----	7677 - 148
5005	----	----	118.70B/84.20A	118.70B/84.20A	----	90.40 - 14.40	.3439	----	----	----	----	301 UNCH
5010	----	----	116.90B/82.70A	116.90B/82.70A	----	88.90 - 14.20	.3396	----	----	----	----	88 UNCH
5015	----	----	115.10B/81.30A	115.10B/81.30A	----	87.30 - 14.20	.3352	----	----	----	----	81 UNCH
5020	----	----	113.20B/79.80A	113.20B/79.80A	----	85.80 - 14.00	.3309	----	----	----	----	469 UNCH
5025	----	----	111.70B/78.40A	111.70B/78.40A	----	84.40 - 13.80	.3267	----	----	1	----	71 + 1
5030	----	----	109.60B/77.00A	109.60B/77.00A	----	82.90 - 13.70	.3224	----	----	----	----	120 UNCH
5035	----	----	107.90B/75.60A	107.90B/75.60A	----	81.50 - 13.50	.3183	----	----	----	----	64 UNCH
5040	----	----	106.20B/74.30A	106.20B/74.30A	----	80.00 - 13.50	.3140	----	----	----	----	52 UNCH
5045	80.10	80.10	104.50B/72.90A	104.50B/72.90A	----	78.60 - 13.30	.3098	----	----	2	----	27 + 1
5050	72.40	72.40	102.80B/71.60A	102.80B/71.60A	----	77.30 - 13.10	.3058	----	----	69	----	1283 + 15
5055	----	----	101.20B/70.40A	101.20B/70.40A	----	75.90 - 13.10	.3017	----	----	----	----	7 UNCH
5060	----	----	99.50B/69.20A	99.50B/69.20A	----	74.60 - 12.90	.2977	----	----	----	----	87 UNCH
5065	----	----	98.00B/67.80A	98.00B/67.80A	----	73.30 - 12.70	.2937	----	----	----	----	37 UNCH
5070	71.40	71.40	96.40B/66.60A	96.40B/66.60A	----	72.00 - 12.60	.2897	----	----	1	----	81 UNCH
5075	----	----	94.70B/65.30A	94.70B/65.30A	----	70.70 - 12.50	.2857	----	----	----	----	725 UNCH
5080	75.60	75.60	93.20B/64.20A	93.20B/64.20A	----	69.50 - 12.30	.2818	----	----	12	----	293 + 10
5085	----	----	91.60B/63.20A	91.60B/63.20A	----	68.20 - 12.30	.2778	----	----	----	----	196 UNCH
5090	67.50	67.50	90.20B/61.90A	90.20B/61.90A	----	67.00 - 12.10	.2740	----	----	4	----	50 + 3
5095	----	----	88.70B/60.90A	88.70B/60.90A	----	65.80 - 12.00	.2702	----	----	----	----	63 UNCH
5100	84.00	84.00	87.20B/59.60A	87.20B/59.60A	----	64.70 - 11.80	.2665	----	----	270	----	4745 + 83
5105	----	----	85.80B/58.60A	85.80B/58.60A	----	63.50 - 11.70	.2627	----	----	----	----	39 UNCH
5110	----	----	84.20B/57.50A	84.20B/57.50A	----	62.40 - 11.60	.2591	----	----	----	----	106 UNCH
5115	----	----	82.90B/56.40A	82.90B/56.40A	----	61.30 - 11.40	.2554	----	----	----	----	108 UNCH
5120	----	----	81.50B/55.40A	81.50B/55.40A	----	60.20 - 11.30	.2518	----	----	1	----	60 + 1
5125	62.90	62.90	80.20B/54.40A	80.20B/54.40A	----	59.10 - 11.20	.2482	----	----	9	----	238 + 8
5130	----	----	78.80B/53.40A	78.80B/53.40A	----	58.10 - 11.00	.2447	----	----	----	----	49 UNCH
5135	----	----	77.50B/52.40A	77.50B/52.40A	----	57.00 - 10.90	.2411	----	----	----	----	44 UNCH
5140	59.50	59.50	76.20B/51.50A	76.20B/51.50A	----	56.00 - 10.80	.2377	----	----	121	----	135 + 100
5145	----	----	74.90B/50.60A	74.90B/50.60A	----	55.00 - 10.70	.2343	----	----	----	----	12 UNCH
5150	61.20	61.20	73.60B/49.10	73.60B/49.10	----	54.00 - 10.60	.2308	----	----	37	----	2498 - 3
5155	----	----	72.40B/48.70A	72.40B/48.70A	----	53.00 - 10.50	.2274	----	----	----	----	29 UNCH
5160	----	----	71.20B/47.80A	71.20B/47.80A	----	52.10 - 10.30	.2242	----	----	1	----	101 + 1
5165	55.00	55.00	70.00B/46.90A	70.00B/46.90A	----	51.20 - 10.10	.2210	----	----	1	----	154 + 1
5170	----	----	68.80B/46.00A	68.80B/46.00A	----	50.20 - 10.10	.2176	----	----	----	----	356 UNCH
5175	----	----	67.60B/45.30A	67.60B/45.30A	----	49.30 - 10.00	.2144	----	----	----	----	40 UNCH
5180	----	----	66.50B/44.50A	66.50B/44.50A	----	48.50 - 9.80	.2114	----	----	1	----	62 + 1
5185	----	----	65.40B/43.80A	65.40B/43.80A	----	47.60 - 9.70	.2082	----	----	1	----	88 + 1
5190	----	----	64.20B/42.70A	64.20B/42.70A	----	46.70 - 9.60	.2051	----	----	1	----	505 + 1
5195	44.20	44.20	63.10B/42.00A	63.10B/42.00A	----	45.90 - 9.50	.2021	----	----	5	----	493 - 1
5200	54.50	54.50	62.10B/41.20A	62.10B/41.20A	----	45.10 - 9.30	.1991	----	----	333	----	6413 + 29
5205	----	----	60.90B/40.40A	60.90B/40.40A	----	44.30 - 9.20	.1962	----	----	----	----	20 UNCH
5210	49.00	49.00	60.10B/39.60A	60.10B/39.60A	----	43.50 - 9.10	.1932	----	----	2	----	3046 UNCH
5215	----	----	59.00B/39.10A	59.00B/39.10A	----	42.70 - 9.00	.1903	----	----	1	----	65 UNCH
5220	44.30	44.30	58.00B/38.30A	58.00B/38.30A	----	41.90 - 8.90	.1874	----	----	1	----	195 - 1
5225	----	----	57.00B/37.60A	57.00B/37.60A	----	41.20 - 8.70	.1847	----	----	1	----	282 + 1
5230	----	----	56.00B/36.90A	56.00B/36.90A	----	40.40 - 8.70	.1817	----	----	1	----	106 UNCH
5235	----	----	55.10B/36.40A	55.10B/36.40A	----	39.70 - 8.60	.1790	----	----	6	----	150 + 1
5240	50.20	50.20	54.20B/35.60A	54.20B/35.60A	----	39.00 - 8.40	.1764	----	----	6	----	62 + 4
5245	----	----	53.20B/35.10A	53.20B/35.10A	----	38.30 - 8.30	.1737	----	----	----	----	19 UNCH
5250	46.20	46.20	52.30B/34.30A	52.30B/34.30A	----	37.60 - 8.20	.1710	----	----	131	----	3791 + 65
5255	----	----	51.40B/33.70A	51.40B/33.70A	----	37.00 - 8.10	.1686	----	----	----	----	70 UNCH
5260	35.00	35.00	50.50B/33.10A	50.50B/33.10A	----	36.30 - 8.00	.1659	----	----	9	----	409 + 9
5265	----	----	49.60B/32.50A	49.60B/32.50A	----	35.70 - 7.80	.1635	----	----	----	----	34 UNCH
5270	----	----	48.80B/32.00A	48.80B/32.00A	----	35.00 - 7.80	.1608	----	----	----	----	52 UNCH
5275	36.70	36.70	47.80B/31.40A	47.80B/31.40A	----	34.40 - 7.70	.1584	----	----	101	----	120 + 94
5280	35.10	35.10	47.00B/30.80A	47.00B/30.80A	----	33.80 - 7.60	.1560	----	----	7	----	91 UNCH
5285	----	----	46.20B/30.30A	46.20B/30.30A	----	33.20 - 7.40	.1537	----	----	----	----	171 UNCH
5290	----	----	45.40B/29.90A	45.40B/29.90A	----	32.60 - 7.40	.1513	----	----	----	----	35 UNCH
5295	33.30	33.30	44.60B/29.20A	44.60B/29.20A	----	32.10 - 7.20	.1492	----	----	2	----	86 UNCH
5300	41.20	41.20	43.90B/28.70A	43.90B/28.70A	----	31.50 - 7.10	.1468	----	----	552	----	5207 + 84
5305	32.70	32.70	43.10B/28.20A	43.10B/28.20A	----	31.00 - 7.00	.1447	----	----	8	----	381 - 1
5310	----	----	42.40B/27.70A	42.40B/27.70A	----	30.40 - 6.90	.1423	----	----	----	----	119 UNCH
5315	----	----	41.70B/27.20A	41.70B/27.20A	----	29.90 - 6.80	.1402	----	----	----	----	70 UNCH
5320	----	----	41.00B/26.80A	41.00B/26.80A	----	29.40 - 6.70	.1381	----	----	----	----	140 UNCH
5325	----	----	40.30B/26.40A	40.30B/26.40A	----	28.90 - 6.60	.1361	----	----	2	----	161 + 2
5330	----	----	39.60B/26.00A	39.60B/26.00A	----	28.40 - 6.50	.1340	----	----	----	----	51 UNCH
5335	----	----	38.90B/25.50A	38.90B/25.50A	----	27.90 - 6.40	.1319	----	----	----	----	12 UNCH
5340	26.90	26.90	38.30B/25.10A	38.30B/25.10A	----	27.40 - 6.30	.1298	----	----	1	----	71 UNCH
5345	----	----	37.50B/24.50A	37.50B/24.50A	----	27.00 - 6.10	.1281	----	----	----	----	23 UNCH
5350	33.00	33.00	37.20/24.20A	37.20/24.20A	----	26.50 - 6.10	.1260	----	----	74	----	1896 - 52
5355	----	----	36.20B/23.80A	36.20B/23.80A	----	26.10 - 6.00	.1242	----	----	----	----	18 UNCH
5360	----	----	35.60B/23.40A	35.60B/23.40A	----	25.60 - 5.90	.1222	----	----	1	----	51 UNCH
5365	----	----	34.90B/23.00A	34.90B/23.00A	----	25.20 - 5.80	.1204	----	----	----	----	7 UNCH
5370	----	----	34.40B/22.60A	34.40B/22.60A	----	24.80 - 5.70	.1187	----	----	----	----	75 UNCH
5375	----	----	33.90B/22.30A	33.90B/22.30A	----	24.40 - 5.60	.1169	----	----	----	----	44 UNCH
5380	----	----	33.20B/21.90A	33.20B/21.90A	----	24.00 - 5.50	.1152	----	----	----	----	96 UNCH
5385	24.50	24.50	32.70B/21.50A	32.70B/21.50A	----	23.60 - 5.40	.1135	----	----	2	----	9 + 2
5390	----	----	32.20B/21.20A	32.20B/21.20A	----	23.20 - 5.40	.1117	----	----	2	----	60 UNCH
5395	----	----	31.60B/20.80A	31.60B/20.80A	----	22.80 - 5.30	.1100	----	----	----	----	47 UNCH
5400	29.50	29.50	31.10B/20.50A	31.10B/20.50A	----	22.40 - 5.20	.1083	----	----	149	----	5868 + 9
5405	----	----	30.50B/20.10A	30.50B/20.10A	----	22.10 - 5.10	.1069	----	----	----	----	83 UNCH
5410	----	----	30.00B/19.80A	30.00B/19.80A	----	21.70 - 5.10	.1052	----	----	----	----	26 UNCH
5415	----	----	29.50B/19.50A	29.50B/19.50A	----	21.30 - 5.00	.1035	----	----	----	----	12 UNCH
5420	20.10	20.10	28.80B/19.20A	28.80B/19.20A	----	21.00 - 4.90	.1021	----	----	5	----	51 + 3
5425	----	----	28.30B/18.90A	28.30B/18.90A	----	20.70 - 4.80	.1007	----	----	----	----	122 UNCH
5430	24.90	24.90	28.00B/18.60A	28.00B/18.60A	----	20.30 - 4.80	.0990	----	----	9	----	88 + 5
5435	----	----	27.60B/18.30A	27.60B/18.30A	----	20.00 - 4.70	.0976	----	----	----	----	15 UNCH
5440	----	----	27.00B/18.00A	27.00B/18.00A	----	19.70 - 4.60	.0962	----	----	1	----	95 - 1
5445	19.60	19.60	26.50B/17.70A	26.50B/17.70A	----	19.40 - 4.60	.0948	----	----	7	----	40 + 7
5450	21.20	21.20	26.30B/17.60A	26.30B/17.60A	----	19.10 - 4.50	.0935	----	----	54	----	1611 - 15
5455	----	----	25.60B/17.20A	25.60B/17.20A	----	18.80 - 4.40	.0921	----	----	----	----	43 UNCH
5460	20.20	20.20	25.40B/17.00A	25.40B/17.00A	----	18.50 - 4.40	.0907	----	----	3	----	129 - 1
5465	----	----	24.80B/16.70A	24.80B/16.70A	----	18.20 - 4.30	.0894	----	----	----	----	38 UNCH
5470	----	----	24.40B/16.40A	24.40B/16.40A	----	17.90 - 4.30	.0880	----	----	----	----	34 UNCH
5475	----	----	23.90B/16.20A	23.90B/16.20A	----	17.70 - 4.20	.0870	----	----	----	----	75 UNCH
5480	----	----	23.50B/16.00A	23.50B/16.00A	----	17.40 - 4.10	.0857	----	----	----	----	28 UNCH
5485	----	----	23.30B/15.80A	23.30B/15.80A	----	17.10 - 4.10	.0843	----	----	----	----	9 UNCH
5490	----	----	22.80B/15.50A	22.80B/15.50A	----	16.90 - 4.00	.0833	----	----	----	----	178 UNCH
5495	16.40	16.40	22.40B/15.40A	22.40B/15.40A	----	16.60 - 4.00	.0820	----	----	9	----	75 + 7
5500	19.10	19.10	22.10B/15.00	22.10B/15.00	----	16.40 - 3.90	.0810	----	----	932	75	8086 + 323
5505	----	----	21.90B/14.80A	21.90B/14.80A	----	16.20 - 3.80	.0800	----	----	----	----	11 UNCH
5510	----	----	21.30B/14.60A	21.30B/14.60A	----	15.90 - 3.80	.0786	----	----	----	----	185 UNCH
5515	----	----	21.00B/14.30A	21.00B/14.30A	----	15.70 - 3.70	.0777	----	----	----	----	40 UNCH
5520	----	----	20.70B/14.20A	20.70B/14.20A	----	15.50 - 3.60	.0767	----	----	----	----	26 UNCH
5525	----	----	20.50B/14.10A	20.50B/14.10A	----	15.30 - 3.60	.0757	----	----	----	----	169 UNCH
5530	----	----	20.20B/13.90A	20.20B/13.90A	----	15.00 - 3.60	.0744	----	----	----	----	39 UNCH
5535	----	----	19.80B/13.70A	19.80B/13.70A	----	14.80 - 3.50	.0734	----	----	----	----	8 UNCH
5540	14.80	14.80	19.40B/13.50A	19.40B/13.50A	----	14.60 - 3.50	.0724	----	----	31	----	291 + 30
5545	----	----	19.10B/13.40A	19.10B/13.40A	----	14.40 - 3.40	.0715	----	----	----	----	19 UNCH
5550	15.70	15.70	18.80B/13.20A	18.80B/13.20A	----	14.20 - 3.40	.0705	----	----	2	----	777 + 1
5555	14.80	14.80	18.70B/13.00A	18.70B/13.00A	----	14.00 - 3.30	.0695	----	----	7	----	4 - 5
5560	----	----	18.40B/12.80A	18.40B/12.80A	----	13.90 - 3.20	.0689	----	----	1	----	32 UNCH
5565	15.20	15.20	18.00B/12.70A	18.00B/12.70A	----	13.70 - 3.20	.0680	----	----	10	----	12 + 10
5570	----	----	17.80B/12.50A	17.80B/12.50A	----	13.50 - 3.10	.0670	----	----	----	----	28 UNCH
5575	----	----	17.60B/12.30A	17.60B/12.30A	----	13.30 - 3.10	.0661	----	----	----	----	58 UNCH
5580	----	----	17.30B/12.10A	17.30B/12.10A	----	13.10 - 3.10	.0651	----	----	----	----	13 UNCH
5585	----	----	16.90B/12.00A	16.90B/12.00A	----	13.00 - 3.00	.0645	----	----	----	----	11 UNCH
5590	----	----	16.70B/11.90A	16.70B/11.90A	----	12.80 - 3.00	.0636	----	----	----	----	94 UNCH
5595	14.20	14.20	16.40B/11.70A	16.40B/11.70A	----	12.60 - 3.00	.0627	----	----	20	----	39 + 8
5600	----	----	16.20B/11.50A	16.20B/11.50A	----	12.50 - 2.90	.0621	----	----	96	----	2323 - 14
5610	13.60	13.60	15.70B/11.30A	15.70B/11.30A	----	12.20 - 2.80	.0606	----	----	7	----	73 + 1
5620	----	----	15.30B/11.00A	15.30B/11.00A	----	11.90 - 2.70	.0591	----	----	----	----	60 UNCH
5625	----	----	15.10B/10.90A	15.10B/10.90A	----	11.70 - 2.70	.0582	----	----	----	----	404 UNCH
5630	----	----	14.80B/10.90A	14.80B/10.90A	----	11.60 - 2.60	.0576	----	----	----	----	207 UNCH
5640	----	----	14.50B/10.50A	14.50B/10.50A	----	11.30 - 2.50	.0561	----	----	----	----	78 UNCH
5650	----	----	14.10B/10.40A	14.10B/10.40A	----	11.00 - 2.50	.0547	----	----	51	----	748 + 45
5660	----	----	13.70B/10.10A	13.70B/10.10A	----	10.80 - 2.40	.0536	----	----	----	----	41 UNCH
5665	----	----	13.60B/10.00A	13.60B/10.00A	----	10.70 - 2.30	.0530	----	----	----	----	5 UNCH
5670	----	----	13.40B/9.80A	13.40B/9.80A	----	10.50 - 2.40	.0521	----	----	----	----	120 UNCH
5675	----	----	13.20B/9.70A	13.20B/9.70A	----	10.40 - 2.30	.0516	----	----	----	----	23 UNCH
5680	----	----	13.00B/9.60A	13.00B/9.60A	----	10.30 - 2.20	.0510	----	----	----	----	47 UNCH
5690	----	----	12.60B/9.50A	12.60B/9.50A	----	10.10 - 2.20	.0500	----	----	----	----	157 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5700	----	----	12.30B/9.30A	12.30B/9.30A	----	9.80 - 2.20	.0486	----	----	65	----	1961 + 10
5710	----	----	12.00B/9.10A	12.00B/9.10A	----	9.60 - 2.10	.0475	----	----	----	----	40 UNCH
5720	----	----	11.70B/8.90A	11.70B/8.90A	----	9.40 - 2.00	.0465	----	----	----	----	18 UNCH
5725	----	----	11.50B/8.80A	11.50B/8.80A	----	9.30 - 2.00	.0460	----	----	----	----	36 UNCH
5730	----	----	11.40B/8.70A	11.40B/8.70A	----	9.20 - 2.00	.0454	----	----	----	----	58 UNCH
5740	----	----	11.10B/8.60A	11.10B/8.60A	----	9.00 - 1.90	.0444	----	----	----	----	60 UNCH
5750	11.00	11.00	11.00/8.40A	11.00/8.40A	----	8.80 - 1.90	.0434	----	----	12	----	1680 - 7
5760	----	----	10.60B/8.20A	10.60B/8.20A	----	8.60 - 1.80	.0424	----	----	----	----	18 UNCH
5770	----	----	10.30B/8.00A	10.30B/8.00A	----	8.50 - 1.70	.0418	----	----	----	----	32 UNCH
5775	----	----	10.20B/8.00A	10.20B/8.00A	----	8.40 - 1.70	.0413	----	----	----	----	220 UNCH
5780	----	----	10.10B/7.90A	10.10B/7.90A	----	8.30 - 1.70	.0408	----	----	----	----	219 UNCH
5790	----	----	9.90B/7.80A	9.90B/7.80A	----	8.20 - 1.60	.0401	----	----	----	----	11 UNCH
5800	8.10	8.10	8.80/7.60A	9.60B/7.60A	----	8.00 - 1.60	.0392	----	----	53	----	3284 + 15
5810	----	----	----/7.50A	9.40B/7.50A	----	7.90 - 1.50	.0386	----	----	----	----	260 UNCH
5820	----	----	----/7.40A	9.20B/7.40A	----	7.70 - 1.50	.0376	----	----	----	----	34 UNCH
5825	----	----	----/7.30A	9.10B/7.30A	----	7.60 - 1.50	.0371	----	----	----	----	23 UNCH
5830	----	----	----/7.20A	9.00B/7.20A	----	7.60 - 1.40	.0370	----	----	----	----	16 UNCH
5840	----	----	----/7.10A	8.90B/7.10A	----	7.50 - 1.40	.0364	----	----	----	----	22 UNCH
5850	----	----	----/7.00A	8.70B/7.00A	----	7.30 - 1.40	.0355	----	----	----	----	472 UNCH
5860	----	----	----/6.90A	8.50B/6.90A	----	7.20 - 1.30	.0349	----	----	----	----	24 UNCH
5870	----	----	----/6.80A	8.30B/6.80A	----	7.10 - 1.30	.0343	----	----	----	----	32 UNCH
5875	----	----	----/6.70A	8.20B/6.70A	----	7.00 - 1.30	.0339	----	----	----	----	196 UNCH
5880	----	----	----/6.70A	8.20B/6.70A	----	7.00 - 1.20	.0338	----	----	----	----	17 UNCH
5890	----	----	----/6.60A	8.00B/6.60A	----	6.90 - 1.20	.0332	----	----	----	----	138 UNCH
5900	----	----	----/6.50A	7.90B/6.50A	----	6.80 - 1.10	.0326	----	----	----	----	1382 UNCH
5910	----	----	----/6.40A	7.70B/6.40A	----	6.60 - 1.20	.0317	----	----	----	----	12 UNCH
5920	----	----	----/6.30A	7.60B/6.30A	----	6.50 - 1.20	.0312	----	----	----	----	40 UNCH
5930	----	----	----/6.20A	7.40B/6.20A	----	6.40 - 1.10	.0306	----	----	----	----	58 UNCH
5940	----	----	----/6.10A	7.30B/6.10A	----	6.30 - 1.10	.0301	----	----	----	----	4 UNCH
5950	----	----	----/6.00A	7.20B/6.00A	----	6.20 - 1.10	.0296	----	----	----	----	169 UNCH
5960	----	----	----/5.90A	7.00B/5.90A	----	6.20 - 1.00	.0294	----	----	----	----	37 UNCH
5970	----	----	----/5.90A	6.90B/5.90A	----	6.10 - 1.00	.0289	----	----	----	----	35 UNCH
5980	----	----	----/5.70A	7.00B/5.70A	----	6.00 - 1.00	.0284	----	----	----	----	7 UNCH
5990	----	----	----/5.70A	6.70B/5.70A	----	5.90 - 1.00	.0279	----	----	----	----	4 UNCH
6000	6.00	6.00	6.00/5.60	6.60B/5.60	----	5.80 - 1.00	.0273	----	----	12	----	8512 - 1
6010	----	----	----/5.50A	6.50B/5.50A	----	5.70 - 1.00	.0268	----	----	----	----	10 UNCH
6020	----	----	----/5.40A	6.40B/5.40A	----	5.60 - 1.00	.0263	----	----	----	----	23 UNCH
6030	----	----	----/5.40A	6.30B/5.40A	----	5.50 - 1.00	.0258	----	----	----	----	31 UNCH
6040	----	----	----/5.30A	6.20B/5.30A	----	5.50 - 0.90	.0257	----	----	1	----	25 - 1
6050	----	----	----/5.20A	6.00B/5.20A	----	5.40 - 0.90	.0252	----	----	----	----	280 UNCH
6060	5.30	5.30	5.30/5.20A	5.90B/5.20A	----	5.30 - 0.90	.0247	----	----	1	----	32 UNCH
6070	----	----	----/5.10A	5.80B/5.10A	----	5.20 - 0.90	.0242	----	----	----	----	34 UNCH
6080	----	----	----/5.00A	5.70B/5.00A	----	5.20 - 0.90	.0241	----	----	----	----	10 UNCH
6090	----	----	----/5.00A	5.60B/5.00A	----	5.10 - 0.90	.0236	----	----	----	----	25 UNCH
6100	----	----	----/4.90A	5.60B/4.90A	----	5.10 - 0.80	.0235	----	----	1	----	2396 + 1
6110	----	----	----/4.80A	5.50B/4.80A	----	5.00 - 0.80	.0230	----	----	----	----	65 UNCH
6120	----	----	----/4.80A	5.40B/4.80A	----	4.90 - 0.80	.0226	----	----	----	----	11 UNCH
6125	----	----	----/4.80A	5.30B/4.80A	----	4.90 - 0.70	.0225	----	----	----	----	16 UNCH
6130	----	----	----/4.70A	5.30B/4.70A	----	4.90 - 0.70	.0225	----	----	----	----	10 UNCH
6140	----	----	----/4.70A	5.20B/4.70A	----	4.80 - 0.70	.0220	----	----	----	----	9 UNCH
6150	----	----	----/4.60A	5.20B/4.60A	----	4.80 - 0.60	.0219	----	----	4	----	506 - 4
6160	----	----	----/4.60A	5.10B/4.60A	----	4.70 - 0.60	.0214	----	----	----	----	136 UNCH
6170	----	----	----/4.50A	5.00B/4.50A	----	4.60 - 0.70	.0210	----	----	----	----	17 UNCH
6180	----	----	----/4.50A	4.90B/4.50A	----	4.60 - 0.60	.0209	----	----	----	----	75 UNCH
6190	----	----	----/4.40A	4.90B/4.40A	----	4.50 - 0.60	.0204	----	----	----	----	2 UNCH
6200	4.50	4.50	4.60/4.40A	4.80B/4.40A	----	4.40 - 0.70	.0200	----	----	5	----	4308 + 4
6210	----	----	----/4.40A	4.80B/4.40A	----	4.40 - 0.60	.0199	----	----	----	----	53 UNCH
6220	----	----	----/4.30A	4.70B/4.30A	----	4.30 - 0.60	.0194	----	----	----	----	7 UNCH
6230	----	----	----/4.30A	4.70B/4.30A	----	4.30 - 0.60	.0193	----	----	----	----	66 UNCH
6240	----	----	----/4.20A	4.50B/4.20A	----	4.20 - 0.60	.0189	----	----	----	----	21 UNCH
6250	----	----	----/4.20A	4.50B/4.20A	----	4.10 - 0.60	.0185	----	----	----	----	1324 UNCH
6260	----	----	----/4.20A	4.40B/4.20A	----	4.10 - 0.60	.0184	----	----	----	----	8 UNCH
6270	----	----	----/4.10A	4.50B/4.10A	----	4.00 - 0.60	.0179	----	----	----	----	146 UNCH
6280	----	----	----/4.10A	4.30B/4.10A	----	4.00 - 0.60	.0179	----	----	----	----	12 UNCH
6290	----	----	----/4.00A	4.30B/4.00A	----	3.90 - 0.60	.0174	----	----	----	----	19 UNCH
6300	----	----	----/4.00A	4.20B/4.00A	----	3.90 - 0.60	.0174	----	----	----	----	2450 UNCH
6310	----	----	----/4.00A	4.20B/4.00A	----	3.90 - 0.50	.0173	----	----	----	----	2 UNCH
6320	----	----	----/3.90A	4.10B/3.90A	----	3.80 - 0.60	.0169	----	----	----	----	24 UNCH
6330	----	----	----/3.90A	4.10B/3.90A	----	3.80 - 0.50	.0168	----	----	----	----	33 UNCH
6340	----	----	----/3.90A	4.00B/3.90A	----	3.70 - 0.60	.0164	----	----	----	----	35 UNCH
6350	----	----	----/3.80A	4.00B/3.80A	----	3.70 - 0.50	.0163	----	----	----	----	17 UNCH
6360	----	----	----/3.80A	3.90B/3.80A	----	3.70 - 0.50	.0162	----	----	----	----	2 UNCH
6370	----	----	----/3.80A	3.90B/3.80A	----	3.60 - 0.50	.0158	----	----	----	----	4 UNCH
6380	----	----	----/3.70A	3.80B/3.70A	----	3.60 - 0.50	.0157	----	----	----	----	8 UNCH
6390	----	----	----/3.70A	3.80B/3.70A	----	3.60 - 0.40	.0157	----	----	----	----	1 UNCH
6400	----	----	----/3.60A	3.70B/3.60A	----	3.50 - 0.50	.0153	----	----	----	----	482 UNCH
6410	----	----	----/3.60A	3.70B/3.60A	----	3.50 - 0.50	.0152	----	----	----	----	8 UNCH
6420	----	----	----/3.60A	3.60B/3.60A	----	3.50 - 0.40	.0151	----	----	----	----	3 UNCH
6430	----	----	----/3.50A	3.60B/3.50A	----	3.50 - 0.40	.0151	----	----	----	----	30 UNCH
6440	----	----	----/3.50A	3.50B/3.50A	----	3.40 - 0.40	.0147	----	----	----	----	2 UNCH
6450	----	----	----/3.50A	3.50B/3.50A	----	3.40 - 0.40	.0146	----	----	----	----	64 UNCH
6460	----	----	----/3.50A	3.50B/3.50A	----	3.40 - 0.40	.0146	----	----	----	----	36 UNCH
6470	----	----	----/3.40A	3.40B/3.40A	----	3.30 - 0.40	.0142	----	----	----	----	9 UNCH
6480	----	----	----/3.40A	3.40B/3.40A	----	3.30 - 0.40	.0141	----	----	----	----	21 UNCH
6490	----	----	----/3.40A	3.30B/3.40A	----	3.30 - 0.30	.0140	----	----	----	----	17 UNCH
6500	----	----	----/3.30A	3.50B/3.30A	----	3.30 - 0.30	.0140	----	----	----	----	1102 UNCH
6525	----	----	----/3.30A	3.50B/3.30A	----	3.20 - 0.30	.0135	----	----	----	----	21 UNCH
6550	3.50	3.50	3.50/3.20A	3.50/3.20A	----	3.10 - 0.30	.0131	----	----	1	----	210 UNCH
6575	----	----	----/3.10A	3.00B/3.10A	----	3.00 - 0.40	.0126	----	----	----	----	7 UNCH
6600	----	----	----/3.10A	3.00B/3.10A	----	3.00 - 0.30	.0125	----	----	----	----	879 UNCH
6625	----	----	----/3.00A	2.90B/3.00A	----	2.90 - 0.30	.0120	----	----	----	----	106 UNCH
6650	----	----	----/2.90A	2.80B/2.90A	----	2.80 - 0.30	.0116	----	----	----	----	32 UNCH
6675	----	----	----/2.90A	2.70B/2.90A	----	2.80 - 0.30	.0115	----	----	----	----	50 UNCH
6700	----	----	----/2.80A	2.70B/2.80A	----	2.70 - 0.30	.0111	----	----	----	----	1415 UNCH
6725	----	----	----/2.80A	2.60B/2.80A	----	2.70 - 0.20	.0110	----	----	----	----	107 UNCH
6750	----	----	----/2.70A	2.60B/2.70A	----	2.60 - 0.30	.0105	----	----	----	----	133 UNCH
6775	----	----	----/2.70A	2.50B/2.70A	----	2.50 - 0.30	.0101	----	----	----	----	13 UNCH
6800	----	----	----/2.60A	2.40B/2.60A	----	2.50 - 0.30	.0100	----	----	----	----	245 UNCH
6825	----	----	----/2.60A	2.40B/2.60A	----	2.40 - 0.30	.0096	----	----	----	----	10 UNCH
6850	----	----	----/2.50A	2.30B/2.50A	----	2.40 - 0.20	.0096	----	----	----	----	26 UNCH
6875	----	----	----/2.50A	2.20B/2.50A	----	2.30 - 0.30	.0092	----	----	----	----	3 UNCH
6900	----	----	----/2.40A	2.20B/2.40A	----	2.30 - 0.20	.0091	----	----	----	----	157 UNCH
6925	----	----	----/2.40A	2.20B/2.40A	----	2.20 - 0.30	.0087	----	----	----	----	51 UNCH
6950	----	----	----/2.30A	2.10B/2.30A	----	2.20 - 0.20	.0086	----	----	----	----	27 UNCH
6975	----	----	----/2.30A	2.10B/2.30A	----	2.10 - 0.30	.0082	----	----	----	----	17 UNCH
7000	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.20	.0082	----	----	----	----	1836 UNCH
7025	----	----	----/2.20A	2.00B/2.20A	----	2.00 - 0.30	.0078	----	----	----	----	33 UNCH
7050	----	----	----	1.90B/2.20A	----	2.00 - 0.20	.0077	----	----	----	----	5 UNCH
7075	----	----	----/2.10A	1.90B/2.10A	----	1.90 - 0.30	.0074	----	----	----	----	8 UNCH
7100	----	----	----/2.10A	1.90B/2.10A	----	1.90 - 0.30	.0073	----	----	----	----	147 UNCH
7125	----	----	----/2.00A	1.80B/2.00A	----	1.90 - 0.20	.0073	----	----	----	----	52 UNCH
7150	----	----	----/2.00A	1.80B/2.00A	----	1.80 - 0.30	.0069	----	----	----	----	59 UNCH
7200	----	----	----/1.90A	1.70B/1.90A	----	1.80 - 0.20	.0068	----	----	----	----	129 UNCH
7250	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.20	.0064	----	----	----	----	91 UNCH
7275	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.20	.0064	----	----	----	----	1 UNCH
7300	----	----	----	1.60B/1.80A	----	1.60 - 0.20	.0060	----	----	----	----	150 UNCH
7325	----	----	----/1.70A	1.50B/1.70A	----	1.60 - 0.20	.0060	----	----	----	----	14 UNCH
7350	----	----	----	1.50B/1.70A	----	1.60 - 0.10	.0059	----	----	----	----	3 UNCH
7375	----	----	----	1.50B/1.70A	----	1.50 - 0.20	.0056	----	----	----	----	20 UNCH
7400	----	----	----/1.60A	1.40B/1.60A	----	1.50 - 0.20	.0055	----	----	----	----	46 UNCH
7425	----	----	----	1.40B/1.60A	----	1.50 - 0.10	.0055	----	----	----	----	20 UNCH
7450	----	----	----	1.40B/1.60A	----	1.50 - 0.10	.0055	----	----	----	----	5 UNCH
7475	----	----	----/1.50A	1.30B/1.50A	----	1.40 - 0.20	.0051	----	----	----	----	8 UNCH
7500	1.50	1.50	1.50/1.50	1.50/1.50	----	1.40 - 0.10	.0051	----	----	2	----	1355 - 2
7525	----	----	----	1.30B/1.50A	----	1.40 - 0.10	.0051	----	----	----	----	22 UNCH
7575	----	----	----	1.20B/1.40A	----	1.30 - 0.10	.0047	----	----	----	----	8 UNCH
7600	----	----	----	1.20B/1.40A	----	1.30 - 0.10	.0047	----	----	----	----	48 UNCH
7700	----	----	----	1.10B/1.30A	----	1.20 - 0.10	.0043	----	----	----	----	45 UNCH
7750	----	----	----	1.00B/1.30A	----	1.10 - 0.10	.0039	----	----	----	----	12 UNCH
7800	----	----	----	1.00B/1.30A	----	1.10 - 0.10	.0039	----	----	----	----	39 UNCH
7825	----	----	----	0.90B/1.20A	----	1.10 - 0.10	.0039	----	----	----	----	1 UNCH
7875	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0035	----	----	----	----	31 UNCH
7900	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0035	----	----	----	----	2 UNCH
7950	----	----	----	0.80B/1.10A	----	1.00 UNCH	.0035	----	----	----	----	2 UNCH
8000	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.00 UNCH	.0034	----	----	2	----	983 + 2
8100	----	----	----	0.70B/1.10A	----	0.90 UNCH	.0031	----	----	----	----	3 UNCH
8200	----	----	----	0.70B/1.00A	----	0.80 - 0.10	.0027	----	----	----	----	89 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 30

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
8300	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0027	----	----	----	----	64 UNCH
8500	----	----	----	0.50B/0.80A	----	0.70 UNCH	.0023	----	----	----	----	144 UNCH
8600	----	----	----	0.50B/0.80A	----	0.70 UNCH	.0023	----	----	----	----	51 UNCH
8800	----	----	----	0.40B/0.70A	----	0.60 UNCH	.0019	----	----	----	----	32 UNCH
8900	----	----	----	0.40B/0.70A	----	0.60 UNCH	.0019	----	----	----	----	15 UNCH
9000	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0016	----	----	----	----	255 UNCH
9100	----	----	----	0.30B/0.60A	----	0.50 UNCH	.0015	----	----	----	----	11 UNCH
9200	----	----	----	0.30B/0.60A	----	0.50 UNCH	.0015	----	----	----	----	51 UNCH
9300	----	----	----	0.30B/0.60A	----	0.50 UNCH	.0015	----	----	----	----	3 UNCH
9400	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0012	----	----	----	----	25 UNCH
9500	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0012	----	----	----	----	23 UNCH
9600	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0012	----	----	----	----	26 UNCH
9700	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	20 UNCH
9800	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	17 UNCH
9900	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	24 UNCH
10000	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	263 UNCH
10100	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	2 UNCH
10300	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	3 UNCH
10400	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
10500	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
10700	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	4 UNCH
11000	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	72 UNCH
11300	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	12 UNCH
11500	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
11600	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
11700	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	15 UNCH
11900	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
12000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	350 UNCH
TOTAL										7551	125	166908+ 763
JUL26												
3500	----	----	----	----	----	1362.60 - 26.90	.9816	----	----	----	----	1 UNCH
3600	----	----	----/1,261.00A	1284.50B/1261.00A	----	1263.90 - 26.90	.9766	----	----	----	----	24 UNCH
3650	----	----	----/1,211.80A	1235.40B/1211.80A	----	1214.80 - 26.80	.9735	----	----	----	----	10 UNCH
3670	----	----	----/1,192.10A	1215.80B/1192.10A	----	1195.10 - 26.90	.9721	----	----	----	----	3 UNCH
3700	----	----	----/1,162.70A	1186.40B/1162.70A	----	1165.80 - 26.80	.9700	----	----	----	----	119 UNCH
3735	----	----	----	----	----	1131.60 - 26.80	.9673	----	----	----	----	1 UNCH
3775	----	----	----/1,089.60A	1113.20B/1089.60A	----	1092.60 - 26.90	.9636	----	----	----	----	4 UNCH
3800	----	----	----/1,061.90A	1091.80B/1061.90A	----	1068.40 - 26.80	.9612	----	----	----	----	2041 UNCH
3825	----	----	----/1,041.10A	1064.80B/1041.10A	----	1044.20 - 26.80	.9586	----	----	----	----	3 UNCH
3850	----	----	----/1,017.00A	1040.60B/1017.00A	----	1020.00 - 26.80	.9559	----	----	----	----	65 UNCH
3860	----	----	----	----	----	1010.40 - 26.80	.9546	----	----	----	----	1 UNCH
3865	----	----	----/1,002.50A	1026.20B/1002.50A	----	1005.60 - 26.70	.9542	----	----	----	----	7 UNCH
3875	----	----	----/992.90A	1016.50B/992.90A	----	996.00 - 26.70	.9529	----	----	----	----	25 UNCH
3900	----	----	----/968.90A	992.50B/968.90A	----	972.00 - 26.70	.9496	----	----	----	----	18 UNCH
3925	----	----	----/945.00A	968.60B/945.00A	----	948.10 - 26.60	.9461	----	----	----	----	35 UNCH
3950	----	----	----/917.70A	947.50B/917.70A	----	924.30 - 26.60	.9425	----	----	----	----	820 UNCH
3960	----	----	----	----	----	914.80 - 26.60	.9409	----	----	----	----	1 UNCH
4000	----	----	----/873.80A	897.30B/873.80A	----	877.00 - 26.50	.9343	----	----	----	----	16 UNCH
4020	----	----	----	----	----	858.10 - 26.50	.9308	----	----	----	----	1 UNCH
4030	----	----	----	----	----	848.80 - 26.40	.9289	----	----	----	----	2 UNCH
4040	----	----	----	----	----	839.40 - 26.50	.9270	----	----	----	----	1 UNCH
4075	----	----	----/804.10A	826.90B/804.10A	----	806.80 - 26.40	.9199	----	----	----	----	6 UNCH
4095	----	----	----/785.20A	808.30B/785.20A	----	788.30 - 26.30	.9156	----	----	----	----	4 UNCH
4100	----	----	----/780.60A	803.70B/780.60A	----	783.70 - 26.30	.9144	----	----	----	----	194 UNCH
4105	----	----	----	----	----	779.00 - 26.40	.9132	----	----	----	----	1 UNCH
4110	----	----	----/771.20A	794.50B/771.20A	----	774.40 - 26.30	.9122	----	----	----	----	3 UNCH
4145	----	----	----/738.60A	762.20B/738.60A	----	742.40 - 26.20	.9036	----	----	----	----	28 UNCH
4150	----	----	----/734.10A	757.60B/734.10A	----	737.80 - 26.20	.9024	----	----	----	----	37 UNCH
4155	----	----	----	550.90B/918.70A	----	733.30 - 26.10	.9009	----	----	----	----	1 UNCH
4160	----	----	----	546.30B/914.20A	----	728.80 - 26.10	.8997	----	----	----	----	1 UNCH
4190	----	----	----	533.30B/887.40A	----	701.70 - 26.00	.8915	----	----	----	----	1 UNCH
4200	----	----	----/688.90A	712.20B/688.90A	----	692.70 - 26.00	.8886	----	----	----	----	8 UNCH
4215	----	----	----/675.50A	698.70B/675.50A	----	679.30 - 25.90	.8840	----	----	----	----	25 UNCH
4220	----	----	----	506.00B/860.80A	----	674.90 - 25.80	.8826	----	----	----	----	1 UNCH
4225	----	----	----	501.40B/856.40A	----	670.40 - 25.80	.8809	----	----	----	----	2 UNCH
4235	----	----	----	492.40B/847.60A	----	661.60 - 25.70	.8778	----	----	----	----	1 UNCH
4240	----	----	----/653.30A	676.40B/653.30A	----	657.20 - 25.70	.8763	----	----	----	----	39 UNCH
4245	----	----	----	483.40B/838.90A	----	652.80 - 25.70	.8746	----	----	----	----	1 UNCH
4250	----	----	----/641.80A	668.90B/641.80A	----	648.40 - 25.60	.8729	----	----	----	----	316 UNCH
4255	----	----	----	474.40B/830.10A	----	644.00 - 25.60	.8713	----	----	----	----	1 UNCH
4265	----	----	----	465.40B/821.50A	----	635.20 - 25.60	.8679	----	----	----	----	2 UNCH
4270	----	----	----/626.80A	649.90B/626.80A	----	630.90 - 25.50	.8662	----	----	----	----	38 UNCH
4275	----	----	----/622.70A	645.50B/622.70A	----	626.50 - 25.50	.8645	----	----	----	----	76 UNCH
4280	----	----	----/618.10A	641.20B/618.10A	----	622.20 - 25.50	.8626	----	----	----	----	3 UNCH
4300	----	----	----/601.10A	623.70B/601.10A	----	604.90 - 25.40	.8555	----	----	----	----	64 UNCH
4315	----	----	----/588.30A	610.70B/588.30A	----	592.10 - 25.30	.8498	----	----	----	----	21 UNCH
4325	----	----	----/579.60A	602.10B/579.60A	----	583.50 - 25.30	.8458	----	----	----	----	22 UNCH
4335	----	----	----	403.90B/763.30A	----	575.10 - 25.10	.8420	----	----	----	----	1 UNCH
4350	----	----	----/558.50A	581.00B/558.50A	----	562.40 - 25.10	.8359	----	----	----	----	10 UNCH
4360	----	----	----/550.10A	572.60B/550.10A	----	554.10 - 25.00	.8317	----	----	----	----	53 UNCH
4365	----	----	----/546.00A	568.40B/546.00A	----	549.90 - 25.00	.8295	----	----	----	----	45 UNCH
4370	----	----	----/541.80A	564.20B/541.80A	----	545.80 - 24.90	.8273	----	----	----	----	20 UNCH
4375	----	----	----/537.70A	560.00B/537.70A	----	541.60 - 25.00	.8252	----	----	----	----	5 UNCH
4400	----	----	----/514.70A	541.90B/514.70A	----	521.10 - 24.80	.8140	----	----	----	----	2267 UNCH
4410	----	----	----/509.60A	531.10B/509.60A	----	513.00 - 24.70	.8094	----	----	----	----	4 UNCH
4415	----	----	----/505.00A	527.00B/505.00A	----	509.00 - 24.60	.8070	----	----	----	----	39 UNCH
4420	----	----	----/501.00A	522.90B/501.00A	----	504.90 - 24.60	.8047	----	----	----	----	5 UNCH
4425	----	----	----/497.00A	518.90B/497.00A	----	500.90 - 24.60	.8023	----	----	----	----	16 UNCH
4430	----	----	----	320.60B/690.30A	----	496.90 - 24.50	.7998	----	----	----	----	1 UNCH
4445	----	----	----/481.10A	502.80B/481.10A	----	485.00 - 24.40	.7925	----	----	----	----	30 UNCH
4450	----	----	----/476.80A	500.10B/476.80A	----	481.10 - 24.30	.7900	----	----	----	----	255 UNCH
4455	----	----	----	298.90B/671.70A	----	477.10 - 24.30	.7874	----	----	----	----	2 UNCH
4460	----	----	----	294.60B/668.00A	----	473.20 - 24.30	.7849	----	----	----	----	2 UNCH
4475	----	----	----	281.80B/657.20A	----	461.60 - 24.10	.7771	----	----	----	----	2 UNCH
4480	----	----	----/453.70A	475.10B/453.70A	----	457.70 - 24.10	.7745	----	----	----	----	25 UNCH
4490	----	----	----/446.30A	467.30B/446.30A	----	450.10 - 23.90	.7691	----	----	----	----	9 UNCH
4500	----	----	----/437.20A	462.10B/437.20A	----	442.50 - 23.80	.7637	----	----	----	----	969 UNCH
4505	----	----	----	256.70B/635.50A	----	438.70 - 23.80	.7609	----	----	----	----	2 UNCH
4510	----	----	----/431.20A	451.90B/431.20A	----	434.90 - 23.80	.7580	----	----	----	----	45 UNCH
4515	----	----	----/429.50A	448.10B/429.50A	----	431.20 - 23.70	.7553	----	----	----	----	200 UNCH
4520	----	----	----/423.70A	444.30B/423.70A	----	427.50 - 23.60	.7525	----	----	----	----	188 UNCH
4525	----	----	----/422.00A	440.50B/422.00A	----	423.70 - 23.60	.7496	----	----	----	----	129 UNCH
4530	----	----	----/416.40A	436.80B/416.40A	----	420.00 - 23.60	.7467	----	----	----	----	5 UNCH
4535	----	----	----/414.60A	433.00B/414.60A	----	416.40 - 23.40	.7438	----	----	----	----	14 UNCH
4540	----	----	----/410.90A	429.30B/410.90A	----	412.70 - 23.40	.7409	----	----	----	----	53 UNCH
4550	----	----	----/403.70A	421.80B/403.70A	----	405.40 - 23.30	.7350	----	----	----	----	10 UNCH
4560	----	----	----	212.10B/590.60A	----	398.20 - 23.10	.7291	----	----	----	----	2 UNCH
4565	----	----	----	208.10B/588.40A	----	394.60 - 23.10	.7261	----	----	----	----	1 UNCH
4570	----	----	----	204.20B/583.80A	----	391.10 - 23.00	.7230	----	----	----	----	2 UNCH
4575	----	----	----/385.80A	403.60B/385.80A	----	387.50 - 23.00	.7200	----	----	----	----	128 UNCH
4580	----	----	----	206.10B/543.70A	----	384.00 NEW	.7169	----	----	1	----	1 + 1
4600	----	----	----/363.40A	386.90B/363.40A	----	370.00 - 22.60	.7044	----	----	2	----	344 - 1
4605	----	----	----/360.00A	382.20B/360.00A	----	366.60 - 22.50	.7013	----	----	----	----	10 UNCH
4610	----	----	----/356.60A	378.70B/356.60A	----	363.20 - 22.40	.6981	----	----	----	----	6 UNCH
4635	----	----	----/339.10A	366.10B/339.10A	----	346.30 - 22.10	.6819	----	----	----	----	86 UNCH
4640	338.70	338.70	339.00/332.90A	362.70B/332.90A	----	343.00 - 22.00	.6786	----	----	2	----	240 - 2
4645	----	----	----/333.40A	359.20B/333.40A	----	339.70 - 21.90	.6753	----	----	----	----	14 UNCH
4650	----	----	----/326.40A	355.80B/326.40A	----	336.40 - 21.90	.6719	----	----	----	----	257 UNCH
4655	----	----	----/323.20A	352.50B/323.20A	----	333.10 - 21.80	.6686	----	----	----	----	18 UNCH
4660	----	----	----/321.60A	349.30B/321.60A	----	329.90 - 21.70	.6653	----	----	----	----	20 UNCH
4665	----	----	----/316.80A	346.50B/316.80A	----	326.60 - 21.70	.6619	----	----	----	----	268 UNCH
4670	----	----	----/313.70A	343.10B/313.70A	----	323.40 - 21.60	.6585	----	----	----	----	105 UNCH
4675	----	----	----/310.50A	339.90B/310.50A	----	320.20 - 21.60	.6551	----	----	----	----	129 UNCH
4680	----	----	----/311.00A	336.00B/311.00A	----	317.10 - 21.40	.6517	----	----	----	----	10 UNCH
4685	----	----	----/308.10A	332.80B/308.10A	----	313.90 - 21.40	.6482	----	----	----	----	11 UNCH
4695	----	----	----/298.40A	326.90B/298.40A	----	307.70 - 21.20	.6413	----	----	----	----	23 UNCH
4700	307.60	307.60	307.60/295.10A	323.80B/295.10A	----	304.60 - 21.10	.6378	----	----	3	----	592 - 1
4710	----	----	----/289.00A	317.50B/289.00A	----	298.50 - 20.90	.6309	----	----	----	----	118 UNCH
4720	----	----	----/286.90A	310.50B/286.90A	----	292.40 - 20.80	.6238	----	----	7	----	9 + 7
4725	----	----	----/280.10A	308.20B/280.10A	----	289.40 - 20.70	.6203	----	----	----	----	52 UNCH
4730	----	----	----/280.60A	304.70B/280.60A	----	286.50 - 20.60	.6167	----	----	----	----	3 UNCH
4740	----	----	----/275.00A	298.30B/275.00A	----	280.60 - 20.40	.6096	----	----	----	----	1 UNCH
4745	----	----	----/268.60A	297.60B/268.60A	----	277.70 - 20.30	.6060	----	----	----	----	177 UNCH
4750	----	----	298.30B/265.70A	298.30B/265.70A	----	274.80 - 20.20	.6024	----	----	----	----	1066 UNCH
4755	----	----	298.40B/262.90A	298.40B/262.90A	----	272.00 - 20.00	.5988	----	----	----	----	16 UNCH
4760	----	----	294.90B/260.30A	294.90B/260.30A	----	269.10 - 20.00	.5952	----	----	----	----	47 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4770	----	----	295.80B/254.70A	295.80B/254.70A	----	263.50 - 19.80	.5879	----	----	----	----	69 UNCH
4775	----	----	295.80B/251.80A	295.80B/251.80A	----	260.70 - 19.70	.5843	----	----	----	----	150 UNCH
4780	261.70	261.70	292.60B/249.90A	292.60B/249.90A	----	258.00 - 19.50	.5807	----	----	1	----	31 - 1
4785	----	----	289.70B/246.40A	289.70B/246.40A	----	255.20 - 19.50	.5770	----	----	----	----	12 UNCH
4790	----	----	286.50B/246.80A	286.50B/246.80A	----	252.50 - 19.30	.5734	----	----	----	----	2 UNCH
4795	----	----	283.70B/241.10A	283.70B/241.10A	----	249.80 - 19.20	.5697	----	----	----	----	87 UNCH
4800	244.20	244.20	280.80B/238.40A	280.80B/238.40A	----	247.10 - 19.10	.5660	----	----	5	----	1733 UNCH
4805	----	----	277.80B/238.40A	277.80B/238.40A	----	244.50 - 19.00	.5624	----	----	----	----	2 UNCH
4810	----	----	275.20B/233.20A	275.20B/233.20A	----	241.80 - 18.90	.5587	----	----	----	----	32 UNCH
4815	----	----	272.20B/233.40A	272.20B/233.40A	----	239.20 - 18.80	.5550	----	----	1	----	1 + 1
4820	----	----	269.40B/228.10A	269.40B/228.10A	----	236.60 - 18.70	.5513	----	----	----	----	12 UNCH
4825	----	----	266.60B/226.70A	266.60B/226.70A	----	234.00 - 18.60	.5476	----	----	----	----	634 UNCH
4830	231.20	231.20	263.80B/223.20A	263.80B/223.20A	----	231.40 - 18.60	.5439	----	----	2	----	12 + 2
4835	----	----	266.80B/220.60A	266.80B/220.60A	----	228.80 - 18.50	.5402	----	----	----	----	16 UNCH
4840	----	----	258.30B/218.00A	258.30B/218.00A	----	226.30 - 18.40	.5365	----	----	----	----	3 UNCH
4845	----	----	262.50B/217.00A	262.50B/217.00A	----	223.80 - 18.30	.5328	----	----	----	----	59 UNCH
4850	225.20	225.20	252.90B/213.70A	252.90B/213.70A	----	221.20 - 18.40	.5291	----	----	17	----	385 + 9
4855	----	----	251.90B/212.00A	251.90B/212.00A	----	218.80 - 18.20	.5254	----	----	----	----	7 UNCH
4860	218.50	218.50	249.20B/208.50A	249.20B/208.50A	----	216.30 - 18.20	.5217	----	----	2	----	12 + 2
4865	----	----	246.50B/206.00A	246.50B/206.00A	----	213.90 - 18.10	.5180	----	----	----	----	6 UNCH
4870	----	----	243.80B/203.80A	243.80B/203.80A	----	211.40 - 18.10	.5143	----	----	----	----	68 UNCH
4875	----	----	244.30B/201.50A	244.30B/201.50A	----	209.00 - 18.00	.5106	----	----	4	----	13 UNCH
4880	----	----	243.90B/199.20A	243.90B/199.20A	----	206.70 - 17.90	.5069	----	----	----	----	20 UNCH
4885	----	----	241.30B/197.10A	241.30B/197.10A	----	204.30 - 17.90	.5032	----	----	----	----	5 UNCH
4890	----	----	238.70B/195.90A	238.70B/195.90A	----	202.00 - 17.80	.4995	----	----	----	----	2 UNCH
4900	195.40	195.40	233.80B/189.80A	233.80B/189.80A	----	197.40 - 17.60	.4921	----	----	48	----	682 + 10
4905	195.90	195.90	231.10B/188.80A	231.10B/188.80A	----	195.10 - 17.60	.4884	----	----	2	----	4 + 2
4910	196.60	196.60	228.60B/185.80A	228.60B/185.80A	----	192.90 - 17.50	.4848	----	----	3	----	106 + 2
4915	----	----	226.10B/183.80A	226.10B/183.80A	----	190.70 - 17.40	.4811	----	----	----	----	32 UNCH
4920	----	----	223.60B/181.50A	223.60B/181.50A	----	188.50 - 17.30	.4774	----	----	----	----	6 UNCH
4925	----	----	221.20B/179.40A	221.20B/179.40A	----	186.30 - 17.30	.4738	----	----	----	----	4 UNCH
4930	----	----	218.70B/177.40A	218.70B/177.40A	----	184.20 - 17.10	.4701	----	----	----	----	12 UNCH
4935	182.70	182.70	216.30B/174.80A	216.30B/174.80A	----	182.10 - 17.00	.4665	----	----	2	----	605 + 1
4940	----	----	214.00B/173.00A	214.00B/173.00A	----	180.00 - 16.90	.4629	----	----	----	----	173 UNCH
4945	----	----	211.60B/171.10A	211.60B/171.10A	----	177.90 - 16.90	.4592	----	----	----	----	11 UNCH
4950	174.20	174.20	209.50B/169.00A	209.50B/169.00A	----	175.80 - 16.80	.4556	----	----	1	----	110 UNCH
4955	----	----	206.90B/167.00A	206.90B/167.00A	----	173.80 - 16.70	.4520	----	----	----	----	72 UNCH
4960	----	----	204.60B/164.90A	204.60B/164.90A	----	171.70 - 16.70	.4484	----	----	----	----	16 UNCH
4965	----	----	202.30B/163.20A	202.30B/163.20A	----	169.70 - 16.60	.4448	----	----	----	----	173 UNCH
4970	----	----	200.10B/161.10A	200.10B/161.10A	----	167.80 - 16.40	.4412	----	----	----	----	8 UNCH
4975	----	----	197.80B/159.10A	197.80B/159.10A	----	165.80 - 16.30	.4376	----	----	----	----	42 UNCH
4980	----	----	195.60B/157.40A	195.60B/157.40A	----	163.80 - 16.30	.4340	----	----	----	----	3 UNCH
4985	----	----	193.40B/155.50A	193.40B/155.50A	----	161.90 - 16.10	.4305	----	----	----	----	27 UNCH
4990	----	----	191.20B/153.60A	191.20B/153.60A	----	160.00 - 16.00	.4270	----	----	----	----	15 UNCH
4995	----	----	189.00B/151.80A	189.00B/151.80A	----	158.10 - 15.90	.4234	----	----	----	----	20 UNCH
5000	166.30	166.30	186.90B/149.70A	186.90B/149.70A	----	156.20 - 15.80	.4199	----	----	58	----	2725 - 3
5005	----	----	184.80B/148.20A	184.80B/148.20A	----	154.40 - 15.70	.4164	----	----	----	----	17 UNCH
5010	----	----	182.60B/146.40A	182.60B/146.40A	----	152.50 - 15.60	.4129	----	----	----	----	34 UNCH
5015	----	----	180.60B/144.60A	180.60B/144.60A	----	150.70 - 15.50	.4094	----	----	----	----	26 UNCH
5020	----	----	178.50B/142.70A	178.50B/142.70A	----	148.90 - 15.40	.4059	----	----	----	----	7 UNCH
5025	----	----	176.40B/141.10A	176.40B/141.10A	----	147.10 - 15.30	.4025	----	----	----	----	35 UNCH
5030	----	----	174.40B/139.40A	174.40B/139.40A	----	145.30 - 15.20	.3990	----	----	----	----	31 UNCH
5035	----	----	172.40B/137.70A	172.40B/137.70A	----	143.60 - 15.10	.3956	----	----	----	----	59 UNCH
5040	----	----	170.40B/136.10A	170.40B/136.10A	----	141.90 - 14.90	.3922	----	----	----	----	2 UNCH
5045	----	----	168.20B/134.20A	168.20B/134.20A	----	140.10 - 14.90	.3887	----	----	----	----	3 UNCH
5050	----	----	166.50B/132.70A	166.50B/132.70A	----	138.40 - 14.80	.3853	----	----	----	----	23 UNCH
5055	----	----	164.60B/131.10A	164.60B/131.10A	----	136.80 - 14.60	.3820	----	----	----	----	8 UNCH
5060	132.20	132.20	162.80B/129.50A	162.80B/129.50A	----	135.10 - 14.60	.3786	----	----	3	----	8 + 2
5065	----	----	161.40B/127.90A	161.40B/127.90A	----	133.50 - 14.40	.3753	----	----	----	----	34 UNCH
5070	----	----	159.00B/126.30A	159.00B/126.30A	----	131.80 - 14.40	.3719	----	----	----	----	21 UNCH
5075	----	----	157.10B/124.80A	157.10B/124.80A	----	130.20 - 14.30	.3686	----	----	----	----	45 UNCH
5080	----	----	155.10B/123.20A	155.10B/123.20A	----	128.60 - 14.20	.3653	----	----	----	----	79 UNCH
5085	----	----	153.30B/121.60A	153.30B/121.60A	----	127.10 - 14.00	.3620	----	----	----	----	34 UNCH
5090	----	----	151.50B/120.20A	151.50B/120.20A	----	125.50 - 13.90	.3587	----	----	----	----	2 UNCH
5095	----	----	150.00B/118.80A	150.00B/118.80A	----	124.00 - 13.80	.3555	----	----	----	----	45 UNCH
5100	124.80	124.80	148.20B/117.10A	148.20B/117.10A	----	122.40 - 13.70	.3522	----	----	73	25	989 + 45
5105	----	----	148.00B/115.80A	148.00B/115.80A	----	120.90 - 13.60	.3490	----	----	----	----	61 UNCH
5110	----	----	144.50B/114.40A	144.50B/114.40A	----	119.40 - 13.50	.3458	----	----	----	----	4 UNCH
5115	----	----	142.60B/112.90A	142.60B/112.90A	----	118.00 - 13.30	.3427	----	----	----	----	27 UNCH
5120	----	----	141.20B/111.50A	141.20B/111.50A	----	116.50 - 13.30	.3394	----	----	----	----	38 UNCH
5125	----	----	139.40B/110.10A	139.40B/110.10A	----	115.10 - 13.10	.3363	----	----	----	----	214 UNCH
5130	----	----	137.60B/108.80A	137.60B/108.80A	----	113.70 - 13.00	.3332	----	----	----	----	13 UNCH
5135	----	----	135.90B/107.40A	135.90B/107.40A	----	112.30 - 12.90	.3301	----	----	----	----	155 UNCH
5140	----	----	134.30B/106.10A	134.30B/106.10A	----	110.90 - 12.80	.3270	----	----	----	----	59 UNCH
5145	----	----	132.70B/104.80A	132.70B/104.80A	----	109.50 - 12.70	.3239	----	----	----	----	49 UNCH
5150	----	----	131.70B/103.30A	131.70B/103.30A	----	108.10 - 12.70	.3208	----	----	----	----	702 UNCH
5155	----	----	130.00B/102.20A	130.00B/102.20A	----	106.80 - 12.50	.3178	----	----	----	----	4 UNCH
5160	----	----	128.00B/100.90A	128.00B/100.90A	----	105.50 - 12.40	.3148	----	----	----	----	9 UNCH
5165	----	----	126.90B/99.60A	126.90B/99.60A	----	104.20 - 12.30	.3118	----	----	----	----	4 UNCH
5170	----	----	125.00B/98.30A	125.00B/98.30A	----	102.90 - 12.20	.3089	----	----	----	----	6 UNCH
5175	----	----	123.50B/97.20A	123.50B/97.20A	----	101.60 - 12.10	.3059	----	----	----	----	55 UNCH
5180	----	----	122.40B/95.80A	122.40B/95.80A	----	100.30 - 12.00	.3029	----	----	----	----	14 UNCH
5185	----	----	120.60B/94.60A	120.60B/94.60A	----	99.10 - 11.90	.3000	----	----	----	----	118 UNCH
5190	----	----	119.10B/93.50A	119.10B/93.50A	----	97.90 - 11.70	.2972	----	----	----	----	2 UNCH
5195	----	----	117.70B/92.30A	117.70B/92.30A	----	96.70 - 11.60	.2943	----	----	----	----	39 UNCH
5200	96.00	96.00	116.30B/91.00A	116.30B/91.00A	----	95.50 - 11.50	.2915	----	----	15	----	1456 UNCH
5205	----	----	114.70B/90.10A	114.70B/90.10A	----	94.30 - 11.40	.2886	----	----	----	----	8 UNCH
5210	93.40	93.40	113.50B/88.80A	113.50B/88.80A	----	93.10 - 11.40	.2858	----	----	14	----	23 + 5
5215	92.70	92.70	112.10B/87.70A	112.10B/87.70A	----	92.00 - 11.20	.2830	----	----	3	----	9 + 1
5220	----	----	110.80B/86.60A	110.80B/86.60A	----	90.80 - 11.20	.2802	----	----	----	----	17 UNCH
5225	----	----	109.40B/85.60A	109.40B/85.60A	----	89.70 - 11.00	.2775	----	----	----	----	3 UNCH
5230	----	----	107.90B/84.50A	107.90B/84.50A	----	88.60 - 10.90	.2748	----	----	----	----	9 UNCH
5240	----	----	105.30B/82.30A	105.30B/82.30A	----	86.40 - 10.80	.2693	----	----	----	----	51 UNCH
5245	----	----	104.20B/81.30A	104.20B/81.30A	----	85.30 - 10.70	.2666	----	----	----	----	61 UNCH
5250	----	----	102.80B/80.20A	102.80B/80.20A	----	84.20 - 10.60	.2639	----	----	15	----	391 + 15
5255	----	----	101.50B/79.30A	101.50B/79.30A	----	83.20 - 10.50	.2614	----	----	----	----	14 UNCH
5260	----	----	100.40B/78.20A	100.40B/78.20A	----	82.10 - 10.50	.2587	----	----	----	----	150 UNCH
5265	----	----	99.30B/77.20A	99.30B/77.20A	----	81.10 - 10.40	.2561	----	----	----	----	3 UNCH
5270	----	----	97.80B/76.30A	97.80B/76.30A	----	80.10 - 10.30	.2536	----	----	----	----	10 UNCH
5275	----	----	96.50B/75.40A	96.50B/75.40A	----	79.10 - 10.20	.2510	----	----	----	----	16 UNCH
5280	----	----	95.70B/74.40A	95.70B/74.40A	----	78.10 - 10.10	.2485	----	----	----	----	5 UNCH
5285	----	----	94.40B/73.40A	94.40B/73.40A	----	77.10 - 10.00	.2459	----	----	----	----	18 UNCH
5290	----	----	93.20B/72.50A	93.20B/72.50A	----	76.20 - 9.90	.2435	----	----	----	----	34 UNCH
5295	----	----	92.10B/71.50A	92.10B/71.50A	----	75.20 - 9.90	.2410	----	----	----	----	1 UNCH
5300	76.90	76.90	91.00B/70.50A	91.00B/70.50A	----	74.30 - 9.70	.2386	----	----	52	50	1020 + 1
5305	----	----	90.00B/69.70A	90.00B/69.70A	----	73.30 - 9.70	.2361	----	----	----	----	45 UNCH
5310	----	----	88.80B/68.90A	88.80B/68.90A	----	72.40 - 9.60	.2337	----	----	----	----	4 UNCH
5315	----	----	87.80B/68.00A	87.80B/68.00A	----	71.50 - 9.60	.2313	----	----	----	----	13 UNCH
5320	----	----	86.70B/67.10A	86.70B/67.10A	----	70.60 - 9.50	.2289	----	----	----	----	58 UNCH
5325	----	----	85.60B/66.30A	85.60B/66.30A	----	69.70 - 9.40	.2266	----	----	----	----	181 UNCH
5330	76.30	76.30	84.50B/65.40A	84.50B/65.40A	----	68.90 - 9.30	.2243	----	----	4	----	8 + 1
5340	----	----	83.40B/63.80A	83.40B/63.80A	----	67.20 - 9.10	.2198	----	----	4	----	19 + 4
5345	----	----	82.40B/63.00A	82.40B/63.00A	----	66.30 - 9.10	.2174	----	----	----	----	17 UNCH
5350	----	----	81.40B/62.10A	81.40B/62.10A	----	65.50 - 9.00	.2152	----	----	2	----	521 UNCH
5355	----	----	80.40B/61.30A	80.40B/61.30A	----	64.70 - 8.90	.2130	----	----	----	----	4 UNCH
5360	61.50	61.50	79.50B/60.50A	79.50B/60.50A	----	63.90 - 8.80	.2108	----	----	1	----	332 - 1
5365	----	----	78.50B/59.80A	78.50B/59.80A	----	63.10 - 8.80	.2086	----	----	----	----	138 UNCH
5370	----	----	77.60B/59.00A	77.60B/59.00A	----	62.30 - 8.70	.2064	----	----	6	----	23 UNCH
5375	----	----	76.50B/58.30A	76.50B/58.30A	----	61.60 - 8.60	.2044	----	----	----	----	4 UNCH
5380	----	----	75.70B/57.60A	75.70B/57.60A	----	60.80 - 8.50	.2022	----	----	----	----	7 UNCH
5385	----	----	74.90B/56.80A	74.90B/56.80A	----	60.10 - 8.40	.2002	----	----	----	----	16 UNCH
5390	----	----	74.00B/56.10A	74.00B/56.10A	----	59.30 - 8.40	.1980	----	----	----	----	11 UNCH
5395	----	----	72.90B/55.40A	72.90B/55.40A	----	58.60 - 8.30	.1960	----	----	----	----	19 UNCH
5400	59.80	59.80	72.00B/54.70A	72.00B/54.70A	----	57.90 - 8.20	.1940	----	----	123	----	3321 + 49
5405	----	----	71.10B/54.10A	71.10B/54.10A	----	57.20 - 8.10	.1920	----	----	----	----	10 UNCH
5410	----	----	70.30B/53.40A	70.30B/53.40A	----	56.50 - 8.00	.1900	----	----	----	----	19 UNCH
5415	56.50	56.50	69.40B/52.80A	69.40B/52.80A	----	55.80 - 8.00	.1881	----	----	4	----	18 + 1
5420	----	----	68.60B/52.20A	68.60B/52.20A	----	55.10 - 7.90	.1861	----	----	----	----	16 UNCH
5425	----	----	67.70B/51.50A	67.70B/51.50A	----	54.50 - 7.70	.1843	----	----	1	----	27 + 1
5430	----	----	66.90B/50.80A	66.90B/50.80A	----	53.80 - 7.70	.1823	----	----	----	----	5 UNCH
5435	----	----	65.90B/50.20A	65.90B/50.20A	----	53.20 - 7.60	.1805	----	----	----	----	6 UNCH
5440	----	----	65.10B/49.60A	65.10B/49.60A	----	52.50 - 7.60	.1785	----	----	----	----	7 UNCH
5445	----	----	64.40B/49.00A	64.40B/49.00A	----	51.90 - 7.50	.1767	----	----	----	----	8 UNCH
5450	----	----	63.70B/48.40A	63.70B/48.40A	----	51.30 - 7.40	.1749	----	----	----	----	1186 UNCH
5455	53.30	53.30	62.90B/47.80A	62.90B/47.80A	----	50.70 - 7.30	.1732	----	----	25	----	38 + 25
5460	50.60	50.60	62.10B/47.20A	62.10B/47.20A	----	50.10 - 7.20	.1714	----	----	10	----	23 + 10
5465	----	----	61.50B/46.70A	61.50B/46.70A	----	49.50 - 7.10	.1696	----	----	1	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5470	48.00	48.00	60.70B/46.10A	60.70B/46.10A	----	48.90 - 7.00	.1678	----	----	10	----	26 + 9
5475	----	----	60.00B/45.60A	60.00B/45.60A	----	48.30 - 7.00	.1661	----	----	----	----	206 UNCH
5480	----	----	59.30B/45.00A	59.30B/45.00A	----	47.70 - 6.90	.1643	----	----	----	----	5 UNCH
5485	----	----	57.40B/44.50A	57.40B/44.50A	----	47.20 - 6.80	.1627	----	----	----	----	4 UNCH
5490	----	----	57.00B/43.90A	57.00B/43.90A	----	46.60 - 6.80	.1610	----	----	----	----	17 UNCH
5495	----	----	56.40B/43.40A	56.40B/43.40A	----	46.10 - 6.70	.1594	----	----	----	----	3 UNCH
5500	54.00	54.00	55.40B/42.90A	55.40B/42.90A	----	45.50 - 6.60	.1576	----	----	25	25	4264 - 18
5505	----	----	54.90B/42.40A	54.90B/42.40A	----	45.00 - 6.50	.1561	----	----	----	----	8 UNCH
5510	----	----	54.20B/41.90A	54.20B/41.90A	----	44.50 - 6.40	.1545	----	----	----	----	13 UNCH
5515	----	----	53.40B/41.40A	53.40B/41.40A	----	44.00 - 6.40	.1530	----	----	----	----	10 UNCH
5520	----	----	52.90B/40.90A	52.90B/40.90A	----	43.40 - 6.40	.1512	----	----	----	----	11 UNCH
5525	43.20	43.20	52.30B/40.40A	52.30B/40.40A	----	42.90 - 6.30	.1497	----	----	20	----	90 + 7
5530	----	----	51.80B/39.90A	51.80B/39.90A	----	42.40 - 6.20	.1481	----	----	1	----	23 UNCH
5535	45.80	45.80	51.10B/39.50A	51.10B/39.50A	----	41.90 - 6.20	.1466	----	----	1	----	2 + 1
5540	----	----	50.70B/39.00A	50.70B/39.00A	----	41.40 - 6.10	.1451	----	----	----	----	16 UNCH
5545	----	----	49.50B/38.60A	49.50B/38.60A	----	41.00 - 6.00	.1437	----	----	----	----	8 UNCH
5550	38.10	38.10	49.50B/38.10	49.50B/38.10	----	40.50 - 6.00	.1422	----	----	2	----	210 - 2
5555	----	----	48.60B/37.70A	48.60B/37.70A	----	40.00 - 5.90	.1407	----	----	----	----	23 UNCH
5560	----	----	48.20B/37.20A	48.20B/37.20A	----	39.60 - 5.80	.1394	----	----	1	----	23 + 1
5565	----	----	47.60B/36.80A	47.60B/36.80A	----	39.10 - 5.80	.1378	----	----	----	----	1 UNCH
5570	----	----	46.90B/36.40A	46.90B/36.40A	----	38.70 - 5.70	.1365	----	----	----	----	4 UNCH
5575	----	----	46.20B/36.00A	46.20B/36.00A	----	38.20 - 5.70	.1350	----	----	----	----	29 UNCH
5580	----	----	45.90B/35.60A	45.90B/35.60A	----	37.80 - 5.60	.1337	----	----	----	----	7 UNCH
5585	----	----	45.40B/35.20A	45.40B/35.20A	----	37.30 - 5.60	.1322	----	----	----	----	19 UNCH
5590	----	----	44.60B/34.80A	44.60B/34.80A	----	36.90 - 5.60	.1309	----	----	----	----	1 UNCH
5595	----	----	44.40B/34.40A	44.40B/34.40A	----	36.50 - 5.50	.1296	----	----	----	----	19 UNCH
5600	34.30	34.30	43.90B/33.90	43.90B/33.90	----	36.10 - 5.40	.1283	----	----	11	----	1841 - 3
5605	----	----	43.10B/33.70A	43.10B/33.70A	----	35.70 - 5.40	.1270	----	----	----	----	29 UNCH
5610	----	----	42.80B/33.30A	42.80B/33.30A	----	35.30 - 5.30	.1257	----	----	----	----	1 UNCH
5625	----	----	41.40B/32.10A	41.40B/32.10A	----	34.10 - 5.20	.1219	----	----	----	----	9 UNCH
5630	----	----	40.70B/31.90A	40.70B/31.90A	----	33.70 - 5.20	.1206	----	----	----	----	5 UNCH
5635	----	----	40.40B/31.50A	40.40B/31.50A	----	33.30 - 5.20	.1193	----	----	----	----	12 UNCH
5640	----	----	39.60B/31.20A	39.60B/31.20A	----	32.90 - 5.10	.1181	----	----	----	----	4 UNCH
5650	----	----	38.90B/30.50A	38.90B/30.50A	----	32.20 - 5.00	.1158	----	----	----	----	511 UNCH
5660	38.70	38.70	38.70/29.90A	38.70/29.90A	----	31.50 - 4.90	.1134	----	----	1	----	6 + 1
5670	----	----	37.10B/29.20A	37.10B/29.20A	----	30.80 - 4.90	.1112	----	----	----	----	11 UNCH
5675	----	----	36.70B/28.90A	36.70B/28.90A	----	30.50 - 4.80	.1101	----	----	----	----	6 UNCH
5680	----	----	36.10B/28.60A	36.10B/28.60A	----	30.20 - 4.70	.1091	----	----	----	----	6 UNCH
5690	----	----	35.50B/28.00A	35.50B/28.00A	----	29.50 - 4.70	.1068	----	----	----	----	11 UNCH
5700	----	----	35.00B/27.50A	35.00B/27.50A	----	28.90 - 4.60	.1048	----	----	2	----	777 UNCH
5710	----	----	33.70B/26.90A	33.70B/26.90A	----	28.30 - 4.50	.1027	----	----	----	----	12 UNCH
5720	29.60	29.60	33.60B/26.40A	33.60B/26.40A	----	27.70 - 4.40	.1007	----	----	1	----	15 UNCH
5725	----	----	32.70B/26.10A	32.70B/26.10A	----	27.40 - 4.40	.0997	----	----	----	----	57 UNCH
5730	----	----	32.10B/25.80A	32.10B/25.80A	----	27.10 - 4.40	.0987	----	----	----	----	9 UNCH
5740	----	----	31.40B/25.30A	31.40B/25.30A	----	26.50 - 4.30	.0967	----	----	----	----	8 UNCH
5750	----	----	30.90B/24.80A	30.90B/24.80A	----	26.00 - 4.20	.0950	----	----	----	----	972 UNCH
5760	----	----	30.10B/24.40A	30.10B/24.40A	----	25.50 - 4.10	.0932	----	----	----	----	168 UNCH
5770	----	----	29.40B/23.90A	29.40B/23.90A	----	24.90 - 4.10	.0912	----	----	----	----	4 UNCH
5775	----	----	29.20B/23.70A	29.20B/23.70A	----	24.70 - 4.00	.0905	----	----	----	----	215 UNCH
5780	----	----	28.90B/23.40A	28.90B/23.40A	----	24.40 - 4.10	.0895	----	----	----	----	2 UNCH
5790	----	----	28.30B/23.00A	28.30B/23.00A	----	24.00 - 3.90	.0880	----	----	----	----	10 UNCH
5800	24.40	24.40	27.70B/22.60A	27.70B/22.60A	----	23.50 - 3.90	.0863	----	----	2	----	951 UNCH
5810	----	----	27.20B/22.40A	27.20B/22.40A	----	23.10 - 3.70	.0848	----	----	----	----	10 UNCH
5820	----	----	26.40B/21.90A	26.40B/21.90A	----	22.60 - 3.70	.0831	----	----	----	----	207 UNCH
5825	----	----	26.40B/21.70A	26.40B/21.70A	----	22.40 - 3.70	.0824	----	----	----	----	19 UNCH
5830	----	----	26.00B/21.50A	26.00B/21.50A	----	22.20 - 3.60	.0817	----	----	----	----	1 UNCH
5840	----	----	25.40B/21.10A	25.40B/21.10A	----	21.80 - 3.50	.0803	----	----	----	----	102 UNCH
5850	----	----	25.10B/20.60A	25.10B/20.60A	----	21.40 - 3.50	.0788	----	----	----	----	110 UNCH
5860	19.70	19.70	19.70/19.70	24.30B/19.70	----	21.00 - 3.40	.0774	----	----	1	----	74 + 1
5870	----	----	24.80B/19.90A	24.80B/19.90A	----	20.60 - 3.30	.0760	----	----	----	----	9 UNCH
5875	----	----	----/19.70A	23.70B/19.70A	----	20.40 - 3.30	.0753	----	----	----	----	22 UNCH
5880	----	----	----/19.60A	23.30B/19.60A	----	20.30 - 3.20	.0748	----	----	----	----	11 UNCH
5890	----	----	----/19.20A	23.00B/19.20A	----	19.90 - 3.20	.0734	----	----	----	----	6 UNCH
5900	----	----	----/18.90A	22.70B/18.90A	----	19.60 - 3.10	.0723	----	----	----	----	416 UNCH
5910	----	----	----/18.50A	22.00B/18.50A	----	19.20 - 3.10	.0709	----	----	----	----	7 UNCH
5920	----	----	----/18.30A	21.60B/18.30A	----	18.90 - 3.00	.0698	----	----	----	----	25 UNCH
5925	----	----	----/18.00A	21.40B/18.00A	----	18.70 - 3.00	.0691	----	----	----	----	6 UNCH
5940	----	----	----/17.60A	20.90B/17.60A	----	18.30 - 2.80	.0675	----	----	----	----	2 UNCH
5950	----	----	21.20B/17.30A	21.20B/17.30A	----	18.00 - 2.70	.0664	----	----	----	----	3 UNCH
5960	----	----	----/17.00A	20.00B/17.00A	----	17.70 - 2.70	.0653	----	----	----	----	15 UNCH
5970	----	----	----/16.70A	19.70B/16.70A	----	17.40 - 2.60	.0642	----	----	----	----	55 UNCH
5980	----	----	----/16.40A	19.30B/16.40A	----	17.10 - 2.60	.0631	----	----	----	----	3 UNCH
5990	----	----	----/16.10A	18.90B/16.10A	----	16.80 - 2.60	.0620	----	----	----	----	70 UNCH
6000	----	----	----/15.60A	18.30B/15.60A	----	16.60 - 2.40	.0612	----	----	18	----	2601 + 4
6025	----	----	----/15.30A	17.30B/15.30A	----	15.90 - 2.40	.0586	----	----	----	----	14 UNCH
6050	----	----	----/14.70A	16.70B/14.70A	----	15.30 - 2.30	.0564	----	----	----	----	41 UNCH
6075	----	----	----/14.30A	15.90B/14.30A	----	14.80 - 2.10	.0544	----	----	----	----	90 UNCH
6100	----	----	----/13.70A	15.30B/13.70A	----	14.30 - 1.90	.0525	----	----	2	----	265 + 2
6125	----	----	----/13.10A	14.60B/13.10A	----	13.80 - 1.80	.0506	----	----	----	----	60 UNCH
6150	----	----	----/12.70A	14.30B/12.70A	----	13.30 - 1.80	.0487	----	----	----	----	880 UNCH
6175	----	----	----/12.30A	13.40B/12.30A	----	12.90 - 1.60	.0471	----	----	----	----	38 UNCH
6200	----	----	----/12.00A	12.90B/12.00A	----	12.40 - 1.60	.0453	----	----	----	----	536 UNCH
6225	----	----	----/11.70A	12.40B/11.70A	----	12.00 - 1.60	.0437	----	----	----	----	20 UNCH
6250	----	----	----/11.30A	12.00B/11.30A	----	11.70 - 1.40	.0425	----	----	----	----	392 UNCH
6275	----	----	----/11.00A	11.60B/11.00A	----	11.30 - 1.40	.0410	----	----	----	----	3 UNCH
6300	----	----	----/10.60A	11.20B/10.60A	----	11.00 - 1.30	.0398	----	----	----	----	335 UNCH
6325	----	----	----/10.30A	10.80B/10.30A	----	10.70 - 1.20	.0386	----	----	----	----	32 UNCH
6350	----	----	----/10.00A	10.40B/10.00A	----	10.40 - 1.20	.0374	----	----	----	----	32 UNCH
6375	----	----	----/9.80A	10.10B/9.80A	----	10.10 - 1.10	.0362	----	----	----	----	37 UNCH
6400	----	----	----/9.50A	9.80B/9.50A	----	9.80 - 1.10	.0351	----	----	----	----	187 UNCH
6425	----	----	----/9.30A	9.50B/9.30A	----	9.60 - 1.00	.0342	----	----	----	----	15 UNCH
6450	----	----	----/9.00A	9.20B/9.00A	----	9.30 - 1.00	.0331	----	----	----	----	48 UNCH
6475	----	----	----/8.80A	8.90B/8.80A	----	9.10 - 0.90	.0323	----	----	----	----	14 UNCH
6500	----	----	----/8.60A	8.70B/8.60A	----	8.90 - 0.90	.0314	----	----	30	----	910 + 2
6525	----	----	----/8.40A	8.50B/8.40A	----	8.60 - 0.90	.0304	----	----	----	----	132 UNCH
6550	----	----	----/8.20A	8.30B/8.20A	----	8.40 - 0.90	.0296	----	----	----	----	1 UNCH
6575	----	----	----/8.00A	8.00B/8.00A	----	8.20 - 0.90	.0288	----	----	----	----	4 UNCH
6600	8.00	8.00	8.00/7.80A	8.00/7.80A	----	8.10 - 0.80	.0283	----	----	1	----	31 + 1
6650	----	----	----/7.40A	7.50B/7.40A	----	7.70 - 0.80	.0267	----	----	----	----	16 UNCH
6675	----	----	----/7.30A	7.30B/7.30A	----	7.60 - 0.70	.0263	----	----	----	----	1 UNCH
6700	----	----	----/7.10A	7.20B/7.10A	----	7.40 - 0.70	.0255	----	----	----	----	127 UNCH
6800	----	----	----/6.60A	6.60B/6.60A	----	6.80 - 0.60	.0232	----	----	----	----	199 UNCH
6825	----	----	----/6.40A	6.50B/6.40A	----	6.70 - 0.60	.0227	----	----	----	----	19 UNCH
6850	----	----	----/6.30A	6.40B/6.30A	----	6.60 - 0.50	.0223	----	----	----	----	201 UNCH
6875	----	----	----/6.20A	6.20B/6.20A	----	6.50 - 0.50	.0219	----	----	----	----	22 UNCH
6900	----	----	----/6.10A	6.10B/6.10A	----	6.40 - 0.50	.0214	----	----	----	----	19 UNCH
6925	----	----	----/6.00A	6.00B/6.00A	----	6.20 - 0.50	.0208	----	----	----	----	1 UNCH
6950	----	----	----/5.90A	5.90B/5.90A	----	6.10 - 0.50	.0204	----	----	----	----	22 UNCH
6975	----	----	----/5.80A	5.80B/5.80A	----	6.00 - 0.50	.0200	----	----	----	----	10 UNCH
7000	----	----	----/5.70A	5.70B/5.70A	----	5.90 - 0.50	.0196	----	----	----	----	816 UNCH
7050	----	----	----/5.50A	5.50B/5.50A	----	5.70 - 0.50	.0188	----	----	----	----	17 UNCH
7075	----	----	----/5.40A	5.40B/5.40A	----	5.70 - 0.40	.0186	----	----	----	----	13 UNCH
7100	----	----	----/5.30A	5.30B/5.30A	----	5.60 - 0.40	.0183	----	----	----	----	28 UNCH
7125	----	----	----/5.20A	5.20B/5.20A	----	5.50 - 0.40	.0179	----	----	----	----	1 UNCH
7150	----	----	----/5.10A	5.10B/5.10A	----	5.40 - 0.40	.0175	----	----	----	----	19 UNCH
7175	----	----	----/5.10A	5.00B/5.10A	----	5.30 - 0.40	.0172	----	----	----	----	1 UNCH
7200	----	----	----/5.00A	5.00B/5.00A	----	5.20 - 0.40	.0168	----	----	----	----	3 UNCH
7225	----	----	----/4.90A	4.90B/4.90A	----	5.20 - 0.30	.0167	----	----	----	----	22 UNCH
7250	----	----	----/4.80A	4.80B/4.80A	----	5.10 - 0.30	.0163	----	----	----	----	23 UNCH
7275	----	----	----/4.80A	4.70B/4.80A	----	5.00 - 0.30	.0160	----	----	----	----	14 UNCH
7300	----	----	----/4.70A	4.70B/4.70A	----	5.00 - 0.20	.0159	----	----	----	----	42 UNCH
7350	----	----	----/4.60A	4.50B/4.60A	----	4.80 - 0.30	.0152	----	----	----	----	8 UNCH
7400	----	----	----/4.40A	4.40B/4.40A	----	4.70 - 0.20	.0148	----	----	1	----	2 + 1
7425	----	----	----/4.40A	4.30B/4.40A	----	4.60 - 0.30	.0144	----	----	----	----	19 UNCH
7450	----	----	----/4.30A	4.30B/4.30A	----	4.60 - 0.20	.0143	----	----	----	----	16 UNCH
7475	----	----	----/4.30A	4.20B/4.30A	----	4.50 - 0.20	.0140	----	----	----	----	9 UNCH
7500	----	----	----/4.20A	4.20B/4.20A	----	4.40 - 0.30	.0137	----	----	----	----	301 UNCH
7525	----	----	----/4.20A	4.10B/4.20A	----	4.40 - 0.20	.0136	----	----	----	----	33 UNCH
7550	----	----	----/4.10A	4.00B/4.10A	----	4.30 - 0.20	.0133	----	----	----	----	50 UNCH
7575	----	----	----/4.10A	3.90B/4.10A	----	4.30 - 0.20	.0132	----	----	----	----	1 UNCH
7600	----	----	----/4.00A	3.90B/4.00A	----	4.20 - 0.20	.0129	----	----	----	----	10 UNCH
7625	----	----	----/4.00A	3.80B/4.00A	----	4.20 - 0.10	.0128	----	----	----	----	12 UNCH
7700	----	----	----/3.80A	3.70B/3.80A	----	4.00 - 0.20	.0121	----	----	----	----	11 UNCH
7725	----	----	----/3.80A	3.60B/3.80A	----	3.90 - 0.20	.0118	----	----	----	----	11 UNCH
7750	5.00	5.00	5.00/3.70A	5.00/3.70A	----	3.90 - 0.20	.0118	----	----	4	----	6 + 4
7775	----	----	----/3.70A	3.50B/3.70A	----	3.90 - 0.10	.0117	----	----	----	----	5 UNCH
7800	----	----	----/3.60A	3.50B/3.60A	----	3.80 - 0.10	.0114	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 33

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
7825	----	----	----/3.60A	3.40B/3.60A	----	3.80 - 0.10	.0114	----	----	----	----	13 UNCH
7875	----	----	----/3.50A	3.30B/3.50A	----	3.70 - 0.10	.0110	----	----	----	----	140 UNCH
7900	----	----	----/3.50A	3.30B/3.50A	----	3.60 - 0.10	.0107	----	----	----	----	1 UNCH
8000	----	----	----/3.30A	3.10B/3.30A	----	3.40 - 0.20	.0100	----	----	----	----	589 UNCH
8100	----	----	----/3.20A	3.00B/3.20A	----	3.30 - 0.10	.0096	----	----	----	----	7 UNCH
8300	----	----	----/3.00A	2.70B/3.00A	----	3.00 - 0.10	.0086	----	----	----	----	4 UNCH
8500	----	----	----/2.70A	2.40B/2.70A	----	2.70 - 0.10	.0076	----	----	----	----	6 UNCH
8600	----	----	----/2.60A	2.30B/2.60A	----	2.60 - 0.10	.0073	----	----	----	----	1 UNCH
8700	----	----	----/2.50A	2.20B/2.50A	----	2.50 - 0.10	.0069	----	----	----	----	25 UNCH
8800	----	----	----	2.10B/2.40A	----	2.40 UNCH	.0066	----	----	----	----	7 UNCH
9000	----	----	----/2.20A	1.90B/2.20A	----	2.20 - 0.10	.0060	----	----	----	----	223 UNCH
9200	----	----	----/2.00A	1.80B/2.00A	----	2.00 - 0.10	.0054	----	----	----	----	11 UNCH
9300	----	----	----	1.70B/2.10A	----	1.90 - 0.10	.0051	----	----	----	----	4 UNCH
9400	----	----	----	1.60B/2.00A	----	1.90 UNCH	.0050	----	----	----	----	141 UNCH
9500	----	----	----	1.50B/1.90A	----	1.80 - 0.10	.0047	----	----	----	----	66 UNCH
9900	----	----	----	1.30B/1.70A	----	1.60 UNCH	.0041	----	----	----	----	5 UNCH
10000	----	----	----	1.40B/1.60A	----	1.50 - 0.10	.0038	----	----	----	----	173 UNCH
10100	----	----	----	1.20B/1.60A	----	1.50 UNCH	.0038	----	----	----	----	12 UNCH
11000	----	----	----	0.80B/1.20A	----	1.10 + 0.10	.0027	----	----	----	----	86 UNCH
11200	----	----	----	0.70B/1.10A	----	1.00 + 0.10	.0024	----	----	----	----	13 UNCH
11500	----	----	----	0.70B/1.00A	----	0.90 + 0.20	.0021	----	----	----	----	47 UNCH
11600	----	----	----	0.60B/1.00A	----	0.80 + 0.10	.0019	----	----	----	----	50 UNCH
12000	----	----	----	0.50B/0.90A	----	0.70 + 0.10	.0016	----	----	----	----	216 UNCH
TOTAL										651	100	55529 + 199
AUG26												
3400	----	----	----	----	----	1462.90 - 26.80	.9779	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1364.70 - 26.60	.9720	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1359.80 - 26.60	.9717	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1345.10 - 26.60	.9706	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1315.80 - 26.60	.9685	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1267.10 - 26.60	.9645	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1257.40 - 26.60	.9636	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1218.70 - 26.50	.9600	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1209.00 - 26.50	.9591	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1184.90 - 26.50	.9566	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1170.50 - 26.40	.9550	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1156.10 - 26.40	.9535	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1151.30 - 26.40	.9529	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1136.90 - 26.40	.9511	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1122.60 - 26.30	.9494	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1098.80 - 26.20	.9464	----	----	----	----	4 UNCH
3780	----	----	----	----	----	1094.00 - 26.30	.9456	----	----	----	----	10 UNCH
3790	----	----	----	----	----	1084.50 - 26.20	.9443	----	----	----	----	67 UNCH
3800	----	----	----	----	----	1075.00 - 26.20	.9430	----	----	----	----	303 UNCH
3820	----	----	----	----	----	1056.10 - 26.20	.9403	----	----	----	----	3 UNCH
3840	----	----	----	----	----	1037.20 - 26.10	.9373	----	----	----	----	1 UNCH
3850	----	----	----	----	----	1027.80 - 26.10	.9360	----	----	----	----	12 UNCH
3885	----	----	----	----	----	995.00 - 26.00	.9304	----	----	----	----	2 UNCH
3890	----	----	----	----	----	990.30 - 26.00	.9296	----	----	----	----	2 UNCH
3900	----	----	----	----	----	981.00 - 26.00	.9279	----	----	----	----	146 UNCH
3920	----	----	----	----	----	962.40 - 25.90	.9245	----	----	----	----	1 UNCH
3925	----	----	----	----	----	957.70 - 26.00	.9235	----	----	----	----	10 UNCH
3950	----	----	----	----	----	934.60 - 25.90	.9189	----	----	----	----	106 UNCH
3955	----	----	----	----	----	930.00 - 25.80	.9181	----	----	----	----	7 UNCH
3975	----	----	----	----	----	911.60 - 25.80	.9141	----	----	----	----	200 UNCH
3995	----	----	----	----	----	893.30 - 25.70	.9100	----	----	----	----	30 UNCH
4000	----	----	----	----	----	888.80 - 25.60	.9090	----	----	----	----	714 UNCH
4005	----	----	----	----	----	884.20 - 25.70	.9078	----	----	----	----	1 UNCH
4015	----	----	----	----	----	875.10 - 25.70	.9058	----	----	----	----	12 UNCH
4025	----	----	----	679.10B/1053.20A	----	866.10 - 25.50	.9035	----	----	----	----	174 UNCH
4045	----	----	----	670.90B/1035.30A	----	848.00 - 25.50	.8989	----	----	----	----	30 UNCH
4050	----	----	----	666.20B/1030.80A	----	843.50 - 25.50	.8977	----	----	----	----	100 UNCH
4055	----	----	----	665.50B/1026.40A	----	839.00 - 25.50	.8965	----	----	----	----	100 UNCH
4075	----	----	----	649.50B/1008.60A	----	821.10 - 25.40	.8917	----	----	----	----	3 UNCH
4080	----	----	----	645.00B/1004.20A	----	816.60 - 25.40	.8904	----	----	----	----	1 UNCH
4100	----	----	----	626.90B/986.50A	----	798.90 - 25.30	.8854	----	----	----	----	73 UNCH
4110	----	----	----	617.80B/977.70A	----	790.00 - 25.30	.8828	----	----	----	----	19 UNCH
4135	----	----	----	595.50B/955.90A	----	768.10 - 25.10	.8759	----	----	----	----	20 UNCH
4140	----	----	----	591.00B/951.60A	----	763.70 - 25.10	.8745	----	----	----	----	1 UNCH
4150	----	----	----	582.10B/942.90A	----	755.00 - 25.00	.8717	----	----	----	----	40 UNCH
4165	----	----	----	568.80B/929.90A	----	741.90 - 25.00	.8673	----	----	----	----	1 UNCH
4195	----	----	----	542.50B/904.20A	----	716.10 - 24.80	.8580	----	----	----	----	3 UNCH
4200	----	----	----	538.10B/900.00A	----	711.80 - 24.80	.8565	----	----	----	----	75 UNCH
4215	----	----	----	525.10B/887.40A	----	699.10 - 24.70	.8517	----	----	----	----	1 UNCH
4220	----	----	----	520.80B/883.40A	----	694.80 - 24.70	.8501	----	----	----	----	16 UNCH
4225	----	----	----	516.40B/879.40A	----	690.60 - 24.60	.8484	----	----	----	----	102 UNCH
4235	----	----	----	507.80B/871.50A	----	682.20 - 24.60	.8450	----	----	----	----	1 UNCH
4250	----	----	----	495.00B/859.60A	----	669.60 - 24.50	.8399	----	----	----	----	71 UNCH
4265	----	----	----	482.30B/847.90A	----	657.10 - 24.40	.8347	----	----	----	----	77 UNCH
4285	----	----	----	465.10B/832.30A	----	640.60 - 24.30	.8274	----	----	----	----	8 UNCH
4300	----	----	----	451.80B/820.70A	----	628.30 - 24.20	.8218	----	----	----	----	42 UNCH
4320	----	----	----	434.20B/805.40A	----	612.10 - 24.00	.8141	----	----	----	----	2 UNCH
4325	----	----	----	429.90B/801.60A	----	608.10 - 24.00	.8122	----	----	----	----	6 UNCH
4330	----	----	----	425.50B/797.80A	----	604.00 - 24.00	.8101	----	----	----	----	201 UNCH
4350	----	----	----	408.20B/782.70A	----	588.10 - 23.80	.8021	----	----	----	----	774 UNCH
4360	----	----	----	399.60B/775.20A	----	580.20 - 23.70	.7980	----	----	----	----	1 UNCH
4375	----	----	----	386.90B/764.00A	----	568.40 - 23.60	.7917	----	----	----	----	3 UNCH
4385	----	----	----	378.40B/756.60A	----	560.60 - 23.60	.7875	----	----	----	----	100 UNCH
4390	----	----	----	374.20B/752.90A	----	556.70 - 23.50	.7853	----	----	----	----	1 UNCH
4400	----	----	----	365.80B/745.60A	----	549.00 - 23.40	.7809	----	----	----	----	325 UNCH
4420	----	----	----	349.30B/731.10A	----	533.70 - 23.30	.7719	----	----	----	----	50 UNCH
4425	----	----	----	345.10B/727.50A	----	529.90 - 23.30	.7696	----	----	----	----	5 UNCH
4440	----	----	----	332.90B/716.70A	----	518.60 - 23.10	.7628	----	----	----	----	1 UNCH
4450	----	----	----	324.80B/709.60A	----	511.10 - 23.10	.7581	----	----	----	----	6 UNCH
4455	----	----	----	320.80B/706.00A	----	507.40 - 23.00	.7558	----	----	----	----	2 UNCH
4460	----	----	----	316.80B/702.50A	----	503.70 - 23.00	.7533	----	----	----	----	5 UNCH
4465	----	----	----	312.80B/698.10A	----	500.00 - 22.90	.7509	----	----	----	----	9 UNCH
4470	----	----	----	308.80B/695.40A	----	496.30 - 22.90	.7485	----	----	----	----	7 UNCH
4475	----	----	----	304.90B/691.90A	----	492.60 - 22.90	.7462	----	----	----	----	29 UNCH
4485	----	----	----	297.00B/680.90A	----	485.30 - 22.80	.7412	----	----	----	----	5 UNCH
4490	----	----	----	293.10B/681.50A	----	481.70 - 22.80	.7388	----	----	----	----	1 UNCH
4500	----	----	----	285.30B/674.50A	----	474.50 - 22.70	.7338	----	----	----	----	846 UNCH
4535	----	----	----	258.60B/637.00A	----	449.70 - 22.40	.7159	----	----	----	----	10 UNCH
4540	----	----	----/441.90A	435.30B/441.90A	----	446.20 - 22.40	.7134	----	----	----	----	5 UNCH
4545	----	----	----/438.00A	437.10B/438.00A	----	442.70 - 22.40	.7108	----	----	----	----	1 UNCH
4550	----	----	----/434.70A	436.90B/434.70A	----	439.30 - 22.30	.7081	----	----	----	----	22 UNCH
4555	----	----	----/431.40A	437.10B/431.40A	----	435.80 - 22.30	.7054	----	----	----	----	1 UNCH
4560	----	----	----/428.00A	437.30B/428.00A	----	432.40 - 22.20	.7028	----	----	----	----	5 UNCH
4565	----	----	----/424.50A	436.50B/424.50A	----	429.00 - 22.20	.7001	----	----	----	----	1 UNCH
4575	----	----	----/417.80A	438.30B/417.80A	----	422.20 - 22.10	.6947	----	----	----	----	41 UNCH
4580	----	----	----/414.70A	439.00B/414.70A	----	418.90 - 22.00	.6920	----	----	----	----	200 UNCH
4585	----	----	----/411.20A	435.60B/411.20A	----	415.50 - 22.00	.6893	----	----	----	----	2 UNCH
4590	----	----	----/408.00A	432.20B/408.00A	----	412.20 - 21.90	.6865	----	----	----	----	16 UNCH
4595	----	----	----/404.80A	428.90B/404.80A	----	408.90 - 21.80	.6838	----	----	----	----	2 UNCH
4600	----	----	----/401.60A	425.50B/401.60A	----	405.60 - 21.80	.6810	----	----	----	----	100 UNCH
4605	----	----	----/398.20A	422.10B/398.20A	----	402.30 - 21.70	.6783	----	----	----	----	1 UNCH
4620	----	----	----/388.50A	412.20B/388.50A	----	392.60 - 21.50	.6698	----	----	----	----	4 UNCH
4640	----	----	----/376.00A	399.10B/376.00A	----	379.80 - 21.30	.6585	----	----	----	----	1 UNCH
4650	----	----	----/369.80A	392.80B/369.80A	----	373.50 - 21.20	.6527	----	----	----	----	147 UNCH
4660	----	----	----/363.60A	386.20B/363.60A	----	367.30 - 21.10	.6469	----	----	----	----	2 UNCH
4670	----	----	----/357.60A	380.00B/357.60A	----	361.20 - 20.90	.6411	----	----	----	----	3 UNCH
4675	----	----	----/354.50A	376.80B/354.50A	----	358.20 - 20.80	.6381	----	----	----	----	36 UNCH
4700	----	----	----/339.70A	361.60B/339.70A	----	343.30 - 20.40	.6234	----	----	----	----	1619 UNCH
4705	----	----	----/336.80A	358.50B/336.80A	----	340.30 - 20.40	.6204	----	----	----	----	20 UNCH
4710	----	----	----/333.70A	355.40B/333.70A	----	337.40 - 20.30	.6174	----	----	----	----	17 UNCH
4720	----	----	354.20B/328.20A	354.20B/328.20A	----	331.60 - 20.10	.6114	----	----	----	----	29 UNCH
4725	----	----	354.80B/325.30A	354.80B/325.30A	----	328.80 - 20.00	.6084	----	----	----	----	2 UNCH
4730	----	----	353.90B/322.50A	353.90B/322.50A	----	325.90 - 19.90	.6054	----	----	----	----	3 UNCH
4735	----	----	351.30B/319.70A	351.30B/319.70A	----	323.10 - 19.80	.6024	----	----	----	----	2 UNCH
4750	----	----	352.20B/310.00A	352.20B/310.00A	----	314.70 - 19.60	.5933	----	----	----	----	181 UNCH
4760	----	----	346.30B/304.70A	346.30B/304.70A	----	309.20 - 19.50	.5872	----	----	----	----	10 UNCH
4770	----	----	340.50B/299.00A	340.50B/299.00A	----	303.80 - 19.30	.5810	----	----	----	----	14 UNCH
4775	----	----	337.70B/296.50A	337.70B/296.50A	----	301.10 - 19.20	.5780	----	----	----	----	11 UNCH
4780	----	----	334.80B/293.70A	334.80B/293.70A	----	298.50 - 19.10	.5749	----	----	----	----	4 UNCH
4795	----	----	326.10B/285.90A	326.10B/285.90A	----	290.60 - 18.90	.5657	----	----	----	----	2 UNCH
4800	295.60	295.60	323.40B/283.20A	323.40B/283.20A	----	288.00 - 18.80	.5626	----	----	2	----	1622 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4810	----	----	317.90B/278.30A	317.90B/278.30A	----	282.80 - 18.70	.5565	----	----	----	----	4 UNCH
4815	----	----	315.20B/275.80A	315.20B/275.80A	----	280.20 - 18.70	.5534	----	----	----	----	3 UNCH
4820	----	----	312.50B/273.20A	312.50B/273.20A	----	277.70 - 18.60	.5503	----	----	----	----	21 UNCH
4825	----	----	309.70B/270.40A	309.70B/270.40A	----	275.20 - 18.50	.5472	----	----	----	----	11 UNCH
4830	----	----	307.00B/268.20A	307.00B/268.20A	----	272.60 - 18.50	.5441	----	----	----	----	11 UNCH
4835	----	----	304.40B/266.00A	304.40B/266.00A	----	270.10 - 18.50	.5410	----	----	----	----	35 UNCH
4840	----	----	301.60B/263.50A	301.60B/263.50A	----	267.70 - 18.40	.5379	----	----	----	----	11 UNCH
4850	----	----	296.40B/258.40A	296.40B/258.40A	----	262.70 - 18.40	.5317	----	----	----	----	44 UNCH
4860	----	----	291.10B/253.60A	291.10B/253.60A	----	257.90 - 18.20	.5255	----	----	----	----	25 UNCH
4870	----	----	285.90B/248.80A	285.90B/248.80A	----	253.10 - 18.20	.5194	----	----	----	----	11 UNCH
4875	----	----	283.40B/245.60A	283.40B/245.60A	----	250.70 - 18.10	.5163	----	----	----	----	88 UNCH
4880	----	----	280.70B/244.00A	280.70B/244.00A	----	248.40 - 18.10	.5132	----	----	----	----	46 UNCH
4885	----	----	277.90B/241.20A	277.90B/241.20A	----	246.10 NEW	.5101	----	----	1	----	1 + 1
4890	----	----	275.80B/239.60A	275.80B/239.60A	----	243.80 - 17.90	.5070	----	----	3	----	9 + 3
4895	----	----	273.30B/236.80A	273.30B/236.80A	----	241.50 - 17.90	.5039	----	----	----	----	19 UNCH
4900	266.00	266.00	270.80B/234.20A	270.80B/234.20A	----	239.20 - 17.90	.5008	----	----	108	----	544 + 34
4905	----	----	268.40B/232.20A	268.40B/232.20A	----	237.00 - 17.70	.4978	----	----	----	----	9 UNCH
4910	----	----	266.00B/230.50A	266.00B/230.50A	----	234.70 - 17.70	.4947	----	----	----	----	7 UNCH
4925	----	----	258.80B/223.40A	258.80B/223.40A	----	228.20 - 17.50	.4855	----	----	6	----	125 + 2
4935	----	----	253.90B/219.70A	253.90B/219.70A	----	223.90 - 17.30	.4794	----	----	----	----	1 UNCH
4940	----	----	251.50B/217.50A	251.50B/217.50A	----	221.80 - 17.20	.4764	----	----	----	----	1 UNCH
4950	----	----	249.70B/212.60A	249.70B/212.60A	----	217.60 - 17.10	.4703	----	----	----	----	64 UNCH
4955	----	----	247.10B/211.00A	247.10B/211.00A	----	215.50 - 17.00	.4673	----	----	----	----	22 UNCH
4960	----	----	244.90B/209.40A	244.90B/209.40A	----	213.50 - 16.90	.4643	----	----	----	----	6 UNCH
4975	----	----	239.00B/202.30A	239.00B/202.30A	----	207.50 - 16.50	.4553	----	----	----	----	2 UNCH
4985	----	----	234.60B/198.30A	234.60B/198.30A	----	203.50 - 16.40	.4493	----	----	----	----	4 UNCH
4990	----	----	232.20B/196.40A	232.20B/196.40A	----	201.60 - 16.30	.4463	----	----	----	----	1 UNCH
4995	----	----	229.40B/194.50A	229.40B/194.50A	----	199.70 - 16.10	.4434	----	----	----	----	3 UNCH
5000	214.00	214.00	228.30B/192.70A	228.30B/192.70A	----	197.70 - 16.10	.4404	----	----	6	----	1309 - 3
5005	----	----	225.00B/190.70A	225.00B/190.70A	----	195.80 - 16.00	.4374	----	----	1	----	5 + 1
5015	----	----	221.00B/187.00A	221.00B/187.00A	----	192.10 - 15.80	.4316	----	----	----	----	3 UNCH
5025	----	----	217.70B/183.50A	217.70B/183.50A	----	188.40 - 15.60	.4257	----	----	----	----	5 UNCH
5030	----	----	215.60B/181.70A	215.60B/181.70A	----	186.60 - 15.40	.4228	----	----	----	----	2 UNCH
5035	----	----	212.80B/179.90A	212.80B/179.90A	----	184.80 - 15.30	.4199	----	----	----	----	10 UNCH
5040	----	----	210.80B/178.20A	210.80B/178.20A	----	183.00 - 15.20	.4171	----	----	----	----	3 UNCH
5045	----	----	209.40B/176.40A	209.40B/176.40A	----	181.20 - 15.20	.4142	----	----	----	----	1 UNCH
5050	----	----	207.60B/174.70A	207.60B/174.70A	----	179.50 - 15.00	.4113	----	----	100	----	141 + 89
5060	----	----	203.70B/171.20A	203.70B/171.20A	----	176.00 - 14.80	.4056	----	----	----	----	10 UNCH
5065	----	----	201.60B/169.60A	201.60B/169.60A	----	174.30 - 14.70	.4028	----	----	21	----	43 + 21
5070	----	----	199.70B/168.00A	199.70B/168.00A	----	172.60 - 14.60	.3999	----	----	----	----	6 UNCH
5075	----	----	198.30B/166.30A	198.30B/166.30A	----	170.90 - 14.50	.3971	----	----	----	----	203 UNCH
5080	----	----	196.50B/164.60A	196.50B/164.60A	----	169.20 - 14.40	.3943	----	----	----	----	21 UNCH
5100	184.00	184.00	189.00B/158.30A	189.00B/158.30A	----	162.70 - 14.00	.3831	----	----	1	----	1594 UNCH
5105	----	----	186.80B/156.70A	186.80B/156.70A	----	161.10 - 13.90	.3804	----	----	----	----	2 UNCH
5110	----	----	184.80B/155.20A	184.80B/155.20A	----	159.50 - 13.80	.3776	----	----	----	----	4 UNCH
5115	----	----	183.00B/153.70A	183.00B/153.70A	----	157.90 - 13.70	.3749	----	----	----	----	4 UNCH
5125	----	----	179.50B/150.60A	179.50B/150.60A	----	154.80 - 13.60	.3694	----	----	----	----	20 UNCH
5130	----	----	178.10B/149.10A	178.10B/149.10A	----	153.30 - 13.40	.3668	----	----	----	----	1 UNCH
5145	----	----	172.60B/144.70A	172.60B/144.70A	----	148.80 - 13.20	.3587	----	----	----	----	14 UNCH
5150	----	----	170.90B/143.30A	170.90B/143.30A	----	147.30 - 13.10	.3561	----	----	----	----	77 UNCH
5155	----	----	168.80B/141.90A	168.80B/141.90A	----	145.90 - 12.90	.3535	----	----	----	----	4 UNCH
5160	----	----	167.70B/140.50A	167.70B/140.50A	----	144.40 - 12.90	.3508	----	----	----	----	6 UNCH
5165	145.00	145.00	165.50B/139.10A	165.50B/139.10A	----	143.00 NEW	.3482	----	----	2	----	2 + 2
5170	----	----	164.50B/137.70A	164.50B/137.70A	----	141.60 - 12.70	.3456	----	----	----	----	6 UNCH
5175	----	----	162.90B/136.50A	162.90B/136.50A	----	140.20 - 12.60	.3430	----	----	----	----	1 UNCH
5185	139.20	139.20	159.40B/133.80A	159.40B/133.80A	----	137.40 NEW	.3379	----	----	2	----	2 + 2
5190	----	----	158.20B/132.30A	158.20B/132.30A	----	136.00 - 12.40	.3353	----	----	----	----	4 UNCH
5195	----	----	156.30B/131.00A	156.30B/131.00A	----	134.70 - 12.30	.3328	----	----	----	----	12 UNCH
5200	152.00	152.00	155.10B/129.70A	155.10B/129.70A	----	133.40 - 12.10	.3303	----	----	51	1650	2631 - 764
5205	----	----	153.30B/128.40A	153.30B/128.40A	----	132.00 - 12.10	.3277	----	----	----	----	1 UNCH
5210	----	----	152.00B/127.30A	152.00B/127.30A	----	130.70 - 12.00	.3252	----	----	----	----	6 UNCH
5215	----	----	150.30B/125.90A	150.30B/125.90A	----	129.40 - 12.00	.3227	----	----	----	----	14 UNCH
5220	----	----	148.90B/124.60A	148.90B/124.60A	----	128.10 - 11.90	.3203	----	----	----	----	29 UNCH
5225	----	----	147.00B/123.50A	147.00B/123.50A	----	126.90 - 11.70	.3179	----	----	----	----	46 UNCH
5230	----	----	145.50B/122.20A	145.50B/122.20A	----	125.60 - 11.70	.3154	----	----	----	----	8 UNCH
5235	----	----	144.50B/121.00A	144.50B/121.00A	----	124.40 - 11.60	.3130	----	----	----	----	10 UNCH
5240	----	----	143.10B/119.90A	143.10B/119.90A	----	123.10 - 11.60	.3105	----	----	----	----	16 UNCH
5245	----	----	141.90B/118.60A	141.90B/118.60A	----	121.90 - 11.50	.3082	----	----	----	----	12 UNCH
5250	----	----	140.50B/117.50A	140.50B/117.50A	----	120.70 - 11.40	.3058	----	----	----	----	476 UNCH
5255	----	----	138.80B/116.30A	138.80B/116.30A	----	119.50 - 11.30	.3034	----	----	----	----	888 UNCH
5260	----	----	137.40B/115.10A	137.40B/115.10A	----	118.30 - 11.20	.3010	----	----	----	----	24 UNCH
5265	----	----	136.00B/114.00A	136.00B/114.00A	----	117.10 - 11.20	.2987	----	----	----	----	10 UNCH
5270	----	----	135.30B/112.80A	135.30B/112.80A	----	116.00 - 11.00	.2964	----	----	----	----	18 UNCH
5275	----	----	133.20B/111.70A	133.20B/111.70A	----	114.80 - 11.00	.2940	----	----	----	----	17 UNCH
5280	----	----	131.90B/110.60A	131.90B/110.60A	----	113.70 - 10.90	.2918	----	----	----	----	6 UNCH
5285	----	----	130.80B/109.50A	130.80B/109.50A	----	112.60 - 10.80	.2895	----	----	----	----	31 UNCH
5290	----	----	128.90B/108.40A	128.90B/108.40A	----	111.40 - 10.80	.2872	----	----	----	----	6 UNCH
5295	----	----	128.10B/107.40A	128.10B/107.40A	----	110.30 - 10.80	.2849	----	----	----	----	6 UNCH
5300	125.00	125.00	127.20B/106.30A	127.20B/106.30A	----	109.30 - 10.60	.2828	----	----	201	----	634 + 177
5305	----	----	125.60B/105.20A	125.60B/105.20A	----	108.20 - 10.50	.2805	----	----	----	----	6 UNCH
5310	----	----	123.80B/104.20A	123.80B/104.20A	----	107.10 - 10.50	.2783	----	----	----	----	105 UNCH
5320	----	----	121.80B/102.10A	121.80B/102.10A	----	105.00 - 10.40	.2739	----	----	----	----	9 UNCH
5325	----	----	120.60B/101.10A	120.60B/101.10A	----	103.90 - 10.40	.2717	----	----	----	----	11 UNCH
5330	----	----	119.40B/100.10A	119.40B/100.10A	----	102.90 - 10.30	.2695	----	----	----	----	3 UNCH
5350	----	----	115.00B/96.30A	115.00B/96.30A	----	98.90 - 10.00	.2610	----	----	----	----	29 UNCH
5355	----	----	113.60B/95.30A	113.60B/95.30A	----	97.90 - 10.00	.2589	----	----	----	----	1 UNCH
5360	----	----	112.90B/94.30A	112.90B/94.30A	----	97.00 - 9.90	.2569	----	----	----	----	50 UNCH
5370	----	----	110.20B/92.40A	110.20B/92.40A	----	95.10 - 9.80	.2528	----	----	----	----	2 UNCH
5375	----	----	109.20B/91.50A	109.20B/91.50A	----	94.10 - 9.80	.2507	----	----	----	----	4 UNCH
5400	102.00	102.00	104.10B/87.20A	104.10B/87.20A	----	89.60 - 9.50	.2408	----	----	51	3300	2048 - 1694
5410	----	----	102.00B/85.50A	102.00B/85.50A	----	87.90 - 9.30	.2370	----	----	----	----	6 UNCH
5420	----	----	100.00B/83.90A	100.00B/83.90A	----	86.20 - 9.20	.2332	----	----	----	----	7 UNCH
5435	----	----	97.10B/81.40A	97.10B/81.40A	----	83.70 - 9.00	.2276	----	----	----	----	1 UNCH
5445	----	----	95.10B/79.90A	95.10B/79.90A	----	82.00 - 9.00	.2238	----	----	----	----	3 UNCH
5450	79.60	79.60	94.20B/79.10A	94.20B/79.10A	----	81.20 - 9.00	.2220	----	----	2	----	8 + 2
5460	----	----	92.60B/77.50A	92.60B/77.50A	----	79.70 - 8.80	.2185	----	----	----	----	3 UNCH
5465	----	----	91.50B/76.80A	91.50B/76.80A	----	78.90 - 8.80	.2167	----	----	----	----	19 UNCH
5470	----	----	90.40B/76.00A	90.40B/76.00A	----	78.10 - 8.80	.2149	----	----	----	----	1 UNCH
5475	----	----	89.90B/75.30A	89.90B/75.30A	----	77.40 - 8.70	.2132	----	----	----	----	2 UNCH
5480	----	----	88.80B/74.60A	88.80B/74.60A	----	76.60 - 8.70	.2114	----	----	----	----	10 UNCH
5485	----	----	87.50B/73.90A	87.50B/73.90A	----	75.90 - 8.60	.2098	----	----	----	----	1 UNCH
5490	----	----	86.90B/73.10A	86.90B/73.10A	----	75.20 - 8.50	.2081	----	----	----	----	2 UNCH
5495	----	----	86.00B/72.50A	86.00B/72.50A	----	74.50 - 8.40	.2064	----	----	----	----	4 UNCH
5500	84.00	84.00	86.00/71.70A	86.00/71.70A	----	73.70 - 8.40	.2046	----	----	10	----	1170 + 5
5505	----	----	84.20B/71.10A	84.20B/71.10A	----	73.00 - 8.40	.2030	----	----	----	----	6 UNCH
5515	----	----	82.90B/69.80A	82.90B/69.80A	----	71.60 - 8.30	.1997	----	----	----	----	2 UNCH
5525	----	----	81.10B/68.40A	81.10B/68.40A	----	70.30 - 8.10	.1965	----	----	----	----	25 UNCH
5535	----	----	79.80B/67.10A	79.80B/67.10A	----	68.90 - 8.10	.1932	----	----	----	----	6 UNCH
5545	----	----	77.80B/65.80A	77.80B/65.80A	----	67.60 - 8.00	.1901	----	----	----	----	2 UNCH
5550	----	----	77.50B/65.20A	77.50B/65.20A	----	67.00 - 7.90	.1886	----	----	124	----	126 + 122
5560	----	----	75.60B/64.00A	75.60B/64.00A	----	65.70 - 7.80	.1855	----	----	----	----	2 UNCH
5565	----	----	75.00B/63.50A	75.00B/63.50A	----	65.10 - 7.70	.1840	----	----	----	----	5 UNCH
5570	----	----	74.50B/62.90A	74.50B/62.90A	----	64.50 - 7.60	.1826	----	----	----	----	2 UNCH
5575	----	----	73.80B/62.30A	73.80B/62.30A	----	63.90 - 7.60	.1811	----	----	----	----	3 UNCH
5580	----	----	73.10B/61.70A	73.10B/61.70A	----	63.30 - 7.50	.1796	----	----	----	----	17 UNCH
5595	----	----	71.00B/60.00A	71.00B/60.00A	----	61.60 - 7.30	.1754	----	----	----	----	3 UNCH
5600	69.00	69.00	70.40B/59.40A	70.40B/59.40A	----	61.00 - 7.30	.1739	----	----	156	1650	1080 - 750
5615	----	----	68.00B/57.80A	68.00B/57.80A	----	59.30 - 7.10	.1697	----	----	----	----	1 UNCH
5620	----	----	67.40B/57.20A	67.40B/57.20A	----	58.80 - 7.00	.1684	----	----	----	----	2 UNCH
5635	----	----	65.70B/55.70A	65.70B/55.70A	----	57.10 - 6.90	.1642	----	----	----	----	2 UNCH
5640	----	----	65.00B/55.10A	65.00B/55.10A	----	56.60 - 6.80	.1629	----	----	----	----	3 UNCH
5650	----	----	63.60B/54.10A	63.60B/54.10A	----	55.60 - 6.70	.1603	----	----	----	----	507 UNCH
5660	----	----	62.30B/53.20A	62.30B/53.20A	----	54.60 - 6.60	.1578	----	----	----	----	12 UNCH
5670	----	----	60.70B/52.20A	60.70B/52.20A	----	53.60 - 6.50	.1552	----	----	----	----	10 UNCH
5675	----	----	60.80B/51.70A	60.80B/51.70A	----	53.10 - 6.40	.1540	----	----	----	----	4 UNCH
5690	----	----	58.70B/50.40A	58.70B/50.40A	----	51.70 - 6.20	.1503	----	----	----	----	13 UNCH
5700	58.00	58.00	58.10B/49.50A	58.10B/49.50A	----	50.80 - 6.10	.1480	----	----	105	----	2341 + 103
5720	----	----	55.40B/47.80A	55.40B/47.80A	----	49.00 - 5.90	.1433	----	----	----	----	13 UNCH
5725	----	----	54.90B/47.40A	54.90B/47.40A	----	48.50 - 5.90	.1420	----	----	----	----	1 UNCH
5730	----	----	54.30B/47.00A	54.30B/47.00A	----	48.10 - 5.80	.1410	----	----	----	----	12 UNCH
5750	----	----	52.70B/45.30A	52.70B/45.30A	----	46.50 - 5.60	.1367	----	----	----	100	300 UNCH
5775	----	----	50.20B/43.50A	50.20B/43.50A	----	44.50 - 5.30	.1314	----	----	----	----	2 UNCH
5800	48.00	48.00	48.50B/41.60A	48.50B/41.60A	----	42.60 - 5.10	.1263	----	----	1	----	940 - 1
5825	----	----	45.90B/39.90A	45.90B/39.90A	----	40.80 - 4.90	.1214	----	----	----	----	14 UNCH
5850	----	----	44.00B/38.30A	44.00B/38.30A	----	39.20 - 4.60	.1169	----	----	----	----	165 UNCH
5875	----	----	42.20B/36.80A	42.20B/36.80A	----	37.60 - 4.40	.1125	----	----	----	----	21 UNCH
5900	----	----	41.30B/35.30A	41.30B/35.30A	----	36.10 - 4.30	.1083	----	----	----	----	1858 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5925	----	----	39.70B/34.00A	39.70B/34.00A	----	34.70 - 4.10	.1044	----	----	----	----	2 UNCH
5950	----	----	----/32.70A	37.20B/32.70A	----	33.30 - 4.00	.1005	----	----	----	----	1 UNCH
6000	33.00	33.00	33.00/30.30A	34.30B/30.30A	----	30.90 - 3.60	.0935	----	----	15	----	1662 + 15
6100	27.20	27.20	30.00B/26.30A	30.00B/26.30A	----	26.70 - 3.10	.0812	----	----	3	----	374 + 1
6200	----	----	----/23.10A	24.70B/23.10A	----	23.30 - 2.70	.0711	----	----	136	----	1478 + 136
6300	----	----	----/20.60A	20.80B/20.60A	----	20.60 - 2.30	.0628	----	----	----	----	85 UNCH
6400	----	----	----/18.50A	18.50B/18.50A	----	18.30 - 2.10	.0557	----	----	----	----	61 UNCH
6500	----	----	----/16.60A	16.40B/16.60A	----	16.50 - 1.80	.0499	----	----	----	----	812 UNCH
6600	----	----	----/15.10A	14.90B/15.10A	----	15.00 - 1.60	.0451	----	----	----	----	150 UNCH
6700	----	----	----/13.90A	13.60B/13.90A	----	13.70 - 1.40	.0409	----	----	----	----	254 UNCH
6800	----	----	----/12.80A	12.40B/12.80A	----	12.60 - 1.20	.0373	----	----	----	----	49 UNCH
6900	10.70	10.70	11.50B/10.70	11.50B/10.70	----	11.70 - 1.10	.0343	----	----	2	----	2 + 1
7000	10.70	10.70	10.70/10.70	10.70/10.70	----	10.90 - 1.00	.0317	----	----	1	----	560 UNCH
7500	7.20	7.20	7.80B/7.20	7.80B/7.20	----	8.20 - 0.50	.0226	----	----	8	----	738 UNCH
8000	----	----	----/6.50A	6.20B/6.50A	----	6.60 - 0.20	.0173	----	----	----	----	167 UNCH
8500	----	----	----/5.40A	5.00B/5.40A	----	5.40 - 0.20	.0136	----	----	----	----	89 UNCH
9000	----	----	----	4.10B/4.60A	----	4.40 - 0.20	.0108	----	----	----	----	9 UNCH
9500	----	----	----	3.40B/4.00A	----	3.60 - 0.30	.0086	----	----	----	----	68 UNCH
10000	----	----	----	2.90B/3.40A	----	2.90 - 0.50	.0068	----	----	----	----	98 UNCH
TOTAL										1119	6,700	37864 - 2493
SEP26												
3875	----	----	----	----	----	1046.70 - 26.40	.9193	----	----	----	----	1 UNCH
3995	----	----	----	762.20B/1128.70A	----	938.00 - 26.00	.8960	----	----	----	----	10 UNCH
4085	----	----	----	681.70B/1049.80A	----	858.70 - 25.60	.8749	----	----	----	----	37 UNCH
4130	----	----	----	642.20B/1011.20A	----	819.90 - 25.40	.8632	----	----	----	----	10 UNCH
4185	----	----	----	594.90B/965.40A	----	773.20 - 25.20	.8475	----	----	----	----	37 UNCH
4200	----	----	----	582.10B/953.50A	----	760.70 - 25.00	.8430	----	----	----	----	1 UNCH
4220	----	----	----	565.20B/937.70A	----	744.10 - 24.90	.8368	----	----	----	----	162 UNCH
4290	----	----	----	504.90B/883.60A	----	687.10 - 24.50	.8137	----	----	----	----	6 UNCH
4295	----	----	----	500.60B/879.80A	----	683.00 - 24.60	.8120	----	----	----	----	50 UNCH
4300	----	----	----	496.30B/876.00A	----	679.10 - 24.50	.8102	----	----	----	----	13 UNCH
4320	----	----	----	479.30B/861.00A	----	663.20 - 24.40	.8030	----	----	----	----	162 UNCH
4375	----	----	----	433.40B/820.20A	----	620.40 - 24.10	.7824	----	----	----	----	1 UNCH
4390	----	----	----	421.10B/809.30A	----	609.00 - 23.90	.7765	----	----	----	----	200 UNCH
4425	----	----	----	393.00B/784.20A	----	582.70 - 23.70	.7624	----	----	----	----	1 UNCH
4495	----	----	----	338.60B/735.30A	----	532.00 - 23.10	.7323	----	----	----	----	18 UNCH
4500	----	----	----	334.80B/731.80A	----	528.50 - 23.00	.7301	----	----	----	----	5 UNCH
4505	----	----	----	331.10B/728.40A	----	524.90 - 23.00	.7278	----	----	----	----	2 UNCH
4510	----	----	----	327.30B/725.00A	----	521.40 - 23.00	.7256	----	----	----	----	2 UNCH
4515	----	----	----	323.60B/721.70A	----	517.90 - 22.90	.7233	----	----	----	----	2 UNCH
4545	----	----	----/493.00A	492.00B/493.00A	----	497.30 - 22.50	.7095	----	----	----	----	16 UNCH
4550	----	----	----/489.80A	492.80B/489.80A	----	493.90 - 22.50	.7072	----	----	----	----	222 UNCH
4560	----	----	----/482.90A	492.80B/482.90A	----	487.20 - 22.30	.7025	----	----	----	----	2 UNCH
4565	----	----	----/479.70A	492.80B/479.70A	----	483.80 - 22.30	.7001	----	----	----	----	2 UNCH
4570	----	----	----/476.40A	493.10B/476.40A	----	480.50 - 22.20	.6977	----	----	----	----	2 UNCH
4575	----	----	----/473.10A	495.00B/473.10A	----	477.20 - 22.10	.6953	----	----	----	----	2 UNCH
4580	----	----	----/469.70A	493.20B/469.70A	----	473.80 - 22.20	.6929	----	----	----	----	2 UNCH
4585	----	----	----/466.50A	489.90B/466.50A	----	470.60 - 22.00	.6905	----	----	----	----	2 UNCH
4590	----	----	----/463.20A	486.50B/463.20A	----	467.30 - 22.00	.6881	----	----	----	----	2 UNCH
4600	----	----	----/456.80A	479.90B/456.80A	----	460.80 - 21.80	.6833	----	----	----	----	53 UNCH
4650	----	----	----/425.30A	447.40B/425.30A	----	429.00 - 21.20	.6584	----	----	----	----	1 UNCH
4675	----	----	----/409.90A	431.60B/409.90A	----	413.70 - 20.80	.6457	----	----	----	----	1 UNCH
4680	----	----	----/407.00A	428.50B/407.00A	----	410.70 - 20.70	.6432	----	----	----	----	1 UNCH
4700	----	----	----/395.10A	416.40B/395.10A	----	398.70 - 20.50	.6329	----	----	----	----	117 UNCH
4705	----	----	----/392.00A	413.30B/392.00A	----	395.80 - 20.30	.6303	----	----	----	----	10 UNCH
4710	----	----	----/389.30A	410.30B/389.30A	----	392.80 - 20.30	.6277	----	----	----	----	1 UNCH
4720	----	----	----/383.50A	404.20B/383.50A	----	387.00 - 20.10	.6225	----	----	----	----	45 UNCH
4725	----	----	----/380.60A	401.30B/380.60A	----	384.10 - 20.10	.6199	----	----	----	----	2 UNCH
4730	----	----	----/377.70A	398.30B/377.70A	----	381.20 - 20.00	.6173	----	----	----	----	5 UNCH
4750	----	----	397.30B/366.40A	397.30B/366.40A	----	369.80 - 19.80	.6067	----	----	----	----	43 UNCH
4775	----	----	392.10B/351.40A	392.10B/351.40A	----	355.90 - 19.40	.5935	----	----	----	----	184 UNCH
4780	----	----	389.40B/349.60A	389.40B/349.60A	----	353.10 - 19.40	.5908	----	----	----	----	7 UNCH
4800	----	----	377.80B/337.50A	377.80B/337.50A	----	342.30 - 19.20	.5801	----	----	10	----	941 - 10
4840	----	----	355.70B/317.00A	355.70B/317.00A	----	321.50 - 18.80	.5586	----	----	----	----	2 UNCH
4850	----	----	350.20B/312.10A	350.20B/312.10A	----	316.40 - 18.80	.5532	----	----	----	----	20 UNCH
4860	----	----	345.10B/307.20A	345.10B/307.20A	----	311.50 - 18.60	.5478	----	----	----	----	2 UNCH
4875	----	----	337.20B/299.70A	337.20B/299.70A	----	304.10 - 18.60	.5397	----	----	----	----	30 UNCH
4900	----	----	324.30B/287.60A	324.30B/287.60A	----	292.30 - 18.30	.5262	----	----	1	----	260 UNCH
4920	----	----	314.40B/278.40A	314.40B/278.40A	----	283.10 - 18.10	.5154	----	----	----	----	30 UNCH
4925	----	----	312.00B/276.20A	312.00B/276.20A	----	280.80 - 18.10	.5127	----	----	----	----	1 UNCH
4930	----	----	309.50B/274.00A	309.50B/274.00A	----	278.60 - 18.00	.5100	----	----	----	----	1 UNCH
4975	----	----	288.20B/254.70A	288.20B/254.70A	----	259.00 - 17.60	.4860	----	----	----	----	314 UNCH
5000	----	----	276.70B/244.40A	276.70B/244.40A	----	248.60 - 17.30	.4728	----	----	----	----	584 UNCH
5005	----	----	270.70B/242.40A	270.70B/242.40A	----	246.60 - 17.20	.4702	----	----	----	----	1 UNCH
5050	----	----	255.40B/225.80A	255.40B/225.80A	----	229.00 - 16.50	.4468	----	----	----	----	1 UNCH
5075	----	----	245.00B/216.60A	245.00B/216.60A	----	219.70 - 16.10	.4340	----	----	----	----	1 UNCH
5100	----	----	235.20B/207.80A	235.20B/207.80A	----	210.80 - 15.60	.4214	----	----	----	----	241 UNCH
5150	----	----	216.60B/191.20A	216.60B/191.20A	----	194.00 - 14.60	.3969	----	----	----	----	3 UNCH
5155	----	----	214.80B/189.70A	214.80B/189.70A	----	192.40 - 14.50	.3945	----	----	----	----	1 UNCH
5200	----	----	199.20B/175.90A	199.20B/175.90A	----	178.60 - 13.60	.3732	----	----	----	----	373 UNCH
5230	----	----	189.50B/167.30A	189.50B/167.30A	----	169.90 - 13.10	.3595	----	----	----	----	400 UNCH
5235	----	----	187.90B/165.90A	187.90B/165.90A	----	168.50 - 13.00	.3572	----	----	----	----	1 UNCH
5245	----	----	184.70B/163.20A	184.70B/163.20A	----	165.70 - 12.80	.3527	----	----	----	----	20 UNCH
5250	----	----	183.20B/162.00A	183.20B/162.00A	----	164.30 - 12.70	.3505	----	----	----	----	200 UNCH
5300	----	----	168.40B/149.00A	168.40B/149.00A	----	151.10 - 11.90	.3287	----	----	----	----	853 UNCH
5330	----	----	160.10B/141.70A	160.10B/141.70A	----	143.70 - 11.50	.3161	----	----	----	----	20 UNCH
5335	----	----	158.80B/140.60A	158.80B/140.60A	----	142.50 - 11.40	.3140	----	----	----	----	1 UNCH
5350	----	----	154.50B/137.00A	154.50B/137.00A	----	138.90 - 11.30	.3078	----	----	----	----	1 UNCH
5370	----	----	149.40B/132.90A	149.40B/132.90A	----	134.40 - 10.90	.2999	----	----	----	----	15 UNCH
5375	----	----	148.30B/131.80A	148.30B/131.80A	----	133.20 - 10.90	.2978	----	----	----	----	2 UNCH
5400	----	----	142.20B/126.50A	142.20B/126.50A	----	127.80 - 10.50	.2882	----	----	----	----	399 UNCH
5420	----	----	137.40B/122.20A	137.40B/122.20A	----	123.60 - 10.30	.2806	----	----	----	----	80 UNCH
5425	----	----	136.30B/121.30A	136.30B/121.30A	----	122.60 - 10.20	.2787	----	----	----	----	50 UNCH
5450	----	----	130.60B/116.40A	130.60B/116.40A	----	117.60 - 9.80	.2695	----	----	----	----	5 UNCH
5460	----	----	128.40B/114.50A	128.40B/114.50A	----	115.70 - 9.70	.2659	----	----	----	----	1 UNCH
5475	----	----	125.10B/111.60A	125.10B/111.60A	----	112.80 - 9.50	.2606	----	----	----	----	2 UNCH
5500	----	----	119.80B/107.10A	119.80B/107.10A	----	108.30 - 9.20	.2520	----	----	16	----	1244 UNCH
5505	----	----	119.00B/106.30A	119.00B/106.30A	----	107.40 - 9.10	.2503	----	----	----	----	3 UNCH
5520	----	----	116.00B/103.80A	116.00B/103.80A	----	104.80 - 8.90	.2452	----	----	----	----	1 UNCH
5525	----	----	115.00B/103.00A	115.00B/103.00A	----	104.00 - 8.80	.2436	----	----	----	----	2 UNCH
5540	----	----	112.20B/100.60A	112.20B/100.60A	----	101.40 - 8.70	.2387	----	----	----	----	15 UNCH
5600	90.00	90.00	101.40B/90.00	101.40B/90.00	----	92.10 - 7.90	.2201	----	----	4	----	938 UNCH
5625	----	----	97.20B/87.60A	97.20B/87.60A	----	88.40 - 7.70	.2127	----	----	----	----	2 UNCH
5650	----	----	93.30B/84.10A	93.30B/84.10A	----	85.00 - 7.30	.2056	----	----	----	----	559 UNCH
5675	----	----	89.40B/80.90A	89.40B/80.90A	----	81.60 - 7.20	.1986	----	----	----	----	8 UNCH
5700	----	----	85.80B/77.90A	85.80B/77.90A	----	78.50 - 6.90	.1921	----	----	1	----	1060 UNCH
5750	----	----	79.10B/72.00A	79.10B/72.00A	----	72.60 - 6.40	.1795	----	----	----	----	237 UNCH
5800	----	----	----/66.70A	72.90B/66.70A	----	67.20 - 6.00	.1678	----	----	1	----	828 + 1
5850	61.90	61.90	61.90/61.90	67.30B/61.90	----	62.30 - 5.60	.1569	----	----	3	----	583 + 3
5900	----	----	----/57.60A	62.20B/57.60A	----	57.80 - 5.30	.1468	----	----	----	----	503 UNCH
5950	----	----	----/53.70A	57.50B/53.70A	----	53.80 - 4.90	.1375	----	----	----	----	49 UNCH
6000	----	----	----/50.20A	53.10B/50.20A	----	50.20 - 4.40	.1290	----	----	196	----	1310 + 150
6100	----	----	----/44.20A	45.90B/44.20A	----	43.90 - 3.60	.1139	----	----	----	----	362 UNCH
6200	----	----	----/38.70A	39.80B/38.70A	----	38.50 - 3.30	.1007	----	----	2	----	229 + 2
6300	----	----	----/34.60A	34.80B/34.60A	----	34.00 - 3.10	.0894	----	----	----	----	159 UNCH
6400	----	----	----/31.70A	30.70B/31.70A	----	30.30 - 2.90	.0800	----	----	2	----	212 + 2
6500	----	----	----/28.80A	26.90B/28.80A	----	27.30 - 2.50	.0720	----	----	196	----	540 + 196
6600	----	----	----/26.30A	23.70B/26.30A	----	24.80 - 2.10	.0653	----	----	----	----	45 UNCH
6650	----	----	----/25.40A	22.40B/25.40A	----	23.70 - 1.90	.0623	----	----	----	----	5 UNCH
6750	----	----	----	20.30B/23.30A	----	21.70 - 1.60	.0568	----	----	----	----	11 UNCH
6775	----	----	----	19.80B/23.10A	----	21.30 - 1.50	.0557	----	----	----	----	1 UNCH
6800	----	----	----	19.50B/22.50A	----	20.80 - 1.50	.0544	----	----	----	----	127 UNCH
7000	----	----	----	16.40B/19.80A	----	17.90 - 1.10	.0463	----	----	----	----	200 UNCH
TOTAL										432		15531 + 344
OCT26												
3600	----	----	----	----	----	1309.70 - 26.20	.9459	----	----	----	----	12 UNCH
4300	----	----	----	499.40B/909.70A	----	698.60 - 23.80	.7926	----	----	----	----	102 UNCH
4400	----	----	----	419.10B/838.20A	----	623.60 - 23.20	.7561	----	----	----	----	8 UNCH
4405	----	----	----	415.20B/834.70A	----	620.00 - 23.10	.7542	----	----	----	----	2 UNCH
4480	----	----	----	358.40B/783.50A	----	566.80 - 22.50	.7242	----	----	----	----	1 UNCH
4500	----	----	----	343.80B/770.20A	----	553.00 - 22.40	.7159	----	----	----	----	3 UNCH
4515	----	----	----/539.50A	536.90B/539.50A	----	542.80 - 22.30	.7096	----	----	----	----	1 UNCH
4550	----	----	----/516.60A	537.80B/516.60A	----	519.50 - 21.90	.6945	----	----	----	----	1 UNCH
4580	----	----	----/497.20A	518.00B/497.20A	----	499.90 - 21.70	.6813	----	----	----	----	70 UNCH
4600	----	----	----/484.70A	505.10B/484.70A	----	487.10 - 21.50	.6724	----	----	----	----	134 UNCH
4610	----	----	----/478.50A	498.60B/478.50A	----	480.80 - 21.40	.6679	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 36

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4620	----	----	----/472.30A	492.30B/472.30A	----	474.60 - 21.20	.6633	----	----	----	----	1 UNCH
4630	----	----	----/466.20A	486.10B/466.20A	----	468.40 - 21.10	.6588	----	----	----	----	3 UNCH
4650	----	----	----/454.10A	473.60B/454.10A	----	456.10 - 20.90	.6496	----	----	----	----	1 UNCH
4670	----	----	----/442.20A	461.40B/442.20A	----	444.10 - 20.70	.6403	----	----	----	----	1 UNCH
4675	----	----	----/439.30A	458.40B/439.30A	----	441.10 - 20.70	.6380	----	----	----	----	1 UNCH
4690	----	----	----/430.60A	449.10B/430.60A	----	432.30 - 20.50	.6309	----	----	----	----	1 UNCH
4700	----	----	----/424.80A	443.50B/424.80A	----	426.40 - 20.40	.6262	----	----	----	----	5 UNCH
4710	----	----	----/419.10A	437.60B/419.10A	----	420.70 - 20.20	.6214	----	----	----	----	1 UNCH
4715	----	----	----/416.30A	434.70B/416.30A	----	417.80 - 20.20	.6190	----	----	----	----	2 UNCH
4750	----	----	431.50B/396.90A	431.50B/396.90A	----	398.30 - 19.70	.6023	----	----	----	----	1 UNCH
4755	----	----	431.20B/394.20A	431.20B/394.20A	----	395.60 - 19.60	.5998	----	----	----	----	1 UNCH
4800	----	----	406.00B/370.40A	406.00B/370.40A	----	371.80 - 18.80	.5780	----	----	----	----	14 UNCH
4845	----	----	381.70B/347.80A	381.70B/347.80A	----	349.30 - 18.00	.5561	----	----	----	----	1 UNCH
4850	----	----	379.10B/345.40A	379.10B/345.40A	----	346.90 - 17.90	.5536	----	----	----	----	54 UNCH
4865	----	----	371.30B/338.00A	371.30B/338.00A	----	339.70 - 17.70	.5463	----	----	----	----	2 UNCH
4880	----	----	363.70B/330.90A	363.70B/330.90A	----	332.70 - 17.50	.5390	----	----	----	----	1 UNCH
4900	----	----	353.50B/321.70A	353.50B/321.70A	----	323.50 - 17.30	.5292	----	----	1	----	1279 + 1
4910	----	----	348.70B/317.10A	348.70B/317.10A	----	318.90 - 17.30	.5244	----	----	----	----	1 UNCH
4925	----	----	341.50B/310.30A	341.50B/310.30A	----	312.20 - 17.10	.5171	----	----	----	----	18 UNCH
4935	----	----	336.60B/305.90A	336.60B/305.90A	----	307.80 - 16.90	.5123	----	----	----	----	5 UNCH
4945	301.00	301.00	331.80B/301.00	331.80B/301.00	----	303.40 - 16.80	.5074	----	----	3	----	3 UNCH
4950	----	----	329.60B/299.50A	329.60B/299.50A	----	301.30 - 16.70	.5050	----	----	----	----	7 UNCH
5000	----	----	306.80B/278.30A	306.80B/278.30A	----	280.40 - 15.80	.4812	----	----	----	----	1451 UNCH
5025	----	----	295.90B/268.30A	295.90B/268.30A	----	270.40 - 15.40	.4694	----	----	----	----	2 UNCH
5050	----	----	285.30B/258.80A	285.30B/258.80A	----	260.70 - 15.10	.4577	----	----	----	----	57 UNCH
5075	----	----	275.00B/249.40A	275.00B/249.40A	----	251.40 - 14.80	.4462	----	----	----	----	2 UNCH
5080	----	----	273.00B/247.60A	273.00B/247.60A	----	249.50 - 14.80	.4439	----	----	----	----	3 UNCH
5085	----	----	271.00B/245.70A	271.00B/245.70A	----	247.70 - 14.70	.4416	----	----	----	----	3 UNCH
5100	----	----	265.20B/240.40A	265.20B/240.40A	----	242.30 - 14.60	.4348	----	----	----	----	677 UNCH
5125	----	----	255.50B/231.80A	255.50B/231.80A	----	233.50 - 14.40	.4235	----	----	----	----	1 UNCH
5150	----	----	246.20B/223.20A	246.20B/223.20A	----	225.00 - 14.20	.4123	----	----	----	----	1 UNCH
5160	----	----	242.60B/220.10A	242.60B/220.10A	----	221.70 - 14.10	.4080	----	----	----	----	1 UNCH
5200	----	----	228.50B/207.40A	228.50B/207.40A	----	208.90 - 13.70	.3906	----	----	----	----	1034 UNCH
5250	----	----	212.10B/192.60A	212.10B/192.60A	----	194.00 - 13.10	.3697	----	----	----	----	522 UNCH
5255	----	----	210.50B/191.20A	210.50B/191.20A	----	192.60 - 13.00	.3676	----	----	----	----	2 UNCH
5300	----	----	196.70B/178.70A	196.70B/178.70A	----	180.20 - 12.30	.3495	----	----	----	----	939 UNCH
5325	----	----	189.40B/172.40A	189.40B/172.40A	----	173.60 - 11.90	.3397	----	----	----	----	1 UNCH
5365	----	----	178.40B/162.30A	178.40B/162.30A	----	163.70 NEW	.3245	----	----	2	----	2 + 2
5400	----	----	169.20B/154.10A	169.20B/154.10A	----	155.40 - 10.80	.3116	----	----	----	----	168 UNCH
5435	----	----	160.50B/146.30A	160.50B/146.30A	----	147.60 - 10.30	.2992	----	----	----	----	226 UNCH
5450	----	----	156.90B/143.20A	156.90B/143.20A	----	144.40 - 10.00	.2940	----	----	----	----	66 UNCH
5455	----	----	155.70B/142.10A	155.70B/142.10A	----	143.40 - 9.90	.2923	----	----	----	----	175 UNCH
5475	----	----	151.10B/138.20A	151.10B/138.20A	----	139.20 - 9.70	.2855	----	----	----	----	1 UNCH
5500	----	----	145.50B/133.20A	145.50B/133.20A	----	134.20 - 9.40	.2772	----	----	40	50	1804 + 87
5545	----	----	136.00B/124.80A	136.00B/124.80A	----	125.70 - 8.80	.2628	----	----	----	----	5 UNCH
5550	----	----	134.90B/123.90A	134.90B/123.90A	----	124.80 - 8.70	.2613	----	----	----	----	100 UNCH
5590	----	----	127.10B/117.00A	127.10B/117.00A	----	117.80 - 8.30	.2491	----	----	----	----	4 UNCH
5600	----	----	125.20B/115.50A	125.20B/115.50A	----	116.10 - 8.20	.2462	----	----	40	----	150 + 40
5610	----	----	123.30B/113.70A	123.30B/113.70A	----	114.50 - 8.00	.2433	----	----	----	----	1 UNCH
5615	----	----	122.30B/112.90A	122.30B/112.90A	----	113.60 - 8.00	.2418	----	----	----	----	5 UNCH
5650	----	----	116.20B/107.50A	116.20B/107.50A	----	108.10 - 7.60	.2319	----	----	----	----	401 UNCH
5655	----	----	115.30B/106.70A	115.30B/106.70A	----	107.30 - 7.60	.2305	----	----	----	----	2 UNCH
5660	----	----	114.30B/106.10A	114.30B/106.10A	----	106.60 - 7.50	.2292	----	----	----	----	1 UNCH
5675	----	----	111.90B/103.80A	111.90B/103.80A	----	104.30 - 7.40	.2251	----	----	----	----	3 UNCH
5700	----	----	----/100.30A	107.90B/100.30A	----	100.70 - 7.20	.2185	----	----	----	----	20 UNCH
5710	----	----	----/98.60A	106.30B/98.60A	----	99.30 - 7.10	.2159	----	----	----	----	5 UNCH
5720	----	----	----/97.20A	104.80B/97.20A	----	97.90 - 7.00	.2133	----	----	----	----	75 UNCH
5750	----	----	----/93.30A	100.20B/93.30A	----	93.90 - 6.80	.2059	----	----	----	----	1 UNCH
5775	----	----	----/90.20A	96.60B/90.20A	----	90.70 - 6.50	.1998	----	----	----	----	50 UNCH
5800	----	----	----/87.20A	93.10B/87.20A	----	87.70 - 6.30	.1941	----	----	----	----	413 UNCH
5875	----	----	----/78.90A	83.60B/78.90A	----	79.20 - 5.70	.1776	----	----	----	----	1 UNCH
5900	----	----	----/76.40A	80.60B/76.40A	----	76.70 - 5.40	.1726	----	----	----	----	133 UNCH
5925	----	----	----/74.00A	77.80B/74.00A	----	74.20 - 5.20	.1676	----	----	----	----	1 UNCH
5950	----	----	----/71.60A	75.10B/71.60A	----	71.80 - 5.10	.1628	----	----	----	----	1 UNCH
6000	----	----	----/67.20A	70.10B/67.20A	----	67.40 - 4.60	.1538	----	----	----	----	3155 UNCH
6100	----	----	----/59.50A	61.20B/59.50A	----	59.60 - 3.90	.1375	----	----	----	----	66 UNCH
6200	----	----	----/53.10A	53.60B/53.10A	----	52.90 - 3.40	.1232	----	----	----	----	38 UNCH
6300	----	----	----/47.50A	47.30B/47.50A	----	47.30 - 2.90	.1109	----	----	----	----	757 UNCH
6400	44.00	44.00	44.00/42.50A	44.00/42.50A	----	42.50 - 2.60	.1001	----	----	4	----	1911 - 4
6500	40.00	40.00	40.00/38.90A	40.00/38.90A	----	38.40 - 2.30	.0907	----	----	4	----	4727 - 4
6800	----	----	----	26.60B/32.20A	----	29.10 - 1.90	.0690	----	----	----	----	1385 UNCH
6900	----	----	----	24.30B/30.10A	----	26.80 - 1.70	.0634	----	----	----	----	1 UNCH
7000	----	----	----	22.20B/28.30A	----	24.70 - 1.70	.0584	----	----	----	----	1572 UNCH
8000	----	----	----	12.10B/18.50A	----	13.30 - 1.60	.0302	----	----	----	----	211 UNCH
8500	----	----	----	9.80B/16.10A	----	10.90 - 1.70	.0240	----	----	----	----	208 UNCH
9000	----	----	----	8.30B/14.30A	----	9.50 - 1.80	.0202	----	----	----	----	69 UNCH
9500	----	----	----/*10.30A	7.00B/*10.30A	----	8.60 - 2.00	.0176	----	----	----	----	10 UNCH
TOTAL										94	50	24362 + 122
NOV26												
4000	----	----	----	778.10B/1214.20A	----	991.40 - 24.60	.8696	----	----	----	----	1 UNCH
4100	----	----	----	693.30B/1131.90A	----	907.70 - 24.10	.8452	----	----	----	----	1 UNCH
4275	----	----	----	546.30B/1000.20A	----	768.50 - 23.10	.7951	----	----	----	----	38 UNCH
4300	----	----	----	525.90B/982.10A	----	749.50 - 22.90	.7871	----	----	----	----	1 UNCH
4375	----	----	----	466.40B/929.10A	----	693.80 - 22.40	.7621	----	----	----	----	38 UNCH
4400	----	----	----	447.10B/911.80A	----	675.70 - 22.30	.7534	----	----	----	----	20 UNCH
4440	----	----	----	416.90B/884.60A	----	647.30 - 22.00	.7391	----	----	----	----	1 UNCH
4500	----	----	----	373.00B/844.90A	----	605.90 - 21.60	.7167	----	----	----	----	25 UNCH
4600	----	----	----/538.80A	556.10B/538.80A	----	540.40 - 21.00	.6773	----	----	----	----	1 UNCH
4750	----	----	----/450.60A	465.30B/450.60A	----	451.20 - 19.80	.6142	----	----	----	----	1 UNCH
4775	----	----	463.80B/437.30A	463.80B/437.30A	----	437.50 - 19.50	.6033	----	----	----	----	30 UNCH
4800	----	----	452.50B/423.80A	452.50B/423.80A	----	424.20 - 19.10	.5924	----	----	----	----	2 UNCH
4850	----	----	425.60B/398.10A	425.60B/398.10A	----	398.70 - 18.20	.5704	----	----	----	----	25 UNCH
4900	----	----	399.60B/373.80A	399.60B/373.80A	----	374.40 - 17.50	.5483	----	----	----	----	451 UNCH
4915	----	----	392.20B/366.80A	392.20B/366.80A	----	367.30 - 17.40	.5417	----	----	----	----	1 UNCH
4925	----	----	387.20B/362.20A	387.20B/362.20A	----	362.60 - 17.40	.5373	----	----	----	----	1 UNCH
4950	----	----	375.10B/350.70A	375.10B/350.70A	----	351.20 - 17.10	.5263	----	----	----	----	150 UNCH
5000	----	----	351.70B/328.90A	351.70B/328.90A	----	329.60 - 16.20	.5045	----	----	----	----	29 UNCH
5060	----	----	325.20B/304.40A	325.20B/304.40A	----	305.50 - 15.00	.4789	----	----	----	----	2 UNCH
5080	----	----	316.70B/296.60A	316.70B/296.60A	----	297.70 - 14.80	.4704	----	----	----	----	4 UNCH
5085	----	----	314.60B/294.70A	314.60B/294.70A	----	295.80 - 14.70	.4683	----	----	----	----	4 UNCH
5175	----	----	279.20B/262.00A	279.20B/262.00A	----	263.10 - 13.90	.4312	----	----	----	----	2 UNCH
5200	----	----	270.00B/253.60A	270.00B/253.60A	----	254.60 - 13.80	.4212	----	----	----	----	26 UNCH
5250	----	----	252.40B/237.20A	252.40B/237.20A	----	238.40 - 13.30	.4015	----	----	----	----	9 UNCH
5300	----	----	----/222.10A	235.80B/222.10A	----	223.20 - 12.80	.3824	----	----	----	----	27 UNCH
5370	----	----	----/202.60A	214.50B/202.60A	----	203.50 - 11.90	.3567	----	----	----	----	5 UNCH
5400	----	----	----/194.80A	205.80B/194.80A	----	195.60 - 11.50	.3461	----	----	----	----	17 UNCH
5450	----	----	----/182.50A	192.20B/182.50A	----	183.20 - 10.80	.3290	----	----	----	----	925 UNCH
5500	----	----	----/171.10A	179.50B/171.10A	----	171.60 - 10.20	.3125	----	----	----	----	79 UNCH
5550	----	----	----/160.70A	167.70B/160.70A	----	160.90 - 9.40	.2969	----	----	----	----	1 UNCH
5600	----	----	----/150.70A	156.60B/150.70A	----	150.90 - 8.80	.2819	----	----	----	----	43 UNCH
5700	----	----	----/133.20A	136.70B/133.20A	----	133.00 - 7.60	.2541	----	----	----	----	35 UNCH
5710	----	----	----/130.90A	134.80B/130.90A	----	131.30 - 7.60	.2515	----	----	----	----	1 UNCH
5800	----	----	----/117.20A	119.40B/117.20A	----	117.50 - 6.60	.2290	----	----	----	----	25 UNCH
5825	----	----	----/114.00A	116.30B/114.00A	----	114.00 - 6.40	.2232	----	----	----	----	2 UNCH
5900	----	----	----/104.70A	106.00B/104.70A	----	104.10 - 5.80	.2065	----	----	----	----	1 UNCH
5925	----	----	----/101.60A	102.00B/101.60A	----	101.10 - 5.60	.2013	----	----	----	----	4 UNCH
5975	95.20	95.20	96.60B/95.20	96.60B/95.20	----	95.30 - 5.20	.1912	----	----	1	----	3 + 1
6000	----	----	----/92.70A	93.70B/92.70A	----	92.50 - 5.10	.1863	----	----	----	----	231 UNCH
6100	----	----	----/83.00A	83.20B/83.00A	----	82.50 - 4.50	.1684	----	----	----	----	1 UNCH
6200	----	----	----/74.10A	74.20B/74.10A	----	73.70 - 4.10	.1523	----	----	----	----	1 UNCH
6400	----	----	----/60.70A	58.50B/60.70A	----	59.50 - 3.50	.1253	----	----	----	----	13 UNCH
6500	----	----	----/55.80A	52.70B/55.80A	----	53.80 - 3.30	.1141	----	----	----	----	1161 UNCH
8000	----	----	----	15.90B/26.50A	----	21.10 - 0.80	.0430	----	----	----	----	11 UNCH
9000	----	----	----	10.70B/20.80A	----	14.80 - 0.60	.0286	----	----	----	----	7 UNCH
20000	----	----	----	----/2.00A	----	1.40 UNCH	.0023	----	----	----	----	138 UNCH
TOTAL										1		3594 + 1
DEC26												
3550	----	----	----	----	----	1401.10 - 25.90	.9363	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1382.50 - 25.80	.9337	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1354.80 - 25.70	.9298	----	----	----	----	1 UNCH
3800	----	----	----	940.70B/1412.10A	----	1174.70 - 24.80	.8984	----	----	----	----	4 UNCH
3900	----	----	----	856.60B/1325.50A	----	1087.80 - 24.40	.8790	----	----	----	----	2 UNCH
4060	----	----	----	720.90B/1193.50A	----	953.90 - 23.60	.8429	----	----	----	----	100 UNCH
4100	----	----	----	687.90B/1162.90A	----	921.50 - 23.40	.8328	----	----	----	----	48 UNCH
4160	----	----	----	636.80B/1117.90A	----	873.80 - 23.10	.8169	----	----	----	----	100 UNCH
4175	----	----	----	624.20B/1106.80A	----	862.00 - 23.10	.8127	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 37

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4200	----	----	----	603.40B/1088.50A	----	842.60 - 22.90	.8056	----	----	----	----	150 UNCH
4250	----	----	----	562.40B/1052.40A	----	804.40 - 22.50	.7910	----	----	----	----	293 UNCH
4255	----	----	----	558.40B/1048.80A	----	800.60 - 22.50	.7895	----	----	----	----	50 UNCH
4285	----	----	----	534.30B/1027.60A	----	778.10 - 22.30	.7803	----	----	----	----	0 UNCH
4300	----	----	----	522.40B/1017.00A	----	767.00 - 22.20	.7757	----	----	----	----	436 UNCH
4315	----	----	----	510.60B/1006.60A	----	755.90 - 22.20	.7710	----	----	----	----	1 UNCH
4320	----	----	----	506.70B/1003.10A	----	752.20 - 22.20	.7694	----	----	----	----	100 UNCH
4350	----	----	----	483.50B/982.50A	----	730.40 - 22.00	.7597	----	----	----	----	206 UNCH
4375	----	----	----	464.40B/965.50A	----	712.50 - 21.80	.7515	----	----	----	----	61 UNCH
4400	----	----	----	445.60B/948.70A	----	694.90 - 21.60	.7431	----	----	----	----	2 UNCH
4425	----	----	----	427.10B/932.10A	----	677.50 - 21.40	.7345	----	----	----	----	8 UNCH
4450	----	----	----	408.90B/915.70A	----	660.30 - 21.30	.7258	----	----	----	----	87 UNCH
4465	----	----	----	398.10B/905.90A	----	650.10 - 21.20	.7205	----	----	----	----	93 UNCH
4490	----	----	----/630.80A	622.40B/630.80A	----	633.30 - 21.10	.7116	----	----	----	----	7 UNCH
4500	----	----	----/624.40A	623.40B/624.40A	----	626.70 - 21.00	.7079	----	----	----	----	757 UNCH
4525	----	----	----/608.10A	625.60B/608.10A	----	610.30 - 20.80	.6988	----	----	----	----	5 UNCH
4540	----	----	----/598.50A	615.80B/598.50A	----	600.60 - 20.70	.6932	----	----	----	----	9 UNCH
4550	----	----	----/592.30A	609.30B/592.30A	----	594.20 - 20.60	.6895	----	----	----	----	1 UNCH
4565	----	----	----/582.90A	599.40B/582.90A	----	584.60 - 20.50	.6838	----	----	----	----	93 UNCH
4580	----	----	----/573.70A	589.80B/573.70A	----	575.10 - 20.50	.6782	----	----	----	----	150 UNCH
4585	----	----	----/570.70A	586.70B/570.70A	----	572.00 - 20.40	.6763	----	----	----	----	325 UNCH
4590	----	----	----/567.60A	583.70B/567.60A	----	568.90 - 20.40	.6744	----	----	----	----	15 UNCH
4600	----	----	----/561.60A	577.40B/561.60A	----	562.70 - 20.30	.6705	----	----	----	----	145 UNCH
4615	----	----	----/552.60A	567.90B/552.60A	----	553.50 - 20.20	.6648	----	----	----	----	41 UNCH
4625	----	----	----/546.50A	561.80B/546.50A	----	547.40 - 20.10	.6609	----	----	----	----	71 UNCH
4640	----	----	----/537.40A	552.80B/537.40A	----	538.40 - 20.00	.6550	----	----	----	----	100 UNCH
4650	----	----	----/531.50A	546.90B/531.50A	----	532.40 - 19.90	.6511	----	----	----	----	302 UNCH
4700	540.00	540.00	540.00/503.00A	540.00/503.00A	----	503.30 - 19.50	.6313	----	----	1	----	97 - 1
4720	----	----	----/491.80A	505.60B/491.80A	----	492.00 - 19.40	.6233	----	----	----	----	1 UNCH
4750	----	----	500.00B/475.50A	500.00B/475.50A	----	475.40 - 19.10	.6111	----	----	----	----	211 UNCH
4780	----	----	492.60B/459.50A	492.60B/459.50A	----	459.30 - 18.90	.5989	----	----	----	----	2 UNCH
4800	----	----	481.40B/449.00A	481.40B/449.00A	----	448.90 - 18.60	.5907	----	----	----	----	175 UNCH
4810	----	----	476.20B/443.90A	476.20B/443.90A	----	443.70 - 18.60	.5866	----	----	----	----	56 UNCH
4820	----	----	470.80B/438.80A	470.80B/438.80A	----	438.60 - 18.40	.5825	----	----	----	----	49 UNCH
4825	----	----	468.10B/436.20A	468.10B/436.20A	----	436.10 - 18.40	.5805	----	----	----	----	104 UNCH
4850	----	----	454.80B/423.70A	454.80B/423.70A	----	423.60 - 18.10	.5702	----	----	----	----	291 UNCH
4875	----	----	441.90B/411.70A	441.90B/411.70A	----	411.50 - 17.80	.5599	----	----	----	----	1 UNCH
4880	----	----	439.50B/409.20A	439.50B/409.20A	----	409.10 - 17.80	.5578	----	----	----	----	4 UNCH
4900	----	----	429.60B/399.70A	429.60B/399.70A	----	399.60 - 17.60	.5496	----	----	----	----	92 UNCH
4925	----	----	417.20B/388.30A	417.20B/388.30A	----	388.10 - 17.30	.5393	----	----	----	----	126 UNCH
4950	----	----	405.00B/376.90A	405.00B/376.90A	----	376.90 - 17.00	.5291	----	----	----	----	100 UNCH
4975	----	----	393.30B/366.00A	393.30B/366.00A	----	366.00 - 16.60	.5189	----	----	----	----	50 UNCH
5000	----	----	381.80B/355.30A	381.80B/355.30A	----	355.40 - 16.30	.5088	----	----	1	70	2174 UNCH
5025	----	----	370.60B/344.90A	370.60B/344.90A	----	345.00 - 16.00	.4987	----	----	----	100	218 + 99
5050	----	----	359.80B/334.80A	359.80B/334.80A	----	334.90 - 15.70	.4888	----	----	----	----	100 UNCH
5070	----	----	351.20B/326.90A	351.20B/326.90A	----	327.00 - 15.50	.4808	----	----	----	----	13 UNCH
5075	----	----	349.10B/325.00A	349.10B/325.00A	----	325.10 - 15.40	.4789	----	----	----	----	30 UNCH
5090	----	----	342.80B/319.20A	342.80B/319.20A	----	319.30 - 15.30	.4730	----	----	----	----	13 UNCH
5100	----	----	338.70B/315.40A	338.70B/315.40A	----	315.50 - 15.20	.4691	----	----	----	----	131 UNCH
5150	----	----	318.80B/297.00A	318.80B/297.00A	----	297.20 - 14.60	.4498	----	----	----	----	1 UNCH
5175	----	----	309.30B/288.20A	309.30B/288.20A	----	288.50 - 14.20	.4403	----	----	----	----	100 UNCH
5195	----	----	301.80B/281.40A	301.80B/281.40A	----	281.60 - 14.00	.4327	----	----	----	----	5 UNCH
5200	----	----	300.10B/279.60A	300.10B/279.60A	----	279.90 - 14.00	.4309	----	----	----	----	854 UNCH
5250	----	----	282.20B/263.20A	282.20B/263.20A	----	263.60 - 13.30	.4125	----	----	----	----	308 UNCH
5275	----	----	273.70B/255.50A	273.70B/255.50A	----	255.80 - 13.00	.4034	----	----	----	----	20 UNCH
5300	----	----	265.40B/247.90A	265.40B/247.90A	----	248.20 - 12.70	.3945	----	----	----	----	340 UNCH
5350	----	----	249.50B/233.50A	249.50B/233.50A	----	233.80 - 12.00	.3772	----	----	----	----	457 UNCH
5360	----	----	246.50B/230.90A	246.50B/230.90A	----	231.00 - 11.90	.3738	----	----	----	----	100 UNCH
5370	----	----	243.50B/228.00A	243.50B/228.00A	----	228.20 - 11.90	.3704	----	----	----	----	20 UNCH
5400	----	----	234.80B/219.80A	234.80B/219.80A	----	220.20 - 11.40	.3604	----	----	----	----	1760 UNCH
5460	----	----	218.00B/204.70A	218.00B/204.70A	----	204.90 - 10.70	.3410	----	----	----	----	200 UNCH
5465	----	----	216.70B/203.40A	216.70B/203.40A	----	203.70 - 10.60	.3394	----	----	----	----	50 UNCH
5480	----	----	212.60B/200.10A	212.60B/200.10A	----	200.10 - 10.40	.3347	----	----	----	----	50 UNCH
5500	----	----	207.50B/195.20A	207.50B/195.20A	----	195.40 - 10.20	.3285	----	----	2	----	2375 UNCH
5525	----	----	201.20B/189.70A	201.20B/189.70A	----	189.70 - 9.90	.3210	----	----	----	----	80 UNCH
5550	----	----	195.10B/184.10A	195.10B/184.10A	----	184.20 - 9.50	.3136	----	----	----	----	1 UNCH
5600	----	----	183.50B/173.80A	183.50B/173.80A	----	173.60 - 9.00	.2991	----	----	----	620	2041 + 107
5650	----	----	172.40B/163.90A	172.40B/163.90A	----	163.80 - 8.40	.2853	----	----	----	----	6 UNCH
5660	----	----	170.50B/162.00A	170.50B/162.00A	----	161.90 - 8.30	.2826	----	----	----	----	1 UNCH
5675	----	----	167.40B/159.30A	167.40B/159.30A	----	159.10 - 8.10	.2787	----	----	----	----	8 UNCH
5680	----	----	166.40B/158.40A	166.40B/158.40A	----	158.20 - 8.00	.2773	----	----	----	----	1 UNCH
5685	----	----	165.40B/157.40A	165.40B/157.40A	----	157.20 - 8.10	.2760	----	----	----	----	18 UNCH
5690	----	----	----/156.60A	164.30B/156.60A	----	156.30 - 8.00	.2747	----	----	----	----	7 UNCH
5700	----	----	----/154.90A	162.40B/154.90A	----	154.50 - 7.90	.2721	----	----	----	----	375 UNCH
5705	----	----	----/154.10A	161.40B/154.10A	----	153.60 - 7.90	.2708	----	----	----	----	5 UNCH
5710	----	----	----/152.80A	160.40B/152.80A	----	152.80 - 7.70	.2696	----	----	----	----	5 UNCH
5750	----	----	----/146.20A	152.90B/146.20A	----	145.90 - 7.40	.2595	----	----	----	----	576 UNCH
5770	----	----	----/143.00A	149.20B/143.00A	----	142.60 - 7.20	.2546	----	----	----	----	5 UNCH
5775	----	----	----/142.10A	148.30B/142.10A	----	141.80 - 7.10	.2534	----	----	----	----	2 UNCH
5800	----	----	----/138.40A	143.80B/138.40A	----	137.80 - 6.90	.2475	----	----	----	620	827 + 606
5810	----	----	----/136.70A	142.10B/136.70A	----	136.20 - 6.90	.2451	----	----	----	----	56 UNCH
5825	----	----	----/134.30A	139.60B/134.30A	----	133.90 - 6.70	.2416	----	----	----	----	4 UNCH
5875	----	----	----/127.00A	131.50B/127.00A	----	126.60 - 6.30	.2304	----	----	----	----	9 UNCH
5900	----	----	----/123.70A	127.50B/123.70A	----	123.10 - 6.10	.2250	----	----	----	100	1075 - 100
5950	----	----	----/117.00A	120.30B/117.00A	----	116.50 - 5.80	.2146	----	----	----	----	25 UNCH
6000	----	----	----/111.10A	113.40B/111.10A	----	110.30 - 5.50	.2048	----	----	----	100	5929 - 100
6100	----	----	----/100.10A	101.10B/100.10A	----	99.20 - 4.80	.1866	----	----	----	----	40 UNCH
6150	----	----	----/94.70A	95.40B/94.70A	----	94.20 - 4.50	.1783	----	----	----	----	1 UNCH
6200	----	----	----/90.20A	90.30B/90.20A	----	89.50 - 4.30	.1703	----	----	----	----	3345 UNCH
6250	----	----	----/*85.80A	85.80B/85.80A	----	85.10 - 4.10	.1628	----	----	----	----	20 UNCH
6300	----	----	----/81.70A	81.70B/81.70A	----	81.00 - 3.90	.1557	----	----	----	----	1046 UNCH
6400	----	----	----/74.50A	73.80B/74.50A	----	73.60 - 3.40	.1426	----	----	----	200	558 + 120
6500	----	----	----/68.50A	66.20B/68.50A	----	67.10 - 3.00	.1309	----	----	----	----	5077 UNCH
6750	----	----	----/54.80A	52.90B/54.80A	----	54.40 - 1.50	.1072	----	----	----	----	100 UNCH
6775	----	----	----/53.80A	51.90B/53.80A	----	53.30 - 1.50	.1051	----	----	----	----	163 UNCH
6800	----	----	----/52.80A	51.60B/52.80A	----	52.30 - 1.30	.1032	----	----	----	----	1814 UNCH
6900	----	----	----	47.70B/50.40A	----	48.50 - 0.90	.0958	----	----	----	----	12 UNCH
7000	43.50	43.50	43.50/43.50	43.90B/43.50	----	45.10 - 0.60	.0892	----	----	1	----	4034 UNCH
7130	----	----	----	39.90B/43.40A	----	41.20 - 0.50	.0815	----	----	----	----	200 UNCH
7175	----	----	----	38.70B/45.10A	----	40.00 - 0.50	.0791	----	----	----	----	125 UNCH
7250	----	----	----	32.80B/43.30A	----	38.20 - 0.50	.0755	----	----	----	----	108 UNCH
7500	----	----	----	27.40B/38.70A	----	33.00 - 0.70	.0649	----	----	----	----	108 UNCH
8000	----	----	----	20.60B/32.20A	----	26.40 - 0.90	.0507	----	----	----	----	629 UNCH
8125	----	----	----	19.40B/31.10A	----	25.40 - 0.70	.0483	----	----	----	----	801 UNCH
8500	----	----	----	16.60B/28.10A	----	23.20 UNCH	.0429	----	----	----	----	170 UNCH
8630	----	----	----	15.80B/27.30A	----	22.60 + 0.20	.0413	----	----	----	----	400 UNCH
8725	----	----	----	15.30B/26.80A	----	22.20 + 0.40	.0403	----	----	----	----	250 UNCH
9000	----	----	----	16.40B/25.30A	----	20.90 + 0.50	.0372	----	----	----	----	103 UNCH
9500	----	----	----	12.10B/23.20A	----	18.20 - 0.40	.0318	----	----	----	----	287 UNCH
9900	----	----	----	10.90B/21.80A	----	16.20 - 1.30	.0279	----	----	----	----	17 UNCH
10000	----	----	----/15.50A	15.50B/15.50A	----	15.80 - 1.40	.0271	----	----	----	----	7801 UNCH
11000	----	----	----	8.30B/18.50A	----	12.80 - 2.10	.0212	----	----	----	----	387 UNCH
13000	----	----	----	8.50B/14.00A	----	10.60 - 0.10	.0161	----	----	----	----	394 UNCH
15000	----	----	----/7.00A	6.50B/7.00A	----	8.80 + 1.50	.0127	----	----	----	----	18921 UNCH
17000	----	----	----	1.20B/8.40A	----	5.90 + 1.30	.0085	----	----	----	----	27 UNCH
19000	----	----	----	2.00B/3.00A	----	3.20 + 0.30	.0048	----	----	----	----	7 UNCH
20000	----	----	----	2.20B/2.40A	----	2.40 + 0.10	.0036	----	----	----	----	19079 UNCH
21000	----	----	----	----/3.00A	----	1.80 + 0.10	.0028	----	----	----	----	23 UNCH
24000	----	----	----	----/33.80A	----	1.60 + 0.10	.0023	----	----	----	----	31 UNCH
TOTAL										5	1,810	91615 + 731
JAN27												
4190	----	----	----	619.50B/1177.50A	----	895.50 - 22.40	.8062	----	----	----	----	1 UNCH
4290	----	----	----	538.80B/1107.00A	----	820.40 - 21.80	.7780	----	----	----	----	1 UNCH
4300	----	----	----	531.00B/1100.10A	----	813.10 - 21.70	.7751	----	----	----	----	1 UNCH
4400	----	----	----	454.60B/1032.90A	----	741.90 - 21.00	.7443	----	----	----	----	1 UNCH
4650	----	----	----/580.70A	591.60B/580.70A	----	580.50 - 19.50	.6587	----	----	----	----	1 UNCH
4750	----	----	----/524.20A	533.40B/524.20A	----	522.90 - 18.90	.6218	----	----	----	----	5 UNCH
4760	----	----	----/518.80A	527.60B/518.80A	----	517.40 - 18.80	.6180	----	----	----	----	100 UNCH
4800	----	----	524.90B/497.60A	524.90B/497.60A	----	495.80 - 18.50	.6029	----	----	----	----	1 UNCH
4850	----	----	500.80B/471.80A	500.80B/471.80A	----	469.80 - 18.10	.5839	----	----	----	----	1 UNCH
4875	----	----	487.70B/459.40A	487.70B/459.40A	----	457.30 - 17.90	.5743	----	----	----	----	4 UNCH
4900	----	----	474.90B/447.30A	474.90B/447.30A	----	445.20 - 17.60	.5648	----	----	----	----	9 UNCH
5000	----	----	426.30B/401.60A	426.30B/401.60A	----	400.20 - 15.90	.5267	----	----	----	----	27 UNCH
5050	----	----	403.70B/380.50A	403.70B/380.50A	----	379.40 - 15.10	.5080	----	----	----	----	100 UNCH
5100	----	----	382.10B/360.10A	382.10B/360.10A	----	359.50 - 14.40	.4896	----	----	----	----	1 UNCH
5195	----	----	343.70B/324.50A	343.70B/324.50A	----	324.20 - 13.40	.4553	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
5250	----	----	323.30B/305.60A	323.30B/305.60A	----	305.20 - 12.90	.4361	----	----	----	----	7 UNCH
5300	----	----	305.50B/289.30A	305.50B/289.30A	----	288.80 - 12.40	.4190	----	----	----	----	1 UNCH
5400	----	----	272.90B/259.60A	272.90B/259.60A	----	258.60 - 11.50	.3862	----	----	----	----	2 UNCH
5500	----	----	243.80B/232.90A	243.80B/232.90A	----	231.70 - 10.40	.3552	----	----	----	----	24 UNCH
5550	----	----	230.40B/220.50A	230.40B/220.50A	----	219.30 - 10.00	.3405	----	----	----	----	1 UNCH
5820	----	----	----/166.30A	170.40B/166.30A	----	164.20 - 7.50	.2699	----	----	----	----	6 UNCH
5850	----	----	----/161.30A	164.80B/161.30A	----	159.20 - 7.20	.2631	----	----	----	----	3 UNCH
5900	----	----	----/152.60A	156.00B/152.60A	----	151.10 - 6.90	.2519	----	----	----	----	5 UNCH
6000	----	----	----/138.30A	139.90B/138.30A	----	136.30 - 6.20	.2310	----	----	----	----	204 UNCH
6025	----	----	----/134.80A	136.20B/134.80A	----	132.80 - 6.10	.2260	----	----	----	----	1 UNCH
6300	----	----	----/104.10A	102.20B/104.10A	----	100.70 - 4.50	.1782	----	----	----	----	2 UNCH
20000	----	----	----/3.60A	3.00B/3.60A	----	3.50 - 0.50	.0050	----	----	----	----	49 UNCH
TOTAL												569 0
FEB27												
5000	----	----	----/422.20A	439.20B/422.20A	----	418.30 - 27.60	.5287	----	----	----	----	1 UNCH
5100	----	----	----/381.00A	395.40B/381.00A	----	376.50 - 26.90	.4929	----	----	----	----	1 UNCH
5175	----	----	----/352.60A	365.00B/352.60A	----	348.00 - 26.10	.4668	----	----	----	----	125 UNCH
5300	----	----	----/309.90A	319.10B/309.90A	----	305.20 - 24.60	.4249	----	----	----	----	50 UNCH
5375	----	----	----/286.80A	294.30B/286.80A	----	282.10 - 23.60	.4010	----	----	----	----	1 UNCH
5400	----	----	----/279.50A	286.40B/279.50A	----	274.80 - 23.30	.3933	----	----	----	----	1 UNCH
5520	----	----	----/247.30A	251.50B/247.30A	----	242.30 - 21.90	.3575	----	----	----	----	300 UNCH
5530	----	----	----/244.80A	248.80B/244.80A	----	239.80 - 21.70	.3546	----	----	----	----	100 UNCH
5550	----	----	----/239.90A	243.50B/239.90A	----	234.80 - 21.60	.3489	----	----	----	----	65 UNCH
5600	----	----	----/228.10A	230.70B/228.10A	----	222.90 - 21.00	.3351	----	----	----	----	1 UNCH
6000	----	----	----/155.10A	150.60B/155.10A	----	148.60 - 17.50	.2411	----	----	----	----	6 UNCH
6025	----	----	----/151.50A	146.60B/151.50A	----	145.10 - 17.20	.2362	----	----	----	----	4 UNCH
6100	----	----	----/141.60A	135.60B/141.60A	----	135.10 - 16.70	.2223	----	----	----	----	1 UNCH
6300	----	----	----/*119.00A	111.70B/119.00A	----	112.30 - 15.40	.1893	----	----	----	----	1 UNCH
6500	----	----	----/*101.20A	93.00B/101.20A	----	94.20 - 13.90	.1619	----	----	----	----	110 UNCH
6900	----	----	----/*75.90A	66.60B/75.90A	----	67.80 - 9.90	.1199	----	----	----	----	532 UNCH
7000	----	----	----/68.00A	61.80B/68.00A	----	63.00 - 8.70	.1118	----	----	----	----	383 UNCH
7100	----	----	----	57.40B/66.90A	----	58.90 - 7.40	.1048	----	----	----	----	8 UNCH
7900	----	----	----	0.10B/77.90A	----	33.60 - 2.70	.0616	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/76.00A	----	31.30 - 2.50	.0576	----	----	----	----	500 UNCH
TOTAL												2690 0
MAR27												
4210	----	----	----	501.40B/1367.90A	----	932.60 - 23.10	.7934	----	----	----	----	1 UNCH
5000	----	----	----	68.60B/785.90A	----	470.80 - 16.30	.5441	----	----	----	----	75 UNCH
TOTAL												76 0
APR27												
5000	----	----	----	----/890.80A	----	490.90 - 16.30	.5458	----	----	----	----	100 UNCH
5600	----	----	----	----/545.10A	----	283.10 - 11.40	.3699	----	----	----	----	300 UNCH
6000	----	----	----	----/395.70A	----	203.70 - 8.80	.2825	----	----	----	----	151 UNCH
TOTAL												551 0
JUN27												
9500	----	----	----	----	----	20.50 - 1.20	.0350	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	774.10 - 18.00	.6242	----	----	----	----	100 UNCH
5000	----	----	----	----	----	708.80 - 17.20	.5903	----	----	----	----	50 UNCH
5650	----	----	----	----	----	461.70 - 13.10	.4408	----	----	----	----	200 UNCH
5700	----	----	----	----	----	446.40 - 12.80	.4303	----	----	----	----	150 UNCH
5800	----	----	----	----	----	417.30 - 12.20	.4097	----	----	----	----	200 UNCH
5880	----	----	----	----	----	395.50 - 11.80	.3938	----	----	----	----	50 UNCH
6300	----	----	----	----	----	299.40 - 9.60	.3184	----	----	----	----	18 UNCH
7500	----	----	----	----	----	216.30 - 6.80	.2192	----	----	----	----	170 UNCH
7800	----	----	----	----	----	210.30 - 6.50	.2075	----	----	----	----	284 UNCH
10000	----	----	----	----	----	148.40 - 4.50	.1371	----	----	----	----	100 UNCH
10500	----	----	----	----	----	131.80 - 4.00	.1227	----	----	----	----	10 UNCH
TOTAL												1332 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
APR26												
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3750	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
4050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4100	----	----	----/*1.00A	0.70B/*1.00A	----	0.70 - 0.40	.0040	----	----	----	----	2 UNCH
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4200	----	----	----	1.30B/4.20A	----	3.10 - 0.30	.0200	----	----	----	----	12 UNCH
4200	----	----	----/*1.20A	0.60B/*1.20A	----	0.90 - 0.50	.0059	----	----	----	----	53 UNCH
4200	----	----	#692.20B/611.20	#692.20B/611.20A	----	623.60 - 26.60	----	----	----	----	----	0 UNCH
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4230	----	----	#662.20B/581.10	#662.20B/581.10A	----	593.60 - 26.60	----	----	----	----	----	0 UNCH
4240	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4245	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4250	----	----	----	1.90B/4.90A	----	3.80 - 0.30	.0252	----	----	----	----	12 UNCH
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 50
4255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4270	----	----	----/*1.50A	0.90B/*1.50A	----	1.20 - 0.50	.0085	----	----	----	----	1 UNCH
4280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 103
4300	----	----	----	----	----	527.80 - 26.80	.9678	----	----	----	----	1 UNCH
4300	----	----	----/*1.60A	1.10B/*1.60A	----	1.40 - 0.50	.0102	----	----	2	----	5 + 2
4315	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4320	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
4320	----	----	----/*1.70A	1.20B/*1.70A	----	1.50 - 0.60	.0112	----	----	----	----	1 UNCH
4325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4370	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4385	----	----	----/*2.20A	1.80B/*2.20A	----	2.00 NEW	.0163	----	----	1	----	1 + 1
4400	----	----	----/*2.30A	2.00B/*2.30A	----	2.20 - 0.80	.0182	----	----	----	----	1 UNCH
4400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4410	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4415	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 2
4420	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4425	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4430	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4435	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4440	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4445	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4450	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4450	----	----	----/*9.30A	8.80B/*9.30A	----	10.00 - 0.50	.0708	----	----	1	----	1 UNCH
4450	----	----	----/*2.90A	2.90B/*2.90A	----	2.90 - 1.10	.0254	----	----	----	----	1 UNCH
4455	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4460	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4465	----	----	#429.00B/350.50	#429.00B/350.50A	----	361.60 - 27.60	.9714	----	----	----	----	5 UNCH
4475	----	----	----/*10.50A	10.90B/*10.50A	----	11.50 - 0.50	.0815	----	----	----	----	1 UNCH
4475	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
4480	----	----	----/*10.90A	11.20B/*10.90A	----	11.80 - 0.50	.0838	----	----	1	----	1 UNCH
4490	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 12
4500	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 48
4500	----	----	----/*3.90A	4.20B/*3.90A	----	4.10 - 1.30	.0376	----	----	1	----	104 - 1
4500	----	----	#392.20B/311.10	#392.20B/311.10A	----	323.60 - 26.60	----	----	----	----	----	0 - 2
4505	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4510	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4510	----	----	#382.20B/301.20	#382.20B/301.20A	----	313.60 - 26.60	----	----	----	1	----	0 - 1
4510	----	----	----/*4.10A	4.60B/*4.10A	----	4.40 - 1.30	.0407	----	----	1	----	0 - 1
4515	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4520	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4525	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
4525	----	----	----/*4.60A	5.20B/*4.60A	----	4.90 - 1.40	.0459	----	----	----	----	20 UNCH
4530	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4530	----	----	#362.30B/281.20	#362.30B/281.20A	----	293.60 - 26.70	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4545	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
4550	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 6
4550	297.00	297.00	#342.30B/261.30	#342.30B/261.30A	----	273.60 - 26.80	----	----	----	46	----	0 - 46
4550	----	----	#345.70B/269.20	#345.70B/269.20A	----	279.40 - 28.10	.9435	----	----	----	----	1 UNCH
4550	----	----	----/*5.30A	6.50B/*5.30A	----	5.90 - 1.70	.0563	----	----	----	----	1 UNCH
4555	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4560	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4565	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4575	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4575	----	----	#321.60B/245.60	#321.60B/245.60A	----	255.70 - 28.30	.9294	----	----	----	----	1 UNCH
4580	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4585	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4585	----	----	#312.00B/236.30	#312.00B/236.30A	----	246.40 - 28.30	.9232	----	----	----	----	1 UNCH
4590	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4600	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.00 - 0.50	----	----	----	3	----	0 - 45
4600	----	----	#292.30B/211.40	#292.30B/211.40A	----	223.60 - 27.00	----	----	----	----	----	0 - 1
4600	----	----	25.80B/22.20A	25.80B/22.20A	----	24.40 - 0.10	.1673	----	----	----	----	0 UNCH
4600	----	----	297.50B/222.70A	297.50B/222.70A	----	232.50 - 28.40	.9123	----	----	----	----	4 UNCH
4600	8.50	8.50	8.50/*7.90A	10.40B/*7.90A	----	9.00 - 2.00	.0875	----	----	1	----	8 UNCH
4605	----	----	#287.30B/206.40	#287.30B/206.40A	----	218.60 - 27.00	----	----	----	----	----	0 - 1
4605	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4610	----	----	27.60B/*24.10A	27.60B/*24.10A	----	26.00 UNCH	.1771	----	----	----	----	6 UNCH
4610	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4615	----	----	#277.30B/196.40	#277.30B/196.40A	----	208.60 - 27.10	----	----	----	----	----	0 - 1
4615	----	----	28.50B/*24.80A	28.50B/*24.80A	----	26.80 NEW	.1820	----	----	1	----	1 + 1
4615	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 6
4620	----	----	#272.30B/191.30	#272.30B/191.30A	----	203.60 - 27.10	----	----	----	----	----	0 - 1
4620	----	----	----/*9.30A	12.50B/*9.30A	----	10.70 - 2.10	.1043	----	----	1	----	2 + 1
4620	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 54
4625	----	----	30.40B/*26.20A	30.40B/*26.20A	----	28.50 + 0.10	.1924	----	----	1	----	0 - 1
4625	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 41
4630	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 10
4630	----	----	----/*10.10A	13.80B/*10.10A	----	11.80 - 2.00	.1147	----	----	----	----	6 UNCH
4640	----	----	#252.40B/171.30	#252.40B/171.30A	----	183.60 - 27.20	----	----	----	----	----	0 UNCH
4640	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.00 - 0.80	----	----	----	1	----	0 - 38
4645	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	1	----	0 - 30
4650	----	----	#242.40B/161.30	#242.40B/161.30A	----	173.60 - 27.30	----	----	----	----	----	0 - 3
4650	0.20	0.20	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.90	----	----	----	3	----	0 - 70
4650	38.40	38.40	38.40/*28.00	38.40/*28.00	----	33.40 + 0.50	.2209	----	----	8	----	12 + 2
4650	----	----	16.60B/*11.80A	16.60B/*11.80A	----	14.10 - 2.10	.1366	----	----	2	----	82 + 2
4650	----	----	250.90B/178.00A	250.90B/178.00A	----	187.60 - 28.60	.8631	----	----	----	----	2 UNCH
4655	----	----	17.40B/*12.30A	17.40B/*12.30A	----	14.80 - 2.10	.1430	----	----	1	----	2 + 1
4655	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4660	----	----	18.20B/*12.80A	18.20B/*12.80A	----	15.50 - 2.10	.1494	----	----	1	----	1 UNCH
4660	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 75
4665	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 21
4665	----	----	#227.40B/146.20	#227.40B/146.20A	----	158.60 - 27.50	----	----	----	----	----	0 - 11
4670	179.00	179.00	232.20B/161.30A	232.20B/161.30A	----	170.50 - 28.60	.8367	----	----	2	----	10 + 2
4670	----	----	19.90B/*13.60A	19.90B/*13.60A	----	17.00 - 2.10	.1630	----	----	----	----	1 UNCH
4670	0.80	0.80	0.80/*0.20A	0.80/*0.20A	----	0.00 - 1.10	----	----	----	1	----	0 - 13
4675	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.00 - 1.20	----	----	----	3	----	0 - 20
4675	----	----	21.00B/*14.30A	21.00B/*14.30A	----	17.80 - 2.10	.1702	----	----	----	----	4 UNCH
4680	----	----	#212.40B/131.30	#212.40B/131.30A	----	143.60 - 27.70	----	----	----	----	----	0 - 1
4680	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 1.30	----	----	----	1	----	0 - 27
4680	164.00	164.00	223.40B/153.10A	223.40B/153.10A	----	162.10 NEW	.8223	----	----	2	----	2 + 2
4685	----	----	218.70B/149.00A	218.70B/149.00A	----	158.00 - 28.50	.8145	----	----	----	----	1 UNCH
4685	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 2
4685	----	----	23.00B/*15.50A	23.00B/*15.50A	----	19.50 - 2.00	.1853	----	----	----	----	6 UNCH
4690	----	----	218.90B/172.00A	218.90B/172.00A	----	176.20 - 25.40	.7270	----	----	----	----	1 UNCH
4690	159.00	159.00	214.50B/145.10A	214.50B/145.10A	----	153.90 - 28.50	.8066	----	----	2	----	7 + 2
4690	0.80	0.80	0.80/*0.10	0.80/*0.10	----	0.00 - 1.40	----	----	----	2	----	0 - 25
4690	19.90	19.90	23.90B/*16.10A	23.90B/*16.10A	----	20.40 NEW	.1932	----	----	2	----	2 + 2
4690	----	----	#202.50B/121.20	#202.50B/121.20A	----	133.60 - 27.90	----	----	----	----	----	0 - 2
4695	0.80	0.80	0.80/*0.20A	0.80/*0.20A	----	0.00 - 1.50	----	----	----	1	----	0 - 8
4695	----	----	25.20B/*16.70A	25.20B/*16.70A	----	21.30 - 2.00	.2011	----	----	----	----	3 UNCH
4695	----	----	#197.50B/116.40	#197.50B/116.40A	----	128.60 - 28.00	----	----	----	----	----	0 - 1
4700	----	----	#192.50B/111.40	#192.50B/111.40A	----	123.60 - 28.20	----	----	----	----	----	0 - 4
4700	0.90	0.90	1.00/*0.20A	1.00/*0.20A	----	0.00 - 1.70	----	----	----	3	----	0 - 56
4700	----	----	26.00B/*17.40A	26.00B/*17.40A	----	22.30 - 2.00	.2097	----	----	----	----	4 UNCH
4705	----	----	#187.50B/106.50	#187.50B/106.50A	----	118.60 - 28.30	----	----	----	3	----	0 - 4
4705	1.00	1.00	1.00/*0.20A	1.00/*0.20A	----	0.00 - 1.80	----	----	----	2	----	0 - 3
4710	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.90	----	----	----	----	----	0 - 50
4710	----	----	182.50B/101.50A	182.50B/101.50A	----	113.60 - 28.40	----	----	----	----	----	0 - 5
4710	20.60	20.60	28.80B/*18.80A	28.80B/*18.80A	----	24.50 NEW	.2278	----	----	1	----	1 + 1
4715	1.40	1.40	1.40/*0.20A	1.40/*0.20A	----	0.00 - 2.10	----	----	----	7	----	0 - 50
4715	----	----	30.10B/*19.50A	30.10B/*19.50A	----	25.60 - 1.80	.2370	----	----	----	----	15 UNCH
4720	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 79
4725	1.30	1.30	1.30/*0.20A	1.30/*0.20A	----	0.00 - 2.50	----	----	----	27	----	0 - 72
4725	----	----	167.60B/86.30A	167.60B/86.30A	----	98.60 - 29.00	----	----	----	----	----	0 - 1
4725	----	----	184.00B/118.10A	184.00B/118.10A	----	126.60 - 28.10	.7434	----	----	1	----	4 + 1
4730	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 - 2.70	----	----	----	----	----	0 - 51
4730	----	----	162.60B/81.50A	162.60B/81.50A	----	93.60 - 29.20	----	----	----	1	----	0 - 1
4735	----	----	157.70B/76.50A	157.70B/76.50A	----	88.60 - 29.40	----	----	----	----	----	0 - 6
4735	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 2.90	----	----	----	----	----	0 - 16
4735	----	----	36.00B/*22.90A	36.00B/*22.90A	----	30.70 - 1.40	.2771	----	----	----	----	1 UNCH
4740	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 - 3.20	----	----	----	----	----	0 - 20
4745	95.00	95.00	147.70B/66.40A	147.70B/66.40A	----	78.60 - 30.00	----	----	----	9	----	0 - 9
4745	1.00	1.00	1.00/*0.20A	1.90B/*0.20A	----	0.00 - 3.50	----	----	----	4	----	0 - 78
4750	1.60	1.60	2.20B/*0.10	2.20B/*0.10	----	0.00 - 3.90	----	----	----	96	----	0 - 141
4750	64.00	64.00	66.10B/*51.80A	66.10B/*51.80A	----	61.40 + 2.50	.3637	----	----	2	----	11 UNCH
4750	----	----	142.70B/61.60A	142.70B/61.60A	----	73.60 - 30.40	----	----	----	----	----	0 - 57
4750	32.00	32.00	40.60B/*25.80A	40.60B/*25.80A	----	35.00 - 1.20	.3096	----	----	5	----	6 + 5
4750	----	----	163.80B/100.80A	163.80B/100.80A	----	108.50 - 27.70	.6901	----	----	----	----	1 UNCH
4755	2.20	2.20	3.20/*0.20A	3.20/*0.20A	----	0.00 - 4.30	----	----	----	30	----	0 - 25
4755	----	----	137.80B/56.70A	137.80B/56.70A	----	68.60 - 30.70	----	----	----	3	----	0 - 3
4760	2.00	2.00	3.10B/*0.10	3.10B/*0.10	----	0.00 - 4.70	----	----	----	6	----	0 - 10
4760	64.20	64.20	132.80B/51.60A	132.80B/51.60A	----	63.60 - 31.20	----	----	----	34	----	0 - 36
4760	----	----	69.90B/*54.80A	69.90B/*54.80A	----	65.10 + 2.80	.3802	----	----	1	----	0 - 1
4760	----	----	44.50B/*27.40A	44.50B/*27.40A	----	38.20 - 0.90	.3326	----	----	----	----	4 UNCH
4765	1.10	1.10	1.10/*0.10A	3.70B/*0.10A	----	0.00 - 5.20	----	----	----	1	----	0 - 7
4765	----	----	151.90B/91.00A	151.90B/91.00A	----	98.40 - 27.20	.6555	----	----	----	----	3 UNCH
4770	----	----	123.00B/42.00A	123.00B/42.00A	----	53.60 - 32.20	----	----	----	----	----	0 - 3
4770	1.70	1.70	4.50/*0.20A	4.50/*0.20A	----	0.00 - 5.70	----	----	----	45	----	0 - 14
4775	4.00	4.00	5.20B/*0.20A	5.20B/*0.20A	----	0.00 - 6.30	----	----	----	20	----	0 - 14
4775	----	----	118.10B/37.20A	118.10B/37.20A	----	48.60 - 32.80	----	----	----	----	----	0 - 10
4780	44.00	44.00	113.20B/32.50A	113.20B/32.50A	----	43.60 - 33.50	----	----	----	40	----	0 - 1
4780	3.00	3.00	6.10B/*0.20A	6.10B/*0.20A	----	0.00 - 7.00	----	----	----	51	----	0 - 12
4780	----	----	152.80B/113.20A	152.80B/113.20A	----	116.50 - 23.00	.5856	----	----	----	----	1 UNCH
4780	----	----	52.40B/*32.10A	52.40B/*32.10A	----	45.20 - 0.30	.3807	----	----	----	----	1 UNCH
4785	----	----	108.30B/27.90A	108.30B/27.90A	----	38.60 - 34.20	----	----	----	----	----	0 - 1
4785	3.00	3.00	7.30B/*0.20	7.30B/*0.20	----	0.00 - 7.70	----	----	----	5	----	0 - 21
4790	53.00	53.00	103.50B/23.50A	103.50B/23.50A	----	33.60 - 35.10	----	----	----	1	----	0 - 3
4790	4.50	4.50	8.50B/*0.20	8.50B/*0.20	----	0.00 - 8.60	----	----	----	40	----	0 - 64
4790	----	----	133.00B/75.00A	133.00B/75.00A	----	82.70 - 26.40	.5939	----	----	----	----	8 UNCH
4790	----	----	56.40B/*34.90A	56.40B/*34.90A	----	49.10 + 0.10	.4059	----	----	----	----	1 UNCH
4795	6.10	6.10	10.00B/*0.10	10.00B/*0.10	----	0.00 - 9.50	----	----	----	40	----	0 - 3
4795	----	----	98.60B/19.30A	98.60B/19.30A	----	28.60 - 36.00	----	----	----	----	----	0 - 1
4795	----	----	58.60B/*36.30A	58.60B/*36.30A	----	51.10 + 0.20	.4186	----	----	----	----	8 UNCH
4800	4.90	4.90	11.70B/*0.10	11.70B/*0.10	----	0.00 - 10.60	----	----	----	249	----	0 - 73
4800	----	----	139.70B/102.20A	139.70B/102.20A	----	105.10 NEW	.5508	----	----	2	----	2 + 2
4800	----	----	87.30B/*67.70A	87.30B/*67.70A	----	81.50 + 4.10	.4487	----	----	1	----	2 + 1
4800	72.50	72.50	93.90B/15.60A	93.90B/15.60A	----	23.60 - 37.10	----	----	----	133	----	0 - 83
4800	73.00	73.00	125.40B/69.50A	125.40B/69.50A	----	76.80 NEW	.5682	----	----	2	----	2 + 2
4800	----	----	61.60B/*37.60A	61.60B/*37.60A	----	53.20 + 0.40	.4315	----	----	41	----	46 + 20
4805	6.80	6.80	13.70B/*0.10A	13.70B/*0.10A	----	0.00 - 11.80	----	----	----	13	----	0 - 4
4805	44.10	44.10	88.90B/11.20A	88.90B/11.20A	----	18.60 - 38.30	----	----	----	2	----	0 - 2
4805	----	----	122.20B/66.80A	122.20B/66.80A	----	74.00 - 25.80	.5552	----	----	----	----	9 UNCH
4810	47.50	47.50	84.20B/*8.60A	84.20B/*8.60A	----	13.60 - 39.50	----	----	----	8	----	0 - 42
4810	8.20	8.20	15.90B/*0.10A	15.90B/*0.10A	----	0.00 - 13.00	----	----	----	183	----	0 - 33
4815	21.40	21.40	79.70B/*6.40A	79.70B/*6.40A	----	8.60 - 41.00	----	----	----	25	----	0 - 4
4815	6.80	6.80	18.40B/*0.10A	18.40B/*0.10A	----	0.00 - 14.50	----	----	----	89	----	0 - 1
4815	----	----	115.30B/62.00A	115.30B/62.00A	----	68.50 - 25.40	.5289	----	----	----	----	28 UNCH
4815	----	----	68.70B/*42.40A	68.70B/*42.40A	----	59.90 + 1.10	.4709	----	----	----	----	50 UNCH
4820	16.00	16.00	75.20B/*3.30A	75.20B/*3.30A	----	3.60 - 42.50	----	----	----	79	----	0 - 20
4820	7.50	7.50	20.10B/*0.10	20.10B/*0.10	----	0.00 - 16.00	----	----	----	118	----	0 - 35
4820	----	----	97.10B/*75.20A	97.10B/*75.20A	----	90.80 + 4.80	.4841	----	----	----	----	1 UNCH
4820	----	----	111.60B/59.80A	111.60B/59.80A	----	65.80 - 25.20	.5156	----	----	32	----	33 + 32

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
APR26												
4820	----	----	71.60B/*44.00A	71.60B/*44.00A	----	62.20 + 1.30	.4841	----	----	----	----	9 UNCH
4825	8.00	8.00	22.80B/*0.60A	22.80B/*0.60A	----	1.40 - 16.30	----	----	----	139	----	0 - 6
4825	36.50	36.50	70.50B/*1.40A	70.50B/*1.40A	----	0.00 - 42.80	----	----	----	57	----	0 - 36
4825	----	----	108.60B/57.40A	108.60B/57.40A	----	63.30 - 24.90	.5023	----	----	----	----	5 UNCH
4830	18.00	18.00	65.90B/*0.10A	65.90B/*0.10A	----	0.00 - 39.70	----	----	----	43	----	0 - 20
4830	17.50	17.50	25.90B/*1.80A	25.90B/*1.80A	----	6.40 - 13.20	----	----	----	72	----	0 - 9
4830	101.50	101.50	121.10B/86.60A	121.10B/86.60A	----	89.30 NEW	.4976	----	----	1	----	1 + 1
4830	----	----	105.20B/55.10A	105.20B/55.10A	----	60.80 - 24.60	.4890	----	----	----	----	9 UNCH
4830	----	----	77.00B/*47.60A	77.00B/*47.60A	----	67.20 + 1.80	.5107	----	----	----	----	28 UNCH
4835	10.20	10.20	29.40B/*4.40A	29.40B/*4.40A	----	11.40 - 10.20	----	----	----	34	----	0 - 5
4835	30.00	30.00	61.80B/*0.40A	61.80B/*0.40A	----	0.00 - 36.60	----	----	----	126	----	0 - 11
4835	----	----	102.00B/52.80A	102.00B/52.80A	----	58.30 - 24.40	.4757	----	----	----	----	8 UNCH
4840	15.50	15.50	33.10B/*5.90A	33.10B/*5.90A	----	16.40 - 7.30	----	----	----	37	----	0 - 8
4840	32.00	32.00	57.50B/*0.10	57.50B/*0.10	----	0.00 - 33.80	----	----	----	130	----	0 - 5
4840	----	----	98.90B/50.70A	98.90B/50.70A	----	55.90 - 24.20	.4623	----	----	----	----	4 UNCH
4845	6.50	6.50	37.10B/*6.50	37.10B/*6.50	----	21.40 - 4.60	----	----	----	43	----	0 - 14
4845	19.00	19.00	53.20B/*0.30A	53.20B/*0.30A	----	0.00 - 31.10	----	----	----	117	----	0 - 6
4845	----	----	96.00B/48.40A	96.00B/48.40A	----	53.60 - 23.90	.4490	----	----	----	----	18 UNCH
4850	22.00	22.00	49.30B/*0.10	49.30B/*0.10	----	0.00 - 28.60	----	----	----	172	----	0 - 110
4850	18.50	18.50	42.00/*9.00	42.00/*9.00	----	26.40 - 2.10	----	----	----	61	----	0 - 22
4850	----	----	109.40B/77.30A	109.40B/77.30A	----	79.70 - 20.50	.4620	----	----	----	----	1 UNCH
4850	49.00	49.00	92.90B/46.40A	92.90B/46.40A	----	51.40 - 23.60	.4358	----	----	111	----	109 + 108
4850	----	----	88.40B/*55.00A	88.40B/*55.00A	----	77.80 + 2.90	.5639	----	----	1	----	5 + 1
4855	23.50	23.50	45.40B/*11.20A	45.40B/*11.20A	----	31.40 + 0.30	----	----	----	4	----	0 - 5
4855	20.50	20.50	45.50B/*0.30A	45.50B/*0.30A	----	0.00 - 26.20	----	----	----	21	----	0 - 4
4860	25.00	25.00	49.80B/*12.70A	49.80B/*12.70A	----	36.40 + 2.50	----	----	----	19	----	0 - 6
4860	27.00	27.00	41.70B/*0.20A	41.70B/*0.20A	----	0.00 - 24.00	----	----	----	22	----	0 - 9
4860	----	----	87.70B/42.50A	87.70B/42.50A	----	47.10 - 23.00	.4095	----	----	----	----	4 UNCH
4865	28.50	28.50	38.40B/*0.10	38.40B/*0.10	----	0.00 - 21.90	----	----	----	66	----	0 - 28
4865	34.00	34.00	54.30B/*14.30A	54.30B/*14.30A	----	41.40 + 4.60	----	----	----	7	----	0 - 5
4865	----	----	84.90B/40.60A	84.90B/40.60A	----	45.10 - 22.70	.3966	----	----	----	----	100 UNCH
4870	22.10	22.10	34.80B/*0.20A	34.80B/*0.20A	----	0.00 - 20.00	----	----	----	160	----	0 - 5
4870	28.40	28.40	59.10B/*15.80A	59.10B/*15.80A	----	46.40 + 6.50	----	----	----	31	----	0 - 1
4870	----	----	82.10B/38.90A	82.10B/38.90A	----	43.10 - 22.40	.3836	----	----	----	----	14 UNCH
4875	23.00	23.00	31.70B/*0.20A	31.70B/*0.20A	----	0.00 - 18.20	----	----	----	69	----	0 - 42
4875	33.20	33.20	63.90B/*17.80A	63.90B/*17.80A	----	51.40 + 8.30	----	----	----	8	----	0 - 1
4880	18.00	18.00	28.70B/*0.20A	28.70B/*0.20A	----	0.00 - 16.50	----	----	----	20	----	0 - 9
4880	----	----	68.90B/*20.00A	68.90B/*20.00A	----	56.40 + 10.00	----	----	----	1	----	0 - 1
4880	----	----	105.80B/*68.50A	105.80B/*68.50A	----	95.70 + 4.80	.6416	----	----	----	----	7 UNCH
4885	----	----	73.90B/*21.70A	73.90B/*21.70A	----	61.40 + 11.50	----	----	----	2	----	0 - 3
4885	9.00	9.00	26.40B/*0.20A	26.40B/*0.20A	----	0.00 - 15.00	----	----	----	69	----	0 - 25
4890	16.00	16.00	27.70/*0.10A	27.70/*0.10A	----	0.00 - 13.60	----	----	----	32	----	0 - 55
4890	----	----	71.50B/32.00A	71.50B/32.00A	----	35.80 - 21.10	.3334	----	----	----	----	1 UNCH
4895	----	----	21.30B/*0.20A	21.30B/*0.20A	----	0.00 - 12.40	----	----	----	----	----	0 - 1
4895	----	----	84.00B/*27.00A	84.00B/*27.00A	----	71.40 + 14.10	----	----	----	----	----	0 - 1
4895	----	----	69.00B/30.60A	69.00B/30.60A	----	34.20 NEW	.3215	----	----	1	----	1 + 1
4900	48.00	48.00	88.90B/*29.70A	88.90B/*29.70A	----	76.40 + 15.30	----	----	----	7	----	0 - 5
4900	15.80	15.80	21.80/*0.20A	21.80/*0.20A	----	0.00 - 11.20	----	----	----	261	----	0 - 51
4900	----	----	86.90B/57.30A	86.90B/57.30A	----	59.00 - 18.30	.3746	----	----	----	----	31 UNCH
4900	38.70	38.70	66.70B/29.20A	66.70B/29.20A	----	32.60 - 20.30	.3096	----	----	4	----	13 + 4
4905	10.10	10.10	16.60B/*0.20A	16.60B/*0.20A	----	0.00 - 10.20	----	----	----	23	----	0 - 1
4905	----	----	64.40B/27.80A	64.40B/27.80A	----	31.10 - 19.90	.2981	----	----	----	----	50 UNCH
4910	5.20	5.20	14.70B/*0.20	14.70B/*0.20	----	0.00 - 9.20	----	----	----	14	----	0 - 61
4910	----	----	62.10B/26.50A	62.10B/26.50A	----	29.60 - 19.60	.2866	----	----	----	----	4 UNCH
4915	----	----	13.00B/*0.20A	13.00B/*0.20A	----	0.00 - 8.30	----	----	----	3	----	0 - 7
4915	----	----	103.90B/*39.00A	103.90B/*39.00A	----	91.40 + 18.20	----	----	----	----	----	0 - 1
4920	----	----	108.80B/*42.40A	108.80B/*42.40A	----	96.40 + 19.00	----	----	----	1	----	0 - 1
4920	14.50	14.50	14.50/*0.20	14.50/*0.20	----	0.00 - 7.60	----	----	----	30	----	0 - 17
4925	----	----	9.90B/*0.20A	9.90B/*0.20A	----	0.00 - 6.80	----	----	----	14	----	0 - 9
4925	----	----	75.10B/48.90A	75.10B/48.90A	----	50.30 - 17.20	.3331	----	----	----	----	5 UNCH
4925	30.10	30.10	55.60B/22.90A	55.60B/22.90A	----	25.60 - 18.40	.2541	----	----	5	----	4 + 3
4930	7.10	7.10	8.70B/*0.20A	8.70B/*0.20A	----	0.00 - 6.20	----	----	----	102	----	0 - 2
4930	----	----	141.60B/*95.00A	141.60B/*95.00A	----	130.70 + 8.50	.7562	----	----	----	----	1 UNCH
4930	----	----	53.00B/21.80A	53.00B/21.80A	----	24.30 NEW	.2435	----	----	1	----	1 + 1
4935	0.70	0.70	7.40B/*0.20A	7.40B/*0.20A	----	0.00 - 5.60	----	----	----	5	----	0 - 4
4940	0.80	0.80	6.00B/*0.20A	6.00B/*0.20A	----	0.00 - 5.10	----	----	----	2	----	0 - 34
4945	----	----	5.50B/*0.20A	5.50B/*0.20A	----	0.00 - 4.60	----	----	----	----	----	0 - 2
4950	2.40	2.40	4.50B/*0.10A	4.50B/*0.10A	----	0.00 - 4.20	----	----	----	18	----	0 - 62
4950	62.80	62.80	138.70B/*62.80	138.70B/*62.80	----	126.40 NEW	----	----	----	2	----	0 UNCH
4950	----	----	45.30B/17.70A	45.30B/17.70A	----	19.90 - 16.40	.2051	----	----	1	----	1 UNCH
4955	----	----	----/*0.20A	3.60B/*0.20A	----	0.00 - 3.80	----	----	----	----	----	0 - 1
4955	----	----	43.50B/16.90A	43.50B/16.90A	----	18.90 - 16.00	.1961	----	----	----	----	8 UNCH
4955	----	----	161.40B/*111.20	161.40B/*111.20A	----	150.20 NEW	.8036	----	----	1	----	1 + 1
4960	----	----	165.40B/*114.40	165.40B/*114.40A	----	154.30 + 10.90	.8120	----	----	----	----	1 UNCH
4960	----	----	41.80B/16.10A	41.80B/16.10A	----	18.00 - 15.60	.1877	----	----	1	----	1 UNCH
4960	----	----	----/*0.20A	3.20B/*0.20A	----	0.00 - 3.40	----	----	----	1	----	0 - 2
4965	----	----	----/*0.20A	2.60B/*0.20A	----	0.00 - 3.10	----	----	----	----	----	0 - 9
4970	----	----	158.70B/*82.20A	158.70B/*82.20A	----	146.40 NEW	----	----	----	2	----	0 UNCH
4970	----	----	----/*0.20A	2.20B/*0.20A	----	0.00 - 2.80	----	----	----	18	----	0 - 21
4975	----	----	163.70B/*86.70A	163.70B/*86.70A	----	151.40 + 23.90	----	----	----	----	----	0 - 1
4975	2.00	2.00	2.00/*0.10	2.00/*0.10	----	0.00 - 2.60	----	----	----	13	----	0 - 43
4975	----	----	37.10B/13.80A	37.10B/13.80A	----	15.40 - 14.50	.1634	----	----	1	----	6 + 1
4980	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 7
4985	0.40	0.40	0.40/*0.20A	1.10B/*0.20A	----	0.00 - 2.10	----	----	----	6	----	0 - 4
4990	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 1
4990	----	----	32.70B/11.90A	32.70B/11.90A	----	13.30 - 13.20	.1425	----	----	----	----	14 UNCH
4995	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.80	----	----	----	1	----	0 - 2
4995	12.80	12.80	30.80B/11.40A	30.80B/11.40A	----	12.60 - 12.90	.1357	----	----	50	----	50 + 22
4995	----	----	183.80B/*105.20	183.80B/*105.20A	----	171.40 + 24.70	----	----	----	----	----	0 - 1
5000	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 1.60	----	----	----	6	----	0 - 58
5000	----	----	188.90B/*109.90	188.90B/*109.90A	----	176.40 + 24.90	----	----	----	----	----	0 - 2
5000	12.10	12.10	30.00B/10.80A	30.00B/10.80A	----	12.00 - 12.50	.1296	----	----	78	----	193 + 76
5000	----	----	46.80B/29.50A	46.80B/29.50A	----	30.30 - 13.60	.2237	----	----	----	----	1 UNCH
5005	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 4
5010	----	----	27.50B/9.80A	27.50B/9.80A	----	10.90 NEW	.1181	----	----	1	----	1 + 1
5010	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 1.40	----	----	----	2	----	0 - 21
5015	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 13
5015	----	----	26.20B/9.40A	26.20B/9.40A	----	10.30 NEW	.1122	----	----	1	----	1 + 1
5015	----	----	203.90B/*124.40	203.90B/*124.40A	----	191.40 + 25.30	----	----	----	----	----	0 - 2
5020	0.60	0.60	1.40/*0.20A	1.40/*0.20A	----	0.00 - 1.10	----	----	----	4	----	0 UNCH
5025	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 4
5025	----	----	23.60B/8.50A	23.60B/8.50A	----	9.40 NEW	.1024	----	----	1	----	1 + 1
5040	0.80	0.80	0.80/*0.20A	0.80/*0.20A	----	0.00 - 0.80	----	----	----	1	----	0 - 41
5050	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 7
5050	----	----	32.80B/21.00A	32.80B/21.00A	----	21.30 - 11.20	.1663	----	----	----	----	3 UNCH
5055	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
5060	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 6
5065	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
5070	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
5075	----	----	----/17.20A	27.10B/17.20A	----	17.80 - 10.10	.1422	----	----	----	----	2 UNCH
5075	14.00	14.00	15.00B/5.40A	15.00B/5.40A	----	5.90 - 7.50	.0642	----	----	3	----	77 + 2
5075	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
5080	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 1
5085	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 NEW	----	----	----	2	----	0 UNCH
5090	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 13
5095	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5100	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 11
5100	----	----	11.40B/4.50A	11.40B/4.50A	----	4.70 - 6.30	.0508	----	----	1	----	7 + 1
5105	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
5110	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
5125	----	----	----/3.70A	8.90B/3.70A	----	3.80 - 5.20	.0405	----	----	----	----	1 UNCH
5150	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5175	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5175	----	----	----/2.60A	5.30B/2.60A	----	2.60 - 3.50	.0267	----	----	----	----	4 UNCH
5200	----	----	----	0.10B/0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 3
5200	----	----	----/7.60A	9.90B/7.60A	----	7.80 - 5.40	.0658	----	----	----	----	119 UNCH
5220	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5225	----	----	----/*2.00A	3.20B/2.00A	----	1.70 - 2.30	.0170	----	----	----	----	1 UNCH
5250	----	----	----/*1.70A	2.50B/*1.70A	----	1.40 NEW	.0137	----	----	2	----	2 + 2
5325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 UNCH
TOTAL										3923		1559 - 3075
MAY26												
4400	----	----	----/*15.00A	12.30B/*15.00A	----	14.40 - 1.60	.0845	----	----	----	----	75 UNCH
4600	----	----	----/*37.00A	38.50B/*37.00A	----	40.20 NEW	.2147	----	----	1	----	1 + 1
4670	----	----	----/*50.90A	56.70B/*50.90A	----	57.20 + 0.20	.2876	----	----	2	----	12 + 2
4700	----	----	65.90B/*58.10A	65.90B/*58.10A	----	66.30 + 0.90	.3232	----	----	----	----	45 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4705	----	----	67.10B/*59.60A	67.10B/*59.60A	----	67.90 NEW	.3293	----	----	1	----	1 + 1
4760	----	----	88.90B/*75.70A	88.90B/*75.70A	----	88.20 + 2.80	.4005	----	----	----	----	10 UNCH
4800	----	----	#162.70B/127.40	#162.70B/127.40A	----	129.30 - 22.20	.5443	----	----	----	----	40 UNCH
4850	----	----	#133.70B/102.30	#133.70B/102.30A	----	104.60 - 20.20	.4749	----	----	----	----	51 UNCH
5075	----	----	----/34.20A	45.80B/34.20A	----	34.80 - 11.20	.2069	----	----	----	----	1 UNCH
TOTAL										4		236+ 4

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	----	----/1.20A	----	0.30 - 0.20	.0014	----	----	1	----	2 + 1
4200	----	----	----	0.40B/*1.00A	----	0.60 - 0.40	.0038	----	----	----	----	2 UNCH
4200	----	----	----	0.80B/3.70A	----	2.30 - 0.10	.0156	----	----	----	----	4 UNCH
4225	----	----	----	0.50B/*1.20A	----	0.70 - 0.50	.0045	----	----	----	----	1 UNCH
4240	----	----	----	0.50B/*1.20A	----	0.80 - 0.40	.0052	----	----	----	----	1 UNCH
4250	----	----	----	0.50B/*1.30A	----	0.80 - 0.50	.0053	----	----	----	----	25 UNCH
4250	----	----	----	2.00B/4.20A	----	2.80 - 0.30	.0196	----	----	----	----	1 UNCH
4300	3.40	3.40	3.40/*3.40	3.40/*3.40	----	3.50 - 0.50	.0252	----	----	1	----	2 + 1
4300	----	----	----/*1.50A	0.70B/*1.50A	----	1.00 - 0.60	.0071	----	----	----	----	2 UNCH
4325	----	----	----/*1.40A	0.80B/*1.40A	----	1.20 - 0.60	.0088	----	----	----	----	10 UNCH
4350	----	----	----	3.10B/*5.90A	----	4.50 - 0.60	.0332	----	----	----	----	1 UNCH
4360	----	----	----/*1.50A	1.00B/*1.50A	----	1.30 - 0.80	.0101	----	----	----	----	2 UNCH
4375	----	----	----/*1.60A	1.10B/*1.60A	----	1.40 - 0.80	.0111	----	----	----	----	10 UNCH
4390	----	----	----/*1.70A	1.20B/*1.70A	----	1.50 - 0.90	.0122	----	----	----	----	0 UNCH
4400	5.00	5.00	5.50/*5.00	5.50/*5.00	----	5.90 - 0.80	.0443	----	----	30	----	31 + 30
4400	----	----	----	----	----	450.10 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	1.60	1.60	1.60/*1.60	1.60/*1.60	----	1.60 - 0.90	.0131	----	----	1	----	2 + 1
4460	----	----	----/*2.10A	2.00B/*2.10A	----	2.20 - 1.20	.0198	----	----	----	----	0 UNCH
4475	----	----	----/*8.90A	8.80B/*8.90A	----	9.30 - 0.80	.0704	----	----	----	----	4 UNCH
4475	----	----	#412.50B/343.00	#412.50B/343.00A	----	350.90 - 27.70	.9778	----	----	----	----	5 UNCH
4480	----	----	----/*2.40A	2.40B/*2.40A	----	2.50 - 1.30	.0231	----	----	----	----	5 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	350.10 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----/*2.60A	2.80B/*2.60A	----	2.90 - 1.40	.0274	----	----	----	----	2 UNCH
4515	----	----	----	----	----	335.10 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----/*3.20A	3.60B/*3.20A	----	3.60 NEW	.0353	----	----	1	----	1 + 1
4535	----	----	----/*3.40A	3.80B/*3.40A	----	3.70 - 1.70	.0366	----	----	----	----	1 UNCH
4540	----	----	----/*3.50A	4.00B/*3.50A	----	3.80 - 1.80	.0379	----	----	----	----	1 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	300.10 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----/*3.80A	4.30B/*3.80A	----	4.20 - 1.80	.0422	----	----	----	----	2 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----/*4.10A	4.80B/*4.10A	----	4.50 - 1.90	.0458	----	----	----	----	1 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	19.60B/*17.50A	19.60B/*17.50A	----	18.40 - 0.80	.1363	----	----	----	----	1 UNCH
4585	----	----	20.50B/*18.00A	20.50B/*18.00A	----	19.10 - 0.70	.1409	----	----	----	----	4 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	260.10 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----/*5.20A	6.50B/*5.20A	----	5.80 - 2.20	.0607	----	----	----	----	1 UNCH
4600	21.00	21.00	22.70B/*19.60A	22.70B/*19.60A	----	21.00 - 0.80	.1541	----	----	2	----	2 UNCH
4600	----	----	----	----	----	250.10 UNCH	----	----	----	----	----	0 UNCH
4600	5.70	5.70	5.70/*5.70	7.20B/*5.70	----	6.40 - 2.30	.0674	----	----	1	----	9 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	245.10 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----/*5.90A	7.50B/*5.90A	----	6.70 - 2.30	.0708	----	----	----	----	2 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	#285.60B/210.50	#285.60B/210.50A	----	220.50 - 28.80	.9256	----	----	----	----	10 UNCH
4620	----	----	----	----	----	230.10 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----/*6.70A	9.00B/*6.70A	----	7.70 NEW	.0820	----	----	1	----	1 + 1
4620	----	----	#276.10B/201.30	#276.10B/201.30A	----	211.20 - 28.90	.9177	----	----	----	----	1 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	#271.20B/196.70	#271.20B/196.70A	----	206.60 - 28.90	.9134	----	----	----	----	1 UNCH
4630	----	----	28.00B/*24.20A	28.00B/*24.20A	----	25.70 - 0.60	.1849	----	----	----	----	1 UNCH
4630	----	----	----/*7.30A	10.10B/*7.30A	----	8.50 - 2.50	.0909	----	----	----	----	4 UNCH
4635	----	----	----	----	----	215.10 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----/*7.70A	10.60B/*7.70A	----	8.90 - 2.60	.0954	----	----	----	----	19 UNCH
4640	----	----	----	----	----	210.10 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----/*8.80A	12.40B/*8.80A	----	10.40 - 2.60	.1115	----	----	----	----	1 UNCH
4655	----	----	#242.80B/169.90	#242.80B/169.90A	----	179.40 - 29.20	.8828	----	----	----	----	1 UNCH
4655	----	----	33.30B/*27.90A	33.30B/*27.90A	----	30.30 - 0.60	.2140	----	----	----	----	1 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----/*9.70A	13.60B/*9.70A	----	11.50 - 2.70	.1233	----	----	----	----	18 UNCH
4665	----	----	----	----	----	185.10 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----/*10.70A	15.10B/*10.70A	----	12.70 - 2.70	.1361	----	----	----	----	1 UNCH
4670	----	----	----	----	----	180.10 UNCH	----	----	----	----	----	0 UNCH
4675	31.00	31.00	38.10B/*31.00	38.10B/*31.00	----	34.50 NEW	.2397	----	----	1	----	1 + 1
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	175.10 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----/*11.20A	15.80B/*11.20A	----	13.30 - 2.80	.1426	----	----	1	----	2 + 1
4680	----	----	----	----	----	170.10 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----/*11.80A	16.80B/*11.80A	----	14.00 - 2.80	.1499	----	----	----	----	1 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	38.40	38.40	40.60B/*33.20A	40.60B/*33.20A	----	36.90 - 0.30	.2537	----	----	1	----	2 UNCH
4685	----	----	----	----	----	165.10 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	42.00B/*34.10A	42.00B/*34.10A	----	38.10 - 0.30	.2607	----	----	----	----	2 UNCH
4690	----	----	----	----	----	160.10 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	210.80B/139.80A	210.80B/139.80A	----	149.10 - 29.20	.8339	----	----	----	----	3 UNCH
4690	----	----	18.50B/*12.90A	18.50B/*12.90A	----	15.60 NEW	.1659	----	----	3	----	3 + 3
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	155.10 UNCH	----	----	----	----	----	0 UNCH
4700	44.00	44.00	44.90B/*36.10A	44.90B/*36.10A	----	40.60 - 0.30	.2752	----	----	1	----	6 UNCH
4700	----	----	20.60B/*13.90A	20.60B/*13.90A	----	17.30 - 2.70	.1829	----	----	----	----	1 UNCH
4700	----	----	----	----	----	150.10 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	201.80B/131.80A	201.80B/131.80A	----	140.80 NEW	.8169	----	----	1	----	1 + 1
4705	----	----	46.40B/*37.20A	46.40B/*37.20A	----	42.00 - 0.10	.2828	----	----	----	----	1 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	21.50B/*14.50A	21.50B/*14.50A	----	18.20 NEW	.1918	----	----	1	----	1 + 1
4710	----	----	47.90B/*38.20A	47.90B/*38.20A	----	43.30 - 0.20	.2903	----	----	----	----	1 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	20.20	20.20	22.70B/*15.10A	22.70B/*15.10A	----	19.10 NEW	.2008	----	----	1	----	1 + 1
4715	----	----	----	----	----	135.10 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	130.10 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	25.10B/*16.40A	25.10B/*16.40A	----	21.20 NEW	.2207	----	----	3	----	3 + 3
4725	----	----	----	----	----	125.10 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	54.40B/*42.80A	54.40B/*42.80A	----	49.20 + 0.10	.3220	----	----	----	----	2 UNCH
4730	----	----	184.30B/139.90A	184.30B/139.90A	----	142.70 - 26.30	.6775	----	----	----	----	2 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	120.10 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	56.00B/*44.10A	56.00B/*44.10A	----	50.80 + 0.20	.3303	----	----	----	----	3 UNCH
4735	----	----	180.50B/136.60A	180.50B/136.60A	----	139.30 - 26.20	.6693	----	----	----	----	3 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	115.10 UNCH	----	----	----	----	----	0 UNCH
4740	55.00	55.00	57.90B/*45.30A	57.90B/*45.30A	----	52.40 + 0.30	.3387	----	----	6	----	7 + 6
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	110.10 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
APR26												
4745	----	----	----	----	----	105.10 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	25.00	25.00	33.80B/*21.30A	33.80B/*21.30A	----	28.70 - 2.10	.2882	----	----	3	----	4 + 1
4750	----	----	----	----	----	100.10 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	35.30B/*22.30A	35.30B/*22.30A	----	30.10 - 2.00	.3004	----	----	----	----	1 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	95.10 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	150.50B/87.10A	150.50B/87.10A	----	95.20 - 28.40	.6864	----	----	----	----	1 UNCH
4760	----	----	37.00B/*23.30A	37.00B/*23.30A	----	31.70 - 1.80	.3133	----	----	----	----	1 UNCH
4760	----	----	----	----	----	90.10 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	39.00B/*24.40A	39.00B/*24.40A	----	33.20 - 1.80	.3261	----	----	----	----	10 UNCH
4765	----	----	158.70B/117.60A	158.70B/117.60A	----	119.70 - 25.70	.6176	----	----	----	----	1 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	85.10 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	40.70B/*25.50A	40.70B/*25.50A	----	34.90 - 1.50	.3395	----	----	----	----	1 UNCH
4770	----	----	69.40B/*53.80A	69.40B/*53.80A	----	63.00 + 0.80	.3909	----	----	----	----	1 UNCH
4770	----	----	----	----	----	80.10 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	151.40B/111.50A	151.40B/111.50A	----	113.50 - 25.50	.5995	----	----	----	----	1 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	75.10 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	42.60B/*26.70A	42.60B/*26.70A	----	36.60 - 1.40	.3530	----	----	----	----	2 UNCH
4780	----	----	148.60B/108.50A	148.60B/108.50A	----	110.50 - 25.40	.5905	----	----	----	----	2 UNCH
4780	----	----	73.60B/*56.90A	73.60B/*56.90A	----	66.90 + 1.00	.4091	----	----	----	----	3 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	70.10 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	65.10 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	48.80B/*30.30A	48.80B/*30.30A	----	42.20 NEW	.3950	----	----	1	----	1 + 1
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	60.10 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	55.10 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	135.10B/97.20A	135.10B/97.20A	----	98.90 - 24.90	.5533	----	----	----	----	11 UNCH
4800	68.00	68.00	83.00/*63.60A	83.00/*63.60A	----	75.40 + 1.70	.4463	----	----	2	----	2 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	50.10 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	119.40B/62.00A	119.40B/62.00A	----	69.80 - 26.90	.5757	----	----	----	----	23 UNCH
4800	46.10	46.10	53.70B/*32.70A	53.70B/*32.70A	----	46.30 - 0.30	.4241	----	----	5	----	9 + 3
4805	----	----	----	----	----	45.10 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	112.20B/56.70A	112.20B/56.70A	----	64.20 - 26.40	.5462	----	----	----	----	1 UNCH
4810	----	----	128.50B/92.10A	128.50B/92.10A	----	93.50 - 24.50	.5344	----	----	----	----	3 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	40.10 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	60.80B/*36.60A	60.80B/*36.60A	----	52.90 NEW	.4685	----	----	1	----	1 + 1
4815	----	----	108.70B/54.50A	108.70B/54.50A	----	61.50 NEW	.5312	----	----	1	----	1 + 1
4815	----	----	89.80B/*68.90A	89.80B/*68.90A	----	82.20 + 2.10	.4747	----	----	----	----	8 UNCH
4815	----	----	125.60B/89.30A	125.60B/89.30A	----	90.80 - 24.40	.5248	----	----	----	----	8 UNCH
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	35.10 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	30.10 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	25.10 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	101.80B/49.60A	101.80B/49.60A	----	56.30 - 25.60	.5011	----	----	----	----	3 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	20.10 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	71.00B/*43.70A	71.00B/*43.70A	----	62.80 NEW	.5288	----	----	1	----	1 + 1
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	15.10 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	91.60B/43.20A	91.60B/43.20A	----	49.10 NEW	.4559	----	----	1	----	1 + 1
4840	101.00	101.00	110.80B/77.10A	110.80B/77.10A	----	78.20 NEW	.4770	----	----	16	----	9 + 9
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	10.10 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	107.90B/74.70A	107.90B/74.70A	----	75.80 NEW	.4674	----	----	1	----	1 + 1
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	----	----	----	5.10 UNCH	----	----	----	----	----	0 UNCH
4850	97.00	97.00	105.10B/72.50A	105.10B/72.50A	----	73.50 - 23.10	.4578	----	----	3	----	4 + 3
4850	----	----	80.50B/*49.20A	80.50B/*49.20A	----	71.10 + 2.60	.5737	----	----	1	----	1 UNCH
4850	56.80	56.80	85.20B/38.80A	85.20B/38.80A	----	44.70 - 23.90	.4260	----	----	1	----	16 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	0 UNCH
4855	47.60	47.60	82.20B/36.90A	82.20B/36.90A	----	42.60 NEW	.4113	----	----	50	----	50 + 50
4855	71.30	71.30	82.80B/*51.30A	82.80B/*51.30A	----	74.00 NEW	.5885	----	----	51	----	51 + 51
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	80.30B/35.00A	80.30B/35.00A	----	40.60 - 23.20	.3967	----	----	----	----	11 UNCH
4860	----	----	99.60B/68.20A	99.60B/68.20A	----	69.10 - 22.60	.4388	----	----	1	----	3 + 1
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	50.00	50.00	77.50B/33.30A	77.50B/33.30A	----	38.60 NEW	.3821	----	----	20	----	20 + 20
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	93.80B/64.00A	93.80B/64.00A	----	64.80 - 22.20	.4198	----	----	----	----	4 UNCH
4870	----	----	74.80B/32.00A	74.80B/32.00A	----	36.70 NEW	.3677	----	----	1	----	1 + 1
4870	----	----	----	----	----	19.90 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	75.70	75.70	75.70/29.90A	75.70/29.90A	----	34.90 - 22.10	.3536	----	----	3	----	2 - 1
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	29.90 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	63.80B/25.50A	63.80B/25.50A	----	29.90 - 20.90	.3128	----	----	----	----	5 UNCH
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4895	37.00	37.00	61.50B/24.10A	61.50B/24.10A	----	28.40 - 20.40	.2998	----	----	4	----	9 + 4
4900	30.00	30.00	58.80B/22.70A	58.80B/22.70A	----	26.90 - 20.00	.2869	----	----	162	----	99 + 51
4900	----	----	----	----	----	49.90 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4905	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	54.50B/20.70A	54.50B/20.70A	----	24.20 - 19.10	.2624	----	----	----	----	1 UNCH
4910	----	----	----	----	----	59.90 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	131.60B/*86.10A	131.60B/*86.10A	----	121.90 + 8.70	.7714	----	----	----	----	1 UNCH
4925	----	----	48.10B/17.30A	48.10B/17.30A	----	20.60 - 17.70	.2284	----	----	----	----	50 UNCH
4925	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4930	----	----	46.00B/16.30A	46.00B/16.30A	----	19.50 - 17.30	.2177	----	----	2	----	10 + 1
4935	----	----	64.70B/41.60A	64.70B/41.60A	----	41.80 - 18.70	.3038	----	----	----	----	1 UNCH
4940	40.00	40.00	62.60B/39.50	62.60B/39.50	----	40.30 NEW	.2955	----	----	2	----	2 + 2
4945	----	----	40.50B/13.80A	40.50B/13.80A	----	16.50 - 16.00	.1876	----	----	----	----	25 UNCH
4950	44.50	44.50	59.20B/37.50A	59.20B/37.50A	----	37.60 - 17.80	.2796	----	----	1	----	2 UNCH
4950	17.10	17.10	38.10B/13.10A	38.10B/13.10A	----	15.60 - 15.60	.1783	----	----	11	----	52 + 10
4950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4955	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4955	16.30	16.30	36.40B/12.40A	36.40B/12.40A	----	14.80 NEW	.1698	----	----	22	----	22 + 22
4960	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4960	----	----	34.90B/11.90A	34.90B/11.90A	----	14.00 - 14.60	.1613	----	----	----	----	5 UNCH
4970	16.50	16.50	32.50B/10.60A	32.50B/10.60A	----	12.50 - 13.80	.1452	----	----	1	----	1 UNCH
4975	----	----	173.50B/*119.60	173.50B/*119.60A	----	163.10 + 13.10	.8622	----	----	----	----	1 UNCH
4975	13.10	13.10	30.30B/10.10A	30.30B/10.10A	----	11.80 - 13.40	.1376	----	----	3	----	15 - 1
4975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4975	----	----	----	----	----	124.90 UNCH	----	----	----	----	----	0 UNCH
4980	12.40	12.40	29.40B/9.50A	29.40B/9.50A	----	11.20 - 13.00	.1308	----	----	1	----	2 + 1
4985	11.70	11.70	27.60B/8.90A	27.60B/8.90A	----	10.60 - 12.60	.1240	----	----	1	----	2 + 1
4985	----	----	----	----	----	134.90 UNCH	----	----	----	----	----	0 UNCH
4990	----	----	25.90B/8.50A	25.90B/8.50A	----	10.00 - 12.20	.1174	----	----	----	----	60 UNCH
4995	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4995	10.00	10.00	24.70B/8.20A	24.70B/8.20A	----	9.50 NEW	.1115	----	----	50	----	50 + 50
5000	----	----	196.20B/*137.10	196.20B/*137.10A	----	185.30 + 15.10	.8940	----	----	----	----	1 UNCH
5000	9.90	9.90	24.00B/7.80A	24.00B/7.80A	----	9.00 - 11.40	.1057	----	----	2	----	109 + 1
5000	26.70	26.70	41.80B/26.20A	41.80B/26.20A	----	26.10 NEW	.2077	----	----	2	----	2 + 2
5000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5005	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5010	28.00	28.00	28.00/24.30A	38.30B/24.30A	----	24.30 - 14.10	.1954	----	----	1	----	2 + 1
5015	11.60	11.60	20.30B/6.70A	20.30B/6.70A	----	7.60 NEW	.0896	----	----	50	----	50 + 50
5025	----	----	18.20B/6.00A	18.20B/6.00A	----	6.90 - 9.50	.0810	----	----	----	----	5 UNCH
5030	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5040	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
5045 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5050 ----	----	----/17.70A	28.60B/17.70A	----	18.00 - 11.80	.1508	----	----	----	----	1 UNCH
5060 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5075 ----	----	11.10B/3.80A	11.10B/3.80A	----	4.10 - 6.60	.0473	----	----	----	----	1 UNCH
5075 ----	----	----/15.10A	23.30B/15.10A	----	15.00 - 10.30	.1280	----	----	----	----	1 UNCH
5100 ----	----	291.30B/*220.30	291.30B/*220.30A	----	279.60 NEW	.9626	----	----	2	----	2 + 2
5100 ----	----	----/*3.10A	8.30B/*3.10A	----	3.30 - 5.40	.0372	----	----	6	----	8 + 6
5150 ----	----	----/*2.10A	4.60B/*2.10A	----	2.20 - 3.60	.0235	----	----	----	----	23 UNCH
5150 ----	----	----/8.60A	12.20B/8.60A	----	8.80 - 6.60	.0778	----	----	----	----	2 UNCH
5200 ----	----	----/7.30A	8.00B/7.30A	----	6.30 - 4.60	.0561	----	----	----	----	1 UNCH
5200 ----	----	----/*1.70A	2.60B/*1.70A	----	1.50 - 2.40	.0152	----	----	4	----	9 + 4
5225 ----	----	----/1.50A	1.90B/1.50A	----	1.30 - 1.80	.0127	----	----	----	----	3 UNCH
5250 ----	----	----/*1.30A	1.50B/*1.30A	----	1.10 - 1.50	.0104	----	----	----	----	1 UNCH
5300 4.00	4.00	4.00/4.00	4.00/4.00	----	3.00 - 2.70	.0273	----	----	4	----	22 + 4
5350 ----	----	----	1.90B/4.30A	----	2.00 - 2.10	.0184	----	----	----	----	5 UNCH
5400 ----	----	----	#407.40B/735.60A	----	576.70 + 26.20	.9961	----	----	----	----	1 UNCH
TOTAL									551		1180 + 407
MAY26											
4300 ----	----	----	5.80B/*10.40A	----	7.30 - 1.20	.0456	----	----	----	----	1 UNCH
4650 45.40	45.40	45.40/*43.40A	47.30B/*43.40A	----	47.80 NEW	.2574	----	----	10	----	10 + 10
4795 ----	----	#161.80B/126.20	161.80B/126.20A	----	128.20 - 22.70	.5522	----	----	----	----	1 UNCH
4800 ----	----	#158.60B/123.40	158.60B/123.40A	----	125.60 - 22.40	.5450	----	----	----	----	34 UNCH
4850 138.40	138.40	#138.40/98.30A	#138.40/98.30A	----	101.00 - 20.70	.4734	----	----	1	----	3 - 1
4900 ----	----	#105.90B/77.70A	105.90B/77.70A	----	79.90 - 19.10	.4029	----	----	----	----	20 UNCH
4950 87.90	87.90	#87.90/60.60A	87.90/60.60A	----	61.90 - 17.60	.3355	----	----	1	----	2 UNCH
5000 ----	----	64.30B/46.70A	64.30B/46.70A	----	47.00 - 16.20	.2730	----	----	----	----	32 UNCH
5150 ----	----	----/21.10A	27.20B/21.10A	----	19.60 - 10.00	.1330	----	----	----	----	1 UNCH
TOTAL									12		104 + 9

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
4000 ----	----	----	0.30B/*1.10A	----	0.40 - 0.30	.0023	----	----	----	----	3 UNCH
4000 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	1	----	4 + 1
4050 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4100 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4175 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	1	----	2 UNCH
4200 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4225 ----	----	----	0.90B/*1.80A	----	0.90 - 0.60	.0064	----	----	----	----	115 UNCH
4225 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4235 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4250 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
4250 ----	----	----	1.10B/*1.90A	----	1.10 - 0.50	.0080	----	----	----	----	300 UNCH
4255 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4285 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4300 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
4310 ----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4325 ----	----	----	4.50B/*7.30A	----	5.90 - 0.40	.0396	----	----	----	----	1 UNCH
4325 ----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	150 UNCH
4350 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
4360 ----	----	----/*2.50A	2.10B/*2.50A	----	2.00 - 0.80	.0161	----	----	----	----	2 UNCH
4360 0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	----	----	----	1	----	1 + 1
4395 3.10	3.10	3.10/*3.00A	3.10/*3.00A	----	2.50 NEW	.0208	----	----	1	----	1 + 1
4395 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
4400 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	311 UNCH
4400 ----	----	----	8.00B/*9.50A	----	8.70 - 0.40	.0591	----	----	----	----	1 UNCH
4400 ----	----	----/*3.00A	2.80B/*3.00A	----	2.60 - 0.90	.0216	----	----	----	----	1 UNCH
4410 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0000	----	----	3	----	7 + 3
4410 ----	----	----/*3.20A	3.00B/*3.20A	----	2.80 - 1.00	.0235	----	----	----	----	2 UNCH
4415 ----	----	----	----/*0.40A	----	0.10 - 0.30	.0000	----	----	----	----	1 UNCH
4415 ----	----	#472.00B/397.20	#472.00B/397.20A	----	408.70 - 26.70	1.0000	----	----	----	----	5 UNCH
4420 ----	----	#467.10B/392.30	#467.10B/392.30A	----	403.70 - 26.70	.9999	----	----	----	----	5 UNCH
4425 ----	----	----/*9.90A	9.30B/*9.90A	----	9.90 - 0.50	.0675	----	----	----	----	15 UNCH
4425 ----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0000	----	----	----	----	1 UNCH
4430 ----	----	----/*3.50A	3.50B/*3.50A	----	3.20 - 1.10	.0272	----	----	----	----	2 UNCH
4445 ----	----	----/*3.80A	3.90B/*3.80A	----	3.60 - 1.10	.0308	----	----	----	----	1 UNCH
4460 ----	----	----/*0.20A	0.10B/*0.20A	----	0.30 - 0.30	.0002	----	----	----	----	4 UNCH
4460 ----	----	----/*4.20A	4.30B/*4.20A	----	4.00 - 1.20	.0346	----	----	----	----	1 UNCH
4465 ----	----	----/*0.20A	0.10B/*0.20A	----	0.30 - 0.30	.0002	----	----	----	----	3 UNCH
4470 0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 NEW	.0002	----	----	4	----	4 + 4
4470 ----	----	----/*4.50A	4.70B/*4.50A	----	4.40 - 1.10	.0380	----	----	----	----	2 UNCH
4475 ----	----	----/*12.70A	13.30B/*12.70A	----	13.20 - 0.50	.0895	----	----	----	----	1 UNCH
4475 ----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.30	.0002	----	----	----	----	2 UNCH
4480 ----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.30	.0003	----	----	----	----	3 UNCH
4480 ----	----	----/*12.90A	13.80B/*12.90A	----	13.60 - 0.50	.0921	----	----	----	----	1 UNCH
4480 ----	----	----/*4.60A	5.00B/*4.60A	----	4.70 - 1.20	.0409	----	----	----	----	4 UNCH
4485 ----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.30	.0003	----	----	----	----	1 UNCH
4500 0.40	0.40	0.40/*0.20	0.40/*0.20	----	0.50 - 0.30	.0005	----	----	3	----	24 + 2
4500 ----	----	----/*5.30A	5.90B/*5.30A	----	5.50 - 1.30	.0482	----	----	1	----	2 + 1
4500 ----	----	15.90B/*14.40A	15.90B/*14.40A	----	15.30 - 0.50	.1032	----	----	----	----	2 UNCH
4510 0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.50 NEW	.0005	----	----	5	----	5 + 5
4510 ----	----	----/*5.60A	6.40B/*5.60A	----	6.00 - 1.30	.0526	----	----	----	----	2 UNCH
4515 ----	----	----/*5.80A	6.60B/*5.80A	----	6.20 - 1.40	.0546	----	----	----	----	20 UNCH
4520 ----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.40	.0005	----	----	----	----	66 UNCH
4525 ----	----	19.00B/*17.10A	19.00B/*17.10A	----	17.80 - 0.40	.1189	----	----	----	----	1 UNCH
4525 ----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.50	.0006	----	----	----	----	71 UNCH
4530 ----	----	----/*0.70A	0.30B/*0.70A	----	0.60 - 0.40	.0008	----	----	----	----	2 UNCH
4540 ----	----	----/*6.80A	8.20B/*6.80A	----	7.60 - 1.40	.0671	----	----	----	----	2 UNCH
4540 ----	----	----/*0.80A	0.40B/*0.80A	----	0.60 - 0.50	.0008	----	----	----	----	2 UNCH
4545 ----	----	21.10B/*19.30A	21.10B/*19.30A	----	20.00 - 0.40	.1327	----	----	----	----	2 UNCH
4545 ----	----	----/*0.80A	0.40B/*0.80A	----	0.60 - 0.60	.0008	----	----	----	----	1 UNCH
4550 ----	----	21.80B/*19.70A	21.80B/*19.70A	----	20.70 - 0.30	.1368	----	----	----	----	1 UNCH
4550 ----	----	#337.80B/262.60	#337.80B/262.60A	----	274.20 - 27.10	.9991	----	----	----	----	50 UNCH
4550 0.50	0.50	0.70/*0.50	0.70/*0.50	----	0.60 - 0.60	.0008	----	----	54	----	61 - 4
4550 ----	----	----/*7.30A	8.90B/*7.30A	----	8.20 - 1.50	.0726	----	----	2	----	7 + 1
4565 ----	----	----/*0.90A	0.50B/*0.90A	----	0.70 - 0.70	.0012	----	----	----	----	3 UNCH
4575 ----	----	25.50B/*22.40A	25.50B/*22.40A	----	24.00 - 0.20	.1568	----	----	----	----	1 UNCH
4575 ----	----	----/*8.70A	11.00B/*8.70A	----	10.10 - 1.50	.0894	----	----	----	----	55 UNCH
4580 0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.80 - 0.80	.0015	----	----	2	----	4 + 2
4585 0.60	0.60	0.70B/*0.60	0.70B/*0.60	----	0.80 NEW	.0016	----	----	1	----	1 + 1
4590 ----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.90	.0016	----	----	----	----	2 UNCH
4595 ----	----	----/*0.50A	0.80B/*0.50A	----	0.90 - 0.90	.0020	----	----	----	----	50 UNCH
4600 26.00	26.00	29.80B/*26.00	29.80B/*26.00	----	28.00 NEW	.1798	----	----	1	----	1 + 1
4600 1.30	1.30	1.30/*0.40	1.30/*0.40	----	0.90 - 0.90	.0021	----	----	5	----	86 + 2
4600 ----	----	----/*10.60A	13.60B/*10.60A	----	12.30 - 1.60	.1088	----	----	----	----	1 UNCH
4605 ----	----	----/*11.00A	14.10B/*11.00A	----	12.80 - 1.60	.1132	----	----	----	----	1 UNCH
4605 ----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 1.00	.0021	----	----	----	----	3 UNCH
4610 ----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 1.00	.0026	----	----	----	----	6 UNCH
4615 ----	----	32.70B/*28.60A	32.70B/*28.60A	----	30.60 + 0.20	.1945	----	----	----	----	2 UNCH
4620 ----	----	----/*0.90A	1.00B/*0.90A	----	1.00 - 1.10	.0027	----	----	10	----	37 UNCH
4625 0.90	0.90	1.10B/*0.90	1.10B/*0.90	----	1.10 - 1.10	.0032	----	----	1	----	24 + 1
4630 ----	----	35.90B/*31.40A	35.90B/*31.40A	----	33.50 + 0.40	.2105	----	----	----	----	1 UNCH
4630 ----	----	17.40B/*13.40A	17.40B/*13.40A	----	15.60 - 1.60	.1374	----	----	----	----	1 UNCH
4630 1.50	1.50	1.50/*1.10	1.50/*1.10	----	1.10 - 1.20	.0034	----	----	2	----	4 + 2
4635 1.10	1.10	1.10/*1.10	1.20B/*1.10	----	1.20 - 1.20	.0039	----	----	2	----	4 + 2
4640 ----	----	18.90B/*14.40A	18.90B/*14.40A	----	16.90 - 1.60	.1484	----	----	----	----	18 UNCH
4640 1.10	1.10	1.10/*1.10	1.40B/*1.10	----	1.20 - 1.30	.0041	----	----	1	----	4 UNCH
4645 1.80	1.80	2.20/*1.20	2.20/*1.20	----	1.20 NEW	.0042	----	----	51	----	51 + 51
4645 ----	----	19.70B/*15.00A	19.70B/*15.00A	----	17.60 - 1.60	.1542	----	----	----	----	5 UNCH
4650 1.00	1.00	1.60/*1.00	1.60/*1.00	----	1.30 - 1.50	.0049	----	----	19	----	95 + 16
4650 ----	----	20.60B/*15.50A	20.60B/*15.50A	----	18.40 NEW	.1605	----	----	1	----	1 + 1
4655 1.00	1.00	1.00/*1.00	1.70B/*1.00	----	1.40 - 1.50	.0056	----	----	1	----	3 + 1
4660 ----	----	----/*1.50A	1.90B/*1.50A	----	1.40 - 1.60	.0059	----	----	2	----	7 + 2
4660 ----	----	22.30B/*16.60A	22.30B/*16.60A	----	19.90 NEW	.1730	----	----	1	----	1 + 1
4665 ----	----	23.40B/*17.20A	23.40B/*17.20A	----	20.70 - 1.50	.1795	----	----	----	----	18 UNCH
4665 1.40	1.40	1.40/*1.20	2.10B/*1.20	----	1.50 - 1.70	.0067	----	----	5	----	8 + 5
4670 21.00	21.00	24.30B/*17.80A	24.30B/*17.80A	----	21.60 NEW	.1865	----	----	10	----	10 + 10
4670 ----	----	----/*1.60A	2.30B/*1.60A	----	1.50 - 1.90	.0070	----	----	2	----	30 + 2
4675 2.30	2.30	2.30/*1.50	2.50B/*1.50	----	1.60 - 2.00	.0079	----	----	11	----	12 + 8
4680 2.00	2.00	2.70B/*1.70A	2.70B/*1.70A	----	1.70 - 2.10	.0090	----	----	3	----	10 UNCH
4680 ----	----	213.20B/133.90A	213.20B/133.90A	----	145.30 - 28.60	.9909	----	----	----	----	31 UNCH
4685 2.00	2.00	2.20/*1.50	2.90B/*1.50	----	1.80 NEW	.0101	----	----	22	----	11 + 11
4690 2.20	2.20	2.20/*1.90A	3.20B/*1.90A	----	1.90 - 2.40	.0113	----	----	6	----	18 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU APR26		GOLD WEEKLY THURSDAY OPTION Week4										
4695	----	----	30.00B/*21.10A	30.00B/*21.10A	----	26.40 - 1.30	.2239	----	----	----	----	2 UNCH
4695	1.80	1.80	1.80/*1.80	3.60B/*1.80	----	2.00 - 2.60	.0126	----	----	1	----	122 + 1
4700	----	----	193.50B/114.70A	193.50B/114.70A	----	125.70 - 29.30	.9850	----	----	2	----	69 UNCH
4700	4.20	4.20	4.20/*1.80	4.20/*1.80	----	2.20 - 2.70	.0149	----	----	255	----	411 + 238
4700	----	----	209.60B/141.60A	209.60B/141.60A	----	151.00 - 27.70	.7676	----	----	----	----	1 UNCH
4700	----	----	31.20B/*21.80A	31.20B/*21.80A	----	27.50 - 1.20	.2321	----	----	----	----	4 UNCH
4705	----	----	----/*2.30A	4.20B/*2.30A	----	2.30 - 3.00	.0165	----	----	3	----	2 + 1
4710	----	----	33.80B/*23.50A	33.80B/*23.50A	----	29.80 - 1.10	.2491	----	----	----	----	1 UNCH
4710	2.60	2.60	4.60B/*2.30A	4.60B/*2.30A	----	2.50 - 3.20	.0192	----	----	24	----	25 + 24
4715	----	----	178.70B/100.40A	178.70B/100.40A	----	111.20 - 29.90	.9778	----	----	----	----	9 UNCH
4715	2.50	2.50	2.60/*2.30	5.00B/*2.30	----	2.70 - 3.40	.0221	----	----	28	----	30 + 26
4720	----	----	----/*2.50A	5.50B/*2.50A	----	2.90 - 3.60	.0254	----	----	3	----	4 + 1
4725	3.80	3.80	6.00B/*2.80A	6.00B/*2.80A	----	3.10 - 3.90	.0289	----	----	13	----	56 UNCH
4730	----	----	164.10B/86.20A	164.10B/86.20A	----	97.00 - 30.60	.9660	----	----	1	----	13 + 1
4730	3.10	3.10	3.80/*2.90	6.60B/*2.90	----	3.40 - 4.10	.0339	----	----	168	----	154 + 150
4730	----	----	39.70B/*27.00A	39.70B/*27.00A	----	34.90 - 0.80	.2856	----	----	----	----	1 UNCH
4735	3.20	3.20	3.20/*3.20	7.30B/*3.20	----	3.70 - 4.40	.0394	----	----	7	----	9 + 1
4735	----	----	66.20B/*55.70A	66.20B/*55.70A	----	61.80 + 2.60	.3478	----	----	----	----	1 UNCH
4740	----	----	154.40B/77.10A	154.40B/77.10A	----	87.60 NEW	.9545	----	----	3	----	3 + 3
4740	3.30	3.30	6.00/*3.30	7.90B/*3.30	----	4.00 - 4.70	.0454	----	----	46	----	38 + 22
4745	81.50	81.50	149.60B/72.50A	149.60B/72.50A	----	83.00 - 31.50	.9466	----	----	63	----	70 UNCH
4745	4.30	4.30	5.90/*3.70A	8.80B/*3.70A	----	4.40 NEW	.0532	----	----	4	----	4 + 4
4745	----	----	44.70B/*30.10A	44.70B/*30.10A	----	39.30 - 0.50	.3153	----	----	----	----	100 UNCH
4750	----	----	144.80B/68.00A	144.80B/68.00A	----	78.40 - 31.80	.9380	----	----	1	----	25 UNCH
4750	4.90	4.90	9.60B/*4.00	9.60B/*4.00	----	4.80 - 5.30	.0619	----	----	83	----	123 + 43
4750	----	----	168.50B/106.20A	168.50B/106.20A	----	114.40 NEW	.6740	----	----	1	----	1 + 1
4750	----	----	71.80B/*59.40A	71.80B/*59.40A	----	67.20 + 3.10	.3707	----	----	----	----	1 UNCH
4750	35.00	35.00	46.70B/*31.30A	46.70B/*31.30A	----	40.90 NEW	.3257	----	----	3	----	3 + 3
4755	----	----	140.10B/63.70A	140.10B/63.70A	----	73.90 - 32.10	.9272	----	----	----	----	2 UNCH
4755	----	----	----/*4.30A	10.50B/*4.30A	----	5.30 - 5.60	.0727	----	----	1	----	11 + 1
4760	9.20	9.20	9.20/*4.60A	11.60B/*4.60A	----	5.90 - 5.90	.0858	----	----	1	----	3 + 1
4760	----	----	135.30B/59.30A	135.30B/59.30A	----	69.50 - 32.40	.9141	----	----	----	----	81 UNCH
4765	10.00	10.00	12.80B/*5.00A	12.80B/*5.00A	----	6.60 NEW	.1014	----	----	8	----	6 + 6
4770	----	----	125.80B/51.30A	125.80B/51.30A	----	60.90 - 32.90	.8814	----	----	----	----	0 UNCH
4770	7.70	7.70	13.90B/*5.50A	13.90B/*5.50A	----	7.30 - 6.40	.1185	----	----	3	----	6 + 2
4775	9.40	9.40	15.40B/*5.80	15.40B/*5.80	----	8.10 - 6.60	.1383	----	----	29	----	27 + 25
4775	----	----	121.20B/47.30A	121.20B/47.30A	----	56.70 - 33.10	.8616	----	----	----	----	41 UNCH
4775	----	----	55.80B/*37.60A	55.80B/*37.60A	----	49.50 + 0.30	.3795	----	----	----	----	2 UNCH
4780	10.00	10.00	16.90B/*6.40A	16.90B/*6.40A	----	9.10 - 6.80	.1624	----	----	7	----	10 + 6
4780	----	----	116.60B/43.50A	116.60B/43.50A	----	52.70 - 33.30	.8375	----	----	----	----	5 UNCH
4785	43.00	43.00	111.90B/39.70A	111.90B/39.70A	----	48.80 - 33.40	.8105	----	----	1	----	16 + 1
4785	13.30	13.30	18.50B/*6.90A	18.50B/*6.90A	----	10.20 - 6.90	.1894	----	----	32	----	31 + 28
4790	18.20	18.20	20.10B/*7.50A	20.10B/*7.50A	----	11.40 - 7.00	.2195	----	----	32	----	29 + 28
4790	----	----	107.40B/36.50A	107.40B/36.50A	----	45.00 - 33.50	.7804	----	----	3	----	3 + 3
4795	----	----	90.90B/*74.90A	90.90B/*74.90A	----	85.30 + 4.20	.4425	----	----	----	----	1 UNCH
4795	9.00	9.00	22.10B/*8.10A	22.10B/*8.10A	----	12.70 - 7.10	.2525	----	----	5	----	6 + 5
4800	33.50	33.50	98.70B/29.40A	98.70B/29.40A	----	37.90 - 33.40	.7096	----	----	7	----	39 UNCH
4800	14.00	14.00	24.20B/*8.70	24.20B/*8.70	----	14.30 - 6.90	.2903	----	----	101	----	124 + 70
4800	93.50	93.50	131.30B/75.40A	131.30B/75.40A	----	83.10 - 25.40	.5628	----	----	2	----	33 UNCH
4805	17.50	17.50	26.50B/*9.50A	26.50B/*9.50A	----	16.00 - 6.80	.3304	----	----	4	----	6 + 3
4805	----	----	94.20B/26.50A	94.20B/26.50A	----	34.60 - 33.30	.6695	----	----	----	----	3 UNCH
4805	----	----	127.80B/72.80A	127.80B/72.80A	----	80.30 - 25.20	.5511	----	----	----	----	19 UNCH
4810	43.00	43.00	89.90B/23.80A	89.90B/23.80A	----	31.40 - 33.10	.6271	----	----	20	----	4 + 2
4810	19.60	19.60	28.90B/*10.50A	28.90B/*10.50A	----	17.80 - 6.70	.3728	----	----	10	----	9 + 7
4810	----	----	124.40B/70.20A	124.40B/70.20A	----	77.60 - 25.00	.5392	----	----	----	----	9 UNCH
4815	21.10	21.10	85.60B/21.10	85.60B/21.10	----	28.50 - 32.80	.5819	----	----	2	----	3 + 1
4815	17.50	17.50	31.50B/*11.30A	31.50B/*11.30A	----	19.90 - 6.30	.4180	----	----	21	----	26 + 14
4820	20.00	20.00	33.70B/*12.00A	33.70B/*12.00A	----	22.10 - 6.00	.4643	----	----	23	----	17 + 16
4820	30.00	30.00	81.80B/19.10A	81.80B/19.10A	----	25.70 - 32.50	.5356	----	----	39	----	25 + 15
4820	----	----	102.90B/*84.20A	102.90B/*84.20A	----	96.90 NEW	.4839	----	----	1	----	1 + 1
4820	84.90	84.90	117.90B/65.50A	117.90B/65.50A	----	72.30 NEW	.5154	----	----	2	----	1 + 1
4825	20.10	20.10	36.10B/*13.30A	36.10B/*13.30A	----	24.60 NEW	.5114	----	----	12	----	9 + 9
4825	32.90	32.90	77.90B/16.80A	77.90B/16.80A	----	23.20 - 31.90	.4885	----	----	54	----	69 + 35
4825	----	----	105.50B/*84.20A	105.50B/*84.20A	----	99.30 NEW	.4922	----	----	1	----	1 + 1
4825	64.70	64.70	114.50B/63.20A	114.50B/63.20A	----	69.70 NEW	.5034	----	----	20	----	20 + 20
4830	----	----	#131.10B/92.50A	#131.10B/92.50A	----	95.40 - 21.40	.4990	----	----	----	----	1 UNCH
4830	18.20	18.20	39.00B/*14.50A	39.00B/*14.50A	----	27.20 - 4.90	.5583	----	----	7	----	8 + 7
4830	30.00	30.00	73.60B/14.80A	73.60B/14.80A	----	20.80 - 31.40	.4415	----	----	18	----	16 + 15
4830	----	----	82.70B/*54.30A	82.70B/*54.30A	----	73.60 + 2.40	.5083	----	----	----	----	18 UNCH
4835	29.00	29.00	69.90B/13.10A	69.90B/13.10A	----	18.60 - 30.70	.3954	----	----	9	----	32 UNCH
4835	24.20	24.20	42.00B/*15.80A	42.00B/*15.80A	----	30.00 - 4.30	.6045	----	----	8	----	6 + 3
4835	----	----	107.60B/58.60A	107.60B/58.60A	----	64.80 - 23.80	.4794	----	----	----	----	9 UNCH
4840	25.80	25.80	45.00B/*17.10A	45.00B/*17.10A	----	33.00 - 3.50	.6489	----	----	37	----	37 + 34
4840	19.50	19.50	66.40B/11.00	66.40B/11.00	----	16.60 - 30.00	.3510	----	----	52	----	15 + 12
4845	20.10	20.10	62.80B/10.10A	62.80B/10.10A	----	14.80 NEW	.3089	----	----	31	----	31 + 31
4845	----	----	48.40B/*18.40A	48.40B/*18.40A	----	36.20 NEW	.6910	----	----	1	----	1 + 1
4850	30.00	30.00	59.30B/*8.90A	59.30B/*8.90A	----	13.20 - 28.30	.2700	----	----	42	----	138 + 7
4850	20.10	20.10	52.10B/*19.90A	52.10B/*19.90A	----	39.60 - 1.80	.7299	----	----	8	----	20 + 6
4850	----	----	119.70B/83.30A	119.70B/83.30A	----	85.80 - 20.80	.4656	----	----	----	----	5 UNCH
4850	----	----	98.50B/52.20A	98.50B/52.20A	----	57.90 - 23.00	.4435	----	----	----	----	2 UNCH
4855	27.00	27.00	55.70B/*7.80A	55.70B/*7.80A	----	11.70 - 27.40	.2337	----	----	13	----	5 + 5
4855	20.50	20.50	55.60B/*20.50	55.60B/*20.50	----	43.10 NEW	.7662	----	----	6	----	6 + 6
4855	99.10	99.10	116.90B/81.10A	116.90B/81.10A	----	83.50 NEW	.4573	----	----	2	----	1 + 1
4855	----	----	96.80B/50.10A	96.80B/50.10A	----	55.70 - 22.70	.4316	----	----	----	----	6 UNCH
4860	----	----	59.30B/*23.40A	59.30B/*23.40A	----	46.80 NEW	.7987	----	----	2	----	2 + 2
4860	25.00	25.00	52.70B/*6.80A	52.70B/*6.80A	----	10.40 - 26.40	.2012	----	----	17	----	41 + 6
4860	----	----	99.80B/*66.40A	99.80B/*66.40A	----	89.90 + 4.00	.5798	----	----	----	----	1 UNCH
4860	----	----	94.00B/48.10A	94.00B/48.10A	----	53.60 - 22.40	.4199	----	----	----	----	9 UNCH
4865	26.50	26.50	49.50B/*5.80A	49.50B/*5.80A	----	9.20 - 25.40	.1717	----	----	134	----	22 + 18
4865	----	----	63.20B/*25.20A	63.20B/*25.20A	----	50.60 + 1.10	.8282	----	----	1	----	2 + 1
4865	83.50	83.50	91.20B/46.20A	91.20B/46.20A	----	51.50 - 22.20	.4081	----	----	20	----	38 UNCH
4870	45.30	45.30	67.20B/*27.20A	67.20B/*27.20A	----	54.50 + 2.10	.8547	----	----	1	----	2 + 1
4870	20.00	20.00	46.40B/*5.20A	46.40B/*5.20A	----	8.10 - 24.40	.1452	----	----	90	----	63 + 62
4875	----	----	71.30B/*29.20A	71.30B/*29.20A	----	58.60 + 3.20	.8769	----	----	1	----	3 + 1
4875	35.70	35.70	43.80B/*4.50A	43.80B/*4.50A	----	7.20 - 23.30	.1230	----	----	46	----	63 + 19
4875	----	----	85.70B/42.60A	85.70B/42.60A	----	47.60 - 21.50	.3850	----	----	----	----	4 UNCH
4880	----	----	75.40B/*31.60A	75.40B/*31.60A	----	62.70 + 4.20	.8975	----	----	1	----	2 + 1
4880	9.80	9.80	41.00B/*4.10A	41.00B/*4.10A	----	6.30 - 22.30	.1024	----	----	6	----	8 + 2
4885	11.40	11.40	38.60B/*3.60A	38.60B/*3.60A	----	5.60 - 21.20	.0860	----	----	52	----	84 + 27
4890	4.00	4.00	36.10B/*3.20A	36.10B/*3.20A	----	5.00 - 20.10	.0723	----	----	5	----	5 + 2
4890	----	----	77.50B/37.30A	77.50B/37.30A	----	42.10 - 20.60	.3511	----	----	----	----	18 UNCH
4895	3.20	3.20	33.60B/*2.90A	33.60B/*2.90A	----	4.40 - 19.10	.0597	----	----	10	----	6 + 3
4900	24.50	24.50	31.30B/*2.50A	31.30B/*2.50A	----	3.90 - 18.10	.0495	----	----	153	----	375 + 54
4900	----	----	92.70B/*41.70A	92.70B/*41.70A	----	80.30 + 8.40	.9504	----	----	3	----	4 + 3
4900	----	----	72.70B/34.20A	72.70B/34.20A	----	38.70 - 20.00	.3291	----	----	----	----	26 UNCH
4900	----	----	94.10B/62.90A	94.10B/62.90A	----	64.80 - 19.10	.3836	----	----	----	----	1 UNCH
4905	----	----	97.20B/*44.50A	97.20B/*44.50A	----	84.80 + 9.30	.9597	----	----	----	----	0 UNCH
4905	2.40	2.40	29.20B/*2.40	29.20B/*2.40	----	3.40 - 17.20	.0402	----	----	28	----	41 + 27
4910	4.30	4.30	27.10B/*2.10A	27.10B/*2.10A	----	3.00 - 16.20	.0330	----	----	5	----	8 - 2
4910	----	----	68.10B/31.40A	68.10B/31.40A	----	35.60 NEW	.3080	----	----	1	----	1 + 1
4915	----	----	25.10B/*1.90A	25.10B/*1.90A	----	2.70 - 15.30	.0276	----	----	26	----	28 + 16
4920	6.70	6.70	23.30B/*1.70A	23.30B/*1.70A	----	2.40 - 14.40	.0227	----	----	3	----	133 + 1
4920	----	----	111.20B/*53.20A	111.20B/*53.20A	----	98.80 NEW	.9772	----	----	1	----	1 + 1
4920	----	----	63.40B/28.70A	63.40B/28.70A	----	32.60 - 18.60	.2873	----	----	----	----	6 UNCH
4920	----	----	#84.50B/56.00A	#84.50B/56.00A	----	57.60 - 18.40	.3521	----	----	----	----	1 UNCH
4925	1.80	1.80	21.30B/*1.60A	21.30B/*1.60A	----	2.10 - 13.60	.0183	----	----	3	----	17 + 1
4925	----	----	61.30B/27.50A	61.30B/27.50A	----	31.20 - 18.20	.2774	----	----	1	----	21 + 1
4930	----	----	19.70B/*1.40A	19.70B/*1.40A	----	1.90 - 12.70	.0154	----	----	----	----	1 UNCH
4935	----	----	18.40B/*1.30A	18.40B/*1.30A	----	1.70 - 12.00	.0127	----	----	----	----	0 UNCH
4940	3.40	3.40	16.80B/*1.20A	16.80B/*1.20A	----	1.50 - 11.30	.0103	----	----	16	----	17 + 15
4940	----	----	55.30B/24.10A	55.30B/24.10A	----	27.40 - 17.10	.2490	----	----	----	----	1 UNCH
4945	----	----	15.50B/*1.10A	15.50B/*1.10A	----	1.30 - 10.60	.0081	----	----	----	----	11 UNCH
4950	----	----	140.10B/*74.70A	140.10B/*74.70A	----	127.60 + 16.60	.9929	----	----	----	----	1 UNCH
4950	3.80	3.80	14.30B/*0.80	14.30B/*0.80	----	1.20 - 9.90	.0070	----	----	158	----	95 - 45
4950	50.00	50.00	72.00B/46.60A	72.00B/46.60A	----	47.90 NEW	.3068	----	----	1	----	1 + 1
4950	----	----	51.30B/21.80A	51.30B/21.80A	----	25.00 NEW	.2308	----	----	1	----	1 + 1
4955	2.90	2.90	13.20B/*0.90A	13.20B/*0.90A	----	1.10 - 9.30	.0059	----	----	5	----	5 + 2
4960	----	----	149.90B/*82.80A	149.90B/*82.80A	----	137.40 + 17.80	.9950	----	----	----	----	0 UNCH
4960	----	----	12.10B/*0.90A	12.10B/*0.90A	----	1.00 - 8.70	.0049	----	----	4	----	6 + 4
4960	----	----	47.80B/19.90A	47.80B/19.90A	----	22.90 - 15.60	.2140	----	----	----	----	4 UNCH
4965	----	----	11.20B/*0.80A	11.20B/*0.80A	----	0.90 - 8.20	.0041	----	----	----	----	6 UNCH
4970	----	----	159.70B/*90.50A	159.70B/*90.50A	----	147.20 + 18.80	.9966	----	----	----	----	4 UNCH
4970	----	----	44.30B/18.20A	44.30B/18.20A	----	20.90 - 14.90	.1978	----	----	----	----	200 UNCH
4970	8.30	8.30	10.30B/*0.70A	10.30B/*0.70A	----	0.80 - 7.70	.0033	----	----	3	----	3 + 2
4975	----	----	164.60B/*94.80A	164.60B/*94.80A	----	152.10 + 19.30	.9973	----	----	----	----	4 UNCH
4975	----	----	9.30B/*0.70A	9.30B/*0.70A	----	0.70 - 7.20	.0026	----	----	1	----	2 + 1
4980	----	----	8.30B/*0.70A	8.30B/*0.70A	----	0.60 - 6.80	.0020	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
APR26												
4985	0.40	0.40	7.50B/*0.20	7.50B/*0.20	----	0.60 NEW	.0019	----	----	2	----	2 + 2
4990	0.80	0.80	7.20B/*0.60A	7.20B/*0.60A	----	0.50 NEW	.0014	----	----	1	----	1 + 1
4990	----	----	179.60B/*107.40	179.60B/*107.40A	----	166.90 + 20.50	.9985	----	----	----	----	2 UNCH
4995	1.10	1.10	6.20B/*0.50A	6.20B/*0.50A	----	0.50 - 5.60	.0014	----	----	1	----	3 + 1
5000	3.80	3.80	5.90B/*0.30	5.90B/*0.30	----	0.40 - 5.30	.0009	----	----	34	----	152 + 24
5000	----	----	189.50B/*115.70	189.50B/*115.70A	----	176.80 + 21.20	.9990	----	----	----	----	1 UNCH
5000	50.00	50.00	54.20B/34.00A	54.20B/34.00A	----	34.80 NEW	.2388	----	----	3	----	3 + 3
5000	----	----	35.00B/13.90A	35.00B/13.90A	----	15.80 - 12.80	.1545	----	----	1	----	4 + 1
5005	----	----	----/*0.50A	5.30B/*0.50A	----	0.40 - 5.00	.0009	----	----	----	----	1 UNCH
5010	----	----	199.20B/124.60A	199.20B/124.60A	----	186.70 + 21.80	.9994	----	----	----	----	1 UNCH
5010	----	----	----/*0.50A	4.80B/*0.50A	----	0.30 - 4.80	.0005	----	----	1	----	5 UNCH
5010	----	----	32.00B/12.70A	32.00B/12.70A	----	14.40 - 12.10	.1421	----	----	----	----	200 UNCH
5015	0.50	0.50	0.50/*0.20A	4.40B/*0.20A	----	0.30 NEW	.0005	----	----	2	----	2 + 2
5020	----	----	----/*0.20A	3.90B/*0.20A	----	0.30 - 4.20	.0005	----	----	2	----	30 + 2
5025	1.00	1.00	1.00/*0.20A	3.70B/*0.20A	----	0.20 - 4.00	.0002	----	----	1	----	1 UNCH
5025	----	----	28.30B/11.10A	28.30B/11.10A	----	12.50 - 11.10	.1248	----	----	----	----	1 UNCH
5030	----	----	----/*0.20A	3.20B/*0.20A	----	0.20 - 3.80	.0002	----	----	5	----	5 + 4
5035	----	----	----/*0.20A	2.90B/*0.20A	----	0.20 - 3.60	.0002	----	----	1	----	1 UNCH
5040	0.60	0.60	0.60/*0.10A	2.70B/*0.10A	----	0.20 NEW	.0002	----	----	8	----	8 + 8
5050	2.60	2.60	2.60/*0.20A	2.60/*0.20A	----	0.10 - 3.10	.0000	----	----	18	----	67 UNCH
5050	9.90	9.90	22.60B/9.00A	22.60B/9.00A	----	9.90 - 9.60	.1003	----	----	50	----	50 + 47
5060	----	----	----/*0.20A	1.90B/*0.20A	----	0.10 - 2.70	.0000	----	----	----	----	10 UNCH
5065	----	----	----/*0.20A	1.60B/*0.20A	----	0.10 - 2.60	.0000	----	----	----	----	1 UNCH
5075	11.10	11.10	18.10B/7.30A	18.10B/7.30A	----	7.90 NEW	.0806	----	----	75	----	75 + 75
5100	0.50	0.50	0.50/*0.20A	0.80B/*0.20A	----	0.10 - 1.80	----	----	----	4	----	7 + 1
5100	----	----	14.50B/6.00A	14.50B/6.00A	----	6.30 - 6.90	.0646	----	----	----	----	9 UNCH
5115	0.20	0.20	0.20/*0.20	0.70B/*0.20	----	0.10 NEW	----	----	----	5	----	5 + 5
5125	1.40	1.40	1.40/*0.30A	1.40/*0.30A	----	0.10 NEW	----	----	----	1	----	1 + 1
5125	----	----	24.30B/15.30A	24.30B/15.30A	----	15.20 - 8.80	.1175	----	----	----	----	1 UNCH
5135	----	----	----/*0.30A	0.60B/*0.30A	----	0.10 - 1.30	----	----	----	----	----	1 UNCH
5140	----	----	----/*0.30A	0.60B/*0.30A	----	0.10 - 1.20	----	----	----	----	----	2 UNCH
5150	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 1.10	----	----	----	3	----	4 UNCH
5180	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.80	----	----	----	----	----	1 UNCH
5200	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.60	----	----	----	----	----	1 UNCH
5200	----	----	----/3.00A	5.70B/3.00A	----	2.90 - 3.50	.0287	----	----	----	----	2 UNCH
5200	----	----	----/9.40A	14.40B/9.40A	----	9.40 - 5.90	.0753	----	----	----	----	11 UNCH
5210	----	----	----/*0.50A	----/*0.50A	----	0.10 - 0.50	----	----	----	----	----	1 UNCH
5225	2.80	2.80	2.80/*2.60A	4.60B/*2.60A	----	2.50 NEW	.0243	----	----	1	----	1 + 1
5240	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	----	----	----	1	----	1 + 1
5255	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	1	----	2 UNCH
5300	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5305	----	----	----	----/*0.40A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5320	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	----	----	----/5.00A	2.70B/5.00A	----	3.50 - 2.00	.0274	----	----	----	----	1 UNCH
5425	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
TOTAL										2639		6386 + 1494
MAY26												
4400	----	----	----	#13.40B/*18.40A	----	16.70 NEW	.0929	----	----	1	----	1 + 1
4850	----	----	----/*106.20A	118.00B/*106.20A	----	109.00 NEW	.4767	----	----	----	100	100 + 100
5400	----	----	----/*10.40A	7.40B/*10.40A	----	7.90 NEW	.0524	----	----	1	----	1 + 1
TOTAL										2	100	102 + 102

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
4025	----	----	----	----/1.40A	----	0.20 - 0.20	.0009	----	----	----	----	1 UNCH
4050	----	----	----	----/1.60A	----	0.20 - 0.30	.0009	----	----	----	----	12 UNCH
4100	----	----	----	----/1.40A	----	0.30 - 0.30	.0015	----	----	----	----	11 UNCH
4125	----	----	----	----/1.40A	----	0.30 - 0.30	.0015	----	----	----	----	1 UNCH
4150	----	----	----	----/1.30A	----	0.40 - 0.30	.0021	----	----	----	----	2 UNCH
4175	----	----	----	----/*1.10A	----	0.40 - 0.40	.0022	----	----	----	----	1 UNCH
4220	----	----	----	0.10B/*1.00A	----	0.50 - 0.50	.0029	----	----	----	----	1 UNCH
4225	----	----	----	0.10B/*1.10A	----	0.60 - 0.40	.0035	----	----	----	----	49 UNCH
4250	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.60 - 0.50	.0037	----	----	1	----	26 UNCH
4300	----	----	----/*1.00A	0.40B/*1.00A	----	0.70 - 0.50	.0046	----	----	----	----	1 UNCH
4335	----	----	----/*1.10A	0.50B/*1.10A	----	0.80 - 0.50	.0056	----	----	----	----	1 UNCH
4350	----	----	----/*1.10A	0.60B/*1.10A	----	0.90 - 0.50	.0065	----	----	----	----	5 UNCH
4375	----	----	----/*1.10A	0.70B/*1.10A	----	1.00 - 0.50	.0075	----	----	1	----	2 UNCH
4380	----	----	----/*1.10A	0.80B/*1.10A	----	1.00 - 0.60	.0076	----	----	----	----	2 UNCH
4400	----	----	----/*1.20A	0.80B/*1.20A	----	1.10 - 0.60	.0087	----	----	1	----	152 UNCH
4410	----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.70	.0089	----	----	----	----	1 UNCH
4440	----	----	----/*1.40A	1.20B/*1.40A	----	1.30 - 0.80	.0111	----	----	----	----	15 UNCH
4450	----	----	----/*1.40A	1.20B/*1.40A	----	1.40 - 0.80	.0121	----	----	1	----	3 UNCH
4460	----	----	----/*1.50A	1.40B/*1.50A	----	1.40 - 0.90	.0124	----	----	----	----	10 UNCH
4465	----	----	----/*1.50A	1.40B/*1.50A	----	1.50 - 0.90	.0134	----	----	----	----	5 UNCH
4470	----	----	----/*1.60A	1.50B/*1.60A	----	1.50 - 0.90	.0136	----	----	----	----	9 UNCH
4475	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.90	.0145	----	----	2	----	2 UNCH
4485	----	----	----/*1.70A	1.60B/*1.70A	----	1.60 - 1.10	.0149	----	----	----	----	6 UNCH
4495	----	----	----/*1.80A	1.80B/*1.80A	----	1.70 - 1.10	.0162	----	----	----	----	1 UNCH
4495	----	----	#392.70B/323.80	#392.70B/323.80A	----	330.20 - 27.60	.9837	----	----	----	----	2 UNCH
4500	----	----	#387.70B/316.80	#387.70B/316.80A	----	325.30 - 27.60	.9826	----	----	----	----	2 UNCH
4500	1.80	1.80	1.80/*1.80	1.90B/*1.80	----	1.80 - 1.10	.0172	----	----	2	----	22 UNCH
4510	----	----	#378.30B/306.90	#378.30B/306.90A	----	315.40 NEW	.9813	----	----	1	----	1 + 1
4535	2.60	2.60	2.60/*2.20A	2.60/*2.20A	----	2.30 NEW	.0235	----	----	1	----	1 + 1
4550	----	----	#343.80B/264.80	#343.80B/264.80A	----	276.10 NEW	.9726	----	----	1	----	1 + 1
4550	2.40	2.40	2.80B/*2.40	2.80B/*2.40	----	2.60 - 1.50	.0272	----	----	1	----	3 + 1
4565	----	----	----/*2.70A	3.20B/*2.70A	----	2.90 - 1.70	.0313	----	----	----	----	2 UNCH
4570	3.30	3.30	3.30/*2.80A	3.40B/*2.80A	----	3.10 - 1.70	.0335	----	----	14	----	15 + 14
4570	----	----	#324.00B/245.40	#324.00B/245.40A	----	256.60 - 28.10	.9663	----	----	----	----	1 UNCH
4575	3.40	3.40	3.40/*2.90A	3.50B/*2.90A	----	3.20 - 1.70	.0350	----	----	14	----	16 + 13
4580	----	----	----/*3.00A	3.70B/*3.00A	----	3.30 - 1.80	.0365	----	----	----	----	36 UNCH
4585	----	----	----/*3.10A	3.90B/*3.10A	----	3.50 - 1.90	.0389	----	----	2	----	2 UNCH
4595	----	----	----/*3.30A	4.40B/*3.30A	----	3.80 - 2.00	.0429	----	----	2	----	2 UNCH
4600	----	----	#294.60B/216.60	#294.60B/216.60A	----	227.50 - 28.50	.9544	----	----	----	----	10 UNCH
4600	3.30	3.30	4.50B/*3.30	4.50B/*3.30	----	4.00 - 2.10	.0455	----	----	7	----	43 UNCH
4605	----	----	----/*3.60A	4.80B/*3.60A	----	4.20 - 2.10	.0481	----	----	----	----	26 UNCH
4610	----	----	----/*3.80A	5.10B/*3.80A	----	4.40 - 2.20	.0507	----	----	----	----	5 UNCH
4615	----	----	----/*4.00A	5.40B/*4.00A	----	4.60 - 2.30	.0534	----	----	----	----	1 UNCH
4640	----	----	----/*5.10A	7.40B/*5.10A	----	6.00 - 2.60	.0716	----	----	2	----	1 UNCH
4645	6.10	6.10	6.10/*5.30A	7.80B/*5.30A	----	6.30 NEW	.0756	----	----	1	----	1 + 1
4650	5.90	5.90	5.90/*5.50	8.30B/*5.50	----	6.70 - 2.70	.0806	----	----	5	----	9 + 2
4655	----	----	241.20B/165.40A	241.20B/165.40A	----	175.60 - 29.30	.9149	----	----	----	----	1 UNCH
4660	----	----	----/*6.20A	9.40B/*6.20A	----	7.40 - 2.90	.0901	----	----	----	----	2 UNCH
4665	8.20	8.20	10.00B/*6.50A	10.00B/*6.50A	----	7.90 - 2.90	.0962	----	----	2	----	3 UNCH
4670	----	----	----/*6.90A	10.60B/*6.90A	----	8.30 - 3.10	.1016	----	----	----	----	1 UNCH
4675	8.30	8.30	8.30/*7.30A	11.30B/*7.30A	----	8.80 - 3.10	.1079	----	----	10	----	188 + 8
4680	----	----	----/*7.70A	12.00B/*7.70A	----	9.40 - 3.10	.1151	----	----	----	----	4 UNCH
4680	----	----	217.50B/142.80A	217.50B/142.80A	----	152.90 - 29.60	.8847	----	----	----	----	1 UNCH
4685	----	----	----/*8.10A	12.70B/*8.10A	----	9.90 - 3.20	.1217	----	----	----	----	2 UNCH
4700	----	----	198.40B/125.30A	198.40B/125.30A	----	135.40 - 29.80	.8545	----	----	----	----	51 UNCH
4700	10.00	10.00	15.30B/*9.00	15.30B/*9.00	----	11.80 - 3.40	.1453	----	----	32	----	57 + 29
4705	12.80	12.80	16.20B/*10.00A	16.20B/*10.00A	----	12.60 NEW	.1546	----	----	2	----	2 + 2
4710	----	----	17.20B/*10.50A	17.20B/*10.50A	----	13.40 - 3.30	.1641	----	----	----	----	1 UNCH
4715	----	----	18.30B/*11.10A	18.30B/*11.10A	----	14.20 - 3.40	.1737	----	----	----	----	1 UNCH
4720	----	----	19.30B/*11.50A	19.30B/*11.50A	----	15.10 - 3.40	.1841	----	----	----	----	1 UNCH
4725	15.60	15.60	20.50B/*12.20A	20.50B/*12.20A	----	16.00 - 3.40	.1946	----	----	5	----	6 + 5
4735	----	----	23.00B/*13.30A	23.00B/*13.30A	----	18.00 NEW	.2175	----	----	26	----	26 + 26
4740	----	----	162.30B/93.50A	162.30B/93.50A	----	102.70 - 29.80	.7701	----	----	2	----	1 - 1
4745	----	----	158.00B/89.60A	158.00B/89.60A	----	98.80 - 29.80	.7572	----	----	----	----	1 UNCH
4745	20.60	20.60	25.70B/*14.80A	25.70B/*14.80A	----	20.30 - 3.30	.2426	----	----	1	----	2 + 1
4750	20.00	20.00	27.20B/*15.50A	27.20B/*15.50A	----	21.50 - 3.20	.2557	----	----	5	----	6 + 5
4750	----	----	153.90B/86.20A	153.90B/86.20A	----	95.10 - 29.70	.7441	----	----	----	----	12 UNCH
4755	----	----	149.40B/82.40A	149.40B/82.40A	----	91.40 - 29.60	.7304	----	----	----	----	1 UNCH
4755	----	----	28.80B/*16.30A	28.80B/*16.30A	----	22.80 - 3.20	.2694	----	----	----	----	1 UNCH
4760	18.80	18.80	30.40B/*17.20A	30.40B/*17.20A	----	24.20 - 3.00	.2837	----	----	28	----	29 + 28
4760	----	----	145.50B/79.00A	145.50B/79.00A	----	87.80 - 29.50	.7161	----	----	----	----	15 UNCH
4765	----	----	141.30B/75.60A	141.30B/75.60A	----	84.20 NEW	.7016	----	----	62	----	62 + 62
4765	24.10	24.10	32.20B/*18.10A	32.20B/*18.10A	----	25.60 NEW	.2982	----	----	1	----	1 + 1
4770	----	----	33.90B/*18.50A	33.90B/*18.50A	----	27.20 - 2.80	.3136	----	----	----	----	22 UNCH
4770	----	----	137.00B/72.40A	137.00B/72.40A	----	80.70 NEW	.6862	----	----	7	----	7 + 7
4775	----	----	132.90B/69.00A	132.90B/69.00A	----	77.30 - 29.20	.6707	----	----	----	----	2 UNCH
4775	----	----	35.90B/*20.00A	35.90B/*20.00A	----	28.80 - 2.70	.3291	----	----	----	----	21 UNCH
4780	----	----	129.00B/65.90A	129.00B/65.90A	----	74.00 - 29.00	.6551	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
4785	----	----	39.70B/*21.50A	39.70B/*21.50A	----	32.20 - 2.40	.3611	----	----	----	----	61 UNCH
4785	----	----	125.00B/62.30A	125.00B/62.30A	----	70.80 - 28.80	.6387	----	----	----	----	24 UNCH
4790	----	----	121.10B/59.30A	121.10B/59.30A	----	67.60 - 28.70	.6222	----	----	----	----	3 UNCH
4795	----	----	117.20B/56.50A	117.20B/56.50A	----	64.50 - 28.50	.6053	----	----	----	----	59 UNCH
4800	----	----	113.40B/53.70A	113.40B/53.70A	----	61.50 - 28.30	.5881	----	----	1	----	26 UNCH
4800	----	----	46.70B/*25.10A	46.70B/*25.10A	----	37.90 NEW	.4117	----	----	1	----	1 + 1
4810	----	----	105.90B/48.40A	105.90B/48.40A	----	55.80 - 27.80	.5530	----	----	----	----	21 UNCH
4815	42.80	42.80	53.40B/*29.10A	53.40B/*29.10A	----	44.50 NEW	.4645	----	----	8	----	8 + 8
4815	59.30	59.30	102.30B/46.00A	102.30B/46.00A	----	53.10 - 27.50	.5353	----	----	5	----	15 + 5
4820	----	----	98.70B/43.70A	98.70B/43.70A	----	50.50 NEW	.5174	----	----	20	----	20 + 20
4820	45.70	45.70	56.60B/*30.60A	56.60B/*30.60A	----	46.90 - 0.70	.4824	----	----	5	----	6 + 5
4825	50.00	50.00	95.30B/41.40A	95.30B/41.40A	----	47.90 - 26.90	.4995	----	----	13	----	10 + 9
4825	----	----	59.30B/*32.30A	59.30B/*32.30A	----	49.30 - 0.40	.5003	----	----	----	----	6 UNCH
4830	----	----	91.80B/39.10A	91.80B/39.10A	----	45.40 - 26.60	.4815	----	----	1	----	6 + 1
4830	54.50	54.50	62.10B/*33.80A	62.10B/*33.80A	----	51.80 NEW	.5183	----	----	4	----	0 UNCH
4835	----	----	65.00B/*35.50A	65.00B/*35.50A	----	54.50 NEW	.5361	----	----	1	----	1 + 1
4835	42.90	42.90	88.50B/36.90A	88.50B/36.90A	----	43.10 NEW	.4636	----	----	30	----	30 + 30
4840	44.70	44.70	85.20B/34.80A	85.20B/34.80A	----	40.80 - 25.80	.4458	----	----	4	----	24 + 4
4840	55.10	55.10	67.90B/*37.30A	67.90B/*37.30A	----	57.20 NEW	.5540	----	----	3	----	3 + 3
4845	44.40	44.40	81.70B/32.70A	81.70B/32.70A	----	38.60 - 25.40	.4280	----	----	5	----	85 + 5
4850	----	----	73.30B/*41.00A	73.30B/*41.00A	----	62.90 + 1.50	.5893	----	----	----	----	5 UNCH
4850	40.40	40.40	78.60B/30.90A	78.60B/30.90A	----	36.50 - 25.00	.4105	----	----	19	----	71 + 14
4855	----	----	75.30B/29.20A	75.30B/29.20A	----	34.50 - 24.60	.3931	----	----	----	----	8 UNCH
4860	----	----	79.10B/*44.90A	79.10B/*44.90A	----	69.00 + 2.40	.6237	----	----	----	----	1 UNCH
4860	----	----	72.30B/27.50A	72.30B/27.50A	----	32.60 - 24.10	.3761	----	----	1	----	1 - 1
4865	35.00	35.00	70.40B/26.00A	70.40B/26.00A	----	30.70 NEW	.3591	----	----	2	----	1 + 1
4870	----	----	85.70B/*49.20A	85.70B/*49.20A	----	75.30 + 3.20	.6570	----	----	----	----	1 UNCH
4870	----	----	67.60B/24.20A	67.60B/24.20A	----	29.00 - 23.20	.3428	----	----	----	----	6 UNCH
4875	34.00	34.00	64.80B/22.80A	64.80B/22.80A	----	27.30 - 22.80	.3265	----	----	60	----	60 + 50
4880	----	----	62.20B/21.40A	62.20B/21.40A	----	25.70 - 22.30	.3107	----	----	1	----	10 + 1
4885	----	----	59.50B/20.00A	59.50B/20.00A	----	24.20 - 21.80	.2954	----	----	34	----	38 + 34
4895	----	----	103.40B/*61.00A	103.40B/*61.00A	----	92.80 NEW	.7337	----	----	1	----	1 + 1
4895	----	----	54.40B/17.70A	54.40B/17.70A	----	21.40 - 20.70	.2661	----	----	1	----	28 + 1
4900	25.10	25.10	52.20B/16.60A	52.20B/16.60A	----	20.10 - 20.20	.2520	----	----	13	----	39 + 11
4900	----	----	107.20B/*63.50A	107.20B/*63.50A	----	96.50 + 6.30	.7478	----	----	----	----	1 UNCH
4905	----	----	49.80B/15.70A	49.80B/15.70A	----	18.90 NEW	.2386	----	----	7	----	7 + 7
4910	----	----	47.60B/14.80A	47.60B/14.80A	----	17.70 NEW	.2254	----	----	33	----	33 + 33
4915	----	----	45.50B/13.90A	45.50B/13.90A	----	16.60 - 18.70	.2128	----	----	1	----	3 + 1
4920	----	----	43.10B/12.80A	43.10B/12.80A	----	15.60 - 18.10	.2010	----	----	1	----	27 UNCH
4920	----	----	122.90B/*74.60A	122.90B/*74.60A	----	112.00 + 8.40	.7988	----	----	----	----	1 UNCH
4925	----	----	41.20B/12.00A	41.20B/12.00A	----	14.70 - 17.50	.1900	----	----	4	----	63 + 1
4925	----	----	127.20B/*77.70A	127.20B/*77.70A	----	116.00 + 8.90	.8098	----	----	1	----	2 + 1
4930	23.80	23.80	39.50B/11.50A	39.50B/11.50A	----	13.70 - 17.10	.1784	----	----	1	----	2 UNCH
4935	----	----	37.30B/10.70A	37.30B/10.70A	----	12.90 NEW	.1684	----	----	9	----	7 + 7
4945	----	----	33.70B/9.40A	33.70B/9.40A	----	11.30 NEW	.1487	----	----	1	----	1 + 1
4950	27.60	27.60	32.20B/8.80A	32.20B/8.80A	----	10.60 - 14.90	.1398	----	----	70	----	57 + 54
4950	----	----	148.30B/*94.50A	148.30B/*94.50A	----	137.00 + 11.60	.8600	----	----	----	----	1 UNCH
4955	----	----	30.50B/8.40A	30.50B/8.40A	----	10.00 - 14.40	.1318	----	----	----	----	1 UNCH
4960	----	----	29.00B/7.80A	29.00B/7.80A	----	9.40 - 13.80	.1239	----	----	----	----	1 UNCH
4965	----	----	27.70B/7.30A	27.70B/7.30A	----	8.80 - 13.30	.1162	----	----	2	----	0 UNCH
4970	----	----	26.10B/6.90A	26.10B/6.90A	----	8.30 - 12.80	.1094	----	----	----	----	1 UNCH
4975	----	----	170.80B/*111.80	170.80B/*111.80A	----	159.10 + 14.10	.8979	----	----	----	----	2 UNCH
4975	10.80	10.80	24.80B/6.30A	24.80B/6.30A	----	7.70 - 12.40	.1019	----	----	1	----	6 UNCH
4980	----	----	23.70B/6.00A	23.70B/6.00A	----	7.30 - 11.90	.0962	----	----	----	----	2 UNCH
4985	----	----	22.20B/5.70A	22.20B/5.70A	----	6.80 - 11.50	.0898	----	----	----	----	1 UNCH
4990	----	----	20.80B/5.20A	20.80B/5.20A	----	6.40 - 11.00	.0843	----	----	----	----	1 UNCH
4995	----	----	189.20B/*126.70	189.20B/*126.70A	----	177.40 + 16.00	.9199	----	----	----	----	3 UNCH
5000	11.90	11.90	18.70B/4.80	18.70B/4.80	----	5.70 - 10.10	.0746	----	----	62	----	437 + 58
5000	----	----	193.70B/*130.50	193.70B/*130.50A	----	182.00 + 16.40	.9252	----	----	----	----	2 UNCH
5005	5.30	5.30	17.60B/4.50A	17.60B/4.50A	----	5.40 NEW	.0703	----	----	25	----	25 + 25
5010	----	----	16.30B/4.20A	16.30B/4.20A	----	5.10 - 9.30	.0662	----	----	----	----	4 UNCH
5015	----	----	15.30B/4.00A	15.30B/4.00A	----	4.80 NEW	.0621	----	----	2	----	1 + 1
5020	----	----	212.70B/*146.70	212.70B/*146.70A	----	200.80 + 17.90	.9418	----	----	----	----	2 UNCH
5025	----	----	217.50B/*150.80	217.50B/*150.80A	----	205.60 + 18.40	.9458	----	----	----	----	2 UNCH
5025	----	----	13.70B/3.60A	13.70B/3.60A	----	4.20 - 8.20	.0541	----	----	1	----	2 + 1
5050	3.50	3.50	10.20B/2.80A	10.20B/2.80A	----	3.20 - 6.60	.0400	----	----	9	----	102 + 7
5050	----	----	241.40B/*172.00	241.40B/*172.00A	----	229.50 + 19.90	.9598	----	----	----	----	1 UNCH
5055	----	----	9.80B/*2.70A	9.80B/*2.70A	----	3.10 - 6.20	.0384	----	----	----	----	2 UNCH
5075	----	----	----/2.30A	7.70B/2.30A	----	2.50 - 5.30	.0302	----	----	----	----	4 UNCH
5085	2.50	2.50	#2.50/*2.20A	6.80B/*2.20A	----	2.30 NEW	.0273	----	----	1	----	1 + 1
5090	6.70	6.70	#6.70/*2.10A	6.70/*2.10A	----	2.20 - 4.60	.0259	----	----	1	----	1 UNCH
5100	----	----	290.20B/*216.60	290.20B/*216.60A	----	278.30 + 22.30	.9766	----	----	----	----	2 UNCH
5100	----	----	----/2.00A	5.70B/2.00A	----	2.00 - 4.20	.0232	----	----	----	----	7 UNCH
5120	4.80	4.80	#4.80/*1.80A	4.80/*1.80A	----	1.70 NEW	.0191	----	----	1	----	1 + 1
5150	----	----	----/1.50A	3.10B/1.50A	----	1.30 - 2.80	.0139	----	----	----	----	5 UNCH
5175	----	----	----/*1.30A	2.20B/*1.30A	----	1.00 - 2.30	.0103	----	----	----	----	1 UNCH
5175	----	----	363.10B/*287.30	363.10B/*287.30A	----	352.20 + 24.10	.9895	----	----	----	----	1 UNCH
5200	----	----	----/*1.20A	1.60B/*1.20A	----	0.80 - 1.90	.0080	----	----	----	----	5 UNCH
5400	0.90	0.90	0.90/*0.80A	0.90/*0.80A	----	0.20 NEW	.0014	----	----	1	----	1 + 1
TOTAL										709		2563 + 611
MAY26												
3900	----	----	----	0.50B/*5.40A	----	1.80 - 0.30	.0099	----	----	----	----	2 UNCH
4000	7.10	7.10	#7.10/*7.10	#7.10/*7.10	----	6.30 NEW	.0294	----	----	1	----	1 + 1
4100	----	----	----	0.10B/23.00A	----	9.50 NEW	.0439	----	----	2	----	2 + 2
4200	----	----	----	6.10B/*10.60A	----	8.80 - 0.70	.0462	----	----	----	----	1 UNCH
4200	----	----	----	1.40B/28.30A	----	14.30 NEW	.0649	----	----	2	----	2 + 2
4200	----	----	----	2.50B/*6.70A	----	3.20 - 0.50	.0214	----	----	----	----	1 UNCH
4250	----	----	----	7.90B/*12.70A	----	10.90 - 0.80	.0571	----	----	----	----	2 UNCH
4250	----	----	----	3.60B/*7.70A	----	4.40 - 0.60	.0292	----	----	1	----	2 UNCH
4300	----	----	----/*13.50A	10.50B/*13.50A	----	13.40 - 1.10	.0701	----	----	----	----	7 UNCH
4300	----	----	----	4.80B/*9.30A	----	6.10 - 0.60	.0400	----	----	----	----	18 UNCH
4325	----	----	----/*21.90A	18.80B/*21.90A	----	21.40 NEW	.0981	----	----	2	----	2 + 2
4325	----	----	----/*14.50A	11.80B/*14.50A	----	15.00 - 1.10	.0781	----	----	----	----	2 UNCH
4350	----	----	----/*16.10A	13.50B/*16.10A	----	16.70 - 1.20	.0866	----	----	----	----	16 UNCH
4350	----	----	----	6.90B/*11.40A	----	8.30 - 0.60	.0537	----	----	1	----	1 - 1
4370	----	----	----	8.30B/12.70A	----	9.30 - 0.70	.0600	----	----	----	----	1 UNCH
4375	----	----	----/*26.50A	23.70B/*26.50A	----	24.90 NEW	.1150	----	----	1	----	1 + 1
4375	----	----	----/*17.80A	15.10B/*17.80A	----	18.50 - 1.40	.0958	----	----	----	----	1 UNCH
4375	----	----	----	8.60B/*12.10A	----	9.60 - 0.70	.0618	----	----	----	----	1 UNCH
4400	11.00	11.00	11.10/*11.00	11.10/*11.00	----	11.20 - 0.60	.0714	----	----	85	----	86 + 84
4400	----	----	----/*19.80A	17.00B/*19.80A	----	20.70 - 1.30	.1065	----	----	----	----	9 UNCH
4450	----	----	----/*24.10A	23.10B/*24.10A	----	25.70 - 1.40	.1305	----	----	----	----	2 UNCH
4475	----	----	----/*37.90A	#37.20B/*37.90A	----	35.60 NEW	.1625	----	----	1	----	1 + 1
4475	----	----	----/26.70A	25.80B/26.70A	----	28.60 - 1.30	.1442	----	----	----	----	10 UNCH
4475	----	----	----	15.80B/*18.00A	----	17.00 - 0.70	.1061	----	----	----	----	1 UNCH
4485	----	----	----/*27.80A	26.40B/*27.80A	----	29.90 - 1.30	.1502	----	----	----	----	11 UNCH
4490	----	----	----/*28.40A	27.30B/*28.40A	----	30.60 - 1.20	.1534	----	----	----	----	2 UNCH
4500	----	----	----/*41.50A	#41.60B/*41.50A	----	39.40 - 8.00	.1779	----	----	----	----	3 UNCH
4500	31.20	31.20	31.20/*29.60A	31.20/*29.60A	----	31.90 - 1.20	.1594	----	----	2	----	5 + 1
4500	----	----	----	18.50B/*20.60A	----	19.50 - 0.60	.1207	----	----	----	----	2 UNCH
4505	----	----	----/*30.20A	29.50B/*30.20A	----	32.60 - 1.20	.1626	----	----	----	----	1 UNCH
4505	----	----	----/*20.60A	19.10B/*20.60A	----	20.00 - 0.70	.1236	----	----	----	----	1 UNCH
4520	----	----	----/*32.10A	31.80B/*32.10A	----	34.90 NEW	.1728	----	----	1	----	1 + 1
4540	----	----	----/*34.90A	35.40B/*34.90A	----	38.00 - 0.90	.1867	----	----	----	----	1 UNCH
4550	----	----	----/*36.40A	37.80B/*36.40A	----	39.80 - 0.60	.1943	----	----	----	----	1 UNCH
4555	----	----	----/*37.20A	38.00B/*37.20A	----	40.60 - 0.60	.1980	----	----	----	----	1 UNCH
4570	----	----	----/*39.60A	41.10B/*39.60A	----	43.40 - 0.30	.2098	----	----	----	----	2 UNCH
4580	----	----	----	30.50B/*31.00A	----	30.10 - 0.40	.1794	----	----	----	----	2 UNCH
4590	----	----	32.30B/----	32.30B/*32.80A	----	31.80 - 0.40	.1884	----	----	----	----	2 UNCH
4600	----	----	----/*59.60A	#63.90B/*59.60A	----	60.90 - 6.70	.2553	----	----	----	----	3 UNCH
4600	----	----	----/*44.90A	48.00B/*44.90A	----	49.50 + 0.30	.2351	----	----	----	----	1 UNCH
4600	----	----	34.50B/----	34.50B/*34.30A	----	33.60 - 0.30	.1976	----	----	----	----	4 UNCH
4610	----	----	----/*46.90A	50.60B/*46.90A	----	51.70 + 0.60	.2441	----	----	----	----	2 UNCH
4620	----	----	53.30B/*48.80A	53.30B/*48.80A	----	54.00 + 0.90	.2532	----	----	----	----	2 UNCH
4650	----	----	266.90B/218.20A	266.90B/218.20A	----	217.60 - 26.20	.7498	----	----	----	----	1 UNCH
4690	----	----	73.50B/*65.20A	73.50B/*65.20A	----	73.30 + 3.30	.3248	----	----	2	----	4 - 2
4690	----	----	235.70B/189.70A	235.70B/189.70A	----	188.50 - 25.60	.7012	----	----	----	----	3 UNCH
4695	----	----	75.40B/*66.60A	75.40B/*66.60A	----	74.90 + 3.40	.3304	----	----	----	----	1 UNCH
4700	----	----	77.60B/*68.00A	77.60B/*68.00A	----	76.50 + 3.60	.3360	----	----	2	----	12 - 2
4700	----	----	60.40B/*54.40A	60.40B/*54.40A	----	58.20 + 1.10	.3112	----	----	----	----	3 UNCH
4700	----	----	228.10B/182.70A	228.10B/182.70A	----	181.60 - 25.40	.6882	----	----	----	----	1 UNCH
4705	----	----	61.80B/*55.70A	61.80B/*55.70A	----	59.80 + 1.20	.3178	----	----	----	----	11 UNCH
4705	----	----	224.20B/179.00A	224.20B/179.00A	----	178.20 - 25.30	.6816	----	----	----	----	1 UNCH
4720	----	----	212.90B/168.50A	212.90B/168.50A	----	168.30 - 24.90	.6613	----	----	----	----	1 UNCH
4730	----	----	88.10B/*76.90A	88.10B/*76.90A	----	87.20 + 4.50	.3708	----	----	----	----	20 UNCH
4750	----	----	206.50B/167.60A	206.50B/167.60A	----	168.60 - 21.40	.6043	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4770	----	----	104.70B/*90.30A	104.70B/*90.30A	----	103.80 + 5.40	.4196	----	----	----	----	1 UNCH
4775	----	----	174.80B/134.20A	174.80B/134.20A	----	135.00 - 23.30	.5829	----	----	----	----	16 UNCH
4775	----	----	89.20B/*76.80A	89.20B/*76.80A	----	86.50 NEW	.4165	----	----	4	----	4 + 4
4780	----	----	109.20B/*93.90A	109.20B/*93.90A	----	108.40 + 5.60	.4320	----	----	----	----	1 UNCH
4800	----	----	119.30B/*101.50	119.30B/*101.50A	----	118.10 + 5.70	.4570	----	----	----	----	1 UNCH
4800	----	----	158.70B/121.40A	158.70B/121.40A	----	121.50 - 22.40	.5459	----	----	1	----	1 UNCH
4800	----	----	174.60B/139.80A	174.60B/139.80A	----	141.60 - 20.70	.5423	----	----	----	----	101 UNCH
4810	----	----	168.70B/134.60A	168.70B/134.60A	----	136.70 - 20.70	.5298	----	----	----	----	7 UNCH
4815	----	----	165.80B/132.10A	165.80B/132.10A	----	134.30 - 20.60	.5236	----	----	----	----	1 UNCH
4820	----	----	162.90B/129.60A	162.90B/129.60A	----	131.90 - 20.60	.5173	----	----	----	----	1 UNCH
4820	----	----	128.00B/*109.70	128.00B/*109.70A	----	128.30 + 5.80	.4819	----	----	2	----	3 + 2
4825	----	----	112.60B/*94.60A	112.60B/*94.60A	----	110.30 + 5.00	.4907	----	----	----	----	1 UNCH
4850	----	----	146.30B/115.20A	146.30B/115.20A	----	118.00 - 20.50	.4802	----	----	----	----	1 UNCH
4850	----	----	129.30B/94.80A	129.30B/94.80A	----	97.30 - 20.50	.4717	----	----	----	----	1 UNCH
4870	----	----	154.50B/*132.20	154.50B/*132.20A	----	155.40 NEW	.5437	----	----	2	----	2 + 2
4880	----	----	130.70B/102.10A	130.70B/102.10A	----	104.80 - 20.20	.4433	----	----	----	----	1 UNCH
4900	----	----	172.30B/*147.30	172.30B/*147.30A	----	172.60 + 6.70	.5804	----	----	----	----	1 UNCH
4900	----	----	122.70B/93.90A	122.70B/93.90A	----	96.30 - 19.90	.4189	----	----	----	----	17 UNCH
4900	----	----	103.60B/74.50A	103.60B/74.50A	----	76.70 - 18.50	.3993	----	----	----	----	21 UNCH
4905	----	----	100.90B/72.90A	100.90B/72.90A	----	74.80 - 18.30	.3922	----	----	----	----	2 UNCH
4915	----	----	96.20B/69.50A	96.20B/69.50A	----	71.20 - 17.90	.3783	----	----	----	----	1 UNCH
4930	----	----	89.80B/64.50A	89.80B/64.50A	----	66.00 - 17.20	.3578	----	----	----	----	1 UNCH
4950	----	----	98.90B/75.90A	98.90B/75.90A	----	76.80 - 18.50	.3587	----	----	----	----	5 UNCH
4950	----	----	81.30B/57.50A	81.30B/57.50A	----	59.50 - 16.40	.3312	----	----	----	----	30 UNCH
4960	----	----	#94.90B/72.70A	#94.90B/72.70A	----	73.30 - 18.10	.3470	----	----	----	----	5 UNCH
4970	----	----	73.60B/52.70A	73.60B/52.70A	----	53.40 - 15.60	.3053	----	----	----	----	1 UNCH
4975	----	----	71.70B/50.50A	71.70B/50.50A	----	52.00 - 15.40	.2991	----	----	----	----	1 UNCH
5000	----	----	79.80B/60.90A	79.80B/60.90A	----	60.30 - 16.60	.3015	----	----	----	----	2 UNCH
5000	----	----	225.20B/*190.60	225.20B/*190.60A	----	221.50 + 12.20	.7307	----	----	----	----	1 UNCH
5000	----	----	63.10B/44.90A	63.10B/44.90A	----	45.30 - 14.40	.2688	----	----	1	----	4 UNCH
5005	----	----	61.50B/43.70A	61.50B/43.70A	----	44.10 - 14.10	.2630	----	----	----	----	3 UNCH
5025	----	----	71.60B/54.50A	71.60B/54.50A	----	53.20 - 15.60	.2746	----	----	----	----	1 UNCH
5075	----	----	56.60B/43.40A	56.60B/43.40A	----	41.50 - 13.50	.2261	----	----	----	----	1 UNCH
5100	----	----	#68.30B/*53.30A	#68.30B/53.30A	----	53.20 - 10.50	.2444	----	----	----	----	3 UNCH
5100	----	----	#50.40B/38.70A	50.40B/38.70A	----	36.70 - 12.50	.2046	----	----	----	----	1 UNCH
5100	----	----	36.30B/26.20A	36.30B/26.20A	----	25.50 - 10.00	.1680	----	----	----	----	2 UNCH
5125	----	----	#44.70B/34.50A	44.70B/34.50A	----	32.40 - 11.50	.1846	----	----	----	----	1 UNCH
5175	----	----	----/17.80A	23.00B/17.80A	----	16.40 - 7.00	.1144	----	----	----	----	2 UNCH
5200	----	----	#45.40B/*36.10A	#45.40B/36.10A	----	35.70 - 8.00	.1758	----	----	----	----	3 UNCH
5200	----	----	----/24.60A	30.40B/24.60A	----	22.70 - 8.80	.1356	----	----	----	----	91 UNCH
5200	15.00	15.00	15.00/15.00	19.60B/15.00	----	14.20 - 6.10	.1004	----	----	2	----	2 + 2
5225	----	----	----/*21.90A	#26.70B/21.90A	----	20.30 - 7.90	.1226	----	----	----	----	1 UNCH
5250	----	----	----/*19.70A	#23.40B/19.70A	----	18.20 - 7.10	.1109	----	----	----	----	4 UNCH
TOTAL										115		634 + 100

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4250	----	----	----	----	----	0.20 - 0.20	.0003	----	----	----	----	1 UNCH
4700	----	----	----	----	----	129.40 - 29.90	.9301	----	----	----	----	1 UNCH
4915	----	----	----	----	----	7.90 - 18.20	.1147	----	----	----	----	3 UNCH
TOTAL												5 0

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5000	----	----	----	----/0.134A	----	0.040 + 0.022	.0049	----	----	----	----	1 UNCH
5000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
6100	----	----	----	0.002B/*0.160A	----	0.095 + 0.058	.0168	----	----	----	----	1 UNCH
6600	----	----	----	----/0.126A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
6650	----	----	----	----/0.128A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
6775	----	----	----	0.081B/*0.257A	----	0.184 + 0.013	.0425	----	----	----	----	1 UNCH
6800	----	----	----	0.001B/*0.111A	----	0.003 + 0.002	.0000	----	----	----	----	2 UNCH
6850	----	----	----	0.103B/*0.300A	----	0.209 + 0.002	.0493	----	----	----	----	25 UNCH
7000	----	----	----	0.001B/*0.111A	----	0.012 + 0.006	.0003	----	----	----	----	1 UNCH
7000	----	----	----	#8.658B/11.169A	----	9.900 + 0.073	.9323	----	----	----	----	1 UNCH
7180	----	----	----	0.001B/*0.108A	----	0.037 + 0.017	.0025	----	----	----	----	3 UNCH
7200	----	----	----	0.001B/*0.109A	----	0.042 + 0.019	.0031	----	----	----	----	1 UNCH
7325	----	----	----	0.002B/*0.127A	----	0.080 + 0.028	.0093	----	----	----	----	10 UNCH
7330	----	----	----	0.002B/*0.128A	----	0.080 + 0.027	.0094	----	----	----	----	10 UNCH
7355	----	----	----	0.002B/*0.131A	----	0.082 + 0.021	.0103	----	----	----	----	10 UNCH
7400	0.065	0.065	0.065/*0.058	0.065/*0.058	----	0.086 + 0.010	.0120	----	----	2	----	3 + 2
7450	----	----	----	0.008B/*0.146A	----	0.093 - 0.006	.0149	----	----	----	----	5 UNCH
7470	----	----	----	0.015B/*0.150A	----	0.096 - 0.014	.0162	----	----	----	----	10 UNCH
7500	----	----	----/*0.100A	0.046B/*0.100A	----	0.103 - 0.026	.0190	----	----	----	----	30 UNCH
7500	----	----	----	----	----	4.730 + 0.068	.9809	----	----	----	----	1 UNCH
7525	0.145	0.145	0.145/*0.145	0.145/*0.145	----	0.110 NEW	.0220	----	----	1	----	1 + 1
7600	0.300	0.300	0.300/*0.150	0.300/*0.150	----	0.142 - 0.080	.0361	----	----	4	----	5 + 3
7600	----	----	2.019B/*1.940A	2.019B/*1.940A	----	1.865 - 0.090	.2950	----	----	----	----	0 UNCH
7600	----	----	----	----	----	3.770 + 0.015	.9638	----	----	----	----	3 UNCH
7620	3.410	3.410	#3.410/*3.410	#3.410/3.410	----	3.582 NEW	.9578	----	----	3	----	3 + 3
7700	0.435	0.435	0.435/*0.209A	0.435/*0.209A	----	0.234 NEW	.0816	----	----	3	----	3 + 3
7800	0.537	0.537	0.746B/*0.400A	0.746B/*0.400A	----	0.426 NEW	.1864	----	----	1	----	1 + 1
7800	----	----	----/2.083A	1.160B/2.083A	----	2.054 - 0.129	.8136	----	----	----	----	1 UNCH
7825	----	----	----/1.960A	0.893B/1.960A	----	1.873 - 0.146	.7756	----	----	----	----	21 UNCH
7840	0.512	0.512	#0.901B/*0.512	0.901B/*0.512	----	0.541 NEW	.2493	----	----	24	----	24 + 24
7900	1.000	1.000	1.100/1.000	1.100/1.000	----	1.388 NEW	.6372	----	----	10	----	0 UNCH
7900	0.770	0.770	1.081B/*0.688	1.081B/*0.688	----	0.760 NEW	.3627	----	----	8	----	7 + 7
7950	0.890	0.890	1.104B/0.866A	1.104B/0.866A	----	1.114 NEW	.5320	----	----	1	----	1 + 1
7975	0.820	0.820	0.820/0.764A	1.024B/0.764A	----	0.993 - 0.207	.4786	----	----	6	----	5 + 4
8000	----	----	----	3.358B/3.980A	----	3.718 - 0.007	.5308	----	----	----	----	1 UNCH
8000	0.600	0.600	0.700/0.510	1.026B/0.510	----	0.882 - 0.209	.4259	----	----	15	----	16 + 15
8000	0.900	0.900	0.900/*0.900	1.392B/*0.900	----	1.254 NEW	.5740	----	----	1	----	1 + 1
8000	3.800	3.800	#3.827B/*3.400A	3.827B/*3.400A	----	3.519 - 0.102	.4691	----	----	1	----	1 UNCH
8000	----	----	----/2.268A	2.372B/2.268A	----	2.491 - 0.081	.4922	----	----	----	----	1 UNCH
8050	0.600	0.600	0.995B/0.477	0.995B/0.477	----	0.687 NEW	.3265	----	----	6	----	2 + 2
8075	0.438	0.438	1.006B/0.438	1.006B/0.438	----	0.602 NEW	.2811	----	----	10	----	10 + 10
8090	0.550	0.550	#1.008B/*0.451A	#1.008B/0.451A	----	0.556 NEW	.2558	----	----	5	----	5 + 5
8100	0.370	0.370	1.044B/0.360	1.044B/0.360	----	0.526 - 0.203	.2395	----	----	2	----	3 + 2
8150	0.350	0.350	0.966B/0.300	0.966B/0.300	----	0.397 NEW	.1683	----	----	10	----	10 + 10
8200	1.800	1.800	#2.227B/1.536A	#2.227B/1.536A	----	1.600 NEW	.3649	----	----	1	----	1 + 1
8250	----	----	----	----	----	3.088 - 0.253	.9267	----	----	----	----	4 UNCH
8275	----	----	----	----	----	3.305 - 0.244	.9419	----	----	----	----	4 UNCH
8400	----	----	0.261B/*0.136A	0.261B/*0.136A	----	0.078 - 0.102	.0156	----	----	----	----	1 UNCH
8600	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.017 NEW	.0012	----	----	1	----	1 + 1
8800	----	----	----	----	----	8.375 - 0.113	.9999	----	----	----	----	1 UNCH
TOTAL										115	0	256 + 96

SMW MON — SILVER WEEKLY MONDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
6500	----	----	0.027B/----	0.027B/*0.120A	----	0.074 + 0.049	.0147	----	----	----	----	1 UNCH
7000	----	----	----	0.050B/*0.180A	----	0.111 + 0.008	.0306	----	----	----	----	1 UNCH
7200	----	----	----	0.112B/*0.247A	----	0.179 - 0.020	.0540	----	----	----	----	1 UNCH
7300	0.200	0.200	0.207/*0.200	0.207/*0.200	----	0.242 NEW	.0750	----	----	7	----	7 + 7
7300	----	----	----	----/29.729A	----	6.867 + 0.058	.9249	----	----	----	----	2 UNCH
7305	----	----	----	#5.780B/8.336A	----	6.821 + 0.057	.9238	----	----	----	----	1 UNCH
7405	0.350	0.350	0.350/*0.350	0.350/*0.350	----	0.341 NEW	.1070	----	----	1	----	1 + 1
7500	----	----	----	----/27.535A	----	5.096 + 0.017	.8531	----	----	----	----	2 UNCH
7600	----	----	----/*0.616A	0.730B/*0.616A	----	0.660 NEW	.2015	----	----	2	----	2 + 2
7625	----	----	----/*0.658A	0.780B/*0.658A	----	0.717 - 0.105	.2171	----	----	----	----	1 UNCH
7650	----	----	----/*0.736A	0.864B/*0.736A	----	0.779 - 0.110	.2337	----	----	----	----	2 UNCH
7725	----	----	1.153B/*0.885A	1.153B/*0.885A	----	0.990 - 0.128	.2875	----	----	----	----	20 UNCH
7800	----	----	#1.509B/*1.132A	1.509B/*1.132A	----	1.243 NEW	.3471	----	----	2	----	2 + 2
7875	1.400	1.400	#1.846B/*1.380A	1.846B/*1.380A	----	1.541 NEW	.4109	----	----	1	----	1 + 1
7900	----	----	----/1.984A	2.223B/1.984A	----	2.277 - 0.090	.5670	----	----	----	----	2 UNCH
7950	2.000	2.000	#2.000/*1.706A	2.065B/*1.706A	----	1.883 NEW	.4773	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
APR26												
8000	----	----	----/1.489A	1.766B/1.489A	----	1.764 - 0.135	.4777	----	----	----	----	10 UNCH
8100	----	----	#1.659B/1.122A	1.659B/1.122A	----	1.328 - 0.188	.3890	----	----	----	----	2 UNCH
9000	----	----	----/0.178A	0.075B/0.178A	----	0.080 - 0.118	.0255	----	----	----	----	1 UNCH
TOTAL										14	0	60 + 14
MAY26												
5500	0.175	0.175	0.175/*0.145	0.175/*0.145	----	0.136 + 0.044	.0199	----	----	5	----	15 + 5
6600	----	----	----	0.289B/*0.493A	----	0.399 - 0.027	.0695	----	----	----	----	1 UNCH
7625	----	----	----	2.846B/*3.062A	----	2.902 - 0.055	.3370	----	----	----	----	1 UNCH
8000	----	----	----	#4.395B/5.024A	----	4.845 + 0.115	.5358	----	----	----	----	20 UNCH
8500	----	----	#3.269B/----	#3.269B/2.922A	----	2.946 NEW	.3755	----	----	20	----	20 + 20
TOTAL										25	0	57 + 25
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3875	----	----	41.689B/40.074A	41.689B/40.074A	----	40.878 + 0.095	.9985	----	----	20	----	50 UNCH
3900	----	----	41.246B/39.882A	41.246B/39.882A	----	40.628 + 0.095	.9985	----	----	----	----	1 UNCH
4000	----	----	40.439B/38.824A	40.439B/38.824A	----	39.629 + 0.096	.9982	----	----	----	----	53 UNCH
4100	----	----	39.439B/37.824A	39.439B/37.824A	----	38.630 + 0.097	.9979	----	----	----	----	50 UNCH
4200	----	----	38.439B/36.824A	38.439B/36.824A	----	37.631 + 0.097	.9977	----	----	----	----	116 UNCH
4400	----	----	36.405B/34.839A	36.405B/34.839A	----	35.635 + 0.099	.9971	----	----	----	----	0 - 43
4450	----	----	35.747B/34.382A	35.747B/34.382A	----	35.136 + 0.099	.9969	----	----	----	----	2 UNCH
4500	----	----	35.444B/33.825A	35.444B/33.825A	----	34.637 + 0.099	.9967	----	----	----	----	0 - 120
4550	----	----	34.747B/33.383A	34.747B/33.383A	----	34.138 + 0.099	.9966	----	----	----	----	1 UNCH
4600	----	----	34.406B/32.841A	34.406B/32.841A	----	33.639 + 0.099	.9963	----	----	----	----	22 - 21
4650	----	----	33.945B/32.327A	33.945B/32.327A	----	33.140 + 0.099	.9961	----	----	----	----	71 - 6
4675	----	----	33.618B/32.168A	33.618B/32.168A	----	32.891 + 0.099	.9960	----	----	----	----	14 - 1
4700	----	----	33.248B/31.892A	33.248B/31.892A	----	32.642 + 0.100	.9958	----	----	----	----	2 UNCH
4725	----	----	32.998B/31.642A	32.998B/31.642A	----	32.392 + 0.099	.9958	----	----	----	----	2 UNCH
4750	----	----	32.868B/31.419A	32.868B/31.419A	----	32.143 + 0.100	.9956	----	----	----	----	7 UNCH
4800	----	----	32.368B/30.921A	32.368B/30.921A	----	31.644 + 0.099	.9953	----	----	----	----	7 UNCH
4825	----	----	32.119B/30.671A	32.119B/30.671A	----	31.395 + 0.100	.9953	----	----	----	----	22 UNCH
4850	----	----	31.869B/30.422A	31.869B/30.422A	----	31.146 + 0.100	.9951	----	----	----	----	10 UNCH
4900	----	----	31.369B/29.923A	31.369B/29.923A	----	30.647 + 0.100	.9948	----	----	----	----	13 UNCH
4925	----	----	31.119B/29.674A	31.119B/29.674A	----	30.398 + 0.100	.9947	----	----	----	----	12 UNCH
4950	----	----	30.750B/29.393A	30.750B/29.393A	----	30.149 + 0.101	.9946	----	----	----	----	4 UNCH
5000	----	----	30.448B/28.815A	30.448B/28.815A	----	29.650 + 0.100	.9943	----	----	----	----	99 UNCH
5025	----	----	30.211B/28.663A	30.211B/28.663A	----	29.401 + 0.101	.9942	----	----	----	----	2 - 1
5050	----	----	29.871B/28.410A	29.871B/28.410A	----	29.151 + 0.100	.9941	----	----	----	----	4 - 2
5075	----	----	29.621B/28.161A	29.621B/28.161A	----	28.902 + 0.100	.9939	----	----	----	----	0 - 6
5100	----	----	29.371B/27.912A	29.371B/27.912A	----	28.652 + 0.100	.9937	----	----	----	----	8 - 1
5125	----	----	29.002B/27.650A	29.002B/27.650A	----	28.403 + 0.100	.9937	----	----	----	----	1 UNCH
5150	----	----	28.872B/27.415A	28.872B/27.415A	----	28.154 + 0.100	.9935	----	----	----	----	15 UNCH
5200	----	----	28.373B/26.917A	28.373B/26.917A	----	27.655 + 0.100	.9932	----	----	----	----	11 UNCH
5225	----	----	27.995B/26.654A	27.995B/26.654A	----	27.405 + 0.099	.9932	----	----	----	----	1 UNCH
5250	----	----	27.873B/26.419A	27.873B/26.419A	----	27.156 + 0.099	.9930	----	----	----	----	17 - 4
5275	----	----	27.624B/26.170A	27.624B/26.170A	----	26.907 + 0.099	.9929	----	----	----	----	6 UNCH
5300	----	----	27.454B/25.827A	27.454B/25.827A	----	26.657 + 0.098	.9927	----	----	----	----	126 UNCH
5325	----	----	27.165B/25.664A	27.165B/25.664A	----	26.408 + 0.098	.9926	----	----	----	----	29 UNCH
5350	----	----	26.916B/25.415A	26.916B/25.415A	----	26.159 + 0.098	.9924	----	----	----	----	25 UNCH
5400	----	----	26.457B/24.832A	26.457B/24.832A	----	25.660 + 0.097	.9920	----	----	----	----	146 UNCH
5425	----	----	26.128B/24.694A	26.128B/24.694A	----	25.411 + 0.097	.9919	----	----	----	----	12 UNCH
5450	----	----	25.875B/24.343A	25.875B/24.343A	----	25.162 + 0.097	.9917	----	----	----	----	50 UNCH
5475	----	----	25.721B/24.178A	25.721B/24.178A	----	24.913 + 0.096	.9915	----	----	----	----	2 UNCH
5500	----	----	25.377B/23.846A	25.377B/23.846A	----	24.664 + 0.096	.9912	----	----	----	----	185 UNCH
5525	----	----	25.172B/23.666A	25.172B/23.666A	----	24.416 + 0.097	.9909	----	----	----	----	35 UNCH
5550	----	----	24.883B/23.436A	24.883B/23.436A	----	24.167 + 0.096	.9906	----	----	----	----	8 UNCH
5600	----	----	24.465B/22.844A	24.465B/22.844A	----	23.670 + 0.096	.9900	----	----	----	----	110 UNCH
5625	----	----	24.137B/22.692A	24.137B/22.692A	----	23.422 + 0.096	.9896	----	----	----	----	8 UNCH
5650	----	----	23.928B/22.425A	23.928B/22.425A	----	23.174 + 0.096	.9893	----	----	----	----	31 UNCH
5675	----	----	23.639B/22.197A	23.639B/22.197A	----	22.926 + 0.096	.9889	----	----	----	----	6 UNCH
5700	----	----	23.390B/21.949A	23.390B/21.949A	----	22.678 + 0.096	.9885	----	----	----	----	9 UNCH
5750	----	----	22.893B/21.454A	22.893B/21.454A	----	22.182 + 0.096	.9876	----	----	----	----	15 UNCH
5775	----	----	----/21.193A	20.997B/21.193A	----	21.935 + 0.097	.9871	----	----	----	----	1 UNCH
5800	----	----	----/20.946A	20.749B/20.946A	----	21.687 + 0.096	.9866	----	----	----	----	1 UNCH
5825	----	----	22.147B/20.713A	22.147B/20.713A	----	21.440 + 0.097	.9861	----	----	----	----	11 UNCH
5850	----	----	----/20.452A	20.252B/20.452A	----	21.192 + 0.096	.9855	----	----	----	----	2 UNCH
5900	----	----	21.483B/19.874A	21.483B/19.874A	----	20.698 + 0.097	.9845	----	----	----	----	124 UNCH
5925	----	----	21.153B/19.712A	21.153B/19.712A	----	20.451 + 0.097	.9838	----	----	----	----	1 UNCH
5950	----	----	20.905B/19.479A	20.905B/19.479A	----	20.204 + 0.097	.9832	----	----	----	----	16 UNCH
6000	----	----	20.492B/18.886A	20.492B/18.886A	----	19.710 + 0.097	.9819	----	----	----	----	245 UNCH
6050	----	----	19.914B/18.480A	19.914B/18.480A	----	19.216 + 0.096	.9807	----	----	----	----	2 UNCH
6075	----	----	19.749B/18.147A	19.749B/18.147A	----	18.969 + 0.095	.9800	----	----	----	----	122 UNCH
6100	----	----	19.418B/18.000A	19.418B/18.000A	----	18.722 + 0.095	.9793	----	----	----	----	9 UNCH
6125	----	----	19.171B/17.747A	19.171B/17.747A	----	18.475 + 0.094	.9786	----	----	----	----	1 UNCH
6150	----	----	18.924B/17.501A	18.924B/17.501A	----	18.228 + 0.092	.9779	----	----	----	----	3 UNCH
6175	----	----	18.677B/17.249A	18.677B/17.249A	----	17.981 + 0.091	.9772	----	----	----	----	1 UNCH
6200	----	----	18.513B/16.917A	18.513B/16.917A	----	17.735 + 0.090	.9764	----	----	----	----	59 UNCH
6225	----	----	18.266B/16.672A	18.266B/16.672A	----	17.488 + 0.089	.9755	----	----	----	----	69 UNCH
6250	----	----	17.936B/16.520A	17.936B/16.520A	----	17.241 + 0.087	.9747	----	----	----	----	3 UNCH
6275	----	----	17.690B/16.275A	17.690B/16.275A	----	16.995 + 0.085	.9739	----	----	----	----	4 UNCH
6300	----	----	17.444B/16.038A	17.444B/16.038A	----	16.749 + 0.084	.9729	----	----	----	----	24 UNCH
6325	----	----	17.198B/15.781A	17.198B/15.781A	----	16.503 + 0.082	.9720	----	----	----	----	3 UNCH
6350	----	----	16.951B/15.550A	16.951B/15.550A	----	16.257 + 0.080	.9710	----	----	----	----	7 UNCH
6375	16.092	16.092	16.747B/15.284A	16.747B/15.284A	----	16.011 + 0.077	.9699	----	----	1	----	48 UNCH
6400	----	----	16.543B/14.962A	16.543B/14.962A	----	15.766 + 0.076	.9689	----	----	----	----	62 UNCH
6425	----	----	16.214B/14.839A	16.214B/14.839A	----	15.520 + 0.073	.9677	----	----	----	----	6 UNCH
6450	----	----	15.968B/14.571A	15.968B/14.571A	----	15.275 + 0.070	.9664	----	----	----	----	4 UNCH
6475	----	----	15.723B/14.354A	15.723B/14.354A	----	15.031 + 0.068	.9651	----	----	----	----	6 UNCH
6500	----	----	15.562B/13.992A	15.562B/13.992A	----	14.787 + 0.066	.9637	----	----	----	----	172 UNCH
6525	----	----	15.275B/13.830A	15.275B/13.830A	----	14.543 + 0.063	.9622	----	----	----	----	28 UNCH
6550	----	----	14.989B/13.621A	14.989B/13.621A	----	14.299 + 0.060	.9607	----	----	----	----	8 UNCH
6575	----	----	14.744B/13.364A	14.744B/13.364A	----	14.056 + 0.057	.9590	----	----	----	----	3 UNCH
6600	----	----	14.500B/13.109A	14.500B/13.109A	----	13.814 + 0.055	.9573	----	----	----	----	9 UNCH
6625	----	----	14.258B/12.883A	14.258B/12.883A	----	13.572 + 0.052	.9554	----	----	----	----	7 UNCH
6650	----	----	14.014B/12.643A	14.014B/12.643A	----	13.330 + 0.049	.9534	----	----	----	----	6 UNCH
6675	----	----	13.771B/12.398A	13.771B/12.398A	----	13.089 + 0.046	.9513	----	----	----	----	1 UNCH
6700	----	----	13.614B/12.068A	13.614B/12.068A	----	12.848 + 0.042	.9491	----	----	----	----	169 UNCH
6750	----	----	13.047B/11.691A	13.047B/11.691A	----	12.369 + 0.035	.9441	----	----	----	----	10 UNCH
6800	----	----	12.652B/11.123A	12.652B/11.123A	----	11.893 + 0.028	.9387	----	----	----	----	56 UNCH
6825	----	----	12.414B/10.926A	12.414B/10.926A	----	11.656 + 0.024	.9357	----	----	----	----	107 UNCH
6850	----	----	12.091B/10.754A	12.091B/10.754A	----	11.420 + 0.020	.9324	----	----	----	----	1 UNCH
6875	----	----	11.854B/10.522A	11.854B/10.522A	----	11.185 + 0.016	.9290	----	----	----	----	1 UNCH
6900	----	----	11.702B/10.231A	11.702B/10.231A	----	10.951 + 0.012	.9254	----	----	----	----	195 UNCH
6925	----	----	11.382B/10.069A	11.382B/10.069A	----	10.718 + 0.007	.9217	----	----	----	----	12 UNCH
6950	----	----	11.147B/9.829A	11.147B/9.829A	----	10.487 + 0.004	.9177	----	----	----	----	5 UNCH
7000	----	----	10.765B/9.323A	10.765B/9.323A	----	10.027 - 0.005	.9088	----	----	4	----	443 UNCH
7025	----	----	10.448B/9.177A	10.448B/9.177A	----	9.799 - 0.010	.9040	----	----	----	----	11 UNCH
7050	----	----	10.260B/8.912A	10.260B/8.912A	----	9.572 - 0.015	.8990	----	----	----	----	26 UNCH
7075	9.375	9.375	9.988B/8.729A	9.988B/8.729A	----	9.347 - 0.020	.8937	----	----	1	----	6 - 1
7100	----	----	9.845B/8.439A	9.845B/8.439A	----	9.124 - 0.025	.8882	----	----	----	----	64 UNCH
7125	----	----	9.535B/8.286A	9.535B/8.286A	----	8.902 - 0.030	.8823	----	----	----	----	4 UNCH
7150	----	----	9.309B/8.073A	9.309B/8.073A	----	8.682 - 0.035	.8761	----	----	----	----	2 UNCH
7175	----	----	9.085B/7.854A	9.085B/7.854A	----	8.464 - 0.041	.8696	----	----	----	----	13 UNCH
7200	----	----	8.951B/7.589A	8.951B/7.589A	----	8.249 - 0.045	.8627	----	----	----	----	52 UNCH
7225	----	----	8.643B/7.437A	8.643B/7.437A	----	8.035 - 0.050	.8554	----	----	----	----	8 UNCH
7250	----	----	8.513B/7.177A	8.513B/7.177A	----	7.824 - 0.055	.8480	----	----	----	----	62 UNCH
7275	----	----	8.210B/7.038A	8.210B/7.038A	----	7.615 - 0.060	.8401	----	----	----	----	3 UNCH
7300	----	----	8.084B/6.760A	8.084B/6.760A	----	7.408 - 0.065	.8319	----	----	4	----	144 + 4
7325	----	----	7.787B/6.667A	7.787B/6.667A	----	7.204 - 0.070	.8234	----	----	----	----	2 UNCH
7350	----	----	7.668B/6.372A	7.668B/6.372A	----	7.002 - 0.076	.8145	----	----	----	----	51 UNCH
7375	----	----	7.464B/6.199A	7.464B/6.199A	----	6.803 - 0.081	.8054	----	----	----	----	86 UNCH
7400	----	----	7.216B/6.029A	7.216B/6.029A	----	6.607 - 0.086	.7958	----	----	----	----	37 UNCH
7425	----	----	6.978B/5.852A	6.978B/5.852A	----	6.414 - 0.091	.7859	----	----	----	----	7 UNCH
7450	----	----	6.780B/5.668A	6.780B/5.668A	----	6.224 - 0.096	.7758	----	----	----	----	15 UNCH
7475	----	----	6.580B/5.486A	6.580B/5.486A	----	6.036 - 0.102	.7653	----	----	----	----	6 UNCH
7500	6.600	6.600	6.600/5.267A	6.600/5.267A	----	5.852 - 0.106	.7545	----	----	2	----	425 UNCH
7525	----	----	6.205B/5.133A	6.205B/5.133A	----	5.671 - 0.111	.7435	----	----	----	----	16 UNCH
7530	----	----	6.161B/5.178A	6.161B/5.178A	----	5.635 - 0.113	.7412	----	----	----	----	5 UNCH
7535	----	----	6.124B/5.197A	6.124B/5.197A	----	5.599 - 0.114	.7390	----	----	----	----	2 UNCH
7540	----	----	6.088B/5.163A	6.088B/5.163A	----	5.563 - 0.115	.7367	----	----	----	----	1 UNCH
7545	----	----	6.049B/5.130A	6.049B/5.130A	----	5.528 - 0.116	.7344	----	----	----	----	2 UNCH
7550	----	----	6.012B/4.960A	6.012B/4.960A	----	5.493 - 0.117	.7321	----	----	----	----	14 UNCH
7555	----	----	5.975B/5.063A	5.975B/5.063A	----	5.457 - 0.119	.7298	----	----	----	----	2 UNCH
7570	----	----	5.864B/4.965A	5.864B/4.965A	----	5.352 - 0.122	.7228	----	----	----	----	3 UNCH
7575	----	----	5.829B/4.791A	5.829B/4.791A	----	5.318 - 0.122	.7205	----	----	----	----	10 UNCH
7585	----	----	5.756B/4.866A	5.756B/4.866A	----	5.249 - 0.125	.7157	----	----	----	----	2 UNCH
7590	----	----	5.720B/4.834A	5.720B/4.834A	----	5.214 - 0.126	.7134	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7595	----	----	5.684B/4.802A	5.684B/4.802A	----	5.180 - 0.127	.7110	----	----	----	----	2 UNCH
7600	5.000	5.000	5.739B/4.609A	5.739B/4.609A	----	5.146 - 0.128	.7086	----	----	3	----	107 - 1
7605	----	----	5.612B/4.738A	5.612B/4.738A	----	5.112 - 0.130	.7062	----	----	----	----	2 UNCH
7615	----	----	5.541B/4.675A	5.541B/4.675A	----	5.045 - 0.131	.7014	----	----	----	----	2 UNCH
7620	----	----	5.505B/4.643A	5.505B/4.643A	----	5.011 - 0.133	.6989	----	----	----	----	2 UNCH
7625	----	----	5.471B/4.465A	5.471B/4.465A	----	4.978 - 0.134	.6965	----	----	----	----	13 UNCH
7630	----	----	5.435B/4.581A	5.435B/4.581A	----	4.945 - 0.135	.6941	----	----	----	----	1 UNCH
7635	----	----	5.401B/4.550A	5.401B/4.550A	----	4.911 - 0.137	.6916	----	----	----	----	3 UNCH
7640	----	----	5.367B/4.519A	5.367B/4.519A	----	4.878 - 0.138	.6891	----	----	----	----	3 UNCH
7645	----	----	5.331B/4.338A	5.331B/4.338A	----	4.846 - 0.138	.6867	----	----	----	----	11 UNCH
7650	----	----	5.339B/4.306A	5.339B/4.306A	----	4.813 - 0.139	.6842	----	----	----	----	31 UNCH
7655	----	----	5.262B/4.427A	5.262B/4.427A	----	4.780 - 0.141	.6817	----	----	----	----	6 UNCH
7660	----	----	5.227B/4.244A	5.227B/4.244A	----	4.748 - 0.142	.6792	----	----	----	----	6 UNCH
7665	----	----	5.193B/4.213A	5.193B/4.213A	----	4.716 - 0.143	.6767	----	----	----	----	13 UNCH
7675	----	----	5.124B/4.307A	5.124B/4.307A	----	4.651 - 0.146	.6717	----	----	----	----	5 UNCH
7680	----	----	5.091B/4.277A	5.091B/4.277A	----	4.619 - 0.147	.6691	----	----	----	----	4 UNCH
7685	----	----	5.057B/4.248A	5.057B/4.248A	----	4.588 - 0.147	.6666	----	----	----	----	5 UNCH
7690	----	----	5.024B/4.220A	5.024B/4.220A	----	4.556 - 0.149	.6640	----	----	----	----	3 UNCH
7695	----	----	4.990B/4.190A	4.990B/4.190A	----	4.525 - 0.149	.6615	----	----	----	----	4 UNCH
7700	----	----	5.045B/3.996A	5.045B/3.996A	----	4.493 - 0.151	.6589	----	----	12	----	182 UNCH
7705	----	----	4.924B/4.132A	4.924B/4.132A	----	4.462 - 0.152	.6563	----	----	----	----	4 UNCH
7710	----	----	4.891B/4.102A	4.891B/4.102A	----	4.431 - 0.153	.6538	----	----	----	----	2 UNCH
7715	----	----	4.859B/4.005A	4.859B/4.005A	----	4.400 - 0.154	.6512	----	----	----	----	5 UNCH
7720	----	----	4.826B/3.916A	4.826B/3.916A	----	4.369 - 0.155	.6486	----	----	----	----	1 UNCH
7725	----	----	4.814B/3.813A	4.814B/3.813A	----	4.338 - 0.157	.6460	----	----	----	----	8 UNCH
7735	----	----	4.729B/3.748A	4.729B/3.748A	----	4.277 - 0.159	.6408	----	----	----	----	1 UNCH
7740	----	----	4.696B/3.744A	4.696B/3.744A	----	4.247 - 0.160	.6382	----	----	----	----	2 UNCH
7745	----	----	4.665B/3.705A	4.665B/3.705A	----	4.217 - 0.161	.6356	----	----	----	----	3 UNCH
7750	----	----	4.656B/3.663A	4.656B/3.663A	----	4.187 - 0.162	.6330	----	----	1	----	8 - 1
7755	----	----	4.601B/3.644A	4.601B/3.644A	----	4.157 - 0.163	.6304	----	----	----	----	1 UNCH
7760	----	----	4.569B/3.604A	4.569B/3.604A	----	4.127 - 0.165	.6277	----	----	----	----	2 UNCH
7765	----	----	4.538B/3.580A	4.538B/3.580A	----	4.098 - 0.165	.6251	----	----	----	----	1 UNCH
7770	----	----	4.507B/3.553A	4.507B/3.553A	----	4.068 - 0.167	.6225	----	----	----	----	1 UNCH
7775	----	----	4.476B/3.524A	4.476B/3.524A	----	4.039 - 0.168	.6198	----	----	----	----	3 UNCH
7780	----	----	4.444B/3.501A	4.444B/3.501A	----	4.010 - 0.168	.6171	----	----	----	----	1 UNCH
7785	----	----	4.413B/3.480A	4.413B/3.480A	----	3.981 - 0.169	.6145	----	----	----	----	1 UNCH
7790	----	----	4.382B/3.442A	4.382B/3.442A	----	3.952 - 0.171	.6118	----	----	----	----	4 UNCH
7800	3.575	3.575	4.469B/3.378A	4.469B/3.378A	----	3.895 - 0.172	.6065	----	----	5	----	89 - 1
7805	----	----	4.323B/3.362A	4.323B/3.362A	----	3.866 - 0.174	.6038	----	----	----	----	7 UNCH
7810	----	----	4.260B/3.341A	4.260B/3.341A	----	3.838 - 0.175	.6012	----	----	----	----	1 UNCH
7815	----	----	4.230B/3.300A	4.230B/3.300A	----	3.810 - 0.175	.5985	----	----	----	----	3 UNCH
7825	----	----	4.170B/3.222A	4.170B/3.222A	----	3.754 - 0.177	.5931	----	----	----	----	4 UNCH
7830	----	----	4.140B/3.196A	4.140B/3.196A	----	3.726 - 0.178	.5904	----	----	----	----	1 UNCH
7845	----	----	4.051B/3.123A	4.051B/3.123A	----	3.643 - 0.182	.5823	----	----	----	----	3 UNCH
7850	----	----	4.081B/3.086A	4.081B/3.086A	----	3.616 - 0.182	.5796	----	----	1	----	34 UNCH
7855	----	----	4.037B/3.074A	4.037B/3.074A	----	3.589 - 0.183	.5769	----	----	----	----	8 UNCH
7860	----	----	3.964B/3.050A	3.964B/3.050A	----	3.562 - 0.184	.5742	----	----	----	----	4 UNCH
7865	----	----	3.935B/3.027A	3.935B/3.027A	----	3.535 - 0.185	.5715	----	----	----	----	1 UNCH
7870	----	----	3.907B/3.003A	3.907B/3.003A	----	3.508 - 0.187	.5688	----	----	----	----	1 UNCH
7875	----	----	3.941B/2.966A	3.941B/2.966A	----	3.482 - 0.187	.5661	----	----	----	----	44 UNCH
7880	----	----	3.852B/2.953A	3.852B/2.953A	----	3.455 - 0.188	.5634	----	----	----	----	1 UNCH
7885	----	----	3.823B/2.931A	3.823B/2.931A	----	3.429 - 0.189	.5606	----	----	----	----	1 UNCH
7890	----	----	3.828B/2.907A	3.828B/2.907A	----	3.403 - 0.190	.5579	----	----	----	----	1 UNCH
7895	----	----	3.795B/2.883A	3.795B/2.883A	----	3.377 - 0.191	.5552	----	----	----	----	1 UNCH
7900	3.653	3.653	4.083/2.843A	4.083/2.843A	----	3.351 - 0.192	.5525	----	----	3	----	44 - 1
7905	----	----	3.750B/2.829A	3.750B/2.829A	----	3.325 - 0.193	.5498	----	----	----	----	4 UNCH
7910	----	----	3.717B/2.806A	3.717B/2.806A	----	3.299 - 0.194	.5470	----	----	----	----	1 UNCH
7915	----	----	3.689B/2.748A	3.689B/2.748A	----	3.274 - 0.194	.5443	----	----	----	----	3 UNCH
7920	----	----	----/2.725A	3.391B/2.725A	----	3.249 - 0.195	.5416	----	----	----	----	0 UNCH
7925	----	----	3.695B/2.702A	3.695B/2.702A	----	3.223 - 0.196	.5389	----	----	----	----	6 UNCH
7930	----	----	3.616B/2.679A	3.616B/2.679A	----	3.198 - 0.197	.5361	----	----	----	----	2 UNCH
7935	3.238	3.238	3.592B/2.656A	3.592B/2.656A	----	3.173 - 0.198	.5334	----	----	1	----	1 + 1
7940	----	----	3.565B/2.634A	3.565B/2.634A	----	3.149 - 0.198	.5307	----	----	----	----	3 UNCH
7945	----	----	3.542B/2.611A	3.542B/2.611A	----	3.124 - 0.199	.5280	----	----	----	----	2 UNCH
7950	----	----	3.865B/2.589A	3.865B/2.589A	----	3.099 - 0.200	.5252	----	----	----	----	33 UNCH
7955	----	----	3.490B/2.567A	3.490B/2.567A	----	3.075 - 0.201	.5225	----	----	----	----	1 UNCH
7960	----	----	3.813B/2.545A	3.813B/2.545A	----	3.051 - 0.201	.5198	----	----	----	----	15 UNCH
7965	----	----	3.441B/2.523A	3.441B/2.523A	----	3.027 - 0.202	.5171	----	----	----	----	2 UNCH
7970	----	----	3.762B/2.502A	3.762B/2.502A	----	3.003 - 0.203	.5143	----	----	----	----	14 UNCH
7975	----	----	3.735B/2.481A	3.735B/2.481A	----	2.979 - 0.204	.5116	----	----	----	----	17 UNCH
7980	----	----	3.711B/2.459A	3.711B/2.459A	----	2.955 - 0.205	.5089	----	----	----	----	10 UNCH
7985	----	----	3.684B/2.438A	3.684B/2.438A	----	2.932 - 0.205	.5062	----	----	----	----	2 UNCH
7990	----	----	3.661B/2.417A	3.661B/2.417A	----	2.908 - 0.206	.5035	----	----	----	----	8 UNCH
7995	2.902	2.902	3.635B/2.396A	3.635B/2.396A	----	2.885 - 0.207	.5007	----	----	5	----	22 + 1
8000	3.385	3.385	3.611B/2.376A	3.611B/2.376A	----	2.862 - 0.207	.4980	----	----	90	----	1210 + 23
8005	----	----	3.586B/2.355A	3.586B/2.355A	----	2.839 - 0.208	.4953	----	----	----	----	25 UNCH
8010	----	----	3.615B/2.334A	3.615B/2.334A	----	2.816 - 0.209	.4926	----	----	----	----	34 UNCH
8015	2.884	2.884	3.590B/2.313A	3.590B/2.313A	----	2.793 - 0.210	.4899	----	----	1	----	25 + 1
8020	----	----	3.568B/2.293A	3.568B/2.293A	----	2.771 - 0.210	.4872	----	----	----	----	14 UNCH
8025	2.862	2.862	3.553B/2.273A	3.553B/2.273A	----	2.748 - 0.211	.4845	----	----	22	----	32 + 19
8030	2.839	2.839	3.486B/2.253A	3.486B/2.253A	----	2.726 - 0.211	.4818	----	----	22	----	25 + 21
8035	----	----	3.466B/2.233A	3.466B/2.233A	----	2.704 - 0.211	.4791	----	----	----	----	2 UNCH
8040	----	----	3.442B/2.213A	3.442B/2.213A	----	2.682 - 0.212	.4764	----	----	----	----	3 UNCH
8045	2.687	2.687	3.416B/2.193A	3.416B/2.193A	----	2.660 - 0.213	.4737	----	----	2	----	2 + 1
8050	3.118	3.118	3.433B/2.174A	3.433B/2.174A	----	2.638 - 0.214	.4710	----	----	7	----	15 + 7
8055	----	----	3.363B/2.155A	3.363B/2.155A	----	2.617 - 0.213	.4683	----	----	----	----	1 UNCH
8060	3.071	3.071	3.338B/2.135A	3.338B/2.135A	----	2.595 - 0.214	.4657	----	----	1	----	1 UNCH
8065	----	----	3.319B/2.116A	3.319B/2.116A	----	2.574 - 0.215	.4630	----	----	----	----	5 UNCH
8070	----	----	3.294B/2.097A	3.294B/2.097A	----	2.553 - 0.215	.4603	----	----	----	----	2 UNCH
8075	----	----	3.315B/2.079A	3.315B/2.079A	----	2.531 - 0.216	.4576	----	----	----	----	7 UNCH
8080	----	----	3.246B/2.060A	3.246B/2.060A	----	2.511 - 0.216	.4550	----	----	----	----	2 UNCH
8085	----	----	3.272B/2.041A	3.272B/2.041A	----	2.490 - 0.217	.4523	----	----	----	----	1 UNCH
8090	----	----	3.238B/2.023A	3.238B/2.023A	----	2.469 - 0.217	.4496	----	----	----	----	21 UNCH
8095	----	----	3.284B/2.005A	3.284B/2.005A	----	2.449 - 0.217	.4470	----	----	----	----	13 UNCH
8100	2.762	2.762	3.232B/1.987A	3.232B/1.987A	----	2.428 - 0.218	.4443	----	----	5	----	251 - 3
8105	3.126	3.126	3.198B/1.969A	3.198B/1.969A	----	2.408 - 0.219	.4417	----	----	1	----	2 + 1
8110	----	----	3.170B/1.951A	3.170B/1.951A	----	2.388 - 0.219	.4391	----	----	----	----	4 UNCH
8115	3.081	3.081	3.156B/1.933A	3.156B/1.933A	----	2.368 - 0.219	.4364	----	----	1	----	3 UNCH
8125	1.930	1.930	3.108B/1.898A	3.108B/1.898A	----	2.328 - 0.220	.4312	----	----	2	----	3 UNCH
8150	2.087	2.087	2.960B/1.812A	2.960B/1.812A	----	2.232 - 0.221	.4182	----	----	1	----	15 + 1
8175	----	----	2.750B/1.730A	2.750B/1.730A	----	2.138 - 0.224	.4053	----	----	----	----	12 UNCH
8195	----	----	2.646B/1.668A	2.646B/1.668A	----	2.066 - 0.224	.3951	----	----	----	----	2 UNCH
8200	2.667	2.667	2.736B/1.653A	2.736B/1.653A	----	2.048 - 0.225	.3925	----	----	12	----	157 + 7
8205	----	----	2.626B/1.638A	2.626B/1.638A	----	2.031 - 0.224	.3901	----	----	----	----	1 UNCH
8210	----	----	2.596B/1.623A	2.596B/1.623A	----	2.013 - 0.225	.3875	----	----	----	----	4 UNCH
8215	----	----	2.552B/1.608A	2.552B/1.608A	----	1.996 - 0.225	.3850	----	----	----	----	1 UNCH
8225	----	----	2.515B/1.579A	2.515B/1.579A	----	1.962 - 0.224	.3801	----	----	----	----	1 UNCH
8235	----	----	2.485B/1.550A	2.485B/1.550A	----	1.928 - 0.225	.3751	----	----	----	----	1 UNCH
8240	----	----	2.452B/1.535A	2.452B/1.535A	----	1.911 - 0.225	.3726	----	----	----	----	2 UNCH
8250	1.640	1.640	2.445B/1.508A	2.445B/1.508A	----	1.878 - 0.225	.3677	----	----	15	----	148 UNCH
8255	----	----	2.393B/1.494A	2.393B/1.494A	----	1.862 - 0.225	.3653	----	----	----	----	3 UNCH
8265	----	----	2.356B/1.466A	2.356B/1.466A	----	1.829 - 0.226	.3604	----	----	----	----	2 UNCH
8270	----	----	2.386B/1.452A	2.386B/1.452A	----	1.813 - 0.226	.3580	----	----	----	----	3 UNCH
8275	----	----	2.367B/1.439A	2.367B/1.439A	----	1.797 - 0.226	.3556	----	----	----	----	6 UNCH
8280	----	----	2.342B/1.426A	2.342B/1.426A	----	1.782 - 0.225	.3532	----	----	----	----	2 UNCH
8285	1.426	1.426	2.328B/1.412A	2.328B/1.412A	----	1.766 NEW	.3508	----	----	1	----	1 + 1
8290	----	----	2.274B/1.399A	2.274B/1.399A	----	1.751 - 0.225	.3484	----	----	----	----	17 UNCH
8300	2.050	2.050	2.302B/1.373A	2.302B/1.373A	----	1.720 - 0.225	.3437	----	----	40	----	104 - 1
8310	----	----	2.232B/1.348A	2.232B/1.348A	----	1.690 - 0.225	.3390	----	----	----	----	4 UNCH
8325	1.312	1.312	2.175B/1.312	2.175B/1.312	----	1.646 - 0.225	.3320	----	----	1	----	5 + 1
8340	----	----	2.111B/1.276A	2.111B/1.276A	----	1.602 - 0.225	.3251	----	----	----	----	32 UNCH
8345	----	----	2.084B/1.264A	2.084B/1.264A	----	1.588 - 0.225	.3228	----	----	----	----	16 UNCH
8350	----	----	2.056B/1.254A	2.056B/1.254A	----	1.574 - 0.224	.3206	----	----	4	----	22 - 4
8360	1.390	1.390	2.042B/1.231A	2.042B/1.231A	----	1.546 - 0.224	.3161	----	----	3	----	9 + 3
8365	----	----	2.027B/1.220A	2.027B/1.220A	----	1.533 - 0.223	.3139	----	----	----	----	1 UNCH
8370	----	----	2.012B/1.208A	2.012B/1.208A	----	1.519 - 0.223	.3116	----	----	----	----	5 UNCH
8375	----	----	1.994B/1.198A	1.994B/1.198A	----	1.506 - 0.223	.3094	----	----	----	----	7 UNCH
8400	2.000	2.000	2.000/1.145A	2.000/1.145A	----	1.440 - 0.222	.2985	----	----	20	----	58 + 9
8415	----	----	2.010B/1.114A	2.010B/1.114A	----	1.402 - 0.221	.2921	----	----	----	----	2 UNCH
8420	1.104	1.104	1.992B/1.104	1.992B/1.104	----	1.389 - 0.221	.2899	----	----	2	----	5 + 2
8425	----	----	1.976B/1.094A	1.976B/1.094A	----	1.377 - 0.220	.2879	----	----	----	----	6 UNCH
8430	----	----	1.962B/1.084A	1.962B/1.084A	----	1.365 - 0.220	.2858	----	----	----	----	2 UNCH
8435	----	----	1.949B/1.073A	1.949B/1.073A	----	1.352 - 0.220	.2836	----	----	----	----	2 UNCH
8440	----	----	1.924B/1.064A	1.924B/1.064A	----	1.340 - 0.220	.2816	----	----	----	----	1 UNCH
8450	1.172	1.172	1.900B/1.044A	1.900B/1.044A	----	1.317 - 0.218	.2775	----	----	11	----	158 UNCH
8460	----	----	1.885B/1.026A	1.885B/1.026A	----	1.293 - 0.218	.2734	----	----	----	----	1 UNCH
8475	----	----	1.825B/0.999A	1.825B/0.999A	----	1.259 - 0.217	.2674	----	----	----	----	1 UNCH
8480	----	----	1.821B/0.990A	1.821B/0.990A	----	1.248 - 0.216	.2654	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8485	----	----	1.803B/0.981A	1.803B/0.981A	----	1.237 - 0.215	.2635	----	----	----	----	1 UNCH
8490	----	----	1.787B/0.973A	1.787B/0.973A	----	1.226 - 0.215	.2615	----	----	----	----	2 UNCH
8500	1.610	1.610	1.761B/0.941	1.761B/0.941	----	1.204 - 0.214	.2576	----	----	435	----	1066 + 269
8505	----	----	1.751B/0.947A	1.751B/0.947A	----	1.193 - 0.214	.2557	----	----	----	----	4 UNCH
8510	----	----	1.737B/0.938A	1.737B/0.938A	----	1.183 - 0.213	.2538	----	----	----	----	2 UNCH
8515	----	----	1.730B/0.930A	1.730B/0.930A	----	1.172 - 0.213	.2519	----	----	----	----	1 UNCH
8520	1.700	1.700	1.714B/0.922A	1.714B/0.922A	----	1.162 - 0.212	.2500	----	----	1	----	0 - 1
8525	----	----	1.700B/0.913A	1.700B/0.913A	----	1.151 - 0.212	.2481	----	----	----	----	23 UNCH
8530	----	----	1.686B/0.905A	1.686B/0.905A	----	1.141 - 0.212	.2462	----	----	----	----	1 UNCH
8535	----	----	1.672B/0.897A	1.672B/0.897A	----	1.131 - 0.211	.2444	----	----	----	----	1 UNCH
8540	----	----	1.658B/0.889A	1.658B/0.889A	----	1.121 - 0.210	.2426	----	----	----	----	6 UNCH
8545	----	----	1.650B/0.881A	1.650B/0.881A	----	1.111 - 0.210	.2407	----	----	----	----	4 UNCH
8550	0.992	0.992	1.634B/0.873A	1.634B/0.873A	----	1.101 - 0.209	.2389	----	----	1	----	10 UNCH
8565	----	----	1.595B/0.850A	1.595B/0.850A	----	1.072 - 0.208	.2335	----	----	----	----	10 UNCH
8570	----	----	1.584B/0.843A	1.584B/0.843A	----	1.063 - 0.207	.2318	----	----	----	----	4 UNCH
8575	----	----	1.576B/0.835A	1.576B/0.835A	----	1.053 - 0.207	.2299	----	----	----	----	34 UNCH
8590	----	----	1.535B/0.813A	1.535B/0.813A	----	1.026 - 0.204	.2248	----	----	----	----	1 UNCH
8595	----	----	1.530B/0.806A	1.530B/0.806A	----	1.017 - 0.204	.2231	----	----	----	----	4 UNCH
8600	----	----	1.513B/0.800A	1.513B/0.800A	----	1.008 - 0.203	.2214	----	----	2	----	253 UNCH
8605	----	----	1.496B/0.792A	1.496B/0.792A	----	0.999 - 0.203	.2197	----	----	----	----	9 UNCH
8615	----	----	1.475B/0.778A	1.475B/0.778A	----	0.981 - 0.202	.2163	----	----	----	----	1 UNCH
8620	----	----	1.470B/0.772A	1.470B/0.772A	----	0.973 - 0.201	.2147	----	----	----	----	5 UNCH
8625	----	----	1.458B/0.765A	1.458B/0.765A	----	0.964 - 0.201	.2130	----	----	----	----	2 UNCH
8630	----	----	1.447B/0.758A	1.447B/0.758A	----	0.956 - 0.200	.2114	----	----	----	----	2 UNCH
8635	----	----	1.435B/0.752A	1.435B/0.752A	----	0.947 - 0.200	.2097	----	----	----	----	1 UNCH
8640	----	----	1.417B/0.746A	1.417B/0.746A	----	0.939 - 0.199	.2081	----	----	----	----	1 UNCH
8650	----	----	1.395B/0.733A	1.395B/0.733A	----	0.923 - 0.197	.2050	----	----	3	----	9 - 2
8660	----	----	1.383B/0.721A	1.383B/0.721A	----	0.907 - 0.196	.2018	----	----	----	----	2 UNCH
8670	----	----	1.361B/0.709A	1.361B/0.709A	----	0.891 - 0.195	.1987	----	----	----	----	1 UNCH
8675	----	----	1.350B/0.703A	1.350B/0.703A	----	0.884 - 0.193	.1973	----	----	----	----	1 UNCH
8695	----	----	1.309B/0.680A	1.309B/0.680A	----	0.854 - 0.190	.1913	----	----	----	----	2 UNCH
8700	----	----	1.300B/0.674A	1.300B/0.674A	----	0.846 - 0.190	.1897	----	----	16	----	92 - 1
8705	0.755	0.755	1.288B/0.669A	1.288B/0.669A	----	0.839 - 0.189	.1883	----	----	3	----	20 + 3
8725	----	----	1.251B/0.647A	1.251B/0.647A	----	0.811 - 0.186	.1826	----	----	----	----	2 UNCH
8750	----	----	1.201B/0.622A	1.201B/0.622A	----	0.777 - 0.183	.1757	----	----	11	----	73 + 5
8775	----	----	1.154B/0.597A	1.154B/0.597A	----	0.745 - 0.179	.1690	----	----	----	----	17 UNCH
8800	1.150	1.150	1.150/0.573A	1.150/0.573A	----	0.715 - 0.175	.1627	----	----	3	----	642 + 2
8850	----	----	0.870B/0.529A	0.870B/0.529A	----	0.658 - 0.168	.1507	----	----	1	----	3 UNCH
8875	----	----	0.838B/0.508A	0.838B/0.508A	----	0.632 - 0.164	.1451	----	----	----	----	3 UNCH
8900	0.800	0.800	0.821B/0.489A	0.821B/0.489A	----	0.608 - 0.159	.1398	----	----	20	----	95 + 9
8925	----	----	0.779B/0.470A	0.779B/0.470A	----	0.584 - 0.156	.1346	----	----	----	----	4 UNCH
8950	----	----	0.752B/0.452A	0.752B/0.452A	----	0.562 - 0.152	.1297	----	----	8	----	77 + 8
8975	----	----	0.725B/0.435A	0.725B/0.435A	----	0.540 - 0.148	.1248	----	----	----	----	23 UNCH
9000	0.810	0.810	0.850/0.420A	0.850/0.420A	----	0.520 - 0.144	.1203	----	----	86	----	1251 - 46
9025	----	----	0.675B/0.404A	0.675B/0.404A	----	0.501 - 0.140	.1160	----	----	----	----	23 UNCH
9050	----	----	0.651B/0.390A	0.651B/0.390A	----	0.483 - 0.136	.1119	----	----	----	----	17 UNCH
9075	----	----	0.628B/0.376A	0.628B/0.376A	----	0.465 - 0.133	.1078	----	----	----	----	6 UNCH
9100	----	----	0.606B/0.363A	0.606B/0.363A	----	0.449 - 0.129	.1041	----	----	----	----	79 UNCH
9125	----	----	0.585B/0.349A	0.585B/0.349A	----	0.433 - 0.126	.1004	----	----	----	----	5 UNCH
9150	0.550	0.550	0.596B/0.337A	0.596B/0.337A	----	0.418 - 0.122	.0969	----	----	12	----	28 UNCH
9175	----	----	0.546B/0.325A	0.546B/0.325A	----	0.403 - 0.120	.0935	----	----	----	----	8 UNCH
9200	0.355	0.355	0.527B/0.314A	0.527B/0.314A	----	0.389 - 0.117	.0902	----	----	1	----	172 - 1
9225	----	----	0.509B/0.302A	0.509B/0.302A	----	0.376 - 0.113	.0871	----	----	----	----	17 UNCH
9250	----	----	0.492B/0.292A	0.492B/0.292A	----	0.364 - 0.110	.0843	----	----	----	----	37 UNCH
9275	----	----	0.476B/0.282A	0.476B/0.282A	----	0.352 - 0.107	.0814	----	----	----	----	29 UNCH
9300	----	----	0.461B/0.273A	0.461B/0.273A	----	0.340 - 0.104	.0786	----	----	----	----	189 UNCH
9325	0.410	0.410	0.447B/0.263A	0.447B/0.263A	----	0.329 - 0.101	.0760	----	----	3	----	6 UNCH
9350	0.360	0.360	0.433B/0.256A	0.433B/0.256A	----	0.319 - 0.098	.0736	----	----	1	----	37 UNCH
9375	0.333	0.333	0.419B/0.247A	0.419B/0.247A	----	0.309 - 0.095	.0712	----	----	1	----	14 + 1
9400	----	----	0.407B/0.239A	0.407B/0.239A	----	0.299 - 0.093	.0688	----	----	----	----	50 UNCH
9425	----	----	0.394B/0.243A	0.394B/0.243A	----	0.289 - 0.091	.0665	----	----	----	----	8 UNCH
9450	----	----	0.383B/0.236A	0.383B/0.236A	----	0.280 - 0.088	.0643	----	----	----	----	20 UNCH
9475	----	----	0.371B/0.228A	0.371B/0.228A	----	0.272 - 0.085	.0624	----	----	----	----	12 UNCH
9500	0.234	0.234	0.361B/0.221A	0.361B/0.221A	----	0.263 - 0.084	.0603	----	----	9	----	796 - 4
9525	0.268	0.268	0.268/0.217A	0.314B/0.217A	----	0.255 - 0.081	.0583	----	----	2	----	21 - 2
9550	----	----	----/0.213A	0.303B/0.213A	----	0.248 - 0.078	.0566	----	----	----	----	30 UNCH
9575	----	----	----/0.219A	0.304B/0.219A	----	0.240 - 0.077	.0547	----	----	----	----	4 UNCH
9600	----	----	----/0.210A	0.293B/0.210A	----	0.233 - 0.075	.0530	----	----	1	----	135 + 1
9625	----	----	----/0.211A	0.276B/0.211A	----	0.227 - 0.072	.0515	----	----	----	----	6 UNCH
9650	----	----	----/0.210A	0.267B/0.210A	----	0.221 - 0.069	.0501	----	----	----	----	15 UNCH
9675	----	----	----/0.210A	0.257B/0.210A	----	0.215 - 0.067	.0486	----	----	----	----	13 UNCH
9700	----	----	----/0.221A	0.249B/0.221A	----	0.209 - 0.065	.0471	----	----	----	----	16 UNCH
9725	----	----	----/0.215A	0.240B/0.215A	----	0.204 - 0.063	.0459	----	----	----	----	9 UNCH
9750	----	----	----/0.211A	0.233B/0.211A	----	0.199 - 0.060	.0446	----	----	----	----	73 UNCH
9775	----	----	----/0.204A	0.225B/0.204A	----	0.195 - 0.057	.0436	----	----	----	----	2 UNCH
9800	----	----	----/0.202A	0.218B/0.202A	----	0.191 - 0.054	.0425	----	----	----	----	100 UNCH
9825	----	----	----/0.193A	0.212B/0.193A	----	0.187 - 0.052	.0415	----	----	----	----	5 UNCH
9850	----	----	----/0.189A	0.205B/0.189A	----	0.183 - 0.049	.0404	----	----	----	----	20 UNCH
9875	----	----	----/0.188A	0.196B/0.188A	----	0.180 - 0.046	.0396	----	----	----	----	11 UNCH
9900	----	----	----/0.185A	0.191B/0.185A	----	0.177 - 0.043	.0388	----	----	----	----	244 UNCH
9925	----	----	----/0.181A	0.183B/0.181A	----	0.173 - 0.042	.0378	----	----	----	----	2 UNCH
9950	----	----	----/0.179A	0.178B/0.179A	----	0.171 - 0.038	.0371	----	----	----	----	21 UNCH
9975	----	----	----/0.175A	0.168B/0.175A	----	0.168 - 0.036	.0364	----	----	----	----	2 UNCH
10000	0.193	0.193	0.250/0.155	0.250/0.155	----	0.165 - 0.034	.0356	----	----	10	----	1058 + 4
10025	----	----	----/0.165A	0.158B/0.165A	----	0.162 - 0.032	.0348	----	----	----	----	2 UNCH
10050	----	----	----/0.165A	0.145B/0.165A	----	0.160 - 0.029	.0342	----	----	----	----	22 UNCH
10075	----	----	----/0.162A	0.149B/0.162A	----	0.157 - 0.028	.0334	----	----	----	----	4 UNCH
10100	----	----	----/0.179A	0.139B/0.179A	----	0.154 - 0.026	.0327	----	----	----	----	68 - 2
10125	----	----	----/0.160A	0.141B/0.160A	----	0.152 - 0.024	.0321	----	----	----	----	1 UNCH
10175	----	----	----	0.126B/0.169A	----	0.147 - 0.021	.0308	----	----	----	----	1 UNCH
10200	----	----	----/*0.146A	0.122B/0.146A	----	0.144 - 0.020	.0301	----	----	----	----	29 UNCH
10225	----	----	----/*0.144A	0.115B/0.144A	----	0.142 - 0.019	.0296	----	----	----	----	1 UNCH
10250	----	----	----/*0.144A	0.113B/0.144A	----	0.139 - 0.018	.0289	----	----	----	----	5 UNCH
10275	----	----	----/0.142A	0.110B/0.142A	----	0.137 - 0.017	.0283	----	----	----	----	4 UNCH
10300	----	----	----/0.140A	0.105B/0.140A	----	0.134 - 0.017	.0276	----	----	1	----	204 UNCH
10305	----	----	----/*0.140A	0.094B/0.140A	----	0.134 - 0.016	.0276	----	----	----	----	2 UNCH
10325	----	----	----/*0.129A	0.088B/0.129A	----	0.132 - 0.016	.0271	----	----	----	----	1 UNCH
10350	----	----	----/*0.132A	0.086B/0.132A	----	0.129 - 0.016	.0264	----	----	----	----	2 UNCH
10375	----	----	----/*0.131A	0.084B/0.131A	----	0.127 - 0.015	.0259	----	----	----	----	1 UNCH
10400	0.147	0.147	0.147/*0.117A	0.147/*0.117A	----	0.124 - 0.015	.0253	----	----	2	----	29 + 2
10425	----	----	----/*0.127A	0.079B/0.127A	----	0.122 - 0.014	.0248	----	----	----	----	19 UNCH
10450	----	----	----/*0.124A	0.077B/0.124A	----	0.119 - 0.015	.0241	----	----	----	----	4 UNCH
10480	----	----	----/*0.122A	0.075B/0.122A	----	0.116 - 0.015	.0235	----	----	----	----	2 UNCH
10485	----	----	----/*0.122A	0.074B/0.122A	----	0.116 - 0.014	.0234	----	----	----	----	2 UNCH
10490	----	----	----/*0.119A	0.074B/0.119A	----	0.115 - 0.015	.0232	----	----	----	----	1 UNCH
10500	0.080	0.080	0.080/0.080	0.080/0.080	----	0.115 - 0.014	.0232	----	----	1	----	316 + 1
10515	----	----	----/*0.122A	0.072B/0.122A	----	0.113 - 0.014	.0228	----	----	----	----	7 UNCH
10520	----	----	----/*0.121A	0.072B/0.121A	----	0.113 - 0.014	.0227	----	----	----	----	2 UNCH
10550	----	----	----/*0.107A	0.069B/*0.107A	----	0.110 - 0.014	.0221	----	----	----	----	2 UNCH
10555	----	----	----/*0.118A	0.069B/0.118A	----	0.109 - 0.015	.0219	----	----	----	----	1 UNCH
10560	0.120	0.120	0.120/0.080	0.120/0.080	----	0.109 - 0.014	.0219	----	----	4	----	24 + 1
10570	----	----	----/*0.110A	0.068B/0.110A	----	0.108 - 0.014	.0216	----	----	----	----	1 UNCH
10575	----	----	----/*0.114A	0.067B/0.114A	----	0.108 - 0.014	.0216	----	----	----	----	1 UNCH
10580	----	----	----/*0.111A	0.067B/0.111A	----	0.107 - 0.014	.0214	----	----	----	----	1 UNCH
10595	----	----	----/*0.114A	0.066B/0.114A	----	0.106 - 0.014	.0212	----	----	----	----	2 UNCH
10600	----	----	----/*0.116A	0.070B/0.116A	----	0.105 - 0.015	.0210	----	----	----	----	23 UNCH
10605	----	----	----/*0.115A	0.065B/0.115A	----	0.105 - 0.014	.0210	----	----	----	----	5 UNCH
10610	----	----	----/*0.109A	0.065B/0.109A	----	0.104 - 0.015	.0208	----	----	----	----	1 UNCH
10615	----	----	----/*0.116A	0.065B/0.116A	----	0.104 - 0.015	.0208	----	----	----	----	1 UNCH
10625	----	----	----	0.064B/0.118A	----	0.103 - 0.015	.0205	----	----	----	----	1 UNCH
10630	----	----	----	0.063B/0.118A	----	0.103 - 0.014	.0205	----	----	----	----	1 UNCH
10650	----	----	----	0.062B/0.118A	----	0.101 - 0.015	.0201	----	----	----	----	1 UNCH
10655	----	----	----	0.061B/0.125A	----	0.100 - 0.015	.0199	----	----	----	----	1 UNCH
10670	----	----	----	0.060B/0.130A	----	0.099 - 0.015	.0197	----	----	----	----	1 UNCH
10675	----	----	----	0.060B/0.131A	----	0.099 - 0.015	.0196	----	----	----	----	3 UNCH
10680	----	----	----	0.060B/0.131A	----	0.098 - 0.015	.0195	----	----	----	----	7 UNCH
10685	----	----	----	0.059B/0.130A	----	0.098 - 0.015	.0194	----	----	----	----	1 UNCH
10690	----	----	----	0.059B/0.127A	----	0.097 - 0.016	.0192	----	----	----	----	1 UNCH
10700	----	----	----	0.062B/0.129A	----	0.096 - 0.016	.0190	----	----	----	----	119 UNCH
10720	----	----	----	0.057B/0.121A	----	0.095 - 0.016	.0188	----	----	----	----	1 UNCH
10725	----	----	----	0.057B/0.120A	----	0.094 - 0.016	.0186	----	----	----	----	3 UNCH
10750	----	----	----	0.055B/0.118A	----	0.092 - 0.016	.0182	----	----	----	----	1 UNCH
10755	----	----	----	0.055B/0.118A	----	0.092 - 0.016	.0181	----	----	----	----	1 UNCH
10760	----	----	----	0.054B/0.118A	----	0.091 - 0.017	.0180	----	----	----	----	10 UNCH
10765	----	----	----	0.054B/0.117A	----	0.091 - 0.016	.0179	----	----	----	----	10 UNCH
10770	----	----	----	0.054B/0.117A	----	0.090 - 0.017	.0178	----	----	----	----	1 UNCH
10800	----	----	----	0.054B/0.117A	----	0.088 - 0.017	.0173	----	----	----	----	21 UNCH
10825	----	----	----	0.052B/0.114A	----	0.086 - 0.017	.0169	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
10835	----	----	----	0.050B/0.113A	----	0.085 - 0.018	.0167	----	----	----	----	1 UNCH
10850	----	----	----	0.055B/0.112A	----	0.084 - 0.018	.0165	----	----	----	----	12 UNCH
10855	----	----	----	0.049B/0.112A	----	0.084 - 0.018	.0164	----	----	----	----	3 UNCH
10875	----	----	----	0.049B/0.108A	----	0.082 - 0.018	.0160	----	----	----	----	2 UNCH
10900	----	----	----	0.048B/0.107A	----	0.080 - 0.019	.0156	----	----	----	----	40 UNCH
10925	----	----	----	0.047B/0.105A	----	0.078 - 0.020	.0152	----	----	----	----	5 UNCH
10950	----	----	----	0.044B/*0.104A	----	0.076 - 0.020	.0148	----	----	----	----	2 UNCH
10975	----	----	----	0.042B/*0.103A	----	0.074 - 0.021	.0144	----	----	----	----	9 UNCH
11000	0.070	0.070	0.070/0.070	0.070/0.070	----	0.073 - 0.021	.0142	----	----	3	----	689 + 2
11025	----	----	----	0.039B/0.101A	----	0.071 - 0.021	.0138	----	----	----	----	5 UNCH
11050	----	----	----	0.036B/0.100A	----	0.069 - 0.022	.0134	----	----	----	----	2 UNCH
11075	----	----	----	0.035B/*0.098A	----	0.067 - 0.023	.0130	----	----	----	----	1 UNCH
11100	----	----	----	0.033B/*0.097A	----	0.066 - 0.023	.0127	----	----	----	----	59 UNCH
11125	----	----	----	0.031B/0.096A	----	0.064 - 0.024	.0123	----	----	----	----	3 UNCH
11150	----	----	----	0.030B/*0.095A	----	0.062 - 0.025	.0120	----	----	----	----	2 UNCH
11200	----	----	----	0.027B/*0.093A	----	0.059 - 0.025	.0113	----	----	----	----	262 UNCH
11225	----	----	----	0.025B/0.092A	----	0.058 - 0.025	.0111	----	----	----	----	40 UNCH
11240	----	----	----	0.024B/0.092A	----	0.057 - 0.026	.0109	----	----	----	----	2 UNCH
11245	----	----	----	0.024B/*0.092A	----	0.057 - 0.026	.0109	----	----	----	----	2 UNCH
11250	----	----	----	0.024B/0.091A	----	0.056 - 0.026	.0107	----	----	----	----	22 UNCH
11255	----	----	----	0.024B/0.091A	----	0.056 - 0.026	.0107	----	----	----	----	1 UNCH
11260	----	----	----	0.023B/*0.091A	----	0.056 - 0.026	.0107	----	----	----	----	1 UNCH
11265	----	----	----	0.023B/0.091A	----	0.055 - 0.027	.0105	----	----	----	----	1 UNCH
11275	----	----	----	0.022B/*0.090A	----	0.055 - 0.026	.0105	----	----	----	----	1 UNCH
11290	----	----	----	0.022B/0.090A	----	0.054 - 0.027	.0103	----	----	----	----	1 UNCH
11300	----	----	----	0.021B/0.090A	----	0.053 - 0.027	.0101	----	----	----	----	93 UNCH
11305	----	----	----	0.021B/*0.089A	----	0.053 - 0.027	.0101	----	----	----	----	1 UNCH
11315	----	----	----	0.020B/0.089A	----	0.052 - 0.028	.0100	----	----	----	----	1 UNCH
11325	----	----	----	0.020B/0.089A	----	0.052 - 0.028	.0099	----	----	----	----	8 UNCH
11335	----	----	----	0.019B/0.088A	----	0.051 - 0.028	.0098	----	----	----	----	2 UNCH
11345	----	----	----	0.018B/*0.088A	----	0.051 - 0.028	.0097	----	----	----	----	1 UNCH
11350	----	----	----	0.018B/0.088A	----	0.051 - 0.028	.0097	----	----	----	----	4 UNCH
11365	----	----	----	0.017B/*0.087A	----	0.050 - 0.028	.0095	----	----	----	----	1 UNCH
11370	----	----	----	0.017B/*0.087A	----	0.049 - 0.029	.0094	----	----	----	----	2 UNCH
11380	----	----	----	0.017B/*0.087A	----	0.049 - 0.029	.0093	----	----	----	----	3 UNCH
11385	----	----	----	0.016B/*0.087A	----	0.049 - 0.028	.0093	----	----	----	----	1 UNCH
11400	----	----	----	0.015B/*0.086A	----	0.048 - 0.029	.0091	----	----	----	----	10 UNCH
11450	----	----	----	0.016B/*0.084A	----	0.045 - 0.030	.0086	----	----	----	----	41 UNCH
11455	----	----	----	0.013B/*0.084A	----	0.045 - 0.030	.0086	----	----	----	----	1 UNCH
11465	----	----	----	0.012B/*0.084A	----	0.045 - 0.030	.0085	----	----	----	----	1 UNCH
11475	----	----	----	0.012B/*0.084A	----	0.044 - 0.030	.0084	----	----	----	----	1 UNCH
11480	----	----	----	0.011B/*0.083A	----	0.044 - 0.030	.0083	----	----	----	----	1 UNCH
11485	----	----	----	0.011B/*0.083A	----	0.044 - 0.030	.0083	----	----	----	----	2 UNCH
11500	----	----	----	0.010B/0.083A	----	0.043 - 0.031	.0082	----	----	----	----	238 UNCH
11505	----	----	----	0.010B/*0.083A	----	0.043 - 0.030	.0081	----	----	----	----	2 UNCH
11515	----	----	----	0.010B/*0.082A	----	0.042 - 0.031	.0080	----	----	----	----	2 UNCH
11525	----	----	----	0.009B/*0.082A	----	0.042 - 0.031	.0080	----	----	----	----	7 UNCH
11530	----	----	----	0.009B/*0.082A	----	0.042 - 0.031	.0079	----	----	----	----	10 UNCH
11540	----	----	----	0.008B/*0.083A	----	0.041 - 0.031	.0078	----	----	----	----	10 UNCH
11550	----	----	----	0.008B/*0.081A	----	0.041 - 0.031	.0077	----	----	----	----	22 UNCH
11570	----	----	----	0.008B/*0.081A	----	0.040 - 0.031	.0076	----	----	----	----	1 UNCH
11575	----	----	----	0.008B/*0.082A	----	0.040 - 0.031	.0076	----	----	----	----	1 UNCH
11595	----	----	----	0.008B/*0.080A	----	0.039 - 0.032	.0074	----	----	----	----	1 UNCH
11600	----	----	----	0.008B/*0.086A	----	0.039 - 0.032	.0074	----	----	----	----	43 UNCH
11615	----	----	----	0.008B/*0.092A	----	0.038 - 0.032	.0072	----	----	----	----	1 UNCH
11625	----	----	----	0.008B/*0.088A	----	0.037 - 0.033	.0070	----	----	----	----	2 UNCH
11630	----	----	----	0.008B/*0.088A	----	0.037 - 0.033	.0070	----	----	----	----	1 UNCH
11640	----	----	----	0.008B/*0.088A	----	0.037 - 0.032	.0070	----	----	----	----	1 UNCH
11650	----	----	----	0.010B/0.088A	----	0.036 - 0.033	.0068	----	----	----	----	2 UNCH
11665	----	----	----	0.005B/*0.078A	----	0.036 - 0.033	.0068	----	----	----	----	1 UNCH
11685	----	----	----	0.005B/*0.080A	----	0.035 - 0.033	.0066	----	----	----	----	1 UNCH
11690	----	----	----	0.005B/*0.077A	----	0.035 - 0.033	.0066	----	----	----	----	1 UNCH
11700	----	----	----	0.015B/0.077A	----	0.034 - 0.034	.0064	----	----	----	----	85 UNCH
11705	----	----	----	0.005B/*0.077A	----	0.034 - 0.034	.0064	----	----	----	----	1 UNCH
11725	----	----	----	0.013B/*0.076A	----	0.034 - 0.033	.0064	----	----	----	----	6 UNCH
11730	----	----	----	0.005B/*0.076A	----	0.033 - 0.034	.0062	----	----	----	----	1 UNCH
11750	----	----	----	0.007B/*0.075A	----	0.033 - 0.033	.0062	----	----	----	----	5 UNCH
11775	----	----	----	0.009B/*0.075A	----	0.032 - 0.034	.0060	----	----	----	----	2 UNCH
11800	----	----	----	0.008B/0.074A	----	0.031 - 0.034	.0058	----	----	----	----	61 UNCH
11825	----	----	----	0.015B/*0.078A	----	0.030 - 0.034	.0056	----	----	----	----	2 UNCH
11850	----	----	----	0.021B/*0.093A	----	0.029 - 0.035	.0054	----	----	----	----	3 UNCH
11900	----	----	----	0.004B/*0.075A	----	0.028 - 0.034	.0052	----	----	----	----	86 UNCH
11925	----	----	----	0.004B/0.106A	----	0.027 - 0.035	.0050	----	----	----	----	2 UNCH
11950	----	----	----	0.005B/0.106A	----	0.026 - 0.035	.0048	----	----	----	----	5 UNCH
11975	----	----	----	0.004B/0.105A	----	0.025 - 0.036	.0047	----	----	----	----	4 UNCH
12000	0.060	0.060	0.060/*0.029	0.060/*0.029	----	0.025 - 0.035	.0046	----	----	18	----	844 + 3
12025	----	----	----	0.007B/0.103A	----	0.025 - 0.034	.0046	----	----	----	----	1 UNCH
12050	----	----	----	0.005B/0.102A	----	0.024 - 0.035	.0044	----	----	----	----	1 UNCH
12075	----	----	----	0.008B/0.101A	----	0.024 - 0.034	.0044	----	----	----	----	1 UNCH
12100	----	----	----	0.005B/0.101A	----	0.024 - 0.034	.0044	----	----	----	----	17 UNCH
12125	----	----	----	0.004B/0.102A	----	0.023 - 0.034	.0042	----	----	----	----	1 UNCH
12150	----	----	----	0.005B/0.079A	----	0.023 - 0.034	.0042	----	----	----	----	13 UNCH
12175	----	----	----	0.004B/0.101A	----	0.023 - 0.033	.0042	----	----	----	----	1 UNCH
12200	----	----	----	0.006B/0.100A	----	0.023 - 0.032	.0042	----	----	----	----	3 UNCH
12225	----	----	----	0.004B/0.101A	----	0.023 - 0.032	.0041	----	----	----	----	2 UNCH
12250	----	----	----	0.002B/0.101A	----	0.022 - 0.032	.0040	----	----	----	----	3 UNCH
12300	----	----	----	0.001B/0.100A	----	0.022 - 0.031	.0039	----	----	----	----	118 UNCH
12350	----	----	----	0.001B/0.099A	----	0.021 - 0.031	.0037	----	----	----	----	2 UNCH
12375	----	----	----	0.001B/0.098A	----	0.021 - 0.031	.0037	----	----	----	----	1 UNCH
12400	----	----	----	0.001B/0.098A	----	0.021 - 0.030	.0037	----	----	----	----	12 UNCH
12450	----	----	----	0.001B/0.097A	----	0.020 - 0.030	.0035	----	----	----	----	5 UNCH
12500	----	----	----	0.001B/0.085A	----	0.020 - 0.029	.0035	----	----	----	----	331 UNCH
12525	----	----	----	0.001B/0.092A	----	0.020 - 0.029	.0035	----	----	----	----	2 UNCH
12550	----	----	----	0.001B/0.095A	----	0.020 - 0.028	.0035	----	----	----	----	3 UNCH
12600	----	----	----	0.001B/0.093A	----	0.019 - 0.028	.0033	----	----	----	----	31 UNCH
12650	----	----	----	0.001B/0.092A	----	0.019 - 0.027	.0033	----	----	----	----	3 UNCH
12675	----	----	----	0.001B/0.092A	----	0.018 - 0.028	.0031	----	----	----	----	3 UNCH
12700	0.018	0.018	0.018/*0.018	0.018/*0.018	----	0.018 - 0.027	.0031	----	----	1	----	5 UNCH
12725	----	----	----	0.001B/0.090A	----	0.018 - 0.027	.0031	----	----	----	----	1 UNCH
12775	----	----	----	0.001B/0.089A	----	0.018 - 0.026	.0031	----	----	----	----	2 UNCH
12800	----	----	----	0.001B/0.089A	----	0.018 - 0.026	.0030	----	----	----	----	30 UNCH
12900	----	----	----	0.001B/0.087A	----	0.017 - 0.025	.0029	----	----	----	----	72 UNCH
13000	0.044	0.044	0.046B/*0.022	0.046B/*0.022	----	0.016 - 0.024	.0027	----	----	2	----	281 - 1
13100	----	----	----	----/0.083A	----	0.015 - 0.024	.0025	----	----	----	----	3 UNCH
13200	----	----	----	----/0.081A	----	0.015 - 0.022	.0024	----	----	----	----	44 UNCH
13300	----	----	----	----/0.080A	----	0.014 - 0.022	.0023	----	----	----	----	3 UNCH
13400	----	----	----	----/*0.078A	----	0.013 - 0.021	.0021	----	----	----	----	3 UNCH
13500	----	----	----	----/*0.077A	----	0.013 - 0.020	.0021	----	----	----	----	64 UNCH
13600	----	----	----	----/*0.071A	----	0.012 - 0.020	.0019	----	----	----	----	19 UNCH
13700	----	----	----	----/*0.074A	----	0.012 - 0.018	.0019	----	----	----	----	76 UNCH
13800	----	----	----	----/*0.073A	----	0.011 - 0.018	.0017	----	----	----	----	39 UNCH
13900	----	----	----	----/0.072A	----	0.011 - 0.017	.0017	----	----	----	----	4 UNCH
14000	----	----	----	----/0.054A	----	0.010 - 0.017	.0015	----	----	----	----	400 UNCH
14100	----	----	----	----/0.070A	----	0.010 - 0.016	.0015	----	----	----	----	27 UNCH
14200	----	----	----	----/*0.069A	----	0.009 - 0.016	.0013	----	----	----	----	41 UNCH
14300	----	----	----	----/*0.068A	----	0.009 - 0.015	.0013	----	----	----	----	6 UNCH
14400	----	----	----	----/*0.067A	----	0.009 - 0.014	.0013	----	----	----	----	13 UNCH
14500	----	----	----	----/0.066A	----	0.008 - 0.014	.0012	----	----	----	----	117 UNCH
14600	----	----	----	----/*0.065A	----	0.008 - 0.013	.0012	----	----	----	----	55 UNCH
14700	----	----	----	----/*0.065A	----	0.008 - 0.013	.0011	----	----	----	----	9 UNCH
14800	----	----	----	----/0.064A	----	0.007 - 0.013	.0010	----	----	----	----	62 UNCH
14900	----	----	----	----/0.063A	----	0.007 - 0.012	.0010	----	----	----	----	3 UNCH
15000	----	----	----	----/0.021A	----	0.007 - 0.011	.0010	----	----	----	----	456 UNCH
15100	----	----	----	----/*0.062A	----	0.006 - 0.012	.0008	----	----	----	----	9 UNCH
15200	----	----	----	----/*0.061A	----	0.006 - 0.011	.0008	----	----	----	----	54 UNCH
15300	----	----	----	----/*0.061A	----	0.006 - 0.010	.0008	----	----	----	----	11 UNCH
15500	----	----	----	----/0.060A	----	0.005 - 0.010	.0007	----	----	----	----	115 UNCH
15600	----	----	----	----/*0.060A	----	0.005 - 0.010	.0007	----	----	----	----	1 UNCH
15700	----	----	----	----/*0.059A	----	0.005 - 0.009	.0007	----	----	----	----	19 UNCH
15800	----	----	----	----/*0.059A	----	0.005 - 0.009	.0007	----	----	----	----	14 UNCH
15900	----	----	----	----/*0.058A	----	0.005 - 0.008	.0006	----	----	----	----	14 UNCH
16000	----	----	----	----/0.019A	----	0.005 - 0.008	.0006	----	----	----	----	721 UNCH
16100	----	----	----	----/0.137A	----	0.004 - 0.008	.0005	----	----	----	----	6 UNCH
16200	----	----	----	----/0.139A	----	0.004 - 0.008	.0005	----	----	----	----	1 UNCH
16300	----	----	----	----/0.141A	----	0.004 - 0.007	.0005	----	----	----	----	1 UNCH
16400	----	----	----	----/0.143A	----	0.004 - 0.007	.0005	----	----	----	----	2 UNCH
16500	----	----	----	----/0.144A	----	0.003 - 0.007	.0004	----	----	----	----	56 UNCH
16600	----	----	----	----/0.146A	----	0.003 - 0.007	.0004	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
16700	----	----	----	----/0.148A	----	0.003 -	0.006 .0004	----	----	----	----	5 UNCH
16800	----	----	----	----/0.150A	----	0.003 -	0.006 .0004	----	----	----	----	6 UNCH
16900	----	----	----	----/0.151A	----	0.003 -	0.006 .0004	----	----	----	----	67 UNCH
17000	----	----	----	----/*0.014A	----	0.003 -	0.005 .0004	----	----	----	----	67 UNCH
17100	----	----	----	----/0.154A	----	0.003 -	0.005 .0003	----	----	----	----	8 UNCH
17200	----	----	----	----/0.156A	----	0.002 -	0.006 .0002	----	----	----	----	6 UNCH
17300	----	----	----	----/0.157A	----	0.002 -	0.005 .0002	----	----	----	----	5 UNCH
17400	----	----	----	----/0.158A	----	0.002 -	0.005 .0002	----	----	----	----	6 UNCH
17500	0.010	0.010	0.010/0.010	0.010/0.010	----	0.002 -	0.005 .0002	----	----	2	----	96 UNCH
17600	----	----	----	----/0.161A	----	0.002 -	0.004 .0002	----	----	----	----	7 UNCH
17700	----	----	----	----/0.162A	----	0.002 -	0.004 .0002	----	----	----	----	9 UNCH
17800	----	----	----	----/0.163A	----	0.002 -	0.004 .0002	----	----	----	----	8 UNCH
17900	----	----	----	----/0.165A	----	0.002 -	0.004 .0002	----	----	----	----	3 UNCH
18000	----	----	----	----/0.010A	----	0.002 -	0.004 .0002	----	----	----	----	54 UNCH
18100	----	----	----	----/0.167A	----	0.002 -	0.003 .0002	----	----	----	----	1 UNCH
18200	----	----	----	----/0.168A	----	0.002 -	0.003 .0002	----	----	----	----	11 UNCH
18300	----	----	----	----/0.169A	----	0.002 -	0.003 .0002	----	----	----	----	5 UNCH
18400	----	----	----	----/0.170A	----	0.001 -	0.004 .0001	----	----	----	----	2 UNCH
18500	----	----	----	----/0.171A	----	0.001 -	0.004 .0001	----	----	----	----	11 UNCH
18700	----	----	----	----/0.173A	----	0.001 -	0.003 .0001	----	----	----	----	8 UNCH
18800	----	----	----	----/0.174A	----	0.001 -	0.003 .0000	----	----	----	----	6 UNCH
18900	----	----	----	----/0.174A	----	0.001 -	0.003 .0000	----	----	----	----	3 UNCH
19000	----	----	----	----/0.010A	----	0.001 -	0.003 .0000	----	----	----	----	51 UNCH
19100	----	----	----	----/0.176A	----	0.001 -	0.003 .0000	----	----	----	----	74 UNCH
19200	----	----	----	----/0.177A	----	0.001 -	0.003 .0000	----	----	----	----	130 UNCH
19300	----	----	----	----/0.178A	----	0.001 -	0.003 .0000	----	----	----	----	6 UNCH
19400	----	----	----	----/0.178A	----	0.001 -	0.002 .0000	----	----	----	----	66 UNCH
19500	----	----	----	----/0.179A	----	0.001 -	0.002 .0000	----	----	----	----	96 UNCH
19700	----	----	----	----/0.181A	----	0.001 -	0.002 .0000	----	----	----	----	2 UNCH
19800	----	----	----	----/0.181A	----	0.001 -	0.002 .0000	----	----	----	----	10 UNCH
19900	----	----	----	----/0.182A	----	0.001 -	0.002 .0000	----	----	----	----	11 UNCH
20000	----	----	----	----/0.008A	----	0.001 -	0.002 .0000	----	----	----	----	392 UNCH
21000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.001 -	0.001 .0000	----	----	1	----	14 - 1
22000	----	----	----	----/*0.009A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
23000	----	----	----	----/0.008A	----	0.001	UNCH ----	----	----	----	----	6 UNCH
24000	----	----	----	----/0.007A	----	0.001	UNCH ----	----	----	----	----	4 UNCH
25000	0.003	0.003	0.003/0.003	0.003/0.003	----	0.001	UNCH ----	----	----	3	----	94 + 3
TOTAL										995	0	23592 + 138
JUN26												
4300	----	----	38.017B/36.348A	38.017B/36.348A	----	37.216 +	0.078 .9914	----	----	----	----	20 UNCH
4850	----	----	32.517B/30.914A	32.517B/30.914A	----	31.750 +	0.077 .9858	----	----	----	----	7 UNCH
4900	----	----	32.015B/30.424A	32.015B/30.424A	----	31.255 +	0.077 .9850	----	----	----	----	9 UNCH
5000	----	----	31.085B/29.398A	31.085B/29.398A	----	30.268 +	0.077 .9832	----	----	15	----	365 + 15
5025	----	----	30.788B/29.201A	30.788B/29.201A	----	30.022 +	0.077 .9827	----	----	----	----	6 UNCH
5050	----	----	30.534B/28.961A	30.534B/28.961A	----	29.776 +	0.077 .9821	----	----	----	----	1 UNCH
5200	----	----	29.086B/27.447A	29.086B/27.447A	----	28.304 +	0.075 .9783	----	----	----	----	79 UNCH
5225	----	----	----/27.256A	27.285B/27.256A	----	28.060 +	0.074 .9776	----	----	----	----	4 UNCH
5275	----	----	28.333B/26.802A	28.333B/26.802A	----	27.572 +	0.073 .9760	----	----	----	----	7 UNCH
5300	----	----	----/26.529A	26.552B/26.529A	----	27.329 +	0.073 .9752	----	----	----	----	3 UNCH
5325	----	----	----/26.284A	26.307B/26.284A	----	27.085 +	0.072 .9744	----	----	----	----	5 UNCH
5350	----	----	27.574B/26.075A	27.574B/26.075A	----	26.842 +	0.071 .9735	----	----	----	----	7 UNCH
5400	----	----	----/25.559A	25.563B/25.559A	----	26.357 +	0.070 .9716	----	----	----	----	2 UNCH
5425	----	----	26.837B/25.352A	26.837B/25.352A	----	26.115 +	0.069 .9706	----	----	----	----	9 UNCH
5500	----	----	26.158B/24.555A	26.158B/24.555A	----	25.391 +	0.067 .9674	----	----	----	----	341 UNCH
5525	----	----	25.844B/24.365A	25.844B/24.365A	----	25.150 +	0.065 .9663	----	----	----	----	2 UNCH
5600	----	----	25.142B/23.668A	25.142B/23.668A	----	24.429 +	0.062 .9627	----	----	----	----	7 UNCH
5625	----	----	24.900B/23.430A	24.900B/23.430A	----	24.190 +	0.061 .9615	----	----	----	----	11 UNCH
5675	----	----	24.438B/22.938A	24.438B/22.938A	----	23.711 +	0.058 .9589	----	----	----	----	1 UNCH
5700	----	----	24.224B/22.649A	24.224B/22.649A	----	23.473 +	0.057 .9575	----	----	----	----	56 UNCH
5725	----	----	23.949B/22.485A	23.949B/22.485A	----	23.234 +	0.055 .9561	----	----	----	----	10 UNCH
5750	----	----	23.708B/22.248A	23.708B/22.248A	----	22.996 +	0.053 .9546	----	----	----	----	13 UNCH
5775	----	----	23.436B/21.994A	23.436B/21.994A	----	22.759 +	0.052 .9531	----	----	----	----	1 UNCH
5800	----	----	23.196B/21.822A	23.196B/21.822A	----	22.522 +	0.050 .9516	----	----	----	----	2 UNCH
5825	----	----	22.957B/21.551A	22.957B/21.551A	----	22.285 +	0.049 .9500	----	----	----	----	1 UNCH
5850	----	----	22.761B/21.307A	22.761B/21.307A	----	22.049 +	0.047 .9483	----	----	----	----	9 UNCH
5900	----	----	22.256B/20.821A	22.256B/20.821A	----	21.577 +	0.043 .9449	----	----	----	----	4 UNCH
5925	----	----	22.038B/20.608A	22.038B/20.608A	----	21.342 +	0.041 .9432	----	----	----	----	17 UNCH
6000	----	----	21.381B/19.828A	21.381B/19.828A	----	20.640 +	0.034 .9376	----	----	----	----	401 UNCH
6025	----	----	21.097B/19.682A	21.097B/19.682A	----	20.407 +	0.032 .9356	----	----	----	----	7 UNCH
6050	----	----	20.844B/19.434A	20.844B/19.434A	----	20.175 +	0.030 .9335	----	----	----	----	4 UNCH
6075	----	----	20.647B/19.190A	20.647B/19.190A	----	19.943 +	0.028 .9314	----	----	----	----	30 UNCH
6100	----	----	20.403B/18.990A	20.403B/18.990A	----	19.712 +	0.026 .9293	----	----	----	----	16 UNCH
6200	----	----	19.529B/18.000A	19.529B/18.000A	----	18.794 +	0.017 .9200	----	----	----	----	101 UNCH
6225	----	----	19.219B/17.847A	19.219B/17.847A	----	18.566 +	0.014 .9175	----	----	----	----	1 UNCH
6250	----	----	18.990B/17.624A	18.990B/17.624A	----	18.339 +	0.012 .9149	----	----	----	----	4 UNCH
6300	----	----	18.533B/17.179A	18.533B/17.179A	----	17.887 +	0.007 .9096	----	----	----	----	4 UNCH
6400	----	----	17.711B/16.229A	17.711B/16.229A	----	16.993 -	0.004 .8980	----	----	----	----	110 UNCH
6425	----	----	17.467B/16.067A	17.467B/16.067A	----	16.772 -	0.006 .8949	----	----	----	----	25 UNCH
6450	----	----	17.272B/15.870A	17.272B/15.870A	----	16.552 -	0.008 .8917	----	----	----	----	6 UNCH
6475	----	----	17.049B/15.658A	17.049B/15.658A	----	16.333 -	0.011 .8884	----	----	----	----	5 UNCH
6500	----	----	16.828B/15.461A	16.828B/15.461A	----	16.115 -	0.013 .8850	----	----	----	----	11 UNCH
6625	----	----	15.736B/14.404A	15.736B/14.404A	----	15.042 -	0.023 .8668	----	----	----	----	10 UNCH
6700	----	----	15.094B/13.790A	15.094B/13.790A	----	14.413 -	0.028 .8548	----	----	----	----	1 UNCH
6725	----	----	14.883B/13.587A	14.883B/13.587A	----	14.206 -	0.030 .8505	----	----	----	----	1 UNCH
6750	----	----	14.672B/13.383A	14.672B/13.383A	----	14.001 -	0.031 .8462	----	----	----	----	3 UNCH
6800	----	----	14.260B/12.988A	14.260B/12.988A	----	13.595 -	0.033 .8373	----	----	----	----	6 UNCH
6850	----	----	13.852B/12.597A	13.852B/12.597A	----	13.195 -	0.034 .8280	----	----	----	----	5 UNCH
6900	----	----	13.449B/12.213A	13.449B/12.213A	----	12.802 -	0.034 .8183	----	----	----	----	16 UNCH
6925	----	----	13.250B/12.020A	13.250B/12.020A	----	12.608 -	0.033 .8133	----	----	----	----	9 UNCH
6975	----	----	12.857B/11.647A	12.857B/11.647A	----	12.224 -	0.033 .8031	----	----	----	----	7 UNCH
7000	----	----	12.652B/11.397A	12.652B/11.397A	----	12.035 -	0.033 .7977	----	----	----	----	125 UNCH
7025	----	----	12.468B/11.287A	12.468B/11.287A	----	11.848 -	0.032 .7924	----	----	----	----	1 UNCH
7050	----	----	12.277B/11.105A	12.277B/11.105A	----	11.662 -	0.031 .7870	----	----	----	----	1 UNCH
7075	----	----	12.087B/10.926A	12.087B/10.926A	----	11.478 -	0.031 .7815	----	----	----	----	4 UNCH
7100	----	----	11.895B/10.674A	11.895B/10.674A	----	11.296 -	0.030 .7759	----	----	----	----	99 UNCH
7150	----	----	11.527B/10.430A	11.527B/10.430A	----	10.937 -	0.028 .7644	----	----	----	----	1 UNCH
7225	----	----	10.981B/9.891A	10.981B/9.891A	----	10.411 -	0.027 .7467	----	----	----	----	1 UNCH
7250	----	----	10.844B/9.676A	10.844B/9.676A	----	10.240 -	0.025 .7407	----	----	----	----	31 UNCH
7275	----	----	10.626B/9.564A	10.626B/9.564A	----	10.070 -	0.025 .7346	----	----	----	----	2 UNCH
7300	----	----	10.452B/9.339A	10.452B/9.339A	----	9.903 -	0.024 .7284	----	----	----	----	16 UNCH
7375	----	----	9.937B/8.956A	9.937B/8.956A	----	9.410 -	0.024 .7096	----	----	----	----	4 UNCH
7400	----	----	9.769B/8.800A	9.769B/8.800A	----	9.249 -	0.025 .7033	----	----	----	----	5 UNCH
7425	----	----	9.604B/8.537A	9.604B/8.537A	----	9.090 -	0.026 .6968	----	----	----	----	12 UNCH
7450	----	----	9.441B/8.382A	9.441B/8.382A	----	8.933 -	0.027 .6904	----	----	----	----	12 UNCH
7475	----	----	9.229B/8.348A	9.229B/8.348A	----	8.778 -	0.027 .6838	----	----	----	----	2 UNCH
7500	----	----	9.145B/8.078A	9.145B/8.078A	----	8.625 -	0.028 .6773	----	----	----	----	242 UNCH
7525	----	----	8.957B/7.930A	8.957B/7.930A	----	8.474 -	0.029 .6707	----	----	----	----	9 UNCH
7550	----	----	8.841B/7.782A	8.841B/7.782A	----	8.324 -	0.031 .6641	----	----	----	----	25 UNCH
7575	----	----	8.648B/7.771A	8.648B/7.771A	----	8.177 -	0.032 .6574	----	----	----	----	1 UNCH
7600	----	----	8.501B/7.495A	8.501B/7.495A	----	8.031 -	0.034 .6507	----	----	----	----	22 UNCH
7675	----	----	8.051B/7.225A	8.051B/7.225A	----	7.606 -	0.040 .6304	----	----	----	----	3 UNCH
7700	----	----	7.992B/6.889A	7.992B/6.889A	----	7.468 -	0.042 .6236	----	----	----	----	119 UNCH
7725	----	----	7.798B/6.771A	7.798B/6.771A	----	7.332 -	0.044 .6168	----	----	----	----	7 UNCH
7750	----	----	7.710B/6.625A	7.710B/6.625A	----	7.197 -	0.047 .6100	----	----	----	----	70 UNCH
7775	----	----	7.490B/6.533A	7.490B/6.533A	----	7.065 -	0.049 .6031	----	----	----	----	3 UNCH
7800	6.510	6.510	7.436B/6.377A	7.436B/6.377A	----	6.935 -	0.051 .5963	----	----	1	----	169 UNCH
7825	----	----	7.219B/6.269A	7.219B/6.269A	----	6.807 -	0.054 .5894	----	----	----	----	1 UNCH
7850	----	----	7.084B/6.149A	7.084B/6.149A	----	6.681 -	0.056 .5826	----	----	----	----	1 UNCH
7900	----	----	6.921B/5.894A	6.921B/5.894A	----	6.434 -	0.061 .5689	----	----	----	----	92 UNCH
7925	----	----	6.784B/5.801A	6.784B/5.801A	----	6.313 -	0.063 .5620	----	----	----	----	12 UNCH
7950	----	----	6.629B/5.672A	6.629B/5.672A	----	6.195 -	0.065 .5552	----	----	----	----	3 UNCH
7975	----	----	6.560B/5.552A	6.560B/5.552A	----	6.078 -	0.068 .5483	----	----	----	----	7 UNCH
8000	5.800	5.800	6.579B/5.424A	6.579B/5.424A	----	5.964 -	0.069 .5415	----	----	14	----	518 + 6
8025	----	----	6.262B/5.341A	6.262B/5.341A	----	5.851 -	0.072 .5347	----	----	----	----	3 UNCH
8050	----	----	6.212B/5.233A	6.212B/5.233A	----	5.740 -	0.074 .5279	----	----	----	----	6 UNCH
8075	----	----	6.049B/5.131A	6.049B/5.131A	----	5.631 -	0.076 .5212	----	----	----	----	2 UNCH
8100	----	----	5.989B/5.028A	5.989B/5.028A	----	5.524 -	0.078 .5144	----	----	----	----	12 UNCH
8125	----	----	5.831B/4.934A	5.831B/4.934A	----	5.419 -	0.079 .5077	----	----	----	----	2 UNCH
8150	----	----	5.776B/4.840A	5.776B/4.840A	----	5.316 -	0.081 .5011	----	----	----	----	10 UNCH
8175	----	----	5.678B/4.744A	5.678B/4.744A	----	5.215 -	0.082 .4944	----	----	----	----	1 UNCH
8200	4.950	4.950	5.674B/4.635A	5.674B/4.635A	----	5.116 -	0.083 .4878	----	----	84	----	121 - 31
8225	----	----	5.496B/4.565A	5.496B/4.565A	----	5.018 -	0.085 .4813	----	----	----	----	3 UNCH
8250	----	----	5.419B/4.474A	5.419B/4.474A	----	4.923 -	0.085 .4748	----	----	1	----	21 + 1
8275	----	----	5.297B/4.386A	5.297B/4.386A	----	4.829 -	0.086 .4683	----	----	----	----	19 UNCH
8300	5.423	5.423	5.423/4.283A	5.423/4.283A	----	4.737 -	0.087 .4619	----	----	1	----	91 + 1
8350	----	----	5.012B/4.136A	5.012B/4.136A	----	4.559 -	0.088 .4492	----	----	----	----	20 UNCH
8375	----	----	4.919B/4.051A	4.919B/4.051A	----	4.472 -	0.089 .4429	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
8400	----	----	4.836B/3.961A	4.836B/3.961A	----	4.387 - 0.089	.4367	----	----	----	----	307 UNCH
8425	----	----	4.747B/3.883A	4.747B/3.883A	----	4.304 - 0.089	.4306	----	----	----	----	51 UNCH
8450	4.856	4.856	4.856/3.827A	4.856/3.827A	----	4.223 - 0.089	.4245	----	----	1	----	20 UNCH
8475	----	----	4.564B/3.753A	4.564B/3.753A	----	4.143 - 0.089	.4184	----	----	----	----	4 UNCH
8500	4.262	4.262	4.492B/3.664A	4.492B/3.664A	----	4.066 - 0.087	.4125	----	----	23	----	497 + 20
8525	----	----	4.399B/3.609A	4.399B/3.609A	----	3.989 - 0.087	.4065	----	----	----	----	17 UNCH
8550	----	----	4.320B/3.541A	4.320B/3.541A	----	3.915 - 0.086	.4007	----	----	----	----	9 UNCH
8575	----	----	4.239B/3.471A	4.239B/3.471A	----	3.842 - 0.085	.3949	----	----	----	----	7 UNCH
8600	----	----	4.173B/3.392A	4.173B/3.392A	----	3.770 - 0.085	.3892	----	----	55	----	115 - 55
8625	----	----	4.085B/3.338A	4.085B/3.338A	----	3.701 - 0.083	.3836	----	----	----	----	4 UNCH
8650	----	----	4.012B/3.275A	4.012B/3.275A	----	3.632 - 0.082	.3780	----	----	----	----	9 UNCH
8675	----	----	3.939B/3.214A	3.939B/3.214A	----	3.565 - 0.081	.3725	----	----	----	----	6 UNCH
8700	----	----	3.876B/3.152A	3.876B/3.152A	----	3.500 - 0.079	.3671	----	----	----	----	25 UNCH
8725	----	----	3.798B/3.095A	3.798B/3.095A	----	3.436 - 0.077	.3617	----	----	----	----	3 UNCH
8750	----	----	3.731B/3.036A	3.731B/3.036A	----	3.373 - 0.076	.3564	----	----	----	----	13 UNCH
8800	3.500	3.500	3.607B/2.911A	3.607B/2.911A	----	3.252 - 0.072	.3460	----	----	12	----	127 + 2
8825	----	----	3.533B/2.869A	3.533B/2.869A	----	3.193 - 0.071	.3409	----	----	----	----	2 UNCH
8850	----	----	3.470B/2.818A	3.470B/2.818A	----	3.135 - 0.069	.3359	----	----	----	----	12 UNCH
8875	2.904	2.904	3.408B/2.761A	3.408B/2.761A	----	3.079 - 0.067	.3309	----	----	1	----	3 + 1
8900	----	----	3.348B/2.712A	3.348B/2.712A	----	3.024 - 0.065	.3260	----	----	----	----	23 UNCH
8925	----	----	3.288B/2.662A	3.288B/2.662A	----	2.970 - 0.064	.3212	----	----	----	----	3 UNCH
8950	----	----	3.228B/2.614A	3.228B/2.614A	----	2.917 - 0.062	.3165	----	----	----	----	8 UNCH
8975	----	----	3.175B/2.566A	3.175B/2.566A	----	2.866 - 0.060	.3118	----	----	----	----	4 UNCH
9000	3.000	3.000	3.280/2.500	3.280/2.500	----	2.815 - 0.058	.3072	----	----	93	20	863 + 20
9025	----	----	3.064B/2.459A	3.064B/2.459A	----	2.766 - 0.056	.3027	----	----	----	----	5 UNCH
9050	----	----	3.007B/2.416A	3.007B/2.416A	----	2.717 - 0.055	.2982	----	----	----	----	12 UNCH
9075	----	----	2.955B/2.370A	2.955B/2.370A	----	2.670 - 0.053	.2938	----	----	----	----	6 UNCH
9100	3.000	3.000	3.000/2.328A	3.000/2.328A	----	2.624 - 0.050	.2894	----	----	1	----	330 UNCH
9125	----	----	2.852B/2.285A	2.852B/2.285A	----	2.578 - 0.049	.2851	----	----	----	----	2 UNCH
9150	----	----	2.821B/2.244A	2.821B/2.244A	----	2.534 - 0.047	.2810	----	----	1	----	103 UNCH
9175	2.329	2.329	2.752B/2.203A	2.752B/2.203A	----	2.490 - 0.046	.2768	----	----	1	----	1 + 1
9200	----	----	2.717B/2.166A	2.717B/2.166A	----	2.447 - 0.044	.2727	----	----	4	----	105 + 1
9225	----	----	2.658B/2.126A	2.658B/2.126A	----	2.406 - 0.042	.2687	----	----	----	----	6 UNCH
9250	----	----	2.614B/2.086A	2.614B/2.086A	----	2.365 - 0.040	.2647	----	----	----	----	7 UNCH
9275	----	----	2.568B/2.052A	2.568B/2.052A	----	2.325 - 0.039	.2608	----	----	----	----	7 UNCH
9300	----	----	2.531B/2.004A	2.531B/2.004A	----	2.285 - 0.038	.2570	----	----	----	----	32 UNCH
9325	2.460	2.460	2.499B/1.976A	2.499B/1.976A	----	2.247 - 0.036	.2532	----	----	2	----	0 - 2
9350	----	----	2.438B/1.945A	2.438B/1.945A	----	2.209 - 0.035	.2495	----	----	----	----	18 UNCH
9375	----	----	2.397B/1.907A	2.397B/1.907A	----	2.173 - 0.033	.2459	----	----	----	----	17 UNCH
9400	----	----	2.356B/1.864A	2.356B/1.864A	----	2.137 - 0.031	.2423	----	----	----	----	21 UNCH
9425	----	----	2.316B/1.841A	2.316B/1.841A	----	2.101 - 0.031	.2387	----	----	----	----	22 UNCH
9450	----	----	2.277B/1.810A	2.277B/1.810A	----	2.067 - 0.029	.2352	----	----	----	----	4 UNCH
9475	----	----	2.237B/1.778A	2.237B/1.778A	----	2.033 - 0.027	.2318	----	----	----	----	17 UNCH
9500	2.130	2.130	2.215B/1.737A	2.215B/1.737A	----	2.000 - 0.026	.2284	----	----	43	----	326 + 33
9525	----	----	2.164B/1.718A	2.164B/1.718A	----	1.967 - 0.025	.2251	----	----	----	----	1 UNCH
9550	----	----	2.128B/1.690A	2.128B/1.690A	----	1.935 - 0.024	.2218	----	----	----	----	4 UNCH
9575	----	----	2.094B/1.658A	2.094B/1.658A	----	1.904 - 0.023	.2186	----	----	----	----	1 UNCH
9600	----	----	2.058B/1.623A	2.058B/1.623A	----	1.874 - 0.021	.2155	----	----	2	----	22 + 2
9625	----	----	2.030B/1.605A	2.030B/1.605A	----	1.844 - 0.020	.2124	----	----	----	----	4 UNCH
9650	----	----	1.991B/1.579A	1.991B/1.579A	----	1.815 - 0.018	.2094	----	----	----	----	1 UNCH
9675	1.641	1.641	1.963B/1.554A	1.963B/1.554A	----	1.786 - 0.018	.2063	----	----	1	----	6 UNCH
9700	1.526	1.526	1.940B/1.524A	1.940B/1.524A	----	1.758 - 0.016	.2034	----	----	1	----	37 UNCH
9750	----	----	1.878B/1.479A	1.878B/1.479A	----	1.703 - 0.015	.1976	----	----	----	----	28 UNCH
9800	----	----	1.805B/1.429A	1.805B/1.429A	----	1.651 - 0.012	.1921	----	----	----	----	10 UNCH
9850	----	----	1.748B/1.389A	1.748B/1.389A	----	1.600 - 0.011	.1866	----	----	----	----	2 UNCH
9875	----	----	1.725B/1.368A	1.725B/1.368A	----	1.576 - 0.010	.1840	----	----	----	----	10 UNCH
9900	----	----	1.705B/1.340A	1.705B/1.340A	----	1.552 - 0.009	.1815	----	----	----	----	27 UNCH
9925	----	----	1.671B/1.325A	1.671B/1.325A	----	1.528 - 0.008	.1789	----	----	----	----	1 UNCH
9950	----	----	1.640B/1.305A	1.640B/1.305A	----	1.505 - 0.007	.1764	----	----	----	----	2 UNCH
9975	----	----	1.620B/1.285A	1.620B/1.285A	----	1.483 - 0.006	.1740	----	----	----	----	4 UNCH
10000	1.363	1.363	1.613B/1.260A	1.613B/1.260A	----	1.460 - 0.006	.1715	----	----	40	----	922 - 6
10025	----	----	1.569B/1.247A	1.569B/1.247A	----	1.439 - 0.005	.1692	----	----	----	----	5 UNCH
10050	----	----	1.542B/1.228A	1.542B/1.228A	----	1.417 - 0.004	.1668	----	----	----	----	3 UNCH
10075	----	----	1.521B/1.210A	1.521B/1.210A	----	1.396 - 0.004	.1645	----	----	----	----	9 UNCH
10100	----	----	1.497B/1.188A	1.497B/1.188A	----	1.376 - 0.003	.1623	----	----	----	----	19 UNCH
10125	----	----	1.475B/1.176A	1.475B/1.176A	----	1.356 - 0.002	.1600	----	----	----	----	1 UNCH
10175	----	----	1.430B/1.142A	1.430B/1.142A	----	1.316 - 0.001	.1556	----	----	----	----	1 UNCH
10200	----	----	1.408B/1.120A	1.408B/1.120A	----	1.297 - 0.001	.1535	----	----	----	----	16 UNCH
10225	----	----	1.388B/1.111A	1.388B/1.111A	----	1.279 + 0.001	.1515	----	----	----	----	1 UNCH
10300	1.075	1.075	1.327B/1.060A	1.327B/1.060A	----	1.224 + 0.001	.1454	----	----	7	----	11 + 1
10375	----	----	----/1.008A	1.170B/1.008A	----	1.173 + 0.003	.1396	----	----	----	----	2 UNCH
10400	----	----	1.190B/1.003A	1.190B/1.003A	----	1.157 + 0.004	.1378	----	----	----	----	12 UNCH
10425	----	----	1.202B/0.980A	1.202B/0.980A	----	1.140 + 0.003	.1359	----	----	----	----	1 UNCH
10450	----	----	1.139B/0.982A	1.139B/0.982A	----	1.125 + 0.004	.1342	----	----	----	----	3 UNCH
10475	----	----	1.150B/0.953A	1.150B/0.953A	----	1.109 + 0.004	.1324	----	----	----	----	2 UNCH
10500	----	----	1.130B/0.950A	1.130B/0.950A	----	1.094 + 0.005	.1306	----	----	10	----	361 - 6
10525	----	----	1.143B/0.929A	1.143B/0.929A	----	1.079 + 0.005	.1289	----	----	----	----	12 UNCH
10550	----	----	1.094B/0.921A	1.094B/0.921A	----	1.064 + 0.005	.1272	----	----	----	----	1 UNCH
10600	----	----	1.061B/0.901A	1.061B/0.901A	----	1.035 + 0.006	.1239	----	----	----	----	62 UNCH
10625	----	----	1.098B/0.880A	1.098B/0.880A	----	1.021 + 0.006	.1223	----	----	----	----	1 UNCH
10650	----	----	1.043B/0.887A	1.043B/0.887A	----	1.007 + 0.006	.1207	----	----	----	----	3 UNCH
10675	----	----	1.044B/0.858A	1.044B/0.858A	----	0.994 + 0.006	.1192	----	----	----	----	3 UNCH
10700	----	----	1.024B/0.855A	1.024B/0.855A	----	0.981 + 0.007	.1177	----	----	----	----	12 UNCH
10750	----	----	1.002B/0.832A	1.002B/0.832A	----	0.955 + 0.007	.1147	----	----	----	----	3 UNCH
10800	----	----	0.975B/0.810A	0.975B/0.810A	----	0.930 + 0.007	.1118	----	----	----	----	2 UNCH
10850	----	----	0.916B/0.805A	0.916B/0.805A	----	0.906 + 0.008	.1090	----	----	----	----	12 UNCH
10875	----	----	0.936B/0.778A	0.936B/0.778A	----	0.894 + 0.007	.1076	----	----	----	----	6 UNCH
10900	----	----	0.918B/0.784A	0.918B/0.784A	----	0.883 + 0.008	.1063	----	----	----	----	20 UNCH
10925	----	----	0.915B/0.759A	0.915B/0.759A	----	0.871 + 0.007	.1049	----	----	----	----	1 UNCH
10950	----	----	0.897B/0.761A	0.897B/0.761A	----	0.860 + 0.008	.1036	----	----	----	----	1 UNCH
11000	0.620	0.620	0.891B/0.620	0.891B/0.620	----	0.839 + 0.008	.1011	----	----	28	----	415 - 17
11025	----	----	0.856B/0.722A	0.856B/0.722A	----	0.828 + 0.008	.0998	----	----	----	----	1 UNCH
11050	----	----	0.854B/0.712A	0.854B/0.712A	----	0.818 + 0.009	.0986	----	----	----	----	4 UNCH
11075	----	----	0.843B/0.707A	0.843B/0.707A	----	0.808 + 0.009	.0974	----	----	----	----	5 UNCH
11100	----	----	0.829B/0.711A	0.829B/0.711A	----	0.798 + 0.009	.0962	----	----	----	----	1 UNCH
11125	----	----	0.824B/0.689A	0.824B/0.689A	----	0.788 + 0.009	.0951	----	----	----	----	5 UNCH
11175	----	----	0.817B/0.673A	0.817B/0.673A	----	0.769 + 0.009	.0928	----	----	----	----	2 UNCH
11200	----	----	0.782B/0.676A	0.782B/0.676A	----	0.759 + 0.008	.0916	----	----	----	----	7 UNCH
11225	----	----	0.795B/0.659A	0.795B/0.659A	----	0.750 + 0.008	.0906	----	----	----	----	3 UNCH
11300	----	----	0.767B/0.645A	0.767B/0.645A	----	0.724 + 0.009	.0874	----	----	----	----	2 UNCH
11325	----	----	0.756B/0.627A	0.756B/0.627A	----	0.715 + 0.009	.0864	----	----	----	----	6 UNCH
11350	----	----	0.735B/0.631A	0.735B/0.631A	----	0.707 + 0.009	.0854	----	----	----	----	3 UNCH
11375	----	----	0.720B/0.615A	0.720B/0.615A	----	0.698 + 0.008	.0843	----	----	----	----	1 UNCH
11400	----	----	0.722B/0.616A	0.722B/0.616A	----	0.690 + 0.009	.0834	----	----	----	----	163 UNCH
11425	----	----	0.703B/0.601A	0.703B/0.601A	----	0.682 + 0.009	.0824	----	----	----	----	12 UNCH
11450	----	----	0.693B/0.601A	0.693B/0.601A	----	0.674 + 0.008	.0815	----	----	----	----	13 UNCH
11475	----	----	0.706B/0.588A	0.706B/0.588A	----	0.667 + 0.009	.0806	----	----	----	----	2 UNCH
11500	----	----	0.676B/0.589A	0.676B/0.589A	----	0.659 + 0.009	.0796	----	----	5	----	240 - 5
11525	----	----	0.688B/0.576A	0.688B/0.576A	----	0.651 + 0.008	.0787	----	----	----	----	4 UNCH
11550	----	----	0.652B/0.577A	0.652B/0.577A	----	0.644 + 0.009	.0778	----	----	----	----	1 UNCH
11600	----	----	0.641B/0.566A	0.641B/0.566A	----	0.630 + 0.009	.0761	----	----	----	----	2 UNCH
11625	----	----	0.658B/0.555A	0.658B/0.555A	----	0.623 + 0.009	.0753	----	----	----	----	1 UNCH
11675	----	----	0.642B/0.540A	0.642B/0.540A	----	0.609 + 0.009	.0736	----	----	----	----	2 UNCH
11700	----	----	0.618B/0.542A	0.618B/0.542A	----	0.602 + 0.008	.0727	----	----	----	----	9 UNCH
11725	----	----	0.628B/0.530A	0.628B/0.530A	----	0.596 + 0.009	.0720	----	----	----	----	2 UNCH
11750	----	----	0.599B/0.529A	0.599B/0.529A	----	0.589 + 0.008	.0712	----	----	----	----	21 UNCH
11775	----	----	0.609B/0.520A	0.609B/0.520A	----	0.583 + 0.009	.0704	----	----	----	----	2 UNCH
11800	----	----	0.594B/0.522A	0.594B/0.522A	----	0.577 + 0.009	.0697	----	----	----	----	6 UNCH
11850	----	----	0.587B/0.505A	0.587B/0.505A	----	0.564 + 0.008	.0681	----	----	----	----	5 UNCH
11900	0.580	0.580	0.584B/0.505A	0.584B/0.505A	----	0.553 + 0.009	.0667	----	----	1	----	2 UNCH
11925	----	----	0.570B/0.491A	0.570B/0.491A	----	0.547 + 0.008	.0660	----	----	----	----	8 UNCH
11950	----	----	0.538B/0.496A	0.538B/0.496A	----	0.541 + 0.008	.0653	----	----	----	----	2 UNCH
12000	----	----	0.539B/0.486A	0.539B/0.486A	----	0.530 + 0.008	.0639	----	----	----	----	449 UNCH
12025	----	----	0.546B/0.470A	0.546B/0.470A	----	0.525 + 0.008	.0633	----	----	----	----	11 UNCH
12125	----	----	0.521B/0.465A	0.521B/0.465A	----	0.504 + 0.008	.0607	----	----	----	----	1 UNCH
12200	----	----	----	0.478B/0.494A	----	0.489 + 0.008	.0589	----	----	----	----	13 UNCH
12225	----	----	0.506B/0.465A	0.506B/0.465A	----	0.484 + 0.008	.0583	----	----	----	----	7 UNCH
12275	----	----	0.496B/----	0.496B/0.503A	----	0.475 + 0.008	.0571	----	----	----	----	1 UNCH
12325	----	----	0.484B/----	0.484B/0.494A	----	0.466 + 0.008	.0560	----	----	----	----	3 UNCH
12350	----	----	----	0.447B/0.492A	----	0.461 + 0.007	.0554	----	----	----	----	5 UNCH
12400	----	----	0.449B/----	0.449B/0.484A	----	0.453 + 0.008	.0544	----	----	----	----	23 UNCH
12425	----	----	0.467B/----	0.467B/0.480A	----	0.448 + 0.007	.0538	----	----	----	----	1 UNCH
12450	----	----	----	0.431B/0.476A	----	0.444 + 0.007	.0533	----	----	----	----	9 UNCH
12475	----	----	0.458B/----	0.458B/0.472A	----	0.440 + 0.007	.0528	----	----	----	----	1 UNCH
12500	----	----	----	0.424B/0.469A	----	0.436 + 0.007	.0523	----	----	----	----	106 UNCH
12525	----	----	0.450B/----	0.450B/0.465A	----	0.432 + 0.007	.0518	----	----	----	----	37 UNCH
12550	----	----	----	0.413B/0.462A	----	0.428 + 0.007	.0513	----	----	----	----	6 UNCH
12575	----	----	0.441B/----	0.441B/0.459A	----	0.424 + 0.007	.0508	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS													
JUN26															
12600	----	----	----	0.400B/0.460A	----	0.420	+	0.007	.0503	----	----	----	----	5	UNCH
12650	----	----	0.425B/----	0.425B/0.450A	----	0.413	+	0.007	.0494	----	----	----	----	2	UNCH
12675	----	----	0.425B/----	0.425B/0.446A	----	0.409	+	0.007	.0489	----	----	----	----	2	UNCH
12700	----	----	0.414B/----	0.414B/0.448A	----	0.406	+	0.008	.0486	----	----	----	----	11	UNCH
12725	----	----	0.417B/----	0.417B/0.445A	----	0.402	+	0.007	.0481	----	----	----	----	2	UNCH
12750	----	----	----	0.366B/0.441A	----	0.399	+	0.008	.0477	----	----	----	----	2	UNCH
12775	----	----	0.408B/----	0.408B/0.438A	----	0.395	+	0.007	.0472	----	----	----	----	7	UNCH
12800	----	----	----	0.364B/0.435A	----	0.392	+	0.007	.0468	----	----	----	----	34	UNCH
12900	----	----	----	0.313B/0.423A	----	0.379	+	0.008	.0452	----	----	----	----	6	UNCH
13000	0.350	0.350	0.350/0.350	0.350/0.350	----	0.366	+	0.007	.0436	----	----	1	----	273	+ 1
13100	----	----	----	0.286B/0.400A	----	0.354	+	0.007	.0421	----	----	----	----	4	UNCH
13200	----	----	----	0.276B/0.391A	----	0.343	+	0.007	.0407	----	----	----	----	3	UNCH
13300	----	----	----	0.265B/0.382A	----	0.333	+	0.008	.0394	----	----	----	----	3	UNCH
13400	----	----	----	0.255B/0.373A	----	0.323	+	0.008	.0381	----	----	----	----	5	UNCH
13500	----	----	----	0.254B/0.364A	----	0.313	+	0.007	.0369	----	----	----	----	22	UNCH
13600	----	----	----	0.236B/0.358A	----	0.304	+	0.007	.0357	----	----	----	----	7	UNCH
13700	----	----	----	0.230B/0.350A	----	0.296	+	0.008	.0347	----	----	----	----	5	UNCH
13800	----	----	----	0.219B/0.343A	----	0.287	+	0.008	.0336	----	----	----	----	1	UNCH
13900	----	----	----	0.211B/0.339A	----	0.280	+	0.009	.0327	----	----	----	----	3	UNCH
14000	----	----	----	0.217B/0.334A	----	0.272	+	0.008	.0317	----	----	----	----	292	UNCH
14200	----	----	----	0.199B/0.319A	----	0.258	+	0.009	.0299	----	----	----	----	60	UNCH
14300	----	----	----	0.183B/0.312A	----	0.252	+	0.010	.0291	----	----	----	----	1	UNCH
14400	----	----	----	0.192B/0.309A	----	0.246	+	0.010	.0284	----	----	----	----	65	UNCH
14500	----	----	----	0.179B/0.302A	----	0.240	+	0.010	.0276	----	----	----	----	31	UNCH
14600	----	----	----	0.165B/0.296A	----	0.234	+	0.011	.0268	----	----	----	----	6	UNCH
14700	----	----	----	0.159B/0.291A	----	0.228	+	0.010	.0261	----	----	----	----	11	UNCH
14800	----	----	----	0.154B/0.287A	----	0.223	+	0.011	.0255	----	----	----	----	10	UNCH
14900	----	----	----	0.149B/0.282A	----	0.218	+	0.012	.0248	----	----	----	----	6	UNCH
15000	----	----	----	0.145B/0.282A	----	0.213	+	0.012	.0242	----	----	----	----	147	UNCH
15300	----	----	----	0.130B/0.270A	----	0.200	+	0.014	.0226	----	----	----	----	2	UNCH
15400	----	----	----	0.122B/0.266A	----	0.195	+	0.014	.0220	----	----	----	----	1	UNCH
15500	----	----	----	0.118B/0.262A	----	0.191	+	0.015	.0214	----	----	----	----	7	UNCH
15600	----	----	----	0.114B/0.259A	----	0.188	+	0.016	.0210	----	----	----	----	1	UNCH
15700	----	----	----	0.109B/0.255A	----	0.184	+	0.016	.0205	----	----	----	----	1	UNCH
15800	----	----	----	0.105B/0.250A	----	0.180	+	0.017	.0201	----	----	----	----	6	UNCH
15900	----	----	----	0.101B/0.245A	----	0.177	+	0.018	.0197	----	----	----	----	8	UNCH
16000	0.160	0.160	0.160/*0.160	0.160/0.160	----	0.173	+	0.018	.0192	----	----	1	----	202	UNCH
16200	----	----	----	0.093B/0.235A	----	0.167	+	0.019	.0184	----	----	----	----	36	UNCH
16400	----	----	----	0.086B/0.230A	----	0.161	+	0.020	.0177	----	----	----	----	1	UNCH
16500	----	----	----	0.081B/0.223A	----	0.158	+	0.021	.0173	----	----	----	----	30	UNCH
16600	----	----	----	0.078B/0.225A	----	0.156	+	0.022	.0170	----	----	----	----	2	UNCH
16700	----	----	----	0.075B/0.222A	----	0.153	+	0.022	.0167	----	----	----	----	6	UNCH
16800	----	----	----	0.072B/0.228A	----	0.150	+	0.022	.0163	----	----	----	----	3	UNCH
17000	0.140	0.140	0.140/*0.137	0.140/*0.137	----	0.146	+	0.024	.0158	----	----	4	----	25	+ 4
17100	----	----	----	0.064B/0.219A	----	0.143	+	0.024	.0154	----	----	----	----	5	UNCH
17200	----	----	----	0.061B/0.215A	----	0.141	+	0.025	.0152	----	----	----	----	5	UNCH
17300	----	----	----	0.059B/0.214A	----	0.139	+	0.025	.0149	----	----	----	----	11	UNCH
17400	----	----	----	0.056B/0.211A	----	0.137	+	0.026	.0147	----	----	----	----	2	UNCH
17500	----	----	----	0.054B/0.198A	----	0.135	+	0.026	.0144	----	----	----	----	63	UNCH
17700	----	----	----	0.049B/0.206A	----	0.132	+	0.028	.0140	----	----	----	----	3	UNCH
17800	----	----	----	0.047B/0.204A	----	0.130	+	0.028	.0138	----	----	----	----	3	UNCH
18000	----	----	----	0.056B/0.183A	----	0.127	+	0.029	.0134	----	----	----	----	45	UNCH
18100	----	----	----	0.041B/0.193A	----	0.123	+	0.028	.0130	----	----	----	----	2	UNCH
18300	----	----	----	0.037B/0.187A	----	0.117	+	0.026	.0123	----	----	----	----	1	UNCH
18900	----	----	----	0.026B/0.170A	----	0.101	+	0.023	.0106	----	----	----	----	1	UNCH
19000	----	----	----	0.025B/0.153A	----	0.099	+	0.023	.0104	----	----	----	----	229	UNCH
19500	----	----	----	0.017B/0.153A	----	0.088	+	0.020	.0092	----	----	----	----	126	UNCH
19600	----	----	----	0.016B/0.150A	----	0.086	+	0.020	.0090	----	----	----	----	2	UNCH
19900	----	----	----	0.014B/0.191A	----	0.080	+	0.018	.0084	----	----	----	----	28	UNCH
20000	----	----	----	0.012B/0.095A	----	0.079	+	0.019	.0083	----	----	----	----	236	UNCH
21000	----	----	----	0.001B/0.178A	----	0.063	+	0.015	.0066	----	----	----	----	20	UNCH
23000	----	----	----	0.001B/0.182A	----	0.043	+	0.010	.0044	----	----	----	----	14	UNCH
25000	----	----	----	0.001B/0.122A	----	0.031	+	0.007	.0031	----	----	----	----	298	UNCH
27000	----	----	----	0.001B/*0.168A	----	0.020	+	0.005	.0020	----	----	----	----	3	UNCH
30000	----	----	----	----/0.128A	----	0.011	+	0.003	.0011	----	----	----	----	31	UNCH
32000	----	----	----	----/0.183A	----	0.008	+	0.002	.0008	----	----	----	----	1	UNCH
35000	----	----	----	----/0.022A	----	0.005	+	0.001	.0005	----	----	----	----	21	UNCH
TOTAL												454	20	12693	- 13
JUL26															
2700	----	----	53.968B/52.391A	53.968B/52.391A	----	53.199	+	0.095	.9969	----	----	----	----	1	UNCH
3900	----	----	42.006B/40.358A	42.006B/40.358A	----	41.214	+	0.098	.9893	----	----	----	----	1	UNCH
4000	----	----	----/39.355A	39.461B/39.355A	----	40.221	+	0.099	.9882	----	----	----	----	1	UNCH
4200	----	----	38.953B/37.389A	38.953B/37.389A	----	38.242	+	0.099	.9854	----	----	----	----	2	UNCH
4500	----	----	----/34.420A	34.470B/34.420A	----	35.290	+	0.094	.9797	----	----	----	----	28	UNCH
4600	----	----	35.048B/33.419A	35.048B/33.419A	----	34.313	+	0.093	.9774	----	----	----	----	114	UNCH
4700	----	----	34.032B/32.503A	34.032B/32.503A	----	33.338	+	0.090	.9748	----	----	----	----	1	UNCH
4750	----	----	----/32.018A	31.981B/32.018A	----	32.852	+	0.088	.9733	----	----	----	----	1	UNCH
4825	----	----	32.769B/31.295A	32.769B/31.295A	----	32.125	+	0.087	.9711	----	----	----	----	3	UNCH
4900	----	----	32.045B/30.641A	32.045B/30.641A	----	31.401	+	0.086	.9685	----	----	----	----	1	UNCH
4925	----	----	31.796B/30.402A	31.796B/30.402A	----	31.160	+	0.086	.9677	----	----	----	----	16	UNCH
5000	----	----	31.130B/29.564A	31.130B/29.564A	----	30.439	+	0.086	.9649	----	----	----	----	307	UNCH
5025	----	----	30.925B/29.448A	30.925B/29.448A	----	30.199	+	0.086	.9639	----	----	----	----	4	UNCH
5050	----	----	30.592B/29.156A	30.592B/29.156A	----	29.960	+	0.086	.9629	----	----	----	----	2	UNCH
5100	----	----	30.178B/28.609A	30.178B/28.609A	----	29.482	+	0.087	.9608	----	----	----	----	130	UNCH
5150	----	----	29.627B/28.226A	29.627B/28.226A	----	29.006	+	0.089	.9586	----	----	----	----	6	UNCH
5200	----	----	29.226B/27.705A	29.226B/27.705A	----	28.531	+	0.090	.9563	----	----	----	----	40	UNCH
5225	----	----	28.896B/27.504A	28.896B/27.504A	----	28.294	+	0.091	.9550	----	----	----	----	9	UNCH
5250	----	----	28.673B/27.273A	28.673B/27.273A	----	28.058	+	0.093	.9538	----	----	----	----	2	UNCH
5275	----	----	28.424B/27.096A	28.424B/27.096A	----	27.822	+	0.094	.9525	----	----	----	----	1	UNCH
5300	----	----	28.199B/26.802A	28.199B/26.802A	----	27.587	+	0.096	.9512	----	----	----	----	7	UNCH
5350	----	----	27.794B/26.259A	27.794B/26.259A	----	27.117	+	0.098	.9485	----	----	----	----	155	UNCH
5375	----	----	27.518B/26.105A	27.518B/26.105A	----	26.882	+	0.099	.9471	----	----	----	----	1	UNCH
5400	----	----	27.282B/25.868A	27.282B/25.868A	----	26.649	+	0.101	.9456	----	----	----	----	21	UNCH
5425	----	----	27.052B/25.663A	27.052B/25.663A	----	26.415	+	0.101	.9442	----	----	----	----	42	UNCH
5450	----	----	26.813B/25.416A	26.813B/25.416A	----	26.183	+	0.103	.9426	----	----	----	----	1	UNCH
5500	----	----	26.385B/24.864A	26.385B/24.864A	----	25.719	+	0.106	.9395	----	----	----	----	494	UNCH
5550	----	----	25.881B/24.487A	25.881B/24.487A	----	25.257	+	0.108	.9362	----	----	----	----	3	UNCH
5600	----	----	25.491B/23.977A	25.491B/23.977A	----	24.797	+	0.109	.9327	----	----	----	----	102	UNCH
5650	----	----	24.934B/23.594A	24.934B/23.594A	----	24.340	+	0.110	.9291	----	----	----	----	43	UNCH
5675	----	----	24.704B/23.363A	24.704B/23.363A	----	24.112	+	0.110	.9272	----	----	----	----	25	UNCH
5700	----	----	24.474B/23.075A	24.474B/23.075A	----	23.885	+	0.110	.9252	----	----	----	----	26	UNCH
5750	----	----	24.165B/22.593A	24.165B/22.593A	----	23.432	+	0.109	.9213	----	----	----	----	162	UNCH
5775	----	----	23.789B/22.446A	23.789B/22.446A	----	23.207	+	0.109	.9192	----	----	----	----	1	UNCH
5800	----	----	23.525B/22.223A	23.525B/22.223A	----	22.982	+	0.108	.9171	----	----	----	----	16	UNCH
5900	----	----	22.729B/21.398A	22.729B/21.398A	----	22.091	+	0.105	.9082	----	----	----	----	10	UNCH
5925	----	----	22.388B/21.184A	22.388B/21.184A	----	21.870	+	0.104	.9058	----	----	----	----	10	UNCH
5950	----	----	22.184B/20.901A	22.184B/20.901A	----	21.650	+	0.102	.9034	----	----	----	----	6	UNCH
5975	----	----	22.057B/20.685A	22.057B/20.685A	----	21.431	+	0.101	.9010	----	----	----	----	20	UNCH
6000	----	----	21.869B/20.390A	21.869B/20.390A	----	21.212	+	0.099	.8984	----	----	----	----	550	UNCH
6050	----	----	21.431B/20.011A	21.431B/20.011A	----	20.778	+	0.096	.8933	----	----	----	----	58	UNCH
6075	----	----	21.172B/19.827A	21.172B/19.827A	----	20.562	+	0.094	.8907	----	----	----	----	1	UNCH
6100	----	----	20.956B/19.637A	20.956B/19.637A	----	20.347	+	0.092	.8879	----	----	----	----	10	UNCH
6200	----	----	20.090B/18.693A	20.090B/18.693A	----	19.495	+	0.081	.8766	----	----	----	----	101	UNCH
6250	----	----	19.662B/18.383A	19.662B/18.383A	----	19.075	+	0.076	.8706	----	----	----	----	1	UNCH
6300	----	----	19.238B/17.975A	19.238B/17.975A	----	18.659	+	0.070	.8643	----	----	----	----	3	UNCH
6350	----	----	18.818B/17.561A	18.818B/17.561A	----	18.247	+	0.064	.8579	----	----	----	----	2	UNCH
6450	----	----	17.992B/16.769A	17.992B/16.769A	----	17.436	+	0.051	.8443	----	----	----	----	1	UNCH
6500	----	----	17.602B/16.289A	17.602B/16.289A	----	17.037	+	0.045	.8372	----	----	----	----	195	UNCH
6600	----	----	16.889B/15.529A	16.889B/15.529A	----	16.253	+	0.033	.8224	----	----	----	----	56	UNCH
6650	----	----	16.501B/15.203A	16.501B/15.203A	----	15.868	+	0.027	.8146	----	----	----	----	100	UNCH
6750	----	----	15.644B/14.539A	15.644B/14.539A	----	15.115	+	0.018	.7985	----	----	----	----	24	UNCH
6800	----	----	15.367B/14.125A	15.367B/14.125A	----	14.746	+	0.014	.7902	----	----	----	----	250	UNCH
6825	----	----	15.085B/14.015A	15.085B/14.015A	----	14.563	+	0.011	.7859	----	----	----	----	6	UNCH
6850	----	----	14.901B/13.852A	14.901B/13.852A	----	14.382	+	0.010	.7816	----	----	----	----	1	UNCH
6875	----	----	14.719B/13.673A	14.719B/13.673A	----	14.202	+	0.008	.7773	----	----	----	----	16	UNCH
6900	----	----	14.636B/13.388A	14.636B/13.388A	----	14.024	+	0.006	.7729	----	----	----	----	99	UNCH
6950	----	----	14.180B/13.211A	14.180B/13.211A	----	13.671	+	0.003	.7640	----	----	----	----	1	UNCH
7000	----	----	13.927B/12.727A	13.927B/12.727A	----	13.324		UNCH	.7548	----	----	----	----	154	UNCH
7025	----	----	13.754B/12.613A	13.754B/12.613A	----	13.153	-	0.001	.7502	----	----	----	----	125	UNCH
7050	----	----	13.480B/12.564A	13.480B/12.564A	----	12.983	-	0.003	.7456	----	----	----	----	1	UNCH
7100	----	----	13.139B/12.252A	13.139B/12.252A	----	12.648	-	0.005	.7361	----	----	----	----	5	UNCH
7200	----	----	12.471B/11.647A	12.471B/11.647A	----	11.996	-	0.008	.7168	----	----	----	----	11	UNCH
7225	----	----	12.309B/11.500A	12.309B/11.500A	----	11.837	-	0.008	.7119	----	----	----	----	1	UNCH
7250	----	----	12.255B/11.235A	12.255B/11.235A	----	11.680	-	0.008	.7070	----	----	----	----	165	UNCH
7300	----	----	11.833B/11.063A	11.833B/11.063A	----	11.369	-	0.009	.6970	----	----	----	----	5	UNCH
7325	----	----	11.780B/10.805A	11.780B/10.805A	----	11.216	-	0.009	.6919	----	----	----	----	100	UNCH
7350	----	----	11.528B/10.781A	11.528B/10.781A	----	11.065	-	0.009	.6869	----	----	----	----	2	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
7400	----	----	11.225B/10.501A	11.225B/10.501A	----	10.767 - 0.009	.6767	----	----	----	----	20 UNCH
7450	----	----	10.929B/10.229A	10.929B/10.229A	----	10.475 - 0.010	.6664	----	----	----	----	12 UNCH
7500	----	----	10.748B/9.846A	10.748B/9.846A	----	10.189 - 0.011	.6561	----	----	22	----	303 UNCH
7550	----	----	10.355B/9.704A	10.355B/9.704A	----	9.911 - 0.010	.6457	----	----	----	----	6 UNCH
7575	----	----	10.215B/9.577A	10.215B/9.577A	----	9.773 - 0.011	.6404	----	----	----	----	20 UNCH
7600	----	----	10.077B/9.450A	10.077B/9.450A	----	9.638 - 0.010	.6352	----	----	----	----	13 UNCH
7700	----	----	9.539B/8.960A	9.539B/8.960A	----	9.112 - 0.011	.6142	----	----	----	----	15 UNCH
7750	8.364	8.364	9.389B/8.364	9.389B/8.364	----	8.859 - 0.010	.6036	----	----	3	----	65 UNCH
7800	8.049	8.049	9.135B/8.049	9.135B/8.049	----	8.612 - 0.011	.5931	----	----	4	----	51 - 1
7900	----	----	8.527B/8.057A	8.527B/8.057A	----	8.137 - 0.012	.5720	----	----	2	----	8 - 1
7975	----	----	8.178B/7.738A	8.178B/7.738A	----	7.797 - 0.014	.5563	----	----	----	----	5 UNCH
8000	7.838	7.838	8.228B/7.183	8.228B/7.183	----	7.687 - 0.014	.5511	----	----	8	----	605 UNCH
8025	----	----	7.949B/7.532A	7.949B/7.532A	----	7.578 - 0.015	.5459	----	----	----	----	8 UNCH
8100	----	----	7.674B/7.182A	7.674B/7.182A	----	7.262 - 0.016	.5304	----	----	----	----	42 UNCH
8200	----	----	7.190B/6.872A	7.190B/6.872A	----	6.861 - 0.018	.5100	----	----	----	----	2 UNCH
8250	----	----	7.046B/6.624A	7.046B/6.624A	----	6.669 - 0.019	.5000	----	----	----	----	45 UNCH
8300	----	----	6.917B/6.370A	6.917B/6.370A	----	6.483 - 0.021	.4901	----	----	----	100	351 + 100
8325	----	----	----	6.359B/6.829A	----	6.392 NEW	.4852	----	----	2	----	1 + 1
8350	----	----	6.605B/----	6.605B/6.346A	----	6.303 - 0.022	.4803	----	----	----	----	2 UNCH
8375	----	----	6.572B/6.196A	6.572B/6.196A	----	6.215 - 0.022	.4754	----	----	----	----	48 UNCH
8400	----	----	6.416B/----	6.416B/6.186A	----	6.128 - 0.023	.4706	----	----	3	----	8 + 3
8500	----	----	6.188B/5.739A	6.188B/5.739A	----	5.795 - 0.026	.4517	----	----	23	----	703 + 17
8550	----	----	6.067B/5.600A	6.067B/5.600A	----	5.636 - 0.028	.4424	----	----	----	----	329 UNCH
8600	----	----	5.745B/----	5.745B/5.586A	----	5.483 - 0.029	.4333	----	----	----	----	6 UNCH
8650	----	----	5.580B/----	5.580B/5.446A	----	5.335 - 0.030	.4243	----	----	----	----	1 UNCH
8700	----	----	5.594B/5.186A	5.594B/5.186A	----	5.192 - 0.030	.4155	----	----	----	----	63 UNCH
8750	----	----	5.295B/----	5.295B/5.181A	----	5.053 - 0.032	.4069	----	----	2	----	7 UNCH
8800	4.600	4.600	5.156B/4.600	5.156B/4.600	----	4.919 - 0.033	.3984	----	----	10	----	12 UNCH
8900	----	----	4.969B/4.687A	4.969B/4.687A	----	4.666 - 0.034	.3820	----	----	----	----	109 UNCH
9000	4.800	4.800	4.893/4.400	4.893/4.400	----	4.430 - 0.035	.3663	----	----	4	100	443 + 82
9100	----	----	4.392B/----	4.392B/4.401A	----	4.210 - 0.036	.3513	----	----	----	----	10 UNCH
9200	----	----	4.292B/----	4.292B/4.050A	----	4.006 - 0.036	.3369	----	----	----	----	81 UNCH
9225	----	----	4.121B/----	4.121B/4.157A	----	3.958 - 0.035	.3335	----	----	----	----	2 UNCH
9250	----	----	4.069B/----	4.069B/4.110A	----	3.910 - 0.035	.3301	----	----	----	----	7 UNCH
9300	----	----	4.083B/----	4.083B/3.866A	----	3.817 - 0.035	.3233	----	----	----	----	266 UNCH
9350	3.853	3.853	3.869B/3.853	3.869B/3.853	----	3.728 - 0.034	.3168	----	----	2	----	9 + 2
9400	----	----	3.827B/----	3.827B/3.788A	----	3.642 - 0.034	.3104	----	----	----	----	25 UNCH
9450	----	----	3.759B/----	3.759B/3.707A	----	3.559 - 0.033	.3042	----	----	----	----	33 UNCH
9500	3.494	3.494	3.724B/3.460	3.724B/3.460	----	3.480 - 0.031	.2982	----	----	33	----	503 - 5
9600	----	----	3.519B/----	3.519B/3.417A	----	3.330 - 0.028	.2867	----	----	----	----	53 UNCH
9700	----	----	3.244B/----	3.244B/3.391A	----	3.190 - 0.025	.2757	----	----	----	----	4 UNCH
9725	----	----	3.204B/----	3.204B/3.357A	----	3.157 - 0.024	.2731	----	----	----	----	1 UNCH
9750	----	----	3.277B/----	3.277B/3.203A	----	3.124 - 0.024	.2705	----	----	----	----	76 UNCH
9775	----	----	3.238B/----	3.238B/3.170A	----	3.091 - 0.023	.2679	----	----	----	----	50 UNCH
9800	3.153	3.153	3.201B/3.153	3.201B/3.099A	----	3.060 - 0.022	.2654	----	----	20	----	130 + 20
9825	----	----	----	3.049B/3.224A	----	3.028 - 0.021	.2628	----	----	----	----	3 UNCH
9900	----	----	3.050B/----	3.050B/3.013A	----	2.936 - 0.020	.2554	----	----	----	----	73 UNCH
10000	2.885	2.885	3.082B/2.800	3.082B/2.800	----	2.819 - 0.017	.2460	----	----	66	----	1475 + 6
10100	----	----	----	2.681B/2.896A	----	2.707 - 0.016	.2369	----	----	----	----	1 UNCH
10125	2.888	2.888	2.931/2.888	2.931/2.868A	----	2.680 - 0.015	.2347	----	----	6	----	7 + 6
10200	----	----	2.654B/----	2.654B/2.621A	----	2.600 - 0.015	.2282	----	----	----	----	81 UNCH
10250	----	----	----	2.495B/2.736A	----	2.547 - 0.016	.2240	----	----	----	----	20 UNCH
10375	----	----	----	2.359B/2.612A	----	2.422 - 0.016	.2138	----	----	----	----	18 UNCH
10400	----	----	----	2.334B/2.594A	----	2.397 - 0.016	.2118	----	----	----	----	1 UNCH
10475	----	----	----	2.289B/2.464A	----	2.326 - 0.017	.2060	----	----	----	----	25 UNCH
10500	----	----	2.323B/----	2.323B/2.377A	----	2.302 - 0.018	.2040	----	----	1	----	586 + 1
10550	----	----	----	2.173B/2.454A	----	2.256 - 0.019	.2003	----	----	----	----	1 UNCH
10600	----	----	----	2.123B/2.414A	----	2.211 - 0.019	.1966	----	----	1	----	2 + 1
10800	----	----	----	1.998B/2.181A	----	2.040 - 0.024	.1825	----	----	----	----	28 UNCH
11000	----	----	----	1.878B/1.964A	----	1.883 - 0.028	.1695	----	----	52	----	1060 - 1
11100	----	----	----	1.705B/2.009A	----	1.810 - 0.030	.1634	----	----	----	----	23 UNCH
11200	----	----	----	1.629B/1.952A	----	1.740 - 0.033	.1576	----	----	1	----	8 UNCH
11225	----	----	----	1.611B/1.922A	----	1.723 - 0.033	.1562	----	----	----	----	3 UNCH
11300	----	----	----	1.672B/1.869A	----	1.673 - 0.035	.1520	----	----	----	----	50 UNCH
11400	----	----	----	1.502B/1.813A	----	1.609 - 0.037	.1466	----	----	----	----	19 UNCH
11500	----	----	----	1.459B/1.753A	----	1.548 - 0.038	.1414	----	----	2	----	59 + 1
11600	----	----	----	1.329B/1.696A	----	1.490 - 0.039	.1365	----	----	----	----	1 UNCH
11625	----	----	----	1.352B/1.682A	----	1.476 - 0.040	.1353	----	----	----	----	2 UNCH
11650	----	----	----	1.348B/1.668A	----	1.462 - 0.040	.1341	----	----	----	----	24 UNCH
11675	----	----	----	1.326B/1.655A	----	1.448 - 0.040	.1329	----	----	----	----	22 UNCH
11700	----	----	1.530B/----	1.530B/1.642A	----	1.435 - 0.040	.1317	----	----	----	----	22 UNCH
11725	----	----	----	1.299B/1.629A	----	1.421 - 0.041	.1305	----	----	----	----	22 UNCH
11750	----	----	----	1.287B/1.616A	----	1.408 - 0.041	.1294	----	----	----	----	22 UNCH
11775	----	----	----	1.274B/1.603A	----	1.395 - 0.041	.1283	----	----	----	----	22 UNCH
11800	----	----	----	1.261B/1.590A	----	1.382 - 0.041	.1272	----	----	----	----	1 UNCH
11900	----	----	----	1.213B/1.542A	----	1.332 - 0.041	.1228	----	----	----	----	1 UNCH
11950	----	----	----	1.189B/1.518A	----	1.308 - 0.041	.1208	----	----	----	----	1 UNCH
12000	1.284	1.284	1.450B/1.284	1.450B/1.284	----	1.285 - 0.041	.1187	----	----	22	----	409 - 14
12200	----	----	----	1.080B/1.318A	----	1.197 - 0.040	.1110	----	----	----	----	1 UNCH
12225	----	----	----	1.070B/1.330A	----	1.187 - 0.039	.1101	----	----	----	----	16 UNCH
12250	----	----	----	1.061B/1.324A	----	1.177 - 0.038	.1092	----	----	----	----	6 UNCH
12300	----	----	----	1.038B/1.370A	----	1.157 - 0.038	.1074	----	----	----	----	8 UNCH
12375	----	----	----	1.009B/1.342A	----	1.128 - 0.037	.1049	----	----	----	----	1 UNCH
12425	----	----	----	0.991B/1.323A	----	1.110 - 0.035	.1032	----	----	----	----	1 UNCH
12450	----	----	----	0.983B/1.313A	----	1.101 - 0.035	.1024	----	----	----	----	1 UNCH
12475	----	----	----	0.971B/1.306A	----	1.092 - 0.034	.1016	----	----	----	----	3 UNCH
12500	----	----	----	1.111B/1.205A	----	1.083 - 0.034	.1008	----	----	1	----	137 + 1
12550	1.700	1.700	1.700/1.000	1.700/1.000	----	1.066 NEW	.0992	----	----	2	----	0 UNCH
12600	----	----	----	0.926B/1.263A	----	1.050 - 0.030	.0978	----	----	----	----	6 UNCH
12725	----	----	----	0.883B/1.067A	----	1.011 - 0.026	.0942	----	----	----	----	1 UNCH
12800	----	----	----	0.858B/1.054A	----	0.989 - 0.023	.0921	----	----	----	----	1 UNCH
13000	----	----	----	0.878B/0.999A	----	0.935 - 0.014	.0871	----	----	50	----	596 - 50
14000	----	----	----	0.663B/0.793A	----	0.734 + 0.030	.0678	----	----	----	----	799 UNCH
14700	----	----	----	0.542B/0.695A	----	0.625 + 0.042	.0574	----	----	----	----	1 UNCH
15000	----	----	0.581B/----	0.581B/0.659A	----	0.583 + 0.042	.0535	----	----	----	----	709 UNCH
16000	0.465	0.465	0.465/0.465	0.465/0.465	----	0.468 + 0.038	.0428	----	----	4	----	763 UNCH
17000	0.360	0.360	0.395/0.360	0.395/0.360	----	0.384 + 0.028	.0349	----	----	4	----	26 + 2
18000	----	----	----	0.238B/0.420A	----	0.327 + 0.021	.0295	----	----	----	----	256 UNCH
19000	----	----	----	0.192B/0.365A	----	0.286 + 0.016	.0254	----	----	----	----	78 UNCH
20000	----	----	----	0.230B/0.270A	----	0.249 + 0.011	.0220	----	----	----	----	1209 UNCH
21000	----	----	----	0.132B/0.300A	----	0.214 + 0.006	.0188	----	----	----	----	427 UNCH
24000	----	----	----	0.076B/0.243A	----	0.124 - 0.008	.0110	----	----	----	----	125 UNCH
25000	0.110	0.110	0.110/0.110	0.110/0.110	----	0.103 - 0.011	.0092	----	----	2	----	356 UNCH
27000	----	----	----	0.046B/0.210A	----	0.089 - 0.010	.0078	----	----	----	----	4 UNCH
30000	----	----	----	0.001B/0.252A	----	0.077 - 0.009	.0065	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.241A	----	0.064 - 0.007	.0054	----	----	----	----	4 UNCH
35000	----	----	----	0.036B/0.063A	----	0.042 - 0.006	.0036	----	----	----	----	77 UNCH
TOTAL										352	200	18139 + 171
AUG26												
5000	----	----	----	----	----	31.172 + 0.064	.9533	----	----	----	----	2 UNCH
5400	----	----	----	9.190B/41.084A	----	27.471 + 0.053	.9309	----	----	----	----	2 UNCH
5500	----	----	----	8.363B/40.251A	----	26.568 + 0.049	.9240	----	----	----	----	1 UNCH
6300	----	----	----	----/36.417A	----	19.806 + 0.016	.8451	----	----	----	----	5 UNCH
6450	----	----	----	----/34.996A	----	18.652 + 0.009	.8255	----	----	----	----	1 UNCH
6500	----	----	----	----/34.525A	----	18.277 + 0.007	.8186	----	----	----	----	2 UNCH
6600	----	----	----	----/33.599A	----	17.542 + 0.002	.8045	----	----	----	----	4 UNCH
6800	----	----	----	----/31.738A	----	16.134 - 0.006	.7745	----	----	----	----	7 UNCH
6875	----	----	----	----/31.065A	----	15.628 - 0.010	.7627	----	----	----	----	5 UNCH
7000	----	----	----	----/29.982A	----	14.812 - 0.016	.7425	----	----	----	----	3 UNCH
7025	----	----	----	----/29.748A	----	14.653 - 0.017	.7384	----	----	----	----	5 UNCH
7050	----	----	----	----/29.604A	----	14.496 - 0.017	.7342	----	----	----	----	2 UNCH
7100	----	----	----	----/29.085A	----	14.185 - 0.020	.7259	----	----	----	----	2 UNCH
7400	----	----	----	12.055B/12.870A	----	12.438 - 0.013	.6745	----	----	----	----	2 UNCH
7425	----	----	----	11.981B/12.712A	----	12.301 - 0.011	.6702	----	----	----	----	14 UNCH
7475	----	----	----	11.710B/12.441A	----	12.031 - 0.008	.6614	----	----	----	----	6 UNCH
7500	----	----	----	11.575B/11.954A	----	11.897 - 0.007	.6571	----	----	----	----	4 UNCH
7550	----	----	----	11.394B/11.687A	----	11.634 - 0.003	.6483	----	----	----	----	4 UNCH
7625	----	----	----	10.929B/11.662A	----	11.249 + 0.001	.6352	----	----	----	----	18 UNCH
7700	----	----	10.988B/----	10.988B/10.964A	----	10.875 + 0.006	.6220	----	----	----	----	1 UNCH
7800	----	----	10.497B/----	10.497B/10.503A	----	10.395 + 0.012	.6045	----	----	----	----	1 UNCH
7900	----	----	10.027B/----	10.027B/10.026A	----	9.935 + 0.017	.5871	----	----	----	----	1 UNCH
7950	----	----	9.803B/----	9.803B/9.805A	----	9.713 + 0.019	.5784	----	----	----	----	9 UNCH
7975	----	----	----	9.239B/10.060A	----	9.604 + 0.021	.5741	----	----	----	----	1 UNCH
8000	----	----	9.578B/----	9.578B/9.600A	----	9.496 + 0.021	.5698	----	----	----	----	12 UNCH
8300	----	----	8.349B/----	8.349B/8.483A	----	8.304 + 0.029	.5193	----	----	----	----	1 UNCH
8450	----	----	7.797B/----	7.797B/7.958A	----	7.775 + 0.028	.4952	----	----	----	----	1 UNCH
8500	----	----	7.623B/----	7.623B/7.802A	----	7.609 + 0.028	.4873	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
8775	----	----	----	6.464B/7.210A	----	6.770 + 0.021	.4460	----	----	----	----	2 UNCH
8900	----	----	----	6.341B/6.690A	----	6.429 + 0.016	.4283	----	----	----	----	7 UNCH
8950	----	----	----	6.234B/6.562A	----	6.299 + 0.014	.4215	----	----	----	----	6 UNCH
9000	----	----	----	6.101B/6.441A	----	6.172 + 0.011	.4147	----	----	----	----	20 UNCH
9100	----	----	----	5.837B/6.199A	----	5.929 + 0.007	.4015	----	----	----	----	84 UNCH
9400	----	----	----	5.127B/5.585A	----	5.273 - 0.007	.3646	----	----	----	----	102 UNCH
10000	----	----	----	3.989B/4.592A	----	4.217 - 0.030	.3015	----	----	----	----	76 UNCH
10200	----	----	----	3.644B/4.317A	----	3.926 - 0.036	.2833	----	----	----	----	3 UNCH
10400	----	----	----	3.391B/4.041A	----	3.662 - 0.039	.2665	----	----	----	----	2 UNCH
10500	----	----	----	3.258B/3.917A	----	3.538 - 0.041	.2585	----	----	----	----	7 UNCH
11100	----	----	----	2.580B/3.264A	----	2.903 - 0.047	.2164	----	----	----	----	1 UNCH
11200	----	----	----	2.480B/3.168A	----	2.812 - 0.048	.2102	----	----	----	----	1 UNCH
11300	----	----	----	2.387B/3.080A	----	2.726 - 0.047	.2043	----	----	----	----	10 UNCH
11500	----	----	----	2.219B/2.937A	----	2.563 - 0.048	.1931	----	----	----	----	53 UNCH
11850	----	----	----	2.004B/2.679A	----	2.310 - 0.047	.1754	----	----	----	----	1 UNCH
12000	----	----	----	1.880B/2.576A	----	2.213 - 0.046	.1685	----	----	----	----	2 UNCH
12500	----	----	----	1.630B/2.295A	----	1.927 - 0.042	.1479	----	----	----	----	1 UNCH
13000	----	----	----	1.375B/2.094A	----	1.692 - 0.038	.1306	----	----	----	----	53 UNCH
14000	----	----	----	1.048B/1.669A	----	1.334 - 0.027	.1037	----	----	----	----	6 UNCH
15000	----	----	----	0.945B/1.141A	----	1.080 - 0.016	.0842	----	----	----	----	36 UNCH
16000	----	----	----	0.886B/0.956A	----	0.895 - 0.007	.0698	----	----	----	----	1 UNCH
17000	----	----	----	0.726B/0.872A	----	0.755 UNCH	.0588	----	----	----	----	2 UNCH
18000	----	----	----	0.571B/0.768A	----	0.648 + 0.005	.0503	----	----	----	----	1 UNCH
19000	----	----	----	0.480B/0.682A	----	0.564 + 0.008	.0436	----	----	----	----	2 UNCH
20000	----	----	----	0.401B/0.616A	----	0.498 + 0.011	.0383	----	----	----	----	217 UNCH
25000	----	----	----	0.199B/0.412A	----	0.300 + 0.013	.0224	----	----	----	----	2 UNCH
30000	----	----	----	0.109B/0.309A	----	0.202 + 0.009	.0148	----	----	----	----	13 UNCH
35000	----	----	----	0.064B/0.254A	----	0.129 + 0.005	.0095	----	----	----	----	2 UNCH
TOTAL											0	841 0
SEP26												
5100	----	----	----	6.795B/51.791A	----	30.390 - 0.023	.9385	----	----	----	----	1 UNCH
5900	----	----	----	----/45.993A	----	23.503 + 0.002	.8730	----	----	----	----	2 UNCH
6000	----	----	----	----/45.540A	----	22.707 + 0.011	.8623	----	----	----	----	7 UNCH
6700	----	----	----	----/38.335A	----	17.629 + 0.094	.7732	----	----	----	----	1 UNCH
7000	----	----	----	----/35.186A	----	15.725 + 0.115	.7294	----	----	----	----	121 UNCH
7125	----	----	----	13.526B/15.509A	----	14.980 + 0.117	.7106	----	----	----	----	75 UNCH
7400	----	----	----	12.944B/13.570A	----	13.433 + 0.098	.6683	----	----	----	----	100 UNCH
7500	----	----	----	12.494B/13.080A	----	12.903 + 0.084	.6528	----	----	----	----	1 UNCH
7700	----	----	11.938B/----	11.938B/12.136A	----	11.892 + 0.045	.6215	----	----	----	----	1 UNCH
8000	----	----	10.585B/----	10.585B/10.855A	----	10.508 - 0.029	.5747	----	----	----	----	105 UNCH
8200	----	----	9.774B/----	9.774B/10.090A	----	9.676 - 0.078	.5441	----	----	----	----	24 UNCH
8500	----	----	----	8.685B/9.110A	----	8.565 - 0.140	.4998	----	----	----	----	100 UNCH
8675	----	----	----	7.764B/8.793A	----	7.989 - 0.167	.4752	----	----	----	----	5 UNCH
8700	----	----	----	8.037B/8.494A	----	7.910 - 0.171	.4718	----	----	----	----	100 UNCH
9000	----	----	7.640B/----	7.640B/7.702A	----	7.047 - 0.202	.4323	----	----	----	----	186 UNCH
9500	----	----	----	5.960B/6.634A	----	5.881 - 0.222	.3741	----	----	----	----	53 UNCH
9750	----	----	----	5.411B/6.151A	----	5.407 - 0.218	.3486	----	----	----	----	23 UNCH
9800	----	----	----	5.315B/6.102A	----	5.320 - 0.216	.3438	----	----	100	----	109 + 100
9900	----	----	----	5.129B/5.932A	----	5.152 - 0.212	.3344	----	----	1	----	43 + 1
10000	5.300	5.300	5.300/5.290A	5.300/5.290A	----	4.993 - 0.208	.3254	----	----	102	----	281 + 97
10500	----	----	----	4.202B/5.055A	----	4.312 - 0.175	.2854	----	----	19	----	115 + 19
10800	----	----	----	3.800B/4.651A	----	3.980 - 0.151	.2649	----	----	----	----	2 UNCH
11000	----	----	----	3.525B/4.419A	----	3.784 - 0.133	.2526	----	----	19	----	190 UNCH
11300	----	----	----	3.227B/4.097A	----	3.521 - 0.107	.2357	----	----	----	----	60 UNCH
11500	----	----	----	3.026B/3.905A	----	3.362 - 0.091	.2254	----	----	----	----	70 UNCH
12000	----	----	3.131B/----	3.131B/3.508A	----	3.013 - 0.055	.2025	----	----	----	----	117 UNCH
12500	----	----	----	2.296B/3.146A	----	2.711 - 0.028	.1826	----	----	----	----	35 UNCH
13000	----	----	----	1.982B/2.842A	----	2.446 - 0.010	.1652	----	----	----	----	36 UNCH
14000	2.010	2.010	2.010/2.010	2.010/2.010	----	2.004 + 0.008	.1363	----	----	4	----	97 UNCH
15000	----	----	----	1.110B/2.124A	----	1.655 + 0.012	.1134	----	----	----	----	221 UNCH
16000	----	----	----	1.028B/1.916A	----	1.378 + 0.009	.0951	----	----	----	----	18 UNCH
17000	----	----	----	1.019B/1.265A	----	1.160 + 0.005	.0806	----	----	----	----	27 UNCH
18000	----	----	----	0.912B/1.125A	----	0.990 + 0.002	.0691	----	----	----	----	2 UNCH
19000	----	----	----	0.769B/1.004A	----	0.858 + 0.002	.0600	----	----	----	----	14 UNCH
20000	----	----	----	0.667B/0.906A	----	0.753 + 0.003	.0527	----	----	----	----	304 UNCH
21000	----	----	----	0.575B/0.822A	----	0.669 + 0.006	.0468	----	----	----	----	1 UNCH
23000	----	----	----	0.441B/0.693A	----	0.544 + 0.010	.0378	----	----	----	----	32 UNCH
25000	----	----	----	0.347B/0.605A	----	0.459 + 0.015	.0317	----	----	----	----	14 UNCH
30000	----	----	----	0.206B/0.455A	----	0.343 + 0.028	.0230	----	----	----	----	19 UNCH
35000	----	----	----	0.131B/0.370A	----	0.197 + 0.018	.0136	----	----	----	----	27 UNCH
TOTAL										245	0	2739 + 217
OCT26												
3800	----	----	----	----	----	43.627 + 0.075	.9837	----	----	----	----	1 UNCH
7000	----	----	----	----/41.508A	----	17.026 - 0.062	.7318	----	----	----	----	2 UNCH
7100	----	----	----	14.723B/17.069A	----	16.422 - 0.061	.7181	----	----	----	----	1 UNCH
7500	----	----	----	13.769B/14.545A	----	14.193 - 0.058	.6618	----	----	----	----	1 UNCH
7650	----	----	----	13.450B/13.810A	----	13.434 - 0.059	.6404	----	----	----	----	1 UNCH
7875	----	----	----	11.938B/13.167A	----	12.377 - 0.061	.6083	----	----	----	----	2 UNCH
8000	----	----	----	11.857B/12.340A	----	11.831 - 0.064	.5905	----	----	----	----	4 UNCH
8075	----	----	----	11.102B/12.331A	----	11.518 - 0.066	.5800	----	----	----	----	1 UNCH
8500	----	----	----	9.932B/10.524A	----	9.939 - 0.087	.5227	----	----	----	----	1 UNCH
8700	----	----	----	9.223B/9.900A	----	9.304 - 0.100	.4975	----	----	----	----	4 UNCH
9000	----	----	----	8.368B/9.108A	----	8.461 - 0.121	.4620	----	----	----	----	1 UNCH
9100	----	----	----	8.093B/8.855A	----	8.206 - 0.127	.4508	----	----	----	----	73 UNCH
10000	----	----	----	6.015B/6.997A	----	6.343 - 0.154	.3635	----	----	----	----	96 UNCH
11000	----	----	----	4.440B/5.509A	----	4.884 - 0.116	.2895	----	----	----	----	3 UNCH
11100	----	----	----	4.355B/5.422A	----	4.764 - 0.110	.2832	----	----	----	----	2 UNCH
11700	----	----	----	3.627B/4.753A	----	4.123 - 0.079	.2488	----	----	----	----	2 UNCH
12000	----	----	----	3.395B/4.460A	----	3.848 - 0.065	.2338	----	----	----	----	65 UNCH
13000	----	----	----	2.626B/3.673A	----	3.097 - 0.038	.1915	----	----	----	----	145 UNCH
14000	----	----	----	2.088B/3.085A	----	2.543 - 0.028	.1593	----	----	----	----	2 UNCH
15000	----	----	----	1.665B/2.712A	----	2.129 - 0.027	.1345	----	----	----	----	178 UNCH
16000	----	----	----	1.307B/2.447A	----	1.818 - 0.029	.1154	----	----	----	----	4 UNCH
18000	----	----	----	1.140B/1.508A	----	1.286 - 0.024	.0836	----	----	----	----	340 UNCH
20000	----	----	----	0.952B/1.224A	----	0.959 - 0.020	.0632	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/52.513A	----	20.925 - 0.061	.7861	----	----	----	----	1 UNCH
7000	----	----	----	----/47.232A	----	17.753 - 0.074	.7252	----	----	----	----	14 UNCH
7100	----	----	----	15.630B/17.856A	----	17.168 - 0.075	.7124	----	----	----	----	14 UNCH
7500	----	----	----	14.387B/15.417A	----	15.000 - 0.081	.6601	----	----	----	----	1 UNCH
7900	----	----	----	13.040B/13.687A	----	13.115 - 0.081	.6072	----	----	----	----	10 UNCH
8000	----	----	----	12.618B/13.281A	----	12.688 - 0.081	.5941	----	----	----	----	10 UNCH
10000	----	----	----	6.817B/7.949A	----	7.206 - 0.056	.3828	----	----	----	----	26 UNCH
12000	----	----	----	4.063B/5.315A	----	4.621 - 0.044	.2584	----	----	----	----	13 UNCH
12500	----	----	----	3.594B/4.851A	----	4.181 - 0.044	.2360	----	----	----	----	10 UNCH
13000	----	----	----	3.209B/4.448A	----	3.799 - 0.043	.2162	----	----	----	----	2 UNCH
14000	----	----	----	2.641B/3.785A	----	3.169 - 0.042	.1829	----	----	----	----	3 UNCH
15000	----	----	----	2.176B/3.294A	----	2.679 - 0.040	.1563	----	----	----	----	5 UNCH
16000	----	----	----	1.778B/2.942A	----	2.296 - 0.034	.1351	----	----	----	----	2 UNCH
17000	----	----	----	1.393B/2.702A	----	1.994 - 0.025	.1181	----	----	----	----	1 UNCH
20000	----	----	----	1.278B/1.563A	----	1.393 + 0.005	.0832	----	----	----	----	32 UNCH
21000	----	----	----	1.122B/1.427A	----	1.255 + 0.011	.0750	----	----	----	----	2 UNCH
TOTAL											0	146 0
DEC26												
3875	----	----	----	----	----	42.976 + 0.026	.9713	----	----	----	----	1 UNCH
5250	----	----	----	----/68.453A	----	30.567 - 0.039	.9016	----	----	----	----	50 UNCH
5500	----	----	----	----/66.526A	----	28.514 - 0.037	.8821	----	----	----	----	1 UNCH
6500	----	----	----	----/57.192A	----	21.231 + 0.026	.7817	----	----	----	----	564 UNCH
6900	----	----	----	----/52.939A	----	18.811 + 0.062	.7339	----	----	----	----	1 UNCH
6950	----	----	----	----/52.406A	----	18.528 + 0.066	.7277	----	----	----	----	200 UNCH
7000	----	----	----	15.891B/19.191A	----	18.249 + 0.068	.7216	----	----	----	----	120 UNCH
7025	----	----	----	16.205B/19.211A	----	18.111 + 0.070	.7185	----	----	----	----	1 UNCH
7075	----	----	----	16.152B/18.906A	----	17.839 + 0.073	.7123	----	----	----	----	5 UNCH
7100	----	----	----	16.213B/18.772A	----	17.704 + 0.074	.7092	----	----	----	----	15 UNCH
7375	----	----	----	15.271B/17.372A	----	16.284 + 0.078	.6749	----	----	----	----	2 UNCH
7500	----	----	----	14.818B/16.151A	----	15.676 + 0.074	.6593	----	----	----	----	18 UNCH
7575	----	----	----	14.399B/16.409A	----	15.322 + 0.069	.6500	----	----	----	----	1 UNCH
7750	----	----	----	14.306B/15.019A	----	14.528 + 0.055	.6282	----	----	----	----	2 UNCH
7800	----	----	----	14.086B/14.822A	----	14.309 + 0.050	.6221	----	----	----	----	1 UNCH
7925	----	----	----	12.869B/14.899A	----	13.777 + 0.036	.6067	----	----	----	----	2 UNCH
8000	----	----	----	13.247B/14.019A	----	13.468 + 0.025	.5976	----	----	----	----	127 UNCH
8100	----	----	----	12.848B/13.650A	----	13.068 + 0.011	.5855	----	----	1	----	1 UNCH
8200	12.800	12.800	12.800/12.800	12.800/12.800	----	12.681 - 0.006	.5735	----	----	1	----	21 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
8400	----	----	----	11.689B/12.648A	----	11.944 - 0.043	.5501	----	----	----	----	50 UNCH
8500	----	----	----	11.397B/12.326A	----	11.595 - 0.063	.5387	----	----	----	----	150 UNCH
8550	----	----	----	11.230B/12.165A	----	11.424 - 0.074	.5331	----	----	----	----	1 UNCH
8600	----	----	----	11.067B/12.014A	----	11.257 - 0.084	.5275	----	----	----	----	7 UNCH
8800	----	----	----	10.443B/11.424A	----	10.616 - 0.128	.5055	----	----	----	----	5 UNCH
8900	----	----	----	10.148B/11.146A	----	10.312 - 0.151	.4949	----	----	----	----	2 UNCH
8950	----	----	----	10.005B/11.012A	----	10.164 - 0.162	.4896	----	----	----	----	1 UNCH
9000	----	----	----	9.864B/10.881A	----	10.018 - 0.174	.4844	----	----	----	----	228 UNCH
9050	----	----	----	9.726B/10.729A	----	9.875 - 0.186	.4792	----	----	----	----	100 UNCH
9300	----	----	----	9.021B/10.132A	----	9.199 - 0.242	.4542	----	----	----	----	1 UNCH
9500	----	----	----	8.542B/9.701A	----	8.700 - 0.286	.4351	----	----	----	----	3 UNCH
9700	----	----	----	8.094B/9.282A	----	8.237 - 0.327	.4169	----	----	----	----	1 UNCH
9800	----	----	----	7.933B/9.082A	----	8.017 - 0.347	.4081	----	----	----	----	19 UNCH
9900	----	----	----	7.677B/8.892A	----	7.806 - 0.365	.3995	----	----	----	----	3 UNCH
10000	----	----	----	7.529B/8.187A	----	7.603 - 0.381	.3911	----	----	----	----	775 UNCH
10025	----	----	----	6.910B/9.053A	----	7.553 - 0.386	.3890	----	----	----	----	3 UNCH
10500	----	----	----	6.633B/7.918A	----	6.692 - 0.446	.3523	----	----	----	----	2 UNCH
10600	6.910	6.910	6.910/6.910	6.910/6.910	----	6.530 - 0.455	.3452	----	----	5	----	6 + 5
10800	----	----	----	6.161B/7.479A	----	6.222 - 0.470	.3314	----	----	----	----	1 UNCH
11000	----	----	----	5.870B/7.206A	----	5.936 - 0.481	.3184	----	----	----	----	91 UNCH
11350	----	----	----	5.351B/6.761A	----	5.483 - 0.492	.2973	----	----	----	----	5 UNCH
11800	----	----	----	4.865B/6.263A	----	4.979 - 0.492	.2730	----	----	----	----	25 UNCH
12000	----	----	----	4.648B/5.573A	----	4.779 - 0.488	.2632	----	----	----	----	478 UNCH
12200	----	----	----	4.393B/5.872A	----	4.592 - 0.482	.2539	----	----	----	----	1 UNCH
12500	----	----	----	4.154B/5.604A	----	4.334 - 0.470	.2409	----	----	----	----	43 UNCH
13000	----	----	----	3.722B/4.620A	----	3.956 - 0.442	.2214	----	----	----	----	338 UNCH
14000	----	----	----	3.005B/4.577A	----	3.351 - 0.374	.1893	----	----	----	----	56 UNCH
14200	----	----	----	2.882B/4.464A	----	3.249 - 0.359	.1838	----	----	----	----	1 UNCH
15000	----	----	----	2.443B/4.041A	----	2.893 - 0.298	.1643	----	----	----	----	1821 UNCH
16000	----	----	----	1.985B/2.930A	----	2.540 - 0.221	.1446	----	----	----	----	1608 UNCH
17000	----	----	----	1.620B/3.324A	----	2.259 - 0.150	.1286	----	----	----	----	50 UNCH
18000	----	----	----	1.319B/3.058A	----	2.030 - 0.088	.1155	----	----	----	----	7 UNCH
19000	----	----	----	1.070B/2.828A	----	1.838 - 0.038	.1044	----	----	----	----	1 UNCH
20000	----	----	----	0.861B/2.637A	----	1.672 - 0.002	.0949	----	----	----	----	262 UNCH
21000	----	----	----	1.295B/1.788A	----	1.525 + 0.020	.0866	----	----	----	----	4 UNCH
23000	----	----	----	1.022B/1.529A	----	1.277 + 0.037	.0726	----	----	----	----	4 UNCH
25000	----	----	----	0.825B/1.347A	----	1.079 + 0.034	.0615	----	----	----	----	231 UNCH
30000	----	----	----	0.509B/1.021A	----	0.755 + 0.016	.0432	----	----	----	----	108 UNCH
40000	----	----	----	0.232B/0.706A	----	0.473 + 0.011	.0266	----	----	----	----	23 UNCH
90000	----	----	----	----	----	0.201 + 0.071	.0103	----	----	----	----	1 UNCH
TOTAL										7	0	7649 + 4
JAN27												
7550	----	----	----	15.595B/17.099A	----	16.629 + 0.049	.6617	----	----	----	----	1 UNCH
7650	----	----	----	15.847B/16.666A	----	16.184 + 0.047	.6501	----	----	----	----	6 UNCH
10000	----	----	----	#8.436B/9.402A	----	9.110 + 0.026	.4219	----	----	----	----	5 UNCH
11000	----	----	----	6.746B/8.175A	----	7.384 + 0.020	.3539	----	----	----	----	5 UNCH
13000	----	----	----	#4.444B/6.047A	----	5.289 + 0.012	.2614	----	----	----	----	1 UNCH
14000	----	----	----	#3.658B/5.315A	----	4.794 + 0.008	.2347	----	----	----	----	1 UNCH
14500	----	----	----	#3.327B/5.006A	----	4.605 + 0.007	.2240	----	----	----	----	400 UNCH
15000	----	----	----	#3.030B/4.730A	----	4.447 + 0.006	.2147	----	----	----	----	400 UNCH
TOTAL											0	819 0
FEB27												
9000	----	----	----	11.393B/12.668A	----	11.983 + 0.154	.5125	----	----	----	----	1 UNCH
30000	----	----	----	0.656B/1.636A	----	0.962 + 0.023	.0520	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	13.669B/17.982A	----	15.840 + 0.136	.6146	----	----	----	----	200 UNCH
9000	----	----	----	10.358B/14.740A	----	12.521 + 0.089	.5185	----	----	----	----	35 UNCH
9200	----	----	----	9.937B/14.204A	----	11.971 + 0.069	.5011	----	----	----	----	25 UNCH
30000	----	----	----	0.805B/1.857A	----	1.633 + 0.026	.0778	----	----	----	----	1 UNCH
TOTAL											0	261 0
JUL27												
2000	----	----	----	----	----	63.459 + 0.058	.9958	----	----	----	----	1 UNCH
10000	----	----	----	----	----	13.345 + 0.009	.4868	----	----	----	----	1 UNCH
10300	----	----	----	----	----	12.790 + 0.007	.4695	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	45.810 + 0.053	.9300	----	----	----	----	1 UNCH
20000	----	----	----	----	----	7.995 - 0.003	.2674	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	31 UNCH
2100	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2150	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2175	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/*0.010A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
2700	----	----	----	----/0.042A	----	0.001 UNCH	.0000	----	----	----	----	50 UNCH
2800	----	----	----	----/0.011A	----	0.001 UNCH	.0000	----	----	----	----	12 UNCH
2850	----	----	----	----/0.043A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
2875	----	----	----	----/0.043A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2950	----	----	----	----/0.043A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
3000	----	----	----	----/0.008A	----	0.001 UNCH	.0000	----	----	----	----	22 UNCH
3075	----	----	----	----/0.043A	----	0.002 + 0.001	.0001	----	----	----	----	16 UNCH
3100	----	----	----	----/*0.010A	----	0.002 + 0.001	.0002	----	----	----	----	5 UNCH
3125	----	----	----	----/0.044A	----	0.002 + 0.001	.0002	----	----	----	----	14 UNCH
3175	----	----	----	----/0.044A	----	0.002 UNCH	.0002	----	----	----	----	14 UNCH
3200	----	----	----	----/0.044A	----	0.003 + 0.001	.0003	----	----	----	----	13 UNCH
3225	----	----	----	----/*0.010A	----	0.003 + 0.001	.0003	----	----	----	----	10 UNCH
3275	----	----	----	----/0.045A	----	0.003 + 0.001	.0003	----	----	----	----	54 UNCH
3300	----	----	----	----/0.045A	----	0.003 + 0.001	.0003	----	----	----	----	79 UNCH
3325	----	----	----	----/0.045A	----	0.004 + 0.002	.0004	----	----	----	----	2 UNCH
3350	----	----	----	----/0.045A	----	0.004 + 0.002	.0004	----	----	----	----	14 UNCH
3375	----	----	----	----/*0.010A	----	0.004 + 0.001	.0004	----	----	----	----	12 UNCH
3400	----	----	----	----/0.046A	----	0.004 + 0.001	.0004	----	----	----	----	39 UNCH
3450	----	----	----	----/0.047A	----	0.005 + 0.002	.0005	----	----	----	----	5 UNCH
3475	----	----	----	----/0.047A	----	0.005 + 0.002	.0005	----	----	----	----	13 UNCH
3500	----	----	----	----/0.047A	----	0.006 + 0.002	.0006	----	----	----	----	59 UNCH
3550	----	----	----	----/*0.011A	----	0.006 + 0.002	.0006	----	----	----	----	1 UNCH
3575	----	----	----	----/0.048A	----	0.007 + 0.003	.0007	----	----	----	----	28 UNCH
3600	----	----	----	----/*0.010A	----	0.007 + 0.003	.0007	----	----	----	----	6 UNCH
3625	----	----	----	----/*0.012A	----	0.008 + 0.003	.0008	----	----	----	----	12 UNCH
3675	----	----	----	----/0.050A	----	0.008 + 0.003	.0008	----	----	----	----	105 UNCH
3700	----	----	----	----/0.050A	----	0.009 + 0.003	.0009	----	----	----	----	264 UNCH
3750	----	----	----	----/0.051A	----	0.010 + 0.004	.0010	----	----	----	----	10 UNCH
3775	----	----	----	----/0.052A	----	0.010 + 0.004	.0010	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/*0.012A	----	0.011 + 0.004	.0011	----	----	----	----	356 UNCH
3850	----	----	----	----/0.053A	----	0.012 + 0.004	.0013	----	----	----	----	1 UNCH
3900	----	----	----	----/0.054A	----	0.013 + 0.005	.0014	----	----	----	----	52 UNCH
3925	----	----	----	----/0.054A	----	0.014 + 0.005	.0015	----	----	----	----	9 UNCH
3950	----	----	----	----/0.055A	----	0.015 + 0.006	.0016	----	----	----	----	11 UNCH
3975	----	----	----	----/0.055A	----	0.015 + 0.005	.0016	----	----	----	----	5 UNCH
4000	0.016	0.016	0.016/0.016	0.016/0.016	----	0.016 + 0.006	.0017	----	----	2	----	310 - 1
4025	----	----	----	----/0.056A	----	0.016 + 0.006	.0017	----	----	----	----	3 UNCH
4050	----	----	----	----/0.057A	----	0.017 + 0.006	.0018	----	----	----	----	21 UNCH
4075	----	----	----	----/0.058A	----	0.017 + 0.006	.0019	----	----	----	----	15 UNCH
4100	----	----	----	----/0.058A	----	0.018 + 0.006	.0020	----	----	----	----	190 UNCH
4125	----	----	----	----/0.059A	----	0.018 + 0.006	.0020	----	----	----	----	10 UNCH
4150	----	----	----	----/0.059A	----	0.019 + 0.006	.0021	----	----	----	----	9 UNCH
4175	----	----	----	----/0.060A	----	0.019 + 0.005	.0021	----	----	----	----	1 UNCH
4200	----	----	----	----/0.060A	----	0.020 + 0.006	.0023	----	----	----	----	101 UNCH
4225	----	----	----	----/0.061A	----	0.020 + 0.005	.0023	----	----	----	----	20 UNCH
4250	----	----	----	----/0.061A	----	0.021 + 0.006	.0024	----	----	----	----	10 UNCH
4275	----	----	----	----/0.062A	----	0.021 + 0.005	.0024	----	----	----	----	7 UNCH
4300	----	----	----	0.014B/0.026A	----	0.022 + 0.005	.0025	----	----	----	----	267 UNCH
4325	----	----	----	----/0.063A	----	0.022 + 0.005	.0026	----	----	----	----	1 UNCH
4350	----	----	----	----/0.064A	----	0.023 + 0.005	.0027	----	----	----	----	27 UNCH
4375	----	----	----	----/0.065A	----	0.023 + 0.004	.0027	----	----	----	----	12 UNCH
4400	----	----	----	----/0.065A	----	0.024 + 0.005	.0028	----	----	----	----	314 UNCH
4425	----	----	----	----/0.066A	----	0.024 + 0.004	.0029	----	----	----	----	14 UNCH
4450	----	----	----	----/0.067A	----	0.025 + 0.004	.0030	----	----	----	----	7 UNCH
4475	----	----	----	----/0.067A	----	0.026 + 0.005	.0031	----	----	----	----	81 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
4500	0.040	0.040	0.040/0.030	0.040/0.030	----	0.026 + 0.004	.0032	----	----	2	----	784 - 2
4525	----	----	----	----/0.068A	----	0.027 + 0.004	.0033	----	----	----	----	19 UNCH
4550	----	----	----	----/0.069A	----	0.027 + 0.004	.0033	----	----	----	----	4 UNCH
4575	----	----	----	----/0.070A	----	0.028 + 0.004	.0035	----	----	----	----	11 UNCH
4600	----	----	----	----/0.071A	----	0.029 + 0.004	.0036	----	----	----	----	14 UNCH
4625	----	----	----	----/0.072A	----	0.029 + 0.004	.0037	----	----	----	----	66 UNCH
4650	----	----	----	----/0.073A	----	0.030 + 0.004	.0038	----	----	----	----	10 UNCH
4675	----	----	----	----/0.073A	----	0.031 + 0.004	.0039	----	----	----	----	17 UNCH
4700	----	----	----	----/0.074A	----	0.032 + 0.005	.0041	----	----	----	----	116 UNCH
4725	----	----	----	----/0.075A	----	0.032 + 0.004	.0041	----	----	----	----	11 UNCH
4750	----	----	----	----/0.076A	----	0.033 + 0.004	.0043	----	----	----	----	18 UNCH
4775	----	----	----	----/0.077A	----	0.034 + 0.005	.0044	----	----	----	----	4 UNCH
4800	----	----	----	----/0.078A	----	0.035 + 0.005	.0046	----	----	----	----	318 UNCH
4825	----	----	----	----/0.079A	----	0.035 + 0.004	.0046	----	----	----	----	3 UNCH
4850	----	----	----	0.003B/*0.038A	----	0.036 + 0.005	.0048	----	----	----	----	75 UNCH
4875	----	----	----	----/0.081A	----	0.037 + 0.005	.0050	----	----	----	----	1 UNCH
4900	----	----	----	----/0.083A	----	0.038 + 0.005	.0051	----	----	----	----	163 UNCH
4925	----	----	----	----/0.083A	----	0.038 + 0.005	.0052	----	----	----	----	9 UNCH
4950	----	----	----	----/0.085A	----	0.039 + 0.005	.0053	----	----	----	----	11 UNCH
4975	----	----	----	----/0.086A	----	0.040 + 0.005	.0055	----	----	----	----	52 UNCH
5000	0.020	0.020	0.022B/*0.020	0.022B/*0.020	----	0.040 + 0.005	.0056	----	----	3	----	916 + 1
5025	----	----	----	----/0.088A	----	0.041 + 0.005	.0057	----	----	----	----	1 UNCH
5050	----	----	----	----/0.090A	----	0.041 + 0.004	.0058	----	----	----	----	24 UNCH
5075	----	----	----	----/0.091A	----	0.042 + 0.005	.0060	----	----	----	----	7 UNCH
5100	----	----	----	----/0.093A	----	0.043 + 0.005	.0062	----	----	----	----	162 UNCH
5125	----	----	----	----/0.095A	----	0.043 + 0.004	.0062	----	----	----	----	52 UNCH
5150	----	----	----	----/0.096A	----	0.044 + 0.005	.0064	----	----	----	----	48 UNCH
5175	----	----	----	----/0.092A	----	0.044 + 0.004	.0065	----	----	----	----	2 UNCH
5200	----	----	----	----/0.093A	----	0.045 + 0.004	.0067	----	----	1	----	163 UNCH
5225	----	----	----	0.001B/*0.094A	----	0.045 + 0.003	.0067	----	----	----	----	5 UNCH
5250	----	----	----	0.001B/*0.095A	----	0.046 + 0.003	.0069	----	----	----	----	29 UNCH
5275	----	----	----	0.001B/*0.096A	----	0.046 + 0.003	.0070	----	----	----	----	8 UNCH
5300	0.028	0.028	0.028/*0.028	0.030B/*0.028	----	0.047 + 0.003	.0072	----	----	2	----	172 + 1
5325	----	----	----	0.001B/*0.098A	----	0.047 + 0.002	.0073	----	----	----	----	23 UNCH
5350	----	----	----	0.001B/*0.099A	----	0.048 + 0.002	.0075	----	----	2	----	28 UNCH
5375	----	----	----	0.001B/*0.100A	----	0.049 + 0.002	.0077	----	----	----	----	14 UNCH
5400	0.042	0.042	0.042/*0.042	0.042/*0.042	----	0.050 + 0.002	.0079	----	----	3	----	98 UNCH
5425	0.058	0.058	0.058/*0.058	0.058/*0.058	----	0.050 + 0.001	.0080	----	----	1	----	14 UNCH
5450	----	----	----	0.001B/*0.104A	----	0.051 + 0.001	.0082	----	----	----	----	12 UNCH
5475	----	----	----	0.009B/*0.105A	----	0.052 UNCH	.0084	----	----	----	----	13 UNCH
5500	0.060	0.060	0.060/0.048A	0.060/0.048A	----	0.053 UNCH	.0087	----	----	71	----	618 + 9
5525	----	----	----	0.004B/0.115A	----	0.055 + 0.001	.0090	----	----	----	----	37 UNCH
5550	----	----	----	0.004B/0.075A	----	0.056 UNCH	.0093	----	----	----	----	31 UNCH
5575	----	----	----	0.004B/0.115A	----	0.057 UNCH	.0095	----	----	----	----	5 UNCH
5600	----	----	----	0.045B/0.112A	----	0.059 UNCH	.0099	----	----	1	----	78 + 1
5625	----	----	----	0.011B/0.120A	----	0.061 UNCH	.0103	----	----	----	----	6 UNCH
5650	----	----	----	0.007B/0.116A	----	0.062 UNCH	.0105	----	----	----	----	41 UNCH
5675	----	----	----	0.007B/0.117A	----	0.064 UNCH	.0109	----	----	----	----	48 UNCH
5700	----	----	----	0.007B/0.076A	----	0.066 UNCH	.0114	----	----	----	----	131 UNCH
5725	----	----	----	0.007B/0.121A	----	0.069 + 0.001	.0119	----	----	----	----	28 UNCH
5750	----	----	----	0.007B/0.084A	----	0.071 + 0.001	.0123	----	----	----	----	110 UNCH
5775	----	----	----	0.007B/0.083A	----	0.073 UNCH	.0128	----	----	----	----	11 UNCH
5800	----	----	----	0.005B/0.130A	----	0.076 + 0.001	.0133	----	----	1	----	370 UNCH
5825	----	----	----	0.021B/0.134A	----	0.078 + 0.001	.0138	----	----	----	----	55 UNCH
5850	----	----	----	0.007B/*0.089A	----	0.081 + 0.001	.0144	----	----	----	----	7 UNCH
5875	----	----	----	0.007B/0.134A	----	0.083 + 0.001	.0148	----	----	----	----	4 UNCH
5900	----	----	----	0.041B/0.125A	----	0.086 + 0.001	.0154	----	----	----	----	106 UNCH
5925	----	----	----	0.010B/0.137A	----	0.089 + 0.001	.0161	----	----	----	----	13 UNCH
5950	----	----	----	0.015B/*0.100A	----	0.092 + 0.001	.0167	----	----	----	----	13 UNCH
5975	----	----	----	0.016B/0.141A	----	0.095 + 0.001	.0173	----	----	----	----	23 UNCH
6000	0.095	0.095	0.095/*0.080	0.097B/*0.080	----	0.098 + 0.001	.0180	----	----	74	----	1129 + 24
6025	----	----	----	0.022B/0.146A	----	0.101 + 0.001	.0186	----	----	----	----	24 UNCH
6050	----	----	----/*0.089A	0.080B/*0.089A	----	0.103 - 0.001	.0192	----	----	----	----	324 UNCH
6075	----	----	----	0.032B/*0.113A	----	0.106 - 0.001	.0199	----	----	----	----	154 UNCH
6100	0.085	0.085	0.087B/*0.085	0.087B/*0.085	----	0.109 - 0.002	.0206	----	----	2	----	154 - 2
6125	----	----	----	0.039B/*0.120A	----	0.112 - 0.003	.0213	----	----	----	----	7 UNCH
6150	----	----	----	0.043B/*0.122A	----	0.115 - 0.004	.0220	----	----	----	----	39 UNCH
6175	----	----	----	0.047B/*0.126A	----	0.118 - 0.005	.0227	----	----	----	----	14 UNCH
6200	----	----	----	0.060B/*0.130A	----	0.121 - 0.006	.0235	----	----	----	----	58 UNCH
6225	----	----	----/*0.131A	0.056B/*0.131A	----	0.125 - 0.007	.0244	----	----	----	----	33 UNCH
6250	----	----	----/*0.135A	0.061B/*0.135A	----	0.128 - 0.009	.0252	----	----	----	----	91 UNCH
6275	----	----	----/*0.137A	0.066B/*0.137A	----	0.131 - 0.011	.0260	----	----	----	----	12 UNCH
6300	0.145	0.145	0.145/*0.145	0.145/*0.145	----	0.135 - 0.013	.0269	----	----	3	----	202 + 3
6325	----	----	----/*0.148A	0.078B/*0.148A	----	0.139 - 0.014	.0279	----	----	----	----	125 UNCH
6350	0.128	0.128	0.128/*0.128	0.128/*0.128	----	0.143 - 0.016	.0289	----	----	1	----	74 UNCH
6375	----	----	----	0.093B/*0.170A	----	0.147 - 0.018	.0300	----	----	----	----	29 UNCH
6400	0.140	0.140	0.140/*0.140	0.140/*0.140	----	0.151 - 0.021	.0310	----	----	1	----	104 - 1
6425	----	----	----/*0.172A	0.105B/*0.172A	----	0.156 - 0.023	.0322	----	----	----	----	10 UNCH
6450	----	----	----/*0.183A	0.113B/*0.183A	----	0.161 - 0.025	.0335	----	----	2	----	56 - 2
6475	----	----	----/*0.184A	0.124B/*0.184A	----	0.166 - 0.028	.0347	----	----	----	----	10 UNCH
6500	0.190	0.190	0.221/*0.160	0.221/*0.160	----	0.172 - 0.030	.0362	----	----	7	----	749 - 3
6525	----	----	----/*0.209A	0.134B/*0.209A	----	0.178 - 0.033	.0377	----	----	1	----	18 + 1
6550	----	----	----/*0.209A	0.149B/*0.209A	----	0.184 - 0.036	.0392	----	----	----	----	171 UNCH
6575	----	----	----/*0.210A	0.173B/*0.210A	----	0.191 - 0.038	.0409	----	----	----	----	59 UNCH
6600	----	----	----/*0.214A	0.192B/*0.214A	----	0.198 - 0.041	.0426	----	----	55	----	369 - 14
6625	----	----	----/*0.225A	0.198B/*0.225A	----	0.206 - 0.044	.0445	----	----	2	----	7 - 2
6650	----	----	----/*0.214A	0.213B/*0.214A	----	0.214 - 0.047	.0465	----	----	----	----	83 UNCH
6675	----	----	----/*0.220A	0.224B/*0.220A	----	0.223 - 0.050	.0486	----	----	----	----	65 UNCH
6700	0.225	0.225	0.225/*0.216	0.250B/*0.216	----	0.232 - 0.054	.0508	----	----	6	----	540 UNCH
6725	----	----	----/*0.244A	0.260B/*0.244A	----	0.242 - 0.057	.0532	----	----	----	----	8 UNCH
6750	----	----	----/*0.249A	0.273B/*0.249A	----	0.253 - 0.060	.0558	----	----	----	----	88 UNCH
6775	----	----	----/*0.261A	0.289B/*0.261A	----	0.264 - 0.064	.0584	----	----	----	----	14 UNCH
6800	----	----	----/*0.275A	0.327B/*0.275A	----	0.276 - 0.068	.0612	----	----	6	----	118 + 5
6825	----	----	----/*0.287A	0.342B/*0.287A	----	0.289 - 0.072	.0642	----	----	----	----	12 UNCH
6850	----	----	----/*0.299A	0.366B/*0.299A	----	0.303 - 0.076	.0674	----	----	2	----	19 UNCH
6875	----	----	----/*0.314A	0.379B/*0.314A	----	0.318 - 0.080	.0709	----	----	----	----	6 UNCH
6900	0.360	0.360	0.360/*0.310	0.404B/*0.310	----	0.334 - 0.083	.0745	----	----	8	----	497 + 7
6925	----	----	----/*0.346A	0.421B/*0.346A	----	0.350 - 0.089	.0782	----	----	1	----	75 UNCH
6950	----	----	----/*0.363A	0.446B/*0.363A	----	0.368 - 0.093	.0822	----	----	2	----	35 UNCH
6975	----	----	----/*0.381A	0.470B/*0.381A	----	0.388 - 0.096	.0866	----	----	----	----	9 UNCH
7000	0.400	0.400	0.488B/*0.370	0.488B/*0.370	----	0.408 - 0.101	.0910	----	----	83	----	861 - 39
7025	----	----	----/*0.422A	0.517B/*0.422A	----	0.430 - 0.106	.0958	----	----	1	----	14 UNCH
7050	0.440	0.440	0.440/*0.440	0.546B/*0.440	----	0.453 - 0.111	.1008	----	----	1	----	62 UNCH
7075	----	----	----/*0.465A	0.581B/*0.465A	----	0.478 - 0.116	.1062	----	----	----	----	11 UNCH
7100	0.630	0.630	0.660/*0.492A	0.660/*0.492A	----	0.504 - 0.121	.1117	----	----	48	----	79 - 8
7125	----	----	0.664B/*0.505A	0.664B/*0.505A	----	0.532 - 0.126	.1176	----	----	----	----	19 UNCH
7150	----	----	0.703B/*0.534A	0.703B/*0.534A	----	0.562 - 0.131	.1238	----	----	----	----	29 UNCH
7175	----	----	0.736B/*0.550A	0.736B/*0.550A	----	0.594 - 0.136	.1303	----	----	----	----	22 UNCH
7200	0.750	0.750	0.810/*0.570	0.810/*0.570	----	0.628 - 0.141	.1372	----	----	54	----	318 - 4
7225	----	----	0.825B/*0.634A	0.825B/*0.634A	----	0.665 - 0.145	.1445	----	----	----	----	17 UNCH
7250	0.831	0.831	0.884B/*0.668A	0.884B/*0.668A	----	0.703 - 0.151	.1519	----	----	1	----	69 UNCH
7275	----	----	0.937B/*0.708A	0.937B/*0.708A	----	0.744 - 0.156	.1598	----	----	----	----	8 UNCH
7300	----	----	0.990B/*0.744A	0.990B/*0.744A	----	0.787 - 0.161	.1680	----	----	----	----	70 UNCH
7325	----	----	1.045B/*0.780A	1.045B/*0.780A	----	0.832 - 0.166	.1764	----	----	----	----	47 UNCH
7350	1.148	1.148	1.148/*0.825A	1.148/*0.825A	----	0.881 - 0.171	.1854	----	----	20	----	54 + 20
7375	1.000	1.000	1.167B/*0.872A	1.167B/*0.872A	----	0.931 - 0.177	.1945	----	----	18	----	20 + 13
7400	1.102	1.102	1.237B/*0.909A	1.237B/*0.909A	----	0.985 - 0.181	.2041	----	----	8	----	60 + 3
7425	----	----	1.298B/*0.974A	1.298B/*0.974A	----	1.042 - 0.186	.2140	----	----	----	----	16 UNCH
7450	----	----	1.375B/*1.025A	1.375B/*1.025A	----	1.101 - 0.191	.2241	----	----	----	----	19 UNCH
7475	----	----	1.446B/*1.080A	1.446B/*1.080A	----	1.163 - 0.197	.2345	----	----	----	----	8 UNCH
7500	1.400	1.400	1.526B/*1.135A	1.526B/*1.135A	----	1.229 - 0.202	.2454	----	----	38	----	453 + 33
7525	----	----	1.608B/*1.198A	1.608B/*1.198A	----	1.297 - 0.207	.2564	----	----	----	----	33 UNCH
7530	----	----	1.625B/*1.219A	1.625B/*1.219A	----	1.311 - 0.208	.2587	----	----	----	----	7 UNCH
7535	----	----	1.639B/*1.228A	1.639B/*1.228A	----	1.325 - 0.210	.2609	----	----	----	----	7 UNCH
7540	----	----	1.659B/*1.238A	1.659B/*1.238A	----	1.340 - 0.210	.2632	----	----	----	----	7 UNCH
7545	----	----	1.675B/*1.256A	1.675B/*1.256A	----	1.354 - 0.212	.2655	----	----	----	----	2 UNCH
7550	----	----	1.695B/*1.271A	1.695B/*1.271A	----	1.369 - 0.212	.2678	----	----	1	----	16 - 1
7555	----	----	1.708B/*1.283A	1.708B/*1.283A	----	1.384 - 0.213	.2701	----	----	----	----	2 UNCH
7560	----	----	1.730B/*1.294A	1.730B/*1.294A	----	1.398 - 0.215	.2724	----	----	----	----	2 UNCH
7565	----	----	1.746B/*1.308A	1.746B/*1.308A	----	1.413 - 0.216	.2747	----	----	----	----	1 UNCH
7570	----	----	1.764B/*1.320A	1.764B/*1.320A	----	1.429 - 0.216	.2771	----	----	----	----	3 UNCH
7575	----	----	1.826B/*1.330A	1.826B/*1.330A	----	1.444 - 0.218	.2794	----	----	----	----	4 UNCH
7580	----	----	1.800B/*1.345A	1.800B/*1.345A	----	1.459 - 0.219	.2817	----	----	----	----	27 UNCH
7585	----	----	1.818B/*1.358A	1.818B/*1.358A	----	1.475 - 0.220	.2841	----	----	----	----	7 UNCH
7590	----	----	1.836B/*1.370A	1.836B/*1.370A	----	1.490 - 0.222	.2865	----	----	----	----	2 UNCH
7595	1.799	1.799	1.858B/*1.380	1.858B/*1.380	----	1.506 - 0.222	.2889	----	----	4	----	3 + 2
7600	1.774	1.774	1.874B/*1.320	1.874B/*1.320	----	1.522 - 0.223	.2913	----	----	6	----	48 - 4
7605	----	----	1.895B/*1.419A	1.895B/*1.419A	----	1.538 - 0.225	.2937	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7610	----	----	1.907B/*1.434A	1.907B/*1.434A	----	1.554 - 0.226	.2961	----	----	----	----	2 UNCH
7615	----	----	1.925B/*1.442A	1.925B/*1.442A	----	1.570 - 0.227	.2985	----	----	----	----	2 UNCH
7620	----	----	1.951B/*1.466A	1.951B/*1.466A	----	1.587 - 0.228	.3009	----	----	----	----	13 UNCH
7625	1.777	1.777	1.962B/*1.473A	1.962B/*1.473A	----	1.603 - 0.230	.3034	----	----	5	----	7 + 4
7630	----	----	1.991B/*1.495A	1.991B/*1.495A	----	1.620 - 0.230	.3058	----	----	----	----	1 UNCH
7635	----	----	2.005B/*1.503A	2.005B/*1.503A	----	1.637 - 0.231	.3083	----	----	----	----	36 UNCH
7645	----	----	2.047B/*1.524A	2.047B/*1.524A	----	1.671 - 0.234	.3132	----	----	----	----	2 UNCH
7650	----	----	2.065B/*1.527A	2.065B/*1.527A	----	1.688 - 0.235	.3157	----	----	2	----	30 UNCH
7655	----	----	2.085B/*1.550A	2.085B/*1.550A	----	1.706 - 0.235	.3182	----	----	----	----	23 UNCH
7660	----	----	2.111B/*1.567A	2.111B/*1.567A	----	1.723 - 0.237	.3207	----	----	----	----	15 UNCH
7665	----	----	2.123B/*1.583A	2.123B/*1.583A	----	1.741 - 0.238	.3232	----	----	----	----	5 UNCH
7670	----	----	2.154B/*1.603A	2.154B/*1.603A	----	1.758 - 0.240	.3257	----	----	----	----	4 UNCH
7675	----	----	2.175B/*1.614A	2.175B/*1.614A	----	1.776 - 0.241	.3282	----	----	----	----	5 UNCH
7680	----	----	2.183B/*1.631A	2.183B/*1.631A	----	1.794 - 0.242	.3307	----	----	----	----	3 UNCH
7685	----	----	2.207B/*1.646A	2.207B/*1.646A	----	1.813 - 0.242	.3333	----	----	----	----	15 UNCH
7690	----	----	2.237B/*1.664A	2.237B/*1.664A	----	1.831 - 0.244	.3359	----	----	----	----	5 UNCH
7695	----	----	2.254B/*1.683A	2.254B/*1.683A	----	1.849 - 0.245	.3384	----	----	----	----	3 UNCH
7700	1.771	1.771	2.275B/*1.684A	2.275B/*1.684A	----	1.868 - 0.246	.3410	----	----	352	----	479 + 236
7705	----	----	2.303B/*1.717A	2.303B/*1.717A	----	1.887 - 0.247	.3435	----	----	----	----	3 UNCH
7710	----	----	2.323B/*1.728A	2.323B/*1.728A	----	1.906 - 0.248	.3461	----	----	----	----	2 UNCH
7715	----	----	2.338B/*1.746A	2.338B/*1.746A	----	1.925 - 0.249	.3487	----	----	----	----	2 UNCH
7720	----	----	2.369B/*1.774A	2.369B/*1.774A	----	1.944 - 0.250	.3513	----	----	----	----	3 UNCH
7725	----	----	2.382B/*1.781A	2.382B/*1.781A	----	1.963 - 0.251	.3539	----	----	----	----	4 UNCH
7730	----	----	2.403B/*1.798A	2.403B/*1.798A	----	1.982 - 0.253	.3564	----	----	----	----	1 UNCH
7735	----	----	2.433B/*1.820A	2.433B/*1.820A	----	2.002 - 0.254	.3591	----	----	----	----	3 UNCH
7740	----	----	2.458B/*1.836A	2.458B/*1.836A	----	2.022 - 0.254	.3617	----	----	----	----	1 UNCH
7745	----	----	2.465B/*1.851A	2.465B/*1.851A	----	2.041 - 0.256	.3643	----	----	----	----	3 UNCH
7750	2.300	2.300	2.501B/*1.830	2.501B/*1.830	----	2.061 - 0.257	.3669	----	----	20	----	74 + 7
7755	----	----	2.521B/*1.891A	2.521B/*1.891A	----	2.081 - 0.259	.3695	----	----	----	----	11 UNCH
7760	----	----	2.533B/*1.907A	2.533B/*1.907A	----	2.102 - 0.259	.3722	----	----	1	----	14 UNCH
7765	----	----	2.568B/*1.927A	2.568B/*1.927A	----	2.122 - 0.260	.3748	----	----	----	----	10 UNCH
7770	----	----	2.598B/*1.945A	2.598B/*1.945A	----	2.142 - 0.262	.3774	----	----	----	----	2 UNCH
7775	----	----	2.617B/*1.964A	2.617B/*1.964A	----	2.163 - 0.263	.3801	----	----	----	----	1 UNCH
7780	----	----	2.633B/*1.984A	2.633B/*1.984A	----	2.184 - 0.263	.3827	----	----	----	----	1 UNCH
7785	----	----	2.659B/*2.003A	2.659B/*2.003A	----	2.205 - 0.264	.3854	----	----	----	----	1 UNCH
7790	----	----	2.677B/*2.021A	2.677B/*2.021A	----	2.226 - 0.265	.3881	----	----	----	----	2 UNCH
7800	----	----	2.727B/*2.055A	2.727B/*2.055A	----	2.268 - 0.268	.3934	----	----	1	----	26 UNCH
7805	2.300	2.300	2.764B/*2.082A	2.764B/*2.082A	----	2.290 - 0.269	.3961	----	----	2	----	3 + 2
7810	----	----	2.780B/*2.099A	2.780B/*2.099A	----	2.311 - 0.270	.3987	----	----	----	----	1 UNCH
7815	----	----	2.805B/*2.120A	2.805B/*2.120A	----	2.333 - 0.271	.4014	----	----	----	----	1 UNCH
7820	----	----	2.829B/*2.140A	2.829B/*2.140A	----	2.355 - 0.272	.4041	----	----	----	----	1 UNCH
7825	----	----	2.846B/*2.163A	2.846B/*2.163A	----	2.377 - 0.273	.4068	----	----	----	----	2 UNCH
7830	----	----	2.879B/*2.178A	2.879B/*2.178A	----	2.399 - 0.274	.4095	----	----	----	----	12 UNCH
7835	----	----	2.911B/*2.201A	2.911B/*2.201A	----	2.421 - 0.275	.4122	----	----	----	----	1 UNCH
7840	----	----	2.938B/*2.236A	2.938B/*2.236A	----	2.444 - 0.276	.4149	----	----	----	----	3 UNCH
7850	----	----	2.973B/*2.255A	2.973B/*2.255A	----	2.489 - 0.278	.4203	----	----	----	----	49 UNCH
7855	----	----	3.015B/*2.300A	3.015B/*2.300A	----	2.512 - 0.278	.4230	----	----	----	----	3 UNCH
7860	----	----	3.033B/*2.306A	3.033B/*2.306A	----	2.535 - 0.279	.4257	----	----	----	----	3 UNCH
7865	----	----	3.047B/*2.327A	3.047B/*2.327A	----	2.558 - 0.280	.4284	----	----	----	----	13 UNCH
7870	----	----	3.078B/*2.350A	3.078B/*2.350A	----	2.581 - 0.282	.4311	----	----	----	----	3 UNCH
7875	----	----	3.107B/*2.371A	3.107B/*2.371A	----	2.604 - 0.283	.4338	----	----	----	----	9 UNCH
7880	----	----	3.133B/*2.392A	3.133B/*2.392A	----	2.628 - 0.283	.4365	----	----	----	----	4 UNCH
7885	----	----	3.163B/*2.416A	3.163B/*2.416A	----	2.652 - 0.284	.4392	----	----	----	----	3 UNCH
7890	2.991	2.991	3.192B/*2.436A	3.192B/*2.436A	----	2.675 - 0.285	.4420	----	----	1	----	3 UNCH
7895	----	----	3.220B/*2.461A	3.220B/*2.461A	----	2.699 - 0.286	.4447	----	----	----	----	4 UNCH
7900	2.873	2.873	3.232B/*2.467A	3.232B/*2.467A	----	2.723 - 0.287	.4474	----	----	18	----	45 + 8
7905	3.067	3.067	3.265B/*2.502A	3.265B/*2.502A	----	2.748 - 0.287	.4501	----	----	1	----	4 + 1
7910	----	----	3.297B/*2.529A	3.297B/*2.529A	----	2.772 - 0.288	.4528	----	----	----	----	3 UNCH
7915	----	----	3.325B/*2.549A	3.325B/*2.549A	----	2.796 - 0.290	.4556	----	----	----	----	3 UNCH
7925	----	----	3.384B/*2.595A	3.384B/*2.595A	----	2.846 - 0.291	.4610	----	----	----	----	1 UNCH
7930	----	----	3.393B/*2.619A	3.393B/*2.619A	----	2.871 - 0.291	.4637	----	----	----	----	3 UNCH
7935	----	----	3.431B/*2.644A	3.431B/*2.644A	----	2.896 - 0.292	.4665	----	----	----	----	2 UNCH
7940	----	----	3.465B/*2.667A	3.465B/*2.667A	----	2.921 - 0.293	.4692	----	----	----	----	5 UNCH
7950	3.307	3.307	3.519B/*2.714A	3.519B/*2.714A	----	2.972 - 0.295	.4746	----	----	17	----	22 - 2
7955	2.988	2.988	3.547B/*2.735A	3.547B/*2.735A	----	2.997 - 0.296	.4774	----	----	1	----	2 + 1
7960	3.250	3.250	3.630/*2.759A	3.630/*2.759A	----	3.023 - 0.296	.4801	----	----	12	----	1 UNCH
7965	----	----	3.607B/*2.783A	3.607B/*2.783A	----	3.049 - 0.297	.4828	----	----	----	----	6 UNCH
7970	----	----	3.632B/*2.822A	3.632B/*2.822A	----	3.075 - 0.298	.4855	----	----	----	----	4 UNCH
7975	----	----	3.665B/*2.833A	3.665B/*2.833A	----	3.101 - 0.298	.4883	----	----	----	----	1 UNCH
7980	----	----	3.689B/*2.857A	3.689B/*2.857A	----	3.127 - 0.299	.4910	----	----	----	----	1 UNCH
7985	3.065	3.065	3.715B/*2.886A	3.715B/*2.886A	----	3.153 - 0.301	.4937	----	----	1	----	1 UNCH
7990	----	----	3.745B/*2.906A	3.745B/*2.906A	----	3.180 - 0.301	.4964	----	----	----	----	2 UNCH
7995	3.552	3.552	3.767B/*2.931A	3.767B/*2.931A	----	3.207 NEW	.4991	----	----	1	----	1 + 1
8000	3.400	3.400	3.799B/*2.893	3.799B/*2.893	----	3.234 - 0.302	.5018	----	----	18	----	474 - 1
8005	3.544	3.544	3.830B/*2.982A	3.830B/*2.982A	----	3.260 - 0.303	.5046	----	----	1	----	3 + 1
8010	----	----	3.854B/*3.008A	3.854B/*3.008A	----	3.288 - 0.303	.5073	----	----	----	----	2 UNCH
8020	3.305	3.305	3.915B/*3.059A	3.915B/*3.059A	----	3.342 - 0.305	.5127	----	----	22	----	23 + 22
8025	3.333	3.333	3.946B/*3.100A	3.946B/*3.100A	----	3.370 - 0.305	.5154	----	----	5	----	12 + 5
8030	----	----	3.978B/*3.109A	3.978B/*3.109A	----	3.397 - 0.306	.5181	----	----	----	----	1 UNCH
8035	----	----	4.008B/*3.137A	4.008B/*3.137A	----	3.425 - 0.307	.5208	----	----	----	----	1 UNCH
8040	----	----	4.040B/*3.162A	4.040B/*3.162A	----	3.453 - 0.307	.5235	----	----	----	----	1 UNCH
8050	----	----	4.101B/*3.214A	4.101B/*3.214A	----	3.509 - 0.308	.5289	----	----	----	----	4 UNCH
8060	4.020	4.020	4.162B/*3.268A	4.162B/*3.268A	----	3.566 NEW	.5342	----	----	1	----	1 + 1
8065	----	----	4.194B/*3.296A	4.194B/*3.296A	----	3.595 - 0.309	.5369	----	----	----	----	1 UNCH
8070	----	----	4.177B/*3.323A	4.177B/*3.323A	----	3.623 - 0.311	.5396	----	----	----	----	2 UNCH
8075	----	----	4.148B/3.349A	4.148B/3.349A	----	3.652 - 0.311	.5423	----	----	----	----	4 UNCH
8080	----	----	4.168B/*3.376A	4.168B/*3.376A	----	3.681 - 0.311	.5449	----	----	----	----	3 UNCH
8085	----	----	4.232B/*3.416A	4.232B/*3.416A	----	3.710 - 0.312	.5476	----	----	----	----	7 UNCH
8090	----	----	4.288B/*3.443A	4.288B/*3.443A	----	3.740 - 0.312	.5502	----	----	----	----	20 UNCH
8095	----	----	4.322B/*3.468A	4.322B/*3.468A	----	3.769 - 0.313	.5529	----	----	----	----	2 UNCH
8100	----	----	4.385B/3.513A	4.385B/3.513A	----	3.799 - 0.313	.5555	----	----	1	----	34 + 1
8105	----	----	4.473B/*3.543A	4.473B/*3.543A	----	3.828 - 0.314	.5582	----	----	----	----	1 UNCH
8110	3.921	3.921	4.507B/*3.571A	4.507B/*3.571A	----	3.858 - 0.314	.5608	----	----	1	----	2 + 1
8125	4.433	4.433	4.612B/3.651A	4.612B/3.651A	----	3.949 - 0.314	.5687	----	----	1	----	1 UNCH
8150	----	----	4.504B/3.761A	4.504B/3.761A	----	4.102 - 0.316	.5817	----	----	----	----	4 UNCH
8175	----	----	4.635B/3.899A	4.635B/3.899A	----	4.258 - 0.318	.5946	----	----	----	----	2 UNCH
8195	----	----	----/*4.015A	4.689B/*4.015A	----	4.386 - 0.318	.6048	----	----	----	----	2 UNCH
8200	----	----	4.845B/4.051A	4.845B/4.051A	----	4.418 - 0.319	.6073	----	----	----	----	37 UNCH
8205	----	----	----/*4.076A	4.754B/*4.076A	----	4.450 - 0.319	.6098	----	----	----	----	1 UNCH
8210	----	----	----/*4.108A	4.787B/*4.108A	----	4.483 - 0.319	.6124	----	----	----	----	1 UNCH
8215	----	----	----/*4.152A	4.829B/*4.152A	----	4.515 - 0.320	.6148	----	----	----	----	1 UNCH
8225	----	----	----/4.243A	4.885B/4.243A	----	4.581 - 0.319	.6198	----	----	----	----	5 UNCH
8230	----	----	----/*4.287A	4.918B/*4.287A	----	4.614 - 0.319	.6223	----	----	----	----	1 UNCH
8240	----	----	----/*4.351A	4.984B/*4.351A	----	4.680 - 0.320	.6273	----	----	----	----	2 UNCH
8250	4.400	4.400	5.189B/4.400	5.189B/4.400	----	4.747 - 0.320	.6322	----	----	1	----	74 + 1
8255	----	----	----/*4.453A	5.085B/*4.453A	----	4.780 - 0.321	.6346	----	----	----	----	3 UNCH
8265	----	----	----/*4.519A	5.152B/*4.519A	----	4.848 - 0.320	.6395	----	----	----	----	1 UNCH
8270	----	----	----/*4.552A	5.186B/*4.552A	----	4.882 - 0.320	.6419	----	----	----	----	1 UNCH
8275	----	----	----/4.587A	5.221B/4.587A	----	4.916 - 0.320	.6443	----	----	----	----	1 UNCH
8280	----	----	----/*4.617A	5.255B/*4.617A	----	4.950 - 0.320	.6467	----	----	----	----	3 UNCH
8285	----	----	----/*4.648A	5.289B/*4.648A	----	4.985 - 0.320	.6491	----	----	----	----	1 UNCH
8290	----	----	----/*4.675A	5.324B/*4.675A	----	5.019 - 0.320	.6514	----	----	----	----	2 UNCH
8295	----	----	----/*4.705A	5.358B/*4.705A	----	5.054 - 0.320	.6539	----	----	----	----	1 UNCH
8300	----	----	5.548B/4.724A	5.548B/4.724A	----	5.088 - 0.320	.6562	----	----	----	----	62 UNCH
8305	----	----	----/*4.770A	5.428B/*4.770A	----	5.123 - 0.320	.6585	----	----	----	----	1 UNCH
8315	----	----	----/*4.852A	5.497B/*4.852A	----	5.193 - 0.320	.6632	----	----	----	----	1 UNCH
8320	----	----	----/*4.886A	5.532B/*4.886A	----	5.228 - 0.320	.6656	----	----	----	----	2 UNCH
8325	----	----	----/4.918A	5.567B/4.918A	----	5.264 - 0.319	.6678	----	----	----	----	1 UNCH
8330	----	----	----/*4.951A	5.603B/*4.951A	----	5.299 - 0.320	.6702	----	----	----	----	1 UNCH
8335	----	----	----/*4.985A	5.637B/*4.985A	----	5.335 - 0.319	.6724	----	----	----	----	1 UNCH
8340	----	----	5.845B/*5.018A	5.845B/*5.018A	----	5.370 - 0.319	.6748	----	----	----	----	19 UNCH
8350	----	----	5.920B/5.090A	5.920B/5.090A	----	5.442 - 0.319	.6793	----	----	----	----	19 UNCH
8355	----	----	----/*5.129A	5.780B/*5.129A	----	5.478 - 0.319	.6816	----	----	----	----	3 UNCH
8360	----	----	----/*5.158A	5.820B/*5.158A	----	5.514 - 0.319	.6838	----	----	----	----	4 UNCH
8375	----	----	6.109B/5.270A	6.109B/5.270A	----	5.623 - 0.318	.6904	----	----	----	----	8 UNCH
8385	----	----	----/*5.344A	6.013B/*5.344A	----	5.697 - 0.317	.6949	----	----	----	----	1 UNCH
8395	----	----	6.092B/*5.423A	6.092B/*5.423A	----	5.770 - 0.317	.6992	----	----	----	----	1 UNCH
8400	5.840	5.840	6.301B/5.428A	6.301B/5.428A	----	5.807 - 0.317	.7014	----	----	1	----	27 UNCH
8405	----	----	6.170B/*5.475A	6.170B/*5.475A	----	5.844 - 0.317	.7035	----	----	----	----	2 UNCH
8410	----	----	6.209B/*5.501A	6.209B/*5.501A	----	5.882 - 0.316	.7057	----	----	----	----	3 UNCH
8415	----	----	6.249B/*5.533A	6.249B/*5.533A	----	5.919 - 0.316	.7078	----	----	----	----	3 UNCH
8420	----	----	6.289B/*5.572A	6.289B/*5.572A	----	5.956 - 0.316	.7099	----	----	----	----	2 UNCH
8425	----	----	6.329B/5.607A	6.329B/5.607A	----	5.994 - 0.315	.7120	----	----	----	----	5 UNCH
8430	----	----	6.369B/*5.733A	6.369B/*5.733A	----	6.032 - 0.314	.7141	----	----	----	----	1 UNCH
8450	----	----	6.692B/5.823A	6.692B/5.823A	----	6.184 - 0.313	.7224	----	----	----	----	30 UNCH
8460	----	----	6.612B/*5.949A	6.612B/*5.949A	----	6.260 - 0.312	.7265	----	----	----	----	1 UNCH
8475	----	----	6.734B/6.058A	6.734B/6.058A	----	6.376 - 0.311	.7325	----	----	----	----	5 UNCH
8480	----	----	6.775B/*6.095A	6.775B/*6.095A	----	6.414 - 0.311	.7344	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8490	----	----	6.857B/*6.169A	6.857B/*6.169A	----	6.492 - 0.310	.7383	----	----	----	----	1 UNCH
8495	----	----	6.899B/*6.205A	6.899B/*6.205A	----	6.531 - 0.310	.7403	----	----	----	----	1 UNCH
8500	----	----	7.097B/6.159A	7.097B/6.159A	----	6.570 - 0.309	.7423	----	----	2	20	329 - 22
8515	----	----	7.064B/*6.354A	7.064B/*6.354A	----	6.688 - 0.308	.7480	----	----	----	----	1 UNCH
8535	----	----	7.231B/*6.505A	7.231B/*6.505A	----	6.847 - 0.305	.7555	----	----	----	----	2 UNCH
8545	----	----	7.315B/*6.582A	7.315B/*6.582A	----	6.927 - 0.304	.7592	----	----	----	----	1 UNCH
8550	----	----	7.357B/6.621A	7.357B/6.621A	----	6.967 - 0.304	.7610	----	----	----	----	3 UNCH
8555	----	----	7.399B/6.658A	7.399B/6.658A	----	7.007 - 0.303	.7628	----	----	----	----	1 UNCH
8560	----	----	7.442B/6.697A	7.442B/6.697A	----	7.048 - 0.302	.7646	----	----	----	----	1 UNCH
8565	----	----	7.484B/6.735A	7.484B/6.735A	----	7.088 - 0.302	.7664	----	----	----	----	1 UNCH
8570	----	----	7.526B/6.773A	7.526B/6.773A	----	7.128 - 0.302	.7681	----	----	----	----	1 UNCH
8575	----	----	7.569B/6.812A	7.569B/6.812A	----	7.169 - 0.301	.7699	----	----	----	----	3 UNCH
8580	----	----	7.611B/6.850A	7.611B/6.850A	----	7.210 - 0.300	.7717	----	----	----	----	1 UNCH
8585	----	----	7.654B/6.889A	7.654B/6.889A	----	7.250 - 0.300	.7734	----	----	----	----	1 UNCH
8590	----	----	7.696B/6.928A	7.696B/6.928A	----	7.291 - 0.299	.7751	----	----	----	----	4 UNCH
8600	----	----	7.934B/6.915A	7.934B/6.915A	----	7.373 - 0.298	.7785	----	----	----	----	82 - 1
8605	----	----	7.825B/7.045A	7.825B/7.045A	----	7.414 - 0.297	.7802	----	----	----	----	3 UNCH
8620	----	----	7.954B/7.163A	7.954B/7.163A	----	7.538 - 0.295	.7852	----	----	----	----	1 UNCH
8630	----	----	8.040B/7.242A	8.040B/7.242A	----	7.621 - 0.294	.7885	----	----	----	----	1 UNCH
8640	----	----	8.126B/7.322A	8.126B/7.322A	----	7.704 - 0.293	.7917	----	----	----	----	2 UNCH
8645	----	----	8.170B/7.361A	8.170B/7.361A	----	7.746 - 0.292	.7933	----	----	----	----	1 UNCH
8650	----	----	8.213B/7.401A	8.213B/7.401A	----	7.788 - 0.291	.7949	----	----	----	----	5 UNCH
8655	----	----	8.257B/7.441A	8.257B/7.441A	----	7.830 - 0.290	.7965	----	----	----	----	3 UNCH
8665	----	----	8.342B/7.522A	8.342B/7.522A	----	7.914 - 0.289	.7996	----	----	----	----	1 UNCH
8670	----	----	8.386B/7.562A	8.386B/7.562A	----	7.956 - 0.289	.8012	----	----	----	----	1 UNCH
8675	----	----	8.564B/7.602A	8.564B/7.602A	----	7.998 - 0.288	.8026	----	----	----	----	9 UNCH
8685	----	----	8.517B/7.683A	8.517B/7.683A	----	8.083 - 0.287	.8057	----	----	----	----	1 UNCH
8695	----	----	8.605B/7.765A	8.605B/7.765A	----	8.168 - 0.285	.8086	----	----	----	----	1 UNCH
8700	----	----	8.780B/7.760A	8.780B/7.760A	----	8.211 - 0.284	.8101	----	----	----	----	32 UNCH
8705	----	----	8.824B/7.845A	8.824B/7.845A	----	8.253 - 0.284	.8116	----	----	----	----	10 UNCH
8725	----	----	8.869B/8.011A	8.869B/8.011A	----	8.425 - 0.281	.8173	----	----	----	----	2 UNCH
8750	----	----	9.092B/8.218A	9.092B/8.218A	----	8.641 - 0.277	.8242	----	----	----	----	1 UNCH
8775	----	----	9.438B/8.427A	9.438B/8.427A	----	8.859 - 0.273	.8308	----	----	----	----	9 UNCH
8800	----	----	9.695B/8.547A	9.695B/8.547A	----	9.078 - 0.269	.8371	----	----	----	----	219 UNCH
8825	----	----	9.768B/8.851A	9.768B/8.851A	----	9.299 - 0.266	.8433	----	----	----	----	3 UNCH
8850	----	----	10.110B/9.066A	10.110B/9.066A	----	9.521 - 0.262	.8492	----	----	----	----	13 UNCH
8875	----	----	10.338B/9.282A	10.338B/9.282A	----	9.745 - 0.258	.8548	----	----	----	----	8 UNCH
8900	----	----	10.565B/9.498A	10.565B/9.498A	----	9.970 - 0.254	.8601	----	----	----	----	8 UNCH
8925	----	----	10.793B/9.718A	10.793B/9.718A	----	10.196 - 0.250	.8653	----	----	----	----	5 UNCH
8950	----	----	10.916B/9.937A	10.916B/9.937A	----	10.424 - 0.246	.8702	----	----	----	----	3 UNCH
8975	----	----	11.252B/10.159A	11.252B/10.159A	----	10.652 - 0.242	.8751	----	----	----	----	9 UNCH
9000	----	----	11.512B/10.292A	11.512B/10.292A	----	10.882 - 0.238	.8796	----	----	----	----	167 UNCH
9025	----	----	11.714B/10.606A	11.714B/10.606A	----	11.112 - 0.235	.8839	----	----	----	----	11 UNCH
9050	----	----	11.854B/10.833A	11.854B/10.833A	----	11.344 - 0.231	.8880	----	----	----	----	2 UNCH
9075	----	----	12.090B/11.060A	12.090B/11.060A	----	11.576 - 0.227	.8921	----	----	----	----	4 UNCH
9100	----	----	12.327B/11.287A	12.327B/11.287A	----	11.809 - 0.224	.8958	----	----	----	----	4 UNCH
9150	----	----	12.884B/11.742A	12.884B/11.742A	----	12.278 - 0.217	.9030	----	----	----	----	7 UNCH
9175	----	----	13.121B/11.971A	13.121B/11.971A	----	12.514 - 0.213	.9064	----	----	----	----	19 UNCH
9200	----	----	13.358B/12.202A	13.358B/12.202A	----	12.750 - 0.209	.9097	----	----	----	----	7 UNCH
9225	----	----	13.595B/12.432A	13.595B/12.432A	----	12.986 - 0.207	.9127	----	----	----	----	7 UNCH
9250	----	----	13.756B/12.663A	13.756B/12.663A	----	13.223 - 0.204	.9156	----	----	----	----	2 UNCH
9275	----	----	13.996B/12.896A	13.996B/12.896A	----	13.461 - 0.201	.9185	----	----	----	----	1 UNCH
9300	----	----	14.310B/13.129A	14.310B/13.129A	----	13.700 - 0.197	.9213	----	----	----	----	6 UNCH
9375	----	----	15.031B/13.832A	15.031B/13.832A	----	14.417 - 0.189	.9287	----	----	----	----	10 UNCH
9400	----	----	15.273B/14.066A	15.273B/14.066A	----	14.657 - 0.187	.9311	----	----	----	----	6 UNCH
9450	----	----	15.688B/14.539A	15.688B/14.539A	----	15.139 - 0.181	.9356	----	----	----	----	3 UNCH
9475	----	----	15.931B/14.776A	15.931B/14.776A	----	15.380 - 0.179	.9375	----	----	----	----	4 UNCH
9500	----	----	16.355B/14.925A	16.355B/14.925A	----	15.621 - 0.177	.9396	----	----	----	----	110 UNCH
9525	----	----	16.419B/15.252A	16.419B/15.252A	----	15.863 - 0.175	.9415	----	----	----	----	1 UNCH
9550	----	----	16.663B/15.491A	16.663B/15.491A	----	16.105 - 0.172	.9433	----	----	----	----	3 UNCH
9575	----	----	16.906B/15.730A	16.906B/15.730A	----	16.348 - 0.170	.9452	----	----	----	----	1 UNCH
9600	----	----	17.269B/15.925A	17.269B/15.925A	----	16.591 - 0.167	.9468	----	----	----	----	26 UNCH
9650	----	----	17.719B/16.449A	17.719B/16.449A	----	17.077 - 0.164	.9498	----	----	----	----	11 UNCH
9675	----	----	17.884B/16.690A	17.884B/16.690A	----	17.321 - 0.161	.9513	----	----	----	----	2 UNCH
9700	----	----	18.312B/16.843A	18.312B/16.843A	----	17.566 - 0.158	.9527	----	----	----	----	182 UNCH
9725	----	----	18.375B/17.172A	18.375B/17.172A	----	17.810 - 0.156	.9540	----	----	----	----	1 UNCH
9750	----	----	18.621B/17.414A	18.621B/17.414A	----	18.056 - 0.153	.9553	----	----	----	----	3 UNCH
9775	----	----	18.867B/17.655A	18.867B/17.655A	----	18.301 - 0.150	.9563	----	----	----	----	3 UNCH
9800	----	----	19.195B/17.897A	19.195B/17.897A	----	18.547 - 0.147	.9574	----	----	----	----	7 UNCH
9825	----	----	19.458B/18.139A	19.458B/18.139A	----	18.793 - 0.145	.9584	----	----	----	----	2 UNCH
9850	----	----	19.790B/18.295A	19.790B/18.295A	----	19.039 - 0.142	.9594	----	----	----	----	179 UNCH
9900	----	----	20.182B/18.868A	20.182B/18.868A	----	19.532 - 0.137	.9611	----	----	----	----	8 UNCH
10000	----	----	21.272B/19.756A	21.272B/19.756A	----	20.519 - 0.128	.9643	----	----	----	----	133 UNCH
10050	----	----	21.681B/20.298A	21.681B/20.298A	----	21.014 - 0.123	.9657	----	----	----	----	2 UNCH
10100	----	----	22.173B/20.819A	22.173B/20.819A	----	21.508 - 0.120	.9672	----	----	----	----	2 UNCH
10225	----	----	23.412B/22.042A	23.412B/22.042A	----	22.745 - 0.112	.9703	----	----	----	----	2 UNCH
10250	----	----	23.660B/22.287A	23.660B/22.287A	----	22.992 - 0.112	.9710	----	----	----	----	4 UNCH
10300	----	----	24.150B/22.778A	24.150B/22.778A	----	23.487 - 0.110	.9723	----	----	----	----	4 UNCH
10325	----	----	24.353B/23.024A	24.353B/23.024A	----	23.734 - 0.110	.9728	----	----	----	----	1 UNCH
10350	----	----	24.647B/23.270A	24.647B/23.270A	----	23.982 - 0.109	.9734	----	----	----	----	1 UNCH
10400	----	----	25.150B/23.762A	25.150B/23.762A	----	24.477 - 0.108	.9746	----	----	----	----	2 UNCH
10450	----	----	25.596B/24.254A	25.596B/24.254A	----	24.971 - 0.108	.9758	----	----	----	----	2 UNCH
10475	----	----	25.895B/24.501A	25.895B/24.501A	----	25.219 - 0.107	.9762	----	----	----	----	1 UNCH
10500	----	----	26.109B/24.747A	26.109B/24.747A	----	25.466 - 0.108	.9767	----	----	----	----	10 UNCH
10505	----	----	26.148B/24.797A	26.148B/24.797A	----	25.516 - 0.107	.9769	----	----	----	----	1 UNCH
10510	----	----	26.198B/24.846A	26.198B/24.846A	----	25.565 - 0.108	.9769	----	----	----	----	1 UNCH
10545	----	----	26.592B/25.191A	26.592B/25.191A	----	25.912 - 0.107	.9778	----	----	----	----	1 UNCH
10550	----	----	26.600B/25.240A	26.600B/25.240A	----	25.962 - 0.107	.9778	----	----	----	----	22 UNCH
10585	----	----	26.945B/25.586A	26.945B/25.586A	----	26.308 - 0.108	.9785	----	----	----	----	1 UNCH
10590	----	----	27.040B/25.635A	27.040B/25.635A	----	26.358 - 0.107	.9787	----	----	----	----	1 UNCH
10595	----	----	27.090B/25.685A	27.090B/25.685A	----	26.407 - 0.108	.9787	----	----	----	----	3 UNCH
10600	----	----	27.094B/25.734A	27.094B/25.734A	----	26.457 - 0.107	.9789	----	----	----	----	5 UNCH
10670	----	----	27.777B/26.426A	27.777B/26.426A	----	27.150 - 0.108	.9802	----	----	----	----	3 UNCH
10675	----	----	27.836B/26.476A	27.836B/26.476A	----	27.200 - 0.108	.9803	----	----	----	----	1 UNCH
10700	----	----	28.104B/26.723A	28.104B/26.723A	----	27.448 - 0.108	.9809	----	----	----	----	9 UNCH
10800	----	----	29.133B/27.713A	29.133B/27.713A	----	28.439 - 0.110	.9826	----	----	----	----	1 UNCH
10820	----	----	29.327B/27.911A	29.327B/27.911A	----	28.637 - 0.110	.9830	----	----	----	----	1 UNCH
10825	----	----	29.382B/27.962A	29.382B/27.962A	----	28.687 - 0.110	.9830	----	----	----	----	1 UNCH
10835	----	----	29.476B/28.061A	29.476B/28.061A	----	28.786 - 0.110	.9832	----	----	----	----	2 UNCH
10845	----	----	29.576B/28.160A	29.576B/28.160A	----	28.885 - 0.111	.9834	----	----	----	----	1 UNCH
10875	----	----	29.881B/28.457A	29.881B/28.457A	----	29.183 - 0.111	.9838	----	----	----	----	2 UNCH
10900	----	----	30.131B/28.705A	30.131B/28.705A	----	29.431 - 0.111	.9843	----	----	----	----	1 UNCH
10950	----	----	30.630B/29.200A	30.630B/29.200A	----	29.927 - 0.112	.9851	----	----	----	----	1 UNCH
10975	----	----	30.873B/29.448A	30.873B/29.448A	----	30.175 - 0.113	.9855	----	----	----	----	3 UNCH
11000	----	----	31.212B/29.614A	31.212B/29.614A	----	30.423 - 0.113	.9857	----	----	----	----	60 UNCH
11025	----	----	31.378B/29.944A	31.378B/29.944A	----	30.671 - 0.114	.9861	----	----	----	----	1 UNCH
11075	----	----	31.877B/30.441A	31.877B/30.441A	----	31.168 - 0.114	.9869	----	----	----	----	1 UNCH
11100	----	----	32.121B/30.689A	32.121B/30.689A	----	31.416 - 0.115	.9872	----	----	----	----	1 UNCH
11125	----	----	32.376B/30.937A	32.376B/30.937A	----	31.664 - 0.116	.9876	----	----	----	----	1 UNCH
11175	----	----	32.870B/31.434A	32.870B/31.434A	----	32.161 - 0.117	.9882	----	----	----	----	1 UNCH
11200	----	----	33.125B/31.682A	33.125B/31.682A	----	32.410 - 0.117	.9886	----	----	----	----	4 UNCH
11225	----	----	33.375B/31.931A	33.375B/31.931A	----	32.658 - 0.117	.9888	----	----	----	----	3 UNCH
11250	----	----	33.624B/32.179A	33.624B/32.179A	----	32.907 - 0.117	.9892	----	----	----	----	1 UNCH
11500	34.700	34.700	36.202B/34.586A	36.202B/34.586A	----	35.394 - 0.121	.9918	----	----	5	----	73 - 5
11550	----	----	36.620B/----	36.620B/36.804A	----	35.892 - 0.121	.9922	----	----	----	----	1 UNCH
11650	----	----	37.613B/----	37.613B/37.801A	----	36.888 - 0.122	.9931	----	----	----	----	1 UNCH
11800	----	----	39.112B/37.654A	39.112B/37.654A	----	38.383 - 0.122	.9941	----	----	----	----	1 UNCH
11875	----	----	39.867B/38.402A	39.867B/38.402A	----	39.131 - 0.122	.9947	----	----	----	----	1 UNCH
12250	----	----	43.611B/42.143A	43.611B/42.143A	----	42.876 - 0.118	.9960	----	----	----	----	3 UNCH
12300	----	----	44.117B/42.642A	44.117B/42.642A	----	43.375 - 0.118	.9960	----	----	----	----	1 UNCH
12500	----	----	46.085B/44.638A	46.085B/44.638A	----	45.374 - 0.115	.9964	----	----	20	----	20 UNCH
12700	----	----	48.111B/46.756A	48.111B/46.756A	----	47.373 - 0.112	.9968	----	----	----	----	1 UNCH
TOTAL										1059	20	19995 + 301
JUN26												
2100	----	----	----	----/0.010A	----	0.003 + 0.001	.0002	----	----	----	----	1 UNCH
2350	----	----	----	0.001B/*0.011A	----	0.007 + 0.002	.0006	----	----	----	----	2 UNCH
2500	----	----	----	0.002B/0.019A	----	0.012 + 0.003	.0010	----	----	----	----	141 UNCH
2650	----	----	----	----/0.033A	----	0.015 + 0.002	.0013	----	----	----	----	1 UNCH
3000	----	----	----	----/*0.031A	----	0.025 UNCH	.0022	----	----	----	----	244 UNCH
3075	----	----	----	----/0.076A	----	0.027 - 0.001	.0024	----	----	----	----	4 UNCH
3100	----	----	----	----/0.077A	----	0.028 - 0.002	.0025	----	----	----	----	3 UNCH
3150	----	----	----	----/0.079A	----	0.029 - 0.003	.0027	----	----	----	----	9 UNCH
3200	----	----	----	----/0.081A	----	0.031 - 0.004	.0029	----	----	----	----	4 UNCH
3325	----	----	----	----/*0.086A	----	0.035 - 0.007	.0033	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.087A	----	0.036 - 0.007	.0034	----	----	----	----	1 UNCH
3400	----	----	----	----/0.090A	----	0.038 - 0.008	.0036	----	----	----	----	12 UNCH
3500	----	----	----	----/*0.055A	----	0.042 - 0.010	.0041	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
3550	----	----	----	----/0.098A	----	0.044 - 0.012	.0043	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/*0.099A	----	0.045 - 0.012	.0044	----	----	----	----	22 UNCH
3600	----	----	----	0.005B/0.101A	----	0.046 - 0.013	.0045	----	----	----	----	5 UNCH
3650	----	----	----	0.001B/0.104A	----	0.048 - 0.014	.0048	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/0.106A	----	0.049 - 0.015	.0049	----	----	----	----	2 UNCH
3700	----	----	----	0.001B/0.107A	----	0.050 - 0.016	.0050	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.114A	----	0.054 - 0.018	.0055	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/0.118A	----	0.056 - 0.020	.0058	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/*0.122A	----	0.058 - 0.021	.0060	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/*0.124A	----	0.059 - 0.021	.0062	----	----	----	----	3 UNCH
4000	----	----	----/*0.081A	0.039B/*0.081A	----	0.062 - 0.023	.0066	----	----	----	----	54 UNCH
4075	----	----	----	0.001B/0.138A	----	0.065 - 0.024	.0070	----	----	----	----	1 UNCH
4100	----	----	----	0.001B/0.140A	----	0.066 - 0.025	.0071	----	----	----	----	2 UNCH
4125	----	----	----	0.001B/0.141A	----	0.068 - 0.024	.0074	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/*0.142A	----	0.069 - 0.024	.0075	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.145A	----	0.071 - 0.025	.0078	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/*0.147A	----	0.072 - 0.025	.0080	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/*0.149A	----	0.073 - 0.025	.0081	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/*0.150A	----	0.074 - 0.026	.0083	----	----	----	----	13 UNCH
4300	----	----	----	0.006B/*0.152A	----	0.075 - 0.026	.0084	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/*0.156A	----	0.078 - 0.025	.0088	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/0.158A	----	0.079 - 0.025	.0090	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/0.160A	----	0.080 - 0.026	.0092	----	----	----	----	8 UNCH
4425	----	----	----	0.002B/0.162A	----	0.082 - 0.025	.0094	----	----	----	----	1 UNCH
4500	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.086 - 0.025	.0100	----	----	1	----	167 UNCH
4550	----	----	----	0.008B/*0.162A	----	0.089 - 0.024	.0105	----	----	----	----	2 UNCH
4600	----	----	----	0.008B/*0.166A	----	0.092 - 0.024	.0110	----	----	----	----	7 UNCH
4625	----	----	----	0.008B/*0.168A	----	0.094 - 0.024	.0112	----	----	----	----	12 UNCH
4650	----	----	----	0.009B/*0.172A	----	0.095 - 0.024	.0114	----	----	----	----	1 UNCH
4700	----	----	----	0.016B/*0.133A	----	0.099 - 0.024	.0120	----	----	----	----	3 UNCH
4725	----	----	----	0.020B/*0.180A	----	0.101 - 0.023	.0123	----	----	----	----	10 UNCH
4750	----	----	----	0.022B/*0.182A	----	0.103 - 0.023	.0126	----	----	----	----	3 UNCH
4800	----	----	----	0.082B/*0.150A	----	0.108 - 0.022	.0133	----	----	----	----	24 UNCH
4850	----	----	----	0.035B/*0.194A	----	0.113 - 0.022	.0140	----	----	----	----	3 UNCH
4875	----	----	----	0.040B/*0.195A	----	0.116 - 0.022	.0144	----	----	----	----	15 UNCH
4900	----	----	----	0.051B/*0.168A	----	0.119 - 0.022	.0148	----	----	----	----	176 UNCH
4975	----	----	----	0.050B/0.211A	----	0.129 - 0.021	.0162	----	----	----	----	1 UNCH
5000	0.130	0.130	0.155/*0.130	0.155/*0.130	----	0.132 - 0.022	.0166	----	----	16	----	1004 + 13
5025	----	----	----	0.064B/*0.218A	----	0.136 - 0.022	.0172	----	----	----	----	8 UNCH
5050	----	----	----	0.067B/*0.222A	----	0.140 - 0.022	.0177	----	----	----	----	3 UNCH
5075	----	----	----	0.121B/*0.226A	----	0.144 - 0.022	.0182	----	----	----	----	2 UNCH
5100	0.190	0.190	0.190/*0.179	0.190/*0.179	----	0.149 - 0.022	.0189	----	----	3	----	32 + 3
5125	----	----	----	0.075B/*0.235A	----	0.154 - 0.022	.0195	----	----	----	----	1 UNCH
5150	----	----	----	0.116B/*0.211A	----	0.158 - 0.023	.0201	----	----	2	----	16 UNCH
5175	----	----	----	0.088B/*0.242A	----	0.164 - 0.022	.0208	----	----	----	----	12 UNCH
5200	0.214	0.214	0.214/*0.214	0.214/*0.214	----	0.169 - 0.023	.0215	----	----	3	----	6 + 2
5225	----	----	----	0.098B/*0.254A	----	0.175 - 0.023	.0223	----	----	----	----	1 UNCH
5250	----	----	----	0.105B/*0.260A	----	0.181 - 0.023	.0230	----	----	----	----	14 UNCH
5275	----	----	----	0.170B/*0.265A	----	0.187 - 0.024	.0238	----	----	1	----	24 UNCH
5300	----	----	----	0.117B/*0.230A	----	0.193 - 0.025	.0246	----	----	----	----	14 UNCH
5325	----	----	----	0.124B/*0.276A	----	0.200 - 0.025	.0255	----	----	----	----	10 UNCH
5350	----	----	----	0.130B/*0.283A	----	0.207 - 0.026	.0264	----	----	----	----	12 UNCH
5375	----	----	----	0.137B/*0.290A	----	0.214 - 0.027	.0273	----	----	----	----	10 UNCH
5400	----	----	----	0.145B/*0.297A	----	0.222 - 0.027	.0283	----	----	----	----	13 UNCH
5425	----	----	----	0.152B/*0.303A	----	0.230 - 0.028	.0293	----	----	----	----	4 UNCH
5450	----	----	----	0.160B/*0.312A	----	0.238 - 0.029	.0303	----	----	1	----	1 - 1
5475	----	----	----	0.169B/*0.318A	----	0.246 - 0.030	.0313	----	----	----	----	13 UNCH
5500	0.285	0.285	0.285/0.235	0.285/0.235	----	0.255 - 0.031	.0324	----	----	5	----	398 UNCH
5525	----	----	----	0.186B/*0.334A	----	0.264 - 0.032	.0335	----	----	----	----	16 UNCH
5550	----	----	----	0.195B/0.341A	----	0.273 - 0.033	.0346	----	----	----	----	10 UNCH
5575	----	----	----	0.204B/*0.349A	----	0.283 - 0.034	.0359	----	----	----	----	2 UNCH
5600	0.300	0.300	0.300/*0.300	0.300/*0.300	----	0.293 - 0.035	.0371	----	----	3	----	18 - 3
5625	----	----	----	0.224B/0.369A	----	0.303 - 0.036	.0384	----	----	----	----	2 UNCH
5650	----	----	----	0.232B/*0.379A	----	0.314 - 0.037	.0397	----	----	----	----	51 UNCH
5675	----	----	----	0.244B/*0.387A	----	0.324 - 0.039	.0410	----	----	----	----	21 UNCH
5700	----	----	----	0.260B/0.399A	----	0.335 - 0.041	.0423	----	----	2	----	249 UNCH
5725	----	----	----	0.266B/0.409A	----	0.347 - 0.042	.0438	----	----	----	----	2 UNCH
5750	----	----	----	0.278B/0.421A	----	0.359 - 0.043	.0452	----	----	----	----	227 UNCH
5775	----	----	----	0.290B/0.433A	----	0.371 - 0.045	.0467	----	----	----	----	9 UNCH
5800	0.402	0.402	0.402/*0.402	0.402/*0.402	----	0.383 - 0.047	.0482	----	----	5	----	100 + 5
5825	----	----	----	0.316B/0.456A	----	0.396 - 0.049	.0498	----	----	----	----	9 UNCH
5850	----	----	----	0.349B/0.469A	----	0.410 - 0.050	.0515	----	----	----	----	16 UNCH
5875	----	----	----	0.343B/0.483A	----	0.423 - 0.052	.0531	----	----	----	----	12 UNCH
5900	----	----	----	0.359B/0.495A	----	0.438 - 0.053	.0549	----	----	----	----	49 UNCH
5925	----	----	----	0.437B/0.511A	----	0.452 - 0.056	.0566	----	----	----	----	21 UNCH
5950	----	----	----	0.451B/0.526A	----	0.467 - 0.058	.0584	----	----	----	----	16 UNCH
5975	----	----	----/0.542A	0.408B/0.542A	----	0.483 - 0.060	.0603	----	----	----	----	1 UNCH
6000	0.530	0.530	0.530/*0.509A	0.530/*0.509A	----	0.499 - 0.062	.0622	----	----	25	----	759 + 1
6025	----	----	----/0.575A	0.443B/0.575A	----	0.516 - 0.064	.0642	----	----	----	----	31 UNCH
6050	----	----	----/*0.543A	0.508B/*0.543A	----	0.533 - 0.066	.0663	----	----	----	----	144 UNCH
6075	0.558	0.558	0.558/*0.558	0.558/*0.558	----	0.551 - 0.068	.0684	----	----	1	----	30 - 1
6100	0.590	0.590	0.590/*0.563A	0.590/*0.563A	----	0.569 - 0.071	.0705	----	----	4	----	78 + 2
6125	----	----	----/*0.604A	0.521B/*0.604A	----	0.588 - 0.073	.0728	----	----	----	----	2 UNCH
6150	----	----	----/*0.622A	0.611B/*0.622A	----	0.607 - 0.076	.0750	----	----	----	----	13 UNCH
6175	----	----	----/*0.636A	0.631B/*0.636A	----	0.628 - 0.078	.0774	----	----	----	----	291 UNCH
6200	----	----	----/*0.657A	0.676B/*0.657A	----	0.649 - 0.080	.0799	----	----	4	----	160 UNCH
6225	----	----	----/*0.678A	0.728B/*0.678A	----	0.670 - 0.083	.0823	----	----	----	----	2 UNCH
6250	----	----	0.782B/*0.720A	0.782B/*0.720A	----	0.693 - 0.085	.0849	----	----	3	----	90 - 3
6275	----	----	0.808B/*0.739A	0.808B/*0.739A	----	0.716 - 0.087	.0875	----	----	----	----	3 UNCH
6300	----	----	0.843B/*0.757A	0.843B/*0.757A	----	0.740 - 0.090	.0903	----	----	1	----	132 UNCH
6325	----	----	0.867B/*0.767A	0.867B/*0.767A	----	0.764 - 0.093	.0930	----	----	----	----	6 UNCH
6350	0.850	0.850	0.850/*0.794A	0.850/*0.794A	----	0.790 - 0.095	.0959	----	----	6	----	31 + 1
6375	0.842	0.842	0.842/*0.820A	0.879B/*0.820A	----	0.816 - 0.098	.0988	----	----	2	----	103 + 1
6400	----	----	----/*0.849A	0.911B/*0.849A	----	0.844 - 0.100	.1019	----	----	2	----	90 UNCH
6425	----	----	0.993B/*0.877A	0.993B/*0.877A	----	0.872 - 0.102	.1049	----	----	----	----	44 UNCH
6450	----	----	1.026B/*0.909A	1.026B/*0.909A	----	0.901 - 0.105	.1081	----	----	----	----	19 UNCH
6475	----	----	1.062B/*0.935A	1.062B/*0.935A	----	0.932 - 0.107	.1114	----	----	----	----	121 UNCH
6500	1.000	1.000	1.094B/*0.958A	1.094B/*0.958A	----	0.963 - 0.109	.1148	----	----	10	----	305 - 3
6525	----	----	1.127B/*0.999A	1.127B/*0.999A	----	0.995 - 0.112	.1182	----	----	----	----	36 UNCH
6550	----	----	1.171B/*1.037A	1.171B/*1.037A	----	1.029 - 0.114	.1218	----	----	----	----	28 UNCH
6575	----	----	1.206B/*1.068A	1.206B/*1.068A	----	1.064 - 0.115	.1254	----	----	----	----	3 UNCH
6600	----	----	1.236B/*1.112A	1.236B/*1.112A	----	1.100 - 0.117	.1292	----	----	----	----	139 UNCH
6625	----	----	1.276B/*1.139A	1.276B/*1.139A	----	1.137 - 0.119	.1330	----	----	----	----	10 UNCH
6650	1.250	1.250	1.330B/*1.183A	1.330B/*1.183A	----	1.175 - 0.122	.1369	----	----	3	----	14 + 3
6675	----	----	1.390B/*1.219A	1.390B/*1.219A	----	1.215 - 0.123	.1409	----	----	----	----	12 UNCH
6700	1.410	1.410	1.450B/*1.253A	1.450B/*1.253A	----	1.256 - 0.124	.1450	----	----	27	----	85 - 8
6725	----	----	1.488B/*1.301A	1.488B/*1.301A	----	1.299 - 0.125	.1493	----	----	1	----	31 + 1
6750	1.338	1.338	1.539B/*1.330	1.539B/*1.330	----	1.343 - 0.126	.1536	----	----	23	----	37 + 15
6775	----	----	1.592B/*1.390A	1.592B/*1.390A	----	1.388 - 0.128	.1580	----	----	----	----	2 UNCH
6800	----	----	1.660B/1.438A	1.660B/1.438A	----	1.435 - 0.129	.1625	----	----	2	----	62 UNCH
6825	----	----	1.652B/*1.482A	1.652B/*1.482A	----	1.484 - 0.129	.1671	----	----	----	----	2 UNCH
6850	----	----	1.758B/*1.529A	1.758B/*1.529A	----	1.534 - 0.129	.1718	----	----	----	----	16 UNCH
6875	----	----	1.816B/*1.578A	1.816B/*1.578A	----	1.586 - 0.129	.1766	----	----	----	----	2 UNCH
6900	1.890	1.890	1.890/*1.605A	1.890/*1.605A	----	1.639 - 0.130	.1815	----	----	6	----	89 - 2
6925	----	----	1.938B/*1.678A	1.938B/*1.678A	----	1.694 - 0.130	.1865	----	----	----	----	10 UNCH
6950	----	----	1.946B/*1.732A	1.946B/*1.732A	----	1.751 - 0.129	.1916	----	----	----	----	5 UNCH
6975	----	----	2.066B/*1.781A	2.066B/*1.781A	----	1.809 - 0.129	.1968	----	----	----	----	9 UNCH
7000	1.997	1.997	2.075B/1.825A	2.075B/1.825A	----	1.870 - 0.128	.2021	----	----	7	50	614 + 54
7025	----	----	2.202B/*1.900A	2.202B/*1.900A	----	1.931 - 0.128	.2074	----	----	----	----	8 UNCH
7050	----	----	2.204B/*1.961A	2.204B/*1.961A	----	1.995 - 0.127	.2128	----	----	----	----	15 UNCH
7075	----	----	2.340B/*2.014A	2.340B/*2.014A	----	2.060 - 0.126	.2183	----	----	----	----	41 UNCH
7100	----	----	2.402B/*2.075A	2.402B/*2.075A	----	2.127 - 0.126	.2239	----	----	----	----	19 UNCH
7125	----	----	2.490B/*2.146A	2.490B/*2.146A	----	2.196 - 0.125	.2296	----	----	----	----	5 UNCH
7150	----	----	2.567B/*2.208A	2.567B/*2.208A	----	2.267 - 0.123	.2354	----	----	1	----	27 - 1
7175	----	----	2.635B/*2.275A	2.635B/*2.275A	----	2.339 - 0.123	.2412	----	----	----	----	37 UNCH
7200	----	----	2.713B/*2.331A	2.713B/*2.331A	----	2.413 - 0.122	.2471	----	----	----	----	304 UNCH
7225	----	----	2.805B/2.419A	2.805B/2.419A	----	2.489 - 0.121	.2531	----	----	----	----	6 UNCH
7250	----	----	2.889B/2.492A	2.889B/2.492A	----	2.567 - 0.121	.2591	----	----	1	----	13 UNCH
7275	----	----	2.973B/2.571A	2.973B/2.571A	----	2.646 - 0.121	.2652	----	----	----	----	3 UNCH
7300	2.550	2.550	3.027B/2.550	3.027B/2.550	----	2.728 - 0.120	.2714	----	----	2	----	77 UNCH
7325	----	----	3.148B/2.722A	3.148B/2.722A	----	2.811 - 0.119	.2776	----	----	----	----	1 UNCH
7350	----	----	3.168B/2.804A	3.168B/2.804A	----	2.896 - 0.119	.2838	----	----	----	----	3 UNCH
7375	----	----	3.314B/2.882A	3.314B/2.882A	----	2.983 - 0.119	.2902	----	----	----	----	2 UNCH
7400	----	----	3.404B/2.960A	3.404B/2.960A	----	3.071 - 0.120	.2965	----	----	2	----	50 + 1
7425	----	----	3.491B/3.057A	3.491B/3.057A	----	3.162 - 0.120	.3030	----	----	----	----	2 UNCH
7450	----	----	3.597B/3.125A	3.597B/3.125A	----	3.254 - 0.121	.3094	----	----	----	----	52 UNCH
7475	----	----	3.655B/3.229A	3.655B/3.229A	----	3.348 - 0.122	.3160	----	----	----	----	4 UNCH
7500	3.693	3.693	3.785B/3.300A	3.785B/3.300A	----	3.444 - 0.123	.3225	----	----	15	----	411 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7525	----	----	3.876B/3.414A	3.876B/3.414A	----	3.542 - 0.124	.3291	----	----	----	----	3 UNCH
7550	----	----	3.989B/3.493A	3.989B/3.493A	----	3.641 - 0.126	.3357	----	----	----	----	7 UNCH
7575	----	----	4.100B/3.591A	4.100B/3.591A	----	3.743 - 0.127	.3424	----	----	----	----	5 UNCH
7600	3.903	3.903	4.221B/3.629	4.221B/3.629	----	3.846 - 0.129	.3491	----	----	10	----	77 - 3
7625	----	----	4.327B/3.797A	4.327B/3.797A	----	3.952 - 0.131	.3558	----	----	----	----	2 UNCH
7650	----	----	4.446B/3.903A	4.446B/3.903A	----	4.059 - 0.133	.3626	----	----	----	----	5 UNCH
7675	----	----	4.564B/4.017A	4.564B/4.017A	----	4.168 - 0.135	.3694	----	----	----	----	2 UNCH
7700	4.357	4.357	4.688B/4.083A	4.688B/4.083A	----	4.280 - 0.137	.3762	----	----	5	----	22 + 4
7725	----	----	4.810B/4.196A	4.810B/4.196A	----	4.393 - 0.139	.3830	----	----	----	----	1 UNCH
7750	----	----	4.930B/4.357A	4.930B/4.357A	----	4.508 - 0.141	.3898	----	----	4	----	4 + 2
7775	----	----	5.056B/4.430A	5.056B/4.430A	----	4.625 - 0.143	.3967	----	----	----	----	27 UNCH
7800	4.575	4.575	5.188B/4.573A	5.188B/4.573A	----	4.744 - 0.146	.4035	----	----	2	----	8 UNCH
7825	----	----	5.311B/4.688A	5.311B/4.688A	----	4.865 - 0.148	.4104	----	----	----	----	1 UNCH
7850	----	----	5.443B/4.822A	5.443B/4.822A	----	4.987 - 0.151	.4172	----	----	----	----	10 UNCH
7875	----	----	5.576B/4.943A	5.576B/4.943A	----	5.112 - 0.153	.4241	----	----	----	----	19 UNCH
7900	----	----	5.715B/5.047A	5.715B/5.047A	----	5.239 - 0.155	.4309	----	----	1	----	116 + 1
7925	----	----	5.851B/5.187A	5.851B/5.187A	----	5.368 - 0.157	.4378	----	----	----	----	10 UNCH
7950	5.580	5.580	5.990B/5.314A	5.990B/5.314A	----	5.498 - 0.160	.4446	----	----	5	----	21 UNCH
8000	6.112	6.112	6.275B/5.552A	6.275B/5.552A	----	5.765 - 0.165	.4583	----	----	2	20	163 + 13
8025	----	----	6.420B/5.696A	6.420B/5.696A	----	5.902 - 0.166	.4651	----	----	----	----	1 UNCH
8050	----	----	6.565B/5.839A	6.565B/5.839A	----	6.040 - 0.168	.4719	----	----	----	----	2 UNCH
8075	----	----	6.714B/5.973A	6.714B/5.973A	----	6.181 - 0.170	.4786	----	----	----	----	1 UNCH
8100	6.870	6.870	6.870/6.051A	6.870/6.051A	----	6.323 - 0.172	.4854	----	----	2	----	4 + 2
8125	----	----	7.017B/6.247A	7.017B/6.247A	----	6.467 - 0.173	.4921	----	----	----	----	2 UNCH
8150	----	----	7.174B/6.319A	7.174B/6.319A	----	6.613 - 0.175	.4987	----	----	----	----	4 UNCH
8175	----	----	7.327B/6.460A	7.327B/6.460A	----	6.761 - 0.176	.5054	----	----	----	----	43 UNCH
8200	6.898	6.898	7.488B/6.682A	7.488B/6.682A	----	6.911 - 0.177	.5120	----	----	2	----	13 UNCH
8225	----	----	7.597B/6.804A	7.597B/6.804A	----	7.062 - 0.179	.5185	----	----	----	----	6 UNCH
8250	----	----	7.647B/6.967A	7.647B/6.967A	----	7.216 - 0.180	.5250	----	----	----	----	16 UNCH
8275	7.346	7.346	7.808B/7.050A	7.808B/7.050A	----	7.371 - 0.181	.5315	----	----	1	----	23 UNCH
8300	7.498	7.498	7.981B/7.192A	7.981B/7.192A	----	7.528 - 0.182	.5379	----	----	2	----	8 + 1
8350	----	----	8.221B/7.505A	8.221B/7.505A	----	7.848 - 0.183	.5506	----	----	----	----	18 UNCH
8375	8.117	8.117	8.323B/7.885A	8.323B/7.885A	----	8.011 NEW	.5569	----	----	1	----	1 + 1
8400	----	----	8.561B/7.904A	8.561B/7.904A	----	8.175 - 0.183	.5631	----	----	----	----	3 UNCH
8425	----	----	8.731B/8.056A	8.731B/8.056A	----	8.341 - 0.184	.5692	----	----	----	----	63 UNCH
8450	----	----	8.962B/8.236A	8.962B/8.236A	----	8.509 - 0.183	.5753	----	----	----	----	18 UNCH
8475	----	----	9.231B/8.393A	9.231B/8.393A	----	8.679 - 0.183	.5814	----	----	----	----	2 UNCH
8500	9.000	9.000	9.416B/8.533A	9.416B/8.533A	----	8.850 - 0.182	.5873	----	----	2	----	63 + 1
8525	----	----	9.596B/8.724A	9.596B/8.724A	----	9.023 - 0.182	.5933	----	----	----	----	1 UNCH
8550	----	----	9.779B/8.902A	9.779B/8.902A	----	9.198 - 0.180	.5991	----	----	----	----	1 UNCH
8575	----	----	9.965B/9.072A	9.965B/9.072A	----	9.374 - 0.180	.6049	----	----	----	----	1 UNCH
8600	----	----	10.156B/9.242A	10.156B/9.242A	----	9.552 - 0.178	.6106	----	----	----	----	5 UNCH
8625	----	----	10.342B/9.418A	10.342B/9.418A	----	9.731 - 0.177	.6162	----	----	----	----	11 UNCH
8675	----	----	10.453B/9.774A	10.453B/9.774A	----	10.094 - 0.175	.6273	----	----	----	----	2 UNCH
8700	----	----	10.673B/9.946A	10.673B/9.946A	----	10.278 - 0.173	.6327	----	----	----	----	14 UNCH
8750	----	----	11.050B/10.308A	11.050B/10.308A	----	10.649 - 0.170	.6434	----	----	----	----	26 UNCH
8775	----	----	11.035B/10.491A	11.035B/10.491A	----	10.837 - 0.168	.6486	----	----	----	----	1 UNCH
8800	----	----	11.432B/10.686A	11.432B/10.686A	----	11.026 - 0.167	.6538	----	----	----	----	14 UNCH
8825	----	----	11.624B/10.863A	11.624B/10.863A	----	11.217 - 0.165	.6589	----	----	----	----	15 UNCH
8850	----	----	11.818B/11.044A	11.818B/11.044A	----	11.409 - 0.163	.6639	----	----	----	----	6 UNCH
8925	----	----	12.217B/11.612A	12.217B/11.612A	----	11.991 - 0.157	.6786	----	----	----	----	4 UNCH
8975	----	----	12.618B/12.034A	12.618B/12.034A	----	12.385 - 0.154	.6880	----	----	----	----	2 UNCH
9000	----	----	13.002B/12.242A	13.002B/12.242A	----	12.584 - 0.152	.6926	----	----	----	----	94 UNCH
9050	----	----	13.232B/12.675A	13.232B/12.675A	----	12.984 - 0.148	.7016	----	----	----	----	3 UNCH
9075	----	----	13.438B/12.870A	13.438B/12.870A	----	13.186 - 0.146	.7060	----	----	----	----	2 UNCH
9100	----	----	13.819B/13.046A	13.819B/13.046A	----	13.389 - 0.144	.7104	----	----	----	----	6 UNCH
9125	----	----	13.854B/13.265A	13.854B/13.265A	----	13.592 - 0.143	.7147	----	----	----	----	1 UNCH
9150	----	----	14.064B/13.463A	14.064B/13.463A	----	13.797 - 0.141	.7189	----	----	----	----	1 UNCH
9175	----	----	14.275B/13.741A	14.275B/13.741A	----	14.003 - 0.139	.7230	----	----	----	----	1 UNCH
9200	----	----	14.655B/13.771A	14.655B/13.771A	----	14.209 - 0.138	.7271	----	----	----	----	80 UNCH
9325	----	----	15.553B/14.879A	15.553B/14.879A	----	15.255 - 0.130	.7466	----	----	----	----	1 UNCH
9450	----	----	16.782B/15.918A	16.782B/15.918A	----	16.321 - 0.123	.7646	----	----	----	----	6 UNCH
9500	----	----	17.239B/16.248A	17.239B/16.248A	----	16.753 - 0.120	.7714	----	----	----	----	138 UNCH
9525	----	----	17.299B/16.547A	17.299B/16.547A	----	16.969 - 0.119	.7747	----	----	----	----	1 UNCH
9550	----	----	17.520B/16.824A	17.520B/16.824A	----	17.187 - 0.117	.7780	----	----	----	----	1 UNCH
9575	----	----	17.741B/17.038A	17.741B/17.038A	----	17.405 - 0.116	.7812	----	----	----	----	2 UNCH
9725	----	----	19.084B/18.339A	19.084B/18.339A	----	18.727 - 0.109	.7993	----	----	----	----	1 UNCH
9825	----	----	19.988B/19.218A	19.988B/19.218A	----	19.619 - 0.105	.8105	----	----	----	----	1 UNCH
9850	----	----	20.216B/19.440A	20.216B/19.440A	----	19.843 - 0.104	.8132	----	----	----	----	1 UNCH
9900	----	----	20.774B/19.809A	20.774B/19.809A	----	20.293 - 0.103	.8184	----	----	----	----	17 UNCH
9925	----	----	20.900B/20.104A	20.900B/20.104A	----	20.519 - 0.102	.8209	----	----	----	----	1 UNCH
9950	----	----	21.129B/20.328A	21.129B/20.328A	----	20.745 - 0.101	.8234	----	----	----	----	1 UNCH
10000	----	----	21.714B/20.611A	21.714B/20.611A	----	21.199 - 0.099	.8283	----	----	----	----	97 UNCH
10025	----	----	21.818B/20.970A	21.818B/20.970A	----	21.427 - 0.098	.8306	----	----	----	----	2 UNCH
10075	----	----	22.279B/21.421A	22.279B/21.421A	----	21.883 - 0.097	.8353	----	----	----	----	1 UNCH
10100	----	----	22.602B/21.596A	22.602B/21.596A	----	22.112 - 0.096	.8376	----	----	----	----	6 UNCH
10125	----	----	22.743B/21.821A	22.743B/21.821A	----	22.341 - 0.096	.8398	----	----	----	----	1 UNCH
10150	----	----	23.063B/22.047A	23.063B/22.047A	----	22.571 - 0.094	.8420	----	----	----	----	8 UNCH
10175	----	----	23.208B/22.273A	23.208B/22.273A	----	22.800 - 0.095	.8442	----	----	----	----	2 UNCH
10200	----	----	23.586B/22.519A	23.586B/22.519A	----	23.031 - 0.093	.8463	----	----	----	----	120 UNCH
10225	----	----	23.678B/22.727A	23.678B/22.727A	----	23.261 - 0.094	.8483	----	----	----	----	1 UNCH
10325	----	----	24.615B/23.640A	24.615B/23.640A	----	24.187 - 0.091	.8564	----	----	----	----	1 UNCH
10350	----	----	24.851B/23.868A	24.851B/23.868A	----	24.420 - 0.090	.8583	----	----	----	----	1 UNCH
10375	----	----	25.087B/24.097A	25.087B/24.097A	----	24.652 - 0.091	.8602	----	----	----	----	1 UNCH
10400	----	----	25.323B/24.328A	25.323B/24.328A	----	24.885 - 0.090	.8620	----	----	----	----	1 UNCH
10500	----	----	26.340B/25.250A	26.340B/25.250A	----	25.820 - 0.088	.8692	----	----	----	----	9 UNCH
10600	----	----	27.222B/26.287A	27.222B/26.287A	----	26.759 - 0.087	.8759	----	----	----	----	5 UNCH
10825	----	----	29.442B/28.270A	29.442B/28.270A	----	28.886 - 0.086	.8895	----	----	----	----	6 UNCH
10850	----	----	29.615B/28.508A	29.615B/28.508A	----	29.124 - 0.085	.8909	----	----	----	----	4 UNCH
10875	----	----	29.855B/28.857A	29.855B/28.857A	----	29.362 - 0.085	.8923	----	----	----	----	2 UNCH
10950	----	----	30.576B/29.565A	30.576B/29.565A	----	30.076 - 0.085	.8962	----	----	----	----	3 UNCH
11000	----	----	31.058B/30.038A	31.058B/30.038A	----	30.553 - 0.085	.8987	----	----	----	----	3 UNCH
11325	----	----	34.204B/33.134A	34.204B/33.134A	----	33.673 - 0.084	.9135	----	----	----	----	1 UNCH
11500	----	----	35.963B/34.691A	35.963B/34.691A	----	35.364 - 0.084	.9202	----	----	----	----	10 UNCH
11525	----	----	36.149B/35.055A	36.149B/35.055A	----	35.606 - 0.084	.9211	----	----	----	----	1 UNCH
11675	----	----	37.615B/36.503A	37.615B/36.503A	----	37.061 - 0.084	.9262	----	----	----	----	1 UNCH
11700	----	----	37.859B/36.745A	37.859B/36.745A	----	37.304 - 0.084	.9271	----	----	----	----	1 UNCH
12000	----	----	40.917B/39.545A	40.917B/39.545A	----	40.226 - 0.085	.9359	----	----	----	----	50 UNCH
12025	----	----	41.043B/39.858A	41.043B/39.858A	----	40.471 - 0.085	.9365	----	----	----	----	1 UNCH
13000	----	----	50.737B/49.406A	50.737B/49.406A	----	50.050 - 0.086	.9563	----	----	----	----	5 UNCH
TOTAL										229	70	9942 + 113
JUL26												
2000	----	----	----	0.005B/0.023A	----	0.016 - 0.002	.0011	----	----	----	----	6 UNCH
2400	----	----	----	----/0.214A	----	0.028 - 0.001	.0021	----	----	----	----	10 UNCH
2650	----	----	----	----/0.095A	----	0.037 UNCH	.0029	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.105A	----	0.051 UNCH	.0042	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.106A	----	0.053 + 0.001	.0043	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/*0.116A	----	0.070 + 0.003	.0060	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.118A	----	0.073 + 0.003	.0063	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/*0.122A	----	0.078 + 0.004	.0068	----	----	----	----	5 UNCH
3500	----	----	----	0.049B/0.124A	----	0.079 + 0.004	.0069	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/*0.130A	----	0.086 + 0.004	.0077	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.139A	----	0.095 + 0.005	.0086	----	----	----	----	92 UNCH
3800	----	----	----	0.001B/*0.151A	----	0.104 + 0.006	.0095	----	----	----	----	25 UNCH
3825	----	----	----	0.002B/*0.153A	----	0.106 + 0.006	.0097	----	----	----	----	8 UNCH
3850	----	----	----	0.002B/*0.155A	----	0.109 + 0.006	.0100	----	----	----	----	3 UNCH
3900	----	----	----	0.007B/*0.160A	----	0.114 + 0.006	.0105	----	----	----	----	11 UNCH
3950	----	----	----	0.015B/*0.163A	----	0.119 + 0.005	.0110	----	----	----	----	1 UNCH
4000	----	----	----	0.042B/*0.143A	----	0.125 + 0.005	.0116	----	----	----	----	70 UNCH
4075	----	----	----	0.027B/*0.181A	----	0.135 + 0.006	.0126	----	----	----	----	16 UNCH
4100	----	----	----	0.030B/*0.185A	----	0.138 + 0.005	.0129	----	----	----	----	6 UNCH
4175	----	----	----	0.042B/*0.199A	----	0.149 + 0.005	.0141	----	----	----	----	9 UNCH
4200	----	----	----	0.041B/*0.204A	----	0.153 + 0.004	.0145	----	----	----	----	27 UNCH
4225	----	----	----	0.044B/*0.209A	----	0.157 + 0.004	.0149	----	----	----	----	1 UNCH
4250	----	----	----	0.047B/*0.214A	----	0.161 + 0.004	.0153	----	----	----	----	21 UNCH
4300	0.140	0.140	0.140/*0.140	0.140/*0.140	----	0.169 + 0.002	.0161	----	----	2	----	98 + 2
4325	----	----	----	0.055B/*0.229A	----	0.174 + 0.003	.0166	----	----	----	----	17 UNCH
4375	----	----	----	0.062B/*0.239A	----	0.183 + 0.001	.0175	----	----	----	----	32 UNCH
4400	----	----	----	0.066B/*0.244A	----	0.188 + 0.001	.0180	----	----	----	----	29 UNCH
4450	----	----	----	0.075B/*0.254A	----	0.198 UNCH	.0190	----	----	----	----	4 UNCH
4475	----	----	----	0.079B/*0.260A	----	0.203 - 0.001	.0195	----	----	----	----	16 UNCH
4500	----	----	----	0.084B/0.260A	----	0.209 - 0.001	.0201	----	----	----	----	304 UNCH
4575	----	----	----	0.098B/*0.286A	----	0.226 - 0.004	.0218	----	----	----	----	75 UNCH
4600	----	----	----	0.104B/*0.292A	----	0.232 - 0.005	.0224	----	----	----	----	101 UNCH
4650	----	----	----	0.115B/*0.304A	----	0.245 - 0.006	.0236	----	----	----	----	40 UNCH
4675	----	----	----	0.120B/*0.310A	----	0.252 - 0.006	.0243	----	----	----	----	12 UNCH
4700	----	----	----	0.127B/*0.318A	----	0.259 - 0.007	.0250	----	----	----	----	153 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
4725	----	----	----	0.133B/*0.324A	----	0.266 - 0.008	.0257	----	----	----	----	3 UNCH
4750	----	----	----	0.139B/*0.332A	----	0.274 - 0.008	.0265	----	----	----	----	54 UNCH
4775	----	----	----	0.146B/*0.337A	----	0.281 - 0.009	.0272	----	----	----	----	8 UNCH
4800	----	----	----	0.154B/*0.344A	----	0.289 - 0.009	.0280	----	----	----	----	15 UNCH
4825	----	----	----	0.161B/*0.352A	----	0.297 - 0.010	.0287	----	----	----	----	26 UNCH
4850	----	----	----	0.168B/*0.361A	----	0.306 - 0.010	.0296	----	----	----	----	2 UNCH
4875	----	----	----	0.176B/*0.369A	----	0.314 - 0.011	.0304	----	----	----	----	23 UNCH
4900	----	----	----	0.188B/0.378A	----	0.323 - 0.011	.0312	----	----	----	----	172 UNCH
5000	0.327	0.327	0.330/*0.327	0.330/*0.327	----	0.361 - 0.011	.0349	----	----	12	----	886 + 1
5025	----	----	----	0.228B/0.425A	----	0.371 - 0.011	.0359	----	----	----	----	1 UNCH
5050	----	----	----	0.238B/*0.435A	----	0.382 - 0.010	.0369	----	----	----	----	16 UNCH
5075	----	----	----	0.248B/*0.441A	----	0.393 - 0.010	.0379	----	----	----	----	11 UNCH
5100	----	----	----	0.259B/0.454A	----	0.404 - 0.009	.0390	----	----	----	----	176 UNCH
5150	----	----	----	0.281B/*0.479A	----	0.427 - 0.008	.0412	----	----	----	----	5 UNCH
5175	----	----	----	0.293B/*0.490A	----	0.440 - 0.006	.0424	----	----	----	----	5 UNCH
5200	----	----	----	0.305B/*0.501A	----	0.452 - 0.006	.0435	----	----	----	----	86 UNCH
5225	----	----	----	0.318B/*0.514A	----	0.465 - 0.004	.0447	----	----	----	----	9 UNCH
5250	----	----	----	0.331B/*0.525A	----	0.478 - 0.004	.0460	----	----	----	----	250 UNCH
5275	----	----	----	0.344B/*0.538A	----	0.492 - 0.002	.0473	----	----	----	----	2 UNCH
5300	0.460	0.460	0.460/*0.460	0.460/*0.460	----	0.506 - 0.001	.0486	----	----	1	----	124 - 1
5325	----	----	----	0.373B/*0.568A	----	0.521 + 0.001	.0499	----	----	----	----	11 UNCH
5350	----	----	----	0.387B/*0.580A	----	0.536 + 0.002	.0513	----	----	----	----	26 UNCH
5375	----	----	----	0.403B/*0.594A	----	0.551 + 0.003	.0527	----	----	----	----	17 UNCH
5400	----	----	----	0.419B/*0.609A	----	0.567 + 0.005	.0541	----	----	----	----	75 UNCH
5425	----	----	----	0.435B/*0.625A	----	0.583 + 0.006	.0556	----	----	----	----	49 UNCH
5450	----	----	----	0.452B/*0.641A	----	0.600 + 0.008	.0571	----	----	----	----	38 UNCH
5475	----	----	----	0.469B/*0.658A	----	0.617 + 0.009	.0587	----	----	----	----	53 UNCH
5500	----	----	----	0.487B/0.675A	----	0.635 + 0.010	.0603	----	----	----	----	883 UNCH
5525	----	----	----	0.508B/*0.691A	----	0.653 + 0.011	.0619	----	----	----	----	72 UNCH
5550	----	----	----	0.525B/*0.709A	----	0.672 + 0.012	.0636	----	----	----	----	13 UNCH
5575	----	----	----	0.549B/*0.727A	----	0.691 + 0.012	.0653	----	----	----	----	3 UNCH
5600	----	----	----	0.567B/*0.746A	----	0.711 + 0.013	.0671	----	----	----	----	13 UNCH
5625	----	----	----	0.587B/*0.768A	----	0.731 + 0.013	.0688	----	----	----	----	3 UNCH
5650	----	----	----	0.609B/*0.788A	----	0.752 + 0.014	.0707	----	----	----	----	29 UNCH
5675	----	----	----	0.632B/*0.807A	----	0.774 + 0.014	.0726	----	----	----	----	45 UNCH
5700	----	----	----	0.655B/*0.829A	----	0.796 + 0.014	.0745	----	----	----	----	297 UNCH
5725	----	----	----	0.680B/*0.852A	----	0.819 + 0.014	.0765	----	----	----	----	3 UNCH
5750	----	----	----	0.703B/*0.873A	----	0.842 + 0.014	.0785	----	----	----	----	52 UNCH
5775	----	----	----	0.729B/*0.896A	----	0.866 + 0.013	.0805	----	----	----	----	2 UNCH
5800	----	----	----	0.755B/*0.920A	----	0.891 + 0.013	.0827	----	----	----	----	21 UNCH
5825	----	----	----	0.782B/*0.945A	----	0.916 + 0.012	.0848	----	----	----	----	2 UNCH
5850	----	----	----	0.810B/*0.970A	----	0.943 + 0.012	.0871	----	----	----	----	114 UNCH
5875	----	----	----	0.839B/*0.996A	----	0.969 + 0.010	.0893	----	----	----	----	3 UNCH
5900	----	----	----	0.868B/*1.024A	----	0.997 + 0.010	.0916	----	----	----	----	6 UNCH
5950	----	----	----	0.930B/*1.079A	----	1.054 + 0.007	.0963	----	----	----	----	2 UNCH
5975	----	----	----	0.962B/*1.108A	----	1.084 + 0.005	.0988	----	----	----	----	1 UNCH
6000	1.013	1.013	1.049/1.013	1.049/1.013	----	1.115 + 0.004	.1013	----	----	3	----	612 UNCH
6100	----	----	----	1.037B/1.265A	----	1.245 - 0.005	.1118	----	----	----	----	287 UNCH
6200	----	----	----	1.135B/1.519A	----	1.390 - 0.014	.1232	----	----	----	----	8 UNCH
6250	----	----	----	1.166B/1.600A	----	1.468 - 0.020	.1292	----	----	----	----	13 UNCH
6275	----	----	----	1.206B/1.642A	----	1.508 - 0.023	.1323	----	----	----	----	1 UNCH
6300	----	----	----	1.363B/1.682A	----	1.550 - 0.025	.1354	----	----	----	100	218 + 90
6325	----	----	----	1.289B/1.727A	----	1.592 - 0.029	.1386	----	----	----	----	20 UNCH
6375	----	----	----	1.379B/1.749A	----	1.680 - 0.035	.1452	----	----	----	----	1 UNCH
6400	----	----	----	1.443B/1.864A	----	1.726 - 0.038	.1485	----	----	----	----	57 UNCH
6500	1.881	1.881	1.881/1.881	1.881/1.881	----	1.919 - 0.051	.1625	----	----	2	----	698 - 1
6550	----	----	----	1.873B/2.108A	----	2.022 - 0.057	.1698	----	----	----	----	59 UNCH
6600	----	----	----	1.891B/2.256A	----	2.130 - 0.063	.1773	----	----	1	----	2 + 1
6650	----	----	----/2.290A	2.112B/2.290A	----	2.244 - 0.068	.1851	----	----	----	----	120 UNCH
6700	----	----	----/2.407A	2.234B/2.407A	----	2.362 - 0.073	.1930	----	----	1	----	82 + 1
6750	----	----	----	2.322B/2.564A	----	2.485 - 0.078	.2012	----	----	----	----	26 UNCH
6800	----	----	----/2.653A	2.508B/2.653A	----	2.613 - 0.082	.2095	----	----	----	----	257 UNCH
6900	----	----	----	2.705B/3.008A	----	2.886 - 0.090	.2268	----	----	1	----	12 UNCH
7000	2.950	2.950	3.123B/2.950	3.123B/2.950	----	3.182 - 0.095	.2449	----	----	1	----	614 - 1
7025	3.169	3.169	3.215/3.169	3.215/3.169	----	3.259 - 0.097	.2495	----	----	12	----	127 UNCH
7050	----	----	----	3.187B/3.463A	----	3.338 - 0.098	.2542	----	----	----	----	1 UNCH
7100	----	----	----	3.364B/3.623A	----	3.501 - 0.099	.2636	----	----	1	----	4 + 1
7125	----	----	----	3.451B/3.704A	----	3.584 - 0.100	.2684	----	----	----	----	9 UNCH
7150	----	----	----	3.548B/3.805A	----	3.669 - 0.101	.2732	----	----	----	----	1 UNCH
7200	----	----	----	3.785B/3.961A	----	3.843 - 0.103	.2829	----	----	----	----	41 UNCH
7250	3.821	3.821	3.821/3.821	4.034B/3.821	----	4.024 - 0.103	.2928	----	----	2	----	169 - 2
7300	----	----	----/4.290A	4.179B/4.290A	----	4.210 - 0.104	.3027	----	----	----	----	25 UNCH
7375	4.371	4.371	4.371/4.371	4.549B/4.371	----	4.502 - 0.105	.3179	----	----	3	----	157 - 2
7400	----	----	----	4.543B/4.727A	----	4.603 - 0.104	.3230	----	----	----	----	23 UNCH
7450	----	----	----	4.765B/4.934A	----	4.808 - 0.105	.3333	----	----	----	----	1 UNCH
7500	----	----	----/5.094A	5.048B/5.094A	----	5.020 - 0.105	.3437	----	----	----	----	46 UNCH
7525	----	----	----	5.103B/5.249A	----	5.128 - 0.105	.3489	----	----	----	----	2 UNCH
7550	----	----	----	5.218B/5.358A	----	5.238 - 0.105	.3541	----	----	----	----	7 UNCH
7600	----	----	----	5.458B/5.583A	----	5.463 - 0.105	.3645	----	----	----	----	3 UNCH
7625	----	----	----	5.576B/5.694A	----	5.578 - 0.104	.3698	----	----	----	----	1 UNCH
7700	----	----	----	5.942B/6.053A	----	5.931 - 0.105	.3856	----	----	1	----	3 UNCH
7800	6.050	6.050	6.589B/6.050	6.589B/6.050	----	6.425 - 0.106	.4067	----	----	1	----	80 UNCH
7825	----	----	----	6.589B/6.661A	----	6.553 - 0.106	.4119	----	----	----	----	6 UNCH
7850	----	----	----	6.720B/6.795A	----	6.682 - 0.106	.4172	----	----	----	----	1 UNCH
7900	6.997	6.997	6.997/6.997	6.997/6.997	----	6.945 - 0.107	.4277	----	----	2	----	11 + 2
7975	----	----	----	7.421B/7.498A	----	7.351 - 0.108	.4435	----	----	----	----	5 UNCH
8000	7.754	7.754	7.754/7.470A	7.754/7.470A	----	7.489 - 0.109	.4487	----	----	2	----	291 UNCH
8100	----	----	8.213B/8.083A	8.213B/8.083A	----	8.058 - 0.111	.4694	----	----	----	----	25 UNCH
8125	----	----	----/8.276A	8.303B/8.276A	----	8.204 - 0.111	.4745	----	----	----	----	4 UNCH
8225	----	----	8.918B/8.867A	8.918B/8.867A	----	8.803 - 0.114	.4947	----	----	----	----	1 UNCH
8250	----	----	9.144B/8.957A	9.144B/8.957A	----	8.957 - 0.114	.4997	----	----	----	----	46 UNCH
8300	----	----	9.580B/9.201A	9.580B/9.201A	----	9.268 - 0.115	.5096	----	----	----	----	124 UNCH
8375	9.489	9.489	9.902B/9.489	9.902B/9.489	----	9.745 - 0.117	.5243	----	----	3	----	3 + 2
8400	----	----	10.071B/9.936A	10.071B/9.936A	----	9.907 - 0.118	.5291	----	----	----	----	7 UNCH
8500	----	----	10.890B/10.461A	10.890B/10.461A	----	10.569 - 0.120	.5481	----	----	----	----	57 UNCH
8600	----	----	11.589B/11.127A	11.589B/11.127A	----	11.251 - 0.123	.5664	----	----	----	----	56 UNCH
8700	----	----	12.189B/11.930A	12.189B/11.930A	----	11.954 - 0.125	.5842	----	----	----	----	4 UNCH
9000	----	----	14.699B/13.985A	14.699B/13.985A	----	14.176 - 0.129	.6334	----	----	----	----	307 UNCH
9200	----	----	16.058B/15.626A	16.058B/15.626A	----	15.742 - 0.129	.6628	----	----	----	----	11 UNCH
9400	----	----	17.693B/17.205A	17.693B/17.205A	----	17.367 - 0.127	.6893	----	----	----	----	1 UNCH
9450	----	----	18.112B/17.607A	18.112B/17.607A	----	17.781 - 0.127	.6955	----	----	----	----	12 UNCH
9500	----	----	18.655B/17.894A	18.655B/17.894A	----	18.199 - 0.125	.7015	----	----	----	----	218 UNCH
9600	----	----	19.501B/18.714A	19.501B/18.714A	----	19.044 - 0.122	.7131	----	----	----	----	50 UNCH
9900	----	----	21.966B/21.347A	21.966B/21.347A	----	21.636 - 0.112	.7443	----	----	----	----	6 UNCH
9950	----	----	22.404B/21.773A	22.404B/21.773A	----	22.074 - 0.112	.7491	----	----	----	----	5 UNCH
10000	----	----	22.966B/22.080A	22.966B/22.080A	----	22.514 - 0.110	.7537	----	----	----	----	205 UNCH
10275	----	----	25.287B/24.587A	25.287B/24.587A	----	24.953 - 0.109	.7778	----	----	----	----	7 UNCH
10500	----	----	27.316B/26.578A	27.316B/26.578A	----	26.974 - 0.110	.7957	----	----	----	----	3 UNCH
10600	----	----	28.228B/27.472A	28.228B/27.472A	----	27.878 - 0.112	.8032	----	----	----	----	9 UNCH
11000	----	----	32.029B/30.913A	32.029B/30.913A	----	31.533 - 0.121	.8302	----	----	----	----	217 UNCH
11300	----	----	34.701B/33.870A	34.701B/33.870A	----	34.311 - 0.127	.8478	----	----	----	----	10 UNCH
11500	----	----	36.585B/35.732A	36.585B/35.732A	----	36.178 - 0.131	.8584	----	----	----	----	1 UNCH
12000	----	----	41.338B/40.431A	41.338B/40.431A	----	40.898 - 0.133	.8810	----	----	----	----	15 UNCH
13000	----	----	50.985B/49.986A	50.985B/49.986A	----	50.519 - 0.106	.9127	----	----	----	----	6 UNCH
TOTAL										51	100	10494 + 93
AUG26												
3300	----	----	----	0.001B/3.808A	----	0.083 - 0.007	.0068	----	----	----	----	2 UNCH
3900	----	----	----	0.071B/*0.260A	----	0.181 - 0.013	.0148	----	----	----	----	2 UNCH
4175	----	----	----	0.124B/*0.323A	----	0.242 - 0.017	.0199	----	----	----	----	1 UNCH
4300	----	----	----	0.155B/*0.358A	----	0.276 - 0.018	.0228	----	----	----	----	1 UNCH
4350	----	----	----	0.169B/*0.373A	----	0.290 - 0.019	.0239	----	----	----	----	1 UNCH
4375	----	----	----	0.176B/*0.381A	----	0.298 - 0.019	.0246	----	----	----	----	160 UNCH
4400	----	----	----	0.183B/*0.389A	----	0.305 - 0.020	.0252	----	----	----	----	1 UNCH
4500	----	----	----	0.216B/*0.423A	----	0.338 - 0.022	.0280	----	----	----	----	2 UNCH
4600	----	----	----	0.253B/*0.462A	----	0.375 - 0.023	.0310	----	----	----	----	4 UNCH
4625	----	----	----	0.263B/*0.472A	----	0.384 - 0.024	.0318	----	----	----	----	1 UNCH
4700	----	----	----	0.294B/*0.504A	----	0.415 - 0.025	.0343	----	----	----	----	1 UNCH
4775	----	----	----	0.329B/*0.539A	----	0.448 - 0.027	.0370	----	----	----	----	1 UNCH
4800	----	----	----	0.341B/0.551A	----	0.459 - 0.028	.0379	----	----	----	----	16 UNCH
4825	----	----	----	0.354B/*0.564A	----	0.471 - 0.028	.0389	----	----	----	----	1 UNCH
5000	----	----	----	0.454B/0.662A	----	0.564 - 0.032	.0464	----	----	----	----	14 UNCH
5275	----	----	----	0.658B/0.856A	----	0.750 - 0.040	.0609	----	----	----	----	1 UNCH
5300	----	----	----	0.680B/*0.876A	----	0.770 - 0.040	.0624	----	----	----	----	1 UNCH
5500	----	----	----	0.877B/1.060A	----	0.949 - 0.047	.0757	----	----	----	----	25 UNCH
5675	----	----	----/*1.163A	1.113B/*1.163A	----	1.139 - 0.053	.0894	----	----	----	----	9 UNCH
5800	----	----	----/*1.317A	1.270B/*1.317A	----	1.296 - 0.058	.1003	----	----	----	----	4 UNCH
5850	----	----	----/1.369A	1.256B/1.369A	----	1.365 - 0.060	.1049	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS											
AUG26													
5875	----	----	----/*1.402A	1.342B/1.402A	----	1.401 -	0.060 .1074	----	----	----	----	4	UNCH
5900	----	----	----/1.465A	1.347B/1.465A	----	1.437 -	0.061 .1098	----	----	----	----	5	UNCH
5950	----	----	----	1.363B/1.642A	----	1.513 -	0.063 .1148	----	----	----	----	10	UNCH
6000	----	----	----	1.503B/1.721A	----	1.592 -	0.065 .1200	----	----	----	----	155	UNCH
6050	----	----	----	1.546B/1.811A	----	1.674 -	0.068 .1253	----	----	----	----	1	UNCH
6100	----	----	----	1.673B/1.897A	----	1.761 -	0.070 .1308	----	----	----	----	10	UNCH
6150	----	----	----	1.720B/1.998A	----	1.852 -	0.072 .1365	----	----	----	----	1	UNCH
6200	----	----	----	1.856B/2.095A	----	1.947 -	0.074 .1424	----	----	----	----	1	UNCH
6500	----	----	----	2.460B/2.842A	----	2.608 -	0.087 .1810	----	----	----	----	156	UNCH
6600	----	----	----	2.701B/3.112A	----	2.866 -	0.092 .1952	----	----	----	----	13	UNCH
6725	----	----	----	2.903B/3.510A	----	3.217 -	0.098 .2137	----	----	----	----	7	UNCH
6825	----	----	----	3.176B/3.850A	----	3.522 -	0.102 .2291	----	----	----	----	7	UNCH
6900	----	----	----	3.490B/4.126A	----	3.765 -	0.105 .2410	----	----	----	----	1	UNCH
7000	----	----	----	3.748B/4.515A	----	4.107 -	0.110 .2572	----	----	----	----	7	UNCH
7050	----	----	----	3.919B/4.774A	----	4.287 -	0.112 .2654	----	----	----	----	1	UNCH
7100	----	----	----	4.110B/4.972A	----	4.473 -	0.113 .2738	----	----	----	----	2	UNCH
7200	----	----	----	4.503B/5.406A	----	4.861 -	0.117 .2907	----	----	----	----	1	UNCH
7300	----	----	----	4.919B/5.800A	----	5.272 -	0.112 .3078	----	----	----	----	1	UNCH
7350	----	----	----	5.136B/6.023A	----	5.485 -	0.109 .3165	----	----	----	----	6	UNCH
7400	----	----	----	5.358B/6.215A	----	5.703 -	0.106 .3251	----	----	----	----	4	UNCH
7500	----	----	----	5.821B/6.650A	----	6.154 -	0.100 .3426	----	----	----	----	6	UNCH
7550	----	----	----	6.060B/6.860A	----	6.387 -	0.097 .3513	----	----	----	----	5	UNCH
7600	----	----	----	6.382B/7.107A	----	6.624 -	0.094 .3601	----	----	----	----	4	UNCH
7700	----	----	----	6.807B/7.586A	----	7.116 -	0.087 .3776	----	----	----	----	26	UNCH
7950	----	----	----	8.162B/8.874A	----	8.433 -	0.074 .4212	----	----	----	----	4	UNCH
7975	----	----	----	8.118B/9.227A	----	8.572 -	0.073 .4255	----	----	----	----	1	UNCH
8000	----	----	----	8.449B/9.148A	----	8.712 -	0.072 .4298	----	----	----	----	20	UNCH
8150	----	----	----	9.340B/9.998A	----	9.581 -	0.067 .4554	----	----	----	----	10	UNCH
8200	----	----	----	9.650B/10.291A	----	9.881 -	0.065 .4638	----	----	----	----	10	UNCH
8250	----	----	----	9.971B/10.589A	----	10.186 -	0.065 .4721	----	----	----	----	5	UNCH
8500	----	----	----	11.602B/12.115A	----	11.785 -	0.065 .5123	----	----	----	----	20	UNCH
9000	----	----	----	15.190B/15.609A	----	15.309 -	0.081 .5850	----	----	----	----	29	UNCH
9300	----	----	----	17.445B/17.813A	----	17.594 -	0.094 .6232	----	----	----	----	1	UNCH
9500	----	----	----	19.037B/19.358A	----	19.173 -	0.104 .6465	----	----	----	----	30	UNCH
10000	----	----	----	22.727B/23.913A	----	23.279 -	0.122 .6982	----	----	----	----	6	UNCH
10175	----	----	----	23.410B/25.392A	----	24.761 -	0.126 .7141	----	----	----	----	15	UNCH
TOTAL											0	835	0
SEP26													
2500	----	----	----	0.001B/3.672A	----	0.020 -	0.010 .0016	----	----	----	----	60	UNCH
3000	----	----	----	0.001B/3.820A	----	0.054 -	0.020 .0044	----	----	----	----	22	UNCH
3500	----	----	----	0.060B/0.267A	----	0.121 -	0.040 .0097	----	----	----	----	74	UNCH
4000	----	----	----	0.166B/0.393A	----	0.250 -	0.072 .0193	----	----	----	----	46	UNCH
4500	----	----	----	0.359B/0.596A	----	0.439 -	0.099 .0335	----	----	----	----	12	UNCH
5000	----	----	----	0.697B/*0.926A	----	0.746 -	0.122 .0555	----	----	----	----	232	UNCH
5100	----	----	----	0.788B/*1.014A	----	0.830 -	0.124 .0612	----	----	----	----	1	UNCH
5500	----	----	----	1.259B/1.455A	----	1.268 -	0.120 .0893	----	----	----	----	228	UNCH
5600	----	----	----	1.407B/1.584A	----	1.407 -	0.116 .0978	----	----	----	----	1	UNCH
5700	----	----	----	1.385B/1.734A	----	1.560 -	0.110 .1068	----	----	----	----	2	UNCH
5800	----	----	----	1.340B/2.326A	----	1.727 -	0.103 .1164	----	----	----	----	7	UNCH
5900	----	----	----	1.540B/2.505A	----	1.909 -	0.094 .1266	----	----	----	----	50	UNCH
6000	----	----	----	1.732B/2.696A	----	2.107 -	0.084 .1374	----	----	----	----	128	UNCH
6050	----	----	----	1.867B/2.773A	----	2.212 -	0.079 .1429	----	----	----	----	15	UNCH
6200	----	----	----	2.186B/3.117A	----	2.553 -	0.060 .1605	----	----	----	----	40	UNCH
6300	----	----	----	2.419B/3.378A	----	2.801 -	0.048 .1728	----	----	----	----	5	UNCH
6400	----	----	----	2.669B/3.656A	----	3.067 -	0.035 .1856	----	----	----	----	1	UNCH
6425	----	----	----	2.703B/3.729A	----	3.136 -	0.033 .1888	----	----	----	----	2	UNCH
6500	----	----	----	2.905B/3.954A	----	3.351 -	0.023 .1988	----	----	----	----	55	UNCH
6550	----	----	----	3.045B/4.110A	----	3.499 -	0.017 .2056	----	----	----	----	15	UNCH
6800	----	----	----	3.854B/4.945A	----	4.311 +	0.009 .2407	----	----	----	----	4	UNCH
6900	----	----	----	4.199B/5.290A	----	4.668 +	0.017 .2553	----	----	----	----	1	UNCH
7000	----	----	----	4.547B/5.654A	----	5.042 +	0.021 .2702	----	----	----	----	16	UNCH
7025	----	----	----	4.618B/5.813A	----	5.138 +	0.022 .2739	----	----	----	----	1	UNCH
7100	----	----	----	4.951B/6.037A	----	5.434 +	0.023 .2852	----	----	----	----	16	UNCH
7125	----	----	----	5.045B/6.207A	----	5.534 +	0.022 .2890	----	----	----	----	25	UNCH
7175	----	----	----	5.208B/6.391A	----	5.739 +	0.022 .2966	----	----	----	----	20	UNCH
7200	----	----	----	5.374B/6.439A	----	5.843 +	0.021 .3004	----	----	----	----	50	UNCH
7400	----	----	----	6.281B/7.302A	----	6.712 +	0.005 .3313	----	----	----	----	20	UNCH
7500	----	----	----	6.765B/7.798A	----	7.171 -	0.009 .3468	----	----	----	----	3	UNCH
7550	----	----	----	7.015B/8.001A	----	7.407 -	0.018 .3546	----	----	----	----	2	UNCH
7700	----	----	----	7.793B/8.784A	----	8.140 -	0.049 .3781	----	----	----	----	1	UNCH
7800	----	----	----	8.336B/9.263A	----	8.651 -	0.072 .3937	----	----	----	----	4	UNCH
7900	----	----	----	8.898B/9.801A	----	9.180 -	0.096 .4093	----	----	----	----	1	UNCH
8000	----	----	----	9.479B/10.358A	----	9.726 -	0.122 .4249	----	----	----	----	40	UNCH
8100	----	----	----	10.079B/10.932A	----	10.291 -	0.147 .4403	----	----	----	----	1	UNCH
8200	----	----	----	10.696B/11.564A	----	10.874 -	0.171 .4555	----	----	----	----	1	UNCH
8500	----	----	----	12.647B/13.403A	----	12.732 -	0.233 .4998	----	----	----	----	225	UNCH
8700	----	----	----	14.024B/14.733A	----	14.058 -	0.263 .5278	----	----	----	----	100	UNCH
9000	----	----	----	16.192B/16.834A	----	16.165 -	0.295 .5673	----	----	----	----	74	UNCH
9300	----	----	----	18.465B/19.046A	----	18.399 -	0.311 .6034	----	----	----	----	1	UNCH
9400	----	----	----	19.241B/19.805A	----	19.169 -	0.313 .6146	----	----	----	----	1	UNCH
10150	----	----	----	24.952B/26.293A	----	25.280 -	0.291 .6871	----	----	----	----	1	UNCH
10300	----	----	----	26.212B/27.551A	----	26.561 -	0.281 .6992	----	----	----	----	1	UNCH
TOTAL											0	1605	0
OCT26													
2675	----	----	----	0.001B/4.001A	----	0.044 -	0.014 .0033	----	----	----	----	8	UNCH
3250	----	----	----	0.054B/0.279A	----	0.100 -	0.029 .0076	----	----	----	----	1	UNCH
4000	----	----	----	0.237B/0.494A	----	0.282 -	0.068 .0207	----	----	----	----	3	UNCH
4500	----	----	----	0.501B/0.746A	----	0.560 -	0.110 .0386	----	----	----	----	3	UNCH
5000	----	----	----/*1.142A	0.888B/*1.142A	----	1.005 -	0.140 .0649	----	----	----	----	6	UNCH
5050	----	----	----/*1.192A	0.940B/*1.192A	----	1.060 -	0.143 .0680	----	----	----	----	1	UNCH
5150	----	----	----/*1.298A	1.053B/*1.298A	----	1.178 -	0.147 .0746	----	----	----	----	5	UNCH
6500	----	----	----	3.306B/4.470A	----	3.879 -	0.167 .2033	----	----	----	----	6	UNCH
7000	----	----	----	5.030B/6.266A	----	5.547 -	0.160 .2678	----	----	----	----	85	UNCH
7225	----	----	----	5.941B/7.265A	----	6.439 -	0.157 .2988	----	----	----	----	87	UNCH
7500	----	----	----	7.232B/8.411A	----	7.656 -	0.156 .3377	----	----	----	----	1	UNCH
7950	----	----	----	9.644B/10.725A	----	9.955 -	0.160 .4019	----	----	----	----	10	UNCH
8200	----	----	----	11.135B/12.160A	----	11.399 -	0.167 .4368	----	----	----	----	6	UNCH
8375	----	----	----	12.059B/13.515A	----	12.478 -	0.176 .4604	----	----	----	----	1	UNCH
9100	----	----	----	17.262B/18.097A	----	17.478 -	0.223 .5487	----	----	----	----	1	UNCH
10000	----	----	----	24.268B/24.954A	----	24.512 -	0.250 .6360	----	----	----	----	40	UNCH
TOTAL											0	264	0
NOV26													
4500	0.723	0.723	0.723/*0.723	0.723/*0.723	----	0.771 -	0.070 .0473	----	----	1	----	2	UNCH
4550	----	----	----	0.679B/0.975A	----	0.817 -	0.072 .0498	----	----	----	----	1	UNCH
4800	----	----	----	0.910B/1.199A	----	1.074 -	0.084 .0634	----	----	----	----	1	UNCH
5000	----	----	----	1.137B/*1.415A	----	1.317 -	0.094 .0758	----	----	----	----	12	UNCH
5200	----	----	----/*1.666A	1.406B/*1.666A	----	1.597 -	0.104 .0896	----	----	----	----	1	UNCH
5950	----	----	----	2.398B/3.224A	----	3.029 -	0.139 .1540	----	----	----	----	1	UNCH
6700	----	----	----	4.513B/5.907A	----	5.192 -	0.165 .2370	----	----	----	----	50	UNCH
7000	----	----	----	5.688B/7.056A	----	6.299 -	0.171 .2743	----	----	----	----	40	UNCH
7025	----	----	----	5.789B/7.162A	----	6.397 -	0.172 .2774	----	----	----	----	6	UNCH
7500	----	----	----	7.972B/9.287A	----	8.478 -	0.177 .3394	----	----	----	----	3	UNCH
7700	----	----	----	9.025B/10.299A	----	9.472 -	0.178 .3658	----	----	----	----	50	UNCH
8500	----	----	----	13.872B/14.982A	----	14.150 -	0.174 .4681	----	----	----	----	60	UNCH
9000	----	----	----	17.346B/18.360A	----	17.601 -	0.166 .5245	----	----	----	----	5	UNCH
9050	----	----	----	17.709B/18.713A	----	17.965 -	0.165 .5297	----	----	----	----	3	UNCH
10000	----	----	----	25.031B/25.888A	----	25.337 -	0.151 .6166	----	----	----	----	1	UNCH
11000	----	----	----	32.956B/34.634A	----	33.721 -	0.141 .6869	----	----	----	----	1	UNCH
TOTAL										1	0	237	0
DEC26													
1500	----	----	----	----/0.085A	----	0.011 -	0.005 .0007	----	----	----	----	180	UNCH
2000	----	----	----	0.001B/4.504A	----	0.037 -	0.013 .0023	----	----	----	----	10	UNCH
2500	----	----	----	0.001B/4.670A	----	0.068 -	0.023 .0044	----	----	----	----	32	UNCH
3000	----	----	----	0.025B/0.383A	----	0.123 -	0.040 .0082	----	----	----	----	93	UNCH
3100	----	----	----	0.044B/0.411A	----	0.138 -	0.044 .0093	----	----	----	----	1	UNCH
3150	----	----	----	0.054B/0.426A	----	0.152 -	0.047 .0101	----	----	----	----	1	UNCH
3500	----	----	----	0.146B/0.550A	----	0.279 -	0.075 .0176	----	----	----	----	45	UNCH
3850	----	----	----	0.283B/0.715A	----	0.455 -	0.102 .0275	----	----	----	----	1	UNCH
3900	----	----	----	0.307B/0.743A	----	0.483 -	0.105 .0291	----	----	----	----	1	UNCH
3925	----	----	----	0.320B/0.757A	----	0.498 -	0.105 .0299	----	----	----	----	1	UNCH
4000	----	----	----	0.360B/0.801A	----	0.543 -	0.109 .0324	----	----	----	----	74	UNCH
4500	----	----	----	0.719B/1.174A	----	0.923 -	0.131 .0528	----	----	----	----	32	UNCH
4600	----	----	----	0.814B/1.269A	----	1.018 -	0.135 .0577	----	----	----	----	4	UNCH
4800	----	----	----	1.032B/1.481A	----	1.231 -	0.139 .0686	----	----	----	----	241	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 65

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
5000	----	----	----	1.291B/1.728A	----	1.477 - 0.142	.0807	----	----	----	----	357 UNCH
5250	----	----	----	1.007B/2.721A	----	1.838 - 0.141	.0979	----	----	----	----	50 UNCH
5300	----	----	----	1.093B/2.802A	----	1.918 - 0.141	.1016	----	----	----	----	250 UNCH
5400	----	----	----	1.275B/2.974A	----	2.086 - 0.139	.1093	----	----	----	----	100 UNCH
5500	2.230	2.230	2.230/2.230	2.230/2.230	----	2.266 - 0.137	.1173	----	----	10	----	101 + 10
5600	----	----	----	1.699B/3.356A	----	2.459 - 0.134	.1258	----	----	----	----	4 UNCH
5650	----	----	----	1.819B/3.461A	----	2.560 - 0.132	.1301	----	----	----	----	12 UNCH
5800	----	----	----	2.209B/3.795A	----	2.884 - 0.125	.1438	----	----	----	----	1 UNCH
5950	----	----	----	2.553B/4.162A	----	3.241 - 0.117	.1582	----	----	----	----	5 UNCH
6000	----	----	----	2.653B/4.293A	----	3.368 - 0.113	.1632	----	----	----	----	147 UNCH
6200	----	----	----	3.232B/4.842A	----	3.916 - 0.099	.1841	----	----	----	----	13 UNCH
6300	----	----	----	3.545B/5.139A	----	4.216 - 0.090	.1950	----	----	----	----	25 UNCH
6500	----	----	----	4.220B/5.781A	----	4.869 - 0.072	.2176	----	----	----	----	626 UNCH
6650	----	----	----	4.769B/6.328A	----	5.407 - 0.058	.2353	----	----	----	----	5 UNCH
6725	----	----	----	4.865B/6.860A	----	5.691 - 0.051	.2442	----	----	----	----	4 UNCH
6750	----	----	----	5.156B/6.675A	----	5.788 - 0.048	.2473	----	----	----	----	6 UNCH
6800	----	----	----	5.355B/6.866A	----	5.985 - 0.044	.2533	----	----	----	----	52 UNCH
6850	6.370	6.370	6.370/6.135A	6.370/6.135A	----	6.187 - 0.039	.2594	----	----	20	----	78 + 17
6900	----	----	----	5.767B/7.260A	----	6.392 - 0.035	.2655	----	----	----	----	1 UNCH
6950	----	----	----	5.980B/7.464A	----	6.602 - 0.031	.2717	----	----	----	----	101 UNCH
7000	----	----	----	6.196B/7.701A	----	6.815 - 0.029	.2778	----	----	----	----	179 UNCH
7050	----	----	----	6.417B/7.883A	----	7.033 - 0.026	.2840	----	----	----	----	1 UNCH
7075	----	----	----	6.254B/8.334A	----	7.144 - 0.024	.2871	----	----	----	----	20 UNCH
7100	----	----	----	6.642B/8.098A	----	7.255 - 0.023	.2902	----	----	----	----	2 UNCH
7200	8.200	8.200	8.200/7.710	8.200/7.710	----	7.710 - 0.020	.3026	----	----	5	----	14 UNCH
7250	----	----	----	7.341B/8.770A	----	7.943 - 0.019	.3089	----	----	----	----	48 UNCH
7500	----	----	----	8.589B/9.340A	----	9.165 - 0.023	.3401	----	----	----	----	21 UNCH
7550	----	----	----	8.851B/10.223A	----	9.420 - 0.026	.3463	----	----	----	----	1 UNCH
7800	----	----	----	10.220B/11.591A	----	10.751 - 0.046	.3773	----	----	----	----	20 UNCH
7850	----	----	----	10.506B/11.819A	----	11.028 - 0.051	.3834	----	----	----	----	10 UNCH
7875	----	----	----	10.221B/12.405A	----	11.167 - 0.055	.3865	----	----	----	----	1 UNCH
7900	----	----	----	10.795B/11.520A	----	11.308 - 0.057	.3896	----	----	----	----	19 UNCH
8000	----	----	----	11.385B/12.090A	----	11.878 - 0.071	.4018	----	----	----	----	50 UNCH
8100	----	----	----	11.989B/13.305A	----	12.462 - 0.086	.4139	----	----	1	----	1 UNCH
8200	----	----	----	12.607B/13.170A	----	13.059 - 0.102	.4259	----	----	----	----	35 UNCH
8350	----	----	----	13.561B/14.827A	----	13.978 - 0.129	.4434	----	----	----	----	9 UNCH
8400	----	----	----	13.886B/15.092A	----	14.290 - 0.140	.4492	----	----	----	----	50 UNCH
8500	15.099	15.099	15.343/15.052A	15.343/15.052A	----	14.925 - 0.159	.4606	----	----	11	----	166 + 6
8600	----	----	----/15.630A	15.216B/15.630A	----	15.571 - 0.180	.4719	----	----	----	----	2 UNCH
8800	----	----	----	16.594B/17.726A	----	16.898 - 0.224	.4938	----	----	----	----	12 UNCH
8900	----	----	----	17.300B/18.414A	----	17.578 - 0.247	.5045	----	----	----	----	30 UNCH
9000	----	----	----	18.016B/19.113A	----	18.269 - 0.270	.5150	----	----	----	----	3 UNCH
9050	----	----	----	18.378B/19.466A	----	18.618 - 0.282	.5202	----	----	----	----	100 UNCH
9500	----	----	----	21.739B/22.757A	----	21.874 - 0.382	.5643	----	----	----	----	2 UNCH
9850	----	----	----	24.468B/25.437A	----	24.532 - 0.451	.5956	----	----	----	----	8 UNCH
9950	----	----	----	25.264B/26.220A	----	25.310 - 0.468	.6041	----	----	----	----	1 UNCH
10025	----	----	----	25.216B/27.569A	----	25.899 - 0.480	.6103	----	----	----	----	3 UNCH
10125	----	----	----	26.097B/28.280A	----	26.690 - 0.495	.6185	----	----	----	----	1 UNCH
10700	----	----	----	31.420B/32.290A	----	31.373 - 0.556	.6612	----	----	----	----	5 UNCH
10800	----	----	----	32.210B/33.122A	----	32.208 - 0.564	.6680	----	----	----	----	2 UNCH
11000	----	----	----	33.272B/34.802A	----	33.895 - 0.574	.6810	----	----	----	----	2 UNCH
11500	----	----	----	37.581B/39.889A	----	38.200 - 0.585	.7105	----	----	----	----	1 UNCH
12000	----	----	----	----/80.404A	----	42.611 - 0.578	.7362	----	----	----	----	1 UNCH
12100	----	----	----	----/81.605A	----	43.504 - 0.575	.7409	----	----	----	----	1 UNCH
12300	----	----	----	----/83.973A	----	45.301 - 0.567	.7500	----	----	----	----	1 UNCH
15000	----	----	----	24.618B/112.302A	----	70.430 - 0.377	.8352	----	----	----	----	1 UNCH
19000	----	----	----	66.270B/139.446A	----	109.154 - 0.125	.8952	----	----	----	----	1 UNCH
TOTAL										47	0	3478 + 33
JAN27												
3800	----	----	----	0.173B/0.933A	----	0.396 - 0.073	.0243	----	----	----	----	1 UNCH
7125	----	----	----	6.240B/9.614A	----	7.762 - 0.029	.2879	----	----	----	----	1 UNCH
8600	----	----	----	15.483B/16.759A	----	16.201 - 0.044	.4533	----	----	----	----	1 UNCH
TOTAL											0	3 0
FEB27												
8150	----	----	----	13.152B/*14.641A	----	13.838 + 0.070	.4029	----	----	----	----	10 UNCH
8225	----	----	----	12.413B/16.342A	----	14.301 + 0.075	.4109	----	----	----	----	10 UNCH
8250	----	----	----	13.775B/*15.195A	----	14.457 + 0.077	.4135	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.457B/8.110A	----	6.074 - 0.082	.2249	----	----	----	----	20 UNCH
8300	15.100	15.100	#15.100/*15.100	15.100/*15.100	----	15.322 NEW	.4150	----	----	50	----	50 + 50
TOTAL										50	0	70 + 50
DEC27												
7175	----	----	----	----	----	12.682 - 0.028	.2815	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----	3.552B/4.098A	----	3.896 + 0.059	.5315	----	----	----	----	5 UNCH
8200	----	----	#3.093B/2.870A	3.093B/2.870A	----	3.021 + 0.041	.4466	----	----	----	----	1 UNCH
9000	0.980	0.980	#1.215B/*0.980	#1.215B/0.980	----	1.066 NEW	.1909	----	----	8	----	8 + 8
TOTAL										8	0	14 + 8
SO1 PUT		SILVER OPTIONS										
MAY26												
7000	0.600	0.600	0.600/*0.600	0.617B/*0.600	----	0.674 NEW	.1202	----	----	1	----	1 + 1
7050	----	----	----	0.665B/*0.888A	----	0.738 - 0.067	.1307	----	----	----	----	1 UNCH
TOTAL										1	0	2 + 1
SO2 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----	#4.272B/*4.891A	----	4.645 - 0.199	.5348	----	----	----	----	2 UNCH
8300	3.600	3.600	#3.761B/*3.267A	#3.761B/*3.267A	----	3.418 NEW	.4313	----	----	6	----	6 + 6
9200	----	----	#1.460B/----	#1.460B/*1.365A	----	1.390 + 0.235	.2051	----	----	----	----	2 UNCH
TOTAL										6	0	10 + 6
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	----	----	9.709 + 0.060	.9861	----	----	----	----	7 UNCH
7100	----	----	----	----	----	8.720 + 0.049	.9823	----	----	----	----	1 UNCH
7300	----	----	----	6.234B/7.922A	----	6.767 + 0.017	.9662	----	----	----	----	3 UNCH
7400	----	----	#6.076B/----	6.076B/7.066A	----	5.814 - 0.011	.9491	----	----	----	----	1 UNCH
7420	----	----	#6.036B/----	#6.036B/8.759A	----	5.627 - 0.017	.9444	----	----	----	----	5 UNCH
7430	----	----	----	----	----	5.533 - 0.021	.9420	----	----	----	----	2 UNCH
7450	----	----	----	----	----	5.347 - 0.029	.9367	----	----	----	----	6 UNCH
7475	----	----	----	4.143B/6.858A	----	5.117 - 0.038	.9291	----	----	----	----	6 UNCH
7500	5.500	5.500	#5.520/5.500	5.520/5.500	----	4.888 - 0.050	.9209	----	----	2	----	20 - 2
7550	----	----	----	----	----	4.439 - 0.074	.9009	----	----	----	----	0 UNCH
7575	----	----	----	----	----	4.219 - 0.087	.8890	----	----	----	----	2 UNCH
7600	----	----	----	3.000B/----	----	4.002 - 0.102	.8761	----	----	----	----	16 UNCH
7625	----	----	----	----	----	3.788 - 0.117	.8613	----	----	----	----	4 UNCH
7650	----	----	----	----	----	3.578 - 0.133	.8453	----	----	----	----	5 UNCH
7680	----	----	----	----	----	3.332 - 0.153	.8240	----	----	----	----	2 UNCH
7750	----	----	----/2.759A	1.667B/2.759A	----	2.782 - 0.205	.7644	----	----	----	----	3 UNCH
7800	2.500	2.500	2.500/2.109A	2.500/2.109A	----	2.415 - 0.244	.7136	----	----	1	----	7 UNCH
7825	----	----	----/1.910A	1.640B/1.910A	----	2.240 - 0.264	.6857	----	----	----	----	3 UNCH
7850	----	----	----/1.798A	1.727B/1.798A	----	2.071 - 0.284	.6561	----	----	----	----	20 UNCH
7870	----	----	----/1.690A	1.760B/1.690A	----	1.941 - 0.299	.6314	----	----	----	----	20 UNCH
7875	----	----	----/1.658A	1.837B/1.658A	----	1.909 - 0.303	.6251	----	----	----	----	4 UNCH
7900	----	----	----/1.529A	1.881B/1.529A	----	1.755 - 0.320	.5927	----	----	----	----	3 UNCH
7950	2.200	2.200	2.200/1.060	2.200/1.060	----	1.469 - 0.351	.5249	----	----	3	----	2 + 1
7975	----	----	1.886B/1.136A	1.886B/1.136A	----	1.338 - 0.363	.4901	----	----	----	----	2 UNCH
8000	1.756	1.756	1.979B/1.084A	1.979B/1.084A	----	1.215 - 0.374	.4551	----	----	5	----	66 - 3
8075	----	----	1.717B/0.780A	1.717B/0.780A	----	0.899 NEW	.3530	----	----	1	----	1 + 1
8100	1.045	1.045	1.627B/0.712A	1.627B/0.712A	----	0.810 - 0.387	.3210	----	----	2	----	3 + 1
8150	0.650	0.650	1.363B/0.650	1.363B/0.650	----	0.657 NEW	.2622	----	----	7	----	7 + 7
8200	1.230	1.230	1.230/0.524A	1.230/0.524A	----	0.534 - 0.353	.2115	----	----	37	----	22 UNCH
8250	----	----	0.964B/0.472A	0.964B/0.472A	----	0.436 - 0.324	.1691	----	----	----	----	1 UNCH
8300	----	----	0.836B/0.387A	0.836B/0.387A	----	0.359 - 0.291	.1349	----	----	----	----	7 UNCH
8350	----	----	0.655B/0.339A	0.655B/0.339A	----	0.299 - 0.258	.1078	----	----	----	----	1 UNCH
8390	----	----	#0.555B/*0.301A	#0.555B/0.301A	----	0.260 NEW	.0904	----	----	1	----	1 + 1
8400	----	----	0.563B/0.290A	0.563B/0.290A	----	0.252 - 0.225	.0867	----	----	----	----	12 UNCH
8500	0.150	0.150	0.363B/*0.150	0.363B/*0.150	----	0.185 - 0.172	.0572	----	----	23	----	32 + 9
8575	0.114	0.114	0.131/*0.114	0.222B/*0.114	----	0.150 NEW	.0426	----	----	50	----	50 + 50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL		SILVER OPTIONS										
APR26												
8800	0.170	0.170	0.170/0.140	0.170/0.140	----	0.091 - 0.092	.0200	----	----	2	----	4 - 1
8825	----	----	----/0.142A	0.026B/0.142A	----	0.081 - 0.086	.0173	----	----	----	----	1 UNCH
8875	----	----	----/0.138A	0.012B/0.138A	----	0.064 - 0.075	.0129	----	----	----	----	1 UNCH
8900	----	----	----	0.021B/0.136A	----	0.057 NEW	.0111	----	----	2	----	2 + 2
9000	----	----	----	0.009B/0.129A	----	0.034 - 0.052	.0058	----	----	----	----	3 UNCH
TOTAL										136	0	358 + 66
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	20 UNCH
5500	----	----	----	----/0.190A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
6000	----	----	----	----/0.140A	----	0.004 - 0.004	.0001	----	----	----	----	110 UNCH
6200	----	----	----	----/0.122A	----	0.010 - 0.007	.0006	----	----	----	----	3 UNCH
6300	----	----	----	----/0.117A	----	0.014 - 0.010	.0010	----	----	----	----	2 UNCH
6400	----	----	----	0.001B/*0.070A	----	0.021 - 0.012	.0017	----	----	----	----	7 UNCH
6500	----	----	----	0.001B/0.070A	----	0.029 - 0.015	.0027	----	----	----	----	7 UNCH
6600	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.040 - 0.017	.0043	----	----	1	----	16 - 1
6625	----	----	----	0.001B/*0.109A	----	0.043 - 0.017	.0047	----	----	----	----	1 UNCH
6700	----	----	----	0.001B/*0.104A	----	0.053 - 0.018	.0064	----	----	----	----	2 UNCH
6800	----	----	----	0.001B/*0.104A	----	0.067 - 0.019	.0090	----	----	----	----	27 UNCH
6825	----	----	----	0.001B/*0.121A	----	0.071 - 0.019	.0098	----	----	----	----	20 UNCH
6900	0.093	0.093	0.093/*0.093	0.093/*0.093	----	0.076 - 0.026	.0113	----	----	1	----	3 - 1
7000	----	----	----/*0.100A	0.002B/*0.100A	----	0.083 - 0.036	.0138	----	----	----	----	19 UNCH
7050	----	----	----	0.004B/*0.142A	----	0.088 - 0.040	.0156	----	----	----	----	1 UNCH
7055	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.088 - 0.041	.0156	----	----	1	----	1 UNCH
7100	----	----	----	0.016B/*0.148A	----	0.094 - 0.046	.0176	----	----	----	----	11 UNCH
7200	0.150	0.150	0.150/*0.150	0.150/*0.150	----	0.111 - 0.060	.0236	----	----	4	----	53 - 1
7205	----	----	----/*0.167A	0.030B/*0.167A	----	0.112 - 0.061	.0239	----	----	----	----	1 UNCH
7210	----	----	----/*0.168A	0.030B/*0.168A	----	0.113 - 0.062	.0243	----	----	----	----	1 UNCH
7250	----	----	----/*0.170A	0.030B/*0.170A	----	0.124 - 0.068	.0280	----	----	----	----	5 UNCH
7300	----	----	----/*0.183A	0.060B/*0.183A	----	0.140 - 0.079	.0337	----	----	----	----	10 UNCH
7330	----	----	----/*0.205A	0.113B/*0.205A	----	0.152 - 0.086	.0380	----	----	----	----	1 UNCH
7345	----	----	----/*0.215A	0.124B/*0.215A	----	0.159 - 0.089	.0404	----	----	----	----	1 UNCH
7350	----	----	----/*0.218A	0.091B/*0.218A	----	0.161 - 0.091	.0412	----	----	----	----	7 UNCH
7380	----	----	----/*0.233A	0.152B/*0.233A	----	0.176 - 0.100	.0467	----	----	----	----	2 UNCH
7400	0.300	0.300	0.300/*0.226A	0.300/*0.226A	----	0.187 - 0.106	.0508	----	----	13	----	11 + 9
7450	----	----	----/*0.268A	0.142B/*0.268A	----	0.220 - 0.124	.0632	----	----	----	----	1 UNCH
7460	----	----	----/*0.275A	0.225B/*0.275A	----	0.228 - 0.127	.0662	----	----	----	----	1 UNCH
7470	----	----	----/*0.280A	0.239B/*0.280A	----	0.236 - 0.131	.0692	----	----	----	----	4 UNCH
7500	0.417	0.417	0.417/*0.290A	0.417/*0.290A	----	0.261 - 0.145	.0790	----	----	25	----	15 + 10
7550	0.255	0.255	0.279/*0.255	0.286B/*0.255	----	0.312 - 0.169	.0990	----	----	3	----	5 + 3
7575	----	----	----/*0.355A	0.383B/*0.355A	----	0.342 - 0.182	.1109	----	----	----	----	6 UNCH
7600	0.648	0.648	0.648/*0.378A	0.648/*0.378A	----	0.374 - 0.197	.1238	----	----	10	----	11 + 10
7675	----	----	----/*0.486A	0.600B/*0.486A	----	0.495 - 0.245	.1723	----	----	----	----	1 UNCH
7700	0.750	0.750	0.750/*0.530A	0.750/*0.530A	----	0.543 - 0.263	.1915	----	----	1	----	5 UNCH
7760	0.877	0.877	#0.931B/*0.658A	0.931B/*0.658A	----	0.679 NEW	.2450	----	----	21	----	21 + 21
7800	----	----	1.136B/*0.714A	1.136B/*0.714A	----	0.787 - 0.339	.2863	----	----	----	----	4 UNCH
7850	0.937	0.937	1.340B/*0.928A	1.340B/*0.928A	----	0.943 NEW	.3438	----	----	1	----	1 + 1
7870	0.931	0.931	#1.445B/*0.819	1.445B/*0.819	----	1.013 NEW	.3685	----	----	2	----	1 + 1
7900	1.622	1.622	1.626B/*1.067A	1.626B/*1.067A	----	1.127 - 0.415	.4072	----	----	5	----	5 + 5
7950	1.000	1.000	1.887B/*1.000	1.887B/*1.000	----	1.341 NEW	.4750	----	----	1	----	1 + 1
7980	1.801	1.801	#2.067B/*1.396A	2.067B/*1.396A	----	1.485 NEW	.5168	----	----	2	----	1 + 1
7990	1.856	1.856	#2.142B/*1.441A	2.142B/*1.441A	----	1.535 NEW	.5308	----	----	5	----	5 + 5
8000	1.900	1.900	2.198B/*1.487A	2.198B/*1.487A	----	1.587 - 0.469	.5448	----	----	1	----	4 UNCH
8050	1.843	1.843	1.843/*1.764A	2.207B/*1.764A	----	1.868 NEW	.6137	----	----	4	----	4 + 4
TOTAL										101	0	439 + 68
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----	3.653B/3.712A	----	3.738 + 0.050	.6114	----	----	----	----	20 UNCH
7900	----	----	3.155B/----	3.155B/3.204A	----	3.194 + 0.041	.5537	----	----	----	----	5 UNCH
8000	----	----	----/2.466A	2.583B/2.466A	----	2.709 + 0.023	.4956	----	----	----	----	1 UNCH
8150	2.370	2.370	#2.370/1.850A	2.370/1.850A	----	2.088 NEW	.4108	----	----	1	----	1 + 1
8200	----	----	2.392B/1.727A	2.392B/1.727A	----	1.908 - 0.039	.3838	----	----	2	----	3 + 2
8225	2.100	2.100	2.292B/1.676A	2.292B/1.676A	----	1.823 - 0.048	.3706	----	----	2	----	2 UNCH
8250	1.400	1.400	#2.191B/1.400	#2.191B/1.400	----	1.741 - 0.057	.3576	----	----	5	----	2 + 1
8300	1.500	1.500	#2.040B/1.443A	#2.040B/1.443A	----	1.586 - 0.076	.3323	----	----	3	----	5 + 3
8350	1.530	1.530	#1.823B/1.346A	#1.823B/1.346A	----	1.443 NEW	.3081	----	----	1	----	1 + 1
8400	----	----	#1.696B/1.210A	#1.696B/1.210A	----	1.310 - 0.115	.2849	----	----	----	----	1 UNCH
8500	----	----	#1.400B/1.020A	#1.400B/1.020A	----	1.077 - 0.151	.2420	----	----	2	----	3 + 2
8600	----	----	#1.149B/*0.863A	#1.149B/0.863A	----	0.880 - 0.183	.2036	----	----	1	----	3 + 1
TOTAL										17	0	47 + 11
SO4 PUT		SILVER OPTIONS										
APR26												
6000	----	----	----	0.050B/*0.151A	----	0.108 + 0.058	.0183	----	----	----	----	1 UNCH
6125	----	----	----	0.002B/*0.168A	----	0.118 + 0.054	.0209	----	----	----	----	2 UNCH
6400	----	----	----	0.038B/*0.201A	----	0.147 + 0.037	.0289	----	----	----	----	1 UNCH
6500	0.150	0.150	0.150/*0.130	0.150/*0.130	----	0.162 + 0.028	.0330	----	----	2	----	11 UNCH
7000	0.400	0.400	0.400/*0.315	0.400/*0.315	----	0.351 - 0.032	.0803	----	----	5	----	27 + 5
7100	----	----	----	0.347B/*0.513A	----	0.435 - 0.041	.0997	----	----	----	----	2 UNCH
7200	0.590	0.590	0.590/*0.485	0.590/*0.485	----	0.545 - 0.049	.1240	----	----	2	----	5 - 2
7300	----	----	----	0.668B/*0.752A	----	0.688 - 0.052	.1541	----	----	----	----	2 UNCH
7500	1.200	1.200	1.200/*1.131A	1.200/*1.131A	----	1.099 NEW	.2324	----	----	1	----	1 + 1
7750	1.700	1.700	2.114B/*1.670	2.114B/*1.670	----	1.906 NEW	.3603	----	----	15	----	3 + 3
7850	2.320	2.320	2.592B/*2.289A	2.592B/*2.289A	----	2.331 NEW	.4172	----	----	1	----	1 + 1
7900	2.508	2.508	#2.871B/*2.477A	2.871B/*2.477A	----	2.566 NEW	.4462	----	----	1	----	1 + 1
TOTAL										27	0	57 + 9
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	19.628 + 0.094	----	----	----	1	----	0 - 1
6000	----	----	----	----	----	19.687 NEW	.9882	----	----	1	----	1 + 1
6700	----	----	----	----/*0.097A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
6800	----	----	----	0.077B/*0.219A	----	0.139 - 0.005	.0341	----	----	----	----	2 UNCH
6800	0.014	0.014	0.014/*0.014	0.014/*0.014	----	0.000 - 0.005	----	----	----	1	----	0 - 10
6900	----	----	----	----/0.096A	----	0.000 - 0.009	----	----	----	----	----	0 - 20
7000	----	----	----	----/0.099A	----	0.000 - 0.016	----	----	----	----	----	0 - 20
7100	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.021	----	----	----	2	----	0 - 3
7200	----	----	----	----/0.120A	----	0.000 - 0.025	----	----	----	----	----	0 - 1
7300	----	----	----	----/0.127A	----	0.000 - 0.033	----	----	----	----	----	0 - 10
7375	0.750	0.750	0.750/*0.634A	0.750/*0.634A	----	0.550 NEW	.1437	----	----	1	----	1 + 1
7400	0.700	0.700	0.700/*0.637A	0.700/*0.637A	----	0.590 NEW	.1534	----	----	1	----	1 + 1
7400	----	----	----/*1.221A	1.175B/*1.221A	----	1.138 - 0.098	.2082	----	----	----	----	1 UNCH
7400	----	----	----	0.001B/*0.060A	----	0.000 - 0.047	----	----	----	----	----	0 - 10
7450	1.500	1.500	1.500/*1.359A	1.500/*1.359A	----	1.252 NEW	.2258	----	----	2	----	2 + 2
7500	0.950	0.950	0.950/*0.812A	0.950/*0.812A	----	0.779 NEW	.1971	----	----	2	----	2 + 2
7500	----	----	----	----	----	4.628 + 0.021	----	----	----	5	----	0 - 5
7500	0.072	0.072	0.072/*0.001	0.072/*0.001	----	0.000 - 0.074	----	----	----	2	----	0 - 1
7500	----	----	----/*1.454A	1.468B/*1.454A	----	1.376 NEW	.2444	----	----	1	----	1 + 1
7500	----	----	----	----/24.785A	----	5.404 - 0.067	.8028	----	----	5	----	0 - 5
7600	0.095	0.095	0.095/*0.095	0.095/*0.095	----	0.000 - 0.125	----	----	----	1	----	0 - 30
7610	3.310	3.310	#3.310/3.310	#3.310/3.310	----	3.528 - 0.039	----	----	----	3	----	0 - 3
7650	----	----	----/*0.128A	0.001B/*0.128A	----	0.000 - 0.179	----	----	----	----	----	0 - 6
7660	0.174	0.174	#0.174/*0.006	0.174/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7700	3.000	3.000	3.000/3.000	3.000/3.000	----	2.628 - 0.160	----	----	----	10	----	0 - 10
7700	0.240	0.240	#0.250/*0.125A	0.250/*0.125A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7750	1.570	1.570	1.570/1.570	1.570/1.570	----	2.128 - 0.259	----	----	----	1	----	0 - 1
7750	0.300	0.300	#0.300/*0.132A	0.300/*0.132A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7800	0.331	0.331	#0.379/*0.005	0.379/*0.005	----	0.000 NEW	----	----	----	4	----	0 UNCH
7800	----	----	----/1.599A	0.254B/1.599A	----	1.628 - 0.386	----	----	----	----	----	0 - 12
7850	----	----	----/0.953A	0.353B/0.953A	----	1.128 - 0.545	----	----	----	2	----	0 - 7
7850	0.250	0.250	0.600/*0.005	0.600/*0.005	----	0.000 - 0.640	----	----	----	7	----	0 - 2
7850	----	----	----/3.038A	3.033B/3.038A	----	3.040 - 0.118	.5923	----	----	2	----	2 UNCH
7860	0.400	0.400	#0.471B/*0.120A	0.471B/*0.120A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7870	0.644	0.644	0.644/*0.644	0.644/0.644	----	0.928 NEW	----	----	----	1	----	0 UNCH
7890	0.528	0.528	0.528/*0.528	0.528/0.528	----	0.728 NEW	----	----	----	2	----	0 UNCH
7900	0.520	0.520	0.900/0.487	0.900/0.487	----	0.628 - 0.740	----	----	----	10	----	0 - 4
7900	0.585	0.585	0.662/*0.070	0.662/*0.070	----	0.000 - 0.835	----	----	----	12	----	0 - 2
7925	0.032	0.032	0.032/*0.032	0.631B/*0.032	----	0.000 NEW	----	----	----	12	----	0 UNCH
7940	----	----	----/*0.282A	0.702B/*0.282A	----	0.000 - 1.018	----	----	----	----	----	0 - 1
7950	0.600	0.600	0.600/*0.311A	0.752B/*0.311A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7950	0.400	0.400	0.400/0.400	0.674B/0.400	----	0.128 - 0.973	----	----	----	10	----	0 - 2
7960	0.980	0.980	#1.000/*0.340A	#1.000/*0.340A	----	0.000 NEW	----	----	----	3	----	0 UNCH
8000	0.500	0.500	0.540/*0.050	0.640B/*0.050	----	0.000 - 0.869	----	----	----	16	----	0 - 13
8030	0.186	0.186	0.186/*0.006	#0.613B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
8050	0.651	0.651	0.651/*0.154A	0.651/*0.154A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8100	0.501	0.501	0.639B/*0.015A	0.639B/*0.015A	----	0.000 - 0.512	----	----	----	2	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
8125	0.400	0.400	0.636B/*0.041	0.636B/*0.041	----	0.000 NEW	----	----	----	2	----	0 UNCH
8175	0.500	0.500	0.500/*0.030	0.500/*0.030	----	0.000 NEW	----	----	----	4	----	0 UNCH
8200	0.300	0.300	0.550/*0.020	0.550/*0.020	----	0.000 - 0.279	----	----	----	8	----	0 - 2
8200	----	----	#2.790B/2.485A	#2.790B/2.485A	----	2.656 + 0.025	.4358	----	----	----	----	2 UNCH
8225	----	----	0.273B/*0.104A	0.273B/*0.104A	----	0.000 - 0.238	----	----	----	----	----	0 - 2
8300	----	----	#1.647B/1.056A	#1.647B/1.056A	----	1.061 NEW	.2840	----	----	1	----	1 + 1
8300	----	----	----/0.126A	0.132B/0.126A	----	0.000 - 0.145	----	----	----	----	----	0 - 1
8350	----	----	#1.438B/0.973A	#1.438B/0.973A	----	0.959 - 0.219	.2584	----	----	----	----	1 UNCH
8500	----	----	0.050B/----	0.050B/0.120A	----	0.000 - 0.033	----	----	----	----	----	0 - 1
8500	0.960	0.960	#1.041B/*0.699A	#1.041B/0.699A	----	0.711 NEW	.1937	----	----	5	----	5 + 5
8700	----	----	#1.517B/*1.229A	#1.517B/1.229A	----	1.238 UNCH	.2391	----	----	1	----	1 + 1
8800	----	----	#1.290B/----	#1.290B/1.071A	----	1.065 NEW	.2098	----	----	1	----	1 + 1
9300	----	----	----	#0.077B/*0.215A	----	0.170 NEW	.0433	----	----	1	----	1 + 1
TOTAL										157	0	25 - 172
MAY26												
10000	0.700	0.700	#0.700/*0.485	#0.700/*0.485	----	0.518 NEW	.0877	----	----	2	----	2 + 2
TOTAL										2	0	2 + 2
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
APR26												
6800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	0.083B/*0.234A	----	0.166 - 0.006	.0441	----	----	----	----	5 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	6.533 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----/*0.925A	0.807B/*0.925A	----	0.823 - 0.103	.1645	----	----	----	----	3 UNCH
7350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7420	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	5.033 UNCH	----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	4.783 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	4.533 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	4.033 UNCH	----	----	----	----	----	0 UNCH
7560	----	----	----	----	----	3.933 UNCH	----	----	----	----	----	0 UNCH
7580	----	----	----	----	----	3.733 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	3.533 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	1.000	1.000	1.000/*0.837A	1.000/*0.837A	----	0.821 NEW	.2257	----	----	5	----	5 + 5
7610	----	----	----	----	----	3.433 UNCH	----	----	----	----	----	0 UNCH
7620	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7625	----	----	----	----	----	3.283 UNCH	----	----	----	----	----	0 UNCH
7625	----	----	----	2.197B/5.085A	----	4.263 - 0.046	.7590	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	3.033 UNCH	----	----	----	----	----	0 UNCH
7675	----	----	----	----	----	2.783 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----/3.663A	3.500B/3.663A	----	3.735 - 0.060	.7097	----	----	----	----	22 UNCH
7700	----	----	----	----	----	2.533 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	1.309B/*1.103A	1.309B/*1.103A	----	1.109 - 0.154	.2902	----	----	----	----	4 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7725	----	----	----	----	----	2.283 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	2.033 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----/3.353A	2.639B/3.353A	----	3.406 - 0.068	.6745	----	----	----	----	1 UNCH
7750	----	----	----	0.034B/12.111A	----	4.710 - 0.033	.6552	----	----	----	----	3 UNCH
7750	----	----	1.485B/*1.280A	1.485B/*1.280A	----	1.280 - 0.162	.3254	----	----	----	----	1 UNCH
7760	----	----	----	----	----	1.933 UNCH	----	----	----	----	----	0 UNCH
7775	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7775	----	----	----	----	----	1.783 UNCH	----	----	----	----	----	0 UNCH
7790	----	----	----	----	----	1.633 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	1.533 UNCH	----	----	----	----	----	0 UNCH
7825	----	----	----	----	----	1.283 UNCH	----	----	----	----	----	0 UNCH
7830	----	----	----	----	----	1.233 UNCH	----	----	----	----	----	0 UNCH
7840	----	----	----	----	----	1.133 UNCH	----	----	----	----	----	0 UNCH
7850	1.631	1.631	#1.952B/*1.617A	1.952B/*1.617A	----	1.674 NEW	.3997	----	----	4	----	4 + 4
7850	----	----	----	----	----	1.033 UNCH	----	----	----	----	----	0 UNCH
7875	----	----	----	----	----	0.783 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.533 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.033 UNCH	----	----	----	----	----	0 UNCH
7970	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7975	----	----	----/1.916A	1.738B/1.916A	----	2.134 - 0.110	.5031	----	----	----	----	2 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8090	1.405	1.405	#1.405/*1.405	#1.670B/*1.405	----	1.599 NEW	.4127	----	----	10	----	10 + 10
8100	2.050	2.050	#2.050/1.398A	2.050/1.398A	----	1.556 - 0.143	.4049	----	----	1	----	1 - 1
8600	0.820	0.820	#0.820/*0.448A	#0.820/0.448A	----	0.431 NEW	.1304	----	----	1	----	1 + 1
TOTAL										21	0	62 + 19

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
APR26												
548	----	----	----	----	----	0.6055 + 0.0015	.0000	----	----	----	----	1 UNCH
560	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0005 NEW	.0015	----	----	1	----	1 + 1
576	----	----	----	0.0010B/*0.0095	----	0.0025 - 0.0045	.0229	----	----	----	----	1 UNCH
600	----	----	#0.1615B/0.1195	#0.1615B/0.1195	----	0.1215 - 0.0145	.7040	----	----	----	----	5 UNCH
607	----	----	#0.1135B/0.0820	#0.1135B/0.0820	----	0.0800 - 0.0160	.5414	----	----	----	----	3 UNCH
610	----	----	----/*0.0780A	0.0855B/*0.0780	----	0.0805 - 0.0175	.5304	----	----	----	----	3 UNCH
645	----	----	----	0.0030B/0.0100A	----	0.0035 - 0.0055	.0294	----	----	----	----	2 UNCH
TOTAL										1		16+ 1
MAY26												
465	----	----	----	----/0.0080A	----	0.0010 UNCH	.0037	----	----	----	----	14 UNCH
565	----	----	----/*0.0335A	0.0305B/*0.0335	----	0.0305 - 0.0085	.1224	----	----	----	----	2 UNCH
570	----	----	----/*0.0395A	0.0380B/*0.0395	----	0.0370 - 0.0095	.1453	----	----	----	----	1 UNCH
585	----	----	----/*0.0460A	0.0450B/*0.0460	----	0.0420 - 0.0130	.1925	----	----	----	----	1 UNCH
586	0.0800	0.0800	0.0800/*0.0715A	0.0800/*0.0715A	----	0.0690 NEW	.2436	----	----	1	----	1 + 1
590	----	----	----/*0.0835A	0.0860B/*0.0835	----	0.0805 - 0.0155	.2741	----	----	----	----	1 UNCH
606	----	----	----/*0.1440A	0.1505B/*0.1440	----	0.1420 - 0.0195	.4099	----	----	----	----	4 UNCH
606	----	----	----/0.2250A	#0.2445B/0.2250	----	0.2270 - 0.0175	.5894	----	----	----	----	4 UNCH
TOTAL										1		28+ 1
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0080A	----	0.0005 UNCH	.0004	----	----	----	----	21 UNCH
500	----	----	----	----/*0.0075A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
530	----	----	----	----/*0.0080A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
556	----	----	#0.5740B/0.5165	#0.5740B/0.5165	----	0.5255 + 0.0015	.0000	----	----	----	----	1 UNCH
560	0.0090	0.0090	0.0090/*0.0090	0.0090/*0.0090	----	0.0050 NEW	.0328	----	----	10	----	10 + 10
571	----	----	#0.4245B/0.3670	#0.4245B/0.3670	----	0.3755 + 0.0015	.0000	----	----	----	----	1 UNCH
590	----	----	#0.2365B/0.1795	#0.2365B/0.1795	----	0.1865 - 0.0035	.9944	----	----	----	----	2 UNCH
599	0.0090	0.0090	0.0090/*0.0090	0.0100B/*0.0090	----	0.0100 NEW	.0956	----	----	1	----	1 + 1
599	----	----	----/*0.0725A	0.0750B/*0.0725	----	0.0680 - 0.0170	.3038	----	----	----	----	1 UNCH
604	----	----	----/*0.0260A	0.0255B/*0.0260	----	0.0235 - 0.0170	.2718	----	----	----	----	1 UNCH
605	0.0220	0.0220	0.0220/*0.0220	0.0300B/*0.0220	----	0.0275 NEW	.3197	----	----	1	----	1 + 1
609	0.0380	0.0380	0.0740B/0.0380	0.0740B/0.0380	----	0.0405 NEW	.4763	----	----	4	----	4 + 4
612	0.0175	0.0175	0.0565B/0.0175	0.0565B/0.0175	----	0.0280 - 0.0170	.3263	----	----	1	----	11 + 1
615	----	----	#0.1010B/0.0745	#0.1010B/0.0745	----	0.0725 - 0.0195	.4009	----	----	----	----	2 UNCH
618	0.0060	0.0060	#0.0290B/*0.006	#0.0290B/*0.006	----	0.0120 NEW	.1137	----	----	2	----	2 + 2
619	0.0095	0.0095	#0.0250B/*0.009	#0.0250B/*0.009	----	0.0105 NEW	.0935	----	----	2	----	2 + 2
620	----	----	0.0215B/0.0140A	0.0215B/0.0140A	----	0.0090 - 0.0120	.0751	----	----	----	----	5 UNCH
635	----	----	----	0.0005B/0.0085A	----	0.0005 - 0.0030	.0003	----	----	----	----	1 UNCH
640	----	----	----	----/0.0080A	----	0.0005 - 0.0015	.0000	----	----	----	----	1 UNCH
640	----	----	#0.0785B/0.0590	#0.0785B/0.0590	----	0.0580 - 0.0160	.2552	----	----	----	----	25 UNCH
650	0.0150	0.0150	0.0170/*0.0145	0.0170/0.0145	----	0.0110 NEW	.0723	----	----	42	----	42 + 42
650	----	----	----	----/*0.0080A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
660	0.0130	0.0130	#0.0130/*0.0110	#0.0130/0.0110	----	0.0055 NEW	.0372	----	----	12	----	12 + 12
TOTAL										75		153+ 75
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 68

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
565	----	----	----	----	----	0.4335 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.4035 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
584	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
585	----	----	----	----	----	0.2335 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
592	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----/*0.0320A	0.0295B/*0.0320	----	0.0290 - 0.0140	.2255	----	----	----	----	1 UNCH
596	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0835 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0735 UNCH	----	----	----	----	----	0 UNCH
604	----	----	----	----	----	0.0435 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0335 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0065 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
611	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----/0.0200A	0.0225B/0.0200A	----	0.0130 - 0.0115	.0760	----	----	----	----	36 UNCH
TOTAL												58
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	21 UNCH
522	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
549	----	----	----	----/*0.0080A	----	0.0020 - 0.0025	.0125	----	----	----	----	1 UNCH
554	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
557	----	----	----	0.0005B/*0.0090	----	0.0035 - 0.0035	.0227	----	----	----	----	10 UNCH
561	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
580	----	----	----/*0.0165A	0.0085B/*0.0165	----	0.0115 - 0.0075	.0876	----	----	----	----	1 UNCH
580	----	----	#0.3450B/0.2900	#0.3450B/0.2900	----	0.2960 - 0.0065	.9122	----	----	----	----	1 UNCH
588	----	----	#0.2540B/0.1950	#0.2540B/0.1950	----	0.2050 + 0.0010	----	----	----	----	----	0 - 1
590	----	----	----/*0.0280A	0.0245B/*0.0280	----	0.0235 - 0.0130	.1756	----	----	----	----	1 UNCH
590	0.0015	0.0015	0.0015/*0.0010A	0.0015/*0.0010A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
595	----	----	#0.1845B/0.1255	#0.1845B/0.1255	----	0.1350 - 0.0030	----	----	----	----	----	0 - 1
597	----	----	#0.1650B/0.1055	#0.1650B/0.1055	----	0.1150 - 0.0055	----	----	----	----	----	0 - 1
598	0.0015	0.0015	#0.0015/*0.0015	0.0015/*0.0015	----	0.0000 NEW	----	----	----	1	----	0 UNCH
600	----	----	----/0.1390A	0.1495B/0.1390A	----	0.1360 - 0.0170	.6676	----	----	----	----	4 UNCH
600	----	----	#0.1360B/0.0755	#0.1360B/0.0755	----	0.0850 - 0.0110	----	----	----	----	----	0 - 1
601	0.0015	0.0015	0.0015/*0.0015	0.0025B/*0.0015	----	0.0000 - 0.0145	----	----	----	1	----	0 - 1
602	0.0070	0.0070	0.0070/*0.0070	0.0070/*0.0070	----	0.0000 - 0.0175	----	----	----	3	----	0 - 1
604	----	----	----/*0.0070A	0.0100B/*0.0070	----	0.0000 - 0.0245	----	----	----	----	----	0 - 1
605	----	----	----/*0.0070A	0.0135B/*0.0070	----	0.0000 - 0.0285	----	----	----	----	----	0 - 1
607	0.0120	0.0120	0.0120/*0.0075A	0.0220B/*0.0075	----	0.0000 NEW	----	----	----	1	----	0 UNCH
608	----	----	#0.0655B/0.0140	#0.0655B/0.0140	----	0.0050 - 0.0410	----	----	----	----	----	0 - 10
609	----	----	----/*0.0145A	0.0320B/*0.0145	----	0.0050 - 0.0425	----	----	----	----	----	0 - 2
609	----	----	#0.0580B/*0.008	#0.0580B/*0.008	----	0.0000 - 0.0410	----	----	----	----	----	0 - 3
610	----	----	#0.0510B/*0.007	#0.0510B/*0.007	----	0.0000 - 0.0365	----	----	----	----	----	0 - 75
612	0.0035	0.0035	#0.0390B/*0.003	#0.0390B/*0.003	----	0.0000 NEW	----	----	----	1	----	0 UNCH
615	0.0100	0.0100	#0.0240B/*0.000	#0.0240B/*0.000	----	0.0000 NEW	----	----	----	2	----	0 UNCH
619	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0000 - 0.0105	----	----	----	----	----	0 - 2
620	0.0110	0.0110	0.0150B/*0.0060	0.0150B/*0.0060	----	0.0000 - 0.0085	----	----	----	4	----	0 - 20
621	0.0055	0.0055	#0.0055/*0.0055	#0.0055/*0.0055	----	0.0000 NEW	----	----	----	1	----	0 UNCH
623	----	----	----	0.0010B/0.0060A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 2
625	----	----	#0.0540B/0.0395	#0.0540B/0.0395	----	0.0370 - 0.0160	.2426	----	----	----	----	3 UNCH
625	----	----	----	0.0010B/0.0060A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 1
630	----	----	----/0.0315A	#0.0405B/0.0315	----	0.0275 NEW	.1857	----	----	1	----	1 + 1
630	----	----	----	----/0.0055A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
TOTAL										17		43 - 126
MAY26												
455	----	----	----	----/0.0080A	----	0.0005 UNCH	.0010	----	----	----	----	21 UNCH
465	----	----	----	----/*0.0085A	----	0.0005 - 0.0005	.0021	----	----	2	----	2 UNCH
475	----	----	----	----/*0.0090A	----	0.0015 - 0.0005	.0058	----	----	2	----	2 UNCH
485	----	----	----	----/*0.0095A	----	0.0025 - 0.0005	.0094	----	----	----	----	1 UNCH
500	----	----	----	----/0.0105A	----	0.0035 - 0.0010	.0139	----	----	----	----	2 UNCH
510	----	----	----	0.0005B/*0.0115	----	0.0050 - 0.0010	.0199	----	----	----	----	8 UNCH
520	----	----	----	0.0015B/0.0125A	----	0.0060 - 0.0015	.0250	----	----	----	----	1 UNCH
530	----	----	----	0.0045B/*0.0125	----	0.0080 - 0.0015	.0340	----	----	----	----	4 UNCH
540	----	----	----	0.0065B/*0.0140	----	0.0095 - 0.0030	.0426	----	----	----	----	10 UNCH
550	----	----	----	0.0105B/0.0165A	----	0.0125 - 0.0040	.0577	----	----	----	----	27 UNCH
550	----	----	----	----	----	0.6565 - 0.0025	.9419	----	----	----	----	3 UNCH
555	----	----	----/*0.0190A	0.0130B/*0.0190	----	0.0145 - 0.0050	.0677	----	----	----	----	16 UNCH
556	----	----	----/*0.0195A	0.0140B/*0.0195	----	0.0150 - 0.0055	.0700	----	----	----	----	1 UNCH
560	----	----	----/*0.0215A	0.0165B/*0.0215	----	0.0175 - 0.0060	.0814	----	----	----	----	1 UNCH
562	----	----	----/*0.0230A	0.0185B/*0.0230	----	0.0190 - 0.0065	.0880	----	----	----	----	20 UNCH
565	----	----	----/*0.0250A	0.0210B/*0.0250	----	0.0215 - 0.0075	.0988	----	----	----	----	1 UNCH
568	----	----	----/0.4930A	0.4715B/0.4930A	----	0.4885 - 0.0070	.8881	----	----	----	----	1 UNCH
575	----	----	----/*0.0360A	0.0345B/*0.0360	----	0.0330 - 0.0110	.1456	----	----	----	----	1 UNCH
579	----	----	----/0.4015A	0.3790B/0.4015A	----	0.3940 - 0.0105	.8296	----	----	----	----	1 UNCH
584	----	----	----/*0.0525A	0.0520B/*0.0525	----	0.0490 - 0.0135	.2037	----	----	----	----	24 UNCH
585	----	----	----/*0.0540A	0.0550B/*0.0540	----	0.0510 - 0.0140	.2108	----	----	----	----	1 UNCH
590	----	----	----/*0.0665A	0.0690B/*0.0665	----	0.0630 - 0.0160	.2501	----	----	----	----	17 UNCH
590	----	----	0.3325B/0.3045A	0.3325B/0.3045A	----	0.3075 - 0.0145	.7493	----	----	----	----	4 UNCH
600	----	----	----/*0.0995A	0.1040B/*0.0995	----	0.0945 - 0.0195	.3407	----	----	----	----	1 UNCH
600	----	----	0.2805B/0.2405A	0.2805B/0.2405A	----	0.2390 - 0.0185	.6587	----	----	----	----	1 UNCH
607	----	----	----/0.2000A	0.2190B/0.2000A	----	0.1990 - 0.0200	.5886	----	----	----	----	1 UNCH
610	0.2180	0.2180	0.2210B/0.1845A	0.2210B/0.1845A	----	0.1835 - 0.0210	.5580	----	----	2	----	5 + 1
617	----	----	0.1895B/0.1535A	0.1895B/0.1535A	----	0.1520 - 0.0210	.4879	----	----	----	----	1 UNCH
624	----	----	0.1585B/0.1270A	0.1585B/0.1270A	----	0.1255 - 0.0195	.4219	----	----	----	----	16 UNCH
645	----	----	----/*0.3555A	0.3765B/*0.3555	----	0.3690 - 0.0210	.7483	----	----	----	----	6 UNCH
660	----	----	0.0580B/0.0470A	0.0580B/0.0470A	----	0.0430 - 0.0140	.1728	----	----	----	----	1 UNCH
675	----	----	----/0.0325A	0.0365B/0.0325A	----	0.0255 - 0.0110	.1097	----	----	----	----	2 UNCH
695	----	----	----	0.0185B/0.0200A	----	0.0120 - 0.0070	.0558	----	----	----	----	20 UNCH
700	----	----	----	0.0160B/0.0180A	----	0.0100 - 0.0065	.0471	----	----	----	----	21 UNCH
710	----	----	----	0.0055B/0.0175A	----	0.0070 - 0.0050	.0336	----	----	----	----	2 UNCH
TOTAL										6		246 + 1
JUN26												
500	----	----	----	0.0095B/*0.0240	----	0.0140 NEW	.0413	----	----	1	----	1 + 1
530	----	----	----	0.0240B/*0.0375	----	0.0305 - 0.0045	.0870	----	----	----	----	1 UNCH
540	----	----	----	0.0340B/*0.0460	----	0.0390 - 0.0060	.1097	----	----	----	----	1 UNCH
555	----	----	----/*0.0650A	0.0560B/*0.0650	----	0.0585 NEW	.1570	----	----	1	----	1 + 1
579	----	----	----/*0.1210A	0.1160B/*0.1210	----	0.1140 - 0.0150	.2679	----	----	----	----	1 UNCH
580	----	----	----/*0.1240A	0.1195B/*0.1240	----	0.1170 - 0.0155	.2732	----	----	----	----	5 UNCH
580	----	----	0.5055B/0.4595A	0.5055B/0.4595A	----	0.4605 - 0.0140	.7256	----	----	----	----	5 UNCH
595	----	----	----/*0.1790A	0.1780B/*0.1790	----	0.1720 - 0.0185	.3599	----	----	----	----	5 UNCH
595	----	----	0.4085B/0.3680A	0.4085B/0.3680A	----	0.3665 - 0.0165	.6389	----	----	----	----	5 UNCH
606	----	----	----/*0.2295A	0.2305B/*0.2295	----	0.2230 - 0.0190	.4266	----	----	----	----	2 UNCH
610	----	----	0.3265B/0.2915A	0.3265B/0.2915A	----	0.2885 - 0.0175	.5479	----	----	----	----	8 UNCH
650	----	----	0.1725B/0.1530A	0.1725B/0.1530A	----	0.1470 - 0.0180	.3314	----	----	----	----	6 UNCH
660	----	----	0.1460B/0.1300A	0.1460B/0.1300A	----	0.1225 - 0.0170	.2869	----	----	----	----	8 UNCH
TOTAL										2		49 + 2
JUL26												
600	----	----	#0.4760B/0.4385	#0.4760B/0.4385	----	0.4365 - 0.0165	.6230	----	----	----	----	12 UNCH
612	----	----	----/*0.3000A	0.2995B/*0.3000	----	0.2925 - 0.0195	.4327	----	----	----	----	5 UNCH
612	----	----	#0.4120B/0.3785	#0.4120B/0.3785	----	0.3750 - 0.0175	.5654	----	----	----	----	5 UNCH
TOTAL												22
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	1.1860 + 0.0010	.9939	----	----	----	----	1 UNCH
500	----	----	----	----	----	1.0860 + 0.0010	.9915	----	----	----	----	3 UNCH
505	----	----	----	----	----	1.0365 + 0.0010	.9911	----	----	----	----	3 UNCH
525	----	----	----	0.8310B/0.8415A	----	0.8375 + 0.0010	.9849	----	----	----	----	14 UNCH
530	----	----	0.7930B/0.7755A	0.7930B/0.7755A	----	0.7880 + 0.0010	.9820	----	----	----	----	276 UNCH
531	----	----	----	----	----	0.7780 + 0.0010	.9818	----	----	----	----	1 UNCH
532	----	----	----	----	----	0.7680 + 0.0005	.9816	----	----	----	----	1 UNCH
533	----	----	----	----	----	0.7580 + 0.0005	.9793	----	----	----	----	3 UNCH
534	----	----	----	----	----	0.7485 + 0.0010	.9791	----	----	----	----	4 UNCH
535	----	----	----	----	----	0.7385 + 0.0010	.9788	----	----	----	----	1 UNCH
536	----	----	----	----	----	0.7285 + 0.0005	.9786	----	----	----	----	2 UNCH
537	----	----	----	----	----	0.7185 + 0.0005	.9783	----	----	----	----	1 UNCH
539	----	----	----	----	----	0.6990 + 0.0010	.9757	----	----	----	----	2 UNCH
540	----	----	----	0.6825B/0.6930A	----	0.6890 + 0.0005	.9754	----	----	----	----	44 UNCH
541	----	----	----	#0.6730B/0.6835	----	0.6790 + 0.0005	.9730	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL COMEX COPPER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
542	----	----	----	#0.6630B/0.6735	----	0.6695 + 0.0010	.9726	----	----	----	----	15 UNCH
543	----	----	----	----	----	0.6595 + 0.0005	.9723	----	----	----	----	1 UNCH
544	----	----	----	----	----	0.6495 + 0.0005	.9719	----	----	----	----	2 UNCH
545	----	----	----	0.6335B/0.6440A	----	0.6400 + 0.0005	.9694	----	----	----	----	14 UNCH
546	----	----	----	#0.6235B/0.6345	----	0.6300 + 0.0005	.9690	----	----	----	----	7 UNCH
547	----	----	----	----	----	0.6200 + 0.0005	.9686	----	----	----	----	1 UNCH
548	----	----	----/0.6060A	#0.6040B/0.6060	----	0.6105 + 0.0005	.9660	----	----	1	----	28 UNCH
549	----	----	----	#0.5940B/0.6050	----	0.6005 + 0.0005	.9656	----	----	----	----	5 UNCH
550	----	----	0.5940B/0.5790A	0.5940B/0.5790A	----	0.5910 + 0.0005	.9629	----	----	1	----	452 UNCH
551	----	----	----	0.5745B/0.5855A	----	0.5810 + 0.0005	.9624	----	----	----	----	11 UNCH
552	----	----	----	0.5645B/0.5755A	----	0.5710 UNCH	.9619	----	----	----	----	18 UNCH
553	----	----	----	0.5550B/0.5655A	----	0.5615 + 0.0005	.9592	----	----	----	----	19 UNCH
554	----	----	----	0.5450B/0.5560A	----	0.5515 UNCH	.9586	----	----	----	----	7 UNCH
555	0.5700	0.5700	0.5700/0.5460A	0.5700/0.5460A	----	0.5420 UNCH	.9558	----	----	2	----	109 - 2
556	----	----	----	0.5255B/0.5365A	----	0.5320 UNCH	.9552	----	----	----	----	26 UNCH
557	----	----	----	0.5160B/0.5265A	----	0.5225 UNCH	.9523	----	----	----	----	17 UNCH
558	----	----	----	0.5060B/0.5170A	----	0.5125 - 0.0005	.9516	----	----	----	----	16 UNCH
559	----	----	----	0.4965B/0.5070A	----	0.5030 - 0.0005	.9487	----	----	----	----	20 UNCH
560	0.4990	0.4990	0.4990/0.4815A	0.4990/0.4815A	----	0.4935 - 0.0005	.9457	----	----	3	----	870 UNCH
561	----	----	----	0.4770B/0.4875A	----	0.4835 - 0.0010	.9449	----	----	----	----	20 UNCH
562	0.4710	0.4710	0.4710/0.4665	0.4715B/0.4665	----	0.4740 - 0.0010	.9418	----	----	6	----	7 - 3
563	----	----	----	0.4575B/0.4685A	----	0.4645 - 0.0010	.9388	----	----	----	----	22 UNCH
564	0.4640	0.4640	0.4640/0.4640	0.4640/0.4585A	----	0.4545 - 0.0015	.9377	----	----	3	----	23 - 1
565	----	----	----/0.4375A	0.4455B/0.4375A	----	0.4450 - 0.0015	.9345	----	----	----	----	210 UNCH
566	0.4390	0.4390	0.4390/0.4390	0.4390/0.4390	----	0.4355 - 0.0015	.9313	----	----	3	----	12 - 3
567	----	----	----	0.4195B/0.4300A	----	0.4260 - 0.0020	.9280	----	----	----	----	11 UNCH
568	----	----	----	0.4100B/0.4205A	----	0.4165 - 0.0020	.9246	----	----	----	----	59 UNCH
569	----	----	----	0.4005B/0.4110A	----	0.4070 - 0.0025	.9212	----	----	----	----	108 UNCH
570	0.4010	0.4010	0.4010/0.3855A	0.4010/0.3855A	----	0.3975 - 0.0030	.9177	----	----	13	----	554 + 3
571	----	----	----	0.3820B/0.3925A	----	0.3880 - 0.0035	.9141	----	----	----	----	31 UNCH
572	----	----	----	0.3725B/0.3830A	----	0.3785 - 0.0040	.9104	----	----	----	----	29 UNCH
573	----	----	----	0.3635B/0.3740A	----	0.3695 - 0.0040	.9046	----	----	----	----	35 UNCH
574	----	----	----/0.3625A	0.3540B/0.3625A	----	0.3600 - 0.0045	.9008	----	----	1	----	17 - 1
575	----	----	----/0.3400A	0.3555B/0.3400A	----	0.3510 - 0.0050	.8948	----	----	2	----	582 + 2
576	----	----	----/0.3470A	0.3360B/0.3470A	----	0.3420 - 0.0055	.8908	----	----	----	----	116 UNCH
577	----	----	----/0.3380A	0.3265B/0.3380A	----	0.3325 - 0.0065	.8847	----	----	----	----	56 UNCH
578	----	----	----/0.3290A	0.3175B/0.3290A	----	0.3235 - 0.0070	.8785	----	----	----	----	14 UNCH
579	----	----	----/0.3205A	0.3085B/0.3205A	----	0.3150 - 0.0070	.8722	----	----	----	----	9 UNCH
580	0.2950	0.2950	0.2950/0.2950	0.3100B/0.2950	----	0.3060 - 0.0080	.8640	----	----	23	----	509 - 18
581	----	----	----	0.2565B/0.3150A	----	0.2975 - 0.0080	.8575	----	----	----	----	4 UNCH
582	----	----	----/0.2950A	0.2825B/0.2950A	----	0.2885 - 0.0095	.8491	----	----	----	----	7 UNCH
583	----	----	----/0.2865A	0.2740B/0.2865A	----	0.2800 - 0.0100	.8407	----	----	----	----	63 UNCH
584	----	----	----/0.2785A	0.2655B/0.2785A	----	0.2720 - 0.0100	.8321	----	----	----	----	45 UNCH
585	0.2740	0.2740	0.2750/0.2560A	0.2750/0.2560A	----	0.2635 - 0.0110	.8219	----	----	11	----	455 UNCH
586	----	----	----/0.2625A	0.2495B/0.2625A	----	0.2555 - 0.0115	.8117	----	----	----	----	13 UNCH
587	----	----	----/0.2545A	0.2415B/0.2545A	----	0.2475 - 0.0125	.8014	----	----	----	----	8 UNCH
588	----	----	----	0.1990B/0.2600A	----	0.2400 - 0.0125	.7911	----	----	----	----	3 UNCH
589	----	----	----/0.2395A	0.2230B/0.2395A	----	0.2325 - 0.0130	.7793	----	----	----	----	18 UNCH
590	0.2380	0.2380	0.2430B/0.2180A	0.2430B/0.2180A	----	0.2250 - 0.0135	.7676	----	----	4	----	1521 UNCH
591	----	----	----/0.2250A	0.2075B/0.2250A	----	0.2175 - 0.0145	.7558	----	----	95	----	66 - 57
592	----	----	----	0.1685B/0.2315A	----	0.2105 - 0.0145	.7428	----	----	----	----	2 UNCH
593	----	----	----/0.2110A	0.1935B/0.2110A	----	0.2035 - 0.0150	.7299	----	----	----	----	16 UNCH
594	----	----	----/0.2045A	0.1865B/0.2045A	----	0.1965 - 0.0160	.7170	----	----	----	----	20 UNCH
595	----	----	0.2330B/0.1840A	0.2330B/0.1840A	----	0.1900 - 0.0160	.7032	----	----	161	----	841 - 37
596	----	----	----/0.1915A	0.1735B/0.1915A	----	0.1835 - 0.0165	.6894	----	----	----	----	5 UNCH
597	----	----	----/0.1740A	0.1675B/0.1740A	----	0.1770 - 0.0165	.6757	----	----	----	----	17 UNCH
598	----	----	----/0.1675A	0.1610B/0.1675A	----	0.1710 - 0.0170	.6612	----	----	----	----	31 UNCH
599	----	----	----/0.1615A	0.1625B/0.1615A	----	0.1650 - 0.0170	.6469	----	----	----	----	6 UNCH
600	0.1800	0.1800	0.1990B/0.1550A	0.1990B/0.1550A	----	0.1590 - 0.0170	.6327	----	----	70	----	1347 - 31
601	----	----	----/0.1490A	0.1610B/0.1490A	----	0.1530 - 0.0175	.6180	----	----	----	----	8 UNCH
602	----	----	----/0.1450A	0.1625B/0.1450A	----	0.1475 - 0.0175	.6037	----	----	----	----	4 UNCH
603	----	----	0.1630B/0.1390A	0.1630B/0.1390A	----	0.1420 - 0.0175	.5892	----	----	----	----	18 UNCH
604	----	----	0.1625B/0.1330A	0.1625B/0.1330A	----	0.1370 - 0.0175	.5744	----	----	1	----	44 UNCH
605	----	----	0.1685B/0.1275A	0.1685B/0.1275A	----	0.1315 - 0.0175	.5599	----	----	1	----	176 UNCH
606	----	----	0.1635B/0.1235A	0.1635B/0.1235A	----	0.1265 - 0.0175	.5453	----	----	1	----	7 UNCH
607	----	----	0.1610B/0.1175A	0.1610B/0.1175A	----	0.1220 - 0.0175	.5307	----	----	----	----	19 UNCH
608	0.1330	0.1330	0.1575B/0.1120A	0.1575B/0.1120A	----	0.1170 - 0.0175	.5162	----	----	5	----	56 + 3
609	----	----	0.1525B/0.1075A	0.1525B/0.1075A	----	0.1125 - 0.0175	.5018	----	----	----	----	25 UNCH
610	0.1340	0.1340	0.1475B/0.1010A	0.1475B/0.1010A	----	0.1080 - 0.0175	.4875	----	----	74	20	1092 - 29
611	0.1295	0.1295	0.1435B/0.0990A	0.1435B/0.0990A	----	0.1035 - 0.0175	.4732	----	----	1	----	17 - 1
612	0.1250	0.1250	0.1385B/0.0945A	0.1385B/0.0945A	----	0.0990 - 0.0180	.4590	----	----	2	----	29 UNCH
613	0.1220	0.1220	0.1335/0.0910A	0.1335/0.0910A	----	0.0950 - 0.0180	.4451	----	----	4	----	39 UNCH
614	0.1165	0.1165	0.1290/0.0860A	0.1290/0.0860A	----	0.0910 - 0.0180	.4312	----	----	4	----	35 + 1
615	0.1085	0.1085	0.1245B/0.0820A	0.1245B/0.0820A	----	0.0870 - 0.0185	.4174	----	----	172	----	915 - 72
616	0.1125	0.1125	0.1210/0.0790A	0.1210/0.0790A	----	0.0835 - 0.0180	.4041	----	----	2	----	45 UNCH
617	0.1165	0.1165	0.1165/0.0760A	0.1165/0.0760A	----	0.0800 - 0.0180	.3909	----	----	1	----	56 UNCH
618	0.1125	0.1125	0.1125/0.0730A	0.1125/0.0730A	----	0.0765 - 0.0185	.3778	----	----	1	----	49 UNCH
619	----	----	0.1070B/0.0700A	0.1070B/0.0700A	----	0.0730 - 0.0185	.3647	----	----	----	----	78 UNCH
620	0.0900	0.0900	0.1035B/0.0660A	0.1035B/0.0660A	----	0.0700 - 0.0185	.3524	----	----	43	----	1132 + 6
621	----	----	0.0995B/0.0640A	0.0995B/0.0640A	----	0.0665 - 0.0190	.3394	----	----	1	----	60 + 1
622	----	----	0.0960B/0.0610A	0.0960B/0.0610A	----	0.0635 - 0.0190	.3271	----	----	1	----	45 UNCH
623	----	----	0.0925B/0.0585A	0.0925B/0.0585A	----	0.0610 - 0.0185	.3159	----	----	----	----	70 UNCH
624	0.0590	0.0590	0.0885B/0.0560A	0.0885B/0.0560A	----	0.0580 - 0.0190	.3038	----	----	9	----	66 UNCH
625	0.0630	0.0630	0.0855B/0.0525A	0.0855B/0.0525A	----	0.0555 - 0.0185	.2927	----	----	10	----	841 - 5
626	0.0540	0.0540	0.0820B/0.0510A	0.0820B/0.0510A	----	0.0530 - 0.0185	.2818	----	----	29	----	52 + 22
627	----	----	0.0790B/0.0490A	0.0790B/0.0490A	----	0.0505 - 0.0185	.2708	----	----	----	----	31 UNCH
628	0.0505	0.0505	0.0760B/0.0460A	0.0760B/0.0460A	----	0.0485 - 0.0185	.2611	----	----	3	----	205 UNCH
629	----	----	0.0730B/0.0440A	0.0730B/0.0440A	----	0.0460 - 0.0185	.2503	----	----	----	----	149 UNCH
630	0.0700	0.0700	0.0705B/0.0420A	0.0705B/0.0420A	----	0.0440 - 0.0180	.2407	----	----	157	----	709 - 3
631	----	----	0.0670B/0.0410A	0.0670B/0.0410A	----	0.0420 - 0.0180	.2313	----	----	----	----	7 UNCH
632	----	----	0.0645B/0.0390A	0.0645B/0.0390A	----	0.0400 - 0.0180	.2219	----	----	----	----	1 UNCH
633	----	----	0.0620B/0.0370A	0.0620B/0.0370A	----	0.0385 - 0.0175	.2138	----	----	----	----	35 UNCH
634	----	----	0.0605B/0.0355A	0.0605B/0.0355A	----	0.0365 - 0.0175	.2046	----	----	2	----	14 + 2
635	0.0425	0.0425	0.0580B/0.0335A	0.0580B/0.0335A	----	0.0350 - 0.0170	.1967	----	----	49	----	421 + 47
636	0.0315	0.0315	0.0550B/0.0315	0.0550B/0.0315	----	0.0335 - 0.0165	.1890	----	----	40	----	49 + 37
637	----	----	0.0525B/0.0315A	0.0525B/0.0315A	----	0.0320 - 0.0165	.1814	----	----	----	----	4 UNCH
638	----	----	0.0505B/0.0295A	0.0505B/0.0295A	----	0.0305 - 0.0160	.1738	----	----	----	----	3 UNCH
639	----	----	0.0485B/0.0285A	0.0485B/0.0285A	----	0.0290 - 0.0160	.1663	----	----	----	----	27 UNCH
640	0.0275	0.0275	0.0470B/0.0270A	0.0470B/0.0270A	----	0.0280 - 0.0155	.1604	----	----	9	40	1282 + 39
641	0.0270	0.0270	0.0450B/0.0260A	0.0450B/0.0260A	----	0.0265 - 0.0155	.1530	----	----	3	----	9 + 3
642	0.0260	0.0260	0.0435B/0.0250A	0.0435B/0.0250A	----	0.0255 - 0.0150	.1472	----	----	3	----	17 + 1
643	0.0240	0.0240	0.0415B/0.0240	0.0415B/0.0240	----	0.0245 - 0.0145	.1416	----	----	1	----	10 + 1
644	----	----	0.0395B/0.0230A	0.0395B/0.0230A	----	0.0235 - 0.0140	.1360	----	----	----	----	1 UNCH
645	0.0240	0.0240	0.0380B/0.0220A	0.0380B/0.0220A	----	0.0225 - 0.0140	.1305	----	----	5	----	90 + 4
646	0.0235	0.0235	0.0365B/0.0210	0.0365B/0.0210	----	0.0215 - 0.0135	.1251	----	----	4	----	5 + 4
650	0.0180	0.0180	0.0315B/0.0180	0.0315B/0.0180	----	0.0180 - 0.0125	.1056	----	----	15	----	2815 UNCH
655	----	----	----/0.0145A	0.0255B/0.0145A	----	0.0145 - 0.0110	.0856	----	----	9	----	118 + 9
660	----	----	----/0.0120A	0.0205B/0.0120A	----	0.0120 - 0.0095	.0705	----	----	----	----	152 UNCH
665	0.0105	0.0105	0.0190B/0.0100A	0.0190B/0.0100A	----	0.0095 - 0.0085	.0563	----	----	7	----	23 + 4
670	----	----	----/0.0085A	0.0155B/0.0085A	----	0.0080 - 0.0075	.0469	----	----	----	----	1082 UNCH
675	0.0065	0.0065	0.0065/0.0060	0.0130B/0.0060	----	0.0065 - 0.0065	.0380	----	----	40	----	142 + 16
680	----	----	----/0.0055A	0.0110B/0.0055A	----	0.0055 - 0.0055	.0318	----	----	14	----	1138 + 7
685	----	----	----/0.0050A	0.0090B/0.0050A	----	0.0045 - 0.0050	.0259	----	----	----	----	13 UNCH
690	----	----	----/0.0040A	0.0080B/0.0040A	----	0.0035 - 0.0050	.0203	----	----	----	----	178 UNCH
695	----	----	----/0.0035A	0.0065B/0.0035A	----	0.0030 - 0.0045	.0171	----	----	----	----	26 UNCH
700	0.0030	0.0030	0.0030/0.0030	0.0055B/0.0030	----	0.0025 - 0.0040	.0141	----	----	9	----	532 UNCH
705	----	----	----/0.0025A	0.0050B/0.0025A	----	0.0020 - 0.0035	.0113	----	----	----	----	2 UNCH
710	----	----	----/0.0020A	----/0.0020A	----	0.0020 - 0.0030	.0109	----	----	----	----	59 UNCH
715	----	----	----/0.0020A	----/0.0020A	----	0.0020 - 0.0025	.0105	----	----	----	----	44 UNCH
720	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0030	.0079	----	----	----	----	18 UNCH
725	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0025	.0077	----	----	5	----	93 UNCH
730	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0025	.0074	----	----	----	----	14 UNCH
735	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0020	.0072	----	----	----	----	5 UNCH
740	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0020	.0070	----	----	----	----	92 UNCH
745	----	----	----/0.0020A	----/0.0020A	----	0.0010 - 0.0025	.0048	----	----	----	----	34 UNCH
750	----	----	----/0.0015A	0.0020B/0.0015A	----	0.0010 - 0.0020	.0046	----	----	----	----	456 UNCH
755	----	----	----/0.0020A	----/0.0020A	----	0.0010 - 0.0020	.0045	----	----	----	----	2 UNCH
760	0.0010	0.0010	0.0010/0.0010	0.0020B/0.0010	----	0.0010 - 0.0020	.0044	----	----	8	----	72 - 5
765	----	----	----/0.0020A	----/0.0020A	----	0.0010 - 0.0015	.0043	----	----	----	----	4 UNCH
770	----	----	----/0.0020A	----/0.0020A	----	0.0010 - 0.0015	.0042	----	----	----	----	4 UNCH
775	----	----	----/0.0015A	----/0.0015A	----	0.0005 - 0.0015	.0022	----	----	----	----	47 UNCH
780	----	----	----/0.0015A	----/0.0015A	----	0.0005 - 0.0015	.0017	----	----	----	----	10 UNCH
785	----	----	----	----/0.0020A	----	0.0005 - 0.0015	.0013	----	----	----	----	3 UNCH
790	----	----	----	----/0.0025A	----	0.0005 - 0.0015	.0010	----	----	----	----	3 UNCH
795	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0008	----	----	----	----	5 UNCH
800	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0006	----	----	----	----	4120 UNCH
810	----	----	----	----/*0.0025A	----	0.0005 - 0.0010	.0003	----	----	----	----	4040 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
820	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0002	----	----	----	----	28 UNCH
825	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0001	----	----	----	----	91 UNCH
835	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0000	----	----	----	----	1 UNCH
840	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
850	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	62 UNCH
855	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	30 UNCH
860	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
865	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
870	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
875	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
880	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	12 UNCH
890	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
900	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	73 UNCH
915	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
920	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
925	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
930	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
935	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
940	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
945	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
950	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	40 UNCH
TOTAL									60	1144		32693 - 56
JUN26												
500	----	----	----	----	----	1.1560 + 0.0015	.9588	----	----	----	----	4 UNCH
525	----	----	----	----	----	0.9145 + 0.0005	.9322	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.8205 - 0.0005	.9148	----	----	----	----	2 UNCH
540	----	----	----	0.7580B/0.7820A	----	0.7740 - 0.0020	.9042	----	----	----	----	22 UNCH
545	----	----	----	0.7000B/0.7325A	----	0.7280 - 0.0030	.8912	----	----	----	----	2 UNCH
549	----	----	----	0.6645B/0.6975A	----	0.6920 - 0.0045	.8807	----	----	----	----	1 UNCH
550	----	----	----	0.6555B/0.6885A	----	0.6830 - 0.0045	.8778	----	----	----	----	3 UNCH
555	----	----	----	0.6120B/0.6455A	----	0.6390 - 0.0060	.8613	----	----	----	----	1 UNCH
556	----	----	----/0.6365A	0.6035B/0.6365A	----	0.6305 - 0.0065	.8575	----	----	----	----	1 UNCH
557	----	----	----/0.6280A	0.6025B/0.6280A	----	0.6220 - 0.0065	.8544	----	----	----	----	63 UNCH
559	----	----	----/0.6115A	0.5785B/0.6115A	----	0.6050 - 0.0070	.8467	----	----	----	----	4 UNCH
560	----	----	----/0.6025A	0.5775B/0.6025A	----	0.5965 - 0.0075	.8428	----	----	----	----	106 UNCH
562	----	----	----/0.5870A	0.5535B/0.5870A	----	0.5795 - 0.0085	.8342	----	----	----	----	1 UNCH
565	----	----	----/0.5625A	0.5290B/0.5625A	----	0.5550 - 0.0090	.8216	----	----	----	----	2 UNCH
568	----	----	----/0.5390A	0.5060B/0.5390A	----	0.5310 - 0.0100	.8074	----	----	1	----	3 UNCH
569	----	----	----/0.5310A	0.4980B/0.5310A	----	0.5230 - 0.0105	.8027	----	----	----	----	2 UNCH
570	----	----	----/0.5230A	0.4980B/0.5230A	----	0.5155 - 0.0105	.7973	----	----	----	----	19 UNCH
574	----	----	----/0.4935A	0.4605B/0.4935A	----	0.4850 - 0.0115	.7770	----	----	----	----	3 UNCH
575	----	----	----/0.4745A	0.4750B/0.4745A	----	0.4775 - 0.0120	.7716	----	----	----	----	149 UNCH
579	----	----	----/0.4575A	0.4250B/0.4575A	----	0.4485 - 0.0130	.7490	----	----	----	----	3 UNCH
580	----	----	0.4835B/0.4345A	0.4835B/0.4345A	----	0.4415 - 0.0130	.7430	----	----	----	----	45 UNCH
581	----	----	----/0.4435A	0.4110B/0.4435A	----	0.4345 - 0.0135	.7371	----	----	----	----	1 UNCH
582	----	----	----/0.4365A	0.4040B/0.4365A	----	0.4275 - 0.0135	.7312	----	----	----	----	1 UNCH
583	----	----	----/0.4300A	0.3975B/0.4300A	----	0.4205 - 0.0140	.7253	----	----	----	----	2 UNCH
584	----	----	----/0.4230A	0.3905B/0.4230A	----	0.4140 - 0.0140	.7190	----	----	----	----	3 UNCH
585	----	----	0.4515B/0.4010A	0.4515B/0.4010A	----	0.4070 - 0.0145	.7131	----	----	----	----	11 UNCH
586	----	----	----/0.4100A	0.3775B/0.4100A	----	0.4005 - 0.0150	.7068	----	----	----	----	1 UNCH
587	----	----	----/0.4035A	0.3710B/0.4035A	----	0.3940 - 0.0150	.7005	----	----	----	----	3 UNCH
588	----	----	----/0.3970A	0.3645B/0.3970A	----	0.3875 - 0.0155	.6942	----	----	----	----	4 UNCH
589	----	----	----/0.3910A	0.3585B/0.3910A	----	0.3810 - 0.0155	.6880	----	----	----	----	1 UNCH
590	0.4100	0.4100	0.4180B/0.3605	0.4180B/0.3605	----	0.3750 - 0.0155	.6817	----	----	7	----	82 - 1
591	----	----	----/0.3780A	0.3520B/0.3780A	----	0.3685 - 0.0160	.6751	----	----	----	----	10 UNCH
594	----	----	----/0.3605A	0.3280B/0.3605A	----	0.3505 - 0.0165	.6557	----	----	----	----	3 UNCH
595	----	----	0.3865B/0.3380A	0.3865B/0.3380A	----	0.3445 - 0.0165	.6492	----	----	----	----	6 UNCH
596	----	----	----/0.3385A	0.3310B/0.3385A	----	0.3385 - 0.0170	.6426	----	----	----	----	3 UNCH
598	----	----	----/0.3275A	0.3270B/0.3275A	----	0.3270 - 0.0175	.6294	----	----	----	----	3 UNCH
599	----	----	----/0.3220A	0.3205B/0.3220A	----	0.3210 - 0.0180	.6227	----	----	----	----	1 UNCH
600	0.3115	0.3115	0.3570B/0.3100A	0.3570B/0.3100A	----	0.3155 - 0.0180	.6162	----	----	1	----	376 - 1
603	----	----	0.3190B/0.2950A	0.3190B/0.2950A	----	0.2990 - 0.0185	.5962	----	----	----	----	2 UNCH
604	----	----	0.3165B/0.2885A	0.3165B/0.2885A	----	0.2940 - 0.0185	.5895	----	----	----	----	14 UNCH
605	----	----	0.3290B/0.2845A	0.3290B/0.2845A	----	0.2885 - 0.0190	.5828	----	----	----	----	12 UNCH
606	----	----	0.3195B/0.2795A	0.3195B/0.2795A	----	0.2835 - 0.0190	.5760	----	----	----	----	4 UNCH
607	----	----	0.3185B/0.2745A	0.3185B/0.2745A	----	0.2785 - 0.0190	.5694	----	----	----	----	30 UNCH
608	----	----	0.3150B/0.2695A	0.3150B/0.2695A	----	0.2735 - 0.0190	.5627	----	----	----	----	4 UNCH
609	----	----	0.3125B/0.2640A	0.3125B/0.2640A	----	0.2685 - 0.0190	.5560	----	----	----	----	8 UNCH
610	----	----	0.3095B/0.2590A	0.3095B/0.2590A	----	0.2635 - 0.0195	.5493	----	----	----	----	552 UNCH
611	----	----	0.3035B/0.2550A	0.3035B/0.2550A	----	0.2590 - 0.0195	.5426	----	----	----	----	1 UNCH
612	----	----	0.2975B/0.2500A	0.2975B/0.2500A	----	0.2540 - 0.0195	.5360	----	----	----	----	20 UNCH
613	----	----	0.2925B/0.2460A	0.2925B/0.2460A	----	0.2495 - 0.0195	.5293	----	----	----	----	2 UNCH
614	----	----	0.2900B/0.2420A	0.2900B/0.2420A	----	0.2450 - 0.0200	.5227	----	----	1	----	3 + 1
615	----	----	0.2830B/0.2365A	0.2830B/0.2365A	----	0.2405 - 0.0200	.5161	----	----	1	----	759 UNCH
616	----	----	0.2810B/0.2330A	0.2810B/0.2330A	----	0.2360 - 0.0200	.5095	----	----	2	----	10 UNCH
617	----	----	0.2765B/0.2290A	0.2765B/0.2290A	----	0.2320 - 0.0200	.5030	----	----	6	----	7 + 6
618	----	----	0.2715B/0.2250A	0.2715B/0.2250A	----	0.2280 - 0.0195	.4966	----	----	2	----	11 + 2
619	----	----	0.2670B/0.2210A	0.2670B/0.2210A	----	0.2235 - 0.0200	.4900	----	----	----	----	2 UNCH
620	0.2430	0.2430	0.2630B/0.2155A	0.2630B/0.2155A	----	0.2195 - 0.0200	.4836	----	----	1	25	220 + 25
622	----	----	0.2540B/0.2085A	0.2540B/0.2085A	----	0.2120 - 0.0200	.4710	----	----	----	----	5 UNCH
625	0.2010	0.2010	0.2415B/0.1960A	0.2415B/0.1960A	----	0.2005 - 0.0200	.4522	----	----	4	----	371 - 4
626	0.2190	0.2190	0.2375B/0.1945A	0.2375B/0.1945A	----	0.1970 NEW	.4460	----	----	1	----	1 + 1
627	----	----	0.2330B/0.1900A	0.2330B/0.1900A	----	0.1935 - 0.0200	.4400	----	----	----	----	11 UNCH
629	----	----	0.2260B/0.1830A	0.2260B/0.1830A	----	0.1865 - 0.0200	.4279	----	----	----	----	2 UNCH
630	----	----	0.2220B/0.1785A	0.2220B/0.1785A	----	0.1830 - 0.0200	.4219	----	----	60	----	547 - 60
635	----	----	0.2035B/0.1625A	0.2035B/0.1625A	----	0.1670 - 0.0195	.3929	----	----	----	----	446 UNCH
640	----	----	0.1860B/0.1475A	0.1860B/0.1475A	----	0.1520 - 0.0190	.3651	----	----	----	----	846 UNCH
645	----	----	0.1705B/0.1350A	0.1705B/0.1350A	----	0.1380 - 0.0190	.3384	----	----	----	----	61 UNCH
650	0.1580	0.1580	0.1585/0.1215A	0.1585/0.1215A	----	0.1255 - 0.0185	.3134	----	----	165	----	560 - 9
655	----	----	0.1430B/0.1095A	0.1430B/0.1095A	----	0.1140 - 0.0175	.2897	----	----	----	----	368 UNCH
660	----	----	0.1305B/0.0995A	0.1305B/0.0995A	----	0.1035 - 0.0170	.2675	----	----	1	----	283 + 1
665	----	----	0.1195B/0.0920A	0.1195B/0.0920A	----	0.0940 - 0.0160	.2467	----	----	1	----	33 + 1
670	----	----	0.1090B/0.0825A	0.1090B/0.0825A	----	0.0850 - 0.0155	.2268	----	----	12	----	223 + 12
675	----	----	0.0985B/0.0755A	0.0985B/0.0755A	----	0.0770 - 0.0145	.2086	----	----	----	----	39 UNCH
680	----	----	0.0900B/0.0680A	0.0900B/0.0680A	----	0.0700 - 0.0135	.1919	----	----	1	----	318 + 1
685	----	----	0.0820B/0.0625A	0.0820B/0.0625A	----	0.0635 - 0.0125	.1763	----	----	----	----	10 UNCH
690	----	----	0.0745B/0.0570A	0.0745B/0.0570A	----	0.0575 - 0.0120	.1617	----	----	12	----	139 + 12
695	----	----	0.0680B/0.0520A	0.0680B/0.0520A	----	0.0525 - 0.0105	.1489	----	----	----	----	5 UNCH
700	0.0465	0.0465	0.0615B/0.0465	0.0615B/0.0465	----	0.0475 - 0.0100	.1363	----	----	53	----	719 - 51
705	----	----	0.0560B/0.0435A	0.0560B/0.0435A	----	0.0435 - 0.0090	.1256	----	----	----	----	5 UNCH
710	----	----	0.0505B/0.0395A	0.0505B/0.0395A	----	0.0395 - 0.0085	.1151	----	----	----	----	450 UNCH
715	----	----	0.0455B/0.0360A	0.0455B/0.0360A	----	0.0360 - 0.0080	.1057	----	----	----	----	10 UNCH
720	0.0355	0.0355	0.0415B/0.0330A	0.0415B/0.0330A	----	0.0330 - 0.0070	.0974	----	----	5	----	30 + 1
725	----	----	0.0380B/0.0300A	0.0380B/0.0300A	----	0.0300 - 0.0070	.0893	----	----	----	----	76 UNCH
730	0.0290	0.0290	0.0365B/0.0275A	0.0365B/0.0275A	----	0.0275 - 0.0060	.0823	----	----	3	----	3 + 1
735	----	----	0.0330B/0.0255A	0.0330B/0.0255A	----	0.0255 - 0.0055	.0763	----	----	----	----	10 UNCH
740	----	----	0.0300B/0.0235A	0.0300B/0.0235A	----	0.0235 - 0.0050	.0706	----	----	----	----	1 UNCH
745	----	----	0.0280B/0.0215A	0.0280B/0.0215A	----	0.0215 - 0.0050	.0649	----	----	----	----	1522 UNCH
750	----	----	0.0255B/0.0200A	0.0255B/0.0200A	----	0.0195 - 0.0045	.0593	----	----	----	----	167 UNCH
755	0.0195	0.0195	0.0235B/0.0185A	0.0235B/0.0185A	----	0.0180 - 0.0045	.0549	----	----	1	----	1 UNCH
765	----	----	0.0200B/0.0160A	0.0200B/0.0160A	----	0.0155 - 0.0035	.0473	----	----	----	----	1505 UNCH
770	0.0170	0.0170	0.0185B/0.0145A	0.0185B/0.0145A	----	0.0145 - 0.0035	.0442	----	----	2	----	6 + 2
775	----	----	----/0.0140A	0.0165B/0.0140A	----	0.0135 - 0.0030	.0412	----	----	----	----	2 UNCH
780	----	----	----/0.0130A	0.0155B/0.0130A	----	0.0125 - 0.0030	.0382	----	----	----	----	5 UNCH
795	----	----	----/*0.0105A	0.0125B/0.0105A	----	0.0100 - 0.0025	.0306	----	----	----	----	33 UNCH
800	----	----	----/0.0100A	0.0115B/0.0100A	----	0.0095 - 0.0025	.0290	----	----	----	----	6 UNCH
810	----	----	----/0.0090A	0.0085B/0.0090A	----	0.0080 - 0.0020	.0246	----	----	----	----	3 UNCH
825	----	----	----/*0.0075A	0.0065B/0.0075A	----	0.0065 - 0.0015	.0200	----	----	----	----	1 UNCH
840	----	----	----	0.0050B/0.0080A	----	0.0050 - 0.0015	.0155	----	----	----	----	6 UNCH
850	----	----	----	0.0040B/0.0075A	----	0.0045 - 0.0010	.0139	----	----	----	----	4 UNCH
880	----	----	----	----/0.0075A	----	0.0030 - 0.0010	.0092	----	----	----	----	2 UNCH
900	----	----	----	----/0.0065A	----	0.0020 - 0.0010	.0063	----	----	----	----	9 UNCH
910	----	----	----	----/0.0060A	----	0.0020 - 0.0005	.0062	----	----	----	----	11 UNCH
950	----	----	----	----/0.0040A	----	0.0010 UNCH	.0031	----	----	----	----	1 UNCH
975	----	----	----	----/0.0030A	----	0.0005 UNCH	.0016	----	----	----	----	1 UNCH
TOTAL									25	343		11466 - 60
JUL26												
500	----	----	----	----	----	1.1680 - 0.0005	.9328	----	----	----	----	2 UNCH
520	----	----	----	----	----	0.9830 - 0.0030	.9012	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.9385 - 0.0035	.8900	----	----	----	----	1 UNCH
530	----	----	----	0.8755B/0.9045A	----	0.8945 - 0.0045	.8786	----	----	----	----	6 UNCH
540	----	----	----	0.7865B/0.8195A	----	0.8085 - 0.0070	.8514	----	----	----	----	16 UNCH
545	----	----	----	----	----	0.7670 - 0.0080	.8359	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.7265 - 0.0090	.8196	----	----	----	----	2 UNCH
555	----	----	----	0.6665B/0.6995A	----	0.6875 - 0.0100	.8012	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.6495 - 0.0110	.7822	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
570	----	----	0.6205B/0.5700A	0.6205B/0.5700A	----	0.5785 - 0.0120	.7399	----	----	----	----	157 UNCH
574	----	----	----	0.5300B/0.5640A	----	0.5510 - 0.0130	.7222	----	----	----	----	5 UNCH
575	----	----	0.5860B/0.5365A	0.5860B/0.5365A	----	0.5445 - 0.0130	.7178	----	----	----	----	19 UNCH
580	----	----	0.5530B/0.5045A	0.5530B/0.5045A	----	0.5115 - 0.0130	.6949	----	----	51	----	123 - 25
585	0.5280	0.5280	0.5280/0.4735A	0.5280/0.4735A	----	0.4795 - 0.0140	.6716	----	----	3	----	304 UNCH
590	----	----	0.4905B/0.4460A	0.4905B/0.4460A	----	0.4490 - 0.0160	.6475	----	----	1	----	106 - 1
591	----	----	----/0.4470A	0.4395B/0.4470A	----	0.4430 - 0.0165	.6427	----	----	----	----	3 UNCH
593	----	----	----/0.4355A	0.4285B/0.4355A	----	0.4315 - 0.0175	.6330	----	----	----	----	1 UNCH
594	----	----	----/0.4295A	0.4230B/0.4295A	----	0.4260 - 0.0175	.6280	----	----	----	----	2 UNCH
595	----	----	0.4615B/0.4165A	0.4615B/0.4165A	----	0.4205 - 0.0180	.6230	----	----	----	----	29 UNCH
597	----	----	----/0.4135A	0.4090B/0.4135A	----	0.4095 - 0.0185	.6130	----	----	----	----	1 UNCH
598	----	----	----/0.4035A	0.4055B/0.4035A	----	0.4040 - 0.0190	.6081	----	----	----	----	1 UNCH
599	----	----	----/0.3970A	0.4095B/0.3970A	----	0.3990 - 0.0185	.6031	----	----	----	----	2 UNCH
600	0.4280	0.4280	0.4340B/0.3900A	0.4340B/0.3900A	----	0.3935 - 0.0190	.5981	----	----	5	----	357 UNCH
605	----	----	0.4080B/0.3660A	0.4080B/0.3660A	----	0.3685 - 0.0200	.5731	----	----	----	----	33 UNCH
610	----	----	0.3900B/0.3425A	0.3900B/0.3425A	----	0.3455 - 0.0200	.5483	----	----	----	----	116 UNCH
615	----	----	0.3660B/0.3200A	0.3660B/0.3200A	----	0.3235 - 0.0200	.5237	----	----	1	----	203 UNCH
620	----	----	0.3435B/0.2995A	0.3435B/0.2995A	----	0.3025 - 0.0200	.4996	----	----	54	----	112 + 2
625	0.2905	0.2905	0.3225B/0.2765A	0.3225B/0.2765A	----	0.2825 - 0.0200	.4759	----	----	154	----	216 - 44
630	----	----	0.3025B/0.2615A	0.3025B/0.2615A	----	0.2640 - 0.0195	.4529	----	----	----	----	41 UNCH
635	0.2450	0.2450	0.2835B/0.2445A	0.2835B/0.2445A	----	0.2465 - 0.0195	.4304	----	----	1	----	13 + 1
640	0.2625	0.2625	0.2660B/0.2260A	0.2660B/0.2260A	----	0.2305 - 0.0185	.4088	----	----	32	----	844 + 30
645	0.2130	0.2130	0.2500B/0.2110A	0.2500B/0.2110A	----	0.2150 - 0.0185	.3877	----	----	1	----	360 - 1
650	0.2280	0.2280	0.2340B/0.1970A	0.2340B/0.1970A	----	0.2005 - 0.0185	.3674	----	----	4	----	473 + 3
655	0.2070	0.2070	0.2195B/0.1870A	0.2195B/0.1870A	----	0.1870 - 0.0180	.3478	----	----	1	----	1 + 1
660	----	----	0.2055B/0.1725A	0.2055B/0.1725A	----	0.1745 - 0.0175	.3291	----	----	----	----	226 UNCH
665	----	----	0.1920B/0.1635A	0.1920B/0.1635A	----	0.1630 - 0.0170	.3113	----	----	----	----	1 UNCH
670	----	----	0.1800B/0.1520A	0.1800B/0.1520A	----	0.1520 - 0.0165	.2941	----	----	----	----	22 UNCH
675	0.1495	0.1495	0.1685B/0.1400A	0.1685B/0.1400A	----	0.1415 - 0.0165	.2776	----	----	4	----	449 + 3
680	----	----	0.1570B/0.1330A	0.1570B/0.1330A	----	0.1320 - 0.0155	.2620	----	----	----	----	3 UNCH
685	----	----	0.1465B/0.1245A	0.1465B/0.1245A	----	0.1235 - 0.0145	.2475	----	----	----	----	23 UNCH
690	----	----	0.1370B/0.1145A	0.1370B/0.1145A	----	0.1150 - 0.0145	.2332	----	----	----	----	197 UNCH
695	----	----	0.1280B/0.1090A	0.1280B/0.1090A	----	0.1075 - 0.0135	.2201	----	----	----	----	40 UNCH
700	0.1175	0.1175	0.1200/0.0995A	0.1200/0.0995A	----	0.1005 - 0.0125	.2076	----	----	23	----	218 + 11
715	----	----	0.0970B/0.0835A	0.0970B/0.0835A	----	0.0820 - 0.0110	.1739	----	----	----	----	25 UNCH
725	----	----	0.0850B/0.0715A	0.0850B/0.0715A	----	0.0715 - 0.0100	.1542	----	----	7	----	1528 + 5
730	----	----	0.0790B/0.0690A	0.0790B/0.0690A	----	0.0670 - 0.0090	.1454	----	----	----	----	4 UNCH
750	----	----	0.0605B/0.0530A	0.0605B/0.0530A	----	0.0515 - 0.0075	.1147	----	----	----	----	234 UNCH
775	----	----	----/0.0390A	0.0430B/0.0390A	----	0.0375 - 0.0065	.0857	----	----	----	----	34 UNCH
800	----	----	----/0.0295A	0.0305B/0.0295A	----	0.0285 - 0.0050	.0658	----	----	----	----	76 UNCH
850	0.0180	0.0180	0.0180/0.0180	0.0180/0.0180	----	0.0170 - 0.0040	.0398	----	----	2	----	4 + 1
875	----	----	----	0.0115B/0.0170A	----	0.0135 - 0.0030	.0316	----	----	----	----	2 UNCH
900	----	----	----	0.0110B/0.0145A	----	0.0105 - 0.0025	.0247	----	----	----	----	271 UNCH
950	----	----	----	0.0045B/0.0110A	----	0.0065 - 0.0015	.0155	----	----	----	----	56 UNCH
975	----	----	----	0.0035B/0.0090A	----	0.0050 - 0.0015	.0120	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0070A	----	0.0040 - 0.0010	.0096	----	----	----	----	4 UNCH
TOTAL										344		7087 - 14
AUG26												
500	----	----	----	----	----	1.2395 - 0.0030	.9143	----	----	----	----	2 UNCH
550	----	----	----	----	----	0.8180 - 0.0095	.7989	----	----	----	----	3 UNCH
575	----	----	0.6810B/0.6390A	0.6810B/0.6390A	----	0.6410 - 0.0140	.7124	----	----	----	----	0 UNCH
580	----	----	0.6485B/0.6075A	0.6485B/0.6075A	----	0.6095 - 0.0140	.6935	----	----	----	----	252 UNCH
585	----	----	0.6175B/0.5775A	0.6175B/0.5775A	----	0.5785 - 0.0150	.6739	----	----	----	----	11 UNCH
590	----	----	0.5875B/0.5485A	0.5875B/0.5485A	----	0.5490 - 0.0155	.6541	----	----	----	----	16 UNCH
595	----	----	0.5585B/0.5210A	0.5585B/0.5210A	----	0.5205 - 0.0160	.6341	----	----	----	----	1 UNCH
600	----	----	0.5305B/0.4945A	0.5305B/0.4945A	----	0.4935 - 0.0165	.6139	----	----	----	----	4 UNCH
620	----	----	0.4365B/0.3970A	0.4365B/0.3970A	----	0.3970 - 0.0175	.5328	----	----	----	----	7 UNCH
625	----	----	0.4140B/0.3755A	0.4140B/0.3755A	----	0.3760 - 0.0170	.5129	----	----	----	----	85 UNCH
635	----	----	0.3725B/0.3365A	0.3725B/0.3365A	----	0.3365 NEW	.4742	----	----	2	----	2 + 2
640	----	----	0.3530B/0.3185A	0.3530B/0.3185A	----	0.3185 - 0.0165	.4554	----	----	----	----	153 UNCH
650	----	----	0.3170B/0.2855A	0.3170B/0.2855A	----	0.2855 - 0.0155	.4194	----	----	----	----	31 UNCH
675	----	----	0.2405B/0.2170A	0.2405B/0.2170A	----	0.2155 - 0.0150	.3375	----	----	----	----	168 UNCH
680	----	----	0.2275B/0.2060A	0.2275B/0.2060A	----	0.2040 - 0.0145	.3229	----	----	----	----	4 UNCH
690	----	----	0.1990B/0.1900A	0.1990B/0.1900A	----	0.1820 - 0.0145	.2946	----	----	----	----	3 UNCH
700	----	----	0.1775B/0.1710A	0.1775B/0.1710A	----	0.1625 - 0.0145	.2686	----	----	2	----	4 UNCH
725	----	----	----/0.1320A	0.1335B/0.1320A	----	0.1230 - 0.0130	.2125	----	----	----	----	86 UNCH
730	----	----	0.1320B/0.1215A	0.1320B/0.1215A	----	0.1170 - 0.0120	.2032	----	----	----	----	1 UNCH
750	----	----	0.1055B/0.0990A	0.1055B/0.0990A	----	0.0945 - 0.0105	.1686	----	----	----	----	66 UNCH
800	----	----	----/0.0625A	0.0610B/0.0625A	----	0.0570 - 0.0070	.1068	----	----	----	----	6 UNCH
850	----	----	----	0.0350B/0.0410A	----	0.0360 - 0.0050	.0694	----	----	----	----	1 UNCH
900	----	----	----	0.0205B/0.0285A	----	0.0245 - 0.0040	.0476	----	----	----	----	57 UNCH
950	----	----	----	0.0125B/0.0210A	----	0.0160 - 0.0030	.0318	----	----	----	----	2 UNCH
975	----	----	----	0.0095B/0.0185A	----	0.0130 - 0.0025	.0261	----	----	----	----	1 UNCH
TOTAL										4		966 + 2
SEP26												
495	----	----	----	----	----	1.3015 - 0.0035	.9019	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.2575 - 0.0045	.8938	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.9675 - 0.0100	.8176	----	----	----	----	1 UNCH
565	----	----	0.7900B/0.7490A	0.7900B/0.7490A	----	0.7515 - 0.0120	.7290	----	----	----	----	1 UNCH
575	----	----	0.7250B/0.6855A	0.7250B/0.6855A	----	0.6875 - 0.0130	.6957	----	----	----	----	100 UNCH
595	----	----	0.6075B/0.5720A	0.6075B/0.5720A	----	0.5725 - 0.0140	.6258	----	----	----	----	3 UNCH
600	----	----	0.5805B/0.5460A	0.5805B/0.5460A	----	0.5460 - 0.0145	.6080	----	----	----	----	288 UNCH
610	----	----	0.5295B/0.4975A	0.5295B/0.4975A	----	0.4970 - 0.0150	.5724	----	----	----	----	31 UNCH
615	----	----	0.5100B/0.4750A	0.5100B/0.4750A	----	0.4740 - 0.0150	.5546	----	----	----	----	9 UNCH
620	0.4660	0.4660	0.4870B/0.4530A	0.4870B/0.4530A	----	0.4520 - 0.0150	.5370	----	----	10	----	37 UNCH
625	----	----	0.4650B/0.4325A	0.4650B/0.4325A	----	0.4310 - 0.0150	.5196	----	----	----	----	142 UNCH
630	----	----	0.4435B/0.4125A	0.4435B/0.4125A	----	0.4105 - 0.0150	.5024	----	----	----	----	2 UNCH
640	----	----	0.4040B/0.3750A	0.4040B/0.3750A	----	0.3730 - 0.0145	.4690	----	----	----	----	12 UNCH
650	----	----	0.3670B/0.3410A	0.3670B/0.3410A	----	0.3385 - 0.0140	.4368	----	----	50	----	164 - 50
655	----	----	0.3500B/0.3255A	0.3500B/0.3255A	----	0.3225 - 0.0140	.4213	----	----	----	----	4 UNCH
670	----	----	0.3035B/0.2825A	0.3035B/0.2825A	----	0.2785 - 0.0135	.3768	----	----	----	----	1 UNCH
675	----	----	0.2895B/0.2695A	0.2895B/0.2695A	----	0.2655 - 0.0130	.3629	----	----	----	----	325 UNCH
680	----	----	0.2755B/0.2570A	0.2755B/0.2570A	----	0.2530 - 0.0130	.3494	----	----	----	----	350 UNCH
690	----	----	0.2500B/0.2340A	0.2500B/0.2340A	----	0.2295 - 0.0125	.3234	----	----	----	----	11 UNCH
700	0.2040	0.2040	0.2270B/0.2040	0.2270B/0.2040	----	0.2085 - 0.0120	.2992	----	----	84	----	37 - 18
720	0.1750	0.1750	0.1870B/0.1750	0.1870B/0.1750	----	0.1720 NEW	.2553	----	----	5	----	5 + 5
750	----	----	0.1395B/0.1360A	0.1395B/0.1360A	----	0.1300 - 0.0090	.2011	----	----	----	----	71 UNCH
800	----	----	----	0.0865B/0.0895A	----	0.0825 - 0.0065	.1349	----	----	----	----	12 UNCH
875	----	----	----	0.0420B/0.0515A	----	0.0440 - 0.0045	.0759	----	----	----	----	1 UNCH
900	----	----	----	0.0330B/0.0440A	----	0.0365 - 0.0035	.0636	----	----	----	----	25 UNCH
975	----	----	----	0.0160B/0.0295A	----	0.0210 - 0.0025	.0377	----	----	----	----	1 UNCH
TOTAL										149		1640 - 63
OCT26												
650	----	----	0.4425B/0.4275A	0.4425B/0.4275A	----	0.4190 - 0.0135	.4745	----	----	----	----	100 UNCH
700	----	----	----/0.2870A	0.2840B/0.2870A	----	0.2730 - 0.0160	.3426	----	----	----	----	145 UNCH
775	----	----	----	0.1440B/0.1625A	----	0.1470 - 0.0105	.2045	----	----	----	----	71 UNCH
800	----	----	----/0.1285A	0.1170B/0.1285A	----	0.1200 - 0.0095	.1716	----	----	----	----	1 UNCH
850	----	----	----/0.0905A	0.0755B/0.0905A	----	0.0845 - 0.0075	.1244	----	----	----	----	30 UNCH
875	----	----	----/0.0770A	0.0605B/0.0770A	----	0.0725 - 0.0070	.1075	----	----	----	----	2 UNCH
900	----	----	----/0.0665A	0.0485B/0.0665A	----	0.0635 - 0.0065	.0942	----	----	----	----	3 UNCH
975	----	----	----	0.0245B/0.0450A	----	0.0355 - 0.0045	.0560	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	----	----	----	1.0930 - 0.0065	.8011	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0205 - 0.0080	.7772	----	----	----	----	1 UNCH
580	----	----	0.8220B/0.8040A	0.8220B/0.8040A	----	0.7940 - 0.0115	.6838	----	----	----	----	2 UNCH
585	----	----	0.7925B/0.7760A	0.7925B/0.7760A	----	0.7650 - 0.0120	.6695	----	----	----	----	1 UNCH
595	----	----	0.7365B/0.7215A	0.7365B/0.7215A	----	0.7100 - 0.0130	.6407	----	----	----	----	2 UNCH
600	----	----	0.7095B/0.6955A	0.7095B/0.6955A	----	0.6840 - 0.0130	.6261	----	----	----	----	2 UNCH
610	----	----	0.6585B/0.6460A	0.6585B/0.6460A	----	0.6340 - 0.0135	.5970	----	----	----	----	14 UNCH
640	----	----	0.5235B/----	0.5235B/0.5170A	----	0.5030 - 0.0140	.5110	----	----	----	----	1 UNCH
655	----	----	0.4655B/----	0.4655B/0.4615A	----	0.4470 - 0.0140	.4702	----	----	----	----	1 UNCH
670	----	----	0.4130B/----	0.4130B/0.4120A	----	0.3970 - 0.0140	.4312	----	----	----	----	14 UNCH
675	----	----	0.3965B/----	0.3965B/0.3970A	----	0.3815 - 0.0135	.4187	----	----	----	----	1 UNCH
750	----	----	----	0.2135B/0.2270A	----	0.2110 - 0.0100	.2626	----	----	----	----	1 UNCH
850	----	----	----	0.0945B/0.1165A	----	0.1005 - 0.0060	.1387	----	----	----	----	1 UNCH
900	----	----	----	0.0625B/0.0880A	----	0.0705 - 0.0050	.1011	----	----	----	----	1 UNCH
975	----	----	----	0.0330B/0.0610A	----	0.0410 - 0.0035	.0622	----	----	----	----	1 UNCH
TOTAL												44
DEC26												
520	----	----	----	----	----	1.2300 - 0.0050	.8215	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1925 - 0.0055	.8113	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1195 - 0.0065	.7893	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
550	----	----	----	1.0220B/1.0265A	----	1.0155 - 0.0080	.7542	----	----	----	----	2 UNCH
555	----	----	1.0080B/----	1.0080B/0.9940A	----	0.9825 - 0.0085	.7420	----	----	----	----	1 UNCH
565	----	----	0.9435B/----	0.9435B/0.9310A	----	0.9185 - 0.0100	.7167	----	----	----	----	45 UNCH
575	----	----	0.8820B/----	0.8820B/0.8715A	----	0.8580 - 0.0110	.6907	----	----	----	----	123 UNCH
585	----	----	0.8240B/----	0.8240B/0.8155A	----	0.8010 - 0.0120	.6641	----	----	----	----	1 UNCH
590	----	----	0.7965B/----	0.7965B/0.7885A	----	0.7740 - 0.0120	.6506	----	----	----	----	200 UNCH
595	----	----	0.7695B/----	0.7695B/0.7625A	----	0.7475 - 0.0120	.6371	----	----	----	----	163 UNCH
600	----	----	0.7430B/----	0.7430B/0.7370A	----	0.7215 - 0.0130	.6235	----	----	----	----	602 UNCH
610	----	----	0.6930B/----	0.6930B/0.6885A	----	0.6730 - 0.0125	.5964	----	----	----	----	356 UNCH
620	0.6300	0.6300	0.6455B/0.6300	0.6455B/0.6300	----	0.6270 - 0.0130	.5694	----	----	1	----	408 UNCH
625	----	----	0.6230B/----	0.6230B/0.6215A	----	0.6050 - 0.0130	.5560	----	----	----	----	3 UNCH
630	----	----	0.6010B/----	0.6010B/0.6005A	----	0.5840 - 0.0130	.5426	----	----	----	----	456 UNCH
640	----	----	0.5595B/----	0.5595B/0.5605A	----	0.5435 - 0.0130	.5165	----	----	----	----	29 UNCH
650	----	----	0.5200B/----	0.5200B/0.5230A	----	0.5055 - 0.0135	.4909	----	----	----	----	522 UNCH
660	----	----	----	0.4835B/0.4880A	----	0.4700 - 0.0135	.4660	----	----	----	----	300 UNCH
670	----	----	----	0.4485B/0.4550A	----	0.4370 - 0.0130	.4419	----	----	----	----	4 UNCH
675	----	----	----	0.4325B/0.4395A	----	0.4210 - 0.0130	.4301	----	----	----	----	17 UNCH
680	----	----	----	0.4165B/0.4245A	----	0.4060 - 0.0130	.4186	----	----	----	----	3 UNCH
700	----	----	----	0.3575B/0.3695A	----	0.3505 - 0.0120	.3745	----	----	----	----	844 UNCH
705	----	----	----	0.3445B/0.3570A	----	0.3380 - 0.0115	.3641	----	----	----	----	2 UNCH
725	----	----	----	0.2955B/0.3110A	----	0.2920 - 0.0110	.3247	----	----	----	----	5 UNCH
730	----	----	----	0.2845B/0.3010A	----	0.2820 - 0.0100	.3157	----	----	----	----	2 UNCH
750	----	----	----	0.2440B/0.2635A	----	0.2445 - 0.0095	.2812	----	----	----	----	24 UNCH
800	----	----	----	0.1675B/0.1920A	----	0.1730 - 0.0075	.2104	----	----	----	----	104 UNCH
850	----	----	----	0.1165B/0.1435A	----	0.1255 - 0.0065	.1587	----	----	----	----	4 UNCH
900	----	----	----	0.0810B/0.1000A	----	0.0930 - 0.0055	.1211	----	----	----	----	213 UNCH
925	----	----	----	0.0670B/0.0980A	----	0.0830 - 0.0050	.1083	----	----	----	----	6 UNCH
950	----	----	----	0.0555B/0.0875A	----	0.0750 - 0.0045	.0977	----	----	----	----	78 UNCH
975	----	----	----	0.0460B/0.0785A	----	0.0680 - 0.0045	.0885	----	----	----	----	13 UNCH
TOTAL										1		4655
JAN27												
500	----	----	----	----	----	1.4735 + 0.0005	.8563	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1565 - 0.0005	.1685	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5430 - 0.0005	.4620	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1215 - 0.0005	.1348	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
340	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
350	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
360	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	35 UNCH
370	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
375	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
390	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
395	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
400	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	124 UNCH
405	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	125 UNCH
410	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	23 UNCH
415	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	6 UNCH
420	----	----	----	----/0.0005A	----	0.0005 UNCH	.0002	----	----	----	----	60 UNCH
425	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	56 UNCH
430	----	----	----	----/0.0015A	----	0.0005 UNCH	.0005	----	----	----	----	13 UNCH
435	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0008	----	----	----	----	8 UNCH
440	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0011	----	----	----	----	130 UNCH
445	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0016	----	----	----	----	52 UNCH
450	----	----	----	----/0.0030A	----	0.0010 UNCH	.0031	----	----	----	----	855 UNCH
455	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0005	.0033	----	----	----	----	23 UNCH
460	----	----	----	0.0010B/0.0015A	----	0.0010 - 0.0005	.0034	----	----	----	----	504 UNCH
465	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0035	----	----	----	----	34 UNCH
470	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0036	----	----	----	----	57 UNCH
475	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0010 - 0.0010	.0038	----	----	2	----	417 - 1
480	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0015 - 0.0005	.0056	----	----	4	----	1303 - 2
485	----	----	----	----/0.0020A	----	0.0015 - 0.0005	.0058	----	----	----	----	85 UNCH
490	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0060	----	----	----	----	269 UNCH
495	----	----	----	----/0.0045A	----	0.0015 - 0.0010	.0063	----	----	----	----	91 UNCH
500	----	----	----	----/0.0035A	----	0.0020 - 0.0005	.0084	----	----	----	----	1752 UNCH
505	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0020 - 0.0005	.0088	----	----	4	----	177 + 1
510	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0092	----	----	----	----	389 UNCH
514	----	----	----	----/0.0040A	----	0.0025 - 0.0005	.0115	----	----	----	----	43 UNCH
515	----	----	----	----/0.0040A	----	0.0025 - 0.0005	.0116	----	----	1	----	154 UNCH
516	----	----	----	----/0.0040A	----	0.0025 - 0.0005	.0117	----	----	----	----	74 UNCH
517	----	----	----	----/0.0040A	----	0.0025 - 0.0005	.0119	----	----	----	----	108 UNCH
518	----	----	----	----/0.0045A	----	0.0025 - 0.0010	.0120	----	----	1	----	117 - 1
519	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0121	----	----	----	----	88 UNCH
520	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0122	----	----	----	25	1172 - 25
521	----	----	----	----/0.0065A	----	0.0030 - 0.0005	.0143	----	----	----	----	67 UNCH
522	----	----	----	----/0.0065A	----	0.0030 - 0.0005	.0145	----	----	----	----	52 UNCH
523	----	----	----	----/0.0065A	----	0.0030 - 0.0005	.0146	----	----	----	----	23 UNCH
524	----	----	----	----/0.0065A	----	0.0030 - 0.0005	.0148	----	----	----	----	20 UNCH
525	----	----	----	0.0030B/0.0065A	----	0.0030 - 0.0010	.0150	----	----	----	----	329 UNCH
526	----	----	----	----/0.0060A	----	0.0030 - 0.0010	.0151	----	----	----	----	19 UNCH
527	----	----	----	----/0.0060A	----	0.0030 - 0.0010	.0153	----	----	----	----	17 UNCH
528	0.0055	0.0055	0.0055/0.0055	0.0055/0.0055	----	0.0035 - 0.0005	.0175	----	----	5	----	12 UNCH
529	----	----	----	----/0.0060A	----	0.0035 - 0.0005	.0177	----	----	----	----	6 UNCH
530	----	----	----	----/0.0050A	----	0.0035 - 0.0005	.0179	----	----	----	----	590 UNCH
531	----	----	----	----/0.0050A	----	0.0035 - 0.0010	.0181	----	----	----	----	24 UNCH
532	----	----	----	----/0.0050A	----	0.0035 - 0.0010	.0183	----	----	----	----	11 UNCH
533	----	----	----	----/0.0050A	----	0.0040 - 0.0005	.0206	----	----	----	----	7 UNCH
534	----	----	----	----/0.0050A	----	0.0040 - 0.0005	.0208	----	----	----	----	9 UNCH
535	----	----	----	0.0005B/0.0055A	----	0.0040 - 0.0010	.0211	----	----	----	----	200 UNCH
536	----	----	----	0.0035B/0.0055A	----	0.0040 - 0.0010	.0213	----	----	----	----	12 UNCH
537	0.0045	0.0045	0.0050B/*0.0045	0.0050B/*0.0045	----	0.0040 - 0.0010	.0216	----	----	3	----	9 UNCH
538	----	----	----	0.0050B/0.0050A	----	0.0045 - 0.0005	.0239	----	----	----	----	10 UNCH
539	----	----	----	0.0050B/0.0055A	----	0.0045 - 0.0010	.0242	----	----	----	----	11 UNCH
540	----	----	----	0.0055B/0.0055A	----	0.0045 - 0.0010	.0245	----	----	----	----	316 UNCH
541	----	----	----	0.0055B/0.0055A	----	0.0050 - 0.0005	.0269	----	----	----	----	10 UNCH
542	----	----	----	0.0055B/0.0060A	----	0.0050 - 0.0010	.0273	----	----	----	----	8 UNCH
543	----	----	----	0.0055B/0.0060A	----	0.0050 - 0.0010	.0276	----	----	----	----	1 UNCH
544	----	----	----	0.0060B/0.0060A	----	0.0050 - 0.0010	.0280	----	----	----	----	1 UNCH
545	0.0060	0.0060	0.0060/0.0060	0.0060/0.0060	----	0.0055 - 0.0010	.0305	----	----	22	----	156 + 4
546	----	----	----/*0.0060A	0.0060B/*0.0060	----	0.0055 - 0.0010	.0309	----	----	----	----	10 UNCH
547	----	----	----/*0.0060A	0.0065B/*0.0060	----	0.0055 - 0.0015	.0313	----	----	----	----	7 UNCH
548	----	----	----/0.0065A	0.0065B/0.0065A	----	0.0060 - 0.0010	.0339	----	----	1	----	55 UNCH
549	----	----	----/*0.0065A	0.0065B/*0.0065	----	0.0060 - 0.0010	.0343	----	----	----	----	12 UNCH
550	0.0070	0.0070	0.0075/*0.0065	0.0075/*0.0065	----	0.0065 - 0.0010	.0369	----	----	53	----	1701 + 40
551	----	----	----/*0.0065A	0.0070B/*0.0065	----	0.0065 - 0.0010	.0375	----	----	----	----	36 UNCH
552	0.0065	0.0065	0.0075B/*0.0065	0.0075B/*0.0065	----	0.0065 - 0.0015	.0380	----	----	1	----	16 UNCH
553	----	----	----/*0.0070A	0.0075B/*0.0070	----	0.0070 - 0.0015	.0407	----	----	----	----	18 UNCH
554	----	----	----/*0.0070A	0.0075B/*0.0070	----	0.0070 - 0.0015	.0413	----	----	----	----	19 UNCH
555	----	----	----/*0.0070A	0.0080B/*0.0070	----	0.0075 - 0.0015	.0441	----	----	4	----	133 + 4
556	----	----	----/*0.0075A	0.0080B/*0.0075	----	0.0075 - 0.0015	.0447	----	----	----	----	12 UNCH
557	0.0080	0.0080	0.0080/*0.0075A	0.0085B/*0.0075	----	0.0080 - 0.0015	.0476	----	----	1	----	20 + 1
558	----	----	----/*0.0075A	0.0090B/*0.0075	----	0.0080 - 0.0020	.0483	----	----	----	----	83 UNCH
559	----	----	----/*0.0080A	0.0090B/*0.0080	----	0.0085 - 0.0020	.0512	----	----	----	----	25 UNCH
560	0.0095	0.0095	0.0095/*0.0080A	0.0095/*0.0080A	----	0.0090 - 0.0020	.0541	----	----	12	----	479 + 3
561	----	----	----/*0.0085A	0.0095B/*0.0085	----	0.0090 - 0.0025	.0550	----	----	14	----	23 + 8
562	0.0095	0.0095	0.0105/*0.0085A	0.0105/*0.0085A	----	0.0095 - 0.0025	.0580	----	----	6	----	17 - 2
563	----	----	----/*0.0090A	0.0105B/*0.0090	----	0.0100 - 0.0025	.0611	----	----	8	----	40 UNCH
564	----	----	----/*0.0090A	0.0110B/*0.0090	----	0.0100 - 0.0030	.0621	----	----	----	----	12 UNCH
565	0.0110	0.0110	0.0110/*0.0095A	0.0115B/*0.0095	----	0.0105 - 0.0030	.0653	----	----	3	----	222 - 1
566	0.0115	0.0115	0.0115/*0.0095A	0.0120B/*0.0095	----	0.0110 - 0.0030	.0686	----	----	3	----	7 UNCH
567	----	----	----/*0.0100A	0.0125B/*0.0100	----	0.0115 - 0.0035	.0719	----	----	----	----	9 UNCH
568	----	----	----/*0.0105A	0.0135B/*0.0105	----	0.0120 - 0.0035	.0753	----	----	----	----	10 UNCH
569	----	----	----/*0.0110A	0.0145B/*0.0110	----	0.0125 - 0.0040	.0787	----	----	2	----	29 UNCH
570	0.0120	0.0120	0.0135/*0.0115A	0.0150B/*0.0115	----	0.0130 - 0.0045	.0822	----	----	3	----	572 UNCH
571	----	----	----/*0.0120A	0.0160B/*0.0120	----	0.0135 - 0.0050	.0858	----	----	----	----	8 UNCH
572	----	----	----/*0.0125A	0.0170B/*0.0125	----	0.0140 - 0.0055	.0895	----	----	----	----	9 UNCH
573	0.0135	0.0135	0.0135/*0.0135	0.0180B/*0.0135	----	0.0150 - 0.0055	.0953	----	----	3	----	10 + 2
574	0.0145	0.0145	0.0145/*0.0140A	0.0195B/*0.0140	----	0.0155 - 0.0060	.0991	----	----	1	----	2 - 1
575	0.0185	0.0185	0.0205B/*0.0150	0.0205B/*0.0150	----	0.0165 - 0.0065	.1050	----	----	130	----	387 + 36

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
576	----	----	----/*0.0160A	0.0205B/*0.0160	----	0.0170 - 0.0070	.1091	----	----	----	----	29 UNCH
577	0.0200	0.0200	0.0200/*0.0170A	0.0220B/*0.0170	----	0.0180 - 0.0075	.1152	----	----	3	----	74 - 3
578	----	----	----/*0.0180A	0.0235B/*0.0180	----	0.0190 - 0.0080	.1214	----	----	----	----	25 UNCH
579	----	----	----/*0.0190A	0.0250B/*0.0190	----	0.0200 - 0.0090	.1277	----	----	3	----	8 + 2
580	0.0260	0.0260	0.0265/*0.0200A	0.0265/*0.0200A	----	0.0215 - 0.0090	.1359	----	----	64	----	326 + 58
581	----	----	----/*0.0210A	0.0285B/*0.0210	----	0.0225 - 0.0100	.1424	----	----	----	----	20 UNCH
582	0.0230	0.0230	0.0240/*0.0225A	0.0300B/*0.0225	----	0.0240 - 0.0105	.1508	----	----	4	----	10 + 2
583	----	----	----/*0.0240A	0.0320B/*0.0240	----	0.0255 - 0.0110	.1592	----	----	----	----	5 UNCH
584	----	----	----/*0.0260A	0.0350B/*0.0260	----	0.0270 - 0.0120	.1677	----	----	3	----	8 + 3
585	0.0360	0.0360	0.0360/*0.0270	0.0365B/*0.0270	----	0.0290 - 0.0125	.1779	----	----	54	----	356 + 51
586	0.0325	0.0325	0.0355/*0.0295A	0.0390B/*0.0295	----	0.0310 - 0.0130	.1882	----	----	5	----	8 + 5
587	----	----	----/*0.0315A	0.0415B/*0.0315	----	0.0330 - 0.0135	.1984	----	----	----	----	3 UNCH
588	0.0380	0.0380	0.0380/*0.0335A	0.0440B/*0.0335	----	0.0350 - 0.0145	.2088	----	----	4	----	5 + 3
589	----	----	----/*0.0355A	0.0470B/*0.0355	----	0.0375 - 0.0150	.2205	----	----	1	----	6 + 1
590	0.0520	0.0520	0.0520/*0.0380A	0.0520/*0.0380A	----	0.0400 - 0.0155	.2323	----	----	172	----	348 + 131
591	----	----	----/*0.0415A	0.0525B/*0.0415	----	0.0425 - 0.0160	.2441	----	----	----	----	5 UNCH
592	----	----	----/*0.0435A	0.0555B/*0.0435	----	0.0455 - 0.0165	.2570	----	----	22	----	57 + 7
593	----	----	----/*0.0465A	0.0590B/*0.0465	----	0.0485 - 0.0170	.2700	----	----	----	----	1 UNCH
594	----	----	----/*0.0500A	0.0625B/*0.0500	----	0.0515 - 0.0175	.2829	----	----	----	----	25 UNCH
595	----	----	----/*0.0530A	0.0660B/*0.0530	----	0.0550 - 0.0175	.2967	----	----	9	----	88 + 6
596	0.0575	0.0575	0.0575/*0.0570A	0.0705B/*0.0570	----	0.0585 - 0.0180	.3105	----	----	1	----	16 + 1
597	----	----	----/*0.0605A	0.0745B/*0.0605	----	0.0620 - 0.0185	.3242	----	----	----	----	17 UNCH
598	----	----	----/*0.0640A	0.0780B/*0.0640	----	0.0660 - 0.0185	.3386	----	----	----	----	1 UNCH
599	----	----	----/*0.0675A	0.0825B/*0.0675	----	0.0700 - 0.0185	.3530	----	----	----	----	1 UNCH
600	0.0810	0.0810	0.0820/*0.0705A	0.0875B/*0.0705	----	0.0740 - 0.0190	.3672	----	----	29	----	586 UNCH
601	----	----	----/*0.0755A	0.0910B/*0.0755	----	0.0785 - 0.0185	.3819	----	----	----	----	1 UNCH
602	----	----	----/*0.0805A	0.0960B/*0.0805	----	0.0825 - 0.0190	.3961	----	----	----	----	1 UNCH
603	----	----	----/*0.0850A	0.1005B/*0.0850	----	0.0870 - 0.0190	.4107	----	----	----	----	1 UNCH
604	----	----	----/*0.0890A	0.1055B/*0.0890	----	0.0920 - 0.0190	.4255	----	----	----	----	2 UNCH
605	0.0975	0.0975	0.0975/*0.0935A	0.1105B/*0.0935	----	0.0965 - 0.0190	.4400	----	----	12	----	47 + 9
606	----	----	----/*0.0975A	0.1155B/*0.0975	----	0.1015 NEW	.4546	----	----	1	----	1 + 1
607	0.1180	0.1180	0.1180/*0.1025A	0.1210B/*0.1025	----	0.1070 - 0.0190	.4692	----	----	1	----	2 + 1
608	0.1260	0.1260	0.1260/*0.1070A	0.1260/*0.1070A	----	0.1120 NEW	.4837	----	----	2	----	2 + 2
609	0.1215	0.1215	0.1215/*0.1115A	0.1315B/*0.1115	----	0.1175 NEW	.4981	----	----	1	----	1 + 1
610	0.1265	0.1265	0.1360/*0.1155	0.1365B/*0.1155	----	0.1230 - 0.0190	.5124	----	----	8	----	48 + 5
611	0.1320	0.1320	0.1415/*0.1200A	0.1425B/*0.1200	----	0.1285 NEW	.5266	----	----	5	----	5 + 5
612	0.1360	0.1360	0.1360/*0.1255A	0.1485B/*0.1255	----	0.1340 - 0.0195	.5409	----	----	2	----	3 + 2
613	0.1435	0.1435	0.1435/*0.1315A	0.1545B/*0.1315	----	0.1400 NEW	.5548	----	----	4	----	4 + 4
615	----	----	----/*0.1415A	0.1655B/*0.1415	----	0.1520 - 0.0200	.5825	----	----	----	----	1 UNCH
619	----	----	----/*0.1650A	0.1855B/*0.1650	----	0.1780 - 0.0200	.6352	----	----	----	----	1 UNCH
620	----	----	----/*0.1720A	0.1930B/*0.1720	----	0.1845 - 0.0205	.6475	----	----	----	----	3 UNCH
645	----	----	----	0.3555B/*0.4125	----	0.3870 - 0.0155	.8694	----	----	----	----	1 UNCH
TOTAL									25	697		16454 + 363
JUN26												
330	----	----	----	----/0.0020A	----	0.0015 UNCH	.0028	----	----	----	----	8 UNCH
355	----	----	----	----/*0.0050A	----	0.0025 UNCH	.0049	----	----	----	----	10 UNCH
370	----	----	----	----/*0.0050A	----	0.0035 UNCH	.0068	----	----	----	----	1 UNCH
380	----	----	----	----/*0.0055A	----	0.0040 - 0.0005	.0080	----	----	----	----	1 UNCH
400	----	----	----	----/0.0060A	----	0.0055 - 0.0005	.0113	----	----	----	----	3 UNCH
405	----	----	----	----/0.0065A	----	0.0055 - 0.0005	.0116	----	----	----	----	1 UNCH
410	----	----	----	----/0.0070A	----	0.0060 UNCH	.0128	----	----	----	----	2 UNCH
420	----	----	----	0.0035B/*0.0075	----	0.0060 UNCH	.0134	----	----	----	----	3 UNCH
430	----	----	----	----/0.0080A	----	0.0060 UNCH	.0142	----	----	----	----	3 UNCH
435	----	----	----	0.0005B/*0.0085	----	0.0060 UNCH	.0146	----	----	----	----	2 UNCH
440	----	----	----	0.0040B/0.0090A	----	0.0065 + 0.0005	.0160	----	----	----	----	8 UNCH
445	----	----	----	0.0050B/0.0095A	----	0.0065 + 0.0005	.0164	----	----	----	----	8 UNCH
450	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0065 UNCH	.0169	----	----	4	----	453 - 4
455	0.0085	0.0085	0.0085/0.0085	0.0085/0.0085	----	0.0070 UNCH	.0184	----	----	4	----	65 UNCH
460	0.0060	0.0060	0.0065B/*0.0060	0.0065B/*0.0060	----	0.0075 UNCH	.0200	----	----	2	----	68 UNCH
465	----	----	----	0.0070B/0.0120A	----	0.0080 - 0.0005	.0216	----	----	----	----	920 UNCH
470	----	----	----	0.0040B/0.0125A	----	0.0085 - 0.0005	.0234	----	----	3	----	667 UNCH
475	----	----	----	0.0050B/0.0130A	----	0.0090 - 0.0005	.0252	----	----	----	----	153 UNCH
480	----	----	----/*0.0100A	0.0055B/*0.0100	----	0.0100 - 0.0005	.0281	----	----	23	----	959 - 10
485	----	----	----	0.0095B/0.0130A	----	0.0110 UNCH	.0311	----	----	----	----	60 UNCH
490	----	----	----	0.0100B/0.0125A	----	0.0115 - 0.0005	.0333	----	----	10	----	52 - 10
495	----	----	----	0.0115B/0.0135A	----	0.0125 - 0.0005	.0366	----	----	----	----	35 UNCH
500	----	----	----	0.0130B/0.0145A	----	0.0140 UNCH	.0411	----	----	1	----	563 - 1
505	----	----	----	0.0140B/0.0165A	----	0.0150 UNCH	.0447	----	----	----	----	522 UNCH
510	0.0150	0.0150	0.0170/*0.0150	0.0170/*0.0150	----	0.0165 UNCH	.0496	----	----	101	----	164 - 55
515	----	----	----/*0.0170A	0.0185B/*0.0170	----	0.0180 - 0.0005	.0546	----	----	----	----	29 UNCH
520	----	----	----/*0.0190A	0.0200B/*0.0190	----	0.0200 - 0.0005	.0610	----	----	2	----	159 - 1
523	----	----	----/*0.0200A	0.0215B/*0.0200	----	0.0210 - 0.0010	.0646	----	----	----	----	3 UNCH
525	----	----	----/*0.0210A	0.0225B/*0.0210	----	0.0220 - 0.0010	.0677	----	----	----	----	2153 UNCH
526	----	----	----/*0.0215A	0.0230B/*0.0215	----	0.0225 - 0.0015	.0692	----	----	----	----	2 UNCH
527	----	----	----/*0.0220A	0.0235B/*0.0220	----	0.0230 - 0.0015	.0708	----	----	----	----	2 UNCH
528	----	----	----/*0.0225A	0.0240B/*0.0225	----	0.0235 - 0.0015	.0724	----	----	----	----	3 UNCH
529	----	----	----/*0.0230A	0.0245B/*0.0230	----	0.0240 - 0.0015	.0740	----	----	----	----	5 UNCH
530	----	----	----/*0.0240A	0.0250B/*0.0240	----	0.0245 - 0.0020	.0757	----	----	1	----	132 - 1
531	----	----	----/*0.0245A	0.0255B/*0.0245	----	0.0255 - 0.0015	.0783	----	----	----	----	4 UNCH
532	----	----	----/*0.0250A	0.0260B/*0.0250	----	0.0260 - 0.0020	.0799	----	----	----	----	2 UNCH
534	----	----	----/*0.0260A	0.0275B/*0.0260	----	0.0270 - 0.0025	.0833	----	----	----	----	3 UNCH
535	----	----	----/*0.0265A	0.0280B/*0.0265	----	0.0275 - 0.0025	.0850	----	----	2	----	73 UNCH
536	----	----	----/*0.0275A	0.0285B/*0.0275	----	0.0285 - 0.0025	.0877	----	----	----	----	1 UNCH
537	----	----	----/*0.0280A	0.0295B/*0.0280	----	0.0290 - 0.0030	.0894	----	----	----	----	4 UNCH
538	0.0310	0.0310	0.0310/*0.0285A	0.0310/*0.0285A	----	0.0295 - 0.0030	.0912	----	----	5	----	5 UNCH
539	----	----	----/*0.0295A	0.0310B/*0.0295	----	0.0305 - 0.0030	.0939	----	----	----	----	1 UNCH
540	0.0305	0.0305	0.0305/*0.0300	0.0320B/*0.0300	----	0.0310 - 0.0035	.0957	----	----	6	----	62 - 2
542	----	----	----/*0.0315A	0.0340B/*0.0315	----	0.0330 - 0.0035	.1012	----	----	1	----	4 + 1
543	----	----	----/*0.0325A	0.0350B/*0.0325	----	0.0335 - 0.0040	.1030	----	----	----	----	12 UNCH
544	----	----	----/*0.0335A	0.0360B/*0.0335	----	0.0345 - 0.0045	.1058	----	----	----	----	2 UNCH
545	----	----	----/*0.0340A	0.0370B/*0.0340	----	0.0355 - 0.0045	.1086	----	----	2	----	56 - 2
546	----	----	----/*0.0345A	0.0380B/*0.0345	----	0.0360 - 0.0050	.1105	----	----	----	----	1 UNCH
547	----	----	----/*0.0360A	0.0395B/*0.0360	----	0.0370 - 0.0055	.1134	----	----	----	----	4 UNCH
548	----	----	----/*0.0370A	0.0405B/*0.0370	----	0.0380 - 0.0055	.1162	----	----	----	----	3 UNCH
550	0.0420	0.0420	0.0420/*0.0390A	0.0430B/*0.0390	----	0.0400 - 0.0060	.1220	----	----	215	----	278 - 20
551	----	----	----/*0.0400A	0.0445B/*0.0400	----	0.0415 - 0.0060	.1258	----	----	10	----	90 UNCH
552	----	----	----/*0.0410A	0.0450B/*0.0410	----	0.0425 - 0.0065	.1287	----	----	----	----	1 UNCH
553	----	----	----/*0.0420A	0.0450B/*0.0420	----	0.0435 - 0.0070	.1317	----	----	----	----	3 UNCH
554	----	----	----/*0.0435A	0.0465B/*0.0435	----	0.0450 - 0.0070	.1355	----	----	----	----	1 UNCH
555	----	----	----/*0.0445A	0.0485B/*0.0445	----	0.0460 - 0.0075	.1385	----	----	----	----	16 UNCH
556	----	----	----/*0.0460A	0.0500B/*0.0460	----	0.0475 - 0.0075	.1423	----	----	----	----	4 UNCH
557	0.0500	0.0500	0.0560/*0.0475A	0.0560/*0.0475A	----	0.0485 - 0.0085	.1454	----	----	37	----	62 - 26
559	----	----	----/*0.0500A	0.0555B/*0.0500	----	0.0515 - 0.0090	.1531	----	----	----	----	5 UNCH
560	----	----	----/*0.0520A	0.0565B/*0.0520	----	0.0530 - 0.0090	.1570	----	----	----	25	393 - 25
561	----	----	----/*0.0530A	0.0590B/*0.0530	----	0.0545 - 0.0095	.1610	----	----	2	----	3 + 1
562	----	----	----/*0.0550A	0.0610B/*0.0550	----	0.0565 - 0.0095	.1656	----	----	5	----	5 + 3
565	----	----	----/*0.0605A	0.0665B/*0.0605	----	0.0615 - 0.0105	.1782	----	----	5	----	179 + 5
567	----	----	----/*0.0645A	0.0710B/*0.0645	----	0.0655 - 0.0110	.1877	----	----	----	----	4 UNCH
568	----	----	----/*0.0670A	0.0730B/*0.0670	----	0.0675 - 0.0115	.1924	----	----	----	----	1 UNCH
569	----	----	----/*0.0690A	0.0755B/*0.0690	----	0.0695 - 0.0120	.1971	----	----	----	----	1 UNCH
570	0.0735	0.0735	0.0735/*0.0710A	0.0780B/*0.0710	----	0.0720 - 0.0120	.2025	----	----	17	----	37 + 14
571	0.0780	0.0780	0.0780/*0.0730A	0.0805B/*0.0730	----	0.0740 NEW	.2073	----	----	1	----	1 + 1
573	----	----	----/*0.0775A	0.0855B/*0.0775	----	0.0790 - 0.0125	.2180	----	----	----	----	1 UNCH
574	0.0880	0.0880	0.0880/*0.0800A	0.0880/*0.0800A	----	0.0810 - 0.0135	.2228	----	----	3	----	2 + 1
575	----	----	----/*0.0825A	0.0910B/*0.0825	----	0.0835 - 0.0135	.2282	----	----	3	----	75 + 3
576	----	----	----/*0.0855A	0.0935B/*0.0855	----	0.0865 - 0.0135	.2341	----	----	----	----	1 UNCH
577	----	----	----/*0.0880A	0.0965B/*0.0880	----	0.0890 - 0.0140	.2395	----	----	----	----	2 UNCH
578	0.1000	0.1000	0.1000/*0.0905A	0.1000/*0.0905A	----	0.0920 - 0.0140	.2454	----	----	1	----	2 + 1
579	----	----	----/*0.0935A	0.1025B/*0.0935	----	0.0945 - 0.0145	.2509	----	----	----	----	2 UNCH
580	----	----	----/*0.0960A	0.1055B/*0.0960	----	0.0975 - 0.0145	.2568	----	----	100	----	123 + 99
581	----	----	----/*0.0990A	0.1085B/*0.0990	----	0.1005 - 0.0150	.2627	----	----	----	----	3 UNCH
582	----	----	----/*0.1020A	0.1120B/*0.1020	----	0.1035 - 0.0155	.2686	----	----	----	----	3 UNCH
583	----	----	----/*0.1055A	0.1150B/*0.1055	----	0.1065 - 0.0155	.2745	----	----	----	----	4 UNCH
584	0.1140	0.1140	0.1145/*0.1060	0.1185B/*0.1060	----	0.1100 - 0.0155	.2808	----	----	4	----	8 + 3
585	----	----	----/*0.1105A	0.1220B/*0.1105	----	0.1130 - 0.0160	.2867	----	----	----	----	17 UNCH
588	----	----	----/*0.1220A	0.1330B/*0.1220	----	0.1235 - 0.0165	.3056	----	----	----	----	1 UNCH
590	0.1390	0.1390	0.1410B/*0.1290	0.1410B/*0.1290	----	0.1305 - 0.0175	.3181	----	----	15	----	18 UNCH
591	----	----	----/*0.1325A	0.1450B/*0.1325	----	0.1345 - 0.0175	.3247	----	----	----	----	1 UNCH
594	----	----	----/*0.1440A	0.1570B/*0.1440	----	0.1460 - 0.0180	.3441	----	----	----	----	3 UNCH
595	----	----	----/*0.1480A	0.1610B/*0.1480	----	0.1500 - 0.0185	.3506	----	----	----	----	1 UNCH
596	----	----	----/*0.1520A	0.1655B/*0.1520	----	0.1540 - 0.0185	.3572	----	----	1	----	11 + 1
597	----	----	----/*0.1560A	0.1700B/*0.1560	----	0.1585 - 0.0185	.3639	----	----	----	----	3 UNCH
598	----	----	----/*0.1600A	0.1740B/*0.1600	----	0.1625 - 0.0190	.3704	----	----	----	----	6 UNCH
599	----	----	----/*0.1645A	0.1785B/*0.1645	----	0.1670 - 0.0190	.3771	----	----	----	----	4 UNCH
600	----	----	----/*0.1685A	0.1835B/*0.1685	----	0.1710 - 0.0195	.3836	----	----	10	----	26 UNCH
602	0.1790	0.1790	0.1790/*0.1780A	0.1925B/*0.1780	----	0.1800 - 0.0195	.3970	----	----	3	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
603	----	----	----/*0.1835A	0.1975B/*0.1835	----	0.1845 - 0.0200	.4036	----	----	----	----	1 UNCH
604	----	----	----/*0.1885A	0.2025B/*0.1885	----	0.1890 - 0.0205	.4103	----	----	1	----	3 UNCH
605	----	----	----/*0.1930A	0.2075B/*0.1930	----	0.1940 - 0.0200	.4170	----	----	1	----	53 + 1
606	----	----	----/*0.1980A	0.2125B/*0.1980	----	0.1990 - 0.0200	.4238	----	----	----	----	1 UNCH
607	----	----	----/*0.2030A	0.2180B/*0.2030	----	0.2035 - 0.0205	.4304	----	----	----	----	5 UNCH
608	----	----	----/*0.2080A	0.2230B/*0.2080	----	0.2085 - 0.0205	.4371	----	----	----	----	4 UNCH
609	----	----	----/*0.2130A	0.2285B/*0.2130	----	0.2135 - 0.0210	.4438	----	----	----	----	1 UNCH
610	----	----	----/*0.2175A	0.2335B/*0.2175	----	0.2185 - 0.0210	.4505	----	----	2	----	24 + 1
611	----	----	----/*0.2225A	0.2385B/*0.2225	----	0.2240 - 0.0210	.4572	----	----	----	----	2 UNCH
613	----	----	----/*0.2335A	0.2500B/*0.2335	----	0.2345 - 0.0210	.4705	----	----	----	----	2 UNCH
615	----	----	----/*0.2430A	0.2615B/*0.2430	----	0.2455 - 0.0215	.4837	----	----	----	----	31 UNCH
616	0.2615	0.2615	0.2670B/*0.2480	0.2670B/*0.2480	----	0.2510 NEW	.4903	----	----	1	----	1 + 1
618	----	----	----/*0.2595A	0.2785B/*0.2595	----	0.2625 - 0.0215	.5032	----	----	6	----	8 + 6
619	0.2775	0.2775	0.2845B/*0.2650	0.2845B/*0.2650	----	0.2685 - 0.0215	.5098	----	----	3	----	9 + 3
620	----	----	----/*0.2700A	0.2900B/*0.2700	----	0.2745 - 0.0215	.5162	----	----	----	----	9 UNCH
621	0.2900	0.2900	0.2960B/*0.2765	0.2960B/*0.2765	----	0.2805 NEW	.5226	----	----	1	----	1 + 1
623	0.3020	0.3020	0.3085B/*0.2870	0.3085B/*0.2870	----	0.2925 NEW	.5352	----	----	1	----	1 + 1
630	----	----	----/*0.3290A	0.3505B/*0.3290	----	0.3375 - 0.0215	.5779	----	----	----	----	9 UNCH
645	----	----	----/*0.4345A	0.4510B/*0.4345	----	0.4420 - 0.0205	.6614	----	----	----	----	1 UNCH
650	----	----	----/*0.4700A	0.4880B/*0.4700	----	0.4795 - 0.0195	.6864	----	----	----	----	3 UNCH
655	----	----	----/*0.5060A	0.5265B/*0.5060	----	0.5175 - 0.0190	.7101	----	----	----	----	1 UNCH
700	----	----	----	0.8830B/*0.9145	----	0.9000 - 0.0115	.8635	----	----	----	----	1 UNCH
TOTAL									25	615		9030 - 9
JUL26												
330	----	----	----	----/0.0080A	----	0.0015 + 0.0005	.0029	----	----	----	----	80 UNCH
350	----	----	----	----/0.0090A	----	0.0020 + 0.0005	.0041	----	----	----	----	5 UNCH
380	----	----	----	----/*0.0110A	----	0.0035 + 0.0005	.0074	----	----	----	----	2 UNCH
390	----	----	----	0.0005B/0.0120A	----	0.0045 + 0.0010	.0095	----	----	----	----	6 UNCH
395	----	----	----	0.0010B/0.0125A	----	0.0050 + 0.0010	.0106	----	----	----	----	1 UNCH
400	----	----	----	0.0015B/0.0105A	----	0.0055 + 0.0010	.0117	----	----	----	----	508 UNCH
405	----	----	----	0.0020B/0.0110A	----	0.0060 + 0.0010	.0128	----	----	----	----	1 UNCH
415	----	----	----	0.0035B/0.0100A	----	0.0070 + 0.0010	.0151	----	----	----	----	53 UNCH
420	----	----	----	0.0040B/0.0105A	----	0.0080 + 0.0015	.0172	----	----	----	----	4 UNCH
425	----	----	----	0.0050B/0.0120A	----	0.0085 + 0.0015	.0184	----	----	----	----	46 UNCH
430	----	----	----	0.0050B/0.0120A	----	0.0095 + 0.0015	.0206	----	----	----	----	8 UNCH
435	0.0090	0.0090	0.0090/*0.0090	0.0090/*0.0090	----	0.0100 + 0.0010	.0219	----	----	1	----	5 UNCH
440	0.0095	0.0095	0.0095/*0.0095	0.0095/*0.0095	----	0.0110 + 0.0015	.0242	----	----	1	----	4 + 1
445	----	----	----	0.0070B/0.0160A	----	0.0120 + 0.0010	.0265	----	----	----	----	3 UNCH
450	0.0130	0.0130	0.0130/*0.0130	0.0130/0.0125A	----	0.0130 + 0.0010	.0288	----	----	39	----	1920 - 1
455	----	----	----	0.0085B/0.0145A	----	0.0140 + 0.0010	.0313	----	----	----	----	9 UNCH
460	0.0090	0.0090	0.0090/*0.0090	0.0095B/*0.0090	----	0.0150 + 0.0005	.0338	----	----	1	----	6 + 1
470	----	----	----	0.0140B/*0.0205	----	0.0175 + 0.0005	.0399	----	----	----	----	2 UNCH
475	----	----	----	0.0155B/*0.0220	----	0.0190 + 0.0005	.0436	----	----	----	----	510 UNCH
480	----	----	----	0.0170B/*0.0235	----	0.0205 UNCH	.0473	----	----	----	----	70 UNCH
485	----	----	----	0.0185B/*0.0250	----	0.0220 - 0.0005	.0512	----	----	----	----	1 UNCH
490	----	----	----	0.0205B/*0.0265	----	0.0240 - 0.0010	.0560	----	----	7	----	545 + 5
495	----	----	----	0.0230B/*0.0290	----	0.0260 - 0.0015	.0610	----	----	----	----	96 UNCH
500	0.0305	0.0305	0.0305/0.0305	0.0305/0.0305	----	0.0285 - 0.0020	.0670	----	----	1	----	2616 UNCH
505	----	----	----	0.0290B/0.0345A	----	0.0310 - 0.0030	.0731	----	----	----	----	2 UNCH
510	----	----	----/*0.0350A	0.0345B/*0.0350	----	0.0345 - 0.0035	.0809	----	----	100	----	203 + 96
520	----	----	----/*0.0430A	0.0430B/*0.0430	----	0.0425 - 0.0050	.0986	----	----	100	----	537 - 37
525	0.0475	0.0475	0.0475/*0.0470	0.0480B/*0.0470	----	0.0480 - 0.0050	.1098	----	----	6	----	523 + 6
530	----	----	----/*0.0535A	0.0545B/*0.0535	----	0.0535 - 0.0065	.1212	----	----	----	----	3228 UNCH
533	----	----	----/*0.0570A	0.0580B/*0.0570	----	0.0575 - 0.0065	.1290	----	----	----	----	1 UNCH
534	----	----	----/*0.0585A	0.0595B/*0.0585	----	0.0590 - 0.0070	.1318	----	----	----	----	2 UNCH
535	0.0580	0.0580	0.0580/*0.0580	0.0610B/*0.0580	----	0.0600 - 0.0075	.1340	----	----	1	----	1 UNCH
539	----	----	----/*0.0655A	0.0670B/*0.0655	----	0.0660 - 0.0080	.1454	----	----	----	----	1 UNCH
540	0.0675	0.0675	0.0675/*0.0670A	0.0685B/*0.0670	----	0.0675 - 0.0085	.1483	----	----	210	----	868 + 188
541	0.0690	0.0690	0.0690/*0.0685A	0.0700B/*0.0685	----	0.0690 NEW	.1512	----	----	1	----	1 + 1
542	----	----	----/*0.0700A	0.0720B/*0.0700	----	0.0705 - 0.0090	.1541	----	----	----	----	2 UNCH
543	0.0740	0.0740	0.0740/*0.0720A	0.0740/*0.0720A	----	0.0725 NEW	.1575	----	----	3	----	3 + 3
545	0.0775	0.0775	0.0775/*0.0755A	0.0775/*0.0755A	----	0.0760 - 0.0095	.1639	----	----	3	----	3 + 3
548	0.0860	0.0860	0.0860/*0.0810A	0.0860/*0.0810A	----	0.0815 NEW	.1737	----	----	1	----	1 + 1
550	0.0900	0.0900	0.0900/*0.0840A	0.0900/*0.0840A	----	0.0850 - 0.0105	.1802	----	----	122	----	673 + 55
552	0.0915	0.0915	0.0915/*0.0890A	0.0920B/*0.0890	----	0.0895 NEW	.1876	----	----	2	----	2 + 2
554	0.0940	0.0940	0.0940/*0.0930A	0.0970B/*0.0930	----	0.0935 NEW	.1946	----	----	10	----	10 + 10
555	----	----	----/*0.0950A	0.0985B/*0.0950	----	0.0960 - 0.0115	.1986	----	----	----	----	54 UNCH
556	----	----	----/*0.0975A	0.1010B/*0.0975	----	0.0980 - 0.0115	.2021	----	----	----	----	1 UNCH
560	----	----	----/*0.1065A	0.1110B/*0.1065	----	0.1075 - 0.0125	.2175	----	----	1	----	153 + 1
565	0.1220	0.1220	0.1220/*0.1200A	0.1245B/*0.1200	----	0.1210 - 0.0135	.2382	----	----	1	----	9 + 1
570	----	----	----/*0.1345A	0.1395B/*0.1345	----	0.1360 - 0.0135	.2599	----	----	2	----	94 UNCH
571	----	----	----/*0.1375A	0.1430B/*0.1375	----	0.1390 - 0.0140	.2642	----	----	----	----	22 UNCH
574	----	----	----/*0.1470A	0.1525B/*0.1470	----	0.1485 - 0.0145	.2776	----	----	----	----	5 UNCH
575	----	----	----/*0.1500A	0.1560B/*0.1500	----	0.1515 - 0.0145	.2819	----	----	101	----	201 + 100
580	0.1740	0.1740	0.1740/*0.1650A	0.1745B/*0.1650	----	0.1685 - 0.0145	.3049	----	----	4	----	1782 + 2
585	----	----	----/*0.1860A	0.1930B/*0.1860	----	0.1860 - 0.0155	.3281	----	----	----	----	24 UNCH
586	----	----	----/*0.1895A	0.1975B/*0.1895	----	0.1895 - 0.0160	.3328	----	----	----	----	7 UNCH
587	----	----	----/*0.1935A	0.2015B/*0.1935	----	0.1935 - 0.0160	.3376	----	----	----	----	7 UNCH
588	----	----	----/*0.1975A	0.2055B/*0.1975	----	0.1975 - 0.0165	.3425	----	----	----	----	1 UNCH
589	----	----	----/*0.2015A	0.2100B/*0.2015	----	0.2015 - 0.0170	.3473	----	----	----	----	7 UNCH
590	0.2115	0.2115	0.2115/*0.2035A	0.2150B/*0.2035	----	0.2055 - 0.0170	.3522	----	----	2	----	382 UNCH
595	----	----	----/*0.2270A	0.2365B/*0.2270	----	0.2265 - 0.0195	.3767	----	----	----	----	3 UNCH
600	0.2500	0.2500	0.2605B/*0.2475	0.2605B/*0.2475	----	0.2495 - 0.0205	.4017	----	----	34	----	71 + 32
605	0.2800	0.2800	0.2855B/*0.2745	0.2855B/*0.2745	----	0.2740 NEW	.4266	----	----	2	----	2 + 2
610	0.3000	0.3000	0.3000/*0.3000	0.3125B/*0.3000	----	0.3005 - 0.0215	.4515	----	----	1	----	47 UNCH
615	----	----	----/*0.3265A	0.3395B/*0.3265	----	0.3280 - 0.0220	.4760	----	----	----	----	10 UNCH
700	----	----	----	----	----	0.9510 - 0.0140	.7921	----	----	----	----	1 UNCH
705	----	----	----	----	----	0.9940 - 0.0135	.8044	----	----	----	----	1 UNCH
TOTAL										757		15446 + 472
AUG26												
405	----	----	----	0.0035B/0.0195A	----	0.0110 - 0.0015	.0198	----	----	----	----	3 UNCH
420	----	----	----	0.0055B/0.0210A	----	0.0130 - 0.0020	.0241	----	----	----	----	1 UNCH
440	----	----	----	0.0115B/0.0225A	----	0.0165 - 0.0025	.0316	----	----	----	----	11 UNCH
450	----	----	----	0.0145B/*0.0240	----	0.0190 - 0.0030	.0368	----	----	----	----	4 UNCH
475	----	----	----	0.0230B/*0.0330	----	0.0280 - 0.0035	.0549	----	----	----	----	2 UNCH
480	----	----	----	0.0260B/*0.0355	----	0.0305 - 0.0040	.0598	----	----	----	----	4 UNCH
500	----	----	----	0.0405B/*0.0500	----	0.0445 - 0.0050	.0853	----	----	----	----	3 UNCH
510	----	----	----/*0.0595A	0.0505B/*0.0595	----	0.0545 - 0.0060	.1024	----	----	----	----	1 UNCH
520	----	----	----/*0.0715A	0.0635B/*0.0715	----	0.0665 - 0.0070	.1221	----	----	----	----	300 UNCH
530	----	----	----/*0.0860A	0.0795B/*0.0860	----	0.0810 - 0.0090	.1448	----	----	----	----	1 UNCH
550	----	----	----/*0.1255A	0.1210B/*0.1255	----	0.1205 - 0.0115	.2007	----	----	----	----	1 UNCH
565	----	----	----/*0.1645A	0.1630B/*0.1645	----	0.1600 - 0.0140	.2506	----	----	----	----	1 UNCH
580	----	----	----/*0.2140A	0.2145B/*0.2140	----	0.2095 - 0.0165	.3062	----	----	----	----	250 UNCH
585	0.2310	0.2310	0.2355B/*0.2310	0.2355B/*0.2310	----	0.2285 - 0.0170	.3257	----	----	1	----	7 + 1
590	----	----	----/*0.2530A	0.2555B/*0.2530	----	0.2485 - 0.0175	.3455	----	----	----	----	14 UNCH
TOTAL										1		603 + 1
SEP26												
400	----	----	----	0.0055B/0.0230A	----	0.0140 - 0.0010	.0232	----	----	----	----	1 UNCH
450	----	----	----	0.0205B/*0.0340	----	0.0265 - 0.0020	.0463	----	----	----	----	578 UNCH
470	----	----	----	0.0310B/*0.0435	----	0.0370 - 0.0030	.0640	----	----	----	----	3 UNCH
475	----	----	----	0.0350B/*0.0470	----	0.0405 - 0.0035	.0696	----	----	----	----	70 UNCH
480	----	----	----	0.0385B/*0.0505	----	0.0445 - 0.0040	.0759	----	----	----	----	7 UNCH
485	----	----	----	0.0430B/*0.0550	----	0.0490 - 0.0045	.0827	----	----	----	----	1 UNCH
490	----	----	----	0.0435B/*0.0655	----	0.0535 - 0.0050	.0897	----	----	----	----	9 UNCH
500	----	----	----	0.0550B/*0.0760	----	0.0645 - 0.0070	.1059	----	----	----	----	377 UNCH
520	----	----	----	0.0860B/*0.1045	----	0.0935 - 0.0105	.1456	----	----	----	----	3 UNCH
525	----	----	----/*0.1130A	0.0955B/*0.1130	----	0.1025 - 0.0110	.1571	----	----	----	----	325 UNCH
535	----	----	----/*0.1330A	0.1165B/*0.1330	----	0.1225 - 0.0120	.1820	----	----	1	----	350 UNCH
540	----	----	----/*0.1395A	0.1330B/*0.1395	----	0.1340 - 0.0125	.1955	----	----	----	----	1 UNCH
550	0.1610	0.1610	0.1610/*0.1610	0.1610/*0.1610	----	0.1590 - 0.0135	.2238	----	----	3	----	21 + 1
570	----	----	----/*0.2265A	0.2245B/*0.2265	----	0.2210 - 0.0145	.2870	----	----	3	----	3 + 2
575	----	----	----/*0.2445A	0.2425B/*0.2445	----	0.2390 - 0.0150	.3039	----	----	----	----	102 UNCH
580	----	----	----/*0.2635A	0.2630B/*0.2635	----	0.2580 - 0.0155	.3210	----	----	2	----	2 + 1
590	----	----	----/*0.3050A	0.3055B/*0.3050	----	0.2995 - 0.0160	.3560	----	----	----	----	2 UNCH
600	----	----	----/*0.3500A	0.3515B/*0.3500	----	0.3450 - 0.0165	.3915	----	----	----	----	9 UNCH
610	----	----	----/*0.3995A	0.4020B/*0.3995	----	0.3950 - 0.0170	.4272	----	----	----	----	6 UNCH
615	----	----	----/*0.4255A	0.4290B/*0.4255	----	0.4215 - 0.0170	.4449	----	----	----	----	1 UNCH
625	----	----	----/*0.4795A	0.4850B/*0.4795	----	0.4775 - 0.0170	.4799	----	----	----	----	147 UNCH
695	----	----	----/*0.9435A	0.9615B/*0.9435	----	0.9585 - 0.0140	.6887	----	----	----	----	2 UNCH
TOTAL										9		2020 + 4
OCT26												
375	----	----	----	0.0030B/0.0255A	----	0.0140 - 0.0010	.0201	----	----	----	----	2 UNCH
400	----	----	----	0.0065B/*0.0290	----	0.0175 - 0.0010	.0263	----	----	----	----	1 UNCH
450	----	----	----	0.0220B/*0.0440	----	0.0350 - 0.0025	.0534	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
OCT26												
470	----	----	----	0.0350B/*0.0565	----	0.0495 - 0.0035	.0735	----	----	----	----	1 UNCH
500	----	----	----	0.0655B/*0.0975	----	0.0815 - 0.0060	.1149	----	----	----	----	116 UNCH
570	----	----	----/*0.2565A	0.2300B/*0.2565	----	0.2400 - 0.0170	.2773	----	----	----	----	4 UNCH
TOTAL												125
NOV26												
400	----	----	----	0.0075B/*0.0380	----	0.0230 - 0.0010	.0319	----	----	----	----	10 UNCH
475	----	----	----	0.0515B/*0.0805	----	0.0655 - 0.0035	.0891	----	----	----	----	2 UNCH
590	----	----	----	0.3505B/*0.3740	----	0.3570 - 0.0145	.3443	----	----	----	----	1 UNCH
735	----	----	----/*1.2815A	1.2830B/*1.2815	----	1.2875 - 0.0120	.7103	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
385	----	----	----	0.0060B/0.0420A	----	0.0240 - 0.0010	.0308	----	----	----	----	1 UNCH
400	----	----	----	0.0100B/0.0460A	----	0.0280 - 0.0010	.0365	----	----	----	----	18 UNCH
420	----	----	----	0.0180B/0.0535A	----	0.0355 - 0.0015	.0468	----	----	----	----	2 UNCH
455	----	----	----	0.0420B/*0.0770	----	0.0590 - 0.0030	.0758	----	----	----	----	0 UNCH
475	----	----	----	0.0645B/*0.0985	----	0.0810 - 0.0040	.1004	----	----	----	----	76 UNCH
490	----	----	----	0.0865B/*0.1200	----	0.1025 - 0.0050	.1228	----	----	----	----	5 UNCH
500	----	----	----	0.1040B/*0.1370	----	0.1195 - 0.0055	.1397	----	----	----	----	53 UNCH
550	----	----	----	0.2290B/*0.2610	----	0.2420 - 0.0105	.2452	----	----	----	----	2 UNCH
560	----	----	----	0.2630B/*0.2950	----	0.2750 - 0.0115	.2699	----	----	----	----	300 UNCH
570	----	----	----	0.3000B/*0.3315	----	0.3115 - 0.0125	.2956	----	----	----	----	1 UNCH
580	----	----	----	0.3405B/*0.3715	----	0.3515 - 0.0130	.3220	----	----	----	----	22 UNCH
600	----	----	----	0.4310B/*0.4605	----	0.4410 - 0.0145	.3758	----	----	----	----	26 UNCH
630	----	----	----	0.5895B/*0.6145	----	0.5980 - 0.0155	.4567	----	----	----	----	18 UNCH
TOTAL												524
JAN27												
400	----	----	----	----	----	0.0245 - 0.0005	.0324	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0305 UNCH	.0376	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0165 - 0.0005	.0146	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	----	----	----	0.5105 - 0.0025	.9648	----	----	----	----	11 UNCH
574	----	----	#0.3495B/----	#0.3495B/0.3515	----	0.3460 + 0.0010	.9954	----	----	----	----	1 UNCH
575	0.3540	0.3540	#0.3540/0.3520A	#0.3540/0.3520A	----	0.3475 - 0.0065	.9142	----	----	2	----	5 - 2
578	----	----	#0.3095B/----	#0.3095B/0.3115	----	0.3065 UNCH	.9890	----	----	----	----	1 UNCH
580	----	----	#0.3370B/0.2790	#0.3370B/0.2790	----	0.2875 UNCH	.9851	----	----	----	----	7 UNCH
580	----	----	----/0.3065A	#0.3035B/0.3065	----	0.3020 - 0.0090	.8819	----	----	----	----	2 UNCH
581	0.2815	0.2815	#0.2815/0.2815	#0.2815/0.2815	----	0.2775 - 0.0010	.9846	----	----	1	----	1 UNCH
589	----	----	----/0.2045A	#0.2020B/0.2045	----	0.2010 - 0.0055	.9511	----	----	----	----	4 UNCH
590	----	----	#0.2405B/0.1845	#0.2405B/0.1845	----	0.1915 - 0.0065	.9452	----	----	----	----	10 UNCH
590	----	----	----/0.2170A	0.2280B/0.2170A	----	0.2190 - 0.0140	.7846	----	----	----	----	1 UNCH
595	----	----	#0.1945B/0.1415	#0.1945B/0.1415	----	0.1470 - 0.0110	.8862	----	----	----	----	5 UNCH
595	0.1900	0.1900	#0.2265B/0.1825	#0.2265B/0.1825	----	0.1830 - 0.0160	.7185	----	----	2	----	7 UNCH
596	----	----	----/0.1415A	0.1385B/0.1415A	----	0.1385 - 0.0120	.8697	----	----	----	----	1 UNCH
600	0.1500	0.1500	#0.1515B/0.1105	#0.1515B/0.1105	----	0.1075 - 0.0150	.7783	----	----	2	----	0 - 1
600	----	----	#0.1915B/0.1525	#0.1915B/0.1525	----	0.1510 - 0.0180	.6431	----	----	----	----	10 UNCH
605	----	----	#0.0955B/0.0760	0.0955B/0.0760A	----	0.0745 - 0.0175	.6250	----	----	----	----	1 UNCH
607	0.0680	0.0680	#0.0940B/0.0660	0.0940B/0.0660A	----	0.0640 NEW	.5556	----	----	1	----	1 + 1
609	0.0615	0.0615	#0.0875B/0.0570	0.0875B/0.0570A	----	0.0540 NEW	.4865	----	----	1	----	1 + 1
610	----	----	#0.1330B/0.1010	#0.1330B/0.1010	----	0.0990 - 0.0200	.4845	----	----	----	----	0 UNCH
620	----	----	#0.0355B/0.0235	0.0355B/0.0235A	----	0.0180 - 0.0145	.1701	----	----	----	----	10 UNCH
620	----	----	#0.0885B/0.0650	#0.0885B/0.0650	----	0.0630 - 0.0190	.3395	----	----	----	----	7 UNCH
635	0.0300	0.0300	0.0300/0.0300	0.0440B/0.0300	----	0.0305 - 0.0150	.1801	----	----	2	----	4 + 2
640	----	----	----	0.0005B/*0.0075	----	0.0015 - 0.0045	.0083	----	----	----	----	3 UNCH
640	----	----	----/0.0285A	0.0340B/0.0285A	----	0.0240 - 0.0130	.1438	----	----	----	----	1 UNCH
650	----	----	----	----/0.0075A	----	0.0005 - 0.0020	.0005	----	----	----	----	10 UNCH
670	----	----	----	----/*0.0070A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
TOTAL										11		107 + 1
MAY26												
580	----	----	----	#0.3650B/0.4000	----	0.3740 - 0.0090	.8527	----	----	----	----	1 UNCH
593	0.2900	0.2900	#0.2900/0.2900	#0.2900/0.2900	----	0.2700 NEW	.7500	----	----	1	----	1 + 1
595	0.2770	0.2770	#0.2955B/0.2520	#0.2955B/0.2520	----	0.2555 NEW	.7297	----	----	1	----	1 + 1
605	0.1990	0.1990	#0.2295B/0.1920	#0.2295B/0.1920	----	0.1930 NEW	.6200	----	----	1	----	1 + 1
TOTAL										3		4 + 3
HXE PUT		COPPER OPTIONS										
APR26												
490	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
510	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	24 UNCH
524	----	----	----	----/*0.0090A	----	0.0010 - 0.0015	.0054	----	----	----	----	1 UNCH
565	----	----	----	----/*0.0075A	----	0.0005 UNCH	.0002	----	----	----	----	2 UNCH
568	----	----	----	----/*0.0075A	----	0.0005 - 0.0005	.0006	----	----	----	----	1 UNCH
570	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0005 NEW	.0011	----	----	1	----	1 + 1
575	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0010 NEW	.0047	----	----	1	----	1 + 1
580	----	----	----/*0.0040A	0.0020B/*0.0040	----	0.0025 - 0.0020	.0148	----	----	15	----	27 + 15
589	----	----	----/*0.0100A	0.0025B/*0.0100	----	0.0060 - 0.0070	.0487	----	----	----	----	4 UNCH
590	0.0075	0.0075	0.0075/*0.0075	0.0075/*0.0075	----	0.0065 - 0.0080	.0547	----	----	1	----	1 + 1
595	----	----	----/*0.0185A	0.0135B/*0.0185	----	0.0120 - 0.0125	.1137	----	----	15	----	55 + 5
596	----	----	----/*0.0200A	0.0135B/*0.0200	----	0.0135 - 0.0135	.1302	----	----	----	----	1 UNCH
600	0.0220	0.0220	0.0220/*0.0220	0.0245B/*0.0220	----	0.0225 - 0.0165	.2216	----	----	1	----	2 + 1
600	----	----	----/*0.0690A	0.0720B/*0.0690	----	0.0660 - 0.0195	.3565	----	----	----	----	1 UNCH
605	0.0400	0.0400	0.0400/*0.0400	0.0440B/*0.0400	----	0.0395 - 0.0190	.3749	----	----	1	----	52 + 1
606	0.0580	0.0580	0.0580/*0.0470A	0.0580/*0.0470A	----	0.0440 - 0.0190	.4094	----	----	4	----	4 UNCH
608	0.0665	0.0665	0.0665/*0.0545A	0.0665/*0.0545A	----	0.0535 NEW	.4788	----	----	1	----	1 + 1
609	0.0605	0.0605	0.0605/*0.0585A	0.0645B/*0.0585	----	0.0590 NEW	.5134	----	----	1	----	1 + 1
619	0.1000	0.1000	#0.1175B/*0.100	0.1175B/*0.1000	----	0.1250 NEW	.8091	----	----	6	----	6 + 6
TOTAL										47		187 + 33
MAY26												
465	----	----	----	----/0.0075A	----	0.0005 - 0.0005	.0020	----	----	----	----	14 UNCH
510	----	----	----	----/*0.0100A	----	0.0030 - 0.0015	.0129	----	----	----	----	1 UNCH
599	0.0800	0.0800	0.0800/*0.0780A	0.0810B/*0.0780	----	0.0740 NEW	.3119	----	----	1	----	1 + 1
TOTAL										1		16 + 1

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	41.70B/*13.70A	41.70B/*13.70A	----	13.40 - 16.60	----	----	----	----	----	0 - 5
1585	----	----	----/*8.70A	18.80B/*8.70A	----	3.40 - 20.80	----	----	----	----	----	0 - 1
1600	----	----	21.90B/*5.10A	21.90B/*5.10A	----	0.00 - 16.90	----	----	----	----	----	0 - 31
1610	----	----	15.70B/*5.10A	15.70B/*5.10A	----	0.00 - 13.00	----	----	----	----	----	0 - 15
1615	----	----	12.90B/*5.10A	12.90B/*5.10A	----	0.00 - 11.40	----	----	----	----	----	0 - 15
1720	----	----	----	----/*5.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 8
1800	----	----	----	----/*5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
1900	----	----	----	----/*5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
1925	----	----	----	----/*5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
1950	----	----	----	----/*5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
2475	----	----	----	----/5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
TOTAL												0 - 249
JUN26												
1400	----	----	238.90B/214.00A	238.90B/214.00A	----	215.70 - 7.30	.8142	----	----	----	----	75 UNCH
1440	----	----	----	----	----	184.50 - 7.80	.7657	----	----	----	----	1 UNCH
1460	----	----	----	----	----	169.80 - 8.10	.7382	----	----	----	----	25 UNCH
1500	----	----	162.30B/143.00A	162.30B/143.00A	----	142.80 - 8.30	.6777	----	----	----	----	110 UNCH
1525	----	----	145.80B/128.20A	145.80B/128.20A	----	127.40 - 8.50	.6370	----	----	----	----	5 UNCH
1550	----	----	130.50B/114.70A	130.50B/114.70A	----	113.30 - 8.50	.5948	----	----	----	----	14 UNCH
1575	----	----	116.40B/102.40A	116.40B/102.40A	----	100.40 - 8.50	.5520	----	----	----	----	15 UNCH
1600	----	----	103.40B/91.10A	103.40B/91.10A	----	88.70 - 8.30	.5093	----	----	20	----	64 + 8
1655	----	----	78.80B/69.80A	78.80B/69.80A	----	66.70 - 7.80	.4184	----	----	----	----	1 UNCH
1700	----	----	62.20B/56.10A	62.20B/56.10A	----	52.50 - 7.30	.3503	----	----	30	----	55 + 30
1750	----	----	47.40B/44.30A	47.40B/44.30A	----	40.20 - 6.60	.2839	----	----	----	----	10 UNCH
1800	----	----	----/35.40A	36.10B/35.40A	----	31.20 - 5.80	.2295	----	----	2	----	112 + 2
1850	----	----	----/*28.90A	27.70B/28.90A	----	24.80 - 4.90	.1868	----	----	----	----	2 UNCH
1900	----	----	----/*24.10A	21.50B/24.10A	----	20.10 - 4.20	.1535	----	----	----	----	64 UNCH
1925	----	----	----	19.00B/22.30A	----	18.30 - 3.80	.1400	----	----	----	----	40 UNCH
1950	----	----	----	16.90B/20.80A	----	16.70 - 3.50	.1280	----	----	----	----	10 UNCH
2000	----	----	----	13.30B/18.30A	----	14.10 - 3.00	.1079	----	----	4	----	108 UNCH
2100	----	----	----	8.40B/15.00A	----	9.00 - 2.30	.0714	----	----	----	----	52 UNCH
2200	----	----	----	5.30B/12.90A	----	5.80 - 1.60	.0473	----	----	----	----	8 UNCH
2300	----	----	----	3.20B/11.50A	----	3.90 - 1.30	.0322	----	----	----	----	30 UNCH
2400	----	----	----	1.60B/10.40A	----	2.80 - 1.00	.0231	----	----	----	----	7 UNCH
2500	----	----	----	0.50B/9.60A	----	1.90 - 0.70	.0159	----	----	----	----	25 UNCH
2700	----	----	----	----/8.40A	----	0.90 - 0.40	.0077	----	----	----	----	50 UNCH
3000	----	----	----	----/7.30A	----	0.30 - 0.20	.0026	----	----	----	----	30 UNCH
3500	----	----	----	----/6.30A	----	0.10 UNCH	.0003	----	----	----	----	25 UNCH
TOTAL										56		938 + 40
JUL26												
1800	----	----	75.90B/70.30A	75.90B/70.30A	----	65.60 - 10.00	.3317	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	309.80B/295.10A	309.80B/295.10A	----	292.00 - 8.20	.7424	----	----	----	----	75 UNCH
1575	----	----	211.80B/203.80A	211.80B/203.80A	----	198.50 - 8.70	.5893	----	----	----	----	25 UNCH
1665	----	----	173.60B/168.60A	173.60B/168.60A	----	162.50 - 8.70	.5130	----	----	----	----	9 UNCH
1700	----	----	160.60B/156.60A	160.60B/156.60A	----	150.20 - 8.70	.4848	----	----	----	----	5 UNCH
1800	----	----	----/127.00A	128.40B/127.00A	----	120.00 - 8.60	.4102	----	----	----	----	1 UNCH
1900	----	----	----/103.80A	102.80B/103.80A	----	96.60 - 8.20	.3458	----	----	----	----	5 UNCH
2100	----	----	----	67.60B/72.70A	----	65.30 - 6.80	.2481	----	----	----	----	25 UNCH
2200	----	----	----	56.00B/62.60A	----	56.00 - 6.20	.2146	----	----	----	----	5 UNCH
2400	----	----	----/48.50A	40.20B/48.50A	----	43.90 - 5.40	.1678	----	----	----	----	15 UNCH
2550	----	----	----/*41.40A	32.10B/41.40A	----	37.20 - 4.80	.1418	----	----	----	----	50 UNCH
TOTAL												215 0
DEC26												
2000	----	----	----	----	----	190.50 - 1.80	.4264	----	----	----	----	1 UNCH
3000	----	----	----	----	----	114.60 - 1.40	.2495	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 160
1300	----	----	----	----/5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1400	----	----	----	----/*5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
1450	----	----	----	----/*5.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
1500	----	----	----	----/*5.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
1605	----	----	----/*15.40A	17.00B/*15.40A	----	16.60 - 11.90	----	----	----	----	----	0 - 17
1610	----	----	----/*18.40A	17.90B/*18.40A	----	21.60 - 10.00	----	----	----	----	----	0 - 17
1615	----	----	----/*24.70A	18.50B/*24.70A	----	26.60 - 8.40	----	----	----	----	----	0 - 26
1675	----	----	91.30B/67.50A	91.30B/67.50A	----	86.60 + 1.30	----	----	----	----	----	0 - 100
1820	----	----	----	----	----	231.60 + 2.90	----	----	----	----	----	0 - 25
TOTAL												0 - 372
JUN26												
1200	----	----	----	2.50B/*12.10A	----	6.30 - 1.80	.0473	----	----	----	----	15 UNCH
1250	----	----	----	6.00B/*15.00A	----	9.80 - 2.40	.0708	----	----	----	----	1 UNCH
1300	----	----	----	10.80B/19.10A	----	14.10 - 3.00	.0996	----	----	----	----	75 UNCH
1325	----	----	----	13.80B/21.60A	----	16.70 - 3.30	.1169	----	----	----	----	18 UNCH
1335	----	----	----	15.10B/22.70A	----	17.90 - 3.40	.1246	----	----	----	----	1 UNCH
1350	----	----	----	17.20B/24.60A	----	19.90 - 3.60	.1372	----	----	----	----	5 UNCH
1400	----	----	----	25.40B/32.20A	----	27.80 - 4.30	.1856	----	----	----	----	217 UNCH
1440	----	----	----/40.40A	34.20B/40.40A	----	36.50 - 4.80	.2341	----	----	----	----	4 UNCH
1450	----	----	----/42.80A	36.70B/42.80A	----	39.00 - 5.00	.2475	----	----	----	----	79 UNCH
1460	----	----	----/45.40A	39.40B/45.40A	----	41.80 - 5.10	.2616	----	----	----	----	25 UNCH
1500	----	----	----/57.30A	52.20B/57.30A	----	54.60 - 5.40	.3221	----	----	----	----	3 UNCH
1750	----	----	----/193.50A	201.90B/193.50A	----	201.40 - 3.50	.7159	----	----	----	----	1 UNCH
1900	----	----	333.70B/315.90A	333.70B/315.90A	----	330.90 - 1.10	.8463	----	----	----	----	50 UNCH
TOTAL												494 0
JUL26												
1285	----	----	----	19.70B/*27.60A	----	22.00 - 4.70	.1176	----	----	----	----	9 UNCH
1300	----	----	----	22.00B/*29.50A	----	24.10 - 5.00	.1274	----	----	----	----	85 UNCH
1400	----	----	----/*42.00A	42.00B/*42.00A	----	43.00 - 6.60	.2093	----	----	----	----	20 UNCH
1450	54.00	54.00	54.00/*54.00	56.20B/*54.00	----	56.90 NEW	.2614	----	----	30	----	30 + 30
TOTAL										30		144 + 30
SEP26												
1300	47.00	47.00	47.00/*47.00	47.00/*47.00	----	51.20 - 4.60	.1806	----	----	5	----	10 + 5
1465	----	----	----	101.40B/*112.30	----	106.10 - 5.70	.3130	----	----	----	----	150 UNCH
1550	----	----	----/*152.10A	142.00B/*152.10	----	147.00 - 5.80	.3884	----	----	----	----	100 UNCH
1575	----	----	----/*165.20A	155.40B/*165.20	----	160.50 - 5.80	.4103	----	----	----	----	25 UNCH
1650	----	----	----/*208.00A	199.10B/*208.00	----	204.30 - 5.80	.4743	----	----	----	----	50 UNCH
1925	----	----	----/*398.90A	396.10B/*398.90	----	400.40 - 5.10	.6682	----	----	----	----	75 UNCH
TOTAL										5		410 + 5
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1600	----	----	37.60B/25.60A	37.60B/25.60A	----	22.20 - 10.20	.4256	----	----	----	----	1 UNCH
TOTAL												1 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	----/*5.60A	----	2.00 - 1.40	.0187	----	----	----	----	27 UNCH
1765	----	----	----	----/*3.30A	----	0.10 - 0.30	.0000	----	----	----	----	27 UNCH
1790	----	----	----	----/*3.40A	----	0.10 - 0.50	.0001	----	----	----	----	27 UNCH
1840	----	----	----	----/*3.80A	----	0.30 - 1.20	.0013	----	----	----	----	27 UNCH
1935	----	----	----/*5.40A	1.50B/*5.40A	----	2.20 - 4.30	.0184	----	----	----	----	25 UNCH
2040	----	----	----	----	----	100.40 + 19.40	.8707	----	----	----	----	10 UNCH
2085	----	----	----/*45.80A	53.70B/*45.80A	----	47.10 - 15.10	.3738	----	----	----	----	26 UNCH
2090	----	----	----/*47.60A	56.00B/*47.60A	----	49.10 - 15.40	.3857	----	----	----	----	26 UNCH
2090	----	----	----	----	----	89.50 + 14.30	.6142	----	----	----	----	26 UNCH
2095	----	----	----	----	----	56.60 + 11.60	.6907	----	----	----	----	18 UNCH
2095	----	----	----/*49.40A	58.30B/*49.40A	----	51.10 - 15.90	.3976	----	----	----	----	53 UNCH
2095	----	----	73.80B/----	73.80B/78.70A	----	86.60 + 13.90	.6023	----	----	----	----	26 UNCH
2120	----	----	74.80B/----	74.80B/66.60A	----	72.90 + 12.10	.5410	----	----	----	----	27 UNCH
2135	----	----	41.40B/----	41.40B/29.60A	----	32.50 + 5.80	.4813	----	----	----	----	5 UNCH
2150	----	----	----/*42.00A	60.70B/*42.00A	----	45.30 - 25.60	.6018	----	----	----	----	12 UNCH
2150	23.00	23.00	37.70B/23.00	37.70B/23.00	----	25.80 + 4.20	.3981	----	----	25	----	25 + 24
2155	----	----	----/*44.60A	44.00B/*44.60A	----	48.40 - 26.00	.6283	----	----	----	----	12 UNCH
2160	----	----	32.70B/----	32.70B/21.10A	----	22.10 + 3.40	.3458	----	----	----	----	12 UNCH
2160	----	----	----/*47.30A	44.40B/*47.30A	----	51.60 - 26.40	.6541	----	----	----	----	12 UNCH
2210	----	----	#42.20B/----	42.20B/34.90A	----	37.00 + 6.80	.3293	----	----	----	----	5 UNCH
2230	----	----	9.20B/----	9.20B/8.60A	----	6.80 + 0.30	.0983	----	----	----	----	25 UNCH
2265	----	----	----	3.70B/*6.50A	----	3.40 - 0.30	.0434	----	----	----	----	26 UNCH
TOTAL										25		479 + 24
MAY26												
1700	----	----	----	0.70B/*6.80A	----	2.70 - 1.30	.0232	----	----	----	----	3 UNCH
1915	----	----	----	----	----	235.60 + 24.00	.8506	----	----	----	----	20 UNCH
2050	----	----	145.90B/----	145.90B/122.40A	----	132.60 + 17.70	.6673	----	----	----	----	10 UNCH
TOTAL												33 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	400.30B/----	400.30B/361.30A	----	380.50 + 29.70	----	----	----	----	----	0 - 19
1800	----	----	350.30B/----	350.30B/311.30A	----	330.50 + 29.70	----	----	----	----	----	0 - 18
1850	----	----	300.40B/----	300.40B/261.50A	----	280.50 + 29.70	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
1950	----	----	200.60B/----	200.60B/161.80A	----	180.50 + 28.50	----	----	----	----	----	0 - 3
1995	----	----	----	----	----	135.50 + 26.10	----	----	----	----	----	0 - 15
2000	----	----	151.50B/----	151.50B/112.80A	----	130.50 + 25.70	----	----	----	----	----	0 - 284
2005	----	----	----	----	----	125.50 + 25.30	----	----	----	----	----	0 - 14
2025	----	----	127.50B/----	127.50B/88.70A	----	105.50 + 23.10	----	----	----	----	----	0 - 50
2040	----	----	----	----	----	90.50 + 21.10	----	----	----	----	----	0 - 64
2045	----	----	----	----	----	85.50 + 20.30	----	----	----	----	----	0 - 50
2050	----	----	104.10B/----	104.10B/64.40A	----	80.50 + 19.50	----	----	----	----	----	0 - 111
2055	----	----	----	----	----	75.50 + 18.60	----	----	----	----	----	0 - 57
2060	----	----	----	----	----	70.50 + 17.60	----	----	----	----	----	0 - 12
2065	----	----	----	----	----	65.50 + 16.50	----	----	----	----	----	0 - 14
2070	----	----	----	----	----	60.50 + 15.30	----	----	----	----	----	0 - 14
2075	----	----	81.00B/39.70A	81.00B/39.70A	----	55.50 + 13.90	----	----	----	----	----	0 - 25
2080	----	----	----	----	----	50.50 + 12.50	----	----	----	----	----	0 - 20
2085	----	----	----	----	----	45.50 + 10.80	----	----	----	----	----	0 - 14
2090	----	----	----	----	----	40.50 + 9.00	----	----	----	----	----	0 - 21
2095	----	----	----	----	----	35.50 + 7.00	----	----	----	----	----	0 - 7
2100	28.00	28.00	57.80B/18.00A	57.80B/18.00A	----	30.50 + 4.80	----	----	----	2	----	0 - 233
2105	----	----	----/21.50A	22.60B/21.50A	----	25.50 + 2.40	----	----	----	----	----	0 - 7
2110	----	----	24.60B/*11.60A	24.60B/*11.60A	----	20.50 - 0.20	----	----	----	----	----	0 - 37
2115	----	----	22.50B/*9.20A	22.50B/*9.20A	----	15.50 - 3.00	----	----	----	----	----	0 - 22
2120	----	----	21.60B/*7.40A	21.60B/*7.40A	----	10.50 - 6.10	----	----	----	----	----	0 - 27
2125	----	----	36.30B/*5.90A	36.30B/*5.90A	----	5.50 - 9.20	----	----	----	----	----	0 - 27
2130	----	----	22.60B/*4.90A	22.60B/*4.90A	----	0.50 - 12.60	----	----	----	----	----	0 - 120
2135	----	----	23.30B/*3.40A	23.30B/*3.40A	----	0.00 - 11.60	----	----	----	----	----	0 - 20
2140	----	----	21.30B/*3.10A	21.30B/*3.10A	----	0.00 - 10.30	----	----	----	----	----	0 - 7
2145	----	----	21.60B/*3.00A	21.60B/*3.00A	----	0.00 - 9.10	----	----	----	----	----	0 - 7
2150	----	----	19.60B/*3.00A	19.60B/*3.00A	----	0.00 - 8.00	----	----	----	----	----	0 - 170
2155	----	----	17.00B/*3.00A	17.00B/*3.00A	----	0.00 - 7.00	----	----	----	----	----	0 - 7
2160	----	----	20.00B/*3.00A	20.00B/*3.00A	----	0.00 - 6.10	----	----	----	----	----	0 - 13
2170	----	----	10.50B/*3.00A	10.50B/*3.00A	----	0.00 - 4.70	----	----	----	----	----	0 - 75
2175	----	----	8.70B/*3.00A	8.70B/*3.00A	----	0.00 - 4.10	----	----	----	----	----	0 - 208
2200	----	----	2.40B/0.80A	2.40B/0.80A	----	0.00 - 2.00	----	----	----	----	----	0 - 205
2215	----	----	----	0.30B/*3.00A	----	0.00 - 1.20	----	----	----	----	----	0 - 20
2220	----	----	----	----/*3.00A	----	0.00 - 1.10	----	----	----	----	----	0 - 21
2245	----	----	----	----/*3.00A	----	0.00 - 0.50	----	----	----	----	----	0 - 10
2250	----	----	----	----/3.00A	----	0.00 - 0.40	----	----	----	----	----	0 - 30
2260	----	----	----	----/*3.00A	----	0.00 - 0.30	----	----	----	----	----	0 - 10
2265	----	----	----	----/*3.00A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
2270	----	----	----	----/*3.00A	----	0.00 - 0.20	----	----	----	----	----	0 - 183
2275	----	----	----	----/*3.00A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
2280	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
2285	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2300	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
2315	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2320	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2330	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2350	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2360	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2390	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
2400	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
2450	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 160
2500	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 170
2700	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 110
2730	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2750	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2800	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2880	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3000	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3050	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3150	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 121
TOTAL										2		0 - 3012
JUN26												
1900	----	----	286.70B/----	286.70B/256.70A	----	271.00 + 23.60	.7965	----	----	----	----	1 UNCH
2000	----	----	212.40B/----	212.40B/187.70A	----	199.40 + 20.50	.6915	----	----	----	----	20 UNCH
2090	----	----	130.00B/----	130.00B/139.90A	----	146.60 + 17.30	.5807	----	----	----	----	2 UNCH
2100	----	----	150.70B/----	150.70B/132.70A	----	141.40 + 16.90	.5680	----	----	----	----	2 UNCH
2150	----	----	125.30B/----	125.30B/110.60A	----	117.90 + 15.10	.5046	----	----	1	----	5 + 1
2165	----	----	118.30B/----	118.30B/104.70A	----	111.50 + 14.60	.4859	----	----	----	----	1 UNCH
2200	96.10	96.10	103.40B/96.10	103.40B/91.90A	----	97.80 + 13.40	.4432	----	----	14	100	312 + 110
2225	----	----	93.80B/----	93.80B/83.80A	----	89.00 + 12.70	.4138	----	----	----	----	30 UNCH
2240	----	----	88.50B/----	88.50B/79.30A	----	84.10 + 12.20	.3967	----	----	----	----	15 UNCH
2250	----	----	85.00B/----	85.00B/76.30A	----	80.90 + 11.90	.3855	----	----	----	----	2 UNCH
2255	----	----	83.40B/----	83.40B/74.90A	----	79.40 + 11.80	.3800	----	----	----	----	15 UNCH
2300	64.20	64.20	69.70B/64.20	69.70B/63.30A	----	66.80 + 10.50	.3327	----	----	4	100	423 + 102
2320	----	----	64.40B/----	64.40B/58.70A	----	61.80 + 10.00	.3130	----	----	----	----	78 UNCH
2355	----	----	56.00B/----	56.00B/51.50A	----	54.00 + 9.20	.2808	----	----	----	----	2 UNCH
2450	----	----	37.90B/----	37.90B/36.20A	----	37.20 NEW	.2062	----	----	1	----	1 + 1
2500	----	----	30.80B/----	30.80B/30.40A	----	30.50 + 5.60	.1741	----	----	----	----	104 UNCH
2650	----	----	16.70B/----	16.70B/19.50A	----	16.80 + 3.40	.1031	----	----	----	----	17 UNCH
TOTAL									200	20		1030 + 214
JUL26												
1500	----	----	654.50B/----	654.50B/618.50A	----	636.10 + 29.10	.9611	----	----	----	----	50 UNCH
1680	----	----	----	----	----	471.00 + 27.50	.9004	----	----	----	----	50 UNCH
1700	----	----	470.10B/----	470.10B/437.40A	----	453.70 + 27.10	.8903	----	----	----	----	1 UNCH
1800	----	----	386.70B/----	386.70B/357.00A	----	372.10 + 25.70	.8291	----	----	----	----	113 UNCH
1850	----	----	347.70B/----	347.70B/320.00A	----	334.30 + 24.80	.7922	----	----	----	----	1 UNCH
2000	----	----	244.00B/----	244.00B/222.70A	----	234.20 + 21.90	.6634	----	----	----	----	110 UNCH
2050	----	----	214.10B/----	214.10B/195.20A	----	205.40 + 20.50	.6162	----	----	----	----	1 UNCH
2100	----	----	186.70B/----	186.70B/170.40A	----	179.20 + 18.90	.5678	----	----	----	----	522 UNCH
2150	----	----	162.30B/----	162.30B/148.40A	----	156.10 + 17.70	.5195	----	----	----	----	12 UNCH
2200	----	----	141.10B/----	141.10B/129.10A	----	136.10 + 16.80	.4726	----	----	----	----	406 UNCH
2300	107.00	107.00	107.00/107.00	107.00/97.90A	----	103.40 + 15.10	.3859	----	----	56	----	165 - 2
2375	----	----	86.10B/----	86.10B/79.80A	----	84.00 + 13.60	.3285	----	----	----	----	50 UNCH
2400	----	----	80.20B/----	80.20B/74.50A	----	78.30 + 13.00	.3108	----	----	----	100	866 + 100
2450	----	----	69.60B/----	69.60B/65.10A	----	68.20 + 12.00	.2780	----	----	----	----	50 UNCH
2500	----	----	60.40B/----	60.40B/57.00A	----	59.30 + 10.80	.2479	----	----	----	----	422 UNCH
2600	----	----	45.30B/----	45.30B/44.10A	----	45.30 + 8.70	.1973	----	----	----	----	362 UNCH
2700	----	----	34.20B/----	34.20B/34.90A	----	35.00 + 6.80	.1573	----	----	----	----	14 UNCH
2755	----	----	29.50B/----	29.50B/31.10A	----	30.60 + 5.90	.1394	----	----	----	----	0 UNCH
2800	----	----	26.20B/----	26.20B/28.50A	----	27.40 + 5.40	.1262	----	----	----	----	348 UNCH
2850	----	----	23.10B/----	23.10B/26.00A	----	24.30 + 4.80	.1131	----	----	----	----	91 UNCH
2900	----	----	20.50B/----	20.50B/23.90A	----	21.70 + 4.40	.1018	----	----	----	----	90 UNCH
3000	----	----	16.30B/----	16.30B/20.60A	----	17.30 + 3.60	.0824	----	----	----	----	582 UNCH
3100	----	----	13.20B/----	13.20B/18.10A	----	14.10 + 3.00	.0678	----	----	----	----	159 UNCH
3200	----	----	----	8.00B/18.90A	----	11.20 + 2.50	.0548	----	----	----	----	14 UNCH
3300	----	----	----	6.20B/17.30A	----	9.00 + 2.00	.0446	----	----	----	----	31 UNCH
3400	----	----	----	4.70B/16.10A	----	7.40 + 1.70	.0369	----	----	----	----	32 UNCH
3500	----	----	----	3.50B/15.00A	----	6.20 + 1.50	.0310	----	----	----	----	274 UNCH
3600	----	----	----	2.50B/14.10A	----	5.20 + 1.20	.0261	----	----	----	----	300 UNCH
3800	----	----	3.60B/----	3.60B/10.00A	----	3.90 + 0.90	.0195	----	----	----	----	12 UNCH
3900	----	----	3.00B/----	3.00B/9.50A	----	3.40 + 0.80	.0169	----	----	----	----	8 UNCH
4000	----	----	2.40B/----	2.40B/9.00A	----	3.00 + 0.70	.0149	----	----	----	----	221 UNCH
TOTAL									100	56		5357 + 98
OCT26												
1720	----	----	----	----	----	499.00 + 21.70	.8176	----	----	----	----	1 UNCH
1800	----	----	456.10B/----	456.10B/433.80A	----	442.80 + 20.70	.7744	----	----	----	----	1 UNCH
2200	----	----	239.90B/----	239.90B/228.60A	----	230.60 + 11.50	.5275	----	----	----	----	135 UNCH
2400	----	----	173.00B/----	173.00B/166.70A	----	167.90 + 9.70	.4166	----	----	----	----	110 UNCH
2500	----	----	147.80B/----	147.80B/143.40A	----	142.80 + 7.50	.3679	----	----	----	----	180 UNCH
2600	----	----	126.80B/----	126.80B/123.80A	----	122.30 + 6.10	.3249	----	----	----	----	10 UNCH
2700	105.00	105.00	109.00B/105.00	109.00B/105.00	----	105.50 + 5.40	.2874	----	----	10	----	310 + 10
2800	----	----	93.90B/----	93.90B/93.30A	----	90.70 + 4.60	.2535	----	----	----	----	31 UNCH
2850	----	----	87.20B/----	87.20B/87.10A	----	84.30 + 4.20	.2382	----	----	----	----	100 UNCH
2900	----	----	81.10B/----	81.10B/81.40A	----	78.40 + 3.90	.2239	----	----	----	----	210 UNCH
3000	----	----	70.10B/----	70.10B/71.40A	----	68.20 + 3.30	.1984	----	----	----	----	121 UNCH
3200	----	----	53.00B/----	53.00B/56.00A	----	52.60 + 2.50	.1574	----	----	----	----	10 UNCH
3500	----	----	36.20B/----	36.20B/41.30A	----	37.40 + 1.60	.1148	----	----	----	----	10 UNCH
TOTAL										10		1229 + 10
JAN27												
2360	----	----	----	----	----	263.50 + 13.50	.4893	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 78

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1725	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
1745	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
1750	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
1780	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1785	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1800	----	----	----	----/3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
1820	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
1825	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
1850	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 78
1855	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
1860	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
1865	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
1870	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
1875	----	----	----	----/*3.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 122
1890	----	----	----	----/*3.00A	----	0.00 - 0.20	----	----	----	----	----	0 - 22
1895	----	----	----	----/*3.00A	----	0.00 - 0.30	----	----	----	----	----	0 - 29
1900	----	----	----	----/3.00A	----	0.00 - 0.30	----	----	----	----	----	0 - 131
1905	----	----	----	----/*3.00A	----	0.00 - 0.40	----	----	----	----	----	0 - 46
1910	----	----	----	----/*3.00A	----	0.00 - 0.40	----	----	----	----	----	0 - 46
1915	----	----	----	----/*3.00A	----	0.00 - 0.50	----	----	----	----	----	0 - 67
1920	----	----	----	----/*3.00A	----	0.00 - 0.60	----	----	----	----	----	0 - 49
1925	----	----	----	----/*3.00A	----	0.00 - 0.60	----	----	----	----	----	0 - 20
1930	----	----	----	----/*3.00A	----	0.00 - 0.70	----	----	----	----	----	0 - 20
1935	----	----	----	----/*3.00A	----	0.00 - 0.90	----	----	----	----	----	0 - 20
1945	----	----	----	----/*3.00A	----	0.00 - 1.10	----	----	----	----	----	0 - 30
1950	----	----	----	----/*3.00A	----	0.00 - 1.30	----	----	----	----	----	0 - 79
1960	----	----	----	----/*3.00A	----	0.00 - 1.60	----	----	----	----	----	0 - 45
1970	----	----	----	----/*3.00A	----	0.00 - 2.10	----	----	----	----	----	0 - 9
1990	----	----	----/*3.00A	----/*3.00A	----	0.00 - 3.30	----	----	----	----	----	0 - 55
2000	----	----	----/*3.00A	0.60B/*3.00A	----	0.00 - 4.10	----	----	----	----	----	0 - 311
2005	----	----	----/*3.00A	1.00B/*3.00A	----	0.00 - 4.50	----	----	----	----	----	0 - 13
2010	----	----	----/*3.00A	1.40B/*3.00A	----	0.00 - 5.00	----	----	----	----	----	0 - 13
2015	----	----	----/*3.00A	1.70B/*3.00A	----	0.00 - 5.50	----	----	----	----	----	0 - 13
2020	----	----	----/*3.00A	2.10B/*3.00A	----	0.00 - 6.10	----	----	----	----	----	0 - 13
2025	----	----	----/*3.00A	2.50B/*3.00A	----	0.00 - 6.70	----	----	----	----	----	0 - 13
2030	----	----	----/*3.00A	2.80B/*3.00A	----	0.00 - 7.30	----	----	----	----	----	0 - 78
2050	----	----	----/*3.00A	4.20B/*3.00A	----	0.00 - 10.30	----	----	----	----	----	0 - 200
2100	----	----	----/*3.00A	15.20B/*3.00A	----	0.00 - 25.00	----	----	----	----	----	0 - 70
2115	----	----	----/*3.00A	22.50B/*3.00A	----	0.00 - 32.80	----	----	----	----	----	0 - 22
2155	----	----	----/*28.40A	22.60B/*28.40A	----	24.50 - 36.80	----	----	----	----	----	0 - 13
2160	----	----	----/*31.00A	21.90B/*31.00A	----	29.50 - 35.90	----	----	----	----	----	0 - 38
2175	----	----	----/*31.30A	67.50B/*31.30A	----	44.50 - 33.90	----	----	----	----	----	0 - 10
2195	----	----	----	----	----	64.50 - 32.10	----	----	----	----	----	0 - 23
2200	----	----	----/*54.90A	90.60B/*54.90A	----	69.50 - 31.80	----	----	----	----	----	0 - 10
2215	----	----	----	----	----	84.50 - 31.00	----	----	----	----	----	0 - 60
2450	----	----	----/299.90A	338.80B/299.90A	----	319.50 - 29.90	----	----	----	----	----	0 - 15
2500	----	----	----/349.90A	388.80B/349.90A	----	369.50 - 29.90	----	----	----	----	----	0 - 100
TOTAL												0 - 2346
JUN26												
1825	----	----	----/*28.50A	26.20B/*28.50A	----	26.80 - 4.40	.1416	----	----	----	----	89 UNCH
1850	31.00	31.00	31.00/*31.00	31.00/*31.00	----	31.10 - 4.90	.1607	----	----	1	----	2 + 1
1885	----	----	----/*39.10A	38.20B/*39.10A	----	37.90 - 5.70	.1900	----	----	----	----	30 UNCH
1900	----	----	----/*42.20A	41.70B/*42.20A	----	41.10 - 6.20	.2034	----	----	----	----	275 UNCH
1950	----	----	----/*54.10A	55.30B/*54.10A	----	53.60 - 7.70	.2526	----	----	----	----	2 UNCH
2000	69.00	69.00	69.00/*68.50A	72.10B/*68.50A	----	69.30 - 9.20	.3083	----	----	1	----	1 UNCH
2100	----	----	----/*107.10A	116.60B/*107.10	----	111.00 - 12.80	.4318	----	----	----	----	100 UNCH
2140	135.00	135.00	135.00/*126.40A	138.60B/*126.40	----	131.80 NEW	.4826	----	----	1	----	1 + 1
TOTAL										3		500 + 2
JUL26												
1400	----	----	----	1.30B/*8.30A	----	4.30 - 0.30	.0218	----	----	----	----	150 UNCH
1500	----	----	----	5.00B/*11.40A	----	7.90 - 0.70	.0387	----	----	----	----	153 UNCH
1550	----	----	----	7.60B/*13.80A	----	10.70 - 0.90	.0512	----	----	----	----	200 UNCH
1600	13.00	13.00	13.00/*13.00	13.00/*13.00	----	14.30 - 1.30	.0666	----	----	1	----	403 UNCH
1650	----	----	----	16.80B/*21.70A	----	19.00 - 1.90	.0858	----	----	----	----	1 UNCH
1680	----	----	----	20.70B/*25.10A	----	22.50 - 2.30	.0994	----	----	----	----	50 UNCH
1700	----	----	----/*27.60A	23.60B/*27.60A	----	25.20 - 2.50	.1095	----	----	----	----	286 UNCH
1710	----	----	----/*28.90A	25.10B/*28.90A	----	26.60 - 2.70	.1147	----	----	----	----	1 UNCH
1750	----	----	----/*34.90A	32.10B/*34.90A	----	33.20 - 3.30	.1379	----	----	----	----	50 UNCH
1800	----	----	----/*44.10A	42.60B/*44.10A	----	43.10 - 4.10	.1706	----	----	----	----	261 UNCH
1825	----	----	----/*49.40A	48.50B/*49.40A	----	48.90 - 4.40	.1886	----	----	----	----	30 UNCH
1900	----	----	----/68.60A	69.90B/68.60A	----	69.40 - 5.60	.2478	----	----	----	----	1 UNCH
2100	----	----	----/144.60A	153.70B/144.60A	----	148.90 - 10.70	.4319	----	----	----	100	225 UNCH
2135	----	----	----/161.90A	172.80B/161.90A	----	167.20 - 11.60	.4659	----	----	----	----	190 UNCH
2165	----	----	----/177.90A	190.30B/177.90A	----	184.10 - 12.30	.4946	----	----	----	----	20 UNCH
2350	----	----	----/296.70A	317.60B/296.70A	----	308.40 - 15.60	.6529	----	----	----	----	5 UNCH
2400	----	----	----/333.90A	356.50B/333.90A	----	346.50 - 16.60	.6890	----	----	----	----	300 UNCH
4000	----	----	----/1,852.60A	1,889.20B/1,852	----	1869.50 - 29.80	.9851	----	----	----	----	10 UNCH
TOTAL									100	1		2336 0
OCT26												
1300	----	----	----	9.40B/*18.70A	----	14.10 - 1.10	.0430	----	----	----	----	4 UNCH
1500	----	----	----/35.10A	30.00B/35.10A	----	31.30 - 4.00	.0899	----	----	----	----	70 UNCH
1600	----	----	----/49.70A	44.20B/49.70A	----	46.60 - 6.10	.1264	----	----	----	----	17 UNCH
1720	----	----	----/75.30A	72.00B/75.30A	----	72.90 - 7.70	.1820	----	----	----	----	2 UNCH
1820	94.00	94.00	103.10B/94.00	103.10B/94.00	----	102.40 - 9.00	.2365	----	----	1	----	3 + 1
2000	----	----	----/174.40A	177.30B/174.40A	----	173.30 - 13.00	.3462	----	----	----	----	1 UNCH
2100	----	----	----/223.00A	228.70B/223.00A	----	222.00 - 16.20	.4098	----	----	----	----	100 UNCH
2400	----	----	----/409.50A	423.90B/409.50A	----	414.20 - 19.70	.5830	----	----	----	----	200 UNCH
2500	----	----	----/483.30A	499.90B/483.30A	----	488.10 - 21.90	.6317	----	----	----	----	1 UNCH
TOTAL										1		398 + 1
JAN27												
1500	----	----	----	40.00B/95.00A	----	49.50 - 3.80	.1130	----	----	----	----	40 UNCH
1800	----	----	----	----	----	139.30 - 7.80	.2462	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS			
MAY26	CALL			
OG		5000	0	100
OG		5030	0	55
OG		5105	0	55
OG		5300	0	320
TOTALS			0	530
JUN26	CALL			
OG		4800	0	50
OG		5500	0	75
TOTALS			0	125
JUL26	CALL			
OG		5100	0	25
OG		5300	0	50
OG		5500	0	25
TOTALS			0	100
AUG26	CALL			
OG		5200	0	1650
OG		5400	0	3300
OG		5600	0	1650
OG		5750	0	100
TOTALS			0	6700
OCT26	CALL			
OG		5500	0	50
TOTALS			0	50
DEC26	CALL			
OG		5000	0	70
OG		5025	0	100
OG		5600	0	620
OG		5800	0	620
OG		5900	0	100
OG		6000	0	100
OG		6400	0	200
TOTALS			0	1810
OG PUT	COMEX GOLD OPTIONS			
JUN26	PUT			
OG		4500	0	100
TOTALS			0	100
JUL26	PUT			
OG		4100	0	160
OG		4500	0	370
TOTALS			0	530
AUG26	PUT			
OG		4000	0	125
OG		4800	0	50
TOTALS			0	175
SEP26	PUT			
OG		4000	0	140
TOTALS			0	140
DEC26	PUT			
OG		4050	0	200
OG		5025	0	100
TOTALS			0	300
SO CALL	COMEX SILVER OPTIONS			
JUN26	CALL			
SO		9000	0	20
TOTALS			0	20
JUL26	CALL			
SO		8300	0	100
SO		9000	0	100
TOTALS			0	200
SO PUT	COMEX SILVER OPTIONS			
MAY26	PUT			
SO		8500	0	20
TOTALS			0	20
JUN26	PUT			
SO		7000	0	50
SO		8000	0	20
TOTALS			0	70
JUL26	PUT			
SO		6300	0	100
TOTALS			0	100
HX CALL	COMEX COPPER OPTIONS			
MAY26	CALL			
HX		610	0	20
HX		640	0	40
TOTALS			0	60
JUN26	CALL			
HX		620	0	25
TOTALS			0	25
HX PUT	COMEX COPPER OPTIONS			
MAY26	PUT			
HX		520	0	25
TOTALS			0	25
JUN26	PUT			
HX		560	0	25
TOTALS			0	25
PO CALL	PLATINUM OPTIONS			
JUN26	CALL			
PO		2200	0	100
PO		2300	0	100
TOTALS			0	200
JUL26	CALL			
PO		2400	0	100
TOTALS			0	100
PO PUT	PLATINUM OPTIONS			
JUL26	PUT			
PO		2100	0	100
TOTALS			0	100
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO			
MAY26	CALL			
HRO		110000	0	100
TOTALS			0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week1

MAY26	CALL		
G1R	4850	0	100
TOTALS		0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.