

PG64

BULLETIN #124@

METALS OPTION PRODUCTS

Tue, Jun 30, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/29	06/30											
ECG11 OP		06/29	06/30											
ECG13 OP		06/29	06/30											
ECG15 OP		06/29	06/30											
ECG16 OP		06/29	06/30											
ECGC OOF		06/29	06/30											
ECHG OOF		06/29	06/30											
ECSI OOF		06/29	06/30											
EHO OPT	06/30			07/31	08/28	09/30	10/30							
FMG OPT				07/17										
FSO OPT	06/30													
GMW MON	06/29			07/27										
GWR THU				07/23										
GWT TUE	06/30			07/21										
GWV WED				07/22										
HMW MON	06/29			07/20										
HRO OPT				07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU				07/16										
HWT TUE	06/30			07/14										
HWW WED				07/15										
HX CALL					08/05	09/02								
HX PUT					07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL					07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE PUT				07/24										
LHO OPT	06/30			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
MMG MON	06/29			07/06										
OG CALL					07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT					07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
OG2 CALL				07/10										
OG2 PUT				07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL				07/24										
OG4 PUT				07/24										
OG5 CALL				07/31										
OG5 PUT				07/31										
OMG OPT					07/28	08/26	09/24		11/24					
PAO CALL					07/15	08/19			11/18					
PAO PUT					07/15	08/19			11/18			02/17		
PAW OOF				07/24								02/17		
PLW OOF				07/31										
PO CALL					07/15	08/19	09/16			12/16				
PO PUT					07/15	08/19	09/16			12/16				
RWS THU				07/23										
SMW MON	06/29			07/20										
SO CALL					07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT					07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO2 CALL				07/10										
SO2 PUT				07/10										
SO3 CALL				07/17										
SO3 PUT				07/17										
SO4 CALL				07/24										
SO4 PUT				07/24										
SWW WED				07/08										
TWS TUE	06/30			07/14										
WMG WED				07/01										

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
WMG WED JUL26	MICRO GOLD WEEKLY WED OPTION WEEK1													
4000	----	----	----/*15.00A	----/*15.00A	----	12.20 - 7.90	.2107	----	----	----	----	2	UNCH	
4065	22.10	22.10	#22.10/*15.00	#22.10/*15.00	----	13.90 NEW	.2762	----	----	4	----	0	UNCH	
4070	15.00	15.00	#15.00/*15.00	#15.00/*15.00	----	12.20 NEW	.2388	----	----	2	----	2 +	2	
4135	----	----	----	----	----	2.10 - 3.20	.0195	----	----	----	----	1	UNCH	
TOTAL										6		5 +	2	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OMG OPT AUG26	MICRO GOLD OPTIONS													
3500	----	----	----	----	----	7.00 - 0.70	----	----	----	----	----	2	UNCH	
3550	----	----	----	----	----	9.10 - 0.70	----	----	----	----	----	1	UNCH	
3700	----	----	----	----	----	20.30 - 0.80	----	----	----	----	----	3	UNCH	
3900	----	----	----	----	----	56.50 - 1.10	----	----	----	----	----	1	UNCH	
3950	----	----	----	#69.00B/4045.00A	----	71.90 - 1.00	----	----	----	----	----	1	UNCH	
4000	----	----	----	----	----	129.10 - 1.20	----	----	----	----	----	1	UNCH	
4000	----	----	----	----	----	90.70 - 0.80	----	----	----	----	----	4	UNCH	
4050	----	----	----	----	----	113.30 - 0.60	----	----	----	----	----	1	UNCH	
4100	----	----	----	----	----	140.10 - 0.10	----	----	----	----	----	1	UNCH	
4200	----	----	----	----	----	44.70 + 0.50	----	----	----	----	----	1	UNCH	
4210	----	----	----	----	----	213.30 + 1.00	----	----	----	----	----	1	UNCH	
4300	----	----	----	----	----	24.40 + 1.00	----	----	----	----	----	3	UNCH	
4400	----	----	----	----	----	13.50 + 1.10	----	----	----	----	----	1	UNCH	
4400	----	----	----	----	----	374.20 + 1.40	----	----	----	----	----	12	UNCH	
4535	----	----	----	----	----	6.50 + 0.50	----	----	----	----	----	2	UNCH	
4550	522.00	522.00	#522.00/522.00	#522.00/522.00	----	516.60 + 0.80	----	----	----	1	----	1 -	1	
4600	----	----	----	----	----	5.00 + 0.40	----	----	----	----	----	1	UNCH	
TOTAL										1		37 -	1	
SEP26														
3500	----	----	----	----	----	19.20 - 0.40	----	----	----	----	----	1	UNCH	
3700	----	----	----	----	----	41.40 - 0.50	----	----	----	----	----	0	UNCH	
3980	170.00	170.00	170.00/*170.00	170.00/*170.00	----	201.10 - 0.80	----	----	----	1	----	0 -	1	
4100	----	----	----	----	----	168.40 - 0.30	----	----	----	----	----	3	UNCH	
4230	----	----	----	----	----	83.90 - 0.20	----	----	----	----	----	2	UNCH	
4400	----	----	----	----	----	42.60 + 0.40	----	----	----	----	----	2	UNCH	
TOTAL										1		8 -	1	
OCT26														
4680	----	----	----	----	----	29.10 + 0.50	----	----	----	----	----	1	UNCH	
TOTAL												1	0	
DEC26														
3250	----	----	----	----	----	29.10 UNCH	----	----	----	----	----	1	UNCH	
4000	----	----	----	----	----	194.10 + 0.10	----	----	----	----	----	2	UNCH	
4400	----	----	----	----	----	125.20 + 0.20	----	----	----	----	----	1	UNCH	
4700	----	----	----	----	----	64.40 + 0.20	----	----	----	----	----	10	UNCH	
TOTAL												14	0	
OCT27														
4410	----	----	----	----	----	358.80 - 0.60	----	----	----	----	----	1	UNCH	
TOTAL												1	0	

	BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG5 PUT	GOLD OPTIONS																		
JUL26																			
3000	2.00	2.00		#2.50/*2.00	#2.50/2.00	----		0.50	NEW	.0029	----	----	2	----	2 +				
3400	----	----		----	#3.30B/7.40A	----		4.80	NEW	.0281	----	----	1	----	1 +				
3500	----	----		#12.00B/----	#12.00B/8.70A	----		8.10	NEW	.0467	----	----	1	----	1 +				
3600	12.20	12.20		#20.50B/12.20	#20.50B/12.20	----		13.20	- 0.90	.0749	----	----	1	----	2 +				
3700	----	----		#33.20B/18.70A	#33.20B/18.70A	----		21.50	- 1.50	.1186	----	----	4	----	3 +				
3725	----	----		#37.30B/21.10A	#37.30B/21.10A	----		24.30	- 1.60	.1327	----	----	1	----	2 +				
3750	40.90	40.90		#42.60B/*23.80A	#42.60B/*23.80A	----		27.40	NEW	.1482	----	----	3	----	2 +				
3775	26.80	26.80		#47.70B/*26.80	#47.70B/*26.80	----		31.00	NEW	.1654	----	----	4	----	2 +				
3800	----	----		#53.20B/*30.30A	#53.20B/*30.30A	----		35.00	NEW	.1842	----	----	2	----	1 +				
3825	----	----		#59.00B/*34.10A	#59.00B/*34.10A	----		39.40	NEW	.2044	----	----	1	----	1 +				
3850	----	----		#66.40B/*38.40A	#66.40B/*38.40A	----		44.40	- 2.00	.2266	----	----	1	----	2 +				
3875	----	----		#73.20B/*43.10A	#73.20B/*43.10A	----		49.90	- 2.00	.2504	----	----	----	----	2				
3925	----	----		#90.50B/*54.30A	#90.50B/*54.30A	----		62.90	- 1.90	.3033	----	----	----	----	1				
3950	68.70	68.70		#99.90B/*60.80A	#99.90B/*60.80A	----		70.40	NEW	.3322	----	----	1	----	1 +				
4000	98.00	98.00		#123.80B/*75.90	#123.80B/*75.90A	----		87.60	NEW	.3944	----	----	16	----	16 +				
4025	97.50	97.50		#135.80B/*84.50	#135.80B/*84.50A	----		97.50	NEW	.4275	----	----	4	----	4 +				
4125	141.00	141.00		#193.00B/*128.3	#193.00B/*128.30A	----		146.30	NEW	.5662	----	----	45	----	45 +				
TOTAL												87			88 +				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG5 CALL	GOLD OPTIONS																		
JUL26																			
3975	----	----		#194.50B/*140.4	#194.50B/*140.40A	----		170.70	- 2.00	.6365	----	----	----	----	1				
4200	66.80	66.80		#75.00B/*49.30A	#75.00B/*49.30A	----		60.70	+ 0.10	.3322	----	----	1	----	2 +				
4225	58.50	58.50		#66.00B/*43.90A	#66.00B/*43.90A	----		53.10	NEW	.3011	----	----	2	----	2 +				
4250	47.70	47.70		#57.80B/*38.30A	#57.80B/*38.30A	----		46.40	NEW	.2717	----	----	3	----	2 +				
4300	----	----		#44.10B/*29.70A	#44.10B/*29.70A	----		35.20	+ 0.90	.2186	----	----	2	----	2 +				
4375	----	----		#28.80B/*20.50A	#28.80B/*20.50A	----		23.10	NEW	.1543	----	----	1	----	1 +				
4400	----	----		#25.00B/*18.00A	#25.00B/*18.00A	----		20.10	NEW	.1369	----	----	2	----	2 +				
4425	18.50	18.50		#21.70B/*15.70A	#21.70B/*15.70A	----		17.50	NEW	.1213	----	----	4	----	4 +				
4500	12.40	12.40		#14.20B/*10.80A	#14.20B/*10.80A	----		11.80	NEW	.0849	----	----	4	----	4 +				
4525	11.00	11.00		#12.30B/*9.70A	#12.30B/*9.70A	----		10.30	NEW	.0750	----	----	3	----	3 +				
4600	7.80	7.80		#7.80/*6.80A	#7.80/*6.80A	----		7.60	NEW	.0554	----	----	5	----	5 +				
4750	5.70	5.70		#5.70/4.50	#5.70/4.50	----		4.40	- 0.60	.0317	----	----	3	----	2 +				
TOTAL												30			30 +				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG4 PUT	GOLD OPTIONS																		
JUL26																			
3000	----	----		----	0.80B/1.10A	----		1.00	UNCH	.0052	----	----	----	43	UNCH				
3250	----	----		----	2.10B/2.20A	----		2.10	- 0.10	.0126	----	----	----	27	UNCH				
3400	----	----		5.40B/*3.80A	5.40B/3.80A	----		3.80	- 0.30	.0240	----	----	1	2 +	1				
3500	----	----		10.10B/5.90A	10.10B/5.90A	----		6.20	- 0.40	.0397	----	----	----	17	UNCH				
3600	----	----		17.70B/9.30A	17.70B/9.30A	----		10.50	- 0.60	.0668	----	----	1	10 +	1				
3650	----	----		23.20B/*11.80A	23.20B/*11.80A	----		13.70	NEW	.0865	----	----	1	1 +	1				
3700	----	----		30.20B/15.40A	30.20B/15.40A	----		18.00	- 0.90	.1119	----	----	1	20	UNCH				
3750	----	----		38.90B/20.10A	38.90B/20.10A	----		23.60	- 1.10	.1438	----	----	----	7	UNCH				
3800	47.00	47.00		50.10B/26.30A	50.10B/26.30A	----		30.90	- 1.20	.1834	----	----	3	15	UNCH				
3825	----	----		56.80B/29.90A	56.80B/29.90A	----		35.30	- 1.20	.2063	----	----	----	4	UNCH				
3850	----	----		64.10B/34.10A	64.10B/34.10A	----		40.20	- 1.40	.2312	----	----	1	15	UNCH				
3875	----	----		72.30B/38.90A	72.30B/38.90A	----		45.90	- 1.30	.2588	----	----	1	7	UNCH				
3900	----	----		80.50B/44.10A	80.50B/44.10A	----		52.20	- 1.30	.2884	----	----	----	13	UNCH				
3925	----	----		90.60B/50.30A	90.60B/50.30A	----		59.20	- 1.30	.3201	----	----	----	4	UNCH				
3950	----	----		101.20B/57.00A	101.20B/57.00A	----		67.10	- 1.20	.3540	----	----	----	10	UNCH				
3975	----	----		112.20B/64.40A	112.20B/64.40A	----		75.90	- 1.10	.3898	----	----	----	6	UNCH				
4000	97.00	97.00		125.60B/72.80A	125.60B/72.80A	----		85.60	- 1.00	.4272	----	----	4	69	UNCH				
4025	----	----		137.50B/82.20A	137.50B/82.20A	----		96.40	- 0.80	.4659	----	----	----	5	UNCH				
4050	----	----		154.20B/92.50A	154.20B/92.50A	----		108.20	- 0.60	.5055	----	----	----	14	UNCH				
4075	----	----		170.30B/103.60A	170.30B/103.60A	----		121.00	- 0.50	.5455	----	----	----	10	UNCH				
4100	----	----		184.60B/116.10A	184.60B/116.10A	----		135.00	- 0.20	.5852	----	----	----	1	UNCH				
4125	----	----		202.20B/130.70A	202.20B/130.70A	----		150.00	UNCH	.6243	----	----	----	1	UNCH				
4150	----	----		220.60B/145.10A	220.60B/145.10A	----		166.10	+ 0.20	.6622	----	----	----	2	UNCH				
4175	----	----		239.90B/160.50A	239.90B/160.50A	----		183.30	+ 0.50	.6982	----	----	----	0	UNCH				
4200	----	----		#262.40B/177.00	#262.40B/177.00A	----		201.40	+ 0.70	.7320	----	----	----	8	UNCH				
4250	----	----		#304.50B/215.30	#304.50B/215.30A	----		240.20	+ 0.90	.7923	----	----	----	0	UNCH				
4275	----	----		321.20B/233.20A	321.20B/233.20A	----		260.80	+ 0.90	.8184	----	----	----	10	UNCH				
4400	----	----		425.10B/342.00A	425.10B/342.00A	----		372.00	+ 0.80	.9092	----	----	----	1	UNCH				
4500	----	----		----	----	----		467.10	+ 0.70	.9466	----	----	----	1	UNCH				
4575	----	----		----	----	----		540.20	+ 0.60	.9625	----	----	----	1	UNCH				
TOTAL												13			324 +				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG4 CALL	GOLD OPTIONS																		
JUL26																			
3750	----	----		342.50B/*273.30	342.50B/*273.30A	----		311.50	- 1.50	.8556	----	----	----	1	UNCH				
4000	----	----		148.00B/*97.97.															

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST									
OG3 PUT JUL26	GOLD OPTIONS																									
3775	----	----		33.80B/16.20A	33.80B/16.20A	----				19.30 - 1.20	.1343	----	----	----	----		15	UNCH								
3800	19.90	19.90		39.10B/18.80	39.10B/18.80	----				22.40 - 1.40	.1544	----	----	47			132 -	6								
3825	----	----		45.00B/21.90A	45.00B/21.90A	----				26.10 - 1.40	.1775	----	----	----			11	UNCH								
3850	26.90	26.90		51.70B/25.40A	51.70B/25.40A	----				30.40 - 1.50	.2034	----	----	13			40 -	2								
3875	----	----		59.20B/29.40A	59.20B/29.40A	----				35.30 - 1.60	.2322	----	----	20			49 +	20								
3900	----	----		67.60B/33.90A	67.60B/33.90A	----				41.00 - 1.50	.2641	----	----	1			172	UNCH								
3925	----	----		77.10B/39.20A	77.10B/39.20A	----				47.40 - 1.60	.2988	----	----	1			22 -	1								
3950	----	----		87.10B/45.20A	87.10B/45.20A	----				54.80 - 1.50	.3366	----	----	----			28	UNCH								
3975	----	----		97.70B/52.00A	97.70B/52.00A	----				63.10 - 1.50	.3769	----	----	1			43 +	1								
4000	----	----		109.10B/59.90A	109.10B/59.90A	----				72.50 - 1.40	.4197	----	----	26			279 +	6								
4025	----	----		123.60B/68.80A	123.60B/68.80A	----				83.00 - 1.30	.4643	----	----	----			72	UNCH								
4050	----	----		138.70B/78.80A	138.70B/78.80A	----				94.70 - 1.10	.5103	----	----	6			56	UNCH								
4075	96.60	96.60		154.50B/90.10A	154.50B/90.10A	----				107.60 - 1.00	.5567	----	----	1			7 +	1								
4100	----	----		172.40B/102.30A	172.40B/102.30A	----				121.80 - 0.70	.6028	----	----	----			160	UNCH								
4125	----	----		190.80B/116.30A	190.80B/116.30A	----				137.30 - 0.50	.6477	----	----	----			34	UNCH								
4150	----	----		210.40B/131.30A	210.40B/131.30A	----				153.90 - 0.30	.6906	----	----	1			22 +	1								
4175	----	----		229.60B/147.20A	229.60B/147.20A	----				171.70 - 0.10	.7310	----	----	----			4	UNCH								
4200	----	----		250.90B/164.40A	250.90B/164.40A	----				190.60 UNCH	.7677	----	----	----			82	UNCH								
4225	----	----		#272.20B/182.50	#272.20B/182.50A	----				210.50 + 0.20	.8009	----	----	----			5	UNCH								
4250	----	----		#294.40B/201.80	#294.40B/201.80A	----				231.30 + 0.40	.8302	----	----	1			10	UNCH								
4275	----	----		#317.20B/221.80	#317.20B/221.80A	----				252.80 + 0.40	.8559	----	----	----			1	UNCH								
4300	----	----		#340.30B/242.70	#340.30B/242.70A	----				274.90 + 0.50	.8777	----	----	----			10	UNCH								
4325	----	----		356.10B/264.30A	356.10B/264.30A	----				297.60 + 0.50	.8963	----	----	----			1	UNCH								
4350	----	----		359.00B/286.60A	359.00B/286.60A	----				320.70 + 0.50	.9121	----	----	----			1	UNCH								
4375	----	----		358.40B/309.30A	358.40B/309.30A	----				344.20 + 0.60	.9252	----	----	----			1	UNCH								
4550	----	----		----	----	----				514.10 NEW	.9718	----	----	1			1 +	1								
4600	----	----		----	----	----				563.50 + 0.50	.9770	----	----	----			1	UNCH								
4650	----	----		----	----	----				613.10 + 0.50	.9811	----	----	----			2	UNCH								
4725	----	----		----	----	----				687.60 + 0.50	.9859	----	----	----			1	UNCH								
TOTAL														134			2031+	22								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST									
OG3 CALL JUL26	GOLD OPTIONS																									
4000	----	----		135.10B/*84.40A	135.10B/*84.40A	----				110.90 - 1.80	.5798	----	----	----	----		20	UNCH								
4050	----	----		104.40B/*63.10A	104.40B/*63.10A	----				83.20 - 1.50	.4892	----	----	----			3	UNCH								
4075	----	----		90.80B/*54.00A	90.80B/*54.00A	----				71.20 - 1.30	.4428	----	----	----			5	UNCH								
4100	72.30	72.30		78.10B/*46.30A	78.10B/*46.30A	----				60.40 - 1.10	.3967	----	----	34			34 +	31								
4125	----	----		66.70B/*39.40A	66.70B/*39.40A	----				50.90 - 0.90	.3518	----	----	----			15	UNCH								
4150	----	----		56.60B/*33.40A	56.60B/*33.40A	----				42.60 - 0.70	.3089	----	----	2			11	UNCH								
4175	----	----		47.60B/*28.20A	47.60B/*28.20A	----				35.40 - 0.60	.2685	----	----	----			7	UNCH								
4200	29.00	29.00		39.70B/*22.00	39.70B/*22.00	----				29.40 - 0.30	.2318	----	----	19			30 +	3								
4225	----	----		32.90B/*20.40A	32.90B/*20.40A	----				24.30 - 0.20	.1986	----	----	20			23 +	20								
4250	----	----		27.20B/*16.60A	27.20B/*16.60A	----				20.10 UNCH	.1693	----	----	1			15	UNCH								
4275	15.80	15.80		22.40B/*13.70A	22.40B/*13.70A	----				16.60 UNCH	.1436	----	----	3			40 +	3								
4300	11.10	11.10		18.50B/*11.10	18.50B/*11.10	----				13.80 + 0.10	.1219	----	----	34			166	UNCH								
4325	----	----		15.20B/*10.10A	15.20B/*10.10A	----				11.50 + 0.10	.1033	----	----	----			8	UNCH								
4350	----	----		12.50B/*8.60A	12.50B/*8.60A	----				9.60 + 0.10	.0875	----	----	31			17 -	31								
4375	----	----		10.40B/*7.30A	10.40B/*7.30A	----				8.10 + 0.10	.0744	----	----	----			21	UNCH								
4400	7.40	7.40		8.60B/*6.20A	8.60B/*6.20A	----				6.90 + 0.10	.0637	----	----	33			126 +	33								
4425	----	----		7.20B/*5.40A	7.20B/*5.40A	----				5.90 + 0.10	.0546	----	----	----			75	UNCH								
4450	----	----		6.00B/----	6.00B/5.00A	----				5.10 + 0.10	.0472	----	----	30			66 -	22								
4475	----	----		4.90B/----	4.90B/4.40A	----				4.40 UNCH	.0407	----	----	----			4	UNCH								
4500	----	----		4.10B/----	4.10B/3.90A	----				3.90 UNCH	.0358															



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN								
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			OUTCRY VOLUME			VOLUME			VOLUME			INTEREST					
OG2 CALL			GOLD OPTIONS																																			
JUL26																																						
3000															1038.50			NEW			1.0000			10						0			UNCH					
3800 205.10			205.10			286.20B/*188.40			286.20B/*188.40A						250.60			- 2.10			.8937						6						2 +			1		
3850 150.60			150.60			240.60B/*149.70			240.60B/*149.70A						206.30			NEW			.8467						1						1 +			1		
3900 140.00			140.00			197.00B/*115.00			197.00B/*115.00A						164.70			- 2.40			.7825						2						2 +			1		
3950						156.20B/*85.30A			156.20B/*85.30A						126.60			- 2.40			.6987						---						1			UNCH		
4000 72.60			72.60			119.10B/*60.50A			119.10B/*60.50A						93.10			- 2.30			.5963						8						16 +			8		
4025 61.60			61.60			102.10B/*50.10A			102.10B/*50.10A						78.40			- 2.10			.5397						67						76 +			64		
4050 42.00			42.00			86.70B/*41.20A			86.70B/*41.20A						65.10			- 1.90			.4810						60						55 +			35		
4075 51.80			51.80			72.70B/*33.50A			72.70B/*33.50A						53.40			- 1.70			.4217						6						15 +			5		
4100 27.00			27.00			60.20B/*27.00			60.20B/*27.00						43.20			- 1.40			.3635						240						543 +			130		
4125 34.70			34.70			49.20B/*21.90A			49.20B/*21.90A						34.60			- 1.10			.3081						13						49 +			9		
4150 23.00			23.00			39.70B/*17.60A			39.70B/*17.60A						27.50			- 0.80			.2574						17						214 +			6		
4175 15.80			15.80			31.70B/*14.20A			31.70B/*14.20A						21.70			- 0.50			.2120						13						70 +			7		
4200 12.40			12.40			25.10B/*11.40A			25.10B/*11.40A						17.10			- 0.20			.1730						155						312 +			69		
4225 19.10			19.10			19.70B/*9.20A			19.70B/*9.20A						13.40			- 0.10			.1396						1						99 -			1		
4250 8.00			8.00			15.40B/*7.60A			15.40B/*7.60A						10.60			UNCH			.1126						72						648 +			29		
4275 9.20			9.20			12.00B/*6.30A			12.00B/*6.30A						8.40			UNCH			.0905						4						38 +			1		
4300 6.70			6.70			9.40B/*5.20A			9.40B/*5.20A						6.70			UNCH			.0728						8						641 -			1		
4325 6.60			6.60			7.40/*4.40A			7.40/*4.40A						5.40			UNCH			.0588						2						32			UNCH		
4350 3.50			3.50			5.80B/*3.20			5.80B/*3.20						4.40			UNCH			.0478						30						94 -			13		
4375						4.60B/*3.20A			4.60B/*3.20A						3.70			UNCH			.0398						1						28			UNCH		
4400						3.80B/*2.80A			3.80B/*2.80A						3.10			UNCH			.0330						2						113			UNCH		
4425						3.10B/*2.30A			3.10B/*2.30A						2.60			- 0.10			.0274						1</											

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64		BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64								
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
OG PUT		COMEX GOLD OPTIONS																														
AUG26																																
3125	----	----			1.90B/*1.50A	1.90B/1.50A	----			1.50 - 0.20	.0085	----	----	----	----		5	UNCH														
3130	----	----			2.00B/*1.50A	2.00B/*1.50A	----			1.50 - 0.30	.0085	----	----	----	----		5	UNCH														
3145	----	----			2.10B/*1.60A	2.10B/1.60A	----			1.60 - 0.20	.0091	----	----	----	----		3	UNCH														
3150	1.50	1.50			2.20B/*1.50	2.20B/*1.50	----			1.60 - 0.30	.0092	----	----	38	----		45 +	31														
3155	----	----			2.20B/*1.60A	2.20B/*1.60A	----			1.60 - 0.30	.0092	----	----	----	----		3	UNCH														
3160	----	----			2.30B/*1.60A	2.30B/*1.60A	----			1.70 - 0.20	.0097	----	----	----	----		1	UNCH														
3165	----	----			2.30B/*1.70A	2.30B/1.70A	----			1.70 - 0.30	.0098	----	----	----	----		139	UNCH														
3170	----	----			2.40B/*1.70A	2.40B/1.70A	----			1.70 - 0.30	.0099	----	----	----	----		2	UNCH														
3175	----	----			2.40B/*1.70A	2.40B/1.70A	----			1.80 - 0.20	.0104	----	----	----	----		1	UNCH														
3180	----	----			2.50B/*1.70A	2.50B/1.70A	----			1.80 - 0.30	.0104	----	----	----	----		28	UNCH														
3185	----	----			2.60B/*1.80A	2.60B/1.80A	----			1.80 - 0.30	.0105	----	----	----	----		1	UNCH														
3190	----	----			2.60B/*1.80A	2.60B/1.80A	----			1.90 - 0.20	.0110	----	----	----	----		885	UNCH														
3195	----	----			2.70B/*1.80A	2.70B/1.80A	----			1.90 - 0.30	.0111	----	----	----	----		9	UNCH														
3200	1.80	1.80			2.80B/*1.80	2.80B/1.80	----			1.90 - 0.30	.0111	----	----	34	----		491 +	1														
3215	----	----			3.00B/*1.90A	3.00B/1.90A	----			2.00 - 0.30	.0118	----	----	----	----		1	UNCH														
3220	----	----			3.10B/2.00A	3.10B/2.00A	----			2.10 - 0.30	.0123	----	----	----	----		1	UNCH														
3225	----	----			3.40B/2.00A	3.40B/2.00A	----			2.10 - 0.30	.0124	----	----	----	----		10	UNCH														
3235	----	----			3.50B/2.10A	3.50B/2.10A	----			2.20 - 0.30	.0130	----	----	----	----		20	UNCH														
3240	----	----			3.50B/2.10A	3.50B/2.10A	----			2.20 - 0.40	.0131	----	----	----	----		2	UNCH														
3245	----	----			3.50B/2.20A	3.50B/2.20A	----			2.30 - 0.30	.0136	----	----	----	----		1	UNCH														
3250	----	----			3.60B/2.20A	3.60B/2.20A	----			2.30 - 0.40	.0137	----	----	6	----		552 +	6														
3260	----	----			3.70B/2.30A	3.70B/2.30A	----			2.40 - 0.40	.0143	----	----	----	----		32	UNCH														
3270	----	----			3.90B/2.40A	3.90B/2.40A	----			2.50 - 0.40	.0150	----	----	----	----		1	UNCH														
3275	----	----			4.00B/2.40A	4.00B/2.40A	----			2.60 - 0.30	.0155	----	----	----	----		1	UNCH														
3280	----	----			4.30B/2.50A	4.30B/2.50A	----			2.60 - 0.40	.0156	----	----	----	----		78	UNCH														
3290	----	----			4.30B/2.60A	4.30B/2.60A	----			2.70 - 0.40	.0163	----	----	----	----		3	UNCH														
3295	----	----			4.40B/2.60A	4.40B/2.60A	----			2.80 - 0.30	.0169	----	----	----	----		19	UNCH														
3300	3.10	3.10			4.50B/2.70A	4.50B/2.70A	----			2.80 - 0.40	.0170	----	----	42	----		365 +	11														
3305	----	----			4.60B/2.70A	4.60B/2.70A	----			2.90 - 0.40	.0175	----	----	----	----		18	UNCH														
3310	----	----			4.70B/2.80A	4.70B/2.80A	----			2.90 - 0.40	.0177	----	----	----	----		21	UNCH														
3315	----	----			4.80B/2.80A	4.80B/2.80A	----			3.00 - 0.40	.0182	----	----	----	----		7	UNCH														
3320	----	----			5.00B/2.90A	5.00B/2.90A	----			3.10 - 0.40	.0188	----	----	----	----		10	UNCH														
3325	----	----			5.10B/2.90A	5.10B/2.90A	----			3.10 - 0.40	.0189	----	----	----	----		196	UNCH														
3330	----	----			5.20B/3.00A	5.20B/3.00A	----			3.20 - 0.40	.0195	----	----	----	----		8	UNCH														
3335	----	----			5.40B/3.10A	5.40B/3.10A	----			3.30 - 0.40	.0201	----	----	----	----		7	UNCH														
3340	----	----			5.40B/3.10A	5.40B/3.10A	----			3.30 - 0.50	.0202	----	----	----	----		5	UNCH														
3345	----	----			5.60B/3.20A	5.60B/3.20A	----			3.40 - 0.50	.0208	----	----	----	----		8	UNCH														
3350	3.80	3.80			5.80B/3.20A	5.80B/3.20A	----			3.50 - 0.40	.0214	----	----	66	----		553 +	54														
3355	----	----			5.90B/3.30A	5.90B/3.30A	----			3.60 - 0.40	.0220	----	----	----	----		1	UNCH														
3360	----	----			6.10B/3.40A	6.10B/3.40A	----			3.60 - 0.50	.0222	----	----	----	----		10	UNCH														
3365	----	----			6.20B/3.40A	6.20B/3.40A	----			3.70 - 0.50	.0228	----	----	----	----		6	UNCH														
3370	----	----			6.40B/3.50A	6.40B/3.50A	----			3.80 - 0.50	.0234	----	----	1	----		4 -	1														
3375	----	----			6.60B/3.60A	6.60B/3.60A	----			3.90 - 0.50	.0240	----	----	----	----		27	UNCH														
3380	----	----			6.70B/3.70A	6.70B/3.70A	----			4.00 - 0.50	.0246	----	----	----	----		13	UNCH														
3385	----	----			6.90B/3.80A	6.90B/3.80A	----			4.10 - 0.50	.0253	----	----	3	----		6 +	3														
3390	----	----			7.10B/3.80A	7.10B/3.80A	----			4.20 - 0.50	.0259	----	----	----	----		6	UNCH														
3395	----	----			7.20B/3.90A	7.20B/3.90A	----			4.30 - 0.50	.0265	----	----	----	----		15	UNCH														
3400	5.50	5.50			7.50B/4.00A	7.50B/4.00A	----			4.30 - 0.60	.0267	----	----	10	----		508 +	2														
3405	----	----			7.60B/4.10A	7.60B/4.10A	----			4.40 - 0.60	.0273	----	----	----	----		39	UNCH														
3410	----	----			8.00B/4.20A	8.00B/4.20A	----			4.60 - 0.50	.0284	----	----	----	----		34	UNCH														
3415	----	----			8.50B/4.30A	8.50B/4.30A	----			4.70 - 0.50	.0291	----	----	----	----		29	UNCH														
3420	----	----			8.70B/4.40A	8.70B/4.40A	----			4.80 - 0.50	.0297	----	----	----	----		36	UNCH														
3425	----	----			8.70B/4.50A	8.70B/4.50A	----			4.90 - 0.50	.0304	----	----	----	----		30	UNCH														
3430	----	----			9.30B/4.60A	9.30B/4.60A	----			5.00 - 0.60	.0311	----	----	----	----		75	UNCH														
3435	----	----			9.10B/4.70A	9.10B/4.70A	----			5.10 - 0.60	.0317	----	----	3	----		245 +	3														



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



GLOBEX BULLETIN #124@															METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN HIGH/LOW		OUTCRY RANGE		OPEN CLOSE		OUTCRY RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
OG PUT		COMEX GOLD OPTIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
SEP26		----	----	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.00B/3.70A	5.0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX GOLD OPTIONS																
SEP26																
4610	----	----	#634.90B/523.90	#634.90B/523.90A	----	559.30	+ 0.90	.8970	----	----	----	----	----	5		
4615	----	----	#639.60B/528.50	#639.60B/528.50A	----	563.90	+ 0.80	.8985	----	----	----	----	----	14		
4620	----	----	#644.00B/533.00	#644.00B/533.00A	----	568.60	+ 0.90	.9001	----	----	----	----	----	438		
4625	----	----	#648.70B/537.60	#648.70B/537.60A	----	573.20	+ 0.80	.9020	----	----	----	----	----	112		
4630	----	----	#653.80B/542.30	#653.80B/542.30A	----	577.90	+ 0.80	.9035	----	----	----	----	----	32		
4635	----	----	#658.20B/546.80	#658.20B/546.80A	----	582.60	+ 0.90	.9050	----	----	----	----	----	1		
4640	----	----	#663.30B/551.50	#663.30B/551.50A	----	587.30	+ 0.90	.9066	----	----	----	----	----	6		
4645	----	----	#667.70B/556.10	#667.70B/556.10A	----	592.00	+ 0.90	.9081	----	----	----	----	----	1		
4650	----	----	#672.80B/560.70	#672.80B/560.70A	----	596.60	+ 0.80	.9096	----	----	----	----	----	14		
4655	----	----	#677.30B/565.40	#677.30B/565.40A	----	601.40	+ 0.90	.9111	----	----	----	----	----	14		
4660	----	----	#682.00B/570.00	#682.00B/570.00A	----	606.10	+ 0.80	.9126	----	----	----	----	----	7		
4665	----	----	#687.10B/574.70	#687.10B/574.70A	----	610.80	+ 0.80	.9138	----	----	----	----	----	2		
4670	----	----	#691.90B/579.40	#691.90B/579.40A	----	615.50	+ 0.80	.9153	----	----	----	----	----	26		
4675	----	----	#696.40B/584.00	#696.40B/584.00A	----	620.20	+ 0.80	.9168	----	----	----	----	----	7		
4685	----	----	#705.90B/593.40	#705.90B/593.40A	----	629.70	+ 0.80	.9194	----	----	----	----	----	8		
4690	----	----	#710.70B/598.00	#710.70B/598.00A	----	634.40	+ 0.70	.9205	----	----	----	----	----	2		
4695	----	----	#715.50B/602.70	#715.50B/602.70A	----	639.20	+ 0.80	.9220	----	----	----	----	----	2		
4700	----	----	#720.30B/607.50	#720.30B/607.50A	----	643.90	+ 0.70	.9231	----	----	----	----	----	138		
4705	----	----	#725.50B/612.20	#725.50B/612.20A	----	648.70	+ 0.70	.9242	----	----	----	----	----	13		
4710	----	----	#730.30B/616.90	#730.30B/616.90A	----	653.50	+ 0.70	.9257	----	----	----	----	----	2		
4720	----	----	#739.90B/626.30	#739.90B/626.30A	----	663.00	+ 0.70	.9279	----	----	----	----	----	4		
4725	----	----	#744.40B/631.10	#744.40B/631.10A	----	667.80	+ 0.70	.9290	----	----	----	----	----	7		
4730	----	----	#749.30B/635.90	#749.30B/635.90A	----	672.60	+ 0.70	.9301	----	----	----	----	----	7		
4735	----	----	#754.40B/640.60	#754.40B/640.60A	----	677.40	+ 0.70	.9311	----	----	----	----	----	101		
4740	----	----	#759.20B/645.40	#759.20B/645.40A	----	682.20	+ 0.70	.9322	----	----	----	----	----	2		
4750	----	----	#768.90B/654.80	#768.90B/654.80A	----	691.80	+ 0.70	.9344	----	----	----	----	----	176		
4755	----	----	#773.40B/659.70	#773.40B/659.70A	----	696.60	+ 0.70	.9354	----	----	----	----	----	10		
4760	----	----	#778.60B/664.40	#778.60B/664.40A	----	701.40	+ 0.60	.9361	----	----	----	----	----	109		
4770	----	----	#788.30B/674.00	#788.30B/674.00A	----	711.00	+ 0.60	.9382	----	----	----	----	----	1		
4775	----	----	#792.90B/678.80	#792.90B/678.80A	----	715.80	+ 0.60	.9393	----	----	----	----	----	130		
4780	----	----	#798.00B/683.50	#798.00B/683.50A	----	720.70	+ 0.60	.9399	----	----	----	----	----	3		
4795	----	----	#812.60B/697.90	#812.60B/697.90A	----	735.20	+ 0.60	.9427	----	----	----	----	----	6		
4800	----	----	#817.50B/702.80	#817.50B/702.80A	----	740.00	+ 0.50	.9433	----	----	----	----	----	485		
4805	----	----	#822.40B/707.60	#822.40B/707.60A	----	744.90	+ 0.60	.9443	----	----	----	----	----	9		
4825	----	----	#841.90B/726.90	#841.90B/726.90A	----	764.30	+ 0.60	.9476	----	----	----	----	----	2		
4830	----	----	#846.80B/731.80	#846.80B/731.80A	----	769.10	+ 0.50	.9483	----	----	----	----	----	10		
4835	----	----	#851.70B/736.60	#851.70B/736.60A	----	774.00	+ 0.50	.9489	----	----	----	----	----	30		
4850	----	----	#866.00B/751.20	#866.00B/751.20A	----	788.60	+ 0.50	.9511	----	----	----	----	----	1		
4855	----	----	#870.90B/756.00	#870.90B/756.00A	----	793.50	+ 0.50	.9517	----	----	----	----	----	14		
4860	----	----	#875.80B/760.80	#875.80B/760.80A	----	798.40	+ 0.50	.9523	----	----	----	----	----	11		
4875	----	----	#890.60B/775.50	#890.60B/775.50A	----	813.00	+ 0.50	.9545	----	----	----	----	----	8		
4885	----	----	833.20B/791.80A	833.20B/791.80A	----	822.80	+ 0.50	.9557	----	----	----	----	----	4		
4895	----	----	----	----	----	832.60	+ 0.50	.9569	----	----	----	----	----	1		
4900	----	----	847.90B/806.40A	847.90B/806.40A	----	837.50	+ 0.50	.9575	----	----	----	----	----	37		
4910	----	----	----	----	----	847.30	+ 0.50	.9586	----	----	----	----	----	1		
4915	----	----	----	----	----	852.20	+ 0.50	.9588	----	----	----	----	----	1		
4930	----	----	877.30B/835.80A	877.30B/835.80A	----	866.90	+ 0.40	.9605	----	----	----	----	----	20		
4950	----	----	----	----	----	886.60	+ 0.50	.9624	----	----	----	----	----	1		
4955	----	----	----	----	----	891.50	+ 0.40	.9629	----	----	----	----	----	1		
4975	----	----	921.50B/880.20A	921.50B/880.20A	----	911.20	+ 0.40	.9647	----	----	----	----	----	220		
5000	----	----	946.30B/904.80A	946.30B/904.80A	----	935.80	+ 0.40	.9671	----	----	----	----	----	13		
5005	----	----	951.10B/909.60A	951.10B/909.60A	----	940.80	+ 0.40	.9672	----	----	----	----	----	3		
5020	----	----	965.90B/924.50A	965.90B/924.50A	----	955.60	+ 0.40	.9684	----	----	----	----	----	3		
5060	----	----	1,005.50B/964.0	1005.50B/964.00A	----	995.10	+ 0.40	.9710	----	----	----	----	----	4		
5100	----	----	1,045.10B/1,003	1045.10B/1003.60A	----	1034.70	+ 0.30	.9734	----	----	----	----	----	28		
5105	----	----	----	----	----	1039.70	+ 0.40	.9740	----	----	----	----	----	2		
5150	----	----	----	----	----	1084.30	+ 0.30	.9760	----	----	----	----	----	2		
5160	----	----	----	----	----	1094.20	+ 0.30	.9766	----	----	----	----	----	1		
5200	----	----	1,144.30B/1,103	1144.30B/1103.00A	----	1134.00	+ 0.30	.9785	----	----	----	----	----	45		
5230	----	----	1,175.30B/1,131	1175.30B/1131.40A	----	1163.80	+ 0.30	.9793	----	----	----	----	----	412		
5300	----	----	1,244.90B/1,201	1244.90B/1201.20A	----	1233.50	+ 0.30	.9819	----	----	----	----	----	315		
5400	----	----	1,343.30B/1,302	1343.30B/1302.60A	----	1333.20	+ 0.30	.9847	----	----	----	----	----	101		
5420	----	----	1,363.20B/1,322	1363.20B/1322.60A	----	1353.10										

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
OCT26															
3510	----	----	----	44.30B/31.00A	44.30B/31.00A	----	----	33.80 UNCH	.1184	----	----	----	----	5	UNCH
3515	----	----	----	45.00B/31.50A	45.00B/31.50A	----	----	34.30 - 0.10	.1201	----	----	----	----	1	UNCH
3520	----	----	----	45.80B/32.00A	45.80B/32.00A	----	----	34.90 UNCH	.1220	----	----	----	----	12	UNCH
3525	----	----	----	46.50B/32.50A	46.50B/32.50A	----	----	35.50 UNCH	.1238	----	----	1	----	26 +	1
3530	----	----	----	47.30B/33.00A	47.30B/33.00A	----	----	36.10 UNCH	.1257	----	----	----	----	5	UNCH
3545	----	----	----	49.70B/34.70A	49.70B/34.70A	----	----	37.90 UNCH	.1314	----	----	----	----	56	UNCH
3550	----	----	----	50.50B/35.20A	50.50B/35.20A	----	----	38.50 UNCH	.1333	----	----	----	----	77	UNCH
3555	----	----	----	51.30B/35.80A	51.30B/35.80A	----	----	39.10 - 0.10	.1352	----	----	----	----	15	UNCH
3560	----	----	----	52.20B/36.30A	52.20B/36.30A	----	----	39.80 UNCH	.1373	----	----	----	----	3	UNCH
3565	----	----	----	53.00B/37.00A	53.00B/37.00A	----	----	40.40 - 0.10	.1393	----	----	19	----	27 +	18
3570	40.70	40.70	40.70	53.90B/37.60A	53.90B/37.60A	----	----	41.10 UNCH	.1414	----	----	2	----	4 +	2
3580	40.30	40.30	40.30	55.70B/38.80A	55.70B/38.80A	----	----	42.50 UNCH	.1456	----	----	1	----	5	UNCH
3585	42.60	42.60	42.60	56.60B/39.40A	56.60B/39.40A	----	----	43.20 UNCH	.1478	----	----	2	----	43 +	2
3590	----	----	----	57.50B/40.00A	57.50B/40.00A	----	----	43.90 UNCH	.1499	----	----	----	----	1	UNCH
3595	42.30	42.30	42.30	58.40B/40.70A	58.40B/40.70A	----	----	44.60 UNCH	.1521	----	----	10	----	10 +	9
3600	42.80	42.80	42.80	59.40B/41.40A	59.40B/41.40A	----	----	45.30 UNCH	.1542	----	----	10	----	372	UNCH
3605	----	----	----	60.30B/42.00A	60.30B/42.00A	----	----	46.10 UNCH	.1566	----	----	----	----	1	UNCH
3615	----	----	----	62.30B/43.40A	62.30B/43.40A	----	----	47.60 UNCH	.1611	----	----	----	----	5	UNCH
3620	----	----	----	63.30B/44.10A	63.30B/44.10A	----	----	48.40 UNCH	.1635	----	----	----	----	10	UNCH
3625	----	----	----	64.30B/44.80A	64.30B/44.80A	----	----	49.10 - 0.10	.1657	----	----	----	----	2	UNCH
3635	----	----	----	66.40B/46.30A	66.40B/46.30A	----	----	50.80 UNCH	.1706	----	----	----	----	1	UNCH
3640	----	----	----	67.40B/47.00A	67.40B/47.00A	----	----	51.60 UNCH	.1730	----	----	----	----	3	UNCH
3645	----	----	----	68.50B/47.80A	68.50B/47.80A	----	----	52.40 UNCH	.1754	----	----	----	----	2	UNCH
3650	53.00	53.00	53.00	69.60B/48.50A	69.60B/48.50A	----	----	53.30 UNCH	.1779	----	----	14	----	96	- 1
3655	----	----	----	70.70B/49.30A	70.70B/49.30A	----	----	54.10 UNCH	.1803	----	----	----	----	10	UNCH
3660	----	----	----	71.80B/50.10A	71.80B/50.10A	----	----	55.00 UNCH	.1829	----	----	----	----	11	UNCH
3665	56.60	56.60	56.60	73.00B/50.90A	73.00B/50.90A	----	----	55.90 UNCH	.1855	----	----	50	----	55 +	50
3670	----	----	----	74.10B/51.70A	74.10B/51.70A	----	----	56.80 UNCH	.1881	----	----	----	----	21	UNCH
3675	----	----	----	75.30B/52.50A	75.30B/52.50A	----	----	57.70 UNCH	.1907	----	----	----	----	4	UNCH
3680	----	----	----	76.50B/53.40A	76.50B/53.40A	----	----	58.60 UNCH	.1933	----	----	----	----	5	UNCH
3685	----	----	----	77.70B/54.20A	77.70B/54.20A	----	----	59.60 UNCH	.1960	----	----	----	----	4	UNCH
3690	----	----	----	78.90B/55.10A	78.90B/55.10A	----	----	60.50 UNCH	.1987	----	----	----	----	5	UNCH
3695	----	----	----	80.10B/56.00A	80.10B/56.00A	----	----	61.50 UNCH	.2015	----	----	----	----	10	UNCH
3700	----	----	----	81.40B/56.90A	81.40B/56.90A	----	----	62.50 UNCH	.2042	----	----	2	----	769	UNCH
3710	----	----	----	83.90B/58.70A	83.90B/58.70A	----	----	64.50 UNCH	.2098	----	----	----	----	5	UNCH
3715	----	----	----	85.20B/59.60A	85.20B/59.60A	----	----	65.50 UNCH	.2126	----	----	----	----	198	UNCH
3720	----	----	----	86.50B/60.50A	86.50B/60.50A	----	----	66.60 UNCH	.2156	----	----	----	----	1	UNCH
3725	----	----	----	87.90B/61.40A	87.90B/61.40A	----	----	67.60 UNCH	.2184	----	----	----	----	68	UNCH
3730	----	----	----	89.20B/62.50A	89.20B/62.50A	----	----	68.70 UNCH	.2214	----	----	----	----	25	UNCH
3735	----	----	----	90.60B/63.50A	90.60B/63.50A	----	----	69.80 UNCH	.2244	----	----	----	----	100	UNCH
3740	----	----	----	92.00B/64.40A	92.00B/64.40A	----	----	70.90 UNCH	.2274	----	----	----	----	1	UNCH
3745	----	----	----	93.40B/65.50A	93.40B/65.50A	----	----	72.00 UNCH	.2304	----	----	----	----	8	UNCH
3750	----	----	----	94.80B/66.50A	94.80B/66.50A	----	----	73.10 UNCH	.2334	----	----	----	----	105	UNCH
3755	----	----	----	96.30B/67.50A	96.30B/67.50A	----	----	74.30 UNCH	.2365	----	----	1	----	3 +	1
3760	----	----	----	97.70B/68.60A	97.70B/68.60A	----	----	75.50 UNCH	.2396	----	----	----	----	1	UNCH
3765	75.00	75.00	75.00	99.20B/69.60A	99.20B/69.60A	----	----	76.60 UNCH	.2427	----	----	1	----	93	UNCH
3770	----	----	----	100.70B/70.70A	100.70B/70.70A	----	----	77.80 UNCH	.2458	----	----	----	----	5	UNCH
3775	77.50	77.50	77.50	102.20B/71.80A	102.20B/71.80A	----	----	79.10 + 0.10	.2491	----	----	1	50	252 +	50
3780	99.00	99.00	99.00	103.80B/72.90A	103.80B/72.90A	----	----	80.30 UNCH	.2523	----	----	2	----	10 +	1
3785	----	----	----	105.30B/74.10A	105.30B/74.10A	----	----	81.50 UNCH	.2555	----	----	----	----	29	UNCH
3790	84.10	84.10	84.10	106.90B/75.20A	106.90B/75.20A	----	----	82.80 UNCH	.2588	----	----	1	----	14 +	1
3795	----	----	----	108.50B/76.40A	108.50B/76.40A	----	----	84.10 UNCH	.2621	----	----	----	----	21	UNCH
3800	----	----	----	110.10B/77.60A	110.10B/77.60A	----	----	85.40 UNCH	.2655	----	----	51	----	668 -	45
3805	----	----	----	111.70B/78.80A	111.70B/78.80A	----	----	86.70 UNCH	.2688	----	----	----	----	84	UNCH
3810	----	----	----	113.40B/80.00A	113.40B/80.00A	----	----	88.00 UNCH	.2722	----	----	----	----	24	UNCH
3815	----	----	----	115.10B/81.20A	115.10B/81.20A	----	----	89.40 UNCH	.2756	----	----	----	----	31	UNCH
3820	----	----	----	116.80B/82.50A	116.80B/82.50A	----	----	90.70 UNCH	.2790	----	----	----	----	4	UNCH
3825	----	----	----	118.50B/83.70A	118.50B/83.70A	----	----	92.10 UNCH	.2825	----	----	1	----	10 -	1
3835	----	----	----	122.00B/86.30A	122.00B/86.30A	----	----	95.00 + 0.10	.2895	----	----	----	----	8	UNCH
3840	----	----	----	123.70B/87.60A	123.70B/87.60A	----	----	96.40 UNCH	.2930	----	----	----	----	23	UNCH

PG64		BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME			OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																						
OCT26																								
4230	----	----	----	----	332.60B/255.20A	332.60B/255.20A	----	----	----	277.10 + 0.40	.6151	----	----	----	----	----	61	UNCH						
4235	----	----	----	----	336.20B/258.40A	336.20B/258.40A	----	----	----	280.30 + 0.40	.6192	----	----	----	----	----	37	UNCH						
4240	----	----	----	----	339.80B/261.40A	339.80B/261.40A	----	----	----	283.60 + 0.40	.6232	----	----	----	----	----	5	UNCH						
4245	----	----	----	----	343.30B/264.50A	343.30B/264.50A	----	----	----	286.80 + 0.40	.6272	----	----	----	----	----	10	UNCH						
4250	286.00	286.00	286.00	286.00	346.90B/267.60A	346.90B/267.60A	----	----	----	290.10 + 0.40	.6312	----	----	8	----	----	328	UNCH						
4255	----	----	----	----	350.60B/270.60A	350.60B/270.60A	----	----	----	293.50 + 0.50	.6352	----	----	----	----	----	1	UNCH						
4260	----	----	----	----	354.20B/273.90A	354.20B/273.90A	----	----	----	296.80 + 0.40	.6391	----	----	----	----	----	5	UNCH						
4265	----	----	----	----	357.90B/277.00A	357.90B/277.00A	----	----	----	300.20 + 0.50	.6431	----	----	----	----	----	200	UNCH						
4270	----	----	----	----	361.60B/280.20A	361.60B/280.20A	----	----	----	303.60 + 0.50	.6469	----	----	----	----	----	234	UNCH						
4275	----	----	----	----	365.30B/283.50A	365.30B/283.50A	----	----	----	307.00 + 0.50	.6508	----	----	----	----	----	2	UNCH						
4280	----	----	----	----	369.00B/286.60A	369.00B/286.60A	----	----	----	310.40 + 0.50	.6547	----	----	----	----	----	202	UNCH						
4285	----	----	----	----	372.70B/290.10A	372.70B/290.10A	----	----	----	313.90 + 0.50	.6585	----	----	----	----	----	1	UNCH						
4290	----	----	----	----	376.50B/293.30A	376.50B/293.30A	----	----	----	317.40 + 0.60	.6623	----	----	----	----	----	8	UNCH						
4300	----	----	----	----	384.00B/300.00A	384.00B/300.00A	----	----	----	324.40 + 0.60	.6700	----	----	----	----	1010	UNCH							
4305	----	----	----	----	387.80B/303.30A	387.80B/303.30A	----	----	----	327.90 + 0.60	.6737	----	----	----	----	----	14	UNCH						
4310	----	----	----	----	391.70B/306.60A	391.70B/306.60A	----	----	----	331.50 + 0.60	.6774	----	----	----	----	----	2	UNCH						
4315	----	----	----	----	395.50B/310.10A	395.50B/310.10A	----	----	----	335.00 + 0.60	.6811	----	----	----	----	----	3	UNCH						
4325	----	----	----	----	403.20B/317.00A	403.20B/317.00A	----	----	----	342.30 + 0.70	.6884	----	----	----	----	----	18	UNCH						
4330	----	----	----	----	407.10B/320.40A	407.10B/320.40A	----	----	----	345.90 + 0.60	.6919	----	----	----	----	----	3	UNCH						
4340	----	----	----	----	415.00B/327.40A	415.00B/327.40A	----	----	----	353.20 + 0.60	.6991	----	----	----	----	----	1	UNCH						
4345	----	----	----	----	418.90B/330.80A	418.90B/330.80A	----	----	----	356.90 + 0.60	.7026	----	----	----	----	----	27	UNCH						
4350	----	----	----	----	422.90B/334.30A	422.90B/334.30A	----	----	----	360.60 + 0.60	.7062	----	----	----	----	----	618	UNCH						
4355	----	----	----	----	426.80B/338.00A	426.80B/338.00A	----	----	----	364.40 + 0.70	.7096	----	----	----	----	----	11	UNCH						
4360	----	----	----	----	430.80B/341.60A	430.80B/341.60A	----	----	----	368.10 + 0.70	.7130	----	----	----	----	----	3	UNCH						
4365	----	----	----	----	434.80B/345.20A	434.80B/345.20A	----	----	----	371.90 + 0.70	.7164	----	----	----	----	----	34	UNCH						
4370	----	----	----	----	438.80B/348.80A	438.80B/348.80A	----	----	----	375.70 + 0.70	.7198	----	----	----	----	----	17	UNCH						
4375	----	----	----	----	442.90B/352.50A	442.90B/352.50A	----	----	----	379.50 + 0.70	.7232	----	----	----	----	----	13	UNCH						
4380	----	----	----	----</																				

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
NOV26																
3200	----	----	----	22.30B/17.90A	22.30B/17.90A	----	----	----	18.70 - 0.20	.0584	----	----	----	----	94	UNCH
3215	----	----	----	23.70B/18.60A	23.70B/18.60A	----	----	----	19.50 - 0.20	.0608	----	----	----	----	1	UNCH
3225	----	----	----	24.30B/19.10A	24.30B/19.10A	----	----	----	20.10 - 0.10	.0626	----	----	----	----	1	UNCH
3235	----	----	----	25.20B/19.70A	25.20B/19.70A	----	----	----	20.60 - 0.20	.0642	----	----	----	----	1	UNCH
3245	----	----	----	26.10B/20.20A	26.10B/20.20A	----	----	----	21.30 - 0.10	.0662	----	----	----	----	14	UNCH
3250	22.00	22.00	----	25.90B/20.50A	25.90B/20.50A	----	----	----	21.60 - 0.10	.0671	----	----	5	----	54 +	5
3255	----	----	----	26.30B/20.80A	26.30B/20.80A	----	----	----	21.90 - 0.10	.0680	----	----	----	----	18	UNCH
3270	----	----	----	28.00B/21.70A	28.00B/21.70A	----	----	----	22.80 - 0.20	.0707	----	----	----	----	4	UNCH
3300	24.70	24.70	----	30.80B/23.60A	30.80B/23.60A	----	----	----	24.90 - 0.20	.0768	----	----	5	----	66 +	5
3310	----	----	----	31.10B/24.20A	31.10B/24.20A	----	----	----	25.70 - 0.10	.0791	----	----	----	----	1	UNCH
3320	----	----	----	32.10B/24.90A	32.10B/24.90A	----	----	----	26.40 - 0.10	.0812	----	----	----	----	16	UNCH
3345	----	----	----	35.00B/26.70A	35.00B/26.70A	----	----	----	28.40 - 0.10	.0869	----	----	----	----	1	UNCH
3350	----	----	----	35.60B/27.10A	35.60B/27.10A	----	----	----	28.80 - 0.10	.0881	----	----	----	----	210	UNCH
3400	----	----	----	41.30B/31.20A	41.30B/31.20A	----	----	----	33.30 - 0.10	.1008	----	----	30	----	35 +	30
3410	----	----	----	42.50B/32.10A	42.50B/32.10A	----	----	----	34.30 - 0.10	.1036	----	----	----	----	2	UNCH
3455	----	----	----	48.40B/36.50A	48.40B/36.50A	----	----	----	39.10 UNCH	.1168	----	----	----	----	1	UNCH
3475	----	----	----	51.20B/38.60A	51.20B/38.60A	----	----	----	41.40 UNCH	.1230	----	----	----	----	2	UNCH
3500	----	----	----	55.00B/41.40A	55.00B/41.40A	----	----	----	44.40 - 0.10	.1311	----	----	----	----	696	UNCH
3520	----	----	----	58.20B/43.80A	58.20B/43.80A	----	----	----	47.10 UNCH	.1382	----	----	1	----	2 +	1
3535	----	----	----	60.80B/45.70A	60.80B/45.70A	----	----	----	49.10 UNCH	.1435	----	----	----	----	20	UNCH
3550	----	----	----	63.40B/47.70A	63.40B/47.70A	----	----	----	51.30 UNCH	.1492	----	----	----	----	309	UNCH
3575	52.60	52.60	----	68.00B/51.20A	68.00B/51.20A	----	----	----	55.00 UNCH	.1588	----	----	1	----	19	UNCH
3600	----	----	----	73.00B/54.90A	73.00B/54.90A	----	----	----	59.00 - 0.10	.1689	----	----	----	----	805	UNCH
3605	----	----	----	74.00B/55.70A	74.00B/55.70A	----	----	----	59.90 UNCH	.1711	----	----	----	----	1	UNCH
3620	----	----	----	77.10B/58.00A	77.10B/58.00A	----	----	----	62.40 NEW	.1774	----	----	2	----	2 +	2
3650	----	----	----	83.80B/63.10A	83.80B/63.10A	----	----	----	67.90 UNCH	.1909	----	----	----	----	50	UNCH
3670	----	----	----	88.50B/66.70A	88.50B/66.70A	----	----	----	71.80 UNCH	.2002	----	----	1	----	2 +	1
3675	82.00	82.00	----	89.70B/67.60A	89.70B/67.60A	----	----	----	72.80 UNCH	.2026	----	----	3	----	1	UNCH
3680	----	----	----	91.00B/68.50A	91.00B/68.50A	----	----	----	73.80 UNCH	.2050	----	----	----	----	20	UNCH
3690	----	----	----	93.40B/70.50A	93.40B/70.50A	----	----	----	75.80 - 0.10	.2098	----	----	----	----	11	UNCH
3695	----	----	----	94.70B/71.40A	94.70B/71.40A	----	----	----	76.90 UNCH	.2124	----	----	----	----	1	UNCH
3700	81.20	81.20	----	96.00B/72.40A	96.00B/72.40A	----	----	----	77.90 - 0.10	.2148	----	----	2	----	12	UNCH
3725	----	----	----	102.60B/77.50A	102.60B/77.50A	----	----	----	83.50 UNCH	.2277	----	----	----	----	21	UNCH
3740	----	----	----	106.80B/80.80A	106.80B/80.80A	----	----	----	86.90 - 0.10	.2355	----	----	----	----	21	UNCH
3750	----	----	----	109.70B/83.00A	109.70B/83.00A	----	----	----	89.30 - 0.10	.2409	----	----	----	----	354	UNCH
3780	----	----	----	118.70B/89.90A	118.70B/89.90A	----	----	----	96.90 UNCH	.2577	----	----	----	----	1	UNCH
3800	----	----	----	125.10B/94.90A	125.10B/94.90A	----	----	----	102.20 - 0.10	.2692	----	----	2	----	91 +	1
3820	----	----	----	131.80B/100.00A	131.80B/100.00A	----	----	----	107.80 - 0.10	.2811	----	----	----	----	20	UNCH
3825	----	----	----	133.50B/101.40A	133.50B/101.40A	----	----	----	109.30 UNCH	.2841	----	----	----	----	29	UNCH
3845	----	----	----	140.40B/106.90A	140.40B/106.90A	----	----	----	115.20 - 0.10	.2964	----	----	----	----	5	UNCH
3850	138.70	138.70	----	142.20B/108.30A	142.20B/108.30A	----	----	----	116.70 - 0.10	.2995	----	----	1	----	102 +	1
3875	----	----	----	151.50B/115.50A	151.50B/115.50A	----	----	----	124.70 UNCH	.3154	----	----	----	----	24	UNCH
3900	----	----	----	161.30B/123.20A	161.30B/123.20A	----	----	----	133.00 UNCH	.3317	----	----	----	----	8	UNCH
3925	----	----	----	171.60B/131.40A	171.60B/131.40A	----	----	----	141.80 UNCH	.3484	----	----	----	----	30	UNCH
3945	----	----	----	180.20B/138.20A	180.20B/138.20A	----	----	----	149.20 UNCH	.3620	----	----	----	----	1	UNCH
3960	----	----	----	186.80B/143.50A	186.80B/143.50A	----	----	----	155.00 NEW	.3724	----	----	1	----	1 +	1
3970	----	----	----	191.30B/147.10A	191.30B/147.10A	----	----	----	158.90 UNCH	.3794	----	----	----	----	1	UNCH
3980	----	----	----	195.90B/150.80A	195.90B/150.80A	----	----	----	162.90 + 0.10	.3864	----	----	----	----	1	UNCH
3990	----	----	----	200.60B/154.60A	200.60B/154.60A	----	----	----	167.00 + 0.10	.3935	----	----	----	----	12	UNCH
3995	----	----	----	203.00B/156.50A	203.00B/156.50A	----	----	----	169.10 + 0.10	.3971	----	----	----	----	2	UNCH
4000	200.20	200.20	----	205.40B/158.40A	205.40B/158.40A	----	----	----	171.10 UNCH	.4006	----	----	1	----	46	UNCH
4020	181.40	181.40	----	215.10B/166.40A	215.10B/166.40A	----	----	----	179.70 NEW	.4150	----	----	1	----	1 +	1
4025	----	----	----	217.60B/168.40A	217.60B/168.40A	----	----	----	181.90 + 0.10	.4186	----	----	----	----	3	UNCH
4045	----	----	----	227.80B/176.70A	227.80B/176.70A	----	----	----	190.80 + 0.10	.4331	----	----	----	----	10	UNCH
4050	----	----	----	230.40B/178.80A	230.40B/178.80A	----	----	----	193.10 + 0.20	.4367	----	----	----	----	5	UNCH
4070	----	----	----	240.90B/187.50A	240.90B/187.50A	----	----	----	202.40 + 0.20	.4514	----	----	----	----	25	UNCH
4085	----	----	----	249.10B/194.20A	249.10B/194.20A	----	----	----	209.60 + 0.20	.4624	----	----	----	----	2	UNCH
4100	217.10	217.10	----	257.40B/201.10A	257.40B/201.10A	----	----	----	217.00 + 0.20	.4735	----	----	15	----	229 +	3
4115	----	----	----	265.90B/208.70A	265.90B/208.70A	----	----	----	224.50 + 0.10	.4846	----	----	----	----	2	UNCH
4135	----	----	----	277.50B/218.50A	277.50B/218.50A	----	----	----	234.90 + 0.20	.4993	----	----	----	----	23	UNCH
4150	----	----	----	286.40B/226.00A	286.40B/226.00A	----	----	----	242.90 + 0.20	.5103	----	----	----	----	2	UNCH
4160	----	----	----	292.40B/231.20A	292.40B/231.20A	----	----	----	248.30 + 0.20	.5177	----	----	----	----	107	UNCH
4165	----	----	----	295.50B/233.70A	295.50B/233.70A	----	----	----	251.00 + 0.20	.5214	----	----	----	----	1	UNCH
4170	----	----	----	298.50B/236.40A	298.50B/236.40A	----	----	----	253.80 + 0.20	.5250	----	----	----	----	2	UNCH
4175	----	----	----	301.60B/239.00A	301.60B/239.00A	----	----	----	256.60 + 0.20	.5287	----	----	1	----	4 +	1
4180	----	----	----	305.10B/241.60A	305.10B/241.60A	----	----	----	259.40 + 0.20	.5324	----	----	----	----	5	UNCH
4185	----	----	----	308.20B/244.30A	308.20B/244.30A	----	----	----	262.20 + 0.20	.5360	----	----	----	----	2	UNCH
4190	----	----	----	311.40B/247.00A	311.40B/247.00A	----	----	----	265.00 + 0.20	.5396	----	----	----	----	13	UNCH
4195	----	----	----	314.50B/249.70A	314.50B/249.70A	----	----	----	267.90 + 0.20	.5433	----	----	----	----	2	UNCH
4200	----	----	----	317.70B/252.40A	317.70B/252.40A	----	----	----	270.80 + 0.30	.5469	----	----	----	----	13	UNCH
4205	----	----	----	320.90B/255.20A	320.90B/255.20A	----	----	----	273.70 + 0.30	.5505	----	----	----	----	1	UNCH
4210	----	----	----	324.20B/258.00A	324.20B/258.00A	----	----	----	276.60 + 0.20	.5542	----	----	----	----	51	UNCH
4215	----	----	----	327.40B/260.80A	327.40B/260.80A	----	----	----	279.50 + 0.20	.5578	----	----	----	----	6	UNCH
4220	----	----	----	330.70B/263.60A	330.70B/263.60A	----	----	----	282.50 + 0.20	.5614	----	----	----	----	3	UNCH
4225	----	----	----	334.00B/266.40A	334.00B/266.40A	----	----	----	285.50 + 0.30	.5649	----	----	----	----	4	UNCH
4230	----	----	----	337.30B/269.20A	337.30B/269.20A	----	----	----	288.50 + 0.30	.5685	----	----	----	----	4	UNCH
4235	----	----	----	340.60B/272.10A	340.60B/272.10A	----	----	----	291.50 + 0.20	.5721	----	----	----	----	50	UNCH
4240	----	----	----	343.90B/275.00A	343.90B/275.00A	----	----	----	294.50 + 0.20	.5756	----	----	----	----	3	UNCH
4245	----	----	----	347.30B/277.90A	347.30B/277.90A	----	----	----	297.60 + 0.20	.5792	----	----	----	----	3	UNCH
4250	----	----	----	350.60B/280.80A	350.60B/280.80A	----	----	----	300.70 + 0.30	.5827	----	----	----	----	573	UNCH
4255	----	----	----	354.00B/283.80A	354.00B/283.80A	----	----	----	303.80 + 0.30	.5863	----	----	----	----	3	UNCH
4260	----	----	----	357.40B/286.70A	357.40B/286.70A	----	----	----	306.90 + 0.30	.5898	----	----	----	----	3	UNCH
4265	----	----	----	360.80B/289.70A	360.80B/289.70A	----	----	----	310.00 + 0.20	.5933	----	----	----	----	2	UNCH
4275	----	----	----	367.70B/295.80A	367.70B/295.80A	----	----	----	316.40 + 0.30	.6003	----	----	----	----	23	UNCH
4280	----	----	----	371.20B/298.80A	371.20B/											

PG64		BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64								
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST												
OG PUT		COMEX GOLD OPTIONS																														
NOV26																																
4960	----	----	----	----	#955.00B/847.80	#955.00B/847.80A	----	882.10	+ 0.40	.8971	----	----	----	----	----	----	2	UNCH														
5000	----	----	----	----	#993.20B/885.20	#993.20B/885.20A	----	919.80	+ 0.30	.9046	----	----	----	----	----	----	254	UNCH														
5020	----	----	----	----	#1,012.40B/904.	#1012.40B/904.20A	----	938.80	+ 0.30	.9082	----	----	----	----	----	----	30	UNCH														
5055	----	----	----	----	#1,046.10B/937.	#1046.10B/937.20A	----	972.10	+ 0.30	.9140	----	----	----	----	----	----	8	UNCH														
5200	----	----	----	----	#1,186.80B/1,07	#1186.80B/1076.20A	----	1111.70	+ 0.40	.9331	----	----	----	----	----	----	82	UNCH														
5395	----	----	----	----	#1,378.30B/1,26	#1378.30B/1265.90A	----	1302.10	+ 0.30	.9505	----	----	----	----	----	----	6	UNCH														
5400	----	----	----	----	#1,383.20B/1,27	#1383.20B/1270.80A	----	1307.00	+ 0.20	.9509	----	----	----	----	----	----	6	UNCH														
5470	----	----	----	----	----	----	----	1375.90	+ 0.20	.9555	----	----	----	----	----	----	2	UNCH														
5475	----	----	----	----	----	----	----	1380.90	+ 0.30	.9556	----	----	----	----	----	----	1	UNCH														
5760	----	----	----	----	----	----	----	1663.10	+ 0.20	.9686	----	----	----	----	----	----	1	UNCH														
5975	----	----	----	----	----	----	----	1877.10	+ 0.30	.9748	----	----	----	----	----	----	1	UNCH														
TOTAL																78	5899 +															
DEC26																																
1350	----	----	----	----	----	----/1.50A	----	0.10	UNCH	.0002	----	----	----	----	----	----	17	UNCH														
1375	----	----	----	----	----	----/1.00A	----	0.20	UNCH	.0004	----	----	----	----	----	----	1	UNCH														
1400	----	----	----	----	----	----/0.90A	----	0.20	UNCH	.0004	----	----	----	----	----	----	1	UNCH														
1500	----	----	----	----	----	0.10B/1.10A	----	0.50	UNCH	.0011	----	----	----	----	----	----	1	UNCH														
1600	----	----	----	----	----	0.20B/1.30A	----	0.70	- 0.10	.0015	----	----	----	----	----	----	194	UNCH														
1700	----	----	----	----	----	0.40B/1.50A	----	1.00	UNCH	.0022	----	----	----	----	----	----	200	UNCH														
1845	----	----	----	----	----	0.70B/1.80A	----	1.30	- 0.10	.0030	----	----	----	----	----	----	60	UNCH														
1900	----	----	----	----	----	1.20B/1.70A	----	1.40	- 0.20	.0033	----	----	----	----	----	----	6	UNCH														
2000	----	----	----	----	----	1.50B/2.00A	----	1.70	- 0.20	.0041	----	----	----	----	----	----	2	UNCH														
2200	2.50	2.50			2.50/2.50	2.50/2.50	----	2.50	- 0.20	.0063	----	----	----	1	----	----	7 +	1														
2400	----	----	----	----	4.00B/----	4.00B/4.20A	----	3.80	- 0.10	.0101	----	----	----	----	----	----	1	UNCH														
2450	----	----	----	----	4.40B/----	4.40B/4.60A	----	4.30	UNCH	.0114	----	----	----	----	----	----	4	UNCH														
2490	----	----	----	----	4.80B/----	4.80B/5.00A	----	4.70	UNCH	.0126	----	----	----	----	----	----	1	UNCH														
2500	----	----	----	----	5.00B/----	5.00B/5.10A	----	4.80	UNCH	.0129	----	----	----	1	----	----	293	UNCH														
2550	----	----	----	----	5.60B/----	5.60B/5.60A	----	5.30	UNCH	.0144	----	----	----	----	----	----	4	UNCH														
2660	----	----	----	----	7.20B/----	7.20B/7.00A	----	6.80	+ 0.10	.0187	----	----	----	----	----	----	4	UNCH														
2750	----	----	----	----	9.00B/----	9.00B/8.30A	----	8.30	+ 0.10	.0231	----	----	----	----	----	----	45	UNCH														
2795	----	----	----	----	10.00B/----	10.00B/9.20A	----	9.20	+ 0.10	.0258	----	----	----	----	----	----	10	UNCH														
2800	----	----	----	----	10.20B/----	10.20B/9.30A	----	9.30	+ 0.10	.0261	----	----	----	----	----	----	24	UNCH														
2875	----	----	----	----	12.20B/10.90A	12.20B/10.90A	----	11.00	- 0.10	.0311	----	----	----	----	----	----	1	UNCH														
2900	11.20	11.20			13.10B/11.20	13.10B/11.20	----	11.70	UNCH	.0331	----	----	----	10	----	----	40 -	1														
2925	----	----	----	----	14.10B/12.20A	14.10B/12.20A	----	12.40	- 0.10	.0352	----	----	----	----	----	----	300	UNCH														
2975	----	----	----	----	16.10B/13.70A	16.10B/13.70A	----	14.10	- 0.10	.0400	----	----	----	1	----	----	900	UNCH														
3000	----	----	----	----	17.20B/14.50A	17.20B/14.50A	----	15.00	- 0.10	.0425	----	----	----	1	----	----	2174	UNCH														
3025	----	----	----	----	18.50B/15.40A	18.50B/15.40A	----	15.90	- 0.20	.0452	----	----	----	----	----	----	2	UNCH														
3060	----	----	----	----	20.40B/16.70A	20.40B/16.70A	----	17.50	- 0.10	.0496	----	----	----	----	----	----	200	UNCH														
3075	----	----	----	----	21.30B/17.40A	21.30B/17.40A	----	18.20	- 0.10	.0515	----	----	----	----	----	----	3	UNCH														
3100	----	----	----	----	22.80B/18.50A	22.80B/18.50A	----	19.40	- 0.10	.0548	----	----	----	1	----	----	6 -	1														
3160	----	----	----	----	27.10B/21.60A	27.10B/21.60A	----	22.80	- 0.10	.0640	----	----	----	----	----	----	2	UNCH														
3175	----	----	----	----	28.20B/22.40A	28.20B/22.40A	----	23.70	- 0.10	.0665	----	----	----	----	----	----	60	UNCH														
3200	----	----	----	----	30.30B/24.00A	30.30B/24.00A	----	25.40	- 0.10	.0710	----	----	----	----	----	----	1	UNCH														
3250	----	----	----	----	35.00B/27.40A	35.00B/27.40A	----	29.10	UNCH	.0807	----	----	----	----	----	----	18	UNCH														
3265	----	----	----	----	36.30B/28.50A	36.30B/28.50A	----	30.30	UNCH	.0838	----	----	----	----	----	----	27	UNCH														
3300	32.60	32.60			40.00B/31.30A	40.00B/31.30A	----	33.30	UNCH	.0915	----	----	----	5	----	----	447	UNCH														
3345	----	----	----	----	45.40B/35.30A	45.40B/35.30A	----	37.60	+ 0.10	.1024	----	----	----	----	----	----	2	UNCH														
3375	----	----	----	----	49.20B/38.20A	49.20B/38.20A	----	40.70	UNCH	.1101	----	----	----	----	----	----	250	UNCH														
3400	42.90	42.90			52.70B/40.80A	52.70B/40.80A	----	43.50	UNCH	.1170	----	----	----	20	----	----	1156 +	20														
3425	----	----	----	----	56.30B/43.50A	56.30B/43.50A	----	46.50	+ 0.10	.1243	----	----	----	----	----	----	350	UNCH														
3440	----	----	----	----	58.70B/45.20A	58.70B/45.20A	----	48.40	+ 0.10	.1289	----	----	----	----	----	----	1	UNCH														
3445	----	----	----	----	59.30B/45.80A	59.30B/45.80A	----	49.00	UNCH	.1304	----	----	----	----	----	----	1	UNCH														
3450	----	----	----	----	60.10B/46.40A	60.10B/46.40A	----	49.70	+ 0.10	.1320	----	----	----	----	----	----	540															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
DEC26																
5480	----	----		#1,465.40B/1,35	#1465.40B/1352.30A	----			1389.00 + 0.20	.9414	----	----	----	----		50 UNCH
5500	----	----		#1,485.10B/1,37	#1485.10B/1371.90A	----			1408.60 + 0.30	.9429	----	----	----	----		31 UNCH
5525	----	----		#1,509.70B/1,39	#1509.70B/1396.30A	----			1433.10 + 0.20	.9447	----	----	----	----		80 UNCH
5600	----	----		#1,583.70B/1,46	#1583.70B/1469.80A	----			1506.80 + 0.30	.9494	----	----	----	----		254 UNCH
5900	----	----				----			1803.40 + 0.20	.9633	----	----	----	----		127 UNCH
6000	----	----				----			1902.80 + 0.20	.9664	----	----	----	----		40 UNCH
6200	----	----				----			2102.00 + 0.30	.9718	----	----	----	----		3 UNCH
8000	----	----				----			3901.50 + 0.30	.9919	30	----	30	----	0	UNCH
TOTAL													1776		48722+	979
JAN27																
2700	----	----			7.40B/11.00A	----			8.70 - 0.20	.0226	----	----	----	----		20 UNCH
2800	----	----			9.70B/13.30A	----			10.80 - 0.30	.0284	----	----	----	----		14 UNCH
2850	----	----			11.10B/14.80A	----			12.40 - 0.40	.0325	----	----	----	----		1 UNCH
3000	----	----			17.10B/20.40A	----			18.70 - 0.40	.0482	----	----	----	----		41 UNCH
3070	----	----			20.70B/23.80A	----			22.40 - 0.60	.0573	----	----	----	----		4 UNCH
3110	----	----			24.40B/26.00A	----			24.70 - 0.60	.0630	----	----	----	----		4 UNCH
3250	34.90	34.90		34.90/33.60	34.90/33.60	----			34.60 - 0.60	.0870	----	----	3	----	3 -	2
3300	----	----		45.80B/38.30A	45.80B/38.30A	----			39.10 - 0.70	.0976	----	----	----	----		2 UNCH
3450	----	----		67.10B/55.00A	67.10B/55.00A	----			57.50 - 0.10	.1379	----	----	----	----	0	UNCH
3500	----	----		76.00B/62.00A	76.00B/62.00A	----			65.20 UNCH	.1540	----	----	----	----		4 UNCH
3520	----	----		79.90B/65.00A	79.90B/65.00A	----			68.50 UNCH	.1607	----	----	----	----		1 UNCH
3600	----	----		96.80B/78.70A	96.80B/78.70A	----			83.20 + 0.10	.1901	----	----	----	----		12 UNCH
3680	----	----		117.00B/95.10A	117.00B/95.10A	----			100.30 - 0.20	.2229	----	----	----	----		1 UNCH
3685	----	----		118.70B/96.20A	118.70B/96.20A	----			101.50 - 0.10	.2251	----	----	----	----		2 UNCH
3700	----	----		122.70B/99.60A	122.70B/99.60A	----			105.00 - 0.30	.2316	----	----	----	----		5 UNCH
3740	----	----		134.80B/109.30A	134.80B/109.30A	----			115.10 - 0.40	.2499	----	----	----	----		1 UNCH
3750	----	----		137.70B/111.80A	137.70B/111.80A	----			117.80 - 0.40	.2546	----	----	----	----		1 UNCH
3800	126.50	126.50		154.10B/125.20A	154.10B/125.20A	----			131.90 - 0.50	.2790	----	1	----	----	38 +	1
3850	----	----		172.10B/139.90A	172.10B/139.90A	----			147.40 - 0.70	.3047	----	----	----	----	230	UNCH
3900	----	----		191.40B/156.10A	191.40B/156.10A	----			164.50 - 0.80	.3316	----	----	----	----	4	UNCH
3925	----	----		201.70B/164.80A	201.70B/164.80A	----			173.60 - 0.80	.3455	----	----	----	----	1	UNCH
3980	----	----		225.30B/185.10A	225.30B/185.10A	----			195.10 - 0.90	.3768	----	----	----	----	1	UNCH
3985	----	----		227.60B/187.10A	227.60B/187.10A	----			197.20 NEW	.3797	----	1	----	----	1 +	1
4000	----	----		234.50B/193.00A	234.50B/193.00A	----			203.40 - 0.90	.3884	----	----	----	----	108	UNCH
4025	----	----		246.00B/203.20A	246.00B/203.20A	----			214.20 - 0.80	.4031	----	----	----	----	2	UNCH
4060	----	----		263.30B/218.00A	263.30B/218.00A	----			229.90 NEW	.4238	----	1	----	----	1 +	1
4070	----	----		268.80B/222.50A	268.80B/222.50A	----			234.50 - 0.90	.4298	----	----	----	----	1	UNCH
4100	246.00	246.00		284.60B/236.00A	284.60B/236.00A	----			248.90 - 0.90	.4478	----	1	----	----	21	UNCH
4200	----	----		336.00B/285.50A	336.00B/285.50A	----			301.00 - 0.80	.5077	----	----	----	----	8	UNCH
4205	----	----		340.80B/288.20A	340.80B/288.20A	----			303.80 - 0.70	.5106	----	----	----	----	4	UNCH
4220	----	----		346.90B/296.30A	346.90B/296.30A	----			312.20 - 0.80	.5195	----	----	----	----	1	UNCH
4250	----	----		364.20B/312.90A	364.20B/312.90A	----			329.50 - 0.70	.5372	----	----	----	----	1	UNCH
4255	----	----		367.30B/315.70A	367.30B/315.70A	----			332.40 - 0.70	.5401	----	----	----	----	19	UNCH
4300	----	----		398.00B/341.50A	398.00B/341.50A	----			359.60 - 0.60	.5661	----	----	----	----	1	UNCH
4350	----	----		407.80B/371.70A	407.80B/371.70A	----			391.20 - 0.50	.5942	----	----	----	----	1	UNCH
4375	----	----		411.50B/387.30A	411.50B/387.30A	----			407.50 - 0.60	.6079	----	----	----	----	15	UNCH
4400	----	----		428.20B/403.40A	428.20B/403.40A	----			424.30 - 0.40	.6214	----	----	----	----	2	UNCH
4445	----	----		459.40B/434.10A	459.40B/434.10A	----			455.20 - 0.50	.6450	----	----	----	----	2	UNCH
4455	----	----		466.50B/440.90A	466.50B/440.90A	----			462.30 - 0.40	.6502	----	----	----	----	1	UNCH
4500	----	----		499.00B/472.20A	499.00B/472.20A	----			494.60 - 0.30	.6726	----	----	----	----	9	UNCH
4505	----	----		502.70B/475.80A	502.70B/475.80A	----			498.30 - 0.30	.6749	----	----	----	----	14	UNCH
4575	----	----		551.80B/526.70A	551.80B/526.70A	----			550.70 - 0.30	.7075	----	----	----	----	1	UNCH
4585	----	----		----/534.20A	556.20B/534.20A	----			558.40 - 0.20	.7120	----	----	----	----	1	UNCH
4600	----	----		----/545.50A	553.20B/545.50A	----			570.00 - 0.20	.7185	----	----	----	----	3	UNCH
4610	----	----		----/553.10A	554.80B/553.10A	----			577.80 - 0.20	.7228	----	----	----	----	1	UNCH
4620	----	----		----/560.70A	556.20B/560.70A	----			585.70 - 0.10	.7270	----	----	----	----	1	UNCH
4630	----	----		----	494.10B/695.70A	----			593.60 - 0.10	.7312	----	----	----	----	1	UNCH
4650	----	----		----	510.40B/711.60A	----			609.50 - 0.10	.7395	----	----	----	----	2	UNCH
4660	----	----		----	518.70B/719.60A	----			617.50 - 0.10	.7435	----	----	----	----	4	UNCH
4665	----	----		----	522.80B/723.60A	----			621.50 - 0.10	.7455	----	----	----	----	4	UNCH
4700	----	----		----	552.00B/752.00A	----			650.00 UNCH	.7591	----	----	----	----	1	UNCH
4710	----	----		----	560.40B/760.20A	----			658.20 UNCH	.7628	----	----	----	----	4	UNCH
4760	----	----		----	603.30B/801.60A	----			699.80 UNCH	.7806	----	----	----	----	100	UNCH
4800	----	----		----	638.40B/835.30A	----			733.70 + 0.10	.7940	----	----	----	----	6	UNCH
4805	----	----		----	642.90B/839.50A	----			738.00 + 0.10	.7955	----	----	----	----	1	UNCH
4820	----	----		----	656.30B/852.30A	----			750.90 + 0.10	.8003	----	----	----	----	6	UNCH
4860	----	----		----	692.40B/886.70A	----			785.60 + 0.20	.8124	----	----	----	----	1	UNCH
4880	----	----		----	710.60B/904.00A	----			803.10 + 0.20	.8181	----	----	----	----	1	UNCH
4960	----	----		----	783.80B/974.40A	----			874.10 + 0.20	.8392	----	----	----	----	42	UNCH
4980	----	----		----	801.90B/992.30A	----			892.00 + 0.10	.8441	----	----	----	----	9	UNCH
4990	----	----		----	811.00B/1001.20A	----			901.00 + 0.10	.8465	----	----	----	----	1	UNCH
5000	----	----		----	820.10B/1010.20A	----			910.10 + 0.10	.8488	----	----	----	----	2	UNCH
5050	----	----		----	865.90B/1055.80A	----			955.40 - 0.20	.8602	----	----	----	----	100	UNCH
5085	----	----		----	898.30B/1088.20A	----			987.50 - 0.30	.8675	----	----	----	----	2	UNCH
5150	----	----		----	958.80B/1148.90A	----			1047.70 - 0.30	.8797	----	----	----	----	2	UNCH
5235	----	----		----	1038.90B/1229.20A	----			1127.60 - 0.10	.8931	----	----	----	----	2	UNCH
5245	----	----		----	1048.40B/1238.70A	----			1137.10 UNCH	.8946	----	----	----	----	2	UNCH
5300	----	----		----	1080.10B/1291.20A	----			1189.40 + 0.20	.9019	----	----	----	----	44	UNCH
TOTAL													7		946+	1
FEB27																
2800	----	----			12.00B/16.50A	----			14.20 - 0.30	.0344	----	----	----	----		12 UNCH
3000	----	----			22.60B/25.00A	----			23.00 - 0.10	.0551	----	----	1	----	1 -	1
3100	----	----		29.60B/----	29.60B/29.20A	----			29.10 - 0.10	.0691	----	----	----	----	6	UNCH
3160	----	----		34.80B/33.20A	34.80B/33.20A	----			33.60 UNCH	.0792	----	----	----	----	2	UNCH
3200	----	----		38.80B/36.30A	38.80B/36.30A	----			36.90 - 0.10	.0865	----	1	----	----	111 -	1
3400	----	----		68.20B/57.00A	68.20B/57.00A	----			59.20 - 0.40	.1335	----	----	----	----	10	UNCH
3500	----	----		86.40B/71.80A	86.40B/71.80A	----			74.70 - 0.60	.1640	----	----	----	----	51	UNCH
3520	----	----		90.50B/75.10A	90.50B/75.10A	----			78.30 - 0.60	.1708	----	----	----	----	19	UNCH
3600	----	----		108.80B/90.10A	108.80B/90.10A	----			94.10 - 0.60	.1999	----</					

PG64	BULLETIN #124@										METALS OPTION PRODUCTS					Tue, Jun 30, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT																			
FEB27																			
4855	----	----	----	----	676.60B/911.30A	----			792.70 - 0.30	.7919	----	----	----	----	3				UNCH
4900	----	----	----	----	716.10B/950.00A	----			831.50 - 0.30	.8047	----	----	----	----	4				UNCH
4905	----	----	----	----	720.60B/954.40A	----			835.80 - 0.30	.8061	----	----	----	----	4				UNCH
4950	----	----	----	----	760.70B/993.70A	----			875.20 - 0.30	.8181	----	----	----	----	1				UNCH
4955	----	----	----	----	765.20B/998.10A	----			879.60 - 0.30	.8193	----	----	----	----	1				UNCH
5000	----	----	----	----	806.00B/1037.90A	----			919.50 - 0.30	.8304	----	----	----	----	10				UNCH
5005	----	----	----	----	810.60B/1042.40A	----			924.00 - 0.20	.8316	----	----	----	----	2				UNCH
5050	----	----	----	----	851.40B/1082.70A	----			964.40 - 0.20	.									

PG64 BULLETIN #124@			METALS OPTION PRODUCTS							Tue, Jun 30, 2026 PG64		
GLOBEX OPEN	OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL COMEX GOLD OPTIONS												
AUG26												
2000	----	----		----	----	2038.50 - 0.40	1.0000	----	----	----	----	0 UNCH
3000						1038.60 - 0.50	.9950					16 UNCH
3200	838.20	838.20	1,069.80B/1.026	1069.80B/1026.70A		839.30 - 0.60	.9889			2		74 + 1
3300			870.60B/827.10A	870.60B/827.10A		740.20 - 0.70	.9829					94 UNCH
3305			771.40B/727.90A	771.40B/727.90A		735.30 - 0.70	.9823					21 UNCH
3315			766.40B/722.90A	766.40B/722.90A		725.40 - 0.70	.9816					1 UNCH
3325						715.50 - 0.80	.9809					15 UNCH
3345	692.00	692.00	753.50B/639.70A	753.50B/639.70A		695.80 NEW	.9789		1			1 + 1
3350			733.90B/620.20A	733.90B/620.20A		690.90 - 0.80	.9783					178 UNCH
3380			728.90B/615.40A	728.90B/615.40A								

PG64		BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64													
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																							
OG CALL		COMEX GOLD OPTIONS																																			
AUG26																																					
4345	18.50	18.50		23.60B/*14.80A	23.60B/*14.80A	----	18.60	+	1.10	.1363	----	26	----	36	+	1																					
4350	15.60	15.60		23.00/*14.30	23.00/*14.30	----	18.00	+	1.00	.1325	----	80	----	1559	-	3																					
4355	14.60	14.60		22.10B/*14.00A	22.10B/*14.00A	----	17.50	+	1.00	.1292	----	2	----	711																							

PG64	BULLETIN #124@				METALS OPTION PRODUCTS					Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
AUG26														
5030	----	----	----	1.60B/1.70A	----	1.70 + 0.10	.0116	----	----	----	----	224	UNCH	
5035	----	----	----	1.60B/1.70A	----	1.70 + 0.10	.0115	----	----	----	----	73	UNCH	
5040	----	----	----	1.60B/1.60A	----	1.70 + 0.10	.0115	----	----	----	----	35	UNCH	
5045	----	----	----	1.60B/1.60A	----	1.70 + 0.10	.0114	----	----	----	----	44	UNCH	
5050	----	----	----	1.60B/1.60A	----	1.70 + 0.10	.0114	----	----	4	----	477 +	4	
5055	----	----	----	1.60B/1.60A	----	1.70 + 0.10	.0114	----	----	----	----	22	UNCH	
5060	----	----	----	1.50B/1.60A	----	1.70 + 0.10	.0113	----	----	----	----	49	UNCH	
5065	----	----	----	1.50B/1.60A	----	1.70 + 0.20	.0113	----	----	----	----	45	UNCH	
5070	----	----	----	1.50B/1.60A	----	1.60 + 0.10	.0107	----	----	----	----	59	UNCH	
5075	----	----	----	1.50B/1.60A	----	1.60 + 0.10	.0107	----	----	----	----	309	UNCH</	

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																
AUG26																	
5875	----	----	----	0.70B/0.80A	----		0.70	UNCH	----	----	----	----	35	UNCH			
5900	0.80	0.80	0.80/0.80	0.80/0.80	----		0.60	- 0.10	----	----	1	----	1505	+			
5925	----	----	----	0.70B/0.80A	----		0.60	- 0.10	----	----	----	----	24	UNCH			
5950	----	----	0.70B/----	0.70B/0.80A	----		0.60	UNCH	----	----	----	----	31	UNCH			
6000	0.50	0.50	0.70/0.50	0.70/0.50	----		0.60	UNCH	----	----	115	----	4452	-			
6100	----	----	----	0.60B/0.70A	----		0.50	- 0.10	----	----	1	----	809	-			
6200	----	----	----	0.50B/0.60A	----		0.50	- 0.10	----	----	44	----	1436	UNCH			
6250	----	----	----	0.50B/0.50A	----		0.50	UNCH	----	----	----	----	8	UNCH			
6300	----	----	----	0.40B/0.60A	----		0.50	UNCH	----	----	----	----	115	UNCH			
6400	----	----	----	0.40B/0.50A	----		0.40	- 0.10	----	----	----	----	61	UNCH			
6500	0.30	0.30	0.50/*0.30	0.50/*0.30	----		0.40	- 0.10	----	----	62	----	1571	-			
6600	----	----	----	0.30B/0.40A	----		0.30	- 0.10	----	----	----	----	219	UNCH			
6700	----	----	-----/0.30A	0.30B/0.30A	----		0.30	- 0.10	----	----	----	----	351	UNCH			
6800	----	----	----	0.20B/0.30A	----		0.30	UNCH	----	----	----	----	45	UNCH			
6900	----	----	----	0.20B/0.30A	----		0.20	- 0.10	----	----	----	----	50	UNCH			
7000	0.40	0.40	0.40/0.40	0.40/0.30A	----		0.20	- 0.10	----	----	3	----	1016	UNCH			
7500	----	----	----	0.10B/0.20A	----		0.10	- 0.10	----	----	----	----	831	UNCH			
8000	----	----	----	-----/0.10A	----		0.10	UNCH	----	----	----	----	693	UNCH			
8500	----	----	----	-----/0.10A	----		0.10	UNCH	----	----	----	----	130	UNCH			
9000	----	----	----	-----/0.10A	----		0.10	UNCH	----	----	----	----	127	UNCH			
9500	----	----	----	-----/0.10A	----		0.10	UNCH	----	----	----	----	316	UNCH			
10000	----	----	----	-----/0.10A	----		0.10	UNCH	----	----	8084	----	266	UNCH			
TOTAL												150	130919	+			
SEP26																	
3000	----	----	----	1065.30B/1082.20A	----		1068.20			100	----	200	100	+			
3400	----	----	714.40B/*606.30	714.40B/*606.30A	----		678.00	- 0.50	----	----	----	----	131	UNCH			
3500	----	----	620.00B/*515.40	620.00B/*515.40A	----		584.30			----	12	----	12	+			
3600	----	----	528.30B/*429.30	528.30B/*429.30A	----		493.60	- 0.70	----	----	----	----	1	UNCH			
3650	----	----	483.80B/*388.00	483.80B/*388.00A	----		449.70			----	95	----	40	+			
3785	----	----	369.50B/*285.00	369.50B/*285.00A	----		338.00	- 0.80	----	----	----	----	18	UNCH			
3850	----	----	318.40B/*240.70	318.40B/*240.70A	----		288.70	- 0.80	----	----	----	----	1	UNCH			
3875	----	----	299.60B/*224.60	299.60B/*224.60A	----		270.60	- 0.90	----	----	----	----	1	UNCH			
3900	259.10	259.10	281.30B/*209.50	281.30B/*209.50A	----		253.10	- 0.80	----	----	3	----	4	+			
3925	----	----	263.50B/*194.60	263.50B/*194.60A	----		236.20	- 0.80	----	----	----	----	1	UNCH			
3950	----	----	246.20B/*180.50	246.20B/*180.50A	----		219.90			----	1	----	1	+			
3965	----	----	236.20B/*172.30	236.20B/*172.30A	----		210.40	- 0.70	----	----	----	----	1	UNCH			
3975	----	----	229.70B/*167.00	229.70B/*167.00A	----		204.20	- 0.70	----	----	----	----	1	UNCH			
3980	----	----	226.40B/*164.30	226.40B/*164.30A	----		201.10	- 0.80	----	----	----	----	3	UNCH			
3995	----	----	216.80B/*156.70	216.80B/*156.70A	----		192.10	- 0.70	----	----	----	----	10	UNCH			
4000	190.00	190.00	213.70B/*154.10	213.70B/*154.10A	----		189.10	- 0.80	----	----	15	----	100	+			
4010	----	----	207.40B/*149.20	207.40B/*149.20A	----		183.30	- 0.70	----	----	----	----	1	UNCH			
4020	----	----	201.30B/*144.40	201.30B/*144.40A	----		177.60	- 0.70	----	----	----	----	102	UNCH			
4025	151.00	151.00	198.30B/*142.00	198.30B/*142.00A	----		174.70			----	3	----	3	+			
4030	156.50	156.50	195.30B/*139.70	195.30B/*139.70A	----		171.90	- 0.80	----	----	20	----	10	+			
4035	----	----	192.30B/*137.30	192.30B/*137.30A	----		169.20	- 0.70	----	----	----	----	30	UNCH			
4040	----	----	189.40B/*135.00	189.40B/*135.00A	----		166.40	- 0.70	----	----	----	----	250	UNCH			
4050	----	----	183.60B/*130.60	183.60B/*130.60A	----		161.10	- 0.60	----	----	1	----	47	UNCH			
4055	----	----	180.70B/*128.30	180.70B/*128.30A	----		158.40	- 0.70	----	----	----	----	12	UNCH			
4060	153.90	153.90	177.90B/*126.20	177.90B/*126.20A	----		155.80	- 0.70	----	----	1	----	2	+			
4065	132.00	132.00	175.10B/*124.00	175.10B/*124.00A	----		153.20	- 0.60	----	----	1	----	9	UNCH			
4070	148.90	148.90	172.30B/*121.90	172.30B/*121.90A	----		150.60	- 0.70	----	----	1	----	11	+			
4075	146.30	146.30	169.60B/*119.80	169.60B/*119.80A	----		148.10	- 0.60	----	----	4	----	25	+			
4080	150.10	150.10	166.90B/*117.70	166.90B/*117.70A	----		145.60	- 0.60	----	----	2	----	12	+			
4085	153.00	153.00	164.20B/*115.70	164.20B/*115.70A	----		143.10	- 0.60	----	----	3	----	44	+			
4090	----	----	161.50B/*113.70	161.50B/*113.70A	----		140.60	- 0.70	----	----	----	----	8	UNCH			
4095	----	----	158.90B/*111.70	158.90B/*111.70A	----		138.20	- 0.60	----	----	----	----	5	UNCH			
4100	134.30	134.30	156.30B/*109.70	156.30B/*109.70A	----		135.80	- 0.60	----	----	87	96	257	+			
4105	----	----	153.70B/*107.80	153.70B/*107.80A	----		133.50	- 0.60	----	----	1	----	4	+			
4110	----	----	151.10B/*105.90	151.10B/*105.90A	----		131.10	- 0.60	----	----	1	----	5	+			
4115	127.40	127.40	148.60B/*104.00	148.60B/*104.00A	----		128.80	- 0.60	----	----	8	----	24	+			
4120	----	----	146.10B/*102.20	146.10B/*102.20A	----		126.60	- 0.50	----	----	----	----	113	UNCH			
4125	----	----	143.70B/*100.40	143.70B/*100.40A	----		124.30	- 0.60	----	----	----	----	27	UNCH			
4130	100.00	100.00	141.20B/*98.60A	141.20B/*98.60A	----		122.10	- 0.50	----	----	3	----	123	UNCH			
4135	----	----	138.90B/*96.80A	138.90B/*96.80A	----		119.90	- 0.50	----	----	----	----	1	UNCH			
4140	----	----	136.50B/*95.10A	136.50B/*95.10A	----		117.80	- 0.50	----	----	48	----	53	+			
4145	121.20	121.20	134.10B/*93.30A	134.10B/*93.30A	----		115.60	- 0.50	----	----	1	----	4	+			
4150	128.70	128.70	131.90B/*91.60A	131.90B/*91.60A	----		113.50	- 0.50	----	----	2	----	319	UNCH			
4155	----	----	129.50B/*90.00A	129.50B/*90.00A	----		111.50	- 0.40	----	----	----	----	1	UNCH			
4160	110.80	110.80	127.30B/*88.30A	127.30B/*88.30A	----		109.40	- 0.50	----	----	2	----	5	+			
4165	86.90	86.90	125.10B/*86.70A	125.10B/*86.70A	----		107.40	- 0.40	----	----	3	----	19	+			
4175	----	----	120.70B/*83.60A	120.70B/*83.60A	----		103.50	- 0.40	----	----	----	----	3	+			
4180	100.10	100.10	118.60B/*82.00A	118.60B/*82.00A	----		101.60	- 0.30	----	----	4	----	6	+			
4185	----	----	116.50B/*80.50A	116.50B/*80.50A	----		99.70	- 0.30	----	----	----	----	45	UNCH			
4190	99.30	99.30	114.40B/*79.00A	114.40B/*79.00A	----		97.80	- 0.40	----	----	1	----	6	UNCH			
4195	----	----	112.30B/*77.60A	112.30B/*77.60A	----		96.00	- 0.30	----	----	----	----	2	UNCH			
4200	82.30	82.30	110.30B/*76.10A	110.30B/*76.10A	----		94.20	- 0.30	----	----	36	----	201	+			
4205	----	----	108.30B/*74.70A	108.30B/*74.70A	----		92.40	- 0.30	----	----	----	----	3	UNCH			
4210	92.00	92.00	106.30B/*73.30A	106.30B/*73.30A	----		90.60	- 0.30	----	----	3	----	5	+			
4215	90.00	90.00	104.40B/*71.90A	104.40B/*71.90A	----		88.90			----	1	----	1	+			
4220	71.00	71.00	102.50B/*70.60A	102.50B/*70.60A	----		87.20	- 0.30	----	----	10	----	166	UNCH			
4225	75.10	75.10	100.60B/*69.30A	100.60B/*69.30A	----		85.50	- 0.30	----	----	1	----	37	+			
4230	81.30	81.30	98.70B/*68.00A	98.70B/*68.00A	----		83.90	- 0.20	----	----	3	----	5	+			
4240	----	----	95.10B/*65.40A	95.10B/*65.40A	----		80.70	- 0.20	----	----	196	----	197	+			
4245	81.80	81.80	93.30B/*64.20A	93.30B/*64.20A	----		79.10	- 0.20	----	----	6	----	67	+			
4250	----	----	91.50B/*63.00A	91.50B/*63.00A	----		77.60	- 0.10	----	----	1	----	513	+			
4255	77.90	77.90	89.80B/*61.80A	89.80B/*61.80A	----		76.10	- 0.10	----	----	7	----	15	+			
4260	75.30	75.30	88.10B/*60.60A	88.10B/*60.60A	----		74.60	- 0.10	----	----	4	----	38	+			
4265	76.00	76.00	86.40B/*59.50A	86.40B/*59.50A	----		73.10	- 0.10	----	----	4	----	17	+			
4270	58.50	58.50	84.80B/*58.30A	84.80B/*58.30A	----		71.70	- 0.10	----	----	85	----	91	+			

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL													COMEX GOLD OPTIONS	
SEP26	23.30	23.30	32.30B/*23.30	32.30B/*23.30	----	27.50 + 0.70	.1434	----	----	1	----	8		
4510	23.30	23.30	31.70B/*22.90A	31.70B/*22.90A	----	26.90 + 0.60	.1408	----	----	----	----	5		
4515	26.40	26.40	31.00B/*22.50A	31.00B/*22.50A	----	26.40 + 0.60	.1385	----	----	3	----	55 +		
4520	26.10	26.10	30.40B/*22.10A	30.40B/*22.10A	----	25.90 + 0.60	.1362	----	----	3	----	73 +		
4525	22.40	22.40	30.20/*21.70A	30.20/*21.70A	----	25.40 + 0.60	.1339	----	----	7	----	30 +		
4530	29.00	29.00	29.20B/*21.30A	29.20B/*21.30A	----	24.90 + 0.60	.1316	----	----	1	----	104		
4535	29.00	29.00	29.00/*20.90A	29.00/*20.90A	----	24.40 + 0.60	.1293	----	10	----	----	15 -		
4540	25.20	25.20	28.10B/*20.50A	28.10B/*20.50A	----	24.00 + 0.70	.1273	----	2	----	----	102		
4545	24.70	24.70	27.50B/*20.20A	27.50B/*20.20A	----	23.50 + 0.60	.1251	----	1096	----	----	2343 +		
4550	26.80	26.80	27.00B/*19.80A	27.00B/*19.80A	----	23.10 + 0.70	.1231	----	8	----	----	106 +		
4555	26.80	26.80	26.80/*19.50A	26.80/*19.50A	----	22.60 + 0.60	.1208	----	8	----	----	56 +		
4560	26.00B/*19.10A	26.00B/*19.10A	22.20 + 0.60	.1189	----	22.20 + 0.60	.1189	----	----	----	----	21		
4565	25.40B/*18.80A	25.40B/*18.80A	21.80 + 0.60	.1170	----	21.80 + 0.60	.1170	----	----	----	----	72		
4570	24.90B/*18.50A	24.90B/*18.50A	21.40 + 0.60	.1151	----	21.40 + 0.60	.1151	----	2	----	----	122		
4575	24.40B/*18.10A	24.40B/*18.10A	21.00 + 0.60	.1131	----	21.00 + 0.60	.1131	----	3	----	----	9		
4580	24.00B/*17.80A	24.00B/*17.80A	20.60 + 0.60	.1112	----	20.60 + 0.60	.1112	----	----	----	----	37		
4585	23.50B/*17.50A	23.50B/*17.50A	20.20 + 0.60	.1093	----	20.20 + 0.60	.1093	----	----	----	----	23		
4590	23.00B/*17.20A	23.00B/*17.20A	19.80 + 0.60	.1074	----	19.80 + 0.60	.1074	----	----	----	----	33		
4595	22.60B/*16.90A	22.60B/*16.90A	19.40 + 0.50	.1055	----	19.40 + 0.50	.1055	----	35	----	2972 -	2		
4600	22.20B/*16.70A	22.20B/*16.70A	19.10 + 0.60	.1039	----	19.10 + 0.60	.1039	----	18	----	46 -	5		
4605	21.70B/*16.40A	21.70B/*16.40A	18.70 + 0.50	.1020	----	18.70 + 0.50	.1020	----	72	----	23 +	13		
4610	21.30B/*16.10A	21.30B/*16.10A	18.40 + 0.60	.1005	----	18.40 + 0.60	.1005	----	98	----	40 +	30		
4615	20.90B/*15.80A	20.90B/*15.80A	18.10 + 0.60	.0990	----	18.10 + 0.60	.0990	----	120	----	64 +	58		
4620	20.50B/*15.60A	20.50B/*15.60A	17.70 + 0.50	.0971	----	17.70 + 0.50	.0971	----	----	----	12	UNCH		
4625	20.10B/*15.30A	20.10B/*15.30A	17.40 + 0.50	.0955	----	17.40 + 0.50	.0955	----	----	----	64	UNCH		
4630	19.70B/*15.10A	19.70B/*15.10A	17.10 + 0.50	.0940	----	17.10 + 0.50	.0940	----	----	----	70	UNCH		
4635	19.40B/*14.80A	19.40B/*14.80A	16.80 + 0.50	.0925	----	16.80 + 0.50	.0925	----	----	----	14	UNCH		
4640	19.00B/*14.60A	19.00B/*14.60A	16.50 + 0.50	.0910	----	16.50 + 0.50	.0910	----	----	----	9	UNCH		
4645	18.60B/*14.40A	18.60B/*14.40A	16.20 + 0.50	.0895	----	16.20 + 0.50	.0895	----	1	----	336	UNCH		
4650	18.30B/*14.10A	18.30B/*14.10A	15.90 + 0.50	.0880	----	15.90 + 0.50	.0880	----	----	----	9	UNCH		
4655	18.00B/*13.90A	18.00B/*13.90A	15.60 + 0.40	.0865	----	15.60 + 0.40	.0865	----	25	----	321	UNCH		
4660	17.70	17.70	17.70/*13.70A	17.70/*13.70A	----	15.40 + 0.50	.0853	----	2	----	25 -	3		
4665	15.30	15.30	17.30B/*13.50A	17.30B/*13.50A	----	15.10 + 0.50	.0838	----	2	----	12 +	2		
4670	17.00B/*13.30A	17.00B/*13.30A	14.80 + 0.40	.0824	----	14.80 + 0.40	.0824	----	----	----	79	UNCH		
4675	16.70B/*13.10A	16.70B/*13.10A	14.60 + 0.50	.0812	----	14.60 + 0.50	.0812	----	----	----	89	UNCH		
4680	16.40B/*12.90A	16.40B/*12.90A	14.30 + 0.40	.0798	----	14.30 + 0.40	.0798	----	10	----	53	UNCH		
4685	16.10B/*12.70A	16.10B/*12.70A	14.10 + 0.50	.0787	----	14.10 + 0.50	.0787	----	3	----	13 +	10		
4690	15.80B/*12.50A	15.80B/*12.50A	13.80 + 0.40	.0772	----	13.80 + 0.40	.0772	----	1	----	8 +	3		
4695	15.50B/*12.30A	15.50B/*12.30A	13.60 + 0.40	.0761	----	13.60 + 0.40	.0761	----	619	----	2011 +	280		
4700	15.20B/*12.10A	15.20B/*12.10A	13.40 + 0.40	.0750	----	13.40 + 0.40	.0750	----	2	----	97	UNCH		
4705	14.90B/*11.90A	14.90B/*11.90A	13.10 + 0.30	.0735	----	13.10 + 0.30	.0735	----	1	----	14 -	1		
4710	14.70B/*11.70A	14.70B/*11.70A	12.90 + 0.40	.0724	----	12.90 + 0.40	.0724	----	3	----	101	UNCH		
4715	14.40B/*11.60A	14.40B/*11.60A	12.70 + 0.40	.0714	----	12.70 + 0.40	.0714	----	----	----	47	UNCH		
4720	14.10B/*11.40A	14.10B/*11.40A	12.50 + 0.40	.0703	----	12.50 + 0.40	.0703	----	3	----	40 +	3		
4725	13.90B/*11.20A	13.90B/*11.20A	12.30 + 0.40	.0692	----	12.30 + 0.40	.0692	----	10	----	155 -	10		
4730	13.70B/*11.10A	13.70B/*11.10A	12.10 + 0.30	.0681	----	12.10 + 0.30	.0681	----	1	----	353 -	10		
4735	13.40B/*10.90A	13.40B/*10.90A	11.90 + 0.30	.0671	----	11.90 + 0.30	.0671	----	1	----	6	UNCH		
4740	13.20B/*10.80A	13.20B/*10.80A	11.70 + 0.30	.0660	----	11.70 + 0.30	.0660	----	5	----	15 -	1		
4745	12.90B/*9.90	12.90B/*9.90	11.50 + 0.30	.0649	----	11.50 + 0.30	.0649	----	3	----	1270 +	1		
4750	12.70B/*10.50A	12.70B/*10.50A	11.30 + 0.30	.0639	----	11.30 + 0.30	.0639	----	13	----	31	UNCH		
4755	12.50B/*10.30A	12.50B/*10.30A	11.20 + 0.30	.0632	----	11.20 + 0.30	.0632	----	11	----	12 +	11		
4760	12.30B/*10.20A	12.30B/*10.20A	11.00 + 0.30	.0622	----	11.00 + 0.30	.0622	----	14	----	18 +	14		
4765	12.10B/*10.00A	12.10B/*10.00A	10.80 + 0.30	.0611	----	10.80 + 0.30	.0611	----	10	----	304 +	10		
4770	11.90B/*9.90A	11.90B/*9.90A	10.60 + 0.20	.0601	----	10.60 + 0.20	.0601	----	16	----	26 +	16		
4775	11.70B/*9.70A	11.70B/*9.70A	10.50 + 0.30	.0595	----	10.50 + 0.30	.0595	----	4	----	10 +	2		
4780	11.50B/*9.60A	11.50B/*9.60A	10.30 + 0.20	.0584	----	10.30 + 0.20	.0584	----	16	----	62 +	1		
4785	11.30B/*9.40A	11.30B/*9.40A	10.20 + 0.30	.0578	----	10.20 + 0.30	.0578	----	20	----	18 +	14		
4790	11.10B/*9.30A	11.10B/*9.30A	9.90 + 0.30	.0567	----	9.90 + 0.30	.0567	----	312	----	1676 +	213		
4795	10.90B/*9.20	10.90B/*9.20	9.70 + 0.20	.0561	----	9.70 + 0.20	.0561	----	12	----	18 +	8		
4800	10.80B/*9.00A	10.80B/*9.00A	9.60 + 0.30	.0545	----	9.60 + 0.30	.0545	----	----	----	11	UNCH		
4805	10.60B/*8.90A	10.60B/*8.90A	9.40 + 0.20	.0535	----	9.40 + 0.20	.0535	----	----	----	28	UNCH		
4810	10.40B/*8.80A	10.40B/*8.80A	9.30 + 0.20	.0528	----	9.30 + 0.20	.0528	----	1	----	129	UNCH		
4815	10.20B/*8.70A	10.20B/*8.70A	9.10 + 0.20	.0518	----	9.10 + 0.20	.0518	----	1	----	368	UNCH		
4820	10.10B/*8.60	10.10B/*8.60	9.00 + 0.20	.0512	----	9.00 + 0.20	.0512	----	1	----	17 +	1		
4825	9.90B/*8.50A	9.90B/*8.50A	8.90 + 0.20	.0506	----	8.90 + 0.20	.0506	----	1	----	11 +	1		
4830	9.80B/*8.40A	9.80B/*8.40A	8.80 + 0.20	.0500	----	8.80 + 0.20	.0500	----	12	----	48	UNCH		
4835	9.60B/*8.30A	9.60B/*8.30A	8.60 + 0.10	.0490	----	8.60 + 0.10	.0490	----	4	----	16 +	12		
4840	9.50B/*8.10	9.50B/*8.10	8.50 + 0.20	.0484	----	8.50 + 0.20	.0484	----	----	----	117	UNCH		
4845	9.30B/*8.10A	9.30B/*8.10A	8.40 + 0.20	.0478	----	8.40 + 0.20	.0478	----	----	----	23	UNCH		
4850	9.20B/*8.00A	9.20B/*8.00A	8.30 + 0.20	.0472	----	8.30 + 0.20	.0472	----	----	----	10	UNCH		
4855	9.00B/*7.90A	9.00B/*7.90												

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS														
SEP26																
5230	----	----	4.00B/*3.70A	4.00B/*3.70A	----	3.90	UNCH	.0211	----	----	----	----	416	UNCH		
5235	----	----	3.90B/*3.70A	3.90B/*3.70A	----	3.80	UNCH	.0206	----	----	----	----	1	UNCH		
5240	----	----	3.90B/*3.70A	3.90B/*3.70A	----	3.80	UNCH	.0206	----	----	----	----	3	UNCH		
5245	----	----	3.90B/*3.70A	3.90B/*3.70A	----	3.80	UNCH	.0205	----	----	----	----	31	UNCH		
5250	----	----	----/*3.70A	3.80B/*3.70A	----	3.80	UNCH	.0204	----	----	----	----	650	UNCH		
5255	----	----	3.80B/*3.60A	3.80B/*3.60A	----	3.70	UNCH	.0200	----	----	----	----	8	UNCH		
5265	----	----	3.80B/*3.60A	3.80B/*3.60A	----	3.70	UNCH	.0199	----	----	----	----	24	UNCH		
5270	----	----	----/*3.60A	3.70B/*3.60A	----	3.70	UNCH	.0198	----	----	----	----	7	UNCH		
5275	----	----	3.70B/*3.50A	3.70B/*3.50A	----	3.60	UNCH	.0193	----	----	----	----	206	UNCH		
5280	----	----	3.70B/*3.50A	3.70B/*3.50A	----	3.60	UNCH	.0193	----	----	----	----	9	UNCH		
5290	----	----	----/*3.50A	3.60B/*3.50A	----	3.60	UNCH	.0192	----	----	----	----	9	UNCH		
5295	----	----	3.60B/----	3.60B/*3.50A	----	3.50	UNCH	.0187	----	----	----	----	10	UNCH		
5300	3.70	3.70	3.70/3.70	3.70/*3.50A	----	3.50	UNCH	.0187	----	2	----	1258 +	1	UNCH		
5305	----	----	3.60B/*3.40A	3.60B/*3.40A	----	3.50	UNCH	.0186	----	----	----	----	11	UNCH		
5310	----	----	----/*3.40A	3.50B/*3.40A	----	3.50	UNCH	.0186	----	----	----	----	7	UNCH		
5315	----	----	----/*3.40A	3.50B/*3.40A	----	3.50	UNCH	.0185	----	----	----	----	7	UNCH		
5320	----	----	3.50B/----	3.50B/*3.40A	----	3.40	UNCH	.0181	----	----	----	----	25	UNCH		
5325	----	----	3.50B/----	3.50B/*3.40A	----	3.40	UNCH	.0180	----	----	----	----	17	UNCH		
5330	----	----	3.50B/----	3.50B/*3.40A	----	3.40	UNCH	.0180	----	24	----	44 +	24	UNCH		
5335	----	----	----/*3.30A	3.40B/*3.30A	----	3.40	UNCH	.0179	----	----	----	----	4	UNCH		
5340	----	----	----/*3.30A	3.40B/*3.30A	----	3.30 -	0.10	.0175	----	----	----	----	8	UNCH		
5350	----	----	3.40B/----	3.40B/*3.30A	----	3.30	UNCH	.0174	----	----	----	319	UNCH			
5355	----	----	3.40B/----	3.40B/*3.30A	----	3.30	UNCH	.0173	----	----	----	----	6	UNCH		
5360	----	----	----	3.30B/*3.30A	----	3.30	UNCH	.0173	----	----	----	----	2	UNCH		
5365	----	----	----/*3.20A	3.30B/*3.20A	----	3.30	UNCH	.0173	----	----	----	----	22	UNCH		
5370	----	----	----/*3.20A	3.30B/*3.20A	----	3.20 -	0.10	.0168	----	----	----	----	20	UNCH		
5375	----	----	3.30B/----	3.30B/*3.20A	----	3.20	UNCH	.0168	----	----	----	----	15	UNCH		
5380	----	----	3.30B/----	3.30B/*3.20A	----	3.20	UNCH	.0167	----	----	----	----	17	UNCH		
5385	----	----	----	3.20B/*3.20A	----	3.20	UNCH	.0167	----	----	----	----	13	UNCH		
5390	----	----	----	3.20B/*3.20A	----	3.20	UNCH	.0166	----	----	----	----	3	UNCH		
5395	----	----	----	3.20B/3.20A	----	3.10 -	0.10	.0162	----	----	----	----	4	UNCH		
5400	3.30	3.30	3.40/*3.10A	3.40/*3.10A	----	3.10 -	0.10	.0161	----	8	----	2320 +	3	UNCH		
5405	----	----	3.20B/----	3.20B/*3.10A	----	3.10	UNCH	.0161	----	----	----	----	19	UNCH		
5420	----	----	----	3.10B/*3.10A	----	3.10	UNCH	.0160	----	----	----	----	86	UNCH		
5425	----	----	----	3.10B/3.10A	----	3.00 -	0.10	.0155	----	----	----	----	50	UNCH		
5430	----	----	----	3.10B/*3.10A	----	3.00 -	0.10	.0155	----	----	----	----	3	UNCH		
5435	----	----	3.10B/----	3.10B/*3.00A	----	3.00	UNCH	.0155	----	----	----	----	6	UNCH		
5440	----	----	3.10B/----	3.10B/*3.00A	----	3.00	UNCH	.0154	----	----	----	----	15	UNCH		
5450	----	----	----	3.00B/*3.00A	----	3.00	UNCH	.0154	----	----	----	----	29	UNCH		
5455	----	----	----	3.00B/*3.00A	----	3.00	UNCH	.0153	----	----	----	----	39	UNCH		
5460	----	----	----	3.00B/*3.00A	----	2.90 -	0.10	.0149	----	----	----	----	2	UNCH		
5465	----	----	----	3.00B/*3.00A	----	2.90 -	0.10	.0148	----	----	----	----	1	UNCH		
5470	----	----	----/*2.90A	3.00B/*2.90A	----	2.90 -	0.10	.0148	----	----	----	----	4	UNCH		
5475	----	----	----	2.90B/*2.90A	----	2.90	UNCH	.0148	----	----	----	----	29	UNCH		
5480	----	----	----	2.90B/*2.90A	----	2.90	UNCH	.0147	----	----	----	----	2	UNCH		
5490	----	----	----	2.90B/*2.90A	----	2.90	UNCH	.0147	----	----	----	----	1	UNCH		
5500	2.80	2.80	3.10/*2.80	3.10/*2.80	----	2.80 -	0.10	.0142	----	94	200	3061 +	157	UNCH		
5505	----	----	----	2.90B/*2.90A	----	2.80 -	0.10	.0142	----	----	----	----	5	UNCH		
5510	----	----	----/*2.80A	2.90B/*2.80A	----	2.80 -	0.10	.0141	----	----	----	----	4	UNCH		
5515	----	----	2.90B/----	2.90B/*2.80A	----	2.80	UNCH	.0141	----	----	----	----	4	UNCH		
5520	----	----	----	2.80B/*2.80A	----	2.80	UNCH	.0141	----	----	----	----	1	UNCH		
5525	----	----	----	2.80B/*2.80A	----	2.80	UNCH	.0141	----	----	----	----	7	UNCH		
5530	3.00	3.00	3.00/*2.80A	3.00/*2.80A	----	2.80	UNCH	.0140	----	12	----	20 +	12	UNCH		
5535	----	----	----	2.80B/*2.80A	----	2.70 -	0.10	.0136	----	----	----	----	1	UNCH		
5540	----	----	----	2.80B/*2.80A	----	2.70 -	0.10	.0136	----	----	----	----	19	UNCH		
5550	----	----	----	2.80B/*2.80A	----	2.70 -	0.10	.0135	----	----	----	----	46	UNCH		
5555	----	----	2.80B/----	2.80B/*2.80A	----	2.70	UNCH	.0135	----	----	----	----	5	UNCH		
5560	----	----	----	2.70B/*2.70A	----	2.70	UNCH	.0134	----	----	----	----	2	UNCH		
5570	----	----	----	2.70B/*2.70A	----	2.70	UNCH	.0134	----	----	----	----	1	UNCH		
5575	----	----	----	2.70B/*2.70A	----	2.70	UNCH	.0134	----	----	----	----	5	UNCH		
5590	----	----	----	2.60B/*2.70A	----	2.60 -	0.10	.0129	----	----	----	----	26	UNCH		
5595	----	----	----	2.60B/*2.70A	----	2.60 -	0.10	.0129	----	----	----	----	9	UNCH		
5600	2.60	2.60	2.60/*2.60	2.70B/*2.60	----	2.60 -	0.10	.0128	----	20	----	849 -	10	UNCH		
5605	----	----	2.70B/----	2.70B/*2.70A	----	2.60	UNCH	.0128	----	----	----	----	3	UNCH		
5610	----	----	----	2.60B/2.70A	----	2.60	UNCH	.0128	----	----	----	----	53	UNCH		
5615	----	----	----	2.60B/*2.60A	----	2.60	UNCH	.0127	----	----	----	----	1	UNCH		
5620	----	----	----	2.60B/*2.60A	----	2.60	UNCH	.0127	----	----	----	----	20	UNCH		
5625	----	----	----	2.60B/*2.60A	----	2.60	UNCH	.0127	----	----	----	----	7	UNCH		
5635	----	----	----	2.50B/*2.60A	----	2.50 -	0.10	.0123	----	----	----	----	12	UNCH		
5645	----	----	----	2.50B/*2.60A	----	2.50 -	0.10	.0122	----	----	----	----	6	UNCH		
5650	2.60	2.60	2.60/*2.60	2.60/*2.60	----	2.50 -	0.10	.0122	----	1	----	745 +	1	UNCH		
5655	----	----	----	2.50B/*2.60A	----	2.50 -	0.10	.0122	----	----	----	----	5	UNCH		
5660	----	----	----	2.50B/*2.60A	----	2.50	UNCH	.0121	----	----	----	----	1	UNCH		
5665	----	----	----	2.50B/*2.50A	----	2.50	UNCH	.0121	----	----	----	----	3	UNCH		
5670	----	----	----	2.50B/*2.50A	----	2.50	UNCH	.0121	----	----	----	----	2	UNCH		
5675	----	----	----	2.50B/*2.50A	----	2.50	UNCH	.0121	----	----	----	----	9	UNCH		
5680	----	----	----	2.50B/*2.50A	----	2.50	UNCH	.0120	----	----	----	----	7	UNCH		
5690	----	----	----	2.40B/*2.50A	----	2.40 -	0.10	.0116	----	----	----	----	7	UNCH		
5700	2.70	2.70	2.70/2.70	2.70/*2.50A	----	2.40 -	0.10	.0116	----	47	----	995 -	23	UNCH		
5710	----	----	----	2.40B/*2.50A	----	2.40 -	0.10	.0115	----	----	----	----	3	UNCH		
5725	----	----	----	2.40B/*2.40A	----	2.40	UNCH	.0114	----	----	----	----	6	UNCH		
5730	----	----	----	2.40B/*2.40A	----	2.40	UNCH	.0114	----	----	----	----	3	UNCH		
5740	----	----	----	2.40B/*2.40A	----	2.40	UNCH	.0114	----	----	----	----	7	UNCH		
5750	----	----	----	2.30B/*2.40A	----	2.30 -	0.10	.0109	----	----	----	198	UNCH			
5760	----	----	----	2.30B/*2.40A	----	2.30 -	0.10	.0109	----	----	----	----	1	UNCH		
5770	----	----	----	2.30B/*2.40A	----	2.30 -	0.10	.0109	----	----	----	----	4	UNCH		
5775	----	----	----	2.30B/*2.40A	----	2.30 -	0.10	.0108	----	----	----	167	UNCH			
5800	----	----	----	2.30B/*2.30A	----	2.30	UNCH	.0107	----	161	----	642 +	1	UNCH		
5825	----	----	----	2.30B/*2.30A	----	2.20 -	0.10	.0103	----	----	----	----	25	UNCH		
5850	----	----	----/*2.20A	2.20B/*2.20A	----	2.20 -	0.10	.0102	----	----	----	456	UNCH			
5875	----	----	----	2.20B/*2.20A	----	2.20	UNCH	.0101	----	----	----	----	3	UNCH		
5900	----	----	----	2.10B/*2.20A	----	2.10 -	0.10	.0096	----	----	----	843	UNCH			
5925	----	----	----	2.10B/*2.20A	----	2.10 -	0.10	.0095	----	----	----	----	7	UNCH		
5950	----	----	----/*2.10A	2.10B/*2.10A	----	2.10 -	0.10	.0095	----	----	----	53	UNCH			
6000	2.00	2.00	2.20/*2.00	2.20/*2.00	----	2.00 -	0.10									

PG64 BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN			
		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE		CLOSE		& PT.CHGE.			CISES	OUTCRY	VOLUME	VOLUME	VOLUME	INTEREST		
OG CALL		COMEX GOLD OPTIONS																				
OCT26																						
4095	----	----		191.60B/*142.60	191.60B/*142.60A	----		170.90	-	0.30	.4974	----	----	----	----	----	----	----	1	UNCH		
4100	175.00	175.00		189.00B/*140.60	189.00B/*140.60A	----		168.50	-	0.30	.4930	----	----	----	----	----	6		201 +	2		
4105	169.70	169.70		186.50B/*138.60	186.50B/*138.60A	----		166.20	-	0.20	.4887	----	----	----	----	----	3		103 +	2		
4110	167.40	167.40		184.00B/*136.70	184.00B/*136.70A	----		163.90		NEW	.4844	----	----	----	----	----	13		12 +	12		
4115	159.70	159.70		181.50B/*134.70	181.50B/*134.70A	----		161.60	-	0.20	.4800	----	----	----	----	----	2		3 +	2		
4120				179.10B/*132.80	179.10B/*132.80A	----		159.30	-	0.20	.4757	----	----	----	----	----			13	UNCH		
4125	159.00	159.00		176.80B/*130.90	176.80B/*130.90A	----		157.10	-	0.20	.4714	----	----	----	----	----	15		16 +	15		
4130	158.40	158.40		174.40B/*129.10	174.40B/*129.10A	----		154.80	-	0.30	.4670	----	----	----	----	----	1		6 +	1		
4135	155.10	155.10		172.00B/*127.20	172.00B/*127.20A	----		152.60	-	0.30	.4627	----	----	----	----	----	1		4	UNCH		
4145				167.30B/*123.60	167.30B/*123.60A	----		148.30	-	0.20	.4541	----	----	----	----	----			1	UNCH		
4150				165.00B/*121.80	165.00B/*121.80A	----		146.20	-	0.20	.4498	----	----	----	----	----			17	UNCH		
4155				162.60B/*120.00	162.60B/*120.00A	----		144.10		NEW	.4456	----	----	----	----	----	27		27 +	27		
4160				160.50B/*118.30	160.50B/*118.30A	----		142.00	-	0.20	.4413	----	----	----	----	----			1	UNCH		
4165				158.10B/*116.60	158.10B/*116.60A	----		140.00	-	0.10	.4370	----	----	----	----	----			40	UNCH		
4170				156.00B/*114.90	156.00B/*114.90A	----		138.00	-	0.10	.4328	----	----	----	----	----			2	UNCH		
4175				153.80B/*113.20	153.80B/*113.20A	----		136.00	-	0.10	.4286	----	----	----	----	----			1	UNCH		
4180				151.70B/*111.60	151.70B/*111.60A	----		134.00	-	0.10	.4243	----	----	----	----	----			37	UNCH		
4185				149.50B/*109.90	149.50B/*109.90A	----		132.00	-	0.10	.4201	----	----	----	----	----			5	UNCH		
4190				147.40B/*108.30	147.40B/*108.30A	----		130.10	-	0.10	.4159	----	----	----	----	----			6	UNCH		
4195				145.30B/*106.70	145.30B/*106.70A	----		128.20	-	0.10	.4117	----	----	----	----	----			3	UNCH		
4200				143.20B/*105.10	143.20B/*105.10A	----		126.30	-	0.10	.4075	----	----	----	----	----	1		775	UNCH		
4205				141.10B/*103.60	141.10B/*103.60A	----		124.40	-	0.10	.4033	----	----	----	----	----			11	UNCH		
4210				139.20B/*102.10	139.20B/*102.10A	----		122.60		UNCH	.3992	----	----	----	----	----			8	UNCH		
4215				137.10B/*100.60	137.10B/*100.60A	----		120.80		UNCH	.3951	----	----	----	----	----			2	UNCH		
4220				135.10B/*99.10A	135.10B/*99.10A	----		119.00		UNCH	.3910	----	----	----	----	----			1	UNCH		
4225				133.20B/*97.60A	133.20B/*97.60A	----		117.20		UNCH	.3869	----	----	----	----	----			1	UNCH		
4230	116.40	116.40		131.20B/*96.10A	131.20B/*96.10A	----		115.50	+	0.10	.3829	----	----	----	----	----	1		11 +	1		
4235				129.30B/*94.70A	129.30B/*94.70A	----		113.70		UNCH	.3788	----	----	----	----	----			36	UNCH		
4240				127.40B/*93.30A	127.40B/*93.30A	----		112.00		UNCH	.3747	----	----	----	----	----			3	UNCH		
4250				123.70B/*90.50A	123.70B/*90.50A	----		108.70	+	0.10	.3668	----	----	----	----	----			4	UNCH		
4255				121.90B/*89.20A	121.90B/*89.20A	----		107.00	+	0.10	.3627	----	----	----	----	----			14	UNCH		
4260				120.10B/*87.80A	120.10B/*87.80A	----		105.40	+	0.10	.3588	----	----	----	----	----			9	UNCH		
4265				118.40B/*86.50A	118.40B/*86.50A	----		103.80	+	0.10	.3549	----	----	----	----	----			1	UNCH		
4270				116.60B/*85.20A	116.60B/*85.20A	----		102.30	+	0.20	.3510	----	----	----	----	----			12	UNCH		
4275				114.90B/*83.90A	114.90B/*83.90A	----		100.70	+	0.20	.3471	----	----	----	----	----			46	UNCH		
4280				113.20B/*82.70A	113.20B/*82.70A	----		99.20	+	0.20	.3433	----	----	----	----	----	27		29 +	27		
4285				111.50B/*81.40A	111.50B/*81.40A	----		97.70	+	0.30	.3395	----	----	----	----	----			51	UNCH		
4290				109.80B/*80.20A	109.80B/*80.20A	----		96.20	+	0.30	.3356	----	----	----	----	----			16	UNCH		
4300	95.20	95.20		106.60B/*77.80A	106.60B/*77.80A	----		93.20	+	0.20	.3280	----	----	----	----	----	9		725	UNCH		
4305				105.00B/*76.60A	105.00B/*76.60A	----		91.80	+	0.30	.3243	----	----	----	----	----			1	UNCH		
4310				103.40B/*75.50A	103.40B/*75.50A	----		90.40	+	0.30	.3206	----	----	----	----	----			115	UNCH		
4315				101.90B/*74.30A	101.90B/*74.30A	----		89.00	+	0.30	.3169	----	----	----	----	----			1	UNCH		
4320				100.30B/*73.20A	100.30B/*73.20A	----		87.60	+	0.30	.3132	----	----	----	----	----			1	UNCH		
4325				98.80B/*72.10A	98.80B/*72.10A	----		86.30	+	0.30	.3096	----	----	----	----	----			10	UNCH		
4330				97.30B/*71.00A	97.30B/*71.00A	----		85.00	+	0.40	.3061	----	----	----	----	----			24	UNCH		
4335				95.80B/*70.00A	95.80B/*70.00A	----		83.60	+	0.30	.3024	----	----	----	----	----			1	UNCH		
4340	83.90	83.90		94.40B/*68.90A	94.40B/*68.90A	----		82.40	+	0.40	.2990	----	----	----	----	----	12		18 +	12		
4345				93.00B/*67.90A	93.00B/*67.90A	----		81.10	+	0.40	.2954	----	----	----	----	----			20	UNCH		
4350				91.50B/*66.80A	91.50B/*66.80A	----		79.80	+	0.30	.2918	----	----	----	----	----	50		79 +	47		
4355				90.20B/*65.80A	90.20B/*65.80A	----		78.60	+	0.40	.2884	----	----	----	----	----			24	UNCH		
4360				88.80B/*64.80A	88.80B/*64.80A	----		77.40	+	0.40	.2850	----	----	----	----	----			3	UNCH		
4365				87.40B/*63.90A	87.40B/*63.90A	----		76.20	+	0.40	.2816	----	----	----	----	----			45	UNCH		
4370				86.10B/*62.90A	86.10B/*62.90A	----		75.00	+	0.40	.2782	----	----	----	----	----			17	UNCH		
4375	74.20	74.20		84.80B/*61.90A	84.80B/*61.90A	----		73.80	+	0.40	.2748	----	----	----	----	----	1		53 +	1		
4380				83.50B/*61.00A	83.50B/*61.00A	----		72.70	+	0.40	.2716	----	----	----	----	----			16	UNCH		
4385				82.20B/*60.10A	82.20B/*60.10A	----		71.50	+	0.40	.2682	----	----	----	----	----			68	UNCH		
4390				80.90B/*59.20A	80.90B/*59.20A	----		70.40	+	0.40	.2649	----	----	----	----	----			12	UNCH		
4395				79.70B/*58.30A	79.70B/*58.30A	----		69.30	+	0.40	.2617	----	----	----	----	----			2	UNCH		
4400	69.80	69.80		78.50B/*57.40A	78.50B/*57.40A	----		68.30	+	0.50	.2586	----	----	----	----	----	21		572 +	20		
4405	67.50	67.50		77.30B/*56.60A	77.30B/*56.60A	----		67.20	+	0.40	.2554	----	----	----								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
OCT26																
4820	----	----	----	22.20B/*18.20A	22.20B/*18.20A	----	----	----	19.90 + 0.40	.0893	----	----	----	----	5	UNCH
4825	----	----	----	21.90B/*17.90A	21.90B/*17.90A	----	----	----	19.70 + 0.50	.0884	----	----	----	----	115	UNCH
4830	----	----	----	21.60B/*17.70A	21.60B/*17.70A	----	----	----	19.40 + 0.40	.0872	----	----	----	----	3	UNCH
4835	----	----	----	21.30B/*17.50A	21.30B/*17.50A	----	----	----	19.20 + 0.50	.0863	----	----	----	----	3	UNCH
4840	----	----	----	21.00B/*17.40A	21.00B/*17.40A	----	----	----	18.90 + 0.40	.0851	----	----	----	----	1	UNCH
4845	----	----	----	20.80B/*17.20A	20.80B/*17.20A	----	----	----	18.70 + 0.40	.0842	----	----	----	----	14	UNCH
4850	----	----	----	20.50B/*17.00A	20.50B/*17.00A	----	----	----	18.50 + 0.40	.0833	----	----	----	----	93	UNCH
4860	----	----	----	19.90B/*16.60A	19.90B/*16.60A	----	----	----	18.00 + 0.40	.0813	----	----	----	----	102	UNCH
4865	17.80	17.80	----	19.70B/*16.40A	19.70B/*16.40A	----	----	----	17.80 + 0.40	.0804	----	----	2	----	2	UNCH
4870	----	----	----	19.40B/*16.20A	19.40B/*16.20A	----	----	----	17.60 + 0.40	.0795	----	----	----	----	1	UNCH
4875	----	----	----	19.20B/*16.10A	19.20B/*16.10A	----	----	----	17.40 + 0.40	.0786	----	----	----	----	4	UNCH
4880	----	----	----	18.90B/*15.90A	18.90B/*15.90A	----	----	----	17.10 + 0.30	.0775	----	----	----	----	4	UNCH
4885	----	----	----	18.70B/*15.70A	18.70B/*15.70A	----	----	----	16.90 + 0.30	.0766	----	----	----	----	55	UNCH
4895	17.20	17.20	----	18.20B/*15.40A	18.20B/*15.40A	----	----	----	16.50 + 0.30	.0749	----	----	2	----	3	+
4900	17.00	17.00	----	18.00B/*15.20A	18.00B/*15.20A	----	----	----	16.30 + 0.30	.0740	----	----	2	----	1551	+
4905	----	----	----	17.70B/*15.10A	17.70B/*15.10A	----	----	----	16.10 + 0.30	.0731	----	----	----	----	36	UNCH
4910	----	----	----	17.50B/*14.90A	17.50B/*14.90A	----	----	----	15.90 + 0.30	.0723	----	----	----	----	1	UNCH
4915	16.40	16.40	----	17.30B/*14.70A	17.30B/*14.70A	----	----	----	15.70 + 0.20	.0714	----	2	----	----	11	+
4920	15.40	15.40	----	17.10B/*14.60A	17.10B/*14.60A	----	----	----	15.50 + 0.20	.0706	----	4	----	----	33	+
4925	16.00	16.00	----	16.90B/*14.50A	16.90B/*14.50A	----	----	----	15.40 + 0.30	.0700	----	2	----	----	23	+
4930	----	----	----	16.70B/*14.30A	16.70B/*14.30A	----	----	----	15.20 + 0.30	.0692	----	----	----	----	33	UNCH
4935	----	----	----	16.50B/*14.00A	16.50B/*14.00A	----	----	----	15.00 + 0.20	.0683	----	----	----	----	5	UNCH
4945	----	----	----	16.10B/*13.80A	16.10B/*13.80A	----	----	----	14.60 + 0.10	.0666	----	----	----	----	3	UNCH
4950	----	----	----	15.90B/*13.70A	15.90B/*13.70A	----	----	----	14.50 + 0.20	.0661	----	----	----	----	1802	UNCH
4955	----	----	----	15.70B/*13.40A	15.70B/*13.40A	----	----	----	14.30 + 0.10	.0653	----	----	----	----	2	UNCH
4965	----	----	----	15.30B/*13.10A	15.30B/*13.10A	----	----	----	14.00 + 0.10	.0639	----	----	----	----	9	UNCH
4970	----	----	----	15.10B/*13.10A	15.10B/*13.10A	----	----	----	13.80 + 0.10	.0631	----	----	----	----	1	UNCH
4975	----	----	----	15.00B/*12.90A	15.00B/*12.90A	----	----	----	13.70 + 0.10	.0626	----	----	----	----	4	UNCH
4980	----	----	----	14.80B/*12.70A	14.80B/*12.70A	----	----	----	13.50 + 0.10	.0617	----	----	----	----	3	UNCH
4985	----	----	----	14.60B/*12.70A	14.60B/*12.70A	----	----	----	13.40 + 0.10	.0612	----	----	----	----	5	UNCH
4990	----	----	----	14.50B/*12.50A	14.50B/*12.50A	----	----	----	13.20 + 0.10	.0604	----	----	----	----	11	UNCH
5000	13.80	13.80	----	14.10B/*12.30A	14.10B/*12.30A	----	----	----	12.90 UNCH	.0591	----	----	434	50	5249	-
5010	----	----	----	13.80B/*12.00A	13.80B/*12.00A	----	----	----	12.70 + 0.10	.0581	----	----	----	----	2	UNCH
5015	----	----	----	13.70B/*11.80A	13.70B/*11.80A	----	----	----	12.50 UNCH	.0573	----	----	----	----	5	UNCH
5025	----	----	----	13.40B/*11.70A	13.40B/*11.70A	----	----	----	12.30 + 0.10	.0563	----	----	----	----	16	UNCH
5030	----	----	----	13.20B/*11.60A	13.20B/*11.60A	----	----	----	12.20 + 0.10	.0558	----	----	----	----	113	UNCH
5035	----	----	----	13.10B/*11.40A	13.10B/*11.40A	----	----	----	12.00 UNCH	.0550	----	----	----	----	15	UNCH
5040	----	----	----	12.90B/*11.30A	12.90B/*11.30A	----	----	----	11.90 UNCH	.0545	----	----	----	----	2	UNCH
5045	12.00	12.00	----	12.80B/*11.20A	12.80B/*11.20A	----	----	----	11.80 UNCH	.0540	----	2	----	----	11	+
5050	----	----	----	12.70B/*11.00A	12.70B/*11.00A	----	----	----	11.70 UNCH	.0535	----	----	----	----	374	UNCH
5055	----	----	----	12.50B/*10.90A	12.50B/*10.90A	----	----	----	11.60 + 0.10	.0530	----	----	----	----	4	UNCH
5060	----	----	----	12.40B/*11.00A	12.40B/*11.00A	----	----	----	11.50 + 0.10	.0526	----	----	----	----	1	UNCH
5065	----	----	----	12.30B/*10.90A	12.30B/*10.90A	----	----	----	11.40 + 0.10	.0521	----	----	----	----	5	UNCH
5075	11.40	11.40	----	12.00B/*10.90A	12.00B/*10.90A	----	----	----	11.20 + 0.10	.0511	----	2	----	----	6	+
5080	----	----	----	11.90B/*10.80A	11.90B/*10.80A	----	----	----	11.10 + 0.10	.0507	----	----	----	----	19	UNCH
5085	----	----	----	11.80B/*10.70A	11.80B/*10.70A	----	----	----	11.00 + 0.10	.0502	----	----	----	----	4	UNCH
5090	----	----	----	11.70B/*10.60A	11.70B/*10.60A	----	----	----	10.80 UNCH	.0494	----	----	----	----	1	UNCH
5095	----	----	----	11.60B/*10.50A	11.60B/*10.50A	----	----	----	10.70 UNCH	.0489	----	----	----	----	11	UNCH
5100	----	----	----	11.50B/*10.40A	11.50B/*10.40A	----	----	----	10.60 UNCH	.0485	----	----	----	----	904	UNCH
5105	----	----	----	11.30B/*10.20A	11.30B/*10.20A	----	----	----	10.50 UNCH	.0480	----	----	----	----	8	UNCH
5110	----	----	----	11.20B/*10.10A	11.20B/*10.10A	----	----	----	10.40 UNCH	.0475	----	----	----	----	3	UNCH
5115	----	----	----	11.10B/*10.00A	11.10B/*10.00A	----	----	----	10.30 UNCH	.0471	----	----	----	----	20	UNCH
5120	----	----	----	11.00B/*9.90A	11.00B/*9.90A	----	----	----	10.20 - 0.10	.0466	----	----	----	----	12	UNCH
5125	----	----	----	10.90B/*10.00A	10.90B/*10.00A	----	----	----	10.20 UNCH	.0465	----	----	----	----	2	UNCH
5130	----	----	----	10.80B/*9.80A	10.80B/*9.80A	----	----	----	10.10 UNCH	.0460	----	----	----	----	6	UNCH
5135	----	----	----	10.70B/*9.80A	10.70B/*9.80A	----	----	----	10.00 UNCH	.0456	----	----	----	----	5	UNCH
5140	----	----	----	10.60B/*9.70A	10.60B/*9.70A	----	----	----	9.90 UNCH	.0451	----	----	----	----	5	UNCH
5145	----	----	----	10.50B/*9.60A	10.50B/*9.60A	----	----	----	9.80 UNCH	.0447	----	----	----	----	1	UNCH
5150	----	----	----	10.40B/*9.50A	10.40B/*9.50A	----	----	----	9.70 - 0.10	.0442	----	----	----	----	617	UNCH
5155	----	----	----	10.30B/*9.50A	10.30B/*9.50A	----	----	----	9.60 - 0.10	.0438	----	----	----	----	3	UNCH
5160	----	----	----	10.20B/*9.30A	10.20B/*9.30A	----	----	----	9.50 - 0.10	.0433	----	----	----	----	8	UNCH
5170	10.20	10.20	----	10.50/*9.20	10.50/*9.20	----	----	----	9.30 - 0.10	.0424	----	23	----	----	15	-
5180	----	----	----	9.90B/*9.00A	9.90B/*9.00A	----	----	----	9.20 - 0.10	.0419	----	----	----	----	8	UNCH
5185	----	----	----	9.80B/*8.90A	9.80B/*8.90A	----	----	----	9.10 - 0.10	.0414	----	----	----	----	8	UNCH
5195	----	----	----	9.60B/*8.90A	9.60B/*8.90A	----	----	----	8.90 - 0.20	.0405	----	----	----	----	120	UNCH
5200	----	----	----	9.50B/*8.70A	9.50B/*8.70A	----	----	----	8.90 - 0.10	.0404	----	----	----	----	1428	UNCH
5205	----	----	----	9.40B/*8.60A	9.40B/*8.60A	----	----	----	8.80 - 0.10	.0400	----	----	----	----	3	UNCH
5225	----	----	----	9.10B/*8.40A	9.10B/*8.40A	----	----	----	8.50 - 0.20	.0386	----	----	----	----	2	UNCH
5250	----	----	----	8.80B/*8.20A	8.80B/*8.20A	----	----	----	8.20 - 0.20	.0371	----	----	----	----	1581	UNCH
5255	----	----	----	8.70B/*8.00A	8.70B/*8.00A	----	----	----	8.10 - 0.20	.0367	----	----	----	----	1	UNCH
5270	----	----	----	8.50B/*7.90A	8.50B/*7.90A	----	----	----	7.90 - 0.20	.0357	----	----	----	----	4	UNCH
5275	----	----	----	8.40B/*7.80A	8.40B/*7.80A	----	----	----	7.90 - 0.20	.0356	----	----	----	----	20	UNCH
5300	8.10	8.10	----	8.10/*7.50A	8.10/*7.50A	----	----	----	7.60 - 0.20	.0342	----	1	50	1043	+	
5305	----	----	----	8.00B/*7.60A	8.00B/*7.60A	----	----	----	7.60 - 0.10	.0341	----	----	----	----	1	UNCH
5310	----	----	----	8.00B/*7.40A	8.00B/*7.40A	----	----	----	7.50 - 0.20	.0337	----	----	----	----	4	UNCH
5315	----	----	----	7.90B/*7.50A	7.90B/*7.50A	----	----	----	7.50 - 0.10	.0336	----	----	----	----	14	UNCH
5320	----	----	----	7.80B/*7.40A	7.80B/*7.40A	----	----	----	7.40 - 0.20	.0332	----	----	----	----	2	UNCH
5325	----	----	----	7.80B/*7.40A	7.80B/*7.40A	----	----	----	7.40 - 0.10	.0331	----	----	----	----	9	UNCH
5330	----	----	----	7.70B/*7.30A	7.70B/*7.30A	----	----	----	7.30 - 0.20	.0327	----	----	----	----	13	UNCH
5340	----	----	----	7.60B/*7.20A	7.60B/*7.20A	----	----	----	7.20 - 0.20	.0322	----	----	----	----	1	UNCH
5345	----	----	----	7.60B/*7.10A	7.60B/*7.10A	----	----	----	7.20 - 0.10	.0322	----	----	----	----	157	UNCH
5350	----	----	----	7.50B/*7.10A	7.50B/*7.10A	----	----	----	7.10 - 0.20	.0317	----	----	----	----	10	UNCH
5355	----	----	----	7.50B/*7.00A	7.50B/*7.00A	----	----	----	7.10 - 0.10	.0317	----	----	----	----	17	UNCH
5365	----	----	----	7.30B/*6.90A	7.30B/*6.90A	----	----	----	7.00 - 0.10	.0312	----	----	----	----	1	UNCH
5390	----	----	----	7.10B/*6.70A	7.10B/*6.70A	----	----	----	6.80 - 0.10	.0302	----	----	----	----	3	UNCH
5395	----	----	----	7.00B/*6.80A	7.00B/*6.80A	----	----	----	6.70 - 0.20	.0298	----	----	----	----	153	UNCH
5400	----	----	----	7.00B/*6.70A	7.00B/*6.70A	----	----	----	6.70 - 0.10	.0297	----	----	----	----	663	UNCH
5410	----	----	----	6.90B/*6.70A	6.90B/*6.70A	----	----	----	6.60 - 0.20	.0292	----	----	----	----	1	UNCH
5420	----	----	----	6.80B/*6.60A	6.80B/*6.60A	----	----	----	6.50 - 0.20	.0288	----	----	----	----	2	UNCH
5430	----	----	----	6.70B/*6.40A	6.70B/*6.40A	----	----	----	6.50 - 0.10	.0286	----	----	----</			

BULLETIN #124@														METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG CALL	COMEX GOLD OPTIONS																									
OCT26																										
6500	----	----	----	----	3.30B/*3.50A	----	----	----	3.40	UNCH	.0122	----	----	----	----	4075	UNCH									
6800	----	----	----	----	2.90B/3.20A	----	----	----	3.10	UNCH	.0106	----	----	----	----	1457	UNCH									
6900	----	----	----	----	2.80B/*3.00A	----	----	----	3.00	UNCH	.0101	----	216	----	201	+	187									
7000	----	----	----	----	2.80B/3.00A	----	----	----	2.90	UNCH	.0096	----	7	----	1725	-	1									
7500	----	----	----	----/2.50A	2.50B/2.50A	----	----	----	2.60	UNCH	.0081	----	----	----	1	UNCH	1									
8000	----	----	----	----	2.20B/2.40A	----	----	----	2.20	-	.020	.0065	----	----	352	UNCH	1									
8500	2.00	2.00		2.00/2.00	2.00/2.00	----	----	----	1.90	-	.010	.0054	----	1	304	+	1									
9000	1.80	1.80		1.80/1.80	1.80/1.70A	----	----	----	1.70	UNCH	.0047	----	4	----	144	UNCH	1									
9500	1.60	1.60		1.60/*1.40A	1.60/*1.40A	----	----	----	1.40	-	.010	.0038	----	3	431	UNCH	1									
13000	0.60	0.60		0.70/0.40	0.70/0.40	----	----	----	0.50	UNCH	.0012	----	52	----	1005	+	50									
TOTAL													1939	100	54970	+	742									
NOV26																										
3390	----	----	----	769.50B/*668.00	769.50B/*668.00A	----	----	----	735.30	-	0.40	.8998	----	----	----	1	UNCH	1								
3400	----	----	----	760.30B/*659.30	760.30B/*659.30A	----	----	----	726.30	NEW	.8972	----	3	----	3	+	3	2								
3500	----	----	----	670.50B/*574.20	670.50B/*574.20A	----	----	----	638.00	-	0.30	.8666	----	3	1	-	2	1								
3600	----	----	----	584.40B/*493.20	584.40B/*493.20A	----	----	----	553.30	-	0.30	.8287	----	----	3	UNCH	1	1								
3700	----	----	----	502.50B/*418.20	502.50B/*418.20A	----	----	----	472.90	-	0.30	.7827	----	----	3	UNCH	1	1								
3800	----	----	----	425.70B/*349.10	425.70B/*349.10A	----	----	----	398.00	-	0.40	.7281	----	----	3	UNCH	1	1								
4000	----	----	----	291.70B/*231.70	291.70B/*231.70A	----	----	----	268.70	-	0.20	.5966	----	----	2	UNCH	1	1								
4050	----	----	----	263.50B/*207.20	263.50B/*207.20A	----	----	----	241.10	NEW	.5604	----	58	----	58	+	58	58								
4065	232.20	232.20		255.10B/*200.30	255.10B/*200.30A	----	----	----	233.20	NEW	.5495	----	2	----	2	+	2	2								
4100	----	----	----	236.40B/*184.80	236.40B/*184.80A	----	----	----	215.50	-	0.10	.5237	----	----	226	UNCH	1	1								
4140	----	----	----	216.20B/*168.20	216.20B/*168.20A	----	----	----	196.40	-	0.10	.4942	----	----	2	UNCH	1	1								
4150	----	----	----	211.40B/*164.20	211.40B/*164.20A	----	----	----	191.90	-	0.10	.4868	58	----	59	+	58	58								
4175	----	----	----	199.50B/*154.70	199.50B/*154.70A	----	----	----	180.80	-	0.10	.4685	1	----	4	+	1	1								
4195	176.50	176.50		190.50B/*147.40	190.50B/*147.40A	----	----	----	172.30	-	0.10	.4539	1	----	2	+	1	1								
4200	151.30	151.30		188.20B/*145.60	188.20B/*145.60A	----	----	----	170.20	-	0.10	.4503	1	----	4	+	1	1								
4205	179.10	179.10		186.10B/*143.90	186.10B/*143.90A	----	----	----	168.20	UNCH	.4467	----	1	----	1	+	1	1								
4220	----	----	----	179.60B/*138.70	179.60B/*138.70A	----	----	----	162.10	-	0.10	.4358	----	----	1	UNCH	1	1								
4225	165.80	165.80		177.40B/*137.00	177.40B/*137.00A	----	----	----	160.20	UNCH	.4323	----	1	----	2	+	1	1								
4250	----	----	----	167.10B/*128.90	167.10B/*128.90A	----	----	----	150.60	UNCH	.4145	58	----	93	+	42	1	1								
4260	147.50	147.50		163.10B/*125.80	163.10B/*125.80A	----	----	----	146.90	UNCH	.4074	1	----	1	+	1	1	1								
4275	----	----	----	157.20B/*121.20	157.20B/*121.20A	----	----	----	141.50	UNCH	.3970	----	----	24	UNCH	1	1	1								
4300	----	----	----	147.90B/*113.90	147.90B/*113.90A	----	----	----	132.90	UNCH	.3798	----	----	11	UNCH	1	1	1								
4330	123.70	123.70		137.30B/*105.70	137.30B/*105.70A	----	----	----	123.20	UNCH	.3597	----	1	----	1	+	1	1								
4350	----	----	----	130.70B/*100.60	130.70B/*100.60A	----	----	----	117.10	UNCH	.3466	58	----	58	+	58	58	58								
4375	----	----	----	122.90B/*94.50A	122.90B/*94.50A	----	----	----	109.90	UNCH	.3307	----	----	24	UNCH	1	1	1								
4380	----	----	----	121.30B/*93.30A	121.30B/*93.30A	----	----	----	108.50	UNCH	.3276	----	----	70	UNCH	1	1	1								
4400	93.00	93.00		115.40B/*88.70A	115.40B/*88.70A	----	----	----	103.10	+	0.10	.3153	17	----	2	+	14	14								
4410	----	----	----	112.60B/*86.50A	112.60B/*86.50A	----	----	----	100.50	+	0.10	.3092	----	----	2	UNCH	1	1								
4420	----	----	----	109.80B/*84.40A	109.80B/*84.40A	----	----	----	98.00	+	0.10	.3033	----	----	4	UNCH	1	1								
4425	----	----	----	108.40B/*83.40A	108.40B/*83.40A	----	----	----	96.80	+	0.20	.3004	----	----	1	UNCH	1	1								
4440	----	----	----	104.40B/*80.30A	104.40B/*80.30A	----	----	----	93.10	+	0.10	.2916	----	----	1	UNCH	1	1								
4450	----	----	----	101.80B/*78.30A	101.80B/*78.30A	----	----	----	90.80	+	0.20	.2860	----	----	37	UNCH	1	1								
4455	----	----	----	100.50B/*77.40A	100.50B/*77.40A	----	----	----	89.60	+	0.10	.2831	----	----	19	UNCH	1	1								
4465	----	----	----	98.00B/*75.50A	98.00B/*75.50A	----	----	----	87.40	+	0.20	.2776	----	----	19	UNCH	1	1								
4470	----	----	----	96.80B/*74.50A	96.80B/*74.50A	----	----	----	86.30	+	0.20	.2749	----	----	23	UNCH	1	1								
4475	----	----	----	95.60B/*73.60A	95.60B/*73.60A	----	----	----	85.20	+	0.20	.2721	----	----	22	UNCH	1	1								
4480	----	----	----	94.40B/*72.70A	94.40B/*72.70A	----	----	----	84.10	+	0.20	.2694	----	----	4	UNCH	1	1								
4485	----	----	----	93.20B/*71.80A	93.20B/*71.80A	----	----	----	83.00	+	0.20	.2667	----	----	22	UNCH	1	1								
4490	86.30	86.30		92.10B/*70.90A	92.10B/*70.90A	----	----	----	82.00	+	0.20	.2641	3	----	22	+	3	3								
4500	83.00	83.00		89.80B/*69.20A	89.80B/*69.20A	----	----	----	79.90	+	0.20	.2587	4	----	103	+	4	4								
4525	----	----	----	84.30B/*65.10A	84.30B/*65.10A	----	----	----	75.00	+	0.20	.2460	----	----	7	UNCH	1	1								
4530	----	----	----	83.20B/*64.30A	83.20B/*64.30A	----	----	----	74.10	+	0.30	.2435	----	----	1	UNCH	1	1								
4535	----	----	----	82.10B/*63.50A	82.10B/*63.50A	----	----	----	73.10	+	0.20	.2410	----	----	5	UNCH	1	1								
4540	----	----	----	81.10B/*62.80A	81.10B/*62.80A	----	----	----	72.20	+	0.20	.2385	----	----	1	UNCH	1	1								
4550	----	----	----	79.10B/*61.30A	79.10B/*61.30A	----	----	----	70.40	+	0.30	.2337	----	----	36	UNCH	1	1								
4555	----	----	----	78.10B/*60.50A	78.10B/*60.50A	----	----	----	69.50	+	0.20	.2313	----	----	5	UNCH	1	1								
4560	----	----	----	77.10B/*59.80A	77.10B/*59.80A	----	----	----	68.70	NEW	.2290	24	----	24	+	24	24	24								
4565	----	----	----	76.10B/*59.10A	76.10B/*59.10A	----	----	----	67.80	+	0.30	.2266	----	----	1	UNCH	1	1								
4570	----	----	----	75.20B/*58.40A	75.20B/*58.40A	----	----	----	67.00	+	0.30	.2244	----	----	1	UNCH	1	1								
4575	----	----	----	74.20B/*57.70A	74.20B/*57.70A	----	----	----	66.10	+	0.30	.2220	----	----	21	UNCH	1	1								
4580	----	----	----	73.30B/*57.00A	73.30B/*57.00A	----	----	----	65.30	+	0.30	.2198	----	----	19	UNCH	1	1								
4585	----	----	----	72.40B/*56.30A	72.40B/*56.30A	----	----	----	64.50	+	0.30	.2175	----	----	39	UNCH	1	1								
4590	----	----	----	71.50B/*55.70A	71.50B/*55.70A	----	----	----	63.70	+	0.30	.2153	----	----	20	UNCH	1	1								
4595	----	----	----	70.60B/*55.00A	70.60B/*55.00A	----	----	----	62.90	+	0.30	.2131	----	----	1	UNCH	1	1								
4600	----	----	----	69.70B/*54.30A	69.70B/*54.30A	----	----	----	62.10	+	0.30	.2109	16	----	216	+	15	15								
4605	----	----	----	68.80B/*53.70A	68.80B/*53.70A	----	----	----	61.30	+	0.30	.2086	----	----	5	UNCH	1	1								
4615	----	----	----	67.10B/*52.40A	67.10B/*52.40A	----	----	----	59.80	+	0.30	.2044	----	----	21	UNCH	1	1								
4630	64.20	64.20		64.60B/*50.60A	64.60B/*50.60A	----	----	----	57.60	+	0.30	.1981	45	----	46	+	45	45								
4640	----	----	----	63.00B/*49.50A	63.00B/*49.50A	----	----	----	56.20	+	0.30	.1940	----	----	4	UNCH	1	1								
4650	----	----	----	61.50B/*48.30A	61.50B/*48.30A	----	----	----	54.90	+	0.40	.1902	----	----	111	UNCH	1	1								
4655	----	----	----	60.70B/*47.80A	60.70B/*47.80A	----	----	----	54.20	+	0.30	.1881	----	----	20	UNCH	1	1								
4660	----	----	----	59.90B/*47.20A	59.90B/*47.20A	----	----	----	53.50	+	0.30	.1861	----	----	11	UNCH	1	1								
4700	----	----	----	54.30B/*43.10A	54.30B/*43.10A	----	----	----	48.60	+	0.40	.1714	----	----	13	UNCH	1	1								
4710	----	----	----	53.00B/*42.20A	53.00B/*42.20A	----	----	----	47.40	+	0.30	.1678	----	----	16	UNCH	1	1								
4750	----	----	----	48.10B/*38.60A	48.10B/*38.60A	----	----	----	43.10	+	0.30	.1545	----	----	4	UNCH	1	1								
4760	----	----	----	46.90B/*37.80A	46.90B/*37.80A	----	----	----	42.10	+	0.30	.1514	----	----	6	UNCH	1	1								
4770	----	----	----	45.80B/*37.00A	45.80B/*37.00A	----	----	----	41.10	+	0.30	.1482	----	----	20	UNCH	1	1								
4775	----	----	----	45.30B/*36.60A	45.30B/*36.60A	----	----	----	40.70	+	0.40	.1469	----	----	30	UNCH	1	1								
4785	----	----	----	44.20B/*35.80A	44.20B/*35.80A	----	----	----	39.70	+	0.30	.1438	----	----	14	UNCH	1	1								
4790	----	----	----	43.70B/*35.40A	43.70B/*35.40A	----	----	----	39.30	+	0.40	.1424	----	----	9	UNCH	1	1								
4800	----	----	----	42.70B/*34.70A	42.70B/*34.70A																					

BULLETIN #124@												METALS OPTION PRODUCTS												Tue, Jun 30, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL		COMEX GOLD OPTIONS																								
NOV26																										
5595	----	----	10.70B/----		10.70B/*10.40A		----	10.30	- 0.10	.0384	----	----	----	1	UNCH											
5600	----	----	10.60B/----		10.60B/*10.50A		----	10.30	- 0.10	.0384	----	----	----	47	UNCH											
5620	----	----	10.40B/----		10.40B/*10.20A		----	10.10	- 0.10	.0375	----	----	----	1	UNCH											
5650	----	----	10.10B/----		10.10B/*10.00A		----	9.80	- 0.10	.0363	----	----	----	1	UNCH											
5655	----	----	10.10B/*9.80A		10.10B/*9.80A		----	9.70	- 0.20	.0359	----	----	----	1	UNCH											
5660	----	----	10.00B/----		10.00B/*9.80A		----	9.70	- 0.10	.0359	----	----	----	1	UNCH											
5665	----	----	10.00B/----		10.00B/*9.80A		----	9.70	- 0.10	.0358	----	----	----	1	UNCH											
5670	----	----	9.90B/----		9.90B/*9.80A		----	9.60	- 0.20	.0355	----	----	----	2	UNCH											
5675	----	----	9.90B/----		9.90B/*9.70A		----	9.60	- 0.10	.0354	----	----	----	2	UNCH											
5680	----	----	9.80B/*9.60A		9.80B/*9.60A		----	9.50	- 0.20	.0351	----	----	----	39	UNCH											
5685	----	----	9.80B/----		9.80B/*9.60A		----	9.50	- 0.10	.0350	----	----	----	5	UNCH											
5690	----	----	9.70B/----		9.70B/*9.70A		----	9.40	- 0.20	.0347	----	----	----	18	UNCH											
5695	----	----	9.70B/----		9.70B/*9.60A		----	9.40	- 0.20	.0346	----	----	----	15	UNCH											
5700	----	----	9.60B/----		9.60B/*9.60A		----	9.40	- 0.10	.0345	----	----	----	59	UNCH											
5710	----	----	9.50B/----		9.50B/*9.40A		----	9.30	- 0.10	.0341	----	----	----	1	UNCH											
5800	----	----	----		8.80B/*8.80A		----	8.60	- 0.20	.0312	----	----	----	80	UNCH											
5810	----	----	----		8.70B/*8.80A		----	8.50	- 0.20	.0308	----	----	----	1	UNCH											
5825	----	----	----		8.60B/*8.70A		----	8.50	- 0.10	.0307	----	----	----	3	UNCH											
5850	----	----	----		8.40B/*8.50A		----	8.30	- 0.20	.0299	----	----	----	1	UNCH											
5900	----	----	----		8.10B/*8.30A		----	8.00	- 0.20	.0286	----	----	----	213	UNCH											
5925	----	----	----		8.00B/*8.20A		----	7.90	- 0.20	.0281	----	----	----	6	UNCH											
5975	----	----	----		7.70B/*7.90A		----	7.60	- 0.20	.0269	----	----	----	3	UNCH											
6000	----	----	----		7.50B/*7.80A		----	7.50	- 0.20	.0264	----	----	----	419	UNCH											
6100	----	----	----		7.10B/*7.30A		----	7.10	- 0.20	.0246	----	----	----	1	UNCH											
6200	----	----	----		6.70B/*7.00A		----	6.70	- 0.20	.0229	----	----	----	1	UNCH											
6400	6.30	6.30	6.30/*6.30		6.30/*6.30		----	6.10	- 0.20	.0202	----	1	----	15	UNCH											
6500	6.10	6.10	6.10/*6.10		6.10/*6.10		----	5.80	- 0.10	.0190	----	2	----	1162	UNCH											
8000	4.20	4.20	4.20/*4.20		4.20/*4.20		----	4.00	- 0.10	.0108	----	1	----	943	UNCH											
9000	----	----	3.30B/----		3.30B/*3.60A		----	3.10	- 0.10	.0078	----	----	----	974	UNCH											
20000	0.50	0.50	0.60/0.50		0.60/0.50		----	0.40	UNCH	.0008	----	39	----	439 +	38											
TOTAL												531	----	11943 +	394											
DEC26																										
2500	----	----	----		1,239.70B/*1,12		1239.70B/*1127.20A	1598.50	- 0.30	.9887	35	----	35	----	606	UNCH										
2900	----	----	1,142.30B/1,031		1142.30B/1031.30A		1202.50	- 0.30	.9663	----	----	5	----	30 +	5											
3000	----	----	681.80B/586.10A		681.80B/586.10A		1105.50	- 0.40	.9564	----	----	1	----	1 +	1											
3500	----	----	639.50B/546.30A		639.50B/546.30A		649.10	- 0.20	.8487	----	----	----	----	1	UNCH											
3550	----	----	622.80B/530.80A		622.80B/530.80A		607.40	- 0.30	.8305	----	----	----	----	2	UNCH											
3570	----	----	598.20B/*507.80		598.20B/*507.80A		591.00	- 0.30	.8228	----	----	----	----	1	UNCH											
3600	----	----	444.70B/367.70A		444.70B/367.70A		566.70	- 0.40	.8106	----	----	----	----	2	UNCH											
3800	----	----	376.10B/*307.30		376.10B/*307.30A		416.80	- 0.40	.7133	----	----	----	----	4	UNCH											
3900	----	----	317.40B/*256.30		317.40B/*256.30A		350.70	- 0.40	.6551	----	----	----	----	3	UNCH											
3995	----	----	314.50B/253.80A		314.50B/253.80A		294.20	- 0.30	.5954	----	----	----	----	1	UNCH											
4000	286.80	286.80	292.40B/*234.30		292.40B/*234.30A		291.40	- 0.30	.5921	----	----	3	----	38	UNCH											
4040	----	----	281.40B/*224.90		281.40B/*224.90A		269.70	- 0.20	.5660	----	----	----	----	41	UNCH											
4060	----	----	276.10B/*220.30		276.10B/*220.30A		259.30	- 0.20	.5529	----	----	----	100	UNCH												
4070	237.60	237.60	268.20B/*213.60		268.20B/*213.60A		254.20	- 0.10	.5463	----	1	----	3	UNCH												
4085	----	----	265.60B/*211.40		265.60B/*211.40A		246.70	- 0.10	.5363	----	----	1	----	1	UNCH											
4090	221.20	221.20	260.40B/*207.10		260.40B/*207.10A		244.20	- NEW	.5330	----	1	----	1	+	3											
4100	232.90	232.90	257.90B/*204.90		257.90B/*204.90A		239.30	- 0.10	.5264	----	6	----	370 -	1												
4105	222.00	222.00	255.40B/*202.80		255.40B/*202.80A		236.90	- NEW	.5231	----	1	----	1	+	1											
4110	----	----	250.40B/*198.60		250.40B/*198.60A		234.50	- 0.10	.5197	----	----	1	----	3	UNCH											
4120	208.20	208.20	238.20B/*188.30		238.20B/*188.30A		229.70	- 0.10	.5131	----	3	----	17	UNCH												
4145	196.30	196.30	235.80B/*186.30		235.80B/*186.30A		218.20	- NEW	.4966	----	6	----	3	+	3											
4150	217.30	217.30	233.40B/*184.40		233.40B/*184.40A		215.90	- 0.10	.4933	----	3	----	107 +	48												
4155	192.40	192.40	231.10B/*182.40		231.10B/*182.40A		213.70	- NEW	.4900	----	1	----	1	+	1											
4160	----	----	226.40B/*178.60		226.40B/*178.60A		211.50	UNCH	.4867	----	1	----	113	UNCH												
4170	193.30	193.30	224.10B/*176.60		224.10B/*176.60A		207.10	UNCH	.4801	----	1	----	5	UNCH												
4175	----	----	221.80B/*174.80		221.80B/*174.80A		204.90	- 0.10	.4768	----	----	48	UNCH													
4180	----	----	217.30B/*171.00		217.30B/*171.00A		202.80	UNCH	.4736	----	10	----	60 +	10												
4190	204.00	204.00	212.70B/*167.40		212.70B/*167.40A		198.50	- 0.10	.4670	----	405	----	602 +	354												
4200	170.00	170.00	210.60B/*165.60		210.60B/*165.60A		194.30	- 0.10	.4605	----	----	405	602 +	3												
4205	----	----	193.70B/*151.70		193.70B/*151.70A		192.30	UNCH	.4572	----	----	----	207	UNCH												
4245	----	----	191.70B/*150.10		191.70B/*150.10A		176.40	UNCH	.4315	----	127	----	552 +	127												
4250	----	----	189.60B/*148.50		189.60B/*148.50A		174.50	UNCH	.4283	----	----	50	UNCH													
4255	----	----	183.70B/*143.60		183.70B/*143.60A		172.60	UNCH	.4251	----	----	3	UNCH													
4270	----	----	176.00B/*137.40		176.00B/*137.40A		167.10	+ 0.10	.4157	----	21	----	21 +	21												
4290	----	----	172.20B/*134.40		172.20B/*134.40A		159.90	UNCH	.4031	----	----	906	UNCH													
4300	----	----	170.40B/*132.90		170.40B/*132.90A		156.50	+ 0.10	.3970	----	----	5	UNCH													
4305	----	----	168.50B/*131.50		168.50B/*131.50A		154.70	+ 0.10	.3939	----	----	25	UNCH													
4310	----	----	166.90B/*130.00		166.90B/*130.00A		153.00	+ 0.10	.3908	----	----	1	UNCH													
4315	----	----	165.00B/*128.60		165.00B/*128.60A		151.40	+ 0.20	.3878	----	----	100	UNCH													
4320	----	----	154.50B/*120.30		154.50B/*120.30A		149.70	+ 0.10	.3848	----	----	253	UNCH													
4330	----	----	151.20B/*117.60		151.20B/*117.60A		140.10	+ 0.30	.3668	----	----	1	UNCH													
4360	----	----	147.70B/*115.10		147.70B/*115.10A		137.00	+ 0.10	.3609	----	----	20	UNCH													
4370	----	----	146.20B/*113.80		146.20B/*113.80A		133.90	+ 0.20	.3550	----	----	166	UNCH													
4375	----	----	139.90B/*108.80		139.90B/*108.80A		132.40	+ 0.20	.3521	----	----	72	UNCH													
4395	----	----	138.30B/*107.60		138.30B/*107.60A		126.60	+ 0.20	.3407	----	529	----	715 +	336												
4400	----	----	135.30B/*105.20		135.30B/*105.20A		125.20	+ 0.20	.3379	----	----	3	UNCH													
4410	----	----	133.80B/*104.10		133.80B/*104.10A		122.40	+ 0.20	.3323	----	----	20	UNCH													
4415	----	----	132.30B/*102.90		132.30B/*102.90A		121.00	+ 0.20	.3295	----	----	9	UNCH													
4420	----	----	130.90B/*101.80		130.90B/*101.80A		119.70	+ 0.20	.3267	----	----	3	UNCH													
4425	----	----	129.30B/*100.70		129.30B/*100.70A		118.30	+ 0.20	.3239	----	----	4	UNCH													
4430	----	----	126.50B/*98.40A		126.50B/*98.40A		117.00	+ 0.20	.3212	----	----	3	UNCH													
4440	113.80	113.80	123.60B/*96.30A		123.60B/*96.30A		114.40	+ 0.20	.3158	----	6	----	179 +	6												
4450	----	----	121.00B/*94.20A		121.00B/*94.20A		111.80	+ 0.20	.3104	----	----	11	UNCH													
4460	----	----	119.50B/*93.10A		119.50B/*93.10A		109.30	+ 0.10	.3051	----	----	66	UNCH													
4465	----	----	116.90B/*91.10A		116.90B/*91.10A		108.00	+ 0.10	.3024	----	----	11	UNCH													
4475	----	----	114.30B/*89.10A		114.30B/*89.10A		105.60	+ 0.10	.2972	----	----	7	UNCH													
4485	----	----	113.00B/*88.10A		113.00B/*88.10A		103.30	+ 0.10	.2922	----	----	3	UNCH													
4490	----	----	111.00/*86.20A		111.00/*86.20A		102.10	+ 0.10	.2896	----	----	4837 +	1343													
4500	94.00	94.00	108.20B/*84.40A		108.20B/*84.40A		99.80	UNCH	.2845	----	2220	1262	2019 +	1238												
4510	99.40	99.40	105.70B/*82.50A		105.70B/*82.50A		97.60	UNCH	.2796	----	----	1	UNCH													
4520	----	----	104.50B/*81.60A		104.50B/*81.60A		95.40	UNCH	.2747	----	----	26	UNCH													
4525	----	----	103.40B/*80.70A		103.40B/*80.70A		94.30	UNCH	.2722	----	----	3	UNCH													
4530	----	----	102.20B/*79.90A		102.20B/*79.90A		93.30	UNCH	.2699	----	----	4	UNCH													
4535	----	----	101.10B/*79.00A		101.10B/*79.00A		92.30	+ 0.10	.2676	----	----	9	UNCH													
4540	----	----	99.90B/*78.20A		99.90B/*78.20A		91.20</																			

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS															
DEC26																	
4800	50.40	50.40		57.708/*46.20A	57.708/*46.20A	----		52.40 + 0.20	.1668	----	----	171	----	----	2154 -	160	
4805	----	----		57.008/*45.70A	57.008/*45.70A	----		51.90 + 0.20	.1654	----	----	----	----	----	1	UNCH	
4810	----	----		56.508/*45.30A	56.508/*45.30A	----		51.40 + 0.30	.1640	----	----	----	----	----	63	UNCH	
4815	----	----		55.908/*44.90A	55.908/*44.90A	----		50.80 + 0.20	.1624	----	----	----	----	----	11	UNCH	
4820	----	----		55.308/*44.40A	55.308/*44.40A	----		50.30 + 0.20	.1610	----	----	----	----	----	91	UNCH	
4825	----	----		54.708/*44.00A	54.708/*44.00A	----		49.80 + 0.20	.1596	----	----	----	----	----	105	UNCH	
4835	----	----		53.608/*43.20A	53.608/*43.20A	----		48.80 + 0.20	.1568	----	----	----	----	----	127	UNCH	
4845	----	----		52.608/*42.40A	52.608/*42.40A	----		47.90 + 0.20	.1542	----	----	----	----	----	15	UNCH	
4850	45.40	45.40		52.008/*42.00A	52.008/*42.00A	----		47.40 + 0.20	.1528	----	----	89	----	----	367 +	63	
4855	----	----		51.508/*41.60A	51.508/*41.60A	----		46.90 + 0.20	.1514	----	----	----	----	----	3	UNCH	
4860	----	----		51.008/*41.20A	51.008/*41.20A	----		46.50 + 0.20	.1502	----	----	----	----	----	3	UNCH	
4865	41.00	41.00		50.508/*40.80A	50.508/*40.80A	----		46.00 + 0.20	.1488	----	----	1	----	----	3	UNCH	
4870	----	----		50.008/*40.40A	50.008/*40.40A	----		45.60 + 0.20	.1476	----	----	----	----	----	20	UNCH	
4875	----	----		49.508/*40.10A	49.508/*40.10A	----		45.10 + 0.20	.1462	----	----	----	----	----	6	UNCH	
4880	----	----		49.008/*39.70A	49.008/*39.70A	----		44.70 + 0.20	.1450	----	----	----	----	----	4	UNCH	
4885	39.50	39.50		48.508/*39.30A	48.508/*39.30A	----		44.20 NEW	.1436	----	----	1	----	----	1 +	1	
4890	----	----		48.008/*39.00A	48.008/*39.00A	----		43.80 + 0.10	.1424	----	----	----	----	----	10	UNCH	
4895	----	----		47.508/*38.60A	47.508/*38.60A	----		43.40 + 0.20	.1412	----	----	----	----	----	200	UNCH	
4900	----	----		47.108/*38.30A	47.108/*38.30A	----		43.00 + 0.20	.1400	----	----	5	----	----	2524 +	1	
4905	----	----		46.608/*37.90A	46.608/*37.90A	----		42.60 + 0.20	.1389	----	----	----	----	----	10	UNCH	
4910	41.00	41.00		46.208/*37.60A	46.208/*37.60A	----		42.10 + 0.10	.1375	----	----	31	----	----	2008 -	10	
4925	----	----		44.808/*36.60A	44.808/*36.60A	----		40.90 + 0.10	.1340	----	----	----	----	----	279	UNCH	
4930	----	----		44.408/*36.30A	44.408/*36.30A	----		40.60 + 0.20	.1330	----	----	----	----	----	6	UNCH	
4935	35.90	35.90		43.908/*35.90	43.908/*35.90	----		40.20 NEW	.1318	----	----	1	----	----	1 +	1	
4950	----	----		42.708/*35.00A	42.708/*35.00A	----		39.10 + 0.20	.1285	----	----	----	----	----	104	UNCH	
4955	----	----		42.308/*34.70A	42.308/*34.70A	----		38.70 + 0.10	.1274	----	----	----	----	----	10	UNCH	
4960	----	----		41.908/*34.40A	41.908/*34.40A	----		38.30 + 0.10	.1262	----	----	----	----	----	10	UNCH	
4975	----	----		40.608/*33.50A	40.608/*33.50A	----		37.30 + 0.10	.1231	----	----	----	----	----	56	UNCH	
4985	----	----		39.808/*33.00A	39.808/*33.00A	----		36.60 + 0.10	.1211	----	----	----	----	----	6	UNCH	
5000	36.50	36.50		38.708/32.10A	38.708/32.10A	----		35.60 + 0.10	.1180	----	----	269	----	----	4121 +	188	
5005	----	----		38.308/*31.90A	38.308/*31.90A	----		35.30 + 0.10	.1171	----	----	----	----	----	24	UNCH	
5020	----	----		37.308/*31.10A	37.308/*31.10A	----		34.30 + 0.10	.1141	----	----	----	----	----	3	UNCH	
5025	----	----		36.908/*30.80A	36.908/*30.80A	----		34.00 + 0.10	.1132	----	----	----	----	----	263	UNCH	
5030	----	----		36.608/*30.60A	36.608/*30.60A	----		33.70 + 0.10	.1122	----	----	----	----	----	1	UNCH	
5045	----	----		35.608/*29.90A	35.608/*29.90A	----		32.80 UNCH	.1095	----	----	----	----	----	1	UNCH	
5050	----	----		35.308/*29.60A	35.308/*29.60A	----		32.50 UNCH	.1085	----	----	----	----	----	130	UNCH	
5055	----	----		34.908/*29.40A	34.908/*29.40A	----		32.20 UNCH	.1076	----	----	----	----	----	3	UNCH	
5070	----	----		34.008/*28.70A	34.008/*28.70A	----		31.40 UNCH	.1051	----	----	----	----	----	13	UNCH	
5075	----	----		33.708/*28.50A	33.708/*28.50A	----		31.10 UNCH	.1042	----	----	----	----	----	66	UNCH	
5090	----	----		32.808/*27.80A	32.808/*27.80A	----		30.30 UNCH	.1017	----	----	----	----	----	17	UNCH	
5100	----	----		32.208/*27.40A	32.208/*27.40A	----		29.80 UNCH	.1001	----	----	----	----	----	684	UNCH	
5105	----	----		31.908/*27.20A	31.908/*27.20A	----		29.60 + 0.10	.0994	----	----	----	----	----	3	UNCH	
5110	29.30	29.30		31.708/*27.00A	31.708/*27.00A	----		29.30 UNCH	.0985	----	----	6	----	----	6 +	6	
5115	----	----		31.408/*26.80A	31.408/*26.80A	----		29.10 UNCH	.0978	----	----	----	----	----	1	UNCH	
5120	----	----		31.108/*26.60A	31.108/*26.60A	----		28.80 UNCH	.0969	----	----	----	----	----	2	UNCH	
5125	----	----		30.808/*26.40A	30.808/*26.40A	----		28.60 UNCH	.0962	----	----	----	----	----	70	UNCH	
5140	----	----		30.108/*25.80A	30.108/*25.80A	----		27.90 UNCH	.0940	----	----	----	----	----	6	UNCH	
5145	----	----		29.808/*25.60A	29.808/*25.60A	----		27.70 + 0.10	.0933	----	----	----	----	----	27	UNCH	
5150	----	----		29.508/*25.40A	29.508/*25.40A	----		27.40 UNCH	.0924	----	----	----	----	----	41	UNCH	
5155	----	----		29.308/*25.20A	29.308/*25.20A	----		27.20 UNCH	.0918	----	----	----	----	----	4	UNCH	
5160	----	----		29.108/*25.10A	29.108/*25.10A	----		27.00 UNCH	.0911	----	----	----	----	----	1	UNCH	
5165	----	----		28.808/*24.90A	28.808/*24.90A	----		26.80 UNCH	.0904	----	----	----	----	----	1	UNCH	
5170	----	----		28.608/*24.70A	28.608/*24.70A	----		26.60 UNCH	.0898	----	----	----	----	----	4	UNCH	
5175	----	----		28.308/*24.50A	28.308/*24.50A	----		26.30 UNCH	.0889	----	----	----	----	----	102	UNCH	
5180	----	----		28.108/*24.40A	28.108/*24.40A	----		26.10 UNCH	.0882	----	----	----	----	----	2	UNCH	
5195	----	----		27.408/*23.90A	27.408/*23.90A	----		25.50 UNCH	.0863	----	----	----	----	----	7	UNCH	
5200	----	----		27.208/*23.70A	27.208/*23.70A	----		25.30 UNCH	.0856	----	----	----	----	----	1260	UNCH	
5215	----	----		26.508/*23.20A	26.508/*23.20A	----		24.70 - 0.10	.0837	----	----	----	----	----	7	UNCH	
5220	----	----		26.308/*23.00A	26.308/*23.00A	----		24.50 - 0.10	.0830	----	----	----	----	----	8	UNCH	
5225	----	----		26.108/*22.90A	26.108/*22.90A	----		24.40 UNCH	.0826	----	----	----	----	----	11	UNCH	
5230	----	----		25.908/*22.70A	25.908/*22.70A	----		24.20 UNCH	.0820	----	----	----	----	----	1	UNCH	
5235	----	----		25.708/*22.60A	25.708/*22.60A	----		24.00 UNCH	.0813	----	----	----	----	----	1	UNCH	
5240	----	----		25.508/*22.40A	25.508/*22.40A	----		23.80 UNCH	.0807	----	----	----	----	----	1	UNCH	
5245	----	----		25.308/*22.30A	25.308/*22.30A	----		23.60 - 0.10	.0801	----	----	----	----	----	19	UNCH	
5250	----	----		25.108/*22.10A	25.108/*22.10A	----		23.50 UNCH	.0796	----	----	----	----	----	963	UNCH	
5255	----	----		24.908/*22.00A	24.908/*22.00A	----		23.30 UNCH	.0790	----	----	----	----	----	6	UNCH	
5260	----	----		24.708/*21.80A	24.708/*21.80A	----		23.10 UNCH	.0784	----	----	----	----	----	2	UNCH	
5265	----	----		24.508/*21.70A	24.508/*21.70A	----		22.90 - 0.10	.0777	----	----	----	----	----	7	UNCH	
5270	----	----		24.308/*21.60A	24.308/*21.60A	----		22.80 UNCH	.0773	----	----	----	----	----	13	UNCH	
5275																	

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
DEC26																		
6400	----	----	----	----	9.00B/*9.10A	----	8.90	- 0.20	.0271	----	----	----	----	----	973			
6500	----	----	----	----	8.60B/*8.70A	----	8.50	- 0.30	.0256	----	----	----	----	----	6294			
6750	----	----	----	----	7.90B/*8.10A	----	7.80	- 0.20	.0227	----	----	----	----	----	105			
6775	----	----	----	----	7.80B/*8.00A	----	7.80	- 0.20	.0226	----	----	----	----	----	164			
6800	----	----	----	----	7.80B/*8.00A	----	7.70	- 0.20	.0223	----	----	----	----	----	1817			
6900	----	----	----	----	7.60B/*7.80A	----	7.50	- 0.20	.0214	----	----	----	----	----	112			
7000	----	----	----	----	7.40B/*7.60A	----	7.30	- 0.20	.0206	----	----	----	32	----	6436			
7100	----	----	----	----	7.20B/*7.40A	----	7.20	- 0.20	.0200	----	----	----	----	----	15			
7130	----	----	----	----	7.10B/*7.40A	----	7.10	- 0.20	.0197	----	----	----	----	----	200			
7150	----	----	----	----	7.10B/*7.30A	----	7.10	- 0.20	.0196	----	----	----	----	----	1			
7175	----	----	----	----	7.10B/*7.30A	----	7.00	- 0.30	.0193	----	----	----	----	----	125			
7200	----	----	----	----	7.00B/*7.30A	----	7.00	- 0.20	.0192	----	----	----	----	----	1			
7250	----	----	----	----	7.00B/*7.20A	----	6.90	-										

BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
FEB27																						
5030	----	----		63.50B/*57.40A	63.50B/*57.40A	----			58.90	- 0.60	.1594	----	----	----	----		1	UNCH				
5050	----	----		61.50B/*55.70A	61.50B/*55.70A	----			57.10	- 0.60	.1551	----	----	----	----		112	UNCH				
5075	----	----		59.10B/*53.70A	59.10B/*53.70A	----			54.90	- 0.60	.1498	----	----	----	----		152	UNCH				
5100	----	----		56.90B/*51.90A	56.90B/*51.90A	----			52.90	- 0.50	.1448	----	----	----	----		202	UNCH				
5175	----	----		50.50B/*47.50A	50.50B/*47.50A	----			47.30	- 0.50	.1309	----	----	----	----		126	UNCH				
5200	----	----		48.00B/*45.90A	48.00B/*45.90A	----			45.60	- 0.50	.1266	----	----	----	----		343	UNCH				
5230	----	----		45.80B/44.10A	45.80B/44.10A	----			43.70	- 0.50	.1217	----	----	----	----		12	UNCH				
5250	----	----		44.60B/42.60A	44.60B/42.60A	----			42.50	- 0.50	.1186	----	----	----	----		522	UNCH				
5270	----	----		43.20B/41.50A	43.20B/41.50A	----			41.30	- 0.50	.1155	----	----	----	----		7	UNCH				
5280	----	----		42.60B/41.00A	42.60B/41.00A	----			40.70	- 0.60	.1139	----	----	----	----		9	UNCH				
5295	----	----		41.90B/40.20A	41.90B/40.20A	----			39.90													

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																		
TOTAL														4			1794 +	1	
JUN27																			
4100	----	----	----	----		163.90B/*589.00A	----			395.20	NEW	.5802	----	----	1	----	1 +	1	
4325	----	----	----	----		187.00B/443.60A	----			295.20	UNCH	.4800	----	----	----	50		UNCH	
4800	----	----	----	----		97.10B/260.00A	----			157.10	- 0.60	.3005	----	----	----	51		UNCH	
5000	----	----	----	----		98.10B/*178.40A	----			121.60	- 0.80	.2438	----	----	----	318		UNCH	
5085	----	----	----	----		93.60B/*146.70A	----			109.40	- 1.00	.2231	----	----	----	150		UNCH	
5975	----	----	----	----		43.80B/46.50A	----			44.00	- 1.50	.0971	----	----	----	1		UNCH	
6000	----	----	----	----		42.80B/*45.70A	----			43.10	- 1.50	.0952	----	----	----	1		UNCH	
7000	----	----	----	----		21.40B/*27.00A	----			23.60	- 0.90	.0508	----	----	----	83		UNCH	
7500	----	----	----	----		17.30B/*23.30A	----			19.30	- 1.10	.0405	----	----	----	452		UNCH	
8000	----	----	----	----		14.70B/*21.00A	----			15.90	- 2.00	.0328	----	----	----	82		UNCH	
9000	----	----	----	----		12.00B/*18.50A													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK1															
JUL26															
3945	2.60	2.60		31.00B/*2.40A	31.00B/*2.40A	----	4.00	- 4.90	.0402	----	----	----	4	----	11 +
3950	66.00	66.00		81.50B/40.20A	81.50B/40.20A	----	49.50	- 1.50	.3272	----	----	----	3	----	5 +
3950	33.40	33.40		63.10B/23.00A	63.10B/23.00A	----	30.60	- 2.60	.2773	----	----	----	4	----	12 +
3950	8.00	8.00		33.10B/*2.60	33.10B/*2.60	----	4.40	- 5.20	.0471	----	95	----	121 +	47	6
3955	28.00	28.00		34.70B/*2.90A	34.70B/*2.90A	----	4.90	- 5.40	.0556	----	11	----	14 +	9	6
3960	33.30	33.30		36.90B/*3.20A	36.90B/*3.20A	----	5.40	- 5.80	.0649	----	64	----	35 +	22	6
3965	9.00	9.00		39.20B/*3.60A	39.20B/*3.60A	----	6.00	- NEW	.0762	----	13	----	12 +	12	6
3970	10.00	10.00		42.20B/*3.90A	42.20B/*3.90A	----	6.70	- 6.30	.0896	----	24	----	40 +	17	6
3975	----	----		129.70B/*63.50A	129.70B/*63.50A	----	101.10	- 3.00	.6684	----	----	----	8	UNCH	6
3975	13.50	13.50		44.50B/*4.30A	44.50B/*4.30A	----	7.40	- 6.60	.1041	----	39	----	47 -	9	6
3975	----	----		105.80B/*31.60A	105.80B/*31.60A	----	70.90	- 7.00	.8958	----	----	----	2	UNCH	6
3975	63.80	63.													

PG64

BULLETIN #124@

METALS OPTION PRODUCTS

Tue, Jun 30, 2026

PG64

GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED JUL26 GOLD WEEKLY WEDNESDAY OPTION WEEK2														
4275	----	----	#317.90B/206.20	#317.90B/206.20A	----	241.60	UNCH	.9368	----	----	----	----	----	5 UNCH
4275	----	----	253.00B/204.70A	253.00B/204.70A	----	236.60	- 0.10	1.0000	----	----	----	----	----	10 UNCH
4275	----	----	18.80B/*11.10A	18.80B/*11.10A	----	13.70	+ 0.10	.1275	----	----	----	----	----	3 UNCH
4275	----	----	28.40B/*18.60A	28.40B/*18.60A	----	21.60	NEW	.1681	----	----	----	2	----	1 + 1
4285	----	----	263.00B/214.70A	263.00B/214.70A	----	246.60	UNCH	1.0000	----	----	----	22	----	0 - 22
4295	----	----	----/*0.20A	0.10B/*0.20A	----	0.10	- 0.40	----	----	----	----	----	----	180 UNCH
4300	----	----	----/*0.20A	0.10B/*0.20A	----	0.10	- 0.40	----	----	----	----	----	----	113 UNCH
4300	----	----	15.20B/*9.60A	15.20B/*9.60A	----	11.20	UNCH	.1063	----	----	----	----	----	2 UNCH
4300	----	----	278.00B/229.80A	278.00B/229.80A	----	261.60	UNCH	1.0000	----	----	----	----	----	40 UNCH
4300	----	----	#342.30B/229.20	#342.30B/229.20A	----	265.40	+ 0.10	.9514	----	----	----	----	----	7 UNCH
4300	19.40	19.40	23.80B/*16.00A	23.80B/*16.00A	----	18.20	+ 0.40	.1451	----	----	----	4	----	29 + 4
4300	4.50	4.50	5.90B/*3.40A	5.90B/*3.40A	----	4.00	- 0.40	.0484	----	----	----	2	----	126 + 2
4325	----	----	#366.80B/252.80	#366.80B/252.80A	----	289.50	+ 0.10	.9615	----	----	----	----	----	4 UNCH
4325	----	----	----/*0.20A	----/*0.20A	----	0.10	- 0.30	----	----	----	----	----	----	34 UNCH
4325	----	----	302.80B/254.70A	302.80B/254.70A	----	286.60	+ 0.10	1.0000	----	----	----	----	----	25 UNCH
4325	16.10	16.10	19.90B/*13.70A	19.90B/*13.70A	----	15.40	NEW	.1253	----	----	----	2	----	2 + 2
4350	----	----	327.80B/278.30A	327.80B/278.30A	----	311.60	+ 0.20	1.0000	----	----	----	----	----	50 UNCH
4350	----	----	----/*0.10A	----/*0.10A	----	0.10	- 0.20	----	----	----	----	----	----	21 UNCH
4350	----	----	10.00B/*6.80A	10.00B/*6.80A	----	7.60	- 0.10	.0741	----	----	----	----	----	34 UNCH
4350	2.10	2.10	3.40B/*2.10	3.40B/*2.10	----	2.50	- 0.30	.0296	----	----	----	4	----	29 - 4
4365	----	----	----/*0.30A	----/*0.30A	----	0.10	- 0.20	----	----	----	----	----	----	10 UNCH
4375	----	----	8.20B/*5.80A	8.20B/*5.80A	----	6.40	UNCH	.0626	----	----	----	----	----	3 UNCH
4375	----	----	2.60B/*1.90A	2.60B/*1.90A	----	2.00	- 0.30	.0234	----	----	----	----	----	1 UNCH
4375	----	----	----/*0.30A	----/*0.30A	----	0.10	- 0.10	----	----	----	----	----	----	31 UNCH
4375	----	----	352.80B/304.60A	352.80B/304.60A	----	336.60	+ 0.30	1.0000	----	----	----	----	----	25 UNCH
4400	5.60	5.60	6.70B/*4.90A	6.70B/*4.90A	----	5.40	UNCH	.0529	----	----	----	2	----	5 + 2
4400	----	----	377.90B/329.50A	377.90B/329.50A	----	361.60	+ 0.30	1.0000	----	----	----	----	----	2 UNCH
4400	----	----	----/*0.20A	----/*0.20A	----	0.10	- 0.10	----	----	----	----	2	----	299 - 2
4400	----	----	----/*1.60A	2.00B/*1.60A	----	1.70	- 0.30	.0193	----	----	----	----	----	11 UNCH
4400	----	----	11.70B/*8.40A	11.70B/*8.40A	----	9.50	+ 0.40	.0807	----	----	----	----	----	3 UNCH
4400	----	----	----	----	----	363.00	+ 0.10	.9805	----	----	----	----	----	1 UNCH
4425	----	----	5.50B/4.50A	5.50B/4.50A	----	4.60	UNCH	.0450	----	----	----	----	----	1 UNCH
4425	----	----	----/*1.40A	1.70B/*1.40A	----	1.40	- 0.30	.0156	----	----	----	----	----	1 UNCH
4425	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	88 UNCH
4450	----	----	8.40B/*6.50A	8.40B/*6.50A	----	7.10	+ 0.30	.0610	----	----	----	----	----	10 UNCH
4450	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	407 UNCH
4450	----	----	----/*1.20A	1.40B/*1.20A	----	1.20	- 0.30	.0130	----	----	----	----	----	5 UNCH
4450	----	----	4.20B/3.90A	4.20B/3.90A	----	4.00	UNCH	.0389	----	----	----	----	----	21 UNCH
4475	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	9 UNCH
4475	----	----	3.60B/3.40A	3.60B/3.40A	----	3.50	UNCH	.0338	----	----	----	----	----	12 UNCH
4475	----	----	----/*1.10A	1.10B/*1.10A	----	1.10	- 0.30	.0116	----	----	----	----	----	1 UNCH
4500	----	----	----/3.00A	3.10B/3.00A	----	3.00	- 0.10	.0288	----	----	----	----	----	50 UNCH
4500	----	----	----/*1.00A	1.00B/*1.00A	----	1.00	- 0.20	.0102	----	----	----	----	----	3 UNCH
4500	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	63 UNCH
4525	----	----	----/*0.90A	0.80B/*0.90A	----	0.90	- 0.30	.0089	----	----	----	----	----	1 UNCH
4525	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	15 UNCH
4550	----	----	----/*0.80A	0.70B/*0.80A	----	0.80	- 0.30	.0077	----	----	----	----	----	1 UNCH
4550	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	27 UNCH
4575	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	15 UNCH
4575	----	----	----/*0.80A	0.60B/*0.80A	----	0.80	- 0.20	.0074	----	----	----	----	----	2 UNCH
4600	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	3 UNCH
4600	----	----	----/*0.80A	0.50B/*0.80A	----	0.70	- 0.30	.0063	----	----	----	----	----	4 UNCH
4625	----	----	----/*0.80A	1.60B/*2.10A	----	1.80	UNCH	.0162	----	----	----	3	----	3 + 3
4625	----	----	----/*0.80A	0.50B/*0.80A	----	0.70	- 0.20	.0061	----	----	----	----	----	4 UNCH
4650	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	2 UNCH
4650	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	4 UNCH
4650	----	----	----/*0.80A	0.40B/*0.80A	----	0.60	- 0.30	.0052	----	----	----	----	----	4 UNCH
4675	----	----	1.30B/*1.80A	1.30B/*1.80A	----	1.60	UNCH	.0138	----	----	----	6	----	6 + 6
4675	----	----	----/*0.10A	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	5 UNCH
4700	----	----	#677.70B/652.50	#677.70B/652.50A	----	661.60	+ 0.40	1.0000	----	----	----	----	----	0 UNCH
4700	----	----	----/*0.70A	0.40B/*0.70A	----	0.60	- 0.20	.0048	----	----	----	----	----	3 UNCH
4700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	6 UNCH
4725	----	----	----	1.10B/*1.70A	----	1.30	UNCH	.0110	----	----	----	6	----	6 + 6
4750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	4 UNCH
4750	----	----	----	0.30B/*0.70A	----	0.50	- 0.20	.0039	----	----	----	----	----	4 UNCH
4750	----	----	----	1.00B/*1.60A	----	1.30	UNCH	.0107	----	----	----	----	----	3 UNCH
4775	----	----	----	0.20B/*0.70A	----	0.50	- 0.10	.0037	----	----	----	----	----	6 UNCH
4775	----	----	----	0.90B/*1.50A	----	1.20	UNCH	.0098	----	----	----	10	----	10 + 10
4775	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	3 UNCH
4800	----	----	----	----/*0.70A	----	0.40	- 0.20	.0030	----	----	----	----	----	1 UNCH
4800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	1 UNCH
4825	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	2 UNCH
4850	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	3 UNCH
4875	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	----	7 UNCH
4900	----	----	----	0.70B/*1.30A	----	0.90	UNCH	.0068	----	----	----	----	----	6 UNCH
4900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	3 UNCH
4900	----	----	----	0.10B/*0.60A	----	0.30	- 0.20	.0020	----	----	----	----	----	2 UNCH
5000	----	----	----	----/*0.50A	----	0.20	- 0.20	.0013	----	----	----	----	----	3 UNCH
5000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	3643	400	8840 + 1970
TOTAL														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

TUE JUN26 GOLD WEEKLY TUESDAY OPTION week5														
3000	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 1
3000	----	----	----	#1,076.80B/*960	#1076.80B/*960.40A	1038.50	NEW	----	67	----	74	----	----	0 UNCH
3250	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 5
3400	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 10
3500	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 17
3600	----	----	----	----/*0.10A	----	0.00	- 0.10	----	----	----	78	----	----	0 - 78
3645	----	----	----	----/*0.10A	----	0.00	- 0.10	----	----	----	5	----	----	0 - 5
3655	----	----	----	----/*0.10A	----	0.00	- 0.10	----	----	----	5	----	----	0 - 5
3675	----	----	----	----/*0.10A	----	0.00	- 0.10	----	----	----	20	----	----	0 - 30
3700	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00	- 0.10	----	----	----	1	----	----	0 - 20
3700	----	----	376.80B/*260.50	376.80B/*260.50A	----	338.50	NEW	----	1	----	1	----	----	0 UNCH
3725	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00	- 0.10	----	----	----	10	----	----	0 - 40
3735	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 3
3740	0.20	0.20	0.20/0.20	0.20/0.10A	----	0.00	- 0.10	----	----	----	4	----	----	0 - 15
3745	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 1
3750	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 49
3755	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 6
3760	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	1	----	----	0 - 1
3765	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 20
3770	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 6
3775	----	----	----	----/0.10A	----	0.00	- 0.10	----	----	----	----	----	----	0 - 6
3780	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00	- 0.10	----	----	----	1	----	----	0 - 2
3790	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00	- 0.10	----	----	----	1	----	----	0 - 2
3795	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00	NEW	----	----	----	4	----	----	0 UNCH
3800	----	----	0.50B/----	0.50B/*0.10A	----	0.00	- 0.10	----	----	----	1	----	----	0 - 61
3805	----	----	0.50B/*0.10A	0.50B/*0.10A	----	0.00	- 0.20	----	----	----	----	----	----	0 - 4
3810	----	----	0.60B/*0.10A	0.60B/*0.10A	----	0.00	- 0.20	----	----	----	----	----	----	0 - 6
3815	----	----	0.80B/*0.10A	0.80B/*0.10A	----	0.00	- 0.20	----	----	----	----	----	----	0 - 11
3820	----	----	0.90B/*0.10A	0.90B/*0.10A	----	0.00	- 0.20	----	----	----	11	----	----	0 - 58
3825	0.70	0.70	1.10B/*0.10A	1.10B/*0.10A	----	0.00	- 0.30	----	----	----	2	----	----	0 - 12
3830	1.20	1.20	1.30B/*0.10A	1.30B/*0.10A	----	0.00	- 0.30	----	----	----	1	----	----	0 - 1
3835	1.30	1.30	1.40B/*0.10	1.40B/*0.10	----	0.00	- 0.30	----	----	----	4	----	----	0 - 14
3840	0.90	0.90	1.70B/*0.10	1.70B/*0.10	----	0.00	- 0.40	----	----	----	4	----	----	0 - 11
3845	----	----	1.90B/*0.10A	1.90B/*0.10A	----	0.00	- 0.40	----	----	----	----	----	----	0 - 22
3850	0.40	0.40	2.30B/*0.10	2.30B/*0.10	----	0.00	- 0.40	----	----	----	60	----	----	0 - 92
3855	----	----	2.50B/*0.10A	2.50B/*0.10A	----	0.00	- 0.50	----	----	----	----	----	----	0 - 12
3860	----	----	2.90B/*0.10A	2.90B/*0.10A	----	0.00	NEW	----	----	----	8	----	----	0 UNCH
3865	0.80	0.80	3.20B/*0.10	3.20B/*0.10	----	0.00	- 0.50	----	----	----	10	----	----	0 - 12
3870	2.20	2.20	3.70B/*0.10	3.70B/*0.10	----	0.00	- 0.60	----	----	----	11	----	----	0 - 3
3875	3.50	3.50	4.20B/*0.10A	4.20B/*0.10A	----	0.00	- 0.70	----	----	----	51	----	----	0 - 62
3880	0.20	0.20	4.70B/*0.10	4.70B/*0.10	----	0.00	- 0.70	----	----	----	26	----	----	0 - 54
3885	1.40	1.40	5.30B/*0.10A	5.30B/*0.10A	----	0.00	- 0.80	----	----	----	3	----	----	0 - 2
3890	1.40	1.40	5.90B/*0.10A	5.90B/*0.10A	----	0.00	- 0.90	----	----	----	4	----	----	0 - 1
3895	1.50	1.50	6.60B/*0.10A	6.60B/*0.10A	----	0.00	- 1.00	----	----	----	3	----	----	0 - 6
3900	1.30	1.30	7.50B/*0.10A	7.50B/*0.10A	----	0.00	- 1.10	----	----	----	25	----	----	0 - 161
3900	88.00	88.00	176.90B/*69.00A	176.90B/*69.00A	----	138.50	NEW	----	2	----	8	----	----	0 UNCH
3905	----	----	8.30B/*0.10A	8.30B/*0.10A	----	0.00	- 1.30	----	----	----	1	----	----	0 - 2
3910	5.50	5.50	9.00B/*0.10	9.00B/*0.10	----	0.00	- 1.40	----	----	----	124	----	----	0 - 167
3915	2.40	2.40	10.10B/*0.10	10.10B/*0.10	----	0.00	- 1.60	----	----	----	8	----	----	0 -

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY TUESDAY OPTION Week5												
3920	0.10	0.10	11.20B/*0.10	11.20B/*0.10	----	0.00 - 1.80	----	----	----	15	----	0 -
3925	65.10	65.10	152.00B/*49.20A	152.00B/*49.20A	----	113.50 NEW	----	1	----	2	----	0 - UNCH
3925	2.50	2.50	12.50B/*0.10A	12.50B/*0.10A	----	0.00 - 2.00	----	----	----	15	----	0 - 26
3930	4.70	4.70	13.70B/*0.10A	13.70B/*0.10A	----	0.00 - 2.20	----	----	----	20	----	0 - 11
3930	----	----	146.90B/*45.60A	146.90B/*45.60A	----	108.50 - 2.60	----	1	----	----	----	0 - 1
3935	5.90	5.90	15.20B/*0.10A	15.20B/*0.10A	----	0.00 - 2.50	----	----	----	11	----	0 - 13
3940	10.60	10.60	16.80B/*0.10A	16.80B/*0.10A	----	0.00 - 2.80	----	----	----	89	----	0 - 68
3945	5.20	5.20	18.50B/*0.10A	18.50B/*0.10A	----	0.00 - 3.10	----	----	----	43	----	0 - 96
3950	----	----	126.90B/*33.10A	126.90B/*33.10A	----	88.50 - 3.90	----	3	----	----	----	0 - 3
3950	20.00	20.00	20.40B/*0.10	20.40B/*0.10	----	0.00 - 3.50	----	----	----	252	----	0 - 166
3955	15.10	15.10	22.40B/*0.10A	22.40B/*0.10A	----	0.00 - 3.90	----	----	----	12	----	0 - 13
3960	16.60	16.60	24.50B/*0.10A	24.50B/*0.10A	----	0.00 - 4.40	----	----	----	41	----	0 - 16
3965	9.90	9.90	27.00B/*0.10	27.00B/*0.10	----	0.00 - 4.90	----	----	----	36	----	0 - 7
3965	24.00	24.00	111.90B/*24.00	111.90B/*24.00	----	73.50 - 5.30	----	1	----	2	----	0 - 1
3970	35.20	35.20	106.90B/*22.20A	106.90B/*22.20A	----	68.50 - 5.80	----	5	----	6	----	0 - 4
3970	6.00	6.00	29.50B/*0.10	29.50B/*0.10	----	0.00 - 5.40	----	----	----	84	----	0 - 30
3975	24.70	24.70	32.60B/*0.10	32.60B/*0.10	----	0.00 - 6.00	----	----	----	198	----	0 - 74
3975	22.00	22.00	101.80B/*19.80A	101.80B/*19.80A	----	63.50 NEW	----	5	----	14	----	0 - UNCH
3980	7.70	7.70	34.80B/*0.10	34.80B/*0.10	----	0.00 - 6.70	----	----	----	216	----	0 - 43
3980	18.60	18.60	96.90B/*17.70A	96.90B/*17.70A	----	58.50 NEW	----	14	----	54	----	0 - UNCH
3985	27.00	27.00	37.80B/*0.10	37.80B/*0.10	----	0.00 - 7.50	----	----	----	70	----	0 - 39
3985	31.00	31.00	92.00B/*15.70A	92.00B/*15.70A	----	53.50 NEW	----	3	----	9	----	0 - UNCH
3990	----	----	87.10B/*13.90A	87.10B/*13.90A	----	48.50 - 8.80	----	3	----	8	----	0 - 1
3990	10.20	10.20	41.10B/*0.10	41.10B/*0.10	----	0.00 - 8.40	----	----	----	170	----	0 - 76
3995	49.00	49.00	82.00B/*12.20A	82.00B/*12.20A	----	43.50 - 9.70	----	34	----	34	----	0 - 24
3995	29.80	29.80	44.60B/*0.10	44.60B/*0.10	----	0.00 - 9.30	----	----	----	35	----	0 - 46
4000	41.80	41.80	76.90B/*10.80A	76.90B/*10.80A	----	38.50 -10.70	----	32	----	140	----	0 - 3
4000	14.00	14.00	50.00/*0.10	50.00/*0.10	----	0.00 -10.30	----	----	----	402	----	0 - 158
4005	19.20	19.20	52.00B/*0.10	52.00B/*0.10	----	0.00 -11.50	----	----	----	68	----	0 - 20
4005	11.00	11.00	72.00B/*9.40A	72.00B/*9.40A	----	33.50 -11.90	----	19	----	55	----	0 - 3
4010	18.00	18.00	55.90B/*0.10A	55.90B/*0.10A	----	0.00 -12.80	----	----	----	140	50	0 - 165
4010	9.20	9.20	67.10B/*8.20A	67.10B/*8.20A	----	28.50 -13.20	----	17	----	33	----	0 - 14
4015	19.00	19.00	59.90B/*0.10	59.90B/*0.10	----	0.00 -14.20	----	----	----	307	----	0 - 258
4015	18.00	18.00	62.30B/*7.10A	62.30B/*7.10A	----	23.50 -14.60	----	16	----	63	----	0 - 8
4020	22.00	22.00	57.20B/*3.70	57.20B/*3.70	----	18.50 -16.20	----	15	----	47	----	0 - 6
4020	18.80	18.80	64.10B/*0.10	64.10B/*0.10	----	0.00 -15.80	----	----	----	401	----	0 - 69
4025	19.00	19.00	68.40B/*0.10A	68.40B/*0.10A	----	0.00 -17.50	----	----	----	287	----	0 - 67
4025	5.80	5.80	52.40B/*5.40A	52.40B/*5.40A	----	13.50 -17.90	----	62	----	29	----	0 - 53
4030	33.00	33.00	73.10B/*0.10	73.10B/*0.10	----	0.00 -19.40	----	----	----	296	----	0 - 24
4030	22.00	22.00	47.60B/*4.10	47.60B/*4.10	----	8.50 -19.80	----	58	----	249	----	0 - 7
4035	19.30	19.30	77.60B/*0.10	77.60B/*0.10	----	0.00 -21.50	----	----	----	283	----	0 - 12
4035	21.80	21.80	42.80B/*2.50	42.80B/*2.50	----	3.50 -21.90	----	40	----	141	----	0 - 16
4040	19.80	19.80	81.80B/*0.30	81.80B/*0.30	----	1.50 -22.30	----	122	----	542	----	0 - 80
4040	5.20	5.20	38.20B/*0.10	38.20B/*0.10	----	0.00 -22.70	----	----	----	442	----	0 - 41
4045	17.80	17.80	86.80B/*2.00	86.80B/*2.00	----	6.50 -19.80	----	93	----	246	----	0 - 25
4045	11.60	11.60	33.60B/*0.10	33.60B/*0.10	----	0.00 -20.20	----	----	----	377	----	0 - 57
4050	73.50	73.50	91.20B/*2.90A	91.20B/*2.90A	----	11.50 -17.40	----	72	----	196	----	0 - 50
4050	14.00	14.00	29.30B/*0.10	29.30B/*0.10	----	0.00 -17.80	----	----	----	363	----	0 - 88
4055	2.00	2.00	25.20B/*0.10	25.20B/*0.10	----	0.00 -15.60	----	----	----	220	----	0 - 30
4055	26.30	26.30	96.20B/*3.90A	96.20B/*3.90A	----	16.50 NEW	----	14	----	59	----	0 - UNCH
4060	9.50	9.50	21.30B/*0.10	21.30B/*0.10	----	0.00 -13.50	----	----	----	306	----	0 - 21
4060	83.00	83.00	101.00B/*4.60	101.00B/*4.60	----	21.50 -13.10	----	26	----	123	----	0 - 8
4065	1.10	1.10	17.70B/*0.10A	17.70B/*0.10A	----	0.00 -11.70	----	----	----	132	----	0 - 10
4065	12.30	12.30	105.80B/*6.00	105.80B/*6.00	----	26.50 -11.30	----	20	----	60	----	0 - 1
4070	5.80	5.80	15.30/*0.10	15.30/*0.10	----	0.00 -10.10	----	----	----	570	----	0 - 143
4070	36.60	36.60	110.60B/*7.50	110.60B/*7.50	----	31.50 - 9.70	----	123	----	95	----	0 - 116
4075	11.00	11.00	115.50B/10.40A	115.50B/10.40A	----	36.50 - 8.30	----	41	----	16	----	0 - 43
4075	6.30	6.30	11.90B/*0.10A	11.90B/*0.10A	----	0.00 - 8.70	----	----	----	208	----	0 - 97
4080	----	----	#120.40B/*13.00	120.40B/*13.00A	----	41.50 - 7.10	----	10	----	----	----	0 - 10
4080	3.50	3.50	10.00/*0.10	10.00/*0.10	----	0.00 - 7.50	----	----	----	107	----	0 - 49
4085	----	----	#125.30B/*16.00	125.30B/*16.00A	----	46.50 - 6.00	----	1	----	1	----	0 - 1
4085	0.80	0.80	7.80B/*0.10A	7.80B/*0.10A	----	0.00 - 6.40	----	----	----	85	----	0 - 41
4090	27.00	27.00	#130.20B/*19.50	130.20B/*19.50A	----	51.50 - 5.10	----	12	----	1	----	0 - 11
4090	1.00	1.00	5.90/*0.10	5.90/*0.10	----	0.00 - 5.50	----	----	----	157	20	0 - 66
4095	1.00	1.00	4.50/*0.10	4.50/*0.10	----	0.00 - 4.70	----	----	----	252	----	0 - 24
4095	53.70	53.70	#134.90B/*22.90	134.90B/*22.90A	----	56.50 - 4.30	----	7	----	1	----	0 - 6
4100	1.70	1.70	3.60/*0.10	3.60/*0.10	----	0.00 - 3.90	----	----	----	405	----	0 - 176
4100	109.50	109.50	140.10B/26.80A	140.10B/26.80A	----	61.50 - 3.50	----	13	----	18	----	0 - 25
4105	36.70	36.70	#145.00B/*30.90	#145.00B/*30.90A	----	66.50 - 2.90	----	1	----	4	----	0 - 4
4105	2.00	2.00	2.60B/*0.10	2.60B/*0.10	----	0.00 - 3.30	----	----	----	25	----	0 - 20
4110	----	----	#150.00B/*35.20	#150.00B/*35.20A	----	71.50 - 2.30	----	1	----	----	----	0 - 1
4110	0.60	0.60	1.90B/*0.20A	1.90B/*0.20A	----	0.00 - 2.70	----	----	----	25	----	0 - 33
4115	----	----	#154.90B/*39.60	#154.90B/*39.60A	----	76.50 - 1.90	----	2	----	----	----	0 - 2
4115	0.20	0.20	1.40B/*0.10	1.40B/*0.10	----	0.00 - 2.30	----	----	----	16	----	0 - 49
41												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY TUESDAY OPTION Week5															
JUN26															
4460	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4475	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4500	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4525	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4525	----	----	----	#564.60B/448.20	#564.60B/448.20A				486.50 + 0.30			----	----	----	0 UNCH
4550	----	----	----	#589.60B/473.20	#589.60B/473.20A				511.50 + 0.30			----	----	----	0 UNCH
4550	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4575	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4600	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4625	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4650	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4675	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4700	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4725	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4750	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4775	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4800	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4825	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4850	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4875	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4900	----	----	----	----	----	0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -
4925	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
4950	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
5000	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
5100	----	----	----	----	----	0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -
5750	----	----	----	#1,789.30B/*1.6	#1789.30B/*1673.60				1711.50 NEW	----	67	----	74	----	0 UNCH
TOTAL													10222	70	0-6202
JUL26															
3000	----	----	----	----	----	0.70A	----		0.30 - 0.10	.0016	----	----	----	----	33 UNCH
3300	----	----	----	----	----	0.20B/*0.40A	----		0.20 - 0.10	.0012	----	----	----	----	1 UNCH
3400	----	----	----	----	----	0.50B/*0.50A	----		0.30 - 0.20	.0021	----	----	----	----	1 UNCH
3500	2.00	2.00		3.90B/*2.00	3.90B/*2.00				2.60 NEW	.0195	----	----	15	----	15 +
3500	----	----	----	1.20B/*0.70A	1.20B/*0.70A	----			0.60 - 0.40	.0046	----	----	----	----	3 UNCH
3500	----	----	----	8.20B/*4.70A	8.20B/*4.70A	----			4.80 - 0.50	.0326	----	----	----	11	UNCH
3500	----	----	----	8.90B/*4.20	8.90B/*4.20	----			4.60 NEW	.0358	----	1	----	1	+
3600	4.20	4.20		14.20B/*7.60A	14.20B/*7.60A	----			8.20 - 0.70	.0562	----	----	----	1	UNCH
3600	----	----	----	2.90B/*1.20A	2.90B/*1.20A	----			1.20 - 0.70	.0104	----	1	----	6	+
3600	1.40	1.40		4.60B/*1.60A	4.60B/*1.60A	----			1.80 NEW	.0164	----	2	----	2	+
3650	----	----	----	16.70B/*7.70A	16.70B/*7.70A	----			8.70 - 0.90	.0686	----	----	----	3	UNCH
3700	----	----	----	7.20B/*2.30A	7.20B/*2.30A	----			2.70 - 1.10	.0258	----	----	----	62	UNCH
3700	----	----	----	25.40B/*12.50A	25.40B/*12.50A	----			14.60 - 0.90	.0982	----	1	----	3	+
3725	----	----	----	19.70B/*8.60A	19.70B/*8.60A	----			10.20 - 1.10	.0805	----	----	----	1	UNCH
3725	----	----	----	8.60B/2.80A	8.60B/2.80A	----			3.30 - 1.30	.0323	----	----	----	12	UNCH
3750	----	----	----	23.10B/10.00A	23.10B/10.00A	----			12.10 - 1.10	.0951	----	----	----	3	UNCH
3750	----	----	----	10.80B/3.30A	10.80B/3.30A	----			4.10 - 1.50	.0409	----	----	----	9	UNCH
3775	5.20	5.20		13.60B/4.10A	13.60B/4.10A	----			5.10 - 1.70	.0517	----	1	----	3	+
3775	----	----	----	37.90B/19.30A	37.90B/19.30A	----			22.70 - 1.00	.1479	----	----	----	3	+
3775	16.20	16.20		27.30B/*11.90A	27.30B/*11.90A	----			14.40 NEW	.1122	----	2	----	2	+
3800	----	----	----	31.90B/14.10A	31.90B/14.10A	----			17.00 - 1.30	.1316	----	----	----	1	UNCH
3800	7.20	7.20		17.00B/5.10A	17.00B/5.10A	----			6.40 - 1.90	.0657	----	6	----	64	+
3800	----	----	----	43.70B/22.30A	43.70B/22.30A	----			26.30 - 1.00	.1689	----	2	----	3	+
3825	12.60	12.60		21.10B/6.20A	21.10B/6.20A	----			8.10 - 2.10	.0837	----	5	----	15	+
3825	----	----	----	50.30B/25.50A	50.30B/25.50A	----			30.30 - 1.10	.1919	----	----	----	1	UNCH
3850	11.10	11.10		26.10B/7.80A	26.10B/7.80A	----			10.30 - 2.30	.1066	----	6	----	18	+
3850	----	----	----	57.20B/29.40A	57.20B/29.40A	----			34.90 - 1.10	.2174	----	----	----	1	UNCH
3875	11.80	11.80		32.20B/9.70A	32.20B/9.70A	----			13.00 - 2.50	.1345	----	9	----	35	+
3900	32.20	32.20		58.50B/27.30A	58.50B/27.30A	----			33.30 - 1.50	.2428	----	11	----	11	+
3900	24.60	24.60		39.50B/12.30A	39.50B/12.30A	----			16.50 - 2.70	.1692	----	20	----	41	+
3925	44.80	44.80		67.50B/32.10A	67.50B/32.10A	----			39.20 - 1.60	.2797	----	2	----	4	+
3925	44.90	44.90		48.20B/15.50A	48.20B/15.50A	----			20.90 - 2.90	.2112	----	6	----	23	+
3925	----	----	----	166.70B/*86.70A	166.70B/*86.70A	----			134.30 - 3.30	.7885	----	----	----	1	UNCH
3950	----	----	----	58.40B/19.40A	58.40B/19.40A	----			26.40 - 3.00	.2610	----	7	----	25	UNCH
3975	----	----	----	88.60B/44.10A	88.60B/44.10A	----			54.10 - 1.50	.3650	----	----	----	2	UNCH
3975	----	----	----	125.70B/*58.80A	125.70B/*58.80A	----			96.60 - 3.50	.6815	----	----	----	1	UNCH
3975	60.30	60.30		70.20B/24.20A	70.20B/24.20A	----			33.10 - 3.10	.3183	----	12	----	19	+
4000	----	----	----	101.80B/51.50A	101.80B/51.50A	----			63.20 - 1.40	.4125	----	1	----	3	+
4000	84.50	84.50		106.80B/*47.30A	106.80B/*47.30A	----			79.70 - 3.60	.6170	----	4	----	3	+
4000	68.10	68.10		84.60B/30.40A	84.60B/30.40A	----			41.20 - 3.20	.3827	----	31	----	28	+
4000	----	----	----	115.60B/65.60A	115.60B/65.60A	----			78.60 - 1.00	.4236	----	----	----	25	UNCH
4025	72.60	72.60		116.00B/60.10A	116.00B/60.10A	----			73.60 - 1.30	.4625	----	10	----	7	+
4025	57.30	57.30		99.90B/37.70A	99.90B/37.70A	----			51.00 - 3.20	.4534	----	9	----	31	+
4025	72.00	72.00		89.10B/*37.60A	89.10B/*37.60A	----			64.50 - 3.50	.5464	----	52	----	50	+
4050	----	----	----	94.90B/*54.10A	94.90B/*54.10A	----			73.90 - 1.50	.4855	----	----	----	12	UNCH
4050	----	----	----	117.00B/46.80A	117.00B/46.80A	----			62.60 - 3.00	.5278	----	----	----	210	UNCH
4050	----	----	----	131.80B/69.90A	131.80B/69.90A	----			85.40 - 1.00	.5141	----	2	----	1	+
4050	35.60	35.60		73.20B/*29.50A	73.20B/*29.50A	----			51.10 - 3.40	.4719	----	6	----	3	+
4075	72.40	72.40		135.50B/57.40A	135.50B/57.40A	----			76.20 - 2.70	.6030	----	3	----	31	+
4075	58.70	58.70		58.90B/*22.80A	58.90B/*22.80A	----			39.70 - 3.20	.3968	----	50	----	69	+
4100	----	----	----	68.90B/*38.20A	68.90B/*38.20A	----			51.60 - 1.00	.3819	----	1	----	76	+
4100	90.00	90.00		166.40B/93.30A	166.40B/93.30A	----			113.00 - 0.70	.6176	----	----	----	1	UNCH
4100	----	----	----	155.40B/70.10A	155.40B/70.10A	----			91.80 - 2.30	.6751	----	3	----	19	+
4100	----	----	----	#177.50B/108.60	177.50B/108.60A				127.90 NEW	.5939	----	1	----	1	+
4100	20.00	20.00		46.60B/*17.50A	46.60B/*17.50A	----			30.30 - 2.80	.3246	----	2	----	32	+
4125	----	----	----	57.70B/*32.00A	57.70B/*32.00A	----			42.60 - 0.70	.3325	----	10	----	70	+
4125	----	----	----	176.40B/84.80A	176.40B/84.80A	----			109.20 - 1.90	.7408	----	----	----	30	UNCH
4125	----	----	----	185.50B/107.60A	185.50B/107.60A	----			129.00 - 0.30	.6670	----	4	----	1	UNCH
4125	15.00	15.00		36.10B/*13.40A	36.10B/*13.40A	----			22.80 - 2.20	.2589	----	1	----	24	UNCH
4125	----	----	----	#195.50B/123.00	195.50B/123.00A				143.10 - 0.10	.6361	----	----	----	0	UNCH
4150	----	----	----	#205.60B/122.60	#205.60B/122.60A				146.20 - 0.10	.7138	----	----	----	1	UNCH
4150	----	----	----	47.90B/*26.60A	47.90B/*26.60A	----			34.80 - 0.50	.2858	----	3	----	3	+
4150	----	----	----	27.50B/*10.30A	27.50B/*10.30A	----			16.90 - 1.80	.2015	----	----	----	7	UNCH
4150	----	----	----	#198.40B/100.90	#198.40B/100.90A				128.40 - 1.30	.7983	----	----	----	21	UNCH
4150	----	----	----	#214.50B/137.60	#214.50B/137.60A				159.40 UNCH	.6765	----	----	----	0	UNCH
4175	----	----	----	#226.70B/139.00	#226.70B/139.00A				164.60 UNCH	.7566	----	1	----	1	UNCH
4175	----	----	----	39.40B/*22.00A	39.40B/*22.00A	----			28.30 - 0.30	.2430	----	11	----	13	+
4175	----	----	----	53.10B/*32.40A	53.10B/*32.40A	----			40.60 - 0.20	.2846	----	----	----	2	UNCH
4175	----	----	----	#221.50B/119.00	#221.50B/119.00A				148.90 - 1.00	.8455	----	2	----	1	UNCH
4200	10.00	10.00		15.20B/*6.20A	15.20B/*6.20A	----			9.20 - 1.00	.1163	----				

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GWT TUE GOLD WEEKLY TUESDAY OPTION week1																			
JUL26	----	----	----	----	0.30B/*0.60A	----	----	0.30 - 0.10	.0025	----	----	----	----	5	UNCH	2			
4650	----	----	----	----	1.20B/*1.70A	----	----	1.50 - 0.10	.0134	----	----	2	----	4 +	2	UNCH			
4650	----	----	----	----	1.10B/*1.60A	----	----	1.40 - 0.10	.0122	----	----	----	----	2	UNCH	2			
4675	----	----	----	----	0.30B/*0.60A	----	----	0.30 - 0.10	.0025	----	----	----	----	1	UNCH	1			
4675	----	----	----	----	0.30B/*0.50A	----	----	0.30 - 0.10	.0024	----	----	----	----	5	UNCH	5			
4700	----	----	----	----	0.20B/*0.50A	----	----	0.20 - 0.10	.0016	----	----	----	----	4	UNCH	4			
4725	----	----	----	----	0.90B/*1.50A	----	----	1.20 UNCH	.0102	----	----	----	----	5	UNCH	5			
4725	----	----	----	----	0.20B/*0.50A	----	----	0.20 - 0.10	.0015	----	----	----	----	5	UNCH	5			
4750	----	----	----	----	----/*0.50A	----	----	0.20 - 0.10	.0015	----	----	----	----	1	UNCH	1			
4775	----	----	----	----	0.80B/*1.40A	----	----	1.00 NEW	.0083	----	----	4	----	4 +	4	UNCH			
4775	----	----	----	----	0.80B/*1.30A	----	----	1.00 UNCH	.0081	----	----	----	----	4	UNCH	4			
4800	----	----	----	----	0.20B/*0.40A	----	----	0.20 - 0.10	.0014	----	----	----	----	3	UNCH	3			
4800	----	----	----	----	----/*0.40A	----	----	0.10 - 0.10	.0006	----	----	----	----	2	UNCH	2			
4900	----	----	----	----	0.40B/*1.00A	----	----	0.50 - 0.10	.0037	----	----	----	----	9	UNCH	9			
5000	----	----	----	----	----/*0.40A	----	----	0.10 - 0.10	.0002	----	----	----	----	1	UNCH	1			
TOTAL												403		1743 +	279				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GWR THU GOLD WEEKLY THURSDAY OPTION week3																			
JUL26	----	----	----	0.40B/-----	0.40B/0.70A	----	----	0.30 UNCH	.0017	----	----	----	----	40	UNCH	5			
3000	0.80	0.80		#0.80/*0.80	0.90B/*0.80	----	----	0.80 NEW	.0050	----	----	5	----	5 +	5	UNCH			
3200	----	----	----	----	0.40B/*0.60A	----	----	0.40 - 0.10	.0024	----	----	----	----	4	UNCH	4			
3250	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH	6			
3250	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH	1			
3300	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	.0000	----	----	1	----	17 -	1	UNCH			
3400	----	----	----	1.20B/*0.90A	1.20B/*0.90A	----	----	0.80 - 0.30	.0056	----	----	----	----	1	UNCH	1			
3400	----	----	----	2.60B/2.30A	2.60B/2.30A	----	----	2.10 - 0.40	.0145	----	----	----	----	1	UNCH	1			
3400	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	0.10 - 0.20	.0001	----	----	1	----	30	UNCH	30			
3500	----	----	----	2.30B/*1.30A	2.30B/*1.30A	----	----	1.30 - 0.50	.0100	----	----	1	----	12	UNCH	12			
3500	0.50	0.50		0.60B/*0.20A	0.60B/*0.20A	----	----	0.20 - 0.40	.0005	----	----	1	----	50 +	1	UNCH			
3600	2.40	2.40		5.10B/*2.20A	5.10B/*2.20A	----	----	2.40 - 0.80	.0201	----	----	3	----	8 +	3	UNCH			
3600	----	----	----	16.70B/*8.80A	16.70B/*8.80A	----	----	9.60 - 0.80	.0628	----	----	----	----	3	UNCH	3			
3625	0.70	0.70		0.90B/*0.20A	0.90B/*0.20A	----	----	0.30 - 0.40	.0009	----	----	2	----	25	UNCH	25			
3640	0.50	0.50		#0.50/*0.30A	#0.80B/*0.30A	----	----	0.30 NEW	.0009	----	----	1	----	1 +	1	UNCH			
3650	----	----	----	1.30B/*0.40A	1.30B/*0.40A	----	----	0.30 - 0.60	.0010	----	----	----	----	8	UNCH	8			
3665	0.40	0.40		1.50B/*0.40	1.50B/*0.40	----	----	0.40 - 0.60	.0014	----	----	2	----	10	UNCH	10			
3675	----	----	----	8.90B/*3.40A	8.90B/*3.40A	----	----	4.00 - 1.10	.0351	----	----	----	----	1	UNCH	1			
3700	----	----	----	377.20B/*263.10	377.20B/*263.10A	----	----	339.10 - 1.00	.9974	----	----	----	----	1	UNCH	1			
3700	----	----	----	10.80B/4.10A	10.80B/4.10A	----	----	4.80 - 1.20	.0426	----	----	----	----	7	UNCH	7			
3700	----	----	----	28.70B/14.40A	28.70B/14.40A	----	----	16.90 - 0.90	.1076	----	----	----	----	1	UNCH	1			
3700	2.20	2.20		2.60B/*0.50A	2.60B/*0.50A	----	----	0.60 - 0.70	.0026	----	----	17	----	65 +	3	UNCH			
3705	----	----	----	#372.20B/*258.3	372.20B/*258.30A	----	----	334.10 - 1.10	.9973	----	----	----	----	1	UNCH	1			
3710	----	----	----	#2.90B/*0.60A	2.90B/*0.60A	----	----	0.60 - 0.80	.0027	----	----	----	----	34	UNCH	34			
3725	20.00	20.00		23.50B/10.80A	23.50B/10.80A	----	----	12.80 - 1.10	.0939	----	----	1	----	1 -	1	UNCH			
3725	----	----	----	13.20B/4.80A	13.20B/4.80A	----	----	5.80 - 1.30	.0520	----	----	----	----	1	UNCH	1			
3725	1.20	1.20		3.50B/*0.70A	3.50B/*0.70A	----	----	0.70 - 0.90	.0033	----	----	2	----	4	UNCH	4			
3730	0.90	0.90		#3.80B/*0.70A	3.80B/*0.70A	----	----	0.80 NEW	.0040	----	----	10	----	10 +	10	UNCH			
3740	----	----	----	#4.30B/*0.80A	4.30B/*0.80A	----	----	0.90 - 0.90	.0047	----	----	----	----	4	UNCH	4			
3745	----	----	----	#4.50B/*0.90A	4.50B/*0.90A	----	----	0.90 - 1.00	.0048	----	----	----	----	1	UNCH	1			
3750	4.40	4.40		4.90B/*0.90	4.90B/*0.90	----	----	1.00 - 1.00	.0055	----	----	22	----	51 +	2	UNCH			
3750	7.50	7.50		16.00B/5.80A	16.00B/5.80A	----	----	7.00 - 1.50	.0632	----	----	4	----	17 +	4	UNCH			
3750	22.20	22.20		37.20B/19.00A	37.20B/19.00A	----	----	22.40 - 1.00	.1396	----	----	12	----	13 +	12	UNCH			
3750	----	----	----	27.40B/12.60A	27.40B/12.60A	----	----	15.00 - 1.20	.1093	----	----	----	----	1	UNCH	1			
3770	----	----	----	#6.20B/*1.00A	6.20B/*1.00A	----	----	1.20 NEW	.0072	----	----	1	----	1 +	1	UNCH			
3775	9.00	9.00		19.40B/6.90A	19.40B/6.90A	----	----	8.50 - 1.60	.0771	----	----	4	----	6 +	4	UNCH			
3775	1.70	1.70		6.60B/*1.10A	6.60B/*1.10A	----	----	1.30 - 1.20	.0080	----	----	25	----	24 +	15	UNCH			
3775	----	----	----	31.80B/14.80A	31.80B/14.80A	----	----	17.60 - 1.30	.1271	----	----	----	----	3	UNCH	3			
3785	----	----	----	#7.50B/*1.20A	7.50B/*1.20A	----	----	1.40 NEW	.0091	----	----	1	----	1 +	1	UNCH			
3790	----	----	----	#7.90B/*1.30A	7.90B/*1.30A	----	----	1.50 - 1.50	.0100	----	----	----	----	1	UNCH	1			
3800	18.00	18.00		36.80B/17.30A	36.80B/17.30A	----	----	20.60 - 1.40	.1473	----	----	21	----	22 +	21	UNCH			
3800	10.00	10.00		10.00B/*1.40A	10.00B/*1.40A	----	----	1.70 - 1.60	.0119	----	----	23	----	127 +	13	UNCH			
3800	----	----	----	23.40B/8.30A	23.40B/8.30A	----	----	10.40 - 1.80	.0944	----	----	----	----	54	UNCH	54			
3800	----	----	----	48.20B/25.00A	48.20B/25.00A	----	----	29.50 - 1.10	.1792	----	----	----	----	11	UNCH	11			
3810	7.70	7.70		#10.00B/*1.50	10.00B/*1.50	----	----	1.90 NEW	.0139	----	----	3	----	2 +	2	UNCH			
3820	2.20	2.20		#11.20B/*1.70A	11.20B/*1.70A	----	----	2.20 NEW	.0169	----	----	6	----	6 +	6	UNCH			
3825	----	----	----	11.90B/*1.80A	11.90B/*1.80A	----	----	2.30 - 2.00	.0181	----	----	1	----	116	UNCH	116			
3825	----	----	----	253.30B/*147.40	253.30B/*147.40A	----	----	215.80 - 2.30	.9818	----	----	----	----	1	UNCH	1			
3825	----	----	----	54.70B/28.60A	54.70B/28.60A	----	----	33.70 - 1.30	.2019	----	----	----	----	13	UNCH	13			
3825	11.50	11.50		28.20B/10.10A	28.20B/10.10A	----	----	12.80 - 1.80	.1156	----	----	1	----	8 +	1	UNCH			
3825	21.10	21.10		42.50B/20.20A	42.50B/20.20A	----	----	24.20 - 1.40	.1706	----	----	12	----	12 +	11	UNCH			
3835	----	----	----	#13.40B/*2.00A	13.40B/*2.00A	----	----	2.60 - 1.20	.0214	----	----	----	----	1	UNCH	1			
3840	----	----	----	#14.20B/*2.10A	14.20B/*2.10A	----	----	2.80 - 2.20	.0236	----	----	1	----	13 +	1	UNCH			
3845	3.00	3.00		#15.00B/*2.30A	15.00B/*2.30A	----	----	3.00 - 2.30	.0258	----	----	2	----	1	UNCH	1			
3850	----	----	----	33.90B/12.30A	33.90B/12.30A	----	----	15.70 - 1.90	.1407	----	----	1	----	6 -	1	UNCH			
3850	----	----	----	228.90B/*126.80	228.90B/*126.80A	----	----	191.70 - 2.80	.9717	----	----	----	----	1	UNCH	1			
3850	11.80	11.80		15.90B/*2.40	15.90B/*2.40	----	----	3.20 - 2.40	.0282	----	----	10	----	88 +	7	UNCH			
3850	24.70	24.70		49.10B/23.50A	49.10B/23.50A	----	----	28.30 - 1.40	.1965	----	----	4	----	6 +	2	UNCH			
3850	----	----	----	62.00B/32.60A	62.00B/32.60A	----	----	38.60 - 1.30	.2273	----	----	----	----	6	UNCH	6			
3855	----	----	----	#16.80B/*2.60A	16.80B/*2.60A	----	----	3.40 - 2.50	.0306	----	----	1	----	2 +	1	UNCH			
3860	----	----	----	#17.70B/*2.70A	17.70B/*2.70A	----	----	3.70 - 2.60	.0340	----	----	1	----	2	UNCH	2			
3865	3.50	3.50		#18.70B/*2.90A	18.70B/*2.90A	----	----	3.90 - 2.80	.0366	----	----	1	----	24 +	1	UNCH			
3870	----	----	----	#19.80B/*3.10A	19.80B/*3.10A	----	----	4.20 NEW	.0402	----	----	2	----	1 +	1	UNCH			
3875	29.80	29.80		56.60B/27.40A	56.60B/27.40A	----	----	33.10 - 1.40	.2257	----	----	3	----	3 +	2	UNCH			
3875	5.70	5.70		20.90B/*3.30A	20.90B/*3.30A	----	----	4.50 - 3.00	.0440	----	----	8	----	61 +	5	UNCH			
3875	----	----	----	70.00B/37.20A	70.00B/37.20A	----	----	44.10 - 1.40	.2549	----	----	----	----	6	UNCH	6			
3875	----	----	----	204.70B/*106.90	204.70B/*106.90A	----	----	168.00 - 3.30	.9559	----	----	----	----	1	UNCH	1			
3875	----	----	----	40.60B/14.90A	40.60B/14.90A	----	----	19.20 - 2.00	.1703	----	----	----	----	9	UNCH	9			
3880	----	----	----	#22.00B/*3.50A	22.00B/*3.50A	----	----	4.90 - 3.00	.0487	----	----	----	----	22	UNCH	22			
3885	----	----	----	#23.20B/*3.70A	23.20B/*3.70A	----	----	5.20 - 3.20	.0528	----	----	----	----	2	UNCH	2			
3890	5.90	5.90		#24.50B/*4.00A	24.50B/*4.00A	----	----	5.60 - 3.30	.0578	----	----	1	----	2 +	1	UNCH			
3895	----	----	----	#25.80B/*4.20A	25.80B/*4.20A	----	----	6.00 - 3.40	.0631	----	----	2	----	3	UNCH	3			
3900	----	----	----	78.40B/42.30A	78.40B/42.30A	----	----	50.30 - 1.40	.2848	----	----	----	----	13	UNCH	13			
3900	21.40	21.40																	



G664 BULLETIN #124@				METALS OPTION PRODUCTS							Tue, Jun 30, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU GOLD WEEKLY THURSDAY OPTION Week3																
JUL26																
4350	----	----		11.20B/*7.60A	11.20B/*7.60A	----			8.60 + 0.20	.0809	----	----	----	----	3	UNCH
4350	0.50	0.50		0.60/*0.50	0.60/*0.50	----			0.50 - 0.30	.0025	----	----	3	----	71 +	2
4350	----	----		18.10B/*12.20A	18.10B/*12.20A	----			14.10 + 0.50	.1136	----	----	1	----	8 -	1
4350	4.50	4.50		4.70B/*3.10A	4.70B/*3.10A	----			3.50 - 0.10	.0395	----	----	3	----	9 +	2
4350	----	----		#391.70B/277.90	#391.70B/277.90A	----			314.80 + 0.30	.9603	----	----	----	----	1	UNCH
4350	----	----		323.80B/280.10A	323.80B/280.10A	----			312.00 + 0.10	.9974	----	----	1	----	3 -	1
4355	0.50	0.50		#0.50/*0.50	0.50/*0.50	----			0.50 NEW	.0025	----	----	2	----	2 +	2
4375	1.00	1.00		1.00/*0.40	1.00/*0.40	----			0.40 - 0.30	.0018	----	----	6	----	22 +	5
4375	----	----		348.70B/305.00A	348.70B/305.00A	----			336.90 + 0.20	.9982	----	----	----	----	10	UNCH
4375	----	----		3.70B/*2.50A	3.70B/*2.50A	----			2.90 - 0.10	.0323	----	----	----	----	5	UNCH
4400	----	----		372.40B/329.70A	372.40B/329.70A	----			361.80 + 0.20	.9988	----	----	----	----	8	UNCH
4400	----	----				----			363.70 + 0.30	.9734	----	----	----	----	1	UNCH
4400	----	----		12.80B/*9.40A	12.80B/*9.40A	----			10.30 + 0.40	.0853	----	----	----	----	2	UNCH
4400	----	----		2.90B/*2.20A	2.90B/*2.20A	----			2.40 - 0.20	.0264	----	----	----	----	26	UNCH
4400	----	----		7.60B/*5.60A	7.60B/*5.60A	----			6.10 + 0.20	.0581	----	----	2	----	2 +	2
4400	----	----		----/0.50A	0.30B/0.50A	----			0.30 - 0.30	.0012	----	----	----	----	462	UNCH
4420	0.30	0.30		0.30/*0.30	0.30/*0.30	----			0.20 - 0.30	.0007	----	10	----	----	10	UNCH
4425	----	----		----/*0.40A	0.20B/*0.40A	----			0.20 - 0.30	.0006	----	----	----	----	4	UNCH
4425	9.60	9.60		10.90B/*8.10A	10.90B/*8.10A	----			8.90 NEW	.0743	----	4	----	----	4 +	4
4425	----	----		6.00B/----	6.00B/5.10A	----			5.30 + 0.20	.0503	----	----	----	----	7	UNCH
4425	----	----		2.40B/*1.90A	2.40B/*1.90A	----			2.00 - 0.20	.0217	----	----	----	----	1	UNCH
4425	----	----		398.80B/354.80A	398.80B/354.80A	----			386.70 + 0.20	.9993	----	----	----	----	3	UNCH
4450	----	----		2.00B/*1.70A	2.00B/*1.70A	----			1.70 - 0.20	.0181	----	----	----	----	11	UNCH
4450	----	----		5.00B/----	5.00B/4.40A	----			4.50 + 0.10	.0428	----	----	----	----	1	UNCH
4450	----	----		9.30B/*7.10A	9.30B/*7.10A	----			7.70 + 0.40	.0647	----	----	----	----	30	UNCH
4450	----	----				----			413.00 + 0.20	.9818	----	----	----	----	2	UNCH
4450	----	----		----/*0.30A	0.20B/*0.30A	----			0.20 - 0.20	.0006	----	----	----	----	419	UNCH
4450	----	----		422.60B/379.60A	422.60B/379.60A	----			411.70 + 0.30	.9994	----	----	----	----	10	UNCH
4455	----	----		----/*0.30A	0.20B/*0.30A	----			0.20 - 0.20	.0006	----	----	----	----	2	UNCH
4475	----	----		----	----/*0.40A											

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

PG64	BULLETIN #124@										METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
GMW MON JUL26	GOLD WEEKLY MONDAY OPTION WEEK1																						
4750	----	----	----	----	----	---/*0.40A	----	----	0.20 - 0.20	.0014	----	----	----	----	6	UNCH							
4775	----	----	----	----	0.70B/*1.20A	----	----	----	0.90 UNCH	.0074	----	----	----	----	5	UNCH							
4775	----	----	----	----	---/*0.40A	----	----	----	0.20 - 0.10	.0013	----	----	----	----	5	UNCH							
4800	----	----	----	----	---/*0.20A	0.10B/*0.20A	----	----	0.20 - 0.10	.0013	----	----	----	----	10	UNCH							
4900	----	----	----	----	----	---/*0.30A	----	----	0.10 - 0.10	.0006	----	----	----	----	32	UNCH							
5000	----	----	----	----	----	---/*0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	1	UNCH							
5000	----	----	----	----	0.30B/*0.90A	----	----	----	0.60 UNCH	.0043	----	----	----	----	10	UNCH							
5100	----	----	----	----	---/0.30A	----	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH							
TOTAL													746		5227 +	518							
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
FMG OPT JUL26	MICRO GOLD WEEKLY FRI OPTION WEEK3																						
4100	65.00	65.00		#68.00/*65.00	68.00/*65.00	----	----	----	60.40 NEW	.3967	----	----	2 2	----	0	UNCH							
TOTAL													2		0	0							
SILVER OPTIONS ON FUTURES																							
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
RWS THU JUL26	SILVER WEEKLY THURSDAY OPTION week1																						
5000	0.030	0.030		0.030/0.030	0.030/0.030	----	----	----	0.014 - 0.031	.0019	----	----	2	----	5 -	2							
5200	----	----	----	-----/0.211A	0.276B/0.211A	----	----	----	0.148 - 0.147	.0504	----	----	----	----	3	UNCH							
5200	----	----	----	----/*0.075A	0.027B/*0.075A	----	----	----	0.029 - 0.052	.0056	----	----	----	----	1	UNCH							
5250	----	----	----	----/*0.080A	0.030B/*0.080A	----	----	----	0.035 - 0.060	.0074	----	----	----	----	1	UNCH							
5400	----	----	----	----/*0.112A	0.154B/*0.112A	----	----	----	0.065 - 0.098	.0179	----	----	----	----	1	UNCH							
5450	----	----	----	----/*0.125A	0.195B/*0.125A	----	----	----	0.080 NEW	.0240	----	----	5	----	5 +	5							
5500	----	----	----	0.849B/0.398A	0.849B/0.398A	----	----	----	0.374 - 0.301	.1299	----	----	----	----	7	UNCH							
5500	----	----	----	0.283B/0.141A	0.283B/0.141A	----	----	----	0.100 - 0.146	.0325	----	----	----	----	2	UNCH							
5500	----	----	----	6.078B/3.427A	6.078B/3.427A	----	----	----	5.293 + 0.989	.8700	----	----	----	----	1	UNCH							
5550	0.447	0.447		0.447/*0.110A	0.447/*0.110A	----	----	----	0.125 - 0.180	.0440	----	----	7	----	7 +	5							
5560	----	----	----	0.422B/*0.167A	0.422B/*0.167A	----	----	----	0.131 - 0.187	.0469	----	----	----	----	6	UNCH							
5570	----	----	----	0.448B/*0.172A	0.448B/*0.172A	----	----	----	0.137 - 0.196	.0498	----	----	----	----	11	UNCH							
5580	----	----	----	0.472B/*0.177A	0.472B/*0.177A	----	----	----	0.144 - 0.204	.0531	----	----	----	----	6	UNCH							
5600	0.200	0.200		0.532B/0.183A	0.532B/0.183A	----	----	----	0.158 - 0.222	.0600	----	----	5	----	6 -	3							
5700	0.874	0.874		0.915B/0.244A	0.915B/0.244A	----	----	----	0.256 - 0.337	.1104	----	----	4	----	4 -	3							
5750	----	----	----	3.460B/*1.190A	3.460B/*1.190A	----	----	----	2.750 + 0.879	.8513	----	----	----	----	5	UNCH							
5750	----	----	----	1.168B/0.303A	1.168B/0.303A	----	----	----	0.328 - 0.411	.1486	----	----	----	----	4	UNCH							
5780	----	----	----	#1.303B/*0.340A	1.303B/*0.340A	----	----	----	0.381 - 0.460	.1767	----	----	----	----	1	UNCH							
5800	1.258	1.258		1.355B/0.368A	1.355B/0.368A	----	----	----	0.422 - 0.494	.1981	----	4	----	----	50 +	2							
5800	----	----	----	3.024B/*0.983A	3.024B/*0.983A	----	----	----	2.344 NEW	.8019	----	2	----	----	2 +	2							
5800	----	----	----	3.546B/*1.643A	3.546B/*1.643A	----	----	----	2.924 NEW	.6858	----	2	----	----	2 +	2							
5850	0.497	0.497		1.688B/0.415	1.688B/0.415	----	----	----	0.541 NEW	.2594	----	7	----	----	7 +	7							
5900	0.500	0.500		2.051B/0.500	2.051B/0.500	----	----	----	0.692 - 0.680	.3330	----	4	----	----	15 +	4							
5900	----	----	----	2.651B/1.160A	2.651B/1.160A	----	----	----	1.368 - 0.688	.4004	----	----	----	----	4	UNCH							
5900	----	----	----	2.821B/*1.250A	2.821B/*1.250A	----	----	----	2.289 + 0.600	.5995	----	----	----	----	5	UNCH							
5900	----	----	----	2.191B/*0.649A	2.191B/*0.649A	----	----	----	1.614 + 0.610	.6669	----	----	----	----	10	UNCH							
5940	----	----	----	#1.858B/*0.557A	1.858B/*0.557A	----	----	----	1.361 + 0.534	.6005	----	----	----	----	6	UNCH							
5950	1.000	1.000		2.449B/0.674A	2.449B/0.674A	----	----	----	0.880 - 0.775	.4169	----	1	----	----	5 +	1							
5950	1.190	1.190		1.801B/*0.530A	1.801B/*0.530A	----	----	----	1.302 + 0.515	.5830	----	4	----	----	8 +	4							
5950	2.205	2.205		2.996B/1.331A	2.996B/1.331A	----	----	----	1.585 NEW	.4463	----	42	----	----	41 +	41							
6000	1.647	1.647		2.881B/0.800	2.881B/0.800	----	----	----	1.107 - 0.868	.5069	----	2	----	----	2 +	2							
6000	0.302	0.302		1.500/*0.302	1.500/*0.302	----	----	----	1.029 + 0.421	.4930	----	26	----	----	14 -	20							
6000	2.155	2.155		3.360B/1.529A	3.360B/1.529A	----	----	----	1.827 - 0.799	.4931	----	6	----	----	8 +	3							
6000	1.591	1.591		2.222B/*0.955A	2.222B/*0.955A	----	----	----	1.749 NEW	.5068	----	60	----	----	60 +	60							
6030	0.400	0.400		#1.319B/*0.391A	1.319B/*0.391A	----	----	----	0.885 + 0.368	.4381	----	10	----	----	0 -	10							
6050	----	----	----	1.930B/*0.824A	1.930B/*0.824A	----	----	----	1.516 NEW	.4600	----	2	----	----	2 +	2							
6080	0.798	0.798		#1.042B/*0.340A	1.042B/*0.340A	----	----	----	0.679 NEW	.3495	----	1	----	----	1 +	1							
6100	0.900	0.900		0.940B/*0.309A	0.940B/*0.309A	----	----	----	0.607 + 0.254	.3159	----	1	----	----	5 +	1							
6100	----	----	----	1.678B/*0.722A	1.678B/*0.722A	----	----	----	1.308 + 0.387	.4140	----	----	----	----	2	UNCH							
6110	0.976	0.976		#0.976/*0.301A	0.976/*0.301A	----	----	----	0.574 NEW	.2998	----	1	----	----	1 +	1							
6150	0.765	0.765		0.785/0.765	0.785/*0.275A	----	----	----	0.456 + 0.186	.2399	----	2	----	----	4 +	2							
6200	0.345	0.345		0.523B/0.322	0.523B/*0.216A	----	----	----	0.338 + 0.128	.1762	----	30	----	----	32 +	30							
6200	----	----	----	1.218B/*0.556A	1.218B/*0.556A	----	----	----	0.962 + 0.297	.3278	----	----	----	----	1	UNCH							
6220	0.210	0.210		#0.466B/*0.210	0.466B/*0.210	----	----	----	0.300 NEW	.1549	----	1	----	----	1 +	1							
6250	----	----	----	0.387B/----	0.387B/0.193A	----	----	----	0.250 + 0.081	.1265	----	1	----	----	1	UNCH							
6280	0.190	0.190		#0.303B/*0.171A	0.303B/*0.171A	----	----	----	0.208 NEW	.1026	----	1	----	----	1 +	1							
6300	0.250	0.250		0.266B/0.210	0.266B/*0.158A	----	----	----	0.184 NEW	.0890	----	2	----	----	2 +	2							
6350	----	----	----	0.184B/----	0.184B/0.150A	----	----	----	0.137 + 0.016	.0623	----	----	----	----	1	UNCH							
6350	----	----	----	0.742B/*0.390A	0.742B/*0.390A	----	----	----	0.596 + 0.190	.2202	----	----	----	----	1	UNCH							
6400	----	----	----	0.990B/*0.644A	0.990B/*0.644A	----	----	----	0.919 + 0.251	.2607	----	----	----	----	1	UNCH							
6500	0.065	0.065		0.065/*0.065	0.065/*0.065	----	----	----	0.062 - 0.017	.0221	----	1	----	----	7 +	1							
6550	----	----	----	8.298B/5.186A	8.298B/5.186A	----	----	----	5.894 - 1.187	.8754	----	----	----	----	6	UNCH							
6600	----	----	----	----	0.005B/0.078A	----	----	----	0.042 - 0.008	.0126	----	----	----	----	9	UNCH							
6600	----	----	----	8.725B/5.311A	8.725B/5.311A	----	----	----	6.120 - 1.296	.9873	----	----	----	----	2	UNCH							
6600	----	----	----	0.305B/----	0.305B/0.246A	----	----	----	0.277 + 0.087	.1082	----	----	----	----	3	UNCH							
6650	----	----	----	---/5.795A	7.348B/5.795A	----	----	----	6.613 - 1.288	.9903	----	----	----	----	1	UNCH							
6650	----	----	----	----	0.001B/0.072A	----	----	----	0.035 UNCH	.0096	----	----	----	----	1	UNCH							
6700	----	----	----	----	---/0.071A	----	----	----	0.031 + 0.009	.0078	----	----	----	----	1	UNCH							
6700	----	----	----	----	----	----	----	----	7.109 - 1.279	.9921	----	----	----	----	5	UNCH							
6800	----	----	----	----	---/0.073A	----	----	----	0.025 + 0.019	.0054													

	BULLETIN #124@				METALS OPTION PRODUCTS							Tue, Jun 30, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK5														
JUN26															
5910	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5920	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5930	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5950	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5970	----	----	----	----	----	1.068	UNCH	----	----	----	----	0	UNCH		
5980	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5990	----	----	----	----	----	1.2298/0.380	UNCH	----	----	----	----	0	UNCH		
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6020	----	----	----	----	----	1.368	UNCH	----	----	----	----	0	UNCH		
6040	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6100	----	----	----	----	----	2.368	UNCH	----	----	----	----	0	UNCH		
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6230	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6300	----	----	----	----	----	4.368	UNCH	----	----	----	----	0	UNCH		
TOTAL											0	0			
JUL26															
4500	----	----	----/*0.084A	----/0.077A	----	0.006	- 0.004	.0015	----	----	----	1	UNCH		
5000	----	----		0.0408/*0.084A	----	0.053	- 0.033	.0168	----	----	----	1	UNCH		
5500	0.450	0.450	0.5248/0.200	0.5248/0.200	----	0.232	- 0.184	.0924	----	10	----	6 +	5		
5600	0.325	0.325	0.8218/0.316A	0.8218/0.316A	----	0.330	- 0.265	.1339	----	1	----	4 +	1		
5700	0.730	0.730	1.2298/0.380	1.2298/0.380	----	0.477	- NEW	.1937	----	121	----	120 +	120		
5750	----	----	1.4768/0.503A	1.4768/0.503A	----	0.575	- 0.442	.2316	----	----	----	15	UNCH		
5750	----	----	3.6668/*1.481A	3.6668/*1.481A	----	2.996	+ 0.848	.7683	----	----	----	5	UNCH		
5800	----	----	1.6888/0.592A	1.6888/0.592A	----	0.694	- 0.515	.2753	----	----	----	1	UNCH		
5800	----	----	3.2518/*1.265A	3.2518/*1.265A	----	2.615	+ 0.775	.7246	----	----	----	2	UNCH		
5850	----	----	2.8268/*1.061A	2.8268/*1.061A	----	2.257	+ 0.696	.6753	----	----	----	1	UNCH		
5900	----	----	#3.2048/*1.970A	3.2048/*1.970A	----	3.032	+ 0.631	.5793	----	----	----	1	UNCH		
5950	----	----	2.0978/*0.762A	2.0978/*0.762A	----	1.625	+ 0.534	.5622	----	----	----	6	UNCH		
5950	----	----	2.6798/0.968A	2.6798/0.968A	----	1.203	- 0.755	.4377	----	----	----	14	UNCH		
6000	----	----	2.3398/*1.168A	2.3398/*1.168A	----	1.982	+ 0.520	.5098	----	----	----	1	UNCH		
6000	2.736	2.736	3.8508/*2.386A	3.8508/*2.386A	----	2.575	- NEW	.4843	----	1	----	1 +	1		
6000	----	----	1.7758/*0.642A	1.7758/*0.642A	----	1.355	+ 0.455	.5011	----	----	----	10	UNCH		
6050	----	----	1.5288/*0.542A	1.5288/*0.542A	----	1.117	+ 0.379	.4392	----	----	----	1	UNCH		
6100	0.749	0.749	1.2658/*0.469A	1.2658/*0.469A	----	0.913	+ 0.311	.3788	----	1	----	0 -	1		
6200	0.561	0.561	0.8258/*0.337A	0.8258/*0.337A	----	0.595	+ 0.198	.2691	----	2	----	14 +	2		
6250	----	----	----/3.275A	3.9058/3.275A	----	3.587	- 0.987	.6845	----	----	----	1	UNCH		
6300	0.325	0.325	0.5258/*0.240A	0.5258/*0.240A	----	0.384	- NEW	.1829	----	35	----	35 +	35		
6350	----	----	0.4078/----	0.4078/*0.227A	----	0.309	+ 0.094	.1493	----	----	----	13	UNCH		
6400	----	----	6.7698/3.644A	6.7698/3.644A	----	4.326	- 1.216	.8783	----	----	----	6	UNCH		
6400	----	----	0.3168/----	0.3168/*0.192A	----	0.250	+ 0.073	.1216	----	----	----	13	UNCH		
6500	----	----	0.5008/----	0.5008/*0.374A	----	0.509	+ 0.159	.1762	----	----	----	1	UNCH		
6500	----	----	7.7538/4.490A	7.7538/4.490A	----	5.243	- 1.244	.9190	----	----	----	1	UNCH		
6600	----	----	0.0978/----	0.0978/0.132A	----	0.115	+ 0.027	.0545	----	----	----	4	UNCH		
6700	----	----	----/6.356A	8.2968/6.356A	----	7.157	- 1.271	.9619	----	----	----	1	UNCH		
6800	----	----	----	0.1638/*0.233A	----	0.251	+ 0.076	.0891	----	----	----	1	UNCH		
7250	----	----	----	----/*0.071A	----	0.020	+ 0.002	.0072	----	----	----	1	UNCH		
TOTAL										171	0	281 +	163		
SO CALL	COMEX SILVER OPTIONS														
AUG26															
4000	----	----	20.6818/----	20.6818/18.987A	----	19.972	+ 1.253	.9839	----	----	----	7	UNCH		
5000	----	----	11.2328/8.016A	11.2328/8.016A	----	10.369	+ 1.103	.9015	----	----	----	9	UNCH		
5400	----	----	7.7058/4.950A	7.7058/4.950A	----	6.928	+ 0.954	.7982	----	----	----	5	UNCH		
5425	----	----	7.4988/4.780A	7.4988/4.780A	----	6.729	+ 0.941	.7895	----	----	----	3	UNCH		
5450	----	----	7.2948/4.614A	7.2948/4.614A	----	6.533	+ 0.929	.7805	----	----	----	2	UNCH		
5475	----	----	7.0938/4.451A	7.0938/4.451A	----	6.339	+ 0.917	.7711	----	----	----	1	UNCH		
5500	5.502	5.502	6.8928/4.291A	6.8928/4.291A	----	6.148	+ 0.904	.7615	----	2	----	5 +	2		
5525	----	----	6.6948/4.135A	6.6948/4.135A	----	5.959	+ 0.891	.7516	----	----	----	1	UNCH		
5550	----	----	6.4988/3.940A	6.4988/3.940A	----	5.773	+ 0.877	.7415	----	----	----	1	UNCH		
5650	----	----	5.7388/3.374A	5.7388/3.374A	----	5.057	+ 0.820	.6981	----	----	----	6	UNCH		
5675	----	----	5.5598/3.239A	5.5598/3.239A	----	4.885	+ 0.804	.6866	----	----	----	2	UNCH		
5700	3.314	3.314	5.3798/3.109A	5.3798/3.109A	----	4.717	+ 0.789	.6749	----	8	----	15	UNCH		
5725	----	----	5.2038/2.983A	5.2038/2.983A	----	4.552	+ 0.774	.6630	----	----	----	1	UNCH		
5750	2.924	2.924	5.0318/2.860A	5.0318/2.860A	----	4.390	+ 0.758	.6508	----	6	----	19 +	5		
5775	3.042	3.042	4.8618/2.740A	4.8618/2.740A	----	4.232	+ 0.742	.6384	----	4	----	3 +	2		
5800	2.738	2.738	4.6938/2.626A	4.6938/2.626A	----	4.077	+ 0.726	.6259	----	10	----	45 -	3		
5825	2.622	2.622	4.5308/2.513A	4.5308/2.513A	----	3.925	+ 0.709	.6131	----	3	----	6 -	1		
5850	2.509	2.509	4.3628/2.403A	4.3628/2.403A	----	3.777	+ 0.692	.6002	----	2	----	44	UNCH		
5875	2.400	2.400	4.2038/*2.295A	4.2038/*2.295A	----	3.633	+ 0.676	.5871	----	1	----	5	UNCH		
5900	----	----	4.0538/*2.195A	4.0538/*2.195A	----	3.492	+ 0.659	.5739	----	2	----	101	UNCH		
5925	----	----	3.9038/*2.099A	3.9038/*2.099A	----	3.355	+ 0.642	.5607	----	----	----	11	UNCH		
5950	2.968	2.968	3.760/*2.006A	3.760/*2.006A	----	3.222	+ 0.625	.5473	----	19	----	132 -	15		
5975	2.954	2.954	3.6358/*1.917A	3.6358/*1.917A	----	3.093	+ 0.609	.5338	----	1	----	3	UNCH		
6000	1.950	1.950	3.4948/*1.832A	3.4948/*1.832A	----	2.967	+ 0.591	.5204	----	61	----	413 -	13		
6025	2.618	2.618	3.3598/*1.750A	3.3598/*1.750A	----	2.845	+ 0.574	.5069	----	17	----	16 +	12		
6050	1.834	1.834	3.2258/*1.672A	3.2258/*1.672A	----	2.728	+ 0.558	.4934	----	17	----	67 +	2		
6075	2.386	2.386	3.0978/*1.594A	3.0978/*1.594A	----	2.614	+ 0.541	.4799	----	1	----	27	UNCH		
6100	1.700	1.700	2.9748/*1.525A	2.9748/*1.525A	----	2.504	+ 0.525	.4665	----	8	----	60 +	3		
6125	2.033	2													

PG64	BULLETIN #124@				METALS OPTION PRODUCTS						Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS														
AUG26															
7525	----	----	----	0.298B/----	0.298B/0.241A	----	----	0.274 +	0.052	.0690	----	----	----	11	UNCH
7550	----	----	----	0.289B/----	0.289B/0.236A	----	----	0.267 +	0.049	.0672	----	----	7	37 +	7
7575	----	----	----	0.282B/----	0.282B/0.238A	----	----	0.260 +	0.047	.0654	----	7	----	2	UNCH
7600	0.192	0.192		0.273B/0.192	0.273B/0.192	----	----	0.253 +	0.044	.0636	----	5	----	242 +	5
7625	----	----	----	0.266B/----	0.266B/0.229A	----	----	0.247 +	0.042	.0619	----	----	----	18	UNCH
7650	----	----	----	0.259B/----	0.259B/0.224A	----	----	0.241 +	0.040	.0604	----	7	----	72 +	7
7675	----	----	----	0.248B/----	0.248B/0.219A	----	----	0.235 +	0.038	.0588	----	----	----	74	UNCH
7700	----	----	----	0.235B/----	0.235B/0.215A	----	----	0.229 +	0.035	.0572	----	7	----	174	UNCH
7725	----	----	----	0.229B/----	0.229B/0.210A	----	----	0.223 +	0.033	.0557	----	----	----	9	UNCH
7750	----	----	----	0.223B/----	0.223B/0.211A	----	----	0.218 +	0.031	.0543	----	----	----	497	UNCH
7775	----	----	----	0.218B/----	0.218B/0.202A	----	----	0.213 +	0.030	.0530	----	----	----	31	UNCH
7800	0.177	0.177		0.212B/*0.160A	0.212B/*0.160A	----	----	0.208 +	0.028	.0517	----	8	----	328	UNCH
7825	----	----	----	0.207B/----	0.207B/0.195A	----	----	0.203 +	0.026	.0504	----	----	----	4	UNCH
7850	----	----	----	0.202B/----	0.202B/0.190A	----	----	0.199 +	0.025	.0493	----	----	----	29	UNCH
7875	----	----	----	0.198B/----	0.198B/0.187A	----	----	0.194 +	0.024	.0480	----	----	----	8	UNCH
7900	----	----	----	0.199B/----	0.199B/0.182A	----	----	0.190 +	0.023	.0469	----	----	----	93	UNCH
7925	----	----	----	0.189B/----	0.189B/0.183A	----	----	0.186 +	0.022	.0458	----	----	----	20	UNCH
7950	----	----	----	0.184B/----	0.184B/0.180A	----	----	0.182 +	0.020	.0447	----	----	----	35	UNCH
7975	----	----	----	0.186B/----	0.186B/0.176A	----	----	0.178 +	0.019	.0437	----	----	----	52	UNCH
8000	0.200	0.200		0.200/0.174A	0.200/0.174A	----	----	0.174 +	0.018	.0427	----	20	----	911 -	9
8025	----	----	----	0.178B/----	0.178B/0.170A	----	----	0.170 +	0.016	.0416	----	----	----	5	UNCH
8050	----	----	----	0.168B/----	0.168B/0.167A	----	----	0.167 +	0.016	.0408	----	----	----	22	UNCH
8075	----	----	----	0.164B/----	0.164B/0.164A	----	----	0.164 +	0.015	.0399	----	----	----	8	UNCH
8100	----	----	----	0.160B/----	0.160B/0.159A	----	----	0.160 +	0.014	.0389	----	----	----	36	UNCH
8125	----	----	----	0.157B/----	0.157B/0.156A	----	----	0.157 +	0.013	.0381	----	----	----	13	UNCH
8150	----	----	----	0.160B/----	0.160B/0.154A	----	----	0.154 +	0.012	.0373	----	----	----	44	UNCH
8175	----	----	----	0.152B/----	0.152B/0.151A	----	----	0.151 +	0.011	.0365	----	----	----	4	UNCH
8200	----	----	----	0.147B/----	0.147B/0.150A	----	----	0.148 +	0.010	.0357	----	1	----	89 -	1
8225	----	----	----	0.144B/----	0.144B/0.147A	----	----	0.146 +	0.011	.0351	----	----	----	10	UNCH
8250	----	----	----	0.142B/----	0.142B/0.145A	----	----	0.143 +	0.009	.0344	----	----	----	284	UNCH
8275	----	----	----	0.144B/----	0.144B/0.143A	----	----	0.140 +	0.008	.0336	----	----	----	4	UNCH
8300	----	----	----	0.141B/----	0.141B/*0.139A	----	----	0.138 +	0.008	.0330	----	----	----	119	UNCH
8325	----	----	----	0.138B/----	0.138B/*0.138A	----	----	0.135 +	0.007	.0323	----	----	----	1	UNCH
8350	----	----	----	0.135B/----	0.135B/0.135A	----	----	0.133 +	0.007	.0317	----	----	----	28	UNCH
8375	----	----	----	0.133B/----	0.133B/*0.132A	----	----	0.131 +	0.007	.0311	----	----	----	3	UNCH
8400	----	----	----	0.126B/----	0.126B/0.134A	----	----	0.128 +	0.005	.0304	----	----	----	172	UNCH
8425	----	----	----	0.128B/----	0.128B/0.131A	----	----	0.126 +	0.005	.0298	----	----	----	3	UNCH
8450	----	----	----	0.121B/----	0.121B/*0.130A	----	----	0.124 +	0.004	.0293	----	----	----	13	UNCH
8475	----	----	----	0.124B/----	0.124B/*0.127A	----	----	0.122 +	0.004	.0288	----	----	----	7	UNCH
8500	0.125	0.125		0.125/*0.115A	0.125/*0.115A	----	----	0.120 +	0.004	.0282	----	751	----	872 +	401
8525	----	----	----	0.118B/----	0.118B/0.127A	----	----	0.118 +	0.003	.0277	----	----	----	1	UNCH
8550	----	----	----	0.117B/----	0.117B/0.125A	----	----	0.116 +	0.002	.0272	----	----	----	14	UNCH
8575	----	----	----	0.114B/----	0.114B/*0.123A	----	----	0.114 +	0.002	.0267	----	----	----	54	UNCH
8600	----	----	----	0.112B/*0.106A	0.112B/*0.106A	----	----	0.113 +	0.002	.0263	----	----	----	207	UNCH
8625	----	----	----	0.110B/----	0.110B/*0.119A	----	----	0.111 +	0.002	.0258	----	----	----	16	UNCH
8650	----	----	----	0.109B/----	0.109B/*0.118A	----	----	0.109 +	0.001	.0253	----	----	----	7	UNCH
8675	----	----	----	----	0.106B/*0.116A	----	----	0.107	UNCH	.0248	----	----	----	41	UNCH
8700	----	----	----	----	0.105B/0.114A	----	----	0.106 +	0.001	.0245	----	----	----	362	UNCH
8725	----	----	----	----	0.103B/*0.113A	----	----	0.104	UNCH	.0240	----	----	----	1	UNCH
8750	----	----	----	----	0.101B/*0.112A	----	----	0.103	UNCH	.0237	----	----	----	60	UNCH
8775	----	----	----	----	0.096B/*0.110A	----	----	0.101 -	0.001	.0232	----	----	----	74	UNCH
8800	----	----	----	----	0.095B/*0.108A	----	----	0.099 -	0.002	.0227	----	----	----	755	UNCH
8825	----	----	----	----	0.093B/*0.107A	----	----	0.098 -	0.001	.0224	----	----	----	19	UNCH
8850	----	----	----	----	0.091B/0.106A	----	----	0.097 -	0.001	.0221	----	----	----	12	UNCH
8875	----	----	----	----	0.090B/*0.104A	----	----	0.095 -	0.002	.0217	----	----	----	2	UNCH
8900	----	----	----	----	0.089B/*0.103A	----	----	0.094 -	0.002	.0214	----	----	----	25	UNCH
8925	----	----	----	----	0.087B/*0.101A	----	----	0.092 -	0.003	.0209	----	----	----	4	UNCH
8950	----	----	----	----	0.086B/*0.100A	----	----	0.091 -	0.003	.0206	----	----	----	9	UNCH
8975	----	----	----	----	0.084B/*0.099A	----	----	0.090 -	0.003	.0203	----	----	----	2	UNCH
9000	----	----	----	----	0.082B/0.097A	----	----	0.088 -	0.004	.0199	----	----	----	1048	UNCH
9025	----	----	----	----	0.081B/*0.096A	----	----	0.087 -	0.004	.0196	----	----	----	4	UNCH
9050	----	----	----	----	0.079B/*0.095A	----	----	0.086 -	0.004	.0193	----	----	----	9	UNCH
9075	----	----	----	----	0.078B/*0.094A	----	----	0.085 -	0.004	.0191	----	----	----	2	UNCH
9100	----	----	----	----	0.077B/*0.093A	----	----	0.084 -	0.004	.0188	----	----	----	54	UNCH
9150	----	----	----	----	0.074B/*0.091A	----	----	0.081 -	0.005	.0181	----	----	----	6	UNCH
9175	----	----	----	----	0.073B/*0.090A	----	----	0.080 -	0.005	.0178	----	----	----	1	UNCH
9200	----	----	----	----	0.073B/*0.088A	----	----	0.079 -	0.005	.0175	----	----	----	51	UNCH
9225	----	----	----	----	0.071B/*0.087A	----	----	0.078 -	0.005	.0173	----	----	----	1	UNCH
9250	----	----	----	----	0.070B/*0.086A	----	----	0.077 -	0.005	.0170	----	----	----	188	UNCH
9275	----	----	----	----	0.069B/*0.085A	----	----	0.076 -	0.005	.0168	----	----	----	3	UNCH
9300	----	----	----	----	0.067B/*0.084A	----	----	0.075 -	0.005	.0165	----	----	----	18	UNCH
9325	----	----	----	----	0.066B/*0.083A	----	----	0.074 -	0.005	.0163	----	----	----	1	UNCH
9350	----	----	----	----	0.065B/*0.082A	----	----	0.073 -	0.005	.0160	----	----	----	1	UNCH
9375	----	----	----	----	0.064B/*0.081A	----	----	0.072 -	0.005	.0158	----	----	----	3	UNCH
9400	----	----	----	----	0.063B/*0.081A	----	----	0.071 -	0.005	.0155	----	----	----	134	UNCH
9425	----	----	----	----	0.063B/*0.080A	----	----	0.070 -	0.005	.0153	----	----	----	1	UNCH
9450	----	----	----	----	0.061B/*0.079A	----	----	0.069 -	0.005	.0151	----	----	----	8	UNCH
9475	----	----	----	----	0.060B/*0.078A	----	----	0.069 -	0.004	.0150	----	----	----	29	UNCH
9500	----	----	----	----	0.059B/0.077A	----	----	0.068 -	0.004	.0147	----	----	----	319	UNCH
9525	----	----	----	----	0.059B/*0.076A	----	----	0.067 -	0.004	.0145	----	----	----	1	UNCH
9550	----	----	----	----	0.058B/*0.075A	----	----	0.066 -	0.004	.0143	----	----	----	18	UNCH
9575	----	----	----	----	0.057B/*0.075A	----	----	0.065 -	0.004	.0140	----	----	----	2	UNCH
9600	----	----	----	----	0.056B/*0.074A	----	----	0.064 -	0.004	.0138	----	----	----	3	UNCH
9625	----	----	----	----	0.055B/*0.073A	----	----	0.064 -	0.004	.0138	----	----	----	30	UNCH
9700	----	----	----	----	0.053B/*0.071A	----	----	0.061 -	0.004	.0131	----	----	----	100	UNCH
9725	----	----	----	----	0.052B/*0.070A	----	----	0.061 -	0.004	.0130	----	----	----	4	UNCH
9750	----	----	----	----	0.051B/*0.069A	----	----	0.060 -	0.004	.0128	----	----	----	10	UNCH
9775	----	----	----	----	0.050B/*0.069A	----	----	0.059 -	0.004	.0126	----	----	----	1	UNCH
9800	----	----	----	----	0.050B/*0.068A	----	----	0.059 -	0.004	.0125	----	----	----	27	UNCH
9825	----	----	----	----	0.049B/*0.067A	----	----	0.058 -	0.004	.0123	----	----	----	1	UNCH
9850	----	----	----	----	0.048B/*0.067A	----	----	0.057 -	0.005	.0121	----	----	----	16	UNCH
9875	----	----	----	----	0.048B/*0.066A	----	----	0.057 -	0.004	.0120	----	----	----	5	UNCH
9900	----	----	----	----	0.047B/*0.065A	----	----	0.056 -	0.005	.0118	----	----	----	9	UNCH
9925	----	----	----	----	0.046B/*0.065A	----	----	0.055 -	0.005	.0116	----	----	----	5	UNCH</



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

	BULLETIN #124@			METALS OPTION PRODUCTS							Tue, Jun 30, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
AUG26														
11350	----	----	----	0.0218/*0.044A	----	0.031 - 0.004	.0060	----	----	----	----	1	UNCH	
11400	----	----	----	0.0218/*0.043A	----	0.030 - 0.005	.0058	----	----	----	----	2	UNCH	
11475	----	----	----	0.0208/*0.042A	----	0.029 - 0.005	.0056	----	----	----	----	2	UNCH	
11500	----	----	----	0.0198/0.042A	----	0.029 - 0.004	.0056	----	----	----	----	132	UNCH	
11575	----	----	----	0.0198/*0.041A	----	0.028 - 0.005	.0054	----	----	----	----	1	UNCH	
11650	----	----	----	0.0098/0.050A	----	0.028 - 0.004	.0053	----	----	----	----	2	UNCH	
11700	----	----	----	0.0098/0.049A	----	0.027 - 0.004	.0051	----	----	----	----	7	UNCH	
11725	----	----	----	0.0098/0.049A	----	0.027 - 0.004	.0051	----	----	----	----	5	UNCH	
11850	----	----	----	0.0078/*0.048A	----	0.026 - 0.004	.0049	----	----	----	----	1	UNCH	
12000	----	----	----	0.0158/0.047A	----	0.024 - 0.004	.0045	----	----	----	----	46	UNCH	
12025	----	----	----	0.0058/0.046A	----	0.024 - 0.004	.0045	----	----	----	----	52	UNCH	
12050	----	----	----	0.0058/0.046A	----	0.024 - 0.004	.0045	----	----	----	----	208	UNCH	
12100	----	----	----	0.0058/0.046A	----	0.023 - 0.004	.0043	----	----	----	----	5	UNCH	
12200	----	----	----	----/0.049A	----	0.022 - 0.004	.0041	----	----	----	----	1	UNCH	
12275	----	----	----	----/0.199A	----	0.022 - 0.004	.0041	----	----	----	----	1	UNCH	
12300	----	----	----	----/0.199A	----	0.022 - 0.003	.0041	----	----	----	----	34	UNCH	
12450	----	----	----	----/0.197A	----	0.020 - 0.004	.0037	----	----	----	----	2	UNCH	
12500	----	----	----	0.0158/0.197A	----	0.020 - 0.004	.0037	----	----	----	----	160	UNCH	
12525	----	----	----	----/0.197A	----	0.020 - 0.003	.0037	----	----	----	----	3	UNCH	
12550	----	----	----	----/0.196A	----	0.020 - 0.003	.0037	----	----	----	----	2	UNCH	
12700	----	----	----	----/0.195A	----	0.019 - 0.003	.0035	----	----	----	----	1	UNCH	
12725	----	----	----	----/0.195A	----	0.018 - 0.004	.0033	----	----	----	----	2	UNCH	
12775	----	----	----	----/0.195A	----	0.018 - 0.003	.0033	----	----	----	----	13	UNCH	
12800	----	----	----	----/0.194A	----	0.018 - 0.003	.0033	----	----	----	----	3	UNCH	
13000	----	----	----	0.0158/0.193A	----	0.017 - 0.003	.0031	----	----	----	----	4039	UNCH	
14000	0.010	0.010	0.010/*0.010	0.0158/*0.010	----	0.012 - 0.003	.0021	----	----	2	----	26 +	2	
15000	----	----	----	----/0.036A	----	0.010 - 0.002	.0017	----	----	----	----	116	UNCH	
16000	----	----	----	----/0.183A	----	0.008 - 0.002	.0013	----	----	----	----	11	UNCH	
17000	----	----	----	0.0078/0.010A	----	0.008 - 0.002	.0012	----	----	----	----	3854	UNCH	
18000	----	----	----	0.0058/0.180A	----	0.008 - 0.002	.0012	----	----	----	----	8	UNCH	
19000	----	----	----	----/0.179A	----	0.005 - 0.002	.0007	----	----	----	----	2	UNCH	
20000	0.005	0.005	0.008/*0.005	0.008/0.005	----	0.004 - 0.001	.0006	----	----	16	----	266 +	11	
25000	----	----	----	----/*0.007A	----	0.001 UNCH	.0000	----	----	----	----	21	UNCH	
27000	----	----	----	----/0.007A	----	0.001 UNCH	.0000	----	----	----	----	5	UNCH	
30000	----	----	----	----/0.002A	----	0.001 UNCH	.0000	----	----	----	----	15	UNCH	
32000	----	----	----	----/0.176A	----	0.001 UNCH	----	----	----	----	----	3	UNCH	
35000	----	----	----	----/0.003A	----	0.001 UNCH	----	----	----	----	----	7	UNCH	
TOTAL										2554	0	25224 +	1292	
SEP26														
4000	----	----	20.9758/17.473A	20.9758/17.473A	----	20.087 + 1.218	.9643	----	----	1	----	17	UNCH	
5025	----	----	11.5278/8.572A	11.5278/8.572A	----	10.738 + 1.034	.8401	----	----	----	----	1	UNCH	
5050	----	----	11.3238/8.384A	11.3238/8.384A	----	10.532 + 1.027	.8346	----	----	----	----	1	UNCH	
5100	----	----	10.9058/8.016A	10.9058/8.016A	----	10.124 + 1.011	.8233	----	----	----	----	1	UNCH	
5400	----	----	8.5378/5.985A	8.5378/5.985A	----	7.832 + 0.904	.7426	----	----	----	----	0	UNCH	
5500	----	----	7.8078/5.386A	7.8078/5.386A	----	7.135 + 0.862	.7112	----	----	----	----	3	UNCH	
5700	----	----	6.4478/4.280A	6.4478/4.280A	----	5.853 + 0.774	.6430	----	1	----	----	20	UNCH	
5750	----	----	6.1338/4.039A	6.1338/4.039A	----	5.558 + 0.750	.6251	----	----	----	----	1	UNCH	
5775	----	----	5.9888/3.925A	5.9888/3.925A	----	5.414 + 0.738	.6160	----	----	----	----	1	UNCH	
5800	----	----	5.8258/3.807A	5.8258/3.807A	----	5.273 + 0.727	.6068	----	----	----	----	6	UNCH	
5850	----	----	5.5328/3.591A	5.5328/3.591A	----	4.999 + 0.705	.5884	----	----	----	----	8	UNCH	
5900	----	----	5.2588/3.384A	5.2588/3.384A	----	4.735 + 0.683	.5698	----	----	----	----	61	UNCH	
5925	----	----	5.1148/3.287A	5.1148/3.287A	----	4.607 + 0.673	.5604	----	10	----	----	12 +	9	
5950	----	----	4.9978/3.182A	4.9978/3.182A	----	4.481 + 0.662	.5511	----	----	----	----	1	UNCH	
5975	----	----	4.8658/3.092A	4.8658/3.092A	----	4.358 + 0.651	.5417	----	----	----	----	2	UNCH	
6000	3.000	3.000	4.7358/2.996A	4.7358/2.996A	----	4.237 + 0.639	.5323	----	25	----	----	70 -	4	
6025	----	----	4.6068/2.906A	4.6068/2.906A	----	4.119 + 0.627	.5229	----	----	----	----	2	UNCH	
6050	----	----	4.4818/2.819A	4.4818/2.819A	----	4.003 + 0.615	.5136	----	1	----	----	2 +	1	
6075	----	----	4.3608/2.734A	4.3608/2.734A	----	3.889 + 0.601	.5042	----	----	----	----	3	UNCH	
6100	3.313	3.313	4.2408/2.652A	4.2408/2.652A	----	3.779 + 0.589	.4949	----	19	----	----	172 +	14	
6125	----	----	4.1238/2.577A	4.1238/2.577A	----	3.671 + 0.576	.4856	----	----	----	----	2	UNCH	
6150	----	----	4.0128/2.495A	4.0128/2.495A	----	3.565 + 0.562	.4764	----	----	----	----	1	UNCH	
6175	----	----	3.9028/2.419A	3.9028/2.419A	----	3.462 + 0.549	.4672	----	----	----	----	2	UNCH	
6200	----	----	3.7918/2.346A	3.7918/2.346A	----	3.362 + 0.536	.4581	----	2	----	----	28 +	1	
6225	3.647	3.647	3.6798/2.276A	3.6798/2.276A	----	3.265 + 0.524	.4490	----	44	----	----	45 +	43	
6250	3.542	3.542	3.5758/2.207A	3.5758/2.207A	----	3.170 + 0.511	.4400	----	32	----	----	44 +	27	
6275	----	----	3.4738/2.141A	3.4738/2.141A	----	3.078 + 0.500	.4311	----	----	----	----	5	UNCH	
6300	2.700	2.700	3.3788/2.077A	3.3788/2.077A	----	2.989 + 0.488	.4223	----	43	----	----	90 +	29	
6325	----	----	3.2798/2.014A	3.2798/2.014A	----	2.902 + 0.477	.4135	----	----	----	----	9	UNCH	
6350	2.300	2.300	3.1878/*1.959A	3.1878/*1.959A	----	2.817 + 0.465	.4049	----	9	----	----	28 +	1	
6400	----	----	3.0078/*1.843A	3.0078/*1.843A	----	2.656 + 0.444	.3880	----	----	----	----	49	UNCH	
6425	----	----	2.9208/*1.789A	2.9208/*1.789A	----	2.579 + 0.434	.3797	----	----	----	----	1	UNCH	
6450	----	----	2.8368/*1.734A	2.8368/*1.734A	----	2.504 + 0.424	.3715	----	----	----	----	8	UNCH	
6475	----	----	2.7548/*1.679A	2.7548/*1.679A	----	2.432 + 0.415	.3634	----	----	----	----	31	UNCH	
6500	----	----	2.6778/*1.630A	2.6778/*1.630A	----	2.362 + 0.405	.3555	----	4	----	----	129	UNCH	
6525	1.976	1.976	2.5988/*1.582A	2.5988/*1.582A	----	2.293 + 0.395	.3476	----	3	----	----	4 +	3	
6550	----	----	2.5238/*1.540A	2.5238/*1.540A	----	2.227 + 0.386	.3400	----	----	----	----	34	UNCH	
6575	----	----	2.4508/*1.495A	2.4508/*1.495A	----	2.163 + 0.377	.3324	----	----	----	----	1	UNCH	
6600	----	----	2.3808/*1.453A	2.3808/*1.453A	----	2.101 + 0.369	.3250	----	16	----	----	43 +		



BULLETIN #124@				METALS OPTION PRODUCTS					Tue, Jun 30, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
SEP26														
8375	----	----	0.423B/----	0.423B/0.370A	----	0.410 +	0.067 .0741	----	----	----	----	1	UNCH	
8400	----	----	0.408B/----	0.408B/0.366A	----	0.404 +	0.066 .0729	----	----	----	----	111	UNCH	
8425	----	----	0.410B/----	0.410B/0.361A	----	0.397 +	0.064 .0717	----	----	----	----	1	UNCH	
8450	----	----	0.403B/----	0.403B/0.356A	----	0.391 +	0.062 .0706	----	----	----	----	2	UNCH	
8475	----	----	0.397B/----	0.397B/0.352A	----	0.385 +	0.061 .0694	----	----	----	----	1	UNCH	
8500	0.375	0.375	0.391B/0.375	0.391B/0.347A	----	0.379 +	0.059 .0683	----	----	16	----	633	UNCH	
8525	----	----	0.385B/----	0.385B/0.347A	----	0.374 +	0.058 .0674	----	----	----	----	1	UNCH	
8550	----	----	0.379B/----	0.379B/0.338A	----	0.368 +	0.057 .0663	----	----	----	----	1	UNCH	
8600	----	----	0.359B/----	0.359B/0.330A	----	0.358 +	0.054 .0643	----	----	----	----	69	UNCH	
8675	----	----	0.351B/----	0.351B/0.320A	----	0.343 +	0.051 .0615	----	----	----	----	5	UNCH	
8700	----	----	0.338B/----	0.338B/0.317A	----	0.338 +	0.049 .0606	----	----	----	----	105	UNCH	
8725	----	----	0.341B/----	0.341B/0.315A	----	0.334 +	0.049 .0598	----	----	----	----	1	UNCH	
8750	----	----	0.337B/----	0.337B/0.308A	----	0.329 +	0.047 .0589	----	----	----	----	28	UNCH	
8775	----	----	0.332B/----	0.332B/0.307A	----	0.325 +	0.046 .0581	----	----	----	----	1	UNCH	
8800	----	----	0.327B/----	0.327B/0.303A	----	0.321 +	0.046 .0573	----	----	----	----	11	UNCH	
8825	0.288	0.288	0.323B/0.288	0.323B/0.288	----	0.317 +	0.045 .0565	----	----	9	----	10 +	8	
8900	----	----	0.303B/----	0.303B/0.289A	----	0.305 +	0.042 .0543	----	----	----	----	8	UNCH	
8925	----	----	0.306B/----	0.306B/0.285A	----	0.302 +	0.042 .0536	----	----	----	----	2	UNCH	
8950	0.270	0.270	0.295B/0.270	0.295B/0.270	----	0.298 +	0.041 .0529	----	----	3	----	5 +	3	
8975	0.268	0.268	0.291B/0.268	0.291B/0.268	----	0.294 +	0.039 .0521	----	----	1	----	6 +	1	
9000	0.263	0.263	0.294B/0.263	0.294B/0.263	----	0								



BULLETIN #124@				METALS OPTION PRODUCTS					Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
OCT26													
9475	----	----	----	0.2778/0.603A	----	0.483 +	0.060	.0701	----	----	----	1	UNCH
9500	----	----	----	0.3628/0.513A	----	0.478 +	0.059	.0693	----	----	----	131	UNCH
9600	----	----	----	0.2848/0.496A	----	0.457 +	0.054	.0663	----	----	----	6	UNCH
9625	----	----	----	0.2538/0.581A	----	0.453 +	0.054	.0656	----	----	----	1	UNCH
9700	----	----	----	0.3298/0.480A	----	0.439 +	0.051	.0636	----	----	----	46	UNCH
9800	----	----	----	0.2458/0.517A	----	0.421 +	0.046	.0609	----	----	----	1	UNCH
9875	----	----	----	0.2208/0.551A	----	0.409 +	0.044	.0591	----	----	----	1	UNCH
9900	----	----	----	0.2328/0.502A	----	0.405 +	0.043	.0585	----	----	----	1	UNCH
10000	----	----	----	0.2888/0.438A	----	0.390 +	0.040	.0562	----	----	----	97	UNCH
10100	----	----	----	0.2158/0.474A	----	0.377 +	0.038	.0542	----	----	----	1	UNCH
10275	----	----	----	0.1808/0.468A	----	0.355 +	0.033	.0508	----	----	----	1	UNCH
10300	----	----	----	0.2128/0.402A	----	0.352 +	0.033	.0504	----	----	----	7	UNCH
10325	----	----	----	0.1768/0.462A	----	0.349 +	0.032	.0499	----	----	----	1	UNCH
10350	----	----	----	0.1748/0.459A	----	0.346 +	0.032	.0495	----	----	----	2	UNCH
10375	----	----	----	0.1938/0.404A	----	0.343 +	0.031	.0490	----	----	----	3	UNCH
10400	----	----	----	0.2058/0.391A	----	0.340 +	0.030	.0486	----	----	----	5	UNCH
10425	----	----	----	0.1918/0.399A	----	0.338 +	0.030	.0482	----	----	----	4	UNCH
10450	----	----	----	0.1888/0.396A	----	0.335 +	0.030	.0478	----	----	----	4	UNCH
10475	----	----	----	0.1868/0.393A	----	0.332 +	0.029	.0473	----	----	----	5	UNCH
10500	----	----	----	0.1978/0.380A	----	0.330 +	0.029	.0470	----	----	----	4	UNCH
10525	----	----	----	0.1618/0.439A	----	0.327 +	0.028	.0466	----	----	----	3	UNCH
10550	----	----	----	0.1838/0.386A	----	0.325 +	0.029	.0462	----	----	----	4	UNCH
10575	----	----	----	0.1798/0.383A	----	0.322 +	0.028	.0458					

	BULLETIN #124@				METALS OPTION PRODUCTS				Tue, Jun 30, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC26															
8550	----	----	----	1.448B/----	1.448B/*1.540A	----	----	----	1.624 + 0.185	.1774	----	----	----	----	25
8600	----	----	----	1.410B/----	1.410B/*1.510A	----	----	----	1.588 + 0.180	.1737	----	----	----	----	49
8800	----	----	----	1.271B/1.401A	----	----	----	----	1.455 + 0.163	.1602	----	----	----	----	10
8900	----	----	----	1.209B/*1.351A	----	----	----	----	1.395 + 0.155	.1540	----	----	----	----	30
8950	----	----	----	1.179B/*1.327A	----	----	----	----	1.366 + 0.152	.1510	----	----	----	----	1
9000	----	----	----	1.150B/*1.304A	----	----	----	----	1.338 + 0.148	.1480	----	----	----	----	205
9050	----	----	----	1.122B/*1.282A	----	----	----	----	1.311 + 0.144	.1452	----	----	----	----	100
9100	----	----	----	1.095B/*1.261A	----	----	----	----	1.285 + 0.141	.1425	----	----	----	----	16
9200	----	----	----	1.042B/*1.221A	----	----	----	----	1.235 + 0.135	.1372	----	----	----	----	1
9300	----	----	----	0.992B/*1.182A	----	----	----	----	1.188 + 0.130	.1322	----	----	----	----	15
9500	----	----	----	0.902B/*1.112A	----	----	----	----	1.101 + 0.119	.1229	----	----	----	----	267
9525	0.850	0.850	0.850	0.892B/*0.850	0.892B/*0.850	----	----	----	1.091 NEW	.1218	----	----	60	----	60 +
9700	----	----	----	0.821B/1.049A	----	----	----	----	1.024 + 0.109	.1146	----	----	----	----	1
9800	----	----	----	0.784B/1.021A	----	----	----	----	0.989 + 0.106	.1107	----	----	1	----	54 +
9900	----	----	----	0.749B/0.994A	----	----	----	----	0.955 + 0.101	.1070	----	----	----	----	55
10000	0.750	0.750	0.750	0.950/*0.750	0.950/*0.750	----	----	----	0.924 + 0.098	.1036	----	----	4	----	903 +
10025	----	----	----	0.708B/0.962A	----	----	----	----	0.916 + 0.096	.1027	----	----	----	----	3
10300	----	----	----	0.628B/0.901A	----	----	----	----	0.838 + 0.086	.0941	----	----	----	----	1
10500	----	----	----	0.576B/0.861A	----	----	----	----	0.789 + 0.081	.0885	----	----	----	----	374
10600	----	----	----	0.553B/0.842A	----	----	----	----	0.766 + 0.0						



BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
SO CALL	COMEX SILVER OPTIONS																	
TOTAL											0	4	0					
JUN27																		
5450	----	----	#12.772B/11.956	#12.772B/11.956A	----	13.204 + 0.862	.7023	----	----	----	----	1	UNCH					
5825	----	----	#11.286B/10.370	11.286B/10.370A	----	11.337 + 0.774	.6409	----	----	----	----	1	UNCH					
6225	----	----	9.576B/8.906A	9.576B/8.906A	----	9.675 + 0.707	.5762	----	----	----	----	22	UNCH					
8500	----	----	#4.206B/----	4.206B/4.377A	----	4.496 + 0.373	.3134	----	----	----	----	200	UNCH					
12000	----	----		1.747B/2.229A	----	2.091 + 0.178	.1539	----	----	----	----	1	UNCH					
13000	----	----		1.431B/1.943A	----	1.776 + 0.148	.1313	----	----	----	----	1	UNCH					
TOTAL											0	226	0					
JUL27																		
2000	----	----	----	----	----	42.176 + 1.322	.9993	----	----	----	----	1	UNCH					
10000	----	----	----	----	----	3.492 + 0.292	.2393	----	----	----	----	1	UNCH					
10300	----	----	----	----	----	3.287 + 0.275	.2261	----	----	----	----	1	UNCH					
TOTAL											0	3	0					
DEC27																		
4000	----	----	----	----	----	25.223 + 1.129	.8752	----	----	----	----	1	UNCH					
20000	----	----	----	----	----	3.106 + 0.191	.1575	----	----	----	----	25	UNCH					
TOTAL											0	26	0					
SO PUT	COMEX SILVER OPTIONS																	
AUG26																		
2125	----	----	----	-----/0.002A	----	0.001 UNCH	.0000	----	----	----	----	4	UNCH					
2200	----	----	----	-----/0.135A	----	0.001 UNCH	.0001	----	----	----	----	1	UNCH					
2300	----	----	----	-----/0.010A	----	0.002 - 0.001	.0003	----	----	----	----	1	UNCH					
2500	----	----	----	----/*0.010A	----	0.004 - 0.002	.0006	----	----	----	----	1	UNCH					
2700	----	----	----	-----/0.101A	----	0.007 - 0.004	.0011	----	----	----	----	1	UNCH					
2775	----	----	----	-----/0.059A	----	0.009 - 0.005	.0015	----	----	----	----	1	UNCH					
2800	----	----	----	0.002B/0.020A	----	0.010 - 0.005	.0016	----	----	----	----	1	UNCH					
3000	----	----	----	0.008B/0.030A	----													

BULLETIN #124@				METALS OPTION PRODUCTS							Tue, Jun 30, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
AUG26														
6625	----	----	9.6158/6.612A	9.6158/6.612A	----	7.296 - 1.049	.7703	----	----	----	----	24	UNCH	
6650	----	----	9.8428/6.813A	9.8428/6.813A	----	7.503 - 1.060	.7786	----	----	1	----	31	UNCH	
6675	----	----	10.0718/7.010A	10.0718/7.010A	----	7.713 - 1.069	.7867	----	----	----	----	4	UNCH	
6700	8.822	8.822	10.3018/7.212A	10.3018/7.212A	----	7.924 - 1.079	.7944	----	----	8	----	147 -	4	
6725	----	----	10.5328/7.417A	10.5328/7.417A	----	8.138 - 1.087	.8018	----	----	----	----	11	UNCH	
6750	----	----	10.7648/7.626A	10.7648/7.626A	----	8.353 - 1.096	.8090	----	----	1	----	6	UNCH	
6775	----	----	10.9948/7.838A	10.9948/7.838A	----	8.569 - 1.105	.8159	----	----	----	----	21	UNCH	
6800	10.400	10.400	11.2288/8.045A	11.2288/8.045A	----	8.788 - 1.113	.8226	----	1	----	----	313	UNCH	
6825	----	----	11.4628/8.263A	11.4628/8.263A	----	9.008 - 1.120	.8289	----	----	----	----	37	UNCH	
6850	----	----	11.6988/8.477A	11.6988/8.477A	----	9.231 - 1.126	.8349	----	----	----	----	5	UNCH	
6875	----	----	11.9328/8.688A	11.9328/8.688A	----	9.454 - 1.132	.8407	----	----	----	----	40	UNCH	
6900	----	----	12.1718/8.914A	12.1718/8.914A	----	9.679 - 1.138	.8463	----	----	----	----	103	UNCH	
6925	----	----	12.4068/9.132A	12.4068/9.132A	----	9.905 - 1.144	.8518	----	----	----	----	6	UNCH	
6950	----	----	12.6458/9.352A	12.6458/9.352A	----	10.132 - 1.150	.8568	----	----	----	----	50	UNCH	
6975	----	----	12.8868/9.576A	12.8868/9.576A	----	10.360 - 1.155	.8619	----	----	----	----	14	UNCH	
7000	----	----	13.1258/9.799A	13.1258/9.799A	----	10.589 - 1.161	.8666	----	1	----	----	415 -	1	
7025	----	----	13.3668/10.025A	13.3668/10.025A	----	10.819 - 1.166	.8712	----	----	----	----	32	UNCH	
7050	----	----	13.6068/10.253A	13.6068/10.253A	----	11.050 - 1.171	.8757	----	----	----	----	32	UNCH	
7075	----	----	13.8468/10.474A	13.8468/10.474A	----	11.282 - 1.176	.8798	----	----	----	----	23	UNCH	
7100	----	----	14.0878/10.703A	14.0878/10.703A	----	11.514 - 1.181	.8838	----	1	----	----	30	UNCH	
7125	----	----	14.3308/10.933A	14.3308/10.933A	----	11.748 - 1.185	.8877	----	----	----	----	20	UNCH	
7150	----	----	14.5738/11.161A	14.5738/11.161A	----	11.983 - 1.189	.8914	----	----	----	----	13	UNCH	
7175	----	----	14.8148/11.395A	14.8148/11.395A	----	12.218 - 1.193	.8948	----	----	----	----	19	UNCH	
7200	----	----	15.0578/11.630A	15.0578/11.630A	----	12.454 - 1.197	.8982	----	----	----	----	120	UNCH	
7225	----	----	15.3018/11.860A	15.3018/11.860A	----	12.691 - 1.200	.9015	----	----	----	----	11	UNCH	
7250	----	----	15.5448/12.094A	15.5448/12.094A	----	12.928 - 1.204	.9045	----	----	----	----	85	UNCH	
7275	----	----	15.7888/12.326A	15.7888/12.326A	----	13.166 - 1.208	.9075	----	----	----	----	10	UNCH	
7300	----	----	16.0318/12.564A	16.0318/12.564A	----	13.405 - 1.210	.9103	----	1	----	----	116 -	1	
7325	----	----	16.2758/12.801A	16.2758/12.801A	----	13.644 - 1.213	.9129	----	----	----	----	4	UNCH	
7350	----	----	16.5218/13.038A	16.5218/13.038A	----	13.883 - 1.217	.9155	----	----	----	----	18	UNCH	
7375	----	----	16.7668/13.272A	16.7668/13.272A	----	14.123 - 1.220	.9180	----	1	----	----	4	UNCH	
7400	----	----	17.0118/13.509A	17.0118/13.509A	----	14.364 - 1.222	.9203	----	----	----	----	29	UNCH	
7425	----	----	17.2568/13.752A	17.2568/13.752A	----	14.605 - 1.225	.9227	----	----	----	----	16	UNCH	
7450	----	----	17.5028/13.991A	17.5028/13.991A	----	14.846 - 1.228	.9248	----	----	----	----	1	UNCH	
7475	----	----	17.7478/14.230A	17.7478/14.230A	----	15.088 - 1.230	.9269	----	----	----	----	6	UNCH	
7500	----	----	17.9938/14.470A	17.9938/14.470A	----	15.329 - 1.234	.9289	----	1	----	----	132 -	1	
7525	----	----	18.2418/14.711A	18.2418/14.711A	----	15.572 - 1.236	.9308	----	----	----	----	11	UNCH	
7550	----	----	18.4858/14.947A	18.4858/14.947A	----	15.814 - 1.239	.9327	----	1	----	----	26	- 1	
7575	----	----	18.7318/15.193A	18.7318/15.193A	----	16.057 - 1.241	.9345	----	----	----	----	2	UNCH	
7600	----	----	18.9788/15.434A	18.9788/15.434A	----	16.300 - 1.244	.9363	----	----	----	----	7	UNCH	
7625	----	----	----/15.676A	17.5048/15.676A	----	16.543 - 1.246	.9379	----	----	----	----	15	UNCH	
7650	----	----	----/15.915A	17.7938/15.915A	----	16.787 - 1.248	.9395	----	----	----	----	42	UNCH	
7675	----	----	----/16.158A	18.0378/16.158A	----	17.031 - 1.250	.9411	----	----	----	----	45	UNCH	
7700	----	----	----/16.402A	18.3128/16.402A	----	17.275 - 1.252	.9426	----	----	----	----	164	UNCH	
7725	----	----	----/16.645A	18.5588/16.645A	----	17.519 - 1.254	.9442	----	----	----	----	56	UNCH	
7750	----	----	----/16.890A	18.7318/16.890A	----	17.763 - 1.256	.9455	----	----	----	----	1	UNCH	
7775	----	----	----/17.133A	18.9778/17.133A	----	18.008 - 1.258	.9469	----	----	----	----	1	UNCH	
7800	----	----	----/17.376A	19.2648/17.376A	----	18.253 - 1.259	.9482	----	----	----	----	29	UNCH	
7825	----	----	----/17.620A	19.4698/17.620A	----	18.497 - 1.262	.9495	----	----	----	----	1	UNCH	
7850	----	----	----/17.866A	19.7128/17.866A	----	18.743 - 1.262	.9506	----	1	----	----	17 -	1	
7875	----	----	----/18.110A	19.9588/18.110A	----	18.988 - 1.264	.9519	----	----	----	----	1	UNCH	
7900	----	----	----/18.571A	20.2258/18.571A	----	19.233 - 1.265	.9530	----	----	----	----	10	UNCH	
7925	----	----	----/18.818A	20.4498/18.818A	----	19.479 - 1.266	.9541	----	----	----	----	3	UNCH	
7950	----	----	----/18.946A	20.7718/18.946A	----	19.725 - 1.267	.9551	----	----	----	----	61	UNCH	
7975	----	----	----/19.306A	20.9458/19.306A	----	19.970 - 1.269	.9562	----	----	----	----	2	UNCH	
8000	----	----	----/19.440A	21.2638/19.440A	----	20.216 - 1.270	.9572	----	1	----	----	291 -	1	
8025	----	----	----/19.800A	21.4358/19.800A	----	20.463 - 1.270	.9582	----	----	----	----	1	UNCH	
8050	----	----	----/20.046A	21.6838/20.046A	----	20.709 - 1.272	.9591	----	----	----	----	1	UNCH	
8100	----	----	----/20.526A	22.1778/20.526A	----	21.202 - 1.273	.9609	----	----	----	----	10	UNCH	
8125	----	----	----/20.784A	22.4238/20.784A	----	21.448 - 1.275	.9617	----	----	----	----	1	UNCH	
8150	----	----	----/21.027A	22.6718/21.027A	----	21.695 - 1.275	.9625	----	----	----	----	15	UNCH	
8175	----	----	----/21.274A	22.9178/21.274A	----	21.942 - 1.276	.9633	----	----	----	----	1	UNCH	
8200	----	----	----/21.511A	23.1848/21.511A	----	22.189 - 1.277	.9641	----	----	----	----	11	UNCH	
8225	----	----	----/21.770A	23.4118/21.770A	----	22.436 - 1.277	.9647	----	----	----	----	5	UNCH	
8250	----	----	----/22.010A	23.6808/22.010A	----	22.683 - 1.278	.9655	----	----	----	----	10	UNCH	
8275	----	----	----/22.251A	23.9288/22.251A	----	22.930 - 1.279	.9663	----	----	----	----	7	UNCH	
8300	----	----	----/22.510A	24.1558/22.510A	----	23.177 - 1.280	.9669	----	----	----	----	1	UNCH	
8325	----	----	----/22.756A	24.4018/22.756A	----	23.425 - 1.280	.9676	----	----	----	----	5	UNCH	
8375	----	----	----/23.250A	24.9018/23.250A	----	23.920 - 1.281	.9687	----	----	----	----	2	UNCH	
8400	----	----	----/23.496A	25.1458/23.496A	----	24.167 - 1.282	.9695	----	----	----	----	2	UNCH	
8425	----	----	----/23.744A	25.3938/23.744A	----	24.415 - 1.282	.9700	----	----	----	----	1	UNCH	
8475	----	----	----/24.23											



	BULLETIN #124@				METALS OPTION PRODUCTS							Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT SEP26	COMEX SILVER OPTIONS															
4950	1.366	1.366		1.4118/0.916A	1.4118/0.916A	----	0.988	-	0.230	.1441	----	----	1	----	2 UNCH	
4975	----	----		1.4658/0.951A	1.4658/0.951A	----	1.026	-	0.237	.1491	----	----	----	----	8 UNCH	
5000	1.570	1.570		1.570/0.984	1.570/0.984	----	1.066	-	0.245	.1543	----	62	----	531 +	3	
5025	----	----		1.5808/1.020A	1.5808/1.020A	----	1.108	-	0.251	.1597	----	----	----	7	UNCH	
5050	1.053	1.053		1.6418/1.053	1.6418/1.053	----	1.151	-	0.259	.1652	----	5	----	8 +	5	
5075	----	----		1.7038/1.098A	1.7038/1.098A	----	1.195	-	0.267	.1707	----	----	----	4	UNCH	
5100	1.200	1.200		1.7688/1.139A	1.7688/1.139A	----	1.241	-	0.275	.1765	----	6	----	86 +	3	
5125	----	----		1.8368/1.184A	1.8368/1.184A	----	1.289	-	0.283	.1824	----	----	----	2	UNCH	
5150	1.325	1.325		1.9058/1.226A	1.9058/1.226A	----	1.339	-	NEW	.1885	----	1	----	1 +	1	
5175	----	----		1.9768/1.272A	1.9768/1.272A	----	1.390	-	0.299	.1947	----	----	----	14	UNCH	
5200	1.407	1.407		2.0488/1.318A	2.0488/1.318A	----	1.443	-	0.307	.2011	----	3	----	50 +	3	
5225	1.475	1.475		2.1248/1.367A	2.1248/1.367A	----	1.498	-	0.316	.2076	----	1	----	37 +	1	
5250	1.505	1.505		2.2038/1.418A	2.2038/1.418A	----	1.554	-	0.325	.2142	----	3	----	82	UNCH	
5275	----	----		2.2848/1.473A	2.2848/1.473A	----	1.613	-	0.334	.2210	----	----	----	9	UNCH	
5300	2.174	2.174		2.3668/1.526A	2.3668/1.526A	----	1.674	-	0.342	.2280	----	4	----	42 +	2	
5325	----	----		2.4518/1.583A	2.4518/1.583A	----	1.737	-	0.351	.2351	----	----	----	1	UNCH	
5350	1.892	1.892		2.5398/1.640A	2.5398/1.640A	----	1.801	-	0.361	.2423	----	13	----	189 +	2	
5375	1.924	1.924		2.6328/1.700A	2.6328/1.700A	----	1.868	-	0.371	.2497	----	2	----	9 +	2	
5400	----	----		2.7218/1.761A	2.7218/1.761A	----	1.937	-	0.381	.2572	----	----	----	54	UNCH	
5425	----	----		2.8178/1.826A	2.8178/1.826A	----	2.008	-	0.391	.2648	----	----	----	1	UNCH	
5450	----	----		2.9148/1.892A	2.9148/1.892A	----	2.082	-	0.401	.2726	----	----	----	8	UNCH	
5475	2.292	2.292		3.0148/1.960A	3.0148/1.960A	----	2.157	-	0.412	.2805	----	2	----	26 +	2	
5500	2.935	2.935		3.1188/2.029A	3.1188/2.029A	----	2.235	-	0.423	.2885	----	12	----	327 +	1	
5525	----	----		3.2248/2.103A	3.2248/2.103A	----	2.315	-	0.434	.2967	----	----	----	1	UNCH	
5550	----	----		3.3348/2.172A	3.3348/2.172A	----	2.398	-	0.444	.3050	----	5	----	9 +	5	
5575	----	----		3.4448/2.250A	3.4448/2.250A	----	2.483	-	0.455	.3133	----	----	----	2	UNCH	
5600	----	----		3.5608/2.328A	3.5608/2.328A	----	2.570	-	0.466	.3218	----	1	----	64 +	1	
5625	----	----		3.6758/2.410A	3.6758/2.410A	----	2.660	-	0.477	.3304	----	----	----	4	UNCH	
5650	----	----		3.7958/2.493A	3.7958/2.493A	----	2.752	-	0.488	.3391	----	----	----	1	UNCH	
5675	----	----		3.9168/2.578A	3.9168/2.578A	----	2.847	-	0.499	.3479	----	----	----	4	UNCH	
5700	----	----		4.0418/2.666A	4.0418/2.666A	----	2.944	-	0.511	.3567	----	----	----	191	UNCH	
5725	----	----		4.1698/2.758A	4.1698/2.758A	----	3.044	-	0.523	.3657	----	----	----	9	UNCH	
5750	----	----		4.2998/2.851A	4.2998/2.851A	----	3.147	-	0.534	.3747	----	5	----	6 +	5	
5775	3.589	3.589		4.4298/2.946A	4.4298/2.946A	----	3.252	-	NEW	.3838	----	1	----	1 +	1	
5800	----	----		4.5628/3.043A	4.5628/3.043A	----	3.360	-	0.557	.3929	----	----	----	137	UNCH	
5825	----	----		4.7038/3.144A	4.7038/3.144A	----	3.471	-	0.568	.4021	----	----	----	86	UNCH	
5850	----	----		4.8418/3.249A	4.8418/3.249A	----	3.584	-	0.579	.4114	----	----	----	7	UNCH	
5875	----	----		4.9878/3.355A	4.9878/3.355A	----	3.699	-	0.590	.4207	----	----	----	6	UNCH	
5900	----	----		5.1338/3.465A	5.1338/3.465A	----	3.817	-	0.601	.4300	----	1	----	168 +	1	
5925	----	----		5.2838/3.578A	5.2838/3.578A	----	4.061	-	0.622	.4487	----	----	----	7	UNCH	
5950	----	----		5.4348/3.688A	5.4348/3.688A	----	4.187	-	0.633	.4581	----	----	----	13	UNCH	
6000	----	----		5.7148/3.922A	5.7148/3.922A	----	4.315	-	0.644	.4675	----	1	----	836	UNCH	
6025	----	----		5.8748/4.045A	5.8748/4.045A	----	4.445	-	0.657	.4768	----	----	----	3	UNCH	
6050	----	----		6.0298/4.170A	6.0298/4.170A	----	4.578	-	0.670	.4862	----	----	----	19	UNCH	
6075	----	----		6.1918/4.296A	6.1918/4.296A	----	4.714	-	0.682	.4955	----	1	----	6 +	1	
6100	----	----		6.3578/4.424A	6.3578/4.424A	----	4.852	-	0.695	.5048	----	4	----	147 +	1	
6125	----	----		6.5268/4.552A	6.5268/4.552A	----	4.993	-	0.708	.5141	----	----	----	11	UNCH	
6150	----	----		6.6988/4.688A	6.6988/4.688A	----	5.136	-	0.721	.5234	----	----	----	15	UNCH	
6175	----	----		6.8728/4.825A	6.8728/4.825A	----	5.282	-	0.734	.5326	----	----	----	3	UNCH	
6200	5.178	5.178		7.0488/4.970A	7.0488/4.970A	----	5.431	-	0.747	.5417	----	----	----	150	UNCH	
6225	----	----		7.2268/5.106A	7.2268/5.106A	----	5.582	-	0.760	.5508	----	32	----	184 +	10	
6250	----	----		7.4078/5.251A	7.4078/5.251A	----	5.736	-	0.772	.5598	----	----	----	1	UNCH	
6275	----	----		7.5898/5.402A	7.5898/5.402A	----	5.893	-	0.784	.5687	----	----	----	49	UNCH	
6300	----	----		7.7738/5.552A	7.7738/5.552A	----	6.052	-	0.796	.5775	----	----	----	45	UNCH	
6325	----	----		7.9608/5.702A	7.9608/5.702A	----	6.214	-	0.808	.5862	----	----	----	1	UNCH	
6375	----	----		8.3398/6.017A	8.3398/6.017A	----	6.546	-	0.829	.6034	----	----	----	1	UNCH	
6400	----	----		8.5318/6.176A	8.5318/6.176A	----	6.715	-	0.840	.6118	----	----	----	50	UNCH	
6425	----	----		8.7308/6.339A	8.7308/6.339A	----	6.887	-	0.850	.6201	----	----	----	1	UNCH	
6450	----	----		8.9268/6.524A	8.9268/6.524A	----	7.061	-	0.860	.6283	----	----	----	1	UNCH	
6500	9.320	9.320		9.3258/6.852A	9.3258/6.852A	----	7.416	-	0.879	.6443	----	40	----	223 -	5	
6525	----	----		9.5278/7.027A	9.5278/7.027A	----	7.597	-	0.888	.6521	----	----	----	3	UNCH	
6550	----	----		9.7308/7.205A	9.7308/7.205A	----	7.780	-	0.897	.6598	----	----	----	38	UNCH	
6600	----	----		10.1398/7.556A	10.1398/7.556A	----	8.152	-	0.915	.6748	----	----	----	37	UNCH	
6625	----	----		10.3478/7.741A	10.3478/7.741A	----	8.341	-	0.923	.6820	----	1	----	14	UNCH	
6700	----	----		11.0028/8.294A	11.0028/8.294A	----	8.918	-	0.948	.7031	----	5	----	561 +	5	
6750	----	----		11.4308/8.665A	11.4308/8.665A	----	9.312	-	0.964	.7164	----	1	----	2 +	1	
6800	----	----		11.8618/9.056A	11.8618/9.056A	----	9.712	-	0.979	.7292	----	----	----	20	UNCH	
6850	----	----		12.3018/9.441A	12.3018/9.441A	----	10.118	-	0.995	.7415	----	----	----	2	UNCH	

BULLETIN #124@				METALS OPTION PRODUCTS								Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS															
OCT26																
6025	----	----	----	6.1108/5.008A	6.1108/5.008A	----	5.006	-	0.634	.4473	----	----	----	----	1	UNCH
6050	----	----	----	6.2628/5.124A	6.2628/5.124A	----	5.141	-	0.639	.4550	----	----	----	----	2	UNCH
6100	----	----	----	6.5718/5.392A	6.5718/5.392A	----	5.417	-	0.649	.4702	----	----	----	----	12	UNCH
6150	----	----	----	6.8888/5.660A	6.8888/5.660A	----	5.702	-	0.660	.4853	----	----	----	----	1	UNCH
6250	----	----	----	7.5468/6.209A	7.5468/6.209A	----	6.298	-	0.682	.5150	----	----	----	----	5	UNCH
6275	----	----	----	7.7158/6.351A	7.7158/6.351A	----	6.452	-	0.688	.5223	----	----	----	----	1	UNCH
6300	----	----	----	7.8868/6.479A	7.8868/6.479A	----	6.608	-	0.694	.5296	----	----	----	----	23	UNCH
6350	----	----	----	8.2338/6.769A	8.2338/6.769A	----	6.927	-	0.706	.5439	----	----	----	----	2	UNCH
6375	----	----	----	8.4108/6.956A	8.4108/6.956A	----	7.089	-	0.713	.5509	----	----	----	----	1	UNCH
6400	----	----	----	8.6108/7.109A	8.6108/7.109A	----	7.253	-	0.719	.5579	----	----	----	----	10	UNCH
6425	----	----	----	8.7858/7.250A	8.7858/7.250A	----	7.419	-	0.726	.5648	----	----	----	----	4	UNCH
6450	----	----	----	8.9608/7.399A	8.9608/7.399A	----	7.588	-	0.732	.5716	----	----	----	----	1	UNCH
6475	----	----	----	9.1358/7.554A	9.1358/7.554A	----	7.757	-	0.740	.5784	----	----	----	----	2	UNCH
6500	7.440	7.440		9.3458/7.440	9.3458/7.440	----	7.929	-	0.746	.5851	----	----	2	----	269	-
6575	----	----	----	9.9058/8.220A	9.9058/8.220A	----	8.455	-	0.768	.6047	----	----	----	----	1	UNCH
6600	----	----	----	10.0818/8.405A	10.0818/8.405A	----	8.634	-	0.775	.6110	----	----	----	----	31	UNCH
6625	----	----	----	10.2908/8.562A	10.2908/8.562A	----	8.814	-	0.783	.6173	----	----	----	----	32	UNCH
6650	----	----	----	10.5068/8.759A	10.5068/8.759A	----	8.996	-	0.791	.6235	----	----	----	----	37	UNCH
6700	----	----	----	10.8468/9.100A	10.8468/9.100A	----	9.364	-	0.807	.6356	----	----	----	----	20	UNCH
6725	----	----	----	10.7788/9.287A	10.7788/9.287A	----	9.551	-	0.814	.6416	----	----	----	----	1	UNCH
6750	----	----	----	10.8908/9.472A	10.8908/9.472A	----	9.739	-	0.822	.6475	----	----	----	----	2	UNCH
6800	----	----	----	----/9.840A	10.8818/9.840A	----	10.118	-	0.838	.6590	----	----	----	----	14	UNCH
6850	----	----	----	----/10.175A	10.9488/10.175A	----	10.503	-	0.854	.6701	----	----	----	----	1	UNCH
6900	----	----	----	----/10.574A	11.1538/10.574A	----	10.893	-	0.869	.6810	----	----	----	----	10	UNCH
6950	----	----	----	----/10.952A	11.1688/10.952A	----	11.287	-	0.884	.6915	----	----	----	----	1	UNCH
7000	----	----	----	----/11.322A	11.2848/11.322A	----	11.685	-	0.899	.7018	----	----	----	----	116	UNCH
7025	----	----	----	----/11.544A	11.3778/11.544A	----	11.886	-	0.906	.7068	----	----	----	----	1	UNCH
7050	----	----	----	----/11.729A	11.3908/11.729A	----	12.087	-	0.914	.7117	----	----	----	----	1	UNCH
7075	----	----	----	----/11.914A	11.4588/11.914A	----	12.290	-	0.921	.7166	----	----	----	----	1	UNCH
7150	----	----	----	----	7.1538/18.111A	----	12.904	-	0.942	.7307	----	----	----	----	1	UNCH
7225	----	----	----	----	7.8538/18.881A	----	13.527	-	0.962	.7442	----	----	----	----	88	UNCH
7250	----	----	----	----	7.7798/19.009A	----	13.737	-	0.968	.7485	----	----	----	----	1	UNCH
7275	----	----	----	----	8.0138/19.245A	----	13.947	-	0.975	.7528	----	----	----	----	1	UNCH
7300	----	----	----	----	8.3088/19.607A	----	14.158	-	0.982	.7570	----	----	----	----	8	UNCH
7350	----	----	----	----	8.5228/20.106A	----	14.584	-	0.993	.7651	----	----	----	----	1	UNCH
7500	----	----	----	----	9.4838/21.556A	----	15.880	-	1.028	.7878	----	----	----	----	28	UNCH
7600	----	----	----	----	10.3498/22.633A	----	16.761	-	1.048	.8016	----	----	----	----	13	UNCH
7650	----	----	----	----	10.9058/23.118A	----	17.205	-	1.058	.8081	----	----	----	----	1	UNCH
7700	----	----	----	----	11.0648/23.666A	----	17.652	-	1.068	.8143	----	----	----	----	1	UNCH
7775	----	----	----	----	11.7388/24.419A	----	18.328	-	1.080	.8232	----	----	----	----	2	UNCH
7950	----	----	----	----	13.1968/26.264A	----	19.923	-	1.109	.8418	----	----	----	----	10	UNCH
8000	----	----	----	----	13.5978/26.668A	----	20.384	-	1.116	.8467	----	----	----	----	11	UNCH
8200	----	----	----	----	15.3448/28.694A	----	22.243	-	1.142	.8642	----	----	----	----	6	UNCH
8375	----	----	----	----	17.4328/30.271A	----	23.889	-	1.162	.8774	----	----	----	----	1	UNCH
8400	----	----	----	----	17.3208/30.616A	----	24.126	-	1.164	.8791	----	----	----	----	6	UNCH
9100	----	----	----	----	23.8198/37.494A	----	30.841	-	1.221	.9162	----	----	----	----	1	UNCH
10000	----	----	----	----	32.6438/46.309A	----	39.638	-	1.262	.9436	----	----	----	----	40	UNCH
TOTAL													39	0	1082	-
NOV26																
4500	----	----	----	----/1.208A	1.0668/1.208A	----	1.045	-	0.178	.1123	----	----	----	----	2	UNCH
4550	----	----	----	----/1.278A	1.1548/1.278A	----	1.119	-	0.189	.1192	----	----	----	----	1	UNCH
4800	----	----	----	----/1.686A	1.6738/1.686A	----	1.554	-	0.246	.1584	----	----	----	----	5	UNCH
5000	----	----	----	----/2.099A	2.1998/2.099A	----	1.990	-	0.299	.1950	----	----	----	----	148	UNCH
5200	----	----	----	----/2.601A	2.8428/2.601A	----	2.515	-	0.356	.2363	----	----	----	----	1	UNCH
5400	----	----	----	3.6108/3.204A	3.6108/3.204A	----	3.138	-	0.419	.2818	----	----	----	----	8	UNCH
5500	----	----	----	4.0258/3.547A	4.0258/3.547A	----	3.490	-	0.451	.3059	----	----	----	----	71	UNCH
5600	----	----	----	4.4808/3.918A	4.4808/3.918A	----	3.868	-	0.485	.3307	----	----	----	----	9	UNCH
5950	----	----	----	6.3728/5.472A	6.3728/5.472A	----	5.420	-	0.605	.4220	----	----	----	----	1	UNCH
6000	----	----	----	6.6968/5.709A	6.6968/5.709A	----	5.679	-	0.622	.4353	----	----	----	----	60	UNCH
6500	----	----	----	10.0808/8.588A	10.0808/8.588A	----	8.714	-	0.778	.5614	----	----	----	----	40	UNCH
6675	----	----	----	11.4108/9.766A	11.4108/9.766A	----	9.925	-	0.827	.6013	----	----	----	----	20	UNCH
6700	----	----	----	11.5858/9.956A	11.5858/9.956A	----	10.104	-	0.833	.6067	----	----	----	----	50	UNCH
7000	----	----	----	13.4908/12.122A	13.4908/12.122A	----	12.355	-	0.910	.6673	----	----	----	----	40	UNCH
7025	----	----	----	----/12.312A	13.3358/12.312A	----	12.551	-	0.916	.6719	----	----	----	----	6	UNCH
7050	----	----	----	----/12.502A	13.4408/12.502A	----	12.747	-	0.922	.6765	----	----	----	----	50	UNCH
7400	----	----	----	----	7.9828/22.917A	----	15.608	-	0.996	.7338	----	----	----	----	24	UNCH
7500	----	----	----	----	8.4908/24.107A	----	16.457	-	1.014	.7480	----	----	----	----	10	UNCH
7700	----	----	----	----	9.8708/26.118A	----	18.190	-	1.048	.7738	----	----				

BULLETIN #124@				METALS OPTION PRODUCTS							Tue, Jun 30, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS														
DEC26															
8550	----	----	----	----	15.272B/37.057A	----	----	26.304 - 1.110	.8222	----	----	----	----	25	UNCH
8600	----	----	----	----	15.769B/37.673A	----	----	26.764 - 1.115	.8259	----	----	----	----	9	UNCH
8800	----	----	----	----	17.153B/39.814A	----	----	28.618 - 1.132	.8394	----	----	----	----	12	UNCH
8900	----	----	----	----	18.048B/40.708A	----	----	29.551 - 1.141	.8457	----	----	----	----	30	UNCH
9000	----	----	----	----	18.911B/41.696A	----	----	30.488 - 1.148	.8516	----	----	----	----	3	UNCH
9050	----	----	----	----	19.428B/42.170A	----	----	30.958 - 1.152	.8544	----	----	----	----	100	UNCH
9500	----	----	----	----	23.680B/46.483A	----	----	35.223 - 1.179	.8768	----	----	----	----	2	UNCH
9850	----	----	----	----	27.328B/49.483A	----	----	38.576 - 1.198	.8908	----	----	----	----	8	UNCH
9950	----	----	----	----	27.952B/50.803A	----	----	39.539 - 1.202	.8944	----	----	----	----	1	UNCH
10025	----	----	----	----	28.789B/51.439A	----	----	40.263 - 1.205	.8970	----	----	----	----	3	UNCH
10125	----	----	----	----	29.673B/52.401A	----	----	41.229 - 1.210	.9002	----	----	----	----	1	UNCH
10700	----	----	----	----	35.523B/57.860A	----	----	46.818 - 1.230	.9163	----	----	----	----	5	UNCH
10800	----	----	----	----	36.876B/58.560A	----	----	47.794 - 1.233	.9186	----	----	----	----	2	UNCH
11000	----	----	----	----	38.473B/60.778A	----	----	49.751 - 1.239	.9231	----	----	----	----	2	UNCH
11500	----	----	----	----	44.012B/65.352A	----	----	54.659 - 1.253	.9325	----	----	----	----	1	UNCH
12000	----	----	----	----	48.481B/70.350A	----	----	59.589 - 1.263	.9402	----	----	----	----	1	UNCH
12100	----	----	----	----	49.434B/71.382A	----	----	60.577 - 1.265	.9416	----	----	----	----	1	UNCH
12300	----	----	----	----	51.444B/73.352A	----	----	62.555 - 1.268	.9442	----	----	----	----	1	UNCH
TOTAL												44	25	4053 +	46
JAN27															
3800	----	----	----	----	0.445B/0.811A	----	----	0.671 - 0.091	.0619	----	----	----	----	1	UNCH
5000	----	----	----	-----/2.749A	2.810B/2.749A	----	----	2.582 - 0.291	.2073	----	----	----	----	6	UNCH
5300	----	----	----	3.926B/3.668A	3.926B/3.668A	----	----	3.502 - 0.367	.2640	----	----	----	----	2	UNCH
5500	----	----	----	4.797B/4.405A	4.797B/4.405A	----	----	4.262 - 0.429	.3053	----	----	----	----	4	UNCH
5800	----	----	----	6.320B/5.720A	6.320B/5.720A	----	----	5.594 - 0.520	.3698	----	----	----	----	2	UNCH
6000	----	----	----	7.503B/6.697A	7.503B/6.697A	----	----	6.618 - 0.572	.4133	----	----	----	----	5	UNCH
6500	----	----	----	10.783B/9.589A	10.783B/9.589A	----	----	9.633 - 0.688	.5167	----	----	----	----	1	UNCH
6925	----	----	----	13.981B/12.513A	13.981B/12.513A	----	----	12.624 - 0.789	.5932	----	----	----	----	24	UNCH
7000	----	----	----	14.596B/13.029A	14.596B/13.029A	----	----	13.184 - 0.806	.6055	----	----	----	----	25	UNCH
7100	----	----	----	15.400B/13.760A	15.400B/13.760A	----	----	13.943 - 0.829	.6213	----	----	----	----	20	UNCH
7125	----	----	----	15.600B/13.975A	15.600B/13.975A	----	----	14.135 - 0.834	.6252	----	----	----	----	1	UNCH
8600	----	----	----	----	12.316B/40.576A	----	----	26.638 - 1.067	.7889	----	----	----	----	1	UNCH
8850	----	----	----	----	14.236B/43.255A	----	----	28.916 - 1.090	.8066	----	----	----	----	9	UNCH
TOTAL													0	101	0
FEB27															
5400	----	----	----	4.759B/4.462A	4.759B/4.462A	----	----	4.288 - 0.399	.2899	----	----	----	----	2	UNCH
6500	----	----	----	11.264B/10.164A	11.264B/10.164A	----	----	10.172 - 0.674	.5069	----	----	----	----	1	UNCH
6700	----	----	----	12.716B/11.500A	12.716B/11.500A	----	----	11.534 - 0.721	.5418	----	----	----	----	10	UNCH
8150	----	----	----	----	7.541B/38.426A	----	----	23.063 - 0.986	.7287	----	----	----	----	10	UNCH
8225	----	----	----	----	7.665B/39.181A	----	----	23.716 - 0.995	.7355	----	----	----	----	10	UNCH
8250	----	----	----	----	7.805B/39.642A	----	----	23.934 - 0.998	.7377	----	----	----	----	10	UNCH
8900	29.350	29.350		#29.350/29.350	29.350/29.350	----	----	29.741 - 1.064	.7874	----	----	3	----	0 -	3
TOTAL												3	0	43 -	3
MAR27															
4000	----	----	----	----	0.929B/1.310A	----	----	1.055 - 0.116	.0874	----	----	----	----	1	UNCH
4500	----	----	----	----	1.911B/2.134A	----	----	1.877 - 0.191	.1445	----	----	----	----	55	UNCH
5400	----	----	----	5.113B/4.852A	5.113B/4.852A	----	----	4.650 - 0.403	.2938	----	----	----	----	7	UNCH
5500	----	----	----	5.580B/5.268A	5.580B/5.268A	----	----	5.072 - 0.436	.3127	----	----	----	25	140 +	25
6000	----	----	----	8.366B/7.708A	8.366B/7.708A	----	----	7.574 - 0.568	.4086	----	----	----	----	53	UNCH
6500	----	----	----	11.703B/10.692A	11.703B/10.692A	----	----	10.663 - 0.654	.4985	----	----	----	----	20	UNCH
6825	----	----	----	14.053B/12.870A	14.053B/12.870A	----	----	12.912 - 0.723	.5507	----	----	----	----	2	UNCH
7000	----	----	----	15.416B/14.112A	15.416B/14.112A	----	----	14.190 - 0.760	.5767	----	----	----	----	3	UNCH
7500	----	----	----	19.458B/17.900A	19.458B/17.900A	----	----	18.054 - 0.860	.6424	----	----	----	----	3	UNCH
8100	----	----	----	----	22.792B/22.850A	----	----	23.033 - 0.954	.7057	----	----	----	----	6	UNCH
8300	----	----	----	----	6.514B/42.765A	----	----	24.759 - 0.978	.7235	----	----	----	----	50	UNCH
8500	----	----	----	----	7.351B/45.240A	----	----	26.511 - 0.999	.7397	----	----	----	----	3	UNCH
8975	----	----	----	----	10.774B/50.386A	----	----	30.760 - 1.042	.7732	----	----	----	----	1	UNCH
10500	----	----	----	----	24.324B/65.106A	----	----	44.946 - 1.142	.8463	----	----	----	----	10	UNCH
TOTAL													25	354 +	25
APR27															
4000	----	----	----	----	1.010B/1.438A	----	----	1.146 - 0.117	.0898	----	----	----	----	1	UNCH
4500	----	----	----	----	2.033B/2.308A	----	----	2.030 - 0.190	.1467	----	----	----	----	33	UNCH
5000	----	----	----	-----/3.644A	3.592B/3.644A	----	----	3.395 - 0.285	.2211	----	----	----	----	10	UNCH
5600	----	----	----	6.272B/5.966A	6.272B/5.966A	----	----	5.740 - 0.465	.3255	----	----	----	----	10	UNCH
6000	----	----	----	8.517B/8.000A	8.517B/8.000A	----	----	7.785 - 0.568	.3981	----	----	----	----	100	UNCH
7925	----	----	----	23.036B/21.450A	23.036B/21.450A	----	----	21.578 - 0.906	.6683	----	----	----	----	2	UNCH
8725	----	----	----	----	6.648B/49.729A	----	----	28.452 - 0.997	.7359	----	----	----	----	3	UNCH
TOTAL													0	159	0
MAY27															
6500	----	----	----	12.198B/11.448A	12.198B/11.448A	----	----	11.331 - 0.626	.4766	----	----	----	----	12	UNCH
TOTAL													0	12	0
JUN27															
4500	----	----	----	----	2.386B/2.779A	----	----	2.447 - 0.202	.1555	----	----	----	----	2	UNCH
5600	----	----	----	-----/6.671A	6.785B/6.671A	----	----	6.391 - 0.466	.3213	----	----	----	----	2	UNCH
6500	----	----	----	12.276B/*11.685	12.276B/11.685A	----	----	11.482 - 0.609	.4644	----	----	----	----	10	UNCH
TOTAL		</													

BULLETIN #124@				METALS OPTION PRODUCTS							Tue, Jun 30, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S02 PUT JUL26	SILVER OPTIONS													
5600	----	----	1.329B/0.572A	1.329B/0.572A	----	0.616 -	0.401 .1936	----	----	----	----	3	UNCH	
5650	----	----	1.534B/*0.644A	1.534B/*0.644A	----	0.714 -	0.443 .2215	----	----	----	----	3	UNCH	
5700	1.640	1.640	1.758B/0.717	1.758B/0.717	----	0.828 -	0.487 .2525	----	----	2	----	30	UNCH	
5800	1.380	1.380	2.275B/0.957A	2.275B/0.957A	----	1.109	NEW .3235	----	----	20	----	20 +	20	
5900	2.040	2.040	2.807B/1.247A	2.807B/1.247A	----	1.474 -	0.684 .4046	----	----	2	----	20 +	1	
5950	2.320	2.320	3.145B/1.417A	3.145B/1.417A	----	1.691 -	0.734 .4478	----	----	72	----	73 +	72	
6000	1.800	1.800	3.506B/1.606A	3.506B/1.606A	----	1.932 -	0.785 .4918	----	----	78	----	47 +	7	
6400	----	----	6.958B/4.004A	6.958B/4.004A	----	4.650 -	1.123 .7946	----	----	----	----	4	UNCH	
6500	----	----	7.887B/4.806A	7.887B/4.806A	----	5.499 -	1.178 .8432	----	----	----	----	2	UNCH	
6550	----	----	8.380B/5.227A	8.380B/5.227A	----	5.940 -	1.200 .8631	----	----	----	----	25	UNCH	
6600	----	----	8.863B/5.657A	8.863B/5.657A	----	6.390 -	1.219 .8807	----	----	----	----	16	UNCH	
6700	----	----	9.840B/6.545A	9.840B/6.545A	----	7.312 -	1.248 .9089	----	----	----	----	49	UNCH	
6750	----	----	10.319B/7.002A	10.319B/7.002A	----	7.782 -	1.259 .9201	----	----	----	----	1	UNCH	
6950	----	----	----/8.884A	10.839B/8.884A	----	9.701 -	1.285 .9510	----	----	----	----	0	UNCH	
7000	----	----	----/9.361A	10.946B/9.361A	----	10.188 -	1.288 .9562	----	----	----	----	2	UNCH	
TOTAL										177	0	407 +	103	
S03 CALL JUL26	SILVER OPTIONS													
6200	----	----	1.809B/*1.028A	1.809B/*1.028A	----	1.553 +	0.387 .3826	----	----	----	----	2	UNCH	
6300	----	----	1.415B/*0.850A	1.415B/*0.850A	----	1.239 +	0.320 .3227	----	----	----	----	15	UNCH	
6500	----	----	0.864B/*0.574A	0.864B/*0.574A	----	0.792 +	0.213 .2236	----	----	----	----	40	UNCH	
6600	----	----	0.668B/----	0.668B/*0.477A	----	0.640 +	0.174 .1854	----	----	----	----	10	UNCH	
6650	----	----	0.587B/----	0.587B/*0.454A	----	0.577 +	0.157 .1688	----	----	----	----	6	UNCH	
6700	----	----	0.516B/----	0.516B/*0.409A	----	0.523 +	0.143 .1541	----	----	----	----	10	UNCH	
6800	----	----	0.397B/----	0.397B/*0.353A	----	0.432 +	0.116 .1286	----	----	----	----	19	UNCH	
6900	----	----	0.305B/----	0.305B/*0.317A	----	0.363 +	0.097 .1083	----	----	----	----	2	UNCH	
7000	----	----	0.234B/----	0.234B/*0.281A	----	0.309 +	0.081 .0920	----	----	----	----	10	UNCH	
7200	----	----	----	0.139B/*0.227A	----	0.234 +	0.058 .0686	----	----	----	----	13	UNCH	
7250	----	----	----	0.116B/0.224A	----	0.220 +	0.054 .0641	----	----	----	----	2	UNCH	
7300	----	----	----	0.113B/*0.206A	----	0.208 +	0.051 .0602	----	----	----	----	5	UNCH	
7500	----	----	----	0.083B/*0.173A	----	0.167 +	0.038 .0471	----	----	----	----	9	UNCH	
7800	----	----	----	0.055B/*0.140A	----	0.126 +	0.026 .0340	----	----	----	----	2	UNCH	
TOTAL											0	145	0	
S03 PUT JUL26	SILVER OPTIONS													
5350	----	----	0.929B/*0.615A	0.929B/*0.615A	----	0.583 -	0.282 .1457	----	----	----	----	5	UNCH	
5500	----	----	1.380B/0.818A	1.380B/0.818A	----	0.824 -	0.366 .2002	----	----	----	----	2	UNCH	
5550	----	----	1.533B/*0.903A	1.533B/*0.903A	----	0.925 -	0.398 .2219	----	----	----	----	12	UNCH	
5600	----	----	1.747B/0.999A	1.747B/0.999A	----									

PG64	BULLETIN #124@										METALS OPTION PRODUCTS				Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK																		
TOTAL										185	0	485 +	139						
TWS TUE	SILVER WEEKLY TUESDAY OPTION week5																		
JUN26																			
5000	----	----	----	----/0.146A	----	0.000	-	0.005	----	----	----	0	-	3					
5400	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000	-	0.018	----	2	----	0	-	2					
5500	----	----	----	0.010B/*0.059A	----	0.000	-	0.029	----	----	----	0	-	5					
5540	----	----	----	0.001B/*0.058A	----	0.000	-	0.037	----	----	----	0	-	24					
5600	----	----	0.077B/----	0.077B/*0.059A	----	0.000	-	0.056	----	----	----	0	-	21					
5650	----	----	0.182B/*0.056A	0.182B/*0.056A	----	0.000	-	0.084	----	----	----	0	-	10					
5700	0.800	0.800	3.767B/*0.800	3.767B/*0.800	----	2.922		NEW	1	1	----	0	UNCH						
5700	0.360	0.360	0.371B/*0.003	0.371B/*0.003	----	0.000	-	0.131	----	5	----	0	-	5					
5730	----	----	#3.462B/*0.707A	3.462B/*0.707A	----	2.622	+	1.116	1	----	----	0	-	1					
5750	0.833	0.833	0.833/*0.061A	0.833/*0.061A	----	0.000	-	0.210	----	2	----	0	-	2					
5770	----	----	0.663B/*0.061A	0.663B/*0.061A	----	0.000	-	0.253	----	----	----	0	-	2					
5800	0.505	0.505	2.760B/*0.444A	2.760B/*0.444A	----	1.922		NEW	3	3	----	0	UNCH						
5800	0.555	0.555	0.873B/*0.001	0.873B/*0.001	----	0.000	-	0.335	----	8	----	0	-	8					
5820	0.337	0.337	1.021B/*0.065A	1.021B/*0.065A	----	0.000		NEW	3	----	----	0	UNCH						
5830	0.400	0.400	#2.459B/*0.361A	2.459B/*0.361A	----	1.622		NEW	2	2	----	0	UNCH						
5850	----	----	1.300B/*0.054A	1.300B/*0.054A	----	0.000	-	0.524	----	----	----	0	-	8					
5860	----	----	#2.157B/*0.290A	2.157B/*0.290A	----	1.322	+	0.720	1	----	----	0	-	1					
5870	0.241	0.241	#2.056B/*0.241	2.056B/*0.241	----	1.222	+	0.670	26	2	----	0	-	24					
5880	----	----	#1.961B/*0.263A	1.961B/*0.263A	----	1.122	+	0.618	23	----	----	0	-	23					
5900	0.220	0.220	1.760B/*0.201	1.760B/*0.201	----	0.922	+	0.503	8	2	----	0	-	6					
5900	0.441	0.441	1.748B/*0.060A	1.748B/*0.060A	----	0.000	-	0.787	----	3	----	0	-	1					
5910	0.447	0.447	#1.660B/*0.215A	1.660B/*0.215A	----	0.822	+	0.442	2	3	----	0	-	1					
5950	0.200	0.200	1.265B/*0.080	1.265B/*0.080	----	0.422	+	0.168	24	7	----	0	-	21					
5960	0.020	0.020	2.318B/*0.020	2.318B/*0.020	----	0.000		NEW	1	1	----	0	UNCH						
5970	0.641	0.641	1.073B/*0.164A	1.073B/*0.164A	----	0.222		NEW	1	1	----	0	UNCH						
6000	0.900	0.900	2.729B/*0.065	2.729B/*0.065	----	0.078	-	1.440	4	12	----	0	-	5					
6000	0.100	0.100	0.774B/*0.050	0.774B/*0.050	----	0.000	-	0.150	----	36	----	0	-	28					
6020	0.180	0.180	0.596B/*0.055A	0.596B/*0.055A	----	0.000		NEW	1	1	----	0	UNCH						
6030	0.345	0.345	0.521/*0.030	0.521/*0.030	----	0.000		NEW	5	5	----	0	UNCH						
6040	0.365	0.365	0.418B/*0.055A	0.418B/*0.055A	----	0.000		NEW	1	1	----	0	UNCH						
6050	----	----	0.327B/*0.056A	0.327B/*0.056A	----	0.000	-	0.087	----	----	----	0	-	6					
6060	----	----	0.248B/*0.056A	0.248B/*0.056A	----	0.000		NEW	1	1	----	0	UNCH						
6080	----	----	0.191B/*0.057A	0.191B/*0.057A	----	0.000		NEW	3	----	----	0	UNCH						
6090	0.080	0.080	0.162/*0.055A	0.162/*0.055A	----	0.000		NEW	2	2	----	0	UNCH						
6100	----	----	0.167B/----	0.167B/*0.054A	----</														

COPPER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HMW MON	COPPER WEEKLY MONDAY OPTION WEEK5												
JUN26													
604	----	----	----	----	----	0.1235	UNCH	----	----	----	----	0	UNCH
605	----	----	----	----	----	0.1135	UNCH	----	----	----	----	0	UNCH
613	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
614	----	----	----	----	----	0.0235	UNCH	----	----	----	----	0	UNCH
615	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
615	----	----	----	----	----	0.0135	UNCH	----	----	----	----	0	UNCH
616	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
618	----	----	----	----	----	0.0165	UNCH	----	----	----	----	0	UNCH
618	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
620	----	----	----	----	----	0.0365	UNCH	----	----	----	----	0	UNCH
621	----	----	----	----	----	0.0465	UNCH	----	----	----	----	0	UNCH
625	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
630	----	----	----	----	----	0.1365	UNCH	.0000	----	----	----	0	UNCH
631	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
635	----	----	----	----	----	0.1865	UNCH	----	----	----	----	0	UNCH
640	----	----	----	----	----	0.2365	UNCH	----	----	----	----	0	UNCH
TOTAL												0	
JUL26													
500	----	----	----	----/0.0075A	----	0.0020	UNCH	.0081	----	----	----	2	UNCH
500	----	----	----	----/0.0060A	----	0.0005	UNCH	.0022	----	----	----	26	UNCH
575	----	----	----	----/0.0095A	0.0075B/0.0095A	0.0060	- 0.0055	.0341	----	----	----	1	UNCH
575	----	----	----	0.0415B/0.0290	0.0415B/0.0290	0.0320	- 0.0060	.1233	----	----	----	1	UNCH
587	0.0130	0.0130		#0.0130/0.0130	#0.0130/0.0130	0.0120	NEW	.0709	----	3	----	3 +	3
590	----	----	----	----/0.0145A	0.0250B/0.0145A	0.0140	- 0.0110	.0837	----	----	----	30	UNCH
595	----	----	----	0.0365B/0.0175A	0.0365B/0.0175A	0.0190	- 0.0140	.1134	----	----	----	80	UNCH
595	----	----	----	0.3710B/0.2490A	0.3710B/0.2490A	0.3500	+ 0.0755	.8032	----	----	----	1	UNCH
615	----	----	----	0.1620B/0.0860A	0.1620B/0.0860A	0.1080	- 0.0330	.3786	----	----	----	2	UNCH
635	----	----	----	0.0870B/----	0.0870B/0.0425A	0.0705	+ 0.0295	.3636	----	----	----	10	UNCH
640	0.0600	0.0600		0.0700/0.0600	0.0700/0.0360A	0.0560	+ 0.0245	.2985	----	10	----	40 -	5
650	----	----	----	#0.1165B/----	#0.1165B/0.0730	0.1035	+ 0.0315	.3241	----	----	----	13	UNCH
670	0.0145	0.0145		0.0145/0.0145	0.0145/0.0145	0.0160	NEW	.0852	----	1	----	1 +	1
677	0.0090	0.0090		#0.0090/0.0090	#0.0095B/0.009	0.0130	NEW	.0667	----	1	----	1 +	1
TOTAL										15		211	
HMW THU	COPPER WEEKLY THURSDAY OPT Week2												
JUL26													
500	----	----	----	----/0.0055A	----	0.0005	UNCH	.0019	----	----	----	12	UNCH
500	----	----	----	----/0.0070A	----	0.0010	UNCH	.0043	----	----	----	17	UNCH
500	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	19	UNCH
525	----	----	----	----/0.0065A	----	0.0010	UNCH	.0046	----	----	----	14	UNCH
550	----	----	----	0.0030B/0.0095A	----	0.0050	- 0.0020	.0232	----	----	----	1	UNCH
560	----	----	----	----/0.0055A	----	0.0005	- 0.0015	.0002	----	----	----	1	UNCH
570	----	----	----	0.0005B/0.0065	----	0.0010	- 0.0030	.0026	----	----	----	2	UNCH

BULLETIN #124@				METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
COPPER WEEKLY THURSDAY OPT week1																
HWR THU																
JUL26																
574	----	----	----	----	0.0020B/*0.0065	----	----	0.0010 - 0.0040	.0029	----	----	----	----	1	UNCH	
590	----	----	----	0.0420B/0.0260A	0.0420B/0.0260A	----	----	0.0275 - 0.0115	.1342	----	----	----	----	1	UNCH	
590	0.0205	0.0205		0.0205/*0.0095A	0.0205/*0.0095A	----	----	0.0050 NEW	.0235	----	----	1	----	1 +	1	
595	----	----	----	----/*0.0115A	0.0210B/*0.0115	----	----	0.0075 - 0.0145	.0397	----	----	----	----	21	UNCH	
600	----	----	----	0.0340B/*0.0135	0.0340B/*0.0135	----	----	0.0115 - 0.0185	.0671	----	----	----	----	19	UNCH	
601	0.0255	0.0255		0.0375B/*0.0145	0.0375B/*0.0145	----	----	0.0125 NEW	.0742	----	1	----	----	1 +	1	
605	----	----	----	0.0930B/0.0460A	0.0930B/0.0460A	----	----	0.0565 - 0.0240	.2535	----	----	----	----	2	UNCH	
605	0.0835	0.0835		0.1280B/0.0705A	0.1280B/0.0705A	----	----	0.0865 NEW	.2983	----	2	----	----	2 +	2	
605	----	----	----	0.0515B/*0.0170	0.0515B/*0.0170	----	----	0.0170 - 0.0245	.1078	----	----	----	----	107	UNCH	
605	----	----	----	0.2745B/0.1325A	0.2745B/0.1325A	----	----	0.2210 + 0.0660	.8921	----	----	----	----	23	UNCH	
610	0.0755	0.0755		0.0755/*0.0220A	0.0755/*0.0220A	----	----	0.0255 - 0.0320	.1701	----	3	----	----	7 +	1	
610	----	----	----	0.2290B/0.1045A	0.2290B/0.1045A	----	----	0.1795 + 0.0585	.8298	----	----	----	----	38	UNCH	
612	----	----	----	#0.0830B/*0.025	0.0830B/*0.0250	----	----	0.0300 - 0.0350	.2020	----	----	----	----	1	UNCH	
615	----	----	----	0.1435B/0.0705A	0.1435B/0.0705A	----	----	0.0895 - 0.0350	.3633	----	----	----	----	3	UNCH	
615	----	----	----	0.0990B/0.0305A	0.0990B/0.0305A	----	----	0.0380 - 0.0400	.2568	----	----	----	----	30	UNCH	
615	----	----	----	0.1865B/0.0805A	0.1865B/0.0805A	----	----	0.1420 + 0.0505	.7431	----	----	----	----	1	UNCH	
617	----	----	----	#0.1110B/*0.035	0.1110B/*0.0350	----	----	0.0440 - 0.0440	.2971	----	----	----	----	2	UNCH	
620	----	----	----	0.1730B/0.0880A	0.1730B/0.0880A	----	----	0.1110 - 0.0405	.4235	----	----	----	----	1	UNCH	
620	0.1810	0.1810		0.1950B/0.1045A	0.1950B/0.1045A	----	----	0.1650 + 0.0500	.5762	----	1	----	----	0 -	1	
620	----	----	----	0.2110B/0.1225A	0.2110B/0.1225A	----	----	0.1495 - 0.0360	.4358	----	----	----	----	1	UNCH	
620	0.0595	0.0595		0.1300B/0.0430A	0.1300B/0.0430A	----	----	0.0550 - 0.0495	.3644	----	2	----	----	3 +	2	
621	----	----	----	#0.1225B/*0.057	#0.1225B/0.0575	----	----	0.1030 + 0.0390	.6121	----	----	----	----	1	UNCH	
625	----	----	----	#0.2025B/0.1210	0.2025B/0.1210A	----	----	0.1800 + 0.0510	.5172	----	----	----	----	1	UNCH	
625	----	----	----	----/0.0600A	0.1355B/0.0600A	----	----	0.0775 - 0.0590	.4849	----	----	----	----	1	UNCH	
630	----	----	----	0.0875B/0.0365A	0.0875B/0.0365A	----	----	0.0605 + 0.0235	.3963	----	----	----	----	10	UNCH	
631	----	----	----	#0.0825B/----	#0.0825B/0.0350	----	----	0.0570 + 0.0225	.3743	----	3	----	----	2 -	1	
635	----	----	----	0.2510B/0.1090A	0.2510B/0.1090A	----	----	0.1405 - 0.0730	.7072	----	----	----	----	2	UNCH	
635	----	----	----	0.0640B/----	0.0640B/0.0300A	----	----	0.0445 + 0.0175	.2927	----	----	----	----	10	UNCH	
640	----	----	----	0.2965B/0.1390A	0.2965B/0.1390A	----	----	0.1790 - 0.0780	.7891	----	----	----	----	4	UNCH	
640	0.0250	0.0250		0.0515/0.0250	0.0515/0.0215A	----	----	0.0330 + 0.0125	.2108	----	26	----	----			



PG64	BULLETIN #124@										METALS OPTION PRODUCTS				Tue, Jun 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
COPPER WEEKLY WEDNESDAY OPTION WEEK																			
HWW WED JUL26																			
635	----	----	0.0425B/----	0.0425B/0.0200A	----	0.0270 + 0.0100	.2006	----	----	----	----	155	UNCH						
636	----	----	0.0380B/----	0.0380B/0.0195A	----	0.0250 + 0.0090	.1798	----	----	----	----	4	UNCH						
640	----	----	0.2905B/0.1190A	0.2905B/0.1190A	----	0.1645 - 0.0850	.8853	----	----	----	----	100	UNCH						
640	0.0155	0.0155	0.0250B/0.0155	0.0250B/0.0155	----	0.0185 + 0.0055	.1145	----	----	21	----	101 +	1						
645	0.0150	0.0150	0.0150/0.0150	0.0150/0.0140A	----	0.0135 + 0.0030	.0672	----	----	3	----	75	UNCH						
645	----	----	0.0710B/----	0.0710B/0.0400A	----	0.0605 + 0.0220	.2805	----	----	----	----	15	UNCH						
650	----	----	0.3865B/0.2020A	0.3865B/0.2020A	----	0.2555 - 0.0895	.9624	----	----	----	----	11	UNCH						
650	----	----	0.0140B/----	0.0140B/0.0125A	----	0.0095 + 0.0010	.0375	----	----	----	----	30	UNCH						
655	----	----	----	0.0060B/0.0115A	----	0.0070 - 0.0005	.0218	----	----	----	----	1	UNCH						
655	----	----	0.0460B/----	0.0460B/0.0300A	----	0.0410 NEW	.1973	----	----	4	----	4 +	4						
660	0.0060	0.0060	0.0070B/*0.0060	0.0070B/*0.0060	----	0.0055 - 0.0010	.0136	----	----	1	----	2 +	1						
670	----	----	0.5830B/0.3920A	0.5830B/0.3920A	----	0.4495 - 0.0920	.9944	----	----	----	----	19	UNCH						
680	----	----	0.6815B/0.4900A	0.6815B/0.4900A	----	0.5475 - 0.0925	.9986	----	----	----	----	20	UNCH						
680	----	----	0.0165B/----	0.0165B/0.0160A	----	0.0170 NEW	.0819	----	----	4	----	4 +	4						
690	----	----	----	----/*0.0055A	----	0.0010 - 0.0010	.0005	----	----	----	----	25	UNCH						
690	0.0315	0.0315	#0.0315/0.0315	0.0315/0.0235A	----	0.0290 + 0.0075	.1122	----	----	1	----	0 -	1						
700	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0005 - 0.0010	.0000	----	----	5	----	15	UNCH						
710	----	----	----	----/*0.0050A	----	0.0005 - 0.0005	.0000	----	----	----	----	5	UNCH						
710	----	----	#0.0175B/----	0.0175B/0.0165A	----	0.0185 + 0.0045	.0711	----	----	----	----	1	UNCH						
715	----	----	----	----/*0.0045A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH						
725	----	----	0.0115B/----	0.0115B/0.0140A	----	0.0130 + 0.0030	.0499	----	----	----	----	1	UNCH						
800	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	26	UNCH						
TOTAL										151		1066 +	77						
AUG26																			
540	0.0250	0.0250	0.0250/0.0250	0.0250/0.0220A	----	0.0200 NEW	.0657	----	----	2	----	0	UNCH						
559	----	----	0.0410B/0.0350A	0.0410B/0.0350A	----	0.0355 - 0.0050	.1117	----	----	----	----	1	UNCH						
577	----	----	0.0800B/0.0570A	0.0800B/0.0570A	----	0.0630 - 0.0115	.1822	----	----	----	----	2	UNCH						
580	----	----	0.0890B/0.0620A	0.0890B/0.0620A	----	0.0695 - 0.0125	.1971	----	----	----	----	1	UNCH						
590	----	----	0.1235B/0.0830A	0.1235B/0.0830A	----	0.0950 - 0.0180	.2514	----	----	----	----	1	UNCH						
599	----	----	----	----	----	0.3880 + 0.0675	.6922	----	----	----	----	10	UNCH						
600	----	----	0.1670B/0.1110A	0.1670B/0.1110A	----	0.1285 NEW	.3131	----	----	1	----	1 +	1						
606	----	----	0.1970B/0.1315A	0.1970B/0.1315A	----	0.1525 - 0.0265	.3521	----	----	----	----	1	UNCH						
617	----	----	0.2590B/0.1770A	0.2590B/0.1770A	----	0.2045 - 0.0320	.4251	----	----	----	----	1	UNCH						
630	----	----	0.3425B/0.2430A	0.3425B/0.2430A	----	0.2765 - 0.0390	.5090	----	----	----	----	3	UNCH						
630	----	----	0.2480B/0.1740A	0.2480B/0.1740A	----	0.2305 + 0.0510	.4901	----	----	----	----	4	UNCH						
640	----	----	0.2070B/0.1455A	0															



PG64 BULLETIN #124@			METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HX CALL		COMEX COPPER OPTIONS														
FEB27																
850	----	----	0.1185B/----	0.1185B/0.1275A	----	0.1210	+ 0.0085	.1588	----	----	----	----	60	UNCH		
900	----	----	0.0830B/----	0.0830B/0.0985A	----	0.0870	+ 0.0060	.1181	----	----	----	----	50	UNCH		
1000	----	----	----	0.0425B/0.0640A	----	0.0480	+ 0.0030	.0681	----	----	----	----	50	UNCH		
TOTAL														263		
MAR27																
640	----	----	0.6250B/----	0.6250B/0.5795A	----	0.6185	+ 0.0395	.5523	----	----	----	----	1	UNCH		
660	----	----	0.5435B/----	0.5435B/0.5075A	----	0.5400	+ 0.0360	.5021	----	----	----	----	12	UNCH		
680	----	----	0.4725B/----	0.4725B/0.4445A	----	0.4710	+ 0.0330	.4546	----	----	----	----	30	UNCH		
700	----	----	0.4100B/----	0.4100B/0.3885A	----	0.4100	+ 0.0295	.4099	----	----	----	----	165	UNCH		
755	----	----	0.2755B/----	0.2755B/0.2705A	----	0.2785	+ 0.0200	.3036	----	----	----	----	1	UNCH		
800	----	----	0.2000B/----	0.2000B/0.2040A	----	0.2040	+ 0.0135	.2354	----	----	----	----	25	UNCH		
950	----	----	----	0.0735B/0.0960A	----	0.0830	+ 0.0050	.1060	----	----	----	----	3	UNCH		
TOTAL														237		
HX PUT		COMEX COPPER OPTIONS														
AUG26																
330	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	----	3	UNCH		
405	----	----	----	----/0.0035A	----	0.0005	UNCH	.0002	----	----	----	----	3	UNCH		
420	----	----	----	----/0.0035A	----	0.0005	UNCH	.0007	----	----	----	----	1	UNCH		
440	----	----	----	----/0.0040A	----	0.0010	UNCH	.0032	----	----	----	----	5	UNCH		
450	----	----	----	----/0.0040A	----	0.0010	- 0.0005	.0034	----	----	----	----	11	UNCH		
460	----	----	----	----/0.0045A	----	0.0015	- 0.0005	.0051	----	----	----	----	3	UNCH		
465	----	----	----	----/0.0045A	----	0.0015	- 0.0010	.0052	----	----	----	----	1	UNCH		
470	----	----	----	----/0.0050A	----	0.0020	- 0.0005	.0069	----	----	----	----	3	UNCH		
475	----	----	----	----/0.0050A	----	0.0020	- 0.0010	.0071	----	----	----	----	15	UNCH		
480	----	----	----	0.0005B/0.0055A	----	0.0025	- 0.0010	.0088	----	----	----	----	13	UNCH		
485	----	----	----	0.0010B/0.0055A	----	0.0030	- 0.0010	.0105	----	----	----	----	10	UNCH		
490	----	----	----	0.0010B/*0.0050	----	0.0035	- 0.0010	.0123	----	----	----	----	31	UNCH		
495	----	----	----	0.0020B/0.0065A	----	0.0040	- 0.0010	.0141	----	----	----	----	5	UNCH		
500	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0045	- 0.0015	.0161	----	----	2	----	28	UNCH		
505	----	----	----/*0.0055A	0.0060B/*0.0055	----	0.0050	- 0.0015	.0181	----	----	----	----	3	UNCH		
510	----	----	----/*0.0065A	0.0070B/*0.0065	----	0.0055	- 0.0020	.0202	----	----	----	----	14	UNCH		
515	----	----	----/*0.0070A	0.0080B/*0.0070	----	0.0065	- 0.0020	.0238	----	----	----	----	4	UNCH		
520	----	----	----/0.0075A	0.0095B/0.0075A	----	0.0075	- 0.0020	.0276	----	----	----	----	360	UNCH		
525	----	----	0.0110B/0.0085A	0.0110B/0.0085A	----	0.0085	- 0.0020	.0315	----	----	----	----	51	UNCH		
530	----	----	0.0130B/0.0095A	0.0130B/0.0095A	----	0.0100	- 0.0020	.0370	----	----	----	----	55	UNCH		
535	----	----	0.0155B/0.0110A	0.0155B/0.0110A	----	0.0115	- 0.0025	.0427	----	----	----	----	171	UNCH		
540	0.0150	0.0150	0.0180B/0.0125A	0.0180B/0.0125A	----	0.0135	- 0.0025	.0500	----	----	5	----	182	+		
545	----	----	0.0215B/0.0140A	0.0215B/0.0140A	----	0.0160	- 0.0025	.0587	----	----	----	----	81	UNCH		
550	0.0240	0.0240	0.0255B/0.0160A	0.0255B/0.0160A	----	0.0185	- 0.0035	.0679	----	----	49	----	469	+		
555	0.0240	0.0240	0.0305B/0.0185A	0.0305B/0.0185A	----	0.0220	- 0.0035	.0798	----	----	3	----	60	+		
560	0.0280	0.0280	0.0365B/0.0215A	0.0365B/0.0215A	----	0.0260	- 0.0045	.0932	----	----	42	----	480	+		
565	0.0330	0.0330	0.0435B/0.0250A	0.0435B/0.0250A	----	0.0310	- 0.0055	.1092	----	----	4	----	101	+		
570	0.0450	0.0450	0.0525B/0.0290	0.0525B/0.0290	----	0.0370	- 0.0070	.1276	----	----	7	----	238	UNCH		
575	0.0460	0.0460	0.0625B/0.0345	0.0625B/0.0345	----	0.0445	- 0.0085	.1493	----	----	294	----	495	-		
580	0.0650	0.0650	0.0755B/0.0410	0.0755B/0.0410	----	0.0530	- 0.0105	.1731	----	----	84	----	1746	+		
585	0.0640	0.0640	0.0910B/0.0490	0.0910B/0.0490	----	0.0635	- 0.0125	.2002	----	----	36	----	272	+		
590	0.0760	0.0760	0.1050B/0.0585	0.1050B/0.0585	----	0.0755	- 0.0155	.2297	----	----	36	----	314	+		
595	0.0900	0.0900	0.1240B/0.0700	0.1240B/0.0700	----	0.0895	- 0.0185	.2617	----	----	22	----	188	+		
600	0.1395	0.1395	0.1465B/0.0840	0.1465B/0.0840	----	0.1060	- 0.0215	.2961	----	----	161	----	1343	+		
605	0.1250	0.1250	0.1715B/0.0985	0.1715B/0.0985	----	0.1245	- 0.0245	.3318	----	----	149	----	571	+		
610	0.1290	0.1290	0.1965B/0.1165A	0.1965B/0.1165A	----	0.1455	- 0.0275	.3687	----	----	43	----	638	+		
615	0.1945	0.1945	0.2250B/0.1365A	0.2250B/0.1365A	----	0.1685	- 0.0310	.4059	----	----	29	----	463	+		
620	0.2220	0.2220	0.2555B/0.1590A	0.2555B/0.1590A	----	0.1935	- 0.0340	.4430	----	----	20	----	287	+		
625	0.2210	0.2210	0.2885B/0.1830A	0.2885B/0.1830A	----	0.2205	- 0.0375	.4795	----	----	459	----	600	+		
630	0.2515	0.2515	0.3175B/0.2110A	0.3175B/0.2110A	----	0.2495	- 0.0405	.5152	----	----	17	----	56	+		
635	----	----	0.3530B/0.2395A	0.3530B/0.2395A	----	0.2800	- 0.0440	.5499	----	----	----	----	81	UNCH		
640	0.3075	0.3075	0.3905B/0.2700A	0.3905B/0.2700A	----	0.3120	- 0.0475	.5833	----	----	5	----	705	UNCH		
645	----	----	0.4295B/0.3020A	0.4295B/0.3020A	----	0.3455	- 0.0515	.6150	----	----	----	----	51	UNCH		
650	----	----	0.4695B/0.3390A	0.4695B/0.3390A	----	0.3810	- 0.0545	.6451	----	----	----	----	82	UNCH		
655	----	----	0.5105B/0.3710A	0.5105B/0.3710A	----	0.4175	- 0.0580	.6737	----	----	----	----	213	UNCH		
660	----	----	0.5385B/0.4105A	0.5385B/0.4105A	----	0.4555	- 0.0610	.7004	----	----	----	----	37	UNCH		
665	----	----	0.5815B/0.4480A	0.5815B/0.4480A	----	0.4945	- 0.0640	.7249	----	----	----	----	6	UNCH		
670	----	----	0.6255B/0.4855A	0.6255B/0.4855A	----	0.5345	- 0.0670	.7484	----	----	----	----	311	UNCH		
675	----	----	0.6705B/0.5270A	0.6705B/0.5270A	----	0.5760	- 0.0695	.7694	----	----	----	----	2	UNCH		
TOTAL														1467	10862 +	264
SEP26																
335	----	----	----	----/0.0035A	----	0.0005	UNCH	.0002	----	----	----	----	3	UNCH		
400	----	----	----	----/0.0045A	----	0.0015	UNCH	.0039	----	----	----	----	5	UNCH		
440	----	----	----	0.0010B/0.0065A	----	0.0035	- 0.0005	.0095	----	----	----	----	4	UNCH		
445	----	----	----	0.0010B/0.0065A	----	0.0040	UNCH	.0108	----	----	----	----	5	UNCH		
450	----	----	----	0.0015B/0.0060A	----	0.0045	UNCH	.0122	----	----	----	----	807	UNCH		
455	----	----	----	0.0020B/0.0075A	----	0.0050	UNCH	.0136	----	----	----	----	2	UNCH		
460	----	----	----	0.0025B/0.0080A	----	0.0055	- 0.0005	.0151	----	----	----	----	13	UNCH		
470	----	----	----	0.0050B/0.0090A	----	0.0070	- 0.0005	.0193	----	----	----	----	4	UNCH		
475	----	----	----	0.0065B/0.0095A	----	0.0075	- 0.0010	.0209	----	----	----	----	61	UNCH		
480	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0085	- 0.0005	.0237	----	----	3	----	9	+		
485	----	----	----	0.0090B/0.0100A	----	0.0095	- 0.0005	.0265	----	----	----	----	1	UNCH		
490	----	----	----/*0.0105A	0.0105B/0.0105A	----	0.0105	- 0.0010	.0294	----	----	----	----	11	UNCH		
495	----	----	----/*0.0115A	0.0120B/0.0115A	----	0.0115	- 0.0015	.0325	----	----	----	----	1	UNCH		
500	0.0115	0.0115	0.0115/0.0115	0.0135B/0.0115	----	0.0130	- 0.0015	.0366	----	----	1	----	624	UNCH		
510	----	----	----/*0.0155A	0.0185B/0.0155A	----	0.0165	- 0.0020	.0463	----	----	----	----	22	UNCH		
515	0.0180	0.0180	0.0220B/*0.0170	0.0220B/0.0170A	----	0.0185	- 0.0025	.0519	----	----	1	----	2	+		
520	0.0210	0.0210	0.0260B/*0.0195	0.0260B/0.0195A	----	0.0210	- 0.0030	.0585	----	----	1	----	168	+		
525	0.0255	0.0255	0.0300B/0.0220A	0.0300B/0.0220A	----	0.0240	- 0.0030	.0663	----	----	5	----	332	UNCH		
530	----	----	0.0345B/0.0250A	0.0345B/0.0250A	----	0.0275	- 0.0040	.0751	----	----	----	100	104	+		
535	----	----	0.0405B/0.0285A	0.0405B/0.0285A	----	0.0315	- 0.0045	.0850	----	----	----	----	355	UNCH		
540	0.0380	0.0380	0.0460B/0.0325A	0.0460B/0.0325A	----	0.0365	- 0.0050	.0967	----	----	8	----	408	-		
545	0.0365	0.0365	0.0530B/0.0365	0.0530B/0.0365	----	0.0420	- 0.0060	.1093	----	----	1	----	10	+		
550	0.0550	0.0550	0.0615B/0.0420	0.0615B/0.0420	----	0.0485	- 0.0070	.1236	----	----	153	----	271	+		
555	----	----	0.0710B/0.0480A	0.0710B/0.0480A	----	0.0560	- 0.0080	.1394	----	----	----	----	8	UNCH		
560	0.0675	0.0675	0.0820B/0.0550A	0.0820B/0.0550A	----	0.0645	- 0.0095	.1567	----	----	44	----	61	-		
565	0.0845	0.0845	0.0945B/0.0635A	0.0945B/0.0635A	----	0.0740	- 0.0110	.1752	----	----	20	----	117	+		
570	0.1100	0.1100	0.1100/0.0720A	0.1100/0.0720A	----	0.0850	- 0.0125	.1955	----	----	21	----	377	+		
575	----	----	0.1240B/0.0830A	0.1240B/0.0830A	----	0.0970	- 0.0145	.2168	----	----	----	----	1683	UNCH		
580	0.0950	0.0950	0.1410B/0.0950	0.1410B/0.0950	----	0.1110	- 0.0160	.2399	----	----	1	100	1151	UNCH		
585	----	----	0.1590B/0.1075A	0.1590B/0.1075A	----	0.1260	- 0.0185	.2637	----	----	----	----	51	UNCH		
590	----	----	0.1795B/0.1225A	0.1795B/0.1225A	----	0.1425	- 0.0205	.2885	----	----	----	----	958	UNCH		
595	----	----	0.2025B/0.1380A	0.2025B/0.1380A	----	0.1610	- 0.0225	.3143	----	----	----	----	15	UNCH		
600	0.1850	0.1850	0.2255B/0.1565A	0.2255B/0.1565A	----	0.1805										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #124@			METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
COMEX COPPER OPTIONS															
HX PUT															
OCT26															
555	----	----	0.0980B/0.0730A	0.0980B/0.0730A	----	0.0795 - 0.0115	.1563	----	----	----	----	10			
560	----	----	0.1100B/0.0810A	0.1100B/0.0810A	----	0.0890 - 0.0135	.1714	----	----	----	----	4			
570	----	----	0.1380B/0.1015A	0.1380B/0.1015A	----	0.1120 - 0.0165	.2053	----	----	----	----	5			
575	----	----	0.1540B/0.1130A	0.1540B/0.1130A	----	0.1250 - 0.0185	.2233	----	----	----	----	1			
580	----	----	0.1710B/0.1255A	0.1710B/0.1255A	----	0.1390 - 0.0205	.2421	----	----	----	----	4			
585	----	----	0.1895B/0.1390A	0.1895B/0.1390A	----	0.1545 - 0.0220	.2618	----	----	----	----	1			
590	----	----	0.2095B/0.1535A	0.2095B/0.1535A	----	0.1715 - 0.0235	.2822	----	----	----	----	2			
600	----	----	0.2520B/0.1870A	0.2520B/0.1870A	----	0.2085 - 0.0270	.3242	----	----	----	----	14			
605	----	----	0.2760B/0.2065A	0.2760B/0.2065A	----	0.2290 - 0.0290	.3457	----	----	----	----	1			
610	----	----	0.3005B/0.2260A	0.3005B/0.2260A	----	0.2505 - 0.0310	.3674	----	----	----	----	5			
620	----	----	0.3540B/0.2700A	0.3540B/0.2700A	----	0.2980 - 0.0340	.4112	----	----	----	----	1			
625	----	----	0.3830B/0.2940A	0.3830B/0.2940A	----	0.3235 - 0.0360	.4330	----	----	----	----	1			
630	----	----	0.4130B/0.3190A	0.4130B/0.3190A	----	0.3500 - 0.0380	.4547	----	----	----	----	1			
650	----	----	0.5410B/0.4330A	0.5410B/0.4330A	----	0.4675 - 0.0460	.5381	----	----	----	----	11			
655	----	----	0.5730B/0.4645A	0.5730B/0.4645A	----	0.4995 - 0.0480	.5580	----	----	----	----	1			
700	----	----	0.9220B/0.7835A	0.9220B/0.7835A	----	0.8270 - 0.0635	.7101	----	----	----	----	24			
745	----	----	----	----	----	1.2045 - 0.0750	.8156	----	----	----	----	1			
750	----	----	----/1.2995A	1.1990B/1.2995A	----	1.2485 - 0.0760	.8247	----	----	----	----	5			
TOTAL										10		159+			
NOV26															
400	----	----	----	0.0035B/*0.0110	----	0.0075 - 0.0005	.0138	----	----	----	----	10			
475	----	----	----/*0.0245A	0.0210B/*0.0245	----	0.0235 - 0.0015	.0456	----	----	----	----	8			
480	----	----	----/*0.0265A	0.0240B/*0.0265	----	0.0255 - 0.0020	.0495	----	----	----	----	2			
500	----	----	----/*0.0375A	0.0395B/0.0375A	----	0.0370 - 0.0045	.0706	----	----	----	----	12			
520	----	----	0.0645B/*0.0550	0.0645B/0.0550A	----	0.0565 - 0.0070	.1026	----	----	----	----	4			
535	----	----	0.0905B/0.0740A	0.0905B/0.0740A	----	0.0775 - 0.0100	.1342	----	----	----	----	1			
550	----	----	0.1240B/0.0995A	0.1240B/0.0995A	----	0.1055 - 0.0135	.1725	----	----	----	----	1			
560	----	----	0.1515B/0.1195A	0.1515B/0.1195A	----	0.1285 - 0.0165	.2016	----	----	----	----	1			
590	----	----	0.2610B/0.2050A	0.2610B/0.2050A	----	0.2210 - 0.0265	.3024	----	----	----	----	1			
600	----	----	0.3060B/0.2420A	0.3060B/0.2420A	----	0.2605 - 0.0300	.3392	----	----	----	----	1			
610	0.3000	0.3000	0.3555B/0.2835A	0.3555B/0.2835A	----	0.3040 - 0.0340	.3768	----	1	----	3 +	1			
645	----	----	0.5605B/0.4610A	0.5605B/0.4610A	----	0.4915 - 0.0450	.5074	----	----	----	----	1			
700	----	----	0.9620B/0.8300A	0.9620B/0.8300A	----	0.8715 - 0.0615	.6804	----	----	----	----	24			
735	----	----	----/1.1060A	1.1490B/1.1060A	----	1.1525 - 0.0710	.7632	----	----	----	----	2			
TOTAL										1		71+			
DEC26															
380	----	----	----	0.0030B/*0.0125	----	0.0080 - 0.0005	.0133	----	----	----	----	2			
385	----	----	----	0.0040B/*0.0130	----	0.0085 - 0.0005	.0142	----	----	----	----	1			
395	----	----	----	0.0045B/*0.0140	----	0.0095 - 0.0010	.0161	----	----	----	----	3			
400	----	----	----	0.0055B/*0.0150	----	0.0100 - 0.0010	.0172	----	----	----	----	18			
420	----	----	----	0.0080B/*0.0180	----	0.0130 - 0.0015	.0228	----	----	----	----	2			
460	----	----	----	0.0190B/*0.0270	----	0.0255 - 0.0015	.0446	----	----	----	----	2			
475	0.0320	0.0320	0.0320/*0.0320	0.0320/*0.0320	----	0.0330 - 0.0020	.0571	----	10	----	74 -	5			
480	0.0380	0.0380	0.0380/0.0370A	0.0380/0.0370A	----	0.0355 - 0.0030	.0615	----	1	----	9 -	1			
490	----	----	----/*0.0440A	0.0415B/0.0440A	----	0.0415 - 0.0055	.0716	----	----	----	----	5			
500	----	----	----/0.0520A	0.0530B/0.0520A	----	0.0495 - 0.0080	.0844	----	----	----	173	UNCH			
515	----	----	----/*0.0675A	0.0750B/0.0675A	----	0.0665 - 0.0110	.1091	----	----	----	1	UNCH			
520	----	----	----/*0.0740A	0.0835B/0.0740A	----	0.0740 - 0.0115	.1192	----	----	----	2	UNCH			
525	----	----	----/*0.0810A	0.0930B/0.0810A	----	0.0820 - 0.0125	.1297	----	----	----	1	UNCH			
540	----	----	----/0.1060A	0.1260B/0.1060A	----	0.1105 - 0.0155	.1650	----	----	----	3	UNCH			
545	----	----	0.1390B/0.1160A	0.1390B/0.1160A	----	0.1215 - 0.0165	.1778	----	----	----	1	UNCH			
550	----	----	0.1525B/0.1265A	0.1525B/0.1265A	----	0.1330 - 0.0180	.1910	----	----	----	39	UNCH			
560	----	----	0.1830B/0.1490A	0.1830B/0.1490A	----	0.1590 - 0.0210	.2192	----	----	----	300	UNCH			
565	----	----	0.1995B/0.1630A	0.1995B/0.1630A	----	0.1735 - 0.0225	.2341	----	----	----	10	UNCH			
570	----	----	0.2175B/0.1770A	0.2175B/0.1770A	----	0.1885 - 0.0240	.2493	----	----	----	7	UNCH			
575	----	----	0.2360B/0.1920A	0.2360B/0.1920A	----	0.2045 - 0.0260	.2648	----	----	----	21	UNCH			
580	----	----	0.2555B/0.2080A	0.2555B/0.2080A	----	0.2215 - 0.0275	.2808	----	----	----	222	UNCH			
590	----	----	0.2975B/0.2425A	0.2975B/0.2425A	----	0.2590 - 0.0305	.3138	----	----	----	201	UNCH			
600	----	----	0.3445B/0.2810A	0.3445B/0.2810A	----	0.3000 - 0.0335	.3475	----	----	----	384	UNCH			
610	----	----	0.3950B/0.3240A	0.3950B/0.3240A	----	0.3450 - 0.0370	.3817	----	----	----	1	UNCH			
620	0.4000	0.4000	0.4490B/0.3705A	0.4490B/0.3705A	----	0.3940 - 0.0395	.4161	----	40	----	15 -	25			
625	----	----	0.4775B/0.3950A	0.4775B/0.3950A	----	0.4200 - 0.0410	.4333	----	----	----	8	UNCH			
630	----	----	0.5070B/0.4210A	0.5070B/0.4210A	----	0.4465 - 0.0430	.4503	----	----	----	18	UNCH			
640	----	----	0.5675B/0.4750A	0.5675B/0.4750A	----	0.5030 - 0.0455	.4839	----	----	----	10	UNCH			
650	----	----	0.6320B/0.5330A	0.6320B/0.5330A	----	0.5630 - 0.0480	.5165	----	----	----	12	UNCH			
670	----	----	0.7675B/0.6575A	0.7675B/0.6575A	----	0.6920 - 0.0535	.5785	----	----	----	1	UNCH			
680	0.7635	0.7635	0.8400B/0.7245A	0.8400B/0.7245A	----	0.7610 - NEW	.6075	----	2	----	2 +	2			
750	----	----	----	----	----	1.3075 - 0.0725	.7686	----	----	53	----	1549-			
TOTAL												29			
JAN27															
400	----	----	----	0.0050B/*0.0245	----	0.0140 - 0.0015	.0213	----	----	----	----	8			
465	----	----	----	0.0275B/0.0425A	----	0.0340 - 0.0040	.0532	----	----	----	----	2			
525	----	----	----/0.1005A	0.1055B/0.1005A	----	0.0975 - 0.0135	.1352	----	----	----	----	3			
605	----	----	0.3780B/0.3265A	0.3780B/0.3265A	----	0.3380 - 0.0360	.3460	----	----	----	----	1			
800	----	----	----	----	----	1.7025 - 0.0760	.8052	----	----	----	----	1			
TOTAL												15			
FEB27															
400	----	----	----	0.0070B/*0.0320	----	0.0190 - 0.0015	.0265	----	----	----	----	2			
650	----	----	0.6675B/0.5985A	0.6675B/0.5985A	----	0.6150 - 0.0470	.4772	----	----	----	----	60			
TOTAL												62			
MAR27															
275	----	----	----	0.0060B/0.0175A	----	0.0120 - 0.0005	.0114	----	----	----	----	1			
TOTAL												1			
COPPER OPTIONS															
HXE CALL															
JUL26															
580	0.5195	0.5195	0.5220B/0.3930A	0.5220B/0.3930A	----	0.4890 - NEW	.8611	----	----	4	----	4 +			
600	----	----	0.3310B/0.2115A	0.3310B/0.2115A	----	0.3060 + 0.0720	.7765	----	----	----	----	7			
600	----	----	0.3885B/0.2630A	0.3885B/0.2630A	----	0.3510 + 0.0680	.7114	----	----	----	----	1			
620	0.1400	0.1400	0.2055B/0.1135A	0.2055B/0.1135A	----	0.1755 - NEW	.5718	----	2	----	2 +	2			
620	----	----	0.2370B/0.1440A	0.2370B/0.1440A	----	0.2110 + 0.0550	.5621	----	----	----	10	UNCH			
625	----	----	0.2105B/0.1270A	0.2105B/0.1270A	----	0.1875 + 0.0515	.5177	----							

BULLETIN #124@		METALS OPTION PRODUCTS										Tue, Jun 30, 2026		PG64
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HXE PUT JUL26		COPPER OPTIONS												
620	----	----	0.2180B/0.1290A	0.2180B/0.1290A	----	0.1570 - 0.0355	.4374	----	----	----	----	3	UNCH	
620	----	----	0.2450B/0.1530A	0.2450B/0.1530A	----	0.1840 - 0.0345	.4416	----	----	----	----	2	UNCH	
625	----	----	0.2160B/0.1190A	0.2160B/0.1190A	----	0.1470 - 0.0430	.4840	----	----	----	----	10	UNCH	
630	----	----	0.2515B/0.1430A	0.2515B/0.1430A	----	0.1745 - 0.0480	.5394	----	----	----	----	1	UNCH	
635	----	----	0.3445B/0.2325A	0.3445B/0.2325A	----	0.2700 - 0.0440	.5536	----	----	----	----	2	UNCH	
650	----	----	0.4190B/0.3025A	0.4190B/0.3025A	----	0.3435 - 0.0600	.6822	----	----	----	----	101	UNCH	
TOTAL										279		857+	223	
ALUMINIUM OPTIONS ON FUTURES														
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PLATINUM OPTIONS ON FUTURES														
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL AUG26		NYMEX PALLADIUM OPTIONS												
1250	15.30	15.30	39.50B/28.50A	39.50B/28.50A	----	27.10 - 4.40	.3731	----	----	----	----	24	UNCH	
1350	----	----	15.30/15.30	15.30/13.30A	----	11.70 NEW	.1645	----	----	20	----	20 +	20	
1400	----	----	9.10B/----	9.10B/10.10A	----	8.60 - 0.30	.1169	----	----	----	----	75	UNCH	
1500	----	----	----	4.00B/6.10A	----	4.80 - 0.30	.0620	----	----	----	----	16	UNCH	
1550	----	----	----	2.30B/4.90A	----	3.60 - 0.20	.0456	----	----	----	----	10	UNCH	
1600	----	----	----	1.20B/4.20A	----	2.70 - 0.10	.0337	----	----	----	----	175	UNCH	
1700	----	----	----	----/3.30A	----	1.50 - 0.10	.0183	----	----	----	----	20	UNCH	
1800	----	----	----	----/2.80A	----	0.80 UNCH	.0096	----	----	----	----	100	UNCH	
1900	----	----	----	----/2.50A	----	0.40 UNCH	.0048	----	----	----	----	400	UNCH	
TOTAL										20		840 +	20	
SEP26														
1210	----	----	88.60B/74.00A	88.60B/74.00A	----	72.40 NEW	.5313	----	----	1	----	1 +	1	
1235	----	----	78.70B/64.50A	78.70B/64.50A	----	63.10 - 5.40	.4782	----	----	----	----	1	UNCH	
1300	----	----	54.70B/46.60A	54.70B/46.60A	----	45.30 - 3.70	.3615	----	----	----	----	1	UNCH	
1345	----	----	43.50B/38.40A	43.50B/38.40A	----	37.00 - 2.80	.2997	----	----	----	----	1	UNCH	
1400	----	----	33.90B/31.20A	33.90B/31.20A	----	29.70 - 2.10	.2418	----	----	----	----	245	UNCH	
1450	----	----	27.70B/26.40A	27.70B/26.40A	----	24.90 - 1.70	.2019	----	----	----	----	50	UNCH	
1500	----	----	23.10B/----	23.10B/22.60A	----	21.00 - 1.50	.1698	----	----	1	----	200	UNCH	
1515	----	----	21.90B/----	21.90B/21.60A	----	20.00 - 1.50	.1616	----	----	----	----	18	UNCH	
1575	14.90	14.90	14.90/14.90	17.80B/14.90	----	16.40 - 1.50	.1323	----	----	9	----	34 +	9	
1600	----	----	----	16.40B/16.90A	----	15.20 - 1.40	.1224	----	----	----	----	360	UNCH	
1625	----	----	----	15.00B/15.80A	----	14.00 - 1.40	.1128	----	----	----	----	20	UNCH	
1665	----	----	----	13.10B/14.20A	----	12.40 - 1.30	.0998	----	----	----	----	9	UNCH	
1700	----	----	----	11.50B/12.90A	----	11.10 - 1.20	.0894	----	----	----	----	65	UNCH	
1800	----	----	----	8.00B/10.00A	----	8.20 - 0.90	.0662	----	----	----	----	123	UNCH	
1875	----	----	----	6.00B/8.40A	----	6.60 - 0.60	.0533	----	----	----	----	25	UNCH	
1885	----	----	----	5.80B/8.30A	----	6.40 - 0.60	.0518	----	----	----	----	100	UNCH	
1900	----	----	----	5.50B/8.00A	----	6.20 - 0.50	.0500	----	----	----	----	15	UNCH	
2000	----	----	----	3.70B/6.70A	----	4.70 - 0.30	.0380	----	----	----	----	50	UNCH	
2100	----	----	----	2.50B/5.80A	----	3.60 - 0.30	.0291	----	----	----	----	30	UNCH	
2200	----	----	----	1.60B/5.10A	----	2.90 - 0.20	.0233	----	----	----	----	5	UNCH	
2400	----	----	----	0.50B/4.30A	----	1.80 - 0.20	.0145	----	----	----	----	15	UNCH	
2550	----	----	----	----/3.90A	----	1.30 - 0.20	.0104	----	----	11	----	50	UNCH	
TOTAL												1418 +	10	
DEC26														
1250	----	----	#120.90B/111.30	#120.90B/111.30	----	106.60 - 6.30	.5172	----	----	----	----	200	UNCH	
1775	----	----	----	26.90B/*31.50A	----	27.50 - 1.10	.1544	----	----	----	----	100	UNCH	
1800	----	----	----	25.50B/*30.20A	----	26.20 - 1.10	.1473	----	----	----	----	50	UNCH	
2000	----	----	----	16.80B/*22.40A	----	18.60 - 0.80	.1045	----	----	----	----	1	UNCH	
3000	----	----	----	1.50B/*9.30A	----	4.90 - 0.10	.0277	----	----	----	----	1	UNCH	
TOTAL												352	0	
MAR27														
1350	----	----	----	----	----	117.70 - 5.50	.4618	----	----	----	----	75	UNCH	
TOTAL												75	0	
PAO PUT AUG26		NYMEX PALLADIUM OPTIONS												
1175	----	----	24.30B/17.60A	24.30B/17.60A	----	24.90 + 2.30	.3417	----	----	----	----	22	UNCH	
1200	----	----	35.10B/24.80A	35.10B/24.80A	----	35.60 + 3.50	.4399	----	----	----	----	39	UNCH	
1300	----	----	105.50B/78.80A	105.50B/78.80A	----	106.00 + 9.10	.7565	----	----	----	----	10	UNCH	
1400	----	----	197.40B/165.10A	197.40B/165.10A	----	197.50 + 10.70	.8830	----	----	----	----	1	UNCH	
TOTAL												72	0	
SEP26														
1000	----	----	----	5.50B/8.40A	----	7.50 + 0.40	.0838	----	----	----	----	100	UNCH	
1050	----	----	----	11.50B/12.60A	----	13.30 + 0.70	.1395	----	----	----	----	140	UNCH	
1100	----	----	22.70B/20.50A	22.70B/20.50A	----	23.90 + 1.50	.2240	----	----	----	----	5	UNCH	
1115	----	----	27.30B/23.90A	27.30B/23.90A	----	28.30 NEW	.2544	----	----	1	----	1 +	1	
1150	----	----	40.20B/34.10A	40.20B/34.10A	----	41.10 + 2.80	.3315	----	----	----	----	141	UNCH	
1200	----	----	64.40B/53.90A	64.40B/53.90A	----	65.70 + 4.40	.4462	----	----	----	----	175	UNCH	
1250	----	----	95.50B/79.80A	95.50B/79.80A	----	97.20 + 6.00	.5515	----	----	----	----	4	UNCH	
1300	----	----	132.40B/112.10A	132.40B/112.10A	----	134.00 + 7.20	.6383	----	----	----	----	18	UNCH	
1355	----	----	----	----	----	179.00 + 8.30	.7118	----	----	----	----	21	UNCH	
1360	----	----	----	----	----	183.30 + 8.40	.7174	----	----	----	----	12	UNCH	
1375	----	----	194.80B/169.70A	194.80B/169.70A	----	196.20 + 8.60	.7338	----	----	----	----	100	UNCH	
1460	----	----	----	----	----	272.20 + 9.30	.8051	----	----	----	----	75	UNCH	
1465	----	----	----	----	----	276.70 + 9.30	.8084	----	----	----	----	150	UNCH	
1550	----	----	355.10B/325.10A	355.10B/325.10A	----	355.70 + 9.60	.8561	----	----	----	----	100	UNCH	
1575	----	----	378.70B/348.40A	378.70B/348.40A	----	379.20 + 9.50	.8675	----	----	----	----	25	UNCH	
1650	----	----	450.10B/419.00A	450.10B/419.00A	----	450.60 + 9.70	.8952	----	----	----	----	50	UNCH	
1925	----	----	717.70B/684.60A	717.70B/684.60A	----	717.90 + 10.60	.9531	----	----	----	----	75	UNCH	
TOTAL										1		1192 +	1	
DEC26														
1050	33.70	33.70	#33.70/*33.70	33.70/*33.70	----	37.70 NEW	.2109	----	----	5	----	5 +	5	
1300	----	----	156.50B/*146.60	156.50B/*146.60	----	160.80 + 5.60	.5450	----	----	----	----	100	UNCH	
1400	----	----	231.00B/*215.90	231.00B/*215.90	----	235.40 + 7.50	.6492	----	----	----	----	150	UNCH	
1500	----	----	314.40B/*295.30	314.40B/*295.30	----	318.70 + 8.80	.7257	----	----	5	----	40	UNCH	
TOTAL												295 +	5	
MAR27														
1350	----	----	----	----	----	221.80 + 5.50	.5375	----	----	----	----	75	UNCH	
TOTAL												75	0	
PAW OOF JUL26		PALLADIUM WEEKLY FRIDAY OPTION week												
1450	----	----	11.40B/----	11.40B/12.50A	----	10.70 - 0.50	.1217	----	----	----	----	8	UNCH	
TOTAL												8	0	
PLW OOF JUL26		PLATINUM WEEKLY FRIDAY OPTION week2												
1575	----	----	48.40B/32.20A	48.40B/32.20A	----	47.30 + 10.40	.5231	----	----	----	----	5	UNCH	
1600	----	----	63.90B/43.00A	63.90B/43.00A	----	62.20 + 13.20	.6181							

PG64		BULLETIN #124@										METALS OPTION PRODUCTS					Tue, Jun 30, 2026			PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
PO PUT		PLATINUM OPTIONS																		
OCT26																				
1630		----	----		144.90B/129.70A	144.90B/129.70A	----		147.00 + 12.70	.5560	----	----	----	----		4	UNCH			
1650		----	----		162.00B/142.20A	162.00B/142.20A	----		160.70 + 13.50	.5819	----	----	----	----		150	UNCH			
1690		----	----				----		189.60 + 15.10	.6298	----	----	----	----		175	UNCH			
1700		----	----		#198.60B/175.60	#198.60B/175.60	----		197.10 + 15.40	.6409	----	----	----	----		79	UNCH			
1720		----	----				----		212.50 + 16.20	.6622	----	----	----	----		2	UNCH			
1750		----	----		#238.00B/212.00	#238.00B/212.00	----		236.30 + 17.20	.6917	----	----	----	----		175	UNCH			
1800		----	----		#279.90B/251.10	#279.90B/251.10	----		277.90 + 18.70	.7341	----	----	----	----		75	UNCH			
1820		----	----				----		295.00 + 19.20	.7491	----	----	----	----		5	UNCH			
1850		----	----		#323.50B/292.50	#323.50B/292.50	----		321.20 + 19.90	.7693	----	----	----	----		275	UNCH			
1865		----	----				----		334.50 + 20.20	.7788	----	----	----	----		1	UNCH			
1900		----	----		#368.40B/335.60	#368.40B/335.60	----		365.80 + 20.80	.7985	----	----	----	----		225	UNCH			
1950		----	----		#414.10B/380.00	#414.10B/380.00	----		411.30 + 21.50	.8234	----	----	----	----		50	UNCH			
2000		----	----		#460.40B/425.40	#460.40B/425.40	----		457.40 + 22.00	.8449	----	----	----	----		1	UNCH			
2100		----	----		#554.20B/517.80	#554.20B/517.80	----		551.10 + 22.80	.8795	----	----	----	----		100	UNCH			
2130		----	----				----		579.50 + 23.00	.8883	----	----	----	----		41	UNCH			
2135		----	----				----		584.20 + 23.00	.8899	----	----	----	----		12	UNCH			
2140		----	----				----		588.90 + 23.00	.8912	----	----	----	----		12	UNCH			
2400		----	----		#843.30B/803.70	#843.30B/803.70	----		839.60 + 24.80	.9433	----	----	----	----		200	UNCH			
2500		----	----		#941.60B/901.20	#941.60B/901.20	----		937.70 + 25.30	.9541	----	----	----	----		1	UNCH			
TOTAL																1677	0			
JAN27																				
1500		105.00	105.00		#115.00/105.00	#115.00/105.00	----		110.80 + 8.70	.3693	----	----	40	----		160 +	10			
1800		----	----				----		297.60 + 16.00	.6572	----	----	----	----		1	UNCH			
1900		----	----				----		377.30 + 17.80	.7265	----	----	----	----		100	UNCH			
2000		----	----				----		461.90 + 19.40	.7827	----	----	----	----		200	UNCH			
TOTAL													40			461 +	10			

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
AUG26	CALL			
OG		4125	0	150
TOTALS			0	150
SEP26 CALL				
OG		3000	0	200
OG		4100	0	96
OG		4500	0	240
OG		5500	0	200
TOTALS			0	736
OCT26 CALL				
OG		5000	0	50
OG		5300	0	50
TOTALS			0	100
DEC26 CALL				
OG		5400	0	160
OG		5500	0	200
TOTALS			0	360
OG PUT COMEX GOLD OPTIONS				
SEP26	PUT			
OG		3000	0	200
OG		3650	0	240
OG		3755	0	200
OG		4000	0	200
OG		4100	0	96
OG		5500	0	200
TOTALS			0	1136
OCT26 PUT				
OG		3500	0	50
OG		3775	0	50
OG		4000	0	25
TOTALS			0	125
MAR27 PUT				
OG		3600	0	80
TOTALS			0	80
SO PUT COMEX SILVER OPTIONS				
DEC26	PUT			
SO		4200	0	25
TOTALS			0	25
MAR27 PUT				
SO		5500	0	25
TOTALS			0	25
HX CALL COMEX COPPER OPTIONS				
AUG26	CALL			
HX		640	0	175
HX		660	0	85
HX		690	0	660
HX		740	0	660
TOTALS			0	1580
DEC26 CALL				
HX		700	0	175
HX		725	0	350
HX		800	0	50
TOTALS			0	575
HX PUT COMEX COPPER OPTIONS				
SEP26	PUT			
HX		530	0	100
HX		580	0	100
TOTALS			0	200
PO CALL PLATINUM OPTIONS				
OCT26	CALL			
PO		2000	0	50
TOTALS			0	50
GWW WED JUL26 PUT GOLD WEEKLY WEDNESDAY OPTION WEEK1				
GLW		4025	0	100
TOTALS			0	100
GWW WED JUL26 CALL GOLD WEEKLY WEDNESDAY OPTION WEEK1				
GLW		4100	0	100
GLW		4105	0	100
TOTALS			0	200
GWW WED JUL26 PUT GOLD WEEKLY WEDNESDAY OPTION WEEK2				
G2W		4000	0	100
TOTALS			0	100
GWT TUE JUN26 PUT GOLD WEEKLY TUESDAY OPTION week5				
G5T		4010	0	50
TOTALS			0	50
GWT TUE JUN26 CALL GOLD WEEKLY TUESDAY OPTION week5				
G5T		4090	0	20
TOTALS			0	20
HWR THU JUL26 CALL COPPER WEEKLY THURSDAY OPT week1				
H1R		650	0	75
H1R		660	0	75
TOTALS			0	150