METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/06	04/07											
ECG11 OP		04/06	04/07											
ECG13 OP		04/06	04/07											
ECG15 OP		04/06	04/07											
ECG16 OP		04/06	04/07											
ECGC OOF		04/06	04/07											
ECHG OOF		04/06	04/07											
ECSI OOF		04/06	04/07											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/11										
GWR THU	04/23													
GWT TUE	04/28													
GWW WED	04/29													
HMW MON	04/13													
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/23													
HWT TUE	04/14													
HWW WED	04/22			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24													
HXE PUT	04/17			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
MMG MON	04/13													
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL	04/10													
OG2 PUT	04/10													
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/23													
SMW MON	04/20			05/04										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		
SO1 CALL				05/01										
SO2 CALL	04/10													
SO2 PUT	04/10													
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/22													
TWS TUE	04/21													
WMG WED	04/08													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
APR26												
4500	----	----	----	----	----	7.30 - 3.60	.0366	----	----	----	----	1 UNCH
4700	40.00	40.00	40.00/*40.00	40.00/*40.00	----	34.50 - 12.40	.4210	----	----	1	----	2 + 1
TOTAL										1		3+ 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	4.30 UNCH	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	5.50 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	8.40 + 0.20	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	9.80 + 0.20	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	13.50 UNCH	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	26.70 - 1.10	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	465.80 - 1.50	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	338.30 - 3.30	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	298.80 - 4.10	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	64.50 - 4.10	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	77.00 - 4.80	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	261.30 - 4.80	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	108.60 - 5.90	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	163.70 - 6.30	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	91.00 - 5.80	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	206.10 - 5.80	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	273.10 - 4.90	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	58.10 - 5.00	----	----	----	----	----	2 UNCH
4920	----	----	----	----	----	287.80 - 4.70	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	45.90 - 4.40	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	36.00 - 3.80	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	392.80 - 3.30	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	13.70 - 1.90	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	2.20 + 0.10	----	----	----	----	----	1 UNCH
TOTAL												42 0
JUN26												
2500	----	----	----	----	----	1.70 UNCH	----	----	----	----	----	2 UNCH
4000	47.00	47.00	47.00/*47.00	47.00/47.00	----	37.70 - 1.60	----	----	----	1	----	0 - 1
4260	----	----	----	----	----	74.60 - 3.40	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	137.80 - 5.20	----	----	----	----	----	3 UNCH
4645	----	----	----	----	----	194.90 - 6.20	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	205.80 - 6.40	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	122.80 - 6.20	----	----	----	----	----	2 UNCH
5200	----	----	----	----	----	52.90 - 4.40	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	30.70 - 3.20	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	11.20 - 1.10	----	----	----	----	----	1 UNCH
TOTAL										1		16 - 1
JUL26												
3400	----	----	----	----	----	1329.70 + 0.20	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1271.80 + 0.10	----	----	----	----	----	1 UNCH
TOTAL												2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT	GOLD OPTIONS										
APR26											
4025 ----	----	17.70B/13.70A	17.70B/13.70A	----	13.70 NEW	.0580	----	----	1	----	1 + 1
4050 ----	----	18.20B/14.50A	18.20B/14.50A	----	14.90 - 0.40	.0632	----	----	----	----	4 UNCH
4100 ----	----	22.10B/17.20A	22.10B/17.20A	----	17.70 - 0.50	.0753	----	----	----	----	1 UNCH
4150 ----	----	26.50B/20.10A	26.50B/20.10A	----	21.00 - 0.60	.0895	----	----	1	----	9 + 1
4175 ----	----	29.10B/21.80A	29.10B/21.80A	----	22.90 - 0.70	.0976	----	----	----	----	2 UNCH
4300 ----	----	45.80B/32.50A	45.80B/32.50A	----	35.70 - 1.80	.1505	----	----	----	----	3 UNCH
4315 ----	----	48.30B/34.00A	48.30B/34.00A	----	37.60 - 2.00	.1583	----	----	----	----	1 UNCH
4375 ----	----	59.70B/42.80A	59.70B/42.80A	----	46.70 - 2.70	.1938	----	----	----	----	1 UNCH
4400 ----	----	64.80B/46.70A	64.80B/46.70A	----	51.10 - 3.10	.2106	----	----	----	----	7 UNCH
4500 ----	----	91.60B/66.10A	91.60B/66.10A	----	73.30 - 4.40	.2901	----	----	----	----	9 UNCH
4525 ----	----	99.70B/72.20A	99.70B/72.20A	----	80.20 - 4.60	.3132	----	----	----	----	125 UNCH
4590 ----	----	123.50B/90.10A	123.50B/90.10A	----	100.90 - 5.40	.3785	----	----	----	----	1 UNCH
4600 111.00	111.00	128.00B/93.00A	128.00B/93.00A	----	104.50 - 5.40	.3892	----	----	2	----	3 + 2
4625 ----	----	139.20B/101.10A	139.20B/101.10A	----	113.90 - 5.70	.4166	----	----	----	----	3 UNCH
4650 ----	----	150.00B/109.90A	150.00B/109.90A	----	124.10 - 5.80	.4449	----	----	----	----	1 UNCH
4670 140.00	140.00	159.70B/116.50A	159.70B/116.50A	----	132.70 NEW	.4680	----	----	2	----	2 + 2
4675 139.00	139.00	162.10B/119.20A	162.10B/119.20A	----	135.00 NEW	.4739	----	----	1	----	1 + 1
4695 ----	----	172.40B/127.50A	172.40B/127.50A	----	144.30 - 6.00	.4975	----	----	----	----	1 UNCH
4700 ----	----	175.30B/129.50A	175.30B/129.50A	----	146.70 - 6.10	.5034	----	----	----	----	50 UNCH
5075 ----	----	452.40B/372.30A	452.40B/372.30A	----	411.60 - 3.20	.8715	----	----	----	----	1 UNCH
TOTAL									7		226 + 7

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL	GOLD OPTIONS										
APR26											
4540 ----	----	263.60B/214.60A	263.60B/214.60A	----	229.10 - 4.80	.6719	----	----	----	----	1 UNCH
4550 ----	----	256.10B/208.00A	256.10B/208.00A	----	222.10 - 5.00	.6622	----	----	----	----	1 UNCH
4600 ----	----	220.90B/176.80A	220.90B/176.80A	----	189.00 - 5.50	.6103	----	----	----	----	1 UNCH
4800 ----	----	105.10B/*81.40A	105.10B/81.40A	----	86.30 - 6.00	.3772	----	----	1	----	16 UNCH
4820 ----	----	96.20B/*75.20A	96.20B/*75.20A	----	78.90 - 5.80	.3542	----	----	----	----	4 UNCH
4850 60.00	60.00	83.90B/*60.00	83.90B/*60.00	----	68.60 - 5.60	.3204	----	----	1	----	1 + 1
4890 ----	----	#69.20B/*54.50A	69.20B/*54.50A	----	56.50 - 5.30	.2776	----	----	----	----	9 UNCH
4895 ----	----	#67.60B/*53.20A	67.60B/*53.20A	----	55.20 - 5.20	.2726	----	----	----	----	14 UNCH
4900 ----	----	65.90B/*50.70A	65.90B/*50.70A	----	53.80 - 5.20	.2674	----	----	----	----	20 UNCH
4930 ----	----	56.50B/*44.90A	56.50B/*44.90A	----	46.30 - 4.90	.2381	----	----	----	----	14 UNCH
4995 ----	----	#40.30B/*32.60A	40.30B/*32.60A	----	33.20 - 4.10	.1822	----	----	----	----	15 UNCH
5000 33.70	33.70	40.00/*31.80A	40.00/*31.80A	----	32.30 NEW	.1782	----	----	16	----	16 + 16
5050 26.50	26.50	#29.60B/*24.50A	29.60B/*24.50A	----	24.90 NEW	.1431	----	----	15	----	15 + 15
5200 13.50	13.50	#13.90B/*12.60A	13.90B/*12.60A	----	11.60 NEW	.0723	----	----	2	----	1 + 1
5300 ----	----	----	7.20B/*8.60A	----	7.40 - 1.20	.0469	----	----	----	----	5 UNCH
TOTAL									35		133 + 33

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT	GOLD OPTIONS										
APR26											
3200 ----	----	0.60B/----	0.60B/0.90A	----	0.50 UNCH	.0016	----	----	----	----	1 UNCH
3350 ----	----	1.10B/----	1.10B/1.60A	----	0.90 UNCH	.0031	----	----	----	----	2 UNCH
3500 ----	----	----	1.80B/2.00A	----	1.80 UNCH	.0064	----	----	----	----	5 UNCH
3550 ----	----	2.10B/----	2.10B/2.30A	----	2.00 UNCH	.0074	----	----	----	----	2 UNCH
3600 ----	----	2.40B/----	2.40B/2.50A	----	2.30 UNCH	.0087	----	----	----	----	11 UNCH
3650 ----	----	2.80B/----	2.80B/2.50A	----	2.60 + 0.10	.0101	----	----	----	----	3 UNCH
3700 ----	----	3.40B/*2.70A	3.40B/*2.70A	----	3.00 + 0.10	.0119	----	----	----	----	3 UNCH
3750 ----	----	4.00B/*3.00A	4.00B/*3.00A	----	3.40 + 0.10	.0139	----	----	----	----	3 UNCH
3800 4.50	4.50	4.80B/*3.30A	4.80B/*3.30A	----	3.90 + 0.20	.0164	----	----	42	----	44 + 42
3850 ----	----	5.70B/*3.60A	5.70B/*3.60A	----	4.50 + 0.20	.0194	----	----	----	----	6 UNCH
3900 ----	----	6.80B/*4.10A	6.80B/*4.10A	----	5.30 + 0.30	.0233	----	----	----	----	32 UNCH
3950 ----	----	8.20B/*4.60A	8.20B/*4.60A	----	6.10 + 0.30	.0276	----	----	----	----	56 UNCH
4000 ----	----	9.80B/*5.40A	9.80B/*5.40A	----	7.20 + 0.30	.0332	----	----	2	----	160 UNCH
4025 ----	----	10.80B/*5.80A	10.80B/*5.80A	----	7.90 + 0.30	.0368	----	----	----	----	2 UNCH
4050 ----	----	11.90B/*6.30A	11.90B/*6.30A	----	8.60 + 0.30	.0405	----	----	1	----	62 - 1
4100 ----	----	14.50B/*7.50A	14.50B/*7.50A	----	10.20 + 0.20	.0490	----	----	2	----	42 UNCH
4150 9.90	9.90	17.50B/*9.00A	17.50B/*9.00A	----	12.30 + 0.10	.0600	----	----	1	----	4 + 1
4200 ----	----	21.50B/*10.90A	21.50B/*10.90A	----	14.90 - 0.10	.0736	----	----	----	----	20 UNCH
4220 ----	----	23.20B/*11.90A	23.20B/*11.90A	----	16.00 - 0.30	.0796	----	----	----	----	150 UNCH
4225 ----	----	23.60B/*12.20A	23.60B/*12.20A	----	16.40 - 0.30	.0815	----	----	2	----	2 UNCH
4250 ----	----	26.40B/*13.50A	26.40B/*13.50A	----	18.10 - 0.40	.0904	----	----	1	----	143 + 1
4260 ----	----	27.20B/*14.20A	27.20B/*14.20A	----	18.80 - 0.50	.0941	----	----	----	----	1 UNCH
4275 ----	----	29.00B/*15.10A	29.00B/*15.10A	----	19.90 - 0.70	.1000	----	----	----	----	1 UNCH
4295 25.80	25.80	31.30B/16.60A	31.30B/16.60A	----	21.60 - 0.80	.1088	----	----	1	----	2 + 1
4300 ----	----	32.40B/*16.80A	32.40B/*16.80A	----	22.10 - 0.80	.1112	----	----	----	----	50 UNCH
4350 ----	----	39.70B/21.20A	39.70B/21.20A	----	27.10 - 1.40	.1369	----	----	----	----	113 UNCH
4375 ----	----	43.80B/23.60A	43.80B/23.60A	----	30.10 - 1.60	.1520	----	----	----	----	26 UNCH
4385 ----	----	45.20B/24.70A	45.20B/24.70A	----	31.40 - 1.80	.1585	----	----	----	----	2 UNCH
4395 ----	----	47.00B/26.00A	47.00B/26.00A	----	32.70 - 1.90	.1650	----	----	----	----	2 UNCH
4400 35.40	35.40	48.50B/26.60A	48.50B/26.60A	----	33.40 - 2.00	.1685	----	----	32	----	98 + 22
4425 ----	----	53.10B/29.90A	53.10B/29.90A	----	37.10 - 2.40	.1867	----	----	----	----	1 UNCH
4430 49.00	49.00	54.20B/30.60A	54.20B/30.60A	----	37.90 NEW	.1906	----	----	3	----	3 + 3
4440 44.70	44.70	56.40B/32.00A	56.40B/32.00A	----	39.60 - 2.60	.1986	----	----	10	----	11 + 10
4450 43.50	43.50	59.10B/33.50A	59.10B/33.50A	----	41.30 - 2.70	.2068	----	----	4	----	174 + 3
4480 ----	----	66.40B/38.10A	66.40B/38.10A	----	47.00 - 3.20	.2335	----	----	----	----	10 UNCH
4490 47.00	47.00	69.20B/39.50A	69.20B/39.50A	----	49.00 NEW	.2429	----	----	10	----	4 + 4
4500 52.00	52.00	72.00B/41.40A	72.00B/41.40A	----	51.20 - 3.50	.2528	----	----	128	----	200 + 94
4520 ----	----	77.40B/45.00A	77.40B/45.00A	----	55.80 NEW	.2734	----	----	18	----	18 + 18
4525 58.30	58.30	79.20B/45.80A	79.20B/45.80A	----	57.00 NEW	.2787	----	----	6	----	6 + 6
4540 ----	----	83.60B/49.00A	83.60B/49.00A	----	60.70 - 4.20	.2951	----	----	----	----	1 UNCH
4545 ----	----	85.30B/49.80A	85.30B/49.80A	----	62.10 NEW	.3009	----	----	18	----	18 + 18
4550 70.50	70.50	87.00B/51.00A	87.00B/51.00A	----	63.40 - 4.30	.3066	----	----	1	----	175 UNCH
4580 ----	----	97.70B/58.00A	97.70B/58.00A	----	72.10 - 4.70	.3429	----	----	----	----	1 UNCH
4600 71.40	71.40	105.70B/62.80A	105.70B/62.80A	----	78.40 - 5.10	.3684	----	----	7	----	63 + 6
4610 ----	----	109.80B/65.80A	109.80B/65.80A	----	81.80 NEW	.3817	----	----	2	----	2 + 2
4625 ----	----	116.30B/70.00A	116.30B/70.00A	----	87.10 - 5.40	.4021	----	----	----	----	11 UNCH
4630 ----	----	118.20B/71.50A	118.20B/71.50A	----	89.00 - 5.40	.4091	----	----	----	----	5 UNCH
4635 ----	----	120.70B/72.70A	120.70B/72.70A	----	90.80 - 5.60	.4160	----	----	----	----	10 UNCH
4640 ----	----	122.80B/74.30A	122.80B/74.30A	----	92.80 - 5.50	.4231	----	----	----	----	1 UNCH
4645 ----	----	125.30B/76.30A	125.30B/76.30A	----	94.70 - 5.60	.4302	----	----	----	----	5 UNCH
4650 107.00	107.00	127.80B/77.60A	127.80B/77.60A	----	96.70 - 5.70	.4374	----	----	3	----	95 + 3
4660 ----	----	132.60B/80.90A	132.60B/80.90A	----	100.80 - 5.70	.4519	----	----	----	----	4 UNCH
4675 112.10	112.10	140.50B/85.80A	140.50B/85.80A	----	107.20 - 5.90	.4740	----	----	4	----	83 UNCH
4680 94.80	94.80	143.00B/87.90A	143.00B/87.90A	----	109.40 - 5.90	.4814	----	----	20	----	72 + 5
4685 96.90	96.90	145.30B/89.50A	145.30B/89.50A	----	111.60 NEW	.4889	----	----	20	----	20 + 20
4690 100.20	100.20	147.90B/91.40A	147.90B/91.40A	----	113.90 - 6.00	.4965	----	----	38	----	38 + 37
4695 101.20	101.20	150.70B/93.20A	150.70B/93.20A	----	116.20 NEW	.5040	----	----	20	----	20 + 20
4700 104.60	104.60	153.80B/95.20A	153.80B/95.20A	----	118.60 - 6.00	.5116	----	----	27	----	61 + 23
4710 ----	----	157.50B/99.50A	157.50B/99.50A	----	123.50 - 6.00	.5268	----	----	----	----	1 UNCH
4720 ----	----	160.40B/103.30A	160.40B/103.30A	----	128.50 - 6.10	.5422	----	----	----	----	2 UNCH
4725 ----	----	161.90B/105.70A	161.90B/105.70A	----	131.10 - 6.10	.5498	----	----	----	----	2 UNCH
4750 ----	----	177.90B/116.70A	177.90B/116.70A	----	144.60 - 6.00	.5882	----	----	----	----	11 UNCH
4775 ----	----	192.50B/128.90A	192.50B/128.90A	----	159.10 - 6.00	.6261	----	----	----	----	1 UNCH
4795 ----	----	206.00B/139.50A	206.00B/139.50A	----	171.50 - 5.80	.6559	----	----	----	----	1 UNCH
4800 ----	----	209.30B/142.20A	209.30B/142.20A	----	174.70 - 5.80	.6630	----	----	----	----	1 UNCH
4825 ----	----	227.30B/156.20A	227.30B/156.20A	----	191.40 - 5.50	.6988	----	----	----	----	1 UNCH
4850 ----	----	246.10B/171.50A	246.10B/171.50A	----	209.10 - 5.10	.7324	----	----	----	----	1 UNCH
4885 216.30	216.30	273.70B/194.60A	273.70B/194.60A	----	235.30 NEW	.7756	----	----	1	----	1 + 1
4915 ----	----	298.50B/215.90A	298.50B/215.90A	----	259.10 - 4.10	.8088	----	----	4	----	5 + 4
4975 ----	----	350.60B/262.30A	350.60B/262.30A	----	309.60 - 3.20	.8641	----	----	----	----	1 UNCH
4995 ----	----	368.60B/278.70A	368.60B/278.70A	----	327.10 - 3.10	.8791	----	----	----	----	1 UNCH
5000 ----	----	373.10B/282.80A	373.10B/282.80A	----	331.60 - 2.90	.8829	----	----	----	----	1 UNCH
5050 ----	----	419.30B/325.80A	419.30B/325.80A	----	376.90 - 2.50	.9133	----	----	----	----	1 UNCH
5150 ----	----	514.50B/417.10A	514.50B/417.10A	----	471.40 - 1.70	.9523	----	----	----	----	1 UNCH
5180 ----	----	543.60B/445.60A	543.60B/445.60A	----	500.40 - 1.50	.9598	----	----	----	----	1 UNCH
TOTAL									428		2193 + 343

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL	GOLD OPTIONS										
APR26											
4300 ----	----	458.70B/372.60A	458.70B/372.60A	----	406.40 - 0.90	.8885	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4375	----	----	389.30B/303.80A	389.30B/303.80A	----	339.50 - 1.70	.8477	----	----	----	----	74 UNCH
4415	----	----	353.40B/274.60A	353.40B/274.60A	----	305.10 - 2.10	.8204	----	----	----	----	6 UNCH
4435	----	----	336.00B/258.70A	336.00B/258.70A	----	288.20 - 2.50	.8052	----	----	----	----	10 UNCH
4450	----	----	322.80B/248.50A	322.80B/248.50A	----	275.80 - 2.70	.7928	----	----	----	----	1 UNCH
4500	----	----	280.70B/211.20A	280.70B/211.20A	----	235.70 - 3.50	.7469	----	----	----	----	1 UNCH
4550	----	----	240.60B/172.50A	240.60B/172.50A	----	198.00 - 4.30	.6930	----	----	----	----	1 UNCH
4575	----	----	221.10B/153.80A	221.10B/153.80A	----	180.10 - 4.70	.6631	----	----	----	----	3 UNCH
4600	----	----	203.00B/138.30A	203.00B/138.30A	----	163.10 - 5.00	.6312	----	----	----	----	25 UNCH
4610	----	----	195.00B/132.40A	195.00B/132.40A	----	156.40 - 5.30	.6180	----	----	----	----	1 UNCH
4625	----	----	184.40B/123.80A	184.40B/123.80A	----	146.80 - 5.40	.5976	----	----	----	----	3 UNCH
4650	116.00	116.00	167.30B/110.20A	167.30B/110.20A	----	131.40 - 5.60	.5623	----	----	2	----	9 + 2
4670	133.30	133.30	154.80B/100.40A	154.80B/100.40A	----	119.70 NEW	.5331	----	----	4	----	4 + 4
4675	108.70	108.70	151.60B/97.60A	151.60B/97.60A	----	116.90 - 5.80	.5257	----	----	8	----	8 + 4
4680	125.40	125.40	148.30B/95.20A	148.30B/95.20A	----	114.10 - 5.90	.5182	----	----	21	----	32 + 6
4685	122.40	122.40	145.20B/92.90A	145.20B/92.90A	----	111.30 - 6.00	.5107	----	----	20	----	39 + 20
4690	119.60	119.60	142.20B/90.70A	142.20B/90.70A	----	108.60 - 6.00	.5032	----	----	20	----	20 + 19
4695	118.10	118.10	139.00B/88.30A	139.00B/88.30A	----	105.90 - 6.10	.4956	----	----	30	----	32 + 30
4700	----	----	136.00B/86.00A	136.00B/86.00A	----	103.30 - 6.10	.4880	----	----	----	----	43 UNCH
4710	----	----	129.50B/81.80A	129.50B/81.80A	----	98.20 - 6.10	.4728	----	----	----	----	1 UNCH
4715	----	----	126.40B/79.70A	126.40B/79.70A	----	95.70 NEW	.4652	----	----	2	----	2 + 2
4725	----	----	120.80B/75.50A	120.80B/75.50A	----	90.80 - 6.10	.4498	----	----	----	----	1 UNCH
4730	----	----	117.80B/73.60A	117.80B/73.60A	----	88.40 - 6.10	.4421	----	----	----	----	1 UNCH
4750	----	----	107.50B/65.60A	107.50B/65.60A	----	79.30 - 6.10	.4115	----	----	----	----	49 UNCH
4755	----	----	104.40B/64.10A	104.40B/64.10A	----	77.20 - 6.00	.4039	----	----	----	----	2 UNCH
4765	----	----	99.80B/60.30A	99.80B/60.30A	----	72.90 - 6.10	.3886	----	----	----	----	74 UNCH
4775	----	----	94.20B/57.30A	94.20B/57.30A	----	68.90 - 6.00	.3735	----	----	----	----	1 UNCH
4780	69.20	69.20	92.10B/55.40A	92.10B/55.40A	----	66.90 NEW	.3660	----	----	11	----	11 + 11
4785	----	----	89.30B/54.10A	89.30B/54.10A	----	65.00 - 5.90	.3585	----	----	----	----	2 UNCH
4790	67.70	67.70	86.80B/52.60A	86.80B/52.60A	----	63.20 NEW	.3512	----	----	2	----	2 + 2
4800	54.00	54.00	83.10B/49.20A	83.10B/49.20A	----	59.60 - 5.70	.3366	----	----	19	----	55 + 16
4805	----	----	80.10B/48.00A	80.10B/48.00A	----	57.80 - 5.70	.3293	----	----	----	----	1 UNCH
4810	----	----	77.90B/46.80A	77.90B/46.80A	----	56.10 - 5.70	.3221	----	----	----	----	2 UNCH
4815	----	----	76.50B/45.10A	76.50B/45.10A	----	54.40 - 5.60	.3149	----	----	----	----	6 UNCH
4825	44.00	44.00	72.40B/42.40A	72.40B/42.40A	----	51.20 - 5.50	.3009	----	----	4	----	48 + 4
4830	----	----	69.50B/*41.60A	69.50B/*41.60A	----	49.70 - 5.40	.2941	----	----	----	----	1 UNCH
4840	52.60	52.60	65.60B/*39.00A	65.60B/*39.00A	----	46.70 NEW	.2805	----	----	2	----	2 + 2
4845	----	----	64.60B/*37.70A	64.60B/*37.70A	----	45.30 - 5.20	.2739	----	----	----	----	10 UNCH
4850	----	----	62.70B/*36.40A	62.70B/*36.40A	----	43.90 - 5.20	.2673	----	----	----	----	111 UNCH
4860	----	----	58.20B/*34.60A	58.20B/*34.60A	----	41.20 - 5.00	.2544	----	----	----	----	1 UNCH
4865	----	----	56.50B/*33.60A	56.50B/*33.60A	----	40.00 NEW	.2483	----	----	18	----	18 + 18
4875	----	----	54.20B/*31.30A	54.20B/*31.30A	----	37.50 - 4.80	.2359	----	----	----	----	14 UNCH
4890	----	----	49.30B/*28.50A	49.30B/*28.50A	----	34.10 - 4.50	.2183	----	----	18	----	43 + 18
4895	34.20	34.20	47.00B/*28.00A	47.00B/*28.00A	----	33.00 NEW	.2126	----	----	2	----	2 + 2
4900	32.20	32.20	46.50B/*27.10A	46.50B/*27.10A	----	31.90 - 4.40	.2068	----	----	5	----	83 - 1
4905	----	----	44.30B/*26.40A	44.30B/*26.40A	----	30.90 - 4.30	.2014	----	----	----	----	1 UNCH
4925	----	----	39.60B/*23.20A	39.60B/*23.20A	----	27.10 - 4.00	.1804	----	----	----	----	6 UNCH
4945	22.90	22.90	35.00B/*20.70A	35.00B/*20.70A	----	23.80 - 3.70	.1614	----	----	2	----	5 + 2
4950	23.10	23.10	33.80B/*19.90A	33.80B/*19.90A	----	23.00 - 3.70	.1567	----	----	4	----	8 + 4
4955	----	----	32.60B/*19.30A	32.60B/*19.30A	----	22.30 - 3.50	.1525	----	----	----	----	8 UNCH
4960	----	----	31.70B/*18.70A	31.70B/*18.70A	----	21.60 - 3.50	.1482	----	----	----	----	10 UNCH
4970	----	----	28.90B/*17.60A	28.90B/*17.60A	----	20.20 - 3.30	.1398	----	----	----	----	2 UNCH
4975	22.70	22.70	28.70B/*17.30A	28.70B/*17.30A	----	19.50 - 3.30	.1356	----	----	47	----	54 + 44
4980	----	----	27.60B/*16.70A	27.60B/*16.70A	----	18.90 - 3.20	.1318	----	----	----	----	3 UNCH
4990	17.40	17.40	25.30B/*15.80A	25.30B/*15.80A	----	17.70 NEW	.1243	----	----	2	----	2 + 2
4995	----	----	24.10B/*15.40A	24.10B/*15.40A	----	17.10 - 3.10	.1206	----	----	----	----	15 UNCH
5000	16.50	16.50	23.60B/*14.80A	23.60B/*14.80A	----	16.50 - 3.00	.1168	----	----	102	----	176 + 101
5005	----	----	22.60B/*14.50A	22.60B/*14.50A	----	16.00 - 2.90	.1135	----	----	----	----	1 UNCH
5010	15.20	15.20	22.10B/*14.00A	22.10B/*14.00A	----	15.50 - 2.90	.1103	----	----	1	----	6 + 1
5015	----	----	21.40B/*13.60A	21.40B/*13.60A	----	15.00 - 2.80	.1070	----	----	----	----	17 UNCH
5020	----	----	20.60B/*13.20A	20.60B/*13.20A	----	14.50 - 2.80	.1038	----	----	----	----	1 UNCH
5025	20.00	20.00	20.00/*12.80A	20.00/*12.80A	----	14.00 - 2.80	.1006	----	----	2	----	4 + 1
5030	13.20	13.20	19.10B/*12.40A	19.10B/*12.40A	----	13.60 NEW	.0978	----	----	1	----	1 + 1
5050	12.40	12.40	16.90/*11.20A	16.90/*11.20A	----	11.90 - 2.50	.0865	----	----	4	----	7 + 3
5055	13.00	13.00	16.20B/*10.80A	16.20B/*10.80A	----	11.50 NEW	.0838	----	----	1	----	1 + 1
5070	----	----	14.60B/*10.10A	14.60B/*10.10A	----	10.50 - 2.30	.0768	----	----	----	----	1 UNCH
5080	----	----	13.70B/*9.40A	13.70B/*9.40A	----	9.80 - 2.30	.0720	----	----	----	----	3 UNCH
5085	----	----	13.20B/*8.80A	13.20B/*8.80A	----	9.50 - 2.20	.0699	----	----	----	----	1 UNCH
5095	----	----	12.20B/*8.80A	12.20B/*8.80A	----	9.00 - 2.10	.0662	----	----	----	----	2 UNCH
5100	8.30	8.30	11.90B/*7.60	11.90B/*7.60	----	8.70 - 2.10	.0641	----	----	14	----	103 + 3
5105	----	----	11.50B/*8.30A	11.50B/*8.30A	----	8.40 - 2.10	.0620	----	----	----	----	1 UNCH
5120	7.70	7.70	10.40B/*7.50A	10.40B/*7.50A	----	7.70 NEW	.0569	----	----	2	----	2 + 2
5130	7.40	7.40	9.60B/*7.20A	9.60B/*7.20A	----	7.20 NEW	.0534	----	----	2	----	2 + 2
5150	----	----	8.40B/*6.50A	8.40B/*6.50A	----	6.40 - 1.80	.0475	----	----	----	----	4 UNCH
5160	----	----	7.80B/*6.10A	7.80B/*6.10A	----	6.10 - 1.60	.0452	----	----	----	----	3 UNCH
5170	----	----	----/*5.60A	7.30B/*5.60A	----	5.80 - 1.50	.0428	----	----	----	----	10 UNCH
5175	----	----	----/*5.70A	7.20B/*5.70A	----	5.60 - 1.60	.0414	----	----	----	----	2 UNCH
5200	5.00	5.00	6.50/*4.70A	6.50/*4.70A	----	4.90 - 1.40	.0361	----	----	14	----	297 + 11
5230	4.20	4.20	5.00B/*3.90A	5.00B/*3.90A	----	4.20 NEW	.0308	----	----	2	----	2 + 2
5245	----	----	----/*3.70A	4.60B/*3.70A	----	3.90 - 1.10	.0285	----	----	----	----	6 UNCH
5250	----	----	----/*3.70A	4.50B/*3.70A	----	3.80 - 1.00	.0277	----	----	----	----	200 UNCH
5265	----	----	----/*3.30A	4.20B/*3.30A	----	3.60 - 0.90	.0261	----	----	----	----	3 UNCH
5300	----	----	----/*2.80A	3.50B/*2.80A	----	3.10 - 0.60	.0221	----	----	----	----	10 UNCH
5325	----	----	----/*2.50A	3.00B/*2.50A	----	2.80 - 0.50	.0198	----	----	----	----	1 UNCH
5350	----	----	----/*2.40A	2.70B/*2.40A	----	2.50 - 0.40	.0175	----	----	----	----	11 UNCH
5375	----	----	----/*2.10A	2.50B/*2.10A	----	2.30 - 0.20	.0159	----	----	----	----	2 UNCH
5400	----	----	2.30B/*2.00A	2.30B/*2.00A	----	2.20 UNCH	.0149	----	----	----	----	6 UNCH
5425	----	----	2.10B/----	2.10B/2.00A	----	2.00 UNCH	.0134	----	----	----	----	2 UNCH
5450	----	----	1.90B/----	1.90B/1.90A	----	1.90 + 0.20	.0126	----	----	----	----	1 UNCH
5500	----	----	1.60B/----	1.60B/1.80A	----	1.50 + 0.20	.0098	----	----	----	----	12 UNCH
5550	----	----	1.40B/----	1.40B/1.50A	----	1.20 + 0.20	.0077	----	----	----	----	1 UNCH
TOTAL										388		1872 + 339

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
APR26												
2800	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
3200	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3250	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
3300	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
3350	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	17 UNCH
3400	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.10	.0001	----	----	2	----	14 + 1
3500	----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.10	.0004	----	----	----	----	33 UNCH
3550	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.20	.0005	----	----	----	----	9 UNCH
3600	0.30	0.30	0.70B/*0.30	0.70B/*0.30	----	0.40 - 0.20	.0007	----	----	3	----	7 + 3
3650	----	----	0.80B/*0.60A	0.80B/*0.60A	----	0.50 - 0.20	.0010	----	----	----	----	36 UNCH
3700	0.80	0.80	1.00B/*0.70A	1.00B/*0.70A	----	0.60 - 0.20	.0012	----	----	5	----	14 + 3
3750	1.00	1.00	1.20B/*0.80A	1.20B/*0.80A	----	0.80 - 0.10	.0018	----	----	1	----	54 UNCH
3800	----	----	1.50B/*1.00A	1.50B/*1.00A	----	1.00 - 0.20	.0024	----	----	----	----	24 UNCH
3850	1.30	1.30	1.80B/*1.20A	1.80B/*1.20A	----	1.30 - 0.10	.0034	----	----	23	----	44 + 10
3900	1.10	1.10	2.20B/*1.10	2.20B/*1.10	----	1.50 - 0.20	.0043	----	----	2	----	129 + 1
3950	1.60	1.60	2.70B/*1.40A	2.70B/*1.40A	----	1.80 - 0.10	.0055	----	----	14	----	57 UNCH
4000	3.00	3.00	3.30B/*1.60A	3.30B/*1.60A	----	2.20 UNCH	.0073	----	----	14	----	246 + 2
4025	2.80	2.80	3.60B/*1.70A	3.60B/*1.70A	----	2.40 UNCH	.0082	----	----	2	----	12 + 1
4050	3.00	3.00	4.00B/*1.80A	4.00B/*1.80A	----	2.60 - 0.10	.0093	----	----	4	----	35 + 1
4075	2.80	2.80	4.50B/*2.00A	4.50B/*2.00A	----	2.90 - 0.10	.0107	----	----	26	----	29 - 6
4100	2.00	2.00	5.00B/*2.00	5.00B/*2.00	----	3.20 UNCH	.0123	----	----	17	----	253 + 1
4125	----	----	5.60B/*2.30A	5.60B/*2.30A	----	3.60 UNCH	.0144	----	----	----	----	46 UNCH
4150	----	----	6.30B/*2.50A	6.30B/*2.50A	----	4.00 + 0.10	.0166	----	----	----	----	49 UNCH
4175	----	----	7.00B/*2.80A	7.00B/*2.80A	----	4.50 + 0.20	.0194	----	----	101	4000	4101 + 3858
4200	4.00	4.00	7.90B/*3.00A	7.90B/*3.00A	----	5.10 + 0.30	.0228	----	----	663	4000	5049 + 4427
4210	----	----	8.30B/*3.10A	8.30B/*3.10A	----	5.30 + 0.30	.0240	----	----	909	----	913 + 904
4215	7.90	7.90	8.50B/*3.20A	8.50B/*3.20A	----	5.50 + 0.40	.0251	----	----	2	----	9 + 2
4220	----	----	8.70B/*3.30A	8.70B/*3.30A	----	5.60 + 0.40	.0258	----	----	1201	----	1204 + 1201
4225	----	----	9.00B/*3.40A	9.00B/*3.40A	----	5.70 + 0.40	.0264	----	----	----	----	173 UNCH
4230	7.00	7.00	9.20B/*3.40A	9.20B/*3.40A	----	5.80 + 0.30	.0271	----	----	5	----	49 + 4
4235	8.60	8.60	9.40B/*3.50A	9.40B/*3.50A	----	6.00 + 0.40	.0282	----	----	1	----	90 + 1
4240	8.70	8.70	9.70B/*3.60A	9.70B/*3.60A	----	6.10 + 0.40	.0289	----	----	912	----	926 + 843
4245	----	----	9.90B/*3.70A	9.90B/*3.70A	----	6.20 + 0.30	.0297	----	----	----	----	19 UNCH
4250	5.10	5.10	10.10B/*3.70A	10.10B/*3.70A	----	6.40 + 0.40	.0308	----	----	36	----	289 + 2
4255	6.20	6.20	10.40B/*3.80A	10.40B/*3.80A	----	6.50 + 0.30	.0316	----	----	1	----	22 UNCH
4260	8.00	8.00	10.70B/*3.90A	10.70B/*3.90A	----	6.70 + 0.40	.0327	----	----	1	----	71 + 1
4265	10.80	10.80	10.90B/*4.00A	10.90B/*4.00A	----	6.80 + 0.30	.0335	----	----	2	----	63 UNCH
4270	11.00	11.00	11.20B/*4.10A	11.20B/*4.10A	----	7.00 NEW	.0347	----	----	5	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
APR26												
4275	8.90	8.90	11.50B/*4.20A	11.50B/*4.20A	----	7.10 + 0.30	.0355	----	----	6	----	50 + 1
4280	----	----	11.80B/*4.30A	11.80B/*4.30A	----	7.30 + 0.30	.0368	----	----	1229	----	1224 + 1210
4285	7.50	7.50	12.10B/*4.40A	12.10B/*4.40A	----	7.50 + 0.30	.0381	----	----	1	----	24 UNCH
4290	----	----	12.40B/*4.60A	12.40B/*4.60A	----	7.60 + 0.20	.0389	----	----	----	----	2 UNCH
4295	----	----	12.70B/*4.70A	12.70B/*4.70A	----	7.80 + 0.20	.0402	----	----	----	----	14 UNCH
4300	7.00	7.00	13.00B/*4.80A	13.00B/*4.80A	----	8.00 + 0.20	.0416	----	----	324	----	466 - 43
4305	13.10	13.10	13.40B/*4.90A	13.40B/*4.90A	----	8.20 NEW	.0429	----	----	7	----	7 + 7
4310	10.10	10.10	13.70B/*5.00A	13.70B/*5.00A	----	8.40 + 0.20	.0443	----	----	1	----	13 + 1
4315	13.90	13.90	14.10B/*5.20A	14.10B/*5.20A	----	8.50 + 0.10	.0452	----	----	1	----	2 + 1
4320	10.60	10.60	14.50B/*5.30A	14.50B/*5.30A	----	8.70 NEW	.0466	----	----	6	----	3 + 3
4325	----	----	14.90B/*5.50A	14.90B/*5.50A	----	9.00 + 0.10	.0485	----	----	----	----	5 UNCH
4330	9.60	9.60	15.20B/*5.60A	15.20B/*5.60A	----	9.20 + 0.10	.0500	----	----	1	----	11 UNCH
4335	15.40	15.40	15.70B/*5.70A	15.70B/*5.70A	----	9.40 UNCH	.0515	----	----	1	----	1 + 1
4340	15.80	15.80	16.10B/*5.90A	16.10B/*5.90A	----	9.60 UNCH	.0530	----	----	13	----	16 + 13
4345	----	----	16.50B/*6.10A	16.50B/*6.10A	----	9.80 - 0.10	.0545	----	----	----	----	2 UNCH
4350	8.90	8.90	16.90B/*6.20A	16.90B/*6.20A	----	10.10 - 0.10	.0566	----	----	247	----	354 - 28
4355	----	----	17.40B/*6.40A	17.40B/*6.40A	----	10.30 - 0.20	.0582	----	----	----	----	51 UNCH
4360	8.60	8.60	17.90B/*6.60A	17.90B/*6.60A	----	10.50 - 0.30	.0598	----	----	9	----	7 + 6
4365	----	----	18.40B/*6.80A	18.40B/*6.80A	----	10.80 - 0.30	.0619	----	----	----	----	1 UNCH
4370	13.00	13.00	18.80B/*7.00A	18.80B/*7.00A	----	11.10 NEW	.0640	----	----	4	----	3 + 3
4375	13.80	13.80	19.30B/*7.20A	19.30B/*7.20A	----	11.30 - 0.40	.0658	----	----	5	----	6 + 2
4380	13.90	13.90	19.80B/*7.40A	19.80B/*7.40A	----	11.60 NEW	.0680	----	----	4	----	2 + 2
4385	10.00	10.00	20.40B/*7.60A	20.40B/*7.60A	----	11.90 - 0.50	.0702	----	----	15	----	17 + 13
4390	----	----	21.00B/*7.90A	21.00B/*7.90A	----	12.20 - 0.60	.0725	----	----	----	----	3 UNCH
4395	----	----	21.50B/*8.10A	21.50B/*8.10A	----	12.50 - 0.60	.0749	----	----	----	----	2 UNCH
4400	12.00	12.00	22.10B/*8.10	22.10B/*8.10	----	12.80 - 0.70	.0772	----	----	116	240	434 + 229
4405	----	----	22.70B/*8.60A	22.70B/*8.60A	----	13.20 - 0.70	.0801	----	----	----	----	21 UNCH
4410	----	----	23.40B/*8.90A	23.40B/*8.90A	----	13.50 - 0.90	.0826	----	----	----	----	10 UNCH
4415	23.70	23.70	23.90B/*9.20A	23.90B/*9.20A	----	13.90 - 0.90	.0855	----	----	16	----	19 + 13
4420	----	----	24.60B/*9.50A	24.60B/*9.50A	----	14.20 - 1.00	.0881	----	----	----	----	2 UNCH
4425	16.60	16.60	25.30B/*9.80A	25.30B/*9.80A	----	14.60 - 1.10	.0911	----	----	87	----	90 + 84
4430	13.70	13.70	26.00B/*10.10A	26.00B/*10.10A	----	15.00 - 1.20	.0943	----	----	6	----	8 + 5
4435	----	----	26.70B/*10.40A	26.70B/*10.40A	----	15.40 - 1.20	.0974	----	----	----	----	5 UNCH
4445	18.70	18.70	28.10B/*11.20A	28.10B/*11.20A	----	16.20 - 1.50	.1039	----	----	1	----	5 UNCH
4450	16.60	16.60	28.90B/*11.50A	28.90B/*11.50A	----	16.70 - 1.50	.1077	----	----	117	----	145 + 95
4455	----	----	29.70B/*11.90A	29.70B/*11.90A	----	17.10 - 1.70	.1111	----	----	----	----	3 UNCH
4460	20.30	20.30	30.50B/*12.30A	30.50B/*12.30A	----	17.60 - 1.70	.1150	----	----	1	----	6 - 1
4465	20.90	20.90	31.40B/*12.70A	31.40B/*12.70A	----	18.10 - 1.80	.1190	----	----	1	----	3 + 1
4470	19.00	19.00	32.30B/*13.20A	32.30B/*13.20A	----	18.60 - 2.00	.1230	----	----	6	----	28 UNCH
4475	22.90	22.90	33.10B/*13.60A	33.10B/*13.60A	----	19.10 - 2.10	.1272	----	----	28	----	66 + 15
4480	23.70	23.70	34.10B/*14.10A	34.10B/*14.10A	----	19.70 - 2.20	.1318	----	----	2	----	202 + 2
4485	24.10	24.10	35.00B/*14.60A	35.00B/*14.60A	----	20.30 - 2.20	.1365	----	----	6	----	10 + 2
4490	----	----	35.90B/*15.00A	35.90B/*15.00A	----	20.80 - 2.40	.1408	----	----	50	----	54 + 50
4495	19.00	19.00	36.90B/*15.40A	36.90B/*15.40A	----	21.50 - 2.50	.1461	----	----	3	----	3 + 2
4500	21.50	21.50	38.00B/*15.40	38.00B/15.40	----	22.10 - 2.60	.1510	----	----	160	----	254 + 1
4505	----	----	39.00B/*16.50A	39.00B/*16.50A	----	22.70 - 2.80	.1561	----	----	----	----	5 UNCH
4510	39.80	39.80	40.10B/*17.00A	40.10B/*17.00A	----	23.40 - 2.90	.1616	----	----	22	----	113 + 13
4515	----	----	41.20B/*17.60A	41.20B/*17.60A	----	24.10 - 3.00	.1672	----	----	----	----	11 UNCH
4520	37.70	37.70	42.40B/*18.30A	42.40B/*18.30A	----	24.90 - 3.10	.1734	----	----	8	----	8 + 7
4525	32.00	32.00	43.60B/*18.80A	43.60B/*18.80A	----	25.60 - 3.30	.1792	----	----	10	----	7 + 5
4530	22.60	22.60	44.80B/*19.50A	44.80B/*19.50A	----	26.40 - 3.40	.1855	----	----	10	----	12 + 10
4535	----	----	46.10B/*20.10A	46.10B/*20.10A	----	27.20 - 3.50	.1919	----	----	----	----	2 UNCH
4540	42.20	42.20	47.40B/*20.70A	47.40B/*20.70A	----	28.00 - 3.70	.1984	----	----	17	----	25 + 17
4545	----	----	48.70B/*21.10A	48.70B/*21.10A	----	28.90 - 3.80	.2054	----	----	39	----	45 + 38
4550	25.00	25.00	50.20B/*21.90A	50.20B/*21.90A	----	29.80 - 4.00	.2126	----	----	192	----	213 + 84
4555	37.60	37.60	51.50B/*22.20A	51.50B/*22.20A	----	30.80 - 4.00	.2201	----	----	19	----	30 + 15
4560	40.00	40.00	53.00B/*23.00A	53.00B/*23.00A	----	31.70 - 4.20	.2275	----	----	28	----	27 + 24
4565	----	----	54.50B/*23.70A	54.50B/*23.70A	----	32.70 - 4.40	.2353	----	----	----	----	8 UNCH
4570	----	----	55.90B/*24.30A	55.90B/*24.30A	----	33.80 - 4.50	.2436	----	----	----	----	5 UNCH
4575	36.90	36.90	57.50B/*25.10A	57.50B/*25.10A	----	34.90 - 4.60	.2520	----	----	3	----	16 UNCH
4585	----	----	60.80B/*26.60A	60.80B/*26.60A	----	37.10 NEW	.2691	----	----	25	----	25 + 25
4590	----	----	62.50B/*27.40A	62.50B/*27.40A	----	38.30 - 5.10	.2782	----	----	----	----	3 UNCH
4595	----	----	64.30B/*28.30A	64.30B/*28.30A	----	39.60 - 5.10	.2876	----	----	----	----	3 UNCH
4600	41.50	41.50	66.20B/*29.10A	66.20B/*29.10A	----	40.90 - 5.20	.2972	----	----	61	----	338 + 1
4610	43.70	43.70	70.00B/*30.70A	70.00B/*30.70A	----	43.60 - 5.50	.3171	----	----	75	----	76 + 71
4615	----	----	72.00B/*31.80A	72.00B/*31.80A	----	45.00 NEW	.3274	----	----	1	----	1 + 1
4620	51.10	51.10	74.00B/*32.60A	74.00B/*32.60A	----	46.50 - 5.80	.3380	----	----	7	----	18 + 7
4625	54.70	54.70	76.10B/*33.60A	76.10B/*33.60A	----	48.00 - 5.90	.3487	----	----	12	----	119 - 6
4630	42.50	42.50	78.60B/*34.90A	78.60B/*34.90A	----	49.60 - 6.00	.3598	----	----	1	----	183 UNCH
4645	72.70	72.70	85.40B/*38.10A	85.40B/*38.10A	----	54.60 - 6.40	.3941	----	----	1	----	2 - 1
4650	47.00	47.00	87.80B/*39.40A	87.80B/39.40A	----	56.40 - 6.50	.4060	----	----	107	----	104 - 23
4665	68.80	68.80	95.20B/*43.20A	95.20B/*43.20A	----	62.10 NEW	.4429	----	----	5	----	3 + 3
4670	56.10	56.10	97.80B/*44.70A	97.80B/*44.70A	----	64.10 - 6.90	.4555	----	----	7	----	6 + 5
4675	53.00	53.00	100.20B/*46.20A	100.20B/46.20A	----	66.20 - 6.90	.4683	----	----	8	----	34 + 5
4685	70.80	70.80	104.80B/*49.20A	104.80B/*49.20A	----	70.60 NEW	.4942	----	----	57	----	49 + 49
4690	64.50	64.50	106.80B/*50.80A	106.80B/*50.80A	----	72.90 NEW	.5073	----	----	1	----	1 + 1
4700	68.70	68.70	114.40B/54.30A	114.40B/54.30A	----	77.60 - 7.20	.5338	----	----	16	----	182 + 1
4705	71.10	71.10	114.90B/*56.00A	114.90B/*56.00A	----	80.10 - 7.20	.5471	----	----	2	----	3 + 2
4710	73.40	73.40	118.20B/*57.90A	118.20B/*57.90A	----	82.60 NEW	.5605	----	----	3	----	3 + 3
4720	----	----	124.50B/*61.80A	124.50B/*61.80A	----	87.90 - 7.20	.5871	----	----	----	----	7 UNCH
4725	----	----	127.70B/63.80A	127.70B/63.80A	----	90.60 - 7.30	.6005	----	----	----	----	1 UNCH
4735	73.50	73.50	134.50B/68.10A	134.50B/68.10A	----	96.30 NEW	.6269	----	----	10	----	10 + 10
4745	----	----	141.20B/72.40A	141.20B/72.40A	----	102.20 - 7.20	.6531	----	----	----	----	2 UNCH
4750	----	----	145.10B/75.00A	145.10B/75.00A	----	105.30 - 7.20	.6658	----	----	----	----	9 UNCH
4760	----	----	152.20B/79.80A	152.20B/79.80A	----	111.70 - 7.00	.6909	----	----	----	----	1 UNCH
4780	----	----	169.10B/90.30A	169.10B/90.30A	----	125.10 - 6.80	.7386	----	----	----	----	20 UNCH
4785	----	----	172.80B/93.10A	172.80B/93.10A	----	128.70 - 6.60	.7500	----	----	----	----	48 UNCH
4790	----	----	176.90B/96.10A	176.90B/96.10A	----	132.30 - 6.50	.7610	----	----	----	----	23 UNCH
4795	----	----	180.80B/98.50A	180.80B/98.50A	----	135.90 - 6.50	.7716	----	----	----	----	30 UNCH
4800	----	----	183.90B/101.40A	183.90B/101.40A	----	139.60 - 6.40	.7821	----	----	----	----	9 UNCH
4805	----	----	187.80B/104.50A	187.80B/104.50A	----	143.40 - 6.30	.7926	----	----	----	----	7 UNCH
4810	----	----	192.10B/107.70A	192.10B/107.70A	----	147.20 - 6.20	.8020	----	----	----	----	1 UNCH
4825	----	----	204.80B/117.30A	204.80B/117.30A	----	159.00 - 5.80	.8295	----	----	----	----	6 UNCH
4840	----	----	217.30B/127.70A	217.30B/127.70A	----	171.30 - 5.40	.8543	----	----	----	----	1 UNCH
4850	----	----	226.40B/134.80A	226.40B/134.80A	----	179.70 - 5.10	.8689	----	----	----	----	3 UNCH
4875	----	----	248.90B/153.20A	248.90B/153.20A	----	201.30 - 4.50	.8999	----	----	----	----	4 UNCH
4900	----	----	273.30B/173.80A	273.30B/173.80A	----	223.80 - 3.80	.9246	----	----	----	----	17 UNCH
4910	----	----	281.40B/182.20A	281.40B/182.20A	----	233.00 - 3.50	.9325	----	----	----	----	1 UNCH
4925	----	----	295.60B/194.40A	295.60B/194.40A	----	246.90 - 3.20	.9431	----	----	4	----	2 - 2
4935	----	----	305.00B/203.20A	305.00B/203.20A	----	256.20 - 3.00	.9490	----	----	----	----	1 UNCH
4945	----	----	314.70B/212.60A	314.70B/212.60A	----	265.70 - 2.80	.9546	----	----	----	----	3 UNCH
4950	----	----	319.50B/217.10A	319.50B/217.10A	----	270.40 - 2.70	.9567	----	----	----	----	2 UNCH
4955	----	----	324.20B/221.00A	324.20B/221.00A	----	275.20 - 2.60	.9594	----	----	----	----	2 UNCH
4975	----	----	343.50B/239.30A	343.50B/239.30A	----	294.30 - 2.30	.9672	----	----	----	----	2 UNCH
4995	----	----	362.90B/257.90A	362.90B/257.90A	----	313.70 - 1.90	.9737	----	----	1	----	2 + 1
5000	266.50	266.50	368.00B/262.60A	368.00B/262.60A	----	318.50 - 1.90	.9747	----	----	1	----	104 + 1
5015	----	----	382.70B/276.90A	382.70B/276.90A	----	333.10 - 1.60	.9784	----	----	----	----	3 UNCH
5020	----	----	387.60B/281.60A	387.60B/281.60A	----	338.00 - 1.60	.9793	----	----	----	----	8 UNCH
5025	----	----	392.30B/286.40A	392.30B/286.40A	----	342.90 - 1.50	.9803	----	----	----	----	2 UNCH
5050	----	----	417.10B/310.50A	417.10B/310.50A	----	367.40 - 1.20	.9847	----	----	----	----	4 UNCH
5065	----	----	431.70B/325.10A	431.70B/325.10A	----	382.20 - 1.10	.9865	----	----	----	----	20 UNCH
5070	----	----	436.60B/330.00A	436.60B/330.00A	----	387.10 - 1.00	.9873	----	----	----	----	4 UNCH
5075	----	----	441.50B/335.00A	441.50B/335.00A	----	392.00 - 1.00	.9881	----	----	----	----	1 UNCH
5100	----	----	466.40B/365.10A	466.40B/365.10A	----	416.80 - 0.80	.9905	----	----	----	----	14 UNCH
5120	----	----	486.00B/384.90A	486.00B/384.90A	----	436.60 - 0.60	.9915	----	----	----	----	3 UNCH
5125	----	----	491.00B/389.90A	491.00B/389.90A	----	441.50 - 0.70	.9922	----	----	----	----	3 UNCH
5130	----	----	495.90B/401.90A	495.90B/401.90A	----	446.50 - 0.60	.9923	----	----	----	----	4 UNCH
5200	----	----	565.60B/471.20A	565.60B/471.20A	----	516.10 - 0.30	.9954	----	----	----	----	20 UNCH
5230	----	----	595.20B/521.50A	595.20B/521.50A	----	546.00 - 0.20	.9961	----	----	----	----	2 UNCH
5235	----	----	600.10B/526.50A	600.10B/526.50A	----	551.00 - 0.20	.9961	----	----	----	----	2 UNCH
5260	----	----	625.10B/530.90A	625.10B/530.90A	----	575.90 - 0.20	.9968	----	----	----	----	31 UNCH
5360	----	----	724.70B/651.20A	724.70B/651.20A	----	675.70 UNCH	.9977	----	----	----	----	1 UNCH
5400	----	----	764.70B/691.00A	764.70B/691.00A	----	715.70 UNCH	.9982	----	----	----	----	1 UNCH
TOTAL										7179	8,240	19904 + 13321

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4000	----	----	743.90B/639.20A	743.90B/639.20A	----	686.80 + 0.10	.9926	----	----	----	----	1 UNCH
4150	----	----	595.50B/492.10A	595.50B/492.10A	----	538.60 + 0.10	.9833	----	----	----	----	1 UNCH
4200	----	----	546.30B/443.50A	546.30B/443.50A	----	489.70 + 0.40	.9771	----	----	1	----	4 UNCH
4350	----	----	400.00B/301.10A	400.00B/301.10A	----	344.70 - 0.10	.9433	----	----	----	----	2 UNCH
4375	----	----	375.30B/278.70A	375.30B/278.70A	----	321.00 - 0.30	.9341	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4400	----	----	351.90B/256.30A	351.90B/256.30A	----	297.50 - 0.60	.9226	----	----	55	----	66 - 31
4415	----	----	337.60B/243.40A	337.60B/243.40A	----	283.50 - 0.90	.9143	----	----	----	----	5 UNCH
4450	----	----	304.40B/213.40A	304.40B/213.40A	----	251.30 - 1.50	.8921	----	----	----	----	2 UNCH
4475	----	----	281.00B/192.50A	281.00B/192.50A	----	228.80 - 2.00	.8727	----	----	----	----	20 UNCH
4480	----	----	276.40B/188.50A	276.40B/188.50A	----	224.30 - 2.20	.8681	----	----	----	----	16 UNCH
4500	----	----	257.90B/172.20A	257.90B/172.20A	----	206.70 - 2.70	.8488	----	----	103	----	291 + 77
4505	----	----	253.30B/169.00A	253.30B/169.00A	----	202.40 - 2.70	.8438	----	----	----	----	1 UNCH
4510	----	----	248.80B/165.10A	248.80B/165.10A	----	198.10 - 2.80	.8382	----	----	----	----	1 UNCH
4525	----	----	235.20B/153.70A	235.20B/153.70A	----	185.30 - 3.20	.8207	----	----	----	----	1 UNCH
4530	----	----	230.90B/149.60A	230.90B/149.60A	----	181.00 - 3.40	.8143	----	----	----	----	100 UNCH
4535	----	----	226.20B/146.30A	226.20B/146.30A	----	176.90 - 3.50	.8079	----	----	----	----	1 UNCH
4540	----	----	221.70B/142.60A	221.70B/142.60A	----	172.70 - 3.70	.8014	----	----	----	----	2 UNCH
4545	----	----	217.10B/137.30A	217.10B/137.30A	----	168.60 - 3.80	.7944	----	----	----	----	6 UNCH
4550	----	----	213.30B/133.60A	213.30B/133.60A	----	164.50 - 3.90	.7873	----	----	----	----	106 UNCH
4555	----	----	208.50B/130.20A	208.50B/130.20A	----	160.40 - 4.10	.7797	----	----	----	----	10 UNCH
4560	----	----	204.00B/126.60A	204.00B/126.60A	----	156.40 - 4.20	.7723	----	----	----	----	9 UNCH
4570	----	----	195.50B/119.70A	195.50B/119.70A	----	148.40 - 4.50	.7563	----	----	----	----	4 UNCH
4575	----	----	191.10B/116.50A	191.10B/116.50A	----	144.50 - 4.60	.7479	----	----	----	----	1 UNCH
4580	145.00	145.00	187.50B/112.70A	187.50B/112.70A	----	140.60 - 4.80	.7394	----	----	20	----	103 UNCH
4585	----	----	182.70B/109.00A	182.70B/109.00A	----	136.80 - 4.90	.7307	----	----	----	----	1 UNCH
4595	113.00	113.00	174.40B/101.80A	174.40B/101.80A	----	129.20 NEW	.7122	----	----	2	----	1 + 1
4600	108.30	108.30	171.00B/98.60A	171.00B/98.60A	----	125.50 - 5.30	.7026	----	----	26	----	391 - 3
4610	----	----	162.30B/92.30A	162.30B/92.30A	----	118.20 - 5.60	.6827	----	----	----	----	3 UNCH
4625	----	----	150.40B/83.30A	150.40B/83.30A	----	107.70 - 5.90	.6511	----	----	----	----	5 UNCH
4630	----	----	146.90B/80.40A	146.90B/80.40A	----	104.20 - 6.10	.6401	----	----	----	----	174 UNCH
4635	----	----	143.20B/77.60A	143.20B/77.60A	----	100.90 - 6.10	.6288	----	----	3	----	23 - 3
4640	103.30	103.30	139.20B/74.90A	139.20B/74.90A	----	97.60 - 6.20	.6173	----	----	1	----	31 + 1
4645	86.00	86.00	135.20B/72.20A	135.20B/72.20A	----	94.30 - 6.40	.6057	----	----	3	----	3 + 2
4650	77.40	77.40	131.60B/69.40A	131.60B/69.40A	----	91.10 - 6.40	.5938	----	----	96	----	67 - 45
4655	74.60	74.60	127.60B/67.20A	127.60B/67.20A	----	87.90 - 6.60	.5817	----	----	1	----	2 + 1
4660	72.00	72.00	124.10B/64.50A	124.10B/64.50A	----	84.80 - 6.70	.5694	----	----	5	----	10 + 2
4665	----	----	120.30B/62.00A	120.30B/62.00A	----	81.80 - 6.70	.5570	----	----	----	----	14 UNCH
4670	----	----	116.70B/59.70A	116.70B/59.70A	----	78.80 - 6.90	.5443	----	----	----	----	1 UNCH
4675	75.60	75.60	113.10B/57.40A	113.10B/57.40A	----	75.90 - 6.90	.5316	----	----	2	----	3 + 1
4680	----	----	109.40B/55.00A	109.40B/55.00A	----	73.10 - 6.90	.5187	----	----	----	----	13 UNCH
4685	----	----	106.20B/52.90A	106.20B/52.90A	----	70.30 - 7.00	.5056	----	----	----	----	1 UNCH
4695	72.20	72.20	99.60B/*48.50A	99.60B/*48.50A	----	64.90 - 7.10	.4793	----	----	1	----	4 + 1
4700	52.30	52.30	96.60B/46.40A	96.60B/46.40A	----	62.30 - 7.20	.4660	----	----	100	----	403 + 59
4705	61.10	61.10	93.50B/*44.70A	93.50B/*44.70A	----	59.80 - 7.20	.4527	----	----	1	----	2 + 1
4710	63.50	63.50	90.20B/*42.60A	90.20B/*42.60A	----	57.30 - 7.20	.4394	----	----	3	----	12 + 1
4715	55.20	55.20	87.20B/*40.80A	87.20B/*40.80A	----	54.90 - 7.30	.4260	----	----	66	----	68 + 65
4720	----	----	84.10B/*38.90A	84.10B/*38.90A	----	52.60 - 7.20	.4127	----	----	----	----	11 UNCH
4725	----	----	81.10B/*37.20A	81.10B/*37.20A	----	50.30 - 7.30	.3993	----	----	----	----	9 UNCH
4730	59.60	59.60	78.40B/*35.60A	78.40B/*35.60A	----	48.10 - 7.30	.3861	----	----	92	----	37 + 36
4735	70.50	70.50	75.50B/*34.00A	75.50B/*34.00A	----	46.00 - 7.20	.3729	----	----	2	----	12 UNCH
4740	66.10	66.10	72.80B/*32.60A	72.80B/*32.60A	----	43.90 - 7.30	.3598	----	----	6	----	5 + 3
4745	----	----	70.10B/*31.00A	70.10B/*31.00A	----	41.90 - 7.20	.3468	----	----	----	----	7 UNCH
4750	62.80	62.80	67.50B/*29.70A	67.50B/*29.70A	----	40.00 - 7.20	.3340	----	----	58	----	73 + 47
4755	31.20	31.20	64.80B/*28.20A	64.80B/*28.20A	----	38.20 - 7.10	.3215	----	----	2	----	6 UNCH
4760	30.90	30.90	62.20B/*27.00A	62.20B/*27.00A	----	36.40 - 7.00	.3090	----	----	7	----	21 - 1
4765	28.40	28.40	59.80B/*25.70A	59.80B/*25.70A	----	34.70 - 6.90	.2968	----	----	7	----	6 + 3
4770	38.60	38.60	57.00B/*24.70A	57.00B/*24.70A	----	33.00 NEW	.2846	----	----	1	----	1 + 1
4775	25.10	25.10	55.20B/*23.40A	55.20B/*23.40A	----	31.40 - 6.80	.2727	----	----	85	----	96 + 49
4780	----	----	52.70B/*22.20A	52.70B/*22.20A	----	29.90 - 6.70	.2612	----	----	----	----	23 UNCH
4785	23.40	23.40	50.50B/*21.20A	50.50B/*21.20A	----	28.40 - 6.70	.2498	----	----	13	----	15 + 3
4790	26.80	26.80	48.50B/*20.30A	48.50B/*20.30A	----	27.00 - 6.60	.2388	----	----	1	120	124 + 120
4795	----	----	46.30B/*19.30A	46.30B/*19.30A	----	25.70 - 6.40	.2282	----	----	----	----	5 UNCH
4800	27.00	27.00	44.40B/*18.00	44.40B/*18.00	----	24.40 - 6.30	.2177	----	----	193	----	135 - 44
4805	20.00	20.00	42.40B/*17.70A	42.40B/*17.70A	----	23.10 - 6.30	.2073	----	----	8	----	9 + 7
4810	23.50	23.50	40.50B/*16.80A	40.50B/*16.80A	----	22.00 - 6.10	.1978	----	----	9	----	10 + 4
4815	20.00	20.00	38.70B/*16.10A	38.70B/*16.10A	----	20.90 - 6.00	.1884	----	----	7	----	4 + 3
4820	19.80	19.80	37.00B/*15.30A	37.00B/*15.30A	----	19.80 - 5.90	.1791	----	----	13	----	15 + 11
4825	25.10	25.10	35.30B/*14.60A	35.30B/*14.60A	----	18.80 - 5.80	.1703	----	----	61	----	94 + 58
4830	21.20	21.20	33.70B/*14.00A	33.70B/*14.00A	----	17.80 - 5.70	.1617	----	----	29	----	129 + 24
4835	16.40	16.40	32.00B/*13.30A	32.00B/*13.30A	----	16.90 - 5.50	.1536	----	----	2	----	55 + 2
4840	----	----	30.60B/*12.70A	30.60B/*12.70A	----	16.00 - 5.40	.1456	----	----	----	----	25 UNCH
4845	----	----	29.00B/*12.20A	29.00B/*12.20A	----	15.20 - 5.30	.1382	----	----	----	----	11 UNCH
4850	12.00	12.00	27.80B/*11.60A	27.80B/*11.60A	----	14.40 - 5.20	.1309	----	----	82	----	244 + 22
4855	13.70	13.70	26.50B/*11.10A	26.50B/*11.10A	----	13.70 - 5.00	.1243	----	----	1	----	13 UNCH
4860	----	----	25.20B/*10.60A	25.20B/*10.60A	----	13.00 - 4.90	.1178	----	----	2	----	3 UNCH
4865	14.10	14.10	23.80B/*10.10A	23.80B/*10.10A	----	12.30 - 4.80	.1114	----	----	2	----	4 + 2
4870	12.90	12.90	22.90B/*9.60A	22.90B/*9.60A	----	11.70 - 4.60	.1056	----	----	5	----	33 + 5
4875	13.50	13.50	21.80B/*9.10A	21.80B/*9.10A	----	11.10 - 4.50	.0999	----	----	2	----	67 + 1
4880	10.00	10.00	20.70B/*8.60A	20.70B/*8.60A	----	10.50 - 4.40	.0943	----	----	5	----	35 + 3
4885	10.70	10.70	19.60B/*8.20A	19.60B/*8.20A	----	10.00 - 4.20	.0894	----	----	41	----	27 + 21
4890	10.30	10.30	18.60B/*7.80A	18.60B/*7.80A	----	9.50 - 4.10	.0846	----	----	5	----	7 + 3
4895	----	----	17.60B/*7.40A	17.60B/*7.40A	----	9.00 - 4.00	.0799	----	----	----	----	14 UNCH
4900	9.10	9.10	17.00/*7.00A	17.00/*7.00A	----	8.50 - 3.90	.0752	----	----	199	----	280 + 112
4905	8.90	8.90	15.90B/*6.70A	15.90B/*6.70A	----	8.10 - 3.70	.0713	----	----	8	----	7 + 4
4910	7.90	7.90	15.10B/*6.40A	15.10B/*6.40A	----	7.70 - 3.60	.0674	----	----	7	----	6 - 2
4915	----	----	14.30B/*6.00A	14.30B/*6.00A	----	7.30 - 3.50	.0636	----	----	----	----	2 UNCH
4920	7.80	7.80	13.60B/*5.80A	13.60B/*5.80A	----	7.00 - 3.30	.0605	----	----	3	----	9 - 1
4925	7.00	7.00	12.90B/*5.50A	12.90B/*5.50A	----	6.60 - 3.30	.0568	----	----	4	----	8 + 2
4930	7.20	7.20	12.20B/*5.30A	12.20B/*5.30A	----	6.30 - 3.10	.0538	----	----	7	----	12 UNCH
4935	6.90	6.90	11.60B/*5.00A	11.60B/*5.00A	----	6.00 - 3.00	.0509	----	----	13	----	8 + 2
4940	6.60	6.60	11.00B/*4.80A	11.00B/*4.80A	----	5.70 - 2.90	.0480	----	----	1	----	8 - 1
4945	6.20	6.20	10.50B/*4.60A	10.50B/*4.60A	----	5.40 - 2.90	.0452	----	----	8	----	21 + 3
4950	4.80	4.80	10.00B/*4.40A	10.00B/*4.40A	----	5.20 - 2.70	.0431	----	----	107	----	77 - 50
4955	5.90	5.90	9.40B/*4.20A	9.40B/*4.20A	----	4.90 - 2.70	.0404	----	----	7	----	12 + 2
4960	6.40	6.40	9.10B/*4.00A	9.10B/*4.00A	----	4.70 - 2.50	.0384	----	----	1	----	2 + 1
4965	4.50	4.50	8.50B/*3.80A	8.50B/*3.80A	----	4.50 - 2.40	.0365	----	----	3	----	7 UNCH
4970	5.10	5.10	8.10B/*3.70A	8.10B/*3.70A	----	4.30 - 2.30	.0346	----	----	5	----	9 - 3
4975	3.80	3.80	7.70B/*3.50A	7.70B/*3.50A	----	4.10 - 2.30	.0327	----	----	28	----	27 + 13
4980	5.00	5.00	7.30B/*3.40A	7.30B/*3.40A	----	3.90 - 2.20	.0308	----	----	8	----	13 + 1
4985	5.30	5.30	7.10B/*3.20A	7.10B/*3.20A	----	3.80 - 2.00	.0297	----	----	1	----	2 UNCH
4990	4.40	4.40	6.60B/*3.10A	6.60B/*3.10A	----	3.60 - 2.00	.0279	----	----	5	----	72 + 1
4995	----	----	6.30B/*2.90A	6.30B/*2.90A	----	3.40 - 2.00	.0262	----	----	----	----	14 UNCH
5000	3.00	3.00	6.00B/*2.80A	6.00B/*2.80A	----	3.30 - 1.90	.0251	----	----	232	----	233 - 105
5005	4.10	4.10	5.70B/*2.70A	5.70B/*2.70A	----	3.20 - 1.70	.0241	----	----	11	----	7 + 4
5010	3.30	3.30	5.40B/*2.60A	5.40B/*2.60A	----	3.00 - 1.70	.0224	----	----	1	----	0 - 1
5015	----	----	5.20B/*2.50A	5.20B/*2.50A	----	2.90 - 1.70	.0215	----	----	----	----	28 UNCH
5020	3.70	3.70	5.00B/*2.40A	5.00B/*2.40A	----	2.80 - 1.60	.0205	----	----	2	----	18 + 1
5025	3.80	3.80	4.70B/*2.30A	4.70B/*2.30A	----	2.70 - 1.50	.0196	----	----	2	----	7 + 1
5030	----	----	4.50B/*2.20A	4.50B/*2.20A	----	2.60 - 1.40	.0187	----	----	----	----	23 UNCH
5035	----	----	4.30B/*2.10A	4.30B/*2.10A	----	2.50 - 1.40	.0178	----	----	----	----	8 UNCH
5040	----	----	4.10B/*2.00A	4.10B/*2.00A	----	2.40 - 1.30	.0169	----	----	----	----	20 UNCH
5045	----	----	3.90B/*1.90A	3.90B/*1.90A	----	2.30 - 1.30	.0160	----	----	----	----	5 UNCH
5050	2.30	2.30	3.70B/*1.80A	3.70B/*1.80A	----	2.20 - 1.20	.0152	----	----	1	----	65 - 1
5055	----	----	3.50B/*1.70A	3.50B/*1.70A	----	2.10 - 1.20	.0144	----	----	----	----	1 UNCH
5060	----	----	3.50B/*1.70A	3.50B/*1.70A	----	2.00 - 1.20	.0135	----	----	----	----	4 UNCH
5065	2.10	2.10	3.20B/*1.60A	3.20B/*1.60A	----	2.00 NEW	.0134	----	----	3	----	3 + 3
5070	----	----	3.10B/*1.50A	3.10B/*1.50A	----	1.90 - 1.10	.0126	----	----	----	----	1 UNCH
5075	1.80	1.80	3.00B/*1.50A	3.00B/*1.50A	----	1.80 NEW	.0118	----	----	2	----	2 + 2
5085	2.20	2.20	2.70B/*1.30A	2.70B/*1.30A	----	1.70 - 1.00	.0109	----	----	2	----	4 + 1
5090	----	----	----/*1.30A	2.60B/*1.30A	----	1.70 - 0.90	.0108	----	----	----	----	10 UNCH
5095	----	----	----/*1.20A	2.50B/*1.20A	----	1.60 - 0.90	.0101	----	----	----	----	2 UNCH
5100	1.90	1.90	2.40B/*1.20A	2.40B/*1.20A	----	1.50 - 0.90	.0093	----	----	17	----	51 + 6
5115	----	----	2.30B/*1.10A	2.30B/*1.10A	----	1.40 - 0.70	.0085	----	----	----	----	23 UNCH
5120	----	----	2.20B/*1.00A	2.20B/*1.00A	----	1.40 - 0.70	.0084	----	----	----	----	5 UNCH
5135	----	----	2.10B/*0.90A	2.10B/*0.90A	----	1.30 - 0.60	.0075	----	----	----	----	2 UNCH
5145	----	----	2.00B/*0.90A	2.00B/*0.90A	----	1.20 - 0.60	.0068	----	----	----	----	4 UNCH
5150	----	----	2.00B/*0.90A	2.00B/*0.90A	----	1.20 - 0.50	.0067	----	----	1	----	48 - 1
5160	0.60	0.60	1.90B/*0.60	1.90B/*0.60	----	1.10 - 0.50	.0060	----	----	1	----	3 + 1
5170	1.30	1.30	1.80B/*1.00A	1.80B/*1.00A	----	1.00 - 0.50	.0054	----	----	2	----	10 UNCH
5175	----	----	1.80B/*0.90A	1.80B/*0.90A	----	1.00 - 0.50	.0053	----	----	1	----	14 UNCH
5185	----	----	1.70B/*0.90A	1.70B/*0.90A	----	1.00 - 0.40	.0052	----	----	----	----	4 UNCH
5190	----	----	1.60B/0.90A	1.60B/0.90A	----	0.90 - 0.40	.0047	----	----	----	----	10 UNCH
5200	1.20	1.20	1.60B/*0.60A	1.60B/*0.60A	----	0.90 - 0.40	.0046	----	----	107	----	139 + 69
5205	----	----	1.60B/0.90A	1.60B/0.90A	----	0.90 - 0.30	.0045	----	----	----	----	11 UNCH
5210	----	----	1.50B/*0.80A	1.50B/*0.80A	----	0.90 - 0.30	.0045	----	----	----	----	4 UNCH
5215	----	----	1.50B/*0.80A	1.50B/*0.80A	----	0.90 - 0.30	.0044	----	----	----	----	1 UNCH
5220	1.00	1.00	1.40B/*0.80A	1.40B/*0.80A	----	0.80 - 0.30	.0039	----	----	5	----	21 + 5
5225	----	----	1.40B/*0.80A	1.40B/*0.80A	----	0.80 - 0.30	.0039	----	----	----	----	6 UNCH
5230	----	----	1.40B/0.80A	1.40B/0.80A	----	0.80 - 0.30	.0038	----	----	----	----	11 UNCH
5235	1.00	1.00	1.40B/0.80A	1.40B/0.80A	----	0.80 NEW	.0038	----	----	6	----	6 + 6
5245	----	----	1.30B/*0.70A	1.30B/*0.70A	----	0.80 - 0.20	.0037	----	----	----	----	2 UNCH
5250	1.00	1.00	1.30B/*0.70A	1.30B/*0.70A	----	0.80 - 0.20	.0037	----	----	14	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5255	0.80	0.80	1.30B/0.70A	1.30B/0.70A	----	0.70 - 0.20	.0032	----	----	2	----	7 + 2
5260	1.30	1.30	1.30/*0.60A	1.30/*0.60A	----	0.70 - 0.20	.0032	----	----	3	----	4 + 3
5265	----	----	1.30B/*0.60A	1.30B/*0.60A	----	0.70 - 0.20	.0031	----	----	----	----	3 UNCH
5270	----	----	1.20B/*0.60A	1.20B/*0.60A	----	0.70 - 0.20	.0031	----	----	----	----	1 UNCH
5280	----	----	1.20B/*0.50A	1.20B/*0.50A	----	0.70 - 0.10	.0031	----	----	----	----	2 UNCH
5285	0.70	0.70	1.20B/*0.50A	1.20B/*0.50A	----	0.70 - 0.10	.0030	----	----	3	----	4 UNCH
5290	----	----	1.20B/*0.50A	1.20B/*0.50A	----	0.70 - 0.10	.0030	----	----	----	----	2 UNCH
5300	1.00	1.00	1.10B/*0.50A	1.10B/*0.50A	----	0.60 - 0.20	.0025	----	----	1	----	19 + 1
5305	----	----	1.10B/*0.40A	1.10B/*0.40A	----	0.60 - 0.20	.0025	----	----	----	----	1 UNCH
5315	----	----	1.10B/*0.40A	1.10B/*0.40A	----	0.60 - 0.10	.0025	----	----	----	----	1 UNCH
5330	----	----	1.00B/*0.40A	1.00B/*0.40A	----	0.60 - 0.10	.0024	----	----	----	----	1 UNCH
5340	----	----	1.00B/*0.40A	1.00B/*0.40A	----	0.60 UNCH	.0024	----	----	----	----	2 UNCH
5350	----	----	1.00B/*0.30A	1.00B/*0.30A	----	0.60 UNCH	.0023	----	----	13	----	19 UNCH
5375	----	----	0.90B/*0.30A	0.90B/*0.30A	----	0.50 - 0.10	.0018	----	----	----	----	4 UNCH
5395	----	----	0.80B/----	0.80B/0.50A	----	0.50 UNCH	.0018	----	----	----	----	9 UNCH
5400	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.50 UNCH	.0018	----	----	----	----	160 UNCH
5410	----	----	0.80B/0.40A	0.80B/0.40A	----	0.50 UNCH	.0018	----	----	----	----	1 UNCH
5415	----	----	0.80B/0.40A	0.80B/0.40A	----	0.50 UNCH	.0017	----	----	----	----	1 UNCH
5420	----	----	0.80B/----	0.80B/0.60A	----	0.50 UNCH	.0017	----	----	----	----	1 UNCH
5450	----	----	0.70B/----	0.70B/0.60A	----	0.50 + 0.10	.0017	----	----	----	----	3 UNCH
5460	----	----	0.70B/----	0.70B/0.50A	----	0.40 UNCH	.0013	----	----	----	----	1 UNCH
5475	----	----	0.60B/----	0.60B/0.50A	----	0.40 + 0.10	.0013	----	----	----	----	1 UNCH
5500	----	----	0.60B/----	0.60B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	49 UNCH
5525	----	----	0.50B/----	0.50B/0.50A	----	0.30 + 0.10	.0009	----	----	----	----	15 UNCH
5575	----	----	0.50B/----	0.50B/0.60A	----	0.20 UNCH	.0005	----	----	----	----	4 UNCH
5600	0.10	0.10	0.40B/*0.10	0.40B/*0.10	----	0.20 UNCH	.0005	----	----	2	----	305 - 2
5625	----	----	0.40B/----	0.40B/0.60A	----	0.20 UNCH	.0005	----	----	----	----	2 UNCH
5675	----	----	----	----/0.60A	----	0.20 UNCH	.0004	----	----	----	----	4 UNCH
5700	----	----	----	----/0.60A	----	0.10 UNCH	.0002	----	----	----	----	42 UNCH
5750	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	256 UNCH
5800	----	----	----	----/0.60A	----	0.10 UNCH	.0000	----	----	----	----	384 UNCH
6300	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
6500	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
TOTAL										2079	120	6161 + 592

OG1 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4125	----	----	32.90B/*25.70A	32.90B/*25.70A	----	25.90 - 3.00	.1002	----	----	----	----	2 UNCH
4150	----	----	35.80B/*27.60A	35.80B/*27.60A	----	28.30 - 3.20	.1089	----	----	----	----	2 UNCH
4175	30.00	30.00	39.10B/*29.90A	39.10B/*29.90A	----	30.90 NEW	.1183	----	----	1	----	1 + 1
4250	35.80	35.80	50.00B/35.80	50.00B/35.80	----	40.20 - 3.90	.1506	----	----	1	----	4 UNCH
4300	----	----	58.90B/43.70A	58.90B/43.70A	----	47.90 - 4.10	.1763	----	----	----	----	1 UNCH
4325	----	----	63.90B/47.30A	63.90B/47.30A	----	52.20 - 4.30	.1903	----	----	----	----	2 UNCH
4350	----	----	69.20B/51.10A	69.20B/51.10A	----	56.70 - 4.50	.2049	----	----	----	----	5 UNCH
4485	----	----	105.30B/77.90A	105.30B/77.90A	----	88.40 - 5.00	.2999	----	----	----	----	1 UNCH
4500	----	----	110.30B/81.50A	110.30B/81.50A	----	92.80 - 5.00	.3121	----	----	----	----	2 UNCH
4535	----	----	123.00B/91.20A	123.00B/91.20A	----	103.70 - 5.00	.3416	----	----	----	----	1 UNCH
4610	----	----	153.20B/114.10A	153.20B/114.10A	----	130.50 - 5.40	.4096	----	----	----	----	10 UNCH
4630	----	----	161.50B/121.50A	161.50B/121.50A	----	138.60 - 5.60	.4288	----	----	1	----	0 - 1
4675	----	----	183.70B/138.40A	183.70B/138.40A	----	158.20 - 6.00	.4730	----	----	----	----	1 UNCH
4715	----	----	204.60B/156.00A	204.60B/156.00A	----	177.40 - 6.40	.5132	----	----	----	----	1 UNCH
5200	----	----	#575.50B/*491.7	#575.50B/*491.70A	----	534.50 - 3.90	.8932	----	----	1	----	0 - 1
TOTAL										4		33 - 1

OG1 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625	----	----	223.60B/182.30A	223.60B/182.30A	----	196.10 - 5.60	.5754	----	----	----	----	1 UNCH
4665	182.00	182.00	197.10B/155.80A	197.10B/155.80A	----	173.30 - 5.90	.5363	----	----	1	----	1 UNCH
4715	----	----	168.40B/132.20A	168.40B/132.20A	----	147.10 - 6.40	.4861	----	----	----	----	1 UNCH
4800	----	----	127.80B/*98.30A	127.80B/*98.30A	----	108.80 - 7.20	.4002	----	----	----	----	1 UNCH
4860	93.00	93.00	#101.60B/*82.10	101.60B/*82.10A	----	86.50 - 7.40	.3415	----	----	1	----	1 UNCH
4900	80.00	80.00	87.50B/*70.70A	87.50B/*70.70A	----	73.70 NEW	.3042	----	----	1	----	1 + 1
4950	----	----	71.20B/*58.40A	71.20B/*58.40A	----	60.00 - 7.20	.2607	----	----	----	----	21 UNCH
5000	----	----	#57.50B/*48.20A	57.50B/*48.20A	----	48.70 - 6.70	.2215	----	----	----	----	1 UNCH
5050	----	----	46.00B/*39.70A	46.00B/*39.70A	----	39.40 - 6.00	.1866	----	----	----	----	1 UNCH
5125	31.20	31.20	#32.30B/29.80A	32.30B/29.80A	----	28.50 - 4.80	.1424	----	----	1	----	1 UNCH
5200	22.90	22.90	#22.90/*22.60A	22.90/*22.60A	----	20.20 - 3.90	.1063	----	----	6	----	6 UNCH
TOTAL										10		36 + 1

OG PUT — COMEX GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	149 UNCH
2175	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	25 UNCH
2200	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	129 UNCH
2225	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	271 UNCH
2250	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0004	----	----	----	----	8 UNCH
2275	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2300	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0005	----	----	----	----	155 UNCH
2325	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0005	----	----	----	----	7 UNCH
2350	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	122 UNCH
2400	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	3 UNCH
2420	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0007	----	----	----	----	16 UNCH
2450	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0007	----	----	----	----	15 UNCH
2485	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	20 UNCH
2495	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	75 UNCH
2500	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 - 0.10	.0008	----	----	10	----	74 + 10
2505	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	5 UNCH
2520	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	2 UNCH
2525	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	102 UNCH
2540	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0010	----	----	----	----	5 UNCH
2550	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2560	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0010	----	----	----	----	6 UNCH
2580	----	----	----/*0.40A	0.30B/0.40A	----	0.40 - 0.10	.0011	----	----	----	----	35 UNCH
2590	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0011	----	----	----	----	1 UNCH
2600	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 - 0.10	.0011	----	----	80	----	114 + 80
2615	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0011	----	----	----	----	1 UNCH
2620	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0011	----	----	----	----	1 UNCH
2650	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0013	----	----	----	----	4 UNCH
2660	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0014	----	----	----	----	1 UNCH
2685	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0014	----	----	----	----	1 UNCH
2700	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0014	----	----	----	----	34 UNCH
2705	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0014	----	----	----	----	1 UNCH
2715	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0014	----	----	----	----	2 UNCH
2725	----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0017	----	----	----	----	1 UNCH
2730	----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0017	----	----	----	----	2 UNCH
2750	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0017	----	----	----	----	3 UNCH
2755	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0017	----	----	----	----	6 UNCH
2770	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0017	----	----	----	----	4 UNCH
2785	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0020	----	----	----	----	21 UNCH
2790	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0020	----	----	----	----	5 UNCH
2800	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0020	----	----	----	----	83 UNCH
2815	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0020	----	----	----	----	35 UNCH
2820	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0020	----	----	----	----	74 UNCH
2845	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0023	----	----	----	----	5 UNCH
2870	----	----	----	0.90B/0.90A	----	0.80 - 0.10	.0024	----	----	----	----	23 UNCH
2895	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0027	----	----	----	----	39 UNCH
2900	1.00	1.00	1.00/0.90A	1.00/0.90A	----	0.90 - 0.10	.0027	----	----	1	----	349 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
2905	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0027	----	----	----	----	4 UNCH
2910	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0027	----	----	----	----	20 UNCH
2930	----	----	----/1.00A	1.10B/1.00A	----	0.90 - 0.20	.0027	----	----	----	----	28 UNCH
2940	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0030	----	----	----	----	8 UNCH
2950	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.10	.0030	----	----	----	----	299 UNCH
2980	----	----	----/1.10A	1.20B/1.10A	----	1.10 - 0.10	.0033	----	----	----	----	2 UNCH
2995	----	----	1.30B/1.10A	1.30B/1.10A	----	1.10 - 0.10	.0034	----	----	----	----	4 UNCH
3000	1.00	1.00	1.30B/1.00	1.30B/1.00	----	1.10 - 0.20	.0034	----	----	6	----	140 - 1
3005	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.20	.0034	----	----	----	----	1 UNCH
3010	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.20	.0034	----	----	----	----	1 UNCH
3020	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.10	.0037	----	----	----	----	1 UNCH
3040	----	----	----/1.20A	1.40B/1.20A	----	1.20 - 0.20	.0037	----	----	----	----	52 UNCH
3045	----	----	----/1.20A	1.40B/1.20A	----	1.20 - 0.20	.0038	----	----	----	----	2 UNCH
3050	1.60	1.60	1.60/1.20A	1.60/1.20A	----	1.30 - 0.10	.0040	----	----	1	----	19 + 1
3055	----	----	1.50B/1.30A	1.50B/1.30A	----	1.30 - 0.10	.0041	----	----	----	----	5 UNCH
3065	----	----	1.50B/1.30A	1.50B/1.30A	----	1.30 - 0.10	.0041	----	----	----	----	5 UNCH
3070	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.20	.0041	----	----	----	----	1 UNCH
3075	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.20	.0041	----	----	----	----	66 UNCH
3080	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.10	.0044	----	----	----	----	1 UNCH
3090	----	----	1.60B/1.40A	1.60B/1.40A	----	1.40 - 0.10	.0044	----	----	----	----	5 UNCH
3095	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.10	.0044	----	----	----	----	3 UNCH
3100	1.10	1.10	1.10/1.10	1.60B/1.10	----	1.40 - 0.20	.0045	----	----	2	----	306 UNCH
3105	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.20	.0045	----	----	----	----	5 UNCH
3115	----	----	1.70B/1.40A	1.70B/1.40A	----	1.50 - 0.10	.0048	----	----	----	----	5 UNCH
3120	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.10	.0048	----	----	----	----	41 UNCH
3125	----	----	1.70B/1.50A	1.70B/1.50A	----	1.50 - 0.10	.0048	----	----	----	----	1 UNCH
3130	----	----	----/1.50A	1.70B/1.50A	----	1.50 - 0.20	.0048	----	----	----	----	8 UNCH
3135	----	----	----/1.50A	1.70B/1.50A	----	1.50 - 0.20	.0048	----	----	----	----	2 UNCH
3140	----	----	----/1.50A	1.70B/1.50A	----	1.50 - 0.20	.0049	----	----	----	----	3 UNCH
3150	1.60	1.60	1.60/1.50A	1.70B/1.50A	----	1.60 - 0.10	.0052	----	----	1	----	10 UNCH
3155	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.10	.0052	----	----	----	----	74 UNCH
3160	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.20	.0052	----	----	----	----	15 UNCH
3170	----	----	1.90B/1.60A	1.90B/1.60A	----	1.70 - 0.10	.0055	----	----	----	----	5 UNCH
3175	----	----	1.90B/1.70A	1.90B/1.70A	----	1.70 - 0.10	.0055	----	----	----	----	10 UNCH
3185	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.20	.0056	----	----	----	----	18 UNCH
3200	----	----	----/1.70A	1.90B/1.70A	----	1.80 - 0.10	.0059	----	----	----	----	253 UNCH
3205	----	----	2.00B/1.80A	2.00B/1.80A	----	1.80 - 0.10	.0059	----	----	----	----	10 UNCH
3210	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.20	.0060	----	----	----	----	10 UNCH
3220	----	----	2.10B/1.80A	2.10B/1.80A	----	1.80 - 0.20	.0060	----	----	----	----	8 UNCH
3225	----	----	2.10B/1.80A	2.10B/1.80A	----	1.90 - 0.10	.0063	----	----	----	----	12 UNCH
3235	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.20	.0063	----	----	----	----	5 UNCH
3245	----	----	2.20B/1.90A	2.20B/1.90A	----	1.90 - 0.20	.0064	----	----	----	----	5 UNCH
3250	2.30	2.30	2.30/1.90A	2.30/1.90A	----	2.00 - 0.10	.0067	----	----	1	----	84 + 1
3255	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0067	----	----	----	----	8 UNCH
3260	----	----	2.30B/2.00A	2.30B/2.00A	----	2.00 - 0.20	.0067	----	----	----	----	21 UNCH
3265	----	----	2.30B/2.00A	2.30B/2.00A	----	2.00 - 0.20	.0068	----	----	----	----	16 UNCH
3270	----	----	2.30B/2.00A	2.30B/2.00A	----	2.00 - 0.20	.0068	----	----	----	----	2 UNCH
3275	----	----	2.30B/2.00A	2.30B/2.00A	----	2.10 - 0.10	.0071	----	----	----	----	22 UNCH
3280	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.10	.0071	----	----	----	----	1 UNCH
3290	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0072	----	----	----	----	40 UNCH
3295	----	----	2.50B/2.10A	2.50B/2.10A	----	2.20 - 0.10	.0075	----	----	----	----	1 UNCH
3300	----	----	2.50B/2.10A	2.50B/2.10A	----	2.20 - 0.10	.0075	----	----	2	----	607 + 2
3305	----	----	2.70B/2.20A	2.70B/2.20A	----	2.20 - 0.20	.0075	----	----	----	----	60 UNCH
3310	----	----	2.60B/2.20A	2.60B/2.20A	----	2.20 - 0.20	.0076	----	----	----	----	1 UNCH
3315	----	----	2.60B/2.20A	2.60B/2.20A	----	2.30 - 0.10	.0079	----	----	----	----	3 UNCH
3320	----	----	2.60B/2.20A	2.60B/2.20A	----	2.30 - 0.10	.0079	----	----	----	----	1 UNCH
3325	----	----	2.60B/2.30A	2.60B/2.30A	----	2.30 - 0.10	.0079	----	----	----	----	10 UNCH
3330	----	----	2.80B/2.30A	2.80B/2.30A	----	2.30 - 0.20	.0080	----	----	----	----	2 UNCH
3335	----	----	2.70B/2.30A	2.70B/2.30A	----	2.40 - 0.10	.0083	----	----	----	----	20 UNCH
3340	----	----	2.70B/2.30A	2.70B/2.30A	----	2.40 - 0.10	.0083	----	----	----	----	1 UNCH
3345	----	----	2.80B/2.30A	2.80B/2.30A	----	2.40 - 0.10	.0083	----	----	----	----	1 UNCH
3350	----	----	3.00B/2.40A	3.00B/2.40A	----	2.40 - 0.20	.0084	----	----	----	----	53 UNCH
3360	----	----	2.90B/2.40A	2.90B/2.40A	----	2.50 - 0.10	.0087	----	----	----	----	4 UNCH
3370	----	----	2.90B/2.50A	2.90B/2.50A	----	2.50 - 0.20	.0088	----	----	----	----	76 UNCH
3375	----	----	3.00B/2.50A	3.00B/2.50A	----	2.60 - 0.10	.0091	----	----	----	----	54 UNCH
3380	----	----	3.00B/2.50A	3.00B/2.50A	----	2.60 - 0.10	.0092	----	----	----	----	5 UNCH
3385	----	----	3.10B/2.50A	3.10B/2.50A	----	2.60 - 0.20	.0092	----	----	----	----	12 UNCH
3390	----	----	3.10B/2.60A	3.10B/2.60A	----	2.60 - 0.20	.0092	----	----	----	----	5 UNCH
3395	----	----	3.10B/2.60A	3.10B/2.60A	----	2.70 - 0.10	.0096	----	----	----	----	35 UNCH
3400	----	----	3.10B/2.60A	3.10B/2.60A	----	2.70 - 0.10	.0096	----	----	2	----	190 - 2
3405	----	----	3.20B/2.70A	3.20B/2.70A	----	2.70 - 0.20	.0096	----	----	----	----	5 UNCH
3415	----	----	3.20B/2.70A	3.20B/2.70A	----	2.80 - 0.10	.0100	----	----	----	----	118 UNCH
3420	----	----	3.30B/2.70A	3.30B/2.70A	----	2.80 - 0.20	.0100	----	----	----	----	1 UNCH
3425	----	----	3.30B/2.80A	3.30B/2.80A	----	2.90 - 0.10	.0104	----	----	----	----	11 UNCH
3430	----	----	3.40B/2.80A	3.40B/2.80A	----	2.90 - 0.10	.0104	----	----	----	----	21 UNCH
3435	----	----	3.40B/2.80A	3.40B/2.80A	----	2.90 - 0.10	.0104	----	----	----	----	101 UNCH
3440	----	----	3.40B/2.90A	3.40B/2.90A	----	3.00 - 0.10	.0108	----	----	----	----	1 UNCH
3445	----	----	3.50B/2.90A	3.50B/2.90A	----	3.00 - 0.10	.0108	----	----	----	----	33 UNCH
3450	----	----	3.80B/2.90A	3.80B/2.90A	----	3.00 - 0.10	.0109	----	----	7	----	52 - 7
3455	----	----	3.60B/2.90A	3.60B/2.90A	----	3.00 - 0.20	.0109	----	----	----	----	44 UNCH
3460	----	----	3.60B/3.00A	3.60B/3.00A	----	3.10 - 0.10	.0112	----	----	----	----	142 UNCH
3465	----	----	3.60B/3.00A	3.60B/3.00A	----	3.10 - 0.10	.0113	----	----	----	----	17 UNCH
3470	----	----	3.70B/3.00A	3.70B/3.00A	----	3.20 - 0.10	.0116	----	----	----	----	76 UNCH
3475	----	----	3.80B/3.10A	3.80B/3.10A	----	3.20 - 0.10	.0117	----	----	----	----	94 UNCH
3480	----	----	3.80B/3.10A	3.80B/3.10A	----	3.20 - 0.10	.0117	----	----	----	----	84 UNCH
3485	----	----	3.90B/3.20A	3.90B/3.20A	----	3.30 - 0.10	.0121	----	----	----	----	61 UNCH
3490	----	----	3.90B/3.20A	3.90B/3.20A	----	3.30 - 0.10	.0121	----	----	----	----	52 UNCH
3495	----	----	3.90B/3.20A	3.90B/3.20A	----	3.30 - 0.10	.0122	----	----	----	----	54 UNCH
3500	3.40	3.40	4.00B/3.30A	4.00B/3.30A	----	3.40 - 0.10	.0125	----	----	9	----	1433 UNCH
3505	----	----	4.40B/3.30A	4.40B/3.30A	----	3.40 - 0.10	.0126	----	----	----	----	14 UNCH
3510	----	----	4.10B/3.30A	4.10B/3.30A	----	3.40 - 0.20	.0126	----	----	----	----	35 UNCH
3515	----	----	4.30B/3.40A	4.30B/3.40A	----	3.50 - 0.10	.0130	----	----	----	----	82 UNCH
3520	----	----	4.50B/3.40A	4.50B/3.40A	----	3.50 - 0.10	.0130	----	----	----	----	8 UNCH
3525	----	----	4.30B/3.40A	4.30B/3.40A	----	3.60 - 0.10	.0134	----	----	----	----	119 UNCH
3530	----	----	4.30B/3.50A	4.30B/3.50A	----	3.60 - 0.10	.0134	----	----	----	----	102 UNCH
3535	4.70	4.70	4.70/3.40A	4.70/3.40A	----	3.70 UNCH	.0138	----	----	7	----	158 - 2
3540	----	----	4.70B/3.40A	4.70B/3.40A	----	3.70 - 0.10	.0138	----	----	----	----	10 UNCH
3545	----	----	4.80B/3.50A	4.80B/3.50A	----	3.70 - 0.10	.0139	----	----	----	----	66 UNCH
3550	----	----	4.90B/3.50A	4.90B/3.50A	----	3.80 - 0.10	.0142	----	----	----	----	340 UNCH
3555	----	----	4.90B/3.60A	4.90B/3.60A	----	3.80 - 0.10	.0143	----	----	----	----	45 UNCH
3560	----	----	4.80B/3.60A	4.80B/3.60A	----	3.90 - 0.10	.0147	----	----	----	----	8 UNCH
3565	----	----	5.10B/3.60A	5.10B/3.60A	----	3.90 - 0.10	.0147	----	----	----	----	7 UNCH
3570	----	----	5.30B/3.70A	5.30B/3.70A	----	4.00 UNCH	.0151	----	----	----	----	11 UNCH
3575	----	----	5.20B/3.70A	5.20B/3.70A	----	4.00 - 0.10	.0152	----	----	----	----	96 UNCH
3580	----	----	5.30B/3.80A	5.30B/3.80A	----	4.10 UNCH	.0155	----	----	----	----	12 UNCH
3585	----	----	5.30B/3.80A	5.30B/3.80A	----	4.10 - 0.10	.0156	----	----	----	----	9 UNCH
3590	----	----	5.40B/3.90A	5.40B/3.90A	----	4.20 UNCH	.0159	----	----	----	----	33 UNCH
3595	4.60	4.60	5.50B/3.90A	5.50B/3.90A	----	4.20 - 0.10	.0160	----	----	7	----	39 UNCH
3600	4.40	4.40	5.60B/3.90A	5.60B/3.90A	----	4.30 UNCH	.0164	----	----	2	----	998 + 1
3605	----	----	5.60B/3.90A	5.60B/3.90A	----	4.30 - 0.10	.0165	----	----	----	----	56 UNCH
3610	----	----	5.70B/4.00A	5.70B/4.00A	----	4.40 UNCH	.0168	----	----	----	----	23 UNCH
3615	----	----	5.80B/4.00A	5.80B/4.00A	----	4.40 - 0.10	.0169	----	----	----	----	120 UNCH
3620	----	----	5.80B/4.00A	5.80B/4.00A	----	4.50 UNCH	.0173	----	----	----	----	128 UNCH
3625	----	----	5.80B/4.10A	5.80B/4.10A	----	4.50 - 0.10	.0174	----	----	----	----	45 UNCH
3630	----	----	6.00B/4.10A	6.00B/4.10A	----	4.60 UNCH	.0177	----	----	----	----	13 UNCH
3635	----	----	6.10B/4.10A	6.10B/4.10A	----	4.60 - 0.10	.0178	----	----	----	----	26 UNCH
3640	----	----	6.20B/4.20A	6.20B/4.20A	----	4.70 UNCH	.0182	----	----	----	----	42 UNCH
3645	----	----	6.20B/4.20A	6.20B/4.20A	----	4.80 UNCH	.0186	----	----	----	----	15 UNCH
3650	4.90	4.90	6.40B/4.20A	6.40B/4.20A	----	4.80 - 0.10	.0187	----	----	14	----	418 - 1
3655	----	----	6.30B/4.30A	6.30B/4.30A	----	4.90 UNCH	.0190	----	----	----	----	24 UNCH
3660	----	----	6.50B/4.30A	6.50B/4.30A	----	5.00 UNCH	.0194	----	----	----	----	47 UNCH
3665	----	----	6.60B/4.40A	6.60B/4.40A	----	5.00 UNCH	.0195	----	----	----	----	35 UNCH
3670	----	----	6.70B/4.50A	6.70B/4.50A	----	5.10 UNCH	.0199	----	----	----	----	35 UNCH
3675	----	----	6.80B/4.50A	6.80B/4.50A	----	5.10 - 0.10	.0200	----	----	2	----	68 - 2
3680	----	----	6.90B/4.50A	6.90B/4.50A	----	5.20 UNCH	.0204	----	----	----	----	119 UNCH
3685	----	----	7.00B/4.60A	7.00B/4.60A	----	5.30 UNCH	.0208	----	----	----	----	25 UNCH
3690	----	----	7.10B/4.70A	7.10B/4.70A	----	5.40 + 0.10	.0212	----	----	----	----	23 UNCH
3695	----	----	7.10B/4.70A	7.10B/4.70A	----	5.40 UNCH	.0213	----	----	----	----	73 UNCH
3700	5.10	5.10	7.20B/4.80A	7.20B/4.80A	----	5.50 UNCH	.0217	----	----	183	----	1125 - 1
3705	----	----	7.40B/4.80A	7.40B/4.80A	----	5.60 + 0.10	.0221	----	----	----	----	40 UNCH
3710	----	----	7.40B/4.80A	7.40B/4.80A	----	5.60 UNCH	.0222	----	----	----	----	27 UNCH
3715	----	----	7.60B/4.90A	7.60B/4.90A	----	5.70 UNCH	.0226	----	----	----	----	28 UNCH
3720	----	----	7.70B/4.90A	7.70B/4.90A	----	5.80 UNCH	.0230	----	----	----	----	35 UNCH
3725	----	----	7.80B/5.00A	7.80B/5.00A	----	5.90 + 0.10	.0234	----	----	----	----	37 UNCH
3730	----	----	7.90B/5.00A	7.90B/5.00A	----	6.00 + 0.10	.0238	----	----	----	----	61 UNCH
3735	----	----	8.10B/5.10A	8.10B/5.10A	----	6.00 UNCH	.0239	----	----	----	----	38 UNCH
3740	----	----	8.20B/5.10A	8.20B/5.10A	----	6.10 UNCH	.0243	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3745	----	----	8.20B/5.20A	8.20B/5.20A	----	6.20 + 0.10	.0248	----	----	----	----	39 UNCH
3750	5.50	5.50	8.40B/5.20A	8.40B/5.20A	----	6.30 + 0.10	.0252	----	----	3	----	393 + 1
3755	----	----	8.50B/5.30A	8.50B/5.30A	----	6.40 + 0.10	.0256	----	----	----	----	10 UNCH
3760	----	----	8.70B/5.30A	8.70B/5.30A	----	6.50 + 0.10	.0260	----	----	----	----	49 UNCH
3765	----	----	8.70B/5.40A	8.70B/5.40A	----	6.60 + 0.10	.0264	----	----	----	----	104 UNCH
3770	----	----	8.90B/5.50A	8.90B/5.50A	----	6.70 + 0.10	.0269	----	----	----	----	25 UNCH
3775	----	----	9.10B/5.50A	9.10B/5.50A	----	6.80 + 0.10	.0273	----	----	----	----	279 UNCH
3780	----	----	9.20B/5.60A	9.20B/5.60A	----	6.90 + 0.20	.0277	----	----	----	----	33 UNCH
3785	----	----	9.30B/5.70A	9.30B/5.70A	----	7.00 + 0.20	.0282	----	----	----	----	27 UNCH
3790	----	----	9.50B/5.80A	9.50B/5.80A	----	7.10 + 0.20	.0286	----	----	----	----	28 UNCH
3795	----	----	9.60B/5.80A	9.60B/5.80A	----	7.20 + 0.20	.0291	----	----	----	----	25 UNCH
3800	7.70	7.70	9.70B/5.90A	9.70B/5.90A	----	7.30 + 0.20	.0295	----	----	31	----	1262 - 14
3805	----	----	9.90B/6.00A	9.90B/6.00A	----	7.40 + 0.20	.0299	----	----	----	----	75 UNCH
3810	----	----	10.10B/6.10A	10.10B/6.10A	----	7.50 + 0.20	.0304	----	----	----	----	20 UNCH
3815	----	----	10.20B/6.10A	10.20B/6.10A	----	7.60 + 0.20	.0308	----	----	----	----	53 UNCH
3820	----	----	10.40B/6.30A	10.40B/6.30A	----	7.70 + 0.20	.0313	----	----	----	----	788 UNCH
3825	----	----	10.50B/6.40A	10.50B/6.40A	----	7.80 + 0.10	.0318	----	----	4	----	113 UNCH
3830	----	----	10.70B/6.40A	10.70B/6.40A	----	7.90 + 0.10	.0322	----	----	----	----	18 UNCH
3835	----	----	10.90B/6.50A	10.90B/6.50A	----	8.10 + 0.20	.0330	----	----	----	----	31 UNCH
3840	----	----	11.00B/6.60A	11.00B/6.60A	----	8.20 + 0.20	.0334	----	----	----	----	51 UNCH
3845	----	----	11.20B/6.70A	11.20B/6.70A	----	8.30 + 0.20	.0339	----	----	----	----	36 UNCH
3850	8.40	8.40	11.40B/6.80A	11.40B/6.80A	----	8.40 + 0.20	.0344	----	----	37	----	3038 + 31
3855	----	----	11.50B/6.90A	11.50B/6.90A	----	8.60 + 0.20	.0351	----	----	----	----	41 UNCH
3860	----	----	11.80B/7.00A	11.80B/7.00A	----	8.70 + 0.20	.0356	----	----	----	----	54 UNCH
3865	----	----	11.90B/7.10A	11.90B/7.10A	----	8.80 + 0.20	.0361	----	----	----	----	21 UNCH
3870	----	----	12.10B/7.20A	12.10B/7.20A	----	8.90 + 0.10	.0366	----	----	----	----	48 UNCH
3875	11.40	11.40	12.30B/7.30A	12.30B/7.30A	----	9.10 + 0.20	.0374	----	----	7	----	42 + 7
3880	----	----	12.50B/7.40A	12.50B/7.40A	----	9.20 + 0.20	.0379	----	----	----	----	40 UNCH
3885	----	----	12.80B/7.50A	12.80B/7.50A	----	9.40 + 0.20	.0387	----	----	----	----	82 UNCH
3890	----	----	13.00B/7.70A	13.00B/7.70A	----	9.50 + 0.20	.0392	----	----	----	----	12 UNCH
3895	----	----	13.20B/7.80A	13.20B/7.80A	----	9.70 + 0.20	.0400	----	----	----	----	75 UNCH
3900	7.60	7.60	13.40B/7.60	13.40B/7.60	----	9.80 + 0.20	.0405	----	----	75	----	1948 + 13
3905	8.40	8.40	13.60B/8.00A	13.60B/8.00A	----	10.00 + 0.20	.0413	----	----	3	----	27 + 3
3910	11.90	11.90	13.80B/8.10A	13.80B/8.10A	----	10.10 + 0.20	.0418	----	----	2	----	135 - 2
3915	----	----	14.10B/8.30A	14.10B/8.30A	----	10.30 + 0.20	.0426	----	----	----	----	38 UNCH
3920	----	----	14.30B/8.40A	14.30B/8.40A	----	10.40 + 0.10	.0431	----	----	----	----	14 UNCH
3925	12.00	12.00	14.60B/8.50A	14.60B/8.50A	----	10.60 + 0.10	.0439	----	----	47	----	84 + 22
3930	13.50	13.50	14.80B/8.60A	14.80B/8.60A	----	10.80 + 0.20	.0448	----	----	2	----	61 + 1
3935	12.20	12.20	15.00B/8.80A	15.00B/8.80A	----	11.00 + 0.20	.0456	----	----	2	----	17 + 1
3940	14.00	14.00	15.30B/8.90A	15.30B/8.90A	----	11.10 + 0.10	.0461	----	----	18	----	37 + 12
3945	12.00	12.00	15.60B/9.00A	15.60B/9.00A	----	11.30 + 0.10	.0470	----	----	2	----	24 + 2
3950	11.80	11.80	15.90B/9.20A	15.90B/9.20A	----	11.50 + 0.10	.0478	----	----	11	----	131 UNCH
3955	13.10	13.10	16.10B/9.30A	16.10B/9.30A	----	11.70 + 0.10	.0486	----	----	1	----	59 - 1
3960	12.50	12.50	16.40B/9.40A	16.40B/9.40A	----	11.90 + 0.10	.0495	----	----	6	----	15 + 6
3965	----	----	16.60B/9.60A	16.60B/9.60A	----	12.10 + 0.10	.0503	----	----	----	----	85 UNCH
3970	----	----	16.90B/9.80A	16.90B/9.80A	----	12.20 UNCH	.0509	----	----	----	----	37 UNCH
3975	16.80	16.80	17.30B/9.90A	17.30B/9.90A	----	12.40 UNCH	.0518	----	----	10	----	42 + 2
3980	17.10	17.10	17.60B/10.10A	17.60B/10.10A	----	12.70 + 0.10	.0529	----	----	8	----	141 + 8
3985	13.60	13.60	17.90B/10.20A	17.90B/10.20A	----	12.90 + 0.10	.0538	----	----	10	----	51 + 10
3990	14.70	14.70	18.20B/10.40A	18.20B/10.40A	----	13.10 + 0.10	.0547	----	----	3	----	20 + 2
3995	11.40	11.40	18.50B/10.60A	18.50B/10.60A	----	13.30 UNCH	.0556	----	----	13	----	26 - 3
4000	13.50	13.50	18.70B/10.60	18.70B/10.60	----	13.50 UNCH	.0564	----	----	390	----	3592 + 58
4005	17.30	17.30	19.10B/10.90A	19.10B/10.90A	----	13.70 UNCH	.0573	----	----	17	----	237 + 9
4010	14.80	14.80	19.40B/11.10A	19.40B/11.10A	----	14.00 UNCH	.0585	----	----	2	----	61 + 2
4015	13.40	13.40	19.80B/11.30A	19.80B/11.30A	----	14.20 UNCH	.0594	----	----	5	----	51 + 1
4020	18.60	18.60	20.10B/11.50A	20.10B/11.50A	----	14.40 - 0.10	.0603	----	----	6	----	92 + 2
4025	18.90	18.90	20.40B/11.70A	20.40B/11.70A	----	14.70 - 0.10	.0615	----	----	7	----	103 UNCH
4030	----	----	20.80B/11.90A	20.80B/11.90A	----	14.90 - 0.10	.0625	----	----	----	----	40 UNCH
4035	17.10	17.10	21.20B/12.10A	21.20B/12.10A	----	15.20 - 0.10	.0637	----	----	6	----	32 + 2
4040	17.30	17.30	21.50B/12.40A	21.50B/12.40A	----	15.40 - 0.20	.0646	----	----	3	----	63 UNCH
4045	15.60	15.60	21.90B/12.60A	21.90B/12.60A	----	15.70 - 0.10	.0658	----	----	18	----	193 UNCH
4050	17.70	17.70	22.30B/12.80A	22.30B/12.80A	----	15.90 - 0.20	.0668	----	----	12	----	1320 + 2
4055	18.00	18.00	22.70B/13.00A	22.70B/13.00A	----	16.20 - 0.20	.0680	----	----	10	----	153 + 2
4060	15.40	15.40	23.00B/13.30A	23.00B/13.30A	----	16.50 - 0.20	.0692	----	----	3	----	26 - 1
4065	16.80	16.80	23.40B/13.60A	23.40B/13.60A	----	16.80 - 0.20	.0705	----	----	8	----	28 + 2
4070	----	----	23.70B/13.80A	23.70B/13.80A	----	17.10 - 0.20	.0717	----	----	----	----	134 UNCH
4075	16.90	16.90	24.10B/14.00A	24.10B/14.00A	----	17.40 - 0.30	.0730	----	----	2	----	125 UNCH
4080	16.80	16.80	24.60B/14.20A	24.60B/14.20A	----	17.70 - 0.30	.0742	----	----	12	----	102 + 9
4085	16.40	16.40	25.10B/14.60A	25.10B/14.60A	----	18.00 - 0.30	.0755	----	----	18	----	708 + 11
4090	----	----	25.60B/14.80A	25.60B/14.80A	----	18.30 - 0.30	.0768	----	----	----	----	218 UNCH
4095	----	----	26.00B/15.10A	26.00B/15.10A	----	18.60 - 0.40	.0781	----	----	----	----	157 UNCH
4100	16.20	16.20	26.50B/15.40A	26.50B/15.40A	----	18.90 - 0.40	.0793	----	----	628	----	1642 + 309
4105	18.50	18.50	26.90B/15.70A	26.90B/15.70A	----	19.20 - 0.50	.0806	----	----	2	----	210 + 2
4110	18.90	18.90	27.40B/16.00A	27.40B/16.00A	----	19.60 - 0.40	.0822	----	----	1	----	67 + 1
4115	25.50	25.50	27.80B/16.30A	27.80B/16.30A	----	19.90 - 0.50	.0835	----	----	14	----	43 - 11
4120	----	----	28.20B/16.60A	28.20B/16.60A	----	20.20 - 0.60	.0849	----	----	----	----	127 UNCH
4125	27.20	27.20	28.80B/16.70A	28.80B/16.70A	----	20.60 - 0.60	.0864	----	----	4	----	208 + 1
4130	19.90	19.90	29.30B/17.20A	29.30B/17.20A	----	20.90 - 0.60	.0878	----	----	2	----	841 UNCH
4135	26.90	26.90	29.80B/17.40A	29.80B/17.40A	----	21.30 - 0.60	.0894	----	----	2	----	79 UNCH
4140	----	----	30.30B/17.80A	30.30B/17.80A	----	21.70 - 0.60	.0910	----	----	1	----	27 UNCH
4145	----	----	30.80B/18.10A	30.80B/18.10A	----	22.10 - 0.60	.0926	----	----	----	----	108 UNCH
4150	19.00	19.00	31.30B/18.40A	31.30B/18.40A	----	22.40 - 0.80	.0940	----	----	24	250	512 - 49
4155	----	----	31.90B/18.80A	31.90B/18.80A	----	22.80 - 0.80	.0957	----	----	----	----	44 UNCH
4160	----	----	32.40B/19.00A	32.40B/19.00A	----	23.20 - 0.80	.0973	----	----	----	----	29 UNCH
4165	26.10	26.10	33.00B/19.50A	33.00B/19.50A	----	23.60 - 0.90	.0990	----	----	2	----	67 - 1
4170	----	----	33.60B/19.80A	33.60B/19.80A	----	24.10 - 0.80	.1009	----	----	----	----	75 UNCH
4175	----	----	34.10B/20.20A	34.10B/20.20A	----	24.50 - 0.90	.1026	----	----	----	----	196 UNCH
4180	----	----	34.80B/20.50A	34.80B/20.50A	----	24.90 - 0.90	.1043	----	----	1	----	288 - 1
4185	24.00	24.00	35.40B/21.00A	35.40B/21.00A	----	25.30 - 1.00	.1060	----	----	2	----	357 UNCH
4190	24.40	24.40	36.00B/21.40A	36.00B/21.40A	----	25.80 - 1.00	.1079	----	----	1	----	86 + 1
4195	----	----	36.70B/21.70A	36.70B/21.70A	----	26.20 - 1.10	.1096	----	----	----	----	112 UNCH
4200	28.00	28.00	37.50B/22.20A	37.50B/22.20A	----	26.70 - 1.10	.1116	----	----	320	----	2224 + 80
4205	35.30	35.30	38.00B/22.60A	38.00B/22.60A	----	27.20 - 1.10	.1136	----	----	7	----	199 - 1
4210	35.90	35.90	38.60B/22.90A	38.60B/22.90A	----	27.60 - 1.20	.1153	----	----	10	----	86 + 9
4215	35.40	35.40	39.30B/23.30A	39.30B/23.30A	----	28.10 - 1.20	.1173	----	----	20	----	184 - 20
4220	37.20	37.20	40.00B/23.80A	40.00B/23.80A	----	28.60 - 1.30	.1194	----	----	2	----	20 - 2
4225	----	----	40.60B/24.20A	40.60B/24.20A	----	29.10 - 1.30	.1214	----	----	2	----	228 - 2
4230	----	----	41.30B/24.70A	41.30B/24.70A	----	29.60 - 1.40	.1234	----	----	----	----	144 UNCH
4235	37.20	37.20	42.00B/25.10A	42.00B/25.10A	----	30.20 - 1.40	.1257	----	----	10	----	59 + 6
4240	33.80	33.80	42.70B/25.50A	42.70B/25.50A	----	30.70 - 1.40	.1278	----	----	2	----	163 + 1
4245	----	----	43.50B/26.10A	43.50B/26.10A	----	31.20 - 1.50	.1298	----	----	----	----	56 UNCH
4250	33.00	33.00	44.30B/26.40A	44.30B/26.40A	----	31.80 - 1.50	.1321	----	----	21	----	1023 - 5
4255	----	----	45.00B/26.90A	45.00B/26.90A	----	32.40 - 1.50	.1345	----	----	----	----	41 UNCH
4260	----	----	45.70B/27.30A	45.70B/27.30A	----	32.90 - 1.70	.1366	----	----	----	----	107 UNCH
4265	----	----	46.60B/27.90A	46.60B/27.90A	----	33.50 - 1.70	.1389	----	----	----	----	83 UNCH
4270	----	----	47.40B/28.30A	47.40B/28.30A	----	34.10 - 1.70	.1413	----	----	----	----	109 UNCH
4275	----	----	48.20B/28.80A	48.20B/28.80A	----	34.70 - 1.80	.1437	----	----	----	----	141 UNCH
4280	----	----	49.00B/29.30A	49.00B/29.30A	----	35.30 - 1.90	.1461	----	----	----	----	129 UNCH
4285	40.90	40.90	49.90B/29.90A	49.90B/29.90A	----	36.00 - 1.90	.1487	----	----	26	----	450 UNCH
4290	----	----	50.60B/30.30A	50.60B/30.30A	----	36.60 - 2.00	.1511	----	----	----	----	113 UNCH
4295	42.00	42.00	51.50B/30.90A	51.50B/30.90A	----	37.20 - 2.10	.1535	----	----	4	----	36 + 2
4300	33.80	33.80	52.50B/31.40A	52.50B/31.40A	----	37.90 - 2.10	.1562	----	----	355	----	2040 + 1
4305	----	----	53.30B/32.00A	53.30B/32.00A	----	38.60 - 2.10	.1588	----	----	----	----	48 UNCH
4310	39.80	39.80	54.10B/32.50A	54.10B/32.50A	----	39.30 - 2.20	.1615	----	----	3	----	56 + 3
4315	----	----	55.10B/33.20A	55.10B/33.20A	----	40.00 - 2.20	.1642	----	----	1	----	19 UNCH
4320	----	----	56.00B/33.80A	56.00B/33.80A	----	40.70 - 2.30	.1669	----	----	1	----	68 UNCH
4325	----	----	57.00B/34.40A	57.00B/34.40A	----	41.40 - 2.40	.1697	----	----	24	----	166 + 11
4330	----	----	58.00B/35.00A	58.00B/35.00A	----	42.20 - 2.40	.1726	----	----	----	----	276 UNCH
4335	52.80	52.80	58.90B/35.60A	58.90B/35.60A	----	42.90 - 2.50	.1754	----	----	2	----	39 - 2
4340	49.30	49.30	59.90B/36.10A	59.90B/36.10A	----	43.70 - 2.50	.1783	----	----	1	----	148 + 1
4345	----	----	61.10B/36.70A	61.10B/36.70A	----	44.50 - 2.60	.1813	----	----	----	----	337 UNCH
4350	46.50	46.50	62.10B/37.40A	62.10B/37.40A	----	45.30 - 2.60	.1843	----	----	130	----	994 + 16
4355	52.00	52.00	63.00B/38.10A	63.00B/38.10A	----	46.10 - 2.70	.1873	----	----	1	----	72 - 1
4360	51.80	51.80	64.20B/38.80A	64.20B/38.80A	----	46.90 - 2.80	.1904	----	----	22	----	371 + 9
4365	52.30	52.30	65.20B/39.50A	65.20B/39.50A	----	47.70 - 2.90	.1934	----	----	4	----	39 UNCH
4370	51.90	51.90	66.30B/40.20A	66.30B/40.20A	----	48.60 - 2.90	.1967	----	----	3	----	204 + 2
4375	42.00	42.00	67.30B/40.90A	67.30B/40.90A	----	49.40 - 3.10	.1997	----	----	63	----	112 + 12
4380	56.10	56.10	68.40B/41.50A	68.40B/41.50A	----	50.30 - 3.10	.2030	----	----	48	----	82 - 15
4385	64.50	64.50	69.70B/42.40A	69.70B/42.40A	----	51.20 - 3.20	.2063	----	----	4	----	399 UNCH
4390	64.60	64.60	70.70B/43.10A	70.70B/43.10A	----	52.20 - 3.20	.2098	----	----	15	----	96 + 13
4395	47.90	47.90	71.90B/44.10A	71.90B/44.10A	----	53.10 - 3.30	.2131	----	----	3	----	56 + 2
4400	57.00	57.00	73.30B/44.70A	73.30B/44.70A	----	54.00 - 3.40	.2165	----	----	126	----	2711 - 18
4405	56.00	56.00	74.40B/45.40A	74.40B/45.40A	----	55.00 - 3.40	.2200	----	----	10	----	29 + 5
4410	----	----	75.60B/46.30A	75.60B/46.30A	----	56.00 - 3.50	.2236	----	----	----	----	118 UNCH
4415	----	----	76.80B/47.10A	76.80B/47.10A	----	57.00 - 3.60	.2272	----	----	1	----	123 + 1
4420	----	----	78.10B/47.90A	78.10B/47.90A	----	58.00 - 3.70	.2308	----	----	1	----	150 UNCH
4425	78.50	78.50	79.40B/48.90A	79.40B/48.90A	----	59.00 - 3.80	.2344	----	----	6	----	578 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4430	61.90	61.90	80.70B/49.70A	80.70B/49.70A	----	60.10 - 3.80	.2382	----	----	26	----	83 - 15
4435	67.90	67.90	82.00B/50.60A	82.00B/50.60A	----	61.20 - 3.90	.2420	----	----	16	----	283 + 3
4440	68.80	68.80	83.40B/51.40A	83.40B/51.40A	----	62.30 - 3.90	.2458	----	----	10	----	294 - 2
4445	----	----	84.70B/52.40A	84.70B/52.40A	----	63.40 - 4.00	.2496	----	----	----	----	120 UNCH
4450	66.00	66.00	86.30B/53.40A	86.30B/53.40A	----	64.50 - 4.10	.2535	----	----	61	----	642 - 3
4455	70.90	70.90	87.60B/54.20A	87.60B/54.20A	----	65.70 - 4.20	.2575	----	----	5	----	274 + 5
4460	71.00	71.00	89.00B/55.20A	89.00B/55.20A	----	66.80 - 4.30	.2614	----	----	2	----	59 + 1
4465	61.40	61.40	90.30B/56.20A	90.30B/56.20A	----	68.00 - 4.40	.2655	----	----	1	----	37 - 1
4470	73.00	73.00	91.80B/57.10A	91.80B/57.10A	----	69.30 - 4.30	.2697	----	----	154	----	119 + 16
4475	77.00	77.00	93.40B/58.30A	93.40B/58.30A	----	70.50 - 4.40	.2738	----	----	9	----	964 - 3
4480	----	----	94.90B/59.30A	94.90B/59.30A	----	71.70 - 4.60	.2779	----	----	1	----	174 - 1
4485	----	----	96.40B/60.40A	96.40B/60.40A	----	73.00 - 4.60	.2822	----	----	----	----	44 UNCH
4490	81.10	81.10	98.10B/61.30A	98.10B/61.30A	----	74.30 - 4.70	.2865	----	----	2	----	241 UNCH
4495	82.50	82.50	99.90/62.40A	99.90/62.40A	----	75.60 - 4.80	.2908	----	----	5	----	27 + 2
4500	83.50	83.50	101.30B/63.80A	101.30B/63.80A	----	77.00 - 4.80	.2952	----	----	145	----	2469 + 7
4505	----	----	102.90B/64.80A	102.90B/64.80A	----	78.30 - 4.90	.2996	----	----	----	----	32 UNCH
4510	----	----	104.60B/66.00A	104.60B/66.00A	----	79.70 - 4.90	.3040	----	----	----	----	101 UNCH
4515	----	----	106.30B/67.10A	106.30B/67.10A	----	81.10 - 5.00	.3086	----	----	----	----	57 UNCH
4520	----	----	108.00B/68.30A	108.00B/68.30A	----	82.50 - 5.10	.3131	----	----	7	----	160 - 6
4525	108.40	108.40	109.70B/69.50A	109.70B/69.50A	----	84.00 - 5.10	.3177	----	----	4	----	788 + 1
4530	----	----	111.40B/70.80A	111.40B/70.80A	----	85.50 - 5.10	.3224	----	----	----	----	46 UNCH
4535	----	----	113.10B/72.00A	113.10B/72.00A	----	87.00 - 5.20	.3271	----	----	----	----	218 UNCH
4540	94.50	94.50	115.10B/73.30A	115.10B/73.30A	----	88.50 - 5.20	.3318	----	----	1	----	47 UNCH
4545	----	----	116.80B/74.60A	116.80B/74.60A	----	90.00 - 5.30	.3365	----	----	----	----	88 UNCH
4550	97.00	97.00	118.80B/75.90A	118.80B/75.90A	----	91.60 - 5.40	.3414	----	----	44	----	617 - 41
4555	----	----	120.60B/77.30A	120.60B/77.30A	----	93.20 - 5.40	.3463	----	----	----	----	15 UNCH
4560	----	----	122.30B/78.60A	122.30B/78.60A	----	94.80 - 5.50	.3511	----	----	----	----	91 UNCH
4565	106.20	106.20	124.40B/80.00A	124.40B/80.00A	----	96.40 - 5.60	.3561	----	----	3	----	131 - 3
4570	----	----	126.50B/81.40A	126.50B/81.40A	----	98.10 - 5.60	.3611	----	----	1	----	180 UNCH
4575	----	----	128.40B/82.80A	128.40B/82.80A	----	99.80 - 5.60	.3661	----	----	----	----	53 UNCH
4580	----	----	130.50B/84.30A	130.50B/84.30A	----	101.50 - 5.70	.3711	----	----	1	----	126 + 1
4585	----	----	132.50B/85.70A	132.50B/85.70A	----	103.20 - 5.80	.3762	----	----	1	----	19 - 1
4590	126.10	126.10	134.60B/87.20A	134.60B/87.20A	----	105.00 - 5.80	.3814	----	----	2	----	94 - 1
4595	----	----	136.70B/88.80A	136.70B/88.80A	----	106.80 - 5.80	.3866	----	----	2	----	61 - 1
4600	119.00	119.00	138.90B/90.30A	138.90B/90.30A	----	108.60 - 5.90	.3918	----	----	426	----	2397 - 72
4605	----	----	141.00B/91.80A	141.00B/91.80A	----	110.40 - 6.00	.3970	----	----	----	----	77 UNCH
4610	119.00	119.00	143.10B/93.40A	143.10B/93.40A	----	112.30 - 6.00	.4023	----	----	188	----	224 + 54
4615	118.50	118.50	145.30B/95.10A	145.30B/95.10A	----	114.20 - 6.00	.4076	----	----	3	----	102 - 2
4620	----	----	147.50B/96.60A	147.50B/96.60A	----	116.10 - 6.10	.4129	----	----	1	----	196 - 1
4625	120.00	120.00	149.80B/98.40A	149.80B/98.40A	----	118.10 - 6.10	.4183	----	----	4	----	295 + 2
4630	104.90	104.90	152.10B/100.00A	152.10B/100.00A	----	120.10 - 6.10	.4238	----	----	150	----	178 + 139
4635	122.00	122.00	154.50B/101.70A	154.50B/101.70A	----	122.10 - 6.20	.4292	----	----	5	----	518 + 4
4640	----	----	156.70B/103.50A	156.70B/103.50A	----	124.10 - 6.20	.4347	----	----	----	----	148 UNCH
4645	139.00	139.00	159.00B/105.20A	159.00B/105.20A	----	126.20 - 6.30	.4402	----	----	3	----	57 - 1
4650	142.70	142.70	161.40B/107.00A	161.40B/107.00A	----	128.30 - 6.30	.4457	----	----	31	----	1267 + 5
4655	----	----	163.90B/108.80A	163.90B/108.80A	----	130.50 - 6.20	.4513	----	----	----	----	32 UNCH
4660	142.70	142.70	166.30B/110.50A	166.30B/110.50A	----	132.70 - 6.20	.4569	----	----	3	----	205 + 2
4665	144.90	144.90	168.80B/112.40A	168.80B/112.40A	----	134.90 - 6.20	.4625	----	----	33	----	85 + 30
4670	147.20	147.20	171.30B/114.30A	171.30B/114.30A	----	137.20 - 6.20	.4681	----	----	34	----	159 + 4
4675	133.60	133.60	173.90B/116.40A	173.90B/116.40A	----	139.50 - 6.20	.4737	----	----	134	----	459 + 9
4680	151.10	151.10	176.40B/118.40A	176.40B/118.40A	----	141.80 - 6.20	.4794	----	----	37	----	240 + 29
4685	----	----	179.00B/120.40A	179.00B/120.40A	----	144.10 - 6.20	.4851	----	----	5	----	172 + 2
4690	----	----	181.60B/122.20A	181.60B/122.20A	----	146.50 - 6.10	.4907	----	----	----	----	221 UNCH
4695	----	----	184.30B/124.40A	184.30B/124.40A	----	148.90 - 6.10	.4964	----	----	1	----	83 + 1
4700	155.50	155.50	187.00B/126.20A	187.00B/126.20A	----	151.30 - 6.10	.5022	----	----	75	----	2003 + 6
4705	----	----	189.80B/128.50A	189.80B/128.50A	----	153.70 - 6.20	.5079	----	----	3	----	33 UNCH
4710	145.50	145.50	192.50B/130.80A	192.50B/130.80A	----	156.10 - 6.30	.5136	----	----	5	----	198 UNCH
4715	----	----	195.30B/132.70A	195.30B/132.70A	----	158.60 - 6.30	.5194	----	----	----	----	75 UNCH
4720	174.30	174.30	198.20B/135.00A	198.20B/135.00A	----	161.20 - 6.20	.5251	----	----	9	----	560 + 2
4725	----	----	200.90B/137.40A	200.90B/137.40A	----	163.70 - 6.30	.5309	----	----	----	----	69 UNCH
4730	----	----	203.70B/139.30A	203.70B/139.30A	----	166.30 - 6.30	.5366	----	----	1	----	122 - 1
4735	182.50	182.50	206.50B/141.80A	206.50B/141.80A	----	168.90 - 6.30	.5424	----	----	2	----	23 UNCH
4740	157.40	157.40	209.50B/144.10A	209.50B/144.10A	----	171.60 - 6.20	.5482	----	----	1	----	112 + 1
4745	160.00	160.00	212.30B/146.30A	212.30B/146.30A	----	174.30 - 6.20	.5539	----	----	3	----	37 + 1
4750	186.40	186.40	215.40B/148.70A	215.40B/148.70A	----	177.00 - 6.20	.5597	----	----	11	----	435 + 8
4755	----	----	218.30B/151.10A	218.30B/151.10A	----	179.80 - 6.20	.5654	----	----	----	----	144 UNCH
4760	165.90	165.90	221.50B/153.50A	221.50B/153.50A	----	182.60 - 6.10	.5712	----	----	51	----	138 + 45
4765	----	----	224.50B/156.00A	224.50B/156.00A	----	185.40 - 6.10	.5768	----	----	----	----	63 UNCH
4770	----	----	227.40B/158.70A	227.40B/158.70A	----	188.30 - 6.00	.5826	----	----	----	----	68 UNCH
4775	----	----	230.70B/161.00A	230.70B/161.00A	----	191.20 - 6.00	.5883	----	----	----	----	438 UNCH
4780	----	----	233.80B/163.50A	233.80B/163.50A	----	194.10 - 6.00	.5939	----	----	----	----	109 UNCH
4785	----	----	236.80B/166.10A	236.80B/166.10A	----	197.00 - 6.00	.5996	----	----	----	----	89 UNCH
4790	----	----	240.20B/168.70A	240.20B/168.70A	----	200.00 - 6.00	.6053	----	----	----	----	365 UNCH
4795	----	----	243.50B/171.30A	243.50B/171.30A	----	203.00 - 5.90	.6110	----	----	----	----	36 UNCH
4800	214.00	214.00	246.80/174.00A	246.80/174.00A	----	206.10 - 5.80	.6165	----	----	11	----	1645 + 6
4805	----	----	249.80B/176.90A	249.80B/176.90A	----	209.10 - 5.90	.6222	----	----	----	----	53 UNCH
4810	----	----	253.30B/179.50A	253.30B/179.50A	----	212.20 - 5.80	.6278	----	----	----	----	262 UNCH
4815	----	----	256.60B/182.20A	256.60B/182.20A	----	215.40 - 5.70	.6333	----	----	2	----	24 + 1
4820	----	----	260.00B/185.00A	260.00B/185.00A	----	218.50 - 5.70	.6389	----	----	2	----	259 UNCH
4825	188.60	188.60	263.40B/188.20A	263.40B/188.20A	----	221.70 - 5.70	.6444	----	----	7	----	189 - 6
4830	----	----	266.80B/191.00A	266.80B/191.00A	----	224.90 - 5.70	.6499	----	----	----	----	67 UNCH
4835	----	----	270.10B/197.50A	270.10B/197.50A	----	228.10 - 5.70	.6553	----	----	----	----	135 UNCH
4840	----	----	273.70B/200.40A	273.70B/200.40A	----	231.40 - 5.60	.6607	----	----	----	----	56 UNCH
4845	----	----	277.10B/203.10A	277.10B/203.10A	----	234.70 - 5.60	.6661	----	----	----	----	39 UNCH
4850	----	----	281.00B/206.30A	281.00B/206.30A	----	238.00 - 5.60	.6715	----	----	1	----	1061 UNCH
4855	----	----	284.10B/209.40A	284.10B/209.40A	----	241.40 - 5.50	.6767	----	----	----	----	35 UNCH
4860	----	----	287.70B/212.50A	287.70B/212.50A	----	244.80 - 5.40	.6820	----	----	----	----	38 UNCH
4865	----	----	291.60B/215.60A	291.60B/215.60A	----	248.20 - 5.40	.6873	----	----	----	----	26 UNCH
4870	----	----	295.10B/218.60A	295.10B/218.60A	----	251.70 - 5.30	.6924	----	----	----	----	234 UNCH
4875	----	----	299.00B/221.70A	299.00B/221.70A	----	255.20 - 5.30	.6976	----	----	----	----	281 UNCH
4880	----	----	302.30B/224.80A	302.30B/224.80A	----	258.70 - 5.20	.7027	----	----	----	----	90 UNCH
4885	----	----	306.10B/228.10A	306.10B/228.10A	----	262.20 - 5.20	.7077	----	----	----	----	21 UNCH
4890	----	----	309.70B/231.40A	309.70B/231.40A	----	265.80 - 5.10	.7126	----	----	----	----	66 UNCH
4895	----	----	313.50B/234.70A	313.50B/234.70A	----	269.40 - 5.10	.7176	----	----	----	----	96 UNCH
4900	286.30	286.30	317.60B/237.80A	317.60B/237.80A	----	273.10 - 4.90	.7226	----	----	21	----	1065 UNCH
4905	----	----	321.10B/241.40A	321.10B/241.40A	----	276.70 - 4.90	.7274	----	----	----	----	54 UNCH
4910	----	----	325.00B/244.60A	325.00B/244.60A	----	280.40 - 4.80	.7322	----	----	----	----	89 UNCH
4915	----	----	328.70B/248.00A	328.70B/248.00A	----	284.10 - 4.80	.7369	----	----	----	----	29 UNCH
4920	----	----	332.90B/251.30A	332.90B/251.30A	----	287.80 - 4.70	.7417	----	----	----	----	150 UNCH
4925	----	----	336.60B/254.90A	336.60B/254.90A	----	291.60 - 4.60	.7463	----	----	----	----	47 UNCH
4930	----	----	340.70B/258.20A	340.70B/258.20A	----	295.40 - 4.60	.7509	----	----	----	----	53 UNCH
4935	----	----	344.30B/261.80A	344.30B/261.80A	----	299.20 - 4.50	.7555	----	----	----	----	54 UNCH
4940	----	----	348.30B/265.30A	348.30B/265.30A	----	303.00 - 4.50	.7601	----	----	----	----	15 UNCH
4945	----	----	352.40B/268.90A	352.40B/268.90A	----	306.80 - 4.50	.7645	----	----	----	----	48 UNCH
4950	----	----	356.20B/272.40A	356.20B/272.40A	----	310.70 - 4.40	.7688	----	----	----	----	754 UNCH
4955	292.00	292.00	360.40B/276.00A	360.40B/276.00A	----	314.60 - 4.30	.7732	----	----	4	----	83 - 3
4960	----	----	364.20B/279.60A	364.20B/279.60A	----	318.50 - 4.30	.7776	----	----	----	----	132 UNCH
4965	----	----	368.40B/283.40A	368.40B/283.40A	----	322.50 - 4.20	.7817	----	----	----	----	25 UNCH
4970	----	----	372.50B/290.30A	372.50B/290.30A	----	326.50 - 4.10	.7861	----	----	----	----	4 UNCH
4975	----	----	376.70B/290.60A	376.70B/290.60A	----	330.40 - 4.10	.7902	----	----	----	----	89 UNCH
4980	----	----	380.70B/294.30A	380.70B/294.30A	----	334.50 - 4.00	.7941	----	----	----	----	56 UNCH
4985	----	----	385.00B/298.10A	385.00B/298.10A	----	338.50 - 4.00	.7982	----	----	----	----	124 UNCH
4990	----	----	389.00B/301.90A	389.00B/301.90A	----	342.60 - 3.90	.8020	----	----	----	----	35 UNCH
4995	----	----	393.30B/305.80A	393.30B/305.80A	----	346.60 - 3.90	.8059	----	----	----	----	222 UNCH
5000	----	----	397.60B/309.60A	397.60B/309.60A	----	350.70 - 3.80	.8097	----	----	----	----	1126 UNCH
5005	----	----	401.60B/313.40A	401.60B/313.40A	----	354.90 - 3.70	.8136	----	----	1	----	42 - 1
5010	----	----	405.80B/320.10A	405.80B/320.10A	----	359.00 - 3.70	.8175	----	----	----	----	14 UNCH
5015	----	----	410.10B/321.20A	410.10B/321.20A	----	363.20 - 3.60	.8210	----	----	----	----	23 UNCH
5020	----	----	414.50B/325.10A	414.50B/325.10A	----	367.30 - 3.60	.8246	----	----	----	----	23 UNCH
5025	----	----	418.70B/329.10A	418.70B/329.10A	----	371.50 - 3.60	.8282	----	----	----	----	154 UNCH
5030	----	----	423.00B/333.10A	423.00B/333.10A	----	375.80 - 3.40	.8317	----	----	----	----	24 UNCH
5035	----	----	427.40B/340.00A	427.40B/340.00A	----	380.00 - 3.40	.8350	----	----	----	----	13 UNCH
5040	----	----	431.70B/341.10A	431.70B/341.10A	----	384.30 - 3.30	.8385	----	----	----	----	135 UNCH
5045	----	----	436.00B/344.90A	436.00B/344.90A	----	388.50 - 3.30	.8418	----	----	----	----	28 UNCH
5050	----	----	440.50B/349.20A	440.50B/349.20A	----	392.80 - 3.30	.8450	----	----	----	----	438 UNCH
5055	----	----	444.80B/354.70A	444.80B/354.70A	----	397.10 - 3.20	.8483	----	----	----	----	107 UNCH
5060	----	----	449.30B/360.40A	449.30B/360.40A	----	401.50 - 3.10	.8512	----	----	----	----	84 UNCH
5065	----	----	453.60B/364.70A	453.60B/364.70A	----	405.80 - 3.10	.8544	----	----	----	----	54 UNCH
5070	----	----	458.10B/369.60A	458.10B/369.60A	----	410.20 - 3.00	.8573	----	----	----	----	175 UNCH
5075	----	----	462.60B/373.10A	462.60B/373.10A	----	414.50 - 3.00	.8602	----	----	----	----	47 UNCH
5080	----	----	467.20B/378.00A	467.20B/378.00A	----	418.90 - 3.00	.8631	----	----	----	----	85 UNCH
5085	----	----	471.50B/382.30A	471.50B/382.30A	----	423.30 - 2.90	.8660	----	----	----	----	116 UNCH
5090	----	----	476.00B/386.40A	476.00B/386.40A	----	427.80 - 2.80	.8689	----	----	----	----	23 UNCH
5095	----	----	480.50B/390.80A	480.50B/390.80A	----	432.20 - 2.80	.8715	----	----	----	----	17 UNCH
5100	----	----	485.10B/395.10A	485.10B/395.10A	----	436.60 - 2.80	.8744	----	----	----	----	391 UNCH
5105	----	----	489.60B/399.40A	489.60B/399.40A	----	441.10 - 2.70	.8769	----	----	----	----	58 UNCH
5110	----	----	494.10B/402.80A	494.10B/402.80A	----	445.60 - 2.60	.8794	----	----	----	----	286 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 10

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5115	----	----	498.60B/408.00A	498.60B/408.00A	----	450.10 - 2.60	.8820	----	----	----	----	24 UNCH
5120	----	----	503.20B/412.30A	503.20B/412.30A	----	454.60 - 2.50	.8845	----	----	----	----	18 UNCH
5125	----	----	507.90B/416.70A	507.90B/416.70A	----	459.10 - 2.50	.8870	----	----	----	----	89 UNCH
5130	----	----	512.30B/421.10A	512.30B/421.10A	----	463.60 - 2.50	.8895	----	----	----	----	120 UNCH
5135	----	----	516.90B/425.50A	516.90B/425.50A	----	468.20 - 2.40	.8916	----	----	----	----	95 UNCH
5140	----	----	521.50B/429.20A	521.50B/429.20A	----	472.70 - 2.40	.8941	----	----	----	----	23 UNCH
5145	----	----	526.10B/434.30A	526.10B/434.30A	----	477.30 - 2.30	.8963	----	----	----	----	44 UNCH
5150	----	----	530.90B/438.90A	530.90B/438.90A	----	481.90 - 2.30	.8984	----	----	----	----	372 UNCH
5155	----	----	535.40B/442.60A	535.40B/442.60A	----	486.50 - 2.20	.9005	----	----	----	----	9 UNCH
5160	----	----	540.00B/447.10A	540.00B/447.10A	----	491.10 - 2.20	.9026	----	----	----	----	31 UNCH
5165	----	----	544.70B/452.10A	544.70B/452.10A	----	495.70 - 2.10	.9047	----	----	----	----	47 UNCH
5170	----	----	549.40B/456.60A	549.40B/456.60A	----	500.30 - 2.10	.9068	----	----	----	----	155 UNCH
5175	----	----	554.00B/461.10A	554.00B/461.10A	----	504.90 - 2.10	.9085	----	----	----	----	30 UNCH
5180	----	----	558.70B/465.70A	558.70B/465.70A	----	509.60 - 2.00	.9106	----	----	----	----	76 UNCH
5185	----	----	563.40B/470.30A	563.40B/470.30A	----	514.20 - 2.00	.9123	----	----	----	----	2 UNCH
5190	----	----	568.10B/474.70A	568.10B/474.70A	----	518.90 - 1.90	.9140	----	----	----	----	10 UNCH
5195	----	----	572.80B/479.30A	572.80B/479.30A	----	523.60 - 1.90	.9161	----	----	----	----	25 UNCH
5200	----	----	577.60B/483.70A	577.60B/483.70A	----	528.20 - 1.90	.9178	----	----	----	----	425 UNCH
5205	----	----	582.20B/488.40A	582.20B/488.40A	----	532.90 - 1.90	.9194	----	----	----	----	19 UNCH
5210	----	----	587.10B/493.00A	587.10B/493.00A	----	537.60 - 1.80	.9211	----	----	----	----	9 UNCH
5215	----	----	591.60B/497.60A	591.60B/497.60A	----	542.30 - 1.80	.9228	----	----	1	----	5 - 1
5220	----	----	596.70B/502.30A	596.70B/502.30A	----	547.10 - 1.70	.9240	----	----	1	----	9 UNCH
5225	----	----	601.20B/506.90A	601.20B/506.90A	----	551.80 - 1.60	.9257	----	----	----	----	59 UNCH
5230	----	----	606.20B/511.50A	606.20B/511.50A	----	556.50 - 1.60	.9273	----	----	----	----	10 UNCH
5235	----	----	610.70B/516.60A	610.70B/516.60A	----	561.20 - 1.60	.9285	----	----	----	----	71 UNCH
5240	----	----	615.60B/520.80A	615.60B/520.80A	----	566.00 - 1.50	.9302	----	----	----	----	43 UNCH
5245	----	----	620.30B/525.50A	620.30B/525.50A	----	570.70 - 1.50	.9314	----	----	----	----	15 UNCH
5250	----	----	625.30B/530.20A	625.30B/530.20A	----	575.50 - 1.50	.9330	----	----	----	----	431 UNCH
5255	----	----	629.80B/534.90A	629.80B/534.90A	----	580.30 - 1.40	.9342	----	----	----	----	4 UNCH
5260	----	----	634.60B/540.00A	634.60B/540.00A	----	585.10 - 1.30	.9354	----	----	----	----	11 UNCH
5265	----	----	639.40B/544.30A	639.40B/544.30A	----	589.80 - 1.40	.9366	----	----	----	----	7 UNCH
5270	----	----	644.00B/549.00A	644.00B/549.00A	----	594.60 - 1.30	.9378	----	----	----	----	30 UNCH
5275	----	----	648.80B/553.70A	648.80B/553.70A	----	599.40 - 1.30	.9390	----	----	----	----	206 UNCH
5280	----	----	654.00B/558.40A	654.00B/558.40A	----	604.20 - 1.20	.9401	----	----	----	----	33 UNCH
5290	----	----	663.30B/568.00A	663.30B/568.00A	----	613.80 - 1.20	.9425	----	----	----	----	2 UNCH
5295	----	----	668.40B/572.60A	668.40B/572.60A	----	618.70 - 1.00	.9436	----	----	----	----	5 UNCH
5300	----	----	672.90B/577.40A	672.90B/577.40A	----	623.50 - 1.00	.9444	----	----	----	----	108 UNCH
5305	----	----	677.90B/582.20A	677.90B/582.20A	----	628.30 - 1.00	.9455	----	----	----	----	40 UNCH
5310	----	----	682.90B/586.90A	682.90B/586.90A	----	633.20 - 0.90	.9467	----	----	----	----	32 UNCH
5315	----	----	687.50B/592.30A	687.50B/592.30A	----	638.00 - 0.90	.9474	----	----	----	----	1 UNCH
5320	----	----	692.50B/597.00A	692.50B/597.00A	----	642.80 - 0.90	.9485	----	----	----	----	26 UNCH
5325	----	----	697.50B/601.30A	697.50B/601.30A	----	647.70 - 0.80	.9492	----	----	----	----	51 UNCH
5330	----	----	702.30B/606.60A	702.30B/606.60A	----	652.50 - 0.80	.9503	----	----	----	----	27 UNCH
5335	----	----	707.00B/611.00A	707.00B/611.00A	----	657.40 - 0.80	.9510	----	----	----	----	1 UNCH
5340	----	----	711.90B/615.70A	711.90B/615.70A	----	662.20 - 0.80	.9517	----	----	----	----	14 UNCH
5350	----	----	721.60B/625.90A	721.60B/625.90A	----	672.00 - 0.60	.9535	----	----	----	----	43 UNCH
5360	----	----	731.50B/635.00A	731.50B/635.00A	----	681.70 - 0.60	.9553	----	----	----	----	11 UNCH
5365	----	----	736.20B/639.80A	736.20B/639.80A	----	686.60 - 0.60	.9560	----	----	----	----	11 UNCH
5370	----	----	741.10B/645.20A	741.10B/645.20A	----	691.50 - 0.50	.9566	----	----	----	----	32 UNCH
5375	----	----	746.00B/649.50A	746.00B/649.50A	----	696.30 - 0.60	.9573	----	----	----	----	32 UNCH
5380	----	----	750.90B/654.90A	750.90B/654.90A	----	701.20 - 0.50	.9579	----	----	----	----	4 UNCH
5385	----	----	755.80B/659.20A	755.80B/659.20A	----	706.10 - 0.50	.9586	----	----	----	----	15 UNCH
5390	----	----	753.80B/664.70A	753.80B/664.70A	----	711.00 - 0.40	.9592	----	----	----	----	1 UNCH
5400	----	----	763.70B/673.80A	763.70B/673.80A	----	720.80 - 0.40	.9605	----	----	----	----	96 UNCH
5410	----	----	773.40B/684.10A	773.40B/684.10A	----	730.60 - 0.30	.9617	----	----	----	----	55 UNCH
5420	----	----	783.20B/693.30A	783.20B/693.30A	----	740.40 - 0.30	.9630	----	----	----	----	7 UNCH
5425	----	----	788.10B/698.20A	788.10B/698.20A	----	745.30 - 0.30	.9636	----	----	----	----	32 UNCH
5435	----	----	797.80B/708.10A	797.80B/708.10A	----	755.10 - 0.30	.9648	----	----	----	----	2 UNCH
5445	----	----	807.60B/717.90A	807.60B/717.90A	----	764.90 - 0.30	.9661	----	----	----	----	1 UNCH
5450	----	----	812.60B/722.70A	812.60B/722.70A	----	769.80 - 0.30	.9667	----	----	----	----	20 UNCH
5475	----	----	837.10B/747.30A	837.10B/747.30A	----	794.40 - 0.20	.9692	----	----	----	----	1 UNCH
5490	----	----	852.00B/762.00A	852.00B/762.00A	----	809.20 - 0.20	.9705	----	----	----	----	3 UNCH
5500	----	----	861.80B/771.80A	861.80B/771.80A	----	819.10 - 0.10	.9712	----	----	----	----	34 UNCH
5515	----	----	876.50B/786.60A	876.50B/786.60A	----	833.90 - 0.10	.9725	----	----	----	----	10 UNCH
5520	----	----	881.40B/791.60A	881.40B/791.60A	----	838.80 - 0.10	.9731	----	----	----	----	1 UNCH
5530	----	----	891.40B/801.40A	891.40B/801.40A	----	848.70 - 0.10	.9737	----	----	----	----	10 UNCH
5535	----	----	896.30B/806.40A	896.30B/806.40A	----	853.60 - 0.10	.9738	----	----	----	----	10 UNCH
5540	----	----	901.30B/812.00A	901.30B/812.00A	----	858.60 - 0.10	.9744	----	----	----	----	5 UNCH
5550	----	----	911.10B/821.90A	911.10B/821.90A	----	868.40 - 0.10	.9751	----	----	----	----	5 UNCH
5565	----	----	925.90B/837.70A	925.90B/837.70A	----	883.30 - 0.10	.9763	----	----	----	----	10 UNCH
5575	----	----	935.90B/846.30A	935.90B/846.30A	----	893.20 - 0.10	.9769	----	----	----	----	12 UNCH
5590	----	----	949.60B/863.10A	949.60B/863.10A	----	908.00 - 0.10	.9777	----	----	----	----	25 UNCH
5600	----	----	959.50B/873.00A	959.50B/873.00A	----	917.90 - 0.10	.9783	----	----	----	----	12 UNCH
5625	----	----	----	----	----	942.70 UNCH	.9796	----	----	----	----	2 UNCH
5640	----	----	----	----	----	957.60 UNCH	.9803	----	----	----	----	1 UNCH
5890	----	----	1,247.70B/1,161	1247.70B/1161.30A	----	1206.30 + 0.20	.9888	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1226.20 + 0.10	.9890	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1276.10 + 0.20	.9902	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1296.00 + 0.10	.9903	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1316.00 + 0.20	.9909	----	----	----	----	2 UNCH
6025	----	----	1,382.30B/1,295	1382.30B/1295.90A	----	1340.90 + 0.20	.9910	----	----	----	----	3 UNCH
6100	----	----	1,457.10B/1,370	1457.10B/1370.70A	----	1415.80 + 0.20	.9922	----	----	----	----	7 UNCH
TOTAL										4856	250	88050 + 862
JUN26												
1325	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1375	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1500	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1525	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
1575	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1580	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1590	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0001	----	----	----	----	175 UNCH
1600	----	----	----	0.10B/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	18 UNCH
1610	----	----	----	0.10B/0.50A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1615	----	----	----	0.10B/0.50A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1620	----	----	----	0.10B/0.50A	----	0.10 - 0.10	.0001	----	----	----	----	31 UNCH
1625	----	----	----	0.10B/0.50A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
1650	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0004	----	----	----	----	2 UNCH
1670	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	10 UNCH
1675	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	10 UNCH
1685	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	5 UNCH
1690	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1695	----	----	----	0.10B/0.50A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1700	----	----	----	0.20B/0.50A	----	0.20 - 0.10	.0004	----	----	----	----	2 UNCH
1725	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1735	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1740	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1745	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1750	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0006	----	----	----	----	4 UNCH
1755	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1775	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0007	----	----	----	----	1 UNCH
1780	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0007	----	----	----	----	2 UNCH
1785	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0008	----	----	----	----	2 UNCH
1795	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0008	----	----	----	----	11 UNCH
1800	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0008	----	----	----	----	6 UNCH
1815	----	----	----	0.20B/0.60A	----	0.40 - 0.10	.0008	----	----	----	----	1 UNCH
1820	----	----	----	0.20B/0.60A	----	0.40 - 0.10	.0008	----	----	----	----	2 UNCH
1855	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0008	----	----	----	----	1 UNCH
1875	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0010	----	----	----	----	3 UNCH
1900	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0010	----	----	----	----	3 UNCH
1905	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0010	----	----	----	----	7 UNCH
1915	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0010	----	----	----	----	10 UNCH
1920	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0010	----	----	----	----	2 UNCH
1950	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.20	.0012	----	----	----	----	1 UNCH
1955	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0012	----	----	----	----	2 UNCH
1965	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.20	.0012	----	----	----	----	10 UNCH
1975	0.80	0.80	0.80/0.70A	0.80/0.70A	----	0.60 - 0.20	.0012	----	----	65	----	85 + 65
2000	0.80	0.80	0.90B/0.80	0.90B/0.80	----	0.60 - 0.20	.0012	----	----	15	----	603 UNCH
2005	----	----	----	0.50B/0.80A	----	0.60 - 0.20	.0012	----	----	----	----	1 UNCH
2010	----	----	----	0.50B/0.80A	----	0.60 - 0.20	.0012	----	----	----	----	1 UNCH
2015	----	----	----	0.50B/0.80A	----	0.60 - 0.20	.0012	----	----	----	----	7 UNCH
2020	----	----	----	0.80B/0.80A	----	0.60 - 0.20	.0012	----	----	----	----	1 UNCH
2025	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0012	----	----	----	----	40 UNCH
2030	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0012	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2050	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0014	----	----	----	----	20 UNCH
2085	----	----	----	0.70B/0.90A	----	0.70 - 0.20	.0015	----	----	----	----	15 UNCH
2100	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0015	----	----	----	----	90 UNCH
2105	----	----	----	0.70B/0.90A	----	0.80 - 0.10	.0017	----	----	----	----	1 UNCH
2170	----	----	----	0.80B/1.10A	----	0.90 - 0.10	.0019	----	----	----	----	5 UNCH
2180	----	----	----	1.00B/1.10A	----	0.90 - 0.10	.0019	----	----	----	----	6 UNCH
2195	----	----	----	1.10B/1.10A	----	0.90 - 0.20	.0019	----	----	----	----	5 UNCH
2200	----	----	----	0.80B/1.10A	----	0.90 - 0.20	.0019	----	----	----	----	9 UNCH
2205	----	----	----	0.80B/1.10A	----	0.90 - 0.20	.0020	----	----	----	----	7 UNCH
2220	----	----	----	0.80B/1.20A	----	1.00 - 0.10	.0022	----	----	----	----	1 UNCH
2230	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0022	----	----	----	----	25 UNCH
2235	----	----	----	0.90B/1.10A	----	1.00 - 0.10	.0022	----	----	----	----	21 UNCH
2240	----	----	----	0.90B/1.10A	----	1.00 - 0.10	.0022	----	----	----	----	6 UNCH
2250	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0022	----	----	----	----	5 UNCH
2300	----	----	----	1.20B/1.30A	----	1.10 - 0.10	.0024	----	----	----	----	13 UNCH
2315	----	----	----	1.10B/1.40A	----	1.20 - 0.10	.0027	----	----	----	----	40 UNCH
2330	----	----	----	1.20B/1.40A	----	1.20 - 0.10	.0027	----	----	----	----	9 UNCH
2350	----	----	----	1.20B/1.50A	----	1.20 - 0.10	.0027	----	----	----	----	1 UNCH
2380	----	----	----	1.30B/1.50A	----	1.30 - 0.10	.0030	----	----	----	----	9 UNCH
2385	----	----	----	1.30B/1.50A	----	1.30 - 0.10	.0030	----	----	----	----	1 UNCH
2390	----	----	----	1.40B/1.60A	----	1.30 - 0.10	.0030	----	----	----	----	1 UNCH
2395	----	----	----	1.30B/1.50A	----	1.30 - 0.10	.0030	----	----	----	----	1 UNCH
2400	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0032	----	----	----	----	72 UNCH
2405	----	----	----	1.30B/1.60A	----	1.40 - 0.10	.0032	----	----	----	----	1 UNCH
2410	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0032	----	----	----	----	6 UNCH
2415	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0032	----	----	----	----	1 UNCH
2420	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0032	----	----	----	----	5 UNCH
2425	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0032	----	----	----	----	2 UNCH
2430	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0032	----	----	----	----	1 UNCH
2445	----	----	----	1.50B/1.70A	----	1.50 - 0.10	.0035	----	----	----	----	5 UNCH
2450	----	----	----	1.50B/1.70A	----	1.50 - 0.10	.0035	----	----	----	----	2 UNCH
2460	----	----	----	1.50B/1.70A	----	1.50 - 0.10	.0035	----	----	----	----	1 UNCH
2465	----	----	----	1.50B/1.70A	----	1.50 - 0.10	.0035	----	----	----	----	7 UNCH
2475	----	----	----	1.60B/1.80A	----	1.60 UNCH	.0037	----	----	----	----	1 UNCH
2495	----	----	----	1.60B/1.80A	----	1.60 - 0.10	.0038	----	----	----	----	1 UNCH
2500	----	----	----	1.70B/1.80A	----	1.70 UNCH	.0040	----	----	----	----	1821 UNCH
2510	----	----	----	1.70B/1.90A	----	1.70 UNCH	.0040	----	----	----	----	2 UNCH
2525	----	----	----	1.70B/1.90A	----	1.70 - 0.10	.0040	----	----	----	----	25 UNCH
2535	----	----	----	1.80B/1.90A	----	1.80 UNCH	.0042	----	----	----	----	5 UNCH
2540	----	----	----	1.80B/2.00A	----	1.80 UNCH	.0042	----	----	----	----	5 UNCH
2550	----	----	----	1.90B/2.00A	----	1.80 - 0.10	.0043	----	----	----	----	50 UNCH
2565	----	----	----	1.90B/2.00A	----	1.90 UNCH	.0045	----	----	----	----	5 UNCH
2580	----	----	----	1.90B/2.10A	----	1.90 - 0.10	.0045	----	----	----	----	5 UNCH
2590	----	----	----	2.00B/2.10A	----	2.00 UNCH	.0048	----	----	----	----	8 UNCH
2600	----	----	2.10B/----	2.10B/2.20A	----	2.00 UNCH	.0048	----	----	2	----	159 + 2
2650	----	----	----	2.20B/2.40A	----	2.20 UNCH	.0053	----	----	----	----	1 UNCH
2700	2.60	2.60	2.60/2.60	2.60/2.60	----	2.40 UNCH	.0059	----	----	1	----	428 UNCH
2730	----	----	2.60B/----	2.60B/2.70A	----	2.50 UNCH	.0062	----	----	----	----	5 UNCH
2750	----	----	2.70B/----	2.70B/2.80A	----	2.60 UNCH	.0065	----	----	----	----	1 UNCH
2800	----	----	3.00B/----	3.00B/3.00A	----	2.90 UNCH	.0073	----	----	----	----	749 UNCH
2805	----	----	3.00B/----	3.00B/3.00A	----	2.90 UNCH	.0073	----	----	----	----	223 UNCH
2810	----	----	3.00B/----	3.00B/3.00A	----	2.90 UNCH	.0074	----	----	----	----	39 UNCH
2825	----	----	3.10B/----	3.10B/3.10A	----	3.00 UNCH	.0076	----	----	----	----	51 UNCH
2830	----	----	3.20B/----	3.20B/3.10A	----	3.00 UNCH	.0076	----	----	----	----	25 UNCH
2850	----	----	3.30B/----	3.30B/3.20A	----	3.10 UNCH	.0079	----	----	----	----	22 UNCH
2875	----	----	3.40B/----	3.40B/3.30A	----	3.30 UNCH	.0085	----	----	----	----	7 UNCH
2900	----	----	3.60B/----	3.60B/3.50A	----	3.40 UNCH	.0088	----	----	----	----	154 UNCH
2905	----	----	3.60B/----	3.60B/3.50A	----	3.50 + 0.10	.0091	----	----	----	----	5 UNCH
2915	----	----	3.70B/----	3.70B/3.60A	----	3.50 UNCH	.0091	----	----	----	----	1 UNCH
2930	----	----	3.80B/----	3.80B/3.70A	----	3.60 UNCH	.0094	----	----	----	----	1 UNCH
2935	----	----	3.80B/----	3.80B/3.70A	----	3.60 UNCH	.0094	----	----	----	----	3 UNCH
2950	----	----	3.90B/----	3.90B/3.80A	----	3.70 UNCH	.0097	----	----	----	----	24 UNCH
2970	----	----	4.10B/----	4.10B/3.90A	----	3.90 UNCH	.0103	----	----	----	----	1 UNCH
2975	----	----	4.10B/----	4.10B/4.00A	----	3.90 UNCH	.0103	----	----	----	----	9 UNCH
2990	----	----	4.30B/----	4.30B/4.10A	----	4.00 UNCH	.0106	----	----	----	----	5 UNCH
2995	----	----	4.30B/----	4.30B/4.10A	----	4.00 UNCH	.0106	----	----	----	----	6 UNCH
3000	4.40	4.40	4.40/4.10A	4.40/4.10A	----	4.10 UNCH	.0109	----	----	2	----	1598 UNCH
3005	----	----	4.40B/----	4.40B/4.20A	----	4.10 UNCH	.0109	----	----	----	----	30 UNCH
3010	----	----	4.50B/----	4.50B/4.20A	----	4.10 UNCH	.0110	----	----	----	----	8 UNCH
3015	----	----	4.50B/----	4.50B/4.20A	----	4.20 UNCH	.0112	----	----	----	----	215 UNCH
3020	----	----	4.50B/----	4.50B/4.30A	----	4.20 UNCH	.0112	----	----	----	----	35 UNCH
3035	----	----	4.70B/----	4.70B/4.40A	----	4.30 UNCH	.0116	----	----	----	----	1 UNCH
3050	----	----	4.80B/----	4.80B/4.50A	----	4.50 + 0.10	.0121	----	----	----	----	389 UNCH
3065	----	----	5.00B/----	5.00B/4.60A	----	4.60 UNCH	.0124	----	----	----	----	7 UNCH
3070	----	----	5.00B/----	5.00B/4.70A	----	4.60 UNCH	.0125	----	----	----	----	6 UNCH
3075	----	----	5.10B/----	5.10B/4.70A	----	4.70 UNCH	.0127	----	----	----	----	10 UNCH
3080	----	----	5.10B/----	5.10B/4.80A	----	4.70 UNCH	.0128	----	----	----	----	8 UNCH
3095	----	----	5.30B/----	5.30B/4.90A	----	4.80 UNCH	.0131	----	----	----	----	41 UNCH
3100	----	----	5.30B/----	5.30B/4.90A	----	4.90 UNCH	.0133	----	----	----	----	365 UNCH
3105	----	----	5.40B/----	5.40B/5.00A	----	4.90 UNCH	.0134	----	----	----	----	13 UNCH
3110	----	----	5.40B/----	5.40B/5.00A	----	5.00 UNCH	.0136	----	----	----	----	10 UNCH
3120	----	----	5.50B/----	5.50B/5.10A	----	5.10 UNCH	.0139	----	----	----	----	13 UNCH
3125	----	----	5.60B/----	5.60B/5.10A	----	5.10 UNCH	.0140	----	----	----	----	10 UNCH
3130	----	----	5.70B/----	5.70B/5.20A	----	5.10 UNCH	.0140	----	----	----	----	26 UNCH
3140	----	----	5.70B/----	5.70B/5.30A	----	5.20 UNCH	.0143	----	----	----	----	5 UNCH
3150	----	----	5.90B/----	5.90B/5.40A	----	5.30 UNCH	.0147	----	----	----	----	142 UNCH
3155	----	----	5.90B/----	5.90B/5.40A	----	5.40 UNCH	.0149	----	----	----	----	16 UNCH
3160	----	----	6.00B/----	6.00B/5.50A	----	5.40 UNCH	.0150	----	----	----	----	5 UNCH
3170	----	----	6.10B/----	6.10B/5.60A	----	5.50 UNCH	.0153	----	----	----	----	6 UNCH
3175	----	----	6.20B/----	6.20B/5.60A	----	5.60 UNCH	.0155	----	----	----	----	12 UNCH
3180	----	----	6.40B/5.60A	6.40B/5.60A	----	5.60 - 0.10	.0156	----	----	----	----	5 UNCH
3185	----	----	6.30B/----	6.30B/5.70A	----	5.70 UNCH	.0159	----	----	----	----	6 UNCH
3190	----	----	6.30B/----	6.30B/5.80A	----	5.80 UNCH	.0161	----	----	----	----	18 UNCH
3195	----	----	6.60B/----	6.60B/5.80A	----	5.80 UNCH	.0162	----	----	----	----	12 UNCH
3200	----	----	6.50B/----	6.50B/5.90A	----	5.90 UNCH	.0165	----	----	----	----	289 UNCH
3205	----	----	6.50B/----	6.50B/5.90A	----	5.90 UNCH	.0165	----	----	----	----	42 UNCH
3210	----	----	6.80B/----	6.80B/6.00A	----	6.00 UNCH	.0168	----	----	----	----	15 UNCH
3215	----	----	6.70B/----	6.70B/6.00A	----	6.00 UNCH	.0168	----	----	----	----	22 UNCH
3220	----	----	6.70B/----	6.70B/6.10A	----	6.10 UNCH	.0171	----	----	----	----	7 UNCH
3225	----	----	6.80B/6.10A	6.80B/6.10A	----	6.10 - 0.10	.0172	----	----	----	----	65 UNCH
3235	----	----	6.90B/6.20A	6.90B/6.20A	----	6.30 UNCH	.0177	----	----	----	----	24 UNCH
3250	----	----	7.30B/6.40A	7.30B/6.40A	----	6.50 UNCH	.0183	----	----	----	----	147 UNCH
3255	----	----	7.20B/6.40A	7.20B/6.40A	----	6.50 UNCH	.0184	----	----	----	----	110 UNCH
3260	----	----	7.40B/6.50A	7.40B/6.50A	----	6.60 UNCH	.0187	----	----	----	----	1 UNCH
3265	----	----	7.50B/6.50A	7.50B/6.50A	----	6.60 - 0.10	.0187	----	----	----	----	20 UNCH
3270	----	----	7.50B/6.60A	7.50B/6.60A	----	6.70 UNCH	.0190	----	----	----	----	7 UNCH
3280	----	----	7.70B/6.40A	7.70B/6.40A	----	6.80 - 0.10	.0194	----	----	----	----	13 UNCH
3290	----	----	7.90B/6.80A	7.90B/6.80A	----	7.00 UNCH	.0199	----	----	----	----	37 UNCH
3300	7.10	7.10	8.00B/6.90A	8.00B/6.90A	----	7.10 UNCH	.0203	----	----	2	----	372 UNCH
3305	----	----	8.20B/7.00A	8.20B/7.00A	----	7.20 UNCH	.0206	----	----	----	----	1 UNCH
3310	----	----	8.30B/6.70A	8.30B/6.70A	----	7.30 UNCH	.0208	----	----	----	----	7 UNCH
3320	----	----	8.50B/6.90A	8.50B/6.90A	----	7.40 UNCH	.0212	----	----	----	----	4 UNCH
3325	----	----	8.60B/7.20A	8.60B/7.20A	----	7.50 UNCH	.0215	----	----	----	----	47 UNCH
3335	----	----	8.70B/7.40A	8.70B/7.40A	----	7.60 - 0.10	.0219	----	----	----	----	46 UNCH
3340	----	----	8.80B/7.40A	8.80B/7.40A	----	7.70 UNCH	.0221	----	----	----	----	22 UNCH
3345	----	----	8.90B/7.50A	8.90B/7.50A	----	7.80 UNCH	.0224	----	----	----	----	12 UNCH
3350	----	----	9.00B/7.60A	9.00B/7.60A	----	7.90 UNCH	.0227	----	----	----	----	407 UNCH
3355	----	----	9.20B/7.60A	9.20B/7.60A	----	8.00 UNCH	.0230	----	----	----	----	1 UNCH
3360	----	----	9.20B/7.70A	9.20B/7.70A	----	8.00 - 0.10	.0231	----	----	----	----	8 UNCH
3365	----	----	9.30B/7.80A	9.30B/7.80A	----	8.10 - 0.10	.0234	----	----	----	----	29 UNCH
3370	----	----	9.40B/7.50A	9.40B/7.50A	----	8.20 UNCH	.0237	----	----	----	----	26 UNCH
3375	----	----	9.50B/7.90A	9.50B/7.90A	----	8.30 UNCH	.0240	----	----	----	----	98 UNCH
3380	----	----	9.60B/8.00A	9.60B/8.00A	----	8.40 UNCH	.0243	----	----	----	----	46 UNCH
3385	----	----	9.70B/8.10A	9.70B/8.10A	----	8.50 UNCH	.0246	----	----	----	----	6 UNCH
3390	9.40	9.40	9.90B/8.20A	9.90B/8.20A	----	8.60 UNCH	.0249	----	----	3	----	43 + 3
3395	----	----	10.00B/8.20A	10.00B/8.20A	----	8.70 UNCH	.0252	----	----	----	----	1 UNCH
3400	----	----	10.10B/8.30A	10.10B/8.30A	----	8.80 UNCH	.0255	----	----	1	----	734 + 1
3405	----	----	10.20B/8.40A	10.20B/8.40A	----	8.90 UNCH	.0258	----	----	----	----	66 UNCH
3410	----	----	10.40B/8.50A	10.40B/8.50A	----	8.90 - 0.10	.0259	----	----	----	----	7 UNCH
3415	----	----	10.50B/8.60A	10.50B/8.60A	----	9.00 - 0.10	.0262	----	----	----	----	2 UNCH
3420	----	----	10.60B/8.70A	10.60B/8.70A	----	9.10 - 0.10	.0265	----	----	----	----	18 UNCH
3425	----	----	10.70B/8.70A	10.70B/8.70A	----	9.20 - 0.10	.0268	----	----	----	----	25 UNCH
3430	----	----	10.80B/8.80A	10.80B/8.80A	----	9.30 - 0.10	.0272	----	----	----	----	4 UNCH
3435	----	----	11.00B/8.90A	11.00B/8.90A	----	9.40 - 0.10	.0275	----	----	----	----	20 UNCH
3440	----	----	11.10B/9.00A	11.10B/9.00A	----	9.60 UNCH	.0280	----	----	----	----	1 UNCH
3450	----	----	11.50B/9.20A	11.50B/9.20A	----	9.80 UNCH	.0286	----	----	----	----	427 UNCH
3455	----	----	11.50B/9.30A	11.50B/9.30A	----	9.90 UNCH	.0290	----	----	----	----	51 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3460	----	----	11.60B/9.40A	11.60B/9.40A	----	10.00 UNCH	.0293	----	----	----	----	50 UNCH
3465	----	----	11.80B/9.40A	11.80B/9.40A	----	10.10 UNCH	.0296	----	----	----	----	89 UNCH
3470	----	----	11.90B/9.30A	11.90B/9.30A	----	10.20 UNCH	.0299	----	----	----	----	28 UNCH
3475	----	----	12.20B/9.70A	12.20B/9.70A	----	10.30 - 0.10	.0302	----	----	----	----	241 UNCH
3480	----	----	12.20B/9.80A	12.20B/9.80A	----	10.40 - 0.10	.0306	----	----	----	----	171 UNCH
3485	----	----	12.40B/9.90A	12.40B/9.90A	----	10.60 UNCH	.0311	----	----	----	----	2 UNCH
3490	----	----	12.50B/10.00A	12.50B/10.00A	----	10.70 UNCH	.0314	----	----	----	----	21 UNCH
3495	----	----	12.70B/10.10A	12.70B/10.10A	----	10.80 UNCH	.0318	----	----	----	----	0 UNCH
3500	9.90	9.90	13.00B/9.80A	13.00B/9.80A	----	10.90 - 0.10	.0321	----	----	38	----	1699 - 4
3505	----	----	13.10B/10.40A	13.10B/10.40A	----	11.00 - 0.10	.0324	----	----	----	----	65 UNCH
3510	----	----	13.30B/10.50A	13.30B/10.50A	----	11.20 UNCH	.0330	----	----	----	----	61 UNCH
3515	----	----	13.30B/10.60A	13.30B/10.60A	----	11.30 - 0.10	.0333	----	----	----	----	16 UNCH
3520	----	----	13.60B/10.40A	13.60B/10.40A	----	11.40 - 0.10	.0336	----	----	----	----	248 UNCH
3525	----	----	13.70B/10.80A	13.70B/10.80A	----	11.60 UNCH	.0342	----	----	----	----	301 UNCH
3530	----	----	14.00B/10.90A	14.00B/10.90A	----	11.70 - 0.10	.0345	----	----	----	----	5 UNCH
3535	----	----	14.20B/10.80A	14.20B/10.80A	----	11.80 - 0.10	.0349	----	----	----	----	100 UNCH
3540	----	----	14.30B/10.90A	14.30B/10.90A	----	12.00 UNCH	.0354	----	----	----	----	5 UNCH
3545	----	----	14.50B/11.00A	14.50B/11.00A	----	12.10 - 0.10	.0358	----	----	----	----	20 UNCH
3550	11.40	11.40	14.70B/11.20A	14.70B/11.20A	----	12.20 - 0.10	.0361	----	----	1	----	418 UNCH
3555	----	----	14.90B/11.30A	14.90B/11.30A	----	12.40 - 0.10	.0367	----	----	----	----	2 UNCH
3560	----	----	15.10B/11.50A	15.10B/11.50A	----	12.50 - 0.10	.0370	----	----	----	----	86 UNCH
3565	----	----	15.20B/11.50A	15.20B/11.50A	----	12.70 - 0.10	.0376	----	----	----	----	41 UNCH
3570	----	----	15.40B/11.70A	15.40B/11.70A	----	12.80 - 0.10	.0380	----	----	----	----	60 UNCH
3575	----	----	15.50B/11.80A	15.50B/11.80A	----	13.00 - 0.10	.0385	----	----	1	----	43 UNCH
3580	----	----	15.80B/12.00A	15.80B/12.00A	----	13.10 - 0.10	.0389	----	----	----	----	77 UNCH
3585	----	----	16.00B/12.10A	16.00B/12.10A	----	13.30 - 0.10	.0394	----	----	----	----	2 UNCH
3590	----	----	16.20B/12.30A	16.20B/12.30A	----	13.40 - 0.10	.0398	----	----	----	----	1 UNCH
3595	----	----	16.50B/12.40A	16.50B/12.40A	----	13.60 - 0.10	.0404	----	----	----	----	23 UNCH
3600	15.00	15.00	16.70B/12.60A	16.70B/12.60A	----	13.80 - 0.10	.0410	----	----	11	----	1666 + 6
3610	----	----	17.10B/12.90A	17.10B/12.90A	----	14.10 - 0.10	.0419	----	----	----	----	5 UNCH
3615	----	----	17.30B/13.10A	17.30B/13.10A	----	14.30 - 0.10	.0425	----	----	----	----	37 UNCH
3620	----	----	17.60B/13.20A	17.60B/13.20A	----	14.40 - 0.20	.0429	----	----	----	----	12 UNCH
3625	----	----	17.80B/13.40A	17.80B/13.40A	----	14.60 - 0.20	.0434	----	----	2	----	68 UNCH
3630	----	----	18.00B/13.60A	18.00B/13.60A	----	14.80 - 0.10	.0440	----	----	----	----	86 UNCH
3635	----	----	18.30B/13.70A	18.30B/13.70A	----	15.00 - 0.10	.0446	----	----	----	----	107 UNCH
3640	----	----	18.40B/13.90A	18.40B/13.90A	----	15.20 - 0.10	.0452	----	----	2	----	25 UNCH
3645	----	----	18.60B/14.10A	18.60B/14.10A	----	15.30 - 0.20	.0456	----	----	----	----	13 UNCH
3650	----	----	19.00B/14.20A	19.00B/14.20A	----	15.50 - 0.20	.0462	----	----	----	----	521 UNCH
3655	----	----	19.10B/14.40A	19.10B/14.40A	----	15.70 - 0.20	.0468	----	----	----	----	2 UNCH
3660	----	----	19.50B/14.50A	19.50B/14.50A	----	15.90 - 0.20	.0474	----	----	----	----	1 UNCH
3665	----	----	19.60B/14.70A	19.60B/14.70A	----	16.10 - 0.20	.0480	----	----	----	----	14 UNCH
3670	----	----	20.00B/14.90A	20.00B/14.90A	----	16.30 - 0.20	.0486	----	----	----	----	31 UNCH
3675	----	----	20.70B/15.10A	20.70B/15.10A	----	16.50 - 0.20	.0492	----	----	----	----	45 UNCH
3680	----	----	20.90B/15.20A	20.90B/15.20A	----	16.70 - 0.20	.0498	----	----	----	----	18 UNCH
3685	----	----	21.20B/15.40A	21.20B/15.40A	----	16.90 - 0.20	.0504	----	----	----	----	51 UNCH
3690	----	----	21.50B/15.60A	21.50B/15.60A	----	17.10 - 0.30	.0510	----	----	----	----	7 UNCH
3695	----	----	21.70B/15.80A	21.70B/15.80A	----	17.30 - 0.30	.0516	----	----	----	----	19 UNCH
3700	----	----	22.00B/16.00A	22.00B/16.00A	----	17.50 - 0.30	.0522	----	----	15	----	837 UNCH
3705	17.90	17.90	22.30B/16.10A	22.30B/16.10A	----	17.80 - 0.20	.0531	----	----	3	----	123 + 3
3710	----	----	22.60B/16.30A	22.60B/16.30A	----	18.00 - 0.30	.0537	----	----	----	----	79 UNCH
3715	----	----	22.90B/16.50A	22.90B/16.50A	----	18.20 - 0.30	.0543	----	----	----	----	46 UNCH
3720	20.30	20.30	23.20B/16.70A	23.20B/16.70A	----	18.40 - 0.30	.0549	----	----	1	----	2 + 1
3725	----	----	23.50B/16.90A	23.50B/16.90A	----	18.70 - 0.30	.0558	----	----	----	----	90 UNCH
3730	----	----	23.80B/17.10A	23.80B/17.10A	----	18.90 - 0.30	.0564	----	----	2	----	18 - 1
3740	----	----	24.40B/17.50A	24.40B/17.50A	----	19.40 - 0.30	.0579	----	----	----	----	67 UNCH
3745	----	----	24.80B/17.70A	24.80B/17.70A	----	19.60 - 0.40	.0585	----	----	----	----	19 UNCH
3750	21.40	21.40	25.10B/18.00A	25.10B/18.00A	----	19.90 - 0.40	.0593	----	----	26	----	1283 - 8
3755	----	----	25.40B/18.20A	25.40B/18.20A	----	20.10 - 0.40	.0600	----	----	----	----	2 UNCH
3760	----	----	25.70B/18.40A	25.70B/18.40A	----	20.40 - 0.40	.0608	----	----	----	----	24 UNCH
3765	----	----	26.10B/18.60A	26.10B/18.60A	----	20.60 - 0.50	.0615	----	----	----	----	48 UNCH
3770	----	----	26.40B/18.80A	26.40B/18.80A	----	20.90 - 0.40	.0623	----	----	----	----	10 UNCH
3775	----	----	26.70B/19.10A	26.70B/19.10A	----	21.20 - 0.40	.0632	----	----	----	----	40 UNCH
3780	----	----	27.10B/19.30A	27.10B/19.30A	----	21.40 - 0.50	.0639	----	----	----	----	14 UNCH
3785	----	----	27.40B/19.50A	27.40B/19.50A	----	21.70 - 0.50	.0647	----	----	----	----	6 UNCH
3790	----	----	27.80B/19.80A	27.80B/19.80A	----	22.00 - 0.50	.0656	----	----	----	----	257 UNCH
3795	----	----	28.20B/20.00A	28.20B/20.00A	----	22.30 - 0.50	.0664	----	----	----	----	55 UNCH
3800	24.50	24.50	28.50B/20.20A	28.50B/20.20A	----	22.50 - 0.60	.0671	----	----	25	----	1250 - 1
3805	----	----	28.90B/20.50A	28.90B/20.50A	----	22.80 - 0.60	.0680	----	----	----	----	67 UNCH
3810	21.70	21.70	29.30B/20.70A	29.30B/20.70A	----	23.10 - 0.60	.0689	----	----	1	----	16 UNCH
3815	----	----	29.60B/21.00A	29.60B/21.00A	----	23.40 - 0.60	.0697	----	----	----	----	38 UNCH
3820	----	----	30.00B/21.20A	30.00B/21.20A	----	23.70 - 0.70	.0706	----	----	----	----	11 UNCH
3825	----	----	30.40B/21.50A	30.40B/21.50A	----	24.00 - 0.70	.0715	----	----	----	----	43 UNCH
3830	----	----	30.80B/21.80A	30.80B/21.80A	----	24.30 - 0.70	.0724	----	----	----	----	184 UNCH
3835	----	----	31.20B/22.00A	31.20B/22.00A	----	24.60 - 0.70	.0733	----	----	----	----	55 UNCH
3840	----	----	31.60B/22.30A	31.60B/22.30A	----	25.00 - 0.70	.0744	----	----	----	----	3 UNCH
3850	25.90	25.90	32.50B/22.90A	32.50B/22.90A	----	25.60 - 0.80	.0762	----	----	3	----	687 + 1
3855	24.40	24.40	32.90B/23.10A	32.90B/23.10A	----	25.90 - 0.80	.0771	----	----	1	----	72 UNCH
3860	----	----	33.40B/23.40A	33.40B/23.40A	----	26.30 - 0.80	.0782	----	----	----	----	29 UNCH
3865	----	----	33.80B/23.70A	33.80B/23.70A	----	26.60 - 0.80	.0791	----	----	----	----	16 UNCH
3870	----	----	34.20B/24.00A	34.20B/24.00A	----	27.00 - 0.80	.0802	----	----	----	----	15 UNCH
3875	----	----	34.70B/24.30A	34.70B/24.30A	----	27.30 - 0.90	.0811	----	----	5	----	163 UNCH
3880	----	----	35.20B/24.60A	35.20B/24.60A	----	27.70 - 0.90	.0822	----	----	----	----	14 UNCH
3885	----	----	35.60B/24.90A	35.60B/24.90A	----	28.00 - 0.90	.0831	----	----	----	----	12 UNCH
3890	----	----	36.10B/25.20A	36.10B/25.20A	----	28.40 - 0.90	.0842	----	----	----	----	43 UNCH
3895	31.20	31.20	36.60B/25.50A	36.60B/25.50A	----	28.70 - 1.00	.0852	----	----	1	----	16 + 1
3900	35.00	35.00	37.00B/25.80A	37.00B/25.80A	----	29.10 - 1.00	.0863	----	----	15	140	680 + 85
3905	----	----	37.50B/26.20A	37.50B/26.20A	----	29.50 - 1.00	.0874	----	----	----	----	44 UNCH
3910	----	----	38.00B/26.60A	38.00B/26.60A	----	29.90 - 1.00	.0885	----	----	----	----	8 UNCH
3915	----	----	38.50B/27.00A	38.50B/27.00A	----	30.30 - 1.00	.0897	----	----	----	----	29 UNCH
3920	----	----	39.00B/27.30A	39.00B/27.30A	----	30.70 - 1.10	.0908	----	----	----	----	38 UNCH
3925	----	----	39.50B/27.70A	39.50B/27.70A	----	31.10 - 1.10	.0919	----	----	----	----	50 UNCH
3930	----	----	40.00B/28.00A	40.00B/28.00A	----	31.50 - 1.10	.0931	----	----	----	----	24 UNCH
3935	34.00	34.00	40.60B/28.40A	40.60B/28.40A	----	31.90 - 1.10	.0942	----	----	4	----	21 + 3
3940	----	----	41.10B/28.70A	41.10B/28.70A	----	32.30 - 1.20	.0954	----	----	----	----	105 UNCH
3945	----	----	41.60B/29.10A	41.60B/29.10A	----	32.70 - 1.20	.0965	----	----	----	----	25 UNCH
3950	----	----	42.20B/29.50A	42.20B/29.50A	----	33.10 - 1.30	.0977	----	----	2	----	309 + 2
3955	----	----	42.70B/29.80A	42.70B/29.80A	----	33.60 - 1.30	.0990	----	----	----	----	6 UNCH
3960	----	----	43.30B/30.20A	43.30B/30.20A	----	34.00 - 1.30	.1002	----	----	----	----	32 UNCH
3965	----	----	43.90B/30.60A	43.90B/30.60A	----	34.50 - 1.30	.1016	----	----	----	----	23 UNCH
3970	----	----	44.40B/31.00A	44.40B/31.00A	----	34.90 - 1.40	.1027	----	----	1	----	72 UNCH
3975	37.80	37.80	45.00B/31.40A	45.00B/31.40A	----	35.40 - 1.40	.1041	----	----	2	----	336 - 1
3980	----	----	45.60B/31.80A	45.60B/31.80A	----	35.80 - 1.40	.1053	----	----	1	----	32 UNCH
3985	----	----	46.20B/32.20A	46.20B/32.20A	----	36.30 - 1.40	.1066	----	----	----	----	27 UNCH
3990	----	----	46.80B/32.60A	46.80B/32.60A	----	36.80 - 1.50	.1080	----	----	----	----	24 UNCH
3995	----	----	47.40B/33.10A	47.40B/33.10A	----	37.30 - 1.50	.1094	----	----	----	----	151 UNCH
4000	35.90	35.90	48.00B/33.30A	48.00B/33.30A	----	37.70 - 1.60	.1106	----	----	35	----	3652 - 17
4005	----	----	48.60B/33.80A	48.60B/33.80A	----	38.20 - 1.60	.1120	----	----	----	----	29 UNCH
4010	----	----	49.20B/34.40A	49.20B/34.40A	----	38.70 - 1.60	.1134	----	----	----	----	45 UNCH
4015	----	----	49.90B/34.80A	49.90B/34.80A	----	39.30 - 1.60	.1149	----	----	----	----	16 UNCH
4020	----	----	50.50B/35.10A	50.50B/35.10A	----	39.80 - 1.60	.1163	----	----	----	----	83 UNCH
4025	----	----	51.20B/35.60A	51.20B/35.60A	----	40.30 - 1.70	.1177	----	----	10	----	215 + 10
4030	----	----	51.80B/36.00A	51.80B/36.00A	----	40.80 - 1.70	.1191	----	----	1	----	9 + 1
4035	38.10	38.10	52.50B/36.50A	52.50B/36.50A	----	41.40 - 1.70	.1207	----	----	15	----	48 + 2
4040	----	----	53.20B/37.00A	53.20B/37.00A	----	41.90 - 1.80	.1221	----	----	----	----	76 UNCH
4045	----	----	53.90B/37.50A	53.90B/37.50A	----	42.50 - 1.80	.1237	----	----	----	----	1 UNCH
4050	----	----	54.60B/38.00A	54.60B/38.00A	----	43.00 - 1.90	.1251	----	----	4	----	1250 - 3
4055	----	----	55.30B/38.60A	55.30B/38.60A	----	43.60 - 1.90	.1267	----	----	----	----	9 UNCH
4060	----	----	56.00B/39.00A	56.00B/39.00A	----	44.20 - 1.90	.1283	----	----	2	----	85 - 2
4065	----	----	56.70B/39.50A	56.70B/39.50A	----	44.70 - 2.00	.1298	----	----	----	----	119 UNCH
4070	----	----	57.40B/40.00A	57.40B/40.00A	----	45.30 - 2.00	.1314	----	----	----	----	61 UNCH
4075	48.40	48.40	58.20B/40.50A	58.20B/40.50A	----	45.90 - 2.10	.1330	----	----	1	----	248 - 1
4080	----	----	58.90B/41.00A	58.90B/41.00A	----	46.50 - 2.10	.1346	----	----	2	----	97 UNCH
4085	----	----	59.70B/41.60A	59.70B/41.60A	----	47.20 - 2.00	.1364	----	----	----	----	22 UNCH
4090	----	----	60.40B/42.10A	60.40B/42.10A	----	47.80 - 2.10	.1380	----	----	----	----	113 UNCH
4095	51.00	51.00	61.20B/42.70A	61.20B/42.70A	----	48.40 - 2.20	.1397	----	----	15	----	60 + 14
4100	50.70	50.70	62.00B/43.20A	62.00B/43.20A	----	49.00 - 2.20	.1413	----	----	175	----	1277 - 40
4105	----	----	62.80B/43.80A	62.80B/43.80A	----	49.70 - 2.20	.1431	----	----	----	----	97 UNCH
4110	----	----	63.60B/44.40A	63.60B/44.40A	----	50.30 - 2.30	.1448	----	----	----	----	143 UNCH
4115	----	----	64.40B/45.10A	64.40B/45.10A	----	51.00 - 2.30	.1466	----	----	----	----	456 UNCH
4120	----	----	65.20B/45.50A	65.20B/45.50A	----	51.70 - 2.30	.1484	----	----	----	----	29 UNCH
4125	----	----	66.00B/46.20A	66.00B/46.20A	----	52.40 - 2.30	.1502	----	----	----	----	377 UNCH
4130	----	----	66.90B/46.70A	66.90B/46.70A	----	53.10 - 2.40	.1520	----	----	----	----	19 UNCH
4135	----	----	67.70B/47.30A	67.70B/47.30A	----	53.80 - 2.40	.1539	----	----	----	----	24 UNCH
4140	----	----	68.60B/48.00A	68.60B/48.00A	----	54.50 - 2.50	.1557	----	----	----	----	15 UNCH
4145	59.10	59.10	69.50B/48.60A	69.50B/48.60A	----	55.20 - 2.50	.1575	----	----	19	----	218 + 6
4150	59.80	59.80	70.40B/49.20A	70.40B/49.20A	----	55.90 - 2.60	.1594	----	----	127	----	507 + 24
4155	----	----	71.30B/49.90A	71.30B/49.90A	----	56.70 - 2.60	.1614	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4160	----	----	72.20B/50.50A	72.20B/50.50A	----	57.40 - 2.70	.1633	----	----	----	----	61 UNCH
4165	----	----	73.10B/51.30A	73.10B/51.30A	----	58.20 - 2.60	.1653	----	----	----	----	27 UNCH
4170	----	----	74.00B/51.90A	74.00B/51.90A	----	58.90 - 2.80	.1671	----	----	----	----	48 UNCH
4175	----	----	75.00B/52.50A	75.00B/52.50A	----	59.70 - 2.80	.1692	----	----	7	----	913 - 1
4180	----	----	75.90B/53.20A	75.90B/53.20A	----	60.50 - 2.80	.1712	----	----	----	----	126 UNCH
4185	----	----	76.90B/53.90A	76.90B/53.90A	----	61.30 - 2.80	.1732	----	----	1	----	15 UNCH
4190	----	----	77.90B/54.70A	77.90B/54.70A	----	62.10 - 2.90	.1753	----	----	----	----	44 UNCH
4195	----	----	78.80B/55.40A	78.80B/55.40A	----	62.90 - 2.90	.1773	----	----	----	----	33 UNCH
4200	60.90	60.90	79.80B/56.10A	79.80B/56.10A	----	63.80 - 2.90	.1795	----	----	264	----	2916 + 14
4205	----	----	80.90B/56.90A	80.90B/56.90A	----	64.60 - 3.00	.1816	----	----	----	----	58 UNCH
4210	----	----	81.90B/57.70A	81.90B/57.70A	----	65.50 - 3.00	.1838	----	----	----	----	392 UNCH
4215	----	----	82.90B/58.40A	82.90B/58.40A	----	66.30 - 3.10	.1858	----	----	----	----	9 UNCH
4220	----	----	84.00B/59.10A	84.00B/59.10A	----	67.20 - 3.10	.1880	----	----	1	----	192 UNCH
4225	69.80	69.80	85.00B/60.10A	85.00B/60.10A	----	68.10 - 3.10	.1903	----	----	11	----	267 + 9
4230	----	----	86.10B/60.70A	86.10B/60.70A	----	69.00 - 3.20	.1925	----	----	----	----	69 UNCH
4235	----	----	87.20B/61.50A	87.20B/61.50A	----	69.90 - 3.20	.1947	----	----	----	----	47 UNCH
4240	----	----	88.30B/62.50A	88.30B/62.50A	----	70.80 - 3.30	.1970	----	----	----	----	53 UNCH
4245	----	----	89.40B/63.30A	89.40B/63.30A	----	71.80 - 3.30	.1993	----	----	----	----	37 UNCH
4250	91.40	91.40	91.40/63.90A	91.40/63.90A	----	72.70 - 3.30	.2016	----	----	20	----	709 + 17
4255	----	----	91.60B/64.80A	91.60B/64.80A	----	73.70 - 3.30	.2040	----	----	----	----	10 UNCH
4260	72.10	72.10	92.80B/65.70A	92.80B/65.70A	----	74.60 - 3.40	.2062	----	----	4	----	106 + 1
4265	----	----	93.90B/66.50A	93.90B/66.50A	----	75.60 - 3.50	.2086	----	----	9	----	43 + 8
4270	----	----	95.10B/67.60A	95.10B/67.60A	----	76.60 - 3.50	.2110	----	----	9	----	51 + 1
4275	73.40	73.40	96.20B/68.20A	96.20B/68.20A	----	77.60 - 3.50	.2134	----	----	50	----	88 - 25
4280	----	----	97.40B/69.10A	97.40B/69.10A	----	78.60 - 3.60	.2158	----	----	----	----	76 UNCH
4285	----	----	98.60B/70.10A	98.60B/70.10A	----	79.70 - 3.60	.2184	----	----	----	----	13 UNCH
4290	----	----	99.80B/71.00A	99.80B/71.00A	----	80.70 - 3.70	.2208	----	----	----	----	73 UNCH
4295	----	----	101.10B/71.90A	101.10B/71.90A	----	81.80 - 3.70	.2234	----	----	----	----	22 UNCH
4300	86.10	86.10	102.30B/72.90A	102.30B/72.90A	----	82.80 - 3.80	.2258	----	----	155	----	2440 - 50
4305	95.70	95.70	103.60B/73.80A	103.60B/73.80A	----	83.90 - 3.80	.2284	----	----	3	----	74 + 1
4310	----	----	104.80B/74.80A	104.80B/74.80A	----	85.00 - 3.80	.2309	----	----	----	----	53 UNCH
4315	----	----	106.10B/75.80A	106.10B/75.80A	----	86.10 - 3.90	.2335	----	----	----	----	49 UNCH
4320	----	----	107.40B/76.70A	107.40B/76.70A	----	87.20 - 3.90	.2361	----	----	1	----	82 + 1
4325	----	----	108.80B/77.80A	108.80B/77.80A	----	88.40 - 3.90	.2388	----	----	----	----	58 UNCH
4330	90.50	90.50	110.10B/78.70A	110.10B/78.70A	----	89.50 - 4.00	.2414	----	----	4	----	223 + 2
4335	----	----	111.40B/79.90A	111.40B/79.90A	----	90.70 - 4.00	.2441	----	----	----	----	38 UNCH
4340	----	----	112.80B/80.90A	112.80B/80.90A	----	91.90 - 4.00	.2468	----	----	1	----	115 + 1
4345	----	----	114.20B/82.00A	114.20B/82.00A	----	93.10 - 4.10	.2495	----	----	----	----	46 UNCH
4350	104.20	104.20	115.60B/82.90A	115.60B/82.90A	----	94.30 - 4.10	.2523	----	----	80	----	507 - 25
4355	----	----	117.00B/83.90A	117.00B/83.90A	----	95.50 - 4.20	.2550	----	----	----	----	80 UNCH
4360	----	----	118.40B/85.10A	118.40B/85.10A	----	96.70 - 4.30	.2577	----	----	----	----	87 UNCH
4365	----	----	119.90B/86.20A	119.90B/86.20A	----	98.00 - 4.20	.2606	----	----	3	----	66 UNCH
4370	----	----	121.30B/87.40A	121.30B/87.40A	----	99.30 - 4.30	.2634	----	----	----	----	19 UNCH
4375	102.50	102.50	122.80B/88.50A	122.80B/88.50A	----	100.60 - 4.30	.2663	----	----	8	----	460 + 8
4380	----	----	124.40B/89.70A	124.40B/89.70A	----	101.80 - 4.40	.2691	----	----	1	----	420 + 1
4385	----	----	125.90B/90.70A	125.90B/90.70A	----	103.20 - 4.40	.2721	----	----	----	----	22 UNCH
4390	----	----	127.30B/91.90A	127.30B/91.90A	----	104.50 - 4.40	.2749	----	----	4	----	56 - 2
4395	106.90	106.90	128.90B/93.10A	128.90B/93.10A	----	105.80 - 4.50	.2778	----	----	10	----	79 + 9
4400	119.10	119.10	130.50B/94.30A	130.50B/94.30A	----	107.20 - 4.50	.2808	----	----	111	----	4246 + 19
4405	----	----	132.10B/95.60A	132.10B/95.60A	----	108.60 - 4.50	.2838	----	----	----	----	130 UNCH
4410	----	----	133.70B/96.80A	133.70B/96.80A	----	110.00 - 4.50	.2868	----	----	----	----	90 UNCH
4415	----	----	135.30B/98.10A	135.30B/98.10A	----	111.40 - 4.60	.2898	----	----	----	----	85 UNCH
4420	----	----	136.90B/99.30A	136.90B/99.30A	----	112.80 - 4.60	.2928	----	----	1	----	29 UNCH
4425	----	----	138.50B/100.60A	138.50B/100.60A	----	114.20 - 4.70	.2959	----	----	8	----	119 - 2
4430	----	----	140.20B/101.90A	140.20B/101.90A	----	115.70 - 4.70	.2990	----	----	----	----	97 UNCH
4435	----	----	141.90B/103.20A	141.90B/103.20A	----	117.20 - 4.70	.3021	----	----	----	----	71 UNCH
4440	----	----	143.50B/104.50A	143.50B/104.50A	----	118.60 - 4.80	.3051	----	----	----	----	33 UNCH
4445	126.50	126.50	145.30B/105.70A	145.30B/105.70A	----	120.10 - 4.90	.3083	----	----	5	----	45 UNCH
4450	139.80	139.80	147.00B/107.20A	147.00B/107.20A	----	121.70 - 4.80	.3115	----	----	8	----	847 + 3
4455	----	----	148.80B/108.50A	148.80B/108.50A	----	123.20 - 4.90	.3146	----	----	----	----	63 UNCH
4460	----	----	150.50B/109.90A	150.50B/109.90A	----	124.80 - 4.90	.3178	----	----	----	----	34 UNCH
4465	----	----	152.30B/111.30A	152.30B/111.30A	----	126.30 - 5.00	.3210	----	----	----	----	26 UNCH
4470	----	----	154.10B/112.70A	154.10B/112.70A	----	127.90 - 5.00	.3242	----	----	----	----	29 UNCH
4475	127.30	127.30	155.90B/114.10A	155.90B/114.10A	----	129.50 - 5.10	.3275	----	----	2	----	153 + 1
4480	----	----	157.60B/115.50A	157.60B/115.50A	----	131.10 - 5.10	.3307	----	----	1	----	103 - 1
4485	----	----	159.60B/117.00A	159.60B/117.00A	----	132.80 - 5.10	.3340	----	----	1	----	26 + 1
4490	----	----	161.50B/118.50A	161.50B/118.50A	----	134.40 - 5.20	.3373	----	----	----	----	81 UNCH
4495	----	----	163.40B/119.90A	163.40B/119.90A	----	136.10 - 5.20	.3406	----	----	----	----	81 UNCH
4500	140.00	140.00	165.20B/121.50A	165.20B/121.50A	----	137.80 - 5.20	.3440	----	----	138	----	2577 + 55
4505	----	----	167.20B/123.00A	167.20B/123.00A	----	139.50 - 5.30	.3473	----	----	1	----	27 UNCH
4510	----	----	169.10B/124.50A	169.10B/124.50A	----	141.20 - 5.40	.3507	----	----	----	----	18 UNCH
4515	----	----	170.90B/126.10A	170.90B/126.10A	----	143.00 - 5.30	.3541	----	----	----	----	243 UNCH
4520	----	----	172.90B/127.70A	172.90B/127.70A	----	144.70 - 5.40	.3574	----	----	1	----	157 - 1
4525	----	----	175.10B/129.30A	175.10B/129.30A	----	146.50 - 5.50	.3609	----	----	2	----	131 - 1
4530	153.60	153.60	177.10B/130.80A	177.10B/130.80A	----	148.30 - 5.50	.3643	----	----	7	----	17 + 6
4535	159.50	159.50	179.10B/132.50A	179.10B/132.50A	----	150.10 - 5.50	.3678	----	----	1	----	24 - 1
4540	----	----	181.10B/134.20A	181.10B/134.20A	----	151.90 - 5.60	.3712	----	----	----	----	157 UNCH
4545	----	----	183.20B/135.80A	183.20B/135.80A	----	153.80 - 5.60	.3747	----	----	----	----	79 UNCH
4550	165.00	165.00	185.30B/137.40A	185.30B/137.40A	----	155.60 - 5.70	.3782	----	----	9	----	597 - 2
4555	----	----	187.40B/139.10A	187.40B/139.10A	----	157.50 - 5.70	.3817	----	----	1	----	56 UNCH
4560	156.50	156.50	189.60B/140.80A	189.60B/140.80A	----	159.40 - 5.80	.3852	----	----	3	----	29 UNCH
4565	----	----	191.70B/142.60A	191.70B/142.60A	----	161.40 - 5.70	.3888	----	----	----	----	199 UNCH
4570	168.80	168.80	194.00B/144.30A	194.00B/144.30A	----	163.30 - 5.80	.3923	----	----	15	----	75 + 3
4575	----	----	196.10B/146.10A	196.10B/146.10A	----	165.30 - 5.80	.3959	----	----	----	----	167 UNCH
4580	----	----	198.40B/147.90A	198.40B/147.90A	----	167.30 - 5.80	.3995	----	----	2	----	218 UNCH
4585	----	----	200.50B/149.70A	200.50B/149.70A	----	169.30 - 5.90	.4031	----	----	----	----	27 UNCH
4590	----	----	202.80B/151.50A	202.80B/151.50A	----	171.30 - 5.90	.4067	----	----	----	----	79 UNCH
4595	----	----	205.10B/153.30A	205.10B/153.30A	----	173.30 - 6.00	.4103	----	----	24	----	28 + 9
4600	----	----	207.30B/155.30A	207.30B/155.30A	----	175.40 - 6.00	.4139	----	----	4	----	1642 UNCH
4605	----	----	209.60B/157.10A	209.60B/157.10A	----	177.50 - 6.00	.4176	----	----	----	----	14 UNCH
4610	----	----	212.00B/158.90A	212.00B/158.90A	----	179.60 - 6.10	.4212	----	----	----	----	12 UNCH
4615	----	----	214.30B/160.90A	214.30B/160.90A	----	181.70 - 6.10	.4249	----	----	----	----	51 UNCH
4620	----	----	216.70B/162.70A	216.70B/162.70A	----	183.90 - 6.10	.4285	----	----	2	----	187 + 1
4625	----	----	219.10B/164.70A	219.10B/164.70A	----	186.00 - 6.20	.4322	----	----	----	----	178 UNCH
4630	194.00	194.00	221.50B/166.70A	221.50B/166.70A	----	188.20 - 6.20	.4359	----	----	17	----	133 + 14
4635	----	----	224.00B/168.60A	224.00B/168.60A	----	190.40 - 6.20	.4396	----	----	----	----	25 UNCH
4640	202.60	202.60	226.40B/170.70A	226.40B/170.70A	----	192.70 - 6.20	.4433	----	----	4	----	48 + 3
4645	----	----	228.90B/172.80A	228.90B/172.80A	----	194.90 - 6.20	.4471	----	----	----	----	37 UNCH
4650	205.00	205.00	231.30B/174.80A	231.30B/174.80A	----	197.20 - 6.20	.4508	----	----	24	----	1152 + 5
4655	----	----	233.90B/176.60A	233.90B/176.60A	----	199.50 - 6.20	.4545	----	----	----	----	45 UNCH
4660	217.30	217.30	236.30B/179.00A	236.30B/179.00A	----	201.80 - 6.30	.4583	----	----	3	----	105 UNCH
4665	215.30	215.30	239.00B/180.90A	239.00B/180.90A	----	204.10 - 6.30	.4620	----	----	1	----	15 + 1
4670	218.10	218.10	241.50B/183.00A	241.50B/183.00A	----	206.50 - 6.30	.4658	----	----	3	----	158 UNCH
4675	225.40	225.40	244.10B/185.40A	244.10B/185.40A	----	208.80 - 6.40	.4695	----	----	49	----	301 - 1
4680	213.10	213.10	246.70B/187.50A	246.70B/187.50A	----	211.20 - 6.40	.4733	----	----	4	----	61 + 3
4685	----	----	249.30B/189.70A	249.30B/189.70A	----	213.70 - 6.30	.4771	----	----	33	----	40 + 25
4690	----	----	252.00B/191.90A	252.00B/191.90A	----	216.10 - 6.40	.4808	----	----	8	----	21 + 7
4695	----	----	254.60B/194.20A	254.60B/194.20A	----	218.60 - 6.30	.4846	----	----	----	----	31 UNCH
4700	233.00	233.00	257.30B/196.40A	257.30B/196.40A	----	221.00 - 6.40	.4884	----	----	19	----	1380 - 3
4705	----	----	259.90B/198.60A	259.90B/198.60A	----	223.50 - 6.40	.4922	----	----	----	----	91 UNCH
4710	----	----	262.70B/201.00A	262.70B/201.00A	----	226.10 - 6.40	.4959	----	----	----	----	21 UNCH
4715	----	----	265.40B/203.20A	265.40B/203.20A	----	228.60 - 6.40	.4997	----	----	----	----	37 UNCH
4720	----	----	268.20B/205.50A	268.20B/205.50A	----	231.20 - 6.40	.5035	----	----	----	----	101 UNCH
4725	----	----	271.00B/208.00A	271.00B/208.00A	----	233.70 - 6.50	.5073	----	----	----	----	21 UNCH
4730	----	----	273.80B/210.00A	273.80B/210.00A	----	236.40 - 6.40	.5111	----	----	----	----	61 UNCH
4735	----	----	276.60B/212.50A	276.60B/212.50A	----	239.00 - 6.40	.5149	----	----	----	----	56 UNCH
4740	----	----	279.50B/214.80A	279.50B/214.80A	----	241.60 - 6.50	.5187	----	----	----	----	86 UNCH
4745	----	----	282.30B/217.50A	282.30B/217.50A	----	244.30 - 6.40	.5225	----	----	----	----	2 UNCH
4750	----	----	285.20B/219.80A	285.20B/219.80A	----	247.00 - 6.40	.5262	----	----	----	----	787 UNCH
4755	----	----	288.10B/222.40A	288.10B/222.40A	----	249.70 - 6.40	.5300	----	----	----	----	19 UNCH
4760	----	----	289.10B/224.90A	289.10B/224.90A	----	252.40 - 6.50	.5338	----	----	----	----	57 UNCH
4765	----	----	292.00B/227.30A	292.00B/227.30A	----	255.20 - 6.40	.5375	----	----	----	----	44 UNCH
4770	----	----	295.00B/229.80A	295.00B/229.80A	----	257.90 - 6.50	.5413	----	----	----	----	49 UNCH
4775	----	----	298.90B/232.50A	298.90B/232.50A	----	260.70 - 6.50	.5451	----	----	----	----	109 UNCH
4780	----	----	301.00B/235.20A	301.00B/235.20A	----	263.60 - 6.40	.5489	----	----	----	----	11 UNCH
4785	----	----	305.10B/237.80A	305.10B/237.80A	----	266.40 - 6.40	.5526	----	----	----	----	48 UNCH
4790	----	----	308.10B/240.40A	308.10B/240.40A	----	269.20 - 6.50	.5563	----	----	----	----	44 UNCH
4795	----	----	310.00B/242.80A	310.00B/242.80A	----	272.10 - 6.40	.5601	----	----	----	----	13 UNCH
4800	----	----	314.30B/245.70A	314.30B/245.70A	----	275.00 - 6.40	.5638	----	----	18	----	2218 - 7
4805	----	----	317.40B/248.10A	317.40B/248.10A	----	277.90 - 6.40	.5676	----	----	----	----	84 UNCH
4810	----	----	317.70B/250.80A	317.70B/250.80A	----	280.90 - 6.40	.5713	----	----	----	----	9 UNCH
4815	----	----	323.50B/253.70A	323.50B/253.70A	----	283.80 - 6.40	.5750	----	----	----	----	71 UNCH
4820	----	----	326.90B/256.30A	326.90B/256.30A	----	286.80 - 6.40	.5787	----	----	----	----	19 UNCH
4825	----	----	329.90B/259.20A	329.90B/259.20A	----	289.80 - 6.40	.5824	----	----	----	----	164 UNCH
4830	----	----	333.10B/262.10A	333.10B/262.10A	----	292.80 - 6.40	.5861	----	----	----	----	136 UNCH
4835	----	----	336.30B/264.80A	336.30B/264.80A	----	295.90 - 6.30	.5897	----	----	----	----	29 UNCH
4840	----	----	339.80B/267.40A	339.80B/267.40A	----	299.00 - 6.30	.5934	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4845	----	----	338.90B/270.30A	338.90B/270.30A	----	302.00 - 6.30	.5970	----	----	----	----	10 UNCH
4850	----	----	346.10B/273.10A	346.10B/273.10A	----	305.10 - 6.30	.6007	----	----	----	----	533 UNCH
4855	----	----	349.30B/276.00A	349.30B/276.00A	----	308.30 - 6.20	.6044	----	----	----	----	359 UNCH
4860	----	----	348.60B/278.70A	348.60B/278.70A	----	311.40 - 6.30	.6080	----	----	----	----	44 UNCH
4865	----	----	352.00B/281.60A	352.00B/281.60A	----	314.60 - 6.20	.6116	----	----	----	----	17 UNCH
4870	----	----	355.10B/284.60A	355.10B/284.60A	----	317.80 - 6.20	.6152	----	----	----	----	42 UNCH
4875	----	----	358.90B/287.50A	358.90B/287.50A	----	321.00 - 6.20	.6188	----	----	----	----	81 UNCH
4880	----	----	361.90B/290.50A	361.90B/290.50A	----	324.20 - 6.20	.6223	----	----	----	----	3 UNCH
4885	----	----	365.20B/293.50A	365.20B/293.50A	----	327.40 - 6.20	.6259	----	----	----	----	6 UNCH
4890	----	----	368.70B/296.60A	368.70B/296.60A	----	330.70 - 6.10	.6294	----	----	----	----	46 UNCH
4895	----	----	372.20B/299.60A	372.20B/299.60A	----	334.00 - 6.10	.6330	----	----	----	----	211 UNCH
4900	347.50	347.50	376.40B/302.70A	376.40B/302.70A	----	337.30 - 6.10	.6365	----	----	2	----	1802 - 1
4905	----	----	379.10B/305.70A	379.10B/305.70A	----	340.60 - 6.10	.6399	----	----	----	----	10 UNCH
4910	----	----	382.60B/308.90A	382.60B/308.90A	----	343.90 - 6.10	.6435	----	----	----	----	57 UNCH
4915	----	----	386.00B/312.00A	386.00B/312.00A	----	347.30 - 6.00	.6469	----	----	----	----	37 UNCH
4920	----	----	389.50B/315.10A	389.50B/315.10A	----	350.70 - 6.00	.6504	----	----	----	----	91 UNCH
4925	----	----	393.00B/318.30A	393.00B/318.30A	----	354.00 - 6.10	.6538	----	----	1	----	73 UNCH
4930	----	----	396.60B/321.50A	396.60B/321.50A	----	357.50 - 6.00	.6572	----	----	----	----	199 UNCH
4940	----	----	403.70B/327.90A	403.70B/327.90A	----	364.30 - 6.00	.6640	----	----	----	----	64 UNCH
4945	----	----	407.30B/331.20A	407.30B/331.20A	----	367.80 - 5.90	.6674	----	----	----	----	2 UNCH
4950	----	----	410.90B/334.40A	410.90B/334.40A	----	371.30 - 5.90	.6708	----	----	----	----	288 UNCH
4955	----	----	414.50B/337.70A	414.50B/337.70A	----	374.80 - 5.90	.6740	----	----	----	----	31 UNCH
4960	----	----	418.20B/341.00A	418.20B/341.00A	----	378.30 - 5.90	.6774	----	----	----	----	23 UNCH
4965	----	----	421.80B/344.30A	421.80B/344.30A	----	381.90 - 5.80	.6806	----	----	----	----	24 UNCH
4970	----	----	425.50B/347.70A	425.50B/347.70A	----	385.40 - 5.80	.6840	----	----	----	----	44 UNCH
4975	----	----	429.10B/351.00A	429.10B/351.00A	----	389.00 - 5.80	.6872	----	----	----	----	153 UNCH
4980	392.60	392.60	432.90B/354.40A	432.90B/354.40A	----	392.60 - 5.80	.6905	----	----	1	----	28 UNCH
4985	----	----	436.40B/357.80A	436.40B/357.80A	----	396.20 - 5.70	.6936	----	----	----	----	9 UNCH
4990	----	----	440.80B/361.20A	440.80B/361.20A	----	399.80 - 5.80	.6968	----	----	----	----	292 UNCH
4995	----	----	444.10B/364.70A	444.10B/364.70A	----	403.40 - 5.80	.7000	----	----	----	----	11 UNCH
5000	----	----	448.70B/368.10A	448.70B/368.10A	----	407.10 - 5.70	.7031	----	----	----	----	1892 UNCH
5005	----	----	451.70B/371.60A	451.70B/371.60A	----	410.80 - 5.70	.7064	----	----	----	----	304 UNCH
5010	----	----	455.30B/375.10A	455.30B/375.10A	----	414.50 - 5.60	.7094	----	----	----	----	11 UNCH
5015	----	----	459.30B/378.60A	459.30B/378.60A	----	418.20 - 5.60	.7125	----	----	----	----	49 UNCH
5020	----	----	462.90B/382.10A	462.90B/382.10A	----	421.90 - 5.60	.7156	----	----	----	----	31 UNCH
5025	----	----	466.70B/385.70A	466.70B/385.70A	----	425.60 - 5.60	.7186	----	----	----	----	55 UNCH
5030	----	----	470.80B/389.20A	470.80B/389.20A	----	429.40 - 5.60	.7216	----	----	----	----	68 UNCH
5035	----	----	474.50B/392.80A	474.50B/392.80A	----	433.20 - 5.50	.7247	----	----	----	----	13 UNCH
5040	----	----	479.10B/396.40A	479.10B/396.40A	----	437.00 - 5.50	.7276	----	----	----	----	18 UNCH
5045	459.70	459.70	482.70B/400.00A	482.70B/400.00A	----	440.80 - 5.50	.7306	----	----	1	----	5 - 1
5050	----	----	486.80B/403.70A	486.80B/403.70A	----	444.60 - 5.50	.7336	----	----	----	----	804 UNCH
5055	----	----	490.10B/407.30A	490.10B/407.30A	----	448.40 - 5.50	.7364	----	----	----	----	63 UNCH
5060	----	----	494.40B/411.00A	494.40B/411.00A	----	452.30 - 5.40	.7393	----	----	----	----	64 UNCH
5065	----	----	498.50B/414.70A	498.50B/414.70A	----	456.20 - 5.40	.7423	----	----	----	----	9 UNCH
5070	----	----	502.40B/418.40A	502.40B/418.40A	----	460.00 - 5.40	.7451	----	----	----	----	52 UNCH
5075	----	----	506.20B/422.10A	506.20B/422.10A	----	464.00 - 5.30	.7478	----	----	----	----	27 UNCH
5080	----	----	510.40B/425.80A	510.40B/425.80A	----	467.90 - 5.30	.7507	----	----	----	----	29 UNCH
5085	----	----	514.70B/429.60A	514.70B/429.60A	----	471.80 - 5.30	.7534	----	----	----	----	123 UNCH
5090	----	----	518.40B/433.30A	518.40B/433.30A	----	475.80 - 5.20	.7562	----	----	----	----	109 UNCH
5095	----	----	522.90B/437.10A	522.90B/437.10A	----	479.70 - 5.20	.7589	----	----	----	----	111 UNCH
5100	----	----	526.50B/440.90A	526.50B/440.90A	----	483.70 - 5.20	.7616	----	----	----	----	457 UNCH
5105	----	----	531.00B/444.70A	531.00B/444.70A	----	487.70 - 5.10	.7643	----	----	----	----	38 UNCH
5110	----	----	534.40B/448.60A	534.40B/448.60A	----	491.70 - 5.10	.7668	----	----	----	----	74 UNCH
5115	----	----	538.60B/452.40A	538.60B/452.40A	----	495.70 - 5.10	.7695	----	----	----	----	14 UNCH
5120	----	----	542.70B/456.30A	542.70B/456.30A	----	499.80 - 5.00	.7721	----	----	----	----	25 UNCH
5125	----	----	547.00B/460.20A	547.00B/460.20A	----	503.80 - 5.00	.7747	----	----	----	----	192 UNCH
5130	----	----	551.00B/464.10A	551.00B/464.10A	----	507.90 - 5.00	.7773	----	----	----	----	26 UNCH
5135	----	----	555.00B/468.00A	555.00B/468.00A	----	512.00 - 4.90	.7798	----	----	----	----	37 UNCH
5140	----	----	559.20B/471.90A	559.20B/471.90A	----	516.10 - 4.90	.7823	----	----	----	----	14 UNCH
5145	----	----	563.50B/475.80A	563.50B/475.80A	----	520.20 - 4.90	.7846	----	----	----	----	39 UNCH
5150	----	----	567.50B/479.80A	567.50B/479.80A	----	524.30 - 4.80	.7871	----	----	----	----	390 UNCH
5155	----	----	571.60B/483.70A	571.60B/483.70A	----	528.50 - 4.70	.7895	----	----	----	----	38 UNCH
5160	----	----	575.90B/487.70A	575.90B/487.70A	----	532.60 - 4.70	.7920	----	----	----	----	70 UNCH
5165	----	----	580.30B/491.70A	580.30B/491.70A	----	536.80 - 4.70	.7943	----	----	----	----	47 UNCH
5170	----	----	584.70B/495.70A	584.70B/495.70A	----	541.00 - 4.60	.7967	----	----	----	----	504 UNCH
5175	----	----	588.50B/499.80A	588.50B/499.80A	----	545.10 - 4.60	.7990	----	----	----	----	15 UNCH
5180	----	----	593.40B/503.80A	593.40B/503.80A	----	549.30 - 4.60	.8013	----	----	----	----	19 UNCH
5185	----	----	597.00B/507.80A	597.00B/507.80A	----	553.50 - 4.60	.8036	----	----	----	----	22 UNCH
5190	----	----	601.50B/511.90A	601.50B/511.90A	----	557.70 - 4.50	.8058	----	----	----	----	5 UNCH
5195	----	----	605.50B/516.00A	605.50B/516.00A	----	562.00 - 4.40	.8081	----	----	----	----	8 UNCH
5200	----	----	610.40B/520.00A	610.40B/520.00A	----	566.20 - 4.40	.8102	----	----	1	----	612 UNCH
5205	----	----	614.10B/524.20A	614.10B/524.20A	----	570.40 - 4.50	.8125	----	----	----	----	36 UNCH
5210	----	----	618.50B/528.30A	618.50B/528.30A	----	574.70 - 4.40	.8146	----	----	----	----	68 UNCH
5215	----	----	622.90B/532.40A	622.90B/532.40A	----	579.00 - 4.30	.8168	----	----	----	----	42 UNCH
5220	----	----	627.00B/536.60A	627.00B/536.60A	----	583.20 - 4.40	.8191	----	----	----	----	188 UNCH
5225	----	----	631.30B/540.70A	631.30B/540.70A	----	587.50 - 4.30	.8212	----	----	----	----	200 UNCH
5230	----	----	635.60B/544.90A	635.60B/544.90A	----	591.80 - 4.30	.8231	----	----	----	----	7 UNCH
5235	----	----	640.00B/549.10A	640.00B/549.10A	----	596.10 - 4.20	.8252	----	----	----	----	160 UNCH
5245	----	----	648.70B/557.50A	648.70B/557.50A	----	604.80 - 4.10	.8294	----	----	----	----	9 UNCH
5250	----	----	653.70B/561.70A	653.70B/561.70A	----	609.10 - 4.10	.8313	----	----	----	----	332 UNCH
5255	----	----	657.70B/565.90A	657.70B/565.90A	----	613.40 - 4.10	.8334	----	----	----	----	9 UNCH
5260	----	----	662.00B/570.20A	662.00B/570.20A	----	617.80 - 4.10	.8353	----	----	----	----	11 UNCH
5265	----	----	666.30B/574.40A	666.30B/574.40A	----	622.20 - 4.00	.8372	----	----	----	----	5 UNCH
5270	----	----	670.80B/578.70A	670.80B/578.70A	----	626.50 - 4.10	.8391	----	----	----	----	24 UNCH
5275	----	----	675.70B/582.90A	675.70B/582.90A	----	630.90 - 4.00	.8410	----	----	----	----	170 UNCH
5280	----	----	679.60B/587.20A	679.60B/587.20A	----	635.30 - 4.00	.8429	----	----	----	----	67 UNCH
5285	----	----	684.60B/591.50A	684.60B/591.50A	----	639.70 - 3.90	.8448	----	----	----	----	27 UNCH
5290	----	----	688.60B/595.80A	688.60B/595.80A	----	644.10 - 3.90	.8465	----	----	----	----	2 UNCH
5300	----	----	697.30B/604.50A	697.30B/604.50A	----	653.00 - 3.80	.8500	----	----	----	----	161 UNCH
5305	----	----	701.80B/608.80A	701.80B/608.80A	----	657.50 - 3.70	.8519	----	----	----	----	104 UNCH
5320	----	----	715.20B/621.90A	715.20B/621.90A	----	670.80 - 3.70	.8568	----	----	----	----	108 UNCH
5325	----	----	720.30B/626.20A	720.30B/626.20A	----	675.30 - 3.70	.8585	----	----	----	----	1 UNCH
5335	----	----	728.80B/635.00A	728.80B/635.00A	----	684.30 - 3.60	.8618	----	----	----	----	5 UNCH
5340	----	----	733.50B/639.40A	733.50B/639.40A	----	688.80 - 3.60	.8634	----	----	----	----	52 UNCH
5345	----	----	737.90B/643.80A	737.90B/643.80A	----	693.30 - 3.60	.8651	----	----	----	----	1 UNCH
5350	----	----	742.30B/648.30A	742.30B/648.30A	----	697.90 - 3.40	.8665	----	----	----	----	108 UNCH
5365	----	----	756.70B/661.60A	756.70B/661.60A	----	711.50 - 3.40	.8711	----	----	----	----	4 UNCH
5370	----	----	760.70B/666.00A	760.70B/666.00A	----	716.00 - 3.40	.8725	----	----	----	----	37 UNCH
5375	----	----	765.10B/670.50A	765.10B/670.50A	----	720.60 - 3.30	.8739	----	----	----	----	1 UNCH
5380	----	----	769.80B/675.00A	769.80B/675.00A	----	725.20 - 3.20	.8756	----	----	----	----	2 UNCH
5385	----	----	774.30B/679.50A	774.30B/679.50A	----	729.70 - 3.30	.8769	----	----	----	----	10 UNCH
5390	----	----	779.10B/683.90A	779.10B/683.90A	----	734.30 - 3.20	.8783	----	----	----	----	2 UNCH
5395	----	----	783.70B/688.40A	783.70B/688.40A	----	738.90 - 3.20	.8797	----	----	----	----	156 UNCH
5400	----	----	788.10B/693.00A	788.10B/693.00A	----	743.50 - 3.10	.8811	----	----	----	----	444 UNCH
5420	----	----	806.50B/711.10A	806.50B/711.10A	----	761.90 - 3.00	.8863	----	----	----	----	10 UNCH
5425	----	----	811.00B/715.60A	811.00B/715.60A	----	766.50 - 3.00	.8877	----	----	----	----	1 UNCH
5430	----	----	816.40B/720.20A	816.40B/720.20A	----	771.10 - 3.00	.8891	----	----	----	----	31 UNCH
5435	----	----	820.40B/724.70A	820.40B/724.70A	----	775.80 - 2.90	.8902	----	----	----	----	10 UNCH
5440	----	----	825.30B/729.30A	825.30B/729.30A	----	780.40 - 2.90	.8916	----	----	----	----	20 UNCH
5470	----	----	853.00B/756.80A	853.00B/756.80A	----	808.30 - 2.80	.8987	----	----	----	----	1 UNCH
5490	----	----	871.80B/775.30A	871.80B/775.30A	----	827.10 - 2.60	.9031	----	----	----	----	166 UNCH
5500	----	----	881.40B/784.50A	881.40B/784.50A	----	836.50 - 2.50	.9052	----	----	----	----	52 UNCH
5525	----	----	905.30B/807.80A	905.30B/807.80A	----	860.00 - 2.40	.9101	----	----	----	----	2 UNCH
5575	----	----	948.30B/854.80A	948.30B/854.80A	----	907.50 - 2.10	.9194	----	----	----	----	2 UNCH
5590	----	----	963.00B/868.80A	963.00B/868.80A	----	921.80 - 2.00	.9220	----	----	----	----	77 UNCH
5595	----	----	967.30B/873.50A	967.30B/873.50A	----	926.50 - 2.00	.9228	----	----	----	----	1 UNCH
5600	----	----	972.60B/878.40A	972.60B/878.40A	----	931.30 - 2.00	.9236	----	----	----	----	8 UNCH
5640	----	----	1,010.90B/916.3	1010.90B/916.30A	----	969.60 - 1.90	.9298	----	----	----	----	9 UNCH
5800	----	----	1,165.40B/1,070	1165.40B/1070.50A	----	1124.70 - 1.30	.9485	----	----	----	----	6 UNCH
6000	----	----	1,361.40B/1,276	1361.40B/1276.30A	----	1321.00 - 0.60	.9633	----	----	----	----	4 UNCH
6100	----	----	1,460.10B/1,375	1460.10B/1375.10A	----	1419.70 - 0.50	.9685	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1991.00 UNCH	.9853	----	----	----	----	2 UNCH
TOTAL										1842	140	82353 + 257
JUL26												
2275	----	----	----	1.60B/2.00A	----	1.70 UNCH	.0035	----	----	----	----	20 UNCH
2300	----	----	----	1.70B/2.10A	----	1.90 UNCH	.0039	----	----	----	----	96 UNCH
2400	----	----	----	2.10B/2.50A	----	2.30 - 0.10	.0048	----	----	----	----	2 UNCH
2500	----	----	----	2.50B/2.90A	----	2.70 - 0.10	.0058	----	----	----	----	192 UNCH
2575	----	----	----	2.80B/3.30A	----	3.10 - 0.10	.0068	----	----	----	----	1 UNCH
2600	----	----	----	2.90B/3.40A	----	3.20 - 0.10	.0070	----	----	----	----	12 UNCH
2620	----	----	----	3.10B/3.50A	----	3.30 - 0.10	.0073	----	----	----	----	1 UNCH
2650	----	----	----	3.30B/3.70A	----	3.50 - 0.10	.0078	----	----	----	----	52 UNCH
2670	----	----	----	3.40B/3.80A	----	3.60 - 0.10	.0080	----	----	----	----	10 UNCH
2675	----	----	----	3.40B/3.80A	----	3.60 - 0.10	.0081	----	----	----	----	10 UNCH
2680	----	----	----	3.40B/3.80A	----	3.60 - 0.10	.0081	----	----	----	----	10 UNCH
2700	----	----	----	3.60B/4.00A	----	3.80 - 0.10	.0085	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2705	----	----	----	3.60B/4.00A	----	3.80 NEW	.0086	----	----	1	----	1 + 1
2730	----	----	----	3.80B/4.20A	----	4.00 - 0.10	.0091	----	----	----	----	1 UNCH
2750	----	----	----	4.00B/4.30A	----	4.10 - 0.10	.0093	----	----	----	----	19 UNCH
2785	----	----	----	4.20B/4.60A	----	4.40 - 0.10	.0101	----	----	----	----	2 UNCH
2800	----	----	----	4.30B/4.70A	----	4.50 - 0.10	.0103	----	----	----	----	5 UNCH
2850	----	----	----	4.80B/5.10A	----	4.90 - 0.10	.0114	----	----	----	----	2 UNCH
2860	----	----	----	4.90B/5.20A	----	5.00 - 0.10	.0116	----	----	----	----	5 UNCH
2890	----	----	----	5.20B/5.50A	----	5.30 UNCH	.0124	----	----	----	----	60 UNCH
2895	----	----	----	5.20B/5.50A	----	5.40 UNCH	.0126	----	----	----	----	18 UNCH
2900	4.00	4.00	4.00/4.00	5.30B/4.00	----	5.40 UNCH	.0126	----	----	11	----	16 + 10
2905	----	----	----	5.30B/5.60A	----	5.50 UNCH	.0129	----	----	----	----	19 UNCH
2920	----	----	----	5.50B/5.80A	----	5.60 UNCH	.0132	----	----	----	----	1 UNCH
2950	----	----	----	5.90B/6.10A	----	6.00 UNCH	.0141	----	----	----	----	32 UNCH
2995	----	----	----	6.50B/6.60A	----	6.50 UNCH	.0154	----	----	----	----	16 UNCH
3000	----	----	6.60B/5.50A	6.60B/5.50A	----	6.60 + 0.10	.0156	----	----	----	----	58 UNCH
3015	----	----	6.80B/----	6.80B/6.80A	----	6.80 + 0.10	.0162	----	----	----	----	5 UNCH
3025	----	----	7.00B/----	7.00B/7.00A	----	6.90 + 0.10	.0164	----	----	----	----	1 UNCH
3035	----	----	7.10B/----	7.10B/7.10A	----	7.10 + 0.10	.0169	----	----	----	----	5 UNCH
3100	----	----	8.30B/----	8.30B/8.00A	----	8.00 + 0.10	.0192	----	----	----	----	43 UNCH
3105	----	----	8.50B/----	8.50B/8.10A	----	8.10 + 0.10	.0195	----	----	----	----	1 UNCH
3125	----	----	9.10B/----	9.10B/8.50A	----	8.50 + 0.20	.0204	----	----	----	----	44 UNCH
3140	----	----	9.20B/----	9.20B/8.70A	----	8.70 + 0.20	.0210	----	----	----	----	1 UNCH
3150	----	----	9.30B/----	9.30B/8.90A	----	8.90 + 0.20	.0215	----	----	----	----	12 UNCH
3155	----	----	9.50B/----	9.50B/8.90A	----	9.00 + 0.20	.0217	----	----	----	----	1 UNCH
3200	----	----	10.50B/----	10.50B/9.70A	----	9.80 + 0.20	.0238	----	----	----	----	111 UNCH
3210	----	----	11.00B/----	11.00B/9.90A	----	10.00 + 0.20	.0243	----	----	----	----	1 UNCH
3220	----	----	10.90B/----	10.90B/10.10A	----	10.20 + 0.20	.0248	----	----	----	----	1 UNCH
3225	----	----	11.10B/----	11.10B/10.10A	----	10.30 + 0.20	.0251	----	----	----	----	70 UNCH
3250	10.70	10.70	11.90B/10.60A	11.90B/10.60A	----	10.90 + 0.20	.0266	----	----	3	----	62 - 3
3275	----	----	12.60B/11.10A	12.60B/11.10A	----	11.40 + 0.20	.0279	----	----	----	----	10 UNCH
3290	----	----	13.00B/11.50A	13.00B/11.50A	----	11.80 + 0.20	.0289	----	----	----	----	10 UNCH
3300	----	----	13.40B/----	13.40B/11.80A	----	12.00 + 0.20	.0294	----	----	----	----	55 UNCH
3320	----	----	14.00B/12.10A	14.00B/12.10A	----	12.50 + 0.10	.0307	----	----	----	----	1 UNCH
3325	----	----	13.90B/12.30A	13.90B/12.30A	----	12.70 + 0.20	.0312	----	----	----	----	147 UNCH
3335	----	----	14.30B/12.70A	14.30B/12.70A	----	12.90 + 0.10	.0317	----	----	----	----	86 UNCH
3340	----	----	14.50B/12.70A	14.50B/12.70A	----	13.10 + 0.20	.0322	----	----	----	----	1 UNCH
3350	----	----	14.90B/13.10A	14.90B/13.10A	----	13.40 + 0.20	.0329	----	----	4	----	30 + 2
3355	----	----	15.00B/----	15.00B/13.30A	----	13.50 + 0.20	.0332	----	----	----	----	69 UNCH
3360	----	----	15.10B/13.20A	15.10B/13.20A	----	13.60 + 0.10	.0335	----	----	----	----	3 UNCH
3370	----	----	15.40B/13.50A	15.40B/13.50A	----	13.90 + 0.10	.0342	----	----	----	----	9 UNCH
3380	----	----	16.00B/13.90A	16.00B/13.90A	----	14.20 + 0.10	.0350	----	----	----	----	2 UNCH
3385	----	----	16.00B/13.60A	16.00B/13.60A	----	14.40 + 0.20	.0355	----	----	----	----	4 UNCH
3390	----	----	16.40B/14.10A	16.40B/14.10A	----	14.50 + 0.10	.0358	----	----	----	----	1 UNCH
3395	----	----	16.50B/13.90A	16.50B/13.90A	----	14.70 + 0.10	.0362	----	----	----	----	31 UNCH
3400	14.30	14.30	16.90B/13.60A	16.90B/13.60A	----	14.90 + 0.20	.0367	----	----	3	----	46 - 1
3410	----	----	17.10B/----	17.10B/15.10A	----	15.20 + 0.10	.0375	----	----	----	----	5 UNCH
3425	----	----	17.90B/15.20A	17.90B/15.20A	----	15.70 + 0.10	.0387	----	----	----	----	56 UNCH
3435	----	----	17.90B/----	17.90B/15.90A	----	16.00 + 0.10	.0395	----	----	----	----	5 UNCH
3445	----	----	18.80B/16.20A	18.80B/16.20A	----	16.40 + 0.10	.0404	----	----	----	----	1 UNCH
3450	----	----	18.50B/16.40A	18.50B/16.40A	----	16.60 + 0.10	.0409	----	----	1	----	140 UNCH
3455	----	----	19.00B/16.50A	19.00B/16.50A	----	16.80 + 0.10	.0414	----	----	----	----	10 UNCH
3460	----	----	19.30B/16.10A	19.30B/16.10A	----	16.90 UNCH	.0417	----	----	----	----	10 UNCH
3465	----	----	19.70B/16.90A	19.70B/16.90A	----	17.10 UNCH	.0422	----	----	----	----	142 UNCH
3475	----	----	20.20B/17.00A	20.20B/17.00A	----	17.50 UNCH	.0432	----	----	----	----	138 UNCH
3480	----	----	20.40B/16.60A	20.40B/16.60A	----	17.70 UNCH	.0437	----	----	----	----	36 UNCH
3495	----	----	21.20B/17.90A	21.20B/17.90A	----	18.30 UNCH	.0452	----	----	----	----	5 UNCH
3500	----	----	21.40B/17.80A	21.40B/17.80A	----	18.50 UNCH	.0456	----	----	2	----	580 UNCH
3505	----	----	21.60B/17.30A	21.60B/17.30A	----	18.70 UNCH	.0461	----	----	----	----	9 UNCH
3510	----	----	21.40B/18.10A	21.40B/18.10A	----	18.90 UNCH	.0466	----	----	----	----	5 UNCH
3515	----	----	21.60B/18.50A	21.60B/18.50A	----	19.10 - 0.10	.0471	----	----	----	----	6 UNCH
3525	----	----	23.00B/19.10A	23.00B/19.10A	----	19.60 UNCH	.0483	----	----	----	----	3 UNCH
3530	----	----	23.40B/18.60A	23.40B/18.60A	----	19.80 - 0.10	.0488	----	----	----	----	168 UNCH
3535	----	----	24.10B/18.60A	24.10B/18.60A	----	20.00 - 0.10	.0493	----	----	----	----	31 UNCH
3545	----	----	24.70B/19.00A	24.70B/19.00A	----	20.50 - 0.10	.0505	----	----	----	----	256 UNCH
3550	----	----	25.00B/19.20A	25.00B/19.20A	----	20.70 - 0.10	.0510	----	----	----	----	148 UNCH
3575	----	----	26.60B/20.40A	26.60B/20.40A	----	21.90 NEW	.0539	----	----	1	----	1 + 1
3580	----	----	26.70B/20.50A	26.70B/20.50A	----	22.20 - 0.10	.0546	----	----	----	----	5 UNCH
3590	----	----	27.50B/21.00A	27.50B/21.00A	----	22.70 - 0.20	.0558	----	----	----	----	16 UNCH
3600	----	----	28.10B/21.50A	28.10B/21.50A	----	23.20 - 0.20	.0571	----	----	2	----	82 UNCH
3605	----	----	28.40B/21.80A	28.40B/21.80A	----	23.50 - 0.20	.0578	----	----	----	----	5 UNCH
3620	----	----	29.50B/22.50A	29.50B/22.50A	----	24.30 - 0.30	.0597	----	----	----	----	12 UNCH
3625	----	----	29.80B/22.80A	29.80B/22.80A	----	24.50 - 0.40	.0602	----	----	----	----	11 UNCH
3630	----	----	30.10B/23.00A	30.10B/23.00A	----	24.80 - 0.40	.0609	----	----	----	----	3 UNCH
3635	----	----	30.50B/23.30A	30.50B/23.30A	----	25.10 - 0.40	.0616	----	----	----	----	3 UNCH
3640	----	----	30.90B/23.50A	30.90B/23.50A	----	25.40 - 0.40	.0623	----	----	----	----	6 UNCH
3645	----	----	31.30B/23.80A	31.30B/23.80A	----	25.70 - 0.40	.0630	----	----	----	----	1 UNCH
3650	----	----	31.70B/24.10A	31.70B/24.10A	----	26.00 - 0.40	.0638	----	----	2	----	102 + 2
3655	----	----	31.90B/24.30A	31.90B/24.30A	----	26.30 - 0.40	.0645	----	----	----	----	6 UNCH
3660	----	----	32.30B/24.50A	32.30B/24.50A	----	26.60 - 0.40	.0652	----	----	4	----	22 UNCH
3665	----	----	32.70B/24.80A	32.70B/24.80A	----	26.90 - 0.40	.0659	----	----	----	----	2 UNCH
3670	----	----	33.10B/25.10A	33.10B/25.10A	----	27.20 - 0.50	.0666	----	----	----	----	110 UNCH
3675	----	----	33.40B/25.40A	33.40B/25.40A	----	27.50 - 0.50	.0673	----	----	1	----	4 + 1
3680	----	----	33.90B/25.70A	33.90B/25.70A	----	27.80 - 0.50	.0681	----	----	----	----	5 UNCH
3685	----	----	34.20B/26.00A	34.20B/26.00A	----	28.10 - 0.60	.0688	----	----	----	----	10 UNCH
3690	----	----	34.60B/26.30A	34.60B/26.30A	----	28.50 - 0.50	.0697	----	----	----	----	50 UNCH
3695	----	----	35.10B/26.60A	35.10B/26.60A	----	28.80 - 0.50	.0704	----	----	----	----	142 UNCH
3700	27.60	27.60	35.40B/26.90A	35.40B/26.90A	----	29.10 - 0.60	.0711	----	----	12	----	429 + 11
3705	----	----	35.80B/27.20A	35.80B/27.20A	----	29.40 - 0.60	.0719	----	----	----	----	20 UNCH
3715	----	----	36.60B/27.80A	36.60B/27.80A	----	30.10 - 0.70	.0735	----	----	----	----	30 UNCH
3720	----	----	37.10B/28.10A	37.10B/28.10A	----	30.40 - 0.70	.0742	----	----	----	----	18 UNCH
3725	----	----	37.60B/28.40A	37.60B/28.40A	----	30.80 - 0.70	.0751	----	----	----	----	5 UNCH
3730	----	----	38.00B/28.80A	38.00B/28.80A	----	31.10 - 0.80	.0759	----	----	----	----	3 UNCH
3735	----	----	38.40B/29.10A	38.40B/29.10A	----	31.50 - 0.70	.0768	----	----	----	----	30 UNCH
3740	----	----	38.90B/29.40A	38.90B/29.40A	----	31.90 - 0.70	.0777	----	----	----	----	20 UNCH
3750	----	----	39.80B/30.10A	39.80B/30.10A	----	32.60 - 0.80	.0794	----	----	----	----	549 UNCH
3760	----	----	40.60B/30.80A	40.60B/30.80A	----	33.30 - 0.90	.0810	----	----	----	----	2 UNCH
3765	----	----	41.20B/31.10A	41.20B/31.10A	----	33.70 - 0.90	.0819	----	----	----	----	32 UNCH
3770	----	----	41.50B/31.50A	41.50B/31.50A	----	34.10 - 0.90	.0829	----	----	----	----	120 UNCH
3775	31.00	31.00	42.10B/31.00	42.10B/31.00	----	34.50 - 0.90	.0838	----	----	2	----	61 UNCH
3780	----	----	42.60B/32.30A	42.60B/32.30A	----	34.90 - 0.90	.0847	----	----	----	----	1 UNCH
3785	----	----	42.90B/32.60A	42.90B/32.60A	----	35.30 - 1.00	.0856	----	----	----	----	5 UNCH
3790	----	----	43.40B/33.00A	43.40B/33.00A	----	35.60 - 1.10	.0864	----	----	----	----	40 UNCH
3795	----	----	43.90B/33.40A	43.90B/33.40A	----	36.10 - 1.00	.0875	----	----	----	----	36 UNCH
3800	----	----	44.40B/33.70A	44.40B/33.70A	----	36.50 - 1.00	.0884	----	----	----	----	685 UNCH
3810	----	----	45.50B/34.50A	45.50B/34.50A	----	37.30 - 1.10	.0903	----	----	----	----	16 UNCH
3815	----	----	45.90B/34.90A	45.90B/34.90A	----	37.70 - 1.20	.0912	----	----	----	----	14 UNCH
3820	36.80	36.80	46.40B/35.30A	46.40B/35.30A	----	38.10 - 1.20	.0922	----	----	3	----	6 UNCH
3825	----	----	47.00B/35.70A	47.00B/35.70A	----	38.60 - 1.20	.0933	----	----	----	----	9 UNCH
3830	----	----	47.50B/36.10A	47.50B/36.10A	----	39.00 - 1.30	.0942	----	----	----	----	24 UNCH
3835	----	----	48.00B/36.50A	48.00B/36.50A	----	39.40 - 1.30	.0952	----	----	----	----	1 UNCH
3840	----	----	48.60B/36.90A	48.60B/36.90A	----	39.90 - 1.30	.0963	----	----	----	----	32 UNCH
3845	----	----	49.10B/37.40A	49.10B/37.40A	----	40.30 - 1.40	.0972	----	----	----	----	13 UNCH
3850	----	----	49.70B/37.80A	49.70B/37.80A	----	40.80 - 1.40	.0983	----	----	----	----	206 UNCH
3860	----	----	50.90B/38.70A	50.90B/38.70A	----	41.70 - 1.50	.1004	----	----	2	----	29 + 2
3875	----	----	52.30B/40.00A	52.30B/40.00A	----	43.20 - 1.50	.1037	----	----	----	----	108 UNCH
3880	----	----	52.70B/40.50A	52.70B/40.50A	----	43.70 - 1.50	.1049	----	----	----	----	13 UNCH
3885	----	----	53.30B/40.90A	53.30B/40.90A	----	44.20 - 1.50	.1060	----	----	----	----	5 UNCH
3890	----	----	54.30B/41.40A	54.30B/41.40A	----	44.70 - 1.60	.1071	----	----	----	----	4 UNCH
3895	----	----	54.70B/41.90A	54.70B/41.90A	----	45.20 - 1.60	.1082	----	----	----	----	1 UNCH
3900	----	----	55.30B/42.30A	55.30B/42.30A	----	45.70 - 1.70	.1094	----	----	----	----	300 UNCH
3905	----	----	55.70B/42.80A	55.70B/42.80A	----	46.20 - 1.70	.1105	----	----	----	----	10 UNCH
3910	----	----	56.80B/43.30A	56.80B/43.30A	----	46.70 - 1.80	.1117	----	----	----	----	54 UNCH
3920	----	----	57.60B/44.30A	57.60B/44.30A	----	47.80 - 1.80	.1141	----	----	----	----	1 UNCH
3925	----	----	58.80B/44.80A	58.80B/44.80A	----	48.30 - 1.90	.1152	----	----	----	----	48 UNCH
3930	51.00	51.00	59.40B/45.30A	59.40B/45.30A	----	48.90 - 1.80	.1165	----	----	2	----	36 + 2
3935	----	----	59.60B/45.80A	59.60B/45.80A	----	49.50 - 1.80	.1178	----	----	----	----	7 UNCH
3940	----	----	60.30B/46.30A	60.30B/46.30A	----	50.00 - 1.90	.1190	----	----	----	----	20 UNCH
3945	----	----	61.10B/46.90A	61.10B/46.90A	----	50.60 - 1.90	.1203	----	----	----	----	20 UNCH
3950	----	----	62.20B/47.40A	62.20B/47.40A	----	51.20 - 1.90	.1215	----	----	----	----	604 UNCH
3955	----	----	62.60B/48.00A	62.60B/48.00A	----	51.80 - 1.90	.1228	----	----	----	----	25 UNCH
3960	----	----	63.00B/48.60A	63.00B/48.60A	----	52.30 - 2.10	.1240	----	----	----	----	16 UNCH
3965	----	----	63.80B/49.00A	63.80B/49.00A	----	52.90 - 2.10	.1253	----	----	----	----	94 UNCH
3970	----	----	64.90B/49.50A	64.90B/49.50A	----	53.60 - 2.00	.1268	----	----	----	----	2 UNCH
3975	----	----	65.40B/50.10A	65.40B/50.10A	----	54.20 - 2.10	.1281	----	----	----	----	21 UNCH
3980	----	----	66.20B/50.70A	66.20B/50.70A	----	54.80 - 2.10	.1294	----	----	----	----	3 UNCH
3985	59.80	59.80	67.10B/51.30A	67.10B/51.30A	----	55.40 - 2.20	.1307	----	----	3	----	136 UNCH
3990	----	----	67.40B/51.80A	67.40B/51.80A	----	56.10 - 2.10	.1322	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3995	----	----	68.20B/52.40A	68.20B/52.40A	----	56.70 - 2.20	.1335	----	----	----	----	13 UNCH
4000	64.00	64.00	69.10B/52.30	69.10B/52.30	----	57.40 - 2.20	.1350	----	----	24	----	679 + 16
4005	----	----	69.60B/53.50A	69.60B/53.50A	----	58.00 - 2.30	.1363	----	----	----	----	85 UNCH
4010	----	----	71.00B/54.10A	71.00B/54.10A	----	58.70 - 2.20	.1378	----	----	----	----	3 UNCH
4015	61.00	61.00	71.80B/54.70A	71.80B/54.70A	----	59.30 - 2.30	.1391	----	----	25	----	59 + 25
4020	----	----	72.50B/55.30A	72.50B/55.30A	----	60.00 - 2.30	.1406	----	----	----	----	90 UNCH
4025	----	----	73.30B/55.90A	73.30B/55.90A	----	60.70 - 2.40	.1421	----	----	----	----	18 UNCH
4030	----	----	74.20B/56.60A	74.20B/56.60A	----	61.40 - 2.40	.1435	----	----	----	----	32 UNCH
4035	----	----	74.70B/57.20A	74.70B/57.20A	----	62.10 - 2.40	.1450	----	----	----	----	2 UNCH
4040	----	----	75.30B/57.80A	75.30B/57.80A	----	62.80 - 2.40	.1465	----	----	----	----	1 UNCH
4045	----	----	76.50B/58.50A	76.50B/58.50A	----	63.50 - 2.50	.1480	----	----	----	----	20 UNCH
4050	----	----	77.50B/59.20A	77.50B/59.20A	----	64.30 - 2.40	.1496	----	----	----	----	46 UNCH
4055	----	----	78.40B/59.80A	78.40B/59.80A	----	65.00 - 2.50	.1511	----	----	----	----	31 UNCH
4065	70.20	70.20	80.00B/61.10A	80.00B/61.10A	----	66.50 - 2.50	.1542	----	----	3	----	6 + 3
4070	----	----	80.80B/61.80A	80.80B/61.80A	----	67.30 - 2.50	.1558	----	----	----	----	12 UNCH
4075	----	----	81.70B/62.50A	81.70B/62.50A	----	68.00 - 2.60	.1574	----	----	----	----	7 UNCH
4080	75.00	75.00	82.60B/63.20A	82.60B/63.20A	----	68.80 - 2.60	.1590	----	----	2	----	7 + 2
4085	73.00	73.00	83.60B/63.90A	83.60B/63.90A	----	69.60 NEW	.1606	----	----	13	----	10 + 10
4095	----	----	84.80B/65.30A	84.80B/65.30A	----	71.10 - 2.80	.1638	----	----	----	----	1 UNCH
4100	78.20	78.20	86.40/66.10A	86.40/66.10A	----	72.00 - 2.70	.1655	----	----	14	----	317 + 1
4105	----	----	87.20B/66.70A	87.20B/66.70A	----	72.80 - 2.70	.1672	----	----	----	----	9 UNCH
4110	----	----	88.10B/67.50A	88.10B/67.50A	----	73.60 - 2.80	.1689	----	----	----	----	11 UNCH
4115	----	----	89.10B/68.20A	89.10B/68.20A	----	74.40 - 2.80	.1705	----	----	----	----	5 UNCH
4120	----	----	90.00B/68.90A	90.00B/68.90A	----	75.20 - 2.90	.1722	----	----	----	----	6 UNCH
4125	----	----	91.00B/69.80A	91.00B/69.80A	----	76.10 - 2.90	.1740	----	----	----	----	72 UNCH
4130	----	----	92.00B/70.50A	92.00B/70.50A	----	76.90 - 3.00	.1756	----	----	----	----	65 UNCH
4140	----	----	94.10B/72.10A	94.10B/72.10A	----	78.70 - 3.00	.1792	----	----	----	----	4 UNCH
4145	85.10	85.10	95.10B/72.90A	95.10B/72.90A	----	79.50 - 3.10	.1809	----	----	28	----	235 - 4
4150	----	----	96.10B/73.70A	96.10B/73.70A	----	80.40 - 3.10	.1827	----	----	----	----	132 UNCH
4155	----	----	97.10B/74.90A	97.10B/74.90A	----	81.30 - 3.10	.1845	----	----	----	----	5 UNCH
4160	----	----	98.20B/75.50A	98.20B/75.50A	----	82.20 - 3.20	.1863	----	----	----	----	4 UNCH
4165	92.60	92.60	99.20B/76.20A	99.20B/76.20A	----	83.10 - 3.20	.1881	----	----	3	----	53 + 2
4170	----	----	99.80B/77.20A	99.80B/77.20A	----	84.00 - 3.30	.1899	----	----	----	----	1 UNCH
4175	----	----	101.30B/77.90A	101.30B/77.90A	----	85.00 - 3.20	.1918	----	----	1	----	40 - 1
4190	----	----	104.60B/80.40A	104.60B/80.40A	----	87.80 - 3.40	.1974	----	----	----	----	129 UNCH
4195	----	----	105.70B/81.20A	105.70B/81.20A	----	88.80 - 3.40	.1994	----	----	----	----	65 UNCH
4200	----	----	107.00B/82.00A	107.00B/82.00A	----	89.80 - 3.40	.2013	----	----	9	----	361 + 5
4205	----	----	108.00B/83.20A	108.00B/83.20A	----	90.70 - 3.60	.2031	----	----	----	----	4 UNCH
4210	----	----	109.20B/84.10A	109.20B/84.10A	----	91.70 - 3.60	.2051	----	----	----	----	67 UNCH
4215	----	----	110.40B/85.10A	110.40B/85.10A	----	92.70 - 3.60	.2071	----	----	----	----	33 UNCH
4220	102.10	102.10	111.50B/85.90A	111.50B/85.90A	----	93.80 - 3.60	.2091	----	----	3	----	74 - 1
4225	99.20	99.20	112.70B/86.80A	112.70B/86.80A	----	94.80 - 3.70	.2111	----	----	1	----	34 + 1
4230	----	----	113.90B/88.00A	113.90B/88.00A	----	95.80 - 3.70	.2130	----	----	----	----	8 UNCH
4235	----	----	115.10B/89.00A	115.10B/89.00A	----	96.90 - 3.70	.2151	----	----	----	----	42 UNCH
4240	----	----	116.40B/89.90A	116.40B/89.90A	----	97.90 - 3.80	.2171	----	----	----	----	33 UNCH
4245	----	----	116.70B/91.40A	116.70B/91.40A	----	99.00 - 3.80	.2192	----	----	----	----	1 UNCH
4250	108.50	108.50	118.80B/91.30A	118.80B/91.30A	----	100.10 - 3.80	.2212	----	----	6	----	840 + 4
4255	----	----	119.20B/93.50A	119.20B/93.50A	----	101.20 - 3.90	.2233	----	----	----	----	2 UNCH
4260	----	----	121.40B/94.00A	121.40B/94.00A	----	102.30 - 3.90	.2254	----	----	----	----	4 UNCH
4265	----	----	122.70B/95.00A	122.70B/95.00A	----	103.40 - 4.00	.2275	----	----	----	----	12 UNCH
4270	----	----	123.00B/96.50A	123.00B/96.50A	----	104.50 - 4.00	.2296	----	----	----	----	1 UNCH
4275	----	----	125.30B/97.00A	125.30B/97.00A	----	105.70 - 4.00	.2318	----	----	----	----	73 UNCH
4280	----	----	126.60B/98.10A	126.60B/98.10A	----	106.80 - 4.10	.2339	----	----	----	----	38 UNCH
4285	----	----	127.90B/99.10A	127.90B/99.10A	----	108.00 - 4.10	.2361	----	----	----	----	101 UNCH
4290	----	----	129.30B/100.20A	129.30B/100.20A	----	109.20 - 4.10	.2383	----	----	----	----	33 UNCH
4295	----	----	130.70B/101.40A	130.70B/101.40A	----	110.40 - 4.10	.2405	----	----	----	----	20 UNCH
4300	120.20	120.20	132.10B/102.30A	132.10B/102.30A	----	111.60 - 4.10	.2427	----	----	4	----	2193 UNCH
4305	121.70	121.70	133.50B/103.40A	133.50B/103.40A	----	112.80 - 4.20	.2449	----	----	3	----	9 + 3
4310	----	----	134.80B/104.60A	134.80B/104.60A	----	114.00 - 4.20	.2471	----	----	----	----	4 UNCH
4315	----	----	136.10B/105.90A	136.10B/105.90A	----	115.20 - 4.30	.2494	----	----	----	----	24 UNCH
4320	----	----	136.80B/107.50A	136.80B/107.50A	----	116.50 - 4.30	.2517	----	----	----	----	1 UNCH
4325	133.70	133.70	139.10B/107.90A	139.10B/107.90A	----	117.80 - 4.30	.2540	----	----	14	----	84 + 13
4330	----	----	140.50B/109.50A	140.50B/109.50A	----	119.00 - 4.40	.2562	----	----	----	----	21 UNCH
4335	----	----	141.90B/110.30A	141.90B/110.30A	----	120.30 - 4.40	.2585	----	----	----	----	111 UNCH
4340	----	----	143.40B/111.50A	143.40B/111.50A	----	121.60 - 4.40	.2609	----	----	----	----	114 UNCH
4345	132.10	132.10	144.90B/112.70A	144.90B/112.70A	----	122.90 - 4.50	.2632	----	----	10	----	12 + 10
4350	120.00	120.00	146.50B/113.50A	146.50B/113.50A	----	124.30 - 4.40	.2656	----	----	5	----	306 + 3
4355	----	----	147.90B/115.20A	147.90B/115.20A	----	125.60 - 4.50	.2679	----	----	----	----	123 UNCH
4360	----	----	149.40B/116.30A	149.40B/116.30A	----	127.00 - 4.50	.2704	----	----	----	----	104 UNCH
4365	----	----	150.20B/118.30A	150.20B/118.30A	----	128.30 - 4.60	.2727	----	----	----	----	1 UNCH
4370	----	----	152.50B/119.20A	152.50B/119.20A	----	129.70 - 4.60	.2751	----	----	----	----	140 UNCH
4375	----	----	154.10B/120.30A	154.10B/120.30A	----	131.10 - 4.60	.2776	----	----	----	----	27 UNCH
4380	----	----	155.00B/122.20A	155.00B/122.20A	----	132.50 - 4.60	.2800	----	----	----	----	2 UNCH
4385	----	----	157.30B/122.80A	157.30B/122.80A	----	133.90 - 4.70	.2824	----	----	----	----	52 UNCH
4390	----	----	158.10B/124.70A	158.10B/124.70A	----	135.30 - 4.70	.2849	----	----	----	----	2 UNCH
4395	----	----	160.50B/125.40A	160.50B/125.40A	----	136.80 - 4.70	.2874	----	----	----	----	13 UNCH
4400	162.20	162.20	162.20/126.60A	162.20/126.60A	----	138.30 - 4.70	.2899	----	----	12	----	2611 UNCH
4405	----	----	163.00B/128.70A	163.00B/128.70A	----	139.70 - 4.80	.2924	----	----	----	----	1 UNCH
4410	----	----	165.40B/129.70A	165.40B/129.70A	----	141.20 - 4.80	.2949	----	----	----	----	14 UNCH
4415	----	----	167.10B/131.00A	167.10B/131.00A	----	142.70 - 4.90	.2974	----	----	----	----	4 UNCH
4420	----	----	168.80B/132.20A	168.80B/132.20A	----	144.20 - 4.90	.3000	----	----	----	----	15 UNCH
4425	----	----	170.50B/133.50A	170.50B/133.50A	----	145.70 - 5.00	.3025	----	----	----	----	36 UNCH
4430	----	----	172.20B/134.90A	172.20B/134.90A	----	147.30 - 4.90	.3051	----	----	----	----	156 UNCH
4435	----	----	172.80B/137.20A	172.80B/137.20A	----	148.80 - 5.00	.3076	----	----	----	----	1 UNCH
4440	----	----	175.70B/137.90A	175.70B/137.90A	----	150.40 - 5.00	.3103	----	----	----	----	33 UNCH
4445	----	----	177.30B/139.60A	177.30B/139.60A	----	152.00 - 5.10	.3129	----	----	----	----	152 UNCH
4450	----	----	179.30B/140.70A	179.30B/140.70A	----	153.60 - 5.10	.3155	----	----	----	----	580 UNCH
4455	----	----	181.00B/142.30A	181.00B/142.30A	----	155.20 - 5.10	.3181	----	----	----	----	18 UNCH
4460	----	----	182.80B/143.90A	182.80B/143.90A	----	156.80 - 5.20	.3207	----	----	----	----	93 UNCH
4465	----	----	184.60B/145.50A	184.60B/145.50A	----	158.50 - 5.20	.3234	----	----	----	----	14 UNCH
4470	----	----	186.40B/147.00A	186.40B/147.00A	----	160.10 - 5.30	.3261	----	----	----	----	10 UNCH
4475	----	----	188.40B/148.30A	188.40B/148.30A	----	161.80 - 5.30	.3288	----	----	----	----	27 UNCH
4480	----	----	190.20B/150.00A	190.20B/150.00A	----	163.50 - 5.30	.3315	----	----	----	----	136 UNCH
4485	----	----	192.10B/151.30A	192.10B/151.30A	----	165.20 - 5.40	.3342	----	----	----	----	50 UNCH
4490	----	----	194.00B/153.00A	194.00B/153.00A	----	166.90 - 5.40	.3369	----	----	----	----	16 UNCH
4495	----	----	195.90B/154.70A	195.90B/154.70A	----	168.60 - 5.50	.3396	----	----	----	----	3 UNCH
4500	170.50	170.50	198.00B/156.00A	198.00B/156.00A	----	170.40 - 5.50	.3423	----	----	4	----	441 + 2
4505	----	----	199.80B/157.90A	199.80B/157.90A	----	172.20 - 5.50	.3451	----	----	----	----	5 UNCH
4510	----	----	201.60B/159.60A	201.60B/159.60A	----	173.90 - 5.60	.3478	----	----	----	----	7 UNCH
4515	----	----	203.70B/161.10A	203.70B/161.10A	----	175.70 - 5.60	.3506	----	----	----	----	3 UNCH
4520	----	----	205.60B/162.80A	205.60B/162.80A	----	177.50 - 5.70	.3534	----	----	----	----	4 UNCH
4525	----	----	207.70B/164.50A	207.70B/164.50A	----	179.40 - 5.60	.3562	----	----	----	----	74 UNCH
4530	----	----	208.90B/166.70A	208.90B/166.70A	----	181.20 NEW	.3590	----	----	3	----	3 + 3
4535	----	----	210.90B/168.50A	210.90B/168.50A	----	183.10 - 5.70	.3618	----	----	----	----	1 UNCH
4540	----	----	213.80B/169.70A	213.80B/169.70A	----	185.00 - 5.70	.3646	----	----	----	----	89 UNCH
4545	----	----	215.80B/171.30A	215.80B/171.30A	----	186.90 - 5.70	.3675	----	----	----	----	20 UNCH
4550	----	----	217.90B/173.00A	217.90B/173.00A	----	188.80 - 5.80	.3703	----	----	----	----	63 UNCH
4555	----	----	219.90B/174.80A	219.90B/174.80A	----	190.70 - 5.80	.3731	----	----	----	----	15 UNCH
4560	----	----	222.10B/176.60A	222.10B/176.60A	----	192.60 - 5.90	.3760	----	----	2	----	18 + 1
4565	----	----	224.20B/178.50A	224.20B/178.50A	----	194.60 - 5.90	.3789	----	----	1	----	105 + 1
4570	----	----	226.40B/180.10A	226.40B/180.10A	----	196.50 - 6.00	.3817	----	----	----	----	8 UNCH
4575	----	----	228.60B/181.90A	228.60B/181.90A	----	198.50 - 6.00	.3846	----	----	----	----	11 UNCH
4580	198.20	198.20	230.00B/184.60A	230.00B/184.60A	----	200.50 - 6.00	.3875	----	----	2	----	4 + 2
4585	----	----	232.90B/185.40A	232.90B/185.40A	----	202.50 - 6.10	.3904	----	----	----	----	4 UNCH
4590	----	----	235.20B/187.70A	235.20B/187.70A	----	204.60 - 6.10	.3933	----	----	----	----	5 UNCH
4595	----	----	237.40B/189.30A	237.40B/189.30A	----	206.60 - 6.20	.3962	----	----	----	----	33 UNCH
4600	215.50	215.50	239.90B/190.90A	239.90B/190.90A	----	208.70 - 6.20	.3992	----	----	13	----	1122 UNCH
4605	----	----	240.90B/194.10A	240.90B/194.10A	----	210.70 - 6.30	.4021	----	----	----	----	1 UNCH
4610	----	----	244.00B/195.20A	244.00B/195.20A	----	212.80 - 6.30	.4050	----	----	----	----	143 UNCH
4615	----	----	246.30B/197.20A	246.30B/197.20A	----	214.90 - 6.30	.4080	----	----	----	----	12 UNCH
4620	----	----	248.70B/198.80A	248.70B/198.80A	----	217.00 - 6.40	.4109	----	----	----	----	45 UNCH
4625	----	----	250.90B/201.10A	250.90B/201.10A	----	219.20 - 6.40	.4139	----	----	----	----	27 UNCH
4635	231.40	231.40	255.60B/204.90A	255.60B/204.90A	----	223.50 - 6.50	.4198	----	----	1	----	127 UNCH
4640	----	----	258.10B/206.90A	258.10B/206.90A	----	225.70 - 6.50	.4228	----	----	----	----	51 UNCH
4645	----	----	260.50B/209.30A	260.50B/209.30A	----	227.90 - 6.60	.4258	----	----	----	----	10 UNCH
4650	240.40	240.40	262.90B/211.10A	262.90B/211.10A	----	230.10 - 6.60	.4288	----	----	9	----	122 + 5
4655	----	----	264.50B/214.10A	264.50B/214.10A	----	232.40 - 6.60	.4318	----	----	----	----	2 UNCH
4660	----	----	267.80B/215.10A	267.80B/215.10A	----	234.60 - 6.70	.4347	----	----	----	----	58 UNCH
4665	----	----	270.30B/217.20A	270.30B/217.20A	----	236.90 - 6.70	.4378	----	----	----	----	20 UNCH
4670	236.50	236.50	272.70B/219.60A	272.70B/219.60A	----	239.20 - 6.70	.4408	----	----	2	----	100 UNCH
4675	----	----	275.20B/221.60A	275.20B/221.60A	----	241.50 - 6.70	.4438	----	----	----	----	69 UNCH
4680	----	----	277.70B/223.70A	277.70B/223.70A	----	243.90 - 6.70	.4468	----	----	----	----	8 UNCH
4685	----	----	280.30B/225.90A	280.30B/225.90A	----	246.30 - 6.70	.4498	----	----	----	----	6 UNCH
4695	----	----	285.50B/230.20A	285.50B/230.20A	----	251.10 - 6.60	.4559	----	----	----	----	162 UNCH
4700	248.00	248.00	288.10B/232.30A	288.10B/232.30A	----	253.50 - 6.60	.4589	----	----	19	----	427 + 7
4705	----	----	290.50B/234.90A	290.50B/234.90A	----	256.00 - 6.60	.4619	----	----	----	----	6 UNCH
4710	259.00	259.00	293.10B/237.10A	293.10B/237.10A	----	258.40 - 6.60	.4650	----	----	4	----	124 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4715	----	----	294.60B/240.30A	294.60B/240.30A	----	260.90 - 6.50	.4680	----	----	----	----	1 UNCH
4720	----	----	298.30B/241.40A	298.30B/241.40A	----	263.40 - 6.50	.4710	----	----	----	----	9 UNCH
4725	260.30	260.30	301.10B/244.10A	301.10B/244.10A	----	266.00 - 6.40	.4740	----	----	2	----	205 UNCH
4730	----	----	303.90B/246.00A	303.90B/246.00A	----	268.50 - 6.40	.4771	----	----	----	270	27 - 264
4735	----	----	306.60B/248.40A	306.60B/248.40A	----	271.00 - 6.40	.4801	----	----	----	----	11 UNCH
4740	285.00	285.00	309.40B/250.70A	309.40B/250.70A	----	273.60 - 6.40	.4832	----	----	13	----	149 - 10
4745	----	----	311.90B/253.10A	311.90B/253.10A	----	276.10 - 6.50	.4862	----	----	----	----	115 UNCH
4750	----	----	314.40B/255.70A	314.40B/255.70A	----	278.70 - 6.40	.4892	----	----	1	----	407 + 1
4755	----	----	317.40B/257.90A	317.40B/257.90A	----	281.30 - 6.40	.4923	----	----	----	----	9 UNCH
4760	----	----	319.90B/260.50A	319.90B/260.50A	----	283.90 - 6.50	.4953	----	----	----	----	28 UNCH
4765	----	----	322.60B/262.80A	322.60B/262.80A	----	286.60 - 6.40	.4983	----	----	----	----	30 UNCH
4770	----	----	324.40B/266.20A	324.40B/266.20A	----	289.30 - 6.30	.5013	----	----	----	----	1 UNCH
4775	----	----	328.70B/267.90A	328.70B/267.90A	----	291.90 - 6.40	.5044	----	----	----	----	43 UNCH
4780	----	----	331.60B/270.10A	331.60B/270.10A	----	294.60 - 6.40	.5074	----	----	----	----	30 UNCH
4785	----	----	333.60B/273.20A	333.60B/273.20A	----	297.40 - 6.30	.5104	----	----	----	----	15 UNCH
4790	----	----	335.80B/276.30A	335.80B/276.30A	----	300.10 - 6.30	.5134	----	----	----	----	1 UNCH
4795	----	----	340.00B/277.70A	340.00B/277.70A	----	302.90 - 6.30	.5165	----	----	----	----	7 UNCH
4800	----	----	343.10B/280.20A	343.10B/280.20A	----	305.60 - 6.30	.5195	----	----	----	----	1279 UNCH
4805	----	----	344.80B/283.80A	344.80B/283.80A	----	308.40 - 6.30	.5225	----	----	----	----	1 UNCH
4810	----	----	348.10B/286.20A	348.10B/286.20A	----	311.20 - 6.30	.5255	----	----	----	----	6 UNCH
4815	----	----	350.30B/289.10A	350.30B/289.10A	----	314.00 - 6.30	.5285	----	----	----	----	1 UNCH
4820	----	----	354.10B/292.50A	354.10B/292.50A	----	316.90 - 6.20	.5315	----	----	----	----	102 UNCH
4825	----	----	356.20B/295.40A	356.20B/295.40A	----	319.70 - 6.30	.5345	----	----	----	----	1 UNCH
4840	----	----	365.80B/303.10A	365.80B/303.10A	----	328.40 - 6.20	.5434	----	----	----	----	8 UNCH
4845	----	----	368.50B/305.90A	368.50B/305.90A	----	331.30 - 6.20	.5464	----	----	----	----	69 UNCH
4850	----	----	371.60B/308.00A	371.60B/308.00A	----	334.20 - 6.20	.5494	----	----	----	----	214 UNCH
4860	----	----	377.60B/314.70A	377.60B/314.70A	----	340.10 - 6.20	.5553	----	----	----	----	1 UNCH
4865	----	----	380.70B/317.50A	380.70B/317.50A	----	343.00 - 6.30	.5583	----	----	----	----	2 UNCH
4870	----	----	383.90B/319.50A	383.90B/319.50A	----	346.00 - 6.30	.5612	----	----	----	----	318 UNCH
4875	----	----	387.30B/322.40A	387.30B/322.40A	----	349.00 - 6.30	.5642	----	----	----	----	70 UNCH
4880	----	----	390.20B/324.70A	390.20B/324.70A	----	352.00 - 6.30	.5671	----	----	----	----	11 UNCH
4890	----	----	396.70B/331.00A	396.70B/331.00A	----	358.10 - 6.30	.5730	----	----	----	----	3 UNCH
4895	----	----	399.90B/333.70A	399.90B/333.70A	----	361.20 - 6.30	.5760	----	----	----	----	61 UNCH
4900	----	----	403.10B/337.00A	403.10B/337.00A	----	364.20 - 6.40	.5788	----	----	----	----	261 UNCH
4905	----	----	406.40B/339.20A	406.40B/339.20A	----	367.30 - 6.40	.5817	----	----	----	----	5 UNCH
4910	----	----	409.30B/342.90A	409.30B/342.90A	----	370.40 - 6.40	.5847	----	----	----	----	2 UNCH
4915	----	----	412.90B/345.00A	412.90B/345.00A	----	373.50 - 6.40	.5875	----	----	----	----	6 UNCH
4920	----	----	416.10B/348.10A	416.10B/348.10A	----	376.70 - 6.30	.5905	----	----	----	----	22 UNCH
4925	----	----	419.40B/351.00A	419.40B/351.00A	----	379.80 - 6.40	.5933	----	----	----	----	11 UNCH
4930	----	----	422.70B/353.40A	422.70B/353.40A	----	383.00 - 6.40	.5962	----	----	----	270	2 - 270
4935	----	----	425.80B/357.60A	425.80B/357.60A	----	386.20 - 6.40	.5991	----	----	----	----	4 UNCH
4940	----	----	429.20B/359.90A	429.20B/359.90A	----	389.40 - 6.40	.6020	----	----	----	----	11 UNCH
4950	----	----	435.90B/366.00A	435.90B/366.00A	----	395.80 - 6.40	.6076	----	----	----	----	106 UNCH
4975	----	----	452.80B/382.80A	452.80B/382.80A	----	412.20 - 6.50	.6217	----	----	----	----	2 UNCH
4980	----	----	456.30B/385.70A	456.30B/385.70A	----	415.50 - 6.50	.6245	----	----	----	----	6 UNCH
4985	----	----	459.80B/388.90A	459.80B/388.90A	----	418.90 - 6.40	.6272	----	----	----	----	104 UNCH
4990	----	----	463.20B/391.90A	463.20B/391.90A	----	422.20 - 6.50	.6300	----	----	----	----	2 UNCH
4995	----	----	466.80B/395.20A	466.80B/395.20A	----	425.60 - 6.50	.6327	----	----	----	----	8 UNCH
5000	----	----	470.30B/396.60A	470.30B/396.60A	----	429.00 - 6.50	.6355	----	----	----	----	553 UNCH
5005	----	----	473.80B/400.80A	473.80B/400.80A	----	432.40 - 6.50	.6381	----	----	----	----	12 UNCH
5010	----	----	477.30B/405.10A	477.30B/405.10A	----	435.80 - 6.50	.6409	----	----	----	----	9 UNCH
5015	----	----	480.80B/408.40A	480.80B/408.40A	----	439.20 - 6.50	.6436	----	----	----	----	20 UNCH
5020	----	----	484.40B/411.60A	484.40B/411.60A	----	442.70 - 6.40	.6463	----	----	----	----	5 UNCH
5025	----	----	488.00B/414.90A	488.00B/414.90A	----	446.10 - 6.50	.6490	----	----	----	----	150 UNCH
5030	----	----	491.70B/418.20A	491.70B/418.20A	----	449.60 - 6.50	.6516	----	----	----	----	8 UNCH
5035	----	----	495.20B/422.00A	495.20B/422.00A	----	453.10 - 6.50	.6542	----	----	----	----	37 UNCH
5045	----	----	502.50B/428.70A	502.50B/428.70A	----	460.10 - 6.50	.6595	----	----	----	----	5 UNCH
5050	----	----	506.10B/432.10A	506.10B/432.10A	----	463.70 - 6.40	.6622	----	----	----	----	79 UNCH
5055	----	----	509.70B/435.40A	509.70B/435.40A	----	467.20 - 6.40	.6648	----	----	----	----	3 UNCH
5065	----	----	517.10B/442.20A	517.10B/442.20A	----	474.40 - 6.40	.6699	----	----	----	----	10 UNCH
5075	----	----	524.50B/449.00A	524.50B/449.00A	----	481.60 - 6.30	.6750	----	----	----	----	6 UNCH
5080	----	----	528.20B/452.40A	528.20B/452.40A	----	485.20 - 6.30	.6776	----	----	----	----	2 UNCH
5085	----	----	531.90B/455.90A	531.90B/455.90A	----	488.80 - 6.40	.6801	----	----	----	----	21 UNCH
5090	----	----	535.80B/459.40A	535.80B/459.40A	----	492.50 - 6.30	.6826	----	----	----	----	6 UNCH
5095	----	----	539.50B/462.80A	539.50B/462.80A	----	496.10 - 6.30	.6851	----	----	----	----	42 UNCH
5100	----	----	543.20B/466.30A	543.20B/466.30A	----	499.80 - 6.30	.6875	----	----	----	----	106 UNCH
5105	----	----	546.80B/469.80A	546.80B/469.80A	----	503.50 - 6.30	.6900	----	----	----	----	22 UNCH
5110	----	----	550.20B/473.40A	550.20B/473.40A	----	507.20 - 6.30	.6925	----	----	----	----	16 UNCH
5115	----	----	550.30B/476.90A	550.30B/476.90A	----	510.90 - 6.30	.6950	----	----	----	----	37 UNCH
5120	----	----	554.10B/480.40A	554.10B/480.40A	----	514.70 - 6.20	.6974	----	----	----	----	14 UNCH
5125	----	----	557.90B/484.00A	557.90B/484.00A	----	518.40 - 6.20	.6998	----	----	----	----	37 UNCH
5130	----	----	561.80B/487.50A	561.80B/487.50A	----	522.20 - 6.10	.7022	----	----	----	----	23 UNCH
5135	----	----	565.60B/491.10A	565.60B/491.10A	----	525.90 - 6.20	.7046	----	----	----	----	9 UNCH
5140	----	----	569.20B/494.70A	569.20B/494.70A	----	529.70 - 6.10	.7069	----	----	----	----	19 UNCH
5145	----	----	543.70B/498.30A	543.70B/498.30A	----	533.50 - 6.10	.7093	----	----	----	----	2 UNCH
5150	----	----	576.90B/502.00A	576.90B/502.00A	----	537.30 - 6.10	.7117	----	----	----	----	233 UNCH
5155	----	----	580.80B/505.60A	580.80B/505.60A	----	541.10 - 6.10	.7139	----	----	----	----	42 UNCH
5160	----	----	584.70B/509.30A	584.70B/509.30A	----	544.90 - 6.10	.7163	----	----	----	----	42 UNCH
5170	----	----	592.50B/516.60A	592.50B/516.60A	----	552.60 - 6.00	.7209	----	----	----	----	51 UNCH
5175	----	----	596.40B/520.30A	596.40B/520.30A	----	556.50 - 6.00	.7231	----	----	----	----	61 UNCH
5180	----	----	600.30B/524.00A	600.30B/524.00A	----	560.40 - 5.90	.7254	----	----	----	----	10 UNCH
5185	----	----	604.30B/527.70A	604.30B/527.70A	----	564.30 - 5.90	.7276	----	----	----	----	103 UNCH
5190	----	----	608.50B/531.50A	608.50B/531.50A	----	568.20 - 5.90	.7299	----	----	----	----	19 UNCH
5200	----	----	616.20B/541.90A	616.20B/541.90A	----	576.00 - 5.90	.7343	----	----	----	----	64 UNCH
5225	----	----	636.20B/564.40A	636.20B/564.40A	----	595.80 - 5.70	.7451	----	----	----	----	42 UNCH
5230	----	----	----	421.20B/778.70A	----	599.80 - 5.70	.7472	----	----	----	----	2 UNCH
5235	----	----	644.20B/572.10A	644.20B/572.10A	----	603.80 - 5.70	.7492	----	----	----	----	23 UNCH
5245	----	----	----	461.50B/793.10A	----	611.80 - 5.60	.7535	----	----	----	----	2 UNCH
5250	----	----	656.40B/583.80A	656.40B/583.80A	----	615.80 - 5.60	.7555	----	----	----	----	14 UNCH
5255	----	----	660.80B/587.70A	660.80B/587.70A	----	619.90 - 5.60	.7575	----	----	----	----	14 UNCH
5285	----	----	----	487.90B/821.80A	----	644.30 - 5.50	.7695	----	----	----	----	2 UNCH
5290	----	----	689.60B/615.40A	689.60B/615.40A	----	648.40 - 5.40	.7715	----	----	----	----	4 UNCH
5295	----	----	----	483.30B/831.20A	----	652.60 - 5.30	.7733	----	----	----	----	2 UNCH
5300	----	----	697.70B/623.40A	697.70B/623.40A	----	656.70 - 5.30	.7753	----	----	----	----	67 UNCH
5315	----	----	710.20B/635.50A	710.20B/635.50A	----	669.10 - 5.30	.7808	----	----	----	----	10 UNCH
5325	----	----	----	504.80B/854.50A	----	677.50 - 5.20	.7847	----	----	----	----	1 UNCH
5350	----	----	739.70B/664.10A	739.70B/664.10A	----	698.50 - 5.10	.7936	----	----	----	----	8 UNCH
5375	----	----	761.10B/684.80A	761.10B/684.80A	----	719.70 - 5.00	.8023	----	----	----	----	7 UNCH
5390	----	----	774.00B/697.40A	774.00B/697.40A	----	732.60 - 4.80	.8073	----	----	----	----	5 UNCH
5400	----	----	786.50B/701.40A	786.50B/701.40A	----	741.20 - 4.80	.8105	----	----	----	----	602 UNCH
5410	----	----	----	562.50B/921.90A	----	749.80 - 4.70	.8137	----	----	----	----	1 UNCH
5440	----	----	----	587.30B/946.20A	----	775.80 - 4.60	.8230	----	----	----	----	1 UNCH
5475	----	----	848.20B/769.80A	848.20B/769.80A	----	806.60 - 4.40	.8333	----	----	----	----	6 UNCH
5500	----	----	870.40B/791.70A	870.40B/791.70A	----	828.70 - 4.30	.8404	----	----	----	----	3 UNCH
5505	----	----	----	644.50B/999.80A	----	833.20 - 4.20	.8417	----	----	----	----	1 UNCH
5510	----	----	----	649.80B/1003.90A	----	837.60 - 4.30	.8430	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1392.60 - 1.70	.9380	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1416.90 - 1.60	.9402	----	----	----	----	2 UNCH
TOTAL										315	540	29294 - 398
AUG26												
2300	----	----	----	2.30B/2.70A	----	2.50 - 0.10	.0049	----	----	----	----	31 UNCH
2325	----	----	----	2.40B/3.50A	----	2.90 - 0.10	.0056	----	----	----	----	1 UNCH
2350	----	----	----	2.50B/3.70A	----	2.90 - 0.20	.0057	----	----	----	----	2 UNCH
2375	----	----	----	2.70B/3.80A	----	3.00 - 0.10	.0059	----	----	----	----	7 UNCH
2400	----	----	----	2.80B/3.90A	----	3.10 - 0.20	.0062	----	----	----	----	5 UNCH
2425	----	----	----	3.00B/4.10A	----	3.30 - 0.10	.0066	----	----	----	----	1 UNCH
2475	----	----	----	3.20B/4.40A	----	3.60 - 0.10	.0073	----	----	----	----	5 UNCH
2500	----	----	----	3.30B/4.50A	----	3.70 - 0.10	.0075	----	----	----	----	2 UNCH
2570	----	----	----	3.80B/4.90A	----	4.20 - 0.20	.0086	----	----	----	----	9 UNCH
2580	----	----	----	4.00B/5.00A	----	4.30 - 0.10	.0089	----	----	----	----	1 UNCH
2590	----	----	----	4.00B/5.10A	----	4.40 - 0.10	.0091	----	----	----	----	2 UNCH
2600	----	----	----	4.00B/5.20A	----	4.50 UNCH	.0093	----	----	----	----	2 UNCH
2615	----	----	----	4.20B/5.30A	----	4.60 - 0.10	.0095	----	----	----	----	1 UNCH
2625	----	----	----	4.40B/5.40A	----	4.70 UNCH	.0097	----	----	----	----	2 UNCH
2640	----	----	----	4.50B/5.40A	----	4.80 - 0.10	.0100	----	----	----	----	1 UNCH
2685	----	----	----	5.00B/5.80A	----	5.20 UNCH	.0109	----	----	----	----	1 UNCH
2690	----	----	----	5.10B/5.90A	----	5.20 UNCH	.0109	----	----	----	----	1 UNCH
2730	----	----	----	5.50B/6.20A	----	5.60 - 0.10	.0118	----	----	----	----	1 UNCH
2745	----	----	----	5.60B/6.30A	----	5.80 UNCH	.0123	----	----	----	----	1 UNCH
2750	----	----	----	5.70B/6.40A	----	5.80 - 0.10	.0123	----	----	----	----	4 UNCH
2800	----	----	----	6.40B/6.90A	----	6.40 - 0.10	.0137	----	----	----	----	30 UNCH
2860	----	----	----	7.20B/7.70A	----	7.20 - 0.10	.0155	----	----	----	----	1 UNCH
2950	----	----	8.80B/----	8.80B/9.10A	----	8.80 + 0.10	.0189	----	----	----	----	8 UNCH
3000	----	----	9.90B/----	9.90B/10.20A	----	9.70 + 0.10	.0210	----	----	----	----	262 UNCH
3005	----	----	10.00B/----	10.00B/10.40A	----	9.80 + 0.10	.0212	----	----	----	----	5 UNCH
3010	----	----	10.00B/----	10.00B/10.50A	----	9.90 + 0.10	.0214	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3015	----	----	10.10B/----	10.10B/10.50A	----	10.00 + 0.10	.0216	----	----	----	----	1 UNCH
3025	----	----	10.40B/----	10.40B/10.80A	----	10.20 + 0.10	.0221	----	----	----	----	5 UNCH
3040	----	----	10.70B/----	10.70B/11.10A	----	10.50 UNCH	.0227	----	----	----	----	1 UNCH
3065	----	----	11.40B/----	11.40B/11.60A	----	11.00 UNCH	.0239	----	----	----	----	1 UNCH
3090	----	----	12.00B/----	12.00B/12.00A	----	11.60 UNCH	.0252	----	----	----	----	1 UNCH
3095	----	----	12.20B/----	12.20B/12.20A	----	11.70 UNCH	.0254	----	----	----	----	1 UNCH
3100	----	----	12.40B/----	12.40B/12.30A	----	11.80 UNCH	.0257	----	----	----	----	137 UNCH
3110	----	----	12.40B/----	12.40B/12.50A	----	12.00 - 0.10	.0262	----	----	----	----	15 UNCH
3120	----	----	12.90B/----	12.90B/12.80A	----	12.30 UNCH	.0268	----	----	----	----	29 UNCH
3130	----	----	13.20B/----	13.20B/13.10A	----	12.50 - 0.10	.0273	----	----	----	----	5 UNCH
3150	----	----	13.70B/----	13.70B/13.60A	----	13.00 - 0.10	.0284	----	----	----	----	10 UNCH
3155	----	----	13.90B/----	13.90B/13.70A	----	13.20 - 0.10	.0288	----	----	----	----	3 UNCH
3160	----	----	14.20B/----	14.20B/13.70A	----	13.30 - 0.10	.0290	----	----	----	----	1 UNCH
3170	----	----	14.50B/----	14.50B/14.10A	----	13.60 - 0.10	.0297	----	----	----	----	1 UNCH
3180	----	----	14.70B/----	14.70B/14.40A	----	13.80 - 0.20	.0302	----	----	----	----	25 UNCH
3185	----	----	15.00B/----	15.00B/14.60A	----	14.00 - 0.10	.0306	----	----	----	----	1 UNCH
3190	----	----	15.20B/----	15.20B/14.60A	----	14.10 - 0.20	.0308	----	----	----	1762	881 + 861
3195	----	----	15.30B/----	15.30B/14.80A	----	14.30 - 0.10	.0312	----	----	----	----	1 UNCH
3200	----	----	15.50B/----	15.50B/15.10A	----	14.40 - 0.20	.0315	----	----	----	----	406 UNCH
3250	----	----	17.40B/----	17.40B/16.40A	----	16.00 - 0.20	.0350	----	----	----	----	405 UNCH
3260	----	----	18.60B/----	18.60B/16.90A	----	16.30 - 0.30	.0357	----	----	----	----	30 UNCH
3300	----	----	19.40B/----	19.40B/18.30A	----	17.80 - 0.20	.0389	----	----	----	----	157 UNCH
3350	----	----	21.90B/----	21.90B/20.20A	----	19.80 - 0.30	.0432	----	----	----	----	371 UNCH
3370	----	----	22.90B/----	22.90B/21.20A	----	20.60 - 0.40	.0450	----	----	----	----	1 UNCH
3375	----	----	22.90B/----	22.90B/21.30A	----	20.90 - 0.30	.0456	----	----	----	----	15 UNCH
3380	----	----	23.20B/----	23.20B/21.70A	----	21.10 - 0.30	.0460	----	----	----	----	1 UNCH
3390	----	----	23.80B/----	23.80B/22.10A	----	21.50 - 0.40	.0469	----	----	----	----	1 UNCH
3400	23.80	23.80	24.40B/20.10	24.40B/20.10	----	22.00 - 0.40	.0480	----	----	2	----	23 UNCH
3405	----	----	24.40B/----	24.40B/22.80A	----	22.30 - 0.30	.0486	----	----	----	----	4 UNCH
3450	----	----	28.20B/----	28.20B/24.90A	----	24.50 - 0.40	.0533	----	----	----	----	1 UNCH
3465	----	----	28.90B/----	28.90B/25.80A	----	25.30 - 0.40	.0549	----	----	----	----	6 UNCH
3470	----	----	29.20B/----	29.20B/26.10A	----	25.60 - 0.40	.0556	----	----	----	----	1 UNCH
3495	----	----	30.90B/----	30.90B/27.50A	----	27.10 - 0.40	.0586	----	----	----	----	1 UNCH
3500	----	----	31.60B/27.70A	31.60B/27.70A	----	27.30 - 0.50	.0591	----	----	400	----	921 + 400
3505	----	----	31.60B/27.90A	31.60B/27.90A	----	27.60 - 0.50	.0597	----	----	----	----	1 UNCH
3510	----	----	31.90B/28.20A	31.90B/28.20A	----	27.90 - 0.50	.0604	----	----	----	----	50 UNCH
3520	----	----	32.70B/28.60A	32.70B/28.60A	----	28.60 - 0.40	.0618	----	----	----	----	210 UNCH
3525	----	----	33.20B/27.90A	33.20B/27.90A	----	28.90 - 0.40	.0624	----	----	----	----	60 UNCH
3545	----	----	35.10B/28.80A	35.10B/28.80A	----	30.20 - 0.40	.0651	----	----	----	----	9 UNCH
3550	----	----	35.50B/29.10A	35.50B/29.10A	----	30.50 - 0.40	.0657	----	----	----	----	115 UNCH
3570	----	----	37.10B/30.40A	37.10B/30.40A	----	31.80 - 0.50	.0684	----	----	----	----	32 UNCH
3575	----	----	37.50B/30.70A	37.50B/30.70A	----	32.20 - 0.50	.0692	----	----	----	----	20 UNCH
3585	----	----	38.40B/31.40A	38.40B/31.40A	----	32.90 - 0.50	.0706	----	----	----	----	50 UNCH
3600	----	----	39.70B/32.50A	39.70B/32.50A	----	34.00 - 0.50	.0728	----	----	400	----	450 - 237
3610	----	----	40.60B/33.10A	40.60B/33.10A	----	34.70 - 0.50	.0743	----	----	----	----	1 UNCH
3630	----	----	42.30B/34.60A	42.30B/34.60A	----	36.20 - 0.60	.0773	----	----	----	----	8 UNCH
3645	----	----	43.70B/35.70A	43.70B/35.70A	----	37.40 - 0.60	.0797	----	----	----	----	22 UNCH
3650	----	----	44.20B/36.10A	44.20B/36.10A	----	37.80 - 0.60	.0805	----	----	----	----	40 UNCH
3655	----	----	44.60B/36.50A	44.60B/36.50A	----	38.20 - 0.60	.0814	----	----	----	----	55 UNCH
3660	----	----	45.10B/36.90A	45.10B/36.90A	----	38.70 - 0.60	.0823	----	----	----	----	9 UNCH
3665	----	----	45.60B/37.30A	45.60B/37.30A	----	39.10 - 0.60	.0831	----	----	----	----	1 UNCH
3675	----	----	46.50B/38.10A	46.50B/38.10A	----	39.90 - 0.70	.0847	----	----	----	----	24 UNCH
3690	----	----	48.10B/39.40A	48.10B/39.40A	----	41.20 - 0.70	.0873	----	----	----	----	10 UNCH
3700	----	----	49.10B/40.20A	49.10B/40.20A	----	42.10 - 0.70	.0891	----	----	----	----	221 UNCH
3705	----	----	49.60B/40.70A	49.60B/40.70A	----	42.50 - 0.80	.0899	----	----	----	----	20 UNCH
3715	----	----	50.80B/41.60A	50.80B/41.60A	----	43.50 - 0.70	.0918	----	----	----	----	30 UNCH
3725	----	----	51.80B/42.40A	51.80B/42.40A	----	44.40 - 0.80	.0936	----	----	----	----	4 UNCH
3730	----	----	52.50B/42.90A	52.50B/42.90A	----	44.90 - 0.80	.0946	----	----	----	----	10 UNCH
3750	----	----	54.70B/44.70A	54.70B/44.70A	----	46.80 - 0.90	.0984	----	----	----	----	68 UNCH
3765	----	----	56.40B/46.10A	56.40B/46.10A	----	48.30 - 1.00	.1013	----	----	----	----	100 UNCH
3770	----	----	57.10B/46.60A	57.10B/46.60A	----	48.80 - 1.00	.1023	----	----	----	----	4 UNCH
3775	----	----	57.40B/47.10A	57.40B/47.10A	----	49.30 - 1.00	.1033	----	----	----	----	12 UNCH
3795	----	----	60.20B/49.10A	60.20B/49.10A	----	51.40 - 1.10	.1073	----	----	----	----	80 UNCH
3800	----	----	60.70B/49.60A	60.70B/49.60A	----	52.00 - 1.10	.1084	----	----	----	----	317 UNCH
3805	----	----	61.40B/50.20A	61.40B/50.20A	----	52.50 - 1.20	.1094	----	----	----	----	4 UNCH
3810	----	----	62.00B/50.70A	62.00B/50.70A	----	53.10 - 1.10	.1106	----	----	----	----	50 UNCH
3815	----	----	62.70B/51.20A	62.70B/51.20A	----	53.60 - 1.20	.1116	----	----	----	----	150 UNCH
3820	----	----	63.30B/51.70A	63.30B/51.70A	----	54.20 - 1.20	.1127	----	----	----	----	52 UNCH
3825	----	----	64.00B/52.30A	64.00B/52.30A	----	54.80 - 1.20	.1138	----	----	----	----	51 UNCH
3835	----	----	65.40B/53.30A	65.40B/53.30A	----	55.90 - 1.30	.1160	----	----	----	----	10 UNCH
3850	----	----	67.50B/55.00A	67.50B/55.00A	----	57.70 - 1.40	.1194	----	----	----	----	130 UNCH
3855	----	----	68.20B/55.60A	68.20B/55.60A	----	58.30 - 1.40	.1205	----	----	----	----	3 UNCH
3875	----	----	71.10B/57.90A	71.10B/57.90A	----	60.70 - 1.60	.1251	----	----	----	----	10 UNCH
3880	----	----	71.80B/58.50A	71.80B/58.50A	----	61.40 - 1.60	.1263	----	----	----	----	297 UNCH
3890	----	----	73.40B/59.70A	73.40B/59.70A	----	62.70 - 1.60	.1288	----	----	----	----	73 UNCH
3900	64.20	64.20	74.90B/60.90A	74.90B/60.90A	----	64.00 - 1.70	.1312	----	----	1	----	306 - 1
3910	----	----	76.30B/62.10A	76.30B/62.10A	----	65.30 - 1.80	.1336	----	----	----	----	1 UNCH
3925	----	----	79.20B/64.00A	79.20B/64.00A	----	67.40 - 1.80	.1375	----	----	----	----	10 UNCH
3930	----	----	79.40B/64.70A	79.40B/64.70A	----	68.00 - 2.00	.1387	----	----	----	----	38 UNCH
3950	----	----	82.80B/67.30A	82.80B/67.30A	----	70.90 - 2.10	.1440	----	----	----	----	246 UNCH
3965	----	----	85.40B/69.40A	85.40B/69.40A	----	73.10 - 2.20	.1480	----	----	----	----	14 UNCH
3975	----	----	87.10B/70.80A	87.10B/70.80A	----	74.60 - 2.30	.1507	----	----	----	----	267 UNCH
3980	----	----	87.90B/71.50A	87.90B/71.50A	----	75.40 - 2.30	.1521	----	----	----	----	46 UNCH
3985	----	----	88.80B/72.30A	88.80B/72.30A	----	76.20 - 2.30	.1536	----	----	----	----	1 UNCH
3990	----	----	89.70B/73.10A	89.70B/73.10A	----	76.90 - 2.40	.1549	----	----	----	----	44 UNCH
3995	----	----	90.70B/73.70A	90.70B/73.70A	----	77.70 - 2.40	.1563	----	----	----	----	4 UNCH
4000	82.00	82.00	91.40B/74.40A	91.40B/74.40A	----	78.50 - 2.50	.1577	----	----	26	----	1253 + 6
4005	----	----	92.40B/75.20A	92.40B/75.20A	----	79.30 - 2.50	.1592	----	----	----	----	3 UNCH
4010	----	----	93.20B/76.00A	93.20B/76.00A	----	80.10 - 2.60	.1606	----	----	----	----	78 UNCH
4025	----	----	96.20B/78.20A	96.20B/78.20A	----	82.60 - 2.70	.1650	----	----	----	----	90 UNCH
4030	----	----	97.30B/79.10A	97.30B/79.10A	----	83.50 - 2.60	.1666	----	----	----	----	50 UNCH
4040	----	----	99.10B/80.50A	99.10B/80.50A	----	85.20 - 2.70	.1696	----	----	----	----	15 UNCH
4045	----	----	100.20B/81.40A	100.20B/81.40A	----	86.00 - 2.80	.1710	----	----	----	----	30 UNCH
4050	88.30	88.30	101.10B/82.30A	101.10B/82.30A	----	86.90 - 2.90	.1726	----	----	13	----	299 - 3
4075	----	----	106.30B/86.40A	106.30B/86.40A	----	91.40 - 3.10	.1804	----	----	----	----	5 UNCH
4085	98.10	98.10	108.50B/88.20A	108.50B/88.20A	----	93.30 NEW	.1837	----	----	6	----	6 + 6
4095	----	----	110.50B/90.00A	110.50B/90.00A	----	95.20 - 3.20	.1869	----	----	----	----	4 UNCH
4100	----	----	111.70B/90.90A	111.70B/90.90A	----	96.10 - 3.30	.1885	----	----	----	----	90 UNCH
4110	----	----	113.90B/92.70A	113.90B/92.70A	----	98.10 - 3.30	.1919	----	----	----	----	1 UNCH
4115	104.40	104.40	114.90B/93.70A	114.90B/93.70A	----	99.10 NEW	.1935	----	----	6	----	6 + 6
4120	----	----	116.20B/94.70A	116.20B/94.70A	----	100.10 - 3.40	.1952	----	----	----	----	1 UNCH
4130	----	----	118.30B/96.60A	118.30B/96.60A	----	102.10 - 3.50	.1986	----	----	----	----	5 UNCH
4135	----	----	119.60B/97.40A	119.60B/97.40A	----	103.10 - 3.50	.2003	----	----	----	----	20 UNCH
4140	----	----	120.70B/98.40A	120.70B/98.40A	----	104.10 - 3.60	.2020	----	----	----	----	1 UNCH
4145	----	----	121.80B/99.30A	121.80B/99.30A	----	105.20 - 3.60	.2038	----	----	----	----	20 UNCH
4150	----	----	123.00B/100.40A	123.00B/100.40A	----	106.20 - 3.70	.2055	----	----	----	----	329 UNCH
4160	123.10	123.10	125.50B/102.30A	125.50B/102.30A	----	108.40 - 3.70	.2091	----	----	7	----	56 + 7
4165	----	----	126.80B/103.50A	126.80B/103.50A	----	109.50 - 3.70	.2109	----	----	----	----	100 UNCH
4170	----	----	127.90B/104.30A	127.90B/104.30A	----	110.60 - 3.80	.2127	----	----	----	----	77 UNCH
4175	----	----	129.00B/105.30A	129.00B/105.30A	----	111.70 - 3.80	.2145	----	----	----	----	25 UNCH
4180	----	----	130.50B/106.50A	130.50B/106.50A	----	112.80 - 3.90	.2163	----	----	----	----	91 UNCH
4185	----	----	131.60B/107.50A	131.60B/107.50A	----	113.90 - 3.90	.2181	----	----	----	----	40 UNCH
4190	----	----	133.00B/108.50A	133.00B/108.50A	----	115.00 - 4.00	.2199	----	----	----	----	140 UNCH
4195	----	----	134.40B/109.60A	134.40B/109.60A	----	116.20 - 4.00	.2218	----	----	----	----	143 UNCH
4200	----	----	135.60B/110.60A	135.60B/110.60A	----	117.30 - 4.10	.2237	----	----	----	----	176 UNCH
4205	----	----	136.90B/111.70A	136.90B/111.70A	----	118.50 - 4.10	.2256	----	----	----	----	13 UNCH
4215	----	----	139.50B/113.90A	139.50B/113.90A	----	120.80 - 4.20	.2293	----	----	----	----	1 UNCH
4220	----	----	140.90B/115.00A	140.90B/115.00A	----	122.00 - 4.20	.2312	----	----	----	----	9 UNCH
4225	----	----	142.10B/116.10A	142.10B/116.10A	----	123.30 - 4.20	.2332	----	----	----	----	1 UNCH
4230	----	----	143.60B/117.30A	143.60B/117.30A	----	124.50 - 4.20	.2351	----	----	----	----	10 UNCH
4245	----	----	147.80B/120.70A	147.80B/120.70A	----	128.20 - 4.30	.2409	----	----	----	----	32 UNCH
4250	121.30	121.30	149.10B/121.30	149.10B/121.30	----	129.40 - 4.40	.2429	----	----	1	----	213 UNCH
4255	----	----	150.60B/123.00A	150.60B/123.00A	----	130.70 - 4.40	.2449	----	----	----	1762	883 + 881
4260	----	----	152.10B/124.30A	152.10B/124.30A	----	132.00 - 4.40	.2469	----	----	----	----	8 UNCH
4270	146.20	146.20	154.90B/126.60A	154.90B/126.60A	----	134.60 NEW	.2509	----	----	3	----	3 + 3
4285	----	----	159.30B/130.30A	159.30B/130.30A	----	138.60 - 4.60	.2570	----	----	----	----	170 UNCH
4290	----	----	160.80B/131.50A	160.80B/131.50A	----	139.90 - 4.60	.2590	----	----	----	----	2 UNCH
4295	----	----	162.40B/132.80A	162.40B/132.80A	----	141.30 - 4.60	.2611	----	----	----	----	2 UNCH
4300	141.40	141.40	163.80B/134.10A	163.80B/134.10A	----	142.70 - 4.60	.2632	----	----	25	----	447 + 19
4305	----	----	165.30B/135.30A	165.30B/135.30A	----	144.10 - 4.60	.2653	----	----	----	----	100 UNCH
4310	----	----	166.90B/136.70A	166.90B/136.70A	----	145.50 - 4.70	.2674	----	----	----	----	1 UNCH
4320	----	----	169.90B/139.30A	169.90B/139.30A	----	148.30 - 4.70	.2716	----	----	----	----	5 UNCH
4325	----	----	171.50B/140.50A	171.50B/140.50A	----	149.70 - 4.80	.2737	----	----	----	----	275 UNCH
4330	----	----	173.30B/141.90A	173.30B/141.90A	----	151.20 - 4.80	.2759	----	----	----	----	101 UNCH
4340	----	----	176.60B/144.70A	176.60B/144.70A	----	154.10 - 4.80	.2802	----	----	----	----	1 UNCH
4350	----	----	179.80B/147.30A	179.80B/147.30A	----	157.10 - 4.80	.2845	----	----	----	----	632 UNCH
4355	----	----	181.50B/148.70A	181.50B/148.70A	----	158.60 - 4.90	.2867	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4360	----	----	183.10B/150.20A	183.10B/150.20A	----	160.10 - 4.90	.2889	----	----	----	----	50 UNCH
4365	----	----	184.50B/151.70A	184.50B/151.70A	----	161.60 - 5.00	.2911	----	----	----	----	100 UNCH
4380	----	----	189.50B/155.90A	189.50B/155.90A	----	166.30 - 5.00	.2978	----	----	----	----	1 UNCH
4390	----	----	193.20B/158.90A	193.20B/158.90A	----	169.50 - 5.00	.3023	----	----	----	----	6 UNCH
4395	----	----	195.00B/160.40A	195.00B/160.40A	----	171.10 - 5.00	.3046	----	----	----	----	1 UNCH
4400	179.70	179.70	196.90B/161.70A	196.90B/161.70A	----	172.70 - 5.10	.3068	----	----	13	----	826 + 12
4410	----	----	200.10B/164.80A	200.10B/164.80A	----	176.00 - 5.10	.3114	----	----	----	----	1 UNCH
4415	185.40	185.40	202.10B/166.40A	202.10B/166.40A	----	177.60 NEW	.3137	----	----	6	----	6 + 6
4420	----	----	204.10B/168.00A	204.10B/168.00A	----	179.30 - 5.20	.3160	----	----	----	----	2 UNCH
4425	----	----	205.90B/169.40A	205.90B/169.40A	----	181.00 - 5.20	.3184	----	----	----	----	3 UNCH
4435	192.20	192.20	209.00B/172.60A	209.00B/172.60A	----	184.40 NEW	.3230	----	----	6	----	6 + 6
4440	----	----	211.00B/174.30A	211.00B/174.30A	----	186.10 - 5.30	.3253	----	----	----	----	37 UNCH
4450	----	----	214.80B/177.40A	214.80B/177.40A	----	189.60 - 5.30	.3301	----	----	----	----	322 UNCH
4455	----	----	217.00B/179.00A	217.00B/179.00A	----	191.30 - 5.40	.3324	----	----	----	----	1 UNCH
4460	----	----	219.00B/180.60A	219.00B/180.60A	----	193.10 - 5.40	.3348	----	----	----	----	4 UNCH
4465	----	----	220.50B/182.50A	220.50B/182.50A	----	194.90 - 5.40	.3372	----	----	----	----	10 UNCH
4470	----	----	223.00B/184.20A	223.00B/184.20A	----	196.70 - 5.40	.3396	----	----	----	----	14 UNCH
4475	----	----	224.50B/185.70A	224.50B/185.70A	----	198.50 - 5.50	.3420	----	----	----	----	15 UNCH
4480	210.00	210.00	226.40B/187.50A	226.40B/187.50A	----	200.30 - 5.50	.3444	----	----	1	----	8 + 1
4485	----	----	228.70B/189.20A	228.70B/189.20A	----	202.10 - 5.60	.3468	----	----	----	----	9 UNCH
4490	----	----	230.30B/190.90A	230.30B/190.90A	----	203.90 - 5.70	.3492	----	----	----	----	3 UNCH
4500	----	----	234.30B/194.30A	234.30B/194.30A	----	207.70 - 5.70	.3540	----	----	----	----	841 UNCH
4505	----	----	236.50B/196.20A	236.50B/196.20A	----	209.60 - 5.70	.3565	----	----	----	----	3 UNCH
4535	----	----	249.10B/206.90A	249.10B/206.90A	----	221.10 - 6.00	.3712	----	----	----	----	10 UNCH
4545	----	----	253.20B/210.70A	253.20B/210.70A	----	225.10 - 6.10	.3762	----	----	----	----	21 UNCH
4550	----	----	255.40B/212.50A	255.40B/212.50A	----	227.10 - 6.20	.3787	----	----	----	----	2 UNCH
4560	250.70	250.70	259.70B/216.20A	259.70B/216.20A	----	231.10 - 6.30	.3837	----	----	2	----	3 UNCH
4570	----	----	264.20B/220.20A	264.20B/220.20A	----	235.30 - 6.30	.3888	----	----	----	----	2 UNCH
4575	234.70	234.70	266.40B/221.90A	266.40B/221.90A	----	237.30 - 6.40	.3913	----	----	2	----	3 + 2
4580	----	----	268.70B/223.90A	268.70B/223.90A	----	239.40 - 6.40	.3938	----	----	----	----	150 UNCH
4585	----	----	271.00B/225.90A	271.00B/225.90A	----	241.50 - 6.50	.3964	----	----	----	----	2 UNCH
4590	----	----	273.20B/227.90A	273.20B/227.90A	----	243.60 - 6.50	.3989	----	----	----	----	6 UNCH
4600	243.50	243.50	277.80B/231.80A	277.80B/231.80A	----	247.90 - 6.60	.4040	----	----	7	----	352 - 2
4605	261.50	261.50	280.20B/234.00A	280.20B/234.00A	----	250.10 - 6.60	.4066	----	----	1	----	3 + 1
4620	----	----	287.30B/240.10A	287.30B/240.10A	----	256.70 - 6.60	.4143	----	----	2	----	5 + 2
4625	----	----	289.70B/242.10A	289.70B/242.10A	----	258.90 - 6.70	.4169	----	----	----	----	100 UNCH
4640	----	----	296.90B/248.50A	296.90B/248.50A	----	265.70 - 6.70	.4246	----	----	----	----	100 UNCH
4645	----	----	299.10B/250.60A	299.10B/250.60A	----	267.90 - 6.80	.4272	----	----	----	----	127 UNCH
4650	----	----	302.00B/252.80A	302.00B/252.80A	----	270.20 - 6.80	.4298	----	----	----	----	298 UNCH
4665	----	----	309.40B/259.30A	309.40B/259.30A	----	277.20 - 6.80	.4376	----	----	----	----	1 UNCH
4675	279.20	279.20	314.60B/263.90A	314.60B/263.90A	----	282.00 NEW	.4428	----	----	2	----	2 + 2
4680	----	----	317.10B/266.20A	317.10B/266.20A	----	284.40 - 6.70	.4454	----	----	----	----	5 UNCH
4700	----	----	327.50B/275.40A	327.50B/275.40A	----	294.10 - 6.70	.4559	----	----	----	----	447 UNCH
4705	----	----	329.90B/277.70A	329.90B/277.70A	----	296.60 - 6.60	.4585	----	----	----	----	50 UNCH
4710	----	----	332.50B/279.80A	332.50B/279.80A	----	299.10 - 6.60	.4611	----	----	----	----	3 UNCH
4715	----	----	335.20B/282.10A	335.20B/282.10A	----	301.60 - 6.60	.4638	----	----	----	----	1 UNCH
4720	----	----	338.10B/284.70A	338.10B/284.70A	----	304.20 - 6.50	.4664	----	----	3	----	6 + 3
4725	----	----	340.80B/286.80A	340.80B/286.80A	----	306.70 - 6.60	.4690	----	----	1	----	30 UNCH
4730	----	----	343.00B/289.30A	343.00B/289.30A	----	309.30 - 6.50	.4716	----	----	----	----	1 UNCH
4740	----	----	348.00B/294.00A	348.00B/294.00A	----	314.40 - 6.70	.4768	----	----	----	----	15 UNCH
4745	----	----	350.70B/296.30A	350.70B/296.30A	----	317.00 - 6.70	.4795	----	----	----	----	3 UNCH
4750	----	----	353.60B/298.80A	353.60B/298.80A	----	319.60 - 6.70	.4821	----	----	----	----	175 UNCH
4760	----	----	359.10B/303.60A	359.10B/303.60A	----	324.90 - 6.80	.4873	----	----	----	----	1 UNCH
4775	----	----	367.60B/311.50A	367.60B/311.50A	----	332.80 - 7.00	.4951	----	----	----	----	57 UNCH
4785	----	----	373.30B/316.50A	373.30B/316.50A	----	338.20 - 7.00	.5004	----	----	----	----	2 UNCH
4795	----	----	379.00B/321.40A	379.00B/321.40A	----	343.70 - 7.00	.5056	----	----	----	----	2 UNCH
4800	----	----	381.90B/324.40A	381.90B/324.40A	----	346.50 - 7.00	.5082	----	----	----	----	657 UNCH
4805	----	----	384.70B/326.80A	384.70B/326.80A	----	349.20 - 7.10	.5108	----	----	----	----	1 UNCH
4850	----	----	411.60B/352.50A	411.60B/352.50A	----	375.00 - 6.90	.5339	----	----	----	----	3 UNCH
4855	----	----	414.70B/355.30A	414.70B/355.30A	----	377.90 - 6.90	.5365	----	----	----	----	10 UNCH
4875	----	----	426.90B/366.40A	426.90B/366.40A	----	389.80 - 6.80	.5467	----	----	----	----	76 UNCH
4900	----	----	442.60B/380.70A	442.60B/380.70A	----	405.00 - 6.70	.5593	----	----	----	----	348 UNCH
4905	----	----	445.80B/383.60A	445.80B/383.60A	----	408.00 - 6.80	.5618	----	----	----	----	17 UNCH
4925	----	----	458.60B/395.30A	458.60B/395.30A	----	420.40 - 6.80	.5718	----	----	----	----	50 UNCH
4950	----	----	475.00B/410.30A	475.00B/410.30A	----	436.30 - 6.60	.5841	----	----	----	----	31 UNCH
4955	----	----	478.40B/413.40A	478.40B/413.40A	----	439.50 - 6.60	.5865	----	----	----	----	1 UNCH
4980	----	----	494.90B/428.80A	494.90B/428.80A	----	455.70 - 6.60	.5986	----	----	----	----	1 UNCH
5000	----	----	508.50B/441.00A	508.50B/441.00A	----	468.80 - 6.70	.6083	----	----	----	----	318 UNCH
5010	----	----	515.40B/447.70A	515.40B/447.70A	----	475.50 - 6.70	.6130	----	----	----	----	1 UNCH
5025	----	----	525.80B/457.40A	525.80B/457.40A	----	485.60 - 6.70	.6200	----	----	----	----	25 UNCH
5030	----	----	529.20B/460.60A	529.20B/460.60A	----	489.00 - 6.70	.6224	----	----	----	----	1 UNCH
5045	----	----	539.80B/470.40A	539.80B/470.40A	----	499.20 - 6.80	.6293	----	----	----	----	31 UNCH
5050	----	----	543.30B/473.70A	543.30B/473.70A	----	502.70 - 6.70	.6316	----	----	----	----	351 UNCH
5070	----	----	557.70B/487.00A	557.70B/487.00A	----	516.50 - 6.80	.6408	----	----	----	----	17 UNCH
5080	----	----	564.90B/493.40A	564.90B/493.40A	----	523.60 - 6.70	.6453	----	----	----	----	3 UNCH
5100	----	----	579.40B/507.90A	579.40B/507.90A	----	537.70 - 6.80	.6543	----	----	----	----	81 UNCH
5120	----	----	594.20B/521.60A	594.20B/521.60A	----	552.10 - 6.70	.6630	----	----	----	----	2 UNCH
5180	----	----	639.40B/563.90A	639.40B/563.90A	----	596.30 - 6.60	.6884	----	----	----	----	1 UNCH
5195	----	----	650.50B/574.70A	650.50B/574.70A	----	607.60 - 6.60	.6944	----	----	----	----	2 UNCH
5200	----	----	653.90B/578.30A	653.90B/578.30A	----	611.40 - 6.50	.6964	----	----	----	----	112 UNCH
5265	----	----	----/626.50A	632.30B/626.50A	----	661.50 - 6.40	.7217	----	----	----	----	1 UNCH
5300	----	----	----	483.50B/874.70A	----	689.20 - 6.20	.7345	----	----	----	----	3 UNCH
5355	----	----	----	548.00B/916.80A	----	733.60 - 5.90	.7537	----	----	----	----	1 UNCH
5400	----	----	----	580.30B/951.80A	----	770.70 - 5.70	.7684	----	----	----	----	76 UNCH
5460	----	----	----	624.60B/999.50A	----	821.10 - 5.40	.7867	----	----	----	----	1 UNCH
5500	----	----	----	656.30B/1031.70A	----	855.20 - 5.20	.7982	----	----	----	----	3 UNCH
5530	----	----	----	683.20B/1056.20A	----	881.10 - 5.10	.8064	----	----	----	----	1 UNCH
5575	----	----	----	724.10B/1093.30A	----	920.30 - 4.90	.8181	----	----	----	----	2 UNCH
TOTAL										936	3,524	20237 + 1981
SEP26												
2350	----	----	----	2.00B/5.00A	----	3.30 - 0.10	.0063	----	----	----	----	52 UNCH
2375	----	----	----	2.20B/5.20A	----	3.50 - 0.10	.0066	----	----	----	----	1 UNCH
2400	----	----	----	2.30B/5.40A	----	3.70 - 0.10	.0070	----	----	----	----	1 UNCH
2500	----	----	----/4.00A	3.10B/4.00A	----	4.60 - 0.10	.0088	----	----	----	----	4 UNCH
2600	----	----	----	4.00B/7.20A	----	5.60 - 0.10	.0109	----	----	----	----	2 UNCH
3000	----	----	----	11.00B/14.30A	----	12.30 - 0.20	.0245	----	----	----	----	2 UNCH
3145	----	----	----	15.80B/18.60A	----	16.90 - 0.10	.0334	----	----	----	----	15 UNCH
3150	----	----	----	15.90B/18.80A	----	17.10 - 0.10	.0338	----	----	----	----	2 UNCH
3200	----	----	----	18.30B/20.60A	----	19.00 - 0.10	.0375	----	----	----	----	1 UNCH
3270	----	----	----	21.30B/23.50A	----	22.00 UNCH	.0432	----	----	----	----	15 UNCH
3300	----	----	----	22.90B/24.80A	----	23.40 UNCH	.0459	----	----	----	----	1 UNCH
3475	----	----	36.30B/----	36.30B/33.80A	----	33.40 - 0.10	.0647	----	----	----	----	2 UNCH
3480	----	----	36.70B/----	36.70B/34.00A	----	33.70 - 0.10	.0652	----	----	----	----	780 UNCH
3500	----	----	38.40B/----	38.40B/35.50A	----	35.10 - 0.10	.0678	----	----	----	----	19 UNCH
3525	----	----	40.50B/----	40.50B/37.30A	----	36.90 - 0.10	.0711	----	----	----	----	2 UNCH
3565	----	----	43.00B/----	43.00B/40.30A	----	40.00 - 0.20	.0767	----	----	----	----	1 UNCH
3610	----	----	47.50B/----	47.50B/44.10A	----	43.70 - 0.30	.0834	----	----	----	----	1 UNCH
3625	----	----	49.00B/45.30A	49.00B/45.30A	----	45.00 - 0.40	.0858	----	----	----	----	1 UNCH
3650	----	----	51.70B/47.50A	51.70B/47.50A	----	47.30 - 0.40	.0899	----	----	----	----	66 UNCH
3700	----	----	57.50B/52.20A	57.50B/52.20A	----	52.20 - 0.60	.0985	----	----	----	----	144 UNCH
3720	----	----	60.10B/54.20A	60.10B/54.20A	----	54.30 - 0.70	.1021	----	----	----	----	50 UNCH
3755	----	----	64.70B/57.90A	64.70B/57.90A	----	58.20 - 0.80	.1089	----	----	----	----	90 UNCH
3800	----	----	71.20B/62.90A	71.20B/62.90A	----	63.60 - 1.00	.1180	----	----	----	----	1 UNCH
3850	----	----	78.90B/69.00A	78.90B/69.00A	----	70.10 - 1.30	.1289	----	----	----	----	20 UNCH
3880	----	----	83.50B/72.90A	83.50B/72.90A	----	74.30 - 1.40	.1358	----	----	----	----	26 UNCH
3900	----	----	86.90B/75.60A	86.90B/75.60A	----	77.20 - 1.50	.1406	----	----	----	----	211 UNCH
3910	----	----	88.60B/77.10A	88.60B/77.10A	----	78.70 - 1.60	.1430	----	----	----	----	2 UNCH
3930	----	----	92.10B/79.90A	92.10B/79.90A	----	81.80 - 1.70	.1480	----	----	----	----	2 UNCH
3945	----	----	94.80B/82.10A	94.80B/82.10A	----	84.20 - 1.70	.1518	----	----	----	----	230 UNCH
3950	----	----	95.70B/82.90A	95.70B/82.90A	----	85.00 - 1.80	.1531	----	----	----	----	324 UNCH
4000	----	----	105.20B/91.30A	105.20B/91.30A	----	93.50 - 2.00	.1665	----	----	----	----	715 UNCH
4005	----	----	106.20B/92.20A	106.20B/92.20A	----	94.40 - 2.00	.1679	----	----	----	----	1 UNCH
4030	----	----	111.20B/96.60A	111.20B/96.60A	----	99.00 - 2.10	.1750	----	----	----	----	1 UNCH
4050	116.20	116.20	116.20/100.30A	116.20/100.30A	----	102.80 - 2.20	.1808	----	----	7	----	41 + 6
4080	----	----	122.20B/105.80A	122.20B/105.80A	----	108.80 - 2.30	.1898	----	----	----	----	4 UNCH
4085	----	----	123.30B/106.70A	123.30B/106.70A	----	109.80 - 2.30	.1913	----	----	----	----	76 UNCH
4100	----	----	126.70B/109.70A	126.70B/109.70A	----	112.90 - 2.40	.1959	----	----	----	----	21 UNCH
4130	----	----	133.90B/115.60A	133.90B/115.60A	----	119.30 - 2.60	.2054	----	----	----	----	20 UNCH
4135	----	----	135.10B/116.60A	135.10B/116.60A	----	120.40 - 2.60	.2070	----	----	----	----	3 UNCH
4150	----	----	138.80B/119.70A	138.80B/119.70A	----	123.80 - 2.70	.2119	----	----	----	----	3 UNCH
4185	----	----	147.90B/127.30A	147.90B/127.30A	----	132.00 - 2.80	.2237	----	----	----	----	76 UNCH
4200	----	----	151.90B/130.70A	151.90B/130.70A	----	135.60 - 3.00	.2288	----	----	----	----	106 UNCH
4220	----	----	157.40B/135.30A	157.40B/135.30A	----	140.60 - 3.10	.2358	----	----	----	----	113 UNCH
4225	----	----	158.80B/136.50A	158.80B/136.50A	----	141.80 - 3.20	.2375	----	----	----	----	3 UNCH
4230	----	----	160.20B/137.70A	160.20B/137.70A	----	143.10 - 3.20	.2393	----	----	----	----	1 UNCH
4240	----	----	163.00B/140.10A	163.00B/140.10A	----	145.70 - 3.20	.2429	----	----	----	----	56 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4250	----	----	165.80B/142.50A	165.80B/142.50A	----	148.30 - 3.30	.2465	----	----	----	----	62 UNCH
4300	----	----	181.00B/155.40A	181.00B/155.40A	----	162.10 - 3.60	.2651	----	----	----	----	84 UNCH
4320	----	----	187.30B/160.80A	187.30B/160.80A	----	167.80 - 3.80	.2727	----	----	----	----	152 UNCH
4350	----	----	197.20B/169.10A	197.20B/169.10A	----	176.80 - 4.00	.2844	----	----	----	----	20 UNCH
4365	----	----	202.20B/173.40A	202.20B/173.40A	----	181.50 - 4.10	.2904	----	----	----	----	5 UNCH
4390	----	----	210.90B/181.00A	210.90B/181.00A	----	189.40 - 4.30	.3004	----	----	----	----	15 UNCH
4400	----	----	214.40B/183.90A	214.40B/183.90A	----	192.70 - 4.40	.3045	----	----	----	----	36 UNCH
4410	----	----	218.00B/187.00A	218.00B/187.00A	----	196.00 - 4.40	.3086	----	----	----	----	7 UNCH
4420	----	----	221.70B/190.30A	221.70B/190.30A	----	199.40 - 4.50	.3128	----	----	----	----	1 UNCH
4430	----	----	225.40B/193.30A	225.40B/193.30A	----	202.80 - 4.50	.3169	----	----	----	----	2 UNCH
4440	----	----	229.10B/196.60A	229.10B/196.60A	----	206.20 - 4.70	.3211	----	----	----	----	7 UNCH
4450	----	----	232.90B/200.00A	232.90B/200.00A	----	209.70 - 4.70	.3253	----	----	----	----	430 UNCH
4475	----	----	242.70B/208.40A	242.70B/208.40A	----	218.70 - 4.80	.3360	----	----	----	----	3 UNCH
4500	----	----	252.70B/216.90A	252.70B/216.90A	----	227.90 - 5.00	.3468	----	----	----	----	457 UNCH
4550	----	----	273.60B/235.20A	273.60B/235.20A	----	247.40 - 5.30	.3689	----	----	----	----	350 UNCH
4560	----	----	278.00B/239.00A	278.00B/239.00A	----	251.40 - 5.30	.3733	----	----	----	----	7 UNCH
4580	----	----	286.80B/246.80A	286.80B/246.80A	----	259.60 - 5.50	.3823	----	----	----	----	1 UNCH
4600	----	----	296.00B/254.70A	296.00B/254.70A	----	268.10 - 5.50	.3914	----	----	2	----	2 UNCH
4620	----	----	305.10B/262.90A	305.10B/262.90A	----	276.80 - 5.50	.4005	----	----	----	----	500 UNCH
4650	----	----	319.40B/275.50A	319.40B/275.50A	----	290.20 - 5.50	.4143	----	----	----	----	2 UNCH
4700	----	----	344.40B/297.50A	344.40B/297.50A	----	313.60 - 5.60	.4375	----	----	----	----	75 UNCH
4725	----	----	357.20B/309.30A	357.20B/309.30A	----	325.90 - 5.60	.4492	----	----	----	----	1 UNCH
4730	----	----	359.80B/311.60A	359.80B/311.60A	----	328.30 - 5.70	.4515	----	----	----	----	5 UNCH
4750	----	----	370.50B/320.90A	370.50B/320.90A	----	338.50 - 5.60	.4608	----	----	----	----	150 UNCH
4760	----	----	375.70B/325.70A	375.70B/325.70A	----	343.60 - 5.70	.4655	----	----	----	----	100 UNCH
4775	----	----	384.00B/333.30A	384.00B/333.30A	----	351.50 - 5.60	.4725	----	----	----	----	18 UNCH
4800	----	----	397.80B/345.60A	397.80B/345.60A	----	364.80 - 5.60	.4841	----	----	----	----	27 UNCH
4825	----	----	412.00B/358.70A	412.00B/358.70A	----	378.30 - 5.80	.4957	----	----	----	----	2 UNCH
4835	----	----	417.70B/363.90A	417.70B/363.90A	----	383.90 - 5.80	.5003	----	----	----	----	30 UNCH
4900	----	----	456.60B/399.10A	456.60B/399.10A	----	420.80 - 6.60	.5302	----	----	----	----	3 UNCH
4930	----	----	475.20B/416.10A	475.20B/416.10A	----	438.60 - 6.90	.5438	----	----	----	----	20 UNCH
4950	----	----	487.80B/427.70A	487.80B/427.70A	----	450.70 - 7.10	.5528	----	----	----	----	1 UNCH
4975	----	----	503.80B/442.50A	503.80B/442.50A	----	466.10 - 7.30	.5639	----	----	----	----	210 UNCH
5000	----	----	520.20B/457.20A	520.20B/457.20A	----	481.80 - 7.50	.5749	----	----	----	----	10 UNCH
5005	----	----	523.50B/460.60A	523.50B/460.60A	----	485.00 - 7.50	.5771	----	----	----	----	3 UNCH
5020	----	----	533.40B/469.80A	533.40B/469.80A	----	494.70 - 7.50	.5836	----	----	----	----	3 UNCH
5100	----	----	588.20B/520.90A	588.20B/520.90A	----	548.10 - 7.30	.6173	----	----	----	----	28 UNCH
5105	----	----	591.70B/523.80A	591.70B/523.80A	----	551.50 - 7.30	.6194	----	----	----	----	2 UNCH
5200	----	----	660.40B/590.20A	660.40B/590.20A	----	618.90 - 6.90	.6569	----	----	----	----	47 UNCH
5230	----	----	682.80B/611.30A	682.80B/611.30A	----	640.80 - 6.90	.6682	----	----	----	----	400 UNCH
5300	----	----	736.30B/661.90A	736.30B/661.90A	----	693.50 - 6.50	.6935	----	----	----	----	300 UNCH
5400	----	----	----/737.30A	725.60B/737.30A	----	771.50 - 6.20	.7270	----	----	----	----	100 UNCH
5420	----	----	----	576.00B/976.90A	----	787.50 - 6.10	.7333	----	----	----	----	80 UNCH
5450	----	----	----	602.20B/1000.10A	----	811.70 - 6.00	.7425	----	----	----	----	1 UNCH
5500	----	----	----	643.40B/1039.30A	----	852.70 - 5.70	.7572	----	----	----	----	3 UNCH
6000	----	----	----	1096.00B/1460.90A	----	1292.80 - 3.40	.8645	----	----	----	----	2 UNCH
TOTAL										9		7072 + 6
OCT26												
2700	----	----	----	5.60B/11.20A	----	8.30 - 0.40	.0155	----	----	----	----	1 UNCH
2800	----	----	----	7.50B/13.20A	----	10.20 - 0.20	.0191	----	----	----	----	3 UNCH
3100	----	----	----	16.70B/22.20A	----	18.90 - 0.30	.0351	----	----	----	----	1 UNCH
3200	----	----	----	21.60B/26.50A	----	23.30 - 0.30	.0430	----	----	----	----	414 UNCH
3240	----	----	----	23.80B/28.50A	----	25.40 - 0.20	.0467	----	----	----	----	5 UNCH
3300	----	----	29.20B/----	29.20B/31.80A	----	28.70 - 0.30	.0525	----	----	----	----	415 UNCH
3340	----	----	32.60B/----	32.60B/34.10A	----	31.20 - 0.30	.0567	----	----	----	----	9 UNCH
3360	----	----	34.30B/----	34.30B/34.20A	----	32.50 - 0.30	.0590	----	----	----	----	1 UNCH
3380	----	----	35.90B/----	35.90B/35.00A	----	33.80 - 0.40	.0612	----	----	----	----	1 UNCH
3390	----	----	36.60B/----	36.60B/35.60A	----	34.50 - 0.50	.0624	----	----	----	----	4 UNCH
3400	----	----	37.50B/----	37.50B/36.40A	----	35.20 - 0.50	.0636	----	----	----	----	150 UNCH
3480	----	----	44.50B/----	44.50B/42.40A	----	41.00 - 1.20	.0736	----	----	----	----	12 UNCH
3500	----	----	45.50B/----	45.50B/44.40A	----	42.60 - 1.40	.0763	----	----	----	----	10 UNCH
3520	----	----	47.50B/45.70A	47.50B/45.70A	----	44.20 - 1.60	.0790	----	----	----	----	12 UNCH
3550	----	----	50.60B/48.40A	50.60B/48.40A	----	46.80 - 1.90	.0834	----	----	----	----	25 UNCH
3600	----	----	56.10B/----	56.10B/54.10A	----	51.60 - 2.10	.0912	----	----	----	----	177 UNCH
3615	----	----	57.90B/----	57.90B/55.50A	----	53.10 - 2.20	.0937	----	----	----	----	1 UNCH
3700	----	----	68.70B/64.40A	68.70B/64.40A	----	62.90 - 2.10	.1091	----	----	----	----	210 UNCH
3750	----	----	76.00B/70.40A	76.00B/70.40A	----	69.50 - 1.80	.1192	----	----	----	----	19 UNCH
3770	----	----	79.30B/72.90A	79.30B/72.90A	----	72.30 NEW	.1234	----	----	1	----	1 + 1
3785	----	----	82.10B/74.80A	82.10B/74.80A	----	74.40 - 1.70	.1266	----	----	----	----	1 UNCH
3800	80.00	80.00	84.30B/73.00	84.30B/73.00	----	76.60 - 1.70	.1299	----	----	6	----	24 + 5
3805	----	----	85.40B/77.40A	85.40B/77.40A	----	77.30 - 1.70	.1310	----	----	----	----	1 UNCH
3865	----	----	95.40B/85.80A	95.40B/85.80A	----	86.60 - 1.70	.1447	----	----	----	----	2 UNCH
3870	----	----	96.30B/86.50A	96.30B/86.50A	----	87.40 NEW	.1459	----	----	1	----	1 + 1
3875	----	----	97.30B/87.20A	97.30B/87.20A	----	88.20 - 1.80	.1471	----	----	----	----	12 UNCH
3885	----	----	99.30B/88.80A	99.30B/88.80A	----	89.80 - 1.90	.1495	----	----	----	----	5 UNCH
3890	----	----	100.20B/89.50A	100.20B/89.50A	----	90.60 - 1.90	.1507	----	----	----	----	2 UNCH
3895	----	----	100.80B/90.30A	100.80B/90.30A	----	91.50 - 1.90	.1519	----	----	----	----	2 UNCH
3900	----	----	101.80B/91.10A	101.80B/91.10A	----	92.30 - 2.00	.1531	----	----	----	----	22 UNCH
3920	----	----	105.60B/94.70A	105.60B/94.70A	----	95.80 - 2.00	.1581	----	----	----	----	28 UNCH
3940	----	----	109.50B/98.10A	109.50B/98.10A	----	99.30 - 2.20	.1632	----	----	----	----	65 UNCH
3950	----	----	111.50B/99.90A	111.50B/99.90A	----	101.10 - 2.20	.1658	----	----	----	----	2 UNCH
3975	----	----	116.60B/104.30A	116.60B/104.30A	----	105.80 - 2.40	.1724	----	----	----	----	5 UNCH
4000	----	----	122.00B/109.10A	122.00B/109.10A	----	110.60 - 2.60	.1792	----	----	----	----	406 UNCH
4050	----	----	133.30B/118.80A	133.30B/118.80A	----	120.90 - 2.90	.1933	----	----	----	----	5 UNCH
4070	----	----	138.30B/122.80A	138.30B/122.80A	----	125.20 - 3.00	.1992	----	----	----	----	24 UNCH
4100	----	----	145.70B/129.10A	145.70B/129.10A	----	131.90 - 3.20	.2082	----	----	----	----	314 UNCH
4130	----	----	153.40B/135.70A	153.40B/135.70A	----	139.00 - 3.40	.2175	----	----	----	----	1 UNCH
4150	----	----	158.40B/140.30A	158.40B/140.30A	----	143.90 - 3.40	.2239	----	----	----	----	5 UNCH
4200	165.00	165.00	172.60B/152.30A	172.60B/152.30A	----	156.80 - 3.60	.2403	----	----	11	----	127 + 6
4220	----	----	178.40B/157.30A	178.40B/157.30A	----	162.20 - 3.70	.2470	----	----	----	----	5 UNCH
4235	----	----	182.80B/161.20A	182.80B/161.20A	----	166.30 - 3.90	.2521	----	----	----	----	1 UNCH
4250	----	----	187.60B/165.20A	187.60B/165.20A	----	170.60 - 3.90	.2574	----	----	----	----	72 UNCH
4265	----	----	192.30B/169.20A	192.30B/169.20A	----	174.90 - 4.00	.2626	----	----	----	----	200 UNCH
4270	----	----	193.80B/170.60A	193.80B/170.60A	----	176.40 - 3.90	.2644	----	----	----	----	226 UNCH
4300	----	----	203.50B/179.00A	203.50B/179.00A	----	185.40 - 4.10	.2752	----	----	----	----	476 UNCH
4355	----	----	222.40B/195.30A	222.40B/195.30A	----	202.90 - 4.20	.2955	----	----	----	----	11 UNCH
4375	----	----	229.50B/201.70A	229.50B/201.70A	----	209.60 - 4.20	.3031	----	----	----	----	10 UNCH
4400	----	----	238.70B/209.60A	238.70B/209.60A	----	218.20 - 4.30	.3127	----	----	----	----	301 UNCH
4430	----	----	250.00B/219.70A	250.00B/219.70A	----	228.90 - 4.40	.3244	----	----	----	----	3 UNCH
4450	----	----	258.10B/226.40A	258.10B/226.40A	----	236.20 - 4.50	.3323	----	----	----	----	26 UNCH
4500	----	----	278.40B/244.40A	278.40B/244.40A	----	255.30 - 4.70	.3523	----	----	----	----	56 UNCH
4600	----	----	322.70B/283.90A	322.70B/283.90A	----	296.80 - 5.40	.3937	----	----	----	----	350 UNCH
4610	----	----	327.40B/287.80A	327.40B/287.80A	----	301.10 - 5.50	.3979	----	----	----	----	5 UNCH
4675	----	----	359.10B/316.50A	359.10B/316.50A	----	330.80 - 6.20	.4255	----	----	----	----	1 UNCH
4700	----	----	371.80B/327.60A	371.80B/327.60A	----	342.80 - 6.50	.4362	----	----	----	----	64 UNCH
4750	----	----	398.10B/351.40A	398.10B/351.40A	----	367.60 - 7.10	.4577	----	----	----	----	173 UNCH
4775	372.30	372.30	411.70B/363.70A	411.70B/363.70A	----	380.60 NEW	.4684	----	----	2	----	1 + 1
4800	----	----	425.70B/376.30A	425.70B/376.30A	----	393.80 - 7.50	.4791	----	----	----	----	126 UNCH
4845	----	----	451.50B/399.80A	451.50B/399.80A	----	418.50 - 7.80	.4982	----	----	----	----	17 UNCH
4850	----	----	454.40B/402.70A	454.40B/402.70A	----	421.30 - 7.80	.5003	----	----	----	----	55 UNCH
4875	----	----	469.20B/416.00A	469.20B/416.00A	----	435.50 - 8.00	.5109	----	----	----	----	1 UNCH
4900	----	----	484.20B/430.30A	484.20B/430.30A	----	450.10 - 8.00	.5213	----	----	----	----	110 UNCH
4910	----	----	490.40B/435.70A	490.40B/435.70A	----	456.00 - 8.10	.5255	----	----	----	----	1 UNCH
4920	----	----	496.50B/441.50A	496.50B/441.50A	----	461.90 - 8.10	.5297	----	----	----	----	1 UNCH
4925	----	----	499.50B/444.20A	499.50B/444.20A	----	464.90 - 8.10	.5317	----	----	----	----	25 UNCH
4980	----	----	534.30B/476.60A	534.30B/476.60A	----	498.70 - 8.10	.5542	----	----	----	----	1 UNCH
5000	----	----	547.20B/488.60A	547.20B/488.60A	----	511.30 - 8.10	.5623	----	----	----	----	47 UNCH
5010	----	----	553.80B/494.60A	553.80B/494.60A	----	517.60 - 8.20	.5663	----	----	----	----	1 UNCH
5050	----	----	580.40B/519.20A	580.40B/519.20A	----	543.50 - 8.10	.5821	----	----	----	----	25 UNCH
5200	----	----	685.70B/618.10A	685.70B/618.10A	----	646.40 - 7.80	.6383	----	----	----	----	100 UNCH
5230	----	----	707.60B/645.00A	707.60B/645.00A	----	668.00 - 7.70	.6489	----	----	----	----	2 UNCH
5250	----	----	722.50B/659.00A	722.50B/659.00A	----	682.60 - 7.60	.6559	----	----	----	----	75 UNCH
5300	----	----	760.10B/694.70A	760.10B/694.70A	----	719.70 - 7.50	.6728	----	----	----	----	6 UNCH
5425	----	----	----/787.70A	817.80B/787.70A	----	815.90 - 7.10	.7120	----	----	----	----	1 UNCH
5455	----	----	----/809.90A	805.00B/809.90A	----	839.70 - 6.90	.7209	----	----	----	----	40 UNCH
5600	----	----	----	730.30B/1162.40A	----	958.10 - 6.30	.7600	----	----	----	----	1 UNCH
5700	----	----	----	817.50B/1243.30A	----	1042.70 - 5.90	.7839	----	----	----	----	1 UNCH
TOTAL										21		5142 + 14
NOV26												
2750	----	----	----	6.20B/15.60A	----	11.00 + 0.10	.0193	----	----	----	----	1 UNCH
2800	----	----	----	7.40B/17.00A	----	12.10 UNCH	.0212	----	----	----	----	8 UNCH
2900	----	----	----	10.10B/20.00A	----	15.10 UNCH	.0263	----	----	----	----	1 UNCH
3000	----	----	----	13.70B/19.00A	----	18.60 - 0.10	.0322	----	----	----	----	95 UNCH
3120	----	----	----	19.00B/28.90A	----	23.70 - 0.30	.0407	----	----	----	----	10 UNCH
3180	----	----	----	22.40B/31.90A	----	26.70 - 0.50	.0456	----	----	----	----	10 UNCH
3200	----	----	----	23.50B/33.00A	----	27.80 - 0.50	.0474	----	----	----	----	93 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3215	----	----	----	24.40B/34.00A	----	28.60 - 0.50	.0487	----	----	----	----	1 UNCH
3220	----	----	----	24.80B/34.20A	----	28.90 - 0.50	.0492	----	----	----	----	1 UNCH
3225	----	----	----	25.10B/34.50A	----	29.20 - 0.50	.0497	----	----	----	----	1 UNCH
3235	----	----	----	25.70B/35.00A	----	29.80 - 0.50	.0506	----	----	----	----	2 UNCH
3250	----	----	----	26.80B/35.90A	----	30.70 - 0.60	.0521	----	----	----	----	18 UNCH
3255	----	----	----	27.00B/36.20A	----	31.00 - 0.60	.0526	----	----	----	----	18 UNCH
3300	34.20	34.20	35.80B/34.20	35.80B/34.20	----	33.80 - 0.70	.0571	----	----	1	----	20 + 1
3310	----	----	36.50B/----	36.50B/37.60A	----	34.50 - 0.70	.0582	----	----	----	----	1 UNCH
3320	----	----	37.30B/----	37.30B/37.70A	----	35.10 - 0.80	.0592	----	----	----	----	16 UNCH
3350	----	----	39.80B/38.00A	39.80B/38.00A	----	37.30 - 0.80	.0626	----	----	----	----	180 UNCH
3455	----	----	49.30B/----	49.30B/47.80A	----	45.60 - 1.20	.0755	----	----	----	----	1 UNCH
3475	----	----	51.50B/----	51.50B/49.60A	----	47.40 - 1.20	.0783	----	----	----	----	1 UNCH
3500	----	----	54.10B/----	54.10B/51.90A	----	49.70 - 1.30	.0818	----	----	----	----	655 UNCH
3535	----	----	58.00B/----	58.00B/57.10A	----	53.20 - 1.30	.0870	----	----	----	----	1 UNCH
3690	----	----	78.10B/----	78.10B/74.00A	----	71.10 - 1.90	.1131	----	----	----	----	1 UNCH
3725	----	----	83.40B/----	83.40B/78.60A	----	75.80 - 2.00	.1197	----	----	----	----	1 UNCH
3740	----	----	85.70B/----	85.70B/80.50A	----	78.00 - 2.00	.1228	----	----	----	----	20 UNCH
3750	----	----	87.30B/----	87.30B/81.80A	----	79.40 - 2.10	.1247	----	----	----	----	150 UNCH
3780	----	----	92.20B/----	92.20B/86.00A	----	83.80 - 2.20	.1308	----	----	----	----	1 UNCH
3800	----	----	95.70B/88.60A	95.70B/88.60A	----	86.90 - 2.20	.1351	----	----	----	----	25 UNCH
3820	----	----	99.20B/91.70A	99.20B/91.70A	----	90.10 - 2.30	.1394	----	----	----	----	20 UNCH
3875	----	----	109.40B/99.90A	109.40B/99.90A	----	99.40 - 2.40	.1518	----	----	----	----	24 UNCH
4000	----	----	135.60B/123.50A	135.60B/123.50A	----	123.50 - 2.70	.1829	----	----	----	----	2 UNCH
4100	----	----	160.20B/145.60A	160.20B/145.60A	----	146.00 - 3.00	.2105	----	----	----	----	1 UNCH
4160	----	----	176.60B/160.30A	176.60B/160.30A	----	161.10 - 3.00	.2283	----	----	----	----	1 UNCH
4170	----	----	179.70B/162.70A	179.70B/162.70A	----	163.70 - 3.00	.2313	----	----	----	----	1 UNCH
4200	----	----	188.30B/170.70A	188.30B/170.70A	----	171.80 - 3.10	.2406	----	----	----	----	4 UNCH
4205	----	----	189.80B/172.00A	189.80B/172.00A	----	173.10 - 3.10	.2422	----	----	----	----	1 UNCH
4215	----	----	192.70B/174.80A	192.70B/174.80A	----	175.90 - 3.10	.2453	----	----	----	----	5 UNCH
4275	----	----	211.50B/191.80A	211.50B/191.80A	----	193.40 - 3.20	.2648	----	----	----	----	3 UNCH
4320	----	----	226.70B/205.50A	226.70B/205.50A	----	207.30 - 3.40	.2799	----	----	----	----	43 UNCH
4350	----	----	237.20B/214.80A	237.20B/214.80A	----	217.10 - 3.40	.2902	----	----	----	----	3 UNCH
4400	----	----	255.50B/231.10A	255.50B/231.10A	----	234.20 - 3.60	.3077	----	----	----	----	3 UNCH
4425	----	----	265.10B/239.50A	265.10B/239.50A	----	243.10 - 3.70	.3167	----	----	----	----	72 UNCH
4500	----	----	295.30B/266.70A	295.30B/266.70A	----	271.40 - 4.20	.3442	----	----	----	----	40 UNCH
4580	----	----	330.30B/297.50A	330.30B/297.50A	----	304.40 - 4.90	.3744	----	----	----	----	10 UNCH
4640	----	----	358.20B/323.00A	358.20B/323.00A	----	331.00 - 5.50	.3976	----	----	----	----	90 UNCH
4700	349.50	349.50	388.30B/349.50	388.30B/349.50	----	359.00 NEW	.4209	----	----	1	----	1 + 1
4725	----	----	400.20B/360.90A	400.20B/360.90A	----	371.10 - 6.10	.4307	----	----	----	----	2 UNCH
4840	----	----	462.50B/418.20A	462.50B/418.20A	----	430.60 - 6.60	.4758	----	----	----	----	2 UNCH
4900	----	----	496.80B/450.20A	496.80B/450.20A	----	464.40 - 6.70	.4990	----	----	----	----	2 UNCH
4915	----	----	505.90B/458.20A	505.90B/458.20A	----	473.00 - 6.80	.5047	----	----	----	----	3 UNCH
4950	----	----	526.70B/477.60A	526.70B/477.60A	----	493.50 - 6.90	.5181	----	----	----	----	11 UNCH
4960	----	----	532.90B/483.50A	532.90B/483.50A	----	499.50 - 6.80	.5218	----	----	----	----	2 UNCH
5000	----	----	557.70B/506.40A	557.70B/506.40A	----	523.60 - 7.00	.5369	----	----	----	----	253 UNCH
5055	----	----	592.80B/539.50A	592.80B/539.50A	----	557.90 - 7.10	.5572	----	----	----	----	8 UNCH
5200	----	----	688.40B/632.10A	688.40B/632.10A	----	653.70 - 7.20	.6085	----	----	----	----	81 UNCH
5395	----	----	832.10B/773.90A	832.10B/773.90A	----	794.70 - 6.90	.6707	----	----	----	----	6 UNCH
5400	----	----	835.90B/777.20A	835.90B/777.20A	----	798.50 - 6.90	.6722	----	----	----	----	6 UNCH
5760	----	----	----	833.40B/1314.60A	----	1087.30 - 5.80	.7650	----	----	----	----	1 UNCH
5975	----	----	----	1024.50B/1493.10A	----	1272.60 - 5.20	.8076	----	----	----	----	1 UNCH
6000	----	----	----	1047.20B/1514.40A	----	1294.70 - 5.10	.8121	----	----	----	----	1 UNCH
TOTAL										2		2035 + 2
DEC26												
1350	----	----	----	----/1.10A	----	0.30 - 0.10	.0005	----	----	----	----	16 UNCH
1500	----	----	----	0.10B/2.20A	----	0.60 - 0.50	.0009	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/3.00A	----	0.80 - 0.80	.0013	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.00A	----	1.10 - 1.00	.0018	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/34.30A	----	1.70 - 1.40	.0028	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/35.00A	----	1.90 - 1.60	.0031	----	----	----	----	4 UNCH
2000	----	----	----	0.20B/8.20A	----	2.50 - 1.70	.0041	----	----	----	----	2 UNCH
2400	----	----	----	1.60B/10.40A	----	6.20 - 1.10	.0104	----	----	----	----	1 UNCH
2490	----	----	----	2.70B/12.00A	----	7.50 - 0.60	.0126	----	----	----	----	1 UNCH
2750	----	----	----	7.10B/18.20A	----	13.00 - 1.20	.0217	----	----	----	----	1 UNCH
2800	----	----	----	8.50B/19.70A	----	14.40 - 1.40	.0240	----	----	----	----	8 UNCH
2900	----	----	----	11.30B/23.30A	----	17.80 - 1.40	.0295	----	----	----	----	19 UNCH
2925	----	----	----	12.30B/24.30A	----	18.70 - 1.50	.0310	----	----	----	----	300 UNCH
2975	----	----	----	14.10B/26.40A	----	20.70 - 1.50	.0341	----	----	----	----	400 UNCH
3000	----	----	----	15.20B/27.50A	----	21.80 - 1.60	.0359	----	----	----	----	1363 UNCH
3160	----	----	----	23.80B/36.00A	----	30.10 - 1.60	.0487	----	----	----	----	2 UNCH
3175	----	----	----	24.70B/36.90A	----	31.00 - 1.60	.0501	----	----	----	----	1 UNCH
3190	----	----	----	25.90B/37.80A	----	31.90 - 1.60	.0515	----	----	----	----	5 UNCH
3250	----	----	37.70B/----	37.70B/41.70A	----	35.90 - 1.60	.0575	----	----	----	----	15 UNCH
3300	----	----	41.90B/----	41.90B/42.10A	----	39.60 - 1.60	.0630	----	----	----	----	6 UNCH
3400	----	----	51.30B/----	51.30B/50.60A	----	47.90 - 1.70	.0751	----	----	----	320	1610 + 320
3425	----	----	54.00B/----	54.00B/52.90A	----	50.20 - 1.80	.0784	----	----	----	----	350 UNCH
3450	----	----	56.70B/----	56.70B/55.30A	----	52.70 - 1.70	.0819	----	----	----	----	201 UNCH
3460	----	----	57.80B/----	57.80B/57.00A	----	53.70 - 1.70	.0833	----	----	----	----	20 UNCH
3475	----	----	59.40B/----	59.40B/58.50A	----	55.20 - 1.70	.0855	----	----	----	----	152 UNCH
3500	----	----	62.50B/----	62.50B/62.40A	----	57.80 - 1.80	.0891	----	----	----	----	1456 UNCH
3550	----	----	68.70B/----	68.70B/67.90A	----	63.40 - 1.90	.0969	----	----	----	----	18 UNCH
3565	----	----	70.70B/----	70.70B/69.30A	----	65.20 - 1.90	.0994	----	----	----	----	2 UNCH
3590	----	----	74.00B/----	74.00B/72.20A	----	68.30 - 1.80	.1035	----	----	----	----	1 UNCH
3600	----	----	75.50B/----	75.50B/73.50A	----	69.50 - 1.90	.1052	----	----	----	----	353 UNCH
3610	----	----	76.90B/----	76.90B/74.50A	----	70.80 - 1.90	.1069	----	----	----	----	3 UNCH
3650	----	----	82.80B/----	82.80B/79.60A	----	76.10 - 2.00	.1140	----	----	----	----	201 UNCH
3660	----	----	84.40B/----	84.40B/80.60A	----	77.50 - 2.00	.1159	----	----	----	----	5 UNCH
3670	----	----	85.90B/----	85.90B/81.90A	----	78.90 - 2.00	.1177	----	----	----	----	1 UNCH
3690	----	----	89.10B/----	89.10B/84.70A	----	81.70 - 2.10	.1215	----	----	----	----	1 UNCH
3700	----	----	90.70B/----	90.70B/86.00A	----	83.20 - 2.10	.1234	----	----	----	----	29 UNCH
3710	----	----	92.40B/----	92.40B/87.40A	----	84.70 - 2.10	.1253	----	----	----	----	37 UNCH
3720	----	----	94.00B/----	94.00B/88.70A	----	86.20 - 2.10	.1273	----	----	----	----	1 UNCH
3725	----	----	94.90B/----	94.90B/89.40A	----	87.00 - 2.10	.1283	----	----	----	----	6 UNCH
3750	----	----	99.30B/----	99.30B/93.00A	----	90.90 - 2.10	.1333	----	----	----	----	166 UNCH
3760	----	----	101.00B/94.50A	101.00B/94.50A	----	92.50 - 2.20	.1354	----	----	----	----	184 UNCH
3780	----	----	104.60B/97.50A	104.60B/97.50A	----	95.80 - 2.20	.1396	----	----	----	----	1 UNCH
3800	----	----	108.30B/100.30A	108.30B/100.30A	----	99.10 - 2.30	.1438	----	----	----	----	77 UNCH
3810	----	----	110.20B/102.10A	110.20B/102.10A	----	100.90 - 2.30	.1460	----	----	----	----	56 UNCH
3850	----	----	117.90B/108.40A	117.90B/108.40A	----	108.00 - 2.40	.1549	----	----	----	----	24 UNCH
3880	----	----	124.10B/114.30A	124.10B/114.30A	----	113.70 - 2.40	.1618	----	----	----	----	1 UNCH
3900	----	----	128.40B/118.10A	128.40B/118.10A	----	117.60 - 2.50	.1665	----	----	----	----	805 UNCH
3925	----	----	133.90B/122.80A	133.90B/122.80A	----	122.60 - 2.60	.1726	----	----	----	----	209 UNCH
3930	----	----	135.00B/123.80A	135.00B/123.80A	----	123.60 - 2.60	.1738	----	----	----	----	2 UNCH
3950	----	----	139.80B/127.90A	139.80B/127.90A	----	127.80 - 2.70	.1787	----	----	----	----	27 UNCH
3980	145.00	145.00	146.80B/134.30A	146.80B/134.30A	----	134.30 - 2.70	.1864	----	----	5	----	129 UNCH
4000	----	----	151.50B/138.80A	151.50B/138.80A	----	138.70 - 2.90	.1915	----	----	----	----	1699 UNCH
4025	----	----	157.70B/144.30A	157.70B/144.30A	----	144.50 - 2.90	.1981	----	----	----	----	220 UNCH
4070	----	----	169.50B/154.90A	169.50B/154.90A	----	155.30 - 3.10	.2104	----	----	----	----	5 UNCH
4090	----	----	175.00B/159.80A	175.00B/159.80A	----	160.30 - 3.10	.2159	----	----	----	----	1 UNCH
4100	----	----	177.70B/162.30A	177.70B/162.30A	----	162.90 - 3.10	.2188	----	----	----	----	381 UNCH
4130	----	----	186.20B/170.00A	186.20B/170.00A	----	170.70 - 3.30	.2274	----	----	----	----	2 UNCH
4160	----	----	195.10B/178.00A	195.10B/178.00A	----	178.90 - 3.40	.2362	----	----	----	----	252 UNCH
4170	----	----	198.00B/180.50A	198.00B/180.50A	----	181.70 - 3.40	.2392	----	----	----	----	2 UNCH
4175	----	----	199.60B/182.10A	199.60B/182.10A	----	183.10 - 3.40	.2407	----	----	----	----	60 UNCH
4200	----	----	207.30B/189.10A	207.30B/189.10A	----	190.30 - 3.50	.2482	----	----	----	----	684 UNCH
4215	----	----	212.10B/193.10A	212.10B/193.10A	----	194.70 - 3.60	.2528	----	----	----	----	14 UNCH
4250	----	----	223.40B/203.60A	223.40B/203.60A	----	205.20 - 3.80	.2637	----	----	----	----	202 UNCH
4300	----	----	240.50B/219.10A	240.50B/219.10A	----	221.10 - 4.00	.2796	----	----	----	----	1406 UNCH
4320	----	----	247.60B/225.60A	247.60B/225.60A	----	227.70 - 4.10	.2862	----	----	----	----	100 UNCH
4325	----	----	249.20B/227.30A	249.20B/227.30A	----	229.30 - 4.20	.2878	----	----	----	----	300 UNCH
4340	----	----	254.80B/232.20A	254.80B/232.20A	----	234.40 - 4.30	.2927	----	----	----	----	79 UNCH
4350	----	----	258.50B/235.60A	258.50B/235.60A	----	237.80 - 4.40	.2960	----	----	----	----	101 UNCH
4375	----	----	267.90B/244.10A	267.90B/244.10A	----	246.60 - 4.40	.3044	----	----	----	----	2 UNCH
4385	----	----	271.70B/247.60A	271.70B/247.60A	----	250.10 - 4.60	.3078	----	----	----	----	75 UNCH
4390	----	----	273.60B/249.40A	273.60B/249.40A	----	251.90 - 4.60	.3094	----	----	----	----	14 UNCH
4400	275.00	275.00	277.50B/252.90A	277.50B/252.90A	----	255.60 - 4.60	.3129	----	----	49	----	102 + 16
4425	----	----	287.40B/261.90A	287.40B/261.90A	----	264.80 - 4.70	.3214	----	----	----	----	9 UNCH
4435	----	----	291.30B/265.30A	291.30B/265.30A	----	268.50 - 4.90	.3248	----	----	----	----	14 UNCH
4450	----	----	297.40B/270.90A	297.40B/270.90A	----	274.20 - 5.00	.3300	----	----	----	----	60 UNCH
4475	----	----	307.70B/280.50A	307.70B/280.50A	----	283.90 - 5.10	.3388	----	----	----	----	8 UNCH
4500	----	----	318.40B/290.20A	318.40B/290.20A	----	293.80 - 5.30	.3476	----	----	----	----	516 UNCH
4510	----	----	322.60B/294.20A	322.60B/294.20A	----	297.90 - 5.40	.3511	----	----	----	----	2 UNCH
4515	----	----	324.80B/296.20A	324.80B/296.20A	----	299.90 - 5.40	.3529	----	----	----	----	242 UNCH
4520	----	----	327.50B/298.20A	327.50B/298.20A	----	302.00 - 5.40	.3547	----	----	----	----	25 UNCH
4530	----	----	331.30B/302.10A	331.30B/302.10A	----	306.10 - 5.50	.3582	----	----	----	----	20 UNCH
4535	----	----	333.50B/304.10A	333.50B/304.10A	----	308.20 - 5.50	.3600	----	----	----	----	102 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4540	----	----	335.80B/306.10A	335.80B/306.10A	----	310.20 - 5.70	.3618	----	----	----	----	1 UNCH
4550	----	----	340.20B/310.10A	340.20B/310.10A	----	314.50 - 5.70	.3654	----	----	----	----	5 UNCH
4580	----	----	353.80B/322.90A	353.80B/322.90A	----	327.30 - 6.00	.3762	----	----	----	----	50 UNCH
4585	----	----	355.90B/324.50A	355.90B/324.50A	----	329.50 - 6.00	.3780	----	----	----	----	325 UNCH
4600	----	----	363.10B/331.30A	363.10B/331.30A	----	336.10 - 6.10	.3835	----	----	----	----	418 UNCH
4620	----	----	372.70B/339.40A	372.70B/339.40A	----	345.00 - 6.30	.3908	----	----	----	----	50 UNCH
4625	----	----	375.20B/341.60A	375.20B/341.60A	----	347.30 - 6.30	.3926	----	----	----	----	22 UNCH
4640	----	----	382.30B/348.20A	382.30B/348.20A	----	354.10 - 6.50	.3981	----	----	----	----	100 UNCH
4650	----	----	387.80B/352.80A	387.80B/352.80A	----	358.70 - 6.60	.4018	----	----	----	----	111 UNCH
4680	----	----	401.90B/366.30A	401.90B/366.30A	----	372.80 - 6.80	.4128	----	----	----	----	60 UNCH
4700	----	----	412.70B/375.60A	412.70B/375.60A	----	382.40 - 7.00	.4202	----	----	----	----	522 UNCH
4750	411.30	411.30	438.50B/399.00A	438.50B/399.00A	----	407.20 - 7.40	.4387	----	----	55	----	67 + 55
4790	----	----	459.40B/418.70A	459.40B/418.70A	----	427.90 - 7.60	.4535	----	----	----	----	60 UNCH
4800	----	----	464.90B/423.70A	464.90B/423.70A	----	433.20 - 7.60	.4572	----	----	----	----	152 UNCH
4810	----	----	470.40B/428.80A	470.40B/428.80A	----	438.50 - 7.70	.4609	----	----	----	----	56 UNCH
4815	----	----	472.90B/431.30A	472.90B/431.30A	----	441.20 - 7.70	.4627	----	----	----	----	10 UNCH
4820	----	----	475.90B/433.90A	475.90B/433.90A	----	443.80 - 7.80	.4646	----	----	----	----	20 UNCH
4825	----	----	478.70B/436.50A	478.70B/436.50A	----	446.50 - 7.80	.4664	----	----	----	----	100 UNCH
4850	----	----	492.80B/450.00A	492.80B/450.00A	----	460.20 - 7.80	.4756	----	----	----	----	9 UNCH
4900	----	----	521.40B/476.20A	521.40B/476.20A	----	488.30 - 8.00	.4937	----	----	----	----	11 UNCH
4925	----	----	536.40B/490.00A	536.40B/490.00A	----	502.80 - 8.00	.5028	----	----	----	----	1 UNCH
4950	----	----	552.30B/504.00A	552.30B/504.00A	----	517.50 - 8.00	.5117	----	----	----	----	1 UNCH
4975	----	----	566.50B/518.50A	566.50B/518.50A	----	532.40 - 8.10	.5206	----	----	----	----	43 UNCH
4980	----	----	569.60B/521.40A	569.60B/521.40A	----	535.40 - 8.10	.5224	----	----	----	----	12 UNCH
4995	----	----	579.00B/530.10A	579.00B/530.10A	----	544.50 - 8.10	.5276	----	----	----	----	32 UNCH
5000	----	----	583.00B/533.00A	583.00B/533.00A	----	547.60 - 8.10	.5294	----	----	----	----	392 UNCH
5020	----	----	594.70B/544.80A	594.70B/544.80A	----	559.90 - 8.10	.5364	----	----	----	----	8 UNCH
5025	----	----	597.70B/547.70A	597.70B/547.70A	----	563.00 - 8.10	.5382	----	----	----	----	15 UNCH
5035	----	----	604.00B/553.70A	604.00B/553.70A	----	569.20 - 8.20	.5416	----	----	----	----	8 UNCH
5050	----	----	613.70B/562.70A	613.70B/562.70A	----	578.70 - 8.10	.5468	----	----	----	----	201 UNCH
5070	----	----	626.60B/574.90A	626.60B/574.90A	----	591.30 - 8.20	.5537	----	----	----	----	1 UNCH
5075	----	----	629.90B/577.90A	629.90B/577.90A	----	594.50 - 8.20	.5554	----	----	----	----	100 UNCH
5095	----	----	644.10B/590.30A	644.10B/590.30A	----	607.40 - 8.20	.5622	----	----	----	----	6 UNCH
5100	----	----	646.30B/593.30A	646.30B/593.30A	----	610.60 - 8.20	.5639	----	----	----	----	6 UNCH
5195	----	----	710.60B/654.30A	710.60B/654.30A	----	673.80 - 8.20	.5953	----	----	----	----	5 UNCH
5200	----	----	713.70B/657.50A	713.70B/657.50A	----	677.20 - 8.20	.5969	----	----	----	----	38 UNCH
5250	----	----	744.30B/690.90A	744.30B/690.90A	----	711.80 - 8.10	.6128	----	----	----	----	126 UNCH
5290	----	----	773.00B/718.40A	773.00B/718.40A	----	740.10 - 8.00	.6252	----	----	----	----	1 UNCH
5295	----	----	776.80B/721.60A	776.80B/721.60A	----	743.60 - 8.10	.6267	----	----	----	----	1 UNCH
5360	----	----	824.80B/772.50A	824.80B/772.50A	----	790.70 - 7.80	.6461	----	----	----	----	100 UNCH
5370	----	----	832.00B/779.50A	832.00B/779.50A	----	798.10 - 7.70	.6490	----	----	----	----	20 UNCH
5375	----	----	836.00B/783.10A	836.00B/783.10A	----	801.80 - 7.70	.6505	----	----	----	----	34 UNCH
5400	----	----	854.90B/801.10A	854.90B/801.10A	----	820.40 - 7.50	.6577	----	----	----	----	102 UNCH
5460	----	----	900.50B/845.10A	900.50B/845.10A	----	865.70 - 7.20	.6744	----	----	----	----	200 UNCH
5465	----	----	904.60B/848.80A	904.60B/848.80A	----	869.50 - 7.10	.6757	----	----	----	----	50 UNCH
5480	----	----	916.30B/860.00A	916.30B/860.00A	----	881.00 - 7.00	.6798	----	----	----	----	50 UNCH
5500	----	----	931.90B/875.00A	931.90B/875.00A	----	896.40 - 6.90	.6852	----	----	----	----	31 UNCH
5525	----	----	951.60B/894.00A	951.60B/894.00A	----	915.80 - 6.80	.6917	----	----	----	----	80 UNCH
5600	----	----	982.10B/951.60A	982.10B/951.60A	----	975.00 - 6.20	.7107	----	----	----	----	252 UNCH
5900	----	----	----	949.60B/1468.20A	----	1223.50 - 4.50	.7762	----	----	----	----	125 UNCH
6000	----	----	----	1038.60B/1551.70A	----	1309.90 - 4.20	.7945	----	----	----	----	40 UNCH
6500	----	----	----	1499.00B/1991.00A	----	1761.90 - 3.40	.8642	----	----	----	----	4 UNCH
TOTAL										109	320	19632 + 391
JAN27												
2800	----	----	----	9.00B/23.50A	----	16.40 + 5.30	.0259	----	----	----	----	10 UNCH
3000	----	----	----	17.30B/33.50A	----	24.80 + 3.70	.0384	----	----	----	----	3 UNCH
3520	----	----	----	69.50B/71.20A	----	65.20 - 4.90	.0945	----	----	----	----	1 UNCH
3680	----	----	93.20B/----	93.20B/92.80A	----	86.40 - 5.70	.1214	----	----	----	----	1 UNCH
3800	----	----	115.10B/110.70A	115.10B/110.70A	----	106.40 - 5.50	.1452	----	----	----	----	1 UNCH
3825	----	----	120.10B/114.70A	120.10B/114.70A	----	111.10 - 5.30	.1506	----	----	----	----	1 UNCH
3900	----	----	136.10B/129.20A	136.10B/129.20A	----	126.00 - 5.00	.1675	----	----	----	----	1 UNCH
3980	----	----	154.70B/145.90A	154.70B/145.90A	----	143.50 - 4.80	.1867	----	----	----	----	1 UNCH
4000	----	----	159.70B/150.40A	159.70B/150.40A	----	148.20 - 4.70	.1917	----	----	----	----	1 UNCH
4350	----	----	268.40B/247.00A	268.40B/247.00A	----	248.00 - 7.40	.2905	----	----	----	----	1 UNCH
4400	----	----	286.90B/263.80A	286.90B/263.80A	----	265.60 - 7.80	.3063	----	----	----	----	1 UNCH
4500	----	----	327.40B/300.30A	327.40B/300.30A	----	303.80 - 8.40	.3389	----	----	----	----	1 UNCH
4585	----	----	364.80B/334.20A	364.80B/334.20A	----	339.20 - 8.90	.3674	----	----	----	----	1 UNCH
4600	----	----	371.60B/340.40A	371.60B/340.40A	----	345.80 - 8.90	.3726	----	----	----	----	3 UNCH
4630	----	----	385.60B/353.40A	385.60B/353.40A	----	359.10 - 9.10	.3828	----	----	----	----	1 UNCH
4660	----	----	400.00B/366.60A	400.00B/366.60A	----	372.90 - 9.10	.3931	----	----	----	----	4 UNCH
4665	----	----	402.40B/368.50A	402.40B/368.50A	----	375.20 - 9.20	.3948	----	----	----	----	4 UNCH
4760	----	----	450.40B/412.70A	450.40B/412.70A	----	421.30 - 9.40	.4278	----	----	----	----	100 UNCH
4800	----	----	471.50B/431.70A	471.50B/431.70A	----	441.70 - 9.60	.4417	----	----	----	----	6 UNCH
4820	----	----	482.30B/441.70A	482.30B/441.70A	----	452.20 - 9.70	.4486	----	----	----	----	6 UNCH
4860	----	----	504.30B/462.50A	504.30B/462.50A	----	473.70 - 9.90	.4624	----	----	----	----	1 UNCH
4990	----	----	579.40B/532.30A	579.40B/532.30A	----	547.80 - 9.80	.5065	----	----	----	----	1 UNCH
4995	----	----	583.30B/535.10A	583.30B/535.10A	----	550.80 - 9.70	.5082	----	----	----	----	1 UNCH
5000	----	----	586.00B/538.00A	586.00B/538.00A	----	553.80 - 9.70	.5098	----	----	----	----	3 UNCH
5050	----	----	616.10B/567.20A	616.10B/567.20A	----	584.20 - 9.50	.5263	----	----	----	----	100 UNCH
5085	----	----	638.20B/587.90A	638.20B/587.90A	----	606.10 - 9.30	.5377	----	----	----	----	2 UNCH
5150	----	----	680.40B/627.50A	680.40B/627.50A	----	647.80 - 9.00	.5584	----	----	----	----	2 UNCH
5235	----	----	737.10B/681.70A	737.10B/681.70A	----	704.40 - 8.60	.5846	----	----	----	----	2 UNCH
TOTAL												260 0
FEB27												
4000	----	----	#175.50B/168.90	#175.50B/168.90A	----	167.40 - 5.60	.2005	----	----	----	----	1 UNCH
4600	----	----	393.60B/365.50A	393.60B/365.50A	----	371.00 - 14.60	.3738	----	----	----	----	17 UNCH
4650	----	----	418.00B/*387.30	418.00B/387.30A	----	393.80 - 15.00	.3900	----	----	----	----	1 UNCH
4655	----	----	419.90B/*390.00	419.90B/390.00A	----	396.20 - 15.00	.3917	----	----	----	----	1 UNCH
4660	----	----	422.10B/*391.80	422.10B/391.80A	----	398.50 - 15.10	.3933	----	----	----	----	435 UNCH
4665	----	----	424.70B/*394.50	424.70B/394.50A	----	400.90 - 15.10	.3949	----	----	----	----	3 UNCH
5000	----	----	609.20B/565.00A	609.20B/565.00A	----	579.10 - 14.40	.5037	----	----	----	----	10 UNCH
5005	----	----	612.60B/*567.90	612.60B/567.90A	----	582.00 - 14.40	.5053	----	----	----	----	2 UNCH
5100	----	----	671.30B/*624.10	671.30B/624.10A	----	639.60 - 13.50	.5349	----	----	----	----	2 UNCH
5150	----	----	703.80B/*654.50	703.80B/654.50A	----	671.20 - 12.90	.5502	----	----	----	----	1 UNCH
5175	----	----	720.10B/*670.40	720.10B/670.40A	----	687.30 - 12.50	.5577	----	----	----	----	125 UNCH
5200	----	----	737.10B/*685.90	737.10B/685.90A	----	703.50 - 12.30	.5651	----	----	----	----	1 UNCH
5355	----	----	#840.70B/*788.2	#840.70B/788.20A	----	808.70 - 10.60	.6095	----	----	----	----	1 UNCH
5520	----	----	----	585.50B/1286.70A	----	928.20 - 9.30	.6530	----	----	----	----	300 UNCH
5530	----	----	----	620.10B/1294.50A	----	935.70 - 9.20	.6556	----	----	----	----	100 UNCH
5550	----	----	----	640.00B/1303.70A	----	950.70 - 9.20	.6605	----	----	----	----	65 UNCH
5565	----	----	----	649.70B/1291.80A	----	962.00 - 9.10	.6642	----	----	----	----	50 UNCH
TOTAL												1115 0
DEC27												
3700	----	----	----	----	----	215.30 - 0.50	.1662	----	----	----	----	100 UNCH
3715	----	----	----	----	----	219.00 - 0.60	.1686	----	----	----	----	150 UNCH
3820	----	----	----	----	----	246.40 - 0.60	.1859	----	----	----	----	50 UNCH
4130	----	----	----	----	----	340.10 - 0.70	.2415	----	----	----	----	168 UNCH
4500	----	----	----	----	----	478.70 - 0.80	.3155	----	----	----	----	270 UNCH
4630	----	----	----	----	----	534.70 - 0.80	.3430	----	----	----	----	284 UNCH
4860	----	----	----	----	----	643.20 - 0.90	.3928	----	----	----	----	100 UNCH
5000	----	----	----	----	----	715.30 - 0.90	.4236	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1108.40 - 0.90	.5568	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1268.70 - 1.00	.5987	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	721.30 - 0.90	.4143	----	----	----	----	1 UNCH
5100	----	----	----	----	----	775.00 - 0.80	.4352	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1286.10 - 0.10	.9903	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1186.80 UNCH	.9874	----	----	----	----	1 UNCH
3600	----	----	1,132.30B/1,046	1132.30B/1046.70A	----	1087.70 UNCH	.9834	----	----	----	----	10 UNCH
3675	----	----	1,060.50B/972.9	1060.50B/972.90A	----	1013.60 UNCH	.9798	----	----	----	----	8 UNCH
3685	----	----	1,050.60B/963.0	1050.60B/963.00A	----	1003.70 UNCH	.9790	----	----	----	----	8 UNCH
3700	----	----	1,035.00B/948.3	1035.00B/948.30A	----	989.00 + 0.10	.9781	----	----	----	----	31 UNCH
3720	----	----	1,016.20B/928.7	1016.20B/928.70A	----	969.30 + 0.10	.9767	----	----	----	----	6 UNCH
3725	----	----	1,010.40B/923.8	1010.40B/923.80A	----	964.40 + 0.10	.9763	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3735	----	----	1,000.60B/908.9	1000.60B/908.90A	----	954.50 + 0.10	.9758	----	----	----	----	15 UNCH
3750	----	----	986.70B/892.30A	986.70B/892.30A	----	939.80 + 0.10	.9745	----	----	----	----	56 UNCH
3800	----	----	937.70B/843.50A	937.70B/843.50A	----	890.80 + 0.20	.9702	----	----	----	----	44 UNCH
3820	----	----	918.10B/824.10A	918.10B/824.10A	----	871.20 + 0.20	.9684	----	----	----	----	4 UNCH
3840	----	----	898.60B/804.50A	898.60B/804.50A	----	851.70 + 0.20	.9662	----	----	----	----	20 UNCH
3855	----	----	881.80B/790.50A	881.80B/790.50A	----	837.10 + 0.20	.9645	----	----	----	----	2 UNCH
3875	----	----	863.60B/771.20A	863.60B/771.20A	----	817.70 + 0.30	.9623	----	----	----	----	41 UNCH
3890	----	----	849.00B/756.80A	849.00B/756.80A	----	803.10 + 0.20	.9605	----	----	----	----	1 UNCH
3895	----	----	844.10B/751.70A	844.10B/751.70A	----	798.30 + 0.30	.9597	----	----	----	----	9 UNCH
3900	----	----	840.20B/746.80A	840.20B/746.80A	----	793.40 + 0.20	.9592	----	----	----	----	112 UNCH
3950	----	----	790.90B/699.50A	790.90B/699.50A	----	745.10 + 0.10	.9518	----	----	----	----	223 UNCH
3960	----	----	782.10B/690.00A	782.10B/690.00A	----	735.50 + 0.10	.9501	----	----	4	----	11 - 4
3975	----	----	765.60B/675.60A	765.60B/675.60A	----	721.10 + 0.10	.9478	----	----	----	----	13 UNCH
3980	----	----	762.90B/671.10A	762.90B/671.10A	----	716.30 + 0.10	.9467	----	----	----	----	97 UNCH
3995	----	----	748.40B/657.00A	748.40B/657.00A	----	702.00 + 0.10	.9440	----	----	----	----	62 UNCH
4000	----	----	743.60B/652.30A	743.60B/652.30A	----	697.20 + 0.10	.9431	----	----	----	----	143 UNCH
4005	----	----	738.80B/647.60A	738.80B/647.60A	----	692.40 UNCH	.9422	----	----	----	----	30 UNCH
4015	----	----	728.30B/638.00A	728.30B/638.00A	----	682.90 UNCH	.9402	----	----	----	----	5 UNCH
4020	----	----	724.50B/633.60A	724.50B/633.60A	----	678.10 - 0.10	.9392	----	----	----	----	15 UNCH
4025	----	----	718.70B/629.10A	718.70B/629.10A	----	673.40 UNCH	.9380	----	----	----	----	2 UNCH
4050	----	----	694.90B/605.70A	694.90B/605.70A	----	649.70 - 0.10	.9328	----	----	----	----	176 UNCH
4070	----	----	677.50B/587.30A	677.50B/587.30A	----	630.80 - 0.30	.9278	----	----	----	----	25 UNCH
4075	----	----	672.80B/582.60A	672.80B/582.60A	----	626.10 - 0.30	.9266	----	----	----	----	22 UNCH
4090	----	----	658.40B/568.70A	658.40B/568.70A	----	612.10 - 0.30	.9228	----	----	----	----	1 UNCH
4100	----	----	649.00B/559.90A	649.00B/559.90A	----	602.70 - 0.40	.9202	----	----	----	----	48 UNCH
4105	----	----	644.50B/555.10A	644.50B/555.10A	----	598.00 - 0.40	.9189	----	----	----	----	10 UNCH
4115	----	----	634.80B/546.10A	634.80B/546.10A	----	588.70 - 0.50	.9160	----	----	----	----	4 UNCH
4120	----	----	630.10B/541.70A	630.10B/541.70A	----	584.10 - 0.50	.9147	----	----	----	----	372 UNCH
4125	----	----	625.40B/537.30A	625.40B/537.30A	----	579.40 - 0.50	.9131	----	----	----	----	1 UNCH
4130	----	----	620.60B/532.50A	620.60B/532.50A	----	574.80 - 0.50	.9117	----	----	----	----	11 UNCH
4135	----	----	616.20B/528.20A	616.20B/528.20A	----	570.20 - 0.50	.9101	----	----	----	----	3 UNCH
4145	----	----	606.50B/519.10A	606.50B/519.10A	----	560.90 - 0.70	.9069	----	----	----	----	1 UNCH
4150	----	----	602.00B/514.50A	602.00B/514.50A	----	556.30 - 0.70	.9055	----	----	----	----	255 UNCH
4155	----	----	597.60B/510.00A	597.60B/510.00A	----	551.70 - 0.70	.9039	----	----	----	----	1 UNCH
4165	----	----	587.90B/501.00A	587.90B/501.00A	----	542.50 - 0.80	.9005	----	----	----	----	3 UNCH
4170	----	----	583.20B/496.60A	583.20B/496.60A	----	537.90 - 0.90	.8986	----	----	----	----	24 UNCH
4175	----	----	578.70B/492.40A	578.70B/492.40A	----	533.40 - 0.80	.8969	----	----	----	----	3 UNCH
4180	----	----	574.10B/488.00A	574.10B/488.00A	----	528.80 - 0.90	.8953	----	----	----	----	123 UNCH
4185	----	----	569.50B/483.70A	569.50B/483.70A	----	524.20 - 1.00	.8936	----	----	----	----	3 UNCH
4190	----	----	564.80B/479.30A	564.80B/479.30A	----	519.70 - 1.00	.8916	----	----	----	----	18 UNCH
4200	----	----	556.90B/470.30A	556.90B/470.30A	----	510.60 - 1.10	.8879	----	----	----	----	822 UNCH
4205	----	----	551.10B/466.10A	551.10B/466.10A	----	506.10 - 1.10	.8859	----	----	----	----	4 UNCH
4210	----	----	546.50B/461.80A	546.50B/461.80A	----	501.60 - 1.10	.8842	----	----	----	----	23 UNCH
4220	----	----	537.40B/452.90A	537.40B/452.90A	----	492.60 - 1.20	.8801	----	----	----	----	7 UNCH
4240	----	----	519.20B/435.60A	519.20B/435.60A	----	474.70 - 1.40	.8717	----	----	----	----	21 UNCH
4245	----	----	514.40B/431.70A	514.40B/431.70A	----	470.20 - 1.50	.8697	----	----	----	----	2 UNCH
4250	----	----	509.80B/427.20A	509.80B/427.20A	----	465.80 - 1.50	.8673	----	----	----	----	277 UNCH
4255	----	----	505.70B/422.80A	505.70B/422.80A	----	461.40 - 1.50	.8650	----	----	----	----	103 UNCH
4260	----	----	501.20B/418.80A	501.20B/418.80A	----	456.90 - 1.60	.8629	----	----	----	----	8 UNCH
4265	----	----	496.70B/414.40A	496.70B/414.40A	----	452.50 - 1.70	.8605	----	----	----	----	13 UNCH
4270	----	----	492.20B/410.40A	492.20B/410.40A	----	448.10 - 1.70	.8582	----	----	----	----	29 UNCH
4275	----	----	487.30B/406.20A	487.30B/406.20A	----	443.70 - 1.80	.8558	----	----	----	----	14 UNCH
4280	----	----	483.00B/402.00A	483.00B/402.00A	----	439.40 - 1.80	.8534	----	----	----	----	1 UNCH
4285	----	----	478.40B/397.60A	478.40B/397.60A	----	435.00 - 1.90	.8508	----	----	----	----	4 UNCH
4290	----	----	474.40B/393.50A	474.40B/393.50A	----	430.70 - 1.90	.8484	----	----	----	----	44 UNCH
4295	----	----	469.70B/389.30A	469.70B/389.30A	----	426.30 - 2.00	.8460	----	----	----	----	2 UNCH
4300	----	----	466.80B/385.10A	466.80B/385.10A	----	422.00 - 2.00	.8433	----	----	----	----	1123 UNCH
4305	----	----	460.30B/381.10A	460.30B/381.10A	----	417.70 - 2.10	.8406	----	----	----	----	2 UNCH
4315	----	----	452.40B/372.90A	452.40B/372.90A	----	409.10 - 2.20	.8352	----	----	----	----	3 UNCH
4325	----	----	445.00B/364.70A	445.00B/364.70A	----	400.50 - 2.40	.8298	----	----	----	----	560 UNCH
4330	----	----	439.30B/360.60A	439.30B/360.60A	----	396.30 - 2.40	.8269	----	----	----	----	26 UNCH
4335	----	----	434.70B/356.50A	434.70B/356.50A	----	392.00 - 2.50	.8241	----	----	----	----	2 UNCH
4340	----	----	430.60B/352.50A	430.60B/352.50A	----	387.80 - 2.50	.8211	----	----	----	----	4 UNCH
4345	----	----	425.40B/348.40A	425.40B/348.40A	----	383.60 - 2.60	.8181	----	----	----	----	2 UNCH
4350	----	----	421.80B/344.40A	421.80B/344.40A	----	379.40 - 2.60	.8151	----	----	----	----	251 UNCH
4355	----	----	417.70B/340.40A	417.70B/340.40A	----	375.20 - 2.70	.8121	----	----	----	----	40 UNCH
4360	----	----	413.80B/336.40A	413.80B/336.40A	----	371.00 - 2.80	.8091	----	----	----	----	349 UNCH
4365	----	----	408.80B/332.50A	408.80B/332.50A	----	366.90 - 2.80	.8060	----	----	----	----	5 UNCH
4370	----	----	404.90B/328.50A	404.90B/328.50A	----	362.80 - 2.90	.8028	----	----	----	----	75 UNCH
4375	----	----	400.70B/324.60A	400.70B/324.60A	----	358.60 - 3.00	.7997	----	----	----	----	34 UNCH
4380	----	----	396.50B/320.70A	396.50B/320.70A	----	354.50 - 3.10	.7964	----	----	----	----	12 UNCH
4385	----	----	392.20B/316.80A	392.20B/316.80A	----	350.40 - 3.20	.7931	----	----	----	----	4 UNCH
4390	----	----	387.70B/312.90A	387.70B/312.90A	----	346.40 - 3.20	.7896	----	----	----	----	10 UNCH
4395	----	----	383.90B/309.00A	383.90B/309.00A	----	342.30 - 3.30	.7863	----	----	----	----	5 UNCH
4400	----	----	381.10B/305.20A	381.10B/305.20A	----	338.30 - 3.30	.7829	----	----	----	----	1634 UNCH
4405	----	----	375.50B/301.40A	375.50B/301.40A	----	334.20 - 3.40	.7794	----	----	----	----	16 UNCH
4410	----	----	370.50B/297.50A	370.50B/297.50A	----	330.20 - 3.50	.7758	----	----	----	----	44 UNCH
4415	----	----	366.30B/293.80A	366.30B/293.80A	----	326.20 - 3.60	.7723	----	----	----	----	35 UNCH
4420	----	----	363.20B/290.00A	363.20B/290.00A	----	322.30 - 3.60	.7687	----	----	----	----	50 UNCH
4425	----	----	359.10B/286.30A	359.10B/286.30A	----	318.30 - 3.70	.7651	----	----	----	----	67 UNCH
4430	----	----	355.00B/282.50A	355.00B/282.50A	----	314.40 - 3.80	.7613	----	----	----	----	16 UNCH
4435	----	----	349.90B/278.80A	349.90B/278.80A	----	310.50 - 3.80	.7575	----	----	----	----	6 UNCH
4440	----	----	348.60B/275.20A	348.60B/275.20A	----	306.60 - 3.90	.7537	----	----	----	----	62 UNCH
4445	----	----	341.80B/271.50A	341.80B/271.50A	----	302.70 - 4.00	.7498	----	----	----	----	7 UNCH
4450	----	----	343.90B/267.80A	343.90B/267.80A	----	298.80 - 4.10	.7460	----	----	----	----	270 UNCH
4455	272.50	272.50	339.70B/264.20A	339.70B/264.20A	----	295.00 - 4.10	.7419	----	----	7	----	43 UNCH
4460	----	----	335.90B/260.60A	335.90B/260.60A	----	291.20 - 4.20	.7380	----	----	----	----	27 UNCH
4465	----	----	331.80B/257.10A	331.80B/257.10A	----	287.40 - 4.30	.7340	----	----	----	----	20 UNCH
4470	----	----	327.80B/253.50A	327.80B/253.50A	----	283.60 - 4.40	.7298	----	----	----	----	53 UNCH
4475	----	----	323.90B/250.00A	323.90B/250.00A	----	279.80 - 4.50	.7257	----	----	----	----	38 UNCH
4480	275.80	275.80	320.00B/246.50A	320.00B/246.50A	----	276.10 - 4.50	.7215	----	----	7	----	116 - 3
4485	----	----	316.10B/243.00A	316.10B/243.00A	----	272.40 - 4.60	.7173	----	----	----	----	23 UNCH
4490	----	----	312.20B/239.50A	312.20B/239.50A	----	268.70 - 4.60	.7130	----	----	----	----	19 UNCH
4495	----	----	308.40B/236.10A	308.40B/236.10A	----	265.00 - 4.70	.7087	----	----	----	----	16 UNCH
4500	----	----	304.90B/232.70A	304.90B/232.70A	----	261.30 - 4.80	.7042	----	----	1	----	1272 UNCH
4505	----	----	300.80B/229.30A	300.80B/229.30A	----	257.70 - 4.90	.6999	----	----	----	----	29 UNCH
4510	----	----	296.80B/225.90A	296.80B/225.90A	----	254.10 - 4.90	.6954	----	----	----	----	46 UNCH
4515	----	----	292.90B/222.60A	292.90B/222.60A	----	250.50 - 5.00	.6909	----	----	----	----	17 UNCH
4520	----	----	289.20B/219.30A	289.20B/219.30A	----	247.00 - 5.00	.6863	----	----	----	----	20 UNCH
4525	----	----	285.50B/216.00A	285.50B/216.00A	----	243.40 - 5.10	.6817	----	----	----	----	23 UNCH
4530	----	----	281.70B/212.70A	281.70B/212.70A	----	239.90 - 5.10	.6770	----	----	----	----	37 UNCH
4535	----	----	277.90B/209.50A	277.90B/209.50A	----	236.40 - 5.20	.6723	----	----	----	----	30 UNCH
4540	----	----	274.30B/206.30A	274.30B/206.30A	----	232.90 - 5.30	.6676	----	----	----	----	20 UNCH
4545	----	----	264.70B/203.10A	264.70B/203.10A	----	229.50 - 5.30	.6629	----	----	----	----	4 UNCH
4550	----	----	267.10B/199.90A	267.10B/199.90A	----	226.10 - 5.30	.6580	----	----	6	----	368 + 4
4555	----	----	263.50B/197.00A	263.50B/197.00A	----	222.70 - 5.40	.6532	----	----	----	----	31 UNCH
4560	----	----	259.90B/193.90A	259.90B/193.90A	----	219.30 - 5.40	.6483	----	----	----	----	34 UNCH
4565	----	----	256.40B/190.80A	256.40B/190.80A	----	215.90 - 5.50	.6434	----	----	----	----	47 UNCH
4570	192.70	192.70	252.70B/187.60A	252.70B/187.60A	----	212.60 - 5.60	.6384	----	----	8	----	209 + 7
4575	----	----	249.10B/184.50A	249.10B/184.50A	----	209.30 - 5.60	.6333	----	----	----	----	70 UNCH
4580	----	----	242.00B/181.70A	242.00B/181.70A	----	206.00 - 5.70	.6283	----	----	----	----	6 UNCH
4585	----	----	242.20B/178.70A	242.20B/178.70A	----	202.80 - 5.70	.6232	----	----	----	----	101 UNCH
4590	----	----	238.80B/175.70A	238.80B/175.70A	----	199.50 - 5.80	.6180	----	----	----	----	135 UNCH
4595	----	----	235.20B/172.80A	235.20B/172.80A	----	196.30 - 5.90	.6129	----	----	----	----	31 UNCH
4600	----	----	231.90B/169.90A	231.90B/169.90A	----	193.10 - 5.90	.6077	----	----	66	----	2835 - 6
4605	----	----	228.50B/167.10A	228.50B/167.10A	----	190.00 - 5.90	.6024	----	----	----	----	302 UNCH
4610	----	----	224.80B/164.20A	224.80B/164.20A	----	186.90 - 6.00	.5971	----	----	----	----	84 UNCH
4615	----	----	221.50B/161.30A	221.50B/161.30A	----	183.80 - 6.00	.5918	----	----	----	----	20 UNCH
4620	181.00	181.00	218.20B/158.60A	218.20B/158.60A	----	180.70 - 6.10	.5865	----	----	4	----	26 + 4
4625	----	----	214.80B/155.80A	214.80B/155.80A	----	177.70 - 6.10	.5811	----	----	----	----	118 UNCH
4630	----	----	211.50B/153.10A	211.50B/153.10A	----	174.70 - 6.10	.5756	----	----	----	----	40 UNCH
4635	----	----	208.30B/150.40A	208.30B/150.40A	----	171.70 - 6.20	.5702	----	----	----	----	229 UNCH
4640	156.40	156.40	205.00B/147.80A	205.00B/147.80A	----	168.80 - 6.20	.5647	----	----	2	----	45 + 2
4645	----	----	200.80B/145.10A	200.80B/145.10A	----	165.80 - 6.30	.5592	----	----	----	----	6 UNCH
4650	158.50	158.50	199.10B/142.50A	199.10B/142.50A	----	163.00 - 6.20	.5537	----	----	53	----	619 UNCH
4655	----	----	195.90B/139.80A	195.90B/139.80A	----	160.10 - 6.30	.5481	----	----	----	----	223 UNCH
4660	140.30	140.30	192.60B/136.40	192.60B/136.40	----	157.40 - 6.20	.5425	----	----	40	----	151 + 28
4665	149.00	149.00	189.50B/134.80A	189.50B/134.80A	----	154.60 - 6.20	.5369	----	----	33	----	57 + 31
4670	141.40	141.40	186.40B/132.30A	186.40B/132.30A	----	151.90 - 6.20	.5313	----	----	47	----	118 + 35
4675	143.70	143.70	183.40B/129.80A	183.40B/129.80A	----	149.20 - 6.10	.5257	----	----	65	----	108 + 29
4680	150.70	150.70	180.30B/127.50A	180.30B/127.50A	----	146.50 - 6.20	.5200	----	----	19	----	163 + 16
4685	140.90	140.90	177.30B/125.10A	177.30B/125.10A	----	143.80 - 6.20	.5144	----	----	5	----	159 - 2
4690	135.50	135.50	174.40B/122.60A	174.40B/122.60A	----	141.20 - 6.20	.5087	----	----	5	----	52 + 2
4695	134.00	134.00	171.40B/120.30A	171.40B/120.30A	----	138.60 - 6.20	.5030	----	----	34	----	55 + 4
4700	131.90	131.90	169.00/118.00A	169.00/118.00A	----	136.00 - 6.20	.4973	----	----	212	----	2396 + 30
4705	139.80	139.80	165.60B/115.80A	165.60B/115.80A	----	133.40 - 6.20	.4915	----	----	11	----	319 + 8
4710	144.20	144.20	162.60B/113.50A	162.60B/113.50A	----	130.90 - 6.20	.4858	----	----	29	----	222 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4715	122.30	122.30	159.70B/111.30A	159.70B/111.30A	----	128.40 - 6.20	.4800	----	----	4	----	62 - 4
4720	135.10	135.10	157.10B/109.20A	157.10B/109.20A	----	125.90 - 6.30	.4743	----	----	6	----	113 + 1
4725	----	----	154.30B/107.00A	154.30B/107.00A	----	123.50 - 6.20	.4685	----	----	----	----	142 UNCH
4730	116.00	116.00	151.50B/104.90A	151.50B/104.90A	----	121.10 - 6.20	.4628	----	----	26	----	50 + 6
4735	----	----	149.00B/102.80A	149.00B/102.80A	----	118.70 - 6.30	.4570	----	----	----	----	31 UNCH
4740	111.30	111.30	146.30B/100.70A	146.30B/100.70A	----	116.40 - 6.20	.4512	----	----	157	----	167 - 16
4745	113.00	113.00	143.60B/98.60A	143.60B/98.60A	----	114.10 - 6.20	.4455	----	----	3	----	27 + 2
4750	108.30	108.30	141.40B/96.70A	141.40B/96.70A	----	111.80 - 6.20	.4397	----	----	88	----	1457 UNCH
4755	----	----	138.40B/94.80A	138.40B/94.80A	----	109.60 - 6.20	.4340	----	----	----	----	46 UNCH
4760	108.50	108.50	135.90B/92.80A	135.90B/92.80A	----	107.40 - 6.20	.4283	----	----	7	----	78 + 5
4765	104.00	104.00	133.30B/90.80A	133.30B/90.80A	----	105.30 - 6.10	.4226	----	----	2	----	76 UNCH
4770	118.50	118.50	130.70B/88.90A	130.70B/88.90A	----	103.10 - 6.10	.4168	----	----	12	----	81 + 5
4775	----	----	128.40B/87.20A	128.40B/87.20A	----	101.00 - 6.10	.4111	----	----	4	----	190 + 3
4780	97.20	97.20	125.90B/85.30A	125.90B/85.30A	----	99.00 - 6.00	.4055	----	----	3	----	54 UNCH
4785	110.90	110.90	123.30B/83.50A	123.30B/83.50A	----	96.90 - 6.00	.3998	----	----	25	----	31 + 2
4790	95.30	95.30	121.00B/81.80A	121.00B/81.80A	----	94.90 - 5.90	.3941	----	----	6	----	127 + 5
4795	97.40	97.40	118.70B/80.00A	118.70B/80.00A	----	92.90 - 5.90	.3885	----	----	36	----	53 + 35
4800	82.00	82.00	117.00/78.20A	117.00/78.20A	----	91.00 - 5.80	.3829	----	----	397	425	2177 - 41
4805	----	----	114.00B/76.60A	114.00B/76.60A	----	89.00 - 5.90	.3772	----	----	1	----	19 UNCH
4810	84.00	84.00	112.20B/74.90A	112.20B/74.90A	----	87.10 - 5.90	.3716	----	----	21	----	586 - 1
4815	----	----	109.50B/73.40A	109.50B/73.40A	----	85.30 - 5.80	.3662	----	----	----	----	18 UNCH
4820	----	----	107.30B/71.80A	107.30B/71.80A	----	83.40 - 5.80	.3605	----	----	----	----	133 UNCH
4825	78.90	78.90	105.20B/70.10A	105.20B/70.10A	----	81.60 - 5.70	.3550	----	----	63	----	185 + 42
4830	80.30	80.30	103.00B/68.70A	103.00B/68.70A	----	79.80 - 5.70	.3495	----	----	16	----	63 - 2
4835	----	----	101.00B/67.10A	101.00B/67.10A	----	78.10 - 5.60	.3442	----	----	----	----	8 UNCH
4840	75.00	75.00	99.00B/65.70A	99.00B/65.70A	----	76.40 - 5.60	.3388	----	----	14	----	34 + 12
4845	75.60	75.60	97.00B/64.10A	97.00B/64.10A	----	74.70 - 5.60	.3334	----	----	1	----	20 + 1
4850	75.50	75.50	95.30B/62.50	95.30B/62.50	----	73.00 - 5.60	.3280	----	----	256	----	705 - 92
4855	----	----	93.10B/61.40A	93.10B/61.40A	----	71.40 - 5.50	.3227	----	----	----	----	21 UNCH
4860	80.60	80.60	91.10B/59.90A	91.10B/59.90A	----	69.80 - 5.50	.3174	----	----	5	----	25 + 1
4865	68.90	68.90	89.10B/58.60A	89.10B/58.60A	----	68.20 - 5.40	.3121	----	----	3	----	57 UNCH
4870	68.50	68.50	87.30B/57.30A	87.30B/57.30A	----	66.70 - 5.40	.3070	----	----	1	----	64 UNCH
4875	74.20	74.20	85.40B/56.00A	85.40B/56.00A	----	65.20 - 5.30	.3019	----	----	2	----	177 + 1
4880	64.90	64.90	83.50B/54.80A	83.50B/54.80A	----	63.70 - 5.30	.2967	----	----	33	----	29 - 23
4885	----	----	81.70B/53.40A	81.70B/53.40A	----	62.30 - 5.20	.2918	----	----	----	----	60 UNCH
4890	----	----	79.90B/52.30A	79.90B/52.30A	----	60.90 - 5.10	.2868	----	----	----	----	17 UNCH
4895	----	----	78.20B/51.10A	78.20B/51.10A	----	59.50 - 5.00	.2818	----	----	----	----	72 UNCH
4900	55.70	55.70	76.70B/49.90A	76.70B/49.90A	----	58.10 - 5.00	.2769	----	----	285	50	1963 + 108
4905	54.00	54.00	74.80B/48.70A	74.80B/48.70A	----	56.80 - 4.90	.2721	----	----	5	----	42 + 1
4910	----	----	73.20B/47.70A	73.20B/47.70A	----	55.50 - 4.80	.2673	----	----	----	----	87 UNCH
4915	----	----	71.50B/46.60A	71.50B/46.60A	----	54.20 - 4.80	.2625	----	----	----	----	70 UNCH
4920	49.50	49.50	69.90B/45.40A	69.90B/45.40A	----	52.90 - 4.80	.2577	----	----	2	----	60 UNCH
4925	53.30	53.30	68.40B/44.40A	68.40B/44.40A	----	51.70 - 4.70	.2531	----	----	4	----	311 UNCH
4930	54.10	54.10	66.80B/43.30A	66.80B/43.30A	----	50.50 - 4.60	.2485	----	----	5	----	192 + 3
4935	50.20	50.20	65.30B/41.90	65.30B/41.90	----	49.30 - 4.60	.2439	----	----	24	----	73 - 3
4940	----	----	63.70B/41.30A	63.70B/41.30A	----	48.10 - 4.50	.2393	----	----	----	----	25 UNCH
4945	----	----	62.30B/40.40A	62.30B/40.40A	----	47.00 - 4.40	.2350	----	----	----	----	33 UNCH
4950	55.70	55.70	61.10B/39.40A	61.10B/39.40A	----	45.90 - 4.40	.2306	----	----	156	----	916 + 34
4955	45.20	45.20	59.50B/38.50A	59.50B/38.50A	----	44.80 - 4.30	.2263	----	----	3	----	10 + 2
4960	42.00	42.00	58.10B/37.60A	58.10B/37.60A	----	43.70 - 4.30	.2219	----	----	2	----	36 + 2
4965	43.00	43.00	56.70B/36.70A	56.70B/36.70A	----	42.70 - 4.20	.2178	----	----	3	----	66 + 2
4970	40.00	40.00	55.40B/35.90A	55.40B/35.90A	----	41.60 - 4.20	.2134	----	----	9	----	114 + 2
4975	----	----	54.20B/35.00A	54.20B/35.00A	----	40.60 - 4.10	.2093	----	----	52	----	305 + 20
4980	39.40	39.40	52.90B/34.20A	52.90B/34.20A	----	39.70 - 4.00	.2054	----	----	2	----	247 + 1
4985	38.60	38.60	51.60B/33.40A	51.60B/33.40A	----	38.70 - 4.00	.2013	----	----	2	----	149 UNCH
4990	----	----	50.40B/32.60A	50.40B/32.60A	----	37.80 - 3.90	.1974	----	----	----	----	42 UNCH
4995	34.20	34.20	49.20B/31.70A	49.20B/31.70A	----	36.90 - 3.80	.1936	----	----	205	----	113 - 194
5000	37.20	37.20	48.30B/31.00A	48.30B/31.00A	----	36.00 - 3.80	.1897	----	----	1416	----	4402 - 176
5005	----	----	46.90B/30.30A	46.90B/30.30A	----	35.10 - 3.80	.1859	----	----	1	----	27 UNCH
5010	----	----	45.70B/29.60A	45.70B/29.60A	----	34.20 - 3.80	.1820	----	----	1	----	177 UNCH
5015	31.50	31.50	44.60B/28.90A	44.60B/28.90A	----	33.40 - 3.70	.1784	----	----	2	----	52 - 2
5020	----	----	43.60B/28.20A	43.60B/28.20A	----	32.60 - 3.60	.1749	----	----	----	----	44 UNCH
5025	32.20	32.20	42.50B/27.60A	42.50B/27.60A	----	31.80 - 3.60	.1713	----	----	25	----	219 + 19
5030	32.40	32.40	41.60B/*26.90A	41.60B/*26.90A	----	31.00 - 3.50	.1678	----	----	5	----	263 + 3
5035	----	----	40.50B/*26.30A	40.50B/*26.30A	----	30.30 - 3.40	.1645	----	----	----	----	19 UNCH
5040	----	----	39.50B/*25.60A	39.50B/*25.60A	----	29.50 - 3.40	.1609	----	----	----	----	150 UNCH
5045	29.00	29.00	38.90B/*25.10A	38.90B/*25.10A	----	28.80 - 3.40	.1577	----	----	1108	----	1156 - 858
5050	27.00	27.00	37.80B/*23.90	37.80B/*23.90	----	28.10 - 3.30	.1545	----	----	1219	----	2099 - 736
5055	30.30	30.30	36.70B/*23.90A	36.70B/*23.90A	----	27.40 - 3.30	.1512	----	----	4	----	85 - 4
5060	26.90	26.90	35.80B/*23.30A	35.80B/*23.30A	----	26.80 - 3.10	.1483	----	----	2	----	89 UNCH
5065	----	----	34.90B/*22.80A	34.90B/*22.80A	----	26.10 - 3.10	.1451	----	----	----	----	18 UNCH
5070	25.80	25.80	34.10B/*22.20A	34.10B/*22.20A	----	25.50 - 3.10	.1422	----	----	14	----	74 UNCH
5075	----	----	33.20B/*21.70A	33.20B/*21.70A	----	24.90 - 3.00	.1392	----	----	1	----	52 + 1
5080	24.80	24.80	32.30B/*21.20A	32.30B/*21.20A	----	24.30 - 2.90	.1364	----	----	3	----	145 UNCH
5085	23.80	23.80	31.50B/*20.70A	31.50B/*20.70A	----	23.70 - 2.90	.1335	----	----	5	----	314 - 1
5090	----	----	30.70B/*20.20A	30.70B/*20.20A	----	23.10 - 2.90	.1306	----	----	----	----	215 UNCH
5095	21.60	21.60	30.00B/*19.70A	30.00B/*19.70A	----	22.60 - 2.80	.1280	----	----	2	----	19 + 2
5100	19.00	19.00	29.30B/*18.80	29.30B/18.80	----	22.00 - 2.80	.1251	----	----	263	425	1966 - 50
5105	20.60	20.60	28.50B/*18.80A	28.50B/*18.80A	----	21.50 - 2.70	.1226	----	----	1	----	10 + 1
5110	----	----	27.80B/*18.40A	27.80B/*18.40A	----	21.00 - 2.70	.1201	----	----	----	----	415 UNCH
5115	21.20	21.20	27.10B/*18.00A	27.10B/*18.00A	----	20.50 - 2.60	.1176	----	----	27	----	117 + 2
5120	19.60	19.60	26.40B/*17.60A	26.40B/*17.60A	----	20.00 - 2.60	.1150	----	----	4	----	24 + 4
5125	19.20	19.20	25.80B/*17.20A	25.80B/*17.20A	----	19.50 - 2.50	.1125	----	----	6	----	368 - 2
5130	21.10	21.10	25.10B/*16.70A	25.10B/*16.70A	----	19.00 - 2.50	.1100	----	----	1	----	90 + 1
5135	17.90	17.90	24.50B/*16.30A	24.50B/*16.30A	----	18.60 - 2.40	.1079	----	----	1	----	194 + 1
5140	17.90	17.90	23.90B/*16.00A	23.90B/*16.00A	----	18.10 - 2.50	.1054	----	----	2	----	123 + 2
5145	18.70	18.70	23.30B/*15.60A	23.30B/*15.60A	----	17.70 - 2.40	.1033	----	----	2	----	44 + 1
5150	16.50	16.50	22.90B/*15.40A	22.90B/*15.40A	----	17.30 - 2.30	.1011	----	----	465	----	1265 + 347
5155	16.40	16.40	22.20B/*14.90A	22.20B/*14.90A	----	16.90 - 2.30	.0990	----	----	2	----	74 + 1
5160	16.40	16.40	21.70B/*14.60A	21.70B/*14.60A	----	16.50 - 2.20	.0969	----	----	28	----	310 + 22
5165	15.70	15.70	21.20B/*14.30A	21.20B/*14.30A	----	16.10 - 2.20	.0948	----	----	2	----	47 UNCH
5170	16.50	16.50	20.70B/*13.90A	20.70B/*13.90A	----	15.70 - 2.20	.0927	----	----	18	----	198 + 11
5175	15.60	15.60	20.20B/*13.60A	20.20B/*13.60A	----	15.40 - 2.10	.0910	----	----	17	----	245 + 1
5180	15.70	15.70	19.70B/*13.30A	19.70B/*13.30A	----	15.00 - 2.10	.0889	----	----	7	----	34 + 7
5185	14.70	14.70	19.20B/*13.10A	19.20B/*13.10A	----	14.70 - 2.00	.0872	----	----	6	----	25 + 1
5190	14.60	14.60	18.70B/*12.80A	18.70B/*12.80A	----	14.40 - 2.00	.0856	----	----	17	----	340 + 1
5195	14.60	14.60	18.20B/*12.50A	18.20B/*12.50A	----	14.00 - 2.00	.0835	----	----	4	----	22 + 1
5200	13.50	13.50	18.00/*12.20A	18.00/*12.20A	----	13.70 - 1.90	.0818	----	----	296	----	3116 + 171
5205	----	----	17.40B/*12.00A	17.40B/*12.00A	----	13.40 - 1.90	.0801	----	----	----	----	27 UNCH
5210	13.70	13.70	17.00B/*11.70A	17.00B/*11.70A	----	13.10 - 1.90	.0785	----	----	7	----	56 + 6
5215	13.30	13.30	16.60B/*11.50A	16.60B/*11.50A	----	12.80 - 1.80	.0768	----	----	7	----	53 + 5
5220	----	----	16.20B/*11.30A	16.20B/*11.30A	----	12.60 - 1.70	.0756	----	----	----	----	264 UNCH
5225	12.80	12.80	15.80B/*11.00A	15.80B/*11.00A	----	12.30 - 1.70	.0739	----	----	3	----	176 - 1
5230	----	----	15.40B/*10.80A	15.40B/*10.80A	----	12.00 - 1.70	.0723	----	----	----	----	32 UNCH
5235	----	----	15.00B/*10.60A	15.00B/*10.60A	----	11.80 - 1.60	.0711	----	----	----	----	67 UNCH
5240	11.60	11.60	14.70B/*10.30A	14.70B/*10.30A	----	11.50 - 1.60	.0694	----	----	1	----	94 UNCH
5245	12.90	12.90	14.30B/*10.20A	14.30B/*10.20A	----	11.30 - 1.50	.0682	----	----	2	----	55 UNCH
5250	9.50	9.50	14.00B/*9.00	14.00B/*9.00	----	11.00 - 1.50	.0666	----	----	282	----	2122 + 42
5255	----	----	13.60B/*9.80A	13.60B/*9.80A	----	10.80 - 1.50	.0654	----	----	----	----	7 UNCH
5260	12.30	12.30	13.30B/*9.60A	13.30B/*9.60A	----	10.60 - 1.40	.0642	----	----	18	----	110 - 1
5265	----	----	13.10B/*9.40A	13.10B/*9.40A	----	10.40 - 1.40	.0630	----	----	----	----	56 UNCH
5270	10.80	10.80	12.70B/*9.20A	12.70B/*9.20A	----	10.20 - 1.30	.0618	----	----	6	----	92 UNCH
5275	10.00	10.00	12.60B/*9.10A	12.60B/*9.10A	----	10.00 - 1.30	.0606	----	----	8	----	201 + 3
5280	----	----	12.20B/*8.90A	12.20B/*8.90A	----	9.80 - 1.20	.0595	----	----	----	----	287 UNCH
5285	9.70	9.70	11.90B/*8.70A	11.90B/*8.70A	----	9.60 - 1.20	.0583	----	----	1	----	29 UNCH
5290	10.20	10.20	11.60B/*8.60A	11.60B/*8.60A	----	9.40 - 1.20	.0571	----	----	1	----	64 - 1
5295	9.30	9.30	11.30B/*8.40A	11.30B/*8.40A	----	9.20 - 1.20	.0560	----	----	1	----	68 UNCH
5300	10.00	10.00	11.20B/*8.30A	11.20B/*8.30A	----	9.10 - 1.10	.0553	----	----	123	----	2574 - 86
5305	9.40	9.40	11.40/*8.10A	11.40/*8.10A	----	8.90 - 1.00	.0541	----	----	9	----	46 + 3
5310	9.10	9.10	10.70B/*8.00A	10.70B/*8.00A	----	8.70 - 1.00	.0530	----	----	1	----	34 + 1
5315	9.50	9.50	10.40B/*7.80A	10.40B/*7.80A	----	8.60 - 0.90	.0523	----	----	5	----	27 - 5
5320	8.90	8.90	10.20B/*7.70A	10.20B/*7.70A	----	8.40 - 1.00	.0511	----	----	9	----	531 + 3
5325	8.10	8.10	10.10B/*7.60A	10.10B/*7.60A	----	8.30 - 0.90	.0504	----	----	3	----	111 - 1
5330	----	----	9.80B/*7.40A	9.80B/*7.40A	----	8.10 - 0.90	.0493	----	----	----	----	44 UNCH
5335	7.80	7.80	9.60B/*7.30A	9.60B/*7.30A	----	8.00 - 0.80	.0486	----	----	1	----	243 UNCH
5340	----	----	9.40B/*7.10A	9.40B/*7.10A	----	7.90 - 0.70	.0479	----	----	----	----	131 UNCH
5345	----	----	9.20B/*7.00A	9.20B/*7.00A	----	7.70 - 0.80	.0468	----	----	----	----	47 UNCH
5350	7.50	7.50	9.00B/*6.50	9.00B/*6.50	----	7.60 - 0.70	.0462	----	----	43	----	808 + 17
5355	8.40	8.40	8.80B/*6.70A	8.80B/*6.70A	----	7.50 - 0.70	.0455	----	----	1	----	26 + 1
5360	----	----	8.70B/*6.70A	8.70B/*6.70A	----	7.30 - 0.70	.0444	----	----	----	----	103 UNCH
5365	7.80	7.80	8.50/*6.40A	8.50/*6.40A	----	7.20 - 0.60	.0437	----	----	2	----	33 UNCH
5370	8.20	8.20	8.30B/*6.30A	8.30B/*6.30A	----	7.10 - 0.60	.0431	----	----	1	----	127 UNCH
5375	7.60	7.60	8.20B/*6.10A	8.20B/*6.10A	----	7.00 - 0.60	.0424	----	----	4	----	403 + 1
5380	6.60	6.60	8.00B/*6.10A	8.00B/*6.10A	----	6.90 - 0.50	.0418	----	----	4	----	77 + 2
5385	----	----	7.90B/*6.00A	7.90B/*6.00A	----	6.80 - 0.50	.0411	----	----	1	----	117 + 1
5390	7.70	7.70	7.70/*6.00A	7.70/*6.00A	----	6.70 - 0.50	.0405	----	----	2	----	100 UNCH
5395	6.20	6.20	7.60B/*5.80A	7.60B/*5.80A	----	6.60 - 0.40	.0399	----	----	1	----	39 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5400	6.00	6.00	7.50/*5.60A	7.50/*5.60A	----	6.50 - 0.40	.0392	----	----	23	----	2465 + 14
5405	----	----	7.30B/*5.60A	7.30B/*5.60A	----	6.30 - 0.50	.0382	----	----	----	----	60 UNCH
5410	6.10	6.10	7.20B/*5.50A	7.20B/*5.50A	----	6.30 - 0.40	.0380	----	----	4	----	155 - 4
5415	7.60	7.60	7.60/*5.40A	7.60/*5.40A	----	6.20 - 0.40	.0374	----	----	2	----	38 UNCH
5420	----	----	7.00B/*5.30A	7.00B/*5.30A	----	6.10 - 0.30	.0367	----	----	----	----	143 UNCH
5425	6.50	6.50	6.80B/*5.20A	6.80B/*5.20A	----	6.00 - 0.30	.0361	----	----	2	----	106 - 1
5430	6.20	6.20	6.70B/5.20A	6.70B/5.20A	----	5.90 - 0.30	.0355	----	----	1	----	28 UNCH
5435	----	----	6.60B/*5.00A	6.60B/*5.00A	----	5.80 - 0.30	.0349	----	----	----	----	12 UNCH
5440	----	----	6.50B/*4.90A	6.50B/*4.90A	----	5.70 - 0.30	.0343	----	----	----	----	56 UNCH
5445	----	----	6.40B/4.90A	6.40B/4.90A	----	5.60 - 0.30	.0337	----	----	----	----	113 UNCH
5450	----	----	6.30B/*4.70A	6.30B/*4.70A	----	5.50 - 0.30	.0331	----	----	----	----	641 UNCH
5455	----	----	6.20B/*4.70A	6.20B/*4.70A	----	5.50 - 0.20	.0329	----	----	----	----	153 UNCH
5460	----	----	6.10B/*4.60A	6.10B/*4.60A	----	5.40 - 0.30	.0323	----	----	----	----	35 UNCH
5465	5.80	5.80	6.00B/4.60A	6.00B/4.60A	----	5.30 - 0.30	.0318	----	----	3	----	40 - 1
5470	----	----	5.90B/4.50A	5.90B/4.50A	----	5.20 - 0.30	.0312	----	----	----	----	253 UNCH
5475	----	----	5.80B/4.40A	5.80B/4.40A	----	5.10 - 0.30	.0306	----	----	----	----	35 UNCH
5480	5.40	5.40	5.70B/4.40A	5.70B/4.40A	----	5.10 - 0.20	.0304	----	----	11	----	34 + 6
5485	----	----	5.60B/4.30A	5.60B/4.30A	----	5.00 - 0.20	.0299	----	----	----	----	40 UNCH
5490	----	----	5.50B/4.20A	5.50B/4.20A	----	4.90 - 0.30	.0293	----	----	----	----	35 UNCH
5495	----	----	5.40B/4.20A	5.40B/4.20A	----	4.90 - 0.20	.0292	----	----	----	----	51 UNCH
5500	4.00	4.00	5.40B/4.00	5.40B/4.00	----	4.80 - 0.20	.0286	----	----	237	----	4370 - 174
5505	----	----	5.20B/4.00A	5.20B/4.00A	----	4.70 - 0.20	.0280	----	----	----	----	91 UNCH
5510	----	----	5.20B/4.00A	5.20B/4.00A	----	4.70 - 0.20	.0279	----	----	----	----	46 UNCH
5515	----	----	5.10B/3.90A	5.10B/3.90A	----	4.60 - 0.20	.0273	----	----	----	----	13 UNCH
5520	4.50	4.50	5.00/3.80A	5.00/3.80A	----	4.50 - 0.20	.0268	----	----	217	----	419 + 184
5525	----	----	4.90B/3.70A	4.90B/3.70A	----	4.50 - 0.20	.0266	----	----	----	----	84 UNCH
5530	----	----	4.90B/3.70A	4.90B/3.70A	----	4.40 - 0.20	.0261	----	----	----	----	62 UNCH
5535	----	----	4.80B/3.70A	4.80B/3.70A	----	4.40 - 0.10	.0260	----	----	----	----	14 UNCH
5540	----	----	4.70B/3.60A	4.70B/3.60A	----	4.30 - 0.20	.0254	----	----	----	----	27 UNCH
5545	----	----	4.70B/3.60A	4.70B/3.60A	----	4.30 - 0.10	.0253	----	----	----	----	6 UNCH
5550	----	----	4.60B/3.50A	4.60B/3.50A	----	4.20 - 0.20	.0248	----	----	----	----	860 UNCH
5555	----	----	4.50B/3.50A	4.50B/3.50A	----	4.10 - 0.20	.0242	----	----	----	----	19 UNCH
5560	----	----	4.50B/3.40A	4.50B/3.40A	----	4.10 - 0.10	.0241	----	----	----	----	28 UNCH
5565	----	----	4.40B/3.40A	4.40B/3.40A	----	4.00 - 0.20	.0236	----	----	----	----	46 UNCH
5570	----	----	4.40B/3.30A	4.40B/3.30A	----	4.00 - 0.10	.0235	----	----	----	----	558 UNCH
5575	----	----	4.30B/3.20A	4.30B/3.20A	----	3.90 - 0.20	.0229	----	----	----	----	239 UNCH
5580	----	----	4.30B/3.30A	4.30B/3.30A	----	3.90 - 0.10	.0228	----	----	----	----	137 UNCH
5585	----	----	4.20B/3.20A	4.20B/3.20A	----	3.80 - 0.20	.0223	----	----	----	----	20 UNCH
5590	----	----	4.20B/3.20A	4.20B/3.20A	----	3.80 - 0.10	.0222	----	----	----	----	93 UNCH
5595	----	----	4.10B/3.10A	4.10B/3.10A	----	3.80 - 0.10	.0221	----	----	----	----	17 UNCH
5600	3.60	3.60	4.10/3.00A	4.10/3.00A	----	3.70 - 0.10	.0216	----	----	351	----	3252 + 227
5610	----	----	4.00B/3.10A	4.00B/3.10A	----	3.60 - 0.10	.0210	----	----	----	----	461 UNCH
5620	----	----	3.90B/3.00A	3.90B/3.00A	----	3.50 - 0.10	.0203	----	----	----	----	136 UNCH
5625	----	----	3.80B/2.80A	3.80B/2.80A	----	3.50 - 0.10	.0203	----	----	----	----	267 UNCH
5630	----	----	3.80B/2.90A	3.80B/2.90A	----	3.50 UNCH	.0202	----	----	----	----	147 UNCH
5640	----	----	3.70B/2.80A	3.70B/2.80A	----	3.40 - 0.10	.0196	----	----	----	----	553 UNCH
5650	3.10	3.10	3.70B/2.80A	3.70B/2.80A	----	3.30 - 0.10	.0190	----	----	5	----	709 - 4
5660	----	----	3.60B/2.70A	3.60B/2.70A	----	3.20 - 0.10	.0184	----	----	----	----	262 UNCH
5670	----	----	3.50B/2.70A	3.50B/2.70A	----	3.20 UNCH	.0183	----	----	----	----	41 UNCH
5675	----	----	3.50B/2.60A	3.50B/2.60A	----	3.10 - 0.10	.0178	----	----	----	----	5 UNCH
5680	----	----	3.40B/2.60A	3.40B/2.60A	----	3.10 UNCH	.0177	----	----	----	----	94 UNCH
5690	----	----	3.40B/2.60A	3.40B/2.60A	----	3.10 UNCH	.0176	----	----	----	----	178 UNCH
5700	----	----	3.30B/2.50A	3.30B/2.50A	----	3.00 UNCH	.0170	----	----	----	----	1880 UNCH
5710	----	----	3.20B/2.50A	3.20B/2.50A	----	2.90 UNCH	.0164	----	----	----	----	49 UNCH
5720	----	----	3.20B/2.40A	3.20B/2.40A	----	2.90 + 0.10	.0163	----	----	----	----	35 UNCH
5725	----	----	3.10B/2.40A	3.10B/2.40A	----	2.90 + 0.10	.0163	----	----	----	----	432 UNCH
5730	3.10	3.10	3.10/2.40A	3.10/2.40A	----	2.80 UNCH	.0158	----	----	9	----	121 + 8
5740	----	----	3.00B/2.30A	3.00B/2.30A	----	2.80 + 0.10	.0157	----	----	----	----	55 UNCH
5750	----	----	3.00B/2.20A	3.00B/2.20A	----	2.70 + 0.10	.0151	----	----	----	----	321 UNCH
5760	----	----	2.90B/2.20A	2.90B/2.20A	----	2.70 + 0.10	.0150	----	----	----	----	63 UNCH
5770	----	----	2.90B/2.10A	2.90B/2.10A	----	2.60 + 0.10	.0145	----	----	----	----	16 UNCH
5775	----	----	2.90B/2.20A	2.90B/2.20A	----	2.60 + 0.10	.0144	----	----	----	----	69 UNCH
5780	----	----	2.80B/2.10A	2.80B/2.10A	----	2.60 + 0.10	.0144	----	----	----	----	22 UNCH
5790	----	----	2.80B/2.10A	2.80B/2.10A	----	2.50 + 0.10	.0138	----	----	----	----	41 UNCH
5800	----	----	2.70B/2.10A	2.70B/2.10A	----	2.50 + 0.10	.0137	----	----	4	----	1109 UNCH
5810	2.30	2.30	2.70B/2.10A	2.70B/2.10A	----	2.50 + 0.20	.0137	----	----	1	----	37 + 1
5820	2.20	2.20	2.60B/2.00A	2.60B/2.00A	----	2.40 + 0.10	.0131	----	----	3	----	48 UNCH
5825	----	----	2.60B/2.00A	2.60B/2.00A	----	2.40 + 0.20	.0131	----	----	1	----	112 - 1
5830	----	----	2.60B/1.90A	2.60B/1.90A	----	2.40 + 0.20	.0130	----	----	----	----	139 UNCH
5840	2.20	2.20	2.60B/2.00A	2.60B/2.00A	----	2.30 + 0.10	.0125	----	----	1	----	87 + 1
5850	2.10	2.10	2.50B/2.00A	2.50B/2.00A	----	2.30 + 0.20	.0124	----	----	3	----	327 + 3
5860	----	----	2.50B/1.90A	2.50B/1.90A	----	2.20 + 0.10	.0119	----	----	1	----	68 UNCH
5870	----	----	2.40B/1.90A	2.40B/1.90A	----	2.20 + 0.10	.0119	----	----	----	----	17 UNCH
5875	----	----	2.40B/1.90A	2.40B/1.90A	----	2.20 + 0.10	.0118	----	----	----	----	29 UNCH
5880	----	----	2.40B/1.90A	2.40B/1.90A	----	2.20 + 0.20	.0118	----	----	1	----	24 - 1
5890	----	----	2.40B/1.80A	2.40B/1.80A	----	2.10 + 0.10	.0113	----	----	----	----	23 UNCH
5900	2.00	2.00	2.30B/1.80A	2.30B/1.80A	----	2.10 + 0.10	.0112	----	----	2	----	829 - 1
5910	----	----	2.30B/1.80A	2.30B/1.80A	----	2.10 + 0.20	.0112	----	----	----	----	61 UNCH
5920	----	----	2.30B/1.70A	2.30B/1.70A	----	2.00 + 0.10	.0107	----	----	----	----	113 UNCH
5930	----	----	2.30B/1.70A	2.30B/1.70A	----	2.00 + 0.10	.0106	----	----	----	----	136 UNCH
5940	----	----	2.20B/1.70A	2.20B/1.70A	----	2.00 + 0.20	.0105	----	----	----	----	59 UNCH
5950	----	----	2.20B/1.70A	2.20B/1.70A	----	2.00 + 0.20	.0105	----	----	----	----	431 UNCH
5960	----	----	2.20B/1.60A	2.20B/1.60A	----	1.90 + 0.10	.0100	----	----	----	----	45 UNCH
5970	----	----	2.10B/1.60A	2.10B/1.60A	----	1.90 + 0.20	.0099	----	----	----	----	35 UNCH
5980	----	----	2.10B/----	2.10B/1.70A	----	1.90 + 0.20	.0099	----	----	----	----	118 UNCH
5990	----	----	2.10B/----	2.10B/1.70A	----	1.90 + 0.20	.0098	----	----	----	----	59 UNCH
6000	1.80	1.80	2.30/1.70	2.30/1.70	----	1.80 + 0.10	.0093	----	----	177	----	3542 + 157
6025	----	----	2.00B/----	2.00B/1.70A	----	1.80 + 0.20	.0092	----	----	----	----	94 UNCH
6050	----	----	1.90B/----	1.90B/1.60A	----	1.70 + 0.20	.0087	----	----	----	----	103 UNCH
6075	----	----	1.80B/----	1.80B/1.60A	----	1.70 + 0.20	.0086	----	----	----	----	23 UNCH
6100	----	----	1.80B/----	1.80B/1.50A	----	1.60 + 0.20	.0080	----	----	----	----	626 UNCH
6125	----	----	1.70B/----	1.70B/1.50A	----	1.60 + 0.20	.0079	----	----	----	----	48 UNCH
6150	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.30	.0078	----	----	----	----	132 UNCH
6175	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.20	.0073	----	----	----	----	131 UNCH
6200	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.30	.0073	----	----	----	----	370 UNCH
6225	----	----	1.40B/----	1.40B/1.30A	----	1.50 + 0.30	.0072	----	----	----	----	138 UNCH
6250	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.20	.0067	----	----	----	----	260 UNCH
6275	----	----	1.30B/----	1.30B/1.30A	----	1.40 + 0.30	.0066	----	----	----	----	34 UNCH
6300	1.20	1.20	1.40B/1.20	1.40B/1.10A	----	1.40 + 0.30	.0065	----	----	1	----	254 + 1
6325	----	----	1.20B/----	1.20B/1.20A	----	1.30 + 0.20	.0061	----	----	----	----	148 UNCH
6350	----	----	1.20B/----	1.20B/1.20A	----	1.30 + 0.20	.0060	----	----	----	----	203 UNCH
6375	----	----	1.20B/----	1.20B/1.20A	----	1.30 + 0.30	.0059	----	----	----	----	24 UNCH
6400	----	----	1.30B/----	1.30B/1.10A	----	1.20 + 0.20	.0055	----	----	----	----	345 UNCH
6425	----	----	1.10B/----	1.10B/1.10A	----	1.20 + 0.20	.0054	----	----	----	----	42 UNCH
6450	----	----	1.20B/----	1.20B/1.10A	----	1.20 + 0.20	.0054	----	----	----	----	76 UNCH
6475	----	----	1.10B/----	1.10B/1.00A	----	1.10 + 0.20	.0050	----	----	----	----	68 UNCH
6500	0.80	0.80	1.10/0.80	1.10/0.80	----	1.10 + 0.20	.0049	----	----	50	----	1123 + 50
6525	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.20	.0049	----	----	----	----	20 UNCH
6550	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.20	.0048	----	----	----	----	75 UNCH
6575	0.90	0.90	1.00B/0.90	1.00B/0.90	----	1.00 + 0.10	.0044	----	----	1	----	10 UNCH
6600	----	----	1.00B/0.70A	1.00B/0.70A	----	1.00 + 0.10	.0043	----	----	----	----	72 UNCH
6625	----	----	0.90B/----	0.90B/0.80A	----	1.00 + 0.20	.0043	----	----	----	----	38 UNCH
6650	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.20	.0043	----	----	----	----	57 UNCH
6675	----	----	0.90B/----	0.90B/0.80A	----	0.90 + 0.10	.0039	----	----	----	----	29 UNCH
6700	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.10	.0038	----	----	----	----	376 UNCH
6725	----	----	----	0.80B/0.80A	----	0.90 + 0.10	.0038	----	----	----	----	101 UNCH
6750	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.20	.0038	----	----	----	----	64 UNCH
6775	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.10	.0034	----	----	----	----	7 UNCH
6800	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 + 0.10	.0033	----	----	2	----	614 + 1
6825	----	----	----	0.70B/0.80A	----	0.80 + 0.10	.0033	----	----	----	----	8 UNCH
6850	----	----	----	0.70B/0.70A	----	0.80 + 0.10	.0033	----	----	----	----	32 UNCH
6875	----	----	----	0.70B/0.70A	----	0.80 + 0.10	.0033	----	----	----	----	13 UNCH
6900	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0029	----	----	----	----	553 UNCH
6925	----	----	----	0.60B/0.70A	----	0.70 + 0.10	.0029	----	----	----	----	1 UNCH
6950	----	----	----	0.60B/0.70A	----	0.70 + 0.10	.0028	----	----	----	----	34 UNCH
6975	----	----	----	0.60B/0.70A	----	0.70 + 0.10	.0028	----	----	----	----	7 UNCH
7000	----	----	----	0.60B/0.70A	----	0.70 + 0.10	.0028	----	----	----	----	823 UNCH
7025	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0028	----	----	----	----	402 UNCH
7050	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0024	----	----	----	----	33 UNCH
7075	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0024	----	----	----	----	86 UNCH
7100	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0024	----	----	----	----	106 UNCH
7125	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0023	----	----	----	----	14 UNCH
7150	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0023	----	----	----	----	26 UNCH
7175	----	----	----	0.40B/0.60A	----	0.60 + 0.10	.0023	----	----	----	----	37 UNCH
7200	----	----	----	0.40B/0.50A	----	0.60 + 0.10	.0023	----	----	----	----	97 UNCH
7225	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0019	----	----	----	----	6 UNCH
7250	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0019	----	----	----	----	42 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
7275	----	----	----	0.40B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	15 UNCH
7300	----	----	----	0.40B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	10 UNCH
7325	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0019	----	----	----	----	1 UNCH
7350	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0019	----	----	----	----	1 UNCH
7375	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0019	----	----	----	----	10 UNCH
7400	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0018	----	----	----	----	16 UNCH
7450	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0015	----	----	----	----	20 UNCH
7475	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0015	----	----	----	----	11 UNCH
7500	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0015	----	----	3	----	350 UNCH
7525	----	----	----	0.20B/0.50A	----	0.40 + 0.10	.0015	----	----	----	----	42 UNCH
7575	----	----	----	0.20B/0.50A	----	0.40 + 0.10	.0014	----	----	----	----	6 UNCH
7600	----	----	----	0.20B/0.50A	----	0.40 + 0.10	.0014	----	----	----	----	89 UNCH
7625	----	----	----	0.20B/0.40A	----	0.40 + 0.10	.0014	----	----	----	----	2 UNCH
7650	----	----	----	0.20B/0.40A	----	0.40 + 0.10	.0014	----	----	----	----	2 UNCH
7675	----	----	----	0.20B/0.40A	----	0.40 + 0.10	.0014	----	----	----	----	36 UNCH
7700	----	----	----	0.20B/0.40A	----	0.40 + 0.10	.0014	----	----	----	----	77 UNCH
7725	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0014	----	----	----	----	1 UNCH
7750	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	20 UNCH
7775	----	----	----	----/0.50A	----	0.30 UNCH	.0011	----	----	----	----	5 UNCH
7800	----	----	----	----/0.50A	----	0.30 UNCH	.0011	----	----	----	----	23 UNCH
7825	----	----	----	----/0.50A	----	0.30 UNCH	.0010	----	----	----	----	6 UNCH
7850	----	----	----	----/0.50A	----	0.30 UNCH	.0010	----	----	----	----	6 UNCH
7875	----	----	----	----/0.50A	----	0.30 + 0.10	.0010	----	----	----	----	5 UNCH
7900	----	----	----	----/0.50A	----	0.30 + 0.10	.0010	----	----	----	----	5 UNCH
7950	----	----	----	----/0.50A	----	0.30 + 0.10	.0010	----	----	----	----	39 UNCH
7975	----	----	----	----/0.50A	----	0.30 + 0.10	.0010	----	----	----	----	5 UNCH
8000	----	----	----	----/0.40A	----	0.30 + 0.10	.0010	----	----	3	----	1000 + 3
8100	----	----	----	----/0.50A	----	0.30 + 0.10	.0010	----	----	----	----	54 UNCH
8200	----	----	----	----/0.40A	----	0.20 UNCH	.0007	----	----	----	----	980 UNCH
8300	----	----	----	----/0.40A	----	0.20 UNCH	.0006	----	----	----	----	27 UNCH
8400	----	----	----	----/0.40A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
8500	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	59 UNCH
8600	----	----	----	----/0.30A	----	0.20 + 0.10	.0006	----	----	----	----	1 UNCH
8700	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	13 UNCH
8800	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
8900	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	14 UNCH
9000	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	311 UNCH
9100	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
9300	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
9400	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
9500	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	53 UNCH
9600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
9800	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	10	----	15 + 10
9900	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	767 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
TOTAL										9262	900	100237 - 658
JUN26												
1995	----	----	----	----	----	2689.70 UNCH	1.0000	----	----	50	----	0 UNCH
2000	----	----	2,730.40B/2,643	2730.40B/2643.70A	----	2684.70 UNCH	1.0000	----	----	687	----	412 UNCH
2005	----	----	----	----	----	2679.70 UNCH	1.0000	----	----	50	----	0 UNCH
2800	----	----	1,933.40B/1,840	1933.40B/1840.90A	----	1884.90 + 0.10	.9931	----	----	5	----	500 UNCH
3000	----	----	1,733.60B/1,641	1733.60B/1641.70A	----	1685.60 UNCH	.9892	----	----	----	----	613 UNCH
3200	----	----	1,531.10B/1,446	1531.10B/1446.30A	----	1487.20 + 0.10	.9834	----	----	----	----	42 UNCH
3300	----	----	1,432.40B/1,347	1432.40B/1347.70A	----	1388.40 UNCH	.9795	----	----	----	----	4 UNCH
3310	----	----	1,421.50B/1,340	1421.50B/1340.70A	----	1378.50 UNCH	.9789	----	----	----	----	1 UNCH
3400	----	----	1,338.40B/1,246	1338.40B/1246.40A	----	1290.00 UNCH	.9741	----	----	----	----	893 UNCH
3500	----	----	1,246.20B/1,152	1246.20B/1152.20A	----	1192.20 UNCH	.9674	----	----	----	----	58 UNCH
3525	----	----	1,221.80B/1,130	1221.80B/1130.10A	----	1167.90 UNCH	.9653	----	----	----	----	1 UNCH
3550	----	----	1,197.40B/1,105	1197.40B/1105.80A	----	1143.60 UNCH	.9633	----	----	----	----	1 UNCH
3580	----	----	1,168.30B/1,075	1168.30B/1075.00A	----	1114.50 - 0.10	.9605	----	----	----	----	18 UNCH
3585	----	----	1,163.40B/1,070	1163.40B/1070.20A	----	1109.70 UNCH	.9599	----	----	----	----	100 UNCH
3600	----	----	1,148.90B/1,055	1148.90B/1055.70A	----	1095.20 UNCH	.9584	----	----	----	----	214 UNCH
3635	----	----	1,115.00B/1,022	1115.00B/1022.20A	----	1061.40 - 0.10	.9547	----	----	----	----	60 UNCH
3650	----	----	1,100.60B/1,007	1100.60B/1007.90A	----	1047.00 - 0.10	.9531	----	----	----	----	143 UNCH
3665	----	----	1,086.10B/993.6	1086.10B/993.60A	----	1032.60 - 0.10	.9513	----	----	----	----	3 UNCH
3700	----	----	1,052.40B/959.2	1052.40B/959.20A	----	999.10 - 0.20	.9470	----	----	----	----	395 UNCH
3715	----	----	1,038.10B/946.2	1038.10B/946.20A	----	984.80 - 0.20	.9449	----	----	----	----	25 UNCH
3725	----	----	1,028.50B/936.8	1028.50B/936.80A	----	975.30 - 0.20	.9435	----	----	----	----	212 UNCH
3750	----	----	1,004.60B/910.9	1004.60B/910.90A	----	951.50 - 0.30	.9399	----	----	----	----	1112 UNCH
3755	----	----	999.80B/908.60A	999.80B/908.60A	----	946.80 - 0.30	.9392	----	----	----	----	15 UNCH
3785	----	----	971.30B/880.60A	971.30B/880.60A	----	918.40 - 0.50	.9345	----	----	----	----	170 UNCH
3790	----	----	966.60B/877.10A	966.60B/877.10A	----	913.70 - 0.50	.9336	----	----	----	----	1 UNCH
3800	----	----	957.10B/864.20A	957.10B/864.20A	----	904.30 - 0.50	.9320	----	----	----	----	545 UNCH
3835	----	----	923.90B/835.30A	923.90B/835.30A	----	871.50 - 0.60	.9258	----	----	----	----	1 UNCH
3840	----	----	919.20B/829.00A	919.20B/829.00A	----	866.80 - 0.60	.9248	----	----	----	----	21 UNCH
3850	----	----	909.80B/819.30A	909.80B/819.30A	----	857.40 - 0.80	.9230	----	----	----	----	322 UNCH
3875	----	----	886.50B/797.40A	886.50B/797.40A	----	834.20 - 0.80	.9180	----	----	----	----	60 UNCH
3895	----	----	867.70B/780.30A	867.70B/780.30A	----	815.70 - 0.90	.9139	----	----	----	----	1 UNCH
3900	----	----	863.20B/773.70A	863.20B/773.70A	----	811.10 - 0.90	.9128	----	----	----	----	364 UNCH
3925	----	----	839.80B/752.10A	839.80B/752.10A	----	788.10 - 1.00	.9071	----	----	----	----	4 UNCH
3950	----	----	816.70B/729.70A	816.70B/729.70A	----	765.20 - 1.20	.9013	----	----	----	----	14 UNCH
3975	----	----	793.70B/707.40A	793.70B/707.40A	----	742.50 - 1.40	.8949	----	----	----	----	106 UNCH
3990	----	----	780.00B/695.30A	780.00B/695.30A	----	729.00 - 1.40	.8910	----	----	----	----	1 UNCH
3995	----	----	775.40B/689.70A	775.40B/689.70A	----	724.50 - 1.40	.8896	----	----	----	----	5 UNCH
4000	----	----	770.90B/683.10A	770.90B/683.10A	----	720.00 - 1.50	.8884	----	----	----	----	862 UNCH
4005	----	----	766.30B/680.90A	766.30B/680.90A	----	715.50 - 1.50	.8870	----	----	----	----	10 UNCH
4010	----	----	761.80B/677.70A	761.80B/677.70A	----	711.00 - 1.50	.8856	----	----	----	----	1 UNCH
4020	----	----	752.70B/669.00A	752.70B/669.00A	----	702.10 - 1.60	.8827	----	----	----	----	2 UNCH
4025	----	----	748.20B/663.40A	748.20B/663.40A	----	697.60 - 1.60	.8812	----	----	----	----	51 UNCH
4040	----	----	734.70B/651.50A	734.70B/651.50A	----	684.20 - 1.80	.8768	----	----	----	----	1 UNCH
4050	----	----	725.70B/641.70A	725.70B/641.70A	----	675.40 - 1.80	.8738	----	----	----	----	185 UNCH
4060	----	----	716.70B/633.10A	716.70B/633.10A	----	666.60 - 1.80	.8706	----	----	----	----	25 UNCH
4070	----	----	707.80B/624.50A	707.80B/624.50A	----	657.80 - 1.90	.8676	----	----	----	----	10 UNCH
4075	----	----	703.30B/620.40A	703.30B/620.40A	----	653.40 - 1.90	.8659	----	----	----	----	64 UNCH
4090	----	----	690.00B/607.60A	690.00B/607.60A	----	640.30 - 2.00	.8609	----	----	----	----	34 UNCH
4100	----	----	681.10B/596.90A	681.10B/596.90A	----	631.60 - 2.10	.8576	----	----	----	----	682 UNCH
4105	----	----	676.70B/594.80A	676.70B/594.80A	----	627.20 - 2.20	.8558	----	----	----	----	50 UNCH
4110	----	----	672.30B/591.50A	672.30B/591.50A	----	622.90 - 2.20	.8542	----	----	----	----	2 UNCH
4115	----	----	667.90B/586.50A	667.90B/586.50A	----	618.60 - 2.20	.8523	----	----	----	----	5 UNCH
4125	----	----	659.10B/578.10A	659.10B/578.10A	----	610.00 - 2.30	.8487	----	----	----	----	95 UNCH
4135	----	----	650.40B/569.60A	650.40B/569.60A	----	601.40 - 2.40	.8450	----	----	----	----	16 UNCH
4150	----	----	637.30B/556.10A	637.30B/556.10A	----	588.60 - 2.50	.8395	----	----	----	----	263 UNCH
4155	----	----	633.00B/554.00A	633.00B/554.00A	----	584.40 NEW	.8375	----	----	5	----	5 + 5
4170	----	----	620.10B/540.90A	620.10B/540.90A	----	571.70 - 2.70	.8317	----	----	----	----	51 UNCH
4175	----	----	615.80B/536.80A	615.80B/536.80A	----	567.50 - 2.70	.8297	----	----	----	----	61 UNCH
4195	----	----	598.70B/521.30A	598.70B/521.30A	----	550.80 - 2.80	.8215	----	----	----	----	1 UNCH
4200	----	----	594.50B/514.10A	594.50B/514.10A	----	546.60 - 2.90	.8194	----	----	----	----	2079 UNCH
4210	----	----	586.00B/506.30A	586.00B/506.30A	----	538.40 - 2.90	.8151	----	----	----	----	1582 UNCH
4220	----	----	577.50B/500.60A	577.50B/500.60A	----	530.10 - 3.10	.8108	----	----	----	----	84 UNCH
4225	----	----	573.30B/496.60A	573.30B/496.60A	----	526.00 - 3.10	.8086	----	----	----	----	15 UNCH
4235	----	----	565.00B/488.70A	565.00B/488.70A	----	517.90 - 3.20	.8041	----	----	----	----	6 UNCH
4240	----	----	560.80B/484.80A	560.80B/484.80A	----	513.80 - 3.20	.8019	----	----	----	----	53 UNCH
4245	----	----	556.60B/479.70A	556.60B/479.70A	----	509.80 - 3.20	.7995	----	----	----	----	263 UNCH
4250	----	----	552.60B/474.80A	552.60B/474.80A	----	505.70 - 3.30	.7973	----	----	----	----	922 UNCH
4255	----	----	548.30B/473.10A	548.30B/473.10A	----	501.70 - 3.30	.7949	----	----	----	----	6 UNCH
4260	----	----	544.20B/469.70A	544.20B/469.70A	----	497.70 - 3.40	.7926	----	----	----	----	1 UNCH
4265	----	----	540.10B/465.40A	540.10B/465.40A	----	493.70 - 3.40	.7902	----	----	----	----	87 UNCH
4270	----	----	536.00B/461.50A	536.00B/461.50A	----	489.70 - 3.50	.7878	----	----	----	----	11 UNCH
4280	----	----	527.80B/454.20A	527.80B/454.20A	----	481.80 - 3.50	.7830	----	----	----	----	1 UNCH
4285	----	----	523.80B/450.40A	523.80B/450.40A	----	477.80 - 3.60	.7804	----	----	----	----	1 UNCH
4300	----	----	511.60B/436.60A	511.60B/436.60A	----	466.00 - 3.70	.7730	----	----	----	----	2116 UNCH
4305	----	----	507.60B/435.20A	507.60B/435.20A	----	462.10 - 3.80	.7704	----	----	----	----	1 UNCH
4310	----	----	503.60B/431.20A	503.60B/431.20A	----	458.20 - 3.80	.7679	----	----	----	----	23 UNCH
4315	----	----	499.60B/427.80A	499.60B/427.80A	----	454.40 - 3.80	.7653	----	----	----	----	1 UNCH
4320	----	----	495.60B/423.80A	495.60B/423.80A	----	450.50 - 3.90	.7627	----	----	----	----	62 UNCH
4325	----	----	491.60B/420.10A	491.60B/420.10A	----	446.70 - 3.90	.7600	----	----	----	----	72 UNCH
4335	----	----	483.70B/412.70A	483.70B/412.70A	----	439.00 - 4.00	.7547	----	----	----	----	13 UNCH
4340	----	----	479.80B/409.10A	479.80B/409.10A	----	435.20 - 4.10	.7520	----	----	----	----	17 UNCH
4345	----	----	475.90B/405.60A	475.90B/405.60A	----	431.40 - 4.10	.7493	----	----	----	----	2 UNCH
4350	----	----	471.90B/399.70A	471.90B/399.70A	----	427.70 - 4.10	.7465	----	----	----	----	1451 UNCH
4355	----	----	468.00B/398.20A	468.00B/398.20A	----	423.90 - 4.20	.7438	----	----	----	----	129 UNCH
4360	----	----	464.20B/394.70A	464.20B/394.70A	----	420.20 - 4.20	.7410	----	----	----	----	42 UNCH
4365	----	----	460.30B/391.00A	460.30B/391.00A	----	416.40 - 4.30	.7382	----	----	----	----	4 UNCH
4370	----	----	456.40B/387.50A	456.40B/387.50A	----	412.70 - 4.30	.7353	----	----	----	----	3 UNCH
4375	----	----	452.60B/384.00A	452.60B/384.00A	----	409.00 - 4.30	.7325	----	----	----	----	106 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4380	----	----	448.80B/379.30A	448.80B/379.30A	----	405.30 - 4.40	.7297	----	----	----	----	341 UNCH
4385	----	----	444.90B/377.00A	444.90B/377.00A	----	401.70 - 4.40	.7267	----	----	----	----	3 UNCH
4390	----	----	441.10B/373.50A	441.10B/373.50A	----	398.00 - 4.40	.7238	----	----	----	----	16 UNCH
4395	----	----	437.30B/370.00A	437.30B/370.00A	----	394.40 - 4.40	.7209	----	----	----	----	10 UNCH
4400	----	----	433.60B/364.50A	433.60B/364.50A	----	390.80 - 4.50	.7180	----	----	1	----	1459 - 1
4410	----	----	426.10B/359.60A	426.10B/359.60A	----	383.60 - 4.50	.7120	----	----	----	----	39 UNCH
4415	----	----	422.40B/353.80A	422.40B/353.80A	----	380.00 - 4.60	.7090	----	----	----	----	176 UNCH
4420	----	----	418.70B/352.80A	418.70B/352.80A	----	376.40 - 4.70	.7059	----	----	----	----	3 UNCH
4425	----	----	415.00B/345.80A	415.00B/345.80A	----	372.90 - 4.70	.7029	----	----	----	----	274 UNCH
4430	----	----	411.20B/342.40A	411.20B/342.40A	----	369.40 - 4.70	.6998	----	----	----	----	19 UNCH
4435	----	----	407.50B/339.40A	407.50B/339.40A	----	365.90 - 4.70	.6967	----	----	----	----	20 UNCH
4440	----	----	404.00B/336.10A	404.00B/336.10A	----	362.40 - 4.80	.6936	----	----	----	----	19 UNCH
4445	----	----	400.20B/335.50A	400.20B/335.50A	----	358.90 - 4.80	.6905	----	----	----	----	5 UNCH
4450	----	----	396.70B/329.60A	396.70B/329.60A	----	355.40 - 4.90	.6873	----	----	----	----	497 UNCH
4455	----	----	393.10B/329.00A	393.10B/329.00A	----	352.00 - 4.90	.6842	----	----	----	----	6 UNCH
4460	----	----	389.30B/322.70A	389.30B/322.70A	----	348.60 - 4.90	.6809	----	----	----	----	20 UNCH
4465	----	----	385.80B/319.60A	385.80B/319.60A	----	345.20 - 4.90	.6778	----	----	----	----	18 UNCH
4470	----	----	382.30B/316.30A	382.30B/316.30A	----	341.80 - 5.00	.6745	----	----	----	----	24 UNCH
4475	----	----	378.70B/313.10A	378.70B/313.10A	----	338.40 - 5.00	.6713	----	----	----	----	22 UNCH
4480	----	----	375.20B/309.90A	375.20B/309.90A	----	335.00 - 5.10	.6680	----	----	----	----	59 UNCH
4485	----	----	371.60B/309.70A	371.60B/309.70A	----	331.70 - 5.10	.6647	----	----	----	----	6 UNCH
4490	----	----	368.20B/303.90A	368.20B/303.90A	----	328.30 - 5.20	.6615	----	----	----	----	51 UNCH
4495	----	----	364.70B/300.90A	364.70B/300.90A	----	325.00 - 5.20	.6581	----	----	----	----	6 UNCH
4500	----	----	361.20B/297.50A	361.20B/297.50A	----	321.70 - 5.30	.6548	----	----	----	----	4411 UNCH
4505	----	----	357.70B/294.40A	357.70B/294.40A	----	318.50 - 5.30	.6514	----	----	----	----	49 UNCH
4510	----	----	354.30B/291.10A	354.30B/291.10A	----	315.20 - 5.30	.6481	----	----	----	----	1475 UNCH
4515	----	----	350.90B/288.30A	350.90B/288.30A	----	312.00 - 5.30	.6447	----	----	----	----	93 UNCH
4520	312.70	312.70	347.60B/284.70A	347.60B/284.70A	----	308.80 - 5.40	.6413	----	----	1	----	51 UNCH
4525	----	----	344.40B/281.80A	344.40B/281.80A	----	305.50 - 5.50	.6379	----	----	----	----	232 UNCH
4530	----	----	340.60B/278.70A	340.60B/278.70A	----	302.40 - 5.50	.6344	----	----	----	----	13 UNCH
4535	----	----	337.40B/275.90A	337.40B/275.90A	----	299.20 - 5.50	.6310	----	----	----	----	12 UNCH
4540	----	----	334.20B/272.90A	334.20B/272.90A	----	296.00 - 5.60	.6275	----	----	----	----	78 UNCH
4545	----	----	330.90B/270.00A	330.90B/270.00A	----	292.90 - 5.60	.6240	----	----	----	----	32 UNCH
4550	----	----	327.60B/267.10A	327.60B/267.10A	----	289.80 - 5.70	.6206	----	----	----	----	219 UNCH
4555	----	----	324.20B/264.20A	324.20B/264.20A	----	286.70 - 5.70	.6171	----	----	----	----	9 UNCH
4560	----	----	321.10B/261.30A	321.10B/261.30A	----	283.60 - 5.80	.6135	----	----	----	----	160 UNCH
4565	----	----	317.80B/258.50A	317.80B/258.50A	----	280.60 - 5.80	.6100	----	----	----	----	104 UNCH
4570	----	----	314.60B/255.60A	314.60B/255.60A	----	277.50 - 5.90	.6064	----	----	----	----	35 UNCH
4575	----	----	311.40B/252.90A	311.40B/252.90A	----	274.50 - 5.90	.6028	----	----	----	----	65 UNCH
4580	----	----	308.10B/250.00A	308.10B/250.00A	----	271.50 - 5.90	.5993	----	----	----	----	8 UNCH
4585	----	----	304.90B/247.30A	304.90B/247.30A	----	268.60 - 5.90	.5957	----	----	----	----	15 UNCH
4590	----	----	302.00B/244.60A	302.00B/244.60A	----	265.60 - 6.00	.5921	----	----	----	----	79 UNCH
4595	----	----	298.60B/241.80A	298.60B/241.80A	----	262.70 - 6.00	.5885	----	----	----	----	13 UNCH
4600	255.10	255.10	295.90B/239.10A	295.90B/239.10A	----	259.70 - 6.10	.5848	----	----	13	----	5227 - 1
4605	240.00	240.00	292.80B/236.30A	292.80B/236.30A	----	256.90 - 6.00	.5812	----	----	1	----	153 + 1
4610	----	----	289.60B/233.70A	289.60B/233.70A	----	254.00 - 6.10	.5775	----	----	----	----	2 UNCH
4615	----	----	286.70B/231.10A	286.70B/231.10A	----	251.10 - 6.10	.5739	----	----	----	----	3 UNCH
4620	246.60	246.60	283.30B/228.50A	283.30B/228.50A	----	248.30 - 6.10	.5702	----	----	3	----	19 + 3
4625	----	----	280.60B/225.80A	280.60B/225.80A	----	245.50 - 6.10	.5665	----	----	----	----	196 UNCH
4630	----	----	277.60B/223.20A	277.60B/223.20A	----	242.70 - 6.20	.5628	----	----	1	----	55 - 1
4635	----	----	274.60B/220.60A	274.60B/220.60A	----	239.90 - 6.20	.5591	----	----	----	----	6 UNCH
4640	----	----	271.50B/218.10A	271.50B/218.10A	----	237.20 - 6.20	.5554	----	----	2	----	21 + 1
4645	----	----	268.70B/215.50A	268.70B/215.50A	----	234.40 - 6.30	.5517	----	----	1	----	14 UNCH
4650	233.70	233.70	265.80B/212.80A	265.80B/212.80A	----	231.70 - 6.30	.5480	----	----	7	----	1017 - 1
4655	----	----	262.60B/210.50A	262.60B/210.50A	----	229.00 - 6.30	.5442	----	----	----	----	28 UNCH
4660	----	----	259.80B/208.10A	259.80B/208.10A	----	226.40 - 6.30	.5405	----	----	----	----	25 UNCH
4665	----	----	256.90B/205.60A	256.90B/205.60A	----	223.70 - 6.30	.5367	----	----	----	----	1 UNCH
4670	----	----	254.10B/203.10A	254.10B/203.10A	----	221.10 - 6.30	.5330	----	----	5	----	152 UNCH
4675	219.70	219.70	251.30/200.70A	251.30/200.70A	----	218.50 - 6.30	.5292	----	----	68	----	531 + 52
4680	215.00	215.00	248.50B/198.40A	248.50B/198.40A	----	215.90 - 6.40	.5254	----	----	19	----	235 + 11
4685	----	----	245.80B/196.10A	245.80B/196.10A	----	213.40 - 6.30	.5217	----	----	1	----	32 - 1
4690	212.50	212.50	242.90B/193.80A	242.90B/193.80A	----	210.80 - 6.40	.5179	----	----	46	----	38 + 18
4695	210.00	210.00	240.10B/191.30A	240.10B/191.30A	----	208.30 - 6.40	.5141	----	----	2	----	19 UNCH
4700	201.80	201.80	237.80B/188.90A	237.80B/188.90A	----	205.80 - 6.40	.5103	----	----	33	----	3440 + 3
4705	205.10	205.10	234.80B/186.70A	234.80B/186.70A	----	203.30 - 6.40	.5066	----	----	1	----	3 UNCH
4710	200.10	200.10	232.00B/184.50A	232.00B/184.50A	----	200.90 - 6.40	.5028	----	----	1	----	15 + 1
4715	225.00	225.00	229.50B/182.20A	229.50B/182.20A	----	198.40 - 6.40	.4990	----	----	1	----	13 + 1
4720	194.10	194.10	226.60B/180.00A	226.60B/180.00A	----	196.00 - 6.40	.4952	----	----	10	----	233 + 10
4725	----	----	224.20B/177.80A	224.20B/177.80A	----	193.60 - 6.40	.4914	----	----	3	----	394 + 1
4730	----	----	221.50B/175.80A	221.50B/175.80A	----	191.20 - 6.50	.4876	----	----	8	----	13 + 8
4735	176.00	176.00	219.00B/173.60A	219.00B/173.60A	----	188.90 - 6.40	.4839	----	----	4	----	91 + 1
4740	----	----	216.20B/171.50A	216.20B/171.50A	----	186.50 - 6.50	.4801	----	----	3	----	33 UNCH
4745	----	----	213.60B/169.30A	213.60B/169.30A	----	184.20 - 6.50	.4763	----	----	----	----	12 UNCH
4750	178.60	178.60	211.90B/166.90A	211.90B/166.90A	----	181.90 - 6.50	.4725	----	----	21	----	1627 - 2
4755	----	----	209.00B/165.20A	209.00B/165.20A	----	179.70 - 6.40	.4687	----	----	----	----	102 UNCH
4760	172.30	172.30	206.50B/163.00A	206.50B/163.00A	----	177.40 - 6.50	.4650	----	----	1	----	55 + 1
4765	----	----	203.90B/161.10A	203.90B/161.10A	----	175.20 - 6.40	.4612	----	----	----	----	36 UNCH
4770	----	----	201.60B/159.00A	201.60B/159.00A	----	173.00 - 6.40	.4574	----	----	1	----	39 UNCH
4775	----	----	199.50B/156.90A	199.50B/156.90A	----	170.80 - 6.40	.4537	----	----	----	----	252 UNCH
4780	----	----	196.80B/155.10A	196.80B/155.10A	----	168.60 - 6.50	.4499	----	----	----	----	96 UNCH
4785	----	----	194.40B/153.10A	194.40B/153.10A	----	166.50 - 6.40	.4461	----	----	----	----	20 UNCH
4790	----	----	192.00B/151.20A	192.00B/151.20A	----	164.40 - 6.40	.4424	----	----	----	----	24 UNCH
4795	----	----	189.60B/149.30A	189.60B/149.30A	----	162.30 - 6.40	.4387	----	----	----	----	40 UNCH
4800	150.00	150.00	187.80B/147.10A	187.80B/147.10A	----	160.20 - 6.40	.4349	----	----	276	200	2739 + 12
4805	----	----	185.10B/145.50A	185.10B/145.50A	----	158.10 - 6.40	.4312	----	----	----	----	7 UNCH
4810	160.80	160.80	182.80B/143.60A	182.80B/143.60A	----	156.10 - 6.40	.4275	----	----	1	----	21 + 1
4815	----	----	180.50B/141.80A	180.50B/141.80A	----	154.10 - 6.40	.4238	----	----	----	----	43 UNCH
4820	----	----	178.20B/140.00A	178.20B/140.00A	----	152.10 - 6.40	.4201	----	----	----	----	36 UNCH
4825	145.70	145.70	176.00B/138.10A	176.00B/138.10A	----	150.10 - 6.40	.4164	----	----	2	----	92 UNCH
4830	----	----	173.80B/136.30A	173.80B/136.30A	----	148.10 - 6.40	.4127	----	----	----	----	123 UNCH
4835	----	----	171.40B/134.60A	171.40B/134.60A	----	146.20 - 6.30	.4090	----	----	----	----	2 UNCH
4840	----	----	169.50B/132.90A	169.50B/132.90A	----	144.30 - 6.30	.4054	----	----	----	----	37 UNCH
4845	----	----	167.30B/131.10A	167.30B/131.10A	----	142.40 - 6.30	.4017	----	----	----	----	11 UNCH
4850	138.60	138.60	165.70B/129.30A	165.70B/129.30A	----	140.50 - 6.30	.3980	----	----	18	----	740 + 1
4855	----	----	163.20B/127.70A	163.20B/127.70A	----	138.60 - 6.30	.3944	----	----	----	----	219 UNCH
4860	141.40	141.40	161.10B/126.10A	161.10B/126.10A	----	136.80 - 6.30	.3908	----	----	4	----	51 + 4
4865	141.00	141.00	159.00B/124.50A	159.00B/124.50A	----	135.00 - 6.30	.3872	----	----	4	----	26 UNCH
4870	----	----	157.00B/122.90A	157.00B/122.90A	----	133.20 - 6.20	.3836	----	----	----	----	10 UNCH
4875	----	----	155.00B/121.20A	155.00B/121.20A	----	131.40 - 6.30	.3800	----	----	----	----	120 UNCH
4880	140.00	140.00	153.00B/119.60A	153.00B/119.60A	----	129.70 - 6.20	.3765	----	----	30	----	62 + 30
4885	127.70	127.70	150.90B/118.10A	150.90B/118.10A	----	127.90 - 6.20	.3729	----	----	3	----	249 + 3
4890	125.50	125.50	149.00B/116.50A	149.00B/116.50A	----	126.20 - 6.20	.3693	----	----	220	----	293 + 201
4895	----	----	147.10B/114.90A	147.10B/114.90A	----	124.50 - 6.20	.3658	----	----	1	----	195 + 1
4900	128.00	128.00	146.00/113.20A	146.00/113.20A	----	122.80 - 6.20	.3623	----	----	112	----	3355 + 43
4905	----	----	143.40B/111.90A	143.40B/111.90A	----	121.20 - 6.10	.3588	----	----	1	----	9 + 1
4910	----	----	141.50B/110.50A	141.50B/110.50A	----	119.50 - 6.10	.3553	----	----	1	----	27 + 1
4915	----	----	139.50B/109.00A	139.50B/109.00A	----	117.90 - 6.10	.3519	----	----	----	----	40 UNCH
4920	----	----	137.70B/107.50A	137.70B/107.50A	----	116.30 - 6.10	.3484	----	----	----	----	108 UNCH
4925	----	----	136.00B/106.10A	136.00B/106.10A	----	114.70 - 6.00	.3450	----	----	----	----	38 UNCH
4930	----	----	134.20B/104.70A	134.20B/104.70A	----	113.10 - 6.10	.3415	----	----	----	----	176 UNCH
4935	120.90	120.90	132.30B/103.30A	132.30B/103.30A	----	111.60 - 6.00	.3382	----	----	1	----	6 UNCH
4940	----	----	130.70B/101.90A	130.70B/101.90A	----	110.10 - 5.90	.3348	----	----	----	----	102 UNCH
4945	105.10	105.10	128.80B/100.50A	128.80B/100.50A	----	108.50 - 6.00	.3314	----	----	1	----	193 + 1
4950	----	----	127.50B/99.00A	127.50B/99.00A	----	107.00 - 6.00	.3280	----	----	301	----	937 + 218
4955	----	----	125.50B/97.80A	125.50B/97.80A	----	105.60 - 5.90	.3248	----	----	----	----	33 UNCH
4960	----	----	123.70B/96.50A	123.70B/96.50A	----	104.10 - 5.90	.3214	----	----	----	----	187 UNCH
4965	----	----	122.20B/95.20A	122.20B/95.20A	----	102.70 - 5.80	.3182	----	----	----	----	37 UNCH
4970	----	----	120.40B/93.90A	120.40B/93.90A	----	101.20 - 5.90	.3148	----	----	2	----	51 + 2
4975	----	----	118.80B/92.70A	118.80B/92.70A	----	99.80 - 5.90	.3116	----	----	----	----	246 UNCH
4980	----	----	117.30B/91.40A	117.30B/91.40A	----	98.40 - 5.90	.3083	----	----	----	----	74 UNCH
4985	105.40	105.40	115.70B/90.20A	115.70B/90.20A	----	97.10 - 5.80	.3052	----	----	1	----	115 + 1
4990	----	----	114.60B/88.90A	114.60B/88.90A	----	95.70 - 5.80	.3019	----	----	----	----	1241 UNCH
4995	----	----	112.50B/87.80A	112.50B/87.80A	----	94.40 - 5.70	.2988	----	----	----	----	41 UNCH
5000	86.90	86.90	111.40B/86.40A	111.40B/86.40A	----	93.10 - 5.70	.2957	----	----	160	100	7136 + 18
5005	----	----	109.70B/85.30A	109.70B/85.30A	----	91.70 - 5.70	.2924	----	----	----	----	303 UNCH
5010	----	----	108.10B/84.20A	108.10B/84.20A	----	90.50 - 5.60	.2894	----	----	----	----	84 UNCH
5015	92.60	92.60	106.60B/83.10A	106.60B/83.10A	----	89.20 - 5.60	.2863	----	----	38	----	73 + 6
5020	----	----	105.20B/81.80A	105.20B/81.80A	----	87.90 - 5.70	.2832	----	----	----	----	460 UNCH
5025	93.90	93.90	103.70B/80.80A	103.70B/80.80A	----	86.70 - 5.60	.2802	----	----	1	----	47 + 1
5030	----	----	102.30B/79.80A	102.30B/79.80A	----	85.50 - 5.50	.2772	----	----	----	----	118 UNCH
5035	91.30	91.30	100.90B/78.60A	100.90B/78.60A	----	84.20 - 5.60	.2741	----	----	27	----	50 + 27
5040	----	----	99.50B/77.60A	99.50B/77.60A	----	83.10 - 5.50	.2712	----	----	----	----	47 UNCH
5045	89.30	89.30	98.10B/76.50A	98.10B/76.50A	----	81.90 - 5.50	.2682	----	----	5	----	21 + 4
5050	84.10	84.10	97.10B/75.40A	97.10B/75.40A	----	80.70 - 5.50	.2652	----	----	50	----	1059 + 12
5055	----	----	95.50B/74.40A	95.50B/74.40A	----	79.60 - 5.50	.2624	----	----	----	----	7 UNCH
5060	----	----	94.10B/73.50A	94.10B/73.50A	----	78.50 - 5.40	.2595	----	----	----	----	84 UNCH
5065	----	----	92.90B/72.40A	92.90B/72.40A	----	77.30 - 5.50	.2565	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5070	79.90	79.90	91.50B/71.40A	91.50B/71.40A	----	76.20 - 5.40	.2537	----	----	11	----	81 + 6
5075	85.60	85.60	90.70B/70.30A	90.70B/70.30A	----	75.20 - 5.30	.2510	----	----	19	----	707 + 1
5080	----	----	89.00B/69.40A	89.00B/69.40A	----	74.10 - 5.30	.2481	----	----	----	----	154 UNCH
5085	----	----	87.90B/68.50A	87.90B/68.50A	----	73.10 - 5.30	.2454	----	----	----	----	129 UNCH
5090	----	----	86.70B/67.60A	86.70B/67.60A	----	72.00 - 5.30	.2426	----	----	----	----	46 UNCH
5095	----	----	85.40B/66.60A	85.40B/66.60A	----	71.00 - 5.30	.2399	----	----	----	----	56 UNCH
5100	80.80	80.80	84.50B/65.70A	84.50B/65.70A	----	70.00 - 5.20	.2372	----	----	303	200	4242 + 116
5105	----	----	83.10B/64.90A	83.10B/64.90A	----	69.00 - 5.20	.2345	----	----	10	----	40 UNCH
5110	----	----	82.00B/64.00A	82.00B/64.00A	----	68.10 - 5.10	.2320	----	----	----	----	104 UNCH
5115	67.50	67.50	80.90B/63.10A	80.90B/63.10A	----	67.10 - 5.10	.2293	----	----	1	----	65 UNCH
5120	----	----	79.60B/62.20A	79.60B/62.20A	----	66.20 - 5.00	.2268	----	----	----	----	53 UNCH
5125	----	----	78.50B/61.40A	78.50B/61.40A	----	65.20 - 5.10	.2241	----	----	1	----	211 UNCH
5130	----	----	77.40B/60.50A	77.40B/60.50A	----	64.30 - 5.00	.2216	----	----	----	----	43 UNCH
5135	----	----	76.50B/59.70A	76.50B/59.70A	----	63.40 - 5.00	.2191	----	----	----	----	43 UNCH
5140	62.80	62.80	75.30B/58.90A	75.30B/58.90A	----	62.50 - 5.00	.2166	----	----	1	----	31 + 1
5145	----	----	74.40B/58.10A	74.40B/58.10A	----	61.70 - 4.90	.2142	----	----	----	----	9 UNCH
5150	64.70	64.70	73.50B/57.20A	73.50B/57.20A	----	60.80 - 4.90	.2117	----	----	309	----	1866 + 292
5155	----	----	72.20B/56.60A	72.20B/56.60A	----	60.00 - 4.80	.2094	----	----	----	----	21 UNCH
5160	----	----	71.20B/55.70A	71.20B/55.70A	----	59.10 - 4.80	.2069	----	----	----	----	96 UNCH
5165	----	----	70.20B/55.00A	70.20B/55.00A	----	58.30 - 4.70	.2046	----	----	----	----	112 UNCH
5170	----	----	69.20B/54.30A	69.20B/54.30A	----	57.50 - 4.70	.2022	----	----	----	----	46 UNCH
5175	60.50	60.50	68.20B/53.50A	68.20B/53.50A	----	56.70 - 4.60	.1999	----	----	4	----	47 UNCH
5180	----	----	67.30B/52.70A	67.30B/52.70A	----	55.90 - 4.60	.1976	----	----	2	----	52 + 1
5185	----	----	66.50B/52.00A	66.50B/52.00A	----	55.10 - 4.60	.1953	----	----	----	----	83 UNCH
5190	----	----	65.50B/51.30A	65.50B/51.30A	----	54.40 - 4.50	.1931	----	----	1	----	26 + 1
5195	----	----	64.60B/50.70A	64.60B/50.70A	----	53.60 - 4.50	.1908	----	----	1	----	18 UNCH
5200	60.60	60.60	63.90B/49.90A	63.90B/49.90A	----	52.90 - 4.40	.1887	----	----	80	----	6776 + 6
5205	----	----	62.80B/49.30A	62.80B/49.30A	----	52.10 - 4.50	.1864	----	----	----	----	15 UNCH
5210	----	----	62.20B/48.60A	62.20B/48.60A	----	51.40 - 4.40	.1843	----	----	----	----	3045 UNCH
5215	----	----	61.10B/48.00A	61.10B/48.00A	----	50.70 - 4.30	.1822	----	----	----	----	56 UNCH
5220	----	----	60.20B/47.30A	60.20B/47.30A	----	49.90 - 4.40	.1799	----	----	----	----	147 UNCH
5225	----	----	59.40B/46.70A	59.40B/46.70A	----	49.20 - 4.40	.1777	----	----	1	----	282 + 1
5230	----	----	58.60B/46.10A	58.60B/46.10A	----	48.60 - 4.30	.1758	----	----	----	----	105 UNCH
5235	----	----	57.80B/45.50A	57.80B/45.50A	----	47.90 - 4.20	.1737	----	----	----	----	148 UNCH
5240	----	----	57.00B/44.90A	57.00B/44.90A	----	47.20 - 4.20	.1716	----	----	----	----	58 UNCH
5245	----	----	56.20B/44.30A	56.20B/44.30A	----	46.50 - 4.30	.1695	----	----	----	----	15 UNCH
5250	----	----	55.60B/43.70A	55.60B/43.70A	----	45.90 - 4.20	.1676	----	----	10	----	3559 - 1
5255	----	----	54.70B/43.10A	54.70B/43.10A	----	45.20 - 4.20	.1655	----	----	----	----	69 UNCH
5260	----	----	54.00B/42.50A	54.00B/42.50A	----	44.60 - 4.20	.1636	----	----	----	----	365 UNCH
5265	----	----	53.20B/41.90A	53.20B/41.90A	----	44.00 - 4.10	.1617	----	----	----	----	28 UNCH
5270	----	----	52.50B/41.40A	52.50B/41.40A	----	43.40 - 4.10	.1598	----	----	1	----	44 UNCH
5275	----	----	51.70B/40.80A	51.70B/40.80A	----	42.80 - 4.00	.1580	----	----	----	----	28 UNCH
5280	----	----	51.00B/40.30A	51.00B/40.30A	----	42.20 - 4.00	.1561	----	----	----	----	91 UNCH
5285	----	----	50.30B/39.80A	50.30B/39.80A	----	41.60 - 4.00	.1542	----	----	----	----	168 UNCH
5290	----	----	49.60B/39.30A	49.60B/39.30A	----	41.10 - 3.90	.1525	----	----	----	----	35 UNCH
5295	----	----	48.90B/38.80A	48.90B/38.80A	----	40.50 - 3.90	.1506	----	----	----	----	86 UNCH
5300	40.00	40.00	48.20B/38.30A	48.20B/38.30A	----	40.00 - 3.80	.1490	----	----	77	----	4836 - 22
5305	41.00	41.00	47.60B/37.70A	47.60B/37.70A	----	39.40 - 3.90	.1471	----	----	2	----	395 + 2
5310	----	----	46.90B/37.30A	46.90B/37.30A	----	38.90 - 3.80	.1455	----	----	----	----	112 UNCH
5315	----	----	46.30B/36.70A	46.30B/36.70A	----	38.40 - 3.80	.1438	----	----	----	----	64 UNCH
5320	----	----	45.70B/36.30A	45.70B/36.30A	----	37.90 - 3.70	.1422	----	----	----	----	124 UNCH
5325	38.50	38.50	45.00B/35.80A	45.00B/35.80A	----	37.40 - 3.70	.1405	----	----	1	----	55 - 1
5330	----	----	44.40B/35.40A	44.40B/35.40A	----	36.90 - 3.60	.1389	----	----	----	----	50 UNCH
5335	----	----	43.80B/34.90A	43.80B/34.90A	----	36.40 - 3.60	.1372	----	----	----	----	5 UNCH
5340	----	----	43.20B/34.50A	43.20B/34.50A	----	35.90 - 3.60	.1356	----	----	3	----	69 + 1
5345	----	----	42.70B/34.00A	42.70B/34.00A	----	35.40 - 3.60	.1340	----	----	----	----	12 UNCH
5350	36.80	36.80	42.10B/33.70A	42.10B/33.70A	----	35.00 - 3.50	.1325	----	----	8	----	1268 + 3
5355	----	----	41.50B/33.10A	41.50B/33.10A	----	34.50 - 3.50	.1309	----	----	----	----	12 UNCH
5360	----	----	40.90B/32.80A	40.90B/32.80A	----	34.10 - 3.40	.1295	----	----	----	----	50 UNCH
5365	----	----	40.40B/32.40A	40.40B/32.40A	----	33.60 - 3.50	.1279	----	----	----	----	6 UNCH
5370	----	----	39.90B/31.90A	39.90B/31.90A	----	33.20 - 3.40	.1265	----	----	----	----	65 UNCH
5375	----	----	39.30B/31.50A	39.30B/31.50A	----	32.80 - 3.30	.1251	----	----	----	----	42 UNCH
5380	----	----	38.80B/31.10A	38.80B/31.10A	----	32.30 - 3.40	.1235	----	----	----	----	93 UNCH
5385	----	----	38.30B/30.80A	38.30B/30.80A	----	31.90 - 3.30	.1221	----	----	----	----	4 UNCH
5390	----	----	37.80B/30.40A	37.80B/30.40A	----	31.50 - 3.30	.1207	----	----	1	----	58 + 1
5395	----	----	37.20B/30.00A	37.20B/30.00A	----	31.10 - 3.20	.1194	----	----	----	----	36 UNCH
5400	35.50	35.50	36.80B/29.60A	36.80B/29.60A	----	30.70 - 3.20	.1180	----	----	18	----	5207 UNCH
5405	----	----	36.20B/29.40A	36.20B/29.40A	----	30.30 - 3.20	.1166	----	----	----	----	76 UNCH
5410	----	----	35.80B/29.00A	35.80B/29.00A	----	29.90 - 3.20	.1152	----	----	----	----	27 UNCH
5415	----	----	35.30B/28.70A	35.30B/28.70A	----	29.50 - 3.20	.1139	----	----	----	----	15 UNCH
5420	----	----	34.90B/28.20A	34.90B/28.20A	----	29.20 - 3.10	.1127	----	----	----	----	40 UNCH
5425	----	----	34.40B/28.00A	34.40B/28.00A	----	28.80 - 3.10	.1114	----	----	----	----	125 UNCH
5430	----	----	34.00B/27.50A	34.00B/27.50A	----	28.40 - 3.10	.1100	----	----	----	----	64 UNCH
5435	----	----	33.50B/27.20A	33.50B/27.20A	----	28.10 - 3.00	.1089	----	----	----	----	12 UNCH
5440	----	----	33.10B/26.80A	33.10B/26.80A	----	27.70 - 3.00	.1076	----	----	----	----	95 UNCH
5445	28.60	28.60	32.60B/26.50A	32.60B/26.50A	----	27.40 - 2.90	.1064	----	----	4	----	29 UNCH
5450	----	----	32.20B/26.20A	32.20B/26.20A	----	27.10 - 2.90	.1053	----	----	10	----	1610 + 10
5455	27.60	27.60	31.80B/25.90A	31.80B/25.90A	----	26.70 - 2.90	.1040	----	----	2	----	2 + 1
5460	27.70	27.70	31.40B/25.60A	31.40B/25.60A	----	26.40 - 2.80	.1029	----	----	14	----	113 + 11
5465	27.30	27.30	31.00B/25.30A	31.00B/25.30A	----	26.10 - 2.80	.1018	----	----	7	----	38 + 4
5470	----	----	30.60B/25.00A	30.60B/25.00A	----	25.70 - 2.80	.1004	----	----	----	----	27 UNCH
5475	----	----	30.20B/24.80A	30.20B/24.80A	----	25.40 - 2.80	.0994	----	----	----	----	60 UNCH
5480	----	----	29.80B/24.40A	29.80B/24.40A	----	25.10 - 2.80	.0983	----	----	----	----	38 UNCH
5485	----	----	29.50B/24.10A	29.50B/24.10A	----	24.80 - 2.70	.0972	----	----	----	----	9 UNCH
5490	25.40	25.40	29.10B/23.80A	29.10B/23.80A	----	24.50 - 2.70	.0961	----	----	6	----	178 + 6
5495	----	----	28.70B/23.50A	28.70B/23.50A	----	24.20 - 2.70	.0950	----	----	2	----	61 + 2
5500	24.00	24.00	28.60/23.20	28.60/23.20	----	23.90 - 2.70	.0939	----	----	85	50	6344 - 29
5505	----	----	28.00B/23.10A	28.00B/23.10A	----	23.60 - 2.60	.0929	----	----	----	----	11 UNCH
5510	----	----	27.70B/22.70A	27.70B/22.70A	----	23.40 - 2.50	.0920	----	----	----	----	185 UNCH
5515	23.00	23.00	27.30B/22.50A	27.30B/22.50A	----	23.10 - 2.50	.0910	----	----	1	----	40 UNCH
5520	----	----	27.00B/22.30A	27.00B/22.30A	----	22.80 - 2.50	.0899	----	----	----	----	21 UNCH
5525	----	----	26.60B/22.00A	26.60B/22.00A	----	22.60 - 2.40	.0891	----	----	----	----	163 UNCH
5530	----	----	26.30B/21.70A	26.30B/21.70A	----	22.30 - 2.40	.0880	----	----	----	----	39 UNCH
5535	----	----	26.00B/21.50A	26.00B/21.50A	----	22.00 - 2.50	.0870	----	----	----	----	7 UNCH
5540	----	----	25.70B/21.40A	25.70B/21.40A	----	21.80 - 2.40	.0862	----	----	----	----	260 UNCH
5545	----	----	25.40B/21.00A	25.40B/21.00A	----	21.50 - 2.40	.0851	----	----	----	----	17 UNCH
5550	----	----	25.00B/20.80A	25.00B/20.80A	----	21.30 - 2.30	.0843	----	----	4	----	770 - 2
5555	----	----	24.70B/20.70A	24.70B/20.70A	----	21.00 - 2.30	.0832	----	----	----	----	1 UNCH
5560	----	----	24.40B/20.30A	24.40B/20.30A	----	20.80 - 2.30	.0825	----	----	----	----	32 UNCH
5570	----	----	23.90B/19.90A	23.90B/19.90A	----	20.30 - 2.30	.0806	----	----	----	----	19 UNCH
5575	----	----	23.60B/19.80A	23.60B/19.80A	----	20.10 - 2.20	.0798	----	----	----	----	19 UNCH
5580	----	----	23.30B/19.60A	23.30B/19.60A	----	19.90 - 2.10	.0791	----	----	----	----	11 UNCH
5585	20.00	20.00	23.00B/19.30A	23.00B/19.30A	----	19.60 - 2.20	.0780	----	----	4	----	10 UNCH
5590	----	----	22.70B/19.10A	22.70B/19.10A	----	19.40 - 2.20	.0772	----	----	----	----	94 UNCH
5595	----	----	22.50B/18.90A	22.50B/18.90A	----	19.20 - 2.10	.0765	----	----	----	----	30 UNCH
5600	22.40	22.40	22.40/18.70A	22.40/18.70A	----	19.00 - 2.10	.0757	----	----	6	----	2495 - 2
5610	----	----	21.70B/18.30A	21.70B/18.30A	----	18.60 - 2.00	.0741	----	----	----	----	69 UNCH
5620	----	----	21.20B/18.00A	21.20B/18.00A	----	18.20 - 2.00	.0726	----	----	----	----	48 UNCH
5625	----	----	21.00B/17.80A	21.00B/17.80A	----	18.00 - 2.00	.0719	----	----	----	----	404 UNCH
5630	----	----	20.70B/17.50A	20.70B/17.50A	----	17.80 - 1.90	.0711	----	----	----	----	203 UNCH
5640	----	----	20.20B/*17.20A	20.20B/*17.20A	----	17.40 - 1.90	.0696	----	----	----	----	77 UNCH
5650	----	----	19.80B/*16.80A	19.80B/*16.80A	----	17.00 - 1.90	.0681	----	----	----	----	709 UNCH
5660	----	----	19.30B/*16.50A	19.30B/*16.50A	----	16.70 - 1.80	.0668	----	----	----	----	41 UNCH
5665	----	----	19.10B/*16.40A	19.10B/*16.40A	----	16.50 - 1.80	.0661	----	----	----	----	3 UNCH
5670	----	----	18.90B/*16.20A	18.90B/*16.20A	----	16.30 - 1.80	.0654	----	----	----	----	121 UNCH
5675	----	----	18.70B/*16.10A	18.70B/*16.10A	----	16.20 - 1.80	.0649	----	----	----	----	21 UNCH
5680	----	----	18.50B/*16.00A	18.50B/*16.00A	----	16.00 - 1.80	.0641	----	----	----	----	52 UNCH
5690	----	----	18.10B/*15.70A	18.10B/*15.70A	----	15.70 - 1.70	.0629	----	----	----	----	147 UNCH
5700	16.00	16.00	17.80B/15.30A	17.80B/15.30A	----	15.30 - 1.80	.0615	----	----	151	----	1819 - 1
5710	----	----	17.40B/*15.10A	17.40B/*15.10A	----	15.00 - 1.70	.0603	----	----	----	----	40 UNCH
5720	----	----	17.00B/*14.80A	17.00B/*14.80A	----	14.70 - 1.70	.0591	----	----	----	----	19 UNCH
5725	----	----	16.80B/*14.70A	16.80B/*14.70A	----	14.60 - 1.70	.0587	----	----	----	----	16 UNCH
5730	----	----	16.60B/*14.50A	16.60B/*14.50A	----	14.50 - 1.60	.0582	----	----	----	----	59 UNCH
5740	----	----	16.30B/*14.30A	16.30B/*14.30A	----	14.20 - 1.60	.0570	----	----	----	----	58 UNCH
5750	----	----	15.90B/*14.00A	15.90B/*14.00A	----	13.90 - 1.60	.0559	----	----	----	----	1684 UNCH
5760	----	----	15.60B/*13.70A	15.60B/*13.70A	----	13.70 - 1.50	.0550	----	----	----	----	12 UNCH
5770	----	----	15.30B/*13.50A	15.30B/*13.50A	----	13.40 - 1.50	.0539	----	----	----	----	30 UNCH
5775	----	----	15.10B/*13.40A	15.10B/*13.40A	----	13.30 - 1.50	.0534	----	----	----	----	177 UNCH
5780	----	----	15.00B/*13.30A	15.00B/*13.30A	----	13.20 - 1.40	.0530	----	----	----	----	219 UNCH
5790	----	----	14.70B/*13.10A	14.70B/*13.10A	----	12.90 - 1.50	.0519	----	----	----	----	11 UNCH
5800	----	----	14.40B/12.80A	14.40B/12.80A	----	12.70 - 1.40	.0510	----	----	10	----	3051 + 5
5810	----	----	14.10B/*12.60A	14.10B/*12.60A	----	12.50 - 1.30	.0502	----	----	----	----	251 UNCH
5820	----	----	13.90B/*12.40A	13.90B/*12.40A	----	12.30 - 1.30	.0493	----	----	----	----	27 UNCH
5825	----	----	13.70B/*12.30A	13.70B/*12.30A	----	12.20 - 1.30	.0489	----	----	----	----	14 UNCH
5830	----	----	13.60B/*12.20A	13.60B/*12.20A	----	12.10 - 1.30	.0485	----	----	----	----	14 UNCH
5840	12.70	12.70	13.40B/*12.00A	13.40B/*12.00A	----	11.90 - 1.20	.0477	----	----	2	----	22 UNCH
5850	----	----	13.10B/*11.80A	13.10B/*11.80A	----	11.70 - 1.20	.0468	----	----	----	----	433 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5860	----	----	12.80B/*11.60A	12.80B/*11.60A	----	11.50 - 1.20	.0460	----	----	----	----	20 UNCH
5870	----	----	12.60B/*11.40A	12.60B/*11.40A	----	11.30 - 1.10	.0452	----	----	----	----	32 UNCH
5875	----	----	12.50B/*11.30A	12.50B/*11.30A	----	11.20 - 1.10	.0448	----	----	----	----	191 UNCH
5880	----	----	12.40B/*11.20A	12.40B/*11.20A	----	11.10 - 1.10	.0444	----	----	----	----	17 UNCH
5890	----	----	12.20B/*11.00A	12.20B/*11.00A	----	10.90 - 1.10	.0436	----	----	----	----	127 UNCH
5900	----	----	12.00B/10.80A	12.00B/10.80A	----	10.80 - 1.00	.0431	----	----	7	----	1389 + 7
5910	----	----	11.80B/*10.70A	11.80B/*10.70A	----	10.60 - 1.00	.0423	----	----	----	----	10 UNCH
5920	----	----	11.60B/*10.50A	11.60B/*10.50A	----	10.40 - 1.00	.0415	----	----	----	----	38 UNCH
5930	----	----	11.40B/*10.30A	11.40B/*10.30A	----	10.30 - 0.90	.0410	----	----	----	----	58 UNCH
5940	----	----	11.20B/*10.20A	11.20B/*10.20A	----	10.10 - 0.90	.0403	----	----	----	----	3 UNCH
5950	----	----	11.00B/*10.00A	11.00B/*10.00A	----	10.00 - 0.80	.0398	----	----	----	----	165 UNCH
5960	----	----	10.80B/9.90A	10.80B/9.90A	----	9.80 - 0.80	.0390	----	----	----	----	28 UNCH
5970	----	----	10.70B/9.80A	10.70B/9.80A	----	9.60 - 0.80	.0382	----	----	----	----	35 UNCH
5980	----	----	10.50B/9.60A	10.50B/9.60A	----	9.50 - 0.80	.0378	----	----	----	----	6 UNCH
5990	----	----	10.30B/9.50A	10.30B/9.50A	----	9.30 - 0.80	.0370	----	----	----	----	4 UNCH
6000	10.70	10.70	10.70/9.30	10.70/9.30	----	9.20 - 0.80	.0365	----	----	116	----	7365 + 52
6010	----	----	10.00B/9.20A	10.00B/9.20A	----	9.00 - 0.80	.0358	----	----	----	----	9 UNCH
6020	----	----	9.80B/9.10A	9.80B/9.10A	----	8.90 - 0.80	.0353	----	----	----	----	23 UNCH
6030	----	----	9.70B/8.90A	9.70B/8.90A	----	8.80 - 0.80	.0349	----	----	----	----	22 UNCH
6040	----	----	9.50B/*8.70A	9.50B/*8.70A	----	8.70 - 0.70	.0344	----	----	----	----	26 UNCH
6050	8.40	8.40	9.40B/*8.40	9.40B/*8.40	----	8.50 - 0.80	.0337	----	----	12	----	280 + 4
6060	----	----	----/8.60A	9.20B/8.60A	----	8.40 - 0.80	.0332	----	----	----	----	31 UNCH
6070	----	----	9.10B/8.40A	9.10B/8.40A	----	8.30 - 0.70	.0328	----	----	----	----	34 UNCH
6080	----	----	----/8.30A	8.90B/8.30A	----	8.20 - 0.70	.0323	----	----	----	----	9 UNCH
6090	----	----	----/8.10A	8.80B/8.10A	----	8.10 - 0.70	.0319	----	----	----	----	25 UNCH
6100	----	----	8.70B/8.10A	8.70B/8.10A	----	8.00 - 0.60	.0315	----	----	----	----	2403 UNCH
6110	----	----	----/7.90A	8.50B/7.90A	----	7.90 - 0.60	.0310	----	----	----	----	65 UNCH
6120	----	----	----/7.80A	8.40B/7.80A	----	7.80 - 0.60	.0306	----	----	----	----	11 UNCH
6125	----	----	----/7.70A	8.30B/7.70A	----	7.70 - 0.60	.0302	----	----	----	----	16 UNCH
6130	----	----	----/7.60A	8.30B/7.60A	----	7.70 - 0.60	.0302	----	----	----	----	10 UNCH
6140	----	----	8.20B/7.50A	8.20B/7.50A	----	7.60 - 0.50	.0298	----	----	----	----	8 UNCH
6150	----	----	----/7.50A	8.00B/7.50A	----	7.50 - 0.50	.0293	----	----	----	----	505 UNCH
6160	----	----	----/7.30A	7.90B/7.30A	----	7.40 - 0.50	.0289	----	----	----	----	130 UNCH
6170	----	----	----/7.20A	7.80B/7.20A	----	7.30 - 0.50	.0285	----	----	----	----	17 UNCH
6180	----	----	----/7.10A	7.70B/7.10A	----	7.20 - 0.50	.0281	----	----	----	----	75 UNCH
6190	----	----	----/7.00A	7.60B/7.00A	----	7.10 - 0.50	.0277	----	----	----	----	2 UNCH
6200	6.50	6.50	8.00/*6.50	8.00/*6.50	----	7.10 - 0.40	.0276	----	----	48	----	4051 UNCH
6210	----	----	----/7.00A	7.40B/7.00A	----	7.00 - 0.40	.0272	----	----	----	----	53 UNCH
6220	----	----	----/7.00A	7.20B/7.00A	----	6.90 - 0.40	.0268	----	----	----	----	7 UNCH
6230	----	----	----/6.90A	7.20B/6.90A	----	6.80 - 0.40	.0263	----	----	----	----	60 UNCH
6240	----	----	----/6.70A	7.10B/6.70A	----	6.70 - 0.40	.0259	----	----	----	----	21 UNCH
6250	----	----	----/6.70A	7.00B/6.70A	----	6.60 - 0.40	.0256	----	----	----	----	1307 UNCH
6260	----	----	----/6.60A	6.90B/6.60A	----	6.60 - 0.30	.0255	----	----	----	----	8 UNCH
6270	----	----	6.90B/6.50A	6.90B/6.50A	----	6.50 - 0.30	.0251	----	----	----	----	146 UNCH
6280	----	----	----/6.40A	6.70B/6.40A	----	6.40 - 0.30	.0247	----	----	----	----	12 UNCH
6290	----	----	----/6.30A	6.60B/6.30A	----	6.30 - 0.30	.0243	----	----	----	----	19 UNCH
6300	----	----	----/6.20A	6.50B/6.20A	----	6.30 - 0.20	.0242	----	----	----	----	2502 UNCH
6310	----	----	----/6.20A	6.40B/6.20A	----	6.20 - 0.20	.0238	----	----	----	----	2 UNCH
6320	----	----	----/6.00A	6.40B/6.00A	----	6.10 - 0.30	.0234	----	----	----	----	24 UNCH
6330	----	----	----/6.00A	6.30B/6.00A	----	6.00 - 0.30	.0230	----	----	----	----	25 UNCH
6340	----	----	6.30B/6.00A	6.30B/6.00A	----	6.00 - 0.20	.0229	----	----	----	----	27 UNCH
6350	----	----	----/5.90A	6.10B/5.90A	----	5.90 - 0.20	.0226	----	----	----	----	16 UNCH
6360	----	----	----/5.90A	6.10B/5.90A	----	5.80 - 0.30	.0222	----	----	----	----	2 UNCH
6370	----	----	----/5.80A	6.00B/5.80A	----	5.80 - 0.20	.0221	----	----	----	----	4 UNCH
6380	----	----	----/5.70A	5.90B/5.70A	----	5.70 - 0.20	.0217	----	----	----	----	9 UNCH
6390	----	----	5.90B/5.70A	5.90B/5.70A	----	5.60 - 0.20	.0213	----	----	----	----	1 UNCH
6400	----	----	5.90B/5.60A	5.90B/5.60A	----	5.60 - 0.20	.0213	----	----	----	----	419 UNCH
6410	----	----	----/5.50A	5.70B/5.50A	----	5.50 - 0.20	.0209	----	----	----	----	8 UNCH
6420	----	----	5.70B/5.50A	5.70B/5.50A	----	5.40 - 0.20	.0205	----	----	----	----	3 UNCH
6430	----	----	----/5.40A	5.60B/5.40A	----	5.40 - 0.20	.0205	----	----	----	----	30 UNCH
6440	----	----	----/5.40A	5.50B/5.40A	----	5.30 - 0.20	.0201	----	----	----	----	2 UNCH
6450	----	----	5.50B/5.30A	5.50B/5.30A	----	5.30 - 0.10	.0200	----	----	----	----	53 UNCH
6460	----	----	----/5.20A	5.40B/5.20A	----	5.20 - 0.20	.0196	----	----	----	----	18 UNCH
6470	----	----	----/5.20A	5.30B/5.20A	----	5.20 - 0.10	.0196	----	----	----	----	9 UNCH
6480	----	----	5.30B/5.10A	5.30B/5.10A	----	5.10 - 0.10	.0192	----	----	----	----	14 UNCH
6490	5.20	5.20	5.20/5.10A	5.20/5.10A	----	5.10 - 0.10	.0192	----	----	1	----	23 + 1
6500	5.00	5.00	5.40/5.00	5.40/5.00	----	5.00 - 0.10	.0188	----	----	28	----	1094 + 28
6525	----	----	----/4.90A	5.00B/4.90A	----	4.90 - 0.10	.0183	----	----	----	----	13 UNCH
6550	----	----	4.90B/----	4.90B/4.80A	----	4.80 UNCH	.0179	----	----	----	----	210 UNCH
6575	----	----	4.80B/----	4.80B/4.70A	----	4.60 - 0.10	.0172	----	----	----	----	7 UNCH
6600	4.90	4.90	5.00/4.50A	5.00/4.50A	----	4.50 - 0.10	.0167	----	----	17	----	863 + 12
6625	----	----	----/4.40A	4.50B/4.40A	----	4.40 - 0.10	.0163	----	----	----	----	101 UNCH
6650	----	----	4.40B/----	4.40B/4.30A	----	4.30 UNCH	.0159	----	----	----	----	36 UNCH
6675	----	----	4.30B/----	4.30B/4.20A	----	4.20 UNCH	.0155	----	----	----	----	34 UNCH
6700	3.90	3.90	4.20B/3.90	4.20B/3.90	----	4.20 + 0.10	.0153	----	----	3	----	1207 UNCH
6725	----	----	4.10B/----	4.10B/4.00A	----	4.10 + 0.10	.0149	----	----	----	----	111 UNCH
6750	4.10	4.10	4.10/3.80A	4.10/3.80A	----	4.00 + 0.10	.0145	----	----	5	----	134 - 1
6775	----	----	3.90B/----	3.90B/3.80A	----	3.90 + 0.10	.0141	----	----	----	----	5 UNCH
6800	----	----	----	3.80B/3.80A	----	3.80 UNCH	.0137	----	----	----	----	242 UNCH
6825	----	----	----	3.70B/3.70A	----	3.80 + 0.10	.0136	----	----	----	----	10 UNCH
6850	----	----	----	3.60B/3.60A	----	3.70 + 0.10	.0133	----	----	----	----	26 UNCH
6875	----	----	----	3.50B/3.50A	----	3.60 + 0.10	.0129	----	----	----	----	3 UNCH
6900	----	----	3.50B/----	3.50B/3.40A	----	3.60 + 0.20	.0128	----	----	----	----	157 UNCH
6925	----	----	----	3.40B/3.40A	----	3.50 + 0.10	.0124	----	----	----	----	51 UNCH
6950	----	----	----	3.30B/3.30A	----	3.40 + 0.10	.0120	----	----	----	----	27 UNCH
6975	----	----	3.30B/----	3.30B/3.20A	----	3.40 + 0.20	.0120	----	----	----	----	17 UNCH
7000	3.10	3.10	3.20B/3.10	3.20B/3.10	----	3.30 + 0.20	.0116	----	----	52	----	1814 + 4
7025	----	----	3.20B/----	3.20B/3.10A	----	3.30 + 0.20	.0115	----	----	----	----	32 UNCH
7050	----	----	3.10B/----	3.10B/3.00A	----	3.20 + 0.20	.0112	----	----	----	----	5 UNCH
7075	----	----	----	3.00B/3.00A	----	3.20 + 0.20	.0111	----	----	----	----	8 UNCH
7100	----	----	3.00B/----	3.00B/2.90A	----	3.10 + 0.20	.0107	----	----	----	----	147 UNCH
7125	----	----	----	2.90B/2.90A	----	3.00 + 0.10	.0104	----	----	----	----	52 UNCH
7150	----	----	2.90B/----	2.90B/2.80A	----	3.00 + 0.20	.0103	----	----	----	----	59 UNCH
7200	----	----	2.80B/----	2.80B/2.70A	----	2.90 + 0.20	.0099	----	----	----	----	129 UNCH
7250	----	----	2.70B/----	2.70B/2.60A	----	2.80 + 0.20	.0095	----	----	----	----	91 UNCH
7275	----	----	----	2.60B/2.60A	----	2.80 + 0.20	.0095	----	----	----	----	1 UNCH
7300	----	----	2.60B/----	2.60B/2.60A	----	2.70 + 0.20	.0091	----	----	----	----	150 UNCH
7325	----	----	----	2.50B/2.60A	----	2.70 + 0.20	.0091	----	----	----	----	14 UNCH
7350	----	----	2.50B/----	2.50B/2.60A	----	2.60 + 0.20	.0088	----	----	----	----	3 UNCH
7375	----	----	2.50B/----	2.50B/2.50A	----	2.60 + 0.20	.0087	----	----	----	----	20 UNCH
7400	----	----	----	2.40B/2.50A	----	2.50 + 0.10	.0084	----	----	----	----	46 UNCH
7425	----	----	2.40B/----	2.40B/2.50A	----	2.50 + 0.20	.0083	----	----	----	----	20 UNCH
7450	----	----	2.40B/----	2.40B/2.40A	----	2.50 + 0.20	.0083	----	----	----	----	5 UNCH
7475	----	----	2.30B/----	2.30B/2.40A	----	2.40 + 0.20	.0080	----	----	----	----	8 UNCH
7500	----	----	2.30B/----	2.30B/2.30A	----	2.40 + 0.20	.0079	----	----	----	----	1351 UNCH
7525	----	----	----	2.20B/2.30A	----	2.40 + 0.20	.0079	----	----	2	----	22 + 2
7575	----	----	2.20B/----	2.20B/2.30A	----	2.30 + 0.20	.0075	----	----	----	----	8 UNCH
7600	----	----	2.20B/----	2.20B/2.30A	----	2.30 + 0.20	.0075	----	----	----	----	46 UNCH
7700	----	----	----	2.00B/2.10A	----	2.10 + 0.10	.0068	----	----	----	----	45 UNCH
7750	----	----	2.00B/----	2.00B/2.10A	----	2.10 + 0.20	.0067	----	----	----	----	12 UNCH
7800	----	----	----	1.90B/2.00A	----	2.00 + 0.10	.0064	----	----	----	----	39 UNCH
7875	----	----	----	1.80B/2.00A	----	2.00 + 0.20	.0063	----	----	----	----	31 UNCH
7900	----	----	----	1.80B/2.00A	----	1.90 + 0.10	.0060	----	----	----	----	2 UNCH
7950	----	----	----	1.70B/1.90A	----	1.90 + 0.20	.0060	----	----	----	----	2 UNCH
8000	----	----	----	1.70B/1.80A	----	1.90 + 0.20	.0059	----	----	50	----	971 + 50
8100	----	----	----	1.60B/1.90A	----	1.80 + 0.20	.0055	----	----	----	----	3 UNCH
8200	----	----	----	1.50B/1.90A	----	1.70 + 0.10	.0052	----	----	----	----	89 UNCH
8300	----	----	----	1.40B/1.80A	----	1.60 + 0.10	.0049	----	----	----	----	64 UNCH
8500	----	----	----	1.30B/1.70A	----	1.50 UNCH	.0045	----	----	----	----	141 UNCH
8600	----	----	----	1.30B/1.60A	----	1.40 UNCH	.0041	----	----	----	----	51 UNCH
8800	----	----	----	1.10B/1.50A	----	1.30 - 0.10	.0038	----	----	----	----	32 UNCH
8900	----	----	----	1.10B/1.50A	----	1.30 UNCH	.0037	----	----	----	----	15 UNCH
9000	----	----	----	1.10B/1.40A	----	1.30 UNCH	.0037	----	----	----	----	230 UNCH
9100	----	----	----	1.00B/1.40A	----	1.20 - 0.10	.0034	----	----	----	----	1 UNCH
9200	----	----	----	0.90B/1.30A	----	1.20 UNCH	.0033	----	----	----	----	51 UNCH
9300	----	----	----	0.90B/1.30A	----	1.10 - 0.10	.0031	----	----	----	----	3 UNCH
9400	----	----	----	0.90B/1.30A	----	1.10 UNCH	.0030	----	----	----	----	25 UNCH
9500	0.90	0.90	0.90/*0.90	0.90/0.90	----	1.10 UNCH	.0030	----	----	2	----	23 - 2
9600	----	----	----	0.80B/1.20A	----	1.00 - 0.10	.0027	----	----	----	----	26 UNCH
9700	----	----	----	0.80B/1.20A	----	1.00 UNCH	.0027	----	----	----	----	20 UNCH
9800	----	----	----	0.70B/1.10A	----	0.90 UNCH	.0024	----	----	----	----	17 UNCH
9900	----	----	----	0.70B/1.10A	----	0.90 UNCH	.0024	----	----	----	----	24 UNCH
10000	----	----	----	0.70B/1.10A	----	0.90 + 0.10	.0024	----	----	----	----	263 UNCH
10100	----	----	----	0.60B/1.00A	----	0.80 UNCH	.0021	----	----	----	----	2 UNCH
10300	----	----	----	0.60B/1.00A	----	0.80 + 0.10	.0021	----	----	----	----	3 UNCH
10400	----	----	----	0.60B/1.00A	----	0.70 UNCH	.0018	----	----	----	----	2 UNCH
10500	----	----	----	0.50B/0.90A	----	0.70 UNCH	.0018	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 30

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
10700	----	----	----	0.50B/0.90A	----	0.60 UNCH	.0015	----	----	----	----	4 UNCH
11000	----	----	----	0.40B/0.90A	----	0.60 + 0.10	.0015	----	----	----	----	72 UNCH
11300	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.50 UNCH	.0012	----	----	1	----	12 + 1
11500	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0012	----	----	----	----	1 UNCH
11600	----	----	----	0.40B/0.80A	----	0.50 UNCH	.0012	----	----	----	----	5 UNCH
11700	----	----	----	0.20B/0.70A	----	0.50 + 0.10	.0012	----	----	----	----	15 UNCH
11900	----	----	----	0.30B/0.70A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
12000	----	----	----	0.20B/0.40A	----	0.40 UNCH	.0010	----	----	----	----	350 UNCH
TOTAL										3832	550	156426+ 1269
JUL26												
3500	----	----	----	----	----	1233.40 UNCH	.9534	----	----	----	----	1 UNCH
3600	----	----	1,179.70B/1,100	1179.70B/1100.90A	----	1138.30 - 0.10	.9419	----	----	----	----	24 UNCH
3650	----	----	1,132.40B/1,054	1132.40B/1054.30A	----	1091.10 - 0.40	.9351	----	----	----	----	10 UNCH
3670	----	----	1,113.60B/1,035	1113.60B/1035.80A	----	1072.40 - 0.40	.9322	----	----	----	----	3 UNCH
3700	----	----	1,085.50B/1,008	1085.50B/1008.10A	----	1044.40 - 0.50	.9276	----	----	9	----	119 + 8
3735	----	----	----	----	----	1011.90 - 0.70	.9219	----	----	----	----	1 UNCH
3775	----	----	1,015.90B/939.5	1015.90B/939.50A	----	975.00 - 0.90	.9149	----	----	----	----	4 UNCH
3800	----	----	996.50B/914.20A	996.50B/914.20A	----	952.10 - 1.00	.9102	----	----	----	----	2045 UNCH
3825	----	----	970.00B/894.60A	970.00B/894.60A	----	929.30 - 1.10	.9053	----	----	----	----	5 UNCH
3850	----	----	947.20B/872.30A	947.20B/872.30A	----	906.60 - 1.30	.9002	----	----	----	----	66 UNCH
3860	----	----	----	742.20B/1085.50A	----	897.50 - 1.40	.8982	----	----	----	----	1 UNCH
3865	----	----	933.60B/858.80A	933.60B/858.80A	----	893.00 - 1.40	.8970	----	----	----	----	7 UNCH
3875	----	----	924.60B/850.20A	924.60B/850.20A	----	884.00 - 1.50	.8948	----	----	----	----	25 UNCH
3900	----	----	902.10B/828.10A	902.10B/828.10A	----	861.60 - 1.70	.8891	----	----	----	----	18 UNCH
3925	----	----	879.70B/806.30A	879.70B/806.30A	----	839.40 - 1.80	.8833	----	----	----	----	35 UNCH
3950	----	----	862.10B/782.40A	862.10B/782.40A	----	817.30 - 1.90	.8769	----	----	----	----	820 UNCH
3960	----	----	----	651.20B/998.50A	----	808.60 - 1.90	.8744	----	----	----	----	1 UNCH
4000	----	----	813.50B/741.90A	813.50B/741.90A	----	773.70 - 2.20	.8634	----	----	----	----	16 UNCH
4020	----	----	----	597.90B/924.60A	----	756.50 - 2.30	.8578	----	----	----	----	1 UNCH
4030	----	----	----	589.10B/915.30A	----	747.90 - 2.40	.8548	----	----	----	----	2 UNCH
4040	----	----	----	580.30B/918.00A	----	739.40 - 2.40	.8519	----	----	----	----	1 UNCH
4075	----	----	748.70B/679.00A	748.70B/679.00A	----	709.80 - 2.50	.8410	----	----	----	----	6 UNCH
4095	----	----	731.90B/662.60A	731.90B/662.60A	----	693.00 - 2.70	.8345	----	----	----	----	4 UNCH
4100	----	----	727.70B/658.50A	727.70B/658.50A	----	688.80 - 2.70	.8328	----	----	----	----	194 UNCH
4105	----	----	----	523.30B/859.10A	----	684.70 - 2.70	.8311	----	----	----	----	1 UNCH
4110	----	----	719.30B/650.40A	719.30B/650.40A	----	680.50 - 2.80	.8294	----	----	----	----	3 UNCH
4145	----	----	690.00B/622.20A	690.00B/622.20A	----	651.60 - 3.00	.8174	----	----	----	----	28 UNCH
4150	----	----	685.90B/618.20A	685.90B/618.20A	----	647.50 - 3.10	.8156	----	----	----	----	37 UNCH
4155	----	----	----	478.70B/827.00A	----	643.50 - 3.00	.8138	----	----	----	----	1 UNCH
4160	----	----	----	474.30B/795.50A	----	639.40 - 3.10	.8120	----	----	----	----	1 UNCH
4190	----	----	----	448.10B/780.50A	----	615.10 - 3.40	.8008	----	----	----	----	1 UNCH
4200	----	----	645.00B/578.90A	645.00B/578.90A	----	607.10 - 3.50	.7969	----	----	----	----	8 UNCH
4215	----	----	632.90B/567.30A	632.90B/567.30A	----	595.20 - 3.60	.7912	----	----	----	----	25 UNCH
4220	----	----	----	422.30B/767.00A	----	591.20 - 3.60	.7891	----	----	----	----	1 UNCH
4225	----	----	----	421.30B/768.40A	----	587.30 - 3.60	.7871	----	----	----	----	2 UNCH
4235	----	----	----	409.50B/751.90A	----	579.40 - 3.80	.7831	----	----	----	----	1 UNCH
4240	----	----	612.90B/548.20A	612.90B/548.20A	----	575.50 - 3.80	.7811	----	----	----	----	39 UNCH
4245	----	----	----	409.10B/731.80A	----	571.60 - 3.80	.7790	----	----	----	----	1 UNCH
4250	----	----	606.80B/539.40A	606.80B/539.40A	----	567.70 - 3.90	.7770	----	----	----	----	316 UNCH
4255	----	----	----	393.80B/717.00A	----	563.90 - 3.80	.7749	----	----	----	----	1 UNCH
4265	----	----	----	387.60B/725.40A	----	556.10 - 4.00	.7707	----	----	----	----	2 UNCH
4270	----	----	589.20B/525.70A	589.20B/525.70A	----	552.30 - 4.00	.7686	----	----	----	----	38 UNCH
4275	----	----	585.30B/522.00A	585.30B/522.00A	----	548.50 - 4.00	.7664	----	----	----	----	76 UNCH
4280	----	----	581.40B/518.30A	581.40B/518.30A	----	544.60 - 4.10	.7643	----	----	----	----	3 UNCH
4300	----	----	566.00B/503.70A	566.00B/503.70A	----	529.50 - 4.10	.7555	----	----	----	----	63 UNCH
4315	----	----	554.50B/492.80A	554.50B/492.80A	----	518.30 - 4.20	.7488	----	----	----	----	21 UNCH
4325	----	----	546.90B/485.70A	546.90B/485.70A	----	510.80 - 4.30	.7442	----	----	----	----	22 UNCH
4335	----	----	----	343.90B/647.30A	----	503.50 - 4.30	.7396	----	----	----	----	1 UNCH
4350	----	----	528.10B/466.10A	528.10B/466.10A	----	492.50 - 4.40	.7325	----	----	----	----	10 UNCH
4360	----	----	520.60B/459.20A	520.60B/459.20A	----	485.20 - 4.50	.7278	----	----	----	----	53 UNCH
4365	----	----	516.90B/455.80A	516.90B/455.80A	----	481.60 - 4.60	.7254	----	----	----	----	45 UNCH
4370	----	----	513.20B/452.40A	513.20B/452.40A	----	478.00 - 4.60	.7230	----	----	----	----	20 UNCH
4375	----	----	509.60B/449.00A	509.60B/449.00A	----	474.50 - 4.50	.7206	----	----	----	----	5 UNCH
4400	----	----	494.90B/431.20A	494.90B/431.20A	----	456.80 - 4.70	.7082	----	----	----	----	2267 UNCH
4410	----	----	484.20B/425.60A	484.20B/425.60A	----	449.80 - 4.80	.7032	----	----	----	----	4 UNCH
4415	----	----	480.60B/422.30A	480.60B/422.30A	----	446.30 - 4.80	.7007	----	----	----	----	39 UNCH
4420	----	----	477.00B/419.10A	477.00B/419.10A	----	442.90 - 4.80	.6982	----	----	----	----	5 UNCH
4425	----	----	473.50B/415.70A	473.50B/415.70A	----	439.40 - 4.90	.6956	----	----	----	----	16 UNCH
4430	----	----	454.30B/412.60A	454.30B/412.60A	----	436.00 - 4.90	.6930	----	----	----	----	1 UNCH
4445	----	----	459.40B/402.90A	459.40B/402.90A	----	425.80 - 5.00	.6852	----	----	----	----	30 UNCH
4450	----	----	457.60B/399.60A	457.60B/399.60A	----	422.40 - 5.10	.6826	----	----	----	----	255 UNCH
4455	----	----	451.90B/396.50A	451.90B/396.50A	----	419.00 - 5.20	.6800	----	----	----	----	2 UNCH
4460	----	----	451.10B/393.30A	451.10B/393.30A	----	415.70 - 5.20	.6773	----	----	----	----	2 UNCH
4475	----	----	441.60B/382.80A	441.60B/382.80A	----	405.80 - 5.20	.6693	----	----	----	----	2 UNCH
4480	----	----	438.20B/379.30A	438.20B/379.30A	----	402.50 - 5.30	.6666	----	----	----	----	25 UNCH
4490	----	----	431.30B/373.10A	431.30B/373.10A	----	396.00 - 5.40	.6612	----	----	----	----	9 UNCH
4500	----	----	425.20B/367.10A	425.20B/367.10A	----	389.50 - 5.50	.6557	----	----	----	----	969 UNCH
4505	----	----	421.10B/364.30A	421.10B/364.30A	----	386.30 - 5.50	.6530	----	----	----	----	2 UNCH
4510	----	----	417.70B/361.10A	417.70B/361.10A	----	383.10 - 5.60	.6502	----	----	----	----	45 UNCH
4515	----	----	414.40B/358.10A	414.40B/358.10A	----	379.90 - 5.60	.6475	----	----	----	----	200 UNCH
4520	----	----	411.10B/355.10A	411.10B/355.10A	----	376.80 - 5.60	.6447	----	----	----	----	188 UNCH
4525	----	----	407.80B/351.10A	407.80B/351.10A	----	373.70 - 5.60	.6419	----	----	----	----	129 UNCH
4530	----	----	404.50B/349.00A	404.50B/349.00A	----	370.50 - 5.70	.6391	----	----	----	----	5 UNCH
4535	----	----	401.20B/346.10A	401.20B/346.10A	----	367.40 - 5.70	.6363	----	----	----	----	14 UNCH
4540	----	----	397.90B/342.80A	397.90B/342.80A	----	364.30 - 5.80	.6334	----	----	----	----	53 UNCH
4550	----	----	391.40B/336.40A	391.40B/336.40A	----	358.20 - 5.80	.6278	----	----	----	----	10 UNCH
4560	----	----	385.00B/331.70A	385.00B/331.70A	----	352.10 - 5.90	.6221	----	----	----	----	2 UNCH
4565	----	----	381.70B/329.00A	381.70B/329.00A	----	349.10 - 5.90	.6192	----	----	----	----	1 UNCH
4570	----	----	378.50B/326.20A	378.50B/326.20A	----	346.10 - 5.90	.6163	----	----	----	----	2 UNCH
4575	----	----	375.80B/322.70A	375.80B/322.70A	----	343.10 - 6.00	.6134	----	----	----	----	128 UNCH
4600	----	----	360.30B/308.50A	360.30B/308.50A	----	328.40 - 6.20	.5989	----	----	3	----	345 UNCH
4605	----	----	357.20B/305.80A	357.20B/305.80A	----	325.50 - 6.20	.5960	----	----	----	----	10 UNCH
4610	----	----	354.90B/303.00A	354.90B/303.00A	----	322.60 - 6.30	.5930	----	----	----	----	6 UNCH
4635	----	----	344.30B/289.90A	344.30B/289.90A	----	308.50 - 6.50	.5782	----	----	----	----	86 UNCH
4640	----	----	341.20B/287.20A	341.20B/287.20A	----	305.70 - 6.50	.5753	----	----	----	----	242 UNCH
4645	----	----	335.40B/284.60A	335.40B/284.60A	----	302.90 - 6.60	.5723	----	----	----	----	14 UNCH
4650	----	----	335.50B/282.20A	335.50B/282.20A	----	300.20 - 6.60	.5693	----	----	----	----	259 UNCH
4655	----	----	332.60B/279.70A	332.60B/279.70A	----	297.50 - 6.60	.5663	----	----	----	----	18 UNCH
4660	----	----	329.60B/277.10A	329.60B/277.10A	----	294.70 - 6.70	.5633	----	----	----	----	20 UNCH
4665	----	----	326.90B/274.40A	326.90B/274.40A	----	292.10 - 6.60	.5603	----	----	----	----	268 UNCH
4670	----	----	323.80B/272.00A	323.80B/272.00A	----	289.40 - 6.70	.5573	----	----	----	----	105 UNCH
4675	----	----	320.70B/269.60A	320.70B/269.60A	----	286.80 - 6.60	.5543	----	----	----	----	129 UNCH
4680	----	----	318.00B/266.80A	318.00B/266.80A	----	284.10 - 6.70	.5513	----	----	----	----	10 UNCH
4685	----	----	314.60B/264.10A	314.60B/264.10A	----	281.50 - 6.70	.5482	----	----	----	----	11 UNCH
4695	275.90	275.90	309.90B/259.50A	309.90B/259.50A	----	276.40 - 6.70	.5422	----	----	2	----	22 UNCH
4700	262.00	262.00	307.30B/257.20A	307.30B/257.20A	----	273.90 - 6.60	.5392	----	----	28	25	595 + 5
4710	268.70	268.70	301.40B/252.10A	301.40B/252.10A	----	268.90 - 6.50	.5331	----	----	10	----	110 + 9
4720	----	----	294.50B/248.20A	294.50B/248.20A	----	263.90 - 6.50	.5270	----	----	----	----	2 UNCH
4725	----	----	293.70B/244.90A	293.70B/244.90A	----	261.50 - 6.40	.5240	----	----	----	----	51 UNCH
4730	----	----	291.00B/243.00A	291.00B/243.00A	----	259.00 - 6.50	.5210	----	----	----	----	3 UNCH
4740	241.70	241.70	282.40B/238.80A	282.40B/238.80A	----	254.20 NEW	.5149	----	----	1	----	1 + 1
4745	----	----	283.00B/235.80A	283.00B/235.80A	----	251.80 - 6.40	.5119	----	----	----	----	177 UNCH
4750	----	----	280.70B/233.30A	280.70B/233.30A	----	249.40 - 6.40	.5088	----	----	4	----	1066 UNCH
4755	----	----	277.90B/231.40A	277.90B/231.40A	----	247.00 - 6.50	.5058	----	----	----	----	12 UNCH
4760	----	----	275.50B/229.10A	275.50B/229.10A	----	244.70 - 6.40	.5028	----	----	----	----	47 UNCH
4770	240.50	240.50	270.20B/224.90A	270.20B/224.90A	----	240.10 - 6.40	.4967	----	----	1	----	69 + 1
4775	----	----	267.70B/222.70A	267.70B/222.70A	----	237.80 - 6.40	.4937	----	----	----	----	150 UNCH
4780	----	----	265.00B/220.60A	265.00B/220.60A	----	235.50 - 6.40	.4906	----	----	----	----	32 UNCH
4785	234.90	234.90	262.40B/218.40A	262.40B/218.40A	----	233.30 - 6.30	.4876	----	----	1	----	12 + 1
4790	----	----	258.90B/217.70A	258.90B/217.70A	----	231.00 - 6.40	.4846	----	----	----	----	2 UNCH
4795	229.20	229.20	257.00B/215.70A	257.00B/215.70A	----	228.80 NEW	.4816	----	----	2	----	2 + 2
4800	----	----	256.50B/212.10A	256.50B/212.10A	----	226.60 - 6.30	.4786	----	----	1	----	1694 + 1
4805	224.70	224.70	253.00B/210.60A	253.00B/210.60A	----	224.40 - 6.30	.4756	----	----	1	----	2 + 1
4810	----	----	250.60B/209.30A	250.60B/209.30A	----	222.30 - 6.30	.4726	----	----	----	----	2 UNCH
4820	----	----	246.60B/204.30A	246.60B/204.30A	----	218.00 - 6.30	.4666	----	----	----	----	10 UNCH
4825	----	----	244.20B/202.20A	244.20B/202.20A	----	215.90 - 6.20	.4636	----	----	----	----	41 UNCH
4830	----	----	241.90B/200.30A	241.90B/200.30A	----	213.80 - 6.20	.4606	----	----	----	----	3 UNCH
4835	----	----	239.70B/198.30A	239.70B/198.30A	----	211.70 - 6.20	.4576	----	----	----	----	6 UNCH
4840	----	----	237.20B/196.60A	237.20B/196.60A	----	209.60 - 6.30	.4546	----	----	----	----	1 UNCH
4845	----	----	235.00B/194.50A	235.00B/194.50A	----	207.50 - 6.30	.4516	----	----	----	----	59 UNCH
4850	----	----	233.20B/192.40A	233.20B/192.40A	----	205.50 - 6.30	.4487	----	----	1	----	332 + 1
4855	203.50	203.50	230.60B/191.10A	230.60B/191.10A	----	203.50 - 6.20	.4457	----	----	1	----	1 UNCH
4860	208.00	208.00	228.50B/188.90A	228.50B/188.90A	----	201.40 - 6.30	.4427	----	----	10	----	10 UNCH
4870	----	----	224.10B/185.20A	224.10B/185.20A	----	197.50 - 6.20	.4368	----	----	----	----	60 UNCH
4875	----	----	221.90B/183.40A	221.90B/183.40A	----	195.50 - 6.30	.4339	----	----	----	----	12 UNCH
4880	----	----	219.70B/181.60A	219.70B/181.60A	----	193.50 - 6.30	.4309	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4885	----	----	217.70B/180.00A	217.70B/180.00A	----	191.60 - 6.30	.4280	----	----	----	----	2 UNCH
4890	----	----	215.40B/178.30A	215.40B/178.30A	----	189.70 - 6.30	.4251	----	----	----	----	2 UNCH
4900	194.70	194.70	211.90B/174.20A	211.90B/174.20A	----	185.90 - 6.30	.4192	----	----	13	----	536 UNCH
4905	----	----	209.30B/172.90A	209.30B/172.90A	----	184.00 - 6.30	.4163	----	----	----	----	2 UNCH
4910	185.00	185.00	207.20B/171.00A	207.20B/171.00A	----	182.10 - 6.40	.4134	----	----	52	----	102 + 52
4915	----	----	205.20B/169.40A	205.20B/169.40A	----	180.30 - 6.30	.4105	----	----	----	----	3 UNCH
4920	----	----	203.20B/167.60A	203.20B/167.60A	----	178.40 - 6.40	.4076	----	----	----	----	6 UNCH
4925	----	----	201.20B/166.00A	201.20B/166.00A	----	176.60 - 6.40	.4047	----	----	----	----	4 UNCH
4930	----	----	199.20B/164.30A	199.20B/164.30A	----	174.80 - 6.40	.4019	----	----	----	----	3 UNCH
4940	175.10	175.10	195.40B/161.20A	195.40B/161.20A	----	171.20 - 6.50	.3961	----	----	2	----	165 + 2
4950	----	----	191.50B/158.00A	191.50B/158.00A	----	167.80 - 6.40	.3905	----	----	----	----	111 UNCH
4955	----	----	189.60B/156.30A	189.60B/156.30A	----	166.00 - 6.50	.3876	----	----	----	----	72 UNCH
4960	----	----	187.60B/154.90A	187.60B/154.90A	----	164.30 - 6.50	.3848	----	----	----	----	1 UNCH
4965	----	----	185.80B/153.20A	185.80B/153.20A	----	162.60 - 6.50	.3820	----	----	----	----	150 UNCH
4970	----	----	184.00B/151.70A	184.00B/151.70A	----	161.00 - 6.40	.3793	----	----	----	----	8 UNCH
4975	----	----	182.20B/150.10A	182.20B/150.10A	----	159.30 - 6.50	.3764	----	----	----	----	42 UNCH
4980	----	----	180.40B/148.70A	180.40B/148.70A	----	157.60 - 6.50	.3736	----	----	----	----	3 UNCH
4985	----	----	178.60B/147.20A	178.60B/147.20A	----	156.00 - 6.50	.3709	----	----	----	----	27 UNCH
4990	----	----	176.80B/145.70A	176.80B/145.70A	----	154.40 - 6.50	.3681	----	----	----	----	13 UNCH
4995	----	----	175.00B/144.30A	175.00B/144.30A	----	152.80 - 6.50	.3654	----	----	----	----	20 UNCH
5000	167.00	167.00	173.70B/142.50A	173.70B/142.50A	----	151.20 - 6.50	.3626	----	----	89	----	1836 + 13
5005	----	----	171.50B/141.30A	171.50B/141.30A	----	149.70 - 6.40	.3600	----	----	----	----	12 UNCH
5010	----	----	169.70B/139.90A	169.70B/139.90A	----	148.10 - 6.50	.3572	----	----	----	----	12 UNCH
5015	----	----	168.10B/138.50A	168.10B/138.50A	----	146.60 - 6.40	.3546	----	----	----	----	18 UNCH
5020	----	----	166.40B/137.10A	166.40B/137.10A	----	145.00 - 6.50	.3518	----	----	----	----	7 UNCH
5025	----	----	164.70B/135.70A	164.70B/135.70A	----	143.50 - 6.50	.3491	----	----	----	----	31 UNCH
5030	----	----	163.00B/134.30A	163.00B/134.30A	----	142.00 - 6.50	.3465	----	----	----	----	31 UNCH
5035	----	----	161.40B/133.00A	161.40B/133.00A	----	140.60 - 6.40	.3439	----	----	----	----	54 UNCH
5040	----	----	159.50B/131.70A	159.50B/131.70A	----	139.10 - 6.50	.3412	----	----	----	----	2 UNCH
5045	----	----	157.90B/130.40A	157.90B/130.40A	----	137.70 - 6.40	.3386	----	----	----	----	2 UNCH
5050	----	----	156.50B/128.90A	156.50B/128.90A	----	136.20 - 6.50	.3360	----	----	1	----	19 UNCH
5055	----	----	154.90B/127.70A	154.90B/127.70A	----	134.80 - 6.40	.3334	----	----	----	----	8 UNCH
5060	150.40	150.40	153.30B/126.40A	153.30B/126.40A	----	133.40 - 6.40	.3308	----	----	1	----	5 + 1
5065	----	----	151.70B/125.10A	151.70B/125.10A	----	132.00 - 6.40	.3282	----	----	----	----	25 UNCH
5070	----	----	150.20B/123.90A	150.20B/123.90A	----	130.60 - 6.40	.3256	----	----	----	----	21 UNCH
5075	----	----	148.70B/122.50A	148.70B/122.50A	----	129.30 - 6.30	.3231	----	----	----	----	14 UNCH
5080	----	----	147.10B/121.20A	147.10B/121.20A	----	127.90 - 6.40	.3206	----	----	----	----	65 UNCH
5085	----	----	145.30B/120.20A	145.30B/120.20A	----	126.60 - 6.30	.3181	----	----	----	----	2 UNCH
5090	----	----	143.90B/119.10A	143.90B/119.10A	----	125.30 - 6.30	.3156	----	----	----	----	1 UNCH
5095	----	----	142.70B/117.70A	142.70B/117.70A	----	123.90 - 6.40	.3130	----	----	----	----	45 UNCH
5100	----	----	141.70B/116.30A	141.70B/116.30A	----	122.70 - 6.30	.3106	----	----	31	50	626 + 79
5105	----	----	139.70B/115.30A	139.70B/115.30A	----	121.40 - 6.30	.3081	----	----	----	----	61 UNCH
5110	----	----	138.30B/114.10A	138.30B/114.10A	----	120.10 - 6.30	.3056	----	----	----	----	3 UNCH
5115	----	----	136.90B/112.90A	136.90B/112.90A	----	118.80 - 6.30	.3032	----	----	----	----	27 UNCH
5120	----	----	135.50B/111.80A	135.50B/111.80A	----	117.60 - 6.20	.3008	----	----	----	----	6 UNCH
5125	----	----	134.10B/110.70A	134.10B/110.70A	----	116.40 - 6.20	.2984	----	----	----	----	214 UNCH
5130	----	----	132.70B/109.50A	132.70B/109.50A	----	115.20 - 6.20	.2960	----	----	----	----	12 UNCH
5135	116.80	116.80	131.30B/108.40A	131.30B/108.40A	----	113.90 - 6.20	.2935	----	----	25	----	155 - 6
5140	----	----	130.00B/107.30A	130.00B/107.30A	----	112.80 - 6.10	.2913	----	----	----	----	44 UNCH
5145	----	----	128.60B/106.20A	128.60B/106.20A	----	111.60 - 6.10	.2889	----	----	----	----	16 UNCH
5150	----	----	127.80B/105.00A	127.80B/105.00A	----	110.40 - 6.10	.2865	----	----	----	----	701 UNCH
5155	----	----	125.70B/104.20A	125.70B/104.20A	----	109.30 - 6.10	.2842	----	----	----	----	1 UNCH
5160	----	----	124.70B/103.10A	124.70B/103.10A	----	108.10 - 6.10	.2819	----	----	----	----	9 UNCH
5165	----	----	123.40B/101.90A	123.40B/101.90A	----	107.00 - 6.00	.2796	----	----	----	----	3 UNCH
5170	----	----	122.10B/101.00A	122.10B/101.00A	----	105.90 - 6.00	.2773	----	----	----	----	7 UNCH
5175	----	----	120.90B/100.00A	120.90B/100.00A	----	104.80 - 6.00	.2751	----	----	----	----	51 UNCH
5180	----	----	119.60B/98.90A	119.60B/98.90A	----	103.70 - 6.00	.2728	----	----	----	----	13 UNCH
5185	----	----	118.40B/97.90A	118.40B/97.90A	----	102.60 - 5.90	.2706	----	----	----	50	85 + 50
5190	----	----	116.90B/96.90A	116.90B/96.90A	----	101.50 - 5.90	.2683	----	----	----	----	2 UNCH
5195	----	----	115.90B/95.90A	115.90B/95.90A	----	100.40 - 6.00	.2660	----	----	----	----	7 UNCH
5200	101.70	101.70	115.20B/94.60A	115.20B/94.60A	----	99.40 - 5.90	.2639	----	----	1	----	1199 + 1
5205	----	----	113.60B/94.10A	113.60B/94.10A	----	98.40 - 5.80	.2618	----	----	----	----	7 UNCH
5210	----	----	112.40B/93.10A	112.40B/93.10A	----	97.30 - 5.90	.2595	----	----	----	----	12 UNCH
5215	----	----	111.20B/92.20A	111.20B/92.20A	----	96.30 - 5.80	.2574	----	----	----	----	9 UNCH
5220	----	----	110.00B/91.10A	110.00B/91.10A	----	95.30 - 5.80	.2553	----	----	----	----	18 UNCH
5225	----	----	108.90B/90.30A	108.90B/90.30A	----	94.30 - 5.80	.2531	----	----	----	----	3 UNCH
5230	----	----	107.80B/89.40A	107.80B/89.40A	----	93.30 - 5.80	.2510	----	----	----	----	9 UNCH
5240	----	----	105.30B/87.50A	105.30B/87.50A	----	91.40 - 5.70	.2469	----	----	----	----	1 UNCH
5245	----	----	104.50B/86.60A	104.50B/86.60A	----	90.40 - 5.70	.2447	----	----	----	----	61 UNCH
5250	----	----	103.60B/85.70A	103.60B/85.70A	----	89.50 - 5.70	.2427	----	----	----	----	362 UNCH
5255	----	----	102.30B/84.90A	102.30B/84.90A	----	88.60 - 5.60	.2407	----	----	----	----	13 UNCH
5260	----	----	101.30B/84.10A	101.30B/84.10A	----	87.70 - 5.50	.2387	----	----	----	----	150 UNCH
5265	----	----	100.20B/83.20A	100.20B/83.20A	----	86.70 - 5.60	.2366	----	----	----	----	3 UNCH
5270	----	----	99.20B/82.40A	99.20B/82.40A	----	85.80 - 5.60	.2346	----	----	----	----	10 UNCH
5275	----	----	98.20B/81.60A	98.20B/81.60A	----	84.90 - 5.60	.2326	----	----	----	----	16 UNCH
5280	----	----	97.10B/80.70A	97.10B/80.70A	----	84.10 - 5.50	.2308	----	----	----	----	4 UNCH
5285	----	----	96.10B/79.90A	96.10B/79.90A	----	83.20 - 5.50	.2288	----	----	----	----	13 UNCH
5290	----	----	95.10B/79.10A	95.10B/79.10A	----	82.30 - 5.50	.2268	----	----	----	----	33 UNCH
5295	----	----	93.80B/78.20A	93.80B/78.20A	----	81.50 - 5.40	.2250	----	----	----	----	1 UNCH
5300	----	----	93.60B/77.30A	93.60B/77.30A	----	80.60 - 5.40	.2230	----	----	5	----	796 + 1
5305	78.00	78.00	92.20B/76.60A	92.20B/76.60A	----	79.80 - 5.40	.2211	----	----	7	----	36 + 7
5310	----	----	91.20B/75.90A	91.20B/75.90A	----	79.00 - 5.30	.2193	----	----	----	----	4 UNCH
5315	----	----	90.30B/75.20A	90.30B/75.20A	----	78.20 - 5.30	.2175	----	----	----	----	13 UNCH
5320	----	----	89.30B/74.40A	89.30B/74.40A	----	77.30 - 5.30	.2155	----	----	----	----	8 UNCH
5325	78.60	78.60	88.40B/73.70A	88.40B/73.70A	----	76.50 - 5.30	.2137	----	----	39	----	181 + 25
5330	----	----	87.50B/72.90A	87.50B/72.90A	----	75.80 - 5.20	.2120	----	----	----	----	4 UNCH
5345	----	----	84.80B/70.80A	84.80B/70.80A	----	73.40 - 5.20	.2065	----	----	----	----	8 UNCH
5350	----	----	84.40B/70.10A	84.40B/70.10A	----	72.70 - 5.10	.2048	----	----	----	----	517 UNCH
5355	----	----	83.10B/69.40A	83.10B/69.40A	----	71.90 - 5.10	.2029	----	----	----	----	4 UNCH
5360	72.90	72.90	82.40B/68.70A	82.40B/68.70A	----	71.20 - 5.10	.2013	----	----	3	----	333 UNCH
5365	----	----	81.40B/68.00A	81.40B/68.00A	----	70.50 - 5.00	.1996	----	----	1	----	14 UNCH
5370	----	----	80.40B/67.30A	80.40B/67.30A	----	69.80 - 5.00	.1979	----	----	----	----	10 UNCH
5375	----	----	79.70B/66.70A	79.70B/66.70A	----	69.00 - 5.00	.1961	----	----	----	----	3 UNCH
5380	----	----	78.90B/66.10A	78.90B/66.10A	----	68.30 - 5.00	.1944	----	----	----	----	5 UNCH
5385	----	----	78.10B/65.40A	78.10B/65.40A	----	67.60 - 5.00	.1927	----	----	----	----	16 UNCH
5390	----	----	77.30B/64.80A	77.30B/64.80A	----	66.90 - 5.00	.1911	----	----	----	----	11 UNCH
5395	----	----	76.50B/64.20A	76.50B/64.20A	----	66.30 - 4.90	.1896	----	----	----	----	18 UNCH
5400	----	----	76.10B/63.50A	76.10B/63.50A	----	65.60 - 4.90	.1879	----	----	48	----	4312 UNCH
5405	66.40	66.40	75.00B/62.90A	75.00B/62.90A	----	64.90 - 4.90	.1862	----	----	3	----	10 + 3
5410	----	----	74.20B/62.30A	74.20B/62.30A	----	64.30 - 4.80	.1847	----	----	----	----	16 UNCH
5415	----	----	73.40B/61.70A	73.40B/61.70A	----	63.60 - 4.80	.1831	----	----	----	----	17 UNCH
5420	----	----	72.70B/61.10A	72.70B/61.10A	----	63.00 - 4.70	.1816	----	----	----	----	10 UNCH
5425	----	----	71.90B/60.60A	71.90B/60.60A	----	62.30 - 4.80	.1799	----	----	1	----	7 - 1
5430	----	----	71.20B/59.90A	71.20B/59.90A	----	61.70 - 4.70	.1784	----	----	----	----	5 UNCH
5435	----	----	70.30B/59.30A	70.30B/59.30A	----	61.10 - 4.70	.1769	----	----	----	----	2 UNCH
5440	----	----	69.70B/58.80A	69.70B/58.80A	----	60.50 - 4.60	.1754	----	----	----	----	5 UNCH
5445	----	----	69.10B/58.20A	69.10B/58.20A	----	59.90 - 4.60	.1739	----	----	----	----	8 UNCH
5450	----	----	68.80B/57.70A	68.80B/57.70A	----	59.30 - 4.60	.1724	----	----	----	----	1186 UNCH
5455	----	----	67.60B/57.10A	67.60B/57.10A	----	58.70 - 4.50	.1709	----	----	2	----	13 + 2
5460	----	----	67.00B/56.60A	67.00B/56.60A	----	58.10 - 4.50	.1695	----	----	----	----	13 UNCH
5465	----	----	66.30B/56.20A	66.30B/56.20A	----	57.50 - 4.50	.1680	----	----	----	----	16 UNCH
5470	----	----	65.60B/55.50A	65.60B/55.50A	----	56.90 - 4.50	.1665	----	----	----	----	17 UNCH
5475	----	----	65.00B/55.00A	65.00B/55.00A	----	56.40 - 4.40	.1652	----	----	----	----	206 UNCH
5480	----	----	64.40B/54.30A	64.40B/54.30A	----	55.80 - 4.40	.1637	----	----	----	----	5 UNCH
5485	----	----	63.50B/53.90A	63.50B/53.90A	----	55.20 - 4.50	.1622	----	----	----	----	2 UNCH
5490	----	----	63.00B/53.40A	63.00B/53.40A	----	54.70 - 4.40	.1609	----	----	----	----	17 UNCH
5495	----	----	62.30B/52.90A	62.30B/52.90A	----	54.20 - 4.30	.1596	----	----	----	----	1 UNCH
5500	58.70	58.70	61.80B/52.40A	61.80B/52.40A	----	53.60 - 4.40	.1581	----	----	75	25	3263 UNCH
5505	----	----	61.00B/51.90A	61.00B/51.90A	----	53.10 - 4.30	.1568	----	----	----	----	3 UNCH
5510	53.80	53.80	60.40B/51.40A	60.40B/51.40A	----	52.60 - 4.30	.1555	----	----	3	----	5 + 3
5515	----	----	59.90B/50.90A	59.90B/50.90A	----	52.00 - 4.30	.1540	----	----	----	----	10 UNCH
5520	----	----	59.30B/50.40A	59.30B/50.40A	----	51.50 - 4.30	.1527	----	----	----	----	11 UNCH
5525	----	----	58.70B/50.00A	58.70B/50.00A	----	51.00 - 4.30	.1514	----	----	----	----	83 UNCH
5530	----	----	58.00B/49.50A	58.00B/49.50A	----	50.50 - 4.20	.1501	----	----	----	----	25 UNCH
5535	----	----	57.50B/49.30A	57.50B/49.30A	----	50.00 - 4.20	.1488	----	----	----	----	1 UNCH
5540	----	----	56.90B/48.50A	56.90B/48.50A	----	49.60 - 4.10	.1477	----	----	----	----	16 UNCH
5545	----	----	56.40B/48.10A	56.40B/48.10A	----	49.10 - 4.10	.1464	----	----	----	----	8 UNCH
5550	----	----	55.90B/47.90A	55.90B/47.90A	----	48.60 - 4.10	.1451	----	----	----	----	204 UNCH
5555	----	----	55.20B/47.40A	55.20B/47.40A	----	48.10 - 4.10	.1439	----	----	----	----	23 UNCH
5560	----	----	54.70B/46.80A	54.70B/46.80A	----	47.70 - 4.00	.1427	----	----	----	----	21 UNCH
5565	----	----	54.20B/46.60A	54.20B/46.60A	----	47.20 - 4.00	.1415	----	----	----	----	1 UNCH
5570	----	----	53.70B/45.90A	53.70B/45.90A	----	46.70 - 4.00	.1402	----	----	----	----	2 UNCH
5575	----	----	53.10B/45.50A	53.10B/45.50A	----	46.30 - 4.00	.1391	----	----	----	----	29 UNCH
5580	----	----	52.60B/45.10A	52.60B/45.10A	----	45.80 - 4.00	.1378	----	----	----	----	2 UNCH
5585	----	----	52.10B/44.70A	52.10B/44.70A	----	45.40 - 3.90	.1367	----	----	----	----	19 UNCH
5590	----	----	51.60B/44.30A	51.60B/44.30A	----	45.00 - 3.90	.1356	----	----	----	----	1 UNCH
5595	----	----	51.00B/44.10A	51.00B/44.10A	----	44.50 - 3.90	.1343	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5600	48.80	48.80	50.60B/43.60A	50.60B/43.60A	----	44.10 - 3.90	.1332	----	----	1	----	2602 UNCH
5605	----	----	50.00B/43.30A	50.00B/43.30A	----	43.70 - 3.80	.1321	----	----	----	----	29 UNCH
5610	----	----	49.50B/42.70A	49.50B/42.70A	----	43.30 - 3.80	.1311	----	----	----	----	1 UNCH
5625	----	----	48.20B/41.50A	48.20B/41.50A	----	42.10 - 3.70	.1278	----	----	----	----	10 UNCH
5630	----	----	47.70B/41.10A	47.70B/41.10A	----	41.70 - 3.70	.1267	----	----	----	----	5 UNCH
5635	----	----	47.20B/41.00A	47.20B/41.00A	----	41.30 - 3.70	.1256	----	----	----	----	8 UNCH
5640	----	----	46.80B/40.70A	46.80B/40.70A	----	40.90 - 3.70	.1246	----	----	----	----	4 UNCH
5650	----	----	45.90B/39.70A	45.90B/39.70A	----	40.10 - 3.70	.1224	----	----	----	----	313 UNCH
5660	----	----	45.00B/39.00A	45.00B/39.00A	----	39.40 - 3.60	.1204	----	----	----	----	1 UNCH
5670	----	----	44.20B/38.60A	44.20B/38.60A	----	38.70 - 3.50	.1185	----	----	----	----	11 UNCH
5675	----	----	43.80B/38.10A	43.80B/38.10A	----	38.30 - 3.50	.1174	----	----	----	----	6 UNCH
5680	----	----	43.40B/37.90A	43.40B/37.90A	----	38.00 - 3.50	.1165	----	----	----	----	6 UNCH
5690	----	----	42.60B/37.10A	42.60B/37.10A	----	37.30 - 3.40	.1146	----	----	----	----	11 UNCH
5700	----	----	41.80B/36.50A	41.80B/36.50A	----	36.60 - 3.40	.1127	----	----	----	----	899 UNCH
5710	35.60	35.60	41.00B/35.60	41.00B/35.60	----	36.00 - 3.30	.1109	----	----	3	----	12 + 3
5720	----	----	40.20B/35.40A	40.20B/35.40A	----	35.30 - 3.30	.1090	----	----	----	270	10 - 270
5725	----	----	39.90B/35.00A	39.90B/35.00A	----	35.00 - 3.30	.1082	----	----	----	----	57 UNCH
5730	----	----	39.50B/34.80A	39.50B/34.80A	----	34.70 - 3.30	.1073	----	----	----	----	9 UNCH
5740	35.90	35.90	38.80B/34.00A	38.80B/34.00A	----	34.10 - 3.20	.1056	----	----	4	----	5 + 2
5750	----	----	38.10B/33.50A	38.10B/33.50A	----	33.50 - 3.20	.1039	----	----	----	----	1715 UNCH
5760	----	----	37.40B/33.00A	37.40B/33.00A	----	32.90 - 3.10	.1022	----	----	----	----	168 UNCH
5770	----	----	36.70B/32.40A	36.70B/32.40A	----	32.30 - 3.10	.1005	----	----	----	----	4 UNCH
5775	----	----	36.40B/32.10A	36.40B/32.10A	----	32.00 - 3.10	.0996	----	----	----	----	214 UNCH
5780	----	----	36.10B/31.80A	36.10B/31.80A	----	31.80 - 3.00	.0990	----	----	----	----	2 UNCH
5790	----	----	35.40B/31.30A	35.40B/31.30A	----	31.20 - 3.00	.0973	----	----	----	----	10 UNCH
5800	30.70	30.70	34.70B/30.50	34.70B/30.50	----	30.70 - 3.00	.0958	----	----	10	----	952 + 1
5810	----	----	34.10B/30.30A	34.10B/30.30A	----	30.10 - 3.00	.0941	----	----	----	----	10 UNCH
5820	----	----	33.60B/29.80A	33.60B/29.80A	----	29.60 - 3.00	.0927	----	----	----	270	207 - 169
5825	----	----	33.30B/29.40A	33.30B/29.40A	----	29.40 - 2.90	.0920	----	----	----	----	15 UNCH
5830	----	----	33.10B/29.30A	33.10B/29.30A	----	29.10 - 2.90	.0912	----	----	----	----	1 UNCH
5840	----	----	32.40B/28.70A	32.40B/28.70A	----	28.70 - 2.80	.0900	----	----	----	----	102 UNCH
5850	----	----	31.80B/28.40A	31.80B/28.40A	----	28.20 - 2.80	.0885	----	----	----	----	110 UNCH
5860	----	----	31.30B/27.90A	31.30B/27.90A	----	27.70 - 2.80	.0871	----	----	----	----	69 UNCH
5870	----	----	30.70B/27.50A	30.70B/27.50A	----	27.30 - 2.70	.0858	----	----	----	----	10 UNCH
5875	----	----	30.50B/27.30A	30.50B/27.30A	----	27.00 - 2.70	.0850	----	----	----	----	22 UNCH
5880	----	----	30.20B/27.10A	30.20B/27.10A	----	26.80 - 2.70	.0844	----	----	----	----	11 UNCH
5890	----	----	29.70B/26.60A	29.70B/26.60A	----	26.40 - 2.60	.0832	----	----	----	----	6 UNCH
5900	25.70	25.70	29.20B/25.50	29.20B/25.50	----	26.00 - 2.60	.0820	----	----	10	----	417 + 6
5910	----	----	28.70B/25.80A	28.70B/25.80A	----	25.60 - 2.50	.0807	----	----	----	----	6 UNCH
5920	----	----	28.20B/25.40A	28.20B/25.40A	----	25.10 - 2.60	.0793	----	----	----	----	25 UNCH
5925	----	----	28.00B/25.10A	28.00B/25.10A	----	25.00 - 2.50	.0789	----	----	----	----	6 UNCH
5940	----	----	27.30B/24.60A	27.30B/24.60A	----	24.40 - 2.40	.0771	----	----	----	----	2 UNCH
5950	----	----	26.80B/24.20A	26.80B/24.20A	----	24.00 - 2.40	.0759	----	----	----	----	3 UNCH
5960	----	----	26.40B/23.90A	26.40B/23.90A	----	23.60 - 2.40	.0748	----	----	----	----	15 UNCH
5970	----	----	26.00B/23.50A	26.00B/23.50A	----	23.30 - 2.30	.0738	----	----	----	----	55 UNCH
5980	----	----	25.50B/23.10A	25.50B/23.10A	----	22.90 - 2.30	.0726	----	----	----	----	3 UNCH
5990	----	----	25.10B/22.80A	25.10B/22.80A	----	22.60 - 2.30	.0717	----	----	----	----	70 UNCH
6000	----	----	24.70B/22.50A	24.70B/22.50A	----	22.20 - 2.30	.0705	----	----	1	----	2494 UNCH
6025	----	----	23.80B/21.70A	23.80B/21.70A	----	21.40 - 2.20	.0680	----	----	----	----	14 UNCH
6050	----	----	23.20B/20.90A	23.20B/20.90A	----	20.70 - 2.00	.0658	----	----	----	----	43 UNCH
6075	----	----	22.00B/20.20A	22.00B/20.20A	----	20.00 - 1.90	.0636	----	----	----	----	89 UNCH
6100	----	----	----/19.50A	21.10B/19.50A	----	19.30 - 1.90	.0614	----	----	----	----	253 UNCH
6125	19.00	19.00	20.40B/18.90A	20.40B/18.90A	----	18.60 - 1.90	.0592	----	----	7	----	63 + 1
6150	----	----	----/18.20A	19.60B/18.20A	----	18.00 - 1.80	.0573	----	----	----	----	854 UNCH
6175	----	----	----/17.70A	18.90B/17.70A	----	17.50 - 1.60	.0556	----	----	----	----	38 UNCH
6200	----	----	----/17.10A	18.30B/17.10A	----	16.90 - 1.60	.0538	----	----	1	----	543 + 1
6225	----	----	----/16.80A	17.00B/16.80A	----	16.40 - 1.50	.0521	----	----	----	----	19 UNCH
6250	----	----	----/16.30A	16.40B/16.30A	----	15.90 - 1.40	.0505	----	----	1	----	2014 UNCH
6275	----	----	----/15.80A	15.90B/15.80A	----	15.40 - 1.40	.0489	----	----	1	----	3 + 1
6300	----	----	----/15.30A	15.50B/15.30A	----	14.90 - 1.40	.0473	----	----	----	----	324 UNCH
6325	----	----	----/14.90A	15.00B/14.90A	----	14.50 - 1.30	.0460	----	----	----	----	32 UNCH
6350	----	----	----/14.50A	14.50B/14.50A	----	14.10 - 1.20	.0447	----	----	----	----	32 UNCH
6375	----	----	----/14.20A	14.10B/14.20A	----	13.70 - 1.20	.0434	----	----	----	----	37 UNCH
6400	----	----	----/13.80A	13.70B/13.80A	----	13.30 - 1.20	.0421	----	----	----	----	192 UNCH
6425	----	----	----/13.40A	13.30B/13.40A	----	13.00 - 1.00	.0410	----	----	----	----	15 UNCH
6450	----	----	----/13.00A	12.90B/13.00A	----	12.60 - 1.10	.0398	----	----	----	----	48 UNCH
6475	----	----	----/12.70A	12.60B/12.70A	----	12.30 - 1.00	.0388	----	----	----	----	14 UNCH
6500	----	----	----/12.40A	12.30B/12.40A	----	12.00 - 0.90	.0378	----	----	18	----	1647 UNCH
6525	----	----	----/12.10A	11.90B/12.10A	----	11.70 - 0.90	.0368	----	----	----	----	132 UNCH
6550	----	----	----/11.80A	11.60B/11.80A	----	11.40 - 0.90	.0358	----	----	----	----	1 UNCH
6575	----	----	----/*11.50A	11.30B/11.50A	----	11.10 - 0.80	.0348	----	----	----	----	4 UNCH
6600	----	----	----/11.20A	11.10B/11.20A	----	10.80 - 0.80	.0338	----	----	----	----	29 UNCH
6650	----	----	----/10.70A	10.50B/10.70A	----	10.30 - 0.80	.0322	----	----	----	----	16 UNCH
6675	----	----	----/10.40A	10.50B/10.40A	----	10.10 - 0.70	.0314	----	----	----	----	1 UNCH
6700	----	----	----/10.20A	10.10B/10.20A	----	9.90 - 0.60	.0308	----	----	----	----	127 UNCH
6800	----	----	----/9.40A	9.10B/9.40A	----	9.10 - 0.50	.0280	----	----	----	----	199 UNCH
6825	----	----	----/9.20A	8.90B/9.20A	----	8.90 - 0.50	.0274	----	----	----	----	19 UNCH
6850	----	----	----/9.10A	8.70B/9.10A	----	8.70 - 0.50	.0267	----	----	----	----	201 UNCH
6875	----	----	----/8.80A	8.60B/8.80A	----	8.50 - 0.50	.0261	----	----	----	----	22 UNCH
6900	----	----	----/8.60A	8.40B/8.60A	----	8.40 - 0.40	.0257	----	----	----	----	19 UNCH
6925	----	----	----/8.50A	8.20B/8.50A	----	8.20 - 0.40	.0250	----	----	----	----	1 UNCH
6950	----	----	----/8.30A	8.10B/8.30A	----	8.00 - 0.40	.0244	----	----	----	----	22 UNCH
6975	----	----	----	8.00B/8.20A	----	7.90 - 0.30	.0240	----	----	----	----	10 UNCH
7000	7.60	7.60	7.60/7.60	7.80B/7.60	----	7.70 - 0.40	.0234	----	----	3	----	788 - 2
7050	----	----	----	7.40B/7.70A	----	7.50 - 0.20	.0226	----	----	----	----	17 UNCH
7075	----	----	----	7.30B/7.60A	----	7.30 - 0.30	.0220	----	----	----	----	13 UNCH
7100	----	----	----	7.20B/7.50A	----	7.20 - 0.20	.0217	----	----	----	----	24 UNCH
7125	----	----	----	7.00B/7.40A	----	7.10 - 0.20	.0213	----	----	----	----	1 UNCH
7150	----	----	----	6.90B/7.30A	----	7.00 - 0.20	.0209	----	----	----	----	19 UNCH
7175	----	----	----	6.80B/7.10A	----	6.80 - 0.20	.0204	----	----	----	----	1 UNCH
7200	----	----	----	6.70B/7.00A	----	6.70 - 0.20	.0200	----	----	----	----	3 UNCH
7225	----	----	----	6.70B/6.80A	----	6.60 - 0.20	.0197	----	----	----	----	17 UNCH
7250	----	----	----	6.40B/6.80A	----	6.50 - 0.10	.0193	----	----	----	----	2 UNCH
7275	----	----	----	6.30B/6.60A	----	6.40 - 0.10	.0190	----	----	----	----	14 UNCH
7300	----	----	----	6.20B/6.50A	----	6.30 - 0.10	.0186	----	----	----	----	7 UNCH
7350	----	----	----	6.00B/6.30A	----	6.10 - 0.10	.0180	----	----	----	----	6 UNCH
7400	----	----	----	5.80B/6.10A	----	5.90 - 0.10	.0173	----	----	----	----	1 UNCH
7425	----	----	----	5.70B/6.00A	----	5.80 - 0.10	.0170	----	----	----	----	19 UNCH
7450	----	----	----	5.60B/5.90A	----	5.70 - 0.10	.0167	----	----	----	----	16 UNCH
7475	----	----	----	5.50B/5.90A	----	5.60 - 0.10	.0163	----	----	----	----	9 UNCH
7500	----	----	----	5.40B/5.70A	----	5.50 - 0.10	.0160	----	----	----	----	290 UNCH
7525	----	----	----	5.30B/5.70A	----	5.50 UNCH	.0159	----	----	----	----	33 UNCH
7550	----	----	----	5.20B/5.60A	----	5.40 UNCH	.0156	----	----	----	----	50 UNCH
7575	----	----	----	5.10B/5.50A	----	5.30 UNCH	.0153	----	----	----	----	1 UNCH
7600	----	----	----	5.10B/5.40A	----	5.20 UNCH	.0150	----	----	----	----	10 UNCH
7625	----	----	----	5.00B/5.30A	----	5.10 UNCH	.0147	----	----	----	----	12 UNCH
7700	----	----	----	4.80B/5.10A	----	4.90 UNCH	.0140	----	----	----	----	11 UNCH
7725	----	----	----	4.70B/5.00A	----	4.90 + 0.10	.0140	----	----	----	----	11 UNCH
7750	----	----	----	4.60B/5.00A	----	4.80 UNCH	.0137	----	----	----	----	2 UNCH
7775	----	----	----	4.50B/4.90A	----	4.70 UNCH	.0134	----	----	----	----	5 UNCH
7800	----	----	----	4.50B/4.80A	----	4.60 UNCH	.0131	----	----	----	----	5 UNCH
7825	----	----	----	4.40B/4.80A	----	4.60 + 0.10	.0130	----	----	----	----	10 UNCH
7875	----	----	----	4.30B/4.60A	----	4.50 + 0.10	.0127	----	----	----	----	140 UNCH
7900	----	----	----	4.20B/4.60A	----	4.40 UNCH	.0124	----	----	----	----	1 UNCH
8000	----	----	----	4.00B/4.40A	----	4.20 + 0.10	.0117	----	----	1	----	592 + 1
8300	----	----	----	3.40B/3.80A	----	3.50 UNCH	.0096	----	----	----	----	4 UNCH
8500	----	----	----	3.10B/3.40A	----	3.20 UNCH	.0087	----	----	----	----	6 UNCH
8600	----	----	----	3.00B/3.30A	----	3.10 + 0.10	.0083	----	----	----	----	1 UNCH
8800	----	----	----	2.70B/3.00A	----	2.80 + 0.10	.0075	----	----	----	----	7 UNCH
9000	1.60	1.60	2.40B/1.60	2.40B/1.60	----	2.50 UNCH	.0066	----	----	1	----	223 UNCH
9200	----	----	----	2.20B/2.60A	----	2.30 UNCH	.0060	----	----	----	----	11 UNCH
9300	----	----	----	2.10B/2.50A	----	2.30 + 0.10	.0059	----	----	----	----	4 UNCH
9400	----	----	----	2.10B/2.40A	----	2.20 + 0.10	.0057	----	----	----	----	141 UNCH
9500	----	----	----	1.90B/2.30A	----	2.10 + 0.10	.0054	----	----	----	----	66 UNCH
9900	----	----	----	1.70B/2.00A	----	1.80 + 0.10	.0045	----	----	----	----	5 UNCH
10000	----	----	----	1.60B/2.00A	----	1.70 UNCH	.0043	----	----	----	----	174 UNCH
10100	----	----	----	1.60B/1.90A	----	1.70 + 0.10	.0042	----	----	----	----	12 UNCH
11000	----	----	----	1.10B/1.50A	----	1.20 + 0.10	.0029	----	----	----	----	86 UNCH
11200	----	----	----	1.00B/1.40A	----	1.10 + 0.10	.0026	----	----	----	----	13 UNCH
11500	----	----	0.90B/----	0.90B/1.30A	----	0.90 + 0.10	.0022	----	----	----	----	47 UNCH
11600	----	----	0.90B/----	0.90B/1.30A	----	0.80 UNCH	.0019	----	----	----	----	50 UNCH
12000	----	----	0.80B/----	0.80B/1.20A	----	0.70 UNCH	.0017	----	----	----	----	216 UNCH
TOTAL										539	690	54800 - 163
AUG26												
3400	----	----	----	----	----	1334.40 - 0.30	.9509	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1239.90 - 0.30	.9395	----	----	----	----	46 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

AUG26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3505	----	----	----	----	----	1235.20 - 0.30	.9388	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1221.20 - 0.30	.9368	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1193.10 - 0.40	.9328	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1146.80 - 0.40	.9255	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1137.50 - 0.50	.9241	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1100.80 - 0.50	.9177	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1091.70 - 0.50	.9160	----	----	----	----	2 UNCH
3685	----	----	----	816.30B/1275.50A	----	1068.90 - 0.60	.9117	----	----	----	----	1 UNCH
3700	----	----	----	849.50B/1261.80A	----	1055.30 - 0.60	.9091	----	----	----	----	40 UNCH
3715	----	----	----	850.00B/1244.10A	----	1041.70 - 0.70	.9063	----	----	----	----	30 UNCH
3720	----	----	----	850.20B/1239.70A	----	1037.20 - 0.70	.9055	----	----	----	----	1 UNCH
3735	----	----	----	862.60B/1213.30A	----	1023.60 - 0.80	.9027	----	----	----	----	1 UNCH
3750	----	----	----	852.10B/1200.10A	----	1010.20 - 0.80	.8997	----	----	----	----	8 UNCH
3775	----	----	----	829.40B/1178.20A	----	987.80 - 1.00	.8948	----	----	----	----	4 UNCH
3780	----	----	----	824.80B/1173.80A	----	983.40 - 0.90	.8938	----	----	----	----	10 UNCH
3790	----	----	----	815.80B/1165.10A	----	974.50 - 1.00	.8917	----	----	----	----	67 UNCH
3800	----	----	----	806.70B/1156.40A	----	965.60 - 1.10	.8896	----	----	----	----	303 UNCH
3820	----	----	----	788.70B/1139.10A	----	947.90 - 1.20	.8853	----	----	----	----	3 UNCH
3840	----	----	----	770.80B/1121.90A	----	930.30 - 1.30	.8809	----	----	----	----	1 UNCH
3850	----	----	----	761.90B/1113.30A	----	921.60 - 1.30	.8786	----	----	----	----	12 UNCH
3885	----	----	----	730.80B/1083.50A	----	891.10 - 1.50	.8704	----	----	----	----	2 UNCH
3890	----	----	----	726.40B/1079.20A	----	886.80 - 1.60	.8691	----	----	----	----	2 UNCH
3900	----	----	----	717.60B/1070.80A	----	878.10 - 1.70	.8667	----	----	----	----	146 UNCH
3920	----	----	----	700.10B/1054.00A	----	860.90 - 1.80	.8616	----	----	----	----	1 UNCH
3925	----	----	----	695.80B/1049.80A	----	856.70 - 1.80	.8603	----	----	----	----	10 UNCH
3950	----	----	----	674.00B/1029.50A	----	835.40 - 2.00	.8538	----	----	----	----	106 UNCH
3955	----	----	----	669.70B/1025.60A	----	831.10 - 2.10	.8525	----	----	----	----	7 UNCH
3975	----	----	----	652.50B/1009.90A	----	814.20 - 2.20	.8471	----	----	----	----	200 UNCH
3995	----	----	----	635.40B/994.40A	----	797.50 - 2.30	.8414	----	----	----	----	30 UNCH
4000	----	----	----	631.10B/990.50A	----	793.30 - 2.40	.8400	----	----	----	----	714 UNCH
4005	----	----	----	626.90B/986.70A	----	789.10 - 2.50	.8386	----	----	----	----	1 UNCH
4015	----	----	----	618.00B/979.00A	----	780.80 - 2.50	.8356	----	----	----	----	12 UNCH
4025	----	----	----	609.20B/971.30A	----	772.60 - 2.50	.8327	----	----	----	----	174 UNCH
4045	----	----	----	591.50B/956.10A	----	756.10 - 2.80	.8266	----	----	----	----	30 UNCH
4050	----	----	----	587.10B/952.30A	----	752.00 - 2.80	.8251	----	----	----	----	100 UNCH
4055	----	----	----	582.80B/948.50A	----	747.90 - 2.90	.8235	----	----	----	----	100 UNCH
4075	----	----	----	565.30B/933.40A	----	731.70 - 3.00	.8172	----	----	----	----	3 UNCH
4080	----	----	----	561.00B/928.70A	----	727.70 - 3.00	.8157	----	----	----	----	1 UNCH
4100	----	----	----	543.70B/913.60A	----	711.60 - 3.20	.8091	----	----	----	----	73 UNCH
4110	----	----	----	535.20B/902.90A	----	703.60 - 3.30	.8058	----	----	----	----	19 UNCH
4135	----	----	----	513.90B/881.00A	----	683.80 - 3.50	.7973	----	----	----	----	20 UNCH
4140	----	----	----	509.70B/872.40A	----	679.90 - 3.50	.7956	----	----	----	----	1 UNCH
4150	----	----	----	501.20B/866.70A	----	672.10 - 3.60	.7921	----	----	----	----	40 UNCH
4165	----	----	----	488.70B/843.20A	----	660.40 - 3.70	.7867	----	----	----	----	1 UNCH
4195	----	----	----	463.90B/817.10A	----	637.30 - 4.00	.7757	----	----	----	----	3 UNCH
4200	----	----	----	459.80B/830.50A	----	633.50 - 4.00	.7739	----	----	----	----	75 UNCH
4215	----	----	----	447.50B/821.40A	----	622.10 - 4.10	.7682	----	----	----	----	1 UNCH
4220	----	----	----	443.50B/795.10A	----	618.40 - 4.10	.7663	----	----	----	----	16 UNCH
4225	----	----	----	439.50B/809.80A	----	614.60 - 4.20	.7643	----	----	----	----	102 UNCH
4235	----	----	----	431.40B/802.30A	----	607.10 - 4.30	.7605	----	----	----	----	1 UNCH
4250	----	----	----	419.40B/791.60A	----	596.00 - 4.30	.7546	----	----	----	----	71 UNCH
4265	----	----	----	407.50B/796.60A	----	585.00 - 4.40	.7486	----	----	----	----	77 UNCH
4285	----	----	----	391.90B/756.60A	----	570.40 - 4.60	.7405	----	----	----	----	8 UNCH
4300	----	----	----	380.30B/767.10A	----	559.60 - 4.70	.7342	----	----	----	----	42 UNCH
4320	----	----	----/520.50A	522.00B/520.50A	----	545.40 - 4.70	.7258	----	----	----	----	2 UNCH
4325	----	----	----/517.20A	520.40B/517.20A	----	541.90 - 4.70	.7237	----	----	----	----	6 UNCH
4330	----	----	----/513.80A	522.40B/513.80A	----	538.40 - 4.70	.7215	----	----	----	----	201 UNCH
4350	----	----	----/500.50A	520.80B/500.50A	----	524.40 - 4.90	.7129	----	----	----	----	774 UNCH
4360	----	----	----/493.90A	518.50B/493.90A	----	517.60 - 4.80	.7085	----	----	----	----	1 UNCH
4375	----	----	514.90B/484.10A	514.90B/484.10A	----	507.30 - 4.90	.7019	----	----	----	----	3 UNCH
4385	----	----	515.50B/477.70A	515.50B/477.70A	----	500.50 - 5.00	.6973	----	----	----	----	100 UNCH
4390	----	----	515.30B/474.40A	515.30B/474.40A	----	497.20 - 5.00	.6951	----	----	----	----	1 UNCH
4400	----	----	513.20B/468.10A	513.20B/468.10A	----	490.50 - 5.00	.6906	----	----	----	----	325 UNCH
4420	----	----	511.10B/455.50A	511.10B/455.50A	----	477.20 - 5.20	.6814	----	----	----	----	50 UNCH
4425	----	----	508.70B/452.30A	508.70B/452.30A	----	473.90 - 5.20	.6790	----	----	----	----	5 UNCH
4440	----	----	498.40B/443.10A	498.40B/443.10A	----	464.20 - 5.20	.6720	----	----	----	----	1 UNCH
4450	----	----	491.70B/435.40A	491.70B/435.40A	----	457.70 - 5.30	.6673	----	----	----	----	6 UNCH
4455	----	----	488.30B/432.40A	488.30B/432.40A	----	454.50 - 5.40	.6650	----	----	----	----	2 UNCH
4460	----	----	485.00B/429.20A	485.00B/429.20A	----	451.30 - 5.40	.6626	----	----	----	----	5 UNCH
4465	----	----	481.70B/426.30A	481.70B/426.30A	----	448.20 - 5.40	.6602	----	----	----	----	9 UNCH
4470	----	----	478.30B/423.20A	478.30B/423.20A	----	445.00 - 5.40	.6578	----	----	----	----	7 UNCH
4475	----	----	475.00B/420.20A	475.00B/420.20A	----	441.80 - 5.50	.6554	----	----	----	----	29 UNCH
4485	----	----	468.40B/414.30A	468.40B/414.30A	----	435.60 - 5.50	.6506	----	----	----	----	5 UNCH
4490	----	----	465.20B/411.40A	465.20B/411.40A	----	432.50 - 5.60	.6482	----	----	----	----	1 UNCH
4500	----	----	458.60B/405.50A	458.60B/405.50A	----	426.30 - 5.70	.6433	----	----	----	----	846 UNCH
4535	----	----	436.30B/385.40A	436.30B/385.40A	----	405.00 - 6.00	.6261	----	----	----	----	10 UNCH
4540	----	----	433.20B/382.80A	433.20B/382.80A	----	402.00 - 6.10	.6236	----	----	----	----	5 UNCH
4545	----	----	430.10B/380.40A	430.10B/380.40A	----	399.10 - 6.10	.6211	----	----	----	----	1 UNCH
4550	----	----	427.00B/376.90A	427.00B/376.90A	----	396.10 - 6.20	.6186	----	----	----	----	22 UNCH
4555	----	----	423.90B/374.30A	423.90B/374.30A	----	393.20 - 6.20	.6161	----	----	----	----	1 UNCH
4560	----	----	420.70B/372.10A	420.70B/372.10A	----	390.30 - 6.20	.6136	----	----	----	----	5 UNCH
4565	----	----	417.70B/369.10A	417.70B/369.10A	----	387.30 - 6.30	.6111	----	----	----	----	1 UNCH
4575	----	----	411.60B/363.50A	411.60B/363.50A	----	381.60 - 6.30	.6060	----	----	----	----	41 UNCH
4580	----	----	408.50B/361.10A	408.50B/361.10A	----	378.70 - 6.40	.6035	----	----	----	----	200 UNCH
4585	----	----	405.50B/358.20A	405.50B/358.20A	----	375.80 - 6.50	.6009	----	----	----	----	2 UNCH
4590	----	----	402.50B/355.50A	402.50B/355.50A	----	373.00 - 6.50	.5984	----	----	----	----	16 UNCH
4595	----	----	399.60B/352.90A	399.60B/352.90A	----	370.20 - 6.50	.5958	----	----	----	----	2 UNCH
4600	----	----	396.50B/349.90A	396.50B/349.90A	----	367.40 - 6.50	.5933	----	----	4	----	100 - 1
4605	----	----	393.60B/347.30A	393.60B/347.30A	----	364.60 - 6.60	.5907	----	----	----	----	1 UNCH
4620	----	----	384.80B/339.40A	384.80B/339.40A	----	356.30 - 6.70	.5830	----	----	----	----	4 UNCH
4640	----	----	373.40B/329.50A	373.40B/329.50A	----	345.50 - 6.70	.5727	----	----	----	----	1 UNCH
4650	----	----	367.60B/324.30A	367.60B/324.30A	----	340.10 - 6.80	.5675	----	----	----	----	145 UNCH
4660	----	----	362.10B/319.30A	362.10B/319.30A	----	334.90 - 6.70	.5623	----	----	----	----	2 UNCH
4670	----	----	356.50B/314.50A	356.50B/314.50A	----	329.70 - 6.70	.5571	----	----	----	----	3 UNCH
4675	----	----	353.70B/312.10A	353.70B/312.10A	----	327.10 - 6.70	.5545	----	----	----	----	36 UNCH
4700	----	----	342.80B/300.20A	342.80B/300.20A	----	314.50 - 6.60	.5414	----	----	----	----	1619 UNCH
4705	----	----	340.60B/297.80A	340.60B/297.80A	----	312.00 - 6.60	.5388	----	----	----	----	20 UNCH
4710	----	----	335.60B/295.60A	335.60B/295.60A	----	309.50 - 6.60	.5362	----	----	----	----	17 UNCH
4720	----	----	331.00B/290.90A	331.00B/290.90A	----	304.60 - 6.60	.5309	----	----	3	----	26 + 3
4725	----	----	328.30B/288.80A	328.30B/288.80A	----	302.20 - 6.60	.5283	----	----	----	----	2 UNCH
4730	----	----	325.40B/287.00A	325.40B/287.00A	----	299.80 - 6.60	.5257	----	----	----	----	3 UNCH
4750	----	----	316.20B/278.00A	316.20B/278.00A	----	290.40 - 6.70	.5152	----	----	----	----	182 UNCH
4760	----	----	310.30B/273.60A	310.30B/273.60A	----	285.70 - 6.80	.5100	----	----	----	----	10 UNCH
4770	----	----	305.60B/269.20A	305.60B/269.20A	----	281.10 - 6.90	.5048	----	----	----	----	14 UNCH
4775	----	----	305.00B/267.20A	305.00B/267.20A	----	278.80 - 6.90	.5022	----	----	----	----	10 UNCH
4780	----	----	301.50B/265.10A	301.50B/265.10A	----	276.60 - 6.90	.4996	----	----	----	----	2 UNCH
4795	----	----	294.90B/258.70A	294.90B/258.70A	----	269.80 - 7.10	.4917	----	----	----	----	2 UNCH
4800	----	----	292.70B/256.60A	292.70B/256.60A	----	267.60 - 7.10	.4891	----	----	----	----	1631 UNCH
4810	----	----	290.70B/252.60A	290.70B/252.60A	----	263.30 - 7.10	.4840	----	----	----	----	1 UNCH
4815	----	----	289.00B/250.70A	289.00B/250.70A	----	261.20 - 7.00	.4814	----	----	----	----	3 UNCH
4820	----	----	286.70B/248.60A	286.70B/248.60A	----	259.00 - 7.10	.4788	----	----	----	----	21 UNCH
4825	----	----	284.40B/246.60A	284.40B/246.60A	----	256.90 - 7.10	.4762	----	----	----	----	5 UNCH
4830	----	----	282.10B/244.70A	282.10B/244.70A	----	254.80 - 7.10	.4736	----	----	----	----	4 UNCH
4850	----	----	274.70B/236.70A	274.70B/236.70A	----	246.60 - 7.00	.4634	----	----	----	----	34 UNCH
4860	----	----	270.20B/233.10A	270.20B/233.10A	----	242.50 - 7.00	.4583	----	----	----	----	22 UNCH
4870	----	----	265.20B/229.40A	265.20B/229.40A	----	238.60 - 6.90	.4532	----	----	----	----	11 UNCH
4875	----	----	263.40B/227.30A	263.40B/227.30A	----	236.60 - 6.90	.4507	----	----	----	----	79 UNCH
4880	----	----	261.40B/225.70A	261.40B/225.70A	----	234.70 - 6.80	.4481	----	----	----	----	1 UNCH
4895	----	----	255.20B/219.80A	255.20B/219.80A	----	228.90 - 6.80	.4406	----	----	----	----	11 UNCH
4900	227.00	227.00	253.20B/218.30A	253.20B/218.30A	----	227.00 - 6.80	.4381	----	----	1	----	485 UNCH
4905	----	----	251.30B/216.80A	251.30B/216.80A	----	225.10 - 6.80	.4356	----	----	----	----	9 UNCH
4925	----	----	243.00B/209.40A	243.00B/209.40A	----	217.70 - 6.70	.4256	----	----	----	----	123 UNCH
4935	220.00	220.00	238.90B/205.90A	238.90B/205.90A	----	214.10 NEW	.4207	----	----	1	----	1 + 1
4940	----	----	236.80B/204.20A	236.80B/204.20A	----	212.30 - 6.70	.4182	----	----	----	----	1 UNCH
4950	----	----	232.50B/201.30A	232.50B/201.30A	----	208.70 - 6.70	.4133	----	----	----	----	64 UNCH
4955	----	----	231.40B/199.70A	231.40B/199.70A	----	207.00 - 6.70	.4109	----	----	----	----	22 UNCH
4975	----	----	223.70B/193.00A	223.70B/193.00A	----	200.10 - 6.70	.4011	----	----	----	----	2 UNCH
4995	----	----	216.30B/186.50A	216.30B/186.50A	----	193.40 - 6.70	.3915	----	----	----	----	3 UNCH
5000	197.50	197.50	214.80/185.50A	214.80/185.50A	----	191.70 - 6.80	.3891	----	----	11	----	1548 - 5
5005	----	----	212.40B/184.00A	212.40B/184.00A	----	190.10 - 6.70	.3868	----	----	----	----	4 UNCH
5015	----	----	209.10B/181.10A	209.10B/181.10A	----	186.90 - 6.70	.3821	----	----	----	----	3 UNCH
5030	----	----	203.80B/176.30A	203.80B/176.30A	----	182.10 - 6.80	.3750	----	----	----	----	2 UNCH
5045	----	----	198.90B/172.00A	198.90B/172.00A	----	177.50 - 6.80	.3681	----	----	----	----	1 UNCH
5050	----	----	196.40B/170.50A	196.40B/170.50A	----	176.00 - 6.80	.3658	----	----	----	----	9 UNCH
5065	176.50	176.50	191.90B/166.40A	191.90B/166.40A	----	171.50 NEW	.3589	----	----	1	----	1 + 1
5075	----	----	188.70B/163.40A	188.70B/163.40A	----	168.60 - 6.80	.3544	----	----	----	----	200 UNCH
5100	161.70	161.70	181.20B/157.00A	181.20B/157.00A	----	161.40 - 6.80	.3432	----	----	3	----	1617 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5105	----	----	179.50B/155.40A	179.50B/155.40A	----	160.10 - 6.80	.3410	----	----	----	----	2 UNCH
5110	----	----	177.80B/154.50A	177.80B/154.50A	----	158.70 - 6.80	.3388	----	----	----	----	4 UNCH
5115	----	----	176.50B/153.40A	176.50B/153.40A	----	157.30 - 6.80	.3366	----	----	----	----	4 UNCH
5125	----	----	173.50B/150.40A	173.50B/150.40A	----	154.60 - 6.80	.3323	----	----	----	----	20 UNCH
5130	----	----	172.10B/149.40A	172.10B/149.40A	----	153.30 - 6.80	.3301	----	----	----	----	1 UNCH
5145	----	----	167.80B/145.60A	167.80B/145.60A	----	149.40 - 6.70	.3238	----	----	----	----	2 UNCH
5150	165.10	165.10	166.20B/144.40A	166.20B/144.40A	----	148.10 - 6.70	.3216	----	----	1	----	70 + 1
5155	----	----	164.90B/143.40A	164.90B/143.40A	----	146.80 - 6.80	.3195	----	----	----	----	4 UNCH
5160	----	----	163.50B/142.10A	163.50B/142.10A	----	145.60 - 6.70	.3175	----	----	----	----	6 UNCH
5200	----	----	152.70B/132.90A	152.70B/132.90A	----	135.90 - 6.60	.3011	----	----	25	----	3401 + 3
5205	----	----	151.40B/132.20A	151.40B/132.20A	----	134.70 - 6.60	.2990	----	----	----	----	1 UNCH
5210	----	----	150.10B/131.00A	150.10B/131.00A	----	133.60 - 6.50	.2971	----	----	----	----	6 UNCH
5215	137.60	137.60	148.80B/129.80A	148.80B/129.80A	----	132.40 - 6.60	.2951	----	----	1	----	14 + 1
5220	----	----	147.50B/128.50A	147.50B/128.50A	----	131.30 - 6.50	.2931	----	----	----	----	26 UNCH
5225	----	----	145.70B/127.50A	145.70B/127.50A	----	130.20 - 6.50	.2912	----	----	----	----	40 UNCH
5230	128.50	128.50	145.10B/126.50A	145.10B/126.50A	----	129.10 - 6.50	.2893	----	----	6	----	8 + 6
5235	127.30	127.30	143.50B/125.30A	143.50B/125.30A	----	128.00 NEW	.2873	----	----	10	----	10 + 10
5245	125.50	125.50	141.30B/123.70A	141.30B/123.70A	----	125.80 NEW	.2835	----	----	6	----	6 + 6
5250	----	----	140.20B/122.50A	140.20B/122.50A	----	124.70 - 6.40	.2815	----	----	----	----	439 UNCH
5255	----	----	139.00B/121.00A	139.00B/121.00A	----	123.60 - 6.50	.2796	----	----	----	1762	884 + 881
5260	----	----	137.70B/120.50A	137.70B/120.50A	----	122.60 - 6.40	.2778	----	----	----	----	24 UNCH
5265	----	----	136.60B/119.20A	136.60B/119.20A	----	121.50 - 6.40	.2758	----	----	----	----	6 UNCH
5270	----	----	135.40B/118.70A	135.40B/118.70A	----	120.50 - 6.40	.2740	----	----	----	----	18 UNCH
5275	----	----	134.30B/117.30A	134.30B/117.30A	----	119.50 - 6.30	.2722	----	----	----	----	1 UNCH
5285	----	----	132.00B/115.60A	132.00B/115.60A	----	117.50 - 6.30	.2685	----	----	----	----	2 UNCH
5300	----	----	128.70B/112.70A	128.70B/112.70A	----	114.50 - 6.20	.2631	----	----	----	----	541 UNCH
5320	----	----	124.30B/109.10A	124.30B/109.10A	----	110.70 - 6.10	.2560	----	----	----	----	4 UNCH
5325	----	----	123.30B/108.50A	123.30B/108.50A	----	109.70 - 6.10	.2542	----	----	----	----	11 UNCH
5330	----	----	122.30B/107.40A	122.30B/107.40A	----	108.80 - 6.10	.2525	----	----	----	----	6 UNCH
5350	----	----	118.20B/104.10A	118.20B/104.10A	----	105.20 - 6.00	.2457	----	----	----	----	4 UNCH
5355	----	----	117.10B/103.20A	117.10B/103.20A	----	104.30 - 6.00	.2440	----	----	----	----	1 UNCH
5370	----	----	114.20B/100.80A	114.20B/100.80A	----	101.70 - 5.90	.2390	----	----	----	----	2 UNCH
5375	----	----	113.20B/99.80A	113.20B/99.80A	----	100.80 - 5.90	.2373	----	----	----	----	4 UNCH
5400	----	----	108.60B/96.00A	108.60B/96.00A	----	96.70 - 5.80	.2293	----	----	----	----	3756 UNCH
5410	96.40	96.40	106.70B/94.20A	106.70B/94.20A	----	95.10 - 5.70	.2262	----	----	4	----	6 + 4
5420	----	----	105.00B/92.70A	105.00B/92.70A	----	93.50 - 5.70	.2231	----	----	----	----	5 UNCH
5445	----	----	100.40B/89.20A	100.40B/89.20A	----	89.70 - 5.50	.2155	----	----	----	----	3 UNCH
5450	----	----	99.80B/88.20A	99.80B/88.20A	----	89.00 - 5.50	.2140	----	----	----	----	6 UNCH
5460	----	----	98.10B/87.10A	98.10B/87.10A	----	87.50 - 5.50	.2111	----	----	1	----	3 UNCH
5470	----	----	96.50B/85.80A	96.50B/85.80A	----	86.00 - 5.50	.2081	----	----	----	----	1 UNCH
5475	85.70	85.70	95.80B/84.90A	95.80B/84.90A	----	85.30 NEW	.2066	----	----	2	----	2 + 2
5480	----	----	94.90B/84.00A	94.90B/84.00A	----	84.60 - 5.40	.2052	----	----	----	----	10 UNCH
5485	----	----	94.20B/84.00A	94.20B/84.00A	----	83.90 - 5.40	.2038	----	----	----	----	1 UNCH
5490	----	----	93.40B/83.10A	93.40B/83.10A	----	83.20 - 5.40	.2024	----	----	----	----	2 UNCH
5495	----	----	92.60B/82.50A	92.60B/82.50A	----	82.60 - 5.30	.2011	----	----	----	----	2 UNCH
5500	88.40	88.40	93.20/81.80A	93.20/81.80A	----	81.90 - 5.30	.1997	----	----	174	----	785 + 113
5505	82.60	82.60	91.10B/81.30A	91.10B/81.30A	----	81.20 - 5.30	.1982	----	----	4	----	6 + 4
5515	----	----	89.60B/79.90A	89.60B/79.90A	----	79.90 - 5.20	.1955	----	----	----	----	2 UNCH
5525	----	----	88.10B/78.20A	88.10B/78.20A	----	78.60 - 5.20	.1928	----	----	----	----	25 UNCH
5535	----	----	86.70B/77.00A	86.70B/77.00A	----	77.30 - 5.10	.1901	----	----	----	----	3 UNCH
5545	----	----	85.30B/76.30A	85.30B/76.30A	----	76.00 - 5.10	.1874	----	----	----	----	2 UNCH
5550	----	----	84.60B/75.70A	84.60B/75.70A	----	75.40 - 5.10	.1862	----	----	----	----	2 UNCH
5565	----	----	82.50B/73.50A	82.50B/73.50A	----	73.60 - 5.00	.1823	----	----	----	----	5 UNCH
5575	----	----	81.20B/72.50A	81.20B/72.50A	----	72.40 - 5.00	.1798	----	----	----	----	3 UNCH
5580	----	----	80.70B/71.80A	80.70B/71.80A	----	71.80 - 5.00	.1785	----	----	----	----	17 UNCH
5595	----	----	78.80B/70.40A	78.80B/70.40A	----	70.10 - 4.90	.1749	----	----	----	----	3 UNCH
5600	----	----	78.00B/69.80A	78.00B/69.80A	----	69.50 - 4.90	.1736	----	----	2	----	2018 + 1
5615	----	----	76.20B/68.10A	76.20B/68.10A	----	67.80 - 4.90	.1700	----	----	----	----	1 UNCH
5635	----	----	73.90B/66.10A	73.90B/66.10A	----	65.70 - 4.80	.1654	----	----	----	----	2 UNCH
5640	----	----	73.40B/65.60A	73.40B/65.60A	----	65.20 - 4.70	.1643	----	----	----	----	3 UNCH
5650	----	----	72.20B/64.50A	72.20B/64.50A	----	64.10 - 4.70	.1619	----	----	----	----	89 UNCH
5660	62.70	62.70	71.00B/62.70	71.00B/62.70	----	63.10 - 4.70	.1597	----	----	2	----	12 + 2
5670	----	----	69.80B/62.40A	69.80B/62.40A	----	62.10 - 4.70	.1575	----	----	----	----	10 UNCH
5675	----	----	69.30B/61.90A	69.30B/61.90A	----	61.60 - 4.60	.1564	----	----	1	----	4 + 1
5690	----	----	67.70B/60.50A	67.70B/60.50A	----	60.20 - 4.50	.1532	----	----	----	----	13 UNCH
5700	----	----	66.70B/59.70A	66.70B/59.70A	----	59.20 - 4.60	.1511	----	----	44	----	2179 + 41
5720	----	----	64.60B/57.80A	64.60B/57.80A	----	57.40 - 4.50	.1470	----	----	----	----	10 UNCH
5725	----	----	64.10B/57.40A	64.10B/57.40A	----	57.00 - 4.40	.1461	----	----	----	----	1 UNCH
5730	----	----	63.70B/56.90A	63.70B/56.90A	----	56.50 - 4.40	.1450	----	----	----	----	12 UNCH
5750	54.80	54.80	61.70B/54.80	61.70B/54.80	----	54.80 - 4.30	.1411	----	----	3	----	300 UNCH
5800	----	----	57.10B/51.60A	57.10B/51.60A	----	50.70 - 4.20	.1317	----	----	10	----	909 + 10
5825	----	----	55.00B/49.60A	55.00B/49.60A	----	48.90 - 4.10	.1274	----	----	----	----	14 UNCH
5850	----	----	52.90B/47.90A	52.90B/47.90A	----	47.10 - 4.00	.1232	----	----	----	----	165 UNCH
5875	----	----	51.00B/46.20A	51.00B/46.20A	----	45.40 - 3.90	.1192	----	----	----	----	7 UNCH
5900	43.40	43.40	49.20B/43.40	49.20B/43.40	----	43.80 - 3.80	.1153	----	----	2	----	1819 + 2
5925	42.30	42.30	47.40B/42.30	47.40B/42.30	----	42.30 NEW	.1117	----	----	2	----	2 + 2
5950	----	----	45.70B/41.60A	45.70B/41.60A	----	40.80 - 3.70	.1080	----	----	----	----	1 UNCH
6000	43.50	43.50	43.50/38.20	43.50/38.20	----	38.10 - 3.50	.1014	----	----	54	----	1210 + 2
6100	33.90	33.90	37.10B/33.80	37.10B/33.80	----	33.40 - 3.00	.0896	----	----	4	----	330 + 1
6200	29.00	29.00	32.50B/29.00	32.50B/29.00	----	29.50 - 2.60	.0795	----	----	7	----	1334 + 7
6300	----	----	----/27.30A	26.80B/27.30A	----	26.10 - 2.20	.0707	----	----	1	----	65 + 1
6400	24.60	24.60	25.40/24.40A	25.40/24.40A	----	23.30 - 1.80	.0633	----	----	21	----	50 + 19
6500	----	----	----/22.10A	21.30B/22.10A	----	21.00 - 1.40	.0570	----	----	----	----	707 UNCH
6600	----	----	----/20.00A	19.40B/20.00A	----	19.00 - 1.10	.0516	----	----	----	----	132 UNCH
6700	----	----	----	17.50B/18.30A	----	17.30 - 0.90	.0468	----	----	----	----	254 UNCH
6800	----	----	----	15.90B/16.80A	----	15.80 - 0.80	.0427	----	----	----	----	49 UNCH
6900	----	----	----	14.60B/15.70A	----	14.60 - 0.60	.0393	----	----	----	----	1 UNCH
7000	----	----	----	13.50B/14.30A	----	13.50 - 0.50	.0361	----	----	1	----	474 - 1
7500	----	----	----	9.40B/10.60A	----	9.80 - 0.20	.0254	----	----	----	----	737 UNCH
8000	----	----	----	7.60B/8.10A	----	7.60 UNCH	.0191	----	----	----	----	93 UNCH
8500	----	----	----	5.40B/6.40A	----	6.00 + 0.10	.0147	----	----	----	----	73 UNCH
9000	----	----	----	4.30B/5.20A	----	4.80 UNCH	.0115	----	----	----	----	8 UNCH
9500	----	----	----	3.50B/4.50A	----	4.00 + 0.10	.0093	----	----	----	----	68 UNCH
10000	----	----	3.40B/----	3.40B/3.90A	----	3.50 + 0.20	.0079	----	----	----	----	98 UNCH
TOTAL										412	1,762	38431+ 1121
SEP26												
3875	----	----	----	778.80B/1141.60A	----	944.30 - 1.50	.8627	----	----	----	----	1 UNCH
3995	----	----	----	675.90B/1047.10A	----	844.30 - 2.00	.8321	----	----	----	----	10 UNCH
4085	----	----	----	598.80B/979.60A	----	772.20 - 2.40	.8058	----	----	----	----	37 UNCH
4130	----	----	----	561.30B/946.80A	----	737.10 - 2.60	.7916	----	----	----	----	10 UNCH
4185	----	----	----	516.50B/907.50A	----	695.30 - 2.90	.7733	----	----	----	----	37 UNCH
4200	----	----	----	504.50B/896.90A	----	684.00 - 3.10	.7682	----	----	----	----	1 UNCH
4220	----	----	----	488.60B/882.90A	----	669.20 - 3.10	.7612	----	----	----	----	162 UNCH
4290	----	----	----	434.50B/831.70A	----	618.50 - 3.70	.7356	----	----	----	----	6 UNCH
4295	----	----	----	430.70B/829.40A	----	615.00 - 3.70	.7337	----	----	----	----	50 UNCH
4300	----	----	----	426.90B/807.80A	----	611.40 - 3.80	.7318	----	----	----	----	13 UNCH
4320	----	----	----/572.60A	572.40B/572.60A	----	597.40 - 3.90	.7242	----	----	----	----	162 UNCH
4375	----	----	567.20B/536.70A	567.20B/536.70A	----	559.70 - 4.30	.7025	----	----	----	----	1 UNCH
4390	----	----	567.60B/527.20A	567.60B/527.20A	----	549.70 - 4.40	.6964	----	----	----	----	200 UNCH
4425	----	----	559.70B/505.30A	559.70B/505.30A	----	526.70 - 4.60	.6820	----	----	----	----	1 UNCH
4495	----	----	513.60B/461.40A	513.60B/461.40A	----	482.40 - 5.10	.6521	----	----	----	----	18 UNCH
4500	----	----	510.40B/458.40A	510.40B/458.40A	----	479.30 - 5.10	.6499	----	----	----	----	5 UNCH
4505	----	----	507.20B/455.60A	507.20B/455.60A	----	476.30 - 5.10	.6478	----	----	----	----	2 UNCH
4510	----	----	504.00B/452.70A	504.00B/452.70A	----	473.20 - 5.20	.6456	----	----	----	----	2 UNCH
4515	----	----	500.80B/449.80A	500.80B/449.80A	----	470.20 - 5.20	.6434	----	----	----	----	2 UNCH
4545	----	----	482.00B/434.00A	482.00B/434.00A	----	452.20 - 5.40	.6301	----	----	----	----	16 UNCH
4550	----	----	479.00B/430.00A	479.00B/430.00A	----	449.30 - 5.40	.6279	----	----	----	----	222 UNCH
4560	----	----	472.80B/425.70A	472.80B/425.70A	----	443.40 - 5.50	.6234	----	----	----	----	2 UNCH
4565	----	----	469.80B/421.70A	469.80B/421.70A	----	440.50 - 5.50	.6212	----	----	----	----	2 UNCH
4570	----	----	466.80B/420.20A	466.80B/420.20A	----	437.60 - 5.50	.6189	----	----	----	----	2 UNCH
4575	----	----	463.70B/417.20A	463.70B/417.20A	----	434.80 - 5.40	.6166	----	----	----	----	2 UNCH
4580	----	----	460.70B/414.40A	460.70B/414.40A	----	431.90 - 5.50	.6144	----	----	----	----	2 UNCH
4585	----	----	457.70B/411.80A	457.70B/411.80A	----	429.00 - 5.60	.6121	----	----	----	----	2 UNCH
4590	----	----	454.70B/409.10A	454.70B/409.10A	----	426.20 - 5.50	.6099	----	----	----	----	2 UNCH
4600	----	----	448.80B/403.80A	448.80B/403.80A	----	420.60 - 5.50	.6053	----	----	----	----	53 UNCH
4650	----	----	420.00B/377.50A	420.00B/377.50A	----	393.10 - 5.70	.5824	----	----	----	----	1 UNCH
4675	----	----	406.00B/365.00A	406.00B/365.00A	----	380.00 - 5.70	.5708	----	----	----	----	1 UNCH
4680	----	----	403.30B/362.90A	403.30B/362.90A	----	377.40 - 5.70	.5685	----	----	----	----	1 UNCH
4700	----	----	392.40B/352.90A	392.40B/352.90A	----	367.10 - 5.80	.5592	----	----	----	----	117 UNCH
4705	----	----	389.60B/350.50A	389.60B/350.50A	----	364.60 - 5.70	.5569	----	----	----	----	10 UNCH
4710	----	----	387.00B/348.10A	387.00B/348.10A	----	362.10 - 5.70	.5545	----	----	----	----	1 UNCH
4720	----	----	381.70B/343.40A	381.70B/343.40A	----	357.10 - 5.70	.5499	----	----	----	----	45 UNCH
4725	----	----	379.10B/341.10A	379.10B/341.10A	----	354.60 - 5.80	.5475	----	----	----	----	2 UNCH
4730	----	----	376.50B/338.60A	376.50B/338.60A	----	352.20 - 5.70	.5452	----	----	----	----	5 UNCH
4750	----	----	366.20B/329.40A	366.20B/329.40A	----	342.50 - 5.80	.5358	----	----	----	----	43 UNCH
4775	----	----	353.50B/318.30A	353.50B/318.30A	----	330.80 - 5.70	.5242	----	----	----	----	184 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 35

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4780	----	----	351.00B/316.10A	351.00B/316.10A	----	328.50 - 5.70	.5219	----	----	----	----	7 UNCH
4800	----	----	341.20B/307.80A	341.20B/307.80A	----	319.40 - 5.70	.5126	----	----	----	----	682 UNCH
4840	----	----	322.40B/291.20A	322.40B/291.20A	----	301.60 - 6.10	.4940	----	----	----	----	2 UNCH
4850	----	----	318.00B/287.20A	318.00B/287.20A	----	297.30 - 6.10	.4894	----	----	----	----	20 UNCH
4875	----	----	306.80B/277.20A	306.80B/277.20A	----	286.80 - 6.30	.4780	----	----	----	----	30 UNCH
4900	----	----	296.00B/267.70A	296.00B/267.70A	----	276.50 - 6.60	.4665	----	----	----	----	260 UNCH
4925	----	----	285.40B/258.40A	285.40B/258.40A	----	266.50 - 7.00	.4552	----	----	----	----	1 UNCH
4975	----	----	265.40B/240.80A	265.40B/240.80A	----	247.50 - 7.50	.4328	----	----	----	80	314 + 80
5000	----	----	255.80B/232.40A	255.80B/232.40A	----	238.50 - 7.60	.4218	----	----	----	----	587 UNCH
5005	----	----	253.90B/230.70A	253.90B/230.70A	----	236.80 - 7.60	.4197	----	----	----	----	1 UNCH
5050	----	----	237.60B/216.20A	237.60B/216.20A	----	221.60 - 7.60	.4003	----	----	----	----	1 UNCH
5075	----	----	228.90B/208.90A	228.90B/208.90A	----	213.60 - 7.50	.3898	----	----	----	----	1 UNCH
5100	----	----	220.50B/201.60A	220.50B/201.60A	----	205.90 - 7.40	.3795	----	----	----	----	241 UNCH
5150	----	----	204.40B/187.80A	204.40B/187.80A	----	191.20 - 7.30	.3593	----	----	----	----	3 UNCH
5200	----	----	189.70B/174.60A	189.70B/174.60A	----	177.60 - 7.10	.3399	----	----	----	----	373 UNCH
5230	----	----	181.30B/167.70A	181.30B/167.70A	----	169.90 - 7.00	.3287	----	----	----	----	400 UNCH
5235	----	----	179.90B/166.50A	179.90B/166.50A	----	168.60 - 7.00	.3268	----	----	----	----	1 UNCH
5250	----	----	175.80B/163.00A	175.80B/163.00A	----	164.90 - 6.90	.3213	----	----	----	----	10 UNCH
5300	----	----	163.10B/151.90A	163.10B/151.90A	----	153.20 - 6.70	.3034	----	----	----	90	723 + 90
5335	----	----	154.60B/144.80A	154.60B/144.80A	----	145.40 - 6.60	.2913	----	----	----	----	1 UNCH
5350	----	----	151.20B/141.60A	151.20B/141.60A	----	142.30 - 6.50	.2864	----	----	----	----	1 UNCH
5375	----	----	145.60B/136.70A	145.60B/136.70A	----	137.10 - 6.40	.2781	----	----	----	----	2 UNCH
5400	----	----	140.20B/132.10A	140.20B/132.10A	----	132.20 - 6.30	.2701	----	----	----	----	430 UNCH
5420	----	----	136.00B/128.50A	136.00B/128.50A	----	128.30 - 6.30	.2637	----	----	----	----	80 UNCH
5450	----	----	129.90B/123.30A	129.90B/123.30A	----	122.80 - 6.10	.2545	----	----	----	----	3 UNCH
5460	----	----	127.90B/121.60A	127.90B/121.60A	----	121.10 - 6.00	.2516	----	----	----	----	1 UNCH
5475	----	----	125.20B/119.20A	125.20B/119.20A	----	118.50 - 5.90	.2472	----	----	----	----	2 UNCH
5500	----	----	120.50B/115.40A	120.50B/115.40A	----	114.20 - 5.90	.2399	----	----	100	----	1239 - 10
5505	----	----	119.60B/114.60A	119.60B/114.60A	----	113.40 - 5.90	.2385	----	----	----	----	3 UNCH
5520	----	----	117.00B/112.10A	117.00B/112.10A	----	111.00 - 5.80	.2343	----	----	----	----	1 UNCH
5525	----	----	116.10B/111.60A	116.10B/111.60A	----	110.20 - 5.80	.2329	----	----	----	----	2 UNCH
5600	----	----	----/100.80A	103.80B/100.80A	----	99.00 - 5.40	.2131	----	----	----	----	559 UNCH
5625	----	----	----/97.40A	100.10B/97.40A	----	95.60 - 5.30	.2069	----	----	----	----	2 UNCH
5650	----	----	----/94.00A	96.30B/94.00A	----	92.30 - 5.20	.2008	----	----	----	----	559 UNCH
5700	84.00	84.00	89.50B/84.00	89.50B/84.00	----	86.00 - 5.00	.1891	----	----	7	----	1059 + 7
5750	----	----	----/81.90A	83.30B/81.90A	----	80.30 - 4.80	.1783	----	----	----	----	237 UNCH
5800	----	----	----/76.70A	77.40B/76.70A	----	75.00 - 4.60	.1680	----	----	----	----	827 UNCH
5850	----	----	----/71.80A	72.30B/71.80A	----	70.20 - 4.30	.1585	----	----	----	----	582 UNCH
5900	----	----	----/67.00A	67.60B/67.00A	----	65.70 - 4.20	.1495	----	----	----	----	503 UNCH
5950	----	----	----/63.00A	63.50B/63.00A	----	61.70 - 3.80	.1413	----	----	----	----	49 UNCH
6000	----	----	----/59.30A	59.30B/59.30A	----	57.90 - 3.70	.1335	----	----	----	50	1109 + 50
6100	----	----	----/53.00A	52.10B/53.00A	----	51.30 - 3.30	.1195	----	----	----	----	363 UNCH
6200	----	----	----/47.00A	47.20B/47.00A	----	45.60 - 3.10	.1072	----	----	----	----	226 UNCH
6300	----	----	----/42.50A	42.10B/42.50A	----	40.80 - 2.90	.0965	----	----	----	----	159 UNCH
6400	----	----	----/38.30A	37.20B/38.30A	----	36.60 - 2.80	.0871	----	----	----	----	220 UNCH
6500	----	----	----/35.30A	33.70B/35.30A	----	32.90 - 2.60	.0787	----	----	----	----	344 UNCH
6600	30.30	30.30	30.30/*30.30	30.40B/30.30	----	29.70 - 2.30	.0714	----	----	2	----	45 UNCH
6650	----	----	----	27.30B/31.00A	----	28.30 - 2.10	.0681	----	----	----	----	5 UNCH
6750	----	----	----	24.70B/28.60A	----	25.70 - 1.50	.0620	----	----	----	----	11 UNCH
6775	----	----	----	24.10B/28.00A	----	25.10 - 1.30	.0606	----	----	----	----	1 UNCH
6800	----	----	----	23.50B/27.50A	----	24.60 - 1.10	.0593	----	----	----	----	127 UNCH
7000	----	----	----	19.60B/*23.80A	----	20.80 - 0.20	.0501	----	----	----	50	150 + 50
TOTAL										109	270	13994 + 267
OCT26												
3600	----	----	----	987.00B/1422.20A	----	1193.90 - 2.10	.9062	----	----	----	----	12 UNCH
4300	----	----	----/611.00A	611.90B/611.00A	----	633.90 - 4.10	.7211	----	----	----	----	102 UNCH
4400	----	----	596.50B/547.90A	596.50B/547.90A	----	567.90 - 4.40	.6835	----	----	----	----	8 UNCH
4405	----	----	593.20B/544.70A	593.20B/544.70A	----	564.70 - 4.40	.6816	----	----	----	----	2 UNCH
4480	----	----	544.80B/497.40A	544.80B/497.40A	----	518.20 - 4.70	.6519	----	----	----	----	1 UNCH
4500	----	----	532.30B/486.40A	532.30B/486.40A	----	506.20 - 4.80	.6438	----	----	----	----	3 UNCH
4515	----	----	523.00B/477.70A	523.00B/477.70A	----	497.30 - 4.90	.6377	----	----	----	----	1 UNCH
4550	----	----	501.80B/458.40A	501.80B/458.40A	----	477.00 - 5.10	.6233	----	----	----	----	1 UNCH
4580	----	----	485.50B/442.10A	485.50B/442.10A	----	460.00 - 5.30	.6108	----	----	----	----	70 UNCH
4600	----	----	474.00B/431.00A	474.00B/431.00A	----	448.90 - 5.50	.6024	----	----	----	----	134 UNCH
4610	----	----	468.30B/425.90A	468.30B/425.90A	----	443.40 - 5.60	.5982	----	----	----	----	5 UNCH
4620	----	----	462.60B/421.40A	462.60B/421.40A	----	438.00 - 5.70	.5940	----	----	----	----	1 UNCH
4630	----	----	457.30B/415.70A	457.30B/415.70A	----	432.60 - 5.80	.5898	----	----	----	----	3 UNCH
4650	----	----	446.00B/406.30A	446.00B/406.30A	----	422.00 - 6.00	.5813	----	----	----	----	1 UNCH
4670	----	----	435.40B/396.50A	435.40B/396.50A	----	411.50 - 6.30	.5727	----	----	----	----	1 UNCH
4675	----	----	432.50B/394.10A	432.50B/394.10A	----	408.90 - 6.30	.5706	----	----	----	----	1 UNCH
4690	----	----	424.50B/386.90A	424.50B/386.90A	----	401.30 - 6.40	.5642	----	----	----	----	1 UNCH
4700	----	----	419.30B/382.20A	419.30B/382.20A	----	396.20 - 6.60	.5599	----	----	----	----	5 UNCH
4710	----	----	414.10B/377.50A	414.10B/377.50A	----	391.20 - 6.70	.5556	----	----	----	----	1 UNCH
4715	----	----	411.60B/375.20A	411.60B/375.20A	----	388.70 - 6.80	.5535	----	----	----	----	2 UNCH
4750	----	----	393.80B/362.70A	393.80B/362.70A	----	371.70 - 7.20	.5384	----	----	----	----	1 UNCH
4755	----	----	391.40B/359.90A	391.40B/359.90A	----	369.30 - 7.20	.5363	----	----	----	----	1 UNCH
4800	----	----	369.50B/340.00A	369.50B/340.00A	----	348.50 - 7.60	.5170	----	----	----	----	14 UNCH
4845	----	----	348.70B/320.50A	348.70B/320.50A	----	328.70 - 8.00	.4979	----	----	----	----	1 UNCH
4850	----	----	346.60B/317.50A	346.60B/317.50A	----	326.60 - 8.00	.4957	----	----	----	----	54 UNCH
4865	----	----	339.70B/312.50A	339.70B/312.50A	----	320.30 - 8.00	.4894	----	----	----	----	2 UNCH
4880	----	----	333.10B/306.60A	333.10B/306.60A	----	314.10 - 8.10	.4831	----	----	----	----	1 UNCH
4900	----	----	324.50B/298.90A	324.50B/298.90A	----	306.00 - 8.20	.4747	----	----	45	----	1238 UNCH
4910	----	----	320.70B/295.20A	320.70B/295.20A	----	302.10 - 8.10	.4706	----	----	----	----	1 UNCH
4925	----	----	314.20B/289.60A	314.20B/289.60A	----	296.20 - 8.20	.4644	----	----	----	----	18 UNCH
4950	----	----	304.20B/280.60A	304.20B/280.60A	----	286.70 - 8.20	.4541	----	----	----	----	7 UNCH
5000	----	----	284.20B/263.20A	284.20B/263.20A	----	268.50 - 8.20	.4339	----	----	2	----	1478 UNCH
5025	----	----	275.30B/255.00A	275.30B/255.00A	----	259.80 - 8.20	.4239	----	----	----	----	2 UNCH
5050	----	----	266.20B/247.10A	266.20B/247.10A	----	251.30 - 8.20	.4140	----	----	----	----	57 UNCH
5075	----	----	257.40B/239.30A	257.40B/239.30A	----	243.20 - 8.10	.4044	----	----	----	----	1 UNCH
5080	----	----	255.30B/236.70A	255.30B/236.70A	----	241.60 - 8.10	.4025	----	----	----	----	3 UNCH
5085	----	----	253.90B/235.30A	253.90B/235.30A	----	240.00 - 8.10	.4005	----	----	----	----	3 UNCH
5100	----	----	248.80B/231.80A	248.80B/231.80A	----	235.20 - 8.20	.3948	----	----	----	----	612 UNCH
5125	----	----	240.40B/223.50A	240.40B/223.50A	----	227.60 - 8.00	.3854	----	----	----	----	1 UNCH
5160	----	----	229.40B/213.70A	229.40B/213.70A	----	217.20 - 8.00	.3724	----	----	----	----	1 UNCH
5200	----	----	217.30B/204.10A	217.30B/204.10A	----	206.00 - 7.90	.3579	----	----	----	----	447 UNCH
5250	----	----	202.80B/191.50A	202.80B/191.50A	----	192.80 - 7.80	.3404	----	----	----	----	522 UNCH
5255	----	----	201.30B/190.30A	201.30B/190.30A	----	191.50 - 7.80	.3387	----	----	----	----	2 UNCH
5300	----	----	189.60B/179.00A	189.60B/179.00A	----	180.40 - 7.70	.3236	----	----	----	----	252 UNCH
5325	----	----	183.20B/174.40A	183.20B/174.40A	----	174.60 - 7.50	.3154	----	----	----	----	1 UNCH
5400	----	----	----/158.70A	165.40B/158.70A	----	158.20 - 7.30	.2919	----	----	----	----	168 UNCH
5435	----	----	----/152.00A	157.70B/152.00A	----	151.10 - 7.10	.2815	----	----	----	----	226 UNCH
5450	----	----	----/149.10A	154.30B/149.10A	----	148.20 - 7.00	.2771	----	----	----	----	66 UNCH
5455	----	----	----/148.20A	153.50B/148.20A	----	147.20 - 7.10	.2756	----	----	----	----	175 UNCH
5475	----	----	----/144.50A	149.40B/144.50A	----	143.40 - 7.00	.2699	----	----	----	----	1 UNCH
5500	----	----	----/140.10A	144.40B/140.10A	----	138.80 - 6.90	.2629	----	----	2	----	419 - 2
5545	----	----	----/132.70A	135.80B/132.70A	----	131.00 - 6.60	.2508	----	----	----	----	5 UNCH
5550	----	----	----/131.80A	134.90B/131.80A	----	130.20 - 6.60	.2495	----	----	----	----	100 UNCH
5590	----	----	----/125.70A	127.80B/125.70A	----	123.70 - 6.40	.2392	----	----	----	----	4 UNCH
5600	----	----	----/124.20A	126.00B/124.20A	----	122.10 - 6.40	.2367	----	----	----	----	110 UNCH
5610	----	----	----/122.60A	124.40B/122.60A	----	120.50 - 6.40	.2341	----	----	----	----	1 UNCH
5615	----	----	----/122.00A	123.60B/122.00A	----	119.80 - 6.30	.2330	----	----	----	----	5 UNCH
5650	----	----	----/116.90A	117.90B/116.90A	----	114.60 - 6.20	.2245	----	----	----	----	201 UNCH
5655	----	----	----/116.20A	117.10B/116.20A	----	113.90 - 6.20	.2233	----	----	----	----	2 UNCH
5660	----	----	----/115.50A	116.30B/115.50A	----	113.10 - 6.20	.2221	----	----	----	----	1 UNCH
5675	----	----	----/113.40A	113.90B/113.40A	----	111.00 - 6.20	.2186	----	----	----	----	3 UNCH
5700	----	----	----/110.00A	110.30B/110.00A	----	107.60 - 6.10	.2129	----	----	----	----	20 UNCH
5710	----	----	----/108.50A	108.80B/108.50A	----	106.20 - 6.10	.2106	----	----	----	----	5 UNCH
5720	----	----	----/107.20A	107.40B/107.20A	----	104.90 - 6.10	.2085	----	----	----	----	75 UNCH
5750	----	----	----/103.60A	103.20B/103.60A	----	101.10 - 6.00	.2020	----	----	----	----	1 UNCH
5775	----	----	----/100.30A	99.90B/100.30A	----	98.00 - 5.90	.1967	----	----	----	----	50 UNCH
5800	----	----	----/97.40A	96.80B/97.40A	----	95.00 - 5.80	.1916	----	----	----	----	413 UNCH
5875	----	----	----/89.10A	88.50B/89.10A	----	86.70 - 5.50	.1771	----	----	----	----	1 UNCH
5900	----	----	----/86.50A	85.60B/86.50A	----	84.20 - 5.30	.1726	----	----	----	----	34 UNCH
6000	77.00	77.00	79.00/74.70A	79.00/74.70A	----	74.80 - 5.00	.1556	----	----	10	----	3077 + 10
6100	----	----	----/68.80A	67.80B/68.80A	----	66.70 - 4.70	.1405	----	----	----	----	66 UNCH
6200	----	----	----/62.40A	60.20B/62.40A	----	59.80 - 4.30	.1272	----	----	----	----	38 UNCH
6300	----	----	----/57.00A	54.00B/57.00A	----	53.80 - 4.00	.1155	----	----	----	----	632 UNCH
6400	----	----	----/50.40A	49.90B/50.40A	----	48.60 - 3.70	.1050	----	----	----	----	1911 UNCH
6500	46.80	46.80	46.80/43.80	46.80/43.80	----	44.10 - 3.30	.0959	----	----	4	----	6952 + 3
6800	----	----	----	31.50B/37.80A	----	33.60 - 2.20	.0739	----	----	----	----	1385 UNCH
6900	----	----	----	28.70B/35.00A	----	31.00 - 2.10	.0682	----	----	----	----	1 UNCH
7000	----	----	----	26.10B/33.00A	----	28.70 - 1.90	.0632	----	----	----	----	2263 UNCH
8000	----	----	----	12.90B/20.10A	----	15.50 - 1.20	.0334	----	----	----	----	211 UNCH
8500	----	----	----	10.10B/*17.00A	----	12.40 - 1.00	.0262	----	----	----	----	200 UNCH
9000	----	----	----	8.10B/14.80A	----	10.50 - 0.90	.0216	----	----	----	----	69 UNCH
9500	----	----	----	6.70B/*13.10A	----	8.80 - 0.70	.0178	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
TOTAL										63		23976+ 11
NOV26												
4000	----	----	----	691.50B/1148.20A	----	901.60 - 2.70	.8132	----	----	----	----	1 UNCH
4100	----	----	----	609.90B/1076.90A	----	825.30 - 2.90	.7854	----	----	----	----	1 UNCH
4275	----	----	----	475.70B/959.00A	----	699.90 - 3.20	.7309	----	----	----	----	38 UNCH
4300	----	----	----/662.50A	655.30B/662.50A	----	682.90 - 3.20	.7225	----	----	----	----	1 UNCH
4375	----	----	650.20B/615.00A	650.20B/615.00A	----	633.40 - 3.50	.6967	----	----	----	----	38 UNCH
4400	----	----	642.10B/599.70A	642.10B/599.70A	----	617.40 - 3.60	.6878	----	----	----	----	20 UNCH
4440	----	----	616.00B/576.00A	616.00B/576.00A	----	592.30 - 3.80	.6734	----	----	----	----	1 UNCH
4500	----	----	578.60B/541.00A	578.60B/541.00A	----	556.10 - 4.20	.6513	----	----	----	----	25 UNCH
4600	----	----	528.70B/484.80A	528.70B/484.80A	----	499.20 - 5.10	.6133	----	----	----	----	1 UNCH
4750	----	----	447.70B/411.30A	447.70B/411.30A	----	421.70 - 6.30	.5548	----	----	----	----	1 UNCH
4775	----	----	435.40B/400.00A	435.40B/400.00A	----	409.70 - 6.50	.5450	----	----	----	----	30 UNCH
4800	----	----	423.20B/388.90A	423.20B/388.90A	----	398.10 - 6.60	.5351	----	----	----	----	2 UNCH
4850	----	----	399.30B/369.70A	399.30B/369.70A	----	376.00 - 6.60	.5157	----	----	----	----	25 UNCH
4900	----	----	377.00B/347.70A	377.00B/347.70A	----	354.90 - 6.70	.4964	----	----	----	----	451 UNCH
4915	----	----	370.10B/341.90A	370.10B/341.90A	----	348.80 - 6.70	.4907	----	----	----	----	1 UNCH
4925	----	----	365.90B/338.00A	365.90B/338.00A	----	344.70 - 6.80	.4868	----	----	----	----	1 UNCH
4950	----	----	355.80B/328.30A	355.80B/328.30A	----	334.80 - 6.90	.4773	----	----	----	----	150 UNCH
5000	----	----	335.40B/310.30A	335.40B/310.30A	----	315.70 - 6.90	.4586	----	----	----	----	29 UNCH
5080	----	----	304.50B/283.40A	304.50B/283.40A	----	287.00 - 7.10	.4292	----	----	----	----	4 UNCH
5085	----	----	303.00B/281.60A	303.00B/281.60A	----	285.30 - 7.10	.4274	----	----	----	----	4 UNCH
5175	----	----	272.00B/254.10A	272.00B/254.10A	----	256.20 - 7.20	.3956	----	----	----	----	2 UNCH
5200	----	----	263.60B/247.10A	263.60B/247.10A	----	248.60 - 7.30	.3871	----	----	----	----	26 UNCH
5250	----	----	248.40B/233.30A	248.40B/233.30A	----	234.20 - 7.20	.3704	----	----	----	----	9 UNCH
5300	----	----	233.80B/220.50A	233.80B/220.50A	----	220.70 - 7.10	.3542	----	----	----	----	27 UNCH
5370	----	----	214.80B/203.90A	214.80B/203.90A	----	203.20 - 6.90	.3325	----	----	----	----	5 UNCH
5400	----	----	207.20B/197.10A	207.20B/197.10A	----	196.10 - 6.90	.3235	----	----	----	----	17 UNCH
5450	----	----	195.00B/186.40A	195.00B/186.40A	----	184.90 - 6.80	.3090	----	----	----	----	925 UNCH
5500	----	----	183.60B/176.20A	183.60B/176.20A	----	174.40 - 6.70	.2950	----	----	----	----	79 UNCH
5550	----	----	172.60B/166.80A	172.60B/166.80A	----	164.60 - 6.50	.2817	----	----	----	----	1 UNCH
5600	----	----	162.90B/157.90A	162.90B/157.90A	----	155.30 - 6.40	.2688	----	----	----	----	43 UNCH
5700	----	----	----/141.80A	144.40B/141.80A	----	138.40 - 6.10	.2447	----	----	----	----	35 UNCH
5710	----	----	----/140.30A	142.80B/140.30A	----	136.90 - 6.00	.2425	----	----	----	----	1 UNCH
5800	----	----	----/126.60A	128.60B/126.60A	----	123.60 - 5.80	.2227	----	----	----	----	25 UNCH
5825	----	----	----/123.90A	124.90B/123.90A	----	120.20 - 5.70	.2176	----	----	----	----	2 UNCH
5900	----	----	----/114.40A	114.50B/114.40A	----	110.60 - 5.50	.2028	----	----	----	----	1 UNCH
5925	----	----	----/111.40A	111.30B/111.40A	----	107.60 - 5.40	.1981	----	----	----	----	4 UNCH
5975	----	----	----/105.40A	105.10B/105.40A	----	101.90 - 5.30	.1890	----	----	----	----	1 UNCH
6000	----	----	----/102.80A	102.20B/102.80A	----	99.10 - 5.30	.1846	----	----	----	----	217 UNCH
6100	----	----	----/92.90A	91.40B/92.90A	----	89.20 - 4.90	.1684	----	----	----	----	1 UNCH
6200	----	----	----/84.00A	82.20B/84.00A	----	80.40 - 4.60	.1537	----	----	----	----	3 UNCH
6400	----	----	----	67.50B/70.30A	----	66.10 - 3.90	.1288	----	----	----	----	13 UNCH
6500	----	----	----	61.40B/65.00A	----	60.30 - 3.50	.1183	----	----	----	----	1161 UNCH
8000	----	----	----	16.60B/28.50A	----	22.40 - 0.60	.0443	----	----	----	----	11 UNCH
9000	----	----	----	10.00B/*21.10A	----	14.60 UNCH	.0281	----	----	----	----	3 UNCH
20000	----	----	----	----/2.00A	----	0.70 + 0.20	.0012	----	----	----	----	137 UNCH
TOTAL												3573 0
DEC26												
3550	----	----	----	#1067.70B/1536.40A	----	1285.80 - 1.70	.8998	----	----	----	----	2 UNCH
3570	----	----	----	#1050.00B/1519.20A	----	1268.30 - 1.70	.8964	----	----	----	----	1 UNCH
3600	----	----	----	1023.70B/1493.60A	----	1242.20 - 1.80	.8913	----	----	----	----	1 UNCH
3800	----	----	----	853.20B/1328.90A	----	1073.60 - 2.20	.8521	----	----	----	----	4 UNCH
3900	----	----	----	769.30B/1254.30A	----	993.10 - 2.50	.8292	----	----	----	----	2 UNCH
4060	----	----	----	637.60B/1140.00A	----	870.40 - 2.90	.7878	----	----	----	----	100 UNCH
4100	----	----	----	606.00B/1112.50A	----	840.90 - 3.20	.7765	----	----	----	----	48 UNCH
4160	----	----	----	559.70B/1072.00A	----	797.80 - 3.40	.7591	----	----	----	----	100 UNCH
4175	----	----	----	548.30B/1062.00A	----	787.20 - 3.40	.7546	----	----	----	----	37 UNCH
4200	----	----	----	529.50B/1045.50A	----	769.70 - 3.60	.7470	----	----	----	----	150 UNCH
4250	----	----	----	492.80B/1012.20A	----	735.40 - 3.80	.7314	----	----	----	----	293 UNCH
4255	----	----	----	489.20B/1009.90A	----	732.10 - 3.70	.7298	----	----	----	----	50 UNCH
4285	----	----	----/693.00A	688.20B/693.00A	----	712.00 - 3.90	.7203	----	----	----	----	1 UNCH
4300	----	----	----/683.50A	688.50B/683.50A	----	702.10 - 4.00	.7154	----	----	----	----	436 UNCH
4315	----	----	----/674.50A	685.90B/674.50A	----	692.20 - 4.10	.7105	----	----	----	----	1 UNCH
4320	----	----	----/670.90A	683.40B/670.90A	----	689.00 - 4.10	.7089	----	----	----	----	100 UNCH
4350	----	----	684.90B/652.80A	684.90B/652.80A	----	669.60 - 4.30	.6990	----	----	----	----	206 UNCH
4375	----	----	677.00B/637.60A	677.00B/637.60A	----	653.70 - 4.50	.6906	----	----	----	----	61 UNCH
4400	----	----	661.30B/622.10A	661.30B/622.10A	----	638.10 - 4.60	.6821	----	----	----	----	2 UNCH
4425	----	----	645.30B/607.90A	645.30B/607.90A	----	622.70 - 4.70	.6735	----	----	----	----	8 UNCH
4450	----	----	629.50B/592.90A	629.50B/592.90A	----	607.50 - 5.00	.6649	----	----	----	----	87 UNCH
4465	----	----	620.40B/584.30A	620.40B/584.30A	----	598.60 - 5.00	.6596	----	----	----	----	93 UNCH
4490	----	----	605.00B/570.80A	605.00B/570.80A	----	583.80 - 5.20	.6509	----	----	----	----	7 UNCH
4500	----	----	598.90B/564.70A	598.90B/564.70A	----	578.00 - 5.30	.6473	----	----	----	----	757 UNCH
4525	----	----	584.20B/551.00A	584.20B/551.00A	----	563.60 - 5.50	.6384	----	----	----	----	5 UNCH
4540	----	----	575.40B/542.90A	575.40B/542.90A	----	555.00 - 5.60	.6331	----	----	----	----	9 UNCH
4550	----	----	569.50B/538.00A	569.50B/538.00A	----	549.40 - 5.70	.6295	----	----	----	----	1 UNCH
4565	----	----	562.10B/529.60A	562.10B/529.60A	----	541.00 - 5.80	.6241	----	----	----	----	93 UNCH
4580	----	----	558.90B/521.70A	558.90B/521.70A	----	532.70 - 6.00	.6186	----	----	----	----	150 UNCH
4585	----	----	559.10B/519.10A	559.10B/519.10A	----	530.00 - 6.00	.6168	----	----	----	----	325 UNCH
4590	----	----	557.10B/516.50A	557.10B/516.50A	----	527.30 - 6.00	.6150	----	----	----	----	15 UNCH
4600	----	----	551.30B/511.90A	551.30B/511.90A	----	521.80 - 6.20	.6114	----	----	----	40	145 + 40
4615	----	----	543.20B/503.70A	543.20B/503.70A	----	513.80 - 6.20	.6059	----	----	----	----	41 UNCH
4625	----	----	537.60B/498.70A	537.60B/498.70A	----	508.40 - 6.40	.6022	----	----	----	----	72 UNCH
4640	----	----	529.20B/491.70A	529.20B/491.70A	----	500.50 - 6.50	.5967	----	----	----	----	100 UNCH
4650	----	----	523.60B/486.80A	523.60B/486.80A	----	495.30 - 6.60	.5931	----	----	----	----	302 UNCH
4700	----	----	497.20B/462.10A	497.20B/462.10A	----	469.90 - 6.90	.5746	----	----	----	----	97 UNCH
4720	----	----	487.30B/452.80A	487.30B/452.80A	----	460.00 - 7.10	.5672	----	----	----	----	1 UNCH
4750	----	----	471.90B/439.60A	471.90B/439.60A	----	445.50 - 7.30	.5561	----	----	----	----	211 UNCH
4780	----	----	457.20B/425.70A	457.20B/425.70A	----	431.40 - 7.50	.5450	----	----	----	----	2 UNCH
4800	----	----	447.50B/417.00A	447.50B/417.00A	----	422.20 - 7.70	.5376	----	----	----	----	146 UNCH
4810	----	----	442.80B/413.30A	442.80B/413.30A	----	417.70 - 7.70	.5339	----	----	----	----	56 UNCH
4820	----	----	438.10B/409.10A	438.10B/409.10A	----	413.30 - 7.70	.5302	----	----	----	----	49 UNCH
4825	----	----	435.90B/406.40A	435.90B/406.40A	----	411.00 - 7.80	.5284	----	----	----	----	100 UNCH
4850	----	----	424.30B/396.00A	424.30B/396.00A	----	400.10 - 7.80	.5192	----	----	----	----	291 UNCH
4875	----	----	413.00B/385.80A	413.00B/385.80A	----	389.50 - 7.90	.5101	----	----	----	----	1 UNCH
4880	----	----	410.50B/383.80A	410.50B/383.80A	----	387.40 - 7.90	.5083	----	----	----	----	1 UNCH
4900	----	----	401.90B/374.10A	401.90B/374.10A	----	379.10 - 7.90	.5011	----	----	----	----	53 UNCH
4925	----	----	391.00B/364.70A	391.00B/364.70A	----	368.90 - 8.00	.4921	----	----	----	----	1 UNCH
4975	----	----	369.90B/344.90A	369.90B/344.90A	----	349.40 - 8.10	.4742	----	----	----	----	50 UNCH
5000	----	----	360.50B/335.90A	360.50B/335.90A	----	340.00 - 8.10	.4654	----	----	100	----	2112 - 7
5025	----	----	350.60B/328.50A	350.60B/328.50A	----	330.80 - 8.20	.4567	----	----	----	----	32 UNCH
5050	----	----	340.60B/319.00A	340.60B/319.00A	----	321.90 - 8.10	.4481	----	----	----	----	100 UNCH
5070	----	----	333.10B/311.80A	333.10B/311.80A	----	314.90 - 8.20	.4412	----	----	----	----	13 UNCH
5075	----	----	331.10B/310.10A	331.10B/310.10A	----	313.20 - 8.10	.4395	----	----	----	----	30 UNCH
5090	----	----	326.20B/306.50A	326.20B/306.50A	----	308.00 - 8.20	.4344	----	----	----	----	13 UNCH
5100	----	----	322.30B/302.00A	322.30B/302.00A	----	304.70 - 8.20	.4310	----	----	----	----	131 UNCH
5150	----	----	305.00B/286.30A	305.00B/286.30A	----	288.30 - 8.30	.4143	----	----	----	----	1 UNCH
5175	----	----	296.30B/278.80A	296.30B/278.80A	----	280.50 - 8.20	.4061	----	----	----	----	100 UNCH
5195	----	----	290.00B/272.90A	290.00B/272.90A	----	274.40 - 8.20	.3997	----	----	----	----	5 UNCH
5200	----	----	288.40B/271.50A	288.40B/271.50A	----	272.90 - 8.20	.3981	----	----	----	----	851 UNCH
5250	----	----	272.60B/257.40A	272.60B/257.40A	----	258.20 - 8.20	.3822	----	----	----	----	158 UNCH
5275	----	----	264.70B/250.40A	264.70B/250.40A	----	251.20 - 8.10	.3744	----	----	----	----	20 UNCH
5300	----	----	257.70B/244.80A	257.70B/244.80A	----	244.40 - 8.10	.3668	----	----	----	----	340 UNCH
5350	----	----	243.60B/232.20A	243.60B/232.20A	----	231.40 - 7.80	.3519	----	----	----	----	457 UNCH
5360	----	----	240.90B/229.90A	240.90B/229.90A	----	228.90 - 7.80	.3490	----	----	----	----	100 UNCH
5370	----	----	238.20B/227.40A	238.20B/227.40A	----	226.40 - 7.70	.3461	----	----	----	----	20 UNCH
5400	----	----	230.10B/220.30A	230.10B/220.30A	----	219.10 - 7.60	.3375	----	----	----	----	1050 UNCH
5460	----	----	215.10B/207.00A	215.10B/207.00A	----	205.30 - 7.20	.3208	----	----	----	----	200 UNCH
5465	----	----	214.10B/206.00A	214.10B/206.00A	----	204.20 - 7.20	.3195	----	----	----	----	50 UNCH
5480	----	----	210.50B/202.90A	210.50B/202.90A	----	200.90 - 7.10	.3154	----	----	----	----	50 UNCH
5500	----	----	205.90B/198.50A	205.90B/198.50A	----	196.60 - 7.00	.3101	----	----	----	380	1943 + 300
5525	----	----	200.20B/193.10A	200.20B/193.10A	----	191.40 - 6.80	.3036	----	----	----	----	80 UNCH
5550	----	----	194.70B/188.90A	194.70B/188.90A	----	186.30 - 6.60	.2972	----	----	----	----	1 UNCH
5600	182.90	182.90	184.00B/178.90A	184.00B/178.90A	----	176.60 - 6.30	.2847	----	----	11	----	1342 - 10
5650	----	----	174.20B/170.10A	174.20B/170.10A	----	167.50 - 5.90	.2728	----	----	----	----	5 UNCH
5660	----	----	172.30B/168.90A	172.30B/168.90A	----	165.70 - 5.90	.2704	----	----	----	----	1 UNCH
5675	----	----	169.50B/166.40A	169.50B/166.40A	----	163.10 - 5.70	.2670	----	----	----	----	8 UNCH
5680	----	----	168.50B/165.50A	168.50B/165.50A	----	162.20 - 5.80	.2658	----	----	----	----	1 UNCH
5685	----	----	167.60B/165.10A	167.60B/165.10A	----	161.40 - 5.70	.2647	----	----	----	----	18 UNCH
5690	----	----	166.70B/163.90A	166.70B/163.90A	----	160.50 - 5.70	.2635	----	----	----	----	7 UNCH
5700	----	----	164.90B/162.20A	164.90B/162.20A	----	158.80 - 5.60	.2612	----	----	----	----	285 UNCH
5705	----	----	163.80B/161.40A	163.80B/161.40A	----	158.00 - 5.60	.2601	----	----	----	----	5 UNCH
5710	----	----	162.90B/160.60A	162.90B/160.60A	----	157.20 - 5.50	.2590	----	----	----	----	5 UNCH
5750	----	----	----/154.40A	155.80B/154.40A	----	150.70 - 5.30	.2502	----	----	----	----	576 UNCH
5770	----	----	----/150.90A	152.70B/150.90A	----	147.60 - 5.20	.2459	----	----	----	----	5 UNCH
5775	----	----	----/150.70A	151.80B/150.70A	----	146.80 - 5.20	.2449	----	----	----	----	2 UNCH
5800	----	----	----/147.10A	147.80B/147.10A	----	143.00 - 5.00	.2396	----	----	----	----	220 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5810	----	----	----/145.60A	146.20B/145.60A	----	141.50 - 5.00	.2375	----	----	----	----	56 UNCH
5825	----	----	----/143.30A	143.60B/143.30A	----	139.30 - 5.00	.2345	----	----	----	----	4 UNCH
5875	----	----	----/136.20A	136.30B/136.20A	----	132.30 - 4.70	.2246	----	----	----	----	9 UNCH
5900	125.00	125.00	132.70B/125.00	132.70B/125.00	----	128.90 - 4.60	.2197	----	----	205	----	1110 - 200
5950	----	----	----/126.70A	125.80B/126.70A	----	122.50 - 4.50	.2104	----	----	----	----	25 UNCH
6000	130.00	130.00	130.00/118.00	130.00/118.00	----	116.50 - 4.30	.2016	----	----	352	----	5673 - 250
6100	----	----	----	107.50B/109.60A	----	105.50 - 4.10	.1851	----	----	----	----	40 UNCH
6150	----	----	----/104.40A	102.10B/104.40A	----	100.50 - 4.00	.1775	----	----	----	----	1 UNCH
6200	----	----	----	97.30B/99.80A	----	95.80 - 4.00	.1702	----	----	----	----	3345 UNCH
6300	----	----	----	88.40B/91.20A	----	87.30 - 3.80	.1567	----	----	----	----	1046 UNCH
6400	----	----	----	80.80B/83.40A	----	79.70 - 3.70	.1444	----	----	----	40	488 + 40
6500	----	----	----	73.80B/77.40A	----	72.90 - 3.70	.1332	----	----	----	300	4550 + 300
6750	----	----	----/61.70A	60.00B/61.70A	----	59.20 - 3.40	.1100	----	----	----	----	100 UNCH
6775	----	----	----/60.60A	58.80B/60.60A	----	58.10 - 3.30	.1080	----	----	----	----	163 UNCH
6800	----	----	----/59.50A	57.60B/59.50A	----	56.90 - 3.30	.1060	----	----	----	----	1664 UNCH
6900	----	----	----/55.40A	53.30B/55.40A	----	52.70 - 3.10	.0986	----	----	----	----	2 UNCH
7000	----	----	----	49.40B/52.30A	----	49.00 - 2.90	.0919	----	----	----	----	3995 UNCH
7175	----	----	----	43.60B/*46.60A	----	43.30 - 2.70	.0816	----	----	----	----	125 UNCH
7250	----	----	----	41.50B/47.40A	----	41.20 - 2.60	.0777	----	----	----	----	107 UNCH
7500	----	----	----	29.40B/42.50A	----	35.20 - 2.30	.0666	----	----	----	----	107 UNCH
8000	----	----	----	21.10B/34.30A	----	27.30 - 1.60	.0512	----	----	----	----	624 UNCH
8125	----	----	----	19.60B/33.00A	----	25.90 - 1.40	.0484	----	----	----	----	801 UNCH
8500	----	----	----	16.20B/29.20A	----	22.70 - 0.90	.0417	----	----	----	----	170 UNCH
8725	----	----	----	14.40B/27.40A	----	21.30 - 0.60	.0387	----	----	----	----	250 UNCH
9000	----	----	----	16.30B/25.50A	----	20.00 - 0.10	.0358	----	----	----	----	102 UNCH
9500	----	----	----	10.50B/22.80A	----	18.30 + 0.50	.0317	----	----	----	----	280 UNCH
9900	----	----	----	9.10B/21.00A	----	17.20 + 0.90	.0292	----	----	----	----	4 UNCH
10000	15.50	15.50	15.50/15.00A	15.50/15.00A	----	17.00 + 1.00	.0286	----	----	2	----	7505 - 2
11000	----	----	----	6.50B/17.40A	----	14.60 + 1.20	.0235	----	----	----	----	379 UNCH
13000	9.00	9.00	9.00/*8.50	9.00/*8.50	----	10.30 + 0.50	.0158	----	----	134	----	366 UNCH
15000	7.00	7.00	7.50/6.50	7.50/6.50	----	6.80 - 0.10	.0103	----	----	733	----	18708 + 564
17000	4.40	4.40	4.40/*4.40	4.40/*4.40	----	4.20 - 0.40	.0064	----	----	6	----	26 + 6
19000	----	----	----	1.40B/7.00A	----	2.50 - 0.40	.0039	----	----	----	----	7 UNCH
20000	2.20	2.20	2.80/2.10A	2.80/2.10A	----	2.00 - 0.30	.0031	----	----	300	----	18615 + 203
21000	2.00	2.00	#2.10/*2.00	2.10/2.00	----	1.50 NEW	.0024	----	----	18	----	18 + 18
24000	----	----	----/1.50A	0.10B/1.50A	----	1.40 - 0.20	.0021	----	----	----	----	31 UNCH
TOTAL										1861	760	85697 + 1002
JAN27												
4190	----	----	----	533.70B/1147.30A	----	820.90 - 5.70	.7520	----	----	----	----	1 UNCH
4290	----	----	----/734.60A	724.00B/734.60A	----	753.10 - 6.60	.7224	----	----	----	----	1 UNCH
4300	----	----	----/728.20A	723.90B/728.20A	----	746.50 - 6.70	.7194	----	----	----	----	1 UNCH
4400	----	----	701.00B/667.00A	701.00B/667.00A	----	682.60 - 7.50	.6880	----	----	----	----	1 UNCH
4650	----	----	565.50B/530.50A	565.50B/530.50A	----	539.80 - 8.90	.6045	----	----	----	----	1 UNCH
4750	----	----	513.10B/482.70A	513.10B/482.70A	----	489.60 - 9.30	.5698	----	----	----	----	5 UNCH
4760	----	----	508.10B/478.70A	508.10B/478.70A	----	484.80 - 9.30	.5664	----	----	----	----	100 UNCH
4800	----	----	488.30B/460.20A	488.30B/460.20A	----	466.10 - 9.40	.5524	----	----	----	----	1 UNCH
4850	----	----	464.50B/438.70A	464.50B/438.70A	----	443.50 - 9.70	.5351	----	----	----	----	1 UNCH
4875	----	----	453.00B/428.80A	453.00B/428.80A	----	432.60 - 9.80	.5265	----	----	----	----	4 UNCH
4900	----	----	441.70B/418.10A	441.70B/418.10A	----	422.00 - 9.80	.5180	----	----	----	----	9 UNCH
5000	----	----	398.80B/378.70A	398.80B/378.70A	----	381.90 - 9.50	.4843	----	----	----	----	27 UNCH
5050	----	----	379.00B/360.60A	379.00B/360.60A	----	363.20 - 9.40	.4678	----	----	----	----	100 UNCH
5100	----	----	359.40B/343.20A	359.40B/343.20A	----	345.50 - 9.10	.4517	----	----	----	----	1 UNCH
5250	----	----	307.30B/294.00A	307.30B/294.00A	----	297.30 - 8.40	.4052	----	----	----	----	7 UNCH
5300	----	----	291.50B/278.90A	291.50B/278.90A	----	282.70 - 8.20	.3904	----	----	----	----	1 UNCH
5400	----	----	----/253.60A	262.00B/253.60A	----	255.60 - 8.10	.3620	----	----	----	----	2 UNCH
5500	----	----	----/230.00A	235.90B/230.00A	----	231.10 - 8.00	.3351	----	----	----	----	24 UNCH
5550	----	----	----/219.10A	223.80B/219.10A	----	219.80 - 8.00	.3223	----	----	----	----	1 UNCH
5820	----	----	----/169.90A	169.00B/169.90A	----	168.20 - 7.50	.2603	----	----	----	----	6 UNCH
5850	----	----	----/162.80A	163.70B/162.80A	----	163.40 - 7.30	.2542	----	----	----	----	3 UNCH
5900	----	----	----/158.10A	155.40B/158.10A	----	155.60 - 7.20	.2442	----	----	----	----	5 UNCH
6000	----	----	----/144.50A	140.60B/144.50A	----	141.30 - 6.80	.2254	----	----	----	----	204 UNCH
6025	----	----	----/141.40A	137.60B/141.40A	----	138.00 - 6.70	.2209	----	----	----	----	1 UNCH
6300	----	----	----/111.80A	106.90B/111.80A	----	106.30 - 5.70	.1771	----	----	----	----	2 UNCH
20000	----	----	----/3.20A	3.10B/3.20A	----	4.00 + 0.70	.0057	----	----	----	----	44 UNCH
TOTAL												553 0
FEB27												
5000	----	----	423.70B/406.70A	423.70B/406.70A	----	407.50 - 14.20	.4898	----	----	----	----	1 UNCH
5100	----	----	385.00B/370.80A	385.00B/370.80A	----	370.10 - 13.20	.4587	----	----	----	----	1 UNCH
5175	----	----	357.30B/346.00A	357.30B/346.00A	----	344.20 - 12.40	.4360	----	----	----	----	125 UNCH
5300	----	----	316.40B/308.50A	316.40B/308.50A	----	305.00 - 10.90	.3996	----	----	----	----	50 UNCH
5375	----	----	----/287.90A	293.90B/287.90A	----	283.60 - 10.30	.3788	----	----	----	----	1 UNCH
5520	----	----	----/252.30A	254.80B/252.30A	----	246.80 - 9.10	.3410	----	----	----	----	300 UNCH
5530	----	----	----/249.90A	252.30B/249.90A	----	244.40 - 9.10	.3385	----	----	----	----	100 UNCH
5550	----	----	----/245.30A	247.10B/245.30A	----	239.80 - 9.00	.3335	----	----	----	----	65 UNCH
5600	----	----	----/234.40A	235.60B/234.40A	----	228.70 - 8.70	.3215	----	----	----	----	1 UNCH
6000	----	----	----/*164.20A	160.70B/*164.20A	----	158.40 - 8.30	.2388	----	----	----	----	5 UNCH
6025	----	----	----/*160.80A	157.00B/*160.80A	----	155.00 - 8.30	.2345	----	----	----	----	4 UNCH
6300	----	----	----/*128.70A	122.40B/*128.70A	----	122.80 - 8.50	.1920	----	----	----	----	1 UNCH
6500	----	----	----/*110.60A	104.00B/*110.60A	----	104.90 - 7.50	.1670	----	----	----	----	110 UNCH
6900	----	----	----	77.20B/*84.40A	----	78.80 - 3.00	.1285	----	----	----	----	800 UNCH
7000	----	----	----	72.00B/79.40A	----	73.80 - 2.30	.1208	----	----	----	----	833 UNCH
7100	----	----	----	67.30B/*74.90A	----	69.30 - 2.10	.1138	----	----	----	----	8 UNCH
7900	----	----	----	40.50B/57.10A	----	41.60 - 2.00	.0705	----	----	----	----	500 UNCH
8000	----	----	----	6.30B/94.80A	----	39.00 - 1.90	.0664	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	288.80 - 0.60	.3558	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	40.40 - 0.20	.0576	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	777.10 - 0.20	.5950	----	----	----	----	100 UNCH
5000	----	----	----	----	----	714.40 - 0.10	.5642	----	----	----	----	50 UNCH
5650	----	----	----	----	----	481.00 - 0.30	.4315	----	----	----	----	200 UNCH
5700	----	----	----	----	----	466.70 - 0.30	.4222	----	----	----	----	150 UNCH
5800	----	----	----	----	----	439.60 - 0.30	.4041	----	----	----	----	200 UNCH
5880	----	----	----	----	----	419.20 - 0.30	.3900	----	----	----	----	50 UNCH
6300	----	----	----	----	----	328.10 - 0.30	.3232	----	----	----	----	18 UNCH
7500	----	----	----	----	----	247.50 - 0.40	.2335	----	----	----	----	170 UNCH
7800	----	----	----	----	----	241.50 - 0.40	.2225	----	----	----	----	284 UNCH
10000	----	----	----	----	----	177.00 - 0.40	.1539	----	----	----	----	109 UNCH
10500	----	----	----	----	----	159.10 - 0.40	.1393	----	----	----	----	10 UNCH
TOTAL												1341 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
APR26												
4595	----	----	----	----	----	50.90 - 3.80	.3233	----	----	----	----	1 UNCH
4700	----	----	----	----	----	15.30 UNCH	1.0000	----	----	----	----	0 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
APR26												
3500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3650	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3700	----	----	----	1.90B/*2.20A	----	2.00 - 0.20	.0079	----	----	----	----	1 UNCH
3700	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3750	----	----	----	2.40B/*2.50A	----	2.40 - 0.10	.0097	----	----	----	----	2 UNCH
3750	0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.10 - 0.10	----	----	----	3	----	5 + 3
3800	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.20	----	----	----	1	----	2 + 1
3800	----	----	----	2.80B/*2.90A	----	2.80 - 0.10	.0117	----	----	----	----	3 UNCH
3850	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
3900	0.20	0.20	0.20/*0.10A	0.30B/*0.10A	----	0.10 - 0.30	----	----	----	21	----	29 + 21
3950	0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.10 - 0.50	.0000	----	----	8	----	8 + 6
4000	1.90	1.90	6.60B/*1.90	6.60B/*1.90	----	5.30 - 0.20	.0251	----	----	1	----	43 UNCH
4000	0.40	0.40	0.40/*0.10A	0.60B/*0.10A	----	0.20 - 0.50	.0000	----	----	45	----	131 + 29
4025	0.20	0.20	0.20/*0.10A	0.60B/*0.10A	----	0.20 - 0.70	.0000	----	----	6	----	7 + 5
4050	0.10	0.10	0.30/*0.10	0.80B/*0.10	----	0.30 - 0.70	.0000	----	----	9	----	10 + 7
4050	----	----	8.00B/6.10A	8.00B/6.10A	----	6.40 - 0.10	.0310	----	----	----	----	12 UNCH
4075	0.20	0.20	0.40/*0.20	0.90B/*0.20	----	0.40 - 0.70	.0001	----	----	6	----	6 + 6
4100	0.90	0.90	1.00/*0.30A	1.00/*0.30A	----	0.50 - 0.70	.0002	----	----	6	----	7 + 3
4100	8.60	8.60	10.20B/*7.20A	10.20B/*7.20A	----	7.60 - 0.20	.0379	----	----	1	----	13 + 1
4125	----	----	11.50B/*7.80A	11.50B/*7.80A	----	8.40 - 0.10	.0424	----	----	2	----	2 UNCH
4150	0.80	0.80	1.40B/*0.40	1.40B/*0.40	----	0.60 - 0.80	.0003	----	----	6	----	11 + 2
4175	1.00	1.00	1.60B/*0.40	1.60B/*0.40	----	0.70 - 0.80	.0004	----	----	9	----	25 + 7
4200	----	----	541.20B/457.40A	541.20B/457.40A	----	495.60 - 0.20	.9411	----	----	----	----	1 UNCH
4200	----	----	15.40B/10.00A	15.40B/10.00A	----	11.20 - 0.20	.0586	----	----	----	----	1 UNCH
4200	1.40	1.40	1.80/*0.40	1.80/*0.40	----	0.90 - 0.80	.0006	----	----	9	----	24 + 6
4200	24.90	24.90	25.60B/19.60A	25.60B/19.60A	----	21.20 - 1.70	.0957	----	----	1	----	1 UNCH
4210	----	----	1.90B/*0.90A	1.90B/*0.90A	----	1.00 NEW	.0008	----	----	1	----	1 + 1
4220	----	----	2.00B/*0.90A	2.00B/*0.90A	----	1.00 - 0.90	.0008	----	----	----	----	1 UNCH
4225	1.00	1.00	2.10B/*0.90A	2.10B/*0.90A	----	1.10 NEW	.0009	----	----	1	----	1 + 1
4235	1.60	1.60	2.20B/*0.90A	2.20B/*0.90A	----	1.10 - 0.90	.0010	----	----	1	----	2 + 1
4240	----	----	2.20B/*1.00A	2.20B/*1.00A	----	1.20 - 0.90	.0011	----	----	----	----	5 UNCH
4245	----	----	18.80B/*10.70A	18.80B/*10.70A	----	13.50 - 0.30	.0719	----	----	2	----	2 UNCH
4250	2.00	2.00	2.40B/*0.80A	2.40B/*0.80A	----	1.30 - 0.90	.0013	----	----	3	----	11 + 3
4250	----	----	31.70B/23.50A	31.70B/23.50A	----	25.40 - 2.30	.1148	----	----	----	----	1 UNCH
4260	0.90	0.90	2.60B/*0.80A	2.60B/*0.80A	----	1.40 NEW	.0015	----	----	3	----	3 + 3
4265	1.10	1.10	2.60B/*0.90A	2.60B/*0.90A	----	1.40 NEW	.0015	----	----	1	----	1 + 1
4270	----	----	2.70B/*0.90A	2.70B/*0.90A	----	1.40 - 1.00	.0016	----	----	----	----	1 UNCH
4275	----	----	2.80B/*1.00A	2.80B/*1.00A	----	1.50 - 1.00	.0018	----	----	----	----	1 UNCH
4280	1.10	1.10	2.90B/*1.00	2.90B/*1.00	----	1.50 - 1.00	.0018	----	----	3	----	3 + 2
4290	1.40	1.40	3.20B/*1.00A	3.20B/*1.00A	----	1.60 - 1.10	.0020	----	----	1	----	3 + 1
4300	----	----	24.20B/*12.80A	24.20B/*12.80A	----	17.00 - 0.50	.0923	----	----	----	----	4 UNCH
4300	0.80	0.80	3.80/*0.80	3.80/*0.80	----	1.70 - 1.10	.0023	----	----	15	----	16 + 11
4315	----	----	25.70B/*13.70A	25.70B/*13.70A	----	18.10 NEW	.0988	----	----	1	----	1 + 1
4320	----	----	3.90B/*1.20A	3.90B/*1.20A	----	2.00 - 1.20	.0031	----	----	----	----	1 UNCH
4320	----	----	26.30B/*14.10A	26.30B/*14.10A	----	18.50 NEW	.1011	----	----	17	----	17 + 17
4320	26.00	26.00	41.10B/*26.00	41.10B/*26.00	----	33.00 NEW	.1482	----	----	1	----	1 + 1
4325	----	----	26.90B/*14.40A	26.90B/*14.40A	----	18.90 - 0.60	.1034	----	----	----	----	1 UNCH
4325	----	----	4.10B/*1.40A	4.10B/*1.40A	----	2.00 - 1.20	.0032	----	----	1	----	1 + 1
4330	2.80	2.80	4.20B/*1.40A	4.20B/*1.40A	----	2.00 NEW	.0033	----	----	3	----	2 + 2
4340	----	----	4.60B/*1.50A	4.60B/*1.50A	----	2.20 - 1.30	.0039	----	----	----	----	1 UNCH
4340	----	----	28.70B/*15.50A	28.70B/*15.50A	----	20.10 - 0.80	.1105	----	----	----	----	1 UNCH
4350	----	----	30.00B/*16.20A	30.00B/*16.20A	----	21.00 - 0.90	.1157	----	----	----	----	4 UNCH
4350	1.40	1.40	4.90B/*1.40	4.90B/*1.40	----	2.20 - 1.60	.0040	----	----	5	----	6 + 4
4355	----	----	5.10B/*1.70A	5.10B/*1.70A	----	2.40 - 1.50	.0046	----	----	----	----	2 UNCH
4360	----	----	5.30B/*1.90A	5.30B/*1.90A	----	2.50 - 1.50	.0050	----	----	----	----	1 UNCH
4365	3.20	3.20	5.50B/*1.90A	5.50B/*1.90A	----	2.50 - 1.60	.0051	----	----	1	----	10 - 1
4370	----	----	32.90B/*18.30A	32.90B/*18.30A	----	22.90 NEW	.1268	----	----	31	----	14 + 14
4370	2.00	2.00	5.80B/*1.90A	5.80B/*1.90A	----	2.70 NEW	.0058	----	----	1	----	1 + 1
4375	2.00	2.00	6.00B/*2.00	6.00B/*2.00	----	2.80 - 1.60	.0062	----	----	7	150	156 + 154
4380	3.60	3.60	6.20B/*2.20A	6.20B/*2.20A	----	3.00 - 1.60	.0069	----	----	2	----	6 + 2
4390	----	----	6.80B/*2.30A	6.80B/*2.30A	----	3.10 - 1.70	.0075	----	----	----	----	1 UNCH
4400	----	----	37.50B/21.60A	37.50B/21.60A	----	26.20 - 1.40	.1457	----	----	----	----	2 UNCH
4400	4.10	4.10	7.30B/*2.30	7.30B/*2.30	----	3.40 - 1.70	.0089	----	----	19	----	12 + 10
4410	2.60	2.60	7.90B/*2.60	7.90B/*2.60	----	3.70 - 1.80	.0104	----	----	5	----	20 + 5
4415	----	----	40.10B/22.70A	40.10B/22.70A	----	28.00 NEW	.1560	----	----	1	----	1 + 1
4415	----	----	323.90B/227.80A	323.90B/227.80A	----	273.50 - 1.90	.9889	----	----	----	----	9 UNCH
4415	----	----	8.20B/*2.80A	8.20B/*2.80A	----	3.80 - 1.90	.0110	----	----	----	----	4 UNCH
4420	----	----	8.60B/*2.90A	8.60B/*2.90A	----	3.90 - 2.00	.0116	----	----	2	----	1 UNCH
4420	----	----	319.00B/223.10A	319.00B/223.10A	----	268.60 - 2.00	.9883	----	----	----	----	5 UNCH
4420	----	----	41.10B/23.50A	41.10B/23.50A	----	28.60 - 1.70	.1595	----	----	----	----	5 UNCH
4425	5.50	5.50	8.90B/*3.00A	8.90B/*3.00A	----	4.00 - 2.10	.0123	----	----	1	----	4 UNCH
4430	----	----	43.00B/24.60A	43.00B/24.60A	----	30.00 NEW	.1672	----	----	14	----	14 + 14
4430	----	----	9.30B/*3.10A	9.30B/*3.10A	----	4.20 NEW	.0133	----	----	2	----	2 + 2
4435	----	----	44.00B/25.30A	44.00B/25.30A	----	30.60 - 1.90	.1708	----	----	----	----	2 UNCH
4435	5.70	5.70	9.70B/*3.20A	9.70B/*3.20A	----	4.30 NEW	.0141	----	----	1	----	1 + 1
4440	----	----	45.00B/25.80A	45.00B/25.80A	----	31.30 - 2.00	.1748	----	----	----	----	1 UNCH
4450	35.00	35.00	47.10B/27.10A	47.10B/27.10A	----	32.80 NEW	.1831	----	----	6	----	3 + 3
4450	5.00	5.00	11.00B/*3.60A	11.00B/*3.60A	----	4.80 - 2.50	.0173	----	----	4	----	11 + 3
4455	----	----	11.40B/*3.70A	11.40B/*3.70A	----	5.00 - 2.60	.0187	----	----	----	----	1 UNCH
4455	----	----	48.00B/28.00A	48.00B/28.00A	----	33.60 - 2.20	.1874	----	----	----	----	16 UNCH
4460	4.80	4.80	11.90B/*3.90A	11.90B/*3.90A	----	5.30 NEW	.0205	----	----	9	----	9 + 9
4465	----	----	311.10B/255.60A	311.10B/255.60A	----	276.80 - 4.70	.7514	----	----	----	----	5 UNCH
4470	3.50	3.50	13.00B/*3.50	13.00B/*3.50	----	5.60 NEW	.0230	----	----	1	----	1 + 1
4475	7.00	7.00	13.50B/*4.30A	13.50B/*4.30A	----	5.80 - 3.10	.0247	----	----	4	----	7 + 3
4475	----	----	52.40B/30.50A	52.40B/30.50A	----	36.80 NEW	.2052	----	----	1	----	1 + 1
4480	8.30	8.30	14.10B/*4.50A	14.10B/*4.50A	----	6.00 - 3.30	.0263	----	----	17	----	26 + 3
4485	6.60	6.60	14.80B/*4.70A	14.80B/*4.70A	----	6.30 - 3.40	.0286	----	----	1	----	2 + 1
4490	16.10	16.10	16.60/*4.80A	16.60/*4.80A	----	6.50 - 3.60	.0305	----	----	58	----	57 + 56
4490	----	----	56.10B/32.50A	56.10B/32.50A	----	39.40 - 2.90	.2194	----	----	----	----	21 UNCH
4495	9.40	9.40	16.10B/*5.00A	16.10B/*5.00A	----	6.80 NEW	.0330	----	----	9	----	5 + 5
4500	----	----	241.00B/150.70A	241.00B/150.70A	----	192.00 - 3.60	.9633	----	----	----	----	2 UNCH
4500	----	----	58.60B/34.00A	58.60B/34.00A	----	41.30 - 3.10	.2296	----	----	----	----	7 UNCH
4500	11.00	11.00	16.70B/*4.80	16.70B/*4.80	----	7.30 - 3.60	.0366	----	----	116	----	80 + 67
4500	----	----	265.20B/197.10A	265.20B/197.10A	----	225.90 - 3.00	.7701	----	----	----	----	2 UNCH
4505	----	----	59.90B/34.70A	59.90B/34.70A	----	42.30 - 3.20	.2349	----	----	----	----	1 UNCH
4505	----	----	17.50B/*5.40A	17.50B/*5.40A	----	7.30 NEW	.0377	----	----	2	----	2 + 2
4510	----	----	18.20B/*5.60A	18.20B/*5.60A	----	7.60 - 4.30	.0406	----	----	----	----	18 UNCH
4515	9.40	9.40	19.00B/*5.80A	19.00B/*5.80A	----	7.90 NEW	.0436	----	----	25	----	25 + 25
4515	----	----	62.60B/36.30A	62.60B/36.30A	----	44.30 - 3.40	.2455	----	----	----	----	16 UNCH
4520	13.00	13.00	19.80B/*6.00A	19.80B/*6.00A	----	8.40 NEW	.0479	----	----	50	----	50 + 50
4525	9.00	9.00	20.70B/*6.20A	20.70B/*6.20A	----	8.80 - 4.70	.0518	----	----	86	----	183 + 68
4525	----	----	216.90B/129.50A	216.90B/129.50A	----	168.50 - 4.70	.9481	----	----	----	----	50 UNCH
4530	----	----	212.10B/125.40A	212.10B/125.40A	----	163.80 - 4.90	.9446	----	----	----	----	2 UNCH
4530	----	----	240.10B/175.60A	240.10B/175.60A	----	202.10 - 3.70	.7371	----	----	----	----	1 UNCH
4530	17.60	17.60	21.60B/*6.40A	21.60B/*6.40A	----	9.10 - 4.90	.0553	----	----	41	----	22 + 21
4535	----	----	207.20B/121.70A	207.20B/121.70A	----	159.20 NEW	.9403	----	----	1	----	1 + 1
4535	12.90	12.90	22.50B/*6.60A	22.50B/*6.60A	----	9.50 - 5.10	.0596	----	----	2	----	21 + 1
4540	12.50	12.50	23.30B/*6.90A	23.30B/*6.90A	----	9.90 - 5.30	.0641	----	----	45	150	168 + 154
4545	----	----	24.30B/*7.10A	24.30B/*7.10A	----	10.40 NEW	.0695	----	----	1	----	1 + 1
4550	----	----	193.70B/109.50A	193.70B/109.50A	----	145.60 - 5.70	.9248	----	----	----	----	150 UNCH
4550	----	----	73.30B/42.50A	73.30B/42.50A	----	52.30 - 4.10	.2866	----	----	----	----	1 UNCH
4550	12.50	12.50	25.30B/*7.40A	25.30B/*7.40A	----	10.90 - 5.70	.0751	----	----	66	----	346 + 18
4550	----	----	244.70B/195.80A	244.70B/195.80A	----	213.70 - 5.70	.6711	----	----	----	----	1 UNCH
4560	20.00	20.00	27.60B/*8.00A	27.60B/*8.00A	----	11.90 - 6.20	.0871	----	----	9	----	27 + 4
4565	----	----	78.30B/45.40A	78.30B/45.40A	----	56.10 - 4.40	.3057	----	----	----	----	1 UNCH
4565	18.50	18.50	28.80B/*8.20A	28.80B/*8.20A	----	12.50 - 6.50	.0943	----	----	105	----	101 + 95
4570	10.00	10.00	30.10B/*8.50A	30.10B/*8.50A	----	13.00 NEW	.1011	----	----	1	----	1 + 1
4570	----	----	173.20B/94.40A	173.20B/94.40A	----	127.70 - 6.80	.8988	----	----	----	----	2 UNCH
4575	11.50	11.50	31.50B/*8.90A	31.50B/*8.90A	----	13.60 - 7.10	.1089	----	----	53	----	52 + 50
4580	64.20	64.20	83.50B/48.70A	83.50B/48.70A	----	60.20 - 4.80	.3258	----	----	1	----	1 UNCH
4580	----	----	165.10B/87.30A	165.10B/87.30A	----	119.10 - 7.30	.8815	----	----	----	----	2 UNCH
4580	28.00	28.00	32.80B/*9.30A	32.80B/*9.30A	----	14.40 - 7.30	.1184	----	----	45	----	45 + 16
4585	----	----	34.30B/*9.70A	34.30B/*9.70A	----	15.10 NEW	.1277	----	----	26	----	26 + 26
4590	----	----	156.60B/80.70A	156.60B/80.70A	----	110.60 - 7.80	.8619	----	----	----	----	1 UNCH
4590	27.50	27.50	36.40/*10.00A	36.40/*10.00A	----	15.90 - 7.80	.1380	----	----	5	----	2 UNCH
4595	22.90	22.90	37.20B/*10.50A	37.20B/*10.50A	----	16.70 NEW	.1488	----	----	1	----	1 + 1
4600	----	----	185.10B/126.80A	185.10B/126.80A	----	150.80 - 5.20	.6456	----	----	----	----	1 UNCH
4600	21.00	21.00	39.70/*11.00A	39.70/*11.00A	----	17.50 - 8.30	.1601	----	----	75	----	72 + 45
4600	----	----	91.60B/53.20A	91.60B/53.20A	----	66.20 - 5.20	.3541	----	----	----	----	1 UNCH
4600	----	----	147.60B/73.70A	147.60B/73.70A	----	102.20 - 8.30	.8397	----	----	----	----	2 UNCH
4600	----	----	115.90B/82.00A	115.90B/82.00A	----	95.30 NEW	.3833	----	----	1	----	1 + 1
4605	140.90	140.90	181.70B/123.80A	181.70B/123.80A	----	147.40 - 5.30	.6383	----	----	1	----	1 UNCH
4605	19.60	19.60	40.50B/*11.50A	40.50B/*11.50A	----	18.40 NEW	.1726	----	----	2	----	2 + 2
4605	----	----	142.00B/70.10A	142.00B/70.10A	----	98.10 - 8.60	.8273	----	----	3	----	4 + 3
4610	31.40	31.40	42.30B/*12.00A	42.30B/*12.00A	----	19.40 - 8.90	.1862	----	----	16	----	12 + 11
4610	----	----	138.60B/66.80A	138.60B/66.80A	----	94.10 NEW	.8137	----	----	1	----	1 + 1
4615	27.20	27.20	44.20B/*12.50A	44.20B/*12.50A	----	20.40 - 9.20	.2003	----	----	2	----	3 + 2
4620	----	----	128.70B/60.60A	128.70B/60.60A	----	86.30 - 9.40	.7837	----	----	2	----	42 - 1
4620	----	----	171.70B/114.90A	171.70B/114.90A	----	137.40 - 5.60	.6157	----	----	----	----	1 UNCH
4620	22.30	22.30	46.10B/*13.00A	46.10B/*13.00A	----	21.60 - 9.40	.2162	----	----	6	----	12 UNCH
4625	----	----	124.40B/57.60A	124.40B/57.60A	----	82.40 - 9.70	.7678	----	----	----	----	1 UNCH
4625	18.20	18.20	48.20B/*13.60A	48.20B/*13.60A	----	22.70 NEW	.2321	----	----	113	----	51 + 51
4630	----	----	120.00B/*54.60A	120.00B/*54.60A	----	78.60 NEW	.7507	----	----	1	----	1 + 1
4630	25.00	25.00	50.30B/*14.30A	50.30B/*14.30A	----	23.90 - 10.00	.2492	----	----	22	----	83 - 12
4635	33.10	33.10	52.60B/*14.70A	52.60B/*14.70A	----	25.00 NEW	.2664	----	----	15	----	12 + 12
4635	----	----	115.70B/*51.80A	115.70B/*51.80A	----	74.70 - 10.50	.7335	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
4640	----	----	111.50B/*49.00A	111.50B/*49.00A	----	71.20 - 10.60	.7136	----	----	----	----	2 UNCH
4640	47.40	47.40	55.50B/*15.60A	55.50B/*15.60A	----	26.50 - 10.60	.2863	----	----	15	----	7 + 6
4645	57.70	57.70	57.90/*16.40A	57.90/*16.40A	----	28.00 NEW	.3066	----	----	43	----	9 + 9
4645	----	----	107.30B/*46.50A	107.30B/*46.50A	----	67.70 - 10.80	.6932	----	----	----	----	12 UNCH
4650	71.80	71.80	113.20B/66.70A	113.20B/66.70A	----	83.80 NEW	.4316	----	----	1	----	1 + 1
4650	----	----	150.10B/98.30A	150.10B/98.30A	----	118.50 - 6.10	.5681	----	----	1	----	2 + 1
4650	46.10	46.10	103.10B/*43.80A	103.10B/*43.80A	----	64.30 - 10.90	.6719	----	----	2	----	18 + 2
4650	25.50	25.50	60.40B/*17.20A	60.40B/17.20A	----	29.60 - 10.90	.3280	----	----	107	----	38 + 14
4655	----	----	99.00B/*41.30A	99.00B/*41.30A	----	60.90 - 11.10	.6499	----	----	3	----	4 + 3
4655	40.60	40.60	62.90B/*17.70A	62.90B/*17.70A	----	31.20 NEW	.3500	----	----	68	----	54 + 54
4660	----	----	118.00B/69.70A	118.00B/69.70A	----	87.80 NEW	.4481	----	----	1	----	1 + 1
4660	48.70	48.70	95.90B/*38.90A	95.90B/*38.90A	----	57.60 - 11.30	.6270	----	----	22	----	15 + 8
4660	32.00	32.00	65.60B/*19.00A	65.60B/*19.00A	----	32.90 - 11.30	.3729	----	----	5	----	20 + 1
4665	----	----	120.30B/71.50A	120.30B/71.50A	----	89.90 - 6.30	.4565	----	----	----	----	21 UNCH
4665	----	----	139.80B/91.00A	139.80B/91.00A	----	109.60 - 6.30	.5432	----	----	----	----	11 UNCH
4665	42.10	42.10	67.40B/*19.70A	67.40B/*19.70A	----	34.60 - 11.60	.3965	----	----	11	----	24 + 10
4665	45.80	45.80	90.80B/*36.80A	90.80B/*36.80A	----	54.30 NEW	.6034	----	----	35	----	35 + 35
4670	47.30	47.30	87.90B/*34.70A	87.90B/*34.70A	----	51.30 - 11.60	.5787	----	----	60	----	16 - 46
4670	----	----	123.20B/73.00A	123.20B/73.00A	----	92.00 - 6.40	.4649	----	----	----	----	1 UNCH
4670	47.20	47.20	70.00B/*20.70A	70.00B/*20.70A	----	36.60 - 11.60	.4212	----	----	3	----	14 + 2
4675	47.50	47.50	72.10B/*21.60A	72.10B/21.60A	----	38.40 - 12.00	.4462	----	----	58	----	105 + 2
4675	38.00	38.00	83.00B/*32.30A	83.00B/*32.30A	----	48.10 - 12.00	.5537	----	----	59	----	56 + 31
4680	48.00	48.00	79.20B/*30.40A	79.20B/*30.40A	----	45.30 - 12.00	.5278	----	----	17	----	10 - 3
4680	38.60	38.60	75.50B/*22.90A	75.50B/*22.90A	----	40.60 NEW	.4721	----	----	11	----	8 + 8
4685	38.70	38.70	78.80B/*24.10A	78.80B/*24.10A	----	42.70 - 12.20	.4983	----	----	8	----	6 + 5
4685	47.90	47.90	75.80B/*28.40A	75.80B/*28.40A	----	42.40 - 12.20	.5016	----	----	4	----	5 + 3
4685	127.00	127.00	154.70B/111.00A	154.70B/111.00A	----	129.50 NEW	.4868	----	----	6	----	6 + 6
4685	129.00	129.00	155.00B/113.10A	155.00B/113.10A	----	129.20 NEW	.5127	----	----	1	----	1 + 1
4690	----	----	#176.60B/*141.0	176.60B/*141.00A	----	150.40 - 6.60	.5100	----	----	----	----	1 UNCH
4690	44.00	44.00	75.00/*26.60A	75.00/*26.60A	----	39.50 NEW	.4748	----	----	34	----	16 + 16
4690	38.00	38.00	81.70B/*25.10A	81.70B/*25.10A	----	44.80 NEW	.5251	----	----	59	----	51 + 51
4695	36.20	36.20	85.10B/*26.50A	85.10B/*26.50A	----	47.20 - 12.40	.5520	----	----	2	----	77 + 2
4695	----	----	136.40B/82.00A	136.40B/82.00A	----	103.20 - 6.70	.5078	----	----	----	----	1 UNCH
4695	38.00	38.00	68.70B/*25.10A	68.70B/*25.10A	----	36.90 - 12.40	.4479	----	----	2	----	77 + 2
4695	----	----	125.90B/76.50A	125.90B/76.50A	----	92.90 NEW	.4920	----	----	1	----	1 + 1
4695	127.00	127.00	159.90B/115.00A	159.90B/115.00A	----	134.10 NEW	.4996	----	----	2	----	2 + 2
4700	----	----	122.40B/74.10A	122.40B/74.10A	----	90.30 - 6.70	.4833	----	----	----	----	4 UNCH
4700	----	----	138.50B/83.80A	138.50B/83.80A	----	105.60 - 6.70	.5164	----	----	1	----	3 UNCH
4700	51.80	51.80	88.60B/27.80A	88.60B/27.80A	----	49.80 - 12.40	.5788	----	----	90	----	65 + 57
4700	30.00	30.00	65.20B/*23.50A	65.20B/*23.50A	----	34.50 - 12.40	.4210	----	----	63	----	44 + 36
4705	----	----	119.30B/71.90A	119.30B/71.90A	----	87.80 - 6.70	.4746	----	----	----	----	1 UNCH
4705	33.20	33.20	61.70B/*22.00A	61.70B/*22.00A	----	32.20 - 12.30	.3944	----	----	23	----	6 + 5
4705	43.50	43.50	92.20B/*29.70A	92.20B/*29.70A	----	52.50 NEW	.6055	----	----	67	----	53 + 53
4710	26.40	26.40	59.20B/*20.40A	59.20B/*20.40A	----	30.00 - 12.20	.3681	----	----	40	----	32 + 17
4710	48.60	48.60	95.90B/*31.10A	95.90B/*31.10A	----	55.30 - 12.20	.6318	----	----	7	----	6 + 5
4710	----	----	116.60B/70.00A	116.60B/70.00A	----	85.20 - 6.80	.4658	----	----	----	----	5 UNCH
4715	29.70	29.70	56.90B/*19.10A	56.90B/*19.10A	----	27.80 - 12.20	.3419	----	----	85	----	53 + 2
4715	51.20	51.20	99.50B/*32.80A	99.50B/*32.80A	----	58.10 NEW	.6580	----	----	2	----	2 + 2
4720	20.10	20.10	55.40B/*17.80A	55.40B/*17.80A	----	25.80 NEW	.3165	----	----	182	----	160 + 160
4720	41.70	41.70	103.40B/*34.30A	103.40B/*34.30A	----	61.10 NEW	.6834	----	----	7	----	6 + 6
4725	----	----	107.40B/63.90A	107.40B/63.90A	----	77.90 - 6.90	.4395	----	----	----	----	1 UNCH
4725	21.00	21.00	52.80B/*16.60A	52.80B/*16.60A	----	23.90 - 11.80	.2919	----	----	205	----	149 + 145
4725	44.30	44.30	107.00B/36.10A	107.00B/36.10A	----	64.20 - 11.80	.7080	----	----	11	----	19 + 11
4730	38.10	38.10	111.00B/*38.10	111.00B/*38.10	----	67.40 NEW	.7318	----	----	54	----	54 + 54
4730	20.00	20.00	49.50B/*15.50A	49.50B/*15.50A	----	22.10 - 11.70	.2681	----	----	8	----	10 + 5
4730	67.00	67.00	104.50B/62.00A	104.50B/62.00A	----	75.60 NEW	.4307	----	----	2	----	0 UNCH
4735	24.20	24.20	46.80B/*14.50A	46.80B/*14.50A	----	20.40 - 11.50	.2452	----	----	4	----	7 + 3
4735	82.00	82.00	101.70B/60.30A	101.70B/60.30A	----	73.30 NEW	.4219	----	----	5	----	5 + 5
4735	40.20	40.20	115.00B/*40.20	115.00B/*40.20	----	70.70 NEW	.7547	----	----	40	----	40 + 40
4735	----	----	181.90B/132.20A	181.90B/132.20A	----	154.00 - 7.60	.5514	----	----	----	----	1 UNCH
4740	20.20	20.20	43.80B/*13.40A	43.80B/*13.40A	----	18.80 - 11.30	.2233	----	----	26	----	16 + 7
4745	20.00	20.00	41.30B/*12.50A	41.30B/*12.50A	----	17.40 - 11.00	.2033	----	----	16	----	7 + 6
4745	44.50	44.50	123.20B/*44.50	123.20B/*44.50	----	77.70 NEW	.7966	----	----	16	----	16 + 16
4750	----	----	168.60B/104.70A	168.60B/104.70A	----	132.00 NEW	.6039	----	----	1	----	1 + 1
4750	60.00	60.00	93.60B/54.80A	93.60B/54.80A	----	66.80 - 6.80	.3958	----	----	1	----	2 + 1
4750	----	----	119.50B/89.40A	119.50B/89.40A	----	96.90 - 7.50	.4286	----	----	----	----	1 UNCH
4750	53.00	53.00	127.30B/47.00A	127.30B/47.00A	----	81.30 - 10.70	.8161	----	----	5	----	6 + 1
4750	15.30	15.30	40.00/*11.70A	40.00/*11.70A	----	16.00 - 10.70	.1838	----	----	263	----	83 + 47
4755	----	----	36.00B/*10.90A	36.00B/*10.90A	----	14.70 - 10.50	.1656	----	----	----	----	1 UNCH
4760	20.10	20.10	33.50B/*10.20A	33.50B/*10.20A	----	13.50 - 10.20	.1488	----	----	87	----	58 + 36
4760	----	----	88.20B/51.30A	88.20B/51.30A	----	62.60 - 6.80	.3784	----	----	----	----	33 UNCH
4765	14.90	14.90	31.20B/*9.60A	31.20B/*9.60A	----	12.40 NEW	.1332	----	----	4	----	2 + 2
4765	----	----	110.70B/83.50A	110.70B/83.50A	----	90.30 - 7.50	.4092	----	----	----	----	3 UNCH
4770	----	----	144.60B/*58.00A	144.60B/*58.00A	----	96.60 - 9.50	.8816	----	----	----	----	2 UNCH
4770	10.50	10.50	29.00B/*9.00A	29.00B/*9.00A	----	11.30 - 9.50	.1183	----	----	35	----	25 + 16
4770	----	----	83.20B/48.50A	83.20B/48.50A	----	58.70 - 6.70	.3613	----	----	----	----	3 UNCH
4775	10.20	10.20	27.50/*8.00	27.50/*8.00	----	10.50 - 9.10	.1064	----	----	389	----	348 + 325
4775	----	----	149.00B/66.10A	149.00B/66.10A	----	100.80 - 9.10	.8934	----	----	----	----	1 UNCH
4780	----	----	78.10B/45.20A	78.10B/45.20A	----	54.90 - 6.70	.3443	----	----	----	----	1 UNCH
4780	9.90	9.90	24.80B/*7.90A	24.80B/*7.90A	----	9.60 - 8.80	.0943	----	----	10	----	11 + 10
4785	11.00	11.00	22.90B/*7.40A	22.90B/*7.40A	----	8.70 - 8.50	.0827	----	----	13	----	18 + 13
4790	7.40	7.40	21.30B/*6.80A	21.30B/*6.80A	----	8.00 - 8.20	.0733	----	----	14	----	13 + 12
4795	11.40	11.40	19.50B/*6.50A	19.50B/*6.50A	----	7.30 NEW	.0643	----	----	4	----	4 + 4
4800	43.10	43.10	73.40/*39.80A	73.40/*39.80A	----	47.90 - 6.50	.3112	----	----	4	----	7 + 1
4800	11.50	11.50	18.80/*6.10A	18.80/*6.10A	----	6.70 - 7.50	.0567	----	----	80	----	86 + 37
4800	----	----	171.60B/82.30A	171.60B/82.30A	----	122.00 - 7.50	.9432	----	----	1	----	13 UNCH
4805	9.90	9.90	16.50B/*5.90A	16.50B/*5.90A	----	6.20 - 7.10	.0503	----	----	3	----	3 + 3
4810	51.00	51.00	64.80B/*37.30A	64.80B/*37.30A	----	44.70 NEW	.2952	----	----	3	----	3 + 3
4810	----	----	180.80B/89.60A	180.80B/89.60A	----	130.90 - 6.90	.9564	----	----	----	----	1 UNCH
4810	----	----	15.20B/*5.60A	15.20B/*5.60A	----	5.60 - 6.90	.0435	----	----	14	----	10 + 4
4815	----	----	62.80B/*36.10A	62.80B/*36.10A	----	43.20 NEW	.2874	----	----	1	----	1 + 1
4815	6.80	6.80	14.00B/*5.10A	14.00B/*5.10A	----	5.30 - 6.40	.0394	----	----	4	----	23 + 2
4820	----	----	190.40B/97.30A	190.40B/97.30A	----	140.10 - 6.10	.9659	----	----	----	----	2 UNCH
4820	5.30	5.30	12.80B/*4.80A	12.80B/*4.80A	----	4.80 - 6.10	.0340	----	----	6	----	27 + 1
4820	----	----	60.80B/*35.00A	60.80B/*35.00A	----	41.70 - 6.20	.2797	----	----	----	----	5 UNCH
4825	----	----	58.90B/*33.70A	58.90B/*33.70A	----	40.20 - 6.20	.2719	----	----	----	----	12 UNCH
4825	----	----	195.00B/101.20A	195.00B/101.20A	----	144.70 - 5.80	.9702	----	----	----	----	1 UNCH
4825	6.30	6.30	11.80B/*4.40A	11.80B/*4.40A	----	4.40 - 5.80	.0297	----	----	15	----	37 + 2
4830	4.70	4.70	10.80B/*4.10A	10.80B/*4.10A	----	4.10 - 5.50	.0264	----	----	10	----	5 + 4
4835	5.00	5.00	9.90B/*3.70A	9.90B/*3.70A	----	3.80 - 5.20	.0233	----	----	8	----	8 + 7
4840	----	----	53.30B/*30.50A	53.30B/*30.50A	----	36.10 - 6.00	.2496	----	----	----	----	4 UNCH
4840	7.20	7.20	9.10B/*3.40A	9.10B/*3.40A	----	3.50 - 4.90	.0204	----	----	18	----	31 + 11
4845	----	----	51.40B/*29.50A	51.40B/*29.50A	----	34.80 - 5.90	.2424	----	----	----	----	4 UNCH
4845	----	----	75.00B/*57.00A	75.00B/*57.00A	----	60.50 - 8.00	.3090	----	----	----	----	18 UNCH
4845	3.50	3.50	8.20B/*3.20	8.20B/*3.20	----	3.10 - 4.80	.0170	----	----	16	----	6 + 4
4850	3.80	3.80	8.00/*2.90A	8.00/*2.90A	----	2.90 - 4.60	.0152	----	----	130	----	303 + 105
4850	29.90	29.90	49.80B/*28.70A	49.80B/*28.70A	----	33.60 - 5.80	.2355	----	----	5	----	50 - 1
4850	----	----	218.90B/122.20A	218.90B/122.20A	----	168.20 - 4.60	.9847	----	----	----	----	1 UNCH
4855	----	----	240.60B/169.70A	240.60B/169.70A	----	202.50 - 5.70	.7711	----	----	----	----	1 UNCH
4855	4.50	4.50	5.00/*2.70A	7.00B/*2.70A	----	2.70 - 4.30	.0134	----	----	6	----	4 + 4
4860	3.90	3.90	3.90/*2.60A	6.20B/*2.60A	----	2.40 - 4.20	.0112	----	----	7	----	12 + 2
4865	2.90	2.90	2.90/*2.30A	6.00B/*2.30A	----	2.30 - 3.90	.0102	----	----	2	----	21 + 1
4870	55.00	55.00	#65.90B/*50.50A	65.90B/*50.50A	----	53.00 NEW	.2799	----	----	14	----	14 + 14
4870	----	----	238.40B/138.80A	238.40B/138.80A	----	187.40 NEW	.9911	----	----	1	----	1 + 1
4870	2.90	2.90	2.90/*2.20A	5.30B/*2.20A	----	2.10 NEW	.0088	----	----	3	----	3 + 3
4875	----	----	41.80B/*24.30A	41.80B/*24.30A	----	27.90 - 5.40	.2021	----	----	----	----	1 UNCH
4875	3.20	3.20	5.00/*2.00A	5.10B/*2.00A	----	1.90 - 3.60	.0075	----	----	6	----	8 + 3
4880	5.00	5.00	5.00/*1.90A	5.00/*1.90A	----	1.80 - 3.40	.0068	----	----	1	----	5 + 1
4885	----	----	38.90B/*22.60A	38.90B/*22.60A	----	25.90 - 5.20	.1898	----	----	----	----	10 UNCH
4885	2.00	2.00	2.00/*1.80A	4.40B/*1.80A	----	1.70 - 3.20	.0061	----	----	8	----	22 + 2
4895	3.10	3.10	3.10/*1.50A	3.90B/*1.50A	----	1.60 NEW	.0052	----	----	6	----	6 + 6
4900	1.40	1.40	4.00/*1.40	4.00/*1.40	----	1.50 - 2.70	.0047	----	----	66	----	76 + 15
4900	----	----	34.80B/*20.50A	34.80B/*20.50A	----	23.20 - 4.80	.1725	----	----	----	----	13 UNCH
4900	----	----	267.50B/166.30A	267.50B/166.30A	----	216.80 - 2.70	.9952	----	----	----	----	2 UNCH
4905	3.50	3.50	3.50/*1.30A	3.50/*1.30A	----	1.30 - 2.60	.0037	----	----	13	----	14 + 13
4910	----	----	32.30B/*19.10A	32.30B/*19.10A	----	21.50 - 4.70	.1615	----	----	----	----	10 UNCH
4910	2.70	2.70	3.10/*1.30A	3.30B/*1.30A	----	1.30 - 2.40	.0036	----	----	11	----	11 + 7
4915	2.60	2.60	3.00/*1.10	3.00/*1.10	----	1.20 NEW	.0031	----	----	41	----	38 + 38
4920	2.60	2.60	2.60/*1.10A	2.80B/*1.10A	----	1.20 - 2.10	.0031	----	----	3	----	3 + 2
4925	----	----	28.90B/*17.30A	28.90B/*17.30A	----	19.20 - 4.40	.1462	----	----	----	----	1 UNCH
4925	1.00	1.00	2.70B/*1.00	2.70B/*1.00	----	1.00 - 2.10	.0023	----	----	42	----	52 + 1
4925	----	----	292.10B/190.40A	292.10B/190.40A	----	241.30 - 2.10	.9976	----	----	1	----	1 UNCH
4930	----	----	----/*1.00A	2.50B/*1.00A	----	1.00 - 1.90	.0022	----	----	2	----	1 UNCH
4935	1.90	1.90	1.90/*0.90A	2.40B/*0.90A	----	0.90 - 1.90	.0019	----	----	4	----	8 + 4
4940	0.80	0.80	2.30B/*0.80	2.30B/*0.80	----	0.90 - 1.80	.0018	----	----	1	----	2 + 1
4950	1.90	1.90	1.90/*0.70A	2.00B/*0.70A	----	0.80 - 1.60	.0014	----	----	17	----	17 + 13
4955	----	----	23.00B/*14.30A	23.00B/*14.30A	----	15.40 - 3.80	.1196	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4955	1.00	1.00	1.90B/*0.70A	1.90B/*0.70A	----	0.80 - 1.50	.0014	----	----	3	----	2 + 1
4955	----	----	321.70B/219.80A	321.70B/219.80A	----	271.10 - 1.50	.9985	----	----	1	----	1 UNCH
4965	----	----	21.20B/*13.30A	21.20B/*13.30A	----	14.30 - 3.60	.1117	----	----	1	----	7 + 1
4965	----	----	----/*0.60A	1.70B/*0.60A	----	0.70 - 1.40	.0011	----	----	----	----	1 UNCH
4975	1.20	1.20	1.20/*0.60A	1.60B/*0.60A	----	0.70 - 1.20	.0010	----	----	3	----	4 + 3
4980	----	----	----/*0.60A	1.60B/*0.60A	----	0.60 - 1.20	.0008	----	----	----	----	1 UNCH
4990	29.30	29.30	#33.60B/*27.80A	33.60B/*27.80A	----	27.50 NEW	.1650	----	----	14	----	14 + 14
4990	----	----	354.90B/254.20A	354.90B/254.20A	----	305.90 - 1.00	.9992	----	----	----	----	0 UNCH
4990	1.00	1.00	1.40B/*0.60A	1.40B/*0.60A	----	0.60 - 1.00	.0008	----	----	1	----	514 UNCH
4995	28.50	28.50	32.40B/*27.20A	32.40B/*27.20A	----	26.70 - 6.40	.1610	----	----	14	----	28 + 14
4995	----	----	364.20B/281.80A	364.20B/281.80A	----	321.60 NEW	.9088	----	----	1	----	1 + 1
4995	----	----	----/*0.60A	1.40B/*0.60A	----	0.60 - 1.00	.0007	----	----	----	----	513 UNCH
5000	----	----	16.30B/*10.60A	16.30B/*10.60A	----	11.10 - 2.90	.0879	----	----	----	----	8 UNCH
5000	----	----	----/*26.50A	31.80B/*26.50A	----	26.00 - 6.30	.1574	----	----	----	----	1 UNCH
5000	1.10	1.10	1.40B/*0.60A	1.40B/*0.60A	----	0.60 - 0.90	.0007	----	----	3	----	113 + 2
5000	----	----	365.00B/264.10A	365.00B/264.10A	----	315.90 - 0.90	.9992	----	----	1	----	3 + 1
5005	----	----	369.80B/269.00A	369.80B/269.00A	----	320.90 - 0.80	.9992	----	----	----	----	1 UNCH
5010	9.80	9.80	15.00B/*9.80	15.00B/*9.80	----	10.30 - 2.80	.0819	----	----	1	----	5 + 1
5010	0.50	0.50	0.60/*0.50	1.30B/*0.50	----	0.60 NEW	.0007	----	----	4	----	4 + 4
5010	----	----	374.80B/301.10A	374.80B/301.10A	----	325.90 - 0.80	.9992	----	----	1	----	1 UNCH
5015	----	----	14.50B/*9.80A	14.50B/*9.80A	----	9.90 - 2.70	.0789	----	----	----	----	1 UNCH
5015	0.40	0.40	0.40/*0.40	1.20B/*0.40	----	0.60 - 0.70	.0007	----	----	2	----	3 + 2
5020	0.60	0.60	0.80/*0.60	1.20B/*0.60	----	0.60 NEW	.0007	----	----	35	----	34 + 34
5025	----	----	13.40B/*9.20A	13.40B/*9.20A	----	9.30 - 2.50	.0741	----	----	----	----	2 UNCH
5025	----	----	----/*0.50A	1.20B/*0.50A	----	0.30 - 0.90	.0002	----	----	----	----	1 UNCH
5035	----	----	----/*0.60A	1.10B/*0.60A	----	0.30 NEW	.0002	----	----	1	----	1 + 1
5040	----	----	11.90B/*8.60A	11.90B/*8.60A	----	8.40 - 2.30	.0670	----	----	----	----	41 UNCH
5050	----	----	10.70B/*8.30A	10.70B/*8.30A	----	7.80 - 2.20	.0624	----	----	----	----	5 UNCH
5050	0.30	0.30	1.00B/*0.20	1.00B/*0.20	----	0.20 - 0.80	.0001	----	----	14	----	30 + 7
5060	0.50	0.50	0.50/*0.40A	0.90B/*0.40A	----	0.20 - 0.70	.0001	----	----	1	----	5 + 1
5065	----	----	----/*0.50A	0.90B/*0.50A	----	0.20 - 0.70	.0001	----	----	----	----	1 UNCH
5070	0.30	0.30	0.30/*0.30	0.80B/*0.30	----	0.20 - 0.70	.0001	----	----	1	----	5 + 1
5075	0.20	0.20	0.20/*0.20	0.80B/*0.20	----	0.20 - 0.60	.0001	----	----	2	----	22 + 2
5080	0.40	0.40	0.40/*0.30A	0.80B/*0.30A	----	0.20 NEW	.0001	----	----	2	----	2 + 2
5095	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.10 NEW	.0000	----	----	1	----	1 + 1
5100	----	----	7.30B/*6.20A	7.30B/*6.20A	----	5.70 - 1.50	.0452	----	----	----	----	2 UNCH
5100	----	----	464.50B/390.70A	464.50B/390.70A	----	415.40 - 0.60	1.0000	----	----	----	----	30 UNCH
5100	0.50	0.50	0.50/*0.20	0.60B/*0.20	----	0.10 - 0.60	.0000	----	----	7	----	8 + 7
5120	----	----	----	0.50B/0.70A	----	0.10 - 0.50	.0000	----	----	----	----	4 UNCH
5150	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.10 NEW	----	----	----	5	----	5 + 5
5155	----	----	----/*0.40A	0.30B/*0.40A	----	0.10 - 0.40	----	----	----	----	----	1 UNCH
5175	----	----	----/*4.00A	4.20B/*4.00A	----	3.70 - 0.90	.0286	----	----	----	----	1 UNCH
5200	2.80	2.80	3.60B/*2.80	3.60B/*2.80	----	3.20 - 0.80	.0246	----	----	1	----	3 + 1
5200	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	2 UNCH
5230	----	----	----	0.20B/*0.30A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
5245	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	20 UNCH
5250	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
5285	----	----	----	0.10B/*0.30A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
5290	----	----	----	0.10B/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5300	0.10	0.10	0.20B/*0.10	0.20B/*0.10	----	0.10 UNCH	----	----	----	5	----	5 + 1
5305	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5350	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										4452	300	7206 + 2905

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3500	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.20	.0024	----	----	----	----	1 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3850	----	----	2.80B/----	2.80B/*2.80A	----	2.50 NEW	.0108	----	----	2	----	2 + 2
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
3950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4000	4.00	4.00	5.40B/*4.00	5.40B/*4.00	----	4.30 - 0.20	.0204	----	----	1	----	3 + 1
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
4025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4075	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4100	5.90	5.90	8.20B/*5.70A	8.20B/*5.70A	----	6.30 - 0.20	.0319	----	----	2	----	16 + 2
4100	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 30
4125	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 6
4150	----	----	10.40B/*6.90A	10.40B/*6.90A	----	7.60 - 0.20	.0397	----	----	----	----	1 UNCH
4150	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4175	----	----	11.80B/*7.30A	11.80B/*7.30A	----	8.40 - 0.20	.0446	----	----	----	----	48 UNCH
4175	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 6
4200	----	----	13.20B/*8.20A	13.20B/*8.20A	----	9.30 - 0.30	.0501	----	----	----	----	1 UNCH
4200	----	----	23.20B/18.00A	23.20B/18.00A	----	19.70 NEW	.0910	----	----	1	----	1 + 1
4200	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	1	----	0 - 10
4210	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4215	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.80	----	----	----	1	----	0 - 3
4225	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 6
4230	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4240	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 25
4250	----	----	16.60B/*10.00A	16.60B/*10.00A	----	11.40 - 0.40	.0631	----	----	----	----	61 UNCH
4250	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 57
4250	----	----	28.70B/21.60A	28.70B/21.60A	----	23.80 - 0.60	.1100	----	----	----	----	25 UNCH
4270	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4275	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 11
4280	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 58
4285	15.10	15.10	19.40B/*10.40A	19.40B/*10.40A	----	13.20 NEW	.0745	----	----	1	----	1 + 1
4285	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4290	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4300	----	----	20.80B/*10.40A	20.80B/*10.40A	----	14.10 - 0.70	.0801	----	----	----	----	127 UNCH
4300	----	----	51.30B/*35.60A	51.30B/35.60A	----	41.50 NEW	.1638	----	----	1	----	1 + 1
4300	0.30	0.30	0.30/*0.10	0.30/*0.10	----	0.00 - 1.00	----	----	----	2	----	0 - 84
4300	----	----	35.10B/25.00A	35.10B/25.00A	----	28.80 NEW	.1328	----	----	1	----	1 + 1
4305	----	----	21.30B/*10.90A	21.30B/*10.90A	----	14.40 - 0.70	.0820	----	----	----	----	5 UNCH
4310	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 104
4325	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 33
4330	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.10	----	----	----	1	----	0 - 55
4335	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 5
4340	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4340	----	----	25.10B/*12.70A	25.10B/*12.70A	----	16.90 - 0.90	.0976	----	----	1	----	1 UNCH
4350	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 1.20	----	----	----	3	----	0 - 10
4350	18.30	18.30	26.50B/*13.40A	26.50B/*13.40A	----	17.70 NEW	.1025	----	----	99	----	99 + 99
4360	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 6
4360	----	----	44.20B/31.80A	44.20B/31.80A	----	36.20 - 1.30	.1659	----	----	----	----	2 UNCH
4365	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 5
4375	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 201
4380	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 2
4385	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 2
4390	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 2
4400	23.10	23.10	33.50B/*17.50A	33.50B/*17.50A	----	22.30 - 1.60	.1312	----	----	2	----	20 UNCH
4400	----	----	353.90B/268.30A	353.90B/268.30A	----	306.80 - 1.60	.8685	----	----	----	----	1 UNCH
4400	----	----	296.90B/234.60A	296.90B/234.60A	----	284.70 - 1.50	----	----	----	----	----	0 - 3
4400	0.40	0.40	0.40/*0.20A	0.70B/*0.20A	----	0.00 - 1.50	----	----	----	1	----	0 - 96
4405	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 20
4410	----	----	306.60B/225.10A	306.60B/225.10A	----	274.70 - 1.60	----	----	----	----	----	0 - 9
4410	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.60	----	----	----	1	----	0 - 5
4415	----	----	301.60B/219.60A	301.60B/219.60A	----	269.70 - 1.70	----	----	----	----	----	0 - 14
4420	0.40	0.40	0.40/*0.20A	0.90B/*0.20A	----	0.00 - 1.70	----	----	----	3	----	0 - 22
4425	0.40	0.40	0.40/*0.20A	0.90B/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4430	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 1.90	----	----	----	----	----	0 - 1
4440	----	----	----/*0.20A	1.10B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 8
4445	----	----	----/*0.20A	1.10B/*0.20A	----	0.00 - 2.10	----	----	----	----	----	0 - 2
4450	----	----	42.30B/*23.20A	42.30B/*23.20A	----	28.30 - 2.30	.1681	----	----	----	----	8 UNCH
4450	1.10	1.10	1.10/*0.20A	1.20B/*0.20A	----	0.00 - 2.20	----	----	----	11	----	0 - 111
4460	----	----	44.30B/*24.00A	44.30B/*24.00A	----	29.70 - 2.50	.1766	----	----	----	----	1 UNCH
4460	0.10	0.10	0.10/*0.10	1.40B/*0.10	----	0.00 - 2.40	----	----	----	2	----	0 - 3
4465	----	----	----/*0.20A	1.60B/*0.20A	----	0.00 - 2.50	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week1										
4470	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 - 2.60	----	----	----	----	----	0 - 5
4475	----	----	47.60B/26.10A	47.60B/26.10A	----	32.00 - 2.70	.1903	----	----	----	----	2 UNCH
4475	0.40	0.40	0.40/*0.20A	1.90B/*0.20A	----	0.00 - 2.70	----	----	----	1	----	0 - 7
4475	----	----	241.90B/160.50A	241.90B/160.50A	----	209.70 - 2.70	----	----	----	----	----	0 - 1
4475	----	----	299.30B/244.10A	299.30B/244.10A	----	265.80 - 2.50	.7486	----	----	----	----	5 UNCH
4480	59.20	59.20	70.60B/49.30A	70.60B/49.30A	----	57.50 NEW	.2554	----	----	5	----	5 + 5
4485	----	----	49.70B/27.30A	49.70B/27.30A	----	33.60 - 2.90	.1998	----	----	----	----	10 UNCH
4485	0.10	0.10	0.10/*0.10	2.00B/*0.10	----	0.00 - 2.90	----	----	----	1	----	0 - 29
4490	----	----	50.90B/27.90A	50.90B/27.90A	----	34.50 - 2.90	.2050	----	----	----	----	2 UNCH
4490	----	----	----/*0.20A	2.30B/*0.20A	----	0.00 - 3.10	----	----	----	51	----	0 - 52
4495	0.70	0.70	0.70/*0.20A	2.50B/*0.20A	----	0.00 - 3.20	----	----	----	2	----	0 - 2
4495	----	----	221.70B/140.70A	221.70B/140.70A	----	189.70 - 3.20	----	----	----	----	----	0 - 14
4500	----	----	263.90B/188.70A	263.90B/188.70A	----	220.80 - 3.10	.7846	----	----	----	----	1 UNCH
4500	36.20	36.20	53.30B/*29.20A	53.30B/*29.20A	----	36.20 - 3.20	.2151	----	----	13	----	154 + 1
4500	----	----	217.00B/135.90A	217.00B/135.90A	----	184.70 - 3.40	----	----	----	----	----	0 - 19
4500	1.00	1.00	1.60/*0.20A	2.70B/*0.20A	----	0.00 - 3.40	----	----	----	12	----	0 - 26
4510	0.80	0.80	0.80/*0.20A	3.10B/*0.20A	----	0.00 - 3.70	----	----	----	1	----	0 - 39
4515	1.50	1.50	3.30B/*0.20A	3.30B/*0.20A	----	0.00 - 3.90	----	----	----	3	----	0 - 8
4515	----	----	202.20B/121.10A	202.20B/121.10A	----	169.70 - 3.90	----	----	----	----	----	0 - 11
4520	2.60	2.60	3.50B/*0.20A	3.50B/*0.20A	----	0.00 - 4.10	----	----	----	3	----	0 - 14
4520	----	----	58.50B/32.20A	58.50B/32.20A	----	40.00 NEW	.2371	----	----	2	----	2 + 2
4525	----	----	191.70B/111.30A	191.70B/111.30A	----	159.70 - 4.40	----	----	----	1	----	0 - 2
4525	3.00	3.00	4.10B/*0.20A	4.10B/*0.20A	----	0.00 - 4.40	----	----	----	3	----	0 - 175
4525	----	----	60.30B/32.80A	60.30B/32.80A	----	41.00 - 3.70	.2428	----	----	2	----	53 + 2
4530	----	----	187.00B/106.40A	187.00B/106.40A	----	154.70 - 4.60	----	----	----	----	----	0 - 6
4530	----	----	----/*0.20A	4.20B/*0.20A	----	0.00 - 4.60	----	----	----	1	----	0 - 4
4535	----	----	----/*0.20A	4.50B/*0.20A	----	0.00 - 4.90	----	----	----	----	----	0 - 7
4540	----	----	64.30B/35.10A	64.30B/35.10A	----	44.20 - 4.00	.2609	----	----	----	----	5 UNCH
4540	----	----	----/*0.20A	5.00B/*0.20A	----	0.00 - 5.20	----	----	----	4	----	0 - 21
4540	----	----	88.70B/61.70A	88.70B/61.70A	----	72.30 - 3.40	.3132	----	----	----	----	1 UNCH
4545	----	----	66.10B/36.20A	66.10B/36.20A	----	45.30 - 4.10	.2672	----	----	----	----	1 UNCH
4545	----	----	----/*0.20A	5.50B/*0.20A	----	0.00 - 5.50	----	----	----	2	----	0 - 1
4550	60.00	60.00	67.70B/36.90A	67.70B/36.90A	----	46.50 - 4.20	.2737	----	----	5	----	49 + 1
4550	----	----	167.40B/87.30A	167.40B/87.30A	----	134.70 - 5.80	----	----	----	----	----	0 - 2
4550	3.00	3.00	5.90B/*0.10	5.90B/*0.10	----	0.00 - 5.80	----	----	----	39	----	0 - 34
4550	----	----	221.60B/152.50A	221.60B/152.50A	----	181.10 - 4.20	.7260	----	----	----	----	2 UNCH
4550	----	----	92.00B/64.20A	92.00B/64.20A	----	75.10 - 3.60	.3237	----	----	----	----	3 UNCH
4555	----	----	161.90B/82.80A	161.90B/82.80A	----	129.70 - 6.20	----	----	----	----	----	0 - 5
4555	----	----	6.50B/*0.20A	6.50B/*0.20A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4560	6.50	6.50	7.10B/*0.10	7.10B/*0.10	----	0.00 - 6.60	----	----	----	7	----	0 - 5
4565	----	----	72.40B/39.50A	72.40B/39.50A	----	50.10 - 4.50	.2936	----	----	----	----	1 UNCH
4565	1.60	1.60	7.80B/*0.20A	7.80B/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4565	----	----	121.80B/*88.30A	121.80B/88.30A	----	100.30 - 5.40	.3591	----	----	----	----	0 UNCH
4570	----	----	74.30B/40.60A	74.30B/40.60A	----	51.40 - 4.60	.3005	----	----	----	----	6 UNCH
4570	----	----	147.60B/*68.60A	147.60B/*68.60A	----	114.70 - 7.40	----	----	----	----	----	0 - 15
4575	6.50	6.50	11.00/*0.10	11.00/*0.10	----	0.00 - 7.90	----	----	----	66	----	0 - 176
4575	----	----	75.80B/41.60A	75.80B/41.60A	----	52.70 - 4.70	.3076	----	----	16	----	18 UNCH
4575	----	----	142.10B/*64.30A	142.10B/*64.30A	----	109.70 - 7.90	----	----	----	----	----	0 - 3
4580	1.20	1.20	10.10B/*0.20A	10.10B/*0.20A	----	0.00 - 8.50	----	----	----	15	----	0 - 28
4585	8.30	8.30	11.10B/*0.20A	11.10B/*0.20A	----	0.00 - 9.00	----	----	----	1	----	0 - 3
4585	----	----	129.00B/*94.10A	129.00B/94.10A	----	107.00 - 5.70	.3786	----	----	----	----	3 UNCH
4590	----	----	189.50B/125.50A	189.50B/125.50A	----	151.50 - 5.00	.6704	----	----	----	----	1 UNCH
4590	----	----	127.60B/*51.30A	127.60B/*51.30A	----	94.70 - 9.60	----	----	----	1	----	0 - 2
4590	1.60	1.60	11.90B/*0.20A	11.90B/*0.20A	----	0.00 - 9.60	----	----	----	11	----	0 - 11
4590	----	----	81.20B/44.70A	81.20B/44.70A	----	56.80 - 5.10	.3294	----	----	----	----	14 UNCH
4595	----	----	13.10B/*0.20A	13.10B/*0.20A	----	0.00 - 10.30	----	----	----	8	----	0 - 14
4600	118.00	118.00	136.00B/*98.80A	136.00B/98.80A	----	112.40 NEW	.3938	----	----	1	----	1 + 1
4600	10.00	10.00	15.00/*0.10	15.00/*0.10	----	0.00 - 11.00	----	----	----	124	----	0 - 166
4600	----	----	85.10B/46.90A	85.10B/46.90A	----	59.80 - 5.20	.3447	----	----	17	----	16 UNCH
4600	----	----	181.90B/119.30A	181.90B/119.30A	----	144.40 - 5.20	.6551	----	----	----	----	1 UNCH
4600	----	----	118.30B/*42.90A	118.30B/*42.90A	----	84.70 - 11.00	----	----	----	3	----	0 - 61
4605	----	----	112.90B/*39.00A	112.90B/*39.00A	----	79.70 - 11.80	----	----	----	----	----	0 - 1
4605	----	----	178.10B/116.50A	178.10B/116.50A	----	140.90 - 5.40	.6473	----	----	----	----	8 UNCH
4605	4.80	4.80	15.70B/*0.30A	15.70B/*0.30A	----	0.00 - 11.80	----	----	----	9	----	0 - 17
4605	----	----	112.70B/79.00A	112.70B/79.00A	----	92.50 - 4.50	.3858	----	----	----	----	1 UNCH
4610	----	----	108.30B/*35.30A	108.30B/*35.30A	----	74.70 - 12.70	----	----	----	----	----	0 - 1
4610	----	----	88.90B/49.10A	88.90B/49.10A	----	62.80 - 5.50	.3602	----	----	----	----	5 UNCH
4610	5.90	5.90	17.20B/*0.30A	17.20B/*0.30A	----	0.00 - 12.70	----	----	----	15	----	0 - 15
4610	----	----	200.20B/153.90A	200.20B/153.90A	----	168.80 - 4.70	.6078	----	----	----	----	10 UNCH
4615	16.90	16.90	18.70B/*0.30A	18.70B/*0.30A	----	0.00 - 13.60	----	----	----	17	----	0 - 1
4620	4.30	4.30	20.30B/*0.20A	20.30B/*0.20A	----	0.00 - 14.50	----	----	----	39	----	0 - 3
4620	----	----	98.70B/*28.00A	98.70B/*28.00A	----	64.70 - 14.50	----	----	----	1	----	0 - 1
4620	----	----	166.00B/107.50A	166.00B/107.50A	----	130.70 - 5.70	.6233	----	----	----	----	9 UNCH
4625	----	----	94.00B/*24.70A	94.00B/*24.70A	----	59.70 - 15.60	----	----	----	----	----	0 - 5
4625	13.80	13.80	22.10B/*0.30A	22.10B/*0.30A	----	0.00 - 15.60	----	----	----	13	----	0 - 17
4630	117.00	117.00	148.90B/*109.10	148.90B/109.10A	----	123.80 NEW	.4249	----	----	2	----	1 + 1
4630	10.50	10.50	23.90B/*0.30	23.90B/*0.30	----	0.00 - 16.70	----	----	----	53	----	0 - 9
4635	----	----	156.50B/98.90A	156.50B/98.90A	----	120.90 - 5.90	.5982	----	----	----	----	12 UNCH
4635	14.40	14.40	26.10B/*0.30A	26.10B/*0.30A	----	0.00 - 17.90	----	----	----	32	----	0 - 17
4635	20.90	20.90	85.20B/*18.80A	85.20B/*18.80A	----	49.70 NEW	----	----	----	5	----	0 UNCH
4640	9.10	9.10	28.30B/*0.20A	28.30B/*0.20A	----	0.00 - 19.20	----	----	----	72	----	0 - 6
4640	40.10	40.10	80.30B/*16.60A	80.30B/*16.60A	----	44.70 - 19.20	----	----	----	104	----	0 - 11
4645	15.70	15.70	75.70B/*14.30A	75.70B/*14.30A	----	39.70 NEW	----	----	----	8	----	0 UNCH
4645	17.50	17.50	30.60B/*0.10	30.60B/*0.10	----	0.00 - 20.60	----	----	----	16	----	0 - 3
4650	17.80	17.80	33.00B/*0.10	33.00B/*0.10	----	0.00 - 22.10	----	----	----	189	----	0 - 51
4650	18.00	18.00	71.30B/*12.30A	71.30B/*12.30A	----	34.70 - 22.10	----	----	----	12	----	0 - 38
4650	----	----	106.70B/59.90A	106.70B/59.90A	----	76.80 - 6.20	.4276	----	----	1	----	3 + 1
4655	30.10	30.10	66.60B/*10.50	66.60B/*10.50	----	29.70 NEW	----	----	----	105	----	0 UNCH
4655	21.00	21.00	35.60B/*0.40A	35.60B/*0.40A	----	0.00 - 23.70	----	----	----	20	----	0 - 31
4655	76.00	76.00	109.10B/61.40A	109.10B/61.40A	----	78.70 NEW	.4364	----	----	10	----	10 + 10
4660	12.40	12.40	62.10B/*8.90A	62.10B/*8.90A	----	24.70 - 25.40	----	----	----	8	----	0 - 64
4660	22.00	22.00	38.30B/*0.40A	38.30B/*0.40A	----	0.00 - 25.40	----	----	----	40	----	0 - 22
4665	16.30	16.30	38.80B/*0.50A	38.80B/*0.50A	----	0.00 - 27.20	----	----	----	11	----	0 - 15
4665	28.40	28.40	57.70B/*7.50A	57.70B/*7.50A	----	19.70 - 27.20	----	----	----	12	----	0 - 21
4665	----	----	134.30B/83.00A	134.30B/83.00A	----	102.40 - 6.40	.5453	----	----	----	----	27 UNCH
4670	----	----	130.90B/80.50A	130.90B/80.50A	----	99.50 - 6.50	.5362	----	----	----	----	2 UNCH
4670	29.10	29.10	52.80B/*6.40A	52.80B/*6.40A	----	14.70 - 29.20	----	----	----	27	----	0 - 13
4670	25.90	25.90	41.00B/*0.20	41.00B/*0.20	----	0.00 - 29.20	----	----	----	37	----	0 - 8
4675	35.00	35.00	48.80B/*5.50A	48.80B/*5.50A	----	9.70 - 31.20	----	----	----	107	----	0 - 89
4675	17.80	17.80	45.30B/*0.60A	45.30B/*0.60A	----	0.00 - 31.20	----	----	----	34	----	0 - 27
4675	----	----	129.30B/78.10A	129.30B/78.10A	----	96.60 - 6.60	.5270	----	----	----	----	17 UNCH
4680	35.20	35.20	44.90B/*4.20A	44.90B/*4.20A	----	4.70 - 33.40	----	----	----	109	----	0 - 78
4680	32.50	32.50	49.30B/*0.30	49.30B/*0.30	----	0.00 - 33.40	----	----	----	184	----	0 - 62
4680	----	----	126.90B/75.70A	126.90B/75.70A	----	93.80 - 6.60	.5177	----	----	----	----	9 UNCH
4685	21.70	21.70	53.80B/*1.80A	53.80B/*1.80A	----	0.30 - 35.40	----	----	----	25	----	0 - 1
4685	32.00	32.00	40.70B/*2.00	40.70B/*2.00	----	0.00 - 35.40	----	----	----	44	----	0 - 5
4690	----	----	147.00B/105.80A	147.00B/105.80A	----	121.20 - 6.10	.5055	----	----	----	----	3 UNCH
4690	25.60	25.60	58.20B/*2.50A	58.20B/*2.50A	----	5.30 - 32.80	----	----	----	26	----	0 - 36
4690	25.00	25.00	37.30B/*0.20A	37.30B/*0.20A	----	0.00 - 32.80	----	----	----	27	----	0 - 25
4695	36.00	36.00	62.90B/*4.00A	62.90B/*4.00A	----	10.30 - 30.30	----	----	----	76	----	0 - 23
4695	8.60	8.60	33.90B/*0.50A	33.90B/*0.50A	----	0.00 - 30.30	----	----	----	8	----	0 - 6
4695	----	----	119.80B/68.80A	119.80B/68.80A	----	85.60 - 6.80	.4896	----	----	----	----	6 UNCH
4700	24.20	24.20	32.00/*0.10	32.00/*0.10	----	0.00 - 28.00	----	----	----	191	----	0 - 139
4700	43.60	43.60	67.30B/*5.90	67.30B/*5.90	----	15.30 - 28.00	----	----	----	64	----	0 - 64
4700	----	----	116.80B/66.70A	116.80B/66.70A	----	83.00 - 6.80	.4801	----	----	40	----	56 + 40
4700	103.20	103.20	131.60B/76.20A	131.60B/76.20A	----	98.30 - 6.80	.5196	----	----	25	----	29 + 25
4705	12.00	12.00	29.90B/*0.20A	29.90B/*0.20A	----	0.00 - 25.80	----	----	----	16	----	0 - 15
4705	----	----	72.00B/*10.50A	72.00B/*10.50A	----	20.30 - 25.80	----	----	----	----	----	0 - 9
4710	15.00	15.00	28.10B/*0.20	28.10B/*0.20	----	0.00 - 23.70	----	----	----	37	----	0 - 13
4710	23.00	23.00	76.80B/*14.10A	76.80B/*14.10A	----	25.30 NEW	----	----	----	6	----	0 UNCH
4715	13.10	13.10	25.00B/*0.20A	25.00B/*0.20A	----	0.00 - 21.80	----	----	----	24	----	0 - 2
4715	----	----	140.30B/82.20A	140.30B/82.20A	----	105.70 - 6.90	.5483	----	----	----	----	12 UNCH
4715	----	----	81.80B/*19.20A	81.80B/*19.20A	----	30.30 - 21.80	----	----	----	----	----	0 - 3
4720	23.00	23.00	23.00/*0.30A	23.00/*0.30A	----	0.00 - 20.00	----	----	----	81	----	0 - 79
4720	27.00	27.00	86.60B/*23.70A	86.60B/*23.70A	----	35.30 NEW	----	----	----	3	----	0 UNCH
4725	6.70	6.70	21.20/*0.30A	21.20/*0.30A	----	0.00 - 18.30	----	----	----	23	----	0 - 53
4730	3.90	3.90	17.40B/*0.20	17.40B/*0.20	----	0.00 - 16.70	----	----	----	15	----	0 - 4
4730	107.60	107.60	149.50B/88.30A	149.50B/88.30A	----	113.60 NEW	.5770	----	----	25	----	25 + 25
4730	----	----	98.70B/54.50A	98.70B/54.50A	----	68.30 - 7.00	.4227	----	----	----	----	24 UNCH
4735	56.00	56.00	101.30B/*33.70A	101.30B/*33.70A	----	50.30 - 15.20	----	----	----	42	----	0 - 42
4735	1.90	1.90	15.40B/*0.20A	15.40B/*0.20A	----	0.00 - 15.20	----	----	----	11	----	0 - 25
4740	5.10	5.10	13.50B/*0.30A	13.50B/*0.30A	----	0.00 - 13.80	----	----	----	29	----	0 - 19
4745	1.50	1.50	1.90/*0.20A	11.80B/*0.20A	----	0.00 - 12.60	----	----	----	6	----	0 - 2
4750	----	----	115.90B/47.20A	115.90B/47.20A	----	65.30 - 11.40	----	----	----	2	----	0 - 2
4750	5.60	5.60	10.30B/*0.20	10.30B/*0.20	----	0.00 - 11.40	----	----	----	116	----	0 - 116
4750	----	----	87.70B/47.80A	87.70B/47.80A	----	59.60 - 6.90	.3847	----	----	----	----	3 UNCH
4755	----	----	----/*0.20A	8.80B/*0.20A	----	0.00 - 10.40	----	----	----	1	----	0 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week1										
4760	2.10	2.10	3.20/*0.30A	7.70B/*0.30A	----	0.00 - 9.40	----	----	----	11	----	0 - 12
4765	----	----	----/*0.20A	6.80B/*0.20A	----	0.00 - 8.50	----	----	----	1	----	0 - 1
4770	5.00	5.00	5.40/*0.10	6.20B/*0.10	----	0.00 - 7.80	----	----	----	15	----	0 - 11
4770	57.00	57.00	77.40B/*41.60A	77.40B/*41.60A	----	51.70 NEW	.3473	----	----	3	----	3 + 3
4775	----	----	141.10B/65.80A	141.10B/65.80A	----	90.30 - 7.00	----	----	----	2	----	0 - 2
4775	5.40	5.40	5.80/*0.10	5.80/*0.10	----	0.00 - 7.00	----	----	----	23	----	0 - 33
4780	2.20	2.20	2.20/*0.20A	4.80B/*0.20A	----	0.00 - 6.40	----	----	----	2	----	0 - 13
4785	----	----	151.00B/74.30A	151.00B/74.30A	----	100.30 - 5.80	----	----	----	3	----	0 - 3
4785	0.10	0.10	0.10/*0.10	4.20B/*0.10	----	0.00 - 5.80	----	----	----	1	----	0 - 2
4790	1.90	1.90	2.00/*0.20A	3.70B/*0.20A	----	0.00 - 5.30	----	----	----	10	----	0 - 6
4795	----	----	161.00B/83.10A	161.00B/83.10A	----	110.30 - 4.80	----	----	----	----	----	0 - 50
4795	1.00	1.00	1.00/*0.20A	3.40B/*0.20A	----	0.00 - 4.80	----	----	----	3	----	0 - 1
4800	3.00	3.00	3.00/*0.10A	3.10B/*0.10A	----	0.00 - 4.40	----	----	----	19	----	0 - 39
4800	107.90	107.90	165.60B/87.50A	165.60B/87.50A	----	115.30 - 4.40	----	----	----	2	----	0 - 50
4800	84.00	84.00	115.30B/*84.00	115.30B/*84.00	----	93.60 NEW	.3857	----	----	2	----	0 UNCH
4800	43.00	43.00	63.00B/*33.50A	63.00B/*33.50A	----	41.40 - 6.50	.2937	----	----	2	----	21 + 2
4805	----	----	171.00B/92.20A	171.00B/92.20A	----	120.30 - 4.10	----	----	----	----	----	0 - 1
4805	----	----	----/*0.20A	2.70B/*0.20A	----	0.00 - 4.10	----	----	----	----	----	0 - 25
4810	1.00	1.00	1.00/*0.20A	2.50B/*0.20A	----	0.00 - 3.70	----	----	----	5	----	0 - 1
4810	117.10	117.10	175.90B/97.30A	175.90B/97.30A	----	125.30 - 3.70	----	----	----	1	----	0 - 3
4815	1.50	1.50	1.50/*0.10	2.00B/*0.10	----	0.00 - 3.50	----	----	----	2	----	0 - 8
4815	----	----	180.50B/101.80A	180.50B/101.80A	----	130.30 - 3.50	----	----	----	----	----	0 - 1
4815	----	----	56.90B/*30.10A	56.90B/*30.10A	----	37.00 - 6.20	.2687	----	----	----	----	13 UNCH
4820	----	----	----/*0.20A	2.10B/*0.20A	----	0.00 - 3.20	----	----	----	----	----	0 - 99
4825	1.00	1.00	2.00/*0.20A	2.00/*0.20A	----	0.00 - 3.00	----	----	----	14	----	0 - 304
4825	----	----	190.50B/111.30A	190.50B/111.30A	----	140.30 - 3.00	----	----	----	----	----	0 - 356
4825	----	----	79.10B/58.30A	79.10B/58.30A	----	62.20 - 7.20	.3246	----	----	----	----	3 UNCH
4830	0.80	0.80	0.80/*0.20A	1.50B/*0.20A	----	0.00 - 2.80	----	----	----	10	----	0 - 260
4830	31.40	31.40	51.00B/*27.00A	51.00B/*27.00A	----	32.90 - 6.00	.2445	----	----	25	----	29 + 25
4835	----	----	----/*0.20A	1.50B/*0.20A	----	0.00 - 2.60	----	----	----	----	----	0 - 226
4835	40.20	40.20	49.20B/*25.80A	49.20B/*25.80A	----	31.70 - 5.80	.2370	----	----	1	----	1 UNCH
4840	----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 2.40	----	----	----	----	----	0 - 4
4840	29.20	29.20	47.40B/*25.00A	47.40B/*25.00A	----	30.40 NEW	.2292	----	----	25	----	25 + 25
4845	29.50	29.50	45.70B/*24.20A	45.70B/*24.20A	----	29.30 NEW	.2221	----	----	1	----	1 + 1
4850	1.00	1.00	1.00/*0.20A	1.00/*0.20A	----	0.00 - 2.20	----	----	----	8	----	0 - 50
4850	----	----	215.90B/135.20A	215.90B/135.20A	----	165.30 - 2.20	----	----	----	----	----	0 - 1
4850	----	----	69.10B/*51.40A	69.10B/51.40A	----	54.40 - 7.10	.2938	----	----	----	----	3 UNCH
4850	28.60	28.60	44.20B/*23.20A	44.20B/*23.20A	----	28.10 NEW	.2146	----	----	7	----	6 + 6
4855	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 70
4860	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 1.90	----	----	----	3	----	0 - 7
4860	51.40	51.40	#64.90B/*48.80A	64.90B/*48.80A	----	51.50 - 7.00	.2819	----	----	10	----	10 + 9
4860	24.80	24.80	41.00B/*21.70A	41.00B/*21.70A	----	26.00 - 5.30	.2008	----	----	25	----	36 + 25
4865	0.90	0.90	0.90/*0.20A	0.90/*0.20A	----	0.00 - 1.80	----	----	----	10	----	0 - 1
4870	0.10	0.10	0.10/*0.10	0.80B/*0.10	----	0.00 - 1.70	----	----	----	1	----	0 - 2
4870	----	----	235.80B/154.90A	235.80B/154.90A	----	185.30 - 1.70	----	----	----	1	----	0 - 1
4875	0.60	0.60	0.60/*0.10A	0.70B/*0.10A	----	0.00 - 1.70	----	----	----	2	----	0 - 3
4880	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 3
4880	----	----	35.10B/*18.80A	35.10B/*18.80A	----	22.20 - 4.90	.1751	----	----	----	----	0 UNCH
4885	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 11
4890	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 UNCH
4890	----	----	#54.70B/*41.90A	54.70B/*41.90A	----	43.60 - 6.70	.2477	----	----	----	----	5 UNCH
4895	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 3
4895	----	----	53.40B/*40.80A	53.40B/*40.80A	----	42.40 - 6.60	.2423	----	----	----	----	5 UNCH
4900	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.30	----	----	----	2	----	0 - 467
4900	----	----	265.30B/184.30A	265.30B/184.30A	----	215.30 - 1.30	----	----	----	----	----	0 - 17
4900	42.00	42.00	52.20B/*39.70A	52.20B/39.70A	----	41.20 NEW	.2369	----	----	1	----	1 + 1
4900	----	----	30.00B/*16.40A	30.00B/*16.40A	----	18.90 - 4.50	.1518	----	----	----	----	5 UNCH
4915	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 23
4915	----	----	26.60B/*14.70A	26.60B/*14.70A	----	16.70 - 4.20	.1359	----	----	----	----	20 UNCH
4920	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4925	----	----	313.00B/240.30A	313.00B/240.30A	----	275.80 - 6.10	.7881	----	----	----	----	1 UNCH
4925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 155
4930	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4930	13.00	13.00	23.50B/*13.00	23.50B/*13.00	----	14.80 - 3.90	.1216	----	----	2	----	3 + 2
4935	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4935	----	----	22.50B/*12.70A	22.50B/*12.70A	----	14.20 - 3.80	.1171	----	----	----	----	1 UNCH
4940	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 24
4950	----	----	315.70B/253.10A	315.70B/253.10A	----	265.30 - 0.90	----	----	----	----	----	0 - 1
4950	----	----	19.80B/*11.50A	19.80B/*11.50A	----	12.60 - 3.50	.1046	----	----	16	----	16 UNCH
4950	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4955	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4960	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 101
4960	16.40	16.40	18.20B/*10.80A	18.20B/*10.80A	----	11.70 NEW	.0974	----	----	1	----	1 + 1
4965	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 22
4965	10.50	10.50	17.40B/*10.40A	17.40B/*10.40A	----	11.20 NEW	.0935	----	----	1	----	1 + 1
4970	----	----	16.70B/*10.10A	16.70B/*10.10A	----	10.80 - 3.10	.0902	----	----	----	----	20 UNCH
4975	----	----	353.70B/278.30A	353.70B/278.30A	----	316.60 - 5.30	.8336	----	----	----	----	1 UNCH
4975	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4975	----	----	16.00B/*9.70A	16.00B/*9.70A	----	10.40 - 3.00	.0869	----	----	17	----	16 - 1
4975	----	----	349.30B/256.50A	349.30B/256.50A	----	300.50 - 3.00	.9128	----	----	----	----	1 UNCH
4980	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4980	----	----	15.20B/*9.40A	15.20B/*9.40A	----	10.00 - 3.00	.0837	----	----	----	----	20 UNCH
4985	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4985	----	----	14.70B/*9.10A	14.70B/*9.10A	----	9.60 - 2.90	.0805	----	----	----	----	305 UNCH
4990	----	----	14.10B/*8.80A	14.10B/*8.80A	----	9.30 - 2.80	.0779	----	----	----	----	5 UNCH
4995	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4995	----	----	13.40B/*8.60A	13.40B/*8.60A	----	8.90 - 2.70	.0747	----	----	----	----	11 UNCH
5000	----	----	365.40B/303.20A	365.40B/303.20A	----	315.30 - 0.60	----	----	----	1	----	0 - 8
5000	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	1	----	0 - 68
5000	----	----	12.90B/*8.20A	12.90B/*8.20A	----	8.60 - 2.60	.0721	----	----	----	----	30 UNCH
5005	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.60	----	----	----	----	----	0 - 6
5010	----	----	375.40B/313.10A	375.40B/313.10A	----	325.30 - 0.60	----	----	----	----	----	0 - 1
5025	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 101
5030	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 4
5035	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
5050	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 22
5060	6.90	6.90	7.70B/*5.80A	7.70B/*5.80A	----	5.50 NEW	.0460	----	----	5	----	5 + 5
5065	----	----	430.70B/368.10A	430.70B/368.10A	----	380.30 - 0.40	----	----	----	----	----	0 - 1
5080	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5085	----	----	450.70B/388.10A	450.70B/388.10A	----	400.30 - 0.30	----	----	----	----	----	0 - 1
5090	----	----	455.70B/393.20A	455.70B/393.20A	----	405.30 - 0.30	----	----	----	----	----	0 - 21
5100	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 9
5100	----	----	----/*4.50A	5.50B/*4.50A	----	4.20 - 1.50	.0346	----	----	----	----	5 UNCH
5120	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5120	----	----	485.80B/423.20A	485.80B/423.20A	----	435.30 - 0.20	----	----	----	----	----	0 - 35
5140	----	----	505.80B/443.10A	505.80B/443.10A	----	455.30 - 0.10	----	----	----	----	----	0 - 1
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
5150	10.10	10.10	#11.80B/*10.10	11.80B/*10.10	----	9.60 NEW	.0664	----	----	1	----	1 + 1
5160	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 121
5165	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5185	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
5190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5200	----	----	----/2.80A	2.60B/2.80A	----	2.30 - 0.80	.0180	----	----	----	----	1 UNCH
5200	----	----	#17.70B/*15.30A	17.70B/*15.30A	----	15.20 NEW	.0879	----	----	1	----	1 + 1
5210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 150
5235	----	----	----/*2.20A	2.10B/*2.20A	----	2.00 NEW	.0152	----	----	2	----	2 + 2
5250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5260	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5285	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5300	----	----	----	1.40B/*2.00A	----	1.40 - 0.40	.0102	----	----	----	----	12 UNCH
5305	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5335	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
TOTAL										3121		1700 - 6240

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU APR26		GOLD WEEKLY THURSDAY OPTION Week2										
3500	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3700	----	----	----/*0.20A	0.40B/*0.20A	----	0.30 - 0.20	.0003	----	----	----	----	2 UNCH
3800	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.50 - 0.20	.0006	----	----	1	----	6 UNCH
3850	----	----	----	0.80B/*0.90A	----	0.70 NEW	.0010	----	----	2	----	2 + 2
3900	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 0.30	.0013	----	----	----	----	2 UNCH
3950	1.10	1.10	1.20/*1.00A	1.20/*1.00A	----	1.00 - 0.30	.0018	----	----	2	----	2 + 1
4000	1.50	1.50	1.50/*1.30A	1.50/*1.30A	----	1.20 - 0.30	.0024	----	----	2	----	5 + 2
4025	1.60	1.60	1.60/*1.40A	1.70B/*1.40A	----	1.40 - 0.30	.0030	----	----	1	----	2 + 1
4050	5.00	5.00	9.40B/*5.00	9.40B/*5.00	----	7.30 - 0.50	.0352	----	----	1	----	2 UNCH
4100	----	----	2.60B/*1.80A	2.60B/*1.80A	----	1.90 - 0.30	.0049	----	----	----	----	3 UNCH
4100	----	----	11.90B/*6.70A	11.90B/*6.70A	----	8.80 - 0.60	.0433	----	----	----	----	1 UNCH
4125	----	----	2.90B/*1.90A	2.90B/*1.90A	----	2.10 - 0.30	.0058	----	----	----	----	1 UNCH
4150	----	----	3.40B/*2.00A	3.40B/*2.00A	----	2.30 - 0.40	.0067	----	----	----	----	1 UNCH
4200	----	----	4.50B/*2.30A	4.50B/*2.30A	----	2.90 - 0.40	.0096	----	----	1	----	106 UNCH
4200	----	----	18.10B/12.00A	18.10B/12.00A	----	12.90 - 0.90	.0659	----	----	----	----	3 UNCH
4215	----	----	19.30B/12.70A	19.30B/12.70A	----	13.70 - 0.90	.0703	----	----	----	----	0 UNCH
4225	----	----	20.10B/13.10A	20.10B/13.10A	----	14.30 - 0.90	.0735	----	----	----	----	3 UNCH
4225	----	----	5.10B/*2.50A	5.10B/*2.50A	----	3.30 - 0.40	.0117	----	----	----	----	5 UNCH
4230	----	----	20.50B/13.30A	20.50B/13.30A	----	14.50 - 1.00	.0748	----	----	----	----	3 UNCH
4235	----	----	21.00B/13.50A	21.00B/13.50A	----	14.80 - 1.10	.0765	----	----	----	----	1 UNCH
4250	3.00	3.00	5.90B/*2.70A	5.90B/*2.70A	----	3.70 - 0.50	.0139	----	----	1	----	52 + 1
4250	----	----	22.20B/14.30A	22.20B/14.30A	----	15.80 - 1.10	.0818	----	----	----	----	4 UNCH
4255	----	----	22.90B/14.50A	22.90B/14.50A	----	16.10 - 1.10	.0836	----	----	----	----	1 UNCH
4260	3.00	3.00	6.30B/*2.80A	6.30B/*2.80A	----	3.90 - 0.50	.0150	----	----	1	----	2 + 1
4265	----	----	6.50B/*2.80A	6.50B/*2.80A	----	4.00 - 0.50	.0156	----	----	----	----	1 UNCH
4270	----	----	6.60B/*2.90A	6.60B/*2.90A	----	4.10 - 0.50	.0162	----	----	----	----	9 UNCH
4285	----	----	25.90B/16.20A	25.90B/16.20A	----	18.20 - 1.30	.0952	----	----	----	----	1 UNCH
4300	----	----	27.50B/17.10A	27.50B/17.10A	----	19.40 - 1.40	.1017	----	----	----	----	2 UNCH
4300	4.00	4.00	7.90B/*3.40A	7.90B/*3.40A	----	4.70 - 0.70	.0201	----	----	1	----	33 + 1
4305	----	----	8.20B/*3.40A	8.20B/*3.40A	----	4.80 - 0.70	.0208	----	----	----	----	1 UNCH
4310	5.20	5.20	8.40B/*3.40A	8.40B/*3.40A	----	5.00 - 0.70	.0219	----	----	4	----	11 + 1
4320	5.50	5.50	8.90B/*3.60A	8.90B/*3.60A	----	5.20 - 0.80	.0234	----	----	3	----	6 UNCH
4325	----	----	9.20B/*3.70A	9.20B/*3.70A	----	5.40 - 0.70	.0246	----	----	----	----	4 UNCH
4325	----	----	30.50B/19.00A	30.50B/19.00A	----	21.60 - 1.50	.1136	----	----	----	----	150 UNCH
4330	----	----	9.50B/*3.80A	9.50B/*3.80A	----	5.50 - 0.80	.0254	----	----	----	----	10 UNCH
4335	4.90	4.90	9.80B/*3.90A	9.80B/*3.90A	----	5.70 - 0.80	.0266	----	----	4	----	13 UNCH
4340	6.60	6.60	10.10B/*4.00A	10.10B/*4.00A	----	5.80 - 0.90	.0274	----	----	2	----	3 UNCH
4345	----	----	10.40B/*4.10A	10.40B/*4.10A	----	6.00 - 0.80	.0287	----	----	----	----	11 UNCH
4350	4.10	4.10	10.70B/*4.10	10.70B/*4.10	----	6.10 - 0.90	.0296	----	----	189	----	185 + 159
4350	----	----	34.00B/20.70A	34.00B/20.70A	----	24.10 - 1.60	.1270	----	----	----	----	4 UNCH
4355	----	----	11.00B/*4.30A	11.00B/*4.30A	----	6.30 - 0.90	.0310	----	----	----	----	1 UNCH
4360	----	----	11.40B/*4.50A	11.40B/*4.50A	----	6.50 - 0.90	.0324	----	----	----	----	1 UNCH
4370	7.00	7.00	12.10B/*4.80A	12.10B/*4.80A	----	6.80 NEW	.0348	----	----	1	----	1 + 1
4375	7.00	7.00	12.50B/*4.90A	12.50B/*4.90A	----	7.00 - 1.10	.0362	----	----	1	----	2 + 1
4390	8.60	8.60	13.70B/*5.30A	13.70B/*5.30A	----	7.60 NEW	.0409	----	----	1	----	1 + 1
4395	----	----	14.10B/*5.40A	14.10B/*5.40A	----	7.90 - 1.20	.0430	----	----	----	----	2 UNCH
4400	5.40	5.40	14.70/*5.40	14.70/*5.40	----	8.10 - 1.30	.0447	----	----	20	----	21 + 17
4400	----	----	60.90B/44.10A	60.90B/44.10A	----	48.20 - 4.20	.2049	----	----	----	----	1 UNCH
4400	25.50	25.50	42.10B/25.00	42.10B/25.00	----	29.90 - 2.10	.1580	----	----	8	----	3 - 5
4405	----	----	15.00B/*5.80A	15.00B/*5.80A	----	8.30 - 1.40	.0464	----	----	----	----	1 UNCH
4410	----	----	63.20B/45.40A	63.20B/45.40A	----	50.00 - 4.40	.2119	----	----	----	----	2 UNCH
4410	----	----	15.50B/*5.90A	15.50B/*5.90A	----	8.60 - 1.40	.0486	----	----	----	----	4 UNCH
4410	----	----	44.30B/26.20A	44.30B/26.20A	----	31.20 - 2.30	.1649	----	----	----	----	4 UNCH
4415	----	----	333.60B/239.00A	333.60B/239.00A	----	278.50 - 1.40	.9494	----	----	----	----	8 UNCH
4415	----	----	340.50B/266.50A	340.50B/266.50A	----	301.40 - 2.30	.8312	----	----	----	----	5 UNCH
4415	8.80	8.80	16.00B/*6.10A	16.00B/*6.10A	----	8.80 - 1.50	.0504	----	----	3	----	12 + 2
4420	----	----	335.80B/262.40A	335.80B/262.40A	----	297.10 - 2.40	.8275	----	----	----	----	5 UNCH
4420	9.20	9.20	16.50B/*6.50A	16.50B/*6.50A	----	9.10 - 1.50	.0528	----	----	3	----	3 + 1
4420	----	----	328.70B/234.20A	328.70B/234.20A	----	273.80 - 1.40	.9471	----	----	----	----	5 UNCH
4425	13.30	13.30	17.10B/*6.60A	17.10B/*6.60A	----	9.40 NEW	.0552	----	----	10	----	10 + 10
4430	----	----	17.70B/*6.90A	17.70B/*6.90A	----	9.60 - 1.70	.0571	----	----	----	----	1 UNCH
4435	9.80	9.80	18.20B/*7.10A	18.20B/*7.10A	----	9.90 NEW	.0597	----	----	2	----	2 + 2
4440	----	----	18.80B/*7.30A	18.80B/*7.30A	----	10.20 - 1.80	.0622	----	----	----	----	1 UNCH
4440	----	----	308.90B/216.60A	308.90B/216.60A	----	254.90 - 1.80	.9376	----	----	----	----	1 UNCH
4450	15.00	15.00	20.00B/*7.80A	20.00B/*7.80A	----	10.90 - 2.00	.0681	----	----	3	----	14 + 3
4455	----	----	20.70B/*8.10A	20.70B/*8.10A	----	11.20 - 2.10	.0709	----	----	----	----	1 UNCH
4460	----	----	54.40B/32.10A	54.40B/32.10A	----	39.00 - 2.80	.2049	----	----	----	----	4 UNCH
4460	----	----	76.00B/54.70A	76.00B/54.70A	----	60.20 - 5.10	.2506	----	----	----	----	1 UNCH
4465	----	----	55.70B/32.80A	55.70B/32.80A	----	39.90 - 2.80	.2093	----	----	----	----	3 UNCH
4465	14.70	14.70	22.10B/*8.70A	22.10B/*8.70A	----	11.90 - 2.30	.0772	----	----	1	----	2 + 1
4470	----	----	22.80B/*9.00A	22.80B/*9.00A	----	12.30 - 2.40	.0807	----	----	1	----	2 + 1
4470	----	----	78.20B/56.70A	78.20B/56.70A	----	62.40 - 5.40	.2588	----	----	----	----	2 UNCH
4470	----	----	280.70B/190.40A	280.70B/190.40A	----	227.00 - 2.30	.9192	----	----	----	----	5 UNCH
4475	----	----	58.20B/34.20A	58.20B/34.20A	----	41.70 - 3.00	.2184	----	----	----	----	1 UNCH
4475	13.30	13.30	23.50B/*9.30A	23.50B/*9.30A	----	12.70 NEW	.0843	----	----	95	----	90 + 90
4480	----	----	59.30B/34.90A	59.30B/34.90A	----	42.60 - 3.10	.2230	----	----	----	----	1 UNCH
4480	----	----	81.00B/58.70A	81.00B/58.70A	----	64.80 - 5.40	.2675	----	----	----	----	4 UNCH
4480	13.90	13.90	24.30B/*9.60A	24.30B/*9.60A	----	13.10 NEW	.0880	----	----	2	----	2 + 2
4485	17.00	17.00	25.10B/*10.00A	25.10B/*10.00A	----	13.50 NEW	.0918	----	----	1	----	1 + 1
4495	17.90	17.90	26.80B/*10.60A	26.80B/*10.60A	----	14.40 - 3.00	.1002	----	----	2	----	2 + 1
4495	----	----	257.00B/168.90A	257.00B/168.90A	----	204.10 - 3.00	.8997	----	----	----	----	2 UNCH
4500	11.00	11.00	28.40/*11.00	28.40/*11.00	----	14.90 - 3.20	.1048	----	----	37	----	66 + 29
4500	----	----	64.70B/38.00A	64.70B/38.00A	----	46.60 - 3.40	.2427	----	----	----	----	17 UNCH
4500	----	----	252.30B/164.80A	252.30B/164.80A	----	199.60 - 3.10	.8951	----	----	----	----	11 UNCH
4500	----	----	87.40B/62.70A	87.40B/62.70A	----	69.60 - 5.80	.2851	----	----	----	----	1 UNCH
4510	----	----	90.30B/65.10A	90.30B/65.10A	----	72.20 - 5.90	.2943	----	----	----	----	2 UNCH
4520	17.50	17.50	31.40B/*12.40A	31.40B/*12.40A	----	17.00 - 3.80	.1249	----	----	1	----	2 - 1
4525	----	----	32.40B/*12.80A	32.40B/*12.80A	----	17.60 - 3.90	.1307	----	----	40	----	42 + 38
4525	----	----	71.90B/42.20A	71.90B/42.20A	----	52.10 - 3.80	.2692	----	----	----	----	68 UNCH
4530	----	----	33.60B/*13.20A	33.60B/*13.20A	----	18.20 NEW	.1365	----	----	1	----	1 + 1
4530	----	----	73.40B/43.10A	73.40B/43.10A	----	53.30 - 3.80	.2748	----	----	----	----	2 UNCH
4535	24.10	24.10	34.70B/*13.60A	34.70B/*13.60A	----	18.80 - 4.30	.1426	----	----	3	----	4 + 1
4540	----	----	100.00B/72.00A	100.00B/72.00A	----	80.50 - 6.30	.3231	----	----	----	----	2 UNCH
4540	21.90	21.90	35.90B/*14.00A	35.90B/*14.00A	----	19.50 - 4.50	.1492	----	----	1	----	2 + 1
4540	----	----	215.10B/133.00A	215.10B/133.00A	----	164.20 - 4.40	.8506	----	----	----	----	1 UNCH
4545	21.30	21.30	37.10B/*14.40A	37.10B/*14.40A	----	20.20 - 4.60	.1561	----	----	3	----	26 + 2
4550	34.30	34.30	38.30B/*14.90A	38.30B/*14.90A	----	20.90 - 4.80	.1630	----	----	5	----	11 + 2
4550	----	----	225.40B/165.30A	225.40B/165.30A	----	192.80 - 4.20	.7017	----	----	----	----	1 UNCH
4550	----	----	205.90B/126.00A	205.90B/126.00A	----	155.60 - 4.80	.8368	----	----	----	----	2 UNCH
4550	----	----	79.70B/47.10A	79.70B/47.10A	----	58.30 NEW	.2980	----	----	1	----	1 + 1
4555	24.40	24.40	39.80B/*15.30A	39.80B/*15.30A	----	21.70 - 5.00	.1707	----	----	1	----	4 + 1
4560	36.50	36.50	41.00B/*15.80A	41.00B/*15.80A	----	22.50 - 5.20	.1785	----	----	1	----	2 UNCH
4565	33.00	33.00	42.40B/*16.30A	42.40B/*16.30A	----	23.30 - 5.40	.1865	----	----	4	----	5 + 4
4570	27.80	27.80	44.00B/*16.90A	44.00B/*16.90A	----	24.10 - 5.60	.1947	----	----	1	----	24 + 1
4575	26.20	26.20	45.50B/*17.40A	45.50B/*17.40A	----	25.00 - 5.80	.2035	----	----	1	----	3 + 1
4580	----	----	47.00B/*17.90A	47.00B/*17.90A	----	26.00 - 5.90	.2130	----	----	1	----	2 + 1
4585	27.40	27.40	48.40B/*18.60A	48.40B/*18.60A	----	26.90 - 6.20	.2222	----	----	13	----	14 + 11
4590	----	----	93.80B/56.00A	93.80B/56.00A	----	69.60 - 4.90	.3487	----	----	----	----	1 UNCH
4590	----	----	50.30B/*19.20A	50.30B/*19.20A	----	28.00 - 6.30	.2325	----	----	----	----	1 UNCH
4595	35.30	35.30	51.70B/*19.90A	51.70B/*19.90A	----	29.00 - 6.50	.2426	----	----	2	----	3 + 1
4600	32.50	32.50	53.80B/*20.60A	53.80B/*20.60A	----	30.10 - 6.70	.2534	----	----	8	----	7 + 4
4600	----	----	161.60B/87.70A	161.60B/87.70A	----	114.80 - 6.70	.7465	----	----	----	----	25 UNCH
4600	----	----	98.20B/58.30A	98.20B/58.30A	----	72.70 - 5.10	.3622	----	----	1	----	13 + 1
4605	----	----	124.70B/90.20A	124.70B/90.20A	----	101.40 - 6.90	.3918	----	----	----	----	1 UNCH
4605	----	----	55.50B/*21.30A	55.50B/*21.30A	----	31.30 - 6.90	.2647	----	----	----	----	1 UNCH
4610	26.40	26.40	57.40B/*22.00A	57.40B/*22.00A	----	32.50 - 7.10	.2762	----	----	1	----	0 - 1
4620	----	----	145.10B/75.20A	145.10B/75.20A	----	99.80 - 7.40	.6991	----	----	----	----	3 UNCH
4625	----	----	141.00B/72.30A	141.00B/72.30A	----	96.20 - 7.50	.6862	----	----	----	----	2 UNCH
4630	----	----	65.50B/*25.40A	65.50B/*25.40A	----	37.90 - 7.80	.3268	----	----	----	----	2 UNCH
4635	----	----	132.70B/66.50A	132.70B/66.50A	----	89.10 - 7.90	.6594	----	----	----	----	15 UNCH
4640	----	----	70.20B/*27.30A	70.20B/*27.30A	----	40.90 - 8.10	.3544	----	----	1	----	2 + 1
4640	----	----	129.10B/63.80A	129.10B/63.80A	----	85.60 NEW	.6455	----	----	1	----	1 + 1
4645	----	----	124.90B/61.10A	124.90B/61.10A	----	82.30 - 8.20	.6309	----	----	----	----	3 UNCH
4650	----	----	119.90B/72.10A	119.90B/72.10A	----	90.50 - 6.00	.4349	----	----	----	----	1 UNCH
4650	52.90	52.90	75.00/*29.30A	75.00/29.30A	----	44.30 - 8.30	.3838	----	----	2	----	81 + 1
4650	----	----	120.80B/58.50A	120.80B/58.50A	----	79.00 - 8.30	.6161	----	----	1	----	1 - 1
4655	----	----	122.40B/73.70A	122.40B/73.70A	----	92.50 - 6.10	.4425	----	----	----	----	1 UNCH
4655	----	----	116.70B/*55.80A	116.70B/*55.80A	----	75.70 - 8.50	.6010	----	----	----	----	1 UNCH
4655	62.60	62.60	77.40B/*30.50A	77.40B/*30.50A	----	46.00 NEW	.3988	----	----	1	----	1 + 1
4660	71.00	71.00	113.30B/*53.30A	113.30B/*53.30A	----	72.60 NEW	.5855	----	----	1	----	1 + 1
4665	----	----	109.30B/*50.90A	109.30B/*50.90A	----	69.50 - 8.70	.5697	----	----	----	----	6 UNCH
4670	----	----	84.80B/*33.90A	84.80B/*33.90A	----	51.70 - 8.80	.4462	----	----	----	----	1 UNCH
4675	60.00	60.00	102.30B/*46.50A	102.30B/*46.50A	----	63.50 - 8.90	.5373	----	----	2	----	3 + 2
4675	62.50	62.50	87.70B/*35.40A	87.70B/35.40A	----	53.80 - 8.90	.4626	----	----	60	----	63 - 38
4675	----	----	132.70B/80.30A	132.70B/80.30A	----	100.80 - 6.50	.4738	----	----	----	----	1 UNCH
4680	----	----	88.30B/*36.70A	88.30B/*36.70A	----	55.90 - 9.00	.4791	----	----	----	----	1 UNCH
4680	----	----	98.70B/*44.30A	98.70B/*44.30A	----	60.60 - 9.00	.5207	----	----	----	----	6 UNCH
4680	95.20	95.20	140.80B/89.70A	140.80B/89.70A	----	107.70 NEW	.5180	----	----	30	----	30 + 30

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
APR26												
4685	----	----	91.10B/*38.20A	91.10B/*38.20A	----	58.20 - 8.90	.4959	----	----	----	----	1 UNCH
4685	----	----	95.00B/*42.20A	95.00B/*42.20A	----	57.90 - 8.90	.5040	----	----	----	----	15 UNCH
4685	----	----	160.90B/120.30A	160.90B/120.30A	----	133.80 - 7.20	.5133	----	----	3	----	0 - 1
4690	----	----	91.50B/*40.00A	91.50B/*40.00A	----	55.20 - 9.00	.4871	----	----	----	----	8 UNCH
4695	----	----	88.10B/*38.20A	88.10B/*38.20A	----	52.50 - 9.10	.4701	----	----	----	----	1 UNCH
4700	----	----	128.20B/80.40A	128.20B/80.40A	----	96.90 - 6.80	.4858	----	----	----	----	6 UNCH
4700	----	----	145.60B/89.70A	145.60B/89.70A	----	112.20 - 6.70	.5139	----	----	----	----	1 UNCH
4700	57.70	57.70	100.20B/42.80A	100.20B/42.80A	----	65.30 - 9.10	.5469	----	----	55	----	55 + 52
4700	37.80	37.80	85.00/*36.30A	85.00/*36.30A	----	50.00 - 9.10	.4530	----	----	44	50	75 + 72
4705	63.20	63.20	81.60B/*34.60A	81.60B/*34.60A	----	47.50 NEW	.4358	----	----	6	----	6 + 6
4710	60.40	60.40	78.70B/*32.90A	78.70B/*32.90A	----	45.20 NEW	.4189	----	----	37	----	37 + 37
4710	62.20	62.20	106.60B/*46.00A	106.60B/*46.00A	----	70.50 NEW	.5810	----	----	3	----	3 + 3
4715	64.50	64.50	110.20B/*47.80A	110.20B/*47.80A	----	73.20 - 9.00	.5980	----	----	38	----	40 + 38
4715	45.60	45.60	75.50B/*31.10A	75.50B/*31.10A	----	42.90 - 9.00	.4018	----	----	4	----	9 + 2
4715	----	----	153.40B/95.70A	153.40B/95.70A	----	119.50 - 6.90	.5383	----	----	----	----	1 UNCH
4720	55.10	55.10	72.20B/*29.50A	72.20B/*29.50A	----	40.70 - 8.90	.3849	----	----	23	----	23 + 19
4720	66.90	66.90	113.40B/*49.70A	113.40B/*49.70A	----	76.00 NEW	.6149	----	----	15	----	15 + 15
4725	41.30	41.30	69.40B/*27.90A	69.40B/*27.90A	----	38.50 - 9.00	.3680	----	----	8	----	9 + 8
4725	60.80	60.80	116.70B/51.70A	116.70B/51.70A	----	78.80 - 9.00	.6319	----	----	8	----	9 + 8
4730	63.20	63.20	119.30B/*53.70A	119.30B/*53.70A	----	81.80 NEW	.6483	----	----	16	----	16 + 16
4730	39.20	39.20	66.40B/*26.70A	66.40B/*26.70A	----	36.50 NEW	.3515	----	----	8	----	8 + 8
4735	----	----	63.40B/*25.10A	63.40B/*25.10A	----	34.50 - 8.80	.3350	----	----	----	----	11 UNCH
4740	25.10	25.10	60.70B/*23.70A	60.70B/*23.70A	----	32.60 NEW	.3189	----	----	6	----	6 + 6
4740	----	----	126.80B/*58.00A	126.80B/*58.00A	----	87.90 NEW	.6810	----	----	1	----	1 + 1
4750	----	----	134.30B/62.70A	134.30B/62.70A	----	94.40 - 8.50	.7122	----	----	1	----	2 + 1
4750	25.10	25.10	55.30B/*21.40A	55.30B/*21.40A	----	29.10 - 8.50	.2877	----	----	88	----	39 + 35
4750	----	----	99.40B/60.40A	99.40B/60.40A	----	72.90 - 7.10	.4040	----	----	----	----	1 UNCH
4755	----	----	178.00B/113.30A	178.00B/113.30A	----	141.00 - 7.10	.6038	----	----	----	----	1 UNCH
4765	----	----	146.00B/*70.30A	146.00B/*70.30A	----	104.70 - 8.10	.7561	----	----	----	----	1 UNCH
4765	24.70	24.70	47.40B/*18.20A	47.40B/*18.20A	----	24.40 NEW	.2438	----	----	1	----	1 + 1
4770	23.70	23.70	45.40B/*17.20A	45.40B/*17.20A	----	23.00 NEW	.2301	----	----	3	----	2 + 2
4775	25.10	25.10	42.90B/*16.40A	42.90B/*16.40A	----	21.60 - 7.80	.2165	----	----	21	----	67 + 16
4775	----	----	153.60B/75.50A	153.60B/75.50A	----	111.90 - 7.80	.7833	----	----	----	----	2 UNCH
4775	----	----	86.50B/52.50A	86.50B/52.50A	----	62.60 - 7.10	.3635	----	----	----	----	6 UNCH
4775	----	----	191.30B/123.30A	191.30B/123.30A	----	152.90 - 7.00	.6362	----	----	----	----	1 UNCH
4780	20.20	20.20	40.40B/*15.60A	40.40B/*15.60A	----	20.30 - 7.70	.2036	----	----	1	----	8 + 1
4785	----	----	161.80B/81.10A	161.80B/81.10A	----	119.40 NEW	.8085	----	----	3	----	3 + 3
4785	21.50	21.50	38.50B/*14.80A	38.50B/*14.80A	----	19.10 NEW	.1914	----	----	40	----	40 + 40
4790	19.20	19.20	36.60B/*13.90A	36.60B/*13.90A	----	18.00 - 7.30	.1799	----	----	30	----	12 - 15
4800	83.20	83.20	99.90B/*76.60A	99.90B/*76.60A	----	81.30 NEW	.3711	----	----	30	----	30 + 30
4800	22.00	22.00	32.80B/*12.60A	32.80B/*12.60A	----	15.90 - 6.90	.1579	----	----	12	----	230 + 11
4800	----	----	175.20B/90.30A	175.20B/90.30A	----	131.20 - 6.90	.8419	----	----	----	----	11 UNCH
4800	----	----	74.90B/45.00A	74.90B/45.00A	----	53.50 - 6.80	.3243	----	----	----	----	4 UNCH
4805	----	----	30.70B/*11.90A	30.70B/*11.90A	----	14.90 NEW	.1475	----	----	1	----	1 + 1
4805	----	----	212.50B/139.70A	212.50B/139.70A	----	172.00 - 6.70	.6831	----	----	----	----	1 UNCH
4805	87.20	87.20	97.60B/*75.20A	97.60B/*75.20A	----	79.40 NEW	.3651	----	----	19	----	19 + 19
4810	19.80	19.80	29.10B/*11.40A	29.10B/*11.40A	----	14.00 NEW	.1379	----	----	4	----	3 + 3
4810	----	----	70.60B/*42.30A	70.60B/*42.30A	----	50.20 - 6.60	.3091	----	----	----	----	1 UNCH
4815	----	----	27.30B/*10.80A	27.30B/*10.80A	----	13.10 - 6.40	.1284	----	----	23	----	7 - 16
4815	----	----	68.30B/*41.00A	68.30B/*41.00A	----	48.60 - 6.60	.3016	----	----	----	----	1 UNCH
4820	11.00	11.00	25.90B/*10.20A	25.90B/*10.20A	----	12.30 NEW	.1197	----	----	1	----	1 + 1
4825	16.50	16.50	24.20B/*9.70A	24.20B/*9.70A	----	11.60 - 6.00	.1120	----	----	2	----	11 + 1
4830	15.50	15.50	22.70B/*9.20A	22.70B/*9.20A	----	10.90 - 5.80	.1043	----	----	3	----	4 + 3
4835	----	----	60.70B/*35.90A	60.70B/*35.90A	----	42.60 - 6.20	.2726	----	----	----	----	17 UNCH
4835	11.20	11.20	21.50B/*8.80A	21.50B/*8.80A	----	10.20 NEW	.0969	----	----	4	----	0 UNCH
4840	11.30	11.30	20.20B/*8.40A	20.20B/*8.40A	----	9.60 NEW	.0902	----	----	1	----	1 + 1
4845	10.70	10.70	19.00B/*7.90A	19.00B/*7.90A	----	9.00 NEW	.0838	----	----	3	----	3 + 3
4850	7.00	7.00	17.70B/*7.00	17.70B/*7.00	----	8.50 - 5.10	.0782	----	----	8	----	10 + 6
4850	----	----	219.30B/125.30A	219.30B/125.30A	----	173.80 - 5.00	.9217	----	----	----	----	1 UNCH
4850	----	----	55.10B/*33.00A	55.10B/*33.00A	----	38.50 - 5.90	.2518	----	----	----	----	5 UNCH
4855	----	----	16.60B/*7.30A	16.60B/*7.30A	----	7.90 - 5.00	.0720	----	----	----	----	4 UNCH
4860	----	----	51.70B/*31.00A	51.70B/*31.00A	----	36.00 - 5.70	.2385	----	----	----	----	17 UNCH
4860	----	----	15.70B/*6.70A	15.70B/*6.70A	----	7.50 - 4.70	.0674	----	----	----	----	1 UNCH
4865	8.70	8.70	14.70B/*6.40A	14.70B/*6.40A	----	7.00 NEW	.0622	----	----	3	----	3 + 3
4870	8.20	8.20	13.70B/*6.30A	13.70B/*6.30A	----	6.60 - 4.40	.0578	----	----	3	----	3 + 3
4875	----	----	243.20B/146.00A	243.20B/146.00A	----	196.50 - 4.20	.9463	----	----	----	----	2 UNCH
4875	7.90	7.90	12.90B/*5.70A	12.90B/*5.70A	----	6.20 - 4.30	.0536	----	----	1	----	4 + 1
4880	7.50	7.50	12.10B/*5.60A	12.10B/*5.60A	----	5.80 NEW	.0495	----	----	3	----	3 + 3
4885	7.10	7.10	11.30B/*5.20A	11.30B/*5.20A	----	5.50 NEW	.0462	----	----	1	----	1 + 1
4890	----	----	257.40B/158.20A	257.40B/158.20A	----	210.50 - 3.80	.9569	----	----	----	----	10 UNCH
4895	----	----	262.20B/162.50A	262.20B/162.50A	----	215.20 - 3.60	.9600	----	----	----	----	2 UNCH
4900	----	----	9.20B/*5.00A	9.20B/*5.00A	----	4.60 - 3.60	.0369	----	----	----	----	33 UNCH
4900	----	----	267.00B/166.90A	267.00B/166.90A	----	219.90 - 3.50	.9630	----	----	----	----	3 UNCH
4900	54.20	54.20	61.20B/*48.50A	61.20B/*48.50A	----	49.60 NEW	.2581	----	----	5	----	5 + 5
4900	----	----	39.40B/*24.10A	39.40B/*24.10A	----	27.40 - 4.80	.1902	----	----	1	----	202 + 1
4900	----	----	288.20B/207.30A	288.20B/207.30A	----	242.50 - 4.80	.8095	----	----	----	----	1 UNCH
4905	5.70	5.70	8.50B/*4.70A	8.50B/*4.70A	----	4.30 NEW	.0340	----	----	1	----	1 + 1
4905	----	----	38.00B/*23.60A	38.00B/*23.60A	----	26.50 - 4.60	.1848	----	----	----	----	1 UNCH
4910	----	----	36.60B/*22.70A	36.60B/*22.70A	----	25.60 - 4.50	.1794	----	----	----	----	1 UNCH
4910	----	----	7.90B/*4.50A	7.90B/*4.50A	----	4.10 - 3.30	.0318	----	----	----	----	1 UNCH
4925	----	----	32.90B/*20.70A	32.90B/*20.70A	----	23.10 - 4.20	.1641	----	----	----	----	1 UNCH
4930	----	----	----/*3.60A	6.10B/*3.60A	----	3.30 - 2.80	.0239	----	----	----	----	1 UNCH
4940	----	----	----/*3.30A	5.30B/*3.30A	----	2.90 - 2.60	.0203	----	----	----	----	31 UNCH
4950	----	----	----/*2.90A	4.70B/*2.90A	----	2.60 - 2.50	.0175	----	----	----	----	2 UNCH
4950	----	----	27.70B/*17.70A	27.70B/*17.70A	----	19.40 - 3.70	.1408	----	----	1	----	4 + 1
4955	----	----	----/*2.80A	4.40B/*2.80A	----	2.50 - 2.30	.0165	----	----	----	----	1 UNCH
4960	----	----	----/*2.70A	4.10B/*2.70A	----	2.40 - 2.20	.0156	----	----	----	----	1 UNCH
4965	----	----	----/*2.60A	3.90B/*2.60A	----	2.30 - 2.10	.0147	----	----	----	----	1 UNCH
4965	----	----	330.00B/226.60A	330.00B/226.60A	----	282.60 - 2.10	.9852	----	----	----	----	1 UNCH
4975	----	----	22.80B/*15.20A	22.80B/*15.20A	----	16.30 - 3.30	.1204	----	----	----	----	1 UNCH
4985	----	----	----/*2.20A	2.90B/*2.20A	----	1.90 - 1.80	.0112	----	----	----	----	1 UNCH
4990	----	----	354.60B/250.50A	354.60B/250.50A	----	307.10 - 1.70	.9894	----	----	----	----	1 UNCH
4990	----	----	----/*2.10A	2.70B/*2.10A	----	1.80 - 1.80	.0105	----	----	----	----	2 UNCH
4995	----	----	----/*2.00A	2.70B/*2.00A	----	1.70 - 1.70	.0097	----	----	----	----	1 UNCH
5000	2.70	2.70	2.70/*1.90A	2.70/*1.90A	----	1.60 - 1.70	.0089	----	----	1	----	209 UNCH
5000	----	----	35.40B/*30.40A	35.40B/*30.40A	----	29.50 - 5.00	.1693	----	----	3	----	0 - 1
5000	----	----	364.40B/260.20A	364.40B/260.20A	----	316.90 - 1.60	.9910	----	----	1	----	1 UNCH
5000	----	----	377.10B/287.50A	377.10B/287.50A	----	328.80 - 2.90	.8966	----	----	----	----	1 UNCH
5000	----	----	18.90B/*12.90A	18.90B/*12.90A	----	13.80 - 2.90	.1031	----	----	----	----	60 UNCH
5010	----	----	----/*1.80A	2.30B/*1.80A	----	1.50 - 1.50	.0081	----	----	----	----	2 UNCH
5010	----	----	17.50B/*12.40A	17.50B/*12.40A	----	12.90 - 2.70	.0968	----	----	----	----	1 UNCH
5020	----	----	16.20B/*11.70A	16.20B/*11.70A	----	12.00 - 2.70	.0906	----	----	----	----	2 UNCH
5025	----	----	----/*1.60A	2.00B/*1.60A	----	1.30 - 1.40	.0066	----	----	----	----	1 UNCH
5030	----	----	14.90B/*11.10A	14.90B/*11.10A	----	11.30 - 2.50	.0854	----	----	----	----	1 UNCH
5050	1.00	1.00	1.00/*1.00	1.70B/*1.00	----	1.10 - 1.10	.0051	----	----	1	----	4 + 1
5050	----	----	12.80B/*10.00A	12.80B/*10.00A	----	9.90 - 2.30	.0752	----	----	----	----	70 UNCH
5060	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	1.00 - 1.10	.0045	----	----	1	----	2 + 1
5065	----	----	----/*1.20A	1.50B/*1.20A	----	1.00 - 1.00	.0044	----	----	----	----	1 UNCH
5065	----	----	11.40B/*9.40A	11.40B/*9.40A	----	9.00 - 2.10	.0685	----	----	----	----	1 UNCH
5075	1.30	1.30	1.30/*1.10A	1.40B/*1.10A	----	0.90 NEW	.0038	----	----	9	----	9 + 9
5080	1.30	1.30	1.30/*1.10A	1.40B/*1.10A	----	0.80 - 0.90	.0033	----	----	1	----	1 + 1
5085	----	----	----/*1.10A	1.30B/*1.10A	----	0.80 - 0.90	.0032	----	----	----	----	1 UNCH
5095	----	----	----/*1.00A	1.20B/*1.00A	----	0.70 - 0.80	.0027	----	----	----	----	1 UNCH
5100	----	----	----/*7.90A	8.80B/*7.90A	----	7.20 - 1.80	.0550	----	----	----	----	1 UNCH
5115	----	----	----/*0.90A	1.10B/*0.90A	----	0.50 - 0.80	.0017	----	----	----	----	1 UNCH
5145	----	----	----/*0.90A	0.90B/*0.90A	----	0.40 - 0.60	.0012	----	----	----	----	2 UNCH
5150	----	----	----/*6.20A	6.10B/*6.20A	----	5.40 - 1.40	.0410	----	----	----	----	1 UNCH
5155	----	----	----	0.80B/*0.90A	----	0.30 - 0.60	.0008	----	----	----	----	4 UNCH
5180	----	----	----/*5.30A	4.90B/*5.30A	----	4.60 - 1.20	.0347	----	----	----	----	1 UNCH
5200	----	----	----	0.60B/*0.80A	----	0.20 - 0.40	.0004	----	----	----	----	10 UNCH
5200	----	----	----/*4.90A	4.40B/*4.90A	----	4.10 - 1.10	.0308	----	----	----	----	1 UNCH
5215	----	----	----	0.50B/0.90A	----	0.20 - 0.30	.0004	----	----	----	----	1 UNCH
5300	----	----	----/*3.20A	2.30B/*3.20A	----	2.70 - 0.60	.0193	----	----	----	----	1 UNCH
5305	----	----	----	2.30B/*3.30A	----	2.60 - 0.60	.0186	----	----	----	----	2 UNCH
5320	----	----	----	2.10B/*3.20A	----	2.50 - 0.50	.0177	----	----	----	----	1 UNCH
5400	----	----	----	----/0.80A	----	0.10 UNCH	----	----	----	----	----	250 UNCH
5650	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	2 + 2
TOTAL										1206	50	3378 + 863

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
3500	----	----	----	0.50B/1.10A	----	0.60 - 0.10	.0019	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON APR26		GOLD WEEKLY MONDAY OPTION WEEK2												
3750	----	----	1.50B/----	1.50B/*1.70A	----	1.40	UNCH	.0054	----	----	----	----	1	UNCH
3850	----	----	2.40B/----	2.40B/*2.00A	----	2.00	UNCH	.0083	----	----	----	----	2	UNCH
3900	2.40	2.40	2.90B/2.20A	2.90B/2.20A	----	2.40	UNCH	.0104	----	----	2	----	2 -	2
3950	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
3950	----	----	3.60B/*2.40A	3.60B/*2.40A	----	2.80	UNCH	.0127	----	----	----	----	4	UNCH
4000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4000	3.30	3.30	4.40B/*2.70A	4.40B/*2.70A	----	3.40	+ 0.10	.0160	----	----	2	----	21	UNCH
4050	----	----	11.30B/*9.80A	11.30B/*9.80A	----	10.00	UNCH	.0468	----	----	----	----	12	UNCH
4050	----	----	5.50B/*3.00A	5.50B/*3.00A	----	4.10	+ 0.10	.0201	----	----	----	----	2	UNCH
4100	----	----	13.80B/*11.30A	13.80B/*11.30A	----	12.00	- 0.20	.0568	----	----	----	----	10	UNCH
4100	3.30	3.30	6.90B/*3.00	6.90B/*3.00	----	5.00	+ 0.20	.0254	----	----	9	----	12 +	9
4100	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4150	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----	484.70	UNCH	----	----	----	----	----	0	UNCH
4200	4.80	4.80	10.90B/*4.80	10.90B/*4.80	----	7.40	+ 0.10	.0407	----	----	2	----	5 +	1
4215	8.10	8.10	11.80B/*5.20A	11.80B/*5.20A	----	7.90	NEW	.0439	----	----	9	----	5 +	5
4225	----	----	23.10B/17.40A	23.10B/17.40A	----	19.10	NEW	.0921	----	----	48	----	48 +	48
4250	----	----	25.80B/19.40A	25.80B/19.40A	----	21.10	- 1.20	.1018	----	----	----	----	5	UNCH
4250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	498.50B/403.10A	498.50B/403.10A	----	443.70	+ 0.10	.9474	----	----	----	----	1	UNCH
4250	----	----	13.80B/*6.10A	13.80B/*6.10A	----	9.20	+ 0.10	.0524	----	----	----	----	100	UNCH
4250	----	----	----	----	----	434.70	UNCH	----	----	----	----	----	0	UNCH
4255	9.70	9.70	14.20B/*6.20A	14.20B/*6.20A	----	9.40	NEW	.0538	----	----	1	----	1 +	1
4265	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4270	10.70	10.70	15.30B/*6.80A	15.30B/*6.80A	----	10.10	NEW	.0583	----	----	10	----	10 +	10
4285	----	----	----	----	----	399.70	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	17.60B/*7.70A	17.60B/*7.70A	----	11.50	UNCH	.0678	----	----	500	----	500 +	500
4310	----	----	18.50B/*8.20A	18.50B/*8.20A	----	12.10	UNCH	.0716	----	----	----	----	10	UNCH
4315	----	----	19.00B/*8.40A	19.00B/*8.40A	----	12.30	- 0.10	.0732	----	----	----	----	5	UNCH
4325	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4340	14.30	14.30	21.40B/*9.60A	21.40B/*9.60A	----	13.80	NEW	.0834	----	----	6	----	6 +	6
4340	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4345	15.20	15.20	22.00B/*9.80A	22.00B/*9.80A	----	14.20	NEW	.0859	----	----	102	----	101 +	101
4350	----	----	39.10B/28.10A	39.10B/28.10A	----	31.20	- 2.30	.1503	----	----	2	----	4	UNCH
4350	15.50	15.50	22.50B/*10.00A	22.50B/*10.00A	----	14.50	- 0.30	.0881	----	----	135	----	123 +	118
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	334.70	UNCH	----	----	----	----	----	0	UNCH
4355	----	----	23.00B/*10.20A	23.00B/*10.20A	----	14.80	- 0.30	.0902	----	----	----	----	1	UNCH
4365	----	----	24.20B/*10.90A	24.20B/*10.90A	----	15.60	- 0.30	.0955	----	----	----	----	1	UNCH
4370	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	43.20B/30.80A	43.20B/30.80A	----	34.50	- 2.60	.1657	----	----	----	----	1	UNCH
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4380	47.20	47.20	47.20/31.40A	47.20/31.40A	----	35.20	NEW	.1689	----	----	2	----	2 +	2
4390	----	----	46.30B/32.50A	46.30B/32.50A	----	36.60	- 2.80	.1755	----	----	2	----	0 -	2
4390	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	47.90B/33.80A	47.90B/33.80A	----	38.10	- 2.90	.1823	----	----	----	----	150	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	28.80B/*13.20A	28.80B/*13.20A	----	18.40	- 0.70	.1147	----	----	501	----	521 +	498
4400	----	----	----	----	----	284.70	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	274.70	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	341.60B/255.00A	341.60B/255.00A	----	289.40	- 0.80	.8755	----	----	----	----	10	UNCH
4420	----	----	----	----	----	264.70	UNCH	----	----	----	----	----	0	UNCH
4420	21.10	21.10	31.90B/*14.80A	31.90B/*14.80A	----	20.30	NEW	.1277	----	----	1	----	1 +	1
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	20.60	20.60	32.70B/*15.60A	32.70B/*15.60A	----	20.80	NEW	.1311	----	----	1	----	1 +	1
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4440	47.50	47.50	58.90B/39.20A	58.90B/39.20A	----	44.80	NEW	.2124	----	----	15	----	15 +	15
4440	----	----	----	----	----	244.70	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	317.90B/234.00A	317.90B/234.00A	----	267.00	- 1.10	.8577	----	----	----	----	1	UNCH
4440	25.50	25.50	35.20B/*16.90A	35.20B/*16.90A	----	22.40	- 1.10	.1421	----	----	1	----	2 +	1
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	234.70	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	37.10B/*17.80A	37.10B/*17.80A	----	23.60	- 1.20	.1501	----	----	----	----	8	UNCH
4460	56.10	56.10	61.40B/42.30A	61.40B/42.30A	----	48.60	NEW	.2290	----	----	10	----	10 +	10
4460	----	----	----	----	----	224.70	UNCH	----	----	----	----	----	0	UNCH
4465	56.90	56.90	62.10B/43.10A	62.10B/43.10A	----	49.60	NEW	.2333	----	----	5	----	5 +	5
4470	55.80	55.80	63.40B/44.00A	63.40B/44.00A	----	50.60	NEW	.2376	----	----	5	----	5 +	5
4470	----	----	40.70B/*20.00A	40.70B/*20.00A	----	26.10	- 1.50	.1671	----	----	----	----	2	UNCH
4475	----	----	64.50B/44.80A	64.50B/44.80A	----	51.60	NEW	.2420	----	----	2	----	2 +	2
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	42.80B/*21.00A	42.80B/*21.00A	----	27.50	- 1.70	.1764	----	----	1	----	2 +	1
4485	53.30	53.30	67.20B/46.70A	67.20B/46.70A	----	53.70	NEW	.2510	----	----	5	----	5 +	5
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	45.00B/*22.20A	45.00B/*22.20A	----	29.00	- 1.80	.1862	----	----	----	----	6	UNCH
4500	----	----	----	----	----	184.70	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	264.00B/185.60A	264.00B/185.60A	----	215.10	- 2.00	.8034	----	----	----	----	300	UNCH
4500	33.40	33.40	47.30B/*23.60A	47.30B/*23.60A	----	30.50	- 2.00	.1963	----	----	20	----	7 -	11
4515	----	----	51.00B/*25.60A	51.00B/*25.60A	----	33.00	- 2.30	.2127	----	----	----	----	6	UNCH
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	169.70	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	164.70	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	53.60B/*27.10A	53.60B/*27.10A	----	34.80	NEW	.2244	----	----	1	----	1 +	1
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	233.80B/157.80A	233.80B/157.80A	----	186.40	- 2.50	.7631	----	----	----	----	4	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	44.60	44.60	57.80B/*29.40A	57.80B/*29.40A	----	37.70	NEW	.2430	----	----	1	----	1 +	1
4550	----	----	221.10B/147.10A	221.10B/147.10A	----	174.50	- 2.80	.7436	----	----	----	----	1	UNCH
4550	----	----	----	----	----	134.70	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	60.80B/*30.90A	60.80B/*30.90A	----	39.80	- 2.90	.2562	----	----	----	----	3	UNCH
4555	48.40	48.40	62.30B/*31.70A	62.30B/*31.70A	----	40.90	NEW	.2630	----	----	19	----	19 +	19
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	129.70	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	221.00B/173.50A	221.00B/173.50A	----	190.40	- 5.20	.6599	----	----	----	----	1	UNCH
4570	----	----	----	----	----	114.70	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	68.80B/*35.10A	68.80B/*35.10A	----	45.60	- 3.40	.2919	----	----	----	----	1	UNCH
4575	----	----	----	----	----	109.70	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	200.30B/129.10A	200.30B/129.10A	----	155.30	- 3.30	.7079	----	----	----	----	5	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	50.00	50.00	70.70B/*36.20A	70.70B/*36.20A	----	46.90	NEW	.2996	----	----	19	----	19 +	19
4580	----	----	----	----	----	104.70	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	99.40B/68.60A	99.40B/68.60A	----	80.60	NEW	.3575	----	----	2	----	2 +	2
4585	----	----	----	----	----	99.70	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	72.40B/*37.00A	72.40B/*37.00A	----	48.20	- 3.60	.3073	----	----	----	----	4	UNCH
4585	----	----	192.50B/121.40A	192.50B/121.40A	----	147.80	- 3.60	.6924	----	----	----	----	1	UNCH
4590	----	----	----	----	----	94.70	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	103.10B/71.30A	103.10B/71.30A	----	83.90	NEW	.3696	----	----	2	----	2 +	2
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	89.70	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	105.10B/72.70A	105.10B/72.70A	----	85.60	- 5.40	.3757	----	----	----	----	1	UNCH
4600	----	----	----	----	----	84.70	UNCH	----	----	----	----	----	0	UNCH
4600	46.10	46.10	77.80B/*39.90A	77.80B/*39.90A	----	52.30	- 3.90	.3315	----	----	2	----	6 +	1
4600	----	----	202.80B/154.60A	202.80B/154.60A	----	170.20	- 5.40	.6239	----	----	----	----	10	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	79.70	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	47.10	47.10	81.80B/*42.00A	81.80B/*42.00A	----	55.30	- 4.10	.3485	----	----	1	----	15	UNCH
4610	----	----	----	----	----	74.70	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	69.70	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	64.70	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	85.90B/*44.30A	85.90B/*44.30A	----	58.40	- 4.30	.3660	----	----	----	----	1	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	59.70 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	54.70 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	49.70 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	153.50B/91.30A	153.50B/91.30A	----	113.10 - 4.60	.6064	----	----	3	----	9 UNCH
4640	83.30	83.30	95.00B/*49.50A	95.00B/*49.50A	----	65.20 NEW	.4027	----	----	1	----	1 + 1
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	44.70 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	39.70 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	142.30B/83.20A	142.30B/83.20A	----	103.60 - 4.80	.5779	----	----	----	----	1 UNCH
4650	----	----	----	----	----	34.70 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	99.70B/*52.20A	99.70B/52.20A	----	68.90 - 4.80	.4219	----	----	----	----	70 UNCH
4655	----	----	----	----	----	29.70 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	24.70 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	135.20B/78.50A	135.20B/78.50A	----	97.50 - 5.00	.5582	----	----	1	----	2 UNCH
4660	92.40	92.40	104.60B/55.10A	104.60B/55.10A	----	72.80 NEW	.4415	----	----	20	----	8 + 8
4665	----	----	----	----	----	19.70 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	80.50	80.50	109.70B/58.10A	109.70B/58.10A	----	76.90 NEW	.4616	----	----	5	----	5 + 5
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	14.70 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	9.70 UNCH	----	----	----	----	----	0 UNCH
4675	91.40	91.40	112.30B/59.70A	112.30B/59.70A	----	79.00 - 5.20	.4717	----	----	1	----	1 + 1
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	4.70 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	148.20B/105.00A	148.20B/105.00A	----	121.80 NEW	.5186	----	----	1	----	1 + 1
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	0 UNCH
4685	80.00	80.00	118.40B/66.40A	118.40B/66.40A	----	83.10 NEW	.5075	----	----	2	----	2 + 2
4690	----	----	----	----	----	5.30 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	112.30B/62.00A	112.30B/62.00A	----	77.80 - 5.40	.4867	----	----	----	----	1 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	10.30 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	136.00B/98.30A	136.00B/98.30A	----	111.20 - 6.10	.4907	----	----	----	----	51 UNCH
4700	74.80	74.80	109.10B/60.00A	109.10B/60.00A	----	75.20 - 5.50	.4762	----	----	383	----	163 + 133
4700	----	----	124.40B/68.00A	124.40B/68.00A	----	90.50 - 5.50	.5235	----	----	----	----	2 UNCH
4700	----	----	----	----	----	15.30 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	20.30 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	25.30 UNCH	----	----	----	----	----	0 UNCH
4710	103.10	103.10	130.30B/72.10A	130.30B/72.10A	----	95.40 NEW	.5446	----	----	6	----	6 + 6
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	30.30 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	96.70B/52.20A	96.70B/52.20A	----	65.30 - 5.70	.4340	----	----	----	----	19 UNCH
4720	----	----	----	----	----	35.30 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	40.30 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	45.30 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	142.70B/80.20A	142.70B/80.20A	----	106.00 - 5.70	.5869	----	----	----	----	2 UNCH
4735	----	----	----	----	----	50.30 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	109.10B/78.70A	109.10B/78.70A	----	86.80 - 6.20	.4197	----	----	----	----	12 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	65.30 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	156.00B/88.90A	156.00B/88.90A	----	117.50 - 5.80	.6286	----	----	----	----	1 UNCH
4750	48.70	48.70	80.00B/*41.70A	80.00B/*41.70A	----	52.30 - 5.70	.3712	----	----	8	----	10 + 8
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	75.30 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	80.30 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	85.30 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	64.70B/*33.10A	64.70B/*33.10A	----	41.20 - 5.70	.3106	----	----	----	----	2 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	62.40B/*31.80A	62.40B/*31.80A	----	39.60 - 5.60	.3011	----	----	----	----	1 UNCH
4785	----	----	----	----	----	100.30 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	90.60B/*66.20A	90.60B/66.20A	----	71.90 - 6.10	.3701	----	----	----	----	24 UNCH
4785	----	----	202.90B/146.80A	202.90B/146.80A	----	172.10 - 6.00	.6295	----	----	----	----	24 UNCH
4790	----	----	----	----	----	105.30 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	58.00B/*29.40A	58.00B/*29.40A	----	36.50 - 5.50	.2823	----	----	----	----	10 UNCH
4795	----	----	185.40B/112.20A	185.40B/112.20A	----	146.70 - 5.50	.7175	----	----	----	----	4 UNCH
4800	72.40	72.40	84.70B/61.30A	84.70B/61.30A	----	66.00 NEW	.3490	----	----	5	----	5 + 5
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	115.30 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	189.30B/115.10A	189.30B/115.10A	----	150.20 - 5.50	.7268	----	----	----	----	1 UNCH
4800	----	----	55.90B/*28.10A	55.90B/*28.10A	----	35.00 - 5.50	.2730	----	----	4	----	9 + 4
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4805	43.00	43.00	53.70B/*27.00A	53.70B/*27.00A	----	33.50 - 5.50	.2637	----	----	3	----	4 + 3
4805	----	----	----	----	----	120.30 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	197.10B/121.00A	197.10B/121.00A	----	157.40 - 5.40	.7447	----	----	----	----	4 UNCH
4810	----	----	51.80B/*25.90A	51.80B/*25.90A	----	32.20 - 5.30	.2551	----	----	----	----	4 UNCH
4810	----	----	----	----	----	125.30 UNCH	----	----	----	----	----	0 UNCH
4815	67.00	67.00	#77.20B/*56.70A	77.20B/*56.70A	----	61.30 NEW	.3297	----	----	10	----	10 + 10
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	47.80B/*23.90A	47.80B/*23.90A	----	29.50 - 5.30	.2376	----	----	----	----	4 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	36.60	36.60	45.80B/*23.00A	45.80B/*23.00A	----	28.30 - 5.20	.2294	----	----	2	----	4 + 2
4830	----	----	44.00B/*22.10A	44.00B/*22.10A	----	27.10 - 5.10	.2212	----	----	4	----	4 UNCH
4830	----	----	----	----	----	145.30 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	32.30	32.30	40.70B/*20.40A	40.70B/*20.40A	----	24.90 - 4.90	.2056	----	----	2	----	6 + 2
4840	----	----	221.30B/140.20A	221.30B/140.20A	----	180.10 - 4.90	.7941	----	----	----	----	1 UNCH
4845	26.20	26.20	38.90B/*19.60A	38.90B/*19.60A	----	23.80 NEW	.1979	----	----	3	----	3 + 3
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	165.30 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	25.30	25.30	37.50B/*18.80A	37.50B/*18.80A	----	22.80 - 4.80	.1906	----	----	1	----	1 + 1
4850	----	----	229.70B/146.90A	229.70B/146.90A	----	188.00 - 4.80	.8092	----	----	----	----	4 UNCH
4850	50.30	50.30	64.10B/*47.00A	64.10B/47.00A	----	50.90 NEW	.2859	----	----	5	----	5 + 5
4855	48.10	48.10	#61.80B/*45.80A	61.80B/*45.80A	----	49.50 NEW	.2798	----	----	7	----	7 + 7
4855	----	----	233.90B/150.40A	233.90B/150.40A	----	192.00 - 4.70	.8165	----	----	----	----	1 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	34.50B/*17.40A	34.50B/*17.40A	----	20.90 - 4.60	.1765	----	----	----	----	4 UNCH
4870	----	----	----	----	----	185.30 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	34.90	34.90	#53.40B/*34.90	53.40B/*34.90	----	43.20 - 5.20	.2511	----	----	4	----	9 + 4
4880	23.60	23.60	29.10B/*14.60A	29.10B/*14.60A	----	17.50 - 4.30	.1506	----	----	1	----	3 + 1
4885	----	----	27.80B/*14.20A	27.80B/*14.20A	----	16.70 - 4.20	.1444	----	----	----	----	8 UNCH
4885	----	----	259.90B/172.20A	259.90B/172.20A	----	216.90 - 4.20	.8554	----	----	----	----	1 UNCH
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	215.30 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	14.00	14.00	24.40B/*12.20A	24.40B/*12.20A	----	14.70 - 3.80	.1282	----	----	77	----	83 + 77
4900	----	----	273.50B/183.70A	273.50B/183.70A	----	229.80 - 3.90	.8716	----	----	1	----	2 + 1
4905	----	----	278.00B/187.60A	278.00B/187.60A	----	234.20 - 3.80	.8772	----	----	----	----	1 UNCH
4905	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4905	----	----	----	----	----	220.30 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	22.00B/*11.20A	22.00B/*11.20A	----	13.40 - 3.70	.1177	----	----	----	----	6 UNCH
4915	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2										
APR26											
4920 ----	----	20.20B/*10.30A	20.20B/*10.30A	----	12.30 - 3.50	.1084	----	----	12	----	12 + 12
4925 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4925 15.60	15.60	19.10B/*9.60A	19.10B/*9.60A	----	11.80 NEW	.1041	----	----	6	----	3 + 3
4930 15.00	15.00	18.40B/*9.40A	18.40B/*9.40A	----	11.20 NEW	.0993	----	----	2	----	2 + 2
4940 ----	----	16.60B/*8.80A	16.60B/*8.80A	----	10.30 - 3.10	.0914	----	----	12	----	13 + 12
4940 ----	----	310.30B/216.10A	310.30B/216.10A	----	265.50 NEW	.9083	----	----	1	----	1 + 1
4950 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950 ----	----	----	----	----	265.30 UNCH	----	----	----	----	----	0 UNCH
4950 10.90	10.90	15.20B/*7.90A	15.20B/*7.90A	----	9.40 - 3.00	.0837	----	----	83	----	54 + 50
4955 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4955 9.90	9.90	14.40B/*7.80A	14.40B/*7.80A	----	9.00 NEW	.0802	----	----	8	----	8 + 8
4960 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4960 ----	----	13.70B/*7.40A	13.70B/*7.40A	----	8.70 - 2.80	.0774	----	----	----	----	4 UNCH
4965 10.90	10.90	13.20B/*7.50A	13.20B/*7.50A	----	8.30 - 2.70	.0739	----	----	1	----	2 + 1
4970 ----	----	----	----	----	285.30 UNCH	----	----	----	----	----	0 UNCH
4970 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4970 10.80	10.80	12.50B/*6.80A	12.50B/*6.80A	----	8.00 NEW	.0711	----	----	5	----	3 + 3
4975 7.00	7.00	11.90B/*6.50A	11.90B/*6.50A	----	7.60 - 2.60	.0677	----	----	7	----	6 + 4
4975 ----	----	343.20B/246.20A	343.20B/246.20A	----	297.80 - 2.50	.9320	----	----	----	----	1 UNCH
4975 ----	----	29.00B/*24.00A	29.00B/*24.00A	----	24.60 - 4.10	.1580	----	----	----	----	4 UNCH
4980 ----	----	11.30B/*6.60A	11.30B/*6.60A	----	7.30 - 2.50	.0650	----	----	----	----	1 UNCH
4985 9.60	9.60	10.80B/*6.30A	10.80B/*6.30A	----	7.00 NEW	.0623	----	----	5	----	3 + 3
4990 ----	----	----	----	----	305.30 UNCH	----	----	----	----	----	0 UNCH
4990 7.00	7.00	10.30B/*6.40A	10.30B/*6.40A	----	6.70 NEW	.0596	----	----	16	----	13 + 13
5000 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000 ----	----	----	----	----	315.30 UNCH	----	----	----	----	----	0 UNCH
5000 ----	----	----/*21.10A	24.80B/*21.10A	----	21.00 - 3.80	.1381	----	----	----	----	1 UNCH
5000 7.00	7.00	9.40B/*5.90A	9.40B/*5.90A	----	6.20 - 2.20	.0550	----	----	10	----	10 + 5
5005 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5005 8.50	8.50	8.90B/*5.70A	8.90B/*5.70A	----	6.00 NEW	.0531	----	----	1	----	1 + 1
5010 8.20	8.20	8.50B/*5.00A	8.50B/*5.00A	----	5.70 - 2.00	.0505	----	----	2	----	4 + 2
5015 ----	----	----	----	----	330.30 UNCH	----	----	----	----	----	0 UNCH
5015 7.90	7.90	8.10B/*5.30A	8.10B/*5.30A	----	5.50 NEW	.0486	----	----	2	----	2 + 2
5020 7.60	7.60	7.70B/*5.10A	7.70B/*5.10A	----	5.30 NEW	.0467	----	----	1	----	1 + 1
5025 6.80	6.80	7.40B/*4.80A	7.40B/*4.80A	----	5.10 - 1.80	.0449	----	----	7	----	5 + 4
5030 ----	----	----	----	----	345.30 UNCH	----	----	----	----	----	0 UNCH
5030 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5035 6.40	6.40	6.80B/*4.50A	6.80B/*4.50A	----	4.70 NEW	.0412	----	----	2	----	2 + 2
5040 ----	----	----	----	----	355.30 UNCH	----	----	----	----	----	0 UNCH
5040 6.30	6.30	6.40B/*4.20A	6.40B/*4.20A	----	4.60 NEW	.0401	----	----	2	----	2 + 2
5045 ----	----	----	----	----	360.30 UNCH	----	----	----	----	----	0 UNCH
5050 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5050 5.80	5.80	5.90/*4.00A	5.90/*4.00A	----	4.20 NEW	.0366	----	----	7	----	3 + 3
5055 5.70	5.70	5.70/*3.60A	5.70/*3.60A	----	4.10 - 1.40	.0355	----	----	2	----	3 + 2
5060 ----	----	----	----	----	375.30 UNCH	----	----	----	----	----	0 UNCH
5060 5.50	5.50	5.50/*3.90A	5.50/*3.90A	----	3.90 NEW	.0338	----	----	2	----	2 + 2
5070 4.90	4.90	4.90/*3.20A	4.90/*3.20A	----	3.70 NEW	.0317	----	----	7	----	4 + 4
5075 ----	----	----/*3.10A	4.60B/*3.10A	----	3.60 - 1.20	.0307	----	----	----	----	1 UNCH
5080 5.00	5.00	5.00/*3.50A	5.00/*3.50A	----	3.40 NEW	.0290	----	----	1	----	1 + 1
5095 ----	----	----	----	----	410.30 UNCH	----	----	----	----	----	0 UNCH
5100 ----	----	----/*12.30A	13.10B/*12.30A	----	10.70 - 2.50	.0764	----	----	----	----	1 UNCH
5100 ----	----	----	----	----	415.30 UNCH	----	----	----	----	----	0 UNCH
5100 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5100 3.00	3.00	3.60B/*3.00	3.60B/*3.00	----	3.00 - 1.00	.0252	----	----	2	----	2 UNCH
5150 2.50	2.50	2.50/*2.00A	2.50/*2.00A	----	2.30 NEW	.0185	----	----	1	----	1 + 1
5180 ----	----	----	----	----	495.30 UNCH	----	----	----	----	----	0 UNCH
5180 ----	----	533.50B/466.00A	533.50B/466.00A	----	497.10 - 0.30	.9843	----	----	----	----	1 UNCH
5200 1.40	1.40	2.10/*1.40	2.10/*1.40	----	1.90 - 0.20	.0144	----	----	11	----	11 + 9
5220 ----	----	----	1.70B/1.90A	----	1.70 - 0.20	.0127	----	----	----	----	2 UNCH
5235 ----	----	----	1.60B/1.80A	----	1.60 - 0.20	.0118	----	----	----	----	2 UNCH
5250 ----	----	----/*1.50A	1.50B/*1.50A	----	1.60 UNCH	.0115	----	----	----	----	12 UNCH
5275 ----	----	----	----	----	590.30 UNCH	----	----	----	----	----	0 UNCH
5350 ----	----	----	0.70B/1.30A	----	1.20 + 0.20	.0078	----	----	----	----	2 UNCH
5400 ----	----	----	0.60B/1.30A	----	1.00 + 0.30	.0062	----	----	----	----	1 UNCH
5600 ----	----	----	----	----	915.30 UNCH	----	----	----	----	----	0 UNCH
TOTAL									2224		2987 + 1818
MAY26											
4200 ----	----	44.80B/34.10A	44.80B/34.10A	----	35.30 NEW	.1320	----	----	3	----	3 + 3
4250 ----	----	52.70B/39.60A	52.70B/39.60A	----	42.10 - 4.40	.1547	----	----	----	----	1 UNCH
4300 65.50	65.50	66.30B/41.80	66.30B/41.80	----	50.10 - 4.70	.1806	----	----	17	----	18 + 16
4350 64.00	64.00	#64.90/*64.00	#84.80B/*64.00	----	72.00 NEW	.2275	----	----	15	----	15 + 15
4350 ----	----	72.50B/53.80A	72.50B/53.80A	----	59.20 - 5.10	.2092	----	----	----	----	2 UNCH
4370 ----	----	77.50B/57.20A	77.50B/57.20A	----	63.20 - 5.30	.2216	----	----	----	----	1 UNCH
4375 ----	----	78.30B/58.10A	78.30B/58.10A	----	64.30 - 5.30	.2248	----	----	----	----	1 UNCH
4475 ----	----	106.10B/78.90A	106.10B/78.90A	----	88.90 - 5.60	.2957	----	----	----	----	1 UNCH
4500 105.00	105.00	114.20B/85.00A	114.20B/85.00A	----	96.20 - 5.50	.3154	----	----	2	----	2 UNCH
4505 ----	----	116.50B/86.30A	116.50B/86.30A	----	97.70 - 5.60	.3195	----	----	----	----	1 UNCH
4580 ----	----	144.10B/108.10A	144.10B/108.10A	----	123.10 - 5.20	.3837	----	----	----	----	2 UNCH
4600 ----	----	----	#168.30B/*132.90A	----	146.60 NEW	.4072	----	----	1	----	1 + 1
4600 ----	----	152.50B/114.70A	152.50B/114.70A	----	130.70 NEW	.4019	----	----	1	----	1 + 1
4630 ----	----	165.90B/125.30A	165.90B/125.30A	----	142.70 - 5.10	.4297	----	----	5	----	0 - 5
4650 ----	----	210.60B/173.20A	210.60B/173.20A	----	185.80 - 5.10	.5506	----	----	----	----	1 UNCH
4690 ----	----	187.20B/147.70A	187.20B/147.70A	----	164.00 - 5.30	.5119	----	----	----	----	3 UNCH
4700 ----	----	182.00B/*143.40	182.00B/*143.40A	----	158.80 - 5.40	.5021	----	----	----	----	1 UNCH
4700 ----	----	201.10B/153.20A	201.10B/153.20A	----	174.10 - 5.40	.4971	----	----	1	----	2 + 1
4705 161.60	161.60	203.80B/155.40A	203.80B/155.40A	----	176.50 - 5.50	.5020	----	----	10	----	11 + 10
4705 ----	----	178.70B/*141.10	178.70B/*141.10A	----	156.30 - 5.40	.4972	----	----	----	----	1 UNCH
4710 ----	----	176.80B/141.30A	176.80B/141.30A	----	153.70 - 5.60	.4923	----	----	----	----	1 UNCH
4720 ----	----	170.20B/*134.40	170.20B/*134.40A	----	148.70 - 5.70	.4824	----	----	----	----	2 UNCH
4780 ----	----	----	#156.10B/*133.40A	----	138.20 NEW	.4343	----	----	1	----	1 + 1
4800 ----	----	----	#147.00B/*125.70A	----	129.90 NEW	.4167	----	----	1	----	1 + 1
4800 ----	----	131.90B/*104.40	131.90B/*104.40A	----	112.50 - 6.90	.4035	----	----	----	----	1 UNCH
4900 ----	----	91.40B/*74.70A	91.40B/*74.70A	----	77.20 - 7.50	.3098	----	----	----	----	1 UNCH
4905 72.00	72.00	89.00B/*72.00	89.00B/*72.00	----	75.70 - 7.50	.3054	----	----	2	----	2 UNCH
4950 ----	----	75.00B/*62.20A	75.00B/*62.20A	----	63.40 - 7.10	.2673	----	----	----	----	1 UNCH
4975 ----	----	67.70B/*56.70A	67.70B/*56.70A	----	57.40 - 6.70	.2476	----	----	----	----	1 UNCH
5000 ----	----	#61.00B/*51.60A	61.00B/*51.60A	----	52.00 - 6.20	.2290	----	----	2	----	3 - 1
5000 ----	----	404.80B/*330.70	404.80B/330.70A	----	366.60 - 6.20	.7703	----	----	----	----	1 UNCH
5005 ----	----	#58.90B/*50.60A	58.90B/*50.60A	----	51.00 - 6.10	.2254	----	----	----	----	1 UNCH
5025 ----	----	#54.90B/*47.10A	54.90B/*47.10A	----	47.00 - 5.70	.2112	----	----	2	----	0 - 2
5175 ----	----	#27.80B/27.10A	27.80B/27.10A	----	25.40 - 2.30	.1263	----	----	----	----	2 UNCH
TOTAL									63		86 + 41

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT	MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26											
4250 ----	----	----	----	----	18.10 - 0.40	.0904	----	----	----	----	1 UNCH
4600 34.50	34.50	#34.50/*34.50	34.50/*34.50	----	40.90 NEW	.2972	----	----	2	----	2 + 2
4915 30.00	30.00	#30.00/*30.00	#30.00/*30.00	----	29.00 NEW	.1909	----	----	3	----	3 + 3
TOTAL									5		6 + 5

SILVER OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU	SILVER WEEKLY THURSDAY OPTION Week3										
APR26											
5000 ----	----	----	0.009B/*0.172A	----	0.044 - 0.005	.0076	----	----	----	----	1 UNCH
5000 0.176	0.176	0.176/0.176	0.176/0.176	----	0.175 NEW	.0256	----	----	1	----	1 + 1
5600 ----	----	----	0.002B/*0.107A	----	0.021 - 0.014	.0017	----	----	----	----	1 UNCH
6000 ----	----	----	0.332B/*0.426A	----	0.359 - 0.008	.0681	----	----	----	----	1 UNCH
6000 ----	----	----	0.002B/*0.142A	----	0.067 - 0.021	.0086	----	----	----	----	1 UNCH
6100 ----	----	0.877B/----	0.877B/0.854A	----	0.793 + 0.085	.1235	----	----	----	----	1 UNCH
6150 ----	----	----	0.025B/*0.168A	----	0.095 NEW	.0143	----	----	1	----	1 + 1
6425 ----	----	----	0.108B/*0.235A	----	0.170 - 0.034	.0344	----	----	----	----	1 UNCH
6500 ----	----	1.057B/----	1.057B/*0.897A	----	0.851 + 0.016	.1653	----	----	----	----	1 UNCH
6500 0.160	0.160	0.200B/*0.160	0.200B/*0.160	----	0.204 - 0.036	.0446	----	----	1	----	2 + 1
6550 ----	----	----	0.221B/*0.310A	----	0.231 - 0.037	.0532	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 48

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week2										
APR26												
6650	0.337	0.337	0.360/*0.337	0.360/*0.337	----	0.300 NEW	.0761	----	----	6	----	6 + 6
6660	0.648	0.648	0.648/0.648	0.648/*0.397A	----	0.308 NEW	.0789	----	----	4	----	4 + 4
6750	0.450	0.450	0.573B/*0.450	0.573B/*0.450	----	0.397 NEW	.1100	----	----	10	----	10 + 10
6800	----	----	----/4.465A	2.122B/4.465A	----	4.445 - 0.896	.8676	----	----	----	----	50 UNCH
6800	0.700	0.700	0.727B/0.700	0.727B/*0.523A	----	0.459 NEW	.1323	----	----	1	----	1 + 1
6850	2.970	2.970	2.970/2.355A	2.970/2.355A	----	2.446 NEW	.3330	----	----	25	----	25 + 25
7000	----	----	1.447B/----	1.447B/*0.859A	----	0.846 - 0.005	.2705	----	----	----	----	1 UNCH
7000	----	----	----/5.012A	4.673B/5.012A	----	5.001 - 0.785	.6083	----	----	----	----	1 UNCH
7025	----	----	1.537B/----	1.537B/*0.942A	----	0.914 + 0.003	.2940	----	----	----	----	1 UNCH
7300	----	----	----/*0.837A	1.544B/*0.837A	----	1.075 - 0.697	.3812	----	----	4	----	3 - 2
7400	----	----	----/*0.652A	1.247B/*0.652A	----	0.716 - 0.606	.2649	----	----	2	----	2 - 1
7475	----	----	----/*0.540A	0.908B/*0.540A	----	0.518 - 0.530	.1922	----	----	----	----	1 UNCH
7500	1.450	1.450	1.450/*1.450	2.060B/*1.450	----	1.667 NEW	.3502	----	----	1	----	1 + 1
7600	----	----	----/*1.306A	1.669B/*1.306A	----	1.366 - 0.450	.2998	----	----	----	----	2 UNCH
7600	----	----	----/*0.387A	0.532B/*0.387A	----	0.300 - 0.402	.1058	----	----	----	----	1 UNCH
7650	----	----	----/*0.333A	0.379B/*0.333A	----	0.243 - 0.354	.0825	----	----	----	----	2 UNCH
7725	----	----	----/*0.274A	0.232B/*0.274A	----	0.181 - 0.287	.0573	----	----	----	----	25 UNCH
7750	0.400	0.400	0.400/*0.160	0.400/*0.160	----	0.164 NEW	.0506	----	----	2	----	1 + 1
7800	----	----	----/*0.220A	0.152B/*0.220A	----	0.138 - 0.231	.0403	----	----	----	----	3 UNCH
7900	----	----	----/*0.176A	0.052B/*0.176A	----	0.101 - 0.172	.0262	----	----	----	----	1 UNCH
8000	0.118	0.118	0.118/*0.101	0.118/*0.101	----	0.078 - 0.129	.0179	----	----	2	----	6 + 1
8250	----	----	----	----/32.064A	----	10.879 + 0.687	.9055	----	----	----	----	4 UNCH
8275	----	----	#11.622B/----	#11.622B/13.378A	----	11.112 + 0.694	.9099	----	----	----	----	4 UNCH
8500	----	----	----	0.020B/0.109A	----	0.045 - 0.040	.0063	----	----	----	----	1 UNCH
8600	----	----	----	----/*0.106A	----	0.040 - 0.039	.0051	----	----	----	----	1 UNCH
TOTAL										60	0	170 + 49
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
APR26												
6600	0.741	0.741	0.820B/0.741	0.820B/*0.642A	----	0.625 NEW	.1492	----	----	1	----	1 + 1
6600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	1.065B/----	1.065B/*0.781A	----	0.783 + 0.105	.1866	----	----	----	----	1 UNCH
6850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6860	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	1.736B/----	1.736B/*1.175A	----	1.222 + 0.140	.2844	----	----	----	----	1 UNCH
6900	----	----	----	----	----	3.847 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6910	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6975	1.440	1.440	2.019B/1.401A	2.019B/1.401A	----	1.440 NEW	.3293	----	----	11	----	11 + 11
7000	----	----	----	----	----	2.847 UNCH	----	----	----	----	----	0 UNCH
7000	1.715	1.715	2.165B/1.448A	2.165B/1.448A	----	1.519 NEW	.3451	----	----	1	----	1 + 1
7010	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7050	----	----	----/2.508A	2.928B/2.508A	----	3.177 - 0.683	.6216	----	----	----	----	1 UNCH
7100	----	----	----	----	----	1.847 UNCH	----	----	----	----	----	0 UNCH
7110	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	1.347 UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7175	----	----	2.469B/----	2.469B/2.054A	----	2.194 + 0.215	.4675	----	----	----	----	2 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----/*1.808A	2.514B/*1.808A	----	2.295 - 0.636	.5138	----	----	----	----	1 UNCH
7200	----	----	----	----	----	0.847 UNCH	----	----	----	----	----	0 UNCH
7230	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7240	----	----	----	----	----	0.447 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7255	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----/*2.511A	3.179B/*2.511A	----	2.847 - 1.438	.4719	----	----	----	----	2 UNCH
7350	----	----	----	----	----	0.653 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7385	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	1.153 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----/*1.166A	1.886B/*1.166A	----	1.380 - 0.569	.3629	----	----	----	----	1 UNCH
7415	----	----	----	----	----	1.303 UNCH	----	----	----	----	----	0 UNCH
7460	----	----	----	----	----	1.753 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----/*1.875A	2.450B/*1.875A	----	2.042 - 1.199	.3748	----	----	----	----	2 UNCH
7545	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----/*1.778A	2.213B/*1.778A	----	1.875 - 1.082	.3518	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7575	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----/*0.766A	1.093B/*0.766A	----	0.768 - 0.474	.2286	----	----	2	----	2 UNCH
7625	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----/*0.626A	0.796B/*0.626A	----	0.562 - 0.414	.1747	----	----	----	----	2 UNCH
8000	0.250	0.250	0.250/*0.250	0.256B/*0.250	----	0.228 - 0.234	.0741	----	----	1	----	2 UNCH
8025	----	----	----/*0.310A	0.241B/*0.310A	----	0.214 - 0.220	.0694	----	----	----	----	1 UNCH
8075	----	----	----	----	----	7.903 UNCH	----	----	----	----	----	0 UNCH
8500	0.130	0.130	0.130/*0.130	0.130/*0.130	----	0.093 NEW	.0263	----	----	1	----	1 + 1
8700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
TOTAL										17	0	32 + 14
MAY26												
6600	----	----	#2.610B/----	#2.610B/2.387A	----	2.389 + 0.026	.2678	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	35.375B/32.805A	35.375B/32.805A	----	34.505 - 0.855	.9942	----	----	----	----	1 UNCH
3875	----	----	34.265B/31.425A	34.265B/31.425A	----	33.264 - 0.854	.9929	----	----	----	----	50 UNCH
3900	----	----	33.883B/31.296A	33.883B/31.296A	----	33.016 - 0.854	.9925	----	----	----	----	1 UNCH
4000	----	----	33.043B/30.187A	33.043B/30.187A	----	32.025 - 0.854	.9913	----	----	----	----	53 UNCH
4100	----	----	32.025B/29.198A	32.025B/29.198A	----	31.034 - 0.851	.9900	----	----	----	----	50 UNCH
4200	----	----	31.032B/28.211A	31.032B/28.211A	----	30.045 - 0.847	.9885	----	----	----	----	116 UNCH
4400	----	----	28.987B/26.314A	28.987B/26.314A	----	28.069 - 0.839	.9851	----	----	----	----	43 UNCH
4450	----	----	28.424B/25.894A	28.424B/25.894A	----	27.576 - 0.836	.9841	----	----	----	----	2 UNCH
4500	----	----	28.085B/25.263A	28.085B/25.263A	----	27.083 - 0.834	.9831	----	----	----	----	120 UNCH
4550	----	----	27.435B/24.914A	27.435B/24.914A	----	26.591 - 0.831	.9820	----	----	----	----	1 UNCH
4600	----	----	27.008B/24.355A	27.008B/24.355A	----	26.099 - 0.828	.9808	----	----	----	----	43 UNCH
4650	----	----	26.581B/23.796A	26.581B/23.796A	----	25.607 - 0.826	.9796	----	----	----	----	77 UNCH
4675	----	----	26.235B/23.692A	26.235B/23.692A	----	25.361 - 0.825	.9790	----	----	----	----	15 UNCH
4700	----	----	25.953B/23.449A	25.953B/23.449A	----	25.116 - 0.823	.9783	----	----	----	----	2 UNCH
4725	----	----	25.707B/23.206A	25.707B/23.206A	----	24.870 - 0.822	.9776	----	----	----	----	2 UNCH
4750	----	----	25.498B/22.962A	25.498B/22.962A	----	24.625 - 0.821	.9769	----	----	----	----	7 UNCH
4800	----	----	25.007B/22.476A	25.007B/22.476A	----	24.135 - 0.818	.9755	----	----	----	----	7 UNCH
4825	----	----	24.762B/22.233A	24.762B/22.233A	----	23.890 - 0.817	.9747	----	----	----	----	22 UNCH
4850	----	----	24.515B/21.991A	24.515B/21.991A	----	23.645 - 0.815	.9739	----	----	----	----	10 UNCH
4900	----	----	24.027B/21.508A	24.027B/21.508A	----	23.156 - 0.813	.9722	----	----	----	----	14 UNCH
4925	----	----	23.792B/21.265A	23.792B/21.265A	----	22.912 - 0.811	.9714	----	----	----	----	12 UNCH
4950	----	----	23.494B/21.026A	23.494B/21.026A	----	22.668 - 0.810	.9705	----	----	----	----	4 UNCH
5000	----	----	23.137B/20.404A	23.137B/20.404A	----	22.180 - 0.807	.9686	----	----	----	----	99 UNCH
5025	----	----	22.760B/20.306A	22.760B/20.306A	----	21.937 - 0.806	.9677	----	----	----	----	3 UNCH
5050	----	----	22.562B/20.064A	22.562B/20.064A	----	21.693 - 0.805	.9666	----	----	----	----	6 UNCH
5075	----	----	22.319B/19.825A	22.319B/19.825A	----	21.450 - 0.804	.9655	----	----	----	----	6 UNCH
5100	----	----	22.075B/19.587A	22.075B/19.587A	----	21.208 - 0.802	.9644	----	----	----	----	9 UNCH
5125	----	----	21.785B/19.331A	21.785B/19.331A	----	20.965 - 0.801	.9633	----	----	----	----	1 UNCH
5150	----	----	21.587B/19.109A	21.587B/19.109A	----	20.723 - 0.799	.9621	----	----	----	----	15 UNCH
5200	----	----	21.106B/18.634A	21.106B/18.634A	----	20.239 - 0.797	.9596	----	----	----	----	11 UNCH
5225	----	----	20.812B/18.381A	20.812B/18.381A	----	19.998 - 0.795	.9583	----	----	----	----	1 UNCH
5250	----	----	20.620B/18.160A	20.620B/18.160A	----	19.757 - 0.794	.9569	----	----	----	----	21 UNCH
5275	----	----	20.378B/17.924A	20.378B/17.924A	----	19.516 - 0.793	.9555	----	----	----	----	6 UNCH
5300	----	----	20.219B/17.549A	20.219B/17.549A	----	19.276 - 0.791	.9540	----	----	----	----	126 UNCH
5325	----	----	19.912B/17.385A	19.912B/17.385A	----	19.036 - 0.790	.9525	----	----	----	----	29 UNCH
5350	----	----	19.670B/17.151A	19.670B/17.151A	----	18.797 - 0.788	.9508	----	----	----	----	25 UNCH
5400	----	----	19.254B/16.614A	19.254B/16.614A	----	18.319 - 0.785	.9475	----	----	----	----	146 UNCH
5425	----	----	18.933B/16.521A	18.933B/16.521A	----	18.080 - 0.785	.9458	----	----	----	----	12 UNCH
5450	----	----	18.774B/16.150A	18.774B/16.150A	----	17.842 - 0.784	.9440	----	----	----	----	50 UNCH
5475	----	----	18.402B/16.061A	18.402B/16.061A	----	17.605 - 0.782	.9421	----	----	----	----	2 UNCH
5500	----	----	18.296B/15.689A	18.296B/15.689A	----	17.368 - 0.781	.9401	----	----	----	----	185 UNCH
5525	----	----	17.992B/15.531A	17.992B/15.531A	----	17.131 - 0.780	.9381	----	----	----	----	35 UNCH
5550	----	----	17.743B/15.369A	17.743B/15.369A	----	16.895 - 0.779	.9360	----	----	----	----	8 UNCH
5600	----	----	17.347B/14.778A	17.347B/14.778A	----	16.425 - 0.776	.9315	----	----	----	----	110 UNCH
5625	----	----	17.034B/14.689A	17.034B/14.689A	----	16.191 - 0.775	.9291	----	----	----	----	8 UNCH
5650	----	----	16.811B/14.397A	16.811B/14.397A	----	15.957 - 0.774	.9267	----	----	----	----	31 UNCH
5675	----	----	16.575B/14.237A	16.575B/14.237A	----	15.724 - 0.772	.9241	----	----	----	----	6 UNCH
5700	----	----	16.331B/14.013A	16.331B/14.013A	----	15.492 - 0.771	.9215	----	----	----	----	9 UNCH
5750	----	----	15.875B/13.569A	15.875B/13.569A	----	15.029 - 0.769	.9160	----	----	----	----	16 UNCH
5775	----	----	15.573B/13.358A	15.573B/13.358A	----	14.799 - 0.768	.9131	----	----	----	----	1 UNCH
5800	----	----	15.341B/13.141A	15.341B/13.141A	----	14.570 - 0.766	.9101	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
5825	----	----	15.171B/12.915A	15.171B/12.915A	----	14.341 - 0.765	.9069	----	----	----	----	11 UNCH
5850	----	----	14.879B/12.708A	14.879B/12.708A	----	14.113 - 0.764	.9037	----	----	----	----	2 UNCH
5900	----	----	14.552B/12.139A	14.552B/12.139A	----	13.661 - 0.761	.8970	----	----	----	----	124 UNCH
5925	----	----	----/12.067A	14.192B/12.067A	----	13.436 - 0.760	.8934	----	----	----	----	1 UNCH
5950	----	----	14.032B/11.839A	14.032B/11.839A	----	13.212 - 0.759	.8896	----	----	----	----	16 UNCH
6000	----	----	13.644B/11.295A	13.644B/11.295A	----	12.767 - 0.756	.8819	----	----	----	----	247 UNCH
6050	----	----	----/11.021A	13.062B/11.021A	----	12.327 - 0.753	.8736	----	----	----	----	2 UNCH
6075	----	----	12.969B/10.677A	12.969B/10.677A	----	12.108 - 0.752	.8692	----	----	----	----	122 UNCH
6100	----	----	12.700B/10.591A	12.700B/10.591A	----	11.891 - 0.750	.8647	----	----	----	----	9 UNCH
6125	----	----	----/10.410A	12.396B/10.410A	----	11.675 - 0.749	.8601	----	----	----	----	1 UNCH
6150	----	----	----/10.211A	12.176B/10.211A	----	11.460 - 0.747	.8553	----	----	----	----	3 UNCH
6175	----	----	----/10.013A	11.957B/10.013A	----	11.247 - 0.745	.8504	----	----	----	----	1 UNCH
6200	----	----	11.868B/9.679A	11.868B/9.679A	----	11.035 - 0.744	.8453	----	----	----	----	59 UNCH
6225	----	----	11.651B/9.484A	11.651B/9.484A	----	10.824 - 0.742	.8401	----	----	----	----	69 UNCH
6250	----	----	----/9.427A	11.306B/9.427A	----	10.615 - 0.740	.8347	----	----	----	----	3 UNCH
6275	----	----	----/9.235A	11.093B/9.235A	----	10.408 - 0.738	.8292	----	----	----	----	4 UNCH
6300	----	----	10.987B/9.019A	10.987B/9.019A	----	10.202 - 0.736	.8235	----	----	----	----	24 UNCH
6325	----	----	----/8.860A	10.671B/8.860A	----	9.998 - 0.733	.8177	----	----	----	----	3 UNCH
6350	----	----	10.573B/8.644A	10.573B/8.644A	----	9.795 - 0.731	.8117	----	----	----	----	7 UNCH
6375	----	----	10.377B/8.419A	10.377B/8.419A	----	9.594 - 0.729	.8055	----	----	----	----	48 UNCH
6400	----	----	10.184B/8.176A	10.184B/8.176A	----	9.395 - 0.726	.7992	----	----	----	----	62 UNCH
6425	----	----	9.961B/8.089A	9.961B/8.089A	----	9.198 - 0.723	.7927	----	----	----	----	6 UNCH
6450	----	----	----/7.949A	9.643B/7.949A	----	9.002 - 0.720	.7861	----	----	----	----	4 UNCH
6475	----	----	9.565B/7.726A	9.565B/7.726A	----	8.809 - 0.716	.7793	----	----	----	----	6 UNCH
6500	8.800	8.800	9.380B/7.474A	9.380B/7.474A	----	8.617 - 0.713	.7724	----	----	4	----	174 - 2
6525	----	----	9.182B/7.357A	9.182B/7.357A	----	8.427 - 0.710	.7653	----	----	----	----	28 UNCH
6550	----	----	8.978B/7.188A	8.978B/7.188A	----	8.240 - 0.706	.7580	----	----	----	----	8 UNCH
6575	----	----	----/7.089A	8.655B/7.089A	----	8.054 - 0.702	.7506	----	----	----	----	3 UNCH
6600	----	----	8.599B/6.853A	8.599B/6.853A	----	7.871 - 0.698	.7431	----	----	----	----	9 UNCH
6625	----	----	8.410B/6.692A	8.410B/6.692A	----	7.690 - 0.693	.7353	----	----	----	----	7 UNCH
6650	----	----	8.217B/6.536A	8.217B/6.536A	----	7.511 - 0.689	.7275	----	----	----	----	6 UNCH
6675	----	----	----/6.374A	7.899B/6.374A	----	7.334 - 0.684	.7195	----	----	----	----	1 UNCH
6700	6.230	6.230	7.876B/6.147A	7.876B/6.147A	----	7.160 - 0.679	.7114	----	----	6	----	172 UNCH
6750	----	----	7.488B/5.962A	7.488B/5.962A	----	6.818 - 0.668	.6947	----	----	3	----	10 - 3
6800	----	----	7.175B/5.514A	7.175B/5.514A	----	6.486 - 0.656	.6775	----	----	----	----	56 UNCH
6825	----	----	7.005B/5.354A	7.005B/5.354A	----	6.324 - 0.649	.6688	----	----	----	----	107 UNCH
6850	----	----	----/5.283A	6.656B/5.283A	----	6.164 - 0.642	.6599	----	----	----	----	1 UNCH
6875	----	----	----/5.105A	6.502B/5.105A	----	6.006 - 0.636	.6509	----	----	----	----	1 UNCH
6900	----	----	6.497B/4.954A	6.497B/4.954A	----	5.851 - 0.629	.6419	----	----	----	----	195 UNCH
6925	----	----	6.332B/4.835A	6.332B/4.835A	----	5.699 - 0.621	.6327	----	----	----	----	12 UNCH
6950	----	----	----/4.705A	6.159B/4.705A	----	5.549 - 0.614	.6235	----	----	1	----	5 UNCH
7000	4.521	4.521	5.861B/4.417A	5.861B/4.417A	----	5.257 - 0.598	.6048	----	----	5	----	464 UNCH
7025	----	----	----/4.323A	5.691B/4.323A	----	5.114 - 0.591	.5953	----	----	----	----	11 UNCH
7050	----	----	----/4.187A	5.554B/4.187A	----	4.975 - 0.582	.5858	----	----	----	----	26 UNCH
7075	5.110	5.110	5.389B/4.042A	5.389B/4.042A	----	4.837 - 0.575	.5762	----	----	3	----	7 UNCH
7100	----	----	5.285B/3.897A	5.285B/3.897A	----	4.702 - 0.568	.5666	----	----	1	----	62 - 1
7125	----	----	5.164B/3.833A	5.164B/3.833A	----	4.570 - 0.559	.5570	----	----	1	----	4 UNCH
7150	----	----	5.063B/3.729A	5.063B/3.729A	----	4.440 - 0.552	.5473	----	----	----	----	2 UNCH
7175	----	----	4.914B/3.622A	4.914B/3.622A	----	4.313 - 0.543	.5376	----	----	----	----	19 UNCH
7200	4.770	4.770	4.775B/3.491A	4.775B/3.491A	----	4.188 - 0.536	.5279	----	----	7	----	44 - 5
7225	4.312	4.312	4.617B/3.393A	4.617B/3.393A	----	4.066 - 0.528	.5181	----	----	2	----	8 UNCH
7250	3.518	3.518	4.485B/3.276A	4.485B/3.276A	----	3.946 - 0.520	.5084	----	----	1	----	62 + 1
7275	----	----	4.396B/3.190A	4.396B/3.190A	----	3.829 - 0.512	.4987	----	----	----	----	3 UNCH
7300	3.857	3.857	4.267B/3.075	4.267B/3.075	----	3.714 - 0.505	.4889	----	----	22	----	133 - 2
7325	3.949	3.949	4.149B/3.000A	4.149B/3.000A	----	3.602 - 0.497	.4792	----	----	1	----	2 + 1
7350	3.829	3.829	4.026B/2.899A	4.026B/2.899A	----	3.492 - 0.489	.4696	----	----	1	----	47 UNCH
7375	3.480	3.480	3.916B/2.810A	3.916B/2.810A	----	3.385 - 0.481	.4599	----	----	1	----	86 UNCH
7400	3.507	3.507	3.789B/2.725A	3.789B/2.725A	----	3.281 - 0.473	.4503	----	----	4	----	30 + 2
7425	3.508	3.508	3.647B/2.661A	3.647B/2.661A	----	3.179 - 0.466	.4408	----	----	2	----	7 + 1
7450	3.325	3.325	3.545B/2.570A	3.545B/2.570A	----	3.079 - 0.458	.4313	----	----	3	----	15 + 3
7475	----	----	3.470B/2.490A	3.470B/2.490A	----	2.982 - 0.451	.4219	----	----	----	----	6 UNCH
7500	3.500	3.500	3.500/2.392A	3.500/2.392A	----	2.888 - 0.442	.4125	----	----	16	----	452 - 2
7525	2.906	2.906	3.249B/2.330	3.249B/2.330	----	2.795 - 0.436	.4032	----	----	3	----	16 + 2
7530	----	----	3.241B/2.325A	3.241B/2.325A	----	2.777 - 0.434	.4013	----	----	----	----	5 UNCH
7535	----	----	3.221B/2.317A	3.221B/2.317A	----	2.759 - 0.433	.3995	----	----	----	----	2 UNCH
7540	----	----	3.201B/2.292A	3.201B/2.292A	----	2.741 - 0.431	.3977	----	----	----	----	1 UNCH
7545	----	----	----/2.287A	3.152B/2.287A	----	2.723 - 0.430	.3958	----	----	----	----	2 UNCH
7550	----	----	3.162B/2.263A	3.162B/2.263A	----	2.706 - 0.428	.3940	----	----	----	----	11 UNCH
7555	----	----	----/2.251A	3.112B/2.251A	----	2.688 - 0.426	.3922	----	----	----	----	2 UNCH
7565	----	----	3.100B/2.232A	3.100B/2.232A	----	2.653 - 0.423	.3885	----	----	----	----	1 UNCH
7570	----	----	3.083B/2.209A	3.083B/2.209A	----	2.636 - 0.422	.3867	----	----	----	----	1 UNCH
7575	2.470	2.470	3.061B/2.117	3.061B/2.117	----	2.618 - 0.421	.3849	----	----	11	----	9 UNCH
7585	----	----	----/2.176A	2.999B/2.176A	----	2.584 - 0.418	.3812	----	----	----	----	2 UNCH
7590	----	----	3.001B/2.155A	3.001B/2.155A	----	2.567 - 0.416	.3794	----	----	----	----	1 UNCH
7595	----	----	2.988B/2.149A	2.988B/2.149A	----	2.550 - 0.415	.3776	----	----	----	----	2 UNCH
7600	2.600	2.600	2.973B/2.108A	2.973B/2.108A	----	2.533 - 0.413	.3758	----	----	48	----	94 + 11
7605	----	----	2.950B/2.113A	2.950B/2.113A	----	2.517 - 0.411	.3741	----	----	----	----	2 UNCH
7615	----	----	2.912B/2.088A	2.912B/2.088A	----	2.484 - 0.408	.3705	----	----	----	----	2 UNCH
7620	----	----	----/2.076A	2.870B/2.076A	----	2.467 - 0.407	.3687	----	----	----	----	2 UNCH
7625	----	----	----/2.070A	2.853B/2.070A	----	2.451 - 0.406	.3669	----	----	----	----	7 UNCH
7630	----	----	2.858B/2.047A	2.858B/2.047A	----	2.435 - 0.404	.3651	----	----	----	----	1 UNCH
7635	----	----	----/2.037A	2.813B/2.037A	----	2.418 - 0.403	.3633	----	----	----	----	2 UNCH
7640	----	----	2.821B/2.023A	2.821B/2.023A	----	2.402 - 0.402	.3616	----	----	----	----	3 UNCH
7645	----	----	----/2.012A	2.784B/2.012A	----	2.386 - 0.400	.3598	----	----	----	----	10 UNCH
7650	2.463	2.463	2.789B/1.999A	2.789B/1.999A	----	2.371 - 0.398	.3581	----	----	2	----	19 - 2
7655	----	----	2.774B/1.985A	2.774B/1.985A	----	2.355 - 0.397	.3563	----	----	----	----	2 UNCH
7660	----	----	2.749B/1.972A	2.749B/1.972A	----	2.339 - 0.396	.3546	----	----	----	----	1 UNCH
7665	----	----	2.734B/1.961A	2.734B/1.961A	----	2.324 - 0.394	.3528	----	----	----	----	10 UNCH
7675	----	----	2.699B/1.945A	2.699B/1.945A	----	2.293 - 0.391	.3494	----	----	----	----	1 UNCH
7680	----	----	2.683B/1.924A	2.683B/1.924A	----	2.277 - 0.390	.3476	----	----	----	----	1 UNCH
7685	----	----	----/1.921A	2.638B/1.921A	----	2.262 - 0.388	.3459	----	----	----	----	1 UNCH
7690	----	----	----/1.902A	2.613B/1.902A	----	2.247 - 0.387	.3442	----	----	----	----	1 UNCH
7700	2.750	2.750	2.750/1.856A	2.750/1.856A	----	2.217 - 0.384	.3407	----	----	19	----	196 - 5
7710	----	----	----/1.863A	2.564B/1.863A	----	2.187 - 0.381	.3373	----	----	----	----	1 UNCH
7715	----	----	2.566B/1.841A	2.566B/1.841A	----	2.173 - 0.379	.3357	----	----	----	----	4 UNCH
7725	2.180	2.180	2.533B/1.819A	2.533B/1.819A	----	2.143 - 0.377	.3322	----	----	3	----	6 + 3
7735	----	----	2.490B/1.805A	2.490B/1.805A	----	2.115 - 0.374	.3289	----	----	----	----	1 UNCH
7750	1.773	1.773	1.773/1.764A	2.435B/1.764A	----	2.072 - 0.370	.3239	----	----	2	----	7 + 2
7760	----	----	----/1.749A	2.411B/1.749A	----	2.044 - 0.367	.3206	----	----	----	----	1 UNCH
7770	----	----	2.387B/1.727A	2.387B/1.727A	----	2.017 - 0.364	.3173	----	----	----	----	1 UNCH
7775	----	----	----/1.710A	2.358B/1.710A	----	2.003 - 0.363	.3157	----	----	----	----	3 UNCH
7785	----	----	----/1.697A	2.325B/1.697A	----	1.976 - 0.360	.3124	----	----	----	----	1 UNCH
7800	2.039	2.039	2.298B/1.600	2.298B/1.600	----	1.936 - 0.356	.3075	----	----	9	----	80 - 7
7805	----	----	2.285B/1.655A	2.285B/1.655A	----	1.923 - 0.355	.3060	----	----	----	----	6 UNCH
7810	----	----	2.266B/1.636A	2.266B/1.636A	----	1.910 - 0.353	.3044	----	----	----	----	1 UNCH
7815	----	----	2.257B/1.626A	2.257B/1.626A	----	1.897 - 0.352	.3028	----	----	----	----	2 UNCH
7825	----	----	2.259B/1.614A	2.259B/1.614A	----	1.871 - 0.350	.2996	----	----	----	----	1 UNCH
7845	----	----	2.244B/1.567A	2.244B/1.567A	----	1.821 - 0.344	.2933	----	----	----	----	1 UNCH
7850	----	----	2.230B/1.546A	2.230B/1.546A	----	1.808 - 0.343	.2917	----	----	----	----	33 UNCH
7855	----	----	2.202B/1.549A	2.202B/1.549A	----	1.796 - 0.341	.2902	----	----	----	----	8 UNCH
7870	----	----	2.125B/1.522A	2.125B/1.522A	----	1.760 - 0.337	.2856	----	----	----	----	1 UNCH
7875	----	----	2.157B/1.501A	2.157B/1.501A	----	1.748 - 0.336	.2841	----	----	----	----	43 UNCH
7900	----	----	2.091B/1.457A	2.091B/1.457A	----	1.689 - 0.329	.2765	----	----	----	----	30 UNCH
7910	----	----	2.065B/1.448A	2.065B/1.448A	----	1.666 - 0.327	.2736	----	----	----	----	1 UNCH
7915	----	----	2.055B/1.446A	2.055B/1.446A	----	1.655 - 0.325	.2721	----	----	----	----	1 UNCH
7920	----	----	2.036B/1.430A	2.036B/1.430A	----	1.643 - 0.324	.2706	----	----	----	----	1 UNCH
7925	----	----	2.024B/1.421A	2.024B/1.421A	----	1.632 - 0.323	.2691	----	----	----	----	6 UNCH
7930	----	----	2.009B/1.418A	2.009B/1.418A	----	1.621 - 0.321	.2677	----	----	----	----	2 UNCH
7935	----	----	1.997B/1.406A	1.997B/1.406A	----	1.610 - 0.320	.2662	----	----	----	----	1 UNCH
7940	----	----	1.984B/1.395A	1.984B/1.395A	----	1.599 - 0.319	.2648	----	----	----	----	3 UNCH
7945	----	----	1.967B/1.387A	1.967B/1.387A	----	1.588 - 0.317	.2633	----	----	----	----	2 UNCH
7950	----	----	1.957B/1.378A	1.957B/1.378A	----	1.577 - 0.316	.2619	----	----	----	----	18 UNCH
7955	----	----	1.946B/*1.370A	1.946B/*1.370A	----	1.566 - 0.315	.2604	----	----	----	----	1 UNCH
7960	1.445	1.445	1.939B/*1.362A	1.939B/*1.362A	----	1.556 - 0.313	.2591	----	----	1	----	2 + 1
7965	1.433	1.433	1.927B/*1.354A	1.927B/*1.354A	----	1.545 - 0.312	.2576	----	----	1	----	2 + 1
7970	1.447	1.447	1.910B/*1.345A	1.910B/*1.345A	----	1.534 - 0.312	.2562	----	----	3	----	4 + 3
7975	1.416	1.416	1.900B/*1.335A	1.900B/*1.335A	----	1.524 NEW	.2548	----	----	5	----	5 + 5
7980	1.432	1.432	1.881B/*1.328A	1.881B/*1.328A	----	1.514 - 0.308	.2534	----	----	7	----	10 + 7
7985	1.422	1.422	1.882B/*1.319A	1.882B/*1.319A	----	1.503 - 0.307	.2520	----	----	6	----	10 + 6
7990	1.385	1.385	1.858B/*1.312A	1.858B/*1.312A	----	1.493 - 0.306	.2506	----	----	4	----	8 + 4
7995	1.405	1.405	1.846B/*1.303A	1.846B/*1.303A	----	1.483 - 0.305	.2492	----	----	2	----	21 + 2
8000	1.718	1.718	1.835B/1.284A	1.835B/1.284A	----	1.473 - 0.303	.2479	----	----	151	----	1356 - 20
8005	1.367	1.367	1.809B/*1.286A	1.809B/*1.286A	----	1.463 - 0.302	.2465	----	----	1	----	25 + 1
8010	1.357	1.357	1.808B/*1.278A	1.808B/*1.278A	----	1.453 - 0.301	.2451	----	----	1	----	34 + 1
8015	----	----	1.798B/*1.270A	1.798B/*1.270A	----	1.443 - 0.299	.2438	----	----	----	----	24 UNCH
8020	----	----	1.789B/*1.262A	1.789B/*1.262A	----	1.433 - 0.298	.2424	----	----	----	----	14 UNCH
8025	----	----	1.773B/*1.254A	1.773B/*1.254A	----	1.423 - 0.297	.2411	----	----	----	----	14 UNCH
8030	----	----	1.764B/*1.246A	1.764B/*1.246A	----	1.413 - 0.296	.2397	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8035	----	----	1.752B/*1.238A	1.752B/*1.238A	----	1.404 - 0.295	.2384	----	----	----	----	2 UNCH
8040	----	----	1.743B/*1.232A	1.743B/*1.232A	----	1.394 - 0.294	.2370	----	----	----	----	2 UNCH
8045	----	----	1.731B/*1.223A	1.731B/*1.223A	----	1.385 - 0.292	.2358	----	----	----	----	1 UNCH
8050	----	----	1.717B/*1.216A	1.717B/*1.216A	----	1.375 - 0.291	.2344	----	----	----	----	13 UNCH
8055	----	----	1.706B/*1.208A	1.706B/*1.208A	----	1.366 - 0.290	.2331	----	----	----	----	1 UNCH
8060	----	----	1.695B/*1.199A	1.695B/*1.199A	----	1.357 - 0.288	.2318	----	----	----	----	1 UNCH
8065	----	----	1.684B/*1.192A	1.684B/*1.192A	----	1.347 - 0.288	.2305	----	----	----	----	5 UNCH
8070	----	----	1.675B/*1.186A	1.675B/*1.186A	----	1.338 - 0.286	.2292	----	----	----	----	2 UNCH
8075	----	----	1.665B/*1.178A	1.665B/*1.178A	----	1.329 - 0.285	.2279	----	----	----	----	6 UNCH
8080	----	----	1.654B/*1.170A	1.654B/*1.170A	----	1.320 - 0.284	.2267	----	----	----	----	2 UNCH
8085	----	----	1.641B/*1.163A	1.641B/*1.163A	----	1.311 - 0.283	.2254	----	----	----	----	1 UNCH
8090	----	----	1.633B/*1.156A	1.633B/*1.156A	----	1.302 - 0.282	.2241	----	----	----	----	21 UNCH
8095	----	----	1.624B/*1.148A	1.624B/*1.148A	----	1.293 - 0.280	.2228	----	----	----	----	16 UNCH
8100	1.205	1.205	1.608B/*1.141A	1.608B/*1.141A	----	1.285 - 0.279	.2216	----	----	6	----	239 UNCH
8105	----	----	1.598B/*1.135A	1.598B/*1.135A	----	1.276 - 0.278	.2204	----	----	----	----	1 UNCH
8110	----	----	1.589B/*1.126A	1.589B/*1.126A	----	1.267 - 0.277	.2191	----	----	----	----	2 UNCH
8115	----	----	1.579B/*1.121A	1.579B/*1.121A	----	1.259 - 0.275	.2179	----	----	----	----	3 UNCH
8125	----	----	1.558B/*1.107A	1.558B/*1.107A	----	1.242 - 0.273	.2155	----	----	----	----	3 UNCH
8150	----	----	1.508B/*1.074A	1.508B/*1.074A	----	1.200 - 0.267	.2094	----	----	----	----	12 UNCH
8175	----	----	1.457B/*1.039A	1.457B/*1.039A	----	1.160 - 0.262	.2035	----	----	----	----	15 UNCH
8200	----	----	1.411B/*1.008A	1.411B/*1.008A	----	1.122 - 0.255	.1978	----	----	1	----	96 UNCH
8205	----	----	1.401B/*1.002A	1.401B/*1.002A	----	1.115 - 0.254	.1968	----	----	----	----	1 UNCH
8210	----	----	1.391B/*0.996A	1.391B/*0.996A	----	1.107 - 0.253	.1956	----	----	----	----	4 UNCH
8225	----	----	1.365B/*0.978A	1.365B/*0.978A	----	1.085 - 0.250	.1923	----	----	----	----	4 UNCH
8230	----	----	1.361B/*0.972A	1.361B/*0.972A	----	1.078 - 0.248	.1912	----	----	----	----	1 UNCH
8235	----	----	1.348B/*0.966A	1.348B/*0.966A	----	1.071 - 0.247	.1901	----	----	----	----	1 UNCH
8240	----	----	1.338B/*0.960A	1.338B/*0.960A	----	1.064 - 0.246	.1891	----	----	----	----	1 UNCH
8250	----	----	1.321B/*0.954A	1.321B/*0.954A	----	1.049 - 0.244	.1868	----	----	7	----	105 + 7
8255	----	----	1.315B/*0.943A	1.315B/*0.943A	----	1.042 - 0.243	.1858	----	----	----	----	3 UNCH
8265	----	----	1.296B/*0.932A	1.296B/*0.932A	----	1.029 - 0.240	.1837	----	----	----	----	2 UNCH
8270	----	----	1.289B/*0.927A	1.289B/*0.927A	----	1.022 - 0.239	.1826	----	----	----	----	3 UNCH
8275	----	----	1.281B/*0.938A	1.281B/*0.938A	----	1.015 - 0.239	.1816	----	----	----	----	5 UNCH
8280	----	----	1.273B/*0.931A	1.273B/*0.931A	----	1.008 - 0.238	.1805	----	----	----	----	2 UNCH
8290	----	----	1.254B/*0.910A	1.254B/*0.910A	----	0.995 - 0.235	.1785	----	----	----	----	10 UNCH
8300	0.980	0.980	1.238B/*0.893A	1.238B/*0.893A	----	0.982 - 0.233	.1765	----	----	1	----	120 - 1
8310	----	----	1.225B/*0.884A	1.225B/*0.884A	----	0.969 - 0.231	.1744	----	----	----	----	2 UNCH
8325	----	----	1.201B/*0.872A	1.201B/*0.872A	----	0.950 - 0.228	.1715	----	----	----	----	4 UNCH
8340	----	----	1.175B/*0.856A	1.175B/*0.856A	----	0.932 - 0.224	.1686	----	----	----	----	29 UNCH
8345	----	----	1.168B/*0.853A	1.168B/*0.853A	----	0.926 - 0.223	.1677	----	----	----	----	16 UNCH
8350	----	----	1.161B/*0.843A	1.161B/*0.843A	----	0.920 - 0.222	.1667	----	----	----	----	26 UNCH
8360	----	----	1.145B/*0.857A	1.145B/*0.857A	----	0.908 - 0.220	.1648	----	----	----	----	1 UNCH
8370	----	----	1.131B/*0.827A	1.131B/*0.827A	----	0.896 - 0.218	.1629	----	----	----	----	1 UNCH
8375	----	----	1.125B/*0.842A	1.125B/*0.842A	----	0.890 - 0.217	.1619	----	----	----	----	4 UNCH
8400	0.813	0.813	1.088B/*0.813	1.088B/*0.813	----	0.862 - 0.212	.1574	----	----	2	----	34 - 1
8415	1.020	1.020	1.066B/*0.805A	1.066B/*0.805A	----	0.846 NEW	.1548	----	----	1	----	1 + 1
8420	----	----	1.060B/*0.777A	1.060B/*0.777A	----	0.840 - 0.208	.1539	----	----	----	----	3 UNCH
8425	----	----	1.053B/*0.781A	1.053B/*0.781A	----	0.835 - 0.207	.1530	----	----	----	----	6 UNCH
8435	----	----	1.040B/*0.785A	1.040B/*0.785A	----	0.825 - 0.204	.1514	----	----	----	----	1 UNCH
8440	----	----	1.038B/*0.781A	1.038B/*0.781A	----	0.819 - 0.204	.1504	----	----	----	----	1 UNCH
8450	----	----	1.023B/*0.751A	1.023B/*0.751A	----	0.809 - 0.202	.1488	----	----	7	----	152 + 7
8460	----	----	1.007B/*0.745A	1.007B/*0.745A	----	0.799 - 0.199	.1471	----	----	----	----	1 UNCH
8465	----	----	1.001B/*0.741A	1.001B/*0.741A	----	0.794 - 0.198	.1463	----	----	----	----	1 UNCH
8475	----	----	0.991B/*0.751A	0.991B/*0.751A	----	0.784 - 0.196	.1446	----	----	----	----	1 UNCH
8485	----	----	0.976B/*0.741A	0.976B/*0.741A	----	0.774 - 0.195	.1430	----	----	----	----	1 UNCH
8490	----	----	0.972B/*0.737A	0.972B/*0.737A	----	0.769 - 0.194	.1422	----	----	----	----	2 UNCH
8500	0.880	0.880	0.958B/*0.712A	0.958B/*0.712A	----	0.760 - 0.191	.1406	----	----	18	----	754 + 11
8505	----	----	0.952B/*0.708A	0.952B/*0.708A	----	0.755 - 0.191	.1398	----	----	----	----	4 UNCH
8510	----	----	0.945B/*0.704A	0.945B/*0.704A	----	0.751 - 0.189	.1391	----	----	----	----	2 UNCH
8515	----	----	0.939B/*0.716A	0.939B/*0.716A	----	0.746 - 0.189	.1383	----	----	----	----	1 UNCH
8525	----	----	0.930B/*0.709A	0.930B/*0.709A	----	0.737 - 0.186	.1368	----	----	----	----	23 UNCH
8535	----	----	0.917B/*0.700A	0.917B/*0.700A	----	0.728 - 0.185	.1352	----	----	----	----	1 UNCH
8540	----	----	0.911B/*0.697A	0.911B/*0.697A	----	0.723 - 0.184	.1344	----	----	----	----	6 UNCH
8545	----	----	0.905B/*0.693A	0.905B/*0.693A	----	0.719 - 0.183	.1337	----	----	----	----	2 UNCH
8550	----	----	0.899B/*0.690A	0.899B/*0.690A	----	0.715 - 0.181	.1330	----	----	----	----	10 UNCH
8565	----	----	0.883B/*0.679A	0.883B/*0.679A	----	0.702 - 0.179	.1308	----	----	----	----	10 UNCH
8570	----	----	0.878B/*0.672A	0.878B/*0.672A	----	0.698 - 0.178	.1301	----	----	----	----	4 UNCH
8575	----	----	0.872B/*0.671A	0.872B/*0.671A	----	0.693 - 0.177	.1293	----	----	----	----	34 UNCH
8590	----	----	----/*0.660A	0.839B/*0.660A	----	0.681 - 0.174	.1272	----	----	----	----	1 UNCH
8600	----	----	----/*0.635A	0.844B/*0.635A	----	0.673 - 0.172	.1258	----	----	----	----	251 UNCH
8605	----	----	----/*0.633A	0.839B/*0.633A	----	0.669 - 0.171	.1252	----	----	----	----	4 UNCH
8615	----	----	----/*0.625A	0.829B/*0.625A	----	0.661 - 0.170	.1238	----	----	----	----	1 UNCH
8620	----	----	----/*0.622A	0.814B/*0.622A	----	0.657 - 0.169	.1231	----	----	----	----	5 UNCH
8625	----	----	----/*0.620A	0.818B/*0.620A	----	0.653 - 0.168	.1224	----	----	----	----	2 UNCH
8630	----	----	----/*0.614A	0.814B/*0.614A	----	0.650 - 0.166	.1218	----	----	----	----	2 UNCH
8635	----	----	----/*0.612A	0.811B/*0.612A	----	0.646 - 0.166	.1212	----	----	----	----	1 UNCH
8640	----	----	----/*0.610A	0.803B/*0.610A	----	0.642 - 0.165	.1205	----	----	----	----	1 UNCH
8650	----	----	----/*0.601A	0.793B/*0.601A	----	0.635 - 0.163	.1192	----	----	----	----	11 UNCH
8660	----	----	----/*0.596A	0.784B/*0.596A	----	0.627 - 0.162	.1179	----	----	----	----	2 UNCH
8670	----	----	----/*0.594A	0.774B/*0.594A	----	0.620 - 0.160	.1166	----	----	----	----	1 UNCH
8675	----	----	----/*0.591A	0.770B/*0.591A	----	0.617 - 0.158	.1161	----	----	----	----	1 UNCH
8695	----	----	----/*0.578A	0.751B/*0.578A	----	0.603 - 0.155	.1136	----	----	----	----	2 UNCH
8700	0.715	0.715	0.715/*0.576A	0.748B/*0.576A	----	0.599 - 0.154	.1129	----	----	2	----	84 UNCH
8705	----	----	----/*0.573A	0.737B/*0.573A	----	0.596 - 0.153	.1123	----	----	----	----	17 UNCH
8725	----	----	----/*0.563A	0.724B/*0.563A	----	0.583 - 0.149	.1100	----	----	----	----	1 UNCH
8750	----	----	----/*0.549A	0.707B/*0.549A	----	0.567 - 0.145	.1072	----	----	----	----	42 UNCH
8775	----	----	----/*0.534A	0.668B/*0.534A	----	0.552 - 0.141	.1044	----	----	----	----	26 UNCH
8800	0.680	0.680	0.680/*0.523A	0.680/*0.523A	----	0.537 - 0.137	.1017	----	----	1	----	627 - 1
8850	----	----	----/*0.497A	0.622B/*0.497A	----	0.509 - 0.129	.0966	----	----	----	----	3 UNCH
8875	----	----	----/*0.486A	0.603B/*0.486A	----	0.496 - 0.125	.0942	----	----	----	----	3 UNCH
8900	0.564	0.564	0.564/*0.475A	0.586B/*0.475A	----	0.484 - 0.121	.0919	----	----	1	----	116 UNCH
8925	----	----	----/*0.465A	0.569B/*0.465A	----	0.472 - 0.117	.0897	----	----	----	----	4 UNCH
8950	----	----	----/*0.455A	0.541B/*0.455A	----	0.460 - 0.114	.0875	----	----	----	----	59 UNCH
8975	----	----	----/*0.445A	0.537B/*0.445A	----	0.449 - 0.110	.0854	----	----	----	----	23 UNCH
9000	0.600	0.600	0.600/0.408	0.600/0.408	----	0.438 - 0.107	.0833	----	----	54	----	1234 + 8
9025	----	----	----/*0.426A	0.507B/*0.426A	----	0.428 - 0.104	.0814	----	----	1	----	23 - 1
9050	----	----	----/*0.416A	0.493B/*0.416A	----	0.418 - 0.100	.0795	----	----	----	----	17 UNCH
9075	----	----	----/*0.407A	0.480B/*0.407A	----	0.408 - 0.098	.0776	----	----	----	----	6 UNCH
9100	----	----	----/*0.395A	0.466B/*0.395A	----	0.398 - 0.096	.0758	----	----	----	----	78 UNCH
9125	----	----	----/*0.388A	0.454B/*0.388A	----	0.389 - 0.093	.0740	----	----	----	----	5 UNCH
9150	0.370	0.370	0.370/*0.370	0.441B/*0.370	----	0.380 - 0.090	.0723	----	----	1	----	27 - 1
9175	----	----	----/*0.371A	0.428B/*0.371A	----	0.372 - 0.087	.0707	----	----	----	----	8 UNCH
9200	----	----	----/*0.362A	0.415B/*0.362A	----	0.363 - 0.086	.0690	----	----	----	----	166 UNCH
9225	----	----	----/*0.357A	0.406B/*0.357A	----	0.355 - 0.083	.0675	----	----	----	----	18 UNCH
9250	----	----	----/*0.348A	0.387B/*0.348A	----	0.347 - 0.081	.0660	----	----	5	----	73 UNCH
9275	----	----	----/*0.341A	0.378B/*0.341A	----	0.340 - 0.079	.0646	----	----	----	----	29 UNCH
9300	----	----	----/*0.331A	0.374B/*0.331A	----	0.332 - 0.077	.0631	----	----	----	----	197 UNCH
9325	----	----	----/*0.327A	0.359B/*0.327A	----	0.325 - 0.076	.0617	----	----	----	----	7 UNCH
9350	----	----	----/*0.321A	0.347B/*0.321A	----	0.317 - 0.075	.0602	----	----	----	----	31 UNCH
9375	----	----	----/*0.315A	0.342B/*0.315A	----	0.310 - 0.073	.0589	----	----	----	----	13 UNCH
9400	----	----	----/*0.307A	0.321B/*0.307A	----	0.304 - 0.071	.0577	----	----	----	----	39 UNCH
9425	----	----	----/*0.302A	0.317B/*0.302A	----	0.297 - 0.071	.0563	----	----	----	----	9 UNCH
9450	----	----	----/*0.297A	0.306B/*0.297A	----	0.290 - 0.070	.0550	----	----	5	----	19 UNCH
9475	----	----	----/*0.291A	0.301B/*0.291A	----	0.284 - 0.069	.0538	----	----	----	----	5 UNCH
9500	0.266	0.266	0.266/*0.266	0.294B/*0.266	----	0.277 - 0.069	.0525	----	----	11	----	881 + 9
9525	----	----	----/*0.281A	0.287B/*0.281A	----	0.271 - 0.068	.0514	----	----	----	----	23 UNCH
9550	----	----	----/*0.277A	0.280B/*0.277A	----	0.265 - 0.067	.0502	----	----	----	----	30 UNCH
9575	----	----	----/*0.273A	0.272B/*0.273A	----	0.259 - 0.067	.0491	----	----	----	----	4 UNCH
9600	----	----	----/*0.268A	0.266B/*0.268A	----	0.254 - 0.065	.0481	----	----	----	----	130 UNCH
9625	----	----	----/*0.267A	0.260B/*0.267A	----	0.248 - 0.065	.0470	----	----	----	----	6 UNCH
9650	----	----	----/*0.270A	0.254B/*0.270A	----	0.243 - 0.064	.0460	----	----	----	----	14 UNCH
9675	----	----	----/*0.274A	0.248B/*0.274A	----	0.238 - 0.064	.0450	----	----	----	----	13 UNCH
9700	----	----	----/*0.275A	0.242B/*0.275A	----	0.233 - 0.063	.0440	----	----	----	----	17 UNCH
9725	----	----	----/*0.278A	0.236B/*0.278A	----	0.228 - 0.063	.0431	----	----	----	----	9 UNCH
9750	----	----	----/*0.273A	0.232B/*0.273A	----	0.224 - 0.062	.0423	----	----	5	----	73 - 5
9775	----	----	----/*0.268A	0.225B/*0.268A	----	0.220 - 0.060	.0415	----	----	----	----	2 UNCH
9800	----	----	----/*0.262A	0.219B/*0.262A	----	0.216 - 0.059	.0407	----	----	----	----	100 UNCH
9825	----	----	----/*0.261A	0.214B/*0.261A	----	0.212 - 0.059	.0399	----	----	----	----	5 UNCH
9850	----	----	----/*0.265A	0.201B/*0.265A	----	0.208 - 0.058	.0391	----	----	----	----	20 UNCH
9875	----	----	----/*0.259A	0.198B/*0.259A	----	0.205 - 0.056	.0384	----	----	----	----	11 UNCH
9900	----	----	----/*0.253A	0.197B/*0.253A	----	0.202 - 0.055	.0378	----	----	----	----	245 UNCH
9925	----	----	----/*0.249A	0.187B/*0.249A	----	0.198 - 0.054	.0370	----	----	----	----	2 UNCH
9950	----	----	----/*0.246A	0.184B/*0.246A	----	0.195 - 0.053	.0364	----	----	5	----	21 - 5
9975	----	----	----/*0.243A	0.181B/*0.243A	----	0.192 - 0.052	.0358	----	----	----	----	2 UNCH
10000	----	----	----/0.239A	0.200B/0.239A	----	0.189 - 0.051	.0352	----	----	2	----	1063 - 2
10025	----	----	----	0.177B/*0.239A	----	0.187 - 0.049	.0347	----	----	----	----	2 UNCH
10050	----	----	----	0.171B/*0.238A	----	0.184 - 0.048	.0341	----	----	----	----	22 UNCH
10075	----	----	----	0.164B/*0.231A	----	0.181 - 0.047	.0335	----	----	----	----	4 UNCH
10100	----	----	----	0.160B/*0.234A	----	0.178 - 0.046	.0329	----	----	----	----	67 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
10125	----	----	----	0.159B/*0.230A	----	0.176 - 0.045	.0325	----	----	----	----	1 UNCH
10150	----	----	----/*0.216A	0.156B/*0.216A	----	0.173 - 0.044	.0319	----	----	----	----	1 UNCH
10175	----	----	----	0.153B/*0.217A	----	0.171 - 0.043	.0314	----	----	----	----	1 UNCH
10200	----	----	----	0.155B/*0.222A	----	0.168 - 0.042	.0308	----	----	----	----	34 UNCH
10225	----	----	----	0.150B/*0.213A	----	0.166 - 0.041	.0304	----	----	----	----	1 UNCH
10250	----	----	----	0.144B/*0.211A	----	0.163 - 0.041	.0298	----	----	----	----	5 UNCH
10275	----	----	----	0.138B/*0.208A	----	0.161 - 0.039	.0294	----	----	----	----	4 UNCH
10300	----	----	----	0.138B/*0.209A	----	0.159 - 0.038	.0290	----	----	----	----	209 UNCH
10305	----	----	----	0.138B/*0.205A	----	0.158 - 0.039	.0288	----	----	----	----	2 UNCH
10325	----	----	----	0.136B/*0.201A	----	0.156 - 0.038	.0284	----	----	----	----	1 UNCH
10350	----	----	----	0.132B/*0.202A	----	0.154 - 0.037	.0280	----	----	----	----	2 UNCH
10375	----	----	----	0.132B/*0.199A	----	0.152 - 0.036	.0276	----	----	----	----	1 UNCH
10400	----	----	----	0.127B/*0.197A	----	0.150 - 0.035	.0272	----	----	----	----	27 UNCH
10425	----	----	----	0.125B/*0.193A	----	0.147 - 0.036	.0266	----	----	----	----	19 UNCH
10450	----	----	----	0.124B/*0.193A	----	0.145 - 0.035	.0262	----	----	----	----	4 UNCH
10480	----	----	----	0.128B/*0.190A	----	0.143 - 0.034	.0258	----	----	----	----	2 UNCH
10485	----	----	----	0.122B/*0.190A	----	0.142 - 0.034	.0256	----	----	----	----	2 UNCH
10490	----	----	----	0.123B/*0.182A	----	0.142 - 0.033	.0256	----	----	----	----	1 UNCH
10500	----	----	----	0.135B/*0.180A	----	0.141 - 0.033	.0254	----	----	----	----	322 UNCH
10515	----	----	----	0.120B/*0.178A	----	0.140 - 0.033	.0252	----	----	----	----	7 UNCH
10520	----	----	----	0.124B/*0.188A	----	0.139 - 0.033	.0250	----	----	----	----	2 UNCH
10550	----	----	----	0.117B/*0.186A	----	0.137 - 0.032	.0246	----	----	----	----	2 UNCH
10555	----	----	----	0.122B/*0.184A	----	0.137 - 0.032	.0246	----	----	----	----	1 UNCH
10560	0.150	0.150	0.150/*0.130	0.150/*0.130	----	0.136 - 0.032	.0244	----	----	5	----	22 + 5
10570	----	----	----	0.116B/*0.187A	----	0.135 - 0.032	.0243	----	----	----	----	1 UNCH
10575	----	----	----	0.115B/*0.182A	----	0.135 - 0.032	.0242	----	----	----	----	1 UNCH
10580	----	----	----	0.120B/*0.174A	----	0.135 - 0.031	.0242	----	----	----	----	1 UNCH
10595	----	----	----	0.112B/*0.167A	----	0.133 - 0.032	.0239	----	----	----	----	2 UNCH
10600	----	----	----	0.112B/*0.168A	----	0.133 - 0.031	.0238	----	----	----	----	23 UNCH
10605	----	----	----	0.109B/*0.166A	----	0.133 - 0.031	.0238	----	----	----	----	5 UNCH
10610	----	----	----	0.111B/*0.170A	----	0.132 - 0.031	.0237	----	----	----	----	1 UNCH
10615	----	----	----	0.111B/*0.168A	----	0.132 - 0.031	.0236	----	----	----	----	1 UNCH
10625	----	----	----	0.110B/*0.170A	----	0.131 - 0.031	.0235	----	----	----	----	1 UNCH
10630	----	----	----	0.116B/*0.167A	----	0.131 - 0.030	.0234	----	----	----	----	1 UNCH
10650	----	----	----	0.105B/*0.173A	----	0.129 - 0.031	.0231	----	----	----	----	1 UNCH
10655	----	----	----	0.113B/*0.169A	----	0.129 - 0.030	.0231	----	----	----	----	1 UNCH
10670	----	----	----	0.111B/*0.169A	----	0.128 - 0.030	.0228	----	----	----	----	1 UNCH
10675	----	----	----	0.110B/*0.169A	----	0.127 - 0.030	.0227	----	----	----	----	3 UNCH
10680	----	----	----	0.110B/*0.165A	----	0.127 - 0.030	.0227	----	----	----	----	7 UNCH
10685	----	----	----	0.111B/*0.164A	----	0.127 - 0.029	.0226	----	----	----	----	1 UNCH
10690	----	----	----	0.112B/*0.165A	----	0.126 - 0.030	.0225	----	----	----	----	1 UNCH
10700	----	----	----	0.110B/*0.162A	----	0.125 - 0.030	.0223	----	----	----	----	119 UNCH
10720	----	----	----	0.108B/*0.163A	----	0.124 - 0.029	.0221	----	----	----	----	1 UNCH
10725	----	----	----	0.108B/*0.160A	----	0.124 - 0.029	.0221	----	----	----	----	3 UNCH
10750	----	----	----	0.106B/*0.156A	----	0.122 - 0.029	.0217	----	----	----	----	1 UNCH
10755	----	----	----	0.106B/*0.156A	----	0.121 - 0.029	.0215	----	----	----	----	1 UNCH
10760	----	----	----	0.103B/*0.155A	----	0.121 - 0.029	.0215	----	----	----	----	10 UNCH
10765	----	----	----	0.102B/*0.154A	----	0.121 - 0.028	.0215	----	----	----	----	10 UNCH
10770	----	----	----	0.101B/*0.157A	----	0.120 - 0.029	.0213	----	----	----	----	1 UNCH
10800	----	----	----	0.100B/*0.153A	----	0.118 - 0.028	.0209	----	----	----	----	21 UNCH
10825	----	----	----	0.098B/*0.151A	----	0.117 - 0.027	.0207	----	----	----	----	1 UNCH
10835	----	----	----	0.098B/*0.151A	----	0.116 - 0.028	.0205	----	----	----	----	1 UNCH
10850	----	----	----	0.098B/*0.150A	----	0.115 - 0.027	.0204	----	----	----	----	12 UNCH
10855	----	----	----	0.098B/*0.148A	----	0.115 - 0.027	.0203	----	----	----	----	3 UNCH
10875	----	----	----	0.097B/*0.151A	----	0.113 - 0.027	.0200	----	----	----	----	2 UNCH
10900	----	----	----	0.097B/*0.148A	----	0.112 - 0.027	.0198	----	----	----	----	40 UNCH
10925	----	----	----	0.093B/*0.151A	----	0.110 - 0.027	.0194	----	----	----	----	5 UNCH
10950	----	----	----	0.094B/*0.147A	----	0.109 - 0.026	.0192	----	----	----	----	2 UNCH
10975	----	----	----	0.093B/*0.147A	----	0.107 - 0.026	.0188	----	----	----	----	9 UNCH
11000	----	----	----	0.093B/0.148A	----	0.105 - 0.026	.0185	----	----	5	----	697 - 1
11025	----	----	----	0.086B/*0.145A	----	0.104 - 0.026	.0183	----	----	----	----	5 UNCH
11050	----	----	----	0.084B/*0.150A	----	0.103 - 0.025	.0180	----	----	----	----	2 UNCH
11075	----	----	----	0.082B/*0.146A	----	0.101 - 0.025	.0177	----	----	----	----	1 UNCH
11100	----	----	----	0.079B/*0.146A	----	0.100 - 0.025	.0175	----	----	----	----	59 UNCH
11125	----	----	----	0.075B/*0.150A	----	0.098 - 0.025	.0171	----	----	----	----	3 UNCH
11150	----	----	----	0.076B/*0.141A	----	0.097 - 0.024	.0169	----	----	----	----	2 UNCH
11200	----	----	----	0.078B/*0.147A	----	0.094 - 0.024	.0164	----	----	----	----	262 UNCH
11225	----	----	----	0.070B/*0.144A	----	0.093 - 0.024	.0162	----	----	----	----	40 UNCH
11240	----	----	----	0.076B/*0.144A	----	0.092 - 0.024	.0160	----	----	----	----	2 UNCH
11245	----	----	----	0.071B/*0.139A	----	0.092 - 0.024	.0160	----	----	----	----	2 UNCH
11250	----	----	----	0.071B/*0.139A	----	0.092 - 0.023	.0160	----	----	----	----	22 UNCH
11255	----	----	----	0.075B/*0.138A	----	0.091 - 0.024	.0158	----	----	----	----	1 UNCH
11260	----	----	----	0.074B/*0.136A	----	0.091 - 0.024	.0158	----	----	----	----	1 UNCH
11265	----	----	----	0.074B/*0.145A	----	0.091 - 0.024	.0158	----	----	----	----	1 UNCH
11275	----	----	----	0.074B/*0.136A	----	0.090 - 0.024	.0156	----	----	----	----	1 UNCH
11290	----	----	----	0.072B/*0.133A	----	0.090 - 0.023	.0156	----	----	----	----	1 UNCH
11300	----	----	----	0.069B/*0.134A	----	0.089 - 0.024	.0154	----	----	----	----	93 UNCH
11305	----	----	----	0.071B/*0.135A	----	0.089 - 0.023	.0154	----	----	----	----	1 UNCH
11315	----	----	----	0.068B/*0.131A	----	0.089 - 0.023	.0154	----	----	----	----	1 UNCH
11325	----	----	----	0.070B/*0.132A	----	0.088 - 0.023	.0152	----	----	----	----	8 UNCH
11335	----	----	----	0.070B/*0.141A	----	0.088 - 0.023	.0152	----	----	----	----	2 UNCH
11345	----	----	----	0.064B/*0.131A	----	0.087 - 0.023	.0150	----	----	----	----	1 UNCH
11350	----	----	----	0.071B/*0.131A	----	0.087 - 0.023	.0150	----	----	----	----	4 UNCH
11365	----	----	----	0.069B/*0.134A	----	0.086 - 0.023	.0149	----	----	----	----	1 UNCH
11370	----	----	----	0.062B/*0.138A	----	0.086 - 0.023	.0148	----	----	----	----	2 UNCH
11380	----	----	----	0.068B/*0.131A	----	0.085 - 0.023	.0147	----	----	----	----	3 UNCH
11385	----	----	----	0.068B/*0.131A	----	0.085 - 0.023	.0147	----	----	----	----	1 UNCH
11400	----	----	----	0.068B/*0.128A	----	0.085 - 0.022	.0146	----	----	----	----	10 UNCH
11450	----	----	----	0.062B/*0.126A	----	0.082 - 0.023	.0141	----	----	----	----	41 UNCH
11455	----	----	----	0.065B/*0.126A	----	0.082 - 0.023	.0141	----	----	----	----	1 UNCH
11465	----	----	----	0.065B/*0.132A	----	0.082 - 0.022	.0141	----	----	----	----	1 UNCH
11475	----	----	----	0.063B/*0.123A	----	0.081 - 0.023	.0139	----	----	----	----	1 UNCH
11480	----	----	----	0.064B/*0.125A	----	0.081 - 0.022	.0139	----	----	----	----	1 UNCH
11485	----	----	----	0.063B/*0.125A	----	0.081 - 0.022	.0139	----	----	----	----	2 UNCH
11500	----	----	----	0.065B/*0.124A	----	0.080 - 0.022	.0137	----	----	----	----	250 UNCH
11505	----	----	----	0.063B/*0.121A	----	0.080 - 0.022	.0137	----	----	----	----	2 UNCH
11515	----	----	----	0.063B/*0.124A	----	0.080 - 0.022	.0137	----	----	----	----	2 UNCH
11525	----	----	----	0.062B/*0.121A	----	0.079 - 0.022	.0135	----	----	----	----	7 UNCH
11530	----	----	----	0.063B/*0.123A	----	0.079 - 0.022	.0135	----	----	----	----	10 UNCH
11540	----	----	----	0.063B/*0.126A	----	0.079 - 0.021	.0135	----	----	----	----	10 UNCH
11550	----	----	----	0.062B/*0.123A	----	0.078 - 0.022	.0134	----	----	----	----	22 UNCH
11570	----	----	----	0.020B/0.158A	----	0.077 - 0.022	.0132	----	----	----	----	1 UNCH
11575	----	----	----	0.020B/0.157A	----	0.077 - 0.022	.0132	----	----	----	----	1 UNCH
11595	----	----	----	0.020B/0.156A	----	0.076 - 0.022	.0130	----	----	----	----	1 UNCH
11600	----	----	----	0.020B/0.156A	----	0.076 - 0.022	.0130	----	----	----	----	43 UNCH
11615	----	----	----	0.018B/0.156A	----	0.076 - 0.021	.0130	----	----	----	----	1 UNCH
11625	----	----	----	0.017B/0.154A	----	0.075 - 0.022	.0128	----	----	----	----	2 UNCH
11630	----	----	----	0.017B/0.154A	----	0.075 - 0.021	.0128	----	----	----	----	1 UNCH
11640	----	----	----	0.017B/0.154A	----	0.075 - 0.021	.0128	----	----	----	----	1 UNCH
11650	----	----	----	0.024B/*0.132A	----	0.074 - 0.022	.0126	----	----	----	----	2 UNCH
11665	----	----	----	0.016B/0.153A	----	0.074 - 0.021	.0126	----	----	----	----	1 UNCH
11685	----	----	----	0.015B/0.152A	----	0.073 - 0.021	.0124	----	----	----	----	1 UNCH
11690	----	----	----	0.015B/0.150A	----	0.073 - 0.021	.0124	----	----	----	----	1 UNCH
11700	----	----	----	0.016B/0.151A	----	0.073 - 0.020	.0124	----	----	----	----	85 UNCH
11705	----	----	----	0.016B/0.152A	----	0.072 - 0.021	.0122	----	----	----	----	1 UNCH
11725	----	----	----	0.015B/0.150A	----	0.072 - 0.020	.0122	----	----	----	----	6 UNCH
11730	----	----	----	0.018B/0.156A	----	0.072 - 0.020	.0122	----	----	----	----	1 UNCH
11750	----	----	----	0.014B/0.149A	----	0.071 - 0.020	.0120	----	----	----	----	5 UNCH
11775	----	----	----	0.013B/0.148A	----	0.070 - 0.020	.0119	----	----	----	----	2 UNCH
11800	----	----	----	0.017B/*0.110A	----	0.069 - 0.020	.0117	----	----	----	----	64 UNCH
11825	----	----	----	0.011B/0.144A	----	0.068 - 0.020	.0115	----	----	----	----	2 UNCH
11850	----	----	----	0.011B/0.144A	----	0.068 - 0.019	.0115	----	----	----	----	3 UNCH
11900	----	----	----	0.012B/*0.107A	----	0.066 - 0.019	.0111	----	----	----	----	86 UNCH
11925	----	----	----	0.011B/0.140A	----	0.065 - 0.019	.0109	----	----	----	----	2 UNCH
11950	----	----	----	0.011B/0.140A	----	0.064 - 0.020	.0108	----	----	----	----	5 UNCH
11975	----	----	----	0.011B/0.138A	----	0.064 - 0.019	.0107	----	----	----	----	4 UNCH
12000	----	----	----	0.058B/0.133A	----	0.063 - 0.019	.0105	----	----	----	----	842 UNCH
12025	----	----	----	0.011B/0.136A	----	0.062 - 0.019	.0104	----	----	----	----	1 UNCH
12050	----	----	----	0.011B/*0.080A	----	0.062 - 0.018	.0103	----	----	----	----	1 UNCH
12075	----	----	----	0.011B/0.135A	----	0.061 - 0.018	.0102	----	----	----	----	1 UNCH
12100	----	----	----	0.011B/0.134A	----	0.060 - 0.018	.0100	----	----	----	----	17 UNCH
12125	----	----	----	0.011B/0.132A	----	0.060 - 0.018	.0100	----	----	----	----	1 UNCH
12150	----	----	----	0.011B/0.117A	----	0.059 - 0.018	.0098	----	----	----	----	13 UNCH
12175	----	----	----	0.011B/0.132A	----	0.058 - 0.018	.0096	----	----	----	----	1 UNCH
12200	----	----	----	0.011B/0.130A	----	0.058 - 0.017	.0096	----	----	----	----	3 UNCH
12225	----	----	----	0.033B/*0.130A	----	0.057 - 0.017	.0094	----	----	----	----	2 UNCH
12250	----	----	----	0.011B/*0.128A	----	0.056 - 0.018	.0093	----	----	----	----	3 UNCH
12300	----	----	----	0.011B/*0.127A	----	0.055 - 0.017	.0091	----	----	----	----	118 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
12350	----	----	----	0.011B/*0.135A	----	0.054 - 0.017	.0089	----	----	----	----	2 UNCH
12375	----	----	----	0.011B/*0.124A	----	0.054 - 0.016	.0089	----	----	----	----	1 UNCH
12400	----	----	----	0.011B/*0.123A	----	0.053 - 0.016	.0087	----	----	----	----	12 UNCH
12450	----	----	----	0.011B/*0.122A	----	0.052 - 0.016	.0085	----	----	----	----	5 UNCH
12500	----	----	----	0.041B/*0.121A	----	0.051 - 0.016	.0083	----	----	----	----	331 UNCH
12525	----	----	----	0.011B/*0.102A	----	0.050 - 0.016	.0082	----	----	----	----	2 UNCH
12550	----	----	----	0.011B/*0.119A	----	0.050 - 0.015	.0081	----	----	----	----	3 UNCH
12600	----	----	----	0.011B/*0.117A	----	0.049 - 0.015	.0080	----	----	----	----	30 UNCH
12650	----	----	----	0.031B/*0.117A	----	0.048 - 0.015	.0078	----	----	----	----	3 UNCH
12675	----	----	----	0.032B/*0.121A	----	0.048 - 0.014	.0078	----	----	----	----	3 UNCH
12700	----	----	----	0.011B/*0.114A	----	0.047 - 0.015	.0076	----	----	----	----	5 UNCH
12725	----	----	----	0.011B/*0.113A	----	0.047 - 0.014	.0076	----	----	----	----	1 UNCH
12775	----	----	----	0.011B/*0.113A	----	0.046 - 0.014	.0074	----	----	----	----	2 UNCH
12800	----	----	----	0.030B/*0.113A	----	0.045 - 0.014	.0072	----	----	----	----	30 UNCH
12900	----	----	----	0.028B/*0.109A	----	0.044 - 0.013	.0070	----	----	----	----	73 UNCH
13000	----	----	----	0.055B/*0.091A	----	0.042 - 0.013	.0067	----	----	12	----	277 + 11
13100	----	----	----	0.011B/*0.103A	----	0.041 - 0.012	.0065	----	----	----	----	3 UNCH
13200	----	----	----	0.011B/*0.088A	----	0.039 - 0.012	.0061	----	----	----	----	44 UNCH
13300	----	----	----	0.008B/*0.104A	----	0.038 - 0.011	.0060	----	----	----	----	3 UNCH
13400	----	----	----	0.006B/*0.106A	----	0.037 - 0.011	.0058	----	----	----	----	3 UNCH
13500	----	----	----	0.002B/*0.104A	----	0.036 - 0.010	.0056	----	----	----	----	64 UNCH
13600	----	----	----	0.001B/0.094A	----	0.035 - 0.010	.0054	----	----	----	----	19 UNCH
13700	----	----	----	0.001B/*0.095A	----	0.034 - 0.009	.0052	----	----	----	----	76 UNCH
13800	----	----	----	0.001B/*0.092A	----	0.033 - 0.009	.0050	----	----	----	----	39 UNCH
13900	----	----	----	0.001B/*0.084A	----	0.032 - 0.008	.0049	----	----	----	----	4 UNCH
14000	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.031 - 0.008	.0047	----	----	1	----	400 UNCH
14100	----	----	----	0.001B/*0.080A	----	0.030 - 0.008	.0045	----	----	----	----	27 UNCH
14200	----	----	----	0.001B/*0.083A	----	0.030 - 0.007	.0045	----	----	----	----	41 UNCH
14300	----	----	----	0.001B/*0.090A	----	0.029 - 0.006	.0043	----	----	----	----	6 UNCH
14400	----	----	----	0.001B/*0.088A	----	0.028 - 0.006	.0041	----	----	----	----	13 UNCH
14500	----	----	----	0.001B/0.087A	----	0.028 - 0.005	.0041	----	----	----	----	117 UNCH
14600	----	----	----	0.001B/*0.085A	----	0.027 - 0.005	.0040	----	----	----	----	55 UNCH
14700	----	----	----	0.001B/*0.083A	----	0.026 - 0.005	.0038	----	----	----	----	9 UNCH
14800	----	----	----	0.001B/*0.082A	----	0.026 - 0.004	.0038	----	----	----	----	61 UNCH
14900	----	----	----	0.001B/*0.081A	----	0.025 - 0.004	.0036	----	----	----	----	3 UNCH
15000	0.025	0.025	0.025/*0.025	0.025/*0.025	----	0.025 - 0.004	.0036	----	----	1	----	449 UNCH
15100	----	----	----	----/*0.078A	----	0.024 - 0.004	.0034	----	----	----	----	9 UNCH
15200	----	----	----	----/*0.076A	----	0.024 - 0.003	.0034	----	----	----	----	54 UNCH
15300	----	----	----	----/*0.075A	----	0.023 - 0.003	.0033	----	----	----	----	11 UNCH
15500	----	----	----	----/*0.067A	----	0.022 - 0.003	.0031	----	----	----	----	115 UNCH
15600	----	----	----	----/*0.072A	----	0.021 - 0.003	.0029	----	----	----	----	1 UNCH
15700	----	----	----	----/*0.071A	----	0.020 - 0.003	.0028	----	----	----	----	19 UNCH
15800	----	----	----	----/*0.070A	----	0.020 - 0.003	.0028	----	----	----	----	14 UNCH
15900	----	----	----	----/*0.069A	----	0.019 - 0.003	.0026	----	----	----	----	14 UNCH
16000	----	----	----	0.005B/*0.034A	----	0.019 - 0.003	.0026	----	----	----	----	721 UNCH
16100	----	----	----	----/*0.067A	----	0.018 - 0.003	.0025	----	----	----	----	6 UNCH
16200	----	----	----	----/*0.066A	----	0.018 - 0.002	.0025	----	----	----	----	1 UNCH
16300	----	----	----	----/*0.065A	----	0.017 - 0.003	.0023	----	----	----	----	1 UNCH
16400	----	----	----	----/*0.064A	----	0.017 - 0.002	.0023	----	----	----	----	2 UNCH
16500	----	----	----	----/*0.063A	----	0.016 - 0.003	.0022	----	----	----	----	56 UNCH
16600	----	----	----	----/*0.062A	----	0.016 - 0.002	.0022	----	----	----	----	3 UNCH
16700	----	----	----	----/*0.061A	----	0.016 - 0.002	.0022	----	----	----	----	5 UNCH
16800	----	----	----	----/*0.060A	----	0.015 - 0.003	.0020	----	----	----	----	6 UNCH
16900	----	----	----	----/*0.059A	----	0.015 - 0.002	.0020	----	----	----	----	67 UNCH
17000	----	----	----	----/*0.028A	----	0.014 - 0.003	.0019	----	----	----	----	67 UNCH
17100	----	----	----	----/*0.057A	----	0.014 - 0.002	.0019	----	----	----	----	8 UNCH
17200	----	----	----	----/*0.057A	----	0.014 - 0.002	.0019	----	----	----	----	6 UNCH
17300	----	----	----	----/*0.056A	----	0.013 - 0.003	.0017	----	----	----	----	5 UNCH
17400	----	----	----	----/*0.056A	----	0.013 - 0.002	.0017	----	----	----	----	6 UNCH
17500	----	----	----	----/0.055A	----	0.013 - 0.002	.0017	----	----	----	----	96 UNCH
17600	----	----	----	----/*0.054A	----	0.012 - 0.003	.0016	----	----	----	----	7 UNCH
17700	----	----	----	----/*0.054A	----	0.012 - 0.002	.0016	----	----	----	----	9 UNCH
17800	----	----	----	----/*0.053A	----	0.012 - 0.002	.0016	----	----	----	----	8 UNCH
17900	----	----	----	----/*0.048A	----	0.012 - 0.002	.0015	----	----	----	----	3 UNCH
18000	----	----	----	----/0.030A	----	0.011 - 0.002	.0014	----	----	----	----	54 UNCH
18100	----	----	----	----/0.056A	----	0.011 - 0.002	.0014	----	----	----	----	1 UNCH
18200	----	----	----	----/0.151A	----	0.011 - 0.002	.0014	----	----	----	----	11 UNCH
18300	----	----	----	----/0.153A	----	0.011 - 0.001	.0014	----	----	----	----	5 UNCH
18400	----	----	----	----/0.154A	----	0.010 - 0.002	.0013	----	----	----	----	2 UNCH
18500	----	----	----	----/0.156A	----	0.010 - 0.002	.0013	----	----	----	----	11 UNCH
18700	----	----	----	----/0.158A	----	0.010 - 0.002	.0013	----	----	----	----	8 UNCH
18800	----	----	----	----/0.159A	----	0.010 - 0.001	.0013	----	----	----	----	6 UNCH
18900	----	----	----	----/0.161A	----	0.009 - 0.002	.0011	----	----	----	----	3 UNCH
19000	----	----	----	----/0.027A	----	0.009 - 0.002	.0011	----	----	----	----	51 UNCH
19100	----	----	----	----/0.163A	----	0.009 - 0.002	.0011	----	----	----	----	74 UNCH
19200	----	----	----	----/0.164A	----	0.009 - 0.001	.0011	----	----	----	----	130 UNCH
19300	----	----	----	----/0.165A	----	0.009 - 0.001	.0011	----	----	----	----	6 UNCH
19400	----	----	----	----/0.166A	----	0.009 - 0.001	.0011	----	----	----	----	66 UNCH
19500	----	----	----	----/0.167A	----	0.008 - 0.002	.0010	----	----	----	----	96 UNCH
19700	----	----	----	----/0.169A	----	0.008 - 0.002	.0010	----	----	----	----	2 UNCH
19800	----	----	----	----/0.169A	----	0.008 - 0.001	.0010	----	----	----	----	10 UNCH
19900	----	----	----	----/0.170A	----	0.008 - 0.001	.0010	----	----	----	----	11 UNCH
20000	----	----	----	0.005B/*0.016A	----	0.008 - 0.001	.0010	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.006 - 0.001	.0007	----	----	----	----	15 UNCH
22000	----	----	----	----/0.183A	----	0.004 - 0.001	.0005	----	----	----	----	10 UNCH
23000	----	----	----	----/0.188A	----	0.003 - 0.001	.0003	----	----	----	----	6 UNCH
24000	----	----	----	----/0.191A	----	0.002 - 0.001	.0002	----	----	----	----	4 UNCH
25000	0.002	0.002	0.007/*0.002	0.007/*0.002	----	0.001 - 0.001	.0001	----	----	3	----	91 UNCH
TOTAL										526	0	23335 + 49
JUN26												
4300	----	----	30.816B/27.848A	30.816B/27.848A	----	29.741 - 0.830	.9692	----	----	----	----	20 UNCH
4850	----	----	25.500B/22.713A	25.500B/22.713A	----	24.493 - 0.801	.9441	----	----	----	----	7 UNCH
4900	----	----	25.012B/22.259A	25.012B/22.259A	----	24.024 - 0.799	.9411	----	----	----	----	9 UNCH
5000	23.589	23.589	24.150B/21.269A	24.150B/21.269A	----	23.092 - 0.794	.9345	----	----	2	----	348 - 2
5025	----	----	23.849B/21.133A	23.849B/21.133A	----	22.860 - 0.793	.9328	----	----	----	----	6 UNCH
5050	----	----	23.591B/20.910A	23.591B/20.910A	----	22.628 - 0.793	.9310	----	----	----	----	1 UNCH
5200	----	----	22.290B/19.499A	22.290B/19.499A	----	21.250 - 0.788	.9193	----	----	----	----	77 UNCH
5225	----	----	21.968B/19.386A	21.968B/19.386A	----	21.022 - 0.788	.9172	----	----	----	----	4 UNCH
5275	----	----	21.532B/18.941A	21.532B/18.941A	----	20.569 - 0.787	.9128	----	----	----	----	7 UNCH
5300	----	----	21.280B/18.727A	21.280B/18.727A	----	20.343 - 0.787	.9105	----	----	----	----	3 UNCH
5325	----	----	21.057B/18.526A	21.057B/18.526A	----	20.118 - 0.786	.9081	----	----	----	----	5 UNCH
5350	----	----	20.848B/18.300A	20.848B/18.300A	----	19.894 - 0.786	.9058	----	----	----	----	7 UNCH
5400	----	----	20.377B/17.885A	20.377B/17.885A	----	19.448 - 0.785	.9008	----	----	----	----	2 UNCH
5425	----	----	20.170B/17.668A	20.170B/17.668A	----	19.226 - 0.784	.8982	----	----	----	----	9 UNCH
5500	----	----	19.572B/16.944A	19.572B/16.944A	----	18.565 - 0.783	.8901	----	----	----	----	341 UNCH
5525	----	----	19.257B/16.839A	19.257B/16.839A	----	18.347 - 0.782	.8873	----	----	----	----	2 UNCH
5600	----	----	18.610B/16.233A	18.610B/16.233A	----	17.698 - 0.778	.8783	----	----	----	----	7 UNCH
5625	----	----	18.390B/16.025A	18.390B/16.025A	----	17.483 - 0.778	.8752	----	----	----	----	11 UNCH
5675	----	----	17.936B/15.609A	17.936B/15.609A	----	17.058 - 0.774	.8687	----	----	----	----	1 UNCH
5700	----	----	17.816B/15.322A	17.816B/15.322A	----	16.847 - 0.773	.8654	----	----	----	----	56 UNCH
5725	----	----	17.524B/15.223A	17.524B/15.223A	----	16.637 - 0.771	.8620	----	----	----	----	10 UNCH
5750	----	----	17.309B/15.022A	17.309B/15.022A	----	16.428 - 0.769	.8585	----	----	----	----	13 UNCH
5775	----	----	17.073B/14.827A	17.073B/14.827A	----	16.221 - 0.766	.8550	----	----	----	----	1 UNCH
5800	----	----	16.859B/14.631A	16.859B/14.631A	----	16.014 - 0.765	.8514	----	----	----	----	2 UNCH
5825	----	----	16.647B/14.437A	16.647B/14.437A	----	15.809 - 0.762	.8477	----	----	----	----	1 UNCH
5850	----	----	16.457B/14.243A	16.457B/14.243A	----	15.605 - 0.760	.8439	----	----	----	----	9 UNCH
5900	----	----	16.018B/13.861A	16.018B/13.861A	----	15.201 - 0.754	.8362	----	----	----	----	4 UNCH
5925	----	----	15.833B/13.671A	15.833B/13.671A	----	15.001 - 0.751	.8322	----	----	----	----	17 UNCH
6000	----	----	15.303B/13.016A	15.303B/13.016A	----	14.408 - 0.742	.8198	----	----	----	----	401 UNCH
6025	----	----	15.017B/12.925A	15.017B/12.925A	----	14.213 - 0.739	.8156	----	----	----	----	7 UNCH
6050	----	----	14.795B/12.743A	14.795B/12.743A	----	14.019 - 0.736	.8112	----	----	----	----	4 UNCH
6075	----	----	14.659B/12.520A	14.659B/12.520A	----	13.827 - 0.732	.8068	----	----	----	----	30 UNCH
6100	----	----	14.418B/12.385A	14.418B/12.385A	----	13.636 - 0.729	.8023	----	----	----	----	16 UNCH
6200	----	----	13.721B/11.597A	13.721B/11.597A	----	12.887 - 0.714	.7838	----	----	----	----	101 UNCH
6225	----	----	13.423B/11.511A	13.423B/11.511A	----	12.703 - 0.710	.7790	----	----	----	----	1 UNCH
6250	----	----	13.232B/11.341A	13.232B/11.341A	----	12.521 - 0.706	.7742	----	----	----	----	4 UNCH
6300	----	----	----/11.007A	12.854B/11.007A	----	12.161 - 0.698	.7643	----	----	----	----	4 UNCH
6400	----	----	12.223B/10.269A	12.223B/10.269A	----	11.458 - 0.683	.7438	----	----	----	----	110 UNCH
6425	----	----	11.998B/10.155A	11.998B/10.155A	----	11.286 - 0.679	.7386	----	----	----	----	25 UNCH
6450	----	----	----/10.000A	11.776B/10.000A	----	11.115 - 0.676	.7333	----	----	----	----	6 UNCH
6475	----	----	----/9.846A	11.578B/9.846A	----	10.946 - 0.673	.7279	----	----	----	----	5 UNCH
6500	----	----	----/9.695A	11.430B/9.695A	----	10.779 - 0.669	.7225	----	----	----	----	11 UNCH
6625	----	----	----/8.902A	10.594B/8.902A	----	9.967 - 0.650	.6948	----	----	----	----	10 UNCH
6650	----	----	----/8.759A	10.376B/8.759A	----	9.810 - 0.646	.6891	----	----	1	----	0 - 1
6700	----	----	----/8.478A	10.052B/8.478A	----	9.500 - 0.638	.6776	----	----	----	----	1 UNCH
6725	----	----	----/8.340A	9.891B/8.340A	----	9.348 - 0.634	.6718	----	----	----	----	1 UNCH
6750	----	----	----/8.204A	9.732B/8.204A	----	9.197 - 0.631	.6659	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
6800	----	----	----/7.937A	9.493B/7.937A	----	8.901 - 0.623	.6542	----	----	----	----	6 UNCH
6850	----	----	----/7.677A	9.113B/7.677A	----	8.612 - 0.615	.6423	----	----	----	----	5 UNCH
6900	----	----	----/7.423A	8.898B/7.423A	----	8.330 - 0.607	.6303	----	----	----	----	16 UNCH
6925	----	----	----/7.299A	8.752B/7.299A	----	8.192 - 0.603	.6243	----	----	----	----	9 UNCH
6975	----	----	----/7.055A	8.483B/7.055A	----	7.920 - 0.595	.6122	----	----	----	----	7 UNCH
7000	----	----	----/6.936A	8.362B/6.936A	----	7.787 - 0.591	.6061	----	----	----	----	125 UNCH
7025	----	----	----/6.818A	8.191B/6.818A	----	7.656 - 0.587	.6000	----	----	----	----	1 UNCH
7050	----	----	----/6.702A	8.019B/6.702A	----	7.527 - 0.582	.5939	----	----	----	----	1 UNCH
7075	----	----	----/6.588A	7.777B/6.588A	----	7.399 NEW	.5878	----	----	4	----	4 + 4
7100	----	----	7.957B/6.474A	7.957B/6.474A	----	7.274 - 0.573	.5817	----	----	2	----	100 + 2
7150	6.253	6.253	7.527B/6.253	7.527B/6.253	----	7.028 NEW	.5695	----	----	1	----	1 + 1
7225	----	----	----/5.933A	7.158B/5.933A	----	6.672 - 0.550	.5511	----	----	----	----	1 UNCH
7250	----	----	7.207B/5.827A	7.207B/5.827A	----	6.557 - 0.545	.5450	----	----	1	----	32 UNCH
7275	----	----	----/5.729A	6.909B/5.729A	----	6.444 - 0.540	.5389	----	----	----	----	2 UNCH
7300	5.711	5.711	6.792B/5.629A	6.792B/5.629A	----	6.333 - 0.535	.5329	----	----	1	----	13 UNCH
7375	----	----	----/5.338A	6.444B/5.338A	----	6.010 - 0.519	.5148	----	----	----	----	4 UNCH
7400	----	----	----/5.244A	6.363B/5.244A	----	5.905 - 0.515	.5088	----	----	----	----	4 UNCH
7425	6.263	6.263	6.263/5.151A	6.263/5.151A	----	5.803 - 0.509	.5028	----	----	1	----	12 + 1
7450	----	----	----/5.060A	6.111B/5.060A	----	5.702 - 0.503	.4969	----	----	----	----	2 UNCH
7475	----	----	----/4.970A	6.076B/4.970A	----	5.603 - 0.498	.4910	----	----	----	----	2 UNCH
7500	5.584	5.584	5.584/4.872A	5.956B/4.872A	----	5.506 - 0.492	.4851	----	----	2	----	231 + 2
7525	----	----	----/4.797A	5.800B/4.797A	----	5.411 - 0.486	.4793	----	----	----	----	9 UNCH
7550	----	----	----/4.708A	5.708B/4.708A	----	5.317 - 0.480	.4735	----	----	----	----	25 UNCH
7575	----	----	----/4.630A	5.594B/4.630A	----	5.224 - 0.475	.4677	----	----	----	----	1 UNCH
7600	5.398	5.398	5.599B/4.548A	5.599B/4.548A	----	5.134 - 0.469	.4620	----	----	1	----	17 + 1
7675	----	----	----/4.314A	5.229B/4.314A	----	4.871 - 0.452	.4450	----	----	----	----	3 UNCH
7700	4.887	4.887	4.887/4.238A	5.195B/4.238A	----	4.786 - 0.447	.4394	----	----	4	----	116 + 4
7725	----	----	----/4.164A	5.083B/4.164A	----	4.703 - 0.441	.4338	----	----	----	----	7 UNCH
7750	----	----	----/4.092A	5.013B/4.092A	----	4.622 - 0.435	.4284	----	----	----	----	10 UNCH
7775	4.021	4.021	4.021/4.021	4.963B/4.021	----	4.542 - 0.429	.4229	----	----	1	----	2 + 1
7800	4.656	4.656	4.656/3.951A	4.809B/3.951A	----	4.463 - 0.424	.4175	----	----	4	----	18 + 4
7825	3.884	3.884	3.884/3.883A	4.793B/3.883A	----	4.386 - 0.418	.4121	----	----	1	----	1 UNCH
7850	----	----	----/3.832A	4.606B/3.832A	----	4.310 - 0.413	.4068	----	----	----	----	1 UNCH
7900	3.692	3.692	3.693/3.692	4.523B/3.692	----	4.162 - 0.403	.3963	----	----	3	----	67 + 1
7925	----	----	----/3.636A	4.375B/3.636A	----	4.090 - 0.398	.3912	----	----	----	----	2 UNCH
7950	----	----	----/3.575A	4.290B/3.575A	----	4.020 - 0.392	.3861	----	----	----	----	2 UNCH
7975	----	----	----/3.533A	4.259B/3.533A	----	3.950 - 0.388	.3810	----	----	----	----	2 UNCH
8000	3.972	3.972	4.171B/3.442A	4.171B/3.442A	----	3.882 - 0.383	.3760	----	----	9	----	190 + 5
8025	----	----	----/3.396A	4.076B/3.396A	----	3.815 - 0.379	.3710	----	----	----	----	3 UNCH
8050	3.839	3.839	4.017B/3.330A	4.017B/3.330A	----	3.750 - 0.373	.3661	----	----	1	----	58 + 1
8075	----	----	----/3.283A	3.922B/3.283A	----	3.685 - 0.369	.3612	----	----	----	----	2 UNCH
8100	----	----	----/3.228A	3.866B/3.228A	----	3.622 - 0.365	.3564	----	----	----	----	11 UNCH
8125	----	----	----/*3.175A	3.813B/*3.175A	----	3.560 - 0.360	.3516	----	----	----	----	2 UNCH
8150	----	----	----/3.135A	3.786B/3.135A	----	3.499 - 0.356	.3469	----	----	----	----	10 UNCH
8175	----	----	----/*3.069A	3.730B/*3.069A	----	3.439 - 0.352	.3422	----	----	----	----	1 UNCH
8200	----	----	----/*3.020A	3.666B/*3.020A	----	3.380 - 0.348	.3376	----	----	----	----	3 UNCH
8225	----	----	----/*2.973A	3.604B/*2.973A	----	3.323 - 0.344	.3331	----	----	----	----	3 UNCH
8250	----	----	----/2.927A	3.541B/2.927A	----	3.266 - 0.340	.3286	----	----	----	----	15 UNCH
8275	----	----	3.551B/2.872A	3.551B/2.872A	----	3.211 - 0.336	.3241	----	----	----	----	19 UNCH
8300	3.264	3.264	3.514B/2.822A	3.514B/2.822A	----	3.156 - 0.333	.3197	----	----	2	----	88 UNCH
8350	----	----	3.448B/*2.736A	3.448B/*2.736A	----	3.051 - 0.325	.3111	----	----	----	----	8 UNCH
8375	----	----	3.398B/*2.711A	3.398B/*2.711A	----	2.999 - 0.322	.3069	----	----	----	----	5 UNCH
8400	----	----	3.329B/*2.667A	3.329B/*2.667A	----	2.949 - 0.318	.3027	----	----	----	----	7 UNCH
8425	----	----	3.285B/*2.599A	3.285B/*2.599A	----	2.900 - 0.314	.2986	----	----	----	----	51 UNCH
8450	----	----	3.216B/*2.579A	3.216B/*2.579A	----	2.851 - 0.311	.2945	----	----	----	----	19 UNCH
8475	2.883	2.883	3.178B/*2.535A	3.178B/*2.535A	----	2.804 - 0.307	.2905	----	----	2	----	4 - 2
8500	2.273	2.273	3.112B/2.273	3.112B/2.273	----	2.757 - 0.304	.2865	----	----	7	----	316 - 1
8550	----	----	3.023B/*2.412A	3.023B/*2.412A	----	2.667 - 0.297	.2788	----	----	----	----	5 UNCH
8575	----	----	2.974B/*2.393A	2.974B/*2.393A	----	2.623 - 0.294	.2749	----	----	----	----	4 UNCH
8600	----	----	2.927B/*2.341A	2.927B/*2.341A	----	2.580 - 0.291	.2712	----	----	----	----	9 UNCH
8625	----	----	2.885B/*2.315A	2.885B/*2.315A	----	2.538 - 0.288	.2675	----	----	----	----	4 UNCH
8650	----	----	2.830B/*2.269A	2.830B/*2.269A	----	2.496 - 0.285	.2638	----	----	----	----	5 UNCH
8675	2.280	2.280	2.793B/*2.232A	2.793B/*2.232A	----	2.456 - 0.282	.2602	----	----	2	----	6 + 1
8700	----	----	2.733B/*2.194A	2.733B/*2.194A	----	2.416 - 0.279	.2567	----	----	----	----	28 UNCH
8725	----	----	2.699B/*2.169A	2.699B/*2.169A	----	2.377 - 0.276	.2532	----	----	----	----	3 UNCH
8750	----	----	2.653B/*2.179A	2.653B/*2.179A	----	2.339 - 0.273	.2497	----	----	----	----	12 UNCH
8800	----	----	2.568B/*2.074A	2.568B/*2.074A	----	2.265 - 0.267	.2430	----	----	----	----	90 UNCH
8825	----	----	2.542B/*2.086A	2.542B/*2.086A	----	2.229 - 0.264	.2397	----	----	----	----	2 UNCH
8850	----	----	2.491B/*2.055A	2.491B/*2.055A	----	2.194 - 0.261	.2365	----	----	----	----	12 UNCH
8875	----	----	2.455B/*1.989A	2.455B/*1.989A	----	2.159 - 0.258	.2332	----	----	----	----	2 UNCH
8900	2.102	2.102	2.410B/*1.995A	2.410B/*1.995A	----	2.125 - 0.255	.2301	----	----	1	----	16 UNCH
8925	----	----	2.363B/*1.939A	2.363B/*1.939A	----	2.092 - 0.252	.2270	----	----	----	----	3 UNCH
8950	----	----	2.340B/*1.906A	2.340B/*1.906A	----	2.060 - 0.249	.2240	----	----	----	----	4 UNCH
8975	----	----	2.316B/*1.910A	2.316B/*1.910A	----	2.028 - 0.246	.2209	----	----	----	----	4 UNCH
9000	1.886	1.886	2.268B/1.849A	2.268B/1.849A	----	1.997 - 0.243	.2180	----	----	1	----	593 - 1
9025	----	----	2.236B/*1.827A	2.236B/*1.827A	----	1.966 - 0.241	.2150	----	----	----	----	3 UNCH
9050	----	----	2.204B/*1.803A	2.204B/*1.803A	----	1.936 - 0.238	.2122	----	----	----	----	12 UNCH
9100	1.831	1.831	2.132B/*1.742A	2.132B/*1.742A	----	1.878 - 0.232	.2066	----	----	3	----	325 - 1
9125	1.909	1.909	2.106B/*1.730A	2.106B/*1.730A	----	1.850 - 0.229	.2038	----	----	1	----	2 UNCH
9150	1.679	1.679	2.071B/*1.679	2.071B/*1.679	----	1.822 - 0.227	.2011	----	----	2	----	100 UNCH
9175	1.852	1.852	2.030B/*1.690A	2.030B/*1.690A	----	1.795 - 0.224	.1985	----	----	1	----	0 - 1
9200	1.600	1.600	2.009B/*1.600	2.009B/*1.600	----	1.768 - 0.222	.1958	----	----	3	----	99 + 1
9225	----	----	1.990B/*1.640A	1.990B/*1.640A	----	1.742 - 0.219	.1933	----	----	----	----	6 UNCH
9250	----	----	1.955B/*1.618A	1.955B/*1.618A	----	1.717 - 0.216	.1908	----	----	----	----	6 UNCH
9275	----	----	1.931B/*1.595A	1.931B/*1.595A	----	1.692 - 0.213	.1883	----	----	----	----	7 UNCH
9300	----	----	1.890B/*1.557A	1.890B/*1.557A	----	1.668 - 0.210	.1859	----	----	----	----	31 UNCH
9325	----	----	1.870B/*1.557A	1.870B/*1.557A	----	1.644 - 0.207	.1834	----	----	----	----	2 UNCH
9350	----	----	----/*1.533A	1.818B/*1.533A	----	1.620 - 0.204	.1810	----	----	----	----	17 UNCH
9375	----	----	----/*1.533A	1.790B/*1.533A	----	1.597 - 0.202	.1787	----	----	----	----	17 UNCH
9400	1.807	1.807	1.807/*1.509A	1.807/*1.509A	----	1.575 - 0.198	.1765	----	----	1	----	20 - 1
9425	----	----	1.781B/*1.493A	1.781B/*1.493A	----	1.552 - 0.196	.1742	----	----	----	----	22 UNCH
9450	----	----	1.742B/*1.473A	1.742B/*1.473A	----	1.531 - 0.193	.1720	----	----	----	----	4 UNCH
9475	----	----	1.721B/*1.464A	1.721B/*1.464A	----	1.510 - 0.189	.1698	----	----	----	----	17 UNCH
9500	----	----	1.689B/1.435A	1.689B/1.435A	----	1.489 - 0.187	.1677	----	----	1	----	230 + 1
9525	----	----	1.654B/*1.417A	1.654B/*1.417A	----	1.469 - 0.183	.1656	----	----	----	----	1 UNCH
9550	----	----	----/*1.400A	1.622B/*1.400A	----	1.449 - 0.181	.1635	----	----	----	----	1 UNCH
9575	----	----	1.610B/*1.381A	1.610B/*1.381A	----	1.429 - 0.178	.1614	----	----	----	----	1 UNCH
9600	----	----	----/*1.362A	1.575B/*1.362A	----	1.410 - 0.175	.1594	----	----	1	----	18 + 1
9625	----	----	1.578B/*1.345A	1.578B/*1.345A	----	1.391 - 0.172	.1575	----	----	----	----	4 UNCH
9650	----	----	1.543B/*1.327A	1.543B/*1.327A	----	1.373 - 0.169	.1555	----	----	----	----	1 UNCH
9675	----	----	----/*1.309A	1.520B/*1.309A	----	1.354 - 0.167	.1536	----	----	----	----	2 UNCH
9700	----	----	----/*1.294A	1.499B/*1.294A	----	1.337 - 0.163	.1518	----	----	----	----	36 UNCH
9750	----	----	1.463B/*1.259A	1.463B/*1.259A	----	1.302 - 0.158	.1481	----	----	----	----	28 UNCH
9800	----	----	1.423B/*1.224A	1.423B/*1.224A	----	1.269 - 0.152	.1445	----	----	----	----	5 UNCH
9850	----	----	----/*1.193A	1.374B/*1.193A	----	1.237 - 0.146	.1411	----	----	----	----	2 UNCH
9875	----	----	1.374B/*1.178A	1.374B/*1.178A	----	1.221 - 0.144	.1394	----	----	----	----	10 UNCH
9900	----	----	----/*1.163A	1.336B/*1.163A	----	1.206 - 0.141	.1377	----	----	----	----	28 UNCH
9925	----	----	----/*1.150A	1.317B/*1.150A	----	1.191 - 0.138	.1361	----	----	----	----	1 UNCH
9950	----	----	----/*1.140A	1.299B/*1.140A	----	1.176 - 0.136	.1345	----	----	----	----	2 UNCH
9975	----	----	----/*1.120A	1.280B/*1.120A	----	1.161 - 0.134	.1329	----	----	----	----	4 UNCH
10000	1.270	1.270	1.270/1.100	1.270/1.100	----	1.146 - 0.132	.1313	----	----	26	----	593 - 5
10025	----	----	----/*1.096A	1.249B/*1.096A	----	1.132 - 0.130	.1298	----	----	----	----	5 UNCH
10050	----	----	----/*1.083A	1.235B/*1.083A	----	1.118 - 0.127	.1282	----	----	----	----	3 UNCH
10075	----	----	----/*1.068A	1.211B/*1.068A	----	1.104 - 0.126	.1267	----	----	----	----	9 UNCH
10100	----	----	----/*1.055A	1.198B/*1.055A	----	1.091 - 0.123	.1253	----	----	----	----	19 UNCH
10125	----	----	----/*1.045A	1.182B/*1.045A	----	1.077 - 0.122	.1238	----	----	----	----	1 UNCH
10175	----	----	----/*1.018A	1.151B/*1.018A	----	1.051 - 0.118	.1209	----	----	----	----	1 UNCH
10200	----	----	----/*1.006A	1.136B/*1.006A	----	1.038 - 0.117	.1195	----	----	----	----	9 UNCH
10225	----	----	----/*0.998A	1.120B/*0.998A	----	1.025 - 0.115	.1181	----	----	----	----	1 UNCH
10300	----	----	----/*0.961A	1.078B/*0.961A	----	0.988 - 0.112	.1140	----	----	----	----	7 UNCH
10375	----	----	----/*0.930A	1.032B/*0.930A	----	0.953 - 0.108	.1102	----	----	----	----	2 UNCH
10400	----	----	----/*0.919A	1.024B/*0.919A	----	0.941 - 0.108	.1089	----	----	----	----	4 UNCH
10425	----	----	----/*0.909A	1.009B/*0.909A	----	0.930 - 0.107	.1077	----	----	----	----	1 UNCH
10450	----	----	----/*0.897A	0.996B/*0.897A	----	0.919 - 0.106	.1064	----	----	----	----	3 UNCH
10475	----	----	----/*0.887A	0.984B/*0.887A	----	0.908 - 0.106	.1052	----	----	----	----	2 UNCH
10500	----	----	----/*0.876A	0.971B/*0.876A	----	0.897 - 0.105	.1040	----	----	14	----	338 + 8
10525	----	----	----/*0.866A	0.959B/*0.866A	----	0.886 - 0.105	.1028	----	----	----	----	12 UNCH
10550	----	----	----/*0.856A	0.947B/*0.856A	----	0.876 - 0.105	.1017	----	----	----	----	1 UNCH
10600	----	----	----/*0.837A	0.925B/*0.837A	----	0.855 - 0.105	.0994	----	----	11	----	47 + 2
10625	----	----	----/*0.827A	0.912B/*0.827A	----	0.845 - 0.104	.0982	----	----	----	----	1 UNCH
10650	----	----	----/*0.819A	0.900B/*0.819A	----	0.835 - 0.104	.0971	----	----	----	----	3 UNCH
10675	----	----	----/*0.815A	0.889B/*0.815A	----	0.825 - 0.104	.0960	----	----	----	----	3 UNCH
10700	----	----	----/*0.809A	0.878B/*0.809A	----	0.816 - 0.103	.0950	----	----	2	----	11 + 2
10750	----	----	----/*0.793A	0.857B/*0.793A	----	0.797 - 0.102	.0929	----	----	----	----	4 UNCH
10800	----	----	----/*0.778A	0.836B/*0.778A	----	0.779 - 0.100	.0909	----	----	----	----	2 UNCH
10850	----	----	----/*0.762A	0.816B/*0.762A	----	0.761 - 0.099	.0888	----	----	----	----	12 UNCH
10875	----	----	----/*0.755A	0.806B/*0.755A	----	0.752 - 0.098	.0878	----	----	----	----	6 UNCH
10900	----	----	----/*0.743A	0.798B/*0.743A	----	0.744 - 0.097	.0869	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 54

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10925	----	----	----/*0.740A	0.787B/*0.740A	----	0.735 - 0.096	.0859	----	----	----	----	1 UNCH
10950	----	----	----/*0.734A	0.778B/*0.734A	----	0.727 - 0.095	.0850	----	----	----	----	1 UNCH
11000	----	----	----/0.716A	0.759B/0.716A	----	0.711 - 0.093	.0832	----	----	1	----	473 UNCH
11025	----	----	----/*0.712A	0.750B/*0.712A	----	0.703 - 0.092	.0823	----	----	----	----	1 UNCH
11050	----	----	----/*0.703A	0.741B/*0.703A	----	0.695 - 0.091	.0814	----	----	----	----	4 UNCH
11075	----	----	----/*0.698A	0.733B/*0.698A	----	0.687 - 0.090	.0805	----	----	----	----	5 UNCH
11100	----	----	----/*0.688A	0.724B/*0.688A	----	0.679 - 0.089	.0796	----	----	----	----	1 UNCH
11125	----	----	----/*0.686A	0.716B/*0.686A	----	0.672 - 0.088	.0788	----	----	----	----	5 UNCH
11175	----	----	----/*0.672A	0.699B/*0.672A	----	0.657 - 0.086	.0771	----	----	----	----	2 UNCH
11200	----	----	----/*0.665A	0.690B/*0.665A	----	0.650 - 0.084	.0763	----	----	1	----	3 + 1
11225	----	----	----/*0.662A	0.683B/*0.662A	----	0.643 - 0.083	.0755	----	----	----	----	3 UNCH
11300	----	----	----/*0.640A	0.654B/*0.640A	----	0.623 - 0.079	.0732	----	----	----	----	2 UNCH
11325	----	----	----/*0.637A	0.644B/*0.637A	----	0.616 - 0.078	.0724	----	----	----	----	6 UNCH
11350	----	----	----/*0.628A	0.638B/*0.628A	----	0.610 - 0.076	.0717	----	----	----	----	3 UNCH
11375	----	----	----/*0.623A	0.629B/*0.623A	----	0.603 - 0.076	.0709	----	----	----	----	1 UNCH
11400	----	----	----/*0.617A	0.623B/*0.617A	----	0.597 - 0.074	.0702	----	----	----	----	164 UNCH
11425	----	----	----/*0.611A	0.615B/*0.611A	----	0.591 - 0.073	.0695	----	----	----	----	12 UNCH
11450	----	----	----/*0.606A	0.609B/*0.606A	----	0.585 - 0.071	.0688	----	----	----	----	13 UNCH
11475	----	----	----/*0.601A	0.603B/*0.601A	----	0.579 - 0.070	.0681	----	----	----	----	2 UNCH
11500	----	----	----/*0.596A	0.597B/*0.596A	----	0.573 - 0.069	.0674	----	----	----	----	172 UNCH
11525	----	----	----/*0.591A	0.591B/*0.591A	----	0.567 - 0.068	.0667	----	----	----	----	4 UNCH
11550	----	----	----/*0.586A	0.584B/*0.586A	----	0.561 - 0.067	.0660	----	----	----	----	1 UNCH
11625	----	----	----	0.562B/*0.616A	----	0.545 - 0.062	.0642	----	----	----	----	1 UNCH
11675	----	----	----	0.509B/*0.607A	----	0.534 - 0.060	.0629	----	----	----	----	2 UNCH
11700	----	----	----	0.503B/*0.603A	----	0.529 - 0.059	.0623	----	----	----	----	7 UNCH
11725	----	----	----	0.497B/*0.598A	----	0.524 - 0.057	.0617	----	----	----	----	2 UNCH
11750	----	----	----	0.492B/*0.594A	----	0.519 - 0.056	.0611	----	----	----	----	21 UNCH
11775	----	----	----	0.487B/*0.589A	----	0.514 - 0.055	.0605	----	----	----	----	2 UNCH
11800	----	----	----	0.482B/*0.584A	----	0.509 - 0.054	.0599	----	----	----	----	4 UNCH
11850	----	----	----	0.472B/*0.577A	----	0.500 - 0.051	.0589	----	----	----	----	5 UNCH
11900	----	----	----	0.515B/*0.568A	----	0.490 - 0.050	.0577	----	----	----	----	2 UNCH
11925	----	----	----	0.457B/*0.564A	----	0.486 - 0.048	.0572	----	----	----	----	8 UNCH
11950	----	----	----/*0.516A	0.452B/*0.516A	----	0.482 - 0.047	.0567	----	----	----	----	3 UNCH
12000	0.550	0.550	0.550/0.460	0.550/0.460	----	0.473 - 0.045	.0557	----	----	46	----	455 - 17
12025	----	----	----	0.439B/*0.549A	----	0.469 - 0.044	.0552	----	----	----	----	11 UNCH
12125	----	----	----	0.421B/*0.533A	----	0.453 - 0.040	.0533	----	----	----	----	1 UNCH
12200	----	----	----	0.408B/0.524A	----	0.442 - 0.037	.0519	----	----	----	----	13 UNCH
12225	----	----	----	0.403B/*0.520A	----	0.439 - 0.035	.0516	----	----	----	----	7 UNCH
12275	----	----	----	0.396B/*0.513A	----	0.432 - 0.034	.0507	----	----	----	----	1 UNCH
12325	----	----	----	0.388B/*0.508A	----	0.425 - 0.032	.0499	----	----	----	----	3 UNCH
12350	----	----	----	0.384B/*0.504A	----	0.422 - 0.031	.0495	----	----	----	----	5 UNCH
12400	----	----	----	0.377B/*0.499A	----	0.415 - 0.030	.0486	----	----	----	----	23 UNCH
12425	----	----	----	0.369B/*0.496A	----	0.412 - 0.029	.0483	----	----	----	----	1 UNCH
12450	----	----	----	0.365B/*0.493A	----	0.409 - 0.028	.0479	----	----	----	----	9 UNCH
12475	----	----	----	0.362B/*0.489A	----	0.406 - 0.027	.0475	----	----	----	----	1 UNCH
12500	----	----	----	0.390B/0.487A	----	0.403 - 0.027	.0472	----	----	----	----	102 UNCH
12525	----	----	----	0.359B/*0.483A	----	0.400 - 0.026	.0468	----	----	----	----	37 UNCH
12550	----	----	----	0.356B/*0.480A	----	0.397 - 0.025	.0464	----	----	----	----	6 UNCH
12575	----	----	----	0.352B/*0.477A	----	0.394 - 0.025	.0461	----	----	----	----	2 UNCH
12600	----	----	----	0.349B/*0.474A	----	0.391 - 0.024	.0457	----	----	----	----	5 UNCH
12650	----	----	----	0.342B/*0.473A	----	0.386 - 0.023	.0450	----	----	----	----	2 UNCH
12675	----	----	----	0.338B/*0.466A	----	0.383 - 0.022	.0447	----	----	----	----	2 UNCH
12700	----	----	----	0.335B/*0.463A	----	0.381 - 0.021	.0444	----	----	----	----	11 UNCH
12725	----	----	----	0.332B/*0.465A	----	0.378 - 0.021	.0441	----	----	----	----	2 UNCH
12750	----	----	----	0.329B/*0.460A	----	0.375 - 0.021	.0437	----	----	----	----	2 UNCH
12775	----	----	----	0.326B/*0.458A	----	0.373 - 0.019	.0434	----	----	----	----	7 UNCH
12800	----	----	----	0.323B/*0.455A	----	0.370 - 0.019	.0431	----	----	----	----	34 UNCH
12900	----	----	----	0.307B/*0.447A	----	0.361 - 0.017	.0419	----	----	----	----	6 UNCH
13000	0.355	0.355	0.355/0.355	0.355/0.355	----	0.352 - 0.014	.0408	----	----	1	----	272 - 1
13100	----	----	----	0.285B/*0.428A	----	0.343 - 0.013	.0397	----	----	----	----	4 UNCH
13200	----	----	----	0.274B/*0.423A	----	0.335 - 0.011	.0386	----	----	----	----	3 UNCH
13300	----	----	----	0.269B/*0.414A	----	0.327 - 0.010	.0376	----	----	----	----	3 UNCH
13400	----	----	----	0.260B/*0.406A	----	0.319 - 0.009	.0366	----	----	----	----	5 UNCH
13500	----	----	----	0.251B/*0.392A	----	0.312 - 0.008	.0358	----	----	----	----	23 UNCH
13600	----	----	----	0.242B/*0.391A	----	0.305 - 0.007	.0349	----	----	----	----	7 UNCH
13700	----	----	----	0.233B/*0.384A	----	0.298 - 0.006	.0340	----	----	----	----	5 UNCH
13800	----	----	----	0.225B/*0.377A	----	0.291 - 0.006	.0331	----	----	----	----	1 UNCH
13900	----	----	----	0.218B/*0.370A	----	0.284 - 0.006	.0323	----	----	----	----	3 UNCH
14000	----	----	----	0.241B/0.360A	----	0.278 - 0.005	.0315	----	----	----	----	292 UNCH
14200	----	----	----	0.198B/*0.345A	----	0.265 - 0.006	.0300	----	----	----	----	60 UNCH
14300	----	----	----	0.191B/*0.346A	----	0.259 - 0.006	.0292	----	----	----	----	1 UNCH
14400	----	----	----	0.204B/*0.336A	----	0.253 - 0.007	.0285	----	----	----	----	65 UNCH
14500	----	----	----	0.178B/*0.329A	----	0.247 - 0.007	.0278	----	----	----	----	31 UNCH
14600	----	----	----	0.174B/*0.328A	----	0.241 - 0.008	.0271	----	----	----	----	6 UNCH
14700	----	----	----	0.169B/*0.317A	----	0.235 - 0.009	.0264	----	----	----	----	11 UNCH
14800	----	----	----	0.163B/*0.318A	----	0.228 - 0.011	.0256	----	----	----	----	10 UNCH
14900	----	----	----	0.157B/*0.314A	----	0.222 - 0.012	.0249	----	----	----	----	6 UNCH
15000	----	----	----	0.210B/0.249A	----	0.216 - 0.013	.0242	----	----	----	----	145 UNCH
15300	----	----	----	0.134B/*0.297A	----	0.197 - 0.018	.0221	----	----	----	----	2 UNCH
15400	----	----	----	0.131B/*0.293A	----	0.191 - 0.019	.0215	----	----	----	----	1 UNCH
15500	----	----	----	0.131B/*0.287A	----	0.185 - 0.021	.0208	----	----	----	----	7 UNCH
15600	----	----	----	0.123B/*0.287A	----	0.179 - 0.023	.0202	----	----	----	----	1 UNCH
15700	----	----	----	0.118B/0.284A	----	0.173 - 0.025	.0195	----	----	----	----	1 UNCH
15800	----	----	----	0.180B/*0.277A	----	0.168 - 0.026	.0189	----	----	----	----	6 UNCH
15900	----	----	----	0.111B/*0.277A	----	0.162 - 0.028	.0183	----	----	----	----	8 UNCH
16000	0.180	0.180	0.180/0.180	0.180/0.180	----	0.157 - 0.029	.0177	----	----	1	----	202 UNCH
16200	----	----	----	0.105B/*0.263A	----	0.149 - 0.028	.0168	----	----	----	----	36 UNCH
16400	----	----	----	0.093B/0.260A	----	0.142 - 0.027	.0160	----	----	----	----	1 UNCH
16500	----	----	----	0.094B/0.257A	----	0.139 - 0.026	.0157	----	----	----	----	30 UNCH
16600	----	----	----	0.091B/0.255A	----	0.135 - 0.026	.0152	----	----	----	----	2 UNCH
16700	----	----	----	0.088B/0.252A	----	0.132 - 0.025	.0149	----	----	----	----	6 UNCH
16800	----	----	----	0.081B/0.248A	----	0.129 - 0.024	.0145	----	----	----	----	3 UNCH
17000	----	----	----	0.076B/0.244A	----	0.123 - 0.024	.0138	----	----	----	----	21 UNCH
17100	----	----	----	0.075B/0.241A	----	0.120 - 0.023	.0135	----	----	----	----	5 UNCH
17200	----	----	----	0.074B/0.239A	----	0.118 - 0.022	.0132	----	----	----	----	5 UNCH
17300	----	----	----	0.115B/*0.150A	----	0.115 - 0.022	.0129	----	----	----	----	11 UNCH
17400	----	----	----	0.069B/0.234A	----	0.112 - 0.022	.0126	----	----	----	----	3 UNCH
17500	----	----	----	0.068B/0.232A	----	0.110 - 0.021	.0123	----	----	----	----	63 UNCH
17700	----	----	----	0.062B/0.227A	----	0.105 - 0.020	.0118	----	----	----	----	3 UNCH
17800	----	----	----	0.057B/0.226A	----	0.103 - 0.020	.0115	----	----	----	----	3 UNCH
18000	----	----	----	0.068B/0.219A	----	0.098 - 0.020	.0110	----	----	----	----	44 UNCH
18100	----	----	----	0.051B/*0.217A	----	0.096 - 0.019	.0107	----	----	----	----	2 UNCH
18300	----	----	----	0.051B/*0.211A	----	0.092 - 0.018	.0103	----	----	----	----	1 UNCH
18900	----	----	----	0.038B/*0.194A	----	0.081 - 0.017	.0090	----	----	----	----	1 UNCH
19000	----	----	----	0.040B/0.190A	----	0.080 - 0.016	.0089	----	----	----	----	229 UNCH
19500	----	----	----	0.032B/*0.179A	----	0.072 - 0.015	.0080	----	----	----	----	126 UNCH
19600	----	----	----	0.029B/0.177A	----	0.071 - 0.014	.0079	----	----	----	----	2 UNCH
19900	----	----	----	0.018B/0.193A	----	0.067 - 0.014	.0074	----	----	----	----	28 UNCH
20000	----	----	----	0.022B/0.168A	----	0.066 - 0.013	.0073	----	----	----	----	236 UNCH
21000	----	----	----	0.001B/0.254A	----	0.055 - 0.011	.0060	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.202A	----	0.040 - 0.008	.0043	----	----	----	----	14 UNCH
25000	----	----	----	0.001B/0.173A	----	0.031 - 0.006	.0033	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/*0.181A	----	0.021 - 0.005	.0022	----	----	----	----	3 UNCH
30000	----	----	----	----/0.120A	----	0.012 - 0.003	.0013	----	----	----	----	31 UNCH
32000	----	----	----	----/0.193A	----	0.009 - 0.002	.0009	----	----	----	----	1 UNCH
35000	----	----	----	----/0.020A	----	0.006 - 0.002	.0006	----	----	----	----	21 UNCH
TOTAL										170	0	10496 + 11
JUL26												
2700	----	----	46.630B/43.525A	46.630B/43.525A	----	45.522 - 0.867	.9918	----	----	----	----	1 UNCH
3900	----	----	34.708B/31.830A	34.708B/31.830A	----	33.726 - 0.824	.9707	----	----	----	----	1 UNCH
4000	----	----	33.742B/30.864A	33.742B/30.864A	----	32.763 - 0.818	.9675	----	----	----	----	1 UNCH
4200	----	----	31.813B/29.007A	31.813B/29.007A	----	30.851 - 0.807	.9600	----	----	----	----	2 UNCH
4500	----	----	28.997B/26.193A	28.997B/26.193A	----	28.029 - 0.792	.9456	----	----	----	----	28 UNCH
4600	----	----	28.106B/25.228A	28.106B/25.228A	----	27.103 - 0.787	.9397	----	----	----	----	114 UNCH
4700	----	----	27.099B/24.414A	27.099B/24.414A	----	26.187 - 0.780	.9333	----	----	----	----	1 UNCH
4750	----	----	26.634B/23.970A	26.634B/23.970A	----	25.732 - 0.777	.9299	----	----	----	----	1 UNCH
4825	----	----	25.948B/23.312A	25.948B/23.312A	----	25.054 - 0.772	.9244	----	----	----	----	3 UNCH
4900	----	----	25.271B/22.657A	25.271B/22.657A	----	24.383 - 0.766	.9186	----	----	----	----	1 UNCH
4925	----	----	25.044B/22.465A	25.044B/22.465A	----	24.160 - 0.764	.9166	----	----	----	----	16 UNCH
5000	----	----	24.456B/21.722A	24.456B/21.722A	----	23.498 - 0.757	.9102	----	----	----	----	307 UNCH
5025	----	----	24.142B/21.609A	24.142B/21.609A	----	23.278 - 0.755	.9081	----	----	----	----	4 UNCH
5050	----	----	23.921B/21.398A	23.921B/21.398A	----	23.060 - 0.752	.9058	----	----	----	----	2 UNCH
5100	----	----	23.567B/20.877A	23.567B/20.877A	----	22.625 - 0.746	.9012	----	----	----	----	130 UNCH
5150	----	----	23.033B/20.563A	23.033B/20.563A	----	22.194 - 0.740	.8963	----	----	----	----	6 UNCH
5200	----	----	22.643B/20.098A	22.643B/20.098A	----	21.766 - 0.733	.8913	----	----	----	----	40 UNCH
5225	----	----	22.377B/19.945A	22.377B/19.945A	----	21.553 - 0.730	.8887	----	----	----	----	9 UNCH
5250	----	----	22.160B/19.741A	22.160B/19.741A	----	21.341 - 0.727	.8861	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
5275	----	----	21.943B/19.539A	21.943B/19.539A	----	21.131 - 0.722	.8835	----	----	----	----	1 UNCH
5300	----	----	21.727B/19.337A	21.727B/19.337A	----	20.921 - 0.718	.8808	----	----	----	----	7 UNCH
5350	----	----	21.400B/18.828A	21.400B/18.828A	----	20.504 - 0.710	.8752	----	----	----	----	155 UNCH
5375	----	----	21.084B/18.709A	21.084B/18.709A	----	20.297 - 0.706	.8724	----	----	----	----	1 UNCH
5400	----	----	20.871B/18.512A	20.871B/18.512A	----	20.091 - 0.702	.8695	----	----	----	----	21 UNCH
5425	----	----	20.710B/18.283A	20.710B/18.283A	----	19.886 - 0.697	.8665	----	----	----	----	42 UNCH
5450	----	----	20.448B/18.144A	20.448B/18.144A	----	19.682 - 0.692	.8635	----	----	----	----	1 UNCH
5500	----	----	20.136B/17.642A	20.136B/17.642A	----	19.277 - 0.683	.8574	----	----	----	----	492 UNCH
5550	----	----	19.612B/17.368A	19.612B/17.368A	----	18.877 - 0.672	.8510	----	----	----	----	3 UNCH
5600	----	----	19.309B/16.874A	19.309B/16.874A	----	18.480 - 0.662	.8445	----	----	----	----	102 UNCH
5650	----	----	18.847B/16.555A	18.847B/16.555A	----	18.088 - 0.652	.8378	----	----	----	----	43 UNCH
5675	----	----	18.646B/16.368A	18.646B/16.368A	----	17.894 - 0.646	.8345	----	----	----	----	25 UNCH
5700	----	----	18.446B/16.183A	18.446B/16.183A	----	17.701 - 0.640	.8310	----	----	----	----	26 UNCH
5750	----	----	18.102B/15.760A	18.102B/15.760A	----	17.318 - 0.629	.8240	----	----	----	----	158 UNCH
5775	----	----	17.797B/15.695A	17.797B/15.695A	----	17.128 - 0.623	.8204	----	----	----	----	1 UNCH
5800	----	----	17.601B/15.515A	17.601B/15.515A	----	16.939 - 0.618	.8167	----	----	----	----	16 UNCH
5900	----	----	16.827B/14.811A	16.827B/14.811A	----	16.197 - 0.593	.8018	----	----	----	----	10 UNCH
5925	----	----	16.636B/14.638A	16.636B/14.638A	----	16.014 - 0.587	.7980	----	----	----	----	10 UNCH
5950	----	----	16.447B/14.437A	16.447B/14.437A	----	15.833 - 0.581	.7941	----	----	----	----	6 UNCH
5975	----	----	16.258B/14.297A	16.258B/14.297A	----	15.652 - 0.576	.7902	----	----	----	----	20 UNCH
6000	----	----	16.181B/14.009A	16.181B/14.009A	----	15.473 - 0.570	.7862	----	----	----	----	550 UNCH
6050	----	----	15.811B/13.676A	15.811B/13.676A	----	15.119 - 0.557	.7782	----	----	----	----	58 UNCH
6075	----	----	15.516B/13.629A	15.516B/13.629A	----	14.943 - 0.552	.7741	----	----	----	----	1 UNCH
6100	----	----	15.334B/13.456A	15.334B/13.456A	----	14.769 - 0.546	.7700	----	----	----	----	10 UNCH
6200	----	----	14.736B/12.712A	14.736B/12.712A	----	14.085 - 0.523	.7533	----	----	----	----	99 UNCH
6250	----	----	14.269B/12.495A	14.269B/12.495A	----	13.750 - 0.513	.7447	----	----	----	----	1 UNCH
6300	----	----	----/12.210A	13.920B/12.210A	----	13.420 - 0.503	.7360	----	----	----	----	3 UNCH
6350	----	----	----/11.924A	13.583B/11.924A	----	13.096 - 0.493	.7272	----	----	----	----	2 UNCH
6450	----	----	----/11.348A	12.919B/11.348A	----	12.461 - 0.477	.7092	----	----	----	----	1 UNCH
6500	----	----	12.711B/10.944A	12.711B/10.944A	----	12.151 - 0.470	.7001	----	----	----	----	195 UNCH
6600	----	----	12.088B/10.405A	12.088B/10.405A	----	11.546 - 0.460	.6816	----	----	----	----	51 UNCH
6650	----	----	11.784B/10.145A	11.784B/10.145A	----	11.251 - 0.456	.6722	----	----	----	----	100 UNCH
6750	----	----	----/9.775A	11.074B/9.775A	----	10.677 - 0.451	.6532	----	----	----	----	24 UNCH
6800	----	----	10.909B/9.383A	10.909B/9.383A	----	10.397 - 0.451	.6436	----	----	----	----	250 UNCH
6825	----	----	----/9.418A	10.647B/9.418A	----	10.259 - 0.451	.6388	----	----	----	----	6 UNCH
6850	----	----	----/9.303A	10.505B/9.303A	----	10.123 - 0.450	.6340	----	----	----	----	1 UNCH
6875	----	----	----/9.189A	10.368B/9.189A	----	9.988 - 0.450	.6292	----	----	----	----	16 UNCH
6900	----	----	10.354B/8.942A	10.354B/8.942A	----	9.854 - 0.451	.6243	----	----	----	----	99 UNCH
6950	----	----	----/8.853A	9.974B/8.853A	----	9.591 - 0.451	.6146	----	----	----	----	1 UNCH
7000	----	----	9.826B/8.504A	9.826B/8.504A	----	9.333 - 0.453	.6048	----	----	----	----	161 UNCH
7025	----	----	9.697B/8.398A	9.697B/8.398A	----	9.206 - 0.454	.5999	----	----	----	----	125 UNCH
7050	----	----	----/8.429A	9.457B/8.429A	----	9.081 - 0.455	.5950	----	----	----	----	1 UNCH
7100	----	----	----/8.224A	9.202B/8.224A	----	8.835 - 0.456	.5852	----	----	----	----	5 UNCH
7200	----	----	----/7.830A	8.726B/7.830A	----	8.360 - 0.460	.5656	----	----	----	----	11 UNCH
7225	----	----	----/7.735A	8.608B/7.735A	----	8.245 - 0.460	.5607	----	----	----	----	1 UNCH
7250	----	----	8.611B/7.505A	8.611B/7.505A	----	8.131 - 0.461	.5559	----	----	----	----	164 UNCH
7300	----	----	----/7.459A	8.257B/7.459A	----	7.908 - 0.463	.5461	----	----	----	----	5 UNCH
7325	----	----	8.273B/7.229A	8.273B/7.229A	----	7.799 - 0.463	.5413	----	----	----	----	100 UNCH
7350	----	----	----/7.281A	8.033B/7.281A	----	7.692 - 0.463	.5364	----	----	----	----	1 UNCH
7400	----	----	----/7.100A	7.817B/7.100A	----	7.481 - 0.463	.5268	----	----	----	----	22 UNCH
7450	----	----	----/6.926A	7.607B/6.926A	----	7.276 - 0.463	.5172	----	----	----	----	12 UNCH
7500	----	----	----/6.621A	7.534B/6.621A	----	7.078 - 0.461	.5077	----	----	----	----	320 UNCH
7550	----	----	----/6.592A	7.212B/6.592A	----	6.885 - 0.460	.4983	----	----	----	----	6 UNCH
7600	----	----	----/6.434A	7.005B/6.434A	----	6.698 - 0.458	.4890	----	----	----	----	19 UNCH
7700	----	----	----/6.126A	6.638B/6.126A	----	6.340 - 0.452	.4706	----	----	----	----	19 UNCH
7800	----	----	----/5.833A	6.288B/5.833A	----	6.005 - 0.443	.4527	----	----	----	----	15 UNCH
7900	----	----	----/5.561A	5.956B/5.561A	----	5.690 - 0.434	.4353	----	----	----	----	9 UNCH
7975	----	----	----/5.364A	5.713B/5.364A	----	5.467 - 0.425	.4226	----	----	----	----	5 UNCH
8000	5.301	5.301	6.000/5.128	6.000/5.128	----	5.395 - 0.422	.4184	----	----	6	----	491 - 3
8025	----	----	----/5.235A	5.560B/5.235A	----	5.324 - 0.419	.4143	----	----	----	----	8 UNCH
8100	----	----	----/*5.056A	5.349B/*5.056A	----	5.119 - 0.409	.4021	----	----	----	----	21 UNCH
8200	----	----	----/*4.828A	5.059B/*4.828A	----	4.860 - 0.395	.3863	----	----	----	----	2 UNCH
8250	----	----	----/*4.654A	4.994B/*4.654A	----	4.738 - 0.387	.3787	----	----	----	----	45 UNCH
8300	----	----	----/4.483A	4.936B/4.483A	----	4.619 - 0.379	.3712	----	----	----	----	215 UNCH
8350	----	----	----/*4.514A	4.673B/*4.514A	----	4.504 - 0.371	.3639	----	----	----	----	2 UNCH
8375	----	----	----/*4.457A	4.604B/*4.457A	----	4.448 - 0.367	.3603	----	----	----	----	1 UNCH
8400	----	----	----/*4.412A	4.551B/*4.412A	----	4.393 - 0.363	.3567	----	----	----	----	3 UNCH
8500	----	----	----/4.100A	4.449B/4.100A	----	4.183 - 0.346	.3428	----	----	----	----	684 UNCH
8550	3.832	3.832	4.328B/*3.832	4.328B/*3.832	----	4.083 - 0.337	.3361	----	----	2	----	331 + 2
8600	----	----	----/*4.052A	4.091B/*4.052A	----	3.986 - 0.329	.3295	----	----	----	----	6 UNCH
8650	----	----	----/*3.974A	3.983B/*3.974A	----	3.893 - 0.320	.3231	----	----	----	----	1 UNCH
8700	3.577	3.577	4.011B/*3.577	4.011B/*3.577	----	3.802 - 0.311	.3168	----	----	2	----	63 UNCH
8750	----	----	----/*3.782A	3.788B/*3.782A	----	3.715 - 0.302	.3107	----	----	----	----	8 UNCH
8800	----	----	----/*3.703A	3.692B/*3.703A	----	3.630 - 0.294	.3047	----	----	----	----	12 UNCH
8900	----	----	----/*3.457A	3.632B/*3.457A	----	3.470 - 0.276	.2932	----	----	----	----	103 UNCH
9000	3.199	3.199	3.461B/3.199	3.461B/3.199	----	3.319 - 0.259	.2821	----	----	26	----	215 UNCH
9100	----	----	----/*3.321A	3.175B/*3.321A	----	3.179 - 0.242	.2717	----	----	----	----	10 UNCH
9200	----	----	----/*3.075A	3.153B/*3.075A	----	3.046 - 0.226	.2617	----	----	----	----	75 UNCH
9250	----	----	----/*3.145A	2.952B/*3.145A	----	2.983 - 0.218	.2569	----	----	----	----	7 UNCH
9300	----	----	----/*2.964A	3.005B/2.964A	----	2.922 - 0.211	.2522	----	----	----	----	255 UNCH
9350	----	----	----/*3.018A	2.812B/*3.018A	----	2.863 - 0.203	.2476	----	----	----	----	7 UNCH
9400	----	----	----/*2.922A	2.810B/*2.922A	----	2.806 - 0.195	.2431	----	----	----	----	25 UNCH
9450	----	----	----/*2.868A	2.744B/*2.868A	----	2.750 - 0.188	.2388	----	----	----	----	33 UNCH
9500	2.500	2.500	2.746B/2.500	2.746B/2.500	----	2.696 - 0.181	.2345	----	----	160	----	449 - 148
9600	----	----	----/*2.659A	2.629B/*2.659A	----	2.592 - 0.168	.2263	----	----	----	----	51 UNCH
9700	----	----	----	2.396B/*2.677A	----	2.494 - 0.156	.2184	----	----	----	----	4 UNCH
9725	----	----	----	2.361B/*2.671A	----	2.470 - 0.153	.2165	----	----	----	----	1 UNCH
9775	----	----	----/*2.489A	2.431B/*2.489A	----	2.423 - 0.148	.2127	----	----	----	----	50 UNCH
9800	----	----	----/*2.473A	2.405B/*2.473A	----	2.400 - 0.146	.2109	----	----	4	----	109 UNCH
9900	----	----	----/2.394A	2.309B/2.394A	----	2.312 - 0.135	.2037	----	----	1	----	69 - 1
10000	2.340	2.340	2.340/2.324A	2.340/2.324A	----	2.228 - 0.125	.1968	----	----	41	----	1531 + 5
10100	----	----	----	2.000B/2.352A	----	2.147 - 0.116	.1902	----	----	----	----	1 UNCH
10125	----	----	----	1.973B/2.355A	----	2.128 - 0.114	.1886	----	----	----	----	1 UNCH
10200	----	----	----	2.031B/2.178A	----	2.070 - 0.108	.1839	----	----	----	----	81 UNCH
10250	----	----	----	1.871B/2.227A	----	2.033 - 0.104	.1808	----	----	----	----	20 UNCH
10375	----	----	----	1.793B/2.152A	----	1.944 - 0.095	.1734	----	----	----	----	18 UNCH
10400	----	----	----	1.760B/2.162A	----	1.926 - 0.094	.1719	----	----	----	----	1 UNCH
10475	----	----	----	1.771B/2.056A	----	1.876 - 0.089	.1678	----	----	----	----	25 UNCH
10500	----	----	----	1.798B/1.981A	----	1.859 - 0.088	.1663	----	----	----	----	596 UNCH
10600	----	----	----	1.619B/2.041A	----	1.795 - 0.082	.1610	----	----	----	----	1 UNCH
10800	----	----	----	1.630B/1.926A	----	1.674 - 0.073	.1508	----	----	----	----	28 UNCH
11000	1.600	1.600	1.600/1.500	1.600/1.500	----	1.564 - 0.064	.1414	----	----	355	----	1021 - 25
11100	----	----	----	1.310B/1.766A	----	1.512 - 0.061	.1370	----	----	----	----	23 UNCH
11200	----	----	----	1.260B/1.717A	----	1.462 - 0.058	.1327	----	----	----	----	8 UNCH
11225	----	----	----/*1.488A	1.248B/*1.488A	----	1.450 - 0.057	.1317	----	----	----	----	3 UNCH
11300	----	----	----	1.215B/*1.484A	----	1.414 - 0.056	.1286	----	----	----	----	62 UNCH
11400	----	----	----	1.166B/*1.436A	----	1.369 - 0.053	.1247	----	----	----	----	19 UNCH
11500	----	----	----	1.280B/1.499A	----	1.325 - 0.051	.1209	----	----	----	----	129 UNCH
11600	----	----	----	1.080B/1.529A	----	1.283 - 0.049	.1173	----	----	----	----	1 UNCH
11625	----	----	----	1.071B/1.502A	----	1.272 - 0.049	.1164	----	----	----	----	2 UNCH
11650	----	----	----	1.063B/1.507A	----	1.262 - 0.049	.1155	----	----	----	----	24 UNCH
11675	----	----	----	1.050B/1.498A	----	1.252 - 0.048	.1146	----	----	----	----	22 UNCH
11700	----	----	----	1.039B/1.487A	----	1.242 - 0.048	.1138	----	----	----	----	22 UNCH
11725	----	----	----	1.029B/1.476A	----	1.232 - 0.048	.1129	----	----	----	----	22 UNCH
11750	----	----	----	1.019B/1.466A	----	1.223 - 0.047	.1121	----	----	----	----	22 UNCH
11775	----	----	----	1.009B/1.456A	----	1.213 - 0.047	.1112	----	----	----	----	22 UNCH
11800	----	----	----	0.999B/1.446A	----	1.204 - 0.046	.1104	----	----	----	----	1 UNCH
11900	----	----	----	0.961B/*1.407A	----	1.166 - 0.046	.1071	----	----	----	----	1 UNCH
11950	----	----	----	0.966B/*1.194A	----	1.148 - 0.045	.1056	----	----	----	----	1 UNCH
12000	1.120	1.120	1.120/1.120	1.120/1.120	----	1.131 - 0.044	.1040	----	----	1	----	548 - 1
12200	----	----	----	0.983B/*1.125A	----	1.064 - 0.042	.0981	----	----	----	----	1 UNCH
12225	----	----	----	0.993B/*1.115A	----	1.056 - 0.042	.0974	----	----	----	----	16 UNCH
12250	----	----	----	0.981B/*1.108A	----	1.048 - 0.042	.0967	----	----	----	----	6 UNCH
12300	----	----	----	0.965B/1.094A	----	1.032 - 0.042	.0953	----	----	----	----	8 UNCH
12375	----	----	----	0.941B/1.074A	----	1.009 - 0.042	.0933	----	----	----	----	1 UNCH
12425	----	----	----	0.926B/1.061A	----	0.994 - 0.042	.0920	----	----	----	----	1 UNCH
12450	----	----	----	0.918B/1.056A	----	0.987 - 0.042	.0913	----	----	----	----	1 UNCH
12475	----	----	----	0.911B/1.048A	----	0.980 - 0.041	.0907	----	----	----	----	3 UNCH
12500	----	----	----	0.903B/1.045A	----	0.973 - 0.041	.0901	----	----	----	----	141 UNCH
12600	----	----	----	0.874B/1.019A	----	0.945 - 0.041	.0876	----	----	----	----	6 UNCH
12725	----	----	----	0.840B/0.988A	----	0.911 - 0.041	.0845	----	----	----	----	1 UNCH
12800	----	----	----	0.820B/0.972A	----	0.892 - 0.041	.0828	----	----	----	----	1 UNCH
13000	----	----	----	0.771B/0.929A	----	0.844 - 0.041	.0785	----	----	----	----	701 UNCH
14000	----	----	----	0.573B/0.747A	----	0.653 - 0.039	.0610	----	----	----	----	799 UNCH
14700	----	----	----	0.478B/0.658A	----	0.560 - 0.031	.0523	----	----	----	----	1 UNCH
15000	----	----	----/0.530A	0.500B/0.530A	----	0.527 - 0.028	.0491	----	----	----	----	676 UNCH
16000	----	----	----/0.440A	0.348B/0.440A	----	0.439 - 0.015	.0406	----	----	----	----	767 UNCH
17000	----	----	----	0.280B/0.465A	----	0.374 - 0.004	.0344	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
18000	----	----	----	0.229B/0.410A	----	0.322 + 0.003	.0294	----	----	----	----	253 UNCH
19000	----	----	----	0.220B/0.367A	----	0.277 + 0.005	.0251	----	----	----	----	78 UNCH
20000	0.220	0.220	0.230/0.220	0.230/0.220	----	0.237 + 0.006	.0215	----	----	10	----	1207 - 3
21000	----	----	----	0.135B/0.299A	----	0.201 + 0.009	.0182	----	----	----	----	427 UNCH
24000	----	----	----	0.078B/0.242A	----	0.128 + 0.024	.0117	----	----	----	----	125 UNCH
25000	0.121	0.121	0.130/0.121	0.130/0.121	----	0.115 + 0.027	.0104	----	----	2	----	345 UNCH
27000	----	----	----	0.043B/0.207A	----	0.103 + 0.034	.0091	----	----	----	----	4 UNCH
30000	----	----	----	0.051B/0.140A	----	0.093 + 0.037	.0080	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.427A	----	0.079 + 0.030	.0067	----	----	----	----	4 UNCH
35000	0.073	0.073	0.073/0.063A	0.073/0.063A	----	0.055 + 0.015	.0047	----	----	3	----	75 - 3
TOTAL										613	0	17584 - 177
AUG26												
5000	----	----	----	11.561B/35.586A	----	24.383 - 0.675	.8964	----	----	----	----	2 UNCH
5400	----	----	----	8.676B/31.883A	----	21.080 - 0.604	.8560	----	----	----	----	2 UNCH
5500	----	----	----	8.047B/30.949A	----	20.294 - 0.585	.8443	----	----	----	----	1 UNCH
6300	----	----	----/14.416A	12.578B/14.416A	----	14.685 - 0.440	.7314	----	----	----	----	5 UNCH
6450	----	----	----/13.550A	12.695B/13.550A	----	13.781 - 0.415	.7072	----	----	----	----	1 UNCH
6500	----	----	----/13.276A	12.748B/13.276A	----	13.490 - 0.408	.6991	----	----	----	----	2 UNCH
6600	----	----	----/12.429A	12.174B/12.429A	----	12.926 - 0.391	.6826	----	----	----	----	4 UNCH
6800	----	----	----/11.448A	11.414B/11.448A	----	11.861 - 0.361	.6492	----	----	----	----	7 UNCH
6875	----	----	----/11.078A	10.701B/11.078A	----	11.483 - 0.351	.6366	----	----	----	----	5 UNCH
7000	----	----	----/10.553A	10.708B/10.553A	----	10.880 - 0.333	.6157	----	----	----	----	3 UNCH
7025	----	----	----/10.514A	10.007B/10.514A	----	10.763 - 0.330	.6115	----	----	----	----	5 UNCH
7050	----	----	----/10.342A	10.465B/10.342A	----	10.648 - 0.326	.6073	----	----	----	----	2 UNCH
7100	----	----	----/10.136A	10.265B/10.136A	----	10.421 - 0.319	.5990	----	----	----	----	2 UNCH
7400	----	----	----/8.945A	8.909B/8.945A	----	9.160 - 0.282	.5497	----	----	----	----	8 UNCH
7425	8.660	8.660	8.660/8.596	8.660/8.596	----	9.063 - 0.278	.5457	----	----	4	----	14 UNCH
7475	----	----	----/8.659A	8.168B/8.659A	----	8.872 - 0.272	.5377	----	----	----	----	6 UNCH
7500	----	----	----/8.567A	8.510B/8.567A	----	8.778 - 0.269	.5338	----	----	----	----	2 UNCH
7550	----	----	----/8.384A	8.353B/8.384A	----	8.593 - 0.263	.5259	----	----	----	----	4 UNCH
7625	----	----	----/8.119A	7.634B/8.119A	----	8.324 - 0.255	.5142	----	----	----	----	15 UNCH
7700	----	----	----/7.863A	7.802B/7.863A	----	8.065 - 0.246	.5027	----	----	----	----	1 UNCH
7800	----	----	----/7.535A	7.457B/7.535A	----	7.734 - 0.235	.4877	----	----	----	----	1 UNCH
7900	----	----	----/7.224A	7.129B/7.224A	----	7.419 - 0.224	.4730	----	----	----	----	1 UNCH
8000	----	----	----/6.929A	6.782B/6.929A	----	7.120 - 0.213	.4587	----	----	----	----	12 UNCH
8300	----	----	----/6.139A	5.970B/6.139A	----	6.306 - 0.182	.4181	----	----	----	----	1 UNCH
8450	----	----	----/*5.787A	5.594B/*5.787A	----	5.942 - 0.169	.3991	----	----	----	----	1 UNCH
8500	----	----	----/*5.675A	5.487B/*5.675A	----	5.827 - 0.165	.3929	----	----	----	----	12 UNCH
8900	----	----	----/4.897A	4.713B/4.897A	----	5.004 - 0.131	.3473	----	----	----	----	7 UNCH
9000	----	----	----/4.727A	4.544B/4.727A	----	4.822 - 0.124	.3369	----	----	----	----	20 UNCH
9100	----	----	----/*4.568A	4.383B/*4.568A	----	4.649 - 0.117	.3268	----	----	----	----	84 UNCH
9400	----	----	----/*4.135A	3.939B/*4.135A	----	4.177 - 0.098	.2985	----	----	----	----	102 UNCH
10000	----	----	----/3.429A	3.207B/3.429A	----	3.406 - 0.070	.2502	----	----	----	----	76 UNCH
10200	----	----	----/*3.227A	2.999B/*3.227A	----	3.191 - 0.063	.2362	----	----	----	----	3 UNCH
10400	----	----	----	2.808B/3.324A	----	2.994 - 0.057	.2233	----	----	----	----	2 UNCH
10500	----	----	----	2.720B/3.230A	----	2.901 - 0.055	.2171	----	----	----	----	7 UNCH
11100	----	----	----	2.350B/2.722A	----	2.421 - 0.044	.1844	----	----	----	----	1 UNCH
11200	----	----	----	2.177B/*2.643A	----	2.352 - 0.042	.1796	----	----	----	----	1 UNCH
11300	----	----	----	2.112B/*2.570A	----	2.286 - 0.040	.1750	----	----	----	----	10 UNCH
11500	----	----	----	1.989B/2.431A	----	2.161 - 0.038	.1661	----	----	----	----	9 UNCH
11850	----	----	----	1.795B/*2.202A	----	1.964 - 0.035	.1521	----	----	----	----	1 UNCH
12000	----	----	----	1.722B/2.128A	----	1.888 - 0.034	.1466	----	----	----	----	2 UNCH
12500	----	----	----	1.511B/*1.838A	----	1.662 - 0.032	.1301	----	----	----	----	1 UNCH
13000	----	----	----	1.335B/1.568A	----	1.474 - 0.030	.1161	----	----	----	----	53 UNCH
14000	----	----	----	1.079B/1.231A	----	1.181 - 0.029	.0938	----	----	----	----	6 UNCH
15000	----	----	----	0.866B/1.007A	----	0.969 - 0.028	.0773	----	----	----	----	36 UNCH
16000	----	----	----	0.691B/0.903A	----	0.810 - 0.026	.0648	----	----	----	----	1 UNCH
17000	----	----	----	0.567B/0.784A	----	0.688 - 0.023	.0551	----	----	----	----	2 UNCH
18000	----	----	----	0.471B/0.691A	----	0.592 - 0.019	.0474	----	----	----	----	1 UNCH
19000	----	----	----	0.398B/0.614A	----	0.516 - 0.014	.0412	----	----	----	----	2 UNCH
20000	----	----	----	0.336B/0.552A	----	0.454 - 0.010	.0362	----	----	----	----	217 UNCH
25000	----	----	----	0.166B/*0.356A	----	0.269 + 0.004	.0212	----	----	----	----	2 UNCH
30000	----	----	----	0.093B/*0.274A	----	0.188 + 0.010	.0145	----	----	----	----	13 UNCH
35000	----	----	----	0.042B/0.234A	----	0.126 + 0.007	.0097	----	----	----	----	2 UNCH
TOTAL										4	0	780 0
SEP26												
5100	----	----	----	7.298B/39.146A	----	23.886 - 0.616	.8748	----	----	----	----	1 UNCH
5900	----	----	----	3.482B/34.209A	----	17.914 - 0.460	.7808	----	----	----	----	2 UNCH
6000	----	----	----	3.105B/32.909A	----	17.250 - 0.443	.7670	----	----	----	----	7 UNCH
6700	----	----	----/12.853A	12.320B/12.853A	----	13.170 - 0.339	.6631	----	----	----	----	1 UNCH
7000	----	----	----/11.530A	11.516B/11.530A	----	11.728 - 0.301	.6171	----	----	----	----	119 UNCH
7125	----	----	----/11.231A	10.338B/11.231A	----	11.179 - 0.287	.5982	----	----	----	----	75 UNCH
7400	----	----	----/9.984A	9.742B/9.984A	----	10.074 - 0.254	.5573	----	----	----	----	100 UNCH
7500	----	----	----/9.692A	9.355B/9.692A	----	9.706 - 0.241	.5429	----	----	----	----	1 UNCH
7700	----	----	----/9.071A	8.672B/9.071A	----	9.019 - 0.216	.5150	----	----	----	----	1 UNCH
8000	----	----	----/8.243A	7.705B/8.243A	----	8.100 - 0.181	.4753	----	----	----	----	105 UNCH
8200	----	----	----	7.090B/7.752A	----	7.553 - 0.160	.4505	----	----	----	----	20 UNCH
8500	----	----	----	6.363B/7.056A	----	6.816 - 0.134	.4156	----	----	----	----	100 UNCH
8675	----	----	----	5.723B/6.749A	----	6.427 - 0.123	.3966	----	----	----	----	5 UNCH
8700	----	----	----	5.866B/6.700A	----	6.374 - 0.121	.3939	----	----	----	----	100 UNCH
9000	----	----	----	5.292B/6.134A	----	5.779 - 0.106	.3637	----	----	----	----	65 UNCH
9500	----	----	----	4.427B/5.340A	----	4.942 - 0.089	.3191	----	----	----	----	2 UNCH
9750	----	----	----	4.056B/5.000A	----	4.584 - 0.084	.2993	----	----	----	----	23 UNCH
9800	----	----	----	3.987B/4.931A	----	4.517 - 0.083	.2956	----	----	----	----	9 UNCH
9900	----	----	----	3.851B/4.802A	----	4.386 - 0.083	.2882	----	----	5	----	40 + 5
10000	----	----	----	3.681B/4.685A	----	4.261 - 0.082	.2810	----	----	5	----	182 + 5
10500	----	----	----	3.155B/4.133A	----	3.705 - 0.080	.2486	----	----	----	----	50 UNCH
10800	----	----	----	2.902B/3.846A	----	3.420 - 0.080	.2315	----	----	----	----	2 UNCH
11000	----	----	----	2.718B/3.671A	----	3.247 - 0.080	.2209	----	----	----	----	58 UNCH
12000	----	----	----	2.052B/2.934A	----	2.546 - 0.081	.1770	----	----	----	----	47 UNCH
12500	----	----	----	1.812B/2.652A	----	2.273 - 0.080	.1594	----	----	----	----	92 UNCH
13000	----	----	----	1.564B/2.436A	----	2.040 - 0.076	.1441	----	----	----	----	2 UNCH
14000	----	----	----	1.164B/2.124A	----	1.665 - 0.066	.1190	----	----	----	----	41 UNCH
15000	----	----	----	1.219B/1.462A	----	1.381 - 0.054	.0996	----	----	----	----	131 UNCH
16000	----	----	----	1.027B/1.258A	----	1.162 - 0.043	.0844	----	----	----	----	18 UNCH
17000	----	----	----	0.854B/1.098A	----	0.992 - 0.032	.0724	----	----	----	----	27 UNCH
18000	----	----	----	0.719B/0.975A	----	0.858 - 0.023	.0628	----	----	----	----	2 UNCH
19000	----	----	----	0.611B/0.865A	----	0.751 - 0.016	.0551	----	----	----	----	14 UNCH
20000	0.632	0.632	0.634B/0.632	0.634B/0.632	----	0.664 - 0.010	.0488	----	----	1	----	307 - 1
21000	----	----	----	0.453B/0.707A	----	0.594 - 0.005	.0436	----	----	----	----	1 UNCH
23000	----	----	----	0.340B/0.587A	----	0.487 + 0.003	.0356	----	----	----	----	32 UNCH
25000	----	----	----	0.265B/0.503A	----	0.411 + 0.008	.0299	----	----	----	----	14 UNCH
30000	----	----	----	0.202B/0.367A	----	0.303 + 0.018	.0216	----	----	----	----	19 UNCH
35000	----	----	----	0.088B/0.302A	----	0.180 + 0.012	.0132	----	----	----	----	27 UNCH
TOTAL										11	0	1842 + 9
OCT26												
3800	----	----	----	----	----	36.156 - 0.817	.9608	----	----	----	----	1 UNCH
7000	----	----	----/12.792A	12.575B/12.792A	----	13.268 - 0.317	.6302	----	----	----	----	2 UNCH
7100	----	----	----/12.386A	12.116B/12.386A	----	12.804 - 0.302	.6166	----	----	----	----	1 UNCH
7500	----	----	----/10.929A	10.452B/10.929A	----	11.104 - 0.243	.5626	----	----	----	----	1 UNCH
7650	----	----	----/10.447A	9.896B/10.447A	----	10.529 - 0.223	.5429	----	----	----	----	1 UNCH
7875	----	----	----/9.871A	8.755B/9.871A	----	9.727 - 0.197	.5142	----	----	----	----	2 UNCH
8000	----	----	----/9.438A	8.776B/9.438A	----	9.312 - 0.184	.4987	----	----	----	----	4 UNCH
8075	----	----	----	8.188B/9.308A	----	9.073 - 0.177	.4896	----	----	----	----	1 UNCH
8500	----	----	----	7.388B/8.238A	----	7.861 - 0.142	.4406	----	----	----	----	1 UNCH
8700	----	----	----	6.864B/7.819A	----	7.366 - 0.131	.4192	----	----	----	----	4 UNCH
9000	----	----	----	6.262B/7.218A	----	6.706 - 0.117	.3894	----	----	----	----	1 UNCH
9100	----	----	----	6.017B/7.042A	----	6.505 - 0.115	.3800	----	----	----	----	73 UNCH
10000	----	----	----	4.574B/5.651A	----	5.063 - 0.101	.3079	----	----	----	----	96 UNCH
11000	----	----	----	3.451B/4.538A	----	4.004 - 0.101	.2494	----	----	----	----	3 UNCH
12000	----	----	----	2.660B/3.698A	----	3.259 - 0.099	.2060	----	----	----	----	65 UNCH
13000	----	----	----	2.115B/3.081A	----	2.678 - 0.086	.1718	----	----	----	----	145 UNCH
14000	----	----	----	1.673B/2.658A	----	2.215 - 0.067	.1441	----	----	----	----	2 UNCH
15000	----	----	----	1.254B/2.348A	----	1.846 - 0.046	.1218	----	----	----	----	178 UNCH
16000	----	----	----	0.960B/2.102A	----	1.556 - 0.027	.1039	----	----	----	----	1 UNCH
18000	----	----	----	1.015B/1.288A	----	1.134 - 0.017	.0772	----	----	----	----	290 UNCH
20000	----	----	----	0.753B/1.042A	----	0.870 - 0.011	.0598	----	----	----	----	225 UNCH
TOTAL											0	1097 0
NOV26												
6500	----	----	----/16.415A	14.652B/16.415A	----	16.369 - 0.383	.6961	----	----	----	----	1 UNCH
7000	----	----	----/13.575A	12.868B/13.575A	----	13.889 - 0.299	.6317	----	----	----	----	14 UNCH
7100	----	----	----/13.234A	12.472B/13.234A	----	13.440 - 0.283	.6188	----	----	----	----	14 UNCH
7500	----	----	----/11.806A	10.842B/11.806A	----	11.791 - 0.229	.5681	----	----	----	----	1 UNCH
7900	----	----	----	9.491B/10.599A	----	10.374 - 0.190	.5200	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
8000	----	----	----	9.187B/10.329A	----	10.055 - 0.182	.5085	----	----	----	----	10 UNCH
10000	----	----	----	5.049B/6.605A	----	5.919 - 0.158	.3318	----	----	----	----	26 UNCH
12000	4.200	4.200	4.200/4.200	4.200/4.200	----	3.881 - 0.123	.2283	----	----	11	----	13 - 11
12500	----	----	----	2.589B/4.339A	----	3.527 - 0.108	.2094	----	----	----	----	10 UNCH
14000	----	----	----	1.812B/3.500A	----	2.695 - 0.068	.1638	----	----	----	----	1 UNCH
15000	----	----	----	1.369B/3.131A	----	2.286 - 0.050	.1407	----	----	----	----	5 UNCH
16000	----	----	----	1.008B/2.872A	----	1.961 - 0.044	.1220	----	----	----	----	2 UNCH
17000	----	----	----	0.743B/2.640A	----	1.701 - 0.051	.1067	----	----	----	----	1 UNCH
20000	----	----	----	0.890B/1.431A	----	1.176 - 0.087	.0750	----	----	----	----	31 UNCH
TOTAL										11	0	139 - 11
DEC26												
3875	----	----	----	----/68.064A	----	35.710 - 0.794	.9440	----	----	----	----	1 UNCH
5250	----	----	----	----/*56.885A	----	24.427 - 0.591	.8400	----	----	----	----	50 UNCH
5500	----	----	----	----/52.931A	----	22.637 - 0.544	.8143	----	----	----	----	1 UNCH
6500	----	----	----	14.584B/17.437A	----	16.560 - 0.356	.6955	----	----	----	----	564 UNCH
6900	----	----	----/14.730A	13.631B/14.730A	----	14.659 - 0.291	.6451	----	----	----	----	1 UNCH
6950	----	----	----/14.525A	13.407B/14.525A	----	14.441 - 0.284	.6388	----	----	----	----	200 UNCH
7000	----	----	----/14.326A	13.190B/14.326A	----	14.227 - 0.277	.6326	----	----	----	----	120 UNCH
7025	----	----	----	12.745B/15.133A	----	14.121 - 0.274	.6295	----	----	----	----	1 UNCH
7075	----	----	----	12.773B/14.938A	----	13.913 - 0.267	.6233	----	----	----	----	5 UNCH
7100	----	----	----/13.877A	12.813B/13.877A	----	13.810 - 0.264	.6202	----	----	----	----	15 UNCH
7375	12.558	12.558	12.791B/12.558	12.791B/12.558	----	12.740 - 0.230	.5867	----	----	2	----	3 - 1
7500	----	----	----/12.471A	11.239B/12.471A	----	12.288 - 0.217	.5720	----	----	----	----	18 UNCH
7575	----	----	----	10.048B/13.159A	----	12.027 - 0.210	.5633	----	----	----	----	1 UNCH
7750	----	----	----	10.345B/11.761A	----	11.445 - 0.194	.5435	----	----	----	----	2 UNCH
7800	----	----	----	10.184B/11.616A	----	11.285 - 0.191	.5380	----	----	----	----	1 UNCH
7925	----	----	----	8.901B/12.100A	----	10.900 - 0.181	.5243	----	----	----	----	2 UNCH
8000	----	----	----	9.576B/11.066A	----	10.677 - 0.176	.5163	----	----	----	----	127 UNCH
8100	----	----	----	9.288B/10.806A	----	10.390 - 0.169	.5058	----	----	----	----	1 UNCH
8200	----	----	----	9.013B/10.557A	----	10.113 - 0.164	.4956	----	----	----	----	25 UNCH
8400	----	----	----	8.498B/10.083A	----	9.590 - 0.154	.4757	----	----	----	----	50 UNCH
8500	----	----	----	8.256B/9.861A	----	9.343 - 0.150	.4661	----	----	----	----	150 UNCH
8550	----	----	----	8.138B/9.756A	----	9.223 - 0.148	.4614	----	----	----	----	1 UNCH
8800	----	----	----	7.583B/9.247A	----	8.655 - 0.140	.4387	----	----	----	----	5 UNCH
8900	----	----	----	7.311B/9.054A	----	8.442 - 0.137	.4300	----	----	----	----	2 UNCH
8950	----	----	----	7.211B/8.960A	----	8.338 - 0.137	.4257	----	----	----	----	1 UNCH
9000	----	----	----	7.109B/8.868A	----	8.236 - 0.136	.4215	----	----	----	----	184 UNCH
9050	----	----	----	7.012B/8.778A	----	8.136 - 0.135	.4173	----	----	----	----	100 UNCH
9300	----	----	----	6.546B/8.348A	----	7.663 - 0.131	.3973	----	----	----	----	1 UNCH
9500	----	----	----	6.211B/8.030A	----	7.313 - 0.128	.3822	----	----	----	----	3 UNCH
9700	----	----	----	5.885B/7.732A	----	6.986 - 0.127	.3678	----	----	----	----	1 UNCH
9800	----	----	----	5.729B/7.583A	----	6.831 - 0.125	.3609	----	----	----	----	17 UNCH
9900	----	----	----	5.579B/7.443A	----	6.680 - 0.125	.3541	----	----	----	----	3 UNCH
10000	----	----	----	6.000B/7.275A	----	6.534 - 0.125	.3475	----	----	2	----	773 UNCH
10025	----	----	----	4.801B/7.888A	----	6.498 - 0.125	.3459	----	----	----	----	3 UNCH
10500	----	----	----	4.780B/6.672A	----	5.868 - 0.122	.3169	----	----	----	----	2 UNCH
10600	----	----	----	4.664B/6.562A	----	5.746 - 0.122	.3112	----	----	----	----	1 UNCH
11000	----	----	----	4.217B/6.162A	----	5.294 - 0.119	.2897	----	----	2	----	91 UNCH
11350	----	----	----	3.823B/5.836A	----	4.939 - 0.118	.2726	----	----	----	----	5 UNCH
11800	----	----	----	3.417B/5.454A	----	4.531 - 0.116	.2525	----	----	----	----	25 UNCH
12000	----	----	----	3.252B/5.301A	----	4.365 - 0.115	.2443	----	----	----	----	438 UNCH
12200	----	----	----	3.095B/5.155A	----	4.207 - 0.115	.2363	----	----	----	----	1 UNCH
12500	----	----	----	2.875B/4.945A	----	3.986 - 0.115	.2252	----	----	----	----	43 UNCH
13000	----	----	----	2.550B/4.633A	----	3.654 - 0.115	.2081	----	----	----	----	338 UNCH
14000	----	----	----	2.039B/4.113A	----	3.102 - 0.116	.1792	----	----	----	----	56 UNCH
14200	----	----	----	1.943B/4.022A	----	3.006 - 0.117	.1741	----	----	----	----	1 UNCH
15000	----	----	----	1.594B/3.699A	----	2.664 - 0.120	.1557	----	----	----	----	1821 UNCH
16000	----	----	----	1.225B/3.358A	----	2.312 - 0.124	.1365	----	----	----	----	1608 UNCH
17000	----	----	----	0.897B/3.086A	----	2.024 - 0.126	.1205	----	----	----	----	50 UNCH
18000	----	----	----	0.654B/2.859A	----	1.786 - 0.127	.1071	----	----	----	----	7 UNCH
19000	----	----	----	1.155B/1.972A	----	1.587 - 0.125	.0957	----	----	----	----	1 UNCH
20000	----	----	----	1.022B/1.825A	----	1.420 - 0.121	.0861	----	----	----	----	262 UNCH
21000	----	----	----	0.836B/1.680A	----	1.277 - 0.115	.0778	----	----	----	----	4 UNCH
23000	----	----	----	0.599B/1.472A	----	1.051 - 0.097	.0645	----	----	----	----	4 UNCH
25000	----	----	----	0.500B/1.290A	----	0.884 - 0.077	.0545	----	----	----	----	231 UNCH
30000	0.600	0.600	0.600/*0.600	0.600/*0.600	----	0.624 - 0.051	.0386	----	----	1	----	105 UNCH
40000	----	----	----	0.400B/0.450A	----	0.400 - 0.034	.0244	----	----	----	----	23 UNCH
90000	0.200	0.200	#0.200/*0.200	#0.200/*0.200	----	0.206 NEW	.0112	----	----	1	----	1 + 1
TOTAL										8	0	7550 0
JAN27												
7550	----	----	----	1.924B/24.168A	----	13.591 - 0.132	.5832	----	----	----	----	1 UNCH
7650	----	----	----	1.612B/18.000A	----	13.299 - 0.059	.5731	----	----	----	----	6 UNCH
10000	----	----	----	0.075B/17.650A	----	9.934 + 1.500	.4196	----	----	----	----	1 UNCH
11000	----	----	----	0.001B/15.890A	----	8.956 + 1.474	.3773	----	----	----	----	1 UNCH
13000	----	----	----	0.001B/13.408A	----	7.574 + 1.363	.3162	----	----	----	----	1 UNCH
14000	----	----	----	2.200B/12.492A	----	7.089 + 1.325	.2941	----	----	----	----	1 UNCH
14500	----	----	----	0.001B/12.096A	----	6.897 + 1.307	.2849	----	----	----	----	400 UNCH
15000	----	----	----	0.001B/11.725A	----	6.733 + 1.289	.2768	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	0.082B/21.224A	----	11.782 + 1.316	.4824	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/8.418A	----	3.993 + 1.054	.1555	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
9200	----	----	----	0.088B/22.080A	----	11.558 + 0.910	.4717	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	55.663 - 0.880	.9951	----	----	----	----	1 UNCH
10000	----	----	----	----	----	12.327 - 0.423	.4603	----	----	----	----	1 UNCH
10300	----	----	----	----	----	11.919 - 0.411	.4464	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	38.964 - 0.792	.9039	----	----	----	----	1 UNCH
20000	----	----	----	----	----	8.550 - 0.271	.2869	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.010A	----	0.001 UNCH	.0000	----	----	----	----	31 UNCH
2100	----	----	----	----/0.046A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2150	----	----	----	----/0.046A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2175	----	----	----	----/0.015A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2650	----	----	----	----/0.056A	----	0.005 UNCH	.0005	----	----	----	----	2 UNCH
2700	----	----	----	----/0.058A	----	0.006 + 0.001	.0006	----	----	----	----	50 UNCH
2800	----	----	----	----/*0.022A	----	0.007 + 0.001	.0007	----	----	----	----	12 UNCH
2850	----	----	----	----/0.064A	----	0.008 + 0.001	.0009	----	----	----	----	3 UNCH
2875	----	----	----	----/0.065A	----	0.009 + 0.002	.0010	----	----	----	----	1 UNCH
2950	----	----	----	----/0.069A	----	0.010 + 0.001	.0011	----	----	----	----	1 UNCH
3000	----	----	0.014B/----	0.014B/0.022A	----	0.011 + 0.001	.0012	----	----	3	----	22 + 3
3075	----	----	----	----/0.076A	----	0.013 + 0.002	.0015	----	----	----	----	16 UNCH
3100	----	----	----	----/*0.041A	----	0.014 + 0.002	.0016	----	----	----	----	5 UNCH
3125	----	----	----	----/0.079A	----	0.015 + 0.002	.0017	----	----	----	----	14 UNCH
3175	----	----	----	----/0.082A	----	0.016 + 0.002	.0018	----	----	----	----	14 UNCH
3200	----	----	----	----/0.084A	----	0.017 + 0.002	.0019	----	----	----	----	13 UNCH
3225	----	----	----	0.001B/0.086A	----	0.018 + 0.002	.0020	----	----	----	----	10 UNCH
3275	----	----	----	0.001B/0.089A	----	0.020 + 0.003	.0023	----	----	----	----	54 UNCH
3300	----	----	----	0.001B/*0.046A	----	0.021 + 0.003	.0024	----	----	----	----	79 UNCH
3325	----	----	----	0.001B/0.093A	----	0.022 + 0.003	.0025	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.095A	----	0.023 + 0.003	.0027	----	----	----	----	14 UNCH
3375	----	----	----	0.001B/0.098A	----	0.025 + 0.004	.0029	----	----	----	----	12 UNCH
3400	----	----	----	0.001B/0.100A	----	0.026 + 0.004	.0030	----	----	----	----	39 UNCH
3450	----	----	----	0.001B/0.103A	----	0.028 + 0.003	.0033	----	----	----	----	5 UNCH
3475	----	----	----	0.001B/0.104A	----	0.030 + 0.004	.0035	----	----	----	----	13 UNCH
3500	----	----	----	0.001B/0.105A	----	0.031 + 0.004	.0036	----	----	----	----	59 UNCH
3550	----	----	----	0.001B/0.108A	----	0.034 + 0.004	.0040	----	----	----	----	1 UNCH
3575	----	----	----	0.001B/0.109A	----	0.036 + 0.005	.0042	----	----	----	----	28 UNCH
3600	----	----	----	0.001B/0.111A	----	0.037 + 0.004	.0044	----	----	----	----	6 UNCH
3625	----	----	----	0.001B/0.112A	----	0.039 + 0.005	.0046	----	----	----	----	12 UNCH
3675	----	----	----	0.001B/0.117A	----	0.043 + 0.005	.0051	----	----	----	----	105 UNCH
3700	----	----	----	0.001B/0.118A	----	0.044 + 0.005	.0052	----	----	----	----	264 UNCH
3750	----	----	----	0.001B/0.120A	----	0.048 + 0.005	.0057	----	----	----	----	10 UNCH
3775	----	----	----	0.001B/0.122A	----	0.050 + 0.005	.0060	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
3800	----	----	----	0.001B/0.123A	----	0.052 + 0.005	.0062	----	----	----	----	356 UNCH
3850	----	----	----	0.001B/0.127A	----	0.056 + 0.005	.0067	----	----	----	----	1 UNCH
3900	----	----	----	0.007B/0.131A	----	0.061 + 0.005	.0074	----	----	----	----	52 UNCH
3925	----	----	----	0.008B/0.133A	----	0.063 + 0.005	.0076	----	----	----	----	9 UNCH
3950	----	----	----	0.005B/0.135A	----	0.065 + 0.005	.0079	----	----	----	----	11 UNCH
3975	----	----	----	0.008B/0.137A	----	0.068 + 0.005	.0083	----	----	----	----	5 UNCH
4000	0.070	0.070	0.070/0.070	0.070/0.070	----	0.070 + 0.004	.0085	----	----	26	----	316 - 9
4025	----	----	----	0.016B/*0.141A	----	0.072 + 0.005	.0088	----	----	----	----	3 UNCH
4050	----	----	----	0.009B/0.142A	----	0.075 + 0.006	.0092	----	----	----	----	21 UNCH
4075	----	----	----	0.016B/0.144A	----	0.078 + 0.008	.0096	----	----	----	----	15 UNCH
4100	----	----	----	0.015B/0.144A	----	0.080 + 0.008	.0099	----	----	----	----	190 UNCH
4125	----	----	----	0.018B/*0.141A	----	0.083 + 0.009	.0103	----	----	----	----	10 UNCH
4150	----	----	----	0.019B/0.142A	----	0.085 + 0.010	.0106	----	----	----	----	9 UNCH
4175	----	----	----	0.015B/0.153A	----	0.088 + 0.011	.0110	----	----	----	----	1 UNCH
4200	----	----	----	0.019B/0.156A	----	0.091 + 0.012	.0114	----	----	----	----	101 UNCH
4225	----	----	----	0.021B/0.158A	----	0.094 + 0.013	.0118	----	----	----	----	20 UNCH
4250	----	----	----	0.026B/0.162A	----	0.097 + 0.014	.0122	----	----	----	----	10 UNCH
4275	----	----	----	0.032B/0.157A	----	0.100 + 0.016	.0126	----	----	----	----	7 UNCH
4300	----	----	----	0.071B/0.164A	----	0.103 + 0.017	.0130	----	----	----	----	267 UNCH
4325	----	----	----	0.038B/0.164A	----	0.106 + 0.018	.0135	----	----	----	----	1 UNCH
4350	----	----	----	0.042B/0.167A	----	0.109 + 0.019	.0139	----	----	----	----	27 UNCH
4375	----	----	----	0.044B/0.170A	----	0.112 + 0.020	.0143	----	----	----	----	12 UNCH
4400	----	----	----	0.049B/*0.145A	----	0.115 + 0.020	.0148	----	----	----	----	314 UNCH
4425	----	----	----	0.052B/0.178A	----	0.119 + 0.022	.0153	----	----	----	----	14 UNCH
4450	----	----	----	0.052B/0.180A	----	0.122 + 0.023	.0158	----	----	----	----	7 UNCH
4475	----	----	----	0.061B/0.186A	----	0.126 + 0.025	.0164	----	----	----	----	81 UNCH
4500	----	----	----	0.100B/0.130A	----	0.129 + 0.026	.0168	----	----	----	----	787 UNCH
4525	----	----	----	0.067B/0.195A	----	0.133 + 0.027	.0174	----	----	----	----	19 UNCH
4550	----	----	----	0.075B/0.196A	----	0.136 + 0.028	.0179	----	----	----	----	4 UNCH
4575	----	----	----	0.079B/0.200A	----	0.140 + 0.029	.0185	----	----	----	----	11 UNCH
4600	----	----	----	0.082B/0.205A	----	0.144 + 0.030	.0191	----	----	----	----	15 UNCH
4625	----	----	----	0.088B/0.208A	----	0.148 + 0.032	.0197	----	----	----	----	66 UNCH
4650	----	----	----	0.095B/0.211A	----	0.152 + 0.033	.0203	----	----	----	----	10 UNCH
4675	----	----	----	0.101B/0.215A	----	0.156 + 0.034	.0209	----	----	----	----	17 UNCH
4700	0.180	0.180	0.180/0.180	0.180/0.180	----	0.161 + 0.036	.0216	----	----	3	----	116 UNCH
4725	----	----	0.162B/----	0.162B/0.197A	----	0.165 + 0.037	.0222	----	----	----	----	11 UNCH
4750	----	----	0.164B/----	0.164B/0.201A	----	0.170 + 0.039	.0230	----	----	----	----	18 UNCH
4775	----	----	0.170B/----	0.170B/0.207A	----	0.174 + 0.039	.0236	----	----	----	----	4 UNCH
4800	----	----	0.183B/----	0.183B/0.208A	----	0.179 + 0.041	.0244	----	----	1	----	318 + 1
4825	----	----	0.185B/----	0.185B/0.216A	----	0.184 + 0.042	.0252	----	----	----	----	3 UNCH
4850	----	----	0.172B/----	0.172B/0.220A	----	0.189 + 0.043	.0259	----	----	----	----	78 UNCH
4875	----	----	0.179B/----	0.179B/0.226A	----	0.194 + 0.045	.0267	----	----	----	----	1 UNCH
4900	----	----	0.188B/----	0.188B/*0.205A	----	0.200 + 0.046	.0276	----	----	----	----	163 UNCH
4925	----	----	0.191B/----	0.191B/0.232A	----	0.205 + 0.047	.0284	----	----	----	----	9 UNCH
4950	----	----	0.204B/----	0.204B/0.240A	----	0.211 + 0.049	.0294	----	----	----	----	12 UNCH
4975	----	----	0.225B/----	0.225B/0.248A	----	0.217 + 0.050	.0303	----	----	----	----	52 UNCH
5000	0.180	0.180	0.315/*0.180	0.315/*0.180	----	0.223 + 0.051	.0312	----	----	97	----	892 - 1
5025	----	----	0.229B/----	0.229B/0.260A	----	0.229 + 0.052	.0322	----	----	----	----	1 UNCH
5050	----	----	0.238B/----	0.238B/0.269A	----	0.236 + 0.054	.0333	----	----	----	----	24 UNCH
5075	----	----	0.247B/----	0.247B/0.263A	----	0.243 + 0.056	.0344	----	----	----	----	7 UNCH
5100	----	----	0.254B/----	0.254B/0.240A	----	0.250 + 0.057	.0355	----	----	----	----	163 UNCH
5125	----	----	0.267B/----	0.267B/0.283A	----	0.257 + 0.058	.0366	----	----	----	----	52 UNCH
5150	----	----	0.294B/----	0.294B/0.291A	----	0.265 + 0.060	.0378	----	----	----	----	48 UNCH
5175	----	----	0.306B/----	0.306B/0.297A	----	0.273 + 0.061	.0390	----	----	----	----	2 UNCH
5200	0.300	0.300	0.321B/0.300	0.321B/0.300	----	0.281 + 0.062	.0403	----	----	1	----	171 + 1
5225	----	----	0.344B/----	0.344B/0.313A	----	0.289 + 0.063	.0416	----	----	----	----	5 UNCH
5250	----	----	0.358B/----	0.358B/0.322A	----	0.298 + 0.065	.0430	----	----	----	----	29 UNCH
5275	----	----	0.372B/----	0.372B/0.331A	----	0.307 + 0.066	.0444	----	----	----	----	8 UNCH
5300	0.305	0.305	0.386B/0.305	0.386B/0.305	----	0.317 + 0.068	.0459	----	----	1	----	171 UNCH
5325	----	----	0.404B/----	0.404B/0.342A	----	0.326 + 0.068	.0474	----	----	----	----	23 UNCH
5350	----	----	0.416B/----	0.416B/0.347A	----	0.337 + 0.070	.0490	----	----	----	----	28 UNCH
5375	0.353	0.353	0.434B/0.353	0.434B/0.350A	----	0.347 + 0.071	.0506	----	----	3	----	14 - 2
5400	----	----	0.449B/----	0.449B/0.343A	----	0.358 + 0.072	.0523	----	----	----	----	100 UNCH
5425	----	----	0.466B/----	0.466B/0.343A	----	0.369 + 0.073	.0540	----	----	----	----	14 UNCH
5450	----	----	0.486B/----	0.486B/0.347A	----	0.381 + 0.075	.0559	----	----	1	----	13 + 1
5475	----	----	0.503B/----	0.503B/0.359A	----	0.393 + 0.076	.0578	----	----	----	----	13 UNCH
5500	0.390	0.390	0.524B/0.372A	0.524B/0.372A	----	0.406 + 0.077	.0598	----	----	6	----	591 + 1
5525	----	----	0.540B/----	0.540B/0.383A	----	0.419 + 0.078	.0618	----	----	----	----	37 UNCH
5550	----	----	0.564B/----	0.564B/0.398A	----	0.433 + 0.080	.0639	----	----	----	----	33 UNCH
5575	0.607	0.607	0.607/0.607	0.607/0.408A	----	0.448 + 0.081	.0662	----	----	1	----	5 + 1
5600	0.500	0.500	0.607B/0.500	0.607B/0.422A	----	0.462 + 0.082	.0684	----	----	2	----	72 + 2
5625	----	----	0.632B/----	0.632B/0.437A	----	0.478 + 0.083	.0708	----	----	----	----	6 UNCH
5650	0.614	0.614	0.654B/0.614	0.654B/0.450A	----	0.494 + 0.085	.0732	----	----	1	----	41 + 1
5675	----	----	0.682B/----	0.682B/0.462A	----	0.511 + 0.086	.0757	----	----	----	----	48 UNCH
5700	----	----	0.709B/----	0.709B/0.478A	----	0.528 + 0.087	.0783	----	----	3	----	135 + 3
5725	0.734	0.734	0.734/0.734	0.734/0.494A	----	0.546 + 0.088	.0810	----	----	1	----	28 + 1
5750	----	----	0.762B/----	0.762B/0.510A	----	0.565 + 0.089	.0839	----	----	----	----	111 UNCH
5775	----	----	0.793B/----	0.793B/0.527A	----	0.584 + 0.090	.0867	----	----	----	----	14 UNCH
5800	0.755	0.755	0.825B/0.692	0.825B/0.546A	----	0.605 + 0.092	.0898	----	----	5	----	372 + 3
5825	----	----	0.852B/----	0.852B/0.562A	----	0.626 + 0.093	.0929	----	----	----	----	55 UNCH
5850	----	----	0.882B/----	0.882B/0.584A	----	0.648 + 0.094	.0961	----	----	----	----	7 UNCH
5875	----	----	0.917B/----	0.917B/0.604A	----	0.671 + 0.096	.0995	----	----	----	----	4 UNCH
5900	----	----	0.955B/----	0.955B/0.624A	----	0.694 + 0.096	.1029	----	----	1	----	118 UNCH
5925	----	----	0.988B/----	0.988B/0.647A	----	0.719 + 0.098	.1065	----	----	----	----	13 UNCH
5950	----	----	1.022B/----	1.022B/0.669A	----	0.745 + 0.099	.1102	----	----	----	----	14 UNCH
5975	----	----	1.063B/----	1.063B/0.692A	----	0.771 + 0.100	.1140	----	----	----	----	23 UNCH
6000	0.680	0.680	1.123/0.680	1.123/0.680	----	0.799 + 0.101	.1180	----	----	183	----	1060 - 2
6025	----	----	1.144B/----	1.144B/0.745A	----	0.828 + 0.103	.1221	----	----	----	----	24 UNCH
6050	0.849	0.849	1.202B/0.848	1.202B/0.772A	----	0.858 + 0.104	.1263	----	----	8	----	328 + 5
6075	----	----	1.247B/----	1.247B/0.797A	----	0.889 + 0.106	.1306	----	----	----	----	165 UNCH
6100	0.940	0.940	1.341/0.912	1.341/0.824A	----	0.922 + 0.108	.1352	----	----	61	----	159 + 14
6125	----	----	1.322B/----	1.322B/0.855A	----	0.955 + 0.109	.1397	----	----	----	----	7 UNCH
6150	----	----	1.379B/----	1.379B/0.888A	----	0.990 + 0.110	.1445	----	----	5	----	43 + 5
6175	----	----	1.422B/----	1.422B/0.919A	----	1.027 + 0.113	.1495	----	----	----	----	12 UNCH
6200	1.200	1.200	1.494B/1.160	1.494B/0.950A	----	1.064 + 0.114	.1545	----	----	9	----	58 - 1
6225	----	----	1.538B/----	1.538B/0.987A	----	1.103 + 0.116	.1597	----	----	----	----	32 UNCH
6250	----	----	1.603B/1.018A	1.603B/1.018A	----	1.144 + 0.118	.1651	----	----	----	----	93 UNCH
6275	----	----	1.639B/1.056A	1.639B/1.056A	----	1.186 + 0.120	.1707	----	----	----	----	13 UNCH
6300	1.192	1.192	1.722B/1.080A	1.722B/1.080A	----	1.230 + 0.122	.1764	----	----	7	----	185 + 2
6325	----	----	1.784B/1.125A	1.784B/1.125A	----	1.275 + 0.124	.1822	----	----	----	----	126 UNCH
6350	1.543	1.543	1.848B/1.159A	1.848B/1.159A	----	1.322 + 0.127	.1882	----	----	13	----	86 - 10
6375	1.610	1.610	1.900B/1.209A	1.900B/1.209A	----	1.371 + 0.130	.1943	----	----	25	----	29 - 2
6400	1.951	1.951	1.983B/1.243A	1.983B/1.243A	----	1.421 + 0.132	.2006	----	----	54	----	112 + 35
6425	1.734	1.734	2.025B/1.301A	2.025B/1.301A	----	1.474 + 0.135	.2071	----	----	1	----	9 - 1
6450	----	----	2.124B/1.332A	2.124B/1.332A	----	1.528 + 0.138	.2138	----	----	----	----	56 UNCH
6475	----	----	2.171B/1.401A	2.171B/1.401A	----	1.584 + 0.141	.2206	----	----	----	----	10 UNCH
6500	1.569	1.569	2.274B/1.400	2.274B/1.400	----	1.642 + 0.145	.2275	----	----	21	----	792 + 2
6525	1.650	1.650	2.326B/1.501A	2.326B/1.501A	----	1.702 + 0.148	.2346	----	----	2	----	17 UNCH
6550	2.065	2.065	2.431B/1.534A	2.431B/1.534A	----	1.764 + 0.152	.2419	----	----	5	----	172 + 2
6575	1.760	1.760	2.519B/1.588A	2.519B/1.588A	----	1.828 + 0.156	.2493	----	----	4	----	59 - 1
6600	1.825	1.825	2.627/1.643A	2.627/1.643A	----	1.894 + 0.160	.2568	----	----	21	80	374 - 47
6625	1.891	1.891	2.664B/1.727A	2.664B/1.727A	----	1.963 + 0.165	.2645	----	----	1	----	6 - 1
6650	1.960	1.960	2.783B/1.765A	2.783B/1.765A	----	2.033 + 0.169	.2724	----	----	8	----	62 + 4
6675	----	----	2.857B/1.827A	2.857B/1.827A	----	2.106 + 0.174	.2804	----	----	----	----	65 UNCH
6700	2.746	2.746	2.987/1.891A	2.987/1.891A	----	2.181 + 0.179	.2885	----	----	16	----	432 + 6
6725	----	----	3.027B/1.981A	3.027B/1.981A	----	2.259 + 0.185	.2968	----	----	----	----	8 UNCH
6750	----	----	3.145B/2.026A	3.145B/2.026A	----	2.339 + 0.191	.3052	----	----	4	----	73 + 4
6775	----	----	3.238B/2.123A	3.238B/2.123A	----	2.421 + 0.196	.3137	----	----	----	----	14 UNCH
6800	3.113	3.113	3.386/2.170A	3.386/2.170A	----	2.506 + 0.203	.3223	----	----	14	----	103 + 6
6825	----	----	3.447B/2.272A	3.447B/2.272A	----	2.593 + 0.209	.3311	----	----	----	----	13 UNCH
6850	----	----	3.558B/2.349A	3.558B/2.349A	----	2.683 + 0.216	.3400	----	----	----	----	12 UNCH
6875	2.600	2.600	3.671B/2.431A	3.671B/2.431A	----	2.775 + 0.223	.3489	----	----	4	----	9 - 1
6900	3.530	3.530	3.900/2.485A	3.900/2.485A	----	2.870 + 0.230	.3580	----	----	33	----	442 + 14
6925	----	----	3.900B/2.570A	3.900B/2.570A	----	2.967 + 0.237	.3672	----	----	----	----	63 UNCH
6950	----	----	4.019B/2.685A	4.019B/2.685A	----	3.066 + 0.244	.3764	----	----	----	----	17 UNCH
6975	----	----	4.126B/2.774A	4.126B/2.774A	----	3.169 + 0.253	.3857	----	----	----	----	13 UNCH
7000	2.930	2.930	4.278B/2.839A	4.278B/2.839A	----	3.273 + 0.260	.3951	----	----	22	----	852 + 8
7025	3.050	3.050	4.390B/2.959A	4.390B/2.959A	----	3.380 + 0.267	.4046	----	----	9	----	15 + 6
7050	3.550	3.550	4.533B/3.042A	4.533B/3.042A	----	3.490 + 0.275	.4141	----	----	7	----	48 + 3
7075	----	----	4.619B/3.157A	4.619B/3.157A	----	3.602 + 0.283	.4236	----	----	3	----	12 + 2
7100	4.055	4.055	4.781B/3.227A	4.781B/3.227A	----	3.717 + 0.291	.4332	----	----	8	----	68 + 4
7125	----	----	4.886B/3.363A	4.886B/3.363A	----	3.834 + 0.299	.4429	----	----	1	----	12 + 1
7150	3.818	3.818	5.021B/3.456A	5.021B/3.456A	----	3.954 + 0.307	.4526	----	----	4	----	25 - 3
7175	----	----	5.110B/3.565A	5.110B/3.565A	----	4.076 + 0.315	.4623	----	----	----	----	30 UNCH
7200	----	----	5.302B/3.662A	5.302B/3.662A	----	4.201 + 0.323	.4720	----	----	4	----	316 + 1
7225	4.127	4.127	5.421B/3.806A	5.421B/3.806A	----	4.328 + 0.330	.4817	----	----	3	----	19 + 1
7250	4.141	4.141	5.580B/3.894A	5.580B/3.894A	----	4.458 + 0.338	.4915	----	----	7	----	65 - 1
7275	----	----	5.735B/4.042A	5.735B/4.042A	----	4.590 + 0.346	.5012	----	----	1	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7300	----	----	5.886B/4.149A	5.886B/4.149A	----	4.725 + 0.354	.5109	----	----	----	----	36 UNCH
7325	----	----	6.028B/4.289A	6.028B/4.289A	----	4.863 + 0.362	.5206	----	----	----	----	14 UNCH
7350	4.675	4.675	6.177B/4.402A	6.177B/4.402A	----	5.003 + 0.370	.5303	----	----	1	----	31 + 1
7375	4.818	4.818	6.316B/4.548A	6.316B/4.548A	----	5.145 + 0.377	.5399	----	----	1	----	8 UNCH
7400	----	----	6.491B/4.750A	6.491B/4.750A	----	5.290 + 0.385	.5495	----	----	----	----	40 UNCH
7425	5.049	5.049	6.648B/4.890A	6.648B/4.890A	----	5.438 + 0.393	.5591	----	----	1	----	15 + 1
7450	----	----	6.824B/5.028A	6.824B/5.028A	----	5.588 + 0.401	.5686	----	----	----	----	7 UNCH
7475	----	----	7.004B/5.176A	7.004B/5.176A	----	5.740 + 0.408	.5780	----	----	1	----	7 - 1
7500	----	----	7.194B/5.300A	7.194B/5.300A	----	5.895 + 0.415	.5873	----	----	5	----	403 UNCH
7525	----	----	7.352B/5.486A	7.352B/5.486A	----	6.053 + 0.424	.5967	----	----	----	----	33 UNCH
7530	----	----	7.343B/5.522A	7.343B/5.522A	----	6.085 + 0.425	.5985	----	----	----	----	7 UNCH
7535	----	----	7.378B/5.548A	7.378B/5.548A	----	6.116 + 0.426	.6004	----	----	----	----	6 UNCH
7540	----	----	7.417B/5.580A	7.417B/5.580A	----	6.148 + 0.427	.6022	----	----	----	----	6 UNCH
7545	----	----	7.367B/5.632A	7.367B/5.632A	----	6.181 + 0.430	.6040	----	----	----	----	2 UNCH
7550	----	----	7.514B/5.638A	7.514B/5.638A	----	6.213 + 0.431	.6059	----	----	----	----	17 UNCH
7555	----	----	7.439B/5.692A	7.439B/5.692A	----	6.245 + 0.432	.6077	----	----	----	----	1 UNCH
7560	----	----	7.487B/5.721A	7.487B/5.721A	----	6.277 + 0.434	.6095	----	----	----	----	1 UNCH
7565	----	----	7.510B/5.753A	7.510B/5.753A	----	6.310 + 0.436	.6114	----	----	----	----	1 UNCH
7570	----	----	7.546B/5.785A	7.546B/5.785A	----	6.342 + 0.437	.6132	----	----	----	----	3 UNCH
7575	----	----	7.581B/5.814A	7.581B/5.814A	----	6.375 + 0.438	.6150	----	----	----	----	2 UNCH
7580	----	----	7.745B/5.820A	7.745B/5.820A	----	6.408 + 0.440	.6168	----	----	----	----	25 UNCH
7585	----	----	7.736B/5.856A	7.736B/5.856A	----	6.441 + 0.442	.6186	----	----	----	----	6 UNCH
7590	----	----	7.691B/5.908A	7.691B/5.908A	----	6.473 + 0.442	.6204	----	----	----	----	1 UNCH
7595	----	----	7.727B/5.947A	7.727B/5.947A	----	6.506 + 0.444	.6222	----	----	----	----	1 UNCH
7600	----	----	7.900B/5.931A	7.900B/5.931A	----	6.540 + 0.446	.6240	----	----	----	----	53 UNCH
7605	----	----	7.800B/6.007A	7.800B/6.007A	----	6.573 + 0.447	.6258	----	----	----	----	3 UNCH
7610	----	----	7.837B/6.033A	7.837B/6.033A	----	6.606 + 0.449	.6276	----	----	----	----	1 UNCH
7620	----	----	8.030B/6.076A	8.030B/6.076A	----	6.673 + 0.452	.6312	----	----	----	----	31 UNCH
7625	----	----	7.948B/6.134A	7.948B/6.134A	----	6.707 + 0.454	.6330	----	----	----	----	3 UNCH
7630	----	----	7.984B/6.168A	7.984B/6.168A	----	6.740 + 0.454	.6347	----	----	----	----	1 UNCH
7635	----	----	8.140B/6.177A	8.140B/6.177A	----	6.774 + 0.456	.6365	----	----	----	----	36 UNCH
7645	----	----	8.096B/6.286A	8.096B/6.286A	----	6.842 + 0.459	.6401	----	----	----	----	2 UNCH
7650	----	----	8.237B/6.274A	8.237B/6.274A	----	6.876 + 0.461	.6418	----	----	----	----	7 UNCH
7655	----	----	8.168B/6.355A	8.168B/6.355A	----	6.910 + 0.462	.6435	----	----	----	----	1 UNCH
7660	----	----	8.207B/6.405A	8.207B/6.405A	----	6.944 + 0.463	.6453	----	----	----	----	1 UNCH
7665	----	----	8.243B/6.456A	8.243B/6.456A	----	6.979 + 0.465	.6470	----	----	----	----	3 UNCH
7670	----	----	8.282B/6.499A	8.282B/6.499A	----	7.013 + 0.466	.6488	----	----	----	----	1 UNCH
7675	----	----	8.318B/6.521A	8.318B/6.521A	----	7.047 + 0.467	.6505	----	----	----	----	3 UNCH
7685	----	----	8.512B/6.509A	8.512B/6.509A	----	7.117 + 0.471	.6540	----	----	----	----	10 UNCH
7700	----	----	8.642B/6.586A	8.642B/6.586A	----	7.221 + 0.474	.6591	----	----	----	----	272 UNCH
7710	----	----	8.589B/6.766A	8.589B/6.766A	----	7.292 + 0.478	.6625	----	----	----	----	2 UNCH
7715	----	----	8.626B/6.801A	8.626B/6.801A	----	7.327 + 0.479	.6642	----	----	----	----	1 UNCH
7720	----	----	8.663B/6.834A	8.663B/6.834A	----	7.362 + 0.480	.6659	----	----	----	----	2 UNCH
7725	----	----	8.702B/6.852A	8.702B/6.852A	----	7.397 + 0.481	.6676	----	----	----	----	2 UNCH
7730	----	----	8.740B/6.902A	8.740B/6.902A	----	7.433 + 0.483	.6693	----	----	----	----	1 UNCH
7735	----	----	8.779B/6.934A	8.779B/6.934A	----	7.469 + 0.485	.6709	----	----	----	----	1 UNCH
7745	----	----	8.855B/7.002A	8.855B/7.002A	----	7.540 + 0.488	.6743	----	----	----	----	3 UNCH
7750	----	----	9.028B/6.922A	9.028B/6.922A	----	7.576 + 0.489	.6760	----	----	----	----	61 UNCH
7755	----	----	8.933B/7.072A	8.933B/7.072A	----	7.612 + 0.491	.6776	----	----	----	----	4 UNCH
7760	----	----	8.972B/7.106A	8.972B/7.106A	----	7.648 + 0.492	.6793	----	----	----	----	4 UNCH
7770	----	----	9.050B/7.173A	9.050B/7.173A	----	7.720 + 0.495	.6825	----	----	----	----	1 UNCH
7775	----	----	9.089B/7.208A	9.089B/7.208A	----	7.756 + 0.496	.6842	----	----	----	----	2 UNCH
7780	----	----	9.128B/7.244A	9.128B/7.244A	----	7.793 + 0.498	.6858	----	----	----	----	1 UNCH
7785	----	----	9.170B/7.279A	9.170B/7.279A	----	7.829 + 0.499	.6875	----	----	----	----	1 UNCH
7790	----	----	9.209B/7.314A	9.209B/7.314A	----	7.866 + 0.501	.6891	----	----	----	----	2 UNCH
7800	----	----	9.365B/7.295A	9.365B/7.295A	----	7.939 + 0.503	.6923	----	----	----	----	24 UNCH
7805	----	----	9.330B/7.419A	9.330B/7.419A	----	7.976 + 0.505	.6939	----	----	----	----	1 UNCH
7815	----	----	9.409B/7.489A	9.409B/7.489A	----	8.050 + 0.508	.6971	----	----	----	----	1 UNCH
7825	----	----	9.488B/7.544A	9.488B/7.544A	----	8.124 + 0.510	.7003	----	----	----	----	1 UNCH
7830	----	----	9.592B/7.526A	9.592B/7.526A	----	8.161 + 0.511	.7018	----	----	1	----	10 - 1
7840	----	----	9.607B/7.668A	9.607B/7.668A	----	8.235 + 0.513	.7050	----	----	----	----	2 UNCH
7850	----	----	9.781B/7.654A	9.781B/7.654A	----	8.310 + 0.516	.7081	----	----	----	----	44 UNCH
7865	----	----	9.809B/7.848A	9.809B/7.848A	----	8.424 + 0.521	.7127	----	----	----	----	1 UNCH
7875	----	----	9.963B/7.837A	9.963B/7.837A	----	8.499 + 0.523	.7158	----	----	----	----	7 UNCH
7880	----	----	9.932B/7.958A	9.932B/7.958A	----	8.537 + 0.524	.7173	----	----	----	----	1 UNCH
7885	----	----	9.973B/7.995A	9.973B/7.995A	----	8.575 + 0.526	.7188	----	----	----	----	1 UNCH
7890	----	----	10.014B/8.031A	10.014B/8.031A	----	8.614 + 0.528	.7203	----	----	----	----	1 UNCH
7895	----	----	10.055B/8.068A	10.055B/8.068A	----	8.652 + 0.529	.7218	----	----	----	----	1 UNCH
7900	----	----	10.184B/8.022A	10.184B/8.022A	----	8.690 + 0.530	.7233	----	----	----	----	33 UNCH
7910	----	----	10.178B/8.179A	10.178B/8.179A	----	8.767 + 0.533	.7263	----	----	----	----	3 UNCH
7915	----	----	10.219B/8.217A	10.219B/8.217A	----	8.805 + 0.533	.7277	----	----	----	----	1 UNCH
7925	----	----	10.301B/8.290A	10.301B/8.290A	----	8.883 + 0.537	.7307	----	----	----	----	1 UNCH
7930	----	----	10.342B/8.329A	10.342B/8.329A	----	8.922 + 0.538	.7322	----	----	----	----	1 UNCH
7935	----	----	10.384B/8.366A	10.384B/8.366A	----	8.960 + 0.539	.7336	----	----	----	----	2 UNCH
7940	----	----	10.425B/8.404A	10.425B/8.404A	----	8.999 + 0.540	.7351	----	----	----	----	3 UNCH
7950	----	----	10.576B/8.398A	10.576B/8.398A	----	9.077 + 0.543	.7380	----	----	----	----	24 UNCH
7955	----	----	10.549B/8.517A	10.549B/8.517A	----	9.117 + 0.545	.7394	----	----	----	----	1 UNCH
7965	----	----	10.699B/8.526A	10.699B/8.526A	----	9.195 + 0.547	.7422	----	----	----	----	6 UNCH
7970	----	----	10.675B/8.631A	10.675B/8.631A	----	9.235 + 0.549	.7437	----	----	----	----	3 UNCH
7975	----	----	10.717B/8.669A	10.717B/8.669A	----	9.274 + 0.549	.7451	----	----	----	----	1 UNCH
7980	----	----	10.757B/8.707A	10.757B/8.707A	----	9.313 + 0.550	.7464	----	----	----	----	1 UNCH
7985	----	----	10.799B/8.745A	10.799B/8.745A	----	9.353 + 0.552	.7479	----	----	----	----	1 UNCH
7990	----	----	10.840B/8.784A	10.840B/8.784A	----	9.393 + 0.554	.7492	----	----	----	----	2 UNCH
8000	10.018	10.018	11.062B/8.741A	11.062B/8.741A	----	9.472 + 0.556	.7520	----	----	4	----	479 UNCH
8005	----	----	10.967B/8.899A	10.967B/8.899A	----	9.512 + 0.557	.7533	----	----	----	----	2 UNCH
8010	----	----	11.009B/8.938A	11.009B/8.938A	----	9.552 + 0.558	.7547	----	----	----	----	2 UNCH
8025	----	----	11.205B/9.001A	11.205B/9.001A	----	9.672 + 0.562	.7588	----	----	----	----	7 UNCH
8030	----	----	11.178B/9.093A	11.178B/9.093A	----	9.713 + 0.564	.7602	----	----	----	----	1 UNCH
8035	----	----	11.221B/9.132A	11.221B/9.132A	----	9.753 + 0.565	.7615	----	----	----	----	1 UNCH
8040	----	----	11.263B/9.171A	11.263B/9.171A	----	9.793 + 0.566	.7628	----	----	----	----	1 UNCH
8050	----	----	11.350B/9.250A	11.350B/9.250A	----	9.874 + 0.568	.7655	----	----	----	----	4 UNCH
8065	----	----	11.479B/9.368A	11.479B/9.368A	----	9.996 + 0.572	.7694	----	----	----	----	1 UNCH
8070	----	----	11.522B/9.408A	11.522B/9.408A	----	10.037 + 0.573	.7707	----	----	----	----	2 UNCH
8075	----	----	11.565B/9.447A	11.565B/9.447A	----	10.078 + 0.575	.7719	----	----	----	----	4 UNCH
8080	----	----	11.607B/9.487A	11.607B/9.487A	----	10.118 + 0.575	.7732	----	----	----	----	3 UNCH
8085	----	----	11.713B/9.478A	11.713B/9.478A	----	10.159 + 0.576	.7745	----	----	----	----	7 UNCH
8090	----	----	11.760B/9.520A	11.760B/9.520A	----	10.200 + 0.578	.7758	----	----	----	----	20 UNCH
8095	----	----	11.736B/9.606A	11.736B/9.606A	----	10.242 + 0.580	.7770	----	----	----	----	2 UNCH
8100	----	----	11.857B/9.587A	11.857B/9.587A	----	10.283 + 0.581	.7782	----	----	----	----	33 UNCH
8105	----	----	11.822B/9.687A	11.822B/9.687A	----	10.324 + 0.582	.7795	----	----	----	----	1 UNCH
8110	----	----	11.867B/9.727A	11.867B/9.727A	----	10.365 + 0.583	.7808	----	----	----	----	1 UNCH
8125	----	----	11.995B/9.847A	11.995B/9.847A	----	10.489 + 0.586	.7844	----	----	----	----	1 UNCH
8150	----	----	12.211B/10.050A	12.211B/10.050A	----	10.698 + 0.593	.7905	----	----	----	----	4 UNCH
8175	----	----	12.429B/10.254A	12.429B/10.254A	----	10.907 + 0.598	.7964	----	----	----	----	2 UNCH
8195	----	----	12.608B/10.419A	12.608B/10.419A	----	11.076 + 0.603	.8009	----	----	----	----	2 UNCH
8200	----	----	12.727B/10.399A	12.727B/10.399A	----	11.119 + 0.605	.8020	----	----	----	----	37 UNCH
8205	----	----	12.697B/10.502A	12.697B/10.502A	----	11.161 + 0.605	.8031	----	----	----	----	1 UNCH
8210	----	----	12.741B/10.543A	12.741B/10.543A	----	11.203 + 0.606	.8043	----	----	----	----	1 UNCH
8215	----	----	12.785B/10.585A	12.785B/10.585A	----	11.246 + 0.608	.8054	----	----	----	----	1 UNCH
8225	----	----	12.870B/10.668A	12.870B/10.668A	----	11.331 + 0.610	.8076	----	----	----	----	5 UNCH
8230	----	----	12.917B/10.709A	12.917B/10.709A	----	11.374 + 0.611	.8087	----	----	----	----	1 UNCH
8240	----	----	13.005B/10.793A	13.005B/10.793A	----	11.459 + 0.613	.8108	----	----	----	----	2 UNCH
8250	----	----	13.230B/10.753A	13.230B/10.753A	----	11.545 + 0.615	.8130	----	----	----	----	73 UNCH
8255	----	----	13.138B/10.918A	13.138B/10.918A	----	11.588 + 0.616	.8141	----	----	----	----	3 UNCH
8265	----	----	13.226B/11.003A	13.226B/11.003A	----	11.674 + 0.619	.8161	----	----	----	----	1 UNCH
8270	----	----	13.271B/11.045A	13.271B/11.045A	----	11.717 + 0.620	.8172	----	----	----	----	1 UNCH
8275	----	----	13.312B/11.087A	13.312B/11.087A	----	11.761 + 0.622	.8183	----	----	----	----	1 UNCH
8280	----	----	13.358B/11.129A	13.358B/11.129A	----	11.804 + 0.622	.8193	----	----	----	----	3 UNCH
8285	----	----	13.403B/11.171A	13.403B/11.171A	----	11.847 + 0.623	.8203	----	----	----	----	1 UNCH
8290	----	----	13.448B/11.214A	13.448B/11.214A	----	11.890 + 0.624	.8214	----	----	----	----	2 UNCH
8295	----	----	13.492B/11.256A	13.492B/11.256A	----	11.934 + 0.626	.8223	----	----	----	----	1 UNCH
8300	----	----	13.674B/11.174A	13.674B/11.174A	----	11.977 + 0.626	.8234	----	----	----	----	64 UNCH
8305	----	----	13.584B/11.341A	13.584B/11.341A	----	12.021 + 0.628	.8244	----	----	----	----	1 UNCH
8315	----	----	13.674B/11.426A	13.674B/11.426A	----	12.108 + 0.630	.8264	----	----	----	----	1 UNCH
8320	----	----	13.719B/11.469A	13.719B/11.469A	----	12.151 + 0.631	.8273	----	----	----	----	2 UNCH
8325	----	----	13.762B/11.511A	13.762B/11.511A	----	12.195 + 0.632	.8284	----	----	----	----	1 UNCH
8330	----	----	13.809B/11.554A	13.809B/11.554A	----	12.239 + 0.633	.8293	----	----	----	----	1 UNCH
8335	----	----	13.853B/11.597A	13.853B/11.597A	----	12.283 + 0.635	.8303	----	----	----	----	1 UNCH
8340	----	----	13.956B/11.613A	13.956B/11.613A	----	12.326 + 0.635	.8313	----	----	----	----	19 UNCH
8350	----	----	14.046B/11.699A	14.046B/11.699A	----	12.414 + 0.637	.8332	----	----	----	----	19 UNCH
8355	----	----	14.033B/11.769A	14.033B/11.769A	----	12.458 + 0.638	.8341	----	----	----	----	3 UNCH
8360	----	----	14.079B/11.812A	14.079B/11.812A	----	12.502 + 0.639	.8351	----	----	----	----	4 UNCH
8375	----	----	14.269B/11.914A	14.269B/11.914A	----	12.634 + 0.642	.8379	----	----	----	----	8 UNCH
8385	----	----	14.305B/12.028A	14.305B/12.028A	----	12.723 + 0.645	.8397	----	----	----	----	1 UNCH
8395	----	----	14.397B/12.115A	14.397B/12.115A	----	12.811 + 0.646	.8415	----	----	1	----	1 - 1
8400	----	----	14.513B/12.095A	14.513B/12.095A	----	12.856 + 0.648	.8424	----	----	1	----	32 - 1
8405	----	----	14.488B/12.201A	14.488B/12.201A	----	12.900 + 0.649	.8433	----	----	----	----	2 UNCH
8410	----	----	14.533B/12.245A	14.533B/12.245A	----	12.945 + 0.650	.8442	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
MAY26														
8415	----	----	14.578B/12.289A	14.578B/12.289A	----	12.989	+ 0.651	.8451	----	----	----	----	3	UNCH
8420	----	----	14.624B/12.332A	14.624B/12.332A	----	13.034	+ 0.652	.8460	----	----	----	----	2	UNCH
8425	----	----	14.668B/12.376A	14.668B/12.376A	----	13.078	+ 0.653	.8468	----	----	----	----	5	UNCH
8430	----	----	14.716B/12.420A	14.716B/12.420A	----	13.123	+ 0.654	.8477	----	----	----	----	1	UNCH
8450	----	----	14.970B/12.532A	14.970B/12.532A	----	13.302	+ 0.658	.8511	----	----	----	----	30	UNCH
8460	----	----	14.990B/12.683A	14.990B/12.683A	----	13.392	+ 0.661	.8527	----	----	----	----	1	UNCH
8475	----	----	15.127B/12.815A	15.127B/12.815A	----	13.527	+ 0.664	.8552	----	----	----	----	5	UNCH
8480	----	----	15.174B/12.859A	15.174B/12.859A	----	13.572	+ 0.665	.8560	----	----	----	----	1	UNCH
8490	----	----	15.266B/12.947A	15.266B/12.947A	----	13.662	+ 0.667	.8577	----	----	----	----	1	UNCH
8495	----	----	15.315B/12.992A	15.315B/12.992A	----	13.707	+ 0.667	.8584	----	----	----	----	1	UNCH
8500	----	----	15.498B/12.909A	15.498B/12.909A	----	13.752	+ 0.668	.8592	----	----	----	----	374	UNCH
8515	----	----	15.501B/13.169A	15.501B/13.169A	----	13.888	+ 0.671	.8616	----	----	----	----	1	UNCH
8535	----	----	15.686B/13.347A	15.686B/13.347A	----	14.070	+ 0.676	.8646	----	----	----	----	2	UNCH
8545	----	----	15.778B/13.437A	15.778B/13.437A	----	14.161	+ 0.678	.8661	----	----	----	----	1	UNCH
8550	----	----	15.823B/13.481A	15.823B/13.481A	----	14.206	+ 0.678	.8668	----	----	----	----	3	UNCH
8555	----	----	15.871B/13.526A	15.871B/13.526A	----	14.252	+ 0.679	.8676	----	----	----	----	1	UNCH
8560	----	----	15.918B/13.571A	15.918B/13.571A	----	14.298	+ 0.681	.8683	----	----	----	----	1	UNCH
8565	----	----	15.964B/13.616A	15.964B/13.616A	----	14.343	+ 0.681	.8690	----	----	----	----	1	UNCH
8570	----	----	16.010B/13.660A	16.010B/13.660A	----	14.389	+ 0.682	.8697	----	----	----	----	1	UNCH
8575	----	----	16.055B/13.705A	16.055B/13.705A	----	14.435	+ 0.683	.8705	----	----	----	----	3	UNCH
8580	----	----	16.104B/13.750A	16.104B/13.750A	----	14.480	+ 0.683	.8712	----	----	----	----	1	UNCH
8585	----	----	16.150B/13.795A	16.150B/13.795A	----	14.526	+ 0.685	.8719	----	----	----	----	1	UNCH
8590	----	----	16.197B/13.840A	16.197B/13.840A	----	14.572	+ 0.686	.8726	----	----	----	----	4	UNCH
8600	----	----	16.426B/13.802A	16.426B/13.802A	----	14.664	+ 0.688	.8740	----	----	----	----	85	UNCH
8605	----	----	16.336B/13.975A	16.336B/13.975A	----	14.710	+ 0.689	.8747	----	----	----	----	3	UNCH
8620	----	----	16.476B/14.111A	16.476B/14.111A	----	14.848	+ 0.692	.8768	----	----	----	----	1	UNCH
8630	----	----	16.570B/14.201A	16.570B/14.201A	----	14.940	+ 0.693	.8780	----	----	----	----	1	UNCH
8640	----	----	16.663B/14.292A	16.663B/14.292A	----	15.032	+ 0.695	.8794	----	----	----	----	2	UNCH
8645	----	----	16.710B/14.337A	16.710B/14.337A	----	15.079	+ 0.696	.8801	----	----	----	----	1	UNCH
8650	----	----	16.754B/14.382A	16.754B/14.382A	----	15.125	+ 0.697	.8806	----	----	----	----	5	UNCH
8655	----	----	16.803B/14.427A	16.803B/14.427A	----	15.171	+ 0.698	.8813	----	----	----	----	3	UNCH
8665	----	----	16.898B/14.518A	16.898B/14.518A	----	15.264	+ 0.700	.8826	----	----	----	----	1	UNCH
8670	----	----	16.944B/14.564A	16.944B/14.564A	----	15.310	+ 0.701	.8833	----	----	----	----	1	UNCH
8675	----	----	17.027B/14.599A	17.027B/14.599A	----	15.357	+ 0.702	.8838	----	----	----	----	9	UNCH
8685	----	----	17.086B/14.700A	17.086B/14.700A	----	15.449	+ 0.703	.8851	----	----	----	----	1	UNCH
8695	----	----	17.179B/14.791A	17.179B/14.791A	----	15.542	+ 0.705	.8863	----	----	----	----	1	UNCH
8700	----	----	17.296B/14.772A	17.296B/14.772A	----	15.589	+ 0.706	.8870	----	----	----	----	32	UNCH
8705	----	----	17.312B/14.875A	17.312B/14.875A	----	15.635	+ 0.707	.8875	----	----	----	----	10	UNCH
8725	----	----	17.460B/15.066A	17.460B/15.066A	----	15.822	+ 0.711	.8898	----	----	----	----	2	UNCH
8750	----	----	17.696B/15.294A	17.696B/15.294A	----	16.056	+ 0.715	.8927	----	----	----	----	1	UNCH
8775	----	----	17.968B/15.521A	17.968B/15.521A	----	16.290	+ 0.719	.8954	----	----	----	----	9	UNCH
8800	----	----	18.308B/15.625A	18.308B/15.625A	----	16.525	+ 0.723	.8981	----	----	----	----	219	UNCH
8825	----	----	18.410B/15.987A	18.410B/15.987A	----	16.761	+ 0.728	.9007	----	----	----	----	3	UNCH
8850	----	----	18.681B/16.218A	18.681B/16.218A	----	16.997	+ 0.731	.9033	----	----	----	----	13	UNCH
8875	----	----	18.930B/16.437A	18.930B/16.437A	----	17.234	+ 0.736	.9057	----	----	----	----	8	UNCH
8900	----	----	19.156B/16.685A	19.156B/16.685A	----	17.471	+ 0.739	.9079	----	----	----	----	8	UNCH
8925	----	----	19.392B/16.920A	19.392B/16.920A	----	17.709	+ 0.743	.9102	----	----	----	----	6	UNCH
8950	----	----	19.604B/17.155A	19.604B/17.155A	----	17.947	+ 0.747	.9124	----	----	----	----	3	UNCH
8975	----	----	19.867B/17.391A	19.867B/17.391A	----	18.185	+ 0.750	.9145	----	----	----	----	9	UNCH
9000	20.500	20.500	20.500/17.497A	20.500/17.497A	----	18.424	+ 0.753	.9165	----	----	1	----	168	UNCH
9025	----	----	20.349B/17.862A	20.349B/17.862A	----	18.663	+ 0.756	.9184	----	----	----	----	11	UNCH
9050	----	----	20.565B/18.100A	20.565B/18.100A	----	18.903	+ 0.760	.9204	----	----	----	----	2	UNCH
9075	----	----	20.806B/18.337A	20.806B/18.337A	----	19.143	+ 0.763	.9222	----	----	----	----	4	UNCH
9100	----	----	21.048B/18.576A	21.048B/18.576A	----	19.383	+ 0.765	.9241	----	----	----	----	4	UNCH
9150	----	----	21.553B/19.051A	21.553B/19.051A	----	19.865	+ 0.771	.9276	----	----	----	----	7	UNCH
9175	----	----	21.793B/19.292A	21.793B/19.292A	----	20.106	+ 0.773	.9291	----	----	----	----	19	UNCH
9200	----	----	22.032B/19.531A	22.032B/19.531A	----	20.347	+ 0.775	.9308	----	----	----	----	7	UNCH
9225	----	----	22.277B/19.770A	22.277B/19.770A	----	20.589	+ 0.778	.9324	----	----	----	----	7	UNCH
9250	----	----	22.501B/20.013A	22.501B/20.013A	----	20.830	+ 0.779	.9339	----	----	----	----	2	UNCH
9275	----	----	22.744B/20.253A	22.744B/20.253A	----	21.072	+ 0.781	.9353	----	----	----	----	1	UNCH
9300	----	----	23.002B/20.493A	23.002B/20.493A	----	21.315	+ 0.784	.9368	----	----	----	----	6	UNCH
9375	----	----	23.734B/21.217A	23.734B/21.217A	----	22.042	+ 0.787	.9410	----	----	----	----	10	UNCH
9400	----	----	23.975B/21.461A	23.975B/21.461A	----	22.285	+ 0.789	.9422	----	----	----	----	6	UNCH
9450	----	----	24.454B/21.947A	24.454B/21.947A	----	22.772	+ 0.792	.9449	----	----	----	----	3	UNCH
9475	----	----	24.698B/22.190A	24.698B/22.190A	----	23.015	+ 0.792	.9460	----	----	----	----	4	UNCH
9500	----	----	25.083B/22.303A	25.083B/22.303A	----	23.258	+ 0.793	.9473	----	----	----	----	110	UNCH
9525	----	----	25.188B/22.677A	25.188B/22.677A	----	23.502	+ 0.794	.9485	----	----	----	----	1	UNCH
9550	----	----	25.432B/22.921A	25.432B/22.921A	----	23.746	+ 0.795	.9496	----	----	----	----	3	UNCH
9575	----	----	25.678B/23.164A	25.678B/23.164A	----	23.989	+ 0.794	.9508	----	----	----	----	1	UNCH
9600	----	----	25.994B/23.342A	25.994B/23.342A	----	24.234	+ 0.796	.9518	----	----	----	----	26	UNCH
9650	----	----	26.422B/23.897A	26.422B/23.897A	----	24.722	+ 0.796	.9539	----	----	----	----	11	UNCH
9675	----	----	26.659B/24.141A	26.659B/24.141A	----	24.967	+ 0.797	.9549	----	----	----	----	2	UNCH
9700	----	----	27.045B/24.255A	27.045B/24.255A	----	25.212	+ 0.798	.9558	----	----	----	----	182	UNCH
9725	----	----	27.150B/24.631A	27.150B/24.631A	----	25.457	+ 0.799	.9568	----	----	----	----	1	UNCH
9750	----	----	27.396B/24.876A	27.396B/24.876A	----	25.703	+ 0.800	.9576	----	----	----	----	3	UNCH
9775	----	----	27.643B/25.121A	27.643B/25.121A	----	25.948	+ 0.801	.9584	----	----	----	----	3	UNCH
9800	----	----	27.898B/25.364A	27.898B/25.364A	----	26.194	+ 0.802	.9592	----	----	----	----	7	UNCH
9825	----	----	28.135B/25.611A	28.135B/25.611A	----	26.440	+ 0.803	.9600	----	----	----	----	2	UNCH
9850	----	----	28.521B/25.725A	28.521B/25.725A	----	26.686	+ 0.804	.9608	----	----	----	----	179	UNCH
9900	----	----	28.884B/26.347A	28.884B/26.347A	----	27.179	+ 0.806	.9621	----	----	----	----	8	UNCH
10000	----	----	30.001B/27.198A	30.001B/27.198A	----	28.166	+ 0.811	.9647	----	----	----	----	133	UNCH
10050	----	----	30.354B/27.821A	30.354B/27.821A	----	28.660	+ 0.814	.9658	----	----	----	----	2	UNCH
10100	----	----	30.848B/28.313A	30.848B/28.313A	----	29.155	+ 0.816	.9670	----	----	----	----	2	UNCH
10225	----	----	32.084B/29.544A	32.084B/29.544A	----	30.391	+ 0.821	.9695	----	----	----	----	2	UNCH
10250	----	----	32.331B/29.791A	32.331B/29.791A	----	30.639	+ 0.822	.9700	----	----	----	----	4	UNCH
10300	----	----	32.827B/30.284A	32.827B/30.284A	----	31.133	+ 0.823	.9709	----	----	----	----	4	UNCH
10325	----	----	33.074B/30.531A	33.074B/30.531A	----	31.381	+ 0.824	.9715	----	----	----	----	1	UNCH
10350	----	----	33.321B/30.778A	33.321B/30.778A	----	31.629	+ 0.825	.9719	----	----	----	----	1	UNCH
10400	----	----	33.817B/31.272A	33.817B/31.272A	----	32.124	+ 0.827	.9727	----	----	----	----	2	UNCH
10450	----	----	34.312B/31.766A	34.312B/31.766A	----	32.619	+ 0.828	.9737	----	----	----	----	2	UNCH
10475	----	----	34.560B/32.013A	34.560B/32.013A	----	32.867	+ 0.828	.9741	----	----	----	----	1	UNCH
10500	----	----	34.816B/32.260A	34.816B/32.260A	----	33.115	+ 0.829	.9745	----	----	----	----	10	UNCH
10505	----	----	34.857B/32.310A	34.857B/32.310A	----	33.164	+ 0.829	.9745	----	----	----	----	1	UNCH
10510	----	----	34.907B/32.359A	34.907B/32.359A	----	33.214	+ 0.829	.9747	----	----	----	----	1	UNCH
10545	----	----	35.254B/32.705A	35.254B/32.705A	----	33.561	+ 0.830	.9752	----	----	----	----	1	UNCH
10550	----	----	35.312B/32.755A	35.312B/32.755A	----	33.610	+ 0.830	.9753	----	----	----	----	22	UNCH
10585	----	----	35.651B/33.101A	35.651B/33.101A	----	33.957	+ 0.830	.9758	----	----	----	----	1	UNCH
10590	----	----	35.700B/33.151A	35.700B/33.151A	----	34.007	+ 0.831	.9759	----	----	----	----	1	UNCH
10595	----	----	35.750B/33.200A	35.750B/33.200A	----	34.057	+ 0.831	.9760	----	----	----	----	3	UNCH
10600	----	----	35.799B/33.250A	35.799B/33.250A	----	34.106	+ 0.831	.9760	----	----	----	----	5	UNCH
10670	----	----	36.494B/33.943A	36.494B/33.943A	----	34.801	+ 0.833	.9770	----	----	----	----	3	UNCH
10675	----	----	36.543B/33.992A	36.543B/33.992A	----	34.850	+ 0.832	.9772	----	----	----	----	1	UNCH
10700	----	----	36.800B/34.239A	36.800B/34.239A	----	35.098	+ 0.833	.9776	----	----	----	----	9	UNCH
10800	----	----	37.784B/35.231A	37.784B/35.231A	----	36.091	+ 0.835	.9789	----	----	----	----	1	UNCH
10820	----	----	37.983B/35.429A	37.983B/35.429A	----	36.289	+ 0.835	.9791	----	----	----	----	1	UNCH
10825	----	----	38.032B/35.479A	38.032B/35.479A	----	36.339	+ 0.835	.9792	----	----	----	----	1	UNCH
10835	----	----	38.131B/35.578A	38.131B/35.578A	----	36.438	+ 0.835	.9793	----	----	----	----	2	UNCH
10845	----	----	38.231B/35.677A	38.231B/35.677A	----	36.538	+ 0.836	.9795	----	----	----	----	1	UNCH
10875	----	----	38.529B/35.975A	38.529B/35.975A	----	36.835	+ 0.835	.9799	----	----	----	----	2	UNCH
10900	----	----	38.778B/36.223A	38.778B/36.223A	----	37.084	+ 0.836	.9801	----	----	----	----	1	UNCH
10950	----	----	39.274B/36.719A	39.274B/36.719A	----	37.580	+ 0.836	.9807	----	----	----	----	1	UNCH
10975	----	----	39.523B/36.967A	39.523B/36.967A	----	37.829	+ 0.837	.9811	----	----	----	----	3	UNCH
11000	----	----	39.911B/37.084A	39.911B/37.084A	----	38.077	+ 0.837	.9814	----	----	----	----	60	UNCH
11025	----	----	40.020B/37.464A	40.020B/37.464A	----	38.326	+ 0.838	.9816	----	----	----	----	1	UNCH
11075	----	----	40.517B/37.960A	40.517B/37.960A	----	38.823	+ 0.838	.9822	----	----	----	----	1	UNCH
11100	----	----	40.766B/38.209A	40.766B/38.209A	----	39.071	+ 0.838	.9824	----	----	----	----	1	UNCH
11125	----	----	41.015B/38.457A	41.015B/38.457A	----	39.320	+ 0.839	.9828	----	----	----	----	1	UNCH
11175	----	----	41.512B/38.954A	41.512B/38.954A	----	39.817	+ 0.839	.9832	----	----	----	----	1	UNCH
11200	----	----	41.761B/39.202A	41.761B/39.202A	----	40.066	+ 0.840	.9835	----	----	----	----	4	UNCH
11225	----	----	42.010B/39.451A	42.010B/39.451A	----	40.314	+ 0.839	.9837	----	----	----	----	3	UNCH
11250	----	----	42.259B/39.699A	42.259B/39.699A	----	40.563	+ 0.840	.9839	----	----	1	----	1	UNCH
11500	----	----	44.887B/42.055A	44.887B/42.055A	----	43.052	+ 0.842	.9862	----	----	----	----	78	UNCH
11550	----	----	45.246B/42.684A	45.246B/42.684A	----	43.549	+ 0.842	.9865	----	----	----	----	1	UNCH
11650	----	----	46.242B/43.680A	46.242B/43.680A	----	44.546	+ 0.844	.9873	----	----	----	----	1	UNCH
11800	----	----	47.738B/45.174A	47.738B/45.174A	----	46.041	+ 0.845	.9882	----	----	----	----	1	UNCH
11875	----	----	48.485B/45.922A	48.485B/45.922A	----	46.788	+ 0.845	.9886	----	----	----	----	1	UNCH
12250	----	----	52.225B/49.662A	52.225B/49.662A	----	50.529	+ 0.848	.9906	----	----	----	----	3	UNCH
12300	----	----	52.724B/50.161A	52.724B/50.161A	----	51.028	+ 0.849	.9908	----	----	----	----	1	UNCH
12500	----	----	54.730B/52.157A	54.730B/52.157A	----	53.024	+ 0.850	.9916	----	----	----	----	20	UNCH
12700	----	----	56.717B/54.153A	56.717B/54.153A	----	55.021	+ 0.852	.9923	----	----	----	----	1	UNCH
13000	----	----	59.714B/57.150A	59.714B/57.150A	----	58.018	+ 0.854	.9932	----	----	----	----	1	UNCH
TOTAL											742	80	19142 +	59
JUN26														
2100	----	----	----	----/0.041A	----	0.011	+ 0.003	.0010	----	----	----	----	1	UNCH
2350	----	----	----	0.017B/0.046A	----	0.026	+ 0.005	.0022	----	----	----	----	2	UNCH
2500	----	----	----	0.022B/0.058A	----	0.040	+ 0.008	.0034	----	----	----	----	141	UNCH
2650	----	----	----	0.001B/0.123A	----	0.049	+ 0.008	.0042	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
3000	----	----	----	0.054B/0.075A	----	0.075 + 0.009	.0067	----	----	----	----	245 UNCH
3075	----	----	----	0.001B/0.159A	----	0.082 + 0.010	.0074	----	----	----	----	4 UNCH
3100	----	----	----	0.070B/0.161A	----	0.084 + 0.010	.0076	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.167A	----	0.089 + 0.010	.0081	----	----	----	----	8 UNCH
3200	----	----	----	0.073B/0.167A	----	0.094 + 0.010	.0086	----	----	----	----	4 UNCH
3325	----	----	----	0.028B/0.184A	----	0.108 + 0.011	.0100	----	----	----	----	2 UNCH
3350	----	----	----	0.035B/0.186A	----	0.111 + 0.011	.0103	----	----	----	----	1 UNCH
3400	----	----	----	0.042B/0.191A	----	0.117 + 0.012	.0109	----	----	----	----	12 UNCH
3500	----	----	----	0.060B/0.205A	----	0.131 + 0.013	.0123	----	----	----	----	100 UNCH
3550	----	----	----	0.066B/0.212A	----	0.138 + 0.014	.0130	----	----	----	----	5 UNCH
3575	----	----	----	0.069B/0.214A	----	0.142 + 0.014	.0134	----	----	----	----	22 UNCH
3600	----	----	----	0.076B/0.218A	----	0.146 + 0.015	.0138	----	----	----	----	4 UNCH
3650	----	----	----	0.086B/0.228A	----	0.154 + 0.016	.0146	----	----	----	----	22 UNCH
3675	----	----	----	0.090B/0.232A	----	0.158 + 0.016	.0150	----	----	----	----	2 UNCH
3700	----	----	----	0.096B/0.232A	----	0.163 + 0.017	.0155	----	----	----	----	6 UNCH
3800	----	----	----	0.117B/0.249A	----	0.181 + 0.019	.0174	----	----	----	----	14 UNCH
3850	----	----	----	0.127B/0.261A	----	0.191 + 0.021	.0184	----	----	----	----	2 UNCH
3900	----	----	----	0.140B/0.268A	----	0.201 + 0.022	.0195	----	----	1	----	6 + 1
3925	----	----	----	0.145B/0.247A	----	0.207 + 0.023	.0201	----	----	----	----	3 UNCH
4000	----	----	----	0.180B/0.270A	----	0.224 + 0.025	.0218	----	----	----	----	53 UNCH
4075	----	----	----	0.185B/0.308A	----	0.243 + 0.028	.0238	----	----	----	----	1 UNCH
4100	----	----	----	0.195B/0.314A	----	0.249 + 0.029	.0244	----	----	----	----	2 UNCH
4125	----	----	----	0.204B/0.320A	----	0.256 + 0.030	.0251	----	----	----	----	5 UNCH
4150	----	----	----	0.211B/0.326A	----	0.263 + 0.031	.0258	----	----	1	----	4 UNCH
4200	----	----	----	0.224B/0.340A	----	0.278 + 0.034	.0274	----	----	3	----	26 UNCH
4225	----	----	----	0.235B/0.346A	----	0.285 + 0.034	.0281	----	----	----	----	7 UNCH
4250	----	----	----	0.247B/0.354A	----	0.293 + 0.036	.0289	----	----	----	----	5 UNCH
4275	----	----	----	0.255B/0.361A	----	0.301 + 0.037	.0298	----	----	----	----	13 UNCH
4300	----	----	----	0.265B/0.369A	----	0.309 + 0.038	.0306	----	----	4	----	7 + 2
4350	----	----	----	0.285B/0.385A	----	0.326 + 0.040	.0323	----	----	----	----	2 UNCH
4375	----	----	0.294B/----	0.294B/0.393A	----	0.334 + 0.041	.0332	----	----	2	----	3 + 2
4400	----	----	0.305B/----	0.305B/0.402A	----	0.343 + 0.042	.0341	----	----	----	----	8 UNCH
4425	----	----	0.316B/----	0.316B/0.410A	----	0.353 + 0.044	.0351	----	----	----	----	1 UNCH
4500	----	----	0.356B/----	0.356B/0.420A	----	0.382 + 0.048	.0381	----	----	1	----	166 UNCH
4550	----	----	0.382B/----	0.382B/0.457A	----	0.403 + 0.050	.0403	----	----	----	----	2 UNCH
4600	----	----	0.406B/----	0.406B/0.482A	----	0.425 + 0.053	.0425	----	----	----	----	7 UNCH
4625	----	----	0.425B/----	0.425B/0.493A	----	0.436 + 0.054	.0437	----	----	----	----	12 UNCH
4650	----	----	0.440B/----	0.440B/0.506A	----	0.448 + 0.055	.0449	----	----	----	----	1 UNCH
4700	----	----	0.472B/----	0.472B/0.529A	----	0.473 + 0.059	.0474	----	----	----	----	3 UNCH
4725	----	----	0.504B/----	0.504B/0.521A	----	0.485 + 0.059	.0487	----	----	----	----	10 UNCH
4750	----	----	0.526B/----	0.526B/0.540A	----	0.498 + 0.060	.0500	----	----	----	----	2 UNCH
4800	----	----	0.580B/----	0.580B/0.536A	----	0.526 + 0.064	.0528	----	----	----	----	23 UNCH
4850	----	----	0.623B/----	0.623B/0.598A	----	0.554 + 0.065	.0557	----	----	----	----	3 UNCH
4875	----	----	0.641B/----	0.641B/0.589A	----	0.569 + 0.067	.0572	----	----	----	----	15 UNCH
4900	----	----	0.667B/----	0.667B/0.587A	----	0.584 + 0.068	.0587	----	----	----	----	177 UNCH
5000	0.600	0.600	0.756B/0.600	0.756B/0.590A	----	0.650 + 0.072	.0653	----	----	1	----	1007 UNCH
5025	----	----	0.775B/----	0.775B/0.644A	----	0.667 + 0.072	.0670	----	----	----	----	8 UNCH
5075	----	----	0.828B/----	0.828B/0.669A	----	0.704 + 0.075	.0707	----	----	----	----	2 UNCH
5100	----	----	0.857B/----	0.857B/0.687A	----	0.722 + 0.074	.0725	----	----	----	----	29 UNCH
5125	----	----	0.884B/----	0.884B/0.705A	----	0.742 + 0.076	.0744	----	----	----	----	1 UNCH
5150	----	----	0.910B/----	0.910B/0.724A	----	0.762 + 0.076	.0764	----	----	----	----	16 UNCH
5175	----	----	0.939B/----	0.939B/0.743A	----	0.782 + 0.076	.0784	----	----	----	----	12 UNCH
5200	0.850	0.850	0.968B/0.763A	0.968B/0.763A	----	0.803 NEW	.0805	----	----	2	----	2 + 2
5225	0.799	0.799	0.962B/0.784A	0.962B/0.784A	----	0.825 NEW	.0826	----	----	1	----	1 + 1
5250	0.823	0.823	1.024B/0.805A	1.024B/0.805A	----	0.848 + 0.078	.0848	----	----	1	----	13 UNCH
5275	----	----	1.041B/----	1.041B/0.827A	----	0.871 + 0.079	.0870	----	----	----	----	23 UNCH
5300	----	----	1.084B/----	1.084B/0.846A	----	0.894 + 0.078	.0893	----	----	----	----	14 UNCH
5325	----	----	1.103B/----	1.103B/0.872A	----	0.919 + 0.079	.0917	----	----	----	----	10 UNCH
5350	1.000	1.000	1.125B/0.895A	1.125B/0.895A	----	0.944 + 0.080	.0940	----	----	5	----	13 + 5
5375	----	----	1.160B/----	1.160B/0.920A	----	0.970 + 0.080	.0965	----	----	----	----	10 UNCH
5400	----	----	1.214B/----	1.214B/0.945A	----	0.996 + 0.080	.0990	----	----	----	----	14 UNCH
5425	----	----	1.241B/----	1.241B/0.969A	----	1.024 + 0.081	.1016	----	----	----	----	4 UNCH
5450	----	----	1.286B/----	1.286B/0.997A	----	1.052 + 0.082	.1042	----	----	----	----	2 UNCH
5475	----	----	1.324B/----	1.324B/1.023A	----	1.081 + 0.082	.1069	----	----	----	----	13 UNCH
5500	1.279	1.279	1.357B/1.052A	1.357B/1.052A	----	1.111 + 0.083	.1097	----	----	1	----	300 - 1
5525	----	----	1.393B/----	1.393B/1.079A	----	1.142 + 0.084	.1125	----	----	----	----	16 UNCH
5550	----	----	1.450B/----	1.450B/1.110A	----	1.174 + 0.085	.1154	----	----	----	----	10 UNCH
5600	----	----	1.522B/----	1.522B/1.170A	----	1.241 + 0.087	.1215	----	----	----	----	18 UNCH
5625	----	----	1.550B/----	1.550B/1.200A	----	1.275 + 0.087	.1246	----	----	----	----	2 UNCH
5650	----	----	1.567B/----	1.567B/1.233A	----	1.311 + 0.089	.1277	----	----	----	----	51 UNCH
5675	----	----	1.627B/----	1.627B/1.267A	----	1.349 + 0.091	.1310	----	----	----	----	21 UNCH
5700	1.612	1.612	1.733B/1.304A	1.733B/1.304A	----	1.387 + 0.093	.1344	----	----	3	----	223 UNCH
5750	----	----	1.834B/----	1.834B/1.378A	----	1.467 + 0.097	.1413	----	----	----	----	227 UNCH
5775	----	----	1.877B/----	1.877B/1.412A	----	1.508 + 0.098	.1448	----	----	----	----	9 UNCH
5800	----	----	1.934B/----	1.934B/1.452A	----	1.551 + 0.101	.1484	----	----	2	----	84 - 1
5825	----	----	1.981B/----	1.981B/1.494A	----	1.595 + 0.103	.1521	----	----	----	----	9 UNCH
5850	----	----	2.035B/1.534A	2.035B/1.534A	----	1.640 + 0.105	.1559	----	----	5	----	16 + 5
5875	----	----	2.092B/1.576A	2.092B/1.576A	----	1.687 + 0.108	.1597	----	----	----	----	12 UNCH
5900	2.152	2.152	2.157B/1.620A	2.157B/1.620A	----	1.734 + 0.110	.1636	----	----	13	----	48 + 8
5925	----	----	2.212B/1.661A	2.212B/1.661A	----	1.783 + 0.113	.1676	----	----	10	----	21 + 10
5950	----	----	2.266B/1.705A	2.266B/1.705A	----	1.834 + 0.117	.1717	----	----	5	----	16 + 5
5975	----	----	2.329B/1.758A	2.329B/1.758A	----	1.885 + 0.120	.1758	----	----	----	----	1 UNCH
6000	1.815	1.815	2.406B/1.780A	2.406B/1.780A	----	1.938 + 0.123	.1800	----	----	12	----	732 - 4
6025	----	----	2.456B/1.840A	2.456B/1.840A	----	1.992 + 0.126	.1842	----	----	----	----	31 UNCH
6050	----	----	2.542B/1.876A	2.542B/1.876A	----	2.048 + 0.130	.1886	----	----	----	----	144 UNCH
6075	----	----	2.604B/1.940A	2.604B/1.940A	----	2.105 + 0.133	.1930	----	----	----	----	31 UNCH
6100	2.466	2.466	2.680B/1.978A	2.680B/1.978A	----	2.163 + 0.137	.1974	----	----	2	----	77 + 2
6125	----	----	2.733B/2.055A	2.733B/2.055A	----	2.223 + 0.140	.2020	----	----	----	----	3 UNCH
6150	----	----	2.807B/2.109A	2.807B/2.109A	----	2.284 + 0.144	.2066	----	----	----	----	5 UNCH
6175	----	----	2.900B/2.140A	2.900B/2.140A	----	2.346 + 0.147	.2112	----	----	----	----	291 UNCH
6200	2.767	2.767	2.975B/2.196A	2.975B/2.196A	----	2.410 + 0.151	.2160	----	----	1	----	154 UNCH
6225	----	----	3.035B/2.279A	3.035B/2.279A	----	2.475 + 0.155	.2207	----	----	----	----	2 UNCH
6250	----	----	3.132B/2.313A	3.132B/2.313A	----	2.542 + 0.159	.2256	----	----	----	----	89 UNCH
6275	----	----	3.195B/2.399A	3.195B/2.399A	----	2.610 + 0.162	.2305	----	----	----	----	2 UNCH
6300	----	----	3.293B/2.437A	3.293B/2.437A	----	2.680 + 0.166	.2355	----	----	----	----	115 UNCH
6325	----	----	3.361B/2.525A	3.361B/2.525A	----	2.751 + 0.170	.2405	----	----	----	----	6 UNCH
6350	----	----	3.458B/2.577A	3.458B/2.577A	----	2.824 + 0.174	.2456	----	----	----	----	27 UNCH
6375	----	----	3.548B/2.630A	3.548B/2.630A	----	2.898 + 0.178	.2508	----	----	----	----	101 UNCH
6400	3.637	3.637	3.637/2.697A	3.637/2.697A	----	2.973 + 0.181	.2559	----	----	3	----	75 UNCH
6425	----	----	3.724B/2.780A	3.724B/2.780A	----	3.050 + 0.185	.2612	----	----	2	----	47 UNCH
6450	----	----	3.771B/2.863A	3.771B/2.863A	----	3.129 + 0.189	.2665	----	----	----	----	9 UNCH
6475	----	----	3.901B/2.936A	3.901B/2.936A	----	3.209 + 0.193	.2719	----	----	----	----	2 UNCH
6500	4.008	4.008	4.008/2.983A	4.008/2.983A	----	3.291 + 0.196	.2773	----	----	5	----	196 UNCH
6525	----	----	4.069B/3.073A	4.069B/3.073A	----	3.374 + 0.200	.2827	----	----	----	----	35 UNCH
6550	----	----	4.187B/3.162A	4.187B/3.162A	----	3.459 + 0.204	.2882	----	----	----	----	6 UNCH
6575	----	----	4.294B/3.241A	4.294B/3.241A	----	3.546 + 0.208	.2938	----	----	----	----	2 UNCH
6600	4.178	4.178	4.407B/3.296A	4.407B/3.296A	----	3.634 + 0.211	.2994	----	----	3	----	140 + 1
6625	----	----	4.484B/3.404A	4.484B/3.404A	----	3.724 + 0.215	.3050	----	----	----	----	9 UNCH
6650	----	----	4.602B/3.487A	4.602B/3.487A	----	3.816 + 0.219	.3107	----	----	----	----	11 UNCH
6675	----	----	4.714B/3.573A	4.714B/3.573A	----	3.909 + 0.223	.3164	----	----	----	----	4 UNCH
6700	----	----	4.835B/3.633A	4.835B/3.633A	----	4.004 + 0.227	.3222	----	----	----	----	52 UNCH
6725	----	----	4.930B/3.737A	4.930B/3.737A	----	4.101 + 0.231	.3280	----	----	----	----	26 UNCH
6750	----	----	5.050B/3.840A	5.050B/3.840A	----	4.199 + 0.234	.3338	----	----	----	----	20 UNCH
6775	----	----	5.164B/3.931A	5.164B/3.931A	----	4.299 + 0.238	.3397	----	----	----	----	2 UNCH
6800	----	----	5.279B/4.028A	5.279B/4.028A	----	4.401 + 0.242	.3456	----	----	----	----	21 UNCH
6825	----	----	5.397B/4.125A	5.397B/4.125A	----	4.505 + 0.246	.3515	----	----	----	----	2 UNCH
6850	----	----	5.516B/4.222A	5.516B/4.222A	----	4.610 + 0.250	.3575	----	----	----	----	16 UNCH
6875	----	----	5.637B/4.319A	5.637B/4.319A	----	4.717 + 0.254	.3635	----	----	1	----	2 + 1
6900	5.511	5.511	5.772B/4.394A	5.772B/4.394A	----	4.826 + 0.258	.3695	----	----	2	----	89 + 2
6925	----	----	5.886B/4.526A	5.886B/4.526A	----	4.937 + 0.262	.3755	----	----	----	----	9 UNCH
6950	----	----	6.011B/4.631A	6.011B/4.631A	----	5.049 + 0.266	.3816	----	----	----	----	5 UNCH
6975	----	----	6.140B/4.738A	6.140B/4.738A	----	5.164 + 0.271	.3876	----	----	----	----	7 UNCH
7000	6.554	6.554	6.554/4.823A	6.554/4.823A	----	5.280 + 0.275	.3937	----	----	2	----	497 + 1
7025	----	----	6.360B/4.961A	6.360B/4.961A	----	5.397 + 0.279	.3998	----	----	----	----	4 UNCH
7050	----	----	6.450B/5.143A	6.450B/5.143A	----	5.517 + 0.283	.4059	----	----	----	----	20 UNCH
7075	----	----	6.626B/5.237A	6.626B/5.237A	----	5.638 + 0.287	.4120	----	----	----	----	41 UNCH
7100	----	----	6.717B/5.365A	6.717B/5.365A	----	5.762 + 0.292	.4181	----	----	----	----	18 UNCH
7125	----	----	6.860B/5.480A	6.860B/5.480A	----	5.887 + 0.297	.4242	----	----	----	----	3 UNCH
7150	----	----	7.051B/5.597A	7.051B/5.597A	----	6.014 + 0.302	.4303	----	----	----	----	27 UNCH
7175	----	----	7.185B/5.739A	7.185B/5.739A	----	6.142 + 0.306	.4364	----	----	----	----	36 UNCH
7200	----	----	7.307B/5.833A	7.307B/5.833A	----	6.273 + 0.311	.4426	----	----	----	----	231 UNCH
7225	----	----	7.443B/5.958A	7.443B/5.958A	----	6.405 + 0.315	.4487	----	----	----	----	6 UNCH
7250	----	----	7.530B/6.111A	7.530B/6.111A	----	6.539 + 0.320	.4548	----	----	----	----	13 UNCH
7275	----	----	7.754B/6.240A	7.754B/6.240A	----	6.675 + 0.325	.4608	----	----	----	----	3 UNCH
7300	----	----	7.888B/6.369A	7.888B/6.369A	----	6.813 + 0.331	.4669	----	----	----	----	75 UNCH
7325	----	----	8.063B/6.510A	8.063B/6.510A	----	6.952 + 0.335	.4730	----	----	----	----	1 UNCH
7350	7.575	7.575	8.203B/6.629A	8.203B/6.629A	----	7.094 + 0.341	.4790	----	----	1	----	3 + 1
7375	----	----	8.365B/6.746A	8.365B/6.746A	----	7.237 + 0.346	.4850	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7400	----	----	8.514B/6.917A	8.514B/6.917A	----	7.382 + 0.352	.4910	----	----	----	----	48 UNCH
7425	----	----	8.683B/7.053A	8.683B/7.053A	----	7.528 + 0.357	.4969	----	----	----	----	2 UNCH
7450	----	----	8.851B/7.182A	8.851B/7.182A	----	7.676 + 0.362	.5029	----	----	----	----	2 UNCH
7475	----	----	8.910B/7.300A	8.910B/7.300A	----	7.826 + 0.368	.5088	----	----	----	----	4 UNCH
7500	----	----	9.093B/7.489A	9.093B/7.489A	----	7.978 + 0.374	.5147	----	----	----	----	343 UNCH
7525	----	----	9.165B/7.674A	9.165B/7.674A	----	8.132 + 0.380	.5205	----	----	----	----	3 UNCH
7550	----	----	9.448B/7.783A	9.448B/7.783A	----	8.287 + 0.386	.5263	----	----	----	----	7 UNCH
7575	----	----	9.614B/7.952A	9.614B/7.952A	----	8.443 + 0.391	.5321	----	----	----	----	10 UNCH
7600	----	----	9.772B/8.064A	9.772B/8.064A	----	8.602 + 0.397	.5378	----	----	----	----	80 UNCH
7625	----	----	9.844B/8.203A	9.844B/8.203A	----	8.762 + 0.403	.5435	----	----	----	----	3 UNCH
7650	----	----	10.002B/8.420A	10.002B/8.420A	----	8.923 + 0.408	.5492	----	----	----	----	3 UNCH
7675	----	----	10.178B/8.565A	10.178B/8.565A	----	9.086 + 0.414	.5548	----	----	----	----	1 UNCH
7700	----	----	10.447B/8.727A	10.447B/8.727A	----	9.250 + 0.419	.5604	----	----	----	----	19 UNCH
7725	9.512	9.512	10.499B/8.814A	10.499B/8.814A	----	9.416 + 0.425	.5659	----	----	1	----	1 UNCH
7750	----	----	10.678B/9.073A	10.678B/9.073A	----	9.584 + 0.431	.5714	----	----	----	----	2 UNCH
7775	----	----	10.966B/9.186A	10.966B/9.186A	----	9.753 + 0.437	.5769	----	----	----	----	25 UNCH
7800	----	----	11.040B/9.429A	11.040B/9.429A	----	9.923 + 0.442	.5823	----	----	----	----	4 UNCH
7850	----	----	11.505B/9.681A	11.505B/9.681A	----	10.268 + 0.453	.5930	----	----	----	----	8 UNCH
7875	----	----	11.687B/9.852A	11.687B/9.852A	----	10.443 + 0.459	.5982	----	----	----	----	19 UNCH
7900	----	----	11.914B/10.006A	11.914B/10.006A	----	10.618 + 0.463	.6035	----	----	----	----	108 UNCH
7925	----	----	12.052B/10.195A	12.052B/10.195A	----	10.795 + 0.468	.6086	----	----	----	----	10 UNCH
7950	----	----	12.236B/10.368A	12.236B/10.368A	----	10.974 + 0.474	.6137	----	----	----	----	21 UNCH
8000	----	----	12.673B/10.693A	12.673B/10.693A	----	11.334 + 0.483	.6238	----	----	----	----	145 UNCH
8025	----	----	12.733B/10.953A	12.733B/10.953A	----	11.517 + 0.488	.6288	----	----	----	----	1 UNCH
8050	----	----	12.923B/11.141A	12.923B/11.141A	----	11.700 + 0.493	.6337	----	----	----	----	1 UNCH
8075	----	----	13.118B/11.318A	13.118B/11.318A	----	11.885 + 0.498	.6386	----	----	----	----	1 UNCH
8100	----	----	13.314B/11.496A	13.314B/11.496A	----	12.070 + 0.501	.6434	----	----	----	----	2 UNCH
8125	----	----	13.512B/11.676A	13.512B/11.676A	----	12.257 + 0.506	.6482	----	----	----	----	2 UNCH
8150	----	----	13.710B/11.857A	13.710B/11.857A	----	12.445 + 0.510	.6529	----	----	----	----	4 UNCH
8175	----	----	13.986B/11.991A	13.986B/11.991A	----	12.635 + 0.515	.6575	----	----	----	----	42 UNCH
8200	----	----	14.169B/12.188A	14.169B/12.188A	----	12.825 + 0.518	.6622	----	----	----	----	14 UNCH
8225	----	----	14.360B/12.377A	14.360B/12.377A	----	13.016 + 0.522	.6667	----	----	----	----	6 UNCH
8250	----	----	14.559B/12.567A	14.559B/12.567A	----	13.209 + 0.526	.6712	----	----	----	----	15 UNCH
8275	----	----	14.770B/12.759A	14.770B/12.759A	----	13.403 + 0.531	.6756	----	----	----	----	23 UNCH
8300	----	----	14.923B/12.971A	14.923B/12.971A	----	13.597 + 0.534	.6801	----	----	----	----	5 UNCH
8350	----	----	15.365B/13.341A	15.365B/13.341A	----	13.990 + 0.542	.6887	----	----	----	----	17 UNCH
8400	----	----	15.749B/13.738A	15.749B/13.738A	----	14.386 + 0.549	.6971	----	----	----	----	3 UNCH
8425	----	----	16.055B/13.835A	16.055B/13.835A	----	14.586 + 0.553	.7012	----	----	----	----	63 UNCH
8450	----	----	16.196B/14.128A	16.196B/14.128A	----	14.786 + 0.555	.7053	----	----	----	----	18 UNCH
8475	----	----	16.377B/14.325A	16.377B/14.325A	----	14.988 + 0.559	.7093	----	----	----	----	2 UNCH
8500	----	----	16.684B/14.425A	16.684B/14.425A	----	15.191 + 0.563	.7133	----	----	----	----	62 UNCH
8525	----	----	16.801B/14.721A	16.801B/14.721A	----	15.394 + 0.566	.7172	----	----	----	----	1 UNCH
8550	----	----	17.014B/14.921A	17.014B/14.921A	----	15.598 + 0.569	.7210	----	----	----	----	1 UNCH
8575	----	----	17.228B/15.125A	17.228B/15.125A	----	15.804 + 0.573	.7248	----	----	----	----	1 UNCH
8600	----	----	17.442B/15.327A	17.442B/15.327A	----	16.010 + 0.576	.7286	----	----	----	----	5 UNCH
8625	----	----	17.673B/15.511A	17.673B/15.511A	----	16.217 + 0.579	.7323	----	----	----	----	11 UNCH
8675	----	----	18.088B/15.936A	18.088B/15.936A	----	16.633 + 0.585	.7396	----	----	----	----	2 UNCH
8700	----	----	18.313B/16.123A	18.313B/16.123A	----	16.842 + 0.588	.7431	----	----	----	----	14 UNCH
8750	----	----	18.793B/16.488A	18.793B/16.488A	----	17.263 + 0.594	.7501	----	----	----	----	26 UNCH
8775	----	----	18.960B/16.761A	18.960B/16.761A	----	17.475 + 0.597	.7534	----	----	----	----	1 UNCH
8800	----	----	19.199B/16.951A	19.199B/16.951A	----	17.687 + 0.600	.7568	----	----	----	----	14 UNCH
8825	----	----	19.420B/17.160A	19.420B/17.160A	----	17.901 + 0.604	.7601	----	----	----	----	15 UNCH
8850	----	----	19.637B/17.370A	19.637B/17.370A	----	18.115 + 0.607	.7633	----	----	----	----	6 UNCH
8925	----	----	20.283B/18.023A	20.283B/18.023A	----	18.760 + 0.614	.7728	----	----	----	----	4 UNCH
8975	----	----	20.729B/18.450A	20.729B/18.450A	----	19.194 + 0.620	.7789	----	----	----	----	2 UNCH
9000	----	----	21.056B/18.553A	21.056B/18.553A	----	19.412 + 0.623	.7818	----	----	----	----	93 UNCH
9050	----	----	21.400B/19.095A	21.400B/19.095A	----	19.850 + 0.629	.7876	----	----	----	----	3 UNCH
9075	----	----	21.624B/19.311A	21.624B/19.311A	----	20.070 + 0.632	.7904	----	----	----	----	2 UNCH
9100	----	----	21.860B/19.509A	21.860B/19.509A	----	20.290 + 0.635	.7932	----	----	----	----	6 UNCH
9125	----	----	22.075B/19.746A	22.075B/19.746A	----	20.511 + 0.638	.7960	----	----	----	----	1 UNCH
9150	----	----	22.302B/19.964A	22.302B/19.964A	----	20.733 + 0.641	.7987	----	----	----	----	1 UNCH
9175	----	----	22.529B/20.182A	22.529B/20.182A	----	20.955 + 0.644	.8013	----	----	----	----	1 UNCH
9200	----	----	22.866B/20.292A	22.866B/20.292A	----	21.178 + 0.647	.8040	----	----	----	----	80 UNCH
9325	----	----	23.898B/21.506A	23.898B/21.506A	----	22.299 + 0.661	.8163	----	----	----	----	1 UNCH
9450	----	----	25.053B/22.603A	25.053B/22.603A	----	23.432 + 0.675	.8278	----	----	----	----	6 UNCH
9500	----	----	25.622B/22.963A	25.622B/22.963A	----	23.889 + 0.682	.8321	----	----	----	----	138 UNCH
9525	----	----	25.749B/23.299A	25.749B/23.299A	----	24.118 + 0.685	.8342	----	----	----	----	1 UNCH
9550	----	----	25.994B/23.525A	25.994B/23.525A	----	24.347 + 0.687	.8363	----	----	----	----	1 UNCH
9575	----	----	26.227B/23.751A	26.227B/23.751A	----	24.577 + 0.691	.8384	----	----	----	----	1 UNCH
9725	----	----	27.621B/25.118A	27.621B/25.118A	----	25.962 + 0.708	.8499	----	----	----	----	1 UNCH
9825	----	----	28.566B/26.036A	28.566B/26.036A	----	26.893 + 0.720	.8570	----	----	----	----	1 UNCH
9850	----	----	28.802B/26.266A	28.802B/26.266A	----	27.126 + 0.722	.8587	----	----	----	----	1 UNCH
9900	----	----	29.275B/26.707A	29.275B/26.707A	----	27.594 + 0.728	.8621	----	----	----	----	17 UNCH
9925	----	----	29.511B/26.959A	29.511B/26.959A	----	27.828 + 0.730	.8637	----	----	----	----	1 UNCH
9950	----	----	29.747B/27.191A	29.747B/27.191A	----	28.062 + 0.732	.8653	----	----	----	----	1 UNCH
10000	----	----	30.326B/27.545A	30.326B/27.545A	----	28.532 + 0.737	.8685	----	----	----	----	97 UNCH
10025	----	----	30.461B/27.885A	30.461B/27.885A	----	28.767 + 0.740	.8700	----	----	----	----	2 UNCH
10075	----	----	30.936B/28.350A	30.936B/28.350A	----	29.238 + 0.744	.8731	----	----	----	----	1 UNCH
10100	----	----	31.179B/28.560A	31.179B/28.560A	----	29.473 + 0.745	.8745	----	----	----	----	6 UNCH
10125	----	----	31.413B/28.815A	31.413B/28.815A	----	29.709 + 0.747	.8760	----	----	----	----	1 UNCH
10150	----	----	31.654B/29.026A	31.654B/29.026A	----	29.945 + 0.749	.8775	----	----	----	----	8 UNCH
10175	----	----	31.891B/29.281A	31.891B/29.281A	----	30.182 + 0.751	.8789	----	----	----	----	2 UNCH
10200	----	----	32.230B/29.408A	32.230B/29.408A	----	30.418 + 0.753	.8803	----	----	----	----	117 UNCH
10225	----	----	32.369B/29.749A	32.369B/29.749A	----	30.655 + 0.754	.8817	----	----	----	----	1 UNCH
10325	----	----	33.328B/30.687A	33.328B/30.687A	----	31.603 + 0.759	.8871	----	----	----	----	1 UNCH
10350	----	----	33.567B/30.922A	33.567B/30.922A	----	31.841 + 0.760	.8883	----	----	----	----	1 UNCH
10375	----	----	33.805B/31.157A	33.805B/31.157A	----	32.079 + 0.762	.8896	----	----	----	----	1 UNCH
10400	----	----	34.048B/31.393A	34.048B/31.393A	----	32.316 + 0.762	.8909	----	----	----	----	1 UNCH
10500	----	----	35.009B/32.315A	35.009B/32.315A	----	33.270 + 0.765	.8958	----	----	----	----	9 UNCH
10600	----	----	35.971B/33.280A	35.971B/33.280A	----	34.226 + 0.766	.9005	----	----	----	----	5 UNCH
10825	----	----	38.151B/35.405A	38.151B/35.405A	----	36.385 + 0.771	.9100	----	----	----	----	6 UNCH
10850	----	----	38.394B/35.662A	38.394B/35.662A	----	36.626 + 0.772	.9110	----	----	----	----	4 UNCH
10875	----	----	38.638B/35.902A	38.638B/35.902A	----	36.866 + 0.772	.9120	----	----	----	----	2 UNCH
10950	----	----	39.366B/36.620A	39.366B/36.620A	----	37.590 + 0.776	.9148	----	----	----	----	3 UNCH
11000	----	----	39.853B/37.100A	39.853B/37.100A	----	38.072 + 0.777	.9166	----	----	1	----	3 + 1
11325	----	----	43.021B/40.237A	43.021B/40.237A	----	41.222 + 0.793	.9274	----	----	----	----	1 UNCH
11500	----	----	44.735B/41.909A	44.735B/41.909A	----	42.925 + 0.802	.9324	----	----	----	----	10 UNCH
11525	----	----	44.980B/42.170A	44.980B/42.170A	----	43.169 + 0.804	.9331	----	----	----	----	1 UNCH
11675	----	----	46.452B/43.628A	46.452B/43.628A	----	44.634 + 0.812	.9369	----	----	----	----	1 UNCH
11700	----	----	46.698B/43.871A	46.698B/43.871A	----	44.878 + 0.812	.9375	----	----	----	----	1 UNCH
12000	----	----	49.741B/46.707A	49.741B/46.707A	----	47.818 + 0.826	.9442	----	----	----	----	50 UNCH
12025	----	----	49.898B/47.049A	49.898B/47.049A	----	48.064 + 0.828	.9446	----	----	----	----	1 UNCH
13000	----	----	59.532B/56.631A	59.532B/56.631A	----	57.685 + 0.856	.9591	----	----	----	----	5 UNCH
TOTAL										97	0	8973 + 44
JUL26												
2000	----	----	----	0.018B/0.063A	----	0.042 + 0.001	.0030	----	----	----	----	6 UNCH
2400	----	----	----	0.001B/0.148A	----	0.075 + 0.005	.0055	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.183A	----	0.100 + 0.007	.0075	----	----	----	----	6 UNCH
3000	0.105	0.105	0.105/0.105	0.105/0.105	----	0.145 + 0.014	.0113	----	----	1	----	5 + 1
3350	----	----	----	0.121B/0.269A	----	0.204 + 0.024	.0164	----	----	----	----	1 UNCH
3400	----	----	----	0.137B/0.274A	----	0.215 + 0.026	.0173	----	----	----	----	55 UNCH
3475	----	----	----	0.155B/0.291A	----	0.231 + 0.029	.0188	----	----	----	----	5 UNCH
3500	----	----	----	0.160B/0.297A	----	0.236 + 0.029	.0192	----	----	----	----	3 UNCH
3600	----	----	----	0.186B/0.319A	----	0.260 + 0.033	.0213	----	----	----	----	12 UNCH
3700	----	----	----	0.214B/0.349A	----	0.287 + 0.038	.0237	----	----	----	----	92 UNCH
3800	----	----	----	0.248B/0.383A	----	0.316 + 0.042	.0262	----	----	----	----	25 UNCH
3825	----	----	----	0.257B/0.393A	----	0.324 + 0.044	.0269	----	----	----	----	8 UNCH
3850	----	----	----	0.266B/0.403A	----	0.332 + 0.045	.0276	----	----	----	----	3 UNCH
3900	----	----	----	0.286B/0.424A	----	0.349 + 0.047	.0291	----	----	----	----	11 UNCH
3950	----	----	----	0.306B/0.443A	----	0.367 + 0.050	.0307	----	----	----	----	1 UNCH
4000	----	----	----	0.327B/0.463A	----	0.386 + 0.052	.0323	----	----	----	----	70 UNCH
4075	----	----	0.364B/----	0.364B/0.494A	----	0.416 + 0.055	.0349	----	----	----	----	16 UNCH
4100	----	----	0.373B/----	0.373B/0.506A	----	0.427 + 0.057	.0358	----	----	----	----	6 UNCH
4175	----	----	0.413B/----	0.413B/0.539A	----	0.461 + 0.060	.0387	----	----	----	----	9 UNCH
4200	----	----	0.428B/----	0.428B/0.553A	----	0.473 + 0.061	.0397	----	----	----	----	27 UNCH
4225	----	----	0.442B/----	0.442B/0.566A	----	0.485 + 0.062	.0408	----	----	----	----	1 UNCH
4250	----	----	0.457B/----	0.457B/0.579A	----	0.498 + 0.064	.0419	----	----	----	----	21 UNCH
4300	----	----	0.492B/----	0.492B/0.606A	----	0.525 + 0.066	.0441	----	----	----	----	96 UNCH
4325	----	----	0.510B/----	0.510B/0.620A	----	0.538 + 0.067	.0452	----	----	----	----	17 UNCH
4375	----	----	0.543B/----	0.543B/0.649A	----	0.567 + 0.069	.0476	----	----	----	----	32 UNCH
4400	----	----	0.557B/----	0.557B/0.664A	----	0.582 + 0.070	.0489	----	----	----	----	28 UNCH
4450	----	----	0.598B/----	0.598B/0.695A	----	0.614 + 0.073	.0515	----	----	----	----	4 UNCH
4475	----	----	0.618B/----	0.618B/0.710A	----	0.630 + 0.074	.0528	----	----	----	----	16 UNCH
4500	0.598	0.598	0.638B/0.598	0.638B/0.598	----	0.647 + 0.075	.0542	----	----	2	----	304 + 1
4575	----	----	0.700B/----	0.700B/0.780A	----	0.700 + 0.079	.0585	----	----	----	----	75 UNCH
4600	----	----	0.722B/----	0.722B/0.798A	----	0.719 + 0.080	.0600	----	----	----	----	101 UNCH
4650	----	----	0.772B/----	0.772B/0.837A	----	0.758 + 0.082	.0631	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
JUL26														
4675	----	----	0.796B/----	0.796B/0.855A	----	0.779	+ 0.084	.0648	----	----	----	----	12	UNCH
4700	----	----	0.820B/----	0.820B/0.868A	----	0.800	+ 0.086	.0664	----	----	----	----	152	UNCH
4725	----	----	0.846B/----	0.846B/0.896A	----	0.821	+ 0.087	.0681	----	----	----	----	3	UNCH
4750	----	----	0.872B/----	0.872B/0.907A	----	0.844	+ 0.089	.0699	----	----	----	----	54	UNCH
4775	----	----	0.899B/----	0.899B/0.931A	----	0.866	+ 0.090	.0716	----	----	----	----	8	UNCH
4800	----	----	0.927B/----	0.927B/0.955A	----	0.890	+ 0.092	.0735	----	----	----	----	15	UNCH
4825	----	----	0.956B/----	0.956B/0.976A	----	0.914	+ 0.093	.0753	----	----	----	----	26	UNCH
4850	----	----	0.985B/----	0.985B/1.002A	----	0.939	+ 0.096	.0772	----	----	----	----	2	UNCH
4875	----	----	1.017B/----	1.017B/1.027A	----	0.964	+ 0.097	.0791	----	----	----	----	23	UNCH
4900	----	----	1.050B/----	1.050B/1.050A	----	0.990	+ 0.099	.0811	----	----	----	----	172	UNCH
5000	----	----	1.055B/----	1.055B/1.155A	----	1.102	+ 0.108	.0895	----	----	36	----	874	+ 36
5025	----	----	1.051B/----	1.051B/1.184A	----	1.131	+ 0.110	.0917	----	----	----	----	1	UNCH
5050	----	----	1.066B/----	1.066B/1.216A	----	1.162	+ 0.113	.0940	----	----	----	----	16	UNCH
5075	----	----	1.099B/----	1.099B/1.245A	----	1.193	+ 0.115	.0962	----	----	----	----	11	UNCH
5100	----	----	1.134B/----	1.134B/1.274A	----	1.225	+ 0.118	.0986	----	----	----	----	176	UNCH
5150	----	----	1.206B/----	1.206B/1.457A	----	1.292	+ 0.124	.1034	----	----	----	----	5	UNCH
5175	----	----	1.243B/----	1.243B/1.489A	----	1.327	+ 0.128	.1059	----	----	----	----	5	UNCH
5200	----	----	1.281B/----	1.281B/1.524A	----	1.362	+ 0.131	.1084	----	----	----	----	86	UNCH
5225	----	----	1.320B/----	1.320B/1.559A	----	1.399	+ 0.135	.1110	----	----	----	----	9	UNCH
5250	----	----	1.359B/----	1.359B/1.597A	----	1.436	+ 0.138	.1136	----	----	----	----	250	UNCH
5275	----	----	1.400B/----	1.400B/1.634A	----	1.474	+ 0.142	.1162	----	----	----	----	2	UNCH
5300	----	----	1.442B/----	1.442B/1.671A	----	1.513	+ 0.146	.1190	----	----	----	----	125	UNCH
5325	----	----	1.485B/----	1.485B/1.707A	----	1.553	+ 0.149	.1217	----	----	----	----	11	UNCH
5350	----	----	1.528B/----	1.528B/1.749A	----	1.594	+ 0.154	.1245	----	----	----	----	26	UNCH
5375	----	----	1.573B/----	1.573B/1.789A	----	1.636	+ 0.158	.1274	----	----	----	----	17	UNCH
5400	----	----	1.618B/----	1.618B/1.830A	----	1.679	+ 0.162	.1303	----	----	----	----	75	UNCH
5425	----	----	1.671B/----	1.671B/1.871A	----	1.723	+ 0.167	.1332	----	----	----	----	49	UNCH
5450	----	----	1.716B/----	1.716B/1.914A	----	1.768	+ 0.172	.1362	----	----	----	----	38	UNCH
5475	----	----	1.767B/----	1.767B/1.958A	----	1.814	+ 0.177	.1393	----	----	----	----	53	UNCH
5500	1.680	1.680	1.976B/1.680	1.976B/1.680	----	1.861	+ 0.181	.1424	----	----	2	----	887	UNCH
5525	----	----	1.813B/----	1.813B/2.018A	----	1.909	+ 0.186	.1455	----	----	----	----	72	UNCH
5550	----	----	1.920B/----	1.920B/2.045A	----	1.958	+ 0.191	.1487	----	----	----	----	13	UNCH
5575	----	----	2.018B/----	2.018B/2.078A	----	2.008	+ 0.196	.1519	----	----	----	----	3	UNCH
5600	----	----	2.045B/----	2.045B/2.086A	----	2.059	+ 0.202	.1552	----	----	----	----	13	UNCH
5625	----	----	2.113B/----	2.113B/2.124A	----	2.111	+ 0.207	.1585	----	----	----	----	3	UNCH
5650	----	----	2.218B/----	2.218B/2.289A	----	2.165	+ 0.213	.1619	----	----	----	----	29	UNCH
5675	----	----	2.296B/----	2.296B/2.338A	----	2.219	+ 0.218	.1653	----	----	----	----	45	UNCH
5700	----	----	2.392B/----	2.392B/2.332A	----	2.275	+ 0.224	.1687	----	----	----	----	297	UNCH
5725	----	----	2.372B/----	2.372B/2.440A	----	2.331	+ 0.229	.1722	----	----	----	----	3	UNCH
5750	----	----	2.513B/----	2.513B/2.356A	----	2.389	+ 0.235	.1758	----	----	----	----	52	UNCH
5775	----	----	2.502B/----	2.502B/2.513A	----	2.448	+ 0.241	.1794	----	----	----	----	2	UNCH
5800	----	----	2.540B/----	2.540B/2.567A	----	2.508	+ 0.246	.1830	----	----	----	----	21	UNCH
5825	----	----	2.637B/----	2.637B/2.622A	----	2.569	+ 0.252	.1867	----	----	----	----	2	UNCH
5850	2.750	2.750	2.792B/2.571A	2.792B/2.571A	----	2.632	+ 0.259	.1904	----	----	1	----	114	UNCH
5875	----	----	2.751B/----	2.751B/2.735A	----	2.695	+ 0.264	.1941	----	----	----	----	3	UNCH
5900	----	----	2.821B/----	2.821B/2.794A	----	2.760	+ 0.270	.1979	----	----	----	----	6	UNCH
5950	----	----	2.970B/----	2.970B/2.910A	----	2.893	+ 0.282	.2056	----	----	----	----	2	UNCH
5975	----	----	3.035B/----	3.035B/2.979A	----	2.961	+ 0.288	.2095	----	----	----	----	1	UNCH
6000	3.288	3.288	3.508/2.932A	3.508/2.932A	----	3.031	+ 0.294	.2135	----	----	66	----	583	- 6
6100	----	----	3.554B/----	3.554B/3.189A	----	3.321	+ 0.317	.2297	----	----	----	----	285	UNCH
6200	----	----	3.793B/----	3.793B/3.588A	----	3.631	+ 0.339	.2465	----	----	----	----	9	UNCH
6250	----	----	3.969B/----	3.969B/3.740A	----	3.794	+ 0.351	.2550	----	----	----	----	13	UNCH
6275	----	----	4.087B/----	4.087B/3.817A	----	3.877	+ 0.356	.2594	----	----	----	----	1	UNCH
6300	----	----	4.216B/----	4.216B/3.835A	----	3.961	+ 0.360	.2637	----	----	----	----	31	UNCH
6325	----	----	4.279B/----	4.279B/3.977A	----	4.047	+ 0.365	.2681	----	----	----	----	20	UNCH
6375	----	----	4.447B/----	4.447B/4.141A	----	4.221	+ 0.374	.2770	----	----	----	----	1	UNCH
6400	----	----	4.675B/----	4.675B/4.109A	----	4.311	+ 0.379	.2815	----	----	----	----	55	UNCH
6500	----	----	5.095B/----	5.095B/4.455A	----	4.680	+ 0.393	.2996	----	----	----	----	681	UNCH
6550	----	----	5.319B/----	5.319B/4.637A	----	4.872	+ 0.399	.3088	----	----	----	----	50	UNCH
6600	----	----	5.416B/----	5.416B/4.952A	----	5.069	+ 0.404	.3181	----	----	----	----	1	UNCH
6650	----	----	5.778B/----	5.778B/5.028A	----	5.271	+ 0.407	.3275	----	----	----	----	100	UNCH
6700	----	----	6.019B/----	6.019B/5.230A	----	5.478	+ 0.410	.3370	----	----	----	----	81	UNCH
6750	----	----	6.137B/----	6.137B/5.551A	----	5.690	+ 0.412	.3465	----	----	----	----	24	UNCH
6800	----	----	6.519B/----	6.519B/5.652A	----	5.907	+ 0.412	.3561	----	----	----	----	257	UNCH
6900	----	----	6.913B/----	6.913B/6.214A	----	6.358	+ 0.412	.3754	----	----	----	----	11	UNCH
7000	7.000	7.000	7.800/6.565A	7.800/6.565A	----	6.831	+ 0.410	.3949	----	----	21	----	497	- 20
7025	----	----	7.733B/----	7.733B/6.687A	----	6.953	+ 0.410	.3998	----	----	----	----	125	UNCH
7125	----	----	8.177B/----	8.177B/7.309A	----	7.454	+ 0.406	.4194	----	----	----	----	8	UNCH
7150	----	----	8.322B/----	8.322B/7.432A	----	7.583	+ 0.406	.4243	----	----	----	----	1	UNCH
7200	----	----	8.687B/----	8.687B/7.631A	----	7.845	+ 0.404	.4341	----	----	----	----	39	UNCH
7250	----	----	9.059B/----	9.059B/7.835A	----	8.113	+ 0.402	.4439	----	----	----	----	169	UNCH
7300	----	----	9.308B/----	9.308B/8.175A	----	8.387	+ 0.401	.4536	----	----	----	----	25	UNCH
7325	----	----	9.403B/----	9.403B/8.382A	----	8.527	+ 0.401	.4584	----	----	----	----	1	UNCH
7375	8.803	8.803	9.849B/8.532A	9.849B/8.532A	----	8.810	+ 0.400	.4681	----	----	2	----	149	UNCH
7400	----	----	9.891B/----	9.891B/8.798A	----	8.954	+ 0.401	.4729	----	----	----	----	21	UNCH
7450	----	----	10.208B/----	10.208B/9.096A	----	9.246	+ 0.401	.4825	----	----	----	----	1	UNCH
7500	----	----	10.612B/----	10.612B/9.317A	----	9.544	+ 0.402	.4920	----	----	----	----	37	UNCH
7525	----	----	10.713B/----	10.713B/9.537A	----	9.695	+ 0.402	.4967	----	----	----	----	2	UNCH
7550	----	----	10.881B/----	10.881B/9.688A	----	9.848	+ 0.403	.5014	----	----	----	----	7	UNCH
7600	----	----	11.229B/----	11.229B/9.983A	----	10.158	+ 0.406	.5107	----	----	----	----	4	UNCH
7625	----	----	11.394B/----	11.394B/10.150A	----	10.315	+ 0.407	.5154	----	----	----	----	1	UNCH
7700	----	----	11.916B/----	11.916B/10.607A	----	10.794	+ 0.412	.5291	----	----	----	----	1	UNCH
7800	----	----	12.623B/----	12.623B/11.256A	----	11.452	+ 0.420	.5470	----	----	----	----	2	UNCH
7850	----	----	12.983B/----	12.983B/11.586A	----	11.789	+ 0.425	.5558	----	----	----	----	1	UNCH
7900	----	----	13.347B/----	13.347B/11.902A	----	12.131	+ 0.430	.5644	----	----	----	----	8	UNCH
7975	----	----	13.899B/----	13.899B/12.418A	----	12.654	+ 0.439	.5771	----	----	----	----	5	UNCH
8000	----	----	14.210B/----	14.210B/12.461A	----	12.830	+ 0.442	.5813	----	----	----	----	291	UNCH
8100	----	----	14.901B/----	14.901B/13.218A	----	13.548	+ 0.455	.5976	----	----	----	----	25	UNCH
8125	----	----	15.029B/----	15.029B/13.459A	----	13.730	+ 0.459	.6016	----	----	----	----	4	UNCH
8250	----	----	16.056B/----	16.056B/14.290A	----	14.658	+ 0.477	.6210	----	----	----	----	46	UNCH
8300	----	----	16.510B/----	16.510B/14.594A	----	15.036	+ 0.485	.6285	----	----	----	----	120	UNCH
8375	----	----	16.980B/----	16.980B/15.274A	----	15.611	+ 0.497	.6394	----	----	----	----	1	UNCH
8400	----	----	17.179B/----	17.179B/15.460A	----	15.805	+ 0.502	.6430	----	----	----	----	7	UNCH
8500	----	----	18.110B/----	18.110B/16.092A	----	16.588	+ 0.518	.6569	----	----	----	----	53	UNCH
8600	----	----	18.928B/----	18.928B/16.863A	----	17.386	+ 0.536	.6702	----	----	----	----	56	UNCH
8700	----	----	19.635B/----	19.635B/17.772A	----	18.196	+ 0.554	.6829	----	----	----	----	4	UNCH
9000	----	----	22.311B/20.072A	22.311B/20.072A	----	20.697	+ 0.607	.7176	----	----	----	----	308	UNCH
9200	----	----	23.937B/----	23.937B/21.870A	----	22.413	+ 0.640	.7381	----	----	----	----	11	UNCH
9400	----	----	25.695B/----	25.695B/23.577A	----	24.161	+ 0.670	.7566	----	----	----	----	1	UNCH
9450	----	----	26.141B/----	26.141B/24.009A	----	24.603	+ 0.678	.7610	----	----	----	----	12	UNCH
9500	----	----	26.706B/24.317A	26.706B/24.317A	----	25.046	+ 0.684	.7652	----	----	----	----	218	UNCH
9600	----	----	27.606B/25.189A	27.606B/25.189A	----	25.937	+ 0.697	.7735	----	----	----	----	50	UNCH
9900	----	----	30.205B/----	30.205B/27.971A	----	28.643	+ 0.732	.7960	----	----	----	----	6	UNCH
9950	----	----	30.663B/----	30.663B/28.419A	----	29.097	+ 0.736	.7995	----	----	----	----	5	UNCH
10000	----	----	31.255B/28.744A	31.255B/28.744A	----	29.553	+ 0.741	.8029	----	----	----	----	205	UNCH
10275	----	----	33.698B/----	33.698B/31.361A	----	32.078	+ 0.765	.8204	----	----	----	----	7	UNCH
10500	----	----	35.761B/----	35.761B/33.423A	----	34.162	+ 0.779	.8334	----	----	----	----	3	UNCH
10600	----	----	36.730B/----	36.730B/34.346A	----	35.093	+ 0.785	.8388	----	----	----	----	9	UNCH
11000	----	----	40.599B/37.946A	40.599B/37.946A	----	38.846	+ 0.803	.8583	----	----	----	----	217	UNCH
11300	----	----	43.363B/----	43.363B/40.887A	----	41.685	+ 0.812	.8711	----	----	----	----	10	UNCH
11500	----	----	45.277B/----	45.277B/42.775A	----	43.588	+ 0.817	.8788	----	----	----	----	1	UNCH
12000	----	----	50.087B/47.537A	50.087B/47.537A	----	48.378	+ 0.825	.8957	----	----	----	----	15	UNCH
13000	----	----	59.809B/57.190A	59.809B/57.190A	----	58.065	+ 0.830	.9213	----	----	----	----	6	UNCH
TOTAL											131	0	9968	+ 12
AUG26														
3300	----	----	----	0.185B/0.356A	----	0.239	+ 0.024	.0179	----	----	----	----	2	UNCH
3900	----	----	----	0.430B/0.585A	----	0.502	+ 0.060	.0367	----	----	----	----	2	UNCH
4175	----	----	0.615B/----	0.615B/0.744A	----	0.667	+ 0.084	.0485	----	----	----	----	1	UNCH
4300	----	----	0.722B/----	0.722B/0.832A	----	0.756	+ 0.097	.0548	----	----	----	----	1	UNCH
4350	----	----	0.767B/----	0.767B/0.869A	----	0.795	+ 0.103	.0575	----	----	----	----	1	UNCH
4375	----	----	0.792B/----	0.792B/0.889A	----	0.815	+ 0.106	.0589	----	----	----	----	160	UNCH
4500	----	----	0.916B/----	0.916B/0.994A	----	0.921	+ 0.121	.0662	----	----	----	----	2	UNCH
4600	----	----	1.033B/----	1.033B/1.058A	----	1.014	+ 0.133	.0725	----	----	----	----	2	UNCH
4625	----	----	1.065B/----	1.065B/1.045A	----	1.039	+ 0.137	.0742	----	----	----	----	1	UNCH
4700	----	----	1.156B/----	1.156B/1.147A	----	1.117	+ 0.148	.0794	----	----	----	----	1	UNCH
4775	----	----	1.200B/----	1.200B/1.176A	----	1.200	+ 0.158	.0849	----	----	----	----	1	UNCH
4800	----	----	1.190B/----	1.190B/1.248A	----	1.229	+ 0.162	.0868	----	----	----	----	16	UNCH
4825	----	----	1.207B/----	1.207B/1.235A	----	1.259	+ 0.166	.0888	----	----	----	----	1	UNCH
5000	----	----	1.392B/----	1.392B/1.567A	----	1.486	+ 0.193	.1033	----	----	----	----	14	UNCH
5275	----	----	1.818B/----	1.818B/2.054A	----	1.924	+ 0.240	.1300	----	----	----	----	1	UNCH
5300	----	----	1.869B/----	1.869B/2.101A	----	1.969	+ 0.244	.1326	----	----	----	----	1	UNCH
5500	----	----	2.302B/----	2.302B/2.550A	----	2.367	+ 0.280	.1553	----	----	----	----	26	UNCH
5675	----	----	2.738B/----	2.738B/3.073A	----	2.772	+ 0.312	.1772	----	----	----	----	9	UNCH
5800	----	----	3.087B/----	3.087B/3.422A	----	3.095	+ 0.335	.1939	----	----	----	----	4	UNCH
5850	----	----	3.235B/----	3.235B/3.580A	----	3.232	+ 0.344	.2008	----	----	----	----	2	UNCH
5875	----	----	3.312B/----	3.312B/3.663A	----	3.303	+ 0.349	.2043	----	----	----	----	12	UNCH
5900	3.570	3.570	3.633B/3.560	3.633B/3.560	----	3.375	+ 0.353	.2078	----	----	8	----	5	- 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
5950	----	----	3.651B/----	3.651B/3.906A	----	3.523 + 0.363	.2150	----	----	----	----	16 UNCH
6000	----	----	3.792B/----	3.792B/4.067A	----	3.675 + 0.371	.2223	----	----	----	----	139 UNCH
6050	----	----	3.984B/----	3.984B/4.241A	----	3.833 + 0.381	.2297	----	----	----	----	0 UNCH
6100	----	----	4.049B/----	4.049B/4.413A	----	3.996 + 0.390	.2372	----	----	----	----	9 UNCH
6300	----	----	4.794B/----	4.794B/5.133A	----	4.699 + 0.424	.2682	----	----	----	----	1 UNCH
6500	----	----	5.625B/----	5.625B/5.878A	----	5.488 + 0.456	.3006	----	----	----	----	156 UNCH
6600	----	----	6.100B/----	6.100B/6.247A	----	5.915 + 0.472	.3171	----	----	----	----	13 UNCH
6725	----	----	6.663B/----	6.663B/6.959A	----	6.479 + 0.492	.3379	----	----	----	----	7 UNCH
6825	----	----	7.162B/----	7.162B/7.477A	----	6.954 + 0.506	.3546	----	----	----	----	7 UNCH
7000	----	----	8.155B/----	8.155B/8.107A	----	7.836 + 0.531	.3840	----	----	5	----	6 + 5
7050	----	----	8.440B/----	8.440B/8.324A	----	8.099 + 0.538	.3923	----	----	----	----	1 UNCH
7100	----	----	8.728B/----	8.728B/8.582A	----	8.368 + 0.545	.4007	----	----	----	----	2 UNCH
7350	----	----	10.249B/----	10.249B/9.945A	----	9.784 + 0.577	.4419	----	----	----	----	6 UNCH
7400	----	----	10.567B/----	10.567B/10.269A	----	10.081 + 0.583	.4499	----	----	----	----	4 UNCH
7500	----	----	11.253B/----	11.253B/10.824A	----	10.690 + 0.595	.4659	----	----	5	----	6 + 5
7550	----	----	11.584B/----	11.584B/11.126A	----	11.001 + 0.601	.4737	----	----	----	----	5 UNCH
7700	----	----	12.567B/----	12.567B/12.061A	----	11.960 + 0.619	.4969	----	----	----	----	25 UNCH
8000	----	----	14.707B/----	14.707B/14.048A	----	13.989 + 0.652	.5409	----	----	----	----	20 UNCH
8150	----	----	15.824B/----	15.824B/15.095A	----	15.054 + 0.667	.5617	----	----	----	----	10 UNCH
8200	----	----	16.200B/----	16.200B/15.451A	----	15.416 + 0.673	.5684	----	----	----	----	10 UNCH
8250	----	----	16.580B/----	16.580B/15.811A	----	15.781 + 0.677	.5750	----	----	----	----	5 UNCH
8500	----	----	18.525B/----	18.525B/17.695A	----	17.655 + 0.701	.6067	----	----	----	----	20 UNCH
9000	----	----	22.252B/----	22.252B/21.392A	----	21.610 + 0.742	.6628	----	----	----	----	29 UNCH
9300	----	----	24.659B/----	24.659B/24.831A	----	24.092 + 0.763	.6921	----	----	----	----	1 UNCH
9500	----	----	----	24.678B/26.538A	----	25.783 + 0.774	.7099	----	----	----	----	30 UNCH
10000	----	----	----	19.775B/41.526A	----	30.120 + 0.797	.7495	----	----	----	----	6 UNCH
10175	----	----	----	20.980B/43.206A	----	31.669 + 0.803	.7617	----	----	----	----	15 UNCH
TOTAL										18	0	814 + 7
SEP26												
2500	----	----	----	0.035B/0.266A	----	0.079 + 0.011	.0059	----	----	----	----	60 UNCH
3000	----	----	----	0.153B/0.357A	----	0.184 + 0.023	.0134	----	----	----	----	22 UNCH
3500	----	----	0.333B/----	0.333B/0.528A	----	0.373 + 0.043	.0263	----	----	----	----	74 UNCH
4000	----	----	0.640B/----	0.640B/0.808A	----	0.697 + 0.074	.0470	----	----	----	----	46 UNCH
4500	----	----	1.161B/----	1.161B/1.246A	----	1.163 + 0.141	.0757	----	----	----	----	12 UNCH
5000	----	----	----	1.601B/2.279A	----	1.851 + 0.231	.1153	----	----	----	----	232 UNCH
5100	----	----	1.821B/----	1.821B/2.446A	----	2.025 + 0.251	.1248	----	----	----	----	1 UNCH
5500	----	----	2.757B/----	2.757B/3.287A	----	2.869 + 0.328	.1679	----	----	----	----	228 UNCH
5600	----	----	3.028B/----	3.028B/3.549A	----	3.122 + 0.348	.1799	----	----	----	----	1 UNCH
5700	----	----	3.317B/----	3.317B/3.843A	----	3.392 + 0.367	.1924	----	----	----	----	2 UNCH
5800	----	----	3.625B/----	3.625B/4.150A	----	3.680 + 0.385	.2054	----	----	----	----	7 UNCH
5900	----	----	3.953B/----	3.953B/4.468A	----	3.987 + 0.403	.2188	----	----	----	----	50 UNCH
6000	----	----	4.301B/----	4.301B/4.808A	----	4.314 + 0.421	.2326	----	----	----	----	128 UNCH
6050	----	----	4.484B/----	4.484B/4.991A	----	4.485 + 0.429	.2396	----	----	----	----	15 UNCH
6300	----	----	5.464B/----	5.464B/5.914A	----	5.413 + 0.468	.2759	----	----	----	----	3 UNCH
6400	----	----	5.892B/----	5.892B/6.342A	----	5.820 + 0.483	.2908	----	----	----	----	1 UNCH
6425	----	----	6.002B/----	6.002B/6.466A	----	5.925 + 0.487	.2946	----	----	----	----	1 UNCH
6500	----	----	6.341B/----	6.341B/6.711A	----	6.247 + 0.497	.3059	----	----	----	----	55 UNCH
6900	----	----	8.398B/----	8.398B/8.543A	----	8.161 + 0.549	.3671	----	----	----	----	1 UNCH
7000	8.400	8.400	8.928B/8.400	8.928B/8.400	----	8.689 + 0.561	.3824	----	----	1	----	16 + 1
7025	----	----	9.033B/----	9.033B/9.441A	----	8.824 + 0.563	.3862	----	----	----	----	1 UNCH
7100	----	----	9.513B/----	9.513B/9.577A	----	9.237 + 0.573	.3976	----	----	----	----	16 UNCH
7125	----	----	9.604B/----	9.604B/10.001A	----	9.377 + 0.576	.4014	----	----	----	----	25 UNCH
7175	----	----	9.898B/----	9.898B/10.259A	----	9.661 + 0.582	.4089	----	----	----	----	20 UNCH
7200	----	----	10.155B/----	10.155B/10.123A	----	9.804 + 0.585	.4127	----	----	----	----	50 UNCH
7400	----	----	11.374B/----	11.374B/11.269A	----	10.993 + 0.609	.4423	----	----	----	----	20 UNCH
7500	----	----	12.029B/----	12.029B/11.911A	----	11.614 + 0.621	.4567	----	----	----	----	3 UNCH
7550	----	----	12.362B/----	12.362B/12.218A	----	11.931 + 0.628	.4637	----	----	----	----	2 UNCH
7700	----	----	13.385B/----	13.385B/13.164A	----	12.906 + 0.646	.4846	----	----	----	----	1 UNCH
7800	----	----	14.125B/----	14.125B/13.774A	----	13.575 + 0.659	.4981	----	----	----	----	4 UNCH
7900	----	----	14.797B/----	14.797B/14.440A	----	14.258 + 0.670	.5113	----	----	----	----	1 UNCH
8000	----	----	15.523B/----	15.523B/15.121A	----	14.955 + 0.681	.5242	----	----	----	----	40 UNCH
8100	----	----	16.264B/----	16.264B/15.857A	----	15.665 + 0.692	.5368	----	----	----	----	1 UNCH
8200	----	----	17.012B/----	17.012B/16.566A	----	16.387 + 0.703	.5491	----	----	----	----	1 UNCH
8500	----	----	19.319B/----	19.319B/18.723A	----	18.620 + 0.729	.5839	----	----	----	----	225 UNCH
8700	----	----	20.905B/----	20.905B/20.286A	----	20.158 + 0.743	.6056	----	----	----	----	100 UNCH
9000	----	----	23.344B/----	23.344B/22.640A	----	22.534 + 0.759	.6359	----	----	----	----	74 UNCH
9300	----	----	25.551B/----	25.551B/25.026A	----	24.981 + 0.770	.6634	----	----	----	----	1 UNCH
9400	----	----	26.389B/----	26.389B/25.720A	----	25.812 + 0.774	.6721	----	----	----	----	1 UNCH
10150	----	----	----	18.793B/47.407A	----	32.232 + 0.785	.7288	----	----	----	----	1 UNCH
10300	----	----	----	19.712B/48.882A	----	33.551 + 0.786	.7386	----	----	----	----	1 UNCH
TOTAL										1	0	1543 + 1
OCT26												
2675	----	----	----	0.094B/0.334A	----	0.142 + 0.018	.0097	----	----	----	----	8 UNCH
3250	----	----	0.284B/----	0.284B/0.498A	----	0.303 + 0.037	.0205	----	----	----	----	1 UNCH
4000	----	----	0.752B/----	0.752B/0.945A	----	0.748 + 0.080	.0481	----	----	----	----	3 UNCH
4500	----	----	1.336B/----	1.336B/1.439A	----	1.329 + 0.127	.0797	----	----	----	----	3 UNCH
5000	----	----	----	1.811B/2.588A	----	2.237 + 0.197	.1230	----	----	----	----	6 UNCH
5050	----	----	----	1.929B/2.665A	----	2.345 + 0.204	.1278	----	----	----	----	1 UNCH
5150	----	----	----	2.171B/2.851A	----	2.572 + 0.220	.1378	----	----	----	----	5 UNCH
6500	----	----	6.698B/----	6.698B/7.248A	----	7.073 + 0.463	.3012	----	----	----	----	6 UNCH
7000	----	----	9.248B/----	9.248B/9.650A	----	9.458 + 0.549	.3693	----	----	----	----	85 UNCH
7225	----	----	10.541B/----	10.541B/11.045A	----	10.659 + 0.584	.4000	----	----	----	----	87 UNCH
7500	----	----	12.301B/----	12.301B/12.411A	----	12.232 + 0.624	.4369	----	----	----	----	1 UNCH
7950	----	----	15.383B/----	15.383B/15.282A	----	15.046 + 0.678	.4946	----	----	----	----	10 UNCH
8200	----	----	17.204B/----	17.204B/17.001A	----	16.733 + 0.703	.5248	----	----	----	----	6 UNCH
8375	----	----	18.355B/----	18.355B/18.753A	----	17.962 + 0.716	.5450	----	----	----	----	1 UNCH
9100	----	----	24.250B/----	24.250B/23.761A	----	23.438 + 0.754	.6195	----	----	----	----	1 UNCH
10000	----	----	31.565B/----	31.565B/31.880A	----	30.896 + 0.769	.6916	----	----	----	----	40 UNCH
TOTAL											0	264 0
NOV26												
4500	----	----	----	1.313B/1.790A	----	1.571 + 0.135	.0871	----	----	----	----	2 UNCH
4550	----	----	----	1.321B/1.860A	----	1.656 + 0.141	.0911	----	----	----	----	1 UNCH
4800	----	----	----	1.322B/2.919A	----	2.129 + 0.177	.1122	----	----	----	----	1 UNCH
5000	----	----	----	2.235B/3.267A	----	2.564 + 0.208	.1306	----	----	----	----	12 UNCH
5200	----	----	----	2.430B/3.654A	----	3.053 + 0.242	.1504	----	----	----	----	1 UNCH
5950	----	----	----	4.642B/5.964A	----	5.391 + 0.380	.2346	----	----	----	----	1 UNCH
6700	----	----	8.099B/----	8.099B/9.135A	----	8.573 + 0.517	.3290	----	----	----	----	50 UNCH
7000	----	----	9.763B/----	9.763B/10.669A	----	10.088 + 0.567	.3677	----	----	----	----	40 UNCH
7025	----	----	----	9.612B/11.090A	----	10.221 + 0.571	.3710	----	----	----	----	6 UNCH
7500	----	----	12.860B/----	12.860B/13.561A	----	12.916 + 0.636	.4313	----	----	----	----	3 UNCH
7700	----	----	14.200B/----	14.200B/14.826A	----	14.150 + 0.658	.4557	----	----	----	----	50 UNCH
8500	----	----	20.026B/----	20.026B/20.357A	----	19.637 + 0.709	.5447	----	----	----	----	60 UNCH
9000	----	----	23.964B/----	23.964B/24.204A	----	23.457 + 0.715	.5917	----	----	----	----	5 UNCH
9050	----	----	24.368B/----	24.368B/24.526A	----	23.852 + 0.715	.5961	----	----	----	----	3 UNCH
10000	----	----	31.754B/----	31.754B/32.292A	----	31.698 + 0.711	.6676	----	----	----	----	1 UNCH
11000	----	----	----	18.002B/64.730A	----	40.412 + 0.722	.7258	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.130A	----	0.032 + 0.003	.0019	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.400A	----	0.099 + 0.010	.0058	----	----	----	----	10 UNCH
2500	----	----	----	0.002B/0.531A	----	0.179 + 0.017	.0108	----	----	----	----	32 UNCH
3000	----	----	----	0.075B/0.744A	----	0.317 + 0.030	.0195	----	----	----	----	93 UNCH
3100	----	----	----	0.128B/0.797A	----	0.353 + 0.033	.0217	----	----	----	----	1 UNCH
3150	----	----	----	0.146B/0.659A	----	0.383 + 0.035	.0233	----	----	----	----	1 UNCH
3500	----	----	----	0.336B/1.052A	----	0.647 + 0.055	.0371	----	----	----	----	45 UNCH
3850	----	----	----	0.626B/1.345A	----	0.991 + 0.082	.0542	----	----	----	----	1 UNCH
3900	----	----	----	0.674B/1.394A	----	1.045 + 0.087	.0568	----	----	----	----	1 UNCH
3925	----	----	----	0.716B/1.419A	----	1.072 + 0.089	.0581	----	----	----	----	1 UNCH
4000	----	----	----	0.793B/1.496A	----	1.158 + 0.097	.0623	----	----	----	----	74 UNCH
4500	----	----	----	1.272B/2.124A	----	1.853 + 0.156	.0947	----	----	----	----	32 UNCH
4600	----	----	----	1.003B/2.998A	----	2.021 + 0.171	.1022	----	----	----	----	4 UNCH
4800	----	----	----	1.393B/3.351A	----	2.389 + 0.201	.1182	----	----	----	----	241 UNCH
5000	----	----	----	2.487B/3.758A	----	2.803 + 0.232	.1356	----	----	----	----	357 UNCH
5250	----	----	----	2.523B/4.348A	----	3.393 + 0.276	.1593	----	----	----	----	50 UNCH
5300	----	----	----	2.696B/4.478A	----	3.522 + 0.285	.1643	----	----	----	----	250 UNCH
5400	----	----	----	2.972B/4.749A	----	3.789 + 0.303	.1746	----	----	----	----	100 UNCH
5500	----	----	----	3.292B/5.036A	----	4.072 + 0.322	.1851	----	----	----	----	86 UNCH
5600	----	----	----	3.628B/5.340A	----	4.370 + 0.341	.1959	----	----	----	----	4 UNCH
5650	----	----	----	3.803B/5.498A	----	4.525 + 0.350	.2015	----	----	----	----	12 UNCH
5800	----	----	----	4.354B/5.998A	----	5.016 + 0.379	.2185	----	----	----	----	1 UNCH
5950	----	----	----	4.943B/6.537A	----	5.545 + 0.407	.2361	----	----	----	----	5 UNCH
6000	----	----	----	5.149B/6.725A	----	5.730 + 0.416	.2420	----	----	----	----	147 UNCH
6200	----	----	----	6.013B/7.521A	----	6.519 + 0.455	.2664	----	----	----	----	13 UNCH
6300	----	----	6.472B/----	6.472B/7.944A	----	6.942 + 0.473	.2788	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
6500	----	----	7.440B/----	7.440B/8.845A	----	7.847 + 0.508	.3039	----	----	----	----	626 UNCH
6650	----	----	8.213B/----	8.213B/9.565A	----	8.576 + 0.533	.3228	----	----	----	----	5 UNCH
6725	----	----	----	7.990B/10.502A	----	8.956 + 0.545	.3323	----	----	----	----	4 UNCH
6750	----	----	8.751B/----	8.751B/10.065A	----	9.085 + 0.549	.3354	----	----	----	----	6 UNCH
6800	----	----	9.026B/----	9.026B/10.321A	----	9.346 + 0.557	.3417	----	----	----	----	52 UNCH
6850	----	----	9.305B/----	9.305B/10.580A	----	9.612 + 0.565	.3480	----	----	----	----	65 UNCH
6900	----	----	9.588B/----	9.588B/10.850A	----	9.881 + 0.572	.3543	----	----	----	----	1 UNCH
6950	----	----	9.875B/----	9.875B/11.119A	----	10.155 + 0.579	.3605	----	----	----	----	101 UNCH
7000	----	----	10.166B/----	10.166B/11.393A	----	10.433 + 0.587	.3668	----	----	----	----	179 UNCH
7050	----	----	10.461B/----	10.461B/11.670A	----	10.714 + 0.593	.3730	----	----	----	----	1 UNCH
7075	----	----	----	9.914B/12.441A	----	10.857 + 0.597	.3761	----	----	----	----	20 UNCH
7100	----	----	10.760B/----	10.760B/11.952A	----	11.000 + 0.600	.3792	----	----	----	----	2 UNCH
7200	----	----	11.369B/----	11.369B/12.525A	----	11.582 + 0.613	.3914	----	----	----	----	14 UNCH
7500	----	----	13.282B/----	13.282B/14.286A	----	13.411 + 0.646	.4273	----	----	----	----	25 UNCH
7550	----	----	13.613B/----	13.613B/14.606A	----	13.728 + 0.651	.4331	----	----	----	----	1 UNCH
7800	----	----	15.313B/----	15.313B/16.233A	----	15.359 + 0.673	.4614	----	----	----	----	20 UNCH
7850	----	----	15.663B/----	15.663B/16.565A	----	15.694 + 0.677	.4669	----	----	----	----	10 UNCH
7875	----	----	----	15.022B/17.553A	----	15.863 + 0.679	.4696	----	----	----	----	4 UNCH
7900	----	----	16.015B/----	16.015B/16.911A	----	16.032 + 0.680	.4723	----	----	----	----	19 UNCH
8000	----	----	16.727B/----	16.727B/17.415A	----	16.718 + 0.688	.4830	----	----	----	----	50 UNCH
8100	----	----	17.455B/----	17.455B/18.263A	----	17.414 + 0.694	.4935	----	----	----	----	1 UNCH
8200	----	----	18.187B/----	18.187B/19.007A	----	18.121 + 0.700	.5038	----	----	----	----	35 UNCH
8350	----	----	19.304B/----	19.304B/20.029A	----	19.201 + 0.708	.5188	----	----	----	----	9 UNCH
8400	----	----	19.681B/----	19.681B/20.393A	----	19.566 + 0.710	.5236	----	----	----	----	50 UNCH
8500	----	----	20.441B/----	20.441B/21.172A	----	20.303 + 0.715	.5332	----	----	----	----	160 UNCH
8600	----	----	21.210B/----	21.210B/21.915A	----	21.049 + 0.718	.5426	----	----	----	----	2 UNCH
8800	----	----	22.831B/----	22.831B/23.445A	----	22.567 + 0.724	.5606	----	----	----	----	10 UNCH
8900	----	----	23.562B/----	23.562B/24.216A	----	23.338 + 0.727	.5693	----	----	----	----	30 UNCH
9000	----	----	24.361B/----	24.361B/24.933A	----	24.118 + 0.730	.5778	----	----	----	----	3 UNCH
9050	----	----	24.763B/----	24.763B/25.329A	----	24.510 + 0.730	.5820	----	----	----	----	100 UNCH
9500	----	----	28.447B/----	28.447B/28.955A	----	28.119 + 0.738	.6172	----	----	----	----	2 UNCH
9850	----	----	31.408B/----	31.408B/31.834A	----	31.009 + 0.741	.6419	----	----	----	----	8 UNCH
9950	----	----	32.176B/----	32.176B/32.680A	----	31.846 + 0.741	.6486	----	----	----	----	1 UNCH
10025	----	----	32.408B/----	32.408B/34.231A	----	32.478 + 0.742	.6535	----	----	----	----	3 UNCH
10125	----	----	32.801B/----	32.801B/35.077A	----	33.323 + 0.743	.6599	----	----	----	----	1 UNCH
10700	----	----	37.803B/----	37.803B/40.026A	----	38.265 + 0.747	.6938	----	----	----	----	5 UNCH
10800	----	----	38.675B/----	38.675B/40.897A	----	39.137 + 0.747	.6992	----	----	----	----	2 UNCH
11000	----	----	----	38.858B/42.649A	----	40.892 + 0.749	.7097	----	----	----	----	2 UNCH
11500	----	----	----	18.175B/73.990A	----	45.333 + 0.752	.7338	----	----	----	----	1 UNCH
12000	----	----	----	21.965B/80.212A	----	49.842 + 0.754	.7552	----	----	----	----	1 UNCH
12100	----	----	----	22.575B/81.191A	----	50.751 + 0.755	.7592	----	----	----	----	1 UNCH
12300	----	----	----	24.080B/82.879A	----	52.576 + 0.756	.7669	----	----	----	----	1 UNCH
15000	----	----	----	48.866B/108.496A	----	77.871 + 0.759	.8438	----	----	----	----	1 UNCH
19000	----	----	----	90.309B/144.809A	----	116.645 + 0.781	.9040	----	----	----	----	1 UNCH
TOTAL											0	3401 0
JAN27												
3800	----	----	----	0.001B/7.707A	----	2.479 + 0.967	.0844	----	----	----	----	1 UNCH
7125	----	----	----	1.144B/22.150A	----	12.034 + 0.760	.3689	----	----	----	----	1 UNCH
8600	----	----	----	10.080B/32.754A	----	22.824 + 1.893	.5015	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
7175	----	----	----	----	----	17.107 + 0.260	.3297	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	2.000	2.000	#2.000/*2.000	2.338B/*2.000	----	2.194 NEW	.3026	----	----	5	----	5 + 5
TOTAL										5	0	5 + 5
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----/9.598A	7.874B/9.598A	----	10.146 - 0.877	.9676	----	----	----	----	1 UNCH
6800	----	----	----/3.909A	2.601B/3.909A	----	4.695 - 0.860	.8139	----	----	----	----	2 UNCH
7000	----	----	----/2.668A	2.494B/2.668A	----	3.195 - 0.841	.6835	----	----	2	----	2 + 1
7050	----	----	----/*2.147A	2.539B/*2.147A	----	2.865 - 0.825	.6433	----	----	----	----	2 UNCH
7110	----	----	----/*1.864A	2.386B/*1.864A	----	2.495 - 0.799	.5920	----	----	----	----	1 UNCH
7200	----	----	----/*1.466A	2.028B/*1.466A	----	1.998 - 0.747	.5108	----	----	----	----	2 UNCH
7300	1.550	1.550	1.550/*1.140A	1.852B/*1.140A	----	1.530 - 0.670	.4192	----	----	3	----	4 + 3
7350	----	----	----/*1.028A	1.796B/*1.028A	----	1.328 - 0.627	.3745	----	----	----	----	4 UNCH
7355	----	----	----/*0.990A	1.771B/*0.990A	----	1.309 - 0.623	.3702	----	----	----	----	3 UNCH
7400	0.833	0.833	0.833/*0.833	1.582B/*0.833	----	1.147 - 0.582	.3316	----	----	3	----	106 + 3
7450	----	----	----/*0.831A	1.334B/*0.831A	----	0.986 - 0.536	.2910	----	----	----	----	2 UNCH
7475	----	----	----/*0.674A	1.228B/*0.674A	----	0.913 - 0.512	.2718	----	----	----	----	3 UNCH
7500	0.900	0.900	1.000/*0.550	1.159B/*0.550	----	0.844 - 0.489	.2532	----	----	11	----	22 + 6
7550	----	----	----/*0.640A	0.955B/*0.640A	----	0.719 - 0.444	.2184	----	----	----	----	2 UNCH
7600	0.900	0.900	0.900/*0.520	0.900/*0.520	----	0.610 - 0.401	.1868	----	----	4	----	7 + 1
7605	----	----	----/*0.465A	0.778B/*0.465A	----	0.600 - 0.396	.1838	----	----	----	----	5 UNCH
7675	----	----	----/*0.415A	0.585B/*0.415A	----	0.473 - 0.341	.1456	----	----	----	----	1 UNCH
7700	----	----	----/*0.406A	0.552B/*0.406A	----	0.434 - 0.322	.1335	----	----	----	----	10 UNCH
7750	0.620	0.620	0.620/*0.333A	0.620/*0.333A	----	0.364 NEW	.1116	----	----	1	----	1 + 1
7775	----	----	----/*0.318A	0.369B/*0.318A	----	0.334 - 0.271	.1020	----	----	----	----	1 UNCH
7800	----	----	----/*0.325A	0.351B/*0.325A	----	0.305 - 0.256	.0929	----	----	----	----	21 UNCH
7900	----	----	----/*0.269A	0.209B/*0.269A	----	0.212 - 0.205	.0630	----	----	2	----	4 + 1
8000	0.140	0.140	0.140/*0.140	0.140/*0.140	----	0.145 - 0.168	.0416	----	----	1	----	32 + 1
8100	----	----	----/*0.181A	0.051B/*0.181A	----	0.100 - 0.140	.0273	----	----	----	----	22 UNCH
8150	----	----	----/*0.176A	0.015B/*0.176A	----	0.086 - 0.127	.0228	----	----	----	----	1 UNCH
8250	----	----	----/*0.158A	0.002B/*0.158A	----	0.066 - 0.105	.0164	----	----	----	----	7 UNCH
8400	----	----	----	0.002B/*0.146A	----	0.047 - 0.084	.0105	----	----	----	----	5 UNCH
8500	----	----	----/*0.100A	0.002B/*0.100A	----	0.039 - 0.074	.0082	----	----	----	----	27 UNCH
8625	----	----	----	0.003B/*0.124A	----	0.032 - 0.066	.0062	----	----	----	----	2 UNCH
8800	----	----	----	0.001B/*0.116A	----	0.021 - 0.049	.0036	----	----	----	----	6 UNCH
9000	----	----	----	----/0.108A	----	0.009 - 0.028	.0013	----	----	----	----	16 UNCH
9125	----	----	----	----/*0.104A	----	0.006 - 0.019	.0008	----	----	----	----	2 UNCH
9200	----	----	----	----/*0.103A	----	0.004 - 0.015	.0005	----	----	----	----	7 UNCH
9500	----	----	----	----/*0.113A	----	0.001 - 0.006	.0000	----	----	----	----	2 UNCH
9700	0.010	0.010	0.020B/*0.010	0.020B/*0.010	----	0.001 - 0.002	.0000	----	----	1	----	5 + 1
TOTAL										28	0	340 + 18
SO2 PUT		SILVER OPTIONS										
APR26												
5500	0.030	0.030	0.050/*0.030	0.050/*0.030	----	0.027 - 0.014	.0034	----	----	8	----	14 + 4
5800	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.057 - 0.019	.0089	----	----	2	----	2 UNCH
6000	0.100	0.100	0.120/*0.100	0.120/*0.100	----	0.098 - 0.022	.0174	----	----	4	----	43 UNCH
6100	0.110	0.110	0.110/*0.110	0.111B/*0.110	----	0.129 - 0.022	.0243	----	----	1	----	10 UNCH
6200	0.150	0.150	0.153B/*0.150	0.153B/*0.150	----	0.161 - 0.019	.0323	----	----	3	----	4 + 3
6250	----	----	----	0.168B/0.247A	----	0.181 - 0.016	.0374	----	----	----	----	2 UNCH
6300	0.220	0.220	0.224B/*0.220	0.224B/*0.220	----	0.203 - 0.013	.0432	----	----	1	----	2 + 1
6400	----	----	0.276B/----	0.276B/0.298A	----	0.256 - 0.008	.0577	----	----	----	----	12 UNCH
6450	----	----	0.304B/----	0.304B/0.318A	----	0.289 - 0.005	.0668	----	----	----	----	2 UNCH
6500	0.400	0.400	0.450/0.339A	0.450/0.339A	----	0.327 - 0.002	.0775	----	----	4	----	19 + 3
6575	0.350	0.350	0.517B/*0.350	0.517B/*0.350	----	0.394 UNCH	.0967	----	----	2	----	2 + 2
6600	0.400	0.400	0.543B/*0.400	0.543B/*0.400	----	0.420 + 0.001	.1041	----	----	1	----	25 + 1
6650	0.450	0.450	0.634B/*0.450	0.634B/*0.450	----	0.478 + 0.002	.1206	----	----	3	----	2 - 1
6700	0.544	0.544	0.754B/0.544	0.754B/0.544	----	0.544 NEW	.1396	----	----	9	----	9 + 9
6750	----	----	0.882B/0.600A	0.882B/0.600A	----	0.621 UNCH	.1613	----	----	----	----	3 UNCH
6800	0.824	0.824	1.053B/0.719A	1.053B/0.719A	----	0.709 UNCH	.1860	----	----	2	----	4 + 2
6870	----	----	1.236B/----	1.236B/0.865A	----	0.855 + 0.001	.2258	----	----	----	----	3 UNCH
6950	----	----	1.556B/1.041A	1.556B/1.041A	----	1.058 + 0.008	.2790	----	----	----	----	3 UNCH
6960	0.981	0.981	1.603B/0.981	1.603B/0.981	----	1.087 NEW	.2863	----	----	1	----	1 + 1
7000	----	----	1.823B/1.145A	1.823B/1.145A	----	1.209 + 0.019	.3165	----	----	----	----	12 UNCH
7025	----	----	1.910B/1.235A	1.910B/1.235A	----	1.291 + 0.026	.3362	----	----	----	----	1 UNCH
7050	----	----	1.956B/1.317A	1.956B/1.317A	----	1.378 + 0.035	.3566	----	----	----	----	1 UNCH
7085	----	----	2.101B/1.429A	2.101B/1.429A	----	1.509 + 0.049	.3862	----	----	----	----	2 UNCH
7100	----	----	2.127B/*1.287A	2.127B/*1.287A	----	1.568 + 0.056	.3992	----	----	----	----	3 UNCH
7110	----	----	2.097B/1.504A	2.097B/1.504A	----	1.608 + 0.060	.4079	----	----	----	----	2 UNCH
7115	----	----	2.066B/1.517A	2.066B/1.517A	----	1.629 + 0.063	.4123	----	----	----	----	5 UNCH
7135	1.265	1.265	2.128B/*1.265	2.128B/*1.265	----	1.713 NEW	.4301	----	----	1	----	1 + 1
7150	----	----	2.302B/1.631A	2.302B/1.631A	----	1.779 + 0.082	.4435	----	----	----	----	2 UNCH
7175	----	----	2.168B/1.713A	2.168B/1.713A	----	1.892 + 0.097	.4662	----	----	----	----	1 UNCH
7180	----	----	2.290B/1.755A	2.290B/1.755A	----	1.916 + 0.101	.4708	----	----	----	----	1 UNCH
7195	----	----	2.353B/1.788A	2.353B/1.788A	----	1.987 + 0.110	.4845	----	----	----	----	1 UNCH
7200	1.865	1.865	2.622B/1.780A	2.622B/1.780A	----	2.011 + 0.113	.4891	----	----	1	----	2 + 1
7325	----	----	2.698B/2.362A	2.698B/2.362A	----	2.689 + 0.211	.6032	----	----	----	----	1 UNCH
7400	----	----	----/2.732A	2.662B/2.732A	----	3.159 + 0.277	.6683	----	----	----	----	1 UNCH
7500	----	----	----	2.567B/4.016A	----	3.856 + 0.370	.7467	----	----	----	----	1 UNCH
7600	----	----	----	----	----	4.622 + 0.459	.8131	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 PUT		SILVER OPTIONS										
TOTAL										43	0	200 + 27
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----/3.647A	4.040B/3.647A	----	4.352 -	0.666 .6215	----	----	----	----	7 UNCH
7100	----	----	----/3.157A	4.172B/3.157A	----	3.758 -	0.630 .5720	----	----	----	----	1 UNCH
7300	----	----	----/2.312A	3.211B/2.312A	----	2.728 -	0.547 .4684	----	----	4	----	3 - 2
7400	----	----	----/*1.976A	2.707B/*1.976A	----	2.294 -	0.501 .4165	----	----	2	----	1 - 1
7420	----	----	----/*1.946A	2.581B/*1.946A	----	2.214 -	0.492 .4063	----	----	----	----	5 UNCH
7500	----	----	----/*1.690A	2.263B/*1.690A	----	1.914 -	0.454 .3661	----	----	----	----	17 UNCH
7575	----	----	----/*1.564A	1.928B/*1.564A	----	1.662 -	0.419 .3298	----	----	2	----	2 UNCH
7600	----	----	----/*1.488A	1.867B/*1.488A	----	1.585 -	0.406 .3181	----	----	----	----	3 UNCH
7750	----	----	----/*1.212A	1.351B/*1.212A	----	1.181	NEW .2526	----	----	2	----	2 + 2
7800	----	----	----/*1.077A	1.242B/*1.077A	----	1.069 -	0.314 .2329	----	----	----	----	3 UNCH
7975	----	----	----/*0.861A	0.807B/*0.861A	----	0.751 -	0.240 .1728	----	----	----	----	2 UNCH
8000	----	----	----/*0.797A	0.790B/*0.797A	----	0.714 -	0.230 .1653	----	----	----	----	1 UNCH
8500	----	----	----	0.217B/*0.401A	----	0.284 -	0.088 .0696	----	----	----	----	11 UNCH
8800	----	----	----	0.150B/*0.280A	----	0.182 -	0.043 .0440	----	----	----	----	1 UNCH
TOTAL										10	0	59 - 1
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	0.001B/*0.112A	----	0.007 -	0.002 .0010	----	----	----	----	20 UNCH
5500	----	----	----	0.145B/0.273A	----	0.198 -	0.007 .0336	----	----	----	----	1 UNCH
6000	----	----	0.433B/----	0.433B/0.485A	----	0.420 +	0.013 .0765	----	----	----	----	75 UNCH
6300	----	----	0.825B/----	0.825B/0.739A	----	0.706 +	0.039 .1288	----	----	----	----	2 UNCH
6400	----	----	1.016B/----	1.016B/*0.857A	----	0.843 +	0.051 .1528	----	----	----	----	6 UNCH
6500	----	----	1.243B/----	1.243B/1.002A	----	1.008 +	0.067 .1807	----	----	----	----	4 UNCH
6825	----	----	2.200B/----	2.200B/1.704A	----	1.774 +	0.139 .2986	----	----	----	----	20 UNCH
7000	----	----	3.021B/----	3.021B/2.208A	----	2.367 +	0.193 .3784	----	----	----	----	8 UNCH
7300	----	----	4.412B/3.403A	4.412B/3.403A	----	3.740 +	0.312 .5315	----	----	----	----	10 UNCH
7380	----	----	#4.224B/*3.806A	4.224B/*3.806A	----	4.188 +	0.349 .5730	----	----	----	----	2 UNCH
7500	----	----	5.022B/4.462A	5.022B/4.462A	----	4.924 +	0.405 .6338	----	----	----	----	1 UNCH
7625	----	----	----	4.872B/6.760A	----	5.769 +	0.465 .6933	----	----	----	----	1 UNCH
TOTAL											0	150 0
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----/*1.786A	1.992B/*1.786A	----	1.802 -	0.603 .2980	----	----	----	----	8 UNCH
8200	----	----	----/*1.129A	1.086B/*1.129A	----	1.073 -	0.403 .1921	----	----	----	----	1 UNCH
8225	----	----	----/*1.123A	1.011B/*1.123A	----	1.049 -	0.396 .1877	----	----	----	----	2 UNCH
TOTAL											0	11 0
SO4 PUT		SILVER OPTIONS										
APR26												
6050	----	----	----/0.800A	0.864B/0.800A	----	0.797 -	0.090 .1205	----	----	----	----	7 UNCH
6125	----	----	----/0.964A	0.983B/0.964A	----	0.891 -	0.092 .1339	----	----	----	----	2 UNCH
6400	----	----	1.606B/1.343A	1.606B/1.343A	----	1.341 -	0.133 .1949	----	----	----	----	1 UNCH
7300	----	----	4.663B/4.336A	4.663B/4.336A	----	4.538 -	0.087 .5143	----	----	----	----	1 UNCH
TOTAL											0	11 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	12.009 -	0.848 .9993	----	----	----	----	1 UNCH
6300	0.050	0.050	0.051B/*0.050	0.051B/*0.050	----	0.080	NEW .0058	----	----	10	----	10 + 10
6500	0.150	0.150	0.150/*0.093	0.150/*0.093	----	0.102 +	0.014 .0112	----	----	12	----	10 + 9
6600	0.100	0.100	0.102/*0.100	0.105B/*0.100	----	0.122 -	0.012 .0169	----	----	2	----	4 + 2
6700	0.200	0.200	0.223B/*0.200	0.223B/*0.200	----	0.159 -	0.044 .0285	----	----	15	----	16 + 15
6800	----	----	2.621B/2.037A	2.621B/2.037A	----	2.124 -	0.097 .3088	----	----	----	----	3 UNCH
6800	0.300	0.300	0.500/0.290A	0.500/0.290A	----	0.225 -	0.080 .0523	----	----	6	----	15 + 4
6850	0.510	0.510	0.510/*0.350A	0.510/*0.350A	----	0.276	NEW .0726	----	----	1	----	1 + 1
6900	----	----	0.682B/*0.382A	0.682B/*0.382A	----	0.341 -	0.109 .1005	----	----	1	----	1 UNCH
7000	0.607	0.607	1.063B/*0.500	1.063B/*0.500	----	0.527 -	0.124 .1868	----	----	4	----	4 + 2
7000	2.405	2.405	2.629B/1.844A	2.629B/1.844A	----	1.964	NEW .3659	----	----	1	----	1 + 1
7010	1.200	1.200	1.200/*0.557A	1.200/*0.557A	----	0.550	NEW .1979	----	----	4	----	4 + 4
7025	0.726	0.726	1.150B/*0.584A	1.150B/*0.584A	----	0.587	NEW .2157	----	----	1	----	1 + 1
7100	0.870	0.870	1.302B/*0.715A	1.302B/*0.715A	----	0.804	NEW .3205	----	----	2	----	2 + 2
7125	2.000	2.000	2.000/*0.802A	2.000/*0.802A	----	0.889	NEW .3611	----	----	1	----	1 + 1
7150	0.600	0.600	0.600/*0.600	1.297B/*0.600	----	1.470	NEW .5955	----	----	5	----	5 + 5
7150	0.515	0.515	1.472B/*0.515	1.472B/*0.515	----	0.983	NEW .4044	----	----	2	----	2 + 2
7175	0.855	0.855	1.214B/*0.855	1.214B/*0.855	----	1.084	NEW .4497	----	----	5	----	5 + 5
7190	----	----	----/*0.798A	1.169B/*0.798A	----	1.236 -	0.907 .5222	----	----	----	----	3 UNCH
7200	----	----	3.381B/----	3.381B/2.559A	----	2.770 +	0.221 .4826	----	----	----	----	1 UNCH
7200	0.616	0.616	1.100/*0.550	1.207B/*0.550	----	1.180	NEW .5033	----	----	31	----	30 + 30
7200	----	----	1.474B/*0.915A	1.474B/*0.915A	----	1.193 -	0.040 .4966	----	----	----	----	9 UNCH
7250	0.750	0.750	0.800/*0.480	1.167B/*0.480	----	0.926 -	0.853 .4074	----	----	8	----	2 + 1
7250	1.000	1.000	1.000/*1.000	1.352B/*1.000	----	1.439	NEW .5925	----	----	1	----	1 + 1
7300	0.650	0.650	1.000/*0.512A	1.289B/*0.512A	----	0.709	NEW .3137	----	----	16	----	16 + 16
7330	0.490	0.490	0.655/*0.483A	1.255B/*0.483A	----	0.598	NEW .2616	----	----	2	----	2 + 2
7350	0.940	0.940	1.000/*0.460	1.154B/*0.460	----	0.531	NEW .2291	----	----	21	----	12 + 12
7375	0.460	0.460	0.850/*0.432A	1.034B/*0.432A	----	0.455	NEW .1916	----	----	3	----	3 + 3
7400	----	----	----	0.885B/2.752A	----	2.402 +	0.188 .8416	----	----	----	----	5 UNCH
7400	0.480	0.480	0.835/*0.358A	0.944B/*0.358A	----	0.389 -	0.673 .1583	----	----	8	----	6 + 5
7450	0.280	0.280	0.280/*0.280	0.716B/*0.280	----	0.283	NEW .1047	----	----	3	----	3 + 3
7500	0.300	0.300	0.300/*0.262A	0.564B/*0.262A	----	0.208 -	0.521 .0678	----	----	3	----	3 UNCH
7550	0.123	0.123	0.123/*0.123	0.387B/*0.123	----	0.156 -	0.443 .0437	----	----	1	----	1 UNCH
7600	0.250	0.250	0.250/*0.180A	0.289B/*0.180A	----	0.121 -	0.369 .0289	----	----	3	----	3 + 1
7650	----	----	----/*0.174A	0.166B/*0.174A	----	0.097 -	0.302 .0196	----	----	----	----	10 UNCH
7700	0.160	0.160	0.160/*0.140A	0.160/*0.140A	----	0.082 -	0.243 .0142	----	----	2	----	2 + 1
7750	----	----	----/*0.122A	0.038B/*0.122A	----	0.072 -	0.191 .0108	----	----	----	----	20 UNCH
7800	----	----	----/*0.051A	0.016B/*0.051A	----	0.065 -	0.148 .0085	----	----	----	----	2 UNCH
8000	0.070	0.070	0.070/*0.021A	0.070/*0.021A	----	0.055 -	0.036 .0047	----	----	1	----	2 - 1
8500	----	----	----	----/0.119A	----	0.006 -	0.009 .0000	----	----	----	----	5 UNCH
8725	----	----	----	----/0.129A	----	0.003 -	0.006 .0000	----	----	----	----	1 UNCH
8800	----	----	----	----	----	16.014 +	0.857 .0000	----	----	----	----	1 UNCH
TOTAL										175	0	229 + 138
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
APR26												
4200	----	----	----	----/*0.096A	----	0.000 -	0.001 ----	----	----	----	----	0 - 1
6000	----	----	----	0.193B/0.301A	----	0.244 -	0.033 .0499	----	----	----	----	1 UNCH
6100	----	----	----	----/*0.098A	----	0.000 -	0.028 ----	----	----	----	----	0 - 1
6500	----	----	0.769B/----	0.769B/*0.676A	----	0.598 -	0.024 .1341	----	----	----	----	1 UNCH
6500	0.010	0.010	0.010/*0.001	0.010/*0.001	----	0.000 -	0.058 ----	----	----	2	----	0 - 13
6550	----	----	0.842B/----	0.842B/*0.758A	----	0.660	NEW .1485	----	----	1	----	1 + 1
6600	----	----	----	0.001B/*0.115A	----	0.000 -	0.059 ----	----	----	----	----	0 - 1
6700	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 -	0.067 ----	----	----	1	----	0 - 2
6700	----	----	1.260B/----	1.260B/*0.956A	----	0.896	NEW .2011	----	----	1	----	1 + 1
6800	----	----	----/*0.070A	0.001B/*0.070A	----	0.000 -	0.094 ----	----	----	----	----	0 - 3
6850	----	----	----	0.005B/*0.122A	----	0.000 -	0.119 ----	----	----	----	----	0 - 2
6890	0.186	0.186	0.186/*0.013	0.186/*0.013	----	0.000	NEW ----	----	----	2	----	0 UNCH
6900	0.052	0.052	0.200/*0.052	0.200/*0.052	----	0.000 -	0.154 ----	----	----	2	----	0 - 1
6950	----	----	----/*0.125A	0.068B/*0.125A	----	0.000 -	0.203 ----	----	----	----	----	0 - 1
6955	0.170	0.170	0.170/*0.125A	0.170/*0.125A	----	0.000	NEW ----	----	----	1	----	0 UNCH
6975	----	----	----/*0.058A	0.108B/*0.058A	----	0.000 -	0.233 ----	----	----	----	----	0 - 1
7000	3.536	3.536	3.536/2.542A	3.536/2.542A	----	2.600	NEW .3844	----	----	1	----	1 + 1
7000	0.120	0.120	0.350/*0.081	0.350/*0.081	----	0.000 -	0.267 ----	----	----	4	----	0 - 1
7000	2.005	2.005	2.394B/1.669A	2.394B/1.669A	----	1.674 +	0.082 .3538	----	----	1	----	1 UNCH
7025	0.400	0.400	0.400/*0.133A	0.400/*0.133A	----	0.000	NEW ----	----	----	1	----	0 UNCH
7055	----	----	----/*0.586A	0.129B/*0.586A	----	1.437 -	1.219 ----	----	----	----	----	0 - 5
7070	----	----	----/*0.170A	0.306B/*0.170A	----	0.000 -	0.389 ----	----	----	----	----	0 - 3
7100	0.164	0.164	0.461B/*0.002A	0.461B/*0.002A	----	0.000 -	0.454 ----	----	----	2	----	0 - 2
7100	----	----	----/*0.470A	0.226B/*0.470A	----	0.987 -	1.314 ----	----	----	----	----	0 - 1
7125	0.450	0.450	0.450/*0.250	0.482B/*0.250	----	0.000	NEW ----	----	----	7	----	0 UNCH
7150	0.600	0.600	0.750/*0.043	0.750/*0.043	----	0.000 -	0.583 ----	----	----	3	----	0 - 2
7175	0.341	0.341	0.341/*0.105	0.774B/*0.105	----	0.237	NEW ----	----	----	4	----	0 UNCH
7185	0.875	0.875	0.875/*0.005	0.875/*0.005	----	0.000	NEW ----	----	----	2	----	0 UNCH
7200	0.530	0.530	0.530/*0.163A	0.763B/*0.163A	----	0.000 -	1.588 ----	----	----	2	----	0 - 2
7200	0.800	0.800	0.800/*0.630A	0.800/*0.630A	----	0.013	NEW ----	----	----	1	----	0 UNCH
7215	----	----	----/*0.158A	0.778B/*0.158A	----	0.000 -	1.492 ----	----	----	----	----	0 - 2
7220	----	----	----/*0.712A	0.659B/*0.712A	----	0.213 -	0.600 ----	----	----	----	----	0 - 1
7220	0.775	0.775	0.775/*0.151A	0.775/*0.151A	----	0.000	NEW ----	----	----	1	----	0 UNCH
7225	0.725	0.725	0.725/*0.725	0.725/*0.725	----	0.263	NEW ----	----	----	1	----	0 UNCH
7250	----	----	----/*0.815A	0.676B/*0.815A	----	0.513 -	0.418 ----	----	----	1	----	0 - 11
7250	0.400	0.400	0.400/*0.050	0.747B/*0.050	----	0.000 -	1.278 ----	----	----	15	----	0 - 1
7300	0.380	0.380	0.380/*0.010	0.849B/*0.010	----	0.000 -	1.001 ----	----	----	6	----	0 - 2
7300	1.570	1.570	1.570/*1.570	2.365B/*1.570	----	2.011	NEW .4468	----	----	1	----	1 + 1
7320	----	----	----/*0.123A	0.817B/*0.123A	----	0.000 -	0.900 ----	----	----	----	----	0 - 2
7335	0.500	0.500	0.500/*0.122A	0.752B/*0.122A	----	0.000	NEW ----	----	----	5	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
APR26												
7350	0.745	0.745	0.850/*0.111A	0.850/*0.111A	----	0.000 - 0.760	----	----	----	9	----	0 - 2
7400	0.580	0.580	0.580/*0.001A	0.580/*0.001A	----	0.000 - 0.557	----	----	----	2	----	0 - 6
7400	----	----	3.686B/3.298A	3.686B/3.298A	----	3.620 + 0.306	.6199	----	----	----	----	2 UNCH
7420	----	----	----/*0.134A	0.386B/*0.134A	----	0.000 - 0.488	----	----	----	----	----	0 - 1
7450	0.220	0.220	0.220/*0.122A	0.284B/*0.122A	----	0.000 - 0.395	----	----	----	1	----	0 - 3
7475	0.208	0.208	0.208/*0.013	0.210B/*0.013	----	0.000 - 0.329	----	----	----	2	----	0 - 3
7475	----	----	----/*1.243A	1.732B/*1.243A	----	1.352 - 0.504	.3326	----	----	----	----	2 UNCH
7500	0.390	0.390	0.390/*0.001A	0.390/*0.001A	----	0.000 - 0.272	----	----	----	10	----	0 - 5
7500	----	----	----/*1.154A	1.661B/*1.154A	----	1.275 - 0.487	.3175	----	----	----	----	1 UNCH
7520	----	----	----/*0.121A	0.102B/*0.121A	----	0.000 - 0.232	----	----	----	----	----	0 - 20
7525	0.250	0.250	0.250/*0.121A	0.250/*0.121A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7600	----	----	----/*0.970A	1.291B/*0.970A	----	1.006 - 0.419	.2614	----	----	----	----	7 UNCH
7700	0.021	0.021	0.021/*0.001A	0.021/*0.001A	----	0.000 - 0.057	----	----	----	1	----	0 - 16
7800	----	----	----/*0.658A	0.722B/*0.658A	----	0.622 - 0.298	.1713	----	----	----	----	1 UNCH
7800	----	----	----	0.001B/*0.125A	----	0.000 - 0.029	----	----	----	----	----	0 - 42
7850	0.491	0.491	0.491/*0.491	0.584B/*0.491	----	0.552 NEW	.1534	----	----	4	----	4 + 4
7900	----	----	----	----/*0.102A	----	0.000 - 0.015	----	----	----	----	----	0 - 1
8000	----	----	----/*0.444A	0.364B/*0.444A	----	0.390 - 0.202	.1101	----	----	----	----	4 UNCH
8000	----	----	----	----/0.031A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
8050	----	----	----	----/*0.096A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
8400	----	----	----	----/*0.100A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8800	----	----	----	----/0.096A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9500	----	----	----	----/*0.096A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										98	0	28 - 158

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK2										
APR26												
530	----	----	0.3325B/0.2705A	0.3325B/0.2705A	----	0.2770 - 0.0400	.8972	----	----	----	----	9 UNCH
530	0.0100	0.0100	0.0110B/*0.0100	0.0110B/*0.0100	----	0.0140 NEW	.1025	----	----	30	----	30 + 30
535	----	----	----	0.0165B/0.0240A	----	0.0200 - 0.0020	.1458	----	----	----	----	1 UNCH
545	----	----	----	----	----	0.1510 UNCH	----	----	----	----	----	0 UNCH
550	----	----	----/0.1205A	0.1200B/0.1205A	----	0.1175 - 0.0375	.6350	----	----	----	----	3 UNCH
555	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.0510 UNCH	----	----	----	----	----	0 UNCH
558	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0010 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----/0.0665A	0.0925B/0.0665A	----	0.0640 - 0.0305	.4286	----	----	----	----	5 UNCH
563	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0490 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
573	0.0420	0.0420	0.0420/*0.0300A	0.0420/*0.0300A	----	0.0260 - 0.0155	.2021	----	----	1	----	1 UNCH
584	----	----	----/0.0180A	0.0095B/0.0180A	----	0.0105 - 0.0090	.0874	----	----	----	----	1 UNCH
587	----	----	----	----	----	0.2690 UNCH	----	----	----	----	----	0 UNCH
590	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0065 NEW	.0540	----	----	10	----	10 + 10
TOTAL										41		60 + 40
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
APR26												
500	----	----	----	0.0025B/0.0140A	----	0.0055 - 0.0015	.0318	----	----	----	----	3 UNCH
508	----	----	----	0.0190B/*0.0280	----	0.0230 - 0.0015	.1025	----	----	----	20	0 - 20
510	----	----	----	0.0215B/*0.0295	----	0.0245 - 0.0020	.1095	----	----	----	10	0 - 10
520	----	----	----	0.0320B/*0.0390	----	0.0350 - 0.0025	.1553	----	----	----	70	0 - 70
530	----	----	----	0.0255B/*0.0320	----	0.0280 - 0.0025	.1609	----	----	----	----	2 UNCH
552	----	----	----/0.0375A	0.0370B/0.0375A	----	0.0380 - 0.0010	.3521	----	----	----	----	4 UNCH
556	----	----	----/0.1080A	0.1370B/0.1080A	----	0.1085 - 0.0325	.5137	----	----	----	----	1 UNCH
560	----	----	----/*0.0420A	0.0705B/*0.0420	----	0.0395 - 0.0310	.3774	----	----	----	----	1 UNCH
565	----	----	----/*0.0280A	0.0425B/*0.0280	----	0.0240 - 0.0235	.2322	----	----	----	----	1 UNCH
571	----	----	----/0.0540A	0.0675B/0.0540A	----	0.0510 - 0.0195	.2933	----	----	----	----	1 UNCH
590	----	----	----/*0.0235A	0.0185B/*0.0235	----	0.0195 - 0.0060	.1225	----	----	----	----	2 UNCH
620	----	----	----	----/*0.0120A	----	0.0040 - 0.0015	.0256	----	----	----	----	4 UNCH
635	----	----	----	----/0.0100A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
650	----	----	----	----/0.0130A	----	0.0005 - 0.0005	.0031	----	----	----	----	2 UNCH
TOTAL									100			22 - 100
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week1										
APR26												
505	----	----	----	----/0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
527	----	----	----	----/*0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
535	----	----	----	----/*0.0105A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
540	----	----	----	----/*0.0105A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
540	0.0415	0.0415	0.0415/0.0360A	0.0415/0.0360A	----	0.0345 NEW	.2247	----	----	1	----	1 + 1
542	----	----	----	----/*0.0105A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 10
544	----	----	----	----/*0.0105A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 10
545	----	----	----	----/0.0105A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 10
550	----	----	----	0.0005B/0.0105A	----	0.0000 - 0.0065	----	----	----	----	----	0 - 2
555	----	----	----/*0.0115A	0.0020B/*0.0115	----	0.0000 - 0.0160	----	----	----	----	----	0 - 1
555	0.0390	0.0390	0.0805B/*0.0255	0.0805B/*0.0255	----	0.0130 - 0.0540	----	----	----	1	----	0 - 1
556	0.0195	0.0195	0.0250/*0.0060	0.0250/*0.0060	----	0.0000 NEW	----	----	----	5	----	0 UNCH
560	0.0005	0.0005	0.0405B/*0.0005	0.0405B/*0.0005	----	0.0000 - 0.0355	----	----	----	2	----	0 - 1
561	----	----	0.0520B/0.0325A	0.0520B/0.0325A	----	0.0470 + 0.0080	----	----	----	----	----	0 - 1
561	0.0015	0.0015	0.0335B/*0.0010	0.0335B/*0.0010	----	0.0000 - 0.0300	----	----	----	2	----	0 - 1
565	0.0030	0.0030	0.0030/*0.0030	0.0110B/*0.0030	----	0.0000 - 0.0150	----	----	----	1	----	0 - 31
565	----	----	----/0.0565A	0.0755B/0.0565A	----	0.0540 - 0.0255	.3486	----	----	----	----	1 UNCH
568	0.0090	0.0090	0.0090/*0.0075A	0.0090/*0.0075A	----	0.0000 NEW	----	----	----	4	----	0 UNCH
568	----	----	----/0.0480A	0.0620B/0.0480A	----	0.0450 - 0.0220	.3001	----	----	----	----	1 UNCH
569	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0000 NEW	----	----	----	3	----	0 UNCH
575	----	----	----	----/*0.0050A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 2
580	----	----	----	----/*0.0090A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
585	----	----	----/*0.0205A	0.0150B/*0.0205	----	0.0155 - 0.0080	.1133	----	----	----	----	0 UNCH
TOTAL										19		3 - 105
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
520	----	----	----	----/*0.0035A	----	0.0005 - 0.0005	----	----	----	----	----	2 UNCH
522	----	----	----	0.0120B/*0.0205	----	0.0155 - 0.0010	.0951	----	----	----	----	1 UNCH
535	----	----	----	----/0.0100A	----	0.0010 - 0.0035	.0026	----	----	----	----	1 UNCH
545	0.0140	0.0140	0.0140/*0.0120	0.0140/*0.0120	----	0.0080 NEW	.0667	----	----	30	200	230 + 230
549	----	----	0.1040B/0.0950A	0.1040B/0.0950A	----	0.1010 + 0.0010	.3998	----	----	----	----	1 UNCH
550	----	----	----/0.0205A	0.0175B/0.0205A	----	0.0175 - 0.0065	.1948	----	----	----	----	7 UNCH
552	----	----	----/*0.0205A	0.0210B/*0.0205	----	0.0235 - 0.0055	.2772	----	----	----	----	2 UNCH
554	----	----	0.0905B/0.0790A	0.0905B/0.0790A	----	0.0880 + 0.0035	.4524	----	----	----	----	1 UNCH
559	0.0400	0.0400	0.0400/*0.0345A	0.0655B/*0.0345	----	0.0290 NEW	.3578	----	----	1	----	1 + 1
560	----	----	----/*0.0310A	0.0590B/*0.0310	----	0.0250 - 0.0350	.3069	----	----	----	----	1 UNCH
564	0.0150	0.0150	0.0150/*0.0150	0.0360B/*0.0150	----	0.0135 NEW	.1461	----	----	29	----	29 + 29
565	0.0200	0.0200	0.0230/*0.0150	0.0310B/*0.0150	----	0.0115 NEW	.1179	----	----	3	----	3 + 3
566	0.0125	0.0125	0.0125/*0.0125	0.0275B/*0.0125	----	0.0095 NEW	.0918	----	----	15	----	15 + 15
568	0.0090	0.0090	0.0105/*0.0090	0.0190B/*0.0090	----	0.0065 - 0.0200	.0541	----	----	25	----	25 + 20
574	0.0050	0.0050	0.0050/*0.0045	0.0070B/*0.0045	----	0.0015 NEW	.0060	----	----	17	----	17 + 17
580	----	----	----/*0.0565A	0.0630B/*0.0565	----	0.0540 - 0.0140	.2557	----	----	----	----	1 UNCH
580	----	----	----	----/0.0085A	----	0.0005 - 0.0055	.0003	----	----	----	----	10 UNCH
588	----	----	----/*0.0220A	0.0160B/*0.0220	----	0.0165 - 0.0070	.1129	----	----	----	----	1 UNCH
595	----	----	----	0.0085B/*0.0175	----	0.0100 - 0.0050	.0711	----	----	----	----	1 UNCH
600	----	----	----	0.0045B/*0.0150	----	0.0075 - 0.0040	.0532	----	----	----	----	1 UNCH
620	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL									200	120		351 + 315
MAY26												
465	----	----	----	0.0095B/*0.0205	----	0.0095 - 0.0060	.0349	----	----	----	----	2 UNCH
475	----	----	----	0.0135B/*0.0235	----	0.0145 - 0.0075	.0514	----	----	----	----	2 UNCH
485	----	----	----/*0.0285A	0.0185B/0.0285A	----	0.0215 - 0.0090	.0733	----	----	----	----	1 UNCH
500	----	----	----/0.0390A	0.0310B/0.0390A	----	0.0345 - 0.0115	.1137	----	----	----	----	1 UNCH
510	----	----	----/0.0495A	0.0435B/0.0495A	----	0.0460 - 0.0135	.1487	----	----	----	----	8 UNCH
520	----	----	----/0.0635A	0.0595B/0.0635A	----	0.0615 - 0.0140	.1932	----	----	----	----	1 UNCH
530	----	----	----/0.0820A	0.0810B/0.0820A	----	0.0820 - 0.0130	.2480	----	----	----	----	4 UNCH
540	----	----	----/0.1060A	0.1100B/0.1060A	----	0.1085 - 0.0125	.3132	----	----	----	----	10 UNCH
550	----	----	----/0.2625A	0.2955B/0.2625A	----	0.2585 - 0.0490	.6110	----	----	----	----	3 UNCH
550	----	----	----/0.1365A	0.1465B/0.1365A	----	0.1430 - 0.0120	.3882	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
555	----	----	----/0.1545A	0.1680B/0.1545A	----	0.1640 - 0.0105	.4285	----	----	----	----	16 UNCH
556	----	----	----/0.1590A	0.1725B/0.1590A	----	0.1685 - 0.0105	.4367	----	----	----	----	1 UNCH
560	----	----	----/0.1750A	0.1920B/0.1750A	----	0.1870 - 0.0095	.4697	----	----	----	----	1 UNCH
561	----	----	----/0.1795A	0.1970B/0.1795A	----	0.1920 - 0.0090	.4780	----	----	----	----	1 UNCH
562	----	----	----/0.1835A	0.2020B/0.1835A	----	0.1970 - 0.0085	.4863	----	----	----	----	20 UNCH
565	----	----	----/0.1970A	0.2175B/0.1970A	----	0.2125 - 0.0075	.5111	----	----	----	----	1 UNCH
568	----	----	----/0.1660A	0.1930B/0.1660A	----	0.1650 - 0.0430	.4633	----	----	----	----	1 UNCH
575	----	----	0.2755B/0.2475A	0.2755B/0.2475A	----	0.2710 - 0.0015	.5921	----	----	----	----	1 UNCH
579	----	----	----/0.1250A	0.1465B/0.1250A	----	0.1225 - 0.0370	.3759	----	----	----	----	1 UNCH
584	----	----	0.3345B/0.3045A	0.3345B/0.3045A	----	0.3305 + 0.0030	.6604	----	----	----	----	24 UNCH
585	----	----	0.3430B/0.3085A	0.3430B/0.3085A	----	0.3375 + 0.0030	.6676	----	----	----	----	1 UNCH
590	----	----	----/0.0935A	0.1035B/0.0935A	----	0.0900 - 0.0320	.2975	----	----	----	----	4 UNCH
590	----	----	0.3795B/0.3415A	0.3795B/0.3415A	----	0.3735 + 0.0050	.7018	----	----	----	----	17 UNCH
600	----	----	----/0.0720A	0.0750B/0.0720A	----	0.0675 - 0.0275	.2362	----	----	----	----	1 UNCH
600	----	----	0.4560B/0.4120A	0.4560B/0.4120A	----	0.4510 + 0.0095	.7630	----	----	----	----	1 UNCH
607	----	----	----/0.0600A	0.0595B/0.0600A	----	0.0555 - 0.0235	.2003	----	----	----	----	1 UNCH
610	----	----	----/0.0560A	0.0530B/0.0560A	----	0.0515 - 0.0215	.1872	----	----	----	----	4 UNCH
617	----	----	----/0.0470A	0.0410B/0.0470A	----	0.0425 - 0.0190	.1583	----	----	----	----	1 UNCH
624	----	----	----/*0.0400A	0.0320B/0.0400A	----	0.0350 - 0.0170	.1332	----	----	----	----	16 UNCH
645	----	----	----	0.8120B/0.8525A	----	0.8535 + 0.0260	.9185	----	----	----	----	6 UNCH
660	----	----	----/*0.0195A	0.0095B/0.0195A	----	0.0145 - 0.0085	.0579	----	----	----	----	1 UNCH
675	----	----	----	0.0055B/0.0155A	----	0.0090 - 0.0065	.0375	----	----	----	----	2 UNCH
695	----	----	----	0.0020B/0.0135A	----	0.0050 - 0.0040	.0215	----	----	----	----	20 UNCH
710	----	----	----	----/0.0170A	----	0.0030 - 0.0030	.0134	----	----	----	----	2 UNCH
TOTAL												204
JUN26												
579	----	----	0.3775B/----	0.3775B/0.3605A	----	0.3790 + 0.0285	.5728	----	----	----	----	1 UNCH
610	----	----	0.1200B/----	0.1200B/0.1240A	----	0.1135 - 0.0010	.2741	----	----	----	----	7 UNCH
630	----	----	0.0760B/----	0.0760B/0.0875A	----	0.0765 + 0.0015	.1992	----	----	----	----	8 UNCH
650	----	----	----	0.0470B/0.0635A	----	0.0515 + 0.0025	.1424	----	----	----	----	6 UNCH
660	----	----	----	0.0360B/0.0550A	----	0.0420 + 0.0025	.1195	----	----	----	----	7 UNCH
TOTAL												29
JUL26												
600	----	----	0.2235B/----	0.2235B/0.2175A	----	0.2080 - 0.0035	.3794	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----/0.6835A	0.6895B/0.6835A	----	0.6790 - 0.0395	.9312	----	----	----	----	1 UNCH
500	----	----	----/0.5900A	0.6120B/0.5900A	----	0.5845 - 0.0395	.9076	----	----	----	----	3 UNCH
505	----	----	----/0.5440A	0.5660B/0.5440A	----	0.5380 - 0.0395	.8926	----	----	----	----	3 UNCH
525	----	----	----/0.3710A	0.3880B/0.3710A	----	0.3645 - 0.0375	.7945	----	----	----	----	14 UNCH
530	----	----	----/0.3170A	0.3470B/0.3170A	----	0.3250 - 0.0370	.7592	----	----	----	----	276 UNCH
531	----	----	----/0.3260A	0.3395B/0.3260A	----	0.3175 - 0.0365	.7514	----	----	----	----	1 UNCH
532	----	----	----/0.3185A	0.3310B/0.3185A	----	0.3100 - 0.0365	.7435	----	----	----	----	1 UNCH
533	----	----	----/0.3110A	0.3230B/0.3110A	----	0.3025 - 0.0360	.7356	----	----	----	----	3 UNCH
534	----	----	----/0.3035A	0.3155B/0.3035A	----	0.2950 - 0.0360	.7277	----	----	----	----	4 UNCH
535	----	----	0.3310B/0.2865A	0.3310B/0.2865A	----	0.2880 - 0.0355	.7190	----	----	----	----	1 UNCH
536	----	----	----/0.2885A	0.3000B/0.2885A	----	0.2805 - 0.0355	.7109	----	----	----	----	2 UNCH
537	----	----	----/0.2825A	0.2925B/0.2825A	----	0.2735 - 0.0350	.7022	----	----	----	----	1 UNCH
539	----	----	----/0.2690A	0.2775B/0.2690A	----	0.2600 - 0.0340	.6846	----	----	----	----	2 UNCH
540	----	----	0.2955B/0.2445A	0.2955B/0.2445A	----	0.2530 - 0.0340	.6758	----	----	----	----	44 UNCH
541	----	----	----/0.2430A	0.2630B/0.2430A	----	0.2460 - 0.0340	.6664	----	----	----	----	9 UNCH
542	----	----	----/0.2355A	0.2555B/0.2355A	----	0.2395 - 0.0335	.6570	----	----	----	----	15 UNCH
543	----	----	----/0.2325A	0.2485B/0.2325A	----	0.2330 - 0.0330	.6475	----	----	----	----	1 UNCH
544	0.2290	0.2290	0.2300/0.2260A	0.2415B/0.2260A	----	0.2265 - 0.0325	.6380	----	----	3	----	2 - 1
545	0.2320	0.2320	0.2595B/0.2130A	0.2595B/0.2130A	----	0.2205 - 0.0320	.6285	----	----	3	----	14 - 2
546	----	----	----/0.2075A	0.2315B/0.2075A	----	0.2140 - 0.0315	.6186	----	----	----	----	7 UNCH
547	----	----	----/0.2015A	0.2215B/0.2015A	----	0.2080 - 0.0310	.6089	----	----	----	----	1 UNCH
548	----	----	----/0.1950A	0.2165B/0.1950A	----	0.2020 - 0.0310	.5990	----	----	3	----	28 - 3
549	----	----	----/0.1895A	0.2135B/0.1895A	----	0.1960 - 0.0305	.5887	----	----	3	----	5 - 1
550	0.2080	0.2080	0.2255B/0.1835A	0.2255B/0.1835A	----	0.1905 - 0.0300	.5787	----	----	5	----	521 UNCH
551	----	----	----/0.1790A	0.2030B/0.1790A	----	0.1845 - 0.0300	.5684	----	----	----	----	14 UNCH
552	----	----	----/0.1730A	0.2075B/0.1730A	----	0.1790 - 0.0295	.5583	----	----	----	----	21 UNCH
553	----	----	0.2095B/0.1680A	0.2095B/0.1680A	----	0.1735 - 0.0290	.5480	----	----	----	----	21 UNCH
554	----	----	0.2075B/0.1630A	0.2075B/0.1630A	----	0.1685 - 0.0285	.5376	----	----	----	----	7 UNCH
555	0.1755	0.1755	0.2015B/0.1575A	0.2015B/0.1575A	----	0.1630 - 0.0280	.5272	----	----	22	----	103 + 13
556	----	----	0.1960B/0.1520A	0.1960B/0.1520A	----	0.1580 - 0.0275	.5168	----	----	----	----	26 UNCH
557	0.1550	0.1550	0.1900B/0.1475A	0.1900B/0.1475A	----	0.1530 - 0.0275	.5064	----	----	3	----	20 + 3
558	----	----	0.1845B/0.1425A	0.1845B/0.1425A	----	0.1480 - 0.0270	.4959	----	----	6	----	16 + 6
559	0.1475	0.1475	0.1790B/0.1385A	0.1790B/0.1385A	----	0.1435 - 0.0265	.4855	----	----	3	----	20 + 3
560	0.1665	0.1665	0.1740B/0.1325A	0.1740B/0.1325A	----	0.1385 - 0.0260	.4750	----	----	31	----	872 - 14
561	----	----	0.1690B/0.1295A	0.1690B/0.1295A	----	0.1340 - 0.0255	.4646	----	----	----	----	20 UNCH
562	0.1625	0.1625	0.1630B/0.1250A	0.1630B/0.1250A	----	0.1300 - 0.0250	.4545	----	----	1	----	12 + 1
563	0.1605	0.1605	0.1605/0.1205A	0.1605/0.1205A	----	0.1255 - 0.0245	.4441	----	----	1	----	23 + 1
564	0.1575	0.1575	0.1575/0.1165A	0.1575/0.1165A	----	0.1215 - 0.0240	.4340	----	----	1	----	24 + 1
565	0.1475	0.1475	0.1515/0.1110	0.1515/0.1110	----	0.1175 - 0.0235	.4238	----	----	58	----	218 + 17
566	0.1480	0.1480	0.1480/0.1090A	0.1480/0.1090A	----	0.1135 - 0.0230	.4137	----	----	3	----	15 + 1
567	0.1435	0.1435	0.1435/0.1060A	0.1435/0.1060A	----	0.1095 - 0.0225	.4036	----	----	4	----	11 + 3
568	0.1390	0.1390	0.1390/0.1020A	0.1390/0.1020A	----	0.1060 - 0.0220	.3939	----	----	3	----	59 UNCH
569	----	----	0.1285B/0.0990A	0.1285B/0.0990A	----	0.1025 - 0.0215	.3842	----	----	----	----	108 UNCH
570	0.1040	0.1040	0.1255B/0.0945A	0.1255B/0.0945A	----	0.0990 - 0.0205	.3745	----	----	33	----	1049 + 29
571	----	----	0.1210B/0.0925A	0.1210B/0.0925A	----	0.0955 - 0.0205	.3649	----	----	----	----	31 UNCH
572	----	----	0.1170B/0.0895A	0.1170B/0.0895A	----	0.0920 - 0.0200	.3552	----	----	----	----	14 UNCH
573	----	----	0.1125B/0.0865A	0.1125B/0.0865A	----	0.0890 - 0.0190	.3461	----	----	----	----	35 UNCH
574	0.0840	0.0840	0.1090B/0.0835A	0.1090B/0.0835A	----	0.0860 - 0.0185	.3371	----	----	1	----	16 + 1
575	0.0815	0.0815	0.1050B/0.0790A	0.1050B/0.0790A	----	0.0830 - 0.0180	.3280	----	----	18	----	610 - 2
576	0.0785	0.0785	0.1005B/0.0775A	0.1005B/0.0775A	----	0.0800 - 0.0175	.3190	----	----	3	----	16 + 3
577	----	----	0.0970B/0.0750A	0.0970B/0.0750A	----	0.0775 - 0.0165	.3107	----	----	----	----	2 UNCH
578	----	----	0.0930B/0.0720A	0.0930B/0.0720A	----	0.0750 - 0.0160	.3025	----	----	----	----	8 UNCH
579	----	----	0.0905B/0.0700A	0.0905B/0.0700A	----	0.0720 - 0.0155	.2935	----	----	----	----	8 UNCH
580	0.0890	0.0890	0.0890/0.0665A	0.0890/0.0665A	----	0.0695 - 0.0150	.2853	----	----	123	----	552 - 16
581	----	----	0.0855B/0.0650A	0.0855B/0.0650A	----	0.0675 - 0.0140	.2780	----	----	----	----	4 UNCH
582	----	----	0.0805B/0.0625A	0.0805B/0.0625A	----	0.0650 - 0.0135	.2699	----	----	----	----	5 UNCH
583	0.0800	0.0800	0.0800/0.0605A	0.0800/0.0605A	----	0.0630 - 0.0130	.2626	----	----	30	----	64 + 14
584	----	----	----/0.0585A	0.0730B/0.0585A	----	0.0605 - 0.0125	.2545	----	----	----	----	45 UNCH
585	0.0645	0.0645	0.0730B/0.0560A	0.0730B/0.0560A	----	0.0585 - 0.0120	.2474	----	----	3	----	491 UNCH
586	0.0605	0.0605	0.0690B/0.0545A	0.0690B/0.0545A	----	0.0565 - 0.0115	.2403	----	----	1	----	9 + 1
587	----	----	0.0670B/0.0525A	0.0670B/0.0525A	----	0.0545 - 0.0110	.2332	----	----	----	----	5 UNCH
588	----	----	----/0.0505A	0.0625B/0.0505A	----	0.0525 - 0.0105	.2261	----	----	----	----	3 UNCH
589	----	----	----/0.0485A	0.0605B/0.0485A	----	0.0510 - 0.0095	.2201	----	----	----	----	12 UNCH
590	0.0525	0.0525	0.0600B/0.0475A	0.0600B/0.0475A	----	0.0490 - 0.0090	.2131	----	----	247	----	1733 + 168
591	0.0505	0.0505	0.0570B/0.0455A	0.0570B/0.0455A	----	0.0475 - 0.0085	.2072	----	----	1	----	140 UNCH
592	----	----	0.0545B/0.0445A	0.0545B/0.0445A	----	0.0455 - 0.0085	.2003	----	----	----	----	2 UNCH
593	----	----	0.0540B/0.0430A	0.0540B/0.0430A	----	0.0440 - 0.0080	.1944	----	----	----	----	16 UNCH
594	0.0425	0.0425	0.0425/0.0415A	0.0495B/0.0415A	----	0.0425 - 0.0075	.1886	----	----	2	----	4 - 2
595	0.0435	0.0435	0.0495B/0.0395A	0.0495B/0.0395A	----	0.0410 - 0.0070	.1829	----	----	1	----	307 UNCH
596	----	----	----/0.0385A	0.0460B/0.0385A	----	0.0395 - 0.0065	.1771	----	----	----	----	4 UNCH
597	----	----	0.0460B/0.0370A	0.0460B/0.0370A	----	0.0380 - 0.0065	.1714	----	----	----	----	1 UNCH
598	----	----	0.0450B/0.0360A	0.0450B/0.0360A	----	0.0370 - 0.0055	.1669	----	----	----	----	2 UNCH
599	----	----	0.0435B/0.0345A	0.0435B/0.0345A	----	0.0355 - 0.0055	.1612	----	----	----	----	3 UNCH
600	0.0360	0.0360	0.0400B/0.0335A	0.0400B/0.0335A	----	0.0340 - 0.0055	.1556	----	----	61	----	1466 + 15
601	0.0340	0.0340	0.0400B/0.0325A	0.0400B/0.0325A	----	0.0330 - 0.0050	.1512	----	----	2	----	9 + 2
602	----	----	0.0375B/0.0315A	0.0375B/0.0315A	----	0.0320 - 0.0045	.1469	----	----	----	----	4 UNCH
603	----	----	0.0365B/0.0300A	0.0365B/0.0300A	----	0.0310 - 0.0040	.1426	----	----	----	----	8 UNCH
604	----	----	0.0350B/0.0290A	0.0350B/0.0290A	----	0.0300 - 0.0040	.1384	----	----	----	----	44 UNCH
605	----	----	0.0340B/0.0280A	0.0340B/0.0280A	----	0.0290 - 0.0035	.1342	----	----	----	----	181 UNCH
606	0.0290	0.0290	0.0320B/0.0270A	0.0320B/0.0270A	----	0.0280 - 0.0035	.1300	----	----	2	----	3 - 1
607	----	----	0.0310B/0.0260A	0.0310B/0.0260A	----	0.0270 - 0.0030	.1258	----	----	----	----	5 UNCH
608	----	----	0.0295B/0.0250A	0.0295B/0.0250A	----	0.0260 - 0.0030	.1217	----	----	----	----	2 UNCH
609	0.0250	0.0250	0.0285B/0.0240A	0.0285B/0.0240A	----	0.0255 - 0.0025	.1190	----	----	6	----	9 + 6
610	0.0255	0.0255	0.0275B/0.0230A	0.0275B/0.0230A	----	0.0245 - 0.0025	.1149	----	----	232	----	1586 + 131
611	0.0250	0.0250	0.0265B/0.0225A	0.0265B/0.0225A	----	0.0240 - 0.0020	.1122	----	----	5	----	17 + 5
612	0.0245	0.0245	0.0255B/0.0215A	0.0255B/0.0215A	----	0.0230 - 0.0020	.1082	----	----	14	----	29 + 11
613	0.0240	0.0240	0.0250B/0.0205A	0.0250B/0.0205A	----	0.0225 - 0.0015	.1056	----	----	13	----	36 + 10
614	0.0230	0.0230	0.0240B/0.0200A	0.0240B/0.0200A	----	0.0220 - 0.0010	.1031	----	----	5	----	29 + 3
615	0.0220	0.0220	0.0235B/0.0190A	0.0235B/0.0190A	----	0.0215 - 0.0005	.1006	----	----	10	----	457 + 3
616	0.0215	0.0215	0.0225B/0.0185A	0.0225B/0.0185A	----	0.0205 - 0.0010	.0966	----	----	12	----	43 + 11
617	0.0210	0.0210	0.0220B/*0.0175	0.0220B/*0.0175	----	0.0200 - 0.0005	.0942	----	----	9	----	53 + 6
618	0.0205	0.0205	0.0210B/*0.0170	0.0210B/*0.0170	----	0.0195 - 0.0005	.0918	----	----	3	----	40 + 3
619	0.0200	0.0200	0.0205B/*0.0165	0.0205B/*0.0165	----	0.0190 UNCH	.0894	----	----	10	----	56 + 10
620	0.0195	0.0195	0.0200B/*0.0160	0.0200B/*0.0160	----	0.0185 UNCH	.0870	----	----	18	----	1107 UNCH
621	0.0190	0.0190	0.0195B/*0.0155	0.0195B/*0.0155	----	0.0180 UNCH	.0847	----	----	8	----	32 + 8
622	----	----	0.0190B/*0.0150	0.0190B/*0.0150	----	0.0180 + 0.0010	.0839	----	----	----	----	33 UNCH
623	----	----	0.0180B/*0.0145	0.0180B/*0.0145	----	0.0175 + 0.0010	.0816	----	----	----	----	60 UNCH
624	----	----	0.0175B/*0.0140	0.0175B/*0.0140	----	0.0170 + 0.0010	.0793	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL — COMEX COPPER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
625	0.0145	0.0145	0.0170/*0.0135A	0.0170/*0.0135A	----	0.0165 + 0.0010	.0771	----	----	250	----	1056 - 172
626	----	----	0.0165B/*0.0130	0.0165B/*0.0130	----	0.0160 + 0.0010	.0748	----	----	----	----	21 UNCH
627	----	----	0.0160B/*0.0125	0.0160B/*0.0125	----	0.0160 + 0.0015	.0742	----	----	----	----	29 UNCH
628	----	----	0.0160B/*0.0120	0.0160B/*0.0120	----	0.0155 + 0.0015	.0720	----	----	----	----	193 UNCH
629	----	----	0.0155B/*0.0115	0.0155B/*0.0115	----	0.0150 + 0.0015	.0698	----	----	----	----	98 UNCH
630	0.0140	0.0140	0.0150B/*0.0115	0.0150B/*0.0115	----	0.0145 + 0.0015	.0676	----	----	1	----	543 UNCH
631	----	----	0.0145B/*0.0110	0.0145B/*0.0110	----	0.0145 + 0.0020	.0670	----	----	----	----	6 UNCH
633	0.0140	0.0140	0.0140/*0.0105A	0.0140/*0.0105A	----	0.0135 + 0.0015	.0627	----	----	13	----	37 + 13
634	----	----	0.0135B/*0.0100	0.0135B/*0.0100	----	0.0135 + 0.0020	.0622	----	----	----	----	3 UNCH
635	----	----	0.0130B/*0.0095	0.0130B/*0.0095	----	0.0130 + 0.0020	.0601	----	----	----	----	207 UNCH
636	----	----	0.0125B/*0.0095	0.0125B/*0.0095	----	0.0130 + 0.0020	.0597	----	----	----	----	7 UNCH
637	----	----	0.0125B/*0.0090	0.0125B/*0.0090	----	0.0125 + 0.0020	.0576	----	----	----	----	3 UNCH
638	----	----	0.0120B/*0.0090	0.0120B/*0.0090	----	0.0120 + 0.0020	.0555	----	----	----	----	3 UNCH
639	----	----	0.0120B/*0.0085	0.0120B/*0.0085	----	0.0120 + 0.0020	.0551	----	----	----	----	1 UNCH
640	0.0080	0.0080	0.0115B/*0.0080	0.0115B/*0.0080	----	0.0115 + 0.0020	.0530	----	----	1	----	1193 - 1
641	----	----	0.0115B/*0.0080	0.0115B/*0.0080	----	0.0115 + 0.0020	.0526	----	----	----	----	6 UNCH
642	----	----	0.0110B/*0.0080	0.0110B/*0.0080	----	0.0110 + 0.0020	.0506	----	----	----	----	4 UNCH
643	----	----	0.0110B/0.0080A	0.0110B/0.0080A	----	0.0110 + 0.0020	.0502	----	----	----	----	9 UNCH
644	----	----	0.0105B/*0.0075	0.0105B/*0.0075	----	0.0105 + 0.0020	.0482	----	----	----	----	1 UNCH
645	----	----	0.0105B/*0.0075	0.0105B/*0.0075	----	0.0100 + 0.0015	.0462	----	----	----	----	84 UNCH
646	----	----	0.0100B/*0.0070	0.0100B/*0.0070	----	0.0100 + 0.0020	.0458	----	----	----	----	1 UNCH
650	0.0055	0.0055	0.0095B/*0.0055	0.0095B/*0.0055	----	0.0090 + 0.0015	.0412	----	----	2	----	3292 UNCH
655	----	----	0.0085B/0.0060A	0.0085B/0.0060A	----	0.0080 + 0.0015	.0365	----	----	----	----	70 UNCH
660	----	----	0.0075B/0.0055A	0.0075B/0.0055A	----	0.0070 + 0.0010	.0319	----	----	----	----	148 UNCH
665	0.0065	0.0065	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0065 + 0.0010	.0293	----	----	1	----	17 + 1
670	----	----	0.0065B/----	0.0065B/0.0060A	----	0.0060 + 0.0010	.0267	----	----	1	----	524 - 1
675	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0055 + 0.0010	.0242	----	----	----	----	126 UNCH
680	0.0045	0.0045	0.0055/0.0045	0.0055/0.0045	----	0.0055 + 0.0015	.0236	----	----	6	----	1101 - 1
685	----	----	----	----/0.0050A	----	0.0050 + 0.0010	.0213	----	----	----	----	12 UNCH
690	----	----	----	----/0.0050A	----	0.0050 + 0.0015	.0207	----	----	----	----	178 UNCH
695	----	----	----	----/0.0050A	----	0.0050 + 0.0015	.0202	----	----	----	----	26 UNCH
700	----	----	----	0.0015B/0.0035A	----	0.0050 + 0.0020	.0198	----	----	----	----	536 UNCH
705	----	----	----	----/0.0050A	----	0.0050 + 0.0020	.0193	----	----	----	----	2 UNCH
710	----	----	----	----/0.0050A	----	0.0050 + 0.0020	.0189	----	----	----	----	59 UNCH
715	----	----	----	----/0.0045A	----	0.0050 + 0.0020	.0185	----	----	----	----	16 UNCH
720	----	----	----	----/0.0050A	----	0.0050 + 0.0020	.0181	----	----	----	----	13 UNCH
725	----	----	----	----/0.0070A	----	0.0050 + 0.0020	.0178	----	----	----	----	93 UNCH
730	----	----	----	----/0.0070A	----	0.0050 + 0.0020	.0174	----	----	----	----	15 UNCH
735	----	----	----	----/0.0065A	----	0.0050 + 0.0025	.0171	----	----	----	----	5 UNCH
740	----	----	----	----/0.0065A	----	0.0045 + 0.0020	.0154	----	----	----	----	92 UNCH
745	----	----	----	----/0.0065A	----	0.0045 + 0.0020	.0151	----	----	----	----	34 UNCH
750	----	----	----	0.0015B/0.0060A	----	0.0040 + 0.0015	.0135	----	----	----	----	489 UNCH
755	----	----	----	----/0.0050A	----	0.0040 + 0.0020	.0133	----	----	----	----	2 UNCH
760	----	----	----	0.0010B/0.0050A	----	0.0035 + 0.0015	.0117	----	----	----	----	78 UNCH
765	----	----	----	----/0.0055A	----	0.0035 + 0.0015	.0115	----	----	----	----	2 UNCH
770	----	----	----	----/0.0055A	----	0.0030 + 0.0015	.0100	----	----	----	----	3 UNCH
775	----	----	----	----/0.0050A	----	0.0030 + 0.0015	.0098	----	----	----	----	47 UNCH
780	----	----	----	----/0.0050A	----	0.0030 + 0.0015	.0097	----	----	----	----	8 UNCH
785	----	----	----	----/0.0050A	----	0.0030 + 0.0015	.0095	----	----	----	----	3 UNCH
790	----	----	----	----/0.0050A	----	0.0030 + 0.0015	.0094	----	----	----	----	3 UNCH
795	----	----	----	----/0.0045A	----	0.0025 + 0.0010	.0080	----	----	----	----	5 UNCH
800	----	----	----	----/0.0050A	----	0.0025 + 0.0010	.0079	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0040A	----	0.0025 + 0.0010	.0076	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0040A	----	0.0025 + 0.0010	.0075	----	----	----	----	28 UNCH
825	----	----	----	----/*0.0035A	----	0.0020 + 0.0005	.0061	----	----	----	----	91 UNCH
835	----	----	----	----/0.0035A	----	0.0020 + 0.0010	.0059	----	----	----	----	1 UNCH
840	----	----	----	----/0.0035A	----	0.0020 + 0.0010	.0059	----	----	----	----	4 UNCH
850	----	----	----	----/0.0030A	----	0.0015 + 0.0005	.0045	----	----	----	----	62 UNCH
855	----	----	----	----/0.0030A	----	0.0015 + 0.0005	.0044	----	----	----	----	30 UNCH
860	----	----	----	----/0.0030A	----	0.0015 + 0.0005	.0044	----	----	----	----	4 UNCH
865	----	----	----	----/0.0030A	----	0.0015 + 0.0005	.0043	----	----	----	----	3 UNCH
870	----	----	----	----/*0.0025A	----	0.0015 + 0.0005	.0043	----	----	----	----	4 UNCH
875	----	----	----	----/0.0025A	----	0.0015 + 0.0005	.0042	----	----	----	----	1 UNCH
880	----	----	----	----/*0.0025A	----	0.0015 + 0.0005	.0042	----	----	----	----	12 UNCH
890	----	----	----	----/*0.0025A	----	0.0010 + 0.0005	.0029	----	----	----	----	1 UNCH
900	----	----	----	----/0.0025A	----	0.0010 + 0.0005	.0028	----	----	----	----	73 UNCH
915	----	----	----	----/0.0025A	----	0.0005 UNCH	.0015	----	----	----	----	1 UNCH
920	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0013	----	----	----	----	4 UNCH
925	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0012	----	----	----	----	10 UNCH
930	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
935	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0009	----	----	----	----	1 UNCH
940	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0008	----	----	----	----	4 UNCH
945	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0007	----	----	----	----	10 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	.0007	----	----	----	----	40 UNCH
TOTAL										1301		32137 + 286
JUN26												
500	----	----	----/0.6920A	0.6960B/0.6920A	----	0.6835 - 0.0355	.8324	----	----	----	----	4 UNCH
525	----	----	0.5280B/0.4850A	0.5280B/0.4850A	----	0.4860 - 0.0350	.7305	----	----	----	----	1 UNCH
535	----	----	0.4570B/0.4160A	0.4570B/0.4160A	----	0.4150 - 0.0335	.6797	----	----	1	----	2 UNCH
540	----	----	0.4220B/0.3765A	0.4220B/0.3765A	----	0.3820 - 0.0320	.6520	----	----	----	----	22 UNCH
545	----	----	0.3890B/0.3475A	0.3890B/0.3475A	----	0.3505 - 0.0305	.6234	----	----	----	----	2 UNCH
549	----	----	----/0.3220A	0.3405B/0.3220A	----	0.3265 - 0.0295	.5997	----	----	1	----	1 UNCH
550	----	----	0.3570B/0.3150A	0.3570B/0.3150A	----	0.3205 - 0.0295	.5937	----	----	----	----	3 UNCH
555	----	----	0.3265B/0.2890A	0.3265B/0.2890A	----	0.2930 - 0.0285	.5632	----	----	----	----	1 UNCH
556	0.3130	0.3130	0.3270B/0.2830A	0.3270B/0.2830A	----	0.2875 - 0.0285	.5571	----	----	1	----	1 UNCH
557	----	----	0.3195B/0.2780A	0.3195B/0.2780A	----	0.2825 - 0.0280	.5509	----	----	----	----	62 UNCH
559	----	----	0.3100B/0.2680A	0.3100B/0.2680A	----	0.2720 - 0.0280	.5385	----	----	----	----	4 UNCH
560	----	----	0.3060B/0.2630A	0.3060B/0.2630A	----	0.2670 - 0.0275	.5324	----	----	2	----	106 - 2
562	0.2840	0.2840	0.2950B/0.2520A	0.2950B/0.2520A	----	0.2570 NEW	.5199	----	----	1	----	1 + 1
565	----	----	0.2790B/0.2375A	0.2790B/0.2375A	----	0.2430 - 0.0265	.5014	----	----	----	----	2 UNCH
568	----	----	0.2635B/0.2250A	0.2635B/0.2250A	----	0.2290 - 0.0260	.4828	----	----	----	----	3 UNCH
569	----	----	0.2585B/0.2205A	0.2585B/0.2205A	----	0.2250 - 0.0255	.4768	----	----	----	----	2 UNCH
570	----	----	0.2540B/0.2160A	0.2540B/0.2160A	----	0.2205 - 0.0255	.4706	----	----	4	----	19 + 4
574	----	----	0.2350B/0.2000A	0.2350B/0.2000A	----	0.2040 - 0.0240	.4464	----	----	----	----	3 UNCH
575	----	----	0.2300B/0.1950A	0.2300B/0.1950A	----	0.2000 - 0.0240	.4404	----	----	1	----	149 UNCH
579	----	----	0.2130B/0.1810A	0.2130B/0.1810A	----	0.1845 - 0.0225	.4165	----	----	----	----	2 UNCH
580	----	----	0.2075B/0.1775A	0.2075B/0.1775A	----	0.1810 - 0.0220	.4108	----	----	----	----	72 UNCH
585	----	----	0.1880B/0.1605A	0.1880B/0.1605A	----	0.1635 - 0.0205	.3820	----	----	1	----	27 + 1
587	----	----	0.1805B/0.1545A	0.1805B/0.1545A	----	0.1575 - 0.0190	.3712	----	----	----	----	2 UNCH
588	----	----	0.1765B/0.1515A	0.1765B/0.1515A	----	0.1540 - 0.0190	.3654	----	----	----	----	2 UNCH
590	0.1450	0.1450	0.1695B/0.1450	0.1695B/0.1450	----	0.1480 - 0.0180	.3546	----	----	15	----	19 UNCH
591	----	----	0.1655B/0.1425A	0.1655B/0.1425A	----	0.1450 - 0.0175	.3492	----	----	----	----	10 UNCH
595	----	----	0.1525B/0.1310A	0.1525B/0.1310A	----	0.1335 - 0.0160	.3282	----	----	----	----	5 UNCH
596	----	----	0.1495B/0.1285A	0.1495B/0.1285A	----	0.1310 - 0.0155	.3233	----	----	----	----	3 UNCH
600	0.1180	0.1180	0.1370B/0.1165A	0.1370B/0.1165A	----	0.1205 - 0.0140	.3032	----	----	2	----	306 + 2
604	----	----	0.1250B/0.1085A	0.1250B/0.1085A	----	0.1110 - 0.0125	.2842	----	----	----	----	14 UNCH
605	----	----	0.1225B/0.1060A	0.1225B/0.1060A	----	0.1085 - 0.0125	.2794	----	----	----	----	3 UNCH
607	----	----	0.1190B/0.1020A	0.1190B/0.1020A	----	0.1040 - 0.0120	.2702	----	----	----	----	20 UNCH
609	----	----	0.1115B/0.0980A	0.1115B/0.0980A	----	0.1000 - 0.0110	.2616	----	----	----	----	7 UNCH
610	0.1010	0.1010	0.1100B/0.0950A	0.1100B/0.0950A	----	0.0980 - 0.0110	.2573	----	----	5	----	530 + 3
612	----	----	0.1050B/0.0920A	0.1050B/0.0920A	----	0.0935 - 0.0110	.2482	----	----	----	----	14 UNCH
613	----	----	0.1025B/0.0900A	0.1025B/0.0900A	----	0.0920 - 0.0100	.2446	----	----	----	----	2 UNCH
615	----	----	0.0995B/0.0865A	0.0995B/0.0865A	----	0.0880 - 0.0100	.2361	----	----	----	----	15 UNCH
616	----	----	0.0970B/0.0845A	0.0970B/0.0845A	----	0.0860 - 0.0100	.2319	----	----	----	----	9 UNCH
617	----	----	----/0.0830A	0.0935B/0.0830A	----	0.0845 - 0.0090	.2283	----	----	----	----	1 UNCH
620	----	----	0.0890B/0.0780A	0.0890B/0.0780A	----	0.0790 - 0.0090	.2163	----	----	2	----	48 UNCH
622	----	----	0.0855B/0.0745A	0.0855B/0.0745A	----	0.0760 - 0.0085	.2092	----	----	----	----	3 UNCH
625	----	----	----/0.0700A	0.0780B/0.0700A	----	0.0710 - 0.0080	.1980	----	----	2	----	155 UNCH
627	----	----	----/0.0675A	0.0760B/0.0675A	----	0.0680 - 0.0080	.1910	----	----	----	----	11 UNCH
629	----	----	----/0.0645A	0.0710B/0.0645A	----	0.0655 - 0.0070	.1848	----	----	----	----	2 UNCH
630	0.0665	0.0665	0.0665/0.0615	0.0700B/0.0615	----	0.0640 - 0.0070	.1813	----	----	8	----	539 + 7
635	----	----	----/0.0570A	0.0630B/0.0570A	----	0.0575 - 0.0065	.1656	----	----	----	----	13 UNCH
640	----	----	----/0.0515A	0.0555B/0.0515A	----	0.0515 - 0.0060	.1508	----	----	2	----	58 UNCH
645	----	----	----/0.0470A	0.0505B/0.0470A	----	0.0460 - 0.0055	.1370	----	----	1	----	11 + 1
650	----	----	----/0.0425A	0.0450B/0.0425A	----	0.0415 - 0.0050	.1251	----	----	----	----	481 UNCH
655	----	----	----/0.0385A	0.0410B/0.0385A	----	0.0370 - 0.0045	.1133	----	----	----	----	7 UNCH
660	----	----	----/0.0350A	0.0370B/0.0350A	----	0.0335 - 0.0035	.1035	----	----	----	----	267 UNCH
665	----	----	----/0.0310A	0.0330B/0.0310A	----	0.0300 - 0.0035	.0939	----	----	----	----	19 UNCH
670	----	----	----/0.0280A	0.0300B/0.0280A	----	0.0270 - 0.0030	.0854	----	----	----	----	5 UNCH
675	----	----	----/0.0255A	0.0270B/0.0255A	----	0.0245 - 0.0025	.0781	----	----	----	----	33 UNCH
680	----	----	----/0.0230A	0.0245B/0.0230A	----	0.0225 - 0.0020	.0719	----	----	----	----	303 UNCH
685	----	----	0.0225B/0.0210A	0.0225B/0.0210A	----	0.0205 - 0.0015	.0659	----	----	----	----	1 UNCH
690	0.0200	0.0200	0.0205B/0.0190A	0.0205B/0.0190A	----	0.0185 - 0.0015	.0600	----	----	1	----	22 + 1
695	----	----	0.0190B/0.0175A	0.0190B/0.0175A	----	0.0170 - 0.0010	.0553	----	----	----	----	1 UNCH
700	----	----	0.0175B/0.0160A	0.0175B/0.0160A	----	0.0160 - 0.0005	.0518	----	----	----	----	320 UNCH
705	----	----	0.0160B/0.0145A	0.0160B/0.0145A	----	0.0150 UNCH	.0485	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
715	----	----	0.0135B/0.0125A	0.0135B/0.0125A	----	0.0130 UNCH	.0420	----	----	----	----	7 UNCH
720	----	----	0.0125B/0.0115A	0.0125B/0.0115A	----	0.0125 + 0.0005	.0400	----	----	----	----	5 UNCH
725	----	----	----/0.0105A	0.0110B/0.0105A	----	0.0115 + 0.0005	.0369	----	----	----	----	71 UNCH
740	----	----	----	0.0090B/0.0090A	----	0.0100 + 0.0010	.0315	----	----	----	----	1 UNCH
745	----	----	----/*0.0080A	0.0085B/*0.0080	----	0.0095 + 0.0010	.0298	----	----	----	----	1501 UNCH
750	----	----	----	0.0080B/0.0080A	----	0.0090 + 0.0010	.0282	----	----	----	----	158 UNCH
755	----	----	----	0.0070B/0.0075A	----	0.0085 + 0.0010	.0265	----	----	----	----	1 UNCH
765	----	----	----	0.0060B/0.0075A	----	0.0075 + 0.0005	.0234	----	----	----	----	1503 UNCH
770	----	----	----	0.0055B/0.0075A	----	0.0075 + 0.0010	.0230	----	----	----	----	3 UNCH
780	----	----	----	----/0.0085A	----	0.0065 + 0.0005	.0200	----	----	----	----	1 UNCH
795	----	----	----	----/0.0070A	----	0.0060 + 0.0005	.0180	----	----	----	----	33 UNCH
800	----	----	----	----/0.0065A	----	0.0055 + 0.0005	.0166	----	----	----	----	6 UNCH
825	----	----	----	----/*0.0050A	----	0.0045 + 0.0005	.0133	----	----	----	----	1 UNCH
840	----	----	----	----/0.0040A	----	0.0035 + 0.0005	.0105	----	----	----	----	6 UNCH
850	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0090	----	----	----	----	5 UNCH
880	----	----	----	----/*0.0030A	----	0.0025 + 0.0005	.0073	----	----	----	----	2 UNCH
900	----	----	----	----/0.0030A	----	0.0020 + 0.0005	.0058	----	----	----	----	9 UNCH
910	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0045	----	----	----	----	11 UNCH
950	----	----	----	----/*0.0025A	----	0.0010 + 0.0005	.0030	----	----	----	----	1 UNCH
975	----	----	----	----/0.0025A	----	0.0005 UNCH	.0015	----	----	----	----	1 UNCH
TOTAL										50		7077 + 18
JUL26												
500	----	----	----	----	----	0.7250 - 0.0365	.7928	----	----	----	----	2 UNCH
520	----	----	0.6220B/0.5790A	0.6220B/0.5790A	----	0.5760 - 0.0355	.7192	----	----	----	----	1 UNCH
525	----	----	0.5860B/0.5455A	0.5860B/0.5455A	----	0.5415 - 0.0350	.6987	----	----	----	----	1 UNCH
530	----	----	0.5510B/0.5065A	0.5510B/0.5065A	----	0.5080 - 0.0345	.6772	----	----	----	----	6 UNCH
540	----	----	0.4855B/0.4420A	0.4855B/0.4420A	----	0.4455 - 0.0330	.6320	----	----	----	----	16 UNCH
545	----	----	0.4545B/0.4160A	0.4545B/0.4160A	----	0.4165 - 0.0315	.6086	----	----	----	----	1 UNCH
550	----	----	0.4245B/0.3880A	0.4245B/0.3880A	----	0.3895 - 0.0290	.5848	----	----	----	----	2 UNCH
555	----	----	0.3960B/0.3585A	0.3960B/0.3585A	----	0.3630 - 0.0280	.5608	----	----	----	----	146 UNCH
560	----	----	0.3745B/0.3370A	0.3745B/0.3370A	----	0.3380 - 0.0260	.5366	----	----	----	----	1 UNCH
570	----	----	0.3250B/0.2850A	0.3250B/0.2850A	----	0.2910 - 0.0240	.4882	----	----	----	----	157 UNCH
574	----	----	0.3055B/0.2710A	0.3055B/0.2710A	----	0.2735 - 0.0230	.4690	----	----	----	----	5 UNCH
575	----	----	0.3010B/0.2665A	0.3010B/0.2665A	----	0.2690 - 0.0235	.4641	----	----	----	----	17 UNCH
580	----	----	0.2790B/0.2440A	0.2790B/0.2440A	----	0.2490 - 0.0220	.4405	----	----	27	----	152 + 21
585	0.2380	0.2380	0.2580B/0.2250A	0.2580B/0.2250A	----	0.2300 - 0.0210	.4172	----	----	2	----	304 + 2
590	----	----	0.2385B/0.2095A	0.2385B/0.2095A	----	0.2120 - 0.0200	.3943	----	----	30	----	92 + 30
595	----	----	0.2205B/0.1935A	0.2205B/0.1935A	----	0.1955 - 0.0190	.3721	----	----	15	----	44 + 14
600	0.1990	0.1990	0.2015B/0.1765A	0.2015B/0.1765A	----	0.1800 - 0.0180	.3505	----	----	3	10	230 + 2
605	----	----	0.1875B/0.1655A	0.1875B/0.1655A	----	0.1660 - 0.0170	.3299	----	----	----	----	14 UNCH
610	----	----	0.1700B/0.1515A	0.1700B/0.1515A	----	0.1525 - 0.0160	.3097	----	----	----	----	5 UNCH
615	----	----	0.1570B/0.1390A	0.1570B/0.1390A	----	0.1405 - 0.0150	.2907	----	----	----	----	101 UNCH
620	----	----	0.1440B/0.1305A	0.1440B/0.1305A	----	0.1295 - 0.0140	.2727	----	----	25	----	81 + 25
625	----	----	0.1325B/0.1170A	0.1325B/0.1170A	----	0.1195 - 0.0125	.2557	----	----	----	----	346 UNCH
630	----	----	----/0.1100A	0.1220B/0.1100A	----	0.1100 - 0.0120	.2392	----	----	----	----	5 UNCH
635	----	----	----/0.1025A	0.1120B/0.1025A	----	0.1015 - 0.0110	.2240	----	----	----	----	11 UNCH
640	----	----	----/0.0920A	0.1015B/0.0920A	----	0.0935 - 0.0105	.2094	----	----	----	----	759 UNCH
645	----	----	----/0.0850A	0.0935B/0.0850A	----	0.0865 - 0.0095	.1960	----	----	----	----	308 UNCH
650	----	----	----/0.0790A	0.0860B/0.0790A	----	0.0800 - 0.0085	.1834	----	----	----	----	287 UNCH
660	----	----	----/0.0685A	0.0720B/0.0685A	----	0.0685 - 0.0070	.1605	----	----	----	----	250 UNCH
665	----	----	----/0.0635A	0.0660B/0.0635A	----	0.0635 - 0.0065	.1502	----	----	----	----	1 UNCH
670	----	----	----/0.0590A	0.0605B/0.0590A	----	0.0590 - 0.0055	.1407	----	----	----	----	22 UNCH
675	----	----	----/0.0550A	0.0560B/0.0550A	----	0.0545 - 0.0050	.1313	----	----	----	----	437 UNCH
680	----	----	----/0.0515A	0.0510B/0.0515A	----	0.0505 - 0.0045	.1227	----	----	----	----	3 UNCH
685	----	----	----/0.0475A	0.0470B/0.0475A	----	0.0470 - 0.0040	.1150	----	----	----	----	2 UNCH
690	----	----	----/0.0445A	0.0435B/0.0445A	----	0.0440 - 0.0030	.1081	----	----	----	----	245 UNCH
695	----	----	----/0.0415A	0.0405B/0.0415A	----	0.0410 - 0.0025	.1014	----	----	----	----	40 UNCH
700	----	----	----/0.0385A	0.0375B/0.0385A	----	0.0380 - 0.0020	.0947	----	----	----	----	131 UNCH
725	----	----	----	0.0245B/0.0300A	----	0.0255 - 0.0015	.0663	----	----	----	----	1523 UNCH
730	----	----	----	0.0230B/0.0285A	----	0.0240 - 0.0015	.0625	----	----	----	----	3 UNCH
750	----	----	----	0.0170B/0.0220A	----	0.0190 - 0.0010	.0498	----	----	----	----	184 UNCH
775	----	----	----	0.0120B/0.0170A	----	0.0140 - 0.0010	.0371	----	----	----	----	24 UNCH
800	----	----	----	0.0085B/0.0140A	----	0.0110 - 0.0005	.0290	----	----	----	----	69 UNCH
850	----	----	----	0.0030B/*0.0075	----	0.0065 - 0.0005	.0173	----	----	----	----	3 UNCH
875	----	----	----	----/*0.0055A	----	0.0050 - 0.0005	.0134	----	----	----	----	2 UNCH
900	----	----	----/*0.0045A	----/*0.0045A	----	0.0045 - 0.0005	.0117	----	----	----	----	271 UNCH
950	----	----	----	----/*0.0030A	----	0.0030 UNCH	.0078	----	----	----	----	56 UNCH
975	----	----	----	----/*0.0025A	----	0.0020 - 0.0005	.0053	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0025A	----	0.0020 UNCH	.0052	----	----	----	----	4 UNCH
TOTAL									10	102		6366 + 94
AUG26												
500	----	----	----	----	----	0.8070 - 0.0390	.7825	----	----	----	----	2 UNCH
550	----	----	0.5105B/0.4820A	0.5105B/0.4820A	----	0.4790 - 0.0310	.6033	----	----	----	----	3 UNCH
575	----	----	0.3840B/0.3520A	0.3840B/0.3520A	----	0.3535 - 0.0285	.5016	----	----	----	----	1 UNCH
580	----	----	0.3610B/0.3305A	0.3610B/0.3305A	----	0.3310 - 0.0285	.4812	----	----	----	----	252 UNCH
585	----	----	0.3380B/0.3100A	0.3380B/0.3100A	----	0.3100 - 0.0275	.4610	----	----	----	----	11 UNCH
590	----	----	----/0.2910A	0.3170B/0.2910A	----	0.2900 - 0.0270	.4410	----	----	----	----	16 UNCH
600	----	----	----/0.2555A	0.2780B/0.2555A	----	0.2530 - 0.0255	.4019	----	----	----	----	4 UNCH
620	----	----	----/0.1960A	0.2120B/0.1960A	----	0.1925 - 0.0210	.3295	----	----	----	----	6 UNCH
625	----	----	----/0.1835A	0.1975B/0.1835A	----	0.1800 - 0.0195	.3131	----	----	----	----	86 UNCH
640	0.1450	0.1450	0.1450/0.1450	0.1605B/0.1450	----	0.1470 - 0.0160	.2673	----	----	15	----	153 - 12
650	----	----	----/0.1335A	0.1390B/0.1335A	----	0.1285 - 0.0140	.2399	----	----	----	----	4 UNCH
675	----	----	----/0.0985A	0.0980B/0.0985A	----	0.0915 - 0.0105	.1814	----	----	----	----	168 UNCH
680	----	----	----/0.0930A	0.0915B/0.0930A	----	0.0860 - 0.0095	.1719	----	----	----	----	1 UNCH
690	----	----	----	0.0720B/0.0895A	----	0.0755 - 0.0085	.1537	----	----	----	----	3 UNCH
700	----	----	----	0.0620B/0.0805A	----	0.0665 - 0.0075	.1376	----	----	----	----	4 UNCH
725	----	----	----	0.0420B/0.0635A	----	0.0505 - 0.0035	.1068	----	----	----	----	86 UNCH
730	----	----	----	0.0455B/0.0540A	----	0.0480 - 0.0025	.1018	----	----	----	----	1 UNCH
750	----	----	----	0.0340B/0.0445A	----	0.0380 - 0.0020	.0823	----	----	----	----	66 UNCH
800	----	----	----	0.0170B/0.0295A	----	0.0200 - 0.0010	.0462	----	----	----	----	6 UNCH
850	----	----	----	0.0085B/0.0210A	----	0.0105 - 0.0005	.0256	----	----	----	----	1 UNCH
900	----	----	----	0.0035B/0.0165A	----	0.0075 UNCH	.0180	----	----	----	----	57 UNCH
950	----	----	----	0.0005B/0.0190A	----	0.0045 - 0.0005	.0110	----	----	----	----	2 UNCH
975	----	----	----	----/0.0175A	----	0.0040 UNCH	.0097	----	----	----	----	4 UNCH
TOTAL										15		937 - 12
SEP26												
495	----	----	----	----	----	0.8740 - 0.0340	.7801	----	----	----	----	2 UNCH
500	----	----	----	----	----	0.8370 - 0.0340	.7663	----	----	----	----	5 UNCH
535	----	----	----/0.6210A	0.6215B/0.6210A	----	0.6035 - 0.0305	.6539	----	----	----	----	1 UNCH
565	----	----	0.4725B/0.4410A	0.4725B/0.4410A	----	0.4420 - 0.0245	.5453	----	----	----	----	1 UNCH
575	----	----	0.4230B/0.3950A	0.4230B/0.3950A	----	0.3960 - 0.0225	.5086	----	----	----	----	100 UNCH
595	----	----	0.3355B/0.3155A	0.3355B/0.3155A	----	0.3145 - 0.0200	.4366	----	----	----	----	2 UNCH
600	0.3000	0.3000	0.3160B/0.2980A	0.3160B/0.2980A	----	0.2960 - 0.0195	.4190	----	----	2	----	286 UNCH
610	----	----	----/0.2650A	0.2800B/0.2650A	----	0.2625 - 0.0185	.3851	----	----	----	----	31 UNCH
615	----	----	----/0.2495A	0.2630B/0.2495A	----	0.2470 - 0.0175	.3687	----	----	----	----	9 UNCH
620	----	----	----/0.2355A	0.2470B/0.2355A	----	0.2325 - 0.0170	.3527	----	----	----	----	35 UNCH
625	----	----	----/0.2220A	0.2320B/0.2220A	----	0.2185 - 0.0160	.3370	----	----	----	----	142 UNCH
630	----	----	----/0.2095A	0.2175B/0.2095A	----	0.2055 - 0.0155	.3219	----	----	----	----	2 UNCH
640	----	----	----/0.1865A	0.1915B/0.1865A	----	0.1815 - 0.0140	.2930	----	----	----	----	12 UNCH
650	----	----	----/0.1665A	0.1680B/0.1665A	----	0.1610 - 0.0120	.2667	----	----	----	----	236 UNCH
655	----	----	----/0.1575A	0.1575B/0.1575A	----	0.1515 - 0.0110	.2541	----	----	----	----	4 UNCH
670	----	----	----/0.1335A	0.1290B/0.1335A	----	0.1275 - 0.0080	.2205	----	----	----	----	1 UNCH
690	----	----	----	0.0990B/0.1080A	----	0.1020 - 0.0040	.1825	----	----	----	----	11 UNCH
700	----	----	----	0.0870B/0.0975A	----	0.0915 - 0.0030	.1661	----	----	----	----	55 UNCH
750	----	----	----	0.0470B/0.0610A	----	0.0545 + 0.0010	.1046	----	----	----	----	10 UNCH
800	----	----	----	0.0260B/*0.0410	----	0.0330 + 0.0010	.0662	----	----	----	----	12 UNCH
875	----	----	----	0.0100B/*0.0265	----	0.0175 + 0.0010	.0361	----	----	----	----	1 UNCH
975	----	----	----	0.0020B/0.0205A	----	0.0080 + 0.0005	.0170	----	----	----	----	1 UNCH
TOTAL										2		959
OCT26												
650	----	----	----/0.2310A	0.2275B/0.2310A	----	0.2195 - 0.0145	.3140	----	----	----	----	100 UNCH
700	----	----	----	0.1180B/0.1520A	----	0.1290 - 0.0080	.2056	----	----	----	----	145 UNCH
775	----	----	----	0.0495B/0.0845A	----	0.0675 + 0.0020	.1150	----	----	----	----	71 UNCH
800	----	----	----	0.0410B/*0.0640	----	0.0540 + 0.0015	.0941	----	----	----	----	1 UNCH
850	----	----	----	0.0220B/*0.0480	----	0.0360 + 0.0015	.0647	----	----	----	----	30 UNCH
875	----	----	----	0.0155B/0.0430A	----	0.0310 + 0.0015	.0557	----	----	----	----	2 UNCH
900	----	----	----	0.0105B/0.0385A	----	0.0270 + 0.0015	.0484	----	----	----	----	3 UNCH
975	----	----	----	0.0015B/0.0335A	----	0.0145 + 0.0010	.0273	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	----/0.7490A	0.7575B/0.7490A	----	0.7305 - 0.0300	.6653	----	----	----	----	1 UNCH
545	----	----	----/0.6935A	0.6990B/0.6935A	----	0.6730 - 0.0290	.6359	----	----	----	----	1 UNCH
580	----	----	----/0.5110A	0.5185B/0.5110A	----	0.4985 - 0.0230	.5298	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
NOV26												
585	----	----	----/0.4900A	0.4960B/0.4900A	----	0.4770 - 0.0220	.5148	----	----	----	----	1 UNCH
595	----	----	----/0.4500A	0.4525B/0.4500A	----	0.4360 - 0.0200	.4850	----	----	----	----	2 UNCH
600	----	----	----/0.4305A	0.4320B/0.4305A	----	0.4165 - 0.0195	.4703	----	----	----	----	2 UNCH
610	----	----	----/0.3940A	0.3935B/0.3940A	----	0.3800 - 0.0180	.4416	----	----	----	----	14 UNCH
640	----	----	----	0.2930B/0.3005A	----	0.2855 - 0.0150	.3602	----	----	----	----	1 UNCH
670	----	----	----	0.2155B/0.2295A	----	0.2135 - 0.0110	.2892	----	----	----	----	14 UNCH
675	----	----	----	0.2050B/0.2200A	----	0.2035 - 0.0105	.2785	----	----	----	----	1 UNCH
750	----	----	----	0.0950B/0.1210A	----	0.1050 - 0.0010	.1599	----	----	----	----	1 UNCH
850	----	----	----	0.0325B/0.0685A	----	0.0480 + 0.0010	.0791	----	----	----	----	1 UNCH
900	----	----	----	0.0175B/0.0565A	----	0.0330 + 0.0010	.0561	----	----	----	----	1 UNCH
975	----	----	----	0.0045B/0.0450A	----	0.0185 + 0.0005	.0330	----	----	----	----	1 UNCH
TOTAL												43
DEC26												
520	----	----	----/0.8705A	0.8755B/0.8705A	----	0.8510 - 0.0250	.7015	----	----	----	----	1 UNCH
525	----	----	----/0.8410A	0.8440B/0.8410A	----	0.8205 - 0.0245	.6882	----	----	----	----	123 UNCH
535	----	----	----/0.7835A	0.7835B/0.7835A	----	0.7610 - 0.0235	.6611	----	----	----	----	1 UNCH
550	----	----	----	0.6990B/0.7030A	----	0.6780 - 0.0220	.6192	----	----	----	----	2 UNCH
555	----	----	----	0.6720B/0.6780A	----	0.6520 - 0.0215	.6051	----	----	----	----	1 UNCH
565	----	----	----/0.6160A	0.6210B/0.6160A	----	0.6020 - 0.0205	.5766	----	----	----	----	45 UNCH
575	----	----	----/0.5705A	0.5725B/0.5705A	----	0.5555 - 0.0195	.5480	----	----	----	----	123 UNCH
585	----	----	----/0.5275A	0.5275B/0.5275A	----	0.5115 - 0.0190	.5196	----	----	----	----	1 UNCH
590	----	----	----/0.5070A	0.5055B/0.5070A	----	0.4910 - 0.0185	.5057	----	----	----	----	200 UNCH
595	----	----	----/0.4875A	0.4845B/0.4875A	----	0.4710 - 0.0175	.4918	----	----	----	----	163 UNCH
600	----	----	----/0.4685A	0.4645B/0.4685A	----	0.4515 - 0.0175	.4781	----	----	----	----	551 UNCH
610	----	----	----	0.4255B/0.4320A	----	0.4150 - 0.0160	.4511	----	----	----	----	356 UNCH
620	----	----	----	0.3895B/0.3980A	----	0.3810 - 0.0150	.4249	----	----	----	----	408 UNCH
625	----	----	----	0.3725B/0.3825A	----	0.3645 - 0.0150	.4119	----	----	----	----	13 UNCH
630	----	----	----	0.3560B/0.3670A	----	0.3490 - 0.0140	.3993	----	----	----	----	456 UNCH
640	----	----	----	0.3245B/0.3380A	----	0.3200 - 0.0130	.3748	----	----	----	----	29 UNCH
650	----	----	----	0.2960B/0.3105A	----	0.2930 - 0.0115	.3512	----	----	----	----	371 UNCH
660	----	----	----	0.2695B/0.2865A	----	0.2685 - 0.0100	.3288	----	----	----	----	300 UNCH
670	----	----	----	0.2455B/0.2645A	----	0.2460 - 0.0090	.3074	----	----	----	----	4 UNCH
675	----	----	----	0.2340B/0.2540A	----	0.2355 - 0.0080	.2972	----	----	----	----	17 UNCH
700	----	----	----	0.1850B/0.2085A	----	0.1900 - 0.0055	.2505	----	----	----	----	843 UNCH
705	----	----	----	0.1765B/0.2005A	----	0.1820 - 0.0050	.2420	----	----	----	----	2 UNCH
725	----	----	----	0.1470B/0.1735A	----	0.1545 - 0.0035	.2112	----	----	----	----	5 UNCH
730	----	----	----	0.1405B/0.1675A	----	0.1485 - 0.0035	.2042	----	----	----	----	2 UNCH
750	----	----	----	0.1170B/0.1455A	----	0.1270 - 0.0020	.1786	----	----	----	----	24 UNCH
800	----	----	----	0.0745B/0.1060A	----	0.0875 - 0.0010	.1287	----	----	----	----	104 UNCH
850	----	----	----	0.0460B/0.0825A	----	0.0620 - 0.0005	.0941	----	----	----	----	4 UNCH
900	----	----	----	0.0275B/0.0680A	----	0.0455 UNCH	.0705	----	----	----	----	200 UNCH
925	----	----	----	0.0205B/0.0630A	----	0.0410 UNCH	.0633	----	----	----	----	6 UNCH
950	----	----	----	0.0300B/0.0585A	----	0.0370 UNCH	.0569	----	----	----	----	78 UNCH
975	----	----	----	0.0105B/0.0550A	----	0.0340 + 0.0005	.0519	----	----	----	----	13 UNCH
TOTAL												4446
JAN27												
500	----	----	----	----	----	1.0500 - 0.0305	.7631	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.0885 - 0.0055	.1116	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.3975 - 0.0155	.3694	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1970 - 0.0080	.1754	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0095A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	22 UNCH
330	----	----	----	----/0.0025A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
340	----	----	----	----/0.0030A	----	0.0005 UNCH	.0004	----	----	----	----	6 UNCH
350	----	----	----	----/0.0030A	----	0.0005 UNCH	.0008	----	----	----	----	6 UNCH
360	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0015	----	----	----	----	35 UNCH
370	----	----	----	----/0.0040A	----	0.0010 UNCH	.0029	----	----	----	----	1 UNCH
375	----	----	----	----/0.0045A	----	0.0010 - 0.0005	.0030	----	----	----	----	1 UNCH
390	----	----	----	----/0.0055A	----	0.0020 UNCH	.0060	----	----	----	----	2 UNCH
395	----	----	----	----/0.0055A	----	0.0020 - 0.0005	.0062	----	----	----	----	6 UNCH
400	----	----	----	0.0025B/0.0040A	----	0.0025 - 0.0005	.0076	----	----	----	----	124 UNCH
405	----	----	----	----/0.0065A	----	0.0025 - 0.0005	.0079	----	----	----	----	125 UNCH
410	----	----	----	----/0.0065A	----	0.0030 UNCH	.0095	----	----	----	----	23 UNCH
415	----	----	----	----/0.0070A	----	0.0035 UNCH	.0111	----	----	----	----	6 UNCH
420	----	----	----	----/0.0070A	----	0.0035 UNCH	.0115	----	----	----	----	60 UNCH
425	----	----	----	----/0.0085A	----	0.0040 UNCH	.0133	----	----	----	----	56 UNCH
430	----	----	----	----/0.0090A	----	0.0045 UNCH	.0151	----	----	----	----	21 UNCH
435	----	----	----	----/*0.0055A	----	0.0050 UNCH	.0171	----	----	----	----	8 UNCH
440	----	----	----	0.0030B/0.0060A	----	0.0055 UNCH	.0191	----	----	----	----	134 UNCH
445	----	----	----	0.0060B/*0.0065	----	0.0060 - 0.0005	.0213	----	----	----	----	52 UNCH
450	0.0060	0.0060	0.0060/*0.0060	0.0065B/*0.0060	----	0.0065 - 0.0005	.0236	----	----	2	----	861 - 2
455	----	----	----	0.0075B/0.0080A	----	0.0075 - 0.0005	.0274	----	----	----	----	23 UNCH
460	0.0085	0.0085	0.0085/0.0085	0.0085/0.0085	----	0.0085 - 0.0005	.0314	----	----	5	----	589 - 4
465	----	----	----/0.0095A	0.0095B/0.0095A	----	0.0095 - 0.0005	.0356	----	----	----	----	34 UNCH
470	----	----	----/0.0105A	0.0110B/0.0105A	----	0.0105 - 0.0005	.0401	----	----	----	----	60 UNCH
475	----	----	----/0.0115A	0.0125B/0.0115A	----	0.0120 - 0.0005	.0463	----	----	5	----	515 - 5
480	----	----	----/0.0130A	0.0145B/0.0130A	----	0.0135 - 0.0010	.0528	----	----	4	----	1310 UNCH
485	----	----	0.0165B/0.0145A	0.0165B/0.0145A	----	0.0150 - 0.0010	.0598	----	----	----	----	89 UNCH
490	----	----	----/0.0165A	0.0185B/0.0165A	----	0.0170 - 0.0015	.0686	----	----	----	----	287 UNCH
495	----	----	0.0215B/0.0185A	0.0215B/0.0185A	----	0.0195 - 0.0015	.0795	----	----	----	----	96 UNCH
500	0.0245	0.0245	0.0255/*0.0210A	0.0255/*0.0210A	----	0.0225 - 0.0015	.0923	----	----	72	70	1771 - 21
505	0.0285	0.0285	0.0290B/0.0245A	0.0290B/0.0245A	----	0.0260 - 0.0015	.1073	----	----	2	----	194 + 2
510	0.0260	0.0260	0.0345/*0.0260	0.0345/*0.0260	----	0.0305 - 0.0010	.1257	----	----	10	----	371 + 6
514	0.0370	0.0370	0.0395B/*0.0315	0.0395B/*0.0315	----	0.0350 - 0.0005	.1433	----	----	13	----	43 + 13
515	0.0385	0.0385	0.0405/*0.0325A	0.0405/*0.0325A	----	0.0360 - 0.0005	.1476	----	----	20	----	148 + 6
516	0.0395	0.0395	0.0420B/*0.0335	0.0420B/*0.0335	----	0.0375 - 0.0005	.1529	----	----	13	----	74 + 9
517	0.0410	0.0410	0.0435B/0.0370A	0.0435B/0.0370A	----	0.0390 UNCH	.1584	----	----	18	----	108 + 17
518	0.0420	0.0420	0.0450/0.0380A	0.0450/0.0380A	----	0.0400 - 0.0005	.1628	----	----	22	----	120 + 21
519	0.0435	0.0435	0.0470B/0.0395A	0.0470B/0.0395A	----	0.0415 - 0.0005	.1683	----	----	12	----	88 + 12
520	0.0450	0.0450	0.0490/*0.0385A	0.0490/*0.0385A	----	0.0435 UNCH	.1749	----	----	61	----	1183 + 47
521	0.0465	0.0465	0.0500/0.0425A	0.0500/0.0425A	----	0.0450 + 0.0005	.1805	----	----	22	----	67 + 22
522	0.0480	0.0480	0.0520B/0.0440A	0.0520B/0.0440A	----	0.0465 UNCH	.1862	----	----	11	----	49 + 7
523	----	----	0.0540B/0.0450A	0.0540B/0.0450A	----	0.0485 + 0.0005	.1928	----	----	----	----	21 UNCH
524	----	----	0.0560B/*0.0435	0.0560B/*0.0435	----	0.0500 + 0.0005	.1986	----	----	----	----	19 UNCH
525	0.0510	0.0510	0.0585B/*0.0450	0.0585B/*0.0450	----	0.0520 + 0.0005	.2054	----	----	42	----	288 + 24
526	----	----	0.0600B/0.0495A	0.0600B/0.0495A	----	0.0540 + 0.0005	.2122	----	----	----	----	15 UNCH
527	----	----	0.0620B/*0.0490	0.0620B/*0.0490	----	0.0560 + 0.0010	.2190	----	----	----	----	12 UNCH
528	----	----	0.0640B/0.0530A	0.0640B/0.0530A	----	0.0580 + 0.0010	.2259	----	----	----	----	11 UNCH
530	----	----	0.0700B/0.0565A	0.0700B/0.0565A	----	0.0625 + 0.0010	.2406	----	----	----	----	564 UNCH
531	----	----	0.0715B/0.0590A	0.0715B/0.0590A	----	0.0650 + 0.0015	.2485	----	----	----	----	3 UNCH
532	----	----	0.0740B/0.0585A	0.0740B/0.0585A	----	0.0675 + 0.0015	.2563	----	----	----	----	6 UNCH
533	----	----	0.0770B/0.0600A	0.0770B/0.0600A	----	0.0700 + 0.0020	.2642	----	----	----	----	1 UNCH
535	0.0650	0.0650	0.0835B/0.0650	0.0835B/0.0650	----	0.0755 + 0.0025	.2808	----	----	1	----	205 + 1
536	----	----	0.0855B/0.0685A	0.0855B/0.0685A	----	0.0780 + 0.0025	.2889	----	----	----	----	1 UNCH
537	----	----	0.0885B/0.0705A	0.0885B/0.0705A	----	0.0810 + 0.0030	.2977	----	----	----	----	3 UNCH
539	----	----	0.0945B/0.0765A	0.0945B/0.0765A	----	0.0870 + 0.0035	.3152	----	----	----	----	4 UNCH
540	0.0875	0.0875	0.1000/0.0760A	0.1000/0.0760A	----	0.0900 + 0.0040	.3241	----	----	78	----	381 + 7
541	0.1015	0.1015	0.1015/0.0810A	0.1015/0.0810A	----	0.0935 + 0.0045	.3335	----	----	1	----	8 - 1
542	0.1050	0.1050	0.1050/0.0835A	0.1050/0.0835A	----	0.0970 + 0.0050	.3429	----	----	1	----	8 + 1
544	----	----	0.1130B/0.0900A	0.1130B/0.0900A	----	0.1040 + 0.0055	.3618	----	----	----	----	1 UNCH
545	0.1140	0.1140	0.1200/0.0925A	0.1200/0.0925A	----	0.1075 + 0.0060	.3714	----	----	22	----	167 + 3
546	----	----	0.1200B/0.0965A	0.1200B/0.0965A	----	0.1115 + 0.0065	.3813	----	----	----	----	11 UNCH
547	----	----	0.1245B/0.0985A	0.1245B/0.0985A	----	0.1150 + 0.0065	.3909	----	----	----	----	7 UNCH
548	0.1170	0.1170	0.1285B/0.1030A	0.1285B/0.1030A	----	0.1190 + 0.0070	.4009	----	----	3	----	109 - 3
549	0.1230	0.1230	0.1330B/0.1060A	0.1330B/0.1060A	----	0.1235 + 0.0075	.4111	----	----	3	----	11 - 2
550	0.1080	0.1080	0.1400/0.1080	0.1400/0.1080	----	0.1275 + 0.0080	.4212	----	----	49	----	1785 + 1
551	----	----	0.1420B/0.1125A	0.1420B/0.1125A	----	0.1320 + 0.0085	.4314	----	----	----	----	32 UNCH
552	----	----	0.1470B/0.1175A	0.1470B/0.1175A	----	0.1360 + 0.0085	.4416	----	----	----	----	18 UNCH
553	----	----	0.1510B/0.1200A	0.1510B/0.1200A	----	0.1405 + 0.0090	.4519	----	----	----	----	21 UNCH
554	----	----	0.1565B/0.1245A	0.1565B/0.1245A	----	0.1455 + 0.0095	.4623	----	----	----	----	20 UNCH
555	----	----	0.1615B/0.1285A	0.1615B/0.1285A	----	0.1500 + 0.0095	.4727	----	----	----	----	124 UNCH
556	----	----	0.1665B/0.1330A	0.1665B/0.1330A	----	0.1550 + 0.0105	.4831	----	----	----	----	15 UNCH
557	0.1615	0.1615	0.1715B/0.1375A	0.1715B/0.1375A	----	0.1600 + 0.0105	.4935	----	----	19	----	34 + 19
558	0.1715	0.1715	0.1770B/0.1415A	0.1770B/0.1415A	----	0.1650 + 0.0110	.5040	----	----	6	----	113 + 6
559	0.1490	0.1490	0.1825B/0.1425	0.1825B/0.1425	----	0.1705 + 0.0115	.5143	----	----	11	----	24 + 11
560	0.1535	0.1535	0.1890B/0.1445A	0.1890B/0.1445A	----	0.1755 + 0.0120	.5248	----	----	21	----	453 + 10
561	0.1585	0.1585	0.1920B/0.1485A	0.1920B/0.1485A	----	0.1810 + 0.0125	.5352	----	----	3	----	15 + 3
562	0.1635	0.1635	0.1995B/0.1530A	0.1995B/0.1530A	----	0.1865 + 0.0125	.5454	----	----	2	----	22 + 2
563	0.1680	0.1680	0.2045B/0.1575A	0.2045B/0.1575A	----	0.1925 + 0.0135	.5558	----	----	2	----	12 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
564	0.1735	0.1735	0.2110B/0.1625A	0.2110B/0.1625A	----	0.1980 + 0.0135	.5659	----	----	1	----	9 + 1
565	0.1680	0.1680	0.2175B/0.1660A	0.2175B/0.1660A	----	0.2040 + 0.0140	.5760	----	----	11	----	222 + 1
566	0.1760	0.1760	0.2210B/0.1730A	0.2210B/0.1730A	----	0.2100 + 0.0145	.5861	----	----	1	----	6 + 1
567	0.1775	0.1775	0.2230B/0.1775	0.2230B/0.1775	----	0.2165 + 0.0155	.5963	----	----	1	----	3 + 1
568	----	----	0.2340B/0.1905A	0.2340B/0.1905A	----	0.2225 + 0.0155	.6060	----	----	----	----	8 UNCH
569	----	----	0.2405B/0.1960A	0.2405B/0.1960A	----	0.2290 + 0.0165	.6157	----	----	----	----	27 UNCH
570	----	----	0.2470B/0.2040A	0.2470B/0.2040A	----	0.2355 + 0.0170	.6253	----	----	1	----	550 UNCH
571	----	----	0.2490B/0.2090A	0.2490B/0.2090A	----	0.2420 + 0.0175	.6350	----	----	----	----	5 UNCH
572	----	----	0.2530B/0.2165A	0.2530B/0.2165A	----	0.2490 + 0.0185	.6446	----	----	----	----	5 UNCH
573	----	----	0.2590B/0.2215A	0.2590B/0.2215A	----	0.2555 + 0.0185	.6537	----	----	----	----	4 UNCH
575	----	----	0.2810B/0.2390A	0.2810B/0.2390A	----	0.2695 + 0.0200	.6718	----	----	----	----	289 UNCH
576	----	----	0.2805B/----	0.2805B/0.2675A	----	0.2770 + 0.0210	.6808	----	----	----	----	3 UNCH
577	----	----	0.2880B/----	0.2880B/0.2825A	----	0.2840 + 0.0210	.6891	----	----	----	----	3 UNCH
578	----	----	0.2960B/----	0.2960B/0.2940A	----	0.2915 + 0.0220	.6974	----	----	----	----	25 UNCH
579	----	----	0.3035B/----	0.3035B/0.3010A	----	0.2990 + 0.0225	.7063	----	----	----	----	5 UNCH
580	0.3135	0.3135	0.3180B/0.2710A	0.3180B/0.2710A	----	0.3065 + 0.0235	.7145	----	----	1	----	282 - 1
581	----	----	0.3190B/----	0.3190B/0.3155A	----	0.3140 + 0.0240	.7219	----	----	----	----	20 UNCH
582	----	----	0.3270B/----	0.3270B/0.3230A	----	0.3215 + 0.0245	.7300	----	----	----	----	7 UNCH
583	----	----	0.3335B/----	0.3335B/0.3320A	----	0.3295 + 0.0250	.7372	----	----	----	----	1 UNCH
584	----	----	0.3425B/----	0.3425B/0.3380A	----	0.3370 + 0.0255	.7453	----	----	----	----	5 UNCH
585	----	----	0.3530B/0.3055A	0.3530B/0.3055A	----	0.3450 + 0.0260	.7525	----	----	----	----	189 UNCH
586	----	----	0.3575B/----	0.3575B/0.3550A	----	0.3530 + 0.0265	.7596	----	----	----	----	3 UNCH
587	----	----	0.3660B/----	0.3660B/0.3625A	----	0.3610 + 0.0270	.7667	----	----	----	----	3 UNCH
588	----	----	0.3740B/----	0.3740B/0.3705A	----	0.3690 + 0.0275	.7737	----	----	----	----	2 UNCH
589	----	----	0.3820B/----	0.3820B/0.3785A	----	0.3770 + 0.0280	.7797	----	----	----	----	2 UNCH
590	----	----	0.3935B/0.3420A	0.3935B/0.3420A	----	0.3855 + 0.0290	.7867	----	----	----	----	144 UNCH
591	----	----	0.3990B/----	0.3990B/0.3945A	----	0.3935 + 0.0290	.7926	----	----	----	----	1 UNCH
592	----	----	0.4090B/----	0.4090B/0.4010A	----	0.4020 + 0.0295	.7996	----	----	----	----	50 UNCH
594	----	----	0.4240B/----	0.4240B/0.4195A	----	0.4190 + 0.0305	.8112	----	----	----	----	1 UNCH
595	----	----	0.4335B/----	0.4335B/0.4255A	----	0.4275 + 0.0310	.8170	----	----	----	----	31 UNCH
597	----	----	0.4500B/----	0.4500B/0.4445A	----	0.4445 + 0.0315	.8285	----	----	----	----	1 UNCH
598	----	----	0.4590B/----	0.4590B/0.4530A	----	0.4530 + 0.0320	.8329	----	----	----	----	1 UNCH
600	----	----	0.4850B/----	0.4850B/0.4450A	----	0.4705 + 0.0325	.8443	----	----	----	----	505 UNCH
602	----	----	0.4940B/----	0.4940B/0.4880A	----	0.4880 + 0.0330	.8530	----	----	----	----	1 UNCH
603	----	----	0.5030B/----	0.5030B/0.4965A	----	0.4970 + 0.0335	.8572	----	----	----	----	1 UNCH
604	----	----	0.5120B/----	0.5120B/0.5055A	----	0.5060 + 0.0340	.8615	----	----	----	----	2 UNCH
605	----	----	0.5225B/----	0.5225B/0.5115A	----	0.5150 + 0.0340	.8657	----	----	----	----	37 UNCH
610	----	----	0.5685B/----	0.5685B/0.5560A	----	0.5605 + 0.0355	.8850	----	----	----	----	42 UNCH
615	----	----	0.6130B/----	0.6130B/0.6035A	----	0.6075 + 0.0370	.8993	----	----	----	----	1 UNCH
619	----	----	0.6505B/----	0.6505B/0.6405A	----	0.6450 + 0.0380	.9105	----	----	----	----	1 UNCH
620	----	----	0.6600B/----	0.6600B/0.6500A	----	0.6545 + 0.0380	.9129	----	----	----	----	3 UNCH
645	----	----	----	----	----	0.8960 + 0.0400	.9537	----	----	----	----	1 UNCH
TOTAL									70	572		15824 + 217
JUN26												
330	----	----	----	----/0.0045A	----	0.0025 UNCH	.0055	----	----	----	----	3 UNCH
355	----	----	----	----/0.0070A	----	0.0045 UNCH	.0099	----	----	----	----	10 UNCH
370	----	----	----	----/0.0090A	----	0.0060 UNCH	.0135	----	----	----	----	1 UNCH
380	----	----	----	0.0015B/0.0105A	----	0.0075 + 0.0005	.0169	----	----	----	----	1 UNCH
400	----	----	----	0.0085B/0.0105A	----	0.0105 + 0.0010	.0243	----	----	----	----	2 UNCH
405	----	----	----	0.0095B/0.0110A	----	0.0110 + 0.0005	.0259	----	----	----	----	1 UNCH
410	----	----	----	0.0105B/0.0120A	----	0.0120 + 0.0010	.0285	----	----	----	----	2 UNCH
420	----	----	----	0.0130B/0.0140A	----	0.0140 + 0.0010	.0338	----	----	----	----	3 UNCH
430	----	----	0.0160B/----	0.0160B/0.0160A	----	0.0165 + 0.0010	.0405	----	----	----	----	4 UNCH
435	----	----	0.0175B/----	0.0175B/0.0175A	----	0.0180 + 0.0010	.0445	----	----	----	----	2 UNCH
440	----	----	0.0195B/----	0.0195B/0.0190A	----	0.0200 + 0.0010	.0494	----	----	----	----	8 UNCH
445	----	----	0.0215B/----	0.0215B/0.0210A	----	0.0220 + 0.0010	.0546	----	----	----	----	12 UNCH
450	----	----	0.0240B/0.0230A	0.0240B/0.0230A	----	0.0240 + 0.0005	.0599	----	----	----	----	472 UNCH
455	----	----	0.0270B/0.0255A	0.0270B/0.0255A	----	0.0265 + 0.0005	.0662	----	----	----	----	78 UNCH
460	----	----	0.0300B/0.0285A	0.0300B/0.0285A	----	0.0290 UNCH	.0728	----	----	----	----	90 UNCH
465	----	----	0.0335B/0.0315A	0.0335B/0.0315A	----	0.0325 + 0.0005	.0811	----	----	----	----	921 UNCH
470	----	----	0.0375B/0.0350A	0.0375B/0.0350A	----	0.0360 UNCH	.0898	----	----	----	----	670 UNCH
475	----	----	0.0420B/0.0385A	0.0420B/0.0385A	----	0.0400 UNCH	.0995	----	----	----	----	169 UNCH
480	----	----	0.0470B/0.0430A	0.0470B/0.0430A	----	0.0450 + 0.0010	.1109	----	----	2	----	1237 + 2
485	----	----	0.0525B/0.0475A	0.0525B/0.0475A	----	0.0500 + 0.0010	.1227	----	----	----	----	7 UNCH
490	----	----	0.0585B/0.0530A	0.0585B/0.0530A	----	0.0560 + 0.0010	.1362	----	----	1	----	64 UNCH
495	----	----	0.0655B/0.0600A	0.0655B/0.0600A	----	0.0630 + 0.0020	.1513	----	----	1	----	36 + 1
500	----	----	0.0740B/0.0665A	0.0740B/0.0665A	----	0.0705 + 0.0020	.1674	----	----	2	----	572 UNCH
505	----	----	0.0830B/0.0740A	0.0830B/0.0740A	----	0.0785 + 0.0020	.1846	----	----	----	----	514 UNCH
510	0.0865	0.0865	0.0920B/0.0830A	0.0920B/0.0830A	----	0.0880 + 0.0025	.2038	----	----	1	----	170 UNCH
515	----	----	0.1030B/0.0930A	0.1030B/0.0930A	----	0.0980 + 0.0020	.2239	----	----	----	----	28 UNCH
520	----	----	0.1155B/0.1025A	0.1155B/0.1025A	----	0.1095 + 0.0025	.2459	----	----	----	----	179 UNCH
523	----	----	0.1230B/0.1100A	0.1230B/0.1100A	----	0.1170 + 0.0025	.2599	----	----	----	----	3 UNCH
525	0.1260	0.1260	0.1295B/0.1145A	0.1295B/0.1145A	----	0.1220 + 0.0025	.2693	----	----	22	----	2304 UNCH
528	----	----	0.1370B/0.1220A	0.1370B/0.1220A	----	0.1300 + 0.0030	.2839	----	----	----	----	3 UNCH
529	----	----	0.1405B/0.1240A	0.1405B/0.1240A	----	0.1330 + 0.0030	.2891	----	----	----	----	5 UNCH
530	----	----	0.1435B/0.1280A	0.1435B/0.1280A	----	0.1355 + 0.0030	.2939	----	----	----	----	129 UNCH
535	----	----	0.1590B/0.1415A	0.1590B/0.1415A	----	0.1505 + 0.0040	.3201	----	----	----	----	21 UNCH
537	----	----	0.1655B/0.1480A	0.1655B/0.1480A	----	0.1570 + 0.0045	.3309	----	----	----	----	1 UNCH
538	----	----	0.1690B/0.1505A	0.1690B/0.1505A	----	0.1605 + 0.0050	.3365	----	----	----	----	1 UNCH
539	----	----	0.1725B/0.1540A	0.1725B/0.1540A	----	0.1640 + 0.0055	.3421	----	----	----	----	1 UNCH
540	----	----	0.1760B/0.1575A	0.1760B/0.1575A	----	0.1675 + 0.0055	.3478	----	----	1	----	45 UNCH
542	----	----	0.1835B/0.1640A	0.1835B/0.1640A	----	0.1745 + 0.0060	.3591	----	----	----	----	1 UNCH
543	----	----	0.1875B/0.1665A	0.1875B/0.1665A	----	0.1780 + 0.0060	.3648	----	----	----	----	10 UNCH
545	----	----	0.1955B/0.1740A	0.1955B/0.1740A	----	0.1855 + 0.0065	.3764	----	----	----	----	68 UNCH
550	0.2060	0.2060	0.2175B/0.1920A	0.2175B/0.1920A	----	0.2055 + 0.0075	.4061	----	----	76	----	206 + 57
551	----	----	0.2200B/0.1960A	0.2200B/0.1960A	----	0.2100 + 0.0080	.4122	----	----	----	----	90 UNCH
555	----	----	0.2380B/0.2120A	0.2380B/0.2120A	----	0.2275 + 0.0085	.4366	----	----	----	----	11 UNCH
557	----	----	0.2475B/0.2200A	0.2475B/0.2200A	----	0.2370 + 0.0090	.4489	----	----	----	----	50 UNCH
559	----	----	0.2575B/0.2285A	0.2575B/0.2285A	----	0.2465 + 0.0095	.4612	----	----	----	----	2 UNCH
560	----	----	0.2625B/0.2335A	0.2625B/0.2335A	----	0.2515 + 0.0095	.4674	----	----	----	----	4 UNCH
561	----	----	0.2675B/0.2375A	0.2675B/0.2375A	----	0.2565 + 0.0100	.4736	----	----	----	----	1 UNCH
565	----	----	0.2880B/0.2560A	0.2880B/0.2560A	----	0.2770 + 0.0105	.4984	----	----	----	----	162 UNCH
570	0.3100	0.3100	0.3140B/0.2805A	0.3140B/0.2805A	----	0.3045 + 0.0120	.5292	----	----	2	----	12 UNCH
575	----	----	0.3440B/0.3065A	0.3440B/0.3065A	----	0.3340 + 0.0135	.5594	----	----	----	----	61 UNCH
580	----	----	0.3730B/0.3360A	0.3730B/0.3360A	----	0.3650 + 0.0155	.5890	----	----	----	----	15 UNCH
585	----	----	0.4035B/0.3675A	0.4035B/0.3675A	----	0.3975 + 0.0175	.6178	----	----	----	----	1 UNCH
590	----	----	0.4320B/0.4025A	0.4320B/0.4025A	----	0.4315 + 0.0195	.6452	----	----	----	----	2 UNCH
600	----	----	0.5100B/0.4700A	0.5100B/0.4700A	----	0.5035 + 0.0235	.6966	----	----	----	----	15 UNCH
602	----	----	0.5180B/----	0.5180B/0.5240A	----	0.5185 + 0.0240	.7063	----	----	----	----	1 UNCH
605	----	----	0.5485B/0.5055A	0.5485B/0.5055A	----	0.5415 + 0.0250	.7204	----	----	----	----	48 UNCH
610	----	----	0.5880B/0.5420A	0.5880B/0.5420A	----	0.5805 + 0.0265	.7424	----	----	----	----	20 UNCH
615	----	----	0.6235B/0.5795A	0.6235B/0.5795A	----	0.6205 + 0.0275	.7637	----	----	----	----	31 UNCH
620	----	----	0.6650B/0.6190A	0.6650B/0.6190A	----	0.6615 + 0.0285	.7835	----	----	----	----	9 UNCH
630	----	----	0.7500B/----	0.7500B/0.7395A	----	0.7460 + 0.0305	.8185	----	----	----	----	9 UNCH
645	----	----	0.8790B/----	0.8790B/0.8830A	----	0.8775 + 0.0320	.8628	----	----	----	----	1 UNCH
650	----	----	0.9240B/----	0.9240B/0.9285A	----	0.9225 + 0.0325	.8747	----	----	----	----	3 UNCH
655	----	----	0.9700B/----	0.9700B/0.9740A	----	0.9685 + 0.0335	.8865	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.3965 + 0.0370	.9480	----	----	----	----	1 UNCH
TOTAL										108		8604 + 60
JUL26												
330	0.0045	0.0045	#0.0045/*0.0040	0.0045/*0.0040	----	0.0045 NEW	.0089	----	----	85	----	80 + 80
350	----	----	----/*0.0070A	0.0040B/*0.0070	----	0.0060 - 0.0025	.0123	----	----	----	----	5 UNCH
380	----	----	----	0.0090B/0.0145A	----	0.0110 - 0.0025	.0228	----	----	----	----	2 UNCH
390	----	----	----	0.0115B/0.0185A	----	0.0135 - 0.0025	.0279	----	----	----	----	6 UNCH
395	----	----	----	0.0125B/0.0200A	----	0.0150 - 0.0020	.0310	----	----	----	----	1 UNCH
400	----	----	----	0.0155B/0.0205A	----	0.0165 - 0.0020	.0341	----	----	----	----	509 UNCH
405	0.0165	0.0165	0.0165/0.0165	0.0165/0.0165	----	0.0180 - 0.0020	.0373	----	----	1	----	1 + 1
415	----	----	----/*0.0235A	0.0190B/0.0235A	----	0.0220 - 0.0020	.0453	----	----	----	----	52 UNCH
420	----	----	----	0.0215B/0.0260A	----	0.0245 - 0.0015	.0502	----	----	----	----	4 UNCH
425	----	----	----/0.0280A	0.0245B/0.0280A	----	0.0265 - 0.0020	.0545	----	----	----	----	50 UNCH
430	----	----	----/0.0305A	0.0275B/0.0305A	----	0.0295 - 0.0015	.0603	----	----	----	----	8 UNCH
435	----	----	----	0.0320B/0.0335A	----	0.0320 - 0.0015	.0656	----	----	----	----	5 UNCH
440	----	----	----/0.0365A	0.0360B/0.0365A	----	0.0355 - 0.0015	.0723	----	----	----	----	3 UNCH
445	----	----	----/0.0395A	0.0395B/0.0395A	----	0.0390 - 0.0015	.0792	----	----	----	----	3 UNCH
450	----	----	----/0.0435A	0.0430B/0.0435A	----	0.0430 - 0.0015	.0868	----	----	----	----	1924 UNCH
455	----	----	----/0.0475A	0.0480B/0.0475A	----	0.0470 - 0.0020	.0947	----	----	----	----	6 UNCH
460	----	----	----/0.0520A	0.0525B/0.0520A	----	0.0520 - 0.0015	.1039	----	----	----	----	1 UNCH
470	----	----	----/0.0625A	0.0640B/0.0625A	----	0.0630 - 0.0015	.1241	----	----	----	----	3 UNCH
475	----	----	----/0.0685A	0.0705B/0.0685A	----	0.0695 - 0.0010	.1356	----	----	----	----	510 UNCH
480	----	----	0.0790B/0.0750A	0.0790B/0.0750A	----	0.0765 - 0.0010	.1478	----	----	----	----	68 UNCH
490	0.0955	0.0955	0.1000B/0.0895A	0.1000B/0.0895A	----	0.0935 UNCH	.1758	----	----	2	----	543 + 2
495	----	----	0.1065B/0.1000A	0.1065B/0.1000A	----	0.1030 + 0.0005	.1910	----	----	----	----	96 UNCH
500	0.1180	0.1180	0.1205B/0.1080A	0.1205B/0.1080A	----	0.1130 + 0.0005	.2070	----	----	18	----	2867 - 3
505	----	----	0.1285B/0.1200A	0.1285B/0.1200A	----	0.1240 + 0.0010	.2239	----	----	----	----	2 UNCH
510	----	----	0.1425B/0.1315A	0.1425B/0.1315A	----	0.1360 + 0.0010	.2419	----	----	----	----	31 UNCH
520	----	----	0.1735B/0.1565A	0.1735B/0.1565A	----	0.1630 + 0.0015	.2805	----	----	----	----	620 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 73

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
525	0.1765	0.1765	0.1895B/0.1705A	0.1895B/0.1705A	----	0.1780 + 0.0020	.3010	----	----	4	----	757 + 1
530	0.2065	0.2065	0.2065/0.1865A	0.2065/0.1865A	----	0.1945 + 0.0025	.3225	----	----	7	----	3214 - 1
534	----	----	0.2150B/0.2030A	0.2150B/0.2030A	----	0.2085 + 0.0030	.3402	----	----	----	----	1 UNCH
535	----	----	0.2185B/0.2065A	0.2185B/0.2065A	----	0.2125 + 0.0035	.3448	----	----	----	----	1 UNCH
539	----	----	0.2340B/0.2205A	0.2340B/0.2205A	----	0.2275 + 0.0045	.3630	----	----	----	----	1 UNCH
540	0.2270	0.2270	0.2445B/0.2215A	0.2445B/0.2215A	----	0.2315 + 0.0045	.3677	----	----	2	----	457 + 2
550	----	----	0.2870B/0.2615A	0.2870B/0.2615A	----	0.2745 + 0.0080	.4149	----	----	30	----	464 UNCH
555	----	----	0.3065B/0.2840A	0.3065B/0.2840A	----	0.2980 + 0.0095	.4389	----	----	15	----	44 + 14
560	----	----	0.3310B/0.3070A	0.3310B/0.3070A	----	0.3230 + 0.0115	.4631	----	----	----	----	43 UNCH
565	----	----	0.3570B/0.3310A	0.3570B/0.3310A	----	0.3485 + 0.0125	.4873	----	----	----	----	7 UNCH
570	----	----	0.3830B/0.3550A	0.3830B/0.3550A	----	0.3750 + 0.0135	.5115	----	----	----	----	30 UNCH
574	----	----	0.4050B/0.3765A	0.4050B/0.3765A	----	0.3970 + 0.0140	.5307	----	----	----	----	5 UNCH
580	0.4240	0.4240	0.4420B/0.4100A	0.4420B/0.4100A	----	0.4320 + 0.0150	.5592	----	----	2	----	1735 UNCH
585	----	----	0.4715B/0.4390A	0.4715B/0.4390A	----	0.4630 + 0.0165	.5825	----	----	----	----	21 UNCH
588	----	----	#0.4885B/0.4560	0.4885B/0.4560A	----	0.4820 + 0.0170	.5963	----	----	----	----	1 UNCH
590	----	----	0.5025B/0.4680A	0.5025B/0.4680A	----	0.4945 + 0.0170	.6054	----	----	----	----	21 UNCH
595	----	----	0.5340B/0.5025A	0.5340B/0.5025A	----	0.5280 + 0.0185	.6276	----	----	----	----	2 UNCH
600	----	----	0.5695B/0.5390A	0.5695B/0.5390A	----	0.5620 + 0.0190	.6492	----	----	----	----	10 UNCH
610	----	----	0.6425B/0.6070A	0.6425B/0.6070A	----	0.6340 + 0.0210	.6900	----	----	----	----	47 UNCH
615	----	----	0.6805B/0.6430A	0.6805B/0.6430A	----	0.6720 + 0.0225	.7090	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.4155 + 0.0355	.9051	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.4625 + 0.0355	.9117	----	----	----	----	1 UNCH
TOTAL										166		14273 + 96
AUG26												
405	----	----	----	0.0195B/0.0325A	----	0.0265 - 0.0045	.0472	----	----	----	----	3 UNCH
420	----	----	----	0.0270B/0.0410A	----	0.0340 - 0.0050	.0605	----	----	----	----	1 UNCH
440	----	----	----	0.0430B/0.0555A	----	0.0485 - 0.0060	.0848	----	----	----	----	7 UNCH
450	----	----	----	0.0535B/0.0645A	----	0.0585 - 0.0060	.1005	----	----	----	----	4 UNCH
475	0.0975	0.0975	0.0975/0.0965A	0.0975/0.0965A	----	0.0925 NEW	.1508	----	----	2	----	2 + 2
480	----	----	----	0.0985B/0.1050A	----	0.1010 - 0.0030	.1627	----	----	----	----	4 UNCH
500	----	----	----	0.1410B/0.1450A	----	0.1420 - 0.0010	.2172	----	----	----	----	3 UNCH
510	----	----	----	0.1665B/0.1690A	----	0.1680 + 0.0005	.2488	----	----	----	----	1 UNCH
520	----	----	0.1960B/----	0.1960B/0.1955A	----	0.1970 + 0.0015	.2826	----	----	----	----	300 UNCH
530	----	----	0.2300B/0.2260A	0.2300B/0.2260A	----	0.2305 + 0.0035	.3188	----	----	----	----	1 UNCH
580	----	----	0.4625B/0.4405A	0.4625B/0.4405A	----	0.4595 + 0.0095	.5184	----	----	----	----	250 UNCH
585	----	----	0.4915B/0.4675A	0.4915B/0.4675A	----	0.4880 + 0.0100	.5386	----	----	----	----	5 UNCH
590	----	----	0.5220B/0.4960A	0.5220B/0.4960A	----	0.5175 + 0.0105	.5586	----	----	----	----	14 UNCH
TOTAL										2		595 + 2
SEP26												
400	----	----	----	0.0230B/0.0420A	----	0.0325 + 0.0020	.0526	----	----	----	----	1 UNCH
450	----	----	----	0.0690B/0.0835A	----	0.0775 + 0.0030	.1173	----	----	----	----	578 UNCH
470	----	----	----	0.1020B/0.1135A	----	0.1090 + 0.0040	.1577	----	----	----	----	3 UNCH
475	----	----	----	0.1110B/0.1225A	----	0.1180 + 0.0040	.1689	----	----	----	----	70 UNCH
480	----	----	----	0.1215B/0.1320A	----	0.1280 + 0.0040	.1809	----	----	----	----	7 UNCH
485	----	----	----	0.1325B/0.1420A	----	0.1380 NEW	.1930	----	----	1	----	1 + 1
490	----	----	----	0.1370B/0.1595A	----	0.1490 + 0.0035	.2059	----	----	----	----	9 UNCH
500	----	----	----	0.1625B/0.1840A	----	0.1730 + 0.0035	.2333	----	----	1	----	377 UNCH
520	----	----	----	0.2230B/0.2385A	----	0.2320 + 0.0045	.2948	----	----	----	----	3 UNCH
540	----	----	0.3050B/----	0.3050B/0.3045A	----	0.3065 + 0.0080	.3633	----	----	----	----	1 UNCH
550	----	----	0.3495B/----	0.3495B/0.3455A	----	0.3495 + 0.0095	.3992	----	----	----	----	20 UNCH
575	----	----	0.4760B/----	0.4760B/0.4610A	----	0.4745 + 0.0150	.4910	----	----	----	----	102 UNCH
590	----	----	0.5630B/0.5430A	0.5630B/0.5430A	----	0.5605 + 0.0170	.5452	----	----	----	----	2 UNCH
600	----	----	0.6180B/0.6020A	0.6180B/0.6020A	----	0.6220 + 0.0180	.5805	----	----	----	----	9 UNCH
610	----	----	0.6840B/0.6650A	0.6840B/0.6650A	----	0.6875 + 0.0195	.6145	----	----	----	----	6 UNCH
615	----	----	0.7185B/0.7005A	0.7185B/0.7005A	----	0.7215 + 0.0200	.6309	----	----	----	----	1 UNCH
625	----	----	0.7900B/0.7680A	0.7900B/0.7680A	----	0.7920 + 0.0215	.6625	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.3640 + 0.0340	.8256	----	----	----	----	2 UNCH
TOTAL										2		1339 + 1
OCT26												
375	----	----	----	0.0160B/0.0415A	----	0.0265 + 0.0015	.0390	----	----	----	----	2 UNCH
400	----	----	----	0.0275B/0.0525A	----	0.0395 + 0.0025	.0574	----	----	----	----	1 UNCH
450	----	----	----	0.0795B/0.0995A	----	0.0895 + 0.0035	.1210	----	----	----	----	1 UNCH
470	----	----	----	0.1130B/0.1315A	----	0.1230 + 0.0055	.1589	----	----	----	----	1 UNCH
500	----	----	----	0.1720B/0.2040A	----	0.1900 + 0.0070	.2285	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0335B/0.0660A	----	0.0505 + 0.0055	.0669	----	----	----	----	10 UNCH
475	----	----	----	0.1375B/0.1695A	----	0.1560 + 0.0055	.1815	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.6980 + 0.0350	.8211	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0280B/0.0670A	----	0.0485 + 0.0070	.0605	----	----	----	----	1 UNCH
400	----	----	----	0.0400B/0.0785A	----	0.0600 + 0.0065	.0741	----	----	----	----	17 UNCH
420	----	----	----	0.0600B/0.0985A	----	0.0805 + 0.0055	.0971	----	----	----	----	2 UNCH
455	----	----	----	0.1120B/0.1515A	----	0.1335 + 0.0060	.1512	----	----	----	----	1 UNCH
475	----	----	----	0.1545B/0.1940A	----	0.1760 + 0.0075	.1905	----	----	----	----	77 UNCH
490	----	----	----	0.1935B/0.2320A	----	0.2145 + 0.0090	.2236	----	----	----	----	5 UNCH
500	----	----	----	0.2225B/0.2605A	----	0.2435 + 0.0105	.2473	----	----	----	----	62 UNCH
550	----	----	----	0.4150B/0.4455A	----	0.4315 + 0.0155	.3801	----	----	----	----	2 UNCH
560	----	----	0.4630B/----	0.4630B/0.4925A	----	0.4785 + 0.0165	.4085	----	----	----	----	300 UNCH
570	----	----	0.5140B/----	0.5140B/0.5415A	----	0.5285 + 0.0170	.4371	----	----	----	----	1 UNCH
580	----	----	0.5680B/----	0.5680B/0.5935A	----	0.5820 + 0.0185	.4656	----	----	----	----	22 UNCH
600	----	----	0.6840B/----	0.6840B/0.7050A	----	0.6970 + 0.0200	.5213	----	----	----	----	26 UNCH
630	----	----	0.8775B/----	0.8775B/0.8915A	----	0.8895 + 0.0230	.6001	----	----	----	----	18 UNCH
TOTAL												534
JAN27												
400	----	----	----	----	----	0.0525 + 0.0020	.0663	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0610 + 0.0020	.0725	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0165 + 0.0005	.0173	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	----/0.1215A	0.1025B/0.1215A	----	0.1205 - 0.0385	.7084	----	----	----	----	2 UNCH
555	----	----	0.1115B/0.0750A	0.1115B/0.0750A	----	0.0765 - 0.0345	.5395	----	----	----	----	1 UNCH
558	----	----	0.1745B/0.1400A	0.1745B/0.1400A	----	0.1400 - 0.0300	.4939	----	----	----	----	11 UNCH
560	----	----	----/0.0535A	0.0825B/0.0535A	----	0.0530 - 0.0295	.4089	----	----	1	----	4 + 1
567	----	----	----/*0.0325A	0.0455B/*0.0325	----	0.0300 - 0.0210	.2482	----	----	----	----	5 UNCH
570	0.0315	0.0315	0.0315/*0.0270A	0.0400B/*0.0270	----	0.0235 - 0.0170	.1950	----	----	3	----	1 - 2
574	----	----	----/0.0530A	0.0655B/0.0530A	----	0.0500 - 0.0170	.2732	----	----	----	----	1 UNCH
575	0.0150	0.0150	0.0150/*0.0150	0.0170B/*0.0150	----	0.0145 - 0.0125	.1211	----	----	1	----	6 + 1
580	----	----	----/*0.0160A	0.0065B/*0.0160	----	0.0085 - 0.0095	.0697	----	----	----	----	1 UNCH
580	----	----	----/0.0410A	0.0460B/0.0410A	----	0.0375 - 0.0120	.2130	----	----	----	----	5 UNCH
580	----	----	----/*0.0670A	0.0755B/*0.0670	----	0.0650 - 0.0145	.2769	----	----	----	----	2 UNCH
587	----	----	----	0.0035B/*0.0125	----	0.0040 - 0.0060	.0303	----	----	----	----	1 UNCH
589	----	----	----	0.0025B/*0.0120	----	0.0035 - 0.0050	.0255	----	----	----	----	2 UNCH
590	----	----	----/*0.0275A	0.0245B/*0.0275	----	0.0235 - 0.0060	.1385	----	----	----	----	10 UNCH
595	----	----	----	0.0165B/*0.0230	----	0.0190 - 0.0040	.1124	----	----	----	----	5 UNCH
600	----	----	----	----/0.0100A	----	0.0010 - 0.0025	.0059	----	----	----	----	1 UNCH
610	----	----	----	----/*0.0085A	----	0.0005 - 0.0010	.0009	----	----	----	----	100 UNCH
630	----	----	----	----/*0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
640	----	----	----	----/*0.0105A	----	0.0020 - 0.0005	.0121	----	----	----	----	3 UNCH
670	----	----	----	----/0.0120A	----	0.0005 UNCH	.0020	----	----	----	----	3 UNCH
TOTAL										5		166
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/*0.0075A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
490	----	----	----	0.0020B/0.0130A	----	0.0040 - 0.0010	.0220	----	----	----	----	2 UNCH
510	----	----	----	0.0095B/*0.0190	----	0.0125 - 0.0015	.0684	----	----	----	----	25 UNCH
515	----	----	----	----/*0.0105A	----	0.0020 - 0.0010	.0113	----	----	----	----	115 UNCH
520	----	----	----	----/*0.0110A	----	0.0030 - 0.0015	.0188	----	----	----	----	31 UNCH
526	0.0075	0.0075	0.0075/*0.0075	0.0075/*0.0075	----	0.0055 - 0.0020	.0378	----	----	1	----	1 UNCH
530	0.0100	0.0100	0.0100/0.0100	0.0100/0.0100	----	0.0080 - 0.0020	.0578	----	----	30	----	32 + 30
535	----	----	----	0.0090B/*0.0165	----	0.0125 - 0.0020	.0951	----	----	----	----	8 UNCH
540	----	----	----	0.0160B/*0.0235	----	0.0195 - 0.0020	.1522	----	----	----	----	115 UNCH
545	----	----	----/0.0300A	0.0270B/0.0300A	----	0.0295 - 0.0015	.2317	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
APR26												
550	----	----	----/0.0420A	0.0430B/0.0420A	----	0.0435 UNCH	.3353	----	----	----	----	5 UNCH
555	----	----	0.0645B/0.0565A	0.0645B/0.0565A	----	0.0635 + 0.0035	.4603	----	----	----	----	1 UNCH
558	----	----	0.0800B/0.0675A	0.0800B/0.0675A	----	0.0785 + 0.0060	.5393	----	----	----	----	2 UNCH
560	0.0725	0.0725	0.0895B/0.0695A	0.0895B/0.0695A	----	0.0900 NEW	.5909	----	----	12	----	5 + 5
564	----	----	0.1510B/0.1360A	0.1510B/0.1360A	----	0.1585 + 0.0130	.5992	----	----	----	----	3 UNCH
570	0.1300	0.1300	0.1645B/0.1260A	0.1645B/0.1260A	----	0.1605 + 0.0210	.8048	----	----	2	----	3 + 2
TOTAL										45		351 + 37
MAY26												
510	----	----	----	0.0355B/0.0405A	----	0.0375 - 0.0025	.1327	----	----	----	----	1 UNCH
TOTAL												1

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----/*15.10A	19.90B/*15.10A	----	13.70 - 6.30	.1841	----	----	----	----	5 UNCH
1585	----	----	----/*14.10A	17.40B/*14.10A	----	12.30 - 5.60	.1666	----	----	----	----	1 UNCH
1600	12.30	12.30	12.30/*12.30	14.20B/*12.30	----	10.30 - 4.80	.1417	----	----	1	----	31 UNCH
1800	----	----	----	----/6.60A	----	1.40 - 0.70	.0185	----	----	----	----	4 UNCH
1900	----	----	----	----/*5.60A	----	0.50 - 0.30	.0063	----	----	----	----	20 UNCH
1925	----	----	----	----/*5.40A	----	0.40 - 0.30	.0049	----	----	----	----	10 UNCH
1950	----	----	----	----/*5.20A	----	0.30 - 0.20	.0036	----	----	----	----	40 UNCH
2475	----	----	----	----/*4.10A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
TOTAL										1		211 0
JUN26												
1400	----	----	158.50B/124.00A	158.50B/124.00A	----	133.40 - 19.40	.6220	----	----	----	----	75 UNCH
1440	----	----	----/105.20A	121.80B/105.20A	----	112.80 - 17.40	.5609	----	----	----	----	1 UNCH
1460	----	----	122.90B/96.60A	122.90B/96.60A	----	103.40 - 16.40	.5303	----	----	----	----	25 UNCH
1500	----	----	104.80B/81.10A	104.80B/81.10A	----	86.20 - 14.80	.4701	----	----	----	----	110 UNCH
1525	----	----	93.70B/72.40A	93.70B/72.40A	----	76.60 - 13.90	.4334	----	----	----	----	5 UNCH
1550	----	----	83.50B/64.70A	83.50B/64.70A	----	67.90 - 13.10	.3980	----	----	----	----	11 UNCH
1575	----	----	74.00B/57.80A	74.00B/57.80A	----	60.00 - 12.30	.3639	----	----	----	----	15 UNCH
1600	----	----	65.40B/51.80A	65.40B/51.80A	----	53.00 - 11.40	.3317	----	----	----	----	20 UNCH
1655	----	----	----/*41.20A	49.40B/*41.20A	----	40.30 - 9.60	.2680	----	----	----	----	1 UNCH
1700	----	----	----/*34.80A	39.20B/*34.80A	----	32.50 - 7.90	.2245	----	----	----	----	25 UNCH
1750	----	----	----/*29.40A	30.60B/*29.40A	----	26.00 - 5.90	.1851	----	----	----	----	10 UNCH
1800	----	----	----	24.20B/*25.30A	----	21.10 - 4.00	.1534	----	----	----	----	110 UNCH
1850	----	----	----	19.40B/*22.20A	----	17.50 - 2.30	.1287	----	----	----	----	2 UNCH
1900	----	----	15.80B/----	15.80B/*19.80A	----	14.80 - 0.90	.1094	----	----	----	----	64 UNCH
1925	----	----	14.20B/----	14.20B/*18.80A	----	13.70 - 0.30	.1013	----	----	----	----	40 UNCH
1950	----	----	12.80B/----	12.80B/*17.80A	----	12.80 + 0.30	.0944	----	----	----	----	10 UNCH
2000	----	----	10.50B/----	10.50B/*16.30A	----	11.20 + 1.20	.0822	----	----	----	----	106 UNCH
2100	----	----	7.50B/----	7.50B/*14.00A	----	7.80 + 1.30	.0585	----	----	----	----	52 UNCH
2200	----	----	5.30B/----	5.30B/*12.30A	----	5.50 + 1.10	.0420	----	----	----	----	7 UNCH
2300	----	----	3.70B/----	3.70B/*10.90A	----	4.00 + 0.80	.0308	----	----	----	----	30 UNCH
2400	----	----	----	2.40B/*9.90A	----	3.20 + 0.80	.0244	----	----	----	----	7 UNCH
2500	----	----	----	1.40B/*9.00A	----	2.30 + 0.60	.0178	----	----	----	----	25 UNCH
2700	----	----	----	----/*7.80A	----	1.30 + 0.40	.0102	----	----	----	----	50 UNCH
3000	----	----	----	----/*6.60A	----	0.60 + 0.20	.0047	----	----	----	----	30 UNCH
3500	----	----	----	----/*5.60A	----	0.20 + 0.10	.0015	----	----	----	----	25 UNCH
TOTAL												856 0
JUL26												
1800	45.00	45.00	56.00/*45.00	56.00/*45.00	----	46.00 NEW	.2425	----	----	29	----	29 + 29
TOTAL										29		29 + 29
SEP26												
1400	----	----	230.50B/203.60A	230.50B/203.60A	----	212.40 - 16.20	.6322	----	----	----	----	75 UNCH
1575	----	----	----/*138.70A	154.10B/138.70A	----	144.50 - 10.10	.4817	----	----	----	----	25 UNCH
1665	121.20	121.20	121.20/*114.10A	124.80B/114.10A	----	118.40 NEW	.4145	----	----	9	----	9 + 9
1700	----	----	----/106.00A	114.90B/106.00A	----	109.70 - 7.60	.3906	----	----	----	----	5 UNCH
1800	85.00	85.00	85.00/*85.00	91.00B/*85.00	----	88.90 NEW	.3297	----	----	1	----	1 + 1
1900	----	----	----/*72.50A	72.70B/*72.50A	----	73.10 - 3.40	.2795	----	----	----	----	5 UNCH
2100	----	----	----	49.10B/*53.80A	----	52.10 - 1.50	.2061	----	----	----	----	25 UNCH
2400	31.10	31.10	31.60/*30.00	31.60/*30.00	----	37.00 - 0.50	.1456	----	----	9	----	25 + 5
2550	----	----	----	25.00B/*33.10A	----	32.00 - 0.30	.1252	----	----	----	----	50 UNCH
TOTAL										19		220 + 15
DEC26												
2000	----	----	----	----	----	144.80 - 12.50	.3665	----	----	----	----	1 UNCH
3000	----	----	----	----	----	89.90 - 7.80	.2168	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/*7.10A	----	2.40 + 1.40	.0344	----	----	----	120	160 + 120
1300	----	----	4.10B/----	4.10B/*9.70A	----	5.80 + 3.20	.0807	----	----	----	----	1 UNCH
1400	----	----	26.70B/----	26.70B/21.20A	----	25.00 + 10.40	.2954	----	----	----	----	22 UNCH
1450	----	----	51.00B/----	51.00B/34.50A	----	45.20 + 15.40	.4613	----	----	----	----	2 UNCH
1500	----	----	84.00B/----	84.00B/55.60A	----	74.40 + 21.00	.6291	----	----	----	----	2 UNCH
1550	----	----	124.60B/84.30A	124.60B/84.30A	----	111.40 + 26.20	.7639	----	----	----	----	100 UNCH
1675	----	----	241.00B/184.10A	241.00B/184.10A	----	222.50 + 32.50	.9386	----	----	----	----	100 UNCH
1820	----	----	----	----	----	364.40 + 34.00	.9843	----	----	----	----	25 UNCH
TOTAL									120			412 + 120
JUN26												
1200	----	----	14.60B/----	14.60B/19.00A	----	17.40 + 4.00	.1206	----	----	----	----	15 UNCH
1250	----	----	24.30B/----	24.30B/25.50A	----	26.00 + 5.90	.1694	----	----	----	----	1 UNCH
1300	----	----	37.90B/----	37.90B/35.00A	----	39.20 + 8.90	.2324	----	----	----	----	75 UNCH
1335	----	----	50.20B/----	50.20B/44.00A	----	50.70 + 11.20	.2812	----	----	----	----	1 UNCH
1400	----	----	78.70B/----	78.70B/65.90A	----	77.00 + 15.10	.3778	----	----	----	----	185 UNCH
1440	----	----	99.60B/----	99.60B/82.70A	----	96.30 + 17.10	.4389	----	----	----	----	4 UNCH
1450	----	----	105.20B/----	105.20B/87.30A	----	101.40 + 17.50	.4542	----	----	----	----	76 UNCH
1460	----	----	111.00B/----	111.00B/92.10A	----	106.80 + 18.10	.4695	----	----	----	----	25 UNCH
1750	----	----	334.40B/286.20A	334.40B/286.20A	----	318.40 + 28.60	.8147	----	----	----	----	1 UNCH
1900	----	----	474.80B/419.70A	474.80B/419.70A	----	456.90 + 33.70	.8905	----	----	----	----	50 UNCH
TOTAL												433 0
JUL26												
1285	51.20	51.20	51.20/*51.20	51.20/45.10A	----	47.20 NEW	.2235	----	----	9	----	9 + 9
TOTAL										9		9 + 9
SEP26												
1465	----	----	167.50B/----	167.50B/157.90A	----	168.30 + 17.60	.4259	----	----	----	----	150 UNCH
1575	----	----	238.40B/----	238.40B/222.50A	----	237.40 + 20.80	.5179	----	----	----	----	25 UNCH
1650	----	----	292.10B/----	292.10B/271.90A	----	289.50 + 22.30	.5745	----	----	----	----	50 UNCH
1925	----	----	517.60B/----	517.60B/482.70A	----	509.50 + 28.10	.7311	----	----	----	----	75 UNCH
TOTAL												300 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1500	----	----	----/*18.20A	35.80B/*18.20A	----	18.80 - 18.50	.3010	----	----	----	----	2 UNCH
1600	----	----	----/*16.70A	19.60B/*16.70A	----	14.80 - 8.90	.1779	----	----	----	----	1 UNCH
1630	----	----	----	1.60B/*7.40A	----	1.80 - 4.60	.0257	----	----	----	----	7 UNCH
TOTAL												10 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	34.40B/26.20A	34.40B/26.20A	----	29.70 + 3.40	.1898	----	----	----	----	27 UNCH
1765	----	----	23.30B/----	23.30B/17.80A	----	19.40 + 1.90	.1555	----	----	----	----	27 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
APR26												
1790	----	----	28.80B/21.00A	28.80B/21.00A	----	23.70 + 2.40	.1868	----	----	----	----	27 UNCH
1840	----	----	43.40B/29.50A	43.40B/29.50A	----	35.00 + 4.10	.2634	----	----	----	----	27 UNCH
1940	----	----	56.80B/32.70A	56.80B/32.70A	----	44.20 + 6.40	.4591	----	----	----	----	35 UNCH
1955	----	----	----/32.90A	55.10B/32.90A	----	44.30 - 21.80	.4832	----	----	----	----	10 UNCH
1975	----	----	59.30B/*26.20A	59.30B/*26.20A	----	35.20 - 19.70	.4065	----	----	----	----	4 UNCH
2050	----	----	----/*12.10A	24.10B/*12.10A	----	13.20 - 11.50	.1696	----	----	----	----	20 UNCH
2065	----	----	----/*10.70A	19.50B/*10.70A	----	10.80 - 10.10	.1383	----	----	----	----	25 UNCH
2090	----	----	----	----	----	149.90 + 21.60	.9022	----	----	----	----	18 UNCH
2095	----	----	----/*8.60A	12.60B/*8.60A	----	7.30 - 7.70	.0909	----	----	----	----	25 UNCH
2100	----	----	----/*8.30A	11.70B/*8.30A	----	6.90 - 7.30	.0852	----	----	----	----	13 UNCH
2120	----	----	46.50B/31.90A	46.50B/31.90A	----	36.30 - 10.00	.2580	----	----	----	----	27 UNCH
2125	----	----	----/*7.20A	8.10B/*7.20A	----	5.10 - 5.90	.0604	----	----	----	----	1 UNCH
2150	----	----	249.20B/181.80A	249.20B/181.80A	----	218.10 + 22.10	.8451	----	----	----	----	12 UNCH
2155	----	----	----	----	----	222.50 + 22.40	.8504	----	----	----	----	12 UNCH
2160	----	----	----/*15.00A	19.90B/*15.00A	----	15.00 - 7.00	.1443	----	----	----	----	12 UNCH
2160	----	----	----	----	----	226.90 + 22.60	.8556	----	----	----	----	12 UNCH
2345	----	----	----	----/*3.70A	----	0.30 - 0.80	.0020	----	----	----	----	1 UNCH
TOTAL												335 0
MAY26												
1700	----	----	32.60B/----	32.60B/26.10A	----	27.60 + 3.40	.1604	----	----	----	----	3 UNCH
1915	115.70	115.70	118.20B/112.70A	118.20B/112.70A	----	129.20 NEW	.5756	----	----	20	----	20 + 20
TOTAL										20		23 + 20
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	252.80B/180.60A	252.80B/180.60A	----	208.70 - 26.60	.8954	----	----	----	----	19 UNCH
1800	----	----	207.60B/140.00A	207.60B/140.00A	----	166.20 - 24.80	.8310	----	----	----	----	18 UNCH
1850	----	----	164.70B/104.40A	164.70B/104.40A	----	127.40 - 22.50	.7437	----	----	----	----	2 UNCH
1950	----	----	91.10B/51.30A	91.10B/51.30A	----	64.70 - 17.10	.5105	----	----	----	----	3 UNCH
1995	40.30	40.30	65.70B/35.20A	65.70B/35.20A	----	44.40 NEW	.3950	----	----	15	----	15 + 15
2000	38.00	38.00	63.00B/33.70A	63.00B/33.70A	----	42.50 - 13.10	.3826	----	----	42	----	305 + 14
2005	37.00	37.00	60.50B/32.30A	60.50B/32.30A	----	40.60 NEW	.3701	----	----	14	----	14 + 14
2025	----	----	51.10B/27.20A	51.10B/27.20A	----	33.80 - 11.20	.3223	----	----	----	----	50 UNCH
2040	----	----	44.60B/24.10A	44.60B/24.10A	----	29.40 - 10.00	.2887	----	----	----	----	64 UNCH
2045	----	----	42.60B/*23.20A	42.60B/*23.20A	----	28.00 - 9.70	.2778	----	----	----	----	50 UNCH
2050	----	----	40.60B/*22.30A	40.60B/*22.30A	----	26.80 - 9.20	.2677	----	----	----	----	111 UNCH
2055	----	----	38.70B/*21.40A	38.70B/*21.40A	----	25.50 - 8.90	.2572	----	----	----	----	57 UNCH
2060	----	----	36.90B/*20.60A	36.90B/*20.60A	----	24.40 - 8.50	.2477	----	----	----	----	7 UNCH
2065	----	----	35.10B/*19.80A	35.10B/*19.80A	----	23.20 - 8.20	.2377	----	----	----	----	14 UNCH
2070	----	----	33.40B/*19.10A	33.40B/*19.10A	----	22.20 - 7.80	.2287	----	----	----	----	14 UNCH
2075	----	----	31.80B/*18.40A	31.80B/*18.40A	----	21.20 - 7.40	.2198	----	----	----	----	21 UNCH
2080	----	----	30.30B/*17.70A	30.30B/*17.70A	----	20.20 - 7.10	.2109	----	----	----	----	20 UNCH
2085	----	----	28.80B/*17.10A	28.80B/*17.10A	----	19.30 - 6.70	.2026	----	----	----	----	14 UNCH
2090	----	----	27.30B/*16.50A	27.30B/*16.50A	----	18.50 - 6.30	.1949	----	----	----	----	21 UNCH
2095	----	----	25.90B/*15.90A	25.90B/*15.90A	----	17.60 - 6.10	.1867	----	----	----	----	7 UNCH
2100	----	----	24.60B/*15.30A	24.60B/*15.30A	----	16.90 - 5.70	.1796	----	----	----	----	232 UNCH
2105	----	----	23.40B/*14.80A	23.40B/*14.80A	----	16.10 - 5.40	.1721	----	----	----	----	7 UNCH
2110	----	----	22.30B/*14.40A	22.30B/*14.40A	----	15.40 - 5.10	.1652	----	----	----	----	37 UNCH
2115	----	----	21.20B/*13.90A	21.20B/*13.90A	----	14.80 - 4.70	.1590	----	----	----	----	22 UNCH
2120	----	----	20.10B/*13.50A	20.10B/*13.50A	----	14.10 - 4.50	.1522	----	----	----	----	14 UNCH
2125	----	----	19.10B/*13.10A	19.10B/*13.10A	----	13.50 - 4.20	.1461	----	----	----	----	14 UNCH
2130	----	----	18.10B/*12.70A	18.10B/*12.70A	----	13.00 - 3.90	.1407	----	----	----	----	107 UNCH
2135	----	----	17.20B/*12.30A	17.20B/*12.30A	----	12.40 - 3.70	.1347	----	----	----	----	7 UNCH
2140	----	----	16.40B/*11.90A	16.40B/*11.90A	----	11.90 - 3.40	.1295	----	----	----	----	7 UNCH
2145	----	----	15.60B/*11.60A	15.60B/*11.60A	----	11.40 - 3.20	.1242	----	----	----	----	7 UNCH
2150	----	----	14.80B/*11.30A	14.80B/*11.30A	----	10.90 - 3.00	.1191	----	----	----	----	119 UNCH
2155	----	----	14.10B/*11.00A	14.10B/*11.00A	----	10.50 - 2.70	.1146	----	----	----	----	7 UNCH
2160	----	----	13.40B/*10.70A	13.40B/*10.70A	----	10.00 - 2.60	.1096	----	----	----	----	13 UNCH
2170	----	----	12.10B/*10.10A	12.10B/*10.10A	----	9.20 - 2.20	.1010	----	----	----	----	75 UNCH
2175	----	----	11.50B/*9.90A	11.50B/*9.90A	----	8.80 - 2.00	.0967	----	----	----	----	13 UNCH
2200	----	----	8.90B/----	8.90B/*8.80A	----	7.10 - 1.30	.0783	----	----	----	----	206 UNCH
2215	----	----	7.60B/----	7.60B/*8.20A	----	6.20 - 1.10	.0686	----	----	----	----	20 UNCH
2220	----	----	7.10B/----	7.10B/*8.00A	----	6.00 - 0.90	.0662	----	----	----	----	21 UNCH
2245	----	----	----	5.30B/*7.30A	----	4.80 - 0.60	.0530	----	----	----	----	10 UNCH
2250	----	----	----	5.00B/*7.10A	----	4.60 - 0.50	.0508	----	----	----	----	29 UNCH
2260	----	----	----	4.40B/*6.90A	----	4.20 - 0.50	.0464	----	----	----	----	10 UNCH
2265	----	----	----	4.20B/*6.80A	----	4.00 - 0.40	.0442	----	----	----	----	10 UNCH
2270	----	----	----	3.90B/*6.70A	----	3.80 - 0.40	.0421	----	----	----	----	183 UNCH
2275	----	----	----	3.70B/*6.50A	----	3.70 - 0.30	.0408	----	----	----	----	10 UNCH
2280	----	----	----	3.40B/*6.40A	----	3.50 - 0.30	.0386	----	----	----	----	10 UNCH
2285	----	----	----	3.20B/*6.30A	----	3.30 - 0.30	.0365	----	----	----	----	10 UNCH
2300	----	----	----	2.60B/*6.00A	----	2.90 - 0.30	.0320	----	----	----	----	14 UNCH
2315	----	----	----	2.00B/*5.80A	----	2.50 - 0.20	.0276	----	----	----	----	10 UNCH
2320	----	----	----	1.90B/*5.70A	----	2.40 - 0.20	.0264	----	----	----	----	4 UNCH
2330	----	----	----	1.60B/*5.50A	----	2.20 - 0.20	.0242	----	----	----	----	10 UNCH
2350	----	----	----	1.10B/*5.30A	----	1.90 - 0.10	.0206	----	----	----	----	1 UNCH
2360	----	----	----	0.90B/*5.10A	----	1.70 - 0.10	.0185	----	----	----	----	10 UNCH
2390	----	----	----	0.40B/*4.80A	----	1.30 - 0.10	.0140	----	----	----	----	21 UNCH
2400	----	----	----	0.30B/*4.70A	----	1.20 UNCH	.0129	----	----	----	----	5 UNCH
2450	----	----	----	----/*4.30A	----	0.70 UNCH	.0074	----	----	----	----	160 UNCH
2500	----	----	----	----/3.90A	----	0.40 UNCH	.0042	----	----	----	----	170 UNCH
2700	----	----	----	----/*3.10A	----	0.10 UNCH	.0003	----	----	----	----	110 UNCH
2730	----	----	----	----/*3.10A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2750	----	----	----	----/*3.00A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
2800	----	----	----	----/*3.00A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2880	----	----	----	----/2.80A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3000	----	----	----	----/*2.70A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3050	----	----	----	----/*2.70A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3150	----	----	----	----/*2.60A	----	0.10 UNCH	----	----	----	----	----	121 UNCH
TOTAL										71		2671 + 43
JUN26												
1900	----	----	194.80B/152.70A	194.80B/152.70A	----	169.20 - 15.90	.5896	----	----	----	----	1 UNCH
2000	----	----	142.20B/110.20A	142.20B/110.20A	----	122.50 - 12.30	.4799	----	----	----	----	20 UNCH
2100	----	----	100.90B/78.20A	100.90B/78.20A	----	86.50 - 9.90	.3763	----	----	----	----	1 UNCH
2150	----	----	84.20B/65.70A	84.20B/65.70A	----	72.30 NEW	.3293	----	----	4	----	4 + 4
2200	----	----	70.00B/55.10A	70.00B/55.10A	----	60.40 - 7.50	.2866	----	----	----	----	200 UNCH
2225	----	----	63.90B/50.60A	63.90B/50.60A	----	55.20 - 6.80	.2669	----	----	----	----	30 UNCH
2300	----	----	48.30B/39.20A	48.30B/39.20A	----	42.00 - 5.20	.2140	----	----	----	----	317 UNCH
2500	----	----	23.20B/*21.70A	23.20B/*21.70A	----	21.30 - 1.80	.1186	----	----	4	----	104 + 4
2650	----	----	----	13.40B/*15.50A	----	12.90 - 1.10	.0755	----	----	----	----	17 UNCH
TOTAL										8		694 + 8
JUL26												
1500	----	----	513.40B/444.00A	513.40B/444.00A	----	472.50 - 24.70	.8917	----	----	----	----	50 UNCH
1680	----	----	----	----	----	333.50 - 20.30	.7745	----	----	----	----	50 UNCH
1700	----	----	352.10B/296.90A	352.10B/296.90A	----	319.60 - 19.80	.7591	----	----	----	----	1 UNCH
1800	----	----	284.20B/236.10A	284.20B/236.10A	----	255.30 - 17.10	.6767	----	----	----	----	113 UNCH
1850	----	----	253.40B/209.10A	253.40B/209.10A	----	226.40 - 15.80	.6329	----	----	----	----	2 UNCH
1950	----	----	198.10B/161.70A	198.10B/161.70A	----	175.70 - 13.10	.5430	----	----	----	----	1 UNCH
2000	----	----	173.90B/141.80A	173.90B/141.80A	----	153.80 - 12.00	.4983	----	----	----	----	110 UNCH
2100	116.00	116.00	132.50B/108.50A	132.50B/108.50A	----	117.10 - 9.80	.4129	----	----	59	100	405 + 57
2150	----	----	115.30B/94.90A	115.30B/94.90A	----	102.20 - 8.60	.3736	----	----	----	----	12 UNCH
2200	----	----	100.20B/83.00A	100.20B/83.00A	----	89.20 - 7.40	.3370	----	----	----	----	404 UNCH
2300	----	----	75.70B/63.50A	75.70B/63.50A	----	68.30 - 5.10	.2727	----	----	4	----	163 UNCH
2375	----	----	61.40B/52.20A	61.40B/52.20A	----	55.80 - 4.00	.2313	----	----	----	----	50 UNCH
2400	----	----	57.30B/49.00A	57.30B/49.00A	----	52.10 - 3.70	.2187	----	----	----	----	766 UNCH
2500	----	----	43.70B/38.40A	43.70B/38.40A	----	40.00 - 2.60	.1749	----	----	----	----	322 UNCH
2600	----	----	33.50B/30.90A	33.50B/30.90A	----	31.30 - 1.40	.1410	----	----	4	----	411 UNCH
2700	----	----	25.80B/----	25.80B/*25.50A	----	25.10 - 0.20	.1152	----	----	----	----	13 UNCH
2755	----	----	22.40B/----	22.40B/23.20A	----	21.90 - 0.10	.1020	----	----	----	----	1 UNCH
2800	----	----	19.90B/----	19.90B/21.60A	----	19.60 - 0.10	.0924	----	----	----	----	149 UNCH
2850	----	----	----	17.50B/*20.00A	----	17.60 UNCH	.0836	----	----	----	----	158 UNCH
2900	----	----	----	15.40B/*18.60A	----	15.80 + 0.10	.0757	----	----	100	----	90 - 42
3000	----	----	----	12.00B/*16.00A	----	12.90 + 0.20	.0625	----	----	----	----	682 UNCH
3100	----	----	----	9.90B/*14.00A	----	10.60 + 0.20	.0519	----	----	100	----	59 - 42
3200	----	----	----	6.10B/14.60A	----	8.70 + 0.20	.0430	----	----	----	----	14 UNCH
3300	----	----	----	4.80B/*13.40A	----	7.20 + 0.20	.0359	----	----	----	----	31 UNCH
3400	----	----	----	3.70B/*12.40A	----	6.10 + 0.20	.0305	----	----	----	----	32 UNCH
3500	----	----	----	2.80B/*11.60A	----	5.20 + 0.20	.0261	----	----	----	----	274 UNCH
3600	----	----	----	2.00B/*10.90A	----	4.50 + 0.20	.0226	----	----	----	----	300 UNCH
3800	----	----	----	3.00B/*7.70A	----	3.50 + 0.10	.0175	----	----	----	----	12 UNCH
3900	----	----	----	2.50B/*7.30A	----	3.20 + 0.20	.0158	----	----	----	----	8 UNCH
4000	3.50	3.50	3.50/*3.50	3.50/*3.50	----	2.90 + 0.20	.0143	----	----	1	----	221 UNCH
TOTAL									100	268		4904 - 27
OCT26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
OCT26												
1720	----	----	----	----	----	378.60 - 16.30	.7169	----	----	----	----	1 UNCH
1800	----	----	358.40B/315.80A	358.40B/315.80A	----	334.30 - 14.60	.6677	----	----	----	----	1 UNCH
2000	----	----	260.00B/229.00A	260.00B/229.00A	----	242.50 - 11.00	.5444	----	----	----	----	3 UNCH
2200	167.00	167.00	187.40B/167.00	187.40B/167.00	----	176.30 - 7.90	.4332	----	----	5	----	135 + 5
2400	----	----	136.90B/124.80A	136.90B/124.80A	----	130.30 - 5.00	.3420	----	----	----	----	100 UNCH
2500	----	----	117.80B/108.40A	117.80B/108.40A	----	112.70 - 4.00	.3038	----	----	----	----	175 UNCH
2600	----	----	101.90B/94.60A	101.90B/94.60A	----	97.80 - 3.40	.2700	----	----	----	----	10 UNCH
2700	----	----	88.50B/82.90A	88.50B/82.90A	----	85.20 - 3.00	.2402	----	----	100	----	200 + 100
2800	----	----	----/73.00A	77.30B/73.00A	----	74.70 - 2.60	.2144	----	----	----	----	30 UNCH
2900	----	----	----/64.70A	67.80B/64.70A	----	65.90 - 2.10	.1920	----	----	100	----	110 + 100
3000	----	----	----/57.60A	59.70B/57.60A	----	58.50 - 1.70	.1725	----	----	----	----	21 UNCH
3200	----	----	----/46.80A	46.90B/46.80A	----	46.70 - 1.30	.1406	----	----	----	----	10 UNCH
3500	----	----	----	33.30B/36.00A	----	34.80 - 0.70	.1066	----	----	----	----	10 UNCH
TOTAL										205		806 + 205
JAN27												
2360	----	----	----	----	----	187.00 - 12.70	.4050	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	8.10B/----	8.10B/*8.20A	----	6.20 + 1.80	.0610	----	----	----	----	1 UNCH
1725	----	----	10.90B/----	10.90B/9.90A	----	8.30 + 2.40	.0806	----	----	----	----	13 UNCH
1745	----	----	13.60B/----	13.60B/11.50A	----	10.40 + 2.90	.0997	----	----	----	----	15 UNCH
1750	----	----	14.30B/----	14.30B/11.90A	----	10.90 + 3.00	.1045	----	----	----	----	76 UNCH
1780	----	----	19.40B/----	19.40B/14.60A	----	15.10 + 4.00	.1409	----	----	----	----	1 UNCH
1785	----	----	20.30B/----	20.30B/15.20A	----	15.90 + 4.20	.1477	----	----	----	----	1 UNCH
1800	----	----	23.50B/----	23.50B/16.90A	----	18.40 + 4.80	.1689	----	----	----	----	108 UNCH
1820	----	----	28.40B/----	28.40B/19.50A	----	22.40 + 5.70	.2011	----	----	----	----	100 UNCH
1825	----	----	29.80B/----	29.80B/20.20A	----	23.50 + 5.90	.2098	----	----	----	----	14 UNCH
1850	33.30	33.30	37.70B/33.30	37.70B/24.30A	----	29.60 + 7.10	.2562	----	----	15	----	78 + 15
1855	----	----	39.30B/----	39.30B/25.20A	----	30.90 + 7.30	.2660	----	----	----	----	15 UNCH
1860	----	----	41.10B/----	41.10B/26.20A	----	32.30 + 7.60	.2762	----	----	----	----	100 UNCH
1865	36.60	36.60	43.00B/36.60	43.00B/27.20A	----	33.80 NEW	.2867	----	----	5	----	5 + 5
1870	39.20	39.20	45.00B/39.20	45.00B/28.20A	----	35.30 NEW	.2973	----	----	14	----	14 + 14
1875	----	----	47.00B/----	47.00B/29.30A	----	36.80 + 8.30	.3080	----	----	----	----	122 UNCH
1890	----	----	53.30B/----	53.30B/32.80A	----	41.80 + 9.00	.3417	----	----	----	----	22 UNCH
1895	----	----	55.60B/34.10A	55.60B/34.10A	----	43.60 + 9.20	.3533	----	----	----	----	29 UNCH
1900	40.00	40.00	57.90B/35.40A	57.90B/35.40A	----	45.40 + 9.50	.3650	----	----	1	----	132 + 1
1905	----	----	60.40B/36.80A	60.40B/36.80A	----	47.30 + 9.70	.3769	----	----	----	----	46 UNCH
1910	----	----	62.70B/38.20A	62.70B/38.20A	----	49.20 + 9.90	.3889	----	----	----	----	46 UNCH
1915	----	----	65.30B/39.70A	65.30B/39.70A	----	51.20 + 10.20	.4011	----	----	----	----	67 UNCH
1920	----	----	67.70B/41.20A	67.70B/41.20A	----	53.30 + 10.60	.4135	----	----	----	----	49 UNCH
1925	----	----	70.40B/42.80A	70.40B/42.80A	----	55.40 + 10.80	.4259	----	----	----	----	20 UNCH
1930	----	----	72.90B/44.50A	72.90B/44.50A	----	57.50 + 11.10	.4384	----	----	----	----	20 UNCH
1935	----	----	75.70B/46.20A	75.70B/46.20A	----	59.80 + 11.50	.4511	----	----	----	----	20 UNCH
1945	----	----	79.10B/49.80A	79.10B/49.80A	----	64.40 + 12.10	.4766	----	----	----	----	30 UNCH
1950	----	----	84.20B/51.70A	84.20B/51.70A	----	66.80 + 12.50	.4894	----	----	----	----	79 UNCH
1970	----	----	80.80B/59.90A	80.80B/59.90A	----	77.10 + 14.00	.5410	----	----	----	----	9 UNCH
1990	----	----	82.10B/68.90A	82.10B/68.90A	----	88.50 + 15.70	.5923	----	----	----	----	10 UNCH
2000	----	----	116.80B/73.80A	116.80B/73.80A	----	94.50 + 16.40	.6173	----	----	----	----	337 UNCH
2030	----	----	----	----	----	114.30 + 18.80	.6889	----	----	----	----	75 UNCH
2050	----	----	155.50B/101.20A	155.50B/101.20A	----	128.80 + 20.30	.7322	----	----	----	----	200 UNCH
2100	----	----	199.10B/134.80A	199.10B/134.80A	----	168.90 + 23.90	.8202	----	----	----	----	70 UNCH
2155	----	----	----	----	----	217.40 + 26.80	.8852	----	----	----	----	13 UNCH
2160	----	----	----	----	----	222.00 + 27.10	.8903	----	----	----	----	38 UNCH
2175	----	----	268.70B/195.70A	268.70B/195.70A	----	235.80 + 27.60	.9032	----	----	----	----	10 UNCH
2195	----	----	----	----	----	254.40 + 28.20	.9183	----	----	----	----	23 UNCH
2200	----	----	292.60B/217.90A	292.60B/217.90A	----	259.00 + 28.20	.9216	----	----	----	----	10 UNCH
2215	----	----	----	----	----	273.20 + 28.60	.9313	----	----	----	----	60 UNCH
2450	----	----	538.00B/457.80A	538.00B/457.80A	----	502.60 + 29.60	.9925	----	----	----	----	50 UNCH
2500	----	----	587.70B/507.20A	587.70B/507.20A	----	552.30 + 29.60	.9957	----	----	----	----	100 UNCH
TOTAL										35		2228 + 35
JUN26												
1825	----	----	100.10B/78.00A	100.10B/78.00A	----	89.40 + 10.80	.3294	----	----	----	75	89 + 64
1850	----	----	111.00B/86.60A	111.00B/86.60A	----	99.40 + 11.70	.3559	----	----	----	----	1 UNCH
1900	----	----	135.20B/106.10A	135.20B/106.10A	----	121.50 + 13.60	.4102	----	----	----	----	200 UNCH
2100	----	----	260.20B/211.60A	260.20B/211.60A	----	238.10 + 19.70	.6235	----	----	----	----	100 UNCH
TOTAL									75			390 + 64
JUL26												
1400	----	----	15.20B/----	15.20B/16.90A	----	14.70 + 3.40	.0647	----	----	----	----	150 UNCH
1500	----	----	28.70B/----	28.70B/26.00A	----	26.80 + 4.70	.1081	----	----	----	----	153 UNCH
1550	----	----	38.20B/----	38.20B/32.80A	----	35.60 + 5.90	.1363	----	----	----	----	200 UNCH
1600	45.00	45.00	49.90B/45.00	49.90B/41.30A	----	46.20 + 7.10	.1680	----	----	1	----	383 + 1
1650	----	----	63.70B/----	63.70B/51.90A	----	58.70 + 8.40	.2030	----	----	----	----	1 UNCH
1680	----	----	73.10B/----	73.10B/59.40A	----	67.10 + 9.20	.2252	----	----	----	----	50 UNCH
1700	----	----	79.90B/----	79.90B/64.80A	----	73.10 + 9.70	.2406	----	----	4	----	265 + 4
1710	----	----	83.30B/----	83.30B/67.70A	----	76.30 + 10.00	.2485	----	----	----	----	1 UNCH
1750	----	----	98.00B/----	98.00B/79.90A	----	89.60 + 11.00	.2808	----	----	----	----	50 UNCH
1800	----	----	118.40B/----	118.40B/97.10A	----	108.20 + 12.30	.3230	----	----	----	----	218 UNCH
1900	----	----	165.50B/----	165.50B/137.40A	----	152.20 + 15.00	.4116	----	----	----	----	1 UNCH
2100	----	----	288.70B/244.30A	288.70B/244.30A	----	268.40 + 19.70	.5869	----	----	----	----	225 UNCH
2165	----	----	----	----	----	314.00 + 21.20	.6374	----	----	----	----	20 UNCH
2350	----	----	485.40B/425.60A	485.40B/425.60A	----	459.60 + 25.10	.7552	----	----	----	----	5 UNCH
2400	----	----	528.70B/466.70A	528.70B/466.70A	----	501.80 + 25.70	.7811	----	----	----	----	300 UNCH
4000	----	----	2,085.90B/2,006	2,085.90B/2,006	----	2052.10 + 29.60	.9857	----	----	----	----	10 UNCH
TOTAL										5		2032 + 5
OCT26												
1300	----	----	25.80B/----	25.80B/30.60A	----	26.50 + 5.10	.0778	----	----	----	----	4 UNCH
1500	----	----	63.70B/----	63.70B/60.60A	----	62.50 + 7.20	.1588	----	----	----	----	80 UNCH
1600	----	----	94.00B/----	94.00B/85.80A	----	91.20 + 9.80	.2121	----	----	----	----	17 UNCH
1720	----	----	140.30B/----	140.30B/126.30A	----	135.00 + 12.90	.2826	----	----	----	----	2 UNCH
1800	----	----	176.80B/----	176.80B/159.00A	----	169.80 + 14.70	.3318	----	----	----	----	20 UNCH
2000	----	----	287.10B/----	287.10B/258.70A	----	275.60 + 18.30	.4551	----	----	----	----	1 UNCH
2100	----	----	352.40B/318.10A	352.40B/318.10A	----	338.40 + 19.80	.5129	----	----	----	----	100 UNCH
2400	----	----	578.80B/530.50A	578.80B/530.50A	----	558.80 + 24.40	.6576	----	----	----	----	200 UNCH
2500	----	----	661.70B/610.10A	661.70B/610.10A	----	640.10 + 25.30	.6958	----	----	----	----	1 UNCH
TOTAL												425 0
JAN27												
1500	----	----	----	----	----	77.80 + 4.50	.1712	----	----	----	----	40 UNCH
1800	----	----	----	----	----	195.30 + 8.90	.3303	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4800	0	425
OG	4900	0	50
OG	5100	0	425
TOTALS		0	900
JUN26 CALL			
OG	4800	0	200
OG	5000	0	100
OG	5100	0	200
OG	5500	0	50
TOTALS		0	550
JUL26 CALL			
OG	4700	0	25
OG	5100	0	50
OG	5185	0	50
OG	5500	0	25
OG	5720	0	270
OG	5820	0	270
TOTALS		0	690
AUG26 CALL			
OG	5255	0	1762
TOTALS		0	1762
SEP26 CALL			
OG	4975	0	80
OG	5300	0	90
OG	6000	0	50
OG	7000	0	50
TOTALS		0	270
DEC26 CALL			
OG	4600	0	40
OG	5500	0	380
OG	6400	0	40
OG	6500	0	300
TOTALS		0	760
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4150	0	250
TOTALS		0	250
JUN26 PUT			
OG	3900	0	140
TOTALS		0	140
JUL26 PUT			
OG	4730	0	270
OG	4930	0	270
TOTALS		0	540
AUG26 PUT			
OG	3190	0	1762
OG	4255	0	1762
TOTALS		0	3524
DEC26 PUT			
OG	3400	0	320
TOTALS		0	320
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	6600	0	80
TOTALS		0	80
HX CALL	COMEX COPPER OPTIONS		
JUL26 CALL			
HX	600	0	10
TOTALS		0	10
HX PUT	COMEX COPPER OPTIONS		
MAY26 PUT			
HX	500	0	70
TOTALS		0	70
PO CALL	PLATINUM OPTIONS		
JUL26 CALL			
PO	2100	0	100
TOTALS		0	100
PO PUT	PLATINUM OPTIONS		
JUN26 PUT			
PO	1825	0	75
TOTALS		0	75
PAO PUT	NYMEX PALLADIUM OPTIONS		
MAY26 PUT			
PAO	1250	0	120
TOTALS		0	120
OG2 PUT	GOLD OPTIONS		
APR26 PUT			
OG2	4175	0	4000
OG2	4200	0	4000
OG2	4400	0	240
TOTALS		0	8240
OG2 CALL	GOLD OPTIONS		
APR26 CALL			
OG2	4790	0	120
TOTALS		0	120
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
MAY26 CALL			
HRO	110000	0	150
TOTALS		0	150
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2		
APR26 PUT			
G2W	4375	0	150
G2W	4540	0	150
TOTALS		0	300
HWW WED	COPPER WEEKLY WEDNESDAY OPTION WEEK		
APR26 PUT			
H2W	545	0	200
TOTALS		0	200
GWR THU	GOLD WEEKLY THURSDAY OPTION Week2		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

APR26 CALL			
G2R	4700	0	50
TOTALS		0	50

HWR THU COPPER WEEKLY THURSDAY OPT Week4

APR26 PUT			
H4R	508	0	20
H4R	510	0	10
H4R	520	0	70
TOTALS		0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.