METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAR26	MAR26	MAR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27
COO OPT	03/31			04/30	05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26
ECG10 OP		03/25	03/26											
ECG11 OP		03/25	03/26											
ECG13 OP		03/25	03/26											
ECG15 OP		03/25	03/26											
ECG16 OP		03/25	03/26											
ECGC OOF		03/25	03/26											
ECHG OOF		03/25	03/26											
ECSI OOF		03/25	03/26											
EHO OPT				04/30	05/29	06/30	07/31	08/28	09/30					
FMG OPT	03/27													
FSO OPT				04/30	05/29	06/30								
GMW MON	03/30			04/20										
GWR THU				04/16										
GWT TUE	03/31			04/21										
GWW WED	03/25			04/15										
HMW MON	03/30			04/13										
HRO OPT	03/24			04/28	05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29		
HWR THU				04/16										
HWT TUE	03/31			04/07										
HWW WED	03/25			04/15	05/06	06/03	07/01							
HX CALL				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
HX PUT				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
HXE CALL	03/27			04/17										
HXE PUT	03/27			04/17										
LHO OPT	03/31			04/30	05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26
OG CALL				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG PUT				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG2 CALL				04/10										
OG2 PUT				04/10										
OG3 CALL				04/17										
OG3 PUT				04/17										
OG4 CALL	03/27													
OG4 PUT	03/27			04/24										
OMG OPT				03/26	04/27	05/26	06/25							
PAO CALL					04/15	05/20			08/19			11/18		
PAO PUT					04/15	05/20			08/19					
PAW OOF	03/27			04/17										
PLW OOF	03/27			04/17										
PO CALL					04/15	05/20	06/17			09/16			12/16	
PO PUT					04/15	05/20	06/17			09/16			12/16	
RWS THU				04/23										
SMW MON	03/30			04/06										
SO CALL				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
SO PUT				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
SO2 CALL				04/10										
SO2 PUT				04/10										
SO3 CALL				04/17										
SO3 PUT				04/17										
SO4 CALL	03/27													
SO4 PUT	03/27													
SWW WED	03/25			04/08										
TWS TUE	03/31			04/14										
WMG WED				04/01										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK1										
APR26												
4235	40.00	40.00	#60.00/*40.00	#60.00/*40.00	----	51.80 NEW	.2541	----	----	4	----	4 + 4
4540	50.10	50.10	#50.10/*50.10	#50.10/*50.10	----	50.10 NEW	.3002	----	----	1	----	1 + 1
4600	53.50	53.50	53.50/*53.50	53.50/*53.50	----	33.40 - 60.10	.2165	----	----	1	----	4 + 1
TOTAL										6		9+ 6

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
APR26												
3600	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4000	----	----	----	----	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4200	----	----	----	----	----	0.00 - 1.90	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	126.30 - 78.60	----	----	----	----	----	0 - 1
4275	----	----	----	----	----	101.30 - 79.10	----	----	----	----	----	0 - 1
4300	----	----	----	----	----	76.30 - 79.80	----	----	----	----	----	0 - 2
4325	----	----	----	----	----	51.30 - 80.60	----	----	----	----	----	0 - 1
4350	----	----	----	----	----	0.00 - 5.70	----	----	----	----	----	0 - 3
4375	----	----	----	----/*13.00A	----	0.00 - 7.10	----	----	----	----	----	0 - 1
4400	26.80	26.80	26.80/15.00	26.80/10.00A	----	23.70 + 14.70	----	----	----	2	----	0 - 3
4400	----	----	----	----	----	0.00 - 61.30	----	----	----	----	----	0 - 1
4415	----	----	----	----	----	0.00 - 47.70	----	----	----	----	----	0 - 1
4420	----	----	----	----	----	0.00 - 43.20	----	----	----	----	----	0 - 1
4425	----	----	----/*38.00A	----/*38.00A	----	0.00 - 38.80	----	----	----	----	----	0 - 3
4435	----	----	----/*35.50A	----/*35.50A	----	0.00 - 30.00	----	----	----	----	----	0 - 1
4440	----	----	----	----	----	0.00 - 25.70	----	----	----	----	----	0 - 1
4445	----	----	----	----	----	68.70 + 54.60	----	----	----	----	----	0 - 1
4450	10.00	10.00	10.00/*10.00	10.00/*10.00	----	0.00 - 17.10	----	----	----	1	----	0 - 3
4475	----	----	----	----	----	98.70 + 79.30	----	----	----	----	----	0 - 2
4475	----	----	----	----	----	0.00 - 96.70	----	----	----	----	----	0 - 3
4500	----	----	----	----	----	123.70 + 98.30	----	----	----	----	----	0 - 3
4500	10.00	10.00	10.00/*4.00A	10.00/*4.00A	----	0.00 - 77.70	----	----	----	1	----	0 - 5
4525	----	----	----/*6.00A	----/*6.00A	----	0.00 - 60.60	----	----	----	----	----	0 - 2
4550	----	----	----	----	----	0.00 - 45.90	----	----	----	----	----	0 - 1
4575	----	----	----	----	----	198.70 + 42.30	----	----	----	----	----	0 - 1
4600	----	----	----	----	----	223.70 + 51.90	----	----	----	----	----	0 - 2
4600	----	----	----	----	----	0.00 - 24.10	----	----	----	----	----	0 - 1
4650	----	----	----	----	----	0.00 - 11.90	----	----	----	----	----	0 - 1
4700	----	----	----	----	----	0.00 - 6.10	----	----	----	----	----	0 - 2
4700	----	----	----	----	----	323.70 + 69.90	----	----	----	----	----	0 - 2
4710	----	----	----	----	----	0.00 - 5.40	----	----	----	----	----	0 - 1
4725	----	----	----	----	----	0.00 - 4.40	----	----	----	----	----	0 - 1
4750	----	----	----	----	----	373.70 + 72.80	----	----	----	----	----	0 - 1
4750	----	----	----	----	----	0.00 - 3.20	----	----	----	----	----	0 - 1
4775	----	----	----	----	----	398.70 + 73.60	----	----	----	----	----	0 - 1
4800	----	----	----	----	----	423.70 + 74.20	----	----	----	----	----	0 - 7
4825	----	----	----	----	----	448.70 + 74.60	----	----	----	----	----	0 - 1
4850	----	----	----	----	----	473.70 + 74.90	----	----	----	----	----	0 - 2
4875	----	----	----	----	----	498.70 + 75.10	----	----	----	----	----	0 - 1
4900	----	----	#350.00B/----	#350.00B/----	----	523.70 + 75.30	----	----	----	----	----	0 - 4
4900	----	----	----	----	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4925	----	----	----	----	----	548.70 + 75.50	----	----	----	----	----	0 - 2
4950	----	----	----	----	----	573.70 + 75.60	----	----	----	----	----	0 - 2
4970	----	----	----	----	----	593.70 + 75.70	----	----	----	----	----	0 - 2
4975	----	----	----	----	----	598.70 + 75.70	----	----	----	----	----	0 - 2
5000	----	----	----	----	----	0.00 - 0.30	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 02

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
APR26												
5000	----	----	580.70B/----	580.70B/----	----	623.70 + 75.80	----	----	----	----	----	0 - 4
5035	----	----	----	----	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5150	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5160	----	----	----	----	----	783.70 + 75.90	----	----	----	----	----	0 - 1
5195	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5205	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5210	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5350	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5500	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5800	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 5
TOTAL										4		0 - 110
MAY26												
3850	----	----	----	----	----	46.90 + 28.10	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	53.80 + 31.70	----	----	----	----	----	3 UNCH
4000	----	----	----	30.60B/150.00A	----	70.40 + 39.80	----	----	----	----	----	8 UNCH
4200	----	----	----	----/188.00A	----	118.00 + 59.50	----	----	----	----	----	2 UNCH
4400	200.00	200.00	#200.00/200.00	200.00/200.00	----	202.20 - 91.40	----	----	----	1	----	2 + 1
4450	----	----	----	----	----	176.60 - 84.40	----	----	----	----	----	1 UNCH
4500	150.00	150.00	#150.00/*150.00	#150.00/*150.00	----	153.30 NEW	----	----	----	1	----	1 + 1
4600	261.00	261.00	#261.00/261.00	#261.00/261.00	----	304.20 + 13.20	----	----	----	1	----	2 + 1
4700	----	----	----	----	----	83.00 - 49.20	----	----	----	----	----	1 UNCH
4725	----	----	----	----	----	391.80 + 30.00	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	450.00 + 38.80	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	533.20 + 48.70	----	----	----	----	----	1 UNCH
4920	----	----	----	----	----	550.40 + 50.30	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	37.00 - 23.40	----	----	----	----	----	2 UNCH
4970	35.00	35.00	35.00/*35.00	35.00/*35.00	----	34.70 - 21.90	----	----	----	2	----	0 - 2
5000	----	----	----	----	----	31.60 - 19.90	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	666.60 + 59.40	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	17.60 - 10.10	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	4.10 - 2.00	----	----	----	----	----	1 UNCH
TOTAL										5		36 + 1
JUN26												
2500	2.40	2.40	#2.40/2.40	#2.40/2.40	----	2.60 + 1.20	----	----	----	1	----	2 + 1
4000	83.00	83.00	83.00/*83.00	83.00/83.00	----	104.50 NEW	----	----	----	1	----	1 + 1
4150	----	----	----	----	----	145.40 + 61.90	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	183.80 + 73.10	----	----	----	----	----	1 UNCH
4500	270.00	270.00	#270.00/270.00	#270.00/270.00	----	296.50 + 00.10	----	----	----	1	----	3 + 1
4700	----	----	----	----	----	132.50 - 53.80	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	83.80 - 36.10	----	----	----	----	----	2 UNCH
5200	----	----	----/55.20A	40.00B/55.20A	----	43.30 - 18.30	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	29.00 - 11.50	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	13.40 - 4.40	----	----	----	----	----	1 UNCH
TOTAL										3		14 + 3
JUL26												
3400	----	----	----	----	----	1070.60 - 60.10	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1015.80 - 57.70	----	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
MAR26												
3500	0.20	0.20	0.60/*0.10A	0.60/*0.10A	----	0.10 UNCH	----	----	----	326	----	333 + 311
3550	0.20	0.20	0.60B/0.20	0.60B/0.20	----	0.10 UNCH	----	----	----	4	----	4 + 3
3600	0.10	0.10	0.60B/*0.10	0.60B/*0.10	----	0.10 UNCH	----	----	----	9	----	74 + 5
3650	0.50	0.50	0.60B/0.50	0.60B/0.30A	----	0.10 UNCH	----	----	----	1	----	75 UNCH
3700	0.30	0.30	0.70B/0.30	0.70B/*0.10A	----	0.10 UNCH	.0000	----	----	3	----	17 + 3
3750	0.20	0.20	1.10/0.20	1.10/0.20	----	0.20 UNCH	.0000	----	----	20	----	52 + 10
3800	0.40	0.40	1.20/*0.20	1.20/*0.20	----	0.40 + 0.10	.0001	----	----	174	----	196 + 114
3850	0.30	0.30	1.10B/*0.30	1.10B/*0.30	----	0.60 + 0.20	.0003	----	----	3	----	187 + 2
3900	1.70	1.70	2.00/*0.40	2.00/*0.40	----	0.90 + 0.30	.0006	----	----	145	----	146 + 52
3950	1.70	1.70	2.00/*0.50	2.00/*0.50	----	1.30 + 0.50	.0012	----	----	34	----	63 + 19
4000	2.40	2.40	2.80/0.80	2.80/0.80	----	1.70 + 0.70	.0021	----	----	194	----	209 + 41
4050	2.40	2.40	3.30B/*1.10A	3.30B/*1.10A	----	2.50 + 1.30	.0043	----	----	7	----	102 UNCH
4075	2.60	2.60	#4.00B/2.60	4.00B/1.40A	----	3.10 NEW	.0064	----	----	1	----	1 + 1
4100	1.90	1.90	5.10/1.60	5.10/1.60	----	3.80 + 2.20	.0092	----	----	102	----	327 + 10
4125	3.10	3.10	6.20B/1.80	6.20B/1.80	----	4.60 + 2.80	.0130	----	----	7	----	11 UNCH
4150	4.10	4.10	7.60B/*2.00	7.60B/*2.00	----	5.60 + 3.50	.0184	----	----	10	----	151 + 6
4175	7.90	7.90	#10.00B/2.60A	10.00B/2.60A	----	6.80 + 4.40	.0259	----	----	10	----	42 + 7
4200	4.50	4.50	11.90B/3.00	11.90B/3.00	----	8.30 + 5.40	.0366	----	----	186	----	378 - 36
4225	4.50	4.50	15.10B/3.70A	15.10B/3.70A	----	10.20 + 6.80	.0519	----	----	39	----	41 + 36
4235	16.20	16.20	#16.20/*16.20	16.20/4.00A	----	11.00 NEW	.0591	----	----	1	----	1 + 1
4240	7.80	7.80	#16.40B/4.20A	16.40B/4.20A	----	11.50 NEW	.0635	----	----	2	----	2 + 2
4245	13.50	13.50	#17.00/13.50	17.00/4.30A	----	12.00 + 8.00	.0680	----	----	15	----	15 + 13
4250	7.00	7.00	17.60B/4.40	17.60B/4.40	----	12.50 + 8.40	.0728	----	----	65	----	153 + 27
4255	----	----	#17.90B/----	17.90B/4.70A	----	13.00 + 8.70	.0777	----	----	----	----	1 UNCH
4260	4.80	4.80	#19.10B/4.80	19.10B/4.80	----	13.60 NEW	.0834	----	----	7	----	6 + 6
4270	17.00	17.00	#20.30B/5.30A	20.30B/5.30A	----	14.80 NEW	.0954	----	----	3	----	3 + 3
4275	7.20	7.20	21.40B/5.60A	21.40B/5.60A	----	15.50 + 10.50	.1024	----	----	8	----	6 + 3
4280	15.00	15.00	#22.30B/15.00	22.30B/5.80A	----	16.20 + 11.00	.1096	----	----	6	----	8 + 5
4290	20.10	20.10	#24.10B/6.40A	24.10B/6.40A	----	17.60 + 12.00	.1249	----	----	7	----	6 + 4
4295	15.00	15.00	#25.00B/6.70A	25.00B/6.70A	----	18.40 NEW	.1335	----	----	2	----	2 + 2
4300	9.80	9.80	26.10B/6.30	26.10B/6.30	----	19.30 + 13.30	.1430	----	----	391	----	190 + 61
4305	17.00	17.00	27.10B/17.00	27.10B/7.20A	----	20.10 + 13.80	.1523	----	----	2	----	5 + 1
4310	21.20	21.20	#28.30B/11.10	28.30B/7.50A	----	21.00 NEW	.1625	----	----	5	----	3 + 3
4315	10.10	10.10	#29.50B/10.10	29.50B/7.80A	----	22.00 NEW	.1735	----	----	6	----	6 + 6
4320	20.00	20.00	#30.80B/20.00	30.80B/8.10A	----	23.00 + 15.90	.1850	----	----	23	----	23 + 21
4325	22.60	22.60	32.30B/22.60	32.30B/8.30A	----	24.10 + 16.70	.1973	----	----	14	----	50 + 3
4330	11.40	11.40	#33.70B/11.40	33.70B/8.80A	----	25.20 NEW	.2100	----	----	153	----	150 + 150
4335	21.10	21.10	#35.10B/21.10	35.10B/9.00A	----	26.30 NEW	.2231	----	----	4	----	3 + 3
4340	9.00	9.00	36.60B/9.00	36.60B/9.00	----	27.50 + 19.20	.2372	----	----	4	----	6 + 2
4345	----	----	#38.40B/----	38.40B/9.80A	----	28.80 + 20.10	.2520	----	----	----	----	1 UNCH
4350	29.90	29.90	40.00B/11.90	40.00B/10.00A	----	30.10 + 21.10	.2674	----	----	86	----	87 + 18
4355	21.60	21.60	41.60B/21.60	41.60B/10.40A	----	31.50 + 22.10	.2835	----	----	17	----	10 + 7
4360	----	----	#43.60B/----	43.60B/10.90A	----	33.00 + 23.20	.3005	----	----	----	----	1 UNCH
4365	20.50	20.50	#45.30B/20.50	45.30B/11.40A	----	34.50 NEW	.3179	----	----	5	----	4 + 4
4370	32.00	32.00	#47.40B/32.00	47.40B/11.70A	----	36.10 + 25.50	.3360	----	----	19	----	8 + 7
4375	38.60	38.60	49.50B/13.70	49.50B/12.10A	----	37.70 + 26.60	.3546	----	----	42	----	74 + 18
4380	23.00	23.00	#51.70B/23.00	51.70B/12.80A	----	39.40 NEW	.3739	----	----	177	----	150 + 150
4385	27.20	27.20	#53.90B/27.20	53.90B/13.30A	----	41.20 NEW	.3938	----	----	21	----	11 + 11
4390	40.90	40.90	56.20B/20.00	56.20B/13.80A	----	43.10 + 30.60	.4143	----	----	9	----	3 + 2
4395	----	----	#58.60B/----	58.60B/14.20A	----	45.10 + 32.10	.4352	----	----	----	----	2 UNCH
4400	15.00	15.00	60.80B/14.80A	60.80B/14.80A	----	47.10 + 33.50	.4565	----	----	509	----	208 + 109
4405	20.80	20.80	63.40B/20.80	63.40B/15.50A	----	49.20 + 35.10	.4783	----	----	3	----	12 + 2
4410	25.60	25.60	65.80B/25.60	65.80B/16.00A	----	51.50 + 36.80	.5003	----	----	15	----	24 + 6
4415	41.10	41.10	67.50B/38.60	67.50B/16.70A	----	53.70 + 38.40	.5225	----	----	9	----	13 + 7
4420	42.10	42.10	70.30B/23.00	70.30B/17.40A	----	56.10 + 40.10	.5449	----	----	45	----	47 + 41
4425	49.80	49.80	73.20B/49.80	73.20B/17.80A	----	58.60 + 42.00	.5673	----	----	13	----	11 + 5
4430	25.60	25.60	76.40B/25.60	76.40B/18.70A	----	61.20 + 43.90	.5897	----	----	28	----	27 + 26
4435	----	----	79.60B/----	79.60B/19.60A	----	63.80 + 45.70	.6121	----	----	30	----	30 + 27
4440	35.50	35.50	83.00B/35.50	83.00B/20.10A	----	66.60 + 47.80	.6341	----	----	14	----	25 + 9
4445	----	----	86.00B/----	86.00B/21.10A	----	69.40 + 49.80	.6561	----	----	----	----	2 UNCH
4450	40.00	40.00	90.00/31.60	90.00/21.90A	----	72.30 + 51.90	.6776	----	----	545	----	151 + 32
4455	51.40	51.40	93.00B/38.80	93.00B/22.80A	----	75.40 + 54.10	.6983	----	----	32	----	13 + 11
4460	34.60	34.60	96.30B/34.60	96.30B/23.70A	----	78.50 + 56.40	.7188	----	----	7	----	8 + 2
4465	58.00	58.00	100.20B/42.50	100.20B/24.80A	----	81.70 + 58.60	.7387	----	----	13	----	13 + 12
4470	78.30	78.30	103.90B/46.50	103.90B/25.80A	----	85.00 + 61.00	.7578	----	----	7	----	5 + 4
4475	67.20	67.20	107.70B/63.30	107.70B/26.80A	----	88.40 + 63.40	.7762	----	----	30	----	26 + 14
4480	62.00	62.00	111.60B/45.40	111.60B/28.00A	----	91.90 + 65.80	.7936	----	----	8	----	15 + 4
4485	----	----	115.50B/----	115.50B/29.10A	----	95.50 + 68.30	.8101	----	----	1	----	2 + 1
4490	40.40	40.40	119.50B/40.40	119.50B/30.40A	----	99.10 + 70.80	.8262	----	----	5	----	13 + 1
4495	----	----	123.70B/----	123.70B/31.60A	----	102.90 + 73.40	.8407	----	----	----	----	1 UNCH
4500	43.30	43.30	128.40B/32.00	128.40B/32.00	----	106.70 + 76.00	.8548	----	----	123	----	274 + 17
4505	----	----	132.00B/----	132.00B/34.20A	----	110.60 + 78.60	.8677	----	----	----	----	4 UNCH
4510	----	----	136.40B/----	136.40B/35.40A	----	114.60 + 81.30	.8796	----	----	1	----	4 UNCH
4515	70.10	70.10	140.60B/70.10	140.60B/37.10A	----	118.60 + 83.90	.8911	----	----	21	----	23 + 21
4520	----	----	145.10B/----	145.10B/38.40A	----	122.80 + 86.70	.9008	----	----	----	----	1 UNCH
4525	125.00	125.00	149.50B/121.00	149.50B/39.80A	----	126.90 + 89.30	.9108	----	----	2	----	2 UNCH
4530	----	----	154.00B/----	154.00B/41.60A	----	131.20 + 92.10	.9190	----	----	----	----	3 UNCH
4535	----	----	158.50B/----	158.50B/43.30A	----	135.50 + 94.80	.9269	----	----	2	----	4 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 PUT GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
4540	----	----	163.00B/----	163.00B/45.10A	----	139.80 + 97.40	.9344	----	----	8	----	8 + 8
4545	----	----	167.60B/----	167.60B/46.90A	----	144.20 + 00.10	.9409	----	----	----	----	2 UNCH
4550	51.10	51.10	172.40B/48.90A	172.40B/48.90A	----	148.70 + 02.80	.9464	----	----	37	----	83 - 4
4570	----	----	190.90B/----	190.90B/57.30A	----	166.80 + 13.10	.9652	----	----	----	----	5 UNCH
4575	----	----	195.60B/----	195.60B/59.80A	----	171.40 + 15.50	.9688	----	----	----	----	12 UNCH
4580	115.00	115.00	200.40B/115.00	200.40B/62.20A	----	176.10 + 18.00	.9717	----	----	22	----	20 - 4
4585	----	----	205.20B/----	205.20B/64.60A	----	180.70 + 20.40	.9750	----	----	----	----	4 UNCH
4590	127.00	127.00	210.00B/126.00	210.00B/67.10A	----	185.40 + 22.70	.9775	----	----	21	----	42 - 1
4595	----	----	214.80B/----	214.80B/69.80A	----	190.10 + 25.00	.9799	----	----	----	----	14 UNCH
4600	194.00	194.00	220.10B/188.80	220.10B/72.40A	----	194.90 + 27.30	.9816	----	----	16	----	284 + 7
4610	----	----	229.30B/----	229.30B/81.00A	----	204.30 + 31.50	.9858	----	----	----	----	2 UNCH
4615	----	----	234.10B/----	234.10B/84.30A	----	209.10 + 33.50	.9873	----	----	----	----	1 UNCH
4625	----	----	243.80B/----	243.80B/90.50A	----	218.70 + 37.40	.9899	----	----	----	----	1 UNCH
4635	155.00	155.00	253.50B/155.00	253.50B/97.00A	----	228.40 NEW	.9917	----	----	1	----	1 + 1
4650	232.10	232.10	268.40B/232.10	268.40B/107.40A	----	243.20 + 46.40	.9932	----	----	10	----	40 + 4
4670	----	----	288.00B/----	288.00B/121.80A	----	262.90 + 52.40	.9949	----	----	----	----	5 UNCH
4675	259.00	259.00	293.00B/259.00	293.00B/125.60A	----	267.80 + 53.70	.9954	----	----	1	----	2 + 1
4700	----	----	318.30B/----	318.30B/145.60A	----	292.70 + 59.60	.9962	----	----	6	----	171 - 5
4725	----	----	342.60B/----	342.60B/166.20A	----	317.50 + 64.10	.9971	----	----	1	----	16 UNCH
4750	341.00	341.00	367.20B/341.00	367.20B/188.70A	----	342.10 + 67.20	.9983	----	----	2	----	34 - 1
4775	----	----	392.10B/----	392.10B/211.30A	----	366.70 + 69.50	.9992	----	----	----	----	15 UNCH
4800	245.30	245.30	417.20B/234.60A	417.20B/234.60A	----	391.70 + 71.60	.9993	----	----	5	----	127 + 1
4825	----	----	441.90B/----	441.90B/259.00A	----	416.70 + 73.10	.9993	----	----	----	----	11 UNCH
4850	----	----	466.80B/----	466.80B/283.20A	----	441.60 + 74.10	.9995	----	----	----	----	21 UNCH
4855	----	----	#471.90B/----	#471.90B/288.10A	----	446.60 + 74.20	.9995	----	----	----	----	2 UNCH
4875	----	----	491.70B/----	491.70B/307.70A	----	466.60 + 74.90	.9996	----	----	----	----	10 UNCH
4880	443.50	443.50	496.70B/443.50	496.70B/312.40A	----	471.60 + 75.00	.9996	----	----	2	----	13 + 2
4895	348.70	348.70	#511.60B/348.70	#511.60B/348.70	----	486.60 + 75.30	.9996	----	----	2	----	2 + 1
4900	----	----	516.60B/----	516.60B/380.00A	----	491.50 + 75.30	.9997	----	----	----	----	46 UNCH
4910	----	----	526.60B/----	526.60B/389.90A	----	501.50 + 75.50	.9997	----	----	----	----	20 UNCH
4915	----	----	531.60B/----	531.60B/394.90A	----	506.50 + 75.60	.9997	----	----	----	----	22 UNCH
4920	----	----	536.60B/----	536.60B/399.90A	----	511.50 + 75.70	.9997	----	----	----	----	11 UNCH
4925	----	----	#541.60B/----	#541.60B/480.10A	----	516.50 + 75.80	.9997	----	----	----	----	1 UNCH
4930	----	----	546.70B/----	546.70B/409.90A	----	521.50 + 75.80	.9997	----	----	----	----	10 UNCH
4940	----	----	556.70B/----	556.70B/419.90A	----	531.50 + 76.00	.9997	----	----	----	----	14 UNCH
4945	----	----	561.70B/----	561.70B/424.90A	----	536.50 + 76.00	.9997	----	----	----	----	1 - 5
4950	----	----	566.70B/----	566.70B/429.90A	----	541.50 + 76.10	.9997	----	----	----	----	19 UNCH
4955	----	----	571.70B/----	571.70B/432.70A	----	546.50 + 76.10	.9997	----	----	----	----	50 UNCH
4960	----	----	576.60B/----	576.60B/437.60A	----	551.40 + 76.10	.9998	----	----	----	----	39 - 45
4970	----	----	586.60B/----	586.60B/449.80A	----	561.40 + 76.20	.9998	----	----	----	----	15 UNCH
4975	----	----	591.60B/----	591.60B/454.80A	----	566.40 + 76.20	.9998	----	----	----	----	12 UNCH
4980	----	----	596.70B/----	596.70B/459.80A	----	571.40 + 76.20	.9998	----	----	----	----	7 - 7
4985	----	----	601.70B/----	601.70B/464.80A	----	576.40 + 76.30	.9999	----	----	----	----	10 UNCH
5000	----	----	616.70B/----	616.70B/479.80A	----	591.40 + 76.30	.9999	----	----	----	----	1 - 1
5005	----	----	621.70B/----	621.70B/484.80A	----	596.40 + 76.40	.9999	----	----	----	----	2 - 2
5010	----	----	#626.70B/----	#626.70B/565.10A	----	601.40 + 76.40	.9999	----	----	----	----	0 - 1
5015	----	----	#631.70B/----	#631.70B/570.10A	----	606.30 + 76.30	.9999	----	----	----	----	1 UNCH
5025	----	----	#641.60B/----	#641.60B/580.00A	----	616.30 + 76.40	.9999	----	----	----	----	1 UNCH
5040	----	----	#656.60B/----	#656.60B/595.10A	----	631.30 + 76.40	1.0000	----	----	----	----	0 - 1
5045	----	----	#661.60B/----	#661.60B/600.10A	----	636.30 + 76.40	1.0000	----	----	----	----	1 UNCH
5050	----	----	666.60B/----	666.60B/529.70A	----	641.30 + 76.40	1.0000	----	----	----	----	8 UNCH
5055	----	----	#671.60B/----	#671.60B/534.70A	----	646.30 + 76.50	1.0000	----	----	----	----	2 UNCH
5070	----	----	#686.60B/----	#686.60B/549.70A	----	661.20 + 76.40	1.0000	----	----	----	----	0 - 2
5090	----	----	706.70B/----	706.70B/569.70A	----	681.20 + 76.40	1.0000	----	----	----	----	1 - 3
5100	----	----	716.70B/----	716.70B/579.70A	----	691.20 + 76.50	1.0000	----	----	----	----	1 - 16
5110	----	----	#726.70B/----	#726.70B/665.00A	----	701.20 + 76.50	1.0000	----	----	----	----	0 - 1
5120	----	----	#736.70B/----	#736.70B/599.70A	----	711.20 + 76.50	1.0000	----	----	----	----	1 - 1
5140	----	----	#756.70B/----	#756.70B/695.00A	----	731.10 + 76.40	1.0000	----	----	1	----	0 UNCH
5145	----	----	#761.70B/----	#761.70B/700.00A	----	736.10 + 76.40	1.0000	----	----	----	----	0 UNCH
5165	----	----	#781.70B/----	#781.70B/644.70A	----	756.10 + 76.40	1.0000	----	----	----	----	0 - 2
5180	----	----	796.70B/----	796.70B/735.00A	----	771.10 + 76.40	1.0000	----	----	----	----	0 UNCH
5190	----	----	#806.70B/----	#806.70B/669.70A	----	781.10 + 76.50	1.0000	----	----	----	----	2 UNCH
5200	----	----	816.70B/----	816.70B/679.70A	----	791.10 + 76.50	1.0000	----	----	----	----	1 - 3
5205	----	----	#821.70B/----	#821.70B/760.00A	----	796.10 + 76.50	1.0000	----	----	----	----	0 UNCH
5235	----	----	851.70B/----	851.70B/714.70A	----	826.10 + 76.50	1.0000	----	----	----	----	0 - 5
5250	----	----	#866.70B/----	#866.70B/729.60A	----	841.10 + 76.50	1.0000	----	----	----	----	1 - 1
5300	----	----	916.70B/----	916.70B/855.00A	----	891.10 + 76.50	1.0000	----	----	----	----	1 UNCH
5310	----	----	#926.60B/----	#926.60B/865.00A	----	901.10 + 76.50	1.0000	----	----	----	----	0 - 1
5325	----	----	#941.60B/----	#941.60B/880.00A	----	916.10 + 76.50	1.0000	----	----	----	----	0 UNCH
TOTAL										3967		5609 + 1383
APR26												
4300	----	----	----	0.10B/289.40A	----	108.20 + 63.30	.3717	----	----	----	----	1 UNCH
TOTAL												1 0

OG4 CALL GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
4000	----	----	----/386.40A	570.70B/386.40A	----	410.70 - 75.70	.9978	----	----	1	----	0 - 1
4050	365.60	365.60	365.60/337.60A	520.70B/337.60A	----	361.50 NEW	.9956	----	----	1	----	1 + 1
4100	----	----	----/289.40A	471.10B/289.40A	----	312.80 - 74.20	.9907	----	----	----	----	1 UNCH
4150	----	----	----/242.10A	421.70B/242.10A	----	264.60 - 72.90	.9815	----	----	1	----	1 UNCH
4275	----	----	----/131.30A	299.30B/131.30A	----	149.50 - 65.90	.8975	----	----	----	----	2 UNCH
4300	132.00	132.00	145.00/*111.00A	275.40B/*111.00A	----	128.30 - 63.20	.8569	----	----	9	----	28 UNCH
4325	----	----	----/*92.80A	251.50B/*92.80A	----	108.10 - 59.70	.8026	----	----	1	----	15 + 1
4350	112.60	112.60	112.60/*74.10A	228.00B/*74.10A	----	89.10 - 55.40	.7325	----	----	29	----	30 + 27
4365	76.60	76.60	78.00/*64.30A	213.20B/*64.30A	----	78.50 NEW	.6820	----	----	3	----	2 + 2
4370	----	----	----/*61.30A	209.10B/*61.30A	----	75.10 - 51.00	.6639	----	----	----	----	5 UNCH
4375	75.00	75.00	91.50/*58.30A	204.60B/*58.30A	----	71.70 - 49.80	.6453	----	----	11	----	10 + 5
4380	72.00	72.00	75.00/*55.40A	199.40B/*55.40A	----	68.40 NEW	.6260	----	----	5	----	5 + 5
4390	72.80	72.80	80.00/*49.80	190.30B/*49.80	----	62.10 NEW	.5856	----	----	27	----	11 + 11
4400	103.30	103.30	103.30/*44.00	181.50B/*44.00	----	56.10 - 42.90	.5433	----	----	53	----	128 + 33
4405	52.20	52.20	52.20/*42.70A	176.90B/*42.70A	----	53.20 NEW	.5216	----	----	2	----	2 + 2
4410	48.90	48.90	51.60/*40.30A	172.40B/*40.30A	----	50.50 - 39.70	.4996	----	----	6	----	6 + 5
4415	49.00	49.00	49.10/*38.00A	168.00B/*38.00A	----	47.70 NEW	.4773	----	----	8	----	8 + 8
4420	48.80	48.80	52.00/*35.80A	163.60B/*35.80A	----	45.10 - 36.30	.4550	----	----	49	----	38 + 37
4425	51.20	51.20	52.30/*33.80A	159.40B/*33.80A	----	42.60 - 34.50	.4325	----	----	22	----	25 + 19
4430	89.20	89.20	89.20/*31.00	154.90B/*31.00	----	40.20 - 32.60	.4102	----	----	27	----	15 + 3
4435	48.00	48.00	48.00/*29.60A	150.60B/*29.60A	----	37.80 - 30.70	.3878	----	----	24	----	33 + 15
4440	38.10	38.10	48.00/*27.80A	146.50B/*27.80A	----	35.60 - 28.70	.3658	----	----	40	----	15 + 14
4445	72.30	72.30	75.10/*26.10A	142.10B/*26.10A	----	33.40 - 26.70	.3438	----	----	6	----	1 UNCH
4450	73.60	73.60	74.00/*23.60	138.10B/*23.60	----	31.30 - 24.60	.3222	----	----	152	----	88 + 53
4455	79.10	79.10	79.10/*22.90A	133.80B/*22.90A	----	29.40 - 22.30	.3016	----	----	11	----	9 + 3
4460	73.70	73.70	73.70/*21.40A	129.80B/*21.40A	----	27.50 - 20.10	.2810	----	----	8	----	8 + 2
4465	58.80	58.80	59.90/*20.00A	125.60B/*20.00A	----	25.70 - 17.80	.2612	----	----	19	----	13 + 9
4470	57.90	57.90	62.80/*18.50A	121.60B/*18.50A	----	24.00 - 15.50	.2420	----	----	21	----	11 + 8
4475	85.00	85.00	85.00/*17.30A	117.60B/*17.30A	----	22.40 - 13.10	.2237	----	----	146	----	40 + 29
4480	68.50	68.50	70.00/*16.10A	113.70B/*16.10A	----	20.90 - 10.70	.2063	----	----	41	----	27 + 26
4485	----	----	----/*15.00A	109.80B/*15.00A	----	19.50 NEW	.1898	----	----	5	----	2 + 2
4490	50.60	50.60	54.80/*14.10A	106.00B/*14.10A	----	18.10 - 05.70	.1737	----	----	14	----	9 + 8
4495	49.80	49.80	49.80/*13.20A	102.20B/*13.20A	----	16.90 NEW	.1592	----	----	9	----	3 + 3
4500	76.20	76.20	77.70/*12.30A	98.70B/*12.30A	----	15.70 - 00.50	.1451	----	----	325	----	220 + 109
4505	37.80	37.80	37.80/*11.40A	94.80B/*11.40A	----	14.60 - 97.80	.1321	----	----	22	----	16 + 1
4510	12.90	12.90	13.70/*10.70A	91.30B/*10.70A	----	13.60 - 95.20	.1203	----	----	5	----	4 + 3
4515	34.30	34.30	34.30/*10.00A	87.80B/*10.00A	----	12.60 - 92.50	.1088	----	----	6	----	5 + 1
4520	55.10	55.10	55.10/*9.40A	84.40B/*9.40A	----	11.80 NEW	.0991	----	----	8	----	7 + 7
4525	54.00	54.00	54.00/*8.80A	81.30B/*8.80A	----	10.90 - 87.20	.0891	----	----	64	----	45 + 38
4530	35.00	35.00	35.00/*8.20A	78.30B/*8.20A	----	10.20 - 84.40	.0809	----	----	9	----	6 + 5
4535	11.00	11.00	11.00/*7.70A	75.70B/*7.70A	----	9.50 - 81.70	.0730	----	----	9	----	21 + 7
4540	9.70	9.70	10.50/*7.30A	74.50B/*7.30A	----	8.80 - 79.10	.0655	----	----	9	----	17 - 1
4545	59.20	59.20	71.40B/*6.80A	71.40B/*6.80A	----	8.20 - 76.40	.0590	----	----	18	----	17 + 3
4550	60.50	60.50	68.30B/*6.30A	68.30B/*6.30A	----	7.70 - 73.70	.0535	----	----	197	----	75 + 22
4555	20.80	20.80	21.90/*4.80	65.30B/*4.80	----	7.10 - 71.20	.0476	----	----	10	----	15 + 8
4560	8.00	8.00	8.00/*5.70A	62.40B/*5.70A	----	6.70 - 68.50	.0433	----	----	1	----	4 UNCH
4565	21.50	21.50	21.50/*2.60	59.50B/*2.60	----	6.20 - 66.00	.0386	----	----	15	----	6 + 5
4570	49.90	49.90	56.90B/*5.10A	56.90B/*5.10A	----	5.80 - 63.40	.0347	----	----	4	----	4 + 3
4575	50.40	50.40	54.30B/*4.00	54.30B/*4.00	----	5.40 - 61.00	.0311	----	----	96	----	61 + 56
4580	35.90	35.90	37.80/*3.70A	51.60B/*3.70A	----	5.10 - 58.50	.0282	----	----	12	----	15 + 1
4585	15.00	15.00	15.00/*4.30A	49.10B/*4.30A	----	4.70 - 56.10	.0249	----	----	9	----	18 + 6
4590	15.10	15.10	15.10/*3.60	46.60B/*3.60	----	4.40 - 53.80	.0224	----	----	8	----	45 + 5
4595	6.80	6.80	7.00/*3.90A	44.30B/*3.90A	----	4.10 - 51.50	.0200	----	----	21	----	72 + 13
4600	35.00	35.00	42.10B/*3.00	42.10B/*3.00	----	3.90 - 49.20	.0183	----	----	117	----	323 + 24
4605	10.20	10.20	10.20/*3.50A	39.80B/*3.50A	----	3.60 - 47.10	.0161	----	----	3	----	9 + 2
4610	10.10	10.10	10.20/*2.40	37.60B/*2.40	----	3.30 NEW	.0141	----	----	18	----	17 + 17

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
MAR26												
4615	----	----	----/*3.20A	35.60B/*3.20A	----	3.10 - 43.00	.0126	----	----	5	----	11 UNCH
4620	10.20	10.20	10.20/*3.00A	33.60B/*3.00A	----	2.90 - 41.00	.0113	----	----	9	----	10 + 2
4625	22.20	22.20	22.20/*2.00	31.80B/*2.00	----	2.70 - 39.10	.0100	----	----	49	----	135 + 44
4630	----	----	----/*2.80A	30.00B/*2.80A	----	2.50 - 37.20	.0088	----	----	----	----	11 UNCH
4635	10.40	10.40	10.40/*2.70A	28.00B/*2.70A	----	2.40 - 35.40	.0082	----	----	68	----	55 - 8
4640	8.00	8.00	8.00/*1.90	26.40B/*1.90	----	2.30 - 33.60	.0075	----	----	3	----	39 - 1
4645	----	----	----/*2.50A	24.80B/*2.50A	----	2.30 - 31.70	.0073	----	----	3	----	10 + 3
4650	21.70	21.70	23.50/*1.90	23.50/*1.90	----	2.20 - 30.10	.0067	----	----	59	----	212 UNCH
4655	2.00	2.00	2.00/*2.00	22.10B/*2.00	----	2.10 - 28.50	.0062	----	----	43	----	17 + 16
4660	3.00	3.00	3.00/*2.20A	20.80B/*2.20A	----	2.10 - 26.90	.0060	----	----	21	----	108 - 11
4665	----	----	----/*2.10A	19.60B/*2.10A	----	2.00 - 25.50	.0055	----	----	----	----	13 UNCH
4670	2.40	2.40	2.40/*2.00	18.40B/*2.00	----	1.90 - 24.20	.0050	----	----	4	----	52 + 4
4675	10.50	10.50	10.50/*2.00A	17.40B/*2.00A	----	1.80 - 22.90	.0045	----	----	26	----	36 + 23
4680	3.30	3.30	3.30/*1.90	16.30B/*1.90	----	1.80 - 21.50	.0044	----	----	10	----	14 + 5
4685	1.80	1.80	1.80/*1.80	15.40B/*1.80	----	1.70 - 20.40	.0040	----	----	5	----	5 + 5
4690	----	----	----/*1.80A	14.40B/*1.80A	----	1.70 - 19.20	.0039	----	----	----	----	5 UNCH
4695	10.50	10.50	10.50/*1.80A	13.60B/*1.80A	----	1.70 - 18.00	.0038	----	----	2	----	8 UNCH
4700	12.20	12.20	12.80/*1.50A	12.80/*1.50A	----	1.70 - 16.90	.0037	----	----	189	----	336 - 32
4705	5.40	5.40	5.40/*1.20	12.00B/*1.20	----	1.70 - 15.90	.0036	----	----	3	----	43 + 1
4710	1.50	1.50	1.50/*1.50	11.20B/*1.50	----	1.60 - 15.00	.0033	----	----	2	----	8 + 2
4715	1.50	1.50	1.50/*1.00	10.50B/*1.00	----	1.60 - 14.10	.0032	----	----	2	----	3 + 1
4720	----	----	----/*1.40A	9.90B/*1.40A	----	1.50 - 13.30	.0029	----	----	----	----	2 UNCH
4725	3.10	3.10	3.10/*1.10	9.20B/*1.10	----	1.50 - 12.50	.0028	----	----	9	----	14 - 1
4730	----	----	----/*1.30A	8.60B/*1.30A	----	1.40 - 11.80	.0025	----	----	----	----	4 UNCH
4735	3.10	3.10	3.70/*1.20A	8.10B/*1.20A	----	1.30 - 11.10	.0022	----	----	12	----	16 + 5
4740	----	----	----/*1.10A	7.60B/*1.10A	----	1.30 - 10.40	.0021	----	----	1	----	4 UNCH
4745	----	----	----/*1.00A	7.10B/*1.00A	----	1.20 - 9.80	.0019	----	----	----	----	115 UNCH
4750	6.00	6.00	7.00/*0.70	7.00/*0.70	----	1.10 - 9.30	.0016	----	----	103	----	79 + 1
4755	1.00	1.00	1.00/*1.00	6.20B/*1.00	----	1.00 - 8.80	.0014	----	----	3	----	18 UNCH
4760	3.00	3.00	3.00/*0.90	5.80B/*0.90	----	0.90 - 8.30	.0012	----	----	6	----	8 + 4
4765	4.20	4.20	4.20/*1.00A	5.40B/*1.00A	----	0.80 - 7.90	.0009	----	----	2	----	13 + 2
4770	2.30	2.30	2.30/*0.60	5.10B/*0.60	----	0.80 - 7.40	.0009	----	----	10	----	10 + 8
4775	3.40	3.40	4.00/*0.80A	4.60B/*0.80A	----	0.70 - 7.00	.0007	----	----	20	----	38 + 7
4780	2.10	2.10	2.10/*0.80A	4.30B/*0.80A	----	0.70 - 6.50	.0007	----	----	6	----	36 + 6
4785	----	----	----/*0.70A	4.10B/*0.70A	----	0.70 - 6.10	.0007	----	----	----	----	3 UNCH
4790	2.90	2.90	2.90/*1.00A	3.70B/*1.00A	----	0.70 - 5.70	.0007	----	----	8	----	16 + 8
4795	----	----	----/*0.80A	3.40B/*0.80A	----	0.70 - 5.30	.0007	----	----	----	----	2 UNCH
4800	1.90	1.90	2.00/*0.40A	3.20B/*0.40A	----	0.70 - 5.00	.0007	----	----	75	----	128 - 17
4805	----	----	----/*0.60A	3.00B/*0.60A	----	0.70 - 4.60	.0007	----	----	----	----	2 UNCH
4810	2.90	2.90	2.90/*0.50	2.90/*0.50	----	0.70 - 4.30	.0006	----	----	34	----	40 + 33
4820	----	----	----/*0.50A	2.50B/*0.50A	----	0.70 - 3.70	.0006	----	----	----	----	10 UNCH
4825	----	----	----/*0.70A	2.40B/*0.70A	----	0.70 - 3.50	.0006	----	----	2	----	72 - 1
4830	----	----	----/*0.40A	2.20B/*0.40A	----	0.70 - 3.20	.0006	----	----	7	----	62 + 5
4835	2.00	2.00	2.10B/*0.60A	2.10B/*0.60A	----	0.60 - 3.10	.0005	----	----	1	----	59 UNCH
4840	----	----	----/*0.70A	2.00B/*0.70A	----	0.60 - 2.90	.0004	----	----	----	----	54 UNCH
4845	----	----	----/*0.70A	1.80B/*0.70A	----	0.60 - 2.70	.0004	----	----	----	----	43 UNCH
4850	1.20	1.20	1.70B/*0.60A	1.70B/*0.60A	----	0.60 - 2.50	.0004	----	----	9	----	166 + 3
4855	0.90	0.90	0.90/*0.70A	1.60B/*0.70A	----	0.60 - 2.30	.0004	----	----	1	----	66 UNCH
4860	1.10	1.10	1.50B/*0.40	1.50B/*0.40	----	0.60 - 2.10	.0004	----	----	2	----	9 + 1
4865	----	----	----/*0.50A	1.40B/*0.50A	----	0.60 - 2.00	.0004	----	----	----	----	1 UNCH
4870	0.40	0.40	0.40/*0.40	1.30B/*0.40	----	0.60 - 1.80	.0004	----	----	1	----	14 + 1
4875	----	----	----/*0.40A	1.30B/*0.40A	----	0.60 - 1.70	.0004	----	----	----	----	6 UNCH
4880	----	----	----/*0.60A	1.20B/*0.60A	----	0.60 - 1.50	.0004	----	----	----	----	68 UNCH
4890	1.00	1.00	1.10B/*0.70A	1.10B/*0.70A	----	0.60 - 1.30	.0004	----	----	1	----	5 + 1
4895	----	----	----/*0.60A	1.00B/*0.60A	----	0.60 - 1.20	.0004	----	----	----	----	1 UNCH
4900	0.60	0.60	1.20/*0.30	1.20/*0.30	----	0.50 - 1.20	.0003	----	----	109	----	229 - 27
4905	----	----	----/*0.60A	0.90B/*0.60A	----	0.50 - 1.10	.0003	----	----	----	----	10 UNCH
4910	0.40	0.40	0.40/*0.40	0.90B/*0.40	----	0.50 - 1.00	.0003	----	----	1	----	23 UNCH
4915	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.90	.0003	----	----	----	----	8 UNCH
4920	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.90	.0002	----	----	----	----	19 UNCH
4925	----	----	----/*0.40A	0.80B/*0.40A	----	0.50 - 0.80	.0002	----	----	----	----	27 UNCH
4930	0.10	0.10	0.10/*0.10	0.80B/*0.10	----	0.50 - 0.70	.0002	----	----	1	----	51 UNCH
4935	----	----	----/*0.50A	0.80B/*0.50A	----	0.50 - 0.70	.0002	----	----	----	----	5 UNCH
4940	----	----	----/*0.50A	0.80B/*0.50A	----	0.50 - 0.60	.0002	----	----	----	----	2 UNCH
4945	----	----	----/*0.30A	0.80B/*0.30A	----	0.50 - 0.50	.0002	----	----	----	----	23 UNCH
4950	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.50 - 0.50	.0002	----	----	1	----	22 UNCH
4955	----	----	----/*0.40A	0.70B/*0.40A	----	0.50 - 0.40	.0002	----	----	----	----	2 UNCH
4960	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.40 - 0.50	.0001	----	----	2	----	21 - 1
4970	----	----	----/*0.40A	0.70B/*0.40A	----	0.40 - 0.40	.0001	----	----	----	----	1 UNCH
4975	----	----	----/*0.40A	0.60B/*0.40A	----	0.40 - 0.40	.0001	----	----	----	----	60 UNCH
4980	----	----	----/*0.30A	0.60B/*0.30A	----	0.40 - 0.30	.0001	----	----	----	----	16 UNCH
4995	----	----	----/*0.30A	0.60B/*0.30A	----	0.40 - 0.20	.0001	----	----	----	----	20 UNCH
5000	0.20	0.20	0.30/*0.20	0.50B/*0.20	----	0.40 - 0.20	.0001	----	----	63	----	429 + 5
5005	----	----	----/*0.20A	0.40B/*0.20A	----	0.40 - 0.20	.0001	----	----	----	----	6 UNCH
5010	2.60	2.60	2.60/*0.20	2.60/*0.20	----	0.40 - 0.20	.0001	----	----	3	----	22 UNCH
5015	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.30 - 0.20	.0001	----	----	18	----	24 + 18
5020	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.30 - 0.20	.0001	----	----	2	----	3 + 2
5025	----	----	----/*0.20A	0.40B/*0.20A	----	0.30 - 0.20	.0001	----	----	----	----	171 UNCH
5030	0.20	0.20	0.20/*0.10A	0.30B/*0.10A	----	0.30 - 0.20	.0001	----	----	14	----	15 + 14
5035	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.20	.0001	----	----	----	----	21 UNCH
5050	----	----	----/*0.20A	0.30B/*0.20A	----	0.30 - 0.10	.0001	----	----	----	----	104 UNCH
5055	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0000	----	----	----	----	11 UNCH
5060	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.20	.0000	----	----	----	----	2 UNCH
5070	----	----	----/*0.20A	0.30B/*0.20A	----	0.20 - 0.20	.0000	----	----	----	----	1 UNCH
5075	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0000	----	----	----	----	6 UNCH
5085	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0000	----	----	----	----	354 UNCH
5090	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	1 UNCH
5100	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0000	----	----	----	----	36 UNCH
5105	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	10 UNCH
5110	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	22 UNCH
5115	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	2 UNCH
5120	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	1 UNCH
5125	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	7 UNCH
5130	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0000	----	----	----	----	2 UNCH
5145	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5150	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	13 UNCH
5160	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
5165	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
5175	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	36 UNCH
5180	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5185	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	----	----	----	----	----	20 UNCH
5190	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
5200	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.10 - 0.10	----	----	----	2	----	42 UNCH
5205	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
5210	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5215	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
5225	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	22 UNCH
5230	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5250	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	13 UNCH
5255	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
5260	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	22 UNCH
5265	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
5270	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5275	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	50 UNCH
5280	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	20 UNCH
5285	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5300	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	----	----	----	6	----	345 UNCH
5305	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5310	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5315	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
5320	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5325	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5335	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5340	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5345	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5350	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	29 UNCH
5360	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5370	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	21 UNCH
5375	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5380	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	21 UNCH
5385	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
5400	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	18 UNCH
5405	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5410	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5420	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5430	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5440	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL — GOLD OPTIONS — MAR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5450	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	35 UNCH
5490	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.10	----	----	----	1	----	7 UNCH
5500	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	41 UNCH
5525	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5530	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5540	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5550	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	7 UNCH
5575	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
5625	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5650	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5675	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
5750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
6200	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										2776		6605 + 796

OG3 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	13.10	13.10	13.10/13.10	13.10/8.50A	----	12.50 + 8.20	.0424	----	----	1	----	4 UNCH
3550	----	----	16.30B/----	16.30B/9.80A	----	14.50 + 9.40	.0492	----	----	----	----	1 UNCH
3750	24.80	24.80	30.30B/24.80	30.30B/16.10A	----	26.00 + 16.10	.0886	----	----	1	----	2 + 1
3800	----	----	36.20B/----	36.20B/16.60A	----	30.10 + 18.40	.1023	----	----	----	----	1 UNCH
3850	32.00	32.00	42.40B/32.00	42.40B/17.50A	----	34.90 + 21.00	.1181	----	----	1	----	2 UNCH
3900	----	----	47.70B/----	47.70B/20.50A	----	40.40 + 23.90	.1360	----	----	2	----	7 + 2
3950	----	----	55.00B/----	55.00B/24.10A	----	46.80 + 27.20	.1564	----	----	2	----	5 + 2
4000	38.90	38.90	63.30B/38.90	63.30B/28.80A	----	54.20 + 31.00	.1794	----	----	55	100	150 + 136
4050	64.00	64.00	72.70B/64.00	72.70B/33.80A	----	62.80 + 35.20	.2054	----	----	1	----	43 UNCH
4100	59.00	59.00	83.50B/59.00	83.50B/39.70A	----	72.70 + 39.90	.2345	----	----	2	----	20 + 2
4200	----	----	109.10B/----	109.10B/54.70A	----	97.40 + 51.10	.3023	----	----	----	----	17 UNCH
4250	----	----	124.70B/----	124.70B/64.10A	----	112.50 + 57.50	.3409	----	----	----	----	5 UNCH
4300	127.50	127.50	142.20B/127.50	142.20B/75.10A	----	129.70 NEW	.3823	----	----	1	----	1 + 1
4350	150.00	150.00	161.80B/150.00	161.80B/87.80A	----	149.10 + 71.80	.4262	----	----	1	----	5 + 1
4375	161.00	161.00	172.90B/161.00	172.90B/94.90A	----	159.70 + 75.70	.4488	----	----	1	----	4 + 1
4400	----	----	184.40B/----	184.40B/102.50A	----	171.00 + 79.80	.4719	----	----	----	----	2 UNCH
4440	----	----	204.00B/----	204.00B/115.90A	----	190.20 + 86.20	.5093	----	----	----	----	1 UNCH
4450	----	----	209.50B/----	209.50B/119.50A	----	195.30 + 87.90	.5187	----	----	----	----	174 UNCH
4550	----	----	267.40B/----	267.40B/160.80A	----	251.60 + 04.60	.6124	----	----	----	----	170 UNCH
4600	----	----	300.10B/----	300.10B/185.50A	----	283.60 + 12.90	.6575	----	----	----	----	5 UNCH
4625	----	----	317.30B/----	317.30B/198.90A	----	300.50 + 16.90	.6791	----	----	----	----	3 UNCH
4640	----	----	328.10B/----	328.10B/207.20A	----	310.90 + 19.30	.6917	----	----	----	----	1 UNCH
4650	----	----	329.70B/----	329.70B/212.90A	----	318.00 + 20.90	.7002	----	----	4	----	94 UNCH
4675	----	----	338.20B/----	338.20B/227.70A	----	336.10 + 24.80	.7202	----	----	4	----	12 + 1
4700	----	----	356.00B/----	356.00B/243.20A	----	354.70 + 28.50	.7397	----	----	----	----	9 UNCH
4725	----	----	374.60B/----	374.60B/259.30A	----	373.80 + 32.00	.7582	----	----	----	----	1 UNCH
4750	----	----	394.50B/----	394.50B/276.10A	----	393.50 + 35.50	.7758	----	----	----	----	2 UNCH
4800	----	----	435.40B/----	435.40B/311.50A	----	434.10 + 41.80	.8078	----	----	----	----	2 UNCH
4825	----	----	456.60B/----	456.60B/330.10A	----	455.10 + 44.80	.8224	----	----	----	----	1 UNCH
4850	----	----	477.70B/----	477.70B/350.10A	----	476.50 + 47.60	.8360	----	----	----	----	1 UNCH
4975	----	----	589.00B/----	589.00B/452.90A	----	587.50 + 58.30	.8918	----	----	----	----	1 UNCH
5000	----	----	612.00B/----	612.00B/474.60A	----	610.30 + 59.80	.9008	----	----	----	----	1 UNCH
5050	----	----	658.20B/----	658.20B/518.00A	----	656.70 + 62.60	.9163	----	----	----	----	1 UNCH
5150	----	----	666.90B/----	666.90B/610.60A	----	751.80 + 67.00	.9390	----	----	----	----	1 UNCH
5180	----	----	641.20B/----	641.20B/638.70A	----	780.80 + 68.10	.9440	----	----	----	----	1 UNCH
TOTAL										76	100	750 + 147

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4375	----	----	----/195.80A	269.80B/195.80A	----	193.70 - 00.40	.5505	----	----	----	----	74 UNCH
4415	----	----	----/174.30A	243.20B/174.30A	----	172.00 - 94.00	.5135	----	----	----	----	6 UNCH
4500	----	----	----/134.70A	190.10B/134.70A	----	131.30 - 80.00	.4335	----	----	----	----	1 UNCH
4575	----	----	----/104.80A	149.50B/104.80A	----	101.60 - 67.40	.3642	----	----	----	----	3 UNCH
4600	117.00	117.00	117.00/96.80A	140.00B/96.80A	----	92.90 - 63.30	.3419	----	----	1	----	25 + 1
4610	----	----	----/93.00A	132.60B/93.00A	----	89.70 - 61.60	.3333	----	----	----	----	1 UNCH
4625	----	----	----/88.80A	125.80B/88.80A	----	84.90 - 59.20	.3203	----	----	----	----	3 UNCH
4650	----	----	----/81.00A	115.10B/81.00A	----	77.40 - 55.30	.2992	----	----	----	----	5 UNCH
4675	----	----	----/74.40A	104.90B/74.40A	----	70.60 - 51.40	.2791	----	----	----	----	5 UNCH
4700	----	----	----/67.80A	95.50B/67.80A	----	64.20 - 47.70	.2596	----	----	1	----	14 UNCH
4750	----	----	----/56.50A	78.70B/56.50A	----	53.10 - 40.70	.2237	----	----	28	----	25 + 18
4765	----	----	----/53.50A	74.10B/53.50A	----	50.10 - 38.80	.2135	----	----	----	----	74 UNCH
4785	----	----	----/49.70A	68.40B/49.70A	----	46.40 - 36.20	.2006	----	----	8	----	2 UNCH
4800	----	----	----/47.00A	64.40B/47.00A	----	43.90 - 34.30	.1916	----	----	2	----	4 + 2
4825	----	----	----/42.90A	58.00B/42.90A	----	39.90 NEW	.1770	----	----	1	----	1 + 1
4850	----	----	----/39.10A	52.30B/39.10A	----	36.30 - 28.60	.1634	----	----	----	----	7 UNCH
4890	33.70	33.70	33.70/*33.00A	44.10B/*33.00A	----	31.20 NEW	.1436	----	----	1	----	1 + 1
4900	----	----	----/*32.10A	42.40B/*32.10A	----	30.00 - 23.80	.1388	----	----	----	----	6 UNCH
4905	----	----	----/*31.50A	41.40B/*31.50A	----	29.40 - 23.40	.1365	----	----	----	----	1 UNCH
4955	----	----	----/*25.60A	33.50B/*25.60A	----	24.30 - 19.30	.1155	----	----	----	----	1 UNCH
4975	----	----	----/*23.90A	30.70B/*23.90A	----	22.40 - 18.10	.1077	----	----	----	----	2 UNCH
5000	30.00	30.00	30.00/*21.00	30.00/*21.00	----	20.30 - 16.50	.0987	----	----	32	----	23 + 10
5005	----	----	----/*21.60A	27.10B/*21.60A	----	19.90 - 16.20	.0970	----	----	----	----	1 UNCH
5020	----	----	----/*21.10A	25.60B/*21.10A	----	18.80 - 15.30	.0921	----	----	----	----	1 UNCH
5025	----	----	----/*20.60A	25.00B/*20.60A	----	18.40 - 15.10	.0904	----	----	----	----	1 UNCH
5050	----	----	----/*19.00A	22.30B/*19.00A	----	16.80 - 13.70	.0832	----	----	----	----	2 UNCH
5080	----	----	----/*17.00A	19.80B/*17.00A	----	15.00 - 12.30	.0750	----	----	----	----	2 UNCH
5100	----	----	----/*16.20A	18.40B/*16.20A	----	14.10 - 11.30	.0707	----	----	----	----	99 UNCH
5105	----	----	----/*16.20A	18.00B/*16.20A	----	13.80 - 11.10	.0693	----	----	----	----	1 UNCH
5150	----	----	----/*14.40A	15.30B/*14.40A	----	12.00 - 9.30	.0606	----	----	----	----	2 UNCH
5160	----	----	----/*13.90A	14.70B/*13.90A	----	11.70 - 8.90	.0590	----	----	----	----	3 UNCH
5175	----	----	----/*13.30A	13.90B/*13.30A	----	11.20 - 8.30	.0565	----	----	----	----	1 UNCH
5200	----	----	----/*12.70A	11.90B/*12.70A	----	10.40 - 7.50	.0526	----	----	----	----	11 UNCH
5245	----	----	----/*11.20A	9.60B/*11.20A	----	9.20 - 6.30	.0464	----	----	----	----	6 UNCH
5250	----	----	----/*10.90A	9.40B/*10.90A	----	9.10 - 6.10	.0459	----	----	----	----	200 UNCH
5265	----	----	----/*10.40A	8.80B/*10.40A	----	8.60 - 5.90	.0436	----	----	----	----	3 UNCH
5300	----	----	----/*9.80A	7.70B/*9.80A	----	7.80 - 5.20	.0395	----	----	2	----	5 + 2
5325	----	----	----/*9.20A	7.00B/*9.20A	----	7.20 - 4.80	.0366	----	----	----	----	1 UNCH
5350	----	----	----/*8.80A	6.40B/*8.80A	----	6.70 - 4.40	.0340	----	----	----	----	10 UNCH
5375	----	----	----/*8.40A	5.80B/*8.40A	----	6.20 - 4.10	.0315	----	----	----	----	2 UNCH
5400	----	----	----/*7.80A	5.30B/*7.80A	----	5.80 - 3.80	.0295	----	----	2	----	3 + 2
5425	----	----	----/*7.40A	4.80B/*7.40A	----	5.40 - 3.50	.0275	----	----	----	----	2 UNCH
5500	----	----	----/*6.40A	3.70B/*6.40A	----	4.50 - 2.70	.0227	----	----	----	----	7 UNCH
TOTAL										78		647 + 37

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	4.50	4.50	7.50B/4.50	7.50B/4.50	----	8.60 + 6.10	.0312	----	----	5	----	3 + 2
3550	----	----	11.70B/----	11.70B/6.10A	----	10.10 + 7.10	.0369	----	----	----	----	1 UNCH
3600	12.50	12.50	13.60B/12.50	13.60B/7.20A	----	11.80 + 8.30	.0434	----	----	1	----	2 + 1
3700	----	----	18.00B/----	18.00B/9.90A	----	16.30 + 11.30	.0605	----	----	----	----	4 UNCH
3750	----	----	22.10B/----	22.10B/11.50A	----	19.20 + 13.20	.0714	----	----	----	----	1 UNCH
3800	----	----	26.10B/----	26.10B/12.60A	----	22.70 + 15.50	.0843	----	----	----	----	11 UNCH
3850	----	----	32.00B/----	32.00B/14.40A	----	26.80 + 18.20	.0993	----	----	----	----	18 UNCH
3900	----	----	37.90B/----	37.90B/13.50A	----	31.70 + 21.20	.1169	----	----	----	----	1 UNCH
3950	----	----	42.90B/----	42.90B/15.90A	----	37.50 + 24.80	.1373	----	----	2	----	6 + 2
4000	26.50	26.50	51.00B/26.50	51.00B/19.00A	----	44.20 + 28.70	.1605	----	----	1	----	2 UNCH
4075	----	----	#63.20B/----	63.20B/25.30A	----	56.60 + 35.80	.2017	----	----	----	----	5 UNCH
4100	56.00	56.00	68.50B/56.00	68.50B/27.80A	----	61.30 + 38.30	.2171	----	----	1	----	121 + 1
4150	----	----	79.50B/----	79.50B/32.90A	----	71.80 + 43.80	.2505	----	----	----	----	5 UNCH
4175	----	----	#85.80B/----	85.80B/36.30A	----	77.60 + 46.70	.2686	----	----	----	----	20 UNCH
4200	60.00	60.00	92.20B/60.00	92.20B/40.00A	----	83.90 + 49.80	.2878	----	----	1	----	3 UNCH
4250	70.00	70.00	107.20B/70.00	107.20B/48.80A	----	97.60 + 56.20	.3287	----	----	4	----	312 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4295	----	----	#120.70B/----	120.70B/58.10A	----	111.70 + 62.50	.3688	----	----	----	----	5 UNCH
4300	78.60	78.60	122.90B/75.90	122.90B/58.50A	----	113.40 + 63.20	.3735	----	----	3	----	51 - 1
4350	----	----	141.60B/----	141.60B/69.90A	----	131.40 + 70.70	.4218	----	----	3	----	12 + 3
4375	----	----	152.50B/----	152.50B/77.20A	----	141.30 + 74.60	.4471	----	----	1	----	1 UNCH
4400	103.50	103.50	164.30B/103.50	164.30B/82.80A	----	151.90 + 78.70	.4731	----	----	3	----	92 UNCH
4405	----	----	#165.70B/----	165.70B/85.60A	----	154.10 + 79.60	.4784	----	----	----	----	1 UNCH
4410	----	----	168.10B/----	168.10B/87.10A	----	156.30 + 80.40	.4837	----	----	----	----	1 UNCH
4415	----	----	170.60B/----	170.60B/88.60A	----	158.60 + 81.20	.4890	----	----	----	----	4 UNCH
4425	----	----	175.50B/----	175.50B/91.30A	----	163.20 + 82.90	.4997	----	----	2	----	2 UNCH
4450	----	----	188.10B/----	188.10B/100.00A	----	175.20 + 87.20	.5267	----	----	1	----	1 UNCH
4465	----	----	196.40B/----	196.40B/105.20A	----	182.80 + 89.90	.5430	----	----	----	----	1 UNCH
4470	144.60	144.60	199.10B/135.70	199.10B/107.00A	----	185.40 NEW	.5484	----	----	26	----	26 + 26
4475	149.50	149.50	201.90B/136.40	201.90B/109.00A	----	188.00 NEW	.5539	----	----	14	----	14 + 14
4480	141.30	141.30	204.70B/140.20	204.70B/110.40A	----	190.70 NEW	.5593	----	----	13	----	13 + 13
4500	----	----	216.30B/----	216.30B/118.80A	----	201.60 + 96.20	.5810	----	----	1	----	275 + 1
4545	----	----	243.70B/----	243.70B/137.80A	----	228.20 NEW	.6293	----	----	1	----	1 + 1
4550	----	----	246.90B/----	246.90B/140.30A	----	231.30 + 05.50	.6346	----	----	----	----	6 UNCH
4570	----	----	260.00B/----	260.00B/149.70A	----	244.10 + 09.30	.6554	----	----	----	----	1 UNCH
4590	----	----	273.70B/----	273.70B/159.30A	----	257.30 + 13.00	.6758	----	----	----	----	3 UNCH
4600	----	----	280.60B/----	280.60B/164.80A	----	264.10 + 14.80	.6858	----	----	2	----	8 + 2
4625	----	----	283.50B/----	283.50B/177.90A	----	281.60 + 19.40	.7098	----	----	1	----	2 UNCH
4650	----	----	301.70B/----	301.70B/191.00A	----	299.70 + 23.90	.7332	----	----	1	----	121 - 1
4675	----	----	319.30B/----	319.30B/207.10A	----	318.50 + 28.20	.7552	----	----	----	----	1 UNCH
4700	----	----	337.20B/----	337.20B/223.00A	----	337.90 + 32.50	.7760	----	----	1	----	8 UNCH
4720	----	----	353.70B/----	353.70B/236.20A	----	353.70 + 35.60	.7918	----	----	----	----	4 UNCH
4725	----	----	357.40B/----	357.40B/239.60A	----	357.80 + 36.40	.7955	----	----	----	----	1 UNCH
4750	----	----	379.10B/----	379.10B/257.00A	----	378.20 + 40.20	.8139	----	----	1	----	2 + 1
4800	----	----	420.10B/----	420.10B/293.80A	----	420.50 + 47.10	.8463	----	----	----	----	4 UNCH
4825	----	----	441.60B/----	441.60B/314.00A	----	442.30 + 50.20	.8605	----	----	2	----	6 + 2
4840	----	----	455.50B/----	455.50B/325.00A	----	455.60 + 51.90	.8684	----	----	----	----	1 UNCH
4875	----	----	486.50B/----	486.50B/353.60A	----	487.00 + 55.60	.8853	----	----	----	----	4 UNCH
4900	----	----	509.70B/----	509.70B/374.60A	----	509.80 + 58.00	.8959	----	----	----	----	15 UNCH
4945	----	----	550.80B/----	550.80B/414.40A	----	551.40 + 61.60	.9125	----	----	----	----	4 UNCH
4950	----	----	557.00B/----	557.00B/418.80A	----	556.00 + 61.80	.9144	----	----	----	----	2 UNCH
4955	----	----	560.90B/----	560.90B/423.20A	----	560.70 + 62.20	.9160	----	----	----	----	3 UNCH
4975	----	----	569.10B/----	569.10B/440.00A	----	579.40 + 63.50	.9222	----	----	----	----	1 UNCH
4995	----	----	539.20B/----	539.20B/457.90A	----	598.20 + 64.60	.9283	----	----	----	----	1 UNCH
5000	----	----	543.80B/----	543.80B/462.40A	----	603.00 + 64.90	.9298	----	----	----	----	103 UNCH
5015	----	----	557.50B/----	557.50B/476.00A	----	617.20 + 65.70	.9336	----	----	----	----	2 UNCH
5020	----	----	557.90B/----	557.90B/480.60A	----	621.90 + 65.90	.9351	----	----	----	----	8 UNCH
5025	----	----	559.80B/----	559.80B/485.30A	----	626.70 + 66.20	.9366	----	----	----	----	2 UNCH
5050	----	----	565.70B/----	565.70B/508.30A	----	650.50 + 67.20	.9425	----	----	----	----	4 UNCH
5065	----	----	542.10B/----	542.10B/523.30A	----	664.80 + 67.70	.9462	----	----	----	----	20 UNCH
5070	----	----	543.30B/----	543.30B/527.90A	----	669.60 + 67.90	.9473	----	----	----	----	4 UNCH
5075	----	----	544.00B/----	544.00B/532.60A	----	674.40 + 68.10	.9483	----	----	----	----	1 UNCH
5100	----	----	549.50B/----	549.50B/556.00A	----	698.50 + 69.00	.9532	----	----	----	----	12 UNCH
5120	----	----	554.10B/----	554.10B/572.40A	----	717.80 + 69.50	.9566	----	----	----	----	3 UNCH
5125	----	----	----	526.20B/575.90A	----	722.60 + 69.60	.9576	----	----	----	----	3 UNCH
5200	----	----	----	----	----	795.80 + 71.60	.9679	----	----	----	----	20 UNCH
5230	----	----	----	----	----	825.30 + 72.20	.9709	----	----	----	----	2 UNCH
5235	----	----	----	----	----	830.20 + 72.30	.9714	----	----	----	----	2 UNCH
5260	----	----	----	----	----	854.90 + 72.80	.9733	----	----	----	----	31 UNCH
5360	----	----	----	----	----	953.70 + 74.00	.9800	----	----	----	----	1 UNCH
5400	----	----	----	----	----	993.30 + 74.30	.9823	----	----	----	----	1 UNCH
TOTAL										91		1432 + 68

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4150	----	----	----/331.40A	435.40B/331.40A	----	330.50 NEW	.7490	----	----	1	----	1 + 1
4200	----	----	----/287.30A	391.30B/287.30A	----	292.60 - 26.50	.7117	----	----	----	----	2 UNCH
4350	----	----	----/188.30A	271.50B/188.30A	----	190.30 - 05.50	.5777	----	----	----	----	2 UNCH
4375	----	----	----/172.90A	253.00B/172.90A	----	175.30 - 01.60	.5524	----	----	----	----	3 UNCH
4400	----	----	----/159.80A	235.10B/159.80A	----	160.90 - 97.50	.5264	----	----	----	----	3 UNCH
4415	----	----	----/151.60A	224.70B/151.60A	----	152.60 - 95.00	.5105	----	----	----	----	5 UNCH
4450	140.10	140.10	140.10/133.80A	201.00B/133.80A	----	134.30 - 89.00	.4729	----	----	2	----	2 + 1
4475	----	----	----/122.60A	185.00B/122.60A	----	122.10 - 84.60	.4457	----	----	----	----	5 UNCH
4480	151.90	151.90	153.10/118.80A	181.80B/118.80A	----	119.80 NEW	.4402	----	----	16	----	16 + 16
4500	130.00	130.00	130.00/110.10A	169.60B/110.10A	----	110.80 - 80.00	.4185	----	----	150	----	151 + 150
4550	----	----	----/92.60A	142.30B/92.60A	----	90.50 - 70.80	.3649	----	----	----	----	105 UNCH
4600	90.40	90.40	90.40/74.10A	117.20B/74.10A	----	73.30 - 61.50	.3138	----	----	382	----	373 + 330
4610	----	----	----/72.20A	112.10B/72.20A	----	70.30 - 59.60	.3041	----	----	----	----	2 UNCH
4625	----	----	----/66.90A	105.60B/66.90A	----	65.90 - 56.80	.2897	----	----	----	----	5 UNCH
4650	90.00	90.00	95.00B/60.90A	95.00B/60.90A	----	59.00 - 52.40	.2664	----	----	3	----	103 + 2
4660	----	----	----/*58.30A	91.20B/*58.30A	----	56.50 - 50.60	.2575	----	----	----	----	1 UNCH
4665	59.00	59.00	59.00/56.40A	89.10B/56.40A	----	55.20 - 49.80	.2530	----	----	1	----	16 + 1
4700	62.50	62.50	62.50/*46.40	76.30B/*46.40	----	47.20 - 43.90	.2235	----	----	5	----	140 + 4
4725	----	----	----/*43.80A	68.00B/*43.80A	----	42.20 - 39.90	.2041	----	----	----	----	1 UNCH
4740	----	----	----/*40.90A	63.80B/*40.90A	----	39.40 - 37.60	.1929	----	----	----	----	1 UNCH
4750	48.70	48.70	48.70/*39.10A	60.80B/*39.10A	----	37.60 - 36.10	.1857	----	----	3	----	1 UNCH
4800	33.00	33.00	33.00/*31.80A	47.10B/*31.80A	----	30.00 - 29.20	.1533	----	----	6	----	9 + 1
4835	----	----	----/*27.00A	39.70B/*27.00A	----	25.60 - 25.00	.1336	----	----	----	----	2 UNCH
4840	----	----	----/*26.40A	38.80B/*26.40A	----	25.10 - 24.40	.1312	----	----	----	----	1 UNCH
4850	29.80	29.80	29.80/*25.20A	37.00B/*25.20A	----	24.00 NEW	.1261	----	----	2	----	2 + 2
4860	----	----	----/*23.50A	35.20B/*23.50A	----	23.00 - 22.20	.1214	----	----	----	----	1 UNCH
4900	----	----	----/*20.20A	28.60B/*20.20A	----	19.30 - 18.50	.1037	----	----	----	----	108 UNCH
4935	----	----	----/*17.40A	23.90B/*17.40A	----	16.70 - 15.50	.0907	----	----	----	----	1 UNCH
4950	----	----	----/*16.30A	23.80B/*16.30A	----	15.60 - 14.50	.0852	----	----	1	----	5 + 1
4955	16.10	16.10	16.10/*16.10	23.60B/*16.10	----	15.30 NEW	.0836	----	----	1	----	1 + 1
5000	17.20	17.20	17.50/*13.90A	17.50/*13.90A	----	12.60 - 11.50	.0698	----	----	7	----	135 UNCH
5015	----	----	----/*13.20A	15.60B/*13.20A	----	11.90 - 10.70	.0661	----	----	----	----	26 UNCH
5025	----	----	----/*12.80A	14.90B/*12.80A	----	11.30 - 10.30	.0630	----	----	----	----	1 UNCH
5030	----	----	----/*12.60A	14.60B/*12.60A	----	11.10 - 10.10	.0619	----	----	2	----	4 + 2
5040	----	----	----/*12.20A	14.00B/*12.20A	----	10.60 - 9.70	.0593	----	----	----	----	1 UNCH
5045	15.10	15.10	15.10/*12.00A	15.70B/*12.00A	----	10.40 NEW	.0583	----	----	2	----	1 + 1
5050	10.00	10.00	10.00/*10.00	13.20B/*10.00	----	10.20 - 9.20	.0572	----	----	1	----	88 + 1
5060	----	----	----/*11.40A	13.40B/*11.40A	----	9.70 - 8.90	.0546	----	----	----	----	2 UNCH
5070	----	----	----/*10.90A	12.50B/*10.90A	----	9.30 - 8.50	.0524	----	----	----	----	1 UNCH
5100	----	----	----/*10.00A	10.20B/*10.00A	----	8.20 - 7.50	.0465	----	----	----	----	38 UNCH
5120	----	----	----/*9.30A	9.30B/*9.30A	----	7.60 - 6.80	.0431	----	----	----	----	1 UNCH
5150	----	----	----/8.50A	7.10B/8.50A	----	6.70 - 6.10	.0382	----	----	----	----	5 UNCH
5170	----	----	----/*7.90A	6.40B/*7.90A	----	6.20 - 5.60	.0354	----	----	----	----	1 UNCH
5185	----	----	----/*7.50A	5.90B/*7.50A	----	5.90 - 5.20	.0336	----	----	----	----	1 UNCH
5200	----	----	----/7.20A	5.70B/7.20A	----	5.60 - 4.90	.0319	----	----	45	----	84 - 8
5205	----	----	----/*7.20A	5.50B/*7.20A	----	5.50 - 4.80	.0313	----	----	----	----	10 UNCH
5250	5.40	5.40	5.40/*5.40	5.40/*5.40	----	4.80 - 3.80	.0271	----	----	25	----	35 - 10
5280	----	----	----/*5.90A	4.10B/*5.90A	----	4.40 - 3.40	.0248	----	----	----	----	2 UNCH
5300	----	----	----/*5.50A	3.70B/*5.50A	----	4.20 - 3.00	.0235	----	----	----	----	13 UNCH
5330	----	----	----/*5.30A	3.30B/*5.30A	----	3.90 - 2.70	.0217	----	----	----	----	1 UNCH
5340	----	----	----/*5.10A	3.20B/*5.10A	----	3.80 - 2.60	.0211	----	----	----	----	2 UNCH
5350	----	----	----/*5.00A	3.10B/*5.00A	----	3.70 - 2.50	.0205	----	----	6	----	8 + 6
5395	----	----	----/4.60A	2.60B/4.60A	----	3.20 - 2.30	.0176	----	----	----	----	2 UNCH
5400	----	----	----/4.50A	2.50B/4.50A	----	3.20 - 2.20	.0176	----	----	----	----	148 UNCH
5410	----	----	----/4.50A	2.40B/4.50A	----	3.10 - 2.10	.0170	----	----	----	----	1 UNCH
5420	----	----	----/*4.20A	2.30B/*4.20A	----	3.10 - 2.00	.0169	----	----	----	----	1 UNCH
5450	----	----	----/4.10A	2.10B/4.10A	----	2.90 - 1.80	.0157	----	----	----	----	3 UNCH
5475	----	----	----/4.00A	1.90B/4.00A	----	2.80 - 1.50	.0150	----	----	----	----	1 UNCH
5500	----	----	----/3.60A	1.70B/3.60A	----	2.70 - 1.30	.0143	----	----	----	----	44 UNCH
5575	----	----	----	1.40B/3.30A	----	2.10 - 1.00	.0111	----	----	----	----	1 UNCH
5600	----	----	----	1.20B/3.20A	----	2.00 - 0.90	.0105	----	----	----	----	8 UNCH
TOTAL										661		1737 + 502

OG PUT — COMEX GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
1600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
1800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 535
1900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 62

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR26												
2000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 767
2050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
2075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
2100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
2150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
2200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
2250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
2260	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2280	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
2300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 166
2320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2330	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2340	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 99
2360	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2365	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2370	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
2415	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2440	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
2460	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2470	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2480	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2490	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
2495	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 645
2550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 62
2575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2585	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 127
2630	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
2645	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 126
2655	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
2660	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
2680	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
2685	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 278
2705	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2720	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 83
2755	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2765	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
2775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 640
2780	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 276
2805	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
2810	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2815	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2820	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
2830	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
2845	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
2860	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2865	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
2885	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
2895	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
2900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 104
2915	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2920	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2925	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
2930	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2935	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2940	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2945	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
2960	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2965	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
2975	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
2980	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
2990	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
2995	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1109
3005	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3015	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
3025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3030	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
3035	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 87
3040	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 81
3045	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3060	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3065	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3070	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3085	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 326
3090	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
3095	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1683
3105	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
3110	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
3115	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
3120	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 55
3135	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
3150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 441
3160	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
3170	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
3195	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
3200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1066
3205	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3210	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3215	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
3220	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
3225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3230	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3235	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
3240	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3245	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
3250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 466
3260	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3265	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 116
3270	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
3280	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
3290	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3295	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 846
3305	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3310	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3315	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 93
3325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
3330	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
3335	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 47
3340	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 104
3345	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 366
3355	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR26												
3360	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
3370	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 175
3375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 86
3380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3385	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
3395	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 78
3400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 602
3405	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3410	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3415	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
3420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 687
3425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 154
3430	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
3435	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 65
3440	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
3445	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 308
3450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1318
3455	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 183
3460	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 70
3465	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
3470	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 58
3475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 327
3480	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3485	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 94
3490	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3495	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 46
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1795
3505	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 304
3510	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 140
3515	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 186
3520	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
3525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 169
3530	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 253
3535	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 126
3540	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3545	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3550	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	4	----	0 - 977
3555	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3560	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3565	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3570	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
3575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 247
3580	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 118
3585	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3590	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
3595	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 66
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 599
3605	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 79
3610	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
3615	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3620	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 394
3630	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 106
3635	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 158
3640	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
3645	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 923
3655	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
3660	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
3665	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 157
3670	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
3675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
3680	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 60
3685	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 139
3690	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 155
3695	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 120
3700	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 915
3705	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
3710	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3715	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 63
3720	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 140
3725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 653
3730	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
3735	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
3740	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 70
3745	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
3750	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1374
3755	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 165
3760	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 370
3765	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
3770	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
3775	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 225
3780	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
3785	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3790	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 89
3795	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 202
3800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	25	----	0 - 2571
3805	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3810	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 206
3815	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
3820	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 119
3825	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
3830	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3835	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 66
3840	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 131
3845	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 193
3850	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	50	----	0 - 2340
3855	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
3860	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 69
3865	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
3870	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 65
3875	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 665
3880	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 117
3885	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 359
3890	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 59
3895	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 67
3900	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	54	----	0 - 4286
3905	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 59
3910	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 35
3915	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 49
3920	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 106
3925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 26
3930	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 197
3935	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 131
3940	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 117
3945	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 212
3950	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 842
3955	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 39
3960	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 212
3965	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 130
3970	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 130
3975	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 54
3980	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 135
3985	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 132
3990	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 803
3995	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 29
4000	0.10	0.10	0.40/*0.10	0.40/*0.10	----	0.00 - 0.50	----	----	----	10	----	0 - 3962
4005	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 34
4010	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 99
4015	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 28
4020	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 33
4025	0.10	0.10	0.10/*0.10	0.60B/*0.10	----	0.00 - 0.70	----	----	----	4	----	0 - 261
4030	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 91
4035	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 423
4040	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 139
4045	0.60	0.60	0.70B/*0.10A	0.70B/*0.10A	----	0.00 - 0.80	----	----	----	9	----	0 - 65
4050	0.70	0.70	0.70/*0.10A	0.70/*0.10A	----	0.00 - 0.90	----	----	----	3	----	0 - 1252

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR26												
4055	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 159
4060	0.40	0.40	0.50/*0.10A	0.70B/*0.10A	----	0.00 - 0.90	----	----	----	2	----	0 - 32
4065	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 94
4070	0.30	0.30	0.30/*0.10A	0.80B/*0.10A	----	0.00 - 0.90	----	----	----	3	----	0 - 63
4075	0.70	0.70	0.90/*0.10A	0.90/*0.10A	----	0.00 - 0.90	----	----	----	5	----	0 - 324
4080	0.10	0.10	0.10/*0.10	1.00B/*0.10	----	0.00 - 1.00	----	----	----	1	----	0 - 123
4085	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 193
4090	----	----	1.10B/*0.10A	1.10B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 115
4095	0.60	0.60	1.20B/*0.10	1.20B/*0.10	----	0.00 - 1.00	----	----	----	7	----	0 - 68
4100	0.50	0.50	1.50/*0.10	1.50/*0.10	----	0.00 - 1.10	----	----	----	335	----	0 - 1821
4105	----	----	1.40B/*0.10A	1.40B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 110
4110	----	----	1.50B/*0.20A	1.50B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 92
4115	0.50	0.50	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 1.20	----	----	----	2	----	0 - 88
4120	----	----	1.70B/*0.10A	1.70B/*0.10A	----	0.00 - 1.20	----	----	----	1	----	0 - 106
4125	0.10	0.10	1.90B/*0.10	1.90B/*0.10	----	0.00 - 1.20	----	----	----	11	----	0 - 161
4130	0.90	0.90	2.00B/*0.10	2.00B/*0.10	----	0.00 - 1.30	----	----	----	2	----	0 - 210
4135	----	----	2.10B/*0.10A	2.10B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 118
4140	2.40	2.40	2.50/*0.10	2.50/*0.10	----	0.00 - 1.40	----	----	----	13	----	0 - 429
4145	1.50	1.50	2.40B/*0.10A	2.40B/*0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 166
4150	3.60	3.60	3.60/*0.10	3.60/*0.10	----	0.00 - 1.40	----	----	----	24	----	0 - 772
4155	0.40	0.40	2.70B/*0.10A	2.70B/*0.10A	----	0.00 - 1.50	----	----	----	4	----	0 - 593
4160	0.90	0.90	2.80B/*0.10A	2.80B/*0.10A	----	0.00 - 1.50	----	----	----	11	----	0 - 222
4165	----	----	3.00B/*0.20A	3.00B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 60
4170	----	----	3.20B/*0.10A	3.20B/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 181
4175	----	----	3.40B/*0.10A	3.40B/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 228
4180	2.30	2.30	3.70B/*0.10A	3.70B/*0.10A	----	0.00 - 1.70	----	----	----	1	----	0 - 128
4185	0.10	0.10	3.80B/*0.10	3.80B/*0.10	----	0.00 - 1.70	----	----	----	1	----	0 - 287
4190	----	----	4.10B/*0.10A	4.10B/*0.10A	----	0.00 - 1.80	----	----	----	15	----	0 - 148
4195	----	----	4.40B/*0.10A	4.40B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 85
4200	0.80	0.80	4.80/*0.10	4.80/*0.10	----	0.00 - 1.90	----	----	----	364	----	0 - 3168
4205	----	----	5.00B/*0.20A	5.00B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 35
4210	----	----	5.20B/*0.10A	5.20B/*0.10A	----	0.00 - 2.00	----	----	----	----	----	0 - 790
4215	0.80	0.80	5.50B/*0.20A	5.50B/*0.20A	----	0.00 - 2.10	----	----	----	2	----	0 - 34
4220	3.50	3.50	5.90B/*0.10A	5.90B/*0.10A	----	0.00 - 2.20	----	----	----	10	----	0 - 224
4225	----	----	6.20B/*0.10A	6.20B/*0.10A	----	0.00 - 2.20	----	----	----	36	----	0 - 616
4230	4.40	4.40	6.50B/*0.10A	6.50B/*0.10A	----	0.00 - 2.30	----	----	----	4	----	0 - 217
4235	----	----	6.90B/*0.10A	6.90B/*0.10A	----	0.00 - 2.40	----	----	----	----	----	0 - 278
4240	0.20	0.20	7.20B/*0.10A	7.20B/*0.10A	----	0.00 - 2.50	----	----	----	17	----	0 - 254
4245	1.00	1.00	7.70B/*0.20A	7.70B/*0.20A	----	0.00 - 2.60	----	----	----	31	----	0 - 74
4250	3.70	3.70	9.40/*0.10	9.40/*0.10	----	0.00 - 2.60	----	----	----	458	----	0 - 1894
4255	3.20	3.20	8.50B/*0.20A	8.50B/*0.20A	----	0.00 - 2.70	----	----	----	45	----	0 - 59
4260	5.80	5.80	9.00B/*0.10A	9.00B/*0.10A	----	0.00 - 2.80	----	----	----	72	----	0 - 1493
4265	1.00	1.00	9.50B/*0.10A	9.50B/*0.10A	----	0.00 - 2.90	----	----	----	1	----	0 - 344
4270	2.10	2.10	10.00B/*0.20A	10.00B/*0.20A	----	0.00 - 3.00	----	----	----	47	----	0 - 184
4275	4.50	4.50	10.50B/*0.10A	10.50B/*0.10A	----	0.00 - 3.20	----	----	----	36	----	0 - 230
4280	3.10	3.10	11.00B/*0.10A	11.00B/*0.10A	----	0.00 - 3.30	----	----	----	41	----	0 - 390
4285	7.50	7.50	11.70B/*0.10A	11.70B/*0.10A	----	0.00 - 3.40	----	----	----	6	----	0 - 132
4290	2.00	2.00	12.30B/*0.10A	12.30B/*0.10A	----	0.00 - 3.50	----	----	----	108	----	0 - 110
4295	9.50	9.50	12.90B/*0.10	12.90B/*0.10	----	0.00 - 3.70	----	----	----	12	----	0 - 68
4300	3.10	3.10	13.60B/*0.10	13.60B/*0.10	----	0.00 - 3.80	----	----	----	452	250	0 - 4388
4305	15.30	15.30	15.30/*0.20	15.30/*0.20	----	0.00 - 4.00	----	----	----	66	----	0 - 100
4310	2.50	2.50	15.10B/*0.20A	15.10B/*0.20A	----	0.00 - 4.10	----	----	----	79	----	0 - 532
4315	11.50	11.50	16.10B/*0.40A	16.10B/*0.40A	----	0.00 - 4.30	----	----	----	29	----	0 - 173
4320	5.30	5.30	16.80B/*0.40A	16.80B/*0.40A	----	0.00 - 4.50	----	----	----	46	----	0 - 128
4325	17.40	17.40	18.30/*0.40A	18.30/*0.40A	----	0.00 - 4.60	----	----	----	99	----	0 - 241
4330	2.40	2.40	19.20/*0.30A	19.20/*0.30A	----	0.00 - 4.80	----	----	----	38	----	0 - 77
4335	17.40	17.40	19.80B/*0.10	19.80B/*0.10	----	0.00 - 5.00	----	----	----	7	----	0 - 340
4340	1.00	1.00	21.00B/*0.20A	21.00B/*0.20A	----	0.00 - 5.30	----	----	----	26	----	0 - 68
4345	3.50	3.50	21.90B/*0.10	21.90B/*0.10	----	0.00 - 5.50	----	----	----	63	----	0 - 65
4350	8.40	8.40	23.10B/*0.10	23.10B/*0.10	----	0.00 - 5.70	----	----	----	401	----	0 - 1559
4355	6.30	6.30	24.30B/*0.60A	24.30B/*0.60A	----	0.00 - 6.00	----	----	----	49	----	0 - 554
4360	5.00	5.00	25.70B/*0.10A	25.70B/*0.10A	----	0.00 - 6.20	----	----	----	50	----	0 - 146
4365	4.10	4.10	27.10B/*0.60	27.10B/*0.60	----	0.00 - 6.50	----	----	----	46	----	0 - 91
4370	14.00	14.00	28.60B/*0.60	28.60B/*0.60	----	0.00 - 6.80	----	----	----	135	----	0 - 133
4375	17.00	17.00	30.20B/*1.60	30.20B/*1.60	----	0.00 - 7.10	----	----	----	440	----	0 - 704
4380	16.90	16.90	31.90B/*1.60A	31.90B/*1.60A	----	3.70 - 3.80	----	----	----	72	----	0 - 113
4385	6.00	6.00	33.70B/2.10	33.70B/2.10	----	8.70 + 0.90	----	----	----	38	----	0 - 164
4390	6.60	6.60	35.20B/2.40	35.20B/2.40	----	13.70 + 5.50	----	----	----	211	----	0 - 239
4395	16.20	16.20	37.20B/2.60A	37.20B/2.60A	----	18.70 + 10.10	----	----	----	135	----	0 - 293
4400	15.00	15.00	39.00B/2.40	39.00B/2.40	----	23.70 + 14.70	----	----	----	1508	----	0 - 5827
4405	32.20	32.20	41.30B/3.10A	41.30B/3.10A	----	28.70 + 19.30	----	----	----	475	----	0 - 872
4410	15.90	15.90	45.80B/3.40A	45.80B/3.40A	----	33.70 + 23.80	----	----	----	388	----	0 - 454
4415	30.20	30.20	50.00B/3.80A	50.00B/3.80A	----	38.70 + 28.30	----	----	----	19	----	0 - 92
4420	27.80	27.80	55.10B/4.00	55.10B/4.00	----	43.70 + 32.80	----	----	----	167	----	0 - 148
4425	19.00	19.00	59.80B/4.70A	59.80B/4.70A	----	48.70 + 37.20	----	----	----	497	----	0 - 330
4430	33.60	33.60	64.00B/5.00	64.00B/5.00	----	53.70 + 41.60	----	----	----	145	----	0 - 173
4435	20.10	20.10	68.80B/5.70A	68.80B/5.70A	----	58.70 + 46.00	----	----	----	24	----	0 - 59
4440	44.00	44.00	73.80B/6.40A	73.80B/6.40A	----	63.70 + 50.30	----	----	----	100	----	0 - 193
4445	29.00	29.00	78.90B/7.30A	78.90B/7.30A	----	68.70 + 54.60	----	----	----	216	----	0 - 285
4450	23.00	23.00	84.40B/7.60	84.40B/7.60	----	73.70 + 58.80	----	----	----	516	----	0 - 585
4455	34.80	34.80	88.70B/9.50A	88.70B/9.50A	----	78.70 + 63.10	----	----	----	22	----	0 - 139
4460	19.00	19.00	93.50B/10.50	93.50B/10.50	----	83.70 + 67.20	----	----	----	50	----	0 - 115
4465	16.00	16.00	98.10B/12.40A	98.10B/12.40A	----	88.70 + 71.30	----	----	----	14	----	0 - 146
4470	50.00	50.00	103.00B/13.30	103.00B/13.30	----	93.70 + 75.40	----	----	----	20	----	0 - 83
4475	18.00	18.00	108.00B/16.30A	108.00B/16.30A	----	98.70 + 79.30	----	----	----	59	----	0 - 339
4480	20.50	20.50	113.20B/18.80A	113.20B/18.80A	----	103.70 + 83.30	----	----	----	29	----	0 - 208
4485	26.00	26.00	118.00B/20.20A	118.00B/20.20A	----	108.70 + 87.10	----	----	----	8	----	0 - 91
4490	23.00	23.00	122.90B/21.60A	122.90B/21.60A	----	113.70 + 90.90	----	----	----	13	----	0 - 230
4495	55.00	55.00	127.90B/22.80A	127.90B/22.80A	----	118.70 + 94.70	----	----	----	7	----	0 - 155
4500	32.60	32.60	133.50B/23.80	133.50B/23.80	----	123.70 + 98.30	----	----	----	292	----	0 - 6249
4505	65.50	65.50	138.00B/26.00A	138.00B/26.00A	----	128.70 + 01.90	----	----	----	4	----	0 - 204
4510	36.90	36.90	142.80B/27.50A	142.80B/27.50A	----	133.70 + 05.40	----	----	----	10	----	0 - 149
4515	----	----	147.80B/29.20A	147.80B/29.20A	----	138.70 + 08.80	----	----	----	----	----	0 - 231
4520	34.50	34.50	152.70B/31.40A	152.70B/31.40A	----	143.70 + 12.10	----	----	----	1	----	0 - 162
4525	64.20	64.20	158.10B/61.00	158.10B/33.40A	----	148.70 + 15.40	----	----	----	5	----	0 - 1147
4530	87.00	87.00	162.70B/86.00	162.70B/35.50A	----	153.70 + 18.50	----	----	----	61	----	0 - 114
4535	60.00	60.00	167.70B/60.00	167.70B/37.60A	----	158.70 + 21.60	----	----	----	2	----	0 - 212
4540	42.00	42.00	172.70B/40.00A	172.70B/40.00A	----	163.70 + 24.50	----	----	----	13	----	0 - 179
4545	----	----	177.70B/----	177.70B/42.40A	----	168.70 + 27.40	----	----	----	----	----	0 - 104
4550	68.50	68.50	183.40B/44.90A	183.40B/44.90A	----	173.70 + 30.10	----	----	----	78	----	0 - 831
4555	----	----	187.30B/----	187.30B/47.70A	----	178.70 + 32.80	----	----	----	2	----	0 - 32
4560	126.80	126.80	192.70B/126.80	192.70B/50.50A	----	183.70 + 35.30	----	----	----	17	----	0 - 96
4565	115.20	115.20	197.70B/115.20	197.70B/56.70A	----	188.70 + 37.80	----	----	----	1	----	0 - 79
4570	----	----	202.70B/----	202.70B/59.80A	----	193.70 + 40.10	----	----	----	1	----	0 - 66
4575	----	----	208.30B/----	208.30B/62.90A	----	198.70 + 42.30	----	----	----	5	----	0 - 497
4580	140.00	140.00	212.80B/140.00	212.80B/66.20A	----	203.70 + 44.50	----	----	----	1	----	0 - 315
4585	----	----	217.60B/----	217.60B/69.60A	----	208.70 + 46.50	----	----	----	2	----	0 - 63
4590	171.00	171.00	222.90B/171.00	222.90B/73.20A	----	213.70 + 48.40	----	----	----	3	----	0 - 111
4595	----	----	227.90B/----	227.90B/76.40A	----	218.70 + 50.20	----	----	----	2	----	0 - 218
4600	103.00	103.00	233.40B/88.80	233.40B/80.70A	----	223.70 + 51.90	----	----	----	33	----	0 - 3996
4605	----	----	237.70B/----	237.70B/83.90A	----	228.70 + 53.50	----	----	----	2	----	0 - 92
4610	----	----	242.90B/----	242.90B/87.20A	----	233.70 + 55.00	----	----	----	----	----	0 - 117
4615	----	----	247.90B/----	247.90B/91.70A	----	238.70 + 56.50	----	----	----	3	----	0 - 102
4620	----	----	253.20B/----	253.20B/95.20A	----	243.70 + 57.80	----	----	----	18	----	0 - 432
4625	----	----	257.90B/----	257.90B/99.80A	----	248.70 + 59.00	----	----	----	----	----	0 - 266
4630	----	----	262.90B/----	262.90B/103.50A	----	253.70 + 60.20	----	----	----	----	----	0 - 135
4635	----	----	267.70B/----	267.70B/108.20A	----	258.70 + 61.30	----	----	----	----	----	0 - 123
4640	----	----	272.70B/----	272.70B/112.40A	----	263.70 + 62.30	----	----	----	----	----	0 - 191
4645	----	----	277.70B/----	277.70B/116.60A	----	268.70 + 63.20	----	----	----	5	----	0 - 109
4650	214.60	214.60	283.40B/214.60	283.40B/121.00A	----	273.70 + 64.10	----	----	----	58	----	0 - 1671
4655	----	----	287.70B/----	287.70B/125.50A	----	278.70 + 64.90	----	----	----	----	----	0 - 218
4660	----	----	292.70B/----	292.70B/130.10A	----	283.70 + 65.60	----	----	----	----	----	0 - 135
4665	----	----	297.70B/----	297.70B/134.70A	----	288.70 + 66.30	----	----	----	3	----	0 - 111
4670	----	----	302.70B/----	302.70B/139.30A	----	293.70 + 66.90	----	----	----	----	----	0 - 155
4675	----	----	308.30B/----	308.30B/143.90A	----	298.70 + 67.50	----	----	----	----	----	0 - 488
4680	240.00	240.00	312.70B/240.00	312.70B/148.50A	----	303.70 + 68.10	----	----	----	6	----	0 - 138
4685	----	----	317.70B/----	317.70B/153.20A	----	308.70 + 68.60	----	----	----	----	----	0 - 317
4690	----	----	322.70B/----	322.70B/157.90A	----	313.70 + 69.10	----	----	----	----	----	0 - 76
4695	----	----	327.70B/----	327.70B/162.60A	----	318.70 + 69.50	----	----	----	----	----	0 - 64
4700	274.00	274.00	333.20B/236.90	333.20B/167.30A	----	323.70 + 69.90	----	----	----	30	----	0 - 3587
4705	----	----	337.70B/----	337.70B/172.10A	----	328.70 + 70.30	----	----	----	----	----	0 - 50
4710	----	----	342.70B/----	342.70B/176.90A	----	333.70 + 70.70	----	----	----	----	----	0 - 78
4715	----	----	346.90B/----	346.90B/181.60A	----	338.70 + 71.00	----	----	----	----	----	0 - 67
4720	----	----	351.90B/----	351.90B/186.50A	----	343.70 + 71.30	----	----	----	----	----	0 - 260
4725	----	----	356.80B/----	356.80B/191.40A	----	348.70 + 71.60	----	----	----	2	----	0 - 227
4730	----	----	361.80B/----	361.80B/196.20A	----	353.70 + 71.90	----	----	----	----	----	0 - 95
4735	----	----	366.80B/----	366.80B/201.10A	----	358.70 + 72.10	----	----	----	----	----	0 - 185

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR26												
4740	----	----	371.80B/----	371.80B/205.90A	----	363.70 + 72.40	----	----	----	----	----	0 - 506
4745	----	----	376.80B/----	376.80B/210.60A	----	368.70 + 72.60	----	----	----	----	----	0 - 311
4750	----	----	381.80B/----	381.80B/215.60A	----	373.70 + 72.80	----	----	----	4	----	0 - 1431
4755	----	----	386.80B/----	386.80B/220.50A	----	378.70 + 73.00	----	----	----	----	----	0 - 229
4760	----	----	391.80B/----	391.80B/225.40A	----	383.70 + 73.20	----	----	----	----	----	0 - 97
4765	----	----	396.80B/----	396.80B/230.30A	----	388.70 + 73.30	----	----	----	----	----	0 - 193
4770	----	----	401.90B/----	401.90B/235.30A	----	393.70 + 73.50	----	----	----	2	----	0 - 242
4775	----	----	406.90B/----	406.90B/240.20A	----	398.70 + 73.60	----	----	----	1	----	0 - 1005
4780	----	----	411.90B/----	411.90B/245.00A	----	403.70 + 73.80	----	----	----	----	----	0 - 247
4785	----	----	416.90B/----	416.90B/250.00A	----	408.70 + 73.90	----	----	----	----	----	0 - 37
4790	----	----	421.90B/----	421.90B/255.00A	----	413.70 + 74.00	----	----	----	2	----	0 - 73
4795	----	----	426.80B/----	426.80B/259.90A	----	418.70 + 74.10	----	----	----	8	----	0 - 114
4800	370.20	370.20	431.80B/366.30	431.80B/264.80A	----	423.70 + 74.20	----	----	----	19	----	0 - 4123
4805	----	----	436.80B/----	436.80B/269.70A	----	428.70 + 74.30	----	----	----	----	----	0 - 187
4810	----	----	441.80B/----	441.80B/274.90A	----	433.70 + 74.40	----	----	----	----	----	0 - 63
4815	----	----	446.80B/----	446.80B/279.60A	----	438.70 + 74.40	----	----	----	----	----	0 - 24
4820	----	----	451.80B/----	451.80B/284.70A	----	443.70 + 74.50	----	----	----	----	----	0 - 75
4825	----	----	456.70B/----	456.70B/289.50A	----	448.70 + 74.60	----	----	----	----	----	0 - 378
4830	----	----	461.70B/----	461.70B/294.50A	----	453.70 + 74.60	----	----	----	----	----	0 - 81
4835	----	----	466.70B/----	466.70B/299.50A	----	458.70 + 74.70	----	----	----	----	----	0 - 26
4840	----	----	471.70B/----	471.70B/304.60A	----	463.70 + 74.80	----	----	----	----	----	0 - 241
4845	----	----	476.70B/----	476.70B/309.40A	----	468.70 + 74.80	----	----	----	1	----	0 - 120
4850	----	----	481.70B/----	481.70B/314.50A	----	473.70 + 74.90	----	----	----	26	----	0 - 2173
4855	----	----	486.70B/----	486.70B/319.50A	----	478.70 + 74.90	----	----	----	1	----	0 - 94
4860	----	----	491.70B/----	491.70B/323.60A	----	483.70 + 74.90	----	----	----	----	----	0 - 134
4865	----	----	496.70B/----	496.70B/329.20A	----	488.70 + 75.00	----	----	----	----	----	0 - 62
4870	----	----	501.70B/----	501.70B/333.50A	----	493.70 + 75.10	----	----	----	----	----	0 - 158
4875	----	----	506.80B/----	506.80B/339.30A	----	498.70 + 75.10	----	----	----	5	----	0 - 448
4880	----	----	511.80B/----	511.80B/343.50A	----	503.70 + 75.20	----	----	----	22	----	0 - 97
4885	----	----	516.80B/----	516.80B/349.10A	----	508.70 + 75.20	----	----	----	----	----	0 - 85
4890	----	----	521.80B/----	521.80B/354.20A	----	513.70 + 75.30	----	----	----	19	----	0 - 69
4895	----	----	526.80B/----	526.80B/359.20A	----	518.70 + 75.30	----	----	----	2	----	0 - 42
4900	377.00	377.00	531.50B/364.20A	531.50B/364.20A	----	523.70 + 75.30	----	----	----	15	----	0 - 4213
4905	----	----	536.80B/----	536.80B/369.30A	----	528.70 + 75.40	----	----	----	----	----	0 - 85
4910	472.50	472.50	541.80B/472.50	541.80B/374.10A	----	533.70 + 75.40	----	----	----	1	----	0 - 50
4915	----	----	546.80B/----	546.80B/379.10A	----	538.70 + 75.40	----	----	----	----	----	0 - 89
4920	----	----	551.80B/----	551.80B/384.10A	----	543.70 + 75.50	----	----	----	----	----	0 - 316
4925	----	----	556.80B/----	556.80B/389.10A	----	548.70 + 75.50	----	----	----	----	----	0 - 619
4930	----	----	561.80B/----	561.80B/394.10A	----	553.70 + 75.50	----	----	----	----	----	0 - 141
4935	----	----	566.80B/----	566.80B/398.30A	----	558.70 + 75.60	----	----	----	----	----	0 - 44
4940	----	----	571.80B/----	571.80B/403.30A	----	563.70 + 75.60	----	----	----	----	----	0 - 55
4945	----	----	576.80B/----	576.80B/409.10A	----	568.70 + 75.60	----	----	----	----	----	0 - 232
4950	500.40	500.40	581.80B/500.40	581.80B/414.10A	----	573.70 + 75.60	----	----	----	7	----	0 - 1392
4955	----	----	586.80B/----	586.80B/419.20A	----	578.70 + 75.60	----	----	----	1	----	0 - 23
4960	----	----	591.80B/----	591.80B/423.30A	----	583.70 + 75.70	----	----	----	----	----	0 - 175
4965	----	----	596.80B/----	596.80B/429.20A	----	588.70 + 75.70	----	----	----	----	----	0 - 117
4970	----	----	601.70B/----	601.70B/434.20A	----	593.70 + 75.70	----	----	----	----	----	0 - 115
4975	----	----	606.70B/----	606.70B/439.20A	----	598.70 + 75.70	----	----	----	----	----	0 - 704
4980	----	----	611.70B/----	611.70B/443.20A	----	603.70 + 75.70	----	----	----	----	----	0 - 169
4985	----	----	616.70B/----	616.70B/448.20A	----	608.70 + 75.70	----	----	----	----	----	0 - 82
4990	----	----	621.70B/----	621.70B/453.20A	----	613.70 + 75.80	----	----	----	1	----	0 - 36
4995	----	----	626.70B/----	626.70B/458.20A	----	618.70 + 75.80	----	----	----	----	----	0 - 73
5000	572.00	572.00	631.50B/572.00	631.50B/463.20A	----	623.70 + 75.80	----	----	----	8	----	0 - 5841
5005	----	----	636.70B/----	636.70B/468.20A	----	628.70 + 75.80	----	----	----	1	----	0 - 433
5010	----	----	641.70B/----	641.70B/473.20A	----	633.70 + 75.80	----	----	----	2	----	0 - 595
5015	----	----	646.70B/----	646.70B/478.20A	----	638.70 + 75.80	----	----	----	----	----	0 - 30
5020	----	----	651.70B/----	651.70B/484.10A	----	643.70 + 75.80	----	----	----	----	----	0 - 206
5025	----	----	656.70B/----	656.70B/489.10A	----	648.70 + 75.80	----	----	----	1	----	0 - 296
5030	----	----	661.70B/----	661.70B/494.10A	----	653.70 + 75.80	----	----	----	----	----	0 - 122
5035	----	----	666.70B/----	666.70B/499.10A	----	658.70 + 75.80	----	----	----	----	----	0 - 75
5040	----	----	671.70B/----	671.70B/504.10A	----	663.70 + 75.90	----	----	----	3	----	0 - 555
5045	----	----	676.70B/----	676.70B/508.10A	----	668.70 + 75.90	----	----	----	----	----	0 - 136
5050	----	----	681.70B/----	681.70B/513.10A	----	673.70 + 75.90	----	----	----	----	----	0 - 688
5055	----	----	686.70B/----	686.70B/518.10A	----	678.70 + 75.90	----	----	----	----	----	0 - 16
5060	----	----	691.70B/----	691.70B/523.10A	----	683.70 + 75.90	----	----	----	1	----	0 - 95
5065	----	----	696.70B/----	696.70B/528.10A	----	688.70 + 75.90	----	----	----	----	----	0 - 77
5070	----	----	701.70B/----	701.70B/533.10A	----	693.70 + 75.90	----	----	----	1	----	0 - 321
5075	----	----	706.70B/----	706.70B/538.10A	----	698.70 + 75.90	----	----	----	1	----	0 - 465
5080	----	----	711.70B/----	711.70B/543.10A	----	703.70 + 75.90	----	----	----	3	----	0 - 47
5085	----	----	716.70B/----	716.70B/548.10A	----	708.70 + 75.90	----	----	----	----	----	0 - 34
5090	----	----	721.70B/----	721.70B/553.90A	----	713.70 + 75.90	----	----	----	----	----	0 - 62
5095	----	----	726.80B/----	726.80B/558.90A	----	718.70 + 75.90	----	----	----	----	----	0 - 134
5100	----	----	731.80B/----	731.80B/563.10A	----	723.70 + 75.90	----	----	----	4	----	0 - 2621
5105	----	----	736.80B/----	736.80B/568.10A	----	728.70 + 75.90	----	----	----	----	----	0 - 20
5110	----	----	741.80B/----	741.80B/573.10A	----	733.70 + 75.90	----	----	----	1	----	0 - 70
5115	----	----	746.80B/----	746.80B/578.10A	----	738.70 + 75.90	----	----	----	----	----	0 - 108
5120	----	----	751.80B/----	751.80B/583.10A	----	743.70 + 75.90	----	----	----	----	----	0 - 37
5125	----	----	756.80B/----	756.80B/588.10A	----	748.70 + 75.90	----	----	----	----	----	0 - 651
5130	----	----	761.80B/----	761.80B/593.10A	----	753.70 + 75.90	----	----	----	----	----	0 - 64
5135	----	----	766.80B/----	766.80B/598.10A	----	758.70 + 75.90	----	----	----	----	----	0 - 19
5140	----	----	771.80B/----	771.80B/603.10A	----	763.70 + 75.90	----	----	----	----	----	0 - 23
5145	----	----	776.80B/----	776.80B/608.10A	----	768.70 + 75.90	----	----	----	----	----	0 - 88
5150	763.30	763.30	781.80B/763.30	781.80B/613.10A	----	773.70 + 75.90	----	----	----	7	----	0 - 526
5155	----	----	786.80B/----	786.80B/618.10A	----	778.70 + 75.90	----	----	----	----	----	0 - 4
5160	----	----	791.80B/----	791.80B/623.10A	----	783.70 + 75.90	----	----	----	----	----	0 - 23
5165	----	----	796.80B/----	796.80B/628.10A	----	788.70 + 75.90	----	----	----	----	----	0 - 37
5170	----	----	801.80B/----	801.80B/633.10A	----	793.70 + 75.90	----	----	----	----	----	0 - 123
5175	----	----	806.80B/----	806.80B/638.10A	----	798.70 + 75.90	----	----	----	----	----	0 - 187
5180	----	----	811.80B/----	811.80B/643.10A	----	803.70 + 75.90	----	----	----	----	----	0 - 76
5185	----	----	816.80B/----	816.80B/648.10A	----	808.70 + 75.90	----	----	----	----	----	0 - 23
5190	----	----	821.80B/----	821.80B/653.90A	----	813.70 + 75.90	----	----	----	----	----	0 - 17
5195	----	----	826.80B/----	826.80B/658.90A	----	818.70 + 75.90	----	----	----	----	----	0 - 17
5200	810.00	810.00	831.80B/810.00	831.80B/663.90A	----	823.70 + 75.90	----	----	----	10	----	0 - 1247
5205	----	----	836.80B/----	836.80B/668.10A	----	828.70 + 75.90	----	----	----	----	----	0 - 22
5210	----	----	841.80B/----	841.80B/673.10A	----	833.70 + 75.90	----	----	----	1	----	0 - 2
5215	----	----	846.80B/----	846.80B/678.10A	----	838.70 + 75.90	----	----	----	----	----	0 - 15
5220	----	----	851.80B/----	851.80B/683.80A	----	843.70 + 75.90	----	----	----	----	----	0 - 15
5225	----	----	856.80B/----	856.80B/688.80A	----	848.70 + 75.90	----	----	----	----	----	0 - 32
5230	----	----	861.80B/----	861.80B/693.80A	----	853.70 + 75.90	----	----	----	----	----	0 - 152
5235	----	----	866.80B/----	866.80B/698.10A	----	858.70 + 75.90	----	----	----	----	----	0 - 31
5240	----	----	871.80B/----	871.80B/703.80A	----	863.70 + 75.90	----	----	----	3	----	0 - 43
5245	----	----	876.80B/----	876.80B/708.80A	----	868.70 + 75.90	----	----	----	----	----	0 - 1
5250	----	----	881.80B/----	881.80B/713.80A	----	873.70 + 75.90	----	----	----	----	----	0 - 618
5255	----	----	886.80B/----	886.80B/718.10A	----	878.70 + 75.90	----	----	----	----	----	0 - 6
5260	----	----	891.80B/----	891.80B/723.90A	----	883.70 + 75.90	----	----	----	----	----	0 - 7
5265	----	----	896.80B/----	896.80B/728.10A	----	888.70 + 75.90	----	----	----	----	----	0 - 1
5270	----	----	901.80B/----	901.80B/733.10A	----	893.70 + 75.90	----	----	----	----	----	0 - 5
5275	----	----	906.80B/----	906.80B/738.80A	----	898.70 + 75.90	----	----	----	----	----	0 - 59
5280	----	----	911.80B/----	911.80B/743.10A	----	903.70 + 75.90	----	----	----	----	----	0 UNCH
5285	----	----	916.80B/----	916.80B/748.10A	----	908.70 + 75.90	----	----	----	----	----	0 UNCH
5290	----	----	921.80B/----	921.80B/753.80A	----	913.70 + 75.90	----	----	----	----	----	0 UNCH
5300	----	----	931.80B/----	931.80B/764.00A	----	923.70 + 75.90	----	----	----	----	----	0 - 434
5310	----	----	941.80B/----	941.80B/773.10A	----	933.70 + 75.90	----	----	----	----	----	0 - 4
5320	----	----	951.80B/----	951.80B/783.10A	----	943.70 + 75.90	----	----	----	----	----	0 - 4
5325	----	----	956.80B/----	956.80B/789.00A	----	948.70 + 75.90	----	----	----	----	----	0 - 1
5330	----	----	961.80B/----	961.80B/793.10A	----	953.70 + 75.90	----	----	----	----	----	0 - 3
5340	----	----	971.80B/----	971.80B/803.10A	----	963.70 + 75.90	----	----	----	----	----	0 - 2
5350	----	----	981.80B/----	981.80B/813.10A	----	973.70 + 75.90	----	----	----	----	----	0 - 162
5355	----	----	986.80B/----	986.80B/818.10A	----	978.70 + 75.90	----	----	----	----	----	0 - 1
5360	----	----	991.80B/----	991.80B/823.10A	----	983.70 + 75.90	----	----	----	----	----	0 - 4
5365	----	----	996.80B/----	996.80B/828.10A	----	988.70 + 75.90	----	----	----	----	----	0 - 1
5370	----	----	1,001.80B/----	1001.80B/833.10A	----	993.70 + 75.90	----	----	----	----	----	0 - 28
5375	----	----	1,006.80B/----	1006.80B/838.10A	----	998.70 + 75.90	----	----	----	----	----	0 - 4
5380	----	----	1,011.80B/----	1011.80B/843.10A	----	1003.70 + 75.90	----	----	----	----	----	0 - 1
5390	----	----	1,021.80B/----	1021.80B/853.10A	----	1013.70 + 75.90	----	----	----	----	----	0 UNCH
5400	941.00	941.00	1,031.80B/941.0	1031.80B/863.10A	----	1023.70 + 75.90	----	----	----	14	----	0 - 73
5410	----	----	1,041.80B/----	1041.80B/873.10A	----	1033.70 + 75.90	----	----	----	----	----	0 - 5
5435	----	----	1,066.80B/----	1066.80B/898.10A	----	1058.70 + 75.90	----	----	----	----	----	0 UNCH
5450	----	----	1,081.80B/----	1081.80B/913.10A	----	1073.70 + 75.90	----	----	----	----	----	0 - 3
5470	----	----	1,101.80B/----	1101.80B/933.10A	----	1093.70 + 75.90	----	----	----	----	----	0 - 9
5490	----	----	1,121.80B/----	1121.80B/953.10A	----	1113.70 + 75.90	----	----	----	----	----	0 UNCH
5500	----	----	1,131.80B/----	1131.80B/963.10A	----	1123.70 + 75.90	----	----	----	----	----	0 - 1
5525	----	----	1,156.50B/----	1156.50B/988.10A	----	1148.70 + 75.90	----	----	----	----	----	0 - 8
5600	----	----	1,231.50B/----	1231.50B/1063.10A	----	1223.70 + 75.90	----	----	----	----	----	0 - 100
5750	----	----	1,381.50B/----	1381.50B/1214.00A	----	1373.70 + 76.00	----	----	----	----	----	0 - 9
5920	----	----	1,551.50B/----	1551.50B/1384.00A	----	1543.70 + 76.00	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
TOTAL										9508	250	0 - 153835
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	182 UNCH
1500	0.10	0.10	0.20/*0.10	0.20/0.10	----	0.10 UNCH	----	----	----	157	----	351 UNCH
1700	0.30	0.30	0.30/0.30	0.30/0.30	----	0.10 UNCH	.0000	----	----	1	----	2 + 1
1800	0.30	0.30	0.30/*0.30	0.30/0.30	----	0.10 UNCH	.0000	----	----	2	----	2 + 2
1900	----	----	0.30B/----	0.30B/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2000	0.70	0.70	0.70/0.70	0.70/0.50A	----	0.10 UNCH	.0002	----	----	4	----	11 + 4
2175	----	----	0.70B/----	0.70B/0.70A	----	0.30 + 0.10	.0008	----	----	----	----	23 UNCH
2200	1.20	1.20	1.20/1.00	1.20/0.70A	----	0.30 + 0.10	.0008	----	----	36	----	87 + 36
2225	----	----	1.10B/----	1.10B/0.70A	----	0.40 + 0.20	.0011	----	----	66	----	267 + 53
2250	----	----	1.10B/----	1.10B/0.70A	----	0.40 + 0.10	.0011	----	----	----	----	8 UNCH
2275	----	----	1.10B/----	1.10B/0.80A	----	0.50 + 0.20	.0013	----	----	----	----	1 UNCH
2300	1.00	1.00	1.30/1.00	1.30/0.80A	----	0.60 + 0.30	.0016	----	----	46	----	55 + 44
2325	1.00	1.00	1.20B/1.00	1.20B/0.70A	----	0.60 NEW	.0016	----	----	7	----	7 + 7
2350	1.10	1.10	1.90/1.10	1.90/0.70A	----	0.70 + 0.30	.0019	----	----	122	----	122 + 121
2400	----	----	1.30B/----	1.30B/0.80A	----	0.80 + 0.30	.0022	----	----	----	----	3 UNCH
2420	----	----	1.30B/----	1.30B/0.80A	----	0.90 + 0.40	.0024	----	----	----	----	11 UNCH
2450	----	----	1.50B/----	1.50B/0.80A	----	1.00 + 0.40	.0027	----	----	----	----	15 UNCH
2485	----	----	1.60B/----	1.60B/0.90A	----	1.00 + 0.40	.0028	----	----	----	----	20 UNCH
2495	1.80	1.80	1.90/1.80	1.90/0.90A	----	1.10 NEW	.0030	----	----	75	----	75 + 75
2500	1.50	1.50	2.00/0.60A	2.00/0.60A	----	1.10 + 0.40	.0031	----	----	13	----	45 + 12
2505	----	----	1.70B/----	1.70B/0.90A	----	1.10 + 0.40	.0031	----	----	----	----	5 UNCH
2520	----	----	1.80B/----	1.80B/0.90A	----	1.10 + 0.40	.0031	----	----	----	----	2 UNCH
2525	0.60	0.60	1.80B/0.60	1.80B/0.60	----	1.20 NEW	.0033	----	----	2	----	2 + 2
2540	----	----	1.80B/----	1.80B/0.90A	----	1.20 + 0.50	.0034	----	----	----	----	5 UNCH
2550	----	----	1.90B/----	1.90B/0.90A	----	1.20 NEW	.0034	----	----	1	----	1 + 1
2560	----	----	1.90B/----	1.90B/1.00A	----	1.20 + 0.40	.0034	----	----	----	----	2 UNCH
2580	----	----	2.10B/----	2.10B/1.00A	----	1.30 + 0.50	.0037	----	----	30	----	35 + 30
2590	----	----	2.10B/----	2.10B/1.00A	----	1.30 + 0.50	.0037	----	----	----	----	1 UNCH
2600	1.70	1.70	2.20/1.70	2.20/1.10A	----	1.40 + 0.60	.0040	----	----	2	----	27 + 1
2615	----	----	2.20B/----	2.20B/1.10A	----	1.40 + 0.60	.0040	----	----	----	----	1 UNCH
2620	----	----	2.30B/----	2.30B/1.10A	----	1.40 + 0.60	.0041	----	----	----	----	1 UNCH
2650	2.60	2.60	2.60/2.60	2.60/1.20A	----	1.50 NEW	.0044	----	----	1	----	1 + 1
2660	----	----	2.50B/----	2.50B/1.20A	----	1.50 + 0.60	.0044	----	----	----	----	1 UNCH
2700	1.90	1.90	2.70B/1.90	2.70B/1.30A	----	1.60 + 0.60	.0048	----	----	1	----	30 + 1
2705	----	----	2.70B/----	2.70B/1.30A	----	1.70 + 0.70	.0050	----	----	----	----	1 UNCH
2715	----	----	2.80B/----	2.80B/1.30A	----	1.70 + 0.70	.0051	----	----	----	----	2 UNCH
2755	----	----	3.10B/----	3.10B/1.50A	----	1.90 + 0.80	.0057	----	----	----	----	6 UNCH
2770	----	----	3.30B/----	3.30B/1.50A	----	2.00 + 0.90	.0060	----	----	----	----	4 UNCH
2790	----	----	3.40B/----	3.40B/1.60A	----	2.10 + 1.00	.0064	----	----	----	----	5 UNCH
2800	4.00	4.00	4.00/4.00	4.00/1.60A	----	2.20 + 1.00	.0066	----	----	2	----	70 UNCH
2815	----	----	3.60B/----	3.60B/1.70A	----	2.30 + 1.10	.0070	----	----	----	----	35 UNCH
2820	3.40	3.40	3.70B/3.40	3.70B/1.70A	----	2.30 NEW	.0070	----	----	73	----	73 + 73
2845	----	----	3.90B/----	3.90B/1.80A	----	2.50 + 1.30	.0076	----	----	----	----	5 UNCH
2870	----	----	4.20B/----	4.20B/1.90A	----	2.70 + 1.40	.0082	----	----	----	----	20 UNCH
2895	----	----	4.40B/----	4.40B/2.00A	----	2.80 + 1.40	.0086	----	----	----	----	39 UNCH
2900	4.30	4.30	4.50B/4.30	4.50B/2.00A	----	2.90 + 1.50	.0089	----	----	5	----	343 + 3
2905	----	----	4.50B/----	4.50B/2.00A	----	2.90 + 1.50	.0089	----	----	----	----	4 UNCH
2910	----	----	4.60B/----	4.60B/2.10A	----	3.00 + 1.60	.0092	----	----	----	----	20 UNCH
2930	----	----	4.80B/----	4.80B/2.20A	----	3.10 + 1.60	.0096	----	----	----	----	28 UNCH
2940	----	----	4.90B/----	4.90B/2.20A	----	3.20 + 1.70	.0099	----	----	----	----	8 UNCH
2950	----	----	5.00B/----	5.00B/2.20A	----	3.30 + 1.80	.0102	----	----	160	----	298 + 148
2980	----	----	5.40B/----	5.40B/2.40A	----	3.60 + 2.00	.0112	----	----	----	----	1 UNCH
2995	----	----	5.70B/----	5.70B/2.40A	----	3.80 + 2.10	.0118	----	----	1	----	4 + 1
3000	2.30	2.30	5.70B/2.30	5.70B/2.30	----	3.90 + 2.20	.0121	----	----	13	----	148 + 8
3005	----	----	5.80B/----	5.80B/2.50A	----	3.90 + 2.20	.0122	----	----	----	----	1 UNCH
3010	----	----	5.90B/----	5.90B/2.50A	----	4.00 + 2.30	.0124	----	----	----	----	1 UNCH
3020	----	----	6.00B/----	6.00B/2.60A	----	4.10 + 2.40	.0128	----	----	----	----	1 UNCH
3040	6.40	6.40	6.40/5.90	6.40/2.70A	----	4.30 + 2.50	.0135	----	----	60	----	52 + 45
3045	----	----	6.40B/----	6.40B/2.70A	----	4.40 + 2.60	.0138	----	----	----	----	2 UNCH
3050	----	----	6.50B/----	6.50B/2.70A	----	4.50 + 2.60	.0140	----	----	----	----	18 UNCH
3055	----	----	6.60B/----	6.60B/2.70A	----	4.50 + 2.60	.0141	----	----	----	----	5 UNCH
3065	----	----	6.70B/----	6.70B/2.80A	----	4.70 + 2.80	.0147	----	----	----	----	5 UNCH
3070	----	----	6.80B/----	6.80B/2.80A	----	4.70 + 2.80	.0147	----	----	----	----	1 UNCH
3075	----	----	6.90B/----	6.90B/2.90A	----	4.80 + 2.80	.0150	----	----	----	----	66 UNCH
3080	----	----	7.00B/----	7.00B/2.90A	----	4.90 + 2.90	.0153	----	----	----	----	1 UNCH
3090	----	----	7.20B/----	7.20B/2.90A	----	5.00 + 3.00	.0157	----	----	----	----	5 UNCH
3095	----	----	7.30B/----	7.30B/3.00A	----	5.10 + 3.10	.0160	----	----	----	----	3 UNCH
3100	3.20	3.20	7.30B/3.20	7.30B/3.00A	----	5.20 + 3.10	.0163	----	----	61	----	316 + 49
3105	----	----	7.40B/----	7.40B/3.00A	----	5.20 + 3.10	.0164	----	----	----	----	5 UNCH
3115	----	----	7.60B/----	7.60B/3.10A	----	5.40 + 3.30	.0170	----	----	----	----	5 UNCH
3120	----	----	7.70B/----	7.70B/3.10A	----	5.50 + 3.30	.0173	----	----	----	----	41 UNCH
3125	----	----	7.80B/----	7.80B/3.20A	----	5.60 + 3.40	.0176	----	----	----	----	1 UNCH
3130	----	----	7.90B/----	7.90B/3.20A	----	5.60 + 3.40	.0177	----	----	----	----	1 UNCH
3135	----	----	8.00B/----	8.00B/3.20A	----	5.70 + 3.50	.0180	----	----	----	----	2 UNCH
3140	----	----	8.10B/----	8.10B/3.30A	----	5.80 + 3.50	.0183	----	----	----	----	3 UNCH
3150	----	----	8.40B/----	8.40B/3.30A	----	6.00 + 3.70	.0189	----	----	----	----	10 UNCH
3155	----	----	8.50B/----	8.50B/3.40A	----	6.10 + 3.80	.0192	----	----	----	----	74 UNCH
3160	----	----	8.60B/----	8.60B/3.40A	----	6.20 + 3.80	.0195	----	----	----	----	15 UNCH
3170	----	----	8.80B/----	8.80B/3.50A	----	6.40 + 4.00	.0201	----	----	----	----	5 UNCH
3175	----	----	8.90B/----	8.90B/3.50A	----	6.40 + 3.90	.0202	----	----	----	----	10 UNCH
3185	----	----	9.10B/----	9.10B/3.60A	----	6.60 + 4.10	.0209	----	----	----	----	16 UNCH
3200	6.90	6.90	9.50B/6.80	9.50B/3.60A	----	7.00 + 4.40	.0221	----	----	88	----	237 + 42
3205	----	----	9.60B/----	9.60B/3.70A	----	7.10 + 4.40	.0224	----	----	----	----	10 UNCH
3210	----	----	9.80B/----	9.80B/3.70A	----	7.20 + 4.50	.0227	----	----	----	----	10 UNCH
3220	----	----	10.00B/----	10.00B/3.90A	----	7.40 + 4.60	.0234	----	----	----	----	8 UNCH
3225	----	----	10.20B/----	10.20B/3.90A	----	7.50 + 4.70	.0237	----	----	----	----	6 UNCH
3235	----	----	10.40B/----	10.40B/4.00A	----	7.70 + 4.80	.0243	----	----	----	----	5 UNCH
3245	----	----	10.70B/----	10.70B/4.10A	----	8.00 + 5.00	.0252	----	----	----	----	5 UNCH
3250	8.00	8.00	10.80B/8.00	10.80B/4.20A	----	8.10 + 5.10	.0256	----	----	1	----	81 + 1
3255	----	----	11.00B/----	11.00B/4.20A	----	8.20 + 5.20	.0259	----	----	----	----	8 UNCH
3260	----	----	11.10B/----	11.10B/4.30A	----	8.30 + 5.20	.0263	----	----	----	----	7 UNCH
3265	----	----	11.30B/----	11.30B/4.30A	----	8.50 + 5.40	.0268	----	----	----	----	16 UNCH
3275	----	----	11.60B/----	11.60B/4.40A	----	8.70 + 5.50	.0275	----	----	----	----	20 UNCH
3295	----	----	12.20B/----	12.20B/4.60A	----	9.30 + 5.90	.0293	----	----	----	----	1 UNCH
3300	5.80	5.80	13.00/5.80	13.00/4.60A	----	9.40 + 6.00	.0297	----	----	30	----	510 + 19
3305	----	----	12.50B/----	12.50B/4.70A	----	9.50 + 6.00	.0301	----	----	----	----	60 UNCH
3310	----	----	12.70B/----	12.70B/4.80A	----	9.70 + 6.20	.0306	----	----	----	----	1 UNCH
3315	----	----	12.90B/----	12.90B/4.80A	----	9.80 + 6.20	.0310	----	----	----	----	3 UNCH
3320	----	----	13.10B/----	13.10B/4.90A	----	10.00 + 6.40	.0316	----	----	----	----	1 UNCH
3325	----	----	13.20B/----	13.20B/4.90A	----	10.10 + 6.40	.0319	----	----	----	----	10 UNCH
3330	----	----	13.60B/----	13.60B/5.00A	----	10.30 + 6.60	.0325	----	----	----	----	2 UNCH
3335	----	----	13.60B/----	13.60B/5.10A	----	10.50 + 6.70	.0331	----	----	1	----	21 + 1
3340	----	----	13.80B/----	13.80B/5.10A	----	10.60 + 6.80	.0335	----	----	----	----	1 UNCH
3345	----	----	14.00B/----	14.00B/5.20A	----	10.80 + 6.90	.0341	----	----	----	----	1 UNCH
3350	9.40	9.40	14.20B/9.40	14.20B/5.30A	----	10.90 + 7.00	.0344	----	----	2	----	43 + 1
3360	----	----	14.50B/----	14.50B/5.40A	----	11.30 + 7.20	.0356	----	----	----	----	4 UNCH
3370	----	----	14.90B/----	14.90B/5.50A	----	11.60 + 7.40	.0366	----	----	----	----	13 UNCH
3375	----	----	15.10B/----	15.10B/5.60A	----	11.80 + 7.60	.0372	----	----	----	----	54 UNCH
3380	----	----	15.30B/----	15.30B/5.60A	----	12.00 + 7.70	.0378	----	----	----	----	4 UNCH
3385	----	----	15.60B/----	15.60B/5.70A	----	12.20 + 7.80	.0384	----	----	----	----	5 UNCH
3390	----	----	15.80B/----	15.80B/5.80A	----	12.30 + 7.90	.0388	----	----	----	----	5 UNCH
3395	----	----	16.00B/----	16.00B/5.90A	----	12.50 + 8.00	.0394	----	----	----	----	29 UNCH
3400	8.30	8.30	16.20B/8.30	16.20B/5.90A	----	12.70 + 8.10	.0400	----	----	45	----	200 + 5
3405	----	----	16.40B/----	16.40B/6.00A	----	12.90 + 8.30	.0406	----	----	----	----	5 UNCH
3415	17.30	17.30	17.30/14.90	17.30/6.20A	----	13.30 + 8.50	.0419	----	----	37	----	118 + 31
3425	----	----	17.30B/----	17.30B/6.30A	----	13.70 + 8.80	.0431	----	----	----	----	11 UNCH
3430	----	----	17.60B/----	17.60B/6.40A	----	13.90 + 8.90	.0437	----	----	----	----	5 UNCH
3435	----	----	17.80B/----	17.80B/6.50A	----	14.10 + 9.00	.0444	----	----	----	----	102 UNCH
3440	9.50	9.50	18.20B/9.50	18.20B/6.60A	----	14.40 NEW	.0452	----	----	1	----	1 + 1
3445	10.10	10.10	18.30B/10.10	18.30B/6.70A	----	14.60 + 9.40	.0459	----	----	7	----	16 UNCH
3450	6.10	6.10	18.50B/6.10	18.50B/6.10	----	14.80 + 9.50	.0465	----	----	8	----	38 - 1
3455	----	----	18.80B/----	18.80B/6.90A	----	15.00 + 9.60	.0471	----	----	----	----	44 UNCH
3460	----	----	19.20B/----	19.20B/7.00A	----	15.20 + 9.70	.0478	----	----	----	----	71 UNCH
3465	----	----	19.30B/----	19.30B/7.10A	----	15.50 + 9.90	.0486	----	----	----	----	17 UNCH
3470	----	----	19.60B/----	19.60B/7.10A	----	15.70 + 10.10	.0493	----	----	----	----	75 UNCH
3475	----	----	20.00B/----	20.00B/7.20A	----	15.90 + 10.20	.0499	----	----	----	----	92 UNCH
3480	----	----	20.20B/----	20.20B/7.30A	----	16.20 + 10.40	.0508	----	----	----	----	74 UNCH
3485	14.90	14.90	20.60B/14.90	20.60B/7.40A	----	16.40 + 10.50	.0514	----	----	15	----	61 + 8
3490	----	----	20.80B/----	20.80B/7.50A	----	16.70 + 10.70	.0523	----	----	----	----	51 UNCH
3495	----	----	21.10B/----	21.10B/7.60A	----	16.90 + 10.80	.0529	----	----	----	----	50 UNCH
3500	7.80	7.80	21.40B/7.00	21.40B/7.00	----	17.20 + 11.00	.0538	----	----	1122	----	1323 + 653
3505	----	----	21.70B/----	21.70B/7.90A	----	17.40 + 11.10	.0545	----	----	----	----	13 UNCH
3510	----	----	22.10B/----	22.10B/7.70A	----	17.70 + 11.30	.0554	----	----	----	----	34 UNCH
3515	16.90	16.90	22.40B/16.90	22.40B/7.90A	----	18.00 + 11.50	.0562	----	----	3	----	83 + 3
3520	17.10	17.10	22.70B/17.10	22.70B/8.00A	----	18.20 + 11.60	.0569	----	----	3	----	4 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3525	17.40	17.40	23.00B/17.40	23.00B/8.10A	----	18.50 + 11.80	.0578	----	----	3	----	117 + 2
3530	20.20	20.20	23.30B/20.20	23.30B/8.30A	----	18.80 + 12.00	.0587	----	----	1	----	102 - 1
3535	----	----	23.60B/----	23.60B/8.30A	----	19.10 + 12.20	.0596	----	----	----	----	160 UNCH
3540	15.10	15.10	24.00B/15.10	24.00B/8.50A	----	19.40 + 12.40	.0605	----	----	8	----	10 + 8
3545	15.30	15.30	24.30B/15.30	24.30B/8.60A	----	19.60 + 12.50	.0611	----	----	5	----	48 + 5
3550	9.30	9.30	24.60B/8.70A	24.60B/8.70A	----	19.90 + 12.70	.0620	----	----	8	----	336 + 6
3555	15.90	15.90	24.90B/15.90	24.90B/8.90A	----	20.20 + 12.90	.0629	----	----	17	----	45 + 10
3560	16.00	16.00	25.30B/16.00	25.30B/9.00A	----	20.50 + 13.10	.0639	----	----	5	----	7 + 5
3565	16.40	16.40	25.60B/16.40	25.60B/9.10A	----	20.80 + 13.20	.0648	----	----	5	----	7 + 5
3570	16.50	16.50	26.00B/16.50	26.00B/9.30A	----	21.10 + 13.40	.0657	----	----	5	----	11 + 5
3575	16.80	16.80	26.30B/16.80	26.30B/9.40A	----	21.50 + 13.70	.0668	----	----	15	----	95 - 3
3580	13.90	13.90	26.70B/13.90	26.70B/9.60A	----	21.80 + 13.90	.0677	----	----	7	----	13 + 2
3585	14.60	14.60	27.00B/14.60	27.00B/9.80A	----	22.10 NEW	.0686	----	----	9	----	9 + 9
3590	----	----	27.40B/----	27.40B/9.90A	----	22.40 + 14.20	.0695	----	----	----	----	26 UNCH
3595	14.40	14.40	27.80B/14.40	27.80B/10.00A	----	22.80 + 14.50	.0707	----	----	22	----	34 + 15
3600	15.30	15.30	28.10B/13.80	28.10B/10.10A	----	23.10 + 14.70	.0716	----	----	47	----	412 + 29
3605	14.90	14.90	28.60B/14.90	28.60B/10.30A	----	23.40 + 14.80	.0725	----	----	10	----	56 + 10
3610	----	----	28.90B/----	28.90B/10.50A	----	23.80 + 15.10	.0737	----	----	2	----	11 + 2
3615	----	----	29.30B/----	29.30B/10.60A	----	24.10 + 15.20	.0746	----	----	----	----	119 UNCH
3620	16.60	16.60	29.70B/16.60	29.70B/10.80A	----	24.50 + 15.50	.0758	----	----	3	----	125 UNCH
3625	----	----	30.10B/----	30.10B/10.90A	----	24.80 + 15.70	.0767	----	----	----	----	13 UNCH
3630	----	----	30.50B/----	30.50B/11.20A	----	25.20 + 15.90	.0779	----	----	----	----	6 UNCH
3635	----	----	30.90B/----	30.90B/11.30A	----	25.60 + 16.20	.0790	----	----	----	----	18 UNCH
3640	17.70	17.70	31.30B/17.70	31.30B/11.50A	----	26.00 + 16.40	.0802	----	----	3	----	35 UNCH
3645	----	----	31.80B/----	31.80B/11.70A	----	26.30 + 16.60	.0811	----	----	----	----	3 UNCH
3650	18.10	18.10	32.20B/15.80	32.20B/11.80A	----	26.70 + 16.80	.0823	----	----	123	----	276 - 22
3655	----	----	32.60B/----	32.60B/11.90A	----	27.10 + 17.00	.0835	----	----	----	----	1 UNCH
3660	----	----	33.10B/----	33.10B/12.20A	----	27.50 + 17.30	.0846	----	----	----	----	41 UNCH
3665	----	----	33.50B/----	33.50B/12.40A	----	27.90 + 17.50	.0858	----	----	----	----	28 UNCH
3670	----	----	34.00B/----	34.00B/12.60A	----	28.30 + 17.70	.0870	----	----	2	----	37 + 2
3675	----	----	34.40B/----	34.40B/12.70A	----	28.70 + 18.00	.0882	----	----	----	----	62 UNCH
3680	----	----	34.80B/----	34.80B/12.80A	----	29.10 + 18.20	.0893	----	----	----	----	69 UNCH
3685	----	----	35.30B/----	35.30B/13.00A	----	29.50 + 18.40	.0905	----	----	----	----	18 UNCH
3690	17.70	17.70	35.70B/17.70	35.70B/13.20A	----	30.00 + 18.80	.0919	----	----	10	----	18 + 2
3695	----	----	36.30B/----	36.30B/13.50A	----	30.40 + 19.00	.0931	----	----	1	----	73 + 1
3700	20.40	20.40	36.80B/20.40	36.80B/13.70A	----	30.80 + 19.20	.0943	----	----	157	----	440 - 105
3705	----	----	37.30B/----	37.30B/13.90A	----	31.30 + 19.50	.0957	----	----	----	----	44 UNCH
3710	----	----	37.80B/----	37.80B/14.00A	----	31.70 + 19.70	.0969	----	----	2	----	20 + 2
3715	20.40	20.40	38.30B/20.40	38.30B/14.20A	----	32.20 + 20.00	.0983	----	----	2	----	33 + 1
3720	32.10	32.10	38.80B/32.10	38.80B/14.40A	----	32.70 + 20.30	.0997	----	----	1	----	21 + 1
3725	----	----	39.30B/----	39.30B/14.60A	----	33.10 + 20.50	.1010	----	----	----	----	37 UNCH
3730	----	----	39.80B/----	39.80B/14.90A	----	33.60 + 20.80	.1024	----	----	----	----	66 UNCH
3735	----	----	40.30B/----	40.30B/15.10A	----	34.10 + 21.10	.1038	----	----	----	----	21 UNCH
3740	----	----	40.80B/----	40.80B/15.40A	----	34.60 + 21.40	.1052	----	----	----	----	13 UNCH
3745	----	----	41.30B/----	41.30B/15.60A	----	35.00 + 21.60	.1065	----	----	----	----	46 UNCH
3750	16.80	16.80	41.90B/16.50	41.90B/15.80A	----	35.50 + 21.90	.1079	----	----	78	----	251 + 6
3755	----	----	42.40B/----	42.40B/16.10A	----	36.00 + 22.20	.1093	----	----	----	----	10 UNCH
3760	----	----	43.00B/----	43.00B/16.40A	----	36.60 + 22.50	.1110	----	----	----	----	49 UNCH
3765	24.50	24.50	43.70B/24.50	43.70B/16.50A	----	37.10 + 22.80	.1124	----	----	1	----	105 UNCH
3770	----	----	44.10B/----	44.10B/16.80A	----	37.60 + 23.10	.1139	----	----	----	----	25 UNCH
3775	----	----	44.70B/----	44.70B/17.10A	----	38.10 + 23.30	.1153	----	----	----	----	279 UNCH
3780	----	----	45.40B/----	45.40B/17.30A	----	38.70 + 23.70	.1170	----	----	----	----	33 UNCH
3785	----	----	46.00B/----	46.00B/17.60A	----	39.20 + 24.00	.1184	----	----	1	----	27 UNCH
3790	----	----	46.60B/----	46.60B/17.80A	----	39.80 + 24.30	.1201	----	----	----	----	29 UNCH
3795	----	----	47.10B/----	47.10B/18.20A	----	40.30 + 24.60	.1216	----	----	----	----	18 UNCH
3800	25.90	25.90	47.80B/25.90	47.80B/18.30A	----	40.90 + 24.90	.1232	----	----	55	----	1063 - 23
3805	----	----	48.50B/----	48.50B/18.80A	----	41.50 + 25.30	.1249	----	----	----	----	61 UNCH
3810	----	----	49.00B/----	49.00B/19.00A	----	42.00 + 25.50	.1264	----	----	----	----	20 UNCH
3815	40.00	40.00	49.70B/40.00	49.70B/19.40A	----	42.60 + 25.80	.1280	----	----	1	----	40 + 1
3820	40.50	40.50	50.30B/40.50	50.30B/19.70A	----	43.20 + 26.20	.1297	----	----	1	----	790 + 1
3825	----	----	50.90B/----	50.90B/20.00A	----	43.80 + 26.50	.1314	----	----	----	----	96 UNCH
3830	----	----	51.60B/----	51.60B/20.30A	----	44.40 + 26.80	.1331	----	----	2	----	18 UNCH
3835	----	----	52.20B/----	52.20B/20.50A	----	45.00 + 27.10	.1348	----	----	----	----	32 UNCH
3840	----	----	52.90B/----	52.90B/20.90A	----	45.70 + 27.50	.1367	----	----	----	----	38 UNCH
3845	31.40	31.40	53.60B/30.80	53.60B/21.20A	----	46.30 + 27.80	.1384	----	----	30	----	30 + 17
3850	33.00	33.00	54.40B/29.50	54.40B/21.60A	----	46.90 + 28.10	.1401	----	----	17	----	726 + 4
3855	----	----	55.00B/----	55.00B/22.00A	----	47.60 + 28.50	.1420	----	----	----	----	34 UNCH
3860	46.30	46.30	55.70B/46.30	55.70B/22.30A	----	48.20 + 28.80	.1437	----	----	2	----	38 UNCH
3865	----	----	56.40B/----	56.40B/22.60A	----	48.90 + 29.20	.1456	----	----	----	----	16 UNCH
3870	----	----	57.30B/----	57.30B/23.00A	----	49.60 + 29.60	.1475	----	----	----	----	42 UNCH
3875	48.30	48.30	57.90B/48.30	57.90B/23.30A	----	50.30 + 29.90	.1494	----	----	2	----	35 UNCH
3880	----	----	58.80B/----	58.80B/23.70A	----	51.00 + 30.30	.1513	----	----	1	----	38 + 1
3885	----	----	59.40B/----	59.40B/24.10A	----	51.70 + 30.70	.1532	----	----	----	----	78 UNCH
3890	----	----	60.10B/----	60.10B/24.50A	----	52.40 + 31.00	.1551	----	----	----	----	5 UNCH
3895	----	----	61.10B/----	61.10B/24.90A	----	53.10 + 31.40	.1571	----	----	----	----	73 UNCH
3900	60.00	60.00	62.60/54.00	62.60/25.20A	----	53.80 + 31.70	.1590	----	----	160	----	1369 - 40
3905	40.60	40.60	62.70B/40.60	62.70B/25.70A	----	54.50 + 32.00	.1610	----	----	5	----	25 + 4
3910	----	----	63.50B/----	63.50B/26.10A	----	55.30 + 32.50	.1631	----	----	----	----	30 UNCH
3915	----	----	64.30B/----	64.30B/26.50A	----	56.00 + 32.80	.1650	----	----	----	----	33 UNCH
3920	----	----	65.00B/----	65.00B/26.90A	----	56.80 + 33.20	.1671	----	----	----	----	10 UNCH
3925	57.20	57.20	66.00B/57.20	66.00B/27.30A	----	57.60 + 33.60	.1693	----	----	2	----	56 UNCH
3930	44.00	44.00	66.80B/44.00	66.80B/27.80A	----	58.40 + 34.00	.1714	----	----	1	----	56 UNCH
3935	41.50	41.50	67.70B/41.50	67.70B/28.20A	----	59.20 + 34.40	.1735	----	----	1	----	16 + 1
3940	----	----	68.50B/----	68.50B/28.60A	----	60.00 + 34.80	.1757	----	----	----	----	21 UNCH
3945	----	----	69.40B/----	69.40B/29.10A	----	60.80 + 35.20	.1778	----	----	----	----	22 UNCH
3950	----	----	70.30B/----	70.30B/29.50A	----	61.60 + 35.60	.1800	----	----	17	----	136 + 15
3955	43.80	43.80	71.20B/43.80	71.20B/30.00A	----	62.40 + 36.00	.1821	----	----	2	----	58 + 2
3960	----	----	72.10B/----	72.10B/30.50A	----	63.30 + 36.40	.1845	----	----	----	----	9 UNCH
3965	----	----	73.00B/----	73.00B/31.00A	----	64.10 + 36.80	.1866	----	----	----	----	8 UNCH
3970	49.30	49.30	74.00B/49.30	74.00B/31.50A	----	65.00 + 37.20	.1890	----	----	1	----	33 UNCH
3975	----	----	75.00B/----	75.00B/32.00A	----	65.90 + 37.70	.1913	----	----	1	----	36 UNCH
3980	50.20	50.20	75.90B/50.20	75.90B/32.50A	----	66.70 + 38.00	.1935	----	----	1	----	117 + 1
3985	48.20	48.20	76.90B/48.20	76.90B/33.00A	----	67.60 + 38.40	.1959	----	----	1	----	41 UNCH
3990	----	----	77.90B/----	77.90B/33.60A	----	68.50 + 38.80	.1982	----	----	----	----	8 UNCH
3995	----	----	78.90B/----	78.90B/34.00A	----	69.50 + 39.40	.2007	----	----	1	----	23 + 1
4000	36.50	36.50	81.10/34.60A	81.10/34.60A	----	70.40 + 39.80	.2031	----	----	1807	----	2847 + 278
4005	70.80	70.80	80.90B/70.80	80.90B/35.10A	----	71.30 + 40.20	.2055	----	----	2	----	207 UNCH
4010	----	----	81.90B/----	81.90B/35.70A	----	72.30 + 40.60	.2080	----	----	----	----	21 UNCH
4015	70.90	70.90	82.90B/70.90	82.90B/36.20A	----	73.20 + 41.00	.2104	----	----	4	----	34 + 4
4020	----	----	84.10B/----	84.10B/36.80A	----	74.20 + 41.50	.2129	----	----	----	----	47 UNCH
4025	59.30	59.30	85.10B/59.30	85.10B/37.30A	----	75.20 + 41.90	.2155	----	----	30	----	57 + 30
4030	----	----	86.10B/----	86.10B/37.90A	----	76.20 + 42.40	.2180	----	----	----	----	12 UNCH
4035	74.80	74.80	87.20B/74.80	87.20B/38.50A	----	77.20 + 42.80	.2206	----	----	1	----	6 + 1
4040	76.00	76.00	88.40B/76.00	88.40B/39.10A	----	78.20 + 43.30	.2232	----	----	20	----	37 + 12
4045	56.70	56.70	89.40B/56.40	89.40B/39.70A	----	79.20 + 43.70	.2257	----	----	153	----	171 + 128
4050	64.80	64.80	90.60B/54.00	90.60B/40.30A	----	80.30 + 44.20	.2285	----	----	49	----	1563 UNCH
4055	----	----	91.70B/----	91.70B/41.00A	----	81.30 + 44.60	.2311	----	----	----	----	136 UNCH
4060	80.20	80.20	92.80B/80.10	92.80B/41.60A	----	82.40 + 45.10	.2338	----	----	17	----	35 + 6
4065	67.00	67.00	94.00B/67.00	94.00B/42.30A	----	83.50 + 45.60	.2365	----	----	5	----	15 + 4
4070	----	----	95.20B/----	95.20B/42.90A	----	84.60 + 46.10	.2393	----	----	----	----	114 UNCH
4075	----	----	96.50B/----	96.50B/43.50A	----	85.70 + 46.60	.2420	----	----	----	----	125 UNCH
4080	----	----	97.60B/----	97.60B/44.20A	----	86.80 + 47.00	.2448	----	----	----	----	90 UNCH
4085	59.50	59.50	98.90B/59.50	98.90B/45.00A	----	87.90 + 47.50	.2475	----	----	35	----	544 + 6
4090	----	----	100.00B/----	100.00B/45.60A	----	89.10 + 48.00	.2504	----	----	----	----	102 UNCH
4095	69.60	69.60	101.30B/69.50	101.30B/46.30A	----	90.20 + 48.40	.2532	----	----	9	----	157 UNCH
4100	71.50	71.50	102.70B/62.00	102.70B/47.10A	----	91.40 + 49.00	.2561	----	----	211	----	787 + 50
4105	----	----	103.80B/----	103.80B/47.80A	----	92.60 + 49.50	.2590	----	----	----	----	208 UNCH
4110	----	----	105.20B/----	105.20B/48.50A	----	93.80 + 50.00	.2620	----	----	----	----	56 UNCH
4115	----	----	106.40B/----	106.40B/49.30A	----	95.00 + 50.40	.2649	----	----	----	----	54 UNCH
4120	----	----	107.90B/----	107.90B/50.00A	----	96.30 + 51.00	.2680	----	----	1	----	132 UNCH
4125	76.60	76.60	109.20B/76.60	109.20B/50.80A	----	97.50 + 51.50	.2709	----	----	7	----	82 + 5
4130	----	----	110.50B/----	110.50B/51.60A	----	98.80 + 52.00	.2740	----	----	----	----	29 UNCH
4135	----	----	111.90B/----	111.90B/52.40A	----	100.00 + 52.50	.2770	----	----	----	----	28 UNCH
4140	----	----	113.20B/----	113.20B/53.30A	----	101.30 + 53.00	.2800	----	----	----	----	29 UNCH
4145	77.20	77.20	114.60B/71.30	114.60B/54.20A	----	102.60 + 53.50	.2831	----	----	17	----	126 - 5
4150	56.40	56.40	116.10B/54.90A	116.10B/54.90A	----	104.00 + 54.10	.2863	----	----	60	----	480 + 20
4155	83.50	83.50	117.50B/83.50	117.50B/55.70A	----	105.30 + 54.60	.2894	----	----	1	----	41 UNCH
4160	84.80	84.80	119.00B/80.50	119.00B/56.70A	----	106.60 + 55.10	.2926	----	----	15	----	22 + 7
4165	83.30	83.30	120.50B/80.20	120.50B/57.50A	----	108.00 + 55.70	.2958	----	----	14	----	23 + 11
4170	87.20	87.20	121.90B/82.80	121.90B/58.30A	----	109.40 + 56.20	.2990	----	----	16	----	60 UNCH
4175	88.30	88.30	123.40B/88.30	123.40B/59.30A	----	110.80 + 56.80	.3023	----	----	1	----	194 + 1
4180	89.70	89.70	125.00B/85.40	125.00B/60.10A	----	112.20 + 57.30	.3055	----	----	15	----	298 + 4
4185	90.80	90.80	126.50B/90.80	126.50B/61.20A	----	113.60 + 57.80	.3088	----	----	1	----	355 UNCH
4190	92.20	92.20	128.00B/87.60	128.00B/62.00A	----	115.10 + 58.40	.3121	----	----	15	----	101 + 2
4195	----	----	129.70B/----	129.70B/63.10A	----	116.60 + 59.00	.3155	----	----	----	----	110 UNCH
4200	70.00	70.00	131.40B/70.00	131.40B/64.00A	----	118.00 + 59.50	.3188	----	----	407	----	1721 + 142
4205	----	----	132.90B/----	132.90B/64.90A	----	119.60 + 60.10	.3223	----	----	----	----	208 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4210	----	----	134.40B/----	134.40B/65.80A	----	121.10 + 60.70	.3257	----	----	----	----	76 UNCH
4215	----	----	136.00B/----	136.00B/67.00A	----	122.60 + 61.20	.3291	----	----	----	----	207 UNCH
4220	96.10	96.10	137.70B/96.10	137.70B/68.00A	----	124.20 + 61.80	.3326	----	----	5	----	22 + 5
4225	----	----	139.50B/----	139.50B/68.90A	----	125.70 + 62.30	.3360	----	----	1	----	244 - 1
4230	99.00	99.00	141.20B/99.00	141.20B/70.00A	----	127.30 + 62.90	.3395	----	----	5	----	143 + 5
4235	104.90	104.90	142.90B/99.40	142.90B/71.00A	----	128.90 + 63.50	.3430	----	----	7	----	52 + 4
4240	----	----	144.50B/----	144.50B/72.00A	----	130.60 + 64.20	.3466	----	----	1	----	46 UNCH
4245	----	----	146.40B/----	146.40B/73.20A	----	132.20 + 64.70	.3502	----	----	----	----	46 UNCH
4250	108.00	108.00	148.40B/102.00	148.40B/74.30A	----	133.90 + 65.30	.3538	----	----	40	----	1351 + 23
4255	----	----	149.90B/----	149.90B/75.50A	----	135.60 + 65.90	.3574	----	----	----	----	27 UNCH
4260	----	----	151.60B/----	151.60B/76.50A	----	137.30 + 66.50	.3610	----	----	----	----	101 UNCH
4265	----	----	153.60B/----	153.60B/77.60A	----	139.00 + 67.10	.3647	----	----	----	----	67 UNCH
4270	----	----	155.40B/----	155.40B/78.80A	----	140.70 + 67.70	.3683	----	----	----	----	102 UNCH
4275	157.10	157.10	157.30B/157.10	157.30B/80.00A	----	142.50 + 68.30	.3720	----	----	1	----	144 - 1
4280	93.00	93.00	159.20B/93.00	159.20B/81.20A	----	144.30 + 69.00	.3758	----	----	4	----	147 + 2
4285	----	----	161.10B/----	161.10B/82.40A	----	146.10 + 69.60	.3795	----	----	----	----	24 UNCH
4290	----	----	162.90B/----	162.90B/83.60A	----	147.90 + 70.20	.3833	----	----	10	----	76 UNCH
4295	132.70	132.70	165.00B/132.70	165.00B/84.80A	----	149.70 + 70.80	.3870	----	----	2	----	28 + 2
4300	118.50	118.50	167.30B/111.10	167.30B/86.10A	----	151.60 + 71.40	.3908	----	----	212	----	2017 - 38
4305	----	----	168.90B/----	168.90B/87.40A	----	153.50 + 72.10	.3946	----	----	----	----	49 UNCH
4310	----	----	170.80B/----	170.80B/88.70A	----	155.40 + 72.70	.3985	----	----	----	----	53 UNCH
4315	----	----	173.00B/----	173.00B/90.00A	----	157.30 + 73.30	.4023	----	----	----	----	19 UNCH
4320	----	----	175.10B/----	175.10B/91.30A	----	159.20 + 73.90	.4062	----	----	12	----	71 + 4
4325	----	----	177.10B/----	177.10B/92.70A	----	161.20 + 74.60	.4101	----	----	1	----	157 + 1
4330	----	----	179.30B/----	179.30B/94.00A	----	163.20 + 75.30	.4140	----	----	----	----	275 UNCH
4335	----	----	181.30B/----	181.30B/95.40A	----	165.20 + 75.90	.4179	----	----	----	----	40 UNCH
4340	----	----	183.50B/----	183.50B/96.80A	----	167.20 + 76.50	.4218	----	----	----	----	142 UNCH
4345	----	----	185.70B/----	185.70B/98.20A	----	169.30 + 77.30	.4258	----	----	----	----	350 UNCH
4350	136.50	136.50	188.10B/130.00	188.10B/99.60A	----	171.30 + 77.80	.4298	----	----	37	----	827 - 1
4355	----	----	190.00B/----	190.00B/101.10A	----	173.40 + 78.50	.4337	----	----	----	----	91 UNCH
4360	----	----	192.30B/----	192.30B/102.50A	----	175.50 + 79.20	.4377	----	----	----	----	378 UNCH
4365	130.30	130.30	194.50B/130.30	194.50B/104.00A	----	177.70 + 79.90	.4417	----	----	3	----	40 UNCH
4370	154.00	154.00	196.80B/154.00	196.80B/105.60A	----	179.80 + 80.50	.4458	----	----	25	----	205 - 15
4375	179.40	179.40	199.10B/179.40	199.10B/107.10A	----	182.00 + 81.20	.4498	----	----	3	----	103 - 1
4380	181.90	181.90	201.40B/181.90	201.40B/108.70A	----	184.20 + 81.90	.4538	----	----	10	----	79 + 7
4385	183.80	183.80	203.70B/183.80	203.70B/110.20A	----	186.50 + 82.60	.4579	----	----	9	----	392 + 2
4390	146.50	146.50	206.10B/146.50	206.10B/111.80A	----	188.70 + 83.30	.4620	----	----	14	----	59 + 10
4395	----	----	208.40B/----	208.40B/113.50A	----	191.00 + 84.00	.4661	----	----	1	----	23 UNCH
4400	127.90	127.90	210.90B/127.90	210.90B/115.10A	----	193.30 + 84.70	.4701	----	----	395	100	2366 + 4
4405	----	----	213.30B/----	213.30B/116.70A	----	195.60 + 85.30	.4742	----	----	----	----	25 UNCH
4410	171.00	171.00	215.60B/171.00	215.60B/118.40A	----	197.90 + 86.00	.4784	----	----	5	----	46 + 2
4415	203.30	203.30	218.20B/203.30	218.20B/120.00A	----	200.30 + 86.70	.4825	----	----	80	----	169 + 66
4420	----	----	220.70B/----	220.70B/121.80A	----	202.70 + 87.40	.4866	----	----	30	----	86 - 3
4425	----	----	223.30B/----	223.30B/123.50A	----	205.10 + 88.10	.4907	----	----	----	----	304 UNCH
4430	179.00	179.00	225.50B/174.00	225.50B/125.30A	----	207.50 + 88.80	.4948	----	----	9	----	100 UNCH
4435	179.80	179.80	228.30B/179.80	228.30B/127.00A	----	210.00 + 89.50	.4990	----	----	2	----	72 UNCH
4440	182.10	182.10	230.80B/181.60	230.80B/128.80A	----	212.50 + 90.30	.5031	----	----	5	----	296 + 4
4445	184.40	184.40	233.50B/184.40	233.50B/130.70A	----	215.00 + 91.00	.5073	----	----	3	----	120 + 2
4450	178.00	178.00	236.20B/174.00	236.20B/132.50A	----	217.50 + 91.60	.5114	----	----	65	100	911 + 107
4455	----	----	238.60B/----	238.60B/134.40A	----	220.00 + 92.30	.5156	----	----	----	----	260 UNCH
4460	----	----	241.40B/----	241.40B/136.30A	----	222.60 + 93.00	.5197	----	----	----	----	55 UNCH
4465	----	----	244.10B/----	244.10B/138.20A	----	225.20 + 93.80	.5239	----	----	1	----	37 UNCH
4470	----	----	246.60B/----	246.60B/140.10A	----	227.80 + 94.50	.5281	----	----	10	----	62 + 2
4475	----	----	249.60B/----	249.60B/142.10A	----	230.50 + 95.20	.5322	----	----	1	----	934 - 1
4480	230.80	230.80	251.30B/230.80	251.30B/144.00A	----	233.20 + 96.00	.5364	----	----	15	----	176 UNCH
4485	193.40	193.40	254.10B/193.20	254.10B/146.00A	----	235.80 + 96.60	.5405	----	----	26	----	35 - 6
4490	----	----	256.90B/----	256.90B/148.10A	----	238.60 + 97.40	.5447	----	----	1	----	245 UNCH
4495	214.60	214.60	260.50B/214.60	260.50B/150.10A	----	241.30 + 98.10	.5488	----	----	7	----	25 + 6
4500	160.00	160.00	263.90B/152.20A	263.90B/152.20A	----	244.10 + 98.90	.5530	----	----	157	----	2189 + 51
4505	----	----	266.20B/----	266.20B/154.30A	----	246.90 + 99.60	.5571	----	----	----	----	26 UNCH
4510	----	----	268.90B/----	268.90B/156.40A	----	249.70 + 00.30	.5613	----	----	----	----	96 UNCH
4515	----	----	272.00B/----	272.00B/158.70A	----	252.50 + 01.00	.5654	----	----	----	----	57 UNCH
4520	216.80	216.80	275.00B/216.80	275.00B/160.70A	----	255.40 + 01.80	.5695	----	----	1	----	160 UNCH
4525	----	----	277.90B/----	277.90B/162.90A	----	258.20 + 02.40	.5736	----	----	12	----	84 + 10
4530	178.30	178.30	280.80B/165.10A	280.80B/165.10A	----	261.10 + 03.10	.5777	----	----	4	----	47 + 2
4535	----	----	283.70B/----	283.70B/167.50A	----	264.10 + 03.90	.5818	----	----	----	----	218 UNCH
4540	----	----	286.80B/----	286.80B/169.60A	----	267.00 + 04.60	.5859	----	----	41	----	46 + 25
4545	----	----	289.80B/----	289.80B/171.90A	----	270.00 + 05.30	.5900	----	----	----	----	89 UNCH
4550	----	----	293.60B/----	293.60B/174.20A	----	273.00 + 06.10	.5941	----	----	44	----	670 + 19
4555	----	----	295.10B/----	295.10B/176.70A	----	276.00 + 06.80	.5982	----	----	----	----	12 UNCH
4560	----	----	299.10B/----	299.10B/178.80A	----	279.10 + 07.50	.6022	----	----	1	----	93 + 1
4565	----	----	302.20B/----	302.20B/181.30A	----	282.10 + 08.20	.6063	----	----	----	----	133 UNCH
4570	----	----	305.50B/----	305.50B/183.60A	----	285.20 + 08.90	.6103	----	----	13	----	179 + 13
4575	----	----	308.60B/----	308.60B/186.20A	----	288.30 + 09.60	.6143	----	----	----	----	38 UNCH
4580	----	----	311.90B/----	311.90B/188.60A	----	291.50 + 10.40	.6183	----	----	----	----	119 UNCH
4585	----	----	315.10B/----	315.10B/191.10A	----	294.60 + 11.10	.6223	----	----	----	----	18 UNCH
4590	267.60	267.60	318.30B/267.60	318.30B/193.60A	----	297.80 + 11.80	.6263	----	----	1	----	90 - 1
4595	----	----	321.60B/----	321.60B/196.30A	----	301.00 + 12.50	.6302	----	----	----	----	62 UNCH
4600	245.00	245.00	325.60/245.00	325.60/198.80A	----	304.20 + 13.20	.6342	----	----	32	----	1971 - 1
4605	----	----	328.40B/----	328.40B/201.40A	----	307.50 + 14.00	.6381	----	----	----	----	38 UNCH
4610	----	----	331.60B/----	331.60B/204.00A	----	310.70 + 14.60	.6420	----	----	----	----	154 UNCH
4615	----	----	335.00B/----	335.00B/206.70A	----	314.00 + 15.30	.6459	----	----	----	----	104 UNCH
4620	----	----	338.30B/----	338.30B/209.40A	----	317.30 + 16.00	.6498	----	----	15	----	112 + 7
4625	----	----	341.70B/----	341.70B/211.90A	----	320.70 + 16.80	.6536	----	----	1	----	244 - 1
4630	----	----	345.20B/----	345.20B/214.70A	----	324.00 + 17.40	.6575	----	----	----	----	30 UNCH
4635	----	----	349.20B/----	349.20B/217.30A	----	327.40 + 18.10	.6613	----	----	----	----	501 UNCH
4640	----	----	351.20B/----	351.20B/220.20A	----	330.80 + 18.80	.6651	----	----	----	----	137 UNCH
4645	----	----	354.70B/----	354.70B/223.00A	----	334.20 + 19.50	.6688	----	----	----	----	59 UNCH
4650	----	----	358.20B/----	358.20B/225.80A	----	337.70 + 20.20	.6726	----	----	3	----	590 - 1
4655	----	----	361.70B/----	361.70B/231.70A	----	341.10 + 20.80	.6763	----	----	----	----	32 UNCH
4660	----	----	365.30B/----	365.30B/234.60A	----	344.60 + 21.50	.6800	----	----	----	----	205 UNCH
4665	----	----	368.90B/----	368.90B/237.50A	----	348.10 + 22.20	.6837	----	----	----	----	44 UNCH
4670	----	----	372.40B/----	372.40B/240.40A	----	351.70 + 22.90	.6873	----	----	----	----	122 UNCH
4675	----	----	376.10B/----	376.10B/243.30A	----	355.20 + 23.60	.6910	----	----	----	----	322 UNCH
4680	----	----	379.70B/----	379.70B/246.20A	----	358.80 + 24.30	.6946	----	----	25	----	190 UNCH
4685	----	----	383.30B/----	383.30B/249.20A	----	362.40 + 24.90	.6982	----	----	----	----	163 UNCH
4690	----	----	387.00B/----	387.00B/252.30A	----	366.00 + 25.60	.7018	----	----	----	----	220 UNCH
4695	----	----	390.70B/----	390.70B/255.20A	----	369.60 + 26.20	.7054	----	----	----	----	80 UNCH
4700	362.00	362.00	394.40B/358.00	394.40B/258.40A	----	373.20 + 26.80	.7089	----	----	8	----	1795 - 1
4705	----	----	397.90B/----	397.90B/261.40A	----	376.90 + 27.50	.7123	----	----	----	----	39 UNCH
4710	----	----	401.90B/----	401.90B/264.50A	----	380.60 + 28.10	.7158	----	----	----	----	205 UNCH
4715	----	----	405.70B/----	405.70B/267.60A	----	384.30 + 28.80	.7192	----	----	----	----	75 UNCH
4720	----	----	409.40B/----	409.40B/270.80A	----	388.00 + 29.40	.7227	----	----	----	----	528 UNCH
4725	----	----	413.20B/----	413.20B/274.00A	----	391.80 + 30.00	.7260	----	----	----	----	65 UNCH
4730	----	----	417.00B/----	417.00B/277.20A	----	395.50 + 30.60	.7293	----	----	11	----	101 UNCH
4735	----	----	420.90B/----	420.90B/280.30A	----	399.30 + 31.20	.7326	----	----	----	----	22 UNCH
4740	351.20	351.20	424.70B/351.20	424.70B/283.70A	----	403.10 + 31.80	.7360	----	----	7	----	53 - 1
4745	----	----	428.60B/----	428.60B/286.90A	----	406.90 + 32.40	.7393	----	----	3	----	38 UNCH
4750	400.00	400.00	432.50B/400.00	432.50B/290.20A	----	410.70 + 33.00	.7426	----	----	7	----	437 - 5
4755	----	----	436.40B/----	436.40B/293.50A	----	414.60 + 33.70	.7457	----	----	----	----	145 UNCH
4760	363.40	363.40	440.40B/362.20	440.40B/296.90A	----	418.50 + 34.30	.7489	----	----	79	----	105 - 40
4765	----	----	444.20B/----	444.20B/300.30A	----	422.40 + 34.90	.7521	----	----	----	----	63 UNCH
4770	----	----	448.20B/----	448.20B/303.60A	----	426.30 + 35.50	.7552	----	----	28	----	71 + 28
4775	----	----	452.20B/----	452.20B/307.00A	----	430.20 + 36.00	.7584	----	----	----	----	253 UNCH
4780	----	----	456.20B/----	456.20B/310.40A	----	434.10 + 36.50	.7614	----	----	25	----	107 + 25
4785	----	----	460.20B/----	460.20B/313.90A	----	438.10 + 37.20	.7645	----	----	----	----	89 UNCH
4790	----	----	464.10B/----	464.10B/317.30A	----	442.00 + 37.60	.7675	----	----	----	----	329 UNCH
4795	323.80	323.80	468.30B/320.80A	468.30B/320.80A	----	446.00 + 38.20	.7705	----	----	1	----	37 UNCH
4800	384.20	384.20	472.20B/384.20	472.20B/324.30A	----	450.00 + 38.80	.7734	----	----	4	----	1419 UNCH
4805	----	----	476.40B/----	476.40B/327.80A	----	454.00 + 39.30	.7762	----	----	----	----	51 UNCH
4810	----	----	480.40B/----	480.40B/331.40A	----	458.10 + 39.90	.7792	----	----	----	----	262 UNCH
4815	----	----	484.50B/----	484.50B/335.00A	----	462.10 + 40.40	.7820	----	----	----	----	22 UNCH
4820	----	----	488.60B/----	488.60B/338.50A	----	466.20 + 40.90	.7848	----	----	----	----	274 UNCH
4825	----	----	492.70B/----	492.70B/342.20A	----	470.30 + 41.50	.7878	----	----	----	----	196 UNCH
4830	----	----	496.80B/----	496.80B/345.80A	----	474.40 + 42.00	.7904	----	----	----	----	129 UNCH
4835	----	----	501.10B/----	501.10B/349.40A	----	478.50 + 42.50	.7931	----	----	----	----	153 UNCH
4840	----	----	505.20B/----	505.20B/353.10A	----	482.60 + 43.00	.7959	----	----	----	----	57 UNCH
4845	----	----	509.30B/----	509.30B/356.80A	----	486.70 + 43.50	.7985	----	----	----	----	39 UNCH
4850	----	----	513.60B/----	513.60B/360.50A	----	490.90 + 44.00	.8013	----	----	85	----	1084 + 40
4855	----	----	517.80B/----	517.80B/364.40A	----	495.10 + 44.50	.8039	----	----	----	----	35 UNCH
4860	----	----	522.00B/----	522.00B/368.10A	----	499.20 + 44.90	.8064	----	----	----	----	38 UNCH
4865	----	----	526.10B/----	526.10B/371.80A	----	503.40 + 45.40	.8090	----	----	----	----	20 UNCH
4870	----	----	530.50B/----	530.50B/375.60A	----	507.60 + 45.90	.8116	----	----	----	----	357 UNCH
4875	----	----	534.60B/----	534.60B/379.40A	----	511.90 + 46.40	.8140	----	----	1	----	150 - 1
4880	----	----	538.90B/----	538.90B/383.20A	----	516.10 + 46.80	.8165	----	----	----	----	99 UNCH
4885	----	----	543.30B/----	543.30B/387.10A	----	520.30 + 47.30	.8189	----	----	----	----	21 UNCH
4890	----	----	547.60B/----	547.60B/390.90A	----	524.60 + 47.80	.8214	----	----	----	----	66 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4895	----	----	551.90B/----	551.90B/394.80A	----	528.90 + 48.20	.8238	----	----	----	----	98 UNCH
4900	483.00	483.00	556.20B/483.00	556.20B/398.70A	----	533.20 + 48.70	.8261	----	----	5	----	1234 UNCH
4905	----	----	560.50B/----	560.50B/402.60A	----	537.50 + 49.10	.8285	----	----	----	----	54 UNCH
4910	----	----	564.90B/----	564.90B/406.50A	----	541.80 + 49.50	.8308	----	----	----	----	90 UNCH
4915	----	----	569.20B/----	569.20B/410.50A	----	546.10 + 49.90	.8329	----	----	----	----	27 UNCH
4920	----	----	573.60B/----	573.60B/414.40A	----	550.40 + 50.30	.8353	----	----	----	----	139 UNCH
4925	----	----	577.90B/----	577.90B/418.40A	----	554.80 + 50.80	.8374	----	----	----	----	47 UNCH
4930	----	----	582.20B/----	582.20B/422.40A	----	559.10 + 51.20	.8397	----	----	----	----	52 UNCH
4935	----	----	586.60B/----	586.60B/426.40A	----	563.50 + 51.60	.8418	----	----	----	----	54 UNCH
4940	----	----	591.00B/----	591.00B/430.40A	----	567.90 + 52.00	.8439	----	----	----	----	16 UNCH
4945	----	----	595.50B/----	595.50B/434.50A	----	572.20 + 52.30	.8460	----	----	----	----	48 UNCH
4950	460.40	460.40	600.00B/460.40	600.00B/438.50A	----	576.60 + 52.70	.8481	----	----	3	----	754 - 1
4955	----	----	604.40B/----	604.40B/442.60A	----	581.10 + 53.20	.8502	----	----	----	----	86 UNCH
4960	----	----	608.80B/----	608.80B/446.60A	----	585.50 + 53.50	.8523	----	----	----	----	132 UNCH
4965	----	----	613.30B/----	613.30B/450.80A	----	589.90 + 53.90	.8541	----	----	----	----	25 UNCH
4970	----	----	617.70B/----	617.70B/454.90A	----	594.30 + 54.20	.8562	----	----	----	----	4 UNCH
4975	----	----	622.30B/----	622.30B/459.00A	----	598.80 + 54.60	.8581	----	----	----	----	89 UNCH
4980	----	----	626.70B/----	626.70B/463.10A	----	603.20 + 54.90	.8599	----	----	----	----	56 UNCH
4985	----	----	631.20B/----	631.20B/466.90A	----	607.70 + 55.30	.8620	----	----	----	----	124 UNCH
4990	----	----	635.70B/----	635.70B/471.50A	----	612.20 + 55.70	.8638	----	----	----	----	36 UNCH
4995	----	----	640.20B/----	640.20B/475.20A	----	616.70 + 56.00	.8656	----	----	----	----	222 UNCH
5000	----	----	644.70B/----	644.70B/479.90A	----	621.20 + 56.30	.8675	----	----	1	----	1110 UNCH
5005	----	----	649.20B/----	649.20B/484.10A	----	625.70 + 56.70	.8693	----	----	----	----	43 UNCH
5010	----	----	653.70B/----	653.70B/488.30A	----	630.20 + 57.00	.8708	----	----	----	----	14 UNCH
5015	----	----	658.30B/----	658.30B/492.20A	----	634.70 + 57.30	.8727	----	----	----	----	23 UNCH
5020	----	----	662.90B/----	662.90B/496.80A	----	639.20 + 57.60	.8745	----	----	----	----	23 UNCH
5025	----	----	667.40B/----	667.40B/501.00A	----	643.80 + 57.90	.8760	----	----	----	----	154 UNCH
5030	----	----	672.00B/----	672.00B/505.40A	----	648.30 + 58.20	.8778	----	----	----	----	24 UNCH
5035	----	----	676.60B/----	676.60B/509.60A	----	652.90 + 58.50	.8794	----	----	----	----	13 UNCH
5040	----	----	681.20B/----	681.20B/513.90A	----	657.40 + 58.80	.8809	----	----	----	----	135 UNCH
5045	----	----	685.70B/----	685.70B/518.20A	----	662.00 + 59.10	.8824	----	----	----	----	28 UNCH
5050	----	----	690.30B/----	690.30B/522.50A	----	666.60 + 59.40	.8842	----	----	1	----	440 UNCH
5055	----	----	694.90B/----	694.90B/526.50A	----	671.20 + 59.70	.8858	----	----	----	----	107 UNCH
5060	----	----	699.50B/----	699.50B/531.20A	----	675.80 + 60.00	.8873	----	----	----	----	84 UNCH
5065	----	----	704.20B/----	704.20B/535.60A	----	680.40 + 60.30	.8886	----	----	----	----	54 UNCH
5070	----	----	708.80B/----	708.80B/539.90A	----	685.00 + 60.50	.8901	----	----	----	----	175 UNCH
5075	----	----	713.40B/----	713.40B/544.30A	----	689.60 + 60.80	.8916	----	----	----	----	47 UNCH
5080	----	----	718.00B/----	718.00B/548.70A	----	694.20 + 61.00	.8931	----	----	----	----	85 UNCH
5085	----	----	722.70B/----	722.70B/553.10A	----	698.80 + 61.20	.8946	----	----	1	----	116 UNCH
5090	----	----	727.10B/----	727.10B/557.50A	----	703.50 + 61.60	.8959	----	----	----	----	23 UNCH
5095	----	----	732.00B/----	732.00B/561.90A	----	708.10 + 61.80	.8974	----	----	----	----	17 UNCH
5100	----	----	736.60B/----	736.60B/566.30A	----	712.80 + 62.10	.8986	----	----	12	----	393 + 12
5105	----	----	741.30B/----	741.30B/570.80A	----	717.40 + 62.30	.9001	----	----	----	----	58 UNCH
5110	----	----	746.00B/----	746.00B/575.30A	----	722.10 + 62.50	.9013	----	----	----	----	286 UNCH
5115	----	----	750.70B/----	750.70B/579.70A	----	726.70 + 62.70	.9026	----	----	----	----	24 UNCH
5120	----	----	755.30B/----	755.30B/584.10A	----	731.40 + 63.00	.9038	----	----	----	----	18 UNCH
5125	----	----	760.00B/----	760.00B/588.60A	----	736.10 + 63.20	.9053	----	----	----	----	89 UNCH
5130	----	----	764.70B/----	764.70B/593.10A	----	740.70 + 63.40	.9065	----	----	----	----	120 UNCH
5135	----	----	769.40B/----	769.40B/597.60A	----	745.40 + 63.60	.9077	----	----	----	----	95 UNCH
5140	----	----	774.10B/----	774.10B/602.10A	----	750.10 + 63.80	.9089	----	----	----	----	23 UNCH
5145	----	----	778.80B/----	778.80B/606.20A	----	754.80 + 64.00	.9101	----	----	----	----	44 UNCH
5150	----	----	783.50B/----	783.50B/611.10A	----	759.50 + 64.20	.9113	----	----	----	----	374 UNCH
5155	----	----	788.30B/----	788.30B/615.70A	----	764.20 + 64.40	.9125	----	----	----	----	9 UNCH
5160	----	----	793.00B/----	793.00B/620.20A	----	768.90 + 64.60	.9134	----	----	----	----	31 UNCH
5165	----	----	797.70B/----	797.70B/624.70A	----	773.60 + 64.80	.9146	----	----	----	----	49 UNCH
5170	----	----	802.50B/----	802.50B/629.30A	----	778.40 + 65.10	.9158	----	----	----	----	155 UNCH
5175	----	----	807.20B/----	807.20B/633.80A	----	783.10 + 65.20	.9170	----	----	----	----	31 UNCH
5180	----	----	811.90B/----	811.90B/638.00A	----	787.80 + 65.40	.9179	----	----	----	----	76 UNCH
5185	----	----	816.70B/----	816.70B/643.00A	----	792.50 + 65.60	.9190	----	----	----	----	2 UNCH
5190	----	----	821.40B/----	821.40B/647.60A	----	797.30 + 65.80	.9199	----	----	----	----	10 UNCH
5195	----	----	826.20B/----	826.20B/652.20A	----	802.00 + 65.90	.9211	----	----	----	----	25 UNCH
5200	----	----	830.90B/----	830.90B/656.70A	----	806.80 + 66.10	.9220	----	----	----	----	270 UNCH
5205	----	----	835.70B/----	835.70B/661.30A	----	811.50 + 66.30	.9232	----	----	----	----	19 UNCH
5210	----	----	840.40B/----	840.40B/666.00A	----	816.30 + 66.50	.9240	----	----	----	----	9 UNCH
5215	----	----	845.20B/----	845.20B/670.60A	----	821.00 + 66.60	.9252	----	----	----	----	6 UNCH
5220	----	----	849.90B/----	849.90B/675.20A	----	825.80 + 66.80	.9261	----	----	----	----	9 UNCH
5225	----	----	854.80B/----	854.80B/679.90A	----	830.60 + 67.00	.9269	----	----	----	----	59 UNCH
5230	----	----	859.50B/----	859.50B/684.50A	----	835.30 + 67.10	.9278	----	----	----	----	10 UNCH
5235	----	----	864.30B/----	864.30B/688.70A	----	840.10 + 67.20	.9290	----	----	----	----	71 UNCH
5240	----	----	869.10B/----	869.10B/693.40A	----	844.90 + 67.40	.9298	----	----	----	----	43 UNCH
5245	----	----	873.90B/----	873.90B/698.40A	----	849.70 + 67.60	.9307	----	----	----	----	15 UNCH
5250	----	----	878.70B/----	878.70B/702.70A	----	854.40 + 67.60	.9315	----	----	----	----	433 UNCH
5255	----	----	883.50B/----	883.50B/707.80A	----	859.20 + 67.80	.9324	----	----	----	----	4 UNCH
5260	----	----	888.30B/----	888.30B/712.40A	----	864.00 + 67.90	.9332	----	----	----	----	11 UNCH
5265	----	----	893.10B/----	893.10B/717.10A	----	868.80 + 68.00	.9341	----	----	----	----	6 UNCH
5270	----	----	897.90B/----	897.90B/721.30A	----	873.60 + 68.20	.9349	----	----	----	----	30 UNCH
5275	----	----	902.70B/----	902.70B/726.50A	----	878.40 + 68.30	.9358	----	----	----	----	205 UNCH
5280	----	----	907.50B/----	907.50B/730.70A	----	883.20 + 68.40	.9366	----	----	----	----	33 UNCH
5290	----	----	#917.20B/----	#917.20B/740.20A	----	892.80 + 68.70	.9380	----	----	----	----	2 UNCH
5295	----	----	922.00B/----	922.00B/744.80A	----	897.70 + 68.90	.9388	----	----	----	----	5 UNCH
5300	----	----	926.80B/----	926.80B/749.60A	----	902.50 + 69.00	.9396	----	----	----	----	111 UNCH
5305	----	----	931.70B/----	931.70B/754.70A	----	907.30 + 69.10	.9405	----	----	----	----	40 UNCH
5310	----	----	936.50B/----	936.50B/759.00A	----	912.10 + 69.10	.9410	----	----	----	----	32 UNCH
5315	----	----	#941.10B/----	#941.10B/764.10A	----	917.00 + 69.30	.9418	----	----	----	----	1 UNCH
5320	----	----	946.10B/----	946.10B/768.90A	----	921.80 + 69.40	.9426	----	----	----	----	26 UNCH
5325	----	----	950.90B/----	950.90B/773.60A	----	926.60 + 69.50	.9431	----	----	----	----	51 UNCH
5330	----	----	955.80B/----	955.80B/778.40A	----	931.50 + 69.60	.9440	----	----	----	----	27 UNCH
5335	----	----	#960.70B/----	#960.70B/783.10A	----	936.30 + 69.70	.9445	----	----	----	----	1 UNCH
5340	----	----	965.50B/----	965.50B/787.50A	----	941.10 + 69.80	.9453	----	----	----	----	14 UNCH
5350	----	----	975.20B/----	975.20B/797.00A	----	950.80 + 70.00	.9466	----	----	----	----	43 UNCH
5360	----	----	984.90B/----	984.90B/806.90A	----	960.50 + 70.20	.9479	----	----	----	----	11 UNCH
5365	----	----	989.70B/----	989.70B/811.70A	----	965.40 + 70.30	.9484	----	----	----	----	11 UNCH
5370	----	----	994.60B/----	994.60B/816.50A	----	970.20 + 70.30	.9492	----	----	----	----	32 UNCH
5375	----	----	999.40B/----	999.40B/821.20A	----	975.10 + 70.50	.9497	----	----	----	----	32 UNCH
5380	837.10	837.10	1,004.40B/826.0	1004.40B/826.00A	----	979.90 + 70.50	.9502	----	----	1	----	4 UNCH
5385	----	----	1,009.10B/----	1009.10B/830.80A	----	984.80 + 70.60	.9510	----	----	----	----	15 UNCH
5390	----	----	#1,014.10B/----	#1014.10B/835.60A	----	989.70 + 70.70	.9515	----	----	----	----	1 UNCH
5400	----	----	1,023.70B/----	1023.70B/845.20A	----	999.40 + 70.90	.9524	----	----	----	----	97 UNCH
5410	----	----	1,033.50B/----	1033.50B/854.40A	----	1009.20 + 71.10	.9537	----	----	----	----	55 UNCH
5420	----	----	1,043.30B/----	1043.30B/864.30A	----	1018.90 + 71.20	.9546	----	----	----	----	7 UNCH
5425	----	----	1,048.10B/----	1048.10B/869.20A	----	1023.80 + 71.30	.9551	----	----	----	----	32 UNCH
5435	----	----	#1,058.00B/----	#1058.00B/878.90A	----	1033.50 + 71.30	.9564	----	----	----	----	2 UNCH
5445	----	----	#1,067.60B/----	#1067.60B/888.30A	----	1043.30 + 71.50	.9573	----	----	----	----	1 UNCH
5450	----	----	1,072.50B/----	1072.50B/893.10A	----	1048.20 + 71.60	.9578	----	----	----	----	20 UNCH
5475	----	----	1,089.70B/----	1089.70B/917.10A	----	1072.70 + 71.90	.9600	----	----	----	----	1 UNCH
5490	----	----	1,105.00B/----	1105.00B/931.60A	----	1087.40 + 72.10	.9614	----	----	----	----	3 UNCH
5500	----	----	1,116.40B/----	1116.40B/941.70A	----	1097.20 + 72.20	.9623	----	----	----	----	35 UNCH
5515	----	----	1,129.50B/----	1129.50B/962.10A	----	1111.90 + 72.40	.9636	----	----	----	----	10 UNCH
5520	----	----	1,134.30B/----	1134.30B/967.00A	----	1116.80 + 72.40	.9637	----	----	----	----	1 UNCH
5530	----	----	1,144.20B/----	1144.20B/976.70A	----	1126.60 + 72.50	.9646	----	----	----	----	10 UNCH
5535	----	----	1,149.10B/----	1149.10B/981.60A	----	1131.50 + 72.50	.9651	----	----	----	----	10 UNCH
5540	----	----	1,154.00B/----	1154.00B/986.50A	----	1136.50 + 72.70	.9655	----	----	----	----	5 UNCH
5550	----	----	1,163.90B/----	1163.90B/996.20A	----	1146.30 + 72.70	.9660	----	----	----	----	5 UNCH
5565	----	----	1,178.60B/----	1178.60B/1010.90A	----	1161.00 + 72.80	.9673	----	----	----	----	10 UNCH
5575	----	----	1,188.50B/----	1188.50B/1020.70A	----	1170.90 + 72.90	.9679	----	----	----	----	12 UNCH
5590	----	----	1,204.90B/----	1204.90B/1035.30A	----	1185.70 + 73.10	.9688	----	----	----	----	25 UNCH
5600	----	----	1,213.10B/----	1213.10B/1045.10A	----	1195.50 + 73.10	.9697	----	----	----	----	11 UNCH
5625	----	----	1,237.70B/----	1237.70B/1069.60A	----	1220.20 + 73.30	.9711	----	----	----	----	6 UNCH
5640	----	----	#1,254.10B/----	#1254.10B/1084.30A	----	1235.00 + 73.40	.9720	----	----	----	----	1 UNCH
5890	----	----	1,497.70B/----	1497.70B/1371.70A	----	1482.70 + 74.60	.9826	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1502.60 + 74.70	.9835	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1552.30 + 74.80	.9846	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1572.20 + 74.90	.9851	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1592.20 + 75.00	.9856	----	----	----	----	2 UNCH
6025	----	----	1,631.90B/----	1631.90B/1506.00A	----	1617.10 + 75.10	.9861	----	----	----	----	3 UNCH
6100	----	----	1,706.50B/----	1706.50B/1580.70A	----	1691.80 + 75.30	.9876	----	----	----	----	7 UNCH
TOTAL										7765	200	71156+ 2544
JUN26												
1325	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1375	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1500	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1525	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
1575	----	----	----	0.10B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1580	----	----	----	0.10B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1590	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	175 UNCH
1600	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	18 UNCH
1610	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1615	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1620	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	31 UNCH
1625	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1650	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1670	----	----	0.30B/----	0.30B/0.50A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1675	----	----	0.30B/----	0.30B/0.50A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1685	----	----	0.30B/----	0.30B/0.50A	----	0.20 + 0.10	.0004	----	----	----	----	5 UNCH
1690	----	----	0.30B/----	0.30B/0.50A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1695	----	----	0.30B/----	0.30B/0.50A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1700	----	----	0.30B/----	0.30B/0.50A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1750	----	----	0.40B/----	0.40B/0.60A	----	0.30 + 0.20	.0007	----	----	----	----	2 UNCH
1755	----	----	0.40B/----	0.40B/0.60A	----	0.30 + 0.10	.0007	----	----	----	----	1 UNCH
1775	----	----	0.40B/----	0.40B/0.60A	----	0.30 + 0.10	.0007	----	----	----	----	1 UNCH
1785	----	----	0.40B/----	0.40B/0.60A	----	0.30 + 0.10	.0007	----	----	----	----	2 UNCH
1795	----	----	0.40B/----	0.40B/0.60A	----	0.30 + 0.10	.0007	----	----	----	----	11 UNCH
1800	----	----	0.40B/----	0.40B/0.60A	----	0.40 + 0.20	.0009	----	----	----	----	6 UNCH
1815	----	----	0.40B/----	0.40B/0.60A	----	0.40 + 0.20	.0009	----	----	----	----	1 UNCH
1820	----	----	0.40B/----	0.40B/0.60A	----	0.40 + 0.20	.0009	----	----	----	----	2 UNCH
1855	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.20	.0011	----	----	----	----	1 UNCH
1875	----	----	0.60B/----	0.60B/0.60A	----	0.60 + 0.30	.0013	----	----	----	----	3 UNCH
1900	----	----	0.60B/----	0.60B/0.60A	----	0.70 + 0.30	.0015	----	----	----	----	3 UNCH
1905	----	----	0.60B/----	0.60B/0.60A	----	0.70 + 0.30	.0015	----	----	----	----	7 UNCH
1915	----	----	0.60B/----	0.60B/0.60A	----	0.70 + 0.30	.0015	----	----	----	----	10 UNCH
1920	----	----	0.70B/----	0.70B/0.70A	----	0.80 + 0.30	.0017	----	----	----	----	2 UNCH
1950	----	----	0.70B/----	0.70B/0.70A	----	0.90 + 0.30	.0019	----	----	----	----	1 UNCH
1955	----	----	0.70B/----	0.70B/0.70A	----	0.90 + 0.30	.0019	----	----	----	----	2 UNCH
1965	----	----	0.80B/----	0.80B/0.70A	----	0.90 + 0.30	.0020	----	----	----	----	10 UNCH
2000	0.90	0.90	1.00B/0.90	1.00B/0.90	----	1.00 + 0.40	.0022	----	----	1	----	600 UNCH
2005	----	----	0.90B/----	0.90B/0.80A	----	1.00 + 0.40	.0022	----	----	----	----	1 UNCH
2010	----	----	0.90B/----	0.90B/0.80A	----	1.00 + 0.40	.0022	----	----	----	----	1 UNCH
2015	----	----	0.90B/----	0.90B/0.80A	----	1.10 + 0.50	.0024	----	----	----	----	7 UNCH
2020	----	----	0.90B/----	0.90B/0.90A	----	1.10 + 0.40	.0024	----	----	----	----	1 UNCH
2025	----	----	0.90B/----	0.90B/0.90A	----	1.10 + 0.40	.0024	----	----	----	----	10 UNCH
2030	----	----	0.90B/----	0.90B/0.90A	----	1.10 + 0.40	.0024	----	----	----	----	13 UNCH
2050	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0024	----	----	----	----	20 UNCH
2085	----	----	1.10B/----	1.10B/0.90A	----	1.20 + 0.50	.0027	----	----	----	----	15 UNCH
2100	1.10	1.10	1.20B/1.10	1.20B/1.00A	----	1.20 + 0.50	.0027	----	----	5	----	90 UNCH
2105	----	----	1.20B/----	1.20B/1.00A	----	1.20 + 0.50	.0027	----	----	----	----	1 UNCH
2170	----	----	1.40B/----	1.40B/1.20A	----	1.40 + 0.60	.0032	----	----	----	----	5 UNCH
2180	1.30	1.30	1.40B/1.30	1.40B/1.20A	----	1.40 NEW	.0032	----	----	6	----	6 + 6
2195	----	----	1.50B/----	1.50B/1.20A	----	1.40 + 0.50	.0033	----	----	----	----	5 UNCH
2200	----	----	1.50B/----	1.50B/1.20A	----	1.40 + 0.50	.0033	----	----	----	----	7 UNCH
2205	----	----	1.50B/----	1.50B/1.20A	----	1.50 + 0.60	.0035	----	----	----	----	7 UNCH
2220	----	----	1.60B/----	1.60B/1.30A	----	1.50 + 0.60	.0035	----	----	----	----	1 UNCH
2230	----	----	1.60B/----	1.60B/1.30A	----	1.50 + 0.60	.0035	----	----	----	----	20 UNCH
2235	----	----	1.70B/----	1.70B/1.20A	----	1.50 + 0.60	.0035	----	----	----	----	21 UNCH
2240	1.20	1.20	1.70B/1.20	1.70B/1.20	----	1.50 NEW	.0035	----	----	6	----	6 + 6
2250	----	----	1.70B/----	1.70B/1.20A	----	1.60 + 0.70	.0038	----	----	----	----	5 UNCH
2300	----	----	1.90B/----	1.90B/1.40A	----	1.70 + 0.70	.0041	----	----	----	----	4 UNCH
2315	1.50	1.50	2.00B/1.50	2.00B/1.40A	----	1.70 NEW	.0041	----	----	40	----	40 + 40
2330	----	----	2.10B/----	2.10B/1.50A	----	1.80 + 0.80	.0044	----	----	----	----	1 UNCH
2350	----	----	2.20B/----	2.20B/1.50A	----	1.80 + 0.70	.0044	----	----	----	----	1 UNCH
2380	----	----	2.40B/----	2.40B/1.60A	----	1.90 + 0.80	.0047	----	----	----	----	1 UNCH
2385	----	----	2.40B/----	2.40B/1.60A	----	1.90 + 0.80	.0047	----	----	----	----	1 UNCH
2390	----	----	2.50B/----	2.50B/1.70A	----	2.00 + 0.90	.0049	----	----	----	----	1 UNCH
2395	----	----	2.50B/----	2.50B/1.70A	----	2.00 + 0.90	.0049	----	----	----	----	1 UNCH
2400	----	----	2.50B/----	2.50B/1.70A	----	2.00 + 0.90	.0050	----	----	9	----	72 - 3
2405	----	----	2.60B/----	2.60B/1.70A	----	2.00 + 0.90	.0050	----	----	----	----	1 UNCH
2410	----	----	2.60B/----	2.60B/1.70A	----	2.00 + 0.80	.0050	----	----	----	----	1 UNCH
2415	----	----	2.60B/----	2.60B/1.80A	----	2.10 + 0.90	.0052	----	----	----	----	1 UNCH
2420	----	----	2.60B/----	2.60B/1.80A	----	2.10 + 0.90	.0052	----	----	----	----	1 UNCH
2425	----	----	2.70B/----	2.70B/1.80A	----	2.10 + 0.90	.0052	----	----	----	----	2 UNCH
2430	----	----	2.70B/----	2.70B/1.80A	----	2.10 + 0.90	.0053	----	----	----	----	1 UNCH
2450	----	----	2.90B/----	2.90B/1.90A	----	2.30 + 1.00	.0057	----	----	----	----	2 UNCH
2460	----	----	2.90B/----	2.90B/1.90A	----	2.30 + 1.00	.0058	----	----	----	----	1 UNCH
2465	----	----	3.00B/----	3.00B/1.90A	----	2.30 + 1.00	.0058	----	----	----	----	7 UNCH
2475	----	----	3.00B/----	3.00B/2.00A	----	2.40 + 1.10	.0060	----	----	----	----	1 UNCH
2495	----	----	3.20B/----	3.20B/2.10A	----	2.50 + 1.10	.0063	----	----	----	----	1 UNCH
2500	----	----	3.20B/----	3.20B/2.10A	----	2.60 + 1.20	.0065	----	----	----	----	1818 UNCH
2550	----	----	3.60B/----	3.60B/2.30A	----	2.90 + 1.40	.0073	----	----	----	----	50 UNCH
2590	3.80	3.80	4.00B/3.80	4.00B/2.50A	----	3.20 NEW	.0081	----	----	8	----	8 + 8
2600	----	----	4.10B/----	4.10B/2.60A	----	3.30 + 1.60	.0084	----	----	----	----	157 UNCH
2650	----	----	4.60B/----	4.60B/2.80A	----	3.70 NEW	.0095	----	----	1	----	1 + 1
2700	2.90	2.90	5.50/2.90	5.50/2.90	----	4.20 + 2.10	.0108	----	----	100	----	430 - 66
2750	----	----	5.90B/----	5.90B/3.40A	----	4.80 + 2.50	.0124	----	----	----	----	1 UNCH
2800	7.10	7.10	7.10/7.10	7.10/3.70A	----	5.40 + 2.80	.0140	----	----	4	----	559 UNCH
2805	----	----	6.70B/----	6.70B/3.70A	----	5.50 + 2.90	.0143	----	----	----	----	223 UNCH
2810	----	----	6.80B/----	6.80B/3.80A	----	5.60 + 3.00	.0145	----	----	----	----	39 UNCH
2825	----	----	7.10B/----	7.10B/3.90A	----	5.80 + 3.10	.0150	----	----	----	----	48 UNCH
2830	----	----	7.20B/----	7.20B/3.90A	----	5.90 + 3.10	.0153	----	----	----	----	25 UNCH
2850	4.40	4.40	7.50B/4.40	7.50B/4.10A	----	6.20 + 3.30	.0161	----	----	2	----	14 + 2
2875	----	----	8.00B/----	8.00B/4.30A	----	6.60 + 3.60	.0172	----	----	----	----	7 UNCH
2900	----	----	8.50B/----	8.50B/4.40A	----	7.00 + 3.80	.0182	----	----	----	----	160 UNCH
2905	----	----	8.60B/----	8.60B/4.40A	----	7.10 + 3.80	.0185	----	----	----	----	5 UNCH
2915	----	----	8.80B/----	8.80B/4.60A	----	7.30 + 4.00	.0190	----	----	----	----	1 UNCH
2935	----	----	9.20B/----	9.20B/4.80A	----	7.60 + 4.10	.0199	----	----	----	----	3 UNCH
2950	----	----	9.60B/----	9.60B/5.00A	----	7.90 + 4.30	.0207	----	----	----	----	24 UNCH
2975	----	----	10.20B/----	10.20B/5.20A	----	8.50 + 4.60	.0222	----	----	----	----	9 UNCH
2990	----	----	10.60B/----	10.60B/5.40A	----	8.80 + 4.80	.0230	----	----	----	----	5 UNCH
2995	----	----	10.70B/----	10.70B/5.50A	----	8.90 + 4.90	.0233	----	----	----	----	6 UNCH
3000	9.20	9.20	11.30/9.20	11.30/5.50A	----	9.00 + 4.90	.0235	----	----	5	----	1534 - 1
3005	----	----	10.90B/----	10.90B/5.60A	----	9.10 + 5.00	.0238	----	----	----	----	10 UNCH
3010	10.70	10.70	11.10B/10.70	11.10B/5.60A	----	9.30 NEW	.0243	----	----	8	----	8 + 8
3015	----	----	11.20B/----	11.20B/5.70A	----	9.40 + 5.20	.0245	----	----	----	----	215 UNCH
3020	----	----	11.30B/----	11.30B/5.80A	----	9.50 + 5.20	.0248	----	----	----	----	35 UNCH
3035	----	----	11.80B/----	11.80B/5.90A	----	9.90 + 5.40	.0259	----	----	----	----	1 UNCH
3050	----	----	12.20B/----	12.20B/6.10A	----	10.30 + 5.70	.0269	----	----	1	----	389 UNCH
3065	----	----	12.60B/----	12.60B/6.30A	----	10.70 + 5.90	.0279	----	----	----	----	7 UNCH
3070	----	----	12.80B/----	12.80B/6.40A	----	10.80 + 5.90	.0282	----	----	----	----	6 UNCH
3075	----	----	13.00B/----	13.00B/6.50A	----	10.90 + 6.00	.0285	----	----	----	----	10 UNCH
3080	----	----	13.10B/----	13.10B/6.50A	----	11.10 + 6.10	.0290	----	----	----	----	8 UNCH
3095	----	----	13.60B/----	13.60B/6.70A	----	11.50 + 6.30	.0301	----	----	----	----	41 UNCH
3100	12.50	12.50	13.80B/12.50	13.80B/6.80A	----	11.70 + 6.50	.0305	----	----	7	----	364 - 1
3105	----	----	13.90B/----	13.90B/6.90A	----	11.80 + 6.50	.0308	----	----	----	----	11 UNCH
3110	----	----	14.10B/----	14.10B/7.00A	----	12.00 + 6.60	.0313	----	----	----	----	10 UNCH
3120	----	----	14.50B/----	14.50B/7.10A	----	12.30 + 6.80	.0321	----	----	----	----	6 UNCH
3125	----	----	14.70B/----	14.70B/7.20A	----	12.40 + 6.80	.0324	----	----	----	----	10 UNCH
3130	----	----	14.80B/----	14.80B/7.30A	----	12.60 + 7.00	.0329	----	----	----	----	25 UNCH
3140	----	----	15.20B/----	15.20B/7.40A	----	12.90 + 7.10	.0337	----	----	----	----	5 UNCH
3150	----	----	15.60B/----	15.60B/7.60A	----	13.30 + 7.40	.0347	----	----	2	----	142 + 2
3155	----	----	15.80B/----	15.80B/7.70A	----	13.40 + 7.40	.0350	----	----	----	----	16 UNCH
3160	----	----	16.00B/----	16.00B/7.80A	----	13.60 + 7.50	.0355	----	----	----	----	5 UNCH
3170	----	----	16.50B/----	16.50B/7.90A	----	14.00 + 7.80	.0365	----	----	----	----	6 UNCH
3175	----	----	16.70B/----	16.70B/8.00A	----	14.10 + 7.80	.0368	----	----	----	----	12 UNCH
3180	----	----	16.90B/----	16.90B/8.10A	----	14.30 + 7.90	.0373	----	----	----	----	5 UNCH
3185	----	----	17.20B/----	17.20B/8.20A	----	14.50 + 8.00	.0378	----	----	----	----	6 UNCH
3190	----	----	17.30B/----	17.30B/8.30A	----	14.70 + 8.10	.0383	----	----	----	----	18 UNCH
3200	----	----	17.70B/----	17.70B/8.50A	----	15.10 + 8.40	.0393	----	----	1	----	288 - 2
3205	----	----	17.90B/----	17.90B/8.60A	----	15.30 + 8.50	.0398	----	----	----	----	42 UNCH
3210	----	----	18.20B/----	18.20B/8.70A	----	15.50 + 8.60	.0403	----	----	----	----	15 UNCH
3215	----	----	18.50B/----	18.50B/8.80A	----	15.70 + 8.70	.0408	----	----	----	----	22 UNCH
3220	----	----	18.60B/----	18.60B/8.90A	----	15.90 + 8.80	.0413	----	----	----	----	7 UNCH
3225	----	----	18.90B/----	18.90B/9.00A	----	16.10 + 8.90	.0418	----	----	----	----	41 UNCH
3235	----	----	19.30B/----	19.30B/9.20A	----	16.50 + 9.10	.0429	----	----	----	----	24 UNCH
3250	----	----	20.00B/----	20.00B/9.30A	----	17.10 + 9.50	.0444	----	----	----	----	148 UNCH
3255	----	----	20.40B/----	20.40B/9.50A	----	17.30 + 9.60	.0449	----	----	----	----	110 UNCH
3260	----	----	20.50B/----	20.50B/9.60A	----	17.60 + 9.80	.0456	----	----	----	----	1 UNCH
3265	----	----	20.90B/----	20.90B/9.80A	----	17.80 + 9.90	.0462	----	----	----	----	20 UNCH
3270	----	----	21.00B/----	21.00B/9.90A	----	18.00 + 9.90	.0467	----	----	----	----	7 UNCH
3280	----	----	21.60B/----	21.60B/10.20A	----	18.50 + 10.20	.0479	----	----	----	----	9 UNCH
3290	----	----	22.20B/----	22.20B/10.40A	----	18.90 + 10.40	.0490	----	----	----	----	37 UNCH
3300	9.80	9.80	22.70B/9.80	22.70B/9.80	----	19.40 + 10.70	.0502	----	----	8	----	371 + 2
3305	----	----	23.00B/----	23.00B/10.70A	----	19.70 + 10.90	.0510	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3310	----	----	23.30B/----	23.30B/10.90A	----	19.90 + 11.00	.0515	----	----	----	----	5 UNCH
3320	20.70	20.70	23.80B/20.70	23.80B/11.20A	----	20.40 NEW	.0528	----	----	3	----	3 + 3
3325	----	----	24.20B/----	24.20B/11.20A	----	20.70 + 11.40	.0535	----	----	----	----	46 UNCH
3335	21.60	21.60	24.80B/21.60	24.80B/11.50A	----	21.20 + 11.70	.0548	----	----	1	----	46 + 1
3340	----	----	25.10B/----	25.10B/11.70A	----	21.50 + 11.80	.0555	----	----	----	----	22 UNCH
3345	----	----	25.40B/----	25.40B/11.90A	----	21.80 + 12.00	.0562	----	----	----	----	11 UNCH
3350	21.60	21.60	25.70B/21.60	25.70B/12.00A	----	22.00 + 12.10	.0568	----	----	14	----	366 - 8
3355	----	----	26.00B/----	26.00B/12.20A	----	22.30 + 12.30	.0575	----	----	----	----	1 UNCH
3360	----	----	26.40B/----	26.40B/12.10A	----	22.60 + 12.40	.0582	----	----	----	----	7 UNCH
3365	23.30	23.30	26.70B/23.30	26.70B/12.40A	----	22.90 + 12.60	.0590	----	----	1	----	29 + 1
3370	----	----	27.00B/----	27.00B/12.40A	----	23.20 + 12.80	.0597	----	----	----	----	25 UNCH
3375	----	----	27.30B/----	27.30B/12.70A	----	23.50 + 12.90	.0604	----	----	----	----	98 UNCH
3380	----	----	27.60B/----	27.60B/12.70A	----	23.80 + 13.10	.0612	----	----	----	----	48 UNCH
3390	----	----	28.30B/----	28.30B/13.10A	----	24.40 + 13.40	.0627	----	----	----	----	40 UNCH
3395	----	----	28.70B/----	28.70B/13.30A	----	24.70 + 13.60	.0634	----	----	----	----	1 UNCH
3400	19.00	19.00	29.00B/19.00	29.00B/13.30A	----	25.00 + 13.70	.0642	----	----	6	----	730 - 1
3410	----	----	29.70B/----	29.70B/13.80A	----	25.60 + 14.00	.0657	----	----	----	----	7 UNCH
3415	----	----	30.10B/----	30.10B/14.00A	----	25.90 + 14.20	.0664	----	----	----	----	1 UNCH
3420	26.70	26.70	30.50B/26.70	30.50B/14.00A	----	26.30 + 14.40	.0674	----	----	1	----	18 + 1
3425	30.90	30.90	30.90/30.90	30.90/14.30A	----	26.60 + 14.50	.0681	----	----	1	----	25 + 1
3430	27.30	27.30	31.20B/27.30	31.20B/14.50A	----	26.90 NEW	.0689	----	----	2	----	2 + 2
3435	----	----	31.60B/----	31.60B/14.70A	----	27.30 + 14.90	.0698	----	----	----	----	20 UNCH
3450	----	----	32.70B/----	32.70B/15.10A	----	28.30 + 15.40	.0723	----	----	----	----	428 UNCH
3455	----	----	33.10B/----	33.10B/15.40A	----	28.60 + 15.60	.0731	----	----	----	----	50 UNCH
3460	----	----	33.50B/----	33.50B/15.60A	----	29.00 + 15.80	.0740	----	----	----	----	50 UNCH
3465	----	----	33.90B/----	33.90B/15.80A	----	29.40 + 16.00	.0749	----	----	----	----	89 UNCH
3475	----	----	34.80B/----	34.80B/16.00A	----	30.10 + 16.40	.0767	----	----	----	----	241 UNCH
3480	----	----	35.20B/----	35.20B/16.20A	----	30.50 + 16.60	.0776	----	----	----	----	170 UNCH
3490	----	----	36.00B/----	36.00B/16.60A	----	31.20 + 16.90	.0794	----	----	----	----	20 UNCH
3500	16.60	16.60	36.90B/16.60	36.90B/16.60	----	32.00 + 17.30	.0813	----	----	43	----	1531 - 23
3505	----	----	37.30B/----	37.30B/17.30A	----	32.40 + 17.50	.0822	----	----	----	----	50 UNCH
3510	----	----	37.80B/----	37.80B/17.60A	----	32.80 + 17.70	.0832	----	----	----	----	61 UNCH
3515	----	----	38.20B/----	38.20B/17.70A	----	33.20 + 17.90	.0842	----	----	----	----	10 UNCH
3520	31.30	31.30	38.70B/31.30	38.70B/18.00A	----	33.60 + 18.10	.0851	----	----	2	----	248 UNCH
3525	35.20	35.20	39.10B/35.20	39.10B/18.20A	----	34.10 + 18.40	.0863	----	----	1	----	301 + 1
3530	----	----	39.60B/----	39.60B/18.50A	----	34.50 + 18.60	.0872	----	----	----	----	5 UNCH
3535	----	----	40.10B/----	40.10B/18.70A	----	34.90 + 18.80	.0882	----	----	----	----	100 UNCH
3540	----	----	40.50B/----	40.50B/18.90A	----	35.30 + 19.00	.0892	----	----	----	----	5 UNCH
3545	----	----	41.00B/----	41.00B/19.10A	----	35.80 + 19.30	.0903	----	----	----	----	20 UNCH
3550	----	----	41.50B/----	41.50B/19.50A	----	36.20 + 19.40	.0913	----	----	----	----	416 UNCH
3560	----	----	42.50B/----	42.50B/19.90A	----	37.10 + 19.90	.0935	----	----	----	----	86 UNCH
3565	26.30	26.30	43.00B/26.30	43.00B/20.10A	----	37.60 + 20.20	.0946	----	----	2	----	41 + 1
3570	----	----	43.50B/----	43.50B/20.50A	----	38.00 + 20.30	.0956	----	----	----	----	58 UNCH
3575	----	----	44.00B/----	44.00B/20.70A	----	38.50 + 20.60	.0968	----	----	----	----	38 UNCH
3580	----	----	44.50B/----	44.50B/20.90A	----	39.00 + 20.90	.0979	----	----	----	----	77 UNCH
3585	----	----	45.00B/----	45.00B/21.20A	----	39.50 + 21.10	.0991	----	----	----	----	1 UNCH
3595	----	----	46.10B/----	46.10B/21.80A	----	40.40 + 21.50	.1012	----	----	----	----	23 UNCH
3600	23.20	23.20	46.70B/21.30	46.70B/21.30	----	40.90 + 21.80	.1024	----	----	29	----	1581 - 14
3615	----	----	48.30B/----	48.30B/22.80A	----	42.40 + 22.50	.1059	----	----	----	----	37 UNCH
3620	----	----	48.90B/----	48.90B/23.10A	----	43.00 + 22.80	.1073	----	----	----	----	7 UNCH
3625	----	----	49.50B/----	49.50B/23.40A	----	43.50 + 23.00	.1084	----	----	----	----	36 UNCH
3630	----	----	50.00B/----	50.00B/23.90A	----	44.00 + 23.30	.1096	----	----	----	----	86 UNCH
3635	----	----	50.60B/----	50.60B/24.10A	----	44.60 + 23.60	.1110	----	----	----	----	105 UNCH
3640	----	----	51.20B/----	51.20B/24.40A	----	45.10 + 23.80	.1122	----	----	----	----	26 UNCH
3645	----	----	51.80B/----	51.80B/24.60A	----	45.60 + 24.00	.1134	----	----	----	----	8 UNCH
3650	----	----	52.40B/----	52.40B/24.80A	----	46.20 + 24.30	.1147	----	----	----	----	499 UNCH
3660	----	----	53.60B/----	53.60B/25.50A	----	47.30 + 24.80	.1172	----	----	----	----	1 UNCH
3665	----	----	54.30B/----	54.30B/25.90A	----	47.90 + 25.10	.1186	----	----	----	----	13 UNCH
3670	48.80	48.80	54.90B/48.80	54.90B/26.20A	----	48.50 + 25.40	.1200	----	----	1	----	30 UNCH
3675	35.60	35.60	55.50B/35.60	55.50B/26.50A	----	49.10 + 25.70	.1213	----	----	2	----	60 UNCH
3680	----	----	56.20B/----	56.20B/26.90A	----	49.70 + 26.00	.1227	----	----	1	----	17 + 1
3685	----	----	56.80B/----	56.80B/27.30A	----	50.30 + 26.30	.1240	----	----	----	----	51 UNCH
3690	----	----	57.50B/----	57.50B/27.60A	----	50.90 + 26.50	.1254	----	----	----	----	5 UNCH
3695	----	----	58.20B/----	58.20B/28.00A	----	51.50 + 26.80	.1268	----	----	----	----	19 UNCH
3700	50.90	50.90	58.80B/50.90	58.80B/28.40A	----	52.10 + 27.10	.1282	----	----	88	----	724 - 29
3705	----	----	59.50B/----	59.50B/28.70A	----	52.80 + 27.40	.1297	----	----	----	----	119 UNCH
3710	----	----	60.20B/----	60.20B/29.10A	----	53.40 + 27.70	.1310	----	----	----	----	15 UNCH
3715	----	----	60.90B/----	60.90B/29.40A	----	54.00 + 27.90	.1324	----	----	----	----	46 UNCH
3725	----	----	62.30B/----	62.30B/30.20A	----	55.30 + 28.50	.1354	----	----	----	----	86 UNCH
3730	----	----	63.00B/----	63.00B/30.60A	----	56.00 + 28.90	.1369	----	----	----	----	18 UNCH
3740	----	----	64.50B/----	64.50B/31.40A	----	57.40 + 29.50	.1400	----	----	----	----	64 UNCH
3745	56.00	56.00	65.20B/56.00	65.20B/31.90A	----	58.00 + 29.70	.1414	----	----	2	----	23 + 2
3750	----	----	66.00B/----	66.00B/32.20A	----	58.70 + 30.10	.1429	----	----	22	----	1368 - 11
3755	----	----	66.70B/----	66.70B/32.70A	----	59.40 + 30.40	.1445	----	----	----	----	2 UNCH
3760	----	----	67.50B/----	67.50B/33.10A	----	60.20 + 30.80	.1461	----	----	----	----	13 UNCH
3765	----	----	68.30B/----	68.30B/33.60A	----	60.90 + 31.10	.1477	----	----	----	----	46 UNCH
3770	46.20	46.20	69.10B/46.20	69.10B/34.00A	----	61.60 + 31.40	.1493	----	----	2	----	10 + 1
3775	----	----	69.80B/----	69.80B/34.50A	----	62.30 + 31.70	.1508	----	----	----	----	39 UNCH
3780	----	----	70.60B/----	70.60B/34.90A	----	63.10 + 32.00	.1525	----	----	1	----	12 UNCH
3785	----	----	71.40B/----	71.40B/35.40A	----	63.80 + 32.30	.1541	----	----	----	----	6 UNCH
3790	64.00	64.00	72.30B/64.00	72.30B/35.80A	----	64.60 + 32.70	.1558	----	----	2	150	252 - 49
3795	----	----	73.00B/----	73.00B/36.30A	----	65.30 + 33.00	.1574	----	----	----	----	55 UNCH
3800	51.80	51.80	73.90B/51.80	73.90B/36.70A	----	66.10 + 33.30	.1591	----	----	62	----	1349 - 37
3805	----	----	74.70B/----	74.70B/37.30A	----	66.90 + 33.70	.1608	----	----	----	----	67 UNCH
3810	----	----	75.50B/----	75.50B/37.80A	----	67.70 + 34.00	.1625	----	----	----	----	11 UNCH
3815	----	----	76.40B/----	76.40B/38.20A	----	68.50 + 34.40	.1643	----	----	----	----	38 UNCH
3820	----	----	77.40B/----	77.40B/38.70A	----	69.30 + 34.70	.1660	----	----	----	----	11 UNCH
3825	----	----	78.30B/----	78.30B/39.20A	----	70.10 + 35.00	.1677	----	----	----	----	40 UNCH
3830	----	----	79.10B/----	79.10B/39.80A	----	70.90 + 35.30	.1695	----	----	----	----	184 UNCH
3835	----	----	80.00B/----	80.00B/40.30A	----	71.80 + 35.80	.1713	----	----	----	----	55 UNCH
3840	----	----	80.90B/----	80.90B/40.80A	----	72.60 + 36.10	.1731	----	----	----	----	2 UNCH
3850	----	----	82.80B/----	82.80B/41.90A	----	74.30 + 36.80	.1767	----	----	74	----	669 + 3
3855	----	----	83.60B/----	83.60B/42.40A	----	75.20 + 37.20	.1785	----	----	70	----	71 - 40
3860	----	----	84.50B/----	84.50B/43.00A	----	76.10 + 37.50	.1804	----	----	1	----	17 + 1
3865	----	----	85.50B/----	85.50B/43.50A	----	76.90 + 37.80	.1822	----	----	----	----	12 UNCH
3870	----	----	86.60B/----	86.60B/44.00A	----	77.80 + 38.20	.1841	----	----	2	----	17 + 2
3875	----	----	87.40B/----	87.40B/44.70A	----	78.70 + 38.50	.1860	----	----	----	----	163 UNCH
3880	----	----	88.40B/----	88.40B/45.20A	----	79.60 + 38.90	.1879	----	----	----	----	14 UNCH
3885	----	----	89.40B/----	89.40B/45.70A	----	80.60 + 39.30	.1899	----	----	----	----	12 UNCH
3890	----	----	90.40B/----	90.40B/46.30A	----	81.50 + 39.70	.1918	----	----	----	----	43 UNCH
3895	81.30	81.30	91.40B/81.30	91.40B/47.00A	----	82.40 + 40.00	.1937	----	----	5	----	15 + 2
3900	69.60	69.60	93.40/62.00	93.40/47.60A	----	83.40 + 40.40	.1957	----	----	312	----	604 - 1
3905	----	----	93.50B/----	93.50B/48.20A	----	84.30 + 40.70	.1976	----	----	----	----	38 UNCH
3910	----	----	94.50B/----	94.50B/48.90A	----	85.30 + 41.10	.1997	----	----	----	----	4 UNCH
3915	----	----	95.50B/----	95.50B/49.50A	----	86.30 + 41.50	.2017	----	----	----	----	7 UNCH
3920	----	----	96.70B/----	96.70B/50.20A	----	87.30 + 41.90	.2037	----	----	1	----	23 UNCH
3925	----	----	97.70B/----	97.70B/50.80A	----	88.30 + 42.30	.2058	----	----	1	----	48 UNCH
3930	70.90	70.90	98.80B/70.90	98.80B/51.50A	----	89.30 + 42.70	.2078	----	----	2	----	18 + 2
3935	----	----	100.00B/----	100.00B/52.10A	----	90.30 + 43.10	.2099	----	----	----	----	18 UNCH
3940	----	----	101.00B/----	101.00B/52.80A	----	91.30 + 43.40	.2120	----	----	----	----	104 UNCH
3945	----	----	102.10B/----	102.10B/53.40A	----	92.40 + 43.90	.2141	----	----	----	----	5 UNCH
3950	72.40	72.40	103.30B/72.40	103.30B/54.20A	----	93.40 + 44.20	.2162	----	----	6	----	233 + 1
3955	----	----	104.50B/----	104.50B/54.90A	----	94.50 + 44.70	.2184	----	----	----	----	6 UNCH
3960	----	----	105.60B/----	105.60B/55.50A	----	95.60 + 45.10	.2205	----	----	2	----	29 - 1
3965	----	----	106.80B/----	106.80B/56.20A	----	96.70 + 45.50	.2227	----	----	----	----	14 UNCH
3970	----	----	108.00B/----	108.00B/56.90A	----	97.70 + 45.80	.2248	----	----	17	----	61 + 17
3975	----	----	109.20B/----	109.20B/57.60A	----	98.90 + 46.30	.2271	----	----	2	----	338 + 1
3980	100.00	100.00	110.40B/100.00	110.40B/58.40A	----	100.00 + 46.70	.2293	----	----	10	----	31 UNCH
3985	----	----	111.60B/----	111.60B/59.20A	----	101.10 + 47.10	.2315	----	----	----	----	27 UNCH
3990	----	----	112.80B/----	112.80B/59.90A	----	102.20 + 47.40	.2337	----	----	----	----	14 UNCH
3995	----	----	114.00B/----	114.00B/60.80A	----	103.40 + 47.90	.2360	----	----	----	----	146 UNCH
4000	65.00	65.00	115.30B/61.50A	115.30B/61.50A	----	104.50 + 48.30	.2383	----	----	341	----	2988 - 17
4005	----	----	116.50B/----	116.50B/62.30A	----	105.70 + 48.70	.2406	----	----	----	----	17 UNCH
4010	79.60	79.60	117.80B/79.60	117.80B/63.20A	----	106.90 + 49.10	.2429	----	----	2	----	44 + 2
4015	----	----	119.00B/----	119.00B/63.90A	----	108.10 + 49.60	.2452	----	----	----	----	2 UNCH
4020	89.10	89.10	120.30B/83.40	120.30B/64.80A	----	109.30 + 50.00	.2476	----	----	4	----	10 + 2
4025	92.50	92.50	121.70B/84.80	121.70B/65.60A	----	110.50 + 50.40	.2499	----	----	4	----	99 + 2
4030	----	----	123.00B/----	123.00B/66.40A	----	111.80 + 50.90	.2523	----	----	----	----	8 UNCH
4035	91.40	91.40	124.30B/91.40	124.30B/67.30A	----	113.00 + 51.30	.2547	----	----	30	----	47 + 30
4040	----	----	125.70B/----	125.70B/68.20A	----	114.30 + 51.70	.2571	----	----	----	----	67 UNCH
4045	----	----	127.00B/----	127.00B/69.10A	----	115.60 + 52.20	.2596	----	----	----	----	1 UNCH
4050	98.00	98.00	128.40B/87.80	128.40B/69.90A	----	116.80 + 52.50	.2619	----	----	91	----	1268 + 53
4055	----	----	129.80B/----	129.80B/70.80A	----	118.10 + 53.00	.2644	----	----	----	----	8 UNCH
4060	----	----	131.20B/----	131.20B/71.70A	----	119.40 + 53.40	.2668	----	----	----	----	88 UNCH
4065	----	----	132.60B/----	132.60B/72.70A	----	120.80 + 53.90	.2694	----	----	----	----	116 UNCH
4070	----	----	134.00B/----	134.00B/73.60A	----	122.10 + 54.30	.2718	----	----	----	----	58 UNCH
4075	----	----	135.50B/----	135.50B/74.50A	----	123.50 + 54.80	.2744	----	----	----	----	239 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4080	97.20	97.20	136.90B/97.20	136.90B/75.50A	----	124.80 + 55.20	.2769	----	----	1	----	95 UNCH
4085	125.00	125.00	138.40B/125.00	138.40B/76.40A	----	126.20 + 55.70	.2794	----	----	2	----	22 + 2
4090	----	----	140.00B/----	140.00B/77.40A	----	127.60 + 56.20	.2820	----	----	----	----	111 UNCH
4095	----	----	141.40B/----	141.40B/78.30A	----	129.00 + 56.60	.2846	----	----	----	----	46 UNCH
4100	107.30	107.30	142.90B/99.10	142.90B/79.40A	----	130.40 + 57.10	.2872	----	----	23	----	1275 + 8
4105	----	----	144.40B/----	144.40B/80.40A	----	131.90 + 57.60	.2898	----	----	12	----	113 - 11
4110	110.90	110.90	145.90B/109.60	145.90B/81.30A	----	133.30 + 58.00	.2924	----	----	63	----	142 + 46
4115	----	----	147.50B/----	147.50B/82.20A	----	134.80 + 58.50	.2951	----	----	----	----	456 UNCH
4120	112.20	112.20	149.10B/112.20	149.10B/83.40A	----	136.20 + 58.90	.2977	----	----	11	----	29 + 1
4125	----	----	150.60B/----	150.60B/84.40A	----	137.70 + 59.40	.3003	----	----	----	----	361 UNCH
4130	----	----	152.20B/----	152.20B/85.50A	----	139.20 + 59.90	.3030	----	----	----	----	19 UNCH
4135	----	----	153.80B/----	153.80B/86.60A	----	140.80 + 60.40	.3058	----	----	----	----	23 UNCH
4140	112.20	112.20	155.50B/112.20	155.50B/87.70A	----	142.30 + 60.90	.3084	----	----	1	----	14 + 1
4145	----	----	157.10B/----	157.10B/88.80A	----	143.80 + 61.30	.3111	----	----	----	----	211 UNCH
4150	123.30	123.30	158.80B/123.30	158.80B/89.90A	----	145.40 + 61.90	.3139	----	----	30	----	416 + 10
4155	----	----	160.40B/----	160.40B/91.00A	----	147.00 + 62.40	.3167	----	----	----	----	19 UNCH
4160	----	----	162.10B/----	162.10B/92.20A	----	148.60 + 62.90	.3194	----	----	----	----	59 UNCH
4165	----	----	163.80B/----	163.80B/93.30A	----	150.20 + 63.30	.3222	----	----	----	----	27 UNCH
4170	100.30	100.30	165.50B/100.30	165.50B/94.50A	----	151.80 + 63.80	.3250	----	----	6	----	44 UNCH
4175	127.60	127.60	167.20B/127.60	167.20B/95.40A	----	153.50 + 64.40	.3278	----	----	2	----	901 UNCH
4180	----	----	169.00B/----	169.00B/96.60A	----	155.10 + 64.80	.3306	----	----	----	----	113 UNCH
4185	----	----	170.70B/----	170.70B/98.00A	----	156.80 + 65.30	.3335	----	----	----	----	14 UNCH
4190	105.40	105.40	172.60B/105.10	172.60B/99.30A	----	158.50 + 65.90	.3363	----	----	6	----	23 UNCH
4195	----	----	174.40B/----	174.40B/100.50A	----	160.20 + 66.40	.3392	----	----	----	----	45 UNCH
4200	132.90	132.90	176.10B/128.50	176.10B/101.50A	----	161.90 + 66.90	.3421	----	----	229	----	2720 - 67
4205	----	----	177.90B/----	177.90B/102.70A	----	163.60 + 67.30	.3449	----	----	----	----	36 UNCH
4210	----	----	179.80B/----	179.80B/104.00A	----	165.40 + 67.90	.3479	----	----	----	----	380 UNCH
4215	----	----	181.60B/----	181.60B/105.20A	----	167.10 + 68.40	.3507	----	----	----	----	8 UNCH
4220	----	----	183.60B/----	183.60B/106.50A	----	168.90 + 68.90	.3537	----	----	----	----	178 UNCH
4225	----	----	185.50B/----	185.50B/107.90A	----	170.70 + 69.40	.3566	----	----	2	----	111 - 3
4230	----	----	187.50B/----	187.50B/109.20A	----	172.50 + 69.90	.3596	----	----	----	----	28 UNCH
4235	----	----	189.20B/----	189.20B/110.80A	----	174.40 + 70.50	.3625	----	----	----	----	44 UNCH
4240	----	----	191.20B/----	191.20B/111.90A	----	176.20 + 71.00	.3655	----	----	----	----	53 UNCH
4245	----	----	193.30B/----	193.30B/113.20A	----	178.10 + 71.50	.3685	----	----	----	----	38 UNCH
4250	----	----	195.30B/----	195.30B/114.60A	----	180.00 + 72.10	.3715	----	----	6	----	279 UNCH
4255	----	----	197.20B/----	197.20B/116.30A	----	181.90 + 72.60	.3745	----	----	----	----	10 UNCH
4260	----	----	199.20B/----	199.20B/117.50A	----	183.80 + 73.10	.3775	----	----	1	----	20 UNCH
4265	----	----	201.30B/----	201.30B/118.90A	----	185.70 + 73.70	.3805	----	----	----	----	16 UNCH
4270	----	----	203.30B/----	203.30B/120.30A	----	187.70 + 74.20	.3836	----	----	----	----	47 UNCH
4275	164.00	164.00	205.40B/164.00	205.40B/121.70A	----	189.60 + 74.70	.3866	----	----	25	----	98 - 10
4280	----	----	207.50B/----	207.50B/123.20A	----	191.60 + 75.30	.3897	----	----	1	----	80 + 1
4285	----	----	209.50B/----	209.50B/125.00A	----	193.60 + 75.80	.3928	----	----	1	----	14 UNCH
4290	----	----	211.70B/----	211.70B/126.50A	----	195.60 + 76.30	.3958	----	----	----	----	70 UNCH
4295	----	----	213.80B/----	213.80B/127.80A	----	197.70 + 77.00	.3989	----	----	----	----	18 UNCH
4300	170.00	170.00	215.90B/160.60	215.90B/129.30A	----	199.70 + 77.40	.4020	----	----	197	----	2274 + 65
4305	178.00	178.00	218.10B/178.00	218.10B/130.80A	----	201.80 + 78.00	.4051	----	----	1	----	72 + 1
4310	196.30	196.30	220.30B/196.30	220.30B/132.40A	----	203.90 + 78.60	.4082	----	----	2	----	53 + 2
4315	----	----	222.50B/----	222.50B/133.90A	----	206.00 + 79.10	.4114	----	----	----	----	43 UNCH
4320	171.80	171.80	224.70B/171.70	224.70B/135.80A	----	208.10 + 79.70	.4145	----	----	3	----	94 - 1
4325	----	----	226.90B/----	226.90B/137.10A	----	210.20 + 80.20	.4176	----	----	9	----	59 UNCH
4330	----	----	229.20B/----	229.20B/138.70A	----	212.40 + 80.80	.4208	----	----	----	----	199 UNCH
4335	----	----	231.30B/----	231.30B/140.50A	----	214.60 + 81.40	.4239	----	----	----	----	38 UNCH
4340	----	----	233.70B/----	233.70B/142.10A	----	216.80 + 81.90	.4271	----	----	----	----	52 UNCH
4345	----	----	236.00B/----	236.00B/143.80A	----	219.00 + 82.50	.4303	----	----	----	----	45 UNCH
4350	220.00	220.00	238.30B/220.00	238.30B/145.40A	----	221.20 + 83.00	.4334	----	----	10	----	488 UNCH
4355	----	----	240.70B/----	240.70B/147.20A	----	223.40 + 83.50	.4366	----	----	----	----	78 UNCH
4360	----	----	243.00B/----	243.00B/148.90A	----	225.70 + 84.10	.4398	----	----	----	----	83 UNCH
4365	----	----	245.40B/----	245.40B/150.70A	----	228.00 + 84.70	.4430	----	----	4	----	70 UNCH
4370	236.80	236.80	247.80B/236.80	247.80B/152.40A	----	230.30 + 85.30	.4462	----	----	2	----	6 + 1
4375	----	----	250.20B/----	250.20B/154.20A	----	232.60 + 85.80	.4494	----	----	----	----	452 UNCH
4380	----	----	252.60B/----	252.60B/156.00A	----	234.90 + 86.30	.4526	----	----	1	----	251 - 1
4385	----	----	255.00B/----	255.00B/157.80A	----	237.30 + 87.00	.4558	----	----	----	----	22 UNCH
4390	----	----	257.50B/----	257.50B/159.60A	----	239.70 + 87.60	.4590	----	----	----	----	57 UNCH
4395	----	----	260.00B/----	260.00B/161.40A	----	242.10 + 88.10	.4622	----	----	----	----	70 UNCH
4400	165.70	165.70	262.50B/164.80	262.50B/163.30A	----	244.50 + 88.70	.4655	----	----	48	----	3391 - 25
4405	----	----	265.00B/----	265.00B/165.30A	----	246.90 + 89.20	.4687	----	----	----	----	130 UNCH
4410	245.10	245.10	267.50B/241.40	267.50B/167.20A	----	249.30 + 89.80	.4719	----	----	13	----	55 + 1
4415	251.00	251.00	270.10B/251.00	270.10B/169.10A	----	251.80 + 90.40	.4752	----	----	75	----	85 + 65
4420	250.00	250.00	272.70B/250.00	272.70B/171.00A	----	254.30 + 91.00	.4784	----	----	5	----	6 + 1
4425	----	----	275.20B/----	275.20B/172.90A	----	256.80 + 91.50	.4816	----	----	----	----	63 UNCH
4430	----	----	277.80B/----	277.80B/175.00A	----	259.30 + 92.10	.4848	----	----	----	----	94 UNCH
4435	----	----	280.40B/----	280.40B/176.90A	----	261.80 + 92.60	.4881	----	----	----	----	70 UNCH
4440	236.70	236.70	283.10B/236.70	283.10B/179.00A	----	264.40 + 93.20	.4913	----	----	2	----	38 + 2
4445	----	----	285.70B/----	285.70B/181.00A	----	267.00 + 93.80	.4946	----	----	17	----	47 + 15
4450	243.10	243.10	288.40B/229.40	288.40B/183.00A	----	269.60 + 94.40	.4978	----	----	39	----	858 + 10
4455	238.30	238.30	291.10B/238.30	291.10B/185.10A	----	272.20 + 95.00	.5010	----	----	1	----	34 + 1
4460	246.70	246.70	293.80B/246.70	293.80B/187.20A	----	274.80 + 95.50	.5043	----	----	3	----	34 + 3
4465	----	----	296.50B/----	296.50B/189.20A	----	277.40 + 96.00	.5075	----	----	36	----	26 + 14
4470	238.70	238.70	299.30B/238.70	299.30B/191.30A	----	280.10 + 96.60	.5107	----	----	7	----	29 + 1
4475	224.00	224.00	302.00B/224.00	302.00B/193.50A	----	282.80 + 97.20	.5140	----	----	11	----	125 + 6
4480	----	----	303.80B/----	303.80B/195.60A	----	285.50 + 97.80	.5172	----	----	12	----	134 UNCH
4485	----	----	306.30B/----	306.30B/197.80A	----	288.20 + 98.40	.5204	----	----	2	----	21 + 2
4490	267.60	267.60	308.90B/267.60	308.90B/200.00A	----	290.90 + 98.90	.5237	----	----	1	----	80 UNCH
4495	258.80	258.80	311.70B/258.80	311.70B/202.20A	----	293.70 + 99.50	.5269	----	----	1	----	80 UNCH
4500	207.90	207.90	314.50B/207.90	314.50B/204.50A	----	296.50 + 00.10	.5301	----	----	48	----	2381 + 7
4505	----	----	317.40B/----	317.40B/206.70A	----	299.30 + 00.70	.5333	----	----	----	----	27 UNCH
4510	----	----	320.30B/----	320.30B/209.00A	----	302.10 + 01.20	.5365	----	----	----	----	43 UNCH
4515	----	----	323.30B/----	323.30B/211.30A	----	304.90 + 01.80	.5397	----	----	----	----	253 UNCH
4520	264.90	264.90	326.10B/264.90	326.10B/213.60A	----	307.80 + 02.40	.5429	----	----	1	----	155 UNCH
4525	----	----	329.20B/----	329.20B/215.90A	----	310.60 + 02.90	.5461	----	----	----	----	124 UNCH
4530	221.80	221.80	332.00B/221.80	332.00B/218.30A	----	313.50 + 03.50	.5493	----	----	1	----	6 + 1
4535	234.00	234.00	335.00B/234.00	335.00B/220.60A	----	316.40 + 04.00	.5525	----	----	2	----	24 + 2
4540	226.70	226.70	338.00B/226.70	338.00B/223.00A	----	319.30 + 04.60	.5557	----	----	28	----	154 - 13
4545	238.40	238.40	341.10B/225.40A	341.10B/225.40A	----	322.30 + 05.20	.5589	----	----	3	----	80 UNCH
4550	285.00	285.00	345.50B/285.00	345.50B/228.00A	----	325.20 + 05.70	.5621	----	----	17	----	599 - 1
4555	----	----	347.90B/----	347.90B/230.30A	----	328.20 + 06.30	.5652	----	----	----	----	30 UNCH
4560	----	----	350.10B/----	350.10B/232.90A	----	331.20 + 06.80	.5684	----	----	----	----	21 UNCH
4565	239.20	239.20	353.20B/239.20	353.20B/235.20A	----	334.20 + 07.40	.5715	----	----	4	----	200 - 4
4570	----	----	356.30B/----	356.30B/237.90A	----	337.20 + 07.90	.5747	----	----	2	----	46 UNCH
4575	265.50	265.50	359.60B/265.50	359.60B/240.40A	----	340.30 + 08.50	.5778	----	----	1	----	89 + 1
4580	297.00	297.00	362.50B/294.30	362.50B/242.80A	----	343.30 + 09.00	.5809	----	----	4	----	27 - 2
4585	----	----	365.90B/----	365.90B/245.50A	----	346.40 + 09.60	.5840	----	----	2	----	18 UNCH
4590	----	----	368.80B/----	368.80B/248.10A	----	349.50 + 10.10	.5872	----	----	----	----	17 UNCH
4595	----	----	372.00B/----	372.00B/250.50A	----	352.60 + 10.70	.5902	----	----	----	----	9 UNCH
4600	254.80	254.80	375.40B/253.30A	375.40B/253.30A	----	355.80 + 11.30	.5934	----	----	18	----	1604 + 5
4605	----	----	378.40B/----	378.40B/255.80A	----	358.90 + 11.80	.5964	----	----	----	----	9 UNCH
4610	----	----	381.60B/----	381.60B/258.70A	----	362.10 + 12.30	.5995	----	----	----	----	3 UNCH
4615	----	----	385.00B/----	385.00B/261.20A	----	365.30 + 12.90	.6026	----	----	----	----	51 UNCH
4620	268.30	268.30	388.30B/268.30	388.30B/263.90A	----	368.50 + 13.40	.6057	----	----	1	----	183 + 1
4625	269.40	269.40	391.40B/269.40	391.40B/266.60A	----	371.70 + 14.00	.6087	----	----	1	----	176 + 1
4630	----	----	394.70B/----	394.70B/269.50A	----	375.00 + 14.60	.6117	----	----	3	----	119 UNCH
4635	----	----	398.00B/----	398.00B/272.10A	----	378.20 + 15.00	.6148	----	----	----	----	6 UNCH
4640	----	----	401.40B/----	401.40B/275.00A	----	381.50 + 15.60	.6178	----	----	----	----	32 UNCH
4645	----	----	405.00B/----	405.00B/280.60A	----	384.80 + 16.10	.6207	----	----	----	----	31 UNCH
4650	----	----	408.10B/----	408.10B/283.80A	----	388.10 + 16.70	.6237	----	----	----	----	1135 UNCH
4655	----	----	411.70B/----	411.70B/286.30A	----	391.40 + 17.20	.6267	----	----	----	----	49 UNCH
4660	----	----	415.00B/----	415.00B/289.10A	----	394.80 + 17.70	.6297	----	----	----	----	107 UNCH
4665	----	----	418.50B/----	418.50B/291.90A	----	398.10 + 18.20	.6326	----	----	----	----	11 UNCH
4670	----	----	421.80B/----	421.80B/295.40A	----	401.50 + 18.80	.6356	----	----	----	----	153 UNCH
4675	----	----	425.10B/----	425.10B/297.70A	----	404.90 + 19.30	.6385	----	----	----	----	298 UNCH
4680	----	----	428.80B/----	428.80B/301.10A	----	408.30 + 19.80	.6414	----	----	----	----	53 UNCH
4685	----	----	432.20B/----	432.20B/304.00A	----	411.70 + 20.30	.6443	----	----	----	----	9 UNCH
4690	----	----	435.50B/----	435.50B/306.60A	----	415.10 + 20.80	.6472	----	----	----	----	11 UNCH
4695	----	----	439.30B/----	439.30B/309.90A	----	418.60 + 21.30	.6501	----	----	----	----	31 UNCH
4700	432.90	432.90	442.60B/432.90	442.60B/312.90A	----	422.10 + 21.90	.6530	----	----	80	----	1328 - 1
4705	----	----	446.30B/----	446.30B/316.00A	----	425.60 + 22.40	.6558	----	----	----	----	39 UNCH
4710	----	----	449.60B/----	449.60B/318.50A	----	429.10 + 22.90	.6587	----	----	----	----	14 UNCH
4715	----	----	453.50B/----	453.50B/322.20A	----	432.60 + 23.40	.6615	----	----	----	----	34 UNCH
4720	----	----	457.10B/----	457.10B/324.70A	----	436.10 + 23.80	.6643	----	----	----	----	102 UNCH
4725	----	----	460.70B/----	460.70B/328.00A	----	439.70 + 24.40	.6671	----	----	----	----	17 UNCH
4730	----	----	464.30B/----	464.30B/331.30A	----	443.20 + 24.80	.6698	----	----	----	----	51 UNCH
4735	----	----	467.90B/----	467.90B/334.10A	----	446.80 + 25.30	.6726	----	----	----	----	51 UNCH
4740	----	----	471.40B/----	471.40B/337.10A	----	450.40 + 25.80	.6754	----	----	----	----	85 UNCH
4750	----	----	478.80B/----	478.80B/343.50A	----	457.60 + 26.70	.6808	----	----	----	----	796 UNCH
4755	----	----	482.50B/----	482.50B/346.70A	----	461.20 + 27.20	.6836	----	----	----	----	17 UNCH
4760	----	----	486.20B/----	486.20B/349.90A	----	464.90 + 27.70	.6863	----	----	----	----	54 UNCH
4765	----	----	489.80B/----	489.80B/353.70A	----	468.60 + 28.20	.6889	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4770	----	----	493.70B/----	493.70B/356.60A	----	472.20 + 28.60	.6916	----	----	----	----	47 UNCH
4775	----	----	497.10B/----	497.10B/360.20A	----	475.90 + 29.10	.6942	----	----	----	----	110 UNCH
4780	----	----	501.20B/----	501.20B/363.50A	----	479.60 + 29.50	.6969	----	----	----	----	10 UNCH
4785	----	----	504.60B/----	504.60B/366.50A	----	483.40 + 30.10	.6995	----	----	----	----	47 UNCH
4790	----	----	508.40B/----	508.40B/370.10A	----	487.10 + 30.50	.7021	----	----	----	----	44 UNCH
4795	----	----	512.30B/----	512.30B/373.40A	----	490.80 + 30.90	.7047	----	----	----	----	13 UNCH
4800	450.00	450.00	516.40B/445.00	516.40B/376.50A	----	494.60 + 31.40	.7072	----	----	43	----	2140 UNCH
4805	----	----	519.90B/----	519.90B/380.20A	----	498.40 + 31.80	.7098	----	----	----	----	84 UNCH
4810	----	----	523.90B/----	523.90B/383.10A	----	502.20 + 32.30	.7123	----	----	----	----	16 UNCH
4815	----	----	527.80B/----	527.80B/386.80A	----	506.00 + 32.70	.7149	----	----	----	----	35 UNCH
4820	----	----	531.60B/----	531.60B/390.20A	----	509.80 + 33.10	.7173	----	----	----	----	19 UNCH
4825	----	----	535.20B/----	535.20B/393.60A	----	513.60 + 33.50	.7199	----	----	----	----	166 UNCH
4830	----	----	539.40B/----	539.40B/396.90A	----	517.40 + 33.90	.7223	----	----	----	----	136 UNCH
4835	----	----	543.30B/----	543.30B/400.50A	----	521.30 + 34.40	.7248	----	----	----	----	29 UNCH
4840	----	----	547.20B/----	547.20B/404.00A	----	525.20 + 34.90	.7273	----	----	----	----	16 UNCH
4850	----	----	555.20B/----	555.20B/411.00A	----	532.90 + 35.60	.7320	----	----	----	----	534 UNCH
4855	----	----	559.00B/----	559.00B/414.30A	----	536.80 + 36.00	.7344	----	----	----	----	359 UNCH
4860	----	----	563.00B/----	563.00B/418.10A	----	540.80 + 36.50	.7368	----	----	----	----	44 UNCH
4865	----	----	567.00B/----	567.00B/421.40A	----	544.70 + 36.90	.7391	----	----	----	----	17 UNCH
4870	----	----	570.80B/----	570.80B/425.10A	----	548.60 + 37.30	.7416	----	----	----	----	42 UNCH
4875	----	----	574.90B/----	574.90B/428.60A	----	552.60 + 37.70	.7439	----	----	----	----	74 UNCH
4880	----	----	578.90B/----	578.90B/432.20A	----	556.50 + 38.10	.7461	----	----	----	----	3 UNCH
4885	----	----	582.90B/----	582.90B/435.80A	----	560.50 + 38.50	.7484	----	----	----	----	6 UNCH
4890	----	----	587.00B/----	587.00B/439.80A	----	564.50 + 38.90	.7507	----	----	----	----	47 UNCH
4895	----	----	591.00B/----	591.00B/443.40A	----	568.50 + 39.30	.7530	----	----	----	----	211 UNCH
4900	586.70	586.70	594.80B/586.70	594.80B/447.00A	----	572.50 + 39.70	.7553	----	----	2	----	1803 UNCH
4905	----	----	599.10B/----	599.10B/450.80A	----	576.50 + 40.00	.7574	----	----	----	----	10 UNCH
4910	----	----	603.20B/----	603.20B/454.40A	----	580.60 + 40.50	.7596	----	----	----	----	57 UNCH
4915	----	----	607.20B/----	607.20B/458.30A	----	584.60 + 40.80	.7619	----	----	----	----	37 UNCH
4920	----	----	611.40B/----	611.40B/461.90A	----	588.70 + 41.20	.7640	----	----	----	----	91 UNCH
4925	----	----	615.50B/----	615.50B/465.70A	----	592.70 + 41.50	.7662	----	----	1	----	73 UNCH
4930	----	----	619.60B/----	619.60B/469.40A	----	596.80 + 41.90	.7683	----	----	----	----	199 UNCH
4940	----	----	627.70B/----	627.70B/477.00A	----	605.00 + 42.60	.7726	----	----	----	----	64 UNCH
4945	----	----	#631.90B/----	#631.90B/480.80A	----	609.10 + 43.00	.7746	----	----	----	----	2 UNCH
4950	----	----	636.20B/----	636.20B/484.50A	----	613.30 + 43.40	.7767	----	----	----	----	287 UNCH
4955	----	----	640.30B/----	640.30B/488.50A	----	617.40 + 43.70	.7787	----	----	----	----	31 UNCH
4960	----	----	644.40B/----	644.40B/492.20A	----	621.50 + 44.00	.7808	----	----	----	----	23 UNCH
4965	----	----	648.60B/----	648.60B/495.90A	----	625.70 + 44.40	.7828	----	----	----	----	24 UNCH
4970	----	----	652.80B/----	652.80B/499.80A	----	629.90 + 44.80	.7848	----	----	----	----	44 UNCH
4975	----	----	657.10B/----	657.10B/503.70A	----	634.00 + 45.10	.7867	----	----	----	----	153 UNCH
4980	----	----	661.10B/----	661.10B/507.60A	----	638.20 + 45.40	.7887	----	----	----	----	28 UNCH
4985	----	----	665.30B/----	665.30B/511.50A	----	642.40 + 45.80	.7907	----	----	----	----	9 UNCH
4990	----	----	669.80B/----	669.80B/515.40A	----	646.60 + 46.10	.7927	----	----	----	----	290 UNCH
4995	----	----	674.00B/----	674.00B/519.40A	----	650.80 + 46.40	.7945	----	----	----	----	11 UNCH
5000	----	----	678.30B/----	678.30B/523.20A	----	655.10 + 46.80	.7965	----	----	76	----	1896 + 66
5005	----	----	682.60B/----	682.60B/527.20A	----	659.30 + 47.10	.7983	----	----	----	----	304 UNCH
5010	----	----	686.60B/----	686.60B/531.10A	----	663.50 + 47.40	.8002	----	----	----	----	11 UNCH
5015	----	----	690.90B/----	690.90B/535.10A	----	667.80 + 47.80	.8020	----	----	----	----	49 UNCH
5020	----	----	695.20B/----	695.20B/539.10A	----	672.00 + 48.00	.8038	----	----	----	----	31 UNCH
5025	----	----	699.60B/----	699.60B/543.10A	----	676.30 + 48.40	.8056	----	----	----	----	55 UNCH
5030	----	----	703.90B/----	703.90B/547.10A	----	680.60 + 48.70	.8074	----	----	----	----	68 UNCH
5035	----	----	708.10B/----	708.10B/551.10A	----	684.90 + 49.00	.8092	----	----	----	----	13 UNCH
5040	----	----	712.40B/----	712.40B/555.10A	----	689.20 + 49.30	.8110	----	----	----	----	18 UNCH
5045	----	----	716.80B/----	716.80B/559.20A	----	693.50 + 49.60	.8128	----	----	----	----	6 UNCH
5050	----	----	721.10B/----	721.10B/563.20A	----	697.80 + 49.90	.8145	----	----	----	----	805 UNCH
5055	----	----	725.40B/----	725.40B/567.30A	----	702.10 + 50.20	.8162	----	----	----	----	63 UNCH
5060	----	----	729.80B/----	729.80B/571.40A	----	706.50 + 50.50	.8179	----	----	----	----	64 UNCH
5065	----	----	734.10B/----	734.10B/575.20A	----	710.80 + 50.80	.8196	----	----	----	----	9 UNCH
5070	----	----	738.40B/----	738.40B/579.50A	----	715.20 + 51.10	.8213	----	----	----	----	52 UNCH
5075	----	----	743.00B/----	743.00B/583.40A	----	719.50 + 51.40	.8229	----	----	2	----	27 + 2
5080	----	----	747.30B/----	747.30B/587.50A	----	723.90 + 51.70	.8245	----	----	2	----	29 + 2
5085	----	----	751.60B/----	751.60B/591.80A	----	728.30 + 52.00	.8261	----	----	----	----	123 UNCH
5090	----	----	756.00B/----	756.00B/596.00A	----	732.70 + 52.30	.8277	----	----	----	----	109 UNCH
5095	----	----	760.50B/----	760.50B/600.10A	----	737.10 + 52.60	.8293	----	----	25	----	111 - 16
5100	----	----	765.00B/----	765.00B/604.30A	----	741.50 + 52.80	.8309	----	----	----	----	457 UNCH
5105	----	----	769.30B/----	769.30B/608.40A	----	745.90 + 53.10	.8325	----	----	----	----	38 UNCH
5110	----	----	773.80B/----	773.80B/612.70A	----	750.30 + 53.40	.8341	----	----	----	----	74 UNCH
5115	----	----	778.10B/----	778.10B/616.80A	----	754.70 + 53.60	.8355	----	----	----	----	14 UNCH
5120	----	----	782.50B/----	782.50B/621.00A	----	759.10 + 53.80	.8371	----	----	----	----	22 UNCH
5125	----	----	787.00B/----	787.00B/625.20A	----	763.60 + 54.20	.8385	----	----	----	----	192 UNCH
5130	----	----	791.50B/----	791.50B/629.50A	----	768.00 + 54.40	.8401	----	----	----	----	26 UNCH
5135	----	----	796.10B/----	796.10B/633.60A	----	772.40 + 54.60	.8415	----	----	----	----	37 UNCH
5140	----	----	800.60B/----	800.60B/637.90A	----	776.90 + 54.90	.8430	----	----	----	----	14 UNCH
5145	----	----	804.90B/----	804.90B/642.10A	----	781.40 + 55.20	.8444	----	----	----	----	39 UNCH
5150	----	----	809.50B/----	809.50B/646.30A	----	785.80 + 55.30	.8459	----	----	----	----	390 UNCH
5155	----	----	813.90B/----	813.90B/650.70A	----	790.30 + 55.60	.8473	----	----	----	----	38 UNCH
5160	----	----	818.50B/----	818.50B/654.90A	----	794.80 + 55.90	.8487	----	----	----	----	71 UNCH
5165	----	----	822.80B/----	822.80B/659.20A	----	799.30 + 56.10	.8501	----	----	----	----	47 UNCH
5170	----	----	827.40B/----	827.40B/663.50A	----	803.80 + 56.30	.8515	----	----	----	----	504 UNCH
5175	----	----	831.90B/----	831.90B/667.70A	----	808.20 + 56.50	.8527	----	----	----	----	15 UNCH
5180	----	----	836.30B/----	836.30B/672.00A	----	812.80 + 56.80	.8541	----	----	----	----	20 UNCH
5185	----	----	841.10B/----	841.10B/676.30A	----	817.30 + 57.00	.8555	----	----	----	----	22 UNCH
5190	----	----	845.50B/----	845.50B/680.70A	----	821.80 + 57.20	.8569	----	----	----	----	5 UNCH
5195	----	----	850.00B/----	850.00B/685.00A	----	826.30 + 57.40	.8581	----	----	----	----	8 UNCH
5200	----	----	854.60B/----	854.60B/689.30A	----	830.80 + 57.60	.8595	----	----	----	----	611 UNCH
5205	----	----	859.10B/----	859.10B/693.70A	----	835.30 + 57.80	.8609	----	----	----	----	36 UNCH
5210	832.10	832.10	863.60B/827.70	863.60B/698.00A	----	839.90 + 58.10	.8621	----	----	6	----	69 UNCH
5215	----	----	868.10B/----	868.10B/702.40A	----	844.40 + 58.20	.8632	----	----	----	----	42 UNCH
5220	----	----	872.80B/----	872.80B/706.70A	----	849.00 + 58.50	.8646	----	----	----	----	188 UNCH
5225	----	----	877.30B/----	877.30B/711.10A	----	853.50 + 58.60	.8658	----	----	----	----	200 UNCH
5230	----	----	881.90B/----	881.90B/715.50A	----	858.10 + 58.90	.8670	----	----	----	----	7 UNCH
5235	----	----	886.50B/----	886.50B/719.90A	----	862.60 + 59.00	.8684	----	----	----	----	160 UNCH
5245	----	----	895.80B/----	895.80B/728.70A	----	871.80 + 59.50	.8707	----	----	----	----	9 UNCH
5250	817.00	817.00	900.30B/808.80	900.30B/732.70A	----	876.30 + 59.60	.8719	----	----	6	----	331 - 4
5255	----	----	904.80B/----	904.80B/737.50A	----	880.90 + 59.80	.8730	----	----	----	----	9 UNCH
5260	----	----	909.40B/----	909.40B/741.90A	----	885.50 + 60.00	.8742	----	----	----	----	11 UNCH
5265	----	----	914.10B/----	914.10B/746.40A	----	890.10 + 60.20	.8754	----	----	----	----	5 UNCH
5270	----	----	918.70B/----	918.70B/750.80A	----	894.70 + 60.40	.8765	----	----	----	----	20 UNCH
5275	----	----	923.30B/----	923.30B/755.20A	----	899.30 + 60.50	.8777	----	----	----	----	170 UNCH
5280	----	----	928.00B/----	928.00B/759.70A	----	903.90 + 60.70	.8787	----	----	----	----	67 UNCH
5285	----	----	932.60B/----	932.60B/764.10A	----	908.50 + 60.90	.8798	----	----	----	----	27 UNCH
5290	----	----	#937.20B/----	#937.20B/768.70A	----	913.10 + 61.00	.8810	----	----	----	----	2 UNCH
5300	----	----	946.50B/----	946.50B/777.60A	----	922.40 + 61.40	.8831	----	----	----	----	161 UNCH
5305	----	----	951.10B/----	951.10B/782.10A	----	927.00 + 61.60	.8840	----	----	----	----	104 UNCH
5320	----	----	965.10B/----	965.10B/795.50A	----	941.00 + 62.10	.8873	----	----	----	----	108 UNCH
5325	----	----	#969.80B/----	#969.80B/800.00A	----	945.60 + 62.20	.8882	----	----	----	----	1 UNCH
5335	----	----	979.20B/----	979.20B/809.10A	----	954.90 + 62.50	.8903	----	----	----	----	5 UNCH
5340	----	----	983.80B/----	983.80B/813.60A	----	959.60 + 62.70	.8912	----	----	----	----	52 UNCH
5350	----	----	993.10B/----	993.10B/822.70A	----	969.00 + 63.10	.8931	----	----	----	----	108 UNCH
5365	----	----	1,007.20B/----	1007.20B/836.40A	----	983.00 + 63.50	.8959	----	----	----	----	4 UNCH
5370	----	----	1,012.00B/----	1012.00B/840.90A	----	987.70 + 63.70	.8968	----	----	----	----	37 UNCH
5375	----	----	#1,016.70B/----	#1016.70B/845.50A	----	992.40 + 63.80	.8977	----	----	----	----	1 UNCH
5380	----	----	#1,021.40B/----	#1021.40B/850.00A	----	997.10 + 64.00	.8986	----	----	----	----	2 UNCH
5385	----	----	1,026.00B/----	1026.00B/854.60A	----	1001.80 + 64.10	.8995	----	----	----	----	10 UNCH
5390	----	----	#1,030.70B/----	#1030.70B/859.20A	----	1006.50 + 64.20	.9005	----	----	----	----	1 UNCH
5395	949.20	949.20	1,035.50B/949.2	1035.50B/863.80A	----	1011.20 + 64.40	.9012	----	----	1	----	227 + 1
5400	----	----	1,040.20B/----	1040.20B/868.30A	----	1015.90 + 64.50	.9021	----	----	----	----	442 UNCH
5420	----	----	1,059.10B/----	1059.10B/886.80A	----	1034.80 + 65.00	.9055	----	----	----	----	10 UNCH
5425	----	----	#1,063.90B/----	#1063.90B/891.40A	----	1039.50 + 65.10	.9062	----	----	----	----	1 UNCH
5430	----	----	1,068.60B/----	1068.60B/896.00A	----	1044.20 + 65.20	.9071	----	----	----	----	30 UNCH
5435	----	----	1,073.40B/----	1073.40B/900.60A	----	1049.00 + 65.40	.9080	----	----	----	----	10 UNCH
5440	----	----	#1,078.00B/----	#1078.00B/905.20A	----	1053.70 + 65.50	.9087	----	----	----	----	20 UNCH
5470	----	----	#1,106.70B/----	#1106.70B/933.10A	----	1082.20 + 66.20	.9132	----	----	----	----	1 UNCH
5490	----	----	1,125.60B/----	1125.60B/951.80A	----	1101.20 + 66.60	.9160	----	----	----	----	166 UNCH
5500	----	----	1,135.20B/----	1135.20B/961.10A	----	1110.80 + 66.80	.9176	----	----	----	----	51 UNCH
5525	----	----	#1,159.20B/----	#1159.20B/984.60A	----	1134.70 + 67.30	.9209	----	----	----	----	2 UNCH
5575	----	----	#1,207.30B/----	#1207.30B/1031.70A	----	1182.70 + 68.30	.9271	----	----	----	----	2 UNCH
5590	----	----	1,221.60B/----	1221.60B/1046.00A	----	1197.20 + 68.60	.9288	----	----	----	----	77 UNCH
5595	----	----	#1,226.50B/----	#1226.50B/1050.70A	----	1202.00 + 68.60	.9294	----	----	----	----	1 UNCH
5600	----	----	1,231.30B/----	1231.30B/1055.40A	----	1206.80 + 68.70	.9298	----	----	----	----	8 UNCH
5640	----	----	#1,269.90B/----	#1269.90B/1093.50A	----	1245.50 + 69.40	.9342	----	----	----	----	9 UNCH
5700	----	----	#1,328.00B/----	1328.00B/1150.90A	----	1303.70 + 70.30	.9400	----	----	----	----	3 UNCH
5800	----	----	#1,425.70B/----	1425.70B/1247.40A	----	1401.10 + 71.30	.9483	----	----	----	----	6 UNCH
6000	----	----	#1,614.80B/----	#1614.80B/1448.20A	----	1597.30 + 72.90	.9610	----	----	----	----	4 UNCH
6675	----	----	----	----	----	2266.80 + 75.50	.9826	----	----	----	----	2 UNCH
TOTAL										2784	150	76474 + 93

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2275	----	----	2.60B/----	2.60B/2.40A	----	2.00 + 0.80	.0046	----	----	----	----	33 UNCH
2300	----	----	#2.60B/----	2.60B/2.60A	----	2.20 + 0.80	.0050	----	----	132	----	68 + 66
2400	----	----	3.40B/----	3.40B/3.00A	----	2.90 + 1.20	.0067	----	----	----	----	2 UNCH
2500	----	----	4.20B/----	4.20B/3.60A	----	3.90 + 1.70	.0090	----	----	66	----	178 + 33
2575	----	----	5.10B/----	5.10B/4.10A	----	4.70 + 2.10	.0108	----	----	----	----	1 UNCH
2600	----	----	5.30B/----	5.30B/4.40A	----	5.00 + 2.30	.0115	----	----	----	----	12 UNCH
2620	----	----	5.40B/----	5.40B/4.50A	----	5.30 + 2.50	.0122	----	----	----	----	1 UNCH
2650	4.10	4.10	5.90B/4.10	5.90B/4.10	----	5.70 + 2.70	.0132	----	----	1	----	53 UNCH
2670	----	----	6.10B/----	6.10B/5.00A	----	6.00 + 2.80	.0138	----	----	----	----	2 UNCH
2700	----	----	6.70B/----	6.70B/5.30A	----	6.50 + 3.10	.0150	----	----	----	----	3 UNCH
2730	----	----	7.00B/----	7.00B/5.50A	----	7.00 + 3.40	.0162	----	----	----	----	1 UNCH
2750	----	----	7.60B/----	7.60B/5.70A	----	7.40 + 3.60	.0171	----	----	----	----	1 UNCH
2785	----	----	8.20B/----	8.20B/5.90A	----	8.10 + 4.00	.0186	----	----	----	----	2 UNCH
2800	----	----	8.40B/----	8.40B/6.10A	----	8.40 + 4.10	.0193	----	----	----	----	5 UNCH
2850	----	----	9.70B/----	9.70B/7.00A	----	9.50 + 4.70	.0219	----	----	----	----	1 UNCH
2895	----	----	10.70B/----	10.70B/7.70A	----	10.60 + 5.30	.0244	----	----	----	----	1 UNCH
2900	----	----	10.90B/----	10.90B/7.70A	----	10.70 + 5.30	.0246	----	----	----	----	6 UNCH
2905	----	----	11.00B/----	11.00B/7.80A	----	10.80 + 5.40	.0249	----	----	----	----	1 UNCH
2950	----	----	12.20B/----	12.20B/8.60A	----	12.10 + 6.10	.0278	----	----	----	----	32 UNCH
2995	----	----	13.60B/----	13.60B/9.60A	----	13.50 + 6.80	.0310	----	----	10	----	15 + 10
3000	9.60	9.60	13.60B/9.40A	13.60B/9.40A	----	13.60 + 6.90	.0312	----	----	21	----	55 - 13
3015	----	----	14.30B/----	14.30B/10.20A	----	14.10 + 7.10	.0323	----	----	----	----	5 UNCH
3035	----	----	15.00B/----	15.00B/10.70A	----	14.80 + 7.50	.0339	----	----	----	----	5 UNCH
3100	----	----	17.30B/----	17.30B/12.50A	----	17.30 + 8.80	.0395	----	----	----	----	43 UNCH
3105	----	----	17.50B/----	17.50B/12.70A	----	17.50 + 8.90	.0399	----	----	----	----	1 UNCH
3125	----	----	18.50B/----	18.50B/13.30A	----	18.30 + 9.30	.0418	----	----	----	----	42 UNCH
3140	----	----	19.10B/----	19.10B/13.70A	----	19.00 + 9.70	.0433	----	----	----	----	1 UNCH
3150	----	----	19.60B/----	19.60B/14.00A	----	19.40 + 9.90	.0442	----	----	----	----	12 UNCH
3155	----	----	19.80B/----	19.80B/14.30A	----	19.60 + 10.00	.0447	----	----	----	----	1 UNCH
3200	----	----	22.60B/----	22.60B/16.00A	----	21.80 + 11.10	.0495	----	----	----	----	111 UNCH
3210	----	----	22.60B/----	22.60B/16.10A	----	22.30 + 11.40	.0506	----	----	----	----	1 UNCH
3220	----	----	23.20B/----	23.20B/16.80A	----	22.80 + 11.60	.0517	----	----	----	----	1 UNCH
3225	----	----	23.40B/----	23.40B/17.00A	----	23.00 + 11.70	.0522	----	----	----	----	70 UNCH
3250	23.00	23.00	25.00B/23.00	25.00B/18.10A	----	24.40 + 12.40	.0552	----	----	15	----	17 UNCH
3275	----	----	27.10B/----	27.10B/19.20A	----	25.80 + 13.10	.0583	----	----	----	----	10 UNCH
3290	----	----	28.40B/----	28.40B/20.20A	----	26.70 + 13.50	.0603	----	----	----	----	10 UNCH
3300	----	----	29.00B/----	29.00B/20.40A	----	27.30 + 13.80	.0616	----	----	----	----	55 UNCH
3325	----	----	30.80B/----	30.80B/21.50A	----	28.90 + 14.60	.0650	----	----	----	----	147 UNCH
3335	----	----	31.50B/----	31.50B/21.70A	----	29.50 + 14.90	.0664	----	----	----	----	86 UNCH
3340	----	----	31.80B/----	31.80B/21.90A	----	29.90 + 15.10	.0672	----	----	----	----	1 UNCH
3350	----	----	32.70B/----	32.70B/22.20A	----	30.50 + 15.30	.0685	----	----	2	----	22 UNCH
3355	----	----	33.00B/----	33.00B/22.40A	----	30.90 + 15.60	.0694	----	----	----	----	69 UNCH
3360	----	----	33.40B/----	33.40B/22.50A	----	31.20 + 15.70	.0700	----	----	----	----	5 UNCH
3370	----	----	34.30B/----	34.30B/22.90A	----	31.90 + 16.00	.0715	----	----	----	----	9 UNCH
3380	----	----	35.00B/----	35.00B/23.30A	----	32.70 + 16.40	.0732	----	----	----	----	2 UNCH
3385	----	----	35.30B/----	35.30B/23.30A	----	33.00 + 16.50	.0739	----	----	----	----	1 UNCH
3390	----	----	35.70B/----	35.70B/23.60A	----	33.40 + 16.70	.0747	----	----	----	----	1 UNCH
3395	----	----	36.30B/----	36.30B/23.60A	----	33.80 + 16.90	.0756	----	----	----	----	29 UNCH
3400	----	----	36.20B/----	36.20B/23.80A	----	34.20 + 17.10	.0764	----	----	33	----	48 - 6
3410	----	----	37.10B/----	37.10B/24.40A	----	35.00 + 17.50	.0781	----	----	----	----	5 UNCH
3425	----	----	38.70B/----	38.70B/24.90A	----	36.20 + 18.10	.0806	----	----	----	----	56 UNCH
3435	----	----	39.50B/----	39.50B/25.40A	----	37.00 + 18.40	.0823	----	----	----	----	5 UNCH
3445	----	----	40.30B/----	40.30B/25.80A	----	37.80 + 18.80	.0840	----	----	----	----	1 UNCH
3450	----	----	41.10B/----	41.10B/26.00A	----	38.30 + 19.00	.0850	----	----	137	----	137 + 135
3455	----	----	41.60B/----	41.60B/26.30A	----	38.70 + 19.20	.0859	----	----	----	----	10 UNCH
3460	----	----	41.80B/----	41.80B/26.60A	----	39.10 + 19.40	.0867	----	----	----	----	10 UNCH
3465	----	----	42.30B/----	42.30B/26.60A	----	39.60 + 19.60	.0877	----	----	----	----	142 UNCH
3475	----	----	43.50B/----	43.50B/27.10A	----	40.50 + 20.00	.0896	----	----	1	----	132 + 1
3495	----	----	44.60B/----	44.60B/28.20A	----	42.30 + 20.80	.0933	----	----	----	----	5 UNCH
3500	35.30	35.30	45.00B/35.30	45.00B/28.50A	----	42.80 + 21.00	.0943	----	----	39	----	516 UNCH
3505	----	----	45.80B/----	45.80B/28.80A	----	43.30 + 21.30	.0954	----	----	----	----	2 UNCH
3510	37.40	37.40	48.20B/37.40	48.20B/26.70A	----	43.80 + 21.50	.0964	----	----	1	----	5 UNCH
3515	----	----	48.60B/----	48.60B/27.00A	----	44.30 + 21.70	.0974	----	----	----	----	6 UNCH
3525	----	----	49.70B/----	49.70B/27.70A	----	45.30 + 22.10	.0994	----	----	2	----	3 - 1
3530	38.00	38.00	50.30B/37.50	50.30B/27.90A	----	45.80 + 22.30	.1005	----	----	107	----	168 + 99
3535	----	----	50.90B/----	50.90B/28.30A	----	46.30 + 22.60	.1015	----	----	----	----	31 UNCH
3545	----	----	52.00B/----	52.00B/28.90A	----	47.40 + 23.10	.1037	----	----	4	----	24 - 4
3550	----	----	52.60B/----	52.60B/29.20A	----	47.90 + 23.20	.1047	----	----	137	----	141 + 137
3580	----	----	56.10B/----	56.10B/31.20A	----	51.20 + 24.60	.1114	----	----	----	----	5 UNCH
3600	----	----	58.60B/----	58.60B/32.70A	----	53.60 + 25.70	.1161	----	----	3	----	40 - 3
3605	----	----	59.30B/----	59.30B/33.10A	----	54.20 + 25.90	.1173	----	----	----	----	5 UNCH
3620	----	----	61.10B/----	61.10B/34.30A	----	56.00 + 26.60	.1208	----	----	----	----	11 UNCH
3625	----	----	62.00B/----	62.00B/34.70A	----	56.60 + 26.90	.1220	----	----	----	----	11 UNCH
3630	----	----	62.60B/----	62.60B/35.10A	----	57.30 + 27.20	.1233	----	----	----	----	3 UNCH
3640	----	----	63.90B/----	63.90B/35.90A	----	58.60 + 27.70	.1259	----	----	----	----	5 UNCH
3645	----	----	64.60B/----	64.60B/36.30A	----	59.20 + 27.90	.1271	----	----	----	----	1 UNCH
3650	----	----	65.50B/----	65.50B/36.70A	----	59.90 + 28.20	.1284	----	----	----	----	86 UNCH
3655	47.90	47.90	66.10B/47.90	66.10B/37.30A	----	60.50 + 28.40	.1296	----	----	5	----	6 + 5
3660	----	----	66.80B/----	66.80B/37.70A	----	61.20 + 28.70	.1310	----	----	----	----	22 UNCH
3665	----	----	67.50B/----	67.50B/38.10A	----	61.90 + 29.00	.1323	----	----	----	----	2 UNCH
3670	----	----	68.20B/----	68.20B/38.60A	----	62.60 + 29.30	.1336	----	----	----	----	110 UNCH
3675	----	----	69.00B/----	69.00B/39.00A	----	63.30 + 29.60	.1350	----	----	----	----	2 UNCH
3680	----	----	69.60B/----	69.60B/39.40A	----	64.00 + 29.90	.1363	----	----	----	----	5 UNCH
3685	----	----	70.50B/----	70.50B/39.90A	----	64.70 + 30.10	.1376	----	----	----	----	10 UNCH
3690	----	----	71.30B/----	71.30B/40.40A	----	65.40 + 30.40	.1390	----	----	----	----	50 UNCH
3695	----	----	72.00B/----	72.00B/40.90A	----	66.10 + 30.70	.1404	----	----	----	----	140 UNCH
3700	----	----	72.90B/----	72.90B/41.40A	----	66.90 + 31.00	.1418	----	----	1	----	331 UNCH
3705	----	----	73.50B/----	73.50B/41.90A	----	67.60 + 31.30	.1432	----	----	----	----	10 UNCH
3715	----	----	75.10B/----	75.10B/42.80A	----	69.10 + 31.80	.1460	----	----	----	----	30 UNCH
3720	----	----	75.80B/----	75.80B/43.40A	----	69.90 + 32.20	.1475	----	----	----	----	17 UNCH
3725	----	----	76.60B/----	76.60B/43.80A	----	70.60 + 32.40	.1488	----	----	----	----	5 UNCH
3730	----	----	77.50B/----	77.50B/44.30A	----	71.40 + 32.70	.1503	----	----	----	----	3 UNCH
3735	----	----	78.30B/----	78.30B/44.90A	----	72.20 + 33.00	.1518	----	----	----	----	30 UNCH
3740	----	----	79.10B/----	79.10B/45.40A	----	73.00 + 33.30	.1533	----	----	----	----	20 UNCH
3750	----	----	80.80B/----	80.80B/46.50A	----	74.60 + 33.90	.1563	----	----	----	----	557 UNCH
3760	----	----	82.60B/----	82.60B/47.50A	----	76.20 + 34.50	.1593	----	----	----	----	2 UNCH
3765	----	----	83.30B/----	83.30B/48.10A	----	77.10 + 34.90	.1609	----	----	----	----	32 UNCH
3770	----	----	84.20B/----	84.20B/48.70A	----	77.90 + 35.10	.1624	----	----	----	----	120 UNCH
3775	----	----	85.10B/----	85.10B/49.30A	----	78.80 + 35.50	.1640	----	----	----	----	25 UNCH
3780	----	----	85.90B/----	85.90B/49.80A	----	79.60 NEW	.1655	----	----	2	----	1 + 1
3785	----	----	86.90B/----	86.90B/50.40A	----	80.50 + 36.10	.1671	----	----	----	----	5 UNCH
3790	----	----	87.80B/----	87.80B/51.00A	----	81.40 + 36.50	.1687	----	----	1	----	41 + 1
3795	----	----	88.70B/----	88.70B/51.60A	----	82.20 + 36.70	.1702	----	----	----	----	12 UNCH
3800	----	----	89.80B/----	89.80B/52.20A	----	83.10 + 37.00	.1719	----	----	2	----	572 - 2
3810	----	----	91.50B/----	91.50B/53.40A	----	84.90 + 37.70	.1751	----	----	1	----	16 + 1
3815	----	----	92.60B/----	92.60B/54.10A	----	85.90 + 38.10	.1769	----	----	----	----	14 UNCH
3820	----	----	93.50B/----	93.50B/54.60A	----	86.80 + 38.40	.1785	----	----	----	----	4 UNCH
3825	----	----	94.40B/----	94.40B/55.30A	----	87.70 + 38.70	.1801	----	----	----	----	6 UNCH
3840	----	----	97.40B/----	97.40B/57.10A	----	90.60 + 39.70	.1853	----	----	----	----	33 UNCH
3845	95.60	95.60	98.30B/95.60	98.30B/57.80A	----	91.60 + 40.10	.1870	----	----	10	----	14 + 10
3850	----	----	99.40B/----	99.40B/58.60A	----	92.50 + 40.40	.1887	----	----	----	----	216 UNCH
3860	----	----	101.50B/----	101.50B/59.80A	----	94.50 + 41.10	.1922	----	----	----	----	26 UNCH
3875	103.20	103.20	104.60B/103.20	104.60B/62.00A	----	97.60 + 42.20	.1975	----	----	10	----	102 - 10
3880	----	----	105.60B/----	105.60B/62.70A	----	98.60 + 42.50	.1993	----	----	----	----	13 UNCH
3885	----	----	106.70B/----	106.70B/63.30A	----	99.60 + 42.80	.2011	----	----	----	----	5 UNCH
3890	----	----	107.90B/----	107.90B/64.00A	----	100.70 + 43.20	.2029	----	----	----	----	4 UNCH
3895	----	----	108.60B/----	108.60B/64.90A	----	101.80 + 43.60	.2048	----	----	----	----	1 UNCH
3900	99.30	99.30	111.40/99.30	111.40/65.60A	----	102.80 + 43.90	.2066	----	----	70	----	313 + 63
3905	----	----	111.10B/----	111.10B/66.30A	----	103.90 + 44.30	.2085	----	----	----	----	10 UNCH
3910	----	----	112.40B/----	112.40B/67.10A	----	105.00 + 44.60	.2103	----	----	----	----	50 UNCH
3925	----	----	115.80B/----	115.80B/69.30A	----	108.30 + 45.70	.2160	----	----	----	----	48 UNCH
3930	91.70	91.70	116.90B/91.70	116.90B/70.30A	----	109.50 + 46.20	.2179	----	----	32	----	28 + 24
3935	----	----	118.10B/----	118.10B/71.00A	----	110.60 + 46.50	.2198	----	----	----	----	7 UNCH
3940	----	----	119.30B/----	119.30B/71.80A	----	111.80 + 46.90	.2218	----	----	----	----	20 UNCH
3945	----	----	120.50B/----	120.50B/72.60A	----	112.90 + 47.20	.2237	----	----	----	----	20 UNCH
3950	98.40	98.40	122.20B/98.40	122.20B/73.40A	----	114.10 + 47.60	.2257	----	----	1	----	603 - 1
3955	----	----	122.90B/----	122.90B/74.20A	----	115.30 + 48.00	.2277	----	----	----	----	22 UNCH
3960	----	----	124.20B/----	124.20B/75.10A	----	116.50 + 48.40	.2297	----	----	----	----	16 UNCH
3965	----	----	125.50B/----	125.50B/75.90A	----	117.70 + 48.80	.2317	----	----	----	----	5 UNCH
3975	----	----	128.10B/----	128.10B/77.60A	----	120.10 + 49.50	.2357	----	----	----	----	21 UNCH
3980	----	----	129.30B/----	129.30B/78.40A	----	121.40 + 50.00	.2377	----	----	----	----	3 UNCH
3985	----	----	130.60B/----	130.60B/79.40A	----	122.60 + 50.30	.2397	----	----	----	----	136 UNCH
3990	----	----	131.90B/----	131.90B/80.30A	----	123.90 + 50.80	.2418	----	----	----	----	40 UNCH
3995	----	----	133.20B/----	133.20B/81.20A	----	125.10 + 51.10	.2438	----	----	----	----	4 UNCH
4000	129.30	129.30	135.10B/128.00	135.10B/82.10A	----	126.40 + 51.50	.2459	----	----	130	----	510 - 6
4005	----	----	135.80B/----	135.80B/83.00A	----	127.70 + 51.90	.2480	----	----	----	----	10 UNCH
4010	111.60	111.60	136.90B/111.60	136.90B/83.90A	----	129.00 + 52.30	.2501	----	----	1	----	3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4015	106.70	106.70	138.60B/106.70	138.60B/84.80A	----	130.30 + 52.70	.2522	----	----	1	----	34 UNCH
4020	----	----	140.00B/----	140.00B/85.80A	----	131.60 + 53.10	.2543	----	----	----	----	20 UNCH
4025	----	----	141.30B/----	141.30B/86.70A	----	133.00 + 53.60	.2565	----	----	----	----	17 UNCH
4030	----	----	142.70B/----	142.70B/87.70A	----	134.30 + 53.90	.2586	----	----	----	----	32 UNCH
4035	----	----	143.70B/----	143.70B/88.70A	----	135.70 + 54.40	.2608	----	----	----	----	2 UNCH
4040	----	----	145.10B/----	145.10B/89.60A	----	137.00 + 54.70	.2629	----	----	----	----	1 UNCH
4045	144.30	144.30	147.00B/144.30	147.00B/90.60A	----	138.40 + 55.20	.2651	----	----	20	----	20 + 19
4050	----	----	148.50B/----	148.50B/91.50A	----	139.80 + 55.60	.2673	----	----	----	----	46 UNCH
4055	----	----	149.90B/----	149.90B/92.60A	----	141.20 + 56.00	.2695	----	----	----	----	31 UNCH
4065	----	----	152.90B/----	152.90B/94.70A	----	144.00 + 56.80	.2739	----	----	----	----	3 UNCH
4070	----	----	154.40B/----	154.40B/95.70A	----	145.50 + 57.30	.2761	----	----	----	----	12 UNCH
4075	----	----	155.90B/----	155.90B/96.70A	----	146.90 + 57.70	.2784	----	----	----	----	6 UNCH
4080	----	----	157.50B/----	157.50B/97.70A	----	148.40 + 58.10	.2806	----	----	----	----	5 UNCH
4095	----	----	161.80B/----	161.80B/101.10A	----	152.80 + 59.30	.2874	----	----	----	----	1 UNCH
4100	153.90	153.90	163.70B/153.90	163.70B/102.10A	----	154.30 + 59.80	.2897	----	----	1	----	129 UNCH
4105	----	----	165.20B/----	165.20B/103.30A	----	155.90 + 60.30	.2920	----	----	----	----	9 UNCH
4110	----	----	166.40B/----	166.40B/104.50A	----	157.40 + 60.70	.2943	----	----	----	----	1 UNCH
4115	----	----	168.40B/----	168.40B/105.60A	----	158.90 + 61.10	.2966	----	----	----	----	6 UNCH
4120	----	----	170.00B/----	170.00B/106.70A	----	160.50 + 61.50	.2990	----	----	----	----	5 UNCH
4125	----	----	171.60B/----	171.60B/107.80A	----	162.10 + 62.00	.3014	----	----	67	----	71 + 67
4130	139.90	139.90	173.60B/139.90	173.60B/109.10A	----	163.60 + 62.40	.3037	----	----	65	----	65 + 65
4140	----	----	176.70B/----	176.70B/111.40A	----	166.80 + 63.20	.3084	----	----	----	----	3 UNCH
4145	170.50	170.50	178.70B/170.50	178.70B/112.70A	----	168.50 + 63.70	.3108	----	----	1	----	254 + 1
4150	----	----	180.00B/----	180.00B/113.80A	----	170.10 + 64.20	.3132	----	----	----	----	133 UNCH
4155	----	----	182.00B/----	182.00B/115.00A	----	171.70 + 64.60	.3156	----	----	----	----	4 UNCH
4160	----	----	183.70B/----	183.70B/116.30A	----	173.40 + 65.00	.3180	----	----	----	----	3 UNCH
4165	----	----	185.50B/----	185.50B/117.60A	----	175.10 + 65.50	.3205	----	----	----	----	51 UNCH
4170	----	----	186.80B/----	186.80B/118.90A	----	176.70 + 65.90	.3229	----	----	----	----	1 UNCH
4175	----	----	189.00B/----	189.00B/120.10A	----	178.40 + 66.30	.3253	----	----	----	----	40 UNCH
4190	----	----	194.40B/----	194.40B/124.10A	----	183.60 + 67.70	.3327	----	----	----	----	129 UNCH
4195	----	----	196.20B/----	196.20B/125.40A	----	185.40 + 68.20	.3352	----	----	----	----	65 UNCH
4200	163.80	163.80	198.40B/163.80	198.40B/126.70A	----	187.10 + 68.60	.3376	----	----	2	----	294 - 2
4205	----	----	199.90B/----	199.90B/128.10A	----	188.90 + 69.00	.3401	----	----	----	----	4 UNCH
4215	----	----	203.70B/----	203.70B/130.80A	----	192.50 + 69.90	.3452	----	----	----	----	33 UNCH
4220	----	----	205.50B/----	205.50B/132.20A	----	194.30 + 70.40	.3477	----	----	----	----	75 UNCH
4225	----	----	207.60B/----	207.60B/133.60A	----	196.20 + 70.90	.3502	----	----	----	----	33 UNCH
4230	----	----	209.60B/----	209.60B/135.10A	----	198.00 + 71.30	.3528	----	----	----	----	8 UNCH
4235	----	----	211.60B/----	211.60B/136.60A	----	199.90 + 71.80	.3553	----	----	----	----	42 UNCH
4240	----	----	213.50B/----	213.50B/138.00A	----	201.80 + 72.30	.3579	----	----	----	----	33 UNCH
4245	----	----	215.00B/----	215.00B/139.40A	----	203.70 + 72.70	.3604	----	----	----	----	1 UNCH
4250	208.80	208.80	217.00B/208.80	217.00B/141.00A	----	205.60 + 73.20	.3630	----	----	16	----	759 - 15
4255	----	----	219.10B/----	219.10B/142.50A	----	207.50 + 73.60	.3656	----	----	----	----	2 UNCH
4260	----	----	221.50B/----	221.50B/143.90A	----	209.50 + 74.20	.3682	----	----	----	----	4 UNCH
4265	----	----	223.50B/----	223.50B/145.50A	----	211.40 + 74.60	.3708	----	----	----	----	12 UNCH
4270	----	----	225.00B/----	225.00B/147.00A	----	213.40 + 75.10	.3734	----	----	----	----	1 UNCH
4275	----	----	227.60B/----	227.60B/148.50A	----	215.40 + 75.50	.3760	----	----	1	----	74 UNCH
4280	----	----	229.80B/----	229.80B/150.10A	----	217.40 + 76.00	.3786	----	----	----	----	8 UNCH
4285	196.60	196.60	231.90B/196.60	231.90B/151.70A	----	219.40 + 76.50	.3812	----	----	3	----	101 UNCH
4290	----	----	234.00B/----	234.00B/153.20A	----	221.40 + 76.90	.3838	----	----	----	----	33 UNCH
4295	----	----	236.20B/----	236.20B/154.90A	----	223.50 + 77.40	.3865	----	----	----	----	20 UNCH
4300	172.60	172.60	238.70B/172.60	238.70B/156.50A	----	225.50 + 77.80	.3891	----	----	21	----	2193 + 2
4305	----	----	239.90B/----	239.90B/158.10A	----	227.60 + 78.30	.3918	----	----	----	----	2 UNCH
4310	----	----	242.00B/----	242.00B/159.70A	----	229.70 + 78.80	.3944	----	----	----	----	1 UNCH
4315	----	----	244.90B/----	244.90B/161.50A	----	231.80 + 79.30	.3971	----	----	----	----	23 UNCH
4320	----	----	246.40B/----	246.40B/163.20A	----	233.90 + 79.70	.3997	----	----	----	----	2 UNCH
4325	201.50	201.50	249.30B/201.50	249.30B/164.90A	----	236.10 + 80.30	.4024	----	----	6	----	67 UNCH
4330	----	----	251.10B/----	251.10B/166.60A	----	238.20 + 80.70	.4051	----	----	----	----	1 UNCH
4335	----	----	253.90B/----	253.90B/168.20A	----	240.40 + 81.20	.4078	----	----	----	----	111 UNCH
4340	----	----	256.10B/----	256.10B/170.00A	----	242.60 + 81.70	.4105	----	----	----	----	114 UNCH
4345	----	----	257.70B/----	257.70B/171.80A	----	244.80 + 82.10	.4132	----	----	----	----	2 UNCH
4350	----	----	261.00B/----	261.00B/173.40A	----	247.00 + 82.60	.4158	----	----	----	----	302 UNCH
4355	----	----	263.10B/----	263.10B/175.20A	----	249.20 + 83.10	.4185	----	----	----	----	28 UNCH
4360	251.00	251.00	265.40B/251.00	265.40B/177.00A	----	251.50 + 83.60	.4213	----	----	1	----	104 + 1
4365	----	----	266.90B/----	266.90B/178.80A	----	253.80 + 84.10	.4240	----	----	----	----	1 UNCH
4370	252.00	252.00	270.20B/252.00	270.20B/180.80A	----	256.00 + 84.50	.4267	----	----	1	----	140 UNCH
4375	----	----	272.50B/----	272.50B/182.50A	----	258.30 + 85.00	.4294	----	----	----	----	26 UNCH
4380	254.00	254.00	274.20B/254.00	274.20B/184.40A	----	260.60 + 85.50	.4321	----	----	1	----	2 + 1
4385	----	----	277.40B/----	277.40B/186.10A	----	263.00 + 86.00	.4348	----	----	----	----	52 UNCH
4390	----	----	279.10B/----	279.10B/188.10A	----	265.30 + 86.50	.4376	----	----	----	----	2 UNCH
4395	----	----	282.30B/----	282.30B/189.90A	----	267.70 + 87.00	.4403	----	----	----	----	11 UNCH
4400	270.20	270.20	285.00B/270.20	285.00B/192.00A	----	270.10 + 87.50	.4430	----	----	16	----	2267 - 2
4405	----	----	286.20B/----	286.20B/193.80A	----	272.40 + 87.90	.4458	----	----	----	----	1 UNCH
4410	275.20	275.20	289.80B/275.20	289.80B/195.70A	----	274.90 + 88.50	.4485	----	----	2	----	14 + 2
4415	----	----	292.30B/----	292.30B/197.80A	----	277.30 + 88.90	.4512	----	----	----	----	4 UNCH
4420	218.70	218.70	294.80B/218.70	294.80B/199.80A	----	279.70 + 89.40	.4540	----	----	5	----	15 UNCH
4425	----	----	297.20B/----	297.20B/201.80A	----	282.20 + 89.90	.4567	----	----	----	----	36 UNCH
4430	----	----	299.80B/----	299.80B/203.70A	----	284.60 + 90.30	.4595	----	----	----	----	22 UNCH
4435	----	----	301.50B/----	301.50B/205.70A	----	287.10 + 90.80	.4622	----	----	----	----	1 UNCH
4440	----	----	305.00B/----	305.00B/207.70A	----	289.60 + 91.30	.4650	----	----	----	----	3 UNCH
4445	----	----	307.20B/----	307.20B/209.80A	----	292.20 + 91.90	.4677	----	----	----	----	152 UNCH
4450	233.20	233.20	309.90B/233.20	309.90B/211.90A	----	294.70 + 92.30	.4705	----	----	1	----	573 - 1
4455	----	----	312.60B/----	312.60B/214.00A	----	297.20 + 92.80	.4732	----	----	----	----	18 UNCH
4460	----	----	315.10B/----	315.10B/216.30A	----	299.80 + 93.30	.4760	----	----	----	----	93 UNCH
4465	----	----	317.80B/----	317.80B/218.20A	----	302.40 + 93.80	.4787	----	----	----	----	11 UNCH
4475	----	----	323.30B/----	323.30B/222.60A	----	307.60 + 94.80	.4842	----	----	----	----	27 UNCH
4480	----	----	325.60B/----	325.60B/224.70A	----	310.20 + 95.20	.4869	----	----	----	----	87 UNCH
4490	----	----	331.30B/----	331.30B/229.20A	----	315.60 + 96.30	.4924	----	----	----	----	16 UNCH
4495	----	----	330.30B/----	330.30B/231.30A	----	318.20 + 96.70	.4951	----	----	----	----	2 UNCH
4500	----	----	336.80B/----	336.80B/233.80A	----	320.90 + 97.20	.4979	----	----	----	----	364 UNCH
4505	----	----	335.50B/----	335.50B/235.90A	----	323.60 + 97.70	.5006	----	----	----	----	1 UNCH
4510	----	----	342.10B/----	342.10B/238.10A	----	326.40 + 98.30	.5033	----	----	----	----	7 UNCH
4515	----	----	344.70B/----	344.70B/240.60A	----	329.10 + 98.70	.5061	----	----	----	----	3 UNCH
4520	----	----	347.90B/----	347.90B/242.90A	----	331.90 + 99.20	.5088	----	----	----	----	4 UNCH
4525	247.70	247.70	349.60B/245.20A	349.60B/245.20A	----	334.60 + 99.70	.5115	----	----	1	----	72 UNCH
4535	----	----	352.40B/----	352.40B/249.70A	----	340.20 + 00.70	.5170	----	----	----	----	1 UNCH
4540	----	----	357.20B/----	357.20B/252.30A	----	343.10 + 01.20	.5197	----	----	50	----	88 + 31
4545	----	----	359.40B/----	359.40B/254.50A	----	345.90 + 01.70	.5224	----	----	----	----	20 UNCH
4550	----	----	363.40B/----	363.40B/256.90A	----	348.70 + 02.10	.5251	----	----	----	----	72 UNCH
4555	320.20	320.20	366.50B/320.20	366.50B/259.30A	----	351.60 + 02.60	.5278	----	----	1	----	6 + 1
4560	----	----	369.70B/----	369.70B/261.80A	----	354.50 + 03.20	.5305	----	----	----	----	17 UNCH
4565	----	----	371.80B/----	371.80B/264.20A	----	357.40 + 03.60	.5332	----	----	----	----	4 UNCH
4570	----	----	374.20B/----	374.20B/266.70A	----	360.30 + 04.10	.5359	----	----	----	----	8 UNCH
4575	----	----	378.60B/----	378.60B/269.10A	----	363.20 + 04.60	.5386	----	----	----	----	11 UNCH
4580	----	----	378.90B/----	378.90B/271.60A	----	366.20 + 05.10	.5412	----	----	----	----	1 UNCH
4585	----	----	382.90B/----	382.90B/274.20A	----	369.10 + 05.60	.5439	----	----	----	----	4 UNCH
4590	----	----	386.90B/----	386.90B/276.70A	----	372.10 + 06.10	.5466	----	----	----	----	5 UNCH
4595	----	----	388.60B/----	388.60B/279.30A	----	375.10 + 06.60	.5493	----	----	----	----	28 UNCH
4600	----	----	393.80B/----	393.80B/281.90A	----	378.10 + 07.00	.5519	----	----	----	----	1065 UNCH
4605	----	----	394.20B/----	394.20B/284.40A	----	381.10 + 07.50	.5546	----	----	----	----	1 UNCH
4610	----	----	399.20B/----	399.20B/287.10A	----	384.20 + 08.10	.5572	----	----	----	----	11 UNCH
4615	----	----	400.40B/----	400.40B/289.70A	----	387.20 + 08.50	.5599	----	----	----	----	1 UNCH
4620	----	----	406.10B/----	406.10B/292.30A	----	390.30 + 09.00	.5625	----	----	----	----	42 UNCH
4625	----	----	409.60B/----	409.60B/294.90A	----	393.40 + 09.50	.5651	----	----	----	----	25 UNCH
4630	----	----	409.80B/----	409.80B/297.70A	----	396.40 + 09.90	.5678	----	----	1	----	0 - 1
4635	----	----	415.30B/----	415.30B/300.30A	----	399.60 + 10.50	.5704	----	----	----	----	127 UNCH
4640	----	----	418.60B/----	418.60B/303.00A	----	402.70 + 10.90	.5730	----	----	----	----	51 UNCH
4645	----	----	419.70B/----	419.70B/305.70A	----	405.80 + 11.30	.5756	----	----	----	----	10 UNCH
4650	----	----	423.20B/----	423.20B/308.30A	----	409.00 + 11.90	.5782	----	----	----	----	58 UNCH
4655	----	----	425.80B/----	425.80B/315.70A	----	412.10 + 12.30	.5808	----	----	----	----	2 UNCH
4660	----	----	429.60B/----	429.60B/320.10A	----	415.30 + 12.80	.5834	----	----	----	----	54 UNCH
4665	----	----	433.10B/----	433.10B/322.60A	----	418.50 + 13.20	.5860	----	----	----	----	20 UNCH
4670	----	----	436.20B/----	436.20B/325.70A	----	421.70 + 13.70	.5885	----	----	----	----	100 UNCH
4675	----	----	439.10B/----	439.10B/328.50A	----	424.90 + 14.10	.5911	----	----	1	----	69 - 1
4680	----	----	442.40B/----	442.40B/330.10A	----	428.20 + 14.70	.5936	----	----	----	----	8 UNCH
4695	----	----	453.10B/----	453.10B/339.40A	----	438.00 + 16.00	.6012	----	----	----	----	162 UNCH
4700	----	----	457.00B/----	457.00B/341.80A	----	441.30 + 16.50	.6038	----	----	1	----	502 - 1
4705	----	----	459.40B/----	459.40B/345.50A	----	444.60 + 16.90	.6063	----	----	----	----	6 UNCH
4710	----	----	462.50B/----	462.50B/348.40A	----	447.90 + 17.40	.6088	----	----	----	----	120 UNCH
4715	----	----	465.70B/----	465.70B/351.70A	----	451.20 + 17.80	.6113	----	----	----	----	1 UNCH
4720	----	----	469.20B/----	469.20B/353.50A	----	454.60 + 18.30	.6138	----	----	----	----	8 UNCH
4725	----	----	472.60B/----	472.60B/354.80A	----	458.00 + 18.80	.6162	----	----	----	----	205 UNCH
4730	----	----	475.90B/----	475.90B/360.30A	----	461.30 + 19.10	.6187	----	----	----	----	288 UNCH
4735	----	----	479.30B/----	479.30B/363.30A	----	464.70 + 19.60	.6212	----	----	----	----	11 UNCH
4740	----	----	482.60B/----	482.60B/366.70A	----	468.10 + 20.00	.6237	----	----	----	----	202 UNCH
4745	----	----	486.00B/----	486.00B/369.60A	----	471.50 + 20.40	.6261	----	----	----	----	115 UNCH
4750	----	----	489.80B/----	489.80B/373.10A	----	475.00 + 21.00	.6285	----	----	----	----	398 UNCH
4755	----	----	493.10B/----	493.10B/376.20A	----	478.40 + 21.30	.6310	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4760	----	----	496.80B/----	496.80B/378.90A	----	481.90 + 21.80	.6334	----	----	----	----	29 UNCH
4765	----	----	500.30B/----	500.30B/382.20A	----	485.30 + 22.20	.6358	----	----	----	----	31 UNCH
4770	----	----	503.70B/----	503.70B/385.10A	----	488.80 + 22.60	.6382	----	----	----	----	1 UNCH
4775	----	----	507.10B/----	507.10B/387.80A	----	492.30 + 23.10	.6405	----	----	----	----	40 UNCH
4780	----	----	510.90B/----	510.90B/391.20A	----	495.80 + 23.50	.6429	----	----	----	----	30 UNCH
4785	----	----	514.60B/----	514.60B/394.80A	----	499.30 + 23.90	.6453	----	----	----	----	15 UNCH
4790	----	----	517.90B/----	517.90B/397.70A	----	502.90 + 24.40	.6477	----	----	----	----	1 UNCH
4795	----	----	521.70B/----	521.70B/401.10A	----	506.40 + 24.70	.6500	----	----	----	----	6 UNCH
4800	----	----	525.70B/----	525.70B/403.90A	----	510.00 + 25.20	.6523	----	----	----	----	1279 UNCH
4810	----	----	532.50B/----	532.50B/410.70A	----	517.10 + 25.90	.6570	----	----	----	----	6 UNCH
4815	----	----	536.00B/----	536.00B/414.10A	----	520.70 + 26.40	.6593	----	----	----	----	1 UNCH
4820	----	----	539.80B/----	539.80B/416.50A	----	524.30 + 26.80	.6615	----	----	----	----	101 UNCH
4825	----	----	543.40B/----	543.40B/419.80A	----	527.90 + 27.10	.6639	----	----	----	----	1 UNCH
4840	----	----	554.50B/----	554.50B/430.00A	----	538.90 + 28.40	.6706	----	----	----	----	8 UNCH
4845	----	----	558.20B/----	558.20B/433.80A	----	542.50 + 28.70	.6728	----	----	----	----	69 UNCH
4850	----	----	562.00B/----	562.00B/436.40A	----	546.20 + 29.10	.6751	----	----	----	----	211 UNCH
4860	----	----	569.40B/----	569.40B/443.20A	----	553.60 + 29.90	.6795	----	----	----	----	1 UNCH
4870	----	----	577.00B/----	577.00B/450.60A	----	561.00 + 30.60	.6839	----	----	----	----	318 UNCH
4875	----	----	580.70B/----	580.70B/454.00A	----	564.80 + 31.10	.6861	----	----	----	----	70 UNCH
4880	----	----	584.50B/----	584.50B/456.80A	----	568.50 + 31.40	.6882	----	----	----	----	11 UNCH
4890	----	----	592.10B/----	592.10B/463.80A	----	576.00 + 32.10	.6925	----	----	----	----	3 UNCH
4895	----	----	596.00B/----	596.00B/465.50A	----	579.80 + 32.50	.6947	----	----	----	----	61 UNCH
4900	----	----	598.30B/----	598.30B/492.60A	----	583.60 + 32.90	.6968	----	----	1	----	261 UNCH
4905	----	----	600.40B/----	600.40B/497.80A	----	587.40 + 33.20	.6989	----	----	----	----	5 UNCH
4910	----	----	#601.50B/----	#601.50B/522.40A	----	591.20 + 33.60	.7010	----	----	----	----	2 UNCH
4915	----	----	608.20B/----	608.20B/504.90A	----	595.00 + 33.90	.7031	----	----	----	----	6 UNCH
4920	----	----	612.10B/----	612.10B/508.50A	----	598.90 + 34.30	.7052	----	----	----	----	22 UNCH
4925	----	----	616.00B/----	616.00B/512.10A	----	602.70 + 34.60	.7072	----	----	----	----	11 UNCH
4930	----	----	621.60B/----	621.60B/514.20A	----	606.60 + 35.00	.7092	----	----	----	----	272 UNCH
4935	----	----	623.80B/----	623.80B/519.40A	----	610.40 + 35.30	.7114	----	----	----	----	4 UNCH
4940	----	----	627.70B/----	627.70B/523.10A	----	614.30 + 35.70	.7133	----	----	----	----	11 UNCH
4950	----	----	635.50B/----	635.50B/530.40A	----	622.10 + 36.40	.7174	----	----	----	----	106 UNCH
4975	----	----	604.10B/----	604.10B/570.10A	----	641.70 + 38.00	.7272	----	----	----	----	2 UNCH
4980	----	----	659.40B/----	659.40B/552.70A	----	645.70 + 38.40	.7291	----	----	----	----	6 UNCH
4985	----	----	663.40B/----	663.40B/556.40A	----	649.60 + 38.60	.7310	----	----	----	----	104 UNCH
4990	----	----	#608.00B/----	#608.00B/581.10A	----	653.60 + 39.00	.7330	----	----	----	----	2 UNCH
4995	----	----	671.40B/----	671.40B/564.00A	----	657.60 + 39.30	.7349	----	----	----	----	8 UNCH
5000	----	----	678.90B/----	678.90B/564.60A	----	661.60 + 39.60	.7368	----	----	1	----	553 - 2
5005	----	----	679.50B/----	679.50B/571.60A	----	665.60 + 40.00	.7387	----	----	----	----	12 UNCH
5010	----	----	683.50B/----	683.50B/575.40A	----	669.60 + 40.30	.7405	----	----	----	----	9 UNCH
5015	----	----	687.60B/----	687.60B/579.20A	----	673.60 + 40.50	.7424	----	----	----	----	20 UNCH
5020	----	----	691.60B/----	691.60B/583.00A	----	677.60 + 40.80	.7442	----	----	----	----	5 UNCH
5025	----	----	695.70B/----	695.70B/586.90A	----	681.70 + 41.20	.7461	----	----	----	----	150 UNCH
5030	----	----	699.80B/----	699.80B/590.70A	----	685.70 + 41.40	.7479	----	----	----	----	8 UNCH
5035	----	----	703.90B/----	703.90B/594.60A	----	689.80 + 41.80	.7497	----	----	----	----	37 UNCH
5045	----	----	712.10B/----	712.10B/602.40A	----	697.90 + 42.30	.7533	----	----	----	----	5 UNCH
5050	----	----	716.20B/----	716.20B/606.20A	----	702.00 + 42.60	.7551	----	----	----	----	79 UNCH
5055	----	----	720.30B/----	720.30B/610.10A	----	706.10 + 42.90	.7569	----	----	----	----	3 UNCH
5065	----	----	728.60B/----	728.60B/618.00A	----	714.30 + 43.50	.7603	----	----	----	----	10 UNCH
5075	----	----	736.90B/----	736.90B/625.90A	----	722.50 + 44.00	.7638	----	----	----	----	6 UNCH
5080	----	----	----	485.70B/839.40A	----	726.60 + 44.30	.7655	----	----	----	----	2 UNCH
5085	----	----	745.30B/----	745.30B/633.80A	----	730.80 + 44.60	.7672	----	----	1	----	21 + 1
5090	----	----	749.50B/----	749.50B/637.70A	----	734.90 + 44.80	.7689	----	----	----	----	6 UNCH
5095	----	----	753.70B/----	753.70B/641.70A	----	739.10 + 45.20	.7706	----	----	----	----	42 UNCH
5100	----	----	757.80B/----	757.80B/645.70A	----	743.20 + 45.40	.7722	----	----	1	----	106 - 1
5105	----	----	762.10B/----	762.10B/649.70A	----	747.40 + 45.70	.7739	----	----	----	----	22 UNCH
5110	----	----	766.20B/----	766.20B/653.70A	----	751.60 + 46.00	.7755	----	----	----	----	16 UNCH
5115	----	----	770.50B/----	770.50B/657.70A	----	755.80 + 46.20	.7772	----	----	----	----	37 UNCH
5120	----	----	774.70B/----	774.70B/661.80A	----	760.00 + 46.50	.7788	----	----	----	----	14 UNCH
5125	----	----	778.90B/----	778.90B/665.80A	----	764.20 + 46.80	.7803	----	----	----	----	37 UNCH
5130	----	----	783.20B/----	783.20B/669.90A	----	768.40 + 47.00	.7820	----	----	----	----	24 UNCH
5135	----	----	787.40B/----	787.40B/673.90A	----	772.60 + 47.20	.7836	----	----	----	----	11 UNCH
5140	----	----	791.70B/----	791.70B/678.00A	----	776.80 + 47.50	.7851	----	----	----	----	19 UNCH
5145	----	----	----	543.30B/889.10A	----	781.10 + 47.80	.7867	----	----	----	----	2 UNCH
5150	----	----	800.20B/----	800.20B/686.10A	----	785.30 + 48.00	.7883	----	----	----	----	233 UNCH
5155	----	----	804.50B/----	804.50B/690.20A	----	789.50 + 48.20	.7898	----	----	----	----	43 UNCH
5160	----	----	808.80B/----	808.80B/694.30A	----	793.80 + 48.50	.7913	----	----	----	----	42 UNCH
5170	----	----	817.30B/----	817.30B/702.60A	----	802.30 + 48.90	.7943	----	----	----	----	55 UNCH
5175	----	----	821.70B/----	821.70B/706.70A	----	806.60 + 49.20	.7958	----	----	----	----	61 UNCH
5180	----	----	826.00B/----	826.00B/710.80A	----	810.90 + 49.50	.7973	----	----	----	----	10 UNCH
5185	----	----	830.30B/----	830.30B/715.00A	----	815.20 + 49.70	.7988	----	----	----	----	103 UNCH
5190	----	----	834.40B/----	834.40B/719.10A	----	819.50 + 49.90	.8003	----	----	----	----	19 UNCH
5200	----	----	843.00B/----	843.00B/727.50A	----	828.10 + 50.40	.8032	----	----	1	----	65 UNCH
5225	----	----	864.80B/----	864.80B/748.40A	----	849.70 + 51.50	.8104	----	----	----	----	42 UNCH
5230	----	----	816.80B/----	816.80B/752.60A	----	854.00 + 51.70	.8117	----	----	----	----	2 UNCH
5235	----	----	873.60B/----	873.60B/756.90A	----	858.40 + 51.90	.8131	----	----	----	----	27 UNCH
5245	----	----	----	634.30B/967.90A	----	867.10 + 52.30	.8158	----	----	----	----	2 UNCH
5250	----	----	886.70B/----	886.70B/769.60A	----	871.50 + 52.60	.8173	----	----	----	----	14 UNCH
5255	----	----	891.10B/----	891.10B/773.80A	----	875.90 + 52.80	.8185	----	----	----	----	14 UNCH
5285	----	----	----	671.50B/1000.10A	----	902.20 + 53.90	.8263	----	----	----	----	2 UNCH
5290	----	----	922.10B/----	922.10B/803.80A	----	906.60 + 54.10	.8277	----	----	----	----	4 UNCH
5295	----	----	----	680.80B/1008.20A	----	911.10 + 54.40	.8288	----	----	----	----	2 UNCH
5300	----	----	931.00B/----	931.00B/812.50A	----	915.50 + 54.60	.8302	----	----	----	----	67 UNCH
5315	----	----	944.40B/----	944.40B/825.50A	----	928.80 + 55.10	.8339	----	----	----	----	10 UNCH
5325	----	----	----	709.00B/1032.80A	----	937.70 + 55.50	.8362	----	----	----	----	1 UNCH
5350	----	----	975.70B/----	975.70B/855.90A	----	960.00 + 56.40	.8422	----	----	----	----	8 UNCH
5375	----	----	998.20B/----	998.20B/877.90A	----	982.50 + 57.30	.8479	----	----	----	----	7 UNCH
5390	----	----	1,011.90B/----	1011.90B/891.20A	----	996.10 + 57.80	.8512	----	----	----	----	5 UNCH
5400	----	----	1,024.90B/----	1024.90B/896.60A	----	1005.10 + 58.10	.8533	----	----	----	----	602 UNCH
5410	----	----	----	788.70B/1103.40A	----	1014.20 + 58.50	.8555	----	----	----	----	1 UNCH
5440	----	----	----	816.40B/1128.70A	----	1041.50 + 59.40	.8616	----	----	----	----	1 UNCH
5475	----	----	1,089.70B/----	1089.70B/967.40A	----	1073.60 + 60.50	.8684	----	----	----	----	6 UNCH
5500	----	----	1,112.90B/----	1112.90B/990.10A	----	1096.60 + 61.10	.8731	----	----	----	----	3 UNCH
5505	----	----	----	876.80B/1184.30A	----	1101.20 + 61.30	.8739	----	----	----	----	1 UNCH
5510	----	----	----	881.50B/1188.60A	----	1105.80 + 61.40	.8748	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1669.80 + 71.30	.9409	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1694.10 + 71.50	.9426	----	----	----	----	2 UNCH
TOTAL										1268		26801 + 706
AUG26												
2300	----	----	----	1.60B/4.30A	----	4.70 + 1.50	.0092	----	----	----	----	30 UNCH
2325	----	----	----	1.60B/4.60A	----	5.40 + 1.70	.0104	----	----	----	----	1 UNCH
2350	----	----	----	1.70B/4.60A	----	5.50 + 1.80	.0107	----	----	----	----	2 UNCH
2375	----	----	----	2.00B/4.90A	----	5.60 + 1.80	.0110	----	----	2	----	7 + 1
2400	----	----	----	2.30B/4.90A	----	5.90 + 1.90	.0116	----	----	----	----	5 UNCH
2425	----	----	----	2.40B/5.30A	----	6.00 + 1.90	.0120	----	----	----	----	1 UNCH
2475	----	----	----	2.80B/5.60A	----	6.70 + 2.20	.0134	----	----	----	----	5 UNCH
2500	----	----	----	3.20B/5.80A	----	6.80 NEW	.0138	----	----	2	----	2 + 2
2570	----	----	----	4.00B/6.80A	----	7.90 + 2.60	.0161	----	----	----	----	9 UNCH
2580	----	----	----	4.10B/6.70A	----	7.90 + 2.60	.0162	----	----	----	----	1 UNCH
2590	----	----	----	4.30B/6.90A	----	8.00 + 2.70	.0164	----	----	----	----	2 UNCH
2600	----	----	----	4.50B/7.00A	----	8.00 + 2.60	.0165	----	----	----	----	2 UNCH
2615	----	----	----	4.70B/7.10A	----	8.40 + 2.80	.0173	----	----	----	----	1 UNCH
2625	----	----	----	4.80B/7.20A	----	8.40 + 2.80	.0174	----	----	----	----	2 UNCH
2640	----	----	----	5.20B/7.40A	----	8.80 + 3.00	.0182	----	----	----	----	1 UNCH
2685	----	----	----	6.00B/8.30A	----	9.30 + 3.10	.0195	----	----	----	----	1 UNCH
2690	----	----	----	6.00B/8.20A	----	9.30 + 3.10	.0195	----	----	----	----	1 UNCH
2730	----	----	6.80B/----	6.80B/9.10A	----	10.10 + 3.40	.0213	----	----	----	----	1 UNCH
2745	----	----	7.20B/----	7.20B/9.40A	----	10.40 + 3.60	.0219	----	----	----	----	1 UNCH
2750	----	----	7.40B/----	7.40B/9.30A	----	10.50 + 3.70	.0221	----	----	----	----	4 UNCH
2800	----	----	8.40B/----	8.40B/10.20A	----	11.90 + 4.60	.0250	----	----	----	----	30 UNCH
2860	----	----	10.00B/----	10.00B/11.70A	----	13.60 + 5.40	.0286	----	----	----	----	1 UNCH
2950	----	----	13.60B/----	13.60B/14.00A	----	16.60 + 7.20	.0348	----	----	----	----	8 UNCH
3000	----	----	15.20B/----	15.20B/15.90A	----	18.30 + 8.20	.0384	----	----	----	----	262 UNCH
3010	----	----	15.80B/----	15.80B/16.50A	----	18.70 + 8.40	.0393	----	----	----	----	1 UNCH
3015	----	----	15.60B/----	15.60B/16.50A	----	18.90 + 8.50	.0397	----	----	----	----	1 UNCH
3025	----	----	15.90B/----	15.90B/16.90A	----	19.30 + 8.90	.0405	----	----	----	----	5 UNCH
3065	----	----	17.90B/----	17.90B/18.40A	----	20.90 + 9.60	.0439	----	----	----	----	1 UNCH
3090	----	----	19.00B/----	19.00B/19.30A	----	22.00 + 10.30	.0462	----	----	----	----	1 UNCH
3095	----	----	19.50B/----	19.50B/19.60A	----	22.20 + 10.50	.0467	----	----	----	----	1 UNCH
3100	----	----	20.00B/----	20.00B/19.60A	----	22.40 + 10.50	.0471	----	----	----	----	137 UNCH
3110	----	----	20.20B/----	20.20B/20.40A	----	22.90 + 10.90	.0481	----	----	----	----	15 UNCH
3120	----	----	20.80B/----	20.80B/20.70A	----	23.40 + 11.10	.0491	----	----	----	----	30 UNCH
3130	----	----	21.40B/----	21.40B/21.10A	----	23.80 + 11.20	.0500	----	----	----	----	5 UNCH
3150	----	----	22.90B/----	22.90B/22.00A	----	24.80 + 11.90	.0521	----	----	----	----	10 UNCH
3155	----	----	22.90B/----	22.90B/22.30A	----	25.10 + 11.90	.0527	----	----	----	----	3 UNCH
3160	----	----	23.20B/----	23.20B/22.70A	----	25.40 + 12.10	.0533	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3180	----	----	24.40B/----	24.40B/23.60A	----	26.50 + 12.50	.0555	----	----	----	----	25 UNCH
3185	----	----	24.70B/----	24.70B/23.90A	----	26.70 + 12.50	.0560	----	----	----	----	1 UNCH
3190	----	----	25.00B/----	25.00B/24.10A	----	27.00 + 12.60	.0566	----	----	----	----	20 UNCH
3195	----	----	25.40B/----	25.40B/24.40A	----	27.30 + 12.70	.0572	----	----	----	----	1 UNCH
3200	----	----	26.00B/----	26.00B/23.80A	----	27.60 + 12.80	.0578	----	----	----	----	405 UNCH
3250	----	----	32.00B/----	32.00B/26.20A	----	30.80 + 14.00	.0642	----	----	----	----	400 UNCH
3300	----	----	36.00B/----	36.00B/28.90A	----	34.40 + 15.40	.0713	----	----	----	----	157 UNCH
3350	30.00	30.00	39.00B/30.00	39.00B/30.00	----	38.60 + 17.20	.0793	----	----	5	----	334 + 5
3370	----	----	40.90B/----	40.90B/33.10A	----	40.40 + 17.90	.0826	----	----	----	----	1 UNCH
3380	----	----	41.70B/----	41.70B/33.90A	----	41.30 + 18.20	.0843	----	----	----	----	1 UNCH
3390	----	----	42.40B/----	42.40B/34.60A	----	42.20 + 18.60	.0861	----	----	----	----	1 UNCH
3400	47.00	47.00	47.00/47.00	47.00/35.40A	----	43.20 + 19.00	.0879	----	----	10	----	23 + 9
3405	----	----	44.10B/----	44.10B/35.80A	----	43.70 + 19.20	.0888	----	----	----	----	4 UNCH
3450	----	----	48.50B/----	48.50B/35.20A	----	48.40 + 21.10	.0974	----	----	----	----	1 UNCH
3470	----	----	51.00B/----	51.00B/35.80A	----	50.70 + 22.10	.1016	----	----	----	----	1 UNCH
3495	----	----	53.80B/----	53.80B/37.30A	----	53.60 + 23.30	.1068	----	----	----	----	1 UNCH
3500	52.00	52.00	54.50B/52.00	54.50B/37.70A	----	54.20 + 23.50	.1078	----	----	2	----	524 + 2
3510	----	----	55.60B/----	55.60B/39.00A	----	55.50 + 24.10	.1101	----	----	----	----	50 UNCH
3520	----	----	56.50B/----	56.50B/39.90A	----	56.70 + 24.50	.1123	----	----	----	----	210 UNCH
3525	----	----	57.30B/----	57.30B/39.80A	----	57.40 + 24.80	.1134	----	----	----	----	60 UNCH
3545	----	----	60.20B/----	60.20B/41.70A	----	60.00 + 25.90	.1180	----	----	----	----	9 UNCH
3550	----	----	60.90B/----	60.90B/42.00A	----	60.70 + 26.20	.1192	----	----	----	----	90 UNCH
3570	----	----	64.00B/----	64.00B/43.90A	----	63.40 + 27.20	.1239	----	----	----	----	32 UNCH
3575	----	----	64.80B/----	64.80B/44.40A	----	64.10 + 27.50	.1251	----	----	----	----	20 UNCH
3585	----	----	66.40B/----	66.40B/45.90A	----	65.60 + 28.10	.1276	----	----	----	----	50 UNCH
3600	----	----	68.90B/----	68.90B/46.90A	----	67.80 + 29.00	.1314	----	----	----	----	662 UNCH
3610	----	----	70.60B/----	70.60B/48.00A	----	69.30 + 29.50	.1339	----	----	----	----	1 UNCH
3630	----	----	74.00B/----	74.00B/50.50A	----	72.40 + 30.70	.1391	----	----	----	----	8 UNCH
3645	----	----	75.30B/----	75.30B/51.80A	----	74.70 + 31.60	.1430	----	----	----	----	22 UNCH
3650	----	----	76.10B/----	76.10B/52.70A	----	75.50 + 31.90	.1443	----	----	----	----	27 UNCH
3655	----	----	76.90B/----	76.90B/53.20A	----	76.40 + 32.30	.1458	----	----	----	----	26 UNCH
3660	----	----	77.70B/----	77.70B/54.10A	----	77.20 + 32.50	.1471	----	----	----	----	9 UNCH
3665	----	----	78.50B/----	78.50B/54.40A	----	78.00 + 32.80	.1485	----	----	----	----	1 UNCH
3675	----	----	80.00B/----	80.00B/56.00A	----	79.70 + 33.50	.1512	----	----	----	----	24 UNCH
3690	----	----	82.70B/----	82.70B/57.80A	----	82.30 + 34.40	.1555	----	----	----	----	10 UNCH
3700	----	----	84.50B/----	84.50B/59.00A	----	84.00 + 35.00	.1583	----	----	10	----	221 UNCH
3705	----	----	85.30B/----	85.30B/59.60A	----	84.90 + 35.30	.1598	----	----	----	----	20 UNCH
3715	----	----	87.10B/----	87.10B/60.90A	----	86.70 + 36.00	.1627	----	----	----	----	30 UNCH
3725	----	----	88.90B/----	88.90B/62.20A	----	88.50 + 36.60	.1656	----	----	----	----	4 UNCH
3730	----	----	89.80B/----	89.80B/62.80A	----	89.40 + 36.90	.1671	----	----	----	----	10 UNCH
3750	----	----	93.50B/----	93.50B/65.50A	----	93.20 + 38.20	.1731	----	----	----	----	90 UNCH
3765	----	----	96.50B/----	96.50B/67.60A	----	96.10 + 39.20	.1777	----	----	----	----	100 UNCH
3775	----	----	98.50B/----	98.50B/69.00A	----	98.10 + 39.90	.1809	----	----	----	----	12 UNCH
3795	99.20	99.20	102.60B/99.20	102.60B/71.90A	----	102.10 + 41.20	.1872	----	----	2	----	81 + 2
3800	----	----	103.60B/----	103.60B/72.70A	----	103.20 + 41.60	.1888	----	----	----	----	317 UNCH
3805	----	----	104.70B/----	104.70B/73.40A	----	104.20 + 41.90	.1904	----	----	----	----	4 UNCH
3810	----	----	105.70B/----	105.70B/74.20A	----	105.30 + 42.30	.1921	----	----	----	----	50 UNCH
3815	----	----	106.80B/----	106.80B/75.00A	----	106.30 + 42.60	.1937	----	----	----	----	150 UNCH
3820	----	----	107.90B/----	107.90B/75.70A	----	107.40 + 42.90	.1953	----	----	----	----	52 UNCH
3825	----	----	109.00B/----	109.00B/76.50A	----	108.50 + 43.30	.1970	----	----	----	----	51 UNCH
3850	----	----	114.50B/----	114.50B/80.50A	----	114.00 + 45.00	.2054	----	----	----	----	5 UNCH
3855	----	----	115.70B/----	115.70B/81.20A	----	115.10 + 45.30	.2071	----	----	----	----	3 UNCH
3875	----	----	120.30B/----	120.30B/84.50A	----	119.70 + 46.70	.2141	----	----	----	----	10 UNCH
3880	113.80	113.80	121.50B/113.80	121.50B/85.40A	----	120.90 + 47.10	.2158	----	----	1	----	297 UNCH
3890	102.10	102.10	123.90B/101.90	123.90B/87.20A	----	123.30 + 47.80	.2194	----	----	80	----	73 + 61
3900	----	----	126.40B/----	126.40B/89.00A	----	125.70 + 48.50	.2230	----	----	20	----	91 + 20
3910	----	----	128.90B/----	128.90B/90.80A	----	128.10 + 49.20	.2265	----	----	----	----	1 UNCH
3925	----	----	132.70B/----	132.70B/93.60A	----	131.90 + 50.30	.2321	----	----	----	----	10 UNCH
3930	----	----	134.00B/----	134.00B/94.50A	----	133.20 + 50.70	.2339	----	----	----	----	38 UNCH
3950	120.00	120.00	139.20B/120.00	139.20B/98.40A	----	138.30 + 52.10	.2414	----	----	5	----	246 UNCH
3965	----	----	143.40B/----	143.40B/101.40A	----	142.30 + 53.20	.2471	----	----	----	----	14 UNCH
3975	----	----	146.20B/----	146.20B/103.50A	----	145.00 + 54.00	.2509	----	----	----	----	267 UNCH
3980	----	----	147.60B/----	147.60B/104.50A	----	146.40 + 54.40	.2529	----	----	----	----	84 UNCH
3985	----	----	148.80B/----	148.80B/105.60A	----	147.80 + 54.80	.2548	----	----	----	----	2 UNCH
3990	----	----	150.30B/----	150.30B/106.60A	----	149.20 + 55.20	.2568	----	----	----	----	14 UNCH
3995	----	----	151.80B/----	151.80B/107.80A	----	150.60 + 55.50	.2587	----	----	----	----	4 UNCH
4000	133.00	133.00	153.20B/133.00	153.20B/108.80A	----	152.00 + 55.90	.2607	----	----	80	----	1304 - 19
4005	----	----	154.70B/----	154.70B/109.90A	----	153.40 + 56.30	.2627	----	----	----	----	3 UNCH
4010	----	----	156.10B/----	156.10B/111.00A	----	154.90 + 56.70	.2647	----	----	----	----	78 UNCH
4025	----	----	160.60B/----	160.60B/114.50A	----	159.20 + 57.80	.2707	----	----	----	----	90 UNCH
4030	----	----	162.10B/----	162.10B/115.50A	----	160.70 + 58.20	.2727	----	----	----	----	50 UNCH
4040	----	----	165.20B/----	165.20B/117.70A	----	163.70 + 59.00	.2768	----	----	----	----	15 UNCH
4045	----	----	166.70B/----	166.70B/118.90A	----	165.20 + 59.30	.2789	----	----	----	----	30 UNCH
4050	148.00	148.00	168.30B/148.00	168.30B/120.20A	----	166.70 + 59.70	.2809	----	----	9	----	168 - 7
4075	----	----	176.30B/----	176.30B/126.30A	----	174.50 + 61.70	.2913	----	----	----	----	5 UNCH
4095	----	----	182.90B/----	182.90B/131.10A	----	181.00 + 63.30	.2998	----	----	----	----	4 UNCH
4100	----	----	184.50B/----	184.50B/132.40A	----	182.60 + 63.70	.3019	----	----	12	----	79 UNCH
4110	----	----	187.90B/----	187.90B/135.10A	----	185.90 + 64.50	.3062	----	----	----	----	1 UNCH
4120	----	----	191.40B/----	191.40B/137.90A	----	189.30 + 65.30	.3106	----	----	----	----	1 UNCH
4130	----	----	194.90B/----	194.90B/140.40A	----	192.70 + 66.10	.3149	----	----	----	----	5 UNCH
4135	----	----	196.60B/----	196.60B/141.70A	----	194.40 + 66.50	.3171	----	----	----	----	20 UNCH
4140	----	----	198.40B/----	198.40B/143.10A	----	196.10 + 66.80	.3193	----	----	----	----	1 UNCH
4145	----	----	200.20B/----	200.20B/144.60A	----	197.90 + 67.30	.3215	----	----	----	----	20 UNCH
4150	----	----	201.90B/----	201.90B/146.00A	----	199.60 + 67.70	.3237	----	----	2	----	328 + 2
4160	171.30	171.30	205.60B/171.30	205.60B/148.70A	----	203.20 + 68.50	.3282	----	----	3	----	46 UNCH
4165	----	----	207.40B/----	207.40B/150.20A	----	205.00 + 68.90	.3304	----	----	----	----	100 UNCH
4170	----	----	209.30B/----	209.30B/151.70A	----	206.80 + 69.30	.3327	----	----	----	----	77 UNCH
4175	----	----	211.10B/----	211.10B/153.20A	----	208.60 + 69.70	.3349	----	----	----	----	25 UNCH
4180	----	----	213.00B/----	213.00B/154.50A	----	210.50 + 70.20	.3372	----	----	----	----	91 UNCH
4185	----	----	214.90B/----	214.90B/156.10A	----	212.30 + 70.60	.3394	----	----	----	----	40 UNCH
4190	----	----	216.80B/----	216.80B/157.70A	----	214.20 + 71.00	.3417	----	----	----	----	40 UNCH
4195	----	----	218.70B/----	218.70B/159.10A	----	216.00 + 71.40	.3439	----	----	----	----	43 UNCH
4200	190.30	190.30	220.70B/190.00	220.70B/160.70A	----	217.90 + 71.80	.3462	----	----	27	----	173 - 15
4205	----	----	222.60B/----	222.60B/162.20A	----	219.80 + 72.20	.3485	----	----	----	----	13 UNCH
4215	----	----	226.50B/----	226.50B/165.20A	----	223.70 + 73.10	.3531	----	----	----	----	1 UNCH
4220	----	----	228.50B/----	228.50B/166.80A	----	225.60 + 73.50	.3554	----	----	----	----	9 UNCH
4225	----	----	230.50B/----	230.50B/168.30A	----	227.50 + 73.90	.3577	----	----	----	----	1 UNCH
4230	----	----	232.50B/----	232.50B/170.00A	----	229.50 + 74.30	.3600	----	----	----	----	10 UNCH
4245	208.60	208.60	238.70B/208.60	238.70B/174.80A	----	235.50 + 75.70	.3670	----	----	1	----	33 + 1
4250	----	----	240.70B/----	240.70B/176.70A	----	237.50 + 76.10	.3693	----	----	----	----	155 UNCH
4255	----	----	242.80B/----	242.80B/178.10A	----	239.50 + 76.50	.3717	----	----	----	----	2 UNCH
4260	----	----	244.90B/----	244.90B/179.80A	----	241.60 + 76.90	.3740	----	----	----	----	8 UNCH
4285	----	----	255.60B/----	255.60B/188.20A	----	252.00 + 79.10	.3858	----	----	----	----	170 UNCH
4290	----	----	257.80B/----	257.80B/190.10A	----	254.10 + 79.50	.3882	----	----	----	----	2 UNCH
4300	----	----	262.20B/----	262.20B/193.60A	----	258.40 + 80.40	.3930	----	----	----	----	420 UNCH
4305	----	----	264.40B/----	264.40B/195.40A	----	260.60 + 80.90	.3954	----	----	----	----	100 UNCH
4310	----	----	266.60B/----	266.60B/197.10A	----	262.70 + 81.20	.3977	----	----	----	----	1 UNCH
4320	----	----	271.20B/----	271.20B/200.80A	----	267.10 + 82.10	.4025	----	----	----	----	5 UNCH
4325	----	----	273.40B/----	273.40B/202.60A	----	269.40 + 82.60	.4049	----	----	----	----	275 UNCH
4330	----	----	275.60B/----	275.60B/204.40A	----	271.60 + 83.00	.4073	----	----	----	----	102 UNCH
4350	----	----	285.00B/----	285.00B/212.00A	----	280.70 + 84.80	.4170	----	----	----	----	630 UNCH
4355	----	----	287.40B/----	287.40B/214.00A	----	283.00 + 85.30	.4194	----	----	----	----	2 UNCH
4360	----	----	289.80B/----	289.80B/215.80A	----	285.30 + 85.70	.4218	----	----	----	----	50 UNCH
4365	----	----	292.20B/----	292.20B/217.80A	----	287.60 + 86.10	.4243	----	----	----	----	100 UNCH
4380	----	----	299.40B/----	299.40B/223.70A	----	294.70 + 87.50	.4316	----	----	----	----	1 UNCH
4390	----	----	304.30B/----	304.30B/227.80A	----	299.50 + 88.40	.4364	----	----	----	----	6 UNCH
4395	----	----	306.80B/----	306.80B/229.80A	----	301.90 + 88.80	.4389	----	----	----	----	1 UNCH
4400	----	----	309.30B/----	309.30B/231.90A	----	304.30 + 89.20	.4413	----	----	----	300	462 + 298
4410	----	----	314.30B/----	314.30B/236.00A	----	309.20 + 90.10	.4462	----	----	----	----	1 UNCH
4420	----	----	319.40B/----	319.40B/240.20A	----	314.20 + 91.00	.4511	----	----	----	----	1 UNCH
4425	----	----	322.00B/----	322.00B/242.20A	----	316.70 + 91.40	.4535	----	----	----	----	3 UNCH
4440	----	----	329.70B/----	329.70B/248.70A	----	324.30 + 92.80	.4609	----	----	----	----	22 UNCH
4450	----	----	335.00B/----	335.00B/253.00A	----	329.40 + 93.60	.4657	----	----	----	----	320 UNCH
4460	----	----	340.30B/----	340.30B/257.40A	----	334.60 + 94.50	.4706	----	----	----	----	4 UNCH
4465	----	----	343.00B/----	343.00B/259.70A	----	337.20 + 94.90	.4731	----	----	----	----	10 UNCH
4470	----	----	345.70B/----	345.70B/262.00A	----	339.80 + 95.30	.4755	----	----	----	----	12 UNCH
4475	----	----	348.40B/----	348.40B/264.30A	----	342.40 + 95.70	.4780	----	----	----	----	15 UNCH
4480	----	----	351.10B/----	351.10B/266.50A	----	345.10 + 96.20	.4804	----	----	----	----	4 UNCH
4485	----	----	353.80B/----	353.80B/268.80A	----	347.80 + 96.70	.4828	----	----	----	----	9 UNCH
4490	----	----	356.60B/----	356.60B/271.10A	----	350.40 + 97.00	.4853	----	----	----	----	3 UNCH
4500	----	----	362.10B/----	362.10B/275.60A	----	355.80 + 97.90	.4901	----	----	----	----	654 UNCH
4505	----	----	364.90B/----	364.90B/278.00A	----	358.50 + 98.30	.4926	----	----	----	----	1 UNCH
4535	----	----	381.90B/----	381.90B/292.30A	----	375.20 + 00.80	.5071	----	----	----	----	10 UNCH
4545	----	----	387.50B/----	387.50B/297.10A	----	380.80 + 01.60	.5119	----	----	----	----	20 UNCH
4550	----	----	390.60B/----	390.60B/299.70A	----	383.60 + 02.00	.5143	----	----	----	----	2 UNCH
4575	----	----	405.30B/----	405.30B/312.30A	----	398.10 + 04.10	.5263	----	----	----	----	1 UNCH
4580	----	----	408.30B/----	408.30B/315.00A	----	401.00 + 04.40	.5287	----	----	----	----	149 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4590	----	----	414.20B/----	414.20B/320.10A	----	406.90 + 05.30	.5335	----	----	----	----	1 UNCH
4600	----	----	420.20B/----	420.20B/325.00A	----	412.80 + 06.00	.5382	----	----	21	----	349 - 6
4620	----	----	432.60B/----	432.60B/336.20A	----	424.90 + 07.60	.5476	----	----	3	----	3 + 3
4625	----	----	435.80B/----	435.80B/338.80A	----	427.90 + 08.00	.5500	----	----	----	----	100 UNCH
4640	----	----	445.20B/----	445.20B/347.00A	----	437.10 + 09.10	.5570	----	----	----	----	101 UNCH
4645	----	----	448.40B/----	448.40B/349.90A	----	440.20 + 09.50	.5593	----	----	----	----	127 UNCH
4650	----	----	451.50B/----	451.50B/352.20A	----	443.40 + 09.90	.5617	----	----	----	----	282 UNCH
4665	----	----	461.10B/----	461.10B/360.90A	----	452.80 + 11.10	.5686	----	----	----	----	1 UNCH
4700	----	----	484.10B/----	484.10B/380.90A	----	475.20 + 13.70	.5845	----	----	----	----	427 UNCH
4705	----	----	487.40B/----	487.40B/383.80A	----	478.50 + 14.10	.5868	----	----	----	----	50 UNCH
4715	----	----	493.80B/----	493.80B/389.60A	----	485.00 + 14.80	.5913	----	----	----	----	1 UNCH
4725	----	----	500.50B/----	500.50B/395.40A	----	491.60 + 15.50	.5958	----	----	----	----	10 UNCH
4730	----	----	503.90B/----	503.90B/398.50A	----	495.00 + 16.00	.5980	----	----	----	----	1 UNCH
4740	----	----	510.90B/----	510.90B/404.50A	----	501.60 + 16.70	.6024	----	----	----	----	15 UNCH
4750	----	----	517.50B/----	517.50B/410.60A	----	508.40 + 17.50	.6068	----	----	----	----	25 UNCH
4760	----	----	524.60B/----	524.60B/416.50A	----	515.10 + 18.10	.6112	----	----	----	----	1 UNCH
4775	----	----	534.80B/----	534.80B/425.90A	----	525.40 + 19.30	.6177	----	----	----	----	56 UNCH
4800	----	----	552.70B/----	552.70B/441.60A	----	542.80 + 21.10	.6283	----	----	----	----	617 UNCH
4805	----	----	556.10B/----	556.10B/444.70A	----	546.30 + 21.50	.6304	----	----	----	----	1 UNCH
4875	----	----	606.90B/----	606.90B/490.40A	----	596.50 + 26.40	.6590	----	----	----	----	11 UNCH
4900	----	----	625.30B/----	625.30B/507.80A	----	614.90 + 28.00	.6688	----	----	----	----	348 UNCH
4905	----	----	629.10B/----	629.10B/510.50A	----	618.60 + 28.40	.6707	----	----	----	----	17 UNCH
4925	----	----	644.50B/----	644.50B/524.30A	----	633.60 + 29.70	.6784	----	----	----	----	50 UNCH
4950	----	----	663.60B/----	663.60B/540.30A	----	652.40 + 31.10	.6878	----	----	----	----	31 UNCH
4955	----	----	#667.20B/----	#667.20B/590.60A	----	656.20 + 31.40	.6897	----	----	----	----	1 UNCH
4980	----	----	#684.50B/----	#684.50B/608.80A	----	675.40 + 32.90	.6989	----	----	----	----	1 UNCH
5000	680.00	680.00	694.40B/680.00	694.40B/623.60A	----	690.80 + 34.00	.7061	----	----	26	----	318 - 24
5010	----	----	#695.70B/----	#695.70B/631.00A	----	698.60 + 34.50	.7096	----	----	----	----	1 UNCH
5025	----	----	#696.00B/----	#696.00B/642.50A	----	710.40 + 35.40	.7148	----	----	----	----	25 UNCH
5030	----	----	#678.20B/----	#678.20B/646.00A	----	714.30 + 35.60	.7165	----	----	----	----	1 UNCH
5045	----	----	#689.80B/----	#689.80B/657.60A	----	726.10 + 36.30	.7217	----	----	----	----	31 UNCH
5050	----	----	693.70B/----	693.70B/661.40A	----	730.10 + 36.60	.7234	----	----	----	----	351 UNCH
5070	----	----	#700.60B/----	#700.60B/676.30A	----	746.10 + 37.70	.7300	----	----	----	----	17 UNCH
5080	----	----	#702.80B/----	#702.80B/684.30A	----	754.10 + 38.10	.7333	----	----	----	----	3 UNCH
5100	----	----	696.50B/----	696.50B/699.80A	----	770.30 + 39.20	.7398	----	----	----	----	81 UNCH
5120	----	----	----	540.90B/906.60A	----	786.60 + 40.10	.7460	----	----	----	----	2 UNCH
5180	----	----	----	592.60B/952.50A	----	836.20 + 42.90	.7640	----	----	----	----	1 UNCH
5195	----	----	----	605.70B/964.10A	----	848.80 + 43.60	.7682	----	----	----	----	2 UNCH
5200	----	----	----	610.10B/968.00A	----	853.00 + 43.80	.7697	----	----	----	----	112 UNCH
5265	----	----	----	667.70B/1019.10A	----	908.20 + 46.70	.7873	----	----	----	----	1 UNCH
5300	----	----	----	699.20B/1047.10A	----	938.40 + 48.20	.7962	----	----	----	----	3 UNCH
5355	----	----	----	749.30B/1091.50A	----	986.20 + 50.40	.8096	----	----	----	----	1 UNCH
5400	----	----	----	790.70B/1128.40A	----	1025.80 + 52.20	.8198	----	----	----	----	76 UNCH
5425	----	----	----	813.90B/1149.10A	----	1047.90 + 53.10	.8253	----	----	----	----	1 UNCH
5460	----	----	----	846.50B/1178.20A	----	1079.10 + 54.30	.8325	----	----	----	----	1 UNCH
5500	----	----	----	884.10B/1211.80A	----	1115.10 + 55.70	.8406	----	----	----	----	3 UNCH
5530	----	----	----	912.40B/1237.30A	----	1142.20 + 56.70	.8463	----	----	----	----	1 UNCH
5575	----	----	----	954.50B/1275.70A	----	1183.20 + 58.00	.8543	----	----	----	----	2 UNCH
TOTAL										323	300	16451 + 335
SEP26												
2350	----	----	----	1.80B/6.60A	----	6.00 + 2.60	.0113	----	----	1	----	52 + 1
2375	----	----	----	2.10B/6.90A	----	6.40 NEW	.0121	----	----	1	----	1 + 1
2400	----	----	----	2.30B/6.00A	----	6.70 + 2.90	.0127	----	----	----	----	1 UNCH
2500	7.00	7.00	#7.00/7.00	#7.00/6.90A	----	8.30 + 3.60	.0158	----	----	1	----	4 UNCH
2600	----	----	----	#4.80B/9.80A	----	10.10 + 4.30	.0193	----	----	----	----	2 UNCH
3000	----	----	17.00B/----	17.00B/20.90A	----	21.70 + 9.20	.0424	----	----	----	----	2 UNCH
3145	----	----	#25.20B/----	#25.20B/27.60A	----	29.90 + 12.50	.0574	----	----	----	----	15 UNCH
3200	----	----	#30.80B/----	#30.80B/30.60A	----	33.60 + 14.00	.0642	----	----	----	----	1 UNCH
3270	----	----	#37.80B/----	#37.80B/35.00A	----	39.00 + 16.20	.0738	----	----	----	----	15 UNCH
3300	----	----	#39.70B/----	#39.70B/36.10A	----	41.50 + 17.20	.0782	----	----	----	----	1 UNCH
3475	60.00	60.00	#61.50/60.00	#61.50/43.80A	----	59.40 NEW	.1087	----	----	2	----	2 + 2
3480	----	----	#58.60B/----	#58.60B/44.20A	----	60.00 + 24.10	.1097	----	----	----	----	780 UNCH
3500	----	----	#61.70B/----	#61.70B/46.10A	----	62.50 + 25.00	.1138	----	----	----	----	19 UNCH
3610	----	----	#80.00B/----	#80.00B/57.60A	----	77.90 + 30.30	.1386	----	----	----	----	1 UNCH
3625	----	----	#81.60B/----	#81.60B/59.30A	----	80.20 + 31.00	.1422	----	----	----	----	1 UNCH
3650	----	----	85.80B/----	85.80B/62.40A	----	84.30 + 32.40	.1486	----	----	----	----	66 UNCH
3700	----	----	94.80B/----	94.80B/68.90A	----	93.00 + 35.20	.1618	----	----	----	----	2 UNCH
3720	----	----	98.60B/----	98.60B/71.70A	----	96.70 + 36.30	.1673	----	----	----	----	50 UNCH
3755	----	----	105.60B/----	105.60B/76.80A	----	103.50 + 38.40	.1774	----	----	----	----	90 UNCH
3800	----	----	115.20B/----	115.20B/83.90A	----	112.90 + 41.10	.1909	----	----	----	----	1 UNCH
3850	----	----	126.60B/----	126.60B/92.40A	----	124.20 + 44.40	.2067	----	----	----	----	20 UNCH
3880	----	----	134.00B/----	134.00B/97.90A	----	131.40 + 46.30	.2166	----	----	----	----	26 UNCH
3900	----	----	139.00B/----	139.00B/101.80A	----	136.40 + 47.70	.2234	----	----	----	----	211 UNCH
3910	----	----	141.60B/----	141.60B/103.70A	----	139.00 + 48.40	.2268	----	----	----	----	2 UNCH
3930	----	----	146.90B/----	146.90B/107.70A	----	144.20 + 49.70	.2338	----	----	----	----	2 UNCH
3945	----	----	151.10B/----	151.10B/110.90A	----	148.30 + 50.90	.2391	----	----	----	----	230 UNCH
3950	----	----	152.50B/----	152.50B/111.90A	----	149.60 + 51.10	.2408	----	----	----	----	324 UNCH
4000	----	----	166.80B/----	166.80B/122.90A	----	163.90 + 54.80	.2591	----	----	----	----	714 UNCH
4005	----	----	168.20B/----	168.20B/124.10A	----	165.40 + 55.20	.2610	----	----	----	----	1 UNCH
4030	----	----	176.00B/----	176.00B/130.00A	----	173.00 + 57.10	.2704	----	----	----	----	1 UNCH
4050	----	----	182.20B/----	182.20B/134.90A	----	179.20 + 58.50	.2780	----	----	----	----	17 UNCH
4080	----	----	192.00B/----	192.00B/142.50A	----	189.00 + 60.90	.2898	----	----	----	----	4 UNCH
4085	----	----	193.70B/----	193.70B/143.80A	----	190.60 + 61.20	.2917	----	----	----	----	76 UNCH
4100	----	----	198.80B/----	198.80B/147.80A	----	195.70 + 62.40	.2977	----	----	----	----	20 UNCH
4130	----	----	209.20B/----	209.20B/156.10A	----	206.10 + 64.80	.3098	----	----	----	----	20 UNCH
4135	----	----	211.10B/----	211.10B/157.50A	----	207.90 + 65.20	.3118	----	----	----	----	3 UNCH
4150	----	----	216.50B/----	216.50B/161.80A	----	213.30 + 66.40	.3179	----	----	----	----	3 UNCH
4185	----	----	229.50B/----	229.50B/172.30A	----	226.30 + 69.20	.3324	----	----	----	----	76 UNCH
4200	----	----	235.30B/----	235.30B/176.90A	----	232.00 + 70.40	.3387	----	----	----	----	106 UNCH
4220	----	----	243.20B/----	243.20B/183.30A	----	239.80 + 72.00	.3472	----	----	----	----	113 UNCH
4225	----	----	245.20B/----	245.20B/184.90A	----	241.80 + 72.40	.3493	----	----	----	----	3 UNCH
4230	----	----	247.20B/----	247.20B/186.50A	----	243.80 + 72.90	.3514	----	----	----	----	1 UNCH
4240	----	----	251.20B/----	251.20B/189.80A	----	247.90 + 73.70	.3557	----	----	----	----	56 UNCH
4250	----	----	255.30B/----	255.30B/193.20A	----	251.90 + 74.50	.3600	----	----	----	----	62 UNCH
4300	----	----	276.80B/----	276.80B/210.60A	----	273.10 + 78.70	.3816	----	----	15	----	16 + 14
4320	----	----	285.70B/----	285.70B/217.90A	----	281.90 + 80.40	.3904	----	----	----	----	152 UNCH
4350	----	----	299.40B/----	299.40B/229.30A	----	295.50 + 83.00	.4035	----	----	----	----	20 UNCH
4365	----	----	306.50B/----	306.50B/235.10A	----	302.40 + 84.20	.4102	----	----	----	----	5 UNCH
4390	----	----	318.50B/----	318.50B/245.10A	----	314.30 + 86.40	.4213	----	----	----	----	15 UNCH
4400	----	----	323.40B/----	323.40B/249.30A	----	319.10 + 87.20	.4257	----	----	----	----	21 UNCH
4410	----	----	328.30B/----	328.30B/253.30A	----	324.00 + 88.10	.4301	----	----	----	----	7 UNCH
4420	----	----	333.20B/----	333.20B/257.50A	----	328.90 + 88.90	.4346	----	----	----	----	1 UNCH
4440	----	----	343.50B/----	343.50B/266.00A	----	338.90 + 90.60	.4435	----	----	----	----	7 UNCH
4450	----	----	348.60B/----	348.60B/270.30A	----	344.00 + 91.40	.4480	----	----	----	----	430 UNCH
4475	----	----	361.70B/----	361.70B/281.40A	----	356.90 + 93.50	.4591	----	----	----	----	1 UNCH
4500	----	----	375.20B/----	375.20B/292.80A	----	370.10 + 95.60	.4702	----	----	----	----	462 UNCH
4550	----	----	402.90B/----	402.90B/316.50A	----	397.40 + 99.60	.4923	----	----	----	----	350 UNCH
4560	----	----	408.50B/----	408.50B/321.60A	----	403.00 + 00.40	.4967	----	----	----	----	7 UNCH
4580	----	----	420.10B/----	420.10B/331.40A	----	414.40 + 02.10	.5054	----	----	----	----	1 UNCH
4600	----	----	431.80B/----	431.80B/341.60A	----	426.00 + 03.70	.5141	----	----	----	----	2 UNCH
4620	----	----	443.80B/----	443.80B/352.00A	----	437.70 + 05.20	.5228	----	----	----	----	500 UNCH
4650	----	----	462.10B/----	462.10B/367.90A	----	455.70 + 07.50	.5356	----	----	----	----	4 UNCH
4700	----	----	493.80B/----	493.80B/395.60A	----	486.70 + 11.30	.5568	----	----	----	----	8 UNCH
4725	----	----	509.70B/----	509.70B/409.80A	----	502.60 + 13.10	.5672	----	----	----	----	1 UNCH
4750	----	----	526.20B/----	526.20B/425.00A	----	518.70 + 14.80	.5774	----	----	----	----	150 UNCH
4760	----	----	532.80B/----	532.80B/431.00A	----	525.30 + 15.60	.5815	----	----	----	----	100 UNCH
4775	----	----	542.90B/----	542.90B/439.30A	----	535.20 + 16.60	.5875	----	----	----	----	18 UNCH
4800	----	----	560.20B/----	560.20B/454.50A	----	551.90 + 18.20	.5975	----	----	----	----	27 UNCH
4835	----	----	584.50B/----	584.50B/476.90A	----	575.80 + 20.50	.6113	----	----	----	----	30 UNCH
4900	----	----	630.90B/----	630.90B/518.20A	----	621.50 + 24.50	.6358	----	----	----	----	3 UNCH
4930	----	----	652.40B/----	652.40B/538.10A	----	643.20 + 26.30	.6469	----	----	----	----	20 UNCH
4950	----	----	667.50B/----	667.50B/552.40A	----	657.80 + 27.40	.6540	----	----	----	----	1 UNCH
4975	----	----	685.90B/----	685.90B/568.80A	----	676.30 + 28.80	.6629	----	----	----	----	210 UNCH
5000	----	----	705.20B/----	705.20B/586.20A	----	695.00 + 30.20	.6715	----	----	----	----	10 UNCH
5005	----	----	708.90B/----	708.90B/589.70A	----	698.80 + 30.50	.6732	----	----	----	----	3 UNCH
5020	----	----	#720.40B/----	#720.40B/600.50A	----	710.10 + 31.30	.6783	----	----	----	----	3 UNCH
5100	----	----	775.40B/----	775.40B/704.10A	----	771.90 + 35.40	.7042	----	----	----	----	28 UNCH
5105	----	----	#779.30B/----	#779.30B/707.80A	----	775.80 + 35.70	.7058	----	----	----	----	2 UNCH
5200	----	----	787.00B/----	787.00B/780.80A	----	851.80 + 40.50	.7340	----	----	----	----	47 UNCH
5230	----	----	----	616.30B/1004.20A	----	876.40 + 42.10	.7425	----	----	----	----	400 UNCH
5300	----	----	----	676.60B/1058.50A	----	934.40 + 45.40	.7612	----	----	----	----	300 UNCH
5400	----	----	----	765.10B/1138.00A	----	1019.30 + 49.60	.7856	----	----	----	----	100 UNCH
5420	----	----	----	783.00B/1154.20A	----	1036.60 + 50.40	.7901	----	----	----	----	80 UNCH
5450	----	----	----	810.10B/1178.60A	----	1062.60 + 51.30	.7967	----	----	----	----	1 UNCH
5500	----	----	----	855.70B/1219.60A	----	1106.30 + 52.70	.8072	----	----	----	----	3 UNCH
6000	----	----	----	1322.50B/1655.70A	----	1563.30 + 64.50	.8847	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
TOTAL										20		6745 + 18
OCT26												
2700	11.30	11.30	#11.30/11.30	#11.30/11.30	----	12.90 NEW	.0245	----	----	1	----	1 + 1
2800	16.00	16.00	#16.00/16.00	#16.00/15.90A	----	15.50 + 5.60	.0297	----	----	2	----	3 + 2
3100	----	----	#24.80B/----	#24.80B/32.40A	----	30.50 + 11.50	.0565	----	----	----	----	1 UNCH
3200	----	----	#36.60B/----	#36.60B/38.70A	----	38.20 + 14.40	.0694	----	----	----	----	414 UNCH
3240	----	----	#40.60B/----	#40.60B/39.60A	----	41.60 + 15.60	.0751	----	----	----	----	5 UNCH
3300	----	----	#45.20B/----	#45.20B/41.00A	----	47.40 + 17.50	.0845	----	----	----	----	415 UNCH
3340	----	----	#49.40B/----	#49.40B/41.90A	----	51.50 + 18.80	.0911	----	----	----	----	9 UNCH
3360	----	----	51.70B/----	51.70B/41.90A	----	53.70 + 19.50	.0946	----	----	----	----	1 UNCH
3380	----	----	#54.00B/----	#54.00B/43.10A	----	56.00 + 20.30	.0983	----	----	----	----	1 UNCH
3390	----	----	#55.00B/----	#55.00B/44.00A	----	57.20 + 20.70	.1001	----	----	----	----	4 UNCH
3400	----	----	#56.30B/----	#56.30B/44.90A	----	58.40 + 21.10	.1020	----	----	----	----	150 UNCH
3480	----	----	#66.80B/----	#66.80B/52.60A	----	68.70 + 25.00	.1179	----	----	----	----	12 UNCH
3500	----	----	#69.50B/----	#69.50B/54.70A	----	71.50 + 26.00	.1221	----	----	----	----	10 UNCH
3520	----	----	#72.70B/----	#72.70B/56.90A	----	74.40 + 27.10	.1265	----	----	----	----	12 UNCH
3550	----	----	#77.70B/----	#77.70B/60.30A	----	79.00 + 28.90	.1333	----	----	----	----	25 UNCH
3600	----	----	#86.30B/----	#86.30B/66.40A	----	87.20 + 31.70	.1452	----	----	----	----	177 UNCH
3615	----	----	#88.80B/----	#88.80B/68.40A	----	89.80 + 32.50	.1489	----	----	----	----	1 UNCH
3700	----	----	105.00B/----	105.00B/80.50A	----	105.80 + 37.10	.1712	----	----	----	----	40 UNCH
3750	----	----	115.50B/----	115.50B/88.50A	----	116.30 + 39.80	.1854	----	----	----	----	19 UNCH
3785	----	----	123.60B/----	123.60B/94.50A	----	124.10 + 41.80	.1957	----	----	----	----	1 UNCH
3800	----	----	127.00B/----	127.00B/97.20A	----	127.60 + 42.70	.2003	----	----	----	----	19 UNCH
3805	----	----	128.30B/----	128.30B/98.10A	----	128.80 + 43.00	.2018	----	----	----	----	1 UNCH
3865	----	----	142.90B/----	142.90B/109.60A	----	143.70 + 46.80	.2208	----	----	----	----	2 UNCH
3875	----	----	145.70B/----	145.70B/111.70A	----	146.30 + 47.50	.2240	----	----	----	----	12 UNCH
3885	----	----	148.50B/----	148.50B/113.80A	----	148.90 + 48.10	.2273	----	----	----	----	5 UNCH
3890	----	----	149.50B/----	149.50B/114.80A	----	150.20 + 48.40	.2289	----	----	----	----	2 UNCH
3895	----	----	151.00B/----	151.00B/115.90A	----	151.60 + 48.80	.2306	----	----	----	----	2 UNCH
3900	----	----	152.20B/----	152.20B/116.90A	----	152.90 + 49.10	.2322	----	----	----	----	22 UNCH
3920	----	----	157.90B/----	157.90B/121.20A	----	158.50 + 50.50	.2390	----	----	----	----	28 UNCH
3940	----	----	163.50B/----	163.50B/125.70A	----	164.10 + 51.80	.2458	----	----	----	----	65 UNCH
3950	----	----	166.50B/----	166.50B/128.00A	----	167.00 + 52.50	.2492	----	----	----	----	2 UNCH
3975	----	----	173.80B/----	173.80B/133.90A	----	174.40 + 54.30	.2580	----	----	----	----	5 UNCH
4000	----	----	181.50B/----	181.50B/140.00A	----	182.10 + 56.20	.2669	----	----	----	----	260 UNCH
4050	----	----	197.90B/----	197.90B/153.00A	----	198.10 + 59.70	.2851	----	----	----	----	5 UNCH
4070	----	----	204.50B/----	204.50B/158.50A	----	204.80 + 61.20	.2925	----	----	----	----	24 UNCH
4100	188.00	188.00	214.90B/188.00	214.90B/167.00A	----	215.20 + 63.40	.3038	----	----	2	----	41 + 2
4125	----	----	224.00B/----	224.00B/174.30A	----	224.20 + 65.30	.3134	----	----	1	----	0 - 1
4130	----	----	225.80B/----	225.80B/175.80A	----	226.00 + 65.70	.3154	----	----	----	----	1 UNCH
4150	----	----	233.40B/----	233.40B/181.90A	----	233.50 + 67.30	.3232	----	----	----	----	5 UNCH
4200	230.00	230.00	253.40B/230.00	253.40B/198.00A	----	252.80 + 71.10	.3429	----	----	5	----	116 UNCH
4220	----	----	261.60B/----	261.60B/204.70A	----	260.90 + 72.70	.3509	----	----	----	----	5 UNCH
4235	----	----	268.00B/----	268.00B/210.00A	----	267.10 + 73.90	.3569	----	----	----	----	1 UNCH
4250	----	----	273.60B/----	273.60B/215.10A	----	273.40 + 75.20	.3630	----	----	----	----	57 UNCH
4265	----	----	280.70B/----	280.70B/220.50A	----	279.80 + 76.40	.3691	----	----	----	----	200 UNCH
4270	----	----	282.90B/----	282.90B/222.30A	----	282.00 + 76.80	.3711	----	----	----	----	226 UNCH
4300	----	----	295.50B/----	295.50B/233.40A	----	295.20 + 79.30	.3834	----	----	----	----	476 UNCH
4355	----	----	321.60B/----	321.60B/254.90A	----	320.50 + 83.90	.4062	----	----	----	----	11 UNCH
4375	----	----	331.20B/----	331.20B/263.00A	----	330.10 + 85.70	.4145	----	----	----	----	10 UNCH
4400	----	----	343.40B/----	343.40B/273.50A	----	342.30 + 87.80	.4249	----	----	----	----	301 UNCH
4430	----	----	358.50B/----	358.50B/286.40A	----	357.40 + 90.30	.4374	----	----	----	----	3 UNCH
4450	----	----	368.70B/----	368.70B/295.30A	----	367.70 + 92.00	.4457	----	----	----	----	26 UNCH
4500	----	----	395.70B/----	395.70B/318.30A	----	394.30 + 96.20	.4665	----	----	1	----	56 UNCH
4600	----	----	452.50B/----	452.50B/367.90A	----	450.70 + 03.80	.5074	----	----	----	----	350 UNCH
4610	----	----	458.50B/----	458.50B/373.20A	----	456.60 + 04.50	.5114	----	----	----	----	5 UNCH
4675	----	----	498.30B/----	498.30B/408.30A	----	495.70 + 08.50	.5374	----	----	----	----	1 UNCH
4700	----	----	514.10B/----	514.10B/422.50A	----	511.30 + 10.10	.5472	----	----	----	----	64 UNCH
4750	----	----	546.50B/----	546.50B/451.30A	----	543.20 + 13.00	.5664	----	----	----	----	174 UNCH
4800	----	----	579.90B/----	579.90B/481.90A	----	576.10 + 15.90	.5853	----	----	----	----	126 UNCH
4845	----	----	#610.80B/----	#610.80B/509.30A	----	606.70 + 18.60	.6017	----	----	----	----	17 UNCH
4850	----	----	614.30B/----	614.30B/512.40A	----	610.20 + 19.00	.6035	----	----	----	----	2 UNCH
4875	----	----	631.90B/----	631.90B/529.00A	----	627.60 + 20.50	.6125	----	----	----	----	1 UNCH
4900	----	----	649.60B/----	649.60B/545.20A	----	645.20 + 22.00	.6212	----	----	----	----	110 UNCH
4910	----	----	#656.90B/----	#656.90B/551.80A	----	652.40 + 22.70	.6246	----	----	----	----	1 UNCH
4920	----	----	#663.90B/----	#663.90B/557.70A	----	659.50 + 23.30	.6281	----	----	----	----	1 UNCH
4925	----	----	667.40B/----	667.40B/561.10A	----	663.10 + 23.60	.6298	----	----	----	----	25 UNCH
4980	----	----	#708.20B/----	#708.20B/598.90A	----	703.20 + 26.90	.6482	----	----	----	----	1 UNCH
5000	----	----	722.80B/----	722.80B/611.90A	----	718.00 + 28.00	.6548	----	----	1	----	47 UNCH
5010	----	----	#730.30B/----	#730.30B/619.50A	----	725.50 + 28.60	.6580	----	----	----	----	1 UNCH
5050	----	----	#761.00B/----	#761.00B/647.00A	----	755.60 + 30.80	.6707	----	----	----	----	25 UNCH
5200	----	----	853.40B/----	853.40B/805.00A	----	872.40 + 37.80	.7149	----	----	----	----	100 UNCH
5230	----	----	#853.10B/----	#853.10B/828.60A	----	896.50 + 39.10	.7231	----	----	----	----	2 UNCH
5250	----	----	#862.20B/----	#862.20B/843.80A	----	912.70 + 39.90	.7284	----	----	----	----	75 UNCH
5300	----	----	----	671.60B/1101.60A	----	953.50 + 41.90	.7414	----	----	----	----	6 UNCH
5425	----	----	----	780.20B/1199.90A	----	1058.20 + 46.50	.7711	----	----	----	----	1 UNCH
5455	----	----	----	806.80B/1224.00A	----	1083.90 + 47.50	.7776	----	----	----	----	40 UNCH
5600	----	----	----	937.90B/1342.80A	----	1210.20 + 52.20	.8065	----	----	----	----	1 UNCH
5700	----	----	----	1030.20B/1426.80A	----	1299.10 + 54.90	.8242	----	----	----	----	1 UNCH
TOTAL										13		4467 + 4
NOV26												
2750	----	----	----	8.10B/20.70A	----	9.10 + 0.20	.0194	----	----	----	----	1 UNCH
2800	16.00	16.00	#16.00/16.00	#16.00/16.00	----	10.20 + 0.30	.0217	----	----	4	----	6 + 4
2900	----	----	#14.20B/----	#14.20B/26.50A	----	15.30 + 2.40	.0308	----	----	----	----	1 UNCH
3000	----	----	#19.30B/----	#19.30B/31.60A	----	22.10 + 5.40	.0421	----	----	----	----	95 UNCH
3120	----	----	#34.80B/----	#34.80B/39.00A	----	32.70 + 10.30	.0586	----	----	----	----	10 UNCH
3180	----	----	#39.80B/----	#39.80B/43.50A	----	39.00 + 13.20	.0680	----	----	----	----	10 UNCH
3200	----	----	#41.60B/----	#41.60B/43.80A	----	41.30 + 14.30	.0713	----	----	----	----	93 UNCH
3215	----	----	#43.00B/----	#43.00B/41.60A	----	43.10 + 15.10	.0739	----	----	----	----	1 UNCH
3220	----	----	#43.50B/----	#43.50B/41.80A	----	43.70 + 15.40	.0747	----	----	----	----	1 UNCH
3225	----	----	#44.00B/----	#44.00B/41.90A	----	44.30 + 15.70	.0756	----	----	----	----	1 UNCH
3235	----	----	#44.90B/----	#44.90B/42.50A	----	45.50 + 16.20	.0773	----	----	----	----	2 UNCH
3250	----	----	#46.40B/----	#46.40B/43.80A	----	47.30 + 17.00	.0799	----	----	----	----	18 UNCH
3255	----	----	#46.90B/----	#46.90B/44.20A	----	48.00 + 17.30	.0808	----	----	----	----	18 UNCH
3300	----	----	#51.60B/----	#51.60B/46.10A	----	53.80 + 19.90	.0890	----	----	----	----	18 UNCH
3310	----	----	#52.70B/----	#52.70B/46.40A	----	55.20 + 20.50	.0909	----	----	----	----	1 UNCH
3320	----	----	#53.90B/----	#53.90B/46.70A	----	56.50 + 21.00	.0927	----	----	----	----	16 UNCH
3350	----	----	#57.40B/----	#57.40B/49.10A	----	60.70 NEW	.0984	----	----	180	----	180 + 180
3455	----	----	#71.20B/----	#71.20B/59.60A	----	76.60 + 29.10	.1197	----	----	----	----	1 UNCH
3475	----	----	#74.50B/----	#74.50B/61.90A	----	79.80 + 30.30	.1240	----	----	----	----	1 UNCH
3535	----	----	#83.80B/----	#83.80B/69.10A	----	89.90 + 33.80	.1372	----	----	----	----	1 UNCH
3690	----	----	#112.20B/----	#112.20B/91.30A	----	119.30 + 42.70	.1745	----	----	----	----	1 UNCH
3725	----	----	#119.90B/----	119.90B/97.20A	----	126.70 + 44.70	.1837	----	----	----	----	1 UNCH
3740	----	----	#123.10B/----	123.10B/99.80A	----	130.00 + 45.60	.1877	----	----	----	----	20 UNCH
3750	----	----	#125.50B/----	125.50B/101.60A	----	132.20 + 46.20	.1904	----	----	----	----	150 UNCH
3780	----	----	#132.30B/----	132.30B/107.10A	----	138.90 + 47.80	.1986	----	----	----	----	1 UNCH
3795	----	----	#136.00B/----	136.00B/109.90A	----	142.40 + 48.60	.2028	----	----	----	----	1 UNCH
3800	----	----	#137.20B/----	137.20B/110.90A	----	143.60 + 48.90	.2042	----	----	----	----	25 UNCH
3820	----	----	142.20B/----	142.20B/114.80A	----	148.40 + 50.00	.2099	----	----	----	----	20 UNCH
3875	----	----	156.70B/----	156.70B/126.30A	----	162.10 + 53.10	.2260	----	----	----	----	24 UNCH
4000	----	----	193.80B/----	193.80B/156.10A	----	197.30 + 60.30	.2654	----	----	----	----	1 UNCH
4100	----	----	228.10B/----	228.10B/184.00A	----	230.10 + 66.60	.2995	----	----	----	----	1 UNCH
4145	----	----	244.60B/----	244.60B/197.80A	----	246.30 + 69.70	.3155	----	----	----	----	0 UNCH
4160	----	----	250.60B/----	250.60B/202.60A	----	251.90 + 70.70	.3209	----	----	----	----	1 UNCH
4170	----	----	254.50B/----	254.50B/205.80A	----	255.70 + 71.40	.3245	----	----	----	----	1 UNCH
4200	----	----	266.50B/----	266.50B/215.80A	----	267.40 + 73.50	.3355	----	----	----	----	4 UNCH
4205	----	----	268.50B/----	268.50B/217.50A	----	269.40 + 73.90	.3374	----	----	----	----	1 UNCH
4215	----	----	272.60B/----	272.60B/221.00A	----	273.40 + 74.60	.3411	----	----	----	----	5 UNCH
4275	----	----	298.10B/----	298.10B/242.40A	----	298.50 NEW	.3635	----	----	3	----	3 + 3
4320	----	----	318.20B/----	318.20B/259.50A	----	318.40 + 82.50	.3806	----	----	----	----	40 UNCH
4350	302.00	302.00	332.10B/302.00	332.10B/271.40A	----	332.20 NEW	.3920	----	----	7	----	3 + 3
4375	----	----	344.00B/----	344.00B/281.60A	----	344.00 + 86.70	.4016	----	----	----	----	0 UNCH
4400	----	----	356.10B/----	356.10B/292.10A	----	356.20 + 88.70	.4112	----	----	3	----	3 UNCH
4500	----	----	407.30B/----	407.30B/336.80A	----	407.50 + 96.50	.4497	----	----	----	----	40 UNCH
4580	----	----	451.60B/----	451.60B/375.70A	----	451.70 + 02.70	.4801	----	----	----	----	10 UNCH
4640	----	----	486.10B/----	486.10B/407.00A	----	486.70 NEW	.5025	----	----	90	----	90 + 90
4725	----	----	537.80B/----	537.80B/453.40A	----	538.70 + 13.50	.5334	----	----	----	----	2 UNCH
4840	----	----	612.30B/----	612.30B/521.30A	----	613.40 + 21.30	.5736	----	----	----	----	2 UNCH
4900	----	----	653.00B/----	653.00B/558.80A	----	654.20 + 25.00	.5937	----	----	----	----	2 UNCH
4915	----	----	#663.40B/----	#663.40B/568.40A	----	664.60 + 25.90	.5986	----	----	----	----	3 UNCH
4950	----	----	687.90B/----	687.90B/591.10A	----	689.00 + 27.80	.6100	----	----	----	----	11 UNCH
4960	----	----	#694.70B/----	#694.70B/597.70A	----	696.10 + 28.40	.6132	----	----	----	----	2 UNCH
5000	----	----	720.70B/----	720.70B/624.40A	----	724.70 + 30.60	.6257	----	----	----	----	253 UNCH
5055	----	----	#761.10B/----	#761.10B/662.00A	----	764.80 + 33.40	.6426	----	----	----	----	8 UNCH
5200	----	----	873.00B/----	873.00B/808.20A	----	874.50 + 39.90	.6840	----	----	----	----	81 UNCH
5395	----	----	#944.70B/----	#944.70B/959.10A	----	1030.70 + 47.40	.7328	----	----	----	----	6 UNCH
5400	----	----	945.10B/----	945.10B/963.40A	----	1034.80 + 47.50	.7340	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
5760	----	----	----	1039.50B/1497.20A	----	1343.50 + 58.00	.8044	----	----	----	----	1 UNCH
5975	----	----	----	1239.40B/1681.70A	----	1536.90 + 62.80	.8363	----	----	----	----	1 UNCH
6000	----	----	----	1262.90B/1703.60A	----	1559.70 + 63.30	.8395	----	----	----	----	1 UNCH
TOTAL										287		1300 + 280
DEC26												
1350	----	----	----	----/0.90A	----	0.60 + 0.30	.0010	----	----	----	----	16 UNCH
1500	----	----	----	----/2.00A	----	1.60 + 0.60	.0024	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/2.70A	----	2.30 + 0.90	.0034	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/3.50A	----	3.10 + 1.20	.0046	----	----	----	----	200 UNCH
1845	----	----	----	0.20B/10.20A	----	4.40 + 1.70	.0066	----	----	----	----	36 UNCH
1900	----	----	----	#0.40B/9.40A	----	4.90 + 1.90	.0074	----	----	----	----	4 UNCH
2000	----	----	----	0.60B/9.30A	----	6.00 + 2.30	.0091	----	----	----	----	2 UNCH
2400	----	----	----	1.70B/14.80A	----	10.60 + 4.30	.0176	----	----	----	----	1 UNCH
2490	----	----	----	2.80B/16.50A	----	11.90 + 4.90	.0201	----	----	----	----	1 UNCH
2750	----	----	----	#9.40B/24.20A	----	19.70 + 7.90	.0334	----	----	----	----	1 UNCH
2800	20.00	20.00	#20.00/20.00	#20.00/20.00	----	21.80 + 8.70	.0368	----	----	4	----	6 + 4
2900	----	----	----	#15.30B/31.00A	----	26.70 + 10.50	.0448	----	----	----	----	19 UNCH
2925	----	----	----	#16.60B/32.30A	----	28.10 + 11.00	.0470	----	----	----	----	300 UNCH
3000	----	----	20.70B/----	20.70B/36.70A	----	32.70 + 12.60	.0543	----	----	----	----	217 UNCH
3160	----	----	#41.90B/----	#41.90B/44.60A	----	45.60 + 17.40	.0737	----	----	----	----	2 UNCH
3175	----	----	#43.30B/----	#43.30B/42.40A	----	47.10 + 17.90	.0758	----	----	----	----	1 UNCH
3190	----	----	#44.80B/----	#44.80B/43.20A	----	48.60 + 18.50	.0780	----	----	----	----	5 UNCH
3250	----	----	#51.00B/----	#51.00B/46.30A	----	55.00 + 20.70	.0871	----	----	----	----	15 UNCH
3300	----	----	#56.60B/----	#56.60B/48.40A	----	60.80 + 22.70	.0952	----	----	----	----	6 UNCH
3400	----	----	#69.90B/----	#69.90B/58.40A	----	74.00 + 26.80	.1132	----	----	----	50	743 UNCH
3425	----	----	#73.50B/----	#73.50B/61.20A	----	77.60 + 27.90	.1180	----	----	----	----	150 UNCH
3450	----	----	#77.10B/----	#77.10B/64.10A	----	81.40 + 29.00	.1230	----	----	----	----	201 UNCH
3460	----	----	#78.80B/----	#78.80B/65.30A	----	82.90 + 29.40	.1250	----	----	----	----	20 UNCH
3475	----	----	#81.30B/----	#81.30B/67.10A	----	85.30 + 30.10	.1281	----	----	----	----	152 UNCH
3500	79.50	79.50	#85.90B/79.50	#85.90B/70.20A	----	89.30 + 31.20	.1333	----	----	1	----	855 + 1
3550	----	----	#93.90B/----	#93.90B/76.90A	----	97.90 + 33.50	.1443	----	----	----	----	18 UNCH
3565	----	----	#96.60B/----	#96.60B/79.10A	----	100.60 + 34.20	.1477	----	----	----	----	2 UNCH
3590	----	----	#101.50B/----	#101.50B/82.70A	----	105.30 + 35.40	.1536	----	----	----	----	1 UNCH
3600	----	----	#103.30B/----	#103.30B/84.20A	----	107.20 + 35.90	.1559	----	----	----	----	342 UNCH
3650	----	----	#113.40B/----	#113.40B/92.10A	----	117.20 + 38.30	.1681	----	----	----	----	201 UNCH
3670	----	----	#117.70B/----	#117.70B/95.40A	----	121.30 + 39.30	.1731	----	----	----	----	1 UNCH
3690	----	----	#122.00B/----	#122.00B/98.80A	----	125.70 + 40.40	.1783	----	----	----	----	1 UNCH
3700	----	----	#124.40B/----	#124.40B/100.60A	----	127.90 + 40.90	.1809	----	----	----	----	23 UNCH
3710	----	----	#126.70B/----	#126.70B/102.40A	----	130.10 + 41.30	.1835	----	----	----	----	37 UNCH
3720	----	----	#128.90B/----	#128.90B/104.20A	----	132.40 + 41.90	.1862	----	----	----	----	1 UNCH
3750	----	----	#136.10B/----	136.10B/109.80A	----	139.30 + 43.40	.1942	----	----	----	----	166 UNCH
3760	----	----	#138.50B/----	138.50B/111.80A	----	141.70 + 43.90	.1970	----	----	----	----	184 UNCH
3780	----	----	#143.40B/----	143.40B/115.70A	----	146.60 + 45.00	.2025	----	----	----	----	1 UNCH
3800	----	----	#148.50B/----	148.50B/119.80A	----	151.70 + 46.20	.2082	----	----	----	----	79 UNCH
3810	----	----	#151.10B/----	151.10B/121.90A	----	154.20 + 46.70	.2111	----	----	----	----	56 UNCH
3850	----	----	162.00B/----	162.00B/130.50A	----	164.80 + 49.00	.2227	----	----	----	----	18 UNCH
3880	----	----	170.50B/----	170.50B/137.30A	----	173.20 + 50.80	.2318	----	----	----	----	1 UNCH
3900	----	----	176.30B/----	176.30B/142.00A	----	178.90 + 52.00	.2378	----	----	----	----	805 UNCH
3925	----	----	183.80B/----	183.80B/148.10A	----	186.30 + 53.50	.2456	----	----	----	----	209 UNCH
3930	----	----	185.40B/----	185.40B/149.30A	----	187.80 + 53.80	.2471	----	----	----	----	2 UNCH
3950	----	----	191.60B/----	191.60B/154.40A	----	193.90 + 55.00	.2534	----	----	----	----	25 UNCH
3980	182.80	182.80	201.20B/182.80	201.20B/162.20A	----	203.40 + 57.00	.2631	----	----	4	----	108 + 4
4000	187.00	187.00	214.80/187.00	214.80/167.60A	----	209.90 + 58.30	.2696	----	----	31	----	1488 + 26
4025	----	----	216.30B/----	216.30B/174.50A	----	218.30 + 60.00	.2778	----	----	20	----	220 + 20
4070	----	----	232.10B/----	232.10B/187.60A	----	234.00 + 63.10	.2929	----	----	----	----	5 UNCH
4090	----	----	239.40B/----	239.40B/193.70A	----	241.30 + 64.60	.2997	----	----	----	----	1 UNCH
4100	----	----	243.10B/----	243.10B/196.80A	----	244.90 + 65.20	.3031	----	----	----	----	381 UNCH
4130	----	----	254.50B/----	254.50B/206.30A	----	256.20 + 67.40	.3135	----	----	----	----	2 UNCH
4160	----	----	266.30B/----	266.30B/216.20A	----	267.90 + 69.60	.3240	----	----	----	----	252 UNCH
4170	----	----	270.30B/----	270.30B/219.50A	----	271.90 + 70.40	.3275	----	----	----	----	2 UNCH
4200	----	----	282.60B/----	282.60B/229.90A	----	284.10 + 72.70	.3381	----	----	----	----	682 UNCH
4250	----	----	303.60B/----	303.60B/247.90A	----	305.20 + 76.40	.3560	----	----	----	----	202 UNCH
4280	----	----	316.90B/----	316.90B/259.20A	----	318.40 + 78.80	.3669	----	----	----	----	0 UNCH
4300	----	----	325.80B/----	325.80B/266.90A	----	327.40 + 80.30	.3741	----	----	1	----	1351 - 1
4320	----	----	335.10B/----	335.10B/274.80A	----	336.50 + 81.80	.3814	----	----	----	----	100 UNCH
4325	----	----	337.40B/----	337.40B/276.80A	----	338.90 + 82.30	.3832	----	----	----	----	300 UNCH
4350	----	----	349.10B/----	349.10B/287.00A	----	350.60 + 84.10	.3924	----	----	----	----	101 UNCH
4400	----	----	373.50B/----	373.50B/308.10A	----	374.90 + 88.00	.4107	----	----	----	----	86 UNCH
4415	----	----	381.00B/----	381.00B/314.60A	----	382.30 + 89.10	.4162	----	----	1	----	0 - 1
4425	----	----	386.00B/----	386.00B/319.10A	----	387.40 + 89.90	.4199	----	----	----	----	1 UNCH
4450	----	----	398.80B/----	398.80B/330.40A	----	400.10 + 91.80	.4291	----	----	----	----	60 UNCH
4475	----	----	411.90B/----	411.90B/341.70A	----	413.20 + 93.70	.4383	----	----	----	----	8 UNCH
4500	----	----	425.20B/----	425.20B/353.40A	----	426.40 + 95.50	.4475	----	----	----	----	185 UNCH
4510	----	----	430.60B/----	430.60B/358.10A	----	431.80 + 96.30	.4511	----	----	----	----	2 UNCH
4515	----	----	433.30B/----	433.30B/360.60A	----	434.50 + 96.60	.4529	----	----	----	----	242 UNCH
4520	----	----	436.00B/----	436.00B/363.00A	----	437.30 + 97.10	.4548	----	----	----	----	25 UNCH
4530	----	----	441.50B/----	441.50B/367.80A	----	442.70 + 97.80	.4584	----	----	----	----	20 UNCH
4535	----	----	444.30B/----	444.30B/370.30A	----	445.50 + 98.20	.4602	----	----	----	----	102 UNCH
4540	----	----	447.00B/----	447.00B/372.70A	----	448.20 + 98.50	.4620	----	----	----	----	1 UNCH
4550	----	----	452.60B/----	452.60B/377.70A	----	453.80 + 99.30	.4657	----	----	----	----	4 UNCH
4580	----	----	469.40B/----	469.40B/392.70A	----	470.60 + 01.40	.4765	----	----	----	----	50 UNCH
4585	----	----	472.30B/----	472.30B/395.20A	----	473.50 + 01.80	.4783	----	----	----	----	325 UNCH
4600	----	----	480.90B/----	480.90B/402.90A	----	482.00 + 02.80	.4836	----	----	----	----	421 UNCH
4620	----	----	492.50B/----	492.50B/413.30A	----	493.60 + 04.20	.4908	----	----	----	----	50 UNCH
4625	----	----	495.40B/----	495.40B/415.90A	----	496.60 + 04.60	.4926	----	----	----	----	20 UNCH
4640	----	----	504.30B/----	504.30B/423.90A	----	505.40 + 05.60	.4979	----	----	----	----	100 UNCH
4650	----	----	510.50B/----	510.50B/429.20A	----	511.30 + 06.30	.5014	----	----	----	----	106 UNCH
4680	----	----	528.20B/----	528.20B/445.40A	----	529.30 + 08.30	.5120	----	----	----	----	60 UNCH
4700	----	----	540.50B/----	540.50B/456.50A	----	541.50 + 09.60	.5189	----	----	----	----	520 UNCH
4790	----	----	597.50B/----	597.50B/508.10A	----	598.10 + 15.20	.5496	----	----	----	----	60 UNCH
4800	----	----	603.50B/----	603.50B/514.00A	----	604.60 + 15.90	.5530	----	----	----	----	152 UNCH
4810	----	----	610.00B/----	610.00B/520.00A	----	611.10 + 16.50	.5563	----	----	----	----	56 UNCH
4815	----	----	613.30B/----	613.30B/523.00A	----	614.40 + 16.80	.5580	----	----	----	----	10 UNCH
4820	----	----	616.60B/----	616.60B/526.00A	----	617.60 + 17.00	.5596	----	----	----	----	20 UNCH
4825	----	----	619.90B/----	619.90B/529.70A	----	620.90 + 17.30	.5613	----	----	----	----	100 UNCH
4850	----	----	636.90B/----	636.90B/544.20A	----	637.50 + 18.80	.5695	----	----	----	----	6 UNCH
4900	----	----	670.20B/----	670.20B/575.90A	----	671.10 + 21.60	.5856	----	----	----	----	11 UNCH
4925	----	----	687.70B/----	687.70B/591.30A	----	688.30 NEW	.5935	----	----	1	----	1 + 1
4950	----	----	705.00B/----	705.00B/607.40A	----	705.70 + 24.40	.6013	----	----	----	----	1 UNCH
4975	----	----	722.50B/----	722.50B/624.50A	----	723.20 + 25.60	.6090	----	----	----	----	43 UNCH
4980	----	----	#726.10B/----	#726.10B/627.70A	----	726.70 + 25.90	.6105	----	----	----	----	12 UNCH
4995	----	----	#737.00B/----	#737.00B/637.00A	----	737.40 + 26.70	.6151	----	----	----	----	32 UNCH
5000	----	----	737.30B/----	737.30B/640.30A	----	740.90 + 26.90	.6166	----	----	----	----	392 UNCH
5020	----	----	#749.90B/----	#749.90B/653.70A	----	755.30 + 28.00	.6226	----	----	----	----	8 UNCH
5025	----	----	753.60B/----	753.60B/657.10A	----	758.90 + 28.20	.6241	----	----	----	----	15 UNCH
5035	----	----	#760.80B/----	#760.80B/663.90A	----	766.10 + 28.70	.6270	----	----	----	----	8 UNCH
5050	----	----	#772.00B/----	#772.00B/674.10A	----	777.00 + 29.40	.6315	----	----	----	----	201 UNCH
5070	----	----	#786.80B/----	#786.80B/687.80A	----	791.60 + 30.40	.6372	----	----	----	----	1 UNCH
5075	----	----	#790.50B/----	#790.50B/691.30A	----	795.20 + 30.60	.6387	----	----	----	----	100 UNCH
5095	----	----	#805.50B/----	#805.50B/706.00A	----	810.00 + 31.50	.6444	----	----	----	----	6 UNCH
5100	----	----	809.10B/----	809.10B/708.70A	----	813.70 + 31.80	.6458	----	----	----	----	6 UNCH
5195	----	----	#881.90B/----	#881.90B/826.00A	----	885.40 + 36.00	.6719	----	----	----	----	5 UNCH
5200	----	----	885.60B/----	885.60B/829.80A	----	889.20 + 36.10	.6732	----	----	----	----	38 UNCH
5250	----	----	#924.80B/----	#924.80B/867.10A	----	927.90 + 38.20	.6863	----	----	----	----	126 UNCH
5290	----	----	#956.80B/----	#956.80B/897.00A	----	959.40 + 39.80	.6964	----	----	----	----	1 UNCH
5295	----	----	#960.80B/----	#960.80B/901.40A	----	963.30 + 40.00	.6975	----	----	----	----	1 UNCH
5360	----	----	#1,000.60B/----	#1000.60B/951.10A	----	1015.20 + 42.30	.7132	----	----	----	----	100 UNCH
5370	----	----	#997.70B/----	#997.70B/959.30A	----	1023.30 + 42.70	.7156	----	----	----	----	20 UNCH
5375	----	----	#984.20B/----	#984.20B/963.40A	----	1027.30 + 42.90	.7167	----	----	----	----	34 UNCH
5400	----	----	998.50B/----	998.50B/983.10A	----	1047.60 + 43.70	.7225	----	----	----	----	102 UNCH
5460	----	----	#1,009.70B/----	#1009.70B/1031.20A	----	1096.90 + 45.80	.7358	----	----	----	----	200 UNCH
5465	----	----	----	767.60B/1295.80A	----	1101.00 + 45.90	.7369	----	----	----	----	50 UNCH
5480	----	----	----	780.40B/1307.60A	----	1113.40 + 46.30	.7401	----	----	----	----	50 UNCH
5500	----	----	----	797.60B/1323.30A	----	1130.10 + 47.00	.7443	----	----	----	----	31 UNCH
5525	----	----	----	819.10B/1343.20A	----	1151.00 + 47.80	.7495	----	----	----	----	80 UNCH
5600	----	----	----	884.50B/1403.40A	----	1214.40 + 49.90	.7644	----	----	----	----	252 UNCH
5900	----	----	----	1155.30B/1653.20A	----	1476.90 + 56.90	.8150	----	----	----	----	125 UNCH
6000	----	----	----	1248.10B/1739.40A	----	1567.10 + 58.80	.8289	----	----	----	----	40 UNCH
6500	----	----	----	1715.70B/2191.30A	----	2032.00 + 66.10	.8816	----	----	----	----	4 UNCH
TOTAL										63	50	15400 + 54
JAN27												
2800	24.00	24.00	#24.00/*24.00	#24.00/24.00	----	16.20 + 9.10	.0296	----	----	2	----	10 + 2
3000	----	----	22.60B/----	22.60B/43.90A	----	30.90 + 15.80	.0514	----	----	----	----	3 UNCH
3520	----	----	#96.50B/----	#96.50B/83.70A	----	101.30 + 35.80	.1405	----	----	----	----	1 UNCH
3800	----	----	#158.10B/----	#158.10B/133.20A	----	163.50 + 50.10	.2088	----	----	----	----	1 UNCH
3825	----	----	164.80B/----	164.80B/138.80A	----	170.20 + 51.60	.2157	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 26

FINAL

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JAN27												
3900	197.00	197.00	#197.00/197.00	#197.00/156.40A	----	191.50 NEW	.2369	----	----	1	----	1 + 1
4000	----	----	218.20B/----	218.20B/182.80A	----	223.00 + 62.70	.2668	----	----	----	----	1 UNCH
4350	----	----	#359.50B/----	#359.50B/303.80A	----	364.00 + 88.60	.3817	----	----	----	----	1 UNCH
4400	----	----	#383.70B/----	#383.70B/324.90A	----	388.00 + 92.30	.3988	----	----	----	----	1 UNCH
4585	----	----	#480.90B/----	#480.90B/411.40A	----	485.00 + 04.90	.4621	----	----	----	----	1 UNCH
4600	----	----	#489.30B/----	#489.30B/419.00A	----	493.40 + 05.90	.4671	----	----	----	----	3 UNCH
4605	408.10	408.10	#492.20B/408.10	#492.20B/408.10	----	496.20 + 06.20	.4688	----	----	1	----	0 - 1
4630	----	----	#506.50B/----	#506.50B/434.40A	----	510.50 + 07.80	.4772	----	----	----	----	1 UNCH
4660	----	----	#523.90B/----	#523.90B/450.20A	----	527.90 + 09.70	.4872	----	----	----	----	4 UNCH
4665	----	----	#526.90B/----	#526.90B/452.80A	----	530.80 + 10.00	.4888	----	----	----	----	4 UNCH
4760	----	----	584.30B/----	584.30B/504.60A	----	588.20 + 15.70	.5198	----	----	----	----	100 UNCH
4800	----	----	609.40B/----	609.40B/528.20A	----	613.20 + 17.90	.5326	----	----	----	----	6 UNCH
4820	----	----	622.40B/----	622.40B/540.00A	----	626.00 + 19.10	.5389	----	----	----	----	6 UNCH
4860	----	----	648.30B/----	648.30B/563.90A	----	651.80 + 21.20	.5513	----	----	----	----	1 UNCH
4990	----	----	#735.90B/----	#735.90B/645.40A	----	739.40 NEW	.5904	----	----	1	----	1 + 1
5000	----	----	#742.90B/----	#742.90B/651.90A	----	746.40 + 28.40	.5932	----	----	----	----	3 UNCH
5050	----	----	#778.20B/----	#778.20B/684.80A	----	781.60 + 30.80	.6075	----	----	----	----	100 UNCH
TOTAL										5		250 + 3
FEB27												
4000	----	----	----	#107.60B/342.90A	----	188.40 + 40.50	.2549	----	----	----	----	1 UNCH
4600	----	----	----	#228.90B/748.90A	----	440.60 + 77.60	.4753	----	----	----	----	17 UNCH
4650	----	----	----	#237.30B/791.00A	----	468.20 + 80.90	.4943	----	----	----	----	1 UNCH
4655	----	----	----	#271.10B/781.00A	----	471.00 + 81.20	.4962	----	----	----	----	1 UNCH
4660	----	----	----	#241.60B/796.10A	----	473.80 + 81.50	.4981	----	----	----	----	435 UNCH
4665	----	----	----	#245.30B/782.90A	----	476.70 + 81.90	.5000	----	----	----	----	3 UNCH
5000	----	----	----	#372.50B/1069.40A	----	690.50 + 03.10	.6188	----	----	----	----	10 UNCH
5005	----	----	----	#373.50B/1077.80A	----	694.00 + 03.40	.6204	----	----	----	----	2 UNCH
5100	----	----	----	#421.80B/1156.90A	----	763.20 + 08.90	.6498	----	----	----	----	2 UNCH
5150	----	----	----	#447.40B/1240.60A	----	801.20 + 11.60	.6641	----	----	----	----	1 UNCH
5175	----	----	----	#459.80B/1293.80A	----	820.60 + 12.90	.6711	----	----	----	----	125 UNCH
5200	----	----	----	----	----	840.30 + 14.20	.6777	----	----	----	----	1 UNCH
5355	----	----	----	----	----	968.70 + 21.20	.7135	----	----	----	----	1 UNCH
5520	----	----	----	----	----	1115.10 + 26.90	.7420	----	----	----	----	300 UNCH
5530	----	----	----	----	----	1124.10 + 27.20	.7435	----	----	----	----	100 UNCH
5550	----	----	----	----	----	1142.30 + 27.80	.7464	----	----	----	----	65 UNCH
5565	----	----	----	693.20B/1641.30A	----	1155.90 + 28.20	.7486	----	----	----	----	50 UNCH
TOTAL												1115 0
DEC27												
3700	----	----	----	----	----	64.90 + 17.80	.1151	----	----	----	----	100 UNCH
3715	----	----	----	----	----	67.50 + 18.40	.1187	----	----	----	----	150 UNCH
3820	----	----	----	----	----	88.10 + 22.90	.1465	----	----	----	----	50 UNCH
4130	----	----	----	----	----	184.20 + 39.80	.2485	----	----	----	----	168 UNCH
4500	----	----	----	----	----	372.90 + 62.30	.3804	----	----	----	----	270 UNCH
4630	----	----	----	----	----	452.20 + 69.60	.4228	----	----	----	----	284 UNCH
4860	----	----	----	----	----	606.10 + 81.40	.4900	----	----	----	----	100 UNCH
5000	----	----	----	----	----	707.90 + 87.80	.5254	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1216.30 + 12.00	.6533	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1400.30 + 19.60	.6919	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	803.10 + 82.40	.4915	----	----	----	----	1 UNCH
5100	----	----	----	----	----	855.30 + 86.70	.5162	----	----	----	----	1 UNCH
TOTAL												2 0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3200	----	----	----/1,168.20A	1336.30B/1168.20A	----	1176.30 - 76.00	----	----	----	----	----	0 - 2
3300	----	----	----/1,068.20A	1236.30B/1068.20A	----	1076.30 - 76.00	----	----	----	----	----	0 - 10
3425	----	----	----/943.20A	1112.10B/943.20A	----	951.30 - 76.00	----	----	----	----	----	0 - 105
3435	----	----	----/933.20A	1102.10B/933.20A	----	941.30 - 76.00	----	----	----	----	----	0 - 60
3450	----	----	----/918.20A	1087.10B/918.20A	----	926.30 - 76.00	----	----	----	----	----	0 - 100
3460	----	----	----/908.20A	1077.10B/908.20A	----	916.30 - 76.10	----	----	----	----	----	0 - 100
3485	----	----	----/883.20A	1052.10B/883.20A	----	891.30 - 76.10	----	----	----	----	----	0 - 60
3500	----	----	----/868.20A	1037.10B/868.20A	----	876.30 - 76.10	----	----	----	----	----	0 - 560
3550	----	----	----/818.80A	987.10B/818.80A	----	826.30 - 76.10	----	----	----	----	----	0 - 150
3575	----	----	----/793.20A	961.30B/793.20A	----	801.30 - 76.10	----	----	----	----	----	0 - 50
3585	----	----	----/783.20A	951.30B/783.20A	----	791.30 - 76.10	----	----	----	----	----	0 - 50
3600	----	----	----/768.20A	937.10B/768.20A	----	776.30 - 76.10	----	----	----	----	----	0 - 720
3650	----	----	----/718.20A	887.10B/718.20A	----	726.30 - 76.10	----	----	----	----	----	0 - 310
3660	----	----	----/708.80A	877.10B/708.80A	----	716.30 - 76.10	----	----	----	----	----	0 UNCH
3695	----	----	----/673.80A	841.30B/673.80A	----	681.30 - 76.10	----	----	----	----	----	0 - 50
3700	----	----	----/668.70A	836.30B/668.70A	----	676.30 - 76.10	----	----	----	----	----	0 - 63
3720	----	----	----/648.80A	817.10B/648.80A	----	656.30 - 76.10	----	----	----	----	----	0 - 20
3730	----	----	----/638.80A	807.10B/638.80A	----	646.30 - 76.10	----	----	----	----	----	0 - 3
3750	----	----	----/618.50A	786.20B/618.50A	----	626.30 - 76.10	----	----	----	----	----	0 - 675
3755	----	----	----/613.20A	782.10B/613.20A	----	621.30 - 76.10	----	----	----	----	----	0 - 27
3780	----	----	----/588.80A	757.10B/588.80A	----	596.30 - 76.10	----	----	----	----	----	0 - 47
3800	----	----	----/568.20A	736.20B/568.20A	----	576.30 - 76.10	----	----	----	----	----	0 - 781
3805	----	----	----/563.80A	732.10B/563.80A	----	571.30 - 76.10	----	----	----	----	----	0 - 2
3820	----	----	----/548.20A	716.20B/548.20A	----	556.30 - 76.10	----	----	----	----	----	0 - 1
3825	----	----	----/544.10A	711.20B/544.10A	----	551.30 - 76.10	----	----	----	----	----	0 - 25
3835	----	----	----/533.30A	702.10B/533.30A	----	541.30 - 76.10	----	----	----	----	----	0 - 3
3850	----	----	----/518.50A	686.20B/518.50A	----	526.30 - 76.10	----	----	----	----	----	0 - 210
3875	----	----	----/493.20A	662.20B/493.20A	----	501.30 - 76.10	----	----	----	----	----	0 - 2
3885	----	----	----/483.20A	651.40B/483.20A	----	491.30 - 76.10	----	----	----	----	----	0 - 24
3895	----	----	----/473.20A	641.40B/473.20A	----	481.30 - 76.10	----	----	----	----	----	0 - 34
3900	----	----	----/468.50A	637.20B/468.50A	----	476.30 - 76.10	----	----	----	----	----	0 - 3550
3905	----	----	----/463.20A	631.20B/463.20A	----	471.30 - 76.20	----	----	----	----	----	0 - 2
3910	----	----	----/458.20A	626.20B/458.20A	----	466.30 - 76.20	----	----	----	----	----	0 - 2
3925	----	----	----/443.20A	611.20B/443.20A	----	451.30 - 76.20	----	----	----	----	----	0 - 15
3940	----	----	----/428.10A	596.20B/428.10A	----	436.30 - 76.20	----	----	----	----	----	0 - 1
3945	----	----	----/423.20A	591.40B/423.20A	----	431.30 - 76.30	----	----	----	----	----	0 - 428
3950	----	----	----/418.20A	587.20B/418.20A	----	426.30 - 76.30	----	----	----	----	----	0 - 245
3960	----	----	----/408.20A	577.20B/408.20A	----	416.30 - 76.30	----	----	----	----	----	0 - 1
3970	----	----	----/398.20A	567.20B/398.20A	----	406.30 - 76.40	----	----	----	----	----	0 - 1
3975	----	----	----/393.40A	562.20B/393.40A	----	401.30 - 76.40	----	----	----	----	----	0 - 13
3990	----	----	----/378.40A	546.30B/378.40A	----	386.30 - 76.40	----	----	----	----	----	0 - 401
4000	440.00	440.00	440.00/368.20A	536.50B/368.20A	----	376.30 - 76.50	----	----	----	5	----	0 - 1022
4005	----	----	----/363.10A	531.30B/363.10A	----	371.30 - 76.50	----	----	----	----	----	0 - 3
4020	----	----	----/348.50A	517.30B/348.50A	----	356.30 - 76.60	----	----	----	----	----	0 - 1
4025	416.20	416.20	416.20/342.40A	512.30B/342.40A	----	351.30 - 76.70	----	----	----	5	----	0 - 175
4030	----	----	----/338.40A	506.50B/338.40A	----	346.30 - 76.70	----	----	----	----	----	0 - 7
4040	----	----	----/328.10A	497.30B/328.10A	----	336.30 - 76.80	----	----	----	----	----	0 - 6
4045	----	----	----/323.40A	491.50B/323.40A	----	331.30 - 76.80	----	----	----	----	----	0 - 10
4050	----	----	----/316.80A	487.30B/316.80A	----	326.30 - 76.80	----	----	----	----	----	0 - 739
4055	417.40	417.40	417.40/312.40A	481.30B/312.40A	----	321.30 - 76.80	----	----	----	1	----	0 - 101
4060	----	----	----/308.40A	476.30B/308.40A	----	316.30 - 76.80	----	----	----	----	----	0 - 4
4065	----	----	----/303.40A	471.50B/303.40A	----	311.30 - 76.90	----	----	----	----	----	0 - 3
4070	----	----	----/298.40A	466.40B/298.40A	----	306.30 - 76.90	----	----	----	----	----	0 - 2
4075	----	----	----/292.40A	461.40B/292.40A	----	301.30 - 76.90	----	----	----	----	----	0 - 203
4080	----	----	----/288.40A	456.40B/288.40A	----	296.30 - 76.90	----	----	----	----	----	0 - 6
4085	----	----	----/283.40A	451.50B/283.40A	----	291.30 - 76.90	----	----	----	----	----	0 - 5
4090	----	----	----/277.70A	446.40B/277.70A	----	286.30 - 77.00	----	----	----	----	----	0 - 25
4095	----	----	----/272.40A	442.30B/272.40A	----	281.30 - 77.00	----	----	----	----	----	0 - 85
4100	338.80	338.80	338.80/267.20A	436.60B/267.20A	----	276.30 - 77.00	----	----	----	4	----	0 - 296
4105	----	----	----/263.20A	432.40B/263.20A	----	271.30 - 77.10	----	----	----	----	----	0 - 2
4110	----	----	----/258.20A	427.40B/258.20A	----	266.30 - 77.10	----	----	----	----	----	0 - 15
4120	----	----	----/247.70A	416.60B/247.70A	----	256.30 - 77.20	----	----	----	----	----	0 - 17
4125	----	----	----/242.80A	411.60B/242.80A	----	251.30 - 77.20	----	----	----	----	----	0 - 21
4130	----	----	----/237.80A	407.40B/237.80A	----	246.30 - 77.20	----	----	----	----	----	0 - 28
4135	----	----	----/233.30A	401.70B/233.30A	----	241.30 - 77.30	----	----	----	----	----	0 - 6
4140	----	----	----/228.30A	396.50B/228.30A	----	236.30 - 77.30	----	----	----	----	----	0 - 4
4145	----	----	----/222.70A	391.50B/222.70A	----	231.30 - 77.40	----	----	----	----	----	0 - 18
4150	290.50	290.50	290.50/216.60A	387.50B/216.60A	----	226.30 - 77.40	----	----	----	1	----	0 - 622
4155	----	----	----/211.90A	381.70B/211.90A	----	221.30 - 77.40	----	----	----	----	----	0 - 426
4160	----	----	----/207.30A	377.50B/207.30A	----	216.30 - 77.50	----	----	----	----	----	0 - 171
4165	----	----	----/203.20A	371.80B/203.20A	----	211.30 - 77.50	----	----	----	----	----	0 - 10
4170	----	----	----/198.30A	366.60B/198.30A	----	206.30 - 77.60	----	----	----	----	----	0 - 10
4175	----	----	----/192.20A	361.80B/192.20A	----	201.30 - 77.60	----	----	----	----	----	0 - 333
4180	----	----	----/188.40A	357.60B/188.40A	----	196.30 - 77.70	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR26												
4185	----	----	----/182.50A	351.80B/182.50A	----	191.30 - 77.70	----	----	----	----	----	0 - 109
4190	----	----	----/177.60A	347.70B/177.60A	----	186.30 - 77.80	----	----	----	----	----	0 - 70
4195	----	----	----/173.50A	341.90B/173.50A	----	181.30 - 77.80	----	----	----	----	----	0 - 4
4200	----	----	----/166.90A	337.20B/166.90A	----	176.30 - 77.90	----	----	----	----	----	0 - 3868
4205	----	----	----/163.50A	331.80B/163.50A	----	171.30 - 77.90	----	----	----	----	----	0 - 3
4210	223.50	223.50	223.50/157.10A	327.10B/157.10A	----	166.30 - 78.00	----	----	----	1	----	0 - 1810
4215	----	----	----/153.60A	321.90B/153.60A	----	161.30 - 78.10	----	----	----	----	----	0 - 2
4220	----	----	----/147.70A	317.20B/147.70A	----	156.30 - 78.10	----	----	----	----	----	0 - 68
4225	----	----	----/142.60A	312.90B/142.60A	----	151.30 - 78.20	----	----	----	----	----	0 - 307
4230	158.00	158.00	158.00/137.90A	307.30B/137.90A	----	146.30 - 78.30	----	----	----	2	----	0 - 85
4235	----	----	----/133.10A	302.30B/133.10A	----	141.30 - 78.40	----	----	----	----	----	0 - 33
4240	----	----	----/128.90A	297.30B/128.90A	----	136.30 - 78.40	----	----	----	----	----	0 - 2
4245	----	----	----/123.90A	293.10B/123.90A	----	131.30 - 78.50	----	----	----	----	----	0 - 13
4250	140.00	140.00	140.00/117.60A	287.50B/117.60A	----	126.30 - 78.60	----	----	----	1	----	0 - 2005
4255	----	----	----/113.30A	282.40B/113.30A	----	121.30 - 78.70	----	----	----	----	----	0 - 289
4260	195.90	195.90	195.90/107.60A	277.50B/107.60A	----	116.30 - 78.80	----	----	----	1	----	0 - 714
4265	169.60	169.60	169.60/102.90A	272.60B/102.90A	----	111.30 - 78.90	----	----	----	2	----	0 - 1449
4270	----	----	----/98.60A	267.70B/98.60A	----	106.30 - 79.00	----	----	----	----	----	0 - 163
4275	----	----	----/93.60A	262.80B/93.60A	----	101.30 - 79.10	----	----	----	----	----	0 - 99
4280	----	----	----/89.00A	257.90B/89.00A	----	96.30 - 79.30	----	----	----	----	----	0 - 332
4285	----	----	----/*84.10A	253.10B/*84.10A	----	91.30 - 79.40	----	----	----	----	----	0 - 68
4290	----	----	----/*79.30A	248.00B/*79.30A	----	86.30 - 79.50	----	----	----	----	----	0 - 58
4295	----	----	----/*75.40A	242.90B/*75.40A	----	81.30 - 79.60	----	----	----	----	----	0 - 11
4300	76.50	76.50	76.50/69.30A	238.10B/69.30A	----	76.30 - 79.80	----	----	----	3	----	0 - 3038
4305	----	----	----/*66.00A	233.20B/*66.00A	----	71.30 - 79.90	----	----	----	----	----	0 - 4
4310	----	----	----/*60.50A	228.40B/*60.50A	----	66.30 - 80.10	----	----	----	----	----	0 - 256
4320	----	----	----/*52.40A	218.40B/*52.40A	----	56.30 - 80.40	----	----	----	----	----	0 - 1
4325	----	----	----/47.90A	213.80B/47.90A	----	51.30 - 80.60	----	----	----	----	----	0 - 21
4330	----	----	----/*43.80A	208.70B/*43.80A	----	46.30 - 80.80	----	----	----	----	----	0 - 3
4335	----	----	----/*39.50A	204.10B/*39.50A	----	41.30 - 81.00	----	----	----	----	----	0 - 270
4340	117.90	117.90	124.90/*35.70A	199.10B/*35.70A	----	36.30 - 81.20	----	----	----	4	----	0 - 7
4345	----	----	----/*31.60A	194.40B/*31.60A	----	31.30 - 81.50	----	----	----	----	----	0 - 38
4350	105.00	105.00	105.00/*26.50A	189.60B/*26.50A	----	26.30 - 81.70	----	----	----	16	----	0 - 1075
4355	----	----	----/*21.70A	184.80B/*21.70A	----	21.30 - 82.00	----	----	----	----	----	0 - 240
4360	90.30	90.30	90.30/*16.70A	180.10B/*16.70A	----	16.30 - 82.20	----	----	----	22	----	0 - 497
4365	----	----	----/*11.60A	175.30B/*11.60A	----	11.30 - 82.50	----	----	----	1	----	0 - 31
4370	25.00	25.00	25.00/*8.20A	170.60B/*8.20A	----	6.30 - 82.80	----	----	----	7	----	0 - 156
4375	18.10	18.10	20.30/*2.90A	165.70B/*2.90A	----	1.30 - 83.10	----	----	----	30	----	0 - 310
4380	16.10	16.10	20.00/*2.70A	160.90B/*2.70A	----	0.00 - 79.70	----	----	----	16	----	0 - 11
4385	15.80	15.80	15.80/*1.60A	156.30B/*1.60A	----	0.00 - 75.10	----	----	----	9	----	0 - 9
4390	14.30	14.30	14.30/*0.80A	151.70B/*0.80A	----	0.00 - 70.50	----	----	----	13	----	0 - 56
4395	8.00	8.00	11.00/*0.60	147.00B/*0.60	----	0.00 - 65.90	----	----	----	85	----	0 - 34
4400	110.00	110.00	142.60B/*0.10	142.60B/*0.10	----	0.00 - 61.30	----	----	----	655	----	0 - 5471
4405	43.60	43.60	59.60/*0.10	137.80B/*0.10	----	0.00 - 56.70	----	----	----	311	----	0 - 2206
4410	54.90	54.90	54.90/*0.10	133.20B/*0.10	----	0.00 - 52.20	----	----	----	568	----	0 - 1958
4415	2.20	2.20	2.20/*0.40A	128.60B/*0.40A	----	0.00 - 47.70	----	----	----	4	----	0 - 65
4420	39.00	39.00	39.00/*0.40A	124.10B/*0.40A	----	0.00 - 43.20	----	----	----	36	----	0 - 130
4425	48.00	48.00	59.30/*0.10	119.70B/*0.10	----	0.00 - 38.80	----	----	----	241	----	0 - 424
4430	40.00	40.00	40.00/*0.30A	115.20B/*0.30A	----	0.00 - 34.40	----	----	----	26	----	0 - 166
4435	45.30	45.30	53.30/*0.10A	110.80B/*0.10A	----	0.00 - 30.00	----	----	----	99	----	0 - 95
4440	42.60	42.60	42.60/*0.10	106.80B/*0.10	----	0.00 - 25.70	----	----	----	207	----	0 - 14
4445	42.80	42.80	42.80/*0.10	102.50B/*0.10	----	0.00 - 21.40	----	----	----	37	----	0 - 61
4450	37.90	37.90	51.70/*0.10	97.70B/*0.10	----	0.00 - 17.10	----	----	----	990	----	0 - 695
4455	37.40	37.40	39.10/*0.10	93.50B/*0.10	----	0.00 - 12.90	----	----	----	133	----	0 - 82
4460	27.70	27.70	33.00/*0.10	88.70B/*0.10	----	0.00 - 08.80	----	----	----	195	----	0 - 91
4465	29.70	29.70	29.70/*0.20A	84.60B/*0.20A	----	0.00 - 04.70	----	----	----	62	----	0 - 13
4470	27.80	27.80	28.50/*0.10	81.30B/*0.10	----	0.00 - 00.60	----	----	----	109	----	0 - 51
4475	40.00	40.00	40.00/*0.10	76.60B/*0.10	----	0.00 - 96.70	----	----	----	379	----	0 - 117
4480	19.70	19.70	19.70/*0.20A	73.30B/*0.20A	----	0.00 - 92.70	----	----	----	138	----	0 - 62
4485	25.20	25.20	25.20/*0.10A	69.40B/*0.10A	----	0.00 - 88.90	----	----	----	128	----	0 - 174
4490	17.00	17.00	28.00/*0.10A	65.10B/*0.10A	----	0.00 - 85.10	----	----	----	45	----	0 - 129
4495	8.80	8.80	8.80/*0.10A	61.40B/*0.10A	----	0.00 - 81.30	----	----	----	23	----	0 - 113
4500	47.00	47.00	57.80B/*0.10	57.80B/*0.10	----	0.00 - 77.70	----	----	----	846	----	0 - 4786
4505	45.00	45.00	45.00/*0.10	54.50B/*0.10	----	0.00 - 74.10	----	----	----	31	----	0 - 35
4510	11.70	11.70	11.70/*0.10A	53.20B/*0.10A	----	0.00 - 70.60	----	----	----	28	----	0 - 34
4515	39.70	39.70	50.10B/*0.10A	50.10B/*0.10A	----	0.00 - 67.20	----	----	----	14	----	0 - 38
4520	42.10	42.10	48.00B/*0.20A	48.00B/*0.20A	----	0.00 - 63.90	----	----	----	80	----	0 - 39
4525	36.80	36.80	44.90B/*0.10A	44.90B/*0.10A	----	0.00 - 60.60	----	----	----	281	----	0 - 1023
4530	31.90	31.90	42.00B/*0.10A	42.00B/*0.10A	----	0.00 - 57.50	----	----	----	64	----	0 - 40
4535	36.00	36.00	36.00/*0.20A	39.10B/*0.20A	----	0.00 - 54.40	----	----	----	13	----	0 - 29
4540	10.00	10.00	10.00/*0.20A	36.70B/*0.20A	----	0.00 - 51.50	----	----	----	45	----	0 - 47
4545	18.80	18.80	21.10/*0.20A	34.30B/*0.20A	----	0.00 - 48.60	----	----	----	30	----	0 - 37
4550	30.10	30.10	30.10/*0.10	31.90B/*0.10	----	0.00 - 45.90	----	----	----	466	----	0 - 888
4555	1.90	1.90	1.90/*0.20A	29.80B/*0.20A	----	0.00 - 43.20	----	----	----	4	----	0 - 94
4560	22.50	22.50	25.40/*0.20	27.80B/*0.20	----	0.00 - 40.70	----	----	----	44	----	0 - 49
4565	6.30	6.30	6.30/*0.10A	25.80B/*0.10A	----	0.00 - 38.20	----	----	----	58	----	0 - 177
4570	23.90	23.90	23.90/*0.10	23.90/*0.10	----	0.00 - 35.90	----	----	----	36	----	0 - 100
4575	9.00	9.00	9.00/*0.10	22.30B/*0.10	----	0.00 - 33.70	----	----	----	92	----	0 - 503
4580	18.00	18.00	21.00/*0.10A	21.00/*0.10A	----	0.00 - 31.60	----	----	----	46	----	0 - 74
4585	19.00	19.00	19.00/*0.10	19.20B/*0.10	----	0.00 - 29.50	----	----	----	25	----	0 - 74
4590	4.00	4.00	4.00/*0.10	17.70B/*0.10	----	0.00 - 27.60	----	----	----	40	----	0 - 73
4595	0.50	0.50	1.10/*0.10A	16.40B/*0.10A	----	0.00 - 25.80	----	----	----	9	----	0 - 267
4600	13.60	13.60	14.00/*0.10	15.20B/*0.10	----	0.00 - 24.10	----	----	----	217	----	0 - 3737
4605	12.00	12.00	12.00/*0.10A	14.20B/*0.10A	----	0.00 - 22.50	----	----	----	9	----	0 - 115
4610	10.30	10.30	10.30/*0.10A	13.20B/*0.10A	----	0.00 - 21.00	----	----	----	15	----	0 - 142
4615	0.70	0.70	0.70/*0.10A	12.20B/*0.10A	----	0.00 - 19.60	----	----	----	6	----	0 - 46
4620	4.60	4.60	4.60/*0.10A	11.30B/*0.10A	----	0.00 - 18.20	----	----	----	7	----	0 - 411
4625	9.00	9.00	10.10/*0.10A	10.50B/*0.10A	----	0.00 - 17.00	----	----	----	33	----	0 - 428
4630	4.20	4.20	4.20/*0.10A	9.80B/*0.10A	----	0.00 - 15.80	----	----	----	7	----	0 - 845
4635	0.30	0.30	0.30/*0.10A	9.10B/*0.10A	----	0.00 - 14.70	----	----	----	1	----	0 - 579
4640	5.10	5.10	6.00/*0.10A	8.50B/*0.10A	----	0.00 - 13.70	----	----	----	22	----	0 - 148
4645	----	----	----/*0.10A	7.90B/*0.10A	----	0.00 - 12.80	----	----	----	1	----	0 - 38
4650	5.40	5.40	6.90/*0.10	7.30B/*0.10	----	0.00 - 11.90	----	----	----	263	----	0 - 1235
4655	0.90	0.90	0.90/*0.10A	6.70B/*0.10A	----	0.00 - 11.10	----	----	----	1	----	0 - 63
4660	----	----	----/*0.10A	6.40B/*0.10A	----	0.00 - 10.40	----	----	----	22	----	0 - 152
4665	----	----	----/*0.10A	5.90B/*0.10A	----	0.00 - 9.70	----	----	----	----	----	0 - 151
4670	----	----	----/*0.10A	5.50B/*0.10A	----	0.00 - 9.10	----	----	----	----	----	0 - 310
4675	4.20	4.20	4.50/*0.10	5.10B/*0.10	----	0.00 - 8.50	----	----	----	39	----	0 - 587
4680	----	----	----/*0.10A	4.80B/*0.10A	----	0.00 - 7.90	----	----	----	----	----	0 - 243
4685	1.00	1.00	1.00/*0.10A	4.50B/*0.10A	----	0.00 - 7.40	----	----	----	17	----	0 - 70
4690	3.60	3.60	3.60/*0.10A	4.10B/*0.10A	----	0.00 - 6.90	----	----	----	1	----	0 - 82
4695	3.00	3.00	3.00/*0.10A	3.80B/*0.10A	----	0.00 - 6.50	----	----	----	8	----	0 - 130
4700	3.30	3.30	3.30/*0.10	3.50B/*0.10	----	0.00 - 6.10	----	----	----	136	----	0 - 2853
4705	----	----	----/*0.10A	3.30B/*0.10A	----	0.00 - 5.70	----	----	----	----	----	0 - 33
4710	----	----	----/*0.10A	3.10B/*0.10A	----	0.00 - 5.40	----	----	----	2	----	0 - 129
4715	0.70	0.70	0.70/*0.10A	2.90B/*0.10A	----	0.00 - 5.00	----	----	----	2	----	0 - 130
4720	----	----	----/*0.10A	2.70B/*0.10A	----	0.00 - 4.70	----	----	----	12	----	0 - 246
4725	----	----	----/*0.10A	2.50B/*0.10A	----	0.00 - 4.40	----	----	----	----	----	0 - 312
4730	----	----	----/*0.10A	2.30B/*0.10A	----	0.00 - 4.10	----	----	----	2	----	0 - 61
4735	0.70	0.70	0.80/*0.20A	2.20B/*0.20A	----	0.00 - 3.90	----	----	----	9	----	0 - 55
4740	0.10	0.10	0.10/*0.10	2.10B/*0.10	----	0.00 - 3.70	----	----	----	2	----	0 - 449
4745	----	----	----/*0.10A	1.90B/*0.10A	----	0.00 - 3.40	----	----	----	----	----	0 - 50
4750	1.30	1.30	1.30/*0.10	1.80B/*0.10	----	0.00 - 3.20	----	----	----	11	----	0 - 1224
4755	----	----	----/*0.10A	1.70B/*0.10A	----	0.00 - 3.00	----	----	----	----	----	0 - 50
4760	----	----	----/*0.10A	1.60B/*0.10A	----	0.00 - 2.90	----	----	----	----	----	0 - 168
4765	0.10	0.10	0.10/*0.10	1.50B/*0.10	----	0.00 - 2.70	----	----	----	1	----	0 - 292
4770	----	----	----/*0.10A	1.30B/*0.10A	----	0.00 - 2.50	----	----	----	----	----	0 - 119
4775	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 2.40	----	----	----	----	----	0 - 662
4780	0.10	0.10	0.10/*0.10	1.20B/*0.10	----	0.00 - 2.30	----	----	----	1	----	0 - 256
4785	----	----	----/*0.10A	1.10B/*0.10A	----	0.00 - 2.10	----	----	----	----	----	0 - 135
4790	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 2.00	----	----	----	----	----	0 - 43
4795	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.90	----	----	----	----	----	0 - 12
4800	1.10	1.10	1.10/*0.10	1.10/*0.10	----	0.00 - 1.80	----	----	----	6	----	0 - 2908
4805	0.20	0.20	0.20/*0.10	0.80B/*0.10	----	0.00 - 1.70	----	----	----	11	----	0 - 76
4810	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 111
4815	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 62
4820	0.30	0.30	0.30/*0.10	0.60B/*0.10	----	0.00 - 1.50	----	----	----	9	----	0 - 96
4825	0.10	0.10	0.10/*0.10	0.60B/*0.10	----	0.00 - 1.40	----	----	----	1	----	0 - 281
4830	0.40	0.40	0.40/*0.10A	0.50B/*0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 82
4835	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 26
4840	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 1.30	----	----	----	1	----	0 - 101
4845	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 56
4850	0.30	0.30	0.40/*0.10A	0.50B/*0.10A	----	0.00 - 1.20	----	----	----	13	----	0 - 1269
4855	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 41
4860	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 143
4865	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 26
4870	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 1.00	----	----	----	2	----	0 - 138

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR26												
4875	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 613
4880	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 29
4885	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 0.80	----	----	----	2	----	0 - 46
4890	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 66
4895	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 106
4900	0.20	0.20	0.30/*0.10	0.30/*0.10	----	0.00 - 0.70	----	----	----	4	----	0 - 2542
4905	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 469
4910	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 52
4915	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 17
4920	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 303
4925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 221
4930	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 58
4935	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 16
4940	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 73
4945	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 19
4950	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.40	----	----	----	3	----	0 - 1122
4955	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 85
4960	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 138
4965	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 27
4970	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 152
4975	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 407
4980	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 128
4985	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 65
4990	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 107
4995	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 26
5000	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 8064
5005	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 160
5010	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 487
5015	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 570
5020	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 79
5025	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 531
5030	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 368
5035	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 80
5040	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 133
5045	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 104
5050	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 617
5055	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 24
5060	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 111
5065	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
5070	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 366
5075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 386
5080	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 94
5085	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
5090	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 183
5095	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 67
5100	0.20	0.20	0.20/0.10	0.20/0.10	----	0.00 - 0.10	----	----	----	4	----	0 - 3115
5105	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
5110	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 111
5115	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 104
5120	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 149
5125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 717
5130	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 133
5135	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5140	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 177
5145	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 112
5150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 955
5155	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 119
5160	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 78
5165	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5170	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 286
5175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 408
5180	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 79
5185	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 67
5190	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 85
5195	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
5200	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	6	----	0 - 4289
5205	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 697
5210	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 251
5215	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 356
5220	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 528
5225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 128
5230	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 281
5235	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
5240	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 202
5245	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
5250	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 2564
5255	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 191
5260	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 99
5265	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
5270	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
5275	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	9	----	0 - 356
5280	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
5285	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
5290	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 181
5295	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 111
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3549
5305	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 71
5310	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 381
5315	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
5320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
5325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 160
5330	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 171
5335	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 209
5340	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5345	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 72
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1510
5355	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
5360	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5365	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
5370	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 187
5375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 642
5380	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 186
5385	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 88
5390	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2173
5395	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6758
5405	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 189
5410	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 358
5415	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 62
5420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 83
5425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
5430	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 140
5435	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 83
5440	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 173
5445	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
5450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2114
5455	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 55
5460	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 403
5465	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
5470	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
5475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 133
5480	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5485	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
5490	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 67
5495	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 91
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3397
5505	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
5510	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 60
5515	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
5520	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 72
5525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 257
5530	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
5535	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
5540	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 425
5545	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 262
5550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2921
5555	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 120

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR26												
5560	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 89
5570	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 919
5575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 338
5580	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 338
5590	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 155
5600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5066
5610	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 690
5620	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 457
5625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 73
5630	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 67
5640	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 122
5650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1178
5660	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
5670	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 81
5675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 132
5680	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 154
5690	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 151
5700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1765
5710	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
5720	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 83
5725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 117
5730	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
5740	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
5750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1284
5760	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
5770	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 324
5775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 82
5780	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
5790	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 461
5800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2045
5810	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5820	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 92
5825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
5830	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 109
5840	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 79
5850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1602
5860	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 47
5870	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
5880	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 88
5890	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 252
5900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1553
5910	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 154
5920	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 188
5930	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
5940	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 102
5950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 904
5960	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 156
5970	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
5980	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
5990	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 155
6000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3924
6025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 112
6050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 540
6075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
6100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 783
6125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 738
6150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 161
6175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
6200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 286
6225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
6250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 254
6275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 167
6300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 456
6325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 104
6350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 122
6375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
6400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 435
6425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
6450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 268
6475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 47
6500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1773
6525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 127
6550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 212
6575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 98
6600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 651
6625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
6650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
6675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
6700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 177
6725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 88
6750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 84
6775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 92
6800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
6825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
6850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
6875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
6900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 187
6925	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 64
6950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
6975	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 65
7000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 844
7025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
7050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
7075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
7100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
7125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
7150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
7175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
7200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 123
7225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
7250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
7275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
7300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 116
7325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
7350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
7375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
7400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
7425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
7450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
7475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 58
7500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 317
7525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
7550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
7575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
7600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 80
7650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
7675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
7700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
7725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
7750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
7775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
7800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
7825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 58
7850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
7875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
7900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
7950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
8000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 328
8100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
8200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
8300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
8400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
8500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
8600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
8700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
8800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
8900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR26												
9000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 243
9100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
9200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
9300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
9400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
9500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
9600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
9700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
9800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
9900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
10000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1154
11000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 55
12000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 103
TOTAL										7797		0 - 178175
MAY26												
3400	----	----	----/1,000.00A	1165.60B/1000.00A	----	1019.60 - 68.40	.9595	----	----	----	----	1 UNCH
3600	----	----	----/812.00A	975.40B/812.00A	----	830.20 - 61.70	.9278	----	----	----	----	10 UNCH
3675	----	----	----/743.40A	903.00B/743.40A	----	760.90 - 58.30	.9112	----	----	----	----	8 UNCH
3685	----	----	----/734.20A	893.30B/734.20A	----	751.80 - 57.80	.9088	----	----	----	----	8 UNCH
3700	----	----	----/720.70A	879.00B/720.70A	----	738.10 - 57.10	.9050	----	----	----	----	31 UNCH
3720	----	----	----/703.00A	860.00B/703.00A	----	720.00 - 55.90	.8996	----	----	----	----	6 UNCH
3725	----	----	----/698.60A	855.00B/698.60A	----	715.40 - 55.80	.8983	----	----	----	----	8 UNCH
3735	----	----	----/689.20A	845.80B/689.20A	----	706.40 - 55.20	.8955	----	----	----	----	15 UNCH
3750	----	----	----/675.90A	831.20B/675.90A	----	692.90 - 54.30	.8914	----	----	----	----	56 UNCH
3800	----	----	----/632.20A	784.10B/632.20A	----	648.40 - 51.30	.8761	----	----	----	----	44 UNCH
3820	----	----	----/614.90A	766.00B/614.90A	----	630.70 - 50.00	.8695	----	----	----	----	4 UNCH
3840	----	----	----/597.50A	746.40B/597.50A	----	613.20 - 48.70	.8626	----	----	----	----	20 UNCH
3855	----	----	----/584.60A	732.40B/584.60A	----	600.20 - 47.60	.8573	----	----	----	----	2 UNCH
3875	----	----	----/567.60A	714.30B/567.60A	----	582.90 - 46.30	.8498	----	----	----	----	41 UNCH
3890	----	----	----/554.80A	700.00B/554.80A	----	570.00 - 45.20	.8441	----	----	----	----	1 UNCH
3895	----	----	----/550.70A	695.40B/550.70A	----	565.80 - 44.80	.8421	----	----	----	----	9 UNCH
3900	----	----	----/546.50A	690.80B/546.50A	----	561.50 - 44.40	.8402	----	----	----	----	112 UNCH
3950	----	----	----/505.20A	645.60B/505.20A	----	519.40 - 40.50	.8192	----	----	----	----	223 UNCH
3960	----	----	----/496.60A	636.10B/496.60A	----	511.10 - 39.70	.8147	----	----	----	----	16 UNCH
3975	----	----	----/484.50A	622.60B/484.50A	----	498.70 - 38.50	.8079	----	----	----	----	13 UNCH
3980	----	----	----/480.90A	618.10B/480.90A	----	494.60 - 38.10	.8057	----	----	----	----	97 UNCH
3995	----	----	----/468.80A	604.70B/468.80A	----	482.40 - 36.80	.7985	----	----	----	----	62 UNCH
4000	----	----	----/464.40A	600.20B/464.40A	----	478.30 - 36.40	.7961	----	----	----	----	143 UNCH
4005	----	----	----/460.90A	595.80B/460.90A	----	474.30 - 35.90	.7937	----	----	----	----	30 UNCH
4015	----	----	----/453.00A	586.90B/453.00A	----	466.20 - 35.00	.7888	----	----	----	----	5 UNCH
4020	----	----	----/448.70A	582.50B/448.70A	----	462.20 - 34.60	.7862	----	----	----	----	15 UNCH
4025	----	----	----/445.20A	578.10B/445.20A	----	458.20 - 34.10	.7837	----	----	----	----	1 UNCH
4050	----	----	----/425.70A	556.10B/425.70A	----	438.30 - 31.90	.7707	----	----	----	----	176 UNCH
4070	----	----	----/410.40A	538.70B/410.40A	----	422.70 - 30.00	.7599	----	----	----	----	25 UNCH
4075	----	----	----/406.10A	534.40B/406.10A	----	418.80 - 29.50	.7572	----	----	----	----	22 UNCH
4090	----	----	----/395.40A	521.50B/395.40A	----	407.20 - 28.10	.7487	----	----	----	----	1 UNCH
4100	----	----	----/387.80A	513.00B/387.80A	----	399.60 - 27.10	.7430	----	----	----	----	48 UNCH
4105	----	----	----/384.10A	508.70B/384.10A	----	395.80 - 26.60	.7401	----	----	----	----	10 UNCH
4115	----	----	----/376.50A	500.20B/376.50A	----	388.20 - 25.60	.7342	----	----	----	----	4 UNCH
4120	----	----	----/373.10A	496.00B/373.10A	----	384.50 - 25.10	.7312	----	----	----	----	372 UNCH
4125	----	----	----/369.10A	491.80B/369.10A	----	380.70 - 24.60	.7282	----	----	----	----	1 UNCH
4130	----	----	----/365.60A	487.60B/365.60A	----	377.00 - 24.10	.7252	----	----	----	----	11 UNCH
4135	----	----	----/362.20A	483.40B/362.20A	----	373.30 - 23.50	.7222	----	----	----	----	3 UNCH
4145	----	----	----/354.80A	475.00B/354.80A	----	365.90 - 22.50	.7160	----	----	----	----	1 UNCH
4150	----	----	----/350.00A	470.90B/350.00A	----	362.30 - 21.90	.7128	----	----	----	----	255 UNCH
4155	----	----	----/348.00A	466.70B/348.00A	----	358.60 - 21.40	.7097	----	----	----	----	1 UNCH
4165	----	----	----/340.80A	458.50B/340.80A	----	351.40 - 20.30	.7034	----	----	----	----	3 UNCH
4170	----	----	----/336.40A	454.40B/336.40A	----	347.80 - 19.80	.7001	----	----	----	----	24 UNCH
4175	----	----	----/333.40A	450.30B/333.40A	----	344.20 - 19.20	.6969	----	----	----	----	3 UNCH
4180	----	----	----/329.40A	446.20B/329.40A	----	340.60 - 18.70	.6936	----	----	----	----	123 UNCH
4185	----	----	----/327.00A	442.10B/327.00A	----	337.00 - 18.20	.6903	----	----	----	----	3 UNCH
4190	----	----	----/322.60A	438.10B/322.60A	----	333.50 - 17.60	.6870	----	----	----	----	18 UNCH
4200	----	----	----/314.90A	430.00B/314.90A	----	326.50 - 16.50	.6803	----	----	----	----	644 UNCH
4205	----	----	----/313.30A	426.00B/313.30A	----	323.00 - 15.90	.6769	----	----	----	----	4 UNCH
4210	----	----	----/308.80A	422.00B/308.80A	----	319.50 - 15.40	.6735	----	----	----	----	23 UNCH
4220	----	----	----/303.20A	414.00B/303.20A	----	312.70 - 14.20	.6666	----	----	----	----	7 UNCH
4240	----	----	----/288.40A	398.20B/288.40A	----	299.10 - 11.90	.6525	----	----	----	----	21 UNCH
4245	----	----	----/285.20A	394.30B/285.20A	----	295.80 - 11.30	.6490	----	----	----	----	2 UNCH
4250	----	----	----/281.90A	390.40B/281.90A	----	292.40 - 10.80	.6454	----	----	----	----	277 UNCH
4255	----	----	----/278.70A	386.60B/278.70A	----	289.10 - 10.20	.6417	----	----	----	----	103 UNCH
4260	----	----	----/275.60A	382.70B/275.60A	----	285.90 - 09.50	.6381	----	----	----	----	8 UNCH
4265	----	----	----/272.50A	378.80B/272.50A	----	282.60 - 08.90	.6345	----	----	----	----	13 UNCH
4270	----	----	----/269.40A	375.00B/269.40A	----	279.30 - 08.30	.6308	----	----	----	----	29 UNCH
4275	----	----	----/266.20A	371.20B/266.20A	----	276.10 - 07.70	.6271	----	----	----	----	14 UNCH
4280	----	----	----/263.20A	367.40B/263.20A	----	272.90 - 07.10	.6234	----	----	----	----	1 UNCH
4285	294.40	294.40	294.40/260.10A	363.60B/260.10A	----	269.70 - 06.50	.6196	----	----	1	----	4 + 1
4290	----	----	----/257.10A	359.90B/257.10A	----	266.60 - 05.80	.6159	----	----	----	----	44 UNCH
4295	----	----	----/254.00A	356.10B/254.00A	----	263.40 - 05.20	.6121	----	----	----	----	2 UNCH
4300	278.00	278.00	278.00/251.00A	352.40B/251.00A	----	260.30 - 04.60	.6083	----	----	2	----	1076 + 2
4305	----	----	----/248.00A	348.70B/248.00A	----	257.20 - 03.90	.6045	----	----	----	----	2 UNCH
4315	----	----	----/242.00A	341.30B/242.00A	----	251.00 - 02.70	.5968	----	----	----	----	3 UNCH
4325	----	----	----/236.20A	334.10B/236.20A	----	245.00 - 01.40	.5890	----	----	----	----	560 UNCH
4330	----	----	----/233.40A	330.70B/233.40A	----	242.00 - 00.70	.5851	----	----	----	----	26 UNCH
4335	----	----	----/230.40A	326.80B/230.40A	----	239.00 - 00.10	.5812	----	----	----	----	2 UNCH
4340	242.00	242.00	242.00/227.60A	323.20B/227.60A	----	236.00 NEW	.5773	----	----	4	----	4 + 4
4345	----	----	----/224.80A	319.60B/224.80A	----	233.10 - 98.80	.5733	----	----	----	----	2 UNCH
4350	----	----	----/222.20A	316.30B/222.20A	----	230.20 - 98.10	.5694	----	----	----	----	251 UNCH
4355	----	----	----/219.20A	312.70B/219.20A	----	227.30 - 97.50	.5654	----	----	----	----	40 UNCH
4360	----	----	----/216.50A	309.40B/216.50A	----	224.40 - 96.80	.5614	----	----	----	----	349 UNCH
4365	----	----	----/213.70A	305.50B/213.70A	----	221.60 - 96.10	.5574	----	----	----	----	5 UNCH
4370	----	----	----/211.00A	302.50B/211.00A	----	218.70 - 95.50	.5534	----	----	----	----	75 UNCH
4375	----	----	----/208.30A	299.10B/208.30A	----	215.90 - 94.80	.5493	----	----	----	----	34 UNCH
4380	----	----	----/205.60A	295.20B/205.60A	----	213.10 - 94.20	.5453	----	----	----	----	12 UNCH
4385	----	----	----/202.90A	291.80B/202.90A	----	210.40 - 93.40	.5412	----	----	----	----	4 UNCH
4390	213.30	213.30	213.30/200.40A	288.30B/200.40A	----	207.60 - 92.80	.5372	----	----	3	----	10 + 2
4395	----	----	----/197.80A	285.00B/197.80A	----	204.90 - 92.10	.5331	----	----	----	----	5 UNCH
4400	231.00	231.00	239.80/195.20A	282.30B/195.20A	----	202.20 - 91.40	.5290	----	----	17	----	1641 - 895
4405	----	----	----/192.60A	279.00B/192.60A	----	199.60 - 90.70	.5249	----	----	----	----	16 UNCH
4410	202.10	202.10	204.30/190.10A	275.20B/190.10A	----	196.90 - 90.00	.5208	----	----	17	----	44 + 8
4415	----	----	----/187.80A	272.00B/187.80A	----	194.30 - 89.30	.5167	----	----	----	----	36 UNCH
4420	195.30	195.30	195.50/185.00A	269.10B/185.00A	----	191.70 - 88.60	.5125	----	----	5	----	53 + 5
4425	194.80	194.80	194.80/182.60A	265.60B/182.60A	----	189.10 - 87.90	.5084	----	----	2	----	69 UNCH
4430	202.00	202.00	215.00/180.10A	262.00B/180.10A	----	186.60 - 87.20	.5043	----	----	12	----	16 + 6
4435	----	----	----/177.70A	261.80B/177.70A	----	184.10 - 86.50	.5002	----	----	----	----	6 UNCH
4440	----	----	----/175.30A	258.60B/175.30A	----	181.50 - 85.80	.4960	----	----	----	----	62 UNCH
4445	179.70	179.70	179.70/173.00A	255.40B/173.00A	----	179.10 - 85.10	.4919	----	----	7	----	7 + 7
4450	204.60	204.60	204.60/170.00	252.40B/170.00	----	176.60 - 84.40	.4877	----	----	16	----	220 + 5
4455	207.10	207.10	207.10/168.30A	249.40B/168.30A	----	174.20 - 83.60	.4836	----	----	2	----	43 + 1
4460	----	----	----/165.90A	246.00B/165.90A	----	171.80 - 82.90	.4794	----	----	----	----	27 UNCH
4465	----	----	----/163.60A	243.00B/163.60A	----	169.40 - 82.20	.4752	----	----	1	----	19 UNCH
4470	----	----	----/161.30A	239.90B/161.30A	----	167.00 - 81.50	.4711	----	----	10	----	53 + 10
4475	----	----	----/159.10A	236.90B/159.10A	----	164.70 - 80.80	.4669	----	----	----	----	36 UNCH
4480	----	----	----/156.90A	233.90B/156.90A	----	162.30 - 80.10	.4627	----	----	12	----	113 + 12
4485	----	----	----/154.60A	230.90B/154.60A	----	160.10 - 79.30	.4586	----	----	----	----	23 UNCH
4490	157.80	157.80	157.80/152.60A	228.00B/152.60A	----	157.80 - 78.60	.4545	----	----	3	----	19 + 3
4495	183.30	183.30	190.10/150.30A	225.00B/150.30A	----	155.50 - 78.00	.4503	----	----	3	----	17 + 2
4500	169.90	169.90	180.40/148.30A	222.10B/148.30A	----	153.30 - 77.20	.4462	----	----	267	----	1467 + 69
4505	184.40	184.40	184.40/146.10A	219.20B/146.10A	----	151.10 - 76.50	.4420	----	----	2	----	26 + 1
4510	----	----	----/144.00A	216.60B/144.00A	----	148.90 - 75.80	.4379	----	----	----	----	46 UNCH
4515	147.10	147.10	147.10/142.20A	213.60B/142.20A	----	146.80 - 75.00	.4338	----	----	1	----	11 + 1
4520	----	----	----/139.90A	210.60B/139.90A	----	144.70 - 74.30	.4297	----	----	2	----	20 UNCH
4525	188.00	188.00	188.00/138.10A	207.80B/138.10A	----	142.60 - 73.50	.4255	----	----	5	----	28 + 4
4530	----	----	----/136.10A	205.20B/136.10A	----	140.50 - 72.80	.4214	----	----	----	----	47 UNCH
4535	----	----	----/134.10A	202.20B/134.10A	----	138.40 - 72.10	.4173	----	----	----	----	13 UNCH
4540	----	----	----/132.20A	199.60B/132.20A	----	136.40 - 71.40	.4132	----	----	----	----	5 UNCH
4545	----	----	----/130.10A	196.90B/130.10A	----	134.40 - 70.60	.4091	----	----	----	----	2 UNCH
4550	157.10	157.10	157.70/128.30A	194.10B/128.30A	----	132.40 - 69.90	.4051	----	----	127	----	285 + 33
4555	148.60	148.60	148.60/126.30A	191.60B/126.30A	----	130.40 - 69.20	.4010	----	----	1	----	28 UNCH
4560	127.00	127.00	127.00/124.60A	189.00B/124.60A	----	128.50 - 68.50	.3969	----	----	1	----	30 - 1
4565	----	----	----/122.80A	186.20B/122.80A	----	126.50 - 67.80	.3928	----	----	----	----	41 UNCH
4570	----	----	----/120.90A	183.80B/120.90A	----	124.60 - 67.10	.3888	----	----	----	----	192 UNCH
4575	151.80	151.80	151.80/119.10A	181.20B/119.10A	----	122.80 - 66.30	.3849	----	----	3	----	70 + 1
4580	----	----	----/117.40A	178.70B/117.40A	----	120.90 - 65.70	.3808	----	----	----	----	4 UNCH
4585	----	----	----/115.60A	176.20B/115.60A	----	119.10 - 64.90	.3768	----	----	1	----	63 + 1
4590	----	----	----/113.90A	173.80B/113.90A	----	117.30 - 64.20	.3729	----	----	----	----	125 UNCH
4595	----	----	----/112.20A	171.40B/112.20A	----	115.50 - 63.50	.3689	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4600	166.00	166.00	169.00B/110.30A	169.00B/110.30A	----	113.70 - 62.80	.3649	----	----	223	100	2980 - 619
4605	133.90	133.90	133.90/108.80A	166.60B/108.80A	----	112.00 - 62.10	.3610	----	----	40	----	301 UNCH
4610	122.20	122.20	132.10/107.10A	164.20B/107.10A	----	110.30 - 61.40	.3572	----	----	64	----	80 + 55
4615	126.20	126.20	126.20/105.60A	161.80B/105.60A	----	108.60 - 60.70	.3533	----	----	10	----	16 - 7
4620	----	----	----/104.00A	159.50B/104.00A	----	106.90 - 60.00	.3494	----	----	----	----	21 UNCH
4625	122.50	122.50	122.50/102.30A	157.20B/102.30A	----	105.30 - 59.20	.3456	----	----	3	----	28 UNCH
4630	146.00	146.00	146.00/100.90A	154.90B/100.90A	----	103.60 - 58.60	.3417	----	----	4	----	37 - 1
4635	118.90	118.90	118.90/99.30A	152.70B/99.30A	----	102.00 - 57.90	.3378	----	----	1	----	230 UNCH
4640	----	----	----/97.80A	150.40B/97.80A	----	100.40 - 57.20	.3340	----	----	----	----	29 UNCH
4645	----	----	----/96.30A	148.20B/96.30A	----	98.90 - 56.50	.3303	----	----	----	----	6 UNCH
4650	114.40	114.40	120.60/94.80A	146.10B/94.80A	----	97.30 - 55.90	.3265	----	----	22	----	486 + 8
4655	----	----	----/93.40A	143.90B/93.40A	----	95.80 - 55.20	.3228	----	----	----	----	31 UNCH
4660	----	----	----/91.90A	141.80B/91.90A	----	94.30 - 54.50	.3191	----	----	----	----	121 UNCH
4665	----	----	----/90.50A	139.60B/90.50A	----	92.80 - 53.80	.3154	----	----	----	----	21 UNCH
4670	106.10	106.10	106.10/89.10A	137.60B/89.10A	----	91.40 - 53.10	.3118	----	----	1	----	41 UNCH
4675	----	----	----/87.70A	135.50B/87.70A	----	89.90 - 52.50	.3081	----	----	128	----	84 + 28
4680	----	----	----/86.40A	133.50B/86.40A	----	88.50 - 51.80	.3045	----	----	----	----	155 UNCH
4685	----	----	----/85.10A	131.50B/85.10A	----	87.10 - 51.20	.3009	----	----	----	----	150 UNCH
4690	----	----	----/83.70A	129.50B/83.70A	----	85.70 - 50.50	.2974	----	----	4	----	42 UNCH
4695	----	----	----/82.50A	127.50B/82.50A	----	84.30 - 49.90	.2938	----	----	----	----	28 UNCH
4700	118.50	118.50	118.50/81.10A	125.60B/81.10A	----	83.00 - 49.20	.2903	----	----	478	----	2395 - 180
4705	----	----	----/79.80A	123.60B/79.80A	----	81.70 - 48.60	.2868	----	----	----	----	307 UNCH
4710	101.00	101.00	102.00/78.70A	121.80B/78.70A	----	80.40 - 47.90	.2834	----	----	11	----	186 - 2
4715	----	----	----/77.40A	119.90B/77.40A	----	79.10 - 47.30	.2799	----	----	2	----	50 UNCH
4720	----	----	----/76.20A	118.10B/76.20A	----	77.80 - 46.70	.2765	----	----	----	----	101 UNCH
4725	79.10	79.10	79.10/75.10A	116.30B/75.10A	----	76.60 - 46.00	.2732	----	----	7	----	121 + 7
4730	----	----	----/73.90A	114.40B/73.90A	----	75.40 - 45.40	.2698	----	----	5	----	43 + 4
4735	----	----	----/72.70A	112.80B/72.70A	----	74.20 - 44.80	.2665	----	----	1	----	15 + 1
4740	----	----	----/71.50A	111.00B/71.50A	----	73.00 - 44.20	.2632	----	----	----	----	136 UNCH
4745	----	----	----/70.40A	109.20B/70.40A	----	71.80 - 43.60	.2599	----	----	----	----	4 UNCH
4750	88.80	88.80	88.80/69.10A	107.60B/69.10A	----	70.60 - 43.10	.2566	----	----	55	----	901 + 15
4755	----	----	----/68.20A	105.80B/68.20A	----	69.50 - 42.40	.2534	----	----	----	----	24 UNCH
4760	----	----	----/67.10A	104.20B/67.10A	----	68.40 - 41.80	.2503	----	----	----	----	67 UNCH
4765	----	----	----/66.00A	102.60B/66.00A	----	67.30 - 41.20	.2471	----	----	----	----	9 UNCH
4770	----	----	----/65.10A	101.00B/65.10A	----	66.20 - 40.70	.2440	----	----	----	----	71 UNCH
4775	79.00	79.00	79.00/64.10A	99.40B/64.10A	----	65.10 - 40.10	.2408	----	----	7	----	189 + 1
4780	----	----	----/63.10A	97.90B/63.10A	----	64.10 - 39.50	.2378	----	----	----	----	26 UNCH
4785	----	----	----/62.10A	96.10B/62.10A	----	63.00 - 39.00	.2347	----	----	----	----	8 UNCH
4790	75.40	75.40	75.40/61.10A	94.60B/61.10A	----	62.00 - 38.40	.2317	----	----	5	----	28 + 3
4795	----	----	----/60.10A	93.30B/60.10A	----	61.00 - 37.90	.2287	----	----	----	----	13 UNCH
4800	89.80	89.80	92.10/59.00A	92.10/59.00A	----	60.00 - 37.30	.2258	----	----	263	----	1583 + 82
4805	----	----	----/58.40A	90.30B/58.40A	----	59.10 - 36.70	.2230	----	----	----	----	15 UNCH
4810	67.50	67.50	67.50/57.20A	88.70B/57.20A	----	58.10 - 36.20	.2200	----	----	5	----	531 UNCH
4815	----	----	----/56.50A	87.50B/56.50A	----	57.20 - 35.70	.2172	----	----	----	----	5 UNCH
4820	----	----	----/55.60A	85.90B/55.60A	----	56.30 - 35.10	.2144	----	----	3	----	194 UNCH
4825	----	----	----/54.60A	84.70B/54.60A	----	55.30 - 34.70	.2114	----	----	4	----	113 - 1
4830	68.50	68.50	68.90/53.80A	83.20B/53.80A	----	54.50 - 34.10	.2088	----	----	26	----	40 + 19
4835	----	----	----/53.00A	81.80B/53.00A	----	53.60 - 33.60	.2061	----	----	----	----	4 UNCH
4840	----	----	----/52.20A	80.40B/52.20A	----	52.70 - 33.10	.2033	----	----	----	----	17 UNCH
4845	----	----	----/51.40A	79.20B/51.40A	----	51.90 - 32.60	.2007	----	----	----	----	18 UNCH
4850	55.00	55.00	55.00/49.60	77.90B/49.60	----	51.00 - 32.10	.1979	----	----	137	----	471 - 40
4855	----	----	----/49.70A	76.60B/49.70A	----	50.20 - 31.60	.1953	----	----	1	----	15 + 1
4860	62.50	62.50	63.60/48.90A	75.30B/48.90A	----	49.40 - 31.10	.1928	----	----	16	----	19 + 9
4865	53.50	53.50	53.70/48.10A	74.10B/48.10A	----	48.60 - 30.70	.1902	----	----	30	----	78 + 22
4870	----	----	----/47.40A	72.90B/47.40A	----	47.80 - 30.20	.1876	----	----	----	----	13 UNCH
4875	----	----	----/46.80A	71.80B/46.80A	----	47.10 - 29.70	.1853	----	----	1	----	181 - 1
4880	----	----	----/45.90A	70.60B/45.90A	----	46.30 - 29.30	.1827	----	----	3	----	49 + 2
4885	----	----	----/45.20A	69.60B/45.20A	----	45.60 - 28.80	.1804	----	----	----	----	26 UNCH
4890	----	----	----/44.60A	68.30B/44.60A	----	44.80 - 28.40	.1778	----	----	----	----	16 UNCH
4895	----	----	----/43.90A	67.30B/43.90A	----	44.10 - 27.90	.1754	----	----	----	----	39 UNCH
4900	57.00	57.00	61.20/42.90	66.10B/42.90	----	43.40 - 27.50	.1731	----	----	690	----	1751 + 318
4905	----	----	----/42.60A	65.20B/42.60A	----	42.70 - 27.10	.1708	----	----	----	----	37 UNCH
4910	60.00	60.00	64.00B/41.90A	64.00B/41.90A	----	42.00 - 26.60	.1684	----	----	10	----	67 + 6
4915	----	----	----/41.30A	63.10B/41.30A	----	41.40 - 26.20	.1663	----	----	----	----	37 UNCH
4920	----	----	----/40.60A	61.80B/40.60A	----	40.70 - 25.80	.1640	----	----	----	----	138 UNCH
4925	----	----	----/40.00A	60.90B/40.00A	----	40.10 - 25.30	.1619	----	----	----	----	356 UNCH
4930	----	----	----/39.40A	60.00B/39.40A	----	39.40 - 25.00	.1595	----	----	2	----	196 UNCH
4935	49.50	49.50	49.50/38.80A	59.10B/38.80A	----	38.80 - 24.60	.1574	----	----	4	----	49 UNCH
4940	41.70	41.70	41.70/38.20A	58.00B/38.20A	----	38.20 - 24.10	.1553	----	----	3	----	27 + 1
4945	----	----	----/37.60A	57.10B/37.60A	----	37.60 - 23.80	.1532	----	----	----	----	32 UNCH
4950	47.70	47.70	47.70/36.80	56.20B/36.80	----	37.00 - 23.40	.1512	----	----	25	----	675 - 25
4955	----	----	----/36.40A	55.30B/36.40A	----	36.40 - 23.00	.1491	----	----	----	----	8 UNCH
4960	----	----	----/35.90A	54.40B/35.90A	----	35.80 - 22.70	.1470	----	----	----	----	30 UNCH
4965	----	----	----/35.40A	53.50B/35.40A	----	35.30 - 22.30	.1451	----	----	1	----	38 - 1
4970	----	----	----/34.80A	52.50B/34.80A	----	34.70 - 21.90	.1431	----	----	----	----	4 UNCH
4975	----	----	----/34.30A	51.80B/34.30A	----	34.20 - 21.50	.1412	----	----	----	----	212 UNCH
4980	----	----	----/33.70A	51.00B/33.70A	----	33.70 - 21.20	.1394	----	----	----	----	224 UNCH
4985	----	----	----/33.20A	50.10B/33.20A	----	33.10 - 20.90	.1373	----	----	2	----	149 + 2
4990	----	----	----/32.80A	49.30B/32.80A	----	32.60 - 20.50	.1355	----	----	3	----	41 + 1
4995	40.40	40.40	40.40/32.30A	48.40B/32.30A	----	32.10 - 20.20	.1337	----	----	1	----	15 + 1
5000	45.00	45.00	47.70B/31.60	47.70B/31.60	----	31.60 - 19.90	.1318	----	----	467	----	3892 - 106
5005	----	----	----/31.20A	46.90B/31.20A	----	31.10 - 19.50	.1300	----	----	4	----	17 + 3
5010	----	----	----/30.70A	46.20B/30.70A	----	30.70 - 19.20	.1285	----	----	1	----	102 UNCH
5015	43.40	43.40	45.40B/30.40A	45.40B/30.40A	----	30.20 - 18.90	.1267	----	----	7	----	40 + 3
5020	30.40	30.40	30.40/29.80A	44.60B/29.80A	----	29.70 - 18.60	.1248	----	----	6	----	38 - 2
5025	35.00	35.00	35.50/29.40A	44.00B/29.40A	----	29.30 - 18.20	.1233	----	----	24	----	213 - 1
5030	----	----	----/28.90A	43.10B/28.90A	----	28.80 - 18.00	.1215	----	----	1	----	148 + 1
5035	----	----	----/28.50A	42.40B/28.50A	----	28.40 - 17.60	.1199	----	----	2	----	16 UNCH
5040	----	----	----/28.10A	41.80B/28.10A	----	28.00 - 17.30	.1184	----	----	----	----	137 UNCH
5045	----	----	----/27.60A	41.10B/27.60A	----	27.60 - 17.00	.1169	----	----	----	----	21 UNCH
5050	34.80	34.80	34.80/27.30A	40.50B/27.30A	----	27.10 - 16.80	.1151	----	----	9	----	941 + 2
5055	----	----	----/26.90A	39.80B/26.90A	----	26.70 - 16.50	.1136	----	----	----	----	107 UNCH
5060	----	----	----/26.50A	39.20B/26.50A	----	26.30 - 16.30	.1120	----	----	----	----	89 UNCH
5065	----	----	----/26.20A	38.50B/26.20A	----	26.00 - 15.90	.1108	----	----	----	----	9 UNCH
5070	----	----	----/25.80A	37.90B/25.80A	----	25.60 - 15.60	.1093	----	----	1	----	45 + 1
5075	----	----	----/25.40A	37.30B/25.40A	----	25.20 - 15.40	.1077	----	----	2	----	51 UNCH
5080	----	----	----/25.00A	36.60B/25.00A	----	24.80 - 15.20	.1062	----	----	----	----	121 UNCH
5085	32.00	32.00	32.00/24.70A	36.10B/24.70A	----	24.40 - 15.00	.1047	----	----	2	----	300 + 2
5090	----	----	----/24.30A	35.50B/24.30A	----	24.10 - 14.60	.1035	----	----	----	----	211 UNCH
5095	----	----	----/23.90A	35.00B/23.90A	----	23.70 - 14.40	.1020	----	----	1	----	14 UNCH
5100	28.30	28.30	29.70/23.60A	34.40B/23.60A	----	23.40 - 14.20	.1008	----	----	58	----	1820 + 10
5105	----	----	----/23.20A	33.80B/23.20A	----	23.00 - 14.00	.0993	----	----	----	----	9 UNCH
5110	----	----	----/22.90A	33.30B/22.90A	----	22.70 - 13.70	.0980	----	----	3	----	408 - 1
5115	----	----	----/22.60A	32.70B/22.60A	----	22.40 - 13.50	.0968	----	----	----	----	18 UNCH
5120	----	----	----/22.30A	32.30B/22.30A	----	22.10 - 13.20	.0956	----	----	----	----	13 UNCH
5125	----	----	----/21.90A	31.80B/21.90A	----	21.70 - 13.10	.0941	----	----	1	----	374 - 1
5130	----	----	----/21.60A	31.30B/21.60A	----	21.40 - 12.80	.0929	----	----	1	----	87 + 1
5135	----	----	----/21.30A	30.80B/21.30A	----	21.10 - 12.60	.0917	----	----	----	----	100 UNCH
5140	----	----	----/21.00A	30.30B/21.00A	----	20.80 - 12.40	.0905	----	----	----	----	113 UNCH
5145	20.00	20.00	21.30/20.00	29.70B/20.00	----	20.50 - 12.20	.0893	----	----	16	----	38 + 14
5150	21.00	21.00	21.00/20.40A	29.30B/20.40A	----	20.20 - 12.00	.0881	----	----	55	----	631 - 1
5155	21.50	21.50	21.50/20.10A	28.90B/20.10A	----	19.90 - 11.80	.0869	----	----	12	----	70 + 6
5160	20.60	20.60	21.20/19.80A	28.40B/19.80A	----	19.70 - 11.50	.0860	----	----	25	----	103 + 25
5165	20.30	20.30	20.30/19.50A	28.00B/19.50A	----	19.40 - 11.40	.0848	----	----	13	----	47 + 13
5170	22.50	22.50	22.50/19.20A	27.50B/19.20A	----	19.10 - 11.20	.0836	----	----	16	----	173 + 14
5175	20.40	20.40	20.40/18.90A	27.10B/18.90A	----	18.80 - 11.00	.0824	----	----	13	----	226 UNCH
5180	19.50	19.50	19.50/18.70A	26.60B/18.70A	----	18.60 - 10.80	.0816	----	----	13	----	22 + 12
5185	19.30	19.30	19.30/18.40A	26.20B/18.40A	----	18.30 - 10.70	.0804	----	----	7	----	9 + 4
5190	19.60	19.60	19.60/18.10A	25.70B/18.10A	----	18.10 - 10.40	.0795	----	----	16	----	346 + 1
5195	18.80	18.80	18.80/17.90A	25.30B/17.90A	----	17.80 - 10.30	.0783	----	----	13	----	19 + 13
5200	21.30	21.30	22.40/17.60A	25.10B/17.60A	----	17.60 - 10.10	.0774	----	----	161	----	2441 + 15
5205	18.80	18.80	18.80/17.40A	24.60B/17.40A	----	17.30 - 10.00	.0763	----	----	8	----	19 UNCH
5210	17.00	17.00	17.00/17.00	24.30B/17.00	----	17.10 - 9.80	.0754	----	----	1	----	19 UNCH
5215	18.80	18.80	18.80/16.90A	23.90B/16.90A	----	16.80 - 9.70	.0742	----	----	8	----	37 + 8
5220	20.80	20.80	20.80/16.70A	23.50B/16.70A	----	16.60 - 9.50	.0734	----	----	10	----	254 + 6
5225	20.50	20.50	20.50/16.40A	23.20B/16.40A	----	16.40 - 9.30	.0725	----	----	15	----	137 + 1
5230	----	----	----/16.20A	22.80B/16.20A	----	16.20 - 9.10	.0717	----	----	----	----	24 UNCH
5235	----	----	----/16.00A	22.50B/16.00A	----	15.90 - 9.10	.0705	----	----	----	----	71 UNCH
5240	17.40	17.40	17.40/15.80A	22.20B/15.80A	----	15.70 - 8.90	.0696	----	----	7	----	51 + 7
5245	15.80	15.80	15.80/15.60A	21.70B/15.60A	----	15.50 - 8.80	.0688	----	----	5	----	51 + 5
5250	17.60	17.60	20.00/15.30A	21.50B/15.30A	----	15.30 - 8.60	.0679	----	----	32	----	2049 + 2
5255	----	----	----/15.10A	21.20B/15.10A	----	15.10 - 8.50	.0671	----	----	----	----	7 UNCH
5260	----	----	----/14.90A	20.90B/14.90A	----	14.90 - 8.30	.0663	----	----	----	----	21 UNCH
5265	----	----	----/14.70A	20.60B/14.70A	----	14.70 - 8.20	.0654	----	----	----	----	31 UNCH
5270	----	----	----/14.50A	20.30B/14.50A	----	14.50 - 8.10	.0646	----	----	----	----	73 UNCH
5275	----	----	----/14.30A	19.90B/14.30A	----	14.30 - 8.00	.0637	----	----	----	----	188 UNCH
5280	17.70	17.70	17.70/*14.20A	19.70B/*14.20A	----	14.10 - 7.90	.0629	----	----	3	----	270 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5285	----	----	----/14.00A	19.30B/14.00A	----	14.00 - 7.70	.0624	----	----	----	----	1 UNCH
5290	14.70	14.70	14.70/13.80A	19.10B/13.80A	----	13.80 - 7.60	.0615	----	----	2	----	26 UNCH
5295	----	----	----/13.60A	18.80B/13.60A	----	13.60 - 7.50	.0607	----	----	----	----	32 UNCH
5300	15.80	15.80	17.10/13.40A	18.50B/13.40A	----	13.40 - 7.40	.0599	----	----	140	----	2113 - 90
5305	----	----	----/13.30A	18.20B/13.30A	----	13.20 - 7.30	.0591	----	----	----	----	27 UNCH
5310	----	----	----/13.10A	18.00B/13.10A	----	13.10 - 7.10	.0585	----	----	----	----	27 UNCH
5315	----	----	----/12.90A	17.60B/12.90A	----	12.90 - 7.00	.0577	----	----	----	----	19 UNCH
5320	----	----	----/12.80A	17.50B/12.80A	----	12.70 - 7.00	.0569	----	----	----	----	435 UNCH
5325	15.00	15.00	15.00/*12.60A	17.20B/*12.60A	----	12.60 - 6.80	.0564	----	----	1	----	104 + 1
5330	----	----	----/12.40A	17.00B/12.40A	----	12.40 - 6.70	.0556	----	----	----	----	29 UNCH
5335	----	----	----/12.30A	16.70B/12.30A	----	12.30 - 6.60	.0551	----	----	----	----	226 UNCH
5340	----	----	----/12.10A	16.30B/12.10A	----	12.10 - 6.50	.0543	----	----	----	----	113 UNCH
5345	----	----	----/11.90A	16.10B/11.90A	----	12.00 - 6.40	.0538	----	----	----	----	35 UNCH
5350	----	----	----/*11.80A	15.70B/*11.80A	----	11.80 - 6.30	.0530	----	----	10	----	733 - 10
5355	----	----	----/*11.70A	15.50B/*11.70A	----	11.70 - 6.20	.0525	----	----	----	----	9 UNCH
5360	----	----	----/11.50A	15.30B/11.50A	----	11.50 - 6.20	.0517	----	----	----	----	116 UNCH
5365	----	----	----/11.40A	15.00B/11.40A	----	11.40 - 6.00	.0512	----	----	----	----	1 UNCH
5370	----	----	----/*11.20A	14.80B/*11.20A	----	11.20 - 6.00	.0504	----	----	----	----	117 UNCH
5375	----	----	----/*11.10A	14.60B/*11.10A	----	11.10 - 5.90	.0499	----	----	----	----	430 UNCH
5380	----	----	----/11.00A	14.40B/11.00A	----	11.00 - 5.80	.0494	----	----	1	----	51 UNCH
5385	----	----	----/*10.80A	14.20B/*10.80A	----	10.80 - 5.70	.0486	----	----	----	----	88 UNCH
5390	----	----	----/*10.70A	14.00B/*10.70A	----	10.70 - 5.60	.0481	----	----	----	----	80 UNCH
5395	----	----	----/*10.60A	13.80B/*10.60A	----	10.60 - 5.50	.0477	----	----	----	----	31 UNCH
5400	12.50	12.50	12.50/10.40A	13.60B/10.40A	----	10.50 - 5.40	.0472	----	----	35	----	2243 - 5
5405	12.80	12.80	12.80/*10.30A	13.50B/*10.30A	----	10.30 - 5.40	.0464	----	----	16	----	30 + 14
5410	----	----	----/*10.20A	13.30B/*10.20A	----	10.20 - 5.30	.0459	----	----	----	----	134 UNCH
5415	----	----	----/*10.10A	13.10B/*10.10A	----	10.10 - 5.20	.0455	----	----	----	----	33 UNCH
5420	10.80	10.80	10.80/*9.90A	12.90B/*9.90A	----	10.00 - 5.10	.0450	----	----	33	----	138 + 21
5425	----	----	----/*9.80A	12.70B/*9.80A	----	9.90 - 5.10	.0445	----	----	----	----	108 UNCH
5430	----	----	----/*9.70A	12.50B/*9.70A	----	9.70 - 5.10	.0437	----	----	----	----	14 UNCH
5435	----	----	----/*9.60A	12.40B/*9.60A	----	9.60 - 5.00	.0433	----	----	----	----	4 UNCH
5440	----	----	----/*9.50A	12.20B/*9.50A	----	9.50 - 4.90	.0428	----	----	----	----	56 UNCH
5445	----	----	----/*9.40A	12.10B/*9.40A	----	9.40 - 4.80	.0424	----	----	----	----	113 UNCH
5450	----	----	----/9.30A	11.90B/9.30A	----	9.30 - 4.80	.0419	----	----	1	----	441 UNCH
5455	----	----	----/*9.20A	11.70B/*9.20A	----	9.20 - 4.70	.0415	----	----	----	----	131 UNCH
5460	----	----	----/*9.10A	11.60B/*9.10A	----	9.10 - 4.60	.0410	----	----	----	----	37 UNCH
5465	----	----	----/*9.00A	11.40B/*9.00A	----	9.00 - 4.60	.0406	----	----	----	----	40 UNCH
5470	----	----	----/*8.90A	11.30B/*8.90A	----	8.90 - 4.50	.0401	----	----	----	----	71 UNCH
5475	----	----	----/*8.80A	11.10B/*8.80A	----	8.80 - 4.40	.0397	----	----	----	----	37 UNCH
5480	----	----	----/*8.70A	11.00B/*8.70A	----	8.70 - 4.40	.0392	----	----	----	----	23 UNCH
5485	----	----	----/*8.60A	10.80B/*8.60A	----	8.60 - 4.30	.0388	----	----	----	----	40 UNCH
5490	----	----	----/*8.50A	10.70B/*8.50A	----	8.50 - 4.30	.0383	----	----	----	----	34 UNCH
5495	----	----	----/*8.40A	10.60B/*8.40A	----	8.40 - 4.20	.0379	----	----	----	----	52 UNCH
5500	10.00	10.00	10.80/8.30	10.80/8.30	----	8.30 - 4.20	.0374	----	----	265	----	4093 + 64
5505	----	----	----/*8.20A	10.30B/*8.20A	----	8.20 - 4.20	.0370	----	----	----	----	73 UNCH
5510	----	----	----/*8.10A	10.10B/*8.10A	----	8.10 - 4.10	.0365	----	----	----	----	46 UNCH
5515	----	----	----/*8.10A	10.10B/*8.10A	----	8.00 - 4.10	.0361	----	----	----	----	12 UNCH
5520	----	----	----/*8.00A	9.90B/*8.00A	----	8.00 - 3.90	.0360	----	----	----	----	234 UNCH
5525	----	----	----/*7.90A	9.80B/*7.90A	----	7.90 - 3.90	.0356	----	----	----	----	56 UNCH
5530	----	----	----/*7.80A	9.70B/*7.80A	----	7.80 - 3.90	.0351	----	----	----	----	55 UNCH
5535	----	----	----/*7.70A	9.60B/*7.70A	----	7.70 - 3.80	.0347	----	----	----	----	14 UNCH
5540	----	----	----/*7.60A	9.40B/*7.60A	----	7.60 - 3.80	.0343	----	----	----	----	28 UNCH
5545	----	----	----/*7.50A	9.30B/*7.50A	----	7.50 - 3.80	.0338	----	----	----	----	2 UNCH
5550	7.50	7.50	7.50/*7.50	9.50B/*7.50	----	7.50 - 3.70	.0337	----	----	1	----	829 - 1
5555	----	----	----/7.40A	9.10B/7.40A	----	7.40 - 3.60	.0333	----	----	----	----	8 UNCH
5560	----	----	----/*7.30A	9.00B/*7.30A	----	7.30 - 3.60	.0329	----	----	----	----	28 UNCH
5565	----	----	----/*7.20A	8.90B/*7.20A	----	7.20 - 3.60	.0325	----	----	----	----	34 UNCH
5570	----	----	----/*7.20A	8.80B/*7.20A	----	7.10 - 3.60	.0320	----	----	----	----	558 UNCH
5575	----	----	----/7.10A	8.70B/7.10A	----	7.10 - 3.50	.0319	----	----	----	----	359 UNCH
5580	----	----	----/*7.00A	8.60B/*7.00A	----	7.00 - 3.50	.0315	----	----	----	----	120 UNCH
5585	----	----	----/*7.00A	8.50B/*7.00A	----	6.90 - 3.50	.0311	----	----	----	----	20 UNCH
5590	----	----	----/*6.90A	8.40B/*6.90A	----	6.90 - 3.40	.0310	----	----	----	----	116 UNCH
5595	----	----	----/*6.80A	8.30B/*6.80A	----	6.80 - 3.30	.0306	----	----	----	----	12 UNCH
5600	8.10	8.10	8.30/6.70A	8.30/6.70A	----	6.70 - 3.30	.0302	----	----	15	----	3192 UNCH
5610	8.00	8.00	8.00/*6.60A	8.10B/*6.60A	----	6.60 - 3.20	.0297	----	----	5	----	105 + 1
5620	----	----	----/*6.50A	7.80B/*6.50A	----	6.50 - 3.10	.0292	----	----	----	----	137 UNCH
5625	7.70	7.70	7.70/*6.40A	7.80B/*6.40A	----	6.40 - 3.10	.0287	----	----	5	----	256 - 1
5630	7.50	7.50	7.50/*6.40A	7.60B/*6.40A	----	6.30 - 3.10	.0283	----	----	1	----	119 - 1
5640	----	----	----/*6.20A	7.50B/*6.20A	----	6.20 - 3.10	.0278	----	----	----	----	550 UNCH
5650	----	----	----/*6.10A	7.40B/*6.10A	----	6.10 - 3.00	.0274	----	----	----	----	732 UNCH
5660	----	----	----/*6.00A	7.10B/*6.00A	----	6.00 - 2.90	.0269	----	----	----	----	265 UNCH
5670	----	----	----/*5.90A	7.00B/*5.90A	----	5.80 - 2.90	.0260	----	----	----	----	41 UNCH
5675	----	----	----/*5.80A	7.00B/*5.80A	----	5.80 - 2.80	.0260	----	----	----	----	6 UNCH
5680	----	----	----/*5.80A	6.90B/*5.80A	----	5.70 - 2.90	.0256	----	----	----	----	94 UNCH
5690	----	----	----/*5.70A	6.80B/*5.70A	----	5.60 - 2.80	.0251	----	----	----	----	180 UNCH
5700	----	----	----/*5.60A	6.60B/*5.60A	----	5.50 - 2.70	.0246	----	----	----	----	1886 UNCH
5710	----	----	----/*5.50A	6.50B/*5.50A	----	5.40 - 2.70	.0242	----	----	----	----	49 UNCH
5720	----	----	----/*5.40A	6.30B/*5.40A	----	5.30 - 2.60	.0237	----	----	----	----	35 UNCH
5725	----	----	----/*5.30A	6.30B/*5.30A	----	5.30 - 2.60	.0236	----	----	----	----	432 UNCH
5730	----	----	----/*5.30A	6.20B/*5.30A	----	5.20 - 2.60	.0232	----	----	----	----	113 UNCH
5740	----	----	----/*5.20A	6.10B/*5.20A	----	5.10 - 2.50	.0228	----	----	----	----	56 UNCH
5750	5.50	5.50	5.50/5.10A	6.00B/5.10A	----	5.00 - 2.50	.0223	----	----	1	----	336 - 1
5760	----	----	----/*5.00A	5.90B/*5.00A	----	4.90 - 2.50	.0219	----	----	----	----	61 UNCH
5770	----	----	----/4.90A	5.80B/4.90A	----	4.90 - 2.30	.0218	----	----	----	----	16 UNCH
5775	----	----	----/*4.90A	5.70B/*4.90A	----	4.80 - 2.40	.0214	----	----	----	----	60 UNCH
5780	----	----	----/*4.80A	5.70B/*4.80A	----	4.80 - 2.30	.0213	----	----	----	----	22 UNCH
5790	----	----	----/*4.80A	5.60B/*4.80A	----	4.70 - 2.30	.0209	----	----	----	----	41 UNCH
5800	5.30	5.30	5.50B/*4.70A	5.50B/*4.70A	----	4.60 - 2.30	.0204	----	----	6	----	818 + 2
5810	----	----	----/*4.60A	5.40B/*4.60A	----	4.50 - 2.30	.0200	----	----	----	----	36 UNCH
5820	----	----	----/*4.50A	5.30B/*4.50A	----	4.40 - 2.30	.0196	----	----	1	----	47 UNCH
5825	----	----	----/*4.50A	5.30B/*4.50A	----	4.40 - 2.20	.0195	----	----	1	----	114 UNCH
5830	----	----	----/*4.50A	5.20B/*4.50A	----	4.40 - 2.10	.0195	----	----	----	----	52 UNCH
5840	----	----	----/*4.40A	5.10B/*4.40A	----	4.30 - 2.10	.0190	----	----	----	----	86 UNCH
5850	4.20	4.20	4.20/*4.20	5.00B/*4.20	----	4.20 - 2.10	.0186	----	----	2	----	329 UNCH
5860	----	----	----/4.30A	4.90B/4.30A	----	4.20 - 2.00	.0185	----	----	----	----	68 UNCH
5870	----	----	----/*4.20A	4.80B/*4.20A	----	4.10 - 2.00	.0181	----	----	----	----	17 UNCH
5875	----	----	----/*4.20A	4.80B/*4.20A	----	4.10 - 2.00	.0180	----	----	----	----	31 UNCH
5880	----	----	----/4.10A	4.80B/4.10A	----	4.00 - 2.00	.0177	----	----	----	----	27 UNCH
5890	----	----	----/4.10A	4.70B/4.10A	----	4.00 - 1.90	.0176	----	----	----	----	23 UNCH
5900	4.20	4.20	4.20/*3.90	4.60B/*3.90	----	3.90 - 1.90	.0172	----	----	14	----	858 + 10
5910	----	----	----/*4.00A	4.60B/*4.00A	----	3.80 - 2.00	.0167	----	----	----	----	61 UNCH
5920	----	----	----/*3.90A	4.50B/*3.90A	----	3.80 - 1.90	.0167	----	----	----	----	64 UNCH
5930	----	----	----/3.90A	4.40B/3.90A	----	3.70 - 1.90	.0162	----	----	----	----	133 UNCH
5940	----	----	----/*3.80A	4.40B/*3.80A	----	3.70 - 1.80	.0162	----	----	----	----	50 UNCH
5950	----	----	----/*3.70A	4.30B/*3.70A	----	3.60 - 1.80	.0158	----	----	----	----	431 UNCH
5960	----	----	----/*3.70A	4.20B/*3.70A	----	3.60 - 1.70	.0157	----	----	----	----	45 UNCH
5970	----	----	----/*3.60A	4.20B/*3.60A	----	3.50 - 1.80	.0153	----	----	----	----	35 UNCH
5980	----	----	----/*3.50A	4.00B/*3.50A	----	3.50 - 1.70	.0152	----	----	----	----	118 UNCH
5990	----	----	----/3.60A	4.10B/3.60A	----	3.40 - 1.70	.0148	----	----	----	----	56 UNCH
6000	4.20	4.20	4.20/3.50	4.20/3.50	----	3.40 - 1.60	.0147	----	----	44	----	2941 + 32
6025	3.30	3.30	3.30/*3.30	3.80B/*3.30	----	3.30 - 1.60	.0142	----	----	1	----	94 - 1
6050	----	----	----/3.20A	3.70B/3.20A	----	3.20 - 1.50	.0138	----	----	----	----	106 UNCH
6075	----	----	----/3.20A	3.60B/3.20A	----	3.10 - 1.50	.0133	----	----	1	----	23 - 1
6100	4.10	4.10	4.10/*2.70	4.10/*2.70	----	3.00 - 1.40	.0128	----	----	62	----	607 - 7
6125	----	----	----/*2.90A	3.40B/*2.90A	----	2.90 - 1.40	.0123	----	----	----	----	49 UNCH
6150	----	----	----/*2.80A	3.10B/*2.80A	----	2.80 - 1.30	.0119	----	----	----	----	134 UNCH
6175	----	----	----/*2.70A	3.00B/*2.70A	----	2.70 - 1.30	.0114	----	----	----	----	131 UNCH
6200	----	----	----/2.60A	2.90B/2.60A	----	2.60 - 1.30	.0110	----	----	25	----	369 UNCH
6225	----	----	----/*2.50A	2.90B/*2.50A	----	2.50 - 1.30	.0105	----	----	----	----	138 UNCH
6250	2.40	2.40	2.40/*2.40	2.90B/*2.40	----	2.50 - 1.20	.0104	----	----	1	----	261 UNCH
6275	----	----	----/2.40A	2.70B/2.40A	----	2.40 - 1.20	.0100	----	----	----	----	32 UNCH
6300	----	----	----/*2.30A	2.60B/*2.30A	----	2.30 - 1.20	.0096	----	----	----	----	254 UNCH
6325	----	----	----/*2.20A	2.60B/*2.20A	----	2.30 - 1.10	.0095	----	----	----	----	149 UNCH
6350	2.00	2.00	2.00/*2.00	2.40B/*2.00	----	2.20 - 1.10	.0091	----	----	3	----	205 UNCH
6375	2.00	2.00	2.00/*2.00	2.30B/*2.00	----	2.10 - 1.10	.0087	----	----	1	----	9 UNCH
6400	----	----	----/2.00A	2.20B/2.00A	----	2.10 - 1.00	.0086	----	----	----	----	345 UNCH
6425	----	----	----/*2.00A	2.10B/*2.00A	----	2.00 - 1.00	.0082	----	----	----	----	42 UNCH
6450	----	----	----/*1.90A	2.10B/*1.90A	----	1.90 - 1.00	.0078	----	----	----	----	76 UNCH
6475	----	----	----/*1.80A	2.00B/*1.80A	----	1.90 - 0.90	.0077	----	----	----	----	69 UNCH
6500	2.20	2.20	2.20/1.80	2.20/1.80	----	1.80 - 1.00	.0073	----	----	2	----	1039 UNCH
6525	----	----	----/*1.70A	1.90B/*1.70A	----	1.80 - 0.90	.0073	----	----	----	----	20 UNCH
6550	----	----	----/*1.80A	1.80B/*1.80A	----	1.70 - 0.90	.0069	----	----	----	----	75 UNCH
6575	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.90	.0068	----	----	----	----	10 UNCH
6600	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.90	.0064	----	----	----	----	74 UNCH
6625	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.90	.0064	----	----	----	----	38 UNCH
6650	----	----	----/*1.70A	1.70B/*1.70A	----	1.50 - 0.90	.0060	----	----	----	----	57 UNCH
6675	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.80	.0060	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6700	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.80	.0059	----	----	----	----	367 UNCH
6725	1.40	1.40	1.40/*1.20	1.50B/*1.20	----	1.40 - 0.80	.0056	----	----	22	----	101 + 20
6750	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.80	.0055	----	----	----	----	64 UNCH
6775	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.70	.0055	----	----	----	----	8 UNCH
6800	----	----	----/1.50A	1.40B/1.50A	----	1.30 - 0.80	.0051	----	----	1	----	466 UNCH
6825	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.70	.0051	----	----	----	----	8 UNCH
6850	----	----	----/*1.50A	1.40B/1.50A	----	1.30 - 0.70	.0050	----	----	----	----	32 UNCH
6875	----	----	----/*1.50A	1.30B/1.50A	----	1.20 - 0.80	.0047	----	----	----	----	13 UNCH
6900	0.90	0.90	1.10/*0.90	1.30B/*0.90	----	1.20 - 0.70	.0046	----	----	4	----	553 + 1
6925	----	----	----/*1.50A	1.30B/1.50A	----	1.20 - 0.70	.0046	----	----	----	----	1 UNCH
6950	----	----	----/*1.40A	1.20B/1.40A	----	1.20 - 0.70	.0046	----	----	----	----	33 UNCH
6975	----	----	----/*1.50A	1.20B/1.50A	----	1.10 - 0.70	.0042	----	----	----	----	7 UNCH
7000	0.80	0.80	0.80/*0.80	1.20B/*0.80	----	1.10 - 0.70	.0042	----	----	3	----	807 + 2
7025	----	----	----/*1.40A	1.30B/1.40A	----	1.10 - 0.70	.0042	----	----	----	----	402 UNCH
7050	----	----	----/*1.40A	1.20B/1.40A	----	1.10 - 0.60	.0042	----	----	----	----	33 UNCH
7075	----	----	----/*1.40A	1.10B/1.40A	----	1.00 - 0.70	.0038	----	----	----	----	82 UNCH
7100	----	----	----/*1.40A	1.10B/1.40A	----	1.00 - 0.70	.0038	----	----	1	----	100 + 1
7125	----	----	----/*1.40A	1.10B/1.40A	----	1.00 - 0.60	.0038	----	----	----	----	14 UNCH
7150	----	----	----/*1.30A	1.00B/1.30A	----	1.00 - 0.60	.0037	----	----	5	----	19 + 5
7175	----	----	----/*1.30A	1.00B/1.30A	----	1.00 - 0.60	.0037	----	----	----	----	37 UNCH
7200	----	----	----/1.30A	1.00B/1.30A	----	0.90 - 0.70	.0034	----	----	----	----	97 UNCH
7225	----	----	----/*1.30A	1.00B/1.30A	----	0.90 - 0.60	.0034	----	----	----	----	5 UNCH
7250	----	----	----/1.30A	1.00B/1.30A	----	0.90 - 0.60	.0033	----	----	----	----	40 UNCH
7275	----	----	----/1.30A	1.00B/1.30A	----	0.90 - 0.60	.0033	----	----	----	----	6 UNCH
7300	----	----	----/1.20A	0.90B/1.20A	----	0.90 - 0.60	.0033	----	----	----	----	10 UNCH
7325	----	----	----/1.20A	1.10B/1.20A	----	0.90 - 0.50	.0033	----	----	----	----	1 UNCH
7350	----	----	----/1.20A	0.90B/1.20A	----	0.80 - 0.60	.0029	----	----	----	----	1 UNCH
7375	----	----	----/1.20A	0.90B/1.20A	----	0.80 - 0.60	.0029	----	----	----	----	10 UNCH
7400	----	----	----/1.20A	0.90B/1.20A	----	0.80 - 0.60	.0029	----	----	----	----	16 UNCH
7450	----	----	----/1.10A	1.00B/1.10A	----	0.80 - 0.60	.0029	----	----	----	----	20 UNCH
7475	----	----	----/1.10A	0.80B/1.10A	----	0.80 - 0.50	.0029	----	----	----	----	11 UNCH
7500	0.90	0.90	0.90/*0.70	0.90/*0.70	----	0.80 - 0.50	.0028	----	----	11	----	346 - 1
7525	----	----	----/1.10A	0.80B/1.10A	----	0.80 - 0.50	.0028	----	----	----	----	42 UNCH
7575	----	----	----/1.10A	0.80B/1.10A	----	0.70 - 0.50	.0025	----	----	----	----	6 UNCH
7600	----	----	----/1.10A	0.80B/1.10A	----	0.70 - 0.50	.0025	----	----	----	----	89 UNCH
7625	----	----	----/1.10A	0.70B/1.10A	----	0.70 - 0.50	.0025	----	----	----	----	2 UNCH
7650	----	----	----/1.00A	0.70B/1.00A	----	0.70 - 0.50	.0025	----	----	----	----	2 UNCH
7675	----	----	----/1.00A	0.70B/1.00A	----	0.70 - 0.40	.0024	----	----	----	----	36 UNCH
7700	----	----	----/1.00A	0.70B/1.00A	----	0.70 - 0.40	.0024	----	----	----	----	77 UNCH
7725	----	----	----/1.00A	0.70B/1.00A	----	0.70 - 0.40	.0024	----	----	----	----	1 UNCH
7750	----	----	----/1.00A	0.70B/1.00A	----	0.60 - 0.50	.0021	----	----	----	----	20 UNCH
7775	----	----	----	0.60B/1.10A	----	0.60 - 0.50	.0021	----	----	----	----	5 UNCH
7800	----	----	----	0.60B/1.10A	----	0.60 - 0.50	.0021	----	----	----	----	23 UNCH
7825	----	----	----	0.60B/1.10A	----	0.60 - 0.40	.0021	----	----	----	----	6 UNCH
7850	----	----	----	0.60B/1.00A	----	0.60 - 0.40	.0021	----	----	----	----	6 UNCH
7875	----	----	----	0.60B/1.10A	----	0.60 - 0.40	.0021	----	----	----	----	5 UNCH
7900	----	----	----	0.60B/1.00A	----	0.60 - 0.40	.0020	----	----	----	----	5 UNCH
7950	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.60 - 0.30	.0020	----	----	1	----	39 + 1
7975	----	----	----	0.50B/1.00A	----	0.60 - 0.30	.0020	----	----	----	----	5 UNCH
8000	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 - 0.40	.0017	----	----	1	----	997 UNCH
8100	----	----	----	0.50B/0.90A	----	0.50 - 0.40	.0017	----	----	----	----	54 UNCH
8200	0.50	0.50	0.60/*0.50	0.60/*0.50	----	0.50 - 0.30	.0017	----	----	4	----	979 + 1
8300	----	----	----	0.50B/0.90A	----	0.40 - 0.40	.0013	----	----	----	----	1 UNCH
8400	----	----	----	0.40B/0.80A	----	0.40 - 0.30	.0013	----	----	----	----	1 UNCH
8500	----	----	----	0.40B/0.80A	----	0.40 - 0.30	.0013	----	----	----	----	59 UNCH
8600	----	----	----	0.40B/0.80A	----	0.40 - 0.20	.0013	----	----	----	----	1 UNCH
8700	----	----	----	0.30B/0.80A	----	0.40 - 0.20	.0013	----	----	----	----	13 UNCH
8800	----	----	----	0.30B/0.70A	----	0.30 - 0.30	.0009	----	----	----	----	1 UNCH
8900	----	----	----	0.30B/0.70A	----	0.30 - 0.20	.0009	----	----	----	----	14 UNCH
9000	----	----	----	0.30B/0.70A	----	0.30 - 0.20	.0009	----	----	----	----	311 UNCH
9100	----	----	----	0.20B/0.70A	----	0.30 - 0.20	.0009	----	----	----	----	2 UNCH
9300	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0009	----	----	----	----	3 UNCH
9400	----	----	----	0.20B/0.60A	----	0.20 - 0.20	.0006	----	----	----	----	1 UNCH
9500	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0006	----	----	----	----	53 UNCH
9600	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0006	----	----	----	----	7 UNCH
9800	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
9900	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	31 UNCH
10000	0.20	0.20	0.20/0.20	0.30B/0.20	----	0.20 - 0.10	.0006	----	----	5	----	606 + 5
15000	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	128 UNCH
TOTAL										4621	100	87076 - 887
JUN26												
1995	----	----	----/*2,401.80A	2482.40B/*2401.80A	----	2414.00 - 76.50	.9998	----	----	375	----	0 UNCH
2000	----	----	----/2,393.80A	2519.60B/2393.80A	----	2409.00 - 76.50	.9998	----	----	1214	----	412 UNCH
2005	----	----	----/*2,391.80A	2472.40B/*2391.80A	----	2404.00 - 76.50	.9998	----	----	375	----	0 UNCH
2100	----	----	----	----	----	2309.00 NEW	.9990	----	----	50	----	0 UNCH
2800	----	----	----/1,592.80A	1723.40B/1592.80A	----	1610.50 - 75.00	.9860	----	----	----	----	500 UNCH
3000	----	----	----/1,392.30A	1563.40B/1392.30A	----	1413.70 - 72.40	.9761	----	----	----	----	559 UNCH
3100	----	----	----/1,295.50A	1464.40B/1295.50A	----	1316.30 - 70.60	.9689	----	----	----	----	8 UNCH
3200	----	----	----/1,199.40A	1371.60B/1199.40A	----	1219.70 - 68.50	.9600	----	----	----	----	17 UNCH
3300	----	----	----/1,104.50A	1273.70B/1104.50A	----	1124.20 - 65.90	.9489	----	----	----	----	4 UNCH
3400	----	----	----/1,010.90A	1176.40B/1010.90A	----	1029.90 - 62.80	.9348	----	----	----	----	891 UNCH
3500	----	----	----/918.90A	1080.20B/918.90A	----	937.20 - 58.90	.9176	----	----	----	----	57 UNCH
3525	----	----	----/896.60A	1056.30B/896.60A	----	914.30 - 57.90	.9126	----	----	----	----	1 UNCH
3550	----	----	----/873.90A	1032.50B/873.90A	----	891.50 - 56.80	.9075	----	----	----	----	1 UNCH
3580	----	----	----/847.20A	1004.00B/847.20A	----	864.40 - 55.30	.9009	----	----	----	----	18 UNCH
3585	----	----	----/842.70A	999.30B/842.70A	----	859.90 - 55.10	.8998	----	----	----	----	100 UNCH
3600	----	----	----/829.10A	985.10B/829.10A	----	846.40 - 54.30	.8964	----	----	----	----	214 UNCH
3635	----	----	----/798.20A	952.20B/798.20A	----	815.10 - 52.60	.8878	----	----	----	----	60 UNCH
3650	----	----	----/785.00A	938.20B/785.00A	----	801.80 - 51.80	.8841	----	----	----	----	143 UNCH
3665	----	----	----/772.30A	924.10B/772.30A	----	788.60 - 50.90	.8802	----	----	----	----	3 UNCH
3700	----	----	----/741.60A	891.60B/741.60A	----	757.90 - 48.90	.8706	----	----	----	----	395 UNCH
3715	----	----	----/728.80A	877.80B/728.80A	----	744.90 - 48.00	.8663	----	----	----	----	25 UNCH
3725	----	----	----/720.60A	868.60B/720.60A	----	736.20 - 47.40	.8633	----	----	----	----	212 UNCH
3750	----	----	----/699.00A	845.60B/699.00A	----	714.70 - 45.90	.8558	----	----	----	----	1112 UNCH
3755	----	----	----/695.10A	841.00B/695.10A	----	710.40 - 45.60	.8542	----	----	----	----	15 UNCH
3785	----	----	----/670.00A	813.70B/670.00A	----	684.90 - 43.60	.8446	----	----	----	----	170 UNCH
3790	----	----	----/665.60A	809.20B/665.60A	----	680.70 - 43.20	.8429	----	----	----	----	1 UNCH
3800	----	----	----/657.50A	800.20B/657.50A	----	672.30 - 42.60	.8396	----	----	----	----	545 UNCH
3835	----	----	----/628.80A	768.70B/628.80A	----	643.10 - 40.10	.8273	----	----	----	----	1 UNCH
3840	----	----	----/624.30A	764.30B/624.30A	----	638.90 - 39.80	.8256	----	----	----	----	21 UNCH
3850	----	----	----/616.30A	755.30B/616.30A	----	630.70 - 39.10	.8220	----	----	----	----	322 UNCH
3875	----	----	----/596.20A	733.20B/596.20A	----	610.20 - 37.30	.8126	----	----	----	----	60 UNCH
3895	----	----	----/580.20A	715.50B/580.20A	----	594.00 - 35.80	.8049	----	----	----	----	1 UNCH
3900	----	----	----/576.50A	711.20B/576.50A	----	590.00 - 35.40	.8029	----	----	----	----	364 UNCH
3925	----	----	----/556.90A	689.40B/556.90A	----	570.00 - 33.50	.7928	----	----	----	----	4 UNCH
3950	----	----	----/537.60A	667.90B/537.60A	----	550.20 - 31.50	.7824	----	----	----	----	14 UNCH
3975	----	----	----/518.50A	646.60B/518.50A	----	530.80 - 29.50	.7714	----	----	----	----	106 UNCH
3990	----	----	----/507.00A	633.80B/507.00A	----	519.20 - 28.30	.7648	----	----	----	----	1 UNCH
3995	----	----	----/503.50A	629.60B/503.50A	----	515.40 - 27.80	.7625	----	----	----	----	5 UNCH
4000	552.50	552.50	552.50/499.70A	625.40B/499.70A	----	511.60 - 27.40	.7603	----	----	5	----	820 - 10
4005	----	----	----/496.00A	621.30B/496.00A	----	507.80 - 27.00	.7580	----	----	----	----	10 UNCH
4010	----	----	----/492.10A	617.00B/492.10A	----	504.00 - 26.60	.7556	----	----	----	----	1 UNCH
4020	----	----	----/485.00A	608.60B/485.00A	----	496.40 - 25.80	.7510	----	----	----	----	2 UNCH
4025	----	----	----/481.30A	604.50B/481.30A	----	492.70 - 25.30	.7486	----	----	----	----	51 UNCH
4040	----	----	----/470.10A	592.20B/470.10A	----	481.50 - 24.00	.7414	----	----	----	----	1 UNCH
4050	----	----	----/463.10A	583.90B/463.10A	----	474.10 - 23.10	.7366	----	----	----	----	185 UNCH
4060	----	----	----/456.00A	575.80B/456.00A	----	466.80 - 22.20	.7317	----	----	----	----	25 UNCH
4070	----	----	----/448.90A	567.50B/448.90A	----	459.50 - 21.30	.7267	----	----	----	----	10 UNCH
4075	----	----	----/445.30A	563.60B/445.30A	----	455.80 - 20.90	.7241	----	----	----	----	64 UNCH
4090	----	----	----/434.80A	551.50B/434.80A	----	445.00 - 19.50	.7165	----	----	----	----	34 UNCH
4100	----	----	----/427.90A	543.50B/427.90A	----	437.90 - 18.60	.7113	----	----	----	----	682 UNCH
4105	----	----	----/424.30A	539.50B/424.30A	----	434.40 - 18.10	.7087	----	----	----	----	50 UNCH
4110	----	----	----/421.10A	535.50B/421.10A	----	430.80 - 17.70	.7061	----	----	----	----	2 UNCH
4115	----	----	----/417.60A	531.50B/417.60A	----	427.30 - 17.20	.7034	----	----	----	----	5 UNCH
4125	----	----	----/410.80A	523.60B/410.80A	----	420.30 - 16.30	.6982	----	----	----	----	95 UNCH
4135	----	----	----/404.00A	515.80B/404.00A	----	413.40 - 15.30	.6927	----	----	----	----	16 UNCH
4150	----	----	----/394.00A	504.10B/394.00A	----	403.10 - 13.80	.6846	----	----	----	----	263 UNCH
4170	----	----	----/380.90A	488.80B/380.90A	----	389.60 - 11.90	.6735	----	----	----	----	51 UNCH
4175	----	----	----/377.60A	485.00B/377.60A	----	386.30 - 11.30	.6707	----	----	----	----	61 UNCH
4195	----	----	----/363.30A	469.80B/363.30A	----	373.10 - 09.30	.6593	----	----	----	----	1 UNCH
4200	----	----	----/360.00A	466.10B/360.00A	----	369.90 - 08.70	.6564	----	----	----	----	2084 - 1
4210	----	----	----/353.30A	458.70B/353.30A	----	363.40 - 07.80	.6506	----	----	----	----	1582 UNCH
4220	----	----	----/347.40A	451.30B/347.40A	----	357.00 - 06.70	.6448	----	----	----	----	84 UNCH
4225	----	----	----/344.30A	447.90B/344.30A	----	353.80 - 06.20	.6419	----	----	----	----	15 UNCH
4235	----	----	----/338.20A	440.30B/338.20A	----	347.50 - 05.20	.6359	----	----	----	----	6 UNCH
4240	----	----	----/335.30A	437.10B/335.30A	----	344.40 - 04.60	.6330	----	----	----	----	53 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4245	----	----	----/332.40A	433.50B/332.40A	----	341.30 - 04.10	.6300	----	----	----	----	263 UNCH
4250	----	----	----/329.20A	429.90B/329.20A	----	338.20 - 03.50	.6270	----	----	----	----	922 - 1
4255	----	----	----/326.30A	426.30B/326.30A	----	335.10 - 03.00	.6240	----	----	----	----	6 UNCH
4260	----	----	----/323.20A	422.60B/323.20A	----	332.00 - 02.50	.6209	----	----	----	----	1 UNCH
4265	361.40	361.40	361.40/320.40A	419.10B/320.40A	----	329.00 - 02.00	.6179	----	----	1	----	87 + 1
4270	----	----	----/317.30A	415.20B/317.30A	----	326.00 - 01.40	.6149	----	----	----	----	11 UNCH
4285	----	----	----/308.60A	404.70B/308.60A	----	317.00 - 99.80	.6057	----	----	----	----	1 UNCH
4300	----	----	----/300.00A	394.30B/300.00A	----	308.20 - 98.10	.5964	----	----	48	----	2034 + 4
4305	----	----	----/297.60A	390.90B/297.60A	----	305.30 - 97.60	.5933	----	----	----	----	1 UNCH
4310	----	----	----/294.60A	387.50B/294.60A	----	302.40 - 97.00	.5902	----	----	----	----	23 UNCH
4315	----	----	----/292.00A	384.10B/292.00A	----	299.50 - 96.50	.5871	----	----	----	----	1 UNCH
4320	----	----	----/289.10A	380.70B/289.10A	----	296.70 - 95.90	.5840	----	----	----	----	62 UNCH
4325	----	----	----/286.50A	377.40B/286.50A	----	293.80 - 95.40	.5808	----	----	----	----	72 UNCH
4335	----	----	----/281.00A	370.70B/281.00A	----	288.20 - 94.30	.5745	----	----	----	----	13 UNCH
4340	----	----	----/278.30A	367.40B/278.30A	----	285.40 - 93.70	.5714	----	----	----	----	17 UNCH
4345	----	----	----/275.60A	364.10B/275.60A	----	282.70 - 93.10	.5682	----	----	----	----	2 UNCH
4350	302.80	302.80	302.80/272.40A	361.20B/272.40A	----	279.90 - 92.60	.5650	----	----	2	----	1451 + 1
4355	----	----	----/270.30A	357.50B/270.30A	----	277.20 - 92.00	.5618	----	----	----	----	129 UNCH
4360	----	----	----/267.80A	354.60B/267.80A	----	274.50 - 91.40	.5587	----	----	----	----	42 UNCH
4365	----	----	----/265.10A	351.40B/265.10A	----	271.80 - 90.90	.5555	----	----	----	----	3 UNCH
4370	----	----	----/262.50A	348.20B/262.50A	----	269.10 - 90.30	.5523	----	----	----	----	3 UNCH
4375	----	----	----/259.90A	347.90B/259.90A	----	266.40 - 89.80	.5491	----	----	----	----	102 UNCH
4380	290.50	290.50	290.50/257.00A	344.70B/257.00A	----	263.80 - 89.20	.5459	----	----	1	----	341 UNCH
4385	----	----	----/254.80A	341.70B/254.80A	----	261.20 - 88.60	.5426	----	----	----	----	3 UNCH
4390	----	----	----/252.20A	338.40B/252.20A	----	258.60 - 88.10	.5394	----	----	----	----	13 UNCH
4395	279.60	279.60	279.60/249.70A	335.40B/249.70A	----	256.00 NEW	.5362	----	----	10	----	10 + 10
4400	----	----	----/246.80A	332.30B/246.80A	----	253.40 - 87.00	.5330	----	----	231	----	1470 + 108
4410	----	----	----/242.40A	326.00B/242.40A	----	248.30 - 85.90	.5265	----	----	----	----	39 UNCH
4415	247.80	247.80	250.00/240.00A	323.10B/240.00A	----	245.80 - 85.30	.5233	----	----	79	----	179 + 79
4420	252.80	252.80	252.80/237.60A	319.90B/237.60A	----	243.30 - 84.70	.5201	----	----	1	----	4 + 1
4425	252.40	252.40	252.60/235.10A	317.00B/235.10A	----	240.90 - 84.10	.5168	----	----	4	----	276 UNCH
4430	----	----	----/232.70A	314.00B/232.70A	----	238.40 - 83.50	.5136	----	----	----	----	20 UNCH
4435	----	----	----/230.40A	310.90B/230.40A	----	236.00 - 82.90	.5104	----	----	----	----	19 UNCH
4440	----	----	----/228.20A	308.10B/228.20A	----	233.50 - 82.40	.5071	----	----	----	----	20 UNCH
4445	----	----	----/225.70A	305.10B/225.70A	----	231.10 - 81.90	.5039	----	----	----	----	5 UNCH
4450	250.10	250.10	250.10/223.00A	302.20B/223.00A	----	228.80 - 81.20	.5007	----	----	2	----	510 + 1
4455	----	----	----/221.20A	299.30B/221.20A	----	226.40 - 80.70	.4974	----	----	----	----	1 UNCH
4460	248.00	248.00	248.00/218.80A	296.40B/218.80A	----	224.00 - 80.20	.4942	----	----	4	----	20 + 2
4465	222.40	222.40	222.40/216.60A	293.50B/216.60A	----	221.70 NEW	.4910	----	----	42	----	19 + 19
4470	----	----	----/214.50A	290.70B/214.50A	----	219.40 - 79.00	.4877	----	----	----	----	23 UNCH
4475	232.50	232.50	232.50/212.10A	287.80B/212.10A	----	217.10 - 78.40	.4845	----	----	5	----	22 UNCH
4480	----	----	----/210.10A	285.00B/210.10A	----	214.80 - 77.90	.4813	----	----	12	----	61 + 1
4485	----	----	----/207.90A	282.20B/207.90A	----	212.60 - 77.20	.4780	----	----	----	----	4 UNCH
4490	----	----	----/205.70A	279.40B/205.70A	----	210.30 - 76.70	.4748	----	----	1	----	51 - 1
4495	----	----	----/203.60A	276.70B/203.60A	----	208.10 - 76.10	.4716	----	----	----	----	6 UNCH
4500	272.10	272.10	273.90B/200.90A	273.90B/200.90A	----	205.90 - 75.60	.4684	----	----	151	----	4542 + 2
4505	----	----	----/199.40A	271.20B/199.40A	----	203.70 - 75.00	.4651	----	----	1	----	52 - 1
4510	222.50	222.50	224.80/196.90A	268.50B/196.90A	----	201.60 - 74.40	.4620	----	----	201	----	1458 + 103
4515	----	----	----/195.20A	265.80B/195.20A	----	199.40 - 73.90	.4587	----	----	----	----	95 UNCH
4520	201.00	201.00	204.20/193.20A	263.20B/193.20A	----	197.30 - 73.30	.4555	----	----	3	----	52 UNCH
4525	212.00	212.00	212.00/191.20A	260.50B/191.20A	----	195.20 - 72.70	.4523	----	----	59	----	232 + 36
4530	209.80	209.80	209.80/189.00A	257.90B/189.00A	----	193.10 - 72.20	.4491	----	----	1	----	11 + 1
4535	----	----	----/187.20A	255.30B/187.20A	----	191.00 - 71.60	.4459	----	----	----	----	14 UNCH
4540	220.50	220.50	220.50/185.00A	252.70B/185.00A	----	189.00 - 71.00	.4428	----	----	83	----	77 - 5
4545	218.20	218.20	218.20/183.00A	250.10B/183.00A	----	186.90 - 70.50	.4396	----	----	1	----	32 + 1
4550	192.90	192.90	192.90/181.30A	247.50B/181.30A	----	184.90 - 69.90	.4364	----	----	8	----	199 + 1
4555	----	----	----/179.10A	245.00B/179.10A	----	182.90 - 69.40	.4333	----	----	----	----	4 UNCH
4560	200.40	200.40	200.40/177.20A	242.50B/177.20A	----	180.90 - 68.80	.4301	----	----	1	----	135 + 1
4565	209.20	209.20	209.20/175.30A	240.00B/175.30A	----	179.00 - 68.20	.4270	----	----	7	----	106 + 5
4570	----	----	----/173.60A	237.60B/173.60A	----	177.00 - 67.70	.4238	----	----	----	----	29 UNCH
4575	----	----	----/171.80A	235.10B/171.80A	----	175.10 - 67.10	.4207	----	----	8	----	39 + 8
4580	----	----	----/169.90A	232.70B/169.90A	----	173.20 - 66.60	.4176	----	----	----	----	4 UNCH
4585	----	----	----/168.10A	230.20B/168.10A	----	171.30 - 66.00	.4144	----	----	----	----	15 UNCH
4590	198.40	198.40	198.40/166.00A	227.80B/166.00A	----	169.40 - 65.50	.4113	----	----	1	----	5 + 1
4595	----	----	----/164.50A	225.40B/164.50A	----	167.60 - 64.90	.4082	----	----	----	----	2 UNCH
4600	218.40	218.40	218.40/162.30A	223.00B/162.30A	----	165.70 - 64.40	.4051	----	----	182	----	4965 + 39
4605	----	----	----/161.00A	220.80B/161.00A	----	163.90 - 63.80	.4020	----	----	1	----	153 + 1
4610	----	----	----/159.20A	218.60B/159.20A	----	162.10 - 63.30	.3990	----	----	----	----	1 UNCH
4615	----	----	----/157.40A	216.10B/157.40A	----	160.30 - 62.70	.3959	----	----	----	----	1 UNCH
4620	----	----	----/155.70A	214.00B/155.70A	----	158.50 - 62.20	.3928	----	----	----	----	9 UNCH
4625	175.80	175.80	175.80/154.10A	211.60B/154.10A	----	156.80 - 61.60	.3898	----	----	11	----	187 + 11
4630	174.00	174.00	174.00/152.40A	209.40B/152.40A	----	155.10 - 61.10	.3868	----	----	1	----	67 UNCH
4635	167.40	167.40	167.40/150.70A	207.20B/150.70A	----	153.30 - 60.60	.3837	----	----	1	----	5 + 1
4640	----	----	----/149.10A	204.90B/149.10A	----	151.60 - 60.10	.3807	----	----	----	----	14 UNCH
4645	197.30	197.30	197.30/147.30A	202.80B/147.30A	----	150.00 - 59.50	.3778	----	----	1	----	7 + 1
4650	195.70	195.70	195.70/145.40A	200.70B/145.40A	----	148.30 - 59.00	.3748	----	----	28	----	1027 + 2
4655	193.40	193.40	193.40/144.00A	198.40B/144.00A	----	146.60 - 58.50	.3718	----	----	1	----	21 + 1
4660	160.70	160.70	160.70/142.50A	196.30B/142.50A	----	145.00 - 57.90	.3688	----	----	1	----	4 + 1
4665	----	----	----/141.00A	194.20B/141.00A	----	143.40 - 57.40	.3659	----	----	----	----	1 UNCH
4670	188.90	188.90	188.90/139.40A	192.10B/139.40A	----	141.80 - 56.90	.3629	----	----	2	----	151 UNCH
4675	165.30	165.30	165.30/137.90A	190.00B/137.90A	----	140.20 - 56.40	.3600	----	----	1	----	474 UNCH
4680	177.60	177.60	177.60/136.30A	188.00B/136.30A	----	138.60 - 55.90	.3571	----	----	2	----	223 + 1
4685	155.30	155.30	155.30/134.90A	185.90B/134.90A	----	137.10 - 55.30	.3542	----	----	1	----	30 UNCH
4690	159.50	159.50	159.50/133.40A	183.70B/133.40A	----	135.50 - 54.90	.3513	----	----	3	----	19 + 1
4695	152.00	152.00	152.00/132.00A	181.90B/132.00A	----	134.00 - 54.30	.3484	----	----	2	----	19 + 2
4700	170.00	170.00	170.00/130.10A	180.00B/130.10A	----	132.50 - 53.80	.3455	----	----	97	----	3301 + 52
4705	----	----	----/129.20A	177.90B/129.20A	----	131.00 - 53.30	.3427	----	----	----	----	1 UNCH
4710	----	----	----/127.70A	176.10B/127.70A	----	129.50 - 52.90	.3398	----	----	----	----	11 UNCH
4715	151.50	151.50	151.50/126.30A	173.90B/126.30A	----	128.10 - 52.30	.3371	----	----	2	----	8 + 2
4720	----	----	----/124.90A	171.90B/124.90A	----	126.60 - 51.90	.3342	----	----	----	----	209 UNCH
4725	148.50	148.50	148.50/123.40A	170.30B/123.40A	----	125.20 - 51.30	.3314	----	----	1	----	292 + 1
4730	----	----	----/122.20A	168.20B/122.20A	----	123.80 - 50.80	.3287	----	----	2	----	1 - 2
4735	137.90	137.90	137.90/120.70A	166.60B/120.70A	----	122.40 - 50.40	.3259	----	----	1	----	86 UNCH
4740	----	----	----/119.50A	164.70B/119.50A	----	121.00 - 49.90	.3231	----	----	----	----	9 UNCH
4745	----	----	----/118.10A	163.00B/118.10A	----	119.60 - 49.40	.3204	----	----	----	----	12 UNCH
4750	139.00	139.00	139.00/116.50A	161.20B/116.50A	----	118.30 - 48.90	.3177	----	----	76	----	1404 + 43
4755	138.30	138.30	138.30/115.40A	159.60B/115.40A	----	116.90 - 48.50	.3149	----	----	1	----	100 UNCH
4760	----	----	----/114.20A	157.70B/114.20A	----	115.60 - 48.00	.3123	----	----	----	----	52 UNCH
4765	----	----	----/113.00A	155.90B/113.00A	----	114.30 - 47.50	.3096	----	----	----	----	33 UNCH
4770	----	----	----/111.70A	154.20B/111.70A	----	113.00 - 47.00	.3070	----	----	----	----	35 UNCH
4775	115.10	115.10	115.10/110.40A	152.40B/110.40A	----	111.70 - 46.60	.3043	----	----	4	----	178 + 1
4780	----	----	----/109.20A	150.80B/109.20A	----	110.40 - 46.20	.3016	----	----	----	----	95 UNCH
4785	----	----	----/108.00A	149.10B/108.00A	----	109.20 - 45.70	.2991	----	----	----	----	10 UNCH
4790	----	----	----/106.80A	147.40B/106.80A	----	107.90 - 45.30	.2964	----	----	----	----	3 UNCH
4795	123.20	123.20	123.20/105.50	145.80B/105.50	----	106.70 - 44.80	.2939	----	----	3	----	30 UNCH
4800	118.90	118.90	125.50/104.10A	144.30B/104.10A	----	105.50 - 44.30	.2913	----	----	391	----	2483 - 9
4805	123.90	123.90	123.90/103.30A	142.50B/103.30A	----	104.30 - 43.90	.2888	----	----	1	----	4 + 1
4810	----	----	----/102.10A	141.10B/102.10A	----	103.10 - 43.40	.2862	----	----	2	----	18 + 2
4815	----	----	----/100.90A	139.40B/100.90A	----	101.90 - 43.00	.2837	----	----	----	----	4 UNCH
4820	----	----	----/99.90A	137.80B/99.90A	----	100.80 - 42.50	.2812	----	----	----	----	27 UNCH
4825	114.40	114.40	116.70/98.80A	136.50B/98.80A	----	99.60 - 42.20	.2787	----	----	4	----	85 UNCH
4830	----	----	----/97.70A	134.90B/97.70A	----	98.50 - 41.70	.2763	----	----	----	----	101 UNCH
4835	----	----	----/96.60A	133.20B/96.60A	----	97.30 - 41.30	.2737	----	----	----	----	2 UNCH
4840	----	----	----/95.50A	131.70B/95.50A	----	96.20 - 40.90	.2713	----	----	----	----	25 UNCH
4845	----	----	----/94.50A	130.30B/94.50A	----	95.10 - 40.50	.2689	----	----	----	----	7 UNCH
4850	----	----	----/93.30A	129.00B/93.30A	----	94.10 - 40.00	.2666	----	----	6	----	408 + 1
4855	----	----	----/92.40A	127.60B/92.40A	----	93.00 - 39.60	.2641	----	----	----	----	135 UNCH
4860	----	----	----/91.40A	126.00B/91.40A	----	91.90 - 39.20	.2617	----	----	----	----	32 UNCH
4865	----	----	----/90.30A	124.70B/90.30A	----	90.90 - 38.80	.2594	----	----	----	----	13 UNCH
4875	----	----	----/88.30A	121.90B/88.30A	----	88.80 - 38.00	.2547	----	----	----	----	120 UNCH
4880	----	----	----/87.30A	120.50B/87.30A	----	87.80 - 37.60	.2524	----	----	----	----	21 UNCH
4885	----	----	----/86.30A	119.00B/86.30A	----	86.80 - 37.20	.2502	----	----	----	----	38 UNCH
4890	98.20	98.20	98.20/85.40A	117.70B/85.40A	----	85.80 - 36.80	.2479	----	----	3	----	18 + 3
4895	----	----	----/84.40A	116.40B/84.40A	----	84.80 - 36.50	.2456	----	----	12	----	197 + 9
4900	95.10	95.10	99.40/83.20A	115.10B/83.20A	----	83.80 - 36.10	.2433	----	----	140	----	2774 + 56
4905	----	----	----/82.60A	113.80B/82.60A	----	82.90 - 35.70	.2412	----	----	----	----	14 UNCH
4910	----	----	----/81.60A	112.40B/81.60A	----	82.00 - 35.30	.2390	----	----	----	----	20 UNCH
4915	----	----	----/80.70A	111.20B/80.70A	----	81.00 - 34.90	.2367	----	----	----	----	30 UNCH
4920	----	----	----/79.90A	109.90B/79.90A	----	80.10 - 34.60	.2346	----	----	----	----	51 UNCH
4925	----	----	----/79.00A	108.80B/79.00A	----	79.20 - 34.20	.2325	----	----	----	----	37 UNCH
4930	----	----	----/78.10A	107.50B/78.10A	----	78.30 - 33.80	.2303	----	----	----	----	163 UNCH
4940	80.30	80.30	80.50/76.40A	105.10B/76.40A	----	76.50 - 33.10	.2261	----	----	4	----	18 + 2
4945	----	----	----/75.60A	103.90B/75.60A	----	75.70 - 32.70	.2241	----	----	----	----	4 UNCH
4950	90.00	90.00	90.00/74.50A	102.70B/74.50A	----	74.80 - 32.40	.2219	----	----	4	----	690 + 2
4955	----	----	----/73.90A	101.60B/73.90A	----	74.00 - 32.00	.2200	----	----	----	----	33 UNCH
4960	----	----	----/73.10A	100.30B/73.10A	----	73.10 - 31.70	.2178	----	----	----	----	187 UNCH
4965	----	----	----/72.30A	99.20B/72.30A	----	72.30 - 31.30	.2158	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 35

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4970	----	----	----/71.50A	98.20B/71.50A	----	71.50 - 31.00	.2139	----	----	----	----	31 UNCH
4975	----	----	----/70.70A	97.10B/70.70A	----	70.70 - 30.60	.2119	----	----	----	----	156 UNCH
4980	74.00	74.00	74.00/69.90A	95.80B/69.90A	----	69.90 NEW	.2099	----	----	2	----	2 + 2
4985	----	----	----/69.20A	94.80B/69.20A	----	69.10 - 30.00	.2080	----	----	----	----	113 UNCH
4990	----	----	----/68.30A	93.70B/68.30A	----	68.30 - 29.70	.2060	----	----	2	----	268 - 1
4995	----	----	----/67.70A	92.70B/67.70A	----	67.60 - 29.30	.2042	----	----	2	----	15 - 1
5000	76.50	76.50	80.80/66.00	91.60B/66.00	----	66.80 - 29.00	.2022	----	----	758	100	6802 - 264
5005	----	----	----/66.20A	90.60B/66.20A	----	66.10 - 28.60	.2004	----	----	----	----	303 UNCH
5010	----	----	----/65.50A	89.60B/65.50A	----	65.30 - 28.40	.1984	----	----	4	----	88 + 4
5015	----	----	----/64.80A	88.50B/64.80A	----	64.60 - 28.00	.1966	----	----	----	----	67 UNCH
5020	----	----	----/64.10A	87.60B/64.10A	----	63.90 - 27.70	.1948	----	----	----	----	456 UNCH
5025	67.10	67.10	67.10/63.40A	86.60B/63.40A	----	63.20 - 27.40	.1930	----	----	2	----	45 + 1
5030	66.30	66.30	66.30/62.70A	85.60B/62.70A	----	62.50 - 27.10	.1912	----	----	3	----	111 + 1
5035	----	----	----/62.00A	84.60B/62.00A	----	61.80 - 26.80	.1895	----	----	4	----	22 UNCH
5040	----	----	----/61.30A	83.70B/61.30A	----	61.10 - 26.50	.1877	----	----	----	----	50 UNCH
5045	----	----	----/60.70A	82.70B/60.70A	----	60.40 - 26.20	.1859	----	----	----	----	17 UNCH
5050	61.60	61.60	61.60/60.00A	81.80B/60.00A	----	59.80 - 25.80	.1843	----	----	255	----	923 + 171
5055	----	----	----/59.40A	80.90B/59.40A	----	59.10 NEW	.1825	----	----	4	----	2 + 2
5060	----	----	----/58.70A	80.00B/58.70A	----	58.50 - 25.30	.1808	----	----	----	----	36 UNCH
5065	----	----	----/58.10A	79.10B/58.10A	----	57.80 - 25.00	.1791	----	----	----	----	8 UNCH
5070	----	----	----/57.50A	78.20B/57.50A	----	57.20 - 24.70	.1775	----	----	2	----	75 UNCH
5075	69.50	69.50	69.60/56.80A	77.20B/56.80A	----	56.60 - 24.40	.1758	----	----	2	----	703 UNCH
5080	----	----	----/56.30A	76.40B/56.30A	----	56.00 - 24.10	.1742	----	----	----	----	153 UNCH
5085	----	----	----/55.60A	75.60B/55.60A	----	55.40 - 23.80	.1726	----	----	----	----	128 UNCH
5090	----	----	----/55.00A	74.70B/55.00A	----	54.80 - 23.60	.1710	----	----	----	----	36 UNCH
5095	----	----	----/54.50A	73.90B/54.50A	----	54.20 - 23.30	.1694	----	----	----	----	55 UNCH
5100	61.30	61.30	64.80/53.90A	73.00B/53.90A	----	53.60 - 23.00	.1678	----	----	28	----	4422 - 16
5105	----	----	----/53.20A	72.20B/53.20A	----	53.00 - 22.80	.1662	----	----	----	----	40 UNCH
5110	----	----	----/52.70A	71.40B/52.70A	----	52.40 - 22.60	.1646	----	----	----	----	102 UNCH
5115	----	----	----/52.10A	70.60B/52.10A	----	51.90 - 22.20	.1632	----	----	----	----	64 UNCH
5120	----	----	----/51.60A	69.80B/51.60A	----	51.30 - 22.00	.1616	----	----	----	----	47 UNCH
5125	----	----	----/51.10A	69.10B/51.10A	----	50.80 - 21.70	.1602	----	----	----	----	190 UNCH
5130	----	----	----/50.40A	68.20B/50.40A	----	50.20 - 21.50	.1586	----	----	----	----	29 UNCH
5135	----	----	----/49.90A	67.50B/49.90A	----	49.70 - 21.20	.1572	----	----	----	----	43 UNCH
5140	58.90	58.90	58.90/49.40A	66.70B/49.40A	----	49.20 - 21.00	.1558	----	----	4	----	29 - 2
5145	----	----	----/48.90A	66.10B/48.90A	----	48.70 - 20.70	.1544	----	----	----	----	6 UNCH
5150	50.70	50.70	50.70/48.40A	65.30B/48.40A	----	48.10 - 20.60	.1528	----	----	2	----	1024 UNCH
5155	----	----	----/47.80A	64.60B/47.80A	----	47.60 - 20.30	.1514	----	----	----	----	21 UNCH
5160	47.20	47.20	47.20/47.20	64.00B/47.20	----	47.10 - 20.10	.1501	----	----	4	----	85 UNCH
5165	----	----	----/46.80A	63.10B/46.80A	----	46.60 - 19.80	.1487	----	----	----	----	112 UNCH
5170	----	----	----/46.40A	62.60B/46.40A	----	46.10 - 19.60	.1473	----	----	----	----	45 UNCH
5175	----	----	----/45.90A	61.90B/45.90A	----	45.70 - 19.30	.1461	----	----	----	----	56 UNCH
5180	46.20	46.20	46.20/45.40A	61.20B/45.40A	----	45.20 - 19.10	.1447	----	----	3	----	53 + 3
5185	----	----	----/45.00A	60.40B/45.00A	----	44.70 - 18.90	.1433	----	----	----	----	69 UNCH
5190	----	----	----/44.50A	59.70B/44.50A	----	44.20 - 18.70	.1419	----	----	----	----	27 UNCH
5195	----	----	----/44.10A	59.10B/44.10A	----	43.80 - 18.40	.1407	----	----	----	----	16 UNCH
5200	49.60	49.60	52.30/43.60A	58.50B/43.60A	----	43.30 - 18.30	.1393	----	----	312	140	6213 + 53
5205	----	----	----/43.20A	57.80B/43.20A	----	42.80 - 18.10	.1380	----	----	----	----	15 UNCH
5210	----	----	----/42.70A	57.20B/42.70A	----	42.40 - 17.90	.1368	----	----	----	----	3045 UNCH
5215	----	----	----/42.30A	56.50B/42.30A	----	42.00 - 17.60	.1356	----	----	----	----	48 UNCH
5220	----	----	----/41.90A	56.00B/41.90A	----	41.50 - 17.50	.1342	----	----	----	----	149 UNCH
5225	----	----	----/41.40A	55.40B/41.40A	----	41.10 - 17.20	.1331	----	----	----	----	166 UNCH
5230	----	----	----/41.00A	54.80B/41.00A	----	40.70 - 17.00	.1319	----	----	----	----	105 UNCH
5235	----	----	----/40.60A	54.10B/40.60A	----	40.20 - 16.90	.1305	----	----	----	----	139 UNCH
5240	----	----	----/40.20A	53.50B/40.20A	----	39.80 - 16.70	.1293	----	----	----	----	58 UNCH
5245	----	----	----/39.80A	53.10B/39.80A	----	39.40 - 16.50	.1282	----	----	----	----	11 UNCH
5250	46.60	46.60	46.60/39.40A	52.50B/39.40A	----	39.00 - 16.30	.1270	----	----	30	----	3500 - 4
5255	----	----	----/39.00A	51.80B/39.00A	----	38.60 - 16.10	.1258	----	----	1	----	62 UNCH
5260	----	----	----/38.60A	51.20B/38.60A	----	38.20 - 15.90	.1247	----	----	1	----	365 + 1
5265	----	----	----/38.20A	50.70B/38.20A	----	37.80 - 15.80	.1235	----	----	----	----	28 UNCH
5270	----	----	----/37.80A	50.20B/37.80A	----	37.40 - 15.60	.1224	----	----	----	----	44 UNCH
5275	42.60	42.60	42.60/37.50A	49.60B/37.50A	----	37.00 - 15.40	.1212	----	----	2	----	39 UNCH
5280	----	----	----/37.10A	49.10B/37.10A	----	36.70 - 15.20	.1203	----	----	----	----	69 UNCH
5285	----	----	----/36.70A	48.70B/36.70A	----	36.30 - 15.00	.1191	----	----	----	----	168 UNCH
5290	----	----	----/36.40A	48.00B/36.40A	----	35.90 - 14.90	.1179	----	----	----	----	35 UNCH
5295	41.70	41.70	41.70/36.00A	47.50B/36.00A	----	35.60 - 14.70	.1170	----	----	1	----	83 + 1
5300	43.30	43.30	47.10B/35.70A	47.10B/35.70A	----	35.20 - 14.50	.1159	----	----	86	140	4193 + 197
5305	42.90	42.90	42.90/35.30A	46.60B/35.30A	----	34.90 - 14.30	.1149	----	----	1	----	162 + 1
5310	----	----	----/35.00A	46.10B/35.00A	----	34.50 - 14.20	.1138	----	----	----	----	100 UNCH
5315	----	----	----/34.60A	45.60B/34.60A	----	34.20 - 14.00	.1128	----	----	----	----	62 UNCH
5320	39.60	39.60	39.60/34.30A	45.20B/34.30A	----	33.80 - 13.90	.1117	----	----	1	----	123 + 1
5325	38.50	38.50	39.30/34.00A	44.60B/34.00A	----	33.50 - 13.70	.1108	----	----	3	----	58 UNCH
5330	40.90	40.90	40.90/33.60A	44.10B/33.60A	----	33.20 - 13.50	.1098	----	----	4	----	26 UNCH
5335	----	----	----/33.30A	43.80B/33.30A	----	32.80 - 13.40	.1087	----	----	----	----	4 UNCH
5340	----	----	----/33.00A	43.30B/33.00A	----	32.50 - 13.30	.1078	----	----	----	----	64 UNCH
5345	----	----	----/32.70A	42.90B/32.70A	----	32.20 - 13.10	.1068	----	----	----	----	9 UNCH
5350	----	----	----/32.40A	42.40B/32.40A	----	31.90 - 12.90	.1059	----	----	6	----	1193 UNCH
5355	----	----	----/32.00A	41.80B/32.00A	----	31.60 - 12.80	.1050	----	----	----	----	12 UNCH
5360	----	----	----/31.70A	41.50B/31.70A	----	31.30 - 12.60	.1041	----	----	----	----	48 UNCH
5365	31.10	31.10	31.10/31.10	41.10B/31.10	----	31.00 - 12.50	.1031	----	----	3	----	6 + 3
5370	----	----	----/31.10A	40.60B/31.10A	----	30.70 - 12.40	.1022	----	----	----	----	65 UNCH
5375	----	----	----/30.90A	40.20B/30.90A	----	30.40 - 12.20	.1013	----	----	----	----	16 UNCH
5380	----	----	----/30.60A	39.80B/30.60A	----	30.10 - 12.10	.1004	----	----	----	----	92 UNCH
5385	----	----	----/30.30A	39.30B/30.30A	----	29.80 - 12.00	.0995	----	----	----	----	4 UNCH
5390	----	----	----/30.00A	38.90B/30.00A	----	29.50 - 11.90	.0986	----	----	----	----	57 UNCH
5395	----	----	----/29.70A	38.60B/29.70A	----	29.30 - 11.70	.0979	----	----	----	----	16 UNCH
5400	33.90	33.90	34.70/29.10	38.20B/29.10	----	29.00 - 11.50	.0970	----	----	390	----	4994 + 61
5405	----	----	----/29.20A	37.80B/29.20A	----	28.70 - 11.40	.0961	----	----	----	----	67 UNCH
5410	----	----	----/28.90A	37.40B/28.90A	----	28.40 - 11.30	.0952	----	----	----	----	14 UNCH
5415	----	----	----/28.60A	37.10B/28.60A	----	28.20 - 11.20	.0945	----	----	----	----	13 UNCH
5420	30.00	30.00	30.00/28.40A	36.70B/28.40A	----	27.90 - 11.10	.0936	----	----	1	----	27 UNCH
5425	----	----	----/28.10A	36.30B/28.10A	----	27.70 - 10.90	.0929	----	----	----	----	124 UNCH
5430	----	----	----/27.80A	35.90B/27.80A	----	27.40 - 10.80	.0920	----	----	----	----	68 UNCH
5435	----	----	----/27.60A	35.60B/27.60A	----	27.10 - 10.70	.0911	----	----	----	----	12 UNCH
5440	----	----	----/27.30A	35.20B/27.30A	----	26.90 - 10.60	.0904	----	----	----	----	82 UNCH
5445	----	----	----/27.10A	34.90B/27.10A	----	26.70 - 10.40	.0898	----	----	----	----	22 UNCH
5450	----	----	----/26.80A	34.50B/26.80A	----	26.40 - 10.40	.0889	----	----	----	----	1384 UNCH
5460	----	----	----/26.40A	33.80B/26.40A	----	25.90 - 10.20	.0873	----	----	----	----	91 UNCH
5465	26.50	26.50	26.50/26.10A	33.50B/26.10A	----	25.70 - 10.00	.0866	----	----	3	----	28 + 3
5470	----	----	----/25.90A	33.10B/25.90A	----	25.50 - 9.90	.0860	----	----	----	----	21 UNCH
5475	----	----	----/25.70A	32.80B/25.70A	----	25.20 - 9.80	.0851	----	----	----	----	61 UNCH
5480	----	----	----/25.40A	32.50B/25.40A	----	25.00 - 9.70	.0844	----	----	----	----	37 UNCH
5485	----	----	----/25.20A	32.20B/25.20A	----	24.80 - 9.60	.0838	----	----	----	----	5 UNCH
5490	----	----	----/25.00A	31.80B/25.00A	----	24.60 - 9.50	.0831	----	----	----	----	172 UNCH
5495	----	----	----/24.80A	31.50B/24.80A	----	24.30 - 9.40	.0822	----	----	----	----	50 UNCH
5500	27.80	27.80	28.20/24.50A	31.20B/24.50A	----	24.10 - 9.30	.0816	----	----	266	----	4572 - 159
5505	----	----	----/24.30A	31.00B/24.30A	----	23.90 - 9.20	.0809	----	----	----	----	7 UNCH
5510	24.20	24.20	24.20/24.10A	30.60B/24.10A	----	23.70 - 9.10	.0803	----	----	3	----	185 UNCH
5515	----	----	----/23.90A	30.30B/23.90A	----	23.50 - 9.00	.0796	----	----	----	----	24 UNCH
5520	----	----	----/23.70A	30.00B/23.70A	----	23.30 - 8.90	.0790	----	----	----	----	16 UNCH
5525	----	----	----/23.50A	29.80B/23.50A	----	23.10 - 8.80	.0783	----	----	----	----	155 UNCH
5530	23.00	23.00	23.00/23.00	29.50B/23.00	----	22.90 - 8.70	.0777	----	----	2	----	38 + 1
5535	----	----	----/23.10A	29.20B/23.10A	----	22.70 - 8.60	.0770	----	----	----	----	3 UNCH
5540	----	----	----/22.90A	28.90B/22.90A	----	22.50 - 8.50	.0764	----	----	----	----	260 UNCH
5545	----	----	----/22.70A	28.60B/22.70A	----	22.30 - 8.40	.0757	----	----	----	----	16 UNCH
5550	----	----	----/22.50A	28.40B/22.50A	----	22.10 - 8.40	.0751	----	----	----	----	759 UNCH
5555	----	----	----/22.30A	28.10B/22.30A	----	21.90 - 8.30	.0745	----	----	----	----	1 UNCH
5560	----	----	----/22.10A	27.80B/22.10A	----	21.80 - 8.10	.0741	----	----	----	----	31 UNCH
5570	----	----	----/21.80A	27.30B/21.80A	----	21.40 - 8.00	.0728	----	----	----	----	9 UNCH
5575	----	----	----/21.60A	27.10B/21.60A	----	21.20 - 7.90	.0721	----	----	----	----	19 UNCH
5580	----	----	----/21.40A	26.80B/21.40A	----	21.00 - 7.80	.0715	----	----	----	----	11 UNCH
5585	----	----	----/21.20A	26.60B/21.20A	----	20.90 - 7.70	.0711	----	----	----	----	4 UNCH
5590	----	----	----/21.10A	26.30B/21.10A	----	20.70 - 7.60	.0705	----	----	----	----	94 UNCH
5595	23.90	23.90	23.90/20.90A	26.10B/20.90A	----	20.50 - 7.60	.0699	----	----	1	----	30 UNCH
5600	22.20	22.20	22.20/20.70A	25.90B/20.70A	----	20.40 - 7.40	.0695	----	----	87	----	2547 - 68
5610	----	----	----/20.40A	25.40B/20.40A	----	20.00 - 7.30	.0682	----	----	----	----	69 UNCH
5620	----	----	----/20.00A	24.90B/20.00A	----	19.70 - 7.20	.0672	----	----	----	----	48 UNCH
5625	----	----	----/19.90A	24.70B/19.90A	----	19.60 - 7.00	.0668	----	----	----	----	402 UNCH
5630	----	----	----/19.70A	24.50B/19.70A	----	19.40 - 7.00	.0662	----	----	----	----	203 UNCH
5640	----	----	----/19.40A	24.10B/19.40A	----	19.10 - 6.80	.0652	----	----	----	----	70 UNCH
5650	----	----	----/19.20A	23.50B/19.20A	----	18.80 - 6.70	.0642	----	----	----	----	711 UNCH
5660	----	----	----/18.90A	23.20B/18.90A	----	18.50 - 6.60	.0632	----	----	----	----	41 UNCH
5670	----	----	----/18.60A	22.70B/18.60A	----	18.20 - 6.40	.0622	----	----	----	----	117 UNCH
5675	18.10	18.10	18.10/18.10	22.50B/18.10	----	18.10 - 6.30	.0618	----	----	13	----	20 + 1
5680	----	----	----/18.30A	22.30B/18.30A	----	17.90 - 6.30	.0612	----	----	----	----	55 UNCH
5690	----	----	----/18.00A	21.90B/18.00A	----	17.70 - 6.10	.0604	----	----	----	----	148 UNCH
5700	----	----	----/17.70A	21.50B/17.70A	----	17.40 - 6.00	.0595	----	----	131	----	1737 + 67

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5710	----	----	----/17.40A	21.10B/17.40A	----	17.10 - 5.90	.0585	----	----	----	----	39 UNCH
5720	19.70	19.70	20.00/17.10A	20.80B/17.10A	----	16.90 - 5.80	.0578	----	----	12	----	17 - 2
5725	----	----	----/17.00A	20.60B/17.00A	----	16.70 - 5.80	.0572	----	----	----	----	2 UNCH
5730	----	----	----/16.90A	20.40B/16.90A	----	16.60 - 5.70	.0568	----	----	----	----	58 UNCH
5740	----	----	----/16.60A	20.10B/16.60A	----	16.40 - 5.50	.0561	----	----	32	----	50 + 22
5750	----	----	----/16.40A	19.80B/16.40A	----	16.10 - 5.50	.0551	----	----	51	----	1587 - 26
5760	18.60	18.60	18.60/16.10A	19.40B/16.10A	----	15.90 - 5.30	.0544	----	----	1	----	10 + 1
5770	----	----	----/15.90A	19.10B/15.90A	----	15.60 - 5.30	.0534	----	----	----	----	32 UNCH
5775	----	----	----/15.80A	18.90B/15.80A	----	15.50 - 5.20	.0531	----	----	----	----	77 UNCH
5780	----	----	----/15.60A	18.70B/15.60A	----	15.40 - 5.20	.0527	----	----	----	----	219 UNCH
5790	----	----	----/15.40A	18.40B/15.40A	----	15.20 - 5.10	.0520	----	----	----	----	11 UNCH
5800	18.00	18.00	18.00/15.20	18.10B/15.20	----	15.00 - 4.90	.0513	----	----	86	----	2982 - 42
5810	16.60	16.60	16.60/15.00A	17.90B/15.00A	----	14.70 - 4.90	.0504	----	----	11	----	254 + 4
5820	----	----	----/14.80A	17.60B/14.80A	----	14.50 - 4.80	.0497	----	----	----	----	18 UNCH
5825	----	----	----/14.70A	17.40B/14.70A	----	14.40 - 4.80	.0493	----	----	----	----	9 UNCH
5830	----	----	----/14.60A	17.30B/14.60A	----	14.30 - 4.80	.0490	----	----	----	----	14 UNCH
5840	----	----	----/14.30A	17.00B/14.30A	----	14.10 - 4.70	.0483	----	----	----	----	21 UNCH
5850	----	----	----/14.10A	16.80B/14.10A	----	13.90 - 4.60	.0476	----	----	----	----	437 UNCH
5860	----	----	----/14.00A	16.50B/14.00A	----	13.70 - 4.50	.0469	----	----	----	----	20 UNCH
5870	----	----	----/13.80A	16.20B/13.80A	----	13.50 - 4.40	.0463	----	----	----	----	30 UNCH
5875	----	----	----/13.70A	16.10B/13.70A	----	13.40 - 4.40	.0459	----	----	----	----	191 UNCH
5880	----	----	----/13.60A	16.00B/13.60A	----	13.30 - 4.40	.0456	----	----	----	----	17 UNCH
5890	----	----	----/13.40A	15.80B/13.40A	----	13.20 - 4.20	.0452	----	----	----	----	127 UNCH
5900	----	----	----/13.20A	15.50B/13.20A	----	13.00 - 4.20	.0445	----	----	----	----	1587 UNCH
5910	----	----	----/13.00A	15.30B/13.00A	----	12.80 - 4.10	.0438	----	----	----	----	10 UNCH
5920	----	----	----/12.90A	15.10B/12.90A	----	12.60 - 4.10	.0431	----	----	----	----	40 UNCH
5930	----	----	----/12.70A	14.80B/12.70A	----	12.50 - 4.00	.0427	----	----	----	----	58 UNCH
5940	----	----	----/12.50A	14.60B/12.50A	----	12.30 - 3.90	.0421	----	----	----	----	3 UNCH
5950	----	----	----/12.40A	14.40B/12.40A	----	12.10 - 3.90	.0414	----	----	----	----	177 UNCH
5960	----	----	----/12.20A	14.20B/12.20A	----	12.00 - 3.80	.0410	----	----	----	----	18 UNCH
5970	----	----	----/12.00A	14.00B/12.00A	----	11.80 - 3.80	.0404	----	----	----	----	34 UNCH
5980	----	----	----/11.90A	13.70B/11.90A	----	11.70 - 3.70	.0400	----	----	----	----	5 UNCH
5990	----	----	----/11.80A	13.50B/11.80A	----	11.50 - 3.70	.0393	----	----	----	----	4 UNCH
6000	13.00	13.00	13.00/11.60A	13.30B/11.60A	----	11.40 - 3.60	.0389	----	----	82	----	5963 + 1
6010	----	----	----/11.50A	13.10B/11.50A	----	11.20 - 3.60	.0383	----	----	----	----	9 UNCH
6020	----	----	----/11.30A	12.90B/11.30A	----	11.10 - 3.50	.0379	----	----	----	----	23 UNCH
6030	----	----	----/11.20A	12.70B/11.20A	----	10.90 - 3.50	.0372	----	----	----	----	18 UNCH
6040	----	----	----/11.10A	12.60B/11.10A	----	10.80 - 3.40	.0368	----	----	----	----	26 UNCH
6050	11.50	11.50	11.50/10.90A	12.40B/10.90A	----	10.60 - 3.40	.0362	----	----	1	----	274 UNCH
6060	----	----	----/10.80A	12.20B/10.80A	----	10.50 - 3.30	.0358	----	----	----	----	31 UNCH
6070	----	----	----/10.60A	12.10B/10.60A	----	10.40 - 3.30	.0355	----	----	----	----	34 UNCH
6080	----	----	----/10.50A	11.90B/10.50A	----	10.30 - 3.20	.0351	----	----	----	----	8 UNCH
6090	----	----	----/10.40A	11.70B/10.40A	----	10.10 - 3.20	.0344	----	----	----	----	17 UNCH
6100	11.50	11.50	11.50/10.20A	11.60B/10.20A	----	10.00 - 3.10	.0341	----	----	1	----	2403 + 1
6110	----	----	----/10.10A	11.50B/10.10A	----	9.90 - 3.10	.0337	----	----	40	----	65 + 40
6120	----	----	----/10.00A	11.30B/10.00A	----	9.80 - 3.00	.0333	----	----	----	----	10 UNCH
6125	----	----	----/10.00A	11.30B/10.00A	----	9.70 - 3.00	.0330	----	----	----	----	9 UNCH
6130	----	----	----/9.90A	11.30B/9.90A	----	9.60 - 3.10	.0327	----	----	----	----	10 UNCH
6140	----	----	----/9.80A	11.00B/9.80A	----	9.50 - 3.00	.0323	----	----	----	----	8 UNCH
6150	----	----	----/9.70A	10.90B/9.70A	----	9.40 - 3.00	.0320	----	----	----	----	497 UNCH
6160	----	----	----/9.60A	10.70B/9.60A	----	9.30 - 2.90	.0316	----	----	----	----	130 UNCH
6170	----	----	----/9.40A	10.60B/9.40A	----	9.20 - 2.90	.0313	----	----	----	----	17 UNCH
6180	----	----	----/9.30A	10.40B/9.30A	----	9.10 - 2.80	.0309	----	----	----	----	71 UNCH
6190	----	----	----/9.20A	10.30B/9.20A	----	9.00 - 2.80	.0305	----	----	----	----	2 UNCH
6200	----	----	----/9.10A	10.30B/9.10A	----	8.90 - 2.70	.0302	----	----	1	----	4005 + 1
6210	----	----	----/9.00A	10.10B/9.00A	----	8.80 - 2.70	.0298	----	----	----	----	53 UNCH
6220	----	----	----/8.90A	9.90B/8.90A	----	8.70 - 2.70	.0295	----	----	----	----	7 UNCH
6230	----	----	----/8.80A	9.80B/8.80A	----	8.60 - 2.60	.0291	----	----	----	----	62 UNCH
6240	----	----	----/8.70A	9.90B/8.70A	----	8.50 - 2.60	.0288	----	----	----	----	7 UNCH
6250	----	----	----/8.70A	9.60B/8.70A	----	8.40 - 2.60	.0284	----	----	----	----	1304 UNCH
6260	----	----	----/8.60A	9.50B/8.60A	----	8.30 - 2.50	.0281	----	----	----	----	8 UNCH
6270	----	----	----/8.50A	9.50B/8.50A	----	8.20 - 2.50	.0277	----	----	----	----	146 UNCH
6280	----	----	----/8.30A	9.30B/8.30A	----	8.10 - 2.50	.0274	----	----	----	----	12 UNCH
6290	----	----	----/8.30A	9.20B/8.30A	----	8.00 - 2.50	.0270	----	----	----	----	19 UNCH
6300	9.00	9.00	9.00/8.20A	9.10B/8.20A	----	7.90 - 2.50	.0267	----	----	8	----	2568 - 8
6310	----	----	----/8.10A	9.00B/8.10A	----	7.80 - 2.50	.0264	----	----	----	----	2 UNCH
6320	----	----	----/8.00A	8.90B/8.00A	----	7.80 - 2.30	.0263	----	----	----	----	24 UNCH
6330	----	----	----/8.00A	8.80B/8.00A	----	7.70 - 2.30	.0259	----	----	----	----	27 UNCH
6340	----	----	----/7.90A	8.70B/7.90A	----	7.60 - 2.30	.0256	----	----	----	----	24 UNCH
6350	----	----	----/7.80A	8.60B/7.80A	----	7.50 - 2.30	.0253	----	----	----	----	12 UNCH
6360	----	----	----/7.70A	8.50B/7.70A	----	7.40 - 2.30	.0249	----	----	----	----	2 UNCH
6370	----	----	----/7.60A	8.50B/7.60A	----	7.40 - 2.20	.0249	----	----	----	----	4 UNCH
6380	----	----	----/7.60A	8.30B/7.60A	----	7.30 - 2.20	.0245	----	----	----	----	9 UNCH
6390	----	----	----/7.50A	8.20B/7.50A	----	7.20 - 2.20	.0242	----	----	----	----	1 UNCH
6400	8.40	8.40	8.40/7.40A	8.40/7.40A	----	7.10 - 2.20	.0239	----	----	1	----	414 + 1
6410	----	----	----/7.30A	8.00B/7.30A	----	7.10 - 2.10	.0238	----	----	----	----	8 UNCH
6420	----	----	----/7.20A	7.90B/7.20A	----	7.00 - 2.10	.0235	----	----	----	----	3 UNCH
6430	----	----	----/7.20A	7.90B/7.20A	----	6.90 - 2.10	.0231	----	----	----	----	30 UNCH
6440	----	----	----/7.10A	7.80B/7.10A	----	6.90 - 2.00	.0231	----	----	----	----	2 UNCH
6450	----	----	----/7.10A	7.70B/7.10A	----	6.80 - 2.00	.0227	----	----	----	----	51 UNCH
6460	----	----	----/7.00A	7.60B/7.00A	----	6.70 - 2.00	.0224	----	----	----	----	7 UNCH
6470	----	----	----/6.90A	7.50B/6.90A	----	6.70 - 1.90	.0224	----	----	----	----	9 UNCH
6480	----	----	----/6.90A	7.50B/6.90A	----	6.60 - 1.90	.0220	----	----	----	----	13 UNCH
6490	7.50	7.50	7.60/6.80A	7.60/6.80A	----	6.60 - 1.90	.0220	----	----	4	----	18 + 3
6500	7.10	7.10	7.10/6.70A	7.30B/6.70A	----	6.50 - 1.90	.0217	----	----	2	----	1031 + 2
6525	----	----	----/6.60A	7.10B/6.60A	----	6.40 - 1.80	.0212	----	----	----	----	7 UNCH
6550	----	----	----/6.40A	6.90B/6.40A	----	6.20 - 1.80	.0206	----	----	----	----	209 UNCH
6575	----	----	----/6.30A	6.80B/6.30A	----	6.10 - 1.70	.0202	----	----	----	----	7 UNCH
6600	----	----	----/6.20A	6.60B/6.20A	----	6.00 - 1.60	.0198	----	----	----	----	847 UNCH
6625	----	----	----/6.00A	6.50B/6.00A	----	5.80 - 1.60	.0191	----	----	----	----	105 UNCH
6650	----	----	----/5.90A	6.30B/5.90A	----	5.70 - 1.50	.0188	----	----	----	----	38 UNCH
6675	----	----	----/5.80A	6.20B/5.80A	----	5.60 - 1.50	.0184	----	----	----	----	16 UNCH
6700	6.10	6.10	6.10/5.40	6.10/5.40	----	5.50 - 1.40	.0180	----	----	11	----	1184 - 4
6725	----	----	----/5.60A	5.90B/5.60A	----	5.40 - 1.30	.0176	----	----	----	----	111 UNCH
6750	----	----	----/5.40A	5.70B/5.40A	----	5.30 - 1.30	.0173	----	----	----	----	134 UNCH
6775	----	----	----/5.30A	5.60B/5.30A	----	5.20 - 1.30	.0169	----	----	1	----	2 + 1
6800	----	----	----/5.20A	5.50B/5.20A	----	5.10 - 1.20	.0165	----	----	1	----	237 UNCH
6825	----	----	----/5.20A	5.40B/5.20A	----	5.00 - 1.20	.0162	----	----	----	----	10 UNCH
6850	----	----	----/5.10A	5.30B/5.10A	----	5.00 - 1.10	.0161	----	----	----	----	25 UNCH
6875	----	----	----/5.00A	5.10B/5.00A	----	4.90 - 1.00	.0157	----	----	----	----	1 UNCH
6900	----	----	----/4.80A	5.00B/4.80A	----	4.80 - 1.00	.0154	----	----	----	----	157 UNCH
6925	----	----	----/4.80A	4.90B/4.80A	----	4.70 - 1.00	.0150	----	----	----	----	51 UNCH
6950	----	----	----/4.80A	4.80B/4.80A	----	4.60 - 1.00	.0147	----	----	----	----	27 UNCH
6975	----	----	----/4.80A	4.70B/4.80A	----	4.60 - 0.90	.0146	----	----	----	----	17 UNCH
7000	4.60	4.60	4.60/4.60	4.60/4.60	----	4.50 - 0.90	.0143	----	----	1	----	1761 UNCH
7025	----	----	----/4.50A	4.60B/4.50A	----	4.40 - 0.90	.0140	----	----	----	----	31 UNCH
7050	----	----	----/4.60A	4.50B/4.60A	----	4.30 - 0.90	.0136	----	----	----	----	5 UNCH
7075	----	----	----/4.60A	4.40B/4.60A	----	4.30 - 0.80	.0135	----	----	----	----	8 UNCH
7100	----	----	----/4.50A	4.30B/4.50A	----	4.20 - 0.80	.0132	----	----	----	----	148 UNCH
7125	----	----	----/4.40A	4.20B/4.40A	----	4.10 - 0.80	.0129	----	----	----	----	52 UNCH
7150	----	----	----/4.40A	4.10B/4.40A	----	4.10 - 0.80	.0128	----	----	----	----	52 UNCH
7200	----	----	----/4.30A	3.90B/4.30A	----	3.90 - 0.80	.0122	----	----	----	----	129 UNCH
7250	----	----	----/4.10A	3.70B/4.10A	----	3.80 - 0.80	.0118	----	----	----	----	91 UNCH
7275	----	----	----/4.10A	3.60B/4.10A	----	3.70 - 0.80	.0115	----	----	----	----	1 UNCH
7300	----	----	----/4.10A	3.60B/4.10A	----	3.70 - 0.70	.0114	----	----	----	----	150 UNCH
7325	----	----	----/3.90A	3.50B/3.90A	----	3.60 - 0.80	.0111	----	----	----	----	14 UNCH
7350	----	----	----/3.90A	3.50B/3.90A	----	3.60 - 0.70	.0111	----	----	----	----	3 UNCH
7375	----	----	----/3.80A	3.40B/3.80A	----	3.50 - 0.70	.0108	----	----	----	----	11 UNCH
7400	----	----	----/3.80A	3.40B/3.80A	----	3.40 - 0.80	.0105	----	----	----	----	46 UNCH
7425	----	----	----/3.70A	3.30B/3.70A	----	3.40 - 0.70	.0104	----	----	----	----	20 UNCH
7450	----	----	----/3.70A	3.20B/3.70A	----	3.30 - 0.70	.0101	----	----	----	----	5 UNCH
7475	----	----	----/3.60A	3.20B/3.60A	----	3.30 - 0.70	.0101	----	----	----	----	8 UNCH
7500	----	----	----/3.60A	3.10B/3.60A	----	3.20 - 0.70	.0098	----	----	----	----	1308 UNCH
7525	----	----	----/3.50A	3.10B/3.50A	----	3.20 - 0.70	.0097	----	----	----	----	20 UNCH
7575	----	----	----/3.50A	3.00B/3.50A	----	3.10 - 0.70	.0094	----	----	----	----	8 UNCH
7600	----	----	----/3.50A	3.00B/3.50A	----	3.00 - 0.70	.0091	----	----	3	----	46 + 3
7700	----	----	----/3.30A	2.80B/3.30A	----	2.90 - 0.60	.0087	----	----	----	----	45 UNCH
7750	----	----	----/3.20A	2.70B/3.20A	----	2.80 - 0.60	.0084	----	----	----	----	12 UNCH
7800	----	----	----/3.10A	2.60B/3.10A	----	2.70 - 0.60	.0081	----	----	----	----	39 UNCH
7875	----	----	----/3.00A	2.50B/3.00A	----	2.60 - 0.60	.0077	----	----	----	----	31 UNCH
7900	----	----	----/3.00A	2.40B/3.00A	----	2.50 - 0.60	.0074	----	----	----	----	3 UNCH
7950	----	----	----/2.80A	2.40B/2.80A	----	2.50 - 0.50	.0074	----	----	----	----	2 UNCH
8000	2.30	2.30	2.30/2.30	2.30/2.30	----	2.40 - 0.60	.0071	----	----	7	----	971 + 3
8100	----	----	----	2.10B/2.80A	----	2.30 - 0.50	.0067	----	----	----	----	3 UNCH
8200	----	----	----	2.00B/2.70A	----	2.20 - 0.50	.0064	----	----	----	----	89 UNCH
8300	----	----	----	1.90B/2.50A	----	2.10 - 0.40	.0060	----	----	----	----	64 UNCH
8500	----	----	----	1.90B/2.30A	----	1.90 - 0.40	.0054	----	----	----	----	109 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
8600	----	----	----	1.90B/2.30A	----	1.80 - 0.40	.0051	----	----	----	----	50 UNCH
8800	----	----	----	1.70B/2.10A	----	1.70 - 0.30	.0047	----	----	----	----	31 UNCH
8900	----	----	----	1.60B/2.10A	----	1.60 - 0.40	.0044	----	----	----	----	15 UNCH
9000	1.70	1.70	1.70/1.70	1.70/1.70	----	1.60 - 0.30	.0044	----	----	1	----	239 + 1
9100	----	----	----	1.50B/2.00A	----	1.50 - 0.30	.0041	----	----	----	----	1 UNCH
9200	----	----	----	1.40B/2.00A	----	1.50 - 0.30	.0041	----	----	----	----	51 UNCH
9300	----	----	----	1.40B/1.90A	----	1.40 - 0.30	.0038	----	----	----	----	3 UNCH
9400	----	----	----	1.30B/1.90A	----	1.40 - 0.30	.0037	----	----	----	----	25 UNCH
9500	----	----	----	1.30B/1.80A	----	1.40 - 0.30	.0037	----	----	----	----	25 UNCH
9600	----	----	----	1.20B/1.80A	----	1.30 - 0.30	.0034	----	----	----	----	26 UNCH
9700	----	----	----	1.20B/1.80A	----	1.30 - 0.30	.0034	----	----	----	----	20 UNCH
9800	----	----	----	1.10B/1.70A	----	1.30 - 0.30	.0034	----	----	----	----	17 UNCH
9900	----	----	----	1.10B/1.70A	----	1.30 - 0.20	.0033	----	----	----	----	24 UNCH
10000	----	----	----	1.00B/1.60A	----	1.20 - 0.30	.0031	----	----	----	----	235 UNCH
10100	----	----	----	1.00B/1.60A	----	1.20 - 0.30	.0031	----	----	----	----	2 UNCH
10300	----	----	----	0.90B/1.50A	----	1.20 - 0.20	.0030	----	----	----	----	3 UNCH
10400	----	----	----	0.90B/1.50A	----	1.10 - 0.30	.0028	----	----	----	----	2 UNCH
10500	----	----	----	0.90B/1.50A	----	1.10 - 0.20	.0027	----	----	----	----	1 UNCH
10700	----	----	----	0.80B/1.40A	----	1.10 - 0.20	.0027	----	----	----	----	4 UNCH
11000	----	----	----	0.70B/1.30A	----	1.10 - 0.20	.0026	----	----	----	----	71 UNCH
11300	----	----	----/1.20A	0.70B/1.20A	----	1.10 - 0.20	.0026	----	----	----	----	11 UNCH
11500	----	----	----	0.60B/1.20A	----	1.00 - 0.20	.0023	----	----	----	----	1 UNCH
11600	----	----	----	0.60B/1.20A	----	0.90 - 0.20	.0021	----	----	----	----	5 UNCH
11700	----	----	----	0.60B/1.20A	----	0.80 - 0.20	.0019	----	----	----	----	15 UNCH
11900	----	----	----	0.50B/1.10A	----	0.70 - 0.10	.0016	----	----	----	----	1 UNCH
12000	----	----	----	0.50B/1.10A	----	0.60 UNCH	.0014	----	----	----	----	269 UNCH
TOTAL										6766	380	143877 + 653
JUL26												
3500	----	----	----	761.10B/1204.20A	----	979.60 - 56.00	.9041	----	----	----	----	1 UNCH
3600	----	----	----/878.60A	985.30B/878.60A	----	890.80 - 51.10	.8822	----	----	----	----	24 UNCH
3650	----	----	----/835.70A	939.90B/835.70A	----	847.40 - 48.40	.8698	----	----	----	----	10 UNCH
3670	----	----	----/818.70A	921.90B/818.70A	----	830.20 - 47.30	.8646	----	----	----	----	3 UNCH
3700	----	----	----/793.40A	895.10B/793.40A	----	804.60 - 45.60	.8563	----	----	----	----	111 UNCH
3735	----	----	----	680.00B/977.90A	----	775.10 - 43.50	.8463	----	----	----	----	1 UNCH
3775	----	----	----/731.20A	828.80B/731.20A	----	741.90 - 41.00	.8341	----	----	----	----	4 UNCH
3800	----	----	----/707.40A	810.30B/707.40A	----	721.40 - 39.40	.8262	----	----	----	----	2045 UNCH
3825	----	----	----/690.80A	785.40B/690.80A	----	701.10 - 37.70	.8179	----	----	----	----	5 UNCH
3850	----	----	----/671.00A	763.90B/671.00A	----	681.10 - 35.90	.8094	----	----	----	----	66 UNCH
3860	----	----	----	569.10B/867.90A	----	673.10 - 35.30	.8058	----	----	----	----	1 UNCH
3865	----	----	----/659.20A	751.20B/659.20A	----	669.20 - 34.90	.8041	----	----	----	----	7 UNCH
3875	----	----	----/651.40A	742.70B/651.40A	----	661.30 - 34.20	.8005	----	----	----	----	25 UNCH
3900	----	----	----/632.10A	721.70B/632.10A	----	641.70 - 32.40	.7914	----	----	----	----	18 UNCH
3925	----	----	----/613.00A	700.90B/613.00A	----	622.40 - 30.50	.7820	----	----	----	----	35 UNCH
3950	----	----	----/590.70A	683.60B/590.70A	----	603.30 - 28.60	.7722	----	----	----	----	820 UNCH
3960	----	----	----	481.60B/779.90A	----	595.70 - 27.90	.7683	----	----	----	----	1 UNCH
4000	----	----	----/557.30A	639.90B/557.30A	----	565.90 - 24.70	.7520	----	----	----	----	17 UNCH
4020	----	----	----	429.20B/775.30A	----	551.30 - 23.00	.7436	----	----	----	----	1 UNCH
4030	----	----	----	420.60B/730.70A	----	544.00 - 22.20	.7393	----	----	----	----	2 UNCH
4040	----	----	----	412.00B/720.90A	----	536.80 - 21.40	.7350	----	----	----	----	1 UNCH
4075	----	----	----/502.20A	581.30B/502.20A	----	511.90 - 18.50	.7195	----	----	----	----	6 UNCH
4095	----	----	----/488.80A	566.10B/488.80A	----	498.00 - 16.70	.7104	----	----	----	----	4 UNCH
4100	----	----	----/485.40A	562.30B/485.40A	----	494.50 - 16.30	.7082	----	----	----	----	194 UNCH
4105	----	----	----/482.10A	490.80B/482.10A	----	491.10 - 15.80	.7058	----	----	----	----	1 UNCH
4110	----	----	----/478.70A	554.70B/478.70A	----	487.60 - 15.50	.7035	----	----	----	----	3 UNCH
4145	----	----	----/455.50A	528.70B/455.50A	----	463.90 - 12.40	.6870	----	----	----	----	28 UNCH
4150	----	----	----/452.20A	525.00B/452.20A	----	460.60 - 12.00	.6846	----	----	----	----	37 UNCH
4160	----	----	----/445.90A	483.80B/445.90A	----	454.00 - 11.00	.6798	----	----	----	----	1 UNCH
4190	----	----	----/427.00A	480.90B/427.00A	----	434.40 - 08.40	.6651	----	----	----	----	1 UNCH
4200	----	----	----/420.50A	489.10B/420.50A	----	428.00 - 07.50	.6602	----	----	----	----	8 UNCH
4215	----	----	----/411.30A	478.50B/411.30A	----	418.50 - 06.10	.6527	----	----	----	----	25 UNCH
4220	----	----	----/408.40A	474.00B/408.40A	----	415.40 - 05.60	.6501	----	----	----	----	1 UNCH
4225	----	----	----/405.40A	470.90B/405.40A	----	412.20 - 05.20	.6476	----	----	----	----	2 UNCH
4235	----	----	----/399.20A	464.20B/399.20A	----	406.00 - 04.30	.6425	----	----	----	----	1 UNCH
4240	----	----	----/394.90A	461.20B/394.90A	----	402.90 - 03.80	.6399	----	----	----	----	39 UNCH
4245	----	----	----/393.20A	457.60B/393.20A	----	399.90 - 03.30	.6374	----	----	----	----	1 UNCH
4250	----	----	----/389.80A	456.00B/389.80A	----	396.80 - 02.90	.6348	----	----	----	----	316 UNCH
4255	----	----	----/387.20A	450.80B/387.20A	----	393.80 - 02.40	.6322	----	----	----	----	1 UNCH
4265	----	----	----/381.40A	444.60B/381.40A	----	387.70 - 01.50	.6270	----	----	----	----	2 UNCH
4270	----	----	----/377.10A	441.30B/377.10A	----	384.70 - 01.00	.6244	----	----	----	----	38 UNCH
4275	----	----	----/374.20A	438.10B/374.20A	----	381.80 - 00.50	.6218	----	----	----	----	76 UNCH
4280	----	----	----/371.20A	434.90B/371.20A	----	378.80 - 00.10	.6192	----	----	----	----	3 UNCH
4300	----	----	----/360.30A	422.20B/360.30A	----	367.10 - 98.20	.6087	----	----	----	----	63 UNCH
4315	----	----	----/348.60A	412.70B/348.60A	----	358.50 - 96.70	.6007	----	----	----	----	21 UNCH
4325	----	----	----/343.50A	406.60B/343.50A	----	352.80 - 95.80	.5954	----	----	----	----	22 UNCH
4335	----	----	----/341.10A	400.30B/341.10A	----	347.20 - 94.90	.5900	----	----	----	----	1 UNCH
4350	----	----	----/330.00A	391.20B/330.00A	----	338.90 - 93.40	.5819	----	----	----	----	10 UNCH
4360	----	----	----/324.70A	385.30B/324.70A	----	333.50 - 92.40	.5765	----	----	----	----	53 UNCH
4365	----	----	----/321.60A	382.50B/321.60A	----	330.80 - 92.00	.5738	----	----	----	----	45 UNCH
4370	----	----	----/319.00A	379.50B/319.00A	----	328.10 - 91.50	.5711	----	----	----	----	20 UNCH
4375	----	----	----/316.80A	376.70B/316.80A	----	325.40 - 91.00	.5684	----	----	----	----	5 UNCH
4400	350.70	350.70	350.70/303.10A	366.40B/303.10A	----	312.30 - 88.60	.5548	----	----	1	----	2267 - 2
4410	----	----	----/298.20A	367.50B/298.20A	----	307.20 - 87.60	.5493	----	----	----	----	4 UNCH
4415	----	----	----/295.60A	367.10B/295.60A	----	304.70 - 87.10	.5465	----	----	----	----	39 UNCH
4420	----	----	----/293.30A	365.70B/293.30A	----	302.20 - 86.60	.5438	----	----	----	----	5 UNCH
4425	----	----	----/291.80A	365.40B/291.80A	----	299.60 - 86.20	.5411	----	----	----	----	18 UNCH
4430	----	----	----/292.00A	361.60B/292.00A	----	297.20 - 85.60	.5383	----	----	----	----	1 UNCH
4445	----	----	----/281.20A	353.10B/281.20A	----	289.80 - 84.20	.5301	----	----	----	----	30 UNCH
4450	300.10	300.10	300.10/278.50A	350.20B/278.50A	----	287.30 - 83.70	.5273	----	----	1	----	255 + 1
4455	293.70	293.70	293.70/279.30A	348.10B/279.30A	----	284.90 - 83.20	.5246	----	----	1	----	3 + 1
4460	293.90	293.90	293.90/276.80A	345.20B/276.80A	----	282.50 - 82.70	.5218	----	----	1	----	3 + 1
4475	----	----	----/270.00A	336.50B/270.00A	----	275.40 - 81.30	.5136	----	----	----	----	2 UNCH
4480	----	----	----/265.10A	337.50B/265.10A	----	273.10 - 80.80	.5109	----	----	----	----	25 UNCH
4490	----	----	----/260.60A	330.90B/260.60A	----	268.50 - 79.70	.5054	----	----	----	----	9 UNCH
4500	----	----	----/256.00A	323.00B/256.00A	----	263.90 - 78.80	.4999	----	----	1	----	968 - 1
4505	264.00	264.00	264.00/255.20A	320.60B/255.20A	----	261.70 NEW	.4972	----	----	2	----	2 + 2
4510	----	----	----/251.90A	317.90B/251.90A	----	259.40 - 77.80	.4944	----	----	1	----	47 - 1
4515	----	----	----/249.70A	314.90B/249.70A	----	257.20 - 77.30	.4917	----	----	----	----	200 UNCH
4520	----	----	----/247.50A	312.20B/247.50A	----	255.00 - 76.80	.4890	----	----	----	50	188 + 50
4525	----	----	----/245.50A	309.60B/245.50A	----	252.80 - 76.30	.4863	----	----	----	----	29 UNCH
4530	----	----	----/243.50A	307.00B/243.50A	----	250.70 - 75.80	.4836	----	----	----	----	3 UNCH
4535	----	----	----/241.30A	304.80B/241.30A	----	248.50 - 75.30	.4808	----	----	----	----	14 UNCH
4540	----	----	----/239.30A	303.30B/239.30A	----	246.40 - 74.80	.4781	----	----	50	----	53 + 49
4550	----	----	----/235.20A	296.70B/235.20A	----	242.10 - 73.90	.4727	----	----	----	----	12 UNCH
4560	----	----	----/232.30A	291.80B/232.30A	----	237.90 - 72.90	.4673	----	----	----	----	1 UNCH
4565	----	----	----/230.20A	289.30B/230.20A	----	235.90 - 72.40	.4646	----	----	----	----	1 UNCH
4570	----	----	----/228.30A	287.00B/228.30A	----	233.80 - 71.90	.4619	----	----	----	----	2 UNCH
4575	----	----	----/225.30A	284.80B/225.30A	----	231.80 - 71.40	.4592	----	----	----	----	128 UNCH
4600	252.30	252.30	252.30/215.40A	272.70B/215.40A	----	221.80 - 69.00	.4459	----	----	1	----	329 UNCH
4605	----	----	----/213.90A	270.90B/213.90A	----	219.90 - 68.50	.4432	----	----	----	----	10 UNCH
4610	----	----	----/211.90A	268.10B/211.90A	----	218.00 - 68.00	.4406	----	----	----	----	6 UNCH
4635	----	----	----/203.00A	259.30B/203.00A	----	208.50 - 65.70	.4274	----	----	----	----	86 UNCH
4640	----	----	----/200.80A	258.90B/200.80A	----	206.70 - 65.10	.4248	----	----	----	----	242 UNCH
4645	----	----	----/199.30A	259.20B/199.30A	----	204.90 - 64.60	.4222	----	----	----	----	14 UNCH
4650	----	----	----/197.50A	258.10B/197.50A	----	203.10 - 64.20	.4196	----	----	----	----	210 UNCH
4655	----	----	----/195.70A	256.80B/195.70A	----	201.30 - 63.70	.4170	----	----	----	----	18 UNCH
4660	----	----	----/194.10A	254.80B/194.10A	----	199.50 - 63.20	.4145	----	----	----	----	10 UNCH
4665	214.50	214.50	214.60/192.10A	252.50B/192.10A	----	197.70 - 62.80	.4119	----	----	20	----	268 UNCH
4670	----	----	----/190.70A	250.30B/190.70A	----	196.00 - 62.30	.4093	----	----	----	----	62 UNCH
4675	----	----	----/188.80A	248.10B/188.80A	----	194.20 - 61.90	.4067	----	----	----	----	129 UNCH
4685	----	----	----/185.60A	243.80B/185.60A	----	190.80 - 60.90	.4017	----	----	----	----	10 UNCH
4695	198.20	198.20	198.20/182.30A	239.70B/182.30A	----	187.40 - 60.00	.3966	----	----	9	----	22 + 9
4700	212.80	212.80	212.80/180.20A	237.70B/180.20A	----	185.70 - 59.60	.3940	----	----	11	----	552 - 5
4710	----	----	----/177.60A	233.60B/177.60A	----	182.40 - 58.70	.3890	----	----	----	----	100 UNCH
4725	----	----	----/173.50A	227.60B/173.50A	----	177.60 - 57.30	.3816	----	----	----	----	2 UNCH
4730	----	----	----/172.00A	225.30B/172.00A	----	176.00 - 56.90	.3791	----	----	----	----	1 UNCH
4745	----	----	----/166.80A	219.60B/166.80A	----	171.30 - 55.60	.3718	----	----	----	----	177 UNCH
4750	195.60	195.60	195.60/164.90A	217.70B/164.90A	----	169.80 - 55.10	.3694	----	----	11	----	1064 + 7
4755	195.40	195.40	195.40/163.80A	215.80B/163.80A	----	168.20 - 54.70	.3669	----	----	18	----	12 + 1
4760	----	----	----/162.40A	213.90B/162.40A	----	166.70 - 54.30	.3645	----	----	----	----	47 UNCH
4770	----	----	----/159.40A	210.00B/159.40A	----	163.70 - 53.50	.3597	----	----	----	----	68 UNCH
4780	----	----	----/156.60A	206.50B/156.60A	----	160.80 - 52.60	.3549	----	----	----	----	30 UNCH
4785	----	----	----/155.30A	204.60B/155.30A	----	159.40 - 52.10	.3526	----	----	----	----	11 UNCH
4790	----	----	----/154.80A	202.90B/154.80A	----	157.90 - 51.80	.3502	----	----	----	----	1 UNCH
4800	171.00	171.00	178.00/150.80A	199.20B/150.80A	----	155.10 - 50.90	.3456	----	----	167	----	1944 + 103
4805	----	----	----/150.50A	197.50B/150.50A	----	153.70 - 50.50	.3432	----	----	2	----	0 - 2
4810	----	----	----/149.20A	195.80B/149.20A	----	152.30 - 50.10	.3409	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4815	----	----	----/147.70A	193.90B/147.70A	----	150.90 NEW	.3386	----	----	2	----	0 UNCH
4825	----	----	----/144.60A	190.90B/144.60A	----	148.20 - 49.00	.3340	----	----	1	----	41 UNCH
4830	----	----	----/143.40A	189.30B/143.40A	----	146.90 - 48.50	.3318	----	----	----	----	3 UNCH
4835	----	----	----/142.10A	187.50B/142.10A	----	145.60 - 48.10	.3295	----	----	----	----	6 UNCH
4840	----	----	----/141.30A	186.00B/141.30A	----	144.30 - 47.70	.3273	----	----	----	----	1 UNCH
4845	----	----	----/139.50A	184.30B/139.50A	----	143.00 - 47.30	.3251	----	----	----	----	59 UNCH
4850	----	----	----/138.10A	182.30B/138.10A	----	141.70 - 46.90	.3228	----	----	----	----	315 UNCH
4855	----	----	----/137.70A	180.80B/137.70A	----	140.40 - 46.60	.3206	----	----	----	----	1 UNCH
4860	----	----	----/136.30A	178.70B/136.30A	----	139.10 - 46.20	.3184	----	----	----	----	1 UNCH
4870	----	----	----/133.30A	175.90B/133.30A	----	136.60 - 45.50	.3140	----	----	----	----	60 UNCH
4875	----	----	----/132.20A	174.60B/132.20A	----	135.40 - 45.10	.3118	----	----	----	----	12 UNCH
4880	144.70	144.70	144.70/130.90A	172.80B/130.90A	----	134.20 - 44.70	.3097	----	----	10	----	12 + 10
4885	----	----	----/130.40A	171.30B/130.40A	----	133.00 - 44.30	.3075	----	----	----	----	2 UNCH
4890	----	----	----/129.10A	169.80B/129.10A	----	131.80 - 43.90	.3054	----	----	----	----	1 UNCH
4900	----	----	----/126.00A	166.80B/126.00A	----	129.40 - 43.30	.3011	----	----	4	----	534 - 1
4905	----	----	----/125.80A	165.00B/125.80A	----	128.20 - 42.90	.2990	----	----	----	----	2 UNCH
4910	----	----	----/124.60A	163.90B/124.60A	----	127.10 - 42.50	.2970	----	----	1	----	2 + 1
4915	----	----	----/123.10A	162.30B/123.10A	----	125.90 - 42.20	.2948	----	----	----	----	3 UNCH
4920	----	----	----/121.90A	160.90B/121.90A	----	124.80 - 41.80	.2928	----	----	----	----	6 UNCH
4925	----	----	----/120.80A	159.40B/120.80A	----	123.70 - 41.50	.2907	----	----	----	----	4 UNCH
4930	----	----	----/119.70A	157.90B/119.70A	----	122.60 - 41.10	.2887	----	----	----	----	3 UNCH
4940	----	----	----/117.70A	155.40B/117.70A	----	120.40 - 40.40	.2846	----	----	1	----	163 + 1
4950	----	----	----/115.50A	152.50B/115.50A	----	118.20 - 39.80	.2806	----	----	2	----	111 - 2
4955	----	----	----/114.50A	151.10B/114.50A	----	117.10 - 39.50	.2786	----	----	----	----	62 UNCH
4960	----	----	----/114.00A	149.70B/114.00A	----	116.10 - 39.10	.2766	----	----	----	----	1 UNCH
4965	----	----	----/112.50A	148.30B/112.50A	----	115.00 - 38.80	.2746	----	----	----	----	150 UNCH
4970	----	----	----/111.50A	147.00B/111.50A	----	114.00 - 38.50	.2727	----	----	----	----	13 UNCH
4975	----	----	----/110.60A	145.60B/110.60A	----	113.00 - 38.10	.2708	----	----	----	----	42 UNCH
4980	----	----	----/109.60A	144.30B/109.60A	----	112.00 - 37.80	.2689	----	----	----	----	3 UNCH
4985	----	----	----/108.60A	142.80B/108.60A	----	111.00 - 37.50	.2669	----	----	----	----	27 UNCH
4990	----	----	----/107.60A	141.70B/107.60A	----	110.00 - 37.20	.2650	----	----	----	----	13 UNCH
4995	----	----	----/106.60A	140.50B/106.60A	----	109.00 - 36.90	.2631	----	----	----	----	20 UNCH
5000	124.40	124.40	128.00/105.50A	139.00B/105.50A	----	108.00 - 36.60	.2612	----	----	85	----	1417 + 4
5005	116.50	116.50	116.50/104.80A	137.90B/104.80A	----	107.00 - 36.30	.2593	----	----	3	----	12 + 3
5010	----	----	----/103.90A	136.70B/103.90A	----	106.10 - 35.90	.2575	----	----	----	----	12 UNCH
5020	----	----	----/102.00A	134.40B/102.00A	----	104.20 - 35.30	.2538	----	----	----	----	7 UNCH
5025	----	----	----/101.10A	133.00B/101.10A	----	103.20 - 35.10	.2519	----	----	----	----	5 UNCH
5030	----	----	----/100.40A	131.80B/100.40A	----	102.30 - 34.80	.2501	----	----	----	----	20 UNCH
5035	----	----	----/99.80A	130.70B/99.80A	----	101.40 - 34.50	.2483	----	----	----	----	2 UNCH
5040	----	----	----/99.10A	129.50B/99.10A	----	100.50 - 34.20	.2465	----	----	----	----	2 UNCH
5045	----	----	----/98.10A	128.40B/98.10A	----	99.60 - 33.90	.2447	----	----	----	----	2 UNCH
5050	----	----	----/96.80A	127.00B/96.80A	----	98.70 - 33.60	.2429	----	----	----	----	15 UNCH
5055	----	----	----/96.10A	125.90B/96.10A	----	97.80 - 33.30	.2411	----	----	----	----	8 UNCH
5060	----	----	----/95.10A	125.00B/95.10A	----	97.00 - 33.00	.2395	----	----	----	----	4 UNCH
5065	----	----	----/94.30A	123.80B/94.30A	----	96.10 - 32.70	.2377	----	----	----	----	25 UNCH
5070	----	----	----/93.90A	122.70B/93.90A	----	95.20 - 32.50	.2359	----	----	----	----	1 UNCH
5075	----	----	----/92.70A	121.50B/92.70A	----	94.40 - 32.20	.2343	----	----	----	----	14 UNCH
5080	----	----	----/91.90A	120.40B/91.90A	----	93.60 - 31.90	.2326	----	----	----	----	65 UNCH
5085	----	----	----/91.50A	119.40B/91.50A	----	92.70 - 31.70	.2308	----	----	----	----	2 UNCH
5090	----	----	----/90.60A	118.30B/90.60A	----	91.90 - 31.40	.2292	----	----	----	----	1 UNCH
5095	----	----	----/89.60A	117.00B/89.60A	----	91.10 - 31.10	.2275	----	----	----	----	45 UNCH
5100	94.50	94.50	94.50/88.60A	116.10B/88.60A	----	90.30 - 30.80	.2259	----	----	1	----	559 - 1
5105	----	----	----/88.10A	115.10B/88.10A	----	89.50 - 30.50	.2242	----	----	----	----	61 UNCH
5110	----	----	----/87.20A	114.10B/87.20A	----	88.70 - 30.30	.2226	----	----	----	----	3 UNCH
5115	----	----	----/86.60A	113.00B/86.60A	----	87.90 - 30.00	.2209	----	----	----	----	36 UNCH
5120	----	----	----/85.80A	112.00B/85.80A	----	87.10 - 29.80	.2193	----	----	----	----	7 UNCH
5125	----	----	----/85.00A	111.10B/85.00A	----	86.40 - 29.50	.2178	----	----	----	----	15 UNCH
5130	----	----	----/84.30A	110.00B/84.30A	----	85.60 - 29.30	.2161	----	----	----	----	12 UNCH
5135	----	----	----/83.70A	109.30B/83.70A	----	84.80 - 29.10	.2145	----	----	----	----	163 UNCH
5140	----	----	----/82.90A	108.00B/82.90A	----	84.10 - 28.80	.2130	----	----	----	----	43 UNCH
5145	----	----	----/82.20A	107.20B/82.20A	----	83.40 - 28.50	.2115	----	----	----	----	16 UNCH
5150	----	----	----/81.30A	106.30B/81.30A	----	82.60 - 28.30	.2098	----	----	----	----	704 UNCH
5155	----	----	----/81.20A	105.10B/81.20A	----	81.90 - 28.00	.2083	----	----	----	----	1 UNCH
5160	----	----	----/80.20A	104.30B/80.20A	----	81.20 - 27.80	.2068	----	----	----	----	9 UNCH
5165	----	----	----/79.90A	103.50B/79.90A	----	80.50 - 27.50	.2053	----	----	----	----	2 UNCH
5170	----	----	----/78.80A	102.50B/78.80A	----	79.80 - 27.30	.2038	----	----	----	----	8 UNCH
5175	----	----	----/78.10A	101.40B/78.10A	----	79.10 - 27.10	.2023	----	----	----	----	50 UNCH
5180	----	----	----/77.40A	100.50B/77.40A	----	78.40 - 26.80	.2008	----	----	----	----	12 UNCH
5185	----	----	----/76.80A	99.80B/76.80A	----	77.70 - 26.60	.1993	----	----	----	----	32 UNCH
5190	----	----	----/76.40A	98.90B/76.40A	----	77.00 - 26.40	.1978	----	----	1	----	2 UNCH
5195	----	----	----/75.50A	98.00B/75.50A	----	76.30 - 26.20	.1963	----	----	----	----	7 UNCH
5200	87.00	87.00	87.00/74.70A	97.20B/74.70A	----	75.70 - 25.90	.1950	----	----	56	----	825 + 27
5205	78.10	78.10	78.10/74.40A	96.30B/74.40A	----	75.00 - 25.70	.1935	----	----	3	----	4 + 3
5210	----	----	----/73.60A	95.50B/73.60A	----	74.40 - 25.50	.1921	----	----	----	----	12 UNCH
5215	----	----	----/73.00A	94.30B/73.00A	----	73.70 - 25.30	.1906	----	----	----	----	9 UNCH
5220	----	----	----/72.40A	93.70B/72.40A	----	73.10 - 25.00	.1893	----	----	----	----	18 UNCH
5225	----	----	----/72.00A	92.90B/72.00A	----	72.40 - 24.90	.1878	----	----	----	----	2 UNCH
5230	----	----	----/71.20A	92.00B/71.20A	----	71.80 - 24.60	.1865	----	----	----	----	9 UNCH
5240	----	----	----/70.30A	90.50B/70.30A	----	70.60 - 24.20	.1838	----	----	----	----	1 UNCH
5245	----	----	----/69.40A	89.70B/69.40A	----	70.00 - 24.00	.1824	----	----	----	----	61 UNCH
5250	----	----	----/68.90A	88.90B/68.90A	----	69.30 - 23.90	.1810	----	----	----	----	156 UNCH
5255	----	----	----/68.30A	88.10B/68.30A	----	68.80 - 23.60	.1798	----	----	----	----	13 UNCH
5260	----	----	----/68.00A	87.50B/68.00A	----	68.20 - 23.40	.1784	----	----	----	----	150 UNCH
5265	----	----	----/67.50A	86.70B/67.50A	----	67.60 - 23.20	.1771	----	----	----	----	1 UNCH
5270	----	----	----/66.90A	85.90B/66.90A	----	67.00 - 23.00	.1758	----	----	----	----	10 UNCH
5275	----	----	----/66.40A	85.10B/66.40A	----	66.40 - 22.80	.1744	----	----	----	----	17 UNCH
5280	----	----	----/65.80A	84.30B/65.80A	----	65.80 - 22.60	.1731	----	----	----	----	4 UNCH
5285	----	----	----/65.30A	83.50B/65.30A	----	65.30 - 22.40	.1719	----	----	----	----	13 UNCH
5290	----	----	----/64.70A	82.90B/64.70A	----	64.70 - 22.20	.1706	----	----	----	----	33 UNCH
5295	----	----	----/64.00A	82.20B/64.00A	----	64.20 - 22.00	.1694	----	----	----	----	1 UNCH
5300	73.00	73.00	73.00/63.80A	81.50B/63.80A	----	63.60 - 21.90	.1681	----	----	25	----	517 UNCH
5305	70.60	70.60	74.20/63.00A	80.90B/63.00A	----	63.10 - 21.60	.1669	----	----	4	----	27 UNCH
5310	----	----	----/62.50A	80.10B/62.50A	----	62.50 - 21.50	.1656	----	----	----	----	3 UNCH
5315	----	----	----/62.00A	79.40B/62.00A	----	62.00 - 21.30	.1644	----	----	----	----	13 UNCH
5320	----	----	----/61.50A	78.60B/61.50A	----	61.50 - 21.10	.1633	----	----	----	----	7 UNCH
5325	----	----	----/61.20A	78.00B/61.20A	----	61.00 - 20.90	.1621	----	----	180	----	156 + 152
5330	----	----	----/60.70A	77.30B/60.70A	----	60.40 - 20.80	.1608	----	----	----	----	1 UNCH
5345	----	----	----/59.30A	75.40B/59.30A	----	58.90 - 20.20	.1573	----	----	----	----	8 UNCH
5350	----	----	----/58.70A	74.70B/58.70A	----	58.40 - 20.00	.1561	----	----	----	----	429 UNCH
5355	59.40	59.40	59.40/58.30A	74.20B/58.30A	----	57.90 - 19.90	.1550	----	----	3	----	4 + 3
5360	----	----	----/57.80A	73.40B/57.80A	----	57.40 - 19.70	.1538	----	----	----	----	333 UNCH
5365	----	----	----/57.30A	72.70B/57.30A	----	57.00 - 19.50	.1528	----	----	----	----	6 UNCH
5370	----	----	----/56.90A	72.20B/56.90A	----	56.50 - 19.30	.1517	----	----	----	----	10 UNCH
5375	----	----	----/56.40A	71.50B/56.40A	----	56.00 - 19.20	.1505	----	----	----	----	3 UNCH
5380	----	----	----/56.00A	71.00B/56.00A	----	55.50 - 19.10	.1494	----	----	----	----	5 UNCH
5385	----	----	----/55.60A	70.50B/55.60A	----	55.10 - 18.80	.1484	----	----	----	----	16 UNCH
5390	----	----	----/55.00A	69.80B/55.00A	----	54.60 - 18.70	.1472	----	----	----	----	12 UNCH
5395	----	----	----/54.70A	69.20B/54.70A	----	54.20 - 18.50	.1462	----	----	----	----	22 UNCH
5400	56.50	56.50	56.50/54.30A	68.50B/54.30A	----	53.70 - 18.40	.1451	----	----	1	----	4296 UNCH
5405	----	----	----/53.90A	68.00B/53.90A	----	53.30 - 18.20	.1441	----	----	----	----	7 UNCH
5410	----	----	----/53.40A	67.40B/53.40A	----	52.80 - 18.10	.1429	----	----	----	----	26 UNCH
5415	----	----	----/53.10A	67.00B/53.10A	----	52.40 - 17.90	.1420	----	----	----	----	17 UNCH
5420	----	----	----/52.60A	66.30B/52.60A	----	52.00 - 17.70	.1410	----	----	----	----	10 UNCH
5425	54.30	54.30	54.30/52.20A	65.70B/52.20A	----	51.50 - 17.60	.1398	----	----	2	----	3 + 2
5430	----	----	----/51.80A	65.20B/51.80A	----	51.10 - 17.50	.1389	----	----	----	----	5 UNCH
5435	----	----	----/51.40A	64.70B/51.40A	----	50.70 - 17.30	.1379	----	----	----	----	2 UNCH
5440	----	----	----/51.00A	64.10B/51.00A	----	50.30 - 17.10	.1369	----	----	----	----	2 UNCH
5445	55.60	55.60	55.60/50.60A	63.60B/50.60A	----	49.90 - 17.00	.1359	----	----	1	----	8 + 1
5450	----	----	----/50.20A	63.20B/50.20A	----	49.50 - 16.80	.1350	----	----	----	----	1186 UNCH
5455	----	----	----/49.80A	62.50B/49.80A	----	49.10 - 16.70	.1340	----	----	----	----	11 UNCH
5460	----	----	----/49.40A	61.90B/49.40A	----	48.70 - 16.50	.1330	----	----	----	----	12 UNCH
5465	----	----	----/49.10A	61.40B/49.10A	----	48.30 - 16.40	.1320	----	----	----	----	16 UNCH
5470	----	----	----/48.80A	61.00B/48.80A	----	47.90 - 16.30	.1311	----	----	----	----	17 UNCH
5475	----	----	----/48.40A	60.50B/48.40A	----	47.50 - 16.10	.1301	----	----	----	----	206 UNCH
5480	----	----	----/48.00A	59.90B/48.00A	----	47.10 - 16.00	.1291	----	----	----	----	5 UNCH
5485	----	----	----/47.70A	59.50B/47.70A	----	46.70 - 15.90	.1282	----	----	----	----	3 UNCH
5490	----	----	----/47.20A	58.90B/47.20A	----	46.40 - 15.70	.1274	----	----	----	----	17 UNCH
5495	----	----	----/46.90A	58.50B/46.90A	----	46.00 - 15.60	.1264	----	----	----	----	1 UNCH
5500	51.50	51.50	51.50/46.60A	58.00B/46.60A	----	45.60 - 15.50	.1255	----	----	2	----	2917 - 2
5510	----	----	----/45.80A	57.00B/45.80A	----	44.90 - 15.20	.1237	----	----	----	----	5 UNCH
5515	----	----	----/45.50A	56.60B/45.50A	----	44.60 - 15.00	.1229	----	----	----	----	9 UNCH
5520	----	----	----/45.20A	56.20B/45.20A	----	44.20 - 14.90	.1220	----	----	----	----	11 UNCH
5530	----	----	----/44.50A	55.20B/44.50A	----	43.50 - 14.70	.1202	----	----	----	----	24 UNCH
5535	----	----	----/44.20A	54.80B/44.20A	----	43.20 - 14.50	.1194	----	----	----	----	1 UNCH
5540	----	----	----/43.80A	54.30B/43.80A	----	42.80 - 14.40	.1185	----	----	----	----	16 UNCH
5545	----	----	----/43.50A	53.90B/43.50A	----	42.50 - 14.30	.1177	----	----	----	----	8 UNCH
5550	----	----	----/43.20A	53.30B/43.20A	----	42.20 - 14.10	.1169	----	----	----	----	162 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5555	----	----	----/42.90A	53.00B/42.90A	----	41.90 - 14.00	.1162	----	----	----	----	23 UNCH
5560	----	----	----/42.60A	52.60B/42.60A	----	41.50 - 13.90	.1152	----	----	----	----	21 UNCH
5565	----	----	----/42.30A	52.10B/42.30A	----	41.20 - 13.80	.1144	----	----	----	----	1 UNCH
5570	----	----	----/41.90A	51.80B/41.90A	----	40.90 - 13.70	.1137	----	----	----	----	2 UNCH
5575	41.70	41.70	41.70/41.60A	51.20B/41.60A	----	40.60 - 13.50	.1129	----	----	2	----	14 + 2
5580	----	----	----/41.40A	51.00B/41.40A	----	40.30 - 13.40	.1121	----	----	----	----	2 UNCH
5585	----	----	----/41.10A	50.50B/41.10A	----	40.00 - 13.30	.1114	----	----	----	----	9 UNCH
5590	----	----	----/40.70A	50.00B/40.70A	----	39.70 - 13.20	.1106	----	----	1	----	1 UNCH
5595	----	----	----/40.40A	49.70B/40.40A	----	39.40 - 13.10	.1098	----	----	----	----	16 UNCH
5600	----	----	----/40.10A	49.30B/40.10A	----	39.10 - 13.00	.1091	----	----	1	----	2800 - 1
5605	----	----	----/39.90A	48.80B/39.90A	----	38.80 - 12.80	.1083	----	----	----	----	26 UNCH
5610	----	----	----/39.60A	48.40B/39.60A	----	38.50 - 12.70	.1075	----	----	----	----	1 UNCH
5615	----	----	----/39.30A	48.20B/39.30A	----	38.20 - 12.60	.1068	----	----	----	----	1 UNCH
5625	----	----	----/38.80A	47.40B/38.80A	----	37.70 - 12.40	.1054	----	----	----	----	10 UNCH
5630	----	----	----/38.50A	47.10B/38.50A	----	37.40 - 12.30	.1047	----	----	----	----	5 UNCH
5635	----	----	----/38.20A	46.80B/38.20A	----	37.10 - 12.20	.1039	----	----	----	----	8 UNCH
5640	----	----	----/37.90A	46.30B/37.90A	----	36.80 - 12.10	.1032	----	----	----	----	4 UNCH
5650	39.10	39.10	39.30/37.40A	45.60B/37.40A	----	36.30 - 11.90	.1018	----	----	300	----	304 + 235
5660	----	----	----/36.90A	44.90B/36.90A	----	35.80 - 11.70	.1005	----	----	----	----	1 UNCH
5670	----	----	----/36.30A	44.30B/36.30A	----	35.30 - 11.40	.0992	----	----	----	----	8 UNCH
5675	----	----	----/36.10A	43.90B/36.10A	----	35.00 - 11.40	.0984	----	----	----	----	6 UNCH
5680	----	----	----/35.80A	43.60B/35.80A	----	34.80 - 11.20	.0979	----	----	----	----	3 UNCH
5690	----	----	----/35.30A	42.90B/35.30A	----	34.30 - 11.10	.0966	----	----	----	----	2 UNCH
5700	----	----	----/34.80A	42.30B/34.80A	----	33.80 - 10.90	.0952	----	----	60	----	704 UNCH
5710	----	----	----/34.30A	41.70B/34.30A	----	33.30 - 10.70	.0939	----	----	----	----	2 UNCH
5720	----	----	----/33.90A	41.00B/33.90A	----	32.90 - 10.50	.0928	----	----	----	----	280 UNCH
5725	----	----	----/33.60A	40.70B/33.60A	----	32.70 - 10.40	.0923	----	----	----	----	42 UNCH
5730	----	----	----/33.40A	40.40B/33.40A	----	32.40 - 10.30	.0915	----	----	----	----	3 UNCH
5740	----	----	----/33.00A	39.80B/33.00A	----	32.00 - 10.10	.0904	----	----	----	----	3 UNCH
5750	37.10	37.10	37.10/32.50A	39.10B/32.50A	----	31.60 - 9.90	.0893	----	----	2	----	1715 UNCH
5760	----	----	----/32.10A	38.60B/32.10A	----	31.20 - 9.70	.0882	----	----	180	----	166 + 154
5770	----	----	----/31.60A	38.10B/31.60A	----	30.80 - 9.60	.0871	----	----	----	----	4 UNCH
5775	----	----	----/31.40A	37.80B/31.40A	----	30.60 - 9.50	.0866	----	----	----	----	216 UNCH
5780	----	----	----/31.30A	37.50B/31.30A	----	30.40 - 9.40	.0861	----	----	----	----	2 UNCH
5790	----	----	----/30.90A	36.90B/30.90A	----	30.00 - 9.20	.0850	----	----	----	----	7 UNCH
5800	----	----	----/30.50A	36.40B/30.50A	----	29.60 - 9.10	.0839	----	----	----	----	886 UNCH
5810	----	----	----/30.10A	35.90B/30.10A	----	29.20 - 8.90	.0828	----	----	----	----	5 UNCH
5820	----	----	----/29.70A	35.40B/29.70A	----	28.90 - 8.70	.0819	----	----	----	----	376 UNCH
5825	----	----	----/29.50A	35.10B/29.50A	----	28.70 - 8.70	.0814	----	----	----	----	5 UNCH
5830	----	----	----/29.30A	34.80B/29.30A	----	28.50 - 8.60	.0809	----	----	----	----	1 UNCH
5840	----	----	----/29.00A	34.40B/29.00A	----	28.20 - 8.40	.0800	----	----	----	----	102 UNCH
5850	----	----	----/28.60A	33.60B/28.60A	----	27.80 - 8.30	.0789	----	----	----	----	108 UNCH
5860	----	----	----/28.20A	33.20B/28.20A	----	27.50 - 8.10	.0781	----	----	----	----	67 UNCH
5870	----	----	----/27.90A	32.80B/27.90A	----	27.20 - 8.00	.0772	----	----	----	----	10 UNCH
5875	----	----	----/27.70A	32.50B/27.70A	----	27.00 - 7.90	.0767	----	----	----	----	22 UNCH
5880	----	----	----/27.50A	32.30B/27.50A	----	26.90 - 7.80	.0764	----	----	----	----	9 UNCH
5890	----	----	----/27.20A	31.90B/27.20A	----	26.50 - 7.70	.0753	----	----	----	----	6 UNCH
5900	25.80	25.80	27.70/25.70A	31.40B/25.70A	----	26.20 - 7.60	.0745	----	----	5	----	435 + 4
5910	----	----	----/26.50A	31.00B/26.50A	----	25.90 - 7.50	.0736	----	----	----	----	6 UNCH
5920	----	----	----/26.20A	30.60B/26.20A	----	25.60 - 7.30	.0728	----	----	----	----	23 UNCH
5925	----	----	----/26.10A	30.40B/26.10A	----	25.50 - 7.20	.0724	----	----	----	----	6 UNCH
5940	----	----	----/25.60A	29.70B/25.60A	----	25.00 - 7.10	.0711	----	----	----	----	2 UNCH
5950	----	----	----/25.30A	29.30B/25.30A	----	24.70 - 7.00	.0703	----	----	----	----	3 UNCH
5960	----	----	----/25.00A	28.90B/25.00A	----	24.40 - 6.90	.0694	----	----	----	----	14 UNCH
5970	----	----	----/24.70A	28.50B/24.70A	----	24.10 - 6.80	.0686	----	----	----	----	54 UNCH
5980	----	----	----/24.80A	25.70B/24.80A	----	23.80 - 6.70	.0678	----	----	----	----	3 UNCH
5990	----	----	----/24.40A	27.90B/24.40A	----	23.50 - 6.60	.0669	----	----	----	----	70 UNCH
6000	26.00	26.00	27.00B/24.20A	27.00B/24.20A	----	23.20 - 6.60	.0661	----	----	218	----	2150 - 26
6025	----	----	----/23.50A	24.30B/23.50A	----	22.50 - 6.40	.0642	----	----	----	----	14 UNCH
6050	----	----	----/22.80A	23.70B/22.80A	----	21.80 - 6.20	.0623	----	----	----	----	42 UNCH
6075	----	----	----/22.20A	22.90B/22.20A	----	21.10 - 6.10	.0603	----	----	----	----	63 UNCH
6100	----	----	----/21.50A	23.70B/21.50A	----	20.50 - 5.80	.0587	----	----	----	----	231 UNCH
6125	23.00	23.00	23.00/20.90A	23.00/20.90A	----	19.90 - 5.70	.0570	----	----	3	----	46 UNCH
6150	----	----	----/20.30A	20.60B/20.30A	----	19.30 - 5.50	.0553	----	----	----	----	854 UNCH
6175	----	----	----/19.80A	20.10B/19.80A	----	18.70 - 5.40	.0537	----	----	----	----	38 UNCH
6200	20.80	20.80	20.80/19.20A	20.80/19.20A	----	18.20 - 5.20	.0522	----	----	1	----	529 + 1
6225	----	----	----/18.70A	19.40B/18.70A	----	17.70 - 5.00	.0508	----	----	----	----	18 UNCH
6250	----	----	----/18.20A	18.50B/18.20A	----	17.20 - 4.80	.0494	----	----	----	----	2014 UNCH
6275	----	----	----/17.90A	17.70B/17.90A	----	16.80 - 4.50	.0482	----	----	----	----	2 UNCH
6300	----	----	----/17.30A	17.60B/17.30A	----	16.40 - 4.30	.0470	----	----	----	----	325 UNCH
6325	----	----	----/17.00A	16.80B/17.00A	----	16.00 - 4.10	.0458	----	----	----	----	29 UNCH
6350	----	----	----/16.50A	16.40B/16.50A	----	15.60 - 3.90	.0447	----	----	----	----	32 UNCH
6375	----	----	----/16.20A	15.90B/16.20A	----	15.20 - 3.80	.0435	----	----	----	----	37 UNCH
6400	----	----	----/15.70A	16.80B/15.70A	----	14.80 - 3.60	.0424	----	----	1	----	177 UNCH
6425	----	----	----/15.30A	15.00B/15.30A	----	14.50 - 3.40	.0415	----	----	----	----	12 UNCH
6450	----	----	----/15.10A	15.90B/15.10A	----	14.20 - 3.20	.0405	----	----	----	----	33 UNCH
6475	----	----	----/14.60A	14.40B/14.60A	----	13.90 - 3.00	.0396	----	----	----	----	14 UNCH
6500	13.90	13.90	13.90/13.90	14.00B/13.90	----	13.60 - 2.80	.0387	----	----	8	----	1621 + 4
6525	----	----	----/14.00A	13.50B/14.00A	----	13.30 - 2.70	.0379	----	----	----	----	132 UNCH
6575	----	----	----/13.40A	12.90B/13.40A	----	12.70 - 2.40	.0361	----	----	----	----	4 UNCH
6600	----	----	----/12.90A	12.70B/12.90A	----	12.50 - 2.30	.0355	----	----	----	----	29 UNCH
6650	----	----	----/12.60A	12.20B/12.60A	----	12.00 - 2.00	.0340	----	----	----	----	17 UNCH
6675	----	----	----/12.30A	12.60B/12.30A	----	11.70 - 2.00	.0331	----	----	----	----	1 UNCH
6700	----	----	----/12.00A	11.70B/12.00A	----	11.50 - 1.90	.0325	----	----	----	----	87 UNCH
6800	----	----	----/10.00A	10.70B/10.00A	----	10.70 - 1.50	.0300	----	----	----	----	199 UNCH
6850	----	----	----/10.70A	10.20B/10.70A	----	10.30 - 1.40	.0288	----	----	----	----	201 UNCH
6875	----	----	----/10.60A	9.90B/10.60A	----	10.10 - 1.40	.0283	----	----	----	----	22 UNCH
6900	----	----	----/10.30A	9.80B/10.30A	----	9.90 - 1.40	.0277	----	----	----	----	19 UNCH
6925	----	----	----/10.00A	9.40B/10.00A	----	9.70 - 1.40	.0271	----	----	----	----	1 UNCH
6950	----	----	----/9.90A	9.50B/9.90A	----	9.60 - 1.30	.0267	----	----	----	----	22 UNCH
6975	----	----	----/9.80A	9.80B/9.80A	----	9.40 - 1.30	.0262	----	----	----	----	1 UNCH
7000	10.00	10.00	10.00/9.60A	10.00/9.60A	----	9.20 - 1.30	.0256	----	----	4	----	808 - 4
7075	----	----	----/9.20A	8.30B/9.20A	----	8.80 - 1.20	.0243	----	----	----	----	13 UNCH
7100	----	----	----/9.10A	8.40B/9.10A	----	8.60 - 1.20	.0238	----	----	----	----	2 UNCH
7125	----	----	----/9.00A	8.10B/9.00A	----	8.50 - 1.10	.0234	----	----	----	----	1 UNCH
7175	----	----	----/8.70A	7.80B/8.70A	----	8.20 - 1.10	.0226	----	----	----	----	1 UNCH
7200	----	----	----/8.50A	7.70B/8.50A	----	8.10 - 1.10	.0222	----	----	----	----	3 UNCH
7225	----	----	----/8.40A	7.90B/8.40A	----	8.00 - 1.10	.0219	----	----	----	----	17 UNCH
7250	----	----	----/8.30A	7.60B/8.30A	----	7.90 - 1.00	.0216	----	----	----	----	2 UNCH
7275	----	----	----/8.20A	7.40B/8.20A	----	7.70 - 1.10	.0211	----	----	----	----	14 UNCH
7300	----	----	----/8.00A	7.10B/8.00A	----	7.60 - 1.10	.0208	----	----	----	----	7 UNCH
7350	----	----	----/7.90A	6.90B/7.90A	----	7.40 - 1.00	.0201	----	----	----	----	6 UNCH
7400	----	----	----/7.60A	6.70B/7.60A	----	7.20 - 1.00	.0195	----	----	----	----	1 UNCH
7425	----	----	----/7.50A	6.60B/7.50A	----	7.10 - 1.00	.0192	----	----	----	----	19 UNCH
7450	----	----	----/7.40A	6.60B/7.40A	----	7.00 - 1.00	.0189	----	----	----	----	16 UNCH
7475	----	----	----/7.30A	6.40B/7.30A	----	6.90 - 1.00	.0186	----	----	----	----	9 UNCH
7500	----	----	----/7.20A	6.40B/7.20A	----	6.80 - 1.00	.0183	----	----	10	----	291 UNCH
7525	----	----	----/7.10A	6.30B/7.10A	----	6.70 - 1.00	.0180	----	----	----	----	33 UNCH
7550	----	----	----/7.00A	6.20B/7.00A	----	6.70 - 0.90	.0180	----	----	----	----	50 UNCH
7575	----	----	----/6.90A	6.00B/6.90A	----	6.60 - 0.90	.0177	----	----	----	----	1 UNCH
7600	----	----	----/6.90A	6.00B/6.90A	----	6.50 - 0.90	.0174	----	----	----	----	10 UNCH
7625	----	----	----/6.80A	5.90B/6.80A	----	6.40 - 0.90	.0171	----	----	----	----	12 UNCH
7700	----	----	----/6.50A	5.60B/6.50A	----	6.20 - 0.90	.0165	----	----	----	----	11 UNCH
7725	----	----	----/6.50A	5.50B/6.50A	----	6.10 - 0.90	.0162	----	----	----	----	11 UNCH
7775	----	----	----/6.30A	5.30B/6.30A	----	6.00 - 0.80	.0158	----	----	----	----	5 UNCH
7800	----	----	----/6.30A	5.40B/6.30A	----	5.90 - 0.90	.0156	----	----	----	----	3 UNCH
7825	----	----	----/6.20A	5.10B/6.20A	----	5.80 - 0.90	.0153	----	----	----	----	10 UNCH
7875	----	----	----/6.10A	5.10B/6.10A	----	5.70 - 0.80	.0150	----	----	----	----	140 UNCH
8000	6.50	6.50	6.50/5.70A	6.50/5.70A	----	5.40 - 0.80	.0141	----	----	1	----	591 + 1
8300	----	----	----/5.00A	4.10B/5.00A	----	4.80 - 0.60	.0122	----	----	----	----	4 UNCH
8500	----	----	----/4.60A	3.70B/4.60A	----	4.40 - 0.60	.0111	----	----	----	----	6 UNCH
8600	----	----	----/4.50A	3.60B/4.50A	----	4.20 - 0.50	.0106	----	----	----	----	1 UNCH
8800	----	----	----/4.10A	3.30B/4.10A	----	3.80 - 0.50	.0095	----	----	----	----	7 UNCH
9000	----	----	----/3.80A	3.00B/3.80A	----	3.40 - 0.50	.0085	----	----	----	----	224 UNCH
9200	----	----	----	2.80B/3.50A	----	3.10 - 0.30	.0077	----	----	----	----	11 UNCH
9300	----	----	----	2.70B/3.50A	----	2.90 - 0.30	.0072	----	----	----	----	4 UNCH
9400	----	----	----	2.50B/3.40A	----	2.70 - 0.40	.0067	----	----	----	----	141 UNCH
9500	----	----	----	2.40B/3.30A	----	2.60 - 0.30	.0064	----	----	----	----	66 UNCH
9900	----	----	----	2.10B/2.80A	----	2.10 - 0.20	.0051	----	----	----	----	5 UNCH
10000	2.00	2.00	2.00/2.00	2.00/2.00	----	2.00 - 0.30	.0049	----	----	1	----	174 UNCH
10100	----	----	----	2.00B/2.60A	----	2.00 - 0.20	.0048	----	----	----	----	11 UNCH
11000	----	----	----/*1.70A	1.30B/1.70A	----	1.70 - 0.10	.0039	----	----	----	----	86 UNCH
11200	----	----	----	0.90B/2.00A	----	1.60 UNCH	.0037	----	----	----	----	13 UNCH
11500	----	----	----	0.80B/1.70A	----	1.30 - 0.10	.0030	----	----	----	----	46 UNCH
11600	----	----	----	0.80B/1.40A	----	1.30 UNCH	.0030	----	----	----	----	48 UNCH
12000	----	----	----	0.60B/1.50A	----	1.10 UNCH	.0025	----	----	----	----	215 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 40

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
TOTAL										1483	50	51740 + 784
AUG26												
3400	----	----	----	----	----	1077.60 - 58.00	.9101	----	----	----	----	1 UNCH
3500	----	----	----	770.20B/1216.80A	----	989.10 - 53.20	.8900	----	----	----	----	46 UNCH
3505	----	----	----	776.40B/1212.50A	----	984.70 - 53.00	.8888	----	----	----	----	4 UNCH
3520	----	----	----	779.60B/1199.70A	----	971.70 - 52.10	.8856	----	----	----	----	65 UNCH
3550	----	----	----	758.10B/1174.20A	----	945.80 - 50.50	.8786	----	----	----	----	310 UNCH
3600	----	----	----	809.20B/1132.20A	----	903.20 - 47.50	.8663	----	----	----	----	1045 UNCH
3610	----	----	----	800.10B/1123.90A	----	894.80 - 46.90	.8637	----	----	----	----	6 UNCH
3650	----	----	----	764.00B/1091.20A	----	861.30 - 44.40	.8532	----	----	----	----	4 UNCH
3660	----	----	----	755.10B/1083.50A	----	853.00 - 43.80	.8505	----	----	----	----	2 UNCH
3685	----	----	----	732.80B/1064.30A	----	832.40 - 42.20	.8435	----	----	----	----	1 UNCH
3700	----	----	----	719.50B/1052.90A	----	820.10 - 41.20	.8392	----	----	----	----	40 UNCH
3715	----	----	----	706.20B/1041.60A	----	807.90 - 40.20	.8348	----	----	----	----	30 UNCH
3720	----	----	----	701.80B/1034.30A	----	803.80 - 40.00	.8334	----	----	----	----	1 UNCH
3735	----	----	----	688.70B/1018.00A	----	791.70 - 38.90	.8289	----	----	----	----	1 UNCH
3750	----	----	----	675.60B/1004.80A	----	779.70 - 37.90	.8244	----	----	----	----	8 UNCH
3775	----	----	----	653.90B/982.70A	----	759.70 - 36.30	.8166	----	----	----	----	4 UNCH
3780	----	----	----	649.60B/978.30A	----	755.80 - 35.90	.8150	----	----	----	----	10 UNCH
3790	----	----	----	641.00B/971.40A	----	747.90 - 35.20	.8118	----	----	----	----	67 UNCH
3800	----	----	----	632.40B/961.30A	----	740.00 - 34.50	.8086	----	----	----	----	303 UNCH
3820	----	----	----	615.40B/947.60A	----	724.40 - 33.10	.8020	----	----	----	----	3 UNCH
3840	----	----	----	598.40B/930.70A	----	708.90 - 31.70	.7954	----	----	----	----	1 UNCH
3850	----	----	----	590.00B/920.20A	----	701.20 - 31.00	.7919	----	----	----	----	12 UNCH
3885	----	----	----	559.10B/917.70A	----	674.60 - 28.50	.7797	----	----	----	----	2 UNCH
3890	----	----	----	554.80B/883.20A	----	670.80 - 28.10	.7779	----	----	----	----	2 UNCH
3900	----	----	----	546.00B/876.70A	----	663.30 - 27.40	.7743	----	----	----	----	146 UNCH
3920	----	----	----	528.70B/861.20A	----	648.40 - 26.00	.7671	----	----	----	----	1 UNCH
3925	----	----	----	524.40B/852.80A	----	644.70 - 25.60	.7652	----	----	----	----	10 UNCH
3950	----	----	----	503.00B/831.80A	----	626.40 - 23.70	.7559	----	----	----	----	106 UNCH
3955	----	----	----	498.80B/829.30A	----	622.80 - 23.30	.7540	----	----	----	----	7 UNCH
3975	----	----	----	481.90B/854.40A	----	608.30 - 21.80	.7463	----	----	----	----	200 UNCH
3995	----	----	----	465.20B/793.50A	----	594.00 - 20.30	.7385	----	----	----	----	30 UNCH
4000	----	----	----	461.10B/833.40A	----	590.50 - 19.90	.7365	----	----	----	----	714 UNCH
4005	----	----	----	456.90B/829.30A	----	587.00 - 19.50	.7345	----	----	----	----	1 UNCH
4015	----	----	----	448.70B/820.50A	----	579.90 - 18.80	.7305	----	----	----	----	12 UNCH
4025	----	----	----	440.50B/813.30A	----	572.90 - 18.00	.7265	----	----	----	----	174 UNCH
4045	----	----	----/551.60A	529.40B/551.60A	----	559.10 - 16.40	.7183	----	----	----	----	30 UNCH
4050	----	----	----/548.80A	530.80B/548.80A	----	555.70 - 16.00	.7163	----	----	----	----	100 UNCH
4055	----	----	----/545.40A	532.90B/545.40A	----	552.20 - 15.70	.7142	----	----	----	----	100 UNCH
4075	----	----	----/531.70A	536.30B/531.70A	----	538.70 - 14.00	.7058	----	----	----	----	3 UNCH
4080	----	----	----/528.40A	535.60B/528.40A	----	535.30 - 13.70	.7037	----	----	----	----	1 UNCH
4100	----	----	----/515.90A	529.60B/515.90A	----	522.00 - 12.00	.6952	----	----	----	----	73 UNCH
4110	----	----	----/509.50A	524.90B/509.50A	----	515.40 - 11.20	.6909	----	----	----	----	19 UNCH
4135	----	----	----/493.50A	532.40B/493.50A	----	499.10 - 09.20	.6800	----	----	----	----	20 UNCH
4140	----	----	----/490.40A	533.90B/490.40A	----	495.90 - 08.80	.6778	----	----	----	----	1 UNCH
4150	----	----	----/483.70A	531.10B/483.70A	----	489.50 - 08.00	.6734	----	----	----	----	40 UNCH
4165	----	----	----/474.90A	530.10B/474.90A	----	480.00 - 06.70	.6667	----	----	----	----	1 UNCH
4195	----	----	----/456.60A	518.10B/456.60A	----	461.30 - 04.20	.6532	----	----	----	----	3 UNCH
4200	----	----	----/453.60A	514.90B/453.60A	----	458.20 - 03.80	.6509	----	----	----	----	75 UNCH
4215	----	----	----/444.70A	505.20B/444.70A	----	449.10 - 02.60	.6440	----	----	----	----	1 UNCH
4220	----	----	----/441.80A	501.90B/441.80A	----	446.10 - 02.10	.6417	----	----	----	----	16 UNCH
4225	----	----	----/438.80A	498.50B/438.80A	----	443.10 - 01.70	.6394	----	----	----	----	102 UNCH
4235	----	----	----/433.00A	492.30B/433.00A	----	437.10 - 00.90	.6347	----	----	----	----	1 UNCH
4250	----	----	----/424.40A	482.90B/424.40A	----	428.30 - 99.50	.6277	----	----	----	----	71 UNCH
4265	----	----	----/415.90A	473.50B/415.90A	----	419.50 - 98.30	.6207	----	----	----	----	77 UNCH
4285	----	----	----/404.70A	460.90B/404.70A	----	408.10 - 96.50	.6112	----	----	----	----	8 UNCH
4300	----	----	----/396.50A	452.10B/396.50A	----	399.60 - 95.30	.6041	----	----	----	----	42 UNCH
4320	----	----	----/385.70A	439.90B/385.70A	----	388.60 - 93.40	.5945	----	----	----	----	2 UNCH
4325	----	----	----/383.10A	437.20B/383.10A	----	385.80 - 93.10	.5921	----	----	----	----	6 UNCH
4330	----	----	----/380.50A	434.30B/380.50A	----	383.10 - 92.60	.5897	----	----	----	----	201 UNCH
4350	----	----	----/370.00A	422.60B/370.00A	----	372.40 - 90.80	.5801	----	----	----	----	774 UNCH
4360	----	----	----/364.80A	416.90B/364.80A	----	367.10 - 89.90	.5752	----	----	----	----	1 UNCH
4375	----	----	----/357.30A	408.50B/357.30A	----	359.30 - 88.60	.5679	----	----	----	----	3 UNCH
4385	----	----	----/352.10A	406.80B/352.10A	----	354.10 - 87.70	.5631	----	----	----	----	100 UNCH
4390	----	----	----/349.60A	408.90B/349.60A	----	351.60 - 87.20	.5606	----	----	----	----	1 UNCH
4400	----	----	----/344.70A	407.10B/344.70A	----	346.50 - 86.40	.5558	----	----	----	----	324 - 1
4420	----	----	----/334.90A	399.90B/334.90A	----	336.60 - 84.60	.5460	----	----	----	----	50 UNCH
4425	----	----	----/332.50A	396.20B/332.50A	----	334.10 - 84.20	.5435	----	----	----	----	5 UNCH
4440	----	----	----/325.60A	387.90B/325.60A	----	326.80 - 82.90	.5362	----	----	----	----	1 UNCH
4450	----	----	----/320.80A	383.10B/320.80A	----	322.10 - 81.90	.5313	----	----	----	----	6 UNCH
4455	----	----	----/318.80A	380.40B/318.80A	----	319.70 - 81.50	.5289	----	----	----	----	2 UNCH
4460	----	----	----/316.20A	377.40B/316.20A	----	317.30 - 81.10	.5264	----	----	----	----	5 UNCH
4465	----	----	----/314.10A	374.20B/314.10A	----	315.00 - 80.70	.5240	----	----	----	----	9 UNCH
4470	----	----	----/311.80A	372.00B/311.80A	----	312.70 - 80.20	.5215	----	----	----	----	7 UNCH
4475	----	----	----/309.50A	369.20B/309.50A	----	310.30 - 79.90	.5191	----	----	----	----	29 UNCH
4485	----	----	----/304.90A	363.90B/304.90A	----	305.80 - 78.90	.5142	----	----	----	----	5 UNCH
4500	----	----	----/298.60A	356.00B/298.60A	----	299.00 - 77.70	.5069	----	----	256	----	845 + 157
4535	----	----	----/283.50A	338.10B/283.50A	----	283.60 - 74.80	.4900	----	----	----	----	10 UNCH
4545	----	----	----/279.40A	333.10B/279.40A	----	279.40 - 74.00	.4852	----	----	----	----	1 UNCH
4550	----	----	----/277.60A	330.30B/277.60A	----	277.30 - 73.50	.4827	----	----	----	----	22 UNCH
4555	269.60	269.60	269.60/269.60	328.20B/269.60	----	275.20 - 73.10	.4803	----	----	1	----	1 UNCH
4565	----	----	----/271.40A	323.30B/271.40A	----	271.00 - 72.40	.4755	----	----	----	----	1 UNCH
4575	----	----	----/267.50A	318.50B/267.50A	----	266.90 - 71.60	.4707	----	----	----	----	34 UNCH
4580	----	----	----/265.60A	316.20B/265.60A	----	264.90 - 71.20	.4684	----	----	----	----	200 UNCH
4590	----	----	----/261.60A	311.80B/261.60A	----	260.90 - 70.40	.4636	----	----	----	----	11 UNCH
4595	----	----	----/259.70A	309.20B/259.70A	----	258.90 - 70.00	.4612	----	----	----	----	2 UNCH
4600	----	----	----/257.80A	306.70B/257.80A	----	256.90 - 69.60	.4589	----	----	1	----	92 + 1
4605	----	----	----/255.90A	304.40B/255.90A	----	255.00 - 69.20	.4565	----	----	----	----	1 UNCH
4620	----	----	----/250.40A	297.60B/250.40A	----	249.20 - 68.00	.4494	----	----	3	----	4 + 3
4640	----	----	----/242.90A	288.60B/242.90A	----	241.60 - 66.50	.4401	----	----	----	----	1 UNCH
4650	----	----	----/239.40A	284.40B/239.40A	----	237.90 - 65.70	.4354	----	----	----	----	144 UNCH
4670	----	----	----/232.40A	276.20B/232.40A	----	230.70 - 64.20	.4262	----	----	----	----	3 UNCH
4675	----	----	----/230.70A	273.80B/230.70A	----	228.90 - 63.80	.4239	----	----	----	----	36 UNCH
4700	----	----	----/222.50A	263.30B/222.50A	----	220.30 - 61.90	.4126	----	----	----	----	1613 UNCH
4705	----	----	----/220.60A	261.30B/220.60A	----	218.60 - 61.50	.4103	----	----	----	----	20 UNCH
4710	----	----	----/219.10A	259.40B/219.10A	----	216.90 - 61.20	.4081	----	----	----	----	14 UNCH
4720	----	----	----/216.00A	255.70B/216.00A	----	213.60 - 60.40	.4036	----	----	----	----	23 UNCH
4730	----	----	----/212.60A	251.40B/212.60A	----	210.30 - 59.70	.3991	----	----	----	----	3 UNCH
4750	----	----	----/206.40A	243.70B/206.40A	----	203.90 - 58.20	.3903	----	----	----	----	12 UNCH
4760	----	----	----/203.10A	240.10B/203.10A	----	200.70 - 57.50	.3860	----	----	----	----	10 UNCH
4770	----	----	----/200.30A	236.30B/200.30A	----	197.70 - 56.70	.3817	----	----	----	----	14 UNCH
4775	----	----	----/198.90A	234.40B/198.90A	----	196.10 - 56.40	.3795	----	----	1	----	7 UNCH
4780	----	----	----/197.10A	232.60B/197.10A	----	194.60 - 56.10	.3773	----	----	----	----	2 UNCH
4800	----	----	----/191.60A	225.30B/191.60A	----	188.70 - 54.60	.3689	----	----	----	----	1520 UNCH
4815	----	----	----/187.30A	220.10B/187.30A	----	184.40 - 53.50	.3626	----	----	1	----	1 UNCH
4825	----	----	----/184.50A	216.70B/184.50A	----	181.60 - 52.80	.3585	----	----	----	----	1 UNCH
4850	----	----	----/178.10A	208.40B/178.10A	----	174.70 - 51.10	.3482	----	----	----	----	4 UNCH
4860	----	----	----/175.10A	205.00B/175.10A	----	172.10 - 50.30	.3442	----	----	----	----	4 UNCH
4865	195.00	195.00	195.00/173.00	203.40B/173.00	----	170.70 NEW	.3422	----	----	10	----	0 UNCH
4875	----	----	----/171.20A	200.30B/171.20A	----	168.10 - 49.30	.3382	----	----	----	----	4 UNCH
4880	----	----	----/170.10A	198.60B/170.10A	----	166.80 - 49.00	.3362	----	----	----	----	1 UNCH
4900	----	----	----/165.00A	192.50B/165.00A	----	161.80 - 47.60	.3285	----	----	1	----	405 + 1
4905	----	----	----/163.70A	190.90B/163.70A	----	160.50 - 47.40	.3265	----	----	----	----	3 UNCH
4925	----	----	----/158.90A	184.90B/158.90A	----	155.60 - 46.10	.3188	----	----	----	----	125 UNCH
4940	----	----	----/155.40A	180.70B/155.40A	----	152.10 - 45.10	.3132	----	----	----	----	1 UNCH
4950	----	----	----/153.10A	177.80B/153.10A	----	149.70 - 44.60	.3094	----	----	----	----	50 UNCH
4955	----	----	----/152.10A	176.40B/152.10A	----	148.60 - 44.30	.3076	----	----	----	----	1 UNCH
4975	----	----	----/147.70A	170.90B/147.70A	----	144.00 - 43.20	.3002	----	----	----	----	2 UNCH
4995	----	----	----/143.40A	165.30B/143.40A	----	139.60 - 42.10	.2930	----	----	----	----	3 UNCH
5000	159.50	159.50	159.50/142.00A	164.20B/142.00A	----	138.50 - 41.80	.2912	----	----	17	----	1069 - 10
5005	162.50	162.50	164.30/141.10A	164.30/141.10A	----	137.50 - 41.50	.2895	----	----	3	----	4 + 3
5015	151.50	151.50	151.50/139.10A	160.30B/139.10A	----	135.40 NEW	.2860	----	----	3	----	3 + 3
5030	----	----	----/136.00A	156.50B/136.00A	----	132.30 - 40.20	.2808	----	----	----	----	2 UNCH
5045	----	----	----/133.10A	152.90B/133.10A	----	129.20 - 39.50	.2756	----	----	----	----	1 UNCH
5050	----	----	----/132.20A	151.60B/132.20A	----	128.20 - 39.20	.2739	----	----	----	----	2 UNCH
5075	----	----	----/127.40A	145.70B/127.40A	----	123.40 - 38.00	.2657	----	----	----	----	200 UNCH
5100	127.00	127.00	127.00/113.50	140.00B/113.50	----	118.80 - 36.70	.2576	----	----	8	----	1612 + 3
5105	----	----	----/122.00A	139.00B/122.00A	----	117.90 - 36.50	.2561	----	----	----	----	2 UNCH
5110	----	----	----/121.00A	137.70B/121.00A	----	117.00 - 36.30	.2545	----	----	----	----	4 UNCH
5130	----	----	----/117.70A	133.60B/117.70A	----	113.50 - 35.30	.2483	----	----	----	----	1 UNCH
5145	----	----	----/115.10A	130.40B/115.10A	----	111.00 - 34.60	.2437	----	----	----	----	2 UNCH
5150	----	----	----/114.30A	129.40B/114.30A	----	110.20 - 34.40	.2423	----	----	----	----	17 UNCH
5200	118.60	118.60	118.60/106.40A	119.50B/106.40A	----	102.30 - 32.10	.2278	----	----	361	----	3282 + 360
5205	----	----	----/105.60A	118.60B/105.60A	----	101.60 - 31.90	.2265	----	----	----	----	1 UNCH
5230	----	----	----/102.00A	114.00B/102.00A	----	97.90 - 30.80	.2196	----	----	----	----	2 UNCH
5250	----	----	----/99.10A	110.40B/99.10A	----	95.10 - 29.90	.2142	----	----	252	----	398 + 155

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5255	----	----	----/98.50A	109.70B/98.50A	----	94.40 - 29.70	.2129	----	----	----	----	3 UNCH
5265	----	----	----/97.00A	108.10B/97.00A	----	93.00 - 29.30	.2103	----	----	----	----	1 UNCH
5275	----	----	----/95.70A	106.50B/95.70A	----	91.70 - 28.90	.2078	----	----	----	----	1 UNCH
5300	----	----	----/92.30A	102.50B/92.30A	----	88.40 - 27.90	.2014	----	----	1	----	685 UNCH
5320	----	----	----/89.90A	99.40B/89.90A	----	85.90 - 27.00	.1965	----	----	----	----	4 UNCH
5325	----	----	----/89.20A	98.70B/89.20A	----	85.30 - 26.80	.1953	----	----	----	----	8 UNCH
5330	----	----	----/88.60A	97.90B/88.60A	----	84.70 - 26.60	.1942	----	----	----	----	6 UNCH
5350	----	----	----/86.20A	95.10B/86.20A	----	82.20 - 25.90	.1893	----	----	----	----	1 UNCH
5355	----	----	----/85.60A	94.40B/85.60A	----	81.60 - 25.70	.1881	----	----	----	----	1 UNCH
5370	----	----	----/83.90A	92.40B/83.90A	----	79.90 - 25.10	.1847	----	----	----	----	2 UNCH
5375	----	----	----/83.40A	91.70B/83.40A	----	79.30 - 24.90	.1836	----	----	----	----	1 UNCH
5400	----	----	----/80.50A	88.40B/80.50A	----	76.50 - 24.00	.1780	----	----	222	----	3794 - 60
5410	----	----	----/79.50A	87.10B/79.50A	----	75.40 - 23.60	.1758	----	----	----	----	2 UNCH
5420	----	----	----/78.40A	85.90B/78.40A	----	74.40 - 23.20	.1737	----	----	----	----	5 UNCH
5445	----	----	----/75.90A	82.80B/75.90A	----	71.80 - 22.30	.1684	----	----	----	----	3 UNCH
5450	----	----	----/75.30A	82.20B/75.30A	----	71.30 - 22.20	.1674	----	----	2	----	2 UNCH
5470	----	----	----/73.30A	79.90B/73.30A	----	69.30 - 21.50	.1633	----	----	----	----	1 UNCH
5485	----	----	----/71.90A	78.30B/71.90A	----	67.80 - 21.10	.1602	----	----	----	----	1 UNCH
5490	----	----	----/71.40A	77.70B/71.40A	----	67.40 - 20.80	.1594	----	----	----	----	2 UNCH
5495	----	----	----/70.90A	77.10B/70.90A	----	66.90 - 20.70	.1583	----	----	----	----	2 UNCH
5500	----	----	----/70.40A	76.60B/70.40A	----	66.40 - 20.60	.1573	----	----	20	----	623 - 1
5515	----	----	----/69.10A	75.00B/69.10A	----	65.10 - 20.00	.1546	----	----	----	----	2 UNCH
5525	----	----	----/67.10A	73.80B/67.10A	----	64.20 - 19.70	.1527	----	----	----	----	2 UNCH
5545	----	----	----/65.70A	71.90B/65.70A	----	62.50 - 19.10	.1491	----	----	----	----	2 UNCH
5550	----	----	----/65.30A	71.40B/65.30A	----	62.00 - 19.10	.1481	----	----	----	----	2 UNCH
5565	----	----	----/64.30A	69.80B/64.30A	----	60.80 - 18.60	.1455	----	----	----	----	2 UNCH
5580	----	----	----/63.20A	68.40B/63.20A	----	59.60 - 18.20	.1429	----	----	----	----	17 UNCH
5595	----	----	----/62.20A	66.90B/62.20A	----	58.40 - 17.80	.1403	----	----	----	----	2 UNCH
5600	65.30	65.30	66.50B/61.70A	66.50B/61.70A	----	58.00 - 17.70	.1395	----	----	51	----	1767 + 31
5615	----	----	----/60.50A	65.10B/60.50A	----	56.90 - 17.20	.1371	----	----	----	----	1 UNCH
5640	----	----	----/58.70A	62.90B/58.70A	----	55.00 - 16.70	.1330	----	----	----	----	1 UNCH
5650	55.00	55.00	55.00/55.00	62.00B/55.00	----	54.30 - 16.40	.1315	----	----	2	----	88 UNCH
5675	----	----	----/*56.10A	60.10B/56.10A	----	52.60 - 15.80	.1277	----	----	----	----	3 UNCH
5700	----	----	----/54.40A	58.00B/54.40A	----	51.00 - 15.20	.1241	----	----	----	----	2133 UNCH
5750	----	----	----/51.10A	54.20B/51.10A	----	47.90 - 14.10	.1172	----	----	10	----	5 - 5
5800	----	----	----/47.20A	50.90B/47.20A	----	45.00 - 13.10	.1106	----	----	----	----	790 UNCH
5850	----	----	----/44.50A	47.50B/44.50A	----	42.40 - 12.10	.1047	----	----	----	----	15 UNCH
5875	----	----	----/43.30A	46.10B/43.30A	----	41.20 - 11.60	.1019	----	----	----	----	7 UNCH
5900	40.40	40.40	40.40/40.40	44.60B/40.40	----	40.00 - 11.10	.0991	----	----	2	----	1810 + 2
5950	----	----	----/40.20A	41.90B/40.20A	----	37.70 - 10.40	.0938	----	----	----	----	1 UNCH
6000	41.50	41.50	42.50/38.00	42.50/38.00	----	35.50 - 9.70	.0887	----	----	169	----	1061 - 68
6100	----	----	----/34.40A	35.60B/34.40A	----	31.60 - 8.80	.0795	----	----	----	----	329 UNCH
6200	33.50	33.50	33.50/29.40	33.50/29.40	----	28.30 - 8.00	.0716	----	----	7	----	1293 - 1
6300	----	----	----/29.70A	26.80B/29.70A	----	25.50 - 7.30	.0647	----	----	----	----	63 UNCH
6400	----	----	----/27.20A	23.90B/27.20A	----	23.20 - 6.60	.0589	----	----	----	----	25 UNCH
6500	----	----	----/25.00A	22.50B/25.00A	----	21.20 - 6.00	.0539	----	----	40	----	705 UNCH
6600	----	----	----/23.10A	19.80B/23.10A	----	19.50 - 5.40	.0495	----	----	----	----	125 UNCH
6700	17.90	17.90	17.90/17.90	17.90/17.90	----	18.00 - 4.90	.0456	----	----	1	----	252 UNCH
6800	----	----	----/20.20A	16.30B/20.20A	----	16.70 - 4.40	.0422	----	----	2	----	49 UNCH
6900	----	----	----/18.70A	15.10B/18.70A	----	15.50 - 4.10	.0390	----	----	----	----	1 UNCH
7000	----	----	----/17.80A	13.90B/17.80A	----	14.50 - 3.80	.0364	----	----	----	----	398 UNCH
7500	----	----	----	9.50B/13.60A	----	10.80 - 2.60	.0265	----	----	19	----	737 UNCH
8000	----	----	----	7.30B/10.90A	----	8.60 - 1.80	.0205	----	----	19	----	124 - 19
8500	----	----	----	5.70B/9.10A	----	7.00 - 1.30	.0163	----	----	3	----	75 UNCH
9000	----	----	----	4.60B/7.70A	----	5.80 - 1.10	.0132	----	----	----	----	8 UNCH
9500	4.70	4.70	4.70/4.70	4.70/4.70	----	4.90 - 0.80	.0109	----	----	1	----	66 + 1
10000	----	----	----	3.10B/5.70A	----	4.30 - 0.60	.0094	----	----	3	----	98 + 3
TOTAL										1492		34744 + 558
SEP26												
3875	----	----	----	597.30B/966.30A	----	722.60 - 30.40	.7818	----	----	----	----	1 UNCH
3995	----	----	----	496.60B/896.30A	----	636.00 - 21.90	.7394	----	----	----	----	10 UNCH
4085	----	----	----/570.00A	577.80B/570.00A	----	575.20 - 15.00	.7048	----	----	----	----	37 UNCH
4130	----	----	----/541.50A	572.40B/541.50A	----	546.20 - 11.40	.6868	----	----	----	----	10 UNCH
4185	----	----	----/507.90A	571.30B/507.90A	----	511.90 - 07.00	.6641	----	----	----	----	37 UNCH
4200	----	----	----/499.00A	561.20B/499.00A	----	502.90 - 05.70	.6578	----	----	----	----	1 UNCH
4220	----	----	----/487.30A	548.70B/487.30A	----	490.90 - 04.10	.6493	----	----	----	----	162 UNCH
4290	----	----	----/447.60A	505.20B/447.60A	----	450.60 - 98.20	.6192	----	----	----	----	6 UNCH
4295	----	----	----/444.80A	502.20B/444.80A	----	447.90 - 97.70	.6170	----	----	----	----	50 UNCH
4300	----	----	----/442.10A	499.30B/442.10A	----	445.10 - 97.30	.6148	----	----	----	----	5 UNCH
4320	----	----	----/431.30A	487.40B/431.30A	----	434.10 - 95.70	.6061	----	----	----	----	162 UNCH
4375	----	----	----/402.70A	455.50B/402.70A	----	405.00 - 91.00	.5818	----	----	----	----	1 UNCH
4390	----	----	----/395.20A	447.40B/395.20A	----	397.30 - 89.70	.5752	----	----	----	----	200 UNCH
4425	----	----	----/378.00A	438.80B/378.00A	----	379.80 - 86.70	.5596	----	----	----	----	1 UNCH
4495	----	----	----/345.60A	404.80B/345.60A	----	346.60 - 80.90	.5284	----	----	----	----	17 UNCH
4500	----	----	----/343.50A	402.20B/343.50A	----	344.40 - 80.40	.5262	----	----	----	----	4 UNCH
4505	----	----	----/341.20A	399.60B/341.20A	----	342.10 - 80.10	.5240	----	----	----	----	2 UNCH
4510	----	----	----/339.00A	397.00B/339.00A	----	339.90 - 79.60	.5218	----	----	----	----	2 UNCH
4545	----	----	----/324.00A	378.30B/324.00A	----	324.40 - 76.80	.5063	----	----	----	----	15 UNCH
4550	----	----	----/321.70A	376.60B/321.70A	----	322.30 - 76.40	.5042	----	----	----	----	222 UNCH
4560	----	----	----/317.40A	371.10B/317.40A	----	318.00 - 75.60	.4998	----	----	----	----	2 UNCH
4565	----	----	----/315.40A	369.20B/315.40A	----	315.90 - 75.20	.4976	----	----	----	----	2 UNCH
4570	----	----	----/313.40A	366.10B/313.40A	----	313.80 - 74.80	.4954	----	----	----	----	2 UNCH
4575	----	----	----/311.40A	364.30B/311.40A	----	311.70 - 74.40	.4932	----	----	----	----	2 UNCH
4580	----	----	----/309.20A	361.30B/309.20A	----	309.60 - 74.00	.4910	----	----	----	----	2 UNCH
4585	----	----	----/307.30A	359.50B/307.30A	----	307.60 - 73.50	.4888	----	----	----	----	2 UNCH
4590	----	----	----/305.40A	357.10B/305.40A	----	305.50 - 73.20	.4867	----	----	----	----	2 UNCH
4600	----	----	----/301.30A	351.70B/301.30A	----	301.40 - 72.40	.4823	----	----	----	50	53 + 50
4650	----	----	----/282.20A	329.40B/282.20A	----	281.80 - 68.50	.4608	----	----	----	----	1 UNCH
4675	----	----	----/273.00A	317.70B/273.00A	----	272.40 - 66.60	.4502	----	----	----	----	1 UNCH
4680	----	----	----/271.20A	315.60B/271.20A	----	270.50 - 66.30	.4481	----	----	----	----	1 UNCH
4700	----	----	----/264.40A	307.00B/264.40A	----	263.30 - 64.70	.4397	----	----	15	----	117 + 15
4705	----	----	----/262.40A	305.60B/262.40A	----	261.50 - 64.40	.4376	----	----	----	----	10 UNCH
4720	274.70	274.70	274.70/257.30A	299.20B/257.30A	----	256.20 - 63.30	.4314	----	----	1	----	45 + 1
4725	----	----	----/255.70A	297.30B/255.70A	----	254.40 - 63.00	.4293	----	----	----	----	2 UNCH
4750	----	----	----/247.40A	287.30B/247.40A	----	245.90 - 61.20	.4191	----	----	----	----	60 UNCH
4775	----	----	----/239.30A	277.50B/239.30A	----	237.70 - 59.50	.4090	----	----	----	----	9 UNCH
4780	----	----	----/237.70A	275.40B/237.70A	----	236.00 - 59.20	.4069	----	----	----	----	7 UNCH
4800	----	----	----/231.60A	267.90B/231.60A	----	229.70 - 57.80	.3990	----	----	40	----	612 + 40
4850	----	----	----/216.60A	250.00B/216.60A	----	214.50 - 54.70	.3795	----	----	----	----	20 UNCH
4875	----	----	----/209.80A	241.50B/209.80A	----	207.30 - 53.10	.3700	----	----	----	----	30 UNCH
4900	----	----	----/203.00A	233.00B/203.00A	----	200.40 - 51.60	.3608	----	----	----	----	150 UNCH
4925	----	----	----/196.40A	225.10B/196.40A	----	193.60 - 50.20	.3515	----	----	----	----	1 UNCH
4975	----	----	----/183.70A	209.80B/183.70A	----	180.90 - 47.40	.3338	----	----	----	----	234 UNCH
5000	191.00	191.00	193.40/177.80A	202.60B/177.80A	----	174.90 - 46.00	.3252	----	----	36	----	651 - 6
5005	----	----	----/176.70A	201.10B/176.70A	----	173.70 - 45.80	.3235	----	----	----	----	1 UNCH
5050	----	----	----/166.70A	188.80B/166.70A	----	163.50 - 43.40	.3085	----	----	----	----	2 UNCH
5075	----	----	----/161.20A	182.10B/161.20A	----	158.10 - 42.10	.3005	----	----	----	----	1 UNCH
5100	----	----	----/156.40A	175.90B/156.40A	----	152.80 - 40.90	.2925	----	----	80	----	241 UNCH
5150	----	----	----/146.30A	164.10B/146.30A	----	143.00 - 38.30	.2773	----	----	----	----	3 UNCH
5200	----	----	----/137.30A	153.50B/137.30A	----	133.80 - 35.80	.2628	----	----	----	----	153 UNCH
5230	----	----	----/132.10A	147.50B/132.10A	----	128.50 - 34.40	.2544	----	----	----	----	400 UNCH
5235	----	----	----/131.40A	146.50B/131.40A	----	127.70 - 34.20	.2530	----	----	----	----	1 UNCH
5250	----	----	----/128.80A	143.40B/128.80A	----	125.20 - 33.40	.2490	----	----	----	----	10 UNCH
5300	----	----	----/120.90A	134.10B/120.90A	----	117.20 - 31.10	.2358	----	----	----	----	885 UNCH
5350	----	----	----/113.60A	125.60B/113.60A	----	109.90 - 28.90	.2234	----	----	----	----	1 UNCH
5375	----	----	----/110.30A	121.50B/110.30A	----	106.40 - 27.90	.2174	----	----	----	----	2 UNCH
5400	----	----	----/106.90A	117.80B/106.90A	----	103.00 - 27.00	.2116	----	----	40	----	332 UNCH
5420	----	----	----/104.40A	114.60B/104.40A	----	100.40 - 26.30	.2070	----	----	----	----	80 UNCH
5450	----	----	----/100.60A	110.30B/100.60A	----	96.70 - 25.30	.2005	----	----	----	----	3 UNCH
5460	----	----	----/99.40A	108.80B/99.40A	----	95.50 - 25.00	.1984	----	----	----	----	1 UNCH
5475	----	----	----/97.60A	106.70B/97.60A	----	93.70 - 24.60	.1952	----	----	----	----	2 UNCH
5500	----	----	----/94.70A	103.40B/94.70A	----	90.90 - 23.90	.1901	----	----	----	----	1251 UNCH
5505	----	----	----/94.20A	102.70B/94.20A	----	90.30 - 23.80	.1890	----	----	----	----	3 UNCH
5520	----	----	----/92.50A	100.70B/92.50A	----	88.70 - 23.40	.1861	----	----	----	----	1 UNCH
5525	----	----	----/92.00A	100.00B/92.00A	----	88.10 - 23.40	.1850	----	----	----	----	2 UNCH
5600	----	----	----/84.30A	91.10B/84.30A	----	80.40 - 21.70	.1708	----	----	----	----	557 UNCH
5625	----	----	----/81.90A	88.10B/81.90A	----	78.10 - 21.00	.1665	----	----	----	----	2 UNCH
5650	----	----	----/79.60A	85.40B/79.60A	----	75.70 - 20.40	.1620	----	----	----	----	559 UNCH
5700	----	----	----/74.20A	80.30B/74.20A	----	71.30 - 19.10	.1537	----	----	----	----	1065 UNCH
5750	----	----	----/71.00A	75.50B/71.00A	----	67.30 - 17.70	.1459	----	----	----	----	237 UNCH
5800	----	----	----/67.40A	71.20B/67.40A	----	63.50 - 16.50	.1385	----	----	----	----	826 UNCH
5850	----	----	----/63.80A	67.50B/63.80A	----	60.00 - 15.40	.1316	----	----	----	----	580 UNCH
5900	----	----	----/60.50A	63.30B/60.50A	----	56.80 - 14.40	.1252	----	----	----	----	503 UNCH
5950	----	----	----/57.40A	59.50B/57.40A	----	53.80 - 13.60	.1191	----	----	----	----	49 UNCH
6000	61.00	61.00	61.00/52.20	61.00/52.20	----	51.10 - 12.80	.1135	----	----	19	----	1046 UNCH
6100	----	----	----/48.60A	50.50B/48.60A	----	46.10 - 11.40	.1031	----	----	----	----	363 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
6200	48.50	48.50	48.50/44.60A	48.50/44.60A	----	41.80 - 10.10	.0940	----	----	1	----	226 UNCH
6300	----	----	----/40.80A	41.50B/40.80A	----	38.00 - 8.90	.0859	----	----	----	----	105 UNCH
6400	----	----	----/37.30A	37.60B/37.30A	----	34.80 - 7.70	.0788	----	----	----	----	230 UNCH
6500	----	----	----/35.80A	34.20B/35.80A	----	31.90 - 7.00	.0724	----	----	----	----	344 UNCH
6600	----	----	----/33.70A	28.70B/33.70A	----	29.30 - 6.40	.0667	----	----	----	----	45 UNCH
6650	----	----	----/32.50A	27.30B/32.50A	----	28.20 - 6.10	.0642	----	----	----	----	5 UNCH
6750	----	----	----/30.30A	24.70B/30.30A	----	25.70 - 5.50	.0588	----	----	----	----	10 UNCH
6800	----	----	----/29.30A	23.50B/29.30A	----	24.50 - 5.20	.0562	----	----	----	----	129 UNCH
TOTAL										232	50	13219 + 100
OCT26												
3600	----	----	----	824.60B/1209.80A	----	950.60 - 45.20	.8515	----	----	----	----	12 UNCH
4300	----	----	----/466.10A	520.20B/466.10A	----	466.80 - 96.40	.6124	----	----	----	----	102 UNCH
4400	----	----	----/415.90A	464.80B/415.90A	----	415.30 - 87.90	.5710	----	----	----	----	8 UNCH
4405	----	----	----/413.40A	465.90B/413.40A	----	412.90 - 87.40	.5689	----	----	----	----	2 UNCH
4480	----	----	----/378.10A	435.00B/378.10A	----	377.60 - 81.10	.5376	----	----	----	----	1 UNCH
4500	360.70	360.70	360.70/360.70	424.00B/360.70	----	368.70 - 79.40	.5294	----	----	1	----	5 + 1
4550	----	----	----/347.90A	398.90B/347.90A	----	347.00 - 75.50	.5088	----	----	----	----	1 UNCH
4580	----	----	----/335.80A	384.60B/335.80A	----	334.50 - 73.30	.4966	----	----	----	----	70 UNCH
4600	----	----	----/327.80A	375.20B/327.80A	----	326.40 - 71.90	.4885	----	----	----	----	134 UNCH
4610	----	----	----/323.90A	371.20B/323.90A	----	322.40 - 71.20	.4844	----	----	----	----	5 UNCH
4620	----	----	----/320.30A	366.00B/320.30A	----	318.40 - 70.60	.4804	----	----	----	----	1 UNCH
4630	----	----	----/316.20A	361.40B/316.20A	----	314.50 - 69.90	.4764	----	----	----	----	3 UNCH
4650	----	----	----/309.10A	352.50B/309.10A	----	306.80 - 68.70	.4684	----	----	----	----	1 UNCH
4670	----	----	----/301.30A	344.50B/301.30A	----	299.30 - 67.40	.4605	----	----	----	----	1 UNCH
4675	----	----	----/299.50A	341.80B/299.50A	----	297.40 - 67.20	.4585	----	----	----	----	1 UNCH
4690	----	----	----/294.40A	335.40B/294.40A	----	291.90 - 66.30	.4526	----	----	----	----	1 UNCH
4700	----	----	----/291.00A	331.80B/291.00A	----	288.30 - 65.70	.4487	----	----	----	----	5 UNCH
4710	----	----	----/287.10A	327.10B/287.10A	----	284.80 - 65.00	.4448	----	----	----	----	1 UNCH
4715	----	----	----/285.40A	325.60B/285.40A	----	283.00 - 64.70	.4429	----	----	----	----	2 UNCH
4750	----	----	----/273.90A	311.50B/273.90A	----	270.90 - 62.70	.4294	----	----	----	----	1 UNCH
4800	----	----	----/257.50A	292.20B/257.50A	----	254.50 - 59.90	.4106	----	----	----	----	14 UNCH
4865	----	----	----/238.20A	269.10B/238.20A	----	234.80 - 55.90	.3871	----	----	----	----	2 UNCH
4880	230.00	230.00	230.00/230.00	264.00B/230.00	----	230.50 NEW	.3818	----	----	1	----	1 + 1
4900	----	----	----/228.40A	257.30B/228.40A	----	224.90 - 53.80	.3748	----	----	----	----	408 UNCH
4910	----	----	----/225.40A	254.00B/225.40A	----	222.20 - 53.10	.3714	----	----	----	----	1 UNCH
4925	----	----	----/221.60A	249.10B/221.60A	----	218.10 - 52.20	.3662	----	----	----	----	18 UNCH
4950	----	----	----/215.10A	241.30B/215.10A	----	211.50 - 50.70	.3577	----	----	----	----	7 UNCH
5000	----	----	----/202.30A	226.20B/202.30A	----	198.90 - 47.90	.3413	----	----	----	----	952 UNCH
5025	----	----	----/196.60A	219.00B/196.60A	----	192.90 - 46.50	.3333	----	----	----	----	2 UNCH
5050	----	----	----/190.50A	212.10B/190.50A	----	187.10 - 45.20	.3255	----	----	----	----	57 UNCH
5075	----	----	----/184.90A	205.30B/184.90A	----	181.50 - 43.90	.3178	----	----	----	----	1 UNCH
5080	----	----	----/184.10A	204.00B/184.10A	----	180.40 - 43.60	.3163	----	----	----	----	3 UNCH
5085	----	----	----/182.80A	202.70B/182.80A	----	179.30 - 43.40	.3148	----	----	----	----	3 UNCH
5100	----	----	----/179.50A	198.80B/179.50A	----	176.00 - 42.70	.3102	----	----	----	----	30 UNCH
5125	----	----	----/174.30A	192.90B/174.30A	----	170.70 - 41.50	.3028	----	----	----	----	1 UNCH
5200	160.00	160.00	160.00/159.60A	175.80B/159.60A	----	155.70 - 38.30	.2814	----	----	2	----	437 + 1
5250	----	----	----/150.80A	165.60B/150.80A	----	146.50 - 36.20	.2679	----	----	----	----	521 UNCH
5255	----	----	----/149.90A	164.60B/149.90A	----	145.60 - 36.00	.2666	----	----	----	----	2 UNCH
5300	----	----	----/142.10A	155.60B/142.10A	----	137.90 - 34.30	.2551	----	----	----	----	232 UNCH
5325	----	----	----/138.30A	151.20B/138.30A	----	133.80 - 33.40	.2488	----	----	----	----	1 UNCH
5400	----	----	----/127.10A	138.10B/127.10A	----	122.50 - 30.70	.2312	----	----	110	----	168 + 40
5435	----	----	----/122.00A	132.50B/122.00A	----	117.60 - 29.50	.2234	----	----	----	----	226 UNCH
5450	----	----	----/120.20A	129.90B/120.20A	----	115.60 - 28.90	.2202	----	----	----	----	66 UNCH
5455	----	----	----/119.30A	129.20B/119.30A	----	114.90 - 28.80	.2191	----	----	----	----	175 UNCH
5475	131.80	131.80	131.80/116.70A	131.80/116.70A	----	112.30 NEW	.2148	----	----	1	----	1 + 1
5500	----	----	----/113.70A	122.50B/113.70A	----	109.20 - 27.30	.2097	----	----	----	----	73 UNCH
5545	----	----	----/108.30A	116.30B/108.30A	----	103.80 - 25.90	.2008	----	----	----	----	5 UNCH
5590	----	----	----/103.10A	110.40B/103.10A	----	98.70 - 24.60	.1923	----	----	----	----	4 UNCH
5600	----	----	----/102.00A	109.10B/102.00A	----	97.60 - 24.30	.1904	----	----	110	----	110 + 5
5610	----	----	----/100.80A	107.80B/100.80A	----	96.50 - 24.10	.1886	----	----	----	----	1 UNCH
5615	----	----	----/100.30A	107.10B/100.30A	----	96.00 - 23.90	.1877	----	----	----	----	5 UNCH
5655	----	----	----/96.30A	102.30B/96.30A	----	91.80 - 22.90	.1806	----	----	----	----	2 UNCH
5660	----	----	----/95.60A	101.80B/95.60A	----	91.30 - 22.80	.1797	----	----	----	----	1 UNCH
5700	----	----	----/91.80A	97.30B/91.80A	----	87.40 - 21.80	.1730	----	----	----	----	20 UNCH
5710	----	----	----/90.80A	96.10B/90.80A	----	86.40 - 21.60	.1712	----	----	----	----	5 UNCH
5720	----	----	----/90.00A	95.10B/90.00A	----	85.50 - 21.30	.1697	----	----	----	----	75 UNCH
5750	----	----	----/87.20A	91.90B/87.20A	----	82.70 - 20.70	.1648	----	----	----	----	1 UNCH
5775	----	----	----/85.00A	89.40B/85.00A	----	80.50 - 20.10	.1609	----	----	----	----	50 UNCH
5800	----	----	----/82.90A	86.90B/82.90A	----	78.40 - 19.50	.1572	----	----	12	----	415 - 6
5875	----	----	----/76.80A	80.00B/76.80A	----	72.50 - 17.90	.1466	----	----	----	----	1 UNCH
5900	----	----	----/74.90A	78.00B/74.90A	----	70.70 - 17.30	.1432	----	----	----	----	35 UNCH
6000	----	----	----/68.10A	70.30B/68.10A	----	64.00 - 15.40	.1308	----	----	----	----	3065 UNCH
6100	----	----	----/62.10A	63.20B/62.10A	----	58.10 - 13.70	.1197	----	----	----	----	66 UNCH
6200	----	----	----/56.60A	57.30B/56.60A	----	52.90 - 12.30	.1097	----	----	----	----	38 UNCH
6300	----	----	----/52.30A	52.00B/52.30A	----	48.40 - 11.10	.1009	----	----	24	----	634 - 12
6400	----	----	----/48.20A	48.00B/48.20A	----	44.50 - 9.90	.0931	----	----	----	----	1911 UNCH
6500	49.00	49.00	49.00/44.70A	49.00/44.70A	----	41.10 - 8.90	.0862	----	----	1	----	6935 UNCH
6800	----	----	----/39.30A	34.20B/39.30A	----	33.20 - 6.40	.0697	----	----	12	----	1386 - 6
6900	----	----	----	27.50B/37.20A	----	31.00 - 5.90	.0651	----	----	----	----	1 UNCH
7000	----	----	----	25.60B/35.40A	----	29.00 - 5.40	.0609	----	----	----	----	2262 UNCH
8000	----	----	----	13.60B/23.10A	----	17.20 - 2.80	.0353	----	----	----	----	210 UNCH
8500	----	----	----	10.60B/19.70A	----	14.40 - 2.10	.0289	----	----	----	----	200 UNCH
9000	12.80	12.80	12.80/12.20	12.80/12.20	----	12.50 - 1.70	.0245	----	----	2	----	68 UNCH
9500	----	----	----	6.30B/*15.60A	----	10.80 - 1.30	.0208	----	----	----	----	10 UNCH
TOTAL										276		21275 + 25
NOV26												
4000	----	----	----	505.40B/1000.00A	----	696.30 - 16.20	.7300	----	----	----	----	1 UNCH
4100	----	----	----/632.50A	635.90B/632.50A	----	630.50 - 09.80	.6958	----	----	----	----	1 UNCH
4275	----	----	----/526.30A	578.40B/526.30A	----	526.60 - 97.10	.6317	----	----	----	----	38 UNCH
4300	----	----	----/512.80A	563.10B/512.80A	----	512.90 - 95.30	.6222	----	----	----	----	1 UNCH
4375	----	----	----/474.10A	520.70B/474.10A	----	473.70 - 89.40	.5935	----	----	----	----	38 UNCH
4400	----	----	----/461.80A	509.10B/461.80A	----	461.20 - 87.50	.5839	----	----	----	----	20 UNCH
4440	----	----	----/442.90A	498.20B/442.90A	----	441.80 - 84.40	.5685	----	----	----	----	1 UNCH
4500	----	----	----/415.00A	474.30B/415.00A	----	414.10 - 79.60	.5454	----	----	----	----	25 UNCH
4600	----	----	----/372.60A	424.80B/372.60A	----	371.40 - 71.90	.5075	----	----	----	----	1 UNCH
4750	----	----	----/316.50A	358.80B/316.50A	----	315.10 - 60.90	.4529	----	----	----	----	1 UNCH
4775	----	----	----/307.80A	348.80B/307.80A	----	306.50 - 59.20	.4440	----	----	----	----	30 UNCH
4800	----	----	----/299.50A	338.90B/299.50A	----	298.20 - 57.50	.4353	----	----	----	----	2 UNCH
4850	----	----	----/283.50A	320.10B/283.50A	----	282.20 - 54.30	.4183	----	----	----	----	25 UNCH
4900	----	----	----/268.60A	302.20B/268.60A	----	267.00 - 51.30	.4016	----	----	----	----	1 UNCH
4915	----	----	----/264.00A	297.00B/264.00A	----	262.60 - 50.40	.3967	----	----	----	----	1 UNCH
4925	----	----	----/261.20A	293.60B/261.20A	----	259.70 - 49.90	.3934	----	----	----	----	1 UNCH
4950	----	----	----/254.20A	285.30B/254.20A	----	252.60 - 48.50	.3854	----	----	----	----	150 UNCH
5000	----	----	----/240.70A	269.20B/240.70A	----	239.00 - 45.80	.3696	----	----	----	----	29 UNCH
5080	----	----	----/220.80A	245.50B/220.80A	----	218.70 - 41.90	.3454	----	----	----	----	4 UNCH
5085	----	----	----/219.60A	244.10B/219.60A	----	217.50 - 41.60	.3439	----	----	----	----	4 UNCH
5175	----	----	----/199.60A	220.00B/199.60A	----	197.00 - 37.60	.3184	----	----	----	----	2 UNCH
5200	----	----	----/194.50A	213.80B/194.50A	----	191.70 - 36.60	.3116	----	----	----	----	26 UNCH
5250	----	----	----/184.30A	201.80B/184.30A	----	181.50 - 34.60	.2984	----	----	----	----	9 UNCH
5300	----	----	----/174.90A	190.60B/174.90A	----	172.00 - 32.70	.2857	----	----	----	----	27 UNCH
5370	----	----	----/162.70A	176.00B/162.70A	----	159.60 - 30.20	.2688	----	----	----	----	5 UNCH
5400	----	----	----/157.80A	170.20B/157.80A	----	154.60 - 29.20	.2619	----	----	----	----	17 UNCH
5450	----	----	----/149.90A	160.90B/149.90A	----	146.70 - 27.50	.2508	----	----	----	----	925 UNCH
5500	----	----	----/142.60A	152.60B/142.60A	----	139.20 - 26.10	.2400	----	----	----	----	79 UNCH
5550	----	----	----/135.70A	144.90B/135.70A	----	132.30 - 24.50	.2299	----	----	----	----	1 UNCH
5600	----	----	----/129.10A	137.20B/129.10A	----	125.70 - 23.20	.2202	----	----	----	----	43 UNCH
5700	----	----	----/117.30A	123.60B/117.30A	----	113.80 - 20.60	.2022	----	----	----	----	35 UNCH
5710	----	----	----/116.20A	122.40B/116.20A	----	112.70 - 20.40	.2005	----	----	----	----	1 UNCH
5800	----	----	----/106.80A	111.70B/106.80A	----	103.30 - 18.30	.1858	----	----	----	----	25 UNCH
5825	----	----	----/104.20A	109.10B/104.20A	----	100.90 - 17.70	.1820	----	----	----	----	2 UNCH
5900	----	----	----/97.20A	101.10B/97.20A	----	94.00 - 16.20	.1709	----	----	----	----	1 UNCH
5925	----	----	----/94.80A	98.70B/94.80A	----	91.80 - 15.70	.1674	----	----	----	----	4 UNCH
6000	----	----	----/88.90A	91.70B/88.90A	----	85.80 - 14.20	.1575	----	----	----	----	217 UNCH
6100	----	----	----/81.50A	83.70B/81.50A	----	78.50 - 12.40	.1454	----	----	----	----	1 UNCH
6200	----	----	----/74.90A	76.40B/74.90A	----	72.10 - 10.70	.1344	----	----	----	----	3 UNCH
6400	----	----	----/64.20A	64.20B/64.20A	----	61.40 - 7.80	.1157	----	----	----	----	12 UNCH
6500	----	----	----/59.40A	59.10B/59.40A	----	57.00 - 6.60	.1078	----	----	----	----	441 UNCH
8000	----	----	----	19.00B/31.60A	----	30.20 + 2.80	.0538	----	----	----	----	11 UNCH
9000	----	----	----	12.20B/24.50A	----	22.40 + 2.60	.0385	----	----	----	----	3 UNCH
20000	----	----	----	0.40B/3.00A	----	3.70 + 0.70	.0054	----	----	----	----	58 UNCH
TOTAL												2322 0
DEC26												
3550	----	----	----	869.70B/1341.00A	----	1039.90 - 43.90	.8514	----	----	----	----	2 UNCH
3570	----	----	----	852.50B/1326.00A	----	1023.70 - 42.90	.8468	----	----	----	----	1 UNCH
3600	----	----	----	826.90B/1304.20A	----	999.70 - 41.30	.8397	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 43

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
3800	----	----	----	659.10B/1164.80A	----	846.70 - 30.50	.7869	----	----	----	----	4 UNCH
3900	----	----	----	576.50B/1099.20A	----	775.40 - 24.40	.7572	----	----	----	----	2 UNCH
4060	----	----	----/678.00A	670.50B/678.00A	----	669.50 - 13.70	.7053	----	----	----	----	100 UNCH
4100	----	----	----/653.60A	673.30B/653.60A	----	644.60 - 10.80	.6916	----	----	----	----	48 UNCH
4160	----	----	----/618.10A	663.70B/618.10A	----	608.60 - 06.40	.6707	----	----	----	----	100 UNCH
4175	----	----	----/609.30A	654.80B/609.30A	----	599.80 - 05.30	.6654	----	----	----	----	37 UNCH
4200	----	----	----/595.30A	639.40B/595.30A	----	585.40 - 03.40	.6565	----	----	----	----	150 UNCH
4250	----	----	----/567.70A	608.70B/567.70A	----	557.40 - 99.50	.6386	----	----	----	----	293 UNCH
4255	----	----	----/565.00A	606.30B/565.00A	----	554.70 - 99.10	.6368	----	----	----	----	50 UNCH
4300	----	----	----/530.10A	579.50B/530.10A	----	530.50 - 95.60	.6205	----	----	----	----	436 UNCH
4315	----	----	----/522.30A	571.60B/522.30A	----	522.60 - 94.40	.6150	----	----	----	----	1 UNCH
4320	----	----	----/519.70A	568.20B/519.70A	----	520.00 - 94.00	.6132	----	----	----	----	100 UNCH
4350	----	----	----/504.60A	551.50B/504.60A	----	504.50 - 91.80	.6022	----	----	21	----	206 + 15
4375	----	----	----/492.50A	539.70B/492.50A	----	492.00 - 89.80	.5930	----	----	----	----	61 UNCH
4400	----	----	----/480.10A	526.80B/480.10A	----	479.70 - 87.80	.5838	----	----	----	----	2 UNCH
4425	----	----	----/468.20A	513.40B/468.20A	----	467.60 - 86.00	.5747	----	----	----	----	8 UNCH
4450	----	----	----/456.90A	513.20B/456.90A	----	455.80 - 84.10	.5655	----	----	----	----	87 UNCH
4465	----	----	----/449.70A	504.50B/449.70A	----	448.90 - 82.90	.5599	----	----	----	----	93 UNCH
4500	----	----	----/434.10A	486.40B/434.10A	----	433.00 - 80.30	.5471	----	----	1	----	752 + 1
4525	----	----	----/423.20A	474.70B/423.20A	----	422.00 - 78.40	.5380	----	----	----	----	5 UNCH
4565	----	----	----/406.30A	454.40B/406.30A	----	404.90 - 75.50	.5235	----	----	----	----	93 UNCH
4580	----	----	----/400.40A	447.30B/400.40A	----	398.60 - 74.40	.5181	----	----	----	----	150 UNCH
4585	----	----	----/398.10A	445.70B/398.10A	----	396.50 - 74.10	.5163	----	----	----	----	325 UNCH
4600	----	----	----/392.00A	438.70B/392.00A	----	390.40 - 73.00	.5109	----	----	21	----	101 - 14
4615	----	----	----/386.30A	431.70B/386.30A	----	384.30 - 72.00	.5056	----	----	----	----	41 UNCH
4625	----	----	----/382.10A	427.20B/382.10A	----	380.30 - 71.30	.5020	----	----	1	----	67 UNCH
4640	----	----	----/376.30A	419.80B/376.30A	----	374.40 - 70.30	.4967	----	----	----	----	100 UNCH
4650	----	----	----/372.50A	415.40B/372.50A	----	370.50 - 69.60	.4932	----	----	----	40	236 UNCH
4700	----	----	----/353.80A	393.60B/353.80A	----	351.60 - 66.30	.4757	----	----	----	----	99 UNCH
4750	----	----	----/336.00A	373.50B/336.00A	----	333.50 - 63.20	.4585	----	----	----	----	147 UNCH
4780	----	----	----/325.80A	361.00B/325.80A	----	323.20 - 61.20	.4484	----	----	----	----	2 UNCH
4800	----	----	----/319.20A	353.80B/319.20A	----	316.40 - 60.10	.4417	----	----	----	----	100 UNCH
4810	----	----	----/315.90A	349.80B/315.90A	----	313.10 - 59.40	.4383	----	----	----	----	56 UNCH
4820	327.00	327.00	327.00/312.70A	346.20B/312.70A	----	309.80 - 58.90	.4350	----	----	10	----	49 + 9
4825	----	----	----/311.10A	344.30B/311.10A	----	308.10 - 58.60	.4334	----	----	----	----	100 UNCH
4850	----	----	----/303.10A	335.00B/303.10A	----	300.10 - 57.20	.4252	----	----	----	----	289 UNCH
4875	----	----	----/295.50A	325.80B/295.50A	----	292.30 - 55.70	.4171	----	----	----	----	1 UNCH
4880	----	----	----/293.90A	324.20B/293.90A	----	290.70 - 55.50	.4155	----	----	----	----	1 UNCH
4900	----	----	----/288.10A	317.20B/288.10A	----	284.70 - 54.30	.4091	----	----	----	----	48 UNCH
4925	----	----	----/280.60A	308.60B/280.60A	----	277.20 - 53.00	.4012	----	----	----	----	1 UNCH
4975	----	----	----/266.60A	292.10B/266.60A	----	262.90 - 50.40	.3857	----	----	----	----	50 UNCH
5000	----	----	----/260.00A	284.20B/260.00A	----	256.10 - 49.10	.3782	----	----	40	----	2081 + 40
5025	----	----	----/253.30A	276.30B/253.30A	----	249.40 - 47.90	.3707	----	----	----	----	32 UNCH
5050	----	----	----/246.90A	268.90B/246.90A	----	242.90 - 46.70	.3634	----	----	----	----	100 UNCH
5070	----	----	----/241.90A	263.10B/241.90A	----	237.90 - 45.70	.3576	----	----	----	----	13 UNCH
5075	----	----	----/240.60A	261.70B/240.60A	----	236.60 - 45.60	.3562	----	----	----	----	30 UNCH
5090	----	----	----/237.00A	257.80B/237.00A	----	232.90 - 44.90	.3519	----	----	----	----	13 UNCH
5100	----	----	----/234.60A	254.70B/234.60A	----	230.50 - 44.40	.3491	----	----	----	----	66 UNCH
5150	----	----	----/223.00A	241.70B/223.00A	----	218.70 - 42.20	.3352	----	----	----	----	1 UNCH
5175	----	----	----/217.50A	235.40B/217.50A	----	213.00 - 41.20	.3284	----	----	----	----	100 UNCH
5195	----	----	----/213.30A	230.50B/213.30A	----	208.60 - 40.30	.3231	----	----	----	----	5 UNCH
5200	----	----	----/212.10A	229.30B/212.10A	----	207.60 - 40.00	.3218	----	----	----	----	787 UNCH
5250	----	----	----/201.70A	217.70B/201.70A	----	197.00 - 38.10	.3088	----	----	----	----	158 UNCH
5275	----	----	----/196.80A	212.40B/196.80A	----	192.00 - 37.20	.3026	----	----	----	----	20 UNCH
5300	----	----	----/191.90A	206.70B/191.90A	----	187.10 - 36.20	.2964	----	----	----	----	139 UNCH
5350	----	----	----/182.70A	196.60B/182.70A	----	177.70 - 34.50	.2844	----	----	----	----	457 UNCH
5360	----	----	----/180.90A	194.20B/180.90A	----	175.90 - 34.10	.2820	----	----	----	----	100 UNCH
5370	----	----	----/179.20A	192.60B/179.20A	----	174.10 - 33.80	.2797	----	----	----	----	20 UNCH
5400	----	----	----/174.00A	186.40B/174.00A	----	168.90 - 32.80	.2729	----	----	----	----	352 UNCH
5460	----	----	----/164.20A	175.30B/164.20A	----	159.00 - 30.80	.2597	----	----	----	----	200 UNCH
5465	----	----	----/163.40A	174.40B/163.40A	----	158.20 - 30.70	.2586	----	----	----	----	50 UNCH
5480	----	----	----/161.10A	171.80B/161.10A	----	155.80 - 30.20	.2554	----	----	----	----	50 UNCH
5500	163.80	163.80	163.80/158.00A	168.60B/158.00A	----	152.70 - 29.70	.2512	----	----	1	----	1371 - 1
5525	----	----	----/154.30A	164.10B/154.30A	----	149.00 - 28.90	.2461	----	----	----	----	80 UNCH
5600	----	----	----/143.80A	152.50B/143.80A	----	138.40 - 26.80	.2313	----	----	----	----	1121 UNCH
5650	----	----	----/137.30A	145.10B/137.30A	----	131.80 - 25.60	.2220	----	----	----	----	5 UNCH
5660	----	----	----/136.00A	143.70B/136.00A	----	130.50 - 25.40	.2201	----	----	----	----	1 UNCH
5675	----	----	----/134.20A	141.60B/134.20A	----	128.70 - 25.00	.2175	----	----	----	----	8 UNCH
5680	----	----	----/133.60A	140.90B/133.60A	----	128.00 - 24.90	.2166	----	----	----	----	1 UNCH
5685	----	----	----/132.90A	139.90B/132.90A	----	127.40 - 24.80	.2157	----	----	----	----	18 UNCH
5690	----	----	----/132.30A	139.50B/132.30A	----	126.80 - 24.70	.2148	----	----	----	----	7 UNCH
5700	----	----	----/131.10A	138.10B/131.10A	----	125.60 - 24.50	.2131	----	----	----	----	202 UNCH
5705	----	----	----/130.60A	137.20B/130.60A	----	125.00 - 24.30	.2122	----	----	----	----	5 UNCH
5710	----	----	----/129.90A	136.80B/129.90A	----	124.40 - 24.20	.2113	----	----	----	----	5 UNCH
5750	----	----	----/125.40A	131.60B/125.40A	----	119.80 - 23.30	.2046	----	----	----	----	576 UNCH
5770	----	----	----/123.10A	129.00B/123.10A	----	117.60 - 22.90	.2013	----	----	----	----	5 UNCH
5775	----	----	----/122.60A	128.40B/122.60A	----	117.00 - 22.80	.2005	----	----	----	----	2 UNCH
5800	----	----	----/119.90A	125.10B/119.90A	----	114.30 - 22.30	.1965	----	----	2	----	220 + 2
5810	----	----	----/118.80A	123.90B/118.80A	----	113.30 - 22.00	.1949	----	----	----	----	56 UNCH
5825	----	----	----/117.30A	122.40B/117.30A	----	111.70 - 21.80	.1926	----	----	----	----	4 UNCH
5875	----	----	----/112.20A	116.50B/112.20A	----	106.70 - 20.80	.1850	----	----	----	----	9 UNCH
5900	118.40	118.40	118.40/109.80A	118.40/109.80A	----	104.30 - 20.30	.1814	----	----	4	----	623 + 4
5950	----	----	----/105.30A	108.60B/105.30A	----	99.80 - 19.40	.1744	----	----	3	----	21 + 3
6000	104.00	104.00	104.00/99.90A	104.00/99.90A	----	95.50 - 18.60	.1677	----	----	6	----	4911 + 3
6100	----	----	----/93.00A	94.90B/93.00A	----	87.70 - 17.00	.1554	----	----	----	----	38 UNCH
6150	----	----	----/89.30A	90.80B/89.30A	----	84.10 - 16.30	.1496	----	----	----	----	1 UNCH
6200	----	----	----/85.90A	87.10B/85.90A	----	80.70 - 15.60	.1441	----	----	20	----	3345 UNCH
6300	----	----	----/79.60A	80.00B/79.60A	----	74.50 - 14.40	.1339	----	----	----	----	1046 UNCH
6400	----	----	----/73.90A	73.40B/73.90A	----	69.10 - 13.20	.1248	----	----	----	----	450 UNCH
6500	----	----	----/68.90A	67.80B/68.90A	----	64.20 - 12.20	.1164	----	----	----	----	4090 UNCH
6750	----	----	----/58.50A	56.20B/58.50A	----	54.20 - 10.00	.0990	----	----	----	----	100 UNCH
6775	----	----	----/57.60A	55.50B/57.60A	----	53.40 - 9.80	.0975	----	----	----	----	163 UNCH
6800	----	----	----/56.70A	54.50B/56.70A	----	52.60 - 9.60	.0961	----	----	----	----	1664 UNCH
6900	48.00	48.00	48.00/*48.00	50.60B/*48.00	----	49.50 - 8.80	.0905	----	----	2	----	2 + 2
7000	46.00	46.00	48.00/46.00	48.00/46.00	----	46.70 - 8.20	.0854	----	----	4	----	3993 UNCH
7250	----	----	----/45.70A	40.70B/45.70A	----	40.90 - 6.70	.0746	----	----	----	----	107 UNCH
7500	----	----	----	30.20B/47.00A	----	36.40 - 5.50	.0661	----	----	----	----	55 UNCH
8000	----	----	----	23.20B/39.00A	----	29.70 - 3.60	.0532	----	----	----	----	406 UNCH
8125	----	----	----	22.00B/38.20A	----	28.40 - 3.20	.0507	----	----	----	----	801 UNCH
8500	----	----	----	18.80B/34.70A	----	24.90 - 2.20	.0440	----	----	----	----	170 UNCH
9000	----	----	----	15.00B/29.70A	----	21.30 - 1.30	.0371	----	----	----	----	102 UNCH
9500	----	----	----	12.50B/28.40A	----	18.50 - 0.90	.0318	----	----	----	----	283 UNCH
9900	----	----	----	11.30B/26.60A	----	16.90 - 0.90	.0287	----	----	----	----	4 UNCH
10000	16.00	16.00	17.00/15.00	17.00/15.00	----	16.50 - 1.00	.0279	----	----	7	----	6077 + 5
11000	----	----	----	7.60B/22.90A	----	13.90 - 2.40	.0227	----	----	----	----	379 UNCH
13000	----	----	----	9.50B/18.20A	----	11.00 - 3.90	.0169	----	----	----	----	365 UNCH
15000	7.50	7.50	7.50/*7.00	7.50/*7.00	----	7.50 - 1.80	.0114	----	----	13	----	16880 + 10
17000	----	----	----	0.60B/7.50A	----	3.80 - 3.50	.0060	----	----	----	----	20 UNCH
19000	----	----	----	0.60B/*6.90A	----	2.30 - 1.20	.0037	----	----	----	----	7 UNCH
20000	3.00	3.00	3.00/3.00	3.00/3.00	----	2.00 UNCH	.0032	----	----	100	----	16629 + 100
24000	----	----	----	0.10B/3.00A	----	1.40 UNCH	.0022	----	----	----	----	5 UNCH
TOTAL										256	40	75802 + 179
JAN27												
4300	----	----	----/573.90A	619.50B/573.90A	----	575.70 - 91.70	.6292	----	----	----	----	1 UNCH
4400	----	----	----/523.90A	564.40B/523.90A	----	524.70 - 84.30	.5951	----	----	----	----	1 UNCH
4500	495.00	495.00	495.00/477.00A	533.50B/477.00A	----	477.50 - 77.30	.5607	----	----	1	----	1 - 1
4550	----	----	----/455.10A	508.40B/455.10A	----	455.30 - 74.00	.5436	----	----	----	----	1 UNCH
4650	----	----	----/414.10A	461.10B/414.10A	----	413.70 - 67.50	.5100	----	----	----	----	1 UNCH
4760	----	----	----/373.00A	413.50B/373.00A	----	372.00 - 60.90	.4741	----	----	----	----	100 UNCH
4800	----	----	----/359.00A	397.30B/359.00A	----	357.80 - 58.70	.4614	----	----	----	----	0 UNCH
4850	----	----	----/342.30A	377.90B/342.30A	----	340.90 - 55.90	.4457	----	----	----	----	1 UNCH
4875	----	----	----/334.20A	368.50B/334.20A	----	332.70 - 54.60	.4380	----	----	----	----	4 UNCH
4900	----	----	----/326.30A	359.40B/326.30A	----	324.80 - 53.30	.4304	----	----	----	----	9 UNCH
5000	----	----	----/*297.00A	324.80B/297.00A	----	294.80 - 48.40	.4009	----	----	----	----	3 UNCH
5050	----	----	----/283.20A	308.80B/283.20A	----	280.90 - 46.00	.3866	----	----	----	----	100 UNCH
5100	----	----	----/270.00A	293.60B/270.00A	----	267.70 - 43.80	.3728	----	----	----	----	1 UNCH
5250	----	----	----/234.80A	252.20B/234.80A	----	232.00 - 37.70	.3338	----	----	----	----	3 UNCH
5300	----	----	----/224.00A	239.80B/224.00A	----	221.30 - 35.90	.3216	----	----	----	----	1 UNCH
5400	----	----	----/204.50A	217.60B/204.50A	----	201.50 - 32.50	.2984	----	----	----	----	2 UNCH
5500	----	----	----/186.90A	198.10B/186.90A	----	183.80 - 29.30	.2769	----	----	----	----	3 UNCH
5550	----	----	----/178.80A	188.80B/178.80A	----	175.60 - 27.90	.2667	----	----	----	----	1 UNCH
5820	----	----	----/141.90A	147.40B/141.90A	----	138.50 - 21.20	.2184	----	----	----	----	6 UNCH
5850	----	----	----/138.50A	143.50B/138.50A	----	135.00 - 20.60	.2136	----	----	----	----	3 UNCH
5900	----	----	----/132.90A	137.30B/132.90A	----	129.40 - 19.60	.2060	----	----	----	----	5 UNCH
6000	----	----	----/122.80A	125.90B/122.80A	----	119.00 - 17.70	.1915	----	----	----	----	202 UNCH
6025	----	----	----/120.40A	123.30B/120.40A	----	116.60 - 17.30	.1881	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 44

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JAN27												
6300	----	----	----/*98.00A	98.20B/98.00A	----	93.40 - 13.10	.1546	----	----	----	----	2 UNCH
20000	4.00	4.00	4.10/*4.00	4.10/*4.00	----	3.50 - 1.60	.0052	----	----	3	----	20 + 1
TOTAL										4		472 0
FEB27												
5000	----	----	----	105.40B/615.30A	----	239.60 - 73.40	.3748	----	----	----	----	1 UNCH
5100	----	----	----	90.50B/566.20A	----	214.30 - 67.80	.3440	----	----	----	----	1 UNCH
5175	----	----	----	86.30B/534.30A	----	198.10 - 63.90	.3228	----	----	----	----	125 UNCH
5300	----	----	----	69.90B/490.40A	----	176.70 - 58.10	.2922	----	----	----	----	50 UNCH
5375	----	----	----	63.50B/480.10A	----	167.20 - 55.10	.2769	----	----	----	----	1 UNCH
5520	----	----	----	57.40B/427.30A	----	153.70 - 50.50	.2526	----	----	----	----	300 UNCH
5530	----	----	----	64.80B/384.10A	----	152.90 - 50.20	.2511	----	----	----	----	100 UNCH
5550	----	----	----	44.40B/417.30A	----	151.40 - 49.70	.2482	----	----	----	----	65 UNCH
5600	----	----	----	59.30B/384.50A	----	147.80 - 48.30	.2412	----	----	----	----	1 UNCH
6000	----	----	----	35.70B/283.70A	----	112.50 - 37.40	.1855	----	----	----	----	5 UNCH
6025	----	----	----	34.00B/278.80A	----	109.20 - 36.70	.1812	----	----	----	----	4 UNCH
6300	----	----	----	21.20B/230.10A	----	83.20 - 29.50	.1441	----	----	----	----	1 UNCH
6500	----	----	----	16.40B/*201.90A	----	71.30 - 25.80	.1252	----	----	----	----	110 UNCH
6900	----	----	----	10.60B/*159.50A	----	50.50 - 19.20	.0921	----	----	----	----	800 UNCH
7000	----	----	----	5.90B/95.00A	----	44.70 - 17.50	.0832	----	----	----	----	833 UNCH
7100	----	----	----	8.60B/*143.20A	----	41.30 - 16.20	.0774	----	----	----	----	8 UNCH
7900	----	----	----	4.00B/*101.30A	----	22.90 - 9.50	.0447	----	----	----	----	500 UNCH
8000	----	----	----	#23.00B/----	----	21.40 - 9.00	.0419	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	162.40 - 50.70	.2547	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	31.60 - 9.80	.0478	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	444.30 - 93.50	.4976	----	----	----	----	100 UNCH
5000	----	----	----	----	----	411.30 - 87.20	.4624	----	----	----	----	50 UNCH
5650	----	----	----	----	----	292.20 - 64.40	.3359	----	----	----	----	200 UNCH
5700	----	----	----	----	----	283.00 - 62.80	.3271	----	----	----	----	150 UNCH
5800	----	----	----	----	----	265.60 - 59.70	.3104	----	----	----	----	200 UNCH
5880	----	----	----	----	----	253.20 - 57.40	.2980	----	----	----	----	50 UNCH
6300	----	----	----	----	----	207.00 - 47.80	.2467	----	----	----	----	18 UNCH
7500	----	----	----	----	----	167.90 - 35.60	.1828	----	----	----	----	270 UNCH
7800	----	----	----	----	----	165.40 - 34.10	.1751	----	----	----	----	284 UNCH
10000	----	----	----	7.00B/----	----	123.60 - 23.70	.1216	----	----	----	----	109 UNCH
10500	----	----	----	----	----	110.70 - 21.40	.1095	----	----	----	----	10 UNCH
TOTAL												1441 0

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	452.30 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4240	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	302.30 UNCH	----	----	----	----	----	0 UNCH
4255	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	277.30 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4295	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	252.30 UNCH	----	----	----	----	----	0 UNCH
4310	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	227.30 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	202.30 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	192.30 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	182.30 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	177.30 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	----	----	172.30 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4390	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	157.30 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	152.30 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	142.30 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	137.30 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	132.30 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	127.30 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	122.30 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	117.30 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	112.30 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	102.30 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	92.30 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	87.30 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	77.30 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	72.30 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	67.30 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	62.30 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	57.30 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4												
MAR26														
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	52.30	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	47.30	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	42.30	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	37.30	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	32.30	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	27.30	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	22.30	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	17.30	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	12.30	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	7.30	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	2.30	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	2.70	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	7.70	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	12.70	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	17.70	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	22.70	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	27.70	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	32.70	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	37.70	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	47.70	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	72.70	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	87.70	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	97.70	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	122.70	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	132.70	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	147.70	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	172.70	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	197.70	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	222.70	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	242.70	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	247.70	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	272.70	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	277.70	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	287.70	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	292.70	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	297.70	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----	----	----	312.70	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	322.70	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	327.70	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	337.70	UNCH	----	----	----	----	----	0	UNCH
4895	----	----	----	----	----	342.70	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	347.70	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4905	----	----	----	----	----	352.70	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	387.70	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	392.70	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	397.70	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	422.70	UNCH	----	----	----	----	----	0	UNCH
4985	----	----	----	----	----	432.70	UNCH	----	----	----	----	----	0	UNCH
4990	----	----	----	----	----	437.70	UNCH	----	----	----	----	----	0	UNCH
5020	----	----	----	----	----	467.70	UNCH	----	----	----	----	----	0	UNCH
5035	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5040	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5110	----	----	----	----	----	557.70	UNCH	----	----	----	----	----	0	UNCH
5135	----	----	----	----	----	582.70	UNCH	----	----	----	----	----	0	UNCH
5230	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
APR26														
3500	----	----	2.00B/----	2.00B/1.80A	----	1.80	+ 1.20	.0069	----	----	1	----	28 +	1
3500	6.00	6.00	6.50/6.00	6.50/4.50A	----	4.60	+ 2.60	.0190	----	----	6	----	7 +	6
3700	----	----	22.70B/----	22.70B/12.70A	----	19.00	+ 13.70	.0684	----	----	----	----	1	UNCH
3700	----	----	6.00B/----	6.00B/2.70A	----	4.90	+ 3.40	.0208	----	----	2	----	3 +	2
3700	----	----	13.80B/----	13.80B/8.30A	----	11.50	+ 7.30	.0469	----	----	----	----	2	UNCH
3750	7.00	7.00	7.60B/7.00	7.60B/3.00A	----	6.20	+ 4.30	.0270	----	----	1	----	2 +	1
3750	----	----	27.20B/----	27.20B/14.20A	----	22.90	+ 16.20	.0815	----	----	----	----	2	UNCH
3750	----	----	17.20B/----	17.20B/9.70A	----	14.20	+ 9.20	.0576	----	----	----	----	2	UNCH
3800	----	----	32.50B/----	32.50B/16.00A	----	27.40	+ 19.10	.0963	----	----	----	----	3	UNCH
3800	----	----	21.20B/----	21.20B/10.90A	----	17.50	+ 11.50	.0705	----	----	----	----	1	UNCH
3850	----	----	12.60B/----	12.60B/4.10A	----	9.80	+ 6.80	.0445	----	----	----	----	1	UNCH
3850	----	----	26.00B/----	26.00B/12.30A	----	21.40	+ 14.20	.0856	----	----	----	----	2	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
3900	10.80	10.80	31.80B/10.80	31.80B/10.80	----	26.00 + 17.30	.1031	----	----	3	----	4 + 3
3900	----	----	15.70B/----	15.70B/4.90A	----	12.30 + 8.60	.0569	----	----	----	----	1 UNCH
3950	----	----	19.50B/----	19.50B/5.70A	----	15.40 + 10.80	.0723	----	----	----	----	28 UNCH
4000	13.70	13.70	24.30B/13.70	24.30B/6.90A	----	19.20 + 13.40	.0914	----	----	11	----	13 + 11
4000	27.50	27.50	43.50B/27.30	43.50B/17.40A	----	37.70 + 24.90	.1468	----	----	2	----	102 + 2
4000	55.40	55.40	58.70B/54.00	58.70B/25.50A	----	53.10 NEW	.1773	----	----	3	----	3 + 3
4000	----	----	----/446.60A	566.70B/446.60A	----	446.30 - 51.40	.8528	----	----	1	----	0 - 1
4050	----	----	51.40B/----	51.40B/20.60A	----	45.10 + 29.40	.1736	----	----	----	----	2 UNCH
4075	25.20	25.20	#33.20B/25.20	33.20B/9.70A	----	26.40 NEW	.1281	----	----	7	----	7 + 7
4100	16.00	16.00	36.80B/16.00	36.80B/10.60A	----	29.40 + 20.30	.1432	----	----	3	----	3 + 2
4100	28.80	28.80	60.10B/28.80	60.10B/25.30A	----	53.60 + 34.50	.2039	----	----	1	----	2 + 1
4125	----	----	#40.80B/----	40.80B/12.00A	----	32.60 + 22.30	.1595	----	----	----	----	1 UNCH
4150	27.20	27.20	45.30B/27.00	45.30B/13.50A	----	36.20 + 24.60	.1777	----	----	63	----	86 - 4
4175	67.90	67.90	#76.20B/67.80	76.20B/33.30A	----	68.80 NEW	.2567	----	----	31	----	18 + 18
4200	40.50	40.50	82.40B/40.50	82.40B/36.50A	----	74.60 + 45.80	.2764	----	----	18	----	18 + 17
4200	----	----	----/277.70A	385.20B/277.70A	----	283.30 - 30.50	.7232	----	----	1	----	0 - 1
4200	----	----	----/299.10A	400.20B/299.10A	----	305.00 - 20.90	.6983	----	----	----	----	1 UNCH
4200	31.00	31.00	55.40B/23.00	55.40B/17.20A	----	44.70 + 30.00	.2198	----	----	6	----	6 + 5
4225	37.70	37.70	61.10B/37.70	61.10B/19.30A	----	49.60 NEW	.2438	----	----	19	----	19 + 19
4245	----	----	#66.20B/----	66.20B/21.40A	----	54.00 + 35.70	.2647	----	----	----	----	1 UNCH
4250	----	----	67.60B/----	67.60B/21.80A	----	55.20 + 36.40	.2702	----	----	----	----	28 UNCH
4260	----	----	#70.40B/----	70.40B/23.00A	----	57.50 NEW	.2812	----	----	1	----	1 + 1
4275	49.50	49.50	74.80B/49.00	74.80B/24.80A	----	61.30 NEW	.2987	----	----	50	----	50 + 50
4280	----	----	#76.40B/----	76.40B/25.40A	----	62.60 + 40.80	.3047	----	----	----	----	1 UNCH
4300	41.50	41.50	82.80B/41.50	82.80B/28.10A	----	68.10 + 44.00	.3296	----	----	3	100	132 + 92
4300	----	----	----/232.30A	319.90B/232.30A	----	236.50 - 07.80	.6182	----	----	----	----	0 UNCH
4335	76.00	76.00	#95.20B/75.00	95.20B/33.40A	----	79.00 NEW	.3766	----	----	100	----	100 + 100
4340	----	----	#150.70B/----	150.70B/79.30A	----	142.40 + 74.00	.4165	----	----	----	----	1 UNCH
4350	141.20	141.20	141.20/137.30A	244.00B/137.30A	----	143.10 NEW	.6017	----	----	11	----	11 + 11
4350	----	----	154.80B/----	154.80B/84.40A	----	146.30 NEW	.4255	----	----	2	----	2 + 2
4355	----	----	#103.10B/----	103.10B/36.80A	----	85.90 + 54.00	.4053	----	----	----	----	2 UNCH
4360	62.70	62.70	#105.10B/62.70	105.10B/37.70A	----	87.80 NEW	.4128	----	----	4	----	4 + 4
4380	----	----	#113.70B/----	113.70B/41.60A	----	95.50 + 59.30	.4430	----	----	----	----	0 UNCH
4385	----	----	#115.90B/----	115.90B/42.50A	----	97.50 + 60.30	.4507	----	----	----	----	1 UNCH
4390	----	----	#118.10B/----	118.10B/43.60A	----	99.50 + 61.40	.4585	----	----	----	----	1 UNCH
4400	113.00	113.00	126.00/*109.10A	203.50B/*109.10A	----	112.80 NEW	.5255	----	----	4	----	3 + 3
4400	----	----	122.80B/----	122.80B/45.90A	----	103.80 + 63.70	.4742	----	----	1	----	75 - 1
4410	----	----	----/*103.70A	195.60B/*103.70A	----	107.20 - 10.40	.5096	----	----	----	----	4 UNCH
4410	----	----	127.60B/----	127.60B/48.10A	----	108.20 + 66.00	.4902	----	----	----	----	5 UNCH
4410	----	----	157.20B/----	157.20B/78.70A	----	144.10 + 76.30	.4853	----	----	----	----	5 UNCH
4415	----	----	159.70B/----	159.70B/80.20A	----	146.30 + 77.20	.4911	----	----	----	----	4 UNCH
4415	----	----	----/*101.20A	191.70B/*101.20A	----	104.40 - 09.30	.5015	----	----	----	----	14 UNCH
4415	----	----	130.00B/----	130.00B/49.40A	----	110.40 + 67.10	.4982	----	----	----	----	5 UNCH
4415	----	----	----/*141.30A	215.40B/141.30A	----	140.30 - 99.10	.5085	----	----	----	----	9 UNCH
4420	----	----	----/*98.80A	187.90B/*98.80A	----	101.70 - 08.20	.4935	----	----	----	----	9 UNCH
4420	----	----	132.50B/----	132.50B/50.30A	----	112.70 + 68.20	.5063	----	----	----	----	9 UNCH
4420	----	----	----/*138.70A	211.90B/138.70A	----	137.70 - 98.10	.5027	----	----	----	----	5 UNCH
4425	----	----	135.00B/----	135.00B/51.80A	----	115.10 + 69.50	.5144	----	----	2	----	16 UNCH
4430	59.10	59.10	137.60B/59.10	137.60B/52.90A	----	117.40 + 70.60	.5225	----	----	3	----	4 + 2
4435	----	----	140.20B/----	140.20B/53.90A	----	119.90 + 71.90	.5307	----	----	----	----	1 UNCH
4440	153.50	153.50	196.80B/149.50	196.80B/109.10A	----	186.00 + 89.00	.5107	----	----	8	----	1 UNCH
4440	----	----	----/*89.00A	172.70B/*89.00A	----	91.40 - 03.20	.4609	----	----	----	----	1 UNCH
4450	----	----	----/*84.40A	165.30B/*84.40A	----	86.40 - 00.80	.4444	----	----	1	----	2 + 1
4450	----	----	145.50B/----	145.50B/58.00A	----	127.40 + 75.60	.5554	----	----	3	----	2 - 2
4455	----	----	148.50B/----	148.50B/59.60A	----	130.00 + 76.90	.5636	----	----	----	----	1 UNCH
4470	78.50	78.50	78.50/*75.80A	151.00B/*75.80A	----	77.10 NEW	.4115	----	----	1	----	1 + 1
4475	----	----	159.70B/----	159.70B/65.60A	----	140.90 + 82.10	.5964	----	----	1	----	2 UNCH
4485	----	----	165.70B/----	165.70B/68.90A	----	146.60 + 84.80	.6128	----	----	----	----	30 UNCH
4495	72.50	72.50	171.90B/72.20A	171.90B/72.20A	----	152.40 NEW	.6290	----	----	15	----	15 + 15
4500	----	----	175.50B/----	175.50B/74.00A	----	155.40 + 88.70	.6371	----	----	----	----	21 UNCH
4500	----	----	229.70B/----	229.70B/131.60A	----	217.00 + 98.30	.5694	----	----	----	----	1 UNCH
4500	100.00	100.00	100.00/*64.00A	134.40B/*64.00A	----	64.50 - 87.60	.3627	----	----	83	----	80 + 79
4500	----	----	----/127.10A	182.80B/127.10A	----	126.10 - 77.90	.4300	----	----	----	----	1 UNCH
4500	----	----	----/101.50A	159.40B/101.50A	----	99.40 - 82.30	.4086	----	----	----	----	2 UNCH
4505	----	----	----/*62.20A	132.10B/*62.20A	----	62.50 - 86.30	.3546	----	----	----	----	5 UNCH
4510	----	----	181.70B/----	181.70B/77.70A	----	161.60 + 91.50	.6531	----	----	----	----	2 UNCH
4525	----	----	191.90B/----	191.90B/83.90A	----	171.10 + 95.60	.6768	----	----	----	----	3 UNCH
4525	----	----	----/*55.60A	123.00B/*55.60A	----	55.10 - 80.80	.3230	----	----	1	----	6 UNCH
4530	----	----	195.10B/----	195.10B/86.00A	----	174.30 + 97.00	.6845	----	----	1	----	1 UNCH
4530	----	----	----/89.90A	141.80B/89.90A	----	87.30 - 76.00	.3739	----	----	----	----	2 UNCH
4540	----	----	230.50B/----	230.50B/125.20A	----	214.40 + 02.40	.6371	----	----	----	----	10 UNCH
4550	----	----	236.80B/----	236.80B/129.80A	----	220.80 + 04.60	.6484	----	----	----	----	93 UNCH
4550	----	----	260.10B/----	260.10B/153.30A	----	245.80 NEW	.6181	----	----	1	----	1 + 1
4550	----	----	208.80B/----	208.80B/94.50A	----	187.80 + 02.50	.7146	----	----	----	----	116 UNCH
4550	----	----	----/*47.90A	108.10B/*47.90A	----	46.90 - 73.80	.2852	----	----	2	----	121 + 2
4550	----	----	----/82.40A	130.70B/82.40A	----	79.90 - 71.80	.3512	----	----	----	----	100 UNCH
4555	----	----	212.40B/----	212.40B/96.50A	----	191.30 + 04.00	.7218	----	----	1	----	1 UNCH
4560	----	----	216.50B/----	216.50B/99.00A	----	194.80 + 05.30	.7291	----	----	1	----	2 UNCH
4565	----	----	246.90B/----	246.90B/136.70A	----	230.50 + 07.70	.6651	----	----	----	----	5 UNCH
4570	----	----	----/75.60A	120.10B/75.60A	----	73.00 - 67.50	.3290	----	----	----	----	2 UNCH
4570	----	----	223.80B/----	223.80B/102.80A	----	202.00 + 08.20	.7434	----	----	----	----	2 UNCH
4575	----	----	----/*40.80A	94.10B/*40.80A	----	39.70 - 66.90	.2496	----	----	----	----	1 UNCH
4580	----	----	----/72.50A	115.00B/72.50A	----	69.70 - 65.50	.3180	----	----	----	----	2 UNCH
4590	----	----	239.10B/----	239.10B/112.80A	----	216.70 + 13.60	.7704	----	----	----	----	5 UNCH
4590	----	----	----/*37.00A	86.30B/*37.00A	----	35.80 - 62.80	.2294	----	----	----	----	5 UNCH
4600	37.60	37.60	37.70/*34.40A	81.40B/*34.40A	----	33.40 - 60.10	.2165	----	----	130	----	143 - 76
4600	----	----	----/66.20A	105.30B/66.20A	----	63.50 - 61.30	.2967	----	----	----	----	1 UNCH
4610	----	----	254.80B/----	254.80B/122.70A	----	232.10 + 19.00	.7955	----	----	----	----	1 UNCH
4620	----	----	----/*30.10A	72.10B/*30.10A	----	29.10 NEW	.1924	----	----	4	----	4 + 4
4625	----	----	----/*57.40A	94.00B/*57.40A	----	56.30 - 56.30	.2710	----	----	----	----	1 UNCH
4635	56.90	56.90	56.90/*56.20A	89.60B/*56.20A	----	53.60 NEW	.2610	----	----	5	----	5 + 5
4640	----	----	279.20B/----	279.20B/145.60A	----	256.20 + 26.80	.8295	----	----	----	----	1 UNCH
4650	----	----	----/74.50A	107.30B/74.50A	----	71.10 - 54.10	.2892	----	----	1	----	1 UNCH
4650	----	----	----/*52.40A	83.40B/*52.40A	----	49.70 NEW	.2462	----	----	16	----	16 + 16
4650	----	----	----/*24.40A	60.10B/*24.40A	----	23.60 NEW	.1600	----	----	1	----	1 + 1
4650	----	----	287.70B/----	287.70B/151.80A	----	264.40 + 29.20	.8397	----	----	----	----	12 UNCH
4675	----	----	309.60B/----	309.60B/197.30A	----	309.50 + 29.30	.7767	----	----	----	----	1 UNCH
4675	----	----	----/*46.50A	73.80B/*46.50A	----	43.80 NEW	.2229	----	----	16	----	16 + 16
4675	25.50	25.50	25.50/*20.70A	51.20B/*20.70A	----	19.80 - 41.20	.1365	----	----	14	----	14 + 13
4675	----	----	309.10B/----	309.10B/168.50A	----	285.60 + 35.20	.8633	----	----	----	----	2 UNCH
4680	18.00	18.00	18.00/*18.00	49.70B/*18.00	----	19.10 NEW	.1321	----	----	100	----	100 + 100
4685	----	----	----/*19.20A	47.80B/*19.20A	----	18.40 - 39.00	.1277	----	----	4	----	4 UNCH
4700	74.10	74.10	74.10/61.50A	88.00B/61.50A	----	58.00 - 46.60	.2478	----	----	1	----	0 - 1
4700	----	----	328.80B/----	328.80B/213.40A	----	329.20 + 33.70	.7986	----	----	----	----	2 UNCH
4700	72.60	72.60	72.60/*41.20A	72.60/*41.20A	----	38.50 - 42.60	.2010	----	----	2	----	4 + 2
4700	30.10	30.10	30.10/*17.30A	43.50B/*17.30A	----	16.60 - 35.70	.1159	----	----	2	----	190 + 1
4700	250.00	250.00	330.90B/250.00	330.90B/184.90A	----	307.40 + 40.70	.8839	----	----	2	----	13 UNCH
4710	199.40	199.40	339.70B/192.30A	339.70B/192.30A	----	316.30 + 42.80	.8912	----	----	1	----	0 - 1
4720	----	----	348.80B/----	348.80B/199.70A	----	325.30 + 44.80	.8984	----	----	----	----	1 UNCH
4720	----	----	----/*15.30A	37.80B/*15.30A	----	14.40 - 31.70	.1014	----	----	----	----	1 UNCH
4725	----	----	----/*14.70A	36.70B/*14.70A	----	13.90 NEW	.0980	----	----	1	----	1 + 1
4725	----	----	353.30B/----	353.30B/203.50A	----	329.80 + 45.70	.9018	----	----	----	----	5 UNCH
4730	----	----	----/*35.70A	55.60B/*35.70A	----	33.00 - 37.60	.1771	----	----	----	----	4 UNCH
4730	31.60	31.60	35.80B/*14.30A	35.80B/*14.30A	----	13.50 - 29.70	.0952	----	----	3	----	2 + 1
4735	----	----	----/*34.80A	54.20B/*34.80A	----	32.10 - 36.80	.1731	----	----	----	----	4 UNCH
4745	----	----	----/*13.10A	32.20B/*13.10A	----	12.20 - 27.00	.0862	----	----	----	----	1 UNCH
4750	----	----	----/*12.70A	31.10B/*12.70A	----	11.80 - 26.20	.0834	----	----	----	----	12 UNCH
4750	----	----	370.80B/----	370.80B/248.10A	----	370.30 + 41.80	.8375	----	----	----	----	2 UNCH
4750	----	----	----/*32.40A	50.00B/*32.40A	----	29.70 - 34.50	.1622	----	----	----	----	2 UNCH
4750	----	----	375.80B/----	375.80B/222.50A	----	352.60 + 50.20	.9164	----	----	----	----	1 UNCH
4755	----	----	----/*12.30A	30.00B/*12.30A	----	11.40 - 25.40	.0807	----	----	----	----	1 UNCH
4770	55.30	55.30	55.30/46.50	65.60B/46.50	----	43.60 NEW	.1974	----	----	6	----	3 + 3
4775	----	----	392.20B/----	392.20B/266.40A	----	391.60 + 45.50	.8547	----	----	----	----	1 UNCH
4775	----	----	----/*11.00A	25.70B/*11.00A	----	10.00 - 22.20	.0708	----	----	----	----	4 UNCH
4775	----	----	399.40B/----	399.40B/241.80A	----	375.80 + 54.20	.9290	----	----	----	----	3 UNCH
4780	----	----	----/*10.60A	24.70B/*10.60A	----	9.70 - 21.50	.0686	----	----	----	----	1 UNCH
4780	----	----	404.10B/----	404.10B/245.80A	----	380.50 + 55.00	.9312	----	----	----	----	2 UNCH
4780	----	----	----/*27.30A	42.40B/*27.30A	----	25.30 - 30.20	.1416	----	----	----	----	1 UNCH
4785	----	----	----/*26.60A	41.20B/*26.60A	----	24.70 - 29.50	.1386	----	----	----	----	5 UNCH
4795	----	----	----/*9.80A	22.50B/*9.80A	----	8.80 - 19.40	.0622	----	----	----	----	5 UNCH
4800	65.80	65.80	65.80/*41.70A	65.80/*41.70A	----	38.50 - 32.80	.1782	----	----	4	----	3 - 1
4800	8.60	8.60	8.60/*8.60	21.90B/*8.60	----	8.50 - 18.70	.0601	----	----	3	----	106 + 3
4800	----	----	----/*24.80A	37.80B/*24.80A	----	22.80 - 27.50	.1293	----	----	----	----	3 UNCH
4800	----	----	422.80B/----	422.80B/261.10A	----	399.30 + 57.70	.9397	----	----	----	----	1 UNCH
4805	----	----	----/*24.20A	36.80B/*24.20A	----	22.20 - 26.90	.1264	----	----	----	----	1 UNCH
4805	----	----	----/*9.10A	20.80B/*9.10A	----	8.20 - 18.10	.0580	----	----	----	----	1 UNCH
4815	----	----	----/*8.60A	19.60B/*8.60A	----	7.70 - 16.90	.0543	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4815	----	----	----/*23.20A	34.80B/*23.20A	----	21.10 - 25.60	.1208	----	----	----	----	5 UNCH
4820	----	----	----/*22.70A	33.90B/*22.70A	----	20.50 - 25.10	.1179	----	----	----	----	5 UNCH
4825	----	----	436.30B/----	436.30B/305.50A	----	435.60 + 51.90	.8844	----	----	----	----	1 UNCH
4840	----	----	461.00B/----	461.00B/295.60A	----	437.40 + 62.20	.9535	----	----	----	----	11 UNCH
4845	----	----	----/*7.20A	15.40B/*7.20A	----	6.40 - 13.70	.0448	----	----	----	----	1 UNCH
4850	----	----	----/*7.00A	14.70B/*7.00A	----	6.20 - 13.30	.0434	----	----	----	----	5 UNCH
4850	----	----	----/*19.90A	28.50B/*19.90A	----	17.60 - 21.70	.1028	----	----	----	----	225 UNCH
4850	----	----	458.90B/----	458.90B/325.90A	----	458.10 + 54.60	.8968	----	----	----	----	1 UNCH
4860	8.10	8.10	8.10/*6.70A	13.60B/*6.70A	----	5.90 - 12.30	.0410	----	----	1	----	2 + 1
4870	----	----	----/*6.30A	12.70B/*6.30A	----	5.60 - 11.40	.0388	----	----	----	----	4 UNCH
4875	----	----	----/*30.30A	41.00B/*30.30A	----	28.40 - 24.40	.1376	----	----	1	----	1 UNCH
4880	----	----	----/*5.90A	11.70B/*5.90A	----	5.20 - 10.70	.0360	----	----	1	----	5 - 1
4885	----	----	----/*5.80A	11.40B/*5.80A	----	5.10 - 10.30	.0351	----	----	----	----	2 UNCH
4900	----	----	#514.80B/----	#514.80B/348.80A	----	495.50 + 67.20	.9677	----	----	----	----	3 UNCH
4900	----	----	----/*4.50A	10.10B/*4.50A	----	4.70 - 9.30	.0322	----	----	----	----	6 UNCH
4900	----	----	505.00B/----	505.00B/368.30A	----	504.20 + 59.50	.9179	----	----	----	----	1 UNCH
4900	----	----	----/*27.70A	36.80B/*27.70A	----	25.60 - 22.20	.1258	----	----	1	----	2 UNCH
4900	----	----	----/*16.00A	21.50B/*16.00A	----	13.70 - 16.90	.0817	----	----	----	----	25 UNCH
4905	----	----	----/*5.30A	9.60B/*5.30A	----	4.60 - 8.90	.0314	----	----	----	----	1 UNCH
4910	----	----	----/*5.10A	9.40B/*5.10A	----	4.40 - 8.70	.0300	----	----	----	----	1 UNCH
4910	----	----	#524.10B/----	#524.10B/357.40A	----	505.20 + 67.80	.9698	----	----	----	----	22 UNCH
4915	----	----	----/*4.90A	9.20B/*4.90A	----	4.30 - 8.40	.0292	----	----	----	----	1 UNCH
4925	----	----	----/*4.70A	8.50B/*4.70A	----	4.10 - 7.80	.0277	----	----	----	----	3 UNCH
4925	----	----	----/*14.30A	18.60B/*14.30A	----	12.20 - 14.80	.0732	----	----	----	----	1 UNCH
4925	----	----	522.70B/----	522.70B/391.10A	----	527.70 + 61.60	.9265	----	----	----	----	1 UNCH
4930	----	----	----/*4.60A	8.00B/*4.60A	----	4.00 - 7.50	.0270	----	----	----	----	3 UNCH
4950	----	----	#563.70B/----	#563.70B/394.50A	----	544.30 + 69.90	.9758	----	----	----	----	1 UNCH
4950	----	----	----/*4.10A	7.00B/*4.10A	----	3.60 - 6.50	.0240	----	----	----	----	3 UNCH
4955	----	----	----/*12.60A	15.50B/*12.60A	----	10.50 - 12.80	.0636	----	----	----	----	1 UNCH
4955	----	----	497.00B/----	497.00B/416.90A	----	556.00 + 63.60	.9361	----	----	----	----	1 UNCH
4975	----	----	----/*3.70A	4.80B/*3.70A	----	3.10 - 5.60	.0204	----	----	----	----	1 UNCH
4980	----	----	----/*3.60A	4.70B/*3.60A	----	3.10 - 5.40	.0203	----	----	----	----	5 UNCH
4990	----	----	515.60B/----	515.60B/448.70A	----	589.40 + 65.80	.9454	----	----	----	----	1 UNCH
4990	----	----	----/*11.30A	12.60B/*11.30A	----	8.90 - 10.70	.0543	----	----	----	----	1 UNCH
5000	----	----	#614.00B/----	#614.00B/441.40A	----	593.50 + 71.70	.9817	----	----	----	----	50 UNCH
5000	----	----	516.80B/----	516.80B/457.90A	----	599.00 + 66.30	.9478	----	----	----	----	1 UNCH
5000	3.80	3.80	4.00/*3.30A	4.00/*3.30A	----	2.80 - 4.70	.0181	----	----	3	----	15 + 2
5000	----	----	----/*19.30A	23.30B/*19.30A	----	17.10 - 14.90	.0878	----	----	1	----	1 UNCH
5000	----	----	----/*10.90A	11.80B/*10.90A	----	8.50 - 10.20	.0520	----	----	----	----	2 UNCH
5010	----	----	506.20B/----	506.20B/467.00A	----	608.60 NEW	.9501	----	----	1	----	1 + 1
5025	----	----	----/*3.00A	2.90B/*3.00A	----	2.40 - 4.20	.0154	----	----	----	----	2 UNCH
5030	----	----	#642.60B/----	#642.60B/479.50A	----	623.10 + 72.50	.9846	----	----	----	----	2 UNCH
5030	2.60	2.60	2.60/*2.60	2.70B/*2.60	----	2.40 - 4.00	.0153	----	----	1	----	2 + 1
5040	----	----	----/*2.80A	2.60B/*2.80A	----	2.30 - 3.80	.0145	----	----	2	----	2 UNCH
5045	----	----	#657.30B/----	#657.30B/494.30A	----	637.90 + 72.80	.9860	----	----	----	----	4 UNCH
5050	----	----	#662.10B/----	#662.10B/498.80A	----	642.90 + 72.90	.9861	----	----	----	----	4 UNCH
5050	----	----	----/*2.60A	2.40B/*2.60A	----	2.20 - 3.50	.0138	----	----	----	----	4 UNCH
5055	----	----	----/*2.70A	2.20B/*2.70A	----	2.10 - 3.50	.0132	----	----	----	----	5 UNCH
5065	----	----	#678.40B/----	#678.40B/509.80A	----	657.70 + 73.20	.9874	----	----	----	----	1 UNCH
5070	----	----	#683.30B/----	#683.30B/518.70A	----	662.70 + 73.30	.9875	----	----	----	----	13 UNCH
5075	----	----	----/*8.40A	7.30B/*8.40A	----	6.20 - 6.90	.0379	----	----	----	----	20 UNCH
5075	----	----	----/*2.50A	1.90B/*2.50A	----	1.90 - 3.10	.0118	----	----	----	----	6 UNCH
5100	----	----	----	----	----	696.00 + 70.40	.9651	----	----	----	----	30 UNCH
5100	----	----	----/*2.30A	1.80B/*2.30A	----	1.70 - 2.70	.0104	----	----	----	----	6 UNCH
5120	----	----	----	509.00B/770.30A	----	712.20 + 74.10	.9909	----	----	----	----	1 UNCH
5135	----	----	----/*2.00A	1.50B/*2.00A	----	1.40 - 2.20	.0084	----	----	----	----	120 UNCH
5150	----	----	----/*2.00A	1.30B/*2.00A	----	1.30 - 2.00	.0077	----	----	----	----	1 UNCH
5165	----	----	----/*2.00A	1.20B/*2.00A	----	1.20 - 1.90	.0070	----	----	----	----	1 UNCH
5170	----	----	----/*1.90A	1.30B/*1.90A	----	1.10 - 1.90	.0065	----	----	----	----	4 UNCH
5175	----	----	----	567.00B/819.60A	----	766.80 + 74.70	.9935	----	----	----	----	1 UNCH
5185	----	----	----/*1.90A	1.20B/*1.90A	----	1.10 - 1.70	.0064	----	----	2	----	4 + 2
5190	----	----	----/*1.90A	1.10B/*1.90A	----	1.00 - 1.70	.0058	----	----	----	----	2 UNCH
5200	----	----	----/*5.80A	3.20B/*5.80A	----	4.40 - 3.40	.0259	----	----	----	----	2 UNCH
5210	----	----	----/*1.80A	1.00B/*1.80A	----	0.90 - 1.50	.0052	----	----	----	----	2 UNCH
5215	----	----	----/*1.80A	0.90B/*1.80A	----	0.90 - 1.50	.0051	----	----	----	----	1 UNCH
5225	----	----	----	619.20B/865.80A	----	816.60 + 75.10	.9949	----	----	----	----	1 UNCH
5225	----	----	----/*2.10A	0.70B/*2.10A	----	0.90 - 1.40	.0051	----	----	----	----	12 UNCH
5240	----	----	----	0.60B/*2.10A	----	0.80 - 1.30	.0045	----	----	----	----	2 UNCH
5245	----	----	----/*5.10A	2.50B/*5.10A	----	4.00 - 2.70	.0231	----	----	----	----	20 UNCH
5250	----	----	----	0.50B/2.00A	----	0.80 - 1.20	.0044	----	----	----	----	4 UNCH
5250	----	----	----/*5.10A	2.50B/*5.10A	----	4.00 - 2.50	.0230	----	----	----	----	1 UNCH
5260	----	----	----	0.50B/2.10A	----	0.70 - 1.20	.0039	----	----	----	----	1 UNCH
5275	----	----	----	0.40B/2.00A	----	0.70 - 1.10	.0038	----	----	----	----	1 UNCH
5290	----	----	----/*4.60A	2.00B/*4.60A	----	3.60 - 2.10	.0204	----	----	----	----	1 UNCH
5290	----	----	----	0.40B/2.00A	----	0.70 - 1.00	.0038	----	----	----	----	4 UNCH
5300	----	----	----/*4.60A	1.90B/*4.60A	----	3.60 - 1.90	.0203	----	----	----	----	2 UNCH
5300	----	----	----	0.30B/2.00A	----	0.60 - 1.00	.0032	----	----	----	----	1 UNCH
5305	----	----	----/*4.40A	1.80B/*4.40A	----	3.50 - 2.00	.0198	----	----	----	----	1 UNCH
5325	----	----	----	0.30B/1.90A	----	0.60 - 0.80	.0031	----	----	----	----	1 UNCH
5350	----	----	----/*4.10A	1.50B/*4.10A	----	3.20 - 1.50	.0177	----	----	----	----	1 UNCH
5360	----	----	----	----/2.10A	----	0.50 - 0.80	.0026	----	----	----	----	3 UNCH
5375	----	----	----	----/1.90A	----	0.50 - 0.70	.0025	----	----	----	----	1 UNCH
5380	----	----	----	----/*1.90A	----	0.50 - 0.70	.0025	----	----	----	----	10 UNCH
5400	----	----	----	----/*2.00A	----	0.40 - 0.70	.0020	----	----	----	----	1 UNCH
5435	----	----	----	----/2.00A	----	0.40 - 0.50	.0019	----	----	----	----	15 UNCH
5500	----	----	----	0.70B/3.20A	----	2.20 - 0.90	.0117	----	----	----	----	2 UNCH
5500	----	----	----	----/2.00A	----	0.30 - 0.40	.0014	----	----	----	----	2 UNCH
5550	----	----	----	----/1.80A	----	0.20 - 0.40	.0009	----	----	----	----	1 UNCH
5600	----	----	----	----/1.70A	----	0.20 - 0.30	.0008	----	----	----	----	1 UNCH
5650	----	----	----	----/1.60A	----	0.20 - 0.30	.0008	----	----	----	----	15 UNCH
5675	----	----	----	----/1.60A	----	0.20 NEW	.0008	----	----	1	----	1 + 1
TOTAL										810	100	3002 + 547

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3500	----	----	1.00B/----	1.00B/2.10A	----	0.70 + 0.60	.0026	----	----	1	----	11 + 1
3600	----	----	2.00B/----	2.00B/2.00A	----	1.60 + 1.30	.0064	----	----	----	----	1 UNCH
3650	----	----	2.70B/----	2.70B/2.30A	----	2.40 + 1.90	.0098	----	----	----	----	1 UNCH
3750	----	----	5.00B/----	5.00B/2.40A	----	4.10 + 3.20	.0180	----	----	----	----	2 UNCH
3800	6.10	6.10	6.50B/6.10	6.50B/2.80A	----	5.40 + 4.20	.0244	----	----	1	----	3 + 1
3850	----	----	8.50B/----	8.50B/3.30A	----	7.10 + 5.60	.0329	----	----	----	----	2 UNCH
3900	----	----	11.00B/----	11.00B/4.00A	----	9.30 + 7.20	.0441	----	----	1	----	2 UNCH
3950	----	----	14.20B/----	14.20B/4.60A	----	12.10 + 9.40	.0585	----	----	1	----	2 + 1
4000	11.80	11.80	18.00B/11.80	18.00B/5.20A	----	15.70 + 12.00	.0772	----	----	7	----	26 - 2
4050	----	----	22.80B/----	22.80B/6.40A	----	19.70 + 14.80	.0989	----	----	----	----	1 UNCH
4100	20.40	20.40	28.90B/20.40	28.90B/8.10A	----	24.60 + 18.20	.1260	----	----	4	----	33 - 2
4150	----	----	36.20B/----	36.20B/10.30A	----	30.70 + 22.20	.1599	----	----	----	----	20 UNCH
4200	25.00	25.00	45.00B/25.00	45.00B/13.50A	----	38.40 + 27.10	.2021	----	----	19	----	42 + 6
4250	45.00	45.00	56.20B/45.00	56.20B/17.70A	----	48.10 + 33.10	.2539	----	----	3	----	6 + 2
4275	47.00	47.00	62.80B/47.00	62.80B/20.30A	----	53.80 NEW	.2837	----	----	72	----	70 + 70
4300	31.50	31.50	69.90B/31.50	69.90B/23.10A	----	60.20 + 40.40	.3164	----	----	27	----	36 + 25
4305	----	----	#71.30B/----	71.30B/23.60A	----	61.50 NEW	.3231	----	----	1	----	1 + 1
4325	----	----	77.90B/----	77.90B/26.40A	----	67.20 NEW	.3516	----	----	1	----	1 + 1
4350	41.00	41.00	91.40B/41.00	91.40B/30.00A	----	75.10 + 48.90	.3898	----	----	53	----	221 - 2
4355	----	----	#88.90B/----	88.90B/30.70A	----	76.80 + 49.90	.3977	----	----	----	----	75 UNCH
4360	53.00	53.00	#90.90B/53.00	90.90B/31.60A	----	78.50 + 50.80	.4058	----	----	1	----	2 UNCH
4375	----	----	101.60B/----	101.60B/34.20A	----	83.90 + 53.80	.4306	----	----	----	150	150 + 144
4400	66.70	66.70	109.50B/66.70	109.50B/38.90A	----	93.70 + 59.10	.4738	----	----	29	----	32 + 21
4400	107.00	107.00	107.00/*97.10A	191.50B/*97.10A	----	102.70 - 17.30	.5260	----	----	3	----	4 + 3
4405	----	----	----/*94.50A	187.60B/*94.50A	----	99.80 - 16.10	.5171	----	----	----	----	1 UNCH
4410	----	----	114.30B/----	114.30B/41.00A	----	98.00 + 61.50	.4916	----	----	----	----	1 UNCH
4410	----	----	----/*91.90A	183.70B/*91.90A	----	97.00 - 14.90	.5082	----	----	----	----	6 UNCH
4425	----	----	----/*84.50A	172.20B/*84.50A	----	88.70 - 11.40	.4810	----	----	----	----	1 UNCH
4430	----	----	----/*82.20A	168.50B/*82.20A	----	86.00 - 10.20	.4718	----	----	----	----	1 UNCH
4435	----	----	----/*79.80A	165.60B/*79.80A	----	83.40 - 08.90	.4626	----	----	----	----	5 UNCH
4445	----	----	127.40B/----	127.40B/49.20A	----	114.30 + 70.10	.5558	----	----	----	----	4 UNCH
4450	97.10	97.10	128.90B/87.40	128.90B/50.40A	----	116.80 + 71.40	.5651	----	----	2	----	9 + 1
4450	76.50	76.50	77.50/*73.10A	153.80B/*73.10A	----	75.80 NEW	.4347	----	----	11	----	11 + 11
4455	----	----	----/*71.00A	151.10B/*71.00A	----	73.40 - 03.70	.4253	----	----	----	----	5 UNCH
4470	95.00	95.00	110.00/*64.80A	140.50B/*64.80A	----	66.40 NEW	.3973	----	----	4	----	2 + 2
4480	----	----	146.10B/----	146.10B/59.10A	----	133.00 + 79.50	.6211	----	----	----	----	5 UNCH
4490	----	----	----/*56.60A	126.70B/*56.60A	----	57.80 - 94.10	.3601	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week5										
MAR26												
4490	----	----	152.30B/----	152.30B/63.30A	----	138.80 + 82.40	.6397	----	----	----	----	0 UNCH
4495	----	----	155.50B/----	155.50B/64.40A	----	141.80 + 83.80	.6488	----	----	----	----	9 UNCH
4500	----	----	158.90B/----	158.90B/66.10A	----	144.80 + 85.30	.6580	----	----	----	----	9 UNCH
4500	----	----	----/*53.10A	119.90B/*53.10A	----	53.80 - 91.20	.3418	----	----	62	----	145 - 19
4505	----	----	162.10B/----	162.10B/68.30A	----	147.90 + 86.70	.6670	----	----	----	----	6 UNCH
4510	----	----	165.10B/----	165.10B/69.50A	----	151.00 NEW	.6759	----	----	1	----	1 + 1
4510	49.40	49.40	49.40/*49.40	116.20B/*49.40	----	50.10 NEW	.3239	----	----	1	----	1 + 1
4515	----	----	168.90B/----	168.90B/71.60A	----	154.20 + 89.70	.6848	----	----	----	----	5 UNCH
4540	----	----	180.20B/----	180.20B/84.50A	----	170.90 + 97.30	.7278	----	----	----	----	8 UNCH
4540	----	----	----/*40.80A	98.00B/*40.80A	----	40.00 NEW	.2719	----	----	4	----	4 + 4
4550	36.40	36.40	36.40/*36.40	96.40B/*36.40	----	37.00 - 76.00	.2555	----	----	1	----	2 + 1
4550	----	----	190.30B/----	190.30B/88.80A	----	178.00 + 00.50	.7443	----	----	----	----	3 UNCH
4560	58.30	58.30	58.30/*35.20A	91.80B/*35.20A	----	34.30 NEW	.2399	----	----	5	----	5 + 5
4565	----	----	----/*34.10A	86.50B/*34.10A	----	33.00 NEW	.2323	----	----	1	----	1 + 1
4570	----	----	----/*32.90A	83.40B/*32.90A	----	31.70 NEW	.2246	----	----	1	----	1 + 1
4575	33.00	33.00	33.00/*31.00	81.90B/*31.00	----	30.50 NEW	.2174	----	----	43	----	43 + 43
4590	----	----	219.40B/----	219.40B/108.00A	----	208.00 + 13.00	.8035	----	----	----	----	5 UNCH
4600	43.60	43.60	43.60/*26.70A	68.40B/*26.70A	----	25.10 - 60.30	.1834	----	----	55	----	59 + 52
4600	----	----	228.40B/----	228.40B/113.80A	----	216.00 + 16.10	.8164	----	----	----	----	42 UNCH
4620	----	----	----/*23.20A	60.60B/*23.20A	----	21.40 - 54.30	.1589	----	----	2	----	3 + 2
4625	32.50	32.50	32.50/*22.10A	59.50B/*22.10A	----	20.50 NEW	.1530	----	----	26	----	25 + 25
4630	22.30	22.30	22.30/*21.40A	58.30B/*21.40A	----	19.70 - 51.40	.1475	----	----	18	----	27 + 12
4635	----	----	----/*20.50A	56.30B/*20.50A	----	19.00 - 49.90	.1425	----	----	----	----	2 UNCH
4640	21.80	21.80	21.80/*19.70A	54.30B/*19.70A	----	18.20 NEW	.1370	----	----	2	----	2 + 2
4650	----	----	----/*18.40A	51.00B/*18.40A	----	16.80 - 45.80	.1271	----	----	----	----	15 UNCH
4650	----	----	267.30B/----	267.30B/143.90A	----	257.70 + 30.70	.8727	----	----	----	----	2 UNCH
4665	----	----	----/*16.40A	47.00B/*16.40A	----	14.80 - 41.90	.1129	----	----	----	----	1 UNCH
4670	----	----	----/*15.80A	45.50B/*15.80A	----	14.20 - 40.60	.1086	----	----	----	----	1 UNCH
4675	----	----	289.50B/----	289.50B/160.60A	----	279.40 + 37.00	.8956	----	----	----	----	1 UNCH
4675	----	----	----/*15.30A	43.60B/*15.30A	----	13.60 - 39.40	.1042	----	----	5	----	13 - 3
4680	----	----	----/*14.80A	42.10B/*14.80A	----	13.00 - 38.20	.0999	----	----	----	----	1 UNCH
4685	----	----	----/*14.20A	40.60B/*14.20A	----	12.40 - 37.10	.0956	----	----	----	----	2 UNCH
4690	----	----	----/*13.80A	39.00B/*13.80A	----	11.90 NEW	.0919	----	----	1	----	1 + 1
4700	----	----	312.20B/----	312.20B/178.40A	----	301.80 + 42.80	.9154	----	----	----	----	6 UNCH
4700	----	----	----/*12.90A	36.40B/*12.90A	----	10.90 - 33.70	.0844	----	----	2	----	28 UNCH
4705	----	----	----/*12.40A	34.90B/*12.40A	----	10.50 - 32.50	.0813	----	----	----	----	2 UNCH
4725	----	----	335.30B/----	335.30B/197.30A	----	324.90 + 48.20	.9303	----	----	1	----	11 + 1
4725	----	----	----/*11.00A	30.40B/*11.00A	----	9.00 - 28.30	.0695	----	----	----	----	10 UNCH
4730	----	----	----/*10.50A	29.10B/*10.50A	----	8.70 - 27.30	.0671	----	----	----	----	2 UNCH
4740	----	----	----/*9.90A	26.90B/*9.90A	----	8.20 - 25.30	.0628	----	----	2	----	1 UNCH
4750	----	----	358.70B/----	358.70B/217.20A	----	348.60 + 53.10	.9411	----	----	1	----	328 UNCH
4750	----	----	----/*9.30A	24.80B/*9.30A	----	7.70 - 23.40	.0587	----	----	1	----	8 UNCH
4775	----	----	----/*7.90A	20.10B/*7.90A	----	6.70 - 19.10	.0501	----	----	----	----	2 UNCH
4775	----	----	382.40B/----	382.40B/238.90A	----	372.50 + 57.30	.9497	----	----	----	----	3 UNCH
4785	----	----	392.00B/----	392.00B/247.40A	----	382.20 + 58.80	.9530	----	----	----	----	2 UNCH
4800	7.60	7.60	7.60/*6.70A	16.60B/*6.70A	----	5.90 - 15.60	.0432	----	----	1	----	23 + 1
4800	----	----	406.30B/----	406.30B/259.40A	----	396.70 + 60.90	.9566	----	----	----	----	14 UNCH
4805	----	----	411.20B/----	411.20B/263.80A	----	401.60 + 61.50	.9582	----	----	----	----	2 UNCH
4810	----	----	----/*6.30A	15.30B/*6.30A	----	5.60 - 14.30	.0407	----	----	----	----	4 UNCH
4825	----	----	430.50B/----	430.50B/282.40A	----	421.00 + 63.80	.9626	----	----	----	----	1 UNCH
4825	----	----	----/*5.90A	13.10B/*5.90A	----	5.20 - 12.70	.0373	----	----	----	----	2 UNCH
4830	12.00	12.00	12.00/*5.80A	12.70B/*5.80A	----	5.10 - 12.10	.0364	----	----	1	----	2 + 1
4850	----	----	----/*5.20A	11.00B/*5.20A	----	4.60 - 10.30	.0323	----	----	----	----	52 UNCH
4850	----	----	454.70B/----	454.70B/303.90A	----	445.40 + 66.10	.9676	----	----	----	----	7 UNCH
4870	----	----	----/*4.60A	9.40B/*4.60A	----	4.10 - 8.80	.0284	----	----	----	----	2 UNCH
4875	----	----	479.10B/----	479.10B/327.00A	----	469.80 + 68.00	.9723	----	----	----	----	2 UNCH
4895	----	----	----/*4.10A	7.60B/*4.10A	----	3.60 - 7.30	.0244	----	----	----	----	1 UNCH
4900	----	----	503.50B/----	503.50B/351.40A	----	494.40 + 69.60	.9757	----	----	----	----	12 UNCH
4900	3.50	3.50	3.50/*3.50	7.20B/*3.50	----	3.60 - 6.90	.0242	----	----	1	----	7 UNCH
4910	----	----	513.40B/----	513.40B/358.80A	----	504.20 + 70.10	.9772	----	----	----	----	15 UNCH
4940	----	----	542.90B/----	542.90B/524.80A	----	533.70 + 71.30	.9810	----	----	----	----	3 UNCH
4945	----	----	547.80B/----	547.80B/529.80A	----	538.70 + 71.60	.9811	----	----	----	----	10 UNCH
4950	----	----	----/*3.10A	3.80B/*3.10A	----	2.80 - 4.80	.0181	----	----	----	----	8 UNCH
4950	----	----	552.70B/----	552.70B/534.70A	----	543.60 + 71.70	.9818	----	----	----	----	2 UNCH
4955	----	----	#557.60B/----	#557.60B/539.60A	----	548.50 + 71.90	.9825	----	----	----	----	10 UNCH
4960	----	----	#562.60B/----	#562.60B/544.50A	----	553.40 + 72.00	.9832	----	----	----	----	4 UNCH
4965	----	----	#567.50B/----	#567.50B/549.50A	----	558.30 + 72.10	.9833	----	----	----	----	1 UNCH
4970	----	----	----/*2.70A	3.10B/*2.70A	----	2.50 - 4.20	.0159	----	----	----	----	2 UNCH
4970	----	----	#572.40B/----	#572.40B/554.40A	----	563.30 + 72.30	.9840	----	----	----	----	1 UNCH
4975	----	----	----/*2.70A	3.00B/*2.70A	----	2.40 - 4.10	.0152	----	----	----	----	1 UNCH
4990	----	----	#592.20B/----	#592.20B/574.10A	----	583.00 + 72.80	.9861	----	----	----	----	8 UNCH
5000	2.70	2.70	2.70/*2.30A	2.70/*2.30A	----	2.10 - 3.50	.0130	----	----	2	----	8 + 1
5000	----	----	#602.10B/----	#602.10B/584.00A	----	592.90 + 73.00	.9868	----	----	----	----	169 UNCH
5010	----	----	#612.00B/----	#612.00B/593.90A	----	602.80 + 73.20	.9876	----	----	----	----	25 UNCH
5015	----	----	----/*2.40A	1.90B/*2.40A	----	1.90 - 3.20	.0117	----	----	----	----	2 UNCH
5015	----	----	#616.90B/----	#616.90B/598.80A	----	607.70 + 73.30	.9882	----	----	----	----	1 UNCH
5020	----	----	----/*2.20A	1.90B/*2.20A	----	1.90 - 3.10	.0116	----	----	----	----	1 UNCH
5020	----	----	#621.90B/----	#621.90B/603.80A	----	612.70 + 73.40	.9883	----	----	----	----	1 UNCH
5025	----	----	----/*2.20A	1.70B/*2.20A	----	1.80 - 3.00	.0110	----	----	----	----	1 UNCH
5030	----	----	#631.80B/----	#631.80B/613.70A	----	622.60 NEW	.9890	----	----	1	----	1 + 1
5040	----	----	#641.70B/----	#641.70B/623.60A	----	632.50 + 73.80	.9897	----	----	----	----	1 UNCH
5045	----	----	#646.70B/----	#646.70B/628.50A	----	637.40 + 73.80	.9903	----	----	----	----	1 UNCH
5050	----	----	#651.60B/----	#651.60B/633.50A	----	642.40 + 73.90	.9904	----	----	----	----	6 UNCH
5075	----	----	----/*2.00A	1.10B/*2.00A	----	1.40 - 2.30	.0082	----	----	----	----	6 UNCH
5090	----	----	#691.40B/----	#691.40B/673.20A	----	682.10 + 74.50	.9924	----	----	----	----	5 UNCH
5095	----	----	#696.30B/----	#696.30B/678.20A	----	687.00 + 74.50	.9930	----	----	----	----	5 UNCH
5100	----	----	#701.30B/----	#701.30B/683.10A	----	692.00 + 74.60	.9931	----	----	----	----	11 UNCH
5100	----	----	----/*1.90A	1.00B/*1.90A	----	1.20 - 1.90	.0069	----	----	----	----	5 UNCH
5110	----	----	----/*1.80A	0.90B/*1.80A	----	1.10 - 1.90	.0063	----	----	----	----	176 UNCH
5115	----	----	#716.20B/----	#716.20B/698.10A	----	706.90 + 74.80	.9937	----	----	----	----	1 UNCH
5125	----	----	#726.20B/----	#726.20B/708.10A	----	716.80 + 74.80	.9943	----	----	----	----	1 UNCH
5145	----	----	----/2.00A	0.30B/2.00A	----	0.90 - 1.50	.0050	----	----	----	----	1 UNCH
5160	----	----	----/2.00A	0.20B/2.00A	----	0.90 - 1.30	.0049	----	----	----	----	1 UNCH
5165	----	----	----/*2.00A	0.30B/*2.00A	----	0.80 - 1.30	.0043	----	----	----	----	1 UNCH
5175	----	----	----	0.20B/2.00A	----	0.80 - 1.20	.0043	----	----	----	----	1 UNCH
5175	----	----	#775.90B/----	#775.90B/757.80A	----	766.60 + 75.30	.9957	----	----	----	----	1 UNCH
5190	----	----	----	----/2.00A	----	0.70 - 1.20	.0037	----	----	----	----	50 UNCH
5200	----	----	----	----/*1.90A	----	0.70 - 1.10	.0037	----	----	----	----	14 UNCH
5205	----	----	----	----/*1.90A	----	0.70 - 1.00	.0037	----	----	----	----	1 UNCH
5210	----	----	----	----/*1.90A	----	0.70 - 1.00	.0036	----	----	----	----	1 UNCH
5215	----	----	#815.80B/----	#815.80B/797.70A	----	806.40 + 75.50	.9969	----	----	----	----	1 UNCH
5225	----	----	----	----/1.90A	----	0.60 - 1.00	.0031	----	----	----	----	1 UNCH
5235	----	----	----	----/*1.80A	----	0.60 - 0.90	.0030	----	----	----	----	1 UNCH
5240	----	----	----	----/1.80A	----	0.60 - 0.80	.0030	----	----	----	----	2 UNCH
5250	----	----	----	----/1.80A	----	0.50 - 0.90	.0025	----	----	----	----	5 UNCH
5260	----	----	----	----/1.90A	----	0.50 - 0.80	.0025	----	----	----	----	1 UNCH
5285	----	----	----	----/1.80A	----	0.50 - 0.70	.0024	----	----	----	----	3 UNCH
5290	----	----	----	----/1.80A	----	0.40 - 0.70	.0019	----	----	----	----	1 UNCH
5300	----	----	----	----/*1.70A	----	0.40 - 0.70	.0019	----	----	----	----	261 UNCH
5310	----	----	----	----/*1.70A	----	0.40 - 0.60	.0019	----	----	----	----	100 UNCH
5350	----	----	----	----/*1.50A	----	0.30 - 0.50	.0014	----	----	----	----	2 UNCH
5380	----	----	----	----/*1.50A	----	0.30 - 0.40	.0013	----	----	----	----	2 UNCH
5400	----	----	----	----/*1.40A	----	0.20 - 0.40	.0009	----	----	----	----	1 UNCH
5420	----	----	----	----/*1.40A	----	0.20 - 0.40	.0008	----	----	----	----	1 UNCH
5425	----	----	----	----/*1.40A	----	0.20 - 0.30	.0008	----	----	----	----	1 UNCH
5575	----	----	----	----/*1.30A	----	0.10 - 0.20	.0002	----	----	----	----	1 UNCH
5625	----	----	----	----/*1.30A	----	0.10 - 0.20	.0001	----	----	----	----	24 UNCH
5675	----	----	----	----/*1.20A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
TOTAL										483	150	2747 + 419
APR26												
3500	----	----	9.80B/----	9.80B/7.00A	----	8.90 + 6.00	.0328	----	----	----	----	1 UNCH
3800	----	----	18.50B/----	18.50B/9.80A	----	16.60 + 11.30	.0676	----	----	1	----	2 + 1
3900	10.70	10.70	28.30B/10.70	28.30B/10.70	----	23.90 + 16.10	.0974	----	----	4	----	48 + 4
3950	22.50	22.50	34.70B/21.10	34.70B/13.40A	----	28.60 NEW	.1164	----	----	2	----	2 + 2
4000	----	----	39.90B/----	39.90B/15.40A	----	34.20 + 22.70	.1387	----	----	----	----	1 UNCH
4000	46.20	46.20	56.20B/46.20	56.20B/24.10A	----	50.60 NEW	.1730	----	----	1	----	1 + 1
4075	----	----	#51.50B/----	51.50B/20.40A	----	44.70 NEW	.1793	----	----	1	----	1 + 1
4100	----	----	55.70B/----	55.70B/22.90A	----	48.90 + 31.60	.1950	----	----	1	----	17 + 1
4125	53.80	53.80	#60.80B/53.80	60.80B/25.30A	----	53.40 NEW	.2118	----	----	1	----	1 + 1
4200	----	----	77.40B/----	77.40B/33.50A	----	69.50 NEW	.2693	----	----	2	----	2 + 2
4225	----	----	83.90B/----	83.90B/36.90A	----	75.80 + 46.60	.2909	----	----	----	----	5 UNCH
4240	----	----	#88.10B/----	88.10B/39.00A	----	79.80 + 48.70	.3044	----	----	----	----	23 UNCH
4250	----	----	91.00B/----	91.00B/40.50A	----	82.60 + 50.20	.3137	----	----	----	----	40 UNCH
4250	----	----	114.50B/----	114.50B/56.60A	----	105.70 + 58.60	.3358	----	----	----	----	60 UNCH
4300	48.00	48.00	106.80B/48.00	106.80B/48.00	----	97.90 + 57.90	.3629	----	----	1	----	2 + 1
4325	108.30	108.30	115.70B/108.30	115.70B/53.80A	----	106.40 + 62.00	.3891	----	----	11	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4325	----	----	----/213.00A	297.90B/213.00A	----	214.60 NEW	.5985	----	----	1	----	1 + 1
4360	----	----	#129.40B/----	129.40B/61.40A	----	119.50 + 68.10	.4277	----	----	----	----	5 UNCH
4365	----	----	#131.30B/----	131.30B/62.60A	----	121.50 + 69.00	.4334	----	----	----	----	5 UNCH
4400	----	----	173.30B/----	173.30B/92.70A	----	161.20 + 80.00	.4725	----	----	----	----	13 UNCH
4400	----	----	----/143.40A	221.40B/143.40A	----	145.10 - 00.90	.5257	----	----	----	----	3 UNCH
4400	----	----	147.00B/----	147.00B/71.40A	----	136.10 + 75.40	.4739	----	----	----	----	38 UNCH
4405	145.50	145.50	#149.30B/145.50	149.30B/72.70A	----	138.30 + 76.30	.4798	----	----	2	----	20 - 2
4410	----	----	----/*137.50A	214.30B/137.50A	----	139.60 - 99.00	.5139	----	----	----	----	9 UNCH
4410	----	----	151.60B/----	151.60B/74.10A	----	140.60 + 77.30	.4857	----	----	----	----	4 UNCH
4415	----	----	----/*134.90A	210.60B/134.90A	----	136.90 - 98.00	.5079	----	----	----	----	14 UNCH
4420	----	----	156.60B/----	156.60B/76.90A	----	145.20 + 79.30	.4977	----	----	----	----	19 UNCH
4425	161.80	161.80	161.80/129.80A	203.60B/129.80A	----	131.50 NEW	.4960	----	----	1	----	1 + 1
4440	----	----	166.50B/----	166.50B/82.90A	----	154.70 + 83.10	.5218	----	----	----	----	8 UNCH
4450	----	----	171.90B/----	171.90B/86.00A	----	159.60 + 85.10	.5339	----	----	----	----	3 UNCH
4495	136.40	136.40	136.40/97.90A	157.20B/97.90A	----	97.60 NEW	.4108	----	----	14	----	14 + 14
4500	----	----	----/95.80A	154.10B/95.80A	----	95.40 - 81.10	.4047	----	----	----	----	18 UNCH
4500	----	----	225.70B/----	225.70B/127.70A	----	211.20 + 96.40	.5733	----	----	----	----	1 UNCH
4500	----	----	200.00B/----	200.00B/103.60A	----	186.30 + 95.20	.5949	----	----	----	----	1 UNCH
4515	----	----	----/89.70A	145.10B/89.70A	----	89.10 - 78.00	.3865	----	----	----	----	11 UNCH
4530	----	----	----/84.10A	136.30B/84.10A	----	83.10 - 74.90	.3685	----	----	----	----	6 UNCH
4545	----	----	----/78.70A	127.90B/78.70A	----	77.30 - 71.80	.3505	----	----	----	----	1 UNCH
4550	77.00	77.00	77.00/76.80A	125.40B/76.80A	----	75.50 NEW	.3447	----	----	1	----	1 + 1
4550	----	----	----/102.80A	150.60B/102.80A	----	99.80 - 71.20	.3759	----	----	2	----	2 UNCH
4555	----	----	----/*75.10A	122.30B/*75.10A	----	73.70 - 69.70	.3388	----	----	----	----	5 UNCH
4570	----	----	----/*70.10A	114.60B/*70.10A	----	68.40 - 66.60	.3213	----	----	----	----	15 UNCH
4575	----	----	248.70B/----	248.70B/136.10A	----	232.60 + 10.80	.6839	----	----	----	----	1 UNCH
4585	----	----	250.10B/----	250.10B/141.30A	----	239.30 + 12.80	.6954	----	----	----	----	2 UNCH
4595	----	----	250.70B/----	250.70B/146.20A	----	246.10 + 14.80	.7066	----	----	----	----	2 UNCH
4600	102.70	102.70	102.70/85.40A	125.40B/85.40A	----	82.00 - 62.60	.3275	----	----	1	----	1 UNCH
4600	----	----	289.40B/----	289.40B/173.80A	----	272.70 + 13.60	.6719	----	----	----	----	1 UNCH
4600	70.00	70.00	75.60/*60.80A	99.80B/*60.80A	----	58.80 - 60.50	.2875	----	----	51	----	54 - 1
4605	96.10	96.10	#96.10/*95.90	145.50B/*95.90	----	101.20 NEW	.3495	----	----	2	----	0 UNCH
4625	----	----	----/*53.80A	88.50B/*53.80A	----	51.70 - 55.40	.2608	----	----	----	----	5 UNCH
4640	53.90	53.90	53.90/*49.90A	82.20B/*49.90A	----	47.70 - 52.50	.2452	----	----	10	----	11 + 10
4650	----	----	286.30B/----	286.30B/176.80A	----	286.00 + 25.70	.7642	----	----	----	----	3 UNCH
4650	----	----	----/*47.60A	78.10B/*47.60A	----	45.30 - 50.50	.2354	----	----	----	----	5 UNCH
4660	----	----	----/*45.30A	74.30B/*45.30A	----	42.90 - 48.70	.2256	----	----	----	----	54 UNCH
4670	----	----	----/*43.00A	70.50B/*43.00A	----	40.60 NEW	.2160	----	----	4	----	4 + 4
4675	----	----	----/*41.90A	68.70B/*41.90A	----	39.60 - 45.80	.2116	----	----	----	----	36 UNCH
4680	----	----	----/*40.90A	66.90B/*40.90A	----	38.50 - 45.00	.2069	----	----	----	----	5 UNCH
4700	----	----	----/*36.90A	60.10B/*36.90A	----	34.50 - 41.40	.1893	----	----	----	----	10 UNCH
4700	----	----	326.10B/----	326.10B/208.50A	----	325.20 + 34.90	.8104	----	----	----	----	20 UNCH
4700	----	----	----/58.00A	84.00B/58.00A	----	54.50 - 46.00	.2407	----	----	----	----	2 UNCH
4700	----	----	345.90B/----	345.90B/231.90A	----	345.00 + 30.20	.7588	----	----	----	----	1 UNCH
4715	----	----	357.50B/----	357.50B/241.60A	----	356.70 + 32.60	.7704	----	----	----	----	12 UNCH
4725	----	----	----/*32.60A	52.30B/*32.60A	----	30.10 - 37.10	.1690	----	----	2	----	21 + 1
4750	----	----	----/*28.70A	45.40B/*28.70A	----	26.20 - 33.10	.1503	----	----	5	----	3 - 2
4755	----	----	----/*27.90A	44.10B/*27.90A	----	25.50 - 32.30	.1468	----	----	----	----	5 UNCH
4775	----	----	----/*24.50A	39.20B/*24.50A	----	22.80 NEW	.1333	----	----	1	----	1 + 1
4780	----	----	----/*24.00A	38.10B/*24.00A	----	22.20 - 28.70	.1302	----	----	----	----	10 UNCH
4790	----	----	----/*22.90A	35.90B/*22.90A	----	21.00 - 27.30	.1241	----	----	----	----	5 UNCH
4800	----	----	----/*21.80A	33.90B/*21.80A	----	19.80 - 26.10	.1179	----	----	----	----	6 UNCH
4800	----	----	411.00B/----	411.00B/281.70A	----	410.50 + 50.40	.8817	----	----	----	----	2 UNCH
4815	----	----	----/*20.40A	30.90B/*20.40A	----	18.30 - 24.10	.1098	----	----	----	----	5 UNCH
4815	----	----	----/*36.50A	50.40B/*36.50A	----	33.70 - 29.90	.1624	----	----	----	----	13 UNCH
4825	----	----	433.50B/----	433.50B/302.60A	----	432.90 + 53.40	.8952	----	----	----	----	356 UNCH
4835	23.80	23.80	23.80/*18.40A	27.50B/*18.40A	----	16.30 NEW	.0991	----	----	15	----	15 + 15
4840	----	----	----/*18.00A	26.70B/*18.00A	----	15.90 - 21.30	.0969	----	----	----	----	4 UNCH
4850	----	----	457.40B/----	457.40B/322.40A	----	455.60 + 56.20	.9077	----	----	----	----	1 UNCH
4875	----	----	----/*15.40A	21.40B/*15.40A	----	13.10 - 17.70	.0812	----	----	----	----	1 UNCH
4900	----	----	----/*13.40A	18.50B/*13.40A	----	11.50 - 15.50	.0719	----	----	----	----	12 UNCH
4925	----	----	----/*12.30A	15.80B/*12.30A	----	10.10 - 13.50	.0636	----	----	----	----	26 UNCH
4935	----	----	----/*12.00A	14.90B/*12.00A	----	9.60 - 12.80	.0606	----	----	----	----	1 UNCH
4950	----	----	490.90B/----	490.90B/409.90A	----	549.40 + 64.50	.9434	----	----	----	----	1 UNCH
4950	----	----	560.30B/----	560.30B/423.20A	----	559.60 + 59.40	.8996	----	----	----	----	1 UNCH
4950	25.00	25.00	25.00/*21.30A	26.80B/*21.30A	----	19.40 NEW	.1000	----	----	1	----	1 + 1
4965	----	----	----/*10.80A	12.20B/*10.80A	----	8.30 - 10.90	.0526	----	----	----	----	20 UNCH
5000	----	----	474.40B/----	474.40B/456.80A	----	597.60 + 67.30	.9543	----	----	----	----	7 UNCH
5000	----	----	----/*9.30A	10.10B/*9.30A	----	7.20 - 9.00	.0455	----	----	----	----	381 UNCH
5000	----	----	----/*17.10A	21.10B/*17.10A	----	16.00 - 13.70	.0837	----	----	----	----	4 UNCH
5025	----	----	----/*8.50A	8.10B/*8.50A	----	6.50 - 8.00	.0410	----	----	----	----	1 UNCH
5065	----	----	----	----	----	661.20 + 70.00	.9638	----	----	----	----	1 UNCH
5080	5.80	5.80	5.80/*5.80	5.80/*5.80	----	5.60 NEW	.0345	----	----	1	----	1 + 1
5085	----	----	----	----	----	680.90 + 70.70	.9659	----	----	----	----	1 UNCH
5090	----	----	----	----	----	685.80 + 70.80	.9666	----	----	----	----	21 UNCH
5120	----	----	----	----	----	715.40 + 71.70	.9694	----	----	----	----	35 UNCH
5140	----	----	----	----	----	735.10 + 72.20	.9714	----	----	----	----	1 UNCH
5160	----	----	----/*5.50A	3.00B/*5.50A	----	4.30 - 3.90	.0260	----	----	----	----	100 UNCH
5185	----	----	----/*5.20A	2.60B/*5.20A	----	4.00 - 3.40	.0240	----	----	----	----	40 UNCH
5190	----	----	----/*5.10A	2.60B/*5.10A	----	3.90 - 3.30	.0234	----	----	----	----	1 UNCH
5260	----	----	----/*4.30A	1.70B/*4.30A	----	3.30 - 2.10	.0192	----	----	----	----	20 UNCH
5305	----	----	----/*3.90A	1.40B/*3.90A	----	3.10 - 1.60	.0176	----	----	----	----	1 UNCH
5335	----	----	----/*3.70A	1.30B/*3.70A	----	3.00 - 1.20	.0168	----	----	----	----	1 UNCH
5350	2.60	2.60	2.60/*2.60	2.60/*2.60	----	3.00 - 1.00	.0166	----	----	1	----	5 + 1
TOTAL										140		1810 + 60

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	1.50	1.50	4.00/*1.50	4.00/*1.50	----	2.70 + 1.70	.0105	----	----	29	----	41 + 27
3500	----	----	6.10B/----	6.10B/5.20A	----	6.60 + 3.70	.0254	----	----	----	----	1 UNCH
3600	----	----	5.20B/----	5.20B/2.50A	----	4.20 + 2.70	.0170	----	----	11	----	14 + 11
3650	6.90	6.90	6.90/6.80	6.90/2.80A	----	5.30 NEW	.0219	----	----	2	----	2 + 2
3700	7.10	7.10	8.30B/6.00	8.30B/3.30A	----	6.60 NEW	.0277	----	----	5	----	4 + 4
3700	----	----	15.80B/----	15.80B/9.40A	----	15.10 + 10.70	.0571	----	----	----	----	1 UNCH
3750	5.20	5.20	10.60B/5.20	10.60B/3.80A	----	8.20 + 5.60	.0350	----	----	1	----	3 + 1
3800	6.50	6.50	13.30B/6.50	13.30B/4.40A	----	10.20 + 7.10	.0442	----	----	2	----	5 + 1
3850	8.00	8.00	16.40B/8.00	16.40B/5.10A	----	12.70 + 8.90	.0556	----	----	1	----	4 + 1
3900	8.50	8.50	20.10B/8.50	20.10B/5.90A	----	15.70 + 11.00	.0695	----	----	1	----	18 UNCH
3950	11.00	11.00	24.50B/11.00	24.50B/7.10A	----	19.30 + 13.60	.0863	----	----	2	----	5 + 2
3950	----	----	39.90B/----	39.90B/16.40A	----	36.70 + 25.70	.1352	----	----	----	----	1 UNCH
4000	13.20	13.20	29.70B/13.20	29.70B/8.70A	----	23.70 + 16.60	.1068	----	----	10	----	303 UNCH
4000	----	----	----/*416.80A	573.20B/*416.80A	----	432.50 NEW	.8930	----	----	1	----	1 + 1
4000	----	----	46.90B/----	46.90B/20.40A	----	43.10 + 29.50	.1580	----	----	----	----	1 UNCH
4050	28.20	28.20	36.10B/28.20	36.10B/10.80A	----	29.10 NEW	.1317	----	----	13	----	13 + 13
4050	----	----	70.30B/----	70.30B/34.00A	----	63.50 + 37.80	.2062	----	----	----	----	2 UNCH
4075	----	----	#39.70B/----	39.70B/11.90A	----	32.20 + 22.40	.1459	----	----	1	----	2 + 1
4100	19.50	19.50	45.00/19.50	45.00/13.40A	----	35.60 + 24.70	.1614	----	----	8	----	24 + 2
4100	----	----	80.60B/----	80.60B/39.90A	----	73.20 + 42.50	.2349	----	----	----	----	1 UNCH
4125	23.20	23.20	#48.10B/23.20	48.10B/14.80A	----	39.30 NEW	.1782	----	----	2	----	2 + 2
4150	----	----	74.90B/----	74.90B/35.00A	----	69.20 + 43.70	.2467	----	----	----	----	1 UNCH
4150	----	----	52.80B/----	52.80B/16.60A	----	43.30 + 29.60	.1964	----	----	10	----	10 + 7
4175	----	----	#57.90B/----	57.90B/18.60A	----	47.80 + 32.40	.2163	----	----	----	----	2 UNCH
4200	20.00	20.00	63.50B/20.00	63.50B/20.00	----	52.70 + 35.40	.2379	----	----	17	----	89 + 4
4200	----	----	87.20B/----	87.20B/41.60A	----	80.70 + 49.30	.2839	----	----	----	----	1 UNCH
4225	64.60	64.60	93.90B/64.60	93.90B/45.40A	----	87.10 NEW	.3041	----	----	5	----	5 + 5
4225	----	----	69.60B/----	69.60B/23.30A	----	58.20 + 38.80	.2614	----	----	----	----	1 UNCH
4235	----	----	#116.80B/----	#116.80B/60.30A	----	107.30 + 57.80	.3285	----	----	----	----	1 UNCH
4240	----	----	#73.70B/----	73.70B/24.90A	----	61.70 + 40.90	.2763	----	----	4	----	5 + 4
4250	299.00	299.00	299.00/213.60A	339.60B/213.60A	----	223.00 NEW	.7133	----	----	1	----	1 + 1
4250	65.00	65.00	76.50B/65.00	76.50B/26.10A	----	64.10 + 42.30	.2865	----	----	154	----	257 + 151
4250	----	----	121.50B/----	121.50B/63.90A	----	112.00 + 59.80	.3404	----	----	----	----	1 UNCH
4250	----	----	101.10B/----	101.10B/49.50A	----	94.10 NEW	.3254	----	----	1	----	1 + 1
4255	----	----	#77.90B/----	77.90B/26.90A	----	65.40 + 43.00	.2918	----	----	----	----	1 UNCH
4275	----	----	83.90B/----	83.90B/29.30A	----	70.70 + 46.10	.3135	----	----	----	----	18 UNCH
4285	----	----	#133.40B/----	133.40B/71.40A	----	123.60 + 64.60	.3692	----	----	----	----	1 UNCH
4290	----	----	#88.50B/----	88.50B/31.40A	----	74.90 + 48.50	.3306	----	----	----	----	2 UNCH
4295	----	----	#90.40B/----	90.40B/32.10A	----	76.40 + 49.30	.3364	----	----	----	----	22 UNCH
4300	59.50	59.50	92.10/44.40	92.10/32.80A	----	77.90 + 50.20	.3424	----	----	24	----	26 - 7
4300	93.40	93.40	138.80B/91.90	138.80B/74.80A	----	128.90 + 66.70	.3819	----	----	3	----	1 UNCH
4300	----	----	117.30B/----	117.30B/58.80A	----	109.50 + 62.40	.3710	----	----	----	----	12 UNCH
4305	33.60	33.60	#93.50B/33.60	93.50B/33.60	----	79.40 NEW	.3483	----	----	1	----	1 + 1
4310	----	----	#95.50B/----	95.50B/34.30A	----	81.00 + 51.90	.3544	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
APR26												
4325	----	----	100.70B/----	100.70B/36.90A	----	85.80 + 54.50	.3730	----	----	----	----	7 UNCH
4330	----	----	#102.70B/----	102.70B/37.80A	----	87.50 + 55.40	.3793	----	----	----	----	1 UNCH
4350	75.00	75.00	136.60B/75.00	136.60B/69.90A	----	127.40 + 70.10	.4206	----	----	4	----	62 + 4
4350	64.40	64.40	110.40B/64.40	110.40B/41.20A	----	94.50 + 59.20	.4053	----	----	8	----	10 + 8
4350	215.00	215.00	215.00/145.70A	253.00B/145.70A	----	153.40 NEW	.5944	----	----	4	----	4 + 4
4360	----	----	#114.50B/----	114.50B/43.30A	----	98.20 NEW	.4187	----	----	1	----	1 + 1
4375	----	----	120.80B/----	120.80B/46.20A	----	104.00 + 64.10	.4392	----	----	----	----	3 UNCH
4400	57.90	57.90	132.10B/57.90	132.10B/51.90A	----	114.30 + 69.30	.4744	----	----	4	----	45 + 1
4400	190.00	190.00	190.00/*117.80A	212.90B/*117.80A	----	123.30 NEW	.5253	----	----	7	----	7 + 7
4400	----	----	158.40B/----	158.40B/83.00A	----	147.90 + 78.40	.4734	----	----	----	----	1 UNCH
4410	----	----	163.00B/----	163.00B/85.90A	----	152.30 + 80.10	.4842	----	----	----	----	4 UNCH
4410	----	----	----/*112.60A	205.20B/*112.60A	----	117.70 - 05.00	.5110	----	----	----	----	4 UNCH
4410	----	----	136.80B/----	136.80B/54.10A	----	118.70 + 71.40	.4888	----	----	----	----	1 UNCH
4410	----	----	185.50B/----	185.50B/105.20A	----	174.30 + 83.60	.4814	----	----	----	----	4 UNCH
4415	----	----	----/*110.00A	201.40B/*110.00A	----	115.00 - 03.80	.5037	----	----	----	----	10 UNCH
4415	----	----	----/170.50A	243.00B/170.50A	----	170.70 - 91.70	.5133	----	----	----	----	5 UNCH
4415	----	----	139.30B/----	139.30B/55.50A	----	121.00 + 72.60	.4960	----	----	----	----	4 UNCH
4415	----	----	165.20B/----	165.20B/87.40A	----	154.60 + 81.00	.4897	----	----	----	----	9 UNCH
4415	----	----	----/*147.10A	224.10B/147.10A	----	148.60 - 95.20	.5099	----	----	----	----	8 UNCH
4420	----	----	----/168.10A	239.70B/168.10A	----	168.10 - 90.80	.5086	----	----	----	----	5 UNCH
4420	----	----	----/*144.50A	219.70B/144.50A	----	145.90 - 94.40	.5044	----	----	----	----	5 UNCH
4420	----	----	141.70B/----	141.70B/56.60A	----	123.30 + 73.70	.5033	----	----	----	----	8 UNCH
4420	----	----	----/*107.50A	197.00B/*107.50A	----	112.30 - 02.70	.4964	----	----	----	----	4 UNCH
4425	----	----	144.30B/----	144.30B/57.90A	----	125.60 + 74.70	.5106	----	----	----	----	5 UNCH
4435	127.80	127.80	127.80/*100.10A	185.80B/*100.10A	----	104.40 NEW	.4744	----	----	2	----	1 + 1
4440	144.50	144.50	144.50/134.70A	206.80B/134.70A	----	135.40 NEW	.4823	----	----	1	----	1 + 1
4440	----	----	152.00B/----	152.00B/62.00A	----	132.80 + 78.10	.5327	----	----	----	----	17 UNCH
4450	131.00	131.00	182.90B/131.00	182.90B/98.60A	----	171.30 + 87.40	.5284	----	----	1	----	3 + 1
4450	165.00	165.00	165.00/*93.00A	174.90B/*93.00A	----	96.80 - 96.00	.4522	----	----	49	----	99 + 48
4450	91.50	91.50	156.50B/91.50	156.50B/64.80A	----	137.80 + 80.40	.5475	----	----	6	----	15 + 2
4460	114.50	114.50	114.50/*88.50A	167.70B/*88.50A	----	92.00 - 93.60	.4374	----	----	15	----	20 + 15
4460	----	----	210.90B/----	210.90B/122.60A	----	199.20 + 92.10	.5288	----	----	----	----	4 UNCH
4460	108.00	108.00	160.50B/107.90	160.50B/67.60A	----	143.00 + 82.80	.5624	----	----	24	----	24 + 23
4465	----	----	191.20B/----	191.20B/103.70A	----	179.00 + 90.30	.5452	----	----	----	----	1 UNCH
4465	110.10	110.10	163.30B/110.10	163.30B/69.20A	----	145.60 NEW	.5698	----	----	6	----	6 + 6
4465	----	----	213.80B/----	213.80B/124.40A	----	201.80 + 92.90	.5335	----	----	----	----	3 UNCH
4465	111.80	111.80	111.80/*86.30A	164.20B/*86.30A	----	89.60 - 92.50	.4299	----	----	4	----	5 + 4
4470	109.10	109.10	117.90/*84.20A	160.70B/*84.20A	----	87.30 NEW	.4225	----	----	47	----	47 + 47
4470	112.40	112.40	166.20B/97.50	166.20B/70.80A	----	148.30 NEW	.5773	----	----	12	----	12 + 12
4475	125.00	125.00	125.00/*82.10A	157.20B/*82.10A	----	85.00 NEW	.4150	----	----	21	----	18 + 18
4475	109.70	109.70	169.10B/94.40	169.10B/72.30A	----	151.00 + 86.30	.5847	----	----	29	----	33 + 21
4480	114.30	114.30	172.30B/100.50	172.30B/73.90A	----	153.70 NEW	.5921	----	----	26	----	26 + 26
4480	116.20	116.20	116.20/*80.00A	153.80B/*80.00A	----	82.80 NEW	.4076	----	----	4	----	4 + 4
4485	----	----	----/*78.00A	150.40B/*78.00A	----	80.60 NEW	.4002	----	----	1	----	1 + 1
4490	----	----	----/*76.00A	147.10B/*76.00A	----	78.40 - 86.50	.3927	----	----	----	----	1 UNCH
4500	97.20	97.20	97.20/*72.20A	144.00B/*72.20A	----	74.20 - 84.00	.3780	----	----	7	----	9 UNCH
4500	----	----	184.50B/----	184.50B/80.80A	----	165.20 + 92.40	.6217	----	----	3	----	8 UNCH
4500	----	----	----/107.50A	168.20B/107.50A	----	107.00 - 79.20	.4153	----	----	----	----	5 UNCH
4500	----	----	211.10B/----	211.10B/116.80A	----	197.90 NEW	.5843	----	----	1	----	1 + 1
4515	----	----	----/*66.70A	137.10B/*66.70A	----	68.20 - 80.30	.3560	----	----	----	----	2 UNCH
4515	----	----	194.00B/----	194.00B/86.20A	----	174.20 + 96.10	.6437	----	----	----	----	38 UNCH
4520	87.00	87.00	87.00/*65.00A	134.00B/*65.00A	----	66.30 - 79.10	.3488	----	----	1	----	1 UNCH
4520	----	----	197.10B/----	197.10B/88.10A	----	177.20 + 97.30	.6509	----	----	----	----	66 UNCH
4525	90.00	90.00	97.00/*63.20A	130.80B/*63.20A	----	64.40 NEW	.3416	----	----	70	----	70 + 70
4525	----	----	200.40B/----	200.40B/90.20A	----	180.40 + 98.60	.6581	----	----	----	----	97 UNCH
4530	----	----	203.70B/----	203.70B/92.00A	----	183.50 + 99.80	.6652	----	----	----	----	5 UNCH
4550	----	----	242.10B/----	242.10B/137.30A	----	227.70 + 06.80	.6392	----	----	----	----	7 UNCH
4550	----	----	----/87.90A	139.30B/87.90A	----	86.90 - 69.50	.3604	----	----	----	----	1 UNCH
4550	----	----	----/*55.20A	116.30B/*55.20A	----	55.60 - 71.60	.3063	----	----	----	----	1 UNCH
4550	----	----	217.50B/----	217.50B/100.30A	----	196.50 + 04.70	.6934	----	----	1	----	4 + 1
4560	----	----	----/*52.20A	110.70B/*52.20A	----	52.40 - 69.10	.2927	----	----	----	----	6 UNCH
4565	----	----	----/*50.80A	107.80B/*50.80A	----	50.80 - 67.90	.2859	----	----	----	----	2 UNCH
4565	----	----	228.10B/----	228.10B/107.00A	----	206.70 + 08.50	.7138	----	----	----	----	1 UNCH
4575	----	----	----/*47.90A	102.50B/*47.90A	----	47.80 - 65.40	.2727	----	----	----	----	11 UNCH
4575	----	----	235.10B/----	235.10B/111.60A	----	213.70 + 11.00	.7270	----	----	----	----	17 UNCH
4580	----	----	----/*46.50A	99.90B/*46.50A	----	46.30 - 64.20	.2661	----	----	----	----	4 UNCH
4580	----	----	262.10B/----	262.10B/152.50A	----	247.20 + 12.50	.6709	----	----	----	----	1 UNCH
4590	----	----	246.30B/----	246.30B/119.20A	----	224.40 + 14.60	.7465	----	----	----	----	8 UNCH
4595	----	----	250.00B/----	250.00B/121.60A	----	228.00 + 15.80	.7526	----	----	----	----	5 UNCH
4595	----	----	272.50B/----	272.50B/160.10A	----	257.40 + 15.40	.6863	----	----	----	----	2 UNCH
4600	----	----	----/71.50A	113.70B/71.50A	----	70.00 - 60.00	.3082	----	----	----	----	15 UNCH
4600	----	----	296.70B/----	296.70B/185.10A	----	282.90 + 16.20	.6584	----	----	----	----	1 UNCH
4600	68.50	68.50	68.50/*41.10A	90.10B/*41.10A	----	40.80 - 59.40	.2407	----	----	151	----	456 + 124
4600	----	----	253.80B/----	253.80B/124.20A	----	231.70 + 17.00	.7590	----	----	----	----	50 UNCH
4605	----	----	----/*39.90A	87.70B/*39.90A	----	39.60 - 58.10	.2348	----	----	----	----	1 UNCH
4610	72.00	72.00	85.30B/*38.60A	85.30B/*38.60A	----	38.30 - 57.00	.2287	----	----	1	----	1 UNCH
4620	----	----	----/*36.00A	80.80B/*36.00A	----	35.90 NEW	.2169	----	----	4	----	4 + 4
4625	----	----	----/64.00A	102.20B/64.00A	----	62.80 - 55.20	.2838	----	----	----	----	1 UNCH
4625	----	----	----/*34.90A	78.50B/*34.90A	----	34.80 - 53.40	.2113	----	----	----	----	18 UNCH
4630	----	----	277.50B/----	277.50B/140.00A	----	254.60 + 24.20	.7940	----	----	----	----	5 UNCH
4635	59.10	59.10	59.20/*58.80A	97.80B/*58.80A	----	60.00 NEW	.2742	----	----	15	----	15 + 15
4640	----	----	----/*31.80A	71.90B/*31.80A	----	31.60 - 49.90	.1949	----	----	----	----	11 UNCH
4645	----	----	----/*30.80A	69.90B/*30.80A	----	30.60 - 48.80	.1896	----	----	----	----	1 UNCH
4650	----	----	----/57.30A	91.50B/57.30A	----	56.20 - 50.40	.2604	----	----	----	----	1 UNCH
4650	----	----	301.60B/----	301.60B/190.80A	----	296.90 + 25.80	.7391	----	----	----	----	41 UNCH
4650	----	----	293.80B/----	293.80B/158.20A	----	270.40 + 28.70	.8154	----	----	----	----	100 UNCH
4650	47.70	47.70	48.00/*29.80A	68.00B/*29.80A	----	29.60 - 47.70	.1844	----	----	27	100	158 + 82
4665	54.50	54.50	54.50/*53.50A	85.50B/*53.50A	----	52.60 NEW	.2471	----	----	5	----	5 + 5
4675	----	----	----/*25.50A	58.60B/*25.50A	----	25.10 - 42.30	.1599	----	----	58	----	54 + 46
4675	----	----	320.60B/----	320.60B/206.00A	----	316.00 + 30.70	.7611	----	----	----	----	101 UNCH
4675	----	----	314.50B/----	314.50B/173.60A	----	290.90 + 34.10	.8398	----	----	----	----	26 UNCH
4690	----	----	----/*47.80A	76.20B/*47.80A	----	46.90 NEW	.2256	----	----	4	----	4 + 4
4700	35.00	35.00	35.00/*21.80A	50.20B/*21.80A	----	21.30 - 37.20	.1382	----	----	60	----	146 + 43
4700	----	----	----/64.90A	94.70B/64.90A	----	64.20 - 44.00	.2594	----	----	----	----	1 UNCH
4700	----	----	359.00B/----	359.00B/243.30A	----	354.70 + 32.30	.7400	----	----	----	----	1 UNCH
4700	----	----	339.90B/----	339.90B/222.10A	----	335.40 + 35.00	.7822	----	----	2	----	3 + 2
4700	----	----	335.90B/----	335.90B/190.00A	----	312.10 + 39.20	.8615	----	----	----	----	89 UNCH
4720	42.80	42.80	44.30B/*19.20A	44.30B/*19.20A	----	18.70 NEW	.1228	----	----	2	----	1 + 1
4725	----	----	----/*18.70A	43.00B/*18.70A	----	18.10 - 32.40	.1192	----	----	4	----	10 - 3
4725	----	----	357.90B/----	357.90B/207.40A	----	333.90 + 44.00	.8806	----	----	2	----	7 + 2
4730	25.00	25.00	25.00/*18.10A	41.60B/*18.10A	----	17.50 NEW	.1156	----	----	14	----	14 + 14
4745	----	----	----/*16.50A	37.90B/*16.50A	----	15.90 - 29.00	.1057	----	----	----	----	10 UNCH
4750	----	----	----/53.80A	77.80B/53.80A	----	53.10 - 37.10	.2234	----	----	----	----	1 UNCH
4750	----	----	381.00B/----	381.00B/256.60A	----	375.50 + 42.30	.8217	----	----	----	----	1 UNCH
4750	----	----	----/*36.30A	57.10B/*36.30A	----	34.90 NEW	.1779	----	----	9	----	4 + 4
4750	31.60	31.60	31.60/*16.00A	36.50B/*16.00A	----	15.40 - 28.10	.1026	----	----	37	----	48 + 21
4750	----	----	380.20B/----	380.20B/225.70A	----	356.20 + 48.30	.8972	----	----	2	----	23 + 2
4755	----	----	----/*15.60A	35.50B/*15.60A	----	14.90 - 27.40	.0995	----	----	----	----	5 UNCH
4760	----	----	----/*15.10A	34.30B/*15.10A	----	14.40 - 26.60	.0964	----	----	----	----	30 UNCH
4765	----	----	393.60B/----	393.60B/267.50A	----	387.80 + 44.20	.8326	----	----	----	----	1 UNCH
4765	----	----	----/*14.60A	33.30B/*14.60A	----	14.00 - 25.80	.0937	----	----	----	----	2 UNCH
4775	----	----	402.90B/----	402.90B/244.80A	----	378.90 + 52.10	.9117	----	----	----	----	2 UNCH
4775	----	----	----/48.90A	70.30B/48.90A	----	48.10 - 34.10	.2065	----	----	----	----	6 UNCH
4775	----	----	402.10B/----	402.10B/274.50A	----	396.20 + 45.40	.8398	----	----	2	----	2 + 2
4775	20.50	20.50	20.50/*13.80A	31.20B/*13.80A	----	13.10 - 24.30	.0880	----	----	1	----	6 UNCH
4780	----	----	407.70B/----	407.70B/247.90A	----	383.50 + 52.80	.9143	----	----	----	----	15 UNCH
4780	----	----	----/*13.40A	30.20B/*13.40A	----	12.70 - 23.60	.0854	----	----	----	----	3 UNCH
4785	----	----	----/*13.00A	29.20B/*13.00A	----	12.30 - 22.90	.0828	----	----	----	----	1 UNCH
4790	----	----	----/*12.60A	28.20B/*12.60A	----	11.90 - 22.20	.0803	----	----	1	----	5 UNCH
4800	----	----	----/44.50A	63.50B/44.50A	----	43.50 - 31.30	.1904	----	----	----	----	1 UNCH
4800	----	----	423.70B/----	423.70B/294.00A	----	417.50 + 48.50	.8562	----	----	----	----	11 UNCH
4800	17.30	17.30	17.30/*11.90A	26.30B/*11.90A	----	11.20 - 20.90	.0757	----	----	10	----	46 + 2
4800	----	----	426.10B/----	426.10B/264.50A	----	402.00 + 55.60	.9241	----	----	5	----	19 + 1
4805	----	----	----/*11.60A	25.50B/*11.60A	----	10.90 - 20.20	.0736	----	----	----	----	6 UNCH
4810	----	----	----/*11.30A	24.90B/*11.30A	----	10.50 - 19.70	.0711	----	----	----	----	24 UNCH
4815	----	----	----/*10.90A	24.00B/*10.90A	----	10.20 - 19.10	.0690	----	----	----	----	18 UNCH
4820	21.00	21.00	23.30B/*10.60A	23.30B/*10.60A	----	9.90 - 18.50	.0670	----	----	2	----	31 UNCH
4825	----	----	----/*10.30A	22.40B/*10.30A	----	9.60 - 17.90	.0650	----	----	----	----	15 UNCH
4825	----	----	449.60B/----	449.60B/285.20A	----	425.40 + 58.60	.9348	----	----	----	----	315 UNCH
4830	----	----	----/*10.10A	21.80B/*10.10A	----	9.30 - 17.40	.0630	----	----	----	----	1 UNCH
4830	----	----	454.30B/----	454.30B/289.30A	----	430.10 + 59.10	.9368	----	----	----	----	2 UNCH
4835	----	----	459.10B/----	459.10B/292.90A	----	434.80 + 59.60	.9387	----	----	----	----	2 UNCH
4835	9.90	9.90	9.90/*9.70A	21.10B/*9.70A	----	9.00 - 16.90	.0610	----	----	3	----	3 + 2
4850	----	----	----/36.90A	51.50B/36.90A	----	35.20 - 26.50	.1604	----	----	----	----	1 UNCH
4850	----	----	473.30B/----	473.30B/305.50A	----	449.00 + 61.10	.9436	----	----	----	----	5 UNCH
4850	10.00	10.00	10.00/*8.90A	19.00B/*8.90A	----	8.30 - 15.30	.0562	----	----	2	----	22 - 1
4850	----	----	468.00B/----	468.00B/333.80A	----	461.60 + 54.20	.8836	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4860	----	----	----/*8.50A	17.80B/*8.50A	----	7.80 - 14.40	.0528	----	----	----	----	5 UNCH
4870	30.30	30.30	30.30/*20.70A	30.90B/*20.70A	----	19.20 NEW	.1066	----	----	8	----	0 UNCH
4870	----	----	----/*8.00A	16.90B/*8.00A	----	7.30 - 13.50	.0495	----	----	----	----	1 UNCH
4880	----	----	----/*7.60A	15.70B/*7.60A	----	6.90 - 12.70	.0467	----	----	----	----	1 UNCH
4885	----	----	----/*7.40A	15.20B/*7.40A	----	6.70 - 12.30	.0453	----	----	----	----	3 UNCH
4890	----	----	504.30B/----	504.30B/366.70A	----	498.00 + 58.20	.9013	----	----	----	----	10 UNCH
4890	----	----	----/*7.20A	14.60B/*7.20A	----	6.50 - 12.00	.0439	----	----	----	----	1 UNCH
4900	----	----	525.30B/----	525.30B/389.80A	----	518.50 + 53.80	.8656	----	----	----	----	1 UNCH
4900	----	----	521.00B/----	521.00B/350.00A	----	496.90 + 65.20	.9586	----	----	1	----	2 + 1
4900	11.00	11.00	11.00/*6.80A	13.70B/*6.80A	----	6.10 - 11.30	.0412	----	----	13	----	29 + 4
4900	----	----	----/*18.00A	26.40B/*18.00A	----	16.80 - 17.20	.0942	----	----	----	----	1 UNCH
4905	----	----	#525.80B/----	#525.80B/354.40A	----	501.70 + 65.60	.9594	----	----	----	----	5 UNCH
4910	----	----	----/*6.50A	12.80B/*6.50A	----	5.80 - 10.60	.0391	----	----	----	----	2 UNCH
4915	----	----	#535.50B/----	#535.50B/363.60A	----	511.40 + 66.20	.9621	----	----	----	----	1 UNCH
4920	----	----	#540.50B/----	#540.50B/368.00A	----	516.20 + 66.50	.9629	----	----	----	----	4 UNCH
4925	----	----	#542.20B/----	#542.20B/372.70A	----	521.10 + 66.90	.9642	----	----	----	----	1 UNCH
4940	----	----	#556.90B/----	#556.90B/385.80A	----	535.60 + 67.60	.9670	----	----	----	----	2 UNCH
4950	----	----	#565.60B/----	#565.60B/395.50A	----	545.40 + 68.20	.9685	----	----	----	----	3 UNCH
4950	----	----	----/*5.30A	9.60B/*5.30A	----	4.70 - 8.20	.0313	----	----	----	----	11 UNCH
4955	----	----	#571.40B/----	#571.40B/400.20A	----	550.30 + 68.50	.9698	----	----	----	----	32 UNCH
4960	----	----	----/*5.10A	8.90B/*5.10A	----	4.40 - 7.80	.0293	----	----	----	----	9 UNCH
4965	----	----	516.50B/----	516.50B/433.10A	----	568.30 + 64.20	.9265	----	----	----	----	1 UNCH
4975	----	----	----/*4.70A	8.00B/*4.70A	----	4.10 - 7.10	.0271	----	----	----	----	4 UNCH
4985	----	----	#599.80B/----	#599.80B/428.20A	----	579.60 + 69.70	.9742	----	----	----	----	1 UNCH
4990	----	----	----/*12.80A	16.70B/*12.80A	----	11.70 - 10.70	.0666	----	----	----	----	1 UNCH
4990	----	----	#604.70B/----	#604.70B/432.90A	----	584.50 + 69.90	.9749	----	----	----	----	5 UNCH
4990	----	----	539.90B/----	539.90B/455.10A	----	592.10 + 65.70	.9331	----	----	----	----	1 UNCH
4995	----	----	----/*4.30A	6.80B/*4.30A	----	3.70 - 6.40	.0243	----	----	----	----	1 UNCH
5000	----	----	616.30B/----	616.30B/475.80A	----	608.80 + 60.60	.9059	----	----	----	----	1 UNCH
5000	4.30	4.30	4.30/*4.20A	6.40B/*4.20A	----	3.60 - 6.20	.0236	----	----	3	----	9 UNCH
5000	----	----	#615.40B/----	#615.40B/442.30A	----	594.30 + 70.30	.9763	----	----	2	----	277 + 2
5020	----	----	----/*3.90A	5.40B/*3.90A	----	3.30 - 5.50	.0214	----	----	----	----	5 UNCH
5020	----	----	#634.10B/----	#634.10B/461.30A	----	614.00 + 71.00	.9784	----	----	----	----	1 UNCH
5030	----	----	----/*3.60A	5.00B/*3.60A	----	3.10 - 5.20	.0201	----	----	----	----	2 UNCH
5030	----	----	#643.80B/----	#643.80B/470.90A	----	623.80 + 71.20	.9798	----	----	2	----	6 + 2
5035	----	----	----/*3.60A	4.80B/*3.60A	----	3.10 - 5.00	.0199	----	----	----	----	1 UNCH
5040	----	----	----/*3.50A	4.60B/*3.50A	----	3.00 - 4.90	.0193	----	----	----	----	7 UNCH
5045	----	----	#658.50B/----	#658.50B/485.10A	----	638.60 NEW	.9812	----	----	2	----	2 + 2
5050	----	----	#663.70B/----	#663.70B/489.90A	----	643.60 + 71.90	.9813	----	----	----	----	1 UNCH
5065	----	----	----/*10.00A	11.50B/*10.00A	----	8.80 - 7.50	.0502	----	----	----	----	1 UNCH
5070	----	----	----/*3.20A	3.80B/*3.20A	----	2.70 - 4.10	.0170	----	----	6	----	17 - 2
5080	----	----	#693.10B/----	#693.10B/527.80A	----	673.20 + 72.60	.9841	----	----	----	----	2 UNCH
5080	----	----	----/*3.00A	3.50B/*3.00A	----	2.50 - 3.90	.0158	----	----	----	----	1 UNCH
5080	----	----	----/*9.50A	10.30B/*9.50A	----	8.30 - 7.00	.0474	----	----	----	----	1 UNCH
5085	10.00	10.00	10.00/*9.40A	10.50B/*9.40A	----	8.10 - 6.90	.0463	----	----	1	----	1 - 1
5095	----	----	----/*9.10A	9.50B/*9.10A	----	7.80 - 6.60	.0446	----	----	----	----	1 UNCH
5100	----	----	#713.10B/----	#713.10B/546.90A	----	693.00 + 73.10	.9850	----	----	----	----	21 UNCH
5100	----	----	----/*2.80A	2.90B/*2.80A	----	2.40 - 3.40	.0149	----	----	----	----	13 UNCH
5100	----	----	----/*15.20A	18.30B/*15.20A	----	13.00 - 10.60	.0666	----	----	----	----	1 UNCH
5105	----	----	#717.80B/----	#717.80B/552.00A	----	698.00 + 73.20	.9856	----	----	----	----	4 UNCH
5110	----	----	#723.00B/----	#723.00B/556.90A	----	702.90 + 73.30	.9857	----	----	----	----	1 UNCH
5110	----	----	----/*2.80A	2.70B/*2.80A	----	2.30 - 3.20	.0142	----	----	----	----	5 UNCH
5115	10.00	10.00	10.00/*8.50A	10.00/*8.50A	----	7.20 - 6.00	.0413	----	----	1	----	1 UNCH
5120	----	----	----/*2.70A	2.50B/*2.70A	----	2.20 - 3.00	.0135	----	----	----	----	1 UNCH
5130	----	----	----/*2.60A	2.40B/*2.60A	----	2.10 - 2.80	.0128	----	----	----	----	15 UNCH
5150	----	----	----/*2.50A	2.20B/*2.50A	----	2.00 - 2.50	.0121	----	----	----	----	1 UNCH
5150	----	----	----/*13.20A	15.30B/*13.20A	----	11.00 - 8.80	.0568	----	----	----	----	1 UNCH
5160	----	----	#772.50B/----	#772.50B/605.80A	----	752.60 + 74.20	.9885	----	----	----	----	2 UNCH
5160	----	----	----/*2.40A	2.10B/*2.40A	----	1.90 - 2.40	.0114	----	----	----	----	2 UNCH
5165	----	----	----/*2.30A	2.00B/*2.30A	----	1.90 - 2.30	.0113	----	----	----	----	3 UNCH
5190	----	----	----	577.10B/992.50A	----	782.40 + 74.50	.9899	----	----	----	----	2 UNCH
5190	----	----	----/*2.20A	1.80B/*2.20A	----	1.70 - 2.00	.0100	----	----	----	----	1 UNCH
5200	----	----	----/*2.10A	1.70B/*2.10A	----	1.70 - 1.90	.0099	----	----	1	----	13 + 1
5200	----	----	----/*6.60A	4.20B/*6.60A	----	5.00 - 4.40	.0289	----	----	----	----	10 UNCH
5210	----	----	----/*2.10A	1.60B/*2.10A	----	1.60 - 1.80	.0093	----	----	----	----	1 UNCH
5235	----	----	----/*2.00A	1.50B/*2.00A	----	1.50 - 1.60	.0086	----	----	----	----	4 UNCH
5270	----	----	----/*1.90A	1.30B/*1.90A	----	1.40 - 1.40	.0078	----	----	----	----	0 UNCH
5300	----	----	----/*2.00A	0.80B/*2.00A	----	1.30 - 1.30	.0071	----	----	----	----	3 UNCH
5305	----	----	----/*8.80A	6.60B/*8.80A	----	6.00 - 4.70	.0322	----	----	----	----	1 UNCH
5320	----	----	----/*8.60A	6.20B/*8.60A	----	5.50 - 4.50	.0298	----	----	----	----	1 UNCH
5330	----	----	----/2.00A	0.80B/2.00A	----	1.20 - 1.30	.0065	----	----	----	----	3 UNCH
5340	----	----	----/2.00A	0.70B/2.00A	----	1.20 - 1.20	.0064	----	----	----	----	3 UNCH
5350	----	----	----/2.00A	0.70B/2.00A	----	1.20 - 1.10	.0063	----	----	----	----	3 UNCH
5385	----	----	----/*1.90A	0.60B/*1.90A	----	1.10 - 1.00	.0057	----	----	----	----	0 UNCH
5400	----	----	----	0.50B/2.00A	----	1.00 - 1.00	.0052	----	----	----	----	6 UNCH
5400	----	----	----/*4.20A	1.70B/*4.20A	----	2.90 - 1.90	.0160	----	----	----	----	250 UNCH
5425	----	----	----	0.40B/2.00A	----	0.90 - 0.90	.0046	----	----	----	----	3 UNCH
5430	----	----	----	#825.90B/1220.00A	----	1021.50 + 75.60	.9955	----	----	----	----	3 UNCH
5435	----	----	----	0.30B/2.00A	----	0.90 - 0.90	.0046	----	----	----	----	1 UNCH
5440	----	----	----	0.40B/2.00A	----	0.90 - 0.80	.0045	----	----	----	----	1 UNCH
5500	----	----	----	----/2.00A	----	0.70 - 0.60	.0034	----	----	----	----	8 UNCH
5540	----	----	----	----/1.90A	----	0.60 - 0.50	.0029	----	----	----	----	1 UNCH
5600	----	----	----	----/1.80A	----	0.50 - 0.40	.0023	----	----	----	----	1 UNCH
5650	----	----	----	----/1.80A	----	0.40 - 0.40	.0018	----	----	----	----	1 UNCH
5750	----	----	----	----/1.70A	----	0.30 - 0.30	.0013	----	----	----	----	1 UNCH
TOTAL										1131	100	4733 + 943

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3500	0.60	0.60	1.20/*0.60	1.20/*0.50A	----	0.40 NEW	.0012	----	----	20	----	20 + 20
3550	1.40	1.40	1.40/*0.30A	1.40/*0.30A	----	0.60 NEW	.0020	----	----	35	----	35 + 35
3650	----	----	1.60B/----	1.60B/*0.80A	----	1.00 + 0.40	.0038	----	----	----	----	3 UNCH
3700	1.30	1.30	2.20B/1.30	2.20B/1.00A	----	1.40 + 0.60	.0056	----	----	10	----	12 + 10
3750	1.10	1.10	3.40/1.10	3.40/*1.00A	----	1.90 + 0.90	.0081	----	----	4	----	6 + 2
3800	----	----	----/588.90A	704.30B/588.90A	----	611.40 - 75.10	.9882	----	----	----	----	1 UNCH
3800	1.30	1.30	4.00B/1.30	4.00B/1.30	----	2.60 + 1.40	.0117	----	----	5	----	7 + 3
3850	2.00	2.00	5.30B/2.00	5.30B/1.70A	----	3.50 + 2.00	.0165	----	----	3	----	4 + 2
3900	2.50	2.50	7.00B/*1.70A	7.00B/*1.70A	----	4.80 + 2.90	.0238	----	----	15	----	15 + 14
3950	5.50	5.50	9.40B/2.20A	9.40B/2.20A	----	6.40 + 4.00	.0333	----	----	2	----	6 + 1
4000	6.00	6.00	12.30B/2.90A	12.30B/2.90A	----	8.50 + 5.50	.0462	----	----	2	----	234 + 2
4050	7.60	7.60	16.10B/4.50	16.10B/3.90A	----	11.40 + 7.60	.0643	----	----	12	----	12 + 8
4075	----	----	18.20B/----	18.20B/4.50A	----	13.10 + 8.80	.0753	----	----	----	----	22 UNCH
4100	5.00	5.00	20.80B/5.00	20.80B/5.00	----	15.10 + 10.20	.0882	----	----	16	----	266 + 5
4125	----	----	23.70B/----	23.70B/6.00A	----	17.40 + 11.80	.1031	----	----	----	----	38 UNCH
4150	----	----	27.00B/----	27.00B/6.90A	----	20.00 + 13.60	.1202	----	----	----	----	11 UNCH
4175	----	----	#30.80B/----	30.80B/8.10A	----	23.00 + 15.70	.1399	----	----	----	----	18 UNCH
4200	9.00	9.00	35.10B/9.00	35.10B/9.00	----	26.50 + 18.10	.1627	----	----	39	----	45 + 26
4225	----	----	39.90B/----	39.90B/11.00A	----	30.40 + 20.70	.1883	----	----	17	----	19 + 17
4240	32.80	32.80	#43.10B/32.80	43.10B/12.00A	----	33.10 NEW	.2055	----	----	15	----	15 + 15
4245	33.70	33.70	#44.30B/33.70	44.30B/12.30A	----	34.00 NEW	.2114	----	----	5	----	5 + 5
4250	----	----	45.40B/----	45.40B/12.60A	----	34.90 + 23.80	.2174	----	----	----	----	52 UNCH
4260	----	----	#47.90B/----	47.90B/13.50A	----	36.90 NEW	.2301	----	----	1	----	1 + 1
4270	----	----	#50.40B/----	50.40B/14.30A	----	39.00 NEW	.2434	----	----	1	----	1 + 1
4275	----	----	51.70B/----	51.70B/14.60A	----	40.10 NEW	.2503	----	----	10	----	10 + 10
4300	160.00	160.00	160.00/*145.80A	281.20B/*145.80A	----	154.90 - 45.30	.7128	----	----	10	----	11 + 10
4300	17.00	17.00	60.00/17.00	60.00/16.80A	----	46.00 + 31.10	.2870	----	----	14	----	299 - 1
4320	49.40	49.40	#65.20B/49.40	65.20B/18.80A	----	51.30 NEW	.3192	----	----	1	----	1 + 1
4325	----	----	----/*128.40A	258.70B/*128.40A	----	136.70 - 40.90	.6720	----	----	----	----	17 UNCH
4325	----	----	67.00B/----	67.00B/19.40A	----	52.80 NEW	.3278	----	----	8	----	4 + 4
4330	39.10	39.10	#68.70B/39.10	68.70B/19.80A	----	54.30 + 36.50	.3364	----	----	4	----	150 UNCH
4340	25.70	25.70	#72.30B/25.70	72.30B/21.20A	----	57.40 NEW	.3542	----	----	1	----	1 + 1
4350	115.30	115.30	116.90/*111.30A	236.50B/*111.30A	----	119.70 NEW	.6272	----	----	40	----	40 + 40
4350	58.10	58.10	76.00B/58.10	76.00B/22.60A	----	60.70 + 40.70	.3727	----	----	88	----	118 + 15
4360	33.40	33.40	80.00B/33.40	80.00B/24.00A	----	64.20 + 43.00	.3917	----	----	1	----	2 + 1
4360	----	----	----/*104.90A	228.20B/*104.90A	----	113.20 NEW	.6081	----	----	1	----	1 + 1
4365	50.70	50.70	#82.10B/50.70	82.10B/24.80A	----	66.00 + 44.10	.4013	----	----	7	----	7 + 1
4370	----	----	#84.20B/----	84.20B/25.50A	----	67.90 NEW	.4112	----	----	2	----	2 + 2
4375	----	----	----/*96.30A	214.60B/*96.30A	----	103.80 NEW	.5787	----	----	36	----	36 + 36
4375	----	----	86.30B/----	86.30B/26.40A	----	69.80 NEW	.4211	----	----	15	----	15 + 15
4380	51.20	51.20	#88.50B/50.00	88.50B/27.10A	----	71.80 NEW	.4312	----	----	6	----	3 + 3
4385	----	----	#90.70B/----	90.70B/27.90A	----	73.70 NEW	.4413	----	----	1	----	1 + 1
4390	----	----	#93.00B/----	93.00B/28.80A	----	75.60 NEW	.4515	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON MAR26		GOLD WEEKLY MONDAY OPTION WEEK5										
4400	28.40	28.40	97.70B/28.40	97.70B/28.40	----	79.80 + 52.70	.4724	----	----	30	----	49 + 9
4400	135.00	135.00	135.00/*82.60A	193.40B/*82.60A	----	88.80 - 23.70	.5274	----	----	12	----	19 + 11
4405	----	----	#100.10B/----	100.10B/31.50A	----	82.20 + 54.30	.4829	----	----	1	----	2 + 1
4405	----	----	----/*80.00A	189.20B/*80.00A	----	86.20 NEW	.5169	----	----	1	----	1 + 1
4410	----	----	102.60B/----	102.60B/32.30A	----	84.60 + 55.80	.4935	----	----	4	----	20 + 3
4410	----	----	----/*77.40A	185.40B/*77.40A	----	83.60 - 20.60	.5063	----	----	----	----	6 UNCH
4415	81.00	81.00	81.00/*74.90A	181.30B/*74.90A	----	81.00 NEW	.4957	----	----	2	----	2 + 2
4420	70.80	70.80	96.00/*70.80	177.20B/*70.80	----	78.40 - 17.60	.4850	----	----	13	----	13 + 2
4420	75.10	75.10	107.60B/75.10	107.60B/34.00A	----	89.40 NEW	.5148	----	----	3	----	3 + 3
4425	81.50	81.50	81.50/*70.10A	173.10B/*70.10A	----	75.70 - 16.20	.4743	----	----	4	----	4 + 3
4425	88.60	88.60	110.30B/88.60	110.30B/35.30A	----	91.70 NEW	.5255	----	----	3	----	3 + 3
4430	----	----	----/*67.80A	169.10B/*67.80A	----	73.10 NEW	.4635	----	----	1	----	1 + 1
4430	----	----	112.90B/----	112.90B/36.30A	----	94.10 NEW	.5364	----	----	2	----	1 + 1
4435	94.10	94.10	113.80B/94.10	113.80B/37.30A	----	96.40 + 62.90	.5473	----	----	5	----	3 + 2
4440	----	----	116.50B/----	116.50B/38.30A	----	98.80 + 64.30	.5583	----	----	4	----	9 + 1
4445	----	----	----/*61.20A	157.30B/*61.20A	----	65.30 - 10.80	.4305	----	----	----	----	5 UNCH
4445	78.00	78.00	119.20B/78.00	119.20B/39.40A	----	101.30 NEW	.5693	----	----	5	----	2 + 2
4450	50.00	50.00	122.10B/41.00A	122.10B/41.00A	----	103.80 + 67.10	.5804	----	----	13	----	9 - 4
4450	69.60	69.60	69.60/*59.10A	153.40B/*59.10A	----	62.80 - 09.40	.4194	----	----	8	----	14 + 5
4455	----	----	125.00B/----	125.00B/41.90A	----	106.50 NEW	.5914	----	----	1	----	1 + 1
4460	50.00	50.00	128.00B/48.00	128.00B/43.20A	----	109.20 + 70.20	.6024	----	----	19	----	18 + 17
4460	----	----	----/*55.00A	145.20B/*55.00A	----	58.20 - 06.30	.3975	----	----	3	----	4 + 3
4465	84.00	84.00	131.20B/84.00	131.20B/44.50A	----	111.90 + 71.60	.6133	----	----	1	----	3 + 1
4465	89.60	89.60	89.60/*53.10A	141.40B/*53.10A	----	56.00 - 04.70	.3865	----	----	6	----	6 + 5
4470	----	----	134.20B/----	134.20B/45.70A	----	114.80 + 73.30	.6242	----	----	1	----	10 + 1
4470	95.00	95.00	95.00/*51.20A	137.70B/*51.20A	----	53.80 NEW	.3756	----	----	1	----	1 + 1
4475	----	----	137.30B/----	137.30B/47.20A	----	117.70 NEW	.6351	----	----	2	----	2 + 2
4480	87.10	87.10	140.60B/87.10	140.60B/48.70A	----	120.70 NEW	.6458	----	----	1	----	1 + 1
4485	50.40	50.40	50.40/*45.40A	126.70B/*45.40A	----	47.80 - 98.10	.3435	----	----	1	----	4 + 1
4485	----	----	143.80B/----	143.80B/50.20A	----	123.80 + 78.30	.6563	----	----	----	----	1 UNCH
4490	----	----	147.20B/----	147.20B/51.70A	----	126.90 + 80.00	.6669	----	----	1	----	1 UNCH
4490	----	----	----/*43.70A	123.20B/*43.70A	----	45.90 NEW	.3329	----	----	1	----	1 + 1
4495	----	----	----/*42.10A	119.60B/*42.10A	----	44.10 NEW	.3226	----	----	1	----	1 + 1
4500	77.00	77.00	77.00/*38.80	116.20B/*38.80	----	42.30 - 93.00	.3122	----	----	89	----	63 - 14
4500	56.90	56.90	154.10B/56.90	154.10B/54.90A	----	133.30 + 83.50	.6876	----	----	10	----	44 + 1
4505	----	----	----/*38.90A	112.80B/*38.90A	----	40.60 NEW	.3021	----	----	1	----	1 + 1
4510	----	----	160.90B/----	160.90B/58.40A	----	140.00 + 87.10	.7076	----	----	----	----	6 UNCH
4510	----	----	----/*37.30A	110.10B/*37.30A	----	39.00 - 89.40	.2922	----	----	5	----	5 + 4
4515	37.00	37.00	39.90/*35.90A	107.80B/*35.90A	----	37.40 NEW	.2824	----	----	2	----	1 + 1
4515	----	----	164.70B/----	164.70B/59.80A	----	143.40 + 88.90	.7174	----	----	----	----	1 UNCH
4520	41.20	41.20	41.20/*34.60A	106.40B/*34.60A	----	35.90 NEW	.2729	----	----	6	----	6 + 6
4525	54.90	54.90	57.10/*33.20A	104.00B/*33.20A	----	34.40 - 84.00	.2634	----	----	3	----	48 UNCH
4525	----	----	172.00B/----	172.00B/63.50A	----	150.30 + 92.40	.7365	----	----	----	----	5 UNCH
4530	----	----	----/*31.70A	102.20B/*31.70A	----	32.90 NEW	.2538	----	----	1	----	1 + 1
4535	----	----	----/*30.40A	99.30B/*30.40A	----	31.50 - 80.40	.2446	----	----	----	----	7 UNCH
4540	----	----	----/*29.20A	95.80B/*29.20A	----	30.20 - 78.60	.2358	----	----	3	----	4 - 1
4545	----	----	----/*28.10A	93.20B/*28.10A	----	28.90 - 76.80	.2270	----	----	----	----	3 UNCH
4550	84.00	84.00	190.80B/84.00	190.80B/73.10A	----	168.60 + 01.40	.7816	----	----	2	----	78 - 1
4550	45.00	45.00	52.00/*26.90A	89.80B/*26.90A	----	27.60 - 75.00	.2183	----	----	51	----	52 + 37
4560	27.10	27.10	28.90/*24.80A	84.20B/*24.80A	----	25.20 - 71.50	.2015	----	----	9	----	10 + 9
4565	----	----	----/*23.80A	81.40B/*23.80A	----	24.10 - 69.70	.1936	----	----	----	----	11 UNCH
4570	----	----	----/*22.80A	78.70B/*22.80A	----	23.00 - 68.00	.1857	----	----	----	----	2 UNCH
4575	25.10	25.10	25.10/*21.90A	76.30B/*21.90A	----	22.00 - 66.20	.1783	----	----	42	----	43 + 42
4580	----	----	----/*21.00A	73.60B/*21.00A	----	21.00 - 64.40	.1709	----	----	1	----	2 + 1
4580	----	----	215.10B/----	215.10B/87.10A	----	191.90 + 12.00	.8289	----	----	1	----	1 UNCH
4585	----	----	219.30B/----	219.30B/89.60A	----	195.90 + 13.70	.8363	----	----	----	----	12 UNCH
4585	----	----	----/*20.10A	71.40B/*20.10A	----	20.00 - 62.70	.1636	----	----	1	----	3 + 1
4590	----	----	----/*19.30A	68.50B/*19.30A	----	19.10 - 61.00	.1567	----	----	1	----	4 + 1
4590	----	----	223.40B/----	223.40B/92.10A	----	200.00 + 15.40	.8431	----	----	----	----	7 UNCH
4600	----	----	231.90B/----	231.90B/97.10A	----	208.30 + 18.80	.8567	----	----	1	----	2 UNCH
4600	53.10	53.10	53.10/*17.30	63.80B/*17.30	----	17.30 - 57.70	.1431	----	----	58	----	70 + 35
4610	27.10	27.10	27.10/*16.10A	59.50B/*16.10A	----	15.80 - 54.30	.1311	----	----	9	----	7 + 6
4610	----	----	240.40B/----	240.40B/102.20A	----	216.70 + 22.10	.8687	----	----	----	----	1 UNCH
4615	----	----	----/*15.30A	57.10B/*15.30A	----	15.00 - 52.80	.1249	----	----	4	----	3 + 2
4620	27.10	27.10	27.10/*14.70A	54.90B/*14.70A	----	14.30 - 51.20	.1193	----	----	1	----	8 UNCH
4620	214.30	214.30	249.40B/214.30	249.40B/113.20A	----	225.20 NEW	.8805	----	----	2	----	2 + 2
4625	25.10	25.10	25.30/*14.10A	53.10B/*14.10A	----	13.60 - 49.60	.1137	----	----	61	----	130 + 55
4630	----	----	----/*13.50A	51.00B/*13.50A	----	13.00 - 48.00	.1087	----	----	1	----	1 UNCH
4635	----	----	----/*12.90A	49.00B/*12.90A	----	12.40 - 46.50	.1038	----	----	----	----	1 UNCH
4645	22.20	22.20	22.20/*11.80A	45.20B/*11.80A	----	11.20 - 43.60	.0940	----	----	2	----	5 + 2
4650	----	----	275.90B/----	275.90B/131.60A	----	251.60 + 34.30	.9101	----	----	----	----	52 UNCH
4650	26.90	26.90	26.90/*11.30A	43.70B/*11.30A	----	10.70 - 42.10	.0897	----	----	4	----	5 - 1
4660	20.50	20.50	20.50/*10.20A	40.10B/*10.20A	----	9.70 - 39.30	.0813	----	----	3	----	7 + 3
4670	10.20	10.20	12.00/*9.40A	36.80B/*9.40A	----	8.80 - 36.60	.0737	----	----	3	----	7 + 3
4675	----	----	----/*9.00A	35.20B/*9.00A	----	8.40 - 35.30	.0702	----	----	4	----	19 - 4
4675	----	----	298.80B/----	298.80B/148.00A	----	274.30 + 41.10	.9296	----	----	----	----	80 UNCH
4680	10.20	10.20	10.20/*8.60A	33.80B/*8.60A	----	8.00 - 34.00	.0668	----	----	1	----	19 + 1
4685	----	----	----/*8.30A	32.50B/*8.30A	----	7.60 - 32.80	.0634	----	----	----	----	7 UNCH
4690	10.20	10.20	10.20/*8.00A	31.00B/*8.00A	----	7.30 NEW	.0607	----	----	1	----	1 + 1
4695	14.20	14.20	14.20/*7.60A	29.80B/*7.60A	----	6.90 NEW	.0574	----	----	1	----	1 + 1
4700	27.50	27.50	27.50/*7.30A	28.30B/*7.30A	----	6.60 - 29.30	.0547	----	----	28	----	75 + 19
4700	----	----	322.30B/----	322.30B/165.50A	----	297.50 + 47.10	.9451	----	----	1	----	117 - 1
4715	----	----	----/*6.40A	24.80B/*6.40A	----	5.70 - 26.10	.0469	----	----	----	----	1 UNCH
4725	9.20	9.20	10.20/*5.90A	22.60B/*5.90A	----	5.20 - 24.10	.0425	----	----	4	----	3 - 2
4735	----	----	----/*5.40A	20.60B/*5.40A	----	4.80 - 22.20	.0388	----	----	----	----	1 UNCH
4740	----	----	----/*5.20A	19.50B/*5.20A	----	4.60 - 21.30	.0371	----	----	----	----	4 UNCH
4745	----	----	----/*5.00A	18.60B/*5.00A	----	4.40 - 20.50	.0353	----	----	----	----	5 UNCH
4750	17.50	17.50	17.50/*4.80A	17.90B/*4.80A	----	4.20 - 19.70	.0336	----	----	117	----	121 + 95
4750	----	----	369.80B/----	369.80B/203.80A	----	345.10 + 56.80	.9663	----	----	----	----	1 UNCH
4760	----	----	----/*4.40A	16.30B/*4.40A	----	3.90 - 18.10	.0308	----	----	----	----	1 UNCH
4770	14.00	14.00	14.00/*4.10A	15.00B/*4.10A	----	3.60 NEW	.0281	----	----	2	----	0 UNCH
4775	----	----	----/*3.90A	14.40B/*3.90A	----	3.40 - 16.00	.0265	----	----	1	----	4 + 1
4780	9.80	9.80	9.80/*3.80A	13.70B/*3.80A	----	3.30 - 15.30	.0255	----	----	1	----	6 + 1
4785	3.30	3.30	3.30/*3.30	13.10B/*3.30	----	3.20 NEW	.0246	----	----	1	----	1 + 1
4795	----	----	----/*3.40A	12.00B/*3.40A	----	2.90 - 13.50	.0221	----	----	----	----	1 UNCH
4800	----	----	418.20B/----	418.20B/246.70A	----	393.70 + 63.60	.9787	----	----	----	----	102 UNCH
4800	4.80	4.80	4.80/*3.30A	11.50B/*3.30A	----	2.80 - 12.90	.0212	----	----	10	----	27 - 3
4825	----	----	----/*2.70A	9.20B/*2.70A	----	2.30 - 10.50	.0169	----	----	----	----	3 UNCH
4825	----	----	#442.90B/----	#442.90B/268.90A	----	418.20 + 66.00	.9830	----	----	----	----	1 UNCH
4830	----	----	----/*2.70A	8.80B/*2.70A	----	2.20 - 10.10	.0161	----	----	1	----	1 UNCH
4845	----	----	#462.70B/----	#462.70B/287.10A	----	437.90 + 67.60	.9856	----	----	----	----	9 UNCH
4845	3.20	3.20	3.20/*2.40A	7.80B/*2.40A	----	2.00 NEW	.0143	----	----	2	----	2 + 2
4850	2.90	2.90	2.90/*2.40A	7.30B/*2.40A	----	1.90 - 8.60	.0135	----	----	3	----	9 + 1
4850	----	----	#467.40B/----	#467.40B/291.70A	----	442.80 + 67.90	.9864	----	----	----	----	1 UNCH
4860	----	----	----/*2.20A	6.80B/*2.20A	----	1.80 - 7.90	.0126	----	----	----	----	7 UNCH
4870	----	----	#487.00B/----	#487.00B/310.30A	----	462.50 + 69.10	.9881	----	----	----	----	2 UNCH
4875	----	----	----/*2.00A	5.90B/*2.00A	----	1.60 - 7.00	.0110	----	----	----	----	2 UNCH
4900	----	----	#517.00B/----	#517.00B/338.40A	----	492.20 + 70.70	.9906	----	----	----	----	6 UNCH
4900	2.00	2.00	2.00/*1.70A	4.20B/*1.70A	----	1.40 - 5.80	.0093	----	----	1	----	20 + 1
4920	----	----	----/*1.50A	3.50B/*1.50A	----	1.20 - 5.00	.0078	----	----	----	----	1 UNCH
4925	----	----	#541.50B/----	#541.50B/362.40A	----	517.00 + 71.70	.9922	----	----	----	----	2 UNCH
4925	----	----	----/*1.50A	3.30B/*1.50A	----	1.20 - 4.70	.0077	----	----	----	----	1 UNCH
4935	----	----	----/*1.40A	3.00B/*1.40A	----	1.10 - 4.40	.0070	----	----	----	----	1 UNCH
4940	----	----	#556.40B/----	#556.40B/376.90A	----	531.90 + 72.20	.9930	----	----	----	----	2 UNCH
4945	----	----	#561.70B/----	#561.70B/381.70A	----	536.90 + 72.40	.9937	----	----	----	----	2 UNCH
4945	----	----	----/*1.40A	2.70B/*1.40A	----	1.00 - 4.10	.0062	----	----	----	----	1 UNCH
4950	----	----	----/*1.30A	2.60B/*1.30A	----	1.00 - 3.90	.0062	----	----	----	----	1 UNCH
4950	----	----	#566.70B/----	#566.70B/386.50A	----	541.90 + 72.60	.9937	----	----	----	----	1 UNCH
4955	----	----	----/*1.30A	2.50B/*1.30A	----	1.00 - 3.70	.0061	----	----	----	----	1 UNCH
4980	----	----	----/*1.20A	1.90B/*1.20A	----	0.80 - 3.10	.0048	----	----	----	----	1 UNCH
4990	----	----	----/*1.10A	1.80B/*1.10A	----	0.70 - 2.90	.0041	----	----	----	----	1 UNCH
4995	----	----	----/*1.10A	1.70B/*1.10A	----	0.70 - 2.70	.0041	----	----	----	----	4 UNCH
5000	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	0.60 - 2.70	.0035	----	----	1	----	12 + 1
5000	----	----	#616.10B/----	#616.10B/435.20A	----	591.50 + 73.90	.9965	----	----	----	----	2 UNCH
5005	----	----	----/*1.10A	1.60B/*1.10A	----	0.60 - 2.60	.0034	----	----	----	----	1 UNCH
5025	----	----	#626.00B/----	#626.00B/607.90A	----	616.40 + 74.40	.9972	----	----	----	----	1 UNCH
5035	----	----	#636.00B/----	#636.00B/617.90A	----	626.30 + 74.50	.9972	----	----	1	----	11 UNCH
5040	----	----	#641.00B/----	#641.00B/622.80A	----	631.30 + 74.60	.9973	----	----	----	----	1 UNCH
5050	----	----	----/*1.20A	1.10B/*1.20A	----	0.40 - 1.80	.0021	----	----	----	----	1 UNCH
5060	----	----	----/*1.10A	0.90B/*1.10A	----	0.40 - 1.70	.0021	----	----	----	----	1 UNCH
5060	----	----	#660.90B/----	#660.90B/642.80A	----	651.30 + 74.90	.9979	----	----	----	----	5 UNCH
5090	----	----	----/*1.00A	0.60B/*1.00A	----	0.30 - 1.40	.0015	----	----	----	----	1 UNCH
5095	----	----	#695.80B/----	#695.80B/677.60A	----	686.20 + 75.30	.9985	----	----	----	----	5 UNCH
5100	1.00	1.00	1.00/*0.60	1.00/*0.60	----	0.30 - 1.30	.0015	----	----	3	----	9 + 3
5100	----	----	#700.70B/----	#700.70B/682.60A	----	691.20 + 75.30	.9986	----	----	----	----	2 UNCH
5125	----	----	----/*1.00A	0.40B/*1.00A	----	0.20 - 1.10	.0009	----	----	----	----	1 UNCH
5150	----	----	----/*0.90A	0.20B/*0.90A	----	0.20 - 0.90	.0009	----	----	----	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK5										
MAR26												
5160	----	----	----/*0.90A	----/*0.90A	----	0.20 - 0.90	.0009	----	----	----	----	1 UNCH
5175	----	----	----/*0.90A	----/*0.90A	----	0.20 - 0.80	.0009	----	----	----	----	1 UNCH
5180	----	----	#780.50B/----	#780.50B/762.40A	----	771.00 + 75.80	.9992	----	----	----	----	1 UNCH
5200	----	----	----	----/*0.80A	----	0.20 - 0.60	.0008	----	----	----	----	53 UNCH
5205	----	----	----	----/0.80A	----	0.10 - 0.70	.0004	----	----	----	----	1 UNCH
5210	----	----	----	----/*0.80A	----	0.10 - 0.70	.0004	----	----	----	----	1 UNCH
5220	----	----	----	----/*0.80A	----	0.10 - 0.60	.0003	----	----	----	----	10 UNCH
5225	----	----	----	----/*0.80A	----	0.10 - 0.60	.0003	----	----	----	----	5 UNCH
5230	----	----	----	----/*0.80A	----	0.10 - 0.60	.0003	----	----	----	----	5 UNCH
5235	----	----	----	----/*0.80A	----	0.10 - 0.60	.0002	----	----	----	----	5 UNCH
5240	----	----	----	----/*0.80A	----	0.10 - 0.60	.0002	----	----	----	----	10 UNCH
5245	----	----	----	----/*0.80A	----	0.10 - 0.50	.0002	----	----	----	----	5 UNCH
5250	----	----	----	----/*0.80A	----	0.10 - 0.50	.0002	----	----	----	----	2 UNCH
5275	----	----	----	----/*0.90A	----	0.10 - 0.40	.0001	----	----	----	----	3 UNCH
5290	----	----	----	----/*0.90A	----	0.10 - 0.40	.0001	----	----	----	----	1 UNCH
5360	----	----	----	----/*0.90A	----	0.10 - 0.20	.0000	----	----	----	----	6 UNCH
5370	----	----	----	----/*0.90A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
5450	----	----	----	----/*1.00A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5500	----	----	----	----/*1.00A	----	0.10 - 0.10	----	----	----	----	----	7 UNCH
5750	----	----	----	----/1.00A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1159		3401 + 703
APR26												
3500	3.00	3.00	3.10B/3.00	3.10B/3.00	----	4.70 + 2.50	.0187	----	----	1	----	5 + 1
3600	----	----	7.80B/----	7.80B/4.60A	----	6.90 + 4.00	.0281	----	----	----	----	1 UNCH
3800	----	----	17.00B/----	17.00B/8.60A	----	14.70 + 9.50	.0616	----	----	----	----	2 UNCH
3900	----	----	24.80B/----	24.80B/11.10A	----	21.30 + 14.20	.0900	----	----	----	----	1 UNCH
3900	----	----	40.20B/----	40.20B/17.30A	----	36.90 NEW	.1285	----	----	1	----	1 + 1
3950	30.00	30.00	46.00B/30.00	46.00B/20.50A	----	43.00 + 28.80	.1488	----	----	3	----	4 + 3
3950	15.70	15.70	30.90B/15.70	30.90B/12.90A	----	25.60 NEW	.1083	----	----	27	----	27 + 27
4000	----	----	53.60B/----	53.60B/23.40A	----	50.00 + 32.80	.1717	----	----	----	----	21 UNCH
4000	----	----	36.10B/----	36.10B/13.60A	----	30.70 + 20.50	.1299	----	----	1	----	244 UNCH
4050	54.70	54.70	62.10B/54.70	62.10B/29.00A	----	58.00 NEW	.1975	----	----	1	----	1 + 1
4050	38.70	38.70	43.50B/38.60	43.50B/16.70A	----	36.70 + 24.30	.1551	----	----	36	----	36 + 35
4100	29.90	29.90	72.00B/29.90	72.00B/29.90	----	67.10 NEW	.2263	----	----	3	----	3 + 3
4100	34.90	34.90	51.70B/34.90	51.70B/19.90A	----	43.90 + 28.80	.1847	----	----	7	----	7 + 6
4125	----	----	56.40B/----	56.40B/22.50A	----	48.00 + 31.30	.2013	----	----	----	----	35 UNCH
4150	----	----	61.70B/----	61.70B/24.80A	----	52.40 + 33.90	.2190	----	----	4	----	8 UNCH
4200	63.70	63.70	72.90B/63.70	72.90B/30.20A	----	62.40 + 39.50	.2585	----	----	1	----	457 + 1
4200	51.50	51.50	96.10B/51.50	96.10B/47.70A	----	89.70 + 52.70	.2945	----	----	1	----	4 + 1
4225	----	----	79.30B/----	79.30B/33.30A	----	68.10 + 42.60	.2805	----	----	----	----	22 UNCH
4250	----	----	----/257.20A	358.20B/257.20A	----	262.30 - 17.40	.6655	----	----	----	----	1 UNCH
4250	----	----	85.90B/----	85.90B/36.80A	----	74.30 + 45.80	.3038	----	----	1	----	11 + 1
4250	----	----	111.00B/----	111.00B/56.20A	----	103.50 + 58.80	.3340	----	----	----	----	100 UNCH
4275	----	----	93.10B/----	93.10B/40.60A	----	81.10 + 49.30	.3287	----	----	----	----	10 UNCH
4300	45.00	45.00	102.20B/44.80A	102.20B/44.80A	----	88.50 + 53.00	.3551	----	----	4	----	300 UNCH
4320	77.70	77.70	#113.30/77.70	113.30/48.50A	----	94.90 NEW	.3773	----	----	2	----	1 + 1
4335	----	----	#114.90B/----	114.90B/51.40A	----	100.00 + 58.50	.3945	----	----	----	----	10 UNCH
4350	----	----	----/164.50A	254.20B/164.50A	----	164.30 - 15.30	.5874	----	----	----	----	1 UNCH
4350	----	----	120.20B/----	120.20B/54.50A	----	105.40 + 61.00	.4122	----	----	4	----	8 - 4
4380	----	----	#133.10B/----	133.10B/61.30A	----	117.00 + 66.30	.4489	----	----	----	----	5 UNCH
4385	----	----	#134.40B/----	134.40B/62.50A	----	119.00 + 67.20	.4552	----	----	----	----	3 UNCH
4400	----	----	#182.80B/----	#182.80B/108.70A	----	179.60 + 86.30	.4713	----	----	----	----	150 UNCH
4400	----	----	----/135.30A	215.30B/135.30A	----	134.30 - 06.40	.5254	----	----	50	----	51 + 50
4400	104.00	104.00	141.60B/104.00	141.60B/66.30A	----	125.30 + 69.90	.4742	----	----	6	----	19 - 2
4410	----	----	146.10B/----	146.10B/68.90A	----	129.70 + 71.80	.4871	----	----	----	----	4 UNCH
4410	----	----	----/*129.90A	208.90B/129.90A	----	128.70 - 04.50	.5126	----	----	----	----	4 UNCH
4415	----	----	147.90B/----	147.90B/70.30A	----	132.00 + 72.90	.4936	----	----	----	----	4 UNCH
4415	----	----	----/158.10A	232.50B/158.10A	----	160.00 - 92.60	.5117	----	----	----	----	10 UNCH
4420	124.70	124.70	150.40B/124.70	150.40B/71.70A	----	134.30 NEW	.5001	----	----	3	----	3 + 3
4420	----	----	----/*124.70A	200.80B/124.70A	----	123.30 - 02.50	.4996	----	----	----	----	4 UNCH
4425	----	----	153.00B/----	153.00B/73.10A	----	136.60 + 74.80	.5066	----	----	----	----	5 UNCH
4440	----	----	----/145.60A	216.30B/145.60A	----	147.10 - 88.20	.4863	----	----	----	----	1 UNCH
4440	----	----	188.60B/----	188.60B/104.60A	----	178.10 + 88.00	.5131	----	----	----	----	1 UNCH
4440	----	----	----/114.70A	187.70B/114.70A	----	112.80 - 98.50	.4733	----	----	----	----	10 UNCH
4440	----	----	160.30B/----	160.30B/77.50A	----	143.80 + 77.80	.5263	----	----	----	----	32 UNCH
4445	----	----	163.20B/----	163.20B/79.00A	----	146.30 + 78.90	.5329	----	----	----	----	10 UNCH
4450	----	----	----/110.00A	180.70B/110.00A	----	107.80 - 96.40	.4601	----	----	----	----	1 UNCH
4460	----	----	----/*105.30A	173.90B/*105.30A	----	102.90 - 94.40	.4468	----	----	----	----	5 UNCH
4465	----	----	173.80B/----	173.80B/85.40A	----	156.50 + 83.00	.5594	----	----	----	----	10 UNCH
4480	----	----	182.20B/----	182.20B/90.60A	----	164.60 + 86.20	.5793	----	----	----	----	10 UNCH
4485	----	----	184.90B/----	184.90B/92.30A	----	167.40 + 87.40	.5859	----	----	----	----	10 UNCH
4500	----	----	193.80B/----	193.80B/97.90A	----	175.90 + 90.60	.6058	----	----	1	----	0 - 1
4500	86.80	86.80	86.80/*86.80	148.20B/*86.80	----	85.00 - 85.70	.3939	----	----	1	----	6 + 1
4500	----	----	----/118.50A	178.50B/118.50A	----	119.30 NEW	.4252	----	----	----	300	300 + 300
4505	----	----	196.80B/----	196.80B/99.80A	----	178.90 + 91.80	.6123	----	----	----	----	4 UNCH
4535	----	----	----/104.40A	158.10B/104.40A	----	105.00 - 70.60	.3901	----	----	----	----	4 UNCH
4535	----	----	215.80B/----	215.80B/112.00A	----	197.20 + 98.50	.6512	----	----	----	----	4 UNCH
4545	----	----	222.30B/----	222.30B/116.30A	----	203.70 + 00.90	.6637	----	----	----	----	1 UNCH
4550	----	----	----/*69.40A	119.80B/*69.40A	----	66.10 NEW	.3297	----	----	50	----	50 + 50
4550	----	----	----/98.70A	149.80B/98.70A	----	99.30 - 67.80	.3752	----	----	----	----	1 UNCH
4550	----	----	225.70B/----	225.70B/118.50A	----	206.90 + 02.00	.6699	----	----	----	----	25 UNCH
4555	----	----	229.10B/----	229.10B/120.70A	----	210.20 + 03.20	.6761	----	----	----	----	14 UNCH
4560	----	----	232.70B/----	232.70B/123.10A	----	213.60 + 04.40	.6823	----	----	----	----	19 UNCH
4575	----	----	----/90.00A	136.70B/90.00A	----	90.40 - 63.00	.3510	----	----	----	----	5 UNCH
4580	----	----	----/*60.30A	103.40B/*60.30A	----	56.50 - 67.30	.2934	----	----	----	----	5 UNCH
4580	----	----	236.30B/----	236.30B/132.90A	----	227.30 + 09.00	.7063	----	----	----	----	2 UNCH
4595	----	----	----/*55.80A	96.10B/*55.80A	----	52.20 - 63.80	.2761	----	----	----	----	5 UNCH
4600	----	----	----/81.60A	124.30B/81.60A	----	82.00 - 58.60	.3273	----	----	----	----	1 UNCH
4600	73.00	73.00	73.00/*54.50A	93.70B/*54.50A	----	50.80 - 62.60	.2704	----	----	52	----	153 + 49
4610	----	----	----/*51.90A	89.10B/*51.90A	----	48.20 - 60.30	.2594	----	----	----	----	20 UNCH
4610	----	----	292.40B/----	292.40B/178.40A	----	279.60 + 19.50	.6814	----	----	----	----	14 UNCH
4615	----	----	----/*50.60A	86.90B/*50.60A	----	46.90 - 59.20	.2539	----	----	----	----	13 UNCH
4620	----	----	----/*49.30A	84.70B/*49.30A	----	45.70 - 58.00	.2487	----	----	----	----	5 UNCH
4635	----	----	----/*45.30A	78.30B/*45.30A	----	42.20 - 54.50	.2332	----	----	----	----	5 UNCH
4640	----	----	----/*44.40A	76.30B/*44.40A	----	41.10 - 53.40	.2282	----	----	----	----	20 UNCH
4645	----	----	----/*42.90A	74.20B/*42.90A	----	40.00 - 52.30	.2232	----	----	----	----	5 UNCH
4650	----	----	----/*41.90A	72.30B/*41.90A	----	39.00 - 51.10	.2185	----	----	8	----	50 UNCH
4650	----	----	310.80B/----	310.80B/200.90A	----	307.90 + 26.50	.7171	----	----	----	----	70 UNCH
4675	----	----	299.70B/----	299.70B/186.70A	----	300.00 + 30.90	.8040	----	----	----	----	1 UNCH
4690	39.70	39.70	39.70/*33.70A	57.90B/*33.70A	----	31.70 - 42.30	.1832	----	----	1	----	6 + 1
4700	----	----	----/54.40A	82.70B/54.40A	----	54.70 - 41.70	.2408	----	----	----	----	0 UNCH
4700	37.50	37.50	39.00/*31.70	54.60B/*31.70	----	30.10 - 40.20	.1751	----	----	13	----	75 + 1
4705	52.00	52.00	53.00B/*31.30A	53.00B/*31.30A	----	29.30 - 39.20	.1711	----	----	64	----	15 - 49
4715	----	----	----/*29.50A	50.00B/*29.50A	----	27.80 - 37.30	.1634	----	----	1	----	3 + 1
4725	----	----	----/*28.00A	47.10B/*28.00A	----	26.40 - 35.30	.1561	----	----	4	----	4 UNCH
4730	----	----	----/*27.10A	45.70B/*27.10A	----	25.70 - 34.40	.1525	----	----	----	----	5 UNCH
4730	----	----	372.30B/----	372.30B/251.80A	----	368.70 + 38.90	.7819	----	----	----	----	2 UNCH
4740	----	----	----/*25.00A	42.90B/*25.00A	----	24.40 - 32.60	.1456	----	----	----	----	20 UNCH
4750	----	----	363.40B/----	363.40B/238.80A	----	363.90 + 45.50	.8606	----	----	----	----	1 UNCH
4750	----	----	----/*23.90A	40.50B/*23.90A	----	23.20 - 30.80	.1391	----	----	4	----	24 UNCH
4750	66.60	66.60	66.60/*61.40A	85.50B/*61.40A	----	59.10 NEW	.2359	----	----	10	----	10 + 10
4770	----	----	----/*21.60A	35.80B/*21.60A	----	20.80 - 27.70	.1262	----	----	----	----	525 UNCH
4785	----	----	----/*20.00A	32.60B/*20.00A	----	19.20 - 25.50	.1174	----	----	----	----	5 UNCH
4790	----	----	----/*19.50A	31.60B/*19.50A	----	18.70 - 24.80	.1146	----	----	----	----	5 UNCH
4795	----	----	----/*19.00A	30.60B/*19.00A	----	18.20 - 24.10	.1118	----	----	----	----	5 UNCH
4795	----	----	426.00B/----	426.00B/298.40A	----	421.50 + 47.10	.8270	----	----	----	----	4 UNCH
4795	37.20	37.20	37.20/*36.20A	54.20B/*36.20A	----	36.10 NEW	.1725	----	----	10	----	10 + 10
4800	----	----	----/*35.80A	53.00B/*35.80A	----	35.30 - 28.60	.1694	----	----	----	----	1 UNCH
4800	----	----	430.60B/----	430.60B/302.20A	----	425.70 + 47.60	.8301	----	----	----	----	1 UNCH
4800	24.40	24.40	24.40/*18.40A	29.60B/*18.40A	----	17.70 - 23.40	.1091	----	----	2	----	5 UNCH
4810	----	----	439.20B/----	439.20B/310.70A	----	434.10 + 48.70	.8365	----	----	----	----	4 UNCH
4815	22.70	22.70	22.70/*17.10A	27.00B/*17.10A	----	16.20 NEW	.1008	----	----	15	----	15 + 15
4820	----	----	----/*33.00A	48.30B/*33.00A	----	32.20 - 26.50	.1570	----	----	1	----	6 + 1
4830	----	----	----/*16.00A	24.40B/*16.00A	----	14.80 - 20.00	.0929	----	----	----	----	29 UNCH
4835	----	----	----/*15.60A	23.70B/*15.60A	----	14.40 - 19.50	.0906	----	----	----	----	5 UNCH
4840	----	----	465.30B/----	465.30B/332.50A	----	459.70 + 51.70	.8543	----	----	----	----	1 UNCH
4850	----	----	474.10B/----	474.10B/341.10A	----	468.30 + 52.60	.8601	----	----	----	----	4 UNCH
4850	----	----	453.80B/----	453.80B/319.70A	----	453.70 + 58.30	.9165	----	----	----	----	24 UNCH
4850	----	----	----/*14.60A	21.30B/*14.60A	----	13.10 - 18.10	.0832	----	----	----	----	7 UNCH
4855	----	----	478.10B/----	478.10B/345.30A	----	472.60 + 53.00	.8627	----	----	----	----	1 UNCH
4875	----	----	----/*12.60A	18.30B/*12.60A	----	11.20 - 16.00	.0722	----	----	----	----	5 UNCH
4880	----	----	----/*12.80A	17.50B/*12.80A	----	10.90 - 15.50	.0704	----	----	----	----	525 UNCH
4880	----	----	----/*25.20A	36.40B/*25.20A	----	24.20 - 21.10	.1236	----	----	----	----	2 UNCH
4885	----	----	504.90B/----	504.90B/369.70A	----	498.90 + 55.50	.8785	----	----	----	----	1 UNCH
4885	----	----	----/*24.70A	35.50B/*24.70A	----	23.60 - 20.70	.1210	----	----	----	----	2 UNCH
4900	----	----	----/*23.40A	33.20B/*23.40A	----	21.90 - 19.60	.1136	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4900	----	----	518.40B/----	518.40B/382.40A	----	512.20 + 56.70	.8859	----	----	----	----	1 UNCH
4900	----	----	440.90B/----	440.90B/362.20A	----	500.20 + 62.40	.9366	----	----	----	----	14 UNCH
4900	13.30	13.30	13.30/*10.20	15.40B/*10.20	----	9.70 - 14.00	.0631	----	----	20	----	21 + 20
4905	----	----	523.00B/----	523.00B/386.60A	----	516.60 + 57.00	.8885	----	----	----	----	1 UNCH
4905	----	----	445.50B/----	445.50B/367.70A	----	505.00 + 62.80	.9384	----	----	----	----	14 UNCH
4920	----	----	----/*21.50A	30.10B/*21.50A	----	19.80 NEW	.1043	----	----	2	----	2 + 2
4940	9.30	9.30	9.30/*9.30	11.70B/*9.30	----	7.70 - 11.30	.0507	----	----	3	----	6 UNCH
4950	----	----	----/*9.40A	10.80B/*9.40A	----	7.30 - 10.70	.0482	----	----	----	----	76 UNCH
4950	----	----	----/*19.10A	26.20B/*19.10A	----	16.90 - 16.50	.0911	----	----	----	----	2 UNCH
4950	----	----	465.80B/----	465.80B/408.30A	----	547.90 + 65.70	.9516	----	----	----	----	3 UNCH
4980	----	----	----/*8.40A	8.90B/*8.40A	----	6.40 - 8.90	.0421	----	----	----	----	4 UNCH
4990	----	----	456.30B/----	456.30B/445.30A	----	586.70 + 68.10	.9592	----	----	----	----	1 UNCH
5000	----	----	----/*7.70A	7.40B/*7.70A	----	5.90 - 7.90	.0386	----	----	----	----	1 UNCH
5000	20.00	20.00	20.00/*15.90A	20.70B/*15.90A	----	13.00 - 14.00	.0724	----	----	2	----	3 + 2
5000	----	----	458.20B/----	458.20B/454.70A	----	596.50 + 68.60	.9611	----	----	----	----	277 UNCH
5010	----	----	----/*7.30A	7.00B/*7.30A	----	5.70 - 7.40	.0372	----	----	----	----	2 UNCH
5030	----	----	463.80B/----	463.80B/482.90A	----	625.80 + 69.90	.9654	----	----	----	----	10 UNCH
5040	----	----	----	437.70B/488.70A	----	635.60 + 70.30	.9668	----	----	----	----	1 UNCH
5045	----	----	----	----	----	640.60 + 70.60	.9670	----	----	----	----	1 UNCH
5060	----	----	----	----	----	655.30 + 71.10	.9690	----	----	----	----	48 UNCH
5095	----	----	----	----	----	689.70 + 72.10	.9731	----	----	----	----	85 UNCH
5100	----	----	----	----	----	694.60 + 72.20	.9737	----	----	----	----	1 UNCH
5100	----	----	----/*5.50A	3.40B/*5.50A	----	4.10 - 4.30	.0261	----	----	----	----	3 UNCH
5125	----	----	----/*10.80A	11.60B/*10.80A	----	7.20 - 9.00	.0421	----	----	----	----	1 UNCH
5140	----	----	----/*4.80A	2.70B/*4.80A	----	3.50 - 3.60	.0221	----	----	----	----	1 UNCH
5155	----	----	----/*4.70A	2.50B/*4.70A	----	3.20 - 3.40	.0203	----	----	----	----	38 UNCH
5205	----	----	----/*3.80A	1.90B/*3.80A	----	2.60 - 2.80	.0163	----	----	----	----	1 UNCH
5220	----	----	----/*8.30A	6.10B/*8.30A	----	5.40 - 6.10	.0312	----	----	----	----	1 UNCH
5250	----	----	----/*3.70A	1.60B/*3.70A	----	2.10 - 2.50	.0131	----	----	----	----	1 UNCH
5275	----	----	----	----	----	867.40 + 74.20	.9881	----	----	----	----	2 UNCH
5295	----	----	----/*3.20A	1.50B/*3.20A	----	1.80 - 2.20	.0111	----	----	----	----	100 UNCH
5300	----	----	----/*3.30A	1.30B/*3.30A	----	1.80 - 2.10	.0110	----	----	----	----	1 UNCH
5305	----	----	----/*3.00A	1.40B/*3.00A	----	1.80 - 2.00	.0110	----	----	----	----	1 UNCH
5345	----	----	----/*3.20A	0.70B/*3.20A	----	1.60 - 1.80	.0096	----	----	----	----	20 UNCH
5350	----	----	----/*6.00A	3.60B/*6.00A	----	4.30 - 3.10	.0237	----	----	----	----	2 UNCH
5350	----	----	----/*3.00A	0.60B/*3.00A	----	1.60 - 1.70	.0096	----	----	----	----	1 UNCH
5370	----	----	----/*2.80A	0.50B/*2.80A	----	1.50 - 1.60	.0089	----	----	----	----	10 UNCH
5380	----	----	----/*2.90A	0.50B/*2.90A	----	1.40 - 1.70	.0083	----	----	----	----	1 UNCH
5400	----	----	----/*5.40A	2.70B/*5.40A	----	3.70 - 2.50	.0203	----	----	----	----	1 UNCH
5600	----	----	----	----	----	1191.30 + 75.70	.9958	----	----	----	----	1 UNCH
5600	----	----	----	----/*2.10A	----	0.80 - 0.90	.0044	----	----	----	----	1 UNCH
5675	----	----	----	----/*2.00A	----	0.70 - 0.80	.0037	----	----	----	----	1 UNCH
TOTAL										420	300	4596 + 541

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
4250	5.50	5.50	#5.50/*4.40A	#5.50/*4.40A	----	12.50 NEW	.0728	----	----	1	----	1 + 1
4300	17.50	17.50	#17.50/*17.50	#17.50/*17.50	----	19.30 NEW	.1430	----	----	1	----	1 + 1
TOTAL										2		2 + 2

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5300	0.160	0.160	0.181/*0.160	0.181/*0.160	----	0.223 NEW	.0382	----	----	3	----	3 + 3
5700	----	----	----	0.186B/0.430A	----	0.366 + 0.171	.0710	----	----	3	----	3 UNCH
6000	----	----	0.503B/----	0.503B/0.611A	----	0.633 + 0.323	.1268	----	----	----	----	1 UNCH
6000	----	----	1.042B/----	1.042B/1.012A	----	1.248 + 0.546	.1872	----	----	----	----	1 UNCH
6000	1.700	1.700	1.700/1.700	1.700/1.384A	----	2.008 NEW	.2289	----	----	1	----	1 + 1
6300	1.320	1.320	1.320/1.320	1.320/0.941A	----	1.176 NEW	.2267	----	----	2	----	2 + 2
6500	3.400	3.400	3.400/3.400	3.400/2.443A	----	3.763 NEW	.3711	----	----	1	----	1 + 1
6500	1.790	1.790	1.790/1.790	1.790/1.246A	----	1.751 + 0.972	.3188	----	----	2	----	3 + 2
6600	2.160	2.160	2.160/2.160	2.160/1.446A	----	2.112 NEW	.3711	----	----	4	----	4 + 4
6700	----	----	2.525B/----	2.525B/1.680A	----	2.523 + 1.387	.4263	----	----	3	----	3 UNCH
6800	3.590	3.590	3.590/3.590	3.851B/3.590	----	3.851 NEW	.5247	----	----	50	----	50 + 50
6900	----	----	----/2.402A	2.443B/2.402A	----	2.426 NEW	.4581	----	----	1	----	1 + 1
6995	----	----	#3.913B/----	3.913B/2.650A	----	4.019 + 2.086	.5974	----	----	----	----	2 UNCH
7000	----	----	----	0.066B/15.370A	----	7.979 - 2.559	.5270	----	----	----	----	1 UNCH
7000	----	----	#4.806B/----	#4.806B/3.440A	----	4.989 + 2.079	.5604	----	----	----	----	1 UNCH
7000	2.300	2.300	2.300/1.800	2.390B/1.800	----	1.983 - 2.606	.3995	----	----	8	----	6 + 5
7000	2.000	2.000	3.988B/*2.000	3.988B/2.000	----	4.048 NEW	.6004	----	----	1	----	1 + 1
7010	2.016	2.016	2.016/2.016	2.345B/2.016	----	1.941 NEW	.3937	----	----	4	----	4 + 4
7025	----	----	#4.965B/----	#4.965B/3.609A	----	5.135 + 2.129	.5710	----	----	----	----	1 UNCH
7030	2.040	2.040	2.040/1.960A	2.321B/1.960A	----	1.859 NEW	.3820	----	----	4	----	4 + 4
7045	2.090	2.090	2.090/1.916A	2.279B/1.916A	----	1.799 NEW	.3733	----	----	4	----	4 + 4
7200	----	----	----/1.430A	2.350B/1.430A	----	1.254 - 2.112	.2864	----	----	----	----	2 UNCH
7260	1.280	1.280	1.280/*1.280	2.136B/*1.280	----	1.082 - 1.961	.2553	----	----	1	----	1 UNCH
7300	0.870	0.870	0.970/*0.870	2.005B/*0.870	----	0.980 NEW	.2359	----	----	2	----	2 + 2
7400	----	----	----/*1.040A	1.561B/*1.040A	----	0.767 - 1.606	.1921	----	----	3	----	3 UNCH
7400	----	----	----/1.721A	2.379B/1.721A	----	1.585 - 1.808	.2818	----	----	----	----	2 UNCH
7500	----	----	----/*0.851A	1.060B/*0.851A	----	0.608 - 1.361	.1562	----	----	1	----	5 + 1
7700	----	----	----	----	----	9.465 + 3.777	.8945	----	----	----	----	1 UNCH
7700	----	----	----/*0.616A	0.601B/*0.616A	----	0.405 - 0.927	.1054	----	----	3	----	3 UNCH
7800	----	----	----/*1.030A	1.044B/*1.030A	----	0.819 - 1.102	.1644	----	----	----	----	3 UNCH
8000	----	----	----/*0.810A	0.621B/*0.810A	----	0.591 - 0.829	.1235	----	----	----	----	4 UNCH
8000	----	----	9.436B/----	9.436B/12.042A	----	12.314 + 4.233	.9360	----	----	----	----	5 UNCH
8000	0.220	0.220	0.220/*0.220	0.220/*0.220	----	0.255 NEW	.0639	----	----	2	----	2 + 2
8250	----	----	----	----	----	15.482 + 3.948	.8471	----	----	----	----	4 UNCH
8275	----	----	----	----	----	15.699 + 3.966	.8515	----	----	----	----	4 UNCH
8500	----	----	----/*0.240A	0.004B/*0.240A	----	0.099 - 0.184	.0240	----	----	----	----	1 UNCH
8600	----	----	----/*0.419A	0.164B/*0.419A	----	0.260 - 0.332	.0562	----	----	----	----	1 UNCH
8700	----	----	----	0.003B/*0.222A	----	0.073 - 0.135	.0172	----	----	----	----	1 UNCH
8750	----	----	----	----	----	19.625 + 4.581	.9840	----	----	----	----	20 UNCH
8775	----	----	----	----	----	19.872 + 4.584	.9846	----	----	----	----	10 UNCH
TOTAL										103	0	171 + 87

SMW MON — SILVER WEEKLY MONDAY OPTION WEEK5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
5900	0.275	0.275	0.275/0.248A	0.275/0.248A	----	0.206 NEW	.0487	----	----	2	----	2 + 2
6000	0.200	0.200	0.266B/*0.200	0.266B/*0.200	----	0.254 NEW	.0631	----	----	4	----	4 + 4
6100	----	----	0.343B/----	0.343B/0.302A	----	0.324 + 0.122	.0835	----	----	----	----	1 UNCH
6175	0.905	0.905	#0.905/0.349A	#0.905/0.349A	----	0.395 NEW	.1039	----	----	1	----	1 + 1
6450	0.780	0.780	0.910B/0.780	0.910B/0.632A	----	0.849 NEW	.2263	----	----	10	----	10 + 10
6500	1.400	1.400	1.400/1.400	1.400/0.713A	----	0.974 + 0.615	.2575	----	----	5	----	12 + 4
6600	1.550	1.550	1.550/1.550	1.550/0.858A	----	1.272 + 0.833	.3277	----	----	1	----	5 + 1
6650	----	----	1.455B/----	1.455B/0.979A	----	1.447 + 0.957	.3664	----	----	----	----	1 UNCH
6700	----	----	1.696B/----	1.696B/1.025A	----	1.642 + 1.094	.4470	----	----	----	----	2 UNCH
6800	----	----	1.934B/----	1.934B/1.235A	----	2.090 + 1.394	.4921	----	----	----	----	1 UNCH
6875	----	----	----/*1.574A	2.018B/*1.574A	----	1.665 - 3.063	.4426	----	----	1	----	1 UNCH
6900	2.225	2.225	2.363B/2.225	2.363B/1.494A	----	2.620 + 1.727	.5789	----	----	1	----	0 - 1
6900	----	----	----/*1.438A	1.823B/*1.438A	----	1.555 - 2.978	.4210	----	----	1	----	1 UNCH
7000	3.120	3.120	#3.120/3.120	#3.120/1.797A	----	3.231 + 2.081	.6626	----	----	1	----	1 UNCH
7000	1.280	1.280	1.280/*0.980A	1.610B/*0.980A	----	1.166 NEW	.3373	----	----	15	----	15 + 15
7100	0.800	0.800	0.800/*0.704A	1.592B/*0.704A	----	0.854 NEW	.2607	----	----	7	----	7 + 7
7150	0.800	0.800	0.800/*0.601A	1.681B/*0.601A	----	0.724 NEW	.2261	----	----	7	----	7 + 7
7200	0.500	0.500	0.750/*0.500	1.504B/*0.500	----	0.611 NEW	.1944	----	----	7	----	7 + 7
7250	0.520	0.520	0.520/*0.446A	1.443B/*0.446A	----	0.512 NEW	.1655	----	----	1	----	1 + 1
7300	0.470	0.470	0.470/*0.387A	1.231B/*0.387A	----	0.427 NEW	.1398	----	----	4	----	4 + 4
7475	0.180	0.180	0.180/*0.180	0.528B/*0.180	----	0.217 NEW	.0724	----	----	2	----	2 + 2
7500	0.150	0.150	0.175/*0.150	0.509B/*0.150	----	0.196 - 1.024	.0654	----	----	2	----	2 + 1
7600	----	----	----/*0.213A	0.264B/*0.213A	----	0.129 - 0.807	.0426	----	----	----	----	2 UNCH
7725	----	----	----/*0.227A	0.105B/*0.227A	----	0.075 - 0.591	.0241	----	----	----	----	2 UNCH
7900	0.099	0.099	0.099/*0.070	0.099/*0.070	----	0.034 NEW	.0102	----	----	2	----	2 + 2
8000	0.058	0.058	0.058/*0.058	0.058/*0.058	----	0.021 - 0.288	.0060	----	----	1	----	3 + 1
8200	0.041	0.041	0.041/*0.041	0.041/*0.041	----	0.008 NEW	.0020	----	----	1	----	1 + 1
8500	----	----	----	0.001B/0.160A	----	0.003 - 0.084	.0006	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK5										
MAR26												
8750	----	----	----	----/*0.155A	----	0.002 -	0.053 .0003	----	----	----	----	1 UNCH
9000	----	----	----	----/*0.153A	----	0.001 -	0.036 .0000	----	----	----	----	1 UNCH
9250	----	----	----	----/0.167A	----	0.001 -	0.020 .0000	----	----	----	----	1 UNCH
TOTAL										76	0	102 + 69
APR26												
5800	----	----	0.430B/----	0.430B/0.559A	----	0.437 +	0.204 .0906	----	----	----	----	1 UNCH
6000	----	----	0.714B/----	0.714B/0.729A	----	0.624 +	0.308 .1307	----	----	----	----	5 UNCH
6700	----	----	2.871B/----	2.871B/1.913A	----	2.408 +	1.246 .4257	----	----	3	----	1 - 2
6900	----	----	----/2.713A	2.711B/2.713A	----	2.349	NEW .4578	----	----	1	----	1 + 1
6950	----	----	#3.893B/----	#3.893B/2.760A	----	3.705 +	1.842 .5708	----	----	----	----	20 UNCH
7000	2.750	2.750	2.750/2.250	2.831B/2.250	----	1.948	NEW .4010	----	----	4	----	2 + 2
7200	----	----	----/1.689A	2.745B/1.689A	----	1.320 -	2.203 .2975	----	----	----	----	2 UNCH
7400	----	----	----/*1.233A	1.893B/*1.233A	----	0.889 -	1.700 .2138	----	----	3	----	1 - 2
7700	----	----	----/*0.778A	0.880B/*0.778A	----	0.507 -	1.072 .1281	----	----	3	----	1 - 2
8075	----	----	12.102B/----	12.102B/14.447A	----	13.090 +	4.153 .9282	----	----	----	----	3 UNCH
8325	----	----	----/*0.352A	0.085B/*0.352A	----	0.215 -	0.339 .0524	----	----	----	----	10 UNCH
8700	----	----	----/*0.252A	0.071B/*0.252A	----	0.160 -	0.149 .0365	----	----	----	----	2 UNCH
9000	0.103	0.103	0.103/*0.083	0.103/*0.083	----	0.088 -	0.076 .0206	----	----	22	----	60 - 16
TOTAL										36	0	109 - 19
SO CALL		COMEX SILVER OPTIONS										
APR26												
3750	----	----	----/32.688A	31.745B/32.688A	----	30.434 -	4.708	----	----	----	----	0 - 51
3900	----	----	----/31.043A	30.347B/31.043A	----	28.934 -	4.708	----	----	----	----	0 - 102
4000	----	----	----/30.041A	29.427B/30.041A	----	27.934 -	4.709	----	----	----	----	0 - 75
4025	----	----	----/29.792A	29.177B/29.792A	----	27.684 -	4.709	----	----	----	----	0 - 124
4400	----	----	----/24.814A	22.702B/24.814A	----	23.934 -	4.714	----	----	----	----	0 - 1
4500	----	----	----	2.000B/----	----	22.934 -	4.717	----	----	----	----	0 UNCH
4625	----	----	----	----	----	21.684 -	4.726	----	----	----	----	0 UNCH
4650	----	----	----	----	----	21.434 -	4.728	----	----	----	----	0 UNCH
4675	----	----	----	----	----	21.184 -	4.730	----	----	----	----	0 UNCH
4700	----	----	----	----	----	20.934 -	4.732	----	----	----	----	0 UNCH
4725	----	----	----	----	----	20.684 -	4.734	----	----	----	----	0 UNCH
4750	----	----	----/20.798A	20.457B/20.798A	----	20.434 -	4.736	----	----	----	----	0 - 2
4775	----	----	----	----	----	20.184 -	4.737	----	----	----	----	0 UNCH
4800	----	----	----/19.904A	21.526B/19.904A	----	19.934 -	4.738	----	----	----	----	0 - 33
4850	----	----	----/19.404A	19.879B/19.404A	----	19.434 -	4.739	----	----	----	----	0 - 6
4875	----	----	----/19.140A	19.631B/19.140A	----	19.184 -	4.740	----	----	----	----	0 - 10
4900	----	----	----/18.888A	20.785B/18.888A	----	18.934 -	4.741	----	----	----	----	0 - 55
4925	----	----	----/18.640A	19.211B/18.640A	----	18.684 -	4.742	----	----	----	----	0 - 8
4950	----	----	----/18.404A	18.995B/18.404A	----	18.434 -	4.743	----	----	----	----	0 - 7
4975	----	----	----/18.154A	19.800B/18.154A	----	18.184 -	4.743	----	----	----	----	0 - 33
5000	----	----	----/17.904A	19.809B/17.904A	----	17.934 -	4.744	----	----	----	----	0 - 212
5025	----	----	----	----	----	17.684 -	4.745	----	----	----	----	0 UNCH
5050	----	----	----/17.391A	18.129B/17.391A	----	17.434 -	4.746	----	----	----	----	0 - 16
5075	----	----	----/17.141A	18.064B/17.141A	----	17.184 -	4.746	----	----	----	----	0 - 15
5100	----	----	----/17.295A	17.176B/17.295A	----	16.934 -	4.747	----	----	----	----	0 - 5
5125	----	----	----/17.045A	16.927B/17.045A	----	16.684 -	4.748	----	----	----	----	0 - 1
5150	----	----	----/16.393A	18.063B/16.393A	----	16.434 -	4.748	----	----	----	----	0 - 22
5175	----	----	----/16.544A	16.584B/16.544A	----	16.184 -	4.749	----	----	----	----	0 - 2
5200	----	----	----/15.894A	17.555B/15.894A	----	15.934 -	4.750	----	----	----	----	0 - 37
5225	----	----	----/16.044A	16.086B/16.044A	----	15.684 -	4.750	----	----	----	----	0 - 1
5250	----	----	----/15.794A	15.836B/15.794A	----	15.434 -	4.751	----	----	----	----	0 - 4
5275	----	----	----/15.543A	15.587B/15.543A	----	15.184 -	4.752	----	----	----	----	0 - 1
5300	----	----	----/14.898A	16.078B/14.898A	----	14.934 -	4.752	----	----	----	----	0 - 16
5325	----	----	----/15.043A	15.158B/15.043A	----	14.684 -	4.753	----	----	----	----	0 - 4
5350	----	----	----/14.400A	15.615B/14.400A	----	14.434 -	4.753	----	----	----	----	0 - 18
5375	----	----	----/14.152A	16.044B/14.152A	----	14.184 -	4.754	----	----	----	----	0 - 49
5400	----	----	----/13.904A	15.806B/13.904A	----	13.934 -	4.755	----	----	----	----	0 - 42
5425	----	----	----/14.042A	14.515B/14.042A	----	13.684 -	4.755	----	----	----	----	0 - 1
5450	----	----	----/13.791A	14.329B/13.791A	----	13.434 -	4.756	----	----	----	----	0 - 1
5475	----	----	----/13.542A	14.162B/13.542A	----	13.184 -	4.756	----	----	----	----	0 - 5
5500	----	----	----/12.908A	14.821B/12.908A	----	12.934 -	4.756	----	----	----	----	0 - 44
5525	----	----	----/12.659A	14.176B/12.659A	----	12.684 -	4.757	----	----	----	----	0 - 10
5550	----	----	----/12.409A	14.114B/12.409A	----	12.434 -	4.757	----	----	----	----	0 - 27
5575	----	----	----/12.160A	13.674B/12.160A	----	12.184 -	4.758	----	----	----	----	0 - 10
5600	----	----	----/12.290A	12.916B/12.290A	----	11.934 -	4.758	----	----	----	----	0 - 5
5625	----	----	----/11.662A	13.159B/11.662A	----	11.684 -	4.758	----	----	----	----	0 - 13
5650	----	----	----/11.789A	12.418B/11.789A	----	11.434 -	4.759	----	----	----	----	0 - 4
5675	----	----	----/11.165A	12.671B/11.165A	----	11.184 -	4.759	----	----	----	----	0 - 11
5700	----	----	----/10.916A	12.821B/10.916A	----	10.934 -	4.759	----	----	----	----	0 - 56
5750	----	----	----	----	----	10.434 -	4.760	----	----	----	----	0 UNCH
5775	----	----	----/10.170A	11.918B/10.170A	----	10.184 -	4.760	----	----	----	----	0 - 36
5800	----	----	----/9.920A	11.836B/9.920A	----	9.934 -	4.760	----	----	----	----	0 - 69
5825	----	----	----/9.672A	11.382B/9.672A	----	9.684 -	4.760	----	----	----	----	0 - 35
5850	----	----	----/9.424A	11.143B/9.424A	----	9.434 -	4.760	----	----	----	----	0 - 24
5875	----	----	----/9.173A	10.677B/9.173A	----	9.184 -	4.761	----	----	----	----	0 - 11
5900	----	----	----/8.924A	10.423B/8.924A	----	8.934 -	4.761	----	----	----	----	0 - 10
5925	----	----	----/8.675A	10.179B/8.675A	----	8.684 -	4.761	----	----	----	----	0 - 8
5950	----	----	----/8.412A	9.925B/8.412A	----	8.434 -	4.761	----	----	----	----	0 - 19
6000	----	----	----/7.787A	9.848B/7.787A	----	7.934 -	4.762	----	----	1	----	0 - 132
6025	----	----	----/8.043A	8.684B/8.043A	----	7.684 -	4.762	----	----	----	----	0 - 1
6050	----	----	----/7.794A	8.435B/7.794A	----	7.434 -	4.763	----	----	----	----	0 - 3
6075	----	----	----/7.545A	8.187B/7.545A	----	7.184 -	4.763	----	----	----	----	0 - 1
6100	----	----	----/6.748A	8.870B/6.748A	----	6.934 -	4.764	----	----	----	----	0 - 68
6150	----	----	----/6.798A	7.440B/6.798A	----	6.434 -	4.765	----	----	----	----	0 - 1
6175	----	----	----/6.549A	7.191B/6.549A	----	6.184 -	4.765	----	----	----	----	0 - 1
6200	----	----	----/5.679A	7.858B/5.679A	----	5.934 -	4.766	----	----	----	----	0 - 49
6225	----	----	----/6.055A	6.695B/6.055A	----	5.684 -	4.767	----	----	----	----	0 - 2
6250	----	----	----/5.294A	7.233B/5.294A	----	5.434 -	4.768	----	----	----	----	0 - 20
6275	----	----	----/5.047A	6.974B/5.047A	----	5.184 -	4.769	----	----	----	----	0 - 23
6300	----	----	----/4.736A	6.897B/4.736A	----	4.934 -	4.770	----	----	----	----	0 - 57
6325	----	----	----/5.064A	5.702B/5.064A	----	4.684 -	4.771	----	----	----	----	0 - 3
6375	----	----	----/4.561A	5.209B/4.561A	----	4.184 -	4.774	----	----	----	----	0 - 4
6400	----	----	----/3.768A	5.926B/3.768A	----	3.934 -	4.776	----	----	----	----	0 - 323
6425	----	----	----/4.057A	4.716B/4.057A	----	3.684 -	4.778	----	----	----	----	0 - 2
6475	----	----	----/3.551A	4.223B/3.551A	----	3.184 -	4.783	----	----	----	----	0 - 1
6500	4.100	4.100	4.100/2.783A	4.954B/2.783A	----	2.934 -	4.786	----	----	12	----	0 - 287
6525	----	----	----/2.565A	4.599B/2.565A	----	2.684 -	4.790	----	----	----	----	0 - 23
6550	----	----	----/2.787A	3.492B/2.787A	----	2.434 -	4.793	----	----	----	----	0 - 3
6575	----	----	----/2.060A	3.883B/2.060A	----	2.184 -	4.798	----	----	----	----	0 - 14
6600	1.700	1.700	1.700/1.700	4.017B/1.700	----	1.934 -	4.803	----	----	21	----	0 - 73
6650	1.500	1.500	2.500/*1.199A	3.208B/*1.199A	----	1.434 -	4.816	----	----	5	----	0 - 17
6675	----	----	----/*0.977A	3.345B/*0.977A	----	1.184 -	4.823	----	----	----	----	0 - 54
6700	4.800	4.800	4.800/*0.775A	4.800/*0.775A	----	0.934 -	4.832	----	----	26	----	0 - 275
6750	----	----	----/*0.445A	1.603B/*0.445A	----	0.434 -	4.854	----	----	48	----	0 - 4
6765	0.600	0.600	#0.600/*0.586A	1.156B/*0.586A	----	0.284	NEW	----	----	1	----	0 UNCH
6775	0.921	0.921	1.383B/*0.305A	1.383B/*0.305A	----	0.184	NEW	----	----	17	----	0 UNCH
6785	----	----	----/*0.245A	1.300B/*0.245A	----	0.084 -	4.873	----	----	----	----	0 - 1
6790	0.800	0.800	#1.254B/*0.232A	1.254B/*0.232A	----	0.034	NEW	----	----	1	----	0 UNCH
6800	0.680	0.680	0.680/*0.090	2.204B/*0.090	----	0.000 -	4.816	----	----	53	----	0 - 32
6825	----	----	----/*0.120A	2.098B/*0.120A	----	0.000 -	4.583	----	----	1	----	0 - 110
6850	0.595	0.595	0.595/*0.005	1.766B/*0.005	----	0.000 -	4.352	----	----	32	----	0 - 19
6860	0.770	0.770	#0.770/*0.089A	0.865B/*0.089A	----	0.000	NEW	----	----	1	----	0 UNCH
6875	0.568	0.568	0.625/*0.087A	1.592B/*0.087A	----	0.000 -	4.124	----	----	24	----	0 - 9
6880	0.750	0.750	#0.750/*0.001	0.849B/*0.001	----	0.000	NEW	----	----	2	----	0 UNCH
6895	0.360	0.360	#0.360/*0.005	1.046B/*0.005	----	0.000	NEW	----	----	3	----	0 UNCH
6900	1.208	1.208	1.220/*0.005	1.837B/*0.005	----	0.000 -	3.899	----	----	178	----	0 - 299
6910	0.300	0.300	0.370/*0.163A	1.034B/*0.163A	----	0.000	NEW	----	----	6	----	0 UNCH
6925	----	----	----/*0.143A	1.187B/*0.143A	----	0.000 -	3.678	----	----	22	----	0 - 1
6935	----	----	----/*0.127A	1.185B/*0.127A	----	0.000 -	3.590	----	----	----	----	0 - 1
6950	0.225	0.225	0.225/*0.005A	1.185B/*0.005A	----	0.000 -	3.459	----	----	8	----	0 - 5
6955	----	----	----/*0.103A	1.152B/*0.103A	----	0.000 -	3.416	----	----	1	----	0 - 2
6960	0.280	0.280	0.280/*0.020	0.938B/*0.020	----	0.000	NEW	----	----	2	----	0 UNCH
6965	----	----	----/*0.095A	1.014B/*0.095A	----	0.000 -	3.330	----	----	1	----	0 - 1
6970	0.550	0.550	0.550/*0.070A	0.938B/*0.070A	----	0.000	NEW	----	----	2	----	0 UNCH
6975	----	----	----/*0.126A	1.029B/*0.126A	----	0.000 -	3.245	----	----	----	----	0 - 7
6990	----	----	----/*0.109A	1.013B/*0.109A	----	0.000 -	3.119	----	----	----	----	0 - 1
6995	----	----	----/*0.114A	0.818B/*0.114A	----	0.000	NEW	----	----	9	----	0 UNCH
7000	0.275	0.275	0.350/*0.020	1.300B/*0.020	----	0.000 -	3.036	----	----	184	----	0 - 469
7005	----	----	----/*0.088A	0.942B/*0.088A	----	0.000 -	2.994	----	----	----	----	0 - 6
7010	----	----	----/*0.090A	0.920B/*0.090A	----	0.000 -	2.953	----	----	----	----	0 - 1
7025	0.060	0.060	0.060/*0.060	0.969B/*0.060	----	0.000	NEW	----	----	33	----	0 UNCH
7030	0.120	0.120	0.120/*0.061A	1.122B/*0.061A	----	0.000	NEW	----	----	6	----	0 UNCH
7050	0.825	0.825	0.825/*0.076A	1.152B/*0.076A	----	0.000 -	2.631	----	----	1	----	0 - 29
7055	----	----	----/*0.080A	0.895B/*0.080A	----	0.000 -	2.592	----	----	----	----	0 - 4
7075	0.060	0.060	0.060/*0.001A	1.313B/*0.001A	----	0.000 -	2.438	----	----	3	----	0 - 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR26												
7080	0.266	0.266	0.266/*0.071A	1.199B/*0.071A	----	0.000 NEW	----	----	----	3	----	0 UNCH
7085	----	----	----/*0.089A	1.263B/*0.089A	----	0.000 NEW	----	----	----	3	----	0 UNCH
7090	----	----	----/*0.095A	1.212B/*0.095A	----	0.000 - 2.324	----	----	----	----	----	0 - 1
7095	0.110	0.110	0.110/*0.095A	1.245B/*0.095A	----	0.000 - 2.287	----	----	----	1	----	0 - 1
7100	0.500	0.500	0.600/*0.005A	1.340B/*0.005A	----	0.000 - 2.250	----	----	----	372	----	0 - 148
7105	0.099	0.099	0.099/*0.093A	1.348B/*0.093A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7110	----	----	----/*0.091A	1.335B/*0.091A	----	0.000 - 2.177	----	----	----	----	----	0 - 1
7120	----	----	----/*0.059A	1.190B/*0.059A	----	0.000 - 2.105	----	----	----	----	----	0 - 3
7125	----	----	----/*0.083A	1.163B/*0.083A	----	0.000 - 2.069	----	----	----	----	----	0 - 58
7130	----	----	----/*0.057A	1.228B/*0.057A	----	0.000 - 2.034	----	----	----	----	----	0 - 10
7135	0.073	0.073	0.073/*0.073	1.202B/*0.073	----	0.000 - 1.999	----	----	----	2	----	0 - 4
7145	----	----	----/*0.066A	1.187B/*0.066A	----	0.000 - 1.929	----	----	----	----	----	0 - 22
7150	0.775	0.775	1.118B/*0.005	1.118B/*0.005	----	0.000 - 1.895	----	----	----	4	----	0 - 39
7155	----	----	----/*0.077A	1.040B/*0.077A	----	0.000 - 1.861	----	----	----	----	----	0 - 22
7160	----	----	----/*0.076A	1.102B/*0.076A	----	0.000 - 1.828	----	----	----	----	----	0 - 23
7165	----	----	----/*0.075A	0.962B/*0.075A	----	0.000 - 1.794	----	----	----	----	----	0 - 22
7170	0.900	0.900	0.900/*0.070	0.921B/*0.070	----	0.000 - 1.761	----	----	----	2	----	0 - 22
7175	0.980	0.980	0.980/*0.073A	0.980/*0.073A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7180	----	----	----/*0.073A	0.881B/*0.073A	----	0.000 - 1.696	----	----	----	----	----	0 - 1
7190	----	----	----/*0.071A	0.832B/*0.071A	----	0.000 - 1.633	----	----	----	----	----	0 - 1
7195	----	----	----/*0.070A	0.807B/*0.070A	----	0.000 - 1.601	----	----	----	----	----	0 - 3
7200	0.525	0.525	0.525/*0.005	0.781B/*0.005	----	0.000 - 1.570	----	----	----	408	----	0 - 421
7205	----	----	----/*0.052A	0.760B/*0.052A	----	0.000 - 1.539	----	----	----	----	----	0 - 3
7210	----	----	----/*0.068A	0.734B/*0.068A	----	0.000 - 1.509	----	----	----	----	----	0 - 1
7215	----	----	----/*0.067A	0.710B/*0.067A	----	0.000 - 1.479	----	----	----	----	----	0 - 5
7220	----	----	----/*0.066A	0.690B/*0.066A	----	0.000 - 1.449	----	----	----	----	----	0 - 4
7225	0.017	0.017	0.025/*0.017	0.667B/*0.017	----	0.000 NEW	----	----	----	3	----	0 UNCH
7230	----	----	----/*0.065A	0.643B/*0.065A	----	0.000 - 1.391	----	----	----	----	----	0 - 1
7235	----	----	----/*0.065A	0.621B/*0.065A	----	0.000 - 1.362	----	----	----	----	----	0 - 2
7240	----	----	----/*0.064A	0.602B/*0.064A	----	0.000 - 1.333	----	----	----	----	----	0 - 1
7245	----	----	----/*0.063A	0.581B/*0.063A	----	0.000 - 1.305	----	----	----	----	----	0 - 1
7250	0.895	0.895	0.895/*0.005	0.895/*0.005	----	0.000 - 1.278	----	----	----	17	----	0 - 29
7255	----	----	----/*0.062A	0.547B/*0.062A	----	0.000 - 1.250	----	----	----	----	----	0 - 1
7260	----	----	----/*0.063A	0.523B/*0.063A	----	0.000 - 1.223	----	----	----	----	----	0 - 4
7265	----	----	----/*0.062A	0.509B/*0.062A	----	0.000 - 1.197	----	----	----	----	----	0 - 2
7270	----	----	----/*0.061A	0.500B/*0.061A	----	0.000 - 1.170	----	----	----	----	----	0 - 1
7275	0.550	0.550	0.731/*0.050A	0.731/*0.050A	----	0.000 - 1.145	----	----	----	15	----	0 - 28
7280	----	----	----/*0.061A	0.546B/*0.061A	----	0.000 - 1.119	----	----	----	----	----	0 - 2
7285	----	----	----/*0.060A	0.530B/*0.060A	----	0.000 - 1.094	----	----	----	----	----	0 - 1
7290	----	----	----/*0.059A	0.571B/*0.059A	----	0.000 - 1.069	----	----	----	----	----	0 - 1
7295	----	----	----/*0.059A	0.495B/*0.059A	----	0.000 - 1.045	----	----	----	----	----	0 - 4
7300	0.490	0.490	0.500/*0.030	0.518B/*0.030	----	0.000 - 1.020	----	----	----	7	----	0 - 166
7310	----	----	----/*0.049A	0.520B/*0.049A	----	0.000 - 0.973	----	----	----	----	----	0 - 4
7315	----	----	----/*0.053A	0.519B/*0.053A	----	0.000 - 0.950	----	----	----	----	----	0 - 3
7320	----	----	----/*0.058A	0.495B/*0.058A	----	0.000 - 0.928	----	----	----	----	----	0 - 3
7325	----	----	----/*0.053A	0.495B/*0.053A	----	0.000 - 0.906	----	----	----	----	----	0 - 21
7330	0.030	0.030	0.030/*0.030	0.475B/*0.030	----	0.000 - 0.884	----	----	----	1	----	0 - 2
7335	----	----	----/*0.053A	0.462B/*0.053A	----	0.000 - 0.862	----	----	----	----	----	0 - 1
7345	----	----	----/*0.056A	0.430B/*0.056A	----	0.000 - 0.820	----	----	----	----	----	0 - 1
7350	0.005	0.005	0.005/*0.005	0.417B/*0.005	----	0.000 - 0.800	----	----	----	1	----	0 - 76
7375	----	----	----/*0.055A	0.345B/*0.055A	----	0.000 - 0.704	----	----	----	----	----	0 - 81
7380	----	----	----/*0.043A	0.333B/*0.043A	----	0.000 - 0.686	----	----	----	----	----	0 - 2
7385	----	----	----/*0.054A	0.321B/*0.054A	----	0.000 - 0.668	----	----	----	----	----	0 - 2
7395	----	----	----/*0.052A	0.298B/*0.052A	----	0.000 - 0.633	----	----	----	----	----	0 - 2
7400	0.250	0.250	0.301/*0.001	0.301/*0.001	----	0.000 - 0.616	----	----	----	7	----	0 - 56
7405	----	----	----/*0.040A	0.276B/*0.040A	----	0.000 - 0.600	----	----	----	----	----	0 - 1
7410	----	----	----/*0.053A	0.267B/*0.053A	----	0.000 - 0.584	----	----	----	----	----	0 - 25
7420	----	----	----/*0.054A	0.249B/*0.054A	----	0.000 - 0.553	----	----	----	----	----	0 - 6
7425	----	----	----/*0.053A	0.238B/*0.053A	----	0.000 - 0.538	----	----	----	----	----	0 - 13
7435	----	----	----/*0.054A	0.220B/*0.054A	----	0.000 - 0.509	----	----	----	----	----	0 - 3
7440	0.200	0.200	0.213B/*0.054A	0.213B/*0.054A	----	0.000 - 0.495	----	----	----	1	----	0 - 1
7445	----	----	----/*0.053A	0.204B/*0.053A	----	0.000 - 0.481	----	----	----	----	----	0 - 3
7450	----	----	----/*0.053A	0.197B/*0.053A	----	0.000 - 0.468	----	----	----	----	----	0 - 42
7455	----	----	----/*0.053A	0.190B/*0.053A	----	0.000 - 0.455	----	----	----	----	----	0 - 21
7460	----	----	----/*0.053A	0.187B/*0.053A	----	0.000 - 0.442	----	----	----	----	----	0 - 1
7465	----	----	----/*0.053A	0.179B/*0.053A	----	0.000 - 0.430	----	----	----	----	----	0 - 5
7470	----	----	----/*0.052A	0.171B/*0.052A	----	0.000 - 0.418	----	----	----	----	----	0 - 1
7475	----	----	----/*0.046A	0.170B/*0.046A	----	0.000 - 0.406	----	----	----	----	----	0 - 1
7485	----	----	----/*0.052A	0.157B/*0.052A	----	0.000 - 0.384	----	----	----	----	----	0 - 2
7490	----	----	----/*0.053A	0.153B/*0.053A	----	0.000 - 0.373	----	----	----	----	----	0 - 2
7500	0.173	0.173	0.173/*0.010	0.173/*0.010	----	0.000 - 0.352	----	----	----	24	----	0 - 344
7505	----	----	----/*0.041A	0.135B/*0.041A	----	0.000 - 0.342	----	----	----	----	----	0 - 2
7515	----	----	----/*0.044A	0.125B/*0.044A	----	0.000 - 0.323	----	----	----	----	----	0 - 8
7525	----	----	----/*0.052A	0.117B/*0.052A	----	0.000 - 0.305	----	----	----	----	----	0 - 4
7530	----	----	----/*0.052A	0.106B/*0.052A	----	0.000 - 0.296	----	----	----	----	----	0 - 2
7535	----	----	----/*0.052A	0.098B/*0.052A	----	0.000 - 0.287	----	----	----	----	----	0 - 1
7545	----	----	----/*0.042A	0.089B/*0.042A	----	0.000 - 0.271	----	----	----	----	----	0 - 3
7550	----	----	----/*0.001A	0.085B/*0.001A	----	0.000 - 0.264	----	----	----	----	----	0 - 32
7555	----	----	----/*0.051A	0.082B/*0.051A	----	0.000 - 0.256	----	----	----	----	----	0 - 1
7570	----	----	----/*0.051A	0.073B/*0.051A	----	0.000 - 0.235	----	----	----	----	----	0 - 2
7575	----	----	----/*0.050A	0.062B/*0.050A	----	0.000 - 0.228	----	----	----	----	----	0 - 1
7580	----	----	----/*0.050A	0.066B/*0.050A	----	0.000 - 0.222	----	----	----	----	----	0 - 3
7585	----	----	----/*0.041A	0.060B/*0.041A	----	0.000 - 0.216	----	----	----	----	----	0 - 12
7600	0.031	0.031	0.035/*0.020A	0.055B/*0.020A	----	0.000 - 0.198	----	----	----	5	----	0 - 44
7610	----	----	----/*0.044A	0.048B/*0.044A	----	0.000 - 0.188	----	----	----	----	----	0 - 20
7620	----	----	----/*0.041A	0.045B/*0.041A	----	0.000 - 0.178	----	----	----	----	----	0 - 5
7625	----	----	----/*0.041A	0.040B/*0.041A	----	0.000 - 0.173	----	----	----	----	----	0 - 5
7650	0.004	0.004	0.004/*0.004	0.035B/*0.004	----	0.000 - 0.151	----	----	----	4	----	0 - 15
7655	----	----	----/*0.049A	0.039B/*0.049A	----	0.000 - 0.147	----	----	----	----	----	0 - 13
7660	----	----	----/*0.049A	0.033B/*0.049A	----	0.000 - 0.144	----	----	----	----	----	0 - 2
7665	----	----	----/*0.052A	0.034B/*0.052A	----	0.000 - 0.140	----	----	----	----	----	0 - 1
7670	----	----	----/*0.052A	0.041B/*0.052A	----	0.000 - 0.136	----	----	----	----	----	0 - 9
7675	----	----	----/*0.052A	0.033B/*0.052A	----	0.000 - 0.133	----	----	----	----	----	0 - 6
7685	----	----	----/*0.051A	0.004B/*0.051A	----	0.000 - 0.127	----	----	----	----	----	0 - 1
7690	----	----	----/*0.042A	0.004B/*0.042A	----	0.000 - 0.124	----	----	----	----	----	0 - 1
7695	----	----	----/*0.051A	0.004B/*0.051A	----	0.000 - 0.121	----	----	----	----	----	0 - 10
7700	0.050	0.050	0.050/*0.002A	0.051B/*0.002A	----	0.000 - 0.118	----	----	----	25	----	0 - 247
7705	----	----	----/*0.051A	0.004B/*0.051A	----	0.000 - 0.115	----	----	----	----	----	0 - 1
7710	----	----	----/*0.050A	0.004B/*0.050A	----	0.000 - 0.113	----	----	----	----	----	0 - 1
7715	----	----	----/*0.050A	0.002B/*0.050A	----	0.000 - 0.110	----	----	----	----	----	0 - 4
7720	----	----	----/*0.051A	0.002B/*0.051A	----	0.000 - 0.108	----	----	----	----	----	0 - 1
7725	----	----	----/*0.051A	0.002B/*0.051A	----	0.000 - 0.105	----	----	----	----	----	0 - 35
7735	----	----	----/*0.050A	0.002B/*0.050A	----	0.000 - 0.101	----	----	----	----	----	0 - 5
7740	----	----	----/*0.050A	----/*0.050A	----	0.000 - 0.099	----	----	----	----	----	0 - 2
7745	----	----	----/*0.050A	----/*0.050A	----	0.000 - 0.097	----	----	----	----	----	0 - 1
7750	0.002	0.002	0.002/*0.002	0.030B/*0.002	----	0.000 - 0.095	----	----	----	2	----	0 - 440
7755	----	----	----/*0.050A	----/*0.050A	----	0.000 - 0.093	----	----	----	----	----	0 - 1
7760	----	----	----/*0.050A	----/*0.050A	----	0.000 - 0.091	----	----	----	----	----	0 - 6
7765	----	----	----/*0.041A	----/*0.041A	----	0.000 - 0.089	----	----	----	----	----	0 - 4
7770	----	----	----/*0.049A	----/*0.049A	----	0.000 - 0.088	----	----	----	----	----	0 - 8
7775	----	----	----/*0.049A	----/*0.049A	----	0.000 - 0.086	----	----	----	----	----	0 - 14
7780	----	----	----/*0.049A	----/*0.049A	----	0.000 - 0.084	----	----	----	----	----	0 - 1
7785	0.004	0.004	0.004/*0.003	0.004/*0.003	----	0.000 - 0.083	----	----	----	4	----	0 - 11
7790	----	----	----/*0.042A	----/*0.042A	----	0.000 - 0.081	----	----	----	----	----	0 - 27
7795	----	----	----/*0.041A	----/*0.041A	----	0.000 - 0.080	----	----	----	----	----	0 - 1
7800	----	----	----/*0.049A	0.025B/*0.049A	----	0.000 - 0.078	----	----	----	11	----	0 - 302
7805	----	----	----/*0.049A	----/*0.049A	----	0.000 - 0.077	----	----	----	----	----	0 - 4
7815	----	----	----/*0.049A	----/*0.049A	----	0.000 - 0.074	----	----	----	----	----	0 - 3
7825	----	----	----/*0.048A	----/*0.048A	----	0.000 - 0.072	----	----	----	----	----	0 - 5
7830	----	----	----/*0.048A	----/*0.048A	----	0.000 - 0.071	----	----	----	----	----	0 - 5
7835	----	----	----/*0.048A	----/*0.048A	----	0.000 - 0.070	----	----	----	----	----	0 - 6
7845	----	----	----/*0.048A	----/*0.048A	----	0.000 - 0.068	----	----	----	----	----	0 - 4
7850	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.067	----	----	----	----	----	0 - 21
7855	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.066	----	----	----	----	----	0 - 3
7865	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.064	----	----	----	----	----	0 - 3
7870	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.063	----	----	----	----	----	0 - 1
7875	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.062	----	----	----	----	----	0 - 49
7880	----	----	----/*0.040A	----/*0.040A	----	0.000 - 0.061	----	----	----	----	----	0 - 3
7885	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.060	----	----	----	----	----	0 - 1
7890	----	----	----/*0.040A	----/*0.040A	----	0.000 - 0.060	----	----	----	----	----	0 - 1
7895	----	----	----/*0.047A	----/*0.047A	----	0.000 - 0.059	----	----	----	----	----	0 - 6
7900	----	----	----/0.042A	0.025B/0.042A	----	0.000 - 0.058	----	----	----	1	----	0 - 37
7905	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.000 - 0.057	----	----	----	1	----	0 - 3
7915	----	----	----/*0.046A	----/*0.046A	----	0.000 - 0.056	----	----	----	----	----	0 - 5
7920	----	----	----/*0.041A	----/*0.041A	----	0.000 - 0.055	----	----	----	----	----	0 - 3
7930	----	----	----/*0.046A	----/*0.046A	----	0.000 - 0.054	----	----	----	----	----	0 - 2
7950	----	----	----/*0.041A	0.026B/*0.041A	----	0.000 - 0.052	----	----	----	----	----	0 - 10
7965	----	----	----/*0.046A	----/*0.046A	----	0.000 - 0.050	----	----	----	----	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR26												
7970	----	----	----/*0.046A	----/*0.046A	----	0.000 - 0.050	----	----	----	----	----	0 - 1
7975	----	----	----/*0.046A	----/*0.046A	----	0.000 - 0.049	----	----	----	----	----	0 - 6
7995	----	----	----	----/*0.047A	----	0.000 - 0.047	----	----	----	----	----	0 - 2
8000	0.030	0.030	0.031/*0.003A	0.031/*0.003A	----	0.000 - 0.047	----	----	----	14	----	0 - 671
8005	----	----	----/*0.042A	----/*0.042A	----	0.000 - 0.046	----	----	----	----	----	0 - 3
8015	----	----	----	----/*0.048A	----	0.000 - 0.045	----	----	----	----	----	0 - 1
8025	----	----	----	----/*0.047A	----	0.000 - 0.044	----	----	----	----	----	0 - 13
8030	----	----	----	----/*0.047A	----	0.000 - 0.044	----	----	----	----	----	0 - 1
8035	----	----	----	----/*0.047A	----	0.000 - 0.044	----	----	----	----	----	0 - 1
8040	----	----	----	----/*0.047A	----	0.000 - 0.043	----	----	----	----	----	0 - 2
8045	----	----	----/*0.042A	----/*0.042A	----	0.000 - 0.043	----	----	----	----	----	0 - 2
8050	----	----	----	0.010B/*0.047A	----	0.000 - 0.042	----	----	----	----	----	0 - 4
8065	----	----	----/*0.040A	----/*0.040A	----	0.000 - 0.041	----	----	----	----	----	0 - 1
8070	----	----	----	----/*0.050A	----	0.000 - 0.041	----	----	----	----	----	0 - 1
8075	----	----	----	----/0.050A	----	0.000 - 0.040	----	----	----	----	----	0 - 7
8080	----	----	----	----/*0.050A	----	0.000 - 0.040	----	----	----	----	----	0 - 1
8085	----	----	----	----/*0.050A	----	0.000 - 0.040	----	----	----	----	----	0 - 2
8090	----	----	----	----/*0.049A	----	0.000 - 0.039	----	----	----	----	----	0 - 1
8095	----	----	----	----/*0.049A	----	0.000 - 0.039	----	----	----	----	----	0 - 9
8100	----	----	----/*0.003A	----/*0.003A	----	0.000 - 0.039	----	----	----	----	----	0 - 90
8110	----	----	----	----/*0.049A	----	0.000 - 0.038	----	----	----	----	----	0 - 3
8115	----	----	----	----/*0.039A	----	0.000 - 0.037	----	----	----	----	----	0 - 3
8120	----	----	----	----/*0.049A	----	0.000 - 0.037	----	----	----	----	----	0 - 3
8125	----	----	----	----/*0.039A	----	0.000 - 0.037	----	----	----	----	----	0 - 31
8130	----	----	----	----/*0.039A	----	0.000 - 0.036	----	----	----	----	----	0 - 1
8150	0.003	0.003	0.003/*0.002	0.005B/*0.002	----	0.000 - 0.035	----	----	----	4	----	0 - 26
8165	----	----	----	----/*0.050A	----	0.000 - 0.034	----	----	----	----	----	0 - 1
8175	----	----	----	----/*0.038A	----	0.000 - 0.033	----	----	----	----	----	0 - 3
8180	----	----	----	----/*0.049A	----	0.000 - 0.033	----	----	----	----	----	0 - 2
8190	----	----	----	----/*0.049A	----	0.000 - 0.032	----	----	----	----	----	0 - 4
8200	----	----	----	----/0.050A	----	0.000 - 0.031	----	----	----	----	----	0 - 153
8205	----	----	----	----/0.050A	----	0.000 - 0.031	----	----	----	----	----	0 - 1
8210	----	----	----	----/*0.049A	----	0.000 - 0.031	----	----	----	----	----	0 - 2
8215	----	----	----	----/*0.049A	----	0.000 - 0.030	----	----	----	----	----	0 - 1
8220	----	----	----	----/*0.049A	----	0.000 - 0.030	----	----	----	----	----	0 - 3
8225	----	----	----	----/*0.049A	----	0.000 - 0.030	----	----	----	----	----	0 - 2
8235	----	----	----	----/*0.043A	----	0.000 - 0.029	----	----	----	----	----	0 - 1
8240	----	----	----	----/*0.049A	----	0.000 - 0.029	----	----	----	----	----	0 - 1
8250	----	----	----	----/*0.048A	----	0.000 - 0.028	----	----	----	----	----	0 - 22
8255	----	----	----	----/*0.042A	----	0.000 - 0.028	----	----	----	----	----	0 - 3
8260	----	----	----	----/*0.044A	----	0.000 - 0.027	----	----	----	----	----	0 - 2
8265	----	----	----	----/*0.048A	----	0.000 - 0.027	----	----	----	----	----	0 - 2
8275	----	----	----	----/0.049A	----	0.000 - 0.027	----	----	----	----	----	0 - 22
8280	0.002	0.002	0.002/*0.002	0.002/*0.002	----	0.000 - 0.026	----	----	----	1	----	0 - 2
8285	----	----	----	----/*0.041A	----	0.000 - 0.026	----	----	----	----	----	0 - 6
8290	----	----	----	----/*0.049A	----	0.000 - 0.026	----	----	----	----	----	0 - 2
8295	----	----	----	----/*0.049A	----	0.000 - 0.025	----	----	----	----	----	0 - 1
8300	----	----	----	----/0.049A	----	0.000 - 0.025	----	----	----	----	----	0 - 40
8305	----	----	----	----/*0.048A	----	0.000 - 0.025	----	----	----	----	----	0 - 1
8310	----	----	----	----/*0.048A	----	0.000 - 0.024	----	----	----	----	----	0 - 2
8320	----	----	----	----/*0.048A	----	0.000 - 0.024	----	----	----	----	----	0 - 1
8325	----	----	----	----/*0.048A	----	0.000 - 0.024	----	----	----	----	----	0 - 4
8330	----	----	----	----/*0.048A	----	0.000 - 0.023	----	----	----	----	----	0 - 2
8335	----	----	----	----/*0.048A	----	0.000 - 0.023	----	----	----	----	----	0 - 3
8340	----	----	----	----/*0.041A	----	0.000 - 0.023	----	----	----	----	----	0 - 1
8345	----	----	----	----/*0.041A	----	0.000 - 0.022	----	----	----	----	----	0 - 5
8350	----	----	----	----/*0.041A	----	0.000 - 0.022	----	----	----	----	----	0 - 24
8360	----	----	----	----/*0.048A	----	0.000 - 0.022	----	----	----	----	----	0 - 1
8365	----	----	----	----/*0.049A	----	0.000 - 0.021	----	----	----	----	----	0 - 1
8375	----	----	----	----/*0.048A	----	0.000 - 0.021	----	----	----	----	----	0 - 1
8380	----	----	----	----/*0.048A	----	0.000 - 0.021	----	----	----	----	----	0 - 2
8385	----	----	----	----/*0.050A	----	0.000 - 0.020	----	----	----	----	----	0 - 1
8390	----	----	----	----/*0.049A	----	0.000 - 0.020	----	----	----	----	----	0 - 1
8395	----	----	----	----/*0.049A	----	0.000 - 0.020	----	----	----	----	----	0 - 4
8400	0.001	0.001	0.002/*0.001	0.002/*0.001	----	0.000 - 0.020	----	----	----	6	----	0 - 52
8405	----	----	----	----/*0.050A	----	0.000 - 0.019	----	----	----	----	----	0 - 2
8410	----	----	----	----/*0.050A	----	0.000 - 0.019	----	----	----	----	----	0 - 1
8430	----	----	----	----/*0.049A	----	0.000 - 0.018	----	----	----	----	----	0 - 6
8435	----	----	----	----/*0.050A	----	0.000 - 0.018	----	----	----	----	----	0 - 5
8440	----	----	----	----/*0.050A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
8445	----	----	----	----/*0.050A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
8450	----	----	----	----/*0.039A	----	0.000 - 0.017	----	----	----	----	----	0 - 118
8455	----	----	----	----/*0.051A	----	0.000 - 0.017	----	----	----	----	----	0 - 1
8460	----	----	----	----/*0.051A	----	0.000 - 0.017	----	----	----	----	----	0 - 2
8465	----	----	----	----/*0.051A	----	0.000 - 0.017	----	----	----	----	----	0 - 2
8475	----	----	----	----/*0.050A	----	0.000 - 0.016	----	----	----	----	----	0 - 6
8485	----	----	----	----/*0.050A	----	0.000 - 0.016	----	----	----	----	----	0 - 2
8490	----	----	----	----/*0.050A	----	0.000 - 0.016	----	----	----	----	----	0 - 1
8495	----	----	----	----/*0.050A	----	0.000 - 0.016	----	----	----	----	----	0 - 10
8500	----	----	----	----/0.031A	----	0.000 - 0.015	----	----	----	----	----	0 - 639
8505	----	----	----	----/*0.050A	----	0.000 - 0.015	----	----	----	----	----	0 - 1
8515	----	----	----	----/*0.050A	----	0.000 - 0.015	----	----	----	----	----	0 - 1
8520	----	----	----	----/*0.050A	----	0.000 - 0.015	----	----	----	----	----	0 - 3
8525	----	----	----	----/*0.043A	----	0.000 - 0.015	----	----	----	----	----	0 - 5
8530	----	----	----	----/*0.044A	----	0.000 - 0.014	----	----	----	----	----	0 - 4
8535	----	----	----	----/*0.050A	----	0.000 - 0.014	----	----	----	----	----	0 - 2
8540	----	----	----	----/*0.050A	----	0.000 - 0.014	----	----	----	----	----	0 - 1
8545	----	----	----	----/*0.049A	----	0.000 - 0.014	----	----	----	----	----	0 - 2
8550	----	----	----	----/*0.049A	----	0.000 - 0.014	----	----	----	----	----	0 - 29
8555	----	----	----	----/*0.049A	----	0.000 - 0.014	----	----	----	----	----	0 - 2
8560	----	----	----	----/*0.049A	----	0.000 - 0.013	----	----	----	----	----	0 - 11
8565	----	----	----	----/*0.049A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
8570	----	----	----	----/*0.049A	----	0.000 - 0.013	----	----	----	----	----	0 - 2
8575	----	----	----	----/*0.049A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
8580	----	----	----	----/*0.049A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
8590	----	----	----	----/*0.049A	----	0.000 - 0.013	----	----	----	----	----	0 - 2
8595	----	----	----	----/*0.048A	----	0.000 - 0.012	----	----	----	----	----	0 - 2
8600	----	----	----	----/0.048A	----	0.000 - 0.012	----	----	----	----	----	0 - 31
8610	----	----	----	----/*0.051A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
8620	----	----	----	----/*0.051A	----	0.000 - 0.012	----	----	----	----	----	0 - 2
8625	----	----	----	----/*0.051A	----	0.000 - 0.012	----	----	----	----	----	0 - 9
8635	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 1
8645	----	----	----	----/*0.049A	----	0.000 - 0.011	----	----	----	----	----	0 - 2
8650	----	----	----	----/0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 25
8655	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 2
8660	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 2
8665	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 3
8670	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 2
8675	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 2
8680	----	----	----	----/*0.050A	----	0.000 - 0.011	----	----	----	----	----	0 - 2
8685	----	----	----	----/*0.050A	----	0.000 - 0.010	----	----	----	----	----	0 - 3
8690	----	----	----	----/*0.049A	----	0.000 - 0.010	----	----	----	----	----	0 - 7
8700	0.002	0.002	0.002/*0.002	0.002/*0.002	----	0.000 - 0.010	----	----	----	2	----	0 - 60
8705	----	----	----	----/*0.048A	----	0.000 - 0.010	----	----	----	----	----	0 - 3
8725	----	----	----	----/*0.050A	----	0.000 - 0.010	----	----	----	----	----	0 - 41
8730	----	----	----	----/*0.049A	----	0.000 - 0.010	----	----	----	----	----	0 - 3
8735	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
8740	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 5
8750	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 42
8755	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 8
8760	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 106
8765	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 5
8770	----	----	----	----/*0.052A	----	0.000 - 0.009	----	----	----	----	----	0 - 5
8775	----	----	----	----/*0.057A	----	0.000 - 0.009	----	----	----	----	----	0 - 12
8780	----	----	----	----/*0.057A	----	0.000 - 0.009	----	----	----	----	----	0 - 2
8790	----	----	----	----/*0.051A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
8795	----	----	----	----/*0.056A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
8800	----	----	----	0.007B/*0.008A	----	0.000 - 0.008	----	----	----	----	----	0 - 73
8810	----	----	----	----/*0.056A	----	0.000 - 0.008	----	----	----	----	----	0 - 5
8815	----	----	----	----/*0.056A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
8820	----	----	----	----/*0.056A	----	0.000 - 0.008	----	----	----	----	----	0 - 4
8825	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 8
8830	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 3
8840	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
8845	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 4
8850	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 33
8855	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
8860	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR26												
8865	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 2
8875	----	----	----	----/*0.057A	----	0.000 - 0.008	----	----	----	----	----	0 - 5
8880	----	----	----	----/*0.057A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
8885	----	----	----	----/*0.057A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
8890	----	----	----	----/*0.064A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
8895	----	----	----	----/*0.064A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
8900	----	----	----	----/*0.053A	----	0.000 - 0.007	----	----	----	----	----	0 - 90
8910	----	----	----	----/*0.063A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
8915	----	----	----	----/*0.057A	----	0.000 - 0.007	----	----	----	----	----	0 - 10
8920	----	----	----	----/*0.057A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
8925	----	----	----	----/*0.057A	----	0.000 - 0.007	----	----	----	----	----	0 - 4
8945	----	----	----	----/*0.052A	----	0.000 - 0.007	----	----	----	----	----	0 - 4
8950	----	----	----	----/*0.063A	----	0.000 - 0.007	----	----	----	----	----	0 - 7
8955	----	----	----	----/*0.072A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
8970	----	----	----	----/*0.071A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
8975	----	----	----	----/*0.071A	----	0.000 - 0.006	----	----	----	----	----	0 - 52
8990	----	----	----	----/*0.071A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
8995	----	----	----	----/*0.071A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9000	0.003	0.003	0.007B/*0.003	0.007B/*0.003	----	0.000 - 0.006	----	----	----	14	----	0 - 985
9005	----	----	----	----/*0.071A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9010	----	----	----	----/*0.070A	----	0.000 - 0.006	----	----	----	----	----	0 - 3
9015	----	----	----	----/0.070A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9025	----	----	----	----/*0.070A	----	0.000 - 0.006	----	----	----	----	----	0 - 9
9040	----	----	----	----/*0.051A	----	0.000 - 0.006	----	----	----	----	----	0 - 6
9045	----	----	----	----/*0.054A	----	0.000 - 0.006	----	----	----	----	----	0 - 4
9050	----	----	----	----/*0.036A	----	0.000 - 0.006	----	----	----	----	----	0 - 20
9060	----	----	----	----/*0.069A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9065	----	----	----	----/*0.069A	----	0.000 - 0.006	----	----	----	----	----	0 - 2
9070	----	----	----	----/*0.069A	----	0.000 - 0.006	----	----	----	----	----	0 - 2
9075	----	----	----	----/*0.069A	----	0.000 - 0.006	----	----	----	----	----	0 - 102
9080	----	----	----	----/*0.068A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9085	----	----	----	----/*0.068A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
9090	----	----	----	----/*0.053A	----	0.000 - 0.006	----	----	----	----	----	0 - 2
9095	----	----	----	----/*0.068A	----	0.000 - 0.006	----	----	----	----	----	0 - 2
9100	----	----	----	----/0.068A	----	0.000 - 0.006	----	----	----	----	----	0 - 110
9115	----	----	----	----/*0.056A	----	0.000 - 0.005	----	----	----	----	----	0 - 4
9120	----	----	----	----/*0.067A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9125	----	----	----	----/*0.067A	----	0.000 - 0.005	----	----	----	----	----	0 - 9
9140	----	----	----	----/*0.066A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9150	----	----	----	----/0.066A	----	0.000 - 0.005	----	----	----	----	----	0 - 35
9160	----	----	----	----/*0.066A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9165	----	----	----	----/*0.066A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9170	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
9175	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 4
9180	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9190	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9195	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9200	----	----	----	----/0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 70
9205	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9210	----	----	----	----/*0.065A	----	0.000 - 0.005	----	----	----	----	----	0 - 5
9215	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9225	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 35
9230	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
9240	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 4
9245	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 40
9250	----	----	----	----/0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 52
9255	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
9260	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
9265	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9270	----	----	----	----/*0.064A	----	0.000 - 0.005	----	----	----	----	----	0 - 3
9275	----	----	----	----/*0.063A	----	0.000 - 0.005	----	----	----	----	----	0 - 26
9285	----	----	----	----/*0.063A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
9290	----	----	----	----/*0.054A	----	0.000 - 0.005	----	----	----	----	----	0 - 5
9295	----	----	----	----/*0.063A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9300	----	----	----	----/0.063A	----	0.000 - 0.005	----	----	----	----	----	0 - 81
9305	----	----	----	----/*0.063A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
9310	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9320	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9325	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9330	----	----	----	----/*0.054A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9335	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9340	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9345	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9350	----	----	----	----/*0.054A	----	0.000 - 0.004	----	----	----	----	----	0 - 19
9360	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9365	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9375	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 5
9385	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9390	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9395	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9400	----	----	----	----/0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 95
9405	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9410	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9415	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9420	----	----	----	----/*0.056A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9425	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9440	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9445	----	----	----	----/*0.056A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9450	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 4
9455	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9460	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9475	----	----	----	----/*0.054A	----	0.000 - 0.004	----	----	----	----	----	0 - 10
9485	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9490	----	----	----	----/*0.056A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9495	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9500	----	----	----/0.003A	0.002B/0.003A	----	0.000 - 0.004	----	----	----	----	----	0 - 795
9505	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 4
9510	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9515	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9525	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 20
9535	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 16
9540	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9545	----	----	----	----/*0.054A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9550	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 54
9560	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9565	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9570	----	----	----	----/*0.056A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9575	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 22
9580	----	----	----	----/*0.054A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9585	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9595	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9600	----	----	----	----/0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 133
9605	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9610	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9625	----	----	----	----/*0.063A	----	0.000 - 0.004	----	----	----	----	----	0 - 19
9630	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9635	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9640	----	----	----	----/*0.055A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9650	----	----	----	----/0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 26
9660	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9665	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9670	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9675	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 3
9680	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9685	----	----	----	----/*0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
9690	----	----	----	----/*0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9695	----	----	----	----/*0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9700	----	----	----	----/*0.003A	----	0.000 - 0.003	----	----	----	----	----	0 - 154
9705	----	----	----	----/*0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9710	----	----	----	----/*0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9720	----	----	----	----/*0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
9725	----	----	----	----/0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9730	----	----	----	----/*0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 3
9740	----	----	----	----/*0.063A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
9750	----	----	----	----/0.064A	----	0.000 - 0.003	----	----	----	----	----	0 - 31
9755	----	----	----	----/*0.064A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9760	----	----	----	----/*0.055A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
9775	----	----	----	----/*0.064A	----	0.000 - 0.003	----	----	----	----	----	0 - 39

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR26												
9800	----	----	----	----/0.054A	----	0.000 - 0.003	----	----	----	----	----	0 - 32
9805	----	----	----	----/*0.054A	----	0.000 - 0.003	----	----	----	----	----	0 - 3
9810	----	----	----	----/*0.063A	----	0.000 - 0.003	----	----	----	----	----	0 - 4
9825	----	----	----	----/*0.064A	----	0.000 - 0.003	----	----	----	----	----	0 - 6
9835	----	----	----	----/*0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9845	----	----	----	----/*0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
9850	----	----	----	----/0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 5
9855	----	----	----	----/*0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
9865	----	----	----	----/*0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9875	----	----	----	----/*0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 30
9885	----	----	----	----/*0.055A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9890	----	----	----	----/*0.054A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
9900	----	----	----	0.001B/0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 282
9905	----	----	----	----/*0.065A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
9925	----	----	----	----/*0.055A	----	0.000 - 0.003	----	----	----	----	----	0 - 24
9950	----	----	----	----/*0.054A	----	0.000 - 0.003	----	----	----	----	----	0 - 10
9975	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 6
10000	----	----	----/0.001A	----/0.001A	----	0.000 - 0.003	----	----	----	----	----	0 - 966
10010	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
10015	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 3
10020	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
10025	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 18
10030	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 30
10040	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 8
10045	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
10050	----	----	----	----/0.054A	----	0.000 - 0.003	----	----	----	----	----	0 - 22
10055	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
10060	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
10075	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 7
10100	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 16
10105	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 4
10110	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
10115	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
10125	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 12
10145	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
10150	----	----	----	----/*0.054A	----	0.000 - 0.003	----	----	----	----	----	0 - 18
10175	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 23
10185	----	----	----	----/0.121A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
10195	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10200	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 145
10205	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10210	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
10215	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10220	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 5
10225	----	----	----	----/*0.054A	----	0.000 - 0.002	----	----	----	----	----	0 - 3
10245	----	----	----	----/*0.055A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
10250	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 21
10255	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10260	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10265	----	----	----	----/*0.055A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
10275	----	----	----	----/*0.055A	----	0.000 - 0.002	----	----	----	----	----	0 - 13
10295	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
10300	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 59
10305	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10310	----	----	----	----/*0.053A	----	0.000 - 0.002	----	----	----	----	----	0 - 3
10320	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10325	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 3
10350	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 34
10355	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
10375	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 7
10380	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 5
10400	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 25
10425	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
10450	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10475	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
10500	----	----	----	----/0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 580
10505	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
10515	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10520	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10525	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
10530	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10535	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
10540	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10545	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10550	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
10555	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10575	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10600	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 62
10605	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10610	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10625	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
10650	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
10660	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10675	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10685	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10700	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 32
10705	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10710	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10715	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10730	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10735	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10750	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 16
10755	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10765	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10770	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
10775	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
10790	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 30
10805	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10825	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10845	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10850	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
10855	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10865	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10870	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10875	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10880	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 36
10925	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10950	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10975	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
11000	----	----	----	----/0.029A	----	0.000 - 0.001	----	----	----	----	----	0 - 428
11025	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
11050	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
11075	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
11100	----	----	----	0.001B/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 27
11125	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11150	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
11175	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11200	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 115
11225	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11245	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11250	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 47
11275	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 90
11325	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 29
11340	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11345	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11350	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11365	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11375	----	----	----	----/*0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11380	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
11385	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11400	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 45
11425	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
11430	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11435	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
11440	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR26												
11450	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
11460	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11475	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
11485	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11495	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
11500	----	----	----	----/0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 379
11505	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11515	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11525	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11535	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11550	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11565	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11585	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11590	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11600	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 41
11625	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11650	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11675	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11685	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11700	----	----	----	----/0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 65
11725	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
11750	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11760	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11775	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11785	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 347
11805	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
11825	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11830	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11835	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11840	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11850	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
11875	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 47
11925	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
11950	----	----	----	----/0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11975	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
12000	----	----	----	0.001B/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 638
12025	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 23
12050	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12075	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
12125	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12150	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 117
12175	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
12200	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 36
12225	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 31
12250	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 21
12275	----	----	----	----/*0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
12300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
12325	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
12350	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12375	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12400	----	----	----	----/0.007A	----	0.000 - 0.001	----	----	----	----	----	0 - 21
12425	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12450	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12475	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
12500	----	----	----	----/*0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 3000
12525	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
12550	----	----	----	----/*0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
12575	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12600	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 28
12625	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12650	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
12675	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12700	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 97
12725	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
12750	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 84
12775	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
12800	----	----	----	----/*0.053A	----	0.000 - 0.001	----	----	----	----	----	0 - 41
12900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 51
13000	----	----	----	0.001B/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 127
13100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 32
13200	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 77
13300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
13400	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 26
13500	----	----	----	----/0.020A	----	0.000 - 0.001	----	----	----	----	----	0 - 49
13600	----	----	----	----/0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
13700	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
13800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 63
13900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
14000	----	----	----	----/0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 3023
14100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 59
14200	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 42
14300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 42
14400	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 65
14500	----	----	----	----/0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 158
14600	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 53
14700	----	----	----	----/0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
14800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
14900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
15000	----	----	0.002B/----	0.002B/0.003A	----	0.000 - 0.001	----	----	----	----	----	0 - 288
15100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
15200	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 44
15300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 24
15400	----	----	----	----/0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 25
15500	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 64
15600	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
15700	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
15800	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
15900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
16000	----	----	----	----/0.119A	----	0.000 - 0.001	----	----	----	----	----	0 - 138
16100	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 24
16200	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
16300	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 59
16400	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 20
16500	----	----	----	----/0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 189
16600	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
16700	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
16800	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
16900	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
17000	----	----	----	----/0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 128
17100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 25
17200	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
17300	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
17400	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
17500	----	----	----	----/0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 182
17600	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 18
17700	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
17800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
17900	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
18000	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 122
18100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 58
18200	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
18400	----	----	----	----/*0.055A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
18500	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 65
18600	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
18700	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
18800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
18900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
19000	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 109
19100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 96
19300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
19400	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
19500	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
19700	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
19800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
19900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR26												
20000	----	----	----	----/0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 287
21000	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 31
22000	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
23000	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 172
24000	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 30
25000	----	----	----	----/0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 620
TOTAL										1672	0	0 - 28999
MAY26												
3750	----	----	----/30.783A	31.492B/30.783A	----	30.515 - 4.654	.9845	----	----	----	----	1 UNCH
3875	----	----	----/28.869A	31.109B/28.869A	----	29.290 - 4.641	.9815	----	----	----	----	50 UNCH
3900	----	----	----/29.308A	30.013B/29.308A	----	29.046 - 4.638	.9808	----	----	----	----	1 UNCH
4000	----	----	----/27.665A	29.905B/27.665A	----	28.069 - 4.627	.9780	----	----	----	----	53 UNCH
4100	----	----	----/26.665A	28.889B/26.665A	----	27.092 - 4.618	.9752	----	----	----	----	50 UNCH
4200	----	----	----/25.701A	27.805B/25.701A	----	26.117 - 4.608	.9720	----	----	----	----	116 UNCH
4400	----	----	----/23.804A	25.799B/23.804A	----	24.175 - 4.585	.9647	----	----	----	----	43 UNCH
4450	----	----	----/23.968A	24.635B/23.968A	----	23.692 - 4.579	.9625	----	----	----	----	2 UNCH
4500	----	----	----/22.842A	24.993B/22.842A	----	23.210 - 4.572	.9603	----	----	----	----	120 UNCH
4550	----	----	----/23.018A	23.666B/23.018A	----	22.729 - 4.564	.9578	----	----	----	----	1 UNCH
4600	----	----	----/21.887A	23.964B/21.887A	----	22.249 - 4.557	.9552	----	----	----	----	43 UNCH
4650	----	----	----/21.358A	23.542B/21.358A	----	21.771 - 4.548	.9525	----	----	----	----	77 UNCH
4675	----	----	----/21.141A	23.119B/21.141A	----	21.533 - 4.543	.9511	----	----	----	----	15 UNCH
4700	----	----	----/21.600A	22.221B/21.600A	----	21.295 - 4.538	.9495	----	----	----	----	2 UNCH
4725	----	----	----/21.364A	21.981B/21.364A	----	21.057 - 4.533	.9480	----	----	----	----	2 UNCH
4750	----	----	----/20.439A	22.407B/20.439A	----	20.820 - 4.528	.9464	----	----	----	----	7 UNCH
4800	----	----	----/19.973A	21.934B/19.973A	----	20.348 - 4.516	.9430	----	----	----	----	7 UNCH
4825	----	----	----/19.743A	21.699B/19.743A	----	20.112 - 4.510	.9413	----	----	----	----	22 UNCH
4850	----	----	----/19.510A	21.465B/19.510A	----	19.877 - 4.504	.9394	----	----	----	----	10 UNCH
4900	----	----	----/19.048A	20.997B/19.048A	----	19.409 - 4.490	.9355	----	----	----	----	14 UNCH
4925	----	----	----/18.822A	20.764B/18.822A	----	19.176 - 4.483	.9334	----	----	----	----	12 UNCH
4950	----	----	----/19.281A	19.847B/19.281A	----	18.944 - 4.474	.9313	----	----	----	----	4 UNCH
5000	----	----	----/18.107A	20.287B/18.107A	----	18.481 - 4.458	.9268	----	----	----	----	99 UNCH
5025	----	----	----/18.599A	19.144B/18.599A	----	18.251 - 4.449	.9245	----	----	----	----	3 UNCH
5050	----	----	----/17.687A	19.609B/17.687A	----	18.022 - 4.440	.9221	----	----	----	----	6 UNCH
5075	----	----	----/17.462A	19.380B/17.462A	----	17.794 - 4.430	.9196	----	----	----	----	6 UNCH
5100	----	----	----/17.242A	19.152B/17.242A	----	17.566 - 4.420	.9170	----	----	----	----	9 UNCH
5125	----	----	----/17.701A	18.216B/17.701A	----	17.340 - 4.408	.9143	----	----	----	----	1 UNCH
5150	----	----	----/16.799A	18.697B/16.799A	----	17.114 - 4.398	.9115	----	----	----	----	15 UNCH
5200	----	----	----/16.359A	18.284B/16.359A	----	16.665 - 4.374	.9057	----	----	----	----	11 UNCH
5225	----	----	----/16.819A	18.360B/16.819A	----	16.443 - 4.361	.9026	----	----	----	----	1 UNCH
5250	----	----	----/15.916A	18.351B/15.916A	----	16.221 - 4.348	.8995	----	----	----	----	21 UNCH
5275	----	----	----/15.757A	18.410B/15.757A	----	16.000 - 4.335	.8962	----	----	----	----	6 UNCH
5300	----	----	----/15.436A	18.381B/15.436A	----	15.781 - 4.320	.8929	----	----	----	----	126 UNCH
5325	----	----	----/15.240A	18.349B/15.240A	----	15.562 - 4.306	.8895	----	----	----	----	29 UNCH
5350	----	----	----/15.025A	18.363B/15.025A	----	15.345 - 4.290	.8860	----	----	----	----	25 UNCH
5400	----	----	----/14.571A	16.687B/14.571A	----	14.914 - 4.257	.8786	----	----	----	----	146 UNCH
5425	----	----	----/14.445A	16.250B/14.445A	----	14.700 - 4.241	.8748	----	----	----	----	12 UNCH
5450	----	----	----/14.151A	16.251B/14.151A	----	14.487 - 4.224	.8709	----	----	----	----	50 UNCH
5475	----	----	----/14.676A	15.065B/14.676A	----	14.276 - 4.205	.8669	----	----	----	----	2 UNCH
5500	----	----	----/13.735A	15.822B/13.735A	----	14.066 - 4.186	.8628	----	----	----	----	185 UNCH
5525	----	----	----/13.555A	15.523B/13.555A	----	13.857 - 4.168	.8586	----	----	----	----	35 UNCH
5550	----	----	----/13.388A	15.149B/13.388A	----	13.649 - 4.148	.8543	----	----	----	----	8 UNCH
5600	----	----	----/12.913A	14.973B/12.913A	----	13.238 - 4.107	.8454	----	----	----	----	110 UNCH
5625	----	----	----/12.800A	14.525B/12.800A	----	13.035 - 4.086	.8408	----	----	----	----	8 UNCH
5650	----	----	----/12.545A	14.457B/12.545A	----	12.832 - 4.065	.8361	----	----	----	----	31 UNCH
5675	----	----	----/12.386A	14.136B/12.386A	----	12.632 - 4.042	.8314	----	----	----	----	6 UNCH
5700	----	----	----/12.191A	13.910B/12.191A	----	12.432 - 4.019	.8265	----	----	----	----	9 UNCH
5750	----	----	----/11.803A	13.526B/11.803A	----	12.038 - 3.972	.8164	----	----	----	----	16 UNCH
5775	----	----	----/12.242A	12.521B/12.242A	----	11.842 - 3.949	.8113	----	----	----	----	1 UNCH
5800	----	----	----/12.042A	12.319B/12.042A	----	11.649 - 3.924	.8060	----	----	----	----	1 UNCH
5825	----	----	----/11.231A	12.923B/11.231A	----	11.456 - 3.899	.8007	----	----	----	----	11 UNCH
5850	----	----	----/11.658A	11.919B/11.658A	----	11.265 - 3.874	.7952	----	----	----	----	2 UNCH
5900	----	----	----/10.569A	12.526B/10.569A	----	10.888 - 3.822	.7841	----	----	----	----	124 UNCH
5925	----	----	----/11.094A	11.328B/11.094A	----	10.702 - 3.795	.7784	----	----	----	----	1 UNCH
5950	----	----	----/10.302A	11.923B/10.302A	----	10.517 - 3.769	.7727	----	----	----	----	16 UNCH
6000	9.940	9.940	9.940/9.842A	11.757B/9.842A	----	10.152 - 3.714	.7608	----	----	1	----	255 UNCH
6050	----	----	----/10.194A	10.375B/10.194A	----	9.793 - 3.659	.7487	----	----	----	----	2 UNCH
6075	----	----	----/9.344A	11.196B/9.344A	----	9.616 - 3.631	.7425	----	----	----	----	122 UNCH
6100	----	----	----/9.245A	10.806B/9.245A	----	9.441 - 3.602	.7362	----	----	----	----	9 UNCH
6125	----	----	----/9.284A	9.824B/9.284A	----	9.267 - 3.573	.7299	----	----	----	----	1 UNCH
6150	----	----	----/9.082A	9.643B/9.082A	----	9.095 - 3.544	.7234	----	----	----	----	3 UNCH
6175	----	----	----/8.951A	9.465B/8.951A	----	8.925 - 3.514	.7169	----	----	----	----	1 UNCH
6200	----	----	----/8.432A	10.289B/8.432A	----	8.757 - 3.484	.7104	----	----	----	----	59 UNCH
6225	----	----	----/8.270A	10.112B/8.270A	----	8.590 - 3.454	.7037	----	----	----	----	69 UNCH
6250	----	----	----/8.486A	8.938B/8.486A	----	8.425 - 3.424	.6970	----	----	----	----	3 UNCH
6275	----	----	----/8.287A	8.766B/8.287A	----	8.262 - 3.393	.6902	----	----	----	----	4 UNCH
6300	----	----	----/7.888A	9.396B/7.888A	----	8.101 - 3.362	.6834	----	----	----	----	24 UNCH
6325	----	----	----/7.798A	8.425B/7.798A	----	7.942 - 3.331	.6765	----	----	----	----	3 UNCH
6350	----	----	----/7.647A	8.260B/7.647A	----	7.784 - 3.300	.6695	----	----	4	----	7 + 4
6375	----	----	----/7.383A	9.030B/7.383A	----	7.628 - 3.268	.6624	----	----	----	----	48 UNCH
6400	----	----	----/7.185A	8.913B/7.185A	----	7.474 - 3.237	.6553	----	----	----	----	65 UNCH
6425	----	----	----/7.131A	8.615B/7.131A	----	7.323 - 3.204	.6482	----	----	----	----	6 UNCH
6450	----	----	----/7.063A	7.613B/7.063A	----	7.173 - 3.172	.6410	----	----	----	----	4 UNCH
6475	----	----	----/6.854A	8.298B/6.854A	----	7.024 - 3.141	.6337	----	----	----	----	6 UNCH
6500	----	----	----/6.600A	8.278B/6.600A	----	6.878 - 3.108	.6265	----	----	----	----	179 UNCH
6525	----	----	----/6.412A	8.079B/6.412A	----	6.734 - 3.075	.6191	----	----	----	----	28 UNCH
6550	----	----	----/6.294A	7.835B/6.294A	----	6.592 - 3.042	.6117	----	----	----	----	8 UNCH
6575	----	----	----/6.250A	7.399B/6.250A	----	6.452 - 3.009	.6043	----	----	----	----	3 UNCH
6600	----	----	----/6.097A	7.561B/6.097A	----	6.314 - 2.976	.5969	----	----	5	----	10 UNCH
6625	----	----	----/5.892A	7.391B/5.892A	----	6.177 - 2.943	.5894	----	----	1	----	7 UNCH
6650	----	----	----/5.769A	7.108B/5.769A	----	6.043 - 2.910	.5819	----	----	----	----	6 UNCH
6675	----	----	----/5.626A	6.949B/5.626A	----	5.911 - 2.876	.5743	----	----	----	----	1 UNCH
6700	----	----	----/5.525A	7.014B/5.525A	----	5.781 - 2.843	.5668	----	----	----	----	175 UNCH
6750	5.300	5.300	5.300/5.288A	6.451B/5.288A	----	5.527 - 2.775	.5516	----	----	2	----	13 + 2
6800	5.650	5.650	5.650/4.973A	6.416B/4.973A	----	5.281 - 2.708	.5364	----	----	5	----	58 + 2
6825	----	----	----/4.855A	6.735B/4.855A	----	5.161 - 2.674	.5288	----	----	----	----	106 UNCH
6850	5.400	5.400	5.400/4.747A	6.497B/4.747A	----	5.043 - 2.640	.5212	----	----	1	----	1 + 1
6900	5.150	5.150	5.150/4.522A	6.490B/4.522A	----	4.813 - 2.573	.5060	----	----	1	----	193 + 1
6925	----	----	----/4.419A	6.559B/4.419A	----	4.701 - 2.539	.4984	----	----	----	----	12 UNCH
6950	----	----	----/4.320A	6.263B/4.320A	----	4.592 - 2.505	.4909	----	----	----	----	2 UNCH
7000	5.500	5.500	5.500/4.119A	6.164B/4.119A	----	4.378 - 2.437	.4758	----	----	23	50	410 - 6
7025	----	----	----/4.017A	6.165B/4.017A	----	4.274 - 2.404	.4683	----	----	----	----	10 UNCH
7050	4.550	4.550	4.550/3.926A	5.751B/3.926A	----	4.173 - 2.370	.4609	----	----	1	----	6 UNCH
7075	3.840	3.840	3.840/3.840	5.678B/3.840	----	4.073 - 2.336	.4535	----	----	3	----	6 + 3
7100	----	----	----/3.748A	5.537B/3.748A	----	3.976 - 2.302	.4461	----	----	1	----	71 UNCH
7125	----	----	----/3.652A	5.322B/3.652A	----	3.880 - 2.269	.4387	----	----	----	----	2 UNCH
7150	----	----	----/3.565A	5.236B/3.565A	----	3.786 - 2.236	.4314	----	----	----	----	2 UNCH
7175	4.832	4.832	4.832/3.478A	5.234B/3.478A	----	3.695 - 2.202	.4242	----	----	1	----	2 + 1
7200	5.144	5.144	5.144/3.401A	5.144/3.401A	----	3.605 - 2.169	.4170	----	----	2	----	13 UNCH
7225	----	----	----/3.323A	4.911B/3.323A	----	3.517 - 2.136	.4098	----	----	----	----	1 UNCH
7250	4.529	4.529	4.529/3.243A	4.867B/3.243A	----	3.431 - 2.103	.4027	----	----	1	----	34 + 1
7275	----	----	----/3.159A	4.610B/3.159A	----	3.347 - 2.070	.3957	----	----	----	----	1 UNCH
7300	4.929	4.929	4.929/3.085A	4.929/3.085A	----	3.265 - 2.037	.3887	----	----	8	----	115 + 5
7325	4.226	4.226	4.226/3.008A	4.480B/3.008A	----	3.185 - 2.004	.3818	----	----	1	----	2 + 1
7350	3.444	3.444	3.596/2.937A	4.377B/2.937A	----	3.107 - 1.971	.3750	----	----	44	----	33 - 1
7375	----	----	----/2.871A	4.278B/2.871A	----	3.030 - 1.939	.3682	----	----	----	----	79 UNCH
7400	4.033	4.033	4.033/2.794A	4.166B/2.794A	----	2.955 - 1.907	.3615	----	----	3	----	18 + 2
7425	----	----	----/2.728A	4.138B/2.728A	----	2.883 - 1.874	.3549	----	----	----	----	1 UNCH
7450	----	----	----/2.661A	4.079B/2.661A	----	2.811 - 1.843	.3484	----	----	----	----	11 UNCH
7475	----	----	----/2.598A	3.950B/2.598A	----	2.742 - 1.811	.3419	----	----	----	----	2 UNCH
7500	3.687	3.687	3.687/2.400	3.809B/2.400	----	2.674 - 1.780	.3355	----	----	38	----	405 + 23
7525	----	----	----/2.474A	3.731B/2.474A	----	2.608 - 1.749	.3292	----	----	----	----	1 UNCH
7530	----	----	----/2.465A	3.692B/2.465A	----	2.595 - 1.743	.3280	----	----	----	----	1 UNCH
7535	----	----	----/2.452A	3.701B/2.452A	----	2.582 - 1.737	.3268	----	----	----	----	1 UNCH
7540	----	----	----/2.439A	3.675B/2.439A	----	2.570 - 1.729	.3256	----	----	----	----	1 UNCH
7545	----	----	----/2.428A	3.641B/2.428A	----	2.557 - 1.723	.3243	----	----	----	----	2 UNCH
7550	----	----	----/2.418A	3.715B/2.418A	----	2.544 - 1.718	.3231	----	----	4	----	6 + 4
7560	2.325	2.325	2.325/2.325	3.587B/2.325	----	2.519 - 1.705	.3206	----	----	1	----	1 UNCH
7570	----	----	----/2.369A	3.644B/2.369A	----	2.494 - 1.693	.3182	----	----	----	----	1 UNCH
7575	----	----	----/2.358A	3.628B/2.358A	----	2.481 - 1.687	.3169	----	----	----	----	1 UNCH
7595	----	----	----/2.313A	3.545B/2.313A	----	2.432 - 1.663	.3121	----	----	----	----	1 UNCH
7600	2.365	2.365	2.390/2.301A	3.539B/2.301A	----	2.420 - 1.656	.3109	----	----	4	----	88 UNCH
7615	----	----	----/2.271A	3.423B/2.271A	----	2.384 - 1.638	.3073	----	----	----	----	1 UNCH
7625	----	----	----/2.248A	3.386B/2.248A	----	2.361 - 1.626	.3050	----	----	----	----	7 UNCH
7630	----	----	----/2.238A	3.360B/2.238A	----	2.349 - 1.620	.3038	----	----	----	----	1 UNCH
7635	----	----	----/2.228A	3.395B/2.228A	----	2.337 - 1.614	.3026	----	----	----	----	1 UNCH
7640	----	----	----/2.218A	3.320B/2.218A	----	2.326 - 1.608	.3015	----	----	----	----	1 UNCH
7645	----	----	----/2.206A	3.326B/2.206A	----	2.314 - 1.602	.3003	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7650	2.500	2.500	2.907/2.197A	3.329B/2.197A	----	2.303 - 1.596	.2991	----	----	12	----	17 + 7
7655	----	----	----/2.185A	3.320B/2.185A	----	2.291 - 1.590	.2979	----	----	----	----	2 UNCH
7660	----	----	----/2.175A	3.271B/2.175A	----	2.280 - 1.584	.2968	----	----	----	----	1 UNCH
7665	----	----	----/2.165A	3.329B/2.165A	----	2.268 - 1.579	.2956	----	----	----	----	10 UNCH
7675	----	----	----/2.144A	3.216B/2.144A	----	2.246 - 1.566	.2933	----	----	----	----	1 UNCH
7685	----	----	----/2.123A	3.206B/2.123A	----	2.224 - 1.554	.2911	----	----	----	----	1 UNCH
7700	2.420	2.420	2.420/2.090A	3.173B/2.090A	----	2.191 - 1.537	.2877	----	----	8	----	184 UNCH
7725	----	----	----/2.045A	3.070B/2.045A	----	2.137 - 1.508	.2821	----	----	----	----	1 UNCH
7750	----	----	----/1.995A	3.061B/1.995A	----	2.085 - 1.479	.2766	----	----	2	----	5 - 2
7760	----	----	----/1.976A	2.969B/1.976A	----	2.064 - 1.468	.2744	----	----	----	----	1 UNCH
7775	----	----	----/1.947A	3.002B/1.947A	----	2.034 - 1.451	.2712	----	----	----	----	1 UNCH
7785	----	----	----/1.930A	2.900B/1.930A	----	2.014 - 1.440	.2690	----	----	----	----	1 UNCH
7800	2.200	2.200	2.200/1.902A	2.883B/1.902A	----	1.984 - 1.423	.2658	----	----	2	----	59 - 2
7805	----	----	----/1.895A	2.854B/1.895A	----	1.974 - 1.418	.2647	----	----	----	----	1 UNCH
7810	2.317	2.317	2.317/1.884A	2.827B/1.884A	----	1.965 NEW	.2637	----	----	1	----	1 + 1
7815	2.306	2.306	2.306/1.876A	2.887B/1.876A	----	1.955 - 1.407	.2627	----	----	1	----	2 + 1
7825	----	----	----/1.858A	2.816B/1.858A	----	1.936 - 1.396	.2606	----	----	----	----	1 UNCH
7845	2.241	2.241	2.241/1.821A	2.822B/1.821A	----	1.898 NEW	.2565	----	----	1	----	1 + 1
7850	2.231	2.231	2.231/1.809A	2.824B/1.809A	----	1.889 - 1.368	.2555	----	----	1	----	14 + 1
7855	----	----	----/1.801A	2.825B/1.801A	----	1.880 - 1.363	.2545	----	----	----	----	8 UNCH
7875	----	----	----/1.774A	2.795B/1.774A	----	1.843 - 1.342	.2504	----	----	----	----	43 UNCH
7900	2.157	2.157	2.157/1.731A	2.800B/1.731A	----	1.798 - 1.316	.2454	----	----	4	----	17 + 3
7925	----	----	----/1.692A	2.764B/1.692A	----	1.755 - 1.289	.2406	----	----	2	----	5 + 2
7940	----	----	----/1.669A	2.719B/1.669A	----	1.729 - 1.274	.2377	----	----	----	----	2 UNCH
7945	----	----	----/1.660A	2.709B/1.660A	----	1.721 - 1.269	.2367	----	----	----	----	1 UNCH
7950	----	----	----/1.650A	2.696B/1.650A	----	1.713 - 1.263	.2358	----	----	----	----	5 UNCH
7980	1.876	1.876	1.876/1.607A	2.624B/1.607A	----	1.663 - 1.234	.2301	----	----	1	----	2 + 1
7985	1.873	1.873	1.873/1.598A	2.607B/1.598A	----	1.655 - 1.229	.2292	----	----	2	----	4 + 2
7990	1.869	1.869	1.869/1.591A	2.594B/1.591A	----	1.647 NEW	.2283	----	----	4	----	4 + 4
7995	1.852	1.852	1.852/1.582A	2.582B/1.582A	----	1.639 - 1.219	.2274	----	----	7	----	10 + 7
8000	2.000	2.000	2.123/1.551	2.584B/1.551	----	1.631 - 1.214	.2265	----	----	228	----	1347 + 11
8005	1.684	1.684	1.685/1.558A	2.561B/1.558A	----	1.624 - 1.208	.2256	----	----	22	----	23 + 22
8010	1.810	1.810	1.810/1.563A	2.571B/1.563A	----	1.616 - 1.203	.2247	----	----	30	----	30 + 29
8015	1.816	1.816	1.818/1.552A	2.562B/1.552A	----	1.608 NEW	.2238	----	----	22	----	22 + 22
8020	1.802	1.802	1.802/1.547A	2.557B/1.547A	----	1.600 NEW	.2228	----	----	12	----	12 + 12
8025	1.655	1.655	1.655/1.541A	2.510B/1.541A	----	1.592 - 1.190	.2219	----	----	6	----	13 + 6
8030	1.795	1.795	1.795/1.534A	2.536B/1.534A	----	1.585 NEW	.2211	----	----	3	----	3 + 3
8035	1.784	1.784	1.784/1.527A	2.496B/1.527A	----	1.577 NEW	.2202	----	----	1	----	1 + 1
8040	1.784	1.784	1.784/1.520A	2.477B/1.520A	----	1.570 NEW	.2193	----	----	1	----	1 + 1
8050	1.650	1.650	1.925/1.504A	2.462B/1.504A	----	1.554 - 1.166	.2175	----	----	6	----	10 + 3
8065	----	----	----/1.483A	2.456B/1.483A	----	1.532 - 1.151	.2149	----	----	----	----	5 UNCH
8070	----	----	----/1.478A	2.444B/1.478A	----	1.525 - 1.146	.2141	----	----	----	----	1 UNCH
8075	----	----	----/1.468A	2.399B/1.468A	----	1.518 - 1.141	.2132	----	----	----	----	5 UNCH
8080	----	----	----/1.464A	2.420B/1.464A	----	1.510 - 1.137	.2123	----	----	----	----	1 UNCH
8090	----	----	----/1.452A	2.388B/1.452A	----	1.496 - 1.127	.2106	----	----	----	----	20 UNCH
8095	1.888	1.888	1.888/1.438A	2.374B/1.438A	----	1.489 - 1.123	.2098	----	----	9	----	15 + 9
8100	1.722	1.722	1.722/1.436A	2.361B/1.436A	----	1.482 - 1.118	.2089	----	----	1	----	236 + 1
8105	----	----	----/1.432A	2.346B/1.432A	----	1.475 - 1.113	.2081	----	----	----	----	7 UNCH
8110	----	----	----/1.421A	2.335B/1.421A	----	1.467 - 1.110	.2072	----	----	----	----	1 UNCH
8115	----	----	----/1.419A	2.323B/1.419A	----	1.460 - 1.105	.2064	----	----	----	----	1 UNCH
8125	----	----	----/1.401A	2.294B/1.401A	----	1.447 - 1.095	.2048	----	----	----	----	3 UNCH
8150	1.410	1.410	1.410/1.371A	2.240B/1.371A	----	1.412 - 1.074	.2006	----	----	2	----	11 + 1
8175	----	----	----/1.348A	2.191B/1.348A	----	1.379 - 1.052	.1966	----	----	----	----	15 UNCH
8200	1.517	1.517	1.700/1.312A	2.163B/1.312A	----	1.347 - 1.030	.1927	----	----	6	----	63 + 1
8210	----	----	----/1.294A	2.121B/1.294A	----	1.334 - 1.022	.1911	----	----	----	----	4 UNCH
8225	----	----	----/1.279A	2.087B/1.279A	----	1.316 - 1.008	.1888	----	----	----	----	4 UNCH
8230	----	----	----/1.268A	2.079B/1.268A	----	1.309 - 1.005	.1880	----	----	----	----	1 UNCH
8235	----	----	----/1.268A	2.070B/1.268A	----	1.303 - 1.001	.1873	----	----	----	----	1 UNCH
8240	----	----	----/1.254A	2.063B/1.254A	----	1.297 - 0.996	.1865	----	----	----	----	1 UNCH
8250	----	----	----/1.244A	2.040B/1.244A	----	1.285 - 0.988	.1850	----	----	3	----	48 + 3
8255	----	----	----/1.252A	2.032B/1.252A	----	1.279 - 0.984	.1843	----	----	----	----	3 UNCH
8270	----	----	----/1.217A	2.002B/1.217A	----	1.261 - 0.972	.1820	----	----	----	----	6 UNCH
8275	----	----	----/1.222A	1.995B/1.222A	----	1.255 - 0.968	.1813	----	----	----	----	5 UNCH
8280	----	----	----/1.211A	1.988B/1.211A	----	1.249 - 0.964	.1806	----	----	----	----	3 UNCH
8300	----	----	----/1.200A	1.951B/1.200A	----	1.226 - 0.948	.1777	----	----	3	----	102 + 2
8310	1.774	1.774	1.774/1.177A	1.931B/1.177A	----	1.215 - 0.940	.1763	----	----	1	----	2 + 1
8325	----	----	----/1.161A	1.906B/1.161A	----	1.198 - 0.928	.1741	----	----	----	----	4 UNCH
8340	----	----	----/1.160A	1.879B/1.160A	----	1.181 - 0.917	.1720	----	----	----	----	30 UNCH
8345	----	----	----/1.139A	1.873B/1.139A	----	1.176 - 0.913	.1713	----	----	----	----	16 UNCH
8350	----	----	----/1.129A	1.862B/1.129A	----	1.170 - 0.910	.1706	----	----	1	----	26 UNCH
8360	----	----	----/1.139A	1.849B/1.139A	----	1.160 - 0.902	.1693	----	----	----	----	1 UNCH
8370	----	----	----/1.114A	1.839B/1.114A	----	1.149 - 0.894	.1679	----	----	----	----	1 UNCH
8375	----	----	----/1.109A	1.837B/1.109A	----	1.144 - 0.890	.1673	----	----	----	----	4 UNCH
8400	1.370	1.370	1.370/1.093A	1.796B/1.093A	----	1.117 - 0.873	.1638	----	----	2	----	31 + 1
8420	----	----	----/1.077A	1.767B/1.077A	----	1.097 - 0.859	.1612	----	----	----	----	3 UNCH
8425	----	----	----/1.073A	1.759B/1.073A	----	1.092 - 0.855	.1606	----	----	----	----	6 UNCH
8435	----	----	----/1.061A	1.726B/1.061A	----	1.082 - 0.848	.1593	----	----	----	----	1 UNCH
8440	----	----	----/1.058A	1.725B/1.058A	----	1.077 - 0.845	.1587	----	----	----	----	1 UNCH
8450	----	----	----/1.050A	1.740B/1.050A	----	1.067 - 0.838	.1574	----	----	----	----	138 UNCH
8460	----	----	----/1.043A	1.687B/1.043A	----	1.058 - 0.830	.1562	----	----	----	----	1 UNCH
8465	----	----	----/1.033A	1.680B/1.033A	----	1.053 - 0.827	.1555	----	----	----	----	1 UNCH
8490	----	----	----/1.012A	1.680B/1.012A	----	1.029 - 0.811	.1524	----	----	----	----	2 UNCH
8500	1.250	1.250	1.250/0.998A	1.632B/0.998A	----	1.020 - 0.804	.1512	----	----	42	40	673 + 14
8505	----	----	----/1.000A	1.622B/1.000A	----	1.015 - 0.801	.1506	----	----	----	----	4 UNCH
8510	----	----	----/0.999A	1.621B/0.999A	----	1.010 - 0.798	.1499	----	----	----	----	1 UNCH
8515	----	----	----/0.985A	1.607B/0.985A	----	1.006 - 0.794	.1494	----	----	----	----	1 UNCH
8525	----	----	----/0.979A	1.603B/0.979A	----	0.997 - 0.788	.1482	----	----	----	----	7 UNCH
8535	----	----	----/0.971A	1.590B/0.971A	----	0.988 - 0.781	.1470	----	----	----	----	1 UNCH
8540	----	----	----/0.968A	1.605B/0.968A	----	0.983 - 0.779	.1464	----	----	----	----	6 UNCH
8545	----	----	----/0.955A	1.596B/0.955A	----	0.979 - 0.775	.1458	----	----	----	----	2 UNCH
8550	----	----	----/0.950A	1.597B/0.950A	----	0.974 - 0.772	.1452	----	----	----	----	6 UNCH
8565	----	----	----/0.951A	1.550B/0.951A	----	0.961 - 0.763	.1434	----	----	----	----	10 UNCH
8570	----	----	----/0.945A	1.540B/0.945A	----	0.957 - 0.760	.1429	----	----	----	----	4 UNCH
8575	----	----	----/0.942A	1.563B/0.942A	----	0.953 - 0.756	.1423	----	----	----	----	34 UNCH
8590	----	----	----/0.929A	1.513B/0.929A	----	0.940 - 0.747	.1406	----	----	----	----	1 UNCH
8600	----	----	----/*0.919A	1.505B/*0.919A	----	0.932 - 0.741	.1395	----	----	1	----	253 - 1
8605	----	----	----/*0.914A	1.494B/*0.914A	----	0.927 - 0.739	.1389	----	----	2	----	3 UNCH
8615	----	----	----/*0.907A	1.480B/*0.907A	----	0.919 - 0.733	.1378	----	----	----	----	1 UNCH
8640	----	----	----/*0.888A	1.457B/*0.888A	----	0.899 - 0.718	.1351	----	----	----	----	1 UNCH
8650	----	----	----/*0.862A	1.445B/*0.862A	----	0.891 - 0.712	.1340	----	----	----	----	8 UNCH
8660	----	----	----/*0.876A	1.435B/*0.876A	----	0.883 - 0.707	.1330	----	----	----	----	2 UNCH
8670	----	----	----/*0.865A	1.411B/*0.865A	----	0.875 - 0.701	.1319	----	----	----	----	1 UNCH
8675	----	----	----/*0.861A	1.404B/*0.861A	----	0.871 - 0.699	.1313	----	----	----	----	1 UNCH
8695	----	----	----/*0.846A	1.380B/*0.846A	----	0.856 - 0.687	.1293	----	----	----	----	2 UNCH
8700	----	----	----/*0.841A	1.386B/*0.841A	----	0.852 - 0.685	.1288	----	----	----	----	62 UNCH
8705	----	----	----/*0.837A	1.380B/*0.837A	----	0.848 - 0.683	.1282	----	----	----	----	16 UNCH
8750	----	----	----/*0.800A	1.319B/*0.800A	----	0.815 - 0.659	.1237	----	----	----	----	31 UNCH
8775	----	----	----/*0.789A	1.298B/*0.789A	----	0.797 - 0.647	.1212	----	----	----	----	26 UNCH
8800	0.798	0.798	0.798/*0.771A	1.281B/*0.771A	----	0.780 - 0.634	.1189	----	----	2	----	625 + 2
8850	----	----	----/*0.738A	1.214B/*0.738A	----	0.746 - 0.611	.1142	----	----	----	----	3 UNCH
8875	----	----	----/*0.723A	1.188B/*0.723A	----	0.730 - 0.600	.1120	----	----	----	----	3 UNCH
8900	----	----	----/*0.708A	1.186B/*0.708A	----	0.714 - 0.589	.1097	----	----	----	----	106 UNCH
8925	----	----	----/*0.693A	1.146B/*0.693A	----	0.699 - 0.578	.1076	----	----	----	----	4 UNCH
8950	----	----	----/*0.678A	1.137B/*0.678A	----	0.684 - 0.568	.1055	----	----	----	----	45 UNCH
8975	----	----	----/*0.664A	1.114B/*0.664A	----	0.669 - 0.558	.1034	----	----	----	----	23 UNCH
9000	1.000	1.000	1.078B/0.638A	1.078B/0.638A	----	0.654 - 0.549	.1013	----	----	242	----	1210 + 171
9025	----	----	----/*0.639A	1.069B/*0.639A	----	0.640 - 0.540	.0993	----	----	----	----	6 UNCH
9050	----	----	----/*0.612A	1.021B/*0.612A	----	0.627 - 0.530	.0974	----	----	----	----	12 UNCH
9075	----	----	----/*0.600A	1.026B/*0.600A	----	0.613 - 0.522	.0954	----	----	----	----	6 UNCH
9100	0.800	0.800	0.800/*0.588A	1.004B/*0.588A	----	0.600 - 0.513	.0936	----	----	1	----	77 + 1
9125	----	----	----/*0.580A	0.984B/*0.580A	----	0.587 - 0.505	.0917	----	----	----	----	5 UNCH
9150	0.605	0.605	0.605/*0.563A	0.964B/*0.563A	----	0.575 - 0.496	.0900	----	----	1	----	23 UNCH
9175	----	----	----/*0.551A	0.945B/*0.551A	----	0.562 - 0.489	.0881	----	----	----	----	8 UNCH
9200	0.600	0.600	0.600/*0.540A	0.925B/*0.540A	----	0.550 - 0.481	.0864	----	----	2	----	162 + 2
9225	----	----	----/*0.543A	0.906B/*0.543A	----	0.539 - 0.473	.0848	----	----	----	----	5 UNCH
9250	0.582	0.582	0.582/*0.523A	0.888B/*0.523A	----	0.527 - 0.467	.0830	----	----	2	----	102 + 2
9275	0.584	0.584	0.584/*0.513A	0.870B/*0.513A	----	0.516 - 0.459	.0814	----	----	2	----	28 + 2
9300	0.514	0.514	0.559/*0.513A	0.853B/*0.513A	----	0.505 - 0.453	.0798	----	----	3	----	197 + 2
9325	0.563	0.563	0.563/*0.505A	0.836B/*0.505A	----	0.494 - 0.446	.0782	----	----	3	----	5 + 2
9350	0.538	0.538	0.538/*0.498A	0.820B/*0.498A	----	0.484 - 0.439	.0767	----	----	1	----	29 + 1
9375	----	----	----/*0.490A	0.802B/*0.490A	----	0.474 - 0.433	.0753	----	----	----	----	12 UNCH
9400	----	----	----/*0.482A	0.787B/*0.482A	----	0.464 - 0.427	.0738	----	----	2	----	35 + 1
9425	----	----	----/*0.472A	0.772B/*0.472A	----	0.454 - 0.421	.0723	----	----	----	----	6 UNCH
9450	----	----	----/*0.466A	0.755B/*0.466A	----	0.445 - 0.414	.0710	----	----	----	----	23 UNCH
9475	----	----	----/*0.461A	0.742B/*0.461A	----	0.436 - 0.408	.0696	----	----	----	----	3 UNCH
9500	0.595	0.595	0.595/*0.421	0.727B/*0.421	----	0.427 - 0.403	.0683	----	----	35	----	889 + 18
9525	----	----	----/*0.444A	0.712B/*0.444A	----	0.418 - 0.397	.0669	----	----	----	----	23 UNCH
9550	----	----	----/*0.437A	0.698B/*0.437A	----	0.409 - 0.392	.0656	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
9575	----	----	----/*0.429A	0.685B/*0.429A	----	0.401 - 0.386	.0644	----	----	----	----	4 UNCH
9600	----	----	----/*0.424A	0.671B/*0.424A	----	0.393 - 0.381	.0632	----	----	----	----	124 UNCH
9625	----	----	----/*0.414A	0.658B/*0.414A	----	0.385 - 0.376	.0620	----	----	----	----	5 UNCH
9650	----	----	----/*0.414A	0.645B/*0.414A	----	0.378 - 0.370	.0609	----	----	----	----	13 UNCH
9675	----	----	----/*0.403A	0.632B/*0.403A	----	0.370 - 0.365	.0597	----	----	----	----	13 UNCH
9700	----	----	----/*0.395A	0.621B/*0.395A	----	0.363 - 0.360	.0586	----	----	----	----	28 UNCH
9725	----	----	----/*0.393A	0.608B/*0.393A	----	0.356 - 0.355	.0575	----	----	----	----	9 UNCH
9750	----	----	----/*0.383A	0.597B/*0.383A	----	0.349 - 0.350	.0564	----	----	1	----	28 + 1
9775	----	----	----/*0.380A	0.585B/*0.380A	----	0.342 - 0.345	.0554	----	----	----	----	2 UNCH
9800	----	----	----/*0.372A	0.575B/*0.372A	----	0.336 - 0.340	.0544	----	----	----	----	101 UNCH
9825	0.400	0.400	0.420/*0.350	0.564B/*0.350	----	0.329 - 0.336	.0533	----	----	3	----	4 + 3
9850	----	----	----/*0.361A	0.552B/*0.361A	----	0.323 - 0.331	.0524	----	----	----	----	20 UNCH
9875	----	----	----/*0.355A	0.542B/*0.355A	----	0.317 - 0.326	.0515	----	----	----	----	10 UNCH
9900	----	----	----/*0.373A	0.401B/*0.373A	----	0.312 - 0.321	.0507	----	----	----	----	243 UNCH
9925	----	----	----/*0.368A	0.381B/*0.368A	----	0.306 - 0.316	.0497	----	----	----	----	2 UNCH
9950	----	----	----/*0.374A	0.376B/*0.374A	----	0.300 - 0.312	.0488	----	----	----	----	26 UNCH
9975	----	----	----/*0.344A	0.355B/*0.344A	----	0.295 - 0.307	.0480	----	----	----	----	2 UNCH
10000	0.450	0.450	0.490/0.377A	0.490/0.377A	----	0.290 - 0.303	.0472	----	----	30	----	1051 + 1
10025	----	----	----/*0.373A	0.358B/*0.373A	----	0.285 - 0.298	.0464	----	----	----	----	1 UNCH
10050	----	----	----/*0.380A	0.340B/*0.380A	----	0.280 - 0.293	.0456	----	----	----	----	22 UNCH
10075	----	----	----/*0.413A	0.323B/*0.413A	----	0.276 - 0.288	.0449	----	----	----	----	4 UNCH
10100	----	----	----/*0.353A	0.314B/*0.353A	----	0.271 - 0.284	.0441	----	----	6	----	76 UNCH
10125	----	----	----/*0.384A	0.308B/*0.384A	----	0.267 - 0.279	.0435	----	----	----	----	1 UNCH
10150	----	----	----/0.415A	0.301B/0.415A	----	0.262 - 0.275	.0427	----	----	----	----	1 UNCH
10175	----	----	----/*0.410A	0.295B/*0.410A	----	0.258 - 0.271	.0420	----	----	----	----	1 UNCH
10200	----	----	----/*0.340A	0.311B/*0.340A	----	0.254 - 0.266	.0414	----	----	1	----	34 UNCH
10225	----	----	----/*0.408A	0.282B/*0.408A	----	0.250 - 0.262	.0407	----	----	----	----	1 UNCH
10250	----	----	----/*0.321A	0.279B/*0.321A	----	0.246 - 0.258	.0401	----	----	----	----	5 UNCH
10275	----	----	----/*0.322A	0.280B/*0.322A	----	0.243 - 0.253	.0396	----	----	----	----	4 UNCH
10300	----	----	----/0.408A	0.298B/0.408A	----	0.239 - 0.249	.0389	----	----	----	----	208 UNCH
10305	----	----	----/*0.400A	0.266B/*0.400A	----	0.239 - 0.247	.0389	----	----	----	----	2 UNCH
10325	----	----	----/*0.394A	0.251B/*0.394A	----	0.236 - 0.244	.0384	----	----	----	----	1 UNCH
10350	----	----	----/*0.359A	0.250B/*0.359A	----	0.232 - 0.240	.0378	----	----	----	----	3 UNCH
10375	----	----	----/*0.365A	0.256B/*0.365A	----	0.229 - 0.236	.0373	----	----	----	----	1 UNCH
10400	----	----	----/*0.368A	0.261B/*0.368A	----	0.226 - 0.231	.0367	----	----	----	----	27 UNCH
10425	----	----	----/*0.376A	0.276B/*0.376A	----	0.223 - 0.227	.0362	----	----	----	----	19 UNCH
10450	----	----	----/0.385A	0.232B/0.385A	----	0.220 - 0.223	.0357	----	----	----	----	4 UNCH
10480	----	----	----/0.379A	0.203B/0.379A	----	0.217 - 0.218	.0352	----	----	----	----	2 UNCH
10485	----	----	----/0.380A	0.202B/0.380A	----	0.216 - 0.218	.0351	----	----	----	----	2 UNCH
10490	----	----	----/0.379A	0.202B/0.379A	----	0.216 - 0.216	.0350	----	----	----	----	1 UNCH
10500	0.192	0.192	0.235/*0.192	0.235/*0.192	----	0.214 - 0.216	.0347	----	----	3	----	457 - 3
10515	----	----	----/0.376A	0.197B/0.376A	----	0.213 - 0.213	.0345	----	----	----	----	7 UNCH
10520	----	----	----/*0.356A	0.196B/*0.356A	----	0.212 - 0.212	.0344	----	----	----	----	2 UNCH
10550	----	----	----/0.371A	0.191B/0.371A	----	0.209 - 0.207	.0339	----	----	----	----	2 UNCH
10555	----	----	----/0.370A	0.190B/0.370A	----	0.209 - 0.206	.0338	----	----	----	----	1 UNCH
10560	0.270	0.270	0.270/*0.240	0.270/*0.240	----	0.208 - 0.206	.0337	----	----	2	----	9 + 2
10570	----	----	----/0.368A	0.187B/0.368A	----	0.207 - 0.204	.0335	----	----	----	----	1 UNCH
10575	----	----	----/*0.290A	0.186B/*0.290A	----	0.207 - 0.203	.0335	----	----	----	----	1 UNCH
10580	0.293	0.293	0.293/*0.292A	0.293/*0.292A	----	0.206 - 0.203	.0333	----	----	1	----	1 UNCH
10595	----	----	----/*0.365A	0.183B/*0.365A	----	0.205 - 0.200	.0331	----	----	----	----	2 UNCH
10600	----	----	----/*0.285A	0.208B/*0.285A	----	0.204 - 0.200	.0330	----	----	----	----	23 UNCH
10605	0.294	0.294	0.294/*0.294	0.294/*0.294	----	0.204 - 0.198	.0330	----	----	6	----	5 - 1
10610	----	----	----/*0.348A	0.180B/*0.348A	----	0.203 - 0.198	.0328	----	----	----	----	1 UNCH
10615	----	----	----/0.362A	0.179B/0.362A	----	0.203 - 0.197	.0328	----	----	----	----	1 UNCH
10625	----	----	----/0.361A	0.178B/0.361A	----	0.202 - 0.196	.0326	----	----	----	----	1 UNCH
10630	----	----	----/*0.360A	0.177B/*0.360A	----	0.201 - 0.195	.0325	----	----	----	----	1 UNCH
10650	----	----	----/*0.357A	0.168B/*0.357A	----	0.199 - 0.193	.0321	----	----	----	----	1 UNCH
10655	----	----	----/*0.355A	0.178B/*0.355A	----	0.199 - 0.191	.0321	----	----	----	----	1 UNCH
10670	----	----	----/*0.355A	0.165B/*0.355A	----	0.198 - 0.189	.0319	----	----	----	----	1 UNCH
10675	----	----	----/*0.354A	0.164B/*0.354A	----	0.197 - 0.189	.0318	----	----	----	----	3 UNCH
10680	----	----	----/*0.353A	0.163B/*0.353A	----	0.197 - 0.187	.0318	----	----	----	----	7 UNCH
10685	----	----	----/*0.353A	0.162B/*0.353A	----	0.196 - 0.187	.0316	----	----	----	----	1 UNCH
10690	----	----	----/*0.352A	0.161B/*0.352A	----	0.196 - 0.186	.0316	----	----	----	----	1 UNCH
10700	----	----	----/*0.351A	0.172B/*0.351A	----	0.195 - 0.185	.0314	----	----	1	----	119 - 1
10720	----	----	----/0.348A	0.157B/0.348A	----	0.193 - 0.182	.0311	----	----	----	----	1 UNCH
10725	----	----	----/*0.348A	0.156B/*0.348A	----	0.193 - 0.181	.0311	----	----	----	----	3 UNCH
10750	----	----	----/*0.345A	0.152B/*0.345A	----	0.191 - 0.178	.0307	----	----	----	----	1 UNCH
10755	----	----	----/*0.344A	0.152B/*0.344A	----	0.190 - 0.178	.0306	----	----	----	----	1 UNCH
10760	----	----	----/*0.343A	0.151B/*0.343A	----	0.190 - 0.177	.0305	----	----	----	----	10 UNCH
10765	----	----	----/*0.343A	0.150B/*0.343A	----	0.190 - 0.175	.0305	----	----	----	----	10 UNCH
10770	----	----	----/*0.342A	0.149B/*0.342A	----	0.189 - 0.175	.0304	----	----	----	----	1 UNCH
10800	----	----	----/0.339A	0.145B/0.339A	----	0.187 - 0.171	.0300	----	----	4	----	21 UNCH
10825	----	----	----/*0.333A	0.146B/*0.333A	----	0.185 - 0.168	.0297	----	----	----	----	1 UNCH
10835	----	----	----/*0.334A	0.141B/*0.334A	----	0.184 - 0.167	.0295	----	----	----	----	1 UNCH
10850	----	----	----/*0.331A	0.139B/*0.331A	----	0.183 - 0.165	.0293	----	----	----	----	12 UNCH
10855	----	----	----/*0.330A	0.138B/*0.330A	----	0.183 - 0.164	.0293	----	----	----	----	3 UNCH
10875	----	----	----/*0.327A	0.134B/*0.327A	----	0.181 - 0.162	.0290	----	----	----	----	2 UNCH
10900	----	----	----/*0.325A	0.135B/*0.325A	----	0.180 - 0.158	.0287	----	----	----	----	40 UNCH
10925	----	----	----/*0.323A	0.188B/*0.323A	----	0.178 - 0.155	.0284	----	----	----	----	5 UNCH
10950	----	----	----/*0.322A	0.129B/*0.322A	----	0.176 - 0.153	.0281	----	----	----	----	2 UNCH
10975	----	----	----/*0.319A	0.125B/*0.319A	----	0.175 - 0.149	.0279	----	----	----	----	9 UNCH
11000	----	----	----/0.313A	0.190B/0.313A	----	0.173 - 0.147	.0275	----	----	2	----	737 UNCH
11025	----	----	----/*0.314A	0.119B/*0.314A	----	0.172 - 0.143	.0273	----	----	----	----	5 UNCH
11050	----	----	----	0.116B/*0.312A	----	0.170 - 0.141	.0270	----	----	----	----	2 UNCH
11075	----	----	----	0.113B/*0.309A	----	0.169 - 0.138	.0268	----	----	----	----	1 UNCH
11100	----	----	----	0.110B/0.307A	----	0.168 - 0.135	.0265	----	----	----	----	59 UNCH
11125	----	----	----	0.107B/*0.304A	----	0.166 - 0.133	.0262	----	----	----	----	3 UNCH
11150	----	----	----	0.172B/*0.300A	----	0.165 - 0.130	.0260	----	----	----	----	2 UNCH
11200	----	----	----	0.095B/*0.297A	----	0.162 - 0.126	.0255	----	----	----	----	262 UNCH
11225	----	----	----	0.092B/*0.295A	----	0.161 - 0.123	.0253	----	----	----	----	24 UNCH
11240	----	----	----	0.091B/*0.294A	----	0.161 - 0.121	.0252	----	----	----	----	2 UNCH
11245	----	----	----	0.090B/*0.293A	----	0.160 - 0.122	.0251	----	----	----	----	2 UNCH
11250	----	----	----	0.089B/*0.293A	----	0.160 - 0.121	.0251	----	----	----	----	22 UNCH
11255	----	----	----	0.089B/*0.292A	----	0.160 - 0.120	.0251	----	----	----	----	1 UNCH
11260	----	----	----	0.088B/*0.290A	----	0.160 - 0.120	.0251	----	----	----	----	1 UNCH
11265	----	----	----	0.088B/*0.291A	----	0.159 - 0.120	.0249	----	----	----	----	1 UNCH
11275	----	----	----	0.088B/*0.291A	----	0.159 - 0.119	.0249	----	----	----	----	1 UNCH
11290	----	----	----	0.089B/0.292A	----	0.158 - 0.118	.0247	----	----	----	----	1 UNCH
11300	----	----	----	0.088B/*0.288A	----	0.158 - 0.116	.0247	----	----	----	----	93 UNCH
11305	----	----	----/*0.243A	0.087B/*0.243A	----	0.158 - 0.116	.0247	----	----	----	----	1 UNCH
11315	----	----	----	0.086B/*0.290A	----	0.157 - 0.115	.0245	----	----	----	----	1 UNCH
11325	----	----	----	0.085B/*0.289A	----	0.157 - 0.114	.0245	----	----	----	----	8 UNCH
11335	----	----	----	0.084B/*0.288A	----	0.157 - 0.113	.0245	----	----	----	----	2 UNCH
11345	----	----	----	0.083B/*0.286A	----	0.156 - 0.113	.0243	----	----	----	----	1 UNCH
11350	----	----	----	0.082B/*0.285A	----	0.156 - 0.112	.0243	----	----	----	----	4 UNCH
11365	----	----	----	0.082B/*0.284A	----	0.155 - 0.111	.0241	----	----	----	----	1 UNCH
11370	----	----	----	0.081B/*0.284A	----	0.155 - 0.111	.0241	----	----	----	----	1 UNCH
11380	----	----	----	0.081B/*0.283A	----	0.155 - 0.109	.0241	----	----	----	----	3 UNCH
11385	----	----	----	0.080B/*0.282A	----	0.155 - 0.109	.0241	----	----	----	----	1 UNCH
11400	----	----	----	0.079B/*0.281A	----	0.154 - 0.108	.0239	----	----	----	----	10 UNCH
11450	----	----	----	0.074B/*0.275A	----	0.152 - 0.105	.0235	----	----	----	----	41 UNCH
11455	----	----	----	0.074B/*0.278A	----	0.152 - 0.104	.0235	----	----	----	----	1 UNCH
11465	----	----	----	0.073B/*0.272A	----	0.152 - 0.103	.0235	----	----	----	----	1 UNCH
11475	----	----	----	0.072B/*0.272A	----	0.151 - 0.103	.0233	----	----	----	----	1 UNCH
11480	----	----	----	0.071B/*0.275A	----	0.151 - 0.102	.0233	----	----	----	----	1 UNCH
11485	----	----	----	0.071B/*0.274A	----	0.151 - 0.102	.0233	----	----	----	----	2 UNCH
11500	0.200	0.200	0.200/*0.180	0.200/*0.180	----	0.150 - 0.101	.0231	----	----	2	----	251 + 1
11505	0.150	0.150	0.150/*0.150	0.151B/*0.150	----	0.150 - 0.101	.0231	----	----	1	----	2 UNCH
11515	----	----	----	0.068B/*0.270A	----	0.150 - 0.100	.0231	----	----	----	----	2 UNCH
11525	----	----	----	0.063B/*0.266A	----	0.149 - 0.100	.0230	----	----	----	----	7 UNCH
11530	----	----	----	0.063B/*0.265A	----	0.149 - 0.099	.0229	----	----	----	----	10 UNCH
11540	----	----	----	0.062B/*0.268A	----	0.149 - 0.098	.0229	----	----	----	----	10 UNCH
11550	----	----	----	0.103B/*0.266A	----	0.149 - 0.097	.0229	----	----	----	----	22 UNCH
11570	----	----	----	0.059B/*0.266A	----	0.148 - 0.096	.0227	----	----	----	----	1 UNCH
11575	----	----	----	0.059B/*0.266A	----	0.148 - 0.096	.0227	----	----	----	----	1 UNCH
11595	----	----	----	0.057B/*0.264A	----	0.147 - 0.095	.0225	----	----	----	----	1 UNCH
11600	----	----	----	0.095B/*0.266A	----	0.147 - 0.095	.0225	----	----	----	----	43 UNCH
11615	----	----	----	0.056B/*0.265A	----	0.147 - 0.093	.0225	----	----	----	----	1 UNCH
11625	----	----	----	0.055B/*0.264A	----	0.146 - 0.093	.0223	----	----	----	----	2 UNCH
11630	----	----	----	0.054B/*0.264A	----	0.146 - 0.093	.0223	----	----	----	----	1 UNCH
11640	----	----	----	0.054B/*0.263A	----	0.146 - 0.092	.0223	----	----	----	----	1 UNCH
11650	----	----	----	0.054B/0.259A	----	0.146 - 0.091	.0223	----	----	----	----	2 UNCH
11665	----	----	----	0.053B/*0.256A	----	0.145 - 0.091	.0221	----	----	----	----	1 UNCH
11685	----	----	----	0.051B/*0.258A	----	0.145 - 0.089	.0221	----	----	----	----	1 UNCH
11690	----	----	----	0.051B/*0.253A	----	0.144 - 0.090	.0219	----	----	----	----	1 UNCH
11700	----	----	----	0.050B/*0.259A	----	0.144 - 0.089	.0219	----	----	----	----	85 UNCH
11705	----	----	----	0.050B/*0.256A	----	0.144 - 0.089	.0219	----	----	----	----	1 UNCH
11725	----	----	----	0.047B/*0.255A	----	0.143 - 0.088	.0217	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
11730	----	----	----	0.047B/*0.257A	----	0.143 - 0.088	.0217	----	----	----	----	1 UNCH
11750	----	----	----	0.045B/*0.253A	----	0.143 - 0.086	.0217	----	----	----	----	5 UNCH
11775	----	----	----	0.046B/*0.252A	----	0.142 - 0.085	.0215	----	----	----	----	2 UNCH
11800	0.250	0.250	0.250/*0.200	0.250/*0.200	----	0.142 - 0.083	.0214	----	----	3	----	64 + 3
11825	----	----	----	0.043B/*0.248A	----	0.141 - 0.082	.0213	----	----	----	----	2 UNCH
11850	----	----	----	0.041B/*0.249A	----	0.140 - 0.082	.0211	----	----	----	----	3 UNCH
11900	----	----	----/*0.183A	0.038B/*0.183A	----	0.139 - 0.079	.0209	----	----	----	----	86 UNCH
11925	----	----	----	0.036B/*0.244A	----	0.139 - 0.078	.0208	----	----	----	----	2 UNCH
11950	----	----	----	0.032B/*0.242A	----	0.138 - 0.077	.0206	----	----	----	----	5 UNCH
11975	----	----	----	0.028B/*0.241A	----	0.137 - 0.077	.0205	----	----	----	----	4 UNCH
12000	0.217	0.217	0.217/0.121	0.217/0.121	----	0.137 - 0.075	.0204	----	----	4	----	843 + 1
12025	----	----	----	0.030B/*0.238A	----	0.136 - 0.075	.0202	----	----	----	----	1 UNCH
12050	----	----	----	0.028B/*0.237A	----	0.136 - 0.073	.0202	----	----	----	----	1 UNCH
12075	----	----	----	0.027B/*0.235A	----	0.135 - 0.073	.0200	----	----	----	----	1 UNCH
12100	----	----	----	0.025B/*0.235A	----	0.135 - 0.071	.0200	----	----	----	----	17 UNCH
12125	----	----	----	0.023B/*0.233A	----	0.134 - 0.071	.0198	----	----	----	----	1 UNCH
12150	----	----	----/*0.174A	0.022B/*0.174A	----	0.134 - 0.070	.0197	----	----	----	----	13 UNCH
12175	----	----	----	0.020B/*0.230A	----	0.133 - 0.069	.0196	----	----	----	----	1 UNCH
12200	----	----	----	0.018B/*0.230A	----	0.133 - 0.068	.0195	----	----	----	----	4 UNCH
12225	----	----	----	0.017B/*0.228A	----	0.132 - 0.068	.0194	----	----	----	----	2 UNCH
12250	----	----	----	0.013B/*0.227A	----	0.132 - 0.067	.0193	----	----	----	----	3 UNCH
12300	----	----	----	0.023B/*0.224A	----	0.131 - 0.065	.0191	----	----	----	----	140 UNCH
12350	----	----	----	0.014B/*0.221A	----	0.130 - 0.064	.0189	----	----	----	----	2 UNCH
12375	----	----	----	0.020B/*0.220A	----	0.130 - 0.063	.0189	----	----	----	----	1 UNCH
12400	----	----	----	0.013B/*0.219A	----	0.129 - 0.063	.0187	----	----	----	----	12 UNCH
12450	----	----	----	0.019B/*0.216A	----	0.128 - 0.062	.0185	----	----	----	----	5 UNCH
12500	----	----	----	0.081B/0.214A	----	0.127 - 0.061	.0183	----	----	1	----	329 - 1
12525	----	----	----	0.018B/0.217A	----	0.127 - 0.060	.0182	----	----	----	----	2 UNCH
12550	----	----	----	0.018B/*0.216A	----	0.127 - 0.059	.0182	----	----	----	----	3 UNCH
12600	----	----	----	0.018B/*0.214A	----	0.126 - 0.058	.0180	----	----	----	----	29 UNCH
12650	----	----	----	0.020B/*0.212A	----	0.125 - 0.057	.0178	----	----	----	----	3 UNCH
12675	----	----	----	0.043B/*0.210A	----	0.124 - 0.057	.0177	----	----	----	----	3 UNCH
12700	----	----	----	0.020B/*0.210A	----	0.124 - 0.057	.0176	----	----	----	----	5 UNCH
12725	----	----	----	0.018B/*0.209A	----	0.123 - 0.057	.0175	----	----	----	----	1 UNCH
12775	----	----	----	0.011B/*0.203A	----	0.123 - 0.055	.0174	----	----	----	----	2 UNCH
12800	----	----	----	0.042B/*0.204A	----	0.122 - 0.055	.0172	----	----	----	----	30 UNCH
12900	----	----	----	0.038B/*0.197A	----	0.120 - 0.054	.0169	----	----	----	----	73 UNCH
13000	0.125	0.125	0.125/*0.125	0.125/*0.125	----	0.118 - 0.052	.0165	----	----	3	----	281 - 2
13100	----	----	----	0.017B/*0.192A	----	0.116 - 0.051	.0161	----	----	----	----	3 UNCH
13200	----	----	----/*0.136A	0.016B/*0.136A	----	0.114 - 0.050	.0158	----	----	----	----	44 UNCH
13300	----	----	----	0.016B/*0.189A	----	0.112 - 0.049	.0154	----	----	----	----	3 UNCH
13400	----	----	----	0.016B/*0.184A	----	0.110 - 0.048	.0151	----	----	----	----	3 UNCH
13500	----	----	----	0.010B/0.180A	----	0.108 - 0.048	.0147	----	----	----	----	64 UNCH
13600	----	----	----/*0.127A	0.011B/*0.127A	----	0.106 - 0.047	.0144	----	----	----	----	19 UNCH
13700	----	----	----	0.010B/*0.176A	----	0.104 - 0.046	.0141	----	----	----	----	76 UNCH
13800	----	----	----	0.010B/*0.180A	----	0.102 - 0.046	.0138	----	----	----	----	39 UNCH
13900	----	----	----/*0.125A	0.009B/*0.125A	----	0.100 - 0.045	.0134	----	----	----	----	4 UNCH
14000	0.080	0.080	0.080/0.080	0.080/0.080	----	0.098 - 0.045	.0131	----	----	1	----	400 - 1
14100	----	----	----/*0.131A	0.006B/*0.131A	----	0.096 - 0.044	.0128	----	----	----	----	27 UNCH
14200	----	----	----	0.012B/0.181A	----	0.094 - 0.044	.0125	----	----	----	----	42 UNCH
14300	----	----	----	0.004B/0.179A	----	0.091 - 0.044	.0121	----	----	----	----	6 UNCH
14400	----	----	----	0.004B/0.181A	----	0.089 - 0.044	.0118	----	----	----	----	13 UNCH
14500	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.087 - 0.044	.0115	----	----	1	----	117 UNCH
14600	----	----	----	0.006B/0.178A	----	0.085 - 0.043	.0112	----	----	----	----	55 UNCH
14700	----	----	----	0.001B/0.172A	----	0.083 - 0.043	.0109	----	----	----	----	9 UNCH
14800	----	----	----	0.001B/0.177A	----	0.081 - 0.043	.0106	----	----	----	----	61 UNCH
14900	----	----	----	0.001B/0.204A	----	0.079 - 0.043	.0103	----	----	----	----	3 UNCH
15000	----	----	----/0.087A	0.001B/0.087A	----	0.077 - 0.042	.0101	----	----	----	----	449 UNCH
15100	----	----	----	0.001B/0.202A	----	0.075 - 0.042	.0098	----	----	----	----	9 UNCH
15200	----	----	----	0.001B/0.201A	----	0.073 - 0.042	.0095	----	----	----	----	54 UNCH
15300	----	----	----	0.001B/0.200A	----	0.071 - 0.042	.0092	----	----	----	----	11 UNCH
15500	----	----	----	0.001B/0.198A	----	0.068 - 0.041	.0088	----	----	----	----	115 UNCH
15600	----	----	----	0.001B/0.198A	----	0.066 - 0.041	.0085	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/0.197A	----	0.064 - 0.041	.0083	----	----	----	----	19 UNCH
15800	----	----	----	0.001B/0.196A	----	0.063 - 0.040	.0081	----	----	----	----	14 UNCH
15900	----	----	----	0.001B/0.195A	----	0.061 - 0.040	.0078	----	----	----	----	14 UNCH
16000	0.069	0.069	0.069/*0.069	0.070B/*0.069	----	0.059 - 0.040	.0076	----	----	4	----	721 + 2
16100	----	----	----	0.001B/0.194A	----	0.058 - 0.039	.0074	----	----	----	----	6 UNCH
16200	----	----	----	0.001B/0.193A	----	0.056 - 0.039	.0072	----	----	----	----	1 UNCH
16300	----	----	----	0.001B/0.192A	----	0.055 - 0.038	.0070	----	----	----	----	1 UNCH
16400	----	----	----	0.001B/0.191A	----	0.053 - 0.038	.0068	----	----	----	----	2 UNCH
16500	----	----	----	0.001B/0.190A	----	0.052 - 0.037	.0066	----	----	----	----	56 UNCH
16600	----	----	----	0.001B/0.189A	----	0.050 - 0.037	.0064	----	----	----	----	3 UNCH
16700	----	----	----	0.001B/0.188A	----	0.049 - 0.036	.0062	----	----	----	----	5 UNCH
16800	----	----	----	0.001B/0.187A	----	0.048 - 0.035	.0061	----	----	----	----	6 UNCH
16900	----	----	----	0.001B/0.187A	----	0.047 - 0.034	.0060	----	----	----	----	67 UNCH
17000	----	----	----	0.001B/0.186A	----	0.045 - 0.034	.0057	----	----	----	----	67 UNCH
17100	----	----	----	0.001B/0.185A	----	0.044 - 0.034	.0056	----	----	----	----	8 UNCH
17200	----	----	----	0.001B/0.184A	----	0.043 - 0.033	.0055	----	----	----	----	6 UNCH
17300	----	----	----	0.001B/0.184A	----	0.042 - 0.032	.0053	----	----	----	----	5 UNCH
17400	----	----	----	0.001B/0.183A	----	0.041 - 0.031	.0052	----	----	----	----	6 UNCH
17500	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.040 - 0.031	.0051	----	----	1	----	96 + 1
17600	----	----	----	0.001B/0.181A	----	0.039 - 0.030	.0049	----	----	----	----	7 UNCH
17700	----	----	----	0.001B/0.179A	----	0.038 - 0.029	.0048	----	----	----	----	9 UNCH
17800	----	----	----	----/0.178A	----	0.037 - 0.029	.0047	----	----	----	----	8 UNCH
17900	----	----	----	----/0.176A	----	0.036 - 0.028	.0045	----	----	----	----	3 UNCH
18000	----	----	----	----/0.175A	----	0.036 - 0.027	.0045	----	----	----	----	56 UNCH
18100	----	----	----	----/0.173A	----	0.035 - 0.026	.0044	----	----	----	----	1 UNCH
18200	----	----	----	----/0.171A	----	0.034 - 0.026	.0043	----	----	----	----	11 UNCH
18300	----	----	----	----/0.170A	----	0.033 - 0.026	.0041	----	----	----	----	5 UNCH
18400	----	----	----	----/0.167A	----	0.033 - 0.024	.0041	----	----	----	----	2 UNCH
18500	----	----	----	----/0.165A	----	0.032 - 0.024	.0040	----	----	----	----	11 UNCH
18700	----	----	----	----/0.162A	----	0.031 - 0.022	.0038	----	----	----	----	8 UNCH
18800	----	----	----	----/0.161A	----	0.030 - 0.022	.0037	----	----	----	----	6 UNCH
18900	----	----	----	----/0.159A	----	0.029 - 0.022	.0036	----	----	----	----	3 UNCH
19000	----	----	----	----/0.158A	----	0.029 - 0.021	.0036	----	----	----	----	51 UNCH
19100	----	----	----	----/0.156A	----	0.028 - 0.021	.0035	----	----	----	----	74 UNCH
19200	----	----	----	----/0.154A	----	0.027 - 0.021	.0033	----	----	----	----	130 UNCH
19300	----	----	----	----/0.153A	----	0.027 - 0.020	.0033	----	----	----	----	6 UNCH
19400	----	----	----	----/0.152A	----	0.026 - 0.020	.0032	----	----	----	----	66 UNCH
19500	----	----	----	----/0.151A	----	0.026 - 0.019	.0032	----	----	----	----	96 UNCH
19700	----	----	----	----/0.148A	----	0.025 - 0.018	.0031	----	----	----	----	2 UNCH
19800	----	----	----	----/0.147A	----	0.024 - 0.018	.0029	----	----	----	----	10 UNCH
19900	----	----	----	----/0.145A	----	0.024 - 0.017	.0029	----	----	----	----	11 UNCH
20000	0.027	0.027	0.030/*0.027	0.030/*0.027	----	0.023 - 0.017	.0028	----	----	4	----	392 - 2
21000	----	----	----	----/0.100A	----	0.018 - 0.016	.0022	----	----	----	----	15 UNCH
22000	----	----	----	----/0.166A	----	0.014 - 0.015	.0017	----	----	----	----	10 UNCH
23000	----	----	----	----/0.164A	----	0.011 - 0.015	.0013	----	----	----	----	6 UNCH
24000	----	----	----	0.009B/0.031A	----	0.008 - 0.016	.0010	----	----	----	----	1 UNCH
25000	0.010	0.010	0.012/0.010	0.012/0.010	----	0.006 - 0.016	.0007	----	----	4	----	81 UNCH
TOTAL										992	90	22608 + 419
JUN26												
4300	----	----	----/25.489A	28.168B/25.489A	----	25.820 - 4.568	.9520	----	----	----	----	20 UNCH
4850	----	----	----/20.474A	22.798B/20.474A	----	20.750 - 4.417	.9126	----	----	----	----	7 UNCH
4900	----	----	----/19.957A	22.324B/19.957A	----	20.307 - 4.398	.9077	----	----	----	----	9 UNCH
5000	----	----	----/19.118A	21.620B/19.118A	----	19.434 - 4.356	.8970	----	----	----	----	350 UNCH
5025	----	----	----/18.966A	21.155B/18.966A	----	19.220 - 4.344	.8941	----	----	----	----	6 UNCH
5050	----	----	----/19.189A	20.856B/19.189A	----	19.006 - 4.332	.8911	----	----	----	----	1 UNCH
5200	----	----	----/17.448A	19.838B/17.448A	----	17.746 - 4.250	.8721	----	----	----	----	77 UNCH
5225	----	----	----/17.760A	19.292B/17.760A	----	17.539 - 4.236	.8688	----	----	----	----	4 UNCH
5275	----	----	----/16.913A	18.900B/16.913A	----	17.129 - 4.206	.8619	----	----	----	----	7 UNCH
5300	----	----	----/17.158A	18.634B/17.158A	----	16.925 - 4.190	.8584	----	----	----	----	3 UNCH
5325	----	----	----/16.948A	18.417B/16.948A	----	16.723 - 4.174	.8548	----	----	----	----	5 UNCH
5350	----	----	----/16.230A	18.266B/16.230A	----	16.521 - 4.159	.8511	----	----	----	----	7 UNCH
5400	----	----	----/16.363A	17.770B/16.363A	----	16.121 - 4.126	.8437	----	----	----	----	2 UNCH
5425	----	----	----/15.719A	17.638B/15.719A	----	15.922 - 4.109	.8399	----	----	----	----	9 UNCH
5500	----	----	----/15.076A	17.237B/15.076A	----	15.334 - 4.057	.8281	----	----	----	----	341 UNCH
5525	----	----	----/15.399A	16.712B/15.399A	----	15.140 - 4.039	.8241	----	----	----	----	2 UNCH
5600	----	----	----/14.379A	16.217B/14.379A	----	14.566 - 3.983	.8116	----	----	----	----	7 UNCH
5625	----	----	----/14.230A	16.016B/14.230A	----	14.377 - 3.964	.8074	----	----	----	----	11 UNCH
5675	----	----	----/14.291A	15.483B/14.291A	----	14.003 - 3.925	.7987	----	----	----	----	1 UNCH
5700	----	----	----/13.590A	15.608B/13.590A	----	13.818 - 3.905	.7942	----	----	----	----	56 UNCH
5725	----	----	----/13.429A	15.223B/13.429A	----	13.635 - 3.884	.7898	----	----	----	----	10 UNCH
5750	----	----	----/13.262A	15.032B/13.262A	----	13.452 - 3.864	.7852	----	----	----	----	13 UNCH
5775	----	----	----/13.578A	14.697B/13.578A	----	13.271 - 3.843	.7806	----	----	----	----	1 UNCH
5800	----	----	----/13.400A	14.499B/13.400A	----	13.092 - 3.821	.7760	----	----	----	----	2 UNCH
5825	----	----	----/13.208A	14.311B/13.208A	----	12.913 - 3.801	.7713	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
5850	----	----	----/12.535A	14.277B/12.535A	----	12.736 - 3.779	.7666	----	----	----	----	9 UNCH
5900	----	----	----/12.721A	13.741B/12.721A	----	12.387 - 3.735	.7569	----	----	----	----	4 UNCH
5925	----	----	----/12.070A	13.739B/12.070A	----	12.215 - 3.712	.7520	----	----	----	----	17 UNCH
6000	----	----	----/11.522A	13.325B/11.522A	----	11.706 - 3.644	.7370	----	----	----	----	401 UNCH
6025	----	----	----/11.381A	13.043B/11.381A	----	11.540 - 3.620	.7320	----	----	----	----	7 UNCH
6050	----	----	----/11.745A	12.635B/11.745A	----	11.375 - 3.596	.7268	----	----	----	----	4 UNCH
6075	----	----	----/11.044A	12.697B/11.044A	----	11.211 - 3.573	.7217	----	----	----	----	30 UNCH
6100	----	----	----/10.901A	12.530B/10.901A	----	11.050 - 3.548	.7165	----	----	----	----	16 UNCH
6200	10.450	10.450	10.510/10.182A	11.904B/10.182A	----	10.419 - 3.450	.6953	----	----	6	----	101 UNCH
6225	----	----	----/10.422A	11.403B/10.422A	----	10.265 - 3.426	.6898	----	----	----	----	1 UNCH
6250	----	----	----/10.273A	11.232B/10.273A	----	10.113 - 3.401	.6844	----	----	----	----	4 UNCH
6300	----	----	----/9.991A	10.896B/9.991A	----	9.815 - 3.349	.6735	----	----	----	----	4 UNCH
6400	----	----	----/9.045A	10.603B/9.045A	----	9.238 - 3.246	.6513	----	----	----	----	110 UNCH
6425	----	----	----/8.953A	10.451B/8.953A	----	9.098 - 3.220	.6457	----	----	----	----	25 UNCH
6450	----	----	----/8.862A	10.297B/8.862A	----	8.960 - 3.193	.6401	----	----	----	----	6 UNCH
6475	----	----	----/9.049A	9.763B/9.049A	----	8.823 - 3.168	.6344	----	----	----	----	5 UNCH
6500	----	----	----/8.597A	10.322B/8.597A	----	8.688 - 3.141	.6288	----	----	----	----	11 UNCH
6625	----	----	----/7.925A	9.281B/7.925A	----	8.040 - 3.008	.6003	----	----	----	----	10 UNCH
6700	----	----	----/7.681A	8.433B/7.681A	----	7.671 - 2.929	.5832	----	----	----	----	1 UNCH
6725	----	----	----/7.575A	8.294B/7.575A	----	7.552 - 2.902	.5775	----	----	----	----	1 UNCH
6750	----	----	----/7.346A	8.243B/7.346A	----	7.434 - 2.875	.5718	----	----	----	----	3 UNCH
6800	----	----	----/7.012A	8.289B/7.012A	----	7.204 - 2.821	.5605	----	----	----	----	6 UNCH
6850	----	----	----/6.799A	8.019B/6.799A	----	6.980 - 2.768	.5491	----	----	----	----	5 UNCH
6900	----	----	----/6.579A	8.093B/6.579A	----	6.762 - 2.715	.5379	----	----	----	----	12 UNCH
6925	----	----	----/6.498A	8.081B/6.498A	----	6.656 - 2.688	.5323	----	----	----	----	9 UNCH
6975	6.587	6.587	6.587/6.373A	8.115B/6.373A	----	6.448 - 2.635	.5211	----	----	5	----	7 + 4
7000	----	----	----/6.227A	7.995B/6.227A	----	6.347 - 2.609	.5156	----	----	----	----	126 UNCH
7025	----	----	----/6.132A	6.982B/6.132A	----	6.247 - 2.582	.5101	----	----	----	----	1 UNCH
7050	----	----	----/6.059A	6.895B/6.059A	----	6.148 - 2.557	.5046	----	----	----	----	1 UNCH
7100	----	----	----/5.917A	7.374B/5.917A	----	5.956 - 2.504	.4937	----	----	----	----	5 UNCH
7250	----	----	----/5.388A	6.525B/5.388A	----	5.415 - 2.350	.4617	----	----	1	----	3 UNCH
7275	----	----	----/5.314A	6.008B/5.314A	----	5.330 - 2.324	.4565	----	----	----	----	1 UNCH
7300	----	----	----/5.209A	6.420B/5.209A	----	5.246 - 2.300	.4513	----	----	----	----	3 UNCH
7375	----	----	----/4.984A	6.001B/4.984A	----	5.004 - 2.224	.4360	----	----	----	----	3 UNCH
7400	----	----	----/4.897A	6.004B/4.897A	----	4.925 - 2.200	.4310	----	----	----	----	3 UNCH
7425	----	----	----/4.824A	5.841B/4.824A	----	4.848 - 2.175	.4260	----	----	----	----	11 UNCH
7450	----	----	----/4.756A	5.394B/4.756A	----	4.773 - 2.150	.4211	----	----	----	----	1 UNCH
7475	----	----	----/4.683A	5.300B/4.683A	----	4.698 - 2.127	.4162	----	----	----	----	1 UNCH
7500	5.857	5.857	5.869/4.499A	5.869/4.499A	----	4.625 - 2.102	.4114	----	----	8	----	132 + 4
7525	----	----	----/4.542A	5.454B/4.542A	----	4.553 - 2.078	.4065	----	----	----	----	4 UNCH
7550	----	----	----/4.432A	5.335B/4.432A	----	4.483 - 2.054	.4018	----	----	----	----	22 UNCH
7575	----	----	----/*4.404A	4.990B/4.404A	----	4.413 - 2.031	.3971	----	----	----	----	1 UNCH
7600	----	----	----/4.323A	5.269B/4.323A	----	4.345 - 2.007	.3924	----	----	----	----	18 UNCH
7675	----	----	----/*4.173A	4.916B/4.173A	----	4.148 - 1.937	.3786	----	----	----	----	2 UNCH
7700	----	----	----/4.008A	4.886B/4.008A	----	4.084 - 1.914	.3741	----	----	----	----	51 UNCH
7725	----	----	----/*3.948A	4.713B/3.948A	----	4.022 - 1.891	.3697	----	----	----	----	4 UNCH
7750	----	----	----/*3.933A	4.667B/3.933A	----	3.960 - 1.869	.3653	----	----	----	----	9 UNCH
7775	----	----	----/*3.914A	4.410B/3.914A	----	3.900 - 1.846	.3609	----	----	----	----	1 UNCH
7800	----	----	----/*3.852A	4.598B/3.852A	----	3.841 - 1.823	.3566	----	----	----	----	5 UNCH
7825	----	----	----/*3.770A	4.278B/*3.770A	----	3.782 - 1.802	.3523	----	----	----	----	1 UNCH
7850	----	----	----/*3.741A	4.215B/*3.741A	----	3.725 - 1.780	.3481	----	----	----	----	1 UNCH
7900	----	----	----/3.530A	4.296B/3.530A	----	3.614 - 1.736	.3398	----	----	----	----	66 UNCH
7925	----	----	----/*3.580A	4.029B/*3.580A	----	3.559 - 1.715	.3357	----	----	----	----	1 UNCH
7975	----	----	----/*3.475A	3.907B/*3.475A	----	3.454 - 1.671	.3277	----	----	----	----	1 UNCH
8000	3.900	3.900	3.900/3.355A	4.112B/3.355A	----	3.402 - 1.651	.3238	----	----	24	----	149 - 11
8025	----	----	----/*3.375A	3.837B/*3.375A	----	3.352 - 1.629	.3199	----	----	----	----	3 UNCH
8050	----	----	----/*3.242A	3.786B/*3.242A	----	3.302 - 1.609	.3160	----	----	----	----	57 UNCH
8075	----	----	----/*3.277A	3.730B/*3.277A	----	3.253 - 1.589	.3122	----	----	----	----	2 UNCH
8100	----	----	----/*3.224A	3.750B/*3.224A	----	3.206 - 1.567	.3085	----	----	----	----	7 UNCH
8125	----	----	----/*3.187A	3.702B/*3.187A	----	3.159 - 1.547	.3048	----	----	----	----	2 UNCH
8150	----	----	----/*3.097A	3.671B/*3.097A	----	3.112 - 1.528	.3011	----	----	----	----	10 UNCH
8200	----	----	----/*3.044A	3.576B/*3.044A	----	3.022 - 1.488	.2939	----	----	----	----	2 UNCH
8225	----	----	----/*3.006A	3.529B/*3.006A	----	2.979 - 1.468	.2904	----	----	----	----	2 UNCH
8250	----	----	----/*2.925A	3.482B/*2.925A	----	2.936 - 1.448	.2869	----	----	----	----	15 UNCH
8275	----	----	----/*2.822A	3.437B/*2.822A	----	2.893 - 1.430	.2834	----	----	----	----	19 UNCH
8300	----	----	----/2.816A	3.576B/2.816A	----	2.852 - 1.410	.2800	----	----	----	----	85 UNCH
8350	----	----	----/*2.805A	3.318B/*2.805A	----	2.771 - 1.373	.2734	----	----	----	----	8 UNCH
8375	----	----	----/*2.764A	3.264B/*2.764A	----	2.732 - 1.354	.2701	----	----	----	----	4 UNCH
8400	2.856	2.856	2.856/*2.682A	3.299B/*2.682A	----	2.693 - 1.336	.2669	----	----	1	----	7 UNCH
8425	----	----	----/*2.633A	3.260B/*2.633A	----	2.655 - 1.318	.2637	----	----	----	----	50 UNCH
8450	----	----	----/*2.607A	3.139B/*2.607A	----	2.618 - 1.300	.2605	----	----	----	----	18 UNCH
8475	----	----	----/*2.633A	3.099B/*2.633A	----	2.581 - 1.283	.2574	----	----	----	----	6 UNCH
8500	----	----	----/2.522A	3.185B/2.522A	----	2.545 - 1.265	.2544	----	----	3	----	177 + 2
8550	----	----	----/*2.520A	2.984B/*2.520A	----	2.475 - 1.231	.2484	----	----	----	----	4 UNCH
8575	----	----	----/*2.439A	2.946B/*2.439A	----	2.441 - 1.214	.2454	----	----	----	----	4 UNCH
8600	2.436	2.436	2.436/*2.436	2.943B/*2.436	----	2.407 - 1.198	.2425	----	----	1	----	5 - 1
8625	----	----	----/*2.392A	2.871B/*2.392A	----	2.374 - 1.181	.2396	----	----	----	----	3 UNCH
8675	----	----	----/*2.343A	2.805B/*2.343A	----	2.310 - 1.149	.2340	----	----	----	----	5 UNCH
8700	2.540	2.540	2.540/*2.313A	2.814B/*2.313A	----	2.279 - 1.132	.2313	----	----	1	----	28 UNCH
8725	----	----	----/*2.277A	2.735B/*2.277A	----	2.248 - 1.117	.2285	----	----	----	----	2 UNCH
8750	----	----	----/*2.265A	2.702B/*2.265A	----	2.218 - 1.101	.2259	----	----	----	----	13 UNCH
8775	----	----	----/*2.218A	2.668B/*2.218A	----	2.189 - 1.085	.2233	----	----	----	----	1 UNCH
8800	2.150	2.150	2.150/*2.150	2.637B/*2.150	----	2.159 - 1.071	.2206	----	----	1	----	21 UNCH
8825	----	----	----/*2.176A	2.604B/*2.176A	----	2.131 - 1.055	.2181	----	----	----	----	2 UNCH
8850	----	----	----/*2.131A	2.571B/*2.131A	----	2.103 - 1.041	.2156	----	----	----	----	11 UNCH
8900	----	----	----/*2.010A	2.509B/*2.010A	----	2.048 - 1.012	.2106	----	----	----	----	9 UNCH
8950	----	----	----/*2.035A	2.447B/*2.035A	----	1.995 - 0.984	.2058	----	----	----	----	2 UNCH
8975	----	----	----/*1.983A	2.418B/*1.983A	----	1.969 - 0.970	.2034	----	----	----	----	4 UNCH
9000	1.980	1.980	1.980/1.875	2.469B/1.875	----	1.943 - 0.957	.2010	----	----	8	----	424 - 2
9025	----	----	----/*1.958A	2.355B/*1.958A	----	1.918 - 0.943	.1987	----	----	----	----	2 UNCH
9050	----	----	----/*1.902A	2.327B/*1.902A	----	1.894 - 0.930	.1965	----	----	----	----	12 UNCH
9100	2.000	2.000	2.000/1.857A	2.350B/1.857A	----	1.846 - 0.904	.1920	----	----	1	----	327 UNCH
9125	----	----	----/*1.860A	2.239B/*1.860A	----	1.822 - 0.892	.1898	----	----	----	----	2 UNCH
9150	----	----	----/*1.809A	2.291B/*1.809A	----	1.799 - 0.879	.1877	----	----	----	----	100 UNCH
9175	----	----	----/*1.802A	2.185B/*1.802A	----	1.777 - 0.866	.1856	----	----	----	----	1 UNCH
9200	----	----	----/1.763A	2.232B/1.763A	----	1.754 - 0.855	.1834	----	----	6	----	96 - 1
9225	----	----	----/*1.759A	2.129B/*1.759A	----	1.732 - 0.843	.1814	----	----	----	----	2 UNCH
9250	----	----	----/*1.746A	2.101B/*1.746A	----	1.711 - 0.831	.1794	----	----	----	----	3 UNCH
9275	----	----	----/*1.714A	2.073B/*1.714A	----	1.690 - 0.819	.1774	----	----	----	----	7 UNCH
9300	----	----	----/*1.691A	2.088B/*1.691A	----	1.669 - 0.808	.1754	----	----	3	----	28 + 3
9350	----	----	----/*1.634A	1.991B/*1.634A	----	1.628 - 0.786	.1715	----	----	----	----	16 UNCH
9375	----	----	----/*1.653A	1.965B/*1.653A	----	1.608 - 0.775	.1696	----	----	----	----	16 UNCH
9400	----	----	----/*1.615A	1.937B/*1.615A	----	1.589 - 0.764	.1677	----	----	----	----	21 UNCH
9425	----	----	----/*1.594A	1.908B/*1.594A	----	1.569 - 0.754	.1658	----	----	----	----	22 UNCH
9450	----	----	----/*1.571A	1.883B/*1.571A	----	1.550 - 0.744	.1640	----	----	----	----	4 UNCH
9475	----	----	----/*1.583A	1.860B/*1.583A	----	1.532 - 0.733	.1622	----	----	----	----	17 UNCH
9500	----	----	----/1.534A	1.914B/1.534A	----	1.513 - 0.723	.1604	----	----	----	----	229 UNCH
9600	----	----	----/*1.473A	1.742B/*1.473A	----	1.442 - 0.685	.1535	----	----	----	----	16 UNCH
9625	----	----	----/*1.464A	1.718B/*1.464A	----	1.425 - 0.676	.1518	----	----	----	----	4 UNCH
9650	----	----	----/*1.496A	1.694B/*1.496A	----	1.408 - 0.667	.1502	----	----	----	----	1 UNCH
9675	----	----	----/*1.416A	1.670B/*1.416A	----	1.392 - 0.658	.1486	----	----	----	----	2 UNCH
9700	----	----	----/*1.427A	1.689B/*1.427A	----	1.375 - 0.650	.1469	----	----	----	----	36 UNCH
9750	----	----	----/*1.404A	1.644B/*1.404A	----	1.343 - 0.633	.1438	----	----	----	----	28 UNCH
9800	----	----	----/*1.324A	1.559B/*1.324A	----	1.312 - 0.616	.1407	----	----	----	----	4 UNCH
9850	----	----	----/*1.295A	1.514B/*1.295A	----	1.282 - 0.600	.1377	----	----	----	----	1 UNCH
9875	----	----	----/*1.283A	1.490B/*1.283A	----	1.267 - 0.593	.1362	----	----	----	----	10 UNCH
9900	----	----	----/*1.259A	1.468B/*1.259A	----	1.252 - 0.586	.1348	----	----	----	----	11 UNCH
9925	----	----	----/*1.343A	1.447B/*1.343A	----	1.238 - 0.578	.1334	----	----	----	----	1 UNCH
9950	----	----	----/*1.250A	1.429B/*1.250A	----	1.224 - 0.570	.1319	----	----	----	----	2 UNCH
9975	----	----	----/*1.257A	1.407B/*1.257A	----	1.210 - 0.563	.1305	----	----	----	----	4 UNCH
10000	----	----	----/1.216A	1.466B/1.216A	----	1.196 - 0.557	.1292	----	----	7	----	586 + 7
10025	----	----	----/*1.282A	1.368B/*1.282A	----	1.182 - 0.550	.1278	----	----	----	----	4 UNCH
10050	----	----	----/*1.175A	1.347B/*1.175A	----	1.169 - 0.543	.1264	----	----	----	----	3 UNCH
10075	----	----	----/*1.187A	1.336B/*1.187A	----	1.155 - 0.537	.1251	----	----	----	----	4 UNCH
10100	----	----	----/*1.111A	1.320B/*1.111A	----	1.142 - 0.531	.1237	----	----	----	----	13 UNCH
10175	----	----	----/*1.193A	1.274B/*1.193A	----	1.103 - 0.513	.1198	----	----	----	----	1 UNCH
10200	----	----	----/*1.173A	1.260B/*1.173A	----	1.091 - 0.506	.1186	----	----	----	----	5 UNCH
10300	----	----	----/*1.125A	1.202B/*1.125A	----	1.042 - 0.484	.1137	----	----	----	----	7 UNCH
10375	----	----	----/*1.079A	1.164B/*1.079A	----	1.008 - 0.468	.1102	----	----	----	----	1 UNCH
10400	----	----	----/*0.994A	1.151B/*0.994A	----	0.996 - 0.464	.1090	----	----	----	----	4 UNCH
10425	----	----	----/*1.066A	1.138B/*1.066A	----	0.985 - 0.459	.1079	----	----	----	----	1 UNCH
10450	----	----	----/*0.976A	1.124B/*0.976A	----	0.974 - 0.454	.1067	----	----	----	----	3 UNCH
10475	----	----	----/*0.966A	1.108B/*0.966A	----	0.963 - 0.449	.1056	----	----	----	----	2 UNCH
10500	----	----	----/*0.963A	1.107B/*0.963A	----	0.953 - 0.444	.1046	----	----	16	----	320 + 16
10525	----	----	----/*1.021A	1.085B/*1.021A	----	0.942 - 0.440	.1035	----	----	----	----	12 UNCH
10550	----	----	----/*0.936A	1.072B/*0.936A	----	0.932 - 0.435	.1024	----	----	----	----	2 UNCH
10600	----	----	----/*0.951A	1.050B/*0.951A	----	0.911 - 0.427	.1003	----	----	16	----	27 + 9
10625	----	----	----/*0.975A	1.037B/*0.975A	----	0.901 - 0.423	.0992	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10650	----	----	----/*0.948A	1.026B/*0.948A	----	0.891 - 0.418	.0982	----	----	----	----	3 UNCH
10700	1.000	1.000	1.002B/*0.961A	1.002B/*0.961A	----	0.872 - 0.410	.0962	----	----	1	----	9 + 1
10750	----	----	----/1.000A	0.976B/1.000A	----	0.853 - 0.402	.0943	----	----	3	----	4 + 1
10800	----	----	----/0.967A	0.957B/0.967A	----	0.834 - 0.395	.0923	----	----	----	----	2 UNCH
10850	----	----	----/*0.924A	0.935B/*0.924A	----	0.816 - 0.388	.0905	----	----	----	----	12 UNCH
10875	----	----	----/0.953A	0.816B/0.953A	----	0.807 - 0.385	.0895	----	----	----	----	7 UNCH
10900	----	----	----/0.940A	0.915B/0.940A	----	0.799 - 0.381	.0887	----	----	----	----	20 UNCH
10925	----	----	----/*0.907A	0.715B/*0.907A	----	0.790 - 0.378	.0877	----	----	----	----	1 UNCH
10950	----	----	----/*0.898A	0.895B/*0.898A	----	0.782 - 0.374	.0869	----	----	----	----	1 UNCH
11000	1.030	1.030	1.030/0.758	1.030/0.758	----	0.765 - 0.368	.0851	----	----	2	----	477 + 1
11025	----	----	----/*0.772A	0.675B/*0.772A	----	0.757 - 0.364	.0843	----	----	----	----	1 UNCH
11050	----	----	----/*0.818A	0.673B/*0.818A	----	0.749 - 0.361	.0835	----	----	----	----	4 UNCH
11075	----	----	----/*0.762A	0.676B/*0.762A	----	0.741 - 0.358	.0826	----	----	----	----	5 UNCH
11100	----	----	----/*0.805A	0.638B/*0.805A	----	0.733 - 0.355	.0818	----	----	----	----	1 UNCH
11125	----	----	----/*0.750A	0.677B/*0.750A	----	0.725 - 0.353	.0809	----	----	----	----	5 UNCH
11175	----	----	----/*0.731A	0.670B/*0.731A	----	0.710 - 0.347	.0794	----	----	----	----	2 UNCH
11200	----	----	----/*0.784A	0.613B/*0.784A	----	0.703 - 0.343	.0786	----	----	----	----	2 UNCH
11225	----	----	----/*0.725A	0.658B/*0.725A	----	0.695 - 0.341	.0778	----	----	----	----	3 UNCH
11300	----	----	----/*0.742A	0.683B/*0.742A	----	0.674 - 0.332	.0755	----	----	----	----	2 UNCH
11325	----	----	----/*0.695A	0.676B/*0.695A	----	0.667 - 0.330	.0748	----	----	----	----	5 UNCH
11350	----	----	----/*0.728A	0.686B/*0.728A	----	0.660 - 0.327	.0741	----	----	----	----	3 UNCH
11400	----	----	----/*0.711A	0.676B/*0.711A	----	0.647 - 0.322	.0727	----	----	----	----	163 UNCH
11425	----	----	----/*0.676A	0.695B/*0.676A	----	0.640 - 0.320	.0719	----	----	----	----	11 UNCH
11450	----	----	----/*0.710A	0.685B/*0.710A	----	0.634 - 0.317	.0713	----	----	----	----	12 UNCH
11475	----	----	----/*0.665A	0.695B/*0.665A	----	0.628 - 0.314	.0706	----	----	----	----	2 UNCH
11500	----	----	----/*0.675A	0.680B/*0.675A	----	0.621 - 0.312	.0699	----	----	----	----	152 UNCH
11525	----	----	----/*0.655A	0.686B/*0.655A	----	0.615 - 0.309	.0692	----	----	----	----	4 UNCH
11550	----	----	----/*0.689A	0.672B/*0.689A	----	0.609 - 0.307	.0686	----	----	----	----	1 UNCH
11625	----	----	----/*0.634A	0.662B/*0.634A	----	0.591 - 0.300	.0667	----	----	----	----	1 UNCH
11675	----	----	----/*0.621A	0.649B/*0.621A	----	0.580 - 0.295	.0655	----	----	----	----	2 UNCH
11700	----	----	----/*0.650A	0.628B/*0.650A	----	0.574 - 0.293	.0648	----	----	----	----	3 UNCH
11725	----	----	----/*0.621A	0.637B/*0.621A	----	0.569 - 0.290	.0643	----	----	----	----	2 UNCH
11750	----	----	----/*0.625A	0.615B/*0.625A	----	0.563 - 0.289	.0636	----	----	----	----	21 UNCH
11775	----	----	----/*0.600A	0.627B/*0.600A	----	0.558 - 0.286	.0631	----	----	----	----	2 UNCH
11800	----	----	----/*0.630A	0.601B/*0.630A	----	0.553 - 0.283	.0625	----	----	----	----	4 UNCH
11850	----	----	----/*0.624A	0.591B/*0.624A	----	0.542 - 0.280	.0613	----	----	----	----	5 UNCH
11900	----	----	----/*0.609A	0.575B/*0.609A	----	0.532 - 0.275	.0602	----	----	----	----	1 UNCH
11925	----	----	----/*0.582A	0.591B/*0.582A	----	0.527 - 0.273	.0597	----	----	----	----	8 UNCH
11950	----	----	----/*0.636A	0.565B/*0.636A	----	0.523 - 0.270	.0592	----	----	----	----	1 UNCH
12000	0.555	0.555	0.635/0.523	0.635/0.523	----	0.513 - 0.267	.0581	----	----	3	----	419 + 1
12025	----	----	----/*0.577A	0.569B/*0.577A	----	0.509 - 0.264	.0577	----	----	----	----	11 UNCH
12125	----	----	----/*0.564A	0.547B/*0.564A	----	0.491 - 0.256	.0557	----	----	----	----	1 UNCH
12200	----	----	----/*0.609A	0.508B/*0.609A	----	0.478 - 0.250	.0543	----	----	----	----	13 UNCH
12225	----	----	----/*0.551A	0.529B/*0.551A	----	0.474 - 0.248	.0538	----	----	----	----	7 UNCH
12275	----	----	----/*0.541A	0.522B/*0.541A	----	0.466 - 0.244	.0529	----	----	----	----	1 UNCH
12325	----	----	----/*0.534A	0.513B/*0.534A	----	0.458 - 0.240	.0520	----	----	----	----	3 UNCH
12350	----	----	----/*0.585A	0.482B/*0.585A	----	0.454 - 0.239	.0516	----	----	----	----	5 UNCH
12400	----	----	----/*0.591A	0.472B/*0.591A	----	0.447 - 0.234	.0508	----	----	----	----	23 UNCH
12425	----	----	----/*0.520A	0.492B/*0.520A	----	0.443 - 0.233	.0503	----	----	----	----	1 UNCH
12450	----	----	----/*0.586A	0.460B/*0.586A	----	0.440 - 0.230	.0500	----	----	----	----	9 UNCH
12475	----	----	----/*0.510A	0.484B/*0.510A	----	0.436 - 0.229	.0495	----	----	----	----	1 UNCH
12500	----	----	----/*0.549A	0.454B/*0.549A	----	0.433 - 0.226	.0492	----	----	----	----	99 UNCH
12525	----	----	----/*0.503A	0.476B/*0.503A	----	0.429 - 0.225	.0488	----	----	----	----	37 UNCH
12550	----	----	----/*0.575A	0.445B/*0.575A	----	0.426 - 0.223	.0484	----	----	----	----	6 UNCH
12575	----	----	----/*0.497A	0.469B/*0.497A	----	0.423 - 0.221	.0481	----	----	----	----	2 UNCH
12600	----	----	----/*0.552A	0.437B/*0.552A	----	0.419 - 0.220	.0476	----	----	----	----	5 UNCH
12650	----	----	----/*0.557A	0.427B/*0.557A	----	0.413 - 0.216	.0469	----	----	----	----	2 UNCH
12675	----	----	----/*0.550A	0.439B/*0.550A	----	0.410 - 0.214	.0466	----	----	----	----	2 UNCH
12700	----	----	----/*0.543A	0.419B/*0.543A	----	0.407 - 0.212	.0462	----	----	----	----	11 UNCH
12725	----	----	----/*0.543A	0.443B/*0.543A	----	0.404 - 0.210	.0459	----	----	----	----	2 UNCH
12750	----	----	----/*0.567A	0.407B/0.567A	----	0.401 - 0.208	.0455	----	----	----	----	2 UNCH
12775	----	----	----/*0.546A	0.429B/*0.546A	----	0.398 - 0.206	.0452	----	----	----	----	7 UNCH
12800	----	----	----/*0.561A	0.405B/0.561A	----	0.395 - 0.205	.0449	----	----	----	----	34 UNCH
12900	----	----	----/*0.548A	0.378B/0.548A	----	0.384 - 0.198	.0436	----	----	----	----	6 UNCH
13000	----	----	----/0.537A	0.364B/0.537A	----	0.373 - 0.191	.0423	----	----	1	----	273 UNCH
13100	----	----	----/*0.525A	0.352B/0.525A	----	0.363 - 0.185	.0412	----	----	----	----	4 UNCH
13200	----	----	----/*0.514A	0.337B/0.514A	----	0.353 - 0.179	.0400	----	----	----	----	3 UNCH
13300	----	----	----/*0.503A	0.324B/0.503A	----	0.344 - 0.173	.0389	----	----	----	----	3 UNCH
13400	----	----	----/*0.493A	0.311B/0.493A	----	0.336 - 0.166	.0380	----	----	----	----	5 UNCH
13500	----	----	----/0.483A	0.303B/0.483A	----	0.327 - 0.161	.0370	----	----	----	----	23 UNCH
13600	----	----	----/*0.474A	0.288B/0.474A	----	0.320 - 0.155	.0361	----	----	----	----	7 UNCH
13700	----	----	----	0.280B/0.465A	----	0.312 - 0.150	.0352	----	----	----	----	5 UNCH
13800	----	----	----	0.270B/0.456A	----	0.305 - 0.145	.0343	----	----	----	----	1 UNCH
13900	----	----	----	0.260B/0.447A	----	0.299 - 0.139	.0336	----	----	----	----	3 UNCH
14000	----	----	----	0.250B/0.439A	----	0.293 - 0.134	.0329	----	----	----	----	292 UNCH
14200	----	----	----	0.233B/0.419A	----	0.281 - 0.125	.0314	----	----	----	----	60 UNCH
14300	----	----	----	0.223B/0.416A	----	0.275 - 0.121	.0307	----	----	----	----	1 UNCH
14400	----	----	----	0.215B/*0.405A	----	0.270 - 0.117	.0301	----	----	----	----	65 UNCH
14500	----	----	----	0.207B/0.400A	----	0.265 - 0.113	.0295	----	----	----	----	31 UNCH
14600	----	----	----	0.198B/0.395A	----	0.261 - 0.108	.0290	----	----	----	----	6 UNCH
14700	----	----	----	0.192B/0.385A	----	0.256 - 0.105	.0284	----	----	----	----	11 UNCH
14800	----	----	----	0.180B/0.378A	----	0.250 - 0.102	.0277	----	----	----	----	10 UNCH
14900	----	----	----	0.174B/0.376A	----	0.245 - 0.099	.0271	----	----	----	----	6 UNCH
15000	----	----	----	0.169B/0.370A	----	0.239 - 0.097	.0264	----	----	----	----	191 UNCH
15300	----	----	----	0.152B/0.353A	----	0.224 - 0.090	.0247	----	----	----	----	2 UNCH
15400	----	----	----	0.146B/0.348A	----	0.219 - 0.088	.0241	----	----	----	----	1 UNCH
15500	----	----	----	0.140B/0.345A	----	0.214 - 0.086	.0236	----	----	----	----	7 UNCH
15600	----	----	----	0.131B/0.338A	----	0.210 - 0.084	.0231	----	----	----	----	1 UNCH
15700	----	----	----	0.122B/0.334A	----	0.205 - 0.082	.0226	----	----	----	----	1 UNCH
15800	----	----	----	0.120B/0.330A	----	0.201 - 0.080	.0221	----	----	----	----	6 UNCH
15900	----	----	----	0.112B/0.324A	----	0.197 - 0.078	.0216	----	----	----	----	8 UNCH
16000	----	----	----	0.112B/0.318A	----	0.193 - 0.076	.0212	----	----	----	----	202 UNCH
16200	----	----	----	0.103B/0.311A	----	0.185 - 0.073	.0203	----	----	----	----	36 UNCH
16400	----	----	----	0.094B/0.303A	----	0.178 - 0.070	.0195	----	----	----	----	1 UNCH
16500	----	----	----	0.092B/0.299A	----	0.174 - 0.069	.0190	----	----	----	----	30 UNCH
16600	----	----	----	0.086B/0.295A	----	0.171 - 0.067	.0187	----	----	----	----	2 UNCH
16700	----	----	----	0.077B/0.292A	----	0.168 - 0.066	.0183	----	----	----	----	6 UNCH
16800	----	----	----	0.074B/0.288A	----	0.165 - 0.064	.0180	----	----	----	----	3 UNCH
17000	----	----	----	0.070B/0.281A	----	0.158 - 0.062	.0172	----	----	----	----	21 UNCH
17100	----	----	----	0.067B/0.279A	----	0.156 - 0.060	.0170	----	----	----	----	5 UNCH
17200	----	----	----	0.064B/0.275A	----	0.153 - 0.059	.0166	----	----	----	----	5 UNCH
17300	----	----	----	0.061B/*0.271A	----	0.150 - 0.058	.0163	----	----	----	----	11 UNCH
17400	----	----	----	0.055B/*0.268A	----	0.147 - 0.057	.0160	----	----	----	----	3 UNCH
17500	----	----	----	0.150B/0.217A	----	0.145 - 0.055	.0157	----	----	----	----	63 UNCH
17700	----	----	----	0.043B/*0.259A	----	0.139 - 0.054	.0151	----	----	----	----	3 UNCH
17800	----	----	----	0.042B/0.257A	----	0.137 - 0.053	.0148	----	----	----	----	3 UNCH
18000	----	----	----	0.068B/0.247A	----	0.132 - 0.051	.0143	----	----	----	----	41 UNCH
18100	----	----	----	0.034B/*0.251A	----	0.130 - 0.050	.0140	----	----	----	----	2 UNCH
18300	----	----	----	0.030B/0.247A	----	0.126 - 0.048	.0136	----	----	----	----	1 UNCH
18900	----	----	----	0.019B/0.236A	----	0.114 - 0.043	.0122	----	----	----	----	1 UNCH
19000	----	----	----	0.020B/0.233A	----	0.112 - 0.042	.0120	----	----	----	----	229 UNCH
19500	----	----	----	0.011B/*0.219A	----	0.104 - 0.038	.0111	----	----	----	----	126 UNCH
19600	----	----	----	0.005B/0.222A	----	0.102 - 0.038	.0109	----	----	----	----	2 UNCH
19900	----	----	----	0.007B/0.220A	----	0.097 - 0.037	.0103	----	----	----	----	26 UNCH
20000	0.130	0.130	0.130/0.130	0.130/0.130	----	0.096 - 0.036	.0102	----	----	2	----	236 UNCH
21000	----	----	----	0.005B/0.222A	----	0.083 - 0.031	.0088	----	----	----	----	20 UNCH
23000	----	----	0.090B/----	0.090B/*0.090A	----	0.065 - 0.023	.0068	----	----	----	----	15 UNCH
25000	----	----	----	0.001B/0.257A	----	0.053 - 0.018	.0054	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/0.393A	----	0.038 - 0.013	.0039	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.207A	----	0.025 - 0.008	.0026	----	----	----	----	29 UNCH
32000	----	----	----	0.001B/0.196A	----	0.019 - 0.006	.0019	----	----	----	----	1 UNCH
35000	----	----	----	----/*0.050A	----	0.014 - 0.005	.0014	----	----	----	----	8 UNCH
TOTAL										120	0	9552 + 34
JUL26												
2700	----	----	----	----	----	41.432 - 4.743	.9932	----	----	----	----	1 UNCH
3900	----	----	----	12.747B/45.793A	----	29.728 - 4.612	.9608	----	----	----	----	1 UNCH
4000	----	----	----	13.002B/44.327A	----	28.787 - 4.594	.9560	----	----	----	----	1 UNCH
4200	----	----	----	18.676B/38.043A	----	26.923 - 4.554	.9449	----	----	----	----	2 UNCH
4500	----	----	----	15.405B/35.986A	----	24.186 - 4.475	.9243	----	----	----	----	28 UNCH
4600	----	----	----	15.383B/34.321A	----	23.293 - 4.443	.9162	----	----	----	----	101 UNCH
4700	----	----	----	13.609B/34.189A	----	22.412 - 4.407	.9074	----	----	----	----	1 UNCH
4750	----	----	----	13.233B/33.677A	----	21.976 - 4.388	.9027	----	----	----	----	1 UNCH
4825	----	----	----	12.711B/32.984A	----	21.329 - 4.356	.8953	----	----	----	----	3 UNCH
4900	----	----	----	12.173B/32.259A	----	20.690 - 4.322	.8874	----	----	----	----	1 UNCH
4925	----	----	----	12.565B/31.441A	----	20.479 - 4.310	.8847	----	----	----	----	16 UNCH
5000	----	----	----	10.776B/31.997A	----	19.852 - 4.272	.8762	----	----	----	----	307 UNCH
5025	----	----	----	11.060B/31.288A	----	19.645 - 4.259	.8732	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
5050	----	----	----	10.476B/31.440A	----	19.440 - 4.244	.8703	----	----	----	----	2 UNCH
5100	----	----	----	10.136B/30.856A	----	19.032 - 4.216	.8641	----	----	----	----	130 UNCH
5150	----	----	----	10.040B/30.176A	----	18.629 - 4.185	.8577	----	----	----	----	6 UNCH
5200	----	----	----	9.380B/29.986A	----	18.231 - 4.154	.8511	----	----	----	----	40 UNCH
5225	----	----	----	9.683B/29.262A	----	18.034 - 4.137	.8478	----	----	----	----	9 UNCH
5250	----	----	----	9.517B/29.040A	----	17.838 - 4.120	.8444	----	----	----	----	2 UNCH
5275	----	----	----	8.829B/29.469A	----	17.644 - 4.102	.8409	----	----	----	----	1 UNCH
5300	----	----	----	8.538B/29.378A	----	17.451 - 4.085	.8374	----	----	----	----	7 UNCH
5350	----	----	----	8.799B/28.342A	----	17.068 - 4.049	.8301	----	----	----	----	155 UNCH
5375	----	----	----	8.445B/28.229A	----	16.879 - 4.030	.8265	----	----	----	----	1 UNCH
5400	----	----	----	8.003B/28.372A	----	16.691 - 4.011	.8227	----	----	----	----	21 UNCH
5425	----	----	----	7.994B/27.957A	----	16.505 - 3.991	.8190	----	----	----	----	42 UNCH
5450	----	----	----	7.746B/27.801A	----	16.320 - 3.971	.8151	----	----	----	----	1 UNCH
5500	----	----	----	7.869B/26.925A	----	15.954 - 3.931	.8073	----	----	----	----	492 UNCH
5550	----	----	----	7.222B/26.869A	----	15.594 - 3.888	.7994	----	----	----	----	3 UNCH
5600	----	----	----	7.102B/26.306A	----	15.240 - 3.845	.7912	----	----	----	----	102 UNCH
5650	----	----	----	6.426B/26.202A	----	14.891 - 3.801	.7829	----	----	----	----	43 UNCH
5675	----	----	----	6.471B/25.731A	----	14.720 - 3.777	.7787	----	----	----	----	25 UNCH
5700	----	----	----	5.854B/25.948A	----	14.549 - 3.755	.7744	----	----	----	----	26 UNCH
5750	----	----	----	6.138B/25.016A	----	14.213 - 3.707	.7658	----	----	----	----	158 UNCH
5775	----	----	----	6.181B/24.683A	----	14.047 - 3.684	.7615	----	----	----	----	1 UNCH
5800	----	----	----	5.834B/24.641A	----	13.883 - 3.659	.7571	----	----	----	----	16 UNCH
5900	----	----	----	5.154B/23.863A	----	13.241 - 3.561	.7392	----	----	----	----	10 UNCH
5925	----	----	----	5.636B/23.046A	----	13.085 - 3.535	.7346	----	----	----	----	10 UNCH
5950	----	----	----	5.167B/23.269A	----	12.930 - 3.510	.7301	----	----	----	----	6 UNCH
5975	----	----	----	5.501B/22.697A	----	12.776 - 3.485	.7255	----	----	----	----	20 UNCH
6000	----	----	----/12.901A	11.120B/12.901A	----	12.624 - 3.459	.7209	----	----	----	----	550 UNCH
6050	----	----	----/12.648A	11.181B/12.648A	----	12.325 - 3.408	.7116	----	----	----	----	58 UNCH
6075	----	----	----/12.504A	11.260B/12.504A	----	12.178 - 3.381	.7069	----	----	----	----	1 UNCH
6100	----	----	----/12.355A	11.307B/12.355A	----	12.032 - 3.356	.7022	----	----	----	----	10 UNCH
6200	----	----	----/11.802A	11.379B/11.802A	----	11.465 - 3.251	.6833	----	----	----	----	99 UNCH
6250	----	----	----/11.533A	11.317B/11.533A	----	11.191 - 3.198	.6738	----	----	----	----	1 UNCH
6300	----	----	----/11.278A	11.028B/11.278A	----	10.922 - 3.147	.6642	----	----	----	----	3 UNCH
6350	----	----	----/11.023A	10.744B/11.023A	----	10.660 - 3.095	.6546	----	----	----	----	2 UNCH
6450	----	----	----/10.530A	10.144B/10.530A	----	10.152 - 2.993	.6354	----	----	----	----	1 UNCH
6500	----	----	----/9.703A	9.930B/9.703A	----	9.907 - 2.944	.6258	----	----	----	----	195 UNCH
6600	----	----	----/9.729A	9.368B/9.729A	----	9.434 - 2.847	.6067	----	----	----	----	51 UNCH
6650	----	----	----/9.612A	9.121B/9.612A	----	9.206 - 2.799	.5971	----	----	----	----	100 UNCH
6750	----	----	----/9.197A	8.845B/9.197A	----	8.766 - 2.709	.5782	----	----	----	----	24 UNCH
6800	----	----	----/8.882A	8.715B/8.882A	----	8.554 - 2.665	.5688	----	----	----	----	250 UNCH
6825	----	----	----/8.895A	8.740B/8.895A	----	8.450 - 2.644	.5641	----	----	----	----	6 UNCH
6850	----	----	----/8.799A	8.189B/8.799A	----	8.347 - 2.623	.5594	----	----	----	----	1 UNCH
6875	----	----	----/8.669A	8.078B/8.669A	----	8.246 - 2.602	.5548	----	----	----	----	16 UNCH
6900	----	----	----/8.608A	8.040B/8.608A	----	8.145 - 2.582	.5502	----	----	----	----	93 UNCH
6950	----	----	----/8.423A	7.758B/8.423A	----	7.949 - 2.541	.5410	----	----	----	----	1 UNCH
7000	9.000	9.000	9.000/7.617	9.000/7.617	----	7.757 - 2.502	.5319	----	----	2	20	161 - 20
7025	----	----	----/8.148A	8.201B/8.148A	----	7.663 - 2.483	.5274	----	----	----	----	125 UNCH
7050	----	----	----/8.052A	7.350B/8.052A	----	7.570 - 2.464	.5229	----	----	----	----	1 UNCH
7100	----	----	----/7.807A	7.154B/7.807A	----	7.388 - 2.427	.5140	----	----	----	----	5 UNCH
7200	----	----	----/7.528A	6.775B/7.528A	----	7.038 - 2.357	.4964	----	----	----	----	11 UNCH
7225	----	----	----/7.444A	6.685B/7.444A	----	6.953 - 2.340	.4921	----	----	----	----	1 UNCH
7250	----	----	----/7.362A	7.703B/7.362A	----	6.869 - 2.324	.4878	----	----	----	----	160 UNCH
7300	----	----	----/7.135A	6.428B/7.135A	----	6.706 - 2.290	.4793	----	----	----	----	3 UNCH
7350	----	----	----/7.041A	6.267B/7.041A	----	6.546 - 2.259	.4709	----	----	----	----	1 UNCH
7400	----	----	----/6.889A	6.111B/6.889A	----	6.391 - 2.227	.4626	----	----	2	----	22 + 2
7450	----	----	----/6.678A	5.977B/6.678A	----	6.239 - 2.198	.4544	----	----	----	----	12 UNCH
7500	----	----	----/6.535A	6.793B/6.535A	----	6.092 - 2.168	.4464	----	----	5	----	315 + 4
7600	----	----	----/*6.259A	5.546B/6.259A	----	5.810 - 2.111	.4306	----	----	----	----	19 UNCH
7700	----	----	----/*6.048A	5.269B/6.048A	----	5.542 - 2.057	.4153	----	----	----	----	19 UNCH
7800	----	----	----/*5.798A	5.020B/5.798A	----	5.288 - 2.005	.4005	----	----	1	----	15 + 1
7900	----	----	----/*5.500A	4.783B/*5.500A	----	5.048 - 1.954	.3862	----	----	----	----	7 UNCH
8000	5.200	5.200	5.356/5.200	5.356/5.200	----	4.821 - 1.903	.3723	----	----	4	----	510 + 3
8025	----	----	----/5.286A	4.500B/5.286A	----	4.766 - 1.891	.3689	----	----	----	----	8 UNCH
8100	----	----	----/*5.080A	4.355B/*5.080A	----	4.605 - 1.855	.3590	----	----	1	----	21 + 1
8200	----	----	----/*4.926A	4.143B/*4.926A	----	4.401 - 1.806	.3461	----	----	----	----	2 UNCH
8250	----	----	----/*4.830A	4.047B/*4.830A	----	4.303 - 1.782	.3398	----	----	----	----	45 UNCH
8300	----	----	----/4.692A	4.459B/4.692A	----	4.208 - 1.758	.3337	----	----	----	----	215 UNCH
8350	----	----	----/*4.644A	3.873B/*4.644A	----	4.115 - 1.734	.3276	----	----	----	----	2 UNCH
8375	----	----	----/*4.598A	3.828B/*4.598A	----	4.070 - 1.722	.3247	----	----	----	----	1 UNCH
8400	----	----	----/*4.553A	3.785B/*4.553A	----	4.025 - 1.710	.3217	----	----	2	----	3 - 2
8500	----	----	----/4.291A	4.022B/4.291A	----	3.852 - 1.663	.3102	----	----	2	40	684 + 18
8550	----	----	----/4.262A	3.798B/4.262A	----	3.769 - 1.640	.3047	----	----	----	----	329 UNCH
8600	----	----	----/*4.218A	3.458B/*4.218A	----	3.688 - 1.617	.2992	----	----	----	----	10 UNCH
8650	----	----	----/*4.105A	3.382B/*4.105A	----	3.609 - 1.594	.2938	----	----	----	----	1 UNCH
8700	----	----	----/*4.029A	3.307B/*4.029A	----	3.532 - 1.572	.2885	----	----	----	----	63 UNCH
8750	----	----	----/*3.989A	3.235B/*3.989A	----	3.458 - 1.549	.2834	----	----	----	----	8 UNCH
8800	----	----	----/*3.883A	3.164B/*3.883A	----	3.385 - 1.527	.2783	----	----	----	----	12 UNCH
8900	----	----	----/*3.744A	3.028B/3.744A	----	3.246 - 1.483	.2686	----	----	----	----	102 UNCH
9000	----	----	----/3.612A	3.111B/3.612A	----	3.114 - 1.439	.2592	----	----	----	----	214 UNCH
9100	----	----	----/*3.486A	2.777B/*3.486A	----	2.989 - 1.397	.2502	----	----	----	----	9 UNCH
9200	----	----	----/*3.366A	2.660B/*3.366A	----	2.871 - 1.354	.2416	----	----	6	----	75 + 5
9250	----	----	----/3.337A	2.604B/3.337A	----	2.814 - 1.334	.2374	----	----	----	----	7 UNCH
9300	----	----	----/3.253A	2.666B/3.253A	----	2.759 - 1.313	.2333	----	----	----	----	255 UNCH
9350	----	----	----/3.198A	2.496B/3.198A	----	2.705 - 1.293	.2293	----	----	----	----	7 UNCH
9400	----	----	----/3.144A	2.444B/3.144A	----	2.652 - 1.273	.2254	----	----	----	----	25 UNCH
9450	----	----	----/3.118A	2.394B/3.118A	----	2.601 - 1.253	.2215	----	----	----	----	33 UNCH
9500	----	----	----/3.040A	2.407B/3.040A	----	2.551 - 1.234	.2178	----	----	1	----	517 + 1
9600	----	----	----/*2.889A	2.249B/*2.889A	----	2.456 - 1.194	.2105	----	----	----	----	51 UNCH
9700	----	----	----/*2.743A	2.158B/*2.743A	----	2.365 - 1.156	.2036	----	----	----	----	4 UNCH
9725	----	----	----/*2.708A	2.136B/*2.708A	----	2.343 - 1.147	.2019	----	----	----	----	1 UNCH
9800	----	----	----/*2.603A	2.071B/*2.603A	----	2.279 - 1.119	.1969	----	----	----	----	109 UNCH
9900	----	----	----/2.543A	1.989B/2.543A	----	2.197 - 1.083	.1905	----	----	----	----	70 UNCH
10000	2.500	2.500	2.500/2.450	2.500/2.450	----	2.120 - 1.047	.1844	----	----	8	----	1492 - 7
10100	----	----	----/*2.349A	1.836B/*2.349A	----	2.046 - 1.012	.1786	----	----	----	----	1 UNCH
10125	----	----	----/*2.324A	1.817B/2.324A	----	2.028 - 1.004	.1772	----	----	----	----	1 UNCH
10200	----	----	----/2.254A	1.763B/2.254A	----	1.976 - 0.978	.1730	----	----	----	----	81 UNCH
10250	----	----	----/2.209A	1.731B/2.209A	----	1.942 - 0.962	.1703	----	----	----	----	20 UNCH
10375	2.022	2.022	2.025/*2.022	2.025/2.022	----	1.861 NEW	.1637	----	----	18	----	18 + 18
10400	----	----	----/*2.084A	1.630B/2.084A	----	1.846 - 0.913	.1625	----	----	----	----	1 UNCH
10475	----	----	----/*2.029A	1.582B/2.029A	----	1.800 - 0.890	.1587	----	----	----	----	25 UNCH
10500	----	----	----/2.011A	1.570B/2.011A	----	1.786 - 0.881	.1576	----	----	----	----	599 UNCH
10600	----	----	----/1.944A	1.511B/1.944A	----	1.728 - 0.851	.1528	----	----	----	----	1 UNCH
10800	1.765	1.765	1.765/1.765	1.765/1.765	----	1.622 - 0.792	.1440	----	----	3	----	28 + 1
11000	1.690	1.690	1.690/1.690	1.690/1.690	----	1.525 - 0.737	.1359	----	----	3	----	1045 + 2
11200	----	----	----/*1.677A	1.250B/*1.677A	----	1.436 - 0.686	.1283	----	----	----	----	8 UNCH
11225	1.544	1.544	1.545B/*1.544	1.545B/*1.544	----	1.426 NEW	.1275	----	----	3	----	3 + 3
11300	----	----	----/*1.632A	1.201B/*1.632A	----	1.395 - 0.661	.1248	----	----	----	----	62 UNCH
11400	----	----	----/*1.629A	1.161B/*1.629A	----	1.356 - 0.636	.1215	----	----	----	----	19 UNCH
11500	----	----	----/*1.405A	1.109B/*1.405A	----	1.318 - 0.613	.1182	----	----	----	----	129 UNCH
11600	----	----	----/*1.380A	1.066B/*1.380A	----	1.282 - 0.591	.1151	----	----	----	----	1 UNCH
11625	----	----	----/*1.405A	1.056B/*1.405A	----	1.273 - 0.585	.1143	----	----	----	----	2 UNCH
11650	----	----	----/*1.402A	1.045B/*1.402A	----	1.265 - 0.579	.1136	----	----	----	----	24 UNCH
11675	----	----	----/*1.398A	1.041B/*1.398A	----	1.256 - 0.574	.1128	----	----	----	----	22 UNCH
11700	----	----	----/*1.407A	1.029B/*1.407A	----	1.248 - 0.568	.1121	----	----	----	----	22 UNCH
11725	----	----	----/*1.402A	1.005B/*1.402A	----	1.239 - 0.564	.1114	----	----	----	----	22 UNCH
11750	----	----	----/*1.402A	0.993B/*1.402A	----	1.231 - 0.558	.1107	----	----	----	----	22 UNCH
11775	----	----	----/*1.446A	0.989B/*1.446A	----	1.223 - 0.553	.1100	----	----	----	----	22 UNCH
11800	----	----	----/*1.443A	0.978B/*1.443A	----	1.215 - 0.547	.1093	----	----	----	----	1 UNCH
11900	----	----	----/*1.486A	0.938B/1.486A	----	1.183 - 0.527	.1065	----	----	----	----	1 UNCH
11950	----	----	----	0.916B/1.695A	----	1.168 - 0.517	.1051	----	----	----	----	1 UNCH
12000	1.179	1.179	1.179/1.179	1.179/1.179	----	1.153 - 0.507	.1038	----	----	10	----	547 - 3
12200	----	----	----/*1.370A	0.791B/*1.370A	----	1.095 - 0.471	.0987	----	----	----	----	1 UNCH
12300	----	----	----/1.329A	0.852B/1.329A	----	1.069 - 0.453	.0964	----	----	----	----	8 UNCH
12375	----	----	----/1.382A	0.728B/1.382A	----	1.049 - 0.441	.0946	----	----	----	----	1 UNCH
12425	----	----	----	0.710B/1.609A	----	1.036 - 0.433	.0935	----	----	----	----	1 UNCH
12450	----	----	----	0.726B/1.603A	----	1.030 - 0.428	.0930	----	----	----	----	1 UNCH
12475	----	----	----	0.694B/1.596A	----	1.024 - 0.424	.0924	----	----	----	----	3 UNCH
12500	----	----	----	0.686B/1.602A	----	1.018 - 0.420	.0919	----	----	1	----	146 UNCH
12600	----	----	----	0.653B/1.579A	----	0.994 - 0.405	.0897	----	----	----	----	1 UNCH
12800	----	----	----/1.058A	0.654B/1.058A	----	0.949 - 0.375	.0857	----	----	----	----	1 UNCH
13000	----	----	----/1.026A	0.920B/1.026A	----	0.906 - 0.349	.0819	----	----	----	----	699 UNCH
14000	----	----	----/0.851A	0.684B/0.851A	----	0.733 - 0.245	.0662	----	----	----	----	793 UNCH
14700	----	----	----/0.753A	0.566B/0.753A	----	0.639 - 0.195	.0577	----	----	----	----	1 UNCH
15000	----	----	----/0.700A	0.524B/0.700A	----	0.603 - 0.179	.0544	----	----	----	----	599 UNCH
16000	----	----	----/0.617A	0.412B/0.617A	----	0.499 - 0.139	.0451	----	----	----	----	767 UNCH
17000	----	----	----	0.322B/0.540A	----	0.412 - 0.117	.0374	----	----	----	----	23 UNCH
18000	----	----	----	0.257B/0.477A	----	0.335 - 0.108	.0306	----	----	----	----	253 UNCH
19000	----	----	----	0.204B/0.429A	----	0.267 - 0.107	.0248	----	----	----	----	77 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
20000	----	----	----/0.300A	0.220B/0.300A	----	0.213 - 0.113	.0200	----	----	----	----	1210 UNCH
21000	----	----	----/0.280A	0.190B/0.280A	----	0.173 - 0.122	.0164	----	----	----	----	427 UNCH
24000	----	----	----	0.100B/0.217A	----	0.087 - 0.106	.0086	----	----	----	----	125 UNCH
25000	0.150	0.150	0.150/0.129A	0.150/0.129A	----	0.068 - 0.096	.0069	----	----	1	----	355 UNCH
27000	----	----	----/*0.125A	0.016B/*0.125A	----	0.052 - 0.075	.0052	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/*0.111A	----	0.037 - 0.056	.0037	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/*0.106A	----	0.032 - 0.047	.0032	----	----	----	----	4 UNCH
35000	----	----	----	0.005B/0.105A	----	0.026 - 0.039	.0025	----	----	----	----	72 UNCH
TOTAL										73	60	17342 + 27
AUG26												
5000	----	----	----	8.378B/36.055A	----	20.809 - 4.156	.8614	----	----	----	----	2 UNCH
5400	----	----	----	4.645B/33.750A	----	17.860 - 3.881	.8084	----	----	----	----	2 UNCH
5500	----	----	----	4.708B/32.051A	----	17.168 - 3.804	.7940	----	----	----	----	1 UNCH
6300	----	----	----/12.805A	12.008B/12.805A	----	12.318 - 3.115	.6673	----	----	----	----	5 UNCH
6450	----	----	----/11.979A	11.210B/11.979A	----	11.552 - 2.978	.6423	----	----	----	----	1 UNCH
6500	----	----	----/11.818A	10.955B/11.818A	----	11.307 - 2.932	.6340	----	----	----	----	2 UNCH
6600	----	----	----/10.715A	10.475B/10.715A	----	10.832 - 2.841	.6173	----	----	----	----	4 UNCH
6800	----	----	----/10.506A	9.584B/10.506A	----	9.945 - 2.661	.5842	----	----	----	----	7 UNCH
6875	----	----	----/10.131A	9.446B/10.131A	----	9.633 - 2.595	.5719	----	----	----	----	5 UNCH
7000	----	----	----/9.724A	8.776B/9.724A	----	9.140 - 2.485	.5518	----	----	----	----	1 UNCH
7025	----	----	----/9.632A	8.682B/9.632A	----	9.045 - 2.464	.5478	----	----	----	----	5 UNCH
7050	----	----	----/9.540A	8.588B/9.540A	----	8.951 - 2.443	.5439	----	----	----	----	2 UNCH
7100	----	----	----/9.358A	8.403B/9.358A	----	8.767 - 2.401	.5360	----	----	----	----	2 UNCH
7350	----	----	----/8.528A	7.544B/8.528A	----	7.922 - 2.200	.4981	----	----	----	----	4 UNCH
7400	----	----	----/8.374A	7.386B/8.374A	----	7.767 - 2.162	.4909	----	----	----	----	2 UNCH
7425	----	----	----/8.299A	7.308B/8.299A	----	7.691 - 2.143	.4873	----	----	----	----	14 UNCH
7475	8.285	8.285	8.292/8.150A	8.292/8.150A	----	7.543 NEW	.4801	----	----	6	----	6 + 6
7500	----	----	----/8.077A	7.080B/8.077A	----	7.470 - 2.087	.4766	----	----	----	----	1 UNCH
7550	----	----	----/7.933A	6.936B/7.933A	----	7.327 - 2.052	.4696	----	----	----	----	4 UNCH
7700	----	----	----/*7.523A	6.516B/7.523A	----	6.923 - 1.948	.4494	----	----	----	----	1 UNCH
7800	----	----	----/*7.207A	6.256B/7.207A	----	6.672 - 1.881	.4364	----	----	----	----	1 UNCH
7900	----	----	----/7.019A	6.009B/7.019A	----	6.433 - 1.818	.4238	----	----	----	----	1 UNCH
8000	----	----	----/6.785A	5.775B/6.785A	----	6.206 - 1.757	.4117	----	----	----	----	11 UNCH
8300	----	----	----/6.144A	5.131B/6.144A	----	5.587 - 1.587	.3776	----	----	----	----	1 UNCH
8450	----	----	----/5.855A	4.847B/5.855A	----	5.307 - 1.509	.3617	----	----	----	----	1 UNCH
8500	----	----	----/5.716A	4.756B/5.716A	----	5.217 - 1.485	.3566	----	----	2	----	12 + 2
8900	----	----	----/5.095A	4.103B/5.095A	----	4.568 - 1.301	.3185	----	----	----	----	7 UNCH
9000	4.900	4.900	4.900/4.850	4.900/4.850	----	4.422 - 1.259	.3098	----	----	5	----	20 - 5
9100	----	----	----/4.801A	3.832B/4.801A	----	4.282 - 1.220	.3013	----	----	----	----	84 UNCH
9400	----	----	----/4.367A	3.431B/4.367A	----	3.896 - 1.108	.2776	----	----	----	----	102 UNCH
10000	----	----	----/3.735A	2.794B/3.735A	----	3.252 - 0.920	.2366	----	----	----	----	33 UNCH
10200	----	----	----/*3.546A	2.613B/3.546A	----	3.068 - 0.868	.2247	----	----	----	----	3 UNCH
10400	----	----	----/*3.370A	2.449B/3.370A	----	2.899 - 0.818	.2135	----	----	----	----	2 UNCH
10500	----	----	----/*3.287A	2.371B/3.287A	----	2.818 - 0.795	.2082	----	----	----	----	7 UNCH
11100	----	----	----/*2.823A	1.958B/2.823A	----	2.395 - 0.672	.1796	----	----	----	----	1 UNCH
11200	----	----	----/*2.782A	1.898B/2.782A	----	2.332 - 0.655	.1753	----	----	----	----	1 UNCH
11300	----	----	----/*2.696A	1.840B/2.696A	----	2.272 - 0.637	.1711	----	----	----	----	10 UNCH
11500	----	----	----/*2.600A	1.755B/2.600A	----	2.159 - 0.604	.1633	----	----	----	----	9 UNCH
11850	----	----	----/*2.446A	1.581B/2.446A	----	1.977 - 0.553	.1506	----	----	----	----	1 UNCH
12000	----	----	----/2.407A	1.513B/2.407A	----	1.906 - 0.532	.1456	----	----	----	----	2 UNCH
12500	----	----	----	1.341B/2.239A	----	1.692 - 0.471	.1303	----	----	----	----	1 UNCH
13000	----	----	----	1.138B/2.101A	----	1.509 - 0.420	.1171	----	----	----	----	53 UNCH
14000	----	----	----/1.491A	0.783B/1.491A	----	1.219 - 0.339	.0957	----	----	----	----	6 UNCH
15000	----	----	----/1.154A	0.743B/1.154A	----	1.002 - 0.279	.0794	----	----	----	----	36 UNCH
16000	----	----	----/1.000A	0.772B/1.000A	----	0.839 - 0.232	.0668	----	----	----	----	1 UNCH
17000	----	----	----/0.879A	0.629B/0.879A	----	0.713 - 0.196	.0570	----	----	----	----	2 UNCH
18000	----	----	----/0.781A	0.518B/0.781A	----	0.614 - 0.168	.0492	----	----	----	----	1 UNCH
19000	----	----	----	0.426B/0.701A	----	0.535 - 0.145	.0429	----	----	----	----	2 UNCH
20000	0.550	0.550	0.550/0.450	0.550/0.450	----	0.471 - 0.126	.0378	----	----	9	----	21 + 8
25000	----	----	----	0.158B/0.431A	----	0.276 - 0.073	.0221	----	----	----	----	2 UNCH
30000	----	----	----	0.064B/0.328A	----	0.185 - 0.051	.0147	----	----	----	----	13 UNCH
35000	----	----	----	0.005B/0.281A	----	0.128 - 0.035	.0101	----	----	----	----	2 UNCH
TOTAL										22	0	520 + 11
SEP26												
5100	----	----	----	3.394B/40.353A	----	20.444 - 4.024	.8377	----	----	----	----	1 UNCH
5900	----	----	----	----	----	15.242 - 3.398	.7259	----	----	----	----	2 UNCH
6000	----	----	----/15.136A	12.927B/15.136A	----	14.675 - 3.311	.7109	----	----	----	----	7 UNCH
6700	----	----	----/11.621A	10.751B/11.621A	----	11.232 - 2.698	.6042	----	----	----	----	1 UNCH
7000	----	----	----/10.699A	9.547B/10.699A	----	10.035 - 2.449	.5598	----	----	----	----	118 UNCH
7125	----	----	----/10.193A	9.093B/10.193A	----	9.584 - 2.351	.5419	----	----	----	----	75 UNCH
7500	----	----	----/9.086A	7.888B/9.086A	----	8.393 - 2.081	.4915	----	----	----	----	1 UNCH
7700	----	----	----/8.536A	7.328B/8.536A	----	7.848 - 1.953	.4666	----	----	----	----	1 UNCH
8000	----	----	----/7.798A	6.579B/7.798A	----	7.126 - 1.781	.4319	----	----	----	----	105 UNCH
8200	----	----	----/7.357A	6.137B/7.357A	----	6.696 - 1.678	.4105	----	----	----	----	20 UNCH
8500	----	----	----/6.711A	5.601B/6.711A	----	6.114 - 1.537	.3807	----	----	----	----	100 UNCH
8675	----	----	----/6.446A	5.232B/6.446A	----	5.805 - 1.460	.3645	----	----	----	----	5 UNCH
8700	----	----	----/6.402A	5.189B/6.402A	----	5.763 - 1.449	.3622	----	----	----	----	100 UNCH
9000	----	----	----/5.869A	4.750B/5.869A	----	5.283 - 1.331	.3365	----	----	----	----	65 UNCH
9500	----	----	----/5.211A	4.031B/5.211A	----	4.594 - 1.159	.2984	----	----	----	----	2 UNCH
9750	----	----	----/4.868A	3.749B/4.868A	----	4.294 - 1.083	.2813	----	----	----	----	23 UNCH
9800	----	----	----/*4.847A	3.694B/4.847A	----	4.237 - 1.069	.2781	----	----	----	----	7 UNCH
10000	----	----	----/4.624A	3.800B/4.624A	----	4.019 - 1.015	.2655	----	----	----	----	120 UNCH
10500	----	----	----/*4.129A	3.002B/4.129A	----	3.537 - 0.893	.2371	----	----	----	----	50 UNCH
10800	----	----	----/*3.869A	2.759B/3.869A	----	3.285 - 0.829	.2220	----	----	----	----	2 UNCH
11000	----	----	----/3.709A	2.632B/3.709A	----	3.130 - 0.791	.2125	----	----	----	----	59 UNCH
12000	----	----	----/3.039A	1.992B/3.039A	----	2.494 - 0.628	.1729	----	----	----	----	47 UNCH
12500	----	----	----/*2.768A	1.779B/2.768A	----	2.245 - 0.563	.1569	----	----	----	----	92 UNCH
13000	----	----	----	1.583B/2.624A	----	2.032 - 0.506	.1429	----	----	----	----	2 UNCH
14000	----	----	----	1.209B/2.347A	----	1.689 - 0.414	.1201	----	----	----	----	41 UNCH
15000	----	----	----/1.616A	0.841B/1.616A	----	1.429 - 0.342	.1023	----	----	----	----	131 UNCH
16000	----	----	----	0.588B/1.562A	----	1.228 - 0.285	.0883	----	----	----	----	18 UNCH
17000	----	----	----/1.202A	0.817B/1.202A	----	1.069 - 0.239	.0771	----	----	----	----	27 UNCH
18000	----	----	----/1.074A	0.777B/1.074A	----	0.943 - 0.200	.0681	----	----	----	----	2 UNCH
19000	----	----	----/0.968A	0.659B/0.968A	----	0.840 - 0.168	.0607	----	----	----	----	14 UNCH
20000	----	----	----/0.879A	0.551B/0.879A	----	0.755 - 0.142	.0545	----	----	----	----	305 UNCH
21000	----	----	----	0.474B/0.805A	----	0.684 - 0.119	.0494	----	----	----	----	1 UNCH
23000	----	----	----	0.345B/0.687A	----	0.575 - 0.082	.0413	----	----	----	----	31 UNCH
25000	----	----	----	0.254B/0.599A	----	0.495 - 0.055	.0354	----	----	----	----	10 UNCH
30000	0.385	0.385	0.385/*0.385	0.385/*0.385	----	0.377 - 0.008	.0264	----	----	1	----	19 + 1
35000	----	----	----	0.056B/0.368A	----	0.236 UNCH	.0170	----	----	----	----	27 UNCH
TOTAL										1	0	1631 + 1
OCT26												
3800	----	----	----	----	----	32.039 - 4.660	.9510	----	----	----	----	1 UNCH
7000	----	----	----/11.888A	10.556B/11.888A	----	11.360 - 2.620	.5772	----	----	----	----	2 UNCH
7100	----	----	----/11.532A	10.188B/11.532A	----	10.988 - 2.540	.5641	----	----	----	----	1 UNCH
7500	----	----	----/10.190A	8.867B/10.190A	----	9.634 - 2.232	.5139	----	----	----	----	1 UNCH
7650	----	----	----/9.826A	8.429B/9.826A	----	9.178 - 2.124	.4960	----	----	----	----	1 UNCH
7875	----	----	----/9.234A	7.829B/9.234A	----	8.544 - 1.970	.4703	----	----	----	----	2 UNCH
7975	----	----	----/8.988A	7.581B/8.988A	----	8.281 - 1.905	.4593	----	----	----	----	1 UNCH
8000	----	----	----/8.928A	7.520B/8.928A	----	8.216 - 1.890	.4566	----	----	----	----	4 UNCH
8075	----	----	----/8.752A	7.342B/8.752A	----	8.028 - 1.842	.4485	----	----	----	----	1 UNCH
8500	----	----	----/7.846A	6.433B/7.846A	----	7.065 - 1.603	.4058	----	----	----	----	1 UNCH
8700	----	----	----/7.423A	6.058B/7.423A	----	6.668 - 1.505	.3874	----	----	----	----	4 UNCH
9000	----	----	----/6.908A	5.609B/6.908A	----	6.134 - 1.374	.3617	----	----	----	----	1 UNCH
9100	----	----	----/*6.790A	5.391B/6.790A	----	5.970 - 1.335	.3537	----	----	----	----	73 UNCH
10000	5.000	5.000	5.000/5.000	5.000/5.000	----	4.765 - 1.055	.2913	----	----	2	----	96 UNCH
11000	----	----	----/4.555A	3.252B/4.555A	----	3.834 - 0.858	.2395	----	----	----	----	3 UNCH
12000	----	----	----/3.796A	2.549B/3.796A	----	3.155 - 0.719	.2001	----	----	----	----	71 UNCH
13000	----	----	----/3.216A	2.024B/3.216A	----	2.623 - 0.601	.1688	----	----	----	----	145 UNCH
14000	----	----	----	1.672B/2.842A	----	2.199 - 0.498	.1434	----	----	----	----	2 UNCH
15000	----	----	----	1.259B/2.593A	----	1.861 - 0.409	.1228	----	----	----	----	178 UNCH
16000	----	----	----	0.927B/2.379A	----	1.592 - 0.338	.1062	----	----	----	----	1 UNCH
18000	----	----	----/1.405A	0.830B/1.405A	----	1.196 - 0.247	.0811	----	----	----	----	290 UNCH
20000	----	----	----	0.789B/1.158A	----	0.942 - 0.188	.0644	----	----	----	----	225 UNCH
TOTAL										2	0	1104 0
NOV26												
6500	----	----	----/14.702A	13.176B/14.702A	----	14.122 - 2.881	.6463	----	----	----	----	1 UNCH
7000	----	----	----/12.738A	11.122B/12.738A	----	12.074 - 2.513	.5826	----	----	----	----	14 UNCH
7100	----	----	----/12.386A	11.893B/12.386A	----	11.706 - 2.443	.5703	----	----	----	----	14 UNCH
7900	----	----	----/10.058A	8.367B/10.058A	----	9.223 - 1.938	.4798	----	----	----	----	10 UNCH
8000	----	----	----/9.815A	8.116B/9.815A	----	8.966 - 1.883	.4696	----	----	----	----	10 UNCH
10000	----	----	----/6.401A	4.754B/6.401A	----	5.558 - 1.163	.3150	----	----	----	----	26 UNCH
12000	----	----	----/4.527A	3.010B/4.527A	----	3.790 - 0.783	.2234	----	----	----	----	24 UNCH
12500	----	----	----	2.716B/4.191A	----	3.472 - 0.713	.2064	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
14000	----	----	----	2.001B/3.386A	----	2.707 - 0.549	.1644	----	----	----	----	1 UNCH
15000	----	----	----	1.697B/3.070A	----	2.319 - 0.467	.1427	----	----	----	----	5 UNCH
16000	----	----	----	1.290B/2.843A	----	2.002 - 0.407	.1246	----	----	----	----	2 UNCH
17000	----	----	----	0.999B/2.647A	----	1.743 - 0.364	.1095	----	----	----	----	1 UNCH
20000	----	----	----/1.469A	0.966B/1.469A	----	1.207 - 0.282	.0775	----	----	----	----	31 UNCH
TOTAL											0	149 0
DEC26												
3875	----	----	----	----	----	31.562 - 4.446	.9352	----	----	----	----	1 UNCH
5250	----	----	----	----	----	21.130 - 3.661	.8034	----	----	----	----	50 UNCH
5500	----	----	----	----	----	19.565 - 3.497	.7734	----	----	----	----	1 UNCH
6500	----	----	----/15.270A	13.583B/15.270A	----	14.363 - 2.805	.6468	----	----	----	----	564 UNCH
6900	----	----	----/13.711A	11.942B/13.711A	----	12.776 - 2.495	.5972	----	----	----	----	1 UNCH
6950	----	----	----/13.532A	11.755B/13.532A	----	12.594 - 2.457	.5911	----	----	----	----	200 UNCH
7000	----	----	----/13.429A	11.571B/13.429A	----	12.415 - 2.420	.5851	----	----	----	----	120 UNCH
7025	----	----	----/13.271A	11.481B/13.271A	----	12.326 - 2.403	.5822	----	----	----	----	1 UNCH
7075	----	----	----/13.101A	11.303B/13.101A	----	12.152 - 2.367	.5763	----	----	----	----	5 UNCH
7100	----	----	----/13.018A	11.216B/13.018A	----	12.066 - 2.350	.5734	----	----	----	----	15 UNCH
7375	----	----	----/12.149A	10.372B/12.149A	----	11.177 - 2.165	.5422	----	----	----	----	4 UNCH
7500	----	----	----/11.784A	9.930B/11.784A	----	10.803 - 2.089	.5286	----	----	----	----	18 UNCH
7575	----	----	----/11.574A	9.775B/11.574A	----	10.588 - 2.044	.5207	----	----	----	----	1 UNCH
7800	----	----	----/10.972A	9.160B/10.972A	----	9.980 - 1.920	.4976	----	----	----	----	1 UNCH
7925	----	----	----/10.661A	8.841B/10.661A	----	9.665 - 1.856	.4852	----	----	----	----	2 UNCH
8000	----	----	----/10.543A	8.595B/10.543A	----	9.484 - 1.819	.4781	----	----	----	----	127 UNCH
8100	----	----	----/10.310A	8.360B/10.310A	----	9.250 - 1.773	.4687	----	----	----	----	1 UNCH
8200	----	----	----/10.085A	8.132B/10.085A	----	9.025 - 1.729	.4595	----	----	----	----	1 UNCH
8400	----	----	----/9.659A	7.705B/9.659A	----	8.602 - 1.646	.4419	----	----	----	----	25 UNCH
8500	----	----	----/9.456A	7.503B/9.456A	----	8.402 - 1.608	.4335	----	----	----	----	150 UNCH
8550	----	----	----/9.358A	7.404B/9.358A	----	8.305 - 1.589	.4293	----	----	----	----	1 UNCH
8800	----	----	----/8.889A	6.939B/8.889A	----	7.846 - 1.504	.4094	----	----	----	----	5 UNCH
8900	----	----	----/8.712A	6.765B/8.712A	----	7.674 - 1.472	.4018	----	----	----	----	2 UNCH
8950	----	----	----/8.626A	6.681B/8.626A	----	7.590 - 1.457	.3981	----	----	----	----	1 UNCH
9000	----	----	----/8.541A	6.597B/8.541A	----	7.508 - 1.442	.3945	----	----	----	----	183 UNCH
9050	----	----	----/*8.457A	6.515B/8.457A	----	7.427 - 1.428	.3908	----	----	----	----	100 UNCH
9300	----	----	----/*8.058A	6.126B/8.058A	----	7.044 - 1.360	.3735	----	----	----	----	1 UNCH
9500	----	----	----/7.761A	5.837B/7.761A	----	6.759 - 1.310	.3603	----	----	----	----	3 UNCH
9700	----	----	----/*7.480A	5.576B/7.480A	----	6.492 - 1.264	.3479	----	----	----	----	1 UNCH
9800	----	----	----/*7.346A	5.447B/7.346A	----	6.365 - 1.241	.3419	----	----	----	----	11 UNCH
9900	----	----	----/*7.173A	5.383B/7.173A	----	6.241 - 1.219	.3361	----	----	----	----	2 UNCH
10000	----	----	----/7.046A	5.261B/7.046A	----	6.120 - 1.198	.3303	----	----	----	----	758 UNCH
10025	----	----	----/*7.057A	5.173B/7.057A	----	6.090 - 1.193	.3289	----	----	----	----	3 UNCH
10500	----	----	----/*6.504A	4.652B/6.504A	----	5.562 - 1.095	.3036	----	----	----	----	2 UNCH
10600	----	----	----/*6.358A	4.555B/6.358A	----	5.459 - 1.075	.2987	----	----	----	----	1 UNCH
11000	----	----	----/5.956A	4.181B/5.956A	----	5.071 - 1.000	.2798	----	----	----	----	91 UNCH
11350	----	----	----/*5.671A	3.878B/5.671A	----	4.762 - 0.937	.2645	----	----	----	----	5 UNCH
11800	----	----	----	3.535B/5.296A	----	4.400 - 0.863	.2465	----	----	----	----	25 UNCH
12000	----	----	----	3.394B/5.141A	----	4.252 - 0.831	.2391	----	----	2	----	438 UNCH
12200	----	----	----	3.261B/4.994A	----	4.110 NEW	.2319	----	----	1	----	1 + 1
12500	----	----	----	3.073B/4.785A	----	3.909 - 0.759	.2217	----	----	2	----	43 + 2
13000	----	----	----	2.788B/4.467A	----	3.605 - 0.694	.2061	----	----	2	----	338 + 2
14000	----	----	----	2.309B/3.923A	----	3.094 - 0.588	.1793	----	----	2	----	56 + 2
14200	----	----	----	2.226B/3.824A	----	3.005 NEW	.1745	----	----	1	----	1 + 1
15000	----	----	----	1.954B/3.462A	----	2.685 - 0.507	.1573	----	----	----	----	1821 UNCH
16000	----	----	----	1.624B/3.224A	----	2.352 - 0.444	.1391	----	----	----	----	1608 UNCH
17000	----	----	----	1.290B/3.022A	----	2.077 - 0.394	.1239	----	----	----	----	50 UNCH
18000	----	----	----	0.957B/2.843A	----	1.848 - 0.353	.1110	----	----	----	----	5 UNCH
19000	----	----	----	0.708B/2.735A	----	1.656 - 0.316	.1001	----	----	----	----	1 UNCH
20000	----	----	----	0.503B/2.543A	----	1.492 - 0.286	.0906	----	----	----	----	262 UNCH
23000	----	----	----	0.883B/1.399A	----	1.128 - 0.209	.0694	----	----	----	----	4 UNCH
25000	----	----	----	0.701B/1.231A	----	0.956 - 0.171	.0591	----	----	----	----	231 UNCH
30000	0.620	0.620	0.620/*0.620	0.620/*0.620	----	0.667 - 0.114	.0417	----	----	1	----	105 UNCH
40000	----	----	----	0.128B/0.650A	----	0.384 - 0.084	.0243	----	----	----	----	23 UNCH
TOTAL										11	0	7470 + 8
JAN27												
7550	----	----	----	----	----	11.274 - 2.706	.5346	----	----	----	----	1 UNCH
7650	----	----	----	----	----	10.996 - 2.658	.5244	----	----	----	----	6 UNCH
10000	----	----	----	----	----	6.449 - 1.769	.3398	----	----	----	----	1 UNCH
11000	----	----	----	----	----	5.329 - 1.511	.2878	----	----	----	----	1 UNCH
13000	----	----	----	----	----	4.278 - 1.210	.2286	----	----	----	----	1 UNCH
14000	----	----	----	1.500B/----	----	3.976 - 1.112	.2098	----	----	----	----	1 UNCH
14500	----	----	----	----	----	3.862 - 1.073	.2023	----	----	----	----	400 UNCH
15000	----	----	----	----	----	3.768 - 1.040	.1957	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	----	----	8.804 - 1.364	.4228	----	----	----	----	1 UNCH
TOTAL											0	1 0
MAR27												
9200	----	----	----	----	----	11.801 - 2.360	.4685	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	51.255 - 4.855	.9836	----	----	----	----	1 UNCH
10000	----	----	----	----	----	14.005 - 2.403	.4832	----	----	----	----	1 UNCH
10300	----	----	----	----	----	13.645 - 2.350	.4718	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	36.985 - 4.168	.8709	----	----	----	----	1 UNCH
20000	----	----	----	----	----	10.919 - 1.701	.3406	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
APR26												
2075	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
2200	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
2275	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
2500	----	----	----	----/*0.006A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
2525	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
2700	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
2800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
2825	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
2900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
3000	----	----	----	----/*0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 17
3025	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
3050	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
3100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
3125	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
3200	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
3250	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
3300	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 67
3325	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
3350	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
3400	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 44
3425	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
3475	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 29
3500	----	----	----	----/*0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 85
3550	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
3575	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
3600	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 17
3625	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 21
3650	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
3675	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 17
3700	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 30
3725	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 24
3750	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
3775	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 46
3800	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 81
3825	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
3850	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 49
3875	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 18
3900	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 66
3925	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 69
3950	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 23
3975	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 12
4000	----	----	----	----/0.069A	----	0.000 - 0.002	----	----	----	----	----	0 - 312

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
APR26												
4025	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 16
4050	----	----	----	----/0.121A	----	0.000 - 0.002	----	----	----	----	----	0 - 22
4075	----	----	----	----/0.081A	----	0.000 - 0.003	----	----	----	----	----	0 - 7
4100	----	----	----	----/0.070A	----	0.000 - 0.003	----	----	----	----	----	0 - 29
4125	----	----	----	----/0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 25
4150	----	----	----	----/0.062A	----	0.000 - 0.003	----	----	----	----	----	0 - 50
4175	----	----	----	----/0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 12
4200	----	----	----	----/0.062A	----	0.000 - 0.004	----	----	----	----	----	0 - 205
4250	----	----	----	----/0.062A	----	0.000 - 0.005	----	----	----	----	----	0 - 16
4275	----	----	----	----/0.062A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
4300	----	----	----	----/0.062A	----	0.000 - 0.006	----	----	----	----	----	0 - 124
4325	----	----	----	----/0.062A	----	0.000 - 0.006	----	----	----	----	----	0 - 17
4350	----	----	----	----/0.062A	----	0.000 - 0.006	----	----	----	----	----	0 - 101
4375	----	----	----	----/0.063A	----	0.000 - 0.007	----	----	----	----	----	0 - 29
4400	----	----	----	----/0.063A	----	0.000 - 0.007	----	----	----	----	----	0 - 306
4425	----	----	----	----/0.062A	----	0.000 - 0.008	----	----	----	----	----	0 - 44
4450	----	----	----	----/0.062A	----	0.000 - 0.009	----	----	----	----	----	0 - 16
4475	----	----	----	----/0.062A	----	0.000 - 0.009	----	----	----	----	----	0 - 12
4500	----	----	----	----/0.010A	----	0.000 - 0.010	----	----	----	2	----	0 - 193
4525	----	----	----	----/0.063A	----	0.000 - 0.011	----	----	----	----	----	0 - 12
4550	----	----	----	----/0.063A	----	0.000 - 0.013	----	----	----	----	----	0 - 23
4575	----	----	----	----/0.063A	----	0.000 - 0.015	----	----	----	----	----	0 - 11
4600	----	----	----	----/*0.059A	----	0.000 - 0.017	----	----	----	----	----	0 - 344
4625	----	----	----	----/*0.060A	----	0.000 - 0.019	----	----	----	----	----	0 - 11
4650	----	----	----	----/*0.060A	----	0.000 - 0.021	----	----	----	----	----	0 - 8
4675	----	----	----	----/*0.060A	----	0.000 - 0.023	----	----	----	----	----	0 - 7
4700	----	----	----	----/0.060A	----	0.000 - 0.025	----	----	----	2	----	0 - 354
4725	----	----	----	----/*0.061A	----	0.000 - 0.027	----	----	----	----	----	0 - 13
4750	----	----	----	----/*0.061A	----	0.000 - 0.029	----	----	----	----	----	0 - 91
4775	----	----	----	----/*0.061A	----	0.000 - 0.030	----	----	----	----	----	0 - 17
4800	----	----	----	----/0.062A	----	0.000 - 0.031	----	----	----	----	----	0 - 134
4825	----	----	----	----/*0.061A	----	0.000 - 0.032	----	----	----	----	----	0 - 2
4850	----	----	----	----/*0.062A	----	0.000 - 0.032	----	----	----	----	----	0 - 107
4875	----	----	----	----/*0.057A	----	0.000 - 0.033	----	----	----	----	----	0 - 5
4900	----	----	----	----/*0.057A	----	0.000 - 0.034	----	----	----	2	----	0 - 75
4925	----	----	----	----/*0.058A	----	0.000 - 0.035	----	----	----	----	----	0 - 8
4950	----	----	----	----/*0.057A	----	0.000 - 0.036	----	----	----	----	----	0 - 10
4975	----	----	----	----/0.058A	----	0.000 - 0.036	----	----	----	----	----	0 - 14
5000	0.005	0.005	0.005/*0.001A	0.005/*0.001A	----	0.000 - 0.037	----	----	----	1	----	0 - 884
5025	----	----	----	----/*0.059A	----	0.000 - 0.038	----	----	----	----	----	0 - 45
5050	----	----	----/*0.001A	----/*0.001A	----	0.000 - 0.039	----	----	----	----	----	0 - 38
5075	----	----	----	----/0.061A	----	0.000 - 0.039	----	----	----	----	----	0 - 20
5100	----	----	----	----/0.056A	----	0.000 - 0.040	----	----	----	----	----	0 - 56
5125	----	----	----	----/*0.056A	----	0.000 - 0.041	----	----	----	----	----	0 - 40
5150	----	----	----	----/*0.057A	----	0.000 - 0.041	----	----	----	----	----	0 - 38
5175	----	----	----	----/*0.058A	----	0.000 - 0.042	----	----	----	----	----	0 - 47
5200	----	----	----	----/0.059A	----	0.000 - 0.043	----	----	----	1	----	0 - 26
5225	----	----	----	----/*0.058A	----	0.000 - 0.043	----	----	----	----	----	0 - 21
5250	----	----	----	----/*0.057A	----	0.000 - 0.044	----	----	----	----	----	0 - 5
5275	----	----	----	----/0.059A	----	0.000 - 0.045	----	----	----	----	----	0 - 13
5300	----	----	----	----/0.060A	----	0.000 - 0.045	----	----	----	----	----	0 - 56
5325	----	----	----	----/0.059A	----	0.000 - 0.046	----	----	----	----	----	0 - 29
5350	----	----	----	----/0.060A	----	0.000 - 0.046	----	----	----	----	----	0 - 27
5375	----	----	----	----/*0.048A	----	0.000 - 0.047	----	----	----	----	----	0 - 6
5400	----	----	----	----/0.060A	----	0.000 - 0.048	----	----	----	1	----	0 - 256
5425	----	----	----/*0.046A	----/*0.046A	----	0.000 - 0.048	----	----	----	----	----	0 - 7
5450	----	----	----	----/0.063A	----	0.000 - 0.049	----	----	----	----	----	0 - 57
5475	----	----	----	----/0.065A	----	0.000 - 0.049	----	----	----	----	----	0 - 8
5500	0.010	0.010	0.014B/*0.010	0.014B/*0.010	----	0.000 - 0.049	----	----	----	5	----	0 - 172
5525	----	----	----	----/0.064A	----	0.000 - 0.050	----	----	----	----	----	0 - 25
5550	----	----	----	----/*0.052A	----	0.000 - 0.050	----	----	----	----	----	0 - 32
5575	----	----	----	----/*0.063A	----	0.000 - 0.051	----	----	----	----	----	0 - 17
5600	----	----	----	----/0.066A	----	0.000 - 0.051	----	----	----	----	----	0 - 63
5625	----	----	----	----/*0.065A	----	0.000 - 0.051	----	----	----	----	----	0 - 7
5650	----	----	----	----/0.066A	----	0.000 - 0.052	----	----	----	----	----	0 - 17
5675	----	----	----	----/*0.067A	----	0.000 - 0.052	----	----	----	----	----	0 - 4
5700	0.002	0.002	0.003B/*0.001	0.003B/*0.001	----	0.000 - 0.052	----	----	----	5	----	0 - 147
5725	----	----	----	----/*0.070A	----	0.000 - 0.052	----	----	----	----	----	0 - 10
5750	----	----	----	----/0.071A	----	0.000 - 0.053	----	----	----	----	----	0 - 271
5775	----	----	----	----/*0.072A	----	0.000 - 0.053	----	----	----	----	----	0 - 46
5800	----	----	----	----/*0.066A	----	0.000 - 0.053	----	----	----	----	----	0 - 332
5825	----	----	----	----/*0.069A	----	0.000 - 0.053	----	----	----	----	----	0 - 10
5850	0.012	0.012	0.012/*0.012	0.012/*0.012	----	0.000 - 0.053	----	----	----	1	----	0 - 36
5875	----	----	----	----/*0.073A	----	0.000 - 0.054	----	----	----	----	----	0 - 18
5900	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.054	----	----	----	----	----	0 - 254
5925	----	----	----	----/*0.078A	----	0.000 - 0.054	----	----	----	----	----	0 - 46
5950	----	----	----	----/*0.079A	----	0.000 - 0.054	----	----	----	----	----	0 - 46
5975	----	----	----	----/*0.082A	----	0.000 - 0.055	----	----	----	----	----	0 - 8
6000	0.008	0.008	0.089/*0.001A	0.089/*0.001A	----	0.000 - 0.055	----	----	----	56	----	0 - 1044
6025	----	----	----	----/0.085A	----	0.000 - 0.055	----	----	----	----	----	0 - 5
6050	----	----	----	----/0.085A	----	0.000 - 0.056	----	----	----	----	----	0 - 25
6075	----	----	----	----/0.086A	----	0.000 - 0.056	----	----	----	----	----	0 - 23
6100	----	----	----	0.001B/0.089A	----	0.000 - 0.057	----	----	----	----	----	0 - 113
6125	----	----	----/*0.056A	----/*0.056A	----	0.000 - 0.057	----	----	----	----	----	0 - 23
6150	----	----	----	----/0.091A	----	0.000 - 0.058	----	----	----	----	----	0 - 76
6175	0.004	0.004	0.004/*0.004	0.004/*0.004	----	0.000 - 0.058	----	----	----	3	----	0 - 23
6200	0.008	0.008	0.008/*0.001	0.008/*0.001	----	0.000 - 0.059	----	----	----	5	----	0 - 76
6225	----	----	----/*0.055A	0.001B/*0.055A	----	0.000 - 0.060	----	----	----	----	----	0 - 58
6250	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.000 - 0.061	----	----	----	1	----	0 - 120
6275	----	----	----	0.022B/0.101A	----	0.000 - 0.062	----	----	----	----	----	0 - 72
6300	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 - 0.063	----	----	----	9	----	0 - 191
6325	----	----	----	0.046B/0.103A	----	0.000 - 0.064	----	----	----	----	----	0 - 69
6350	----	----	----	0.051B/0.100A	----	0.000 - 0.066	----	----	----	----	----	0 - 179
6375	----	----	----	0.063B/0.099A	----	0.000 - 0.067	----	----	----	----	----	0 - 44
6400	0.180	0.180	0.190/0.071A	0.190/0.071A	----	0.000 - 0.069	----	----	----	9	----	0 - 315
6425	----	----	0.104B/----	0.104B/*0.073A	----	0.000 - 0.071	----	----	----	----	----	0 - 28
6450	----	----	0.123B/*0.069A	0.123B/*0.069A	----	0.000 - 0.073	----	----	----	3	----	0 - 43
6475	----	----	0.185B/----	0.185B/*0.111A	----	0.000 - 0.076	----	----	----	1	----	0 - 22
6500	0.100	0.100	0.207B/*0.040A	0.207B/*0.040A	----	0.000 - 0.079	----	----	----	63	----	0 - 498
6525	----	----	0.201B/*0.050A	0.201B/*0.050A	----	0.000 - 0.083	----	----	----	2	----	0 - 21
6550	0.250	0.250	0.381/0.142A	0.381/0.142A	----	0.000 - 0.086	----	----	----	7	----	0 - 59
6575	0.250	0.250	0.270B/0.133A	0.270B/0.133A	----	0.000 - 0.091	----	----	----	2	----	0 - 11
6600	0.180	0.180	0.550/*0.001	0.550/*0.001	----	0.000 - 0.096	----	----	----	68	----	0 - 186
6625	----	----	0.335B/*0.095A	0.335B/*0.095A	----	0.000 - 0.102	----	----	----	2	----	0 - 41
6650	0.080	0.080	0.388B/*0.065A	0.388B/*0.065A	----	0.000 - 0.109	----	----	----	10	----	0 - 72
6675	0.349	0.349	0.475B/*0.099A	0.475B/*0.099A	----	0.000 - 0.116	----	----	----	3	----	0 - 48
6700	0.294	0.294	1.189/*0.009	1.189/*0.009	----	0.000 - 0.125	----	----	----	78	----	0 - 83
6725	0.231	0.231	0.657B/*0.005A	0.657B/*0.005A	----	0.000 - 0.135	----	----	----	2	----	0 - 16
6750	0.450	0.450	0.773B/*0.027A	0.773B/*0.027A	----	0.000 - 0.147	----	----	----	72	----	0 - 347
6765	----	----	0.834B/*0.097A	0.834B/*0.097A	----	0.000 - 0.154	----	----	----	2	----	0 - 11
6770	----	----	0.866B/*0.010A	0.866B/*0.010A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6775	0.150	0.150	0.849B/*0.010A	0.849B/*0.010A	----	0.000 - 0.160	----	----	----	30	----	0 - 108
6800	0.300	0.300	0.960/*0.100	0.960/*0.100	----	0.066 - 0.109	----	----	----	36	----	0 - 244
6820	0.255	0.255	0.918B/0.187A	0.918B/0.187A	----	0.266 NEW	----	----	----	1	----	0 UNCH
6825	0.250	0.250	0.932B/*0.170	0.932B/*0.170	----	0.316 + 0.124	----	----	----	10	----	0 - 5
6830	0.450	0.450	0.959B/0.193A	0.959B/0.193A	----	0.366 NEW	----	----	----	1	----	0 UNCH
6835	----	----	0.982B/0.197A	0.982B/0.197A	----	0.416 + 0.217	----	----	----	----	----	0 - 2
6850	0.186	0.186	1.183B/*0.185	1.183B/*0.185	----	0.566 + 0.355	----	----	----	23	----	0 - 34
6875	0.245	0.245	1.334B/0.225A	1.334B/0.225A	----	0.816 + 0.583	----	----	----	26	----	0 - 125
6895	----	----	1.254B/0.244A	1.254B/0.244A	----	1.016 + 0.763	----	----	----	----	----	0 - 1
6900	0.300	0.300	1.479B/*0.249A	1.479B/*0.249A	----	1.066 + 0.808	----	----	----	38	----	0 - 196
6905	----	----	1.145B/0.254A	1.145B/0.254A	----	1.116 + 0.852	----	----	----	----	----	0 - 2
6910	----	----	1.540B/0.259A	1.540B/0.259A	----	1.166 + 0.897	----	----	----	----	----	0 - 36
6915	0.688	0.688	2.000/0.263A	2.000/0.263A	----	1.216 + 0.941	----	----	----	3	----	0 - 2
6920	----	----	1.249B/0.270A	1.249B/0.270A	----	1.266 + 0.985	----	----	----	----	----	0 - 3
6925	0.385	0.385	1.661B/0.274A	1.661B/0.274A	----	1.316 + 1.029	----	----	----	1	----	0 - 13
6930	----	----	1.321B/0.281A	1.321B/0.281A	----	1.366 + 1.073	----	----	----	----	----	0 - 1
6935	----	----	1.357B/0.282A	1.357B/0.282A	----	1.416 + 1.117	----	----	----	----	----	0 - 2
6940	----	----	1.772B/0.289A	1.772B/0.289A	----	1.466 + 1.161	----	----	----	----	----	0 - 9
6945	----	----	1.432B/0.299A	1.432B/0.299A	----	1.516 + 1.204	----	----	----	----	----	0 - 4
6950	0.850	0.850	1.850B/0.303A	1.850B/0.303A	----	1.566 + 1.248	----	----	----	2	----	0 - 13
6955	----	----	1.508B/0.308A	1.508B/0.308A	----	1.616 + 1.291	----	----	----	----	----	0 - 2
6960	----	----	1.547B/0.317A	1.547B/0.317A	----	1.666 + 1.334	----	----	----	----	----	0 - 2
6965	----	----	1.586B/0.323A	1.586B/0.323A	----	1.716 + 1.377	----	----	----	----	----	0 - 2
6970	----	----	1.626B/0.331A	1.626B/0.331A	----	1.766 + 1.419	----	----	----	----	----	0 - 3
6975	----	----	2.056B/0.337A	2.056B/0.337A	----	1.816 + 1.462	----	----	----	----	----	0 - 6
6980	----	----	1.708B/0.346A	1.708B/0.346A	----	1.866 + 1.504	----	----	----	----	----	0 - 2
6985	----	----	2.138B/0.352A	2.138B/0.352A	----	1.916 + 1.546	----	----	----	----	----	0 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
APR26												
6990	----	----	2.181B/0.360A	2.181B/0.360A	----	1.966 + 1.588	----	----	----	----	----	0 - 20
6995	----	----	1.833B/0.369A	1.833B/0.369A	----	2.016 + 1.630	----	----	----	1	----	0 - 2
7000	0.355	0.355	2.732B/0.355	2.732B/0.355	----	2.066 + 1.671	----	----	----	73	----	0 - 523
7005	----	----	1.923B/0.384A	1.923B/0.384A	----	2.116 + 1.713	----	----	----	----	----	0 - 1
7010	----	----	1.966B/0.393A	1.966B/0.393A	----	2.166 + 1.754	----	----	----	----	----	0 - 1
7015	----	----	2.009B/0.402A	2.009B/0.402A	----	2.216 + 1.795	----	----	----	----	----	0 - 2
7020	----	----	2.438B/0.411A	2.438B/0.411A	----	2.266 + 1.836	----	----	----	----	----	0 - 9
7025	0.427	0.427	2.533B/0.420A	2.533B/0.420A	----	2.316 + 1.876	----	----	----	22	----	0 - 51
7030	----	----	2.524B/0.429A	2.524B/0.429A	----	2.366 + 1.917	----	----	----	----	----	0 - 7
7035	----	----	2.184B/0.441A	2.184B/0.441A	----	2.416 + 1.957	----	----	----	----	----	0 - 5
7040	----	----	2.229B/0.449A	2.229B/0.449A	----	2.466 + 1.997	----	----	----	----	----	0 - 4
7050	1.270	1.270	2.719B/0.474A	2.719B/0.474A	----	2.566 + 2.076	----	----	----	3	----	0 - 6
7060	----	----	2.820B/0.496A	2.820B/0.496A	----	2.666 + 2.154	----	----	----	----	----	0 - 8
7065	----	----	2.457B/0.506A	2.457B/0.506A	----	2.716 + 2.193	----	----	----	----	----	0 - 2
7070	----	----	2.505B/0.519A	2.505B/0.519A	----	2.766 + 2.231	----	----	----	----	----	0 - 3
7075	0.711	0.711	2.969B/0.532A	2.969B/0.532A	----	2.816 + 2.269	----	----	----	2	----	0 - 23
7080	----	----	3.019B/0.543A	3.019B/0.543A	----	2.866 + 2.307	----	----	----	1	----	0 - 7
7085	----	----	2.645B/0.558A	2.645B/0.558A	----	2.916 + 2.345	----	----	----	----	----	0 - 1
7090	----	----	3.119B/0.569A	3.119B/0.569A	----	2.966 + 2.383	----	----	----	10	----	0 - 18
7095	----	----	2.740B/0.584A	2.740B/0.584A	----	3.016 + 2.420	----	----	----	----	----	0 - 3
7100	0.750	0.750	3.143B/0.548	3.143B/0.548	----	3.066 + 2.457	----	----	----	685	----	0 - 938
7105	----	----	3.270B/0.614A	3.270B/0.614A	----	3.116 + 2.494	----	----	----	----	----	0 - 10
7110	----	----	2.883B/0.629A	2.883B/0.629A	----	3.166 + 2.530	----	----	----	----	----	0 - 5
7115	----	----	2.931B/0.643A	2.931B/0.643A	----	3.216 + 2.566	----	----	----	----	----	0 - 2
7120	----	----	3.419B/----	3.419B/0.716A	----	3.266 + 2.602	----	----	----	----	----	0 - 12
7125	----	----	3.469B/----	3.469B/0.943A	----	3.316 + 2.638	----	----	----	----	----	0 - 18
7130	----	----	3.519B/----	3.519B/1.031A	----	3.366 + 2.673	----	----	----	----	----	0 - 15
7135	----	----	3.570B/----	3.570B/1.009A	----	3.416 + 2.708	----	----	----	5	----	0 - 10
7140	----	----	3.174B/----	3.174B/1.068A	----	3.466 + 2.743	----	----	----	----	----	0 - 5
7145	----	----	3.669B/----	3.669B/1.070A	----	3.516 + 2.778	----	----	----	----	----	0 - 26
7150	3.167	3.167	3.786B/3.167	3.786B/1.106A	----	3.566 + 2.812	----	----	----	1	----	0 - 66
7155	----	----	3.770B/----	3.770B/1.221A	----	3.616 + 2.846	----	----	----	----	----	0 - 27
7160	----	----	3.819B/----	3.819B/1.236A	----	3.666 + 2.879	----	----	----	----	----	0 - 29
7165	----	----	3.869B/----	3.869B/1.196A	----	3.716 + 2.913	----	----	----	----	----	0 - 27
7170	----	----	3.956B/----	3.956B/1.220A	----	3.766 + 2.946	----	----	----	3	----	0 - 42
7175	3.459	3.459	3.995B/0.800A	3.995B/0.800A	----	3.816 + 2.978	----	----	----	1	----	0 - 61
7180	3.685	3.685	3.685/3.685	3.685/1.268A	----	3.866 + 3.011	----	----	----	1	----	0 - 5
7185	----	----	3.614B/----	3.614B/1.253A	----	3.916 + 3.043	----	----	----	----	----	0 - 5
7190	----	----	4.119B/----	4.119B/1.320A	----	3.966 + 3.074	----	----	----	2	----	0 - 8
7195	----	----	3.713B/----	3.713B/1.328A	----	4.016 + 3.106	----	----	----	----	----	0 - 2
7200	3.800	3.800	4.239B/3.800	4.239B/1.386A	----	4.066 + 3.137	----	----	----	639	----	0 - 1090
7205	----	----	3.811B/----	3.811B/1.323A	----	4.116 + 3.168	----	----	----	----	----	0 - 1
7210	----	----	3.860B/----	3.860B/1.300A	----	4.166 + 3.198	----	----	----	----	----	0 - 5
7220	----	----	3.959B/----	3.959B/1.464A	----	4.266 + 3.258	----	----	----	----	----	0 - 2
7225	----	----	4.008B/----	4.008B/1.538A	----	4.316 + 3.287	----	----	----	----	----	0 - 5
7230	----	----	4.518B/----	4.518B/1.411A	----	4.366 + 3.316	----	----	----	----	----	0 - 7
7235	----	----	4.107B/----	4.107B/1.567A	----	4.416 + 3.345	----	----	----	5	----	0 - 5
7240	----	----	4.157B/----	4.157B/1.510A	----	4.466 + 3.374	----	----	----	----	----	0 - 1
7245	----	----	4.205B/----	4.205B/1.559A	----	4.516 + 3.402	----	----	----	----	----	0 - 1
7250	1.620	1.620	4.739B/1.537A	4.739B/1.537A	----	4.566 + 3.429	----	----	----	1	----	0 - 67
7255	----	----	4.305B/----	4.305B/1.545A	----	4.616 + 3.457	----	----	----	----	----	0 - 1
7260	----	----	4.354B/----	4.354B/1.553A	----	4.666 + 3.484	----	----	----	----	----	0 - 2
7265	----	----	4.404B/----	4.404B/1.554A	----	4.716 + 3.510	----	----	----	----	----	0 - 5
7270	----	----	4.453B/----	4.453B/1.576A	----	4.766 + 3.537	----	----	----	----	----	0 - 2
7275	----	----	4.978B/----	4.978B/1.582A	----	4.816 + 3.562	----	----	----	----	----	0 - 43
7280	----	----	4.552B/----	4.552B/1.891A	----	4.866 + 3.588	----	----	----	----	----	0 - 3
7285	----	----	4.602B/----	4.602B/1.876A	----	4.916 + 3.613	----	----	----	----	----	0 - 2
7290	----	----	5.118B/----	5.118B/1.896A	----	4.966 + 3.638	----	----	----	----	----	0 - 6
7295	----	----	4.701B/----	4.701B/1.906A	----	5.016 + 3.662	----	----	----	----	----	0 - 4
7300	----	----	5.226B/----	5.226B/2.094A	----	5.066 + 3.687	----	----	----	1	----	0 - 210
7305	----	----	4.800B/----	4.800B/2.467A	----	5.116 + 3.710	----	----	----	----	----	0 - 1
7310	----	----	4.850B/----	4.850B/2.484A	----	5.166 + 3.734	----	----	----	----	----	0 - 2
7315	----	----	4.900B/----	4.900B/4.221A	----	5.216 + 3.757	----	----	----	----	----	0 - 2
7320	----	----	4.949B/----	4.949B/4.271A	----	5.266 + 3.779	----	----	----	----	----	0 - 3
7325	----	----	5.468B/----	5.468B/3.673A	----	5.316 + 3.801	----	----	----	1	----	0 - 20
7330	----	----	5.049B/----	5.049B/4.108A	----	5.366 + 3.823	----	----	----	1	----	0 - 4
7335	----	----	5.098B/----	5.098B/4.421A	----	5.416 + 3.845	----	----	----	----	----	0 - 1
7340	----	----	5.148B/----	5.148B/4.472A	----	5.466 + 3.866	----	----	----	----	----	0 - 3
7345	----	----	5.197B/----	5.197B/4.522A	----	5.516 + 3.887	----	----	----	----	----	0 - 4
7350	----	----	5.734B/----	5.734B/3.716A	----	5.566 + 3.907	----	----	----	1	----	0 - 95
7355	----	----	5.296B/----	5.296B/4.622A	----	5.616 + 3.927	----	----	----	----	----	0 - 4
7360	----	----	5.346B/----	5.346B/4.672A	----	5.666 + 3.947	----	----	----	----	----	0 - 2
7365	----	----	5.396B/----	5.396B/4.722A	----	5.716 + 3.966	----	----	----	----	----	0 - 4
7370	----	----	5.446B/----	5.446B/4.773A	----	5.766 + 3.985	----	----	----	----	----	0 - 4
7375	----	----	5.986B/----	5.986B/3.962A	----	5.816 + 4.003	----	----	----	----	----	0 - 88
7380	----	----	5.545B/----	5.545B/4.873A	----	5.866 + 4.021	----	----	----	----	----	0 - 3
7385	----	----	5.595B/----	5.595B/4.923A	----	5.916 + 4.039	----	----	----	----	----	0 - 2
7390	----	----	5.644B/----	5.644B/4.973A	----	5.966 + 4.057	----	----	----	----	----	0 - 2
7395	----	----	5.694B/----	5.694B/5.023A	----	6.016 + 4.074	----	----	----	----	----	0 - 1
7400	----	----	6.220B/----	6.220B/4.215A	----	6.066 + 4.091	----	----	----	1	----	0 - 241
7405	----	----	5.793B/----	5.793B/5.124A	----	6.116 + 4.107	----	----	----	----	----	0 - 3
7410	----	----	5.843B/----	5.843B/5.174A	----	6.166 + 4.123	----	----	----	----	----	0 - 1
7415	----	----	5.893B/----	5.893B/5.224A	----	6.216 + 4.139	----	----	----	----	----	0 - 2
7420	----	----	6.446B/----	6.446B/4.842A	----	6.266 + 4.154	----	----	----	----	----	0 - 6
7430	----	----	6.042B/----	6.042B/5.374A	----	6.366 + 4.184	----	----	----	----	----	0 - 2
7435	----	----	6.092B/----	6.092B/5.425A	----	6.416 + 4.198	----	----	----	----	----	0 - 3
7440	----	----	6.141B/----	6.141B/5.475A	----	6.466 + 4.212	----	----	----	----	----	0 - 2
7445	----	----	6.191B/----	6.191B/5.525A	----	6.516 + 4.226	----	----	----	----	----	0 - 2
7450	----	----	6.241B/----	6.241B/5.575A	----	6.566 + 4.239	----	----	----	----	----	0 - 4
7455	----	----	6.853B/----	6.853B/4.967A	----	6.616 + 4.252	----	----	----	----	----	0 - 36
7460	----	----	6.340B/----	6.340B/5.675A	----	6.666 + 4.265	----	----	----	----	----	0 - 1
7465	----	----	6.390B/----	6.390B/5.726A	----	6.716 + 4.277	----	----	----	----	----	0 - 1
7470	----	----	6.440B/----	6.440B/5.776A	----	6.766 + 4.289	----	----	----	----	----	0 - 2
7475	----	----	6.971B/----	6.971B/5.376A	----	6.816 + 4.301	----	----	----	----	----	0 - 13
7480	----	----	7.022B/----	7.022B/5.426A	----	6.866 + 4.312	----	----	----	----	----	0 - 6
7485	----	----	6.589B/----	6.589B/5.926A	----	6.916 + 4.323	----	----	----	1	----	0 - 4
7490	----	----	6.639B/----	6.639B/5.976A	----	6.966 + 4.334	----	----	----	1	----	0 - 5
7495	----	----	7.172B/----	7.172B/5.182A	----	7.016 + 4.345	----	----	----	----	----	0 - 119
7500	5.500	5.500	7.153B/5.400	7.153B/5.250A	----	7.066 + 4.355	----	----	----	7	----	0 - 406
7505	----	----	7.272B/----	7.272B/5.665A	----	7.116 + 4.365	----	----	----	----	----	0 - 7
7510	----	----	6.837B/----	6.837B/6.177A	----	7.166 + 4.375	----	----	----	----	----	0 - 5
7515	----	----	7.369B/----	7.369B/5.758A	----	7.216 + 4.384	----	----	----	----	----	0 - 11
7520	----	----	7.422B/----	7.422B/5.808A	----	7.266 + 4.393	----	----	----	----	----	0 - 15
7525	----	----	7.472B/----	7.472B/5.657A	----	7.316 + 4.402	----	----	----	2	----	0 - 22
7530	----	----	7.036B/----	7.036B/6.378A	----	7.366 + 4.411	----	----	----	----	----	0 - 3
7535	----	----	7.085B/----	7.085B/6.428A	----	7.416 + 4.420	----	----	----	----	----	0 - 1
7545	----	----	7.562B/----	7.562B/6.053A	----	7.516 + 4.436	----	----	----	----	----	0 - 7
7550	----	----	7.613B/----	7.613B/5.892A	----	7.566 + 4.443	----	----	----	----	----	0 - 22
7555	----	----	7.285B/----	7.285B/6.629A	----	7.616 + 4.451	----	----	----	----	----	0 - 3
7560	----	----	7.334B/----	7.334B/6.679A	----	7.666 + 4.458	----	----	----	----	----	0 - 3
7565	----	----	7.384B/----	7.384B/6.730A	----	7.716 + 4.465	----	----	----	----	----	0 - 3
7570	----	----	7.434B/----	7.434B/6.780A	----	7.766 + 4.472	----	----	----	----	----	0 - 4
7575	----	----	7.484B/----	7.484B/6.830A	----	7.816 + 4.479	----	----	----	----	----	0 - 3
7580	----	----	7.533B/----	7.533B/6.880A	----	7.866 + 4.485	----	----	----	----	----	0 - 1
7585	----	----	7.583B/----	7.583B/6.930A	----	7.916 + 4.491	----	----	----	----	----	0 - 3
7590	----	----	7.633B/----	7.633B/6.981A	----	7.966 + 4.497	----	----	----	1	----	0 - 2
7595	----	----	7.682B/----	7.682B/7.031A	----	8.016 + 4.503	----	----	----	----	----	0 - 1
7600	6.550	6.550	8.112B/6.550	8.112B/6.256A	----	8.066 + 4.509	----	----	----	4	----	0 - 120
7605	----	----	7.782B/----	7.782B/7.131A	----	8.116 + 4.514	----	----	----	2	----	0 - 3
7610	----	----	8.212B/----	8.212B/6.699A	----	8.166 + 4.519	----	----	----	----	----	0 - 10
7615	----	----	7.881B/----	7.881B/7.232A	----	8.216 + 4.525	----	----	----	----	----	0 - 2
7620	----	----	8.313B/----	8.313B/6.607A	----	8.266 + 4.529	----	----	----	----	----	0 - 25
7625	----	----	8.363B/----	8.363B/6.849A	----	8.316 + 4.534	----	----	----	2	----	0 - 19
7630	----	----	8.030B/----	8.030B/7.382A	----	8.366 + 4.539	----	----	----	----	----	0 - 1
7635	----	----	8.080B/----	8.080B/7.432A	----	8.416 + 4.543	----	----	----	----	----	0 - 2
7640	----	----	8.129B/----	8.129B/7.483A	----	8.466 + 4.548	----	----	----	----	----	0 - 2
7645	----	----	8.563B/----	8.563B/7.046A	----	8.516 + 4.552	----	----	----	----	----	0 - 7
7650	----	----	8.611B/----	8.611B/6.754A	----	8.566 + 4.556	----	----	----	----	----	0 - 54
7655	----	----	8.278B/----	8.278B/7.633A	----	8.616 + 4.560	----	----	----	----	----	0 - 1
7660	----	----	8.328B/----	8.328B/7.683A	----	8.666 + 4.563	----	----	----	----	----	0 - 5
7670	----	----	8.812B/----	8.812B/7.296A	----	8.766 + 4.571	----	----	----	----	----	0 - 17
7675	----	----	8.477B/----	8.477B/7.834A	----	8.816 + 4.574	----	----	----	----	----	0 - 1
7690	----	----	8.627B/----	8.627B/7.985A	----	8.966 + 4.583	----	----	----	----	----	0 - 1
7700	----	----	9.113B/----	9.113B/7.238A	----	9.066 + 4.589	----	----	----	----	----	0 - 174
7705	----	----	8.776B/----	8.776B/8.135A	----	9.116 + 4.592	----	----	----	----	----	0 - 4
7710	----	----	9.212B/----	9.212B/7.695A	----	9.166 + 4.594	----	----	----	----	----	0 - 6
7715	----	----	9.262B/----	9.262B/7.752A	----	9.216 + 4.597	----	----	----	----	----	0 - 12
7720	----	----	8.925B/----	8.925B/8.286A	----	9.266 + 4.599	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
APR26												
7725	----	----	8.976B/----	8.976B/8.336A	----	9.316 + 4.602	----	----	----	----	----	0 - 5
7730	----	----	9.025B/----	9.025B/8.386A	----	9.366 + 4.604	----	----	----	----	----	0 - 2
7735	----	----	9.076B/----	9.076B/8.436A	----	9.416 + 4.606	----	----	----	----	----	0 - 1
7740	----	----	9.124B/----	9.124B/8.486A	----	9.466 + 4.608	----	----	----	----	----	0 - 3
7745	----	----	9.175B/----	9.175B/8.536A	----	9.516 + 4.610	----	----	----	----	----	0 - 1
7750	----	----	9.612B/----	9.612B/7.918A	----	9.566 + 4.612	----	----	----	2	----	0 - 32
7755	----	----	9.648B/----	9.648B/8.145A	----	9.616 + 4.614	----	----	----	----	----	0 - 7
7765	----	----	9.762B/----	9.762B/8.241A	----	9.716 + 4.618	----	----	----	----	----	0 - 19
7770	----	----	9.813B/----	9.813B/8.288A	----	9.766 + 4.619	----	----	----	----	----	0 - 6
7775	----	----	9.861B/----	9.861B/8.339A	----	9.816 + 4.621	----	----	----	----	----	0 - 12
7780	----	----	9.523B/----	9.523B/8.887A	----	9.866 + 4.623	----	----	----	2	----	0 - 4
7785	8.400	8.400	9.961B/8.400	9.961B/8.400	----	9.916 + 4.624	----	----	----	1	----	0 - 7
7790	----	----	10.011B/----	10.011B/8.483A	----	9.966 + 4.626	----	----	----	----	----	0 - 7
7795	----	----	9.672B/----	9.672B/9.037A	----	10.016 + 4.627	----	----	----	----	----	0 - 2
7800	----	----	10.111B/----	10.111B/8.232A	----	10.066 + 4.629	----	----	----	2	----	0 - 208
7805	----	----	9.773B/----	9.773B/9.137A	----	10.116 + 4.630	----	----	----	----	----	0 - 5
7810	----	----	9.822B/----	9.822B/9.188A	----	10.166 + 4.631	----	----	----	----	----	0 - 5
7815	----	----	9.872B/----	9.872B/9.238A	----	10.216 + 4.633	----	----	----	----	----	0 - 1
7820	----	----	10.311B/----	10.311B/8.779A	----	10.266 + 4.634	----	----	----	----	----	0 - 7
7825	----	----	10.361B/----	10.361B/8.823A	----	10.316 + 4.635	----	----	----	----	----	0 - 7
7830	----	----	10.021B/----	10.021B/9.389A	----	10.366 + 4.636	----	----	----	----	----	0 - 5
7835	----	----	10.071B/----	10.071B/9.439A	----	10.416 + 4.637	----	----	----	----	----	0 - 1
7840	----	----	10.497B/----	10.497B/8.964A	----	10.466 + 4.638	----	----	----	----	----	0 - 7
7845	----	----	10.171B/----	10.171B/9.539A	----	10.516 + 4.639	----	----	----	----	----	0 - 1
7850	----	----	10.611B/----	10.611B/9.071A	----	10.566 + 4.640	----	----	----	----	----	0 - 10
7855	----	----	10.270B/----	10.270B/9.640A	----	10.616 + 4.641	----	----	----	----	----	0 - 4
7860	----	----	10.320B/----	10.320B/9.690A	----	10.666 + 4.642	----	----	----	----	----	0 - 2
7865	----	----	10.370B/----	10.370B/9.740A	----	10.716 + 4.643	----	----	----	----	----	0 - 2
7870	----	----	10.420B/----	10.420B/9.790A	----	10.766 + 4.644	----	----	----	----	----	0 - 3
7875	----	----	10.862B/----	10.862B/9.320A	----	10.816 + 4.645	----	----	----	1	----	0 - 16
7880	----	----	10.911B/----	10.911B/9.365A	----	10.866 + 4.646	----	----	----	----	----	0 - 13
7885	----	----	10.570B/----	10.570B/9.941A	----	10.916 + 4.647	----	----	----	----	----	0 - 2
7890	----	----	10.619B/----	10.619B/9.991A	----	10.966 + 4.647	----	----	----	----	----	0 - 2
7895	----	----	10.669B/----	10.669B/10.042A	----	11.016 + 4.648	----	----	----	4	----	0 - 5
7900	----	----	11.111B/----	11.111B/9.222A	----	11.066 + 4.649	----	----	----	----	----	0 - 81
7905	----	----	10.769B/----	10.769B/10.142A	----	11.116 + 4.650	----	----	----	----	----	0 - 3
7910	----	----	11.212B/----	11.212B/9.667A	----	11.166 + 4.650	----	----	----	----	----	0 - 9
7915	----	----	10.868B/----	10.868B/10.242A	----	11.216 + 4.651	----	----	----	----	----	0 - 4
7920	----	----	10.918B/----	10.918B/10.292A	----	11.266 + 4.652	----	----	----	----	----	0 - 3
7925	----	----	11.362B/----	11.362B/9.816A	----	11.316 + 4.652	----	----	----	----	----	0 - 19
7930	----	----	11.017B/----	11.017B/10.393A	----	11.366 + 4.653	----	----	----	----	----	0 - 2
7935	----	----	11.067B/----	11.067B/10.443A	----	11.416 + 4.654	----	----	----	----	----	0 - 2
7940	----	----	11.511B/----	11.511B/9.966A	----	11.466 + 4.654	----	----	----	----	----	0 - 12
7945	----	----	11.167B/----	11.167B/10.543A	----	11.516 + 4.655	----	----	----	----	----	0 - 1
7950	----	----	11.610B/----	11.610B/10.067A	----	11.566 + 4.655	----	----	----	----	----	0 - 9
7955	----	----	11.267B/----	11.267B/10.643A	----	11.616 + 4.656	----	----	----	----	----	0 - 5
7960	----	----	11.702B/----	11.702B/10.188A	----	11.666 + 4.656	----	----	----	----	----	0 - 14
7965	----	----	11.367B/----	11.367B/10.744A	----	11.716 + 4.657	----	----	----	----	----	0 - 3
7970	----	----	11.810B/----	11.810B/10.288A	----	11.766 + 4.657	----	----	----	----	----	0 - 12
7975	----	----	11.860B/----	11.860B/10.339A	----	11.816 + 4.658	----	----	----	----	----	0 - 10
7980	----	----	11.910B/----	11.910B/10.389A	----	11.866 + 4.658	----	----	----	----	----	0 - 13
7985	----	----	11.962B/----	11.962B/10.439A	----	11.916 + 4.659	----	----	----	----	----	0 - 6
7990	----	----	11.615B/----	11.615B/10.995A	----	11.966 + 4.659	----	----	----	----	----	0 - 3
7995	----	----	11.665B/----	11.665B/11.045A	----	12.016 + 4.660	----	----	----	----	----	0 - 3
8000	10.800	10.800	12.087B/10.800	12.087B/10.214A	----	12.066 + 4.660	----	----	----	5	----	0 - 618
8005	----	----	11.765B/----	11.765B/11.145A	----	12.116 + 4.661	----	----	----	----	----	0 - 4
8010	----	----	12.210B/----	12.210B/10.527A	----	12.166 + 4.661	----	----	----	----	----	0 - 20
8015	----	----	12.260B/----	12.260B/10.736A	----	12.216 + 4.662	----	----	----	----	----	0 - 7
8020	----	----	11.915B/----	11.915B/11.295A	----	12.266 + 4.662	----	----	----	----	----	0 - 3
8025	----	----	12.361B/----	12.361B/10.837A	----	12.316 + 4.663	----	----	----	----	----	0 - 8
8030	----	----	12.410B/----	12.410B/10.886A	----	12.366 + 4.663	----	----	----	----	----	0 - 7
8035	----	----	12.064B/----	12.064B/11.446A	----	12.416 + 4.663	----	----	----	----	----	0 - 3
8040	----	----	12.114B/----	12.114B/11.496A	----	12.466 + 4.664	----	----	----	----	----	0 - 1
8045	----	----	12.164B/----	12.164B/11.546A	----	12.516 + 4.664	----	----	----	----	----	0 - 2
8050	----	----	12.611B/----	12.611B/11.085A	----	12.566 + 4.665	----	----	----	----	----	0 - 8
8055	----	----	12.264B/----	12.264B/11.646A	----	12.616 + 4.665	----	----	----	----	----	0 - 2
8060	----	----	12.314B/----	12.314B/11.697A	----	12.666 + 4.665	----	----	----	----	----	0 - 2
8065	----	----	12.760B/----	12.760B/10.864A	----	12.716 + 4.666	----	----	----	----	----	0 - 113
8070	----	----	12.413B/----	12.413B/11.797A	----	12.766 + 4.666	----	----	----	----	----	0 - 1
8075	----	----	12.463B/----	12.463B/11.847A	----	12.816 + 4.667	----	----	----	----	----	0 - 2
8080	----	----	12.513B/----	12.513B/11.897A	----	12.866 + 4.667	----	----	----	----	----	0 - 4
8085	----	----	12.563B/----	12.563B/11.947A	----	12.916 + 4.667	----	----	----	----	----	0 - 4
8090	----	----	12.613B/----	12.613B/11.997A	----	12.966 + 4.668	----	----	----	----	----	0 - 2
8095	----	----	13.061B/----	13.061B/11.534A	----	13.016 + 4.668	----	----	----	----	----	0 - 7
8100	----	----	13.110B/----	13.110B/11.383A	----	13.066 + 4.668	----	----	----	----	----	0 - 35
8105	----	----	12.762B/----	12.762B/12.147A	----	13.116 + 4.669	----	----	----	----	----	0 - 3
8110	----	----	12.812B/----	12.812B/12.198A	----	13.166 + 4.669	----	----	----	----	----	0 - 1
8115	----	----	13.260B/----	13.260B/11.734A	----	13.216 + 4.670	----	----	----	----	----	0 - 12
8120	----	----	13.310B/----	13.310B/11.784A	----	13.266 + 4.670	----	----	----	----	----	0 - 9
8125	----	----	13.362B/----	13.362B/11.461A	----	13.316 + 4.670	----	----	----	----	----	0 - 48
8130	----	----	13.012B/----	13.012B/12.398A	----	13.366 + 4.671	----	----	----	----	----	0 - 3
8135	----	----	13.062B/----	13.062B/12.448A	----	13.416 + 4.671	----	----	----	----	----	0 - 1
8140	----	----	13.501B/----	13.501B/11.984A	----	13.466 + 4.671	----	----	----	----	----	0 - 8
8145	----	----	13.161B/----	13.161B/12.548A	----	13.516 + 4.672	----	----	----	----	----	0 - 4
8150	----	----	13.610B/----	13.610B/12.084A	----	13.566 + 4.672	----	----	----	----	----	0 - 12
8155	----	----	13.660B/----	13.660B/12.134A	----	13.616 + 4.672	----	----	----	----	----	0 - 9
8160	----	----	13.710B/----	13.710B/12.184A	----	13.666 + 4.673	----	----	----	----	----	0 - 10
8165	----	----	13.760B/----	13.760B/12.232A	----	13.716 + 4.673	----	----	----	----	----	0 - 6
8170	----	----	13.411B/----	13.411B/12.798A	----	13.766 + 4.673	----	----	----	----	----	0 - 1
8175	----	----	13.860B/----	13.860B/12.332A	----	13.816 + 4.674	----	----	----	----	----	0 - 13
8180	----	----	13.911B/----	13.911B/12.383A	----	13.866 + 4.674	----	----	----	----	----	0 - 8
8185	----	----	13.561B/----	13.561B/12.949A	----	13.916 + 4.675	----	----	----	----	----	0 - 1
8190	----	----	13.611B/----	13.611B/12.999A	----	13.966 + 4.675	----	----	----	----	----	0 - 2
8195	----	----	14.060B/----	14.060B/12.533A	----	14.016 + 4.675	----	----	----	----	----	0 - 9
8200	----	----	14.110B/----	14.110B/12.213A	----	14.066 + 4.676	----	----	----	----	----	0 - 63
8205	----	----	13.761B/----	13.761B/13.149A	----	14.116 + 4.676	----	----	----	----	----	0 - 2
8215	----	----	13.860B/----	13.860B/13.249A	----	14.216 + 4.677	----	----	----	----	----	0 - 4
8220	----	----	13.910B/----	13.910B/13.300A	----	14.266 + 4.677	----	----	----	----	----	0 - 1
8225	----	----	13.960B/----	13.960B/13.349A	----	14.316 + 4.677	----	----	----	----	----	0 - 3
8230	----	----	14.009B/----	14.009B/13.400A	----	14.366 + 4.678	----	----	----	----	----	0 - 5
8240	----	----	14.110B/----	14.110B/13.500A	----	14.466 + 4.678	----	----	----	----	----	0 - 5
8250	----	----	14.610B/----	14.610B/12.928A	----	14.566 + 4.679	----	----	----	----	----	0 - 30
8255	----	----	14.259B/----	14.259B/13.650A	----	14.616 + 4.679	----	----	----	----	----	0 - 3
8260	----	----	14.309B/----	14.309B/13.700A	----	14.666 + 4.680	----	----	----	----	----	0 - 3
8265	----	----	14.359B/----	14.359B/13.750A	----	14.716 + 4.680	----	----	----	----	----	0 - 3
8270	----	----	14.409B/----	14.409B/13.800A	----	14.766 + 4.680	----	----	----	----	----	0 - 2
8275	----	----	14.859B/----	14.859B/12.966A	----	14.816 + 4.680	----	----	----	----	----	0 - 77
8280	----	----	14.909B/----	14.909B/13.382A	----	14.866 + 4.681	----	----	----	----	----	0 - 6
8285	----	----	14.559B/----	14.559B/13.950A	----	14.916 + 4.681	----	----	----	----	----	0 - 3
8290	----	----	14.609B/----	14.609B/14.000A	----	14.966 + 4.681	----	----	----	----	----	0 - 1
8295	----	----	14.658B/----	14.658B/14.050A	----	15.016 + 4.682	----	----	----	----	----	0 - 3
8300	----	----	15.109B/----	15.109B/13.211A	----	15.066 + 4.682	----	----	----	----	----	0 - 145
8305	----	----	15.159B/----	15.159B/13.631A	----	15.116 + 4.682	----	----	----	----	----	0 - 9
8310	----	----	14.831B/----	14.831B/14.201A	----	15.166 + 4.683	----	----	----	----	----	0 - 3
8315	----	----	14.858B/----	14.858B/14.250A	----	15.216 + 4.683	----	----	----	----	----	0 - 1
8320	----	----	15.309B/----	15.309B/13.781A	----	15.266 + 4.683	----	----	----	----	----	0 - 7
8325	----	----	14.958B/----	14.958B/14.351A	----	15.316 + 4.683	----	----	----	----	----	0 - 1
8330	----	----	15.008B/----	15.008B/14.401A	----	15.366 + 4.684	----	----	----	----	----	0 - 3
8340	----	----	15.108B/----	15.108B/14.501A	----	15.466 + 4.684	----	----	----	----	----	0 - 3
8345	----	----	15.559B/----	15.559B/13.859A	----	15.516 + 4.685	----	----	----	----	----	0 - 29
8350	----	----	15.609B/----	15.609B/14.084A	----	15.566 + 4.685	----	----	----	----	----	0 - 9
8355	----	----	15.650B/----	15.650B/14.132A	----	15.616 + 4.685	----	----	----	----	----	0 - 9
8360	----	----	15.308B/----	15.308B/14.701A	----	15.666 + 4.685	----	----	----	----	----	0 - 3
8365	----	----	15.759B/----	15.759B/13.856A	----	15.716 + 4.686	----	----	----	----	----	0 - 66
8370	----	----	15.408B/----	15.408B/14.801A	----	15.766 + 4.686	----	----	----	----	----	0 - 1
8375	----	----	15.457B/----	15.457B/14.851A	----	15.816 + 4.686	----	----	----	----	----	0 - 5
8380	----	----	15.508B/----	15.508B/14.901A	----	15.866 + 4.686	----	----	----	----	----	0 - 1
8385	----	----	15.959B/----	15.959B/14.433A	----	15.916 + 4.687	----	----	----	----	----	0 - 6
8390	----	----	15.608B/----	15.608B/15.001A	----	15.966 + 4.687	----	----	----	----	----	0 - 1
8400	----	----	16.109B/----	16.109B/14.199A	----	16.066 + 4.687	----	----	----	----	----	0 - 95
8405	----	----	16.160B/----	16.160B/14.635A	----	16.116 + 4.688	----	----	----	----	----	0 - 10
8410	----	----	16.209B/----	16.209B/14.302A	----	16.166 + 4.688	----	----	----	----	----	0 - 40
8415	----	----	16.260B/----	16.260B/14.732A	----	16.216 + 4.688	----	----	----	----	----	0 - 8
8420	----	----	16.309B/----	16.309B/14.782A	----	16.266 + 4.688	----	----	----	----	----	0 - 14
8425	----	----	15.957B/----	15.957B/15.352A	----	16.316 + 4.689	----	----	----	----	----	0 - 3
8440	----	----	16.106B/----	16.106B/15.502A	----	16.466 + 4.689	----	----	----	----	----	0 - 4
8450	----	----	16.609B/----	16.609B/15.081A	----	16.566 + 4.690	----	----	----	----	----	0 - 11
8460	----	----	16.710B/----	16.710B/15.185A	----	16.666 + 4.690	----	----	----	----	----	0 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 73

FINAL

SO PUT APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
		COMEX SILVER OPTIONS										
8465	----	----	16.356B/----	16.356B/15.752A	----	16.716 + 4.690	----	----	----	----	----	0 - 5
8470	----	----	16.406B/----	16.406B/15.802A	----	16.766 + 4.690	----	----	----	----	----	0 - 2
8480	----	----	16.506B/----	16.506B/15.984A	----	16.866 + 4.691	----	----	----	----	----	0 - 2
8485	----	----	16.579B/----	16.579B/16.034A	----	16.916 + 4.691	----	----	----	----	----	0 - 3
8490	----	----	16.629B/----	16.629B/16.037A	----	16.966 + 4.691	----	----	----	----	----	0 - 2
8495	----	----	17.060B/----	17.060B/15.625A	----	17.016 + 4.691	----	----	----	----	----	0 - 11
8500	----	----	17.109B/----	17.109B/15.206A	----	17.066 + 4.692	----	----	----	----	----	0 - 751
8505	----	----	16.756B/----	16.756B/16.654A	----	17.116 + 4.692	----	----	----	----	----	0 - 3
8510	----	----	16.806B/----	16.806B/16.704A	----	17.166 + 4.692	----	----	----	----	----	0 - 1
8515	----	----	16.856B/----	16.856B/16.723A	----	17.216 + 4.692	----	----	----	----	----	0 - 1
8520	----	----	16.906B/----	16.906B/16.725A	----	17.266 + 4.692	----	----	----	----	----	0 - 1
8525	----	----	17.359B/----	17.359B/15.993A	----	17.316 + 4.692	----	----	----	----	----	0 - 10
8530	----	----	17.028B/----	17.028B/16.803A	----	17.366 + 4.693	----	----	----	----	----	0 - 1
8535	----	----	17.056B/----	17.056B/16.853A	----	17.416 + 4.693	----	----	----	----	----	0 - 1
8540	----	----	17.106B/----	17.106B/16.983A	----	17.466 + 4.693	----	----	----	----	----	0 - 1
8550	17.000	17.000	17.611B/17.000	17.611B/15.961A	----	17.566 + 4.693	----	----	----	5	----	0 - 39
8560	----	----	17.710B/----	17.710B/16.481A	----	17.666 + 4.694	----	----	----	----	----	0 - 10
8565	----	----	17.378B/----	17.378B/17.070A	----	17.716 + 4.694	----	----	----	----	----	0 - 1
8570	----	----	17.427B/----	17.427B/17.120A	----	17.766 + 4.694	----	----	----	----	----	0 - 1
8580	----	----	17.910B/----	17.910B/16.717A	----	17.866 + 4.694	----	----	----	----	----	0 - 8
8585	----	----	17.577B/----	17.577B/17.466A	----	17.916 + 4.694	----	----	----	----	----	0 - 1
8595	----	----	18.060B/----	18.060B/16.874A	----	18.016 + 4.695	----	----	----	----	----	0 - 10
8600	----	----	18.096B/----	18.096B/16.197A	----	18.066 + 4.695	----	----	----	----	----	0 - 45
8610	----	----	18.211B/----	18.211B/17.017A	----	18.166 + 4.695	----	----	----	----	----	0 - 10
8620	----	----	17.905B/----	17.905B/17.874A	----	18.266 + 4.695	----	----	----	----	----	0 - 2
8625	----	----	18.360B/----	18.360B/17.168A	----	18.316 + 4.695	----	----	----	----	----	0 - 8
8630	----	----	18.005B/----	18.005B/17.975A	----	18.366 + 4.695	----	----	----	----	----	0 - 2
8640	----	----	18.127B/----	18.127B/18.075A	----	18.466 + 4.696	----	----	----	----	----	0 - 5
8645	----	----	18.155B/----	18.155B/18.125A	----	18.516 + 4.696	----	----	----	----	----	0 - 2
8650	----	----	18.205B/----	18.205B/18.175A	----	18.566 + 4.696	----	----	----	----	----	0 - 4
8655	----	----	18.255B/----	18.255B/18.225A	----	18.616 + 4.696	----	----	----	----	----	0 - 4
8660	----	----	18.305B/----	18.305B/18.275A	----	18.666 + 4.696	----	----	----	----	----	0 - 1
8665	----	----	18.355B/----	18.355B/18.325A	----	18.716 + 4.696	----	----	----	----	----	0 - 2
8670	----	----	18.405B/----	18.405B/18.375A	----	18.766 + 4.696	----	----	----	----	----	0 - 3
8675	----	----	18.455B/----	18.455B/18.425A	----	18.816 + 4.696	----	----	----	----	----	0 - 1
8680	----	----	18.505B/----	18.505B/18.475A	----	18.866 + 4.696	----	----	----	----	----	0 - 2
8685	----	----	18.577B/----	18.577B/18.526A	----	18.916 + 4.697	----	----	----	----	----	0 - 2
8690	----	----	18.604B/----	18.604B/18.593A	----	18.966 + 4.697	----	----	----	----	----	0 - 2
8700	----	----	19.111B/----	19.111B/17.230A	----	19.066 + 4.697	----	----	----	----	----	0 - 161
8705	----	----	18.754B/----	18.754B/18.755A	----	19.116 + 4.697	----	----	----	----	----	0 - 2
8710	----	----	18.804B/----	18.804B/18.906A	----	19.166 + 4.697	----	----	----	----	----	0 - 2
8715	----	----	18.854B/----	18.854B/18.982A	----	19.216 + 4.697	----	----	----	----	----	0 - 3
8720	----	----	18.904B/----	18.904B/19.032A	----	19.266 + 4.697	----	----	----	----	----	0 - 2
8730	----	----	19.004B/----	19.004B/19.133A	----	19.366 + 4.697	----	----	----	----	----	0 - 2
8740	----	----	19.510B/----	19.510B/18.589A	----	19.466 + 4.698	----	----	----	----	----	0 - 14
8745	----	----	19.176B/----	19.176B/19.282A	----	19.516 + 4.698	----	----	----	----	----	0 - 1
8750	----	----	19.204B/----	19.204B/19.335A	----	19.566 + 4.698	----	----	----	----	----	0 - 1
8770	----	----	19.426B/----	19.426B/19.533A	----	19.766 + 4.698	----	----	----	----	----	0 - 1
8775	----	----	19.860B/----	19.860B/19.266A	----	19.816 + 4.698	----	----	----	----	----	0 - 6
8780	----	----	19.504B/----	19.504B/19.633A	----	19.866 + 4.698	----	----	----	----	----	0 - 1
8785	----	----	19.554B/----	19.554B/19.683A	----	19.916 + 4.698	----	----	----	----	----	0 - 3
8790	----	----	19.626B/----	19.626B/19.733A	----	19.966 + 4.698	----	----	----	----	----	0 - 2
8795	----	----	19.654B/----	19.654B/19.783A	----	20.016 + 4.698	----	----	----	----	----	0 - 1
8800	----	----	20.110B/----	20.110B/18.223A	----	20.066 + 4.699	----	----	----	----	----	0 - 79
8810	----	----	19.804B/----	19.804B/19.933A	----	20.166 + 4.699	----	----	----	----	----	0 - 5
8815	----	----	19.854B/----	19.854B/19.983A	----	20.216 + 4.699	----	----	----	----	----	0 - 1
8820	----	----	19.926B/----	19.926B/20.033A	----	20.266 + 4.699	----	----	----	1	----	0 - 3
8825	----	----	19.953B/----	19.953B/20.181A	----	20.316 + 4.699	----	----	----	1	----	0 - 1
8830	----	----	20.026B/----	20.026B/20.231A	----	20.366 + 4.699	----	----	----	----	----	0 - 2
8835	----	----	20.053B/----	20.053B/20.280A	----	20.416 + 4.699	----	----	----	----	----	0 - 1
8845	----	----	20.153B/----	20.153B/20.381A	----	20.516 + 4.699	----	----	----	----	----	0 - 1
8850	----	----	20.610B/----	20.610B/18.986A	----	20.566 + 4.699	----	----	----	----	----	0 - 32
8865	----	----	20.353B/----	20.353B/20.580A	----	20.716 + 4.699	----	----	----	----	----	0 - 1
8875	----	----	20.453B/----	20.453B/20.681A	----	20.816 + 4.699	----	----	----	----	----	0 - 5
8880	----	----	20.525B/----	20.525B/20.731A	----	20.866 + 4.700	----	----	----	----	----	0 - 3
8885	----	----	20.575B/----	20.575B/20.781A	----	20.916 + 4.700	----	----	----	----	----	0 - 2
8890	----	----	20.625B/----	20.625B/20.831A	----	20.966 + 4.700	----	----	----	----	----	0 - 3
8900	----	----	21.110B/----	21.110B/19.475A	----	21.066 + 4.700	----	----	----	1	----	0 - 22
8905	----	----	20.775B/----	20.775B/20.981A	----	21.116 + 4.700	----	----	----	----	----	0 - 1
8910	----	----	20.803B/----	20.803B/21.031A	----	21.166 + 4.700	----	----	----	----	----	0 - 1
8915	----	----	20.875B/----	20.875B/21.081A	----	21.216 + 4.700	----	----	----	----	----	0 - 1
8920	----	----	21.310B/----	21.310B/20.842A	----	21.266 + 4.700	----	----	----	----	----	0 - 11
8925	----	----	20.975B/----	20.975B/21.181A	----	21.316 + 4.700	----	----	----	----	----	0 - 2
8930	----	----	21.025B/----	21.025B/21.231A	----	21.366 + 4.700	----	----	----	----	----	0 - 1
8940	----	----	21.125B/----	21.125B/21.331A	----	21.466 + 4.700	----	----	----	----	----	0 - 1
8950	----	----	21.225B/----	21.225B/21.431A	----	21.566 + 4.700	----	----	----	1	----	0 - 2
8955	----	----	21.252B/----	21.252B/21.481A	----	21.616 + 4.700	----	----	----	----	----	0 - 3
8960	----	----	21.325B/----	21.325B/21.824A	----	21.666 + 4.700	----	----	----	----	----	0 - 5
8970	----	----	21.402B/----	21.402B/21.924A	----	21.766 + 4.700	----	----	----	----	----	0 - 1
8975	----	----	21.860B/----	21.860B/20.248A	----	21.816 + 4.701	----	----	----	----	----	0 - 25
8980	----	----	21.502B/----	21.502B/22.024A	----	21.866 + 4.701	----	----	----	----	----	0 - 3
8985	----	----	21.960B/----	21.960B/21.599A	----	21.916 + 4.701	----	----	----	----	----	0 - 6
8990	----	----	21.625B/----	21.625B/22.124A	----	21.966 + 4.701	----	----	----	----	----	0 - 2
8995	----	----	21.675B/----	21.675B/22.174A	----	22.016 + 4.701	----	----	----	----	----	0 - 1
9000	----	----	22.110B/----	22.110B/20.228A	----	22.066 + 4.701	----	----	----	----	----	0 - 336
9010	----	----	21.825B/----	21.825B/22.324A	----	22.166 + 4.701	----	----	----	----	----	0 - 3
9015	----	----	21.874B/----	21.874B/22.445A	----	22.216 + 4.701	----	----	----	----	----	0 - 2
9020	----	----	21.834B/----	21.834B/22.890A	----	22.266 + 4.701	----	----	----	----	----	0 - 3
9025	----	----	22.360B/----	22.360B/22.658A	----	22.316 + 4.701	----	----	----	----	----	0 - 7
9030	----	----	21.934B/----	21.934B/23.293A	----	22.366 + 4.701	----	----	----	----	----	0 - 1
9035	----	----	21.984B/----	21.984B/23.343A	----	22.416 + 4.701	----	----	----	----	----	0 - 2
9040	----	----	22.034B/----	22.034B/23.392A	----	22.466 + 4.701	----	----	----	----	----	0 - 4
9045	----	----	22.084B/----	22.084B/23.443A	----	22.516 + 4.701	----	----	----	----	----	0 - 3
9050	----	----	22.102B/----	22.102B/23.493A	----	22.566 + 4.701	----	----	----	----	----	0 - 3
9055	----	----	22.127B/----	22.127B/23.543A	----	22.616 + 4.701	----	----	----	----	----	0 - 2
9060	----	----	22.177B/----	22.177B/23.593A	----	22.666 + 4.701	----	----	----	----	----	0 - 5
9070	----	----	22.095B/----	22.095B/23.638A	----	22.766 + 4.701	----	----	----	----	----	0 - 1
9075	----	----	22.747B/----	22.747B/20.958A	----	22.816 + 4.701	----	----	----	----	----	0 - 102
9080	----	----	21.859B/----	21.859B/24.031A	----	22.866 + 4.701	----	----	----	----	----	0 - 2
9100	----	----	23.001B/----	23.001B/21.218A	----	23.066 + 4.701	----	----	----	1	----	0 - 44
9105	----	----	22.109B/----	22.109B/24.315A	----	23.116 + 4.701	----	----	----	----	----	0 - 1
9110	----	----	22.219B/----	22.219B/24.361A	----	23.166 + 4.702	----	----	----	----	----	0 - 2
9115	----	----	----	----	----	23.216 + 4.702	----	----	----	----	----	0 UNCH
9120	----	----	22.286B/----	22.286B/24.466A	----	23.266 + 4.702	----	----	----	----	----	0 - 3
9125	----	----	23.224B/----	23.224B/23.871A	----	23.316 + 4.702	----	----	----	----	----	0 - 9
9130	----	----	22.499B/----	22.499B/24.544A	----	23.366 + 4.702	----	----	----	----	----	0 - 1
9135	----	----	22.549B/----	22.549B/24.615A	----	23.416 + 4.702	----	----	----	----	----	0 - 1
9150	----	----	23.307B/----	23.307B/24.125A	----	23.566 + 4.702	----	----	----	1	----	0 - 18
9160	----	----	22.659B/----	22.659B/24.866A	----	23.666 + 4.702	----	----	----	----	----	0 - 1
9165	----	----	22.564B/----	22.564B/24.991A	----	23.716 + 4.702	----	----	----	----	----	0 - 1
9170	----	----	----	----	----	23.766 + 4.702	----	----	----	----	----	0 - 1
9175	----	----	----	----	----	23.816 + 4.702	----	----	----	----	----	0 - 2
9180	----	----	----	----	----	23.866 + 4.702	----	----	----	----	----	0 - 2
9185	----	----	----	----	----	23.916 + 4.702	----	----	----	----	----	0 - 1
9190	----	----	----	----	----	23.966 + 4.702	----	----	----	----	----	0 - 1
9195	----	----	----	----	----	24.016 + 4.702	----	----	----	----	----	0 - 1
9200	----	----	21.821B/----	21.821B/22.476A	----	24.066 + 4.702	----	----	----	----	----	0 - 38
9205	----	----	----	----	----	24.116 + 4.702	----	----	----	----	----	0 - 1
9210	----	----	----	----	----	24.166 + 4.702	----	----	----	----	----	0 - 1
9215	----	----	----	----	----	24.216 + 4.702	----	----	----	----	----	0 - 4
9220	----	----	----	----	----	24.266 + 4.702	----	----	----	----	----	0 - 1
9225	----	----	----	----	----	24.316 + 4.702	----	----	----	----	----	0 - 2
9230	----	----	----	----	----	24.366 + 4.702	----	----	----	----	----	0 UNCH
9235	----	----	----	----	----	24.416 + 4.702	----	----	----	----	----	0 - 2
9240	----	----	----	----	----	24.466 + 4.702	----	----	----	----	----	0 - 5
9245	----	----	----	----	----	24.516 + 4.702	----	----	----	----	----	0 UNCH
9250	----	----	22.460B/----	22.460B/22.731A	----	24.566 + 4.702	----	----	----	----	----	0 - 42
9295	----	----	----	----	----	25.016 + 4.702	----	----	----	----	----	0 - 1
9300	----	----	----	----	----	25.066 + 4.702	----	----	----	----	----	0 - 8
9305	----	----	----	----	----	25.116 + 4.702	----	----	----	----	----	0 - 1
9315	----	----	----	----	----	25.216 + 4.703	----	----	----	----	----	0 - 1
9320	----	----	----	----	----	25.266 + 4.703	----	----	----	----	----	0 - 1
9335	----	----	----	----	----	25.416 + 4.703	----	----	----	----	----	0 - 1
9350	----	----	23.331B/----	23.331B/23.989A	----	25.566 + 4.703	----	----	----	----	----	0 - 39
9360	----	----	----	----	----	25.666 + 4.703	----	----	----	----	----	0 - 5
9400	----	----	23.831B/----	23.831B/24.477A	----	26.066 + 4.703	----	----	----	----	----	0 - 24
9410	----	----	----	----	----	26.166 + 4.703	----	----	----	----	----	0 - 1
9430	----	----	----	----	----	26.366 + 4.703	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
APR26												
9480	----	----	----	----	----	26.866 + 4.703	----	----	----	----	----	0 - 2
9485	----	----	----	----	----	26.916 + 4.703	----	----	----	----	----	0 - 2
9490	----	----	----	----	----	26.966 + 4.703	----	----	----	----	----	0 - 2
9500	----	----	25.023B/----	25.023B/25.212A	----	27.066 + 4.703	----	----	----	----	----	0 - 75
9510	----	----	----	----	----	27.166 + 4.703	----	----	----	----	----	0 UNCH
9515	----	----	----	----	----	27.216 + 4.703	----	----	----	----	----	0 - 1
9520	----	----	----	----	----	27.266 + 4.703	----	----	----	----	----	0 UNCH
9540	----	----	----	----	----	27.466 + 4.703	----	----	----	----	----	0 - 1
9545	----	----	25.281B/----	25.281B/25.942A	----	27.516 + 4.703	----	----	----	----	----	0 - 31
9550	----	----	25.551B/----	25.551B/25.736A	----	27.566 + 4.703	----	----	----	----	----	0 - 92
9600	----	----	----	----	----	28.066 + 4.703	----	----	----	----	----	0 - 5
9640	----	----	----	----	----	28.466 + 4.703	----	----	----	----	----	0 - 1
9700	----	----	26.830B/----	26.830B/27.499A	----	29.066 + 4.704	----	----	----	----	----	0 - 21
9705	----	----	----	----	----	29.116 + 4.704	----	----	----	----	----	0 UNCH
9710	----	----	----	----	----	29.166 + 4.704	----	----	----	----	----	0 UNCH
9725	----	----	27.210B/----	27.210B/27.473A	----	29.316 + 4.704	----	----	----	----	----	0 - 41
9750	----	----	27.501B/----	27.501B/27.725A	----	29.566 + 4.704	----	----	----	----	----	0 - 58
9800	----	----	----	----	----	30.066 + 4.704	----	----	----	----	----	0 - 9
9850	----	----	----	----	----	30.566 + 4.704	----	----	----	----	----	0 - 3
9860	----	----	----	----	----	30.666 + 4.704	----	----	----	----	----	0 - 1
9870	----	----	----	----	----	30.766 + 4.704	----	----	----	----	----	0 - 1
9900	----	----	----	----	----	31.066 + 4.704	----	----	----	----	----	0 - 5
9905	----	----	----	----	----	31.116 + 4.704	----	----	----	----	----	0 UNCH
9925	----	----	----	----	----	31.316 + 4.704	----	----	----	----	----	0 UNCH
9950	----	----	----	----	----	31.566 + 4.704	----	----	----	----	----	0 UNCH
9975	----	----	----	----	----	31.816 + 4.704	----	----	----	----	----	0 UNCH
10000	----	----	29.961B/----	29.961B/30.567A	----	32.066 + 4.704	----	----	----	----	----	0 - 195
10040	----	----	----	----	----	32.466 + 4.704	----	----	----	----	----	0 - 1
10050	----	----	----	----	----	32.566 + 4.704	----	----	----	----	----	0 UNCH
10080	----	----	----	----	----	32.866 + 4.704	----	----	----	----	----	0 UNCH
10100	----	----	----	----	----	33.066 + 4.704	----	----	----	----	----	0 - 2
10110	----	----	----	----	----	33.166 + 4.704	----	----	----	----	----	0 UNCH
10145	----	----	----	----	----	33.516 + 4.704	----	----	----	----	----	0 - 1
10160	----	----	----	----	----	33.666 + 4.704	----	----	----	----	----	0 - 1
10175	----	----	----	----	----	33.816 + 4.704	----	----	----	----	----	0 - 1
10200	----	----	----	----	----	34.066 + 4.705	----	----	----	----	----	0 - 9
10265	----	----	----	----	----	34.716 + 4.705	----	----	----	----	----	0 UNCH
10280	----	----	----	----	----	34.866 + 4.705	----	----	----	----	----	0 - 1
10285	----	----	----	----	----	34.916 + 4.705	----	----	----	----	----	0 - 1
10290	----	----	----	----	----	34.966 + 4.705	----	----	----	----	----	0 - 1
10295	----	----	----	----	----	35.016 + 4.705	----	----	----	----	----	0 - 10
10300	----	----	----	----	----	35.066 + 4.705	----	----	----	----	----	0 - 11
10325	----	----	----	----	----	35.316 + 4.705	----	----	----	----	----	0 - 30
10350	----	----	----	----	----	35.566 + 4.705	----	----	----	----	----	0 - 1
10375	----	----	----	----	----	35.816 + 4.705	----	----	----	----	----	0 - 1
10500	----	----	----	----	----	37.066 + 4.706	----	----	----	----	----	0 - 2
10550	----	----	----	----	----	37.566 + 4.706	----	----	----	----	----	0 - 1
10600	----	----	----	----	----	38.066 + 4.706	----	----	----	----	----	0 - 1
10800	----	----	----	----	----	40.066 + 4.706	----	----	----	----	----	0 - 4
11000	----	----	----	----	----	42.066 + 4.706	----	----	----	----	----	0 - 10
11025	----	----	----	----	----	42.316 + 4.706	----	----	----	----	----	0 - 9
11275	----	----	----	----	----	44.816 + 4.706	----	----	----	----	----	0 - 1
11500	----	----	----	----	----	47.066 + 4.706	----	----	----	----	----	0 - 1
11600	----	----	----	----	----	48.066 + 4.706	----	----	----	----	----	0 - 4
13300	----	----	----	----	----	65.066 + 4.706	----	----	----	----	----	0 - 1
TOTAL										2098	0	0 - 21943
MAY26												
2075	----	----	----	----/0.030A	----	0.007 + 0.002	.0007	----	----	----	----	30 UNCH
2100	----	----	----	----/0.093A	----	0.007 + 0.002	.0007	----	----	----	----	1 UNCH
2150	----	----	----	----/0.095A	----	0.008 + 0.003	.0008	----	----	----	----	1 UNCH
2175	----	----	----	----/0.096A	----	0.009 + 0.003	.0009	----	----	----	----	1 UNCH
2650	----	----	0.015B/----	0.015B/0.026A	----	0.023 + 0.009	.0024	----	----	----	----	1 UNCH
2700	----	----	----	----/0.131A	----	0.025 + 0.009	.0027	----	----	----	----	50 UNCH
2800	----	----	----	----/0.141A	----	0.030 + 0.012	.0032	----	----	----	----	12 UNCH
2850	----	----	----	----/0.146A	----	0.032 + 0.012	.0035	----	----	----	----	3 UNCH
2875	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.034 NEW	.0037	----	----	1	----	1 + 1
2950	----	----	----	----/0.158A	----	0.038 + 0.015	.0042	----	----	----	----	1 UNCH
3000	----	----	0.025B/----	0.025B/0.050A	----	0.041 + 0.017	.0045	----	----	----	----	19 UNCH
3075	----	----	----	0.001B/0.175A	----	0.046 + 0.018	.0051	----	----	----	----	16 UNCH
3100	----	----	----	0.001B/0.179A	----	0.049 + 0.020	.0054	----	----	----	----	5 UNCH
3125	----	----	----	0.001B/0.183A	----	0.051 + 0.021	.0057	----	----	----	----	14 UNCH
3175	----	----	----	0.001B/0.190A	----	0.055 + 0.022	.0061	----	----	----	----	14 UNCH
3200	----	----	----	0.001B/0.193A	----	0.058 + 0.024	.0065	----	----	----	----	13 UNCH
3225	----	----	----	0.001B/0.196A	----	0.060 + 0.024	.0067	----	----	----	----	10 UNCH
3275	----	----	0.040B/----	0.040B/0.202A	----	0.065 + 0.026	.0073	----	----	----	----	54 UNCH
3300	0.070	0.070	0.070/*0.070	0.070/0.070	----	0.068 + 0.027	.0076	----	----	2	----	79 UNCH
3325	----	----	----	0.002B/0.209A	----	0.071 + 0.029	.0080	----	----	----	----	2 UNCH
3350	----	----	----	0.004B/0.212A	----	0.074 + 0.030	.0083	----	----	----	----	14 UNCH
3375	----	----	----	0.008B/0.205A	----	0.077 + 0.031	.0087	----	----	----	----	12 UNCH
3400	----	----	----	0.008B/0.193A	----	0.080 + 0.033	.0090	----	----	----	----	39 UNCH
3450	----	----	----	0.013B/0.192A	----	0.086 + 0.035	.0097	----	----	----	----	5 UNCH
3475	----	----	----	0.012B/0.193A	----	0.090 + 0.037	.0102	----	----	----	----	13 UNCH
3500	0.101	0.101	0.101/0.090A	0.101/0.090A	----	0.093 + 0.038	.0105	----	----	1	----	56 + 1
3550	----	----	----	0.016B/0.198A	----	0.100 + 0.041	.0114	----	----	----	----	1 UNCH
3575	----	----	----	0.016B/0.201A	----	0.104 + 0.043	.0118	----	----	----	----	28 UNCH
3600	----	----	----	0.018B/0.199A	----	0.108 + 0.044	.0123	----	----	----	----	6 UNCH
3625	----	----	----	0.019B/0.209A	----	0.112 + 0.046	.0128	----	----	----	----	12 UNCH
3675	----	----	----	0.018B/0.219A	----	0.120 + 0.049	.0137	----	----	----	----	105 UNCH
3700	----	----	----	0.019B/0.217A	----	0.125 + 0.052	.0143	----	----	----	----	264 UNCH
3750	----	----	----	0.014B/0.224A	----	0.134 + 0.055	.0154	----	----	----	----	10 UNCH
3775	----	----	----	0.018B/0.229A	----	0.139 + 0.058	.0159	----	----	----	----	10 UNCH
3800	----	----	----	0.023B/0.233A	----	0.144 + 0.060	.0165	----	----	----	----	355 UNCH
3850	----	----	----	0.032B/0.236A	----	0.154 + 0.064	.0177	----	----	----	----	1 UNCH
3900	----	----	0.101B/----	0.101B/0.249A	----	0.165 + 0.069	.0190	----	----	----	----	52 UNCH
3925	----	----	----	0.048B/0.250A	----	0.170 + 0.071	.0197	----	----	----	----	9 UNCH
3950	----	----	----	0.053B/0.256A	----	0.176 + 0.073	.0204	----	----	----	----	11 UNCH
3975	----	----	----	0.057B/0.258A	----	0.182 + 0.076	.0211	----	----	----	----	5 UNCH
4000	0.185	0.185	0.185/0.184	0.185/0.184	----	0.188 + 0.079	.0218	----	----	2	----	262 + 2
4025	----	----	----	0.071B/0.267A	----	0.194 + 0.081	.0225	----	----	----	----	3 UNCH
4050	----	----	0.130B/----	0.130B/0.275A	----	0.199 + 0.083	.0232	----	----	----	----	21 UNCH
4075	----	----	0.130B/----	0.130B/0.280A	----	0.205 + 0.085	.0239	----	----	----	----	15 UNCH
4100	----	----	----	0.091B/0.285A	----	0.210 + 0.087	.0246	----	----	----	----	190 UNCH
4125	----	----	----	0.097B/0.291A	----	0.216 + 0.089	.0254	----	----	----	----	10 UNCH
4150	----	----	----	0.104B/0.292A	----	0.222 + 0.091	.0262	----	----	----	----	9 UNCH
4175	----	----	----	0.112B/0.298A	----	0.228 + 0.093	.0269	----	----	----	----	1 UNCH
4200	----	----	----	0.118B/0.306A	----	0.235 + 0.096	.0278	----	----	----	----	98 UNCH
4225	----	----	----	0.125B/0.310A	----	0.241 + 0.098	.0286	----	----	----	----	20 UNCH
4250	----	----	----	0.133B/0.315A	----	0.248 + 0.101	.0295	----	----	----	----	10 UNCH
4275	----	----	----	0.146B/0.322A	----	0.254 + 0.103	.0303	----	----	----	----	7 UNCH
4300	----	----	----	0.148B/0.321A	----	0.261 + 0.105	.0312	----	----	----	----	270 UNCH
4325	----	----	----	0.157B/0.335A	----	0.269 + 0.109	.0322	----	----	----	----	1 UNCH
4350	----	----	----	0.165B/0.342A	----	0.276 + 0.111	.0332	----	----	----	----	27 UNCH
4375	----	----	0.174B/----	0.174B/0.349A	----	0.284 + 0.114	.0342	----	----	----	----	12 UNCH
4400	0.170	0.170	0.240/*0.170	0.240/*0.170	----	0.291 + 0.117	.0351	----	----	2	----	314 + 2
4425	----	----	0.193B/----	0.193B/0.363A	----	0.299 + 0.120	.0362	----	----	----	----	14 UNCH
4450	----	----	0.203B/----	0.203B/0.371A	----	0.308 + 0.123	.0373	----	----	----	----	7 UNCH
4475	----	----	0.214B/----	0.214B/0.379A	----	0.316 + 0.126	.0384	----	----	----	----	81 UNCH
4500	0.299	0.299	0.320/0.299	0.320/0.299	----	0.325 + 0.130	.0396	----	----	2	----	792 UNCH
4525	----	----	0.239B/----	0.239B/0.394A	----	0.334 + 0.133	.0407	----	----	----	----	19 UNCH
4550	----	----	0.250B/----	0.250B/0.403A	----	0.344 + 0.137	.0420	----	----	----	----	4 UNCH
4575	----	----	0.263B/----	0.263B/0.412A	----	0.353 + 0.140	.0432	----	----	----	----	11 UNCH
4600	----	----	0.340B/----	0.340B/0.416A	----	0.364 + 0.145	.0446	----	----	----	----	14 UNCH
4625	----	----	0.358B/----	0.358B/0.426A	----	0.374 + 0.149	.0459	----	----	----	----	66 UNCH
4650	----	----	0.375B/----	0.375B/0.434A	----	0.385 + 0.153	.0473	----	----	----	----	7 UNCH
4675	----	----	0.393B/----	0.393B/0.442A	----	0.396 + 0.157	.0488	----	----	----	----	17 UNCH
4700	----	----	0.407B/----	0.407B/0.451A	----	0.408 + 0.163	.0503	----	----	----	----	116 UNCH
4725	0.430	0.430	0.430/0.350	0.430/0.350	----	0.420 + 0.167	.0518	----	----	2	----	7 + 1
4750	----	----	0.438B/----	0.438B/0.442A	----	0.433 + 0.173	.0535	----	----	----	----	18 UNCH
4775	----	----	0.450B/----	0.450B/0.447A	----	0.446 + 0.178	.0551	----	----	----	----	4 UNCH
4800	0.380	0.380	0.558/0.380	0.558/0.380	----	0.459 + 0.183	.0568	----	----	9	----	270 + 4
4825	----	----	0.498B/----	0.498B/0.506A	----	0.473 + 0.189	.0586	----	----	----	----	3 UNCH
4850	----	----	0.517B/----	0.517B/0.507A	----	0.488 + 0.196	.0605	----	----	----	----	75 UNCH
4875	----	----	0.536B/----	0.536B/0.522A	----	0.503 + 0.202	.0623	----	----	----	----	1 UNCH
4900	----	----	0.557B/----	0.557B/0.531A	----	0.519 + 0.209	.0643	----	----	----	----	160 UNCH
4925	----	----	0.581B/----	0.581B/0.543A	----	0.536 + 0.217	.0664	----	----	----	----	9 UNCH
4950	----	----	0.597B/----	0.597B/0.544A	----	0.553 + 0.224	.0685	----	----	----	----	12 UNCH
4975	0.633	0.633	0.633/0.633	0.633/0.564A	----	0.571 + 0.232	.0707	----	----	5	----	52 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
MAY26													
5000	0.500	0.500	0.725/0.500	0.725/0.500	----	0.590	+ 0.241	.0730	----	----	142	----	886 - 45
5025	----	----	0.676B/----	0.676B/0.606A	----	0.609	+ 0.249	.0753	----	----	----	----	1 UNCH
5050	----	----	0.700B/----	0.700B/0.623A	----	0.630	+ 0.259	.0778	----	----	----	----	24 UNCH
5075	----	----	0.722B/----	0.722B/0.629A	----	0.651	+ 0.269	.0803	----	----	----	----	7 UNCH
5100	----	----	0.740B/----	0.740B/0.640A	----	0.673	+ 0.279	.0829	----	----	----	----	163 UNCH
5125	----	----	0.778B/----	0.778B/0.660A	----	0.696	+ 0.289	.0856	----	----	----	----	50 UNCH
5150	----	----	0.798B/----	0.798B/0.670A	----	0.720	+ 0.300	.0884	----	----	----	----	50 UNCH
5175	----	----	0.827B/----	0.827B/0.577A	----	0.745	+ 0.312	.0912	----	----	----	----	2 UNCH
5200	----	----	0.852B/----	0.852B/0.571A	----	0.770	+ 0.323	.0941	----	----	----	56	172 + 52
5225	----	----	0.894B/----	0.894B/0.589A	----	0.797	+ 0.336	.0972	----	----	----	----	5 UNCH
5250	----	----	0.927B/----	0.927B/0.613A	----	0.825	+ 0.349	.1004	----	----	----	----	33 UNCH
5275	----	----	0.953B/----	0.953B/0.632A	----	0.854	+ 0.363	.1036	----	----	----	----	8 UNCH
5300	0.879	0.879	1.020/0.750	1.020/0.603A	----	0.884	+ 0.377	.1069	----	----	22	----	174 + 4
5325	0.796	0.796	1.036B/0.796	1.036B/0.620A	----	0.915	+ 0.392	.1104	----	----	2	----	23 UNCH
5350	----	----	1.066B/----	1.066B/0.624A	----	0.947	+ 0.407	.1139	----	----	----	----	28 UNCH
5375	----	----	1.114B/----	1.114B/0.642A	----	0.980	+ 0.423	.1175	----	----	----	----	14 UNCH
5400	0.924	0.924	1.200/0.924	1.200/0.661A	----	1.015	+ 0.439	.1212	----	----	11	----	102 + 10
5425	----	----	1.189B/----	1.189B/0.680A	----	1.050	+ 0.456	.1250	----	----	----	----	13 UNCH
5450	1.278	1.278	1.278/1.278	1.278/0.702A	----	1.087	+ 0.473	.1289	----	----	1	----	9 + 1
5475	1.158	1.158	1.320/1.130	1.320/0.722A	----	1.125	+ 0.491	.1329	----	----	3	----	13 UNCH
5500	0.770	0.770	1.320/0.745A	1.320/0.745A	----	1.165	+ 0.510	.1371	----	----	46	----	509 UNCH
5525	1.407	1.407	1.407/1.407	1.407/0.768A	----	1.205	+ 0.528	.1412	----	----	21	----	37 + 10
5550	----	----	1.406B/----	1.406B/0.793A	----	1.247	+ 0.548	.1455	----	----	2	----	35 + 2
5575	1.499	1.499	1.499/1.499	1.499/0.818A	----	1.290	+ 0.568	.1499	----	----	1	----	4 + 1
5600	----	----	1.500B/----	1.500B/0.843A	----	1.335	+ 0.589	.1544	----	----	2	----	110 + 2
5625	----	----	1.549B/----	1.549B/0.870A	----	1.381	+ 0.610	.1590	----	----	----	----	7 UNCH
5650	1.446	1.446	1.599B/1.430	1.599B/0.896A	----	1.428	+ 0.632	.1637	----	----	10	----	40 + 10
5675	----	----	1.651B/----	1.651B/0.927A	----	1.476	+ 0.653	.1685	----	----	----	----	48 UNCH
5700	----	----	1.704B/----	1.704B/0.956A	----	1.526	+ 0.676	.1734	----	----	2	----	124 UNCH
5725	----	----	1.758B/----	1.758B/0.984A	----	1.578	+ 0.699	.1784	----	----	----	----	20 UNCH
5750	1.440	1.440	1.814B/1.405	1.814B/1.018A	----	1.631	+ 0.723	.1834	----	----	6	----	30 + 4
5775	1.400	1.400	1.869B/1.400	1.869B/1.048A	----	1.685	+ 0.747	.1886	----	----	1	----	13 UNCH
5800	1.750	1.750	1.929B/1.600	1.929B/1.082A	----	1.741	+ 0.772	.1938	----	----	4	----	349 + 4
5825	----	----	1.991B/----	1.991B/1.117A	----	1.798	+ 0.796	.1992	----	----	----	----	50 UNCH
5850	----	----	2.048B/----	2.048B/1.152A	----	1.856	+ 0.821	.2046	----	----	1	----	6 UNCH
5875	----	----	2.114B/----	2.114B/1.187A	----	1.916	+ 0.847	.2101	----	----	----	----	5 UNCH
5900	1.788	1.788	2.180B/1.739	2.180B/1.222A	----	1.978	+ 0.873	.2157	----	----	8	----	116 + 8
5925	----	----	2.245B/----	2.245B/1.262A	----	2.041	+ 0.900	.2214	----	----	----	----	12 UNCH
5950	2.150	2.150	2.314B/2.140	2.314B/1.306A	----	2.105	+ 0.926	.2272	----	----	2	----	9 UNCH
5975	----	----	2.383B/----	2.383B/1.346A	----	2.171	+ 0.953	.2330	----	----	----	----	19 UNCH
6000	1.380	1.380	2.525/1.380	2.525/1.380	----	2.239	+ 0.980	.2390	----	----	256	103	998 - 8
6025	----	----	2.524B/----	2.524B/1.435A	----	2.308	+ 1.008	.2450	----	----	----	----	6 UNCH
6050	2.180	2.180	2.598B/2.180	2.598B/1.480A	----	2.379	+ 1.036	.2511	----	----	5	----	58 UNCH
6075	1.997	1.997	2.674B/1.997	2.674B/1.527A	----	2.451	+ 1.064	.2573	----	----	4	----	165 UNCH
6100	2.419	2.419	2.755B/2.228	2.755B/1.575A	----	2.525	+ 1.092	.2636	----	----	17	----	94 + 3
6125	----	----	2.836B/----	2.836B/1.625A	----	2.601	+ 1.122	.2699	----	----	----	----	7 UNCH
6150	----	----	2.923B/----	2.923B/1.675A	----	2.679	+ 1.151	.2764	----	----	----	----	33 UNCH
6175	----	----	2.997B/----	2.997B/1.727A	----	2.758	+ 1.181	.2829	----	----	----	----	12 UNCH
6200	2.085	2.085	3.086B/2.085	3.086B/1.782A	----	2.839	+ 1.210	.2895	----	----	44	----	58 - 24
6225	----	----	3.164B/----	3.164B/1.838A	----	2.921	+ 1.240	.2961	----	----	----	----	32 UNCH
6250	----	----	3.249B/----	3.249B/1.896A	----	3.006	+ 1.271	.3028	----	----	----	----	76 UNCH
6275	----	----	3.349B/----	3.349B/1.958A	----	3.092	+ 1.301	.3096	----	----	----	----	13 UNCH
6300	2.222	2.222	3.442B/2.151	3.442B/2.014A	----	3.180	+ 1.332	.3165	----	----	92	----	151 - 16
6325	----	----	3.542B/----	3.542B/2.078A	----	3.270	+ 1.363	.3234	----	----	----	----	125 UNCH
6350	----	----	3.605B/----	3.605B/2.140A	----	3.362	+ 1.394	.3304	----	----	----	----	74 UNCH
6375	----	----	3.712B/----	3.712B/2.204A	----	3.456	+ 1.426	.3374	----	----	----	----	16 UNCH
6400	2.561	2.561	3.820B/2.275A	3.820B/2.275A	----	3.551	+ 1.458	.3445	----	----	63	----	87 - 26
6425	----	----	3.910B/----	3.910B/2.342A	----	3.648	+ 1.489	.3516	----	----	----	----	10 UNCH
6450	----	----	4.023B/----	4.023B/2.424A	----	3.748	+ 1.522	.3588	----	----	----	----	36 UNCH
6475	----	----	4.123B/----	4.123B/2.486A	----	3.849	+ 1.554	.3661	----	----	----	----	8 UNCH
6500	3.604	3.604	4.303/3.604	4.303/2.564A	----	3.952	+ 1.586	.3734	----	----	119	100	737 + 112
6525	----	----	4.338B/----	4.338B/2.637A	----	4.057	+ 1.619	.3807	----	----	----	----	18 UNCH
6550	4.228	4.228	4.451B/4.228	4.451B/2.724A	----	4.165	+ 1.652	.3881	----	----	2	----	172 UNCH
6575	3.774	3.774	4.576B/3.774	4.576B/2.798A	----	4.274	+ 1.685	.3955	----	----	1	----	44 + 1
6600	3.799	3.799	4.690B/3.799	4.690B/2.889A	----	4.385	+ 1.718	.4030	----	----	8	----	410 - 2
6625	----	----	4.804B/----	4.804B/2.966A	----	4.498	+ 1.751	.4104	----	----	----	----	7 UNCH
6650	----	----	4.915B/----	4.915B/3.053A	----	4.613	+ 1.784	.4180	----	----	----	----	74 UNCH
6675	4.850	4.850	5.042B/4.800	5.042B/3.138A	----	4.730	+ 1.817	.4255	----	----	4	----	63 + 1
6700	4.182	4.182	5.171B/4.182	5.171B/3.234A	----	4.849	+ 1.851	.4331	----	----	6	----	450 + 3
6725	----	----	5.288B/----	5.288B/3.323A	----	4.971	+ 1.885	.4406	----	----	----	----	7 UNCH
6750	5.400	5.400	5.424B/4.610	5.424B/3.424A	----	5.094	+ 1.919	.4482	----	----	8	----	50 + 5
6775	----	----	5.536B/----	5.536B/3.517A	----	5.219	+ 1.952	.4558	----	----	----	----	14 UNCH
6800	5.249	5.249	5.695B/5.249	5.695B/3.618A	----	5.346	+ 1.985	.4634	----	----	13	----	64 + 1
6825	----	----	5.814B/----	5.814B/3.849A	----	5.476	+ 2.020	.4710	----	----	----	----	13 UNCH
6850	----	----	5.981B/----	5.981B/4.186A	----	5.607	+ 2.053	.4786	----	----	----	----	10 UNCH
6875	----	----	6.077B/----	6.077B/4.301A	----	5.741	+ 2.088	.4862	----	----	----	----	5 UNCH
6900	5.000	5.000	6.256B/5.000	6.256B/4.376A	----	5.876	+ 2.121	.4938	----	----	12	----	395 + 1
6925	5.467	5.467	6.380B/5.467	6.380B/4.523A	----	6.014	+ 2.155	.5014	----	----	107	----	165 - 55
6950	5.697	5.697	6.499B/5.697	6.499B/4.639A	----	6.153	+ 2.189	.5089	----	----	2	----	5 + 1
6975	----	----	6.586B/----	6.586B/4.804A	----	6.295	+ 2.223	.5165	----	----	----	----	15 UNCH
7000	5.347	5.347	6.804B/5.347	6.804B/4.826A	----	6.439	+ 2.257	.5240	----	----	67	----	870 - 10
7025	----	----	6.899B/----	6.899B/5.001A	----	6.584	+ 2.290	.5315	----	----	----	----	7 UNCH
7050	6.129	6.129	7.033B/6.129	7.033B/5.115A	----	6.732	+ 2.324	.5389	----	----	1	----	6 + 1
7075	5.958	5.958	7.197B/5.958	7.197B/5.247A	----	6.882	+ 2.358	.5464	----	----	5	----	9 + 4
7100	----	----	7.424B/----	7.424B/5.298A	----	7.033	+ 2.391	.5537	----	----	2	----	55 + 1
7125	----	----	7.596B/----	7.596B/5.493A	----	7.187	+ 2.425	.5611	----	----	----	----	12 UNCH
7150	5.400	5.400	7.763B/5.278	7.763B/5.278	----	7.343	+ 2.459	.5684	----	----	5	----	28 + 4
7175	----	----	7.860B/----	7.860B/5.762A	----	7.500	+ 2.492	.5756	----	----	----	----	13 UNCH
7200	5.542	5.542	8.042B/5.542	8.042B/5.542	----	7.660	+ 2.526	.5829	----	----	1	----	288 UNCH
7225	----	----	8.163B/----	8.163B/5.566A	----	7.821	+ 2.558	.5900	----	----	----	----	18 UNCH
7250	5.714	5.714	8.385B/5.714	8.385B/5.706A	----	7.985	+ 2.592	.5971	----	----	22	----	80 - 7
7275	7.612	7.612	8.496B/7.612	8.496B/6.263A	----	8.150	+ 2.624	.6041	----	----	1	----	6 UNCH
7300	----	----	8.670B/----	8.670B/6.040A	----	8.318	+ 2.658	.6111	----	----	----	----	41 UNCH
7325	6.123	6.123	8.843B/6.123	8.843B/6.123	----	8.487	+ 2.691	.6180	----	----	1	----	14 + 1
7350	----	----	9.016B/----	9.016B/6.672A	----	8.658	+ 2.723	.6248	----	----	1	----	30 + 1
7375	8.275	8.275	8.867B/8.275	8.867B/6.895A	----	8.831	+ 2.756	.6316	----	----	1	----	5 + 1
7400	8.447	8.447	9.372B/8.447	9.372B/6.989A	----	9.005	+ 2.787	.6383	----	----	1	----	36 UNCH
7425	----	----	9.550B/----	9.550B/7.338A	----	9.182	+ 2.820	.6449	----	----	----	----	6 UNCH
7450	----	----	9.732B/----	9.732B/7.417A	----	9.360	+ 2.852	.6515	----	----	----	----	6 UNCH
7475	----	----	9.608B/----	9.608B/8.007A	----	9.540	+ 2.884	.6579	----	----	----	----	3 UNCH
7500	9.684	9.684	10.148B/9.684	10.148B/7.677A	----	9.722	+ 2.915	.6643	----	----	24	----	413 - 2
7525	----	----	10.286B/----	10.286B/7.882A	----	9.905	+ 2.946	.6706	----	----	----	----	28 UNCH
7530	----	----	10.015B/----	10.015B/8.011A	----	9.942	+ 2.953	.6718	----	----	----	----	2 UNCH
7535	----	----	10.326B/----	10.326B/7.929A	----	9.979	+ 2.959	.6731	----	----	----	----	9 UNCH
7540	----	----	10.097B/----	10.097B/8.056A	----	10.016	+ 2.965	.6743	----	----	----	----	1 UNCH
7545	----	----	10.130B/----	10.130B/8.081A	----	10.053	+ 2.971	.6755	----	----	----	----	2 UNCH
7550	----	----	10.472B/----	10.472B/7.948A	----	10.090	+ 2.977	.6768	----	----	----	----	18 UNCH
7555	----	----	10.206B/----	10.206B/8.124A	----	10.127	+ 2.983	.6780	----	----	----	----	1 UNCH
7560	----	----	10.245B/----	10.245B/7.960A	----	10.164	+ 2.989	.6792	----	----	----	----	2 UNCH
7565	----	----	10.327B/----	10.327B/8.157A	----	10.202	+ 2.996	.6805	----	----	----	----	1 UNCH
7570	----	----	10.334B/----	10.334B/8.171A	----	10.239	+ 3.002	.6817	----	----	----	----	1 UNCH
7575	----	----	10.338B/----	10.338B/8.137A	----	10.277	+ 3.009	.6829	----	----	----	----	1 UNCH
7580	----	----	10.695B/----	10.695B/8.030A	----	10.314	+ 3.014	.6841	----	----	----	----	25 UNCH
7585	----	----	10.708B/----	10.708B/8.128A	----	10.352	+ 3.021	.6853	----	----	----	----	6 UNCH
7590	----	----	10.354B/----	10.354B/8.233A	----	10.389	+ 3.026	.6865	----	----	----	----	1 UNCH
7595	----	----	10.363B/----	10.363B/8.266A	----	10.427	+ 3.033	.6877	----	----	----	----	1 UNCH
7600	----	----	10.877B/----	10.877B/8.115A	----	10.465	+ 3.039	.6889	----	----	2	----	42 - 1
7605	----	----	10.404B/----	10.404B/8.163A	----	10.503	+ 3.045	.6901	----	----	----	----	2 UNCH
7610	----	----	10.444B/----	10.444B/8.051A	----	10.541	+ 3.051	.6913	----	----	----	----	1 UNCH
7620	----	----	11.001B/----	11.001B/8.202A	----	10.616	+ 3.063	.6937	----	----	----	----	31 UNCH
7625	----	----	10.599B/----	10.599B/8.270A	----	10.655	+ 3.070	.6948	----	----	----	----	3 UNCH
7630	----	----	10.637B/----	10.637B/8.304A	----	10.693	+ 3.075	.6960	----	----	----	----	1 UNCH
7635	----	----	11.117B/----	11.117B/8.295A	----	10.731	+ 3.081	.6972	----	----	----	----	36 UNCH
7645	----	----	10.713B/----	10.713B/8.439A	----	10.807	+ 3.093	.6996	----	----	----	----	2 UNCH
7650	----	----	11.236B/----	11.236B/8.467A	----	10.846	+ 3.099	.7007	----	----	----	----	7 UNCH
7655	----	----	10.831B/----	10.831B/8.633A	----	10.884	+ 3.105	.7019	----	----	----	----	1 UNCH
7660	----	----	10.830B/----	10.830B/8.644A	----	10.923	+ 3.111	.7030	----	----	----	----	1 UNCH
7665	----	----	10.873B/----	10.873B/8.656A	----	10.961	+ 3.117	.7042	----	----	----	----	3 UNCH
7670	10.424	10.424	10.872B/10.424	10.872B/8.670A	----	11.000	+ 3.123	.7054	----	----	1	----	1 UNCH
7675	----	----	10.889B/----	10.889B/8.687A	----	11.039	+ 3.129	.7065	----	----	1	----	2 + 1
7685	----	----	11.502B/----	11.502B/8.737A	----	11.116	+ 3.140	.7088	----	----	----	----	10 UNCH
7700	----	----	11.697B/----	11.697B/9.874A	----	11.233	+ 3.158	.7122	----	----	4	----	272 + 2
7710	----	----	11.166B/----	11.166B/10.748A	----	11.311	+ 3.170	.7144	----	----	----	----	2 UNCH
7715	----	----	11.205B/----	11.205B/10.785A	----	11.350	+ 3.175	.7156	----	----	----	----	1 UNCH
7720	----	----	11.244B/----	11.244B/10.823A	----	11.389	+ 3.181	.7166	----	----	----	----	2 UNCH
7725	----	----	11.282B/----	11.282B/10.861A	----	11.429	+ 3.188	.7178	----	----	----	----	2 UNCH
7730	----	----	11.322B/----	11.322B/10.899A	----	11.468	+ 3.193	.7189	----	----	----	----	1 UNCH
7735	----	----	11.360B/----	11.360B/10.937A	----	11.507	+ 3.198	.7200	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
MAY26													
7745	----	----	11.439B/----	11.439B/11.013A	----	11.586	+ 3.210	.7222	----	----	----	----	3 UNCH
7750	----	----	12.107B/----	12.107B/10.262A	----	11.626	+ 3.216	.7233	----	----	----	----	62 UNCH
7755	----	----	11.518B/----	11.518B/11.090A	----	11.665	+ 3.221	.7244	----	----	----	----	4 UNCH
7760	----	----	11.558B/----	11.558B/11.127A	----	11.705	+ 3.227	.7255	----	----	----	----	4 UNCH
7770	----	----	11.637B/----	11.637B/11.204A	----	11.784	+ 3.238	.7276	----	----	----	----	1 UNCH
7775	----	----	11.677B/----	11.677B/11.242A	----	11.824	+ 3.244	.7287	----	----	----	----	2 UNCH
7780	----	----	11.717B/----	11.717B/11.280A	----	11.864	+ 3.250	.7297	----	----	----	----	1 UNCH
7785	----	----	11.758B/----	11.758B/11.319A	----	11.904	+ 3.256	.7308	----	----	----	----	1 UNCH
7790	----	----	11.797B/----	11.797B/11.358A	----	11.944	+ 3.261	.7319	----	----	----	----	2 UNCH
7800	11.310	11.310	12.412B/11.310	12.412B/11.010A	----	12.024	+ 3.272	.7340	----	----	1	----	24 + 1
7805	----	----	11.917B/----	11.917B/11.474A	----	12.064	+ 3.278	.7351	----	----	----	----	1 UNCH
7815	----	----	11.998B/----	11.998B/11.552A	----	12.144	+ 3.289	.7372	----	----	----	----	1 UNCH
7825	----	----	12.078B/----	12.078B/11.629A	----	12.225	+ 3.300	.7392	----	----	----	----	1 UNCH
7830	----	----	12.659B/----	12.659B/11.310A	----	12.265	+ 3.305	.7403	----	----	----	----	11 UNCH
7840	----	----	12.199B/----	12.199B/11.748A	----	12.346	+ 3.316	.7424	----	----	----	----	2 UNCH
7850	----	----	12.860B/----	12.860B/11.262A	----	12.427	+ 3.327	.7444	----	----	1	----	44 UNCH
7865	----	----	12.401B/----	12.401B/11.937A	----	12.549	+ 3.343	.7474	----	----	----	----	1 UNCH
7875	----	----	13.026B/----	13.026B/11.599A	----	12.631	+ 3.354	.7494	----	----	----	----	7 UNCH
7880	----	----	12.520B/----	12.520B/12.057A	----	12.672	+ 3.360	.7504	----	----	----	----	1 UNCH
7885	----	----	12.561B/----	12.561B/12.095A	----	12.713	+ 3.365	.7514	----	----	----	----	1 UNCH
7890	----	----	12.602B/----	12.602B/12.140A	----	12.754	+ 3.370	.7524	----	----	----	----	1 UNCH
7895	----	----	12.643B/----	12.643B/12.180A	----	12.795	+ 3.376	.7534	----	----	----	----	1 UNCH
7900	----	----	13.274B/----	13.274B/11.667A	----	12.836	+ 3.381	.7544	----	----	----	----	33 UNCH
7910	----	----	12.768B/----	12.768B/12.299A	----	12.918	+ 3.391	.7563	----	----	----	----	3 UNCH
7915	----	----	12.809B/----	12.809B/12.338A	----	12.959	+ 3.396	.7573	----	----	----	----	1 UNCH
7925	----	----	12.890B/----	12.890B/12.418A	----	13.042	+ 3.407	.7593	----	----	----	----	1 UNCH
7930	----	----	12.931B/----	12.931B/12.458A	----	13.083	+ 3.412	.7602	----	----	----	----	1 UNCH
7935	----	----	12.973B/----	12.973B/12.498A	----	13.124	+ 3.417	.7612	----	----	----	----	2 UNCH
7940	----	----	13.014B/----	13.014B/12.538A	----	13.166	+ 3.422	.7622	----	----	----	----	3 UNCH
7950	----	----	13.652B/----	13.652B/12.225A	----	13.249	+ 3.433	.7640	----	----	----	----	24 UNCH
7955	----	----	13.138B/----	13.138B/12.658A	----	13.290	+ 3.437	.7650	----	----	----	----	1 UNCH
7965	----	----	13.779B/----	13.779B/12.345A	----	13.373	+ 3.447	.7669	----	----	----	----	6 UNCH
7970	----	----	13.261B/----	13.261B/12.779A	----	13.415	+ 3.452	.7678	----	----	----	----	3 UNCH
7975	----	----	13.304B/----	13.304B/12.819A	----	13.457	+ 3.458	.7687	----	----	----	----	1 UNCH
7980	----	----	13.346B/----	13.346B/12.859A	----	13.499	+ 3.463	.7697	----	----	----	----	1 UNCH
7985	----	----	13.386B/----	13.386B/12.900A	----	13.541	+ 3.468	.7706	----	----	----	----	1 UNCH
7990	----	----	13.429B/----	13.429B/12.941A	----	13.582	+ 3.472	.7715	----	----	----	----	2 UNCH
8000	12.750	12.750	14.121B/12.750	14.121B/12.320A	----	13.666	+ 3.482	.7734	----	----	4	----	485 - 1
8005	----	----	13.552B/----	13.552B/13.064A	----	13.708	+ 3.487	.7742	----	----	----	----	2 UNCH
8010	----	----	13.594B/----	13.594B/13.103A	----	13.750	+ 3.492	.7751	----	----	----	----	2 UNCH
8025	----	----	14.263B/----	14.263B/12.821A	----	13.877	+ 3.507	.7779	----	----	----	----	7 UNCH
8030	----	----	13.762B/----	13.762B/13.266A	----	13.919	+ 3.512	.7787	----	----	----	----	1 UNCH
8035	----	----	13.803B/----	13.803B/13.307A	----	13.961	+ 3.517	.7797	----	----	----	----	1 UNCH
8040	----	----	13.845B/----	13.845B/13.350A	----	14.003	+ 3.521	.7805	----	----	----	----	1 UNCH
8050	----	----	13.929B/----	13.929B/13.432A	----	14.088	+ 3.531	.7823	----	----	----	----	4 UNCH
8065	----	----	14.056B/----	14.056B/13.556A	----	14.216	+ 3.546	.7849	----	----	----	----	1 UNCH
8070	----	----	14.098B/----	14.098B/13.597A	----	14.258	+ 3.550	.7858	----	----	----	----	2 UNCH
8075	----	----	14.140B/----	14.140B/13.635A	----	14.301	+ 3.555	.7866	----	----	----	----	4 UNCH
8080	----	----	14.182B/----	14.182B/13.679A	----	14.343	+ 3.559	.7875	----	----	----	----	3 UNCH
8085	----	----	14.775B/----	14.775B/13.305A	----	14.386	+ 3.564	.7884	----	----	----	----	7 UNCH
8090	----	----	14.815B/----	14.815B/13.380A	----	14.429	+ 3.569	.7892	----	----	----	----	20 UNCH
8095	----	----	14.309B/----	14.309B/13.803A	----	14.471	+ 3.573	.7901	----	----	----	----	2 UNCH
8100	----	----	14.966B/----	14.966B/13.257A	----	14.514	+ 3.578	.7909	----	----	----	----	34 UNCH
8105	----	----	14.394B/----	14.394B/13.884A	----	14.557	+ 3.583	.7917	----	----	----	----	1 UNCH
8110	----	----	14.437B/----	14.437B/13.928A	----	14.600	+ 3.588	.7926	----	----	----	----	1 UNCH
8125	----	----	14.564B/----	14.564B/14.053A	----	14.728	+ 3.601	.7951	----	----	----	----	1 UNCH
8150	----	----	14.778B/----	14.778B/14.259A	----	14.944	+ 3.624	.7992	----	----	----	----	4 UNCH
8175	----	----	14.992B/----	14.992B/14.472A	----	15.160	+ 3.645	.8033	----	----	----	----	2 UNCH
8195	----	----	15.164B/----	15.164B/14.638A	----	15.334	+ 3.663	.8064	----	----	----	----	2 UNCH
8200	----	----	15.832B/----	15.832B/14.106A	----	15.377	+ 3.667	.8072	----	----	----	----	37 UNCH
8205	----	----	15.251B/----	15.251B/14.722A	----	15.421	+ 3.672	.8079	----	----	----	----	1 UNCH
8210	----	----	15.294B/----	15.294B/14.765A	----	15.464	+ 3.675	.8087	----	----	----	----	1 UNCH
8215	----	----	15.337B/----	15.337B/14.807A	----	15.508	+ 3.680	.8095	----	----	----	----	1 UNCH
8225	----	----	15.424B/----	15.424B/14.892A	----	15.595	+ 3.688	.8110	----	----	----	----	5 UNCH
8230	----	----	15.467B/----	15.467B/14.935A	----	15.639	+ 3.693	.8118	----	----	----	----	1 UNCH
8240	----	----	15.554B/----	15.554B/15.020A	----	15.726	+ 3.700	.8133	----	----	----	----	2 UNCH
8250	----	----	16.306B/----	16.306B/14.217A	----	15.814	+ 3.709	.8148	----	----	----	----	73 UNCH
8255	----	----	15.684B/----	15.684B/15.148A	----	15.858	+ 3.713	.8156	----	----	----	----	3 UNCH
8265	----	----	15.771B/----	15.771B/15.233A	----	15.946	+ 3.722	.8170	----	----	----	----	1 UNCH
8270	----	----	15.814B/----	15.814B/15.276A	----	15.990	+ 3.726	.8178	----	----	----	----	1 UNCH
8275	----	----	15.858B/----	15.858B/15.319A	----	16.034	+ 3.730	.8185	----	----	----	----	1 UNCH
8280	----	----	15.902B/----	15.902B/15.362A	----	16.078	+ 3.734	.8193	----	----	----	----	3 UNCH
8285	----	----	15.945B/----	15.945B/15.405A	----	16.122	+ 3.738	.8200	----	----	----	----	1 UNCH
8290	----	----	15.988B/----	15.988B/15.448A	----	16.166	+ 3.741	.8207	----	----	----	----	2 UNCH
8295	----	----	16.032B/----	16.032B/15.491A	----	16.210	+ 3.745	.8214	----	----	----	----	1 UNCH
8300	----	----	16.748B/----	16.748B/14.666A	----	16.254	+ 3.749	.8222	----	----	----	----	64 UNCH
8305	----	----	16.120B/----	16.120B/15.577A	----	16.298	+ 3.753	.8229	----	----	----	----	1 UNCH
8315	----	----	16.207B/----	16.207B/15.663A	----	16.387	+ 3.761	.8243	----	----	----	----	1 UNCH
8320	----	----	16.251B/----	16.251B/15.706A	----	16.431	+ 3.765	.8250	----	----	----	----	2 UNCH
8325	----	----	16.295B/----	16.295B/15.749A	----	16.475	+ 3.768	.8257	----	----	----	----	1 UNCH
8330	----	----	16.339B/----	16.339B/15.793A	----	16.520	+ 3.773	.8264	----	----	----	----	1 UNCH
8335	----	----	16.383B/----	16.383B/15.836A	----	16.564	+ 3.776	.8271	----	----	----	----	1 UNCH
8340	----	----	16.992B/----	16.992B/15.473A	----	16.608	+ 3.780	.8278	----	----	----	----	19 UNCH
8350	----	----	17.108B/----	17.108B/15.527A	----	16.697	+ 3.788	.8292	----	----	----	----	19 UNCH
8355	----	----	16.558B/----	16.558B/16.009A	----	16.742	+ 3.792	.8299	----	----	----	----	3 UNCH
8360	----	----	16.602B/----	16.602B/16.053A	----	16.786	+ 3.795	.8305	----	----	----	----	4 UNCH
8375	----	----	17.329B/----	17.329B/15.772A	----	16.920	+ 3.807	.8326	----	----	----	----	8 UNCH
8385	----	----	16.822B/----	16.822B/16.270A	----	17.009	+ 3.814	.8340	----	----	----	----	1 UNCH
8395	----	----	16.911B/----	16.911B/16.358A	----	17.099	+ 3.822	.8353	----	----	----	----	2 UNCH
8400	----	----	17.603B/----	17.603B/15.845A	----	17.143	+ 3.824	.8360	----	----	----	----	31 UNCH
8405	----	----	16.999B/----	16.999B/16.445A	----	17.188	+ 3.828	.8367	----	----	----	----	2 UNCH
8410	----	----	17.044B/----	17.044B/16.489A	----	17.233	+ 3.832	.8373	----	----	----	----	3 UNCH
8415	----	----	17.087B/----	17.087B/16.533A	----	17.278	+ 3.836	.8379	----	----	----	----	3 UNCH
8420	----	----	17.131B/----	17.131B/16.576A	----	17.323	+ 3.840	.8386	----	----	----	----	2 UNCH
8425	----	----	17.176B/----	17.176B/16.620A	----	17.367	+ 3.842	.8392	----	----	----	----	5 UNCH
8430	----	----	17.221B/----	17.221B/16.664A	----	17.412	+ 3.846	.8399	----	----	----	----	1 UNCH
8450	----	----	18.054B/----	18.054B/16.278A	----	17.592	+ 3.860	.8425	----	----	----	----	30 UNCH
8460	----	----	17.487B/----	17.487B/16.928A	----	17.682	+ 3.867	.8437	----	----	----	----	1 UNCH
8475	----	----	17.621B/----	17.621B/17.061A	----	17.817	+ 3.877	.8456	----	----	----	----	5 UNCH
8480	----	----	17.666B/----	17.666B/17.105A	----	17.863	+ 3.881	.8462	----	----	----	----	1 UNCH
8490	----	----	17.755B/----	17.755B/17.193A	----	17.953	+ 3.887	.8474	----	----	----	----	1 UNCH
8495	----	----	17.800B/----	17.800B/17.237A	----	17.998	+ 3.890	.8481	----	----	----	----	1 UNCH
8500	17.100	17.100	18.532B/16.700	18.532B/16.436A	----	18.043	+ 3.893	.8486	----	----	16	----	372 UNCH
8515	----	----	17.979B/----	17.979B/17.415A	----	18.179	+ 3.903	.8505	----	----	----	----	1 UNCH
8535	----	----	18.158B/----	18.158B/17.593A	----	18.361	+ 3.917	.8528	----	----	----	----	2 UNCH
8545	----	----	18.248B/----	18.248B/17.682A	----	18.452	+ 3.923	.8540	----	----	----	----	1 UNCH
8550	----	----	18.293B/----	18.293B/17.726A	----	18.497	+ 3.926	.8547	----	----	----	----	3 UNCH
8555	----	----	18.338B/----	18.338B/17.771A	----	18.543	+ 3.930	.8552	----	----	----	----	1 UNCH
8560	----	----	18.383B/----	18.383B/17.815A	----	18.588	+ 3.932	.8558	----	----	----	----	1 UNCH
8565	----	----	18.428B/----	18.428B/17.860A	----	18.634	+ 3.936	.8564	----	----	----	----	1 UNCH
8570	----	----	18.473B/----	18.473B/17.905A	----	18.679	+ 3.938	.8569	----	----	----	----	1 UNCH
8575	----	----	18.518B/----	18.518B/17.949A	----	18.725	+ 3.942	.8575	----	----	----	----	3 UNCH
8580	----	----	18.563B/----	18.563B/17.994A	----	18.771	+ 3.945	.8581	----	----	----	----	1 UNCH
8585	----	----	18.609B/----	18.609B/18.039A	----	18.816	+ 3.948	.8587	----	----	----	----	1 UNCH
8590	----	----	18.654B/----	18.654B/18.084A	----	18.862	+ 3.951	.8592	----	----	----	----	4 UNCH
8600	----	----	19.444B/----	19.444B/17.360A	----	18.953	+ 3.957	.8603	----	----	----	----	85 UNCH
8605	----	----	18.789B/----	18.789B/18.218A	----	18.999	+ 3.960	.8609	----	----	----	----	3 UNCH
8620	----	----	18.925B/----	18.925B/18.353A	----	19.136	+ 3.968	.8626	----	----	----	----	1 UNCH
8630	----	----	19.015B/----	19.015B/18.443A	----	19.228	+ 3.975	.8636	----	----	----	----	1 UNCH
8640	----	----	19.106B/----	19.106B/18.533A	----	19.320	+ 3.981	.8647	----	----	----	----	2 UNCH
8645	----	----	19.151B/----	19.151B/18.578A	----	19.366	+ 3.984	.8653	----	----	----	----	1 UNCH
8650	----	----	19.197B/----	19.197B/18.623A	----	19.411	+ 3.985	.8658	----	----	----	----	5 UNCH
8655	----	----	19.241B/----	19.241B/18.668A	----	19.457	+ 3.988	.8663	----	----	----	----	3 UNCH
8665	----	----	19.333B/----	19.333B/18.759A	----	19.549	+ 3.994	.8674	----	----	----	----	1 UNCH
8670	----	----	19.378B/----	19.378B/18.804A	----	19.595	+ 3.997	.8680	----	----	----	----	1 UNCH
8675	----	----	20.015B/----	20.015B/18.418A	----	19.641	+ 4.000	.8685	----	----	----	----	9 UNCH
8685	----	----	19.516B/----	19.516B/18.939A	----	19.733	+ 4.005	.8696	----	----	----	----	1 UNCH
8695	----	----	19.607B/----	19.607B/19.030A	----	19.826	+ 4.011	.8705	----	----	----	----	1 UNCH
8700	----	----	20.290B/----	20.290B/18.544A	----	19.872	+ 4.014	.8711	----	----	----	----	32 UNCH
8705	----	----	20.292B/----	20.292B/18.688A	----	19.918	+ 4.017	.8716	----	----	----	----	10 UNCH
8725	----	----	19.882B/----	19.882B/19.302A	----	20.102	+ 4.026	.8737	----	----	----	----	2 UNCH
8750	----	----	20.112B/----	20.112B/19.530A	----	20.334	+ 4.040	.8761	----	----	----	----	1 UNCH
8775	----	----	20.938B/----	20.938B/19.319A	----	20.565	+ 4.052	.8786	----	----	----	----	9 UNCH
8800	----	----	21.257B/----	21.257B/19.184A	----	20.798	+ 4.065	.8810	----	----	----	----	220 UNCH
8825	----	----	20.803B/----	20.803B/20.214A	----	21.030	+ 4.077	.8833	----	----	----	----	3 UNCH
8850	19.953	19.953	21.632B/19.953	21.632B/19.953	----	21.263	+ 4.088	.8856	----	----	3	----	13 - 3
8875	----	----	21.865B/----	21.865B/20.229A	----	21.497	+ 4.100	.8879	----	----	----	----	8 UNCH
8900	----	----	22.099B/----	22.099B/20.457A	----	21.730	+ 4.110	.8901	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8925	----	----	22.331B/----	22.331B/20.686A	----	21.964 + 4.121	.8922	----	----	----	----	6 UNCH
8950	----	----	21.965B/----	21.965B/21.361A	----	22.199 + 4.132	.8943	----	----	----	----	3 UNCH
8975	----	----	22.799B/----	22.799B/21.144A	----	22.434 + 4.142	.8965	----	----	----	----	9 UNCH
9000	23.000	23.000	23.127B/22.197	23.127B/21.252A	----	22.669 + 4.152	.8985	----	----	3	----	168 - 3
9025	----	----	23.264B/----	23.264B/21.605A	----	22.904 + 4.161	.9005	----	----	----	----	11 UNCH
9050	----	----	22.899B/----	22.899B/22.288A	----	23.140 + 4.170	.9024	----	----	----	----	2 UNCH
9075	----	----	23.133B/----	23.133B/22.521A	----	23.376 + 4.179	.9044	----	----	----	----	4 UNCH
9100	----	----	23.368B/----	23.368B/22.754A	----	23.613 + 4.188	.9063	----	----	----	----	4 UNCH
9150	----	----	24.447B/----	24.447B/22.761A	----	24.086 + 4.204	.9099	----	----	----	----	7 UNCH
9175	----	----	24.683B/----	24.683B/22.993A	----	24.324 + 4.213	.9117	----	----	----	----	19 UNCH
9200	----	----	24.921B/----	24.921B/23.226A	----	24.561 + 4.220	.9135	----	----	----	----	7 UNCH
9225	----	----	25.157B/----	25.157B/23.459A	----	24.799 + 4.227	.9151	----	----	----	----	7 UNCH
9250	----	----	24.785B/----	24.785B/24.162A	----	25.037 + 4.235	.9168	----	----	----	----	2 UNCH
9275	----	----	25.023B/----	25.023B/24.399A	----	25.276 + 4.242	.9184	----	----	----	----	1 UNCH
9300	----	----	25.870B/----	25.870B/24.159A	----	25.515 + 4.250	.9200	----	----	----	----	6 UNCH
9375	----	----	26.548B/----	26.548B/24.864A	----	26.232 + 4.269	.9246	----	----	----	----	10 UNCH
9400	----	----	26.739B/----	26.739B/25.098A	----	26.472 + 4.276	.9261	----	----	----	----	6 UNCH
9450	----	----	26.688B/----	26.688B/26.060A	----	26.952 + 4.288	.9289	----	----	----	----	3 UNCH
9475	----	----	27.482B/----	27.482B/26.300A	----	27.193 + 4.294	.9302	----	----	----	----	4 UNCH
9500	----	----	27.890B/----	27.890B/25.923A	----	27.434 + 4.300	.9316	----	----	----	----	110 UNCH
9525	----	----	27.737B/----	27.737B/26.777A	----	27.675 + 4.306	.9329	----	----	----	----	1 UNCH
9550	----	----	27.894B/----	27.894B/27.018A	----	27.916 + 4.312	.9343	----	----	----	----	3 UNCH
9575	----	----	27.887B/----	27.887B/27.258A	----	28.157 + 4.317	.9355	----	----	----	----	1 UNCH
9600	----	----	28.812B/----	28.812B/26.975A	----	28.399 + 4.323	.9367	----	----	----	----	26 UNCH
9650	----	----	29.155B/----	29.155B/27.609A	----	28.883 + 4.334	.9390	----	----	----	----	11 UNCH
9675	----	----	28.852B/----	28.852B/28.220A	----	29.125 + 4.339	.9402	----	----	----	----	2 UNCH
9700	----	----	29.821B/----	29.821B/27.826A	----	29.367 + 4.344	.9413	----	----	----	----	182 UNCH
9725	----	----	29.336B/----	29.336B/28.703A	----	29.610 + 4.349	.9423	----	----	----	----	1 UNCH
9750	----	----	29.577B/----	29.577B/28.944A	----	29.853 + 4.355	.9434	----	----	----	----	3 UNCH
9775	----	----	29.819B/----	29.819B/29.187A	----	30.096 + 4.360	.9445	----	----	----	----	3 UNCH
9800	----	----	30.627B/----	30.627B/29.075A	----	30.339 + 4.365	.9454	----	----	----	----	7 UNCH
9825	----	----	30.304B/----	30.304B/29.671A	----	30.583 + 4.370	.9465	----	----	----	----	2 UNCH
9850	----	----	31.280B/----	31.280B/29.271A	----	30.826 + 4.375	.9474	----	----	----	----	179 UNCH
9900	----	----	31.602B/----	31.602B/30.071A	----	31.314 + 4.385	.9492	----	----	----	----	8 UNCH
10000	----	----	32.740B/----	32.740B/30.816A	----	32.292 + 4.404	.9527	----	----	----	----	134 UNCH
10050	----	----	32.503B/----	32.503B/31.861A	----	32.781 + 4.413	.9543	----	----	----	----	2 UNCH
10100	----	----	32.994B/----	32.994B/32.318A	----	33.272 + 4.423	.9557	----	----	----	----	2 UNCH
10225	----	----	34.235B/----	34.235B/32.834A	----	34.500 + 4.447	.9591	----	----	----	----	2 UNCH
10250	----	----	34.481B/----	34.481B/33.019A	----	34.746 + 4.451	.9598	----	----	----	----	4 UNCH
10300	----	----	34.973B/----	34.973B/33.296A	----	35.238 + 4.460	.9609	----	----	----	----	4 UNCH
10325	----	----	35.219B/----	35.219B/34.553A	----	35.485 + 4.465	.9615	----	----	----	----	1 UNCH
10350	----	----	35.466B/----	35.466B/34.799A	----	35.731 + 4.469	.9621	----	----	----	----	1 UNCH
10400	----	----	35.959B/----	35.959B/35.290A	----	36.224 + 4.477	.9631	----	----	----	----	2 UNCH
10450	----	----	36.452B/----	36.452B/35.782A	----	36.718 + 4.486	.9641	----	----	----	----	2 UNCH
10475	----	----	36.699B/----	36.699B/36.027A	----	36.965 + 4.491	.9646	----	----	----	----	1 UNCH
10500	----	----	37.452B/----	37.452B/35.894A	----	37.212 + 4.495	.9651	----	----	----	----	10 UNCH
10505	----	----	36.995B/----	36.995B/36.322A	----	37.261 + 4.495	.9652	----	----	----	----	1 UNCH
10510	----	----	37.044B/----	37.044B/36.371A	----	37.311 + 4.496	.9653	----	----	----	----	1 UNCH
10545	----	----	37.390B/----	37.390B/36.716A	----	37.657 + 4.502	.9659	----	----	----	----	1 UNCH
10550	----	----	38.065B/----	38.065B/36.403A	----	37.706 + 4.502	.9660	----	----	----	----	22 UNCH
10585	----	----	37.785B/----	37.785B/37.109A	----	38.053 + 4.509	.9666	----	----	----	----	1 UNCH
10590	----	----	37.835B/----	37.835B/37.158A	----	38.102 + 4.509	.9667	----	----	----	----	1 UNCH
10595	----	----	37.884B/----	37.884B/37.208A	----	38.151 + 4.509	.9667	----	----	----	----	3 UNCH
10600	----	----	37.933B/----	37.933B/37.257A	----	38.201 + 4.511	.9669	----	----	----	----	5 UNCH
10670	----	----	38.625B/----	38.625B/37.946A	----	38.894 + 4.521	.9679	----	----	----	----	3 UNCH
10675	----	----	38.675B/----	38.675B/37.996A	----	38.943 + 4.522	.9681	----	----	----	----	1 UNCH
10700	----	----	39.466B/----	39.466B/37.866A	----	39.191 + 4.526	.9684	----	----	----	----	9 UNCH
10800	----	----	39.911B/----	39.911B/39.228A	----	40.182 + 4.540	.9699	----	----	----	----	1 UNCH
10820	----	----	40.110B/----	40.110B/39.426A	----	40.381 + 4.543	.9702	----	----	----	----	1 UNCH
10825	----	----	40.156B/----	40.156B/39.475A	----	40.430 + 4.543	.9702	----	----	----	----	1 UNCH
10835	----	----	40.258B/----	40.258B/39.574A	----	40.529 + 4.544	.9704	----	----	----	----	2 UNCH
10845	----	----	40.358B/----	40.358B/39.673A	----	40.629 + 4.546	.9704	----	----	----	----	1 UNCH
10875	----	----	40.651B/----	40.651B/39.969A	----	40.926 + 4.550	.9709	----	----	----	----	2 UNCH
10900	----	----	40.902B/----	40.902B/40.216A	----	41.174 + 4.553	.9711	----	----	----	----	1 UNCH
10950	----	----	41.397B/----	41.397B/40.710A	----	41.671 + 4.560	.9718	----	----	----	----	1 UNCH
10975	----	----	41.646B/----	41.646B/40.957A	----	41.919 + 4.562	.9720	----	----	----	----	3 UNCH
11000	----	----	42.594B/----	42.594B/40.630A	----	42.167 + 4.565	.9724	----	----	----	----	58 UNCH
11025	----	----	42.141B/----	42.141B/41.451A	----	42.416 + 4.569	.9726	----	----	----	----	1 UNCH
11075	----	----	42.637B/----	42.637B/41.945A	----	42.913 + 4.574	.9731	----	----	----	----	1 UNCH
11100	----	----	42.885B/----	42.885B/42.192A	----	43.161 + 4.577	.9733	----	----	----	----	1 UNCH
11125	----	----	43.133B/----	43.133B/42.440A	----	43.410 + 4.580	.9737	----	----	----	----	1 UNCH
11175	----	----	43.629B/----	43.629B/42.935A	----	43.907 + 4.585	.9741	----	----	----	----	1 UNCH
11200	----	----	43.873B/----	43.873B/43.182A	----	44.155 + 4.587	.9744	----	----	----	----	4 UNCH
11225	----	----	44.126B/----	44.126B/43.430A	----	44.404 + 4.589	.9746	----	----	----	----	3 UNCH
11250	----	----	44.373B/----	44.373B/43.678A	----	44.653 + 4.592	.9748	----	----	----	----	1 UNCH
11500	----	----	47.563B/----	47.563B/45.569A	----	47.141 + 4.612	.9767	----	----	----	----	78 UNCH
11550	----	----	47.354B/----	47.354B/46.652A	----	47.639 + 4.615	.9770	----	----	----	----	1 UNCH
11650	----	----	48.348B/----	48.348B/47.644A	----	48.636 + 4.622	.9776	----	----	----	----	1 UNCH
11800	----	----	49.840B/----	49.840B/49.135A	----	50.131 + 4.630	.9785	----	----	----	----	1 UNCH
11875	----	----	50.586B/----	50.586B/49.880A	----	50.878 + 4.633	.9789	----	----	----	----	1 UNCH
12250	----	----	54.321B/----	54.321B/53.609A	----	54.619 + 4.648	.9806	----	----	----	----	3 UNCH
12300	----	----	54.819B/----	54.819B/54.107A	----	55.117 + 4.649	.9808	----	----	----	----	1 UNCH
12500	----	----	57.517B/----	57.517B/55.777A	----	57.113 + 4.654	.9816	----	----	----	----	20 UNCH
12700	----	----	58.805B/----	58.805B/58.091A	----	59.108 + 4.658	.9823	----	----	----	----	1 UNCH
13000	----	----	61.797B/----	61.797B/61.083A	----	62.102 + 4.664	.9834	----	----	----	----	1 UNCH
13600	----	----	67.772B/----	67.772B/67.073A	----	68.089 + 4.671	.9855	----	----	----	----	0 - 1
TOTAL										1244	259	18158 + 64
JUN26												
2100	----	----	----	----/0.100A	----	0.009 + 0.003	.0009	----	----	----	----	1 UNCH
2500	----	----	----	0.001B/0.160A	----	0.035 + 0.011	.0034	----	----	----	----	141 UNCH
3000	----	----	----	0.051B/0.214A	----	0.118 + 0.036	.0107	----	----	----	----	245 UNCH
3075	----	----	----	0.006B/0.223A	----	0.130 + 0.040	.0118	----	----	----	----	4 UNCH
3100	----	----	----	0.006B/0.225A	----	0.134 + 0.042	.0122	----	----	----	----	3 UNCH
3150	----	----	----	0.016B/0.239A	----	0.142 + 0.044	.0130	----	----	----	----	8 UNCH
3200	----	----	----	0.025B/0.241A	----	0.151 + 0.048	.0138	----	----	----	----	4 UNCH
3325	----	----	----	0.048B/0.248A	----	0.174 + 0.056	.0161	----	----	----	----	2 UNCH
3350	----	----	----	0.049B/0.250A	----	0.178 + 0.056	.0165	----	----	----	----	1 UNCH
3400	----	----	----	0.054B/0.254A	----	0.189 + 0.061	.0176	----	----	----	----	12 UNCH
3500	0.190	0.190	0.190/0.190	0.190/0.190	----	0.210 + 0.068	.0197	----	----	1	----	100 UNCH
3550	----	----	----	0.087B/0.271A	----	0.222 + 0.072	.0209	----	----	----	----	5 UNCH
3575	----	----	----	0.087B/0.275A	----	0.227 + 0.074	.0214	----	----	----	----	22 UNCH
3600	----	----	----	0.095B/0.279A	----	0.234 + 0.077	.0221	----	----	----	----	2 UNCH
3650	----	----	----	0.106B/0.288A	----	0.246 + 0.080	.0233	----	----	----	----	22 UNCH
3675	----	----	----	0.117B/0.293A	----	0.253 + 0.083	.0240	----	----	----	----	2 UNCH
3700	----	----	----	0.123B/0.298A	----	0.259 + 0.085	.0247	----	----	----	----	6 UNCH
3800	----	----	----	0.152B/0.324A	----	0.288 + 0.096	.0276	----	----	----	----	14 UNCH
3850	----	----	----	0.165B/0.339A	----	0.303 + 0.101	.0292	----	----	----	----	2 UNCH
3900	----	----	----	0.182B/0.357A	----	0.319 + 0.107	.0308	----	----	----	----	5 UNCH
3925	----	----	----	0.191B/0.368A	----	0.328 NEW	.0317	----	----	3	----	3 + 3
4000	----	----	----	0.219B/0.401A	----	0.354 + 0.119	.0344	----	----	----	----	50 UNCH
4075	----	----	----	0.251B/0.428A	----	0.383 + 0.130	.0373	----	----	----	----	1 UNCH
4100	----	----	0.262B/----	0.262B/0.457A	----	0.393 + 0.133	.0383	----	----	----	----	2 UNCH
4125	----	----	0.274B/----	0.274B/0.472A	----	0.404 + 0.138	.0394	----	----	----	----	5 UNCH
4150	----	----	0.287B/----	0.287B/0.482A	----	0.415 + 0.142	.0405	----	----	----	----	4 UNCH
4200	----	----	0.312B/----	0.312B/0.505A	----	0.437 + 0.149	.0428	----	----	----	----	26 UNCH
4225	----	----	0.326B/----	0.326B/0.517A	----	0.449 + 0.154	.0440	----	----	----	----	7 UNCH
4250	----	----	0.340B/----	0.340B/0.533A	----	0.461 + 0.158	.0452	----	----	----	----	5 UNCH
4275	----	----	0.354B/----	0.354B/0.544A	----	0.474 + 0.163	.0464	----	----	----	----	13 UNCH
4300	----	----	0.370B/----	0.370B/0.558A	----	0.487 + 0.168	.0477	----	----	----	----	5 UNCH
4375	----	----	0.417B/----	0.417B/0.596A	----	0.528 + 0.182	.0518	----	----	----	----	1 UNCH
4400	----	----	0.435B/----	0.435B/0.610A	----	0.543 + 0.188	.0533	----	----	----	----	8 UNCH
4425	----	----	0.452B/----	0.452B/0.619A	----	0.558 + 0.193	.0547	----	----	----	----	1 UNCH
4500	----	----	0.508B/----	0.508B/0.660A	----	0.606 + 0.210	.0594	----	----	----	----	165 UNCH
4550	----	----	0.549B/----	0.549B/0.697A	----	0.641 + 0.222	.0628	----	----	----	----	2 UNCH
4600	----	----	0.596B/----	0.596B/0.736A	----	0.678 + 0.235	.0663	----	----	----	----	7 UNCH
4625	----	----	0.619B/----	0.619B/0.746A	----	0.697 + 0.241	.0681	----	----	----	----	12 UNCH
4650	----	----	0.642B/----	0.642B/0.774A	----	0.717 + 0.248	.0700	----	----	----	----	1 UNCH
4725	----	----	0.717B/----	0.717B/0.822A	----	0.782 + 0.271	.0761	----	----	----	----	10 UNCH
4750	----	----	0.751B/----	0.751B/0.854A	----	0.805 + 0.278	.0782	----	----	----	----	2 UNCH
4800	----	----	0.801B/----	0.801B/0.882A	----	0.853 + 0.294	.0826	----	----	1	----	22 UNCH
4850	----	----	0.860B/----	0.860B/0.941A	----	0.904 + 0.311	.0872	----	----	----	----	3 UNCH
4875	----	----	0.959B/----	0.959B/0.958A	----	0.931 + 0.320	.0896	----	----	----	----	15 UNCH
4900	----	----	0.999B/----	0.999B/0.985A	----	0.959 + 0.329	.0921	----	----	----	----	124 UNCH
5000	0.992	0.992	1.152B/0.992	1.152B/0.992	----	1.083 + 0.371	.1028	----	----	6	----	761 - 4
5025	----	----	1.180B/----	1.180B/1.094A	----	1.118 + 0.382	.1057	----	----	----	----	8 UNCH
5075	----	----	1.195B/----	1.195B/1.123A	----	1.191 + 0.408	.1117	----	----	----	----	1 UNCH
5100	----	----	1.321B/----	1.321B/1.145A	----	1.229 + 0.421	.1148	----	----	3	----	30 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
JUN26														
5125	----	----	1.223B/----	1.223B/1.178A	----	1.267	+ 0.433	.1179	----	----	----	----	1	UNCH
5150	----	----	1.310B/----	1.310B/1.208A	----	1.307	+ 0.447	.1211	----	----	15	----	16	+ 15
5175	----	----	1.423B/----	1.423B/1.245A	----	1.347	+ 0.461	.1243	----	----	----	----	12	UNCH
5250	----	----	1.569B/----	1.569B/1.350A	----	1.475	+ 0.504	.1344	----	----	----	----	13	UNCH
5275	----	----	1.638B/----	1.638B/1.393A	----	1.519	+ 0.519	.1379	----	----	15	----	23	+ 15
5300	----	----	1.636B/----	1.636B/1.424A	----	1.564	+ 0.534	.1414	----	----	----	----	13	UNCH
5325	----	----	1.734B/----	1.734B/1.468A	----	1.611	+ 0.550	.1450	----	----	----	----	10	UNCH
5350	----	----	1.769B/----	1.769B/1.513A	----	1.658	+ 0.565	.1486	----	----	----	----	2	UNCH
5375	----	----	1.829B/----	1.829B/1.552A	----	1.706	+ 0.581	.1523	----	----	----	----	10	UNCH
5400	----	----	1.869B/----	1.869B/1.593A	----	1.756	+ 0.598	.1561	----	----	----	----	9	UNCH
5425	----	----	1.884B/----	1.884B/1.646A	----	1.807	+ 0.615	.1599	----	----	----	----	4	UNCH
5450	----	----	1.980B/----	1.980B/1.687A	----	1.858	+ 0.631	.1637	----	----	----	----	2	UNCH
5475	----	----	2.062B/----	2.062B/1.693A	----	1.911	+ 0.648	.1677	----	----	----	----	14	UNCH
5500	1.832	1.832	2.105B/1.832	2.105B/1.649A	----	1.965	+ 0.666	.1716	----	----	21	50	221	+ 38
5525	----	----	2.159B/----	2.159B/1.798A	----	2.020	+ 0.684	.1757	----	----	----	----	16	UNCH
5550	----	----	2.237B/----	2.237B/1.829A	----	2.077	+ 0.702	.1798	----	----	----	----	10	UNCH
5600	1.919	1.919	2.282B/1.919	2.282B/1.919	----	2.193	+ 0.739	.1881	----	----	5	----	16	+ 5
5625	----	----	2.376B/----	2.376B/1.977A	----	2.253	+ 0.758	.1924	----	----	----	----	2	UNCH
5650	----	----	2.478B/----	2.478B/2.080A	----	2.315	+ 0.778	.1967	----	----	----	----	51	UNCH
5675	----	----	2.549B/----	2.549B/2.097A	----	2.377	+ 0.797	.2011	----	----	----	----	21	UNCH
5700	----	----	2.545B/----	2.545B/2.025A	----	2.441	+ 0.817	.2055	----	----	----	----	221	UNCH
5750	----	----	2.752B/----	2.752B/2.157A	----	2.573	+ 0.858	.2146	----	----	----	----	226	UNCH
5775	----	----	2.836B/----	2.836B/2.398A	----	2.641	+ 0.879	.2191	----	----	1	----	5	+ 1
5800	----	----	2.899B/----	2.899B/2.296A	----	2.710	+ 0.900	.2238	----	----	----	----	73	UNCH
5825	----	----	2.888B/----	2.888B/2.400A	----	2.780	+ 0.920	.2285	----	----	----	----	9	UNCH
5850	----	----	3.061B/----	3.061B/2.498A	----	2.852	+ 0.942	.2332	----	----	----	----	5	UNCH
5875	----	----	3.119B/----	3.119B/2.531A	----	2.926	+ 0.964	.2380	----	----	----	----	12	UNCH
5900	----	----	3.192B/----	3.192B/2.557A	----	3.001	+ 0.986	.2429	----	----	1	----	35	UNCH
5925	----	----	3.247B/----	3.247B/2.665A	----	3.077	+ 1.008	.2477	----	----	----	----	11	UNCH
5950	----	----	3.350B/----	3.350B/2.747A	----	3.155	+ 1.031	.2527	----	----	----	----	2	UNCH
5975	----	----	3.363B/----	3.363B/2.944A	----	3.234	+ 1.054	.2577	----	----	----	----	2	UNCH
6000	2.467	2.467	3.539B/2.467	3.539B/2.467	----	3.315	+ 1.077	.2627	----	----	21	----	446	+ 8
6025	----	----	3.630B/----	3.630B/2.941A	----	3.398	+ 1.101	.2678	----	----	----	----	31	UNCH
6050	----	----	3.716B/----	3.716B/2.932A	----	3.481	+ 1.123	.2729	----	----	65	----	146	+ 64
6075	----	----	3.761B/----	3.761B/3.100A	----	3.567	+ 1.148	.2781	----	----	----	----	31	UNCH
6100	2.744	2.744	3.897B/2.744	3.897B/2.744	----	3.654	+ 1.172	.2833	----	----	18	----	72	+ 14
6125	----	----	3.957B/----	3.957B/3.259A	----	3.743	+ 1.196	.2885	----	----	----	----	2	UNCH
6150	----	----	4.087B/----	4.087B/3.495A	----	3.833	+ 1.220	.2938	----	----	----	----	5	UNCH
6175	----	----	4.180B/----	4.180B/3.396A	----	3.925	+ 1.245	.2992	----	----	----	----	24	UNCH
6200	3.042	3.042	4.278B/3.042	4.278B/3.042	----	4.018	+ 1.269	.3045	----	----	8	----	152	+ 4
6225	----	----	4.270B/----	4.270B/3.574A	----	4.114	+ 1.295	.3099	----	----	----	----	2	UNCH
6250	----	----	4.479B/----	4.479B/3.552A	----	4.211	+ 1.320	.3153	----	----	37	----	90	+ 36
6275	----	----	4.563B/----	4.563B/3.723A	----	4.309	+ 1.345	.3208	----	----	----	----	2	UNCH
6300	3.363	3.363	4.680B/3.363	4.680B/3.363	----	4.409	+ 1.370	.3263	----	----	70	----	119	+ 52
6325	----	----	4.787B/----	4.787B/4.030A	----	4.511	+ 1.396	.3318	----	----	----	----	6	UNCH
6350	4.200	4.200	4.849B/4.200	4.849B/4.068A	----	4.615	+ 1.422	.3373	----	----	1	----	27	UNCH
6375	----	----	4.986B/----	4.986B/3.985A	----	4.720	+ 1.447	.3429	----	----	----	----	101	UNCH
6400	----	----	5.074B/----	5.074B/4.174A	----	4.828	+ 1.474	.3485	----	----	2	----	26	UNCH
6425	----	----	5.191B/----	5.191B/4.277A	----	4.936	+ 1.499	.3541	----	----	----	----	45	UNCH
6450	----	----	5.283B/----	5.283B/4.349A	----	5.047	+ 1.526	.3597	----	----	----	----	9	UNCH
6475	----	----	5.371B/----	5.371B/4.489A	----	5.159	+ 1.552	.3653	----	----	----	----	2	UNCH
6500	----	----	5.570B/----	5.570B/4.472A	----	5.273	+ 1.578	.3710	----	----	37	----	157	+ 9
6525	----	----	5.687B/----	5.687B/4.685A	----	5.389	+ 1.605	.3767	----	----	----	----	35	UNCH
6550	----	----	5.799B/----	5.799B/4.866A	----	5.506	+ 1.631	.3823	----	----	----	----	6	UNCH
6575	----	----	5.842B/----	5.842B/5.105A	----	5.625	+ 1.657	.3880	----	----	----	----	1	UNCH
6600	----	----	6.053B/----	6.053B/4.859A	----	5.746	+ 1.684	.3937	----	----	1	----	142	UNCH
6625	----	----	6.116B/----	6.116B/5.151A	----	5.869	+ 1.711	.3994	----	----	----	----	9	UNCH
6675	----	----	6.350B/----	6.350B/5.540A	----	6.119	+ 1.764	.4108	----	----	----	----	1	UNCH
6700	----	----	6.524B/----	6.524B/5.325A	----	6.247	+ 1.791	.4165	----	----	----	----	40	UNCH
6725	----	----	6.666B/----	6.666B/5.573A	----	6.376	+ 1.818	.4222	----	----	----	----	26	UNCH
6750	----	----	6.795B/----	6.795B/5.694A	----	6.507	+ 1.844	.4279	----	----	----	----	20	UNCH
6775	----	----	6.920B/----	6.920B/5.792A	----	6.640	+ 1.871	.4336	----	----	----	----	2	UNCH
6800	----	----	7.053B/----	7.053B/5.749A	----	6.774	+ 1.898	.4393	----	----	1	----	16	UNCH
6825	----	----	7.171B/----	7.171B/5.984A	----	6.910	+ 1.925	.4450	----	----	----	----	2	UNCH
6850	----	----	7.321B/----	7.321B/6.429A	----	7.047	+ 1.951	.4506	----	----	15	----	16	+ 15
6900	----	----	7.687B/----	7.687B/6.087A	----	7.327	+ 2.004	.4619	----	----	1	----	83	+ 1
6925	----	----	7.798B/----	7.798B/6.414A	----	7.470	+ 2.031	.4675	----	----	----	----	9	UNCH
6950	----	----	7.927B/----	7.927B/6.535A	----	7.614	+ 2.057	.4731	----	----	----	----	4	UNCH
6975	----	----	8.040B/----	8.040B/6.662A	----	7.760	+ 2.084	.4786	----	----	----	----	6	UNCH
7000	----	----	8.271B/----	8.271B/6.579A	----	7.907	+ 2.110	.4842	----	----	1	----	291	+ 1
7025	----	----	8.414B/----	8.414B/6.912A	----	8.056	+ 2.137	.4897	----	----	----	----	4	UNCH
7050	----	----	8.505B/----	8.505B/7.034A	----	8.206	+ 2.163	.4952	----	----	----	----	20	UNCH
7075	----	----	8.691B/----	8.691B/7.163A	----	8.358	+ 2.189	.5006	----	----	----	----	41	UNCH
7100	----	----	8.859B/----	8.859B/7.206A	----	8.511	+ 2.215	.5061	----	----	1	----	14	- 1
7125	----	----	9.032B/----	9.032B/7.432A	----	8.666	+ 2.241	.5115	----	----	----	----	3	UNCH
7150	----	----	9.170B/----	9.170B/7.560A	----	8.823	+ 2.267	.5169	----	----	----	----	2	UNCH
7175	----	----	9.344B/----	9.344B/7.701A	----	8.981	+ 2.293	.5222	----	----	----	----	31	UNCH
7200	7.609	7.609	9.503B/7.473A	9.503B/7.473A	----	9.140	+ 2.319	.5275	----	----	1	----	226	+ 1
7225	9.673	9.673	9.673/9.673	9.673/7.970A	----	9.301	+ 2.344	.5328	----	----	3	----	6	+ 3
7250	----	----	9.799B/----	9.799B/8.115A	----	9.463	+ 2.370	.5380	----	----	----	----	10	UNCH
7275	----	----	9.951B/----	9.951B/8.295A	----	9.627	+ 2.395	.5433	----	----	----	----	3	UNCH
7300	8.142	8.142	10.165B/8.074A	10.165B/8.074A	----	9.792	+ 2.421	.5484	----	----	1	----	59	+ 1
7325	----	----	10.294B/----	10.294B/9.066A	----	9.958	+ 2.445	.5536	----	----	----	----	1	UNCH
7350	----	----	10.465B/----	10.465B/8.683A	----	10.126	+ 2.470	.5587	----	----	----	----	2	UNCH
7375	----	----	10.633B/----	10.633B/8.835A	----	10.295	+ 2.495	.5637	----	----	----	----	2	UNCH
7400	----	----	10.820B/----	10.820B/8.889A	----	10.466	+ 2.520	.5687	----	----	----	----	47	UNCH
7425	----	----	10.994B/----	10.994B/9.128A	----	10.638	+ 2.545	.5737	----	----	----	----	2	UNCH
7450	----	----	11.155B/----	11.155B/9.280A	----	10.811	+ 2.569	.5786	----	----	----	----	2	UNCH
7475	----	----	11.286B/----	11.286B/9.432A	----	10.985	+ 2.593	.5835	----	----	----	----	4	UNCH
7500	----	----	11.530B/----	11.530B/9.066A	----	11.161	+ 2.618	.5884	----	----	----	----	334	UNCH
7550	----	----	11.864B/----	11.864B/9.898A	----	11.516	+ 2.666	.5980	----	----	----	----	3	UNCH
7575	----	----	12.029B/----	12.029B/10.057A	----	11.695	+ 2.689	.6027	----	----	----	----	9	UNCH
7600	----	----	12.169B/----	12.169B/9.994A	----	11.876	+ 2.713	.6074	----	----	----	----	78	UNCH
7625	----	----	12.335B/----	12.335B/10.377A	----	12.058	+ 2.737	.6120	----	----	----	----	3	UNCH
7650	----	----	12.528B/----	12.528B/11.159A	----	12.241	+ 2.760	.6166	----	----	----	----	3	UNCH
7675	----	----	12.434B/----	12.434B/11.331A	----	12.425	+ 2.783	.6211	----	----	----	----	1	UNCH
7700	----	----	12.995B/----	12.995B/11.495A	----	12.610	+ 2.806	.6256	----	----	----	----	19	UNCH
7725	----	----	12.849B/----	12.849B/11.676A	----	12.796	+ 2.829	.6301	----	----	----	----	1	UNCH
7750	----	----	13.213B/----	13.213B/11.850A	----	12.984	+ 2.852	.6345	----	----	----	----	1	UNCH
7775	----	----	13.583B/----	13.583B/11.858A	----	13.172	+ 2.874	.6388	----	----	----	----	25	UNCH
7800	----	----	13.508B/----	13.508B/12.204A	----	13.362	+ 2.897	.6431	----	----	----	----	4	UNCH
7850	----	----	14.123B/----	14.123B/12.562A	----	13.744	+ 2.941	.6516	----	----	----	----	8	UNCH
7875	----	----	14.316B/----	14.316B/12.743A	----	13.937	+ 2.964	.6558	----	----	----	----	19	UNCH
7900	----	----	14.581B/----	14.581B/12.588A	----	14.130	+ 2.985	.6599	----	----	----	----	107	UNCH
7925	----	----	14.688B/----	14.688B/13.110A	----	14.325	+ 3.007	.6640	----	----	----	----	10	UNCH
7950	----	----	14.912B/----	14.912B/13.295A	----	14.521	+ 3.029	.6680	----	----	----	----	21	UNCH
8000	----	----	15.374B/----	15.374B/13.329A	----	14.914	+ 3.070	.6760	----	----	----	----	145	UNCH
8025	----	----	15.117B/----	15.117B/13.857A	----	15.113	+ 3.092	.6799	----	----	----	----	1	UNCH
8050	----	----	15.258B/----	15.258B/14.047A	----	15.312	+ 3.113	.6837	----	----	----	----	1	UNCH
8075	----	----	15.458B/----	15.458B/14.239A	----	15.512	+ 3.133	.6875	----	----	----	----	1	UNCH
8100	----	----	15.658B/----	15.658B/14.431A	----	15.713	+ 3.154	.6913	----	----	----	----	2	UNCH
8125	----	----	15.860B/----	15.860B/14.624A	----	15.915	+ 3.174	.6950	----	----	----	----	2	UNCH
8150	----	----	16.062B/----	16.062B/14.819A	----	16.118	+ 3.195	.6987	----	----	----	----	4	UNCH
8175	----	----	16.730B/----	16.730B/14.625A	----	16.321	+ 3.215	.7023	----	----	----	----	42	UNCH
8200	----	----	16.926B/----	16.926B/14.894A	----	16.525	+ 3.234	.7059	----	----	----	----	14	UNCH
8225	----	----	17.127B/----	17.127B/15.102A	----	16.731	+ 3.255	.7094	----	----	----	----	6	UNCH
8250	----	----	17.271B/----	17.271B/15.319A	----	16.936	+ 3.273	.7129	----	----	----	----	15	UNCH
8275	----	----	17.506B/----	17.506B/15.514A	----	17.143	+ 3.293	.7163	----	----	----	----	23	UNCH
8300	----	----	17.262B/----	17.262B/16.008A	----	17.350	+ 3.312	.7197	----	----	1	----	5	UNCH
8350	----	----	18.136B/----	18.136B/16.099A	----	17.767	+ 3.349	.7264	----	----	----	----	17	UNCH
8400	----	----	18.104B/----	18.104B/16.821A	----	18.187	+ 3.386	.7329	----	----	1	----	3	+ 1
8425	----	----	18.831B/----	18.831B/16.581A	----	18.398	+ 3.405	.7361	----	----	----	----	62	UNCH
8450	----	----	18.955B/----	18.955B/16.891A	----	18.610	+ 3.423	.7392	----	----	----	----	21	UNCH
8475	----	----	18.744B/----	18.744B/17.440A	----	18.822	+ 3.440	.7423	----	----	----	----	2	UNCH
8500	----	----	19.464B/----	19.464B/17.198A	----	19.035	+ 3.458	.7454	----	----	----	----	60	UNCH
8525	----	----	19.174B/----	19.174B/17.856A	----	19.249	+ 3.476	.7484	----	----	----	----	1	UNCH
8550	----	----	19.402B/----	19.402B/18.066A	----	19.463	+ 3.493	.7514	----	----	----	----	1	UNCH
8625	----	----	20.482B/----	20.482B/18.609A	----	20.109	+ 3.543	.7601	----	----	----	----	11	UNCH
8675	----	----	20.481B/----	20.481B/19.118A	----	20.543	+ 3.576	.7658	----	----	----	----	1	UNCH
8700	----	----	21.184B/----	21.184B/19.255A	----	20.761	+ 3.592	.7685	----	----	----	----	17	UNCH
8750	----	----	21.616B/----	21.616B/19.499A	----	21.198	+ 3.624	.7739	----	----	----	----	26	UNCH
8775	----	----	21.357B/----	21.357B/19.970A	----	21.417	+ 3.639	.7765	----	----	----	----	1	UNCH
8800	----	----	22.063B/----	22.063B/20.104A	----	21.637	+ 3.654	.7791	----	----	----	----	14	UNCH
8825	----	----	22.284B/----	22.284B/20.321A	----	21.857	+ 3.669	.7817	----	----	----	----	15	UNCH
8850	----	----	22.455B/----	22.455B/20.540A	----	22.078	+ 3.684	.7842	----	----	----	----	6	UNCH
8925	----	----	22.699B/----	22.699B/21.268A	----	22.743	+ 3.727	.7916	----	----	----	----	4	UNCH
8975	----	----	23.131B/----	23.131B/21.700A	----	23.189	+ 3.755	.7964	----	----	----	----	2	UNCH
9000	----	----	23.844B/----	23.844B/21.444A	----	23.413	+ 3.769	.7988	----	----	----	----	93	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
JUN26													
9050	----	----	23.803B/----	23.803B/22.356A	----	23.861	+ 3.796	.8033	----	----	----	----	3 UNCH
9075	----	----	24.027B/----	24.027B/22.575A	----	24.086	+ 3.809	.8056	----	----	----	----	2 UNCH
9100	----	----	24.672B/----	24.672B/22.721A	----	24.311	+ 3.822	.8078	----	----	----	----	6 UNCH
9125	----	----	24.477B/----	24.477B/23.015A	----	24.537	+ 3.835	.8100	----	----	----	----	1 UNCH
9150	----	----	24.703B/----	24.703B/23.235A	----	24.763	+ 3.847	.8121	----	----	----	----	1 UNCH
9175	----	----	24.928B/----	24.928B/23.456A	----	24.989	+ 3.859	.8142	----	----	----	----	1 UNCH
9200	----	----	25.666B/----	25.666B/23.198A	----	25.216	+ 3.872	.8163	----	----	----	----	80 UNCH
9325	----	----	26.302B/----	26.302B/24.789A	----	26.355	+ 3.930	.8264	----	----	----	----	1 UNCH
9450	----	----	27.846B/----	27.846B/25.835A	----	27.503	+ 3.985	.8358	----	----	----	----	6 UNCH
9500	----	----	28.383B/----	28.383B/25.937A	----	27.964	+ 4.005	.8394	----	----	1	----	138 + 1
9525	----	----	28.117B/----	28.117B/26.570A	----	28.195	+ 4.015	.8411	----	----	----	----	1 UNCH
9550	----	----	28.347B/----	28.347B/26.794A	----	28.426	+ 4.024	.8429	----	----	----	----	1 UNCH
9575	----	----	28.577B/----	28.577B/27.018A	----	28.658	+ 4.034	.8446	----	----	----	----	1 UNCH
9725	----	----	29.975B/----	29.975B/28.369A	----	30.052	+ 4.088	.8544	----	----	----	----	1 UNCH
9825	----	----	30.902B/----	30.902B/29.267A	----	30.987	+ 4.122	.8606	----	----	----	----	1 UNCH
9850	----	----	31.124B/----	31.124B/29.492A	----	31.221	+ 4.130	.8621	----	----	----	----	1 UNCH
9900	----	----	32.097B/----	32.097B/29.914A	----	31.690	+ 4.145	.8650	----	----	----	----	17 UNCH
9925	----	----	31.842B/----	31.842B/30.172A	----	31.925	+ 4.153	.8664	----	----	----	----	1 UNCH
9950	----	----	32.064B/----	32.064B/30.398A	----	32.159	+ 4.159	.8678	----	----	----	----	1 UNCH
10000	----	----	33.060B/----	33.060B/30.445A	----	32.630	+ 4.174	.8706	----	----	----	----	97 UNCH
10025	----	----	32.767B/----	32.767B/31.080A	----	32.866	+ 4.182	.8720	----	----	----	----	2 UNCH
10075	----	----	33.239B/----	33.239B/31.536A	----	33.337	+ 4.194	.8747	----	----	----	----	1 UNCH
10100	----	----	33.476B/----	33.476B/31.764A	----	33.573	+ 4.201	.8760	----	----	----	----	1 UNCH
10125	----	----	33.712B/----	33.712B/31.993A	----	33.809	+ 4.207	.8773	----	----	----	----	1 UNCH
10150	----	----	34.426B/----	34.426B/32.191A	----	34.046	+ 4.214	.8787	----	----	----	----	8 UNCH
10175	----	----	34.187B/----	34.187B/32.449A	----	34.282	+ 4.219	.8800	----	----	----	----	2 UNCH
10200	----	----	34.994B/----	34.994B/32.307A	----	34.519	+ 4.226	.8812	----	----	----	----	117 UNCH
10225	----	----	34.660B/----	34.660B/32.903A	----	34.756	+ 4.232	.8824	----	----	----	----	1 UNCH
10325	----	----	35.604B/----	35.604B/33.815A	----	35.705	+ 4.254	.8873	----	----	----	----	1 UNCH
10350	----	----	35.854B/----	35.854B/34.043A	----	35.943	+ 4.260	.8885	----	----	----	----	1 UNCH
10375	----	----	36.079B/----	36.079B/34.272A	----	36.181	+ 4.265	.8896	----	----	----	----	1 UNCH
10400	----	----	36.330B/----	36.330B/34.501A	----	36.419	+ 4.270	.8908	----	----	----	----	1 UNCH
10500	----	----	37.726B/----	37.726B/35.359A	----	37.373	+ 4.290	.8952	----	----	----	----	9 UNCH
10600	----	----	38.241B/----	38.241B/36.347A	----	38.328	+ 4.308	.8995	----	----	----	----	5 UNCH
10825	----	----	40.836B/----	40.836B/38.386A	----	40.487	+ 4.345	.9084	----	----	----	----	6 UNCH
10850	----	----	40.628B/----	40.628B/38.682A	----	40.727	+ 4.348	.9093	----	----	----	----	4 UNCH
10875	----	----	40.869B/----	40.869B/38.918A	----	40.968	+ 4.352	.9103	----	----	----	----	2 UNCH
10950	----	----	41.592B/----	41.592B/39.626A	----	41.691	+ 4.364	.9129	----	----	----	----	3 UNCH
11000	----	----	42.075B/----	42.075B/40.100A	----	42.173	+ 4.370	.9147	----	----	----	----	2 UNCH
11325	----	----	45.224B/----	45.224B/43.207A	----	45.319	+ 4.411	.9250	----	----	----	----	1 UNCH
11500	----	----	47.499B/----	47.499B/44.867A	----	47.020	+ 4.430	.9299	----	----	----	----	10 UNCH
11525	----	----	47.169B/----	47.169B/45.139A	----	47.263	+ 4.433	.9306	----	----	----	----	1 UNCH
11675	----	----	48.633B/----	48.633B/46.597A	----	48.725	+ 4.448	.9344	----	----	----	----	1 UNCH
11700	----	----	48.877B/----	48.877B/46.840A	----	48.969	+ 4.450	.9350	----	----	----	----	1 UNCH
12000	----	----	52.400B/----	52.400B/49.447A	----	51.904	+ 4.480	.9417	----	----	----	----	50 UNCH
12025	----	----	52.055B/----	52.055B/50.017A	----	52.149	+ 4.482	.9421	----	----	----	----	1 UNCH
13000	----	----	61.668B/----	61.668B/59.623A	----	61.755	+ 4.564	.9575	----	----	----	----	5 UNCH
TOTAL											359	50	7508 + 286
JUL26													
2000	0.020	0.020	#0.040B/*0.020	#0.040B/*0.020	----	0.014	NEW	.0013	----	----	5	----	5 + 5
2400	----	----	----	0.001B/0.781A	----	0.039	+ 0.011	.0036	----	----	----	----	10 UNCH
2650	----	----	----	0.002B/0.313A	----	0.065	+ 0.017	.0060	----	----	----	----	6 UNCH
3000	----	----	0.145B/----	0.145B/0.278A	----	0.123	+ 0.030	.0112	----	----	----	----	4 UNCH
3350	----	----	----	0.109B/0.350A	----	0.214	+ 0.057	.0191	----	----	----	----	1 UNCH
3400	----	----	----	0.122B/0.363A	----	0.230	+ 0.062	.0205	----	----	----	----	55 UNCH
3475	----	----	----	0.143B/0.382A	----	0.256	+ 0.070	.0227	----	----	----	----	5 UNCH
3500	----	----	0.246B/----	0.246B/0.390A	----	0.265	+ 0.073	.0235	----	----	----	----	3 UNCH
3600	----	----	----	0.182B/0.426A	----	0.304	+ 0.084	.0268	----	----	----	----	12 UNCH
3700	----	----	----	0.218B/0.461A	----	0.347	+ 0.097	.0305	----	----	----	----	92 UNCH
3800	----	----	----	0.259B/0.504A	----	0.394	+ 0.110	.0345	----	----	----	----	25 UNCH
3825	----	----	----	0.270B/0.516A	----	0.407	+ 0.113	.0356	----	----	----	----	8 UNCH
3850	----	----	----	0.281B/0.528A	----	0.420	+ 0.117	.0367	----	----	----	----	3 UNCH
3900	----	----	----	0.306B/0.551A	----	0.447	+ 0.124	.0389	----	----	----	----	11 UNCH
3950	----	----	----	0.334B/0.578A	----	0.475	+ 0.132	.0413	----	----	----	----	1 UNCH
4000	0.470	0.470	0.470/0.470	0.470/0.470	----	0.505	+ 0.139	.0438	----	----	1	----	67 + 1
4075	----	----	0.411B/----	0.411B/0.651A	----	0.552	+ 0.152	.0477	----	----	----	----	16 UNCH
4100	----	----	0.428B/----	0.428B/0.666A	----	0.569	+ 0.157	.0491	----	----	----	----	6 UNCH
4175	----	----	0.482B/----	0.482B/0.711A	----	0.620	+ 0.171	.0533	----	----	----	----	9 UNCH
4200	----	----	0.501B/----	0.501B/0.728A	----	0.638	+ 0.176	.0548	----	----	----	----	27 UNCH
4225	----	----	0.521B/----	0.521B/0.745A	----	0.657	+ 0.182	.0563	----	----	----	----	1 UNCH
4250	----	----	0.541B/----	0.541B/0.763A	----	0.676	+ 0.187	.0579	----	----	----	----	21 UNCH
4300	----	----	0.584B/----	0.584B/0.797A	----	0.715	+ 0.198	.0611	----	----	1	----	96 UNCH
4325	----	----	0.606B/----	0.606B/0.818A	----	0.736	+ 0.204	.0628	----	----	----	----	17 UNCH
4375	----	----	0.653B/----	0.653B/0.855A	----	0.778	+ 0.216	.0662	----	----	----	----	32 UNCH
4400	----	----	0.678B/----	0.678B/0.876A	----	0.800	+ 0.222	.0679	----	----	----	----	28 UNCH
4450	----	----	0.729B/----	0.729B/0.919A	----	0.846	+ 0.236	.0716	----	----	----	----	3 UNCH
4475	----	----	0.761B/----	0.761B/0.941A	----	0.870	+ 0.243	.0735	----	----	----	----	16 UNCH
4500	----	----	0.789B/----	0.789B/0.965A	----	0.894	+ 0.250	.0754	----	----	----	40	301 - 9
4575	----	----	0.875B/----	0.875B/1.029A	----	0.971	+ 0.273	.0814	----	----	----	----	75 UNCH
4600	----	----	0.906B/----	0.906B/1.053A	----	0.998	+ 0.281	.0835	----	----	----	----	101 UNCH
4650	----	----	0.970B/----	0.970B/1.107A	----	1.054	+ 0.298	.0878	----	----	----	----	40 UNCH
4675	----	----	1.002B/----	1.002B/1.136A	----	1.083	+ 0.306	.0901	----	----	----	----	12 UNCH
4700	----	----	1.038B/----	1.038B/1.163A	----	1.113	+ 0.315	.0923	----	----	----	----	152 UNCH
4725	----	----	1.072B/----	1.072B/1.190A	----	1.144	+ 0.325	.0947	----	----	----	----	3 UNCH
4750	----	----	1.108B/----	1.108B/1.220A	----	1.175	+ 0.334	.0970	----	----	----	----	54 UNCH
4775	----	----	1.145B/----	1.145B/1.250A	----	1.207	+ 0.344	.0994	----	----	----	----	8 UNCH
4800	----	----	1.183B/----	1.183B/1.280A	----	1.241	+ 0.355	.1019	----	----	----	----	15 UNCH
4825	----	----	1.205B/----	1.205B/1.311A	----	1.275	+ 0.365	.1044	----	----	----	----	26 UNCH
4850	----	----	1.225B/----	1.225B/1.336A	----	1.310	+ 0.376	.1070	----	----	----	----	2 UNCH
4875	----	----	1.227B/----	1.227B/1.368A	----	1.345	+ 0.386	.1096	----	----	----	----	23 UNCH
4900	----	----	1.259B/----	1.259B/1.402A	----	1.382	+ 0.398	.1123	----	----	----	----	172 UNCH
5000	----	----	1.275B/----	1.275B/1.547A	----	1.540	+ 0.447	.1235	----	----	----	25	806 + 25
5025	----	----	1.167B/----	1.167B/1.941A	----	1.582	+ 0.461	.1265	----	----	----	----	1 UNCH
5050	----	----	1.222B/----	1.222B/1.977A	----	1.625	+ 0.474	.1294	----	----	----	----	16 UNCH
5075	----	----	1.279B/----	1.279B/2.009A	----	1.669	+ 0.488	.1325	----	----	----	----	11 UNCH
5100	----	----	1.337B/----	1.337B/1.974A	----	1.715	+ 0.502	.1356	----	----	----	----	175 UNCH
5150	----	----	1.409B/----	1.409B/2.133A	----	1.809	+ 0.532	.1420	----	----	----	----	5 UNCH
5175	----	----	1.437B/----	1.437B/2.180A	----	1.858	+ 0.547	.1452	----	----	----	----	5 UNCH
5200	----	----	1.484B/----	1.484B/2.181A	----	1.909	+ 0.564	.1486	----	----	----	----	52 UNCH
5225	----	----	1.533B/----	1.533B/2.246A	----	1.960	+ 0.579	.1519	----	----	----	----	9 UNCH
5250	----	----	1.596B/----	1.596B/2.296A	----	2.013	+ 0.596	.1553	----	----	----	----	250 UNCH
5275	----	----	1.635B/----	1.635B/2.286A	----	2.067	+ 0.613	.1588	----	----	----	----	2 UNCH
5300	----	----	1.701B/----	1.701B/2.210A	----	2.122	+ 0.630	.1623	----	----	----	----	125 UNCH
5325	----	----	1.755B/----	1.755B/2.231A	----	2.179	+ 0.648	.1659	----	----	----	----	11 UNCH
5350	----	----	1.797B/----	1.797B/2.268A	----	2.237	+ 0.666	.1695	----	----	----	----	25 UNCH
5375	----	----	1.867B/----	1.867B/2.289A	----	2.296	+ 0.685	.1732	----	----	----	----	16 UNCH
5400	----	----	1.926B/----	1.926B/2.697A	----	2.357	+ 0.704	.1770	----	----	----	----	75 UNCH
5425	----	----	1.985B/----	1.985B/2.356A	----	2.419	+ 0.723	.1807	----	----	----	----	49 UNCH
5450	----	----	2.046B/----	2.046B/2.845A	----	2.483	+ 0.743	.1846	----	----	----	----	38 UNCH
5475	----	----	2.092B/----	2.092B/2.406A	----	2.548	+ 0.763	.1884	----	----	----	----	52 UNCH
5500	----	----	2.500B/----	2.500B/2.419A	----	2.614	+ 0.783	.1924	----	----	----	----	886 UNCH
5525	----	----	2.237B/----	2.237B/2.449A	----	2.682	+ 0.804	.1963	----	----	----	----	70 UNCH
5550	----	----	2.303B/----	2.303B/3.110A	----	2.751	+ 0.825	.2003	----	----	1	----	13 UNCH
5575	----	----	2.352B/----	2.352B/3.179A	----	2.821	+ 0.846	.2044	----	----	----	----	3 UNCH
5600	----	----	2.440B/----	2.440B/3.250A	----	2.893	+ 0.867	.2085	----	----	----	----	13 UNCH
5625	----	----	2.510B/----	2.510B/3.322A	----	2.967	+ 0.890	.2126	----	----	----	----	3 UNCH
5650	----	----	2.562B/----	2.562B/3.395A	----	3.042	+ 0.912	.2168	----	----	----	----	29 UNCH
5675	----	----	2.635B/----	2.635B/3.470A	----	3.119	+ 0.935	.2210	----	----	----	----	45 UNCH
5700	----	----	2.785B/----	2.785B/3.238A	----	3.197	+ 0.958	.2253	----	----	----	----	297 UNCH
5725	----	----	2.807B/----	2.807B/3.623A	----	3.276	+ 0.981	.2295	----	----	----	----	3 UNCH
5750	----	----	2.888B/----	2.888B/3.701A	----	3.357	+ 1.004	.2339	----	----	----	----	52 UNCH
5775	----	----	2.941B/----	2.941B/3.782A	----	3.440	+ 1.028	.2382	----	----	----	----	2 UNCH
5800	----	----	3.021B/----	3.021B/3.864A	----	3.524	+ 1.052	.2426	----	----	----	----	20 UNCH
5825	----	----	3.103B/----	3.103B/3.946A	----	3.610	+ 1.077	.2471	----	----	----	----	2 UNCH
5850	----	----	3.214B/----	3.214B/4.031A	----	3.697	+ 1.101	.2515	----	----	----	----	114 UNCH
5875	----	----	3.299B/----	3.299B/4.117A	----	3.785	+ 1.125	.2560	----	----	----	----	3 UNCH
5900	----	----	3.386B/----	3.386B/4.204A	----	3.876	+ 1.151	.2605	----	----	----	----	6 UNCH
5950	----	----	3.565B/----	3.565B/4.346A	----	4.061	+ 1.201	.2696	----	----	----	----	2 UNCH
5975	----	----	3.625B/----	3.625B/4.474A	----	4.156	+ 1.226	.2742	----	----	----	----	1 UNCH
6000	----	----	3.809B/----	3.809B/4.100A	----	4.252	+ 1.252	.2788	----	----	5	----	567 - 1
6100	----	----	4.199B/----	4.199B/4.439A	----	4.653	+ 1.355	.2975	----	----	----	----	285 UNCH
6200	----	----	4.550B/----	4.550B/5.363A	----	5.079	+ 1.459	.3164	----	----	----	----	9 UNCH
6250	----	----	4.727B/----	4.727B/5.575A	----	5.301	+ 1.511	.3259	----	----	----	----	13 UNCH
6275	----	----	4.876B/----	4.876B/5.654A	----	5.414	+ 1.537	.3307	----	----	----	----	1 UNCH
6300	----	----	4.948B/----	4.948B/5.795A	----	5.529	+ 1.563	.3355	----	----	----	----	31 UNCH
6375	----	----	5.291B/----	5.291B/6.137A	----	5.882	+ 1.640	.3499	----	----	----	----	1 UNCH
6400	----	----	5.451B/----	5.451B/6.219A	----	6.003	+ 1.666	.3547	----	----	----	----	55 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
JUL26														
6500	----	----	6.001B/----	6.001B/5.971A	----	6.500	+ 1.766	.3739	----	----	----	----	681	UNCH
6650	----	----	6.670B/----	6.670B/7.173A	----	7.288	+ 1.909	.4026	----	----	----	----	100	UNCH
6700	----	----	6.938B/----	6.938B/7.252A	----	7.562	+ 1.955	.4121	----	----	----	----	81	UNCH
6750	----	----	7.214B/----	7.214B/8.037A	----	7.841	+ 2.000	.4215	----	----	----	----	24	UNCH
6800	----	----	7.635B/----	7.635B/7.339A	----	8.125	+ 2.043	.4309	----	----	----	----	257	UNCH
6900	7.750	7.750	8.231B/7.750	8.231B/7.750	----	8.709	+ 2.127	.4495	----	----	1	----	5	UNCH
7000	----	----	8.928B/----	8.928B/8.383A	----	9.314	+ 2.207	.4678	----	----	----	----	517	UNCH
7025	----	----	8.827B/----	8.827B/9.045A	----	9.468	+ 2.226	.4723	----	----	----	----	125	UNCH
7150	----	----	9.686B/----	9.686B/10.379A	----	10.256	+ 2.316	.4945	----	----	----	----	1	UNCH
7200	----	----	9.958B/----	9.958B/10.738A	----	10.580	+ 2.352	.5032	----	----	----	----	39	UNCH
7250	----	----	10.298B/----	10.298B/9.872A	----	10.908	+ 2.385	.5119	----	----	----	----	169	UNCH
7300	----	----	10.639B/----	10.639B/11.394A	----	11.241	+ 2.419	.5204	----	----	----	----	25	UNCH
7325	----	----	10.814B/----	10.814B/11.561A	----	11.409	NEW	.5246	----	----	1	----	1	+ 1
7375	----	----	11.222B/----	11.222B/11.035A	----	11.748	+ 2.466	.5329	----	----	----	----	146	UNCH
7400	----	----	11.342B/----	11.342B/12.069A	----	11.919	+ 2.482	.5371	----	----	----	----	25	UNCH
7450	----	----	11.701B/----	11.701B/12.414A	----	12.264	+ 2.512	.5453	----	----	----	----	1	UNCH
7500	----	----	12.065B/----	12.065B/12.759A	----	12.613	+ 2.541	.5533	----	----	----	----	38	UNCH
7525	----	----	12.244B/----	12.244B/12.924A	----	12.790	+ 2.556	.5573	----	----	----	----	1	UNCH
7550	----	----	12.428B/----	12.428B/13.094A	----	12.967	+ 2.571	.5613	----	----	----	----	1	UNCH
7600	----	----	12.797B/----	12.797B/13.462A	----	13.324	+ 2.599	.5691	----	----	----	----	1	UNCH
7700	----	----	13.545B/----	13.545B/14.147A	----	14.049	+ 2.653	.5844	----	----	----	----	1	UNCH
7850	----	----	14.691B/----	14.691B/15.236A	----	15.163	+ 2.731	.6064	----	----	----	----	1	UNCH
7900	----	----	15.087B/----	15.087B/15.629A	----	15.542	+ 2.758	.6135	----	----	----	----	8	UNCH
8000	----	----	15.869B/----	15.869B/15.700A	----	16.307	+ 2.807	.6274	----	----	----	----	291	UNCH
8100	----	----	16.670B/----	16.670B/17.119A	----	17.085	+ 2.857	.6407	----	----	----	----	25	UNCH
8125	----	----	16.867B/----	16.867B/17.336A	----	17.281	+ 2.869	.6440	----	----	----	----	4	UNCH
8250	----	----	17.886B/----	17.886B/18.286A	----	18.273	+ 2.930	.6599	----	----	----	----	46	UNCH
8300	----	----	18.300B/----	18.300B/18.485A	----	18.675	+ 2.955	.6660	----	----	----	----	120	UNCH
8375	----	----	#18.922B/----	#18.922B/18.396A	----	19.282	+ 2.991	.6750	----	----	----	----	1	UNCH
8400	----	----	19.122B/----	19.122B/18.491A	----	19.485	+ 3.002	.6780	----	----	----	----	7	UNCH
8500	----	----	19.991B/----	19.991B/18.984A	----	20.305	+ 3.049	.6895	----	----	----	----	53	UNCH
8600	----	----	20.750B/----	20.750B/19.310A	----	21.135	+ 3.096	.7005	----	----	----	----	56	UNCH
8700	----	----	#21.169B/----	#21.169B/19.699A	----	21.973	+ 3.142	.7112	----	----	----	----	4	UNCH
9000	----	----	----	15.343B/27.000A	----	24.537	+ 3.277	.7405	----	----	----	----	308	UNCH
9200	----	----	----	15.808B/33.748A	----	26.282	+ 3.363	.7581	----	----	----	----	11	UNCH
9400	----	----	----	17.720B/35.870A	----	28.052	+ 3.446	.7743	----	----	----	----	1	UNCH
9450	----	----	----	18.656B/35.898A	----	28.498	+ 3.466	.7782	----	----	----	----	12	UNCH
9500	----	----	----	18.212B/37.296A	----	28.945	+ 3.486	.7819	----	----	----	----	218	UNCH
9600	----	----	----	19.763B/37.484A	----	29.844	+ 3.526	.7892	----	----	----	----	50	UNCH
9900	----	----	----	21.646B/40.949A	----	32.570	+ 3.640	.8092	----	----	----	----	6	UNCH
9950	----	----	----	22.344B/41.248A	----	33.028	+ 3.658	.8123	----	----	----	----	5	UNCH
10000	----	----	----	22.549B/41.898A	----	33.487	+ 3.676	.8153	----	----	----	----	205	UNCH
10275	----	----	----	23.992B/45.431A	----	36.029	+ 3.771	.8308	----	----	----	----	7	UNCH
10500	----	----	----	26.973B/46.563A	----	38.129	+ 3.845	.8422	----	----	----	----	3	UNCH
10600	----	----	----	28.115B/47.406A	----	39.067	+ 3.877	.8469	----	----	----	----	9	UNCH
11000	----	----	----	31.268B/51.638A	----	42.846	+ 3.994	.8639	----	----	----	----	217	UNCH
11300	----	----	----	33.646B/55.030A	----	45.704	+ 4.073	.8749	----	----	----	----	10	UNCH
11500	----	----	----	36.871B/55.438A	----	47.620	+ 4.122	.8815	----	----	----	----	1	UNCH
12000	----	----	----	41.147B/60.747A	----	52.437	+ 4.231	.8959	----	----	----	----	15	UNCH
13000	----	----	----	50.368B/70.900A	----	62.162	+ 4.397	.9179	----	----	----	----	2	UNCH
TOTAL											15	65	9748	+ 22
AUG26														
3300	----	----	0.139B/----	0.139B/0.449A	----	0.193	+ 0.071	.0172	----	----	----	----	2	UNCH
3900	----	----	0.416B/----	0.416B/0.744A	----	0.519	+ 0.176	.0424	----	----	----	----	2	UNCH
4175	----	----	0.644B/----	0.644B/0.945A	----	0.764	+ 0.249	.0598	----	----	----	----	1	UNCH
4300	----	----	0.774B/----	0.774B/1.052A	----	0.901	+ 0.289	.0691	----	----	----	----	1	UNCH
4375	----	----	0.861B/----	0.861B/1.127A	----	0.991	+ 0.314	.0751	----	----	----	----	160	UNCH
4500	----	----	1.030B/----	1.030B/1.262A	----	1.157	+ 0.360	.0858	----	----	----	----	2	UNCH
4600	----	----	1.176B/----	1.176B/1.374A	----	1.304	+ 0.400	.0951	----	----	----	----	2	UNCH
4700	----	----	1.319B/----	1.319B/1.510A	----	1.465	+ 0.443	.1050	----	----	----	----	1	UNCH
4800	----	----	1.373B/----	1.373B/1.648A	----	1.640	+ 0.488	.1155	----	----	5	----	15	+ 5
5000	----	----	----	1.449B/2.389A	----	2.035	+ 0.586	.1382	----	----	5	----	14	+ 5
5275	----	----	2.071B/----	2.071B/2.642A	----	2.709	+ 0.766	.1738	----	----	----	----	1	UNCH
5300	----	----	2.114B/----	2.114B/2.706A	----	2.776	+ 0.783	.1772	----	----	----	----	1	UNCH
5500	----	----	2.647B/----	2.647B/3.643A	----	3.357	+ 0.932	.2056	----	----	----	----	22	UNCH
5675	----	----	3.182B/----	3.182B/4.196A	----	3.924	+ 1.069	.2317	----	----	----	----	9	UNCH
5800	----	----	3.607B/----	3.607B/4.630A	----	4.365	+ 1.173	.2510	----	----	----	----	4	UNCH
5850	----	----	3.786B/----	3.786B/4.812A	----	4.550	+ 1.216	.2589	----	----	----	----	2	UNCH
5900	----	----	3.972B/----	3.972B/5.000A	----	4.740	+ 1.259	.2669	----	----	----	----	16	UNCH
5950	4.429	4.429	4.450/4.429	4.450/4.429	----	4.934	+ 1.302	.2749	----	----	12	----	20	+ 12
6000	----	----	4.359B/----	4.359B/5.392A	----	5.134	+ 1.346	.2829	----	----	----	----	131	UNCH
6050	----	----	4.563B/----	4.563B/5.595A	----	5.338	+ 1.389	.2910	----	----	----	----	8	UNCH
6100	----	----	4.803B/----	4.803B/5.805A	----	5.548	+ 1.434	.2992	----	----	----	----	9	UNCH
6300	----	----	5.661B/----	5.661B/6.696A	----	6.436	+ 1.614	.3323	----	----	----	----	1	UNCH
6500	----	----	6.640B/----	6.640B/7.634A	----	7.406	+ 1.797	.3656	----	----	2	----	127	UNCH
6600	----	----	7.163B/----	7.163B/8.192A	----	7.922	+ 1.888	.3823	----	----	----	----	13	UNCH
6725	----	----	7.898B/----	7.898B/8.820A	----	8.596	+ 2.001	.4031	----	----	----	----	7	UNCH
6825	----	----	8.409B/----	8.409B/9.436A	----	9.158	+ 2.090	.4196	----	----	----	----	7	UNCH
7000	----	----	9.455B/----	9.455B/10.472A	----	10.191	+ 2.243	.4478	----	----	----	----	1	UNCH
7050	----	----	9.835B/----	9.835B/10.778A	----	10.498	+ 2.286	.4557	----	----	----	----	1	UNCH
7100	----	----	10.081B/----	10.081B/11.090A	----	10.810	+ 2.329	.4636	----	----	----	----	2	UNCH
7350	----	----	11.800B/----	11.800B/12.671A	----	12.441	+ 2.530	.5015	----	----	----	----	6	UNCH
7500	----	----	12.836B/----	12.836B/13.731A	----	13.474	+ 2.642	.5230	----	----	----	----	1	UNCH
7550	----	----	13.119B/----	13.119B/14.079A	----	13.827	+ 2.678	.5300	----	----	----	----	5	UNCH
7700	----	----	14.195B/----	14.195B/15.145A	----	14.909	+ 2.783	.5502	----	----	----	----	25	UNCH
8000	----	----	16.434B/----	16.434B/17.367A	----	17.164	+ 2.974	.5879	----	----	----	----	20	UNCH
8150	----	----	17.595B/----	17.595B/18.516A	----	18.331	+ 3.063	.6054	----	----	----	----	10	UNCH
8200	----	----	18.068B/----	18.068B/18.904A	----	18.724	+ 3.090	.6110	----	----	----	----	10	UNCH
8250	----	----	18.384B/----	18.384B/19.294A	----	19.120	+ 3.118	.6166	----	----	----	----	5	UNCH
8500	----	----	20.390B/----	20.390B/21.284A	----	21.131	+ 3.249	.6430	----	----	----	----	20	UNCH
9000	----	----	#24.619B/----	24.619B/23.881A	----	25.293	+ 3.477	.6898	----	----	----	----	29	UNCH
9300	----	----	#26.219B/----	#26.219B/27.936A	----	27.867	+ 3.595	.7144	----	----	----	----	1	UNCH
9500	----	----	----	17.325B/36.765A	----	29.609	+ 3.666	.7294	----	----	----	----	30	UNCH
10000	----	----	----	20.132B/45.169A	----	34.045	+ 3.822	.7630	----	----	----	----	6	UNCH
10175	----	----	----	21.274B/47.196A	----	35.621	+ 3.870	.7735	----	----	----	----	15	UNCH
TOTAL											24	0	765	+ 22
SEP26														
2500	----	----	----	0.004B/0.320A	----	0.076	+ 0.027	.0064	----	----	----	----	60	UNCH
3000	----	----	----	0.091B/0.444A	----	0.181	+ 0.062	.0148	----	----	----	----	22	UNCH
3500	----	----	0.268B/----	0.268B/0.662A	----	0.375	+ 0.125	.0296	----	----	----	----	74	UNCH
4000	----	----	0.621B/----	0.621B/1.018A	----	0.715	+ 0.227	.0538	----	----	----	----	42	UNCH
4500	----	----	1.278B/----	1.278B/1.559A	----	1.389	+ 0.405	.0947	----	----	----	----	8	UNCH
4650	----	----	1.428B/----	1.428B/1.773A	----	1.662	+ 0.470	.1097	----	----	----	----	1	UNCH
5000	----	----	1.800B/----	1.800B/2.857A	----	2.437	+ 0.645	.1494	----	----	----	----	232	UNCH
5100	----	----	2.026B/----	2.026B/3.057A	----	2.698	+ 0.709	.1618	----	----	----	----	1	UNCH
5500	----	----	3.128B/----	3.128B/4.285A	----	3.914	+ 0.998	.2154	----	----	----	----	228	UNCH
5600	----	----	3.455B/----	3.455B/4.624A	----	4.262	+ 1.077	.2296	----	----	----	----	1	UNCH
5700	----	----	3.804B/----	3.804B/4.982A	----	4.629	+ 1.158	.2441	----	----	----	----	2	UNCH
5800	----	----	4.173B/----	4.173B/5.360A	----	5.014	+ 1.242	.2588	----	----	----	----	7	UNCH
6000	----	----	5.009B/----	5.009B/6.177A	----	5.839	+ 1.412	.2887	----	----	----	----	128	UNCH
6050	----	----	5.225B/----	5.225B/6.395A	----	6.057	+ 1.455	.2962	----	----	----	----	15	UNCH
6300	----	----	6.345B/----	6.345B/7.554A	----	7.217	+ 1.674	.3344	----	----	----	----	3	UNCH
6400	----	----	6.822B/----	6.822B/8.053A	----	7.714	+ 1.761	.3497	----	----	----	----	1	UNCH
6425	7.950	7.950	7.950/7.950	7.950/7.950	----	7.841	NEW	.3535	----	----	1	----	1	+ 1
6500	----	----	7.343B/----	7.343B/8.570A	----	8.229	+ 1.848	.3650	----	----	----	----	55	UNCH
6900	----	----	9.638B/----	9.638B/10.829A	----	10.477	+ 2.189	.4252	----	----	----	----	1	UNCH
7000	----	----	10.308B/----	10.308B/11.439A	----	11.085	+ 2.270	.4398	----	----	----	----	15	UNCH
7025	----	----	10.465B/----	10.465B/11.547A	----	11.240	+ 2.291	.4434	----	----	----	----	1	UNCH
7100	----	----	10.867B/----	10.867B/12.064A	----	11.710	+ 2.349	.4541	----	----	----	----	16	UNCH
7125	----	----	11.046B/----	11.046B/12.224A	----	11.870	+ 2.369	.4576	----	----	----	----	25	UNCH
7175	----	----	11.371B/----	11.371B/12.544A	----	12.191	+ 2.407	.4646	----	----	----	----	20	UNCH
7200	----	----	11.597B/----	11.597B/12.707A	----	12.354	+ 2.426	.4681	----	----	----	----	50	UNCH
7500	----	----	13.573B/----	13.573B/14.725A	----	14.386	+ 2.640	.5081	----	----	----	----	3	UNCH
7550	----	----	13.925B/----	13.925B/15.073A	----	14.738	+ 2.672	.5144	----	----	----	----	2	UNCH
7700	----	----	15.000B/----	15.000B/16.141A	----	15.818	+ 2.768	.5330	----	----	----	----	1	UNCH
7800	----	----	15.733B/----	15.733B/16.867A	----	16.554	+ 2.828	.5449	----	----	----	----	4	UNCH
7900	----	----	16.481B/----	16.481B/17.605A	----	17.302	+ 2.885	.5564	----	----	----	----	1	UNCH
8000	----	----	17.234B/----	17.234B/18.354A	----	18.062	+ 2.941	.5676	----	----	----	----	40	UNCH
8100	----	----	18.000B/----	18.000B/19.110A	----	18.832	+ 2.994	.5785	----	----	----	----	1	UNCH
8200	----	----	18.775B/----	18.775B/19.882A	----	19.611	+ 3.045	.5890	----	----	----	----	1	UNCH
8500	----	----	21.154B/----	21.154B/22.244A	----	21.997	+ 3.189	.6188	----	----	----	----	225	UNCH
8700	----	----	22.780B/----	22.780B/23.857A	----	23.624	+ 3.277	.6373	----	----	----	----	100	UNCH
9000	----	----	25.272B/----	25.272B/26.331A	----	26.113	+ 3.397	.6630	----	----	----	----	74	UNCH
9300	----	----	#27.910B/----	#27.910B/27.870A	----	28.655	+ 3.506	.6866	----	----	----	----	1	UNCH
9400	----	----	#28.609B/----	#28.609B/29.664A	----	29.512	+ 3.539	.6940	----	----	----	----	1	UNCH
10150	----	----	----	18.961B/50.549A	----	36.087	+ 3.761	.7430	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 81

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
10300	----	----	----	20.098B/52.061A	----	37.428 +	3.799 .7516	----	----	----	----	1 UNCH
TOTAL										1	0	1465 + 1
OCT26												
2675	----	----	----	0.025B/0.411A	----	0.170 +	0.032 .0123	----	----	----	----	8 UNCH
3250	----	----	----	0.194B/0.649A	----	0.360 +	0.072 .0258	----	----	----	----	1 UNCH
4000	----	----	0.732B/----	0.732B/1.190A	----	0.887 +	0.180 .0600	----	----	----	----	3 UNCH
4500	1.750	1.750	#1.750/1.750	1.750/1.748A	----	1.569 +	0.309 .0986	----	----	1	----	4 UNCH
5000	----	----	----	2.028B/3.200A	----	2.749 +	0.569 .1533	----	----	----	----	6 UNCH
5050	----	----	----	2.130B/3.326A	----	2.891 +	0.600 .1593	----	----	----	----	1 UNCH
5150	----	----	----	2.380B/3.185A	----	3.186 +	0.663 .1715	----	----	----	----	5 UNCH
6500	----	----	7.677B/----	7.677B/9.071A	----	8.867 +	1.715 .3543	----	----	----	----	6 UNCH
7000	----	----	10.630B/----	10.630B/11.931A	----	11.722 +	2.130 .4223	----	----	----	----	85 UNCH
7225	----	----	12.008B/----	12.008B/13.350A	----	13.124 +	2.310 .4514	----	----	----	----	87 UNCH
7500	----	----	13.857B/----	13.857B/15.186A	----	14.929 +	2.520 .4855	----	----	----	----	1 UNCH
7950	----	----	17.163B/----	17.163B/18.391A	----	18.081 +	2.832 .5375	----	----	----	----	10 UNCH
8200	----	----	18.987B/----	18.987B/20.271A	----	19.929 +	2.986 .5640	----	----	----	----	6 UNCH
8375	----	----	20.424B/----	20.424B/21.569A	----	21.261 +	3.086 .5816	----	----	----	----	1 UNCH
9100	----	----	#26.221B/----	#26.221B/27.450A	----	27.062 +	3.426 .6458	----	----	----	----	1 UNCH
10000	----	----	#33.418B/----	#33.418B/35.106A	----	34.754 +	3.712 .7082	----	----	----	----	40 UNCH
TOTAL										1	0	265 0
NOV26												
4500	----	----	1.508B/----	1.508B/2.079A	----	1.970 +	0.491 .1102	----	----	----	----	2 UNCH
4550	----	----	----	1.125B/2.837A	----	2.081 +	0.516 .1151	----	----	----	----	1 UNCH
4800	----	----	----	1.778B/3.276A	----	2.696 +	0.654 .1411	----	----	----	----	1 UNCH
5200	----	----	----	2.836B/4.301A	----	3.889 +	0.904 .1869	----	----	----	----	1 UNCH
5950	----	----	5.527B/----	5.527B/7.138A	----	6.832 +	1.443 .2813	----	----	----	----	1 UNCH
6700	----	----	9.413B/----	9.413B/10.972A	----	10.668 +	2.009 .3789	----	----	----	----	50 UNCH
7000	----	----	11.163B/----	11.163B/12.765A	----	12.435 +	2.227 .4168	----	----	----	----	40 UNCH
7025	----	----	11.376B/----	11.376B/12.921A	----	12.588 +	2.244 .4199	----	----	----	----	6 UNCH
7700	----	----	15.867B/----	15.867B/17.436A	----	17.024 +	2.688 .4983	----	----	----	----	50 UNCH
8500	----	----	21.913B/----	21.913B/23.439A	----	22.965 +	3.105 .5772	----	----	----	----	60 UNCH
9000	----	----	26.032B/----	26.032B/27.445A	----	26.983 +	3.302 .6183	----	----	----	----	5 UNCH
9050	----	----	26.360B/----	26.360B/27.853A	----	27.395 +	3.319 .6221	----	----	----	----	3 UNCH
10000	----	----	#34.430B/----	#34.430B/35.867A	----	35.484 +	3.595 .6845	----	----	----	----	1 UNCH
11000	----	----	----	15.902B/70.080A	----	44.362 +	3.818 .7356	----	----	----	----	1 UNCH
TOTAL											0	222 0
DEC26												
1500	----	----	----	----/0.150A	----	0.030 +	0.012 .0020	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.500A	----	0.095 +	0.038 .0061	----	----	----	----	10 UNCH
2500	----	----	----	0.004B/0.503A	----	0.174 +	0.070 .0117	----	----	----	----	32 UNCH
3000	----	----	----	0.159B/0.348A	----	0.311 +	0.124 .0213	----	----	----	----	93 UNCH
3100	----	----	----	0.204B/0.795A	----	0.348 +	0.139 .0239	----	----	----	----	1 UNCH
3150	----	----	----	0.230B/0.826A	----	0.379 +	0.149 .0258	----	----	----	----	1 UNCH
3500	----	----	#0.463B/----	0.463B/0.771A	----	0.654 +	0.241 .0417	----	----	----	----	45 UNCH
3850	----	----	#0.817B/----	0.817B/1.417A	----	1.044 +	0.357 .0625	----	----	----	----	1 UNCH
3900	1.005	1.005	#1.005/1.005	#1.005/1.005	----	1.111	NEW .0659	----	----	1	----	1 + 1
3925	----	----	#0.912B/----	0.912B/1.505A	----	1.146 +	0.387 .0677	----	----	----	----	1 UNCH
4000	----	----	1.015B/----	1.015B/1.306A	----	1.253 +	0.416 .0730	----	----	----	----	74 UNCH
4500	----	----	----	1.158B/3.130A	----	2.172 +	0.650 .1153	----	----	----	----	32 UNCH
4600	----	----	----	1.420B/3.301A	----	2.404 +	0.703 .1250	----	----	----	----	4 UNCH
4800	----	----	----	2.018B/3.665A	----	2.912 +	0.815 .1455	----	----	----	----	241 UNCH
5000	----	----	----	2.528B/3.722A	----	3.481 +	0.932 .1673	----	----	----	----	357 UNCH
5250	----	----	3.261B/----	3.261B/4.920A	----	4.280 +	1.086 .1959	----	----	----	----	50 UNCH
5300	----	----	3.422B/----	3.422B/5.089A	----	4.452 +	1.118 .2018	----	----	----	----	250 UNCH
5400	----	----	3.757B/----	3.757B/5.449A	----	4.807 +	1.181 .2138	----	----	----	----	100 UNCH
5500	----	----	4.136B/----	4.136B/5.772A	----	5.178 +	1.245 .2259	----	----	----	----	86 UNCH
5600	----	----	4.484B/----	4.484B/6.213A	----	5.565 +	1.309 .2382	----	----	----	----	4 UNCH
5800	----	----	5.257B/----	5.257B/7.047A	----	6.388 +	1.440 .2633	----	----	----	----	1 UNCH
5950	----	----	5.907B/----	5.907B/7.718A	----	7.047 +	1.539 .2823	----	----	----	----	5 UNCH
6000	----	----	6.133B/----	6.133B/7.950A	----	7.274 +	1.571 .2886	----	----	----	----	147 UNCH
6200	----	----	7.085B/----	7.085B/8.866A	----	8.225 +	1.702 .3142	----	----	----	----	13 UNCH
6300	----	----	7.667B/----	7.667B/9.433A	----	8.725 +	1.768 .3270	----	----	----	----	25 UNCH
6500	----	----	8.732B/----	8.732B/10.503A	----	9.811 +	1.928 .3525	----	----	----	----	626 UNCH
6650	----	----	9.576B/----	9.576B/11.291A	----	10.663 +	2.045 .3714	----	----	----	----	5 UNCH
6725	----	----	9.928B/----	9.928B/11.782A	----	11.101 +	2.103 .3807	----	----	----	----	4 UNCH
6750	----	----	10.110B/----	10.110B/11.929A	----	11.249 +	2.123 .3838	----	----	----	----	6 UNCH
6800	----	----	10.458B/----	10.458B/12.225A	----	11.548 +	2.162 .3899	----	----	----	----	52 UNCH
6850	----	----	10.760B/----	10.760B/12.526A	----	11.849 +	2.199 .3961	----	----	----	----	65 UNCH
6900	----	----	11.011B/----	11.011B/12.829A	----	12.155 +	2.237 .4021	----	----	----	----	1 UNCH
6950	----	----	11.319B/----	11.319B/13.136A	----	12.463 +	2.274 .4082	----	----	----	----	101 UNCH
7000	----	----	11.631B/----	11.631B/13.448A	----	12.775 +	2.310 .4142	----	----	----	----	179 UNCH
7075	----	----	12.162B/----	12.162B/13.921A	----	13.250 +	2.365 .4230	----	----	----	----	20 UNCH
7100	----	----	12.265B/----	12.265B/14.081A	----	13.410 +	2.382 .4259	----	----	----	----	2 UNCH
7200	----	----	12.912B/----	12.912B/14.727A	----	14.057 +	2.451 .4374	----	----	----	----	10 UNCH
7500	----	----	14.936B/----	14.936B/16.736A	----	16.077 +	2.644 .4707	----	----	----	----	16 UNCH
7550	----	----	15.284B/----	15.284B/17.082A	----	16.424 +	2.674 .4760	----	----	----	----	1 UNCH
7800	----	----	17.068B/----	17.068B/18.852A	----	18.203 +	2.815 .5018	----	----	----	----	20 UNCH
7850	----	----	17.432B/----	17.432B/19.214A	----	18.566 +	2.840 .5067	----	----	----	----	10 UNCH
7875	----	----	#17.685B/----	17.685B/19.396A	----	18.749 +	2.853 .5092	----	----	----	----	4 UNCH
7900	----	----	17.869B/----	17.869B/19.578A	----	18.932 +	2.866 .5116	----	----	----	----	19 UNCH
8000	----	----	18.540B/----	18.540B/20.317A	----	19.672 +	2.915 .5213	----	----	----	----	50 UNCH
8100	----	----	19.290B/----	19.290B/21.062A	----	20.422 +	2.963 .5307	----	----	----	----	1 UNCH
8200	----	----	20.049B/----	20.049B/21.816A	----	21.180 +	3.007 .5398	----	----	----	----	35 UNCH
8350	----	----	21.279B/----	21.279B/22.902A	----	22.335 +	3.072 .5531	----	----	----	----	9 UNCH
8400	----	----	21.592B/----	21.592B/23.349A	----	22.723 +	3.091 .5574	----	----	----	----	25 UNCH
8500	----	----	22.375B/----	22.375B/24.127A	----	23.507 +	3.130 .5659	----	----	----	----	150 UNCH
8600	----	----	23.165B/----	23.165B/24.911A	----	24.298 +	3.167 .5741	----	----	----	----	2 UNCH
8800	----	----	24.765B/----	24.765B/26.501A	----	25.903 +	3.237 .5899	----	----	----	----	10 UNCH
8900	----	----	25.576B/----	25.576B/27.306A	----	26.715 +	3.269 .5975	----	----	----	----	30 UNCH
9000	----	----	26.391B/----	26.391B/28.115A	----	27.533 +	3.300 .6049	----	----	----	----	3 UNCH
9050	----	----	26.884B/----	26.884B/28.523A	----	27.944 +	3.314 .6085	----	----	----	----	100 UNCH
9500	----	----	30.638B/----	30.638B/32.246A	----	31.707 +	3.436 .6390	----	----	----	----	2 UNCH
9850	----	----	#33.535B/----	#33.535B/35.209A	----	34.698 +	3.520 .6604	----	----	----	----	8 UNCH
9950	----	----	#34.396B/----	#34.396B/36.065A	----	35.562 +	3.543 .6662	----	----	----	----	1 UNCH
10025	----	----	#35.045B/----	#35.045B/36.709A	----	36.211 +	3.559 .6704	----	----	----	----	3 UNCH
10125	----	----	#35.913B/----	#35.913B/37.571A	----	37.080 +	3.581 .6760	----	----	----	----	1 UNCH
10700	----	----	#40.600B/----	#40.600B/42.593A	----	42.136 +	3.703 .7056	----	----	----	----	5 UNCH
10800	----	----	#40.976B/----	#40.976B/43.477A	----	43.025 +	3.724 .7104	----	----	----	----	2 UNCH
11000	----	----	#41.970B/----	#41.970B/45.255A	----	44.809 +	3.763 .7196	----	----	----	----	2 UNCH
11500	----	----	----	18.253B/77.674A	----	49.312 +	3.856 .7411	----	----	----	----	1 UNCH
12000	----	----	----	19.920B/84.933A	----	53.868 +	3.943 .7603	----	----	----	----	1 UNCH
12100	----	----	----	20.673B/85.995A	----	54.785 +	3.959 .7640	----	----	----	----	1 UNCH
12300	----	----	----	23.850B/86.488A	----	56.625 +	3.991 .7710	----	----	----	----	1 UNCH
15000	----	----	----	48.964B/112.063A	----	82.032 +	4.306 .8422	----	----	----	----	1 UNCH
19000	----	----	----	89.002B/149.560A	----	120.859 +	4.557 .8997	----	----	----	----	1 UNCH
TOTAL										1	0	3340 + 1
JAN27												
3800	----	----	----	----	----	0.998 +	0.240 .0587	----	----	----	----	1 UNCH
8600	----	----	----	----	----	24.147 +	2.510 .5613	----	----	----	----	1 UNCH
TOTAL											0	2 0
DEC27												
7175	----	----	----	----	----	22.399 +	1.485 .3381	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----	----	7.686 -	4.061 .7512	----	----	----	----	1 UNCH
6800	4.350	4.350	#4.350/3.928A	4.350/3.928A	----	3.931	NEW .5254	----	----	1	----	1 + 1
6850	----	----	----/3.751A	3.739B/3.751A	----	3.689 -	3.181 .5047	----	----	----	----	0 UNCH
7000	----	----	----/3.079A	3.649B/3.079A	----	3.030 -	2.905 .4428	----	----	----	----	1 UNCH
7050	----	----	----/2.939A	3.535B/2.939A	----	2.833 -	2.808 .4226	----	----	----	----	2 UNCH
7200	----	----	----/2.396A	3.477B/2.396A	----	2.302	NEW .3640	----	----	2	----	2 + 2
7400	----	----	----/1.868A	2.594B/1.868A	----	1.731 -	2.114 .2929	----	----	----	----	100 UNCH
7500	1.900	1.900	1.900/1.642A	2.190B/1.642A	----	1.496 -	1.919 .2608	----	----	1	----	3 + 1
7700	----	----	----/1.301A	1.513B/1.301A	----	1.115 -	1.548 .2047	----	----	----	----	2 UNCH
7800	----	----	----/1.138A	1.235B/1.138A	----	0.962 -	1.375 .1806	----	----	----	----	14 UNCH
8000	----	----	----/*0.902A	0.818B/*0.902A	----	0.717 -	1.064 .1397	----	----	----	----	12 UNCH
8100	----	----	----/*0.796A	0.614B/*0.796A	----	0.620 -	0.925 .1227	----	----	----	----	20 UNCH
8400	----	----	----/*0.583A	0.330B/*0.583A	----	0.403 -	0.585 .0827	----	----	----	----	5 UNCH
8500	0.400	0.400	0.400/*0.400	0.400/*0.400	----	0.350	NEW .0724	----	----	1	----	1 + 1
8800	----	----	----/*0.396A	0.128B/*0.396A	----	0.224 -	0.295 .0477	----	----	----	----	6 UNCH
9000	----	----	----/*0.363A	0.066B/*0.363A	----	0.157 -	0.217 .0344	----	----	----	----	11 UNCH
9500	----	----	----	0.010B/0.277A	----	0.062 -	0.095 .0144	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 82

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
TOTAL										5	0	183 + 5
SO2 PUT		SILVER OPTIONS										
APR26												
5800	1.050	1.050	1.050/1.050	1.050/0.868A	----	0.969 +	0.356 .1453	----	----	2	----	4 + 2
6000	1.400	1.400	1.463/1.250	1.463/1.075A	----	1.310	NEW .1917	----	----	17	----	10 + 10
6400	1.797	1.797	2.329B/1.797	2.329B/1.743A	----	2.342	NEW .3162	----	----	10	----	10 + 10
6500	----	----	2.697B/----	2.697B/1.975A	----	2.690	NEW .3535	----	----	2	----	0 UNCH
6650	----	----	3.295B/----	3.295B/2.437A	----	3.293 +	1.188 .4127	----	----	----	----	3 UNCH
7025	----	----	#5.114B/----	#5.114B/3.764A	----	5.243 +	1.844 .5672	----	----	----	----	1 UNCH
7050	----	----	#5.334B/----	#5.334B/3.868A	----	5.395 +	1.892 .5773	----	----	----	----	1 UNCH
TOTAL										31	0	29 + 22
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----/3.809A	5.304B/3.809A	----	3.741 -	2.910 .4620	----	----	----	----	6 UNCH
7100	----	----	----/3.440A	4.736B/3.440A	----	3.345 -	2.760 .4280	----	----	----	----	1 UNCH
7600	----	----	----/2.079A	2.524B/2.079A	----	1.865 -	1.974 .2771	----	----	----	----	3 UNCH
7975	----	----	----/1.493A	1.379B/1.493A	----	1.184 -	1.427 .1913	----	----	----	----	2 UNCH
8000	----	----	----/1.414A	1.391B/1.414A	----	1.148 -	1.394 .1865	----	----	----	----	1 UNCH
TOTAL											0	13 0
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	0.016B/----	0.016B/0.239A	----	0.039 +	0.029 .0062	----	----	----	----	20 UNCH
6825	4.990	4.990	4.990/4.990	4.990/3.649A	----	4.839	NEW .4773	----	----	20	----	20 + 20
7000	----	----	5.891B/----	5.891B/4.295A	----	5.803 +	1.787 .5379	----	----	----	----	5 UNCH
7300	----	----	#7.691B/----	#7.691B/5.744A	----	7.716 +	2.251 .6366	----	----	----	----	10 UNCH
TOTAL										20	0	55 + 20
SO4 CALL		SILVER OPTIONS										
MAR26												
6000	----	----	----	----	----	7.997	NEW .9949	----	----	1	----	1 + 1
6750	1.351	1.351	#1.351/*1.333	1.851B/*1.333	----	1.572	NEW .5791	----	----	6	----	6 + 6
6800	0.900	0.900	#0.900/*0.900	1.707B/*0.900	----	1.296 -	3.716 .4957	----	----	1	----	2 + 1
6850	0.950	0.950	#0.950/*0.836A	1.361B/*0.836A	----	1.051 -	3.540 .4106	----	----	2	----	2 + 2
6880	0.800	0.800	#0.800/*0.781A	1.251B/*0.781A	----	0.919	NEW .3605	----	----	1	----	1 + 1
6900	0.500	0.500	1.100/*0.500	1.194B/*0.500	----	0.837 -	3.347 .3280	----	----	10	----	9 + 7
6930	0.693	0.693	#0.693/*0.651A	1.191B/*0.651A	----	0.724	NEW .2813	----	----	1	----	1 + 1
6950	0.550	0.550	#0.559/*0.544A	1.146B/*0.544A	----	0.654	NEW .2517	----	----	3	----	3 + 3
7000	1.000	1.000	1.010/*0.375A	1.097B/*0.375A	----	0.500	NEW .1847	----	----	42	----	22 + 22
7010	----	----	----/*0.436A	1.121B/*0.436A	----	0.472 -	2.867 .1725	----	----	----	----	4 UNCH
7075	----	----	----/*0.311A	1.385B/*0.311A	----	0.319 -	2.556 .1057	----	----	8	----	4 + 4
7100	1.250	1.250	1.250/*0.241A	1.251B/*0.241A	----	0.271	NEW .0854	----	----	2	----	1 + 1
7105	0.160	0.160	0.160/*0.160	1.201B/*0.160	----	0.262	NEW .0817	----	----	23	----	8 + 8
7125	0.295	0.295	0.295/*0.223A	1.207B/*0.223A	----	0.229	NEW .0681	----	----	1	----	1 + 1
7150	0.300	0.300	0.300/*0.217A	1.183B/*0.217A	----	0.192	NEW .0534	----	----	7	----	5 + 5
7200	----	----	----/*0.183A	1.023B/*0.183A	----	0.132 -	1.946 .0314	----	----	6	----	5 + 4
7250	----	----	----/*0.194A	0.952B/*0.194A	----	0.088 -	1.711 .0173	----	----	----	----	1 UNCH
7300	0.200	0.200	0.200/*0.100	0.749B/*0.100	----	0.056 -	1.488 .0087	----	----	5	----	6 - 1
7350	0.120	0.120	0.120/*0.120	0.649B/*0.120	----	0.035 -	1.278 .0041	----	----	1	----	13 + 1
7400	----	----	----/*0.183A	0.532B/*0.183A	----	0.021 -	1.087 .0018	----	----	2	----	3 + 2
7425	----	----	----/*0.182A	0.265B/*0.182A	----	0.016 -	0.998 .0011	----	----	----	----	1 UNCH
7450	----	----	----/*0.176A	0.197B/*0.176A	----	0.012 -	0.915 .0007	----	----	----	----	0 UNCH
7475	----	----	----/*0.172A	0.135B/*0.172A	----	0.009 -	0.836 .0004	----	----	----	----	1 UNCH
7500	0.270	0.270	0.274/*0.169A	0.274/*0.169A	----	0.007 -	0.763 .0003	----	----	5	----	35 + 4
7525	----	----	----/*0.166A	0.260B/*0.166A	----	0.005 -	0.695 .0001	----	----	----	----	3 UNCH
7550	----	----	----/*0.164A	0.224B/*0.164A	----	0.004 -	0.631 .0001	----	----	----	----	6 UNCH
7600	----	----	----/*0.160A	0.183B/*0.160A	----	0.002 -	0.519 .0000	----	----	2	----	7 + 1
7650	----	----	----/*0.157A	0.114B/*0.157A	----	0.001 -	0.424 .0000	----	----	----	----	2 UNCH
7700	0.046	0.046	0.046/*0.046	0.081B/*0.046	----	0.001 -	0.346 ----	----	----	1	----	2 + 1
7725	----	----	----/*0.156A	0.067B/*0.156A	----	0.001 -	0.312 ----	----	----	----	----	1 UNCH
7750	----	----	----/*0.155A	0.003B/*0.155A	----	0.001 -	0.282 ----	----	----	----	----	1 UNCH
7850	----	----	----/*0.156A	0.005B/*0.156A	----	0.001 -	0.189 ----	----	----	----	----	15 UNCH
7975	----	----	----	0.001B/*0.151A	----	0.001 -	0.119 ----	----	----	----	----	1 UNCH
8000	0.050	0.050	0.060/*0.037A	0.060/*0.037A	----	0.001 -	0.109 ----	----	----	2	----	2 UNCH
8100	----	----	----	0.001B/*0.146A	----	0.001 -	0.080 ----	----	----	----	----	1 UNCH
8200	----	----	----	----/0.151A	----	0.001 -	0.061 ----	----	----	----	----	3 UNCH
8400	----	----	----	----/0.150A	----	0.001 -	0.041 ----	----	----	----	----	1 UNCH
8500	----	----	----	----/0.174A	----	0.001 -	0.035 ----	----	----	----	----	2 UNCH
8600	----	----	----	----/0.178A	----	0.001 -	0.031 ----	----	----	----	----	4 UNCH
8675	----	----	----	----/0.178A	----	0.001 -	0.029 ----	----	----	----	----	0 UNCH
8700	----	----	----	----/0.178A	----	0.001 -	0.026 ----	----	----	----	----	1 UNCH
8950	----	----	----	----/0.180A	----	0.001 -	0.011 ----	----	----	----	----	1 UNCH
9100	----	----	----	----/0.178A	----	0.001 -	0.006 ----	----	----	----	----	5 UNCH
9200	----	----	----	----/0.178A	----	0.001 -	0.004 ----	----	----	----	----	5 UNCH
9500	----	----	----	----/0.184A	----	0.001 -	0.001 ----	----	----	----	----	1 UNCH
TOTAL										132	0	199 + 75
SO4 PUT		SILVER OPTIONS										
MAR26												
4000	0.020	0.020	#0.020/*0.010	#0.020/*0.010	----	0.001	UNCH ----	----	----	2	----	2 + 2
4100	----	----	----	----/0.205A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
4500	----	----	----	----/0.192A	----	0.001	UNCH ----	----	----	----	----	50 UNCH
6000	0.100	0.100	0.101B/*0.050	0.101B/*0.050	----	0.063 +	0.043 .0051	----	----	24	----	27 + 18
6100	----	----	0.124B/----	0.124B/0.200A	----	0.088 +	0.062 .0094	----	----	----	----	1 UNCH
6200	0.188	0.188	0.303/0.150	0.303/0.150	----	0.126 +	0.090 .0177	----	----	5	----	5 + 1
6250	----	----	0.214B/----	0.214B/0.189A	----	0.153 +	0.110 .0246	----	----	----	----	1 UNCH
6300	0.392	0.392	0.500/*0.208A	0.500/*0.208A	----	0.185 +	0.133 .0339	----	----	10	----	10 + 6
6400	0.350	0.350	0.500/0.266A	0.500/0.266A	----	0.278 +	0.203 .0649	----	----	4	----	2 + 1
6500	0.250	0.250	0.650/*0.240	0.650/*0.240	----	0.421 +	0.309 .1205	----	----	28	----	25 + 23
6525	0.587	0.587	0.609B/0.587	0.609B/0.370A	----	0.467	NEW .1396	----	----	1	----	1 + 1
6600	1.005	1.005	1.005/0.450	1.005/0.450	----	0.635	NEW .2114	----	----	38	----	27 + 27
6625	----	----	0.823B/----	0.823B/0.493A	----	0.703	NEW .2406	----	----	20	----	5 + 5
6650	0.500	0.500	0.854B/0.500	0.854B/0.500	----	0.776	NEW .2722	----	----	10	----	10 + 10
6700	1.550	1.550	1.550/1.550	1.550/0.595A	----	0.943 +	0.694 .3425	----	----	1	----	2 + 1
6750	0.698	0.698	1.280/0.698	1.280/0.668A	----	1.138	NEW .4208	----	----	11	----	11 + 11
6775	----	----	1.356B/----	1.356B/0.790A	----	1.246	NEW .4621	----	----	1	----	1 + 1
6800	----	----	1.364B/----	1.364B/0.809A	----	1.362 +	0.991 .5042	----	----	----	----	2 UNCH
6900	1.500	1.500	2.200/1.050	2.200/0.997A	----	1.903 +	1.360 .6719	----	----	5	----	2 UNCH
6950	----	----	1.763B/----	1.763B/1.192A	----	2.220 +	1.567 .7482	----	----	----	----	10 UNCH
7000	1.190	1.190	2.860/1.090	2.860/1.090	----	2.566 +	1.794 .8152	----	----	23	----	40 - 9
7050	----	----	1.934B/----	1.934B/1.550A	----	2.939 +	2.030 .8709	----	----	----	----	1 UNCH
7100	1.250	1.250	#3.330/1.250	3.330/1.250	----	3.337 +	2.273 .9145	----	----	3	----	4 UNCH
7105	----	----	#1.888B/----	1.888B/1.739A	----	3.378 +	2.298 .9183	----	----	----	----	2 UNCH
7150	3.583	3.583	#3.583/3.583	#3.583/1.910A	----	3.758	NEW .9465	----	----	1	----	1 + 1
7200	----	----	----	1.313B/2.074A	----	4.198 +	2.761 .9685	----	----	----	----	1 UNCH
7240	----	----	----	1.317B/2.331A	----	4.561 +	2.949 .9805	----	----	----	----	1 UNCH
7250	----	----	----	1.314B/2.373A	----	4.654 +	2.996 .9826	----	----	----	----	3 UNCH
7325	----	----	----	0.728B/4.486A	----	5.360 +	3.326 .9939	----	----	----	----	20 UNCH
7400	----	----	----	----	----	6.087 +	3.620 .9981	----	----	----	----	2 UNCH
7500	----	----	----	----	----	7.073 +	3.944 .9997	----	----	----	----	2 UNCH
7600	----	----	----	----	----	8.068 +	4.188 .9999	----	----	----	----	2 UNCH
7800	----	----	----	4.073B/7.101A	----	10.067 +	4.477 .0000	----	----	----	----	1 UNCH
8500	----	----	----	----	----	17.067 +	4.672 .0000	----	----	----	----	1 UNCH
8800	----	----	----	----	----	20.067 +	4.689 .0000	----	----	----	----	0 - 1
TOTAL										187	0	276 + 98
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAR26												
6400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6450	----	----	----	----	----	8.141	UNCH ----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6650	----	----	----	----	----	6.141	UNCH ----	----	----	----	----	0 UNCH
6750	----	----	----	----	----	5.141	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	3.641	UNCH ----	----	----	----	----	0 UNCH
6965	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	2.641	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	2.141	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	1.641	UNCH ----	----	----	----	----	0 UNCH
7125	----	----	----	----	----	1.391	UNCH ----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	1.141	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.641	UNCH ----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 83

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAR26												
7210	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7240	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.141 UNCH	----	----	----	----	----	0 UNCH
7265	----	----	----	----	----	0.009 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.359 UNCH	----	----	----	----	----	0 UNCH
7325	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	1.109 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7425	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	2.359 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	3.359 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	6.359 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8225	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
APR26												
6500	1.000	1.000	1.508B/1.000	1.508B/1.000	----	1.515 +	0.868	.3051	----	----	1	---- 9 + 1
6900	2.002	2.002	3.039B/2.002	3.039B/1.831A	----	3.131 +	1.726	.5539	----	----	2	---- 2 + 1
6950	----	----	#3.355B/----	3.355B/2.228A	----	3.411 +	1.861	.5874	----	----	----	---- 2 UNCH
7000	1.500	1.500	1.500/*1.500	2.146B/*1.500	----	1.644 -	2.704	.3794	----	----	1	---- 11 + 1
7000	2.000	2.000	3.688B/*1.900	3.688B/1.900	----	3.709	NEW	.6205	----	----	9	---- 8 + 8
7030	1.835	1.835	1.839/1.685A	2.029B/1.685A	----	1.532	NEW	.3600	----	----	4	---- 4 + 4
7100	2.626	2.626	4.102B/2.626	4.102B/2.507A	----	4.357	NEW	.6837	----	----	8	---- 8 + 8
7100	2.615	2.615	2.615/1.436A	2.615/1.436A	----	1.293	NEW	.3162	----	----	10	---- 10 + 10
7200	1.000	1.000	1.000/*1.000	2.114B/*1.000	----	1.007 -	2.120	.2585	----	----	1	---- 2 + 1
7350	----	----	----/*0.931A	1.516B/*0.931A	----	0.686 -	1.683	.1858	----	----	----	---- 1 UNCH
7350	----	----	----	0.923B/6.249A	----	6.249 +	3.021	.8141	----	----	----	---- 1 UNCH
7500	----	----	----/0.682A	0.996B/0.682A	----	0.472 -	1.276	.1314	----	----	----	---- 10 UNCH
7850	----	----	----/*0.390A	0.140B/*0.390A	----	0.231 -	0.567	.0627	----	----	----	---- 2 UNCH
7925	----	----	----/0.346A	0.110B/0.346A	----	0.205 -	0.467	.0547	----	----	----	---- 1 UNCH
8000	----	----	----/*0.291A	0.083B/*0.291A	----	0.183 -	0.384	.0480	----	----	----	---- 2 UNCH
8100	----	----	----/*0.255A	0.023B/*0.255A	----	0.145 -	0.311	.0378	----	----	----	---- 1 UNCH
8125	----	----	----/*0.264A	0.012B/*0.264A	----	0.137 -	0.296	.0357	----	----	----	---- 1 UNCH
8200	----	----	----/*0.238A	0.004B/*0.238A	----	0.117 -	0.254	.0302	----	----	----	---- 1 UNCH
8725	----	----	----/*0.334A	0.054B/*0.334A	----	0.196 -	0.227	.0434	----	----	----	---- 1 UNCH
8800	----	----	----	----	----	20.100 +	4.615	.9903	----	----	----	---- 1 UNCH
TOTAL											36	0 78 + 34
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week5										
MAR26												
6500	----	----	1.280B/----	1.280B/0.903A	----	1.225 +	0.690	.2834	----	----	6	---- 8 + 6
6600	1.650	1.650	1.696B/1.650	1.696B/1.060A	----	1.527 +	0.881	.3456	----	----	1	---- 2 + 1
6700	----	----	2.030B/----	2.030B/1.254A	----	1.894 +	1.107	.4150	----	----	9	---- 10 + 8
6825	2.509	2.509	#2.509/2.173A	2.728B/2.173A	----	2.138	NEW	.4913	----	----	22	---- 22 + 22
6845	2.394	2.394	2.394/*2.090A	2.672B/2.090A	----	2.038	NEW	.4759	----	----	22	---- 22 + 22
6900	----	----	----/1.810A	2.631B/1.810A	----	1.780	NEW	.4337	----	----	6	---- 6 + 6
6975	----	----	----/*1.514A	2.853B/*1.514A	----	1.467 -	2.807	.3769	----	----	----	---- 4 UNCH
6995	----	----	3.411B/----	3.411B/2.099A	----	3.406 +	1.962	.6378	----	----	----	---- 2 UNCH
7100	2.100	2.100	3.550B/2.100	3.550B/2.100	----	4.106	NEW	.7117	----	----	6	---- 1 + 1
7100	----	----	----/*1.056A	2.614B/*1.056A	----	1.041	NEW	.2882	----	----	6	---- 6 + 6
7225	----	----	3.730B/----	3.730B/3.060A	----	5.041 +	2.738	.7875	----	----	----	---- 4 UNCH
7250	----	----	3.522B/----	3.522B/3.185A	----	5.240 +	2.821	.8008	----	----	----	---- 1 UNCH
7325	----	----	2.854B/----	2.854B/3.568A	----	5.859 +	3.066	.8365	----	----	----	---- 1 UNCH
7350	----	----	----/*0.727A	1.266B/*0.727A	----	0.508	NEW	.1529	----	----	1	---- 1 + 1
7400	----	----	----/*0.618A	1.119B/*0.618A	----	0.443 -	1.407	.1340	----	----	----	---- 1 UNCH
7425	----	----	----/*0.628A	0.966B/*0.628A	----	0.414 -	1.333	.1254	----	----	----	---- 50 UNCH
7475	----	----	----	----	----	7.177 +	3.513	.8898	----	----	----	---- 1 UNCH
7600	0.230	0.230	0.230/*0.230	0.486B/*0.230	----	0.271 -	0.879	.0807	----	----	2	---- 6 + 2
7825	----	----	----/*0.261A	0.146B/*0.261A	----	0.178 -	0.467	.0498	----	----	----	---- 2 UNCH
7900	----	----	----/*0.237A	0.096B/*0.237A	----	0.160	NEW	.0435	----	----	1	---- 1 + 1
8000	0.088	0.088	0.088/*0.088	0.088/*0.088	----	0.141 -	0.261	.0369	----	----	1	---- 5 + 1
8000	----	----	----	----	----	12.202 +	4.445	.9630	----	----	----	---- 1 UNCH
8200	----	----	----	7.803B/10.785A	----	14.166 +	4.572	.9739	----	----	----	---- 1 UNCH
8600	----	----	----	0.001B/*0.178A	----	0.057 -	0.065	.0125	----	----	----	---- 6 UNCH
TOTAL											83	0 164 + 77
APR26												
7400	----	----	----	2.926B/8.252A	----	8.461 +	2.918	.6657	----	----	----	---- 2 UNCH
7475	----	----	----/2.055A	2.485B/2.055A	----	2.190 -	1.686	.3118	----	----	----	---- 2 UNCH
7600	----	----	----/1.741A	2.095B/1.741A	----	1.865	NEW	.2762	----	----	4	---- 4 + 4
8000	----	----	----/*0.618A	0.384B/*0.618A	----	0.422 -	0.668	.0981	----	----	----	---- 1 UNCH
8000	----	----	----/1.136A	1.006B/1.136A	----	1.079 -	1.128	.1792	----	----	4	---- 4 UNCH
8400	----	----	----/*0.378A	0.130B/*0.378A	----	0.251 -	0.329	.0577	----	----	----	---- 1 UNCH
9500	----	----	----	0.004B/*0.228A	----	0.046 -	0.045	.0107	----	----	----	---- 1 UNCH
TOTAL											8	0 15 + 4

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK5										
MAR26												
500	----	----	----	----/0.0105A	----	0.0005 UNCH	.0032	----	----	----	----	3 UNCH
515	----	----	----	----/0.0120A	----	0.0035 +	0.0015	.0275	----	----	----	10 UNCH
530	0.0150	0.0150	0.0190/*0.0150	0.0190/*0.0150	----	0.0155	NEW	.1326	----	----	20	---- 20 + 20
535	----	----	0.0195B/----	0.0195B/0.0230A	----	0.0235 +	0.0115	.2026	----	----	----	---- 10 UNCH
536	0.0250	0.0250	0.0250/0.0245A	0.0250/0.0245A	----	0.0255	NEW	.2196	----	----	5	---- 5 + 5
548	0.0500	0.0500	0.0690B/0.0500	0.0690B/0.0500	----	0.0680	NEW	.5025	----	----	75	---- 75 + 75
549	----	----	0.0720B/----	0.0720B/0.0550A	----	0.0735	NEW	.5291	----	----	1	---- 1 + 1
550	0.0690	0.0690	0.0775B/0.0690	0.0775B/0.0585A	----	0.0785	NEW	.5560	----	----	2	---- 2 + 2
554	----	----	----/0.0430A	0.0500B/0.0430A	----	0.0400 -	0.0425	.3420	----	----	----	---- 10 UNCH
554	----	----	0.1045B/----	0.1045B/0.0770A	----	0.1030 +	0.0415	.6578	----	----	----	---- 9 UNCH
555	----	----	----/0.0400A	0.0450B/0.0400A	----	0.0365 -	0.0410	.3176	----	----	----	---- 8 UNCH
555	----	----	0.1115B/----	0.1115B/0.0810A	----	0.1095 +	0.0430	.6822	----	----	----	---- 9 UNCH
558	0.0300	0.0300	0.0300/0.0300	0.0330B/0.0300	----	0.0275	NEW	.2498	----	----	5	---- 5 + 5
560	----	----	0.1535B/----	0.1535B/0.1165A	----	0.1455 +	0.0520	.7905	----	----	----	---- 2 UNCH
563	----	----	0.1785B/----	0.1785B/0.1720A	----	0.1695 +	0.0570	.8398	----	----	----	---- 1 UNCH
565	0.0200	0.0200	0.0200/0.0200	0.0200/0.0200	----	0.0135	NEW	.1293	----	----	2	---- 2 + 2
568	----	----	----/0.0200A	0.0060B/0.0200A	----	0.0100	NEW	.0955	----	----	1	---- 1 + 1
570	----	----	0.2435B/----	0.2435B/0.1920A	----	0.2310 +	0.0675	.9236	----	----	----	---- 1 UNCH
575	----	----	----/0.0145A	0.0030B/0.0145A	----	0.0045 -	0.0115	.0420	----	----	----	---- 10 UNCH
590	----	----	----	----/0.0115A	----	0.0005 -	0.0030	.0039	----	----	----	---- 1 UNCH
592	----	----	0.4585B/----	0.4585B/0.4475A	----	0.4435 +	0.0815	.9973	----	----	----	---- 1 UNCH
TOTAL											111	186+ 111
APR26												
525	----	----	0.0605B/----	0.0605B/0.0530A	----	0.0590 +	0.0150	.2500	----	----	----	---- 1 UNCH
530	----	----	----/0.2490A	0.2780B/0.2490A	----	0.2500 -	0.0635	.7031	----	----	----	---- 9 UNCH
543	0.1280	0.1280	0.1280/0.1280	0.1280/0.1280	----	0.1335	NEW	.5808	----	----	1	---- 1 + 1
545	0.1000	0.1000	0.1000/0.1000	0.1390B/0.1000	----	0.1215	NEW	.5508	----	----	4	---- 4 + 4
560	----	----	----/0.0645A	0.0645B/0.0645A	----	0.0555 -	0.0350	.3221	----	----	----	---- 1 UNCH
565	0.0400	0.0400	0.0400/0.0400	0.0470B/0.0400	----	0.0420	NEW	.2575	----	----	3	---- 3 + 3
645	----	----	----	----/0.0155A	----	0.0010 -	0.0005	.0061	----	----	----	---- 2 UNCH
TOTAL											8	21+ 8
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
485	----	----	----	----/0.0120A	----	0.0025 +	0.0010	.0143	----	----	----	---- 1 UNCH
510	----	----	0.0080B/----	0.0080B/0.0175A	----	0.0120 +	0.0045	.0735	----	----	----	---- 1 UNCH
525	0.0290	0.0290	0.0295/0.0290	0.0295/0.0285A	----	0.0280	NEW	.1713	----	----	20	---- 20 + 20
529	----	----	0.0335B/----	0.0335B/0.0340A	----	0.0350 +	0.0135	.2116	----	----	----	---- 1 UNCH
530	----	----	0.0895B/----	0.0895B/0.0740A	----	0.0855 +	0.0220	.3112	----	----	----	---- 2 UNCH
537	----	----	----/0.1615A	0.1515B/0.1615A	----	0.1625 -	0.0605	.6834	----	----	----	---- 2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 84

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
539	----	----	----/0.1490A	0.1410B/0.1490A	----	0.1490 - 0.0575	.6532	----	----	----	----	1 UNCH
545	----	----	0.0870B/----	0.0870B/0.0705A	----	0.0855 NEW	.4449	----	----	1	----	1 + 1
550	----	----	----/0.0855A	0.0995B/0.0855A	----	0.0860 - 0.0440	.4679	----	----	----	----	1 UNCH
553	0.0845	0.0845	0.0845/0.0735A	0.0845/0.0735A	----	0.0720 - 0.0405	.4150	----	----	1	----	1 UNCH
554	----	----	0.1340B/----	0.1340B/0.1085A	----	0.1305 + 0.0440	.6025	----	----	----	----	1 UNCH
560	----	----	0.1425B/----	0.1425B/0.1450A	----	0.1685 + 0.0505	.7034	----	----	----	----	1 UNCH
560	----	----	----/0.0510A	0.0520B/0.0510A	----	0.0455 - 0.0335	.2963	----	----	----	----	18 UNCH
565	----	----	----/0.0395A	0.0350B/0.0395A	----	0.0325 - 0.0270	.2245	----	----	----	----	1 UNCH
566	----	----	----/0.0370A	0.0325B/0.0370A	----	0.0310 - 0.0255	.2139	----	----	----	----	1 UNCH
584	----	----	----/0.0190A	0.0060B/0.0190A	----	0.0125 - 0.0075	.0848	----	----	----	----	1 UNCH
585	----	----	----/0.0185A	0.0055B/0.0185A	----	0.0120 - 0.0070	.0810	----	----	----	----	1 UNCH
590	----	----	----/0.0420A	0.0355B/0.0420A	----	0.0360 - 0.0110	.1636	----	----	----	----	2 UNCH
590	----	----	0.4455B/----	0.4455B/0.3895A	----	0.4320 + 0.0785	.9391	----	----	----	----	15 UNCH
591	----	----	----	0.0030B/0.0160A	----	0.0090 - 0.0050	.0597	----	----	----	----	1 UNCH
600	----	----	----/*0.0205A	0.0105B/0.0205A	----	0.0155 - 0.0060	.0849	----	----	----	----	1 UNCH
620	----	----	----	0.0105B/0.0205A	----	0.0155 - 0.0045	.0719	----	----	----	----	4 UNCH
650	----	----	----	0.0035B/0.0140A	----	0.0050 - 0.0020	.0251	----	----	----	----	2 UNCH
TOTAL										22		80 + 21
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week5										
MAR26												
525	0.0150	0.0150	0.0185/*0.0150	0.0185/*0.0150	----	0.0160 NEW	.1196	----	----	20	----	20 + 20
530	----	----	0.0140B/----	0.0140B/0.0270A	----	0.0235 + 0.0110	.1737	----	----	----	----	10 UNCH
532	0.0250	0.0250	0.0250/0.0250	0.0250/0.0250	----	0.0270 NEW	.1989	----	----	5	----	5 + 5
535	----	----	0.0250B/----	0.0250B/0.0355A	----	0.0335 NEW	.2432	----	----	37	----	4 + 4
550	----	----	0.0895B/----	0.0895B/0.0750A	----	0.0910 + 0.0365	.5440	----	----	----	----	1 UNCH
560	----	----	0.1620B/----	0.1620B/0.1280A	----	0.1555 + 0.0535	.7457	----	----	----	----	1 UNCH
560	----	----	----/0.0395A	0.0350B/0.0395A	----	0.0325 NEW	.2540	----	----	19	----	19 + 19
563	----	----	----/0.0335A	0.0255B/0.0335A	----	0.0255 NEW	.2054	----	----	18	----	18 + 18
565	0.0250	0.0250	0.0250/0.0250	0.0250/0.0250	----	0.0215 NEW	.1763	----	----	5	----	5 + 5
580	----	----	----	0.0020B/0.0200A	----	0.0075 - 0.0105	.0593	----	----	----	----	10 UNCH
TOTAL										104		93 + 71
APR26												
527	----	----	0.0425B/----	0.0425B/0.0410A	----	0.0450 + 0.0180	.2311	----	----	----	----	1 UNCH
TOTAL												1
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAR26												
500	----	----	----	----	----	0.5610 UNCH	----	----	----	----	----	0 UNCH
537	----	----	----	----	----	0.1910 UNCH	----	----	----	----	----	0 UNCH
538	----	----	----	----	----	0.1810 UNCH	----	----	----	----	----	0 UNCH
540	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
540	----	----	----	----	----	0.1610 UNCH	----	----	----	----	----	0 UNCH
542	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
544	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
546	----	----	----	----	----	0.1010 UNCH	----	----	----	----	----	0 UNCH
547	----	----	----	----	----	0.0910 UNCH	----	----	----	----	----	0 UNCH
550	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
550	----	----	----	----	----	0.0610 UNCH	----	----	----	----	----	0 UNCH
552	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
552	----	----	----	----	----	0.0410 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.0110 UNCH	----	----	----	----	----	0 UNCH
556	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
APR26												
440	----	----	----	----/0.0095A	----	0.0005 UNCH	.0000	----	----	----	----	16 UNCH
495	----	----	----	----/0.0120A	----	0.0025 + 0.0005	.0159	----	----	----	----	11 UNCH
510	----	----	----	0.0050B/0.0150A	----	0.0080 + 0.0030	.0534	----	----	----	----	6 UNCH
520	0.0150	0.0150	0.0150/*0.0150	0.0150/*0.0150	----	0.0165 NEW	.1099	----	----	10	----	10 + 10
520	----	----	0.0345B/----	0.0345B/0.0355A	----	0.0355 + 0.0105	.1801	----	----	----	----	2 UNCH
525	0.0200	0.0200	0.0240/0.0200	0.0240/0.0200	----	0.0230 NEW	.1518	----	----	30	----	30 + 30
531	----	----	0.0310B/----	0.0310B/0.0310A	----	0.0335 + 0.0130	.2169	----	----	----	----	3 UNCH
532	----	----	0.0340B/----	0.0340B/0.0325A	----	0.0355 NEW	.2293	----	----	15	----	15 + 15
533	----	----	0.0365B/----	0.0365B/0.0340A	----	0.0380 NEW	.2432	----	----	38	----	38 + 38
534	----	----	0.0385B/----	0.0385B/0.0355A	----	0.0405 NEW	.2572	----	----	8	----	8 + 8
535	----	----	0.0420B/----	0.0420B/0.0375A	----	0.0430 + 0.0175	.2715	----	----	----	----	4 UNCH
535	----	----	0.0730B/----	0.0730B/0.0615A	----	0.0725 + 0.0230	.3278	----	----	----	----	1 UNCH
540	----	----	0.0580B/----	0.0580B/0.0475A	----	0.0575 + 0.0230	.3502	----	----	----	----	10 UNCH
548	----	----	0.0940B/----	0.0940B/0.0730A	----	0.0895 + 0.0340	.4983	----	----	----	----	3 UNCH
549	----	----	0.0995B/----	0.0995B/0.0760A	----	0.0945 + 0.0355	.5179	----	----	----	----	4 UNCH
550	----	----	0.1020B/----	0.1020B/0.0805A	----	0.0995 + 0.0370	.5376	----	----	----	----	1 UNCH
550	----	----	----/0.0800A	0.0915B/0.0800A	----	0.0765 - 0.0470	.4621	----	----	----	----	18 UNCH
550	----	----	0.1425B/----	0.1425B/0.1135A	----	0.1345 + 0.0405	.5200	----	----	----	----	2 UNCH
555	----	----	0.1275B/----	0.1275B/0.1035A	----	0.1280 + 0.0450	.6347	----	----	----	----	1 UNCH
555	----	----	----/0.0605A	0.0650B/0.0605A	----	0.0550 - 0.0390	.3650	----	----	----	----	5 UNCH
565	----	----	----/0.0340A	0.0280B/0.0340A	----	0.0275 NEW	.2045	----	----	15	----	15 + 15
569	----	----	----/0.0280A	0.0180B/0.0280A	----	0.0220 NEW	.1631	----	----	8	----	8 + 8
570	----	----	0.2540B/----	0.2540B/0.2060A	----	0.2435 + 0.0655	.8470	----	----	----	----	1 UNCH
570	----	----	----/0.0265A	0.0160B/0.0265A	----	0.0205 - 0.0185	.1528	----	----	38	----	38 + 37
575	----	----	0.2985B/----	0.2985B/0.2475A	----	0.2900 + 0.0720	.8785	----	----	----	----	1 UNCH
575	----	----	----/0.0205A	0.0090B/0.0205A	----	0.0170 - 0.0120	.1213	----	----	----	----	18 UNCH
576	----	----	----	0.2250B/0.2785A	----	0.2995 + 0.0730	.8833	----	----	----	----	1 UNCH
585	----	----	0.3935B/----	0.3935B/0.3385A	----	0.3865 + 0.0810	.9120	----	----	----	----	1 UNCH
585	----	----	----/0.0150A	0.0080B/0.0150A	----	0.0140 - 0.0025	.0878	----	----	----	----	5 UNCH
586	----	----	----	0.2255B/0.4145A	----	0.3960 + 0.0815	.9179	----	----	----	----	24 UNCH
588	----	----	----/0.0420A	0.0355B/0.0420A	----	0.0370 - 0.0095	.1698	----	----	----	----	1 UNCH
595	----	----	----	0.0010B/0.0125A	----	0.0080 - 0.0010	.0496	----	----	----	----	1 UNCH
596	----	----	----	0.0005B/0.0125A	----	0.0075 - 0.0010	.0465	----	----	----	----	3 UNCH
597	----	----	----	----	----	0.4995 + 0.0830	.9564	----	----	----	----	16 UNCH
600	----	----	----	----/0.0125A	----	0.0060 - 0.0005	.0369	----	----	----	----	3 UNCH
600	----	----	----	0.0210B/0.0295A	----	0.0240 - 0.0055	.1151	----	----	----	----	1 UNCH
604	----	----	----	----	----	0.5675 + 0.0835	.9722	----	----	----	----	1 UNCH
625	----	----	----	----/0.0110A	----	0.0010 UNCH	.0058	----	----	----	----	1 UNCH
641	----	----	----	----/0.0100A	----	0.0005 UNCH	.0010	----	----	----	----	18 UNCH
645	----	----	----	----/0.0095A	----	0.0005 UNCH	.0007	----	----	----	----	17 UNCH
650	----	----	----	----/0.0095A	----	0.0005 UNCH	.0004	----	----	----	----	3 UNCH
655	----	----	----	----/0.0090A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
685	----	----	----	----/*0.0090A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
700	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										162		368 + 161
MAY26												
485	----	----	0.0330B/----	0.0330B/0.0475A	----	0.0325 + 0.0050	.1035	----	----	----	----	1 UNCH
500	----	----	0.0530B/----	0.0530B/0.0620A	----	0.0530 + 0.0075	.1579	----	----	----	----	1 UNCH
510	----	----	0.0710B/----	0.0710B/0.0760A	----	0.0725 + 0.0105	.2047	----	----	----	----	4 UNCH
520	----	----	0.0945B/----	0.0945B/0.0935A	----	0.0945 + 0.0145	.2564	----	----	----	----	1 UNCH
540	----	----	0.1635B/----	0.1635B/0.1490A	----	0.1600 + 0.0280	.3852	----	----	----	----	10 UNCH
550	----	----	0.2105B/----	0.2105B/0.1890A	----	0.2050 + 0.0350	.4572	----	----	----	----	28 UNCH
550	----	----	----/0.2435A	0.2525B/0.2435A	----	0.2355 - 0.0495	.5417	----	----	----	----	3 UNCH
555	----	----	0.2375B/----	0.2375B/0.2125A	----	0.2300 + 0.0380	.4937	----	----	----	----	16 UNCH
556	----	----	0.2425B/----	0.2425B/0.2175A	----	0.2355 + 0.0390	.5009	----	----	----	----	1 UNCH
560	----	----	0.2650B/----	0.2650B/0.2375A	----	0.2575 + 0.0415	.5298	----	----	----	----	1 UNCH
561	----	----	0.2710B/----	0.2710B/0.2430A	----	0.2635 + 0.0425	.5371	----	----	----	----	1 UNCH
562	----	----	0.2770B/----	0.2770B/0.2485A	----	0.2690 + 0.0430	.5441	----	----	----	----	20 UNCH
565	----	----	0.2960B/----	0.2960B/0.2650A	----	0.2870 + 0.0455	.5653	----	----	----	----	1 UNCH
568	----	----	----/0.1670A	0.1645B/0.1670A	----	0.1570 - 0.0370	.4127	----	----	----	----	1 UNCH
575	----	----	0.3620B/----	0.3620B/0.3250A	----	0.3510 + 0.0520	.6331	----	----	----	----	1 UNCH
579	----	----	----/0.1315A	0.1230B/0.1315A	----	0.1205 - 0.0300	.3401	----	----	----	----	1 UNCH
584	----	----	----	----	----	0.4145 + 0.0575	.6893	----	----	----	----	24 UNCH
585	----	----	0.4335B/----	0.4335B/0.3925A	----	0.4215 + 0.0580	.6951	----	----	----	----	1 UNCH
590	----	----	0.4720B/----	0.4720B/0.4285A	----	0.4595 + 0.0610	.7237	----	----	----	----	17 UNCH
600	----	----	0.4965B/----	0.4965B/0.5050A	----	0.5385 + 0.0655	.7746	----	----	----	----	1 UNCH
600	----	----	----/0.0840A	0.0680B/0.0840A	----	0.0710 - 0.0185	.2244	----	----	----	----	1 UNCH
607	----	----	----/0.0730A	0.0560B/0.0730A	----	0.0600 - 0.0155	.1946	----	----	----	----	1 UNCH
617	----	----	----	0.0420B/0.0595A	----	0.0470 - 0.0125	.1576	----	----	----	----	1 UNCH
624	----	----	----	0.0340B/0.0520A	----	0.0400 - 0.0105	.1365	----	----	----	----	16 UNCH
645	----	----	----	----	----	0.9420 + 0.0785	.9095	----	----	----	----	6 UNCH
660	----	----	----	0.0095B/0.0315A	----	0.0185 - 0.0045	.0664	----	----	----	----	1 UNCH
675	----	----	----	0.0045B/0.0270A	----	0.0130 - 0.0030	.0479	----	----	----	----	2 UNCH
695	----	----	----	0.0010B/0.0235A	----	0.0075 - 0.0020	.0290	----	----	----	----	20 UNCH
710	----	----	----	----/0.0335A	----	0.0055 - 0.0010	.0214	----	----	----	----	2 UNCH
TOTAL												184

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
579	----	----	0.4410B/----	0.4410B/0.4195A	----	0.4450 + 0.0525	.6099	----	----	----	----	1 UNCH
610	----	----	----/0.1190A	0.1035B/0.1190A	----	0.1065 - 0.0200	.2523	----	----	----	----	7 UNCH
630	----	----	----/0.0875A	0.0680B/0.0875A	----	0.0745 - 0.0140	.1874	----	----	----	----	8 UNCH
650	----	----	----	0.0445B/0.0655A	----	0.0515 - 0.0100	.1368	----	----	----	----	6 UNCH
660	----	----	----	0.0360B/0.0575A	----	0.0425 - 0.0085	.1159	----	----	----	----	7 UNCH
TOTAL												29
JUL26												
600	----	----	----/0.1980A	0.1870B/0.1980A	----	0.1860 - 0.0285	.3475	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
APR26												
485	----	----	----/0.6285A	0.6740B/0.6285A	----	0.6270 - 0.0845	----	----	----	----	----	0 - 1
500	----	----	----/0.4785A	0.5240B/0.4785A	----	0.4770 - 0.0845	----	----	----	----	----	0 - 2
505	----	----	----/0.4285A	0.4740B/0.4285A	----	0.4270 - 0.0845	----	----	----	----	----	0 - 3
510	----	----	----/0.3790A	0.4240B/0.3790A	----	0.3770 - 0.0845	----	----	----	----	----	0 - 4
515	----	----	----/0.3290A	0.3740B/0.3290A	----	0.3270 - 0.0845	----	----	----	----	----	0 - 2
520	----	----	----/0.2795A	0.3240B/0.2795A	----	0.2770 - 0.0845	----	----	----	----	----	0 - 2
525	----	----	----/0.2300A	0.2775B/0.2300A	----	0.2270 - 0.0850	----	----	----	----	----	0 - 6
527	----	----	----/0.2105A	0.2540B/0.2105A	----	0.2070 - 0.0850	----	----	----	----	----	0 - 1
528	----	----	----/0.2005A	0.2440B/0.2005A	----	0.1970 - 0.0855	----	----	----	----	----	0 - 1
529	----	----	----/0.1910A	0.2340B/0.1910A	----	0.1870 - 0.0855	----	----	----	----	----	0 - 1
530	----	----	----/0.1815A	0.2275B/0.1815A	----	0.1770 - 0.0855	----	----	----	----	----	0 - 6
531	----	----	----/0.1715A	0.2140B/0.1715A	----	0.1670 - 0.0855	----	----	----	----	----	0 - 2
532	----	----	----/0.1620A	0.2080B/0.1620A	----	0.1570 - 0.0860	----	----	----	1	----	0 - 5
533	----	----	----/0.1530A	0.1940B/0.1530A	----	0.1470 - 0.0860	----	----	----	----	----	0 - 2
534	----	----	----/0.1435A	0.1840B/0.1435A	----	0.1370 - 0.0860	----	----	----	----	----	0 - 1
535	----	----	----/0.1330A	0.1780B/0.1330A	----	0.1270 - 0.0860	----	----	----	----	----	0 - 12
536	----	----	----/0.1250A	0.1640B/0.1250A	----	0.1170 - 0.0860	----	----	----	----	----	0 - 3
537	----	----	----/0.1165A	0.1545B/0.1165A	----	0.1070 - 0.0865	----	----	----	----	----	0 - 1
539	----	----	----/0.0980A	0.1355B/0.0980A	----	0.0870 - 0.0870	----	----	----	----	----	0 - 2
540	----	----	----/0.0835A	0.1280B/0.0835A	----	0.0770 - 0.0875	----	----	----	----	----	0 - 70
542	----	----	----/0.0685A	0.1070B/0.0685A	----	0.0570 - 0.0885	----	----	----	----	----	0 - 2
543	----	----	----/0.0595A	0.0975B/0.0595A	----	0.0470 - 0.0890	----	----	----	----	----	0 - 1
544	----	----	----/0.0505A	0.0885B/0.0505A	----	0.0370 - 0.0900	----	----	----	----	----	0 - 2
545	0.0600	0.0600	0.0790B/0.0370A	0.0790B/0.0370A	----	0.0270 - 0.0910	----	----	----	2	----	0 - 27
546	----	----	----/0.0345A	0.0695B/0.0345A	----	0.0170 - 0.0920	----	----	----	----	----	0 - 4
547	----	----	----/*0.0185A	0.0610B/*0.0185	----	0.0070 - 0.0935	----	----	----	----	----	0 - 8
548	----	----	----/*0.0005A	0.0560B/*0.0005	----	0.0000 - 0.0920	----	----	----	----	----	0 - 12
549	----	----	----/*0.0005A	0.0520B/*0.0005	----	0.0000 - 0.0840	----	----	----	----	----	0 - 6
550	0.0350	0.0350	0.0350/*0.0005A	0.0450B/*0.0005	----	0.0000 - 0.0760	----	----	----	19	----	0 - 1039
551	0.0235	0.0235	0.0235/*0.0005A	0.0405B/*0.0005	----	0.0000 - 0.0685	----	----	----	1	----	0 - 3
552	----	----	----/*0.0005A	0.0330B/*0.0005	----	0.0000 - 0.0610	----	----	----	----	----	0 - 14
553	----	----	----/*0.0005A	0.0285B/*0.0005	----	0.0000 - 0.0540	----	----	----	----	----	0 - 5
554	0.0065	0.0065	0.0065/*0.0005A	0.0230B/*0.0005	----	0.0000 - 0.0475	----	----	----	5	----	0 - 7
555	0.0165	0.0165	0.0165/*0.0050A	0.0190B/*0.0050	----	0.0000 - 0.0415	----	----	----	1	----	0 - 36
556	----	----	----/*0.0045A	0.0145B/*0.0045	----	0.0000 - 0.0365	----	----	----	----	----	0 - 52
557	0.0085	0.0085	0.0085/*0.0045A	0.0115B/*0.0045	----	0.0000 - 0.0315	----	----	----	3	----	0 - 61
558	----	----	----/*0.0040A	0.0085B/*0.0040	----	0.0000 - 0.0270	----	----	----	----	----	0 - 58
559	----	----	----/*0.0040A	0.0055B/*0.0040	----	0.0000 - 0.0235	----	----	----	----	----	0 - 11
560	0.0030	0.0030	0.0030/*0.0005	0.0040B/*0.0005	----	0.0000 - 0.0200	----	----	----	9	----	0 - 180
561	----	----	----/*0.0035A	0.0030B/*0.0035	----	0.0000 - 0.0170	----	----	----	----	----	0 - 17
562	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0145	----	----	----	----	----	0 - 6
563	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0130	----	----	----	----	----	0 - 20
564	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0110	----	----	----	----	----	0 - 1
565	----	----	----/0.0040A	----/0.0040A	----	0.0000 - 0.0100	----	----	----	----	----	0 - 73
566	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0085	----	----	----	----	----	0 - 14
567	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0075	----	----	----	----	----	0 - 21
568	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0070	----	----	----	----	----	0 - 15
569	----	----	----/0.0035A	----/0.0035A	----	0.0000 - 0.0060	----	----	----	----	----	0 - 14
570	0.0015	0.0015	0.0015/0.0005A	0.0015/0.0005A	----	0.0000 - 0.0055	----	----	----	1	----	0 - 148
571	----	----	----/0.0035A	----/0.0035A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 28
572	----	----	----/0.0035A	----/0.0035A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 22
573	----	----	----/0.0035A	----/0.0035A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 28
574	----	----	----/0.0035A	----/0.0035A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 25
575	----	----	----	----/0.0035A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 51
576	----	----	----	----/0.0035A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 17
577	----	----	----	----/0.0035A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 15
578	----	----	----	----/0.0035A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 14
579	----	----	----	----/0.0040A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 13
580	----	----	----	----/0.0035A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 158
581	----	----	----	----/0.0035A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 15
582	----	----	----	----/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 7
583	----	----	----	----/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 25
584	----	----	----	----/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 10
585	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 - 0.0020	----	----	----	1	----	0 - 261
586	----	----	----	----/0.0035A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 32
587	----	----	----	----/0.0035A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 4
588	----	----	----	----/0.0035A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 23
589	----	----	----	----/0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 10
590	----	----	----	----/0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 690
591	----	----	----	----/0.0020A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 80
592	----	----	----	----/0.0040A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 46
593	----	----	----	----/0.0040A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 19
594	----	----	----	----/0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 19
595	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 85
596	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
597	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
598	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
599	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
600	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1154
602	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
603	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
604	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
605	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0000 - 0.0005	----	----	----	1	----	0 - 195
606	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 13
607	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
608	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
609	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 45
610	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0000 - 0.0005	----	----	----	1	----	0 - 769
611	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 26
612	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 42
613	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 56
614	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
615	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 70
616	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
617	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
618	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 52
619	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
620	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 239
621	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
622	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
623	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 44
624	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
625	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 816
626	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
627	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
628	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 240
629	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
630	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 345
631	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
632	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
633	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
634	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
635	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 203
636	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
637	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
638	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
639	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 47
640	0.0020	0.0020	0.0020/*0.0020	0.0020/0.0020	----	0.0000 - 0.0005	----	----	----	1	----	0 - 308
641	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
642	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
643	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 119
644	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 11
645	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 64
646	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 63
650	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1057

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 86

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
APR26												
651	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 33
652	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 37
653	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 36
654	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 48
655	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 91
656	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 76
657	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 61
658	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 58
659	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 82
660	----	----	----	----/*0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 213
665	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 281
670	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 71
675	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	2	----	0 - 292
680	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	2	----	0 - 594
685	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 37
690	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 63
695	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
700	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1231
705	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 76
710	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 79
715	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 52
720	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 74
725	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2749
730	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 266
735	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 52
740	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2706
745	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 30
750	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1000
755	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 37
760	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 47
765	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 19
770	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 33
775	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 91
780	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
785	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
790	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
795	----	----	----	----/0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
800	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 227
805	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
810	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
815	----	----	----	----/0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
820	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 59
825	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
830	----	----	----	----/0.0095A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
835	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
840	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
845	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
850	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 24
855	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
865	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
875	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
880	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
885	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
900	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 39
905	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
920	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
925	----	----	----	----/0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 11
TOTAL										50		0 - 21034
MAY26												
490	----	----	----/0.6340A	0.6480B/0.6340A	----	0.6075 - 0.0810	.8860	----	----	----	----	1 UNCH
500	----	----	----/0.5470A	0.5570B/0.5470A	----	0.5180 - 0.0790	.8502	----	----	----	----	3 UNCH
505	----	----	----/0.5055A	0.5135B/0.5055A	----	0.4755 - 0.0770	.8277	----	----	----	----	3 UNCH
525	0.3305	0.3305	0.3570B/0.3205A	0.3570B/0.3205A	----	0.3190 - 0.0670	.7054	----	----	1	----	14 UNCH
530	----	----	----/0.2840A	0.3215B/0.2840A	----	0.2845 - 0.0640	.6676	----	----	----	----	277 UNCH
531	----	----	----/0.2925A	0.3065B/0.2925A	----	0.2780 - 0.0630	.6595	----	----	----	----	1 UNCH
532	----	----	----/0.2870A	0.2995B/0.2870A	----	0.2715 - 0.0625	.6515	----	----	----	----	1 UNCH
533	----	----	----/0.2810A	0.2925B/0.2810A	----	0.2650 - 0.0620	.6433	----	----	----	----	3 UNCH
534	----	----	----/0.2750A	0.2860B/0.2750A	----	0.2590 - 0.0610	.6349	----	----	----	----	4 UNCH
535	0.2565	0.2565	0.2565/0.2565	0.2805B/0.2565	----	0.2530 - 0.0600	.6267	----	----	1	----	2 + 1
536	0.2700	0.2700	0.2700/0.2500A	0.2730B/0.2500A	----	0.2470 - 0.0590	.6183	----	----	1	----	2 + 1
537	----	----	----/0.2420A	0.2675B/0.2420A	----	0.2410 - 0.0585	.6098	----	----	----	----	1 UNCH
539	----	----	----/0.2310A	0.2550B/0.2310A	----	0.2295 - 0.0565	.5926	----	----	----	----	3 UNCH
540	----	----	----/0.2255A	0.2545B/0.2255A	----	0.2240 - 0.0555	.5839	----	----	----	----	44 UNCH
541	----	----	----/0.2185A	0.2465B/0.2185A	----	0.2185 - 0.0545	.5752	----	----	----	----	10 UNCH
542	----	----	----/0.2130A	0.2440B/0.2130A	----	0.2130 - 0.0535	.5664	----	----	----	----	9 UNCH
543	----	----	----/0.2085A	0.2340B/0.2085A	----	0.2075 NEW	.5577	----	----	1	----	1 + 1
544	----	----	----/0.2030A	0.2335B/0.2030A	----	0.2025 - 0.0520	.5489	----	----	----	----	3 UNCH
545	----	----	----/0.1980A	0.2270B/0.1980A	----	0.1975 - 0.0505	.5402	----	----	10	----	19 + 3
546	----	----	----/0.1835A	0.2220B/0.1835A	----	0.1925 - 0.0500	.5314	----	----	----	----	6 UNCH
547	0.1815	0.1815	0.2160B/0.1785A	0.2160B/0.1785A	----	0.1880 NEW	.5226	----	----	1	----	1 + 1
548	----	----	----/0.1730A	0.2095B/0.1730A	----	0.1830 - 0.0475	.5139	----	----	5	----	12 - 4
549	0.1740	0.1740	0.2040B/0.1685A	0.2040B/0.1685A	----	0.1785 - 0.0465	.5052	----	----	2	----	7 UNCH
550	0.1840	0.1840	0.2030B/0.1640A	0.2030B/0.1640A	----	0.1740 - 0.0455	.4965	----	----	26	200	491 + 125
551	0.1790	0.1790	0.1970B/0.1605A	0.1970B/0.1605A	----	0.1695 - 0.0445	.4878	----	----	5	----	11 + 2
552	0.1955	0.1955	0.1965/0.1555A	0.1965/0.1555A	----	0.1650 - 0.0435	.4791	----	----	11	----	15 + 8
553	0.1560	0.1560	0.1865B/0.1515A	0.1865B/0.1515A	----	0.1610 - 0.0420	.4706	----	----	3	----	13 + 3
554	0.1735	0.1735	0.1825B/0.1480A	0.1825B/0.1480A	----	0.1565 - 0.0415	.4620	----	----	2	----	7 + 2
555	0.1685	0.1685	0.1770B/0.1480A	0.1770B/0.1480A	----	0.1525 - 0.0405	.4535	----	----	9	----	84 + 8
556	0.1640	0.1640	0.1725B/0.1470A	0.1725B/0.1470A	----	0.1485 - 0.0395	.4451	----	----	12	----	22 + 12
557	0.1580	0.1580	0.1680B/0.1430A	0.1680B/0.1430A	----	0.1445 - 0.0385	.4367	----	----	2	----	13 + 2
558	0.1475	0.1475	0.1635B/0.1390A	0.1635B/0.1390A	----	0.1410 - 0.0375	.4285	----	----	1	----	5 UNCH
559	----	----	----/0.1335A	0.1590B/0.1335A	----	0.1370 - 0.0365	.4202	----	----	----	----	9 UNCH
560	0.1500	0.1500	0.1600/0.1305A	0.1600/0.1305A	----	0.1335 - 0.0355	.4121	----	----	322	----	743 + 198
561	----	----	----/0.1285A	0.1505B/0.1285A	----	0.1300 - 0.0345	.4040	----	----	----	----	3 UNCH
563	----	----	----/0.1195A	0.1425B/0.1195A	----	0.1230 - 0.0330	.3880	----	----	1	----	7 + 1
564	----	----	----/0.1170A	0.1385B/0.1170A	----	0.1195 - 0.0325	.3800	----	----	----	----	4 UNCH
565	----	----	----/0.1145A	0.1350B/0.1145A	----	0.1160 - 0.0320	.3720	----	----	2	----	115 UNCH
569	----	----	----/0.1030A	0.1200B/0.1030A	----	0.1035 - 0.0290	.3415	----	----	----	----	93 UNCH
570	----	----	----/0.0995A	0.1170B/0.0995A	----	0.1005 - 0.0285	.3340	----	----	----	----	383 UNCH
571	----	----	----/0.0975A	0.1130B/0.0975A	----	0.0975 - 0.0280	.3265	----	----	----	----	5 UNCH
572	----	----	----/0.0950A	0.1100B/0.0950A	----	0.0950 - 0.0270	.3196	----	----	10	----	12 + 10
573	----	----	----/0.0925A	0.1070B/0.0925A	----	0.0920 - 0.0265	.3122	----	----	----	----	35 UNCH
575	----	----	----/0.0865A	0.1015B/0.0865A	----	0.0870 - 0.0250	.2986	----	----	15	----	539 + 10
576	----	----	----/0.0845A	0.0980B/0.0845A	----	0.0845 - 0.0245	.2918	----	----	----	----	1 UNCH
577	----	----	----/0.0820A	0.0950B/0.0820A	----	0.0820 - 0.0240	.2850	----	----	----	----	2 UNCH
578	----	----	----/0.0805A	0.0925B/0.0805A	----	0.0795 - 0.0235	.2783	----	----	----	----	8 UNCH
579	----	----	----/0.0785A	0.0900B/0.0785A	----	0.0775 - 0.0225	.2722	----	----	----	----	12 UNCH
580	0.0785	0.0785	0.1100/0.0750A	0.1100/0.0750A	----	0.0750 - 0.0225	.2655	----	----	168	----	409 + 63
581	----	----	----/0.0735A	0.0855B/0.0735A	----	0.0730 - 0.0215	.2595	----	----	----	----	4 UNCH
582	----	----	----/0.0715A	0.0835B/0.0715A	----	0.0710 - 0.0210	.2536	----	----	----	----	4 UNCH
583	----	----	----/0.0690A	0.0810B/0.0690A	----	0.0690 - 0.0205	.2477	----	----	----	----	28 UNCH
584	----	----	----/0.0670A	0.0790B/0.0670A	----	0.0670 - 0.0200	.2418	----	----	41	----	45 + 41
585	----	----	----/0.0660A	0.0775B/0.0660A	----	0.0655 - 0.0190	.2367	----	----	31	----	400 + 23
586	----	----	----/0.0640A	0.0745B/0.0640A	----	0.0635 - 0.0185	.2309	----	----	----	----	7 UNCH
587	----	----	----/0.0620A	0.0725B/0.0620A	----	0.0620 - 0.0175	.2259	----	----	----	----	4 UNCH
588	----	----	----/0.0605A	0.0710B/0.0605A	----	0.0600 - 0.0175	.2201	----	----	----	----	4 UNCH
589	----	----	----/0.0590A	0.0690B/0.0590A	----	0.0585 - 0.0170	.2152	----	----	----	----	12 UNCH
590	0.0635	0.0635	0.0635/0.0575A	0.0680B/0.0575A	----	0.0570 - 0.0160	.2103	----	----	22	----	1545 UNCH
591	----	----	----/0.0560A	0.0655B/0.0560A	----	0.0555 - 0.0155	.2054	----	----	----	----	115 UNCH
592	----	----	----/0.0540A	0.0630B/0.0540A	----	0.0540 - 0.0150	.2006	----	----	----	----	2 UNCH
593	----	----	----/0.0525A	0.0625B/0.0525A	----	0.0525 - 0.0145	.1958	----	----	----	----	1 UNCH
594	----	----	----/0.0515A	0.0605B/0.0515A	----	0.0510 - 0.0145	.1910	----	----	1	----	4 - 1
595	----	----	----/0.0500A	0.0590B/0.0500A	----	0.0495 - 0.0140	.1863	----	----	21	----	151 + 20
598	----	----	----/0.0455A	0.0545B/0.0455A	----	0.0450 - 0.0135	.1720	----	----	----	----	2 UNCH
599	----	----	----/0.0445A	0.0530B/0.0445A	----	0.0440 - 0.0125	.1684	----	----	----	----	3 UNCH
600	0.0400	0.0400	0.0515B/0.0400	0.0515B/0.0400	----	0.0425 - 0.0125	.1636	----	----	36	----	1393 - 16
601	----	----	----/0.0415A	0.0500B/0.0415A	----	0.0415 - 0.0120	.1600	----	----	----	----	2 UNCH
602	----	----	----/0.0410A	0.0490B/0.0410A	----	0.0405 - 0.0115	.1564	----	----	----	----	4 UNCH
603	----	----	----/0.0395A	0.0475B/0.0395A	----	0.0390 - 0.0115	.1517	----	----	----	----	3 UNCH
604	----	----	----/0.0385A	0.0465B/0.0385A	----	0.0380 - 0.0110	.1482	----	----	----	----	6 UNCH
605	----	----	----/0.0370A	0.0450B/0.0370A	----	0.0370 - 0.0110	.1446	----	----	43	----	174 + 32
606	----	----	----/0.0360A	0.0440B/0.0360A	----	0.0365 - 0.0100	.1422	----	----	----	----	4 UNCH
607	----	----	----/0.0355A	0.0430B/0.0355A	----	0.0355 NEW	.1387	----	----	5	----	5 + 5
608	----	----	----/0.0345A	0.0415B/0.0345A	----	0.0345 - 0.0095	.1353	----	----	----	----	2 UNCH
609	----	----	----/0.0335A	0.0405B/0.0335A	----	0.0335 - 0.0090	.1318	----	----	----	----	2 UNCH
610	0.0350	0.0350	0.0395B/0.0320A	0.0395B/0.0320A	----	0.0325 - 0.0090	.1284	----	----	20	----	1192 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
611	0.0320	0.0320	0.0320/0.0310A	0.0385B/0.0310A	----	0.0320 - 0.0085	.1261	----	----	1	----	3 UNCH
612	0.0310	0.0310	0.0310/0.0300A	0.0375B/0.0300A	----	0.0310 - 0.0080	.1227	----	----	1	----	5 UNCH
613	0.0305	0.0305	0.0305/0.0295A	0.0365B/0.0295A	----	0.0300 - 0.0080	.1193	----	----	1	----	1 + 1
614	0.0325	0.0325	0.0355B/0.0285A	0.0355B/0.0285A	----	0.0295 - 0.0075	.1171	----	----	6	----	8 + 4
615	0.0300	0.0300	0.0345B/0.0275A	0.0345B/0.0275A	----	0.0285 - 0.0075	.1137	----	----	6	150	427 + 123
616	0.0305	0.0305	0.0335B/0.0270A	0.0335B/0.0270A	----	0.0275 - 0.0075	.1103	----	----	4	----	9 + 4
617	0.0285	0.0285	0.0330B/0.0260A	0.0330B/0.0260A	----	0.0270 - 0.0070	.1082	----	----	23	----	25 + 23
618	0.0275	0.0275	0.0320B/0.0255A	0.0320B/0.0255A	----	0.0265 - 0.0065	.1061	----	----	4	----	8 + 3
619	0.0270	0.0270	0.0310B/0.0250A	0.0310B/0.0250A	----	0.0255 - 0.0065	.1028	----	----	11	----	13 + 7
620	0.0265	0.0265	0.0305B/0.0240A	0.0305B/0.0240A	----	0.0250 - 0.0060	.1007	----	----	10	----	1032 UNCH
621	0.0245	0.0245	0.0245/0.0235A	0.0300B/0.0235A	----	0.0245 - 0.0055	.0986	----	----	1	----	4 + 1
622	0.0250	0.0250	0.0290B/0.0230A	0.0290B/0.0230A	----	0.0240 - 0.0055	.0966	----	----	12	----	19 + 12
623	0.0245	0.0245	0.0280B/0.0220A	0.0280B/0.0220A	----	0.0235 - 0.0050	.0946	----	----	19	----	22 + 19
624	0.0240	0.0240	0.0280B/0.0215A	0.0280B/0.0215A	----	0.0230 - 0.0045	.0926	----	----	1	----	7 + 1
625	0.0210	0.0210	0.0270B/0.0200	0.0270B/0.0200	----	0.0225 - 0.0045	.0906	----	----	83	----	1199 + 26
626	0.0230	0.0230	0.0260B/0.0205A	0.0260B/0.0205A	----	0.0220 - 0.0040	.0886	----	----	6	----	14 + 6
627	0.0220	0.0220	0.0260B/0.0200A	0.0260B/0.0200A	----	0.0215 - 0.0040	.0867	----	----	7	----	14 + 7
628	----	----	----/0.0195A	0.0250B/0.0195A	----	0.0210 - 0.0040	.0847	----	----	1	----	3 + 1
629	----	----	0.0245B/0.0190A	0.0245B/0.0190A	----	0.0205 - 0.0035	.0828	----	----	----	----	90 UNCH
630	0.0180	0.0180	0.0235B/0.0180	0.0235B/0.0180	----	0.0200 - 0.0035	.0809	----	----	6	----	519 + 5
631	----	----	0.0235B/0.0180A	0.0235B/0.0180A	----	0.0195 - 0.0035	.0790	----	----	----	----	5 UNCH
633	0.0175	0.0175	0.0220B/0.0175	0.0220B/0.0175	----	0.0185 - 0.0030	.0752	----	----	3	----	7 + 3
634	----	----	0.0215B/0.0170A	0.0215B/0.0170A	----	0.0180 - 0.0030	.0733	----	----	----	----	1 UNCH
635	----	----	0.0215B/0.0165A	0.0215B/0.0165A	----	0.0175 - 0.0030	.0714	----	----	----	----	111 UNCH
637	----	----	0.0205B/0.0160A	0.0205B/0.0160A	----	0.0165 - 0.0030	.0677	----	----	----	----	3 UNCH
639	----	----	0.0190B/0.0150A	0.0190B/0.0150A	----	0.0160 - 0.0025	.0654	----	----	----	----	1 UNCH
640	----	----	0.0190B/0.0150A	0.0190B/0.0150A	----	0.0155 - 0.0025	.0636	----	----	2	----	1190 UNCH
641	----	----	0.0185B/0.0145A	0.0185B/0.0145A	----	0.0155 - 0.0025	.0631	----	----	----	----	3 UNCH
642	----	----	0.0185B/0.0145A	0.0185B/0.0145A	----	0.0150 - 0.0025	.0613	----	----	----	----	3 UNCH
643	----	----	0.0180B/0.0140A	0.0180B/0.0140A	----	0.0150 - 0.0020	.0609	----	----	----	----	9 UNCH
644	----	----	0.0175B/0.0135A	0.0175B/0.0135A	----	0.0145 - 0.0020	.0591	----	----	----	----	1 UNCH
645	----	----	0.0175B/0.0135A	0.0175B/0.0135A	----	0.0145 - 0.0015	.0588	----	----	----	----	85 UNCH
646	0.0140	0.0140	0.0170B/0.0130A	0.0170B/0.0130A	----	0.0140 NEW	.0570	----	----	1	----	1 + 1
650	0.0135	0.0135	0.0160B/0.0120	0.0160B/0.0120	----	0.0135 - 0.0010	.0542	----	----	78	----	4079 + 11
655	----	----	0.0140B/0.0115A	0.0140B/0.0115A	----	0.0120 - 0.0015	.0484	----	----	----	----	71 UNCH
660	0.0105	0.0105	0.0125B/0.0105	0.0125B/0.0105	----	0.0110 - 0.0015	.0442	----	----	2	----	148 UNCH
665	----	----	0.0120B/0.0095A	0.0120B/0.0095A	----	0.0100 - 0.0015	.0401	----	----	----	----	12 UNCH
670	----	----	----/0.0090A	0.0110B/0.0090A	----	0.0090 - 0.0020	.0361	----	----	----	----	525 UNCH
675	----	----	----/0.0085A	0.0100B/0.0085A	----	0.0080 - 0.0025	.0322	----	----	----	----	126 UNCH
680	----	----	----/0.0085A	0.0095B/0.0085A	----	0.0075 - 0.0025	.0299	----	----	----	----	1089 UNCH
685	----	----	----/0.0075A	0.0090B/0.0075A	----	0.0070 - 0.0025	.0277	----	----	----	----	12 UNCH
690	----	----	----/0.0080A	0.0080B/0.0080A	----	0.0065 - 0.0025	.0256	----	----	----	----	175 UNCH
695	----	----	----/0.0065A	0.0070B/0.0065A	----	0.0065 - 0.0025	.0250	----	----	----	----	25 UNCH
700	0.0045	0.0045	0.0065B/0.0045	0.0065B/0.0045	----	0.0065 - 0.0020	.0245	----	----	2	----	546 - 2
705	----	----	----	----/0.0100A	----	0.0060 - 0.0020	.0226	----	----	----	----	2 UNCH
710	----	----	----	----/0.0110A	----	0.0060 - 0.0020	.0221	----	----	----	----	59 UNCH
715	----	----	----/0.0050A	----/0.0050A	----	0.0060 - 0.0020	.0217	----	----	----	----	16 UNCH
720	----	----	----	----/0.0115A	----	0.0060 - 0.0015	.0213	----	----	----	----	13 UNCH
725	----	----	----	----/0.0110A	----	0.0060 - 0.0015	.0209	----	----	----	----	93 UNCH
730	----	----	----	----/0.0110A	----	0.0060 - 0.0010	.0205	----	----	1	----	15 - 1
735	----	----	----	----/0.0105A	----	0.0060 - 0.0010	.0202	----	----	----	----	5 UNCH
740	----	----	----	----/0.0105A	----	0.0060 - 0.0010	.0198	----	----	----	----	93 UNCH
745	----	----	----	----/0.0105A	----	0.0060 - 0.0005	.0195	----	----	----	----	34 UNCH
750	----	----	----/0.0030A	0.0020B/0.0030A	----	0.0060 - 0.0005	.0192	----	----	1	----	500 - 1
755	----	----	----/*0.0030A	----/*0.0030A	----	0.0060 - 0.0005	.0189	----	----	----	----	2 UNCH
760	----	----	----/*0.0030A	0.0010B/*0.0030	----	0.0060 UNCH	.0187	----	----	----	----	78 UNCH
765	----	----	----	----/0.0095A	----	0.0060 UNCH	.0184	----	----	----	----	2 UNCH
770	----	----	----	----/0.0095A	----	0.0060 UNCH	.0181	----	----	----	----	3 UNCH
775	----	----	----	----/0.0095A	----	0.0060 UNCH	.0179	----	----	----	----	47 UNCH
780	----	----	----	----/0.0090A	----	0.0055 - 0.0005	.0165	----	----	----	----	8 UNCH
785	----	----	----	----/0.0090A	----	0.0055 UNCH	.0162	----	----	----	----	3 UNCH
790	----	----	----	----/0.0090A	----	0.0055 UNCH	.0160	----	----	----	----	3 UNCH
795	----	----	----	----/0.0090A	----	0.0055 UNCH	.0158	----	----	----	----	5 UNCH
800	----	----	----	0.0020B/0.0085A	----	0.0055 UNCH	.0156	----	----	----	----	4121 UNCH
810	----	----	----	----/0.0085A	----	0.0050 + 0.0005	.0141	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0065A	----	0.0050 + 0.0010	.0138	----	----	----	----	28 UNCH
825	----	----	----	----/0.0085A	----	0.0045 + 0.0010	.0125	----	----	----	----	91 UNCH
835	----	----	----	----/0.0080A	----	0.0045 + 0.0015	.0123	----	----	----	----	1 UNCH
840	----	----	----	----/0.0080A	----	0.0045 + 0.0015	.0121	----	----	----	----	4 UNCH
850	----	----	----	----/0.0040A	----	0.0040 + 0.0010	.0108	----	----	----	----	69 UNCH
855	----	----	----	----/0.0075A	----	0.0040 + 0.0015	.0107	----	----	----	----	30 UNCH
860	----	----	----	----/0.0075A	----	0.0040 + 0.0015	.0106	----	----	----	----	4 UNCH
865	----	----	----	----/0.0075A	----	0.0035 + 0.0010	.0094	----	----	----	----	3 UNCH
870	----	----	----	----/0.0070A	----	0.0035 + 0.0010	.0093	----	----	----	----	4 UNCH
875	----	----	----	----/0.0070A	----	0.0035 + 0.0010	.0092	----	----	----	----	1 UNCH
880	----	----	----	----/0.0070A	----	0.0035 + 0.0010	.0091	----	----	----	----	12 UNCH
890	----	----	----	----/0.0065A	----	0.0035 + 0.0010	.0090	----	----	----	----	1 UNCH
900	----	----	----	----/0.0065A	----	0.0030 + 0.0010	.0078	----	----	----	----	73 UNCH
915	----	----	----	----/0.0060A	----	0.0025 + 0.0010	.0065	----	----	----	----	1 UNCH
920	----	----	----	----/0.0060A	----	0.0025 + 0.0010	.0064	----	----	----	----	4 UNCH
925	----	----	----	----/0.0060A	----	0.0020 + 0.0005	.0053	----	----	----	----	10 UNCH
930	----	----	----	----/0.0060A	----	0.0020 + 0.0005	.0052	----	----	----	----	1 UNCH
935	----	----	----	----/0.0055A	----	0.0020 + 0.0010	.0052	----	----	----	----	1 UNCH
940	----	----	----	----/0.0055A	----	0.0015 + 0.0005	.0040	----	----	----	----	4 UNCH
945	----	----	----	----/0.0055A	----	0.0015 + 0.0005	.0040	----	----	----	----	10 UNCH
950	----	----	----	----/0.0015A	----	0.0015 + 0.0005	.0040	----	----	----	----	40 UNCH
TOTAL									350	1124		29770 + 805
JUN26												
500	----	----	----	----	----	0.6180 - 0.0745	.7976	----	----	----	----	4 UNCH
525	----	----	----/0.4370A	0.4620B/0.4370A	----	0.4340 - 0.0620	.6834	----	----	----	----	1 UNCH
535	----	----	----/0.3735A	0.3945B/0.3735A	----	0.3710 - 0.0545	.6290	----	----	----	----	2 UNCH
540	----	----	----/0.3420A	0.3670B/0.3420A	----	0.3425 - 0.0505	.6006	----	----	----	----	22 UNCH
545	----	----	----/0.3110A	0.3395B/0.3110A	----	0.3150 - 0.0475	.5717	----	----	----	----	2 UNCH
549	----	----	----/0.2905A	0.3175B/0.2905A	----	0.2945 - 0.0450	.5484	----	----	----	----	1 UNCH
550	----	----	----/0.2855A	0.3130B/0.2855A	----	0.2895 - 0.0445	.5426	----	----	----	----	3 UNCH
555	----	----	----/0.2620A	0.2870B/0.2620A	----	0.2650 NEW	.5133	----	----	1	----	1 + 1
557	----	----	----/0.2530A	0.2765B/0.2530A	----	0.2555 NEW	.5016	----	----	2	----	2 + 2
565	----	----	----/0.2200A	0.2400B/0.2200A	----	0.2200 - 0.0375	.4551	----	----	----	----	2 UNCH
570	----	----	----/0.2010A	0.2175B/0.2010A	----	0.2000 - 0.0340	.4267	----	----	----	----	16 UNCH
575	----	----	----/0.1835A	0.2005B/0.1835A	----	0.1820 - 0.0300	.3991	----	----	2	150	136 - 101
579	----	----	----/0.1705A	0.1830B/0.1705A	----	0.1690 - 0.0270	.3779	----	----	----	----	2 UNCH
580	----	----	----/0.1680A	0.1795B/0.1680A	----	0.1660 - 0.0265	.3727	----	----	----	----	38 UNCH
585	----	----	----/0.1535A	0.1630B/0.1535A	----	0.1515 - 0.0235	.3476	----	----	----	----	26 UNCH
587	----	----	----/0.1480A	0.1565B/0.1480A	----	0.1460 - 0.0230	.3379	----	----	----	----	2 UNCH
590	----	----	----/0.1395A	0.1475B/0.1395A	----	0.1380 - 0.0220	.3235	----	----	----	----	19 UNCH
595	----	----	----/0.1275A	0.1330B/0.1275A	----	0.1255 - 0.0205	.3005	----	----	1	----	4 + 1
600	----	----	----/0.1150A	0.1245B/0.1150A	----	0.1140 - 0.0185	.2785	----	----	----	----	287 UNCH
604	----	----	----/0.1080A	0.1115B/0.1080A	----	0.1050 - 0.0170	.2613	----	----	----	----	2 UNCH
605	----	----	----/0.1060A	0.1095B/0.1060A	----	0.1030 - 0.0165	.2573	----	----	----	----	3 UNCH
607	----	----	----/0.1025A	0.1060B/0.1025A	----	0.0990 - 0.0155	.2492	----	----	----	----	20 UNCH
610	----	----	----/0.0955A	0.1030B/0.0955A	----	0.0930 - 0.0145	.2372	----	----	----	----	527 UNCH
613	----	----	----/0.0915A	0.0945B/0.0915A	----	0.0875 - 0.0135	.2258	----	----	----	----	2 UNCH
615	----	----	----/0.0880A	0.0910B/0.0880A	----	0.0840 - 0.0130	.2185	----	----	----	----	16 UNCH
616	----	----	----/0.0860A	0.0890B/0.0860A	----	0.0825 - 0.0125	.2151	----	----	----	----	3 UNCH
620	----	----	----/0.0800A	0.0825B/0.0800A	----	0.0765 - 0.0115	.2018	----	----	----	----	19 UNCH
622	----	----	----/0.0770A	0.0790B/0.0770A	----	0.0735 - 0.0115	.1952	----	----	----	----	3 UNCH
625	----	----	----/0.0725A	0.0765B/0.0725A	----	0.0695 - 0.0110	.1861	----	----	----	----	151 UNCH
630	----	----	----/0.0650A	0.0705B/0.0650A	----	0.0630 - 0.0105	.1712	----	----	----	----	424 UNCH
635	----	----	----/0.0615A	0.0630B/0.0615A	----	0.0575 - 0.0100	.1580	----	----	----	----	10 UNCH
640	----	----	----/0.0560A	0.0570B/0.0560A	----	0.0525 - 0.0095	.1458	----	----	----	----	58 UNCH
645	----	----	----/0.0505A	0.0525B/0.0505A	----	0.0480 - 0.0090	.1346	----	----	----	----	7 UNCH
650	----	----	----/0.0465A	0.0475B/0.0465A	----	0.0435 - 0.0085	.1236	----	----	----	----	466 UNCH
655	----	----	----/0.0430A	0.0430B/0.0430A	----	0.0400 - 0.0080	.1144	----	----	----	----	6 UNCH
660	----	----	----/0.0390A	0.0395B/0.0390A	----	0.0365 - 0.0075	.1053	----	----	----	----	265 UNCH
665	----	----	----/0.0360A	0.0360B/0.0360A	----	0.0335 - 0.0070	.0973	----	----	----	----	18 UNCH
670	----	----	----/0.0325A	0.0330B/0.0325A	----	0.0310 - 0.0065	.0904	----	----	----	----	2 UNCH
675	----	----	----/0.0310A	0.0300B/0.0310A	----	0.0285 - 0.0060	.0836	----	----	----	----	34 UNCH
680	----	----	----/0.0295A	0.0260B/0.0295A	----	0.0265 - 0.0055	.0779	----	----	----	----	201 UNCH
690	----	----	----/0.0265A	0.0210B/0.0265A	----	0.0225 - 0.0045	.0668	----	----	----	----	21 UNCH
695	----	----	----/0.0240A	0.0195B/0.0240A	----	0.0210 - 0.0040	.0624	----	----	----	----	1 UNCH
700	----	----	----/0.0225A	0.0180B/0.0225A	----	0.0195 - 0.0035	.0581	----	----	----	----	315 UNCH
715	----	----	----	0.0150B/0.0190A	----	0.0155 - 0.0030	.0466	----	----	----	----	6 UNCH
720	----	----	----	0.0130B/0.0180A	----	0.0145 - 0.0025	.0437	----	----	----	----	4 UNCH
725	----	----	----	0.0120B/0.0175A	----	0.0135 - 0.0025	.0407	----	----	----	----	70 UNCH
740	----	----	----	0.0095B/0.0160A	----	0.0105 - 0.0020	.0322	----	----	----	----	1 UNCH
745	----	----	----	0.0095B/0.0150A	----	0.0100 - 0.0020	.0305	----	----	----	----	1500 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 88

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
750	----	----	----	0.0085B/0.0145A	----	0.0090 - 0.0020	.0277	----	----	----	----	157 UNCH
755	----	----	----	0.0080B/0.0135A	----	0.0085 - 0.0020	.0262	----	----	----	----	1 UNCH
765	----	----	----	0.0070B/0.0125A	----	0.0075 - 0.0015	.0231	----	----	----	----	1503 UNCH
780	----	----	----	0.0050B/0.0125A	----	0.0060 - 0.0010	.0186	----	----	----	----	1 UNCH
795	----	----	----	----/0.0120A	----	0.0050 - 0.0010	.0155	----	----	----	----	33 UNCH
800	----	----	----	0.0035B/0.0120A	----	0.0045 - 0.0010	.0141	----	----	2	----	8 - 1
825	----	----	----	----/0.0120A	----	0.0035 - 0.0005	.0108	----	----	----	----	1 UNCH
840	----	----	----	----/0.0115A	----	0.0030 - 0.0005	.0092	----	----	----	----	6 UNCH
850	----	----	----	----/0.0110A	----	0.0025 - 0.0005	.0078	----	----	----	----	5 UNCH
880	----	----	----	----/0.0100A	----	0.0020 UNCH	.0061	----	----	----	----	2 UNCH
900	----	----	----	----/0.0095A	----	0.0015 - 0.0005	.0046	----	----	----	----	9 UNCH
910	----	----	----	----/0.0095A	----	0.0015 UNCH	.0045	----	----	----	----	11 UNCH
950	----	----	----	----/0.0085A	----	0.0010 UNCH	.0030	----	----	----	----	1 UNCH
975	----	----	----	----/0.0050A	----	0.0005 UNCH	.0016	----	----	----	----	1 UNCH
TOTAL									150	8		6464 - 98
JUL26												
500	----	----	----/0.6610A	0.6535B/0.6610A	----	0.6575 - 0.0700	.7648	----	----	----	----	2 UNCH
520	----	----	----/0.5210A	0.5430B/0.5210A	----	0.5175 - 0.0615	.6843	----	----	----	----	1 UNCH
525	----	----	----/0.4895A	0.5090B/0.4895A	----	0.4860 - 0.0585	.6621	----	----	----	----	1 UNCH
530	----	----	----/0.4575A	0.4815B/0.4575A	----	0.4555 - 0.0565	.6393	----	----	----	----	6 UNCH
540	----	----	----/0.3985A	0.4225B/0.3985A	----	0.3990 - 0.0510	.5925	----	----	----	----	16 UNCH
545	----	----	----/0.3720A	0.3945B/0.3720A	----	0.3730 - 0.0480	.5686	----	----	----	----	1 UNCH
550	----	----	----/0.3465A	0.3690B/0.3465A	----	0.3480 - 0.0455	.5447	----	----	----	----	2 UNCH
555	----	----	----/0.3220A	0.3460B/0.3220A	----	0.3245 - 0.0425	.5207	----	----	----	----	146 UNCH
560	----	----	----/0.3000A	0.3205B/0.3000A	----	0.3020 - 0.0405	.4969	----	----	----	----	1 UNCH
570	----	----	----/0.2590A	0.2770B/0.2590A	----	0.2610 - 0.0355	.4503	----	----	----	----	156 UNCH
575	----	----	----/0.2405A	0.2555B/0.2405A	----	0.2425 - 0.0330	.4276	----	----	----	----	17 UNCH
580	----	----	----/0.2240A	0.2380B/0.2240A	----	0.2245 - 0.0315	.4052	----	----	----	----	176 UNCH
585	----	----	----/0.2070A	0.2200B/0.2070A	----	0.2080 - 0.0290	.3835	----	----	----	----	270 UNCH
590	0.2090	0.2090	0.2090/0.1925A	0.2090/0.1925A	----	0.1925 - 0.0275	.3624	----	----	1	----	6 + 1
595	----	----	----/0.1790A	0.1855B/0.1790A	----	0.1780 - 0.0255	.3420	----	----	----	----	2 UNCH
600	----	----	----/0.1655A	0.1765B/0.1655A	----	0.1645 - 0.0240	.3223	----	----	----	----	185 UNCH
605	----	----	----/0.1535A	0.1570B/0.1535A	----	0.1520 - 0.0220	.3034	----	----	----	----	2 UNCH
610	----	----	----/0.1425A	0.1455B/0.1425A	----	0.1400 - 0.0210	.2850	----	----	----	----	5 UNCH
615	----	----	----/0.1325A	0.1335B/0.1325A	----	0.1290 - 0.0195	.2674	----	----	----	----	101 UNCH
620	----	----	----/0.1235A	0.1225B/0.1235A	----	0.1190 - 0.0180	.2509	----	----	----	----	18 UNCH
625	----	----	----/0.1140A	0.1160B/0.1140A	----	0.1100 - 0.0165	.2354	----	----	----	----	182 UNCH
630	----	----	----/0.1070A	0.1035B/0.1070A	----	0.1010 - 0.0160	.2199	----	----	----	----	5 UNCH
635	----	----	----/0.1000A	0.0960B/0.1000A	----	0.0935 - 0.0145	.2062	----	----	----	----	11 UNCH
640	----	----	----/0.0900A	0.0920B/0.0900A	----	0.0865 - 0.0135	.1932	----	----	----	----	753 UNCH
645	----	----	----/0.0840A	0.0855B/0.0840A	----	0.0800 - 0.0125	.1809	----	----	----	----	310 UNCH
650	----	----	----/0.0785A	0.0785B/0.0785A	----	0.0740 - 0.0120	.1693	----	----	----	----	287 UNCH
660	----	----	----/0.0705A	0.0635B/0.0705A	----	0.0640 - 0.0105	.1490	----	----	----	----	258 UNCH
665	----	----	----/0.0660A	0.0595B/0.0660A	----	0.0595 - 0.0100	.1398	----	----	----	----	1 UNCH
670	----	----	----/0.0615A	0.0560B/0.0615A	----	0.0555 - 0.0095	.1313	----	----	----	----	22 UNCH
675	----	----	----/0.0580A	0.0505B/0.0580A	----	0.0520 - 0.0085	.1236	----	----	----	----	437 UNCH
680	----	----	----/0.0535A	0.0480B/0.0535A	----	0.0485 - 0.0080	.1161	----	----	----	----	4 UNCH
685	----	----	----/0.0500A	0.0435B/0.0500A	----	0.0455 - 0.0075	.1094	----	----	----	----	2 UNCH
690	----	----	----/0.0465A	0.0420B/0.0465A	----	0.0425 - 0.0070	.1028	----	----	----	----	245 UNCH
695	----	----	----/0.0440A	0.0380B/0.0440A	----	0.0400 - 0.0065	.0971	----	----	----	----	40 UNCH
700	----	----	----/0.0420A	0.0355B/0.0420A	----	0.0375 - 0.0060	.0914	----	----	----	----	139 UNCH
725	----	----	----	0.0250B/0.0320A	----	0.0280 - 0.0030	.0691	----	----	----	----	1523 UNCH
730	----	----	----	0.0240B/0.0300A	----	0.0260 - 0.0035	.0647	----	----	----	----	3 UNCH
750	----	----	----	0.0185B/0.0240A	----	0.0210 - 0.0025	.0525	----	----	----	----	183 UNCH
775	----	----	----	0.0135B/0.0205A	----	0.0165 - 0.0020	.0412	----	----	----	----	24 UNCH
780	----	----	----	0.0120B/0.0200A	----	0.0155 - 0.0020	.0389	----	----	----	----	0 UNCH
800	----	----	----	0.0105B/0.0175A	----	0.0130 - 0.0015	.0325	----	----	----	----	58 UNCH
850	----	----	----	0.0040B/0.0130A	----	0.0080 - 0.0010	.0202	----	----	----	----	3 UNCH
875	----	----	----	----/0.0135A	----	0.0065 - 0.0010	.0163	----	----	----	----	2 UNCH
900	----	----	----	----/0.0125A	----	0.0060 - 0.0005	.0147	----	----	----	----	271 UNCH
950	----	----	----	----/0.0110A	----	0.0040 - 0.0005	.0098	----	----	----	----	56 UNCH
975	----	----	----	----/0.0100A	----	0.0030 - 0.0005	.0075	----	----	----	----	2 UNCH
1000	----	----	----	----/*0.0055A	----	0.0025 - 0.0005	.0062	----	----	----	----	4 UNCH
TOTAL										1		5939 + 1
AUG26												
500	----	----	----/0.7440A	0.7395B/0.7440A	----	0.7425 - 0.0650	.7578	----	----	----	----	2 UNCH
550	----	----	----/0.4315A	0.4465B/0.4315A	----	0.4285 - 0.0515	.5701	----	----	----	----	3 UNCH
575	----	----	----/0.3195A	0.3320B/0.3195A	----	0.3135 - 0.0435	.4673	----	----	----	----	1 UNCH
580	----	----	----/0.3000A	0.3110B/0.3000A	----	0.2940 - 0.0415	.4474	----	----	----	----	252 UNCH
585	----	----	----/0.2820A	0.2910B/0.2820A	----	0.2755 - 0.0395	.4277	----	----	----	----	11 UNCH
590	----	----	----/0.2650A	0.2720B/0.2650A	----	0.2580 - 0.0380	.4084	----	----	----	----	16 UNCH
600	----	----	----/0.2335A	0.2380B/0.2335A	----	0.2255 - 0.0345	.3710	----	----	----	----	4 UNCH
620	----	----	----/0.1810A	0.1800B/0.1810A	----	0.1725 - 0.0270	.3032	----	----	----	----	6 UNCH
625	----	----	----/0.1700A	0.1675B/0.1700A	----	0.1615 - 0.0250	.2879	----	----	----	----	86 UNCH
640	----	----	----/0.1415A	0.1355B/0.1415A	----	0.1315 - 0.0210	.2448	----	----	----	----	165 UNCH
650	----	----	----/0.1260A	0.1180B/0.1260A	----	0.1145 - 0.0195	.2190	----	----	----	----	4 UNCH
675	----	----	----/0.0950A	0.0835B/0.0950A	----	0.0800 - 0.0195	.1633	----	----	----	----	168 UNCH
680	----	----	----/0.0900A	0.0780B/0.0900A	----	0.0745 - 0.0195	.1538	----	----	----	----	1 UNCH
690	----	----	----	0.0630B/0.0885A	----	0.0650 - 0.0190	.1369	----	----	----	----	3 UNCH
700	----	----	----	0.0545B/0.0805A	----	0.0570 - 0.0180	.1220	----	----	----	----	4 UNCH
725	----	----	----	0.0370B/0.0640A	----	0.0430 - 0.0140	.0941	----	----	----	----	86 UNCH
730	----	----	----	0.0405B/0.0550A	----	0.0410 - 0.0130	.0898	----	----	----	----	1 UNCH
750	----	----	----	0.0315B/0.0460A	----	0.0335 - 0.0110	.0741	----	----	----	----	66 UNCH
800	----	----	----	0.0160B/0.0315A	----	0.0175 - 0.0065	.0413	----	----	----	----	1 UNCH
850	----	----	----	0.0075B/*0.0240	----	0.0095 - 0.0040	.0234	----	----	----	----	1 UNCH
900	----	----	----	0.0025B/*0.0195	----	0.0065 - 0.0030	.0159	----	----	----	----	57 UNCH
950	----	----	----	----/*0.0170A	----	0.0045 - 0.0020	.0110	----	----	----	----	2 UNCH
975	----	----	----	----/0.0195A	----	0.0035 - 0.0015	.0086	----	----	----	----	4 UNCH
TOTAL												944
SEP26												
495	----	----	----/0.8290A	0.7785B/0.8290A	----	0.8075 - 0.0615	.7589	----	----	----	----	2 UNCH
500	----	----	----/0.7940A	0.7730B/0.7940A	----	0.7720 - 0.0590	.7438	----	----	----	----	5 UNCH
535	----	----	----/0.5780A	0.5460B/0.5780A	----	0.5500 - 0.0470	.6254	----	----	----	----	2 UNCH
565	----	----	----/0.4105A	0.4115B/0.4105A	----	0.3990 - 0.0435	.5146	----	----	----	----	1 UNCH
575	----	----	----/0.3690A	0.3660B/0.3690A	----	0.3565 - 0.0415	.4779	----	----	----	----	100 UNCH
595	----	----	----/0.2965A	0.2870B/0.2965A	----	0.2825 - 0.0340	.4074	----	----	----	----	2 UNCH
600	----	----	----/0.2805A	0.2695B/0.2805A	----	0.2660 - 0.0325	.3904	----	----	----	----	210 UNCH
610	----	----	----/0.2505A	0.2375B/0.2505A	----	0.2365 - 0.0280	.3581	----	----	----	----	31 UNCH
615	----	----	----/0.2370A	0.2225B/0.2370A	----	0.2225 - 0.0265	.3424	----	----	----	----	9 UNCH
620	----	----	----/0.2245A	0.2090B/0.2245A	----	0.2095 - 0.0250	.3273	----	----	----	----	35 UNCH
625	----	----	----/0.2125A	0.1955B/0.2125A	----	0.1975 - 0.0230	.3128	----	----	----	----	142 UNCH
630	----	----	----/0.2015A	0.1835B/0.2015A	----	0.1860 - 0.0215	.2987	----	----	----	----	2 UNCH
650	0.1500	0.1500	0.1500/0.1500	0.1500/0.1500	----	0.1470 - 0.0170	.2477	----	----	151	----	181 + 120
655	----	----	----/0.1545A	0.1325B/0.1545A	----	0.1385 - 0.0165	.2361	----	----	----	----	4 UNCH
670	----	----	----	0.1090B/0.1320A	----	0.1170 - 0.0150	.2050	----	----	----	----	1 UNCH
690	----	----	----	0.0840B/0.1085A	----	0.0940 - 0.0140	.1700	----	----	----	----	11 UNCH
700	----	----	----	0.0745B/0.0985A	----	0.0845 - 0.0135	.1549	----	----	----	----	55 UNCH
750	----	----	----	0.0400B/0.0645A	----	0.0515 - 0.0085	.0990	----	----	----	----	10 UNCH
800	----	----	----	0.0220B/*0.0465	----	0.0325 - 0.0050	.0646	----	----	----	----	12 UNCH
875	----	----	----	0.0080B/0.0330A	----	0.0175 - 0.0025	.0358	----	----	----	----	1 UNCH
975	----	----	----	0.0010B/0.0250A	----	0.0085 - 0.0015	.0177	----	----	----	----	1 UNCH
TOTAL										151		817 + 120
OCT26												
650	----	----	----	0.1945B/0.2255A	----	0.2060 - 0.0160	.2971	----	----	----	----	100 UNCH
700	----	----	----	0.1005B/0.1485A	----	0.1200 - 0.0245	.1933	----	----	----	----	145 UNCH
775	----	----	----	0.0405B/*0.0890	----	0.0595 - 0.0145	.1043	----	----	----	----	71 UNCH
800	----	----	----	0.0355B/0.0710A	----	0.0495 - 0.0120	.0876	----	----	----	----	1 UNCH
850	----	----	----	0.0180B/0.0560A	----	0.0355 - 0.0090	.0633	----	----	----	----	30 UNCH
875	----	----	----	0.0120B/0.0500A	----	0.0310 - 0.0080	.0551	----	----	----	----	2 UNCH
975	----	----	----	0.0010B/0.0360A	----	0.0150 - 0.0040	.0279	----	----	----	----	4 UNCH
TOTAL												353
NOV26												
535	----	----	----/0.6985A	0.6835B/0.6985A	----	0.6800 - 0.0510	.6421	----	----	----	----	1 UNCH
545	----	----	----/0.6460A	0.6275B/0.6460A	----	0.6265 - 0.0475	.6120	----	----	----	----	1 UNCH
580	----	----	----/0.4855A	0.4575B/0.4855A	----	0.4640 - 0.0360	.5059	----	----	----	----	2 UNCH
585	----	----	----/0.4655A	0.4365B/0.4655A	----	0.4435 - 0.0340	.4911	----	----	----	----	1 UNCH
595	----	----	----/0.4280A	0.3965B/0.4280A	----	0.4055 - 0.0300	.4619	----	----	----	----	2 UNCH
600	----	----	----/0.4105A	0.3775B/0.4105A	----	0.3870 - 0.0285	.4475	----	----	----	----	2 UNCH
610	----	----	----/0.3770A	0.3420B/0.3770A	----	0.3530 - 0.0250	.4195	----	----	----	----	14 UNCH
640	----	----	----	0.2520B/0.2895A	----	0.2660 - 0.0215	.3414	----	----	----	----	1 UNCH
670	----	----	----	0.1850B/0.2250A	----	0.2005 - 0.0210	.2744	----	----	----	----	14 UNCH
675	----	----	----	0.1755B/0.2155A	----	0.1915 - 0.0210	.2645	----	----	----	----	1 UNCH
750	----	----	----	0.0825B/0.1235A	----	0.1010 - 0.0120	.1537	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
NOV26												
900	----	----	----	0.0135B/0.0590A	----	0.0320 - 0.0045	.0544	----	----	----	----	1 UNCH
975	----	----	----	0.0010B/0.0465A	----	0.0185 - 0.0025	.0328	----	----	----	----	1 UNCH
TOTAL												42
DEC26												
520	----	----	----/0.8155A	0.7975B/0.8155A	----	0.7945 - 0.0540	.6812	----	----	----	----	1 UNCH
535	----	----	----/0.7320A	0.7085B/0.7320A	----	0.7095 - 0.0480	.6394	----	----	----	----	1 UNCH
550	----	----	----/0.6555A	0.6270B/0.6555A	----	0.6320 - 0.0420	.5966	----	----	----	----	2 UNCH
555	----	----	----/0.6310A	0.6015B/0.6310A	----	0.6075 - 0.0400	.5823	----	----	----	----	1 UNCH
565	----	----	----/0.5850A	0.5530B/0.5850A	----	0.5615 - 0.0360	.5536	----	----	----	----	45 UNCH
575	----	----	----/0.5420A	0.5075B/0.5420A	----	0.5175 - 0.0330	.5252	----	----	----	----	1 UNCH
585	----	----	----/0.5020A	0.4650B/0.5020A	----	0.4765 - 0.0310	.4972	----	----	----	----	1 UNCH
590	----	----	----/0.4830A	0.4445B/0.4830A	----	0.4570 - 0.0300	.4834	----	----	----	----	1 UNCH
595	----	----	----/0.4645A	0.4250B/0.4645A	----	0.4385 - 0.0285	.4698	----	----	----	----	163 UNCH
600	----	----	----/0.4465A	0.4065B/0.4465A	----	0.4205 - 0.0275	.4564	----	----	----	200	551 + 200
610	----	----	----	0.3710B/0.4130A	----	0.3860 - 0.0260	.4299	----	----	----	----	156 UNCH
620	----	----	----	0.3380B/0.3805A	----	0.3540 - 0.0245	.4043	----	----	----	200	408 + 200
625	----	----	----	0.3225B/0.3640A	----	0.3390 - 0.0235	.3918	----	----	----	----	3 UNCH
630	----	----	----	0.3075B/0.3495A	----	0.3245 - 0.0225	.3796	----	----	----	----	456 UNCH
640	----	----	----	0.2800B/0.3250A	----	0.2975 - 0.0205	.3559	----	----	----	----	29 UNCH
650	----	----	----	0.2545B/0.2985A	----	0.2730 - 0.0185	.3335	----	----	60	----	371 + 10
660	----	----	----	0.2315B/0.2765A	----	0.2500 - 0.0175	.3119	----	----	----	----	300 UNCH
670	----	----	----	0.2105B/0.2560A	----	0.2300 - 0.0160	.2920	----	----	----	----	4 UNCH
675	----	----	----	0.2005B/0.2460A	----	0.2205 - 0.0160	.2823	----	----	----	----	17 UNCH
700	----	----	----	0.1590B/0.2045A	----	0.1795 - 0.0165	.2388	----	----	60	----	844 - 10
705	----	----	----	0.1515B/0.1970A	----	0.1725 - 0.0165	.2310	----	----	----	----	2 UNCH
725	----	----	----	0.1265B/0.1705A	----	0.1475 - 0.0165	.2024	----	----	----	----	5 UNCH
730	----	----	----	0.1210B/0.1655A	----	0.1420 - 0.0160	.1959	----	----	----	----	2 UNCH
750	----	----	----	0.1010B/0.1450A	----	0.1225 - 0.0145	.1722	----	----	----	----	24 UNCH
800	----	----	----	0.0645B/0.1110A	----	0.0865 - 0.0105	.1262	----	----	----	----	54 UNCH
850	----	----	----	0.0395B/0.0900A	----	0.0640 - 0.0080	.0952	----	----	----	----	4 UNCH
900	----	----	----	0.0225B/0.0740A	----	0.0505 - 0.0060	.0752	----	----	----	----	150 UNCH
925	----	----	----	0.0165B/0.0675A	----	0.0455 - 0.0055	.0676	----	----	----	----	6 UNCH
950	----	----	----	0.0110B/0.0625A	----	0.0415 - 0.0050	.0614	----	----	----	----	78 UNCH
975	----	----	----	0.0065B/0.0585A	----	0.0380 - 0.0050	.0560	----	----	----	----	13 UNCH
TOTAL									400	120		3693 + 400
JAN27												
500	----	----	----	----	----	1.0340 - 0.0610	.7362	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.0945 - 0.0105	.1157	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.3810 - 0.0310	.3577	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1950 - 0.0155	.1738	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
APR26												
300	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
325	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
330	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
375	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
380	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
400	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
405	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 13
410	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
415	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
420	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
425	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
430	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 109
435	----	----	----	----/0.0110A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
440	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 171
445	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
450	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 44
455	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
460	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 179
465	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
470	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 310
475	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 82
480	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 133
485	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 226
490	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 114
495	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0000 - 0.0005	----	----	----	2	----	0 - 57
500	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1066
505	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 55
510	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0000 - 0.0005	----	----	----	2	----	0 - 710
515	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0000 - 0.0005	----	----	----	2	----	0 - 169
517	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
518	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
519	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
520	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0000 - 0.0005	----	----	----	1	----	0 - 445
522	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 22
524	----	----	----	----/*0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
525	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 - 0.0010	----	----	----	3	----	0 - 347
526	----	----	----	----/*0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 2
527	----	----	----	----/*0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 11
528	----	----	----	----/*0.0035A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 2
529	----	----	----	----/*0.0035A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 3
530	0.0105	0.0105	0.0105/0.0030	0.0105/0.0030	----	0.0000 - 0.0015	----	----	----	3	----	0 - 436
531	----	----	----	----/*0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 2
532	----	----	----	----/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 2
533	----	----	----	----/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 1
534	----	----	----	----/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 2
535	0.0050	0.0050	0.0105/*0.0025	0.0105/*0.0025	----	0.0000 - 0.0020	----	----	----	101	----	0 - 258
536	----	----	----	0.0015B/0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 7
537	----	----	----	0.0020B/0.0035A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 2
538	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0000 NEW	----	----	----	1	----	0 UNCH
539	----	----	0.0035B/----	0.0035B/0.0040A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 1
540	0.0035	0.0035	0.0035/*0.0030	0.0035/*0.0030	----	0.0000 - 0.0035	----	----	----	4	----	0 - 428
541	----	----	0.0050B/0.0035A	0.0050B/0.0035A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 85
542	----	----	0.0060B/0.0040A	0.0060B/0.0040A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 208
543	----	----	0.0080B/----	0.0080B/0.0050A	----	0.0000 - 0.0050	----	----	----	5	----	0 - 112
544	0.0025	0.0025	0.0095B/*0.0010	0.0095B/*0.0010	----	0.0000 - 0.0060	----	----	----	8	----	0 - 147
545	0.0185	0.0185	0.0185/*0.0010	0.0185/*0.0010	----	0.0000 - 0.0070	----	----	----	7	----	0 - 313
546	0.0005	0.0005	0.0175B/*0.0005	0.0175B/*0.0005	----	0.0000 - 0.0080	----	----	----	15	----	0 - 111
547	----	----	0.0225B/0.0090A	0.0225B/0.0090A	----	0.0000 - 0.0095	----	----	----	----	----	0 - 112
548	0.0145	0.0145	0.0275B/*0.0045	0.0275B/*0.0045	----	0.0030 - 0.0080	----	----	----	2	----	0 - 81
549	----	----	0.0300B/0.0110A	0.0300B/0.0110A	----	0.0130 UNCH	----	----	----	----	----	0 - 44
550	0.0300	0.0300	0.0360B/*0.0045	0.0360B/*0.0045	----	0.0230 + 0.0080	----	----	----	95	----	0 - 1985
551	0.0265	0.0265	0.0440B/0.0135A	0.0440B/0.0135A	----	0.0330 + 0.0155	----	----	----	1	----	0 - 31
552	----	----	0.0515B/0.0160A	0.0515B/0.0160A	----	0.0430 + 0.0230	----	----	----	----	----	0 - 36
553	----	----	0.0600B/0.0215A	0.0600B/0.0215A	----	0.0530 + 0.0300	----	----	----	----	----	0 - 89
554	0.0615	0.0615	0.0685B/0.0260A	0.0685B/0.0260A	----	0.0630 + 0.0365	----	----	----	1	----	0 - 36
555	----	----	0.0780B/----	0.0780B/0.0325A	----	0.0730 + 0.0425	----	----	----	----	----	0 - 154
556	----	----	0.0870B/----	0.0870B/0.0395A	----	0.0830 + 0.0475	----	----	----	----	----	0 - 42
557	----	----	0.0965B/----	0.0965B/0.0485A	----	0.0930 + 0.0525	----	----	----	----	----	0 - 102
558	----	----	0.1060B/----	0.1060B/0.0565A	----	0.1030 + 0.0570	----	----	----	----	----	0 - 94
559	----	----	0.1155B/----	0.1155B/0.0655A	----	0.1130 + 0.0605	----	----	----	----	----	0 - 46
560	----	----	0.1250B/----	0.1250B/0.0745A	----	0.1230 + 0.0640	----	----	----	1	----	0 - 304
561	----	----	0.1345B/----	0.1345B/0.0845A	----	0.1330 + 0.0670	----	----	----	----	----	0 - 11
562	----	----	0.1445B/----	0.1445B/0.0945A	----	0.1430 + 0.0695	----	----	----	----	----	0 - 64
563	----	----	0.1540B/----	0.1540B/0.1045A	----	0.1530 + 0.0710	----	----	----	----	----	0 - 168
564	----	----	0.1640B/----	0.1640B/0.1145A	----	0.1630 + 0.0730	----	----	----	----	----	0 - 15
565	----	----	0.1740B/----	0.1740B/0.1240A	----	0.1730 + 0.0740	----	----	----	----	----	0 - 240
566	----	----	0.1835B/----	0.1835B/0.1340A	----	0.1830 + 0.0755	----	----	----	----	----	0 - 10
567	----	----	0.1935B/----	0.1935B/0.1435A	----	0.1930 + 0.0765	----	----	----	----	----	0 - 14
568	----	----	0.2035B/----	0.2035B/0.1535A	----	0.2030 + 0.0770	----	----	----	----	----	0 - 23
569	----	----	0.2135B/----	0.2135B/0.1630A	----	0.2130 + 0.0780	----	----	----	----	----	0 - 19
570	0.1800	0.1800	0.2230B/0.1800	0.2230B/0.1725A	----	0.2230 + 0.0785	----	----	----	7	----	0 - 464
571	----	----	0.2330B/----	0.2330B/0.1830A	----	0.2330 + 0.0790	----	----	----	4	----	0 - 22
572	----	----	0.2430B/----	0.2430B/0.1925A	----	0.2430 + 0.0795	----	----	----	3	----	0 - 33
573	----	----	0.2530B/----	0.2530B/0.2030A	----	0.2530 + 0.0800	----	----	----	3	----	0 - 16
574	----	----	0.2630B/----	0.2630B/0.2130A	----	0.2630 + 0.0800	----	----	----	1	----	0 - 15
575	----	----	0.2730B/----	0.2730B/0.2230A	----	0.2730 + 0.0805	----	----	----	2	----	0 - 156
576	----	----	0.2830B/----	0.2830B/0.2325A	----	0.2830 + 0.0810	----	----	----	1	----	0 - 22
577	0.2515	0.2515	0.2925B/0.2425A	0.2925B/0.2425A	----	0.2930 + 0.0810	----	----	----	1	----	0 - 19
578	----	----	0.3025B/----	0.3025B/0.2525A	----	0.3030 + 0.0810	----	----	----	2	----	0 - 33

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
APR26												
579	----	----	0.3125B/----	0.3125B/0.2625A	----	0.3130 + 0.0815	----	----	----	----	----	0 - 22
580	----	----	0.3225B/----	0.3225B/0.2725A	----	0.3230 + 0.0815	----	----	----	1	----	0 - 282
581	----	----	0.3325B/----	0.3325B/0.2825A	----	0.3330 + 0.0815	----	----	----	----	----	0 - 18
582	----	----	0.3425B/----	0.3425B/0.2925A	----	0.3430 + 0.0820	----	----	----	----	----	0 - 22
583	----	----	0.3525B/----	0.3525B/0.3025A	----	0.3530 + 0.0820	----	----	----	----	----	0 - 16
584	----	----	0.3625B/----	0.3625B/0.3160A	----	0.3630 + 0.0820	----	----	----	----	----	0 - 3
585	----	----	0.3725B/----	0.3725B/0.3225A	----	0.3730 + 0.0820	----	----	----	1	----	0 - 153
586	----	----	0.3825B/----	0.3825B/0.3325A	----	0.3830 + 0.0825	----	----	----	1	----	0 - 14
587	----	----	0.3925B/----	0.3925B/0.3425A	----	0.3930 + 0.0825	----	----	----	----	----	0 - 13
588	----	----	0.4025B/----	0.4025B/0.3525A	----	0.4030 + 0.0825	----	----	----	----	----	0 - 36
590	----	----	0.4225B/----	0.4225B/0.3725A	----	0.4230 + 0.0830	----	----	----	----	----	0 - 271
592	0.4520	0.4520	0.4520/0.4520	0.4520/0.3960A	----	0.4430 + 0.0830	----	----	----	1	----	0 - 2
593	----	----	0.4525B/----	0.4525B/0.4025A	----	0.4530 + 0.0830	----	----	----	1	----	0 - 5
595	----	----	0.4725B/----	0.4725B/0.4225A	----	0.4730 + 0.0835	----	----	----	----	----	0 - 48
596	----	----	0.4825B/----	0.4825B/0.4325A	----	0.4830 + 0.0835	----	----	----	----	----	0 - 6
597	----	----	0.4925B/----	0.4925B/0.4460A	----	0.4930 + 0.0835	----	----	----	----	----	0 - 1
598	----	----	0.5025B/----	0.5025B/0.4525A	----	0.5030 + 0.0835	----	----	----	----	----	0 - 16
599	----	----	0.5125B/----	0.5125B/0.4625A	----	0.5130 + 0.0835	----	----	----	----	----	0 - 6
600	----	----	0.5225B/----	0.5225B/0.4730A	----	0.5230 + 0.0835	----	----	----	----	----	0 - 272
602	----	----	0.5425B/----	0.5425B/0.4950A	----	0.5430 + 0.0835	----	----	----	----	----	0 - 20
603	----	----	0.5525B/----	0.5525B/0.5050A	----	0.5530 + 0.0835	----	----	----	----	----	0 - 7
604	----	----	0.5625B/----	0.5625B/0.5155A	----	0.5630 + 0.0835	----	----	----	----	----	0 - 16
605	----	----	0.5725B/----	0.5725B/0.5260A	----	0.5730 + 0.0835	.0000	----	----	----	----	0 - 18
606	----	----	0.5825B/----	0.5825B/0.5360A	----	0.5830 + 0.0835	----	----	----	----	----	0 - 10
607	----	----	0.5925B/----	0.5925B/0.5460A	----	0.5930 + 0.0835	----	----	----	----	----	0 - 1
608	----	----	0.6025B/----	0.6025B/0.5560A	----	0.6030 + 0.0835	----	----	----	----	----	0 - 43
609	----	----	0.6125B/----	0.6125B/0.5660A	----	0.6130 + 0.0835	----	----	----	----	----	0 - 7
610	----	----	0.6225B/----	0.6225B/0.5760A	----	0.6230 + 0.0835	----	----	----	----	----	0 - 31
611	----	----	0.6325B/----	0.6325B/0.5860A	----	0.6330 + 0.0835	----	----	----	----	----	0 - 1
612	----	----	0.6425B/----	0.6425B/0.5960A	----	0.6430 + 0.0835	----	----	----	----	----	0 - 11
613	----	----	0.6525B/----	0.6525B/0.6060A	----	0.6530 + 0.0835	----	----	----	----	----	0 - 1
615	----	----	0.6725B/----	0.6725B/0.6260A	----	0.6730 + 0.0835	----	----	----	----	----	0 - 7
620	----	----	0.7225B/----	0.7225B/0.6760A	----	0.7230 + 0.0835	----	----	----	----	----	0 - 2
625	----	----	0.7725B/----	0.7725B/0.7260A	----	0.7730 + 0.0835	----	----	----	----	----	0 - 1
628	----	----	0.8025B/----	0.8025B/0.7560A	----	0.8030 + 0.0835	----	----	----	----	----	0 - 5
630	----	----	0.8225B/----	0.8225B/0.7760A	----	0.8230 + 0.0835	----	----	----	----	----	0 - 1
650	----	----	1.0220B/----	1.0220B/0.9765A	----	1.0230 + 0.0835	----	----	----	----	----	0 - 5
TOTAL										283		0 - 12362
MAY26												
125	----	----	----	----/0.0100A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0040A	----	0.0005 UNCH	.0003	----	----	----	----	22 UNCH
330	----	----	----	----/0.0045A	----	0.0010 UNCH	.0026	----	----	----	----	1 UNCH
340	----	----	----	----/0.0040A	----	0.0010 - 0.0005	.0028	----	----	----	----	6 UNCH
350	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0041	----	----	----	----	5 UNCH
370	----	----	----	----/0.0085A	----	0.0030 - 0.0005	.0082	----	----	----	----	1 UNCH
390	----	----	----	----/0.0105A	----	0.0050 UNCH	.0138	----	----	----	----	2 UNCH
395	----	----	----	----/0.0115A	----	0.0055 - 0.0005	.0154	----	----	----	----	6 UNCH
400	----	----	----	0.0010B/0.0090A	----	0.0065 UNCH	.0180	----	----	----	----	112 UNCH
405	----	----	----	0.0005B/0.0130A	----	0.0070 + 0.0005	.0197	----	----	----	----	125 UNCH
410	----	----	----	0.0015B/0.0140A	----	0.0070 UNCH	.0204	----	----	----	----	23 UNCH
420	----	----	0.0085B/----	0.0085B/0.0100A	----	0.0080 UNCH	.0242	----	----	----	----	63 UNCH
425	----	----	----	0.0085B/0.0095A	----	0.0090 + 0.0005	.0273	----	----	----	----	48 UNCH
430	----	----	0.0095B/----	0.0095B/0.0100A	----	0.0095 + 0.0005	.0295	----	----	----	----	13 UNCH
435	----	----	0.0105B/----	0.0105B/0.0110A	----	0.0100 UNCH	.0318	----	----	----	----	13 UNCH
440	----	----	0.0115B/----	0.0115B/0.0110A	----	0.0110 + 0.0005	.0355	----	----	2	----	138 - 1
445	----	----	0.0135B/----	0.0135B/0.0125A	----	0.0120 + 0.0005	.0393	----	----	----	----	6 UNCH
450	----	----	0.0155B/----	0.0155B/0.0125A	----	0.0135 + 0.0010	.0445	----	----	105	----	827 + 20
455	----	----	0.0175B/----	0.0175B/0.0150A	----	0.0150 + 0.0010	.0499	----	----	----	----	20 UNCH
460	0.0170	0.0170	0.0205/0.0160	0.0205/0.0160	----	0.0165 + 0.0010	.0556	----	----	5	----	595 UNCH
465	----	----	0.0220B/----	0.0220B/0.0175A	----	0.0185 + 0.0015	.0628	----	----	----	----	27 UNCH
470	----	----	0.0245B/----	0.0245B/0.0200A	----	0.0205 + 0.0015	.0704	----	----	----	----	38 UNCH
475	0.0200	0.0200	0.0280B/0.0200	0.0280B/0.0200	----	0.0230 + 0.0020	.0796	----	----	1	----	185 UNCH
480	0.0225	0.0225	0.0330/0.0225	0.0330/0.0225	----	0.0255 + 0.0020	.0893	----	----	21	----	443 + 6
485	0.0310	0.0310	0.0355B/0.0310	0.0355B/0.0285A	----	0.0285 + 0.0025	.1007	----	----	46	----	70 + 20
490	0.0285	0.0285	0.0410B/0.0270	0.0410B/0.0270	----	0.0320 + 0.0025	.1138	----	----	32	----	257 + 16
495	0.0405	0.0405	0.0460B/0.0365	0.0460B/0.0360A	----	0.0365 + 0.0035	.1299	----	----	23	----	62 + 14
500	0.0425	0.0425	0.0535B/0.0380	0.0535B/0.0380	----	0.0425 + 0.0050	.1497	----	----	128	----	1971 + 75
505	0.0475	0.0475	0.0615B/0.0475	0.0615B/0.0475	----	0.0495 + 0.0065	.1721	----	----	23	----	176 - 1
510	0.0535	0.0535	0.0720B/0.0535	0.0720B/0.0535	----	0.0580 + 0.0090	.1980	----	----	28	----	325 + 14
515	0.0630	0.0630	0.0830B/0.0630	0.0830B/0.0625A	----	0.0680 + 0.0115	.2271	----	----	60	----	76 + 46
517	0.0675	0.0675	0.0880B/0.0675	0.0880B/0.0675	----	0.0725 + 0.0125	.2397	----	----	31	----	36 + 31
518	0.0735	0.0735	0.0910B/0.0685	0.0910B/0.0685	----	0.0750 + 0.0135	.2463	----	----	27	----	33 + 25
519	0.0705	0.0705	0.0935B/0.0705	0.0935B/0.0705	----	0.0770 + 0.0135	.2524	----	----	13	----	25 + 13
520	0.0765	0.0765	0.1000/0.0655	0.1000/0.0655	----	0.0795 + 0.0140	.2591	----	----	157	----	673 + 48
521	0.0805	0.0805	0.0990B/0.0750	0.0990B/0.0750	----	0.0820 + 0.0145	.2659	----	----	11	----	22 + 10
522	----	----	0.1020B/----	0.1020B/0.0775A	----	0.0845 + 0.0150	.2727	----	----	----	----	1 UNCH
524	----	----	0.1080B/----	0.1080B/0.0820A	----	0.0900 + 0.0165	.2870	----	----	1	----	5 UNCH
525	0.0890	0.0890	0.1115B/0.0820	0.1115B/0.0820	----	0.0930 + 0.0170	.2945	----	----	17	----	504 UNCH
526	0.1130	0.1130	0.1150B/0.1130	0.1150B/0.0875A	----	0.0955 + 0.0175	.3015	----	----	14	----	15 + 14
527	----	----	0.1180B/----	0.1180B/0.0895A	----	0.0985 + 0.0180	.3090	----	----	----	----	4 UNCH
530	0.0950	0.0950	0.1285B/0.0950	0.1285B/0.0950	----	0.1080 + 0.0200	.3322	----	----	23	----	552 + 6
531	----	----	0.1320B/----	0.1320B/0.0980A	----	0.1115 + 0.0205	.3403	----	----	----	----	3 UNCH
532	----	----	0.1360B/----	0.1360B/0.1015A	----	0.1150 + 0.0215	.3484	----	----	----	----	6 UNCH
533	----	----	0.1400B/----	0.1400B/0.1045A	----	0.1185 + 0.0220	.3565	----	----	----	----	1 UNCH
535	0.1190	0.1190	0.1480B/0.1190	0.1480B/0.1125A	----	0.1260 + 0.0235	.3731	----	----	15	----	128 - 5
536	----	----	0.1520B/----	0.1520B/0.1160A	----	0.1300 + 0.0245	.3816	----	----	----	----	1 UNCH
539	----	----	0.1650B/----	0.1650B/0.1265A	----	0.1425 + 0.0270	.4073	----	----	----	----	4 UNCH
540	0.1375	0.1375	0.1695B/0.1300A	0.1695B/0.1300A	----	0.1470 + 0.0280	.4160	----	----	254	----	336 + 141
541	----	----	0.1740B/----	0.1740B/0.1340A	----	0.1515 + 0.0290	.4247	----	----	----	----	10 UNCH
542	----	----	0.1785B/----	0.1785B/0.1380A	----	0.1560 + 0.0300	.4334	----	----	----	----	7 UNCH
544	0.1705	0.1705	0.1880B/0.1705	0.1880B/0.1460A	----	0.1655 NEW	.4509	----	----	2	----	1 + 1
545	0.1675	0.1675	0.1940B/0.1675	0.1940B/0.1500A	----	0.1705 + 0.0330	.4597	----	----	1	----	169 + 1
546	0.1690	0.1690	0.1975B/0.1545A	0.1975B/0.1545A	----	0.1755 + 0.0340	.4685	----	----	1	----	8 + 1
547	0.1675	0.1675	0.2035B/0.1585A	0.2035B/0.1585A	----	0.1810 + 0.0355	.4772	----	----	1	----	3 + 1
548	0.1715	0.1715	0.2085B/0.1635A	0.2085B/0.1635A	----	0.1860 + 0.0360	.4860	----	----	6	----	13 - 2
549	0.1780	0.1780	0.2135B/0.1780	0.2135B/0.1675A	----	0.1915 + 0.0375	.4947	----	----	1	----	8 + 1
550	0.1885	0.1885	0.2205B/0.1760	0.2205B/0.1720A	----	0.1970 + 0.0385	.5033	----	----	77	----	1218 - 42
551	0.1790	0.1790	0.2245B/0.1790	0.2245B/0.1770A	----	0.2025 + 0.0395	.5120	----	----	7	----	27 + 5
552	0.1840	0.1840	0.2315B/0.1840	0.2315B/0.1825A	----	0.2080 + 0.0405	.5207	----	----	12	----	14 + 7
553	----	----	0.2355B/----	0.2355B/0.1870A	----	0.2135 + 0.0410	.5292	----	----	----	----	11 UNCH
554	0.2045	0.2045	0.2410B/0.1925A	0.2410B/0.1925A	----	0.2195 + 0.0425	.5378	----	----	2	----	17 + 2
555	----	----	0.2470B/----	0.2470B/0.1970A	----	0.2255 + 0.0435	.5463	----	----	6	----	111 + 1
556	0.2070	0.2070	0.2535B/0.2020A	0.2535B/0.2020A	----	0.2315 + 0.0445	.5547	----	----	1	----	13 UNCH
557	----	----	0.2605B/----	0.2605B/0.2080A	----	0.2375 + 0.0455	.5631	----	----	----	----	12 UNCH
558	----	----	0.2660B/----	0.2660B/0.2140A	----	0.2435 + 0.0460	.5713	----	----	----	----	73 UNCH
559	----	----	0.2685B/----	0.2685B/0.2195A	----	0.2500 + 0.0475	.5797	----	----	----	----	12 UNCH
560	----	----	0.2785B/----	0.2785B/0.2240A	----	0.2560 + 0.0480	.5878	----	----	----	----	498 UNCH
561	----	----	0.2830B/----	0.2830B/0.2315A	----	0.2625 + 0.0490	.5958	----	----	----	----	5 UNCH
562	----	----	0.2860B/----	0.2860B/0.2395A	----	0.2690 + 0.0500	.6038	----	----	----	----	11 UNCH
563	----	----	0.2855B/----	0.2855B/0.2430A	----	0.2755 + 0.0505	.6118	----	----	----	----	4 UNCH
564	----	----	0.2925B/----	0.2925B/0.2495A	----	0.2820 + 0.0515	.6198	----	----	----	----	4 UNCH
565	0.2585	0.2585	0.3090B/0.2585	0.3090B/0.2550A	----	0.2885 + 0.0520	.6278	----	----	1	----	200 UNCH
567	----	----	0.3055B/----	0.3055B/0.2730A	----	0.3020 + 0.0535	.6434	----	----	----	----	1 UNCH
568	----	----	0.3160B/----	0.3160B/0.2785A	----	0.3090 + 0.0540	.6509	----	----	----	----	6 UNCH
569	----	----	0.3195B/----	0.3195B/0.2865A	----	0.3160 + 0.0550	.6584	----	----	----	----	7 UNCH
570	----	----	0.3445B/----	0.3445B/0.2880A	----	0.3230 + 0.0555	.6658	----	----	6	----	577 + 5
571	----	----	0.3335B/----	0.3335B/0.3025A	----	0.3300 + 0.0560	.6733	----	----	----	----	5 UNCH
572	----	----	0.3430B/----	0.3430B/0.3095A	----	0.3375 + 0.0570	.6802	----	----	----	----	5 UNCH
573	----	----	0.3500B/----	0.3500B/0.3220A	----	0.3445 + 0.0575	.6876	----	----	----	----	4 UNCH
575	----	----	0.3790B/----	0.3790B/0.3255A	----	0.3590 + 0.0585	.7013	----	----	----	----	294 UNCH
576	----	----	0.3725B/----	0.3725B/0.3500A	----	0.3665 + 0.0590	.7080	----	----	----	----	3 UNCH
577	----	----	0.3800B/----	0.3800B/0.3575A	----	0.3740 + 0.0595	.7148	----	----	----	----	3 UNCH
578	----	----	0.3880B/----	0.3880B/0.3640A	----	0.3820 + 0.0605	.7216	----	----	----	----	25 UNCH
579	----	----	0.3930B/----	0.3930B/0.3715A	----	0.3895 + 0.0610	.7276	----	----	----	----	8 UNCH
580	----	----	0.4165B/----	0.4165B/0.3615A	----	0.3975 + 0.0620	.7343	----	----	80	----	283 + 68
581	----	----	0.4090B/----	0.4090B/0.3865A	----	0.4050 + 0.0620	.7403	----	----	----	----	20 UNCH
582	----	----	0.4165B/----	0.4165B/0.3940A	----	0.4130 + 0.0630	.7462	----	----	----	----	8 UNCH
583	----	----	0.4265B/----	0.4265B/0.4020A	----	0.4210 + 0.0635	.7522	----	----	----	----	1 UNCH
584	----	----	0.4345B/----	0.4345B/0.4100A	----	0.4290 + 0.0640	.7581	----	----	----	----	4 UNCH
585	----	----	0.4525B/----	0.4525B/0.3985A	----	0.4375 + 0.0650	.7631	----	----	----	----	188 UNCH
586	----	----	0.4510B/----	0.4510B/0.4255A	----	0.4455 + 0.0655	.7690	----	----	----	----	3 UNCH
587	----	----	0.4590B/----	0.4590B/0.4330A	----	0.4540 + 0.0660	.7739	----	----	----	----	3 UNCH
588	----	----	0.4670B/----	0.4670B/0.4410A	----	0.4620 + 0.0665	.7797	----	----	----	----	2 UNCH
589	----	----	0.4755B/----	0.4755B/0.4490A	----	0.4705 + 0.0670	.7847	----	----	----	----	2 UNCH
590	----	----	0.4930B/----	0.4930B/0.4470A	----	0.4790 + 0.0675	.7895	----	----	----	----	144 UNCH
591	----	----	0.4920B/----	0.4920B/0.4650A	----	0.4875 + 0.0685	.7944	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT	COMEX COPPER OPTIONS										
MAY26											
592 ----	----	0.5010B/----	0.5010B/0.4725A	----	0.4955 + 0.0685	.7992	----	----	----	----	50 UNCH
594 ----	----	0.5175B/----	0.5175B/0.4895A	----	0.5125 + 0.0690	.8088	----	----	----	----	1 UNCH
595 ----	----	0.5265B/----	0.5265B/0.4975A	----	0.5210 + 0.0695	.8136	----	----	----	----	32 UNCH
597 ----	----	0.5430B/----	0.5430B/0.5145A	----	0.5380 + 0.0700	.8231	----	----	----	----	1 UNCH
598 ----	----	0.5515B/----	0.5515B/0.5230A	----	0.5470 + 0.0710	.8278	----	----	----	----	1 UNCH
600 ----	----	0.5850B/----	0.5850B/0.5220A	----	0.5640 + 0.0710	.8362	----	----	----	----	505 UNCH
602 ----	----	0.5865B/----	0.5865B/0.5570A	----	0.5820 + 0.0720	.8434	----	----	----	----	1 UNCH
603 ----	----	0.5950B/----	0.5950B/0.5685A	----	0.5910 + 0.0725	.8481	----	----	----	----	1 UNCH
604 ----	----	0.6040B/----	0.6040B/0.5745A	----	0.6000 + 0.0730	.8517	----	----	----	----	2 UNCH
605 ----	----	0.6105B/----	0.6105B/0.5825A	----	0.6090 + 0.0735	.8552	----	----	----	----	37 UNCH
610 ----	----	0.6555B/----	0.6555B/0.6270A	----	0.6540 + 0.0750	.8715	----	----	----	----	42 UNCH
615 ----	----	0.7035B/----	0.7035B/0.6725A	----	0.7000 + 0.0765	.8861	----	----	----	----	1 UNCH
619 ----	----	0.7400B/----	0.7400B/0.7090A	----	0.7370 + 0.0775	.8971	----	----	----	----	1 UNCH
620 ----	----	0.7495B/----	0.7495B/0.7180A	----	0.7465 + 0.0780	.8991	----	----	----	----	3 UNCH
645 ----	----	----	----	----	0.9855 + 0.0825	.9411	----	----	----	----	1 UNCH
TOTAL									1241		12740 + 541
JUN26											
355 ----	----	----	0.0010B/0.0140A	----	0.0045 + 0.0005	.0105	----	----	----	----	10 UNCH
370 ----	----	----	0.0025B/0.0160A	----	0.0065 + 0.0010	.0151	----	----	----	----	1 UNCH
400 ----	----	0.0105B/----	0.0105B/0.0165A	----	0.0110 + 0.0015	.0266	----	----	----	----	2 UNCH
420 ----	----	0.0160B/----	0.0160B/0.0210A	----	0.0170 + 0.0025	.0411	----	----	----	----	3 UNCH
430 ----	----	0.0200B/----	0.0200B/0.0230A	----	0.0205 + 0.0025	.0499	----	----	----	----	1 UNCH
435 ----	----	0.0225B/----	0.0225B/0.0250A	----	0.0230 + 0.0030	.0557	----	----	----	----	2 UNCH
440 ----	----	0.0255B/----	0.0255B/0.0285A	----	0.0255 + 0.0030	.0617	----	----	----	----	3 UNCH
445 ----	----	0.0285B/----	0.0285B/0.0300A	----	0.0285 + 0.0035	.0687	----	----	----	----	2 UNCH
450 ----	----	0.0345B/----	0.0345B/0.0315A	----	0.0315 + 0.0035	.0759	----	----	----	----	409 UNCH
455 ----	----	0.0385B/----	0.0385B/0.0345A	----	0.0350 + 0.0040	.0841	----	----	----	----	2 UNCH
460 ----	----	0.0430B/----	0.0430B/0.0380A	----	0.0385 + 0.0035	.0925	----	----	----	----	28 UNCH
465 ----	----	0.0475B/----	0.0475B/0.0415A	----	0.0425 + 0.0040	.1019	----	----	----	----	16 UNCH
470 0.0455	0.0455	0.0530B/0.0455	0.0530B/0.0455	----	0.0475 + 0.0045	.1131	----	----	1	----	7 UNCH
475 ----	----	0.0590B/----	0.0590B/0.0505A	----	0.0525 + 0.0050	.1245	----	----	----	----	103 UNCH
480 ----	----	0.0655B/----	0.0655B/0.0560A	----	0.0585 + 0.0055	.1376	----	----	57	----	2062 - 2
485 ----	----	0.0730B/----	0.0730B/0.0620A	----	0.0650 + 0.0065	.1517	----	----	----	----	5 UNCH
490 ----	----	0.0810B/----	0.0810B/0.0685A	----	0.0725 + 0.0075	.1674	----	----	----	----	41 UNCH
495 ----	----	0.0895B/----	0.0895B/0.0760A	----	0.0805 + 0.0085	.1841	----	----	5	----	8 UNCH
500 0.0835	0.0835	0.1005B/0.0835	0.1005B/0.0835	----	0.0895 + 0.0095	.2022	----	----	5	----	560 UNCH
505 0.0980	0.0980	0.1120B/0.0980	0.1120B/0.0935A	----	0.1000 + 0.0115	.2223	----	----	4	----	516 + 3
510 ----	----	0.1235B/----	0.1235B/0.1030A	----	0.1115 + 0.0135	.2436	----	----	51	----	71 + 46
515 ----	----	0.1370B/----	0.1370B/0.1140A	----	0.1245 + 0.0160	.2666	----	----	----	----	26 UNCH
520 ----	----	0.1520B/----	0.1520B/0.1265A	----	0.1385 + 0.0185	.2907	----	----	----	----	25 UNCH
525 0.1450	0.1450	0.1695B/0.1445	0.1695B/0.1410A	----	0.1545 + 0.0220	.3163	----	----	16	----	252 + 2
530 ----	----	0.1865B/----	0.1865B/0.1555A	----	0.1720 + 0.0255	.3431	----	----	----	----	128 UNCH
535 ----	----	0.2065B/----	0.2065B/0.1720A	----	0.1910 + 0.0295	.3707	----	----	----	----	21 UNCH
540 ----	----	0.2270B/----	0.2270B/0.1910A	----	0.2120 + 0.0335	.3992	----	----	----	----	44 UNCH
542 ----	----	0.2355B/----	0.2355B/0.1985A	----	0.2210 + 0.0350	.4107	----	----	----	----	1 UNCH
543 ----	----	0.2400B/----	0.2400B/0.2030A	----	0.2255 + 0.0355	.4165	----	----	----	----	10 UNCH
545 0.2250	0.2250	0.2495B/0.2250	0.2495B/0.2105A	----	0.2345 + 0.0370	.4280	----	----	6	----	34 - 3
550 0.2460	0.2460	0.2740B/0.2460	0.2740B/0.2320A	----	0.2585 + 0.0395	.4572	----	----	5	----	137 - 5
551 ----	----	0.2795B/----	0.2795B/0.2375A	----	0.2635 + 0.0400	.4630	----	----	----	----	90 UNCH
555 0.2705	0.2705	0.2975B/0.2705	0.2975B/0.2565A	----	0.2840 + 0.0420	.4864	----	----	5	----	10 + 5
557 ----	----	0.3090B/----	0.3090B/0.2675A	----	0.2940 NEW	.4981	----	----	2	----	2 + 2
565 ----	----	0.3550B/----	0.3550B/0.3080A	----	0.3385 + 0.0465	.5446	----	----	----	----	140 UNCH
570 ----	----	0.3845B/----	0.3845B/0.3390A	----	0.3680 + 0.0500	.5731	----	----	----	----	5 UNCH
575 ----	----	0.4160B/----	0.4160B/0.3695A	----	0.4000 + 0.0540	.6007	----	----	----	----	60 UNCH
580 ----	----	0.4480B/----	0.4480B/0.4065A	----	0.4340 + 0.0580	.6270	----	----	----	----	15 UNCH
585 ----	----	0.4790B/----	0.4790B/0.4405A	----	0.4690 + 0.0605	.6521	----	----	----	----	1 UNCH
590 ----	----	0.5160B/----	0.5160B/0.4750A	----	0.5055 + 0.0625	.6762	----	----	----	----	2 UNCH
600 ----	----	0.5950B/----	0.5950B/0.5480A	----	0.5805 + 0.0655	.7212	----	----	----	----	15 UNCH
605 ----	----	0.6340B/----	0.6340B/0.5860A	----	0.6195 + 0.0675	.7425	----	----	----	----	48 UNCH
610 ----	----	0.6665B/----	0.6665B/0.6250A	----	0.6595 + 0.0695	.7626	----	----	----	----	20 UNCH
615 ----	----	0.6640B/----	0.6640B/0.7130A	----	0.7005 + 0.0715	.7813	----	----	----	----	31 UNCH
620 ----	----	0.7065B/----	0.7065B/0.7535A	----	0.7425 + 0.0725	.7979	----	----	----	----	9 UNCH
630 ----	----	0.7925B/----	0.7925B/0.8370A	----	0.8285 + 0.0735	.8285	----	----	----	----	9 UNCH
645 ----	----	----	----	----	0.9625 + 0.0750	.8652	----	----	----	----	1 UNCH
650 ----	----	----	----	----	1.0085 + 0.0760	.8762	----	----	----	----	3 UNCH
655 ----	----	----	----	----	1.0545 + 0.0760	.8854	----	----	----	----	1 UNCH
700 ----	----	----	----	----	1.4830 + 0.0805	.9417	----	----	----	----	1 UNCH
TOTAL									157		4993 + 48
JUL26											
350 ----	----	----	0.0040B/0.0180A	----	0.0095 UNCH	.0182	----	----	----	----	5 UNCH
380 ----	----	----	0.0120B/0.0205A	----	0.0150 + 0.0005	.0298	----	----	----	----	2 UNCH
390 ----	----	----	0.0150B/0.0225A	----	0.0175 + 0.0010	.0351	----	----	----	----	6 UNCH
400 ----	----	0.0195B/----	0.0195B/0.0255A	----	0.0205 + 0.0015	.0415	----	----	----	----	33 UNCH
415 ----	----	----	0.0235B/0.0300A	----	0.0260 + 0.0020	.0533	----	----	----	----	47 UNCH
420 ----	----	----	0.0265B/0.0325A	----	0.0285 + 0.0020	.0584	----	----	----	----	2 UNCH
425 ----	----	0.0290B/----	0.0290B/0.0350A	----	0.0315 + 0.0030	.0642	----	----	----	----	45 UNCH
430 ----	----	0.0320B/----	0.0320B/0.0380A	----	0.0345 + 0.0030	.0703	----	----	----	----	2 UNCH
435 ----	----	0.0350B/----	0.0350B/0.0410A	----	0.0380 + 0.0035	.0771	----	----	----	----	1 UNCH
450 ----	----	0.0500B/----	0.0500B/0.0525A	----	0.0510 + 0.0045	.1015	----	----	----	----	1650 UNCH
455 ----	----	0.0545B/----	0.0545B/0.0570A	----	0.0560 + 0.0050	.1109	----	----	----	----	6 UNCH
460 ----	----	0.0605B/----	0.0605B/0.0620A	----	0.0615 + 0.0055	.1210	----	----	----	----	1 UNCH
470 ----	----	0.0745B/----	0.0745B/0.0740A	----	0.0745 + 0.0065	.1440	----	----	----	----	2 UNCH
475 ----	----	0.0855B/----	0.0855B/0.0805A	----	0.0815 + 0.0070	.1564	----	----	----	----	177 UNCH
480 ----	----	0.0910B/----	0.0910B/0.0880A	----	0.0895 + 0.0080	.1701	----	----	----	----	68 UNCH
490 ----	----	0.1155B/----	0.1155B/0.1035A	----	0.1080 + 0.0105	.2004	----	----	----	----	510 UNCH
495 ----	----	0.1215B/----	0.1215B/0.1150A	----	0.1185 + 0.0120	.2169	----	----	----	----	96 UNCH
500 0.1190	0.1190	0.1395B/0.1190	0.1395B/0.1190	----	0.1305 + 0.0140	.2349	----	----	25	----	2500 + 25
505 ----	----	0.1475B/----	0.1475B/0.1375A	----	0.1430 + 0.0160	.2534	----	----	----	----	2 UNCH
510 ----	----	0.1620B/----	0.1620B/0.1500A	----	0.1570 + 0.0180	.2732	----	----	----	----	31 UNCH
520 0.1995	0.1995	0.1995/0.1995	0.1995/0.1770A	----	0.1890 + 0.0225	.3154	----	----	1	----	630 + 1
525 ----	----	0.2175B/----	0.2175B/0.1930A	----	0.2070 + 0.0250	.3376	----	----	----	----	496 UNCH
530 ----	----	0.2370B/----	0.2370B/0.2110A	----	0.2265 + 0.0280	.3604	----	----	----	----	3209 UNCH
535 ----	----	0.2535B/----	0.2535B/0.2310A	----	0.2470 + 0.0305	.3836	----	----	----	----	1 UNCH
540 ----	----	0.2810B/----	0.2810B/0.2500A	----	0.2690 + 0.0330	.4072	----	----	----	----	429 UNCH
550 ----	----	0.3280B/----	0.3280B/0.2940A	----	0.3175 + 0.0385	.4550	----	----	----	----	156 UNCH
560 ----	----	0.3805B/----	0.3805B/0.3435A	----	0.3705 + 0.0435	.5027	----	----	----	----	10 UNCH
565 ----	----	0.4105B/----	0.4105B/0.3705A	----	0.3990 + 0.0460	.5262	----	----	----	----	7 UNCH
570 ----	----	0.4385B/----	0.4385B/0.3985A	----	0.4290 + 0.0485	.5494	----	----	----	----	30 UNCH
580 ----	----	0.5040B/----	0.5040B/0.4585A	----	0.4920 + 0.0530	.5945	----	----	----	----	1735 UNCH
585 ----	----	0.5330B/----	0.5330B/0.4965A	----	0.5250 + 0.0550	.6161	----	----	----	----	21 UNCH
590 ----	----	0.5665B/----	0.5665B/0.5295A	----	0.5590 + 0.0565	.6372	----	----	----	----	21 UNCH
595 ----	----	0.6000B/----	0.6000B/0.5645A	----	0.5940 + 0.0585	.6577	----	----	----	----	1 UNCH
600 ----	----	0.6385B/----	0.6385B/0.5995A	----	0.6305 + 0.0605	.6774	----	----	----	----	10 UNCH
610 ----	----	0.7150B/----	0.7150B/0.6730A	----	0.7050 + 0.0630	.7147	----	----	----	----	47 UNCH
615 ----	----	0.7550B/----	0.7550B/0.7115A	----	0.7440 + 0.0645	.7323	----	----	----	----	10 UNCH
700 ----	----	----	----	----	1.4980 + 0.0785	.9083	----	----	----	----	1 UNCH
705 ----	----	----	----	----	1.5460 + 0.0795	.9131	----	----	----	----	1 UNCH
TOTAL									26		12001 + 26
AUG26											
405 ----	----	----	0.0235B/0.0395A	----	0.0325 + 0.0050	.0564	----	----	----	----	3 UNCH
420 ----	----	----	0.0335B/0.0480A	----	0.0410 + 0.0060	.0712	----	----	----	----	1 UNCH
440 ----	----	0.0525B/----	0.0525B/0.0630A	----	0.0585 + 0.0090	.0993	----	----	----	----	7 UNCH
450 ----	----	0.0650B/----	0.0650B/0.0725A	----	0.0705 + 0.0115	.1173	----	----	----	----	4 UNCH
480 ----	----	0.1145B/----	0.1145B/0.1150A	----	0.1170 + 0.0160	.1840	----	----	----	----	4 UNCH
500 ----	----	0.1615B/----	0.1615B/0.1560A	----	0.1610 + 0.0190	.2418	----	----	----	----	3 UNCH
510 ----	----	0.1910B/----	0.1910B/0.1820A	----	0.1885 + 0.0210	.2750	----	----	----	----	1 UNCH
520 ----	----	0.2235B/----	0.2235B/0.2120A	----	0.2200 + 0.0230	.3108	----	----	----	----	300 UNCH
530 ----	----	0.2615B/----	0.2615B/0.2460A	----	0.2560 + 0.0260	.3489	----	----	----	----	1 UNCH
580 ----	----	0.5195B/----	0.5195B/0.4835A	----	0.5050 + 0.0425	.5522	----	----	----	----	250 UNCH
585 ----	----	0.5505B/----	0.5505B/0.5125A	----	0.5360 + 0.0440	.5719	----	----	----	----	5 UNCH
590 ----	----	0.5760B/----	0.5760B/0.5435A	----	0.5680 + 0.0460	.5912	----	----	----	----	14 UNCH
TOTAL											593
SEP26											
400 ----	----	----	0.0270B/0.0470A	----	0.0340 + 0.0020	.0565	----	----	----	----	1 UNCH
450 ----	----	0.0800B/----	0.0800B/0.0930A	----	0.0845 + 0.0065	.1290	----	----	----	----	578 UNCH
470 ----	----	0.1160B/----	0.1160B/0.1250A	----	0.1195 + 0.0110	.1733	----	----	----	----	3 UNCH
475 ----	----	0.1265B/----	0.1265B/0.1340A	----	0.1300 + 0.0130	.1858	----	----	----	----	70 UNCH
480 ----	----	0.1385B/----	0.1385B/0.1440A	----	0.1410 + 0.0155	.1988	----	----	----	----	7 UNCH
490 ----	----	0.1545B/----	0.1545B/0.1730A	----	0.1645 + 0.0195	.2261	----	----	----	----	9 UNCH
500 ----	----	0.1810B/----	0.1810B/0.1985A	----	0.1915 + 0.0245	.2557	----	----	----	----	504 UNCH
520 ----	----	0.2480B/----	0.2480B/0.2590A	----	0.2565 + 0.0335	.3210	----	----	----	----	8 UNCH
540 ----	----	0.3415B/----	0.3415B/0.3275A	----	0.3375 + 0.0370	.3923	----	----	----	----	1 UNCH
550 ----	----	0.3885B/----	0.3885B/0.3715A	----	0.3840 + 0.0380	.4292	----	----	----	----	20 UNCH
575 ----	----	0.5230B/----	0.5230B/0.4985A	----	0.5175 + 0.0420	.5216	----	----	----	----	102 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 92

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX PUT		COMEX COPPER OPTIONS											
SEP26													
590	----	----	0.6115B/----	0.6115B/0.5860A	----	0.6090 + 0.0475	.5750	----	----	----	----	2	UNCH
600	----	----	0.6770B/----	0.6770B/0.6545A	----	0.6745 + 0.0515	.6091	----	----	----	----	9	UNCH
610	----	----	0.7460B/----	0.7460B/0.7215A	----	0.7435 + 0.0555	.6414	----	----	----	----	6	UNCH
625	----	----	0.8575B/----	0.8575B/0.8290A	----	0.8530 + 0.0605	.6867	----	----	----	----	147	UNCH
695	----	----	----	----	----	1.4385 + 0.0705	.8369	----	----	----	----	2	UNCH
TOTAL												1469	
OCT26													
375	----	----	----	0.0125B/0.0460A	----	0.0285 + 0.0015	.0425	----	----	----	----	2	UNCH
400	----	----	----	0.0255B/0.0580A	----	0.0420 + 0.0025	.0621	----	----	----	----	1	UNCH
450	----	----	----	0.0830B/0.1095A	----	0.0970 + 0.0085	.1319	----	----	----	----	1	UNCH
470	----	----	----	0.1195B/0.1430A	----	0.1335 + 0.0115	.1729	----	----	----	----	1	UNCH
500	----	----	----	0.1890B/0.2180A	----	0.2050 + 0.0150	.2470	----	----	----	----	110	UNCH
TOTAL												115	
NOV26													
400	----	----	----	0.0310B/0.0720A	----	0.0525 + 0.0035	.0711	----	----	----	----	10	UNCH
475	----	----	----	0.1510B/0.1815A	----	0.1690 + 0.0135	.1964	----	----	----	----	2	UNCH
735	----	----	----	----	----	1.7730 + 0.0695	.8285	----	----	----	----	2	UNCH
TOTAL												14	
DEC26													
385	----	----	----	0.0245B/0.0725A	----	0.0495 + 0.0035	.0636	----	----	----	----	1	UNCH
400	----	----	----	0.0380B/0.0845A	----	0.0625 + 0.0045	.0789	----	----	----	----	14	UNCH
455	----	----	----	0.1230B/0.1620A	----	0.1445 + 0.0120	.1636	----	----	----	----	1	UNCH
475	----	----	----	0.1690B/0.2060A	----	0.1905 + 0.0155	.2054	----	----	----	----	77	UNCH
490	----	----	----	0.2105B/0.2455A	----	0.2320 + 0.0190	.2405	----	----	----	----	5	UNCH
500	----	----	----	0.2415B/0.2750A	----	0.2630 + 0.0215	.2653	----	----	----	----	53	UNCH
550	----	----	0.4470B/----	0.4470B/0.4630A	----	0.4665 + 0.0405	.4027	----	----	----	----	2	UNCH
560	----	----	0.4980B/----	0.4980B/0.5100A	----	0.5170 + 0.0445	.4314	----	----	----	----	300	UNCH
570	----	----	0.5515B/----	0.5515B/0.5605A	----	0.5700 + 0.0475	.4600	----	----	----	----	1	UNCH
580	----	----	0.6085B/----	0.6085B/0.6135A	----	0.6260 + 0.0505	.4881	----	----	----	----	2	UNCH
600	----	----	0.7295B/----	0.7295B/0.7310A	----	0.7460 + 0.0540	.5429	----	----	----	----	26	UNCH
630	----	----	0.9320B/----	0.9320B/0.9385A	----	0.9450 + 0.0595	.6197	----	----	----	----	18	UNCH
TOTAL												500	
JAN27													
400	----	----	----	----	----	0.0750 + 0.0060	.0845	----	----	----	----	8	UNCH
TOTAL												8	
FEB27													
400	----	----	----	----	----	0.0650 + 0.0060	.0779	----	----	----	----	2	UNCH
TOTAL												2	
MAR27													
275	----	----	----	----	----	0.0200 + 0.0015	.0203	----	----	----	----	1	UNCH
TOTAL												1	
HXE CALL		COPPER OPTIONS											
MAR26													
500	----	----	----/0.4660A	0.5240B/0.4660A	----	0.4775 - 0.0840	.0000	----	----	----	----	1	UNCH
546	0.0360	0.0360	0.0360/*0.0345	0.0825B/*0.0345	----	0.0550 - 0.0660	.5854	----	----	20	----	21 +	20
547	0.0355	0.0355	0.0360/0.0355	0.0750B/0.0355	----	0.0495 NEW	.5372	----	----	10	----	10 +	10
549	0.0250	0.0250	0.0285/*0.0250	0.0620B/*0.0250	----	0.0390 NEW	.4384	----	----	10	----	10 +	10
550	0.0270	0.0270	0.0270/*0.0250A	0.0555B/*0.0250	----	0.0345 - 0.0570	.3894	----	----	10	----	12 +	9
552	0.0140	0.0140	0.0140/*0.0140	0.0440B/*0.0140	----	0.0270 NEW	.2986	----	----	1	----	1 +	1
553	0.0220	0.0220	0.0220/*0.0205A	0.0395B/*0.0205	----	0.0235 NEW	.2561	----	----	1	----	1 +	1
560	----	----	----/0.0180A	0.0110B/0.0180A	----	0.0080 - 0.0290	.0632	----	----	----	----	25	UNCH
562	----	----	----/0.0175A	0.0055B/0.0175A	----	0.0055 - 0.0245	.0370	----	----	----	----	5	UNCH
565	----	----	----/0.0150A	0.0045B/0.0150A	----	0.0030 - 0.0185	.0149	----	----	----	----	150	UNCH
567	----	----	----/0.0135A	0.0015B/0.0135A	----	0.0020 - 0.0150	.0078	----	----	1	----	0 -	1
570	0.0080	0.0080	0.0080/0.0080	0.0080/0.0080	----	0.0010 - 0.0105	.0025	----	----	1	----	35 +	1
580	----	----	----	----/0.0100A	----	0.0005 - 0.0035	.0000	----	----	----	----	26	UNCH
590	----	----	----	----/*0.0020A	----	0.0005 - 0.0010	----	----	----	----	----	1	UNCH
594	----	----	----	----/0.0095A	----	0.0005 - 0.0005	----	----	----	----	----	1	UNCH
600	----	----	----	----/*0.0020A	----	0.0005 UNCH	----	----	----	----	----	10	UNCH
620	----	----	----	----/0.0085A	----	0.0005 UNCH	----	----	----	----	----	7	UNCH
TOTAL										54		316 +	51
APR26													
555	----	----	----/0.1020A	0.1170B/0.1020A	----	0.0995 - 0.0410	.4216	----	----	----	----	1	UNCH
567	----	----	----/0.0650A	0.0675B/0.0650A	----	0.0580 - 0.0300	.2842	----	----	----	----	3	UNCH
574	----	----	----/0.0720A	0.0720B/0.0720A	----	0.0635 - 0.0290	.2655	----	----	----	----	1	UNCH
575	----	----	----/0.0485A	0.0460B/0.0485A	----	0.0425 - 0.0210	.2164	----	----	----	----	5	UNCH
580	----	----	----/0.0600A	0.0570B/0.0600A	----	0.0535 - 0.0220	.2269	----	----	----	----	5	UNCH
589	----	----	----/0.0310A	0.0230B/0.0310A	----	0.0245 - 0.0115	.1308	----	----	----	----	2	UNCH
630	----	----	----	0.0025B/0.0145A	----	0.0065 - 0.0010	.0341	----	----	----	----	2	UNCH
640	----	----	----	0.0060B/0.0165A	----	0.0100 - 0.0030	.0454	----	----	----	----	3	UNCH
670	----	----	----	----/0.0125A	----	0.0045 - 0.0010	.0205	----	----	----	----	3	UNCH
TOTAL												25	
HXE PUT		COPPER OPTIONS											
MAR26													
518	----	----	----	----/0.0100A	----	0.0005 UNCH	.0006	----	----	----	----	1	UNCH
520	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0010 UNCH	.0018	----	----	1	----	73 +	1
525	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0030A	----	0.0020 + 0.0005	.0061	----	----	1	----	11	UNCH
530	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0045 + 0.0015	.0226	----	----	1	----	123 +	1
534	0.0060	0.0060	0.0060/*0.0060	0.0060/*0.0060	----	0.0085 NEW	.0586	----	----	1	----	1 +	1
535	----	----	----	0.0020B/0.0145A	----	0.0095 + 0.0040	.0701	----	----	----	----	3	UNCH
540	0.0200	0.0200	0.0225/*0.0150	0.0225/*0.0150	----	0.0190 + 0.0095	.1806	----	----	17	----	95 -	5
542	0.0200	0.0200	0.0200/0.0200	0.0200/0.0200	----	0.0240 NEW	.2450	----	----	1	----	1 +	1
545	0.0250	0.0250	0.0290B/0.0250	0.0290B/0.0250	----	0.0340 NEW	.3681	----	----	1	----	1 +	1
547	0.0260	0.0260	0.0390B/*0.0260	0.0390B/*0.0260	----	0.0425 NEW	.4627	----	----	3	----	3 +	3
550	----	----	0.0580B/----	0.0580B/0.0400A	----	0.0575 + 0.0270	.6104	----	----	----	----	7	UNCH
554	----	----	0.0880B/----	0.0880B/0.0570A	----	0.0835 + 0.0385	.7820	----	----	2	----	2	UNCH
555	----	----	0.0965B/----	0.0965B/0.0620A	----	0.0905 + 0.0410	.8187	----	----	----	----	0	UNCH
556	----	----	0.1055B/----	0.1055B/0.0720A	----	0.0980 + 0.0440	.8504	----	----	2	----	2	UNCH
563	----	----	0.1720B/----	0.1720B/0.1210A	----	0.1575 + 0.0615	.9723	----	----	----	----	1	UNCH
568	0.1800	0.1800	0.2195B/0.1650A	0.2195B/0.1650A	----	0.2045 + 0.0705	.9949	----	----	1	----	1	UNCH
575	----	----	0.2880B/----	0.2880B/0.2315A	----	0.2735 + 0.0780	.9997	----	----	----	----	3	UNCH
585	----	----	0.3870B/----	0.3870B/0.3300A	----	0.3735 + 0.0820	.0000	----	----	----	----	1	UNCH
TOTAL										31		329 +	3
APR26													
470	----	----	0.0040B/----	0.0040B/0.0145A	----	0.0040 + 0.0005	.0206	----	----	----	----	2	UNCH
490	----	----	0.0215B/----	0.0215B/0.0260A	----	0.0210 + 0.0030	.0872	----	----	----	----	2	UNCH
510	----	----	0.0455B/----	0.0455B/0.0420A	----	0.0425 + 0.0065	.1696	----	----	----	----	25	UNCH
550	0.1380	0.1380	0.1550B/0.1380	0.1550B/0.1245A	----	0.1470 + 0.0400	.5158	----	----	3	----	2 +	1
551	----	----	0.1605B/----	0.1605B/0.1295A	----	0.1520 + 0.0410	.5281	----	----	----	----	1	UNCH
555	----	----	0.1790B/----	0.1790B/0.1485A	----	0.1725 + 0.0430	.5779	----	----	----	----	1	UNCH
570	----	----	0.2865B/----	0.2865B/0.2475A	----	0.2745 + 0.0575	.7429	----	----	1	----	1	UNCH
TOTAL										4		34 +	1

ALUMINIUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL		NYMEX PALLADIUM OPTIONS											
MAY26													
1575	----	----	----/27.10A	26.40B/27.10A	----	19.60 - 16.90	.1785	----	----	----	----	5	UNCH
1585	----	----	----/26.10A	24.50B/26.10A	----	18.60 - 15.80	.1698	----	----	----	----	1	UNCH
1600	----	----	----/24.70A	21.90B/24.70A	----	17.20 - 14.40	.1576	----	----	----	----	31	UNCH
1800	----	----	----	3.70B/*15.20A	----	5.70 - 4.60	.0554	----	----	----	----	4	UNCH
1900	----	----	----	----/*13.10A	----	3.50 - 2.80	.0342	----	----	----	----	20	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 93

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1925	----	----	----	----/*12.70A	----	3.10 - 2.50	.0303	----	----	----	----	10 UNCH
1950	----	----	----	----/*12.30A	----	2.70 - 2.30	.0265	----	----	----	----	40 UNCH
2475	----	----	----	----/9.00A	----	0.60 - 0.40	.0052	----	----	----	----	100 UNCH
TOTAL												211 0
JUN26												
1400	----	----	----/107.80A	131.30B/107.80A	----	101.20 - 38.00	.4877	----	----	----	----	75 UNCH
1460	----	----	----/87.50A	105.10B/87.50A	----	80.20 - 33.20	.4132	----	----	----	----	25 UNCH
1500	----	----	----/76.10A	89.80B/76.10A	----	68.50 - 30.30	.3674	----	----	----	----	60 UNCH
1525	----	----	----/69.80A	81.10B/69.80A	----	62.10 - 28.50	.3408	----	----	----	----	5 UNCH
1550	----	----	----/64.20A	73.10B/64.20A	----	56.40 - 26.70	.3158	----	----	----	----	10 UNCH
1575	----	----	----/59.30A	65.70B/59.30A	----	51.30 - 24.90	.2926	----	----	----	----	15 UNCH
1655	----	----	----/47.00A	46.60B/47.00A	----	38.70 - 19.10	.2303	----	----	----	----	1 UNCH
1750	----	----	----/37.40A	31.50B/37.40A	----	28.90 - 13.10	.1766	----	----	----	----	10 UNCH
1800	----	----	----/33.70A	26.00B/33.70A	----	25.20 - 10.50	.1550	----	----	----	----	110 UNCH
1850	----	----	----	21.60B/30.80A	----	22.20 - 8.30	.1371	----	----	----	----	2 UNCH
1900	----	----	----	18.00B/28.40A	----	19.70 - 6.60	.1218	----	----	----	----	64 UNCH
1925	----	----	----	16.50B/27.30A	----	18.60 - 5.80	.1151	----	----	----	----	40 UNCH
1950	----	----	----	15.10B/26.40A	----	17.60 - 5.20	.1089	----	----	----	----	10 UNCH
2000	----	----	----	12.50B/24.60A	----	15.70 - 4.20	.0973	----	----	----	----	106 UNCH
2100	----	----	----	8.50B/*21.90A	----	12.40 - 3.20	.0774	----	----	----	----	52 UNCH
2200	----	----	----	5.60B/*19.90A	----	10.10 - 2.40	.0631	----	----	----	----	7 UNCH
2300	----	----	----	3.30B/*18.30A	----	8.40 - 2.00	.0523	----	----	----	----	30 UNCH
2400	----	----	----	1.60B/*16.90A	----	7.20 - 1.60	.0445	----	----	----	----	7 UNCH
2500	----	----	----	0.20B/*15.90A	----	5.80 - 1.20	.0361	----	----	----	----	25 UNCH
2700	----	----	----	----/14.20A	----	3.90 - 0.70	.0246	----	----	----	----	50 UNCH
3000	----	----	----	----/12.60A	----	2.30 - 0.30	.0146	----	----	----	----	30 UNCH
3500	----	----	----	----/11.00A	----	1.00 - 0.10	.0064	----	----	----	----	25 UNCH
TOTAL												759 0
SEP26												
1400	----	----	----	----	----	172.70 - 44.50	.5471	----	----	----	----	75 UNCH
1575	----	----	----	----	----	117.20 - 34.30	.4127	----	----	----	----	25 UNCH
2100	----	----	----	----	----	41.20 - 15.30	.1732	----	----	----	----	25 UNCH
2400	----	----	----	----	----	26.70 - 10.50	.1154	----	----	----	----	10 UNCH
2550	----	----	----	----	----	22.70 - 9.20	.0981	----	----	----	----	50 UNCH
TOTAL												185 0
DEC26												
2000	----	----	----	----	----	116.60 - 26.50	.3230	----	----	----	----	1 UNCH
3000	----	----	----	----	----	75.70 - 16.40	.1963	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	20.40B/----	20.40B/25.50A	----	28.60 NEW	.2426	----	----	----	40	40 + 40
1300	----	----	38.80B/----	38.80B/36.60A	----	45.90 + 19.20	.3454	----	----	----	----	1 UNCH
1400	----	----	94.70B/----	94.70B/75.00A	----	99.20 + 35.00	.5627	----	----	----	40	35 - 40
1450	----	----	130.30B/----	130.30B/102.10A	----	133.50 + 42.30	.6577	----	----	----	----	2 UNCH
1500	----	----	170.40B/----	170.40B/133.30A	----	172.30 + 49.30	.7361	----	----	----	----	2 UNCH
1550	----	----	213.80B/----	213.80B/168.60A	----	214.40 + 55.50	.7971	----	----	----	----	100 UNCH
1675	----	----	329.60B/----	329.60B/271.80A	----	328.30 + 66.40	.8922	----	----	----	----	100 UNCH
1820	----	----	----	----	----	466.70 + 71.10	.9501	----	----	----	----	25 UNCH
TOTAL									80			305 0
JUN26												
1200	----	----	38.20B/----	38.20B/41.60A	----	46.70 + 15.60	.2439	----	----	----	----	15 UNCH
1300	----	----	80.50B/----	80.50B/74.10A	----	88.10 + 27.00	.3782	----	----	----	10	50 + 10
1335	----	----	98.90B/----	98.90B/88.90A	----	106.00 + 30.90	.4259	----	----	----	----	1 UNCH
1400	----	----	137.10B/----	137.10B/120.80A	----	143.20 + 37.00	.5121	----	----	----	10	185 UNCH
1440	----	----	163.00B/----	163.00B/142.90A	----	168.50 + 40.10	.5625	----	----	----	----	4 UNCH
1450	----	----	169.80B/----	169.80B/148.60A	----	175.20 + 41.00	.5746	----	----	----	----	76 UNCH
1460	----	----	176.70B/----	176.70B/154.50A	----	181.90 + 41.70	.5866	----	----	----	----	25 UNCH
1750	----	----	418.80B/----	418.80B/367.60A	----	419.50 + 62.00	.8232	----	----	----	----	1 UNCH
1900	----	----	560.10B/----	560.10B/502.10A	----	559.80 + 68.60	.8780	----	----	----	----	50 UNCH
TOTAL									20			407 + 10
SEP26												
1465	----	----	----	----	----	234.80 + 35.00	.5055	----	----	----	----	150 UNCH
1575	----	----	----	----	----	311.40 + 41.20	.5869	----	----	----	----	25 UNCH
1650	----	----	----	----	----	368.20 + 45.10	.6356	----	----	----	----	50 UNCH
1925	----	----	----	----	----	597.80 + 56.00	.7704	----	----	----	----	75 UNCH
TOTAL												300 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
MAR26												
1395	----	----	28.00B/----	28.00B/27.60A	----	47.90 + 32.00	.7946	----	----	----	----	7 UNCH
1400	19.00	19.00	20.00/*16.60A	42.20B/*16.60A	----	9.50 NEW	.1762	----	----	4	----	4 + 4
1410	----	----	29.70B/----	29.70B/33.90A	----	59.50 + 38.10	.8747	----	----	----	----	7 UNCH
1450	----	----	----/*11.40A	17.10B/*11.40A	----	2.30 - 22.40	.0234	----	----	----	----	4 UNCH
1500	----	----	----/*9.80A	3.50B/*9.80A	----	0.50 - 10.60	.0019	----	----	----	----	4 UNCH
1650	----	----	----	----/8.20A	----	0.10 - 0.40	----	----	----	----	----	12 UNCH
TOTAL										4		38 + 4
APR26												
1600	29.00	29.00	29.00/27.50A	29.00/27.50A	----	19.70 NEW	.1710	----	----	1	----	1 + 1
TOTAL										1		1 + 1
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
MAR26												
1830	----	----	27.10B/----	27.10B/13.70A	----	17.20 + 8.60	.2917	----	----	----	----	25 UNCH
1835	----	----	27.20B/----	27.20B/14.30A	----	19.00 + 9.70	.3260	----	----	----	----	25 UNCH
1860	----	----	32.60B/----	32.60B/18.10A	----	30.20 + 16.20	.5155	----	----	----	----	25 UNCH
1895	----	----	39.00B/----	39.00B/26.30A	----	52.10 + 28.50	.7602	----	----	----	----	12 UNCH
1910	----	----	39.20B/----	39.20B/31.20A	----	63.30 + 34.20	.8370	----	----	----	----	24 UNCH
1920	----	----	----/*9.30A	39.70B/*9.30A	----	8.50 - 47.50	.1218	----	----	----	----	25 UNCH
1940	----	----	----/*8.20A	39.10B/*8.20A	----	5.20 - 40.20	.0620	----	----	----	----	25 UNCH
1945	----	----	----/*7.90A	37.00B/*7.90A	----	4.60 - 38.40	.0519	----	----	----	----	25 UNCH
1945	----	----	----	43.10B/46.10A	----	92.30 + 47.10	.9480	----	----	----	----	25 UNCH
2000	----	----	----/*6.40A	15.10B/*6.40A	----	1.00 - 21.20	.0048	----	----	----	----	20 UNCH
2045	----	----	----/*5.80A	5.90B/*5.80A	----	0.20 - 11.70	.0003	----	----	----	----	4 UNCH
2150	----	----	327.10B/209.10A	327.10B/209.10A	----	292.80 + 82.30	1.0000	----	----	----	----	13 UNCH
2150	----	----	----	----/*5.10A	----	0.10 - 3.20	----	----	----	----	----	1 UNCH
2155	----	----	----	----/*5.00A	----	0.10 - 3.00	----	----	----	----	----	10 UNCH
2155	----	----	----	----	----	297.80 + 82.50	1.0000	----	----	----	----	13 UNCH
2160	----	----	----	----	----	302.80 + 82.70	1.0000	----	----	----	----	32 UNCH
2160	----	----	----	----/*5.00A	----	0.10 - 2.80	----	----	----	----	----	10 UNCH
2350	----	----	----	----/*4.70A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
TOTAL												318 0
APR26												
1765	----	----	#62.70B/----	62.70B/41.30A	----	55.60 + 19.10	.3222	----	----	----	----	27 UNCH
1790	----	----	#73.90B/----	73.90B/47.90A	----	65.30 + 22.00	.3623	----	----	----	----	27 UNCH
1840	----	----	99.80B/----	99.80B/63.70A	----	87.90 + 29.10	.4454	----	----	----	----	27 UNCH
1940	----	----	101.80B/----	101.80B/90.30A	----	130.00 + 42.70	.6411	----	----	----	----	35 UNCH
2090	----	----	----	----	----	250.70 + 65.50	.8405	----	----	----	----	18 UNCH
2100	----	----	----/18.10A	30.00B/18.10A	----	17.20 - 18.70	.1506	----	----	----	----	12 UNCH
2150	----	----	342.00B/----	342.00B/245.90A	----	313.40 + 67.80	.8419	----	----	----	----	12 UNCH
2155	----	----	----	----	----	317.90 + 68.20	.8453	----	----	----	----	12 UNCH
2160	----	----	----/20.80A	31.50B/20.80A	----	20.20 - 16.80	.1511	----	----	----	----	12 UNCH
2160	----	----	----	----	----	322.40 + 68.60	.8487	----	----	----	----	12 UNCH
2345	----	----	----/*9.20A	4.60B/*9.20A	----	5.00 - 5.20	.0441	----	----	----	----	1 UNCH
TOTAL												195 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1800	----	----	----/102.30A	181.60B/102.30A	----	119.20 - 64.50	.6276	----	----	----	----	13 UNCH
1850	----	----	----/79.20A	146.80B/79.20A	----	92.60 - 57.40	.5367	----	----	----	----	0 UNCH
1925	----	----	----/52.60A	103.10B/52.60A	----	60.90 NEW	.4028	----	----	1	----	1 + 1
1950	----	----	----/45.80A	90.70B/45.80A	----	52.50 - 42.30	.3612	----	----	----	----	3 UNCH
2000	36.00	36.00	36.00/35.20A	69.00B/35.20A	----	39.00 - 35.00	.2864	----	----	2	150	283 + 92
2025	----	----	----/31.00A	59.70B/31.00A	----	33.60 - 31.60	.2536	----	----	----	----	50 UNCH
2040	24.10	24.10	24.30/*23.20	54.60B/*23.20	----	30.80 NEW	.2356	----	----	50	----	50 + 50
2045	27.30	27.30	27.30/*23.80	53.00B/*23.80	----	30.00 NEW	.2302	----	----	50	----	50 + 50
2050	26.30	26.30	26.50/26.30	51.40B/26.30	----	29.10 - 28.30	.2244	----	----	50	----	57 + 50
2055	25.70	25.70	25.70/*22.80	49.80B/*22.80	----	28.30 - 27.70	.2190	----	----	50	----	57 + 50
2060	----	----	----/26.20A	48.30B/26.20A	----	27.50 - 27.00	.2137	----	----	----	----	7 UNCH
2065	----	----	----/25.60A	46.90B/25.60A	----	26.80 - 26.30	.2088	----	----	----	----	14 UNCH
2070	----	----	----/25.00A	45.40B/25.00A	----	26.00 - 25.80	.2035	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
2075	----	----	----/24.40A	44.00B/24.40A	----	25.30 - 25.10	.1986	----	----	----	----	21 UNCH
2080	----	----	----/23.90A	42.70B/23.90A	----	24.60 - 24.50	.1938	----	----	----	----	20 UNCH
2090	----	----	----/22.80A	40.10B/22.80A	----	23.30 - 23.30	.1846	----	----	----	----	7 UNCH
2095	----	----	----/22.30A	38.90B/22.30A	----	22.70 - 22.70	.1802	----	----	----	----	7 UNCH
2100	----	----	----/21.80A	37.70B/21.80A	----	22.10 - 22.10	.1759	----	----	----	----	177 UNCH
2105	----	----	----/21.40A	36.50B/21.40A	----	21.50 - 21.60	.1716	----	----	----	----	7 UNCH
2110	----	----	----/20.90A	35.40B/20.90A	----	21.00 - 20.90	.1678	----	----	----	----	37 UNCH
2115	----	----	----/20.50A	34.30B/20.50A	----	20.40 - 20.40	.1636	----	----	----	----	22 UNCH
2120	----	----	----/20.10A	33.30B/20.10A	----	19.90 - 19.90	.1598	----	----	----	----	14 UNCH
2125	----	----	----/19.70A	32.30B/19.70A	----	19.40 - 19.30	.1561	----	----	----	----	14 UNCH
2130	----	----	----/19.30A	31.30B/19.30A	----	18.90 - 18.80	.1524	----	----	----	----	107 UNCH
2135	----	----	----/19.00A	30.30B/19.00A	----	18.40 - 18.30	.1487	----	----	----	----	7 UNCH
2140	----	----	----/18.60A	29.40B/18.60A	----	18.00 - 17.70	.1455	----	----	----	----	7 UNCH
2145	----	----	----/18.30A	28.50B/18.30A	----	17.50 - 17.30	.1418	----	----	----	----	7 UNCH
2150	----	----	----/17.90A	27.60B/17.90A	----	17.10 - 16.80	.1387	----	----	----	----	119 UNCH
2155	----	----	----/17.60A	26.80B/17.60A	----	16.70 - 16.30	.1356	----	----	----	----	7 UNCH
2160	----	----	----/17.30A	26.00B/17.30A	----	16.30 - 15.80	.1325	----	----	----	----	13 UNCH
2170	----	----	----/16.70A	24.40B/16.70A	----	15.50 - 14.90	.1264	----	----	----	----	75 UNCH
2175	----	----	----/16.40A	23.70B/16.40A	----	15.10 - 14.50	.1233	----	----	----	----	10 UNCH
2200	----	----	----/15.10A	20.30B/15.10A	----	13.40 - 12.40	.1099	----	----	----	----	20 UNCH
2215	----	----	----/14.50A	18.50B/14.50A	----	12.50 - 11.30	.1028	----	----	----	----	20 UNCH
2220	----	----	----/*14.20A	18.00B/*14.20A	----	12.20 - 11.00	.1004	----	----	----	----	21 UNCH
2245	----	----	----/*13.30A	15.40B/*13.30A	----	10.90 - 9.30	.0899	----	----	----	----	10 UNCH
2250	----	----	----/*13.10A	15.00B/*13.10A	----	10.70 - 9.00	.0881	----	----	----	----	29 UNCH
2260	----	----	----/*12.70A	14.00B/*12.70A	----	10.20 - 8.40	.0842	----	----	----	----	10 UNCH
2265	----	----	----/*12.60A	13.60B/*12.60A	----	10.00 - 8.10	.0825	----	----	----	----	10 UNCH
2270	----	----	----/*12.40A	13.20B/*12.40A	----	9.80 - 7.80	.0808	----	----	----	----	183 UNCH
2275	----	----	----/*12.30A	12.80B/*12.30A	----	9.60 - 7.50	.0791	----	----	----	----	10 UNCH
2280	----	----	----/*12.10A	12.40B/*12.10A	----	9.40 - 7.30	.0775	----	----	----	----	10 UNCH
2285	----	----	----/*12.00A	12.00B/*12.00A	----	9.20 - 7.00	.0758	----	----	----	----	10 UNCH
2300	----	----	----/*11.50A	10.90B/*11.50A	----	8.60 - 6.30	.0710	----	----	----	----	14 UNCH
2315	----	----	----/*11.20A	9.90B/*11.20A	----	8.10 - 5.60	.0668	----	----	----	----	10 UNCH
2320	----	----	----/*11.00A	9.50B/*11.00A	----	8.00 - 5.30	.0658	----	----	----	----	4 UNCH
2330	----	----	----/*10.80A	8.90B/*10.80A	----	7.60 - 5.00	.0627	----	----	----	----	10 UNCH
2350	----	----	----/*10.40A	7.80B/*10.40A	----	7.10 - 4.20	.0583	----	----	----	----	1 UNCH
2360	----	----	----/*10.20A	7.20B/*10.20A	----	6.70 - 4.00	.0552	----	----	----	----	10 UNCH
2390	----	----	----	5.80B/*9.60A	----	5.60 - 3.40	.0468	----	----	----	----	21 UNCH
2400	----	----	----	5.30B/9.50A	----	5.30 - 3.20	.0444	----	----	----	----	5 UNCH
2450	----	----	----	3.50B/*8.80A	----	4.00 - 2.40	.0341	----	----	----	----	160 UNCH
2500	----	----	----	2.00B/*8.20A	----	3.10 - 1.90	.0266	----	----	----	----	170 UNCH
2700	----	----	----	----/*6.70A	----	1.40 - 0.80	.0118	----	----	----	----	110 UNCH
2730	----	----	----	----/*6.60A	----	1.20 - 0.70	.0102	----	----	----	----	1 UNCH
2750	----	----	----	----/*6.50A	----	1.10 - 0.60	.0093	----	----	----	----	2 UNCH
2800	----	----	----	----/*6.30A	----	0.90 - 0.50	.0076	----	----	----	----	1 UNCH
2880	----	----	----	----/6.00A	----	0.60 - 0.40	.0051	----	----	----	----	1 UNCH
3000	----	----	----	----/*5.70A	----	0.40 - 0.20	.0033	----	----	----	----	2 UNCH
3050	----	----	----	----/*5.60A	----	0.30 - 0.20	.0025	----	----	----	----	2 UNCH
3150	----	----	----	----/*5.40A	----	0.20 - 0.20	.0016	----	----	----	----	121 UNCH
TOTAL									150	203		2255 + 293
JUN26												
2000	----	----	133.20B/88.30A	133.20B/88.30A	----	95.70 - 37.00	.3956	----	----	----	----	20 UNCH
2200	----	----	----/49.30A	71.10B/49.30A	----	50.90 NEW	.2403	----	----	200	----	200 + 200
2300	----	----	----/37.20A	51.90B/37.20A	----	38.00 NEW	.1868	----	----	300	----	260 + 260
2500	----	----	----/23.10A	28.60B/23.10A	----	22.30 - 8.70	.1152	----	----	100	----	100 + 83
2650	----	----	----/*17.60A	18.50B/*17.60A	----	16.20 - 6.20	.0844	----	----	----	----	17 UNCH
TOTAL										600		597 + 543
JUL26												
1500	----	----	470.40B/369.40A	470.40B/369.40A	----	394.20 - 75.90	.8477	----	----	----	----	50 UNCH
1680	----	----	----	----	----	271.60 - 63.00	.7047	----	----	----	----	50 UNCH
1700	----	----	321.30B/242.10A	321.30B/242.10A	----	259.80 - 61.40	.6873	----	----	----	----	1 UNCH
1800	----	----	260.70B/191.00A	260.70B/191.00A	----	205.60 - 54.30	.5988	----	----	----	----	113 UNCH
2000	----	----	----/115.50A	163.30B/115.50A	----	123.30 - 41.20	.4258	----	----	----	----	110 UNCH
2100	100.00	100.00	100.00/86.00	127.10B/86.00	----	95.00 - 34.60	.3507	----	----	46	----	250 + 46
2150	----	----	----/79.90A	111.90B/79.90A	----	83.50 - 31.50	.3172	----	----	----	----	25 UNCH
2200	----	----	----/71.00A	98.60B/71.00A	----	73.50 - 28.50	.2865	----	----	----	----	403 UNCH
2300	----	----	----/56.80A	76.50B/56.80A	----	57.50 - 23.00	.2338	----	----	----	----	202 UNCH
2375	----	----	----/48.10A	63.50B/48.10A	----	48.20 - 19.50	.2011	----	----	----	----	50 UNCH
2400	----	----	----/45.50A	59.80B/45.50A	----	45.50 - 18.40	.1912	----	----	----	----	766 UNCH
2500	----	----	----/37.10A	47.00B/37.10A	----	36.60 - 14.50	.1576	----	----	----	----	321 UNCH
2600	----	----	----/*30.90A	37.30B/*30.90A	----	29.70 - 11.30	.1304	----	----	----	----	411 UNCH
2700	----	----	----/*26.20A	29.70B/*26.20A	----	24.10 - 9.10	.1079	----	----	----	----	13 UNCH
2800	----	----	----/*22.70A	23.70B/*22.70A	----	19.60 - 7.40	.0893	----	----	----	----	149 UNCH
2850	----	----	----/*21.30A	21.10B/*21.30A	----	17.70 - 6.70	.0813	----	----	----	----	158 UNCH
2900	----	----	----/*20.00A	18.90B/*20.00A	----	16.00 - 6.10	.0741	----	----	----	----	133 UNCH
3000	----	----	----/*17.90A	15.00B/*17.90A	----	13.10 - 5.20	.0616	----	----	----	----	683 UNCH
3100	----	----	----	11.90B/*16.20A	----	10.90 - 4.30	.0518	----	----	----	----	101 UNCH
3200	----	----	----	4.60B/19.10A	----	9.10 - 3.60	.0437	----	----	----	----	14 UNCH
3300	----	----	----	2.60B/*18.00A	----	7.70 - 3.10	.0372	----	----	----	----	31 UNCH
3400	----	----	----	0.90B/*17.10A	----	6.60 - 2.60	.0320	----	----	----	----	32 UNCH
3500	----	----	----	----/*16.40A	----	5.60 - 2.20	.0274	----	----	----	----	274 UNCH
3600	----	----	----	----/*15.80A	----	4.70 - 2.00	.0232	----	----	----	----	300 UNCH
3800	----	----	----	1.50B/*10.70A	----	3.50 - 1.50	.0174	----	----	----	----	12 UNCH
3900	----	----	----	0.80B/*10.30A	----	3.10 - 1.30	.0154	----	----	----	----	8 UNCH
4000	----	----	----	0.20B/*10.00A	----	2.80 - 1.10	.0139	----	----	----	----	221 UNCH
TOTAL										46		4881 + 46
OCT26												
1720	----	----	----	----	----	314.30 - 56.40	.6637	----	----	----	----	1 UNCH
1800	----	----	----/263.00A	327.30B/263.00A	----	275.50 - 52.10	.6114	----	----	----	----	1 UNCH
2200	135.00	135.00	135.00/135.00	172.70B/135.00	----	143.30 - 32.30	.3818	----	----	10	----	130 + 10
2400	----	----	----/106.00A	127.40B/106.00A	----	106.60 - 24.40	.2997	----	----	----	----	100 UNCH
2500	----	----	----/93.30A	110.20B/93.30A	----	92.80 - 21.20	.2663	----	----	----	----	175 UNCH
2600	----	----	----/82.60A	95.70B/82.60A	----	81.30 - 18.30	.2374	----	----	----	----	10 UNCH
2700	----	----	----/73.50A	83.60B/73.50A	----	71.60 - 16.10	.2122	----	----	----	----	100 UNCH
2800	----	----	----/65.70A	73.40B/65.70A	----	63.30 - 14.30	.1902	----	----	----	----	30 UNCH
2900	----	----	----/59.00A	64.70B/59.00A	----	56.30 - 12.80	.1710	----	----	----	----	10 UNCH
3000	----	----	----/53.40A	57.20B/53.40A	----	50.40 - 11.50	.1545	----	----	----	----	21 UNCH
3200	----	----	----/44.60A	45.40B/44.60A	----	40.90 - 9.40	.1272	----	----	----	----	10 UNCH
3500	----	----	----/35.50A	32.50B/35.50A	----	30.90 - 7.00	.0976	----	----	----	----	10 UNCH
TOTAL										10		598 + 10
JAN27												
2360	----	----	----	----	----	153.80 - 32.90	.3613	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	30.00	30.00	32.50B/30.00	32.50B/23.80A	----	29.80 + 10.60	.2115	----	----	1	----	1 + 1
1745	44.90	44.90	#47.50B/44.90	47.50B/31.40A	----	42.20 NEW	.2788	----	----	15	----	15 + 15
1750	46.40	46.40	49.40B/46.40	49.40B/32.40A	----	43.80 + 15.20	.2869	----	----	15	----	16 + 15
1800	----	----	71.30B/----	71.30B/44.20A	----	62.00 + 20.80	.3723	----	----	----	40	108 UNCH
1820	----	----	81.50B/----	81.50B/50.00A	----	70.80 + 23.60	.4084	----	----	----	----	100 UNCH
1825	----	----	84.20B/----	84.20B/51.60A	----	73.10 + 24.30	.4175	----	----	----	----	14 UNCH
1850	100.00	100.00	100.00/100.00	100.00/60.00A	----	85.30 + 27.90	.4632	----	----	6	----	63 + 6
1855	----	----	101.10B/----	101.10B/61.80A	----	87.90 + 28.60	.4723	----	----	----	----	15 UNCH
1860	----	----	104.10B/----	104.10B/63.60A	----	90.50 + 29.40	.4815	----	----	----	----	100 UNCH
1875	----	----	113.30B/----	113.30B/69.50A	----	98.60 + 31.60	.5088	----	----	----	----	121 UNCH
1890	----	----	107.90B/----	107.90B/75.70A	----	107.10 + 33.90	.5357	----	----	----	----	22 UNCH
1895	----	----	109.00B/----	109.00B/77.90A	----	110.00 + 34.60	.5447	----	----	----	----	29 UNCH
1900	----	----	129.60B/----	129.60B/80.10A	----	113.00 + 35.40	.5535	----	----	----	----	135 UNCH
1905	----	----	110.50B/----	110.50B/82.30A	----	116.00 + 36.20	.5624	----	----	----	----	46 UNCH
1910	----	----	110.50B/----	110.50B/84.60A	----	119.00 + 36.90	.5712	----	----	----	----	46 UNCH
1915	----	----	112.40B/----	112.40B/86.90A	----	122.10 + 37.70	.5800	----	----	----	----	67 UNCH
1920	----	----	112.10B/----	112.10B/89.30A	----	125.30 + 38.50	.5885	----	----	----	----	49 UNCH
1925	----	----	147.10B/----	147.10B/91.70A	----	128.50 + 39.30	.5971	----	----	----	----	20 UNCH
1930	----	----	112.90B/----	112.90B/94.20A	----	131.70 + 40.00	.6056	----	----	----	----	20 UNCH
1935	----	----	114.80B/----	114.80B/96.70A	----	135.00 + 40.80	.6140	----	----	----	----	20 UNCH
1945	----	----	114.10B/----	114.10B/101.80A	----	141.60 + 42.30	.6305	----	----	----	----	30 UNCH
1950	----	----	165.50B/----	165.50B/104.40A	----	145.10 + 43.10	.6387	----	----	----	----	78 UNCH
1970	----	----	116.10B/----	116.10B/115.20A	----	159.10 + 46.10	.6701	----	----	----	----	9 UNCH
1990	----	----	----	116.70B/126.60A	----	173.80 + 48.90	.6995	----	----	----	----	10 UNCH
2000	----	----	205.20B/----	205.20B/132.60A	----	181.40 + 50.30	.7135	----	----	----	----	335 UNCH
2030	----	----	----	----	----	205.10 + 54.50	.7522	----	----	----	----	75 UNCH
2050	----	----	247.70B/----	247.70B/164.60A	----	221.50 + 57.10	.7754	----	----	----	----	200 UNCH
2100	----	----	292.50B/200.40A	292.50B/200.40A	----	264.40 + 63.30	.8240	----	----	----	----	70 UNCH
2155	----	----	----	----	----	313.90 + 69.10	.8643	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
MAY26													
2160	----	----	----	----	----	318.50 + 69.60	.8674	----	----	----	----	38	UNCH
2175	----	----	362.30B/260.50A	362.30B/260.50A	----	332.30 + 70.90	.8765	----	----	----	----	10	UNCH
2195	----	----	----	----	----	350.90 + 72.60	.8870	----	----	----	----	23	UNCH
2200	----	----	386.00B/281.80A	386.00B/281.80A	----	355.60 + 73.00	.8899	----	----	----	----	10	UNCH
2215	----	----	----	----	----	369.70 + 74.10	.8971	----	----	----	----	60	UNCH
2450	----	----	629.80B/----	629.80B/513.60A	----	596.00 + 83.10	.9658	----	----	----	----	50	UNCH
2500	----	----	679.20B/----	679.20B/562.10A	----	645.10 + 83.70	.9733	----	----	----	----	100	UNCH
TOTAL									40	37		2118 +	37
JUN26													
1825	----	----	144.70B/----	144.70B/108.80A	----	133.10 + 33.90	.4254	----	----	----	----	25	UNCH
1850	----	----	158.80B/----	158.80B/119.70A	----	146.10 + 36.10	.4521	----	----	----	----	1	UNCH
1900	----	----	189.10B/----	189.10B/143.30A	----	174.00 + 40.20	.5048	----	----	----	----	200	UNCH
2100	----	----	334.10B/----	334.10B/261.50A	----	311.10 + 55.50	.6900	----	----	----	----	100	UNCH
TOTAL												326	0
JUL26													
1400	----	----	20.00B/----	20.00B/23.60A	----	22.20 NEW	.0951	----	----	----	150	150 +	150
1500	----	----	40.10B/----	40.10B/36.00A	----	39.10 + 9.10	.1520	----	----	----	----	153	UNCH
1550	----	----	54.10B/----	54.10B/45.10A	----	51.20 + 11.80	.1876	----	----	----	----	200	UNCH
1600	----	----	70.60B/----	70.60B/56.70A	----	66.20 + 15.40	.2272	----	----	----	40	310 +	9
1650	----	----	89.50B/----	89.50B/70.90A	----	83.80 + 19.50	.2691	----	----	----	----	1	UNCH
1680	----	----	101.70B/----	101.70B/80.70A	----	95.40 + 21.90	.2950	----	----	----	----	50	UNCH
1700	----	----	110.30B/----	110.30B/87.60A	----	103.60 + 23.60	.3124	----	----	----	----	261	UNCH
1710	----	----	114.70B/----	114.70B/91.20A	----	107.70 + 24.30	.3211	----	----	----	----	1	UNCH
1750	----	----	133.10B/----	133.10B/106.50A	----	125.20 + 27.30	.3564	----	----	----	----	50	UNCH
1800	----	----	158.30B/----	158.30B/127.20A	----	148.70 + 30.70	.4009	----	----	----	----	201	UNCH
1900	----	----	215.70B/----	215.70B/174.20A	----	202.30 + 37.10	.4898	----	----	----	----	1	UNCH
2100	----	----	356.70B/----	356.70B/292.10A	----	336.10 + 50.30	.6490	----	----	----	----	225	UNCH
2165	----	----	----	----	----	386.10 + 54.40	.6921	----	----	----	----	20	UNCH
2350	----	----	566.10B/----	566.10B/480.10A	----	540.80 + 64.50	.7883	----	----	----	----	5	UNCH
2400	----	----	611.00B/----	611.00B/521.70A	----	585.00 + 66.70	.8085	----	----	----	----	300	UNCH
4000	----	----	2,175.70B/----	2,175.70B/2,057	----	2142.70 + 85.50	.9861	----	----	----	----	10	UNCH
TOTAL									190			1938 +	159
OCT26													
1500	----	----	76.50B/----	76.50B/72.00A	----	76.80 + 14.60	.1962	----	----	----	----	80	UNCH
1600	----	----	113.80B/----	113.80B/102.00A	----	111.80 + 20.60	.2578	----	----	----	----	17	UNCH
1720	----	----	168.40B/----	168.40B/148.50A	----	164.10 + 28.20	.3358	----	----	----	----	2	UNCH
1800	----	----	210.40B/----	210.40B/184.90A	----	204.30 + 32.50	.3881	----	----	----	----	20	UNCH
2000	----	----	334.90B/----	334.90B/293.40A	----	323.50 + 42.60	.5127	----	----	----	----	1	UNCH
2100	----	----	406.60B/----	406.60B/356.80A	----	392.60 + 47.70	.5681	----	----	----	----	100	UNCH
2400	----	----	647.60B/----	647.60B/577.40A	----	627.90 + 60.20	.6998	----	----	----	----	200	UNCH
2500	----	----	733.90B/----	733.90B/658.70A	----	713.10 + 63.60	.7332	----	----	----	----	1	UNCH
TOTAL												421	0
JAN27													
1500	105.00	105.00	105.00/105.00	105.00/105.00	----	97.40 + 16.00	.2098	----	----	10	----	40 +	10
1800	----	----	----	----	----	232.70 + 29.60	.3809	----	----	----	----	1	UNCH
TOTAL										10		41 +	10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 96

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4600	0	100
TOTALS		0	100
JUN26 CALL			
OG	5000	0	100
OG	5200	0	140
OG	5300	0	140
TOTALS		0	380
JUL26 CALL			
OG	4520	0	50
TOTALS		0	50
SEP26 CALL			
OG	4600	0	50
TOTALS		0	50
DEC26 CALL			
OG	4650	0	40
TOTALS		0	40
OG PUT	COMEX GOLD OPTIONS		
APR26 PUT			
OG	4300	0	250
TOTALS		0	250
MAY26 PUT			
OG	4400	0	100
OG	4450	0	100
TOTALS		0	200
JUN26 PUT			
OG	3790	0	150
TOTALS		0	150
AUG26 PUT			
OG	4400	0	300
TOTALS		0	300
DEC26 PUT			
OG	3400	0	50
TOTALS		0	50
SO CALL	COMEX SILVER OPTIONS		
MAY26 CALL			
SO	7000	0	50
SO	8500	0	40
TOTALS		0	90
JUL26 CALL			
SO	7000	0	20
SO	8500	0	40
TOTALS		0	60
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	5200	0	56
SO	6000	0	103
SO	6500	0	100
TOTALS		0	259
JUN26 PUT			
SO	5500	0	50
TOTALS		0	50
JUL26 PUT			
SO	4500	0	40
SO	5000	0	25
TOTALS		0	65
HX CALL	COMEX COPPER OPTIONS		
MAY26 CALL			
HX	550	0	200
HX	615	0	150
TOTALS		0	350
JUN26 CALL			
HX	575	0	150
TOTALS		0	150
DEC26 CALL			
HX	600	0	200
HX	620	0	200
TOTALS		0	400
PO CALL	PLATINUM OPTIONS		
MAY26 CALL			
PO	2000	0	150
TOTALS		0	150
PO PUT	PLATINUM OPTIONS		
MAY26 PUT			
PO	1800	0	40
TOTALS		0	40
JUL26 PUT			
PO	1400	0	150
PO	1600	0	40
TOTALS		0	190
PAO PUT	NYMEX PALLADIUM OPTIONS		
MAY26 PUT			
PAO	1250	0	40
PAO	1400	0	40
TOTALS		0	80
JUN26 PUT			
PAO	1300	0	10
PAO	1400	0	10
TOTALS		0	20
OG3 PUT	GOLD OPTIONS		
APR26 PUT			
OG3	4000	0	100
TOTALS		0	100
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
JUN26 CALL			
HRO	100000	0	25
TOTALS		0	25
JUL26 CALL			
HRO	105000	0	150
TOTALS		0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1		
APR26	PUT			
G1W		4300	0	100
TOTALS			0	100
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
APR26	CALL			
G2M		4500	0	300
TOTALS			0	300
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1		
APR26	CALL			
G1R		4650	0	100
TOTALS			0	100
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week5		
MAR26	PUT			
G5T		4375	0	150
TOTALS			0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.